



U.S. Department
of Transportation

**Research and
Special Programs
Administration**

DEC 29 1994

400 Seventh Street S W
Washington, D C 20590

DOT-E 10965

EXPIRATION DATE: June 1, 1996

1. GRANTEE: HASA, Inc., Santa Clarita, California.
2. PURPOSE AND LIMITATION: This exemption authorizes the transportation in commerce of certain specifically identified hazardous materials, classed as Division 5.1, under the provisions of the limited quantities exception for solid oxidizers assigned to Packing Group II. The oxidizers are packaged in combination packagings. This exemption provides no relief from any regulation other than as specifically stated herein. Each of the following is hereby granted the status of party to this exemption:

HASA of Arizona, Inc., Elroy, AZ, PTE-1.
3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR Section 173.152 (b) (1).
5. BASIS. This exemption is based on HASA, Inc.'s application dated January 8, 1993 and supplemental information dated November 2, 1993, submitted in accordance with 49 CFR 107.103 and the public process thereon. The granting of party status is based on the following application submitted in accordance with 49 CFR 107.111 and the public proceeding thereon:

HASA of Arizona, Inc's application dated
January 12, 1993.

6. HAZARDOUS MATERIALS (49 CFR 172.101):

Hazardous materials description/proper shipping name	Hazard Class/ Division	Identification number	Packing Group
Calcium hypochlorite, hydrated, with not less than 5.5 per cent but not more than 10 per cent water	(Oxidizer) Class 5 Division 5.1	UN2880	II

Hazardous materials description/proper shipping name	Hazard Class/ Division	Identification number	Packing Group
Dichloroisocyanuric acid salts	(Oxidizer) Class 5 Division 5.1	UN2465	II
Trichloroisocyanuric acid, dry	(Oxidizer) Class 5 Division 5.1	UN2468	II

7. PACKAGING AND SAFETY CONTROL MEASURES: The material must be solid in tablet or granular form.
- a. PACKAGING - Limited quantities of the material must be packed in combination packagings. Each material must be in inner packagings not over 4.6 kg (10 pounds) net capacity each, packed in strong outer packagings. Inner packagings are high density polyethylene pails with child-resistant closures. Outer packagings are regular slotted single wall corrugated fiberboard boxes with a 200 psi minimum bursting strength. Each outside package must be sealed with either hot melt resin glue or reinforced tape. The gross weight of each package must not exceed 19 kg (42 pounds).
- b. TESTING - Packages must be tested as follows:
- (1) Drop test in accordance with 49 CFR 178.603. The drop height must be the same height as required for materials assigned to Packing Group II.
 - (2) Stacking test in accordance with 49 CFR 178.606.
 - (3) Vibration standard in accordance with 49 CFR 178.608.
8. SPECIAL PROVISIONS. Persons who receive the packages covered by this exemption may reoffer them for transportation provided no modifications or changes are made to the packages, all terms of this exemption are complied with and a current copy of this exemption is maintained at each facility from which such reoffering occurs.
9. MODES OF TRANSPORTATION AUTHORIZED. Motor vehicle.
10. MODAL REQUIREMENTS: No modal-specific requirements are required by this exemption.

11. COMPLIANCE. Failure by a person to comply with any of the following may result in suspension or revocation of this exemption and penalties prescribed by the Federal hazardous materials transportation law 49 U.S.C. 5101 et seq:


- o All terms and conditions prescribed in this exemption and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
- o Registration required by 49 CFR 107.601 et seq., when applicable.

No person may use or apply this exemption, including display of its number, when the exemption has expired or is otherwise no longer in effect unless a regulation has been amended making the exemption no longer necessary.

12. REPORTING REQUIREMENTS. The carrier is required to report any incident involving loss of packaging contents or packaging failure to the Associate Administrator for Hazardous Materials Safety (AAHMS) as soon as practicable. (49 CFR 171.15 and 171.16 apply to any activity undertaken under the authority of this exemption.) In addition, the holder(s) of this exemption must inform the AAHMS, in writing, of any incidents involving the package and shipments made under the terms of this exemption.

Issued at Washington, D.C.:

DEC 29 1994


Alan I. Roberts
Associate Administrator
for Hazardous Materials Safety

(DATE)

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Research and Special Programs Administration, Department of Transportation, Washington, D.C. 20590-0001.
Attention: DHM-31.

The original of this exemption is on file at the above office. Photo reproductions and legible reductions of this exemption are permitted. Any alteration of this exemption is prohibited.

Dist: FWHA