

Administration

400 Seventh St., S.W. Washington, D.C. 20590

OCT 1 2 2000

DOT-E 12556

EXPIRATION DATE: October 14, 2000

(FOR RENEWAL, SEE 49 CFR § 107.109)

1. <u>GRANTEE</u>: Florida Gas Transmission Company Tallahassee, FL

2. PURPOSE AND LIMITATION:

- a. This emergency exemption authorizes the transportation in commerce of compressed natural gas in certain DOT Specification MC 331 cargo tank motor vehicles. This exemption provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein.
- b. The safety analyses performed in development of this exemption only considered the hazards and risks associated with transportation in commerce.
- 3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
- 4. <u>REGULATIONS FROM WHICH EXEMPTED</u>: The marking requirements in §\$ 172.203(a) and 172.302(c); and § 173.302(a) in that MC 331 cargo tank motor vehicles are not authorized packagings.
- 5. <u>BASIS</u>: This emergency exemption is based on the application of Florida Gas Transmission Company (FGT) dated October 11, 2000, submitted in accordance with § 107.117 and a determination that it is necessary to prevent significant injury to persons or property.

6. HAZARDOUS MATERIALS (49 CFR § 172.101):

Proper Shipping Name/ Hazardous Materials Description	Hazard Class/ Division	Identi- fication Number	Packing Group
Natural gas, compressed (with high methane content)	2.1	UN1971	N/A

7. SAFETY CONTROL MEASURES:

- a. <u>PACKAGING</u> Packagings prescribed are three(3) DOT Specification MC 331 cargo tank motor vehicles operated by Riplinger Transport bearing owners serial numbers ID 72828, T5614A, and T6003A.
- b. <u>TESTING</u> The DOT Specification MC 331 cargo tank motor vehicles identified in paragraph 7.a. above must be pressure tested and inspected by the wet fluorescent magnetic particle method as specified in § 180.407(g)(3) immediately after being used in natural gas service.

c. OPERATIONAL CONTROLS -

- (1) Each cargo tank is limited to three (3) round trips to Chattahoochee, Florida from a FGT valve location located approximately 15 miles from Chattahoochee, Florida.
- (2) The cargo tank motor vehicles may not be charged to a pressure exceeding 200 psig.
- (3) The natural gas may not have more than:
 - (i) 0.5 lbs. of water per million cubic feet at standard temperature and pressure (STP) ($60^{\circ}F$, 30 inches Hg); and
 - (ii) 1 ppm of hydrogen sulfide at STP.

8. <u>SPECIAL PROVISIONS</u>:

a. A current copy of this exemption must be maintained at each facility where the package is offered or reoffered for transportation.

- b. MARKING The marking requirements of §§ 172.203(a) and 172.302(b) and (c) are waived.
- 9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicle.
- 10. <u>MODAL REQUIREMENTS</u>: A current copy of this exemption must be carried aboard each motor vehicle used to transport packages covered by this exemption.
- 11. <u>COMPLIANCE</u>: Failure by a person to comply with any of the following may result in suspension or revocation of this exemption and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 <u>et seq</u>:
 - o All terms and conditions prescribed in this exemption and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
 - o Registration required by § 107.601 et seq., when applicable.

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this exemption must receive training on the requirements and conditions of this exemption in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this exemption, including display of its number, when this exemption has expired or is otherwise no longer in effect.

12. REPORTING REQUIREMENTS: The carrier is required to report any incident involving loss of packaging contents or packaging failure to the Associate Administrator for Hazardous Materials Safety (AAHMS) as soon as practicable. (Sections 171.15 and 171.16 apply to any activity undertaken under the authority of this exemption.) In addition, the holder(s) of this exemption must inform the AAHMS, in writing, of any incident involving the package and shipments made under the terms of this exemption.

Issued in Washington, D.C.:

Robert A. McGuire

Associate Administrator for Hazardous Materials Safety

OCT 1 2 2000

(DATE)

Continuation of DOT-E 12556

Page 4

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Research and Special Programs Administration, U.S. Department of Transportation, 400 Seventh Street, SW, Washington, D.C. 20590.
Attention: DHM-31.

The original of this exemption is on file at the above office. Photo reproductions and legible reductions of this exemption are permitted. Any alteration of this exemption is prohibited.

PO: CHH/AM