

Research and Special Programs Administration 400 Seventh Street, S.W. Washington, D.C. 20590

SEP 1 5 2004

DOT-E 12877 (SECOND REVISION)

EXPIRATION DATE: January 31, 2006

(FOR RENEWAL, SEE 49 CFR § 107.109)

1. GRANTEE: BAE Systems, Information & Electronic Systems Integration
Pomona, CA

(See Appendix A to this document for a list of additional grantees)

2. PURPOSE AND LIMITATION:

- a. This exemption authorizes the transportation in commerce of certain cesium devices containing not more than 35 microliters of cesium, packed in UN4G combination packages. This exemption provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein.
- b. The safety analyses performed in development of this exemption only considered the hazards and risks associated with transportation in commerce. The safety analyses did not consider the hazards and risks associated with consumer use, use as a component of a transport vehicle or other device, or other uses not associated with transportation in commerce.
- 3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.

Continuation of DOT-E 12877 (2nd Rev.)

- 4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR §§ 172.101 Table Column (9A) and 175.3 in that transportation by passenger-carrying aircraft is prohibited except as specified herein; and §§ 172.400(a) and 172.500(a) in that labeling and placarding requirements are waived.
- 5. <u>BASIS</u>: This exemption is based on the application of BAE Systems, Information & Electronic Systems Integration dated February 17, 2004, submitted in accordance with § 107.109.
- 6. HAZARDOUS MATERIALS (49 CFR § 172.101):

Hazardous Material Description				
Proper Shipping Name	Hazard Class/ Division	Identi- fication Number	Packing Group	
Cesium or Caesium	4.3	UN1407	I	

7. SAFETY CONTROL MEASURES:

- a. PACKAGING Prescribed packagings for the cesium devices are described as follows:
 - (1) The cesium device, containing not more than 35 microliters of cesium, is placed into snug fitting foam cushioning and placed into a plastic receptacle.
 - (2) The receptacle is placed into the outer UN4G box. Up to four receptacles may be packed inside of the UN4G box. If less than four receptacles are shipped in the outer box, the void space must be filled with cushioning materials.
- b. OPERATIONAL CONTROLS Each passenger-carrying aircraft shipment may not contain more than 4 cesium devices, either in one box or in a combination of boxes.

8. SPECIAL PROVISIONS:

a. A person who is not a holder of this exemption who receives a package covered by this exemption may reoffer it for transportation provided no modification or change is made to the package or its contents and it is reoffered for transportation in conformance with this exemption and the HMR.

- b. A current copy of this exemption must be maintained at each facility where the package is offered or reoffered for transportation.
- c. Shipments of packages covered by this exemption are exempt from labeling and placarding requirements.
- d. The outside of each package must be marked "DOT-E 12877" in accordance with 172.301(c).
- e. The cesium devices authorized under this exemption are for use in military aircraft only.
- 9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicle, rail freight, cargo vessel, cargo aircraft only, and passenger-carrying aircraft.
- 10. MODAL REQUIREMENTS: A current copy of this exemption must be carried aboard each cargo vessel, aircraft or motor vehicle used to transport packages covered by this exemption. The shipper must furnish a copy of this exemption to the air carrier before or at the time the shipment is tendered.
- 11. COMPLIANCE: Failure by a person to comply with any of the following may result in suspension or revocation of this exemption and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq:
 - o All terms and conditions prescribed in this exemption and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
 - o Persons operating under the terms of this exemption must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable.
 - o Registration required by § 107.601 et seq., when applicable.

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this exemption must receive training on the requirements and conditions of this exemption in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this exemption, including display of its number, when this exemption has expired or is otherwise no longer in effect.

12. REPORTING REQUIREMENTS: The carrier is required to report any incident involving loss of packaging contents or packaging failure to the Associate Administrator for Hazardous Materials Safety (AAHMS) as soon as practicable. (Sections 171.15 and 171.16 apply to any activity undertaken under the authority of this exemption.) In addition, the holder(s) of this exemption must inform the AAHMS, in writing, of any incident involving the package and shipments made under the terms of this exemption.

Issued in Washington, D.C.:

Robert A. McGuire

Associate Administrator for Hazardous Materials Safety

SEP 1 5 2004

DATE

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Research and Special Programs Administration, Department of Transportation, Washington, D.C. 20590. Attention: DHM-31.

Copies of this exemption may be obtained by accessing the Hazardous Materials Safety Homepage at http://hazmat.dot.gov/exemptions Photo reproductions and legible reductions of this exemption are permitted. Any alteration of this exemption is prohibited.

PO: DBurger/alb

Continuation DOT-E 12877 (2nd Rev.) APPENDIX A SEP 1 5 2004

The following are hereby granted party status to this exemption based on their application(s) submitted in accordance with § 107.107 or § 107.109, as appropriate:

Company Name	Application	Issue	Expiration
City/State	Date	Date	Date
Perma-Fix Government Services, Hawaii Division Honolulu, HI	Aug 25, 2004	SEP 1 5 2004	Jan 31, 2006

Associate Administrator for Hazardous Materials Safety