



U.S. Department  
of Transportation  
**Research and  
Special Programs  
Administration**

MAY 16 2002

400 Seventh St., S.W.  
Washington, D.C. 20590

DOT-E 13012

EXPIRATION DATE: June 30, 2002

1. GRANTEE: JCI Jones Chemicals, Inc.  
Houston, TX
2. PURPOSE AND LIMITATION:
  - a. This emergency exemption authorizes the one-way transportation in commerce of Chlorine in a DOT Specification 106A500 tank car tank which has a leak. The container is equipped with a Chlorine Institute Emergency "B-Kit" as a precautionary measure. This exemption provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein.
  - b. The safety analyses performed in development of this exemption only considered the hazards and risks associated with transportation in commerce.
3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR § 172.302(c) in that the marking requirement is waived; and §§ 179.300-12(b), 179.300-13(a) and 179.300-14.
5. BASIS: This emergency exemption is based on the application of JCI Jones Chemicals Inc., dated May 16, 2002, submitted in accordance with § 107.117 and a determination that it is necessary for the protection of life and the environment.
6. HAZARDOUS MATERIALS (49 CFR § 172.101):

Proper Shipping Name/ Hazardous Materials Description	Hazard Class/ Division	Identi- fication Number	Packing Group
Chlorine	2.3	UN1017	Hazard Zone B

MAY 16 2002


continuation of DOT-E 13006

Page 2

7. SAFETY CONTROL MEASURES:
- a. PACKAGING - DOT Specification 106A500 tank car tank which has a leak. The tank car is equipped with a Chlorine Institute emergency "B-Kit" to prevent a leakage during transportation.
  - b. The tank must be braced and blocked to prevent movement during transportation.
8. SPECIAL PROVISIONS: The cylinder will be transported by JCI Jones Chemicals from Potomac, MD back to JCI Jones Chemical's facility in Milford, VA.
9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicle.
10. MODAL REQUIREMENTS: A current copy of this exemption must be carried aboard the motor vehicle used to transport the cylinder covered by this exemption.
11. COMPLIANCE: Failure by a person to comply with any of the following may result in suspension or revocation of this exemption and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq:
- o All terms and conditions prescribed in this exemption and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
  - o Registration required by § 107.601 et seq., when applicable.
- Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this exemption must receive training on the requirements and conditions of this exemption in addition to the training required by §§ 172.700 through 172.704.
- No person may use or apply this exemption, including display of its number, when this exemption has expired or is otherwise no longer in effect.
12. REPORTING REQUIREMENTS: The carrier is required to report any incident involving loss of packaging contents or packaging failure to the Associate Administrator for Hazardous Materials Safety (AAHMS) as soon as practicable. (Sections 171.15 and 171.16 apply to any activity undertaken under the authority of this exemption.) In addition, the

holder(s) of this exemption must inform the AAHMS, in writing, of any incident involving the package and shipments made under the terms of this exemption.

Issued in Washington, D.C.:

  
Robert A. McGuire  
Associate Administrator for  
Hazardous Materials Safety

MAY 16 2002

(DATE)

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Research and Special Programs Administration, Department of Transportation, Washington, D.C. 20590. Attention: DHM-31.

Copies of this exemption may be obtained by accessing the Hazardous Materials Safety Homepage at <http://hazmat.dot.gov/exemptions> Photo reproductions and legible reductions of this exemption are permitted. Any alteration of this exemption is prohibited.

PO: DL