

Pipeline and Hazardous Materials Safety Administration 400 Seventh Street, S.W. Washington, D.C. 20590

SEP 2 1 2005

DOT-E 13561 (SECOND REVISION)

EXPIRATION DATE: August 31, 2007

(FOR RENEWAL, SEE 49 CFR § 107.109)

1. GRANTEE: Sigma-Aldrich Corporation

Milwaukee, WI

2. PURPOSE AND LIMITATION:

- a. This exemption authorizes the one-way transportation in commerce of certain hazardous materials between two facilities of Sigma-Aldrich Company. This exemption provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein.
- b. The safety analyses performed in development of this exemption only considered the hazards and risks associated with transportation in commerce. The safety analyses did not consider the hazards and risks associated with consumer use, use as a component of a transport vehicle or other device, or other uses not associated with transportation in commerce.
- 3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
- 4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR § 171-180 except for § 173.21 in that forbidden materials may not be transported under this exemption.
- 5. BASIS: This exemption is based on the application of Sigma-Aldrich Corporation dated August 30, 2005, submitted in accordance with § 107.109.

SEP 2 1 2005

6. HAZARDOUS MATERIALS (49 CFR § 172.101):

Hazardous Materials Description			
Proper Shipping Name	Hazard Class/ Division	Identi- fication Number	Packing Group
As appropriate	2.1, 2.2, 2.3, 3, 4.1, 4.2, 4.3, 5.1, 5.2, 6.1, 8, & 9	As appro- priate	As appro- priate

7. SAFETY CONTROL MEASURES:

- a. PACKAGING The following packagings are required:
 - (1) For liquid and solid hazardous material:
 - (a) Single packagings that are compatible with contents, safe and structurally sound; or
 - (b) Combination packages consisting of inner packagings in strong outside packagings, or unitized in cages, carts, drawered cabinets or similar overpacks. Drawered cabinets are permitted only for quality control samples, and must be securely closed by locking or shrink-wrapping. Inner packagings must:
 - (i) Be such that there will be no significant chemical or galvanic reaction between the inner packaging and its contents;
 - (ii) Be closed in such a manner as to remain secure and leak-proof under conditions normally incident to transportation as permitted by the exemption;

- (iii) Be secured within the outer packaging, cage, cart, cabinet or overpack so as to prevent their breakage or leakage under conditions normally incident to transport as permitted under the exemption.
- (c) When containing liquids, packagings must be filled so that the liquid does not completely fill the packaging at a temperature of 55°C or less and, in the case of inner packagings, be packed in the strong outside packaging, cage, cart, cabinet or overpack with closures upright.
- (2) Division 2.1, 2.2 or 2.3 materials must be packaged in authorized DOT Specification cylinders.
- (3) Hazardous materials must not be packed in the same outer packaging, cage, cart or overpack with other hazardous or non-hazardous materials if such materials are capable of reacting dangerously with each other and causing:
 - (i) Combustion or dangerous evolution of heat;
 - (ii) Evolution of flammable, poisonous or asphyxiant gases; or
 - (iii) Formation of unstable materials.

b. OPERATIONAL CONTROLS -

- (1) This exemption authorizes the one-way transport of hazardous materials packages from the existing facilities at 940 W. St Paul Avenue, 1101 W. St Paul Avenue, and 230 S. Emmber Lane to the new facility at 6000 N. Teutonia Avenue and the existing Sigma-Aldrich facility at 2905 W. Hope Avenue, all at Milwaukee, Wisconsin, a total distance of about 10 miles. Also hazardous materials packages will be moved from the facility at 1101 W. St Paul Avenue to 230 S. Emmber Lane, a distance of less than one mile. All moves must be done by the most direct route, using transport vehicles operated by Sigma-Aldrich employees.
- (2) Packages must be loaded on and unloaded from transport vehicles by Sigma-Aldrich employees.

- (3) Each motor vehicle transporting hazardous materials under this exemption must be accompanied by a seperate telephone-equipped vehicle and remain in visual contact with the accompanied vehicle at all times. The driver of each vehicle must be instructed as to actions to be taken in the event of an incident involving the motor vehicle being accompanied and possess appropriate emergency response information.
- (4) The driver of each transport vehicle and the accompanying vehicle must possess an itemized listing by proper shipping name or the chemical name of each hazardous material aboard the vehicle (except for the quality control samples in the drawered cabinets).
- (5) During transportation, a trained and equipped HAZMAT spill response team will be located at either the origin or destination location and be accessible by phone to both the driver of the transport vehicle and the accompanying vehicle.
- (6) Forbidden materials (see § 173.21) may not be transported under the terms of this exemption.
- (7) The motor vehicles containing hazardous materials must be placarded with "DANGEROUS" placards on each side and each end.
- (8) Only closed motor vehicles owned and operated by Sigma-Aldrich Corporation, or leased by and under the exclusive control of Sigma-Aldrich Corporation are authorized.
- (9) The maximum outer package size is 55 gallons except for Division 4.2 and 4.3 materials, of which the maximum package size is 30 gallons.
- (10) Hazardous materials requiring segregation or separation as denoted by "X" in the § 177.848 chart must be separated within the transport vehicle by a distance of not less than three feet (except for the quality control samples in the drawered cabinets).
- (11) Each outer package, bin, cage, etc. must have one hazard warning label affixed to represent each hazard class contained therein (except for the quality control samples in the drawered cabinets).

- 8. <u>SPECIAL PROVISIONS</u>: A current copy of this exemption must be maintained at each facility where the package is offered for transportation.
- 9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicle.
- 10. MODAL REQUIREMENTS: A current copy of this exemption must be carried aboard each motor vehicle used to transport packages covered by this exemption.
- 11. <u>COMPLIANCE</u>: Failure by a person to comply with any of the following may result in suspension or revocation of this exemption and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 <u>et seq</u>:
 - o All terms and conditions prescribed in this exemption and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
 - o Persons operating under the terms of this exemption must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable.
 - o Registration required by § 107.601 $\underline{\text{et seq.}}$, when applicable.

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this exemption must receive training on the requirements and conditions of this exemption in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this exemption, including display of its number, when this exemption has expired or is otherwise no longer in effect.

12. REPORTING REQUIREMENTS: Shipments or operations conducted under this exemption are subject to the Hazardous Materials Incident Reporting requirements specified in 49 CFR §§ 171.15 - Immediate notice of certain hazardous materials incidents, and 171.16 - Detailed hazardous materials incident reports. In addition, the grantee(s) of this

exemption must notify the Associate Administrator for Hazardous Materials Safety -- OHMEA, in writing, of any incident involving a package, shipment or operation conducted under terms of this exemption.

Issued in Washington, D.C.:

Robert A. McGuire

Associates Administrator for Hazardous Materials Safety

SEP 2 1 2005

Date

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Pipeline and Hazardous Materials Safety Administration, Department of Transportation, Washington, D.C. 20590. Attention: PHH-31.

Copies of this exemption may be obtained by accessing the Hazardous Materials Safety Homepage at http://hazmat.dot.gov/exemptions Photo reproductions and legible reductions of this exemption are permitted. Any alteration of this exemption is prohibited.

PO: STH:sln