November 12, 2014



East Building, PHH – 30 1200 New Jersey Avenue, Southeast Washington, D.C. 20590

Pipeline and Hazardous Materials Safety Administration

DOT-SP 9610 (FIFTEENTH REVISION)

(FOR RENEWAL, SEE 49 CFR 107.109)

1. GRANTEE: (See individual authorization letter)

2. PURPOSE AND LIMITATION:

a. This special permit authorizes the transportation in commerce of certain empty packagings containing residues of Class 1 smokeless powders without complete shipping papers and placarding. This special permit provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein. The most recent revision supersedes all previous revisions.

b. The safety analyses performed in development of this special permit only considered the hazards and risks associated with transportation in commerce.

c. Unless otherwise stated herein, this special permit consists of the special permit authorization letter issued to the grantee together with this document.

- 3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
- 4. <u>REGULATIONS FROM WHICH EXEMPTED</u>: 49 CFR § 172.201(a)(1); Subpart F of Part 172; §§ 172.203(a) and 172.301(c) in that marking the special permit number on the package is waived; § 173.24(c) and Parts 178 and 179 in that the specification packaging requirements are waived except as specified herein; and the marking and placarding requirements contained in §§ 174.59 and 174.61(a), except as specified herein.
- 5. <u>BASIS</u>: This special permit is based on the application of Alliant Techsystems Operations LLC dated July 23, 2013, submitted in accordance with in accordance with § 107.105 and the public proceeding thereon.

Continuation of DOT-SP 9610 (15th Rev.)

November 12, Page 2 2014

6. HAZARDOUS MATERIALS (49 CFR 172.101):

Hazardous Materials Description			
Proper Shipping Name	Hazard Class/ Division	Identi- fication Number	Packing Group
RESIDUE: Last Contained Powder, smokeless	N/A	N/A	N/A

7. SAFETY CONTROL MEASURES:

a. PACKAGING

(1) The outer package containing the residue must be either:

(i) A Specification 1G fiber drum or a Specification 1A2 steel drum; or

(ii) A Specification 4G fiberboard box or nonspecification fiberboard box containing plastic receptacle inner packagings with not more than 2.5 grams of smokeless powders in each inner packaging.

(2) The quantity of smokeless powders may not exceed five (5) grams per outer package.

(3) Only smokeless powders that have been approved in accordance with § 173.56 as Class 1 explosive substances are authorized for transportation by this special permit.

b. OPERATIONAL CONTROLS

(1) Empty packages must be in a closed transport vehicle.

(2) Empty packages must be loaded by the shipper and unloaded by the shipper or consignee.

Continuation of DOT-SP 9610 (15th Rev.)

8. SPECIAL PROVISIONS:

a. A current copy of this special permit must be maintained at each facility where the package is offered for transportation.

b. The marking requirements contained in §§ 172.203(a) and 172.301(c) are waived.

- 9. <u>MODES OF TRANSPORTATION AUTHORIZED</u>: Motor vehicle and rail freight (COFC and TOFC only.)
- 10. <u>MODAL REQUIREMENTS</u>: A current copy of this special permit must be carried aboard each motor vehicle used to transport packages covered by this special permit.
- 11. <u>COMPLIANCE</u>: Failure by a person to comply with any of the following may result in suspension or revocation of this special permit and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 <u>et seq</u>:
 - All terms and conditions prescribed in this special permit and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
 - Persons operating under the terms of this special permit must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable.
 - o Registration required by § 107.601 et seq., when
 applicable.

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this special permit must receive training on the requirements and conditions of this special permit in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this special permit, including display of its number, when this special permit has expired or is otherwise no longer in effect.

Under Title VII of the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU) - "The Hazardous Materials Safety and Security Reauthorization Act of 2005" (Pub. L. 109-59), 119 Stat. Continuation of DOT-SP 9610 (15th Rev.)

November 12, Page 4

1144 (August 10, 2005), amended the Federal hazardous materials transportation law by changing the term "exemption" to "special permit" and authorizes a special permit to be granted up to two years for new special permits and up to four years for renewals.

12. <u>REPORTING REQUIREMENTS</u>: Shipments or operations conducted under this special permit are subject to the Hazardous Materials Incident Reporting requirements specified in 49 CFR §§ 171.15 - Immediate notice of certain hazardous materials incidents, and 171.16 - Detailed hazardous materials incident reports. In addition, the grantee(s) of this special permit must notify the Associate Administrator for Hazardous Materials Safety, in writing, of any incident involving a package, shipment or operation conducted under terms of this special permit.

Issued in Washington, D.C.:

Ward By

for Dr. Magdy El-Sibaie Associate Administrator for Hazardous Materials Safety

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Pipeline and Hazardous Material Safety Administration, U.S. Department of Transportation, East Building PHH-30, 1200 New Jersey Avenue, Southeast, Washington, D.C. 20590.

Copies of this special permit may be obtained by accessing the Hazardous Materials Safety Homepage at http://hazmat.dot.gov/sp_app/special_permits/spec_perm_index.htm Photo reproductions and legible reductions of this special permit are permitted. Any alteration of this special permit is prohibited.

PO: BV/TG