February 27, 2015



East Building, PHH-30 1200 New Jersey Avenue S.E. Washington, D.C. 20590

Pipeline and Hazardous Materials Safety Administration

> DOT-SP 15971 (FIRST REVISION)

EXPIRATION DATE: October 31, 2016

(FOR RENEWAL, SEE 49 CFR § 107.109)

1. <u>GRANTEE</u>: National Aeronautics and Space Administration (NASA) Houston, TX

2. PURPOSE AND LIMITATION:

a. This special permit authorizes the transportation in commerce of a non-DOT specification pressure receptacle (cylinder) containing compressed nitrogen, for support of the Space Program. This special permit provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein. The most recent revision supersedes all previous revisions.

b. The safety analyses performed in the development of this special permit only considered the hazards and risks associated with the transportation in commerce.

c. No party status will be granted to this special permit.

- 3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
- 4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR §§ 173.301(a)(1), 173.301(a)(2), 173.301(f)(1), 173.302(a) and 173.302a(a) in that non-DOT specification packaging is not authorized, except as provided herein.
- 5. <u>BASIS</u>: This special permit is based on the application of National Aeronautics and Space Administration (NASA) dated February 12, 2015, submitted in accordance with § 107.105.

Continuation of DOT-SP 15971 (1st Rev.)

Page 2 February 27, 2015

Hazardous Materials DescriptionProper Shipping NameHazard
Class/
DivisionIdenti-
fication
NumberPacking
GroupNitrogen, compressed2.2UN1066N/A

6. HAZARDOUS MATERIALS (49 CFR § 172.101):

7. SAFETY CONTROL MEASURES:

a. <u>PACKAGING</u> - Prescribed packaging is the Fine Water Mist Portable Fire Extinguisher (FWM PFE), a non-DOT specification cylinder with a maximum design pressure (MDP) of 1,500 psig and a design burst pressure of 3,000 psig. The cylinder has a nominal charge pressure of 1290 +/- 30 psig with a maximum quantity of 1.2 pound-mass (lbm) of compressed nitrogen. The cylinder design, materials and construction are in accordance with the drawings and specifications on file with the Approvals and Permits Division (APD).

b. <u>TESTING</u> - The cylinder must be subjected to a one-time qualification and acceptance testing program in accordance with the NASA SSP 41172 ("Qualification and Acceptance Environmental Test Requirements") and JSC-47442 documents. Cylinders that pass the testing program are not required to undergo periodic requalification testing.

c. <u>OPERATIONAL CONTROLS</u> - Each cylinder must be shipped in a strong outer packaging.

8. SPECIAL PROVISIONS:

a. A person who is not a holder of this special permit who receives a package covered by this special permit may reoffer it for transportation provided no modification or change is made to the package and it is reoffered for transportation in conformance with this special permit and the HMR.

b. A current copy of this special permit must be maintained at each facility where the package is offered or reoffered for transportation. Continuation of DOT-SP 15971 (1st Rev.)

- 9. <u>MODES OF TRANSPORTATION AUTHORIZED</u>: Motor Vehicle, Cargo aircraft, Cargo Vessel, Rail Freight.
- 10. <u>MODAL REQUIREMENTS</u>: A current copy of this special permit must be carried aboard each cargo vessel, aircraft, or motor vehicle used to transport packages covered by this special permit. The shipper must furnish a copy of this special permit to the air carrier before or at the time the shipment is tendered.
- 11. <u>COMPLIANCE</u>: Failure by a person to comply with any of the following may result in suspension or revocation of this special permit and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 <u>et seq</u>:
 - All terms and conditions prescribed in this special permit and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
 - Persons operating under the terms of this special permit must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable.
 - o Registration required by \$ 107.601 et seq., when
 applicable.

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this special permit must receive training on the requirements and conditions of this special permit in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this special permit, including display of its number, when this special permit has expired or is otherwise no longer in effect.

Under Title VII of the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU)—"The Hazardous Materials Safety and Security Reauthorization Act of 2005" (Pub. L. 109-59), 119 Stat. 1144 (August 10, 2005), amended the Federal hazardous materials transportation law by changing the term "exemption" to "special permit" and authorizes a special permit to be granted up to two years for new special permits and up to four years for renewals. Continuation of DOT-SP 15971 (1st Rev.)

Page 4 February 27, 2015

12. <u>REPORTING REQUIREMENTS</u>: Shipments or operations conducted under this special permit are subject to the Hazardous Materials Incident Reporting requirements specified in 49 CFR §§ 171.15 Immediate notice of certain hazardous materials incidents, and 171.16 Detailed hazardous materials incident reports. In addition, the grantee(s) of this special permit must notify the Associate Administrator for Hazardous Materials Safety, in writing, of any incident involving a package, shipment or operation conducted under terms of this special permit.

Issued in Washington, D.C.:

Ward By

for Dr. Magdy El-Sibaie Associate Administrator for Hazardous Materials Safety

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Pipeline and Hazardous Material Safety Administration, U.S. Department of Transportation, East Building PHH-30, 1200 New Jersey Avenue, Southeast, Washington, D.C. 20590.

Copies of this special permit may be obtained by accessing the Hazardous Materials Safety Homepage at http://hazmat.dot.gov/sp_app/special_permits/spec_perm_index.htm. Photo reproductions and legible reductions of this special permit are permitted. Any alteration of this special permit is prohibited.

PO: BMOORE