



P.O Box 106660

ANCHORAGE, ALASKA 99519

TELEPHONE (907) 787-8700

July 20, 2011

Government Letter No: 23955  
APSC File No. 2.11

Dennis Hinnah  
Deputy Director, Western Region  
U.S. Department of Transportation  
Pipeline and Hazardous Materials Safety Administration  
188 W. Northern Lights Blvd., Suite 520  
Anchorage, Alaska 99503

Subject: **CPF 5-2011-0014W**  
**Response to Warning Letter**

Dear Mr. Hinnah,

Alyeska Pipeline Service Company (Alyeska) provides this letter in response to the Pipeline and Hazardous Materials Safety Administration's (PHMSA) warning letter, CPF 5-2011-0014W dated June 22, 2011. The warning letter addresses PHMSA's 2011 inspection of Alyeska's Public Awareness Program, which took place on June 1 and 2, 2011 in Anchorage, Alaska.

Alyeska will update the Public Awareness Program to address the probable violations identified in CPF 5-2011-0014W.

Please contact me at 907-787-8061 if you need additional information or have any questions.

Sincerely,

A handwritten signature in blue ink, appearing to read "J. P. Robertson for". The signature is fluid and cursive.

Joseph P. Robertson  
Regulatory Affairs Director

cc: Chris Hoidal, Director, PHMSA Western Region