



PO BOX 196660

ANCHORAGE, ALASKA 99519-6660

TELEPHONE (907) 787-8700

SENT TO COMPLIANCE REGISTRY
Hardcopy ___ Electronically ___
of Copies ___ / Date ___

March 26, 2008

Government Letter No.: 15519
APSC File No. 2.11

Mr. Chris Hoidal, Western Region Director
U.S. Department of Transportation
Pipeline and Hazardous Materials Safety Administration
12300 West Dakota Avenue, Suite 110
Lakewood, CO 80228

03-31-08P12:23 RCVD

Re: Notice of Amendment CPF No. 5-2007-5042M

Dear Mr. Hoidal:

Attached please find Alyeska Pipeline Service Company's detailed response to the Pipeline and Hazardous Materials Safety Administration's Notice of Amendment (NOA) CPF No. 5-2007-5042M, dated November 27, 2007.

Alyeska provides this information in response to this NOA. For Findings 4, 9-11, 13, 14, 20a, 20b, and 21, Alyeska believes that this response will provide adequate clarification and additional information on the findings issued by PHMSA.

Alyeska is committed to a substantial review and revision of OM-1, which is anticipated to be complete prior to the annual review cycle, due January 16, 2009. To more timely address the issues in Findings 1-3, 5-8, 12, 15-19, Alyeska plans to update the specific sections of OM-1 mentioned in these findings no later than June 1, 2008.

We hope you will find this material helpful. Should you have further questions, please do not hesitate to contact me at (907) 787-8061.

Sincerely,

Joseph P. Robertson, P.E.
JPO/ DOT Liaison Director

JR/leb

Attachment: Alyeska Pipeline Service Company's Response to NOPV CPF 5-2007-5042M.

cc: Jon Strawn
Jerry Brossia
Mike Thompson

Dennis Hinnah
JPO Records Center

CERTIFIED MAIL 7002 2410 0005 0103 0135