Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP REVISION BASED ON FILL DETERMINATION DOCUMENT (REMOVAL)

COMMUNITY AND MAP PANEL INFORMATION		LEGAL PROPERTY DESCRIPTION
COMMUNITY	CITY OF COTTLEVILLE, ST. CHARLES COUNTY, MISSOURI	A portion of Colonial Green Subdivision, as shown on the Plat, recorded as Document No. 20060619000516500, in Book PL43, Pages 215 through 218, in the Office of the Recorder, St. Charles County, Missouri.
	COMMUNITY NO.: 290898	The portion of property is more particularly described by the following metes and bounds:
AFFECTED MAP PANEL	NUMBER: 29183C0243E; 29183C0435E	
	DATE: 8/2/1996; 8/2/1996	
FLOODING SOURCE: DARDENNE CREEK		APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY: 38.749, -90.669 SOURCE OF LAT & LONG: ARCGIS 10.1 DATUM: NAD 83

DETERMINATION

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NGVD 29)	LOWEST ADJACENT GRADE ELEVATION (NGVD 29)	LOWEST LOT ELEVATION (NGVD 29)
1300-1312	--	Colonial Green	--	Portion of Property (Even Lots)	X (shaded)	476.0 feet	--	476.1 feet

Special Flood Hazard Area (SFHA) - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

LEGAL PROPERTY DESCRIPTION	PORTIONS REMAIN IN THE SFHA
DETERMINATION TABLE (CONTINUED)	REVISED BY LETTER OF MAP REVISION
FILL RECOMMENDATION	SUPERSEDES PREVIOUS DETERMINATION

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Revision based on Fill for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the described portion(s) of the property(ies) is/are not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document revises the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, LOMC Clearinghouse, 847 South Pickett Street, Alexandria, VA 22304-4605.

Luis Rodriguez, P.E., Chief
Engineering Management Branch
Federal Insurance and Mitigation Administration

Federal Emergency Management Agency
Washington, D.C. 20472

LETTER OF MAP REVISION BASED ON FILL DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

LEGAL PROPERTY DESCRIPTION (CONTINUED)

Lots 1338-1342 (Even Lots)
BEGINNING at the Northwest corner of Lot 1338; thence S59º11'10"E, 197.81 feet; thence S51º25'23"W, 48.30 feet; thence S48º13'48"W, 36.83 feet; thence S87º33'53"W, 21.86 feet; thence N64º52'48"W, 42.58 feet; thence N73º16'21"W, 11.71 feet; thence S30º48'50"W, 14.60 feet; thence N59º17'08"W, 46.94 feet; thence N30º48'50"E, 118.94 feet to the POINT OF BEGINNING.

Lots 1300-1312 (Even Lots)
BEGINNING at the Southwest corner of Lot 1312; thence N30º48'50"E, 118.19 feet; thence S59º17'08"E, 93.76 feet; thence S30º48'50"W 21.20 feet; thence S54º27'12"E, 37.59 feet; thence S60º35'22"E, 63.92 feet; thence S57º51'17"E, 120.56 feet; thence along a curve to the right having a radius of 25.00 feet, a distance of 37.00 feet; thence S26º56'19"W, 90.02 feet; thence N59º11'10"W, 38.58 feet; thence along a curve to the left having a radius of 65.00 feet, a distance of 52.81 feet; thence N59º11'10"W, 260.32 feet to the POINT OF BEGINNING.

DETERMINATION TABLE (CONTINUED)

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	**OUTCOME** WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NGVD 29)	LOWEST ADJACENT GRADE ELEVATION (NGVD 29)	LOWEST LOT ELEVATION (NGVD 29)
1338-1342	--	Colonial Green	--	Portion of Property (Even Lots)	X (shaded)	476.0 feet	--	476.0 feet

FILL RECOMMENDATION (This Additional Consideration applies to the preceding 2 Properties.)

The minimum NFIP criteria for removal of the subject area based on fill have been met for this request and the community in which the property is located has certified that the area and any subsequent structure(s) built on the filled area are reasonably safe from flooding. FEMA's Technical Bulletin 10-01 provides guidance for the construction of buildings on land elevated above the base flood elevation through the placement of fill. A copy of Technical Bulletin 10-01 can be obtained by calling the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or from our web site at http://www.fema.gov/mit/tb1001.pdf. Although the minimum NFIP standards no longer apply to this area, some communities may have floodplain management regulations that are more restrictive and may continue to enforce some or all of their requirements in areas outside the Special Flood Hazard Area.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, LOMC Clearinghouse, 847 South Pickett Street, Alexandria, VA 22304-4605.

Luis Rodriguez, P.E., Chief
Engineering Management Branch
Federal Insurance and Mitigation Administration

Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP REVISION BASED ON FILL DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

PORTIONS OF THE PROPERTY REMAIN IN THE SFHA (This Additional Consideration applies to the preceding 2 Properties.)

Portions of this property, but not the subject of the Determination/Comment document, may remain in the Special Flood Hazard Area. Therefore, any future construction or substantial improvement on the property remains subject to Federal, State/Commonwealth, and local regulations for floodplain management.

REVISED BY LETTER OF MAP REVISION (This Additional Consideration applies to the preceding 2 Properties.)

The effective National Flood Insurance Program map for the subject property, has since been revised by a Letter of Map Revision (LOMR) dated 1/11/2002. The 1/11/2002 LOMR has been used in making the determination/comment for the subject property.

SUPERSEDES OUR PREVIOUS DETERMINATION (This Additional Consideration applies to all properties in the LOMR-F DETERMINATION DOCUMENT (REMOVAL))

This Determination Document supersedes our previous determination dated 8/6/2013, for the subject property.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, LOMC Clearinghouse, 847 South Pickett Street, Alexandria, VA 22304-4605.

Luis Rodriguez, P.E., Chief
Engineering Management Branch
Federal Insurance and Mitigation Administration