



NIJ

Special

REPORT

Test Results for Forensic Media Preparation Tool: Logicube Omniclone 2Xi (Software version 1.53 June 19, 2009, Firmware version 9.0)

NIJ Website

**U.S. Department of Justice
Office of Justice Programs**

810 Seventh Street N.W.
Washington, DC 20531

Eric H. Holder, Jr.
Attorney General

Laurie O. Robinson
Assistant Attorney General

Kristina Rose
Acting Director, National Institute of Justice

This and other publications and products of the National Institute of Justice can be found at:

National Institute of Justice
NIJ Website

Office of Justice Programs
Innovation • Partnerships • Safer Neighborhoods
OJP Website

**Test Results for Forensic Media
Preparation Tool: Logicube Omniclone 2Xi
(Software version 1.53 June 19, 2009,
Firmware version 9.0)**



Kristina Rose

Acting Director, National Institute of Justice

This report was prepared for the National Institute of Justice, U.S. Department of Justice, by the Office of Law Enforcement Standards of the National Institute of Standards and Technology under Interagency Agreement 2003-IJ-R-029.

The National Institute of Justice is a component of the Office of Justice Programs, which also includes the Bureau of Justice Assistance, the Bureau of Justice Statistics, the Office of Juvenile Justice and Delinquency Prevention, and the Office for Victims of Crime.

March 2010

Test Results for Forensic Media Preparation Tool:

Logicube Omniclone 2Xi (Software version 1.53 June 19, 2009, Firmware version 9.0)

Contents

1.	Results Summary	2
2.	Test Case Selection.....	2
3.	Observations	4
3.1	Overwriting Drive in Master Bay	4
3.2	Random Overwrite Pattern	4
4.	Test Materials.....	4
4.1	Support Software	4
4.2	Test Drive Creation.....	5
4.3	Test Drive Analysis.....	5
4.4	Test Drives	6
5.	Test Results.....	6
5.1	Test Results Report Key	6
5.2	Test Details	7
5.2.1	FMP-01-ATA28.....	8
5.2.2	FMP-01-ATA28-TARGET2.....	9
5.2.3	FMP-01-ATA48.....	10
5.2.4	FMP-01-SATA28	11
5.2.5	FMP-01-SATA48	12
5.2.6	FMP-01-SATA48-TARGET2	15
5.2.7	FMP-03-DCO	17
5.2.8	FMP-03-DCO+HPA	18
5.2.9	FMP-03-HPA	21

Introduction

The Computer Forensics Tool Testing (CFTT) program is a joint project of the National Institute of Justice (NIJ), the research and development organization of the U.S. Department of Justice (DOJ), and the National Institute of Standards and Technology's (NIST's) Office of Law Enforcement Standards and Information Technology Laboratory. CFTT is supported by other organizations, including the Federal Bureau of Investigation, the U.S. Department of Defense Cyber Crime Center, U.S. Internal Revenue Service Criminal Investigation Division Electronic Crimes Program, and the U.S. Department of Homeland Security's Bureau of Immigration and Customs Enforcement, U.S. Customs and Border Protection, and U.S. Secret Service. The objective of the CFTT program is to provide measurable assurance to practitioners, researchers, and other applicable users that the tools used in computer forensics investigations provide accurate results. Accomplishing this requires the development of specifications and test methods for computer forensics tools and subsequent testing of specific tools against those specifications.

Test results provide the information necessary for developers to improve tools, users to make informed choices, and the legal community and others to understand the tools' capabilities. The CFTT approach to testing computer forensic tools is based on well-recognized methodologies for conformance and quality testing. The specifications and test methods are posted on the CFTT Web site (<http://www.cftt.nist.gov/>) for review and comment by the computer forensics community.

This document reports the results from testing Logicube Omniclone 2Xi, against the *Forensic Media Preparation Tool Test Assertions and Test Plan Version 1.0*, available at the CFTT Web site (<http://www.cftt.nist.gov/fmp-atp-pc-01.pdf>).

Test results for other devices and software packages using the CFTT tool methodology can be found on NIJ's computer forensics tool testing Web page, <http://www.ojp.usdoj.gov/nij/topics/technology/electronic-crime/cftt.htm>.

How to Read This Report

This report is divided into five sections. The first section is a summary of the results from the test runs. This section is sufficient for most readers to assess the suitability of the tool for the intended use. The remaining sections of the report describe how the tests were conducted and provide documentation of test case run details that support the report summary. Section 2 gives justification for the selection of test cases from the set of possible cases defined in the test plan for forensic media preparation tools. The test cases are selected, in general, based on features offered by the tool. Section 3 presents any observed tool behaviors that are not covered by the test plan but, a tool user should be aware of. Section 4 lists hardware and software used to run the test cases with links to additional information about the items used. Section 5 contains a description of each test case. The description of each test run lists all test assertions used in the test case, the expected result and the actual result.

Test Results for Forensic Media Preparation Tool

Tool Tested: Logicube Omniclone 2Xi
Version: 1.53 June 19, 2009
Serial No. 50432
Run Environments: Custom

Supplier: Logicube
Los Angeles Corporate Headquarters
19755 Nordhoff Place
Chatsworth, CA 91311

Tel: (888) 494-8832 inside U.S.
(818) 700-8488 outside U.S.

Email: sales@logicube.com
WWW: <http://www.logicube.com>

1. Results Summary

In all the test cases run against Logicube Omniclone 2Xi, all visible sectors were successfully overwritten. For the test cases that used drives containing an HPA or DCO, the tool behaved as designed by the vendor and did not overwrite hidden sectors.

- HPA remained intact, hidden sectors were not overwritten (FMP-03-HPA & FMP-03-DCO+HPA).
- DCO remained intact, hidden sectors were not overwritten (FMP-03-DCO & FMP-03-DCO+HPA).

2. Test Case Selection

Logicube Omniclone 2Xi was tested for its ability to overwrite sectors. The prime function of the device is a hard drive duplication system for cloning a master drive to one or two target drives. The device optionally supports a secondary function to wipe one or two target drives. This test report covers only the results of testing the wipe function.

The tested device has three bays for attaching hard drives. The bays are labeled Master, Target 1 and Target 2. Drives attached to the target bays can be overwritten with one of three user selectable patterns (0x00, 0xF6 or 0xFF) or with random data. It should be noted that in addition to any drives attached to the target bays, a drive must be attached to the master bay to serve as a work area. The drive attached to the work area is not wiped but is partially overwritten by the selected wipe pattern.

The test cases selected were limited to only those test cases defined by *Forensic Media Preparation Tool Test Assertions and Test Plan Version 1.0* and applicable to features supported by this tool.

Since Logicube Omniclone 2Xi does not support a secure erase mode those tests were omitted. All selected test cases were *WRITE* tests (cases FMP-01 and FMP-03).

Three hidden sector test cases (FMP-03) were included among the cases selected. They were included to measure the tool behavior in conjunction with hidden sectors.

The following cases were used in testing Logicube Omniclone:

- FMP-01-ATA28
- FMP-01-ATA28-TARGET2
- FMP-01-ATA48
- FMP-01-SATA28
- FMP-01-SATA48
- FMP-01-SATA48-TARGET2
- FMP-03-DCO
- FMP-03-DCO+HPA
- FMP-03-HPA

The following source interfaces were tested: ATA28, ATA48, SATA28, SATA48.

The tested device has the ability to wipe either one or two drives in a single run of the device. Test cases FMP-01-ATA28 and FMP-01-ATA28-TARGET2 are a single run of the device treated as two test cases for ease of presentation. One drive is attached to each target bay and then both drives are wiped by the device. Each of the two cases documents the results for one of the two drives attached for the run. Test case FMP-01-ATA28 documents the drive attached to Target 1 and test case FMP-01-ATA28-TARGET2 documents the drive attached to Target 2.

The cases FMP-01-SATA48 and FMP-01-SATA48-TARGET2 are another single run to wipe two drives at once. The remaining cases only use a single target drive attached to either the Target 1 or the Target 2 drive bays.

In addition to the target drives, several user selectable parameters can be set for tool operation, i.e., pass, speed and fill. Refer to the tool documentation for additional information about these parameters. The following table documents the settings for each test case:

Test Case	Target 1	Target 2	Pass	Speed	Fill
FMP-01-ATA28	56-IDE	57-IDE	0	udma 5	0x00
FMP-01-ATA28-TARGET2	56-IDE	57-IDE	0	udma 5	0x00
FMP-01-ATA48	53-IDE	none	1	udma 5	0xFF
FMP-01-SATA28	none	1D-LAP	2	udma 5	0xFF

Test Case	Target 1	Target 2	Pass	Speed	Fill
FMP-01-SATA48	43-SATA	33-SATA	0	udma 5	Rnd
FMP-01-SATA48-TARGET2	43-SATA	33-SATA	0	udma 5	Rnd
FMP-03-DCO	1D-LAP	none	1	udma 5	0x00
FMP-03-DCO+HPA	57-IDE	none	0	udma 5	Rnd
FMP-03-HPA	none	2C-SATA	2	udma	0xF6

3. Observations

There were two tool behaviors observed that should be noted. While the behaviors are outside the scope of testing, the behaviors are identified below.

3.1 Overwriting Drive in Master Bay

A small percentage (less than 1 percent) of the drive in the master drive bay is overwritten while the target drives are overwritten. The following table documents the number of sectors overwritten on the drive in the master bay. It should be noted that sometimes in addition to the fill value selected for the target drive, other fill values were written to the master.

Test Case	Target Fill	Sectors Overwritten on Master			Total Sectors on Master Drive
		0x00	0xF6	0xFF	
FMP-01-ATA28	0x00	131328			156301488
FMP-01-ATA48	0xF6	131072	131328	131072	234441648
FMP-01-SATA28	0xFF	131072		262400	156301488
FMP-01-SATA48	random	1311034 random values			488397168
FMP-03-DCO	0x00	262400		131072	312581808
FMP-03-HPA	0xF6	131072	131328	131072	488397168
FMP-03-DCO+HPA	random	1311034 random values			156301488

3.2 Random Overwrite Pattern

The random pattern used to overwrite the target drives in test cases FMP-01-SATA48, FMP-03-SATA48-TARGET2 and FMP-03-DCO+HPA is not a statistically uniform random distribution. Not all possible byte values are used (181--183 out of 256 possible values) and some byte values are used much more frequently than others, e.g., in test case FMP-01-SATA48 the letter 'Z' (0x5A) appears about six times (1,875,490,848 vs. 312,581,808) more frequently than the letter 'T' (0x54). It should also be noted that the distribution of the random data written is the same in all three cases.

4. Test Materials

4.1 Support Software

Several programs were used in the setup and analysis of the test drives. These include **hdat2** (download from: <http://www.hdat2.com/download.html>), **dsumm** (download

from: <http://www.cftt.nist.gov/>), **ransum** (download from: <http://www.cftt.nist.gov/>) and **diskwipe** from **FS-TST Release 2.0** (download from: <http://www.cftt.nist.gov/diskimaging/fs-tst20.zip>).

The **hdat2** program is used to create, remove and document hidden areas on a drive.

The **diskwipe** program initializes a hard drive with known content.

The **dsum** program analyzes the content of a hard drive. It produces a summary of disk contents in terms of counts for each byte value present on the drive. For example, if a drive can contain 10GB (19531250 sectors of 512 bytes per sector) and the drive is wiped with zero bytes, then **dsum** reports 10,000,000,000 zero bytes. The program also prints the first sector found with printable ASCII content. This is useful to identify where overwriting stopped e.g., at the start of a hidden sector area.

The **ransum** program examines a hard drive to identify sectors that do not contain the content written to the drive by the **diskwipe** program. The **ransum** output is a list of sector ranges classified as either *overwritten* or *unchanged*.

4.2 Test Drive Creation

The test drives are created to simplify post-test analysis simple. Every sector is given content that includes the sector address of the given sector in both cylinder/head/sector (C/H/S) format and logical block address (LBA) format. The remainder of the sector bytes is set to a constant fill value unique for each drive. This setup allows easy identification of any sectors not wiped. The following steps are used to setup a test drive:

1. The drive is initially filled with known content by the **diskwipe** program from FS-TST. The **diskwipe** program writes the sector address to each sector in both C/H/S and LBA format. The remainder of the sector bytes is set to a constant fill value unique for each drive. The fill value is noted in the **diskwipe** tool log file.
2. The **dsum** program analyzes the drive contents. This documents the content of the drive. Each sector has unique content after the setup.
3. If the drive is intended for hidden area tests (FMP-03), an HPA, a DCO or both are created.
4. The drive size after creation of a hidden area is recorded.

4.3 Test Drive Analysis

The primary objective of the post-test analysis is to identify any sectors not overwritten by the tool. Most likely, this would be sectors in a hidden area. Therefore reporting the first sector with ASCII content (if any) is sufficient to determine if the hidden sectors have been overwritten. Examination of the byte counts reported by the **dsum** program can provide additional verification if needed. The following steps are used to analyze a test drive after it has been wiped by the tool under test:

1. The size of the drive is recorded. This determines if the tool changes the size of a hidden area.
2. Any hidden areas still present on the drive are removed.
3. The **dsumm** program is run to determine the final content of the drive.
4. The **ransum** program is run for the random fill cases (FMP-01-SATA48, FMP-01-SATA48-TARGET2 & FMP-03-DCO+HPA) to clearly identify overwritten sectors.

4.4 Test Drives

The following hard drives were used in testing. The column labeled **Test Case** identifies the test case. The column labeled **Sectors** is the size of the drive with no DCO or HPA. The column labeled **Model** is the model of the drive as returned by the ATA IDENTIFY DEVICE command. The column labeled **Serial #** is the serial number as returned by the ATA IDENTIFY DEVICE command.

Test Case	Sectors	Model	Serial #
FMP-01-ATA28	156301488	WDC WD800BB-75CAA0	WD-WMA8E2108916
FMP-01-ATA28-TARGET2	80043264	Y040L0	Y2SM68LE
FMP-01-ATA48	312581808	WDC WD1600JB-00GVC0	WD-WMAL94865344
FMP-01-SATA28	234441648	HTS5425112K9SA00	080914BB6200WBKPD
FMP-01-SATA48	312581808	ST9160310AS	9RX7Y1DP
FMP-01-SATA48-TARGET2	390721968	SP2004C	S07GJ1ULC07896
FMP-03-DCO	23444165	HTS542512K9SA00	080914BB6200WBKPD2G
FMP-03-DCO+HPA	80043264	Maxtor 6Y040L0	Y2SM68LE
FMP-03-HPA	48838154	WDC WD2500AAKS-00VSA0	WD-WMART1591607

For FMP-03 test cases the layout of visible and hidden sectors is as follows. The column labeled **Test Case** identifies the test case. The column labeled **Size** is the number of visible sectors presented to the device for the test case. The column labeled **Hidden** is the size in sectors of the hidden area.

Test Case	Size	Total	Hidden (DCO+HPA)
FMP-03-DCO	23444165	234441648	210997483
FMP-03-DCO+HPA	77543264	80043264	2500000 (1000000+1500000)
FMP-03-HPA	48838154	488397168	439559014

5. Test Results

The main item of interest for interpreting the test results is determining the conformance of the tool under test with the test assertions. Conformance with each assertion tested by a given test case is evaluated by examining the **Log Highlights** box of the test report summary.

5.1 Test Results Report Key

A summary of the actual test results is presented in this report. The following table presents a description of each section of the test report summary.

Heading	Description
First Line:	Test case ID, name, and version of tool tested.
Case Summary:	Test case summary from <i>Forensic Media Preparation Tool Test Assertions and Test Plan Version 1.0</i> .
Assertions:	The test assertions applicable to the test case, selected from <i>Forensic Media Preparation Tool Test Assertions and Test Plan Version 1.0</i> .
Tester Name:	Name or initials of person executing test procedure.
Analysis Host:	Host used to setup test drive and analyze final drive state.
Test Host:	Host computer executing the test.
Test Date:	Time and date that test was started.
Test Drive:	Drive erased by the tool under test.
Source Setup:	Report of the native drive size, the size of any hidden areas, the apparent size of the drive (as reported by an ATA IDENTIFY DEVICE command) and an analysis of initial drive contents.
Tool Settings:	Report of tool parameters set for each test run.
Log Highlights:	<p>Report of the state of the drive after executing the tool under test, including the apparent drive size, size of hidden area and analysis of drive contents. The ASCII content of the first non-binary-zero sector is reported.</p> <p>For drives overwritten with a constant value, the number of times the value is counted in the dsumm program output should equal the size of the drive in bytes. If hidden sectors are present and they are not overwritten this can be verified by examination of the totals reported by the dsumm program.</p>
Results:	Expected and actual results for each assertion tested.
Analysis:	Whether or not the expected results were achieved.

5.2 Test Details

5.2.1 FMP-01-ATA28

Test Case FMP-01-ATA28 Logicube OmniClone 2Xi SW 1.53/FW 9.0		
Case Summary:	FMP-01. Overwrite visible sectors using WRITE commands.	
Assertions:	FMP-CA-01 All visible sectors shall be overwritten with the specified benign data.	
Tester Name:	Csr	
Analysis host:	Frank	
Test host:	None	
Test date:	Wed Sep 30 11:11:27 2009	
Test drive:	56-IDE	
Source Setup:	<pre>Initial setup size: 156301488 from total of 156301488 (with 0 hidden) IDE disk: Model (WDC WD800BB-75CAA0) serial # (WD-WMA8E2108916) Sector 0 is first sector with printable text ===== Start text ===== 00000/000/01 000000000000VV VV VV VV VV VV VV VV VV ===== End text Sector 0 ===== 9 <new line> characters inserted for readability Totals for all sectors summary format: <count> <hex value> <(actual character if printable)> ... 156301488 00 156301488 20 () 312602976 2F (/) 1092738319 30 (0) 445157427 31 (1) 274740905 32 (2) 274642393 33 (3) 272159917 34 (4) 262536293 35 (5) 225709546 36 (6) 215483146 37 (7) 215483143 38 (8) 215483135 39 (9) 75907021680 56 (V) Totals for non-ASCII sectors summary format: <count> <hex value> <(actual character if printable)> ... 80026361856 bytes, 156301488 sectors, 14 distinct values seen 156301488 sectors have printable text</pre>	
Tool Settings:	<pre>master: 15-LAP target1: 56-IDE target2: 57-IDE rounds: 0 speed: udma 5 fill: 0x00</pre>	
Log Highlights:	<pre>Size after tool runs: 156301488 from total of 156301488 (with 0 hidden) Analysis of tool result -- Totals for all sectors summary format: <count> <hex value> <(actual character if printable)> ... 80026361856 00 Totals for non-ASCII sectors summary format: <count> <hex value> <(actual character if printable)> ... 80026361856 00 80026361856 bytes, 156301488 sectors, 1 distinct values seen No sectors have printable text</pre>	
Results:	Assertion & Expected Result	Actual Result
	FMP-CA-01 Visible sectors overwritten	as expected
Analysis:	Expected results achieved	

5.2.2 FMP-01-ATA28-TARGET2

Test Case FMP-01-ATA28-TARGET2 Logicube OmniClone 2Xi SW 1.53/FW 9.0		
Case Summary:	FMP-01. Overwrite visible sectors using WRITE commands.	
Assertions:	FMP-CA-01 All visible sectors shall be overwritten with the specified benign data.	
Tester Name:	csr	
Analysis host:	frank	
Test host:	none	
Test date:	Wed Sep 30 11:19:39 2009	
Test drive:	57-IDE	
Source Setup:	<p>Initial setup size: 80043264 from total of 80043264 (with 0 hidden) Model (Y040L0) serial # (Y2SM68LE)</p> <p>Sector 0 is first sector with printable text ===== Start text ===== 00000/000/01 000000000000WW WW WW WW WW WW WW WW WW ===== End text Sector 0 ===== 9 <new line> characters inserted for readability</p> <p>Totals for all sectors summary format: <count> <hex value> <(actual character if printable)> ... 80043264 00 80043264 20 () 160086528 2F (/) 574506672 30 (0) 176739588 31 (1) 162605313 32 (2) 145334449 33 (3) 143775184 34 (4) 126105460 35 (5) 116912956 36 (6) 111830840 37 (7) 101752955 38 (8) 101388391 39 (9) 38901026304 57 (W)</p> <p>Totals for non-ASCII sectors summary format: <count> <hex value> <(actual character if printable)> ... 40982151168 bytes, 80043264 sectors, 14 distinct values seen 80043264 sectors have printable text</p>	
Tool Settings:	master: 15-LAP target1: 56-IDE target2: 57-IDE rounds: 0 speed: udma 5 fill: 0x00	
Log Highlights:	Size after tool runs: 80043264 from total of 80043264 (with 0 hidden) Analysis of tool result -- Totals for all sectors summary format: <count> <hex value> <(actual character if printable)> ... 40982151168 00 Totals for non-ASCII sectors summary format: <count> <hex value> <(actual character if printable)> ... 40982151168 00 40982151168 bytes, 80043264 sectors, 1 distinct values seen No sectors have printable text	
Results:	Assertion & Expected Result	Actual Result
	FMP-CA-01 Visible sectors overwritten	as expected
Analysis:	Expected results achieved	

5.2.3 FMP-01-ATA48

Test Case FMP-01-ATA48 Logicube OmniClone 2Xi SW 1.53/FW 9.0		
Case Summary:	FMP-01. Overwrite visible sectors using WRITE commands.	
Assertions:	FMP-CA-01 All visible sectors shall be overwritten with the specified benign data.	
Tester Name:	csr	
Analysis host:	frank	
Test host:	none	
Test date:	Thu Oct 1 09:56:21 2009	
Test drive:	53-IDE	
Source Setup:	<pre> Initial setup size: 312581808 from total of 312581808 (with 0 hidden) IDE disk: Model (WDC WD1600JB-00GVC0) serial # (WD-WMAL94865344) Sector 0 is first sector with printable text ===== Start text ===== 00000/000/01 000000000000SS SS SS SS SS SS SS SS SS SS SS ===== End text Sector 0 ===== 9 <new line> characters inserted for readability Totals for all sectors summary format: <count> <hex value> <(actual character if printable)> ... 312581808 00 312581808 20 () 625163616 2F (/) 1850492169 30 (0) 906528227 31 (1) 696435016 32 (2) 541016511 33 (3) 522787395 34 (4) 514450557 35 (5) 478352540 36 (6) 458495114 37 (7) 458481159 38 (8) 449761088 39 (9) 151914758688 53 (S) Totals for non-ASCII sectors summary format: <count> <hex value> <(actual character if printable)> ... 160041885696 bytes, 312581808 sectors, 14 distinct values seen 312581808 sectors have printable text </pre>	
Tool Settings:	<pre> master: 1C-SATA target1: 53-IDE target2: none rounds: 1 speed: udma 5 fill: F6 </pre>	
Log Highlights:	<pre> Size after tool runs: 312581808 from total of 312581808 (with 0 hidden) Analysis of tool result -- Totals for all sectors summary format: <count> <hex value> <(actual character if printable)> ... 160041885696 F6 Totals for non-ASCII sectors summary format: <count> <hex value> <(actual character if printable)> ... 160041885696 F6 160041885696 bytes, 312581808 sectors, 1 distinct values seen No sectors have printable text </pre>	
Results:	Assertion & Expected Result	Actual Result
	FMP-CA-01 Visible sectors overwritten	as expected
Analysis:	Expected results achieved	

5.2.4 FMP-01-SATA28

Test Case FMP-01-SATA28 Logicube OmniClone 2Xi SW 1.53/FW 9.0					
Case Summary:	FMP-01. Overwrite visible sectors using WRITE commands.				
Assertions:	FMP-CA-01 All visible sectors shall be overwritten with the specified benign data.				
Tester Name:	csr				
Analysis host:	freddy				
Test host:	none				
Test date:	Thu Oct 1 10:24:56 2009				
Test drive:	1D-LAP				
Source Setup:	<p>Initial setup size: 234441648 from total of 234441648 (with 0 hidden) Model (HTS542512K9SA00) serial # (080914BB6200WBKPD)</p> <p>Sector 0 is first sector with printable text ===== Start text ===== 00000/000/01 000000000000 ===== End text Sector 0 ===== 1 <new line> character inserted for readability</p> <p>Totals for all sectors summary format: <count> <hex value> <(actual character if printable)> ... 234441648 00 113938640928 1D 234441648 20 () 468883296 2F (/) 1461085523 30 (0) 678339301 31 (1) 497617498 32 (2) 407041791 33 (3) 391715334 34 (4) 376075228 35 (5) 347651457 36 (6) 332766225 37 (7) 332765657 38 (8) 332658242 39 (9)</p> <p>Totals for non-ASCII sectors summary format: <count> <hex value> <(actual character if printable)> ... 120034123776 bytes, 234441648 sectors, 14 distinct values seen 234441648 sectors have printable text</p>				
Tool Settings:	master: 18-LAP target1: none target2: 1D-LAP rounds: 2 speed: udma 5 fill: FF				
Log Highlights:	<p>Size after tool runs: 234441648 from total of 234441648 (with 0 hidden) Analysis of tool result -- Totals for all sectors summary format: <count> <hex value> <(actual character if printable)> ... 120034123776 FF Totals for non-ASCII sectors summary format: <count> <hex value> <(actual character if printable)> ... 120034123776 FF</p> <p>120034123776 bytes, 234441648 sectors, 1 distinct values seen No sectors have printable text</p>				
Results:	<table border="1"> <thead> <tr> <th>Assertion & Expected Result</th> <th>Actual Result</th> </tr> </thead> <tbody> <tr> <td>FMP-CA-01 Visible sectors overwritten</td> <td>as expected</td> </tr> </tbody> </table>	Assertion & Expected Result	Actual Result	FMP-CA-01 Visible sectors overwritten	as expected
Assertion & Expected Result	Actual Result				
FMP-CA-01 Visible sectors overwritten	as expected				
Analysis:	Expected results achieved				

5.2.5 FMP-01-SATA48

Test Case FMP-01-SATA48 Logicube OmniClone 2Xi SW 1.53/FW 9.0	
Case Summary:	FMP-01. Overwrite visible sectors using WRITE commands.
Assertions:	FMP-CA-01 All visible sectors shall be overwritten with the specified benign data.
Tester Name:	csr
Analysis host:	frank
Test host:	none
Test date:	Mon Dec 14 15:29:19 2009
Test drive:	43-SATA
Source Setup:	<p>Initial setup size: 312581808 from total of 312581808 (with 0 hidden) IDE disk: Model (ST3160815AS) serial # (9RX7Y1DP)</p> <p>Sector 0 is first sector with printable text ===== Start text ===== 00000/000/01 000000000000cc ccc ccc ccc ccc ccc ccc ccc ccc ccc ===== End text Sector 0 ===== 9 <new line> characters inserted for readability</p> <p>Totals for all sectors summary format: <count> <hex value> <(actual character if printable)> ... 312581808 00 312581808 20 () 625163616 2F (/) 1850492169 30 (0) 906528227 31 (1) 696435016 32 (2) 541016511 33 (3) 522787395 34 (4) 514450557 35 (5) 478352540 36 (6) 458495114 37 (7) 458481159 38 (8) 449761088 39 (9) 151914758688 43 (C)</p> <p>Totals for non-ASCII sectors summary format: <count> <hex value> <(actual character if printable)> ... 160041885696 bytes, 312581808 sectors, 14 distinct values seen 312581808 sectors have printable text</p>
Tool Settings:	master: 2C-SATA target1: 43-SATA target2: 33-SATA rounds: 0 speed: udma 5 fill: Rnd
Log Highlights:	<p>Size after tool runs: 312581808 from total of 312581808 (with 0 hidden) Analysis of tool result --</p> <p>Sector 0 is first sector with printable text ===== Start text ===== r`O-ZgZ_lR3N:D2~~gpnA^xN]]{>jvbf.f.JV!BFY *{6"<J&D l[zAlr^TVZfKR\50:2~tnB38^N;2>jvb.fJiVBFs*"6t"S& 2zrm{EZm*R!+W:J2~!n/^OF]NZ>jvb.fSJPVBCwmF(*6"j("&6 :zr 4ZtR>:!2#~\rn &^^4N2y>jvb+.f"J7V^B&4F*p6r"&a >Az ===== End text Sector 0 ===== 1 <new line> character inserted for readability</p>

Test Case FMP-01-SATA48 Logicube OmniClone 2Xi SW 1.53/FW 9.0

```
Totals for all sectors
summary format: <count> <hex value> <(actual character if printable)> ...
 625163616 00          312581808 01          1875490848 02
 937745424 03          312581808 04          312581808 05
1250327232 06          625163616 09          1562909040 0A
1875490848 0E          625163616 11          1875490848 12
 312581808 14          1562909040 16          312581808 17
 312581808 19          1250327232 1A          1250327232 1C
1250327232 1E          1250327232 1F          312581808 20 ( )
1250327232 21 (!)      2188072656 22 (")      312581808 23 (#)
1875490848 26 (&)      625163616 28 (()    1562909040 2A (*)
 625163616 2B (+)      312581808 2D (-)    1562909040 2E (.)
 312581808 2F (/)      312581808 30 (0)    2188072656 32 (2)
 625163616 33 (3)      937745424 34 (4)    312581808 35 (5)
1562909040 36 (6)      312581808 37 (7)    312581808 38 (8)
1562909040 3A (: )    312581808 3B (;)    312581808 3C (<)
1875490848 3E (>)      937745424 41 (A)    1562909040 42 (B)
 312581808 43 (C)      625163616 44 (D)    312581808 45 (E)
1562909040 46 (F)      1875490848 4A (J)    312581808 4B (K)
1562909040 4E (N)      625163616 4F (O)    312581808 50 (P)
1250327232 52 (R)      625163616 53 (S)    312581808 54 (T)
1562909040 56 (V)      312581808 57 (W)    312581808 59 (Y)
1875490848 5A (Z)      312581808 5B ([)    625163616 5C (\)
 937745424 5D (])      2188072656 5E (^)    312581808 5F ( _ )
 312581808 60 (`)      312581808 61 (a)    1250327232 62 (b)
1875490848 66 (f)      625163616 67 (g)    312581808 69 (i)
1562909040 6A (j)      937745424 6C (l)    937745424 6D (m)
1250327232 6E (n)      625163616 70 (p)    1875490848 72 (r)
 312581808 73 (s)      937745424 74 (t)    1250327232 76 (v)
 312581808 77 (w)      312581808 78 (x)    312581808 79 (y)
1250327232 7A (z)      937745424 7B ({)    312581808 7C (|)
1562909040 7E (~)      312581808 7F          1250327232 81
1875490848 82          312581808 83          312581808 84
 625163616 85          1562909040 86          312581808 87
 625163616 88          1250327232 8A          312581808 8B
 312581808 8C          312581808 8D          1562909040 8E
 312581808 90          1875490848 92          312581808 93
 312581808 94          312581808 95          1250327232 96
 625163616 97          937745424 98          312581808 99
1562909040 9A          312581808 9B          1875490848 9E
 312581808 9F          312581808 A0          625163616 A1
1875490848 A2          312581808 A3          312581808 A4
 312581808 A5          2188072656 A6          312581808 A8
 937745424 A9          1875490848 AA          312581808 AD
1562909040 AE          312581808 AF          625163616 B0
 937745424 B1          1250327232 B2          312581808 B4
1562909040 B5          1250327232 B6          625163616 B7
 625163616 B9          1250327232 BA          312581808 BB
 312581808 BC          1250327232 BE          625163616 C0
1562909040 C2          312581808 C3          625163616 C4
 312581808 C5          1250327232 C6          312581808 C7
 312581808 C8          625163616 C9          1250327232 CA
1562909040 CE          625163616 CF          1250327232 D2
 625163616 D3          625163616 D4          1250327232 D6
1562909040 DA          1250327232 DE          937745424 DF
 937745424 E0          312581808 E1          1250327232 E2
 625163616 E3          1250327232 E6          312581808 E7
 312581808 E9          1875490848 EA          312581808 EB
 937745424 EC          1250327232 EE          625163616 F1
1250327232 F2          937745424 F3          625163616 F5
1562909040 F6          1562909040 FA          312581808 FB
 312581808 FC          625163616 FD          1562909040 FE
 312581808 FF

Totals for non-ASCII sectors
summary format: <count> <hex value> <(actual character if printable)> ...

160041885696 bytes, 312581808 sectors, 181 distinct values seen
312581808 sectors have printable text
```

Test Case FMP-01-SATA48 Logicube OmniClone 2Xi SW 1.53/FW 9.0						
	Runs of Sectors Unchanged or Overwritten First Sector Last Sector State 0 -- 312581807 Overwritten					
Results:	<table border="1"> <thead> <tr> <th>Assertion & Expected Result</th> <th>Actual Result</th> </tr> </thead> <tbody> <tr> <td>FMP-CA-01 Visible sectors overwritten</td> <td>as expected</td> </tr> </tbody> </table>	Assertion & Expected Result	Actual Result	FMP-CA-01 Visible sectors overwritten	as expected	
Assertion & Expected Result	Actual Result					
FMP-CA-01 Visible sectors overwritten	as expected					
Analysis:	Expected results achieved					

Test Case FMP-01-SATA48-TARGET2 Logicube OmniClone 2Xi SW 1.53/FW 9.0			
	390721968	2F (/)	390721968 30 (0) 2735053776 32 (2)
	781443936	33 (3)	1172165904 34 (4) 390721968 35 (5)
	1953609840	36 (6)	390721968 37 (7) 390721968 38 (8)
	1953609840	3A (:)	390721968 3B (;) 390721968 3C (<)
	2344331808	3E (>)	1172165904 41 (A) 1953609840 42 (B)
	390721968	43 (C)	781443936 44 (D) 390721968 45 (E)
	1953609840	46 (F)	2344331808 4A (J) 390721968 4B (K)
	1953609840	4E (N)	781443936 4F (O) 390721968 50 (P)
	1562887872	52 (R)	781443936 53 (S) 390721968 54 (T)
	1953609840	56 (V)	390721968 57 (W) 390721968 59 (Y)
	2344331808	5A (Z)	390721968 5B (I) 781443936 5C (\)
	1172165904	5D (J)	2735053776 5E (^) 390721968 5F (_)
	390721968	60 (`)	390721968 61 (a) 1562887872 62 (b)
	2344331808	66 (f)	781443936 67 (g) 390721968 69 (i)
	1953609840	6A (j)	1172165904 6C (l) 1172165904 6D (m)
	1562887872	6E (n)	781443936 70 (p) 2344331808 72 (r)
	390721968	73 (s)	1172165904 74 (t) 1562887872 76 (v)
	390721968	77 (w)	390721968 78 (x) 390721968 79 (y)
	1562887872	7A (z)	1172165904 7B ({) 390721968 7C ()
	1953609840	7E (~)	390721968 7F 1562887872 81
	2344331808	82	390721968 83 390721968 84
	781443936	85	1953609840 86 390721968 87
	781443936	88	1562887872 8A 390721968 8B
	390721968	8C	390721968 8D 1953609840 8E
	390721968	90	2344331808 92 390721968 93
	390721968	94	390721968 95 1562887872 96
	781443936	97	1172165904 98 390721968 99
	1953609840	9A	390721968 9B 2344331808 9E
	390721968	9F	390721968 A0 781443936 A1
	2344331808	A2	390721968 A3 390721968 A4
	390721968	A5	2735053776 A6 390721968 A8
	1172165904	A9	2344331808 AA 390721968 AD
	1953609840	AE	390721968 AF 781443936 B0
	1172165904	B1	1562887872 B2 390721968 B4
	1953609840	B5	1562887872 B6 781443936 B7
	781443936	B9	1562887872 BA 390721968 BB
	390721968	BC	1562887872 BE 781443936 C0
	1953609840	C2	390721968 C3 781443936 C4
	390721968	C5	1562887872 C6 390721968 C7
	390721968	C8	781443936 C9 1562887872 CA
	1953609840	CE	781443936 CF 1562887872 D2
	781443936	D3	781443936 D4 1562887872 D6
	1953609840	DA	1562887872 DE 1172165904 DF
	1172165904	E0	390721968 E1 1562887872 E2
	781443936	E3	1562887872 E6 390721968 E7
	390721968	E9	2344331808 EA 390721968 EB
	1172165904	EC	1562887872 EE 781443936 F1
	1562887872	F2	1172165904 F3 781443936 F5
	1953609840	F6	1953609840 FA 390721968 FB
	390721968	FC	781443936 FD 1953609840 FE
	390721968	FF	
	Totals for non-ASCII sectors summary format: <count> <hex value> <(actual character if printable)> ...		
	200049647616 bytes, 390721968 sectors, 181 distinct values seen 390721968 sectors have printable text		
	Runs of Sectors Unchanged or Overwritten		
	First Sector	Last Sector	State
	0 --	390721967	Overwritten
Results:	Assertion & Expected Result		Actual Result
	FMP-CA-01 Visible sectors overwritten		as expected
Analysis:	Expected results achieved		

5.2.7 FMP-03-DCO

Test Case FMP-03-DCO Logicube OmniClone 2Xi SW 1.53/FW 9.0	
Case Summary:	FMP-03. Overwrite hidden sectors using WRITE commands.
Assertions:	FMP-CA-01 All visible sectors shall be overwritten with the specified benign data. FMP-AO-01 If there is a hidden area present and the tool supports overwriting sectors contained in a hidden area, then all sectors contained in the hidden area shall be overwritten with the specified benign data. FMP-AO-02 A hidden area may optionally be removed from the storage device.
Tester Name:	csr
Analysis host:	frank
Test host:	none
Test date:	Wed Sep 23 08:58:24 2009
Test drive:	1D-LAP
Source Setup:	Initial setup size: 23444165 from total of 234441648 (with 210997483 hidden) IDE disk: Model (Hitachi HTS542512K9SA00) serial # (080914BB6200WBKPD2G) Sector 0 is first sector with printable text ===== Start text ===== 00000/000/01 000000000000 ===== End text Sector 0 ===== 1 <new line> character inserted for readability Totals for all sectors summary format: <count> <hex value> <(actual character if printable)> ... 23444165 00 11393864190 1D 23444165 20 () 46888330 2F (/) 188309928 30 (0) 63142163 31 (1) 45070833 32 (2) 36015397 33 (3) 34483229 34 (4) 32919293 35 (5) 30077014 36 (6) 28588493 37 (7) 28588153 38 (8) 28577127 39 (9) Totals for non-ASCII sectors summary format: <count> <hex value> <(actual character if printable)> ... 12003412480 bytes, 23444165 sectors, 14 distinct values seen 23444165 sectors have printable text
Tool Settings:	master: 21-LAP target1: 1D-LAP target2: none rounds: 1 speed:udma 5 fill: 0x00
Log Highlights:	Size after tool runs: 23444165 from total of 234441648 (with 210997483 hidden) Analysis of tool result -- Sector 23444165 is first sector with printable text ===== Start text ===== 01459/084/39 000023444165 ===== End text Sector 23444165 ===== 1 <new line> character inserted for readability Totals for all sectors summary format: <count> <hex value> <(actual character if printable)> ... 12214409963 00 102544776738 1D 210997483 20 () 421994966 2F (/) 1272775595 30 (0) 615197138 31 (1) 452546665 32 (2) 371026394 33 (3) 357232105 34 (4) 343155935 35 (5) 317574443 36 (6) 304177732 37 (7) 304177504 38 (8) 304081115 39 (9) Totals for non-ASCII sectors summary format: <count> <hex value> <(actual character if printable)> ... 12003412480 00

Test Case FMP-03-DCO-HPA Logicube Omniclone 2Xi SW 1.53/FW 9.0

Highlights:

Analysis of tool result --

Sector 0 is first sector with printable text
 ===== Start text =====
 r`O-ZgZ_lR3N:D2~~gpnA^xN]]{>jvbf.f.JV!BFY
 *{6"<J&D
 l[zAlr^TVZfKR\50:2~tnB38^N;2>jvb.fJiVBFs*"6t"S&
 2zrm{EZm*R!+W:J2~!n/^OFJNZ>jvb.fSJPVBCwmF(*6"j("&6
 :zr|4ZtR>:!2#~\rn &^^4N2y>jvb+.f"J7V^B&4F*p6r"&a
 >Az
 ===== End text Sector 0 =====
 1 <new line> character inserted for readability

Totals for all sectors

summary format: <count> <hex value> <(actual character if printable)> ...

157586528	00	77543264	01	465259584	02
232629792	03	77543264	04	77543264	05
310173056	06	155086528	09	387716320	0A
465259584	0E	155086528	11	465259584	12
77543264	14	387716320	16	77543264	17
77543264	19	310173056	1A	310173056	1C
310173056	1E	310173056	1F	80043264	20 ()
310173056	21 (!)	542802848	22 (")	77543264	23 (#)
465259584	26 (&)	155086528	28 (())	387716320	2A (*)
155086528	2B (+)	77543264	2D (-)	387716320	2E (.)
82543264	2F (/)	94124624	30 (0)	4069190	31 (1)
546475865	32 (2)	158322519	33 (3)	238326100	34 (4)
80737374	35 (5)	390668976	36 (6)	83264234	37 (7)
82448113	38 (8)	4971549	39 (9)	387716320	3A (:)
77543264	3B (;)	77543264	3C (<)	465259584	3E (>)
232629792	41 (A)	387716320	42 (B)	77543264	43 (C)
155086528	44 (D)	77543264	45 (E)	387716320	46 (F)
465259584	4A (J)	77543264	4B (K)	387716320	4E (N)
155086528	4F (O)	77543264	50 (P)	310173056	52 (R)
155086528	53 (S)	77543264	54 (T)	387716320	56 (V)
1292543264	57 (W)	77543264	59 (Y)	465259584	5A (Z)
77543264	5B (I)	155086528	5C (\)	232629792	5D (J)
542802848	5E (^)	77543264	5F (_)	77543264	60 (`)
77543264	61 (a)	310173056	62 (b)	465259584	66 (f)
155086528	67 (g)	77543264	69 (i)	387716320	6A (j)
232629792	6C (l)	232629792	6D (m)	310173056	6E (n)
155086528	70 (p)	465259584	72 (r)	77543264	73 (s)
232629792	74 (t)	310173056	76 (v)	77543264	77 (w)
77543264	78 (x)	77543264	79 (y)	310173056	7A (z)
232629792	7B ({)	77543264	7C ()	387716320	7E (~)
77543264	7F	310173056	81	465259584	82
77543264	83	77543264	84	155086528	85
387716320	86	77543264	87	155086528	88
310173056	8A	77543264	8B	77543264	8C
77543264	8D	387716320	8E	77543264	90
465259584	92	77543264	93	77543264	94
77543264	95	310173056	96	155086528	97
232629792	98	77543264	99	387716320	9A
77543264	9B	465259584	9E	77543264	9F
77543264	A0	155086528	A1	465259584	A2
77543264	A3	77543264	A4	77543264	A5
542802848	A6	77543264	A8	232629792	A9
465259584	AA	77543264	AD	387716320	AE
77543264	AF	155086528	B0	232629792	B1
310173056	B2	77543264	B4	387716320	B5
310173056	B6	155086528	B7	155086528	B9
310173056	BA	77543264	BB	77543264	BC
310173056	BE	155086528	C0	387716320	C2
77543264	C3	155086528	C4	77543264	C5
310173056	C6	77543264	C7	77543264	C8
155086528	C9	310173056	CA	387716320	CE
155086528	CF	310173056	D2	155086528	D3
155086528	D4	310173056	D6	387716320	DA
310173056	DE	232629792	DF	232629792	E0
77543264	E1	310173056	E2	155086528	E3

Test Case FMP-03-DCO-HPA Logicube OmniClone 2Xi SW 1.53/FW 9.0			
	310173056 E6	77543264 E7	77543264 E9
	465259584 EA	77543264 EB	232629792 EC
	310173056 EE	155086528 F1	310173056 F2
	232629792 F3	155086528 F5	387716320 F6
	387716320 FA	77543264 FB	77543264 FC
	155086528 FD	387716320 FE	77543264 FF
	Totals for non-ASCII sectors summary format: <count> <hex value> <(actual character if printable)> ...		
	40982151168 bytes, 80043264 sectors, 183 distinct values seen 80043264 sectors have printable text		
	Runs of Sectors Unchanged or Overwritten		
	First Sector	Last Sector	State
	0 --	77543263	Overwritten
	77543264 --	80043263	Unchanged
Results:	Assertion & Expected Result		Actual Result
	FMP-CA-01 Visible sectors overwritten		as expected
	FMP-AO-01 Hidden sectors overwritten		as expected
	FMP-AO-02 Hidden area final state is		in place
Analysis:	Expected results achieved		

Test Case FMP-03-HPA Logicube OmniClone 2Xi SW 1.53/FW 9.0		
<pre> //////////////////////////////////// //////////////////////////////////// //////////////////////////////////// ===== End text Sector 48838154 ===== 9 <new line> characters inserted for readability Totals for all sectors summary format: <count> <hex value> <(actual character if printable)> ... 439559014 00 439559014 20 () 213625680804 2C (,) 879118028 2F (/) 2373754361 30 (0) 1160868248 31 (1) 1083294696 32 (2) 849706859 33 (3) 824970482 34 (4) 735048411 35 (5) 684566931 36 (6) 656657579 37 (7) 654675730 38 (8) 646755011 39 (9) 25005134848 F6 Totals for non-ASCII sectors summary format: <count> <hex value> <(actual character if printable)> ... 25005134848 F6 250059350016 bytes, 488397168 sectors, 15 distinct values seen 439559014 sectors have printable text </pre>		
Results:	Assertion & Expected Result	Actual Result
	FMP-CA-01 Visible sectors overwritten	as expected
	FMP-AO-01 Hidden sectors overwritten	HPA not overwritten
	FMP-AO-02 Hidden area final state is	in place
Analysis:	Expected results achieved	

About the National Institute of Justice

A component of the Office of Justice Programs, NIJ is the research, development and evaluation agency of the U.S. Department of Justice. NIJ's mission is to advance scientific research, development and evaluation to enhance the administration of justice and public safety. NIJ's principal authorities are derived from the Omnibus Crime Control and Safe Streets Act of 1968, as amended (see 42 U.S.C. §§ 3721–3723).

The NIJ Director is appointed by the President and confirmed by the Senate. The Director establishes the Institute's objectives, guided by the priorities of the Office of Justice Programs, the U.S. Department of Justice, and the needs of the field. The Institute actively solicits the views of criminal justice and other professionals and researchers to inform its search for the knowledge and tools to guide policy and practice.

Strategic Goals

NIJ has seven strategic goals grouped into three categories:

Creating relevant knowledge and tools

1. Partner with state and local practitioners and policymakers to identify social science research and technology needs.
2. Create scientific, relevant, and reliable knowledge—with a particular emphasis on terrorism, violent crime, drugs and crime, cost-effectiveness, and community-based efforts—to enhance the administration of justice and public safety.
3. Develop affordable and effective tools and technologies to enhance the administration of justice and public safety.

Dissemination

4. Disseminate relevant knowledge and information to practitioners and policymakers in an understandable, timely and concise manner.
5. Act as an honest broker to identify the information, tools and technologies that respond to the needs of stakeholders.

Agency management

6. Practice fairness and openness in the research and development process.
7. Ensure professionalism, excellence, accountability, cost-effectiveness and integrity in the management and conduct of NIJ activities and programs.

Program Areas

In addressing these strategic challenges, the Institute is involved in the following program areas: crime control and prevention, including policing; drugs and crime; justice systems and offender behavior, including corrections; violence and victimization; communications and information technologies; critical incident response; investigative and forensic sciences, including DNA; less-than-lethal technologies; officer protection; education and training technologies; testing and standards; technology assistance to law enforcement and corrections agencies; field testing of promising programs; and international crime control.

In addition to sponsoring research and development and technology assistance, NIJ evaluates programs, policies, and technologies. NIJ communicates its research and evaluation findings through conferences and print and electronic media.

To find out more about the National Institute of Justice, please visit:

<http://www.ojp.usdoj.gov/nij>

or contact:

National Criminal Justice
Reference Service
P.O. Box 6000
Rockville, MD 20849-6000
800-851-3420
<http://www.ncjrs.gov>