



ENVIRONMENTAL ASSESSMENT

DON PEDRO FIRE STATION

AUGUST 2010

GRANT:
A.R.R.A Assistance to Firefighters
Fire Station Construction Grant



LEAD AGENCY:
U.S. Department of Homeland Security/Federal
Emergency Management Agency
Assistance to Firefighters Program Office
800 K Street NW,
Washington, DC 20472-3620



GRANTEE:
Mariposa County
4639 Ben Bur Road
Mariposa, CA 95338



ENVIRONMENTAL ASSESSMENT

DON PEDRO FIRE STATION

AUGUST 2010

GRANT:
A.R.R.A Assistance to Firefighters
Fire Station Construction Grant



LEAD AGENCY:
U.S. Department of Homeland Security/Federal
Emergency Management Agency
Assistance to Firefighters Program Office
800 K Street NW,
Washington, DC 20472-3620



GRANTEE:
Mariposa County
4639 Ben Bur Road
Mariposa, CA 95338



PREPARED BY:
Analytical Environmental Services
1801 7th Street, Suite 100
Sacramento, CA 95811
(916) 447-3479
www.analyticalcorp.com



TABLE OF CONTENTS

DON PEDRO FIRE STATION DRAFT ENVIRONMENTAL ASSESSMENT

1.0	INTRODUCTION	
1.1	Introduction.....	1-1
1.2	Location and Setting	1-1
1.3	Purpose and Need for the Proposed Action	1-5
1.4	Environmental Issues Addressed	1-6
2.0	ALTERNATIVES CONSIDERED	
2.1	Alternative A.....	2-1
2.2	Alternative B.....	2-4
2.3	Alternatives Eliminated from Further Consideration.....	2-5
2.4	Comparison of the Proposed Action and Alternative	2-5
3.0	AFFECTED ENVIRONMENT, IMPACTS, AND MITIGATION FOR THE ALTERNATIVES CONSIDERED	
3.1	Geology, Soils, and Seismicity	3-1
3.2	Water Resources	3-4
3.3	Air Quality	3-7
3.4	Biological Resources	3-13
3.5	Historic Properties	3-16
3.6	Socioeconomic Conditions / Environmental Justice.....	3-24
3.7	Transportation and Circulation	3-27
3.8	Land Use and Agriculture	3-28
3.9	Public Services.....	3-30
3.10	Noise	3-31
3.11	Hazardous Materials	3-33
3.12	Aesthetics.....	3-34
3.13	Growth-Inducing and Cumulative Impacts.....	3-35
3.14	Agency Coordination and Permits	3-39
4.0	PUBLIC INVOLVEMENT	
5.0	CONSULTATION, COORDINATION, AND LIST OF PREPARERS	
6.0	REFERENCES	

LIST OF FIGURES

1	Regional Location.....	1-2
2	Site and Vicinity	1-3
3	Aerial Photograph.....	1-4
4	Site Plan	2-2

LIST OF TABLES

3-1	National Ambient Air Quality Standards.....	3-8
3-2	National Ambient Air Attainment Status for MCAB	3-9
3-3	Federal Air Monitoring Data for MCAB	3-9
3-4	County, State, and Nationwide Employment (Annual Average).....	3-25
3-5	Federal Noise Abatement Criteria (Hourly – dBA Sound Level).....	3-32

APPENDICES

Appendix A	Soil Survey Report
Appendix B	Biological Resources Technical Memorandum
Appendix C	Confidential Cultural Resources Technical Memorandum
Appendix D	Environmental Database Report
Appendix E	Correspondence

SECTION 1.0

INTRODUCTION

SECTION 1.0

INTRODUCTION AND PURPOSE AND NEED

1.1 INTRODUCTION

This Environmental Assessment (EA) has been prepared for a proposal by Mariposa County (County) to construct a fire station for an existing volunteer engine company in the northwestern region of the County in the unincorporated community of Don Pedro (Proposed Project). Under the American Recovery and Reinvestment Act of 2009 (ARRA), the Federal Emergency Management Agency (FEMA) may provide grant funding for the Proposed Project through its Fire Station Construction Grant Program (SCG) (Proposed Action). In accordance with the National Environmental Policy Act (NEPA), an environmental review is required to assess the environmental impacts to the quality of the human environment should FEMA provide funding to the County for the new fire station.

This EA has been prepared in accordance with NEPA, the President's Council on Environmental Quality regulations to implement NEPA (40 CFR Parts 1500-1508), and FEMA's regulations for the implementation of NEPA (44 CFR Part 10). FEMA is required to consider potential environmental impacts before funding or approving actions and projects. This document provides a description of the Proposed Action and an analysis of the potential environmental consequences associated with the release of the funds to the County, which would result in the development of the Proposed Project. This EA also includes a discussion of alternatives, impact avoidance, and mitigation measures. Consistent with the requirements of NEPA, FEMA will use the findings in this EA to determine whether to prepare an Environmental Impact Statement (EIS) or a Finding of No Significant Impact (FONSI).

1.2 LOCATION AND SETTING

The project site addressed in this EA is located in the unincorporated community of Don Pedro, Mariposa County, California, roughly eight miles west of the community of Coulterville. The project site, which covers approximately 10,125 square feet (0.23 acres) is located within a two-acre parcel (Assessor's Parcel No. 001-230-011) owned by Mariposa County. The parcel is situated within Section 22 of T3S, R18E, Mount Diablo Baseline Meridian, as depicted on the *Penon Blanco Peak, CA* USGS 7.5 minute topographic quadrangle (**Figures 1 and 2**).

Regional access is provided by Merced Falls Road, which runs in a general north-south direction adjacent to the eastern boundary of the project site (**Figure 3**). Direct access to the project site is





Figure 1
Regional Location Map



SOURCE: "Penon Blanco, CA" USGS 7.5 Minute Topographic Quadrangle, Section 22, T3S R18E, Mt. Diablo Baseline & Meridian; AES, 2010

Don Pedro Fire Station Environmental Assessment / 209560 ■

Figure 2
Site and Vicinity



Figure 3
Aerial Photograph

provided by a driveway located on the west side of Merced Falls Road. The majority of the two-acre parcel currently serves as an incorporation yard, recycling transfer station, and houses a maintenance building for the County Sheriff and Road Department. The bulk of the parcel would continue to serve the above referenced functions with implementation of the Proposed Project. Surrounding land uses consist primarily of open space and scattered rural residences. The project site is currently zoned Residential (County of Mariposa, 2005).

1.3 PURPOSE AND NEED FOR THE PROPOSED ACTION

The Mariposa County Fire Department (MCFD) is an all-risk volunteer fire department serving a rural population dispersed over 1,451 square miles from twelve community-based fire stations. All of MCFD's fire stations were built using funds raised in the local communities they serve, prior to the adoption of current building codes, often using substandard building materials and volunteer labor not particularly adept in the building trades. As a result, MCFD's fire stations are decades old, unsafe for firefighters to occupy during major storms and seismic events, and poorly located to effectively and efficiently provide service to portions of the service area that have experienced growth over the past few decades.

The community of Don Pedro is located in the northwest corner of Mariposa County and adjacent to two San Joaquin Valley counties that have been the focus of rapid residential and industrial growth in the recent past. The area surrounding Don Pedro serves as a "bedroom community" occupied by citizens working in the nearby cities of Merced and Modesto. Mariposa County has approved two large developments in the community that are expected to rapidly increase the local residential population in the near future. Upon build-out of the lots that are currently subdivided in the community of Don Pedro, the total number of new homes will nearly double that of the rest of the County. While there is an organized volunteer engine company operating in Don Pedro (Company 24), there is no existing fire station. Company 24's business is conducted in the home of the Company's Captain and training must occur eleven miles away at the nearest station. Presently there is only one fire engine available to Company 24. The engine is parked under an open-sided metal awning at the project site adjacent to the refuse transfer facility. There is no security and no protection from the elements.

Despite the fact there is no fire station in the Don Pedro community, Company 24 ranks third highest in the County for emergency service calls, which total more than 300 per year. Given the high demand for Company 24's services, the current facilities in Don Pedro are insufficient, and will be increasingly stressed with the expected short- and mid-term population growth. Under existing conditions, response apparatus are housed under an unsecured awning, firefighters are exposed to the elements, and there is a high risk of stolen public safety vehicles and equipment.

MCFD's purpose in applying for SCG funding is to construct a new fire station at the project site in order to improve emergency preparedness, provide a suitable working and training environment for Company 24, protect essential fire apparatus, and ensure affordable hazard insurance premiums for local residents.

1.4 ENVIRONMENTAL ISSUES ADDRESSED

In accordance with NEPA, and based on a review of the approximately 2-acre project site, the following environmental issue areas are evaluated in this EA:

- Geology, Soils, and Seismicity
- Water Resources
- Air Quality
- Biological Resources
- Historic Properties
- Socioeconomic Conditions / Environmental Justice
- Transportation and Circulation
- Land Use and Agriculture
- Public Services
- Noise
- Hazardous Materials
- Aesthetics, and
- Growth-Inducing and Cumulative Effects
- Agency Coordination and Permits

SECTION 2.0

ALTERNATIVES CONSIDERED

SECTION 2.0

ALTERNATIVES CONSIDERED

The Proposed Action and project alternatives are described in this section. This section also summarizes the protective measures and Best Management Practices (BMPs) incorporated into the project and provides a comparison of the project alternatives. A discussion of alternatives eliminated from further consideration is also included. Alternatives were selected by considering the economic viability, potential environmental impacts, and viability of implementation. The project alternatives evaluated in this EA are:


- 1) Alternative A – Proposed Action
- 2) Alternative B –No-Action Alternative
- 3) Other sites eliminated from consideration

The project alternatives evaluated in the Environmental Assessment (EA) consist of:

- Alternative A – (Proposed Action) The Federal Emergency Management Agency (FEMA) would release funds to Mariposa County (County) under the American Recovery and Reinvestment Act Assistance to Firefighters Fire Station Construction Grants program (CFDA 97-115), administered by the FEMA’s Assistance to Firefighters Program Office. The foreseeable consequence of the release of FEMA funds to the County would be the construction of a 3,800 square foot steel building erected within an approximately 2-acre parcel that is currently used as an incorporation yard, recycling transfer station, and maintenance facilities for the County Sheriff and Road Department. A new concrete driveway would be poured between the fire station and Merced Falls Road and a new septic system would be installed to handle waste disposal on-site.
- Alternative B – (No-Action Alternative) FEMA would not provide funds to the County and the project site would continue to be used in its current state and house a single fire engine under an open-air canopy. No construction or other improvements would be undertaken on the project site.

2.1 ALTERNATIVE A - PROPOSED ACTION

Alternative A (**Figure 4**) consists of the release of FEMA Program funds to the County and the resulting construction of a 3,800 square foot pre-engineered fire station with four engine bays and associated office space/training facilities. The station would be constructed of 100 percent recycled steel while meeting engineering standards as required of public service buildings.



The fire station would include gender-specific and American Disabilities Act-compliant sleeping and bathroom facilities for up to four personnel. Auxiliary components of the fire station would include a new concrete driveway and a septic system. All development associated with Alternative A would be restricted to the southeast corner of parcel 001-230-011.

Mariposa County is a member of the US Green Building Council (USGBC), thus construction of the fire stations would utilize materials and systems to qualify for the maximum possible LEED points within budget constraints. The facility would feature Energy Star-certified appliances and will meet CA Title 24 of the State Building Code for insulation value and energy conservation systems. Mariposa County Department of Public Works would ensure compliance with their adopted and federally-approved Quality Assurance Plan. The project would feature renewable energy systems through solar collection panels that would ensure the station is as close to energy neutral as reasonable and feasible. The solar generating system would interface with the PG&E distribution system to ensure peak efficiency.

The footprint of the new fire station and driveway would cover approximately 4,685 square feet (0.11 acres). A gravel parking area with six spaces would be provided on the east side of the new building, with overflow parking available within the adjacent County property. Access to the new fire station from the existing incorporation yard and transfer station would be restricted by the existing chain-link fence that bisects the property along an east/west axis. An encroachment permit would not be required to provide access to site since the County owns the property and Merced Falls Road is a County road.

PUBLIC SERVICES

Water service is already provided to the project site via connection to the Sierra Highlands Water Company service line. On-site waste disposal would be handled by a septic system, which would incorporate the portion of the parcel located west and down slope of the proposed fire station for a leach field. Minor grading would be undertaken on-site to ensure that stormwater drains away from the new structure. New impervious surfaces at the project site would be limited, thus eliminating the needed for stormwater conveyance. Telephone service currently exists at the project site.

SITE PLAN SPECIFICATIONS

The following protective measures and BMPs have been incorporated into the project site plans for Alternative A:

AIR QUALITY

1. The construction contractor shall use a water truck to maintain adequate dust control.

2. Sufficient equipment shall be available to provide dust control at all times during construction.
3. Stockpiled earthen materials and soil transport vehicles shall be covered.

WATER QUALITY

1. Straw wattle shall be erected around the perimeter of the project site during construction.
2. The Merced Falls Road frontage shall be swept as needed to remove silt and other fugitive dirt related to construction activities.
3. Erosion and sediment control provisions shall be in place prior to the onset of any storm event. The construction contractor shall have all erosion and sediment control features in place for the winter months prior to October 1.
4. All erosion and sediment control measures shall be maintained until disturbed areas are stabilized.
4. All erosion and sediment control measures shall be checked before and after all storm events to ensure measures are functioning properly.
5. A stabilized construction entrance shall be installed prior to commencement of grading. The construction entrance shall be constructed of washed, well-graded gravel, crushed rock, or equivalent.

TRANSPORTATION

1. Traffic shall be maintained in each direction on the adjacent roadway network at all times during the peak traffic hours of 7:00 A.M. to 8:00 A.M. and 3:30 P.M. to 5:30 P.M.

2.2 ALTERNATIVE B - NO-ACTION ALTERNATIVE

Under the No-Action Alternative, FEMA would not grant funds to the County under the SCG and the project site would not be developed with a new fire station as identified under the Proposed Action. The southeastern portion of the parcel would remain undeveloped for the near term, while the other existing uses (incorporation yard, transfer station, and maintenance facility) would continue unabated. Company 24's fire engine would continue to be stored under the metal awning. Staff would continue to be unsafe during major storms or seismic events, and service to a growing area would gradually deteriorate. Lower response times would not be realized, and the service would continue to be ineffective and inefficient. Emergency preparedness in the community would not be adequate.

2.3 ALTERNATIVES ELIMINATED FROM FURTHER CONSIDERATION

The only reasonable alternative actions available to FEMA are to either grant the funds for the proposed project under the SCG or deny funding. Both these alternatives are assessed within this EA. For the County's project, alternative sites were considered and then dismissed due to economic and operational factors. The costs associated with purchasing new land for an alternative site would prevent Mariposa County from developing the project. Mariposa County currently owns the parcel proposed under Alternative A, which is centrally located within Company 24's service area. Critical infrastructure and utilities are already in place at the project site, thus requiring minimal additional costs to serve the proposed fire station. Additionally, an alternative site would result in creating operational separation from the existing maintenance and storage facilities currently located on-site. Separating the proposed new fire station from maintenance facilities would increase operational costs and result in logistical complications with day-to-day operations, further increasing costs associated with maintaining the two separate sites. Moving the site to the nearest County station would also impact approximately 6,500 planned homes due to insurance and mortgage difficulties associated with the resulting distance to emergency services.

2.4 COMPARISON OF THE PROPOSED ACTION AND ALTERNATIVE

Among the project alternatives evaluated in **Section 3.0**, the Proposed Action would potentially result in new impacts (all fully mitigatable), while no development would occur on the project site for the foreseeable future under Alternative B, the No-Action Alternative.

Impacts to land resources under Alternative A would result from earthwork and construction. Erosion control and other BMPs would mitigate potential impacts. Alternative B would have no effect on land resources.

Alternative A would introduce a limited amount of impermeable surfaces to the project site, generating more runoff than existing conditions. At full build-out, Alternative A would have negligible potable water demand and wastewater generation; therefore, potential impacts to water resources would be minimal. With the incorporation of the BMPs described above, impacts to water resources would be less than significant. No impacts to water resources would result from Alternative B.

Construction and operational emissions of criteria air pollutants and greenhouse gases would be generated under Alternative A, but would be reduced through the incorporation of BMPs and those recommended as mitigation in **Section 3.0**. Operational emissions under Alternative A, the

vast majority of which would be related to mobile sources (vehicle trips), would be similar to existing conditions (and therefore similar to Alternative B), since Company 24 would still be required to respond to requests for emergency assistance. Under Alternative B, no impacts to air quality would occur.

Alternative A and B would not result in any impacts to biological or historic properties.

Construction and operation of Alternative A would provide for enhanced public safety and emergency preparedness, resulting in beneficial impacts related to public services. Under Alternative B, no impacts (negative or beneficial) to public services would occur.

Alternatives A and B would not result in any impacts to socioeconomics or environmental justice.

Alternative A would generate a small number of vehicle trips resulting in minimal impacts to the local transportation network. Vehicle trips generated by the proposed fire station would be equal to the existing number of trips generated by conducting Company 24's business out of the Captain's personal residence and storing the fire engine at the project site. Construction of the fire station would not result in any increase in the number of requests for emergency assistance. BMPs and mitigation have been recommended above and in **Section 3.0** to reduce transportation and circulation impacts. Alternative B would not generate a net sum of new vehicle trips, and therefore would not cause impacts to transportation and circulation.

Alternatives A and B would not result in impacts to land use.

Construction and operation of Alternative A would not generate noise at levels that would result in adverse impacts to the ambient noise environment in the project area. The engine is currently stored on site and is considered a component of the existing noise environment of the project site. No noise-related impacts would occur under Alternative B.

Impacts related to hazardous materials would be minimal under Alternative A. No hazardous material impacts would occur under Alternative B.

Aesthetic impacts would be less than significant under Alternative A. No aesthetic impacts would occur under Alternative B.

Alternative A would meet Mariposa County's objectives of improving emergency preparedness, providing a suitable working and training environment for Company 24, protecting essential fire apparatus, and ensuring affordable hazard insurance premiums for local residents.

SECTION 3.0

AFFECTED ENVIRONMENT, IMPACTS, AND MITIGATION FOR THE ALTERNATIVES CONSIDERED

SECTION 3.0

AFFECTED ENVIRONMENT, IMPACTS, AND MITIGATION FOR THE ALTERNATIVES CONSIDERED

This section presents relevant information about existing resources and other values that may be affected by the Proposed Project and alternative, an analysis of potential impacts associated with the implementation of the alternatives, and mitigation to reduce identified impacts. The following resources and issue areas are addressed:

- Geology, Soils, and Seismicity
- Water Resources
- Air Quality
- Biological Resources
- Historic Properties
- Socioeconomic Conditions / Environmental Justice
- Transportation and Circulation
- Land Use and Agriculture
- Public Services
- Noise
- Hazardous Materials
- Aesthetics
- Growth Inducing and Cumulative Impacts
- Agency Coordination and Permits

3.1 GEOLOGY, SOILS, AND SEISMICITY

3.1.1 GEOLOGICAL SETTING AND TOPOGRAPHY

The project site is composed of relatively flat to gently sloping terrain at an elevation of approximately 1,125 feet (330 meters) above mean sea level. The project site falls within Climate Zones 7 through 9, “Great Valley and Surrounding Low Mountains.” Specifically the climate regimes on-site are more typical of Climate Zone 7, which is characterized by marked seasons of hot summers and moderately cold winters. The regional geology is within the central portion of the Sierra Nevada geomorphic province. The project site is located within the Sierra Nevada Foothills region which includes all of the territory west of the crests of the Sierra Nevada Range (**County of Mariposa, 2006**).

The underlying geology is generally composed of metavolcanic and granitic formations west of the New Melones Fault and dates to the Jurassic Period (Krauskopf, 1985). Geological structures related to the Calaveras Formation may be found near the project site that includes beds of slate, mica schist, and quartzite. There are a number of fine to medium grained dioritic and aplitic dikes, some of which are associated with the gold-quartz veins. In places, these rocks are overlain by Tertiary channel gravels capped by rhyolite and andesite (**Appendix A**).

The topography of the subject parcel has been slightly altered through grading to provide level surfaces for the existing facilities and to promote drainage. The elevation of the subject parcel is highest in the northeast corner, and slopes gently to the southwest (approximately 1.7 percent slope).

3.1.3 SOILS

Soil survey reports for the project site are available online through the Natural Resources Conservation Service (NRCS), an agency within the United States Department of Agriculture (USDA). Soil types within the project site were determined using the on-line NRCS soil survey. Each survey maps soil units (soils exhibiting similar physical and chemical characteristics) and provides a summary of major physical characteristics with recommendations based on the soil characteristics. The project site consists entirely of Auburn loam. Auburn loam is classified as Hydrologic Group D, which exhibit very slow infiltration rates and high runoff rates (associated with the shallow bedrock beneath the soils). These soils do not exhibit episodes of ponding or flooding. A customized soil report for the project parcels is included as **Appendix A**.

SOIL HAZARDS

Soil Erosion

Erosion potential on the project site is low because the project site is relatively flat, the potential for erodibility of the soils is considered low (**Appendix A**), annual precipitation levels are low, and wind velocity averages and peaks are low in the region.

Liquefaction

Although soils on the project site exhibit low infiltration rates, the nearest fault is approximately 72 miles east of the project site. Therefore, the project site is not subject to liquefaction.

Expansive Soils

There are no expansive soils on the project site (**Appendix A**).

Landslides

Based on the lack of extreme elevation change and soil types (**Appendix A**), there are no landslide hazards on the project site.

3.1.4 SEISMICITY

Faults along which movement has occurred in the geologically recent Holocene Epoch are classified as active faults. No active faults are located near the project region. The closest active fault zone to the project site is the Hartley Spring fault zone, located approximately 72 miles east of Don Pedro, on the east side of the Sierra Nevada. The next closest active fault complex is the Greenville fault zone located roughly 75 miles west of the project site in rural Alameda County. The Hayward and San Andreas fault zones, which are among the most seismically active geologic features in California, are located approximately 77 and 88 miles, respectively, southwest of the project site. Several dormant fault zones are present in the western Sierra Nevada foothills, including the Foothills and Melones fault zones located 1.2 and 7.72 miles east of the project site, respectively. These geologic features are of pre-Quaternary age, showing signs of activity ≥ 1.6 million years (County of Mariposa, 2006).

The California Geological Survey (CGS), in coordination with the United States Geological Survey (USGS), maintains a model of seismic shaking hazards throughout California based on the physical and mechanical properties of the Earth's crust. Using this model, the peak horizontal ground acceleration (the fastest measured change in speed for a particle at ground level) is given for a selected site using a latitude and longitude search engine. Shaking intensity at a particular site can vary depending on the overall magnitude of a regional earthquake, the distance from the epicenter, and the type of geologic material. According to CGS, the project site is located within an area of moderate potential shaking intensity (ground shaking motion of 0.102 to 0.148 percent force of gravity). This corresponds to a value of VII on the Modified Mercalli Intensity Scale. Shaking of this intensity generally results in negligible damage to buildings of good design and construction (CGS, 2010; Bolt, 1988).

3.1.5 IMPACTS TO GEOLOGY, SOILS, AND SEISMICITY

ALTERNATIVE A

TOPOGRAPHY

While development of the site would involve a small amount of grading and other earthwork, it would not result in slope instability or landform impacts given the site's flat topography and that the site has been previously mechanically leveled and covered with compacted gravel. Development would not adversely affect the previously disturbed topography of the project site.

SOILS

The soil properties on the site pose no geologic or soil hazard limitations for development (**Appendix A**). The soils are not prone to shrink-swell, subsidence, or landslides. Although erosion potentials on the project site are low, construction would involve soil disturbance, increasing the potential for adverse effects during rainfall. Erosion control practices have been incorporated into the project description to reduce impacts from construction. The project construction area of disturbance is less than one acre and coverage under the Clean Water Act National Pollution Discharge Elimination System permitting process is not required.

FAULTS

Construction under the Proposed Project would be required to follow the California Building Code (CBC). Current standards in the CBC include safety precautions for the anticipated seismic shaking intensity that would prevent any structural damage. The site's location, soils, and topography indicate a negligible risk of major damage from secondary effects such as landslides, subsidence, liquefaction, and other related seismic-shaking hazards. With the design and construction criteria established in concert with the requirements under the CBC, development of the Proposed Project would not result in impacts to the environment or human health and safety as a result of seismic events.

MITIGATION

Impacts to geology, soils, and seismicity are less than significant; no mitigation is required.

ALTERNATIVE B

Under the No Action Alternative, the project site would remain undeveloped and would continue to experience minimal erosion. The topography would remain consistent with existing conditions. No mitigation is required for Alternative B.

3.2 WATER RESOURCES

3.2.1 SURFACE WATER

The project site is located within the Merced River Watershed, near the hydrologic divide between the Tuolumne River and Merced River. There are no surface water resources or drainages on the project site. Lake McClure, a manmade reservoir created by the Exchequer Dam on the Merced River, is located approximately one mile due east of the project site. Surface water features are further addressed under waters of the U.S. in **Section 3.4** as well as the Biological Resources Assessment included as **Appendix B**.

DRAINAGE

The project site receives water from direct precipitation events. The minimal runoff appears to sheet flow to the southwest along a 1.5% grade off of the project site and is absorbed by the abundant open space surrounding the parcel. There are no stormwater sewers, roadside collection curbs, or drainage ditches associated with the project site and nearby roadway. As previously noted, the project site and surrounding parcel have been significantly graded and disturbed in the past. Impermeable surfaces within the parcel are limited to footprints of the existing County maintenance building, three small outbuildings, and two small concrete pads. Otherwise, the surface of the subject parcel is native soil or permeable surfaces such as crushed aggregate gravel.

WETLANDS AND WATERS OF THE U.S.

There are no potential wetlands or other waters of the U.S. within the project site and none are mapped within the project site on the National Wetlands Inventory (USFWS, 2010; **Appendix B**).

FLOODING

The Federal Emergency Management Agency (FEMA) is responsible for predicting the potential for flooding in most areas. FEMA routinely performs this function through the update and issuance of Flood Insurance Rate Maps (FIRMs), which depict various levels of predicted flood inundation. The project site is included within FIRM number 06043C0275C. The project site is located in Zone X, which is defined by the FIRM as an area of minimal flood hazard, outside the 500-year floodplain and protected by levee from 100-year flood (FEMA, 2008).

3.2.2 GROUNDWATER

Of the many mountainous areas in California, groundwater is stored within deep fractures of bedrock underlying soil layers. Availability of groundwater in such formations can vary widely, even over a distance of a few yards. Conditions that affect availability of water within fractured rock include:

- Density of fractures within a given area;
- Connectivity between fractures;
- Fracture size and shape; and
- Recharge source.

Currently there are no identified maps of the many groundwater basins that exist due to the fractured bedrock within the Mariposa area. As a result, groundwater profiles are difficult to characterize. The project site is not located within a specified groundwater basin. Much of the groundwater in the county is recovered from hard rock wells drilled into fractures within the granite of the Sierra Nevada. Granitic groundwater basins in the county have not been studied in

depth to date. Groundwater levels in the County wells range from 1.7 to 48 feet below ground surface elevation (County of Mariposa, 2006). Groundwater is utilized to supplement surface water supplies from Lake McClure and Lake Don Pedro.

3.2.4 WATER QUALITY

SURFACE WATER QUALITY

The Clean Water Act (CWA) (33 USC 1251-1376), as amended by the Water Quality Act of 1987, is the major federal legislation governing water quality. Complying with the anti-degradation provision of the CWA, the Central Valley Regional Water Quality Control Board (CVRWQCB) has established water quality objectives for all inland surface waters to protect designated beneficial uses. Water quality objectives limit the impact of discharges to surface waters. There are no impaired water bodies listed by the Central Valley Regional Water Quality Control Board within the project region.

GROUNDWATER QUALITY

Groundwater quality within the Merced River basin is generally good and is suitable for use in the potable water supply. However, little is known about general groundwater conditions. The relatively scarce number of wells in Mariposa County does little to contribute more information on groundwater quality, levels, and recharge behavior (County of Mariposa, 2006).

3.2.5 IMPACTS TO WATER RESOURCES

ALTERNATIVE A

There are no surface water resources on the project site that would be physically impacted by the implementation of Alternative A. Potable water would be provided by existing municipal connections, and the increase in demand would not impact groundwater, as the project site is located within the municipal service area supplied with treated surface water. The increase in demand would not result in an increase in surface water diversions above the municipal service areas water rights, and would not impact groundwater use in the area as there are no private wells in the region.

Since the project is outside the floodplain, no impacts associated with flooding would occur as a result of Alternative A. Implementation of the Proposed Project would comply with the provisions of Executive Order 11988, Floodplain Management.

The construction disturbance footprint is approximately 10,395 square feet (0.24 acres). Impervious surfaces would increase by approximately 4,685 square feet (0.1 acres) upon completion of the Proposed Project. Projects that disturb less than one acre during construction are not required to apply for coverage under the National Pollution Discharge Elimination System

permitting program of the Clean Water Act. The implementation of the BMPs outlined in **Section 2.0** would reduce potential impacts associated with the minimal ground disturbance required to develop the Proposed Project.

Implementation of Alternative A would increase impervious surfaces by less than one acre on the site through the construction of the driveway and building pad. The resulting construction would result in a minimal increase in impervious surfaces on the project site; thus with the implementation of the BMPs described in **Section 2.0**, impacts to surface water drainage and water quality would be less than significant.

MITIGATION

Impacts to water quality are less than significant; no mitigation is required.

ALTERNATIVE B

Under the No-Action Alternative, the proposed fire station would not be developed. No additional impervious surfaces would be created on the project site. Drainage would remain as sheet flow with some infiltration through the native soils as well as discharge to the curbside drainage system that discharges to Lake McClure. No adverse impacts to water resources would occur under the No-Action Alternative, and no mitigation would be required.

3.3 AIR QUALITY

3.3.1 REGULATORY CONTEXT

The Federal Clean Air Act (CAA) was enacted for the purpose of protecting and enhancing the quality of the nation's air resources to benefit public health, welfare, and productivity. Basic components of the CAA and its amendments include national ambient air quality standards (NAAQS) for criteria air pollutants (CAPs) and, under 40 CFR Part 51, development of state implementation plans (SIPs) to meet the NAAQS. The EPA is the federal agency responsible for identifying CAPs, establishing the NAAQS, and approving and overseeing state air quality programs as they relate to the CAA.

The EPA has identified six CAPs [ozone (O₃), carbon monoxide (CO), sulfur dioxide (SO₂), nitrogen dioxide (NO₂), particulate matter (PM₁₀ and PM_{2.5}), and lead (Pb)] that are used as indicators of regional air quality. Regulation of air pollution is achieved through both the NAAQS and emission limits for individual sources of CAPs outlined in each SIP (40 CFR Part 51). The NAAQS CAPs are presented in **Table 3-1**. For some of the pollutants, the EPA has identified air quality standards expressed in more than one averaging time in order to address the typical exposures times.

TABLE 3-1
NATIONAL AMBIENT AIR QUALITY STANDARDS

Pollutant	Averaging Time	Standard		Violation Criteria
		parts per million	microgram per cubic meter	
Ozone	8 hours	0.075	-	If exceeded on more than 3 days in 3 years
CO	8 hours	9	10,000	If exceeded on more than 1 day per year
	1 hour	35	40,000	If exceeded on more than 1 day per year
NOx	Annual average	0.053	100	If exceeded
SOx	Annual average	0.03	80	If exceeded
	24 hours	0.14	365	If exceeded on more than 1 day per year
PM ₁₀	24 hours	N/A	150	If exceeded on more than 1 day per year
PM _{2.5}	Annual arithmetic mean	N/A	15	If exceeded
	24 hours	N/A	35	If exceeded on more than 1 day per year
Source: CARB, 2010.				

The EPA, in conjunction with the California Air Resource Board (CARB), identifies areas throughout California that meet the NAAQS. These areas are labeled either *attainment* or *unclassifiable* for each CAP that is in compliance with the NAAQS. Areas that do not meet the NAAQS are labeled either *nonattainment* or *maintenance* for the CAP that is non-compliant with the NAAQS. The EPA further classifies nonattainment areas according to the extent of non-compliance. There are five classes of nonattainment areas: *maintenance* (recently became compliant with the NAAQS); *marginal* (relatively easy to obtain levels below the NAAQS); *serious*, *severe*, and *extreme* (will be difficult to reach levels below NAAQS). The EPA uses these classifications to design compliance requirements appropriate for the severity of the pollution for inclusion in the SIP, and set realistic deadlines for reaching those compliance goals.

Under 40 CFR Part 6, federal projects are required to show conformity with the applicable SIP. Conformity is outlined in 40 CFR Part 51 Subpart W, which requires any project that is located in

an area where any CAP is nonattainment to show that the total project-related emissions of that particular CAP is less than the *de minimus* level provided in 40 CFR Part 51, Subpart W.

3.3.2 EXISTING AIR QUALITY CONDITIONS

The project site lies at the southern margin of the Mountain Counties Air Basin (MCAB). The MCAB covers the mountainous areas of the central and northern Sierra Nevada, from Plumas County to Mariposa County. Elevation varies from several hundred feet in the foothills to over 10,000 feet at the crest of the Sierra Nevada. The large range in elevation is the most dominant feature of the MCAB with respect to air quality.

ATTAINMENT STATUS

Table 3-2 shows the attainment status for pollutants in the MCAB. Attainment and nonattainment areas are identified through monitoring. Unclassifiable areas are those for which air monitoring has not been conducted, but which are assumed to be in attainment under the NAAQS. **Table 3-3** provides a three-year summary of the MCAB, listing the highest annual concentration observed for federal pollutants of concern.

TABLE 3-2
NATIONAL AMBIENT AIR ATTAINMENT STATUS FOR MCAB

Pollutants	NAAQS
	Designation/Classification
Ozone 8-hour	Nonattainment
PM ₁₀	Unclassified/Attainment
PM _{2.5}	Unclassified/Attainment
Carbon Monoxide	Unclassified/Attainment
Nitrogen Dioxide	Unclassified/Attainment
Sulfur Dioxide	Unclassified/Attainment
Lead	Unclassified/Attainment

Source: CARB, 2009a.

TABLE 3-3
FEDERAL AIR MONITORING DATA FOR MCAB

Pollutant	Standard	2006	2007	2008
Ozone				
Highest (µg/L)	0.075	0.092	0.092	0.093
Days Exceeded		13	12	17
µg/L = micrograms per liter				
Source: CARB, 2009b.				

POLLUTANTS OF CONCERN

CAPs which are in nonattainment under the NAAQS are considered pollutants of concern. The following discussion summarizes the pollutant of concern for Mariposa County, which is ozone.

Ozone

Ozone is created in the presence of sunlight through photochemical reactions involving reactive organic gases (ROGs) and NO_x. ROGs and NO_x are a result of incomplete combustion of fossil fuels, which is the largest source of ground-level ozone (O₃). Because photochemical reaction rates depend on the intensity of ultraviolet light and air temperature, ozone is primarily a summer air pollution problem. As a photochemical pollutant, O₃ is formed only during daylight hours under appropriate conditions, but is destroyed throughout the day and night. O₃ is considered a regional pollutant, as the formation takes place over time and is often most noticeable downwind from the sources of the emissions.

CLIMATE CHANGE

Climate change is a global phenomenon attributable to the sum of all human activities and natural processes. Climate change has the potential to reduce the snow packs in the Sierra Nevada Mountains, cause the sea level to rise, and increase the intensity of wildfires and storms intensity. The Council on Environmental Quality recommends quantification of greenhouse gas (GHG) emissions, assessment of the significance of any impact on climate change, and identification of mitigation or alternatives that would reduce GHG emissions.

REGULATORY BACKGROUND

The following are the most recent regulatory actions taken by the USEPA and CEQ:

- In response to the FY2008 Consolidated Appropriations Act (H.R. 2764; Public Law 110–161), USEPA has issued the Final Mandatory Reporting of Greenhouse Gases Rule. Signed by the Administrator on September 22, 2009, the rule requires in general that suppliers of fossil fuels and industrial greenhouse gases (GHGs), manufacturers of vehicles and engines outside of the light duty sector, and facilities that emit 25,000 metric tons or more of GHGs per year to submit annual reports to USEPA. The rule is intended to collect accurate and timely emissions data to guide future policy decisions on climate change.
- On February 23, 2010 the CEQ provided for public comment, its Draft NEPA Guidance on Consideration of the Effects of Climate Change and Greenhouse Gas Emissions (NEPA Guidance). The NEPA Guidance provides Federal agencies guidance on how to analyze the environmental impacts of greenhouse gas emissions and climate change when they describe the environmental impacts of a proposed project under NEPA. The NEPA Guidance provides practical tools for agency reporting, including a presumptive threshold

of 25,000 metric tons of carbon dioxide equivalent emissions from the proposed action to trigger a quantitative analysis, and instructs agencies how to assess the effects of climate change on the proposed project and its design. The NEPA Guidance exempts land and resource management actions and does not propose to regulate greenhouse gases. The NEPA Guidance does not provide a numerical GHG emission threshold.

SENSITIVE RECEPTORS

Sensitive receptors are generally defined as land uses that house or attract people who are susceptible to experience adverse impacts from air pollution emissions and, as such, should be given special consideration when evaluating air quality impacts from projects. Sensitive receptors include facilities that house or attract children, the elderly, people with illnesses, or others who are especially sensitive to the effects of air pollutants. Hospitals, schools, convalescent homes, parks and recreational facilities, and residential areas are examples of sensitive receptors. As illustrated in **Figure 3**, the area immediately surrounding the project site is dominated by open space and agriculture, with sparse residences and businesses at a significant distance. The lack of sensitive receptors in the vicinity of the project site was taken into consideration for the analysis of air quality impacts.

3.3.3 IMPACTS TO AIR QUALITY

ALTERNATIVE A

Under 40 CFR Part 9, if a federal project is in a nonattainment area, than project-related emissions must be below the *de minimus* level for ozone precursors of 100 tons per year to show conformity with the applicable SIP. The MCAB is in nonattainment for ozone (refer to **Table 3-2**); therefore, ozone precursors NO_x and ROG emission are required to be below 100 tons per year for the project to show conformity with the applicable ozone SIP.

CONSTRUCTION

Construction of Alternative A would generate CAPs through the use of construction machinery (primarily diesel operated), construction worker automobiles (primarily gasoline operated), and through land disturbance. Construction of the fire station would proceed in distinct phases, beginning with grading and connections to utilities, followed by the erection of structure, and finally the finishing of fire station. The generation of construction-related emissions is considered a short-term impact, especially in regard to fugitive dust generation. Alternative A has been designed to incorporate BMPs that would reduce the potential for short-term dust impacts. Short-term construction impacts would be minimal even without the implementation of these measures due to the size of the project (less than 1 acre); however, they are included to reduce impacts by the maximum amount feasible and reasonable. Implementation of these

measures would reduce impacts associated with air quality. Construction of the proposed Fire Station would have a minimal adverse affect on regional air quality.

OPERATION

Operation of Alternative A would not result in an increase in vehicle traffic in the project region (refer to **Section 3.7**); therefore, no indirect mobile NO_x or ROG emission would occur. Current trips to the Company Captain's residence would be transposed to the more centrally located proposed Fire Station. The proposed Fire Station would cause a minute increase in area source emissions (i.e. gas heating and cooking); however, these emissions would not exceed *de minimus* levels. Alternative A emission from area sources would be offset or reduced with the use of Energy Star-certified appliances and the exceedance of Title 24 State Building Code for insulation value and LEED energy conservation systems. Operation of the proposed Fire Station would have no adverse affect on regional air quality.

CLIMATE CHANGE

Alternative A related GHG emission would be minimal, because the project generates no mobile source emissions and construction emission would be minimal due to the use of a prefabricated metal building and one acre site. Alternative A would emit a small amount of GHG emissions through area sources (gas heating and cooking) and indirect sources (water conveyance, electricity usage, waste disposal). These GHG emissions would be small in comparison to state or regional GHG emissions. Alternative A's GHG emission would have a minimal adverse affect on climate change. Project-related GHG emission would be reduced with the addition of renewable energy systems through solar collection panels that will ensure the station is as close to energy neutral as is reasonable and feasible. The solar generating system would interface with the PG&E distribution system to ensure peak efficiency.

MITIGATION

Impacts to air quality are less than significant; no mitigation is required.

ALTERNATIVE B

Under the No-Action Alternative the site would continue to be undeveloped land and none of the construction or operational air quality impacts identified for Alternative A would occur. The property could ultimately be developed, which could introduce a source of both direct (stationary source) and indirect (mobile source) emissions of pollutants of concern; however, because any development would be required to comply with CEQA and/or NEPA these impacts would likely be less than significant.

3.4 BIOLOGICAL RESOURCES

3.4.1 REGULATORY SETTING

FEDERAL ENDANGERED SPECIES ACT

The U.S. Fish and Wildlife Service (USFWS) and the National Marine Fisheries Service (NMFS) enforce the provisions stipulated within the Federal Endangered Species Act (FESA) of 1973 (16 USC Section 1531 *et seq.*). USFWS administers FESA for all terrestrial species while NMFS administers FESA for marine species, including anadromous salmonids. Threatened and endangered species on the federal list (50 CFR Section 17.11, 17.12) are protected from take, defined as direct or indirect harm, unless a Section 10(a) Incidental Take Permit is granted or a Biological Opinion with incidental take provisions is rendered.

Pursuant to the requirements of the FESA, an agency reviewing a proposed project within its jurisdiction must determine whether any federally-listed species may be present within the study area/project site and determine whether the proposed project will have a potentially significant impact upon such species. Under the FESA, habitat loss is considered to be a significant impact to the species. In addition, the agency is required to determine whether the project is likely to jeopardize the continued existence of any species that is proposed for listing under the FESA or to result in the destruction or adverse modification of critical habitat proposed to be designated for such species (16 USC Section 1536[3], [4]). Therefore, project-related impacts to these species or their habitats would be considered significant and would require compensatory mitigation.

PROTECTION OF WETLANDS

Under Executive Order No. 11990 (Order) FEMA is required to avoid to the extent possible the long- and short-term adverse impacts associated with the destruction or modification of wetlands and to avoid direct or indirect support of new construction in wetlands whenever a practical alternative exists (42 CFR 26961). As such, FEMA is required to avoid undertaking or providing assistance for new construction located in wetlands unless the head of the agency finds 1) that there is no practical alternative to such construction, and 2) that the Proposed Project includes all practicable measures to minimize harm to wetlands which may result from such use. Applicants for federal funding shall indicate if proposed actions will be located in wetlands and agencies shall consider factors relevant to a proposal's effect on the survival and quality of wetlands.

3.4.2 ENVIRONMENTAL SETTING

The study area is situated on T3S, R15E, Section 22 of the *Penon Blanco Peak*, California U.S. Geological Survey (USGS) 7.5-minute topographic quadrangle (quad). The centroid of the study area is 37° 39' 09" N, 120° 18' 41.8" W.

METHODOLOGY

A Biological Resource Assessment (BRA) was prepared for the Proposed Project and is included as **Appendix B**. The BRA presents a summary of special status species in the vicinity of the study area based on the USFWS file data and CNPS and CNDDDB queries and provides a rationale as to whether the species has the potential to occur within the study area. Presence of species or their habitat was evaluated during field surveys. Analytical Environmental Services (AES) biologist Kelly Buja, M.S. conducted a general biological survey and an informal delineation on February 2, 2010. The biological survey consisted of evaluating biological communities and documenting potential habitat for special status species with the potential to occur within the study area. Photographs of the study area are presented in the BRA. A summary of the results of the BRA is provided below.

RESULTS

HABITAT TYPES

The entire study area is ruderal/developed. This habitat type includes existing buildings and associated infrastructure, stock piles, vehicles, ornamental landscaping, and other areas where ground disturbance has occurred as a result of grading activities. Vegetation observed within the ruderal/developed habitat includes: yellow star-thistle (*Centaurea solstitialis*), common chickweed (*Stellaria media*), conyza (*Conyza* sp.), hairy vetch (*Vicia villosa*), brassica (*Brassica*), prickly lettuce (*Lactuca serriola*), and turkey mullein (*Eremocarpus setigerus*).

Waters of the U.S.

No wetland features were observed during the biological survey of the study area. No potential wetlands or other waters of the U.S. occur within the study area.

FEDERALLY-LISTED SPECIAL-STATUS SPECIES

For the purposes of this EA, federally-listed special status species include those plant and animal species that are listed as endangered or threatened, formally proposed for listing, or candidates for listing under the FESA. Regionally occurring federally-listed special status species were evaluated for their potential to occur on the project site. The project site does not contain critical habitat for federally-listed special status species and no federally-listed special status species have the potential to occur within the project site (**Appendix B**). In accordance with Section 7 of the ESA, FEMA requested concurrence from the USFWS with this finding (**Appendix E**). No response has been received to date.

Migratory Birds and Bird of Prey

Migratory birds and other birds of prey, protected under 50 CFR 10 of the MBTA, have the potential to nest in the trees within the ruderal/disturbed habitat. No birds were observed nesting

during the February 2, 2010 survey of the project site.

3.4.3 IMPACTS TO WETLANDS AND WATERS OF THE U.S.

ALTERNATIVE A

There are no wetland features that occur within the project site; therefore, no impact would occur.

ALTERNATIVE B

There are no wetland features that occur within the project site; therefore, no impact would occur.

3.4.4 IMPACTS TO SPECIAL-STATUS SPECIES

ALTERNATIVE A

Grading and construction activities associated with the Proposed Project have the potential to result in the disturbance of nesting habitat for migratory birds and other birds of prey. Nesting birds and other raptors may utilize trees on the project site as nesting habitat. Potential disruption of nesting migratory birds and other birds of prey during construction could result in nest abandonment or mortality. The mitigation measures below would ensure that impacts to nesting birds are reduced to less-than-significant levels through identification and avoidance of active nests. After mitigation, impacts would be considered less than significant.

MITIGATION

The following mitigation measures are recommended for Alternative A and would avoid potential take of habitat for federally-listed special status species:

- Bio-1** If construction begins during the nesting season for migratory birds and other birds of prey (between February 1 and October 1), a qualified biologist shall conduct a preconstruction survey for nests no more than two weeks prior to construction. If surveys show that there is no evidence of nests, then no additional mitigation is required.

- Bio-2** If any active nests are located within the project site, a buffer zone shall be established around the nests. A qualified biologist shall monitor nests weekly during construction to evaluate potential nesting disturbance by construction activities. The biologist shall delimit the buffer zone with construction tape or pin flags within an appropriate buffer of the active nest and maintain the buffer zone until the end of breeding season or the young have fledged. Guidance from USFWS/CDFG will be requested if establishing a buffer zone is impractical.

ALTERNATIVE B

Under the No-Action Alternative the site would remain undeveloped. Therefore, there would be

no adverse impacts to biological resources within the project site. No mitigation would be required.

3.5 HISTORIC PROPERTIES

An archaeological survey was conducted by AES in February of 2010. A cultural resources technical memorandum was prepared and is included as **Appendix C**. The cultural resources technical memorandum included a literature search, field survey, and Native American consultation to identify and evaluate any prehistoric and historic-period resources within or adjacent to the project site that may be impacted by the Proposed Project.

3.5.1 REGULATORY SETTING

NATIONAL HISTORIC PRESERVATION ACT

Section 106 of the National Historic Preservation Act (NHPA) as amended and its implementing regulations found in 36 CFR 800 require federal agencies to identify historic properties that may be affected by undertakings involving federal lands, funds, or permitting. The significance of historic properties must be evaluated using established criteria outlined in 36 CFR 60.4, as described below.

If a resource is determined to be a historic property, Section 106 of the NHPA requires that effects of the undertaking on the property be determined. A historic property is defined as:

“...any prehistoric or historic district, site, building, structure or object included in, or eligible for inclusion in the National Register of Historic Places, including artifacts, records, and material remains related to such a property...”(NHPA Section 301[5]).

If a historic property would be adversely affected by an agency undertaking, then prudent and feasible measures to avoid or reduce adverse impacts must be taken. The State Historic Preservation Officer (SHPO) must be provided an opportunity to review and comment on undertakings prior to the expenditure of federal funds.

The criteria for listing on the National Register of Historic Places (NRHP), defined in 36 CFR 60.4, are as follows:

The quality of significance in American history, architecture, archaeology, and culture is present in districts, sites, buildings, structures, and objects of state and local importance that possess integrity of location, design, setting, materials, workmanship, feeling, association, and:

- A. That are associated with events that have made a significant contribution to the broad patterns of our history;
- B. That are associated with the lives of persons significant in our past;
- C. That embody the distinctive characteristics of a type, period, or method of construction, or that represent the work of a master, or that possess high artistic values, or that represent a significant and distinguishable entity whose components may lack individual distinction; or
- D. That have yielded, or may be likely to yield, information important to prehistory or history.

Sites younger than 50 years, unless of exceptional importance, are not eligible for listing in the NRHP.

In addition to meeting at least one of the criteria listed above, the property must also retain enough integrity to convey its historic significance. The National Register recognizes seven aspects or qualities that, in various combinations, define integrity (NPS, 1990). These seven elements of integrity are: location, design, setting, materials, workmanship, feeling, and association. To retain integrity, a property will always possess several, and usually most, of these aspects.

NATIONAL ENVIRONMENTAL POLICY ACT (NEPA)

NEPA requires that federal agencies take all practical measures to “preserve important historic, cultural, and natural aspects of our national heritage” (NHPA, Section 800.8(a)). NEPA’s mandate for considering the impacts of a federal project on important historic and cultural resources is similar to that of Section 106 of the NHPA, and the two processes are generally coordinated when applicable. Moreover, NEPA’s requirement that federal agencies take all practical measures to “preserve important historic, cultural, and natural aspects of our national heritage” has been widely interpreted to cover paleontological resources potentially impacted by federal projects. Thus, whenever possible, mitigation measures are recommended to lessen impacts to historic properties as a result of federal projects. Section 800.8(a) of NHPA’s implementing regulations provides guidance on coordination with NEPA.

3.5.2 HISTORIC PROPERTIES SETTING

PREHISTORY

Mariposa County is located in the western Sierra Nevada Foothill archaeological region. The earliest residents of Central California are represented by the Fluted Point and Western Pluvial Lakes Traditions, which date from about 11,500 to 7,500 years before present (B.P.) (Moratto, 1984). These early peoples are thought to have subsisted using a combination of generalized hunting and exploitation of plants and animals in nearby lakes and streams (Moratto, 1984).

Archaeological assemblages attributed to these early cultures are exceedingly rare in the Sierra, but have been documented, nonetheless.

Approximately 34 miles south of the study area is Buchanan Reservoir (also known as Eastman Lake) on the Chowchilla River, one of the most intensively studied areas in the central Sierran foothill region. In four seasons of archaeological fieldwork between 1967 and 1970, T. F. King and M. J. Moratto excavated several sites (including CA-MAD-106, -107, -117, and -159) and tested 23 others (Moratto, 1972, 1984). These studies resulted in the documentation of some 20,000 artifacts, nearly 300 burials, and 92 structural features. Moratto (1972) synthesized the abundant data, including temporal control provided by stratigraphy, cross dating, seriation of grave and house lots, and thirteen radiocarbon dates, and defined three phases of Central Sierran Foothill prehistory: the Chowchilla Phase (2,300-1,700 B.P.), the Raymond Phase (1,700-500 B.P.), and the Madera Phase (500-150 B.P.).

The Chowchilla Phase is characterized by a few large main settlements located along the banks of the Chowchilla River. Large, socially complex populations exploited local resources that included a limited utilization of acorns. Artifacts indicative of this phase include large projectile points such as Sierra concave base points and triangular contracting-stem points indicating the use of atlatl and dart technology, cobble mortars, cylindrical pestles, millingstones, and fish bone spear tips.

The Raymond Phase is characterized by significantly smaller populations occupying older Chowchilla Phase sites. Acorn and seed resources emerge as the dominate subsistence strategy supported by hunting with little evidence of fishing. During this phase the bow and arrow are introduced, replacing the atlatl.

The Madera Phase is marked by the village community pattern of large main villages with expanded populations near the river with smaller settlements developing in outlying areas. Structural evidence includes oval to circular pit houses and semi-subterranean ceremonial structures of wattle and daub. Acorns are now exploited and intensively supported by a broad spectrum of animal and vegetable resources such as small mammals and fowl. Bedrock mortars become abundant. The bow and arrow continue to be used and projectile points are represented by the smaller Desert Side-Notched and Cottonwood series.

Given what is known of sites in the region, archaeological remains may include flaked stone scatters, baked-clay objects, groundstone milling tools, as well as habitation sites. However, the potential for uncovering archaeological artifacts or cultural soil deposits within the area of potential effect (APE) defined for this project is very low because of significant previous ground disturbance caused by road and utility construction.

ETHNOGRAPHY

The project area lies within the ethnographic territory of the Eastern Miwok, specifically speakers of the Mariposa-Chowchilla dialect of the Southern Sierra Miwok (Kroeber, 1925; Levy, 1978). Southern Sierra Miwok territory occupied the upper foothills and upper drainages of the Merced and Chowchilla Rivers. Their western boundary bordered the Southern Valley Yokuts, with the Central Sierra Miwok to the north, the Monache to the south, and Washoe to the east.

Southern Sierra Miwok typically settled on low natural rises along streams or on gentle slopes with southern exposures. These sites ranged in size from small, three-house villages to larger villages comprised of several hundred individuals. Houses were typically conical bark structures or brush huts set in shallow depressions; they also built large, multi-family, semi-subterranean dwellings (Kroeber, 1925, Levy, 1978).

As with other Native Californians, the Sierra Miwok population was reduced significantly during the nineteenth century. Events such as increased population due to valley tribes seeking refuge in the foothills, the malaria epidemic of 1833, and the dynamic transformations wrought by the Gold Rush between 1848-1860 contributed to the decline of the Sierra Miwok.

HISTORY

The early Spanish explorer Gabriel Moraga passed through what is now Mariposa County in 1806 and named it “Arroyo de las Mariposas” or “Stream of Butterflies” for the masses of butterflies that seasonally gather in the area (Hoover et al. 1990:186). The area was later settled as part of a Mexican land grant named *Las Mariposas*. A grant of ten square leagues (76,280 acres) was granted to Juan Bautista Alvarado in 1844 by Governor Micheltorena (Shumway, 1988). John C. Fremont bought 44,387 acres of the grant in 1847 and the patent was confirmed in 1856 (Durham, 2000: 180). Gold was discovered on Fremont’s rancho in 1849 (Hoover et al., 1990) which brought squatting miners to the area that often “claimed” portions Fremont’s lands and caused conflict (Nadeau, 1965). The troubles extended to the Native American inhabitants. The Mariposa Indian War was the result of tensions between area miners and the Native Americans over food supplies, territory, and violence (Nadeau, 1965).

Mariposa County is one of the original 27 counties (Hoover et al,1990:186). It is known as the “Mother of California Counties” because when it was created it was the largest county in California and 11 central California counties were formed entirely or in part from it. The county developed differently from other Mother Lode counties. Due to the long legal entanglements of John Fremont and the lack of easy access to abundant water, mining in Mariposa County soon evolved into industrial pursuits. While the placer period lasted only a few years, hard-rock quartz mining conducted underground quickly became the order of the day. This meant that men no longer held individual claims but worked for the ‘company,’ often living in company housing, and buying in the company store. They relied on the availability of company capital and resolved

to have successful employment. Towns sprang up which were more orderly than their neighbors outside of the Fremont grant. Mariposa, Bunction (Mt. Bullion), and Bear Valley were laid out on properly surveyed grids with developers bringing in a diverse array of activities needed for settlement. After 1850, many settlers were more interested in grazing and farming than mining. Today, the county prospers from livestock, farming, tourism, and occasional mining.

The town of Mariposa moved to its present site in 1850 (Gudde, 1998: 228). Founded on Fremont's land, it later became the county seat in September 1851 (Hoover et al, 1990:189). Located on the Las Mariposas grant, the post office was established in 1851. When miners were flooded out of the town in the winters of 1849 and 1850, they moved upstream and formed a town called Logtown. Mariposa was later moved to this location (Durham, 2000: 303). Important transportation corridors include SR-49 and SR-140, also called the All-Year Highway because it is the only area highway into Yosemite that remains open all year.

METHODOLOGY

As part of the study, a records search was conducted at the Central California Information Center (CCIC) of the California Historical Resources Information System by CCIC on January 4, 2010 (CCIC File No. 7581410). The CCIC, an affiliate of the State of California Office of Historic Preservation, is the official state repository of archaeological and historic records and reports for a 7-county area that includes Mariposa County, and is housed at Stanislaus State University, Turlock, California. Additional research was conducted using the files and literature maintained at AES.

The records search and literature review for this study were done to (1) determine whether known historic properties had been recorded within or adjacent to the study area and determine if the APE was subject to survey in the past; (2) assess the likelihood of unrecorded historic properties based on archaeological, ethnographic, and historical documents and literature; and (3) to review the distribution of nearby archaeological sites in relation to their environmental setting.

Other sources reviewed included the *California Inventory of Historical Resources* (California Office of Historic Preservation, 1976), the California Office of Historic Preservation's *Five Views: An Ethnic Historic Site Survey for California* (1988), *California Historical Landmarks* (1990), *California Points of Historical Interest* (1992), and the *Historic Properties Directory Listing for Mariposa County* (2009). The Historic Properties Directory includes the National Register of Historic Places, the California Register of Historical Resources, and the most recent listings (through February, 2009) of the California Historical Landmarks and California Points of Historical Interest.

The records search revealed that no prehistoric or historic properties have been recorded within the project site or ¼-mile radius around it. The record search further indicated that no historic property investigations have been conducted either in the project area or ¼-mile radius around it.

Historical maps provided additional information in regards to the potential historic properties located within a ¼-mile radius of the project area. The General Land Office (GLO) plat map for Township 3 South, Range 15 East dating to 1877 depict a house and stock pasture in the southern half of Section 22. Additionally, the 1965 USGS 7.5 minute “Peñon Blanco Peak, Calif.” Topographic quadrangle depicts an east/west trending unimproved road in the southwest quarter of Section 22 and the northwest quarter of Section 27. Two structures are depicted at the eastern termination of said road. A series of three mines labeled ‘Oak Mesa Mine’ are also depicted on the 1962 Peñon Blanco Peak 7.5 minute map. A review of the January 1949 issue of *California Journal of Mines and Geology* reveals a discussion of a mine named the ‘Fifty-five mine’ located in Section 22 of Township 3 South, Range 15 East. It is likely that although the mines have different names, they are likely related or the same mine. The brief discussion states the mine may have been worked as early as the mid 1800s, however the earliest historical records indicates it was opened in the 1920s (Jenkins, 1949:48).

Site indicators for the presence of prehistoric sites in this area may include, but are not limited to, ground depressions; darkened soil areas indicative of middens; fire scorched and/or cracked rock; modified obsidian, chert, or other vitreous materials; and grinding stones including manos and metates. Historic era artifacts may include, but are not limited to, metal objects including nails; containers or miscellaneous hardware; glass fragments; ceramic or stoneware objects or fragments; milled or split lumber; trenches; feature or structure remains such as buildings or building foundations; mining features, and trash dumps.

On December 28, 2009, the State of California Native American Heritage Commission (NAHC) was asked to review the Sacred Lands file for information concerning significant Native American cultural resources within the APE (see Exhibit B). On January 4, 2010, the NAHC responded stating they have no knowledge of any Native American cultural resources or sacred sites within or adjacent to the APE. However, they did provide a list of individuals and groups for further consultation. Letters to these individuals and groups were sent on June 11, 2010 (**Appendix E**). To date, no response has been received.

On February 2, 2010, a field examination of the project area was conducted. The entire parcel was examined by pedestrian survey in transects of 20 meters or less. Over 90 percent of the project area had been previously disturbed and at the time of the survey was overlain with gravel. The southern portion of the project area currently functions as a recycling center for Mariposa County. The Proposed Project includes building the new Don Pedro fire station in this portion of the parcel. At the time of the survey, the recycling center was enclosed with a cyclone fence

topped with barbed wire. A small structure was located within the fence and functioned as the office for the recycling center. South of the office was a series of metal storage boxes and large dumpsters. The southernmost boundary of the parcel was not covered in gravel and was closely inspected for rodent burrows or exposed soil. No historic properties were observed in the southern portion of the project area.

The northern portion of the parcel contained the Don Pedro Maintenance Building. In the northeast corner of the parcel was a series of three cinderblock enclosures for parked vehicles. Adjacent to the eastern parcel boundary were parked two pieces of heavy machinery. The structure that functions as the office and garage for the maintenance station was located in the north-central portion of the project area. At the time of the survey a Sheriff's boat was parked in the northwest corner of the parcel. The majority of the ground surface in the northern part of the parcel was covered in gravel except for a small portion adjunct to the fence in the northeast corner of the parcel. This portion of the parcel was covered in dense grass with intermittent patches of exposed ground surface. Ground visibility in this area was approximately 20-30 percent. This was closely inspected for any indication of historic properties. No prehistoric or historical era artifacts were observed in the northern portion of the project area.

3.5.3 PALEONTOLOGICAL SETTING

The presence of paleontological resources at any particular site is influenced by geological composition resulting from formation processes occurring over long periods of time. Fossils typically reside in sedimentary layers, and may or may not become mineralized dependent upon the mineral composition within their depositional environment.

The region's geologic history is characterized by volcanic eruptions, tectonic uplift and tilting, and erosion. Locally, the dominant geologic feature is the Sierra Nevada Batholith, a massive Mesozoic-era grano-dioritic structure, which underlies the project area and is visible at the surface to the east. Within the project area a thin soil mantle is present, which consists mostly of well drained sandy loams and very rocky coarse sandy loams, derived from quartz diorite and granitic alluvium. Significant fossil resources generally do not occur within the very shallow sediments overlying the western edge of the Sierra Nevada Batholith, and none are present within the batholith itself. Areas along the western edge of the San Joaquin Valley and adjacent southern Coast Range have the highest frequency of fossils in Central California.

A search of the University of California Paleontology Museum's (UCMP) database indicates that only 15 paleontological specimens have been reported in Mariposa County (UCMP, 2009) dating from the Jurassic (205 – 145 million years ago) through Quaternary Periods (1.8 million years ago to present).

Regionally, significant fossil discoveries have been made within the deep alluvial fans within the San Joaquin Valley. Of particular importance is the Fairmead fossil bed in Madera County, located roughly 45 miles south of the project area. The Fairmead locale, discovered in 1993 at the Madera County Landfill, contains a wide variety of Pleistocene fauna including mammoth, birds, reptiles, and large cats, among others (Dundas et al., 1996).

Several sources were consulted to identify unique geologic formations within the project site. Sources reviewed include: California Geology (Harden, 2004); California Landscape (Hill, 1984); Roadside Geology of Northern and Central California (Alt and Hyndman, 2000); and A Natural History of California (Schoenherr, 1992). A review of the above-referenced sources did not identify the presence of any unique geologic features or known deposits of significant fossils within the project area.

3.5.4 IMPACTS TO HISTORIC PROPERTIES/PALEONTOLOGICAL RESOURCES

ALTERNATIVE A

Based on the results of the historical properties evaluation, FEMA requested concurrence from SHPO regarding FEMA's finding of No Historic Properties Affected by the implementation of the Proposed Project and FEMA's subsequent undertaking of providing financial assistance (**Appendix E**). SHPO responded with a letter concurring with the finding of No Historic Properties Affected (**Appendix E**).

No further historic properties study is warranted. There is the possibility, although very remote, that subsurface archaeological deposits may exist in the area of potential effect (APE), as archaeological sites may be buried with no surface manifestation. As currently designed, all ground disturbance associated with Alternative A would occur within the areas already disturbed. In the event that concentrations of prehistoric or historic-period materials are encountered during ground-disturbing work, the following procedures will be followed.

MITIGATION

The following mitigation will be implemented for Alternative A:

Cul-1 Should any buried archeological materials be uncovered during project activities, such activities shall cease within 100 feet of the find. Prehistoric archeological indicators include: obsidian and chert flakes and chipped stone tools; bedrock outcrops and boulders with mortar cups; ground stone implements (grinding slabs, mortars and pestles) and locally darkened midden soils containing some of the previously listed items plus fragments of bone and fire affected stones. Historic period site indicators generally include: fragments of glass, ceramic and metal objects; milled and split lumber; and structure and feature remains such as building foundations, privy pits, wells and dumps;

and old trails. The County shall be notified of the discovery and a professional archeologist shall be retained to evaluate the find and recommend appropriate treatment measures. Project-related activities shall not resume within 100 feet of the discovery until all approved mitigation measures have been completed.

Cul-2 There is a remote possibility that an unanticipated discovery of human remains could occur. Section 7050.5 of the California Health and Safety Code states that it is a misdemeanor to knowingly disturb a human grave. If human graves are encountered, work shall halt in the vicinity and the Mariposa County Coroner shall be notified immediately. At the same time, an archaeologist shall be contacted to evaluate the discovery. If human remains are of Native American origin, the Mariposa County Coroner will notify the Native American Heritage Commission within 24 hours of this identification.

ALTERNATIVE B

Under the No-Action Alternative the 0.24 acres would remain undeveloped. Therefore, there would be no adverse impacts to any unknown archaeological or paleontological resources on the site. No mitigation is required.

3.6 SOCIOECONOMIC CONDITIONS / ENVIRONMENTAL JUSTICE

3.6.1 SOCIOECONOMIC CHARACTERISTICS OF MARIPOSA COUNTY

Historically, the mining, timber, and tourism industries fueled the Mariposa County economy. Today, one of the largest industries is tourism and recreation. Demographic data for the town of Mariposa and Mariposa County were gathered from a variety of sources including the 2000 Census, the annual American Community Survey (U.S. Census Bureau), the U.S. Bureau of Labor Statistics, and the California Employment Development Department's Labor Market Information. Each of the above-referenced sources presented limitations related to the age, scope, and ability to verify the data. For example, the 2000 Census provides the most up to date demographic information available for Mariposa, whereas the U.S. Census Bureau has provided updated statistics for the County as a whole as part of the annual American Community Survey. Unfortunately, the annual American Community Survey is only completed for communities with a population of 65,000 or more, thus the immediate vicinity of the project site is not covered. Nonetheless, the most recent and reliable information was culled from the various sources to sketch the demographic profile provided below.

Mariposa County has a total population of approximately 18,297 (Department of Finance, 2009). According to the United States Bureau of Labor Statistics, the county-wide estimated labor force

in September 2008 was 9,237. The population of Mariposa County has remained relatively constant, with a 6.8 percent increase in population since 2000. The U.S. Census Bureau estimates the population within Mariposa was approximately 17,130 persons in 2000.

The project site is located within Mariposa County Census Tract 1, which had a median household income of \$30,645 and an average household size of 2.28. Approximately 28 percent of families within Mariposa were below the poverty level (US Census Bureau, 2000). According to the 2000 Census, the median household income for Mariposa County was \$34,626 (U.S. Census Bureau, 2000). Average annual unemployment rates for Mariposa County, California, and the United States are provided in **Table 3-4**.

TABLE 3-4
COUNTY, STATE, AND NATIONWIDE EMPLOYMENT (ANNUAL AVERAGE)

Unemployment Rate (%)	2004	2005	2006	2007	2008
Mariposa County	6.7	6.4	5.6	6.0	7.5
California	6.2	5.4	4.9	5.4	7.2
United States	5.5	5.1	4.6	4.6	5.8

SOURCE: California Employment Development Department, Labor Market Information, 2009; Bureau of Labor Statistics, 2009

3.6.2 ENVIRONMENTAL JUSTICE COMMUNITIES

All projects involving a federal action (funding, permit, or approval) must comply with Executive Order (EO) 12898, *Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations*, as amended, which directs federal agencies to take the appropriate and necessary steps to identify and address disproportionately high and adverse effects of federal projects on the health or environment of minority, low-income, and Native American populations to the greatest extent practicable and permitted by law. Low income is defined based on U.S. Census Bureau established poverty thresholds and is discussed further below.

The following six principles are provided as guidance for the analysis of impacts under NEPA (Council on Environmental Quality [CEQ], 1997:9):

- Agencies should consider the composition of the affected area, to determine whether minority populations, low-income populations, or Indian tribes are present in the area affected by the proposed action.
- Agencies should consider relevant public health data and industry data concerning the potential for multiple or cumulative exposure to human health or environmental hazards in the affected population and historical patterns of exposure to environmental hazards.
- Agencies should recognize the interrelated cultural, social, occupational, historical, or economic factors that may amplify the natural and physical environmental effects of the proposed agency action.

- Agencies should, as appropriate, acknowledge and seek to overcome linguistic, cultural, institutional, geographic, and other barriers to meaningful participation, and should incorporate active outreach to affected groups.
- Agencies should assure meaningful community representation in the process.
- Agencies should seek tribal representation in the process.

The EPA's Final Guidance for Incorporating Environmental Justice Concerns in the EPA's NEPA Compliance Analysis, (April 1998) provides the following guidance for defining and assessing impacts to minority and/or low-income populations:

- A minority population may be present if the minority population percentage of the affected area is 'meaningfully greater' than the minority population percentage in the general population or other 'appropriate unit of geographic analysis'.
- The NEPA analysis should also make every effort to identify the presence of distinct minority communities residing both within, and in close proximity to, the proposed project, and to identify those minority groups which utilize or are dependent upon natural resources that could be potentially affected by the proposed project.
- Pursuant to the CEQ guidance, low-income populations in an affected area (that area in which the proposed project will or may have an effect) should be identified with the statistical poverty thresholds from the U.S. Census Bureau on Income and Poverty.

In identifying low-income populations, agencies may consider as a community a group of individuals living in geographic proximity to one another or set of individuals (such as migrant workers or Native Americans) where either type of group experiences common conditions of environmental exposure.

Mariposa County has a predominately Caucasian ethnic composition, with individuals identifying themselves as "white" making up more than 88 percent of the overall single-ethnicity population. This is considerably higher than California as a whole. American Indians and Alaskan Natives compose the next highest group, among one-race individuals, accounting for 3.5 percent of the County's population (County of Mariposa, 2006). This too is higher than the rest of California. Given the county demographics and the affluent development within the community of Don Pedro, the project site is not located in a low-income or minority-populated neighborhood.

3.6.3 IMPACTS TO SOCIOECONOMICS/ENVIRONMENTAL JUSTICE

ALTERNATIVE A

Implementation of Alternative A would expand emergency services to the community. With the implementation of Alternative A, any identified minority or low-income populations would not be subjected to disproportionately high or adverse human health or environmental impacts.

ALTERNATIVE B

Under the No-Action Alternative, the site would not be developed in the near future and the associated emergency facilities would not be constructed. The community would not receive any of the socioeconomic benefits associated with the Proposed Project. The environmental justice setting would remain similar to the existing setting.

MITIGATION

No mitigation is required for Alternatives A and B.

3.7 TRANSPORTATION AND CIRCULATION

3.7.1 ENVIRONMENTAL SETTING

Mariposa County is considered a rural, low-density region. Major trip attractors are dispersed throughout the County; therefore, the dominant mode of transportation is by automobile. The roadway network that would be affected by the Proposed Project is located in the northwestern portion of County, near the Tuolumne County border. Regional Access to the project site is provided by State Route 132 (SR-132) from the north and Merced Falls Road from the south.

SR-132 is a major east-west state route extending 19 miles from the Tuolumne County line in the west to the junction with SR-49 in Coulterville. SR 132 experiences approximately 2,350 vehicle trips per day, at a rate of approximate 320 peak hour trips per day. The resulting average trips indicate the roadway operates under capacity and at an acceptable level of service (LOS) A (Mariposa LTC, 2008). LOS is a qualitative measure that includes factors such as speed, travel time, delay, freedom to maneuver, driving comfort, and convenience. LOS ratings are represented as letters ranging from A to F, whereby LOS A represents the best traffic flow driving conditions and LOS F represents the worst traffic flow driving conditions.

The project site is located adjacent to the southbound lane of Merced Falls Road, classified as a major collector in Mariposa County. South of the project site, at the intersection with Ranchito Drive, Merced Falls Road experiences an average daily traffic volume of 503 trips per day (County of Mariposa 2006).

PUBLIC TRANSIT, BICYCLE, AND PEDESTRIAN CIRCULATION

The project site is not currently served by public transit. The project site has no bicycle or pedestrian amenities.

3.7.2 IMPACTS TO TRANSPORTATION AND CIRCULATION

ALTERNATIVE A

CONSTRUCTION

Construction activities during the implementation of Alternative A have the potential to result in traffic-related impacts associated with employee trips, heavy equipment deliveries, and construction material importation/exportation. Adverse impacts to transportation and circulation resulting from the construction of Alternative A would be minimal given the scope of the project, temporary nature of construction, and limited existing traffic in the project area. With the incorporation of the BMPs discussed in **Section 2.1** project construction would result in a minimal adverse impact to transportation and circulation.

OPERATION

Fire Station activities are currently being conducted within Company 24's service area and the fire truck is being stored on the project site; Alternative A would redistribute trips on local roads, thereby not resulting in a net increase of vehicle trips. Trips to the Company Captain's residence would be transposed to the proposed Fire Station. There would be no adverse impact to transportation with the implementation of Alternative A.

MITIGATION

No mitigation is required.

ALTERNATIVE B

Under the No-Action Alternative, there would be no increase in vehicular traffic from construction or operation on area roadways. None of the traffic impacts identified under Alternative A would occur under No-Action Alternative because the status quo of operating out of the present facility would remain unchanged.

3.8 LAND USE AND AGRICULTURE

3.8.1 LAND USE

Surrounding land uses consist of disturbed vacant lands to the south, commercial developments to the north, Merced Falls Road and undeveloped land to the east, and undeveloped lands to the west. The project site is currently zoned Residential (County of Mariposa, 2005) and houses County maintenance equipment, a County solid waste transfer station, and the existing fire

engine. The updated general plan reduced the number of land use designations from 31 to 5. According to the General Plan, the Proposed Project would be a legally excepted non-conformity (Mariposa County, 2006).

3.8.2 AGRICULTURE

FARMLAND PROTECTION POLICY ACT

The Agriculture and Food Act of 1981 (Public Law 97-98) contained the Farmland Protection Policy Act (FPPA) (Subtitle I of Title XV, Section 1539-1549). The purpose of the FPPA is to minimize the impact of federal programs on the unnecessary and irreversible conversion of farmland to nonagricultural uses. The Farmland Mapping and Monitoring Program (FMMP), maintained by the California Department of Conservation (CDC), maps activity from the U.S. Department of Agriculture (USDA) on a continuing basis. The FMMP produces maps and statistical data used for analyzing impacts on California's agricultural resources.

The FPPA created the farmland classification system which consists of five specific farmland categories. However, there are no designated farmlands subject to protection under the FPPA located within Mariposa County (CDOC, 2009).

3.8.3 IMPACTS TO LAND USE AND AGRICULTURE

ALTERNATIVE A

LAND USE

The development of Alternative A is consistent with the zoning of the project parcels and would be consistent with the land use of the existing County transfer station and engine storage. No adverse impacts to land use would occur as a result of the implementation of Alternative A.

AGRICULTURE

There would be no impacts to agricultural lands as a result of the implementation of Alternative A.

ALTERNATIVE B

LAND USE

Under the No-Action Alternative, the project site would continue to operate as a County municipal yard, including storage of the existing engine. No land use consistency or compatibility impacts would occur under this alternative.

AGRICULTURE

There would be no impacts to agricultural lands as a result of the no action alternative.

MITIGATION

No mitigation is required for Alternatives A and B.

3.9 PUBLIC SERVICES

3.9.1 ENVIRONMENTAL SETTING

Water service is provided to the project site by a Sierra Highlands Water Company service line. The line is current pressurized and meets the requirements for the fire department. On-site waste disposal would be handled by a septic system, which would incorporate the portion of the parcel located west and down slope of the proposed fire station for a leach field. Solid waste would be collected at the on-site transfer station. Electricity is provided by Pacific Gas and Electric. There are no known limiting factors for power delivery to the project site. Telephone services are currently provided to the project site.

3.9.2 IMPACTS TO PUBLIC SERVICES

ALTERNATIVE A

Implementation of Alternative A would result in the construction of a formal fire station, which would improve the quality of fire protection services by providing a safe and secure station to which all current operations would be transferred. Currently, operations are conducted at the Station Chief's residence, and the engine is stored unsecured at the Proposed Project site under a metal awning. Implementation of the Proposed Project would not generate new demands for public services, as the existing operations currently conducted at the Station Chief's residence would be moved to the new facilities. With adequate existing water supply connections, solid waste disposal, electricity connections, and telephone service within the area, no physical impacts to the environment would occur from the transposition of the demands for public services currently experienced at the Station Chief's residence to the proposed fire station site. Environmental impacts from the development of the leach fields are addressed throughout this EA. Section 3.1 addresses impacts to soils and geology, and section 3.2 addresses impacts to water resources from the proposed leach field.

ALTERNATIVE B

Under the No-Action Alternative, the site would not be developed in the near future and the Station Chief's residence would continue to experience the demand for public services associated with fire operations of the Engine Company.

MITIGATION

No mitigation is required for Alternatives A and B.

3.10 NOISE

3.10.1 AMBIENT NOISE SETTING

EXISTING NOISE LEVELS AND SOURCES

Pressure variations occurring frequently enough (at least 20 times per second) that the human ear can detect them are called sound. Noise is often defined as unwanted sound. The decibel scale measures sound levels using the hearing threshold (20 micropascals of pressure) as a point of reference, defined as 0 dB. Other sound pressures are then compared to the reference pressure, and the logarithm is taken to keep the numbers in a practical range.

The typical human ear is not equally sensitive to all frequencies of the audible sound spectrum (20 hertz to 20,000 Hz). As a result, when assessing potential noise impacts, sound is measured using an electronic filter that de-emphasizes the frequencies below 1,000 Hz and above 5,000 Hz to represent the human ear's better sensitivity to mid-range frequencies. This method of frequency weighting is referred to as A-weighting and is expressed in units of A-weighted decibels (dBA). Frequency A-weighting follows an international standard method of frequency de-emphasis and is typically applied to community noise measurements. In practice, the level of a sound source is measured using a sound level meter that includes an electrical filter corresponding to the A-weighting curve.

The area surrounding the project site is considered rural. Rural areas are generally considered to have an ambient noise level of approximately 55 dBA (Caltrans, 2009).

SENSITIVE RECEPTORS

Some land uses are considered more sensitive to ambient noise levels than others, sensitivity being a function of noise exposure (in terms of both exposure duration and insulation from noise) and the types of activities involved. Residential land uses are generally more sensitive to noise than commercial and industrial land uses. As illustrated in **Figure 3**, the area immediately surrounding the project site is dominated by open space and agriculture, with sparse residences and businesses at a significant distance. The lack of sensitive receptors in the vicinity of the project site was taken into consideration for the analysis of noise impacts.

3.10.2 IMPACTS TO AMBIENT NOISE

ALTERNATIVE A

Table 3-5 provides the Federal noise abatement criteria, which were developed by the Federal Highway Administration in accordance with the *Procedures for Abatement of Highway Traffic Noise and Construction Noise* (23 CFR 772). The noise abatement criterion in **Table 3-5** were

developed to be used as absolute values which, when approached or exceeded, require the consideration of traffic/construction noise abatement measures.

**TABLE 3-5
FEDERAL NOISE ABATEMENT CRITERIA (HOURLY– dBA SOUNDLEVEL)**

Activity Category	Leq (h), dBA	Activity Category Description
A	57 (Exterior)	Lands on which serenity and quiet are of extraordinary significance and serve an important public need and where the preservation of those qualities is essential if the area is to continue to serve its intended purpose.
B	67 (Exterior)	Picnic areas, recreation areas, playgrounds, active sports areas, parks, residences, motels, hotels, schools, churches, libraries, and hospitals.
C	72 (Exterior)	Developed lands, properties, or activities not included in Categories A or B above.
D	---	Undeveloped Lands.
E	52 (Interior)	Residences, motels, hotels, public meeting rooms, schools, churches, libraries, hospitals, and auditoriums.

SOURCE: Federal Highway Administration, 2009.

Construction of Alternative A would temporarily introduce noise from heavy construction equipment, additional vehicle trips to the project area from construction employees, and material and equipment delivery. Heavy equipment operation would dominate the noise environment during construction. Heavy equipment used in the construction of Alternative A would emit an ambient noise level of approximately 85 Leq, dBA at 50 feet from the project site. The nearest sensitive noise receptor to the project site is residences located 550 feet west of the project site. Using an attenuation rate of 5.5 Leq, dBA per doubling of distance the temporary ambient noise level at the nearest sensitive receptor would be 65.8 Leq, dBA, which is less than the acceptable noise level of 67 Leq, dBA (refer to **Table 3-5**). There would be a minimal adverse impact to the ambient noise level during construction of Alternative A.

Traffic noise would dominate the noise environment during operation of Alternative A. A doubling of the traffic volume would result in an audible increase in the ambient noise level. A three dBA increase in noise is considered audible (Caltrans, 2009). Since, operation would not increase the traffic volume on area roads greater than employee trips to the 8-person fire station and the fire engine is currently stored on site, there would be no increase in the ambient noise level (refer to **Section 3.7**). There would be a minimal adverse impact to the ambient noise level during operation of Alternative A.

ALTERNATIVE B

Under the No-Action Alternative, the project site would remain undeveloped. With regard to noise, the project site would not be a source of transportation and/or non-transportation noise. No noise impacts would occur under the No-Action Alternative.

MITIGATION

No mitigation is required.

3.11 HAZARDOUS MATERIALS

3.11.1 ENVIRONMENTAL SETTING

A site reconnaissance of the project site was conducted on February 2, 2010 to determine if any Recognized Environmental Conditions (RECs) exist. RECs refer to the presence or likely presence of conditions on a property that indicate an existing release, a past release, or a material threat of release of any hazardous substances or petroleum products on the property or into the ground, groundwater, or surface water of the property.

The project site currently functions as a recycling center and the Don Pedro Maintenance Station. At the time of the site visit, the recycling center was enclosed with a cyclone fence topped with barbed wire. The majority of the structure was located within the fence and functioned as the office for the recycling center. South of the office was a series of metal storage boxes and large dumpsters. The northern portion of the parcel contained the Don Pedro Maintenance Building. In the northeast corner of the parcel was a series of three cinderblock enclosures for parked vehicles. Adjacent to the eastern parcel boundary were parked two pieces of heavy machinery. The structure that functions as the office and garage for the maintenance station was located in the north-central portion of the project area.

ENVIRONMENTAL DATABASE REPORT

Database searches were conducted for records of known storage tank sites and known sites of hazardous materials generation, storage, and/or contamination within the vicinity of the proposed project. The environmental database review was accomplished by using the services of the computerized search firm *Environmental Data Resources, Inc.* (EDR). EDR uses a geographical information system to plot locations of past and/or current hazardous materials involvement. The analysis determines if hazards/hazardous materials on adjacent sites would impact surface and/or subsurface conditions on the project site. EDR indicated one site within a mile of the project site. Don Pedro Community Service District is located approximately 0.40 miles southeast of the project site at 9751 Merced Falls Road. The site is listed on the HIST Cortese, LUST and SWEEPS UST databases for a leaking underground storage tank containing gasoline. The site has been given a case closure as of June 13, 2001, therefore the site is not considered to represent

a likely past, present, or material threat of release to the project site. The EDR Report is provided as **Appendix D**.

3.11.3 IMPACTS TO HAZARDOUS MATERIAL MANAGEMENT

ALTERNATIVE A

The results of the site visit and databases searches did not identify any RECs on or adjacent to the project site that could limit development of Alternative A.

ALTERNATIVE B

The results of the Phase I ESA did not identify any RECs on or adjacent to the project site.

MITIGATION

No mitigation is required for Alternatives A and B.

3.12 AESTHETICS

The Don Pedro area is characterized by the large-lot subdivisions found within the community (typically 1 to 20 acres in size). The large-lot neighborhoods are characterized by the large oak trees, rolling grass lands, and natural landscaping surrounding the manicured landscaped residential areas. The project site is currently disturbed and utilized as a County maintenance yard and recycling transfer station (refer to Figure 5 of **Appendix B**). The project site contains stored maintenance vehicles and stockpiles of materials for County use. The project site is not located adjacent to a national scenic by-way, officially designated state scenic highway, or eligible state scenic highway.

3.12.2 IMPACTS TO AESTHETICS

ALTERNATIVE A

Development of Alternative A would result in the construction of a four-bay fire station. The development of the fire station may increase the aesthetic image of the project site, being consistent with the residential character that defines Don Pedro. The fire station would block a portion of the north and northwest view from the roadway network of the existing County maintenance yard. Implementation of Alternative A would result in a beneficial impact to aesthetics if it is designed to be compatible with surrounding area aesthetics.

ALTERNATIVE B

Under the No-Action Alternative, the project site would remain under existing conditions as a County maintenance yard. The existing equipment and stockpiles would continue to define the aesthetics of the project parcels.

MITIGATION

No mitigation is required for Alternatives A and B.

3.13 GROWTH-INDUCING AND CUMULATIVE IMPACTS

3.13.1 GROWTH-INDUCING IMPACTS

Under NEPA, growth-inducing effects of a Proposed Project must be analyzed (40 CFR §1508.8[b]). Growth-inducing effects are defined as effects that foster economic or population growth, either directly or indirectly. Direct growth inducement could result, for example, if a project included the construction of a new residential development. Indirect growth inducement could result if a project established substantial new permanent employment opportunities (e.g., new commercial, industrial, or governmental enterprises) or if it removed obstacles to population growth (e.g., expansion of a wastewater treatment plant to increase the service availability).

Growth inducement may constitute an adverse impact if the increased growth is not consistent with or accommodated by the land use and growth management plans and policies for the area affected. Local land use plans provide for development patterns and growth policies that allow for orderly development supported by adequate public services and utilities such as water supply, roadway infrastructure, sewer services, and solid waste disposal services. A project that would induce “disorderly” growth (i.e., would conflict with local land use plans) could indirectly cause adverse environmental or public service impacts.

The Proposed Project would provide facilities for fire fighting operations already conducted in the region. The result of the implementation of the Proposed Project would not provide new services to the region, and would therefore not result in additional growth to the region outside of forecast growth within the area-specific plan.

Analyses of the adequacy of local infrastructure and services are included in the discussion of environmental consequences for each proposed Alternative. No significant, unmitigatable impacts have been identified that would result from the Proposed Project. No indirect impacts are expected, as no long-term or permanent employment opportunities would be created. Utility infrastructure would not be improved or expanded to increase service availability to any surrounding areas. Growth-inducing impacts would be less than significant for all of the proposed alternatives.

3.13.2 CUMULATIVE IMPACTS

Potential cumulative impacts for each environmental issue area are discussed below. Cumulative impacts are defined in 40 CFR §1508.7 as the impacts:

... on the environment which result from the incremental impact of the action when added to other past, present, and reasonably foreseeable future actions regardless what agency (federal or non-federal) or person undertakes such other actions. Cumulative impacts can result from individually minor but collectively significant actions taking place over a period of time.

Except for anticipated growth for the planned community (up to 3,300 residential lots, with 1,100 developed at the time of development of the general plan), no specific development projects are known to have been approved in the vicinity that would cause cumulative impacts when considered in conjunction with the Proposed Project. The following analysis is based on the cumulative impacts associated with other future projects that may occur in the project area.

LAND RESOURCES

Potential project impacts to land resources (topography, soils, seismicity, and mineral resources) are related to measures required to ensure proper design for site conditions. No potential cumulative impacts would be relevant to this issue area.

WATER RESOURCES

The Proposed Project and other cumulative projects that may be constructed in the vicinity would be required to comply with the CWA as it relates to stormwater and point-source discharges. Compliance with USEPA and/or State stormwater pollution prevention requirements will prevent off-site development, in combination with the Proposed Project, from causing cumulatively significant stormwater related impacts.

Impacts to the groundwater basin would not be cumulatively significant, as the Proposed Project, in combination with other known projects in the area, would be provided water supplies from the Lake McClure and groundwater wells. Therefore, no cumulatively significant impact would occur.

With the implementation of the protective measures listed in **Section 2.0**, impacts to water resources would be less than significant. None of the cumulative projects would have an individually significant impact on groundwater quality, and cumulative impacts would also be less than significant.

AIR QUALITY

Cumulative impacts to the air basin are addressed within the requirements of the Clean Air Act and the General Conformity Rule. Using the significance thresholds in the General Conformity Rule, the Proposed Project is presumed to conform with the State Implementation Plan and would not result in changing the basin's air quality designation. The Proposed Project does not reach

the emissions *significance criteria* of the MCAB. Therefore the Proposed Project would not result in a change in the basin's air quality designation. Alternative A, when considered in combination with other planned and reasonable foreseeable future actions, would not lead to a cumulatively significant impact to air quality.

BIOLOGICAL RESOURCES

Potential impacts to biological resources on the project site will be reduced to a less-than-significant level through measures incorporated into project construction and design (**Section 2.0**) and mitigation. Any cumulative developments affecting jurisdictional waters of the U.S. or special-status species would be required to mitigate according to the applicable provisions of the CWA and the FESA, and migratory birds would be protected from take subject to the Migratory Bird Treaty Act. Cumulative impacts to biological resources would be less than significant.

HISTORIC PROPERTIES

Cumulative effects to historic properties typically occur when sites that contain cultural features or artifacts are disturbed by development. As these resources are destroyed or displaced, important information is lost and connections to past events, people and culture is diminished. As discussed above no significant historic properties were identified within or adjacent to the project site. The records search and archival research indicate that the study area has been readily reviewed for historic properties, reducing the potential for disturbance of historic properties. However, the Proposed Project may impact previously unknown archaeological resources, as these sites may be buried with no surface manifestation. Significant cumulative impacts to unknown historic properties could occur if sites continued to be lost, damaged, or destroyed without appropriate recordation or data recovery. Mitigation for potential cumulative impacts to unknown historic properties has been specified above, and similar measures are required for all development in Mariposa County in accordance with Federal regulations and the California Environmental Quality Act (CEQA). Implementation of these measures would reduce cumulative impacts to a less-than-significant level.

SOCIOECONOMIC CONDITIONS / ENVIRONMENTAL JUSTICE

Alternative A, when considered in combination with other planned and reasonable foreseeable future actions, would not lead to a significant cumulative impact to socioeconomic conditions or environmental justice. As discussed above, the implementation of Alternative A would not adversely impact a designated minority or low-income group.

TRANSPORTATION AND CIRCULATION

Alternative A, when considered in combination with other planned and reasonable foreseeable future actions, would not lead to a significant cumulative impact to the transportation network. The existing transportation network adequately operates within acceptable LOS for the roadways

serving the project area. Additional development within the transportation network has been accounted for in the growth projections in the area specific plan.

BICYCLE, PEDESTRIAN, AND TRANSIT NETWORKS

The Proposed Project would not adversely affect a pedestrian or bicycle networks under the Cumulative plus Proposed Project conditions. None of the known cumulative scenario projects are expected to affect these networks. No significant cumulative impacts would occur.

LAND USE

Any surrounding cumulative projects would be subject to local land use regulations as specified in the County General Plan. Since Alternative A is consistent with the existing and proposed land uses in the vicinity, no cumulative land use impacts would occur.

AGRICULTURE

The retention or development of agricultural land is largely a policy consideration for governmental entities. Important farmlands are considered a limited and valuable resource. The project site does not contain important farmland and is located within a region that is classified as developed land. Considering that the Proposed Project site is not used for agriculture, and no known agricultural lands are located in the immediate area, cumulatively significant impacts to agricultural land would not occur.

PUBLIC SERVICES

Public services for the Proposed Project would be accommodated by existing public services. As development of other areas continues, the combined need for public services may create a cumulative impact. However, all future land uses in the region would be subject to approval by local governments, and would include provisions for public services. As a result, Alternative A would not result in significant cumulative impacts to public services.

NOISE

Traffic noise would dominate the noise environment in the area surrounding the project site during cumulative conditions. The Proposed Project would cause a less-than-significant impact with regard to noise. Future development that has been approved by the County in the Don Pedro area would be required to comply with all applicable land use designations, which would require development to comply with applicable noise restrictions. With local (County) restraints on noise impacts from cumulative development within the Don Pedro area and the minimal increase to the ambient noise environment from implementation of the Proposed Project, Alternative A would not result in significant cumulative impacts to the ambient noise environment.

HAZARDOUS MATERIALS

Any new developments would be required to adhere to State and municipal regulations regarding the delivery, handling, and storage of hazardous materials, thereby reducing the risk to the public's health and welfare due to accidental exposure. Therefore, there are no significant cumulative hazardous materials impacts associated with the Proposed Project.

AESTHETICS

Development of the project site would be consistent with the slight industrial existing uses of the site as a recycling transfer station and County corporation yard. Any future development in the vicinity would be subject to County review and approval, and potentially significant impacts to visual resources would require mitigation such as landscaping shielding and specific design provisions. Therefore, Alternative A, when considered in combination with other planned and reasonably foreseeable future actions, would not lead to a significant cumulative impact to aesthetics.

3.14 AGENCY COORDINATION AND PERMITS

3.14.1 AGENCY COORDINATION REQUIREMENTS

All necessary permits and coordination with governing agencies would be the responsibility of Mariposa County coordinated through the County's architects and contractors selected for site construction. All construction and required regulatory permits would be maintained and posted at the construction site. In accordance with applicable local, state, and federal regulations, the Grantee would be responsible for acquiring any necessary permits and completing compliance with the California Environmental Quality Act prior to commencing construction at the project site.

SECTION 4.0

PUBLIC INVOLVEMENT

SECTION 4.0

PUBLIC INVOLVEMENT

4.1 PUBLIC COMMENT PERIOD

The Environmental Assessment will be publicized during a fifteen-day public comment period in the Mariposa Gazette and will be made available to the public at the County of Mariposa Library Main Branch in Mariposa (4978 10th Street, Mariposa, California) and the Don Pedro Community Services District Office (9751 Merced Falls Road, La Grange, California). If no substantive comments are received, the Draft EA will become final and this initial Public Notice will also serve as the final Public Notice. Substantive Comments will be addressed as appropriate in any final documents.

SECTION 5.0

CONSULTATION, COORDINATION, AND LIST OF PREPARERS

SECTION 5.0

CONSULTATION, COORDINATION, AND LIST OF PREPARERS

5.1 FEDERAL AGENCIES CONSULTED

U.S. Fish and Wildlife Service

5.2 STATE AGENCIES CONSULTED

California Department of Parks and Recreation, Office of Historic Preservation

Native American Heritage Commission

California Department of Fish and Game

5.3 TRIBES CONSULTED

Southern Sierra Miwuk Nation

Anthony Brochini, Chairperson

Jay Johnson, Spiritual Leader

Les James, Spiritual Leader

Buena Vista Rancheria

Rhonda Morningstar Pope

5.4 PREPARERS OF ENVIRONMENTAL ASSESSMENT

Federal Emergency Management Agency

Donna M. Meyer, Deputy Regional Environmental and Historic Preservation
Officer

Analytical Environmental Services (AES)

Project Director, David Zweig, P.E.

Project Manager, Trenton Wilson

AES Technical Staff:

Melinda McCrary, Cultural Resources

Peter Bontadelli, Biological Resources

Kelly Buja, Biological Resources

Anna Elzeftawy, P.E., Water Resources

Dana Hirschberg, GIS, Graphics

Glenn Mayfield, GIS, Graphics

SECTION 6.0

REFERENCES

SECTION 6.0

REFERENCES

Alt, D. D. and D. W. Hyndman 1975. *Roadside Geology of Northern California*. Mountain Press Publishing Company, Missoula, Montana.

Bolt, Bruce A. 1988. *Abridged Modified Mercalli Intensity Scale, Earthquakes-Newly Revised and Expanded*, Appendix C, W.H. Freeman and Co. 1993, 331 pp.

Bureau of Labor Statistics (BLS), 2009. Labor Force Statistics by county. Last updated December 16, 2009. Available online at: <http://www.bls.gov/lau/laucntycur14.txt> Accessed March 26, 2010.

California Air Resources Board, 2010. Ambient Air Quality Standards. Available online at <http://www.arb.ca.gov/research/aaqs/aaqs2.pdf> Accessed March 25, 2010

_____, 2009a *San Joaquin Valley Attainment Status*. Available online at <http://www.valleyair.org/aqinfo/attainment.htm> Accessed March 25, 2010

_____, 2009b. *Air Quality Monitoring Data for Mariposa County*. Available online at: <http://www.arb.ca.gov/adam/welcome.html> Accessed March 25, 2010

California Department of Conservation (CDOC), 2009. *Important Farmland in California, 2006*. The Farmland Mapping and Monitoring Program. Published January 2009. Available online at: <http://www.conservation.ca.gov/dlrp/FMMP/Pages/Index.aspx> Accessed March 25, 2010.

California Department of Finance, 2009. *E-I population Estimates for Cities, Counties and the State with Annual Percent Change — January 1, 2008 and 2009*. Sacramento, California, May 2009.

California Department of Transportation (Caltrans), 2009. *Technical Noise Supplement*. Available online at http://www.dot.ca.gov/hq/env/noise/pub/tens_complete.pdf Accessed March 25, 2010.

California Department of Water Resources (DWR), 2006. *California's Groundwater Bulletin 118: San Joaquin Valley Basin, Turlock Subbasin*. Available online at:

- http://www.water.ca.gov/groundwater/bulletin118/san_joaquin_river.cfm Accessed on March 09, 2010.
- _____, 2009. Water Data Library. Available online at:
<http://www.water.ca.gov/waterdatalibrary/> Accessed March 09, 2010.
- California Employment Development Department. 2009. Labor Market Information. Available online at: <http://www.labormarketinfo.edd.ca.gov/?pageid=164> Accessed March 25, 2010.
- California Geological Survey (CGS), 2010. *Probabilistic Seismic Hazards Mapping Ground Motion Page*. Available online at
<http://redirect.conservation.ca.gov/CGS/rghm/pshamap/pshamap.asp>. Last updated June 12, 2008. Accessed March 25, 2010.
- California Office of Historic Preservation, 1976. *California Inventory of Historic Resources*. State of California Department of Parks and Recreation, Sacramento.
- _____, 1988. *Five Views: An Ethnic Historic Site Survey for California*. State of California Department of Parks and Recreation, Sacramento.
- _____, 1990. *California Historical Landmarks*. State of California Department of Parks and Recreation, Sacramento.
- _____, 1992. *California Points of Historical Interest*. State of California Department of Parks and Recreation, Sacramento.
- _____, 2009. Historic Properties Directory, Listing by City through September 2009. State of California Department of Parks and Recreation, Sacramento
- Council on Environmental Quality (CEQ), 1997. *Environmental Justice: Guidance under the National Environmental Policy Act*. Available online at
<http://ceq.hss.doe.gov/nepa/regs/ej/justice.pdf> Accessed March 24, 2010
- County of Mariposa, 2005. Proposed Don Pedro Town Planning Study Area Land Use Diagram. County of Mariposa Planning. June 15, 2005.
- County of Mariposa, 2006. The County of Mariposa General Plan. Available online at: <http://ca-mariposacounty.civicplus.com/index.aspx?NID=792> Accessed March 24, 2010.
- County of Mariposa Local Transportation Commission (Mariposa LTC), 2008. 2008 Regional Transportation Plan. Available online at:

- <http://www.mariposacounty.org/DocumentView.aspx?DID=5353>. Accessed July 26, 2010.
- Dundas, Robert G., Randall B. Smith, and Kenneth L. Verosub. 1996. Fairmead Landfill Locality (Pleistocene, Irvingtonian), Madera County, California: Preliminary Report and Significance. Pages 50-58 in *The Uses of Vertebrate Fossils in Biostratigraphic correlation* (C. J. Bell and S. S. Sumida, eds.), *PaleoBios*, v.17, n.2-4
- Durham, David L., 2000. *Place names of California's Gold Country*. Quill driver Books/World dancer Press, Clovis, CA.
- Environmental Data Resources (EDR), 2010. Radius Map Report with GeoCheck, Inquiry No. 2690053.1s, dated February 2, 2010.
- Federal Emergency Management Agency (FEMA), 2008. Flood Insurance Rate Map: Mariposa County. Last updated January 4, 2008. Available online at <http://www.msc.fema.gov/webapp/wcs/stores/servlet/FemaWelcomeView?storeId=10001&catalogId=10001&langId=-1>
- Federal Highway Administration (FHWA), 2006. *Highway Traffic Noise Analysis and Abatement Policy and Guidance*. Available at: <http://www.fhwa.dot.gov/environment/polguid.pdf> Accessed March 25, 2010.
- Gudde, Erwin G., 1998. *California Place Names: The Origin and Etymology of Current Geographical Names*. Fourth edition. University of California Press, Berkeley.
- Heizer, Robert F. and Franklin Fenega, 1939. Archaeological Horizons in Central California. *American Anthropologist* 41(3):378-399.
- Hill, M. 1984. *California Landscape: Origin and Evolution*. University of California Press, Berkeley.
- Hoover, M.B., H.E. Rensch, E.G. Rensch, and W.N. Abeloe, 1990. *Historic Spots in California*. Fourth edition, revised by Douglas E. Kyle. Stanford University Press, Stanford, California.
- Krauskopf, Konrad B. 1985. *Geologic Map of the Mariposa Quadrangle, Mariposa and Madera Counties, California*. United States Department of the Interior, US Geological Survey.
- Kroeber, Alfred L., 1925. *Handbook of the Indians of California*. Bureau of American Ethnology Bulletin 78. Smithsonian Institution, Washington, D.C. Reprinted by Dover, New York.

- Levy, Richard, 1978. Eastern Miwok. In *Handbook of North American Indians, Vol. 8*. Smithsonian Institution, Washington, D.C. Robert F. Heizer, volume editor; William C. Sturtevant, series editor.
- Moratto, Michael, J. 1972 *A Study of Prehistory in the Southern Sierra Nevada Foothills, California*. Unpublished Ph.D. Dissertation, Department of Anthropology, University of Oregon, Eugene.
- _____, 1984. *California Archaeology*. Second printing 2004. Coyote Press, Salinas, CA.
- Morrison, Paul D., 1997. *Placer Gold Deposits of the Sierra Nevada*. Gem Guides Book Company, Baldwin Park, CA.
- Nadeau, Remi, 1965. *Ghost Towns and Mining camps of California*. Second printing 2004. Coyote Press, Salinas, CA.
- Rondeau, M.F. and E. Wolf, 1998. *The Ellison Site, (CA-MRP-17/H), Phase II Eligibility Studies Along Highway 49 at Mormon Bar, Mariposa County, California*. Report on file, Central California Information Center, Stanislaus State University, Turlock, CA.
- Schoenherr, A., 1992. *A Natural History of California*. University of California Press, Berkeley.
- Shumway, Burgess M, 1988. *California Ranchos*. Borgo Press, San Bernardino, CA.
- United States Bureau of Labor Statistics. 2009. Labor Statistics 2009. Available online at: <http://www.bls.gov/> Accessed on March 25, 2010.
- United States Census Bureau, 2000. 2000 United States Census Fact Sheet – Mariposa County. Available online at: http://factfinder.census.gov/servlet/SAFFFacts?_event=Search&geo_id=16000US0686972&_geoContext=&_street=&_county=mariposa+county&_cityTown=mariposa+county&_state=04000US06&_zip=&_lang=en&_sse=on&ActiveGeoDiv=geoSelect&_useEV=&_pctxt=fph&pgsl=160&_submenuId=factsheet_1&ds_name=ACS_2008_3YR_SAFF&_ci_nbr=null&qr_name=null®=null%3Anull&_keyword=&_industry=&show_2003_tab=&redirect=Y Accessed March 26, 2010.
- United States Department of Transportation, Federal Highway Administration (US DOT FHWA), 2003. Manual on Uniform Traffic Control Devices. Available online at: http://mutcd.fhwa.dot.gov/pdfs/2003r1r2/pdf_index.htm. Accessed September 21, 2009.

United States Fish and Wildlife Service (USFWS), 2010. National Wetlands Inventory: Wetlands Mapper. Last updated on March 8, 2010. Available at: <http://www.fws.gov/wetlands/Data/Mapper.html>. Accessed March 19, 2010.

United States Department of Housing and Urban Development (HUD), 2006. The Noise Guide Book. Available online at: <http://www.hud.gov/offices/cpd/environment/training/guidebooks/noise/>. Accessed July 26, 2010.

University of California Museum of Paleontology (UCMP), 2009. Specimen Search, UCMP database. Electronic Document, <http://ucmpdb.berkeley.edu/>, accessed 2010.

APPENDICES

APPENDIX A

SOIL SURVEY REPORT



A product of the National
Cooperative Soil Survey,
a joint effort of the United
States Department of
Agriculture and other
Federal agencies, State
agencies including the
Agricultural Experiment
Stations, and local
participants

Custom Soil Resource Report for Mariposa County Area, California

Don Pedro FS



Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (<http://soils.usda.gov/sqi/>) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (<http://offices.sc.egov.usda.gov/locator/app?agency=nrcs>) or your NRCS State Soil Scientist (http://soils.usda.gov/contact/state_offices/).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Soil Data Mart Web site or the NRCS Web Soil Survey. The Soil Data Mart is the data storage site for the official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means

for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface	2
How Soil Surveys Are Made	5
Soil Map	7
Soil Map.....	8
Legend.....	9
Map Unit Legend.....	10
Map Unit Descriptions.....	10
Mariposa County Area, California.....	12
AhD—Auburn loam, 2 to 15 percent slopes.....	12
Soil Information for All Uses	14
Soil Properties and Qualities.....	14
Soil Erosion Factors.....	14
K Factor, Whole Soil (Don Pedro FS).....	14
Soil Reports.....	18
Building Site Development.....	18
Dwellings and Small Commercial Buildings (CA) (Don Pedro FS).....	18
Soil Erosion.....	19
RUSLE2 Related Attributes (Don Pedro FS).....	20
Soil Physical Properties.....	20
Physical Soil Properties (Don Pedro FS).....	20
Soil Qualities and Features.....	24
Soil Features (Don Pedro FS).....	24
Water Features.....	27
Water Features (Don Pedro FS).....	27
References	30

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil scientists classified and named the soils in the survey area, they compared the

Custom Soil Resource Report

individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.


Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.

Custom Soil Resource Report Soil Map



Map Scale: 1:284 if printed on A size (8.5" x 11") sheet.


0 2.5 5 10 15 Meters

0 10 20 40 60 Feet

Custom Soil Resource Report

MAP LEGEND






















Area of Interest (AOI)


 Area of Interest (AOI)


Soils


 Soil Map Units

Special Point Features




-  Blowout
-  Borrow Pit
-  Clay Spot
-  Closed Depression
-  Gravel Pit
-  Gravelly Spot
-  Landfill
-  Lava Flow
-  Marsh or swamp
-  Mine or Quarry
-  Miscellaneous Water
-  Perennial Water
-  Rock Outcrop
-  Saline Spot
-  Sandy Spot
-  Severely Eroded Spot
-  Sinkhole
-  Slide or Slip
-  Sodic Spot
-  Spoil Area
-  Stony Spot

 Very Stony Spot

 Wet Spot

 Other



Special Line Features

-  Gully
-  Short Steep Slope
-  Other






Political Features

 Cities

Water Features

-  Oceans
-  Streams and Canals

Transportation

-  Rails
-  Interstate Highways
-  US Routes
-  Major Roads
-  Local Roads

MAP INFORMATION

Map Scale: 1:284 if printed on A size (8.5" × 11") sheet.

The soil surveys that comprise your AOI were mapped at 1:24,000.

Please rely on the bar scale on each map sheet for accurate map measurements.

Source of Map: Natural Resources Conservation Service
 Web Soil Survey URL: <http://websoilsurvey.nrcs.usda.gov>
 Coordinate System: UTM Zone 10N NAD83

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Mariposa County Area, California
 Survey Area Data: Version 6, Dec 17, 2007

Date(s) aerial images were photographed: 6/29/2005

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Mariposa County Area, California (CA649)			
Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
AhD	Auburn loam, 2 to 15 percent slopes	0.4	100.0%
Totals for Area of Interest		0.4	100.0%

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Custom Soil Resource Report

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Mariposa County Area, California

AhD—Auburn loam, 2 to 15 percent slopes

Map Unit Setting

Elevation: 300 to 3,000 feet

Mean annual precipitation: 14 to 35 inches

Mean annual air temperature: 59 to 61 degrees F

Frost-free period: 150 to 275 days

Map Unit Composition

Auburn and similar soils: 85 percent

Minor components: 15 percent

Description of Auburn

Setting

Landform: Hills

Landform position (two-dimensional): Backslope

Landform position (three-dimensional): Side slope

Down-slope shape: Concave

Across-slope shape: Convex

Parent material: Amphibolite schist

Properties and qualities

Slope: 2 to 15 percent

Depth to restrictive feature: 8 to 20 inches to lithic bedrock

Drainage class: Well drained

Capacity of the most limiting layer to transmit water (Ksat): Very low (0.00 to 0.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Available water capacity: Very low (about 2.6 inches)

Interpretive groups

Land capability classification (irrigated): 4e

Land capability (nonirrigated): 4e

Ecological site: SHALLOW LOAMY (R018XD076CA)

Typical profile

0 to 3 inches: Loam

3 to 16 inches: Loam

16 to 20 inches: Unweathered bedrock

Minor Components

Unnamed, moderately steep

Percent of map unit: 5 percent

Landform: Hills

Blasingame

Percent of map unit: 4 percent

Landform: Hills

Daulton

Percent of map unit: 4 percent

Custom Soil Resource Report

Landform: Hills

Rock outcrop

Percent of map unit: 2 percent

Landform: Hills

Soil Information for All Uses

Soil Properties and Qualities

The Soil Properties and Qualities section includes various soil properties and qualities displayed as thematic maps with a summary table for the soil map units in the selected area of interest. A single value or rating for each map unit is generated by aggregating the interpretive ratings of individual map unit components. This aggregation process is defined for each property or quality.

Soil Erosion Factors


Soil Erosion Factors are soil properties and interpretations used in evaluating the soil for potential erosion. Example soil erosion factors can include K factor for the whole soil or on a rock free basis, T factor, wind erodibility group and wind erodibility index.

K Factor, Whole Soil (Don Pedro FS)

Erosion factor K indicates the susceptibility of a soil to sheet and rill erosion by water. Factor K is one of six factors used in the Universal Soil Loss Equation (USLE) and the Revised Universal Soil Loss Equation (RUSLE) to predict the average annual rate of soil loss by sheet and rill erosion in tons per acre per year. The estimates are based primarily on percentage of silt, sand, and organic matter and on soil structure and saturated hydraulic conductivity (Ksat). Values of K range from 0.02 to 0.69. Other factors being equal, the higher the value, the more susceptible the soil is to sheet and rill erosion by water.

"Erosion factor Kw (whole soil)" indicates the erodibility of the whole soil. The estimates are modified by the presence of rock fragments.


Custom Soil Resource Report
Map—K Factor, Whole Soil (Don Pedro FS)



Custom Soil Resource Report

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)

Soils

 Soil Map Units

Soil Ratings

 .02

 .05

 .10

 .15

 .17

 .20

 .24

 .28

 .32

 .37

 .43

 .49

 .55

 .64


 Not rated or not available

Political Features

 Cities

Water Features

 Oceans

 Streams and Canals


Transportation

 Rails

 Interstate Highways

 US Routes

 Major Roads

 Local Roads

MAP INFORMATION

Map Scale: 1:284 if printed on A size (8.5" x 11") sheet.

The soil surveys that comprise your AOI were mapped at 1:24,000.

Please rely on the bar scale on each map sheet for accurate map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL: <http://websoilsurvey.nrcs.usda.gov>
Coordinate System: UTM Zone 10N NAD83

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Mariposa County Area, California
Survey Area Data: Version 6, Dec 17, 2007

Date(s) aerial images were photographed: 6/29/2005

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Table—K Factor, Whole Soil (Don Pedro FS)

K Factor, Whole Soil— Summary by Map Unit — Mariposa County Area, California				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
AhD	Auburn loam, 2 to 15 percent slopes	.28	0.4	100.0%
Totals for Area of Interest			0.4	100.0%

Rating Options—K Factor, Whole Soil (Don Pedro FS)

Aggregation Method: Dominant Condition

Component Percent Cutoff: None Specified

Tie-break Rule: Higher

Layer Options: Surface Layer

Soil Reports

The Soil Reports section includes various formatted tabular and narrative reports (tables) containing data for each selected soil map unit and each component of each unit. No aggregation of data has occurred as is done in reports in the Soil Properties and Qualities and Suitabilities and Limitations sections.

The reports contain soil interpretive information as well as basic soil properties and qualities. A description of each report (table) is included.

Building Site Development

This folder contains a collection of tabular reports that present soil interpretations related to building site development. The reports (tables) include all selected map units and components for each map unit, limiting features and interpretive ratings. Building site development interpretations are designed to be used as tools for evaluating soil suitability and identifying soil limitations for various construction purposes. As part of the interpretation process, the rating applies to each soil in its described condition and does not consider present land use. Example interpretations can include corrosion of concrete and steel, shallow excavations, dwellings with and without basements, small commercial buildings, local roads and streets, and lawns and landscaping.

Dwellings and Small Commercial Buildings (CA) (Don Pedro FS)

Soil properties influence the development of building sites, including the selection of the site, the design of the structure, construction, performance after construction, and maintenance. This table shows the degree and kind of soil limitations that affect dwellings with and without basements and small commercial buildings.

The ratings in the table are both verbal and numerical. Rating class terms indicate the extent to which the soils are limited by all of the soil features that affect building site development. "No limitations" indicates that the soil has features that are very favorable for the specified use. Good performance and very low maintenance can be expected. "Limitations" indicates that the soil has features that are moderately favorable to unfavorable for the specified use. The limitations can be overcome or minimized by special planning, design, or installation. Fair performance and moderate maintenance can be expected.

Numerical ratings in the table indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.01 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the use (1.00) and the point at which the soil feature is not a limitation (0.00).

Dwellings are single-family houses of three stories or less. For dwellings without basements, the foundation is assumed to consist of spread footings of reinforced concrete built on undisturbed soil at a depth of 2 feet or at the depth of maximum frost penetration, whichever is deeper. For dwellings with basements, the foundation is assumed to consist of spread footings of reinforced concrete built on undisturbed soil

Custom Soil Resource Report

at a depth of about 7 feet. The ratings for dwellings are based on the soil properties that affect the capacity of the soil to support a load without movement and on the properties that affect excavation and construction costs. The properties that affect the load-supporting capacity include depth to a water table, ponding, flooding, subsidence, linear extensibility (shrink-swell potential), and compressibility. Compressibility is inferred from the Unified classification. The properties that affect the ease and amount of excavation include depth to a water table, ponding, flooding, slope, depth to bedrock or a cemented pan, hardness of bedrock or a cemented pan, and the amount and size of rock fragments.

Small commercial buildings are structures that are less than three stories high and do not have basements. The foundation is assumed to consist of spread footings of reinforced concrete built on undisturbed soil at a depth of 2 feet or at the depth of maximum frost penetration, whichever is deeper. The ratings are based on the soil properties that affect the capacity of the soil to support a load without movement and on the properties that affect excavation and construction costs. The properties that affect the load-supporting capacity include depth to a water table, ponding, flooding, subsidence, linear extensibility (shrink-swell potential), and compressibility (which is inferred from the Unified classification). The properties that affect the ease and amount of excavation include flooding, depth to a water table, ponding, slope, depth to bedrock or a cemented pan, hardness of bedrock or a cemented pan, and the amount and size of rock fragments.

Report—Dwellings and Small Commercial Buildings (CA) (Don Pedro FS)

[Onsite investigation may be needed to validate the interpretations in this table and to confirm the identity of the soil on a given site. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. The table shows only the top limitations for any given soil. The soil may have additional limitations]

Dwellings and Small Commercial Buildings (CA)– Mariposa County Area, California							
Map symbol and soil name	Pct. of map unit	Dwellings without basements (CA)		Dwellings with basements (CA)		Small commercial buildings (CA)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AhD—Auburn loam, 2 to 15 percent slopes							
Auburn	85	Limitations		Limitations		Limitations	
		Bedrock (hard) < 20" depth	1.00	Bedrock (hard) < 40" depth	1.00	Slopes > 8%	1.00
		Slopes 8 to 15%	0.04	Slopes 8 to 15%	0.04	Bedrock (hard) < 20" depth	1.00

Soil Erosion

This folder contains a collection of tabular reports that present soil erosion factors and groupings. The reports (tables) include all selected map units and components for each map unit. Soil erosion factors are soil properties and interpretations used in

evaluating the soil for potential erosion. Example soil erosion factors can include K factor for the whole soil or on a rock free basis, T factor, wind erodibility group and wind erodibility index.

RUSLE2 Related Attributes (Don Pedro FS)

This report summarizes those soil attributes used by the Revised Universal Soil Loss Equation Version 2 (RUSLE2) for the map units in the selected area. The report includes the map unit symbol, the component name, and the percent of the component in the map unit. Soil property data for each map unit component include the hydrologic soil group, erosion factors Kf for the surface horizon, erosion factor T, and the representative percentage of sand, silt, and clay in the surface horizon.

Report—RUSLE2 Related Attributes (Don Pedro FS)

RUSLE2 Related Attributes— Mariposa County Area, California							
Map symbol and soil name	Pct. of map unit	Hydrologic group	Kf	T factor	Representative value		
					% Sand	% Silt	% Clay
AhD—Auburn loam, 2 to 15 percent slopes							
Auburn	85	D	.28	1	43.0	39.5	17.5

Soil Physical Properties

This folder contains a collection of tabular reports that present soil physical properties. The reports (tables) include all selected map units and components for each map unit. Soil physical properties are measured or inferred from direct observations in the field or laboratory. Examples of soil physical properties include percent clay, organic matter, saturated hydraulic conductivity, available water capacity, and bulk density.

Physical Soil Properties (Don Pedro FS)

This table shows estimates of some physical characteristics and features that affect soil behavior. These estimates are given for the layers of each soil in the survey area. The estimates are based on field observations and on test data for these and similar soils.

Depth to the upper and lower boundaries of each layer is indicated.

Particle size is the effective diameter of a soil particle as measured by sedimentation, sieving, or micrometric methods. Particle sizes are expressed as classes with specific effective diameter class limits. The broad classes are sand, silt, and clay, ranging from the larger to the smaller.

Sand as a soil separate consists of mineral soil particles that are 0.05 millimeter to 2 millimeters in diameter. In this table, the estimated sand content of each soil layer is

Custom Soil Resource Report

given as a percentage, by weight, of the soil material that is less than 2 millimeters in diameter.

Silt as a soil separate consists of mineral soil particles that are 0.002 to 0.05 millimeter in diameter. In this table, the estimated silt content of each soil layer is given as a percentage, by weight, of the soil material that is less than 2 millimeters in diameter.

Clay as a soil separate consists of mineral soil particles that are less than 0.002 millimeter in diameter. In this table, the estimated clay content of each soil layer is given as a percentage, by weight, of the soil material that is less than 2 millimeters in diameter.

The content of sand, silt, and clay affects the physical behavior of a soil. Particle size is important for engineering and agronomic interpretations, for determination of soil hydrologic qualities, and for soil classification.

The amount and kind of clay affect the fertility and physical condition of the soil and the ability of the soil to adsorb cations and to retain moisture. They influence shrink-swell potential, saturated hydraulic conductivity (K_{sat}), plasticity, the ease of soil dispersion, and other soil properties. The amount and kind of clay in a soil also affect tillage and earthmoving operations.

Moist bulk density is the weight of soil (oven-dry) per unit volume. Volume is measured when the soil is at field moisture capacity, that is, the moisture content at 1/3- or 1/10-bar (33kPa or 10kPa) moisture tension. Weight is determined after the soil is dried at 105 degrees C. In the table, the estimated moist bulk density of each soil horizon is expressed in grams per cubic centimeter of soil material that is less than 2 millimeters in diameter. Bulk density data are used to compute linear extensibility, shrink-swell potential, available water capacity, total pore space, and other soil properties. The moist bulk density of a soil indicates the pore space available for water and roots. Depending on soil texture, a bulk density of more than 1.4 can restrict water storage and root penetration. Moist bulk density is influenced by texture, kind of clay, content of organic matter, and soil structure.

Saturated hydraulic conductivity (K_{sat}) refers to the ease with which pores in a saturated soil transmit water. The estimates in the table are expressed in terms of micrometers per second. They are based on soil characteristics observed in the field, particularly structure, porosity, and texture. Saturated hydraulic conductivity (K_{sat}) is considered in the design of soil drainage systems and septic tank absorption fields.

Available water capacity refers to the quantity of water that the soil is capable of storing for use by plants. The capacity for water storage is given in inches of water per inch of soil for each soil layer. The capacity varies, depending on soil properties that affect retention of water. The most important properties are the content of organic matter, soil texture, bulk density, and soil structure. Available water capacity is an important factor in the choice of plants or crops to be grown and in the design and management of irrigation systems. Available water capacity is not an estimate of the quantity of water actually available to plants at any given time.

Linear extensibility refers to the change in length of an unconfined clod as moisture content is decreased from a moist to a dry state. It is an expression of the volume change between the water content of the clod at 1/3- or 1/10-bar tension (33kPa or 10kPa tension) and oven dryness. The volume change is reported in the table as percent change for the whole soil. The amount and type of clay minerals in the soil influence volume change.

Linear extensibility is used to determine the shrink-swell potential of soils. The shrink-swell potential is low if the soil has a linear extensibility of less than 3 percent; moderate if 3 to 6 percent; high if 6 to 9 percent; and very high if more than 9 percent. If the

Custom Soil Resource Report

linear extensibility is more than 3, shrinking and swelling can cause damage to buildings, roads, and other structures and to plant roots. Special design commonly is needed.

Organic matter is the plant and animal residue in the soil at various stages of decomposition. In this table, the estimated content of organic matter is expressed as a percentage, by weight, of the soil material that is less than 2 millimeters in diameter. The content of organic matter in a soil can be maintained by returning crop residue to the soil.

Organic matter has a positive effect on available water capacity, water infiltration, soil organism activity, and tilth. It is a source of nitrogen and other nutrients for crops and soil organisms.

Erosion factors are shown in the table as the K factor (Kw and Kf) and the T factor. Erosion factor K indicates the susceptibility of a soil to sheet and rill erosion by water. Factor K is one of six factors used in the Universal Soil Loss Equation (USLE) and the Revised Universal Soil Loss Equation (RUSLE) to predict the average annual rate of soil loss by sheet and rill erosion in tons per acre per year. The estimates are based primarily on percentage of silt, sand, and organic matter and on soil structure and Ksat. Values of K range from 0.02 to 0.69. Other factors being equal, the higher the value, the more susceptible the soil is to sheet and rill erosion by water.

Erosion factor Kw indicates the erodibility of the whole soil. The estimates are modified by the presence of rock fragments.

Erosion factor Kf indicates the erodibility of the fine-earth fraction, or the material less than 2 millimeters in size.

Erosion factor T is an estimate of the maximum average annual rate of soil erosion by wind and/or water that can occur without affecting crop productivity over a sustained period. The rate is in tons per acre per year.

Wind erodibility groups are made up of soils that have similar properties affecting their susceptibility to wind erosion in cultivated areas. The soils assigned to group 1 are the most susceptible to wind erosion, and those assigned to group 8 are the least susceptible. The groups are described in the "National Soil Survey Handbook."

Wind erodibility index is a numerical value indicating the susceptibility of soil to wind erosion, or the tons per acre per year that can be expected to be lost to wind erosion. There is a close correlation between wind erosion and the texture of the surface layer, the size and durability of surface clods, rock fragments, organic matter, and a calcareous reaction. Soil moisture and frozen soil layers also influence wind erosion.

Reference:

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. (<http://soils.usda.gov>)

Custom Soil Resource Report

Physical Soil Properties— Mariposa County Area, California														
Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Saturated hydraulic conductivity	Available water capacity	Linear extensibility	Organic matter	Erosion factors			Wind erodibility group	Wind erodibility index
										Kw	Kf	T		
	<i>In</i>	<i>Pct</i>	<i>Pct</i>	<i>Pct</i>	<i>g/cc</i>	<i>micro m/sec</i>	<i>In/In</i>	<i>Pct</i>	<i>Pct</i>					
AhD—Auburn loam, 2 to 15 percent slopes														
Auburn	0-3	-43-	-40-	10-18- 25	1.45-1.55	4.00-14.00	0.15-0.17	0.0-2.9	0.5-2.0	.28	.28	1	5	56
	3-16	-42-	-37-	15-21- 27	1.45-1.55	4.00-14.00	0.15-0.17	0.0-2.9	0.0-1.0	.28	.28			
	16-20	—	—	—	—	0.00-0.01	—	—	—					

Soil Qualities and Features

This folder contains tabular reports that present various soil qualities and features. The reports (tables) include all selected map units and components for each map unit. Soil qualities are behavior and performance attributes that are not directly measured, but are inferred from observations of dynamic conditions and from soil properties. Example soil qualities include natural drainage, and frost action. Soil features are attributes that are not directly part of the soil. Example soil features include slope and depth to restrictive layer. These features can greatly impact the use and management of the soil.

Soil Features (Don Pedro FS)

This table gives estimates of various soil features. The estimates are used in land use planning that involves engineering considerations.

A restrictive layer is a nearly continuous layer that has one or more physical, chemical, or thermal properties that significantly impede the movement of water and air through the soil or that restrict roots or otherwise provide an unfavorable root environment. Examples are bedrock, cemented layers, dense layers, and frozen layers. The table indicates the hardness and thickness of the restrictive layer, both of which significantly affect the ease of excavation. *Depth to top* is the vertical distance from the soil surface to the upper boundary of the restrictive layer.

Subsidence is the settlement of organic soils or of saturated mineral soils of very low density. Subsidence generally results from either desiccation and shrinkage, or oxidation of organic material, or both, following drainage. Subsidence takes place gradually, usually over a period of several years. The table shows the expected initial subsidence, which usually is a result of drainage, and total subsidence, which results from a combination of factors.

Potential for frost action is the likelihood of upward or lateral expansion of the soil caused by the formation of segregated ice lenses (frost heave) and the subsequent collapse of the soil and loss of strength on thawing. Frost action occurs when moisture moves into the freezing zone of the soil. Temperature, texture, density, saturated hydraulic conductivity (Ksat), content of organic matter, and depth to the water table are the most important factors considered in evaluating the potential for frost action. It is assumed that the soil is not insulated by vegetation or snow and is not artificially drained. Silty and highly structured, clayey soils that have a high water table in winter are the most susceptible to frost action. Well drained, very gravelly, or very sandy soils are the least susceptible. Frost heave and low soil strength during thawing cause damage to pavements and other rigid structures.

Risk of corrosion pertains to potential soil-induced electrochemical or chemical action that corrodes or weakens uncoated steel or concrete. The rate of corrosion of uncoated steel is related to such factors as soil moisture, particle-size distribution, acidity, and electrical conductivity of the soil. The rate of corrosion of concrete is based mainly on the sulfate and sodium content, texture, moisture content, and acidity of the soil. Special site examination and design may be needed if the combination of factors results in a severe hazard of corrosion. The steel or concrete in installations that intersect soil boundaries or soil layers is more susceptible to corrosion than the steel

Custom Soil Resource Report

or concrete in installations that are entirely within one kind of soil or within one soil layer.

For uncoated steel, the risk of corrosion, expressed as *low*, *moderate*, or *high*, is based on soil drainage class, total acidity, electrical resistivity near field capacity, and electrical conductivity of the saturation extract.

For concrete, the risk of corrosion also is expressed as *low*, *moderate*, or *high*. It is based on soil texture, acidity, and amount of sulfates in the saturation extract.

Custom Soil Resource Report

Soil Features— Mariposa County Area, California									
Map symbol and soil name	Restrictive Layer				Subsidence		Potential for frost action	Risk of corrosion	
	Kind	Depth to top	Thickness	Hardness	Initial	Total		Uncoated steel	Concrete
		<i>In</i>	<i>In</i>		<i>In</i>	<i>In</i>			
AhD—Auburn loam, 2 to 15 percent slopes									
Auburn	Lithic bedrock	8-20	—	Indurated	0	0	None	Low	Moderate

Water Features

This folder contains tabular reports that present soil hydrology information. The reports (tables) include all selected map units and components for each map unit. Water Features include ponding frequency, flooding frequency, and depth to water table.

Water Features (Don Pedro FS)

This table gives estimates of various soil water features. The estimates are used in land use planning that involves engineering considerations.

Hydrologic soil groups are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The four hydrologic soil groups are:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas.

Surface runoff refers to the loss of water from an area by flow over the land surface. Surface runoff classes are based on slope, climate, and vegetative cover. The concept indicates relative runoff for very specific conditions. It is assumed that the surface of the soil is bare and that the retention of surface water resulting from irregularities in the ground surface is minimal. The classes are negligible, very low, low, medium, high, and very high.

The *months* in the table indicate the portion of the year in which a water table, ponding, and/or flooding is most likely to be a concern.

Water table refers to a saturated zone in the soil. The water features table indicates, by month, depth to the top (*upper limit*) and base (*lower limit*) of the saturated zone in most years. Estimates of the upper and lower limits are based mainly on observations of the water table at selected sites and on evidence of a saturated zone, namely

Custom Soil Resource Report

grayish colors or mottles (redoximorphic features) in the soil. A saturated zone that lasts for less than a month is not considered a water table.

Ponding is standing water in a closed depression. Unless a drainage system is installed, the water is removed only by percolation, transpiration, or evaporation. The table indicates *surface water depth* and the *duration* and *frequency* of ponding. Duration is expressed as *very brief* if less than 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, rare, occasional, and frequent. *None* means that ponding is not probable; *rare* that it is unlikely but possible under unusual weather conditions (the chance of ponding is nearly 0 percent to 5 percent in any year); *occasional* that it occurs, on the average, once or less in 2 years (the chance of ponding is 5 to 50 percent in any year); and *frequent* that it occurs, on the average, more than once in 2 years (the chance of ponding is more than 50 percent in any year).

Flooding is the temporary inundation of an area caused by overflowing streams, by runoff from adjacent slopes, or by tides. Water standing for short periods after rainfall or snowmelt is not considered flooding, and water standing in swamps and marshes is considered ponding rather than flooding.

Duration and *frequency* are estimated. Duration is expressed as *extremely brief* if 0.1 hour to 4 hours, *very brief* if 4 hours to 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, very rare, rare, occasional, frequent, and very frequent. *None* means that flooding is not probable; *very rare* that it is very unlikely but possible under extremely unusual weather conditions (the chance of flooding is less than 1 percent in any year); *rare* that it is unlikely but possible under unusual weather conditions (the chance of flooding is 1 to 5 percent in any year); *occasional* that it occurs infrequently under normal weather conditions (the chance of flooding is 5 to 50 percent in any year); *frequent* that it is likely to occur often under normal weather conditions (the chance of flooding is more than 50 percent in any year but is less than 50 percent in all months in any year); and *very frequent* that it is likely to occur very often under normal weather conditions (the chance of flooding is more than 50 percent in all months of any year).

The information is based on evidence in the soil profile, namely thin strata of gravel, sand, silt, or clay deposited by floodwater; irregular decrease in organic matter content with increasing depth; and little or no horizon development.

Also considered are local information about the extent and levels of flooding and the relation of each soil on the landscape to historic floods. Information on the extent of flooding based on soil data is less specific than that provided by detailed engineering surveys that delineate flood-prone areas at specific flood frequency levels.

Custom Soil Resource Report

Water Features— Mariposa County Area, California										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AhD—Auburn loam, 2 to 15 percent slopes										
Auburn	D	Very high	Jan-Dec	—	—	—	—	None	—	—

References

American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.

American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.

Federal Register. July 13, 1994. Changes in hydric soils of the United States.

Federal Register. September 18, 2002. Hydric soils of the United States.

Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.

National Research Council. 1995. Wetlands: Characteristics and boundaries.

Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. <http://soils.usda.gov/>

Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. <http://soils.usda.gov/>

Soil Survey Staff. 2006. Keys to soil taxonomy. 10th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. <http://soils.usda.gov/>

Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.

United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.

United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. <http://soils.usda.gov/>

United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. <http://www.glti.nrcs.usda.gov/>

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. <http://soils.usda.gov/>

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. <http://soils.usda.gov/>

Custom Soil Resource Report

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210.

APPENDIX B

BIOLOGICAL RESOURCES TECHNICAL MEMORANDUM



BIOLOGICAL RESOURCE ASSESSMENT
MARIPOSA FIRE STATIONS
DON PEDRO

JUNE 2010

PREPARED FOR:

Mariposa County
4639 Ben Bur Road
Mariposa, CA 95338



PREPARED BY:

Analytical Environmental Services
1801 7th Street, Suite 100
Sacramento, CA 95811



BIOLOGICAL RESOURCE ASSESSMENT
MARIPOSA FIRE STATIONS
DON PEDRO

JUNE 2010

PREPARED FOR:

Mariposa County
4639 Ben Bur Road
Mariposa, CA 95338



PREPARED BY:

Analytical Environmental Services
1801 7th Street, Suite 100
Sacramento, CA 95811



TABLE OF CONTENTS

BIOLOGICAL RESOURCES ASSESSMENT TECHNICAL MEMORANDUM FOR THE DON PEDRO FIRE STATION

Purpose	2
Project Location	2
Project Description	2
Methodology	2
Environmental Setting	8
Summary of Findings	12
References.....	15

LIST OF FIGURES

Figure 1	Regional Location	2
Figure 2	Site and Vicinity.....	3
Figure 3	Aerial Map	4
Figure 4	CNDDDB 5-Mile Radius Map.....	6
Figure 5	Photographs.....	7

ATTACHMENTS

- Attachment 1 USFWS, CNDDDB, and CNPS Lists
- Attachment 2 Regionally Occurring Special Status Species

PURPOSE

This Biological Resources Assessment (BRA) documents sensitive biological habitats and special-status species that may occur or be affected by the construction (Proposed Project) of the County of Mariposa's (County) Don Pedro Fire Station project being funded under the American Recovery and Reinvestment Act Assistance to Firefighters Fire Station Construction Grants program (CFDA 97-115), administered by the Department of Homeland Security's Federal Emergency Management Agency (FEMA) Assistance to Firefighters Program Office (Federal action). The County project site is located in the community of Don Pedro in Mariposa County, California (**Figure 1**). The purpose of this BRA is to determine whether the Grantee's proposal would jeopardize the continued existence of any federally listed or proposed threatened and endangered species (i.e., plants or animals, fish, or invertebrates), or destroy or adversely modify designated or proposed critical habitat. This BRA was prepared in accordance with the requirements set forth under Section 7 of the Endangered Species Act (ESA) (16 U.S.C. 1536 (c)) concerning the effects of the Proposed Project and the potential need to consult with the United States Fish and Wildlife Service (USFWS). This BRA also identifies state-listed special-status species, although state-listed special-status species are not granted protection under the ESA.

PROJECT LOCATION

The approximately 0.23-acre Proposed Project study area (study area) is situated on T 3 S, R 15 E, Section 22 of the Penon Blanco Peak, California U.S. Geological Survey (USGS) 7.5-minute topographic quadrangle (quad). The centroid of the study area is 37° 39' 09" N, 120° 18' 41.8" W. A topographic map and an aerial photograph of the study area are shown in **Figures 2 and 3**, respectively.

PROJECT DESCRIPTION

Funding provided by FEMA would result in the construction of the proposed Lake Don Pedro fire station (project site). The fire station would be a 3,800 square foot steel building erected next to the Solid Waste Transfer Station on property owned by the County. Utility connections are available on-site. A new septic system would be installed to handle waste disposal within the project site. The project design is illustrated on the aerial photograph depicted in **Figure 3**.

A concrete driveway would be poured between the fire station and Merced Falls Road to the east. No other road improvements are planned.

METHODOLOGY

Definition of Special-Status

For the purposes of this assessment, federally-listed special-status species has been defined to include those species that are listed as endangered or threatened under the ESA (or formally proposed for, or candidates for, listing).






Figure 1
Regional Location Map



SOURCE: "Penon Blanco, CA" USGS 7.5 Minute Topographic Quadrangle, Section 22, T3S R18E, Mt. Diablo Baseline & Meridian; AES, 2010

Don Pedro Fire Station BRA / 209560 ■

Figure 2
Site and Vicinity



For consideration within this assessment, state-listed special-status has been defined to include those species that are:


- Listed as endangered or threatened under California Endangered Species Act (or proposed for listing);
- Designated as endangered or rare, pursuant to California Fish and Game Code (§1901);
- Designated as fully protected, pursuant to California Fish and Game Code (§3511, §4700, or §5050);
- Designated as species of concern to the California Department of Fish and Game (CDFG);
- Defined as rare or endangered under CEQA; or,
- Considered rare, threatened, or endangered in California, according to the California Native Plant Society (CNPS) (Lists 1A, 1B, and 2).

Standard references used for the biology and taxonomy of plants include: Abrams (1951, 1960), CNPS (2010), CDFG (2003), Hickman, ed. (1993), Mason (1957), Munz (1959), and Sawyer and Keeler-Wolf (1995). Standard references used for the biology and taxonomy of wildlife include Ehrlich et al. (1988), Jennings and Hayes (1994), Peterson (1990), Sibley (2000), and Stebbins (2003).

Potential to Occur

To assess the potential for federally-listed special-status species to occur on the study area, and to consider state-listed special-status species, preliminary information on biological resources in the vicinity of the study area was obtained from the following sources prior to conducting a field survey:

- U.S. Fish and Wildlife Service (USFWS) list, last updated December 1, 2009, of federal listed special-status species with the potential to occur on or be affected by projects on the Penon Blanco Peak quad (USFWS, 2010) (**Attachment 1**).
- California Natural Diversity Database (CNDDB) query, updated November 1, 2009, of special-status species known to occur within the Penon Blanco Peak quad and the eight surrounding quads (Chinese Camp, Moccasin, Groveland, La Grange, Coulterville, Snelling, Merced Falls, and Hornitos quads) (CDFG, 2003) (**Attachment 1**).
- CNPS query of special-status species known to occur within the Penon Blanco Peak quad and the eight surrounding quads (CNPS, 2010) (**Attachment 1**).
- Special-status species occurrences within five miles of the study area (CDFG, 2003) (**Figure 4**).
- Aerial photographs and topographic maps of the study area.
- Soil data from the Web Soil Survey (NRCS, 2007).



SOURCE: "Oakdale, CA" 100k USGS Topographic Quadrangle, Mt. Diablo Baseline and Meridian; California Natural Diversity Database, 1/2010; AES, 2010

Don Pedro Fire Station BRA / 209560 ■

Figure 4
CNDDDB Occurrences Within a 5-Mile Radius

Field Survey and Analysis

Analytical Environmental Services (AES) biologist Kelly Buja, M.S. conducted a general biological survey and an informal delineation on February 2, 2010. The biological survey consisted of evaluating biological communities and documenting potential habitat for federally-listed special-status species and consideration of state-listed special-status species with the potential to occur within the study area based on information obtained from the resources above. Photographs of the study area are found in **Figure 5**.

Table 1 in Attachment 2 provides a summary of special-status species in the vicinity of the study area based on the USFWS file data and CNPS and CNDDDB queries and provides a rationale as to whether the species has the potential to occur within the study area. Presence of species or their habitat was evaluated during the field surveys. Species without the potential to occur in the study area are not further discussed.

ENVIRONMENTAL SETTING

Topography in the study area is relatively flat with a slight incline in elevation from 1,120 feet in the southwest to 1,130 feet in the northeast.

Soils

The study area is comprised entirely of Auburn loam, 2 to 15 percent slopes (AhD). This soils type is found on the side slopes of hills with parent material derived from amphibolites schist. This is a well drained soil with a restrictive layer of 8 to 20 inches to lithic bedrock, and a depth to water table of more than 80 inches. A typical profile for this soil consists of loam from 0 to 16 inches and unweathered bedrock from 16 to 30 inches (NRCS, 2010).

Habitat Types

The entire study area is ruderal/developed. This habitat type includes existing buildings and associated infrastructure, stock piles, vehicles, ornamental landscaping, and other areas where ground disturbance has occurred as a result of grading activities. Vegetation observed within the ruderal/developed habitat includes: yellow star-thistle (*Centaurea solstitialis*), common chickweed (*Stellaria media*), conyza (*Conyza* sp.), hairy vetch (*Vicia villosa*), mustard (*Brassica* sp.), prickly lettuce (*Lactuca serriola*), and turkey mullein (*Eremocarpus setigerus*).

SPECIAL STATUS SPECIES

Based on the results of the queries (**Attachment 1**) and site visit, the following species have the potential to occur on the study area.



PHOTO 1

View south from central portion of study area.



PHOTO 2

View northeast from the central-western portion of study area.



PHOTO 3

View east from central-northern portion of study area.



PHOTO 4

View west from central-southern portion of study area.

Federally-Listed Special-Status Species

Special-Status Plants

No federally-listed special-status plant species were identified with the potential to occur within the study area.

Special-Status Wildlife

No federally-listed special-status wildlife species were identified with the potential to occur within the study area.

Migratory Birds and Bird of Prey

Fish and Game Code 3503.5 protects all birds in the orders Falconiformes and Strigiformes (collectively known as birds of prey). The Migratory Bird Treaty Act (MBTA) of 1918 (16 U.S.C. 703-711) protects migratory birds by making it unlawful to take, possess, buy, sell, purchase, or barter any migratory bird listed in 50 CFR 10 including feathers or other parts, nests, eggs, or products, except as allowed by implementing regulations (50 CFR 21). Migratory birds and other birds of prey have the potential to nest in the trees and the existing buildings within the study area. No birds were observed nesting during the biological survey of the study area, however, the survey was conducted outside of the nesting season.

State-Listed Special-Status Species

Special-Status Plants

Big Scale Balsamroot (*Balsamorhiza macrolepis* var. *macrolepis*)

Federal Status – None

State Status – None

Other – CNPS List 1B

This species is a perennial herb sometimes found on serpentinite soils in chaparral, cismontane woodland, and valley and foothill grassland from 90 to 1,555 meters (CNPS, 2010). Blooming occurs from March through June. There are no CNDDDB records for this species within 5 miles of the study area. Because the biological survey was conducted outside of the evident and identifiable period for big scale balsamroot, the species could potentially be present within the study area and not have been detected. This species was not observed during the biological survey of the study area. This species has the potential to occur within the study area.

Special-Status Wildlife

Pallid Bat (*Antrozous pallidus*)

Federal – None

State – Species of Concern

Pallid bats are found in grasslands, shrublands, woodlands, and forests from sea level up to mixed conifer forests through 2,000 meters. The species commonly occurs in open, dry habitats with rocky areas for roosting. Other roosts include cliffs, abandoned buildings, bird boxes, and under bridges (Harris, 2000). Pallid bats are most active during the dawn and dusk hours and forage over open ground. This species establishes daytime roosts in caves, crevices, mines, large hollow trees, and unoccupied buildings. Pallid bats mate from October through February and most young are born from April through July (Harris, 2000). They occur in arid and semi-arid regions across much of the American west, up and down the coast from Canada and Mexico (Arizona-Sonora Desert Museum, 2006-2009).

There are no CNDDDB records for this species within 5 miles of the study area. The trees and existing buildings within the study area provide roosting habitat for this species. Pallid bats were not observed during the biological survey within the study area. This species has the potential to nest and forage within the study area.

Western Mastiff Bat (*Eumops perotis californicus*)

Federal Status – None

State Status – Species of Special Concern

Other – None

Western mastiff bat is found in open semi-arid and arid habitats, which include conifer, deciduous woodland, coastal scrub, grassland, palm oases, chaparral, and desert scrub. It is also found in urban areas. This species is not migratory, but moves among alternate day time roosts. Roosting takes place in crevices within rock outcrops, high buildings, trees, and tunnels. Roosting sites require vertical faces in order to drop-off into flight. Western mastiff bat either roosts alone or in small groups, typically less than a hundred bats. Young are born from April to August and occasionally into September (Ahlborn, 2000). Western mastiff bat is known from central California, southward to central Mexico. In California, this species is known from Butte County southward in the western lowlands through the southern California coastal basins and the western portions of the southeastern desert region (Ahlborn, 2000).

There are no CNDDDB records for western mastiff bat within five miles of the study area. The trees and existing buildings within the study area provide roosting habitat for this species. Western mastiff bats were not observed during the biological survey within the study area. This species has the potential to roost within the study area.

Western Red Bat (*Lasiurus blossevillii*)

Federal Status – None

State Status – Species of Special Concern

Other – None

The western red bat is found throughout California, west of the Sierra Nevada and Cascade crest and deserts, from Shasta County south to Mexico. This species roosts in forests and woodlands from sea level to mixed conifer forests. Roosts are commonly solitary in trees near streams, fields, or urban areas. Edges or habitat mosaics with water are the most suitable habitats. This species is migratory. In California, the western red bat will migrate short distances between summer and winter ranges and can be found in unusual habitats during this time. Hibernation takes place during the coolest months when temperatures drop below 68°F. Young are born from late May through early July (CDFG, 2009).

There are no CNDDDB records for western red bat within five miles of the study area. The ornamental trees and existing buildings within the study area provide roosting habitat for this species. Western red bats were not observed during the biological survey within the study area. This species has the potential to roost within the study area.

American Badger (*Taxidea taxus*)

Federal Status – None

State Status – Species of Concern

Other – None

American badger is found in dry, open habitats including grassland and open woodland. Suitable burrowing habitat requires dry, often sandy soil. Breeding occurs in summer and early fall, with young being born from March to April (CDFG, 2005). American badger is known throughout California, except in the northern North Coast (Ahlborn, 2005).

There are no CNDDDB records for the American badger within five miles of the study area. American badgers were not observed during the biological surveys within the study area. American badger has the potential to occur within the study area.

SUMMARY OF FINDINGS

Federally-Listed Special-Status Species

The Proposed Project does not have the potential to affect federally-listed special-status plant or wildlife species. Therefore, consultation with USFWS as addressed under Section 7 of ESA is not required for the Proposed Project. The Proposed Project has the potential to affect nest sites for federally-protected migratory birds and other birds of prey.

Recommendations

If construction begins during the nesting season for migratory birds and other birds of prey (between February 1 and October 1), a qualified biologist should conduct a preconstruction survey for nests no more than two weeks prior to construction. If surveys show that there is no evidence of nests, then no additional mitigation is recommended.

If any active nests are identified within the study area during the preconstruction survey, a buffer zone should be established around the nests. A qualified biologist should monitor nests weekly during construction to evaluate potential nesting disturbance by construction activities. The biologist should delimit the buffer zone with construction tape or pin flags within an appropriate buffer, depending on the species, of the active nest and maintain the buffer zone until the end of breeding season or the young have fledged. Guidance from USFWS would be requested if establishing an appropriate buffer zone is impractical.

State-Listed Special-Status Species

The Proposed Project has the potential to affect one CNPS-listed plant species, the big scale balsamroot.

Recommendations

A focused botanical survey should be conducted during the blooming period (March through June) for big scale balsamroot prior to commencement of construction activities within the vegetated areas within the ruderal/developed habitat. A letter report would be submitted to the County within 30 days following the preconstruction survey to document the results. Should no big scale balsamroot be observed, then no additional mitigation is recommended.

Should big scale balsamroot be observed during the focused botanical survey, the biologist would contact the County within one day following the preconstruction survey to report the findings. A ten-foot buffer would be established around the species using construction flagging prior to commencement of construction activities.

Should avoidance of the big scale balsamroot be infeasible, then the CDFG should be notified at least ten days prior to commencement of ground-breaking activities to provide the CDFG the opportunity to transplant the species from the study area. An additional letter report shall be submitted to the County within 30 days to document the results.

Should the CDFG not intend to transplant the species offsite within ten days prior to commencement of ground-breaking activities, the County would salvage and relocate plants within the same type of habitat onsite and develop a mitigation and monitoring plan. The County would monitor the species for five years and submit an annual monitoring report to the CDFG.

The Proposed Project has the potential to affect the pallid bat, western mastiff bat, and western red bat.

Recommendations

A preconstruction survey should be conducted by a qualified biologist for pallid bat, western mastiff bat, and western red bat roosting sites within the study area no more than 30 days prior to

commencement of construction activities. If construction begins during the nesting season for birds of prey and migratory birds (between February 1 and October 1), a preconstruction bird survey for nesting sites may be conducted concurrently with the bat survey. The qualified biologist should document and submit the results of the preconstruction survey in a letter to the CDFG and the County within 30 days following the survey. The letter would include: a description of the methodology including dates of field visits, the names of survey personnel, and a list of references cited and persons contacted; and a map showing the location(s) of any roost sites observed on the study area. If no active roosts are identified during the preconstruction survey, then no further mitigation is recommended.

If any active roosts are identified during the preconstruction survey within the study area, a 50-foot buffer zone would be established around the roosts. A qualified biologist would monitor roosts weekly during construction to evaluate potential disturbance by construction activities. The biologist would delimit the buffer zone with construction tape or pin flags within 25 feet of the active roost and maintain the buffer zone until the end of the breeding season or until the young have fledged. Guidance from the CDFG would be requested if establishing a 25-foot buffer zone is impractical.

If any pallid bats, western mastiff bats, and western red bats are found roosting within any of the infrastructure slated to be demolished, then demolition of the infrastructure should not commence until the biologist can assure that the bats have vacated the structure.

The Proposed Project has the potential to affect the American badger.

Recommendations

A preconstruction survey should be conducted by a qualified biologist to determine whether badger dens occur within the study area. If unoccupied dens are located within in the study area, the dens would be covered to prevent the American badger from re-occupying the den prior to construction. If construction is intended to commence during the breeding season (February through May) and occupied dens are located within in the study area, a 25-foot buffer zone would be established around the den. A qualified biologist would monitor den weekly during construction to evaluate potential disturbance by construction activities. The biologist would delimit the buffer zone with construction tape or pin flags within 25 feet of the occupied den and maintain the buffer zone until the den is no longer occupied. Guidance from the CDFG would be requested if establishing a 25-foot buffer zone is impractical.

REFERENCES

- Abrams, L. 1951, 1960. Illustrated flora of the Pacific states. Stanford University Press, Stanford, California.
- Ahlborn, G., 2000. Western Mastiff Bat (*Eumops perotis*). California Wildlife Habitat Relationships Systems. California Department of Fish and Game. California Interagency Wildlife Task Group. January 2000.
- Ahlborn, G., 2005. American Badger (*Taxidea taxus*). California Wildlife Habitat Relationships System, California Department of Fish and Game, California. Interagency Wildlife Task Group.
- Arizona-Sonora Desert Museum, 2006-2009. Animal Fact Sheet: Pallid Bat. Tucson, Arizona. Available at: <http://www.desertmuseum.org/kids/bats/Pallid%20bat.php>. Accessed on December 1, 2009.
- California Department of Fish and Game (CDFG). September 2003 (2003). List of California Terrestrial Natural Communities Recognized by the Natural Diversity Database. Natural Heritage Division, CNDDDB, Sacramento, California.
- California Department of Fish and Game (CDFG), 2005. California Wildlife Habitat Relationships System (CWHR), version 8.1 personal computer program. Sacramento, CA: California Department of Fish and Game.
- CaliforniaHerps.com, 2010. California Reptiles and Amphibians. Available at: <http://www.californiaherps.com>. Accessed on January 19, 2010.
- California Native Plant Society (CNPS). 2010. Inventory of Rare and Endangered Plants of California. Rare Plant Scientific Advisory Committee, David P. Tibor, Convening Editor. California Native Plant Society. Sacramento, California. Available at: <http://www.cnps.org/inventory>. Accessed on January 15, 2010.
- Ehrlich, P., D. Dobkin, and D. Wheye, 1988. The Birder's Handbook. Simon and Schuster, New York, New York Environmental Laboratory, 1987. Corps of Engineers wetlands delineation manual. Technical Report Y-87-1. U.S. Army Engineer Waterways Experiment Station. Vicksburg, Mississippi.
- Eriksen, C. and D. Belk, 1999. Fairy Shrimps of California's Puddles, Pools, and Playas. Mad River Press, Inc. Eureka, California.
- Hafner, D.J., 1996. In IUCN 2008. 2008 IUCN Red List of Threatened Species. Downloaded July 19, 2008. Last revised on September 2, 2009. Available at: http://zipcodezoo.com/Animals/D/Dipodomys_heermanni_berkeleyensis/. Accessed on January 19, 2010.

- Harris, 2000. Originally written by: California Wildlife Habitat Relationships Systems. California Department of Fish and Game. California Interagency Wildlife Task Group. January 2000. Zeiner, D.C., W.F.Laudenslayer, Jr., K.E. Mayer, and M. White, eds. 1988-1990. California's Wildlife. Vol. I-III. California Department of Fish and Game, Sacramento, California.
- Hickman, James C., ed., 1993. The Jepson Manual, Higher Plants of California. University of California Press. Berkeley, California.
- Jennings, M. R. and M. P. Hayes, 1994. Amphibian and Reptile Species of Special Concern in California. California Department of Fish and Game, Rancho Cordova, California.
- Mason, 1957. Flora of the Marshes of California. University of California Press, Berkeley and Los Angeles, California.
- Morrell, S. H., 1972. The Life History of the San Joaquin Kit Fox. California Fish and Game 58:162-174.
- Moyle, Yoshiyama, Williams, and Wikramanayake, 1995. Fish Species of Special Concern in California: Second Edition. Prepared for the State of California, The Resources Agency, Department of Fish and Game, Inland Fisheries Division, Rancho Cordova. Final Report for Contract No. 2128IF. June 1995. Department of Wildlife & Fisheries Biology, University of California, Davis, Davis, California. Available at: http://www.dfg.ca.gov/habcon/info/fish_ssc.pdf. Accessed on January 19, 2010.
- Munz, P., 1959. A California Flora. University of California Press, Berkeley, California.
- Natural Resources Conservation Service (NRCS, 2007). Web Soil Survey. Map Unit Descriptions. Mariposa County Area, California. Available at: <http://websoilsurvey.nrcs.usda.gov/app/HomePage.htm>. Accessed on January 15, 2010.
- Page, L.M. and B.M. Burr, 1991. A Field Guide to Freshwater Fishes of North America North of Mexico. Houghton Mifflin Company, Boston. 432 p.
- Peterson, R. T., 1990. A Field Guide to Western Birds. Houghton Mifflin Company, Boston, Massachusetts.
- Sawyer, J. O., and T. Keeler-Wolf, 1995. A Manual of California Vegetation. California Native Plant Society. Fresno, California.
- Sibley, D.A., 2003. National Audubon Society: The Sibley Field Guide to Birds of Western North America. Alfred A. Knopf, Inc., New York, New York.
- Stebbins, R.C., 2003. A Field Guide to Western Reptiles and Amphibians, 3rd ed. Houghton Mifflin, Boston, Massachusetts.

U.S. Fish and Wildlife Service (USFWS), 2010. Federal Endangered and Threatened Species that Occur In or may be Affected by Projects on the Penon Banco Peak USGS 7.5 Topographic Quadrangle. Available at: http://www.fws.gov/sacramento/es/spp_list.htm. Accessed on January 15, 2010.

ATTACHMENTS

ATTACHMENT 1

USFWS, CNDDDB, AND CNPS LIST

U.S. Fish & Wildlife Service Sacramento Fish & Wildlife Office Federal Endangered and Threatened Species that Occur in or may be Affected by Projects in the Counties and/or U.S.G.S. 7 1/2 Minute Quads you requested
Document Number: 100115040441 Database Last Updated: December 1, 2009 -----

Quad Lists Listed Species

Invertebrates * *Desmocerus californicus dimorphus* o valley elderberry longhorn beetle (T)

Fish * *Hypomesus transpacificus* o delta smelt (T) * *Oncorhynchus mykiss* o Central Valley steelhead (T) (NMFS) * *Oncorhynchus tshawytscha* o Central Valley spring-run chinook salmon (T) (NMFS) o winter-run chinook salmon, Sacramento River (E) (NMFS)

Amphibians * *Ambystoma californiense* o California tiger salamander, central population (T) * *Rana aurora draytonii* o California red-legged frog (T)

Mammals * *Vulpes macrotis mutica* o San Joaquin kit fox (E) Quads Containing Listed, Proposed or Candidate Species:

PENON BLANCO PEAK (440A) ----- County Lists

Mariposa County Listed Species

Invertebrates * *Branchinecta conservatio* o Critical habitat, Conservancy fairy shrimp (X) * *Branchinecta lynchi* o Critical habitat, vernal pool fairy shrimp (X) o vernal pool fairy shrimp (T) * *Desmocerus californicus dimorphus* o valley elderberry longhorn beetle (T) * *Lepidurus packardii* o Critical habitat, vernal pool tadpole shrimp (X) ‘

Fish * *Oncorhynchus mykiss* o Central Valley steelhead (T) (NMFS)

Amphibians * *Ambystoma californiense* o California tiger salamander, central population (T) o Critical habitat, CA tiger salamander, central population (X) * *Rana aurora draytonii* o California red-legged frog (T)

Plants * *Calyptidium pulchellum* o Mariposa pussy-paws (T) * *Castilleja campestris* ssp. *succulenta* o Critical habitat, succulent (=fleshy) owl's-clover (X) o succulent (=fleshy) owl's-clover (T) * *Neostapfia colusana* o Critical habitat, Colusa grass (X) * *Orcuttia inaequalis* o Critical habitat, San Joaquin Valley Orcutt grass (X) * *Orcuttia pilosa* o Critical habitat, hairy Orcutt grass (X) * *Tuctoria greenei* o Critical habitat, Greene's tuctoria (=Orcutt grass) (X) Candidate Species

Amphibians * *Bufo canorus* o Yosemite toad (C) * *Rana muscosa* o mountain yellow-legged frog (C)

Mammals * *Martes pennanti* o fisher (C)

Key: * (E) Endangered - Listed as being in danger of extinction. * (T) Threatened - Listed as likely to become endangered within the foreseeable future. * (P) Proposed - Officially proposed in the Federal Register for listing as endangered or threatened. * (NMFS) Species under the Jurisdiction of the National Oceanic & Atmospheric Administration Fisheries Service . Consult with them directly about these species. * Critical Habitat - Area essential to the conservation of a species. * (PX) Proposed Critical Habitat - The species is already listed. Critical habitat is being proposed for it. * (C) Candidate - Candidate to become a proposed species. * (V) Vacated by a court order. Not currently in effect. Being reviewed by the Service. * (X) Critical Habitat designated for this species
Important Information About Your Species List How We Make Species Lists We store information about endangered and threatened species lists by U.S. Geological Survey 7½ minute quads. The United States is divided into these quads, which are about the size of San Francisco. The animals on your species list are ones that occur within, or may be affected by projects within, the quads covered by the list. * Fish and other aquatic species appear on your list if they are in the same watershed as your quad or if water use in your quad might affect them. * Amphibians will be on the list for a quad or county if pesticides applied in that area may be carried to their habitat by air currents. * Birds are shown regardless of whether they are resident or migratory. Relevant birds on the county list should be considered regardless of whether they appear on a quad list. Plants Any plants on your list are ones that have actually been observed in the area covered by the list. Plants may exist in an area without ever having been detected there. You can find out what's in the surrounding quads through the California Native Plant Society's online Inventory of Rare and Endangered Plants . Surveying Some of the species on your list may not be affected by your project. A trained biologist and/or botanist, familiar with the habitat requirements of the species on your list, should determine whether they or habitats suitable for them may be affected by your project. We recommend that your surveys include any proposed and candidate species on your list. See our Protocol <./protocol.htm> and Recovery Permits <./recovery_permits.htm> pages. For plant surveys, we recommend using the Guidelines for Conducting and Reporting Botanical Inventories <./documents/listed_plant_survey_guidelines.htm>. The results of your surveys should be published in any environmental documents prepared for your project. Your Responsibilities Under the Endangered Species Act All animals identified as listed above are fully protected under the Endangered Species Act of 1973, as amended. Section 9 of the Act and its implementing regulations prohibit the take of a federally listed wildlife species. Take is defined by the Act as "to harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or

collect" any such animal. Take may include significant habitat modification or degradation where it actually kills or injures wildlife by significantly impairing essential behavioral patterns, including breeding, feeding, or shelter (50 CFR Â§17.3). Take incidental to an otherwise lawful activity may be authorized by one of two procedures: * If a Federal agency is involved with the permitting, funding, or carrying out of a project that may result in take, then that agency must engage in a formal consultation <./consultations.htm> with the Service. * During formal consultation, the Federal agency, the applicant and the Service work together to avoid or minimize the impact on listed species and their habitat. Such consultation would result in a biological opinion by the Service addressing the anticipated effect of the project on listed and proposed species. The opinion may authorize a limited level of incidental take. * If no Federal agency is involved with the project, and federally listed species may be taken as part of the project, then you, the applicant, should apply for an incidental take permit. The Service may issue such a permit if you submit a satisfactory conservation plan for the species that would be affected by your project. * Should your survey determine that federally listed or proposed species occur in the area and are likely to be affected by the project, we recommend that you work with this office and the California Department of Fish and Game to develop a plan that minimizes the project's direct and indirect impacts to listed species and compensates for project-related loss of habitat. You should include the plan in any environmental documents you file.

Critical Habitat When a species is listed as endangered or threatened, areas of habitat considered essential to its conservation may be designated as critical habitat. These areas may require special management considerations or protection. They provide needed space for growth and normal behavior; food, water, air, light, other nutritional or physiological requirements; cover or shelter; and sites for breeding, reproduction, rearing of offspring, germination or seed dispersal. Although critical habitat may be designated on private or State lands, activities on these lands are not restricted unless there is Federal involvement in the activities or direct harm to listed wildlife. If any species has proposed or designated critical habitat within a quad, there will be a separate line for this on the species list. Boundary descriptions of the critical habitat may be found in the Federal Register. The information is also reprinted in the Code of Federal Regulations (50 CFR 17.95). See our Map Room <./maps.htm> page.

Candidate Species We recommend that you address impacts to candidate species. We put plants and animals on our candidate list when we have enough scientific information to eventually propose them for listing as threatened or endangered. By considering these species early in your planning process you may be able to avoid the problems that could develop if one of these candidates was listed before the end of your project.

Species of Concern The Sacramento Fish & Wildlife Office no longer maintains a list of species of concern. However, various other agencies and organizations maintain lists of at-risk species. These lists provide essential information for land management planning and conservation efforts. More info <./spp_concern.htm>

Wetlands If your project will impact wetlands, riparian habitat, or other jurisdictional waters as defined by section 404 of the Clean Water Act and/or section 10 of the Rivers and Harbors Act, you will need to obtain a permit from the U.S. Army Corps of Engineers. Impacts to wetland habitats require site specific mitigation and monitoring. For questions regarding wetlands, please contact Mark Littlefield of this office at (916) 414-6580.

Updates Our database is constantly updated as species are proposed, listed and delisted. If you address proposed and candidate species in your planning, this should not be a problem. However, we recommend that you get an updated list every 90 days. That would be April 15, 2010.

California Department of Fish and Game
 Natural Diversity Database

Penon Blanco Peak Quad and Eight Surrounding Quads

Scientific Name	Common Name	Element Code	Federal Status	State Status	Global Rank	State Rank	CNPS	CDFG
1 <i>Actinemys marmorata</i>	western pond turtle	ARAAD02030			G3G4	S3		SC
2 <i>Agelaius tricolor</i>	tricolored blackbird	ABPBXB0020			G2G3	S2		SC
3 <i>Allium tuolumnense</i>	Rawhide Hill onion	PMLIL022W0			G2	S2.2	1B.2	
4 <i>Ambystoma californiense</i>	California tiger salamander	AAAAA01180	Threatened	unknown code...	G2G3	S2S3		SC
5 <i>Antrozous pallidus</i>	pallid bat	AMACC10010			G5	S3		SC
6 <i>Balsamorhiza macrolepis</i> var. <i>macrolepis</i>	big-scale balsamroot	PDAST11061			G3G4T2	S2.2	1B.2	
7 <i>Banksia tuolumne</i>	Tuolumne cave harvestman	ILARA14090			G1	S1		
8 <i>Branchinecta lynchi</i>	vernal pool fairy shrimp	ICBRA03030	Threatened		G3	S2S3		
9 <i>Brodiaea pallida</i>	Chinese Camp brodiaea	PMLIL0C0C0	Threatened	Endangered	G1	S1.1	1B.1	
10 <i>Calycadenia hooveri</i>	Hoover's calycadenia	PDAST1P040			G2	S2.2	1B.3	
11 <i>Castilleja campestris</i> ssp. <i>succulenta</i>	succulent owl's-clover	PDSCR0D3Z1	Threatened	Endangered	G4?T2	S2.2	1B.2	
12 <i>Chlorogalum grandiflorum</i>	Red Hills soaproot	PMLIL0G020			G2	S2	1B.2	
13 <i>Circus cyaneus</i>	northern harrier	ABNKC11010			G5	S3		SC
14 <i>Clarkia australis</i>	Small's southern clarkia	PDONA05040			G2	S2.2	1B.2	
15 <i>Clarkia biloba</i> ssp. <i>australis</i>	Mariposa clarkia	PDONA05051			G4G5T2	S2.2	1B.2	
16 <i>Clarkia rostrata</i>	beaked clarkia	PDONA050Y0			G2	S2.1	1B.3	
17 <i>Cryptantha mariposae</i>	Mariposa cryptantha	PDBOR0A1Q0			G2	S2.3	1B.3	
18 <i>Dipodomys heermanni dixonii</i>	Merced kangaroo rat	AMAFD03062			G3G4T2T3	S2S3		
19 <i>Downingia pusilla</i>	dwarf downingia	PDCAM060C0			G3	S3.1	2.2	
20 <i>Eryngium pinnatisectum</i>	Tuolumne button-celery	PDAP10Z0P0			G3	S3.2	1B.2	
21 <i>Eryngium spinosepalum</i>	spiny-sepaled button-celery	PDAP10Z0Y0			G2	S2.2	1B.2	
22 <i>Eumops perotis californicus</i>	western mastiff bat	AMACD02011			G5T4	S3?		SC
23 <i>Falco mexicanus</i>	prairie falcon	ABNKD06090			G5	S3		
24 <i>Fritillaria agrestis</i>	stinkbells	PMLIL0V010			G3	S3.2	4.2	
25 <i>Haliaeetus leucocephalus</i>	bald eagle	ABNKC10010	Delisted	Endangered	G5	S2		
26 <i>Horkelia parryi</i>	Parry's horkelia	PDROS0W0C0			G2	S2.2	1B.2	
27 <i>Hydromantes brunus</i>	limestone salamander	AAAAD09010		Threatened	G1	S1		
28 <i>Icteria virens</i>	yellow-breasted chat	ABPBX24010			G5	S3		SC
29 <i>Juncus nodosus</i>	knotted rush	PMJUN01210			G5	S2.3	2.3	
30 <i>Lasiurus blossevillii</i>	western red bat	AMACC05060			G5	S3?		SC
31 <i>Lasiurus cinereus</i>	hoary bat	AMACC05030			G5	S4?		
32 <i>Lavinia symmetricus</i> ssp. 1	San Joaquin roach	AFCJB19021			G5T3Q	S3		SC
33 <i>Lavinia symmetricus</i> ssp. 3	Red Hills roach	AFCJB19028			G5T1	S1		SC

California Department of Fish and Game
 Natural Diversity Database
 Penon Blanco Peak Quad and Eight Surrounding Quads

Scientific Name	Common Name	Element Code	Federal Status	State Status	Global Rank	State Rank	CNPS	CDFG
34 <i>Linderiella occidentalis</i>	California linderiella	ICBRA06010			G3	S2S3		
35 <i>Lomatium congdonii</i>	Congdon's tomatium	PDAP11B0B0			G2	S2.2	1B.2	
36 <i>Lupinus spectabilis</i>	shaggyhair lupine	PDFAB2B3P0			G2	S2.2	1B.2	
37 <i>Mimulus filicaulis</i>	slender-stemmed monkeyflower	PDSCR1B150			G2	S2.2	1B.2	
38 <i>Mimulus pulchellus</i>	yellow-lip pansy monkeyflower	PDSCR1B280			G2G3	S2S3.2	1B.2	
39 <i>Monadenia circumcarinata</i>	keeled sideband	IMGASC7020			G1	S1		
40 <i>Monadenia mormonum hirsuta</i>	hirsute Sierra sideband	IMGASC7072			G1G2T1	S1		
41 <i>Monadenia yosemitensis</i>	Yosemite Mariposa sideband	IMGASZ3010			G1	S1		
42 <i>Monardella leucocephala</i>	Merced monardella	PDLAM180C0			GH	SH	1A	
43 <i>Mylopharodon conocephalus</i>	hardhead	AFCJB25010			G3	S3		SC
44 <i>Myotis volans</i>	long-legged myotis	AMACC01110			G5	S4?		
45 <i>Myotis yumanensis</i>	Yuma myotis	AMACC01020			G5	S4?		
46 <i>Packera layneae</i>	Layne's ragwort	PDAST8H1V0	Threatened	Rare	G2	S2.1	1B.2	
47 <i>Pandion haliaetus</i>	osprey	ABNKC01010			G5	S3		
48 <i>Perognathus inornatus inornatus</i>	San Joaquin pocket mouse	AMAFD01061			G4T2T3	S2S3		
49 <i>Pseudobahia bahiifolia</i>	Hartweg's golden sunburst	PDAST7P010	Endangered	Endangered	G2	S2.1	1B.1	
50 <i>Rana boylei</i>	foothill yellow-legged frog	AAABH01050			G3	S2S3		SC
51 <i>Senecio cleavelandii</i> var. <i>heterophyllus</i>	Red Hills ragwort	PDAST8H0R2			G4?T2Q	S2.2	1B.2	
52 <i>Strix nebulosa</i>	great gray owl	ABNSB12040		Endangered	G5	S1		
53 <i>Stygobromus harai</i>	Hara's Cave amphipod	ICMAL05470			G1G2	S1S2		
54 <i>Taxidea taxus</i>	American badger	AMAJF04010			G5	S4		SC
55 <i>Verbena californica</i>	Red Hills vervain	PDVER0N050	Threatened	Threatened	G2	S2.1	1B.1	
56 <i>Vulpes macrotis mutica</i>	San Joaquin kit fox	AMAJA03041	Endangered	Threatened	G4T2T3	S2S3		

Regionally Occurring Plant List for Species Known to Occur on the Penon Blanco Peak and Eight Surrounding Quadrangles

Scientific Name/Common Name	Family	Life Form	Federal/State/CNPS Status	Counties	Habitat Requirements	Blooming Period	Elevation Range (meters)	Potential to Occur
<i>Allium tuolumnense</i> Rawhide Hill onion	Liliaceae	perennial bulbiferous herb	--/--/1B	Known from Tuolumne County (CNPS, 2010).	Cismontane woodland (serpentine)	Mar-May	300-600	No. The project site is outside of geographical distribution and does not provide habitat for this species. Yes. See text.
<i>Balsamorhiza macrolepis</i> var. <i>macrolepis</i> big scale balsamroot	Asteraceae	perennial herb	--/--/1B	Known from Alameda, Butte, Colusa, El Dorado, Lake, Mariposa, Napa, Placer, Santa Clara, Solano, Sonoma, Tehama counties (CNPS, 2010).	Chaparral, cismontane woodland, Valley and foothill grassland/sometimes serpentine	Mar-Jun	90-1,555	
<i>Brodiaea pallida</i> Chinese Camp brodiaea	Liliaceae	perennial bulbiferous herb	FT/CE/1B	Known from Calaveras and Tuolumne counties (CNPS, 2010).	Cismontane woodland, Valley and foothill grassland/vernal streambeds, often serpentine	May-Jun	385-385	No. The project site is outside of geographical distribution for this species.
<i>Calycadenia hooveri</i> Hoover's calycadenia	Asteraceae	annual herb	--/--/1B	Known from Calaveras, Madera, Merced, Mariposa, and Stanislaus counties (CNPS, 2010).	Cismontane woodland, Valley and foothill grassland/rocky	Jul-Sep	65-300	No. The project site is outside of the known elevation range for this species.
<i>Castilleja campestris</i> ssp. <i>succulenta</i> succulent owl's-clover	Scrophulariaceae	annual herb hemiparasitic	FT/CE/1B	Known from Fresno, Madera, Merced, Mariposa, San Joaquin, and Stanislaus counties (CNPS, 2010).	Vernal pools (often acidic)	Apr-May	50-750	No. The project site does not provide habitat for this species.
<i>Chlorogalum grandiflorum</i> Red Hills soaproot	Liliaceae	perennial bulbiferous herb	--/--/1B	Known from Amador, Calaveras, El Dorado, Placer, and Tuolumne counties (CNPS, 2010).	Chaparral, Cismontane woodland, Lower montane coniferous forest/serpentine, gabbroic and other soils	May-Jun	245-1,240	No. The project site is outside of the geographical distribution and does not provide habitat for this species.
<i>Clarkia biloba</i> ssp. <i>australis</i> Mariposa clarkia	Onagraceae	annual herb	--/--/1B	Known from El Dorado, Mariposa, and Tuolumne counties (CNPS, 2010).	Chaparral, Cismontane woodland/serpentine	May-Jul	300-985	No. The project site does not provide habitat for this species.

<i>Clarkia rostrata</i> beaked clarkia	Onagraceae	annual herb	--/--/1B	Known from Merced, Mariposa, Stanislaus, and Tuolumne counties (CNPS, 2010).	Cismontane woodland, Valley and foothill grassland	Apr-May	60-500	No. The project site does not provide habitat for this species.
<i>Cryptantha mariposae</i> Mariposa cryptantha	Boraginaceae	annual herb	--/--/1B	Known from Calaveras, Mariposa, Stanislaus, and Tuolumne counties (CNPS, 2010).	Chaparral (serpentine, rocky)	Apr-Jun	200-650	No. The project site does not provide habitat for this species.
<i>Downingia pusilla</i> dwarf downingia	Campanulaceae	annual herb	--/--/2	Known from Fresno, Merced, Napa, Placer, Sacramento, San Joaquin, Solano, Sonoma, Stanislaus, Tehama, and Yuba counties in California and in South America (CNPS, 2010).	Valley and foothill grassland (mesic), Vernal pools	Mar-May	1-445	No. The project site is outside of geographical distribution for this species.
<i>Eryngium pinnatifidum</i> Tuolumne button-celery	Apiaceae	annual/perennial herb	--/--/1B	Known from Amador, Calaveras, Sacramento, Sonoma, and Tuolumne counties (CNPS, 2010).	Cismontane woodland, Lower montane coniferous forest, Vernal pools/mesic	May-Aug	70-915	No. The project site is outside of geographical distribution and does not provide habitat for this species.
<i>Eryngium spinosepalum</i> spiny-sepaled button-celery	Apiaceae	annual/perennial herb	--/--/1B	Known from Fresno, Madera, Merced, Stanislaus, Tulare, and Tuolumne counties (CNPS, 2010).	Valley and foothill grassland, Vernal pools	Apr-May	80-255	No. The project site is outside of the geographical distribution and the elevation range for this species.
<i>Horkelia parryi</i> Parry's horkelia	Rosaceae	perennial herb	--/--/1B	Known from Amador, Calaveras, El Dorado, and Mariposa counties (CNPS, 2010).	Chaparral, Cismontane woodland/loam formation and other soils	Apr-Sep	80-1,035	No. The project site does not provide habitat for this species.
<i>Juncus nodosus</i> knotted rush	Juncaceae	perennial rhizomatous herb	--/--/2	Known from Inyo, San Bernardino, Stanislaus, and Tulare (TUL) counties (CNPS, 2010).	Meadows and seeps (mesic), Marshes and swamps (lake margins)	Jul-Sep	30-1,980	No. The project site is outside of the geographical distribution and does not provide habitat for this species.
<i>Lomatium congdonii</i> Congdon's lomatium	Apiaceae	perennial herb	--/--/1B	Calaveras, Mariposa*, and Tuolumne counties (CNPS, 2010).	Chaparral, Cismontane woodland/serpentine	Mar-Jun	300-2,100	No. The project site is outside of geographical distribution and does not provide habitat for this species.

<i>Lupinus spectabilis</i> shaggyhair lupine	Fabaceae	annual herb	--/--/1B	Known from Mariposa and Tuolumne counties (CNPS, 2010).	Chaparral, Cismontane woodland/serpentine	Apr-May	260-825	No. The project site does not provide habitat for this species.
<i>Minulus filicaulis</i> slender-stemmed monkeyflower	Scrophulariaceae	annual herb	--/--/1B	Known from Mariposa and Tuolumne counties (CNPS, 2010).	Cismontane woodland, Lower montane coniferous forest, Meadows and seeps, Upper montane coniferous forest/vernal mesic	Apr-Aug	900	No. The project site does not provide habitat for this species.
<i>Minulus pulchellus</i> yellow-lip pansy monkeyflower	Scrophulariaceae	annual herb	--/--/1B	Known from Calaveras, Mariposa, and Tuolumne counties (CNPS, 2010).	Lower montane coniferous forest, Meadows and seeps/vernal mesic, often disturbed areas, clay	Apr-Jul	600-2,000	No. The project site does not provide habitat for this species.
<i>Monardella leucoccephala</i> Merced monardella	Lamiaceae	annual herb	--/--/1A	Known from Merced* and Stanislaus* counties (CNPS, 2010).	Valley and foothill grassland(sandy, mesic)	May-Aug	35	No. The project site is outside of geographical distribution for this species.
<i>Packera layneae</i> Layne's ragwort	Asteraceae	perennial herb	--/--/1B	Known from Butte, El Dorado, Tuolumne, and Yuba counties (CNPS, 2010).	Chaparral, Cismontane woodland/serpentine or gabbroic, rocky	Apr-Aug	200	No. The project site is outside of geographical distribution and elevation range and does not provide habitat for this species.
<i>Pseudobalia baltifolia</i> Hartweg's golden sunburst	Asteraceae	annual shrub	--/--/1B	Known from El Dorado, Fresno, Madera, Merced, Stanislaus, Tuolumne, and Yuba* counties (CNPS, 2010).	Cismontane woodland, Valley and foothill grassland/clay, often acidic	Mar-Apr	15-150	No. The project site is outside of geographical distribution for this species.
<i>Senecio clevelandii</i> var. <i>heterophyllus</i> Red Hills ragwort	Asteraceae	perennial herb	--/--/1B	Known from Tuolumne County (CNPS, 2010).	Cismontane woodland(sepentine seeps)	Jun-Jul	260-385	No. The project site is outside of the geographical distribution and does not provide habitat for this species.
<i>Verbena californica</i> Red Hills vervain	Verbenaceae	perennial herb	--/--/1B	Known from Tuolumne County (CNPS, 2010).	Cismontane woodland, Valley and foothill grassland/mesic, usually serpentine seeps or creeks	May-Sep	260	No. The project site is outside of the geographical distribution and the elevation range for this species.

ATTACHMENT 2

REGIONALLY OCCURRING SPECIAL-STATUS SPECIES TABLE

ATTACHMENT 2
FEDERAL, STATE, AND CNPS POTENTIALLY OCCURRING SPECIAL-STATUS SPECIES

SCIENTIFIC NAME COMMON NAME	FEDERAL/ STATE/ CNPS STATUS	DISTRIBUTION	HABITAT REQUIREMENTS	PERIOD OF IDENTIFICATION	POTENTIAL TO OCCUR ON-SITE
Plants					
<i>Allium tuolumneense</i> Rawhide Hill onion	--/--/1B	Known from Tuolumne County (CNPS, 2010).	Found in cismontane woodland, occasionally on serpentinite soils, from 300 to 600 meters (CNPS, 2010).	Mar-May	No. The study area is outside of geographical distribution and does not provide habitat for this species. Yes. See text.
<i>Balsamorhiza macrolepis</i> var. <i>macrolepis</i> big scale balsamroot	--/--/1B	Known from Alameda, Butte, Colusa, El Dorado, Lake, Mariposa, Napa, Placer, Santa Clara, Solano, Sonoma, Tehama counties (CNPS, 2010).	Found in chaparral, cismontane woodland, Valley and foothill grassland, sometimes on serpentinite, from 90 to 1,555 meters (CNPS, 2010).	Mar-Jun	
<i>Brodiaea pallida</i> Chinese Camp brodiaea	FT/CE/1B	Known from Calaveras and Tuolumne counties (CNPS, 2010).	Found in vernal streambeds, which are often serpentinite, in cismontane woodland, and valley and foothill grassland at about 385 meters (CNPS, 2010).	May-Jun	No. The study area is outside of geographical distribution for this species.
<i>Calycadenia hooveri</i> Hoover's calycadenia	--/--/1B	Known from Calaveras, Madera, Merced, Mariposa, and Stanislaus counties (CNPS, 2010).	Found on rocky soils in cismontane woodland, and valley and foothill grassland from 65 to 300 meters (CNPS, 2010).	Jul-Sep	No. The study area is outside of the known elevation range for this species.
<i>Castilleja campestris</i> ssp. <i>succulenta</i> succulent owl's-clover	FT/CE/1B	Known from Fresno, Madera, Merced, Mariposa, San Joaquin, and Stanislaus counties (CNPS, 2010).	Found in vernal pools, which are often acidic, from 50 to 750 meters (CNPS, 2010).	Apr-May	No. The study area does not provide habitat for this species.
<i>Chlorogalum grandiflorum</i> Red Hills soaproot	--/--/1B	Known from Amador, Calaveras, El Dorado, Placer, and Tuolumne counties (CNPS, 2010).	Found on serpentinite, gabbroic and other soils in chaparral, cismontane woodland, and lower montane coniferous forest from 245 to 1,240 meters (CNPS, 2010).	May-Jun	No. The study area is outside of the geographical distribution and does not provide habitat for this species.
<i>Clarkia biloba</i> ssp. <i>australis</i> Mariposa clarkia	--/--/1B	Known from El Dorado, Mariposa, and Tuolumne counties (CNPS, 2010).	Found on serpentinite soils in chaparral and cismontane woodland from 300 to 985 meters (CNPS, 2010).	May-Jul	No. The study area does not provide habitat for this species.
<i>Clarkia rostrata</i> beaked clarkia	--/--/1B	Known from Merced, Mariposa, Stanislaus, and Tuolumne counties (CNPS, 2010).	Found in cismontane woodland, and valley and foothill grassland from 60 to 500 meters (CNPS, 2010).	Apr-May	No. The study area does not provide habitat for this species.

SCIENTIFIC NAME COMMON NAME	FEDERAL/ STATE/ CNPS STATUS	DISTRIBUTION	HABITAT REQUIREMENTS	PERIOD OF IDENTIFICATION	POTENTIAL TO OCCUR ON-SITE
<i>Cryptantha mariposae</i> Mariposa cryptantha	--/1/1B	Known from Calaveras, Mariposa, Stanislaus, and Tuolumne counties (CNPS, 2010).	Found in chaparral, occasionally on serpentinite, rocky soils, from 200 to 650 meters (CNPS, 2010).	Apr-Jun	No. The study area does not provide habitat for this species.
<i>Downingia pusilla</i> dwarf downingia	--/1/2	Known from Fresno, Merced, Napa, Placer, Sacramento, San Joaquin, Solano, Sonoma, Stanislaus, Tehama, and Yuba counties in California and in South America (CNPS, 2010).	Found in valley and foothill grassland that are occasionally mesic, and vernal pools, from 1 to 445 meters (CNPS, 2010).	Mar-May	No. The study area is outside of geographical distribution for this species.
<i>Eryngium pinnatisectum</i> Tuolumne button-celery	--/1/1B	Known from Amador, Calaveras, Sacramento, Sonoma, and Tuolumne counties (CNPS, 2010).	Found in mesic areas in cismontane woodland, lower montane coniferous forest, and vernal pools from 70 to 915 meters (CNPS, 2010).	May-Aug	No. The study area is outside of geographical distribution and does not provide habitat for this species.
<i>Eryngium spinosepalum</i> spiny-sepal button-celery	--/1/1B	Known from Fresno, Madera, Merced, Stanislaus, Tulare, and Tuolumne counties (CNPS, 2010).	Found in valley and foothill grassland and vernal pools from 80 to 255 meters (CNPS, 2010).	Apr-May	No. The study area is outside of the geographical distribution and the elevation range for this species.
<i>Horkelia parryi</i> Parry's horkelia	--/1/1B	Known from Amador, Calaveras, El Dorado, and Mariposa counties (CNPS, 2010).	Found on igneous formation and other soils in chaparral and cismontane woodland from 80 to 1,035 meters (CNPS, 2010).	Apr-Sep	No. The study area does not provide habitat for this species.
<i>Juncus nodosus</i> knotted rush	--/1/2	Known from Inyo, San Bernardino, Stanislaus, and Tulare (TUL) counties (CNPS, 2010).	Found in meadows and seeps, which are occasionally mesic, and marshes and swamps, occasionally along the lake margins, from 30 to 1,980 meters (CNPS, 2010).	Jul-Sep	No. The study area is outside of the geographical distribution and does not provide habitat for this species.
<i>Longium congdonii</i> Congdon's lomatium	--/1/1B	Calaveras, Mariposa*, and Tuolumne counties (CNPS, 2010).	Found on serpentinite soils in chaparral and cismontane woodland from 300 to 2,100 meters (CNPS, 2010).	Mar-Jun	No. The study area is outside of geographical distribution and does not provide habitat for this species.
<i>Lupinus spectabilis</i> shaggyhair lupine	--/1/1B	Known from Mariposa and Tuolumne counties (CNPS, 2010).	Found on serpentinite in chaparral and cismontane woodland from 260 to 825 meters (CNPS, 2010).	Apr-May	No. The study area does not provide habitat for this species.

SCIENTIFIC NAME COMMON NAME	FEDERAL/ STATE/ CNPS STATUS	DISTRIBUTION	HABITAT REQUIREMENTS	PERIOD OF IDENTIFICATION	POTENTIAL TO OCCUR ON-SITE
<i>Mimulus filicaulis</i> slender-stemmed monkeyflower	--/--/IB	Known from Mariposa and Tuolumne counties (CNPS, 2010).	Found in vernal mesic areas in cismontane woodland, lower montane coniferous forest, meadows and seeps, and upper montane coniferous forest from 900 to 1,750 meters (CNPS, 2010).	Apr-Aug	No. The study area does not provide habitat for this species.
<i>Mimulus pulchellus</i> yellow-lip pansy monkeyflower	--/--/IB	Known from Calaveras, Mariposa, and Tuolumne counties (CNPS, 2010).	Found in vernal mesic, often disturbed areas, on clay, in lower montane coniferous forest and meadows and seeps from 600 to 2,000 meters (CNPS, 2010).	Apr-Jul	No. The study area does not provide habitat for this species.
<i>Monardella leucocephala</i> Merced monardella	--/--/IA	Known from Merced* and Stanislaus* counties (CNPS, 2010).	Found in valley and foothill grassland, which are occasionally sandy, mesic, from 35 to 100 meters (CNPS, 2010).	May-Aug	No. The study area is outside of geographical distribution for this species.
<i>Packera layneae</i> Layne's ragwort	--/--/IB	Known from Butte, El Dorado, Tuolumne, and Yuba counties (CNPS, 2010).	Found on serpentine or gabbroic, rocky, soils in chaparral and cismontane woodland from 200 to 1,000 meters (CNPS, 2010).	Apr-Aug	No. The study area is outside of geographical distribution and elevation range and does not provide habitat for this species.
<i>Pseudobahia bahiifolia</i> Hartweg's golden sunburst	--/--/IB	Known from El Dorado, Fresno, Madera, Merced, Stanislaus, Tuolumne, and Yuba* counties (CNPS, 2010).	Found on clay, which is often acidic, in cismontane woodland and valley and foothill grassland from 15 to 150 meters (CNPS, 2010).	Mar-Apr	No. The study area is outside of geographical distribution for this species.
<i>Senecio clevelandii</i> var. <i>heterophyllus</i> Red Hills ragwort	--/--/IB	Known from Tuolumne County (CNPS, 2010).	Found in cismontane woodland, occasionally in serpentine seeps, from 260 to 385 meters (CNPS, 2010).	Jun-Jul	No. The study area is outside of the geographical distribution and does not provide habitat for this species.
<i>Verbena californica</i> Red Hills vervain	--/--/IB	Known from Tuolumne County (CNPS, 2010).	Found on mesic, usually serpentine seeps or creeks, in cismontane woodland and valley and foothill grassland from 260 to 400 meters (CNPS, 2010).	May-Sep	No. The study area is outside of the geographical distribution and the elevation range for this species.
Animals					
Invertebrates					

SCIENTIFIC NAME COMMON NAME	FEDERAL/ STATE/ CNPS STATUS	DISTRIBUTION	HABITAT REQUIREMENTS	PERIOD OF IDENTIFICATION	POTENTIAL TO OCCUR ON-SITE
<i>Branchinecta lynchi</i> vernal pool fairy shrimp	FT/--/--	Known across the Central Valley and Coast Ranges of California. Countries include Alameda, Butte, Contra Costa, Colusa, El Dorado, Fresno, Glenn, Kings, Lake, Los Angeles, Madera, Merced, Monterey, Napa, Placer, Sacramento, San Benito, San Joaquin, San Luis Obispo, Santa Barbara, Shasta, Solano, Stanislaus, Tehama, Tulare, Riverside, and Yuba. Also occurs in southern Oregon (Erikson and Belk, 1999).	Ephemeral wetland habitats and vernal pools within sandstone, alkaline soils, and alluvial fan terraces, within annual grassland and pine forests from 10 to 1,700 meters (Erikson and Belk, 1999).	Wet season: typically December – May (adults) Dry season: typically June- November (cysts)	No. The study area does not provide habitat for this species.
Fishes					
<i>Lavinia symmetricus</i> ssp. 1 San Joaquin roach	--/CSC/--	Occurs in tributaries to the San Joaquin River from the Cosumnes River south (Moyle et al., 1995).	Predominately found in small warm streams but are capable of thriving in larger colder streams with diverse conditions. Spawns in March through early July. Breeds in gravel beds or riffles (Moyle et al., 1995).	Consult Agency	No. The study area does not provide habitat for this species.
<i>Lavinia symmetricus</i> ssp. 3 Red Hills roach	--/CSC/--	Occurs in Horton Creek and other small streams near Sonora (Moyle et al., 1995).	Predominately found in small warm streams but are capable of thriving in larger colder streams with diverse conditions. Spawns in March through early July. Breeds in gravel beds or riffles (Moyle et al., 1995).	Consult Agency	No. The study area does not provide habitat for this species.
<i>Mylopharodon conocephalus</i> hardhead		In North America, known from the Sacramento-San Joaquin and Russian River drainages in California (Page and Burr, 1991).	Inhabits deep, rocky, and sandy pools of small to large rivers (Page and Burr, 1991).	Consult Agency	No. The study area does not provide habitat for this species.
Amphibians					

SCIENTIFIC NAME COMMON NAME	FEDERAL/ STATE/ CNPS STATUS	DISTRIBUTION	HABITAT REQUIREMENTS	PERIOD OF IDENTIFICATION	POTENTIAL TO OCCUR ON-SITE
<i>Ambystoma californiense</i> California tiger salamander Central population	FT/CSC/--	Known from Alameda, Butte, Contra Costa, Fresno, Glenn, Kern, Madera, Merced, Monterey, Sacramento, San Benito, San Joaquin, San Luis Obispo, San Mateo, Santa Barbara, Santa Clara, Solano, Sonoma, Stanislaus, Tulare, and Yolo counties. As stated in 50 CFR Part 17, "Although the area between Butte County and the Cosumnes River contains suitable vernal pools and has been surveyed extensively, the species has only been recorded along the southern edge of Sacramento County, south of the Cosumnes River (CNDDDB, 2003).	Occurs in vernal pools, ephemeral wetlands, and seasonal ponds, including constructed stockponds, in grassland and oak savannah plant communities from 3 to 1,054 meters.	November-February (adults) March 15-May15 (larvae)	No. The study area does not provide habitat for this species.
<i>Hydromantes brunus</i> Limestone salamander	--/CT/--	Known along the Merced River from Lake McClure to about 4 miles NE of Briceburg, Mariposa County. Also occurs along the Merced River tributaries including Bear Creek and its feeder creeks, south of Briceburg (CaliforniaHerps.com, 2010).	Inhabits mossy limestone crevices and talus in Grey Pine/Oak/Buckeye/ Chaparral belt of the lower Merced Canyon (CaliforniaHerps.com, 2010).	Rain events in fall, winter, and spring during moderate temperatures	No. The study area does not provide habitat for this species.
<i>Rana boylei</i> Foothill yellow-legged frog	--/CSC/--	Known from northern Oregon west of the Cascades south along the coast to the San Gabriel Mountains, and south along the western side of the Sierra Nevada mountains to Kern county; known populations from Lake County.	Found in woodland, chaparral, and forests associated with slow and gravelly streams and rivers.	March - June (breeding) July - September (non-breeding)	No. The study area does not provide habitat for this species.
Reptiles					
<i>Actinemys marmorata</i> western pond turtle	--/CSC/--	Known along the west coast of North America from southern Washington to northern Baja California, Mexico. Many populations have been extirpated and others continue to decline throughout the range, especially in southern California.	Requires aquatic habitats with suitable basking sites. Nest sites most often characterized as having gentle slopes (<15%) with little vegetation or sandy banks.	All year	No. The study area does not provide habitat for this species.

SCIENTIFIC NAME COMMON NAME	FEDERAL/ STATE/ CNPS STATUS	DISTRIBUTION	HABITAT REQUIREMENTS	PERIOD OF IDENTIFICATION	POTENTIAL TO OCCUR ON-SITE
Birds <i>Agelaius tricolor</i> tricolored blackbird	--/CSC/--	Restricted to the Central Valley and surrounding foothills, throughout coastal and some inland localities in southern California, and scattered sites in Oregon, western Nevada, central Washington, and western coastal Baja California.	Nests in dense thickets of cattails, tules, willow, blackberry, wild rose, and other tall herbs near fresh water.	All Year	No. The study area does not provide habitat for this species.
<i>Circus cyaneus</i> northern harrier	--/CSC/--	Permanent residents of the northeastern plateau and coastal areas; less common resident of the Central Valley.	Inhabits the coastal scrub, Great Basin grassland, marsh and swamp (coastal and fresh water), riparian scrubs, valley and foothill grassland, and wetlands. Nests on the ground, usually in tall, dense clumps of vegetation, either alone or in loose colonies. Occurs from annual grassland up to lodgepole pine and alpine meadow habitats, as high as 3,000 meters.	All Year	No. The study area does not provide nesting habitat for this species.
<i>Haliaeetus leucocephalus</i> bald eagle	FD/CE/--	Nests in Butte, Lake, Lassen, Modoc, Plumas, Shasta, Siskiyou, Humboldt, and Trinity Counties. Winters throughout most of California.	Found near ocean shorelines, lakes, reservoirs, river systems, and coastal wetlands. Usually less than 2 km to water that offers foraging opportunities. Suitable foraging habitat consists of large bodies of water or rivers with abundant fish and adjacent perching sites such as snags or large trees.	All year	Yes. The study area provides nesting habitat for this species.
<i>Icteria virens</i> yellow-breasted chat	-/CSC/-	Common along western edge of southern deserts, in Santa Clara County and on coastal slope from Monterey County south; uncommon in foothills surrounding the Central Valley. Winters in southern coastal lowlands, Colorado River Valley; and in Northern California in small numbers.	Nests in dense riparian habitats within valley foothill hardwood and valley foothill hardwood-conifer.	March-August	No. The study area does not provide nesting habitat for this species.

SCIENTIFIC NAME COMMON NAME	FEDERAL/ STATE/ CNPS STATUS	DISTRIBUTION	HABITAT REQUIREMENTS	PERIOD OF IDENTIFICATION	POTENTIAL TO OCCUR ON-SITE
<i>Strix nebulosa</i> Great gray owl	--/CE/--	Known throughout Canada. In the U.S., known from Alaska, Washington, Idaho, Montana south through the Cascade and Sierra Nevada ranges to central-eastern California, central-western Nevada, and northwestern Wyoming (Cornell Laboratory of Ornithology, 2010).	In California, prefers pine and fir forests adjacent to montane meadows between 750 and 2,250 meters in California (Cornell Laboratory of Ornithology, 2010).	All Year	No. The study area does not provide habitat for this species.
Mammals					
<i>Antrozous pallidus</i> pallid bat	--/CSC/--	Locally common species at low elevations. It occurs throughout California except for the high Sierra Nevada from Shasta to Kern counties, and the northwestern corner of the state from Del Norte and western Siskiyou counties to northern Mendocino County.	Inhabits grasslands, shrublands, woodlands, and forests from sea level up through mixed conifer forests, generally below 2,000 meters. The species is most common in open, dry habitats with rocky areas for roosting. Roosts also include cliffs, abandoned buildings, bird boxes, and under bridges.	All Year	Yes. See text.
<i>Dipodomys heermanni dixonii</i> Merced kangaroo rat	FE/--/--	Occurs in the hills and valleys east of San Francisco Bay (Hafner, 1998).	Prefers arid or semi-arid habitats with short grasses and open patches of bare ground. Primarily nocturnal species that spends most of the day in burrow systems and emerges at night to forage (Hafner, 1998).	All year	No. The study area does not provide habitat for this species.
<i>Eumops perotis californicus</i> Western mastiff bat	--/CSC/--	From central California, southward to central Mexico. In California, known from Butte County southward in the western lowlands through the southern California coastal basins and the western portions of the southeastern desert region.	Favor rugged, rocky areas where suitable crevices are available for day-roosts. Day-roosts are located in large cracks in exfoliating slabs of granite or sandstone.	All year	Yes. See text.

SCIENTIFIC NAME COMMON NAME	FEDERAL/ STATE/CNPS STATUS	DISTRIBUTION	HABITAT REQUIREMENTS	PERIOD OF IDENTIFICATION	POTENTIAL TO OCCUR ON-SITE
<i>Lasturus blossevillei</i> western red bat	--/CSC/--	Known from Shasta County to the Mexican border, west of the Sierra Nevada/Cascade crest and deserts.	The winter range includes western lowlands and coastal regions south of San Francisco Bay. Roosts in forests and woodlands from sea level up through mixed conifer forests. Roosts primarily in trees (less often in shrubs) along the edge of habitats adjacent to streams, fields, or urban areas. Forages in open areas.	Year Round (spring migrations March to May and autumn migrations September to October)	Yes. See text.
<i>Taxidea taxus</i> American badger	--/CSC/--	Known throughout most of California except in the northern North Coast.	Inhabits drier, open stages of most shrub, forest, and herbaceous habitats with friable soils. Generally associated with treeless regions, prairies, parklands, and cold desert areas.	All Year	Yes. See text.
<i>Vulpes macrotis nutica</i> San Joaquin kit fox	FE/CT/--	Known from Contra Costa and Stanislaus counties south to Kern County (USFWS, 2008).	Found in alkali sink, valley grassland, and foothill woodland. Hunts in areas with low sparse vegetation that allows good visibility and mobility.	All Year	No. The study area does not provide habitat for this species.

STATUS CODES

FEDERAL: United States Fish and Wildlife Service

- FE Federally Endangered
- FT Federally Threatened
- FC Federal Candidate for Listing

STATE: California Department of Fish and Game

- CE California Listed Endangered
- CR California Listed Rare
- CT California Listed Threatened
- CSC California Species of Special Concern
- CFP California Fully-Protected

CNPS: California Native Plant Society

- List 1A Plants Presumed Extinct in California
- List 1B Plants Rare, Threatened, or Endangered in California and Elsewhere
- List 2 Plants Rare, Threatened, or Endangered in California, But More Common Elsewhere
- List 3 Plants About Which We Need More Information- A Review List

SOURCE: California Department of Fish and Game, 2003; CNPS, 2007.

APPENDIX C

CULTURAL RESOURCES TECHNICAL MEMORANDUM

***THE CULTURAL RESOURCES TECHNICAL MEMORANDUM
CONTAINS SENSITIVE AND CONFIDENTIAL INFORMATION AND IS
RETAINED AT THE OFFICES OF FEMA UNDER SEPARATE COVER.
THIS TECHNICAL MEMORANDUM HAS BEEN PRESENTED TO THE
APPROPRIATE REGULATORY AGENCIES RELATING TO THE
CONSULTATION REQUIREMENTS OF THE NATIONAL HISTORIC
PRESERVATION ACT.***

APPENDIX D


ENVIRONMENTAL DATABASE REPORT

Don Pedro Site

9729 Merced Falls Road
La Grange, CA 95329

Inquiry Number: 2690053.1s
February 02, 2010

The EDR Radius Map™ Report with GeoCheck®



440 Wheelers Farms Road
Milford, CT 06461
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	7
Orphan Summary	9
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-5
Physical Setting Source Map	A-9
Physical Setting Source Map Findings	A-10
Physical Setting Source Records Searched	A-16

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2010 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

9729 MERCED FALLS ROAD
LA GRANGE, CA 95329

COORDINATES

Latitude (North): 37.652400 - 37° 39' 8.6"
Longitude (West): 120.311100 - 120° 18' 40.0"
Universal Transverse Mercator: Zone 10
UTM X (Meters): 737216.4
UTM Y (Meters): 4170446.0
Elevation: 1124 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 37120-F3 PENON BLANCO PEAK, CA
Most Recent Revision: 1987

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL..... National Priority List
Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL..... National Priority List Deletions

EXECUTIVE SUMMARY

Federal CERCLIS list

CERCLIS..... Comprehensive Environmental Response, Compensation, and Liability Information System
FEDERAL FACILITY..... Federal Facility Site Information listing

Federal CERCLIS NFRAP site List

CERC-NFRAP..... CERCLIS No Further Remedial Action Planned

Federal RCRA CORRACTS facilities list

CORRACTS..... Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG..... RCRA - Large Quantity Generators
RCRA-SQG..... RCRA - Small Quantity Generators
RCRA-CESQG..... RCRA - Conditionally Exempt Small Quantity Generator

Federal institutional controls / engineering controls registries

US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROL..... Sites with Institutional Controls

Federal ERNS list

ERNS..... Emergency Response Notification System

State- and tribal - equivalent NPL

RESPONSE..... State Response Sites

State- and tribal - equivalent CERCLIS

ENVIROSTOR..... EnviroStor Database

State and tribal landfill and/or solid waste disposal site lists

SWF/LF..... Solid Waste Information System

State and tribal leaking storage tank lists

SLIC..... Statewide SLIC Cases
INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

UST..... Active UST Facilities
AST..... Aboveground Petroleum Storage Tank Facilities
INDIAN UST..... Underground Storage Tanks on Indian Land

EXECUTIVE SUMMARY

FEMA UST..... Underground Storage Tank Listing

State and tribal voluntary cleanup sites

INDIAN VCP..... Voluntary Cleanup Priority Listing
VCP..... Voluntary Cleanup Program Properties

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

ODI..... Open Dump Inventory
DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations
WMUDS/SWAT..... Waste Management Unit Database
SWRCY..... Recycler Database
HAULERS..... Registered Waste Tire Haulers Listing
INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands

Local Lists of Hazardous waste / Contaminated Sites

US CDL..... Clandestine Drug Labs
HIST Cal-Sites..... Historical Calsites Database
SCH..... School Property Evaluation Program
Toxic Pits..... Toxic Pits Cleanup Act Sites
CDL..... Clandestine Drug Labs
US HIST CDL..... National Clandestine Laboratory Register

Local Lists of Registered Storage Tanks

CA FID UST..... Facility Inventory Database
HIST UST..... Hazardous Substance Storage Container Database
SWEEPS UST..... SWEEPS UST Listing

Local Land Records

LIENS 2..... CERCLA Lien Information
LUCIS..... Land Use Control Information System
LIENS..... Environmental Liens Listing
DEED..... Deed Restriction Listing

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System
CHMIRS..... California Hazardous Material Incident Report System
LDS..... Land Disposal Sites Listing
MCS..... Military Cleanup Sites Listing

Other Ascertainable Records

RCRA-NonGen..... RCRA - Non Generators

EXECUTIVE SUMMARY

DOT OPS.....	Incident and Accident Data
DOD.....	Department of Defense Sites
FUDS.....	Formerly Used Defense Sites
CONSENT.....	Superfund (CERCLA) Consent Decrees
ROD.....	Records Of Decision
UMTRA.....	Uranium Mill Tailings Sites
MINES.....	Mines Master Index File
TRIS.....	Toxic Chemical Release Inventory System
TSCA.....	Toxic Substances Control Act
FTTS.....	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
HIST FTTS.....	FIFRA/TSCA Tracking System Administrative Case Listing
SSTS.....	Section 7 Tracking Systems
ICIS.....	Integrated Compliance Information System
PADS.....	PCB Activity Database System
MLTS.....	Material Licensing Tracking System
RADINFO.....	Radiation Information Database
FINDS.....	Facility Index System/Facility Registry System
RAATS.....	RCRA Administrative Action Tracking System
CA BOND EXP. PLAN.....	Bond Expenditure Plan
CA WDS.....	Waste Discharge System
NPDES.....	NPDES Permits Listing
Cortese.....	"Cortese" Hazardous Waste & Substances Sites List
Notify 65.....	Proposition 65 Records
DRYCLEANERS.....	Cleaner Facilities
WIP.....	Well Investigation Program Case List
HAZNET.....	Facility and Manifest Data
EML.....	Emissions Inventory Data
INDIAN RESERV.....	Indian Reservations
SCRD DRYCLEANERS.....	State Coalition for Remediation of Drycleaners Listing
PROC.....	Certified Processors Database
MWMP.....	Medical Waste Management Program Listing
COAL ASH DOE.....	Sleam-Electric Plan Operation Data
PCB TRANSFORMER.....	PCB Transformer Registration Database
HWT.....	Registered Hazardous Waste Transporter Database
HWP.....	EnviroStor Permitted Facilities Listing
COAL ASH EPA.....	Coal Combustion Residues Surface Impoundments List

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants..... EDR Proprietary Manufactured Gas Plants

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

EXECUTIVE SUMMARY

STANDARD ENVIRONMENTAL RECORDS

State and tribal leaking storage tank lists

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the State Water Resources Control Board Leaking Underground Storage Tank Information System.

A review of the LUST list, as provided by EDR, and dated 12/21/2009 has revealed that there is 1 LUST site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
LAKE DON PEFRO COMMUNITY SERV Status: Completed - Case Closed	9751 MERCED FALLS RD	SSE 1/4 - 1/2 (0.369 mi.)	1	7

ADDITIONAL ENVIRONMENTAL RECORDS

Other Ascertainable Records

HIST CORTESE: The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSTES].

A review of the HIST CORTESE list, as provided by EDR, and dated 04/01/2001 has revealed that there is 1 HIST CORTESE site within approximately 0.5 miles of the target property.


<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
LAKE DON PEFRO COMMUNITY SERV	9751 MERCED FALLS RD	SSE 1/4 - 1/2 (0.369 mi.)	1	7

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:

<u>Site Name</u>	<u>Database(s)</u>
SNELLING CHEVRON	HIST CORTESE, LUST
LAKE DON PEDRO BAPTIST CHURCH	NPDES
LAKE DON PEDRO WWTP	NPDES
CDF/BLANCHARD FIRE STATION	CA FID UST, SWEEPS UST
DON PEDRO DAM MAINTENANCE YARD A	SWEEPS UST
DON PEDRO COUNTY SERVICE AREA	SWEEPS UST
MARIPOSA COUNTY SHERIFF SUBSTA	SWEEPS UST
PIERCE'S PANTRY MKT.	SWEEPS UST
DON PEDRO MARKET	UST
LAKE DON PEDRO MARINA LLC	HAZNET
LAKE DON PEDRO HOME OWNERS ASSOCIA	HAZNET
TUOLUMNE COUNTY SOLID WASTE-DON PE	HAZNET
E 38 MI & O MERCED OFF OF	RCRA-NonGen, FINDS, HAZNET
DON PEDRO COMMUNITY DAY	FINDS
LAKE DON PEDRO C S D	FINDS
SNELLING DUMP	ENVIROSTOR

OVERVIEW MAP - 2690053.1s



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites




- Indian Reservations BIA
- ▲ County Boundary
- ▲ Oil & Gas pipelines
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- Areas of Concern



SITE NAME: Don Pedro Site
 ADDRESS: 9729 Merced Falls Road
 La Grange CA 95329
 LAT/LONG: 37.6524 / 120.3111



CLIENT: Analytical Environmental Serv.
 CONTACT: Melissa Oberti
 INQUIRY #: 2690053.1s
 DATE: February 02, 2010 1:50 pm

DETAIL MAP - 2690053.1s



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ⚙ Manufactured Gas Plants
- ⚡ Sensitive Receptors
- ☒ National Priority List Sites
- ☒ Dept. Defense Sites

- ▨ Indian Reservations BIA
- ▨ Areas of Concern
- ▬ County Boundary
- ▬ Oil & Gas pipelines
- ▨ 100-year flood zone
- ▨ 500-year flood zone
- National Wetland Inventory



SITE NAME: Don Pedro Site
 ADDRESS: 9729 Merced Falls Road
 La Grange CA 95329
 LAT/LONG: 37.6524 / 120.3111

CLIENT: Analytical Environmental Serv.
 CONTACT: Melissa Oberti
 INQUIRY #: 2690053.1s
 DATE: February 02, 2010 1:50 pm

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
<i>Federal NPL site list</i>								
NPL		1.000	0	0	0	0	NR	0
Proposed NPL		1.000	0	0	0	0	NR	0
NPL LIENS		TP	NR	NR	NR	NR	NR	0
<i>Federal Delisted NPL site list</i>								
Delisted NPL		1.000	0	0	0	0	NR	0
<i>Federal CERCLIS list</i>								
CERCLIS		0.500	0	0	0	NR	NR	0
FEDERAL FACILITY		1.000	0	0	0	0	NR	0
<i>Federal CERCLIS NFRAP site List</i>								
CERC-NFRAP		0.500	0	0	0	NR	NR	0
<i>Federal RCRA CORRACTS facilities list</i>								
CORRACTS		1.000	0	0	0	0	NR	0
<i>Federal RCRA non-CORRACTS TSD facilities list</i>								
RCRA-TSDF		0.500	0	0	0	NR	NR	0
<i>Federal RCRA generators list</i>								
RCRA-LQG		0.250	0	0	NR	NR	NR	0
RCRA-SQG		0.250	0	0	NR	NR	NR	0
RCRA-CESQG		0.250	0	0	NR	NR	NR	0
<i>Federal institutional controls / engineering controls registries</i>								
US ENG CONTROLS		0.500	0	0	0	NR	NR	0
US INST CONTROL		0.500	0	0	0	NR	NR	0
<i>Federal ERNS list</i>								
ERNS		TP	NR	NR	NR	NR	NR	0
<i>State- and tribal - equivalent NPL</i>								
RESPONSE		1.000	0	0	0	0	NR	0
<i>State- and tribal - equivalent CERCLIS</i>								
ENVIROSTOR		1.000	0	0	0	0	NR	0
<i>State and tribal landfill and/or solid waste disposal site lists</i>								
SWF/LF		0.500	0	0	0	NR	NR	0
<i>State and tribal leaking storage tank lists</i>								
LUST		0.500	0	0	1	NR	NR	1
SLIC		0.500	0	0	0	NR	NR	0

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
INDIAN LUST		0.500	0	0	0	NR	NR	0
State and tribal registered storage tank lists								
UST		0.250	0	0	NR	NR	NR	0
AST		0.250	0	0	NR	NR	NR	0
INDIAN UST		0.250	0	0	NR	NR	NR	0
FEMA UST		0.250	0	0	NR	NR	NR	0
State and tribal voluntary cleanup sites								
INDIAN VCP		0.500	0	0	0	NR	NR	0
VCP		0.500	0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS		0.500	0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
ODI		0.500	0	0	0	NR	NR	0
DEBRIS REGION 9		0.500	0	0	0	NR	NR	0
WMUDS/SWAT		0.500	0	0	0	NR	NR	0
SWRCY		0.500	0	0	0	NR	NR	0
HAULERS		TP	NR	NR	NR	NR	NR	0
INDIAN ODI		0.500	0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US CDL		TP	NR	NR	NR	NR	NR	0
HIST Cal-Sites		1.000	0	0	0	0	NR	0
SCH		0.250	0	0	NR	NR	NR	0
Toxic Pits		1.000	0	0	0	0	NR	0
CDL		TP	NR	NR	NR	NR	NR	0
US HIST CDL		TP	NR	NR	NR	NR	NR	0
Local Lists of Registered Storage Tanks								
CA FID UST		0.250	0	0	NR	NR	NR	0
HIST UST		0.250	0	0	NR	NR	NR	0
SWEEPS UST		0.250	0	0	NR	NR	NR	0
Local Land Records								
LIENS 2		TP	NR	NR	NR	NR	NR	0
LUCIS		0.500	0	0	0	NR	NR	0
LIENS		TP	NR	NR	NR	NR	NR	0
DEED		0.500	0	0	0	NR	NR	0
Records of Emergency Release Reports								
HMIRS		TP	NR	NR	NR	NR	NR	0
CHMIRS		TP	NR	NR	NR	NR	NR	0
LDS		TP	NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
MCS		TP	NR	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA-NonGen		0.250	0	0	NR	NR	NR	0
DOT OPS		TP	NR	NR	NR	NR	NR	0
DOD		1.000	0	0	0	0	NR	0
FUDS		1.000	0	0	0	0	NR	0
CONSENT		1.000	0	0	0	0	NR	0
ROD		1.000	0	0	0	0	NR	0
UMTRA		0.500	0	0	0	NR	NR	0
MINES		0.250	0	0	NR	NR	NR	0
TRIS		TP	NR	NR	NR	NR	NR	0
TSCA		TP	NR	NR	NR	NR	NR	0
FTTS		TP	NR	NR	NR	NR	NR	0
HIST FTTS		TP	NR	NR	NR	NR	NR	0
SSTS		TP	NR	NR	NR	NR	NR	0
ICIS		TP	NR	NR	NR	NR	NR	0
PADS		TP	NR	NR	NR	NR	NR	0
MLTS		TP	NR	NR	NR	NR	NR	0
RADINFO		TP	NR	NR	NR	NR	NR	0
FINDS		TP	NR	NR	NR	NR	NR	0
RAATS		TP	NR	NR	NR	NR	NR	0
CA BOND EXP. PLAN		1.000	0	0	0	0	NR	0
CA WDS		TP	NR	NR	NR	NR	NR	0
NPDES		TP	NR	NR	NR	NR	NR	0
Cortese		0.500	0	0	0	NR	NR	0
HIST CORTESE		0.500	0	0	1	NR	NR	1
Notify 65		1.000	0	0	0	0	NR	0
DRYCLEANERS		0.250	0	0	NR	NR	NR	0
WIP		0.250	0	0	NR	NR	NR	0
HAZNET		TP	NR	NR	NR	NR	NR	0
EMI		TP	NR	NR	NR	NR	NR	0
INDIAN RESERV		1.000	0	0	0	0	NR	0
SCRD DRYCLEANERS		0.500	0	0	0	NR	NR	0
PROC		0.500	0	0	0	NR	NR	0
MWMP		0.250	0	0	NR	NR	NR	0
COAL ASH DOE		TP	NR	NR	NR	NR	NR	0
PCB TRANSFORMER		TP	NR	NR	NR	NR	NR	0
HWT		0.250	0	0	NR	NR	NR	0
HWP		1.000	0	0	0	0	NR	0
COAL ASH EPA		0.500	0	0	0	NR	NR	0

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants	1.000	0	0	0	0	0	NR	0
-------------------------	-------	---	---	---	---	---	----	---

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1
SSE
1/4-1/2
0.369 mi.
1948 ft.

LAKE DON PEFRO COMMUNITY SERV DISTRICT
9751 MERCED FALLS RD
LA GRANGE, CA 95329

HIST CORTESE
LUST
SWEEPS UST

S104404506
N/A

Relative:
Equal

CORTESE:
Region: CORTESE
Facility County Code: 22
Reg By: LTNKA
Reg Id: 5T22000125

Actual:
1124 ft.

LUST:

Region: STATE
Global Id: T0604300081
Latitude: 37.653247
Longitude: -120.295924
Case Type: LUST Cleanup Site
Status: Completed - Case Closed
Status Date: 2001-06-13 00:00:00
Lead Agency: CENTRAL VALLEY RWQCB (REGION 5F)
Case Worker: Not reported
Local Agency: MARIPOSA COUNTY
RB Case Number: Not reported
LOC Case Number: Not reported
File Location: Not reported
Potential Media Affect: Under Investigation
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST REG 5:

Region: 5
Status: Case Closed
Case Number: 5T22000125
Case Type: Undefined
Substance: GASOLINE
Staff Initials: WWG
Lead Agency: Regional
Program: LUST
MTBE Code: N/A

SWEEPS UST:

Status: A
Comp Number: 9063
Number: 4
Board Of Equalization: 44-028986
Ref Date: 10-17-91
Act Date: 10-09-92
Created Date: 10-09-92
Tank Status: A
Owner Tank Id: 00000063531001
Swrcb Tank Id: 22-000-009063-000001
Actv Date: 10-17-91
Capacity: 1000
Tank Use: M.V. FUEL
Stg: P
Content: REG UNLEADED
Number Of Tanks: 2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LAKE DON PEFRO COMMUNITY SERV DISTRICT (Continued)

S104404506

Status: A
Comp Number: 9063
Number: 4
Board Of Equalization: 44-028986
Ref Date: 10-17-91
Act Date: 10-09-92
Created Date: 10-09-92
Tank Status: A
Owner Tank Id: 00000063531002
Swrcb Tank Id: 22-000-009063-000002
Actv Date: 10-17-91
Capacity: 1000
Tank Use: M.V. FUEL
Stg: P
Content: DIESEL
Number Of Tanks: Not reported

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
LA GRANGE	S101596283	CDF/BLANCHARD FIRE STATION	HWY 132	95329	CA FID UST, SWEEPS UST
LA GRANGE	S109448014	LAKE DON PEDRO BAPTIST CHURCH	4175 ABETO ST	95329	NPDES
LA GRANGE	S107147641	LAKE DON PEDRO MARINA LLC	10200 BONDS FLAT RD	95329	HAZNET
LA GRANGE	S106925456	DON PEDRO DAM MAINTENANCE YARD A	DON PEDRO DAM	95329	SWEEPS UST
LA GRANGE	S109428206	LAKE DON PEDRO HOME OWNERS ASSOCIA	5182 FUENTES DE FLORES	95329	HAZNET
LA GRANGE	S106925455	DON PEDRO COUNTY SERVICE AREA	9731 MERCED FALLS RD	95329	SWEEPS UST
LA GRANGE	1011460933	DON PEDRO COMMUNITY DAY	3090 MERCED FALLS RD	95329	FINDS
LA GRANGE	1008043831	LAKE DON PEDRO C S D	9751 MERCED FALLS RD	95329	FINDS
LA GRANGE	S106929129	MARIPOSA COUNTY SHERIFF SUBSTA	9731 MERCED FALLS RD	95329	SWEEPS UST
LA GRANGE	S109448015	LAKE DON PEDRO WWTP	2237 RANCHITO DR	95329	NPDES
LA GRANGE	U003981996	DON PEDRO MARKET	3317 STATE HIGHWAY 132	95329	UST
LA GRANGE	S106930692	PIERCE'S PANTRY MKT.	3317 STATE HIGHWAY 132	95329	SWEEPS UST
LA GRANGE	S108223355	TUOLUMNE COUNTY SOLID WASTE-DON PE	STREET	95329	HAZNET
SNELLING	1000197559		E 38 MI & O MERCED OFF OF	95369	RCRA-NonGen, FINDS, HAZNET
SNELLING	S105026656	SNELLING CHEVRON	15894 HWY 59 N	95369	HIST CORTESE, LUST
SNELLING	S101481268	SNELLING DUMP	2 E MERCED FALLS RD	95369	ENVIROSTOR

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 11/01/2009	Source: EPA
Date Data Arrived at EDR: 11/13/2009	Telephone: N/A
Date Made Active in Reports: 01/11/2010	Last EDR Contact: 01/14/2010
Number of Days to Update: 59	Next Scheduled EDR Contact: 04/26/2010
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 11/01/2009	Source: EPA
Date Data Arrived at EDR: 11/13/2009	Telephone: N/A
Date Made Active in Reports: 01/11/2010	Last EDR Contact: 01/14/2010
Number of Days to Update: 59	Next Scheduled EDR Contact: 04/26/2010
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 08/17/2009
Number of Days to Update: 56	Next Scheduled EDR Contact: 11/16/2009
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 11/01/2009	Source: EPA
Date Data Arrived at EDR: 11/13/2009	Telephone: N/A
Date Made Active in Reports: 01/11/2010	Last EDR Contact: 01/14/2010
Number of Days to Update: 59	Next Scheduled EDR Contact: 04/26/2010
	Data Release Frequency: Quarterly

Federal CERCLIS list

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 06/30/2009	Source: EPA
Date Data Arrived at EDR: 08/11/2009	Telephone: 703-412-9810
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 12/28/2009
Number of Days to Update: 41	Next Scheduled EDR Contact: 04/12/2010
	Data Release Frequency: Quarterly

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of NPL and Base Realignment & Closure sites found in the CERCLIS database where FERRO is involved in cleanup projects.

Date of Government Version: 10/03/2008	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/10/2009	Telephone: 703-603-8704
Date Made Active in Reports: 09/29/2009	Last EDR Contact: 01/15/2010
Number of Days to Update: 81	Next Scheduled EDR Contact: 04/26/2010
	Data Release Frequency: Varies

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 06/23/2009	Source: EPA
Date Data Arrived at EDR: 09/02/2009	Telephone: 703-412-9810
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 11/24/2009
Number of Days to Update: 19	Next Scheduled EDR Contact: 03/15/2010
	Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 09/15/2009	Source: EPA
Date Data Arrived at EDR: 09/22/2009	Telephone: 800-424-9346
Date Made Active in Reports: 11/09/2009	Last EDR Contact: 11/16/2009
Number of Days to Update: 48	Next Scheduled EDR Contact: 03/01/2010
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 12/11/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/17/2009	Telephone: (415) 495-8895
Date Made Active in Reports: 01/11/2010	Last EDR Contact: 01/15/2010
Number of Days to Update: 25	Next Scheduled EDR Contact: 04/19/2010
	Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/11/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/17/2009	Telephone: (415) 495-8895
Date Made Active in Reports: 01/11/2010	Last EDR Contact: 01/15/2010
Number of Days to Update: 25	Next Scheduled EDR Contact: 04/19/2010
	Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 12/11/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/17/2009	Telephone: (415) 495-8895
Date Made Active in Reports: 01/11/2010	Last EDR Contact: 01/15/2010
Number of Days to Update: 25	Next Scheduled EDR Contact: 04/19/2010
	Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/11/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/17/2009	Telephone: (415) 495-8895
Date Made Active in Reports: 01/11/2010	Last EDR Contact: 01/15/2010
Number of Days to Update: 25	Next Scheduled EDR Contact: 04/19/2010
	Data Release Frequency: Varies

Federal institutional controls / engineering controls registries

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 10/01/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 10/09/2009	Telephone: 703-603-0695
Date Made Active in Reports: 11/09/2009	Last EDR Contact: 12/10/2009
Number of Days to Update: 31	Next Scheduled EDR Contact: 03/29/2010
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 10/01/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 10/09/2009	Telephone: 703-603-0695
Date Made Active in Reports: 11/09/2009	Last EDR Contact: 12/10/2009
Number of Days to Update: 31	Next Scheduled EDR Contact: 03/29/2010
	Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 08/31/2009	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 09/17/2009	Telephone: 202-267-2180
Date Made Active in Reports: 11/09/2009	Last EDR Contact: 01/15/2010
Number of Days to Update: 53	Next Scheduled EDR Contact: 04/19/2010
	Data Release Frequency: Annually

State- and tribal - equivalent NPL

RESPONSE: State Response Sites

Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity. These confirmed release sites are generally high-priority and high potential risk.

Date of Government Version: 11/09/2009	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 11/10/2009	Telephone: 916-323-3400
Date Made Active in Reports: 12/04/2009	Last EDR Contact: 11/10/2009
Number of Days to Update: 24	Next Scheduled EDR Contact: 02/22/2010
	Data Release Frequency: Quarterly

State- and tribal - equivalent CERCLIS

ENVIROSTOR: EnviroStor Database

The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifies sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/09/2009
Date Data Arrived at EDR: 11/10/2009
Date Made Active in Reports: 12/04/2009
Number of Days to Update: 24

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 11/10/2009
Next Scheduled EDR Contact: 02/22/2010
Data Release Frequency: Quarterly

State and tribal landfill and/or solid waste disposal site lists

SWF/LF (SWIS): Solid Waste Information System

Active, Closed and Inactive Landfills. SWF/LF records typically contain an inventory of solid waste disposal facilities or landfills. These may be active or inactive facilities or open dumps that failed to meet RCRA Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 11/23/2009
Date Data Arrived at EDR: 11/24/2009
Date Made Active in Reports: 12/04/2009
Number of Days to Update: 10

Source: Integrated Waste Management Board
Telephone: 916-341-6320
Last EDR Contact: 11/24/2009
Next Scheduled EDR Contact: 03/08/2010
Data Release Frequency: Quarterly

State and tribal leaking storage tank lists

LUST REG 6L: Leaking Underground Storage Tank Case Listing

For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/09/2003
Date Data Arrived at EDR: 09/10/2003
Date Made Active in Reports: 10/07/2003
Number of Days to Update: 27

Source: California Regional Water Quality Control Board Lahontan Region (6)
Telephone: 530-542-5572
Last EDR Contact: 11/13/2009
Next Scheduled EDR Contact: 03/01/2010
Data Release Frequency: No Update Planned

LUST: Geotracker's Leaking Underground Fuel Tank Report

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state. For more information on a particular leaking underground storage tank sites, please contact the appropriate regulatory agency.

Date of Government Version: 12/21/2009
Date Data Arrived at EDR: 12/21/2009
Date Made Active in Reports: 01/18/2010
Number of Days to Update: 28

Source: State Water Resources Control Board
Telephone: see region list
Last EDR Contact: 12/21/2009
Next Scheduled EDR Contact: 04/05/2010
Data Release Frequency: Quarterly

LUST REG 9: Leaking Underground Storage Tank Report

Orange, Riverside, San Diego counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 03/01/2001
Date Data Arrived at EDR: 04/23/2001
Date Made Active in Reports: 05/21/2001
Number of Days to Update: 28

Source: California Regional Water Quality Control Board San Diego Region (9)
Telephone: 858-637-5595
Last EDR Contact: 12/23/2009
Next Scheduled EDR Contact: 04/12/2010
Data Release Frequency: No Update Planned

LUST REG 2: Fuel Leak List

Leaking Underground Storage Tank locations. Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, Sonoma counties.

Date of Government Version: 09/30/2004
Date Data Arrived at EDR: 10/20/2004
Date Made Active in Reports: 11/19/2004
Number of Days to Update: 30

Source: California Regional Water Quality Control Board San Francisco Bay Region (2)
Telephone: 510-622-2433
Last EDR Contact: 12/18/2009
Next Scheduled EDR Contact: 04/05/2010
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LUST REG 4: Underground Storage Tank Leak List

Los Angeles, Ventura counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/07/2004	Source: California Regional Water Quality Control Board Los Angeles Region (4)
Date Data Arrived at EDR: 09/07/2004	Telephone: 213-576-6710
Date Made Active in Reports: 10/12/2004	Last EDR Contact: 12/04/2009
Number of Days to Update: 35	Next Scheduled EDR Contact: 03/22/2010
	Data Release Frequency: No Update Planned

LUST REG 5: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Alameda, Alpine, Amador, Butte, Colusa, Contra Costa, Calveras, El Dorado, Fresno, Glenn, Kern, Kings, Lake, Lassen, Madera, Mariposa, Merced, Modoc, Napa, Nevada, Placer, Plumas, Sacramento, San Joaquin, Shasta, Solano, Stanislaus, Sutter, Tehama, Tulare, Tuolumne, Yolo, Yuba counties.

Date of Government Version: 07/01/2008	Source: California Regional Water Quality Control Board Central Valley Region (5)
Date Data Arrived at EDR: 07/22/2008	Telephone: 916-464-4834
Date Made Active in Reports: 07/31/2008	Last EDR Contact: 01/05/2010
Number of Days to Update: 9	Next Scheduled EDR Contact: 04/19/2010
	Data Release Frequency: Quarterly

LUST REG 3: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Cruz counties.

Date of Government Version: 05/19/2003	Source: California Regional Water Quality Control Board Central Coast Region (3)
Date Data Arrived at EDR: 05/19/2003	Telephone: 805-542-4786
Date Made Active in Reports: 06/02/2003	Last EDR Contact: 01/18/2010
Number of Days to Update: 14	Next Scheduled EDR Contact: 05/03/2010
	Data Release Frequency: No Update Planned

LUST REG 6V: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Inyo, Kern, Los Angeles, Mono, San Bernardino counties.

Date of Government Version: 06/07/2005	Source: California Regional Water Quality Control Board Victorville Branch Office (6)
Date Data Arrived at EDR: 06/07/2005	Telephone: 760-241-7365
Date Made Active in Reports: 06/29/2005	Last EDR Contact: 12/10/2009
Number of Days to Update: 22	Next Scheduled EDR Contact: 03/29/2010
	Data Release Frequency: No Update Planned

LUST REG 1: Active Toxic Site Investigation

Del Norte, Humboldt, Lake, Mendocino, Modoc, Siskiyou, Sonoma, Trinity counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/01/2001	Source: California Regional Water Quality Control Board North Coast (1)
Date Data Arrived at EDR: 02/28/2001	Telephone: 707-570-3769
Date Made Active in Reports: 03/29/2001	Last EDR Contact: 02/01/2010
Number of Days to Update: 29	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: No Update Planned

LUST REG 8: Leaking Underground Storage Tanks

California Regional Water Quality Control Board Santa Ana Region (8). For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/14/2005	Source: California Regional Water Quality Control Board Santa Ana Region (8)
Date Data Arrived at EDR: 02/15/2005	Telephone: 909-782-4496
Date Made Active in Reports: 03/28/2005	Last EDR Contact: 01/18/2010
Number of Days to Update: 41	Next Scheduled EDR Contact: 05/03/2010
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LUST REG 7: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Imperial, Riverside, San Diego, Santa Barbara counties.

Date of Government Version: 02/26/2004	Source: California Regional Water Quality Control Board Colorado River Basin Region (7)
Date Data Arrived at EDR: 02/26/2004	Telephone: 760-776-8943
Date Made Active in Reports: 03/24/2004	Last EDR Contact: 02/01/2010
Number of Days to Update: 27	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: No Update Planned

SLIC: Statewide SLIC Cases

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 12/21/2009	Source: State Water Resources Control Board
Date Data Arrived at EDR: 12/21/2009	Telephone: 866-480-1028
Date Made Active in Reports: 01/18/2010	Last EDR Contact: 12/21/2009
Number of Days to Update: 28	Next Scheduled EDR Contact: 04/05/2010
	Data Release Frequency: Varies

SLIC REG 1: Active Toxic Site Investigations

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2003	Source: California Regional Water Quality Control Board, North Coast Region (1)
Date Data Arrived at EDR: 04/07/2003	Telephone: 707-576-2220
Date Made Active in Reports: 04/25/2003	Last EDR Contact: 02/01/2010
Number of Days to Update: 18	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: No Update Planned

SLIC REG 2: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/30/2004	Source: Regional Water Quality Control Board San Francisco Bay Region (2)
Date Data Arrived at EDR: 10/20/2004	Telephone: 510-286-0457
Date Made Active in Reports: 11/19/2004	Last EDR Contact: 12/18/2009
Number of Days to Update: 30	Next Scheduled EDR Contact: 04/05/2010
	Data Release Frequency: Quarterly

SLIC REG 3: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/18/2006	Source: California Regional Water Quality Control Board Central Coast Region (3)
Date Data Arrived at EDR: 05/18/2006	Telephone: 805-549-3147
Date Made Active in Reports: 06/15/2006	Last EDR Contact: 01/18/2010
Number of Days to Update: 28	Next Scheduled EDR Contact: 05/03/2010
	Data Release Frequency: Semi-Annually

SLIC REG 4: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/17/2004	Source: Region Water Quality Control Board Los Angeles Region (4)
Date Data Arrived at EDR: 11/18/2004	Telephone: 213-576-6600
Date Made Active in Reports: 01/04/2005	Last EDR Contact: 01/05/2010
Number of Days to Update: 47	Next Scheduled EDR Contact: 04/19/2010
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SLIC REG 5: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/01/2005
Date Data Arrived at EDR: 04/05/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 16

Source: Regional Water Quality Control Board Central Valley Region (5)
Telephone: 916-464-3291
Last EDR Contact: 12/10/2009
Next Scheduled EDR Contact: 03/29/2010
Data Release Frequency: Semi-Annually

SLIC REG 6V: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/24/2005
Date Data Arrived at EDR: 05/25/2005
Date Made Active in Reports: 06/16/2005
Number of Days to Update: 22

Source: Regional Water Quality Control Board, Victorville Branch
Telephone: 619-241-6583
Last EDR Contact: 12/10/2009
Next Scheduled EDR Contact: 03/29/2010
Data Release Frequency: Semi-Annually

SLIC REG 6L: SLIC Sites

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/07/2004
Date Data Arrived at EDR: 09/07/2004
Date Made Active in Reports: 10/12/2004
Number of Days to Update: 35

Source: California Regional Water Quality Control Board, Lahontan Region
Telephone: 530-542-5574
Last EDR Contact: 11/13/2009
Next Scheduled EDR Contact: 03/01/2010
Data Release Frequency: No Update Planned

SLIC REG 7: SLIC List

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/24/2004
Date Data Arrived at EDR: 11/29/2004
Date Made Active in Reports: 01/04/2005
Number of Days to Update: 36

Source: California Regional Quality Control Board, Colorado River Basin Region
Telephone: 760-346-7491
Last EDR Contact: 02/01/2010
Next Scheduled EDR Contact: 05/17/2010
Data Release Frequency: No Update Planned

SLIC REG 8: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2008
Date Data Arrived at EDR: 04/03/2008
Date Made Active in Reports: 04/14/2008
Number of Days to Update: 11

Source: California Region Water Quality Control Board Santa Ana Region (8)
Telephone: 951-782-3298
Last EDR Contact: 12/10/2009
Next Scheduled EDR Contact: 03/29/2010
Data Release Frequency: Semi-Annually

SLIC REG 9: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/10/2007
Date Data Arrived at EDR: 09/11/2007
Date Made Active in Reports: 09/28/2007
Number of Days to Update: 17

Source: California Regional Water Quality Control Board San Diego Region (9)
Telephone: 858-467-2980
Last EDR Contact: 11/09/2009
Next Scheduled EDR Contact: 02/22/2010
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 12/07/2009	Source: EPA Region 4
Date Data Arrived at EDR: 12/09/2009	Telephone: 404-562-8677
Date Made Active in Reports: 12/16/2009	Last EDR Contact: 02/01/2010
Number of Days to Update: 7	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: Semi-Annually

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 11/24/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/25/2009	Telephone: 415-972-3372
Date Made Active in Reports: 12/16/2009	Last EDR Contact: 02/01/2010
Number of Days to Update: 21	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: Quarterly

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 11/10/2009	Source: EPA Region 10
Date Data Arrived at EDR: 11/12/2009	Telephone: 206-553-2857
Date Made Active in Reports: 12/16/2009	Last EDR Contact: 02/01/2010
Number of Days to Update: 34	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: Quarterly

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 02/19/2009	Source: EPA Region 1
Date Data Arrived at EDR: 02/19/2009	Telephone: 617-918-1313
Date Made Active in Reports: 03/16/2009	Last EDR Contact: 02/01/2010
Number of Days to Update: 25	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 11/12/2009	Source: EPA Region 6
Date Data Arrived at EDR: 11/12/2009	Telephone: 214-665-6597
Date Made Active in Reports: 12/16/2009	Last EDR Contact: 02/01/2010
Number of Days to Update: 34	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 03/24/2009	Source: EPA Region 7
Date Data Arrived at EDR: 05/20/2009	Telephone: 913-551-7003
Date Made Active in Reports: 06/17/2009	Last EDR Contact: 02/01/2010
Number of Days to Update: 28	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 12/01/2009	Source: EPA Region 8
Date Data Arrived at EDR: 12/01/2009	Telephone: 303-312-6271
Date Made Active in Reports: 12/16/2009	Last EDR Contact: 02/01/2010
Number of Days to Update: 15	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

State and tribal registered storage tank lists

UST: Active UST Facilities

Active UST facilities gathered from the local regulatory agencies

Date of Government Version: 12/21/2009	Source: SWRCB
Date Data Arrived at EDR: 12/21/2009	Telephone: 916-480-1028
Date Made Active in Reports: 01/18/2010	Last EDR Contact: 12/21/2009
Number of Days to Update: 28	Next Scheduled EDR Contact: 04/05/2010
	Data Release Frequency: Semi-Annually

AST: Aboveground Petroleum Storage Tank Facilities

Registered Aboveground Storage Tanks.

Date of Government Version: 08/01/2009	Source: State Water Resources Control Board
Date Data Arrived at EDR: 09/10/2009	Telephone: 916-341-5712
Date Made Active in Reports: 10/01/2009	Last EDR Contact: 01/11/2010
Number of Days to Update: 21	Next Scheduled EDR Contact: 04/26/2010
	Data Release Frequency: Quarterly

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 02/19/2009	Source: EPA, Region 1
Date Data Arrived at EDR: 02/19/2009	Telephone: 617-918-1313
Date Made Active in Reports: 03/16/2009	Last EDR Contact: 02/01/2010
Number of Days to Update: 25	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 11/12/2009	Source: EPA Region 6
Date Data Arrived at EDR: 11/12/2009	Telephone: 214-665-7591
Date Made Active in Reports: 12/16/2009	Last EDR Contact: 02/01/2010
Number of Days to Update: 34	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: Semi-Annually

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 11/10/2009	Source: EPA Region 10
Date Data Arrived at EDR: 11/12/2009	Telephone: 206-553-2857
Date Made Active in Reports: 12/16/2009	Last EDR Contact: 02/17/2010
Number of Days to Update: 34	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: Quarterly

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 04/01/2008	Source: EPA Region 7
Date Data Arrived at EDR: 12/30/2008	Telephone: 913-551-7003
Date Made Active in Reports: 03/16/2009	Last EDR Contact: 02/01/2010
Number of Days to Update: 76	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 11/12/2009	Source: EPA Region 9
Date Data Arrived at EDR: 11/20/2009	Telephone: 415-972-3368
Date Made Active in Reports: 12/16/2009	Last EDR Contact: 02/01/2010
Number of Days to Update: 26	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: Quarterly

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 12/01/2009	Source: EPA Region 8
Date Data Arrived at EDR: 12/01/2009	Telephone: 303-312-6137
Date Made Active in Reports: 12/16/2009	Last EDR Contact: 02/01/2010
Number of Days to Update: 15	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: Quarterly

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 12/07/2009	Source: EPA Region 4
Date Data Arrived at EDR: 12/09/2009	Telephone: 404-562-9424
Date Made Active in Reports: 12/16/2009	Last EDR Contact: 02/01/2010
Number of Days to Update: 7	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: Semi-Annually

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 11/05/2009	Source: EPA Region 5
Date Data Arrived at EDR: 11/05/2009	Telephone: 312-886-6136
Date Made Active in Reports: 12/16/2009	Last EDR Contact: 02/01/2010
Number of Days to Update: 41	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: Varies

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 10/01/2009	Source: FEMA
Date Data Arrived at EDR: 10/29/2009	Telephone: 202-646-5797
Date Made Active in Reports: 12/16/2009	Last EDR Contact: 01/18/2010
Number of Days to Update: 48	Next Scheduled EDR Contact: 05/03/2010
	Data Release Frequency: Varies

State and tribal voluntary cleanup sites

VCP: Voluntary Cleanup Program Properties

Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for DTSC's costs.

Date of Government Version: 11/09/2009	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 11/10/2009	Telephone: 916-323-3400
Date Made Active in Reports: 12/04/2009	Last EDR Contact: 11/10/2009
Number of Days to Update: 24	Next Scheduled EDR Contact: 02/22/2010
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008	Source: EPA, Region 7
Date Data Arrived at EDR: 04/22/2008	Telephone: 913-551-7365
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 04/20/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/20/2009
	Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 04/02/2008	Source: EPA, Region 1
Date Data Arrived at EDR: 04/22/2008	Telephone: 617-918-1102
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 01/05/2010
Number of Days to Update: 27	Next Scheduled EDR Contact: 04/19/2010
	Data Release Frequency: Varies

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients--States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 10/01/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/04/2009	Telephone: 202-566-2777
Date Made Active in Reports: 12/16/2009	Last EDR Contact: 01/07/2010
Number of Days to Update: 42	Next Scheduled EDR Contact: 04/12/2010
	Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009	Source: EPA, Region 9
Date Data Arrived at EDR: 05/07/2009	Telephone: 415-972-3336
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 01/07/2010
Number of Days to Update: 137	Next Scheduled EDR Contact: 03/22/2010
	Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/09/2004	Telephone: 800-424-9346
Date Made Active in Reports: 09/17/2004	Last EDR Contact: 06/09/2004
Number of Days to Update: 39	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

WMUDS/SWAT: Waste Management Unit Database

Waste Management Unit Database System. WMUDS is used by the State Water Resources Control Board staff and the Regional Water Quality Control Boards for program tracking and inventory of waste management units. WMUDS is composed of the following databases: Facility Information, Scheduled Inspections Information, Waste Management Unit Information, SWAT Program Information, SWAT Report Summary Information, SWAT Report Summary Data, Chapter 15 (formerly Subchapter 15) Information, Chapter 15 Monitoring Parameters, TPCA Program Information, RCRA Program Information, Closure Information, and Interested Parties Information.

Date of Government Version: 04/01/2000	Source: State Water Resources Control Board
Date Data Arrived at EDR: 04/10/2000	Telephone: 916-227-4448
Date Made Active in Reports: 05/10/2000	Last EDR Contact: 11/13/2009
Number of Days to Update: 30	Next Scheduled EDR Contact: 03/01/2010
	Data Release Frequency: Quarterly

SWRCY: Recycler Database

A listing of recycling facilities in California.

Date of Government Version: 12/18/2009	Source: Department of Conservation
Date Data Arrived at EDR: 12/21/2009	Telephone: 916-323-3836
Date Made Active in Reports: 01/18/2010	Last EDR Contact: 12/21/2009
Number of Days to Update: 28	Next Scheduled EDR Contact: 04/05/2010
	Data Release Frequency: Quarterly

HAULERS: Registered Waste Tire Haulers Listing

A listing of registered waste tire haulers.

Date of Government Version: 01/11/2010	Source: Integrated Waste Management Board
Date Data Arrived at EDR: 01/12/2010	Telephone: 916-341-6422
Date Made Active in Reports: 01/18/2010	Last EDR Contact: 01/05/2010
Number of Days to Update: 6	Next Scheduled EDR Contact: 03/08/2010
	Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/03/2007	Telephone: 703-308-8245
Date Made Active in Reports: 01/24/2008	Last EDR Contact: 11/09/2009
Number of Days to Update: 52	Next Scheduled EDR Contact: 02/22/2010
	Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 03/01/2009	Source: Drug Enforcement Administration
Date Data Arrived at EDR: 06/22/2009	Telephone: 202-307-1000
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 12/14/2009
Number of Days to Update: 91	Next Scheduled EDR Contact: 03/22/2010
	Data Release Frequency: Quarterly

HIST CAL-SITES: Calsites Database

The Calsites database contains potential or confirmed hazardous substance release properties. In 1996, California EPA reevaluated and significantly reduced the number of sites in the Calsites database. No longer updated by the state agency. It has been replaced by ENVIROSTOR.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/08/2005
Date Data Arrived at EDR: 08/03/2006
Date Made Active in Reports: 08/24/2006
Number of Days to Update: 21

Source: Department of Toxic Substance Control
Telephone: 916-323-3400
Last EDR Contact: 02/23/2009
Next Scheduled EDR Contact: 05/25/2009
Data Release Frequency: No Update Planned

SCH: School Property Evaluation Program

This category contains proposed and existing school sites that are being evaluated by DTSC for possible hazardous materials contamination. In some cases, these properties may be listed in the CalSites category depending on the level of threat to public health and safety or the environment they pose.

Date of Government Version: 11/09/2009
Date Data Arrived at EDR: 11/10/2009
Date Made Active in Reports: 12/04/2009
Number of Days to Update: 24

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 11/10/2009
Next Scheduled EDR Contact: 02/22/2010
Data Release Frequency: Quarterly

TOXIC PITS: Toxic Pits Cleanup Act Sites

Toxic PITS Cleanup Act Sites. TOXIC PITS identifies sites suspected of containing hazardous substances where cleanup has not yet been completed.

Date of Government Version: 07/01/1995
Date Data Arrived at EDR: 08/30/1995
Date Made Active in Reports: 09/26/1995
Number of Days to Update: 27

Source: State Water Resources Control Board
Telephone: 916-227-4364
Last EDR Contact: 01/26/2009
Next Scheduled EDR Contact: 04/27/2009
Data Release Frequency: No Update Planned

CDL: Clandestine Drug Labs

A listing of drug lab locations. Listing of a location in this database does not indicate that any illegal drug lab materials were or were not present there, and does not constitute a determination that the location either requires or does not require additional cleanup work.

Date of Government Version: 06/30/2009
Date Data Arrived at EDR: 07/23/2009
Date Made Active in Reports: 08/03/2009
Number of Days to Update: 11

Source: Department of Toxic Substances Control
Telephone: 916-255-6504
Last EDR Contact: 01/18/2010
Next Scheduled EDR Contact: 04/19/2010
Data Release Frequency: Varies

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/01/2007
Date Data Arrived at EDR: 11/19/2008
Date Made Active in Reports: 03/30/2009
Number of Days to Update: 131

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 03/23/2009
Next Scheduled EDR Contact: 06/22/2009
Data Release Frequency: No Update Planned

Local Lists of Registered Storage Tanks

CA FID UST: Facility Inventory Database

The Facility Inventory Database (FID) contains a historical listing of active and inactive underground storage tank locations from the State Water Resource Control Board. Refer to local/county source for current data.

Date of Government Version: 10/31/1994
Date Data Arrived at EDR: 09/05/1995
Date Made Active in Reports: 09/29/1995
Number of Days to Update: 24

Source: California Environmental Protection Agency
Telephone: 916-341-5851
Last EDR Contact: 12/28/1998
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UST MENDOCINO: Mendocino County UST Database

A listing of underground storage tank locations in Mendocino County.

Date of Government Version: 09/23/2009	Source: Department of Public Health
Date Data Arrived at EDR: 09/23/2009	Telephone: 707-463-4466
Date Made Active in Reports: 10/01/2009	Last EDR Contact: 12/07/2009
Number of Days to Update: 8	Next Scheduled EDR Contact: 03/22/2010
	Data Release Frequency: Varies

HIST UST: Hazardous Substance Storage Container Database

The Hazardous Substance Storage Container Database is a historical listing of UST sites. Refer to local/county source for current data.

Date of Government Version: 10/15/1990	Source: State Water Resources Control Board
Date Data Arrived at EDR: 01/25/1991	Telephone: 916-341-5851
Date Made Active in Reports: 02/12/1991	Last EDR Contact: 07/26/2001
Number of Days to Update: 18	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

SWEEPS UST: SWEEPS UST Listing

Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

Date of Government Version: 06/01/1994	Source: State Water Resources Control Board
Date Data Arrived at EDR: 07/07/2005	Telephone: N/A
Date Made Active in Reports: 08/11/2005	Last EDR Contact: 06/03/2005
Number of Days to Update: 35	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 11/03/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/05/2009	Telephone: 202-564-6023
Date Made Active in Reports: 12/16/2009	Last EDR Contact: 02/01/2010
Number of Days to Update: 41	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: Varies

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/09/2005	Source: Department of the Navy
Date Data Arrived at EDR: 12/11/2006	Telephone: 843-820-7326
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 11/20/2009
Number of Days to Update: 31	Next Scheduled EDR Contact: 03/08/2010
	Data Release Frequency: Varies

LIENS: Environmental Liens Listing

A listing of property locations with environmental liens for California where DTSC is a lien holder.

Date of Government Version: 10/29/2009	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 10/30/2009	Telephone: 916-323-3400
Date Made Active in Reports: 11/13/2009	Last EDR Contact: 01/18/2010
Number of Days to Update: 14	Next Scheduled EDR Contact: 05/03/2010
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

DEED: Deed Restriction Listing

Site Mitigation and Brownfields Reuse Program Facility Sites with Deed Restrictions & Hazardous Waste Management Program Facility Sites with Deed / Land Use Restriction. The DTSC Site Mitigation and Brownfields Reuse Program (SMBRP) list includes sites cleaned up under the program's oversight and generally does not include current or former hazardous waste facilities that required a hazardous waste facility permit. The list represents deed restrictions that are active. Some sites have multiple deed restrictions. The DTSC Hazardous Waste Management Program (HWMP) has developed a list of current or former hazardous waste facilities that have a recorded land use restriction at the local county recorder's office. The land use restrictions on this list were required by the DTSC HWMP as a result of the presence of hazardous substances that remain on site after the facility (or part of the facility) has been closed or cleaned up. The types of land use restriction include deed notice, deed restriction, or a land use restriction that binds current and future owners.

Date of Government Version: 12/15/2009
Date Data Arrived at EDR: 12/15/2009
Date Made Active in Reports: 01/18/2010
Number of Days to Update: 34

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 12/30/2009
Next Scheduled EDR Contact: 12/28/2009
Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 10/05/2009
Date Data Arrived at EDR: 10/05/2009
Date Made Active in Reports: 11/09/2009
Number of Days to Update: 35

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 01/06/2010
Next Scheduled EDR Contact: 04/12/2010
Data Release Frequency: Annually

CHMIRS: California Hazardous Material Incident Report System

California Hazardous Material Incident Reporting System. CHMIRS contains information on reported hazardous material incidents (accidental releases or spills).

Date of Government Version: 12/31/2007
Date Data Arrived at EDR: 05/09/2008
Date Made Active in Reports: 06/20/2008
Number of Days to Update: 42

Source: Office of Emergency Services
Telephone: 916-845-8400
Last EDR Contact: 02/01/2010
Next Scheduled EDR Contact: 05/17/2010
Data Release Frequency: Varies

LDS: Land Disposal Sites Listing

The Land Disposal program regulates of waste discharge to land for treatment, storage and disposal in waste management units.

Date of Government Version: 12/21/2009
Date Data Arrived at EDR: 12/21/2009
Date Made Active in Reports: 01/18/2010
Number of Days to Update: 28

Source: State Water Quality Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/21/2009
Next Scheduled EDR Contact: 04/05/2010
Data Release Frequency: Quarterly

MCS: Military Cleanup Sites Listing

The State Water Resources Control Board and nine Regional Water Quality Control Boards partner with the Department of Defense (DoD) through the Defense and State Memorandum of Agreement (DSMOA) to oversee the investigation and remediation of water quality issues at military facilities.

Date of Government Version: 12/21/2009
Date Data Arrived at EDR: 12/21/2009
Date Made Active in Reports: 01/18/2010
Number of Days to Update: 28

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/21/2009
Next Scheduled EDR Contact: 04/05/2010
Data Release Frequency: Quarterly

Other Ascertainable Records

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RCRA-NonGen: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 12/11/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/17/2009	Telephone: (415) 495-8895
Date Made Active in Reports: 01/11/2010	Last EDR Contact: 01/15/2010
Number of Days to Update: 25	Next Scheduled EDR Contact: 04/19/2010
	Data Release Frequency: Varies

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 10/13/2009	Source: Department of Transportation, Office of Pipeline Safety
Date Data Arrived at EDR: 11/10/2009	Telephone: 202-366-4595
Date Made Active in Reports: 12/16/2009	Last EDR Contact: 11/10/2009
Number of Days to Update: 36	Next Scheduled EDR Contact: 02/22/2010
	Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 11/10/2006	Telephone: 703-692-8801
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 01/19/2010
Number of Days to Update: 62	Next Scheduled EDR Contact: 05/03/2010
	Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2008	Source: U.S. Army Corps of Engineers
Date Data Arrived at EDR: 09/30/2009	Telephone: 202-528-4285
Date Made Active in Reports: 12/01/2009	Last EDR Contact: 12/18/2009
Number of Days to Update: 62	Next Scheduled EDR Contact: 03/29/2010
	Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 08/03/2009	Source: Department of Justice, Consent Decree Library
Date Data Arrived at EDR: 10/27/2009	Telephone: Varies
Date Made Active in Reports: 11/09/2009	Last EDR Contact: 01/05/2010
Number of Days to Update: 13	Next Scheduled EDR Contact: 04/19/2010
	Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 12/01/2009	Source: EPA
Date Data Arrived at EDR: 12/15/2009	Telephone: 703-416-0223
Date Made Active in Reports: 01/19/2010	Last EDR Contact: 12/15/2009
Number of Days to Update: 35	Next Scheduled EDR Contact: 03/29/2010
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 01/05/2009	Source: Department of Energy
Date Data Arrived at EDR: 05/07/2009	Telephone: 505-845-0011
Date Made Active in Reports: 05/08/2009	Last EDR Contact: 12/23/2009
Number of Days to Update: 1	Next Scheduled EDR Contact: 03/15/2010
	Data Release Frequency: Varies

MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 11/17/2009	Source: Department of Labor, Mine Safety and Health Administration
Date Data Arrived at EDR: 12/08/2009	Telephone: 303-231-5959
Date Made Active in Reports: 01/19/2010	Last EDR Contact: 12/08/2009
Number of Days to Update: 42	Next Scheduled EDR Contact: 03/22/2010
	Data Release Frequency: Semi-Annually

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2007	Source: EPA
Date Data Arrived at EDR: 04/09/2009	Telephone: 202-566-0250
Date Made Active in Reports: 06/17/2009	Last EDR Contact: 01/13/2010
Number of Days to Update: 69	Next Scheduled EDR Contact: 03/15/2010
	Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2002	Source: EPA
Date Data Arrived at EDR: 04/14/2006	Telephone: 202-260-5521
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 01/20/2010
Number of Days to Update: 46	Next Scheduled EDR Contact: 04/12/2010
	Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 12/14/2009
Number of Days to Update: 25	Next Scheduled EDR Contact: 03/15/2010
	Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 12/14/2009
Number of Days to Update: 25	Next Scheduled EDR Contact: 03/15/2010
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2008
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2007	Source: EPA
Date Data Arrived at EDR: 05/19/2009	Telephone: 202-564-4203
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 02/01/2010
Number of Days to Update: 125	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/10/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/18/2009	Telephone: 202-564-5088
Date Made Active in Reports: 01/19/2010	Last EDR Contact: 12/23/2009
Number of Days to Update: 62	Next Scheduled EDR Contact: 04/12/2010
	Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 09/01/2009	Source: EPA
Date Data Arrived at EDR: 10/21/2009	Telephone: 202-566-0500
Date Made Active in Reports: 12/01/2009	Last EDR Contact: 01/22/2010
Number of Days to Update: 41	Next Scheduled EDR Contact: 05/03/2010
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 09/25/2009	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 10/23/2009	Telephone: 301-415-7169
Date Made Active in Reports: 12/16/2009	Last EDR Contact: 12/14/2009
Number of Days to Update: 54	Next Scheduled EDR Contact: 03/29/2010
	Data Release Frequency: Quarterly

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 10/15/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 10/16/2009	Telephone: 202-343-9775
Date Made Active in Reports: 12/01/2009	Last EDR Contact: 01/13/2010
Number of Days to Update: 46	Next Scheduled EDR Contact: 04/26/2010
	Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 10/19/2009	Source: EPA
Date Data Arrived at EDR: 10/22/2009	Telephone: (415) 947-8000
Date Made Active in Reports: 12/01/2009	Last EDR Contact: 12/10/2009
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/29/2010
	Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 06/02/2008
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2007	Source: EPA/NTIS
Date Data Arrived at EDR: 02/19/2009	Telephone: 800-424-9346
Date Made Active in Reports: 05/22/2009	Last EDR Contact: 11/20/2009
Number of Days to Update: 92	Next Scheduled EDR Contact: 03/05/2010
	Data Release Frequency: Biennially

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CA BOND EXP. PLAN: Bond Expenditure Plan

Department of Health Services developed a site-specific expenditure plan as the basis for an appropriation of Hazardous Substance Cleanup Bond Act funds. It is not updated.

Date of Government Version: 01/01/1989
Date Data Arrived at EDR: 07/27/1994
Date Made Active in Reports: 08/02/1994
Number of Days to Update: 6

Source: Department of Health Services
Telephone: 916-255-2118
Last EDR Contact: 05/31/1994
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

NPDES: NPDES Permits Listing

A listing of NPDES permits, including stormwater.

Date of Government Version: 11/20/2009
Date Data Arrived at EDR: 11/24/2009
Date Made Active in Reports: 12/04/2009
Number of Days to Update: 10

Source: State Water Resources Control Board
Telephone: 916-445-9379
Last EDR Contact: 11/24/2009
Next Scheduled EDR Contact: 03/05/2010
Data Release Frequency: Quarterly

CA WDS: Waste Discharge System

Sites which have been issued waste discharge requirements.

Date of Government Version: 06/19/2007
Date Data Arrived at EDR: 06/20/2007
Date Made Active in Reports: 06/29/2007
Number of Days to Update: 9

Source: State Water Resources Control Board
Telephone: 916-341-5227
Last EDR Contact: 11/25/2009
Next Scheduled EDR Contact: 03/15/2010
Data Release Frequency: Quarterly

CORTESE: "Cortese" Hazardous Waste & Substances Sites List

The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites). This listing is no longer updated by the state agency.

Date of Government Version: 01/06/2010
Date Data Arrived at EDR: 01/06/2010
Date Made Active in Reports: 01/18/2010
Number of Days to Update: 12

Source: CAL EPA/Office of Emergency Information
Telephone: 916-323-3400
Last EDR Contact: 01/06/2010
Next Scheduled EDR Contact: 04/19/2010
Data Release Frequency: Quarterly

HIST CORTESE: Hazardous Waste & Substance Site List

The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CAL SITES].

Date of Government Version: 04/01/2001
Date Data Arrived at EDR: 01/22/2009
Date Made Active in Reports: 04/08/2009
Number of Days to Update: 76

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 01/22/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

NOTIFY 65: Proposition 65 Records

Proposition 65 Notification Records. NOTIFY 65 contains facility notifications about any release which could impact drinking water and thereby expose the public to a potential health risk.

Date of Government Version: 10/21/1993
Date Data Arrived at EDR: 11/01/1993
Date Made Active in Reports: 11/19/1993
Number of Days to Update: 18

Source: State Water Resources Control Board
Telephone: 916-445-3846
Last EDR Contact: 12/23/2009
Next Scheduled EDR Contact: 04/12/2010
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

DRYCLEANERS: Cleaner Facilities

A list of drycleaner related facilities that have EPA ID numbers. These are facilities with certain SIC codes: power laundries, family and commercial; garment pressing and cleaner's agents; linen supply; coin-operated laundries and cleaning; drycleaning plants, except rugs; carpet and upholster cleaning; industrial launderers; laundry and garment services.

Date of Government Version: 12/22/2009
Date Data Arrived at EDR: 01/25/2010
Date Made Active in Reports: 01/29/2010
Number of Days to Update: 4

Source: Department of Toxic Substance Control
Telephone: 916-327-4498
Last EDR Contact: 12/14/2009
Next Scheduled EDR Contact: 03/29/2010
Data Release Frequency: Annually

WIP: Well Investigation Program Case List

Well Investigation Program case in the San Gabriel and San Fernando Valley area.

Date of Government Version: 07/03/2009
Date Data Arrived at EDR: 07/21/2009
Date Made Active in Reports: 08/03/2009
Number of Days to Update: 13

Source: Los Angeles Water Quality Control Board
Telephone: 213-576-6726
Last EDR Contact: 01/07/2010
Next Scheduled EDR Contact: 04/19/2010
Data Release Frequency: Varies

HAZNET: Facility and Manifest Data

Facility and Manifest Data. The data is extracted from the copies of hazardous waste manifests received each year by the DTSC. The annual volume of manifests is typically 700,000 - 1,000,000 annually, representing approximately 350,000 - 500,000 shipments. Data are from the manifests submitted without correction, and therefore many contain some invalid values for data elements such as generator ID, TSD ID, waste category, and disposal method.

Date of Government Version: 12/31/2008
Date Data Arrived at EDR: 10/21/2009
Date Made Active in Reports: 10/28/2009
Number of Days to Update: 7

Source: California Environmental Protection Agency
Telephone: 916-255-1136
Last EDR Contact: 01/21/2010
Next Scheduled EDR Contact: 05/03/2010
Data Release Frequency: Annually

EMI: Emissions Inventory Data

Toxics and criteria pollutant emissions data collected by the ARB and local air pollution agencies.

Date of Government Version: 12/31/2007
Date Data Arrived at EDR: 07/14/2009
Date Made Active in Reports: 07/23/2009
Number of Days to Update: 9

Source: California Air Resources Board
Telephone: 916-322-2990
Last EDR Contact: 01/06/2010
Next Scheduled EDR Contact: 04/12/2010
Data Release Frequency: Varies

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 12/08/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 34

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 01/19/2010
Next Scheduled EDR Contact: 05/03/2010
Data Release Frequency: Semi-Annually

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 11/16/2009
Date Data Arrived at EDR: 11/16/2009
Date Made Active in Reports: 01/19/2010
Number of Days to Update: 64

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 01/25/2010
Next Scheduled EDR Contact: 05/10/2010
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 09/21/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/25/2009	Telephone: N/A
Date Made Active in Reports: 11/09/2009	Last EDR Contact: 12/15/2009
Number of Days to Update: 45	Next Scheduled EDR Contact: 03/29/2010
	Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 01/01/2008	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/18/2009	Telephone: 202-566-0517
Date Made Active in Reports: 05/29/2009	Last EDR Contact: 11/13/2009
Number of Days to Update: 100	Next Scheduled EDR Contact: 02/15/2010
	Data Release Frequency: Varies

COAL ASH DOE: Sleam-Electric Plan Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005	Source: Department of Energy
Date Data Arrived at EDR: 08/07/2009	Telephone: 202-586-8719
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 01/27/2010
Number of Days to Update: 76	Next Scheduled EDR Contact: 05/03/2010
	Data Release Frequency: Varies

PROC: Certified Processors Database

A listing of certified processors.

Date of Government Version: 12/18/2009	Source: Department of Conservation
Date Data Arrived at EDR: 12/21/2009	Telephone: 916-323-3836
Date Made Active in Reports: 01/18/2010	Last EDR Contact: 12/21/2009
Number of Days to Update: 28	Next Scheduled EDR Contact: 04/05/2010
	Data Release Frequency: Quarterly

HWP: EnviroStor Permitted Facilities Listing

Detailed information on permitted hazardous waste facilities and corrective action (a??cleanupsa??) tracked in EnviroStor.

Date of Government Version: 03/13/2009	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 03/27/2009	Telephone: 916-323-3400
Date Made Active in Reports: 04/08/2009	Last EDR Contact: 11/20/2009
Number of Days to Update: 12	Next Scheduled EDR Contact: 02/22/2010
	Data Release Frequency: Quarterly

HWT: Registered Hazardous Waste Transporter Database

A listing of hazardous waste transporters. In California, unless specifically exempted, it is unlawful for any person to transport hazardous wastes unless the person holds a valid registration issued by DTSC. A hazardous waste transporter registration is valid for one year and is assigned a unique registration number.

Date of Government Version: 01/18/2010	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 01/19/2010	Telephone: 916-440-7145
Date Made Active in Reports: 01/29/2010	Last EDR Contact: 01/19/2010
Number of Days to Update: 10	Next Scheduled EDR Contact: 05/03/2010
	Data Release Frequency: Quarterly

MWMP: Medical Waste Management Program Listing

The Medical Waste Management Program (MWMP) ensures the proper handling and disposal of medical waste by permitting and inspecting medical waste Offsite Treatment Facilities (PDF) and Transfer Stations (PDF) throughout the state. MWMP also oversees all Medical Waste Transporters.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/24/2009
Date Data Arrived at EDR: 12/17/2009
Date Made Active in Reports: 01/18/2010
Number of Days to Update: 32

Source: Department of Public Health
Telephone: 916-558-1784
Last EDR Contact: 12/15/2009
Next Scheduled EDR Contact: 03/29/2010
Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 02/06/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 339

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 01/19/2010
Next Scheduled EDR Contact: 05/03/2010
Data Release Frequency: N/A

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

COUNTY RECORDS

ALAMEDA COUNTY:

Contaminated Sites

A listing of contaminated sites overseen by the Toxic Release Program (oil and groundwater contamination from chemical releases and spills) and the Leaking Underground Storage Tank Program (soil and ground water contamination from leaking petroleum USTs).

Date of Government Version: 01/19/2010
Date Data Arrived at EDR: 01/21/2010
Date Made Active in Reports: 01/29/2010
Number of Days to Update: 8

Source: Alameda County Environmental Health Services
Telephone: 510-567-6700
Last EDR Contact: 01/18/2010
Next Scheduled EDR Contact: 04/19/2010
Data Release Frequency: Semi-Annually

Underground Tanks

Underground storage tank sites located in Alameda county.

Date of Government Version: 01/19/2010
Date Data Arrived at EDR: 01/21/2010
Date Made Active in Reports: 02/02/2010
Number of Days to Update: 12

Source: Alameda County Environmental Health Services
Telephone: 510-567-6700
Last EDR Contact: 01/18/2010
Next Scheduled EDR Contact: 04/19/2010
Data Release Frequency: Semi-Annually

CONTRA COSTA COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Site List

List includes sites from the underground tank, hazardous waste generator and business plan/2185 programs.

Date of Government Version: 11/18/2009	Source: Contra Costa Health Services Department
Date Data Arrived at EDR: 11/20/2009	Telephone: 925-646-2286
Date Made Active in Reports: 12/04/2009	Last EDR Contact: 11/09/2009
Number of Days to Update: 14	Next Scheduled EDR Contact: 02/22/2010
	Data Release Frequency: Semi-Annually

FRESNO COUNTY:

CUPA Resources List

Certified Unified Program Agency. CUPA's are responsible for implementing a unified hazardous materials and hazardous waste management regulatory program. The agency provides oversight of businesses that deal with hazardous materials, operate underground storage tanks or aboveground storage tanks.

Date of Government Version: 12/31/2009	Source: Dept. of Community Health
Date Data Arrived at EDR: 01/20/2010	Telephone: 559-445-3271
Date Made Active in Reports: 01/29/2010	Last EDR Contact: 01/18/2010
Number of Days to Update: 9	Next Scheduled EDR Contact: 05/03/2010
	Data Release Frequency: Semi-Annually

KERN COUNTY:

Underground Storage Tank Sites & Tank Listing Kern County Sites and Tanks Listing.

Date of Government Version: 11/18/2009	Source: Kern County Environment Health Services Department
Date Data Arrived at EDR: 11/20/2009	Telephone: 661-862-8700
Date Made Active in Reports: 12/08/2009	Last EDR Contact: 11/16/2009
Number of Days to Update: 18	Next Scheduled EDR Contact: 03/01/2010
	Data Release Frequency: Quarterly

LOS ANGELES COUNTY:

San Gabriel Valley Areas of Concern

San Gabriel Valley areas where VOC contamination is at or above the MCL as designated by region 9 EPA office.

Date of Government Version: 03/30/2009	Source: EPA Region 9
Date Data Arrived at EDR: 03/31/2009	Telephone: 415-972-3178
Date Made Active in Reports: 10/23/2009	Last EDR Contact: 12/28/2009
Number of Days to Update: 206	Next Scheduled EDR Contact: 04/12/2010
	Data Release Frequency: No Update Planned

HMS: Street Number List

Industrial Waste and Underground Storage Tank Sites.

Date of Government Version: 09/30/2009	Source: Department of Public Works
Date Data Arrived at EDR: 12/28/2009	Telephone: 626-458-3517
Date Made Active in Reports: 01/18/2010	Last EDR Contact: 01/18/2010
Number of Days to Update: 21	Next Scheduled EDR Contact: 05/03/2010
	Data Release Frequency: Semi-Annually

List of Solid Waste Facilities

Solid Waste Facilities in Los Angeles County.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/26/2009
Date Data Arrived at EDR: 10/27/2009
Date Made Active in Reports: 11/13/2009
Number of Days to Update: 17

Source: La County Department of Public Works
Telephone: 818-458-5185
Last EDR Contact: 01/25/2010
Next Scheduled EDR Contact: 05/10/2010
Data Release Frequency: Varies

City of Los Angeles Landfills

Landfills owned and maintained by the City of Los Angeles.

Date of Government Version: 03/05/2009
Date Data Arrived at EDR: 03/10/2009
Date Made Active in Reports: 04/08/2009
Number of Days to Update: 29

Source: Engineering & Construction Division
Telephone: 213-473-7869
Last EDR Contact: 11/20/2009
Next Scheduled EDR Contact: 03/08/2010
Data Release Frequency: Varies

Site Mitigation List

Industrial sites that have had some sort of spill or complaint.

Date of Government Version: 02/11/2009
Date Data Arrived at EDR: 04/23/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 18

Source: Community Health Services
Telephone: 323-890-7806
Last EDR Contact: 01/25/2010
Next Scheduled EDR Contact: 05/10/2010
Data Release Frequency: Annually

City of El Segundo Underground Storage Tank

Underground storage tank sites located in El Segundo city.

Date of Government Version: 01/25/2010
Date Data Arrived at EDR: 01/25/2010
Date Made Active in Reports: 02/02/2010
Number of Days to Update: 8

Source: City of El Segundo Fire Department
Telephone: 310-524-2236
Last EDR Contact: 01/25/2010
Next Scheduled EDR Contact: 05/10/2010
Data Release Frequency: Semi-Annually

City of Long Beach Underground Storage Tank

Underground storage tank sites located in the city of Long Beach.

Date of Government Version: 03/28/2003
Date Data Arrived at EDR: 10/23/2003
Date Made Active in Reports: 11/26/2003
Number of Days to Update: 34

Source: City of Long Beach Fire Department
Telephone: 562-570-2563
Last EDR Contact: 02/01/2010
Next Scheduled EDR Contact: 05/17/2010
Data Release Frequency: Annually

City of Torrance Underground Storage Tank

Underground storage tank sites located in the city of Torrance.

Date of Government Version: 01/21/2010
Date Data Arrived at EDR: 01/25/2010
Date Made Active in Reports: 02/02/2010
Number of Days to Update: 8

Source: City of Torrance Fire Department
Telephone: 310-618-2973
Last EDR Contact: 01/18/2010
Next Scheduled EDR Contact: 05/03/2010
Data Release Frequency: Semi-Annually

MARIN COUNTY:

Underground Storage Tank Sites

Currently permitted USTs in Marin County.

Date of Government Version: 10/19/2009
Date Data Arrived at EDR: 10/27/2009
Date Made Active in Reports: 11/20/2009
Number of Days to Update: 24

Source: Public Works Department Waste Management
Telephone: 415-499-6647
Last EDR Contact: 01/11/2010
Next Scheduled EDR Contact: 04/26/2010
Data Release Frequency: Semi-Annually

NAPA COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Sites With Reported Contamination

A listing of leaking underground storage tank sites located in Napa county.

Date of Government Version: 07/09/2008
Date Data Arrived at EDR: 07/09/2008
Date Made Active in Reports: 07/31/2008
Number of Days to Update: 22

Source: Napa County Department of Environmental Management
Telephone: 707-253-4269
Last EDR Contact: 12/07/2009
Next Scheduled EDR Contact: 03/22/2010
Data Release Frequency: Semi-Annually

Closed and Operating Underground Storage Tank Sites

Underground storage tank sites located in Napa county.

Date of Government Version: 01/15/2008
Date Data Arrived at EDR: 01/16/2008
Date Made Active in Reports: 02/08/2008
Number of Days to Update: 23

Source: Napa County Department of Environmental Management
Telephone: 707-253-4269
Last EDR Contact: 12/07/2009
Next Scheduled EDR Contact: 03/22/2010
Data Release Frequency: Annually

ORANGE COUNTY:

List of Industrial Site Cleanups

Petroleum and non-petroleum spills.

Date of Government Version: 11/04/2009
Date Data Arrived at EDR: 11/18/2009
Date Made Active in Reports: 12/04/2009
Number of Days to Update: 16

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 11/13/2009
Next Scheduled EDR Contact: 03/01/2010
Data Release Frequency: Annually

List of Underground Storage Tank Cleanups

Orange County Underground Storage Tank Cleanups (LUST).

Date of Government Version: 11/04/2009
Date Data Arrived at EDR: 11/18/2009
Date Made Active in Reports: 12/04/2009
Number of Days to Update: 16

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 11/13/2009
Next Scheduled EDR Contact: 03/01/2010
Data Release Frequency: Quarterly

List of Underground Storage Tank Facilities

Orange County Underground Storage Tank Facilities (UST).

Date of Government Version: 11/04/2009
Date Data Arrived at EDR: 11/18/2009
Date Made Active in Reports: 11/20/2009
Number of Days to Update: 2

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: 03/01/2010
Data Release Frequency: Quarterly

PLACER COUNTY:

Master List of Facilities

List includes aboveground tanks, underground tanks and cleanup sites.

Date of Government Version: 12/29/2009
Date Data Arrived at EDR: 12/29/2009
Date Made Active in Reports: 01/18/2010
Number of Days to Update: 20

Source: Placer County Health and Human Services
Telephone: 530-889-7312
Last EDR Contact: 12/14/2009
Next Scheduled EDR Contact: 03/29/2010
Data Release Frequency: Semi-Annually

RIVERSIDE COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Listing of Underground Tank Cleanup Sites

Riverside County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 10/28/2009	Source: Department of Public Health
Date Data Arrived at EDR: 10/30/2009	Telephone: 951-358-5055
Date Made Active in Reports: 11/13/2009	Last EDR Contact: 12/28/2009
Number of Days to Update: 14	Next Scheduled EDR Contact: 04/12/2010
	Data Release Frequency: Quarterly

Underground Storage Tank Tank List

Underground storage tank sites located in Riverside county.

Date of Government Version: 01/21/2010	Source: Health Services Agency
Date Data Arrived at EDR: 01/27/2010	Telephone: 951-358-5055
Date Made Active in Reports: 02/02/2010	Last EDR Contact: 12/28/2009
Number of Days to Update: 6	Next Scheduled EDR Contact: 04/12/2010
	Data Release Frequency: Quarterly

SACRAMENTO COUNTY:

Toxic Site Clean-Up List

List of sites where unauthorized releases of potentially hazardous materials have occurred.

Date of Government Version: 01/05/2010	Source: Sacramento County Environmental Management
Date Data Arrived at EDR: 01/15/2010	Telephone: 916-875-8406
Date Made Active in Reports: 01/29/2010	Last EDR Contact: 01/12/2010
Number of Days to Update: 14	Next Scheduled EDR Contact: 04/26/2010
	Data Release Frequency: Quarterly

Master Hazardous Materials Facility List

Any business that has hazardous materials on site - hazardous material storage sites, underground storage tanks, waste generators.

Date of Government Version: 11/12/2009	Source: Sacramento County Environmental Management
Date Data Arrived at EDR: 11/20/2009	Telephone: 916-875-8406
Date Made Active in Reports: 12/04/2009	Last EDR Contact: 01/22/2010
Number of Days to Update: 14	Next Scheduled EDR Contact: 04/26/2010
	Data Release Frequency: Quarterly

SAN BERNARDINO COUNTY:

Hazardous Material Permits

This listing includes underground storage tanks, medical waste handlers/generators, hazardous materials handlers, hazardous waste generators, and waste oil generators/handlers.

Date of Government Version: 12/08/2009	Source: San Bernardino County Fire Department Hazardous Materials Division
Date Data Arrived at EDR: 12/09/2009	Telephone: 909-387-3041
Date Made Active in Reports: 01/18/2010	Last EDR Contact: 11/16/2009
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/01/2010
	Data Release Frequency: Quarterly

SAN DIEGO COUNTY:

Hazardous Materials Management Division Database

The database includes: HE58 - This report contains the business name, site address, business phone number, establishment 'H' permit number, type of permit, and the business status. HE17 - In addition to providing the same information provided in the HE58 listing, HE17 provides inspection dates, violations received by the establishment, hazardous waste generated, the quantity, method of storage, treatment/disposal of waste and the hauler, and information on underground storage tanks. Unauthorized Release List - Includes a summary of environmental contamination cases in San Diego County (underground tank cases, non-tank cases, groundwater contamination, and soil contamination are included.)

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 07/16/2008
Date Data Arrived at EDR: 10/29/2008
Date Made Active in Reports: 11/26/2008
Number of Days to Update: 28

Source: Hazardous Materials Management Division
Telephone: 619-338-2268
Last EDR Contact: 12/22/2009
Next Scheduled EDR Contact: 03/29/2010
Data Release Frequency: Quarterly

Solid Waste Facilities

San Diego County Solid Waste Facilities.

Date of Government Version: 10/01/2009
Date Data Arrived at EDR: 12/04/2009
Date Made Active in Reports: 01/18/2010
Number of Days to Update: 45

Source: Department of Health Services
Telephone: 619-338-2209
Last EDR Contact: 02/01/2010
Next Scheduled EDR Contact: 05/17/2010
Data Release Frequency: Varies

Environmental Case Listing

The listing contains all underground tank release cases and projects pertaining to properties contaminated with hazardous substances that are actively under review by the Site Assessment and Mitigation Program.

Date of Government Version: 09/23/2009
Date Data Arrived at EDR: 12/15/2009
Date Made Active in Reports: 01/18/2010
Number of Days to Update: 34

Source: San Diego County Department of Environmental Health
Telephone: 619-338-2371
Last EDR Contact: 12/15/2009
Next Scheduled EDR Contact: 03/29/2010
Data Release Frequency: Varies

SAN FRANCISCO COUNTY:

Local Oversight Facilities

A listing of leaking underground storage tank sites located in San Francisco county.

Date of Government Version: 09/19/2008
Date Data Arrived at EDR: 09/19/2008
Date Made Active in Reports: 09/29/2008
Number of Days to Update: 10

Source: Department Of Public Health San Francisco County
Telephone: 415-252-3920
Last EDR Contact: 11/16/2009
Next Scheduled EDR Contact: 03/01/2010
Data Release Frequency: Quarterly

Underground Storage Tank Information

Underground storage tank sites located in San Francisco county.

Date of Government Version: 09/19/2008
Date Data Arrived at EDR: 09/19/2008
Date Made Active in Reports: 10/01/2008
Number of Days to Update: 12

Source: Department of Public Health
Telephone: 415-252-3920
Last EDR Contact: 11/30/2009
Next Scheduled EDR Contact: 03/01/2010
Data Release Frequency: Quarterly

SAN JOAQUIN COUNTY:

San Joaquin Co. UST

A listing of underground storage tank locations in San Joaquin county.

Date of Government Version: 10/14/2009
Date Data Arrived at EDR: 10/15/2009
Date Made Active in Reports: 11/02/2009
Number of Days to Update: 18

Source: Environmental Health Department
Telephone: N/A
Last EDR Contact: 12/28/2009
Next Scheduled EDR Contact: 04/12/2010
Data Release Frequency: Semi-Annually

SAN MATEO COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Business Inventory

List includes Hazardous Materials Business Plan, hazardous waste generators, and underground storage tanks.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 01/05/2010
Date Made Active in Reports: 01/18/2010
Number of Days to Update: 13

Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 12/18/2009
Next Scheduled EDR Contact: 04/05/2010
Data Release Frequency: Annually

Fuel Leak List

A listing of leaking underground storage tank sites located in San Mateo county.

Date of Government Version: 04/07/2009
Date Data Arrived at EDR: 04/07/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 34

Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 12/18/2009
Next Scheduled EDR Contact: 04/05/2010
Data Release Frequency: Semi-Annually

SANTA CLARA COUNTY:

HIST LUST - Fuel Leak Site Activity Report

A listing of open and closed leaking underground storage tanks. This listing is no longer updated by the county. Leaking underground storage tanks are now handled by the Department of Environmental Health.

Date of Government Version: 03/29/2005
Date Data Arrived at EDR: 03/30/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 22

Source: Santa Clara Valley Water District
Telephone: 408-265-2600
Last EDR Contact: 03/23/2009
Next Scheduled EDR Contact: 06/22/2009
Data Release Frequency: No Update Planned

LOP Listing

A listing of leaking underground storage tanks located in Santa Clara county.

Date of Government Version: 05/29/2009
Date Data Arrived at EDR: 06/01/2009
Date Made Active in Reports: 06/15/2009
Number of Days to Update: 14

Source: Department of Environmental Health
Telephone: 408-918-3417
Last EDR Contact: 12/07/2009
Next Scheduled EDR Contact: 03/22/2010
Data Release Frequency: Varies

Hazardous Material Facilities

Hazardous material facilities, including underground storage tank sites.

Date of Government Version: 08/31/2009
Date Data Arrived at EDR: 08/31/2009
Date Made Active in Reports: 09/18/2009
Number of Days to Update: 18

Source: City of San Jose Fire Department
Telephone: 408-277-4659
Last EDR Contact: 11/16/2009
Next Scheduled EDR Contact: 03/01/2010
Data Release Frequency: Annually

SOLANO COUNTY:

Leaking Underground Storage Tanks

A listing of leaking underground storage tank sites located in Solano county.

Date of Government Version: 12/07/2009
Date Data Arrived at EDR: 12/10/2009
Date Made Active in Reports: 01/18/2010
Number of Days to Update: 39

Source: Solano County Department of Environmental Management
Telephone: 707-784-6770
Last EDR Contact: 12/07/2009
Next Scheduled EDR Contact: 03/22/2010
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Underground Storage Tanks

Underground storage tank sites located in Solano county.

Date of Government Version: 12/07/2009	Source: Solano County Department of Environmental Management
Date Data Arrived at EDR: 12/10/2009	Telephone: 707-784-6770
Date Made Active in Reports: 12/22/2009	Last EDR Contact: 12/07/2009
Number of Days to Update: 12	Next Scheduled EDR Contact: 03/22/2010
	Data Release Frequency: Quarterly

SONOMA COUNTY:

Leaking Underground Storage Tank Sites

A listing of leaking underground storage tank sites located in Sonoma county.

Date of Government Version: 01/05/2010	Source: Department of Health Services
Date Data Arrived at EDR: 01/06/2010	Telephone: 707-565-6565
Date Made Active in Reports: 01/18/2010	Last EDR Contact: 01/05/2010
Number of Days to Update: 12	Next Scheduled EDR Contact: 04/19/2010
	Data Release Frequency: Quarterly

SUTTER COUNTY:

Underground Storage Tanks

Underground storage tank sites located in Sutter county.

Date of Government Version: 04/01/2009	Source: Sutter County Department of Agriculture
Date Data Arrived at EDR: 04/02/2009	Telephone: 530-822-7500
Date Made Active in Reports: 04/09/2009	Last EDR Contact: 12/28/2009
Number of Days to Update: 7	Next Scheduled EDR Contact: 03/29/2010
	Data Release Frequency: Semi-Annually

VENTURA COUNTY:

Business Plan, Hazardous Waste Producers, and Operating Underground Tanks

The BWT list indicates by site address whether the Environmental Health Division has Business Plan (B), Waste Producer (W), and/or Underground Tank (T) information.

Date of Government Version: 10/26/2009	Source: Ventura County Environmental Health Division
Date Data Arrived at EDR: 11/30/2009	Telephone: 805-654-2813
Date Made Active in Reports: 12/04/2009	Last EDR Contact: 11/23/2009
Number of Days to Update: 4	Next Scheduled EDR Contact: 03/08/2010
	Data Release Frequency: Quarterly

Inventory of Illegal Abandoned and Inactive Sites

Ventura County Inventory of Closed, Illegal Abandoned, and Inactive Sites.

Date of Government Version: 08/01/2009	Source: Environmental Health Division
Date Data Arrived at EDR: 10/05/2009	Telephone: 805-654-2813
Date Made Active in Reports: 10/13/2009	Last EDR Contact: 02/01/2010
Number of Days to Update: 8	Next Scheduled EDR Contact: 05/17/2010
	Data Release Frequency: Annually

Listing of Underground Tank Cleanup Sites

Ventura County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 05/29/2008	Source: Environmental Health Division
Date Data Arrived at EDR: 06/24/2008	Telephone: 805-654-2813
Date Made Active in Reports: 07/31/2008	Last EDR Contact: 11/20/2009
Number of Days to Update: 37	Next Scheduled EDR Contact: 03/08/2010
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Underground Tank Closed Sites List

Ventura County Operating Underground Storage Tank Sites (UST)/Underground Tank Closed Sites List.

Date of Government Version: 11/27/2009	Source: Environmental Health Division
Date Data Arrived at EDR: 12/21/2009	Telephone: 805-654-2813
Date Made Active in Reports: 01/18/2010	Last EDR Contact: 12/21/2009
Number of Days to Update: 28	Next Scheduled EDR Contact: 04/05/2010
	Data Release Frequency: Quarterly

YOLO COUNTY:

Underground Storage Tank Comprehensive Facility Report

Underground storage tank sites located in Yolo county.

Date of Government Version: 12/28/2009	Source: Yolo County Department of Health
Date Data Arrived at EDR: 12/31/2009	Telephone: 530-666-8646
Date Made Active in Reports: 01/18/2010	Last EDR Contact: 12/28/2009
Number of Days to Update: 18	Next Scheduled EDR Contact: 04/12/2010
	Data Release Frequency: Annually

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 12/31/2007	Source: Department of Environmental Protection
Date Data Arrived at EDR: 08/26/2009	Telephone: 860-424-3375
Date Made Active in Reports: 09/11/2009	Last EDR Contact: 11/24/2009
Number of Days to Update: 16	Next Scheduled EDR Contact: 03/08/2010
	Data Release Frequency: Annually

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2008	Source: Department of Environmental Protection
Date Data Arrived at EDR: 05/05/2009	Telephone: N/A
Date Made Active in Reports: 05/22/2009	Last EDR Contact: 01/20/2010
Number of Days to Update: 17	Next Scheduled EDR Contact: 05/03/2010
	Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 10/27/2009	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/10/2009	Telephone: 518-402-8651
Date Made Active in Reports: 12/09/2009	Last EDR Contact: 11/10/2009
Number of Days to Update: 29	Next Scheduled EDR Contact: 02/22/2010
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2008
Date Data Arrived at EDR: 12/01/2009
Date Made Active in Reports: 12/14/2009
Number of Days to Update: 13

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 11/23/2009
Next Scheduled EDR Contact: 03/08/2010
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 06/01/2009
Date Data Arrived at EDR: 06/12/2009
Date Made Active in Reports: 06/29/2009
Number of Days to Update: 17

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 11/30/2009
Next Scheduled EDR Contact: 03/15/2010
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2008
Date Data Arrived at EDR: 07/17/2009
Date Made Active in Reports: 08/10/2009
Number of Days to Update: 24

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 12/21/2009
Next Scheduled EDR Contact: 04/05/2010
Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: PennWell Corporation
Telephone: (800) 823-6277

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.
Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health
Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics
Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Licensed Facilities

Source: Department of Social Services

Telephone: 916-657-4041

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2009 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

DON PEDRO SITE
9729 MERCED FALLS ROAD
LA GRANGE, CA 95329

TARGET PROPERTY COORDINATES

Latitude (North):	37.65240 - 37° 39' 8.6"
Longitude (West):	120.3111 - 120° 18' 39.9"
Universal Tranverse Mercator:	Zone 10
UTM X (Meters):	737216.4
UTM Y (Meters):	4170446.0
Elevation:	1124 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	37120-F3 PENON BLANCO PEAK, CA
Most Recent Revision:	1987

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General South

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Target Property County</u> MARIPOSA, CA	FEMA Flood <u>Electronic Data</u> YES - refer to the Overview Map and Detail Map
Flood Plain Panel at Target Property:	0606340100B - FEMA Q3 Flood data
Additional Panels in search area:	06109C - FEMA DFIRM Flood data

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u> PENON BLANCO PEAK	NWI Electronic <u>Data Coverage</u> YES - refer to the Overview Map and Detail Map
---	--

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

* ©1996 Site-specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT


Era: Mesozoic
System: Lower Jurassic and Upper Triassic
Series: Lower Mesozoic
Code: IMze (*decoded above as Era, System & Series*)

GEOLOGIC AGE IDENTIFICATION


Category: Eugeosynclinal Deposits

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 2690053.1s



- ★ Target Property
- SSURGO Soil
- Water



SITE NAME: Don Pedro Site
ADDRESS: 9729 Merced Falls Road
La Grange CA 95329
LAT/LONG: 37.6524 / 120.3111

CLIENT: Analytical Environmental Serv.
CONTACT: Melissa Oberti
INQUIRY #: 2690053.1s
DATE: February 02, 2010 1:50 pm

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: AUBURN

Soil Surface Texture: loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 41 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	3 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 0.01 Min: 0	Max: Min:
2	3 inches	16 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 0.01 Min: 0	Max: Min:
3	16 inches	20 inches	unweathered bedrock	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 0.01 Min: 0	Max: Min:

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Map ID: 2

Soil Component Name: HENNEKE

Soil Surface Texture: very gravelly loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	1 inches	very gravelly loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	Not reported	Max: 0.42 Min: 0.01	Max: Min:
2	1 inches	11 inches	extremely cobbly clay	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	Not reported	Max: 0.42 Min: 0.01	Max: Min:
3	11 inches	14 inches		Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	Not reported	Max: 0.42 Min: 0.01	Max: Min:

Soil Map ID: 3

Soil Component Name: AUBURN

Soil Surface Texture: loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Well drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	3 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 0.01 Min: 0	Max: Min:
2	3 inches	16 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 0.01 Min: 0	Max: Min:
3	16 inches	20 inches	unweathered bedrock	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 0.01 Min: 0	Max: Min:

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION


<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
1	23337	0 - 1/8 Mile NNW
2	4207	1/2 - 1 Mile SSW

PHYSICAL SETTING SOURCE MAP - 2690053.1s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake Fault Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells



SITE NAME: Don Pedro Site
 ADDRESS: 9729 Merced Falls Road
 La Grange CA 95329
 LAT/LONG: 37.6524 / 120.3111

CLIENT: Analytical Environmental Serv.
 CONTACT: Melissa Oberti
 INQUIRY #: 2690053.1s
 DATE: February 02, 2010 1:50 pm

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

1
NNW
0 - 1/8 Mile
Higher

CA WELLS 23337

Water System Information:

Prime Station Code:	K55/008-LKDNPO1	User ID:	AGE
FRDS Number:	5510008001	County:	Tuolumne
District Number:	11	Station Type:	LAKE/AMBNT/MUN/INTAKE
Water Type:	Surface Water	Well Status:	Active Raw
Source Lat/Long:	373912.0 1201838.0	Precision:	100 Feet (one Second)
Source Name:	PLANT INTAKE		
System Number:	5510008		
System Name:	LAKE DON PEDRO CSD		
Organization That Operates System:	9751 MERCED FALLS ROAD LA GRANGE 95329		
Pop Served:	1950	Connections:	630
Area Served:	LAKE DON PEDRO		
Sample Collected:	04/17/2008	Findings:	5 UNITS
Chemical:	COLOR		
Sample Collected:	04/17/2008	Findings:	4 TON
Chemical:	ODOR THRESHOLD @ 60 C		
Sample Collected:	04/17/2008	Findings:	2.5 NTU
Chemical:	TURBIDITY, LABORATORY		
Sample Collected:	04/17/2008	Findings:	107 US
Chemical:	SPECIFIC CONDUCTANCE		
Sample Collected:	04/17/2008	Findings:	7.19
Chemical:	PH, LABORATORY		
Sample Collected:	04/17/2008	Findings:	40 MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO3		
Sample Collected:	04/17/2008	Findings:	69.7 MG/L
Chemical:	BICARBONATE ALKALINITY		
Sample Collected:	04/17/2008	Findings:	12 MG/L
Chemical:	HARDNESS (TOTAL) AS CaCO3		
Sample Collected:	04/17/2008	Findings:	4.8 MG/L
Chemical:	CALCIUM		
Sample Collected:	04/17/2008	Findings:	3.5 MG/L
Chemical:	SODIUM		
Sample Collected:	04/17/2008	Findings:	1.9 MG/L
Chemical:	POTASSIUM		
Sample Collected:	04/17/2008	Findings:	1.29 MG/L
Chemical:	CHLORIDE		
Sample Collected:	04/17/2008	Findings:	55.7 UG/L
Chemical:	ALUMINUM		
Sample Collected:	04/17/2008	Findings:	350 MG/L
Chemical:	TOTAL DISSOLVED SOLIDS		
Sample Collected:	04/19/2007	Findings:	1.44 MG/L
Chemical:	TOTAL ORGANIC CARBON (TOC)		
Sample Collected:	04/05/2007	Findings:	8 UNITS
Chemical:	COLOR		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	04/05/2007	Findings:	.36 NTU
Chemical:	TURBIDITY, LABORATORY		
Sample Collected:	04/05/2007	Findings:	67 US
Chemical:	SPECIFIC CONDUCTANCE		
Sample Collected:	04/05/2007	Findings:	6.08
Chemical:	PH, LABORATORY		
Sample Collected:	04/05/2007	Findings:	50 MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO ₃		
Sample Collected:	04/05/2007	Findings:	102 MG/L
Chemical:	BICARBONATE ALKALINITY		
Sample Collected:	04/05/2007	Findings:	5 MG/L
Chemical:	TOTAL DISSOLVED SOLIDS		
Sample Collected:	08/03/2006	Findings:	13.6 MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO ₃		
Sample Collected:	08/03/2006	Findings:	1.5 MG/L
Chemical:	TOTAL ORGANIC CARBON (TOC)		
Sample Collected:	07/20/2006	Findings:	1.43 MG/L
Chemical:	TOTAL ORGANIC CARBON (TOC)		
Sample Collected:	05/04/2006	Findings:	1.49 MG/L
Chemical:	TOTAL ORGANIC CARBON (TOC)		
Sample Collected:	04/06/2006	Findings:	6.68
Chemical:	PH, LABORATORY		
Sample Collected:	04/06/2006	Findings:	17 MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO ₃		
Sample Collected:	04/06/2006	Findings:	20.7 MG/L
Chemical:	BICARBONATE ALKALINITY		
Sample Collected:	04/06/2006	Findings:	10 MG/L
Chemical:	HARDNESS (TOTAL) AS CaCO ₃		
Sample Collected:	04/06/2006	Findings:	4.2 MG/L
Chemical:	CALCIUM		
Sample Collected:	04/06/2006	Findings:	3.3 MG/L
Chemical:	SODIUM		
Sample Collected:	04/06/2006	Findings:	1.9 MG/L
Chemical:	POTASSIUM		
Sample Collected:	04/06/2006	Findings:	67 UG/L
Chemical:	COPPER		
Sample Collected:	04/06/2006	Findings:	190 UG/L
Chemical:	IRON		
Sample Collected:	04/06/2006	Findings:	110 UG/L
Chemical:	ALUMINUM		
Sample Collected:	04/06/2006	Findings:	55 MG/L
Chemical:	TOTAL DISSOLVED SOLIDS		
Sample Collected:	04/06/2006	Findings:	2.26 MG/L
Chemical:	TOTAL ORGANIC CARBON (TOC)		
Sample Collected:	04/06/2006	Findings:	51.2 US
Chemical:	SPECIFIC CONDUCTANCE		
Sample Collected:	04/06/2006	Findings:	3.8 NTU
Chemical:	TURBIDITY, LABORATORY		
Sample Collected:	04/06/2006	Findings:	17 TON
Chemical:	ODOR THRESHOLD @ 60 C		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	04/06/2006	Findings:	15 UNITS
Chemical:	COLOR		
Sample Collected:	01/09/2006	Findings:	1.26 MG/L
Chemical:	TOTAL ORGANIC CARBON (TOC)		
Sample Collected:	01/05/2006	Findings:	22.8 MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO ₃		
Sample Collected:	08/04/2005	Findings:	.938 PCI/L
Chemical:	GROSS ALPHA COUNTING ERROR		
Sample Collected:	08/04/2005	Findings:	.498 PCI/L
Chemical:	RADIUM 228 COUNTING ERROR		
Sample Collected:	04/07/2005	Findings:	.402 PCI/L
Chemical:	RADIUM 228 COUNTING ERROR		
Sample Collected:	04/07/2005	Findings:	106 US
Chemical:	SPECIFIC CONDUCTANCE		
Sample Collected:	04/07/2005	Findings:	6.4
Chemical:	PH, LABORATORY		
Sample Collected:	04/07/2005	Findings:	34 MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO ₃		
Sample Collected:	04/07/2005	Findings:	41 MG/L
Chemical:	BICARBONATE ALKALINITY		
Sample Collected:	04/07/2005	Findings:	12 MG/L
Chemical:	HARDNESS (TOTAL) AS CaCO ₃		
Sample Collected:	04/07/2005	Findings:	4.9 MG/L
Chemical:	CALCIUM		
Sample Collected:	04/07/2005	Findings:	3 MG/L
Chemical:	MAGNESIUM		
Sample Collected:	04/07/2005	Findings:	2.6 MG/L
Chemical:	SODIUM		
Sample Collected:	04/07/2005	Findings:	2.2 MG/L
Chemical:	POTASSIUM		
Sample Collected:	04/07/2005	Findings:	140 UG/L
Chemical:	IRON		
Sample Collected:	04/07/2005	Findings:	250 UG/L
Chemical:	ALUMINUM		
Sample Collected:	04/07/2005	Findings:	50 MG/L
Chemical:	TOTAL DISSOLVED SOLIDS		
Sample Collected:	04/07/2005	Findings:	.605 PCI/L
Chemical:	GROSS ALPHA COUNTING ERROR		
Sample Collected:	04/07/2005	Findings:	2.2 NTU
Chemical:	TURBIDITY, LABORATORY		
Sample Collected:	04/07/2005	Findings:	20 UNITS
Chemical:	COLOR		
Sample Collected:	04/07/2005	Findings:	2 TON
Chemical:	ODOR THRESHOLD @ 60 C		
Sample Collected:	08/05/2004	Findings:	9.2 MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO ₃		
Sample Collected:	04/15/2004	Findings:	.84 NTU
Chemical:	TURBIDITY, LABORATORY		
Sample Collected:	04/15/2004	Findings:	60.5 US
Chemical:	SPECIFIC CONDUCTANCE		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	04/15/2004	Findings:	7.1
Chemical:	PH, LABORATORY		
Sample Collected:	04/15/2004	Findings:	22 MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO3		
Sample Collected:	04/15/2004	Findings:	27 MG/L
Chemical:	BICARBONATE ALKALINITY		
Sample Collected:	04/15/2004	Findings:	8.7 MG/L
Chemical:	HARDNESS (TOTAL) AS CaCO3		
Sample Collected:	04/15/2004	Findings:	3.5 MG/L
Chemical:	CALCIUM		
Sample Collected:	04/15/2004	Findings:	6.1 MG/L
Chemical:	SODIUM		
Sample Collected:	04/15/2004	Findings:	1.7 MG/L
Chemical:	CHLORIDE		
Sample Collected:	04/15/2004	Findings:	6.1 UG/L
Chemical:	BERYLLIUM		
Sample Collected:	04/15/2004	Findings:	55 MG/L
Chemical:	TOTAL DISSOLVED SOLIDS		
Sample Collected:	04/15/2004	Findings:	1.7 MG/L
Chemical:	TOTAL ORGANIC CARBON (TOC)		
Sample Collected:	04/15/2004	Findings:	13.6 MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO3		
Sample Collected:	04/15/2004	Findings:	8 UNITS
Chemical:	COLOR		
Sample Collected:	04/15/2004	Findings:	2 TON
Chemical:	ODOR THRESHOLD @ 60 C		

2
SSW
1/2 - 1 Mile
Lower

CA WELLS 4207

Water System Information:

Prime Station Code:	03S/15E-27M01 M	User ID:	AGE
FRDS Number:	5510008002	County:	Tuolumne
District Number:	11	Station Type:	WELL/AMBNT/MUN/INTAKE
Water Type:	Well/Groundwater	Well Status:	Active Raw
Source Lat/Long:	373840.0 1201848.0	Precision:	1,000 Feet (10 Seconds)
Source Name:	RANCHITO		
System Number:	5510008		
System Name:	LAKE DON PEDRO CSD		
Organization That Operates System:	9751 MERCED FALLS ROAD		
	LA GRANGE 95329		
Pop Served:	1950	Connections:	630
Area Served:	LAKE DON PEDRO		
Sample Collected:	04/05/2007	Findings:	4 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	04/06/2006	Findings:	1.9 MG/L
Chemical:	POTASSIUM		
Sample Collected:	04/06/2006	Findings:	567 UG/L
Chemical:	NITRATE + NITRITE (AS N)		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	04/06/2006	Findings:	205 MG/L
Chemical:	TOTAL DISSOLVED SOLIDS		
Sample Collected:	04/06/2006	Findings:	4 UNITS
Chemical:	COLOR		
Sample Collected:	04/06/2006	Findings:	1.4 TON
Chemical:	ODOR THRESHOLD @ 60 C		
Sample Collected:	04/06/2006	Findings:	.55 NTU
Chemical:	TURBIDITY, LABORATORY		
Sample Collected:	04/06/2006	Findings:	371 US
Chemical:	SPECIFIC CONDUCTANCE		
Sample Collected:	04/06/2006	Findings:	7.7
Chemical:	PH, LABORATORY		
Sample Collected:	04/06/2006	Findings:	138 MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO ₃		
Sample Collected:	04/06/2006	Findings:	168 MG/L
Chemical:	BICARBONATE ALKALINITY		
Sample Collected:	04/06/2006	Findings:	120 MG/L
Chemical:	HARDNESS (TOTAL) AS CaCO ₃		
Sample Collected:	04/06/2006	Findings:	28 MG/L
Chemical:	CALCIUM		
Sample Collected:	04/06/2006	Findings:	11 MG/L
Chemical:	MAGNESIUM		
Sample Collected:	04/06/2006	Findings:	25 MG/L
Chemical:	SODIUM		
Sample Collected:	04/06/2006	Findings:	4.3 MG/L
Chemical:	CHLORIDE		
Sample Collected:	04/06/2006	Findings:	140 UG/L
Chemical:	MANGANESE		
Sample Collected:	08/04/2005	Findings:	.557 PCI/L
Chemical:	RADIUM 228 COUNTING ERROR		
Sample Collected:	08/04/2005	Findings:	.838 PCI/L
Chemical:	GROSS ALPHA COUNTING ERROR		
Sample Collected:	04/07/2005	Findings:	.49 PCI/L
Chemical:	RADIUM 228 COUNTING ERROR		
Sample Collected:	04/07/2005	Findings:	2.2 MG/L
Chemical:	NITRATE (AS NO ₃)		
Sample Collected:	04/07/2005	Findings:	1.09 PCI/L
Chemical:	GROSS ALPHA COUNTING ERROR		
Sample Collected:	04/15/2004	Findings:	137 MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO ₃		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

Federal EPA Radon Zone for TUOLUMNE County: 2

- Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for TUOLUMNE COUNTY, CA

Number of sites tested: 21

<u>Area</u>	<u>Average Activity</u>	<u>% <4 pCi/L</u>	<u>% 4-20 pCi/L</u>	<u>% >20 pCi/L</u>
Living Area - 1st Floor	1.210 pCi/L	100%	0%	0%
Living Area - 2nd Floor	0.800 pCi/L	100%	0%	0%
Basement	1.050 pCi/L	100%	0%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2009 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Water Well Database

Source: Department of Water Resources

Telephone: 916-651-9648

California Drinking Water Quality Database

Source: Department of Health Services

Telephone: 916-324-2319

The database includes all drinking water compliance and special studies monitoring for the state of California since 1984. It consists of over 3,200,000 individual analyses along with well and water system information.

OTHER STATE DATABASE INFORMATION

California Oil and Gas Well Locations

Source: Department of Conservation

Telephone: 916-323-1779

Oil and Gas well locations in the state.

RADON

State Database: CA Radon

Source: Department of Health Services

Telephone: 916-324-2208

Radon Database for California

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

California Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines, prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

APPENDIX E

CORRESPONDENCE



FEMA

June 11, 2010

Mr. Daniel Russell
Branch Chief
U.S. Fish & Wildlife Service
Forest-Foothills Branch
2800 Cottage Way, Room W-2605
Sacramento, CA 95825

RE: EMW-2009-FC-03965
County of Mariposa Public Works Department

Dear Mr. Russell:

The Department of Homeland Security – Federal Emergency Management Agency (FEMA) is considering an American Recovery and Reinvestment Act (ARRA) Assistance to Firefighters Grant (AFG SCG) application to the County of Mariposa Public Works Department (Grantee). The Department intends to construct a new, pre-engineered, steel, 3,800 square foot, 4 engine bay fire station on Merced Falls Road, in the unincorporated community of Don Pedro, Mariposa County, California (T3S, R18E, Section 22). The total build-out would cover 2.0 acres of relatively flat and gently sloping land. The site has been previously disturbed and consists of primarily of ruderal vegetation. Elevation of the site ranges from 1,120 to 1,130 feet. The Grantee has provided FEMA with a Biological Resource Assessment for the proposed construction site. Field work for the proposal was done during February 2010 and it was reported that the site contains existing buildings and associated infrastructure, stock piles, vehicles, and ornamental landscaping. In accordance with Section 7 of the Endangered Species Act (16 U.S.C. §1531 et seq. (1973)), FEMA has made a finding that the Grantee's proposed construction of a fire station will have no effect on Federally listed endangered or threatened plant or animal species or the modification of any critical habitat. However, the Survey has found that migratory birds and other birds of prey have the potential to nest in the trees and existing buildings within the project area. No birds were observed as the survey was conducted outside of the nesting season.

Mr. Daniel Russell
June 11, 2010
Page 2

The Grantee has been made aware of the need to comply with the Migratory Bird Treaty Act of 1918. In addition, it has been recommended that should the Grantee begin construction during nesting season for migratory birds (February 1 and October 1) that a qualified biologist conduct a preconstruction survey for nests no more than two weeks prior to construction. If active nests are identified, during the preconstruction survey, a buffer zone should be established around the nests. If establishing an appropriate buffer zone is impractical then guidance would be sought from your office.

We, therefore, request your concurrence with our determination and anticipate your response within 30 days of receipt of this letter otherwise we will assume concurrence and may provide the assistance. If you need any further information please contact Donna M. Meyer, Deputy Regional Environmental Officer at (510) 627-7728 or donna.meyer@dhs.gov.

Sincerely,


for Alessandro Amaglio
Regional Environmental Officer

Enclosures



FEMA

June 11, 2010

Mr. Les James
Spiritual Leader
Southern Sierra Miwuk Nation
P.O. Box 1200
Mariposa, CA 95338

Re: FEMA EMW-2009-FC-03965
Don Pedro Station

Dear Chairperson James:

Section 101(d)(6)(B) of the National Historic Preservation Act of 1966 as amended requires the Department of Homeland Security – Federal Emergency Management Agency (FEMA) to consult with any Indian Tribe that may attach religious and cultural significance to historic properties that may be affected by FEMA's undertaking. FEMA is considering an America Recovery and Reinvestment Act (ARRA) grant application to the County of Mariposa Department of Public Works. The specific location is identified below:

Merced Falls Road, Unincorporated Don Pedro, Mariposa County (37°39'N; -120°18'W; T3S, R18E, Sec 22).

The new fire station would occupy a 2 acre site on county-owned land. The proposed project would involve construction of a 3,800 square foot, pre-engineered fire station with four engine bays and associated office space/training facilities. The new fire station would fulfill a critical fire protection need where no fire station now exists in Don Pedro.

Because potential direct and indirect impacts of the Grantee's proposal may have an effect on historic properties we respectfully request your interest regarding the proposal, any comments regarding historic properties, advise us on the identification and evaluation of any historic properties, including those of traditional religious and cultural importance, articulate your views of the Grantee's proposal and FEMA's Undertaking of providing grant assistance on such historic properties, and to participate in the resolution of any adverse effects.

Mr. Les James
June 11, 2010
Page 2

If you have any questions or require additional information please do not hesitate to contact Donna M. Meyer, Deputy Regional Environmental and Historic Preservation Officer at (510) 627-7728, the letterhead address above or donna.meyer@dhs.gov.

Sincerely,


for Alessandro Amaglio
Regional Environmental Officer

Enclosures



FEMA

June 11, 2010

Mr. Anthony Brochini
Chairperson
Southern Sierra Miwuk Nation
P.O. Box 1200
Mariposa, CA 95338

Re: FEMA EMW-2009-FC-03965
Don Pedro Station

Dear Chairperson Brochini:

Section 101(d)(6)(B) of the National Historic Preservation Act of 1966 as amended requires the Department of Homeland Security – Federal Emergency Management Agency (FEMA) to consult with any Indian Tribe that may attach religious and cultural significance to historic properties that may be affected by FEMA's undertaking. FEMA is considering an America Recovery and Reinvestment Act (ARRA) grant application to the County of Mariposa Department of Public Works. The specific location is identified below:

Merced Falls Road, Unincorporated Don Pedro, Mariposa County (37°39'N; -120°18'W; T3S, R18E, Sec 22).

The new fire station would occupy a 2 acre site on county-owned land. The proposed project would involve construction of a 3,800 square foot, pre-engineered fire station with four engine bays and associated office space/training facilities. The new fire station would fulfill a critical fire protection need where no fire station now exists in Don Pedro.

Because potential direct and indirect impacts of the Grantee's proposal may have an effect on historic properties we respectfully request your interest regarding the proposal, any comments regarding historic properties, advise us on the identification and evaluation of any historic properties, including those of traditional religious and cultural importance, articulate your views of the Grantee's proposal and FEMA's Undertaking of providing grant assistance on such historic properties, and to participate in the resolution of any adverse effects.

Mr. Anthony Brochini
June 11, 2010
Page 2

If you have any questions or require additional information please do not hesitate to contact Donna M. Meyer, Deputy Regional Environmental and Historic Preservation Officer at (510) 627-7728, the letterhead address above or donna.meyer@dhs.gov.

Sincerely,


Alessandro Amaglio
Regional Environmental Officer

Enclosures



FEMA

June 11, 2010

Ms. Rhonda Morningstar Pope
Chairperson
Buena Vista Rancheria
P.O. Box 162283
Sacramento, CA 95816

Re: FEMA EMW-2009-FC-03965
Don Pedro Station

Dear Chairperson Pope:

Section 101(d)(6)(B) of the National Historic Preservation Act of 1966 as amended requires the Department of Homeland Security – Federal Emergency Management Agency (FEMA) to consult with any Indian Tribe that may attach religious and cultural significance to historic properties that may be affected by FEMA's undertaking. FEMA is considering an America Recovery and Reinvestment Act (ARRA) grant application to the County of Mariposa Department of Public Works. The specific location is identified below:

Merced Falls Road, Unincorporated Don Pedro, Mariposa County (37°39'N; -120°18'W; T3S, R18E, Sec 22).

The new fire station would occupy a 2 acre site on county-owned land. The proposed project would involve construction of a 3,800 square foot, pre-engineered fire station with four engine bays and associated office space/training facilities. The new fire station would fulfill a critical fire protection need where no fire station now exists in Don Pedro.

Because potential direct and indirect impacts of the Grantee's proposal may have an effect on historic properties we respectfully request your interest regarding the proposal, any comments regarding historic properties, advise us on the identification and evaluation of any historic properties, including those of traditional religious and cultural importance, articulate your views of the Grantee's proposal and FEMA's Undertaking of providing grant assistance on such historic properties, and to participate in the resolution of any adverse effects.

Ms. Rhonda Morningstar Pope
June 11, 2010
Page 2

If you have any questions or require additional information please do not hesitate to contact Donna M. Meyer, Deputy Regional Environmental and Historic Preservation Officer at (510) 627-7728, the letterhead address above or donna.meyer@dhs.gov.

Sincerely,


Alessandro Amaglio
Regional Environmental Officer

Enclosures



FEMA

June 11, 2010

Mr. Jay Johnson
Spiritual Leader
Southern Sierra Miwuk Nation
5235 Allred Road
Mariposa, CA 95338

Re: FEMA EMW-2009-FC-03965
Don Pedro Station

Dear Leader Johnson:

Section 101(d)(6)(B) of the National Historic Preservation Act of 1966 as amended requires the Department of Homeland Security – Federal Emergency Management Agency (FEMA) to consult with any Indian Tribe that may attach religious and cultural significance to historic properties that may be affected by FEMA's undertaking. FEMA is considering an America Recovery and Reinvestment Act (ARRA) grant application to the County of Mariposa Department of Public Works. The specific location is identified below:

Merced Falls Road, Unincorporated Don Pedro, Mariposa County (37°39'N; -120°18'W; T3S, R18E, Sec 22).

The new fire station would occupy a 2 acre site on county-owned land. The proposed project would involve construction of a 3,800 square foot, pre-engineered fire station with four engine bays and associated office space/training facilities. The new fire station would fulfill a critical fire protection need where no fire station now exists in Don Pedro.

Because potential direct and indirect impacts of the Grantee's proposal may have an effect on historic properties we respectfully request your interest regarding the proposal, any comments regarding historic properties, advise us on the identification and evaluation of any historic properties, including those of traditional religious and cultural importance, articulate your views of the Grantee's proposal and FEMA's Undertaking of providing grant assistance on such historic properties, and to participate in the resolution of any adverse effects.

Mr. Jay Johnson
June 11, 2010
Page 2

If you have any questions or require additional information please do not hesitate to contact Donna M. Meyer, Deputy Regional Environmental and Historic Preservation Officer at (510) 627-7728, the letterhead address above or donna.meyer@dhs.gov.

Sincerely,


for Alessandro Amaglio
Regional Environmental Officer

Enclosures



FEMA

June 11, 2010

Mr. Milford Wayne Donaldson, FAIA
State Historic Preservation Officer – Office of Historic Preservation
P.O. Box 942896
Sacramento, CA 94296

RE: EMW-2009-FC-03965
County of Mariposa Public Works Department

Dear Mr. Donaldson:


The Department of Homeland Security – Federal Emergency Management Agency (FEMA) is considering an American Recovery and Reinvestment Act (ARRA) application to the County of Mariposa Public Works Department (Grantee) to provide financial assistance for the construction of a pre-engineered, recycled steel 3,800 square foot, four-engine bay fire station. The station would be located on Merced Falls Road in the unincorporated community of Don Pedro, Mariposa County (37°39'N; -120°18'W; T3S, R18E, Sec22). In accordance with 36 CFR Part 800.4(a)(1), FEMA has identified an Area of Potential Effect (APE) as the entire 2.0 acre site to be occupied by the new facility.

FEMA has made a finding pursuant to 36 CFR Part 800.4(d)(1) that no historic properties would be affected by the Grantee's proposal and FEMA's subsequent undertaking of providing financial assistance. We have enclosed documentation in support of our finding in accordance with 36 CFR Part 800.11(d). In addition, the Grantee has prepared a Cultural Resources Study which we have included for your review. FEMA has consulted the NAHC for a list of Native American tribes interested in the project area. By letters dated June 11, 2010, FEMA has requested those tribes to identify and evaluate any historic properties, including those of traditional religious and cultural importance and for their views regarding the Grantee's proposal.

Mr. Milford Wayne Donaldson, FAIA
June 11, 2010
Page 2

If you have any questions or require additional information please do not hesitate to contact Donna M. Meyer, Deputy Regional Environmental and Historic Preservation Officer at (510) 627-7728.

Sincerely,


for Alessandro Amaglio
Regional Environmental Officer

Enclosures

DOCUMENTATION – NO HISTORIC PROPERTIES AFFECTED

1) A description of the undertaking, specifying the Federal involvement, and its area of potential effects, including photographs, maps, drawings, as necessary;

The Department of Homeland Security – Federal Emergency Management Agency intends to provide an American Recovery and Reinvestment Act (ARRA) grant to the County of Mariposa Public Works Department. A new pre-engineered, steel 3,800 square foot single-story, 4 engine bay station with ancillary facilities will be constructed on a 2.0 acre site located on Merced Falls Road, Don Pedro, Mariposa County. The new station would fulfill a critical fire protection need for a rural community that currently does not have a fire station. The present site houses an incorporation yard, transfer station and maintenance facility. The Area of Potential Effect (APE) has been identified by FEMA as the entire 2.0 acre site.

2) A description of the steps taken to identify historic properties, including, as appropriate, efforts to seek information pursuant to § 800.4(b)

A search of the National Register of Historic Places (NRHP) was performed. Most of the properties listed are located within Yosemite National Park. No listed properties are present near the proposed site. The Grantee retained the services of an archaeologist to perform a Cultural Resources Study of the proposed construction site. Additional efforts to identify historic properties included a records search completed by the Central California Information Center (CCIC), contact with the Native American Heritage Commission (NAHC) and contact with Native American tribes interested in the project area, and archaeological field inspection.

3) The basis for determining that no historic properties are present or Affected

The records search conducted by the Grantee's consultant identified no previously recorded properties within the 2.0 acre parcel or within ¼ mile radius of it. The field survey and visual inspection did not result in the recordation of any previously unrecorded properties.

There is a remote possibility that subsurface archeological deposits may exist in the APE although the site has been previously disturbed. In the event that any concentrations of deposits are discovered during construction activities the work will halt immediately and FEMA and the CASHPO will be notified to re-initiate Section 106 consultation.

Although the Grantee's consultant contacted Native American tribes in the project area, government to government consultation with tribes is required by 36 CFR Part 800 and thus FEMA has notified interested tribes about the proposed project and subsequent undertaking.

**OFFICE OF HISTORIC PRESERVATION
DEPARTMENT OF PARKS AND RECREATION**

P.O. BOX 942896
SACRAMENTO, CA 94296-0001
(916) 653-6624 Fax: (916) 653-9824
calshpo@ohp.parks.ca.gov
www.ohp.parks.ca.gov



June 22, 2010

Reply In Reference To: FEMA100616A

Donna M. Meyer
Deputy Environmental and Historic
Preservation Officer, FEMA
U.S. Department of Homeland Security
1111 Broadway, Suite 1200
Oakland, CA 94607-4052

RE: Mariposa County, Community of Don Pedro, Construct New Fire Station, EMW-2009-FC-03965

Dear Ms. Meyer:

Thank you for your June 11, 2010, letter requesting my review and comment with regard to the proposed undertaking in Mariposa County, California in compliance with Section 106 of the National Historic Preservation Act of 1966 (16 U.S.C. 470f), as amended, and its implementing regulation found at 36 CFR Part 800. Along with your letter, you also submitted a report entitled *Cultural Resources Study, Mariposa Fire Stations Project, Don Pedro*, prepared in June 2010 by Analytical Environmental Services.

The proposed undertaking, as I understand it, involves the construction of a 3,800 square foot, four-engine bay fire station in the unincorporated community of Don Pedro on Merced Falls Road. FEMA proposes an Area of Potential Effect (APE) that includes the entire two-acre site where the station will be built. The cultural resources study found no historic properties within the APE for this project.


Therefore, FEMA has applied the Criteria of Adverse Effect (36 CFR § 800.5(a)(1)) and proposes a finding of No Historic Properties Affected. After reviewing the information submitted with your letter, I offer the following comments:

- I concur that this action qualifies as a federal undertaking as defined in 36 CFR 800.
- I concur that the Area of Potential Effect (APE) is appropriate pursuant to 36 CFR 800.4.
- I concur with the identification and evaluation efforts and that there appear to be no historic properties present within the APE.
- I concur with your finding and agree that pursuant to 36 CFR § 800.4(d)(1), a Finding of No Historic Properties Affected is appropriate for the undertaking as described.

- Please be advised that under certain circumstances, such as an unanticipated discovery or a change in project description, you may have future responsibilities for this undertaking under 36 CFR Part 800.

Thank you for seeking my comments and considering historic properties as part of your project planning. If you have any questions or concerns, please contact Mark Beason, at (916) 653-8902 or mbeason@parks.ca.gov.

Sincerely,

A handwritten signature in cursive script that reads "Susan K Stratton for".

Milford Wayne Donaldson, FAIA
State Historic Preservation Officer

The Office of Historic Preservation will be moving to a new location as of July 14, 2010. The new address for the office will be 1725 23rd Street, Suite 100, Sacramento CA 95816. Please update your records accordingly. The entire office will also be receiving new phone numbers, and those numbers will be posted on our website at www.ohp.parks.ca.gov when they are active.