References: Endangered and Threatened Species; Proposed Critical Habitat for the Gulf of Maine Distinct Population Segment of Atlantic Salmon

- Allen, R. 1940. Studies on the biology of the early stages of the salmon (*Salmo salar*): growth in the river Eden. Journal of Animal Ecology 9(1): 1-23
- Allendorf, F.W., Luikart, G. 2007. Conservation and the genetics of ppulations. Blackwell Publishing. Malden, Massachusetts. USA.
- Annear, T., I. Chisholm, H. Beecher, A. Locke, and 12 other others. 2004. Instream Flows for riverine resource stewardship, revised edition. Instream Flow Council, Cheyenne, WY
- Anthony, V.C. 1994. The significance of predation on Atlantic salmon. In: Calabi, S. and A. Stout [eds.] <u>A Hard Look at Some Tough Issues.</u> NE Atlantic Salmon Mgmt. Conf. Silver Quill, Camden Maine, p. 240 – 288
- Armstrong, J. D., Kemp, P., Kennedy, G., Ladle, M., Milner, N., 2002. Habitat requirements of Atlantic salmon and brown trout in rivers and streams. Fisheries Research 1428: 1-28
- Atkins, C.G. & N.W. Foster. 1867. Report of Commission on Fisheries. In Twelfth Annual Report of the Secretary of the Maine Board of Agriculture 1867. Stevens and Sayward Printers to the state, Augusta, ME. Pages 70 – 194
- Bachman, R. 1984. Foraging behavior of free ranging wild and hatchery brown trout in a stream. Trans. Am. Fish. Soc. 113: 1-32
- Baum, E.T. 1997. Maine Atlantic Salmon: A National Treasure, 1st Ed. Hermon, ME: Atlantic Salmon Unlimited
- Baum, E.T. and A.L. Meister. 1971. Fecundity of Atlantic salmon (Salmo salar) from two Maine Rivers. Journal of the Fisheries Research Board of Canada 28(5): 764-767
- Baum, E.T., and R.C. Spencer. 1990. Homing of adult Atlantic salmon released as hatchery-reared smolts in Maine rivers. Working paper 1990-17. Working Group on North Atlantic Salmon, International Council for the Exploration of the Sea. 9 pp.
- Beland, K.F., Jordan, R.M., Meister, A.L. 1982. Water depth and velocity preferences of spawning Atlantic salmon in Maine rivers. N. Am. J. Fish. Man. 2: 11-13
- Bjornn, T. C., D. W. Reiser. 1991. Habitat requirements of salmonids in streams. *In*: Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats. American Fisheries Society Special Publication 19:83-138

- Bjornn, T. C., M. L. Keefer, C. A. Peery, K. R. Tolotti, R. R. Ringe, and L. C. Stuehrenberg. 1999. Migration of adult chinook salmon past Columbia and Snake river dams, through reservoirs and distribution into tributaries, 1996. Bonneville Power Administration and U.S. Army Corps of Engineers, Portland, Oregon, and Walla Walla, Washington.
- Blackwell, B.F. and W.B. Krohn. 1997. Spring foraging distribution and habitat selection by Double-crested Cormorants on the Penobscot River, Maine, USA. Colonial Waterbirds. 20(1): 66-76.
- Bley, P. W. and J. R. Moring. 1988. Freshwater and ocean survival of Atlantic salmon and steelhead: A synopsis. Biological report 88(9). Maine Cooperative Fish and Wildlife Research Unit. University of Maine, Orono, ME
- Bley, P.W. 1987. Age, growth, and mortality of juvenile Atlantic salmon in streams: a review. Biological Report 87(4). U.S. Fish and Wildlife Service, Washington, D.C.
- Brodeur, J.C., Ytrestøyl, T., Finstad, B. & McKinley, R. S. 1999. Increase of heart rate without elevation of cardiac output in adult Atlantic salmon (*Salmo salar*) exposed to acidic water and aluminum. Canadian Journal of Fisheries and Aquatic Sciences. 56: 184-190
- Cunjak, R. A. 1988. Behavior and microhabitat of young Atlantic salmon (*Salmo salar*) during winter. Canadian Journal of Fisheries and Aquatic Sciences 45(12): 2156-2160.
- Cunjak, R. A. 1996. Winter habitat of selected stream fishes and potential impacts from land-use activity. Canadian Journal of Fisheries and Aquatic Sciences. 53(Suppl.1): 267-282
- Cunjak, R.A., E.M.P. Chadwick, and M. Shears. 1989. Downstream movements and estuarine residence by Atlantic salmon parr (*Salmo salar*). Canadian Journal of Fisheries and Aquatic Sciences. 46(9):1466-1471.
- Cunjak, R.A., R.L. Saunders, and E.M.P. Chadwick. 1990. Seasonal variations in the smolt characteristics of juvenile Atlantic salmon (*Salmo salar*) from estuarine and riverine environments. Can. J. Fish. and Aquat. Sci. 47(4): 813-820
- Danie, D., J. Trial, J. Stanley, L. Shanks, and N. Benson. 1984. Species profiles: life histories and environmental requirements of coastal fish and invertebrates (North Atlantic): Atlantic salmon. USFWS, report FWS/OBS-82/11.22
- Decola, J. N. 1970. Water quality requirements for Atlantic salmon, US Department of the Iinterior. Federal Water Quality Administration, N.E., Region, Boston, Mass. 42 pp.

- Dempson, J.B., M.F. O'Connell, and M. Shears. 1996. Relative production of Atlantic salmon from fluvial and lacustrine habitats estimated from analyses of scale characteristics. Journal of Fish Biology 48: 329-341
- Dittman, A.H. and T.P. Quinn. 1996. Homing in Pacific salmon: Mechanisms and ecological basis. Journal of Experimental Biology. 199:83-91.
- Doudoroff, P., and C.E. Warren. 1965. Environmental requirements of fishes and wildlife: dissolved oxygen requirements of fishes. Oregon Agricultural Experiment Station Special Report 141
- Duston, J., Saunders, R.L. 1990. The entrainment role of photoperiod on hypoosmoregulatory and growth-related aspects of smolting in Atlantic salmon (*Salmo salar*). Can. J. Zool. 68: 707-715
- Dutil, J.D, and J.M. Coutu. 1988. Early marine life of Atlantic salmon, Salmo salar, postsmolts in the northern Gulf of St. Lawrence. Fishery Bulletin 86: 197 212
- Elliott, J. M. 1991. Tolerance and resistance to thermal stress in juvenile Atlantic salmon, *Salmo salar*. Freshwater Biology. 25: 61-70
- Elson, P. 1975. Atlantic salmon rivers, smolt production and optimal spawning: an overview of natural production. *In*: J. Bohne and L. Sochasky (eds.), New England Atlantic salmon Restoration Conference. Sp. Pub. 6: 96-119. Int. Atl. Salm. Ged. St. Andrews, N.B., Canada
- EPRI (Electrical Power Research Institute). 1992. Fish entrainment and turbine mortality review and guidelines. Stone and Webster Engineering Corporation. Boston, Massachussetts, USA.
- Erkinaro, J., E. Niemelä, A. Saari, Y. Shustov, and L. Jørgenson. 1998. Timing of habitat shift by Atlantic salmon parr from fluvial to lacustrine habitat: analysis of age distribution, growth, and scale characteristics. Can. J. Fish. Aquat. Sci. 55: 2266-2273
- Farmer, G.J., R.L. Saunders, T.R. Goff, C.E. Johnston and E.B. Henderson. 1989. Some physiological responses of Atlantic salmon (*Salmo salar*) exposed to soft acidic water during smolting. Aquaculter, 82: 229-244
- Fay C., M. Bartron, S. Craig, A. Hecht, J. Pruden, R. Saunders, T. Sheehan and J. Trial. 2006. Status review for anadromous Atlantic salmon (Salmo salar) in the United States. Report to the National Marine Fisheries Service and U.S. Fish and Wildlife Service. 294 pp
- Franklin I. R. 1980. Evolutionary change in small populations. In M. E. Soulé & B. A. Wilcox (Eds.), Conservation Biology: An evolutionary –ecological perspective. (pp. 135-149). Sunderland, Massachusetts: Sinauer Associates, Inc.

- Fried S.M., J.D. McCleave, and G.W. LaBar. 1978. Seaward Migration of Hatchery Reared Atlantic Salmon, Salmo salar, smolts in the Penobscot River Estuary, Maine: Riverine Movements. J. Fish. Res. Board Can. 35: 76-87
- Friedland, K.D., D.G. Reddin, and J.F. Kocik. 1993. Marine Survival of N. American and European Atlantic salmon: effects of growth and environment. ICES J. of Marine Sci. 50: 481- 492
- Friedland, K.D., D.G. Reddin, J.R. McMenemy, and K.F. Drinkwater. 2003. Multidecadal trends in North American Atlantic salmon (*Salmo salar*) stocks and climate trends relevant to juvenile survival. Can. J. Fish. Aquat. Sci. 60: 563-583
- Friedland, K.D., J. Dutil, and T. Sadusky. 1999. Growth Patterns in postsmolts and the nature of the marine juvenile nursery for Atlantic salmon, *Salmo salar*. Fishery Bulletin. 97(3): 472-481
- Gharrett, A.J. and W.W. Smoker. 1993. A perspective on the adaptive importance of genetic infrastructure in salmon populations to ocean ranching in Alaska. Fisheries Research 18: 45-58.
- Gibson, R. J. 1993. The Atlantic salmon in freshwater: Spawning, rearing and production. Reviews in Fish Biology and Fisheries 3(1): 39-73
- Giger, R.D. 1973. Streamflow requirements of salmonids. Oregon Wildlife Commission, Job Final Report, Project AFS-62-1, Portland, OR
- GNP (Great Northern Paper, Inc). 1995. 1995 Report on the effectiveness of the permanent downstream passage system for Atlantic salmon at Weldon Dam. Mattaceunk Project – FERC No. 2520. Great Northern Paper, Inc. Millinocket, ME. 93pp.
- GNP (Great Northern Paper, Inc). 1997. 1997 Report on the effectiveness of the permanent downstream passage system for Atlantic salmon at Weldon Dam. Mattaceunk Project – FERC No. 2520. Great Northern Paper, Inc. Millinocket, ME. 61pp. and appendices.
- Grant, J.W.A., S. O. Steingrĭmsson, E.R. Keeley, and R.A. Cunjak. 1998. Implications of territory size for the measurement and prediction of salmonid abundance in streams. Can. J. Fish. Aquat. Sci. 55(suppl. 1): 181-190
- Gregory, S. V., F. J. Swanson, W. A. McKee, and K. W. Cummins. 1991. An ecosystem perspective of riparian zones. Bioscience 41: 540-551
- Gustafson-Greenwood, K. I., and J. R. Moring. 1991. Gravel compaction and permeabilities in redds of Atlantic salmon, *Salmo salar* L. Aquaculture and Fisheries Management 22:537-540.

- Gustafson-Marjenan, K. I., and H. B. Dowse. 1983. Seasonal and diel patterns of emergence from the redd of Atlantic salmon (*Salmo salar*) fry. Canadian Journal of Fisheries and Aquatic Sciences 40: 813-817
- Haines, T. A., S. A. Norton, J. S. Kahl, C. Fay, S. Pauwels, and C. Jagoe. 1990. Intensive Studies of Stream Fish Populations in Maine. United States Environmental Protection Agency. EPA/600/3-90/043. Washington, D.C.. March.
- Haines, T. A. 1992. New England's rivers and Atlantic salmon. Pages 131-139 in R. H. Stroud, ed. Stemming the tide of coastal fish habitat loss. National Coalition for Marine Conservation, Savannah, GA.
- Halvorsen, M. & Svenning, M.-A. 2000. Growth of Atlantic salmon parr in fluvial and lacustrine habitats. Journal of Fish Biology 57: 145–160.
- Hansen, L.P. and B. Jonsson. 1989. Salmon ranching experiments in the River Imsa: effect of timing of Atlantic salmon (*Salmo salar*) smolt migration on survival to adults. Aquaculture. 82: 367-373
- Hansen, L.P. and T.P. Quinn. 1998. The marine phase of the Atlantic salmon (Salmo salar) life cycle, with comparisons to Pacific salmon. Can. J. Fish. Aquat. Sci. 55(S1): 104-118
- Heggenes, J. 1990. Habitat utilization and preferences in juvenile Atlantic salmon (*Salmo salar*) in streams. Regulated Rivers: Research and Management 5(4): 341-354
- Heggenes, J., J. Bagliniere, and R. Cunjak. 1999. Spatial niche variability for young Atlantic salmon (*Salmo salar*) and brown trout (*S. trutta*) in heterogeneous streams. Ecol. Freshw. Fish 8: 1-21
- Hiscock, M. J., D. A. Scruton, J. A. Brown, and C. J. Pennell. 2002. Diel activity pattern of juvenile Atlantic salmon (*Salmo salar*) in early and late winter. Hydrobiologia 483: 161-165.
- Hoar, W.S. 1988. The physiology of smolting salmon. *In*: W.S. Hoar and D.J. Randall, Editors, Fish Physiology XIB, Academic Press, New York. pp. 275-343
- Holbrook, C.M. 2007. Behavior and Survival of Migrating Atlantic Salmon (<u>Salmo salar</u>) in the Penobscot River and Estuary, Maine: Acoustic Telemetry Studies of Smolts and Adults. M.S. Thesis. University of Maine, Orono, Maine.
- Holm, M., I Huse, E. Waatevik, K. Doeving, J. Aure. 1982. Behavior of Atlantic salmon smolts during seaward migration. 1: Preliminary report on ultrasonic tracking in a Norwegian fjord system. ICES; Copenhagen (Denmark); ICES Council Meeting 1982. (Collected Papers) 17pp.

- Hutchings, J.A. 1986. Lakeward migrations by juvenile Atlantic salmon, Salmo salar . Canadian Journal of Fisheries and Aquatic Sciences. 43(4): 732-741
- Hyvarinen, P., P. Suuronen and T. Laaksonen. 2006. Short-term movement of wild and reared Atlantic salmon smolts in brackish water estuary preliminary study. Fish. Mgmt. Eco. 13(6): 399-401
- IEc (Industrial Economics, Incorporated). 2009a. Economic Analysis of critical habitat designation for the Gulf of Maine distinct population segment of Atlantic salmon. Report to the National Marine Fisheries Service. Prepared by Industrial Economics, Incorporated. Cambridge, Ma.
- IEc (Industrial Economics, Incorporated). 2009b. Critical habitat designation for the Gulf of Maine DPS of Atlantic salmon: Initial Regulatory Flexibility Analysis and Energy Impact Analsis. Report to the National Marine Fisheries Service. Prepared by Industrial Economics, Incorporated. Cambridge, Ma.
- IEc (Industrial Economics, Incorporated). 2008a. DRAFT Economic Analysis of critical habitat designation for the Gulf of Maine distinct population segment of Atlantic salmon. Report to the National Marine Fisheries Service. Prepared by Industrial Economics, Incorporated. Cambridge, Ma.
- IEc (Industrial Economics, Incorporated). 2008b. DRAFT Critical habitat designation for the Gulf of Maine DPS of Atlantic salmon: Initial Regulatory Flexibility Analysis and Energy Impact Analsis. Report to the National Marine Fisheries Service. Prepared by Industrial Economics, Incorporated. Cambridge, Ma.
- Johnston, C. E., and Saunders, R.L. 1981. Parr-smolt transformation of yearling Atlantic salmon (Salmo salar) at several rearing temperatures. Can. J. Fish. Aquat. Sci. 38: 1189-1198
- Jordan, R. M. and Beland, K. F.. 1981. Atlantic Sea Run Salmon Commission. Augusta, Maine
- Kalleberg, H. 1958. Observations in a stream tank of territoriality and competition in juvenile salmon and trout (Salmo salar L. and S. trutta L.). Rep. Inst. Freshw. Res. Drottningholm 39: 55-98
- King, T.L., A.P. Spidle, M.S. Eackles, B.A. Lubinski and W.B. Schill. 2000. Mitochondrial DNA diversity in North American and European Atlantic salmon with emphasis on the Downeast rivers of Maine. J. Fish Bio. 57: 61-630.
- King, T.L., S.T. Kalinowski, W.B. Schill, A.P. Spidle and B.A. Lubinski. 2001. Population structure of Atlantic salmon (Salmo salar L.): a range-wide perspective from microsatellite DNA variation. Molecular Ecology. 10: 807-821.

- Kircheis, D. and T. Liebich. 2007. Draft report on: Habitat requirements and management considerations for Atlantic salmon (Salmo salar) in the Gulf of Maine Distinct Population Segment (DPS). NOAA-Fisheries, Northeast Region Protected Resources Division. Gloucester, MA
- Klemetson, A., P.A. Amundsen, J.B. Dempson, B. Jonsson, N. Jonsson, M.F. O'Connell, and E. Mortensen. 2003. Atlantic salmon Salmon salar (L.), brown trout Salmo trutta (L.) and Arctic charr *Salvelinus alpinus* (L.): a review of aspects of their life histories. Ecology of Freshwater Fish 12(1): 1-59
- Kroglund F. and M. Staurnes. 1999. Water quality requirements of smolting Atlantic salmon (salmo salar) in limed acid rivers. Can. J. Fish. Aquat. Sci. 56: 2078-2086
- LaBar, G.W., J.D. McCleave, and S.M. Fried. 1978. Seaward migration of hatchery reared Atlantic salmon (*Salmo salar*) smolts in the Penobscot River estuary, Maine: open-water movements. Journal du Conseil. International Council for the Exploration of the Sea 38(2): 257-269
- Lacroix G.L., Paul McCurdy, Derek Knox. 2004. Migration of Atlantic Salmon Postsmolts in Relation to Habitat Use in a Coastal System. Trans. Am. Fish. Soc. 133(6): 1455-1471
- Lacroix, G.L. and McCurdy, P. 1996. Migratory behavior of post-smolt Atlantic salmon during initial stages of seaward migration. J. Fish Biol. 49: 1086-1101
- Lacroix, G.L., D. Knox and M.J. W. Stokesbury. 2005. Survival and behavior of postsmolt Atlantic salmon in coastal habitat with extreme tides. J. Fish Bio. 66(2): 485-498
- Lacroix, Gilles L. and Derek Knox. 2005. Distribution of Atlantic salmon (*Salmo salar*) postsmolts of different origins in the Bay of Fundy and Gulf of Maine and evaluation of factors affecting migration, growth and survival. Can. J. Fish. Aquat. Sci. 62(6): 1363-1376
- Laitta, M. T., K.J. Legleiter, K.M. Hanson. 2004. The national watershed boundary dataset. Hydroline. Online newsletter of ESRI. *Available at* http://www.esri.com/library/newsletter/hydroline/hydroline_summer2004.pdf. *Accessed* August 2005.
- Larsson, P.O. 1977. The importance of time and place of release of salmon and sea trout on the results of stocking. ICES CO 1977/M: 42. 10pp.
- Larsson, P.O. 1985. Predation on migrating smolt as a regulating factor in Baltic salmon, Salmo salar L., populations. J. Fish Bio. 26(4): 391-397
- Lundqvist, H. 1980. Influence of photoperiod on growth in Baltic salmon parr (*Salmo salar* L.) with special reference to the effect of precocious sexual maturation. Canadian Journal of Zoology. 58(5): 940-944

- Marschall, E.A., T.P. Quinn, D.A. Roff, J. A. Hutchings, N.B. Metcalfe, T.A. Bakke, R.L.Saunders and N.LeRoy Poff. 1998. A Framework for understanding Atlantic salmon (*Salmo salar*) life history. Can. J. Fish. Aquat. Sci. 55(Suppl. 1): 48-58.
- McCleave, J.D., 1978. Rythmic aspects of estuarine migration of hatchery-reared Atlantic salmon, *Salmo salar*, smolts. J. Fish Biol. 12: 559-570
- McCormick S.D., L.P. Hansen, T. Quinn, and R. Saunders. 1998. Movement, migration, and smolting of Atlantic salmon (*Salmo salar*). Can. J. Fish. Aquat. Sci. 55(Suppl. 1): 77-92
- McCormick S.D., R.A. Cunjak, B. Dempson, M. O'Dea, J. Carey. 1999. Temperaturerelated loss of smolt characteristics in Atlantic salmon (*Salmo salar*) in the wild. Can. J. Fish Aquat. Sci. 56: 1649-1658
- McCormick, S.D. and R.L. Saunders. 1987. Preparatory physiological adaptations for marine life of salmonids: Osmoregulation, growth, and metabolism. Common Strategies of Anadromous and Catadromous Fishes. Proceedings of an International Symposium held in Boston, Massachusetts, USA, March 9-13, 1986. American Fisheries Society Symposium. 1: 211-229
- McCormick, S.D., J.M. Shrimpton, S. Moriyama, and B.T. Bjornsson. 2002. Effects of an advanced temperature cycle on smolt development and endocrinology indicate that temperature is not a zeitgeber for smolting in Atlantic salmon. Journal of Experimental Biology. 205: 3553-3560
- McElhany, P., M.H. Ruckelshaus, M.J. Ford, T.C. Wainwright, & E.P. Bjorkstedt. 2000. Viable salmonid populations and the recovery of evolutionary significant units. U.S. Dept. Commer., NOAA Tech. Memo. NMFS-NWFSC-42,156 p.
- McLaughlin, E. and A. Knight. 1987. Habitat criteria for Atlantic salmon. Special Report, U.S. Fish and Wildlife Service, Laconia, New Hampshire. 18pp.
- Meister, A.L. 1958. The Atlantic salmon (*Salmo salar*) of Cove Brook, Winterport, Maine. M.S. Thesis. University of Maine. Orono, ME. 151pp.
- Mesa, M.G. 1994. Effects of multiple acute stressors on predator avoidance ability and physiology of juvenile Chinook salmon. Transactions of the American Fisheries Society. 123: 786-793
- Milligan, C. L. & Wood, C. M. 1982. Disturbances in haematology, fluid volume distribution and circulatory function associated with low environmental pH in the rainbow trout, *Salmo gairdneri*. Journal of Experimental Biology 99: 397-415
- Moore, A., E.C.E. Potter, N.J. Milner, S. Bamber. 1995. The migratory behavior of wild Atlantic salmon (*Salmo salar*) smolts in the estuary of the River Conway. North Wales. Can J. Fish. Aquat. Sci. 52: 1923-1935

- Morantz, D., R. Sweeney, C. Shirvell, and D. Longard. 1987. Selection of microhabitat in summer by juvenile Atlantic salmon (*Salmo salar*). Can. J. Fish. Aquat. Sci. 44: 120-129
- Murphy, M. L. 1995. Forestry impacts on freshwater habitat of anadromous salmonids in the Pacific Northwest and Alaska – requirements for protection and restoration. NOAA Coastal Ocean Program Decision Analysis Series No. 7. NOAA Coastal Ocean Office, Silver Spring, MD. 156 pp.
- NEFMC (New England Fisheries Management Council). 1998. Atlantic salmon (*Salmo salar*) Life History and Habitat Requirements. Essential Fish Habitat Source Document. Saugus, MA.
- Nislow, K.H., C.L. Folt, and D.L. Parrish. 1999. Favorable foraging locations for young Atlantic salmon: application to habitat and population restoration. Ecological Applications. 9(3): 1085-1099
- NMFS and FWS (National Marine Fisheries Service) and (United Stated Fish and Wildlife Service). 2005. Final Recovery Plan for the Gulf of Maine Distinct Population Segment of Atlantic Salmon (*Salmo salar*). National Marine Fisheries Service, Silverspring, MD. 325pp.
- NMFS. 2009b. Designation of critical habitat for Atlantic salmon (*salmo salar*) in the Gulf of Maine Distinct Population Segment. ESA Section 4(b)(2) Report. National Marine Fisheries Service. Northeast Region. Gloucester, MA.
- NMFSa. 2009a. Biological valuation of Atlantic salmon habitat within the Gulf of Maine Distinct Population Segment. National Marine Fisheries Service. Northeast Region. Gloucester, MA.
- NRC (National Research Council). 2004. Atlantic Salmon in Maine. National Academy Press. Washington, D.C. 304pp.
- O'Connell, M.F., E.G. Ash. 1993. Smolt size in relation to age at first maturity of Atlantic salmon (Salmo salar): The role of lacustrine habitat. J. Fish. Bio.. **42(4):** 511-569.
- Pepper, V.A. 1976. Lacustrine nursery areas for Atlantic salmon in Insular Newfoundland. Fishereis and Marine Service Technical Report 671. xiii+61 pp.
- Pepper, V.A., N.P. Oliver, R. Blunden. 1984. Lake surveys and biological potential for natural lacustrine rearing of juvenile Atlatnic salmon (Salmo salar) in Newfoundland. Canadian Technical Report of Fisheries and Aquatic Sciences 1295. iv+ 72 pp.
- Peterson, R. H. 1978. Physical characteristics of Atlantic salmon spawning gravel in some New Brunswick streams. Fish. Mar. Serv. Tech. Rep. No. 785. iv+28 pp.

- Power, G. and G. Shooner. 1966. Juvenile salmon in the estuary and lower Nabisipi River and some results of tagging. Journal of the Fisheries Research Board of Canada. 23: 947–961
- Power, J.H. and J.D. McCleave. 1980. Riverine movements of hatchery-reared Atlantic salmon (*Salmo salar*) upon return as adults. Environmental Biology of Fishes (5)1: 3-13.
- Randall, R. G. 1982. Emergence, population densities, and growth of salmon and trout fry in two New Brunswick streams. Canadian Journal of Zoology 60(10): 2239-2244
- Raymond, H.L. 1979. Effects of dams and impoundments on the migration rate of juvenile Chinook salmon and steelhead trout from the Snake River, 1966-1975. Transactions of the American Fisheries Society. 108(6): 509-529.
- Reddin, D. G. and W.M. Shearer. 1987. Sea-surface temperature and distribution of Atlantic salmon in the Northwest Atlantic Ocean. American Fisheries Society Symposium.
- Reddin, D.G and K.D. Friedland. 1993. Marine environmental factors influencing the movement and survival of Atlantic salmon. pages 70-103. *In*: Mills, E.D. 1993. Salmon in the sea. Fishing News Books, Blackwell Scientific, Cambridge, MA.
- Reddin, D.G and P.B. Short. 1991. Postsmolt Atlantic salmon (*Salmo salar*) in the Labrador Sea. Can. J. Fish Aquat. Sci. 48: 2-6
- Reddin, D.G. 1988. Ocean life of Atlantic salmon (Salmo salar L.) in the Northwest Atlantic. pp. 483 – 511. In D. Mills and D. Piggins [eds.] Atlantic Salmon: Planning for the Future. Proceedings of the 3rd International Atlantic Salmon symposium
- Reddin, D.G. 1985. Atlantic salmon (*Salmo salar*) on and east of Grand Bank. J. Northwest. Atln. Fish. Sci. 6: 157-164
- Reddin, D.J., D.E. Stansbury, P.B. Short. 1988. Continent of origin of Atlantic salmon (*Salmo salar* L.) caught at West Greenland. Journal du Conseil International pour l'Eploration de la Mer, 44: 180-8.
- Reiman, B. E. & F. W. Allendorf. 2001. Effective population size and genetic conservation criteria for bull trout. N. Am. J. Fish. Mgt. 21:756-764.
- Reisenbichler, R.R. 1988. Relation between distance transferred from natal stream and recovery rate for hatchery coho salmon. N. Am. J. Fish. Mgt. 8(2): 172-174. Research Station, Newtown Square, PA. 188 p.

- Riddell, B. E. and W. C. Leggett. 1981. Evidence of an adaptive basis for geographic variation in body morphology and time of downstream migration of juvenile Atlantic salmon (*Salmo salar*). Can. J. Fish. Aquat. Sci. 38: 308-320.
- Rimmer, D.M., U. Paim, and R.L. Saunders. 1984. Changes in the selection of microhabitat by juvenile Atlantic salmon (*Salmo salar*) at the summer-autumn transition in a small river. Can. J. Fish. Aquat. Sci. 41(3): 469-475
- Ritter, J.A. 1989. Marine migration and natural mortality of North American Atlantic salmon (*Salmo salar L*.). Can. MS Rep. Fish. Aquat. Sci.. No. 2041. 136 p.
- Rosseland B. O. and O. K. Skogheim. 1984. A comparative study on salmonid fish species in acid aluminum-rich water II. Physiological stress and mortality of oneand two-year-old fish. Inst. Freshwater Res. Drottningholm Rep. 61: 186-194
- Rosseland B. O., T. D. Eldhuset and M. Staurnes. 1990. Environmental effects of aluminum. Environ. Geochem. Health. 12: 17-27
- Ruggles, C.P. 1980. A review of the downstream migration of Atlantic salmon. Canadian Technical Report of Fisheries and Aquatic Sciences No. 952. Freshwater and Anadromous Division Research Branch, Department of Fishereis and Oceans. Halifax, NS. 39pp
- Saunders, R., M. A. Hachey, C. W. Fay. 2006. Maine diadromous fish community: past, present, and implications for Atlantic salmon recovery. Fisheries. 31(11): 537-547
- Schaffer, W.M. and P.F. Elson. 1975. The adaptive significance of variations in life history among local populations of Atlantic salmon in North America. Ecology 56: 577-590
- Schulze, M.B. 1996. Using a field survey to assess potential temporal and spatial overlap between piscivores and their prey and a bioenergetics model to examine potential consumption of prey, especially juvenile anadromous fish, in the Connecticut River estuary. Master's thesis. University of Massachusetts, Amherst.
- Scott, W.B. and E.J. Crossman. 1973. Freshwater Fishes of Canada. Bulletin 184. Fisheries Research Board of Canada. Ottawa, Ca.
- Seaber, P.R., F.P. Kapinos, & G.L. Knapp. 1994. Hydrologic Unit Maps. U.S.Geological Survey water supply-paper; 2294. Supt. of Docs. No.: I 19,13:2294.
- Shelton, R.G.J., J.C. Holst, W.R. Turrell, J.C. MacLean, I.S. McLaren. 1997. Young Salmon at Sea. In: <u>Managing Wild Atlantic Salmon: New Challenges – New</u> <u>Techniques</u>. Whoriskey, F.G and K.E. Whelan. [eds.]. Proceedings of the Fifth Int. Atlantic Salmon Symposium, Galway, Ireland.

- Shepard, S.L. 1991. Evaluation of upstream and downstream fish passage facilities at the West Enfield hydroelectric project (FERC #2600-010). Report to the US Federal Energy Regulatory Commission. Bangor Hydro-Electric Company.
- Spence, B., C., G. A. Lomnicky, R. M. Hughes, and R. P. Novitzki. 1996. An ecosystem approach to salmonid conservation. TR-4501-96-6057. ManTech Environmental Research Services Corp., Corvallis OR. (Available from the National Marine Fisheries Service, Portland, Oregon.)
- Spicer, A.V., J.R. Moring, and J.G. Trial. 1995. Downstream migratory behavior of hatchery-reared, radio-tagged Atlantic salmon (Salmo salar) smolts in the Penobscot River, Maine, USA. Fisheries Research 23:255-266.
- Spidle, A. P., W. B. Schill, B. A. Lubinski, and T. L. King. 2001. Fine-scale population structure in Atlantic salmon from Maine's Penobscot River drainage. Conservation Genetics 2:11–24
- Spidle, A.P., S.T. Kalinowski, B.A. Lubinski, D.L. Perkins, K.F. Beland, J.F. Kocik, T.L. King. 2003. Population structure of Atlantic salmon in Maine with reference to populations from Atlantic Canada. Trans. Am. Fish. Soc. 132:196-209.
- Stabell, O.B. 1984. Homing and olfaction in salmonids: A critical review with special reference to the Atlantic salmon. Biological Review of the Cambride Philosophical Society 59(3): 333-338.
- Staurnes M., L. P. Hansen, K. Fugelli, and O. Haraldstad. 1996. Short-term exposure to acid water impairs osmoregulation, seawater tolerance, and subsequent marine survival of smolts of Atlantic salmon (*Salmo salar* L.). Can. J. Fish. Aquat. Sci. 53: 1695-1704
- Staurnes, M., F. Kroglund, and B.O. Rosseland. 1995. Water quality requirements of Atlantic salmon (*Salmo salar*) in water undergoing acidification or liming in Norway. Water Air and Soil Pollution 85: 347-352
- Staurnes, M., P. Blix, and O.B. Reite. 1993. Effects of acid water and aluminum on parr smolt transformation and seawater tolerance in Atlantic salmon, *Salmo salar*. Canadian Journal of Fisheries and Aquatic Sciences 50: 1816-1827
- Stefansson, S.O., B.TH. Bjornsson, K. Sundell, G. Nyhammer, S.D. McCormick. 2003. Physiological characteristics of wild Atlantic salmon post-smolts during estuarine and coastal migrations. J. Fish. Bio. 63(4): 942-955
- Stevenson, C.H. 1898. The Shad Fisheries of the Atlantic Coast of the United States. Report of the Commissioner for the year ending June 30, 1898 Part XXIV. U.S. Commission of Fish and Fisheries. 101-269

- Swansburg, E., G. Chaput, D. Moore, D. Caissie, and N. El-Jabi. 2002. Size variability of juvenile Atlantic salmon: links to environmental conditions. Journal of Fish Biology 61: 661-683
- Symons, P. and M. Heland. 1978. Stream habitats and behavioral interactions of underyearling and yearling Atlantic salmon (*Salmo salar*). J. Fish. Res. Bd. Can. 35: 175-183
- Tallman, R.F. and M.C. Healey. 1994. Homing, straying, and gene flow among seasonally separated populations of chum salmon (Onchorhynchus keta). Can. J. Fish. Aquat. Sci. 51(3): 577-588.
- Thorpe, J.E. and Morgan, R.I.G., 1978. Periodicity in Atlantic salmon, *Salmo salar* L., smolt migration. J. Fish Biol. 12: 541-548
- USASAC (United States Atlantic Salmon Assessment Committee). 2007. Annual Report of the U.S. Atlantic Salmon Assessment Committee Report No. 18-2006 Activities. Annual Report 2006/19. Gloucester, Massachusetts March 5 – March 8, 2007. 109pp. plus appendices.
- USASAC (United States Atlantic Salmon Assessment Committee). 2004. Annual Report of the U.S. Atlantic Salmon Assessment Committee Report No. 16 – 2003 Activities. Annual Report 2004/16. Woods Hole, MA – February 23-26, 2004. 74pp. and appendices
- USASAC (United States Atlantic Salmon Assessment Committee). 2005. Annual Report of the U.S. Atlantic Salmon Assessment Committee Report No. 17 – 2004 Activities. Annual Report 2005/17. Woods Hole, MA – February 28-March 3, 2005. 110pp. and appendices
- USDA (United States Department of Agriculture) . 2002 Census of Agriculture. Maine State and County Data. U.S. Department of Agriculture AC-02-A-19. Issued March 2004.
- U.S. Office of Management and Budget. *Circular A-4*. September 17, 2003. Available at: <u>http://www.whitehouse.gov/omb/circulars/a004/a-4.pdf</u>.
- Waples, R. S. & M. Yokota. 2007. Temporal estimates of effective population size in species with overlapping generations. Genetics 175: 219-233.
- Whalen, K. G., D. L. Parish, and M. E. Mather. 1999a. Effect of ice formation on selection habitats and winter distribution of post-young-of-the-year Atlantic salmon parr. Canadian Journal of Fisheries and Aquatic Sciences 56(1): 87-96
- Whalen, K. G., D. L. Parrish, and S. McCormick. 1999b. Migration timing of Atlantic salmon smolts relative to environmental and physiological factors. Trans. of the Amer. Fish. Soc. 128: 289-301

- Wheaton, J.M., G.B. Pasternack, and J.E. Merz. 2004. Spawning habitat rehabilitation-I. Conceptual approach and methods. International Journal of River Basin Management 2(1): 3-20.
- White, H.C. 1942. Atlantic salmon redds and artificial spawning beds. J. Fish. Res. Bd. Can. 6: 37-44
- Wickett, W.P. 1954. The oxygen supply to salmon eggs in spawning beds. J. Fish. Res. Board Can. 6: 933-953