
# RECLAMATION Managing Water in the West

North Platte River Basin Water Supply and Utilization Report Wyoming Area Office Report for June 2016



The Wyoming Area Office of the Bureau of Reclamation is responsible for the operation of Reclamation reservoirs in Wyoming east of the Continental Divide except for Keyhole Reservoir. Four off-stream reservoirs in Nebraska commonly referred to as the Inland Lakes also fall within the Wyoming Area. The North Platte River Basin Reservoirs have a combined storage capacity of 2,800,000 acre-feet. The major reservoirs in the Shoshone and Wind/Bighorn Basins have a combined storage capacity of 1,600,000 acre-feet.



United States of America Department of the Interior Bureau of Reclamation P.O. Box 1630 Mills, Wyoming 82644-1630

## Report for June 2016 WATER SUPPLY AND UTILIZATION REPORT NORTH PLATTE RIVER BASIN WYOMING AREA OFFICE

This report concerns the operation of Reclamation facilities in the North Platte River Basin.

Reclamation defines a water year as the time period of October 1 through September 30. Water year is abbreviated in this report as W. Yr.

Other organizations furnished information for the Water Supply and Utilization Report. Their cooperation is greatly appreciated.

This report is available on the Internet and can be accessed by following these steps:

- 1. Log on to the Great Plains Home Page at: <a href="http://www.usbr.gov/gp">http://www.usbr.gov/gp</a>
- 2. On left side of page Select Water Operations.
- 3. Under Water Operations Select Water Management Information.
- 4. Under Water Management Select Water Supply Report.
- 5. Under North Platte River Basin, select Current Month or reports from the previous 12 months.


### **NORTH PLATTE RIVER BASIN INFLOW**

(1000 acre-feet)

	June Inflow			His	June storical Infl	ow	Accumulated Inflow (October - June)			
Reservoir		W. Yr. 2016	30 Yr. Avg. ⁵	% of Avg.	W. Yr. 2015	W. Yr. 2014	W. Yr. 2013	W. Yr. 2016	30 Yr. Avg. ⁵	% of Avg.
Seminoe		407.0	278.3	146	271.4	432.0	101.0	1128.8	886.8	127
Pathfinder	1, 2	12.1	21.7	56	24.1	22.8	9.9	114.7	99.1	116
Glendo	3	18.3	25.4	72	49.6	19.4	3.5	358.0	199.6	179
Guernsey	4	4.0	5.8	69	18.0	7.9	-3.2	71.9	30.6	235

- 1 It is assumed that there is no gain between Seminoe and Kortes Dams.
- 2 River gain between Kortes and Pathfinder Dams.
- 3 River gain between Pathfinder and Glendo Dams.
- 4 River gain between Glendo and Guernsey Dams.
- 5 30 year average. (1986-2015)

### NORTH PLATTE RIVER BASIN RESERVOIR INFLOW June



#### **NORTH PLATTE RIVER BASIN OUTFLOW**


(1000 acre-feet)

	June Outflow			June Historical Outflow			Accumulated Outflow (October - June )		
Reservoir	W. Yr.	30 Yr.	% of	W. Yr.	W. Yr.	W. Yr.	W. Yr.	30 Yr.	% of
	2016	Avg. <sup>2</sup>	Avg.	2015	2014	2013	2016	Avg. <sup>2</sup>	Avg.
Seminoe	356.2	150.4	237	172.3	279.7	139.4	999.0	637.3	157
Kortes	356.5	150.4	237	172.4	279.6	139.1	998.7	637.1	157
Pathfinder	378.4	152.7	248	38.3	88.0	139.6	761.3	564.9	135
Alcova	363.1	137.0	265	30.1	73.8	123.3	741.7	535.6	138
Gray Reef	363.0	137.0	265	30.1	73.5	122.7	741.0	535.5	138
Glendo	346.0	173.5	199	128.3	127.8	141.5	594.0	385.0	154
Guernsey	347.9	161.7	215	143.6	139.3	136.9	636.9	361.3	176

<sup>1</sup> In 1993 an outlet was constructed at Glendo Dam which is used to provide a flow of approximately 25 cubic feet per second, 22 year average (1994-2015).

### NORTH PLATTE RIVER BASIN RESERVOIR OUTFLOW





<sup>2 30</sup> year average (1986-2015).


### NORTH PLATTE RIVER BASIN RESERVOIR STORAGE

(1000 acre-feet)

	Total Storage End of June				End of June		Total Conservation	Percent of
Reservoir	W. Yr. 2016	. 30 Yr. % of W. Yr. W. Yr.		W. Yr. 2013	Storage Capacity	Capacity		
Seminoe	908.1	724.4	125	896.1	796.8	532.8	1017.3	89
Kortes	4.7	4.7	101	4.7	5.0	4.9	4.7	101
Pathfinder	1064.2	622.8	171	873.0	708.9	400.6	1070.0	99
Alcova	180.8	180.3	100	179.9	180.8	181.1	184.4	98
Gray Reef	1.7	1.4	121	1.1	1.5	1.7	1.8	94
Glendo	581.4	469.6	124	497.8	445.6	401.8	492.0	118
Guernsey	31.2	31.8	98	33.1	27.7	9.2	45.6	68
Total	2772.1	2035.0	136	2485.7	2166.3	1532.1	2815.8	98

<sup>1</sup> Average is based on the 1986-2015 period.

### NORTH PLATTE RIVER BASIN RESERVOIR STORAGE End of June




#### NORTH PLATTE RIVER BASIN RESERVOIR STORAGE OWNERSHIP

(1000 acre-feet)


		O	wnership of w End of June			End of June	Total	Percent of	
Ownership		W. Yr. 2016	30 Yr. Avg. ⁵	% of Avg.	W. Yr. 2015	W. Yr. 2014	W. Yr. 2013	Storage Capacity	Capacity
Kendrick		1201.7	907.4	132	1178.2	926.2	903.6	1201.7	100
North Platte	1	1115.2	871.8	128	1104.9	1053.8	503.6	1115.6	100
Glendo		171.7	151.6	113	171.6	167.7	116.9	171.7	100
Inland Lakes	2	0.0	0.0	N/A	0.0	0.0	0.0	46.0	0
Cheyenne	3	5.4	1.3	N/A	2.9	1.8	1.4	10.0	N/A
PacifiCorp	4	2.0	1.7	118	2.0	2.0	2.0	2.0	100
WWDC		0.0	N/A	N/A	0.0	0.0	0.0	N/A	N/A
Other	6	276.2	100.8	274	26.0	14.7	4.6	N/A	N/A

- 1 This includes North Platte Guernsey and North Platte Pathfinder.
- 2 Water stored temporarily in mainstem facilities for later transfer to the Inland Lakes. This table does not reflect that water currently stored in the Inland Lakes.
- 3 The City of Cheyenne has a storage contract to store water in Seminoe Reservoir by exchange of Upper North Platte Basin water through a system of trans-basin diversions
- 4 PacifiCorp has a storage contract to store water in Glendo Reservoir for Dave Johnston Powerplant.
- 5 Average is based on the 1986-2015 period.
- 6 Water which is captured in the re-regulation space of Glendo in addition to storage rights, operational water account, and replacement of evaporation losses is labeled as "Re-regulation of Natural Flow" per Wyoming Board of Control Order Docket Number I-2000-3-8 in water Division Number One. In accordance with 2015 Natural Flow and Ownership Procedures, the operational account June contain up to 15,000 acre-feet. On June 30, 2016, the Operational account contained 15,000 Acre-feet, and the Re-Regulation space contained 261,215 Acre-feet.

### **Ownership of Water**



### NORTH PLATTE RIVER BASIN OWNERSHIP OF WATER End of June



### **INLAND LAKES RESERVOIR STORAGE**

( acre-feet)

	Total	30 Year	Percent of	Total
Reservoir	Storage	Average ⁵	Average	Storage
	End of June			Capacity
Lake Alice	5,754	6,200	93	11,034 1
Little Lake Alice	386	300 <sup>6</sup>	129	1,166 <sup>2</sup>
Lake Winters Creek	1,128	1,000 <sup>6</sup>	113	1,746 <sup>3</sup>
Lake Minatare	48,136	46,000	105	58,795 ⁴

- 1 At Elevation 4182.0
- 2 At Elevation 4139.0
- 3 At Elevation 4125.0
- 4 At Elevation 4125.0
- 5 30 year average. (1986-2015)
- 6 25 year average. (1991-2015)


### NORTH PLATTE RIVER BASIN GROSS GENERATION

(Energy in giga-watt hours)

	Gr	June oss Genera	ation	June Historical Generation			Accumulated Gross Gen. (October - June)		
Powerplant	W. Yr. 2016	30 Yr. Avg. ²	% of Avg.	W. Yr. 2015	W. Yr. 2014	W. Yr. 2013	W. Yr. 2016	30 Yr. Avg. ²	% of Avg.
Seminoe	29.6	18.4	161	25.8	25.8	16.6	117.9	88.6	133
Kortes	27.8	17.6	158	18.1	22.6	22.5	113.1	92.1	123
Fremont Canyon <sup>1</sup>	45.7	29.5	155	8.5	23.1	19.1	135.6	128.0	106
Alcova	27.1	15.6	174	3.0	9.9	17.6	67.9	63.3	107
Glendo	26.2	14.3	183	14.1	13.6	11.0	44.0	33.6	131
Guernsey	4.1	3.4	121	4.1	2.9	2.4	9.1	8.9	102

<sup>1</sup> The powerplant for Pathfinder Dam is Fremont Canyon.

### NORTH PLATTE RIVER BASIN GROSS GENERATION June



<sup>2</sup> Average is based on the 1986-2015 period.