
RECLAMATION Managing Water in the West

North Platte River Basin Water Supply and Utilization Report Wyoming Area Office Report for May 2016



The Wyoming Area Office of the Bureau of Reclamation is responsible for the operation of Reclamation reservoirs in Wyoming east of the Continental Divide except for Keyhole Reservoir. Four off-stream reservoirs in Nebraska commonly referred to as the Inland Lakes also fall within the Wyoming Area. The North Platte River Basin Reservoirs have a combined storage capacity of 2,800,000 acre-feet. The major reservoirs in the Shoshone and Wind/Bighorn Basins have a combined storage capacity of 1,600,000 acre-feet.



United States of America Department of the Interior Bureau of Reclamation P.O. Box 1630 Mills, Wyoming 82644-1630

Report for May 2016 WATER SUPPLY AND UTILIZATION REPORT NORTH PLATTE RIVER BASIN WYOMING AREA OFFICE

This report concerns the operation of Reclamation facilities in the North Platte River Basin.

Reclamation defines a water year as the time period of October 1 through September 30. Water year is abbreviated in this report as W. Yr.

Other organizations furnished information for the Water Supply and Utilization Report. Their cooperation is greatly appreciated.

This report is available on the Internet and can be accessed by following these steps:

- 1. Log on to the Great Plains Home Page at: http://www.usbr.gov/gp
- 2. On left side of page Select Water Operations.
- 3. Under Water Operations Select Water Management Information.
- 4. Under Water Management Select Water Supply Report.
- 5. Under North Platte River Basin, select Current Month or reports from the previous 12 months.


NORTH PLATTE RIVER BASIN INFLOW

(1000 acre-feet)

	May Inflow			May Historical Inflow			Accumulated Inflow (October - May)			
Reservoir		W. Yr. 2016	30 Yr. Avg. ⁵	% of Avg.	W. Yr. 2015	W. Yr. 2014	W. Yr. 2013	W. Yr. 2016	30 Yr. Avg. ⁵	% of Avg.
Seminoe		407.5	215.8	189	216.6	400.0	153.3	587.3	412.5	142
Pathfinder	1, 2	47.3	23.4	202	24.3	22.2	6.9	79.9	60.5	132
Glendo	3	193.1	63.5	304	105.4	122.5	29.6	248.1	133.2	186
Guernsey	4	40.9	11.3	362	32.9	18.6	1.8	54.1	20.8	260

- 1 It is assumed that there is no gain between Seminoe and Kortes Dams.
- 2 River gain between Kortes and Pathfinder Dams.
- 3 River gain between Pathfinder and Glendo Dams.
- 4 River gain between Glendo and Guernsey Dams.
- 5 30 year average. (1986-2015)

NORTH PLATTE RIVER BASIN RESERVOIR INFLOW May




NORTH PLATTE RIVER BASIN OUTFLOW

(1000 acre-feet)

		May Outflow		May Historical Outflow			Accumulated Outflow (October - May)		
Reservoir	W. Yr. 2016	30 Yr. Avg. ²	% of Avg.	W. Yr. 2015	W. Yr. 2014	W. Yr. 2013	W. Yr. 2016	30 Yr. Avg. ²	% of Avg.
Seminoe	277.9	109.5	254	121.1	115.0	62.6	642.8	486.9	132
Kortes	277.4	109.4	254	121.1	114.7	62.7	642.2	486.7	132
Pathfinder	152.2	107.8	141	74.2	35.5	66.8	382.9	412.2	93
Alcova	149.2	96.7	154	69.1	30.6	55.4	378.6	398.6	95
Gray Reef	148.6	96.6	154	69.4	30.7	55.3	378.0	398.5	95
Glendo	220.3	132.4	166	48.9	142.1	39.6	248.0	211.5	117
Guernsey	265.7	126.7	210	79.6	164.5	39.6	288.9	199.6	145

¹ In 1993 an outlet was constructed at Glendo Dam which is used to provide a flow of approximately 25 cubic feet per second, 22 year average (1994-2015).

NORTH PLATTE RIVER BASIN RESERVOIR OUTFLOW May




^{2 30} year average (1986-2015).

NORTH PLATTE RIVER BASIN RESERVOIR STORAGE

	Total Storage				End of May	1	Total	Percent
		End of May			torical Stor	age	Conservation	of
Reservoir	W. Yr. 30 Yr. % of		W. Yr.	W. Yr.	W. Yr.	Storage	Capacity	
	2016	Avg. 1	Avg.	2015	2014	2013	Capacity	
Seminoe	868.1	603.3	144	805.3	652.0	578.6	1017.3	85
Kortes	5.2	4.7	111	4.9	4.9	4.6	4.7	111
Pathfinder	1089.6	611.0	178	724.5	500.1	397.6	1070.0	102
Alcova	180.1	179.9	100	180.2	179.9	180.8	184.4	98
Gray Reef	1.8	1.4	129	1.2	1.3	1.3	1.8	100
Glendo	558.2	473.5	118	542.3	494.6	436.7	492.0	113
Guernsey	30.3	32.7	93	31.3	32.1	8.4	45.6	66
Total	2733.3	1906.5	143	2289.7	1864.9	1608.0	2815.8	97

¹ Average is based on the 1986-2015 period.

NORTH PLATTE RIVER BASIN RESERVOIR STORAGE End of May




NORTH PLATTE RIVER BASIN RESERVOIR STORAGE OWNERSHIP

(1000 acre-feet)

		Ov	wnership of w End of May			End of May	Total	Percent of	
Ownership		W. Yr.	30 Yr.	% of	W. Yr.	W. Yr.	W. Yr.	Storage	Capacity
		2016	Avg. 5	Avg.	2015	2014	2013	Capacity	
Kendrick		1201.7	863.2	139	919.2	758.4	928.4	1201.7	100
North Platte	1	1114.4	841.0	133	1111.6	904.8	544.6	1115.6	100
Glendo		171.7	149.8	115	165.7	171.2	117.4	171.7	100
Inland Lakes	2	0.0	1.7	0	0.0	0.0	0.0	46.0	0
Cheyenne	3	5.6	3.3	N/A	1.6	-0.5	5.3	10.0	N/A
PacifiCorp	4	2.0	1.6	125	2.0	2.0	2.0	2.0	100
WWDC		0.0	N/A	N/A	0.0	0.0	0.0	N/A	N/A
Other	6	237.8	45.4	524	89.5	28.9	10.3	N/A	N/A

- 1 This includes North Platte Guernsey and North Platte Pathfinder.
- 2 Water stored temporarily in mainstem facilities for later transfer to the Inland Lakes. This table does not reflect that water currently stored in the Inland Lakes.
- 3 The City of Cheyenne has a storage contract to store water in Seminoe Reservoir by exchange of Upper North Platte Basin water through a system of trans-basin diversions. The City of Cheyenne Storage is temporarily negative due to high runoff conditions.
- 4 PacifiCorp has a storage contract to store water in Glendo Reservoir for Dave Johnston Powerplant.
- 5 Average is based on the 1986-2015 period.
- 6 Water which is captured in the re-regulation space of Glendo in addition to storage rights, operational water account, and replacement of evaporation losses is labeled as "Re-regulation of Natural Flow" per Wyoming Board of Control Order Docket Number I-2000-3-8 in water Division Number One. In accordance with 2015 Natural Flow and Ownership Procedures, the operational account may contain up to 15,000 acre-feet. On May 31, 2016, the Operational account contained 15,000 Acre-feet, the Re-Regulation space contained 222,768 Acre-feet.

NORTH PLATTE RIVER BASIN OWNERSHIP OF WATER End of May



INLAND LAKES RESERVOIR STORAGE

(acre-feet)

	Total	30 Year	Percent of	Total
Reservoir	Storage	Average ⁵	Average	Storage
	End of May			Capacity
Lake Alice	3,232	4,800	67	11,034 1
Little Lake Alice	279	300 ⁶	93	1,166 ²
Lake Winters Creek	1,268	1,000 ⁶	127	1,746 ³
Lake Minatare	52,061	42,600	122	58,795 ^⁴

- 1 At Elevation 4182.0
- 2 At Elevation 4139.0
- 3 At Elevation 4125.0
- 4 At Elevation 4125.0
- 5 30 year average. (1986-2015)
- 6 25 year average. (1991-2015)


NORTH PLATTE RIVER BASIN GROSS GENERATION

(Energy in giga-watt hours)

	Gr	May oss Genera	ation	May Historical Generation			Accumulated Gross Gen. (October - May)		
Powerplant	W. Yr. 2016	30 Yr. Avg. ²	% of Avg.	W. Yr. 2015	W. Yr. 2014	W. Yr. 2013	W. Yr. 2016	30 Yr. Avg. ²	% of Avg.
Seminoe	29.7	15.2	195	20.4	16.5	8.7	88.3	70.2	126
Kortes	28.3	15.4	184	17.0	20.0	10.4	85.3	74.5	114
Fremont Canyon 1	32.6	24.1	135	19.4	7.5	17.9	94.9	98.5	96
Alcova	18.1	12.2	148	9.2	3.0	7.4	40.8	47.7	86
Glendo	17.8	12.2	146	4.1	15.9	0.9	17.8	19.3	92
Guernsey	4.3	3.1	139	4.0	3.3	0.7	5.0	5.5	91

¹ The powerplant for Pathfinder Dam is Fremont Canyon.

NORTH PLATTE RIVER BASIN GROSS GENERATION May



² Average is based on the 1986-2015 period.