

SOUTH OF DELTA DAILY OPERATIONS REPORT

DATE 12/25/2016

RUN DATE: 12/26/2016

SAN LUIS RESERVOIR

471.82 ft. Res. ELEV.	STORAGE:	1,196,362 AF	CHANGE	7,209 AF
	CAPACITY:	2,027,835 AF	% CAPACITY	59.0 %
FEDERAL STORAGE		410,902 AF	CHANGE	7,174 AF
	CAPACITY:	965,655 AF	% CAPACITY	42.6 %
STATE STORAGE		785,460 AF	CHANGE	35 AF
	CAPACITY:	1,062,180 AF	% CAPACITY	73.9 %

JONES PUMPING PLANT

DELTA-MENDOTA CANAL	6,965 AF	FEDERAL Discharge for 24 hour	ACCUM. FED	171,225 AF
	0 AF	STATE Discharge for 24 hours	ACCUM. STATE	0 AF
	6,965 AF	TOTAL Discharge for 24 hours		

O'NEILL FORBAY

222.63 ft. Res. ELEV.	STORAGE:	50,060 AF	CHANGE	1,857 AF	ACCUM. CHANGE	3,565 AF
	CAPACITY:	56,400 AF	% CAPACITY	88.8 %		

O'NEILL FORBAY - INFLOW

CALIFORNIA AQUEDUCT	0 AF	FEDERAL Discharge for 24 hours	ACCUM. FED	0 AF
	7,425 AF	STATE Discharge for 24 hours	ACCUM. STATE	269,309 AF
	7,425 AF	TOTAL Discharge for 24 hours		
O'NEILL PUMPING	6,514 AF	FEDERAL Discharge for 24 hour	ACCUM. FED	153,431 AF
	0 AF	STATE Discharge for 24 hours	ACCUM. STATE	0 AF
	6,514 AF	TOTAL Discharge for 24 hours		
SAN LUIS GENERATION	0 AF	FEDERAL Discharge for 24 hour	ACCUM. FED	0 AF
	0 AF	STATE Discharge for 24 hours	ACCUM. STATE	0 AF
	0 AF	TOTAL Discharge for 24 hours		

O'NEILL FORBAY - RELEASE

O'NEILL GENERATION	0 AF	GENERATION Discharge for 24 hours	ACCUM. FED	0 AF
SAN LUIS PUMPING	7,865 AF	FEDERAL Discharge for 24 hour	ACCUM. FED	163,817 AF
	565 AF	STATE Discharge for 24 hours	ACCUM. STATE	184,250 AF
	8,430 AF	TOTAL Discharge for 24 hours		
DOS AMIGOS PUMPING	0 AF	FEDERAL Discharge for 24 hour	ACCUM. FED	0 AF
	3,846 AF	STATE Discharge for 24 hours	ACCUM. STATE	65,944 AF
	3,846 AF	TOTAL Discharge for 24 hours		

SAN LUIS RESERVOIR

PACHECO PUMPING	257 AF	SLR Discharge for 24 hours	ACCUM.	6,926 AF
-----------------	--------	----------------------------	--------	----------

DELTA MENDOTA CANAL AND MENDOTA POOL

DMC-POOL DEMAND	451 AF	JONES DMC + O'NEILL GENERATION - O'NEILL PUMPING	ACCUM.	17,794 AF
-----------------	--------	---	--------	-----------