

8. REFERENCES

- Aakhus AM, Smith-Kielland A, Ripel A, et al. 1991. Effects of toluene on platelet membrane glycoprotein IB and actin-binding protein. *Biochem Pharmacol* 42:805-811.
- *Abbate C, Giorgianni C, Munao F, et al. 1993. Neurotoxicity induced by exposure to toluene. An electrophysiologic study. *Int Arch Occup Environ Health* 64:389-392.
- Abshire AD, Hughes SS. 1982. CEH marketing research report: Toluene. Stanford Research Institute International. Palo Alto, CA.
- *ACGIH. 1992a. Documentation of the threshold limit values and biological exposure indices. 5th ed. American Conference of Governmental Industrial Hygienists, Inc. Cincinnati, OH.
- ACGIH. 1992b. Toluene. American Conference of Governmental Industrial Hygienists, Cincinnati, OH, 1568-1597.
- *ACGIH. 1997. TLV's and BEIs: Threshold limit values for chemical substances and physical agents. Biological Exposure Indices. American Conference of Governmental Industrial Hygienists, Inc. Cincinnati, OH. 38-39, 69, 89.
- ACGIH. 1998. TLV's and BEIs: Threshold limit values for chemical substances and physical agents. Biological Exposure Indices. American Conference of Governmental Industrial Hygienists, Inc. Cincinnati, OH. 66-67, 104-105.
- *ACGIH. 1999. TLVs and BEIs: Threshold limit values for chemical substances and physical agents: Biological exposure indices. American Conference of Governmental Industrial Hygienists, Cincinnati, OH.
- ACS. 1991. *Chemyclopedia* 90. J.H. Kunej, ed. Washington, DC: American Chemical Society, 8-125.
- *Acton DW, Barker JF. 1992. *In situ* biodegradation potential of aromatic hydrocarbons in anaerobic groundwaters. *J Contam Hydro* 9:325-352.
- *Adams WD, Golden JE. 1992. Comparison of the effects of geologic environment on volatile organic plume development. *J Hazard Mat* 29:17-41.
- *Adinolfi M. 1985. The Development of the Human Blood-CSF-Brain Barrier. *Dev Med Child Neurol* 27:532-537.
- *Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. *Environ Health Perspect Suppl* 103(7):103-112.
- Aelion CM, Bradley PM. 1991. Aerobic biodegradation potential of subsurface microorganisms from a jet fuel-contaminated aquifer. *Appl Environ Microbiol* 57:57-63.

*Cited in text

8. REFERENCES

- *Aitio A, Pekari K, Jarvisalo J. 1984. Skin absorption as a source of error in biological monitoring. *Scand J Work Environ Health* 10:317-320.
- *AK Dept Env Conserv. 1999. Drinking water. Alaska Department of Environmental Conservation. Rule 18 AAC 80. <http://www.state.ak.us/local/akpages/ENV.CONSERV/home.htm>.
- *AL Dept of Environ Management. 1998. Water quality criteria. Alabama Department of Environmental Management, Water Division. <http://www.adem.state.al.us/>.
- *Alcorn CJ, Simpson RJ, Leahy D, et al. 1991. *In vitro* studies of intestinal drug absorption: Determination of partition and distribution coefficient with brush border membrane vesicles. *Biochem Pharmacol* 42(12):2259-2264.
- Aleguas A, Linakis JG, Lewander WJ. 1991. Bell's palsy associated with toluene exposure. *Vet Hum Toxicol* 33:372.
- *Ali N, Tardif R. 1999. Toxicokinetic modeling of the combined exposure to toluene and *n*-hexane in rats and humans. *J Occup Health* 41:95-103.
- *Altman PL, Dittmer DS. 1974. In: *Biological handbooks: Biology data book*. Vol. III. 2nd ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.
- Altshuller AP, Bellar TA. 1963. Gas chromatography analysis of hydrocarbons in the Los Angeles atmosphere. *J Air Pollut Control Assoc* 13:81-87.
- *Altshuller AP, Lonneman WA, Sutterfield FD, et al. 1971. Hydrocarbon composition of the atmosphere of the Los Angeles Basin-1967. *Environ Sci Technol* 5(10):1009-1016.
- Alvarez PJ, Vogel TM. 1991. Substrate interactions of benzene, toluene and *para*-xylene during microbial degradation by pure cultures and mixed culture aquifer slurries. *Appl Environ Microbiol* 57:2981-2985.
- *Ameno K, Fuke C, Ameno S, et al. 1989. A fatal case of oral ingestion of toluene. *Forensic Sci Int* 41:255-260.
- *Ameno K, Kiriu T, Fuke C, et al. 1992. Regional brain distribution of toluene in rats and in a human autopsy. *Arch Toxicol* 66:153-156.
- *Andersen I, Lundqvist GR, Molhave L, et al. 1983. Human response to controlled levels of toluene in six-hour exposures. *Scand J Work Environ Health* 9:405-418.
- *Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives: Refinement, reduction, replacement*. New York: Marcel Dekker, Inc., 9-25.
- *Andersen ME, MacNaughton MG, Clewell HJ, et al. 1987. Adjusting exposure limits for long and short exposure periods using a physiological pharmacokinetic model. *Am Ind Hyg Assoc J* 48(4):335-343.
- *Anderson C, Sundberg K, Groth O. 1986. Animal model for assessment of skin irritancy. *Contact Dermatitis* 15:143-151.

8. REFERENCES

- *Anderson HR, Dick B, Macnair RS, et al. 1982. An investigation of 140 deaths associated with volatile substance abuse in the United Kingdom (1971-1981). *Hum Toxicol* 1:207-221.
- *Anderson HR, Macnair RS, Ramsey JD. 1985. Epidemiology: Deaths from abuse of volatile substances: A national epidemiological study. *Br Med J* 290:304-307.
- *Anderson MA. 1992. Influence of surfactants on vapor-liquid partitioning. *Environ Sci Technol* 26:2186-2191.
- Andersson L, Ulfendahl M, Tham R. 1997. A method for studying the effects of neurochemicals on long-term compensation in unilaterally labyrinthectomized rats. *J Neural Transplant plast* 6(2):105-113.
- *Andersson R, Carlsson A, Nordqvist MB, et al. 1983. Urinary excretion of hippuric acid and o-cresol after laboratory exposure of humans to toluene. *Int Arch Occup Environ Health* 53:101-108.
- *Angerer J. 1979. Occupational chronic exposure to organic solvents: VII. Metabolism of toluene in man. *Int Arch Occup Environ Health* 43:63-67.
- Angerer J. 1985. Occupational chronic exposure to organic solvents: XII. O-cresol excretion after toluene exposure. *Int Arch Occup Environ Health* 56:323-328.
- *Angerer J, Kramer A. 1997. Occupational chronic exposure to organic solvents. xvi. ambient and biological monitoring of workers exposed to toluene. *Int Arch Occup Environ Health* 69(2):91-6.
- Angerer J, Goen TH, Muller J, et al. 1997. [Untersuchungen zur inneren belastung der allgemeinbevölkerung gegenüber leichtflüchtigen kohlenwassertoffen (VOC).] *Zentrabl Hyg Umweltmed* 199(5):443. (German)
- *Angerer J, Schildbach M, Kramer A. 1998a. S-*p*-toluylmercapturic acid in the urine of workers exposed to toluene: A new biomarker for toluene exposure. *Arch Toxicol* 72(2):119-23.
- *Angerer J, Schildbach M, Kramer A. 1998b. Gas chromatographic method for the simultaneous determination of S-*p*-toluylmercapturic acid and S-phenylmercapturic acid in human urin. *J Anal Toxicol* 22:211-214.
- *Antilla A, Pukkala E, Riala R, et al. 1998. Cancer incidence among Finnish workers exposed to aromatic hydrocarbons. *Int Arch Occup Environ Health* 71:187-193.
- Antti-Poika M, Ojala M, Matikainen E, et al. 1989. Occupational exposure to solvents and cerebellar, brainstem and vestibular functions. *Int Arch Occup Environ Health* 61:397-401.
- APHA. 1985. Organic contaminants, gas chromatographic/mass spectrometric method. *Standard Methods for the Examination of Water and Wastewater*. 16th ed. Section 516. Washington, DC: American Public Health Association, 612-619.
- *API. 1981. Mutagenicity evaluation of toluene in the mouse dominant lethal assay. Washington, DC: American Petroleum Institute. Proj. no. 21141-05.
- *API. 1984. The land treatability of Appendix VIII constituents present in petroleum industry wastes. Washington, DC: American Petroleum Institute. PB-974-200.

8. REFERENCES

- *API. 1985. Two-generation reproduction/fertility study on a petroleum-derived hydrocarbon (toluene) Vol. 1. Washington, DC: American Petroleum Institute.
- *API. 1997. Brain glial fibrillary acidic protein (GFAP) as a marker of neurotoxicity during inhalation exposure to toluene. Washington, DC: American Petroleum Institute. API Publication Number 4647.
- *AR Dept Health Services. 1999. Health based guidance levels for the ingestion of contaminants in drinking water. Arizona Department of Health services, Office of Environmental Health.
<http://www.hs.state.az.us/>.
- *Aranyi C, O'Shea WJ, Sherwood RL, et al. 1985. Effects of toluene inhalation on pulmonary host defenses of mice. *Toxicol Lett* 25:103-110.
- Arito H, Tsuruta H, Nakagaki K, et al. 1985. Partial insomnia, hyperactivity and hyperdipsia induced by repeated administration of toluene in rats: Their relation to brain monoamine metabolism. *Toxicology* 37:99-110.
- *Arito H, Tsuruta H, Oguir M. 1988. Changes in sleep and wakefulness following single and repeated exposures to toluene vapor in rats. *Arch Toxicol* 62:76-80.
- *Armstrong AQ, Hodson RE, Hwang H-M, et al. 1991. Environmental factors affecting toluene degradation in groundwater at a hazardous waste site. *Environ Toxicol Chem* 10:147-158.
- *Arnold GL, Wilkens-Haug L. 1990. Toluene embryopathy syndrome [abstract]. *Am J Hum Genet* 47(suppl. 3):A46.
- *Arnold GL, Kirby RS, Langendoerfer S, et al. 1994. Toluene embryopathy: Clinical delineation and developmental follow-up. *Pediatrics* 93(2):216-20.
- *Arocha MA, Jackman AP, McCoy BJ. 1996. Adsorption kinetics of toluene on soil agglomerates: soil as a biporous sorbent. *Environ Sci Technol* 30(5):1500-1507.
- Arthur CL, Buchholz KD, Potter DW, et al. 1993. Theoretical and practical aspects of solid phase microextraction with thermal desorption using coated fused silica fibers. Presented March 28, 1993 in Denver, Colorado. Division of Environmental Chemistry. *Am Chem Soc*, 424-427.
- *Arthur CL, Killam LM, Motlagh S, et al. 1992. Analysis of substituted benzene compounds in groundwater using solid-phase microextraction. *Environ Sci Technol* 26(5):979-983.
- Arulgnanendran VRJ, Nirmalakhandan N. 1998. Microbial toxicity in soil medium. *Ecotoxicol Environ Saf* 39:48-56.
- Arutjunyan AV, Stepanov MG, Korenevsky AV, et al. 1997. The disturbances of the hypothalamic circadian rhythm regulation in female rats under the influence of xenobiotics. In: Teelken A, Korf J, ed. *Neurochemistry: Cellular, molecular, and clinical aspects*. New York, NY: Plenum Press, 529-533.
- Asawaka F, Jitsunari F, Choi J, et al. 1999. Method for analyzing urinary toluene and xylene by solid-phase microextraction (SPME), and its application to workers using organic solvents. *Bull Environ Contam Toxicol* 62:109-116.

8. REFERENCES

- Ashikaga R, Araki Y, Miura K, et al. 1995. Cranial MRI in chronic thinner intoxication. *Neuroradiology* 37(6):443-444.
- *Ashley DL, Bonin MA, Cardinali FL, et al. 1992. Determining volatile organic compounds in human blood from a large sample population by using purge and trap gas chromatography/mass spectrometry. *Anal Chem* 64:1021-1029.
- *Ashley DL, Bonin MA, Cardinali FL, et al. 1994. Blood concentrations of volatile organic compounds in a nonoccupationally exposed US population and in groups with suspected exposure. *Clin Chem* 40(7):1401-1404.
- *Ashley DL, Bonin MA, Cardinali FL, et al. 1996. Measurement of volatile organic compounds in human blood. *Environ Health Perspect Suppl* 104:871-7.
- *Askergren A, Allgren L, Karlsson C, et al. 1981a. Studies on kidney function in subjects exposed to organic solvents. *Acta Med Scand* 209:479-483.
- *Askergren A, Brandt R, Gullquist R, et al. 1981b. Studies on kidney function in subjects exposed to organic solvents: IV. Effects on 51-Cr-EDTA clearance. *Acta Med Scand* 210:373-376.
- *Assmuth T, Kalevi K. 1992. Concentrations and toxicological significance of trace organic compounds in municipal solid waste landfill gas. *Chemosphere* 24(9):1207-1216.
- *Atkinson R. 1990. Gas-phase tropospheric chemistry of organic compounds: A review. *Atmos Environ* 24A(1):1-41.
- Atkinson R, Aschmann SM. 1989. Rate constants for the gas-phase reactions of the OH radical with a series of aromatic hydrocarbons at 296_2K. *Int J Chem Kin* 21:355-365.
- *ATSDR. 1989. Agency for Toxic Substances and Disease Registry. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. *Federal Register* 54(174):37618-37634.
- *Austin SG, Schnatter AR. 1983. A case-control study of chemical exposures and brain tumors in petrochemical workers. *J Occup Med* 25(4):313-320.
- *Backer LC, Egeland GM, Ashley DL, et al. 1997. Exposure to regular gasoline and ethanol oxyfuel during refueling in Alaska. *Environ Health Perspect* 105(8):850-5.
- Badriyha BN, Pirbazari M, Ravindran V, et al. 1996. Emission of volatile and semi-volatile organic compounds from hot asphalts in laboratory-scale and field studies. In: ed. *Measurement of toxic and related air pollutant*. Pittsburgh, PA: Air and Waste Management Association, 83-90.
- *Baelum J. 1990. Toluene in alveolar air during controlled exposure to constant and to varying concentrations. *Int Arch Occup Environ Health* 62:59-64.
- *Baelum J, Andersen I, Lundqvist GR, et al. 1985. Response of solvent-exposed printers and unexposed controls to six-hour toluene exposure. *Scand J Work Environ Health* 11:271-280.
- *Baelum J, Dossing M, Hansen SH, et al. 1987. Toluene metabolism during exposure to varying concentrations combined with exercise. *Int Arch Occup Environ Health* 59:281-294.

8. REFERENCES

- *Baelum J, Molhave L, Honore Hansen S, et al. 1993. Hepatic metabolism of toluene after gastrointestinal uptake in humans. *Scand J Work Environ Health* 19(1):55-62.
- Baelum J, Molhave L, Honore Hansen S, et al. 1998. Metabolic interaction between toluene, trichloroethylene and n-hexane in humans. *Scand J Work Environ Health* 24(1):30-37.
- Bailey JC, Schmidl B, Williams ML. 1990. Speciated hydrocarbon emissions from vehicles operated over the normal speed range on the road. *Atmos Environ* 24A:43-52.
- Baker EL, Feldman RG, French JG. 1990. Environmentally related disorders of the nervous system. *Environ Med* 74:325-345.
- *Balfour WD, Wetherold RG, Lewis DL. 1984. Evaluation of air emissions from hazardous waste treatment, storage and disposal facilities. Cincinnati, OH: U.S. Environmental Protection Agency, Land Pollution Control Division, Hazardous Waste Engineering Research Laboratory, Office of Research and Development.
- Ball HA, Reinhard M. 1996. Monoaromatic hydrocarbon transformation under anaerobic conditions at Seal Beach, California: Laboratory studies. *Environ Toxicol Chem* 15(2):114-122.
- *Ballesta PP, Ferradas EG, Aznar AM. 1992. Simultaneous passive sampling of volatile organic compounds. *Chemosphere* 25(12):1797-1809.
- Ballesta P, Ferradas E, Aznar A. 1993. Effects of the diffusion membrane on passive sampling. *Environ Sci Technol* 27(10):2031.
- *Banfer VW. 1961. [Studies on the effect of pure toluene on the blood picture of photogravure printers and helper workers.] *Zent Arbeitsmed* 11:35-40. (German)
- Barnard SM, Walt DR. 1991. Fiber-optic organic vapor sensor. *Environ Sci Technol* 25:1301-1304.
- Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486.
- Barrefors G. 1997. Erratum: Monitoring of benzene, toluene and p-xylene in urban air with differential optical absorption spectroscopy technique (*Sci. Tot. Environ.* 189/190 (1996) 287-292). *Sci Total Environ* 196(1):99-104.
- *Bass M. 1970. Sudden sniffing death. *JAMA* 212(12):2075-2079.
- Battle DC, Sabatini S, Kurtzman NA. 1988. On the mechanism of toluene-induced renal tubular acidosis. *Nephron* 49:210-218.
- *Bauchinger M, Schmid E, Dresch J, et al. 1982. Chromosome change in lymphocytes after occupational exposure to toluene. *Mutat Res* 102:439-445.
- *Beavers JD, Himmelstein JS, Hammond SK, et al. 1996. Exposure in a household using gasoline-contaminated water: A pilot study. *J Occup Environ Med* 38(1):35-38.

8. REFERENCES

- *Beller HR, Grbic-Galic D, Reinhard M. 1992a. Microbial degradation of toluene under sulfate-reducing conditions and the influence of iron on the process. *Appl Environ Microbiol* 58(3):786-793.
- *Beller HR, Reinhard M, Grbic-Galic D. 1992b. Metabolic by-products of anaerobic toluene degradation by sulfate-reducing enrichment cultures. *Appl Environ Microbiol* 58(9):3192-3195.
- Beller HR, Spormann AM, Sharma PK, et al. 1996. Isolation and characterization of a novel toluene-degrading, sulfate-reducing bacterium. *Appl Environ Microbiol* 62(4):1188-1196.
- Benes V, Frantik E, Hornychova M, et al. 1992. [The solvent concentration in blood after inhalation exposure.] *Pracov Lek* 44:148-153. (Czech)
- Benignus VA, Boyes WK, Bushnell PJ. 1998. A dosimetric analysis of behavioral effects of acute toluene exposure in rats and humans. *Toxicol Sci* 43:186-195.
- *Benignus VA, Muller KE, Barton CN, et al. 1981. Toluene levels in blood and brain of rats during and after respiratory exposure. *Toxicol Appl Pharmacol* 61:326-334.
- *Benignus VA, Muller KE, Graham JA, et al. 1984. Toluene levels in blood and brain of rats as a function of toluene level in inspired air. *Environ Res* 33:39-46.
- *Benoit FM, Davidson WR, Lovett AM, et al. 1985. Breath analysis by API/MS human exposure to volatile organic solvents. *Int Arch Occup Environ Health* 55:113-120.
- *Berger GS. 1994. Epidemiology of endometriosis. In: Berger GS, ed. *Endometriosis: Advanced management and surgical techniques*. New York, NY: Springer-Verlag.
- Bergert KD, Nestler K. 1991. Solvent uptake in relation to physical activity. *Sci Total Environ* 101:111-119.
- *Bergman K. 1979. Application and results of whole-body autoradiography in distribution studies of organic solvents. *CRC Crit Rev Toxicol* 12(1):59-118.
- Berkley RE, Varns JL, Plell J. 1991. Comparison of portable gas chromatographs and passivated canisters for field sampling airborne toxic organic vapors in the United States and the USSR. *Environ Sci Technol* 25:1439-1444.
- Bernard A, Lauwerys RR. 1989. Epidemiological application of early markers of nephrotoxicity. *Toxicol Lett* 46:293-306.
- Bernard A, Lauwerys RR. 1991. Proteinuria: Changes and mechanisms in toxic nephropathies. *Toxicology* 21:373-405.
- Berry MR, Johnson LS, Brenner KP, et al. 1997a. Dietary characterizations in a study of human exposures in the lower Rio Grande Valley: II. Household waters. *Environ Int* 23(5):693-703.
- Berry MR, Johnson LS, Jones JW, et al. 1997b. Dietary characterizations in a study of human exposures in the lower Rio Grande Valley: I. Foods and beverages. *Environment International* 23(5):675-692.

8. REFERENCES

- Berry WO. 1980. A comparative study of the uptake of toluene by bluegill sunfish *Lepomis macrochirus* and crayfish *Orconectes rusticus*. *Environ Pollut* 21(Series A):109-119.
- Bertazzi PA, Pesatori AC, Zocchetti C, et al. 1989. Mortality study of cancer risk among oil refinery workers. *Int Arch Occup Environ Health* 61:261-270.
- *Bianchi AP, Varney MS. 1997. Volatilisation processes in wastewater treatment plants as a source of potential exposure to VOCs. *Ann Occup Hyg* 41(4):437-454.
- Bidlack W, Smith C. 1984. The effect of nutritional factors and hepatic drug and toxicant metabolism. *JADA* 84:892-898.
- *Biedermann M, Grob K, Morchio G. 1995. Original paper: On the origin of benzene, toluene, ethylbenzene and xylene in extra virgin olive oil. *Z Lebensm Unters Forsch* 200:266-272.
- *Biedermann M, Grob K, Morchio G. 1996. Original paper: On the origin of benzene, toluene, ethylbenzene, and the xylenes in virgin olive oil--further results. *Z Lebensm Unters Forsch* 203(3):224-9.
- Bieniek G. 1998. Aromatic and polycyclic hydrocarbons in air and their urinary metabolites in coke plant workers. *Am J Ind Med* 34:445-454.
- Bio/dynamics Inc. 1980. 26 Week inhalation toxicity study of toluene in the rat. Washington, DC: American Petroleum Institute.
- *Bjornaes S, Naalsund LU. 1988. Biochemical changes in different brain areas after toluene inhalation. *Toxicology* 49:367-374.
- *Blair A, Hartge P, Stewart PA, et al. 1998. Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: Extended follow up. *Occup Environ Med* 55:161-171.
- *BNA. 1998. BNA's environment library on CD. States and Territories. Bureau of National Affairs, Inc. Copyright 1993-1998.
- Boewer C, Enderlein G, Wollgast U, et al. 1988. Epidemiological study on the hepatotoxicity of occupational toluene exposure. *Int Arch Occup Environ Health* 60:181-186.
- *Boey KW, Foo SC, Jeyaratnam J. 1997. Effects of occupational exposure to toluene: a neuropsychological study on workers in Singapore. *Ann Acad Med Singapore* 26(2):84-7.
- Bogadi-Sare A, Brumen V, Turk R, et al. 1997. Genotoxic effects in workers exposed to benzene: With special reference to exposure biomarkers and confounding factors. *Ind Health* 35:367-373.
- Boman A, Mellstrom G. 1989. Percutaneous absorption of 3 organic solvents in the guinea pig. III. Effect of barrier creams. *Contact Dermatitis* 21:134-140.
- *Boman A, Hagelthorn G, Magnusson K. 1995. Percutaneous absorption of organic solvents during intermittent exposure in guinea pigs. *Acta Derm Venereol* 75(2):114-9.
- Bondy SC, McKee M. 1991. Disruption of the potential across the synaptosomal plasma membrane and mitochondria by neurotoxic agents. *Toxicol Lett* 58:13-21.

8. REFERENCES

- Boor JW, Hurtg HI. 1977. Persistent cerebellar ataxia after exposure to toluene. *Ann Neurol* 2:440-442.
- Borden RC, Daniel RA, LeBrun LE, et al. 1997. Intrinsic biodegradation of MTBE and BTEX in a gasoline-contaminated aquifer. *Water Resour Res* 33(5):1105-1115.
- Borgerding MF, Bodnar JA, Chung HL, et al. 1997. Chemical and biological studies of a new cigarette that primarily heats tobacco. Part 1. Chemical composition of mainstream smoke. *Food Chem Toxicol* 36:169-182.
- Bos PM, Zwart A, Reuzel PG, et al. 1992. Evaluation of the sensory irritation test for the assessment of occupational health risk. *Clin Rev Toxicol* 21:423-450.
- *Bos RP, Brouns RM, vanDoorn R, et al. 1981. Nonmutagenicity of toluene, *o*- and *p*-xylene, *o*-methylbenzylalcohol and *o*-methylbenzylsulfate in the Ames Assay. *Mut Res* 88:273-279.
- Bosch X, Campistol JM, Montoliu J, et al. 1988. Myelofibrosis and focal segmental glomerulosclerosis associated with toluene poisoning. *Human Toxicol* 7:357-361.
- Bosma NP, Ballemans EMW, Hoekstra NK, et al. 1996. Biotransformation of organics in soil columns and an infiltration area. *Ground Water* 34(1):49-56.
- Botsford JL, Rivera J, Navarez J, et al. 1997. Assay for toxic chemicals using bacteria. *Bull Environ Contam Toxicol* 59:1000-1009.
- Botta D, Dancelli E, Mantica E. 1996. a case history of contamination by polychloro-1,3-butadiene congeners. *Environ Sci Technol* 30(2):453-462.
- Bouhamra W, Elkilani A. 1999. Development of a model for the estimation of indoor volatile organic compounds concentration based on experimental sorption parameters. *Environ Sci Technol* 33:2100-2105.
- Bouwer EJ. 1989. Biotransformation of aromatics in strip-pit pond. *Journal of Environmental Engineering* 115:741-755.
- Bowen SE, Balster RL. 1997. Tolerance to the anxiolytic effects of diazepam and toluene as measured by an elevated plus-maze task in mice. *Abstr Soc Neurosci* 23:.
- *Bowen SE, Balster RL. 1998. A direct comparison of inhalant effects on locomotor activity and schedule-controlled behavior in mice. *Experimental and Clinical Psychopharmacology* 6(3):235-247.
- Bowen SE, Daniel J, Balster RL. 1999a. Deaths associated with inhalant abuse in Virginia from 1987 to 1996. *Drug Alcohol Depend* 53:239-245.
- Bowen SE, Wiley JL, Jones HE, et al. 1999b. Phencyclidine- and diazepam-like discriminative stimulus effects of inhalants in mice. *Experimental and Clinical Psychopharmacology* 7(1):28-37.
- Bowler RM, Mergler D, Huel G, et al. 1991. Neuropsychological impairment among former microelectronics workers. *Neurotoxicol* 12:87-104.

8. REFERENCES

- Bowman A, Wahlberg JE. 1986. Some factors influencing percutaneous absorption of organic solvents. In: Chambers PL, Gehring P, Sakai F, eds. *New concepts and developments in toxicology*. Amsterdam: Elsevier Science Publishers, 175-177.
- Boyd SA, Sun Shaobai. 1990. Residual petroleum and polychlorinated oils as sorptive phases for organic contaminants in soils. *Environ Sci Technol* 24:142-144.
- Braddock JF, McCarthy KA. 1996. Hydrologic and microbiological factors affecting persistence and migration of petroleum hydrocarbons spilled in a continuous-permafrost region. *Environ Sci Technol* 30:2626-2633.
- *Bray HG, Humphris BG, Thorpe WV. 1949. Metabolism of derivatives of toluene. *Biochem J* 45:241-244.
- *Brooke I, Cocker J, Delic JI, et al. 1998. Dermal uptake of solvents from the vapour phase: An experimental study in humans. *Ann Occup Hyg* 42(8):531-540.
- *Brown HS, Bishop DR, Rowan CA. 1984. The role of skin absorption as a route of exposure for volatile organic compounds (VOCs) in drinking water. *Am J Public Health* 74(5):479-484.
- Brown JH, Hadden DR, Hadden DS. 1991. Solvent abuse, toluene acidosis and diabetic ketoacidosis. *Arch Emerg Med* 8:65-67.
- Brown KW, Donnelly KC. 1988. An estimation of the risk associated with the organic constituents of hazardous and municipal waste landfill leachates. *Haz Was Haz Mat* 5:1-30.
- Brown VM, Crump DR. 1998. Diffusive sampling of volatile organic compounds in ambient air. *Environ Monit Assess* 52:43-55.
- Brown-Woodman PDC, Hayes LC, Huq F, et al. 1998. In vitro assessment of the effect of halogenated hydrocarbons: Chloroform, dichloromethane, and dibromoethane on embryonic development of the rat. *Teratology* 57:321-333.
- *Bruce BW, McMahon PB. 1996. Shallow ground-water quality beneath a major urban center: Denver, Colorado, USA. *J Hydrol* 186:129-151.
- Bruckmann P, Kersten W. The occurrence of chlorinated and other organic trace compounds in urban air. *Chemosphere* 17:2363-2380.
- *Bruckner JV, Peterson RG. 1981a. Evaluation of toluene and acetone inhalant abuse: I. Pharmacology and pharmacodynamics. *Toxicol Appl Pharmacol* 61:27-38.
- *Bruckner JV, Peterson RG. 1981b. Evaluation of toluene and acetone inhalant abuse: II. Model development and toxicology. *Toxicol Appl Pharmacol* 61:302-312.
- Brugnone F, Perbellini L, Apostoli P, et al. 1983. Decline of blood and alveolar toluene concentration following two accidental human poisonings. *Int Arch Occup Environ Health* 53:157-165
- Brugnone F, Perbellini L, Faccini GB, et al. 1989. Breath and blood levels of benzene, toluene, cumene and styrene in nonoccupational exposure. *Int Arch Occup Environ Health* 61:303-311.

8. REFERENCES

Brunneman KD, Kagan MR, Cox JE, et al. 1990. Analysis of 1,3-butadiene and other selected gas-phase components in cigarette mainstream and sidestream smoke by gas chromatography-mass selective detection. *Carcinogenesis* 11:1863-1868.

*Buckley TJ, Liddle J, Ashley DL, et al. 1997. Environmental and biomarker measurements in nine homes in the lower Rio Grande Valley: Multimedia results for pesticides, metals, PAHs, and VOCs. *Environ Int* 23:705-732.

*Budavari S, O'Neil M, Smith A, et al, eds.. 1989. *The Merck index: An encyclopedia of chemicals, drugs, and biologicals*. 11th ed. Rahway, NJ: Merck and Company, Inc., 1501.

Bukvic N, Bavaro P, Elia G, et al. 1998. Sister chromatid exchange (SCE) and micronucleus (MN) frequencies in lymphocytes of gasoline station attendants. *Mutat Res* 415:25-33.

Burak II, Ozerelskovskaya NN, Sadikov BM, et al. 1991. The effect of toluene and ammonia on the infections process and immunological parameters in experimental trichinellosis of mice. *Med Parazitol Sept/Oct*. 47-49. [Russian]

Burken JG, Schnoor JL. 1998. Predictive relationships for uptake of organic contaminants by hybrid poplar trees. *Environ Sci Technol* 32:3379-3385.

*Bushnell PJ, Evans HL, Palmes ED. 1985. Effects of toluene inhalation on carbon dioxide production and locomotor activity in mice. *Fundam Appl Toxicol* 5:971-977.

Bushnell PJ, Kelly KL, Crofton KM. 1994. Effects of toluene inhalation on detection of auditory signals in rats. *Neurotoxicol Teratol* 16 (2):149-60.

Button DK, Robertson BR, Craig KS. 1981. Dissolved hydrocarbons and related microflora in a Florida seaport: Sources, sinks, concentrations, and kinetics. *Appl Environ Microbiol* 708-719.

*Byczkowski JZ, Gearhart JM, Fisher JW. 1994. "Occupational" exposure of infants to toxic chemicals via breast milk. *Nutrition* 10(1):43-8.

*Byrne A, Kirby B, Zibin T, et al. 1991. Psychiatric and neurological effects of chronic solvent abuse. *Can J Psychiatry* 36:735-738.

*Caldemeyer KS, Armstrong SW, George KK, et al. 1996. The spectrum of neuroimaging abnormalities in solvent abuse and their clinical correlation. *J Neuroimaging* 6(3):167-73.

*Campo P, Lataye R, Cossec B, et al. 1997. Toluene-induced hearing loss: A mid-frequency location of the cochlear lesions. *Neurotoxicol Teratol* 19(2):129-40.

*Campo P, Lataye R, Cossec B, et al. 1998. Combined effects of simultaneous exposure to toluene and ethanol on auditory function in rats. *Neurotoxicol Teratol* 20(3):321-332.

*Capellini A, Alessio L. 1971. [The urinary excretion of hippuric acid in workers exposed to toluene. *Med Lavoro*] 62:196-201. (Italian)

*Caravati EM, Bjerk PJ. 1997. Acute toluene ingestion toxicity. *Ann Emerg Med* 30(6):838-839.

8. REFERENCES

- Carberry JB, Benzing TM. 1990. Peroxide preoxidation of recalcitrant toxic waste to enhance biodegradation. *Water Science Technology* 23:367-376.
- Carlisle EJ, Donnelly SM, Vasuvattakul S, et al. 1991. Glue-sniffing and distal renal tubular acidosis: sticking to the facts. *Journal of the American Society of Nephrol* 1019-1027.
- *Carlsson A. 1982. Exposure to toluene: Uptake, distribution and elimination in man. *Scand J Work Environ Health* 8:43-55.
- *Carlsson A, Ljungquist E. 1982. Exposure to toluene: Concentration in subcutaneous adipose tissue. *Scand J Work Environ Health* 8:56-62.
- *Carpenter AV, Flanders WD, Frome EL, et al. 1988. Chemical exposures and central nervous system cancers: A case-control study among workers at two nuclear facilities. *Am J Ind Med* 13:351-362.
- *Carpenter CP, Smyth HF. 1946. Chemical burns of the rabbit cornea. *Am J Ophthalmol* 29:1363-1372.
- *Carpenter CP, Geary DL, Myers RC, et al. 1976. Petroleum hydrocarbon toxicity studies: XIII. Animal and human response to vapors of toluene concentrate. *Toxicol Appl Pharmacol* 36:473-490.
- *Carpenter CP, Shaffer CB, Weil CS, et al. 1944. Studies on the inhalation of 1,3-butadiene; with a comparison of its narcotic effect with benzol, toluol, and styrene, and a note on the elimination of styrene by the human. *J Ind Hyg Toxicol* 26(3):69-78.
- *Castilla-Serna L, Rodriguez-Perez R, Osorio-Cruces F, et al. 1991. Effects of chronic toluene inhalation on avoidance conditioned behavior in rats. *Arch Invest Med* 22:295-301.
- Catalano PJ, McDaniel KL, Moser VC. 1997. The IPCS collaborative study on neurobehavioral screening methods: VI. Agreement and reliability of the data. *Neurotoxicology* 18(4):1057-1064.
- *CDC/ATSDR. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary and immune systems. Atlanta, GA: CDC/ATSDR Subcommittee on Biomarkers of Organ Damage and Dysfunction, Centers for Disease Control, Agency for Toxic Substances and Disease Registry. Summary report, August 27, 1990.
- C&EN. 1993. Production by the U.S. Chemical Industry. *Chemical and Engineering News*, June 28, 1993.
- *C&EN. 1996. Production by the U.S. Chemical Industry. *Chemical and Engineering News*, June 24, 1996.
- Chalmers RM, Keen JN, Fewson CA. 1991. Comparison of benzyl alcohol dehydrogenases and benzaldehyde dehydrogenases from the benzyl alcohol and mandelate pathways in *Acinetobacter calcoaceticus* and from the TOL-plasmid-encoded toluene pathway in *Pseudomonas putida*. *Biochem J* 273:99-107.
- *Chan C-C, Ozkaynak H, Spengler JD, et al. 1991a. Driver exposure to volatile organic compounds, CO, ozone, and NO₂ under different driving conditions. *Environ Sci Technol* 25(5):964-972.
- *Chan CC, Spengler JD, Ozkaynak H, et al. 1991b. Commuter exposures to VOCs in Boston, Massachusetts. *J Air Waste Management Assoc* 4:1594-1600.

8. REFERENCES

- *Chand P, Clausen J. 1982. Effects of toluene on cytochrome P-450 mixed function oxygenase and glutathione-s-transferase activities in rat brain and liver. *Bull Environ Contam Toxicol* 28:542-545.
- Chapman CA, Xu Y, Haykin S, et al. 1998. Beta-frequency (15-35 Hz) electroencephalogram activities elicited by toluene and electrical stimulation in the behaving rat. *Neuroscience* 86(4):1307-1319.
- *Chapman DE, Moore TJ, Michener SR, et al. 1990. Metabolism and covalent binding of [¹⁴C] toluene by human and rat liver microsomal fractions and liver slices. *Drug Metab Disp* 18(6):929-936.
- Chen C-Y, Wu S-C. 1998. The influence of relative humidity on the adsorption of toluene by soils - interpretation with the adsorption energy distribution functions. *Chemosphere* 37(8):1437-1444.
- Chen JD, Wang JD, Jang JP, et al. 1991. Exposure to mixtures of solvents among paint workers and biochemical alterations of liver function. *Br J Ind Med* 48:696-701.
- Chernoff N, Kavlock RJ. 1982. An *in vivo* teratology screen utilizing pregnant mice. *J Toxicol Environ Health* 10:541-550.
- Chia SE, Tan KT, Kwok SK. 1987. A study on the health hazard of toluene in the polythene printing industry in Singapore. Selected Papers of 20th Singapore-Malaysia Congress of Medicine. *Ann Acad Med* 16:294-299.
- Chung HY. 1999. Volatile components in crabmeats of *Charybdis feriatus*. *J Agric Food Chem* 47:2280-2287.
- Chung W-G, Yu I-J, Park C-S, et al. 1999. Decreased formation of ethoxyacetic acid from ethylene glycol monoethyl ether and reduced atrophy of testes in male rats upon combined administration with toluene and xylene. *Toxicol Lett* 104:143-150.
- *CIIT. 1980. Chemical Industry Institute of Toxicology. A 24 month inhalation toxicology study in Fischer-344 rat exposed to atmospheric toluene. Executive Summary and Data Tables. Conducted by Industrial Bio-Test Laboratories, Inc., Decatur, IL, and Experimental Pathology Laboratories, Inc., Raleigh, NC for CIIT, Research Triangle Park, NC. October 15, 1980.
- Cintra A, Andbjør B, Finnman U-B, et al. 1996. Subacute toluene exposure increases DA dysfunction in the 6-OH dopamine lesioned nigrostriatal dopaminergic system of the rat. *Neurosci Lett* 217(1):61-5.
- *Claus D, Walker N. 1964. The decomposition of toluene by soil bacteria. *J Gen Microbiol* 36:107-122.
- *Clewell HJ III, Andersen M. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- *CO Dept Public Health Environ. 1999. The basic standards and methods for surface water. Colorado Department of Public Health and Environment, Water Quality Control Commission. http://www.state.co.us/gov_dir/cdphe_dir/cdphehom.html.
- *Cocheo V, Silvestri R, Bombi GG, et al. 1982. Purge and trap analysis of toluene in blood: Comparison with the head space method. *Am Ind Hyg Assoc* 43(12):938-41.
- *Cohen BA, Krumholz LR, Kim H, et al. 1995. *In-situ* biodegradation of toluene in a contaminated stream. 2. laboratory studies. *Environ Sci Technol* 29(1):117-125.

8. REFERENCES

- Cohen BS, Popendorf W. 1989. A method for monitoring dermal exposure to volatile chemicals. *Am Ind Hyg Assoc J* 50:216-223.
- Cohr KH, Stokholm J. 1979. Toluene. A toxicologic review. *Scand J Work Environ Health* 5:71-90.
- Coleman GL, Barthold SW, Osbaldiston GW, et al. 1977. Pathological changes during aging in barrier-reared Fischer 344 male rats. *J Gerontol* 32:258-278.
- *Connor TH, Theiss JC, Hanna HA, et al. 1985. Genotoxicity of organic chemicals frequently found in the air of mobile homes. *Toxicol Lett* 25:33-40.
- Contreras CM, Gonzalez-Estrada T, Zarabozo D, et al. 1978. Petit mal and grand mal seizures produced by toluene or benzene intoxication in the cat. *Electroencephalogr Clin Neurophysiol* 46:290-301.
- Corseuil HX, Alvarez PJJ. 1996. Natural bioremediation perspective for BTX-contaminated groundwater in Brazil: Effect of ethanol. *Water Sci Technol* 34(7-8):311-318.
- *Cosmetic Ingredient Review Panel. 1987. Final report on the safety assessment of toluene. *J Am Coll Toxicol* 6(1):77-120.
- *Courtney KD, Andrews JE, Springer J, et al. 1986. A perinatal study of toluene in CD-1 mice. *Fundam Appl Toxicol* 6:145-154.
- CPSC. 1997. Household product containing petroleum distillates and other hydrocarbons; advance notice of proposed rulemaking; request for comments and information. Consumer Product Safety Commission. Federal Register. 62FR8659. February 26, 1997.
- Craan AG, Malick MA. 1989. Structure-nephrotoxicity relationships of glutathione pathway intermediates derived from organic solvents. *Toxicology* 56:47-61.
- Cramer PH, Boggess KE, Hosenfeld JM, et al. 1988. Determination of organic chemicals in human whole blood: Preliminary method development for volatile organics. *Bull Environ Contam Toxicol* 40:612-618.
- *Crist HL, Mitchell WJ. 1986. Field audit results with organic gas standards on volatile organic ambient air samplers equipped with Tenax GC. *Environ Sci Technol* 20(2):1260-1262.
- Cruz SL, Mirshahi T, Thomas B, et al. 1998. Effects of the abused solvent toluene on recombinant N-methyl-D-aspartate and non-N-methyl-D-aspartate receptors expressed in *Xenopus* oocytes. *J Pharmacol Exp Ther* 286(1):334-340.
- Cuneo A, Roberti MG, Castoldi G. 1999. Toluol/xylol-induced leukemia. *Haematologica* 84:177-178.
- *Curry KK, Brookman DJ, Whitmyre GK, et al. 1994. Personal exposures to toluene during use of nail lacquers in residences: Description of the results of a preliminary study. *J Expos Anal Environ Epidemiol* 4(4):443-456.
- D'Arcy BR, Rintoul GB, Rowland CY, et al. 1997. Composition of Australian honey extractives. 1. Norisoprenoids, monoterpenes, and other natural volatiles from blue gum (*Eucalyptus leucoxylon*) and yellow box (*Eucalyptus melliodora*) honeys. *J Agric Food Chem* 45:1834-1843.

8. REFERENCES

- da-Silva VA, Malheiros LR, Figueiredo LH, et al. 1991. Neurobehavioral development of rats exposed to toluene through maternal milk. *Braz J Med Biol Res* 24:1239-1243.
- *da Silva VA, Malheiros LR, Paumgarten FJ, et al. 1990. Developmental toxicity of in utero exposure to toluene on malnourished and well nourished rats. *Toxicology* 64:155-168.
- *Davis DD, Heaps W, Philen D, et al. 1979. Boundary layer measurements of the OH radical in the vicinity of an isolated power plant plume: SO₂ and NO₂ chemical conversion times. *Atmos Environ* 13:1197-1203.
- *Davis EM, Murray HE, Liehr JG, et al. 1981. Basis microbial degradation rates and chemical byproducts of selected organic compounds. *Water Res* 15:1125-1127.
- *Davis JW, Madsen S. 1996. Factors affecting the biodegradation of toluene in soil. *Chemosphere* 33(1):107-130.
- *Dearth MA, Glerczak CA, Slegl WO. 1992. On-line measurement of benzene and toluene in dilute vehicle exhaust by mass spectrometry. *Environ Sci Technol* 26(8):1573-1580.
- De Carvalho D, Lanchote VL, Bonato PS, et al. 1991. A new derivatization procedure for the analysis of hippuric acid and m-methyl-hippuric acid by gas chromatography. *Int Arch Occup Environ Health* 63:33-37.
- De Ceaurriz J, Desiles JP, Bonnet P, et al. 1983. Concentration-dependent behavioral changes in mice following short-term inhalation exposure to various industrial solvents. *Toxicol Appl Pharmacol* 67:383-389.
- *Dechow M, Sohn H, Steinhanses J. 1997. Concentrations of selected contaminants in cabin airbus aircrafts. *Chemosphere* 35(1-2):21-31.
- de Grandarias JM, Echevarria E, Serrano R, et al. 1998. Toluene alters brainstem enkephalinergic system in rats. *Ind Health* 36:247-251.
- *DeJongh J, Blaauboer BJ. 1996. Simulation of toluene kinetics in the rat by a physiologically based pharmacokinetic model with application of biotransformation parameters derived independently *in vitro* and *in vivo*. *Fundam Appl Toxicol* 32(2):260-8.
- *DeJongh J, Blaauboer BJ. 1997. Evaluation of in vitro-based simulations of toluene uptake and metabolism in rats. *Toxicol in Vitro* 11:485-489.
- *DeJongh J, Verhaar HJM, Hermens JLM. 1998. Role of kinetics in acute lethality of nonreactive volatile organic compounds (VOCS). *Toxicol Sci* 45:26-32.
- Delzer GC, Zogorski JS, Lopes TJ. 1997. Occurrence of the gasoline oxygenate MTBE and BTEX compounds in municipal stormwater in the United States, 1991-95. *Division of Environmental Chemistry Preprints of Extended Abstracts* 37(1):374-376.
- De Medinilla J, Espigares M. 1988. Contamination by organic solvents in auto paint shops. *Ann Occup Hyg* 32:409-513.

8. REFERENCES

- Dempster HS, Lollar BS, Feenstra S. 1997. tracing organic contaminants in groundwater: A new methodology using compound-specific isotopic analysis. *Environ Sci Technol* 31:3193-3197.
- De Rosa E, Bartolucci GB, Perbellini L, et al. 1988. Environmental and biological monitoring of exposure to toluene, styrene, and n-hexane. *Appl Ind Hyg* 3:332-337.
- *De Rosa E, Bartolucci GB, Sigon M, et al. 1987. Hippuric acid and ortho-cresol as biological indicators of occupational exposure to toluene. *Am J Ind Med* 11:529-537.
- *De Rosa E, Brugnone F, Bartolucci GB, et al. 1985. The validity of urinary metabolites as indicators of low exposures to toluene. *Int Arch Occup Environ Health* 56:135-145.
- *Devathasan G, Low D, Teoh PC, et al. 1984. Complications of chronic glue (toluene) abuse in adolescents. *Aust NZ J Med* 14:39-43.
- DeWolf W, Lieder PH. 1998. A novel method to determine uptake and elimination kinetics of volatile chemicals in fish. *Chemosphere* 36(8):1713-1724.
- *Dewulf J, Van Langenhove HV. 1997. Chlorinated C1- and C2-hydrocarbons and monocyclic aromatic hydrocarbons in marine waters: An overview on fate processes, sampling, analysis and measurements. *Water Res* 31(8):1825-1838.
- Dewulf J, Dewettinck T, De Visscher A, et al. 1996. Sorption of chlorinated C1- and C2-hydrocarbons and monocyclic aromatic hydrocarbons on sea sediment. *Water Res* 30(12):3130-3138.
- *Dilling WL, Bredeweg CJ, Tefertiller NB. 1976. Simulated atmospheric photodecomposition rates of methylene chloride, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene and other compounds. *Environ Sci Technol* 10(4):341-356.
- Dilling WL, Gonslor SJ, Boggs GU, et al. 1988. Organic photochemistry. 20. A method for estimating gas-phase rate constants for reactions of hydroxyl radicals with organic compounds from their relative rates of reaction with hydrogen peroxide under photolysis in 1,1,2-trichlorotrifluoroethane solution. *Environ Sci Technol* 22:1447-1453.
- Dills RL, Bellamy GM, Kalman DA. 1997. Quantitation of o-, — and p-cresol and deuterated analogs in human urin by gas chromatography with electron capture detection. *Journal of Chromatography B* 703:105-113.
- *Dobrokhotov VB, Enikeev MI. 1977. The mutagenic action of benzene, toluene and a mixture of these hydrocarbons in a chronic test. *Gig Sanit* 42:32-34.
- *Dolfing J, Zeyer J, Binder-Eicher P, et al. 1990. Isolation and characterization of a bacterium that mineralizes toluene in the absence of molecular oxygen. *Arch Microbiol* 154:336-341.
- Donald JM, Hooper K, Hopenheyn-Rich C. 1991a. Development toxicity of toluene: Evidence from animal and human studies. *Arch Environ Health* 46:125.
- *Donald JM, Hooper K, Hopenhayn-Rich C. 1991b. Reproductive and developmental toxicity of toluene: a review. *Environ Health Perspect* 94:237-244.
- Dossing M, Ranek L. 1984. Isolated liver damage in chemical workers. *Br J Ind Med* 41:142-144.

8. REFERENCES

- *Dossing M, Aelum JB, Hansen SH, et al. 1983b. Urinary hippuric acid and orthocresol excretion in man during experimental exposure to toluene. *Br J Ind Med* 40:470-473.
- Dossing M, Arlien-Soborg P, Petersen LM, et al. 1983a. Liver damage associated with occupational exposure to organic solvents in house painters. *Eur J Clin Invest* 13:151-157.
- *Dossing M, Baelum J, Hansen SH, Lundqvist GR. 1984. Effect of ethanol, cimetidine and propranolol on toluene metabolism in man. *Int Arch Occup Environ Health* 54:309-315.
- *Dossing M, Baelum J, Lundqvist GR. 1983c. Antipyrine clearance during experimental and occupational exposure to toluene. *Br J Ind Med* 40:466-469.
- Droz PO, Wu MM, Cumberland WG, et al. 1989. Variability in biological monitoring of solvent exposure. I. Development of a population physiological model. *Br J Ind Med* 46:447-460.
- Ducreux J, Bocard C, Muntzer P, et al. 1990. Mobility of soluble and nonsoluble hydrocarbons in contaminated aquifer. *Water Sci Technol* 22:27-36.
- Dudek B, Marszal-Wisniewska M, Merez-kot D. 1991. Psychological tests for measurement of mental functions in individuals exposed to neurotoxicants and noise. *Pol J Occup Med Environ Health* 4:329-338.
- Duetz WA, van Andel JG. 1991. Stability of TOL plasmid pWW0 in *Pseudomonas putida* mt-2 under nonselective conditions in continuous culture. *J Gen Microbiol* 137:1369-1374.
- Duetz WA, Winson MK, van Andel JG, et al. 1991. Mathematical analysis of catabolic function loss in a population of *Pseudomonas putida* mt-2 during non-limited growth on benzoate. *J Gen Microbiol* 137:1363-1368.
- *Dutkiewicz T, Tyras H. 1968. Skin absorption of toluene, styrene and xylene by man. *Br J Ind Med* 25:243.
- *Dyer RS, Bercegeay MS, Mayo LM. 1988. Acute exposures to p-xylene and toluene alter visual information processing. *Neurotoxicol Teratol* 10:147-153.
- *Dyne D, Cocker J, Wilson HK. 1997. A novel device for capturing breath samples for solvent analysis. *Sci Total Environ* 199:83-89.
- *Echeverria D, Fine L, Langolf G, et al. Acute neurobehavioral effects of toluene. *Br J Ind Med* 46:483-495.
- *Echeverria D, Fine L, Langolf G, et al. 1991. Acute behavioural comparisons of toluene and ethanol in human subjects. *Br J Ind Med* 48:750-761.
- Edelfors S, Ravn-Jonsen A. 1989. The effect of toluene exposure for up to 18 months (78 weeks) on the (Ca²⁺/Mg²⁺)ATPase and fluidity of synaptosomal membranes isolated from rat brain. *Pharmacol Toxicol* 65:140-142.
- Edelfors S, Ravn-Jonsen A. 1991. Effects of simultaneous ethanol and toluene exposure on nerve cells measured by changes in synaptosomal calcium uptake and (Ca²⁺/Mg²⁺)-ATPase activity. *Pharmacol Toxicol* 69:90-95.

8. REFERENCES

- Edelfors S, Ravn-Jonsen A. 1992. Effect of organic solvents on nervous cell membrane as measured by changes in the (Ca²⁺/Mg²⁺) ATPase activity and fluidity of synaptosomal membrane. *Pharmacol Toxicol* 70:181-187.
- Edelson SB, Cantor DS. 1998. Autism: Xenobiotic influence. *Toxicol Ind Health* 14(6):799-811.
- Edling C, Hellman B, Arvidson B, et al. 1997. Positron emission tomography studies of healthy volunteers- no effects on the dopamine terminals and synthesis after short-term exposure to toluene. *Hum Exp Toxicol* 16:171-6.
- *Einav S, Amitai Y, Reichman J, et al. 1997. Bradycardia in toluene poisoning. *J Toxicol Clin Toxicol* 35(3):295-8.
- El-Farhan YH, Scow KM, de Jonge LW, et al. 1998. Coupling transport and biodegradation of toluene and trichloroethylene in unsaturated soils. *Water Resour Res* 34(3):437-445.
- Elke K, Jermann E, Begerow J, et al. 1998. Determination of benzene, toluene, ethylbenzene and xylenes in indoor air at environmental levels using diffusive samplers in combination with headspace solid-phase microextraction and high resolution gas chromatography-flame ionization detection. *J Chromatogr* 826:191-200.
- *Ellenhorn MJ, Barceloux DG. 1988. *Medical toxicology: Diagnosis and treatment of human poisoning*. New York, NY: Elsevier, 959-961.
- *EMMI. 1997. *Environmental monitoring methods index. Version 1.1.PC#4082*. Rockville, MD: US Environmental Protection Agency, Government institutes.
- *EPA. 1979. *Water-related environmental fate of 129 priority pollutants*. Washington, DC: U.S. Environmental Protection Agency. EPA 440/4-79-029a.
- *EPA. 1980a. *Ambient water quality criteria for toluene*. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and standards. EPA 440/5-80-075.
- EPA. 1980b. U.S. Environmental Protection Agency. *Federal Register* 45:33084-33133.
- EPA. 1980c. *Volatile organic compounds by purge and trap isotope dilution GC-MS-method 1624*. Washington, DC: U.S. Environmental Protection Agency.
- EPA. 1980d. US Environmental Protection Agency. *Federal Register* 45:79347-79357.
- EPA. 1980e. *Isotope dilution gas chromatography-mass spectrometry for the determination of priority pollutants in industrial effluents*. Washington, DC: U.S. Environmental Protection Agency.
- *EPA. 1981. *Exposure and risk assessment for toluene. Final Draft Report*. Washington DC: U.S. Environmental Protection Agency. Office of Water Regulations and Standards.
- *EPA. 1982a. *Fate of priority pollutants in public-owned treatment works. Final Report*. Washington DC: U.S. Environmental Protection Agency. EPA 440/1-82/303.

8. REFERENCES

- *EPA. 1982b. Purgeable aromatics-method 602. Methods for organic chemical analysis of municipal and industrial wastewater. Cincinnati, OH: U.S. Environmental Protection Agency. Environmental Monitoring and Support Laboratory. EPA602-1 -602-9.
- *EPA. 1982c. Purgeables-method 624. Methods for organic chemical analysis of municipal and industrial wastewater. Cincinnati, OH: U.S. Environmental Protection Agency. Environmental Monitoring and Support Laboratory. EPA624-1- 624-12.
- EPA. 1982d. U.S. Environmental Protection Agency. Federal Register 47:26992-27008.
- EPA. 1982e. U.S. Environmental Protection Agency. Federal Register 47:38780-38798.
- EPA. 1982f. Aquatic fate process data for organic priority pollutants. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards. EPA 440/4-81-014. PB87-169090.
- *EPA. 1983a. List of chemicals produced by affected facilities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60, Subpart VV.
- *EPA. 1983b. Health assessment document for toluene. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA-600/8-82-008F.
- EPA. 1983c. Treatability manual. Volume I. Treatability data. Washington DC: U.S. Environmental Protection Agency, Office of Research and Development.
- EPA. 1983d. Volatile organic chemicals in the atmosphere: an assessment of available data. Research Triangle Park, NC: U.S. Environmental Protection Agency. Environmental Sciences Research Laboratory. EPA-600-83-027(a).
- *EPA. 1984. Method 1624 Revision B - Volatile Organic Compounds by Isotope Dilution GC/MS. U.S. Environmental Protection Agency. Federal Register. 49 FR 43407. October.
- EPA. 1985a. U.S. Environmental Protection Agency. Federal Register 50:13456-13522.
- EPA. 1985b. U.S. Environmental Protection Agency. Federal Register 50:46936.
- *EPA. 1985c. Drinking water criteria document for toluene. Washington, D.C.: U.S. Environmental Protection Agency, Office of Drinking Water. ECAO-CIN-408. EPA 600/x-84-188. PB 86-117975.
- EPA. 1985d. Master scheme for the analysis of organic compounds in water, state-of-the-art review of analytical operations. Washington, DC: U.S. Environmental Protection Agency.
- EPA. 1986. Aromatic volatile organics, method 8020. Test methods for evaluating solid waste. SW-846. Washington, DC: U.S. Environmental Protection Agency. Office of Solid Waste and Emergency Response, 8020-1 to 8020-14.
- *EPA. 1987a. Health advisory for toluene. Washington DC: Office of Drinking Water, U.S. Environmental Protection Agency. March 31.
- EPA. 1987b. U.S. Environmental Protection Agency. Part II. Federal Register 52:25942-25953.

8. REFERENCES

- *EPA. 1987c. The total exposure assessment methodology (TEAM) study. Washington, DC: U.S. Environmental Protection Agency. Office of Acid Deposition, Environmental Monitoring and Quality Assurance. EPA/600/6-87/0026.
- *EPA. 1988a. Method T01. Method for the determination of volatile organic compounds in ambient air using tenax adsorption and gas chromatography/mass spectrometry (GC/MS). In: Compendium of methods for the determination of toxic organic compounds in ambient air. U.S. Environmental Protection Agency. EPA 600/4-89/017.
- *EPA. 1988b. Method T014. Determination of volatile organic compounds (VOCs) in ambient air using summa passivated canister sampling and gas chromatographic analysis. In: Compendium of methods for the determination of toxic organic compounds in ambient air. U.S. Environmental Protection Agency. EPA 600/4-89/017.
- EPA. 1988c. National Ambient Volatile Organic compounds (VOCs) data base update. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/3-88/010(a).
- EPA. 1988d. U.S. Environmental Protection Agency. Part II. Federal Register 53:4500-4533.
- EPA. 1989a. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.
- EPA. 1989b. Comparison of 0600-0900 AM hydrocarbon compositions obtained from 29 cities. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development. PB89-218788.
- EPA. 1989c. Characteristics of pilot- and full-scale hazardous waste incinerator ash. Cincinnati, OH: U.S. Environmental Protection Agency, Department of Commerce, National Technical Information Service, PB90-134396.
- EPA. 1989d. U.S. Environmental Protection Agency. Federal Register 54:33418, 33466.
- *EPA. 1990a. Drinking water criteria document for toluene. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Research and Development, ECAO-CIN-408.
- EPA. 1990b. Method 8020B. Aromatic volatile organics by gas chromatography. Washington, DC: U.S. Environmental Protection Agency, Environmental Monitoring Systems.
- EPA. 1990c. U.S. Environmental Protection Agency. Part II. Federal Register 55:22520-22521, 22712.
- EPA. 1990d. Results of indoor air environmental monitoring study. Volume 2. Research Triangle Park, NC: U.S. Environmental Protection Agency, Atmospheric Research and Exposure Assessment Laboratory.
- EPA. 1990e. Results of indoor air environmental monitoring study. Supplement, Volume 2. Research Triangle Park, NC: U.S. Environmental Protection Agency, Atmospheric Research and Exposure Assessment Laboratory.

8. REFERENCES

- EPA. 1990f. 1990 Urban Air Toxics Monitoring Program. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air and Radiation, Office of Air Quality Planning and Standards. EPA-450/4-91-024.
- EPA. 1990g. Standards of performance for volatile organic compounds (VOC) emissions from synthetic organic chemical manufacturing industry (SOCMI) distillation operation. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60.667.
- EPA. 1990h. Interim methods for development of inhalation reference concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Office of Research and Development, Environmental Criteria and Assessment Office. EPA 600/8-90/066A
- *EPA. 1991a. Compatibility of organic solvents with the micro screen propane-induction assay: solvent - Meteghan interactions. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development. PB91-231324.
- *EPA. 1991b. Method 502.2. Volatile organic compounds in water by purge and trap capillary column gas chromatography with photo ionization and electrolytic conductivity detectors in series. In: Methods for the determination of organic compounds in drinking water. Cincinnati, OH. U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory. EPA 600/4-88/039.
- *EPA. 1991c. Environmental factors affecting toluene degradation in ground water at a hazardous waste site. Athens, GA: U.S. Environmental Protection Agency, Office of Research and Development. PB91-182246. EPA/600/J-91/037.
- EPA. 1991d. Method 503.1. Volatile aromatic and unsaturated organic compounds in water by purge and trap gas chromatography, Revision 2.0. In: Methods for the determination of organic compounds in drinking water, EPA-600/4-88/039, 1988. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory, Office of Research and Development.
- EPA. 1991e. U.S. Environmental Protection Agency. Part II. Federal Register 56:3527-3528.
- EPA. 1991f. U.S. Environmental Protection Agency. Part III. Federal Register 56:7134, 7234.
- *EPA. 1992a. Lists of hazardous wastes U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CAR 261.3.
- EPA. 1992b. Health advisory for toluene. Washington DC: Office of Drinking Water, U.S. Environmental Protection Agency.
- EPA. 1992c. Public notification. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CAR 141.32.
- EPA. 1992d. Maximum contaminant level goals for organic contaminants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CAR 141.50.
- EPA. 1992e. Method 524.2. Measurement of permeable organic compounds in water by capillary column gas chromatography/mass spectrometry. In: Methods for the determination of organic compounds in drinking water: Supplement II. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory, Office of Research and Development. EPA 600/R-92/129.

8. REFERENCES

- EPA. 1993a. Health-based limits for exclusion of waste-derived residues. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 266, Subpart H, Appendix VII.
- *EPA. 1993b. National emissions standards for coke oven batteries. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 63, Subpart L.
- EPA. 1993c. Standards of performance for volatile organic compounds (VOC) emissions from synthetic organic chemical manufacturing industry (SOCMI) reactor processes U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60, Subpart RRR.
- EPA. 1994a. Controls applicable to blendstocks. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 80.102.
- EPA. 1994b. National emission standards for organic hazardous air pollutants from the synthetic organic chemical manufacturing industry for process vents, storage vessels, transfer operations, and wastewater. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 63, Subpart G.
- EPA. 1994c. National revised primary drinking water regulations: maximum contaminant levels. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141, Subpart G.
- *EPA. 1994d. Treatment standards expressed as concentrations in waste extract. Washington, DC: U.S. Environmental Protection Agency. 40CFR268.41. (Retrieval in progress)
- *EPA. 1995a. Designation, reportable quantities, and notification. List of hazardous substance and reportable quantities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.
- EPA. 1995b. Determination of reportable quantities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 117.3.
- EPA. 1995c. EPA administered permit programs: The national pollutant discharge elimination system. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 122.
- EPA. 1995d. General pretreatment regulations for existing and new sources of pollution. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 403, Appendix G.
- EPA. 1995e. Guidelines establishing test procedures for the analysis of pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136.
- *EPA. 1995f. Health and safety data reporting. Substances and listed mixtures to which this subpart applies. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 716.120.
- *EPA. 1995g. National emissions standards for hazardous air pollutants. U.S. Environmental Protection Agency. Wood Furniture Manufacturing Operations. Code of Federal Regulations. 40 CFR 63, Subpart JJ, Table 2.
- EPA. 1995h. National primary drinking water regulations. Organic chemicals other than total trihalomethanes, sampling and analytical requirements. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.24.

8. REFERENCES

*EPA. 1995i. Standards of performance for volatile organic compounds (VOC) emissions from synthetic organic chemical manufacturing industry (SOCMI) distillation operations. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60, Subpart NNN.

*EPA 1995j. Emergency planning and community -right-to-know act. Title III (SARA). U.S. Environmental Protection Agency.

*EPA. 1996a. Drinking water standards and health advisories. U.S. Environmental Protection Agency. Office of Water. October 1996.

*EPA. 1996b. National emission standards for hazardous air pollutants from petroleum refineries. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 63, Subpart CC.

*EPA. 1996c. National emissions standards for hazardous air pollutants. General record keeping and reporting provisions. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 63.506.

EPA. 1996d. National emissions standards for hazardous air pollutants. Known organic hazardous air pollutants from elastomer products. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 63, Subpart U.

EPA. 1996e. National emissions standards for hazardous air pollutants. Off-site waste and recovery operations. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 63, Subpart DD, Table 1.

EPA. 1996f. Toxic chemical release reporting: community right-to-know. Specific toxic chemical listings. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65.

EPA. 1996g. Method 8021B. Aromatic and halogenated volatiles by gas chromatography using photoionization and/or electrolytic conductivity detectors. Test methods for evaluating solid waste. Volume IB: laboratory manual physical/chemical methods. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.

EPA. 1996h. Method 8260B. Volatile organic compounds by gas chromatography/mass spectrometry (GC/MS). In: Test methods for evaluating solid waste. Volume IB: laboratory manual physical/chemical methods. Washington, DC: Office of Solid Waste and Emergency Response.

EPA. 1996i. Method 4030. Soil screening for petroleum hydrocarbons by immunoassay. In: Test methods or evaluating solid waste. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.

*EPA. 1997a. Identification and listing of hazardous waste. Hazardous constituents. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261, Appendix VIII.

EPA. 1997b. Identification and listing of hazardous waste. Waste excluded from non-specific sources. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261, Appendix IX.

EPA. 1997c. Land disposal restrictions: Treatment standards for hazardous waste and universal treatment standards. U.S. Environmental Protection Agency. Federal Register. 62 FR 7502. Technical amendment of final rule. February 19, 1997.

8. REFERENCES

EPA. 1997d. National emission standards for organic hazardous air pollutants from the synthetic organic chemical manufacturing industry. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 63, Subpart F.

EPA. 1997e. Standards for owners and operators of hazardous waste treatment, storage, and disposal facilities. Ground-water monitoring list. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264, Appendix IX.

EPA. 1997f. Compendium Method T0-17. Determination of volatile organic compounds in ambient air using active sampling onto sorbent tubes. In: Compendium of methods for the determination of toxic organic compounds in ambient air: Second edition. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory, Office of Research and Development.

*EPA. 1997g. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA/630/R-96/012.

*EPA. 1998a. Region 9 Preliminary Remediation Goals (PRGs) 1998. U. S. Environmental Protection Agency. Region IX. (Stanford J. Smucker, PhD, Technical Toxicologist (SFD-8-B), Technical Support Team.

*EPA 1998b. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 401.15.

EPA 1998c. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.

*EPA 1999a. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.33.

*EPA 1999b. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.

EPA 1999c. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264 Appendix IX.

*EPA 1999d. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65.

*EPA. 1999e. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.48.

*EPA. 1999f. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.32.

*EPA. 1999g. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.50.

*EPA. 1999h. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.61.

*EPA. 1999i. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.1001.

*EPA. 1999j. National Recommended Water Quality Criteria- Correction. U. S. Environmental Protection Agency, Office of Water. EPA 822-Z-99-001.

*Erramouspe J, Galvez R, Fischel DR. 1996. Newborn renal tubular acidosis associated with prenatal maternal toluene sniffing. J Psychoactive Drugs 28(2):201-4.

*Evans GF, Lumpkin TA, Smith DL, et al. 1992. Measurements of VOCs from the TAMS network. J Air Waste Manag Assoc 42:1319-1323.

8. REFERENCES

- *Evans PJ, Mang DT, Kim KS, et al. 1991. Anaerobic degradation of toluene by a denitrifying bacterium. *Appl Environ Microbiol* 57(4):1139-1145.
- FDA. 1994. Substances for use a basic components of single and repeated use food contact surfaces. Polycarbonate resins. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 177.1580
- FDA. 1996. Indirect food additives: Adhesives and components of coatings. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.320.
- FDA. 1997. Indirect food additives: Adhesives and components of coatings. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.105.
- *FDA. 1999a. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.105.
- *FDA. 1999b. Food and Drug Administration. Code of Federal Regulations. 21 CFR 178.3010.
- *FDA. 1999c. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.320.
- *FDA. 1999d. Food and Drug Administration. Code of Federal Regulations. 21 CFR 177.1580.
- *FDA. 1999e. Food and Drug Administration. Code of Federal Regulations. 21 CFR 165.110.
- *FDA. 1999f. Food and Drug Administration. Code of Federal Regulations. 21 CFR 177.1200.
- *FEDRIP. 1998. Toluene. Federal Research in Progress. Dialog Information Service.
- Ferrari CP, Kaluzny P, Roche A, et al. 1998. Aromatic hydrocarbons and aldehydes in the atmosphere of Grenoble, France. *Chemosphere* 37(8):1587-1601.
- *Fewson CA. 1981. Biodegradation of aromatics with industrial relevance. *Fems Symp* 12:141-179.
- Figa-Talamanca I, De Capoa A, Scavalli P. 1998. Ribosomal gene activity in lymphocytes of female workers exposed to aromatic hydrocarbons in the ceramics industry. *Int J Environ Health Res* 8:43-46.
- *Filley CM, Heaton RK, Rosenberg NL. 1990. White matter dementia in chronic toluene abuse. *Neurology* 40:532-534.
- Fiserova-Bergerova V, Pierce JT, Droz PO. 1990. Dermal absorption potential of industrial chemicals: criteria for skin notation. *Am J Ind Med* 17:617-635.
- Fishbein L. 1985. An overview of environmental and toxicological aspects of aromatic hydrocarbons. II. Toluene. *Sci Total Environ* 42:267-288.
- *Fisher J, Mahle D, Bankston L, et al. 1997. Lactational transfer of volatile chemicals in breast milk. *American Ind Hyg Assoc J* 58(6):425-431.
- Flesher JW, Myers SR. 1991. Methyl-substitution of benzene and toluene in preparations of human bone marrow. *Life Sciences* 48:843-850.

8. REFERENCES

- *Fluck ER, Poirier LA, Ruelius HW. 1976. Evaluation of a DNA polymerase-deficient mutant of *E. coli* for rapid detection of carcinogens. *Chem Biol Interact* 15:219-231.
- *Foman JS. 1966. Body composition of the infant: Part I: The male "reference infant". In: Faulkner F, ed. *Human development*. Philadelphia, PA:WB Saunders, 239-246.
- *Foman, JS, Haschke F, Ziegler EE et al. 1982. Body composition of reference children from birth to 10 years. *Am J Clin Nutr* 35:1169-1175.
- *Foo SC, Jeyaratnam J, Koh D. 1990. Chronic neurobehavioural effects of toluene. *Br J Ind Med* 47:480-484.
- *Foo SC, Jeyaratnam J, Ong CN, et al. 1991. Biological monitoring for occupational exposure to toluene. *Am Ind Hyg Assoc J* 52(5):212-217.
- Foo SC, Phoon WO, Khoo NY. 1988. Toluene in blood after exposure to toluene. *Am Ind Hyg Assoc J* 49:255-258.
- Ford DP, Schwartz BS, Powell S, et al. 1991. A quantitative approach to the characterization of cumulative and average solvent exposure in paint manufacturing plants. *Am Ind Hyg Assoc J* 52:226-234.
- Forkman BA, Ljungberg T, Johnson AC, et al. 1989. Long-term effects of toluene inhalation on rat behavior. *Neurotoxicol Teratol* 13:475-481.
- *Forni A, Pacifico E, Limonta A. 1971. Chromosome studies in workers exposed to benzene or toluene or both. *Arch Environ Health* 22:373-378.
- Forstner HJL, Flagan RC, Seinfeld JH. 1997. secondary organic aerosol from the photooxidation of aromatic hydrocarbons: Molecular composition. *Environ Sci Technol* 31:1345-1358.
- Fortmann R, Roache N, Chang JCS, et al. 1998. Characterization of emissions of volatile organic compounds from interior alkyd paint. *J Air Waste Manage Assoc* 48:931-940.
- Franco G, Santagostino G, Lorena M, et al. 1989. Conjugated serum bile acid concentrations in workers exposed to low doses of toluene and xylene. *Br J Ind Med* 46:141-142.
- *Franke C, Studinger G, Berger G, et al. 1994. The assessment of bioaccumulation. *Chemosphere* 29:1501-1514.
- *Franks NP, Lieb WR. 1985. Mapping of general anaesthetic target sites provides a molecular basis for cutoff effects. *Nature* 316:349-351.
- *Franks NP, Lieb WR. 1987. Anaesthetics on the mind. *Nature* 328:113-114.
- *Fraser MP, Cass GR, Simoneit BRT. 1998. Gas-phase and particle-phase organic compounds emitted from motor vehicle traffic in a Los Angeles roadway tunnel. *Environ Sci Technol* 32:2051-2060.
- Freundt KJ, Romer KG, Federsel RJ. 1989. Decrease of inhaled toluene, ethyl benzene, m-xylene, or mesitylene in rat blood after combined exposure to ethyl acetate. *Bull Environ Contam Toxicol* 42:495-498.

8. REFERENCES

- Fricke C, Clarkson C, Lomnitz E, et al. 1985. Comparing priority pollutants in municipal sludges. *Biocycle* Jan/Feb:35-37.
- Fromme H, Oddoy A, Lahrz T, et al. 1997/98. Exposure of the population against volatile organic compounds inside a car and a subway-train. *Zentralbl Hyg Umweltmed* 200:505-520.
- Frosch PJ, Schulze-Dirks A, Hoffman M, et al. 1993. Efficacy of skin barrier creams. (I). The repetitive irritation test (RIT) in the guinea pig. *Contact Dermatitis* 28:94-100.
- *FSTRAC. 1990. Summary of state and federal drinking water standards and guidelines. Chemical Communications Subcommittee, Federal State Toxicology and Regulatory Alliance Committee. February 1990.
- *FSTRAC. 1995. Summary of state and federal drinking water standards and guidelines. 1993-1995. Contaminant Policy and Communications Subcommittee, Federal-State Toxicology and Regulatory Alliance Committee. Cosponsored by: U.S. Environmental Protection Agency. Office of Science and Technology. Office of Water.
- Fujita K, Koga Y, Takemasa K, et al. 1992. A case of chronic toluene intoxication with atrophy of cerebrum, cerebellum and brainstem on CT and MRI. *Clin Neurol* 32:421-425.
- Fukui K, Utsumi H, Tamada Y, et al. 1996. Selective increase in astrocytic elements in the rat dentate gyrus after chronic toluene exposure studied by GFAP immunocytochemistry and electron microscopy. *Neurosci Lett* 203(2):85-8.
- Furman GM, Silverman DM, Schatz RA. 1991. The effect of toluene on rat lung benzo[a]pyrene metabolism and microsomal membrane lipids. *Toxicology* 68:75-87.
- *Furman GM, Silverman DM, Schatz RA. 1998. Inhibition of rat lung mixed-function oxidase activity following repeated low-level toluene inhalation: Possible role of toluene metabolites. *Journal of Toxicology and Environmental Health, Part A* 54:633-645.
- *Fustinoni S, Buratti M, Giampiccolo R, et al. 1996. Monitoraggio biologico dell'esposizione a solventi: metodo per la determinazione gascromatografica degli idrocarburi aromatici nel sangue e nell'urina. *Med Lav* 87(1):63-75. (Italian)
- Fustinoni S, Giampiccolo R, Pulvirenti S, et al. 1999. Headspace solid-phase microextraction for the determination of benzene, toluene, ethylbenzene and xylenes in urin. *Journal of Chromatography B* 723:105-115.
- *Fuxe K, Andersson K, Nilsen OG, et al. 1982. Toluene and telencephalic dopamine: Selective reduction of amine turnover in discrete da nerve terminal systems of the anterior caudate nucleus by low concentrations of toluene. *Toxicol Lett* 12:115-123.
- Gabele P. 1997. Exhaust emmissions from four-stroke lawn mower engines. *Air Waste Manage Assoc* 47:945-952.
- *Garcia JP, Beyne-Masclet S, Mouvier G. 1992. Emissions of volatile organic compounds by coal-fired power stations. *Atmos Environ* 26A(9):1589-1597.

8. REFERENCES

- Gee IL, Sollars CJ. 1998. Ambient air levels of volatile organic compounds in Latin American and Asian cities. *Chemosphere* 36(11):2497-2506.
- Gelencser A, Siszler K, Hlavay J. 1997. Toluene-benzene concentration ratio as a tool for characterizing the distance from vehicular emission sources. *Environ Sci Technol* 31:2869-2872.
- Geller I, Hartmann RJ, Messiha. 1983. Biochemical aspects of toluene exposure in the rat as a function of sex. *Proc West Pharmacol Soc* 26:197-199.
- Geller I, Hartmann RJ, Randle SR, et al. 1979. Effects of acetone and toluene vapors on multiple schedule performance of rats. *Pharmacol Biochem Behav* 11:395-399.
- *Gerin M, Siemiatycki J, Desy M, et al. 1998. Associations between several sites of cancer and occupational exposure to benzene, toluene, xylene, and styrene: Results of a case-control study in Montreal. *Am J Ind Med* 34:144-156.
- *Gerkin RD, LoVecchio F. 1998. Rapid reversal of life-threatening toluene-induced hypokalemia with hemodialysis. *J Emerg Med* 16(5):723-725.
- Germolec DR, Yang RS, Ackerman MF, et al. 1989. Toxicology studies of a chemical mixture of 25 groundwater contaminants. II. Immunosuppression in B6C3F1 mice. *Fund Appl Toxicol* 13:377-387.
- *Gerner- Smidt P, Friedrich U. 1978. The mutagenic effect of benzene, toluene and xylene studied by the SCE technique. *Mutat Res* 55:313-316.
- Gersberg RM, Dawsey WJ, Bradley MD. 1991. Biodegradation of monoaromatic hydrocarbons in groundwater under denitrifying conditions. *Bull Environ Contam Toxicol* 47:230-237.
- Geyer H, Sheehan P, Kotzias D, et al. 1982. Prediction of ecotoxicological behavior of chemicals: Relationship between physicochemical properties and bioaccumulation of organic chemicals in the mussel *Mytilus edulis*. *Chemosphere* 11:1121-1134.
- *Ghantous H, Danielsson BRG. 1986. Placental transfer and distribution of toluene, xylene and benzene and their metabolites during gestation in mice. *Biol Res Pregnancy Perinatol* 7(3):98-105.
- Ghantous H, Dencker L, Gabrielsson J, et al. 1990. Accumulation and turnover of metabolites of toluene and xylene in nasal mucosa and olfactory bulb in the mouse. *Pharmacol Toxicol* 66:87-92.
- Gholson AR, Albritton JR, Jayanty RK, et al. 1991. Evaluation of an enclosure method for measuring emissions of volatile organic compounds from quiescent liquid surfaces. *Environ Sci Technol* 25:519-524.
- *Ghosh TK, Copeland RL, Gear JC, et al. 1989. Effects of toluene exposure on the spontaneous cortical activity in rats. *Pharmacol Biochem Behav* 32:987-992.
- *Ghosh TK, Copeland RL, Pradhan SN. 1990. Sensitivity of EEG in young rats to toluene exposure. *Pharmacol Biochem Behav* 36:779-785.
- Ghoshal S, Weber WJ, Rummel AM, et al. 1999. Epigenetic toxicity of a mixture of polycyclic aromatic hydrocarbons on gap junctional intercellular communication before and after biodegradation. *Environ Sci Technol* 33:1044-1050.

8. REFERENCES

- Gibson JE, Hardisty JF. 1983. Chronic toxicity and oncogenicity bioassay of inhaled toluene in Fischer-344 rats. *Fundam Appl Toxicol* 3:315-319.
- *Gill R, Hatchett SE, Osselton MD, et al. 1988. Sample handling and storage for the quantitative analysis of volatile compounds in blood: The determination of toluene by headspace gas chromatography. *J Anal Toxicol* 12:141-149.
- *Giwerzman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. *Environ Health Perspect Suppl* 101(2):65-71.
- Glowa JR. 1991. Dose-effect approaches to risk assessment. *Neurosci Biobehav Rev* 15:153-158.
- Glowa JR, Dews PB. 1983. Behavioral toxicology of organic solvents. II. Comparison of results on toluene by flow-through and closed chamber procedures. *J Am Coll Toxicol* 2:319-323.
- Goldbloom D, Chouinard G. 1985. Schizophreniform psychosis associated with chronic industrial toluene exposure: Case report. *J Clin Psychiatry* 46:350-351.
- Goodman DG, Ward JM, Squire RA, et al. 1979. Neoplastic and nonneoplastic lesions in aging F344 rats. *Toxicol Appl Pharmacol* 48:237-248.
- *Goodwin TM. 1988. Toluene abuse and renal tubular acidosis in pregnancy. *Obstet Gynecol* 71(5):715-718.
- *Gorna-Binkul A, Keymeulen R, Van Langenhove H et al. 1996. Determination of monocyclic aromatic hydrocarbons in fruit and vegetables by gas chromatography-mass spectrometry. *J Chromatogr A* 734(2):297-302.
- Gospe SM Jr, Al-BayatI MAS. 1994. Comparison of oral and inhalation exposures to toluene. *J Am Coll Toxicol* 13(1):21-32.
- Gospe SM, Calaban MJ. 1988. Central nervous system distribution of inhaled toluene. *Fund Appl Toxicol* 11:540-545.
- *Gospe SM and Zhou SS. 1998. Toluene abuse embryopathy: Longitudinal neurodevelopmental effects of prenatal exposure to toluene in rats. *Reprod Toxicol* 12(2):119-126.
- *Gospe SM JR, Saeed DB, Zhou SS, et al. 1994. The effects of high-dose toluene on embryonic development in the rat. *Pediatr Res* 36(6):811-5.
- *Gospe SM Jr, Zhou SS, Saeed DB et al. 1996. Development of a rat model of toluene-abuse embryopathy. *Pediatr Res* 40(1):82-87.
- Gosselin RE, Hodge HC, Smith RP, et al. 1976. *Clinical toxicology of commercial products. Acute poisoning.* Baltimore, MD: Williams and Wilkins, Co.
- *Graham. 1990. Solvent abuse. In: Haddad LM, Winchester JF eds. *Clinical management of poisoning and drug overdose.* 2nd ed. Philadelphia, PA: W.B. Saunders Company, 1256-1260.

8. REFERENCES

- Granholm AC, Gerhardt GA, Moore E, et al. 1988. Toluene exposure during maturation of intraocular brain tissue transplants: Alterations of host of graft cerebellar purkinje neuron function and sensitivity to norepinephrine. *Toxicol Appl Pharmacol* 96:296-304.
- Granstrand P, Nylander-French L, Holmstrom M. 1998. Biomarkers of nasal inflammation in wood-surface coating industry workers. *Am J Ind Med* 33:392-399.
- Graves AB, Rosner D, Echeverria D, et al. 1998. Occupational exposures to solvents and aluminum and estimated risk of Alzheimer's disease. *Occup Environ Med* 55:627-633.
- Graydon JW, Grob K, Zuercher F, et al. 1984. Determination of highly volatile organic contaminants in water by the closed-loop gaseous stripping technique followed by thermal desorption of the activated carbon filters. *J Chromatogr* 285:307-318.
- Green AD, Morrell CE. 1953. Petroleum chemicals. In: Kirk-Othmer encyclopedia of chemical technology. 1st ed. New York, NY: John Wiley & Sons, 10:177-210.
- Greenberg MM. 1997. The central nervous system and exposure to toluene: a risk characterization. *Environ Res* 72(1):1-7.
- *Greenburg L, Mayers MR, Heimann H, et al. 1942. The effects of exposure to toluene in industry. *JAMA* 118:573-578.
- Gregersen, P. 1988. Neurotoxic effects of organic solvents in exposed workers: Two controlled follow-up studies after 5.5 and 10.6 years. *Am J Ind Med* 14:681-701.
- *Grob K. 1965. Gas chromatography of cigarette smoke. Part III. Separation of the overlap region of gas and particulate phase by capillary columns. *J Gas Chromatogr* February 52-56.
- Grosjean E, Grosjean D, Rasmussen RA. 1998a. Ambient concentrations, sources, emission rates, and photochemical reactivity of C2-C10 hydrocarbons in Porto Alegre, Brazil. *Environ Sci Technol* 32:2061-2069.
- Grosjean E, Rasmussen RA, Grosjean D. 1998b. Ambient levels of gas phase pollutants in Porto Alegre, Brazil. *Atmos Environ* 32(20):3371-3379.
- Grosjean E, Rasmussen RA, Grosjean D. 1999. Toxic air contaminants in Porto Alegre, Brazil. *Environ Sci Technol* 33:1970-1978.
- *Guldberg PH. 1992. Gasoline and vapor exposures in service station and leaking underground storage tank scenarios. *J Expo Anal Environ Epidemiol* 2(1):97-107.
- Gupta BN, Kumar P, Srivastava AK. 1990. An investigation of the neurobehavioural effects on workers exposed to organic solvents. *J Soc Occup Med* 40:94-96.
- Gupta RK, van der Meulen J, Johnny KV. 1991. Oliguric acute renal failure due to glue-sniffing. *Scand J Urol Nephrol* 25:247-250.
- *Guzelian PS, Henry CJ, Olin SS. 1992. Similarities and differences between children and adults: implications for risk assessment. International Life Sciences Institute Press, Washington, D.C.

8. REFERENCES

- *Guzelian P, Mills S, Fallon HJ. 1988. Liver structure and function in print workers exposed to toluene. *J Occup Med* 30(10):791-796.
- *Haglund U, Lundberg I, Zech L. 1980. Chromosome aberrations and sister chromatid exchanges in Swedish paint industry workers. *Scan J Environ Health* 6:291-298.
- *Hakkola M, Saarinen L. 1996. Exposure of tanker drivers to gasoline and some of its components. *Ann Occup Hyg* 40:1-10.
- *Hammer KD, Mayer N, Pfeiffer EH. 1998. Sister chromatid exchanges in rotogravure printing plant workers. *Int Arch Occup Environ Health* 71:138-142.
- Hanioka H, Hamamura M, Kakino K, et al. 1995. Dog liver microsomal P-450 enzyme-mediated toluene biotransformation. *Xenobiotica* 25(11):1207-17.
- Hankenson K, Schaeffer DJ. 1991. Microtox assay of trinitrotoluene, diamionitrotoluene, and dinitromethylaniline mixtures. *Bull Environ Contam Toxicol* 46:55-553.
- Hanninen H, Antti-Pocka, Savolainen P. 1987. Psychological performance, toluene exposure and alcohol consumption in rotogravure printers. *Int Arch Occup Environ Health* 89:475-483.
- *Hanninen H, Eskelinen L, Husman K, et al. 1976. Behavioral effects of long-term exposure to a mixture of organic solvents. *Scand J Work Environ Health* 2:240-255.
- Hansell DW, Grant R. 1998. Development of toxics emissions factors from source test data collected under the air toxics hot spots program. *Proc Annu Meet Air Waste Manage Assoc* 91:280.
- Hansson E, Von Euler G, Fuxe K, et al. 1988. Toluene induced changes in the morphology of astroglia and neurons in striatal primary cell cultures. *Toxicology* 49:155-163.
- Hansson T, Pettersson B-M, Eneroth P, et al. 1985. Neonatal exposure to toluene: Effects on the development of liver microsomal cytochrome P-450 and serum hormone levels in the rat. *Toxicology* 37:39-50.
- *Harabuchi I, Kishi R, Ikeda T, et al. 1993. Circadian variations of acute toxicity and blood and brain concentrations of inhaled toluene in rats. *Br J Ind Med* 50:280-286.
- Harayama S, Polissi A, Rekik M. 1991. Divergent evolution of chloroplast-type ferredoxins. *Federation of European Biochemical Societies* 285:85-88.
- *Harayama S, Rekik M, Wubbolts M, et al. 1989. Characterization of five genes in the upper-pathway operon of TOL plasmid pWW0 from *Pseudomonas putida* and identification of the gene products. *J Bacteriol* 171(9):5048-5055.
- Hartmann RJ, Gause EM, Mendez V, et al. 1984. Effect of exposure to toluene and ethanol alone or in combination on a match-to-sample discrimination task in the juvenile baboon. *Proc West Pharmacol Soc* 27:251-253.
- *Hasegawa K, Shiojima S, Koizumi A, et al. 1983. Hippuric acid and o-cresol in the urine of workers exposed to toluene. *Int Arch Occup Environ Health* 52:197-208.

8. REFERENCES

- Hausmann H-J, Gerstenberg B, Gocke W, et al. 1998. 12-month inhalation study on room-aged cigarette sidestream smoke in rats. *Inhal Toxicol* 10:663-697.
- Hayden JW, Peterson RG, Bruckner JV. 1977. Toxicology of toluene (methylbenzene): Review of current literature. *Clin Toxicol* 11:549-559.
- HazDat. 1998. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.
- HazDat. 1999. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.
- *HazDat. 2000. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.
- *Hazleton Laboratories. 1962. Acute eye application - albino rabbits. ESSO Research and Engineering Company. Falls Church VA.
- *Heikes, DL, Jensen, SR, Fleming-Jones, ME. 1995. Purge and trap extraction with GC-MS determination of volatile organic compounds in table-ready foods. *Agri Food Chem* 43(11):2869-2875.
- *Hellquist H, Irander K, Edling C, et al. 1983. Nasal symptoms and histopathology in a group of spray-painters. *Acta Otolaryngol* 96:495-500.
- Helmig D, Muller J, Klein W. 1989. Volatile organic substances in a forest atmosphere. *Chemosphere* 19:1399-1412.
- Henry B, Grant SG, Klopman G, et al. 1998. Induction of forward mutations at the thymidine kinase locus of mouse lymphoma cells: evidence for electrophilic and non-electrophilic mechanisms. *Mutat Res* 397:313-335.
- Herman DW, Inniss WE, Mayfield CI. 1990. Impact of volatile aromatic hydrocarbons, alone and in combination, on growth of the freshwater alga *selenastrum capricornutum*. *Aquatic Toxicol* 18:87-100.
- *Hersh JH. 1988. Toluene embryopathy: Two new cases. *J Med Genet* 26:333-337.
- *Hersh JH, Podruch PE, Rogers G, et al. 1985. Toluene embryopathy. *J Pediatr* 106:922-927.
- *HI Dept Health. 1999a. Water quality standards. Hawaii Department of Health, Environmental Health. <http://www.hawaii.gov/health>.
- *HI Dept Health. 1999b. Rules relating to potable water systems. Hawaii Department of Health, Environmental Health, Safe Drinking Water. <http://www.hawaii.gov/health>.
- *Hiipakka D, Samimi B. 1987. Exposure of acrylic fingernail sculptors to organic vapors and methacrylate dusts. *Am Ind Hyg Assoc J* 48(3):230-7.
- *Hillefors-Berglund M, Liu Y, von Euler G. 1995. Persistent, specific and dose-dependent effects of toluene exposure on dopamine D2 agonist binding in the rat caudate-putamen. *Toxicology* 100:185-94.
- *Hinman D. 1987. Biphasic dose-response relationship for effects of toluene inhalation on locomotor activity. *Pharmacol Biochem Behav* 26:65-69.

8. REFERENCES

- *Hjelm EW, Naslund PH, Wallen M. 1988. Influence of cigarette smoking on the toxicokinetics of toluene in humans. *J Toxicol Environ Health* 25:155-163.
- Ho WS, To EWH, Chan ESY, et al. 1998. Burn injuries during paint thinner sniffing. *Burns* 24:757-759.
- *Hobara T, Kobayashi H, Higashihara E, et al. 1984a. Acute effects of 1,1,1-trichloroethane, trichlorethylene, and toluene on the hematologic parameters in dogs. *Arch Environ Contam Toxicol* 13:589-593.
- *Hobara T, Kobayashi H, Higashihara E, et al. 1984b. Experimental study on the pulmonary absorption and excretion of toluene. *Int Arch Occup Environ Health* 53:337-344.
- *Hodgson AT, Daisey JM, Grot RA. 1991. Sources and source strengths of volatile organic compounds in a new office building. *J Air Waste Manag Assoc* 41:1461-1468.
- Hodgson AT, Daisey JM, Mahanama KRR, et al. 1996. Use of volatile tracers to determine the contribution of environmental tobacco smoke to concentrations of volatile organic compounds in smoking environments. *Environ Int* 22(3):295-307.
- *Hodgson AT, Garbesi K, Sextro RG, et al. 1988. Transport of volatile organic compounds from soil into a residential basement. Lawrence Berkeley Laboratory. University of California. Berkeley, CA. Presented at the 81st APCA Annual Meeting, June 19-24, Dallas, TX.
- *Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. *J Natl Cancer Inst* 84(5):313-320.
- Hoffman RV, Eiceman GA, Long YT, et al. 1990. Mechanism of chlorination of aromatic compounds adsorbed on the surface of fly ash from municipal incinerators. *Environ Sci Technol* 24:1635-1641.
- *Hollund BE, Moen BE. 1998. Chemical exposure in hairdresser salons: Effect of local exhaust ventilation. *Ann Occup Hyg* 42(4):277-281.
- *Holmberg PC. 1979. Central- nervous- system defects in children born to mothers exposed to organic solvents during pregnancy. *Lancet* 2:177.
- Holtel A, Abril MA, Marques S, et al. 1990. Promoter-upstream activator sequences are required for expression of the xylS gene and upper-pathway operon on the pseudomonas TOL plasmid. *Mol Microbiol* 4:1551-1556.
- *Hong JJ, Lin JL, Wu MS, et al. 1996. A chronic glue sniffer with hyperchloraemia metabolic acidosis, rhabdomyolysis, irreversible quadriplegia, central pontine myelinolysis, and hypothyroidism. *Nephrol Dial Transplant* 11(9):1848-9.
- Honma T, Miyagawa M, Sato M, et al. 1982. Increase in glutamine content of rat midbrain induced by short-term exposure to toluene and hexane. *Ind Health* 20:109-115.
- *Horiguchi S, Inoue K. 1977. Effects of toluene on the wheel-turning activity and peripheral blood findings in mice-an approach to the maximum allowable concentration of toluene. *J Toxicol Sci* 2(4):363-372.

8. REFERENCES

- *Hormes JT, Filley CM, Rosenberg NL. 1986. Neurologic sequelae of chronic solvent vapor abuse. *Neurology* 36:698-702.
- *Hoshino M, Akimoto H, Okuda M. 1978. Photochemical oxidation of benzene, toluene and ethylbenzene initiated by OH radicals in the gas phase. *Bull Chem Soc Japan* 51(3):718-724.
- Hotz P, Pilliod J, Bourgeois R, et al. 1990. Hydrocarbon exposure, pancreatitis, and bile acids. *Br J Ind Med* 47:833-837.
- Hougaard KS, Hass U, Lund SP, et al. 1997a. Deficits on a spacial navigation task following prenatal exposure to toluene [abstract]. *Teratology* 56:363.
- Hougaard KS, Hass U, Lund SP, et al. 1997b. Deficits on a spacial navigation task following prenatal exposure to toluene. *Neurotoxicology* 18(3):907.
- *Howard C, Corsi RL. 1996. Volatization of chemicals from drinking water to indoor air: Role of the kitchen sink. *J Air Waste Manage Assoc* 46:830-837.
- *Howard C, Corsi RL. 1998. Volatization of chemicals from drinking water to indoor air: The role of residential washing machines. *Air Waste Manage Assoc* 48:907-914.
- *Howard PH. 1990. Handbook of environmental fate and exposure data for organic chemicals. Vol. II. Solvents. Chelsea, MI: Lewis Publishers, Inc.
- *Howard PH, Boethling RS, Jarvis WF, et al., eds. 1991. Handbook of environmental degradation rates. Chelsea, MI: Lewis Publishers, Inc, 410-411.
- *Howard-Reed C, Corsi RL, Moya J. 1999. Mass transfer of volatile organic compounds from drinking water to indoor air: The role of residential dishwashers. *Environ Sci Technol* 33:2266-2272.
- *Howell SR, Christian JE, Isom GE. 1986. The hepatotoxic potential of combined toluene-chronic ethanol exposure. *Arch Toxicol* 59:45-50.
- *HSDB. 1998. Hazardous Substances Data Base - computer printout for toluene. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *HSDB. 1999. Hazardous Substances Data Base - computer printout for toluene. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- Hsieh GC, Parker RD, Sharma RP, et al. 1990a. Subclinical effects of groundwater contaminants. III. Effects of repeated oral exposure to combinations of benzene and toluene on immunologic responses in mice. *Arch Toxicol* 64:320-328.
- *Hsieh GC, Sharma RP, Parker RD. 1989. Immunotoxicological evaluation of toluene exposure via drinking water in mice. *Environ Res* 49:93-103.
- *Hsieh GC, Sharma RP, Parker RD, et al. 1990b. Evaluation of toluene exposure via drinking water on levels of regional brain biogenic monoamines and their metabolites in CD-1 mice. *Ecotoxicol Environ Saf* 20:175-184.

8. REFERENCES

- Hsieh GC, Sharma RP, Parker RD. 1991. Hypothalamic-pituitary-adrenocortical axis activity and immune function after oral exposure to benzene and toluene. *Immunopharmacol* 21:23-31.
- Huang J, Asaeda N, Takeuchi Y, et al. 1992. Dose dependent effects of chronic exposure to toluene on neuronal and glial cell marker proteins in the central nervous system of rats. *Br J Ind Med* 49:282-286.
- Huang J, Kata K, Shibata E, et al. 1990. Effects of subacute toluene exposure on neuronal and glial marker proteins in rat brain. *Toxicology* 61:109-117.
- Huang XY, et al. 1991. Influence on benzene and toluene to reproductive function of female workers in leathershoe-making industry. *Chin J Prev Med* 25(2):89-91.
- *Hudak A, Ungvary G. 1978. Embryotoxic effects of benzene and its methyl derivatives: Toluene, xylene. *Toxicology* 11:55-63.
- Huel G, Mergler D, Bowler R. 1990. Evidence for adverse reproductive outcomes among women microelectronic assembly workers. *Br J Ind Med* 47(6):400-4.
- Hugouvieux-Cotte-Pattat N, Kohler T, Rekik M, et al. 1990. Growth-phase-dependent expression of the pseudomonas putida TOL plasmid pWW0 catabolic genes. *J Bacteriol* 172:6651-6660.
- Hung I-F, Liao MH. 1991. Aromatic hydrocarbons in indoor air. *J Environ Sci Health A26*:487-492.
- Hung I-F, Lee S-A, Chen R-K. 1998. Simultaneous determination of benzene, toluene, ethylbenzene, and xylenes in urin by thermal desorption-gas chromatography. *Journal of Chromatography B* 706:352-357.
- Hunkeler D, Jorger D, Haberli K, et al. 1998. Petroleum hydrocarbon mineralization in anaerobic laboratory aquifer columns. *J Contam Hydrol* 32:41-61.
- *Hunnewell J, Miller NR. 1998. Bilateral internuclear ophthalmoplegia related to chronic toluene abuse. *J Neuroophthalmol* 18(4):277-280.
- Hunt CS, Alvarez PJJ. 1997. Effect of ethanol on aerobic BTX degradation. *Biorem J* 4:49-54.
- *Huntingdon Research Centre. 1992a. A preliminary study of the effect of toluene on pregnancy of the rat (inhalation exposure). Huntingdon Research Centre, Ltd., Huntingdon, Cambridgeshire, England. APT 1/91309.
- *Huntingdon Research Centre. 1992b. Toluene: Effect on pregnancy of the rat by inhalation (status report). Huntingdon Research Centre, Ltd., Huntingdon, Cambridgeshire, England. APT 2/91279.
- Hussain TF, Heidenreich PA, Benowitz N. 1996. Recurrent non-Q-wave myocardial infarction associated with toluene abuse. *Am Heart J* 131(3):615-6.
- *Hutchins SR. 1991. Optimizing GTEX biodegradation under denitrifying conditions. *Exp Toxicol Chem* 10:1437-1448.
- Hutchins SR, Sewell GW, Kovacs DA, et al. 1990. Biodegradation of aromatic hydrocarbons by aquifer microorganisms under denitrifying conditions. *Environ Sci Technol* 25:68-76.

8. REFERENCES

- *Iannuzzi TJ, Huntley SL, Schmidt CW, et al. 1997. Combined sewer overflows (CSOs) as sources of sediment contamination in the lower Passaic River, New Jersey. 1. Priority pollutants and inorganic chemicals. *Chemosphere* 34(2):213-231.
- *IARC. 1988. Toluene: uses, occurrence and exposure. In: Fishbein L, O'Neill IK, eds. *Environmental carcinogens methods of analysis and exposure measurement*. Lyon, France: International Agency for Research Cancer, 97-108.
- *IARC. 1998. Some organic solvents, resin, monomers and related compounds, pigments and occupational exposures in paint manufacture and painting: Summary of data reported and evaluations. In: *IARC monographs on the evaluation of carcinogenic risks to humans*. Volume 47. [Http://193.51.164.11/htdocs/Indexes/Vol47/Index.html](http://193.51.164.11/htdocs/Indexes/Vol47/Index.html).
- *IARC. 1999. *IARC monographs on the evaluation of carcinogenic risks to humans: Re-evaluation of some organic chemicals, hydrazine and hydrogen peroxide*. Volume 71. Part 2. Lyon, France: World Health Organization, International Agency for Research on Cancer, 829-864.
- *ID Dept Health Welfare. 1999a. Air pollution control. Idaho Department of Health and Welfare. Rule 16.01.01. <http://www.state.id.us/>
- *ID Dept of Health Welfare. 1999b. Ground water quality. Idaho Department of Health and Welfare. Ground water quality rule 16.01.11. <http://www.state.id.us/>.
- Iizumi H, Fukui K, Utsumi H, et al. 1995. Effect of chronic toluene exposure on tyrosine hydroxylase-positive nerve elements in the rat forebrain: an immunohistochemical study combined with semiquantitative morphometric analysis. *Neuroreport* 7(1):81-4.
- *Ikeda M, Ohtsuji H. 1971. Phenobarbital-induced protection against toxicity of toluene and benzene in the rat. *Toxicol Appl Pharmacol* 20:30-43.
- *Ikeda M, Tsukagoshi H. 1990. Encephalopathy due to toluene sniffing: Report of a case with magnetic resonance imaging. *Eur Neurol* 30:347-349.
- *Ikeda M, Koizumi A, Kasahara M, et al. 1986. Combined effects of n-hexane and toluene on norepinephrine and dopamine levels in rat brain tissues after long-term exposure. *Bull Environ Contam Toxicol* 36:510-517.
- *Ikeda N, Takahashi H, Umetsu K, et al. 1990. The course of respiration and circulation in toluene-sniffing. *Forensic Sci Intern* 44:151-158.
- Ikeuchi Y, Hirai H. 1994. Toluene inhibits synaptic transmission without causing gross morphological disturbances. *Brain Res* 664(1-2):266-70.
- *IL Env Protec Agency. 1999. Water quality standards. Illinois Environmental Protection Agency. Title 35, Subtitle C, Chapter 1. <http://www.epa.state.il.us/>
- *Imbriani M, Ghittori S. 1997. Effects of ethanol on toluene metabolism in man. *G Ital Med Lav* 19(4):177-181.
- Inoue O, Kanno E, Kudo S, et al. 1998. High-pressure liquid chromatographic determination of toluene in urine as a marker if occupational exposure to toluene. *Int Arch Occup Environ Health* 71:302-308.

8. REFERENCES

- *Inoue O, Seiji K, Ishihara N, et al. 1984. Increased *o*- and *p*-cresol/hippuric acid ratios in the urine of four strains of rat exposed to toluene at thousands-ppm levels. *Toxicol Lett* 23:249-257.
- Inoue O, Seiji K, Nakatsuka H, et al. 1990. Relationship between exposure to toluene and excretion of urinary metabolites in Korean Female solvent workers. *Ind Health* 26:147-152.
- Inoue O, Seiji K, Suzuki T, et al. 1991. Simultaneous determination of hippuric acid, *o*-, *m*-, and *p*-methylhippuric acid, phenylglyoxylic acid, and mandelic acid by HPLC. *Bull Environ Contam Toxicol* 47:204-210.
- Inoue O, Seiji K, Watanabe T, et al. 1993. Effects of smoking and drinking on excretion of hippuric acid among toluene-exposed workers. *Int Arch Occup Environ Health* 64:425-430.
- *Inoue O, Seiji K, Watanabe T, et al. 1988. Mutual metabolic suppression between benzene and toluene in man. *Int Arch Occup Environ Health* 60:15-20.
- *Inoue O, Seiji K, Watanabe T, et al. 1986. Possible ethnic difference in toluene metabolism: A comparative study among Chinese, Turkish and Japanese solvent workers. *Toxicol Lett* 34:167-174.
- *Iregren A. 1982. Effects on psychological test performance of workers exposed to a single solvent (toluene) - a comparison with effects of exposure to a mixture of organic solvents. *Neurobehav Toxicol Teratol* 4:695-701.
- *Iregren A. 1986. Subjective and objective signs of organic solvent toxicity among occupationally exposed workers. *Scand J Work Environ Health* 12:469-475.
- *IRIS. 2000. Toluene. Integrated Risk Information System, U.S. Environmental Protection Agency. November 8, 1999. <http://www.epa.gov/iris/subst/index.html>.
- Isnard P, Lambert S. 1989. Aqueous solubility and *n*-octanol/water partition coefficient correlations. *Chemosphere* 18:1837-1853.
- *Iwata M, Taceuchi Y, Hisanaga N, et al. 1983. Changes of *n*-hexane metabolites in urin of rats exposed to various concentrations of *n*-hexane and to its mixture with toluene or MEK. *Int Arch Occup Environ Health* 53:1-8.
- Iwata M, Taceuchi Y, Hisanaga N, et al. 1984. Changes of *n*-hexane neurotoxicity and its urinary metabolites by long-term co-exposure with MEK or toluene. *Int Arch Occup Environ Health* 54:273-281.
- Iyadomi M, Higaki Y, Ichiba M, et al. 1998. Evaluation of organic solvent-induced inflammation modulated by neuropeptides in the abdominal skin of hairless rats. *Ind Health* 36:40-51.
- James KJ, Stack MA. 1997. The impact of leachate collection on air quality in landfills. *Chemosphere* 34(8):1713-1721.
- Javanmardian M, Glasser HA. 1997. In-situ biodegradation of MTBE using biosparging. *Division of Environmental Chemistry Preprints of Extended Abstracts* 37(1):424-426.
- Jenkins LJ, Jones RA, Siegel J. 1970. Long-term inhalation screening studies of benzene, toluene, *o*-xylene and cumene on experimental animals. *Toxicol Appl Pharmacol* 16:818-823.

8. REFERENCES

- *Jermann E, Hajimiragha H, Borckhaus A, et al. 1989. Exposure to benzene, toluene, lead and carbon monoxide of children living in a central urban area with high traffic density. *Zentralbl Hyg Umweltmed* 189(1):50-61.
- Jo W-K, Park K-H. 1998. Concentrations of volatile organic compounds in automobile' cabins while commuting along a Korean urban area. *Environ Int* 24(3):259-265.
- Jo W-K, Park K-H. 1999. Commuter exposure to volatile organic compounds under different driving conditions. *Atmos Environ* 33:409-417.
- Johansen SS, Hansen AB, Mosboek H, et al. 1997. Identification of heteroaromatic and other organic compounds in ground water at creosote-contaminated sites in Denmark. *Ground Water Monit Rev* :106-115.
- *Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. *Brain Research* 190:3-16.
- *Johnson AC. 1992. Auditory sensitivity in rats exposed to toluene and/or acetyl salicylic acid. *NeuroReport* 3:1141-1144.
- *Johnson AC, Canlon B. 1994. Progressive hair cell loss induced by toluene exposure. *Hear Res* 75:201-8.
- *Johnson AC, Juntunen L, Nylen P, et al. 1988. Effect of interaction between noise and toluene on auditory function in the rat. *Acta Otolaryngol* 101:56-63.
- *Jonai H, Sato M. 1988. Exposure indices for painters exposed to toluene and xylene at low concentrations. *Ind Health* 26:197-202.
- *Jone CM, Wu AHB. 1988. An unusual case of toluene-induced metabolic acidosis. *Clin Chem* 34(12):2596-2599.
- *Jones HE, Balster RL. 1997. Neurobehavioral consequences of intermittent prenatal exposure to high concentrations of toluene. *Neurotoxicol Teratol* 19(4):305-313.
- *Jones HE, Balster RL. 1998. Inhalant abuse in pregnancy. *Obstetrics and Gynecology Clinics of North America* 25(1):153-167.
- Jones KR, Brautbar N. 1997. Reactive airway disease in patients with prolonged exposure to industrial solvents. *Toxicol Ind Health* 13(6):743-750.
- Joong S, Kim JM. 1976. Giant axonal swelling in "Huffer's" neuropathy. *Arch Neurol* 33:583-586.
- *Jury WA, Russo D, Streile G, et al. 1990. Evaluation of volatilization by organic chemicals residing below the soil surface. *Water Resource Res* 26(1):13-20.
- Kalliokoski P. 1990. Estimating long-term exposure levels in process-type industries using production rates. *Am Ind Hyg Assoc J* 51:310-312.
- *Kamijima M, Nakazawa Y, Yamakawa M, et al. 1994. Metabolic acidosis and renal tubular injury due to pure toluene inhalation. *Arch Environ Health* 49(5):410-3.

8. REFERENCES

- *Kamijo Y, Soma K, Hasegawa I, et al. 1998. Fatal bilateral adrenal hemorrhage following acute toluene poisoning: A case report. *J Toxicol Clin Toxicol* 36(4):365-368.
- *Kamran S, Bakshi R. 1998. MRI in chronic toluene abuse: Low signal in the cerebral cortex on T2-weighted images. *Neuroradiology* 40:519-521.
- *Kaneko T, Koizumi T, Takezaki T, et al. 1992. Urinary calculi associated with solvent abuse. *J Urol* 147:1365-1366.
- Karlson U, Frankenberger WT. 1989. Microbial degradation of benzene and toluene in groundwater. *Bull Environ Contam Toxicol* 43:505-510.
- Katsuyama H, Tsuchiya G, Saijoh K, et al. 1998. Occupational exposure to low concentrations of organic solvents in shipyards. *J Occup Health* 40:186-192.
- *Kawai T, Mizunuma K, Okada Y et al. 1996. Toluene itself as the best urinary marker of toluene exposure. *Int Arch Occup Environ Health* 68(5):289-97.
- Kawai T, Yamaoka K, Uchida Y, et al. 1991. Exposure to vapors of benzene and other aromatic solvents in tank truck loading and delivery. *Bull Environ Contam Toxicol* 46:1-8.
- *Kawai T, Yasugi T, Mizunuma K, et al. 1992a. Comparative evaluation of urinalysis and blood analysis as means of detecting exposure to organic solvents at low concentrations. *Int Arch Occup Environ Health* 64:223-234.
- *Kawai T, Yasugi T, Mizunuma K, et al. 1992b. Monitoring of workers exposed to a mixture of toluene, styrene and methanol vapours by means of diffusive air sampling, blood analysis and urinalysis. *Int Arch Occup Environ Health* 63:429-435.
- *Kawai T, Yasugi T, Mizunuma K, et al. 1993. Comparative evaluation of blood and urine analysis as a tool for biological monitoring of *n*-hexane and toluene. *Int Arch Occup Environ Health* 65(1 Suppl):123-126.
- Kawamoto T, Ohara A. 1998. [Trends of the biological monitoring measurements from 1991-1995.] *J Uoeh* 20(3):245-258. (Japanese)
- Kawamoto T, Koga M, Murata K, et al. 1995. Effects of ALDH2, CYPLAL, and CYP2EL genetic polymorphisms and smoking and drinking habits on toluene metabolism in humans. *Toxicol Appl Pharmacol* 133(2):295-304.
- *Kawamoto T, Koga M, Oyama T, et al. 1996. Habitual and genetic factors that affect urinary background levels of biomarkers for organic solvent exposure. *Arch Environ Contam Toxicol* 30(1):114-20.
- Keane JR. 1978. Toluene optic neuropathy. *Ann Neurol* 4:390.
- Keil CB. 1998. The development and evaluation of an emission factor for a toluene parts-washing process. *Am Ind Hyg Assoc J* 59:14-19.
- *Kelly TJ, Callahan PJ, Plell J, et al. 1993. Method development and field measurements for polar volatile organic compounds in ambient air. *Environ Sci Technol* 27(6):1146-1153.

8. REFERENCES

- *Kenley RA, Davenport JE, Hendry DJ. 1973. Hydroxyl radical reactions in the gas phase. Products and pathways for the reaction of OH with toluene. *J Phys Chem* 82(9):1095-1096.
- Kennedy GL, Graepel GJ. 1991. Acute toxicity in the rat following either oral or inhalation exposure. *Toxicol Lett* 56:317-326.
- *Keymeulen R, De Bruyn G, Van Langenhove H. 1997. Headspace gas chromatographic determination of the plant cuticle-air partition coefficients for monocyclic aromatic hydrocarbons as environmental compartment. *J Chromatr A* 774:213-221.
- *Khalil MA, Rasmussen RA. 1992. Forest hydrocarbon emissions: Relationships between fluxes and ambient concentrations. *J Air Waste Management Assoc* 42(6):810-813.
- Kilburn KH, Warshaw R, Thornton JC, et al. 1989. An examination of factors that could affect choice reaction time in histology technicians. *Am J Ind Med* 15:679-686.
- *Kim DB, Lee JK, Jung KJ, et al. 1998. Effects of toluene inhalation on the concentrations of the brain monoamines and metabolites. *J Toxicol Pub Health* 14(4):495-500.
- *Kim H, Hemond HF, Krumholz LR, et al. 1995. *In-situ* biodegradation of toluene in a contaminated stream. 1. field studies. *Environ Sci Technol* 29(1):108-116.
- *Kim H, Wang RS, Elovaara E, et al. 1997. Cytochrome P450 isozymes responsible for the metabolism of toluene and styrene in human liver microsomes. *Xenobiotica* 27(7):657-665.
- *Kimura ET, Ebert DM, Dodge PW. 1971. Acute toxicity and limits of solvent residue for sixteen organic solvents. *Toxicol Appl Pharmacol* 19:699-704.
- King JR, Monteiro-Riviere NA. 1991. Effects of organic solvent vehicles on the viability and morphology of isolated perfused porcine skin. *Toxicology* 69:11-26.
- *King MD, Day RE, Oliver JS, et al. 1981. Solvent encephalopathy. *Br Med J* 283:663-665.
- Kira S, Ogata M, Ebara Y, et al. 1988. A case of thinner sniffing: Relationship between neuropsychological symptoms and urinary findings after inhalation of toluene and methanol. *Ind Health* 26:81-85.
- Kirchstetter TW, Singer BC, Harley RA, et al. 1999. Impact of California reformulated gasoline on motor vehicle emissions. 2. Volatile organic compound speciation and reactivity. *Environ Sci Technol* 33:329-336.
- Kishi R, Miyake H. 1990. Acute and chronic effects of organic solvents on the central nervous system. *Jpn J Ind Health* 32:3-17.
- *Kishi R, Harabuchi I, Ikeda T, et al. 1988. Neurobehavioral effects and pharmacokinetics of toluene in rats and their relevance to man. *Br J Ind Med* 45:396-408.
- Kjeldsen P, Dalager A, Broholm K. 1997. Attenuation of methane and nonmethane organic compounds in landfill gas affected soil. *J Air Waste Manage Assoc* 47:1268-1275.

8. REFERENCES

- *Kjellstrand P, Bjerkemo M, Adler-Maihofer M, et al. 1985. Effects of solvent exposure on testosterone levels and butyrylcholinesterase activity in mice. *Acta Pharmacol Toxicol* 57:242-249.
- *Klimisch H-J, Hellwig J, Hofmann A. 1992. Studies on the prenatal toxicity of toluene in rabbits following inhalation exposure and proposal of a pregnancy guidance value. *Arch Toxicol* 66:373-381.
- Klimisch H-J, Pauluhn J, Hollander HW, et al. 1988. Inhalation hazard test: Interlaboratory trial with OECD method 403. *Arch Toxicol* 61:318-320.
- Klotz U, Ammon E. 1998. Clinical and toxicological consequences of the inductive potential of ethanol. *Eur J Clin Pharmacol* 54:7-12.
- Knight AT, Pawsey CG, Aroney RS, et al. 1991. Upholsterers' glue associated with myocarditis, hepatitis, acute renal failure and lymphoma. *Med J Aust* 154:360-362.
- Knox JW, Nelson JR. 1966. Permanent encephalopathy from toluene inhalation. *New Eng J Med* 275:1494-1496.
- Kocks DJ, Smith CE. 1998. Biological monitoring standards for industrial toluene exposure recommended for South Africa. *Occup Med* 48(3):195-197.
- *Komori M, Nishio K, Kitada M et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human liver. *Biochemistry* 29:4430-4433.
- Kondo H, Huang J, Ichihara G, et al. 1995. Toluene induces behavioral activation without affecting striatal dopamine metabolism in the rat: Behavioral and microdialysis studies. *Pharmacol Biochem Behav* 51(1):97-101.
- Konietzki H, Keilbach J, Drysch K. 1980. Cumulative effects of daily toluene exposure. *Int Arch Occup Environ Health* 46:53-58.
- *Kono K, Yoshida Y, Yamagata H, et al. 1985. Urinary excretion of cresol as an indicator for occupational toluene exposure. *Ind Health* 23:37-45.
- *Korbo L, Ladefoged O, Lam HR, et al. 1996. Neuronal loss in hippocampus in rats exposed to toluene. *Neurotoxicology* 17(2):359-66.
- Korn M, Wodarz R, Drysch K, et al. 1988. Capillary gas chromatographic determination of major and minor metabolites of aromatic solvents in human urine. *Journal of High Resolution Chromatography* 313-317.
- Korobkin R, Asbury AK, Sumner AJ, et al. 1975. Glue-sniffing neuropathy. *Arch Neurol* 32:158-162.
- *Korpela M, Tahti H. 1984. Follow-up of the antihemolytic effect of toluene inhalation in rats. *Toxicol Lett* 21:15-19.
- *Korpela M, Tahti H. 1988. The effect of *in vitro* and *in vivo* toluene exposure on rat erythrocyte and synaptosome membrane integral enzymes. *Pharmacol Toxicol* 63:30-32.
- *Korpela M, Vapaatalo H, Tahti H. 1983. Effect of toluene on the hemolytic resistance of rat erythrocytes. *Toxicol Lett* 17:253-257.

8. REFERENCES

- *Kostas J, Hotchin J. 1981. Behavioral effects of low-level perinatal exposure to toluene in mice. *Neurobehav Toxicol Teratol* 3:467-469.
- Kostrzewski P, Piotrowski JK. 1991. Toluene determination in capillary blood as a biological indicator of exposure to low levels of toluene. *Polish J Occup Med Environ Health* 4:249-259.
- Kotseva KO. 1997. Prevalence of arterial hypertension in electric motor production workers. *Central European Journal of Occupational and Environmental Medicine* 3(3):224-230.
- Kramer A, Angerer J. 1998. Determination of aldehyde-globin adducts [abstract]. *Naunyn-Schmiedeberg's Arch Pharmacol* 357(Suppl. 4):R139.
- Kraut A, Lilis R, Marcus M, et al. 1988. Neurotoxic effects of solvent exposure on sewage treatment workers. *Arch Environ Health* 43:263-268.
- *Krinsky L. 1980. Personal Communication. Bureau of Veterinary Medicine, U.S. Food and Drug Administration.
- *Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes AW, ed. *Principles and methods of toxicology*. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.
- *Krishnan K, Andersen ME, Clewell HJ III, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures: Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.
- Kroneld R. 1989. Volatile pollutants in suburban and industrial air. *Bull Environ Contam Toxicol* 42:868-872.
- Kroneld R, Reunanen M. 1990. Determination of volatile pollutants in human and animal milk by GC-MS. *Bull Environ Contam Toxicol* 44:917-923.
- *Kronevi T, Wahlberg J, Holmberg B. 1979. Histopathology of skin, liver, and kidney after epicutaneous administration of five industrial solvents to guinea pigs. *Environ Res* 19:56-69.
- *KS Dept Health Env. 1998a. Water pollution control. Kansas Department of Health and Environment, Kansas Administrative Rules. Rule 28-16. <http://www.kdhe.state.ks.us/>.
- *KS Dept Health Env. 1998b. Ambient air quality standards and air pollution control. Kansas Department of Health and Environment, Kansas Administrative Rules. Rule 28-16. <http://www.kdhe.state.ks.us/>.
- Kuhn EP, Zeyer J, Eicher P, et al. 1988. Anaerobic degradation of alkylated benzenes in denitrifying laboratory aquifer columns. *Appl Environ Microbiol* 54:490-496.
- Kukor JJ, Olsen RH. 1991. Genetic organization and regulation of a meta cleavage pathway for catechols produced from catabolism of toluene, benzene, phenol, and cresols by *Pseudomonas pickettii* PK01. *J Bacteriol* 173:4587-4594.
- Kumagai S, Matsunaga I. 1999. Within-shift variability of short-term exposure to organic solvent in indoor workplaces. *Am Ind Hyg Assoc J* 60:16-21.

8. REFERENCES

- *Kyrklund T, Kjellstrand P, Haglid K. 1987. Brain lipid changes in rats exposed to xylene and toluene. *Toxicology* 5:123-133.
- Kyvik KR, Brattebo G, Tysnes OB, et al. 1992. Activation of blood platelets in workers exposed to organic solvents. *J Med* 34:687-692.
- Lachapelle JM, Nouaigui H, Marot L. 1990. Experimental study of the effects of a new protective cream against skin irritation provoked by the organic solvents n-hexane, trichlorethylene and toluene. *Derm Beruf Umwelt* 38:19-23.
- Ladefoged O, Kjaer V, Larsen JJ. 1990. Effect of toluene on ethanol preference in rats. *Pharmacol Toxicol* 67:302-306.
- Ladefoged O, Strange P, Moller A, et al. 1991. Irreversible effects in rats of toluene (inhalation) exposure for six months. *Pharmacol Toxicol* 68:384-390.
- LaGrone FS. 1991. Potential community exposure to toxic chemicals: Using volatile organics measurements for assessing community air quality. *Environ Sci Technol* 25:366-368.
- Lagoudi A, Loizidou M, Asimakopoulos D. 1996a. Volatile organic compounds in office buildings: 1. Presence of volatile organic compounds in the indoor air. *Indoor Built Environment* 5:341-347.
- Lagoudi A, Loizidou M, Asimakopoulos D. 1996b. Volatile organic compounds in office buildings: 2. Identification of pollutant sources in indoor air. *Indoor Built Environment* 5:348-354.
- Laire G, Viaene MK, Veulemans H, et al. 1997. Nocturnal oxygen desaturation, as assessed by home oximetry, in long-term solvent-exposed workers. *Am J Ind Med* 32:656-664.
- *Lam CW, Galen TJ, Boyd JF, et al. 1990. Mechanism of transport and distribution of organic solvents in blood. *Toxicol Appl Pharmacol* 104:117-129.
- Landmeyer JE, Chapelle FH, Petkewich MD, et al. 1998. Assessment of natural attenuation of aromatic hydrocarbons in groundwater near a former manufactured-gas plant, South Carolina, USA. *Environ Geol* 34(4):279-292.
- *Lange A, Smolik R, Zatonski W, et al. 1973. Leukocyte agglutinins in workers exposed to benzene toluene and xylene. *Int Arch Arbeits Med* 31:45-50.
- *Langenhoff AAM, Zehnder AJB, Schraa G. 1996. Behaviour of toluene, benzene and naphthalene under anaerobic conditions in sediment columns. *Biodegradation* 7(3):267-274.
- *Lapare S, Tardif R, Brodeur J. 1993. Effect of various exposure scenarios on the biological monitoring of organic solvents in alveolar air: I. Toluene and *m*-xylene. *Int Arch Occup Environ Health* 64(8):569-80.
- *Larsby B, Tham R, Eriksson B, et al. 1986. The effect of toluene on the vestibulo- and opto-oculomotor system in rats: A computerized nystagmographic study. *Acta Otolaryngol* 101:422-428.
- Larsen F, Leira HL. 1988. Organic brain syndrome and long-term exposure to toluene: A clinical, psychiatric study of vocationally active printing workers. *J Occup Med* 30:875-878.

8. REFERENCES

- *Larsen T, Kjeldsen P, Christensen TH. 1992. Sorption of hydrophobic hydrocarbons on three aquifer materials in a flow through system. *Chemosphere* 24(4):439-451.
- *Larson TV, Koenig JQ. 1994. Wood smoke: Emissions and noncancer respiratory effects. *Annu Rev Public Health* 15:133-156.
- *Lataye R, Campo P. 1997. Combined effects of a simultaneous exposure to noise and toluene on hearing function. *Neurotoxicol Teratol* 19(5):373-82.
- *Lawryk NJ, Weisel CP. 1996. Concentrations of volatile organic compounds in the passenger compartments of automobiles. *Environ Sci Technol* 30:810-816.
- *LeBel CP, Schatz RA. 1988. Toluene-induced alterations in rat synaptosomal membrane composition and function. *J Biochem Toxicol* 3:279-293.
- *LeBel CP, Schatz RA. 1989. Effect of toluene on rat synaptosomal phospholipid methylation and membrane fluidity. *Biochem Pharmacol* 38(22):4005-4011.
- *LeBel CP, Schatz RA. 1990. Altered synaptosomal phospholipid metabolism after toluene: Possible relationship with membrane fluidity, Na⁺, K⁺-adenosine triphosphatase and phospholipid methylation. *J Pharmacol Exp Ther* 253(3):1189-1197.
- *Lebret E, Van de Wiel HJ, Bos HP, et al. 1986. Volatile organic compounds in Dutch homes. *Environment International* 12:323-332.
- Lee BK, Lee SH, Lee KM, et al. 1988. Dose-dependent increase in subjective symptom prevalence among toluene-exposed workers. *Ind Health* 26:11-23.
- Lee BW, Kelsey KT, Hashimoto D, et al. 1997. The prevalence of pulmonary and upper respiratory tract symptoms and spirometric test findings among newspaper pressroom workers exposed to solvents. *J Occup Environ Med* 39(10):960-969.
- *Lee DH, Park IG, Kim JH, et al. 1998a. Neurobehavioral changes in shoe manufacturing workers. *Neurotoxicol Teratol* 20(3):259-263.
- *Lee X-P, Kumazawa T, Sato K, et al. 1998b. Determination of solvent thinner components in human body fluids by capillary gas chromatography with trapping at low oven temperature for headspace samples. *Analyst* 123(1):147-150.
- *Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Pediatr Clin North Am* 44(1):55-77.
- Lemasters GK, Lockey JE, Olsen DM, et al. 1999. Comparison of internal dose measures of solvents in breath, blood, and urine and genotoxic changes in aircraft maintenance personnel. *Drug Chem Toxicol* 22(1):181-200.
- *Lesage S, McBride RA, Cureton PM, et al. 1993. Fate of organic solvents in landfill leachates under simulated field conditions and in aerobic microcosms. *Waste Manage Res* 11:215-226.
- *Leung H-W. 1993. Physiologically-based pharmacokinetic modeling. In: Ballentine B, Marro T, Turner P, eds. *General and applied toxicology*. Vol. 1. New York, NY: Stockton Press, 153-164.

8. REFERENCES

- *Leung H-W, Paustenbach DJ. 1988. Application of pharmacokinetics to derive biological exposure indexes from threshold limit values. *Am Ind Hyg Assoc J* 49(9):445-450.
- Leung P-L, Harrison RM. 1998. Evaluation of personal exposure to monoaromatic hydrocarbons. *Occup Environ Med* 55:249-257.
- Leung P-L, Harrison RM. 1999. Roadside and in-vehicle concentrations of monoaromatic hydrocarbons. *Atmos Environ* 33:191-204.
- Levy SB. 1998. Letters to the editor: Allergenic ingredients in nail polishes. *Contact Dermatitis* 38:303.
- Lewis RM, Cavagnaro J. 1991. The implications of age-related changes in immune function and toxicity. *The Johns Hopkins Series in Environmental Toxicology: Aging and Environmental Toxicology: Biological and Behavioral Perspectives*. Johns Hopkins University Press: Baltimore, Maryland, USA; London, England, UK. Illus ISBN 0-8018-4105.
- *Li H-S, Johnson A-C, Borg E, et al. 1992. Auditory degeneration after exposure to toluene in two genotypes of mice. *Arch Toxicol* 66:382-386.
- *Liang JC, Hsu TC, Henry JE. 1983. Cytogenetic assays for mitotic poisons: The grasshopper embryo system for volatile liquids. *Mut Res* 113:467-479.
- Lin C-F, Bouwer EJ. 1998. Anaerobic biotransformations of alkylbenzenes and carbon tetrachloride by an FE(III)-reducing consortium. In: *Mid-Atlantic Industrial and Hazardous Waste Conference, ed. Hazardous and industrial wastes: Proceedings of the Mid-Atlantic Industrial and hazardous waste Conference*. Lancaster, PA: Technomic Publishing Company, 329-338.
- Lin RC, et al. 1991. Investigation on renal function of workers exposed to toluene and xylene. *Chin J Prev Med* 25:355-357.
- Lindbohm M-L. 1995. Effects of parental exposure to solvents on pregnancy outcome. *J Occup Environ Med* 37(8):908-14.
- *Lindbohm —L, Taskinen H, Kyyronen P, et al. 1992. Effects of parental occupational exposure to solvents and lead on spontaneous abortion. *Scand J Work Environ Health* 18:37-39.
- *Lindemann R. 1991. Case report: Congenital renal tubular dysfunction associated with maternal sniffing of organic solvents. *Acta Pediatr Scand* 80: 882-884.
- Ling K-H, Hanzlik RP. 1989. Deuterium isotope effects on toluene metabolism. Product release as a rate-limiting step in cytochrome P-450 catalysts. *Biochem Biophys Res Commun* 160(2):844-849.
- Little A, Gong Z, Singh U, et al. 1997. Brain glial fibrillary acidic protein (GFAP) and locomotor behavior as markers of neurotoxicity from inhalation exposure to toluene [abstract]. *Neurotoxicology* 18(3):907-908.
- *Little AR, Gong Z, Singh U, et al. 1998. decreases in brain glial fibrillary acidic protein (GFAP) are associated with increased serum corticosterone following inhalation exposure to toluene. *Neurotoxicology* 19(4-5):739-748.

8. REFERENCES

- Little BB, Snell LM, Gilstrap LC. 1992a. Inhalant (organic solvent) abuse during pregnancy. In: Gilstrap LC, Little BB, eds. *Drugs and pregnancy*. New York, NY: Elsevier, 419-422.
- Little BB, Snell LM, Gilstrap LC 3D. 1992b. Occupational exposures during pregnancy. In: Gilstrap LC, Little BB, eds. *Drugs and pregnancy*. New York, NY: Elsevier, 335-340.
- Little CH, Georgiou GM, Shelton MJ, et al. 1999. Clinical and immunological responses in subjects sensitive to solvents. *Arch Environ Health* 54(1):6-14.
- Liu Y, Rao D, Fechter LD. 1997. Correspondence between middle frequency auditory loss in vivo and outer hair cell shortening in vitro. *Hearing Res* 112:134-140.
- *Livingston, AL. 1978. Forage plant estrogens. *J Toxicol Environ Health* 4:301-324.
- Lof A, Hansen ST, Naslund P, et al. 1989. Relationship between uptake and elimination of toluene and debrisoquin hydroxylation polymorphism. *Clin Pharmacol Ther* 47:412-417.
- *Lof A, Hjelm EW, Colmsjo A, et al. 1993. Toxicokinetics of toluene and urinary excretion of hippuric acid after human exposure to $^2\text{H}_8$ -toluene. *Br J Ind Med* 50:55-59.
- *Lof A, Wallen M, Hjelm EW. 1990. Influence of paracetamol and acetylsalicylic acid on the toxicokinetics of toluene. *Pharmacol Toxicol* 66:138-141.
- Loquet G, Campo P, Lataye R, et al. 1997. Toluene ototoxicity in rats: Hearing deficit assessment by electrocochleography. *Arch Physiol Biochem* 105(3):1997.
- *Lorenzana-Jimenez M, Salas M. 1990. Behavioral effects on chronic toluene exposure in the developing rat. *Neurotoxicol Teratol* 12:353-357.
- *Lovely DR. 1997. Potential for anaerobic bioremediation of BTEX in petroleum-contaminated aquifers. *J Ind Microbiol Biotechnol* 18:75-81.
- Low LK, Meeks JR, Mackerer CR. 1988. Health effects of the alkylbenzenes. I. Toluene. *Toxicol Ind Health* 4:49-75.
- Lund SP, Hass U, Johnson A-C, et al. 1997. Qualitative startle reflex assessment failed to detect toluene induced hearing loss in rats [abstract]. *Neurotoxicology* 18(3):908.
- *Lundberg I, Hakansson M. 1985. Normal serum activities of liver enzymes in Swedish paint industry workers with heavy exposure to organic solvents. *Br J Ind Med* 42:596-600.
- *Lundberg I, Milatou-Smith R. 1998. Mortality and cancer incidence among Swedish paint industry workers with long-term exposure to organic solvents. *Scand J Work Environ Health* 24(4):270-275.
- *Maas EF, Ashe J, Spiegel P, et al. 1991. Acquired pendular nystagmus in toluene addiction. *Neurology* 41:282-285.
- *Mackay D, Leinonen PJ. 1975. Rate of evaporation of low-solubility contaminants from water bodies to atmosphere. *Environ Sci Technol* 9(13):1178-1180.

8. REFERENCES

- *Maestri L, Ghittori S, Imbriani M. 1997. Determination of specific mercapturic acids as an index of exposure to environmental benzene, toluene, and styrene. *Ind Health* 35:489-501.
- Magnusson AK, Sulaiman MR, Dutia MB, et al. 1998. Effects of toluene on tonic firing and membrane properties of rat medial vestibular nucleus neurones in vitro. *Brain Res* 779:334-337.
- *Magos GA, Lorenzana-Jimenez M, Vidrio H. 1990. Toluene and benzene inhalation influences on ventricular arrhythmias in the rat. *Neurotoxicol Teratol* 12:119-124.
- *Maki-Paakkanen J, Husgafvel-Pursiainen K, Kalliomaki P-L, et al. 1980. Toluene-exposed workers and chromosome aberrations. *J Toxicol Environ Health* 6:775-781.
- Malhotra D, Shapiro JI, Chan L. 1991. Nuclear magnetic resonance spectroscopy in patients with anion-gap acidosis. *J Am Soc Nephrol* 2:1046-1050.
- *Maltoni C, Ciliberti A, Pinto C et al. 1997. Results of long-term experimental carcinogenicity studies of the effects of gasoline, correlated fuels, and major gasoline aromatics on rats. *Ann N Y Acad Sci* 837:15-52.
- Mancha R, Diaz G, Arese A. 1997. Prediction of bioaccumulation potential of some aromatic hydrocarbons in indicator species of ecotoxicity. *Bull Environ Contam Toxicol* 59:422-429.
- Mar TF. 1998. The effects of physical activity and gender on the toxokinetics of toluene in human volunteers. *Diss Abstr Int B* 60(1):153.
- Marconi PMB, Campagna G, Fabri G, et al. 1999. Short communications: Allergic contact dermatitis from colour developers used in automated photographic processing. *Contact Dermatitis* 40:109-117.
- Marshall EG, Gensburg LJ, Deres DA, et al. 1997. Maternal residential exposure to hazardous wastes and risk of central nervous system and musculoskeletal birth defects. *Arch Environ Health* 52(6):416-425.
- *Maruff P, Burns CB, Tyler P, et al. 1998. Neurological and cognitive abnormalities associated with chronic petrol sniffing. *Brain* 121:1903-1917.
- Massa TH, Gerber T, Pfaffenholz V, et al. 1990. A host-mediated *in vivo/in vitro* assay with peritoneal murine macrophages for the detection of carcinogenic chemicals. *J Cancer Res Clin Oncol* 116:357-364.
- Mathews JM, Raymer JH, Etheridge AS, et al. 1997. Do endogenous volatile organic chemicals measured in breath reflect and maintain CYP2E1 levels in vivo? *Toxicol Appl Pharmacol* 146:255-260.
- *Matiella JE, Hsieh T. 1991. Volatile compounds in scrambled eggs. *J Food Sci* 56(2):387-390.
- *Matsuoka M, Matsumura H, Igisu H, et al. 1997. Effects of single exposure to toluene vapor on the expression of immediate early genes and GFAP gene in the mouse brain. *Arch Toxicol* 71:722-723.
- *Matsushita T, Arimatsu Y, Ueda A, et al. 1975. Hematological and neuromuscular response of workers exposed to low concentration of toluene vapor. *Ind Health* 13:115-121.
- Mattia CJ, LeBel CP, Bondy SC. 1991. Effects of toluene and its metabolites on cerebral reactive oxygen species generation. *Biochem Pharmacol* 42:879-882.

8. REFERENCES

- Mattsson JL, Albee RR, Gorzinski SJ. 1989. Similarities of toluene and o-cresol neuroexcitation in rats. *Neurotoxicol Teratol* 11:71-75.
- *Mattsson JL, Gorzinski SJ, Albee RR, et al. 1990. Evoked potential changes from 13 weeks of simulated toluene abuse in rats. *Pharmacol Biochem Behavior* 36:683-689.
- *Mayr U, Butsch A, Schneider S. 1992. Validation of two in vitro test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. *Toxicology* 74:135-149.
- *MB Research Laboratories, Inc. 1975. Report on primary renal irritation in rabbits. Mobil, Project No. MB750-956.
- *McCann MF. 1992. Occupational and environmental hazards in art. *Environ Res* 59:139-144.
- *McDiarmid MA, PSJ Lees, J Agnew et al. 1991. Reproductive hazards of fire fighting II. Chemical hazards. *Am J Ind Med* 19(4):447-472.
- McDonald JC, Lavoie J, Cote R, et al. 1987. Chemical exposures at work in early pregnancy and congenital defect: a case-referent study. *Br J Ind Med* 44:527-533.
- McGilvery RW, Goldstein GW, eds. 1983. *Biochemistry: A functional approach*. Philadelphia, PA: W.B. Saunders Company, 218.
- McMurray WC, ed. 1982. Cell membranes. In: *A synopsis of human biochemistry*. Philadelphia, PA: Harper & Row, 222-225.
- McMurray WC, ed. 1983. *Essentials of human metabolism: The relationship of biochemistry to human physiology and disease*. Philadelphia, PA: Harper & Row, 196.
- MDEQE. 1989. Massachusetts drinking water standards and guidelines. Boston, MA: Massachusetts Department of Environmental Quality Engineering. Written Communication (March).
- Mead C, Pentreath VW. 1998. Evaluation of toxicity indicators in rat primary astrocytes, C6 glioma and human 1321N1 astrocytoma cells: Can gliotoxicity be distinguished from cytotoxicity? *Arch Toxicol* 72:372-380.
- *Mehta C S, Sun P N, Zikarge A et al. 1998. Acute toxicity of toluene in male and female rats: A single oral dose exposure 2-week study. *Toxic Substances Mechanisms* 17:43-55.
- *Menev KM Davidson CM, Littlejohn D. 1998. Use of solid-phase extraction in the determination of benzene, toluene, ethylbenzene, xylene and cumene in spiked soil and investigation of soil spiking methods. *Analyst* 123(2):195-200.
- Mergler D, Beauvais B. 1992. Olfactory threshold shift following controlled 7-hour exposure to toluene and/or xylene. *Neurotoxicology* 13:211-216.
- Mester KG, Kosson DS. 1996. Anaerobic biodegradation of toluene under denitrifying conditions in contaminated groundwater and soil. *Haz Waste Haz Mater* 45:219-232.
- Metrick SA, Brenner RP. 1982. Abnormal brainstem auditory evoked potentials in chronic paint sniffers. *American Neurological Association* 12:553-556.

8. REFERENCES

- *Meulenbelt J, de Groot G, Savelkoul TJ. 1990. Two cases of acute toluene intoxication. *Br J Ind Med* 47:417-420.
- *Michael LC, Erickson MD, Parks SP, et al. 1980. Volatile environmental pollutants in biological matrices with a head space purge technique. *Anal Chem* 52:1836-1841.
- *Michael LC, Pellizzari ED, Norwood DL. 1990a. Application of the master analytical scheme to the determination of volatile organics in wastewater influents and effluents. *Environ Sci Technol* 25:150-155.
- *Michael LC, Pellizzari ED, Perritt RL, et al. 1990b. Comparison of indoor, backyard, and centralized air monitoring strategies for assessing personal exposure to volatile organic compounds. *Environ Sci Technol* 24(7):1996-1003.
- *Michael LC, Pellizzari ED, Wiseman RW. 1988. Development and evaluation of a procedure for determining volatile organics in water. *Environ Sci Technol* 22(5):565-570.
- Michitsuji H, Fujiki Y, Ogata M. 1997a. Biological exposure indicators for low exposure to toluene. *Kawasaki Journal of Medical Welfare* 3(1):1-18.
- Michitsuji H, Fujiki Y, Ogata M. 1997b. Estimating the amounts of toluene inhaled by workers wearing protective masks by measuring determinants derived from toluene in biological specimens. *Kawasaki Journal of Medical Welfare* 3(2):63-71.
- *Midford R, Rose J, Fleming DT, et al. 1993. Glue: what's really in it for sniffers. *Med J Aust* 159(9):634-5.
- Miller C, Bunegin L, Rodgers W. 1997. Increased startle response following low level toluene exposure [abstract]. *Abstr Soc Neurosci* 23:1935.
- Miller MJ, Edwards JW. 1999. Possible preferential metabolism of xylene isomers following occupational exposure to mixed xylenes. *Int Arch Occup Environ Health* 72:89-97.
- Minoia C, Meroni G, Aprea C, et al. 1996. Environmental and urinary reference values as markers of exposure to hydrocarbons in urban areas. *Sci Total Environ* 19(2):163-82.
- *Miyagawa M, Honma T, Sato M. 1995. Effects of subchronic exposure to toluene on working and reference memory in rats. *Neurotoxicol Teratol* 17(6):657-64.
- *Miyagawa M, Ohtani K, Suda M, et al. 1998. Effects of acute exposure to toluene on mixed schedule-controlled behavior as a memory measure in rats. *J Toxicol Sci* 23(Suppl. 2):352.
- *Miyagi Y, Shima F, Ishido K, et al. 1999. Tremor induced by toluene misuse successfully treated by a Vim thalamotomy. *Journal of Neurosurgery and Psychiatry* 66:794-796.
- Miyazaki T, Kojima T, Yashiki M, et al. 1990. Correlation between "on admission" blood toluene concentrations and the presence or absence of signs and symptoms in solvent abusers. *Forensic Sci Int* 44:169-177.
- Mizutani T, Oohashi N, Naito H. 1989. Myoglobinemia and renal failure in toluene poisoning: A case report. *Vet Hum Toxicol* 31:448-450.

8. REFERENCES

- Moen BE, Kyvik KR, Engelsen BA, et al. 1990. Cerebrospinal fluid proteins and free amino acids in patients with solvent induced chronic toxic encephalopathy and healthy controls. *Br J Ind Med* 47:277-280.
- Mohtashamipur E, Strater H, Triebel R, et al. 1987. Effects of pretreatment of male NMRI mice with enzyme inducers or inhibitors on clastogenicity of toluene. *Arch Toxicol* 60:460-463.
- Mollenhauer HH, Moore DJ, Pikaard D, et al. 1990. An ultrastructural evaluation of toluene toxicity using cultured mammalian cells. *J Submicrosc Cytol Pathol* 22:523-527.
- *Monster AC, Kezic S, van de Gevel I et al. 1993. Evaluation of biological monitoring parameters for occupational exposure to toluene. *Int Arch Occup Environ Health* 65(Suppl):159-162.
- *Montgomery DD, Kalman DA. 1989. Indoor/outdoor air quality: Reference pollutant concentrations in complaint-free residences. *Appl Ind Hyg* 4(1):17-20.
- *Morata TC, Fiorini AC, Fischer FM, et al. 1997. Toluene-induced hearing loss among rotogravure printing workers. *Scand J Work Environ Health* 23(4):289-98.
- Morck HI, Winkel P, Gyntelberg F. 1988. Health effects of toluene exposure. *Danish Med Bull* 196-200.
- Moretto A, Lotti M. 1990. Exposure to toluene increases the urinary excretion of D-glucaric acid. *Br J Ind Med* 47:58-61.
- *Morgan DL, Cooper SW, Carlock DL, et al. 1991. Dermal absorption of neat and aqueous volatile organic chemicals in the Fischer 344 rat. *Environ Res* 55:51-63.
- Moriya F, Hashimoto Y. 1998. Medicolegal implications of drugs and chemicals detected in intracranial hematomas. *J Forensic Sci* 43(5):980-984.
- Morris SM, Casciano DA, Casto BC. 1985. Detection of carcinogens based on *in vitro* mammalian cytogenetic tests. In: HA Milman and EK Weisburger, eds. *Handbook of carcinogen testing*. Park Ridge, NJ: Noyes Publications.
- Morrow LA, Steinhauser SR, Hodgson MJ. 1992. Delay in P300 latency in patients with organic solvent exposure. *Arch Neurol* 49:315-320.
- *Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. *Clin Pharmacokin* 5:485-527.
- Mortensen B, Nilsen OG. 1998a. Allometric species comparison of toluene and n-hexane metabolism: Prediction of hepatic clearance in man from experiments with rodent liver S9 in a head space vial equilibrium system. *Pharmacol Toxicol* 82:183-188.
- Mortensen B, Nilsen OG. 1998b. Optimization and application of the head space liver S9 equilibrium technique for metabolic studies of organic solvents. *Pharmacol Toxicol* 82:142-146.
- Mortensen B, Osvoll PO, Woldbael T, et al. 1998. In vitro screening for metabolic interactions among frequently occurring binary mixtures of volatile organic chemicals in Norwegian occupational atmosphere. *Pharmacol Toxicol* 83:49-56.

8. REFERENCES

- Moser VC, Becking GC, Cuomo V, et al. 1997. The IPCS collaborative study on Neurobehavioral screening methods: V. Results of chemical testing. *Neurotoxicology* 18(4):969-1056.
- *Moszczynski P, Lisiewicz J. 1985. Occupational exposure to benzene, toluene and xylene and the lymphocyte lysosomal N-acetyl-beta-D-glucoaminidase. *Ind Health* 23:47-51.
- *Moszczynsky P, Lisiewicz J. 1984. Occupational exposure to benzene, toluene and xylene and the T lymphocyte functions. *Haematologia* 17(4):449-453.
- *Moya J, Howard-Reed C, Corsi RL. 1999. Volatization of chemicals from tap water to indoor air from contaminated water used for showering. *Environ Sci Technol* 33:2321-2327.
- *Muijser H, Geuskens RBM, Hooisma J et al. 1996. Behavioral effects of exposure to organic solvents in carpet layers. *Neurotoxicology and Teratology* 1(4)8:455-462.
- *Mukerjee S, Ellenson WD, Lewis RG, et al. 1997. An environmental scoping study in the lower Rio Grande Valley of Texas- III. Residential microenvironmental monitoring for air, house dust, and soil. *Environ Int* 23:657-673.
- *Mullin LS, Krivanek ND. 1982. Comparison of unconditioned reflex and conditioned avoidance tests in rats exposed by inhalation to carbon monoxide, 1,1,1-trichloroethane, toluene or ethanol. *Neurotoxicology* 3:126-137.
- *Murata K, Araki S, Yokoyama K, et al. 1993. Cardiac autonomic dysfunction in rotogravure printers exposed to toluene in relation to peripheral nerve conduction. *Ind Health* 31(3):79-90.
- Muttamara S, Leong ST, Lertvisansak I. 1999. Assessment of benzene and toluene emissions from automobile exhaust in Bangkok. *Environmental Research (Section A)* 81:23-31.
- *Muttray A, Wolff U, Jung D, et al. 1997. Blue-yellow deficiency in workers exposed to low concentrations of organic solvents. *Int Arch Occup Environ Health* 70:407-412.
- *Muttray A, Wolters V, Jung D, et al. 1999. Effects of high doses of toluene on color vision. *Neurotoxicol Teratol* 21(1):41-45.
- *Muttray A, Wolters V, Mayer-Popken O, et al. 1995. Effect of subacute occupational exposure to toluene on color vision. *Int J Occup Med Environ Health* 8(4):339-45.
- Naalsund LU. 1986. Chemically induced damage to the hippocampal formation. *Forswarets Forskningsinstitut. Norwegian Defense Research Establishment. NDRE/PUBL-86/1002.*
- *Nakajima T, Sato A. 1979. Enhanced activity of liver drug-metabolizing enzymes for aromatic and chlorinated hydrocarbons following food deprivation. *Toxicol Appl Pharmacol* 50:549-556.
- *Nakajima T, Wang R-S. 1994. Induction of cytochrome P450 by toluene. *Int J Biochem* 26(12):1333-1340.
- *Nakajima T, Wang R-S, Elovaara E, et al. 1991. Monoclonal antibody-directed characterization of cytochrome P-450 isozymes responsible for toluene metabolism in rat liver. *Biochem Pharmacol* 41(3):395-404.

8. REFERENCES

- *Nakajima T, Wang R-S, Elovaara E, et al. 1992a. A comparative study on the contribution of cytochrome P450 isozymes to metabolism of benzene, toluene and trichloroethylene in rat liver. *Biochem Pharmacol* 43:251-257.
- *Nakajima T, Wang R-S, Elovaara E, et al. 1993. Cytochrome P450-related differences between rats and mice in the metabolism of benzene, toluene and trichloroethylene in liver microsomes. *Biochem Pharmacol* 45(5):1079-1085.
- *Nakajima T, Wang R-S, Elovaara E, et al. 1997. Toluene metabolism by cDNA-expressed human hepatic cytochrome P-450. *Biochemical Pharmacology* 53(3):271-277.
- *Nakajima T, Wang R-S, Katakura Y, et al. 1992b. Sex-, age- and pregnancy-induced changes in the metabolism of toluene and trichloroethylene in rat liver in relation to the regulation of cytochrome P45011E1 and P45011C11 content. *J Pharmacol Exp Ther* 261(3):869-874.
- *Nakamura S, Oda Y, Shimada T, et al. 1987. SOS-inducing activity of chemical carcinogens and mutagens in *Salmonella typhimurium* TA1535/pSK1002: examination with 151 chemicals. *Mutat Res* 192:239-246.
- Nakatsuka H, Watanabe T, Takeuchi Y, et al. 1992. Absence of blue-yellow color vision loss among workers exposed to toluene or tetrachloroethylene, mostly at levels below occupational exposure limits. *Int Arch Occup Environ Health* 64:113-117.
- Naruse M. 1984. Effects on mice of long-term exposure to organic solvents in adhesives. *Nagoya Med J* 28:183-210.
- NAS. 1980. Drinking water and health: Volume 3. National Academy of Sciences, Safe Drinking Water Committee. Washington, DC: National Academy Press, 168-173.
- *NAS/NRC. 1989. Report of the oversight committee. In: Biologic markers in reproductive toxicology. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press.
- NATICH. 1991. National Air Toxics Information Clearinghouse Report on state, local, and EPA air toxics activities. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, NC. September 19, 1991.
- *NATICH. 1992. National air toxics information clearinghouse. Report on state, local, and EPA air toxics activities. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, NC. September 1, 1992.
- NCI. 1979. National Cancer Institute. Bioassay of styrene for possible carcinogenicity. Technical report series no. 185. National Institutes of Health, DEHW Pub no. 79-1741.
- *NCI. 1985. Monograph on human exposure to chemicals in the workplace: toluene. Bethesda, MD: National Cancer Institute, Division of Cancer Etiology. PB86-144698.
- Neff JM, Sauer TC. 1996. Aromatic hydrocarbons in produced water: Bioaccumulation and trophic transfer in marine food webs. In: Reed M, Johnsen S, ed. Produced water 2: Environmental issues and mitigation technologies. New York, NY: Plenum Press, 163-175.

8. REFERENCES

- Neghab M, Stacey NH. 1997. Toluene-induced elevation of serum bile acids: relationship to bile acid transport. *J Toxicol Environ Health* 52(3):249-68.
- Nelson PR, Kelly SP, Conrad FW. 1998. Studies of environmental tobacco smoke generated by different cigarettes. *Air Pollut. Cont. Assoc. J.* 48:336-344.
- *Nestmann ER, Lee E, Matula TI, et al. 1980. Mutagenicity of constituents identified in pulp and paper mill effluents using the salmonella/mammalian-microsome assay. *Mutat Res* 79:203-212.
- Neumann CM, Forman DL, Rothlein JE. 1998. Hazard screening of chemical releases and environmental equity analysis of populations proximate to toxic inventory facilities in Oregon. *Environ Health Perspect* 106(4):217-226.
- *NFPA. 1994. Fire protection guide to hazardous materials. 11th edition. National Fire Protection Association. Quincy, MA.
- *Ng TP, Foo SC, Yoong T. 1992a. Menstrual function in workers exposed to toluene. *Br J Ind Med* 49:799-803.
- *Ng TP, Foo SC, Yoong T. 1992b. Risk of spontaneous abortion in workers exposed to toluene. *Br J Ind Med* 49:804-808.
- *Ng TP, Ong SG, Lam WK, et al. 1990. Urinary levels of proteins and metabolites in workers exposed to toluene. *Int Arch Occup Environ Health* 62:43-46.
- Niederlehner BR, Cairns J, Smith EP. 1998. Modeling acute and chronic toxicity of nonpolar narcotic chemicals and mixtures to *Ceriodaphnia dubia*. *Ecotoxicol Environ Saf* 39:136-146.
- *Nielsen HK, Krusell L, Baelum J, et al. 1985. Renal effects of acute exposure to toluene. *Acta Med Scand* 218:317-321.
- *Niklasson M, Arlinger S, Ledin T, et al. 1998. Audiological disturbances caused by long-term exposure to industrial solvents. Relation to the diagnosis of toxic encephalopathy. *Scand Audiol* 27:131-136.
- *NIOSH. 1984a. Hippuric acid in urine, method 8300. NIOSH manual of analytical methods. 3rd ed. Volume 1. Cincinnati, OH: National Institute for Occupational Safety and Health. 8300-1-8300-3.
- *NIOSH. 1984b. Hippuric and methyl hippuric acids in urine, method 8301. NIOSH manual of analytical methods. 3rd ed. Volume 1. NIOSH. Cincinnati, OH: National Institute for Occupational Safety and Health.
- *NIOSH. 1986. NIOSH recommendations for occupational safety and health standards. Atlanta, GA: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. September, 1986.
- NIOSH. 1987. Toluene-method 4000. NIOSH Manual of Analytical Methods. 3rd ed. Cincinnati, OH: National Institute for Occupational Safety and Health.
- NIOSH. 1988a. Health hazard evaluation report. Washington, DC: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB88-237664.

8. REFERENCES

- NIOSH. 1988b. Health hazard evaluation. Report HETA 86-428-1910, Commonwealth of Kentucky: Department of Transportation Manchester, Kentucky. Cincinnati, OH: U.S. Department of Commerce, National Institute for Occupational Safety and Health. PB89-120638.
- NIOSH. 1988c. Industrywide studies report of an indepth survey at Firestone Tire and Rubber Company, Des Moines, Iowa, Report No. IWS-147-38. Cincinnati, OH: Centers for Disease Control, National Institute for Occupational Safety and Health. PB88-247887.
- NIOSH. 1989a. Health hazard evaluation report. Washington, DC: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB90-179102.
- *NIOSH. 1994. NIOSH manual of analytical methods 4th edition. U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control and Prevention, National Institute for Occupational Safety and Health.
- NIOSH. 1997. NIOSH pocket guide to chemical hazards. U.S. Department of Health and Human Services. Public Health Services. Centers for Disease Control and Prevention. National institute for occupational safety and health. June 1997.
- *NIOSH. 1999. Toluene. Online pocket guide to chemical hazards. [Wysiwyg://58/http://www.cdc.gov/niosh/npg/npg.html](http://www.cdc.gov/niosh/npg/npg.html).
- *Nise G. 1992. Urinary excretion of o-cresol and hippuric acid after toluene exposure in rotogravure printing. *Int Arch Occup Environ Health* 63:377-381.
- Nise G, Attewell R, Skerfving S, et al. 1989. Elimination of toluene from venous blood and adipose tissue after occupational exposure. *Br J Ind Med* 46:407-411.
- *Nise G, Hogstedt B, Bratt I, et al. 1991. Cytogenetic effects in rotogravure printers exposed to toluene (and benzene). *Mutat Res* 261:217-223.
- *NJ Dept Env Protec. 1993. Ground water quality standards. New Jersey Department of Environmental Protection, Division of Water Quality. N.A.J.C. 7:9-6. <http://www.state.nj.us/dep/>
- Norstrom A, Andersson B, Aringer L, et al. 1988. Determination of specific mercapturic acids in human urine after experimental exposure to toluene or o-xylene. *IARC Sci Publ* 89:232-234.
- NRC. 1980. National Research Council. The alkyl benzenes. Washington, DC: National Academy Press.
- *NRC. 1993. National Research Council. Pesticides in the diets of infants and children. Washington, DC: National Academy Press.
- NTIS. 1990. Lifetimes and fates of toxic air contaminants in California's atmosphere. Riverside, CA: Statewide Air Pollution Research Center. PB90-253204.
- *NTP. 1990. National Toxicology Program technical report series toxicology and carcinogenesis studies of toluene (CAS No. 108-88-3) in F344/N rats and 86C3F mice (inhalation studies). Research Triangle Park, NC: U.S. Environmental Protection Agency, Department of Health and Human Services. No. 371. PB90-256371.

8. REFERENCES

- NTP. 1991. National Toxicology Program. Sixth annual report on carcinogens. U.S. Department of Health and Human Services, Public Health Service, Research Triangle Park, NC.
- Nylen P, Ebendal T, Eriksdotter-Nilsson M, et al. 1989. Testicular atrophy and loss of nerve growth factor-immunoreactive germ cell line in rats exposed to n-hexane and a protective effect of simultaneous exposure to toluene or xylene. *Arch Toxicol* 63:296-307.
- Nylen P, Larsby B, Johnson AC, et al. 1991. Vestibular-oculomotor, opto-oculomotor and visual function in the rat after long-term inhalation exposure to toluene. *Acta Otolaryngol* 111:36-43.
- *Ogata M. 1984. Estimation of solvent concentrations in ambient air from urinary metabolite levels of workers exposed to solvents. *Ind Health* 22:319-324.
- Ogata M, Taguchi T. 1988. Simultaneous determination of urinary creatinine and metabolites of toluene, xylene, styrene, ethylbenzene and phenol by automated high performance liquid chromatography. *Int Arch Occup Environ Health* 61:131-140.
- Ogata M, Tomokuni K, Takatsuka Y. 1970. Urinary excretion of hippuric acid and — or p-methylhippuric acid in the urine of persons exposed to vapours of toluene and — or p-xylene as a test of exposure. *Br J Med* 27:43-50.
- *OK Dept Env Quality. 1997. Water quality standards. Oklahoma Department of Environmental Quality, Water Resources Board. Chapter 45. <http://www.deq.state.ok.us/>.
- *Olsen RH, Mikesell MD, Kukor JJ, et al. 1995. Physiological attributes of microbial BTEX degradation in oxygen-limited environments. *Environ Health Perspect Suppl* 103(5):49-51.
- *Olsson H, Brandt L. 1980. Occupational exposure to organic solvents and Hodgkin's disease in men. *Scand J Work Environ Health* 6:302-305.
- *Ono A, Sekita K, Ogawa Y, et al. 1996. Reproductive and developmental toxicity studies of toluene: II. Effects of inhalation exposure on fertility in rats. *J Environ Pathol Toxicol Oncol* 15(1):9-20.
- *Ono A, Sekita K, Ohno K, et al. 1995. Reproductive and developmental toxicity studies of toluene: I. Teratogenicity study of inhalation exposure in pregnant rats. *J Toxicol Sci* 20(2):109-34.
- *Orbaek P, Nise G. 1989. Neurasthenic complaints and psychometric function of toluene-exposed rotogravure printers. *Am J Ind Med* 16:67-77.
- Orbaek P, Osterberg K, Akesson B, et al. 1998. Suprathreshold intensity and annoyance reactions in experimental challenge to toluene and n-butyl acetate among subjects with long-term solvent exposure. *Scand J Work Environ Health* 24(5):432-438.
- Osborne DJ, Pickup RW, Williams PA. 1988. The presence of two complete homologous meta pathway operons on TOL plasmid pWW53. *J Gen Microbiol* 134:2965-2975.
- *OSHA. 1974. Occupational safety and health standards. Air contaminants. U.S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000, Table Z-2.

8. REFERENCES

- OSHA. 1978. Occupational Safety and Health Administration. OSHA Safety and Health Standard. 29CFR 1910. Washington, DC. U.S. Department of Labor.
- *OSHA . 1989a. Air contaminants. Occupational Safety and Health Administration. Department of Labor. Federal Register 54 FR 2422.
- OSHA. 1989b. Occupational Safety and Health Administration. Federal Register, 54:2332-2959.
- *OSHA. 1993. Air contaminants. Occupational Safety and Health Administration. Federal Register. 58 FR 35338-35340. June 30, 1993.
- *OSHA. 1999a. U. S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.
- *OSHA 1999b. U. S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1000
- *OSHA 1999c. U. S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.55.
- Ostermark U, Petersson G. 1992. Assessment of hydrocarbons in vapours of conventional and alkylate-based petrol. *Chemosphere* 25:763-768.
- *OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment. OTA-BA-438.
- *Otson R, Doyle EE, Williams DT, et al. 1983. Survey of selected organics in office air. *Bull Environ Contam Toxicol* 31:222-229.
- *Ovrum P, Hultengren M, Lindqvist T. 1978. Exposure to toluene in a photogravure printing plant. *Scand J Work Environ Health* 4:237-245.
- *Owen GM, Brozek J. 1966. Influence of age, sex, and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. *Human development*. Philadelphia, PA: Saunders, 222-238.
- Oztezcan S, Mutlu-Turkoglu O, Toker G, et al. 1997. Effects of acute and chronic thinner administration on liver and brain lipid peroxidation and antioxidant system in rats. *Research Communications in alcohol and substances of abuse* 18(3-4):109-114.
- PACE. 1983. The significance of trace substances in petroleum industry sludges disposed on land: A literature survey. Petroleum Association for the Conservation of the Canadian Environment. Ottawa, Ontario, Canada.
- *Page BD, Conacher HB, Salminen J et al. 1993. Survey of bottled drinking water sold in Canada: Part 2. Selected volatile organic compounds. *J AOAC Int* 76(1):26-31.
- Paksy KA, Moinar J, Naray M, et al. 1982. Comparative study on the acute effects of benzene, toluene and m-xylene in the rat. *Acta Physiol Acad Scient* 59:317-324.
- Pankow D, Matsciner F, Weigmann HJ. 1991. Influence of aromatic hydrocarbons on the metabolism of dichloromethane to carbon monoxide in rats. *Toxicology* 68:89-100.

8. REFERENCES

- Pankow JF, Rosen ME. 1988. Determination of volatile compounds in water by purging directly to a capillary column with whole column cryotrapping. *Environ Sci Technol* 22:398-405.
- Pankow JF, Ligocki MP, Rosen ME, et al. 1988. Adsorption/thermal desorption with small cartridges for the determination of trace aqueous semivolatile organic compounds. *Anal Chem* 60:40-47.
- Papazafin P, Zarani FE, Lalchev S, et al. 1997. Identification of cytogenetic alterations induced by heavy metals and organic solvents [abstract]. *Mutat Res* 379(Suppl. 1):S107.
- *Paraf F, Lewis J, Jothy S. 1993. Acute fatty liver of pregnancy after exposure to toluene. A case report. *J Clin Gastroenterol* 17(2):163-5.
- Park JK, Bontoux L, Holsen TM, et al. 1991. Permeation of polybutylene pipe and gasket material by organic chemicals. *J AWWA* 71-78.
- Park SW, Kim NY, Yang YG, et al. 1998. Toluene distribution of glue sniffers' biological fluid samples in Korea. *J Forensic Sci* 43(4):888-890.
- *Parmeggiani L, Sassi C. 1954. [Occupational risk of toluene: Environmental studies and clinic investigations of chrome intoxication.] *Med Lavoro* 45:574-587. (Italian)
- Parry EM, Ballantine JA, Ellard S, et al. 1997. Biomonitoring study of a group of workers potentially exposed to traffic fumes. *Environ Mol Mutagen* 30:119-130.
- Patel GB, Agnew BJ, Dicaire CJ. 1991. Inhibition of pure cultures of methanogens by benzene ring compounds. *Appl Environ Microbiol* 57:2969-2974.
- *Patel R, Benjamin J. 1986. Renal disease associated with toluene inhalation. *Clin Toxicol* 24(3):213-223.
- *Paterson SC, Sarvesvaran R. 1983. Plastic bag death: A toluene fatality. *Med Sci Law* 23(1):64-66.
- Pathiratne A, Puyear RL, Brammer JD. 1986a. Activation of ^{14}C -toluene to covalently binding metabolites by rat liver microsomes. *Drug Metab Dispos* 14(4):386-391.
- Pathiratne A, Puyear RL, Brammer JD. 1986b. A comparative study of the effects of benzene, toluene, and xylenes on their *in vitro* metabolism and drug-metabolizing enzymes in rat liver. *Toxicol Appl Pharmacol* 82:272-280.
- *Paulson L, Kilens G. 1996. Solvent and noise exposure at a wood furniture manufacturing facility. *Appl Occup Environ Hyg* 11(8):1045-1047.
- *Pavlostathis SG, Mathavan GN. 1992. Desorption kinetics of selected volatile organic compounds from field contaminated soils. *Environ Sci Technol* 26(3):532-538.
- *Pearson MA, Hoyme HE, Seaver LH, et al. 1994. Toluene embryopathy: delineation of the phenotype and comparison with fetal alcohol syndrome. *Pediatrics* 93(2):211-5.
- Pekari K, Riekkola ML, Aitio A. 1989. Simultaneous determination of benzene and toluene in the blood using head-space gas chromatography. *J Chromatogr* 491:309-320.

8. REFERENCES

- *Pelcova D, Rossner P, Pickova J. 1990. Chromosome aberrations in rotogravure printing plant workers. *Mutat Res* 245:299-303.
- *Pellizzari ED, Hartwell TD, Haris BSH, et al. 1982. Purgeable organic compounds in mother's milk. *Bull Environ Contam Toxicol* 28:322-328.
- Pellizzari ED, Perritt RL, Clayton CA. 1999. National human exposure assessment survey (NHEXAS): exploratory survey of exposure among population subgroups in EPA region V. *J Expo Anal Environ Epidemiol* 9:49-55.
- *Pellizzari ED, Wallace LA, Gordon SM. 1992. Elimination kinetics of volatile organics in humans using breath measurements. *J Expo Anal Environ Epidemiol* 2(3):341-55.
- *Perbellini L, Leone R, Fracasso ME, Brugnone F, et al. 1982. Metabolic interaction between *n*-hexane and toluene in vivo and in vitro. *Int Arch Occup Environ Health* 50:351-358.
- *Periago JF, Zambudio A, Prado C. 1997. Evaluation of environmental levels of aromatic hydrocarbons in gasoline service stations by gas chromatography. *J Chromatogr A* 778(1-2):263-8.
- Pettigrew CA, Haigler BE, Spain JC. 1991. Simultaneous biodegradation of chlorobenzene and toluene by a pseudomonas strain. *Appl Environ Microbiol* 57:157-162.
- Phelps TJ, Niedzielski JJ, Malachowsky KJ, et al. 1991. Biodegradation of mixed-organic wastes by microbial consortia in continuous-recycle expanded-bed bioreactors. *Environ Sci Technol* 25:1461-1465.
- Phillips LJ, Birchard GF. 1991. Regional variations in human toxics exposure in the USA: An analysis based on the national human adipose tissue survey. *Arch Environ Contam Toxicol* 21:159-168.
- Piatt JJ, Brusseau ML. 1998. Rate-limited sorption of hydrophobic organic compounds by soils with well-characterized organic matter. *Environ Sci Technol* 32:1604-1608.
- *Pierce CH, Dills RL, Morgan MS, et al. 1996. Interindividual differences in $^2\text{H}_8$ -toluene toxicokinetics assessed by semi-empirical physiologically based model. *Toxicol Appl Pharmacol* 139(1):49-61.
- Pierce CH, Dills RL, Morgan MS, et al. 1997. letters to the editor: Reply. *Toxicol Appl Pharmacol* 146:328-329.
- *Pierce CH, Dills RL, Morgan MS, et al. 1998. Biological monitoring of controlled toluene exposure. *Int Arch Occup Environ Health* 71:433-444.
- *Pierce CH, Lewandowski TA, Dills RL, et al. 1999. A comparison of 1H_8 - and 2H_8 -toluene toxicokinetics in men. *Xenobiotica* 29(1):93-108.
- *Pitarque M, Vaglenov A, Nosko M, et al. 1999. Evaluation of DNA damage by the comet assay in shoe workers exposed to toluene and other organic solvents. *Mutat Res* 441:115-127.
- *Plappert U, Barthel E, Seidel HJ. 1994. Reduction of benzene toxicity by toluene. *Environ Mol Mutagen* 24:283-292.
- Pleil JD, Oliver KD, McClenny WA. 1988. Ambient air analyses using nonspecific flame ionization and electron capture detection compared to specific detection by mass spectroscopy. *JAPCA* 38:1006-1010.

8. REFERENCES

- *Poblano A, Lope-Huerta M, Martinez JM, et al. 1996. Pattern-visual evoked potentials in thinner abusers. *Arch Med Res* 27(4):531-3.
- *Poon R, Chu I, Bjarnason S, et al. 1994. Inhalation toxicity study of methanol, toluene, and methanol/toluene mixtures in rats: effects of 28-day exposure. *Toxicol Ind Health* 10(3):231-45.
- Popp W, Vahrenholz C, Yaman S, et al. 1992. Investigations of the frequency of DNA strand breakage and cross-linking and of sister chromatid exchange frequency in the lymphocytes of female workers exposed to benzene and toluene. *Carcinogenesis* 13:57-61.
- Poulin P, Krishnan K. 1999. Molecular structure-based prediction of the toxicokinetics of inhaled vapors in humans. *Int J Toxicol Occup Environ Health* 18:7-18.
- Powers MB. 1979. Memorandum for the record from the NTP Chemical Selection Group, Toxicology Branch, CGT, DCCP, National Institute, Washington, DC: May 25, 1979.
- Prah JD, Case MW, Goldstein GM. 1998. 1998 equivalence of sensory responses to single and mixed volatile organic compounds at equimolar concentrations. *Environ Health Perspect* 106(11):739-744.
- Press E, Done AK. 1967. Solvent sniffing. Physiologic effects and community control measures for intoxication from the intentional inhalation of organic solvents. II. *Pediatr* 39:451-461, 611-622.
- *Price KS, Waggy GT, Conway RA. 1974. Brine shrimp bioassay and seawater BOD of petrochemicals. *J Water Pollut Control Assoc* 46(1):63-76.
- *Pryor GT. 1991. A toluene-induced motor syndrome in rats resembling that seen in some human solvent abusers. *Neurotoxicol Teratol* 13:387-400.
- *Pryor GT, Rebert CS. 1992. Interactive effects of toluene and hexane on behavior and neurophysiologic responses in Fischer-344 rats. *Neurotoxicology* 13:225-234.
- *Pryor GT, Dickinson J, Feeney E, et al. 1984a. Hearing loss in rats first exposed to toluene as weanlings or as young adults. *Neurobehav Toxicol Teratol* 6:111-119.
- *Pryor GT, Rebert CS, Dickinson J, et al. 1984b. Factors affecting toluene-induced ototoxicity in rats. *Neurobehav Toxicol Teratol* 6:223-238.
- *Pryor G, Rebert C, Kassay K, et al. 1991. The hearing loss associated with exposure to toluene is not caused by a metabolite. *Brain Res Bull* 27:109-113.
- *Purcell KJ, Cason GH, Gargas ML, et al. 1990. *In vivo* metabolic interactions of benzene and toluene. *Toxicol Lett* 52:141-152.
- Pyykko K. 1983a. Age- and sex-related differences in rat liver microsomal enzymes and their inducibility by toluene. *Acta Pharmacol Toxicol (Copenh)* 53:401-409.
- *Pyykko K. 1983b. Time-course of effects of toluene on microsomal enzymes in rat liver, kidney and lung during and after inhalation exposure. *Chem Biol Interact* 44:299-310.

8. REFERENCES

- Pyykko K. 1984. Effects of pretreatment with toluene, phenobarbital, and 3-methylcholanthrene on the *in vivo* metabolism of toluene on the excretion of hippuric acid in the rat. *Pharmacol Res Comm* 16(3):217-225.
- Pyykko K. 1986. Inhibition of microsomal monooxygenases *in vitro* by aromatic hydrocarbons. *Arch Toxicol (Suppl)* 9:371-373.
- *Pyykko K, Paavilainen S, Metsa-Ketela T, et al. 1987. The increasing and decreasing effects of aromatic hydrocarbon solvents on pulmonary and hepatic cytochrome P-450 in the rat. *Pharmacol Toxicol* 60:288-293.
- *Pyykko K, Tahti H, Vapaatalo H. 1977. Toluene concentrations in various tissues of rats after inhalation and oral administration. *Arch Toxicol* 38:169-176.
- *Raaschou-Nielsen O, Lohse C, Thomsen BL et al. 1997. Ambient air levels and the exposure of children to benzene, toluene, and xylenes in Denmark. *Environ Res* 75(2):149-59.
- *Rahill AA, Weiss B, Morrow PE, et al. 1996. Human performance during exposure to toluene. *Aviat Space Environ Med* 67(7):640-7.
- *Ramsey JC, Andersen ME. 1984. A physiologically based description of the inhalation pharmacokinetics of styrene in rats and humans. *Toxicol Appl Pharmacol* 73:159-175.
- Rana SVS, Gupta S. 1999. Phenobarbital alters liver and kidney function in toluene- and trichloroethylene-treated rats. *Toxic Substance Mechanisms* 18:3-10.
- Rana SV, Kumar S. 1995. Antioxidative enzyme in the liver of rats after exposure to xylene, toluene and methyl alcohol separately and in combination. *Physiol Chem Phys Med Nmr* 27(1):25-9.
- Rardif R, Plaa GL, Brodeur J. 1992. Influence of various mixtures of inhaled toluene and xylene on the biological monitoring of exposure to these solvents in rats. *Can J Physiol Pharmacol* 70:385-393.
- *Rea TM, Nash JF, Zabik JE, et al. 1984. Effects of toluene inhalation on brain biogenic amines in the rat. *Toxicology* 31:143-150.
- *Rebert CS, Matteucci MJ, Pryor GT. 1989a. Acute electrophysiologic effects of inhaled toluene on adult male Long-Evans rats. *Pharmacol Biochem Behav* 33:157-165.
- *Rebert CS, Matteucci MJ, Pryor GT. 1989b. Multimodal effects of acute exposure to toluene evidenced by sensory-evoked potentials from Fischer-344 rats. *Pharmacol Biochem Behavior* 32:757-768.
- *Rees DC, Wood RW, McCormick JP, et al. 1985. Toxicokinetics of toluene in the rat. *Scand J Work Environ Health* 11:301-306.
- Rehwagen M, Schlink U, Herbath O, et al. 1999. Pollution profiles at different kindergarten sites in Leipzig, Germany. *Environmental Toxicology* 14(3):321-327.
- Rembold H, Wallner P, Nitz S, et al. 1989. Volatile components of chickpea (*cicer arietinum* L.) seed. *J Agric Food Chem* 37:659-662.

8. REFERENCES

- *RI Dept Env Management. 1992. Air toxics. Rhode Island Department of Environmental Management, Division of Air and Hazardous Materials. Air pollution control regulation No. 22. <http://www.sec.state.ri.us/dem/>.
- *Richer CL, Chakrabarti S, Senecal-Quevillon M et al. 1993. Cytogenetic effects of low-level exposure to toluene, xylene, and their mixture on human blood lymphocytes. *Int Arch Occup Environ Health* 64(8):581-5.
- *RIDH. 1989. Rhode Island Department of Health. Report of chemicals detected in private wells. Office of Private Well Water Contamination, Providence, Rhode Island.
- *Riedel K, Ruppert T, Conze C, et al. 1996. Determination of benzene and alkylated benzenes in ambient and exhaled air by microwave desorption coupled with gas chromatography-mass spectrometry. *Journal of Chromatography A*:719:383-389.
- Riegel AC, French ED. 1997. Hypoxia alters rat A10 VTA activity (excitation of non-DA and inhibition of DA): Implications for inhalant abuse [abstract]. *Abstr Soc Neurosci* 23:1109.
- Riegel AC, French ED. 1999. Acute toluene induces biphasic changes in rat spontaneous locomotor activity which are blocked by reomoxipride. *Pharmacol Biochem Behav* 62(3):399-402.
- Riemer D, Pos W, Milne P, et al. 1998. Observations of nonmethane hydrocarbons and oxygenated volatile organic compounds at a rural site in the southeastern United States. *J Geophys Res* 103(D21):28111-28128.
- *Robinson KG, Farmer WS, Novak JT. 1990. Availability of sorbed toluene in soils for biodegradation by acclimated bacteria. *Water Res* 24(3):345-350.
- *Roch F, Alexander M. 1997. Inability of bacteria to degrade low concentrations of toluene in water. *Environ Toxicol Chem* 16(7):1377-1383.
- *Romer K, Federsel R, Freundt K. 1986. Rise of inhaled toluene, ethyl benzene, xylene, mesitylene in rat blood after treatment with ethanol. *Bull Environ Contam Toxicol* 37:874-876.
- *Rosenberg NL, Kleinschmidt-Demasters BK, Davis KA, et al. 1988a. Toluene abuse causes diffuse central nervous system white matter changes. *Ann Neurol* 23(6):611-614.
- *Rosenberg NL, Spitz MC, Filley CM, et al. 1988b. Central nervous system effects of chronic toluene abuse@clinical, brainstem evoked response and magnetic resonance imaging studies. *Neurotoxicol Teratol* 10:489-495.
- Rosenfeld JK, Plumb RH. 1991. Ground water contamination at wood treatment facilities. *Ground Water Monitoring Review* 11:133-140.
- Rosin J, Bartosz G, Wronska-Nofer T. 1988. Studies on the effect of ethanol and/or toluene on rat erythrocytes. *J Appl Toxicol* 8:369-372.
- Rothberg M, Heloma A, Svinhufvud J, et al. 1998. Measurement and analysis of nicotine and other VOCs in indoor air as an indicator of passive smoking. *Ann Occup Hyg* 42(2):129-134.

8. REFERENCES

- Roy WR, Griffin RA. 1991. An analytical model for in situ extraction of organic vapors. *Journal of Hazardous Materials* 26:301-317.
- *RTECS. 1998. Toluene. Registry of Toxic Effects of Chemical Substances. National Institute for Occupational Safety and Health.
- Rubino FM, Florida L, Tavazzani M, et al. 1998. Height profile of some air quality markers in the urban atmosphere surrounding a 100m tower building. *Atmos Environ* 32(20):3569-3580.
- Ruiz J, Bilbao R, Murillo MB. 1998. Adsorption of different VOC onto soil minerals from gas phase: Influence of mineral, type of VOC, and air humidity. *Environ Sci Technol* 32:1079-1084.
- Rydzynski K, Korsak Z, Jedlinska U, et al. 1992. The toxic effects of combined exposure to toluene and m-xylene in animals. IV. Liver ultrastructure after subchronic inhalatory exposure. *Pol J Occup Med Environ Health* 5:35-42.
- *Ryu YH, Lee JD, Yoon PH, et al. 1998. Cerebral perfusion impairment in a patient with toluene abuse. *J Nucl Med* 34(4):632-633.
- *Saarinen L, Hakkola M, Pekari K, et al. 1998. Exposure of gasoline road-tanker drivers to methyl tert-butyl ether and methyl tert-amyl ether. *Int Arch Occup Environ Health* 71:143-147.
- Saavedra H, De Marinis A, Palestini M. 1996. Neuronal changes induced by chronic toluene exposure in the cat. *Arch Ital Biol* 134(3):217-25.
- *Sack TM, Steele DH, Hammerstrom K, et al. 1992. A survey of household products for volatile organic compounds. *Atmos Environ* 26A(6):1063-1070.
- Saint-Fort R. 1991. Groundwater contamination by anthropogenic organic compounds from waste disposal sites: transformations and behaviour. *J Environ Sci Health A26*:13-62.
- Saito S, Tanoue A, Matsuo M. 1992. Applicability of the i/o-characters to a quantitative description of bioconcentration of organic chemicals in fish. *Chemosphere* 24:81-87.
- *Saker EG, Eskew AE, Panter JW. 1991. Stability of toluene in blood: Its forensic relevance. *J Anal Toxicol* 15:246-249.
- *Sallmen M, Lindbohm —L, Anttila A, et al. 1998. Time to pregnancy among the wives of men exposed to organic solvents. *Occup Environ Med* 55:24-30.
- Salthammer T. 1997. Emission of volatile organic compounds from furniture coatings. *Indoor Air* 7:189-197.
- *Sato A, Nakajima T. 1978. Differences following skin or inhalation exposure in the absorption and excretion kinetics of trichlorethylene and toluene. *Br J Ind Med* 35:43-49.
- *Sato A, Nakajima T, Fujiwara Y, et al. 1974. Pharmacokinetics of benzene and toluene. *Int Arch Arbeitsmed* 33:169-182.
- *Sax NI, Lewis RJ, eds. 1989. *Dangerous properties of industrial materials*, Vol. III, 7th ed. New York, NY: Van Nostrand Reinhold, 3287.

8. REFERENCES

- *Schaeffer VH, Bhooshan B, Chen S-B, et al. 1996. Characterization of volatile organic chemical emissions from carpet cushions. *J Air Waste Manage Assoc* 46:813-820.
- Schardein JL. 1988. Reproductive hazards. In: Gad SC, ed. *Product safety handbook*. New York, NY: Marcel Dekker.
- *Schauer JJ, Kleeman MJ, Cass GR, et al. 1999a. Measurement of emissions from air pollution sources. 1. C₁ through C₂₉ organic compounds from meat charbroiling. *Environ Sci Technol* 33:1566-1577.
- Schauer JJ, Kleeman MJ, Cass GR, et al. 1999b. Measurement of emissions from air pollution sources. 2. C₁ through C₃₀ organic compounds from medium duty diesel trucks. *Environ Sci Technol* 33:1578-1587.
- Schell C, Kraus R, Popp W, et al. 1998. [Postlabeling analysis of different rat tissues after treatment with benzol and toluol [abstract].] *Zentralbl Hyg Umweltmed* 201(1):71.
- *Schmid E, Bauchinger M, Hauf R. 1985. Chromosome changes with time in lymphocytes after occupational exposure to toluene. *Mutat Res* 142:37-39.
- Schnaak W, Kuchler T, Kujawa M, et al. 1997. Organic contaminants in sewage sludge and their ecotoxicological significance in the agricultural utilization of sewage sludge. *Chemosphere* 35(1-2):5-11.
- Schroers H-J, Jermann E, Begerow J, et al. 1998. Determination of physiological levels of volatile organic compounds in blood using static headspace capillary gas chromatography with serial triple detection. *Analyst* 123:715-720.
- *Schuberth J. 1994. Joint use of retention index and mass spectrum in post-mortem tests for volatile organics by headspace capillary gas chromatography with ion-trap detection. *J Chromatogr A* 674:63-71.
- Schwartz BS, Ford DP, Bolla KI, et al. 1990. Solvent-associated decrements in olfactory function in paint manufacturing workers. *Am J Ind Med* 18:697-706.
- Schwarzenbach RP, Westall J. 1981. Transport of nonpolar organic compounds from surface water to groundwater: laboratory sorption studies. *Environ Sci Technol* 15:1360-1367.
- *SD Dept Env Natural Resources. 1998. Water hygiene. South Dakota Department of Environment and Natural Resources, Drinking Water Program. Article 74:04. <http://www.state.sd.us/state/executive/denr/denr.html>.
- Seedorff L, Olsen E. 1990. Exposure to organic solvents. A survey on the use of solvents. *Ann Occup Hyg* 34:371-378.
- Seidenberg JM, Becker RA. 1987. A summary of the results of 55 chemicals screened for developmental toxicity in mice. *Teratogenesis Carcinogen Mutagen* 7:17-28.
- *Seidenberg JM, Anderson DG, Becker RA. 1986. Validation of an *in vivo* developmental toxicity screen in the mouse. *Teratogenesis Carcinogen Mutagen* 6:361-374.
- *Seiji K, Inoue O, Nakatsuka H, et al. 1987. No biologically significant changes in liver function after occupational exposure to toluene at over-OEL levels. *Ind Health* 25:163-168.

8. REFERENCES

- Seppalainen AM. 1988. Neurophysiological approaches to the detection of early neurotoxicity in humans. *CRC Crit Rev Toxicol* 18:245-298.
- Seppalainen AM, Antti-Poika M. 1983. Time course of electrophysiological findings for patients with solvent poisoning. *Scand J Work Environ Health* 9:15-24.
- Seppalainen AM, Husman K, Martenson C. 1978. Neurophysiological effects of long-term exposure to a mixture of organic solvents. *Scand J Work Environ Health* 4:304-314.
- Sequeira DJ, Eyer CS, Cawley GF, et al. 1992. Ethylbenzene-mediated induction of cytochrome P450 isozymes in male and female rats. *Biochem Pharmacol* 44:1171-1182.
- *Setchell BP, Waites GMH. 1975. The blood-testis barrier. In: Creep RO, Astwood EB, Geiger SR, eds. *Handbook of physiology: Endocrinology V*. Washington, DC: American Physiological Society.
- *Seto Y. 1994. Review: Determination of volatile substances in biological samples by headspace gas chromatography. *J Chromatogr A*. 674:25-62.
- Shah JJ, Singh HB. 1988. Distribution of volatile organic chemicals in outdoor and indoor air. *Environ Sci Technol* 22:1381-1388.
- Shanshiashvili L, Todadze C, Chogovadze I, et al. 1998. The influence of toluene and ethyl alcohol on opiate and dopamine receptor activity in rat brain. *Bulletin of the Georgian Academy of Sciences* 157(3):493-496.
- Shaw LE, Williams PA. 1988. Physical and functional mapping of two cointegrate plasmids derived from RP4 and TOL plasmid pDK1. *J Gen Microbiol* 134:2463-2474.
- Shen Y. 1998. In vitro cytotoxicity of BTEX metabolites in hela cells. *Arch Environ Contam Toxicol* 34:229-234.
- Shen Y, West C. 1998. Toxicity of aromatic aerobic biotransformation products of toluene to hela cells. *Bull Environ Contam Toxicol* 60:177-184.
- Sherry J, Scott B, Dutka B. 1997. Use of various acute, sublethal and early life-stage tests to evaluate the toxicity of refinery effluents. *Environ Toxicol Chem* 16(11):2249-2257.
- *Shibata K, Yoshita Y, Matsumoto H. 1994. Extensive chemical burns from toluene. *Am J Emerg Med* 12(3):353-5.
- *Shields HC, Weschler CJ. 1992. Volatile organic compounds measured at a telephone switching center from 5/30/85-12/6/88: A detailed case study. *J Air Waste Management Assoc* 42:792-804.
- *Shields HC, Fleischer DM, Weschler CJ. 1996. Comparisons among VOCs measured in three types of U.S. commercial buildings with different occupant densities. *Indoor Air* 6:2-17.
- *Shiomi S, Kuroki T, Kuroda T, et al. 1993. Absence of hepatic uptake of tc-99m phytate in a man with chronic toluene hepatotoxicity. *Clin Nucl Med* 18(8):655-6.

8. REFERENCES

- *Slomianka L, Edelfors S, Ravn-Jonsen A, et al. 1990. The effect of low-level toluene exposure on the developing hippocampal region of the rat: histological evidence and volumetric findings. *Toxicology* 62:189-202.
- *Slomianka L, Rungby J, Edelfors S, et al. 1992. Late postnatal growth in the dentate area of the rat hippocampus compensates for volumetric changes caused by early postnatal toluene exposure. *Toxicology* 74:203-208.
- Smargiassi A, Mutti A, Bergamaschi E, et al. 1996. Pilot study of peripheral markers of catecholaminergic systems among workers occupationally exposed to toluene. *Neurotoxicology* 17(3-4):769-776.
- Smedje G, Norback D, Edling C. 1997. Asthma among secondary schoolchildren in relation to the school environment. *Clin Exp Allergy* 27:1270-1278.
- *Smith KN. 1983. Determination of the reproductive effects in mice of nine selected chemicals. Bioassay Systems Corporation. NIOSH Contract No. 210-81-6011. BSC Project No. 10867.
- *Smith LB, Bhattacharya A, Lemasters G, et al. 1997. Effect of chronic low-level exposure to jet fuel on postural balance of US Air Force personnel. *J Occup Environ Med* 39(7):623-632.
- Smith-Keilland A, Aakhus AM, Ripel A, et al. 1991. Similar effects of toluene and dibucaine on human platelet membrane glycoprotein Ib and actin-binding protein. *Ann NY Acad Sci* 835-836.
- *Smyth HF, Weil CS, West JS, et al. 1969. An exploration of joint toxic action: Twenty-seven industrial chemicals intubated in rats in all possible pairs. *Toxicol Appl Pharmacol* 14:340-347.
- *Snodgrass WR. 1992. Physiological and biochemical differences between children and adults as determinants of toxic response to environmental pollutants. In: Guzelian PS, Henry CJ, Olin SS, ed. *Similarities and differences between children and adults: Implications for risk assessment*. Washington, DC: International Life Sciences, 35-42.
- *Socie EM, Gromen KD, Migliozzi AA, et al. 1997. Work-related skin disease in the plastics industry. *American Journal of Industrial Medicine* 31(5):545-550.
- *SRI. 1988. Stanford Research Institute International. *Directory of chemical producers United States of America*. Palo Alto, CA: SRI International, 582-583.
- *SRI. 1999. Stanford Research Institute International. *Directory of chemical producers United States of America*. Palo Alto, CA: SRI International, 944-945.
- *Staples, CA, Werner AF, Hoogheem TJ. 1985. Assessment of priority pollutant concentrations in the United States using STORET database. *Environ Toxicol Chem* 4:131-142.
- *Stengel B, Cenee S, Limasset J-C, et al. 1998. Immunological and renal markers among photogravure printers exposed to toluene. *Scand J Work Environ Health* 24(4):276-284.
- Stevens KL, Bomben JL, McFadden WH. 1967. Volatiles from grapes *vitis vinifera* (Linn.) cultivar Grenache. *J Agr Food Chem* 378-381.
- Stewart PA, Zaebst D, Zey JN, et al. 1998. Exposure assessment for a study of workers exposed to acrylonitrile. *Scand J Work Environ Health* 24(Suppl. 2):42-53.

8. REFERENCES

- Stollery BT, Flindt ML. 1988. Memory sequelae of solvent intoxication. *Scand J Work Environ Health* 14:45-48.
- Strapkova A, Nosal'Ova G, Hanacek J. 1996. Effects of irritants on airways reactivity. *Cent Eur J Public Health* 4(Suppl):54-5.
- Stryer L, ed. 1988. *Biochemistry*. New York, NY: W.H. Freeman and Company, 298.
- *Stuart BJ, Bowlen GF, Kosson DS. 1991. Competitive sorption of benzene, toluene and the xylenes onto soil. *Environmental Progress* 10(2):104-109.
- Stumph MJ, Weir FW, Noall MW. 1985. Comparison of blood and brain toluene concentrations and circulating triglyceride levels resulting from acute and repeated exposures in rats. *Am Ind Hyg Assoc J* 46:244-250.
- *Sutheimer C, Bost R, Sunshine I, eds. 1982. *Volatiles by headspace chromatography*. In: *Methodology for analytical technology*. Volume II. Boca Raton, FL: CRC Press, Inc., 1-9.
- Suleiman SA. 1987. Petroleum hydrocarbon toxicity *in vitro*: effect of *n*-alkanes, benzene and toluene on pulmonary alveolar macrophages and lysosomal enzymes of the lung. *Arch Toxicol* 59:402-407.
- Sullivan MJ, Rarey KE, Conolly RB. 1986. Ototoxicity of toluene in rats. *Neurotoxicol Tetratol* 10:525-530.
- *Suzuki T, Kashimura S, Umetsu K. 1983. Thinner abuse and aspermia. *Med Sci Law* 23(3):199-202.
- *Svensson B-G, Nise G, Englander V, et al. 1990. Deaths and tumours among rotogravure printers exposed to toluene. *Br J Ind Med* 47:372-379.
- *Svensson B-G, Nise G, Erfurth EM, et al. 1992a. Hormone status in occupational toluene exposure. *Am J Ind Med* 22:99-107.
- *Svensson B-G, Nise G, Erfurth EM, et al. 1992b. Neuroendocrine effects in printing workers exposed to toluene. *Br J Ind Med* 49:402-408.
- *Svirbely JL, Dunn RC, von Oettingen WF. 1943. The acute toxicity of vapors of certain solvents containing appreciable amounts of benzene and toluene. *J Ind Hyg Toxicol* 25:366-373.
- Svirbely JL, Dunn RC, von Oettingen WF. 1944. The chronic toxicity of moderate concentrations of benzene and mixtures of benzene and its homologues for rats and dogs. *J Ind Hyg Toxicol* 26:37-46.
- Systems Applications, Inc. 1980. Human exposure to atmospheric concentration of selected chemical, volume 2. Research Triangle Park, NC: U.S. Environmental Protection Agency. PB81-193260.
- Szilard S, Szentgyorgyi D, Demeter I. 1987. Protective effect of legalon in workers exposed to organic solvents. *Ind Hyg* 45:249-256.
- *Tahti H, Aaran RK, Vapaatalo H. 1983. An inhalation method for testing the toxicity of volatile compounds in small laboratory animals. A study on short-term and long-term toluene inhalation in rats. *Exp Clin Pharmacol* 5(10):667-671.

8. REFERENCES

- Tahti H, Hypponen S, Oksanen H, et al. 1992. Evaluation of the effects of organic solvents and solvent mixtures on cell membrane integral proteins *in vitro*. *In Vitro Toxicol* 5:1-6.
- *Tahti H, Karkkainen S, Pyykko K, et al. 1981. Chronic occupational exposure to toluene. *Int Arch Occup Environ Health* 48:61-69.
- Takahashi S, Tanabe K, Maseda C, et al. 1988. Increased plasma free fatty acid and triglyceride levels after single administration of toluene in rabbits. *J Toxicol Environ Health* 1:87-95.
- *Takeichi S, Yamada T, Shikata I. 1986. Acute toluene poisoning during painting. *Forensic Sci Int* 32:109-115.
- *Takeuchi Y, Hisanaga N. 1977. The neurotoxicity of toluene: EEG changes in rats exposed to various concentrations. *Br J Ind Med* 34:314-324.
- *Takeuchi Y, Ono Y, Hisanaga N. 1981. An experimental study on the combined effects of *n*-hexane and toluene on the peripheral nerve of the rat. *Br J Ind Med* 38:14-19.
- *Tan WP, Seow E. 1997. Case reports on acute toluene poisoning during parquet flooring. *Ann Acad Med Singapore* 26(1):138-40.
- *Tap O, Solmaz S, Polat S, et al. 1996. The effect of toluene on the rat ovary: An ultrastructural study. *J Submicrosc Cytol Pathol* 28(4):553-8.
- *Tardif R, Brodeur J, Plaa GL. 1989. Simultaneous high-performance liquid chromatographic analysis of hippuric acid and *ortho*-, *meta*-, and *para*-methylhippuric acids in urine. *J Anal Toxicol* 13:313-316.
- *Tardif R, Lapare S, Krishnan K, et al. 1993. Physiologically based modeling of the toxicokinetic interaction between toluene and m-xylene in the rat. *Toxicol Appl Pharmacol* 120:266-273.
- *Tardif R, Lapare S, Plaa GL, et al. 1991. Effect of simultaneous exposure to toluene and xylene on their respective biological exposure indices in humans. *Int Arch Occup Environ Health* 63:279-284.
- *Tardif R, Plaa GL, Brodeur J. 1992. Influence of various mixtures of inhaled toluene and xylene on the biological monitoring of exposure to these solvents in rats. *Can J Physiol Pharmacol* 70:385-395.
- *Tardif R, Truchon G, Brodeur J. 1998. Comparison of hippuric acid and O-cresol in urine and unchanged toluene in alveolar air for the biological monitoring of exposure to toluene in human volunteers. *Appl Occup Environ Hyg* 13(2):127-132.
- *Taskinen H, Anttila A, Lindbohm M-L, et al. 1989. Spontaneous abortions and congenital malformations among the wives of men occupationally exposed to organic solvents. *Scand J Work Environ Health* 15:345-352.
- Taskinen H, Kyyronen P, Hemminki K et al. 1994. Laboratory work and pregnancy outcome. *J Occup Med* 36(3):311-9.
- *Tassaneeyakul W, Birkett DJ, Edwards JW, et al. 1996. Human cytochrome P450 isoform specificity in the regioselective metabolism of toluene and o-, — and p-xylene. *J Pharmacol Exp Ther* 276(1):101-108.

8. REFERENCES

- *Taverner D, Harrison DJ, Bell GM. 1988. Acute renal failure due to interstitial nephritis induced by 'glue sniffing' with subsequent recovery. *Scott Med J* 33:246-247.
- *Taylor JD, Evans HL. 1985. Effects of toluene inhalation on behavior and expired carbon dioxide in Macaque monkeys. *Toxicol Appl Pharmacol* 80:487-495.
- Teelucksingh S, Steer CR, Thompson CJ, et al. 1991. Hypothalamic syndrome and central sleep apnoea associated with toluene exposure. *Q J Med* 286:185-190.
- Teichen RA, Jaffe R, Eliahou HE. 1975. Myoglobinuria and renal failure in toluene poisoning. *Br J Ind Med* 32:163-168.
- Teschke K, Ahrens W, Andersen A, et al. 1999. Occupational exposure to chemical and biological agents in the nonproduction departments of pulp, paper, and paper product mills: An international study. *Am Ind Hyg Assoc J* 60:73-83.
- Teschke K, Hertzman C, van Netten C, et al. 1989. Potential exposure of cooks to airborne mutagens and carcinogens. *Environ Res* 50:296-308.
- *Tham R, Larsby B, Eriksson B, et al. 1982. Electronystagmographic findings in rats exposed to styrene and toluene. *Acta Otolaryngol* 93:107-112.
- Tham R, Larsby B, Eriksson B, et al. 1989. The effect of toluene on the vestibulo- and opto-oculomotor system in rats, pretreated with Gabaergic drugs. *Neurotoxicol Teratol* 12:307-311.
- *Thibodeaux LJ, Hwang ST. 1982. Landfarming of petroleum wastes- modeling the air emission problem. *Environ Progress* 1(1):42-46.
- *Thiel R, Chahoud I. 1997. Postnatal development and behaviour of Wistar rats after prenatal toluene exposure. *Arch Toxicol* 71(4):258-65.
- *Thomas KW, Pellizzari ED, Cooper SD. 1991. A canister-based method of collection and GC/MS analysis of volatile organic compounds in human breath. *J anal toxicol* 15:54-59.
- *Thomas KW, Pellizzari ED, Raymer JH, et al. 1992. Kinetics of low-level volatile organic compounds in breath - I: Experimental design and data quality. Research Triangle Institute, Analytical and Chemical Sciences. Research Triangle Park, NC.
- *Thummel KE, Kharasch ED, Podoll T, et al. 1993. Human liver microsomal enflurane defluorination catalyzed by cytochrome P-450 2E1. *Drug Metab Dispos* 21(2):350-357.
- Tichenor BA, Mason MA. 1988. Organic emissions from consumer products and building materials to the indoor environment. *JAPCA* 38:264-268.
- Tielemans E, Heederick D, Burdorf A, et al. 1999. Assessment of occupational exposure in a general population: comparison of different methods. *Occup Environ Med* 56:145-151.
- Toftgard R, Nilsen OG, Gustafsson J-A. 1982. Dose dependent induction of rat liver microsomal cytochrome P-450 and microsomal enzymatic activities after inhalation of toluene and dichloromethane. *Acta Pharmacol Toxicol* 51:108-114.

8. REFERENCES

- TRI96. 1998. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *TRI97. 1999. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- Triebig G, Claus D, Csuzda I, et al. 1988. Cross-sectional epidemiological study on neurotoxicity of solvents in paints and lacquers. *Int Arch Occup Environ Health* 60:233-241.
- *Truchon G, Tardif R, Brodeur J. 1996. Gas chromatographic determination of urinary *o*-cresol for the monitoring of toluene exposure. *J Anal Toxicol* 20(5):309-12.
- *Tsai S-Y, Chen J-D, Chao W-Y, et al. 1997. Neurobehavioral effects of occupational exposure to low-level organic solvents among Taiwanese workers in paint factories. *Environ Res* 73:146-155.
- Tsuchiya Y. 1988. Volatile organic compounds in indoor air. *Chemosphere* 17:79-82.
- Tsuchiya Y, Clermont MJ. 1988. Wet process copying machines: A source of volatile organic compound emissions in buildings. *Environ Toxicol Chem* 7:15-18.
- Tsuda M, Iino T. 1988. Identification and characterization of Tn4653, a transposon covering the toluene transposon Tn4651 on TOL plasmid pWW0. *Mol Gen Genet* 213:72-77.
- Tsuda M, Minegishi K, Iino T. 1989. Toluene transposons Tn4651 and Tn4653 are class II transposons. *J Bacteriol* 171:1386-1393.
- Tsuga H, Honma T. 1998. Effects of toluene exposure on activation of GTP binding-protein in CHO cells [abstract]. *Jpn J Pharmacol* 76(Suppl. 1):205P.
- *Tsuruta H. 1989. Skin absorption of organic solvent vapors in nude mice *in vivo*. *Ind Health* 27:37-47.
- *Tsuruta H. 1996. Skin absorption of solvent mixtures: Effect of vehicles on skin absorption of toluene. *Industrial Health* 34:369-378.
- *Turkall RM, Skowronski GA, Abdel-Rahman MS. 1991. Differences in kinetics of pure and soil-adsorbed toluene in orally exposed male rats. *Arch Environ Contam Toxicol* 20:155-160.
- *Uaki H, Kawai T, Mizunuma K, et al. 1995. Dose-dependent suppression of toluene metabolism by isopropyl alcohol and methyl ethyl ketone after experimental exposure of rats. *Toxicology Letters* 81(2-3):229-234.
- *Ukai H, Watanabe T, Nakatsuka H, et al. 1993. Dose-dependent increase in subjective symptoms among toluene-exposed workers. *Environ Res* 60(2):274-89.
- Ulakoglu EZ, Gumustas MK, Saygi A, et al. 1997. The effect of thinner inhalation on lipid peroxidation in whole rat brain. *Research Communications in alcohol and substances of abuse* 18(3-4):115-123.
- Ulakoglu EZ, Saygi A, Gumustas MK, et al. 1998. Alterations in superoxide dismutase activities, lipid peroxidation of glutathione levels in thinner inhaled rat lungs: Relationship between histopathological properties. *Pharm Res* 38(3):209-214.

8. REFERENCES

Ungvary G. 1985. The possible contribution of industrial chemicals (organic solvents) to the incidence of congenital defects caused by teratogenic drugs and consumer goods- an experimental study. In: Marois, M., ed. Prevention of physical and mental congenital defects: Part B: Epidemiology, early detection and therapy, and environmental factors. New York, NY: Alan R. Liss, Inc., 295-300.

*Ungvary G, Tatrai E. 1985. On the embryotoxic effects of benzene and its alkyl derivatives in mice, rats and rabbits. *Arch Toxicol (Suppl)*8:425-430.

*Ungvary G, Tatrai E, Lorincz M, et al. 1983. Combined embryotoxic action of toluene, a widely used industrial chemical, and acetylsalicylic acid (aspirin). *Teratology* 27:261-269.

*Ungvary G, Tatrai E, Szeberenyi S, et al. 1982. Effect of toluene exposure on the liver under different experimental conditions. *Exp Mol Pathol* 36:347-360.

Urban P, Lukas E. 1990. Visual evoked potentials in rotogravure printers exposed to toluene. *Br J Ind Med* 47:819-823.

*U.S. Congress. 1990. Clean air act amendments. Title III-hazardous air pollutants, Section 112, national emissions standards for hazardous air pollutants. Public Law 101-549. U.S. Congress. November 15, 1990.

*U.S. Department of Commerce. 1985a. U.S. Imports for Consumption and General Imports: Commodity by country of origin. Bureau of the Census, #FT246.

*U.S. Department of Commerce. 1985b. U.S. Exports. Schedule B Commodity by Country, Bureau of the Census, #FT446.

USITC. 1991. Synthetic Organic Chemicals: United States Production and Sales, 1990. Washington, DC: U.S. International Trade Commission. USITC Publication 2470.

Valic E, Waldhor T, Konnaris C, et al. 1997. Acquired dyschromatopsia in combined exposure to solvents and alcohol. *Int Arch Occup Environ Health* 70:403-406.

*van Doorn R, Bos RP, Brouns RME, et al. 1980. Effect of toluene and xylenes on liver glutathione and their urinary excretion as mercapturic acids in the rat. *Arch Toxicol* 43:293-304.

Venkatraman SN, Kosson DS, Schuring JR. 1998. Transport and biological fate of toluene in low-permeability soils. *Ground Water Monit Rev* :105-113.

*Verschueren K, ed. 1977. Handbook of environmental data on organic chemicals. 1st ed. New York, NY: Van Nostrand Reinhold Company, 592-596

Verschueren K, ed. 1983. Handbook of environmental data on organic chemicals. 2nd ed. New York, NY: Van Nostrand Reinhold Company, 1103-1108.

*Vidrio H, Magos GA, Lorenzana-Jimenez M. 1986. Electrocardiographic effects of toluene in the anesthetized rat. *Arch Int Pharmacodyn* 279:121-129.

*Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: hypermethylation control of gene expression during the neonatal period. *Eur J Biochem* 238:476-483.

8. REFERENCES

- *Vincent R, Poirot P, Subra I et al. 1994. Occupational exposure to organic solvents during paint stripping and painting operations in the aeronautical industry. *Int Arch Occup Environ Health* 65(6):377-380.
- Voigts A, Kaufman CE. 1983. Acidosis and other metabolic abnormalities associated with paint sniffing. *South Med J* 76:443-452.
- von Euler G, Fuxe K, Benfenati F, et al. 1989a. Neurotensin modulates the binding characteristics of dopamine D2 receptors in rat striatal membranes also following treatment with toluene. *Acta Physiol Scand* 135:443-448.
- von Euler G, Fuxe K, Hansson R, et al. 1988a. Effects of acute haloperidol treatment on regional catecholamine levels in utilization in rats exposed to toluene. *Acta Physiol Scand* 132:199-208.
- *von Euler G, Fuxe K, Hansson T, et al. 1988b. Effects of chronic toluene exposure on central monoamine and peptide receptors and their interactions in the adult male rat. *Toxicology* 52:103-126.
- von Euler G, Fuxe K, Hansson T, et al. 1988c. Effects of toluene treatment *in vivo* and *in vitro* on the binding characteristics of ³Hneurotensin in rat striatal membranes. *Toxicology* 49:149-154.
- *von Euler G, Fuxe K, Hansson T, et al. 1989b. Persistent effects of neonatal toluene exposure on regional brain catecholamine levels and turnover in the adult male rat. *Toxicology* 54:1-16.
- von Euler G, Ogren S-O, Bondy SC, et al. 1991. Subacute exposure to low concentrations of toluene affects dopamine-mediated locomotor activity in the rat. *Toxicology* 67:333-349.
- *von Euler G, Ogren S-O, Eneroth P, et al. 1994. Persistent effects of 80 ppm toluene on dopamine-regulated locomotor activity and prolactin secretion in the male rat. *Neurotoxicology* 15(3):621-4.
- von Euler G, Ogren S-O, Fuxe K, et al. 1992. Ganglioside GM₁ counteracts the enhancing effects of subacute toluene exposure on apomorphine-induced locomotor activity. *Toxicol Lett* 63:165-169.
- *von Euler G, Ogren S-O, Li XM, et al. 1993. Persistent effects of subchronic toluene exposure on spatial learning and memory, dopamine-mediated locomotor activity and dopamine D₂ agonist binding in the rat. *Toxicology* 77:223-232.
- *von Oettingen WF, Neal PA, Donahue DD, et al. 1942. The toxicity and potential dangers of toluene with special reference to its maximal permissible concentration. U.S. Public Health Service Publication Health Bull No. 279:50.
- *Vrca A, Bozicevic D, Bozikov V, et al. 1997a. Brain stem evoked potentials and visual evoked potentials in relation to the length of occupational exposure to low levels of toluene. *Acta Medica Croatica* 51:215-219.
- *Vrca A, Bozicevic D, Karacic V, et al. 1995. Visual evoked potentials in individuals exposed to long-term low concentrations of toluene. *Arch Toxicol* 69(5):337-40.
- *Vrca A, Karacic V, Bozicevic D, et al. 1997b. Cognitive evoked potentials VEP P300 in persons occupationally exposed to low concentrations of toluene. *Arh Hig Rada Toksikol* 48:277-285.

8. REFERENCES

- *Vrca A, Karacic V, Bozicevic D, et al. 1996. Brainstem auditory evoked potentials in individuals exposed to long-term low concentrations of toluene. *Am J Ind Med* 30:62-66.
- Vyskocil A, Popler A, Skutilova I, et al. 1991. Urinary excretion of proteins and enzymes in workers exposed to hydrocarbons in a shoe factory. *Int Arch Occup Environ Health* 63:359-362.
- Wada H. 1997. Toluene and temporal discrimination behavior in the rat. *Neurotoxicol Teratol* 19(5):399-403.
- Wada H, Hosokawa T, Saito K. 1986. Repeated toluene exposure and changes of response latency in shock avoidance learning. *Neurotoxicol Teratol* 10:387-391.
- Wada H, Hosokawa T, Saito K. 1989. Single toluene exposure and changes of response latency in shock avoidance learning. *Neurotoxicol Teratol* 11:265-272.
- Wadden RA, Berrafato-Triemer LR. 1989. Mechanisms of atmospheric release of chlorobenzene and toluene from a storage lagoon under ambient conditions. *Environ Sci Technol* 23:1492-1499.
- Wahlberg JE. 1976. Percutaneous toxicity of solvents. A comparative investigation in the guinea pig with benzene, toluene and 1,1,2-trichloroethane. *Ann Occup Hyg* 19:115-119.
- *Wakeham SG, Davis AC, Karas JL. 1983. Mesocosm experiments to determine the fate and persistence of volatile organic compounds in coastal seawater. *Environ Sci Technol* 17(10):611-617.
- *Walker BL, Cooper CD. 1992. Air pollution emission for medical waste incinerators. *J Air Waste Management Association* 42:784-791.
- *Walker JT, Bloom TF, Stern FB, et al. 1993. Mortality of workers employed in shoe manufacturing. *Scand J Work Environ Health* 19:89-95.
- *Wallace LA, Pellizzari ED, Hartwell TD, et al. 1986. Total exposure assessment methodology (TEAM) study: personal exposures, indoor-outdoor relationships, and breath levels of volatile organic compounds in New Jersey. *Environment International* 12:369-387.
- Wallen M. 1986. Toxicokinetics of toluene in occupationally exposed volunteers. *Scand J Work Environ Health* 12:588-593.
- Wallen M, Holm S, Nordqvist MB. 1985b. Coexposure to toluene and p-xylene in man: uptake and elimination. *Br J Ind Med* 42:111-116.
- Wallen M, Johanson G, Nordqvist MB. 1985a. The effects of ethanol on the kinetics of toluene in the perfused rat liver. *Toxicol Lett* 26:59-64.
- *Wallen M, Naslund PH, Nordqvist MB. 1984. The effects of ethanol on the kinetics of toluene in man. *Toxicol Appl Pharmacol* 76:414-419.
- *Walters SM. 1986. Cleanup of samples. In: Zweig G, Sherma J, eds. *Analytical methods for pesticides and plant growth regulators*. Volume 15. Chapter 3. New York, NY: Academic Press, 67-110.

8. REFERENCES

- Wang D-H, Ishii K, Seno E, et al. 1998. Reduced serum levels of ALT and GGT and high carbohydrate intake among workers exposed to toluene below the threshold limit values. *Ind Health* 36:14-19.
- *Wang RS, Nakajima T. 1992. Effects of ethanol and phenobarbital treatments on the pharmacokinetics of toluene in rats. *Br J Ind Med* 49:104-112.
- *Wang R-S, Nakajima T, Park SS, et al. 1993. Monoclonal antibody-directed assessment of toluene induction of rat hepatic cytochrome P450 isozymes. *Biochem Pharmacol* 46(3):413-419.
- *Wang RS, Nakajima T, Tsuruta H, et al. 1996. Effect of exposure to four organic solvents on hepatic cytochrome P450 isozymes in rat. *Chem Biol Interact* 99:239-252.
- Washall JW, Wampler TP. 1988. Purge and trap analysis of aqueous samples with cryofocusing. *American Laboratory*. July:70-74.
- *Weast RC, ed. 1989. *CRC handbook of chemistry and physics*. 66th ed. Boca Raton, FL: CRC Press, C-518.
- *Wei KS, Adelman AH. 1969. The photooxidation of toluene: The role of an excited charge transfer complex. *Tetrahedron Letters* 38:3297-3300.
- *Weisel CP, Lawryk NJ, Lioy PJ. 1992. Exposure to emissions from gasoline within automobile cabins. *J Expos Anal Environ Epidemiol* 2(1):79-96.
- *Weiss HS, O'Connell JF, Hakaim AG, et al. 1986. Inhibitory effect of toluene on tumor promotion in mouse skin. *Proc Soc Exp Biol Med* 181:199-204.
- Welch LS, Sokas R. 1992. Development of multiple chemical sensitivity after an outbreak of sick-building syndrome. *Toxicology and Industrial Health* 8:47-50.
- Welch L, Kirshner H, Heath A, et al. 1991. Chronic neuropsychological and neurological impairment following acute exposure to a solvent mixture of toluene and methyl ethyl ketone (MEK). *Clin Toxicol* 29:435-445.
- *Wen CP, Tsai SP, Weiss NS, et al. 1985. Long-term mortality study of oil refinery workers. IV. Exposure to the lubricating-dewaxing process. *J Natl Cancer Inst* 74(1):11-18
- Weschler CJ, Shields HC, Rainer D. 1990. Concentrations of volatile organic compounds at a building with health and comfort complaints. *Am Ind Hyg Assoc J* 51:261-268.
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J Pediatr* 32:10-18.
- *Wheeler CW, Wrighton SA, Guenther TM. 1992. Detection of human lung cytochromes P450 that are immunochemically related to cytochrome P450IIE1 and cytochrome P450IIIA. *Biochem Pharmacol* 44(1):183-186.
- Whited GM, Gibson DT. 1991a. Separation and partial characterization of the enzymes of the toluene-4-monooxygenase catabolic pathway in *Pseudomonas mendocina* KR1. *J Bacteriol* 173:3017-3020.

8. REFERENCES

- Whited GM, Gibson DT. 1991b. Toluene-4-monooxygenase, a three component enzyme system that catalyzes the oxidation of toluene to p-cresol in *Pseudomonas mendocina* KR1. *J Bacteriol* 173:3010-3016.
- WHO. 1984. Guidelines for drinking-water quality: Volume 1: Recommendations. Geneva, Switzerland: World Health Organization, 61.
- *WHO. 1985. Environmental health criteria 52. Toluene. Geneva, Switzerland: World Health Organization.
- *WHO. 1996. Guidelines for drinking-water quality. Second edition. Volume 2. Health Criteria and other supporting information (pages 467-473, 943 and 946). World Health Organization, Geneva.
- *WI Dept Natural Resources. 1997. Control of hazardous pollutants. Wisconsin Department of Natural Resources. Chs. 400-499 NR 445. <http://www.dnr.state.wi.us/org/aw/air/index.htm>
- *Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: C.L. Comar and Felix Bronner, eds. Mineral metabolism: An advanced treatise, Volume II: The elements part A. New York, NY: Academic Press.
- *Wilcosky TC, Checkoway H, Marshall EG, et al. 1984. Cancer mortality and solvent exposures in the rubber industry. *Am Ind Hyg Assoc J* 45(12):809-811.
- Wilkins-Haug L. 1997. Teratogen update: Toluene. *Teratology* 55:145-151.
- *Wilkins-Haug L, Gabow P. 1991a. Chronic glue and paint sniffing during pregnancy: a population at risk for fetal and maternal morbidity [abstract]. *Am J Obstet Gynecol* 164(1):283.
- Wilkins-Haug L, Gabow PA. 1991b. Toluene abuse during pregnancy: Obstetric complications and perinatal outcomes. *Obstet Gynecol* 77(4):504-509.
- Williams PA, Taylor SD, Gibb LE. 1988. Loss of the toluene-xylene catabolic genes of TOL plasmid pWW0 during growth of *Pseudomonas putida* on benzoate is due to a selective growth advantage of 'cured' segregants. *J Gen Microbiol* 134:2039-2048.
- *Wilson, JT, Enfield CG, Dunlap WJ, et al. 1981. Transport and fate of selected organic pollutants in a sandy soil. *J Environ Quality* 10(4):501-506.
- *Wilson JT, McNabb JF, Balkwill DL, et al. 1983. Enumeration and characterization of bacteria indigenous to a shallow water-table aquifer. *Ground Water* 21(2):134-142.
- *Wilson RH. 1943. Toluene poisoning. *JAMA* 123:1106-1108.
- Wilson SC, Jones KC. 1996. The fate and behavior of volatile aromatic hydrocarbons in sewage sludge-amended soil. In: Schnoor J, Doi J, ed. *Volatile organic compounds in the environment*. West Conshohocken, PA: American Society for Testing and Materials, 119-123.
- Wilson SC, Alcock RE, Sewart AP, et al. 1997. Organic chemicals in the environment: Persistence of organic contaminants in sewage sludge-amended soil: A field experiment. *J Environ Qual* 26:1467-1477.

8. REFERENCES

- *Winchester RV, Madjar VM. 1986. Solvent effects on workers in the paint, adhesive and printing industries. *Ann Occup Hyg* 30(3):307-317.
- Winneke G. 1992. Cross species extrapolation in neurotoxicology: neurophysiological and neurobehavioral aspects. *Neurotoxicology* 13:15-26.
- *Withey RJ, Hall JW. 1975. The joint toxic action of perchloroethylene with benzene or toluene in rats. *Toxicology* 4:5-15.
- Woiwode W, Drysch K. 1981. Experimental exposure to toluene: further consideration of cresol formation in man. *Br J Ind Med* 38:194-197.
- *Wojtenko I, Koshy K, Uchirin CG. 1996. Long term sorption studies of benzene and toluene onto soils. *Bull Environ Contam Toxicol* 57(2):292-9.
- *Wolf MA, Rowe VK, McCollister DD, et al. 1956. Toxicological studies of certain alkylated benzenes and benzene. *Arch Ind Health* 14:387-398.
- *Wood RW, Colotla VA. 1990. Biphasic changes in mouse motor activity during exposure to toluene. *Fund Appl Toxicol* 14:6-14.
- *Wood RW, Cox C. 1995. A repeated measures approach to the detection of the acute behavioral effects of toluene at low concentrations. *Fundam Appl Toxicol* 25(2):293-301.
- *Wood RW, Rees DC, Laties VG. 1983. Behavioral effects of toluene are modulated by stimulus control. *Toxicol Appl Pharmacol* 68:462-472.
- WRRI. 1988. Treatment of water supplies contaminated with toxic pollutants using tailored soils. New Mexico Water Resources Research Institute. PB89-151443.
- Xiao G, Cai Y, Lin H, et al. 1997. Effects of benzene, toluene, and xylene on the semen quality of exposed workers. *Zhonghua Laodong Weisheng Zhiyebing Zazhi* 15(5):285-297.
- Xu X, Cho S-I, Sammel M, et al. 1998. Association of petrochemical exposure with spontaneous abortion. *Occup Environ Med* 55:31-36.
- *Yadav JS, Reddy CA. 1993. Degradation of benzene, toluene, ethylbenzene, and xylenes (BTEX) by the lignin-degrading basidiomycete *Phanerochaete chrysosporium*. *Appl Environ Microbiol* 59(3):756-62.
- Yamada K. 1993. Influence of lacquer thinner and some organic solvents on reproductive and accessory reproductive organs in the male rat. *Biol Pharm Bull* 16(4):425-427.
- Yamamoto S, Yoshimura N, Mori H, et al. 1992. Neurogenic bladder caused by toluene abuse. *Acta Urol Jpn* 38:459-462.
- *Yamanouchi N, Okada S, Kodama K, et al. 1995. White matter changes caused by chronic solvent abuse. *AJNR Am J Neuroradiol* 16:643-649.
- Yang RS, Goehl TJ, Brown RD, et al. 1989. Toxicology studies of a chemical mixture of 25 groundwater contaminants. *Fund Appl Toxicol* 13:366-376.

8. REFERENCES

- Yelian FD, Dukelow WR. 1992. Cellular toxicity of toluene on mouse gamete cells and preimplantation embryos. *Arch Toxicol* 66:443-445.
- Yen KM, Karl MR, Blatt LM, et al. 1991. Cloning and characterization of a pseudomonas mendocina KR1 gene cluster encoding toluene-4-monooxygenase. *J Bacteriol* 173:5315-5327.
- *Yin S, Li G, Hu Y, et al. 1987. Symptoms and signs of workers exposed to benzene, toluene or the combination. *Ind Health* 25:113-130.
- Yokayama K, Araki S, Murata K, et al. 1997. Postural sway frequency analysis in workers exposed to n-hexane, xylene, and toluene: Assessment of subclinical cerebellar dysfunction. *Environ Res* 74:110-115.
- *Young T.J. 1987. Inhalant use among American Indian youth. *Child Psychiatry Hum Dev* 18(1):36-46.
- Yu J, Jeffries HE, Sexton KG. 1997. Atmospheric photooxidation of alkylbenzenes- I. Carbonyl product analyses. *Atmospheric Environment* 31(15):2261-2280.
- *Yu X, Johanson G, Ichihara G, et al. 1998. Physiologically based pharmacokinetic modeling of metabolic interactions between n-hexane and toluene in humans. *J Occup Health* 40:293-301.
- *Zahlsen K, Eide I, Nilsen AM, et al. 1992. Inhalation kinetics of C6 to C10 aliphatic, aromatic, and naphthenic hydrocarbons in rat after repeated exposures. *Pharmacol Toxicol* 71:144-149.
- Zalidis GC, Annable MD, Wallace RB, et al. 1991. A laboratory method for studying the aqueous phase transport of dissolved constituents from residually held NAPL in unsaturated soil columns. *Journal of Contaminant Hydrology* 8:143-156.
- Zarani F, Papazafiri P, Kappas A. 1999. Induction of micronuclei in human lymphocytes by organic solvents in vitro. *J Environ Pathol Toxicol Oncol* 18(1):21-28.
- *Zavalic M, Mandic Z, Turk R, et al. 1998a. Quantitative assessment of color vision impairment in workers exposed to toluene. *Am J Ind Med* 33(3):297-304.
- *Zavalic M, Mandic Z, Turk R, et al. 1998b. Assessment of colour vision impairment in male workers exposed to toluene generally above occupational exposure limits. *Occup Med* 48(3):175-180.
- *Zavalic M, Mandic Z, Turk R, et al. 1998c. Qualitative color vision impairment in toluene-exposed workers. *Int Arch Occup Environ Health* 71:194-200.
- Zhao W, Misumi J, Yasui T, et al. 1998a. Effects of methyl ethyl ketone, acetone, or toluene coadministration on 2,5-hexanedione concentration in the sciatic nerve, serum, and urin of rats. *Int Arch Occup Environ Health* 71:236-244.
- Zhao W, Misumi J, Yasui T, et al. 1998b. Relationship between 2,5-hexanedione concentrations in nerve, serum, and urine alone or under co-treatment with different doses of methyl ethyl ketone, acetone, and toluene. *Neurochem Res* 23(6):837-843.
- Zibrowski EM, Hoh TE, Vanderwolf CH. 1998. Fast wave activity in the rat rhinencephalon: elicitation by the odors of phytochemicals, organic solvents, and a rodent predator. *Brain Res* 800:207-215.

8. REFERENCES

*Ziegler EE, Edwards BB, Jensen RL et al. 1978. Absorption and retention of lead by infants. *Pediatr Res* 12:29-34.

Zlatkis A, Kim K. 1976. Column elution and concentration of volatile compounds in biological fluids. *J Chromatogr* 126:475-485.

Zylstra GJ, Gibson DT. 1989. Toluene degradation by *pseudomonas putida* F1. *J Biol Chem* 264:1494-14946.

Zylstra GJ, McCombie WR, Gibson DT, et al. 1988. Toluene degradation by *pseudomonas putida* F1: genetic organization of the *tod* operon. *Appl Environ Microbiol* 54:1498-503.

