

Literature Cited
Green Turtle Proposed Rule

- ABC. (2010). Timeline: 20 years of major oil spills. <http://www.abc.net.au/news/2010-05-03/timeline-20-Years-of-Major-Oil-spills/419898>, Accessed on 6 May 2013.
- Abdulqader, E. A. A. (2008). *Marine turtle mortality in the waters of the Kingdom of Bahrain: Report of the Dead Marine Turtle Monitoring Program for the last quarter of 2007* (p. 37). Bahrain Center for Studies and Research. pp 37.
- Abdulqader, E. A. A. (2010). Turtle captures in shrimp trawls in Bahrain, *13*(3), 307–318.
- Abdulqader, E. A. A., & Miller, J. (2012). Marine turtle mortalities in Bahrain territorial waters. *Chelonian Conservation and Biology*, *11*(1), 133–138.
- Abe, O., Shibuno, T., Takada, Y., Hashimoto, K., Tanizaki, S., Hisakazu, I., ... Okamura, Y. (2003). Nesting populations of sea turtle in Ishigaki Island, Okinawa. In *Proceedings of the 4th SEASTAR2000 Workshop, 11–13 December 2003* (pp. 40–43). Bangkok.
- Ackerman, R. A. (1997). The nest environment and the embryonic development of sea turtles. In *The Biology of Sea Turtles* (pp. 83–106). Boca Raton, Florida: CRC Press.
- Adimey, N. M., Hudak, C. a, Powell, J. R., Bassos-Hull, K., Foley, A., Farmer, N. a, ... Minch, K. (2014). Fishery gear interactions from stranded bottlenose dolphins, Florida manatees and sea turtles in Florida, U.S.A. *Marine Pollution Bulletin*, *81*(1), 103–15. doi:10.1016/j.marpolbul.2014.02.008
- Adnyana, I. B. W., Ladds, P. W., & Blair, D. (1997). Observations of fibropapillomatosis in green turtles (*Chelonia mydas*) in Indonesia. *Australian Veterinary Journal*, *10*, 737–742.
- Adnyana, I. B. W., Soede, L. P., Gearheart, G., & Halim, M. H. (2008). Status of green turtle (*Chelonia mydas*) nesting and foraging populations of Berau, East Kalimantan, Indonesia, including results from tagging and telemetry. *Indian Ocean Turtle Newsletter*, *7*, 2–11.
- Aeby, G., Aletto, S. C., Anderson, P., Carroll, B., DiDonato, E., DiDonato, G., ... Vroom, P. S. (2008). The State of Coral Reef Ecosystems of American Samoa. In J. Waddell & A. M. Clarke (Eds.), *The State of Coral Reef Ecosystems of the United States and Pacific Freely Associated States: 2008* (pp. 307–351). NOAA Technical Memorandum NOS NCCOS 73. NOAA/NCCOS Center for Coastal Monitoring and Assessment's Biogeography Team. Silver Spring, MD.
- Aguirre, A. A., & Lutz, P. L. (2004). Marine turtles as sentinels of ecosystem health: Is fibropapillomatosis an indicator? *EcoHealth*, *1*(3), 275–283. doi:10.1007/s10393-004-0097-3

- Ahamada, S. (2008). Estimation and conservation of the sea turtle population in Moheli, Comoros. In A. F. Rees, M. Frick, A. Panagopoulou, & K. Williams (Eds.), *Proceedings of the Twenty-Seventh Annual Symposium on Sea Turtle Biology and Conservation* (pp. 70–71). NOAA Technical Memorandum NMFS-SEFSC-569.
- Ahmed, R., Khan, A., & Nishat, A. (2006). Community-based awareness programme for the conservation of sea turtles in Bangladesh. In N. J. Pilcher (Ed.), *Proceedings of the Twenty-Third Annual Symposium on Sea Turtle Biology and Conservation* (p. 25). NOAA Technical Memorandum NMFS-SEFSC-536.
- Akcinar, S. C., Guclu, O., Taskavak, E., & Türkozan, O. (2006). Golden jackal predation on marine turtles in Goksu Delta, Turkey. In M. Frick, A. Panagopoulou, A. F. Rees, & K. Williams (Eds.), *Proceedings of the Twenty-sixth Annual Symposium on Sea Turtle Biology and Conservation* (p. 120). Athens, Greece.: International Sea Turtle Society.
- Al-Abdessalaam, T. Z., Das, H. S., & Kabbara, L. (2008). Sea turtles of the United Arab Emirates. *Indian Ocean - South-East Asian Marine Turtle Memorandum of Understanding Profile of the Month*.
- Alefaio, S. T., & Alefaio, A. R. (2006). *Turtle monitoring on Funafuti, Tuvalu, 4th December-14th December* (p. 8). Administered by the Institute of Marine Resources, the University of the South Pacific, Suva. 8 pages.
- Alfaro-Shigueto, J., Mangel, J. C., Pajuelo, P., Caceres, C., Seminoff, J. A., & Dutton, P. H. (2006). Bycatch in Peruvian artisanal fisheries: gillnets versus longlines. In *Proceedings of the Twenty-seventh Annual Symposium on Sea Turtle Biology and Conservation*.
- Ali, A., & Ibrahim, K. (2000). Crab predation on green turtle (*Chelonia mydas*) eggs incubated on a natural beach and in turtle hatcheries. In *Proceedings of the 3rd Workshop on SEASTAR 2000* (pp. 95–100). Graduate School of Informatics, Kyoto University.
- AlKindi, A. Y. A., Mahmoud, I. Y., Al-Kiyumi, A. A., Al-Bahry, S. N., Elshafie, A., & Al-Siyabi, S. S. (2008). The status of the nesting population of the green turtle (*Chelonia mydas*) during low and high nesting periods in 2006 and 2007 with reference to cyclone Gonu in Ras al-Haad, Oman. In K. Dean & M. C. López-Castro (Eds.), *Proceedings of the Twenty-eighth Annual Symposium on Sea Turtle Biology and Conservation* (p. 158). NOAA Technical Memorandum NOAA NMFS-SEFSC-602.
- Allen, M. S. (2007). Three millennia of human and sea turtle interactions in Remote Oceania. *Coral Reefs*, 26(4), 959–970. doi:10.1007/s00338-007-0234-x
- Almeida, A. P., Moreira, L. M. P., Bruno, S. C., Thomé, J. C. A., Martins, A. S., Bolten, A. B., & Bjorndal, K. A. (2011). Green turtle nesting on Trindade Island, Brazil: abundance, trends, and biometrics. *Endangered Species Research*, 14(3), 193–201. doi:10.3354/esr00357

- Al-Merghani, M., Miller, J. D., Al-Mansi, A., Khushaim, O., & Pilcher, N. J. (1996). The marine turtles of the Arabian Gulf. In F. Krupp, A. H. Abuzinada, & I. A. Nader (Eds.), *A Marine Wildlife Sanctuary for the Arabian Gulf, Environmental Research and Conservation following the 1991 Gulf War Oil Spill* (pp. 351–359). Frankfurt, Germany: National Commission for Wildlife Conservation and Development, Riyadh and Senckenbergische Naturforschende Gesellschaft.
- Al-Merghani, M., Miller, J. D., Pilcher, N. J., & Al-Mans, A. M. A. (2000). The green and hawksbill turtles in the Kingdom of Saudi Arabia: synopsis of nesting studies 1986-1997. *Fauna of Arabia*, 18, 369–384.
- Al-Muraikhi, N., Al-Jabri, A., & Pilcher, N. J. (2005). The status of sea turtles in Qatar. *Indian Ocean - South-East Asian Marine Turtle Memorandum of Understanding Profile of the Month*.
- Al-Saady, S. M., Al-Kiyumi, A. A., & Mendonça, V. M. (2005). Oman sea turtles migration routes – evidence from returned tags. In M. S. Coyne & R. D. Clark (Eds.), *Proceedings of the Twenty-first Annual Symposium on Sea Turtle Biology and Conservation* (p. 91). Philadelphia, PA, USA: NOAA Tech Memo NMFS-SEFSC 528.
- Alvarado-Díaz, J., Delgado-Trejo, C., & Suazo-Ortuño, I. (2001). Evaluation of the Black Turtle Project in Michoacán, México. *Marine Turtle Newsletter*, 92, 4–7.
- Alvarado-Díaz, J., & Figueroa, A. (1990). *The ecological recovery of sea turtles of Michoacan, Mexico: Special attention: black turtle (Chelonia agassizii)* (p. 139). Final Report for USFWS and WWF-US.
- Alvarado-Díaz, J., & Figueroa, A. (1992). Recapturas post-anidatorias de hembras de tortuga marina negra (*Chelonia agassizii*) marcadas en Michoacán, México. *Biotropica*, 24(4), 560–566.
- Alvez, R. R. ., & Rosa, I. L. (2006). From cnidarians to mammals: The use of animals as remedies in fishing communities in NE Brazil. *Journal of Ethnopharmacology*, 107, 259–276.
- Amorocho, D. F., & Reina, R. (2007). Feeding ecology of the East Pacific green sea turtle *Chelonia mydas agassizii* at Gorgona National Park, Colombia. *Endangered Species Research*, 3, 43–51.
- Anan, Y., Kunito, T., Watanabe, I., Sakai, H., & Tanabe, S. (2001). Trace element accumulation in hawksbill turtles (*Eretmochelys imbricata*) and green turtles (*Chelonia mydas*) from Yaeyama Islands, Japan. *Environmental Toxicology and Chemistry*, 20(12), 2802–2814.
- Andrews, H. V. (2000). Current marine turtle situation in the Andaman and Nicobar Islands - An urgent need for conservation action. *Kachhapa*, 3, 21–25.

- Andrews, H. V., Krishnan, S., & Biswas, P. (2006). Distribution and status of marine turtles in the Andaman and Nicobar Islands. In K. Shanker & B. C. Choudhury (Eds.), *Marine turtles of the Indian subcontinent, Part 2: Marine turtles of the Bay of Bengal* (pp. 33–57). Hyderabad, India: Universities Press, Hyderabad.
- Arinal, I. (1997). Marine turtle management in Meru Betiri National Park. In Y. R. Noor, I. R. Lubis, R. Ounsted, S. Troeng, & A. Abdullah (Eds.), *Proceedings of the Workshop on marine turtle research and management in Indonesia*. Wetlands International/PHPA/Environment Australia.
- Arthur, R., Kelkar, N., Alcoverro, T., & Madhusudan, M. D. (2013). Complex ecological pathways underlie perceptions of conflict between green turtles and fishers in the Lakshadweep Islands. *Biological Conservation*, *167*, 25–34.
doi:10.1016/j.biocon.2013.07.014
- Asrar, F. F. (1999). Decline of marine turtle nesting populations in Pakistan. *Marine Turtle Newsletter*, (83), 13–14.
- Aureggi, M., Gerosa, G., & Chantrapornsyl, S. (2004). An update of sea turtle nesting along the Andaman coast of Thailand: 1996-2000. In M. S. Coyne & R. D. Clark (Eds.), *Proceedings 21st International Symposium on Sea Turtle Biology and Conservation* (pp. 98–100). NOAA Technical Memorandum NMFS-SEFSC-528.
- Aureggi, M., Gerosa, G., & Yerli, S. V. (1999). Observations on predation of marine turtle nests at Akyatan, Turkey, eastern Mediterranean. *Chelonian Conservation and Biology*, *3*(3), 487–489.
- Aureggi, M., & Khalil, M. (2010). Lebanon. In P. Casale & D. Margaritoulis (Eds.), *Sea Turtles in the Mediterranean: Distribution, Threats and Conservation Priorities* (pp. 149–156). IUCN, Gland, Switzerland.
- Aureggi, M., Rizk, C., & Venizelos, L. (2005). *Survey on sea turtle nesting activity South Lebanon, 2004* (p. 35).
- Autar, L. (1994). Sea turtles attacked and killed by jaguars in Suriname. *Marine Turtle Newsletter*, *67*, 11–12.
- Avens, L., & Snover, M. L. (2013). Age and age estimation in sea turtles. In J. Wyneken, K. J. Lohmann, & J. A. Musick (Eds.), *The Biology of Sea Turtles Volume III* (III., pp. 97–133). CRC Press Boca Raton, FL.
- Awbrey, F. T., Leatherwood, S., Mitchell, E. D., & Rogers, W. (1984). Nesting green sea turtles (*Chelonia mydas*) on Isla Clarion, Islas Revillagigedos, Mexico. *Bulletin of the Southern California Academy of Sciences*, *83*(2), 69–75.

- Bagda, E., Bardakci, F., & Türkozan, O. (2012). Lower genetic structuring in mitochondrial DNA than nuclear DNA among the nesting colonies of green turtles (*Chelonia mydas*) in the Mediterranean. *Biochemical Systematics and Ecology*, *43*, 192–199.
- Baker, J. D., Littnan, C., & Johnston, D. (2006). Potential effects of sea level rise on the terrestrial habitats of endangered and endemic megafauna in the Northwestern Hawaiian Islands. *Endangered Species Research*, *2*, 21–30. doi:10.3354/esr002021
- Bal, G., Breheret, N., & Vanleeuwe, H. (2007). An Update on Sea Turtle Conservation Activities in the Republic of Congo Conflicts and Social Dilemmas Associated with the Incidental Capture of Marine Turtles by Artisanal Fishers in Benin. *Marine Turtle Newsletter*, *116*, 9–10.
- Balazs, G. H. (1975a). Green turtle's uncertain future. *Defenders*, *50*, 521–523.
- Balazs, G. H. (1975b). Marine turtles in the Phoenix Islands. *Atoll Research Bulletin*, *184*, 1–7.
- Balazs, G. H. (1976). Green turtle migrations in the Hawaiian archipelago. *Biological Conservation*, *9*(2), 125–140. doi:10.1016/0006-3207(76)90045-8
- Balazs, G. H. (1980). *Synopsis of biological data on the green turtle in the Hawaiian Islands* (p. 141). NOAA Tech. Memo. NMFS, NOAA-TM- NMFS-SWFC-7, and University of Hawaii Sea Grant Cooperative Report UNIHI-SEAGRANT CR-81-02.
- Balazs, G. H. (1983). Sea turtles and their traditional usage in Tokelau. *Atoll Research Bulletin*, *279*, ii–30.
- Balazs, G. H. (1985). Impact of ocean debris on marine turtles: entanglement and ingestion. In R. S. Shomura & H. O. Yoshida (Eds.), *Proceedings of the Workshop on the Fate and Impact of Marine Debris, 26-29 November 1984, Honolulu, Hawaii* (Vol. 27, pp. 387–429). NOAA Technical Memorandum NMFS/SWFC-54.
- Balazs, G. H. (1993). Homeward bound: satellite tracking of Hawaiian green turtles from nesting beaches to foraging pastures. *NOAA Technical Memorandum NMFS SEFSC*, (341).
- Balazs, G. H. (1995). Status of Sea Turtles in the Central Pacific Ocean. *Biology and Conservation of Sea Turtles*, 243–252.
- Balazs, G. H. (1999). Factors to consider in the tagging of sea turtles. *Fisheries Science*, (4).
- Balazs, G. H. (2000). Assessment of Hawaiian Green Turtles Utilizing Coastal Foraging Pastures at Palaau, Molokai. In K. A. Bjorndal & A. B. Bolten (Eds.), *Proceedings of a Workshop on Assessing Abundance and Trends for In-water Sea Turtle Populations*. (pp. 42–44). U.S. Dep. Commer. NOAA Tech. Mem. NMFS-SEFSC-44S, 83 p.

- Balazs, G. H., & Chaloupka, M. Y. (2004). Thirty-year recovery trend in the once depleted Hawaiian green sea turtle stock. *Biological Conservation*, 117(5), 491–498. doi:10.1016/j.biocon.2003.08.008
- Balazs, G. H., & Chaloupka, M. Y. (2006). Recovery trend over 32 years at the Hawaiian green turtle rookery of French Frigate Shoals. *Atoll Research Bulletin*, 543, 147–158.
- Balazs, G. H., Forsyth, R. G., & Kam, A. K. H. (1987). *Preliminary assessment of habitat utilization by Hawaiian Green Turtles in their resident foraging pastures* (p. 115 pages).
- Balazs, G. H., & Kubis, S. A. (2007). *Research plan for the Hawaiian green turtle, Chelonia mydas* (p. 25 pages).
- Balazs, G. H., Miya, R. K., & Beavers, S. C. (1996). Procedures to attach a satellite transmitter to the carapace of an adult green turtle, *Chelonia mydas*. In J. A. Keinath, D. E. Barnard, J. A. Musick, & B. A. Bell (Eds.), *Fifteenth Annual Symposium on Sea Turtle Biology and Conservation* (Vol. NOAA Techn, pp. 21–26). NOAA Technical Memorandum NMFS-SEFSC-387.
- Balazs, G. H., Murakawa, S. K. K., Wyneken, J., & Schroeder, B. A. (1998). Differences in flipper size and esophagus morphology of green turtles from Hawaii and Florida. In S. P. Epperly & J. Braun (Eds.), *Proceedings of the Seventeenth Annual Sea Turtle Symposium* (pp. 127–129). U.S. Dep. Commer. NOAA Technical Memorandum NMFS-SEFSC-415.
- Balazs, G. H., Rice, M. R., Hoffman, N., Murakawa, S. K. K., Parker, D. M., & Shallenberger, R. J. (2005). Green Turtle foraging and resting habitats at Midway Atoll: significant findings over 25 years, 1975-2000. In M. S. Coyne & R. D. Clark (Eds.), *Proceedings of the Twenty-first Annual Symposium on Sea Turtle Biology and Conservation* (pp. 102–104). NOAA Technical Memorandum NMFS-SEFSC-528.
- Balazs, G. H., Siu, P., & Landret, J. P. (1995). Ecological aspects of green turtles nesting at Scilly Atoll in French Polynesia. In J. I. Richardson & T. H. Richardson (Eds.), *Proceedings of the 12th Annual Workshop on Sea Turtle Biology and Conservation* (pp. 7–10). U.S. Department of Commerce, NOAA Technical Memorandum NMFS, NMFS-SEFSC-361.
- Baldwin, R., Hughes, G. R., & Prince, R. I. T. (2003). Loggerhead turtles in the Indian Ocean. *Loggerhead Sea Turtles. Smithsonian Books*, 218–232.
- Barata, P., González Carman, V., Dos Santos, A. S., Bondioli, A. C., Almeida, A. P., Santos, A. J. B., ... Naro-Maciel, E. (2011). Variação latitudinal na distribuição do tamanho de tartarugas-verdes (*Chelonia mydas*) ao longo da costa leste da América do Sul. In *Presentación en las V Jornadas de Investigación y Conservación de Tortugas Marinas del Atlántico Sur Occidental* (pp. 18–22). Florianópolis, Brasil.

- Barnett, J., & Adger, W. N. (2003). Climate dangers and atoll countries. *Climatic Change*, 61(3), 321–337. doi:10.1023/B:CLIM.0000004559.08755.88
- Barnett, L. K., Emms, C., Jallow, A., Cham, A. M., & Mortimer, J. A. (2004). The distribution and conservation status of marine turtles in The Gambia, West Africa: a first assessment. *Oryx*, 38(02), 203–208. doi:10.1017/S0030605304000353
- Barr, J. M. (2006). *Community-based sea turtle monitoring and management at Helen Reef, Hatohobei State, Republic of Palau*. Oregon State University.
- Basintal, P. (2002). Sea turtle conservation at the Sabah's Turtle Islands Park, Malaysia. In I. Kinan (Ed.), *Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop. February 5–8, 2002* (pp. 151–161). Honolulu, Hawaii, USA: Honolulu, HI: Western Pacific Regional Fishery Management Council.
- Batibasaga, A., Waqainabete, S., & Qauqau, A. (2006). *Notes on Fijian sea turtles: Estimates on population status*. Information provided for Sea Turtle Working Group Meeting- Nadave/CATD 31st May- 1st June.
- Bell, C. D., Blumenthal, J. M., Broderick, A. C., & Godley, B. J. (2010). Investigating potential for depensation in marine turtles: how low can you go? *Conservation Biology*, 24(1), 226–235. doi:10.1111/j.1523-1739.2009.01313.x
- Bell, C. D., Parsons, J., Austin, T. J., Broderick, A. C., Ebanks-Petrie, G., & Godley, B. J. (2005). Some of them came home: the Cayman Turtle Farm headstarting project for the green turtle *Chelonia mydas*. *Oryx*, 39(2), 137–148. doi:10.1017/S0030605305000372
- Bell, L. A. J., Fa'anunu, U., & Koloa, T. (1994). *Fisheries resources profiles: Kingdom of Tonga*. FFA Report 94/5.
- Bell, L. A. J., Matato, L., & Fa'anunu, U. (2009). *Project report marine turtle monitoring programme in Tonga* (p. 15). Marine Conservation Action Fund, 15 pages plus appendices.
- Bellini, C., Santos, A. J. B., Grossman, A., Marcovaldi, M. Â., & Barata, P. C. R. (2013). Green turtle (*Chelonia mydas*) nesting on Atol das Rocas, north-eastern Brazil, 1990-2008. *Journal of the Marine Biological Association of the United Kingdom*, 93(4), 1117–1132. doi:10.1017/S002531541200046X
- Berdach, J. T., & Mandeakali, L. (2004). *Regional: mainstreaming environmental considerations in economic and development planning processes in selected Pacific developing member countries*. (p. 165). ADB Technical Assistance Consultant's Report, Project Number 38031, December 2004.
- Bhaskar, S. (1984). The distribution and status of sea turtles in India. In E. G. Silas (Ed.), *Proceedings of the workshop on sea turtle conservation* (pp. 21–35). CMFRI Special Publication 18.

- Bhupathy, S., & Saravanan, S. (2006). Status of marine turtles in the Gulf of Mannar, India. *Chelonian Conservation and Biology*, 5(1), 139–141.
- Biodiversity Management Bureau. (2014). *Pawikan Conservation Project Annual Accomplishment Reports, 1984-2013*.
- Bjorndal, K. A. (1980). Nutrition and grazing behavior of the green turtle, *Chelonia mydas*. *Marine Biology*, 56, 147–154.
- Bjorndal, K. A. (1982). The consequences of Herbivory for the Life History Pattern of the Caribbean Green Turtle, *Chelonia mydas*. In K. A. Bjorndal (Ed.), *Biology and Conservation of Sea Turtles* (pp. 111–116). Smithsonian Institution Press.
- Bjorndal, K. A., Bolten, A. B., & Lagueux, C. J. (1994). Ingestion of marine debris by juvenile sea turtles in coastal Florida habitats. *Marine Pollution Bulletin*, 28(3), 154–158. doi:10.1016/0025-326X(94)90391-3
- Bjorndal, K. A., Bolten, A. B., Moreira, L., Bellini, C., & Marcovaldi, M. Â. (2006). Population Structure and Diversity of Brazilian Green Turtle Rookeries Based on Mitochondrial DNA Sequences. *Chelonian Conservation and Biology*, 5(2), 262.
- Bjorndal, K. A., Wetherall, J. A., Bolten, A. B., & Mortimer, J. A. (1999). Twenty-six years of green turtle nesting at Tortuguero, Costa Rica: An encouraging trend. *Conservation Biology*, 13(1), 126–134.
- Blanco, G. S. (2010). *Movements and Behavior of the East Pacific Green Turtle (Chelonia mydas) from Costa Rica*. PhD thesis, Drexel University.
- Blanco, G. S., & Santidrián, P. (2011). La Tortuga marina negra de Guanacase amenazada de extincion por practicas humanas. In *Tortugas Marinas en Costa Rica: “enemigos”, proteccion, y aprocamiento sostenible* (Special is.). San Jose.: Universidad National Costa Rica. Retrieved from <http://www.ambientico.una.ac.cr/pdfs/ambientales/41.pdf>
- Bolker, B., Okayama, T., Bjorndal, K. A., & Bolten, A. B. (2007). Incorporating multiple mixed stocks in mixed stock analysis: “many-to-many” analyses. *Molecular Ecology*, 16(4), 685–695. doi:10.1111/j.1365-294X.2006.03161.x
- Bolten, A. B. (2003). Variation in sea turtle life history patterns: Neritic vs. oceanic developmental stages. In P. L. Lutz, J. A. Musick, & J. Wyneken (Eds.), *The biology of sea turtles, Volumen II* (p. 455). CRC Press Boca Raton, FL.
- Bool, N., Whiting, A. U., Gourlay, T., & Ma, R. (2009). *Ningaloo Turtle Program Annual Report 2008-2009* (Vol. 2009, p. 67). Retrieved from http://www.ningalooturtles.org.au/pdf_downloads/REPORTS

- Bornatowski, H., Heithaus, M. R., Batista, C. M. P., & Mascarenhas, R. (2012). Shark scavenging and predation on sea turtles in northeastern Brazil. *Amphibia-Reptilia*, *33*, 495–502. doi:10.1163/15685381-00002852
- Bourjea, J. (2012a). Sea turtles: a review of the status, distribution, and interaction with fisheries in the southwest Indian Ocean. In R. van der Elst (Ed.), *Mainstreaming Biodiversity: a SWIOFP Retrospective Analysis* (pp. 35–63). South West Indian Ocean Fisheries Project (SWIOFP).
- Bourjea, J. (2012b). Sea turtles: a review of the status, distribution, and interaction with fisheries in the southwest Indian Ocean. In *Mainstreaming Biodiversity: a SWIOFP Retrospective Analysis* (pp. 35–63).
- Bourjea, J., Ciccione, S., & Ratsimbazafy, R. (2006). Marine Turtles Surveys in Nosy Iranja Kely, North-Western. *Western Indian Ocean Journal of Marine Science*, *5*(2), 209–212.
- Bourjea, J., Frappier, J., Quillard, M., Ciccione, S., Roos, D., Hughes, G. R., & Grizel, H. (2007). Mayotte Island: another important green turtle nesting site in the southwest Indian Ocean. *Endangered Species Research*, *3*, 273–282. doi:10.3354/esr00053
- Bourjea, J., Lapègue, S., Gagnevin, L., Broderick, D., Mortimer, J. A., Ciccione, S., ... Grisel, H. (2007). Phylogeography of the green turtle, *Chelonia mydas*, in the Southwest Indian Ocean. *Molecular Ecology*, *16*(1), 175–186. doi:10.1111/j.1365-294X.2006.03122.x
- Bourjea, J., Nel, R., Jiddawi, N. S., Koonjul, M. S., & Bianchi, G. (2008). Sea turtle bycatch in the West Indian Ocean: review, recommendations and research priorities. *Western Indian Ocean Journal of Marine Science*, *7*(2), 137–150.
- Bowen, B. W., Meylan, A. B., Ross, J. P., Limpus, C. J., Balazs, G. H., & Avise, J. C. (1992). Global Population Structure and Natural History of the Green Turtle (*Chelonia mydas*) in Terms of Matriarchal Phylogeny. *Evolution*, *46*(4), 865–881.
- Bradshaw, P., & Bradshaw, N. (2012). *Turtles and their habitats on Mauke, Southern Cook Islands* (p. 24). Pacific Islands Conservation Initiative (PICI), Cook Islands Turtle Project: Mauke Report 2012.
- Brattstrom, B. H. (1982). Breeding of the green sea turtle, *Chelonia mydas*, on the Islas Revillagigedo, Mexico. *Herpetological Review*, *13*(3), 71.
- Bräutigam, A., & Eckert, K. L. (2006). Turning the tide: exploitation, trade and management of marine turtles in the Lesser Antilles, Central America, Colombia and Venezuela. In *TRAFFIC International and the Secretariat of the Convention on International Trade in Endangered Species*.
- Briggs, J. C. (1974). *Marine Zoogeography*. McGraw Hill, New York.

- Brikke, S. (2009). *Local perceptions of sea turtles on Bora Bora and Maupiti Islands, French Polynesia*. SPC Traditional Marine Resource Management and Knowledge Information Bulletin #26.
- Broderick, A. C., Coyne, M. S., Fuller, W. J., Glen, F., & Godley, B. J. (2007). Fidelity and over-wintering of sea turtles. *Proceedings. Biological Sciences / The Royal Society*, 274(1617), 1533–8. doi:10.1098/rspb.2007.0211
- Broderick, A. C., Glen, F., Godley, B. J., & Hays, G. C. (2002a). *A management plan for the marine turtles of Ascension Island* (p. 33). Swansea, U.K.: Marine Turtle Research Group, University of Wales Swansea.
- Broderick, A. C., Glen, F., Godley, B. J., & Hays, G. C. (2002b). Estimating the number of green and loggerhead turtles nesting annually in the Mediterranean. *Oryx*, 36, 227–235.
- Broderick, A. C., Glen, F., Godley, B. J., & Hays, G. C. (2003). Variation in reproductive output of marine turtles. *Journal of Experimental Marine Biology and Ecology*, 288, 95–109. doi:10.1016/S0022-0981(03)00003-0
- Broderick, A. C., & Godley, B. J. (1996). Population and nesting ecology of the green turtle, *Chelonia mydas*, and the loggerhead turtle, *Caretta caretta*, in northern Cyprus. *Zoology in the Middle East*, 13, 27–46.
- Broderick, D. (1998). Subsistence harvesting of marine turtles in the Solomon Islands. In S. P. Epperly & J. Braun (Eds.), *Proceedings of the Seventeenth Annual Sea Turtle Symposium* (pp. 15–18). NOAA Technical Memorandum NMFS-SEFSC-415.
- Brown, L., & MacDonald, D. W. (1995). Predation on green turtle *Chelonia mydas* nests by wild canids at Akyatan Beach, Turkey. *Biological Conservation*, 71(1), 55–60.
- Buden, D. W. (1999). Reptiles, birds, and mammals of Oroluk Atoll, Eastern Caroline Islands. *Micronesica*, 31(2), 289–300.
- Bugoni, L., Krause, L., & Petry, M. V. (2001). Marine debris and human impacts on sea turtles in southern Brazil. *Marine Pollution Bulletin*, 42(12), 1330–1334.
- Bureau of Marine Resources. (2005). *Palau marine turtle conservation and management project, September 2004 to September 2005*. Bureau of Marine Resources, Republic of Palau.
- Buss, P. E., & Bengis, R. G. (2012). Cyanobacterial biointoxication in free-ranging wildlife. In R. E. Miller & M. Fowler (Eds.), *Fowler's Zoo and Wild Animal Medicine* (pp. 108–114). Saint Louis: Elsevier Inc.
- Camiñas, J. A. (2004). Sea turtles of the Mediterranean Sea: population dynamics, sources of mortality and relative importance of fisheries impacts. In *Papers presented at the Expert*

Consultation on Interactions between Sea Turtles and Fisheries within an Ecosystem Context (pp. 27–84). Rome, Italy: FAO Fisheries Report. No. 738, Supplement.

- Campbell, C. L., & Lagueux, C. J. (2005). Survival probability estimates for large juvenile and adult green turtles (*Chelonia mydas*) exposed to an artisanal marine turtle fishery in the Western Caribbean. *Herpetologica*, *61*(2), 91–103.
- Campbell, C. L., & Lagueux, C. J. (2005). Survival probability estimates for large juvenile and adult green turtles (*Chelonia mydas*) exposed to an artisanal marine turtle fishery in the western Caribbean. *Herpetologica*, *61*(2), 91–103.
- Canbolat, A. F., Atatunc, K., Candan, O., & Barcak, D. (2009). A new green turtle (*Chelonia mydas*) nesting site in the Mediterranean: Sugoza beaches, Adana (Turkey). In A. Demetropoulos & O. Turkozan (Eds.), *Proceedings of the Second Mediterranean Conference on Marine Turtles* (p. 65). Kemer, Turkey: Barcelona Convention – Bern Convention – Bonn Convention (CMS).
- Carballo, J. L., Olabarria, C., & Garza Osuna, T. (2002). Analysis of four macroalgal assemblages along the Pacific Mexican coast during and after the 1997-98 El Nino. *Ecosystems*, *5*(8), 749–760.
- Carr, A. F. (1961). Pacific turtle problem. *Natural History*, *70*, 64–71.
- Carr, A. F. (1987). Impact of nondegradable marine debris on the ecology and survival outlook of sea turtles. *Marine Pollution Bulletin*, *18*(6B), 352–356.
- Carr, A. F., & Ogren, L. H. (1960). The ecology and migrations of sea turtles, 4: the green turtle in the Caribbean Sea. *Bulletin of the American Museum of Natural History*, *121*, 1–48.
- Carr, T., & Carr, N. (1991). Surveys of the sea-turtles of Angola. *Biological Conservation*, *58*(1), 19–29.
- Casale, P. (2008). *Incidental catch of marine turtles in the Mediterranean Sea: captures, mortality, priorities*. Rome, Italy.
- Casale, P. (2011). Sea turtle by-catch in the Mediterranean. *Fish and Fisheries*, *12*(3), 299–316. doi:10.1111/j.1467-2979.2010.00394.x
- Casale, P., & Margaritoulis, D. (2010). *Sea turtles in the Mediterranean: Distribution, threats and conservation policies* (p. 294). Gland, Switzerland.
- Casale, P., Margaritoulis, D., Aksissou, M., Aureggi, M., Benhardouze, W., Bradai, M. N., ... Ziza, V. (2010). Overview. In P. Casale & D. Margaritoulis (Eds.), *Sea Turtles in the Mediterranean: Distribution, Threats and Conservation Priorities* (pp. 1–14). International Union for Conservation of Nature and Natural Resources, Gland, Switzerland.

- Catry, P., Barbosa, C., Paris, B., Indjai, B., Almeida, A., Limoges, B., ... Pereira, H. (2009). Status, Ecology, and Conservation of Sea Turtles in Guinea-Bissau. *Chelonian Conservation and Biology*, 8(2), 150–160. doi:10.2744/CCB-0772.1
- Chacón, D. (2002). *Assessment about the trade of sea turtles and their products in the Central American isthmus* (p. 247 pages ST – Assessment about the trade of sea). San José, Costa Rica: Red Regional para la Conservación de last Tortugas Marinas en Centroamérica.
- Chaloupka, M., Balazs, G. H., Murakawa, S. K. K., Morris, R., & Work., T. M. (2008). Cause specific spatial and temporal trends in green sea turtle strandings in the Hawaiian Archipelago. *Marine Biology*, 154, 887–898.
- Chaloupka, M. Y., & Balazs, G. H. (2005). Modelling the effect of fibropapilloma disease on the somatic growth dynamics of Hawaiian green sea turtles. *Marine Biology*, 147(5), 1251–1260. doi:10.1007/s00227-005-0026-1
- Chaloupka, M. Y., Bjorndal, K. A., Balazs, G. H., Bolten, A. B., Ehrhart, L. M., Limpus, C. J., ... Yamaguchi, M. (2008). Encouraging outlook for recovery of a once severely exploited marine megaherbivore. *Global Ecology and Biogeography*, 17, 297–304. doi:10.1111/j.1466-8238.2007.00367.x
- Chaloupka, M. Y., & Limpus, C. J. (2005). Estimates of sex- and age-class-specific survival probabilities for a southern Great Barrier Reef green sea turtle population. *Marine Biology*, 146(6), 1251–1261. doi:10.1007/s00227-004-1512-6
- Chaloupka, M. Y., & Musick, J. A. (1997). Age, growth, and population dynamics. In P. L. Lutz & J. A. Musick (Eds.), *The Biology of Sea Turtles* (pp. 233–273). CRC Press.
- Chan, E. H. (2006). Marine turtles in Malaysia: On the verge of extinction? *Aquatic Ecosystem Health and Management*, 9(2), 175–184.
- Chan, E. H. (2010). A 16-year record of green and hawksbill turtle nesting activity at Chagar Hutang Turtle Sanctuary, Redang Island, Malaysia. *Indian Ocean Turtle Newslette*. Retrieved from http://www.seaturtle.org/iotn/pdfs/issue-12/iotn12_1.pdf
- Chan, E. H., Liew, H. C., & Mazlan, A. G. (1988). The incidental capture of sea turtles in fishing gear in Terengganu, Malaysia. *Biological Conservation*, 43, 1–7.
- Chan, S. K. F., Cheng, I.-J., Zhou, T., Wang, H. J., Gu, H. X., & Song, X. J. (2007). A comprehensive overview of the population and conservation status of sea turtles in China. *Chelonian Conservation and Biology*, 6(2), 185–198.
- Chandi, M., Deol, R., & Shetty, R. S. (2012). Socioeconomic Monitoring for Coastal Managers of South Asia: Field Trials and Baseline Surveys, Havelock and Neil Islands, Rani Jhansi Marine National Park, Andaman Islands, ANET, India.

- Chantrapornsyl, S. (1993). Status of marine turtles in Thailand. In *Proceedings of the First ASEAN Symposium-Workshop on Marine Turtle Conservation, Manila, Philippines* (pp. 123–128).
- Charuchinda, M., & Monanunsap, S. (1998). Monitoring survey on sea turtle nesting in the Inner Gulf of Thailand, 1994-1996. *Thai Marine Fisheries Research Bulletin*, 6, 17–25.
- Charuchinda, M., Monanunsap, S., & Chantrapornsyl, S. (2002). Status of sea turtle conservation in Thailand. In I. Kinan (Ed.), *Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop. February 5–8, 2002* (pp. 179–184). Honolulu, Hawaii, USA: Honolulu, HI: Western Pacific Regional Fishery Management Council.
- Charuchinda, M., Sakamoto, W., Arai, N., & Monanunsap, N. (2003). Migration pattern of post-nesting green turtles in the Gulf of Thailand. In N. Arai (Ed.), *Proceedings of the 3rd workshop on SEASTAR2000* (pp. 53–57).
- Chatto, R., Guinea, M. L., & Conway, S. (1995). Sea turtles killed by flotsam in northern Australia. *Marine Turtle Newsletter*, 69, 17–18.
- Cheng, I.-J. (2000). Post-nesting migrations of green turtles (*Chelonia mydas*) at Wan-An Island, Penghu Archipelago, Taiwan. *Marine Biology*, 137(4), 747–754.
doi:10.1007/s002270000375
- Cheng, I.-J., Huang, C. T., Hung, P. Y., Ke, B. Z., Kuo, C. W., & Fong, C. L. (2009). Ten years of monitoring the nesting ecology of the green turtle, *Chelonia mydas*, on Lanyu (Orchid Island), Taiwan. *Zoological Studies*, 48(1), 83–94.
- Ciccione, S., Taquet, M., Roos, D., & Barde, J. (2002). Assistance a la DAF de Mayotte pour la mise en place d'une etude sur les tortues marines, Rapport final CEDTM-IFREMER, 35 p.
- Clarke, M., Campbell, A. C., Hameid, W. S., & Ghoneim, S. (2000). Preliminary report on the status of marine turtle nesting populations on the Mediterranean coast of Egypt. *Biological Conservation*, 94(3), 363–371. doi:10.1016/S0006-3207(00)00005-7
- Cliffon, K., Cornejo, D. O., & Felger, R. S. (1982). Sea turtles of the pacific coast of Mexico. In K. A. Bjorndal (Ed.), *Biology and Conservation of Sea Turtles* (Revised., pp. 199–209). Washington, D.C.: Smithsonian Institution Press.
- Commonwealth of the Northern Mariana Islands Coastal Resources Management Office. (2011). *Section 309 assessment and strategy report 2011-2015* (p. 86).
- Conant, T. A., Dutton, P. H., Eguchi, T., Epperly, S. P., Fahy, C. C., Godfrey, M. H., ... Witherington, B. E. (2009). *Loggerhead sea turtle (Caretta caretta) 2009 status review under the US Endangered Species Act. Report of the Biological Review Team to the National Marine Fisheries Service* (p. 222).

- Conservation International Pacific Islands Program. (2013). *Biodiversity Conservation Lessons Learned Technical Series 11: Double programme de recherche sur les tortues marines de l'Archipel de la Société, Polynésie française [Dual Research Program on Sea Turtles of the Society Archipelago – French Polynesia]* (p. 96).
- Costa, A., Motta, H., Pereira, M. A. M., Videira, E. J. S., Louro, C. M. M., & Joao, J. (2007). Marine turtles in Mozambique: towards an effective conservation and management program. *Marine Turtle Newsletter*, 117, 1–3.
- Craig, P. (1993). Sea turtles: A vanishing resource in American Samoa. *Marine Turtle Newsletter*, 61, 13–15.
- Craig, P., & Balazs, G. H. (1995). Marine Turtle Travels from American Samoa to French Polynesia. *Marine Turtle Newsletter*, 70, 5–6.
- Craig, P., Parker, D. M., Brainard, R. E., Rice, M., & Balazs, G. H. (2004). Migrations of green turtles in the central South Pacific. *Biological Conservation*, 116(3), 433–438. doi:10.1016/S0006-3207(03)00217-9
- Cruce, J. A. (2008). *Monitoring of nesting green turtles (Chelonia mydas) on Loosiep Island, Ulithi Atoll, Yap, Federated States of Micronesia* (p. 20).
- Cruce, J. A. (2009). Monitoring of nesting green turtles (*Chelonia mydas*) in Ulithi Atoll, Yap, Federated States of Micronesia. *Testudo*, 7(1).
- Cruz, R. D. (2002). Marine Turtle Distribution in the Philippines. In I. Kinan (Ed.), *Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop* (pp. 57–66). Honolulu, Hawaii, USA: Honolulu, HI: Western Pacific Regional Fishery Management Council.
- Cummings, V. (2002). Sea turtle conservation in Guam. In I. Kinan (Ed.), *Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop. February 5–8, 2002* (pp. 37–38). Honolulu, Hawaii, USA: Honolulu, HI: Western Pacific Regional Fishery Management Council.
- D'Amato, A. F., & Marczewski, M. (1993). Biological aspects of marine turtles (*Cheloniidae*) during nesting season 1990-1991 at Praia do Forte area, district of Mata de Sao Joao, Bahia, Brazil. *Arquivos de Biologia E Tecnologia (Curitiba)*, 36(3), 513–519.
- Da Silva Ferreira, M. B. M. (2012). *Nesting habitat preferences and nest predation of green turtles (Chelonia mydas) in the Bijagós Archipelago, Guinea Bissau*. Universidade de Lisboa.
- Dalleau, M., Ciccione, S., Mortimer, J. A., Garnier, J., Benhamou, S., & Bourjea, J. (2012). Nesting Phenology of Marine Turtles: Insights from a Regional Comparative Analysis on

Green Turtle (*Chelonia mydas*). *PloS One*, 7(10), e46920.
doi:10.1371/journal.pone.0046920

- Daniels, R. C., White, T. W., & Chapman, K. K. (1993). Sea-level rise: Destruction of threatened and endangered species habitat in South Carolina. *Environmental Management*, 17(3), 373–385. doi:10.1007/BF02394680
- Davis, R. W., Evans, W. E., & Wursig, B. G. (2000). *Cetaceans, Sea Turtles and Seabirds in the Northern Gulf of Mexico: Distribution, Abundance and Habitat Association. Volume III: data appendix. Habitat* (Vol. III, p. 201). Prepared by Texas A&M University at Galveston and the National Marine Fisheries Service. U.S. Department of the Interior, Geological Survey, Biological Resources Division, USGSBRD/CR-1999-0006 and Minerals Management Service, Gulf of Mexico OCS Region, Ne.
- De Silva, G. S. (1982). The status of sea turtle populations in East Malaysia and the South China Sea. In K. Bjorndal (Ed.), *The Biology and Conservation of Sea Turtles* (pp. 327–337). Washington D.C.: Smithsonian Institution Press.
- Defense Environmental Network and Information Exchange. (n.d.). Wake Island fact sheet.
- Delgado-Trejo, C., & Alvarado-Figueroa, J. (2012). Current Conservation Status of the Black Sea Turtle in Michoacan, Mexico. In J. Seminoff & B. Wallace (Eds.), *Sea Turtles of the Eastern Pacific* (pp. 364–378). University of Arizona Press.
- Demetropoulos, A. (2000). Impact of tourism development on marine turtle nesting: strategies and actions to minimise impact. In *20th Meeting of the Convention on the conservation of European wildlife and natural habitats* (pp. 1–28). Strasbourg: Council of Europe, T-PVS 41.
- Demetropoulos, A., & Hadjichristophorou, M. (1995). *Manual on Marine Turtle Conservation in the Mediterranean* (p. 62 + 24 plates ST – Manual on Marine Turtle Conse). UNEP(MAP)SPA/IUCN/CWS/Fisheries Department, Manre, Cyprus.
- Demetropoulos, A., & Hadjichristophorou, M. (2010). Cyprus - Region B. In P. Casale & D. Margaritoulis (Eds.), *Sea turtles in the Mediterranean: Distribution, threats and conservation policies* (p. 53–). IUCN, Gland, Switzerland.
- Department of Land and Natural Resources. (2013). Green turtle nesting on Maui, Department of Land and Natural Resources input on green sea turtle ESA review, personal communication. State of Hawaii, Department of Land Natural Resources.
- Dermawan, A. (2002). Marine turtle management and conservation in Indonesia. In I. Kinan (Ed.), *Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop. February 5-8, 2002, Honolulu, Hawaii, USA* (pp. 67–76). Honolulu, Hawaii, USA: Western Pacific Regional Fishery Management Council.

- Dethmers, K. E. M. (2010). *Ecology and phylogeography of Australasian green turtle (Chelonia mydas) populations; A case study for conservation from Aru, Indonesia*. Ph.D. thesis. Radboud University Nijmegen, the Netherlands.
- Dethmers, K. E. M., Broderick, D., Moritz, C., FitzSimmons, N. N., Limpus, C. J., Lavery, S., ... Kennett, R. (2006). The genetic structure of Australasian green turtles (*Chelonia mydas*): exploring the geographical scale of genetic exchange. *Molecular Ecology*, *15*(13), 3931–3946. doi:10.1111/j.1365-294X.2006.03070.x
- Dethmers, K. E. M., Jensen, M. P., FitzSimmons, N. N., Broderick, D., Limpus, C. J., & Moritz, C. (2010). Migration of green turtles (*Chelonia mydas*) from Australasian feeding grounds inferred from genetic analyses. *Marine and Freshwater Research*, *61*(12), 1376–1387.
- DEWHA. (2010). *Australian Tuna and Billfish Longline Fisheries: Bycatch and discarding workplan* (p. 19).
- Dirado, J. A. V., Rasado, F. V., Lopex, D. S., Vazquez, A. A., Tejedas, A. C., & Viveros, M. V. (2002). Decrease of the number of nests of the green turtle (*Chelonia mydas*) in the beaches of Alto Lucero, Veracruz, Mexico. In A. Mosier, A. Foley, & B. Brost (Eds.), *Proceedings of the Twenty-Fifth Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Tech. Memo. NMFS-SEFSC-477.
- Division of Aquatic and Wildlife Resources. (2011). *Final annual progress report, Guam sea turtle recovery* (p. 19).
- Donoso, M., & Dutton, P. H. (2010). Sea turtle bycatch in the Chilean pelagic longline fishery in the southeastern Pacific: Opportunities for conservation. *Biological Conservation*, *143*(11), 2672–2684. doi:10.1016/j.biocon.2010.07.011
- Dow, W., Eckert, K. L., Palmer, M., & Kramer, P. (2007). *An Atlas of Sea Turtle Nesting Habitat for the Wider Caribbean Region* (p. 267 pages, plus electronic Appendices). Beaufort, North Carolina: The Wider Caribbean Sea Turtle Conservation Network and The Nature Conservancy. WIDECAS Technical Report No. 6.
- Dryden, J., Grech, A., Moloney, J., & Hamann, M. (2008). Rezoning of the Great Barrier Reef World Heritage Area: does it afford greater protection for marine turtles? *Wildlife Research*, *35*(5), 477. doi:10.1071/WR07087
- Dutton, P. H., Balazs, G. H., LeRoux, R. A., Murakawa, S. K. K., Zárate, P., & Martínez, L. S. (2008). Composition of Hawaiian green turtle foraging aggregations: mtDNA evidence for a distinct regional population. *Endangered Species Research*, *5*, 37–44.
- Dutton, P. H., Jensen, M. P., Frutchey, K., Frey, A., LaCasella, E., Balazs, G. H., ... Tatarata, M. (2014). Genetic stock structure of green turtle (*Chelonia mydas*) nesting populations across the Pacific islands. *Pacific Science*.

- Eberdong, J., & Klain, S. (2008). Palau marine turtle conservation and monitoring program. In A. F. Rees, M. Frick, A. Panagopoulou, & K. Williams (Eds.), *Proceedings of the Twenty-seventh Annual Symposium on Sea Turtle Biology and Conservation* (pp. 230–231). NOAA Technical Memorandum NMFS-SEFSC-569.
- Eckert, K. L. (1993). *The biology and population status of marine turtles in the North Pacific Ocean* (p. 157).
- El-Sadek, I., Mancini, A., Hanafy, M. H., & Girondot, M. (2013). Green turtle nesting activities on Zabargard Island, a major rookery in the southern Egyptian Red Sea. *Proceedings of the Thirty-Third Annual Symposium on Sea Turtle Biology and Conservation*, 174–175.
- Encalada, S. E., Lahanas, P. N., Bjorndal, K. A., & Bolten, A. B. (1996). Phylogeography and population structure of the Atlantic and Mediterranean green turtle *Chelonia mydas*: a mitochondrial DNA control region sequence assessment. *Molecular Ecology*, 5, 473–483.
- Ene, A. R., Su, M., Lemaire, S., Rose, C., Schaff, S., Moretti, R., ... Herbst, L. H. (2005). Distribution of chelonid fibropapillomatosis-associated herpesvirus variants in Florida: molecular genetic evidence for infection of turtles following recruitment to neritic developmental habitats. *Journal of Wildlife Diseases*, 41(3), 489–497.
- Environment Australia. (2003). *Recovery Plan for Marine Turtles in Australia* (p. 49).
- Epperly, S. P. (2003). Fisheries-related mortality and turtle excluder devices (TEDs). In P. L. Lutz, J. A. Musick, & J. Wyneken (Eds.), *The Biology of Sea Turtles, Volume II* (pp. 339–354). Boca Raton, Florida: CRC Press.
- Evans, K. E., & Vargas, A. E. (1998). Sea turtle egg commercialization in Isla de Canas, Panama. In R. Byles & Y. Fernandez (Eds.), *Proceedings of the Sixteenth Annual Symposium on Sea Turtle Biology and Conservation* (p. 158). NOAA Technical Memorandum NMFS-SEFSC-412.
- Fatima, E., Andrews, H. V., John, J., & Shanker, K. (2011). Status of marine turtles in Cuthbert Bay, Middle Andaman Islands. *Marine Turtle Newsletter*, 130, 6–9.
- Fennessy, S. T., & Isaksen, B. (2007). Can bycatch reduction devices be implemented successfully on prawn trawlers in the Western Indian Ocean? *African Journal of Marine Science*, 29, 453–463.
- Ferreira, B., Garcia, M., Jupp, B. P., & Al-Kiyumi, a. (2006). Diet of the Green Turtle (*Chelonia mydas*) at Ra's Al Hadd, Sultanate of Oman. *Chelonian Conservation and Biology*, 5(1), 141. doi:10.2744/1071-8443(2006)5[141:DOTGTC]2.0.CO;2
- Firdous, F. (2001). Sea turtle conservation and education in Karachi, Pakistan. *ASEAN Review of Biodiversity and Environmental Conservation (ARBEC)*, 1–10.

- Fish and Wildlife Service. (2012). *Rose Atoll draft comprehensive conservation plan and environmental assessment* (p. 317). Rose Atoll National Wildlife Refuge/Marine National Monument, National Park Service, Pago Pago, American Samoa and U.S. FWS, Honolulu, HI.
- Fish, M. R., Côté, I. M., Gill, J. A., Jones, A. P., Renshoff, S., & Watkinson, A. R. (2005). Predicting the impact of sea-level rise on Caribbean sea turtle nesting habitat. *Conservation Biology*, *19*(2), 482–491.
- Fish, M. R., Côté, I. M., Horrocks, J. A., Mulligan, B., Watkinson, A. R., & Jones, A. P. (2008). Construction setback regulations and sea-level rise: mitigating sea turtle nesting beach loss. *Ocean & Coastal Management*, *51*(4), 330–341. doi:10.1016/j.ocecoaman.2007.09.002
- FitzSimmons, N. N., Moritz, C., Limpus, C. J., Pope, L., & Prince, R. I. T. (1997). Geographic structure of the mitochondrial and nuclear gene polymorphisms in Australian green turtle populations and male-biased gene flow. *Genetics*, *147*(4), 1843–1854.
- Flaxman, M., & Vargas-Moreno, J. C. (2011). *Considering Climate Change in State Wildlife Action Planning: A Spatial Resilience Planning Approach*. Cambridge MA. Research Report FWC-2011. Dept of Urban Studies and Planning, Massachusetts Institute of Technology.
- Fleming, E. H. (2001). *Swimming Against the Tide: Recent Surveys of Exploitation, Trade, And Management of Marine Turtles In the Northern Caribbean. America*. Washington, D.C., USA.
- Foley, A. M., Schroeder, B. A., Redlow, A. E., Fick-Child, K. J., & Teas, W. G. (2005). Fibropapillomatosis in stranded green turtles (*Chelonia mydas*) from the eastern United States (1980-98): Trends and associations with environmental factors. *Journal of Wildlife Diseases*, *41*(1), 29–41.
- Foley, A., Singel, K., Dutton, P. H., Summer, T., Redlow, A. E., & Lessman, J. (2007). Characteristics of a Green Turtle (*Chelonia mydas*) Assemblage in Northwestern Florida Determined During a Hypothermic Stunning Event, *2007*(2), 131–143.
- Fonseca, L. G., Villachica, W. N., Matarrita, R. E., & Valverde, R. A. (2011). *Reporete final de anidacion de tortuga verde (Chelonia mydas), Playa Nancite, Parque Nacional Santa Rosa, Costa Rica (Temporada 2010-2011)*.
- Food and Agriculture Organization of the United Nations. (2004). Expert consultation on interactions between sea turtles and fisheries within an ecosystem context. *FAO Fisheries Report No. 738*.
- Formia, A. (1999). Les tortues marines de la Baie de Corisco. *Canopee*, *14*, i–ii.

- Formia, A., Broderick, A. C., Glen, F., Godley, B. J., Hays, G. C., & Bruford, M. W. (2007). Genetic composition of the Ascension Island green turtle rookery based on mitochondrial DNA: implications for sampling and diversity. *Endangered Species Research*, 3(October), 145–158. doi:10.3354/esr003145
- Formia, A., Godley, B. J., Dontaine, J.-F., & Bruford, M. W. (2006). Mitochondrial DNA diversity and phylogeography of endangered green turtle (*Chelonia mydas*) populations in Africa. *Conservation Genetics*, 7(3), 353–369. doi:10.1007/s10592-005-9047-z
- Formia, A., Tiwari, M., Fretey, J., & Billes, A. (2003). Sea turtle conservation along the Atlantic Coast of Africa. *Marine Turtle Newsletter*, 100, 33–37.
- Fraizer, J. (1971). Observations on sea turtles at Aldabra Atoll. *Philos Trans. R. Soc. Lond. B. Biol. Sci.*, 260, 373–410.
- Francke, D. L. (2013). *Marine Turtle Strandings in the Hawaiian Islands January-December 2012* (p. 25). Marine Turtle Research Program, Protected Species Division, NOAA Pacific Islands Fisheries Science Center.
- Francke, D. L., Hargrove, S. A., Vetter, W., Winn, C. D., Balazs, G. H., & Hyrenbach, K. D. (2013). Behavior of juvenile green turtles in a coastal neritic habitat: validating time-depth-temperature records using visual observations. *Journal of Experimental Marine Biology and Ecology*, 444, 55–65. doi:DOI: 10.1016/j.jembe.2013.03.011.
- Frazier, J. G. (1971). on sea turtles at Aldabra Observations Atoll. *Philos Trans. R. Soc. Lond. B. Biol. Sci.*, 260, 373–410.
- Frazier, J. G. (1975). Marine turtles of the Western Indian Ocean. *Oryx*, 13(2), 164–175.
- Frazier, J. G. (1980). Exploitation of Marine Turtles in the Indian Ocean. *Human Ecology*, 8(4), 329–370.
- Frazier, J. G. (1982). The status of marine turtles in the central western Indian Ocean. In K. A. Bjorndal (Ed.), *The Biology and Conservation of Sea Turtles* (pp. 385–390). Washington D.C.: Smithsonian Institution Press.
- Frazier, J. G. (1985). *Marine turtles in the Comoro Archipelago*. New York: North-Holland Publishing Company.
- Fretey, J. (2001). *Biogeography and Conservation of Marine Turtles of the Atlantic Coast of Africa*. Convention of Migratory Species (CMS) Technical Series Publication No. 6.
- Fretey, J., & Hama, L. F. (2012). *Knowledge and conservation of loggerheads and green turtles on the coast of Mauritania* (p. 13). U.S. Fish and Wildlife Service and Foundation Nature & Decouvertes.

- Frey, A., Dutton, P. H., & Balazs, G. H. (2013). Insights on the demography of cryptic nesting by green turtles (*Chelonia mydas*) in the main Hawaiian Islands from genetic relatedness analysis. *Journal of Experimental Marine Biology and Ecology*, 442, 80–87. doi:10.1016/j.jembe.2013.01.030
- Friedlander, A. M., Aeby, G., Brainard, R., Brown, E., Chaston, K., Clark, A., ... Wiltse, W. (2008). The state of coral reef ecosystems of the Main Hawaiian Islands. In J. Waddell & A. M. Clarke (Eds.), *The State of Coral Reef Ecosystems of the United States and Pacific Freely Associated States: 2008* (pp. 219–253). NOAA Technical Memorandum NOS NCCOS 73. NOAA/NCCOS Center for Coastal Monitoring and Assessment's Biogeography Team. Silver Spring, MD.
- Friedlander, A. M., Aeby, G., Brown, E., Clark, A., Coles, S., Dollar, S., ... Wiltse, W. (2005). The State of Coral Reef Ecosystems of the Main Hawaiian Islands. In *The State of Coral Reef Ecosystems of the United States and Pacific Freely Associated States: 2005* (pp. 222–269). NOAA Technical Memorandum NOS NCCOS 11. NOAA/NCCOS Center for Coastal Monitoring and Assessment's Biogeography Team. Silver Spring, MD. 522 pp.
- Friedlander, A. M., Brown, E. K., Monaco, M. E., & Clark, A. (2006). *Fish Habitat Utilization Patterns and Evaluation of the Efficacy of Marine Protected Areas in Hawaii: Integration of NOAA Digital Benthic Habitat Mapping and Coral Reef Ecological Studies*. NOAA Technical Memorandum NOS NCCOS 23. Silver Spring, MD. 217 pp.
- Fritts, T. H., & McGehee, M. A. (1982). Effects of petroleum on the development and survival of marine turtle embryos. *U.S. Fish and Wildlife Service Report FWS/OBS-82/37*. 41 Pages.
- Fuentes, M. M. P. B., Hamann, M., & Limpus, C. J. (2010). Potential impacts of projected sea level rise to sea turtle rookeries. *Aquatic Conservation : Marine and Freshwater Ecosystems*.
- Fuentes, M. M. P. B., Limpus, C. J., & Hamann, M. (2011). Vulnerability of sea turtle nesting grounds to climate change. *Global Change Biology*, 17(1), 140–153. doi:10.1111/j.1365-2486.2010.02192.x
- Fuller, W. J., Broderick, A. C., Enever, R., Thorne, P., & Godley, B. J. (2010). Motile homes: a comparison of the spatial distribution of epibiont communities on Mediterranean sea turtles. *Journal of Natural History*, 44, 1743–1753. doi:10.1080/00222931003624820
- Fuller, W. J., Broderick, A. C., Glen, F., Kusetogulları, H., & Godley, B. J. (2010). Cyprus - Region A. In P. Casale & D. Margaritoulis (Eds.), *Sea turtles in the Mediterranean: Distribution, threats and conservation policies* (pp. 41–52). IUCN, Gland, Switzerland.
- Galair, A. S. (2009). RMCO sheds light on turtle harvest in Somalia.
- Gardner, S. C., & Nichols, W. J. (2001). Assessment of Sea Turtle Mortality Rates in the Bahía Magdalena Region , Baja California Sur , México. *System*, 4(1), 197–199.

- Garland, K. A., & Carthy, R. R. (2010). Changing taste preferences, market demands and traditions in Pearl Lagoon, Nicaragua: a community reliant on green turtles for income and nutrition. *Conservation and Society*, 8(1), 55–72.
- George, R. H. (1997). Health problems and diseases of sea turtles. In P. L. Lutz & J. A. Musick (Eds.), *The Biology of Sea Turtles* (pp. 363–409). Boca Raton, Florida: CRC Press.
- Girard, A., Dembe Louvinguila, H., Breheret, N., Monsinjon, J., Charra, M., Protat, E., ... Girondot, M. (2014). Les engins et techniques de pêche utilisés dans la baie de Loango, République du Congo, et leurs incidences sur les prises accessoires. *Cybiuim*, 38(2), 117–131.
- Girard, A., NDembé, H., & Bréheret, N. (2013). Fibropapillomas in green turtles along the coast of the Congo-Brazzaville. Seven years of observations give an insight into a rising issue in central Africa. In *Proceedings of the 33rd Annual Symposium on Sea Turtle Biology and Conservation*. Baltimore, Maryland.
- Gladstone, W., & Dight, I. J. (1994). Torres Strait baseline study. *Marine Pollution Bulletin*, 29(1), 121–125.
- Glen, F., & Mrosovsky, N. (2004). Antigua revisited: the impact of climate change on sand and nest temperature at a hawksbill turtle (*Eretmochelys imbricata*) nesting beach. *Global Change Biology*, 10, 2036–2045.
- Godley, B. J., Broderick, A. C., Campbell, L. M., Ranger, S., & Richardson, P. B. (2004). Towards a Molecular Profile of Marine Turtles in the Caribbean Overseas Territories (pp. 223–236). Final project report for the Department of Environment, Food and Rural Affairs and the Foreign and Commonwealth Office.
- Godley, B. J., Gucu, A. C., Broderick, A. C., Furness, R. W., & Solomon, S. E. (1998). Interaction between marine turtles and artisanal fisheries in the eastern Mediterranean: a probable cause for concern? *Zoology in the Middle East*, 16, 49–64 ST – Interaction between marine turtles and.
- Godley, B. J., Richardson, S., Broderick, A. C., Coyne, M. S., Glen, F., & Hays, G. C. (2002). Long-term satellite telemetry of the movements and habitat utilisation by green turtles in the Mediterranean. *Ecography*, 25(3), 352–362. doi:10.1034/j.1600-0587.2002.250312.x
- Godoy, D. A., FitzSimmons, N. N., & Boyle, M. C. (2012). A long way from home: First confirmed records of the east Pacific green turtle (*Chelonia mydas Agassizii*) in New Zealand. In *Proceedings of the Thirty-second Annual Symposium on Sea Turtle Biology and Conservation*. Oaxaca, Mexico.
- González Carman, V., Álvarez, K. C., Prosdocimi, L., Inchaurrega, M. C., Dellacasa, R. F., Faiella, A., ... Albareda, D. a. (2011). Argentinian coastal waters: A temperate habitat for

three species of threatened sea turtles. *Marine Biology Research*, 7, 500–508.
doi:10.1080/17451000.2010.528772

Gonzalez Prieto, C., & Harrison, E. (2012). *Report on the 2011 green turtle program at Tortuguero, Costa Rica* (p. 62). Sea Turtle Conservancy and the Ministry of Environment, Energy and Telecommunications of Costa Rica. 19 April 2012. 62 pp.

Goodwin, S. F. (2008). MARINE RESOURCES (LONG LINE FISHERY) REGULATIONS 2008.

Gordon, A., Pople, A., & Ng, J. (1998). Trace metal concentrations in livers and kidneys of sea turtles from south-eastern Queensland, Australia. *Marine & Freshwater Research*, 49(5), 409–414.

Gourlay, T., Markovina, K., Prophet, M., & Whiting, A. U. (2010). *Ningaloo Turtle Program Annual Report 2009-2010*. Retrieved from http://www.ningalooturtles.org.au/pdf_downloads/reports-publications/NTP_2009-2010_Annual_Report_v4.pdf

Government of Samoa. (1998). *National report to the Convention on Biological Diversity*. Division of Environment and Conservation, Department of Lands Survey and Environment, December.

Government of the Federated States of Micronesia. (2004). *Federated States of Micronesia's strategic development plan 2004-2023. The next 20 years: achieving economic growth & self-reliance. Vol I: policies and strategies for development* (p. 479). Unpublished report. 479 pages.

Graeffe, E. (1873). Samoa oder die Schifferinseln I. Topographie von Samoa. *Journal Des Museums Godeffroy*, 1, 1–32.

Green, D. (1984). Long-Distance Movements of Galapagos Green Turtles. *Journal of Herpetology*, 18(2), 121. doi:10.2307/1563739

Green, S. O., & Webber, D. F. (2003). The effects of varying levels of eutrophication on phytoplankton and seagrass (*Thalassia testudinum*) populations of the Southeast coast of Jamaica. *Bulletin of Marine Science*, 73(2), 443–456.

Greenway, M. (1977). *The production and utilization of Thalassia testudinum (Konig) in Kingston Harbour*. Univ. of the West Indies, Mona.

Gribble, N. A., McPherson, G., & Lane, B. (1998). Effect of the Queensland Shark Control Program on non-target species: whale, dugong, turtle and dolphin, a review. *Marine & Freshwater Research*, 49, 645–651.

- Grobler, H. J., Erzini, K., Said, A. S. B., & Hamriy, S. Al. (2001). Environment of the Nesting and Feeding Grounds for Endangered Turtle Species in Dhofar (Southern Oman). *Environment*, 151–159.
- Groombridge, B., & Luxmoore, R. (1989). *The green turtle and hawksbill (Reptilia: Cheloniidae): world status, exploitation and trade. Flora* (p. 601). Lausanne, Switzerland: CITES.
- Groombridge, B., Marker Kabraji, A., & Latif Rao, A. (1988). Marine turtle in Baluchistan (Pakistan). *Marine Turtle Newsletter*, 42, 1–3.
- Guam Division of Aquatic and Wildlife Resources. (2011). Final annual progress report, Guam sea turtle recovery, grant number NA10NMF4540385. *Guam Department of Agriculture, Division of Aquatic and Wildlife Resources, Guam*.
- Guam Division of Aquatic and Wildlife Resources. (2012). *Semi-annual progress report, Guam sea turtle recovery, grant number NA11NMF4540237* (p. 11).
- Guebert-Bartholo, F., Barletta, M., Costa, M., & Monteiro-Filho, E. L. A. (2011). Using gut contents to assess foraging patterns of juvenile green turtles *Chelonia mydas* in the Paranaguá Estuary, Brazil. *Endangered Species Research*, 13(2), 131–143. doi:10.3354/esr00320
- Guilbeaux, M. D. (2001). *USE Relating to sea turtles, their management, and policy in the Republic of Palau: an assessment of stakeholder perception. Volumes 1 & 2* (p. 164). Koror, Palau: The Palau Conservation Society. 164 pages.
- Guzmán-Hernández, V. (2001). *Evaluación de las poblaciones de tortugas marinas de Campeche. Sinopsis de la Protección e Investigación 1977-2001, con Reporte de Investigación 2001/INE/DGVS/TM-007-CAMP* (p. 38).
- Guzmán-Hernández, V. (2006). *Informe tecnico final 2006 del programa conservación de tortugas marinas en Campeche, Mexico* (p. 51). CONANP/LAGUNA DE TÉRMINOS.
- Guzmán-Hernández, V., & Alvarado, P. A. G. (2011). *Informe técnico 2010 del programa de conservación de tortugas marinas en Laguna de Términos, Campeche, Mexico. Reporte especial para el APFFLT con información de: 1. CPCTM Xicalango-Victoria 2. CPCTM Chacahito, 3. CPCTM Isla Aguada, y 4. Reseña estatal r.*
- Gyuris, E. (1994). The rate of predation by fishes on hatchlings of the green turtle (*Chelonia mydas*). *Coral Reefs*, 13(3), 137–144.
- Hall, M. A. (1998). An ecological view of the tuna--dolphin problem: impacts and trade-offs. *Reviews in Fish Biology and Fisheries*, 8(1), 1–34.

- Hamabata, T., Nishida, S., Kamezaki, N. I., & Koike, H. (2009). Genetic structure of populations of the green turtle (*Chelonia mydas*) in Japan using mtDNA control region sequences. *Bulletin of the Graduate School of Social and Cultural Studies, Kyushu University*, 15, 35–50.
- Hamann, M., Cuong, C. T., Hong, N. D., Thuoc, P., & Thuhien, B. T. (2006). Distribution and abundance of marine turtles in the Socialist Republic of Viet Nam. *Biodiversity and Conservation*, 15(11), 3703–3720. doi:10.1007/s10531-005-4880-4
- Hamann, M., Limpus, C. J., & Read, M. (2007). Vulnerability of sea turtle nesting grounds to climate change. In *Climate Change and the Great Barrier Reef: A Vulnerability Assessment. Part II: Species and Species Group* (pp. 466–496).
- Hamza, A. (2010). Libya. In P. Casale & D. Margaritoulis (Eds.), *Sea Turtles in the Mediterranean: Distribution, Threats and Conservation Priorities* (pp. 157–170). IUCN, Gland, Switzerland.
- Hanafy, M. H. (2012). Nesting of marine turtles on the Egyptian beaches of the Red Sea. *Egyptian Journal of Aquatic Biology and Fisheries*, 16(2), 59–71.
- Hasan, M. M. (2009). Tourism and conservation of biodiversity: A case study of St. Martins Island, Bangladesh. *Law, Social Justice & Global Development Journal (LGD)*, 2009(1).
- Hatase, H., Sato, K., Yamaguchi, M., Takahashi, K., & Tsukamoto, K. (2006). Individual variation in feeding habitat use by adult female green sea turtles (*Chelonia mydas*): are they obligately neritic herbivores? *Oecologia*, 149(1), 52–64. doi:10.1007/s00442-006-0431-2
- Havea, S., & MacKay, K. T. (2009). Marine Turtle Hunting in the Ha’apai Group, Tonga. *Marine Turtle Newsletter*, 123, 15–17.
- Hawkes, L. A., Broderick, A. C., Godfrey, M. H., & Godley, B. J. (2007). Investigating the potential impacts of climate change on a marine turtle population. *Global Change Biology*, 13, 923–932. doi:10.1111/j.1365-2486.2006.01320.x
- Hawkes, L. A., Broderick, A. C., Godfrey, M. H., & Godley, B. J. (2009). Climate change and marine turtles. *Endangered Species Research*, 7, 137–154. doi:10.3354/esr00198
- Hay, E., & Sablan-Zebedy, E. (2005). *USE Republic of the Marshall Islands: country environmental analysis* (p. 157). ADB Technical Assistance Consultant’s Report.
- Haynes-Sutton, A., Bjorkland, R. K., & Donaldson, A. (2011). *WIDECAST Sea Turtle Recovery Action Plan for Jamaica*. (R. A. Bjorkland & K. L. Eckert, Eds.) (p. 124). Kingston, Jamaica: CEP Technical Report No. 50 UNEP Caribbean Environment Programme.
- Helvey, M., & Fahy, C. C. (2012). Fisheries management off the U.S. West Coast: a progressive model for sea turtle conservation. In J. A. Seminoff & B. P. Wallace (Eds.), *Sea Turtles of*

the Eastern Pacific: Advances in Research and Conservation (pp. 113–135). Tucson, Arizona: University of Arizona Press.

Hendrickson, J. R. (1958). The green sea turtle, *Chelonia mydas* (Linn.) in Malay and Sarawak. *Proceedings of the Zoological Society of London*, 130, 455–535.

Henry, G. W., & Lyle, J. M. (2003). *The National Recreational and Indigenous Fishing Survey*.

Herbst, L. H. (1994). Fibropapillomatosis of marine turtles. *Annual Review of Fish Diseases*. Retrieved from <http://www.sciencedirect.com/science/article/B6T46-49KKP57-1P/2/0ce9fca56db719c42c487e7c23554>

Hildebrand, H. H. (1982). A historical review of the sea turtle populations in the Western Gulf of Mexico. In K. Bjorndal (Ed.), *Biology and conservation of sea turtles* (pp. 447–453). Washington D.C.: Smithsonian Institution Press.

Hirama, S. (2001). *Epizootiology of fibropapillomatosis in green turtle on the Atlantic coast of Florida*. University of Central Florida, Orlando, Florida.

Hirama, S., & Ehrhart, L. M. (2007). Description, prevalence and severity of green turtle fibropapillomatosis in three developmental habitats on the east coast of Florida. *Florida Scientist*, 70(4), 435–448.

Hirth, H. F. (1968). *The green turtle resource of South Arabia, and the status of the green turtle in the Seychelles Islands. Yemen and the Seychelles Islands on the green turtle*. (p. 59). Report to the governments of the People's Republic of Southern Yemen, and the Seychelles Islands. FAO, Rep. FAO/UNDP(TA), (2467). 58 pages.

Hirth, H. F. (1997). *Synopsis of the biological data on the green turtle Chelonia mydas (Linnaeus 1758)* (Vol. 97, p. 120). Fish and Wildlife Service, Washington, D.C, Biological Report 97(1), 120 pages.

Hirth, H. F., & Hollingsworth, S. L. (1973). *Report to the Government of the People's Democratic Republic of Yemen on marine turtle management* (p. 51). United Nations Development Programme No. TA 3178.

Hirth, H. F., & Rohovit, D. L. H. (1992). Marketing patterns of green and hawksbill turtles in Port Moresby, Papua New Guinea. *Oryx*, 26, 39–42.

Hitipeuw, C., & Maturbongs, J. (2002). Marine turtle conservation program Jamurba-Medi nesting beach, north coast of the Bird's Head Peninsula, Papua. In I. Kinan (Ed.), *Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop. February 5–8, 2002* (pp. 161–175). Honolulu, Hawaii, USA: Honolulu, HI: Western Pacific Regional Fishery Management Council.

- Hitipeuw, C., & Pet-Soede, L. (2004). A need to align and integrate incentive strategies. In *Expert Consultation on Interactions between Sea Turtles and Fisheries within an Ecosystem Context* (p. 238 pp). Rome: FAO Fisheries Report. No. 738, Supplement, FAO.
- Horikoshi, K., Suganuma, H., Tachikawa, H., Sato, F., & Yamaguchi, M. (1994). Decline of Ogasawara green turtle population in Japan. In K. A. Bjorndal, A. B. Bolten, D. A. Johnson, & P. J. Eliazar (Eds.), *Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation* (pp. 235–236). Miami, FL: US Department of Commerce, NOAA Technical Memorandum NMFS-SEFSC-351.
- Hossain, M. G., & Hoq, M. E. (2010). Sustainable management of fisheries resources of the Bay of Bengal-Compilation of national and regional workshop Reports. *Support to Sustainable Management of the BOBLME Project, Bangladesh Fisheries Research Institute. SBOBLMEP Pub./Rep.2.*, 122 p.
- Howe, S. A., Asfaha, B., & Kemp, J. M. (2004). Turtle Strandings in the southern Eritrean Red Sea. *Marine Turtle Newsletter*, 103, 4–7.
- Hughes, G. R. (1974). *The sea turtles of South East Africa II*. Investigational report 36. South African Association of Marine Biological Research, Durban.
- Hughes, G. R. (1981). Conservation of Sea Turtles in the Southern Africa Region. In K. A. Bjorndal (Ed.), *Biology and Conservation of Sea Turtles* (pp. 397–404). Washington D.C.: Smithsonian Institution Press Book.
- Humber, F., Godley, B. J., & Broderick, A. C. (2014). So excellent a fishe: a global overview of cool marine turtle fisheries. *Diversity and Distributions*. Retrieved from <http://onlinelibrary.wiley.com/enhanced/doi/10.1111/ddi.12183/>
- Humber, F., Godley, B. J., Ramahery, V., & Broderick, A. C. (2010). Using community members to assess artisanal fisheries: the marine turtle fishery in Madagascar. *Animal Conservation*, 2010, 1–11.
- Humphrey, S. L., & Salm, R. V. (1996). Status of Sea Turtle Conservation in the Western Indian Ocean. In *UNEP Regional Seas Report and Studies No. 165. IUCN/UNEP* (p. 162). Nairobi, Kenya.
- Hunter, M. L., & Gibbs, J. P. (2007). *Fundamentals of Conservation Biology* (Third Edit.). Blackwell Publishing.
- Ikonomopoulou, M. P., Olszowy, H., Francis, R., Ibrahim, K., & Whittier, J. M. (2013). Accumulation of trace metals in the embryos and hatchlings of *Chelonia mydas* from Peninsular Malaysia incubated at different temperatures. *The Science of the Total Environment*, 450-451, 301–306. doi:10.1016/j.scitotenv.2013.02.031

- IPCC. (2007). Summary for Policymakers. In S. Solomon, D. Quin, M. Manning, Z. Chen, M. Marquis, K. B. Averyt, ... H. L. Miller (Eds.), *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge, United Kingdom and New York, New York, USA: Cambridge Univ Press.
- IPCC. (2013). *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. (T. F. Stocker, D. Qin, G.-K. Plattner, M. Tignor, S. K. Allen, J. Boschung, ... P. M. Midgley, Eds.) *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* (p. 1535). Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press. doi:10.1017/CBO9781107415324.
- Isamu, T., & Guilbeaux, M. D. (2002). USE Sea turtle conservation in Palau. In I. Kinan (Ed.), *Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop* (pp. 195–196). Western Pacific Regional Fishery Management Council, Honolulu, Hawaii.
- Ishizaki, A. (2007). *Toward reducing human-caused impacts on green turtle (Chelonia mydas) nesting activity in Ogasawara Islands, Japan*. Colorado State University, Fort Collins, Colorado.
- Ishizaki, A., Teel, T. L., & Yamaguchi, M. (2011). Contextual factors influencing support for sea turtle management actions in Ogasawara Islands, Japan: an application of conjoint analysis. *Human Dimensions of Wildlife*, 16(5), 287–298. doi:10.1080/10871209.2011.551710
- Islam, M. Z. (2002). Marine turtle nesting at St. Martin's Island, Bangladesh. *Marine Turtle Newsletter*, 96, 19–21.
- Islam, M. Z., Ehsan, F., & Rahman, M. M. (2011). Nesting sea turtles at Sonadia Island, Bangladesh. *Marine Turtle Newsletter*, 130, 19–22.
- Japan Fisheries Resource Conservation Association. (1999). *Research on migratory routes and diving ecology of sea turtles. General report on commissioned project for conservation research of aquatic animals in 1994–1998, Vol 1*. Japan Fisheries Resource Conservation Association, Tokyo, p 1–90 (in Japanese).
- Jensen, M. P. (2010). *Assessing the composition of green turtle (Chelonia mydas) foraging grounds in Australasia using mixed stock analyses*. Ph.D. Thesis, Institute for Applied Ecology, University of Canberra.
- Jit, J. N. (2007). *Status of sea turtle conservation in Fiji: an assessment of the international, regional and national Focus*. School of Marine Studies, University of the South Pacific.

- Jony, M., & Rees, A. F. (2008). Three years of monitoring turtle nesting in Syria (2004-2006): what progress has been made toward protection. In A. F. Rees, M. Frick, A. Panagopoulou, & K. Williams (Eds.), *Proceedings of the Twenty-seventh Annual Symposium on Sea Turtle Biology and Conservation* (pp. 238–239). NOAA Technical Memorandum NMFS-SEFSC-569.
- Jupp, B. P., Durako, M. J., Kenworthy, W. J., Thayer, G. W., & Schillak, L. (1996). Distribution, abundance, and species composition of seagrasses at several sites in Oman. *Aquatic Botany*, 53(3-4), 199–213. doi:10.1016/0304-3770(96)01023-6
- Kamezaki, N. I., & Matsui, M. (1995). Geographic variation in skull morphology of the green turtle, *Chelonia mydas*, with a taxonomic discussion. *Journal of Herpetology*, 29, 51–60.
- Kamezaki, N. I., Matsuzawa, Y., Abe, O., Asakawa, H., Fujii, T., Goto, K., ... Wakabayashi, I. (2003). Loggerhead turtles nesting in Japan. In A. B. Bolten & B. E. Witherington (Eds.), *Loggerhead Sea Turtles* (pp. 210–217). Washington, D.C: Smithsonian Institution Press.
- Kamrowski, R. L., Limpus, C. J., Jones, R., Anderson, S., & Hamann, M. (2014). Temporal changes in artificial light exposure of marine turtle nesting areas. *Global Change Biology*. doi:10.1111/gcb.12503
- Kapurusinghe, T. (2006). Status and conservation of marine turtles in Sri Lanka. In K. Shanker & B. C. Choudhury (Eds.), *Marine Turtles of the Indian Subcontinent* (Vol. 143, pp. 173–187). Hyderabad, India: Universities Press. doi:10.1038/143121b0
- Kasperek, M., Godley, B. J., & Broderick, A. C. (2001). Nesting of the Green Turtle, *Chelonia mydas*, in the Mediterranean: a review of status and conservation needs. *Zoology in the Middle East*, 24, 45–74.
- Kelez, S., Velez-Zuazo, X., & Manrique, C. (2003). New evidence on the Loggerhead sea turtle *Caretta caretta* (Linnaeus 1758) in Peru. *Ecología Aplicada*, 2(1), 141–142.
- Kelkar, N., Arthur, R., Marba, N., & Alcoverro, T. (2013). Green turtle herbivory dominates the fate of seagrass primary production in the Lakshadweep islands (Indian Ocean). *Marine Ecology Progress Series*, 485, 235–243. doi:10.3354/meps10406
- Kelkar, N., Arthur, R., Marbà, N., & Alcoverro, T. (2013). Greener pastures? High-density feeding aggregations of green turtles precipitate species shifts in seagrass meadows. *Journal of Ecology*, 101(5), 1158–1168. doi:10.1111/1365-2745.12122
- Keller, B. D., Gleason, D. F., McLeod, E., Woodley, C. M., Airame, S., Causey, B. D., ... Steneck, R. S. (2009). Climate Change, Coral Reef Ecosystems, and Management Options for Marine Protected Areas. *Environmental Management*, 44, 1069–1088.
- Kelliher, S., Lusty, C., & Prophet, M. (2011). *Ningaloo turtle program annual report 2010-2011*. Ningaloo Turtle Program, Exmouth, Western Australia. doi:10.1093/carcin/bgs042

- Kennedy, V. S., Twilley, R. R., Kleypas, J. A., Cowan, J. H., & Hare, S. R. (2002). *Coastal and marine ecosystems and global climate change: potential effects on U.S. resources* (p. 51). Arlington, VA.
- Kennett, R., N., M., & Yunupingu, D. (1998). Migration patterns of marine turtles in the Gulf of Carpentaria, Northern Australia: Implications for Aboriginal management. *Wildlife Research*, 31(3), 241–248.
- Keuper-Bennett, U., & Bennett, P. A. (2000). Home Sweet Home: Aspects of Green Turtle and Hawksbill Presence in Their Feeding, Resting and Cleaning Areas off Honokowai, West Maui, Hawaii (1989-1999). In *Proceedings of the Twentieth Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Technical Memorandum NMFS-SEFSC-477.
- Khalil, M., Syed, H., Aureggi, M., & Venizelos, L. (2009). Marine turtle nesting at El Mansouri, South Lebanon. In A. Demetropoulos & O. Turkozian (Eds.), *Proceedings of the Second Mediterranean Conference on the Sea Turtles* (Vol. 2005, pp. 109–112). Kemer, Turkey: Barcelona Convention – Bern Convention – Bonn Convention (CMS).
- Khan, A., Nishat, A., & Ahmed, R. (2006). Conservation assessment and management action plan for marine turtles in Bangladesh. In N. J. Pilcher (Ed.), *Proceedings of the Twenty-Third Annual Symposium on Sea Turtle Biology and Conservation* (p. 60). NOAA Technical Memorandum NMFS-SEFSC-536.
- Kittinger, J. N., Van Houtan, K. S., McClenahan, L. E., & Lawrence, A. L. (2013). Using historical data to assess the biogeography of population recovery. *Ecography*, 36(8), 868–872. doi:10.1111/j.1600-0587.2013.00245.x
- Koch, V., Brooks, L. B., & Nichols, W. J. (2007). Population ecology of the green/black turtle (*Chelonia mydas*) in Bahía Magdalena, Mexico. *Marine Biology*, 153(1), 35–46. doi:10.1007/s00227-007-0782-1
- Koch, V., Nichols, W. J., Peckham, S. H., & Delatoba, V. (2006). Estimates of sea turtle mortality from poaching and bycatch in Bahía Magdalena, Baja California Sur, Mexico. *Biological Conservation*, 128(3), 327–334. doi:10.1016/j.biocon.2005.09.038
- Kolinski, S. P., Hoeke, R. K., Holzwarth, S. R., Ilo, L. I., Cox, E. F., O’Conner, R. C., & Vroom, P. S. (2006). Nearshore distribution and an abundance estimate for green sea turtles, *Chelonia mydas*, at Rota Island, Commonwealth of the Northern Mariana Islands. *Pacific Science*, 60(4), 509–522.
- Kolinski, S. P., Hoeke, R. K., Holzwarth, S. R., & Vroom, P. S. (2005). Sea Turtle Abundance at Isolated Reefs of the Mariana Archipelago. *Micronesica*, 37(2), 287–296.
- Komoroske, L. M., Lewison, R. L., Seminoff, J. A., Deheyn, D. D., & Dutton, P. H. (2011). Pollutants and the health of green sea turtles resident to an urbanized estuary in San Diego, CA. *Chemosphere*, 84(5), 544–52. doi:10.1016/j.chemosphere.2011.04.023

- Komoroske, L. M., Lewison, R. L., Seminoff, J. A., Deustchman, D. D., & Deheyn, D. D. (2012). Trace metals in an urbanized estuarine sea turtle food web in San Diego Bay, CA. *Science of the Total Environment*, 417-418, 108–16. doi:10.1016/j.scitotenv.2011.12.018
- Kowarsky, J. (1982). Subsistence hunting of sea turtles in Australia. In K. A. Bjorndal (Ed.), *Biology and Conservation of Sea Turtles* (pp. 305–313). Washington D.C.: Smithsonian Institution Press.
- Krogh, M., & Reid, D. (1996). Bycatch in the protective shark meshing programme off south-eastern New South Wales, Australia. *Biological Conservation*, 77, 219–226.
- KS, V. H., CM, S., ML, D., & M., K. (2014). Eutrophication and the dietary promotion of sea turtle tumors. *PeerJ*, e602. Retrieved from <http://dx.doi.org/10.7717/peerj.602>
- Kumoru, L. (2008). *Tuna fisheries report – Papua New Guinea*.
- Kuroyanagi, K., Kamezaki, N. I., & Sugiyama, S. (1999). First confirmed black sea turtle (*C. m. agassizii*) in Japanese waters. *Umigame Newsletter of Japan*, 39, 13–14.
- Kwan, D., & Bell, I. (2003). Response to community concerns about green turtle (*Chelonia mydas*) and dugong (*Dugong dugon*) in waters adjacent to the Wellesley Group of islands in the Gulf of Carpentaria. *Report to the Mornington Shire Council (unpublished)*.
- Lagueux, C. J. (1998). *Marine turtle fishery of Caribbean Nicaragua: Human use patterns and harvest trends*. University of Florida, Gainesville.
- Lahanas, P. N., Bjorndal, K. A., Bolten, A. B., Encalada, S. E., Miyamoto, M. M., Valverde, R. A., & Bowen, B. W. (1998). Genetic composition of a green turtle (*Chelonia mydas*) feeding ground population: evidence for multiple origins. *Marine Biology*, 130(3), 345–352.
- Lahanas, P. N., Miyamoto, M. M., Bjorndal, K. A., & Bolten, A. B. (1994). Molecular evolution and population genetics of Greater Caribbean green turtles (*Chelonia mydas*) as inferred from mitochondrial DNA control region sequences. *Genetica*, 94(1), 57–66. doi:10.1007/BF01429220
- Lam, T., Ling, X., Takahashi, S., & Burgess, E. A. (2011). *Market Forces: An Examination of Marine Turtle Trade in China and Japan*. TRAFFIC East Asia, Hong Kong.
- Laurent, L., Abd El-Mawla, E. M., Bradai, M. N., Demirayak, F., & Oruç, A. (1996). *Reducing sea turtle mortality induced by Mediterranean fisheries: trawling activity in Egypt, Tunisia, and Turkey*. Rome, Italy.
- Laurent, L., Camiñas, J. A., Casale, P., Deflorio, M., De Metro, G., Kapantagakis, A., ... Valeiras, J. (2001). *Assessing marine turtle bycatch in European drifting longline and trawl fisheries for identifying fishing regulations* (p. 267). Villeurbanne, France.

- Laurent, L., Nourira, S., Jeudy De Grissac, A., & Bradai, M. N. (1990). Les tortues marines de Tunisie: premières données. *Bulletin Societe Herpetologie Francais*, 53, 1–17.
- Lauret-Stepler, M., Bourjea, J., Roos, D., Pelletier, D., Ryan, P. G., Ciccione, S., & Grizel, H. (2007). Reproductive seasonality and trend of *Chelonia mydas* in the SW Indian Ocean: a 20 yr study based on track counts. *Endangered Species Research*, 3(2), 217–227. doi:10.3354/esr003217
- LeRoux, R. A., Balazs, G. H., & Dutton, P. H. (2003). Genetic stock composition of foraging green turtles off the southern coast of Molokai, Hawaii, USA. In S. J. (Ed.), *Proceedings of the Twenty Second Annual Symposium on Sea Turtle Biology and Conservation*. (pp. 251–252). NOAA Tech Memo NMFS SEFSC-503. National Technical Information Service, Springfield, VA.
- Lewison, R. L., Crowder, L. B., Read, A. J., & Freeman, S. A. A. (2004). Understanding impacts of fisheries bycatch on marine megafauna. *Trends in Ecology and Evolution*, 19(11), 598–604. doi:10.1016/j.tree.2004.09.004
- Lewison, R. L., Crowder, L. B., Wallace, B. P., Moore, J. E., Cox, T., Zydellis, R., ... Safina, C. (2014). Global patterns of marine mammal, seabird, and sea turtle bycatch reveal tax-specific and cumulative megafauna hotspots. *Proceedings of the National Academy of Sciences*, 111(14), 5271–5276. doi:10.1073/pnas.1318960111
- Lezama, C. (2009). *impacto de la pesqueria artesanal sobre la tortoga verde (Chelonia mydas) en las costas del Rio de la Plata exterior*. Universidad de la República.
- LI, Y. H., HUANG, X. P., & YUE, W. Z. (2004). Environmental quality and management measures in Yongxing Island of Xisha Archipelago, South China Sea. *Marine Environmental Science*, 23(1), 50–53.
- Liew, H.-C. (2002). Status of marine turtle conservation and research in Malaysia. In I. Kinan (Ed.), *Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop. February 5–8, 2002* (pp. 51–56). Honolulu, Hawaii, USA: Honolulu, HI: Western Pacific Regional Fishery Management Council.
- Lillette, V. (2006). *Conservation et patrimonialisation de la tortue marine dand le sud ouest de l'ocean Indien*. University of la Reunion, France.
- Lima, E. H. S. M., Felix, M. L., Klefasz, A., Melo, M. T. D., & Godfrey, M. H. (2012). From Suriname to Ceará. Green turtle found dead on the coast of Ceará, Brazil. *Marine Turtle Newsletter*, 135, 18–19.
- Lima, E. H. S. M., Lagueux, C. J., Barata, P. C. R., & Marcovaldi, M. Â. (2003). Second Record of a Green Turtle (*Chelonia mydas*) Tagged in Brazil and Captured in Nicaragua. *Marine Turtle Newsletter*, 101, 27.

- Lima, E. H. S. M., Melo, M. T. D., & Barata, P. C. R. (2010). Incidental capture of sea turtles by the lobster fishery off the Ceará Coast, Brazil. *Marine Turtle Newsletter*, 128, 16–19.
- Lima, E. H. S. M., Melo, M. T. D., Severo, M. M., & Barata, P. C. R. (2008). Green Turtle Tag Recovery Further Links Northern Brazil to the Caribbean Region. *Marine Turtle Newsletter*, 119, 14–15.
- Limpus, C. J. (1971). Sea turtle ocean finding behaviour. *Search*, 2(10), 385–387.
- Limpus, C. J. (1995). Global overview of the status of marine turtles: A 1995 viewpoint. In K. A. Bjorndal (Ed.), *Biology and Conservation of sea turtles* (2nd Editio., pp. 605–609). Washington D.C.: Smithsonian Institution Press.
- Limpus, C. J. (2009). *A biological review of Australian marine turtle species. 2. Green turtle, Chelonia mydas (Linnaeus)*. DERM, The State of Queensland. Environmental Protection Agency.
- Limpus, C. J., Al-Ghais, S. M., Mortimer, J. A., & Pilcher, N. J. (2001). *Marine turtles in the Indian Ocean and Southeast Asian region: Breeding, distribution, migration and population trends*. Manila, Philippines.
- Limpus, C. J., Limpus, D. J., Munchow, M., & Barnes, P. (2007). Queensland Turtle Conservation Project Raine Island Turtle Study, 2004–2005. *Environmental Protection*, 2005(4), 41.
- Limpus, C. J., Miller, J. D., Limpus, D. J., & Hamann, M. (2002). The Raine Island green turtle rookery : Y2K update. In A. Mosier, A. Foley, & B. Brost (Eds.), *Proceedings of the Twentieth Annual Symposium on Sea Turtle Biology and Conservation* (pp. 132–134). NOAA Technical Memorandum NMFS-SEFSC-477.
- Limpus, C. J., Miller, J. D., Parmenter, C. J., & Limpus, D. J. (2003). The green turtle, *Chelonia mydas*, population of Raine Island and the Northern Great Barrier Reef: 1843–2001. *Memoirs of the Queensland Museum*, 49(1), 349–440.
- Limpus, C. J., Miller, J. D., Parmenter, C. J., Reimer, D., McLachlan, N., & Webb, R. (1992). Migration of green (*Chelonia mydas*) and loggerhead (*Caretta caretta*) turtles to and from eastern Australian rookeries. *Wildlife Research*, 19(3), 347–358.
- Limpus, C. J., & Nicholls, N. (2000). ENSO regulation of indo-Pacific green turtle populations. In G. L. Hammer, N. Nicholls, & C. Mitchell (Eds.), *Applications of Seasonal Climate Forecasting in Agricultural and Natural Ecosystems* (Vol. 21, pp. 399–408). Dordrecht, The Netherlands: Kluwer Academic Publications.
- Lindeman, K. C., & Snyder, D. B. (1999). Nearshore hardbottom fishes of southeast Florida and effects of habitat burial caused by dredging. *Fisheries Bulletin*, 97, 508–525.

- Lipman, V., & Balazs, G. H. (1983). The Lost Hawaiian Island. *Honolulu Holiday Annual*, 18(5), 82–87, 150–152.
- Lohmann, K., & Lohmann, C. (2003). *No Title*. (A. Bolten & B. Witherington, Eds.) (pp. 44–62). Washington D.C.: Smithsonian Books.
- López-Barrera, E. A., Longo, G. O., & Monteiro-Filho, E. L. A. (2012). Incidental capture of green turtle (*Chelonia mydas*) in gillnets of small-scale fisheries in the Paranaguá Bay, Southern Brazil. *Ocean & Coastal Management*, 60, 11–18.
doi:10.1016/j.ocecoaman.2011.12.023
- López-Mendilaharsu, M., Estrades, A., Caraccio, M. N., Calvo, V., Hernández, M., & Quirici, V. (2006). Biología, ecología y etología de las tortugas marinas en la zona costera Uruguaya. In R. Menafrá, L. Rodríguez-Gallego, F. Scarabino, & D. Conde (Eds.), *Conservación y manejo de tortugas marinas en la zona costera Uruguaya*. (pp. 259–269). Uruguay, Montevideo.: Vida Silvestre. Retrieved from http://vidasilvestre.org.uy/wp-content/uploads/2012/09/23_Conservaci?n-y-manejo-de-tortugas-marinas-en-la-zona-costera-uruguaya-Laporta.pdf
- Lorne, J., & Salmon, M. (2007). Effects of exposure to artificial lighting on orientation of hatchling sea turtles on the beach and in the ocean. *Endangered Species Research*, 3(Witherington 1997), 23–30. doi:10.3354/esr003023
- Louro, C. M. M., Pereira, M. A. M., & Costa, A. (2006). *The Conservation Status of Marine Turtles in Mozambique* (p. 45). Maputo.
- Lucchetti, A., & Sala, A. (2009). An overview of loggerhead sea turtle (*Caretta caretta*) bycatch and technical mitigation measures in the Mediterranean Sea. *Reviews in Fish Biology and Fisheries*, 20(2), 141–161. doi:10.1007/s11160-009-9126-1
- Lutcavage, M. E., Plotkin, P. T., Witherington, B. E., & Lutz, P. L. L. (1997). Human impacts on sea turtle survival. In P. L. Lutz & J. A. Musick (Eds.), *The Biology of Sea Turtles* (pp. 107–136). Boca Raton, Florida: CRC Press.
- Lwin, M. M. (2009). Green turtle (*Chelonia mydas*) nesting and conservation activity in Thameehla Island, Myanmar. *Indian Ocean Turtle Newsletter*, 10, 14–18.
- MacKay, K. T., & Petro, G. (2013). Bamboo Bay, Malakula Island, Vanuatau, an important nesting beach for western Pacific green (*Chelonia mydas*) and hawksbill turtles (*Eretmochelys imbricata*). *Proceedings of the Thirty-Third Annual Symposium on Sea Turtle Biology and Conservation*. Retrieved from http://iconferences.seaturtle.org/preview.shtml?event_id=22&abstract_id=5017
- Maison, K. A., Kinan-kelly, I., & Frutchey, K. P. (2010). *Green Turtle Nesting Sites and Sea Turtle Legislation throughout Oceania* (p. 52). U.S. Dep Commerce, NOAA Technical Memorandum NMFS-F/SPO-110, 52 pages.

- Mancini, A. (2012). *Red Sea turtle conservation and research project annual report* (p. 99). HEPCA.
- Mancini, A., & Koch, V. (2009). Sea turtle consumption and black market trade in Baja California Sur, Mexico. *Endangered Species Research*, 7, 1–10.
- Mancini, A., Koch, V., Seminoff, J. A., & Madon, B. (2012). Small-scale gill-net fisheries cause massive green turtle *Chelonia mydas* mortality in Baja California Sur, Mexico. *Oryx*, 46(1), 69–77. doi:10.1017/S0030605310001833
- Mangel, J. C., & Troëng, S. (2001). *Report on the 2000 green turtle program at Tortuguero, Costa Rica* (p. 58). Caribbean Conservation Corporation and the Ministry of Environment, Energy and Telecommunications of Costa Rica.
- Marcovaldi, M. Â., & dei Marcovaldi, G. G. (1999). Marine turtles of Brazil: the history and structure of Projeto TAMAR-IBAMA. *Biological Conservation*, 91(1), 35–41. doi:10.1016/S0006-3207(99)00043-9
- Marcovaldi, M. Â., & Laurent, A. (1996). A six season study of marine turtles nesting at Praia do Forte, Bahia, Brazil, with implications for conservation and management. *Chelonian Conservation and Biology*, 2, 55–59.
- Marcovaldi, M. Â., Patiri, V., & Thome, J. C. (2005). Twenty-five years protecting Brazilian sea turtles through a community-based conservation-programme. *Mast*, 3(2) and 4, 39–62.
- Marcovaldi, M. A., Sales, G. S., Thomé, J. C. A., Dias Da Silva, A. C. C., Gallo, B. M. G., Lima, E. H. S. M., ... Bellini, C. (2006). Sea turtle and fishery interactions in Brazil: identifying and mitigating potential conflicts. *Marine Turtle Newsletter*, 112, 4–8.
- Marcovaldi, M. Â., Thome, J. C., Sales, G., Coelho, A. C., Gallo, B., & Bellini, C. (2002). Brazilian plan for reduction of incidental sea turtle capture in fisheries. *Marine Turtle Newsletter*, 96, 24–25.
- Marcovaldi, N., Gifforni, B. B., Becker, H., Fiedler, F. N., & Sales, G. (2009). Sea Turtle Interactions in Coastal Net Fisheries in Brazil. In E. Gilman (Ed.), *Proceedings of the Technical Workshop on Mitigating Sea Turtle Bycatch in Coastal Net Fisheries* (p. 28). Honolulu, Hawaii, USA: Western Pacific Regional Fishery Management Council, IUCN, Southeast Asian Fisheries Development Center, Indian Ocean – South-East Asian Marine Turtle MoU, U.S. National Marine Fisheries Service, Southeast Fisheries Science Center: Honolulu; Gland, Switze.
- Margaritoulis, D. (2007). Status update of marine turtles in the Mediterranean. In *Marine Turtles: Recovery of Extinct Populations* (pp. 78–94). Instituto Canario Ciencias Marinas.
- Margaritoulis, D., Politou, C.-Y., & Laurent, L. (2003). Assessing marine turtle bycatch in the trawl fisheries of Greece. In D. Margaritoulis & A. Demetropoulos (Eds.), *First*

Mediterranean Conference on Marine Turtles (pp. 176–180). Nicosia, Cyprus: Barcelona Convention – Bern Convention – Bonn Convention (CMS).

Markovina, K. (2008). Ningaloo turtle program annual report 2007-2008. Retrieved from http://www.ningalooturtles.org.au/pdf_downloads/REPORTS

Marques, M., da Costa, M. F., de O. Mayorga, M. ., & Pinheiro, P. R. C. (2004). Water environments: Anthropogenic pressures and ecosystem changes in the Atlantic drainage basins of Brazil. *AMBIO*, 33(1-2), 68–77.

Maturbongs, J. A. (2000). Marine Turtles Nesting in Sorong, Irian Jaya, Indonesia. *Marine Turtle Newsletter*, 97, 13.

Mbindo, C. (1996). The status of sea turtle conservation in Madagascar. In *Status of Sea Turtle Conservation in the Western Indian Ocean: Proceedings of the Western Indian Ocean Training Workshop and Strategic Planning Session on Sea Turtles* (pp. 117–120). IUCN/UNEP: UNEP Regional Seas Reports and Studies No. 165.

McCauley, S. J., & Bjorndal, K. A. (1999). Conservation implications of dietary dilution from debris ingestion: sublethal effects in post-hatchling loggerhead sea turtles. *Conservation Biology*, 13(4), 925–929.

McCoy, M. A. (2003). *Some aspects of sea turtle interaction with tuna longline fleets in The Federated States of Micronesia* (p. 19).

McCoy, M. A. (2007). *Marshall Islands sea turtle-fisheries interaction outreach and education, phase 2* (p. 43). Final Report to the National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Pacific Islands Region, January 2, 2007. 43 pages.

McCoy, M. A. (2008). *Sea turtle bycatch mortality mitigation and outreach: Fiji and Cook Islands longline fisheries. Final report. National Oceanic and Atmospheric Administration Contract Number AB133F07SE3919*. Gillbert, Preston and Associates Inc.

McElhany, P., Ruckelshaus, M. H., Ford, M. J., & Wainwright, T. C., Bjorkstedt, E. P. (2000). *Viable salmonid populations and the recovery of evolutionarily significant units. Viable salmonid populations and the recovery of evolutionarily significant units*. (p. 156).

McMichael, E., Norem, A., Carthy, R. R., & Summers, T. (2006). Summary of 2003 cold stun turtles in St Joseph Bay, Florida. In N. J. Pilcher (Ed.), *Proceedings of the Twenty-Third Annual Symposium on Sea Turtle Biology and Conservation* (pp. 184–186). Kuala Lumpur, Malaysia: NOAA Technical Memorandum NMFS-SEFSC-536.

Meehl, G. A., Stocker, T. F., Collins, W. D., Friedlingstein, P., Gaye, A. T., Gregory, J. M., ... Zhao, Z. C. (2007). Global climate projections. In S. Solomon, D. Qin, M. Manning, Z. Chen, M. Marquis, K. Averyt, ... H. L. Miller (Eds.), *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the*

Intergovernmental Panel on Climate Change (pp. 747–845). Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press.

- Meffe, G. K., Carroll, C. R., & Pimm, S. L. (1994). Community level conservation: species interactions, disturbance regimes, and invading species. In G. K. Meffe & C. R. Carroll (Eds.), *Principles of Conservation Biology* (p. 600). Sunderland: Sinauer Associates, Inc.
- Melillo, Jerry M., Richmond, T. C., & Yoh, G. W. (2014). *Highlights of Climate Change Impacts in the United States: The Third National Climate Assessment*. (p. 148). Retrieved from <http://nca2014.globalchange.gov/report/regions/southeast>
- Mendonça, M. T., & Ehrhart, L. M. (1982). Activity, population size and structure of immature *Chelonia mydas* and *Caretta caretta* in Mosquito Lagoon, Florida. *Copeia*, *1*, 161–167.
- Mendonça, V. M., Saady, S. Al, Al-Kiyumi, A. A., & Erzini, K. (2010). Interactions between Green Turtles (*Chelonia mydas*) and Foxes (*Vulpes vulpes arabica*, *V. rueppellii sabaea*, and *V. cana*) on Turtle Nesting Grounds in the Northwestern Indian Ocean: Impacts of the Fox Community on the Behavior of Nesting Sea Turtles at the. *Zoological Studies*, *49*(4), 437–452.
- Mendoza-Salgado, R. A., Amador Silva, E. S., Lechuga-Devéze, C. H., & Martínez, J. A. (2003). Muerte masiva de fauna marina en Bahía Magdalena (Massive Death of Marine Fauna in Magdalena Bay). *Revista Biología*, *17*(1), 64–68.
- Meylan, A. B., Meylan, P. A., & Ordoñez Espinosa, C. (2013). Sea turtles of Bocas del Toro Province and the Comarca Ngobe-Bugle, Republic of Panama. *Chelonia Conservation and Biology*, *12*(1), 17–33.
- Meylan, A. B., & Sadove, S. (1986). Cold-stunning in Long Island Sound, New York. *Marine Turtle Newsletter*, *37*(1986), 7–8.
- Milton, S. L., & Lutz, P. L. (2003). Physiological and genetic responses to environmental stress. In P. L. Lutz, J. A. Musick, & J. Wyneken (Eds.), *The Biology of Sea Turtles, Volume II* (pp. 163–197). Boca Raton, Florida: CRC Press.
- Ministry of Fisheries. (2003). *Conservation Status Report Marine Turtles and Their Habitats in Viet Nam* (pp. 1–39). IUCN.
- Ministry of Fisheries. (2004). *Marine turtle conservation action plan until 2010 in Viet Nam*. Viet Nam Ministry of Fisheries. Decision 175/QD-BTS. 8 March 2004. Ha Noi.
- Mobaraki, A. (2004). Green turtle nesting on the Gulf of Oman coastline of the Islamic Republic of Iran. *Marine Turtle Newsletter*, *104*, 11.
- Mobaraki, A. (2007). Sea turtle study in Iranian coasts of Oman Sea. In R. B. Mast, B. J. Hutchinson, & A. H. Hutchinson (Eds.), *Proceedings of the Twenty-fourth Annual*

Symposium on Sea Turtle Biology and Conservation (p. 101). NOAA Technical Memorandum NMFS-SEFSC-567.

Mobaraki, A. (2011). Sea turtle situation, studies and conservation in the Islamic Republic of Iran.

Moncada, F. G., & Prieto, A. (2000). Incidence of Fibropapillomas in the green turtle (*Chelonia mydas*) in Cuban waters. In H. J. Kalb & T. Wibbels (Eds.), *Proceedings of the Nineteenth Annual Symposium on Sea Turtle Biology and Conservation* (pp. 40–41). NOAA Technical Memorandum NMFS-SEFSC-443. 294 pages.

Monzón-Argüello, C., Lopez-Jurado, L. F., Rico, C., Marco, A., Lopez, P., Hays, G. C., & Lee, P. L. M. (2010). Evidence from genetic and Lagrangian drifter data for transatlantic transport of small juvenile green turtles. *Journal of Biogeography*, 37(9), 1752–1766.

Moritz, C. (1994). Defining “ Evolutionarily Significant Units .” *Trends in Ecology and Evolution*, 9, 373–375.

Morreale, S. J., Meylan, A. B., Sadove, S. S., & Standora, E. A. (1992). Annual occurrence and winter mortality of marine turtles in New York waters. *Journal of Herpetology*, 26(3), 301–308.

Mortimer, J. A. (1984). *Marine turtles in the Republic of the Seychelles: status and management, report on project 1809 (1981-1984)* (p. 80). Gland, Switzerland.

Mortimer, J. A. (2012). Seasonality of Green Turtle (*Chelonia mydas*) Reproduction at Aldabra Atoll, Seychelles (1980–2011) in the Regional Context of the Western Indian Ocean. *Chelonian Conservation and Biology*, 11(2), 170–181. doi:10.2744/CCB-0941.1

Mortimer, J. A., Collie, J., & Mbindo, C. (1996). The Status of sea turtle conservation in the Republic of Seychelles. In S. L. Humphrey & R. V. Salm (Eds.), *Status of Sea Turtle Conservation in the Western Indian Ocean: Proceedings of the Western Indian Ocean Training Workshop and Strategic Planning Session on Sea Turtles* (pp. 103–115). Sodwana Bay, South Africa: Regional Seas Reports and Studies . No. 165. UNEP.

Mortimer, J. A., Von Brandis, R. G., Liljevik, A., Chapman, R., & Collie, J. (2011). Fall and rise of nesting green turtles (*Chelonia mydas*) at Aldabra Atoll, Seychelles: Positive response to four decades of protection (1968–2008). *Chelonian Conservation and Biology*, 10(2), 165–176.

Mosier, A. E. (1998). *The impact of coastal armoring structures on sea turtle nesting behavior at three beaches on the East Coast of Florida*. University of South Florida, Tampa, Florida.

Mosier, A. E., & Witherington, B. E. (2002). Documented effects of coastal armoring structures on sea turtle nesting behavior. *Proceedings of the Twentieth Annual Symposium on Sea Turtle Biology and Conservation*, 304–306.

- Mrosovsky, N. (1968). Nocturnal emergence of hatchling sea turtles: control by thermal inhibition of activity. *Nature*, 220(5174), 1338–1339.
- MTSG. (2004). Marine Turtle Species Group Review: 2004 global status assessment (*Chelonia mydas*). *The World Conservation Union (IUCN) Species Survival Commission Red List Programme*, 71.
- Mugetti, A., Calcagno, A., Brieva, C., Giangiobbe, M., Pagani, A., & Gonzalez, S. (2004). Aquatic habitat modifications in La Plata River basin, patagonia and associated marine areas. *AMBIO*, 33(1-2), 78–87.
- Muhara, R., & Herlina, D. (2012). Green turtle conservation in Pangumbahan: lesson learned from Sukabumi. In *East Asian Seas Congress*. Retrieved from <https://eascongress.pemsea.org/sites/default/files/document-files/abstract-st34-muhara.pdf>
- Muir, C. E. (2005). *The status of marine turtles in the United Republic of Tanzania, East Africa*. Sea Sense Report (Tanzania Turtle and Dugong Conservation Programme).
- Murman, M. I. (2011). *El impacto de los desechos antrópicos en individuos juveniles de Chelonia mydas (tortuga verde), Cerro Verde, Uruguay*. Universidad CAECE.
- Musick, J. A., & Limpus, C. J. (1997). Habitat utilization and migration in juvenile sea turtles. In P. L. Lutz & J. A. Musick (Eds.), *The biology of sea turtles* (Vol. 1, pp. 137–163). CRC Press.
- Nada, M. A. (2001). Observations on the trade in sea turtles at the fish market of Alexandria, Egypt. *Zoology in the Middle East*, 24(1), 109–118. doi:10.1080/09397140.2001.10637889
- Nada, M., & Casale, P. (2008). *Marine turtles in the Mediterranean Egypt: threats and conservation priorities* (p. 39). Rome, Italy.
- Nada, M., & Casale, P. (2011). Sea turtle bycatch and consumption in Egypt threatens Mediterranean turtle populations. *Oryx*, 45(01), 143–149. doi:10.1017/S0030605310001286
- Nalo-Ochona, C. M. (2000). *Histopathology and histochemistry of fibropapilloma on the carapce of green turtles (Chelonia mydas) in the Baguan Island Marine Turtle Sanctuary*. Master of Science Thesis, University of the Philippines Los Banos.
- Namboothri, N., Swaminathan, A., & Shanker, K. (2012). A compilation of data from Satish Bhaskar's sea turtle surveys of the Andaman and Nicobar Islands. *Indian Ocean Turtle Newsletter*, 16, 4–13.
- Naro-Maciel, E., Mrosovsky, N., & Marcovaldi, M. Â. (1999). Thermal profiles of sea turtle hatcheries and nesting areas at Praia do Forte, Brazil. *Chelonian Conservation and Biology*, 3(3), 407–413.

- National Research Council. (1990). *Decline of the sea turtles: causes and prevention*. National Academy Press; Washington D.C.
- National Research Council. (1996). *An assessment of techniques for removing offshore structures*. National Academy Press; Washington D.C.
- Nelson, D. A., & Shafer, D. J. (1996). *Effectiveness of a sea turtle-deflecting hopper dredge draghead in Port Canaveral Entrance Channel, Florida*. U. S. Army Corps of Engineers, Dredging Operations Technical Support Program, Miscellaneous Paper D-96-3.
- Nicholls, R. J., & Cazenave, A. (2010). Sea-level rise and its impact on coastal zones. *Science*, 328, 1517–1520.
- Nichols, W. J. (2003). *Biology and conservation of sea turtles in Baja California, Mexico*. Ph.D. Thesis. School of Renewable and Natural Resources, The University of Arizona, Tucson, Arizona.
- Nichols, W. J., Aridjis, H., Hernandez, A., Machovina, B., & Villavicencios, J. (2002). *Black market sea turtle trade in the Californias*. WILD COAST.
- Niethammer, K. R., Balazs, G. H., Hatfield, J. S., Nakai, G. L., & Megyesi, J. L. (1997). Reproductive biology of the green turtle (*Chelonia mydas*) at Tern Island, French Frigate Shoals, Hawaii. *Pacific Science*, 51(1), 36–47.
- Niethammer, K. R., Balazs, G. H., Nakai, G. L., & McDermond, D. K. (1992). Great frigatebird (*Fregata minor*) predation: not a factor in hatchling green turtle (*Chelonia mydas*) survival at French Frigate Shoals, Hawaii. *Colonial Waterbirds*, 15(1), 128–131.
- NMFS. (2002). *Biological opinion on shrimp trawling in the Southeastern United States under the sea turtle conservation regulations and as managed by the fishery management plans for shrimp in the South Atlantic and Gulf of Mexico* (p. 94 pages).
- NMFS. (2012). *Biological opinion on the continued operation of the Hawaii-based shallow-set longline swordfish fishery - under Amendment 18 to the Fishery Management Plan for Pleagic Fisheries of the Western Pacific region* (p. 162). Pacific Islands Regional Office. January 30.
- NMFS and U.S. FWS. (1998). *Recovery Plan for U.S. Pacific Populations of the Green Turtle (Chelonia mydas)* (p. 84). National Marine Fisheries Service, Silver Spring, MD. doi:10.1007/BF02552220
- NMFS and U.S. FWS. (2007). *Green sea turtle (Chelonia mydas) 5-year review: summary and evaluation* (p. 102). NMFS Office of Protected Resources, Silver Spring and USFWS Southeast Region, Jacksonville.

- NMFS, & USFWS. (1998). *Recovery Plan for U.S. Pacific Populations of the Green Turtle (Chelonia mydas)*. *Recovery Plan for U.S. Pacific Populations of the Green Turtle (Chelonia mydas)*. Silver Spring, MD.
- Obura, D., & Stone, G. (2002). *Phoenix Islands Summary of Marine and Terrestrial Assessments Conducted in the Republic of Kiribati, June 5-July 10, 2002* (p. 21). Primal Ocean Project Technical Report, Boston, MA.
- Oceanic Fisheries Programme. (2001). A review of turtle by-catch in the western and central Pacific Ocean tuna fisheries, 26.
- Office, C. C. R. M. (2011). *SECTION 309 ASSESSMENT AND STRATEGY REPORT 2011-2015*.
- Okenwa, G. M., Nzuki, S., & Mueni, E. M. (2004). The status and conservation of sea turtles in Kenya. *Marine Turtle Newsletter*, 105, 1–6.
- Ono, R., & Addison, D. J. (2009). *Ethnoecology and Tokelauan fishing lore from Atafu Atoll, Tokelau*. SPC Traditional Marine Resource Management and Knowledge Information Bulletin #26.
- Orós, J., Torrent, a, Calabuig, P., & Déniz, S. (2005). Diseases and causes of mortality among sea turtles stranded in the Canary Islands, Spain (1998-2001). *Diseases of Aquatic Organisms*, 63(1), 13–24.
- Orrego, C. M., & Arauz, R. (2004). Mortality of sea turtles along the Pacific Coast of Costa Rica. In M. S. Coyne & R. D. Clark (Eds.), *Proceedings of the Twenty-First Annual Symposium on Sea Turtle Biology and Conservation* (pp. 265–266). NOAA Tech Memo NMFS-SEFSC-528.
- Oruç, A. (2001). Trawl fisheries in the eastern Mediterranean and their impact on marine turtles. *Zoology in the Middle East*, 119–125.
- Pacific News Center. (2012). *SPC: Kiribati to end beach mining for aggregates*. Retrieved from http://pacificnewscenter.com/index.php?view=article&catid=45:guam-news&id=27367:spc-kiribati-to-end-beach-mining-for-aggregates&tmpl=component&layout=default&page=&option=com_content&Itemid=156
- Palacios, A. I. (2012a). *CNMI sea turtle program annual report, January 1, 2011 - December 31, 2011* (p. 36). Saipan, CNMI: Commonwealth of the Northern Mariana Islands, Department of Lands and Natural Resources, Saipan, CNMI.
- Palacios, A. I. (2012b). *Sea turtle stock and nesting assessment in the CNMI* (p. 17). Commonwealth of the Northern Mariana Islands, Department of Lands and Natural Resources, Saipan, CNMI.

- Palau Bureau of Marine Resources. (2008). *Marine turtle conservation and monitoring program, final report*. Bureau of Marine Resources, Republic of Palau. Unpublished grant report. 31 pp.
- Parker, D. M., Dutton, P. H., & Balazs, G. H. (2011). Oceanic Diet and Distribution of Haplotypes for the Green Turtle, *Chelonia mydas*, in the Central North Pacific. *Pacific Science*, 65(4), 419–431. doi:10.2984/65.4.419
- Patino-Martinez, J., Marco, A., Quiñones, L., & Hawkes, L. A. (2012). A potential tool to mitigate the impacts of climate change to the Caribbean leatherback sea turtle. *Global Change Biology*, 18(2), 401–411. doi:10.1111/j.1365-2486.2011.02532.x
- Patrício, A. R., Velez-Zuazo, X., Diez, C., Dam, R., & Sabat, A. (2011). Survival probability of immature green turtles in two foraging grounds at Culebra, Puerto Rico. *Marine Ecology Progress Series*, 440, 217–227. doi:10.3354/meps09337
- Pavlakakis, P., Sieber, A., & Alexandry, S. (1996). Monitoring oil-spill pollution in the Mediterranean with ERS SAR. *European Space Agency EOQ 52*.
- Peckham, S. H., Maldonado Diaz, D., Walli, A., Ruiz, G., Crowder, L. B., & Nichols, W. J. (2007). Small-scale fisheries bycatch jeopardizes endangered Pacific loggerhead turtles. *PloS One*, (10), e1041. doi:10.1371/journal.pone.0001041
- Peñate, J. G., Karamoko, M., Bamba, S., & Djadji, G. (2007). An Update on Marine Turtles in Côte d' Ivoire, West Africa. *Marine Turtle Newsletter*, (116), 2001–2002.
- Pendoley, K. (2000). The influence of gas flares on the orientation of green turtle hatchlings at Thevenard, Western Australia. In N. J. Pilcher & G. Ismail (Eds.), *Sea Turtles of the Indo-Pacific: Research, Management and Conservation* (pp. 130–142). London: ASEAN ACADEMIC Press, Ltd.
- Pendoley, K. L. (2005). *Sea turtles and the environmental management of industrial activities in north west Western Australia*. Murdoch University.
- PERSGA. (2010). The Status of Coral Reefs in the Red Sea and Gulf of Aden: 2009. *PERSGA Technical Series Number 16*, PERSGA, Jeddah.
- PERSGA/GEF. (2004). *Regional action plan for the conservation of marine turtles and their habitats in the Red Sea and Gulf of Aden. Development* (p. 65). PERSGA, Jeddah.
- Pesca, S. de. (1990). Fishery closure for green turtle protection. *Diario Oficial de La Federacion*, 22, 21–24.
- Peterson, S. (2005). Initial bycatch assessment: South Africa's domestic longline fisher, 2000-2003. *BirdLife Africa*, 45.

- Peterson, S. L., Honig, M. B., Ryan, P. G., Nel, R., & Underhill, L. G. (2009). Turtle bycatch in the pelagic longline fishery off southern Africa. *African Journal of Marine Science*, 31, 87–96.
- Peterson, S., Nel, D., & Omardien, A. (2007). *Towards and ecosystem approach to longline fisheries in the Benguela: an assessment of impacts on seabirds, sea turtles and sharks* (p. 94).
- Petit, M. (n.d.). *Biodiversity Conservation Lessons Learned Technical Series 11: Double programme de recherche sur les tortues marines de l'Archipel de la Société, Polynésie française [Dual Research Program on Sea Turtles of the Society Archipelago – French Polynesia]*.
- Philip, M. (2002). Marine turtle conservation in Papua New Guinea. In I. Kinan (Ed.), *Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop* (pp. 143–146). Honolulu, Hawaii, USA: Western Pacific Regional Fishery Management Council.
- Pilcher, N. J. (1999). Cement dust pollution as a cause of sea turtle hatchling mortality at Ras Baridi, Saudi Arabia. *Marine Pollution Bulletin*, 38(11), 966–969.
- Pilcher, N. J. (2000). The green turtle, *Chelonia mydas*, in the Saudi Arabian Gulf. *Chelonian Conservation and Biology*, 3(4), 730–734.
- Pilcher, N. J. (2006). *Status of sea turtles in Qatar*. IEM Tech Report. doi:10.1016/S0264-410X(12)01439-9
- Pilkey, O. H., & Wright, H. L. (1988). Seawalls versus beaches. *Journal of Coastal Research*, (4), 41–64.
- Pita, J., & Broderick, D. (2005). Hawksbill turtles in the Solomon Islands. In I. Kinan (Ed.), *Proceedings of the Second Western Pacific Sea Turtle Cooperative Research and Management Workshop. Volume I: West Pacific Leatherback and Southwest Pacific Hawksbill Sea Turtles* (pp. 101–102). Honolulu, Hawaii, USA: Western Pacific Regional Fishery Management Council.
- Plant, N. G., & Griggs, G. B. (1992). Interactions between nearshore processes and beach morphology near a seawall. *Journal of Coastal Research*, 183–200.
- Plotkin, P. (2003). Adult migrations and habitat use. In P. Lutz, J. Musick, & J. Wyneken (Eds.), *The Biology of Sea Turtles, Volume II* (pp. 225–242). Boca Raton, Florida: CRC Press.
- Poiner, I. R., & Harris, A. N. M. (1996). Incidental capture, direct mortality and delayed mortality of sea turtles in Australia's Northern Prawn Fishery. *Marine Biology*, 125(4), 813–825. doi:10.1007/BF00349264

- Poloczanska, E. S., Limpus, C. J., & Hays, G. C. (2009). Vulnerability of Marine Turtles to Climate Change. In D. W. Sims (Ed.), *Advances in Marine Biology* (Vol. Volume 56, pp. 151–211). Burlington, Academic Press.
- Ponwith, B. J. (1990). *Turtle observations from Rose Atoll 18 October to 28 November, 1990*. Department of Marine and Wildlife Resources, American Samoa, Pago Pago, AS.
- Prescott, N., Pole, F., Kami, V., Hoponoa, T., Ngaluafe, P., Palaki, A., ... Samani, T. (2004). *Tonga biodiversity stocktaking*. Technical Report No. 1. For The Development Of A National Biodiversity Strategic Action Plan (NGSAP). Department of Environment.
- Prieto, D. A., Hernández, J. L., Sánchez, L. A., & Ortega, J. G. (2012). Reproductive success of the nesting population of green turtles on Aves Island, Venezuela. *Proceedings of the Thirty- First Annual Symposium on Sea Turtle Biology and Conservation*.
- Primack. (1998). *Essentials of Conservation* (Second edi.). USA: Sinauer associates Inc.
- Prince, R. I. T. (2003). The Western Australian Marine Turtle Project. *Ningaloo Marine Turtle Conference*.
- Pritchard, P. C. H. (1971). Galapagos Sea Turtles: Preliminary Findings. *Journal of Herpetology*, 5(1/2), 1–9. doi:10.2307/1562836
- Prochazka, K., Davies, B., Griffiths, C., Hara, M., Luyeye, N., O’Toole, M., ... Hasler, R. (2005). Benguela Current, GIWA Regional assessment 44. *UNEP. University of Kalmar, Kalmar, Sweden. 92 Pp.*
- Project GloBAL. (2007). *Regional assessment: Western Indian Ocean* (p. 14). Project GloBal - Global Bycatch Assessment of Long-Lived Species Report. 14 pages.
- Project GloBAL. (2009a). *Country profile: Guam* (p. 19). Project GloBal - Global Bycatch Assessment of Long-Lived Species Report. 19 pages.
- Project GloBAL. (2009b). *Country profile: Northern Marianas Islands* (p. 15). Project GloBal - Global Bycatch Assessment of Long-Lived Species Report. 15 pages.
- Project GloBAL. (2009c). *Country profile: Papua New Guinea* (p. 23). Project GloBal - Global Bycatch Assessment of Long-Lived Species Report. 23 pages.
- Prosdocimi, L., González Carman, V., Albareda, D. A., & Remis, M. I. (2012). Genetic composition of green turtle feeding grounds in coastal waters of Argentina based on mitochondrial DNA. *Journal of Experimental Marine Biology and Ecology*, 412, 37–45. doi:10.1016/j.jembe.2011.10.015
- Pultz, S., Krueger, S., McSharry, H., & Balazs, G. H. (1999). Marine turtle survey on Tinian, Mariana Islands. *Micronesica*, 32(1), 85–94.

- Raidal, S. R., & Prince, R. I. T. (1996). First confirmation of multiple fibropapillomas in a Western Australian green turtle (*Chelonia mydas*). *Marine Turtle Newsletter*, 74, 7–9.
- Rajakaruna, R. S., Naveen J. Dissanayake, D. M., Lalith Ekanayake, E. M., & Ranawana, K. B. (2009). Sea turtle conservation in Sri Lanka: assessment of knowledge, attitude and prevalence of consumptive use of turtle products among coastal communities. *Indian Ocean Turtle Newsletter*, 10, 1–13.
- Rakotonirina, B. (1987). Les tortues marines dans le sud de Madagascar. Etude bibliographique et enquetes aupres des pecheurs. *Memoire de DEA d'Oceanologie Appliquee, Universite de Toliara*, 70.
- Rakotonirina, B., & Cooke, A. (1994). Sea turtles of Madagascar—their status, exploitation and conservation. *Oryx*, 28(01), 51–61.
- Redlow, T., Foley, A., & Singel, K. (2002). Sea turtle mortality associated with red tide events in Florida. In J. A. Seminoff (Ed.), *Proceedings of the Twenty-second Annual Symposium on Sea Turtle Biology and Conservation* (p. 272). NOAA Technical Memorandum NMFS-SEFSC-503.
- Reece, J. S., Castoe, T., & Parkinson, C. (2005). Historical perspectives on population genetics and conservation of three marine turtle species. *Conservation Genetics*, 6(2), 235–251.
- Rees, A. F., Al-Kiyumi, A., Broderick, A. C., Papathanasopoulou, N., & Godley, B. J. (2012). Each to Their Own: Inter-Specific Differences in Migrations of Masirah Island Turtles. *Chelonia Conservation and Biology*, 11(2), 243–248.
- Rees, A. F., Hafez, A. Al, Lloyd, J. R., Papathanasopoulou, N., & Godley, B. J. (2013). Green turtles, *Chelonia mydas*, in Kuwait: nesting and movements. *Chelonia Conservation and Biology*, 12(1), 157–163.
- Rees, A. F., Saad, A., & Jony, M. (2010). Syria. In P. Casale & D. Margaritoulis (Eds.), *Sea turtles in the Mediterranean: Distribution, threats and conservation policies* (pp. 233–243). Gland, Switzerland: IUCN.
- Rees, A., Frick, M., & Panagopoulou, A. (2008). Proceedings of the twenty-seventh annual symposium on sea turtle biology and conservation (p. 262).
- Regional Organization for the Conservation of the Environment of the Red Sea and Gulf of Aden (PERSGA). (2001). *Strategic action programme for the Red Sea and Gulf of Aden: country reports* (p. 217).
- Reichert, H. A., & Fretey, J. (1993). WIDECAST Sea Turtle Recovery Action Plan for Suriname. In K. L. Eckert (Ed.), *CEP Technical Report No. 24* (p. 65). Kingston, Jamaica: UNEP Caribbean Environment Programme.

- Reiner, A. (1994). Laminar distribution of the cells of origin of ascending and descending tectofugal pathways in turtles: implications for the evolution of tectal lamination. *Brain, Behavior and Evolution*, 43(4-5), 274–283.
- Reischig, T., Basuki, N. R., Moord, V. A., Cordes, H., & Latorra, R. (2012). Green turtles (*Chelonia mydas*) in the Berau Archipelago, Indonesia: Population assessment, nesting activities, and protection status. In T. T. Jones & B. P. Wallace (Eds.), *Proceedings of the 31st Annual Symposium on Sea Turtle Biology and Conservation* (p. 243). San Diego, California: NOAA Technical Memorandum NMFS-SEFSC-631.
- Revelles, M., Camiñas, J. A., Cardona, L., Parga, M., Tomás, J., Aguilar, A., ... Oliver, G. U. Y. (2008). Tagging reveals limited exchange of immature loggerhead sea turtles (*Caretta caretta*) between regions in the western Mediterranean. *Scientia Marina*, 72(September), 511–518.
- Richardson, P. B., Broderick, A. C., Coyne, M. S., Ekanayake, E. M. L., Kapurusinghe, T., Premakumara, C., ... Godley, B. J. (2013). Satellite telemetry reveals behavioural plasticity in a green turtle population nesting in Sri Lanka. *Marine Biology*, 160(6), 1415–1426. doi:10.1007/s00227-013-2194-8
- Rivas-Zinno, F. (2012). *Captura incidental de tortugas marinas en Bajos del Solis, Uruguay*. Universidad de la Republica Uruguay, Departamento de Ecologia y Evolucion.
- Rizkalla, C. E., & Savage, A. (2011). Impact of seawalls on loggerhead sea turtle (*Caretta caretta*) nesting and hatching success. *Journal of Coastal Research*, 27(1), 166–173.
- Robins, C. M., Goodspeed, A. M., Poiner, I. R., & Harch, B. D. (2002). *Monitoring the Catch of Turtles in the Northern Prawn Fishery*. Fisheries Research and Development Corporation Final Report, Canberra. This.
- Roden, S. E., Morin, P. A., Frey, A., Balazs, G. H., Zárate, P., Cheng, I.-J., & Dutton, P. H. (2013). Green turtle population structure in the Pacific: new insights from single nucleotide polymorphisms and microsatellites. *Endangered Species Research*, 20(3), 227–234. doi:10.3354/esr00500
- Ross, J. P. (1979). *Sea turtles in the Sultanate of Oman* (p. 53). WWF Project 1320.
- Ross, J. P. (1987). *Sea turtle management plan for the Sultanate of Oman*. Marine Science and Fisheries Center, Ministry of Agriculture and Fisheries, Sultanate of Oman, and Omani-American Joint Commission.
- Ross, J. P., & Barwani, M. A. (1982). Review of sea turtles in the Arabian area. In K. A. Bjorndal (Ed.), *Biology and Conservation of Sea Turtles* (Revised., pp. 373–383). Smithsonian Institution Press.

- Ross, P., & DeLorenzo, M. E. (1997). Sediment contamination problems in the Caribbean Islands: Research and regulation. *Environmental Toxicology and Chemistry*, 16(1), 52–58.
- Rudrud, R. W., Kroeker, J. W., Leslie, H. Y., & Finney, S. S. (2007). The sea turtle wars: Culture, war and sea turtles in The Republic of the Marshall Islands. *SPC Traditional Marine Resource Management and Knowledge Information Bulletin*, 21, 3–29.
- Ruiz-Urquiola, A., Riverón-Giró, F. B., Pérez-Bermúdez, E., & Abreu-Grobois, F. A. (2010). Population genetic structure of greater Caribbean green turtles (*Chelonia mydas*) based on mitochondrial DNA sequences, with an emphasis on rookeries from Southwestern Cuba. *Revista de Investigaciones Marinas*, 31(1), 33–52.
- Rupeni, E., Mangubhai, S., Tabunakawai, K., & Blumel, P. (2002). Establishing replicable community-based turtle conservation reserves in Fiji. In I. Kinan (Ed.), *Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop, Honolulu, HI, USA* (pp. 119–124).
- Saad, M. A. (1999). *Hadramaut coast importance in conservation of endangered green turtle* (p. 8). Marine Sciences Resources Research Center, Aden. Unpublished Report. 8 pages.
- Saba, V. S., Shillinger, G. L., Swithenbank, A. M., Block, B. A., Spotila, J. R., Musick, J. A., & Paladino, F. V. (2008). An oceanographic context for the foraging ecology of eastern Pacific leatherback turtles: consequences of ENSO. *Deep Sea Research Part I: Oceanographic Research Papers*, 55(5), 646–660.
- Sachet, M. (1954). A summary of information on Rose Atoll. *Atoll Research Bulletin*, 29, 1–25.
- Saili, K. (2005). *Investigations into the status of marine turtles in American Samoa*. NOAA/NMFS Unallied Management Grant: Award No. NA03NMF4540355 FINAL REPORT (September 1st, 2003 - August 31st, 2005). In: D. o. M. a. W. Resources (ed.). DMWR, Pago Pago, American Samoa.
- Sakai, H., Saeki, K., Ichihashi, H., Kamezaki, N. I., Tanabe, S., & Tatsukawa, R. (2000). Growth-related changes in heavy metal accumulation in green turtle (*Chelonia mydas*) from Yaeyama Islands, Okinawa, Japan. *Archives of Environmental Contamination and Toxicology*, 39(3), 378–385. doi:10.1007/s002440010118
- Sako, T., & Horikoshi, K. (2003). Marine debris ingested by green turtles in the Ogasawara Islands, Japan. In J. A. Seminoff (Ed.), *Proceedings of the Twenty-second Annual Symposium on Sea Turtle Biology and Conservation* (p. 305). NOAA Technical Memorandum NMFS-SEFSC-503.
- Salm, R. V. (1991). *Turtles in Oman: status, threats and management options* (p. 32).
- Salm, R. V., & Salm, S. (2001). *Sea turtles in the Sultanate of Oman*. (R. Baldwin & A. Al-Kiyumi, Eds.) (2nd editio.). The Historical Association of Oman. Sultanate of Oman. 48 p.

- Salm, R. V., Jensen, R. A. C., & Papastavrou, V. A. (1993). Marine Fauna of Oman: Cetaceans, Turtles, Seabirds and Shallow Water Corals. *A Marine Conservation and Development Report*.
- Salmon, M., Wyneken, J., Fritz, E., & Lucas, M. (1992). Seafinding by hatchling sea turtles: role of brightness, silhouette and beach slope as orientation cues. *Behaviour*, *122*(1-2), 56–77.
- Santos, R. G., Martins, A. S., Farias, J. D. N., Horta, P. A., Pinheiro, H. T., Torezani, E., ... Work, T. M. (2011). Coastal habitat degradation and green sea turtle diets in Southeastern Brazil. *Marine Pollution Bulletin*, *62*(6), 1297–302. doi:10.1016/j.marpolbul.2011.03.004
- Sarkar, S. (2001). Threat to survival and conservation efforts in Bangladesh. In M. S. Coyne & R. D. Clark (Eds.), *Proceedings of the Twenty-First Annual Symposium on Sea Turtle Biology and Conservation* (pp. 307–308). NOAA Technical Memorandum NMFS-SEFSC-528.
- Scavia, D., Field, J. C., Boesch, D. F., Buddemeier, R. W., Burkett, V., Cayan, D. R., ... Titus, J. G. (2002). Climate Change Impacts on U . S . Coastal and Marine Ecosystems. *Estuaries*, *25*(2), 149–164.
- Schroeder, B. A., & Mosier, A. E. (2000). Between a rock and a hard place: coastal armoring and marine turtle nesting habitat in Florida. In F. A. Abreu-Grobois, R. Briseño-Dueñas, R. Marquez, & L. Sarti (Eds.), *Proceedings of the Eighteenth Annual Symposium on Sea Turtle Biology and Conservation* (pp. 290–292). NOAA Technical Memorandum NMFS-SEFSC-436.
- Schroeder, B. A., & Mosier, A. E. (1996). Between a rock and a hard place: coastal armoring and marine turtle nesting habitat in Florida. In *Proceedings of the 18th International Sea Turtle Symposium*. NOAA Technical Memorandum.
- Schulz, J. (1975). Sea turtles nesting in Surinam. *Zoologische Verhandelingen*, *143*(1), 1–141.
- Scott, J. M., Goble, D. D., Haines, A. M., Wiens, J. A., & Neel, M. C. (2010). Conservation-reliant species and the future of conservation. *Conservation Letters*, *3*, 91–97.
- Sea Turtle Conservancy. (2013). Annual Reports.
- Searle, L. A. W. (2003). Diet of green turtles (*Chelonia mydas*) captured in the Robinson Point foraging ground, Belize. In J. A. Seminoff (Ed.), *Proceedings of the Twenty-second Annual Symposium on Sea Turtle Biology and Conservation* (pp. 228–229). NOAA Technical Memorandum NMFS-SEFSC-503.
- Searle, L. A. W. (2004). A brief history of sea turtle communities, conservation and consumption in Belize. In M. S. Coyne & R. D. Clark (Eds.), *Proceedings of the Twenty-First Annual Symposium on Sea Turtle Biology and Conservation* (pp. 316–318). NOAA Technical Memorandum NMFS-SEFSC-528.

- Sella, I. (1995). Sea turtles in the Eastern Mediterranean and North Red Sea. In K. A. Bjorndal (Ed.), *Biology and Conservation of Sea Turtles* (Revised ed., pp. 417–423). Washington D.C.: Smithsonian Institution Press.
- Seminoff, J. A. (1994). *Conservation of the marine turtles of Mexico, a survey of nesting beach conservation projects*. Masters Thesis. Department of Ecology and Evolutionary Biology, The University of Arizona.
- Seminoff, J. A. (2000). *Biology of the east pacific green turtle, chelonia mydas agassizii at a warm temperate feeding area in the gulf of California, Mexico*. Ph.D. Thesis. University of Arizona.
- Seminoff, J. A., Crouse, D. T., Pilcher, N. J., Eckert, K. L., Marcovaldi, M. Â., Mortimer, J. A., & Nichols, W. J. (2004). *2004 global status assessment - Green turtle (Chelonia mydas)*. IUCN (p. 71).
- Seminoff, J. A., Jones, T. T., Resendiz, A., Nichols, W. J., & Chaloupka, M. Y. (2003). Monitoring green turtles (*Chelonia mydas*) at a coastal foraging area in Baja California, Mexico: multiple indices to describe population status. *Journal of the Marine Biological Association of the United Kingdom*, 83(6), 1355–1362. doi:10.1017/S0025315403008816
- Seminoff, J. A., Resendiz, A., & Nichols, W. J. (2002a). Diet of East Pacific Green Turtles (*Chelonia mydas*) in the Central Gulf of California, México. *Journal of Herpetology*, 36(3), 447–453. doi:10.1670/0022-1511(2002)036[0447:DOEPGT]2.0.CO;2
- Seminoff, J. A., Resendiz, A., & Nichols, W. J. (2002b). Home range of green turtles *Chelonia mydas* at a coastal foraging area in the Gulf of California, Mexico. *Marine Ecology Progress Series*, 242, 253–265. doi:10.3354/meps242253
- Seminoff, J. A., Resendiz, A., Nichols, W. J., & Jones, T. T. (2002). Growth Rates of Wild Green Turtles (*Chelonia mydas*) at a Temperate Foraging Area in the Gulf of California, México. *Copeia*, (3), 610–617. doi:10.1643/0045-8511(2002)002[0610:GROWGT]2.0.CO;2
- Seminoff, J. A., Zárate, P., Coyne, M. S., Foley, D. G. D., Parker, D. M., Lyon, B. N., & Dutton, P. H. (2008). Post-nesting migrations of Galápagos green turtles *Chelonia mydas* in relation to oceanographic conditions: integrating satellite telemetry with remotely sensed ocean data. *Endangered Species Research*, 4(January), 57–72. doi:10.3354/esr00066
- Serra, G. (2008). *Preliminary report on natural heritage sites in western Syria* (p. 22).
- Settle, S. (1995). Status of nesting populations of sea turtles in Thailand and their conservation. *Marine Turtle Newsletter*, 68, 8–13.

- Shaffer, M. L., & Stein, B. A. (2000). Safeguarding our precious heritage. In *Precious heritage: the status of biodiversity in the United States*. (pp. 301–321). New York: Oxford University Press.
- Shanker, K., & Pilcher, N. J. (2003). Marine Turtle Conservation in South and Southeast Asia: Hopeless Cause or Cause for Hope? *Marine Turtle Newsletter*, 100, 43–51.
- Shaver, D. J. (1990). Hypothermic stunning of sea turtles. *Marine Turtle Newsletter*, 48, 25–27.
- Simms, C. N., Clarke, M., & Campbell, A. C. (2002). Ghost crab predation of loggerhead turtle hatchlings in the Sinai Region of Egypt. In A. Mosier, A. Foley, & B. Brost (Eds.), *Proceedings of the Twentieth Annual Symposium on Sea Turtle Biology and Conservation* (Vol. 18, pp. 202–203). NOAA Technical Memorandum NMFS-SEFC-477.
- Singel, K., Redlow, T., & Foley, A. (2003). Twenty-two years of data on sea turtle mortality in Florida: trends and factors. In J. A. Seminoff (Ed.), *Proceedings of the Twenty-second Annual Symposium on Sea Turtle Biology and Conservation* (p. 275). NOAA Technical Memorandum NMFS-SEFSC-503.
- Siow, K. T., & Moll, E. O. (1982). Status and conservation of estuarine and sea turtles in West Malaysian waters. In K. A. Bjorndal (Ed.), *Biology and Conservation of Sea Turtles* (pp. 339–347). Smithsonian Institution Press.
- Smith, G. W., Eckert, K. L., & Gibson, J. P. (1992). WIDECAST Sea Turtle Recovery Action Plan for Belize (Karen L. Eckert, Editor). *CEP Technical Report No. 18 UNEP Caribbean Environment Programme, Kingston, Jamaica*, 86 pages.
- Smith, M. M., & Salmon, M. (2009). A comparison between the habitat choices made by hatchling and juvenile green turtles (*Chelonia mydas*) and loggerheads (*Caretta caretta*), (126), 9–13.
- Smith, R., Edward, A., & Shorten, G. (1997). *Sand dredging, Nett Municipality Pohnpei Lagoon, Federated States of Micronesia: resource assessment and environmental considerations* (p. 64). SOPAS Technical Report 244, April 1997.
- Solomon Islands Ministry of Environment Conservation and Meteorology. (2008). *Solomon Islands state of the environment report 2008* (p. 97). Prepared by Pacific Horizon Consultancy Group (Honiara, Solomon Islands) for Ministry of Environment, Conservation and Meteorology (Honiara, Solomon Islands). 97 pages.
- SPREP. (2012). *Pacific Islands regional marine species programme 2012-2017*. Apia, Samoa.
- Stanton, D. B. (2008). Ras Sharma Protected Area remains unprotected. *Wildlife Middle East News*, 3(2), 7.

- Sterling, E. J., McFadden, K. W., Holmes, K. E., Vintinner, E. C., Arengo, F., & Naro-Maciel, E. (2013). Ecology and Conservation of Marine Turtles in a Central Pacific Foraging Ground.
- Stiles, D. (2009). The marine turtle product trade in Viet Nam. *Marine Turtle Newsletter*, (124), 6–9.
- Still, B., Tuxbury, K., Prescott, R., Ryder, C., Murley, D., Merigo, C., ... Turnbull, B. (2002). A record cold stun season in Cape Cod Bay, Massachusetts, USA. In A. Mosier, A. Foley, & B. . Brost (Eds.), *Proceedings of the Twentieth Annual Symposium on Sea Turtle Biology and Conservation* (pp. 205–206). NOAA Technical Memorandum NMFS-SEFSC-477.
- Suckling, K. (2006). *Measuring the success of the Endangered Species Act: recovery trends in the Northeastern United States*. (p. 125). Tucson.
- Suganuma, H., Horikoshi, K., Tachikawa, H., Sato, F., & Yamaguchi, M. (1996). Reproductive characteristics of the Ogasawara green turtles. In J. A. Keinath, D. E. Barnard, J. A. Musick, & B. A. Bell (Eds.), *Fifteenth Annual Symposium on Sea Turtle Biology and Conservation* (p. 318). NOAA Technical Memorandum NMFS-SEFSC-387. Retrieved from <http://www.nmfs.noaa.gov/pr/pdfs/species/turtlesymposium1995.pdf>
- Sulu, R., Hay, C., Ramohia, P., & Lam, M. (2000). *The status of Solomon Islands coral reefs* (p. 54).
- Sunderraj, S. F. W., Joshua, J., Brahmabhatt, L., Saravanakumar, A., Muthuraman, B., & Das, S. K. (2006). The status of sea turtle populations on the Gujarat coast. In K. Shanker & H. V. Andrews (Eds.), *Towards an integrated and collaborative sea turtle conservation programme in India: a UNEP/CMS-IOSEA Project Report*. Centre for Herpetology/Madras Crocodile Bank Trust, Post Bag 4, Mamallapuram, Tamil Nadu.
- Sunderraj, S. F. W., Joshua, J., Brahmabhatt, L., Saravanakumar, A., Muthuraman, B., & Das, S. K. (2006). The status of sea turtle populations on the Gujarat coast of India. *Towards Integrated and Collaborative Sea Turtle Conservation in India – a UNEP/CMS-IOSEA Project*.
- Sunderraj, S. F. W., Joshua, J., & Kumar, V. V. (2006). Sea turtles and their nesting habitats in Gujarat. In K. Shanker & B. C. Choudhury (Eds.), *Marine turtles of the Indian subcontinent* (pp. 156–169). Hyderabad, India: Universities Press, Hyderabad.
- Sunderraj, S. F. W., Joshua, J., & Serebiah, S. (2001). Sea Turtles along the Gujarat Coast. *Kachhapa* #5, 14–16.
- Surjadi, P., & Anwar, K. (2001). Exploitation of marine resources in the Togean and Banggai Islands, Sulawesi, Indonesia. In G. R. Allen & S. A. McKenna (Eds.), *A Marine Rapid Assessment of the Togean and Banggai Islands, Sulawesi, Indonesia* (p. 59). Washington D.C.: RAP Bulletin of Biological Assessment 20, Conservation International.

- SWOT. (2010). *Report-State of the World's Sea Turtles* (p. 56). Retrieved from Re: <http://seaturtlestatus.org/sites/swot/files/SWOT-Report-5.pdf>
- Tagarino, A. (2011). *Investigations into the status of marine turtles of Ofu and Olosega, American Samoa: An intensive monitoring of hawksbill nesting beaches FY '11-'13, semi-annual report #2, grant number: NA10NMF4540387*. Department of Marine and Wildlife Resources, American Samoa Government, Pago Pago, American Samoa.
- Tagarino, A. (2012). *Investigations into the status of marine turtles of Ofu and Olosega, American Samoa: an intensive monitoring of hawksbill nesting beaches FY '11-'13, semi-annual report #4, grant number: NA10NMF4540387*. In: *D. o. M. a. W. Resources (ed.)*. Department of Marine and Wildlife Resources, Pago Pago, American Samoa.
- Tagarino, A., Saili, K., & Utzurrum, R. (2008). *Investigations into the status of marine turtles in American Samoa with remediation of identified threats and impediments to conservation and recovery of species. NOAA/NMFS unallied management grant: Award No. NA04NMF4540126 Final Report (01 October 2004)*. Department of Marine and Wildlife Resources, American Samoa Government, Pago Pago, American Samoa.
- Tagarino, A., & Utzurrum, R. (2010). *Investigations into the status of marine turtles in American Samoa: Assessment of threat to nesting activities and habitat in Swains Island, NOAA/NMFS Unallied Management Grant: Award No. NA08NMF4540506, final report (01 October 2008 to 30 September 2009)*. Department of Marine and Wildlife Resources, American Samoa Government, Pago Pago, American Samoa.
- Tait, J. F., & Griggs, G. B. (1990). Beach response to the presence of a seawall. *Shore and Beach*, 58(2), 11–28.
- TAMAR, P. (2011). Projeto TAMAR Database (SITAMAR).
- Tanner, C. (2013). Sea turtle conservation in Ghana's western region: the bigger picture. *Marine Turtle Newsletter*, 136, 9–12.
- Te Honu Tea. (2007). *Projet Tikehau*. Project report on the study of 2007-2008 sea turtle nesting season onf the island of Tikehau. Unpublished (in French).
- Tear, T. H., Kareiva, P., Angermeier, P. L., Comer, P., Czech, B., Kautz, R., ... Wilhere, G. (2005). How much Is enough? The recurrent problem of setting measurable objectives in conservation. *BioScience*, 55, 835–849.
- Teas, W. G., & Witzell, W. N. (1996). Effects of anthropogenic debris on marine turtles in the western North Atlantic Ocean. In J. A. Keinath, D. E. Barnard, J. A. Musick, & B. A. Bell (Eds.), *Proceedings of the Fifteenth Annual Symposium on Sea Turtle Biology and Conservation* (p. 323). NOAA Technical Memorandum NMFS-SEFSC-387.

- Teclerariam, Y., Giotom, M., Mengstu, T., Abraha, H., & Mahmud, S. (2009). An update on marine turtles in Eritrea, Red Sea. *Indian Ocean Turtle Newsletter*, (9), 6–10.
- Teeb'aki, K. (1992). *Republic of Kiribati*. Unpublished.
- Terchunian, A. V. (1988). Permitting coastal armoring structures: can seawalls and beaches coexist? *Journal of Coastal Research*, (4), 65–75.
- Thayer, G. W., Engel, D. W., & Bjorndal, K. A. (1992). Evidence for short-circuiting of the detritus cycle of seagrass beds by the green turtle, *Chelonia mydas*. *Journal of Experimental Marine Biology and Ecology*, 62, 173–183.
- Tiwari, M., Balazs, G. H., & Hargrove, S. (2010). Estimating carrying capacity at the green turtle nesting beach of East Island, French Frigate Shoals. *Marine Ecology Progress Series*, 419, 289–294. doi:10.3354/meps08833
- Tomás, J., Castroviejo, J., & Raga, J. A. (1999). Sea Turtles in the South of Bioko Island (Equatorial Guinea). *Marine Turtle Newsletter*, (84), 4–6.
- Tomás, J., Godley, B. J., Castroviejo, J., & Raga, J. a. (2010). Bioko: critically important nesting habitat for sea turtles of West Africa. *Biodiversity and Conservation*, 19, 2699–2714. doi:10.1007/s10531-010-9868-z
- Tourinho, P. S., Ivar do Sul, J. a, & Fillmann, G. (2010). Is marine debris ingestion still a problem for the coastal marine biota of southern Brazil? *Marine Pollution Bulletin*, 60(3), 396–401. doi:10.1016/j.marpolbul.2009.10.013
- Trevor, A. P. (2009). *Turtle Research and Monitoring Database System (TREDS) Annual Report 2009* (p. 73). SPREP. doi:ISSN 20178-7197
- Tripathy, B., Choudhury, B. C., & Shanker, K. (2002). Marine turtles Of Lakshadweep Islands, India. *Kachhapa*, 7, 3–7.
- Tripathy, B., Shanker, K., & Choudhury, B. C. (2006). Sea turtles and their habitats in the Lakshadweep Islands. In K. Shanker & B. C. Choudhury (Eds.), *Marine turtles of the Indian subcontinent, Part 3: Marine turtles of the Arabian Sea* (pp. 119–136). Hyderabad, India: Universities Press, Hyderabad.
- Troëng, S. (1998). *Report on the 1997 green turtle program at Tortuguero, Costa Rica* (p. 25).
- Troëng, S., Evans, D. R., Harrison, E., & Limpus, C. J. (2005). Migration of green turtles *Chelonia mydas* from Tortuguero, Costa Rica. *Marine Biology*, 148(2), 435–447. doi:10.1007/s00227-005-0076-4

- Troëng, S., & Rankin, E. (2005). Long-term conservation efforts contribute to positive green turtle *Chelonia mydas* nesting trend at Tortuguero, Costa Rica. *Biological Conservation*, 121(1), 111–116.
- Trust, W., Marine, N., Service, F., Veterinary, S., Collins, F., & International, W. H. (2002). Pathology of Oropharyngeal Fibropapillomatosis in Green Turtles *Chelonia mydas*, 298–304.
- Tuato'o-Bartley, N., Morrell, T. E., & Craig, P. (1993). Status of sea turtles in American Samoa in 1991. *Pacific Science*, 47(3), 213–221. doi:10.1016/0006-3207(95)90157-4
- Türkozan, O., & Kaska, Y. (2010). Turkey. In P. Casale & D. Margaritoulis (Eds.), *Sea turtles in the Mediterranean: Distribution, threats and conservation policies* (pp. 257–293). Gland, Switzerland: IUCN.
- Turtle Conservation Project. (2009). Threats to marine turtle populations in Sri Lanka.
- USFWS. (2014). *Rose Atoll National Wildlife Refuge Comprehensive Conservation Plan* (p. 44). Pago Pago, American Samoa and Honolulu, Hawaii.
- Utzurum, R. (2002). Sea turtle conservation in American Samoa. In I. Kinan (Ed.), *Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop. February 5–8, 2002* (pp. 33–36). Honolulu, Hawaii, USA: Honolulu, HI: Western Pacific Regional Fishery Management Council.
- Valdéz-González, M. a., & Ramírez-Bautista, A. (2002). Reproductive Characteristics of the Spiny Lizards, *Sceloporus horridus* and *Sceloporus spinosus* (Squamata: Phrynosomatidae) from México. *Journal of Herpetology*, 36(1), 36–43. doi:10.1670/0022-1511(2002)036[0036:RCOTSL]2.0.CO;2
- Van de Elst, R. (2006). Status of leatherback turtles in Somalia. In M. Hamann, C. Limpus, G. Hughes, J. Mortimer, & N. Pilcher (Eds.), *Assessment of the Conservation Status of the Leatherback Turtle in the Indian Ocean and South-East Asia. IOSEA Species Assessment: Volume I*. (pp. 122–124).
- Van de Giessen, E. (2011). *Horn of Africa environmental security assessment* (p. 152).
- Van Houtan, K. S., & Bass, A. L. (2007). Stormy oceans are associated with declines in sea turtle hatching. *Current Biology*, 17(15), R590–1. doi:S0960-9822(07)01558-8 [pii] 10.1016/j.cub.2007.06.021
- Van Houtan, K. S., & Halley, J. M. (2011). Long-Term Climate Forcing in Loggerhead Sea Turtle Nesting. *PLoS ONE*, 6(4), e19043. doi:10.1371/journal.pone.0019043

- Van Houtan, K. S., Hargrove, S. K., & Balazs, G. H. (2010). Land use, macroalgae, and a tumor-forming disease in marine turtles. *PloS One*, 5(9), e12900. doi:10.1371/journal.pone.0012900
- Van Piggelen, D. C. G., & Strijbosch, H. (1993). The nesting of sea turtles (*Caretta caretta* and *Chelonia mydas*) in the Göksu Delta, Turkey, June-August, 1991. *Turkish Journal of Zoology*, 17, 137–149.
- Venzelos, L., & Kasperek, M. (2006). The white ghosts of Kazanlı: sea turtle conservation in Turkey. In M. Frick, A. Panagopoulou, A. F. Rees, & K. Williams (Eds.), *Book of Abstracts - 26th Annual Symposium on Sea Turtle Biology and Conservation*. ISTS.
- Viada, S. T., Hammer, R. A., Racca, R., Hannay, D., Thompson, M. J., Balcom, B. J., & Phillips, N. W. (2008). Review of potential impacts to sea turtles from underwater explosive removal of offshore structures. *Environmental Impact Assessment Review* 2008, 28(4-5), 267–285.
- Videira, E. J. S., Pereira, M. A. M., Louro, C. M. M., & Narane, D. A. (2008). *Monitoring, tagging and conservation of marine turtles in Mozambique: historical data and annual report 2007/08* (p. 85).
- Waayers, D. (2010). *A Holistic Approach to Planning for Wildlife Tourism: A Case Study of Marine Turtle Tourism and Conservation in the Ningaloo Region, Western Australia*. Murdoch University, Western Australia.
- Waayers, D., & Fitzpatrick, J. (2013). Genetic affiliations and key habitats of marine turtles in the Kimberly region, western Australia. In R. I. T. Prince, S. Whiting, H. Raudino, A. Vitenbergs, & K. Pendoley (Eds.), *Proceedings of the First Western Australian Marine Turtle Symposium 28-29th August 2012* (pp. 34–36). Perth, Western Australia: Science Division, Department of Parks and Wildlife.
- Wabnitz, C., & Nichols, W. J. (2010). Editorial: Plastic Pollution: An Ocean Emergency. *Marine Turtle Newsletter*, (129), 1–4.
- Wallace, B. P., Lewison, R. L., McDonald, S. L., McDonald, R. K., Kot, C. Y., Kelez, S., ... Crowder, L. B. (2010). Global patterns of marine turtle bycatch. *Conservation Letters*, 3, 131–142. doi:10.1111/j.1755-263X.2010.00105.x
- Wamukoya, G. M., Kaloki, F., & Mbindo, C. (1996). The status of sea turtle conservation in Kenya. In S. L. Humphrey & R. V. Salm (Eds.), *Status of Sea Turtle Conservation in the Western Indian Ocean* (pp. 57–72). Nairobi, Kenya: UNEP Regional Seas Reports and Studies No. 165. IUCN/UNEP.
- Wang, Y. (2006). Sea turtle reserve and satellite tracking in China. In M. Frick, A. Panagopoulou, A. F. Rees, & K. Williams (Eds.), *Proceedings of the Twenty Sixth Annual Symposium on Sea Turtle Biology and Conservation* (p. 116). Athens, Greece: International Sea Turtle Society.

- Waqas, U., Hasnain, S. A., Ahmad, E., Abbasi, M., & Pandran, A. (2011). Conservation of Green Turtle (*Chelonia mydas*) at Daran Beach, Jiwani, Balochistan. *Pakistan Journal of Zoology*, 43(1), 85–90.
- Weaver, M. L. (1996). Broadening environmental management in Fiji. *Pacific Conservation Biology*, 2(4), 315–320.
- Webb, A. P., & Kench, P. S. (2010). The dynamic response of reef islands to sea-level rise: Evidence from multi-decadal analysis of island change in the Central Pacific. *Global and Planetary Change*, 72(3), 234–246. doi:10.1016/j.gloplacha.2010.05.003
- Wedding, L. M., & Friedlander, A. M. (2008). Determining the influence of seascape structure on coral reef fishes in Hawaii using a geospatial approach. *Marine Geodesy*, 31, 246–266.
- Wedding, L. M., Friedlander, A. M., McGranaghan, M., Yost, R. S., & Monaco, M. E. (2008). Using bathymetric lidar to define nearshore benthic habitat complexity: Implications for management of reef fish assemblages in Hawaii. *Remote Sensing of Environment*, 112, 4159–4165.
- Weijerman, M., van Tienen, L. H. G., Schouten, A. D., & Hoekert, W. E. J. (1998). Sea turtles of Galibi, Suriname. *Proceedings of the Sixteenth Annual Symposium on Sea Turtle Biology and Conservation*, 142–144.
- Weir, C. R., Ron, T., Morais, M., & Duarte, A. D. C. (2007). Nesting and at-sea distribution of marine turtles in Angola, West Africa, 2000–2006: occurrence, threats and conservation implications. *Oryx*, 41(2), 224. doi:10.1017/S003060530700186X
- Weishampel, J. F., Bagley, D. A., & Ehrhart, L. M. (2004). Earlier nesting by loggerhead sea turtles following sea surface warming. *Global Change Biology*, 10(8), 1424–1427. doi:10.1111/j.1365-2486.2004.00817.x
- Western and Central Pacific Fisheries Commission. (2008). *2007 national tuna fishery report - Solomon Islands* (p. 18).
- Wetherall, J. A., Balazs, G. H., Tokunaga, R. A., & Yong, M. Y. Y. (1993). Bycatch of marine turtles in the North Pacific high-seas drift-net fisheries and impacts on the stocks. *International North Pacific Fisheries Commission Bull.*, 53(III), 519–538.
- White, M. (2012a). An assessment of sea turtles at Palmerston Atoll, Southern Cook Islands, 68. Retrieved from http://www.seaturtle.org/PDF/WhiteM_2012_RuffordTrustExpeditiontoPalmerstonA.pdf
- White, M. (2012b). *Sea Turtles in the Cook Islands. Volume One: 2009-2012* (pp. 2009–2012).
- White, M. (2013). The first study of sea turtles at Rarotonga, Southern Cook Islands. *Testudo*, 7(5), 12–29.

- White, M., & Galbraith, G. (2013). Rakahanga Atoll: sea turtles at a remote site in Oceania. *Testudo*, 7(5), 30–48.
- Williams, E. H., & Bunkley-Williams, L. (2000). Marine major ecological disturbances of the Caribbean. *The Infectious Disease Reviews*, 2(3), 110–127.
- Williams, S. L. (1988). Assessment of Anchor Damage and Carrying Capacity of Seagrass Beds in Francis and Mayo Bays for Green Sea Turtles. *Biosphere Reserve Report No. 25, U.S. Dept. of the Interior, National Park Service, and Virgin Islands Resource Management Cooperative, Virgin Islands National Park*, 32 pp.
- Wilson, L., MacKay, K. T., Trevor, A. P., & Solomona, P. (2004). *Melanesian Marine Turtles Conservation Forum workshop report* (p. 76).
- Witherington, B. E. (1997). The problem of photopollution for sea turtles and other nocturnal animals. In J. R. Clemmons & R. Buchholz (Eds.), *Behavioral Approaches to Conservation in the Wild* (pp. 303–328). Cambridge University Press.
- Witherington, B. E. (1999). Reducing threats to nesting habitat. In K. L. Eckert, K. A. Bjorndal, F. A. Abreu-Grobois, & M. Donnelly (Eds.), *Research and Management Techniques for the Conservation of Sea Turtles* (pp. 179–183). IUCN/SSC Marine Turtle Specialist Group Publication No. 4.
- Witherington, B. E. (2002). Ecology of neonate loggerhead turtles inhabiting lines of downwelling near a Gulf Stream front. *Marine Biology*, 140(4), 843–853.
doi:10.1007/s00227-001-0737-x
- Witherington, B. E., Bresette, M. J., & Herren, R. (2006). *Chelonia mydas* – green Turtle. In P. A. Meylan (Ed.), *Biology and Conservation of Florida Turtles. Chelonian Research Monographs 3:90-104* (Vol. 3).
- Witherington, B. E., & Ehrhart, L. M. (1989a). Hypothermic stunning and mortality of marine turtles in the Indian River Lagoon system, Florida. *Copeia*, 696–703.
- Witherington, B. E., & Ehrhart, L. M. (1989b). Hypothermic stunning and mortality of marine turtles in the Indian River Lagoon system, Florida. *Copeia*, 1989(3), 696–703.
doi:10.2307/1445497
- Witherington, B. E., Hiram, S., & Hardy, R. (2012). Young sea turtles of the pelagic Sargassum-dominated drift community: habitat use, population density, and threats. *Marine Ecology Progress Series*, 463, 1–22. doi:10.3354/meps09970
- Witsen, D. (2012). *Djibouti biodiversity and tropical forests : 118/119 assessment* (p. 45).

- Wood, F. E., & Wood, J. R. (1994). Sea turtles of the Cayman Islands. In M. A. Brunt & J. A. Davies (Eds.), *The Cayman Islands: Natural History and Biogeography* (pp. 229–236). Netherlands: Kluwer Academic Press.
- Woodrom Rudrud, R. (2010). Forbidden sea turtles: Traditional laws pertaining to sea turtle consumption in Polynesia (Including the Polynesian Outliers). *Conservation and Society*, 8(1), 84–97. doi:10.4103/0972-4923.62669
- Work, T. M., M., A., J.W., C., M., C., L., H., J.M., L., & Stacy, B. A. (2014). The story of invasive algae, arginine, and turtle tumors does not make sense. *PeerJ PrePrints*, 2:e539v1. Retrieved from <http://dx.doi.org/10.7287/peerj.preprints.539v1>
- Wright, B., & Mohanty, B. (2002). Olive ridley mortality in gill nets in Orissa. *Kachhapa*, 6, 18.
- Wright, L. I., Stokes, K. L., Fuller, W. J., Godley, B. J., McGowan, A., Snape, R., ... Broderick, A. C. (2012). Turtle mating patterns buffer against disruptive effects of climate change. *Proceedings. Biological Sciences / The Royal Society*, 279(1736), 2122–2127. doi:10.1098/rspb.2011.2285
- Wusstig, S. (2012). Haggan: green sea turtle. Retrieved from <http://www.guampedia.com/haggan-green-sea-turtle/>
- Wyneken, J., & Balazs, G. H. (1996). Morphological differences in hind flippers of hatchling green turtles from the Hawaiian Islands and Florida, U.S.A. In J. A. Keinath, D. E. Barnard, J. A. Musick, & B. A. Bell (Eds.), *Proceedings of the Fifteenth Annual Symposium on Sea Turtle Biology and Conservation* (pp. 348–349). NOAA Technical Memorandum NMFS-SEFSC-387.
- Wyneken, J., & Salmon, M. (1992). Frenzy and postfrenzy swimming activity in loggerhead, green and leatherback hatchling sea turtles. *Copeia*, 2, 478–484.
- Zainudin, I. M., Pet-Doede, L., Hitipeuw, C., & Adnyana, I. B. W. (2008). Interaction of sea turtles with Indonesia fisheries – preliminary findings.
- Zárate, P. (2012). Offshore Oasis: Ecology of Sea Turtles at Oceanic Islands of the Eastern Pacific. In J. Seminoff & B. Wallace (Eds.), *Sea Turtles of the Eastern Pacific* (pp. 65–87). Tucson, Arizona: University of Arizona Press.
- Zárate, P., Bjorndal, K. A., Parra, M., Dutton, P. H., Seminoff, J. A., & Bolten, A. B. (2013). Hatching and emergence success in green turtle *Chelonia mydas* nests in the Galápagos Islands. *Aquatic Biology*, 19(3), 217–229. doi:10.3354/ab00534
- Zárate, P., Cahoon, S. S., Contato, M. C. D., Dutton, P. H., & Seminoff, J. A. (2006). Nesting beach monitoring of green turtles in the Galapagos Islands: a 4-year evaluation. In M. Frick, A. Panagopoulou, A. F. Rees, & K. Williams (Eds.), *Book of Abstracts. Twenty Sixth*

Annual Symposium on Sea Turtle Biology and Conservation (p. 337). Athens, Greece: International Sea Turtle Society.

Zárate, P., Fernie, A., & Dutton, P. H. (2003). First results of the East Pacific green turtle, *Chelonia mydas*, nesting population assessment in the Galapagos Islands. In J. A. Seminoff (Ed.), *Twenty- Second Annual Symposium on Sea Turtle Biology and Conservation* (pp. 70–73). Miami, FL: NOAA Technical Memorandum NMFS-SEFSC-503.

Zurita, J. C., Herrera P., R., Arenas, A., Negrete, A. C., Gómez, L., Prezas, B., & Sasso, C. R. (2012). Age at first nesting of green turtles in the Mexican Caribbean. In T. T. Jones & B. P. Wallace (Eds.), *Proceedings of the 31st annual symposium on sea turtle biology and conservation* (p. 75). NOAA Technical Memorandum NOAA NMFS-SEFSC-631.