U.S. DEPARTMENT OF ENERGY Home Energy Score

# **Home Energy Scoring Tool**

**Data Collection Sheet** 

Location Information			
Address:	<u>City</u> :	<u>State</u> :	<u>Zip</u> :
Assessment Type: Initial / Final / QA / Altern	native EEM (Energy Efficiend	cy Measures) /	Test / Corrected / Mentor
Assessment Date: Qua	lified Assessor:		
Comments:			
House Information			
Year Built: # of Bedrooms	s: # of Stories	Above Grade:	
Average Ceiling Height (ft): C	<u>Conditioned Floor Area</u> (sq f	ft):	
Direction Faced by Front of House: N / NE / E	E / SE / S / SW / W / NW		
Air Tightness			
Was a Blower Door test conducted on this ho	uise?· <b>Yes</b> / <b>No</b>		
		faccionally air	
Air Leakage rate: cfm50	Has the house been pro		sedieur. res / NO
Roof / Attic 1 Attic 1 Floor Area (sq ft):			
Roof Construction: Standard Roof / with Rac		oam Sheathing	
Exterior Finish: Composition Shingles or Met	-	-	
	-		
Insulation Level (applied to roof): R-0 / R-11 ,	/ R-13 / R-15 / R-19 / R-21 /	/ R-27/ R-30	
Roof Color: White / Light / Medium / Mediu	m Dark / Dark / Cool Color	: (refle	ctivity)
Attic or Ceiling Type: Unconditioned Attic / C	Conditioned Attic / Cathed	ral Ceiling	
Attic Floor Insulation: R-0 / R-3 / R-6 / R-9 / R	-11 / R-19 / R-21 / R-25 / R	-30 / R-38 / R-4	44 / R-49 / R-60

Roof / Attic 2 Attic 2 Floor Area (sq ft):

Roof Construction: Standard Roof / with Radiant Barrier / with Rigid Foam Sheathing

Exterior Finish: Composition Shingles or Metal / Wood Shakes / Clay Tile / Concrete Tile / Tar & Gravel

Insulation Level (applied to roof): R-0 / R-11 / R-13 / R-15 / R-19 / R-21 / R-27 / R-30

Roof Color: White / Light / Medium / Medium Dark / Dark / Cool Color: \_\_\_\_\_ (reflectivity)

Attic or Ceiling Type: Unconditioned Attic / Conditioned Attic / Cathedral Ceiling

Attic Floor Insulation: R-0 / R-3 / R-6 / R-9 / R-11 / R-19 / R-21 / R-25 / R-30 / R-38 / R-44 / R-49 / R-60

Foundation / Floor 1 Foundation 1 Floor Area (sq ft):

<u>Type:</u> Slab-on-Grade / Unconditioned Basement / Conditioned Basement / Unvented Crawlspace / Vented Crawlspace

Insulation over Basement or Crawlspace: R-0 / R-11 / R-13 / R-15 / R-19 / R-21 / R-25 / R-30 / R-38

Foundation Insulation: R-0 / R-5 (slab only) / R-11 (bsmt/crawl wall) / R-19 (bsmt/crawl wall)

Foundation / Floor 2 Foundation 1 Floor Area (sq ft):

<u>Type:</u> Slab-on-Grade / Unconditioned Basement / Conditioned Basement / Unvented Crawlspace / Vented Crawlspace

Insulation over Basement or Crawlspace: R-0 / R-11 / R-13 / R-15 / R-19 / R-21 / R-25 / R-30 / R-38

Foundation Insulation: R-0 / R-5 (slab only) / R-11 (bsmt/crawl wall) / R-19 (bsmt/crawl wall)

#### <u>Walls</u>

Is this home a Townhouse or Duplex?: Yes / No

Position of Unit: Middle / Left / Right

Wall Characteristics: Front or All (circle one)

<u>Construction</u>: Wood Frame / Wood Frame with rigid foam sheathing / Wood Frame with Optimum Value Engineering (OVE) / Structural Brick / Concrete Block or Stone / Straw Bale

Exterior Finish: Wood Siding, Fiber Cement, Composite Shingle or Masonite Siding / Stucco / Vinyl Siding / Aluminum Siding / Brick Veneer

Wall Insulation: R-0 / R-3 / R-7 / R-11 / R-13 / R-15 / R-19 / R-21 / R-27 / R-33 / R-38

#### Skylights: Yes or No (circle one):

Total Skylight Area (sq. ft.): Number of Panes:							
Frame Type: Aluminum / Aluminum with Thermal Break / Wood or Vinyl							
<u>Glazing Type</u> : Clear / Tinted / Solar-control low-E / Solar-control low-E, argon gas fill / Insulating low-E / Insulating low-E, argon gas fill							
<u>-OR- Actual window specifications</u> = <u>U-Factor</u> (from 0.01 – 5): <u>SHGC</u> (from 0 – 1):							
Window Area (sq. ft.):							
Front: Back: Right Side: Left Side:							
<u>Window Characteristics:</u> Front or All (circle one)							
Panes: Single-pane / Double-pane / Triple-pane							
Frame Type: Aluminum / Aluminum with Thermal Break / Wood or Vinyl							
<u>Glazing Type</u> : Clear / Tinted / Solar-control low-E / Solar-control low-E, argon gas fill / Insulating low-E / Insulating low-E, argon gas fill							
<u>-OR- Actual window specifications</u> = <u>U-Factor</u> (from 0.01 – 5): <u>SHGC</u> (from 0 – 1):							
Wall Characteristics: Back							
<u>Construction</u> : Wood Frame / Wood Frame with Rigid Foam Sheathing / Wood Frame with Optimum Value Engineering (OVE) / Structural Brick / Concrete Block or Stone / Straw Bale							
Exterior Finish: Wood Siding, Fiber Cement, Composite Shingle or Masonite Siding / Stucco / Vinyl Siding / Aluminum Siding / Brick Veneer							
Wall Insulation: R-0 / R-3 / R-7 / R-11 / R-13 / R-15 / R-19 / R-21 / R-27 / R-33 / R-38							
Window Characteristics: Back							

Panes: Single-pane / Double-pane / Triple-pane

Frame Type: Aluminum / Aluminum with Thermal Break / Wood or Vinyl

<u>Glazing Type</u>: Clear / Tinted / Solar-control low-E / Solar-control low-E, argon gas fill / Insulating low-E / Insulating low-E, argon gas fill

<u>-OR- Actual window specifications</u> = <u>U-Factor</u> (from 0.01 – 5): <u>SHGC</u> (from 0 – 1): \_\_\_\_\_

#### Wall Characteristics: Right Side (facing house)

<u>Construction</u>: Wood Frame / Wood Frame with Rigid Foam Sheathing / Wood Frame with Optimum Value Engineering (OVE) / Structural Brick / Concrete Block or Stone / Straw Bale

Exterior Finish: Wood Siding, Fiber Cement, Composite Shingle or Masonite Siding / Stucco / Vinyl Siding / Aluminum Siding / Brick Veneer

Wall Insulation: R-0 / R-3 / R-7 / R-11 / R-13 / R-15 / R-19 / R-21 / R-27 / R-33 / R-38

#### Window Characteristics: Right Side (facing house)

Panes: Single-pane / Double-pane / Triple-pane

Frame Type: Aluminum / Aluminum with Thermal Break / Wood or Vinyl

<u>Glazing Type</u>: Clear / Tinted / Solar-control low-E / Solar-control low-E, argon gas fill / Insulating low-E / Insulating low-E, argon gas fill

<u>-OR- Actual window specifications</u> = <u>U-Factor</u> (from 0.01 – 5): <u>SHGC</u> (from 0 – 1): \_\_\_\_\_

#### Wall Characteristics: Left Side (facing house)

<u>Construction</u>: Wood Frame / Wood Frame with Rigid Foam Sheathing / Wood Frame with Optimum Value Engineering (OVE) / Structural Brick / Concrete Block or Stone / Straw Bale

Exterior Finish: Wood Siding, Fiber Cement, Composite Shingle or Masonite Siding / Stucco / Vinyl Siding / Aluminum Siding / Brick Veneer

Wall Insulation: R-0 / R-3 / R-7 / R-11 / R-13 / R-15 / R-19 / R-21 / R-27 / R-33 / R-38

#### Windows Characteristics: Left Side (facing house)

Panes: Single-pane / Double-pane / Triple-pane

Frame Type: Aluminum / Aluminum with Thermal Break / Wood or Vinyl

<u>Glazing Type</u>: Clear / Tinted / Solar-control low-E / Solar-control low-E, argon gas fill / Insulating low-E / Insulating low-E, argon gas fill

<u>-OR- Actual window specifications</u> = <u>U-Factor</u> (from 0.01 – 5): <u>SHGC</u> (from 0 – 1): \_\_\_\_\_

System 1 % of floor area served:

#### Heating (System 1)

<u>Type of Heating 1 System</u>: None / Central gas furnace / Room (through-the-wall) gas furnace / Propane (LPG) furnace / Oil furnace / Electric furnace / Electric heat pump / Electric baseboard heater / Gas boiler / Oil boiler / Propane (LPG) Boiler / Ground coupled heat pump / Wood Stove / Pellet Stove

<u>Heating System 1 Efficiency:</u> Do you know the actual heating system efficiency?: Yes / No (before answering "No", can you use the Home Energy Score Assessor Calculator to determine the approximate efficiency value?)

Efficiency Value (AFUE or HSPF): \_\_\_\_\_ OR Year Installed: \_\_\_\_\_

#### Cooling (System 1)

<u>Type of Cooling 1 System</u>: None / Central air conditioner / Room air conditioner / Electric heat pump / Ground coupled heat pump

**Cooling System 1 Efficiency:** Do you know the actual cooling system efficiency?: Yes / No (before answering "No", can you use the Home Energy Score Assessor Calculator to determine the approximate efficiency value?)

Efficiency Value (SEER or EER): \_\_\_\_\_ OR Year Installed: \_\_\_\_\_

#### Duct (System 1)

<u>Duct Location 1 (#1):</u> Conditioned Space / Unconditioned basement or unvented crawlspace / Vented crawlspace / Unconditioned attic

Percentage of Ducts in this location: \_\_\_\_\_ Are ducts sealed?: Yes / No Are ducts insulated?: Yes / No

<u>Duct Location 1 (#2)</u>: Conditioned Space / Unconditioned basement or unvented crawlspace / Vented crawlspace / Unconditioned attic

Percentage of Ducts in this location: \_\_\_\_\_ Are ducts sealed?: Yes / No Are ducts insulated?: Yes / No

<u>Duct Location 1 (#3):</u> Conditioned Space / Unconditioned basement or unvented crawlspace / Vented crawlspace / Unconditioned attic

Percentage of Ducts in this location: \_\_\_\_\_ Are ducts sealed?: Yes / No Are ducts insulated?: Yes / No

System 2 % of floor area served:

#### Heating (System 2)

<u>Type of Heating 2 System</u>: None / Central gas furnace / Room (through-the-wall) gas furnace / Propane (LPG) furnace / Oil furnace / Electric furnace / Electric heat pump / Electric baseboard heater / Gas boiler / Oil boiler / Propane (LPG) Boiler / Ground coupled heat pump / Wood Stove / Pellet Stove

<u>Heating System 2 Efficiency:</u> Do you know the actual heating system efficiency?: Yes / No (before answering "No", can you use the Home Energy Score Assessor Calculator to determine the approximate efficiency value?)

Efficiency Value (AFUE or HSPF): \_\_\_\_\_ OR Year Installed: \_\_\_\_\_

#### Cooling (System 2)

<u>Type of Cooling 2 System</u>: None / Central air conditioner / Room air conditioner / Electric heat pump / Ground coupled heat pump

**Cooling System 2 Efficiency:** Do you know the actual cooling system efficiency?: Yes / No (before answering "No", can you use the Home Energy Score Assessor Calculator to determine the approximate efficiency value?)

Efficiency Value (SEER or EER): \_\_\_\_\_\_OR Year Installed: \_\_\_\_\_

#### Duct (System 2)

<u>Duct Location 2 (#1):</u> Conditioned Space / Unconditioned basement or unvented crawlspace / Vented crawlspace / Unconditioned attic

Percentage of Ducts in this location: \_\_\_\_\_ Are ducts sealed?: Yes / No Are ducts insulated?: Yes / No

<u>Duct Location 2 (#2)</u>: Conditioned Space / Unconditioned basement or unvented crawlspace / Vented crawlspace / Unconditioned attic

Percentage of Ducts in this location: \_\_\_\_\_ Are ducts sealed?: Yes / No Are ducts insulated?: Yes / No

<u>Duct Location 2 (#3):</u> Conditioned Space / Unconditioned basement or unvented crawlspace / Vented crawlspace / Unconditioned attic

Percentage of Ducts in this location: \_\_\_\_\_ Are ducts sealed?: Yes / No Are ducts insulated?: Yes / No

#### Hot Water:

Water Heater Type: Electric storage / Natural gas storage / LPG storage / Oil storage / Electric heat pump

Hot Water System Efficiency: Do you know the actual water heater energy factor?: Yes / No (before answering "No", can you use the Home Energy Score Assessor Calculator to determine the approximate energy factor?)

Energy Factor (between 0-1): \_\_\_\_\_ OR Year Installed: \_\_\_\_\_

# Assessment Checklist

### General Info:

- Year
- □ # of bedrooms
- □ Blower door test?
- □ Professionally air sealed?
- □ Window specs?

### <u>Outside</u>

- □ House Orientation
- □ # of stories
- □ Roof: Predominant exterior finish
  - □ Color
- □ Walls: Same type on all sides?
  - □ Construction type
  - □ Exterior finish
- □ Windows: Same on all sides?
  - Panes
  - □ Frame
  - □ Glazing

# <u>Inside</u>

# □ Attic

- $\hfill\square$  Roof Construction
- □ Insulation type & amount
- □ Air sealed?
- Air handler present? Type and year
- □ Ducts?: Insulated? Sealed?

# □ Upper Floor

- □ Square feet
- □ Ceiling Height
- □ Skylights?
- □ Windows

# □ Main Floor

- □ Square feet
- □ Ceiling Height
- □ Skylights?
- □ Windows
- □ Walls & insulation
- □ Crawlspace insulation type & amount
  - □ Ducts?: Insulated? Sealed?
- □ Basement Conditioned?
  - □ Square feet
  - □ Ceiling Height
  - □ Windows
  - □ Walls & insulation
- □ HVAC Equipment
  - □ Type?
  - □ Year or SN?
- □ Water Heater
  - □ Type?
  - □ Year or SN?

### Notes:

# Window Dimensions:

Front	Back	Right	Left	
		<u> </u>		

Layout: