



# United States Department of the Interior

BUREAU OF RECLAMATION  
Mid-Pacific Regional Office  
2800 Cottage Way  
Sacramento, CA 95825-1898

DEC 04 2013

IN REPLY REFER TO:

MP-700  
PRJ-2.00

## Interested Parties

Subject: San Luis Reservoir Expansion Draft Appraisal Report

Dear Ladies and Gentlemen:

The Bureau of Reclamation has prepared a Draft Appraisal Report documenting our evaluation of conceptual alternative plans for increasing the storage capacity of San Luis Reservoir to improve the reliability of Central Valley Project (CVP) water deliveries. Reclamation is seeking comments on the Draft San Luis Reservoir Expansion Appraisal Report by January 17, 2014.

Comments will be considered as we continue investigating the expansion of the San Luis Reservoir. The Draft Appraisal Report is available at Reclamation's website at <http://www.usbr.gov/mp/sllpp/>. Written comments can be submitted via email to [waley@usbr.gov](mailto:waley@usbr.gov) or by mail to the address below.


ATTN: Mr. William Aley  
Bureau of Reclamation  
2800 Cottage Way, MP-730  
Sacramento, CA 95825-1893

An expansion of the dam and reservoir would address at least four factors affecting the reliability of CVP deliveries associated with San Luis Reservoir. These factors include water quality in the reservoir, seismic risk to the dam, Delta conditions and regulations affecting the timing and volume of water available to store in the reservoir, and timing and volume of demand for water stored in the reservoir.

The Draft Appraisal Report includes recommendations to work with the California Department of Water Resources, Santa Clara Valley Water District, and the San Luis and Delta-Mendota Water Authority to reconsider the expansion of the dam and reservoir as an alternative to address the San Luis Low Point problem, the dam safety risks, and other factors affecting CVP water delivery reliability.

If you have any questions, please contact Mr. Aley at 916-978-5095 or [waley@usbr.gov](mailto:waley@usbr.gov).

Sincerely,

A handwritten signature in black ink that reads "David G. Murillo". The signature is written in a cursive style with a large, looping initial "D".

David G. Murillo  
Regional Director

Enclosure