

## DEPARTMENT OF THE INTERIOR

## Fish and Wildlife Service

## 50 CFR Part 17

## Endangered and Threatened Wildlife and Plants; Review of Vertebrate Wildlife for Listing as Endangered or Threatened Species

**AGENCY:** Fish and Wildlife Service, Interior.

**ACTION:** Notice of review.

**SUMMARY:** The Service identifies vertebrate animal taxa, native to the U.S., being considered for addition to the List of Endangered and Threatened Wildlife. The presence of such taxa should be taken into account in environmental planning. Also identified are those vertebrate taxa that were previously under consideration for listing, but that are currently presumed either to be extinct, to not be valid species or subspecies, or to be more abundant and widespread than previously thought and/or not subject to identifiable threats.

**DATE:** Comments may be submitted until further notice.

**ADDRESSES:** Interested persons or organizations are requested to submit comments to: Director (OES), U.S. Fish and Wildlife Service, Department of the Interior, Washington, D.C. 20240. Comments and materials relating to this notice are available for public inspection by appointment during normal business hours at the Service's Office of Endangered Species, Suite 500, 1000 North Glebe Road, Arlington, Virginia.

Information relating to particular taxa may be obtained from appropriate Service Regional Offices listed below:

*Region 1.*—California, Hawaii, Idaho, Nevada, Oregon, Washington, and Pacific Trust Territories

Regional Director (ARD/FA), U.S. Fish and Wildlife Service, Suite 1692, Lloyd 500 Building, 500 NE Multnomah Street, Portland, Oregon 97232, Telephone: 503/231-6131 (FTS:8/429-6131)

*Region 2.*—Arizona, New Mexico, Oklahoma, and Texas

Regional Director (ARD/FA), U.S. Fish and Wildlife Service, P.O. Box 1306, Albuquerque, New Mexico 87103, Telephone: 505/766-3972 (FTS: 8/474-3972)

*Region 3.*—Illinois, Indiana, Iowa, Michigan, Minnesota, Missouri, Ohio, and Wisconsin

Regional Director (ARD/FA), U.S. Fish and Wildlife Service, Federal Building, Fort Snelling, Twin Cities, Minnesota

55111, Telephone: 612/725-3596 (FTS: 8/725-3596)

*Region 4.*—Alabama, Arkansas, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, Tennessee, Puerto Rico, and the Virgin Islands

Regional Director (ARD/FA), U.S. Fish and Wildlife Service, The Richard B. Russell Federal Building, 75 Spring Street, S.W., Atlanta, Georgia 30303, Telephone: 404/221-3583 (FTS:8/242-3583)

*Region 5.*—Connecticut, Delaware, District of Columbia, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, Vermont, Virginia, and West Virginia

Regional Director (ARD/FA), U.S. Fish and Wildlife Service, Suite 700, One Gateway Center, Newton Corner, Massachusetts 02158, Telephone: 617/965-5100 ext. 316 (FTS:8/829-9316, 7, 8)

*Region 6.*—Colorado, Kansas, Montana, Nebraska, North Dakota, South Dakota, Utah, and Wyoming (Iowa and Missouri under Region 3 after October 1, 1980)

Regional Director (ARD/FA), U.S. Fish and Wildlife Service, P.O. Box 25486, Denver Federal Center, Denver, Colorado 80225, Telephone: 303/234-2496 (FTS: 8/234-2496)

*Region 7.*—Alaska

Regional Director (ARD/FA), U.S. Fish and Wildlife Service, 1101 East Tudor Road, Anchorage, Alaska 99503, Telephone: 907/263-3539 (FTS: 8/907/263-3539)

**FOR FURTHER INFORMATION CONTACT:**

John L. Spinks, Jr., Chief, Office of Endangered Species, U.S. Fish and Wildlife Service, Washington, D.C. 20240 (703/235-2771), or the appropriate Regional Office.

**SUPPLEMENTARY INFORMATION:** The Endangered Species Act of 1973 (16 U.S.C. 1531 *et seq.*) requires determination of whether species of wildlife and plants are Endangered or Threatened, based on the best available scientific and commercial data. For many years, the U.S. Fish and Wildlife Service has been gathering data on taxa of vertebrates (fishes, amphibians, reptiles, birds, and mammals), native to the United States, which have appeared, at least at times, to warrant consideration for addition to the List of Endangered and Threatened Wildlife. The accompanying table identified many of these taxa (including, by definition, biological subspecies) and assigns each to one of the following three categories.

Category 1 comprises taxa for which the Service currently has substantial

information on hand to support the biological appropriateness of proposing to list the species as Endangered or Threatened. Currently, data is being gathered concerning the environmental impacts of listings and the economic effects of Critical Habitat designations. Development and publication of proposed rules on such species is anticipated.

Category 2 comprises taxa for which information now in possession of the Service indicates that proposing to list the species as Endangered or Threatened is possibly appropriate, but for which substantial data are not currently available to biologically support a proposed rule. Further biological research and field study will usually be necessary to ascertain the status of the taxa in this category, and it is likely that some of the taxa will not warrant listing.

Category 3 comprises taxa that are no longer being considered for listing as Endangered or Threatened. Such taxa are included in one of three categories, depending on the reasons for removal from consideration.

3A. Taxa for which the Service has persuasive evidence of extinction. If rediscovered, however, such species might acquire high priority for listing. At this time, the best available information indicates that the taxa included in this category, or the habitats from which they were known, are in fact extinct or destroyed, respectively.

3B. Names that on the basis of current taxonomic understanding, usually as represented in published revisions and monographs, do not represent taxa meeting the Act's definition of "species." Such supposed taxa could be reevaluated in the future on the basis of subsequent research.

3C. Taxa that have proven to be more abundant or widespread than was previously believed and/or those that are not subject to any identifiable threat. Should further research or changes in land use indicate significant decline in any of these taxa, they may be reevaluated for possible inclusion in Categories 1 or 2.

The Service hereby solicits data concerning the taxa in the accompanying table. Especially sought is information:

(1) Indicating that a taxon would more properly be assigned to a category other than the one in which it appears;

(2) Nominating a taxon not included in the table;

(3) Recommending an area as Critical Habitat for a candidate taxon, or indicating why it would not be prudent to propose Critical Habitat for a taxon,

or why Critical Habitat may not be determinable for a taxon.

(4) Documenting threats to any of the listed taxa;

(5) Pointing out taxonomic changes for any of the taxa;

(6) Suggesting new or more appropriate names; or

(7) Noting errors, such as in the indicated distributions.

The Service intends to consider all data received in response to this notice, to make appropriate amendments to the accompanying table, and to indicate intentions with regard to future listing actions. Substantive changes in status may be announced by periodic notices in the Federal Register.

The following table is arranged in a general systematic order, beginning with fishes and ending with mammals. For each taxon, the assigned category appears on the left. Then comes the common name, the scientific name, the family name, and the known distribution, usually indicated by abbreviations of State names. The species may no longer occur in some of the areas shown. Some taxa have been included that have not yet been formally described in the scientific literature. Such taxa are indicated by the abbreviation "sp." after the generic name, or "ssp." after the generic and specific names. In the section on birds, the abbreviation "N" indicates the nesting range of the species, and the

abbreviation "V" indicates additional areas in which the species is a regular visitor.

The notice was prepared by the vertebrate zoologists in the Service's Office of Endangered Species in Washington, and the Endangered Species Program staff of the Service's Regional Offices and Field Stations.

List of Subjects in 50 CFR Part 17

Endangered and threatened wildlife, Fish, Marine mammals, Plants (agriculture), Wildlife.

Dated: December 17, 1982.

J. Craig Potter,

Deputy Assistant Secretary for Fish and Wildlife and Parks.

Category and common name	Scientific name	Family	Distribution
<b>Fishes</b>			
2—Lake sturgeon	<i>Acipenser fulvescens</i>	Acipenseridae	AL, AR, GA, IA, IL, IN, KS, KY, LA, MI, MN, MO, MS, NE, NY, OH, PA, SD, TN, VT, WI, WV, Canada.
2—Gulf sturgeon	<i>Acipenser oxyrinchus desotoi</i>	Acipenseridae	AL, FL, GA, LA, MS.
2—Pallid sturgeon	<i>Scaphirhynchus albus</i>	Acipenseridae	AR, IA, IL, KS, KY, LA, MO, MS, MT, ND, NE, SD, TN.
2—Alabama shovelnose sturgeon	<i>Scaphirhynchus platyrhynchus</i> ssp.	Acipenseridae	AL, MS.
3C—Paddlefish	<i>Polyodon spathula</i>	Polyodontidae	AL, AR, IA, IL, IN, KS, KY, LA, MN, MO, MS, MT, ND, NE, OH, OK, PA, SD, TN, TX, WI.
3A—Deepwater cisco	<i>Coregonus johanna</i>	Salmonidae	IL, IN, MI, WI, Canada (Lakes Huron and Michigan).
3A—Blackfin Cisco	<i>Coregonus nigripinnis nigripinnis</i>	Salmonidae	IL, IN, MI, WI, Canada (Lakes Huron and Michigan).
1—Shortnose Cisco	<i>Coregonus reighardi</i>	Salmonidae	IL, IN, MI, NY, WI, Canada (Lakes Huron, Michigan, and Ontario).
2—Shortjaw cisco	<i>Coregonus zenithicus</i>	Salmonidae	IL, IN, MI, MN, WI, Canada (Lakes Huron, Michigan, and Superior).
2—Colorado cutthroat trout	<i>Salmo clarki pleuriticus</i>	Salmonidae	CO, UT, WY.
2—Utah cutthroat trout	<i>Salmo clarki utah</i>	Salmonidae	UT, WY, NV.
3C—Rio Grande cutthroat trout	<i>Salmo clarki virginialis</i>	Salmonidae	CO, NM.
2—Redband trout	<i>Salmo</i> sp.	Salmonidae	CA, OR, ID, NV.
2—Montana Arctic grayling	<i>Thymallus arcticus montanus</i>	Salmonidae	MT.
2—Olympic mudminnow	<i>Novumbra hubbsi</i>	Umbridae	WA.
2—Mexican stone loach	<i>Campostoma ornatum</i>	Cyprinidae	AZ, TX, Mexico.
2—Devil's River minnow	<i>Diionda diabol</i>	Cyprinidae	TX.
1—Desert dace	<i>Eremichthys acros</i>	Cyprinidae	NV.
1—Fish Creek springs tui chub	<i>Gila bicolor euchela</i>	Cyprinidae	NV.
2—Sheldon tui chub	<i>Gila bicolor euryzona</i>	Cyprinidae	NV, OR.
2—Independence Valley tui chub	<i>Gila bicolor isolata</i>	Cyprinidae	NV.
2—Newark Valley tui chub	<i>Gila bicolor newarkensis</i>	Cyprinidae	NV.
2—Oregon Lakes tui chub	<i>Gila bicolor oregonensis</i>	Cyprinidae	OR.
1—Owens tui chub	<i>Gila bicolor snyderi</i>	Cyprinidae	CA.
2—Cowhead Lake tui chub	<i>Gila bicolor vaccaceps</i>	Cyprinidae	CA.
2—Big Smoky Valley tui chub	<i>Gila bicolor</i> ssp.	Cyprinidae	NV.
2—Cattow tui chub	<i>Gila bicolor</i> ssp.	Cyprinidae	OR.
2—Dixie Valley tui chub	<i>Gila bicolor</i> ssp.	Cyprinidae	NV.
2—Fish Lake Valley tui chub	<i>Gila bicolor</i> ssp.	Cyprinidae	NV.
1—Hutton Spring tui chub	<i>Gila bicolor</i> ssp.	Cyprinidae	OR.
2—Railroad Valley tui chub	<i>Gila bicolor</i> ssp.	Cyprinidae	NV.
2—Summer Basin tui chub	<i>Gila bicolor</i> ssp.	Cyprinidae	OR.
3A—Thicktail chub	<i>Gila crassicauda</i>	Cyprinidae	CA.
1—Gila chub	<i>Gila intermedia</i>	Cyprinidae	AZ, NM.
2—Sonora chub	<i>Gila ditaenia</i>	Cyprinidae	AZ, Mexico.
1—Yaqui chub	<i>Gila purpurea</i>	Cyprinidae	AZ, Mexico.
2—Gila roundtail chub	<i>Gila robusta grahama</i>	Cyprinidae	AZ, NM.
1—Virgin River roundtail chub	<i>Gila robusta seminuda</i>	Cyprinidae	AZ, NV, UT.
2—Moapa roundtail chub	<i>Gila robusta</i> ssp.	Cyprinidae	NV.
2—Oregon chub	<i>Hybopsis crameri</i>	Cyprinidae	OR.
2—Least chub	<i>lotichthys phlegathontis</i>	Cyprinidae	UT.
1—White River spinedace	<i>Lepidomeda albigalis</i>	Cyprinidae	NV.
2—Virgin spinedace	<i>Lepidomeda mollispinis mollispinis</i>	Cyprinidae	AZ, NV, UT.
1—Big Spring spinedace	<i>Lepidomeda mollispinis praelensis</i>	Cyprinidae	NV.
1—Little Colorado spinedace	<i>Lepidomeda vittata</i>	Cyprinidae	AZ.
1—Spikedace	<i>Meda fulgida</i>	Cyprinidae	AZ, NM.
2—Bluestripe shiner	<i>Notropis callistaenia</i>	Cyprinidae	AL, FL, GA.
2—Chihuahua shiner	<i>Notropis chihuahua</i>	Cyprinidae	TX.
1—Beautiful shiner	<i>Notropis formosus</i>	Cyprinidae	AZ, NM, Mexico.
2—Rio Grande shiner	<i>Notropis jemezianus</i>	Cyprinidae	NM.
2—Cape Fear shiner	<i>Notropis mekistocholes</i>	Cyprinidae	NC.
1—Phantom shiner	<i>Notropis orca</i>	Cyprinidae	TX, Mexico.
1—Sharpnose shiner	<i>Notropis oxyrinchus</i>	Cyprinidae	TX.
1—Peppered shiner	<i>Notropis perpallidus</i>	Cyprinidae	AR, OK.
2—Proserpine shiner	<i>Notropis proserpinus</i>	Cyprinidae	TX.
1—Bluntnose shiner	<i>Notropis simus</i>	Cyprinidae	NM, TX.
2—Cahaba shiner	<i>Notropis</i> sp.	Cyprinidae	AL.
2—Palezone shiner	<i>Notropis</i> sp.	Cyprinidae	AL, KY, TN.

Category and common name	Scientific name	Family	Distribution
2—Kanawha minnow	<i>Phenacobius teretulus</i>	Cyprinidae	NC, VA, WV.
1—Mountain blackside dace	<i>Phoxinus cumberlandensis</i>	Cyprinidae	KY, TN.
2—Relict dace	<i>Relictus solitarius</i>	Cyprinidae	NV.
2—Cheat minnow	<i>Rhinichthys bowersi</i>	Cyprinidae	WV.
2—Independence Valley speckled dace	<i>Rhinichthys osculus lethoporus</i>	Cyprinidae	NV.
2—Moapa speckled dace	<i>Rhinichthys osculus moapae</i>	Cyprinidae	NV.
1—Ash Meadows speckled dace	<i>Rhinichthys osculus nevadensis</i>	Cyprinidae	NV.
2—Clover Valley speckled dace	<i>Rhinichthys osculus oligaporus</i>	Cyprinidae	NV.
2—White River speckled dace	<i>Rhinichthys osculus velifer</i>	Cyprinidae	NV.
2—Amargosa Canyon speckled dace	<i>Rhinichthys osculus ssp</i>	Cyprinidae	CA.
2—Diamond Valley speckled dace	<i>Rhinichthys osculus ssp</i>	Cyprinidae	NV.
1—Foskett Spring speckled dace	<i>Rhinichthys osculus ssp</i>	Cyprinidae	OR.
2—Meadow Valley Wash speckled dace	<i>Rhinichthys osculus ssp</i>	Cyprinidae	NV.
2—Monitor Valley speckled dace	<i>Rhinichthys osculus ssp</i>	Cyprinidae	NV.
1—Loach minnow	<i>Tiaroga cobitis</i>	Cyprinidae	AZ, NM.
2—White River desert sucker	<i>Catostomus clarki intermedius</i>	Catostomidae	NV.
3B—Webbug sucker	<i>Catostomus fecundus</i>	Catostomidae	UT.
2—Lost River sucker	<i>Catostomus luxatus</i>	Catostomidae	CA, OR.
1—Modoc sucker	<i>Catostomus microps</i>	Catostomidae	CA.
2—Goose Lake sucker	<i>Catostomus occidentalis ssp</i>	Catostomidae	CA, OR.
2—Jenny Creek sucker	<i>Catostomus nimulcus ssp</i>	Catostomidae	CA, OR.
2—Klamath largescale sucker	<i>Catostomus snyderi</i>	Catostomidae	CA, OR.
1—Warner sucker	<i>Catostomus wamemesis</i>	Catostomidae	OR.
2—Wall Canyon sucker	<i>Catostomus sp</i>	Catostomidae	NV.
2—Shortnose sucker	<i>Chasmistes brevirostris</i>	Catostomidae	CA, OR.
1—June sucker	<i>Chasmistes liorus</i>	Catostomidae	UT.
3C—Rustyside sucker	<i>Moxostoma hamiltoni</i>	Catostomidae	VA.
2—Razorback sucker	<i>Xyrauchen texanus</i>	Catostomidae	AZ, CA, CO, NV, UT, WY.
2—Headwater catfish	<i>Ictalurus lupus</i>	Ictaluridae	NM, TX.
1—Yaqui catfish	<i>Ictalurus pricei</i>	Ictaluridae	AZ, Mexico.
2—Smoky madtom	<i>Noturus baileyi</i>	Ictaluridae	TN.
2—Caroline madtom	<i>Noturus funosus</i>	Ictaluridae	NC.
2—Orangefin madtom	<i>Noturus gilberti</i>	Ictaluridae	NC, VA.
1—Ouachita madtom	<i>Noturus lachneri</i>	Ictaluridae	AR.
2—Frecklebelly madtom	<i>Noturus munitus</i>	Ictaluridae	AL, GA, LA, MS, TN.
2—Neosho madtom	<i>Noturus placidus</i>	Ictaluridae	KS, MO, OK.
2—Pygmy madtom	<i>Noturus stanaui</i>	Ictaluridae	TN.
3C—Caddo madtom	<i>Noturus taylori</i>	Ictaluridae	AR.
2—Widemouth blindcat	<i>Satan eurystomus</i>	Ictaluridae	TX.
2—Toothless blindcat	<i>Troglolaniis pattersoni</i>	Ictaluridae	TX.
2—Ozark cavefish	<i>Amblyopsis rosae</i>	Amblyopsidae	AR, MO, OK.
2—Northern cavefish	<i>Amblyopsis spelaea</i>	Amblyopsidae	IN, KY.
2—Preston White River springfish	<i>Crenichthys baileyi albivallis</i>	Cyprinodontidae	NV.
1—White River springfish	<i>Crenichthys baileyi baileyi</i>	Cyprinodontidae	NV.
1—Hiko White River springfish	<i>Crenichthys baileyi grandis</i>	Cyprinodontidae	NV.
2—Moapa White River springfish	<i>Crenichthys baileyi moapa</i>	Cyprinodontidae	NV.
1—Railroad Valley springfish	<i>Crenichthys nevadae</i>	Cyprinodontidae	NV.
2—Conchos pupfish	<i>Cyprinodon eximius</i>	Cyprinodontidae	TX, Mexico.
1—Desert pupfish	<i>Cyprinodon macularius</i>	Cyprinodontidae	AZ, CA, Mexico.
1—Ash Meadows pupfish	<i>Cyprinodon nevadensis mionectes</i>	Cyprinodontidae	NV.
2—Pexos pupfish	<i>Cyprinodon pecosensis</i>	Cyprinodontidae	NM, TX.
2—White Sands pupfish	<i>Cyprinodon tularosa</i>	Cyprinodontidae	NM.
3A—Monkey Springs pupfish	<i>Cyprinodon sp</i>	Cyprinodontidae	AZ.
2—Palomas pupfish	<i>Cyprinodon sp</i>	Cyprinodontidae	NM, Mexico.
3A—Whiteline topminnow	<i>Fundulus albolineatus</i>	Cyprinodontidae	AL.
2—Barrens topminnow	<i>Fundulus julisia</i>	Cyprinodontidae	TN.
2—Waccamaw killifish	<i>Fundulus waccamensis</i>	Cyprinodontidae	NC.
2—Blotched gambusia	<i>Gambusia senilis</i>	Poeciliidae	TX, Mexico.
2—Waccamaw silverside	<i>Mendicula extensa</i>	Atherinidae	NC.
2—Barred pygmy sunfish	<i>Elassoma sp</i>	Centrarchidae	NC, SC.
2—Spring pygmy sunfish	<i>Elassoma sp</i>	Centrarchidae	AL.
2—Guadalupe bass	<i>Micrpterus treculi</i>	Centrarchidae	TX.
2—Crystal darter	<i>Ammocrypta asprella</i>	Percidae	AL, AR, FL, IA, IL, IN, KY, LA, MO, MS, OH, OK, TN, WI.
2—Eastern sand darter	<i>Ammocrypta pellucida</i>	Percidae	IL, IN, KY, MI, NY, OH, PA, WV.
2—Sharphead darter	<i>Etheostoma acuticeps</i>	Percidae	NC, TN, VA.
2—Coldwater darter	<i>Etheostoma ditrema</i>	Percidae	AL, GA, TN.
2—Rio Grande darter	<i>Etheostoma grahami</i>	Percidae	TX, Mexico.
2—Greenthroat darter	<i>Etheostoma lepidum</i>	Percidae	NM, TX.
3C—Yellowcheek darter	<i>Etheostoma moorei</i>	Percidae	AR.
2—Niangua darter	<i>Etheostoma nianguae</i>	Percidae	MO.
2—Finescale saddled darter	<i>Etheostoma osburni</i>	Percidae	VA, WV.
1—Paleback darter	<i>Etheostoma pallidorsum</i>	Percidae	AR.
2—Waccamaw darter	<i>Etheostoma perlongum</i>	Percidae	NC.
2—Trispot darter	<i>Etheostoma trisella</i>	Percidae	AL, GA, TN.
2—Tuscumbia darter	<i>Etheostoma tuscumbia</i>	Percidae	AL, TN.
2—Jewel darter	<i>Etheostoma (Doration) sp</i>	Percidae	TN.
2—Yazoo darter	<i>Etheostoma (Ulocentra) sp</i>	Percidae	MS.
2—Amber darter	<i>Percina antesella</i>	Percidae	GA, TN.
2—Goldline darter	<i>Percina eurolepta</i>	Percidae	AL, GA.
2—Bluestripe darter	<i>Percina cymatotaenia</i>	Percidae	MO.
2—Freckled darter	<i>Percina lenticula</i>	Percidae	AL, GA, LA, MS.
2—Longhead darter	<i>Percina macrocephala</i>	Percidae	KY, NC, NY, OH, PA, TN, VA, WV.
2—Longnose darter	<i>Percina nasuta</i>	Percidae	AR, MO, OK.
2—Roanoke logperch	<i>Percina rex</i>	Percidae	VA.
2—Tidewater goby	<i>Euycylogobius newberryi</i>	Gobiidae	CA.
2—O'opu alamo'o	<i>Lentipes concolor</i>	Gobiidae	HI.
2—Rough sculpin	<i>Cottus asperimus</i>	Cottidae	CA.
2—Malheur mottled sculpin	<i>Cottus bairdi ssp</i>	Cottidae	OR.
2—Shoshone sculpin	<i>Cottus greeniei</i>	Cottidae	ID.
3c—Pygmy sculpin	<i>Cottus pygmaeus</i>	Cottidae	AL.
AMPHIBIANS			
2—Flatwoods salamander	<i>Ambystoma cingulatum</i>	Ambystomatidae	AL, FL, GA, MS, SC.

Category and common name	Scientific name	Family	Distribution
2—Sonoran tiger salamander	<i>Ambystoma tigrinum stebbinsi</i>	Ambystomatidae	AZ, Mexico.
2—Hellbender	<i>Cryptobranchius alleganiensis</i>	Cryptobranchidae	Eastern United States.
2—Green salamander	<i>Aneides aeneus</i>	Plethodontidae	Eastern United States.
2—Inyo Mountains salamander	<i>Batrachoseps campfi</i>	Plethodontidae	CA.
2—Kern Canyon slender salamander	<i>Batrachoseps simatus</i>	Plethodontidae	CA.
2—Techachapi slender salamander	<i>Batrachoseps stebbinsi</i>	Plethodontidae	CA.
2—Barton Springs salamander	<i>Eurycea sp.</i>	Plethodontidae	TX.
2—Junaluska salamander	<i>Eurycea junaluska</i>	Plethodontidae	NC.
3B—Cascade Caverns salamander	<i>Eurycea latitans</i>	Plethodontidae	TX.
2—Texas salamander	<i>Eurycea neotenes</i>	Plethodontidae	TX.
2—Comal blind salamander	<i>Eurycea tridentifera</i>	Plethodontidae	TX.
3B—Valdina Farms salamander	<i>Eurycea troglodytes</i>	Plethodontidae	TX.
2—Oklahoma salamander	<i>Eurycea tynerensis</i>	Plethodontidae	AR, OK, MO.
2—Tennessee cave salamander	<i>Gynophthalmus pallucus</i>	Plethodontidae	AL, GA, TN.
2—West Virginia spring salamander	<i>Gynophthalmus subterraneus</i>	Plethodontidae	WV.
2—Georgia blind salamander	<i>Haideotriton wallacei</i>	Plethodontidae	GA, FL.
2—Limestone salamander	<i>Hydromantes brunus</i>	Plethodontidae	CA.
2—Shasta salamander	<i>Hydromantes shastae</i>	Plethodontidae	CA.
2—Fourche Mountain salamander	<i>Plethodon fourchensis</i>	Plethodontidae	AR.
2—Peaks of Otter salamander	<i>Plethodon hubrichti</i>	Plethodontidae	VA.
2—Larch Mountain salamander	<i>Plethodon larselli</i>	Plethodontidae	OR, WA.
2—Jemez Mountain salamander	<i>Plethodon neomexicanus</i>	Plethodontidae	NM.
2—Cheat Mountain salamander	<i>Plethodon nettingi</i>	Plethodontidae	WV.
2—Ouachita salamander	<i>Plethodon ouachitae</i>	Plethodontidae	AR, OK.
2—Shenandoah salamander	<i>Plethodon shenandoah</i>	Plethodontidae	VA.
2—Siskiyou Mountain salamander	<i>Plethodon stormi</i>	Plethodontidae	CA, OR.
2—Blanco blind salamander	<i>Typhlomolge robusta</i>	Plethodontidae	TX.
3C—Carolina waterdog	<i>Necturus lewisi</i>	Proteidae	NC.
2—Sipsey Fork waterdog	<i>Necturus maculosus</i> ssp.	Proteidae	AL.
2—Black-spotted newt	<i>Notophthalmus meridionalis</i>	Salamandridae	TX, Mexico.
2—Gulf Hammock dwarf siren	<i>Pseudobranchius striatus lustricolus</i>	Sirenidae	FL.
2—Rio Grande lesser siren	<i>Siren intermedia texana</i>	Sirenidae	TX, Mexico.
2—Black toad	<i>Bufo exsul</i>	Bufo	CA.
1—Wyoming toad	<i>Bufo hemiophysys baxteri</i>	Bufo	WY.
2—Puerto Rican toad	<i>Bufo lemur</i>	Bufo	PR.
1—Amargosa toad	<i>Bufo nelsoni</i>	Bufo	NV.
2—Sonora green toad	<i>Bufo retiformis</i>	Bufo	AZ, Mexico.
2—Pine Barrens treefrog (excluding AL and FL populations)	<i>Hyla andersoni</i>	Hylidae	NC, NJ, SC.
2—Illinois chorus frog	<i>Pseudacris streckeri illinoensis</i>	Hylidae	AR, IL, MO.
2—Guajon	<i>Eleutherodactylus cooki</i>	Leptodactylidae	PR.
2—Web-footed coqui	<i>Eleutherodactylus kartschmidti</i>	Leptodactylidae	PR.
3B—Ramos bromeliad frog	<i>Eleutherodactylus ramosi</i>	Leptodactylidae	PR.
2—Duckwater frog	<i>Rana sp.</i>	Ranidae	NV.
3A—San Felipe leopard frog	<i>Rana sp.</i>	Ranidae	CA.
2—Florida gopher frog	<i>Rana areolata aesopus</i>	Ranidae	FL, GA.
2—Carolina gopher frog	<i>Rana areolata capito</i>	Ranidae	GA, NC, SC.
2—Dusky gopher frog	<i>Rana areolata sevosa</i>	Ranidae	AL, FL, LA, MS.
3A—Vegas Valley leopard frog	<i>Rana (pipiens) fisheri</i>	Ranidae	NV.
2—Reic leopard frog	<i>Rana onca</i>	Ranidae	AZ, NV, UT.
2—Tarahumara frog	<i>Rana tarahumara</i>	Ranidae	AZ, Mexico.
REPTILES			
2—Alligator snapping turtle	<i>Macrolemys temmincki</i>	Chelydridae	South-Central United States.
2—Bog turtle	<i>Clemmys muhlenbergi</i>	Emydidae	Eastern United States.
2—Barbour's map turtle	<i>Graptemys barbouri</i>	Emydidae	AL, FL, GA.
2—Cagle's map turtle	<i>Graptemys caglei</i>	Emydidae	TX.
1—Yellow-blotched sawback	<i>Graptemys flavimaculata</i>	Emydidae	MS.
3C—Black-knobbed sawback	<i>Graptemys nigrinoda</i>	Emydidae	AL, MS.
3C—Ringed sawback	<i>Graptemys oculifera</i>	Emydidae	LA, MS.
3C—Sabine map turtle	<i>Graptemys ouachitensis sabinensis</i>	Emydidae	LA, TX.
2—Texas map turtle	<i>Graptemys versa</i>	Emydidae	TX.
2—Alabama red-bellied turtle	<i>Pseudemys alabamensis</i>	Emydidae	AL.
3C—Suwannee cooter	<i>Pseudemys concinna suwanensis</i>	Emydidae	FL, GA.
2—Jicotea	<i>Pseudemys (decussata) stejnegeri</i>	Emydidae	PR.
2—Key mud turtle	<i>Kinostemon bauri bauri</i>	Kinosternidae	FL.
2—Arizona mud turtle	<i>Kinostemon flavescens arizonense</i>	Kinosternidae	AZ, Mexico.
1—Illinois mud turtle	<i>Kinostemon flavescens spooneri</i>	Kinosternidae	IL, IA, MO.
1—Flattened musk turtle	<i>Stemotherus depressus</i>	Kinosternidae	AL.
2—Desert tortoise	<i>Gopherus agassizii</i>	Testudinidae	AZ, CA, NV, UT, Mexico.
2—Gopher tortoise	<i>Gopherus polyphemus</i>	Testudinidae	AL, FL, GA, LA, MS, SC.
3C—Baker's legless lizard	<i>Amphisbaena bakeri</i>	Amphisbaenidae	PR.
2—Black legless lizard	<i>Anniella puichra nigra</i>	Anniellidae	CA.
2—Magic gecko	<i>Anarbylus switaki</i>	Gekkonidae	CA, Mexico.
2—Big bend gecko	<i>Coleonyx reticulatus</i>	Gekkonidae	TX, Mexico.
2—Gila monster	<i>Heloderma suspectum</i>	Helodermatidae	AZ, CA, NM, NV, UT, Mexico.
2—Puerto Rican pygmy anole	<i>Anolis occultus</i>	Iguanidae	PR.
2—Reticulate collared lizard	<i>Crotaphytus reticulatus</i>	Iguanidae	TX, Mexico.
3A—Navassa Island iguana	<i>Cyclura cornuta nigerrima</i>	Iguanidae	Navassa Island.
3A—No common name	<i>Lacertophthalmus eremitus</i>	Iguanidae	Navassa Island.
2—San Diego horned lizard	<i>Phrynosoma coronatum blainvilliei</i>	Iguanidae	CA, Mexico.
2—Flat-tailed horned lizard	<i>Phrynosoma mcalli</i>	Iguanidae	AZ, CA, Mexico.
2—Sand dune lizard	<i>Sceloporus graciosus arenicolus</i>	Iguanidae	TX, Mexico.
2—Cowies fringe-toed lizard	<i>Uma notata rutopunctata</i>	Iguanidae	AZ, Mexico.
3C—Pandanus skink	<i>Aulacocylax leptosoma</i>	Scincidae	TT.
2—Florida Keys mole skink	<i>Eumeces egregius egregius</i>	Scincidae	FL.
2—Blue-tailed mole skink	<i>Eumeces egregius lividus</i>	Scincidae	FL.
2—Arizona skink	<i>Eumeces gilberti arizonensis</i>	Scincidae	AZ.
2—Sand skink	<i>Neoseps reymoldi</i>	Scincidae	FL.
2—Blue-tailed ground lizard	<i>Ameiva wetmorei</i>	Teiidae	PR.
2—Gray-checked whiptail	<i>Cnemidophorus dixonii</i>	Teiidae	NM, TX.
2—Orange-throated whiptail	<i>Cnemidophorus hyperythrus</i>	Teiidae	CA, Mexico.
2—Southern rubber boa	<i>Channa bottae umbratica</i>	Boidae	CA.
3A—St. Croix ground snake	<i>Alsophis sancticrucis</i>	Colubridae	VI.

Category and common name	Scientific name	Family	Distribution
2—Culebra garden snake	<i>Arrhyton exiguum exiguum</i>	Colubridae	PR.
2—Kirtland's snake	<i>Clonophis kirtlandi</i>	Colubridae	IL, IN, KY, MI, OH, PA, WI.
2—Key ringneck snake	<i>Diadophis punctatus sericus</i>	Colubridae	FL.
3C—Desert kingsnake	<i>Lampropeltis getulus splendida</i>	Colubridae	AZ, NM, OK, TX.
3C—Gray-banded kingsnake	<i>Lampropeltis mexicana alterna</i>	Colubridae	TX.
2—Alameda striped racer	<i>Masticophis lateralis euryxanthus</i>	Colubridae	CA.
2—Copperbelly water snake	<i>Nerodia erythrogaster neglecta</i>	Colubridae	IL, IN, MI, OH, KY.
1—Harter's water snake	<i>Nerodia harteri</i>	Colubridae	TX.
2—Black pine snake	<i>Pituophis melanoleucus lodingi</i>	Colubridae	AL, LA, MS.
2—Florida pine snake	<i>Pituophis melanoleucus mugitus</i>	Colubridae	AL, FL, GA, SC.
2—Louisiana pine snake	<i>Pituophis melanoleucus ruthveni</i>	Colubridae	LA, TX.
2—Short-tailed snake	<i>Stilosoma extenuatum</i>	Colubridae	FL.
2—Rimrock crowned snake	<i>Tantilla oolitica</i>	Colubridae	FL.
2—Short-headed garter snake	<i>Thamnophis brachystoma</i>	Colubridae	NY, PA.
2—No common name	<i>Tropidophis melanurus bucculentus</i>	Colubridae	Navassa Island.
2—Arizona ridge-nosed rattlesnake	<i>Crotalus willardi willardi</i>	Viperidae	AZ, Mexico.
2—Eastern massasauga	<i>Sistrurus catenatus catenatus</i>	Viperidae	North-Central United States.
BIRDS			
2—Reddish egret	<i>Egretta rufescens</i>	Ardeidae	N=FL, TX, Mexico, West Indies; V=AL, CA, LA, MS.
2—White-faced ibis (Great Basin population)	<i>Plegadis chihli</i>	Threskiornithidae	N=AZ, CA, CO, NM, NV, OR, UT; V=ID, WY, Mexico.
1—Wood stork (southeastern United States population)	<i>Mycteria americana</i>	Ciconiidae	N=FL, GA, SC; V=AL, LA, MS, NC, TX.
2—Fulvous whistling duck (southwestern United States population)	<i>Dendrocygna bicolor</i>	Anatidae	N=AZ, CA; V=Mexico.
2—West Indian whistling duck	<i>Dendrocygna arborea</i>	Anatidae	PR, VCI, West Indies.
3C—Tule white-fronted goose	<i>Anser albifrons eligi</i>	Anatidae	N=AK; V=CA, OR.
2—Lesser white-cheeked pintail	<i>Anas bahamensis bahamensis</i>	Anatidae	PR, VI, West Indies, South America.
2—American swallow-tailed kite	<i>Elanoides forficatus forficatus</i>	Accipitridae	N=AL, AR, FL, GA, IA, IL, KS, LA, MN, MO, MS, NC, OK, SC, TN, TX, WI; V=Central America.
2—Puerto Rican sharp-shinned hawk	<i>Accipiter striatus venator</i>	Accipitridae	PR.
2—Puerto Rican broad-winged hawk	<i>Buteo platypterus brunescens</i>	Accipitridae	PR.
2—Swainson's hawk	<i>Buteo swainsoni</i>	Accipitridae	N=AK, AZ, CA, CO, IA, ID, KS, MN, MO, MT, ND, NE, NM, NV, OK, OR, SD, TX, UT, WA, WY, Canada; V=FL, Mexico, Central and South America.
2—Ferruginous hawk	<i>Buteo regalis</i>	Accipitridae	N=CO, ID, MT, ND, NE, NM, NV, OK, OR, SD, TX, UT, WA, WY, Canada; V=AZ, CA, Mexico.
2—Crested caracara (Florida population)	<i>Polyborus plancus auduboni</i>	Falconidae	FL.
2—Southeastern American kestrel	<i>Falco sparverius pautus</i>	Falconidae	AL, FL, GA, LA, MS.
2—Northern aplomado falcon	<i>Falco femoralis septentrionalis</i>	Falconidae	AZ, NM, TX, Mexico.
2—Mangrove clapper rail	<i>Rallus longirostris insularum</i>	Rallidae	FL.
1—Guam rail	<i>Rallus owstoni</i>	Rallidae	GU.
2—California black rail	<i>Laterallus jamaicensis coturniculus</i>	Rallidae	AZ, CA, Mexico.
1—Marianas gallinule	<i>Gallinula chloropus guami</i>	Rallidae	GU, TT (Mariana Islands).
2—Western snowy plover	<i>Charadrius alexandrinus nivosus</i>	Charadriidae	N=CA, CO, KS, NM, NV, OK, OR, TX, UT, WA; V=AZ, Mexico.
2—Southeastern snowy plover	<i>Charadrius alexandrinus tenuirostris</i>	Charadriidae	AL, FL, LA, MS, PR, Greater Antilles.
2—Piping plover	<i>Charadrius melodus</i>	Charadriidae	N=CT, DE, IA, IL, IN, MA, MD, ME, MI, MN, NC, ND, NE, NH, NJ, NY, OH, PA, RI, SD, VA, WI, Canada; V=AL, AR, CA, FL, KY, LA, MO, MS, PR, SC, TN, TX, Greater Antilles.
2—Mountain plover	<i>Charadrius montanus</i>	Charadriidae	N=CO, KS, MT, ND, NE, NM, OK, SD, TX, WY; V=AZ, CA, NV, UT, Mexico.
2—Long-billed curlew	<i>Numerius americanus</i>	Scolopacidae	N=CA, CO, IA, ID, KS, MT, ND, NE, NM, NV, OK, OR, SD, TX, UT, WA, WI, WY, Canada; V=AZ, LA, MN, Mexico.
2—Roseate tern (North America population)	<i>Sterna dougalli dougalli</i>	Laridae	N=CT, FL, MA, ME, NJ, NY, PR, VA, VI, Canada, West Indies; V=Central and South America.
2—Interior least tern	<i>Sterna antillarum athalassos</i>	Laridae	N=AR, IA, IL, IN, KS, KY, LA, MO, NE, OK, SD, TN, TX; V=CO, WI, WY, Central and South America.
2—White-crowned pigeon	<i>Columba leucocephala</i>	Columbidae	FL, West Indies, Central America.
2—Radak Micronesian pigeon	<i>Ducula oceanica rataakensis</i>	Columbidae	TT (Marshall Islands).
2—Truk Micronesian pigeon	<i>Ducula oceanica teraki</i>	Columbidae	TT (Caroline Islands).
1—Marianas fruit dove	<i>Ptilinopus roseicapillus</i>	Columbidae	GU, TT (Mariana Islands).
1—Guam white-throated ground dove	<i>Gallinula xanthonura xanthonura</i>	Columbidae	GU.
2—Palau Nicobar pigeon	<i>Caloenas nichobarensis pelewensis</i>	Columbidae	TT (Caroline Islands).
2—Western yellow-billed cuckoo	<i>Coccyzus americanus occidentalis</i>	Cuculidae	N=AZ, CA, CO, ID, NM, NV, OR, TX, UT, WA, Canada, Mexico; V=Central and South America.
1—Virgin Islands screech owl	<i>Otus nudipes newtoni</i>	Strigidae	PR, VI.
2—Southern spotted owl	<i>Strix occidentalis lucida</i>	Strigidae	AZ, CO, NM, TX, UT, Mexico.
2—Ponape short-eared owl	<i>Asio flammeus ponapensis</i>	Strigidae	TT (Caroline Islands).
1—Guam swiftlet	<i>Aerodramus vanikorensis bartschi</i>	Apodidae	GU.
1—Guam Micronesian kingfisher	<i>Halcyon cinnamomina cinnamomina</i>	Alcedinidae	GU.
2—Florida scrub jay	<i>Aphelocoma coerulescens coerulescens</i>	Corvidae	FL.
1—Marianas crow	<i>Corvus kubaryi</i>	Corvidae	TT (Mariana Islands).
2—Appalachian Bewick's wren	<i>Thyomanes bewickii alius</i>	Troglodytidae	AL, GA, KY, MD, NC, OH, PA, SC, TN, VA, WY, Canada.
3A—San Clemente Bewick's wren	<i>Thyomanes bewickii leucophrys</i>	Troglodytidae	CA.
2—Coastal black-tailed gnatcatcher	<i>Poliophtila melanura californica</i>	Muscicapidae	CA, Mexico.
2—Truk monarch	<i>Metabolus rugensis</i>	Muscicapidae	TT (Caroline Islands).
1—Guam Micronesian flycatcher	<i>Myiagra oceanica freycineti</i>	Muscicapidae	GU.
2—Guam Rufous-fronted fantail	<i>Phipidura rufifrons uraniae</i>	Muscicapidae	GU.
2—Palau white-breasted wood-swallow	<i>Artamus leucorhynchus pelewensis</i>	Artamidae	TT (Caroline Islands).
2—Migrant loggerhead shrike	<i>Lanius ludovicianus migrans</i>	Laniidae	N=AR, CT, DE, DC, IA, IL, IN, KS, KY, MA, MD, ME, MI, MN, MO, MS, NC, NE, NH, NJ, NY, OH, OK, PA, RI, TN, TX, VA, VT, WI, WV, Canada; V=AL, FL, GA, LA, SC.
1—Cardinal honey-eater	<i>Myzomela cardinalis saffordi</i>	Melephagidae	GU.
2—Bishop's oo	<i>Moho bishopi</i>	Melephagidae	HI.
1—Guam bridled white-eye	<i>Zosterops conspiciata conspiciata</i>	Zosteropidae	GU.

Category and common name	Scientific name	Family	Distribution
2—Rota bridled white-eye	<i>Zosterops conspicillata rotensis</i>	Zosteropidae	TT (Mariana Islands.)
1—Truk greater white-eye	<i>Rukia ruki</i>	Zosteropidae	TT (Caroline Islands.)
1—Least Bell's vireo	<i>Vireo bellii pusillus</i>	Vireonidae	N=CA, Mexico.
3C—Arizona Bell's vireo	<i>Vireo bellii arizonae</i>	Vireonidae	N=AZ, CA, NV, UT; V=Mexico.
2—Black-capped vireo	<i>Vireo atricapillus</i>	Vireonidae	N=KS, OK, TX; V=Mexico.
2—Colima warbler	<i>Vermivora crissalis</i>	Emberizidae	N=TX, Mexico.
2—Golden-cheeked warbler	<i>Dendroica chrysoparia</i>	Emberizidae	N=TX; V=Mexico, Central America.
2—Stoddard's yellow-throated warbler	<i>Dendroica dominica stoddardi</i>	Emberizidae	AL, FL.
2—Elfin woods warbler	<i>Dendroica angela</i>	Emberizidae	PR.
2—Saltmarsh yellowthroat	<i>Geothlypis trichas sinuosa</i>	Emberizidae	CA.
1—Inyo brown towhee	<i>Pipilo fuscus eremophilus</i>	Emberizidae	CA.
1—Yuma brown towhee	<i>Pipilo fuscus relictus</i>	Emberizidae	AZ.
2—Bachman's sparrow	<i>Aimophila aestivalis</i>	Emberizidae	AL, AR, FL, GA, IL, IN, KY, LA, MD, MO, MS, NC, OH, OK, PA, SC, TN, TX, VA, WV.
2—Texas Botteri's sparrow	<i>Aimophila botteri texana</i>	Emberizidae	TX, Mexico.
2—Yuma rufous-crowned sparrow	<i>Aimophila ruficeps rupicola</i>	Emberizidae	AZ.
2—Large-billed savannah sparrow	<i>Passerculus sandwichensis rostratus</i>	Emberizidae	N=Mexico; V=AZ, CA.
2—Florida grasshopper sparrow	<i>Ammodramus savaannarum floridanus</i>	Emberizidae	FL.
2—Texas Henslow's sparrow	<i>Passertherbulus henslowii ssp.</i>	Emberizidae	TX.
2—Wakulla seaside sparrow	<i>Ammospiza maritima floricola</i>	Emberizidae	FL.
2—Smyrna seaside sparrow	<i>Ammospiza maritima pelonota</i>	Emberizidae	FL.
2—Amak song sparrow	<i>Melospiza melodia amaka</i>	Emberizidae	AK.
2—Tricolored blackbird	<i>Agelaius tricolor</i>	Emberizidae	CA, OR, Mexico.
2—Palau blue-faced parrotfinch	<i>Erythrura trichroa pelewensis</i>	Estrididae	TT (Caroline Islands.)
MAMMALS			
2—Homossassa shrew	<i>Sorex longirostris eionis</i>	Soricidae	FL.
2—Dismal Swamp southeastern shrew	<i>Sorex longirostris fisheri</i>	Soricidae	NC, VA.
2—San Bernardino dusky shrew	<i>Sorex monticolus parvidens</i>	Soricidae	CA.
2—Catalina shrew	<i>Sorex ornatus whietti</i>	Soricidae	CA.
2—Suisun shrew	<i>Sorex sinuosus</i>	Soricidae	CA.
2—Arizona shrew	<i>Sorex arizonae</i>	Soricidae	AZ, NM.
2—Water shrew	<i>Sorex palustris punctulatus</i>	Soricidae	MD, NC, PA, TN, VA, WV.
2—Pygmy shrew	<i>Microsorex hoyi winnemana</i>	Soricidae	GA, MD, NC, VA.
2—Sherman's short-tailed shrew	<i>Blarina brevicauda shermani</i>	Soricidae	FL.
3C—Dismal Swamp short-tailed shrew	<i>Blarina brevicauda shermani</i>	Soricidae	NC, VA.
1—Marianas fruit bat	<i>Pteropus mariannus mariannus</i>	Pteropodidae	GU.
1—Little Marianas fruit bat	<i>Pteropus tokudae</i>	Pteropodidae	GU.
2—Sheath-tailed bat	<i>Emballonura semicaudata</i>	Emballonuridae	GU.
2—Big long-nosed bat	<i>Leptonycteris nivalis</i>	Phyllostomidae	TX, Mexico, Guatemala.
2—Desmarest's fig-eating bat	<i>Stenoderma rufum</i>	Phyllostomidae	PR, VI.
2—Spotted bat	<i>Euderma maculatum</i>	Vespertilionidae	AZ, CA, CO, ID, MT, NM, NV, OR, UT, WY, TX, CANADA, Mexico.
2—Underwood's mastiff bat	<i>Eumops underwoodi sonoriensis</i>	Molossidae	AZ, Mexico, Central America.
2—Davis Mountain cottontail	<i>Sylvilagus floridanus robustus</i>	Leporidae	TX, Mexico.
2—New England cottontail	<i>Sylvilagus transitionalis</i>	Leporidae	AL, GA, KY, MA, MD, ME, NC, NH, NJ, NY, PA, TN, VA, VT, WV.
2—White-sided jack rabbit	<i>Lepus californicus gairdardi</i>	Leporidae	MN, Mexico.
2—Mono Basin mountain beaver	<i>Aploodontia rufa californica</i>	Aploodontidae	CA.
2—Penasco chipmunk	<i>Eutamias minimus atristriatus</i>	Sciuridae	NM.
2—Nelson's antelope squirrel	<i>Ammospermophilus nelsoni</i>	Sciuridae	CA.
2—Idaho ground squirrel	<i>Spermophilus brunneus</i>	Sciuridae	ID.
2—Mangrove fox squirrel	<i>Sciurus niger avicenna</i>	Sciuridae	FL.
2—Sherman's fox squirrel	<i>Sciurus niger shermani</i>	Sciuridae	FL, GA.
2—Mount Graham spruce squirrel	<i>Tamiasciurus hudsonicus grahamensis</i>	Sciuridae	AZ.
2—Northern flying squirrel	<i>Glaucomys sabrinus coloratus</i>	Sciuridae	NC, TN.
2—Northern flying squirrel	<i>Glaucomys sabrinus fuscus</i>	Sciuridae	WV.
2—Sherman's pocket gopher	<i>Geomys pinetis fontanelus</i>	Geomyidae	GA.
2—Goff's pocket gopher	<i>Geomys pinetis goffi</i>	Geomyidae	FL.
2—Colonial pocket gopher	<i>Geomys colonus</i>	Geomyidae	GA.
2—Cumberland pocket gopher	<i>Geomys cumberlandus</i>	Geomyidae	GA.
2—White-eared pocket mouse	<i>Perognathus alticola</i>	Heteromyidae	CA.
2—Silky pocket mouse	<i>Perognathus flavus goodpasteri</i>	Heteromyidae	AZ.
2—Arizona pocket mouse	<i>Perognathus amplus ammodytes</i>	Heteromyidae	AZ.
2—Arizona pocket mouse	<i>Perognathus amplus amplus</i>	Heteromyidae	AZ.
2—Stephens' kangaroo rat	<i>Dipodomys stephensi</i>	Heteromyidae	CA.
2—Big-eared kangaroo rat	<i>Dipodomys elephantinus</i>	Heteromyidae	CA.
1—Giant Kangaroo rat	<i>Dipodomys ingens</i>	Heteromyidae	CA.
2—Texas kangaroo rat	<i>Dipodomys elator</i>	Heteromyidae	OK, TX.
2—Merriam's kangaroo rat	<i>Dipodomys merriami frenatus</i>	Heteromyidae	UT.
1—Fresno kangaroo rat	<i>Dipodomys nitratoides exilis</i>	Heteromyidae	CA.
2—Tipton kangaroo rat	<i>Dipodomys nitratoides nitratoides</i>	Heteromyidae	CA.
2—Sanibel Island rice rat	<i>Oryzomys palustris sanibeli</i>	Muridae	FL.
2—Silver rice rat	<i>Oryzomys argentatus</i>	Muridae	FL.
1—Choctawhatchee beach mouse	<i>Peromyscus polionotus allophrys</i>	Muridae	FL.
2—Alabama beach mouse	<i>Peromyscus polionotus ammobates</i>	Muridae	AL.
3A—Pallid beach mouse	<i>Peromyscus polionotus decoloratus</i>	Muridae	AL, FL.
1—Perdido Bay beach mouse	<i>Peromyscus polionotus tresyllepsis</i>	Muridae	AL, FL.
1—Key Largo cotton mouse	<i>Peromyscus gossypinus allapaticola</i>	Muridae	FL.
2—Florida mouse	<i>Peromyscus floridanus</i>	Muridae	FL.
1—Key Largo wood rat	<i>Neotoma floridana smalli</i>	Muridae	FL.
2—Ash Meadows vole	<i>Microtus montanus nevadensis</i>	Muridae	NV.
1—Amargosa vole	<i>Microtus californicus scirpensis</i>	Muridae	CA.
2—Owens Valley vole	<i>Microtus californicus vallicola</i>	Muridae	CA.
2—Mount Graham long-tailed vole	<i>Microtus longicaudus leucophaeus</i>	Muridae	AZ.
2—Mexican vole	<i>Microtus mexicanus hualpaiensis</i>	Muridae	AZ.
2—Mexican vole	<i>Microtus mexicanus navaho</i>	Muridae	AZ, UT.
2—Louisiana vole	<i>Microtus ochrogaster ludovicianus</i>	Muridae	LA, TX.
2—Southern bog lemming	<i>Synaptomys cooperi helaletes</i>	Muridae	NC, VA.
2—Swift fox	<i>Vulpes velox</i>	Canidae	CO, KS, MT, ND, NE, NM, OK, SD, TX, WY.
2—Island fox	<i>Urocyon littoralis</i>	Canidae	CA.
2—Florida black bear	<i>Ursus americanus floridanus</i>	Ursidae	AL, FL, GA.
2—Louisiana black bear	<i>Ursus americanus luteolus</i>	Ursidae	LA, MS, TX.
2—Key Vaca raccoon	<i>Procyon lotor auspicatus</i>	Procyonidae	FL.
2—Everglades mink	<i>Mustela vison evergladensis</i>	Mustelidae	FL.

Category and common name	Scientific name	Family	Distribution
2—Lynx.....	<i>Lynx lynx</i> .....	Felidae.....	Eurasia, Canada, Northern United States.
2—Yuma puma.....	<i>Felis concolor browni</i> .....	Felidae.....	AZ, CA, Mexico.
1—Woodland caribou (Selkirk herd).....	<i>Rangifer tarandus caribou</i> .....	Cervidae.....	ID, WA, Canada.

[FR Doc. 82-34982 Filed 12-29-82; 8:45 am]

BILLING CODE 4310-55-M