Exhibit 1   **Stream Visual Assessment Protocol 2 Summary Sheet**

Stream Visual Assessment Protocol 2 Summary Sheet

Owner's name _____   Evaluator's name_____

Stream name _____   Tributary to: _____HUC: ____

1. Preliminary Assessment

A. Watershed Description

Ecoregion or MLRA_____ Watershed Drainage area (acres or mi^2)_____

Watershed management structures: (no.): dams___ water controls _____ irrigation diversions___

No. of miles of contiguous riparian cover/mile of entire stream in watershed (estimated)_____

Land use within watershed (%): cropland _____ hayland _____ grazing/pasture _____ forest ____

urban _____ industrial _____ other (specify) _____

Agronomic practices in uplands include: _____

Confined animal feeding operations (no.) _____ Conservation (acres) _____industrial(acres) _____

Number of stream miles on property_____ Number of total stream miles_____

Stream hydrology: _____intermittent; months of year wetted : _____

_____perennial; months of year at baseflow:_____

B. Stream/Reach Description:

Stream Gage Location/Discharge: _____/_____ft^3/s

Applicable Reference Stream: _____ Reference Stream Location: ____/_____

Information Sources:

2. Field Assessment

A. Preliminary Field Data

Date of assessment_____ Weather conditions today_____
<div align="right">(ambient temp.\ % cloud cover)</div>

Weather conditions over past 2 to 5 days: _____.
<div align="center">(No. of days precip/average daytime temp.)</div>

Reach location (UTM or Lat./Long.) _____/_____ Channel type/classification scheme_____/_____

Riparian Cover Type(s): Tree_____ %   Shrub_____%   Herbaceous _____%   Bare _____%

Bank Profile: Stratified____ Homogeneous_____ Cohesive Soil____ Noncohesive Soil _____

Gradient (√ one): Low (0-2%)____ Moderate (>2<4%)____ High (>4%) ____

Bankfull channel width _____ft Reach length _____ft Flood plain width_____ft

Average riparian zone width_____ ft Method used (e.g., Range finder): _____

Average height of woody shrubs _____ Method used (e.g., Range finder): _____

Flood plain wetlands, if present _____ acres/reach

Dominant substrate (%): boulder _____ cobble _____ gravel _____ sand_____ fine sediments _____
<div align="center">(> 250 mm)   (60-250mm)   (2-60 mm)   (2-.06 mm)   (< .06 mm)</div>

Photo Point Locations and Descriptions:

Photo Pt. #	GPS Coordinates/Waypoints	Description
1		
2		
3		

SVAP Start Time/Water Temp: _____/_____SVAP End Time/Water Temp: _____/_____

Notes:

B. Element Scores

Element	Score	Element	Score
1. Channel Condition		14. Aquatic Invertebrate Community	
2. Hydrologic Alteration		15. Riffle Embeddedness	
3. Bank Condition		16. Salinity	
4. Riparian Area Quantity		**A. Sum of all elements scored**	
5. Riparian Area Quality		**B. Number of elements scored**	
6. Canopy Cover			
7. Water Appearance		**Overall score: A/B** _____	
8. Nutrient Enrichment			
9. Manure or Human Waste		1 to 2.9 Severely Degraded	
10. Pools		3 to 4.9 Poor	
		5 to 6.9 Fair	
11. Barriers to Movement		7 to 8.9 Good	
12. Fish Habitat Complexity		9 to 10 Excellent	
13. Aquatic Invertebrate Habitat			

Suspected causes of SVAP scores less than 5 (does not meet quality criteria for stream species)

_____

_____

_____

Recommendations for further assessment or actions:

_____

_____

_____

Riparian wildlife habitat recommendations:

_____

_____

_____

C. Site Diagram: indicate approximate scale, major features, resource concerns, etc.

1 to 2.9 Severely Degraded
3 to 4.9 Poor

Provide notes related to each element scored on back of site diagram, as needed.

Element 1   Channel condition

Natural, stable channel with established bank vegetation	If channel is incising (appears to be downcutting or degrading), score this element based on the descriptions in the upper section of the matrix		
No discernible signs of incision (such as vertical banks) or aggradation (such as very shallow multiple channels) Active channel and flood plain are connected throughout reach, and flooded at natural intervals Streambanks low with few or no bank failures Stage I : Score 10	Evidence of past incision and some recovery; some bank erosion possible Active channel and flood plain are connected in most areas, inundated seasonally Streambanks may be low or appear to be steepening Top of point bars are below active flood plain Stage I: Score 8 Stage V: Score 7–8 Stage IV: Score 6	Active incision evident; plants are stressed, dying or falling in channel Active channel appears to be disconnected from the flood plain, with infrequent or no inundation Steep banks, bank failures evident or imminent Point bars located adjacent to steep banks Stage IV: Score 5 Stage III: Score 4 Stage II: Score 3	Headcuts or surface cracks on banks; active incision; vegetation very sparse Little or no connection between flood plain and stream channel and no inundation Steep streambanks and failures prominent Point bars, if present, located adjacent to steep banks Stage II or III, scores ranging from 2 to 0, depending on severity

Stage V: Score 9 (if terrace is visible)	8 7 6	5 4 3	2 1 0
	If channel is aggrading (appears to be filling in and is relatively wide and shallow), score this element based on the descriptions in the lower section of the matrix		
	Minimal lateral migration and bank erosion A few shallow places in reach, due to sediment deposits Minimal bar formation (less than 3)	Moderate lateral migration and bank erosion Deposition of sediments causing channel to be very shallow in places 3–4 bars in channel	Severe lateral channel migration, and bank erosion Deposition of sediments causing channel to be very shallow in reach Braided channels (5 or more bars in channel)
No more than 1 bar forming in channel			
10 9	8 7 6	5 4 3	2 1 0

Element 2   Hydrologic alteration

Bankfull or higher flows occur according to the flow regime that is characteristic of the site, generally every 1 to 2 years **and** No dams, dikes, or development in the flood plain[1], or water control structures are present **and** natural flow regime[2] prevails	Bankfull or higher flows occur only once every 3 to 5 years or less often than the local natural flow regime Developments in the flood plain, stream water withdrawals, flow augmentation, or water control structures may be present, but do not significantly alter the natural flow regime[2]	Bankfull or higher flows occur only once every 6 to 10 years, or less often than the local natural flow regime Developments in the flood plain, stream water withdrawals, flow augmentation, or water control structures alter the natural flow regime[2]	Bankfull or higher flows rarely occur Stream water withdrawals completely dewater channel; and/or flow augmentation, stormwater, or urban runoff discharges directly into stream and severely alters the natural flow regime[2]
10 9	8 7 6	5 4 3	2 1 0

1/ Development in the flood plain refers to transportation infrastructure (roads, railways), commercial or residential development, land conversion for agriculture or other uses, and similar activities that alter the timing, concentration, and delivery of precipitation as surface runoff or subsurface drainage.

2/ As used here, "natural flow regime" refers to streamflow patterns unaffected by water withdrawals, flood plain development, agricultural or wastewater effluents, and practices that change surface runoff (dikes and levees) or subsurface drainage (tile drainage systems).

Element 3   Bank condition

Banks are stable; protected by roots of natural vegetation, wood, and rock [1] No fabricated structures present on bank No excessive erosion or bank failures [2] No recreational or livestock access	Banks are moderately stable, protected by roots of natural vegetation, wood, or rock or a combination of materials Limited number of structures present on bank Evidence of erosion or bank failures, some with reestablishment of vegetation Recreational use and/or grazing do not negatively impact bank condition	Banks are moderately unstable; very little protection of banks by roots of natural wood, vegetation, or rock Fabricated structures cover more than half of reach or entire bank Excessive bank erosion or active bank failures Recreational and/or livestock use are contributing to bank instability	Banks are unstable; no bank protection with roots, wood, rock, or vegetation Riprap and/or other structures dominate banks Numerous active bank failures Recreational and/or livestock use are contributing to bank instability
Right bank 10 9	8 7 6	5 4 3	2 1 0
Left bank 10 9	8 7 6	5 4 3	2 1 0

[1]   Natural wood and rock does not mean riprap, gabions, log cribs, or other fabricated revetments.
[2]   Bank failure refers to a section of streambank that collapses and falls into the stream, usually because of slope instability.

Element 4   Riparian area quantity

Natural plant community extends at least two bankfull widths or more than the entire active flood plain and is generally contiguous throughout property	Natural plant community extends at least one bankfull width or more than 1/2 to 2/3 of active flood plain and is generally contiguous throughout property Vegetation gaps do not exceed 10% of the estimated length of the stream on the property	Natural plant community extends at least 1/2 of the bankfull width or more than at least 1/2 of active flood plain Vegetation gaps do not exceed 30% of the estimated length of the stream on the property	Natural plant community extends at least 1/3 of the bankfull width or more than 1/4 of active flood plain Vegetation gaps exceed 30% of the estimated length of the stream on the property	Natural plant community extends less than 1/3 of the bankfull width or less than 1/4 of active flood plain Vegetation gaps exceed 30% of the estimated length of the stream on the property
Right bank 10 9	8 7	6 5	4 3 2	1 0
Left bank 10 9	8 7	6 5	4 3 2	1 0

Note: Score each bank separately. Scores should represent the entire stream riparian area within the property. Score for this element = left bank score plus right bank score divided by 2. If the score of one bank is 7 or greater and the score of the other bank is 4 or less, subtract 2 points from final score.

Element 5   Riparian area quality

Natural and diverse riparian vegetation with composition, density and age structure appropriate for the site			Natural and diverse riparian vegetation with composition, density and age structure appropriate for the site: Little or no evidence of concentrated flows through area			Natural vegetation compromised			Little or no natural vegetation		
No invasive species or concentrated flows through area			Invasive species present in small numbers (20% cover or less)			Evidence of concentrated flows running through the riparian area Invasive species common (>20% <50% cover)			Evidence of concentrated flows running through the riparian area Invasive species widespread (>50% cover)		
Right bank	10	9	8	7	6	5	4	3	2	1	0
Left bank	10	9	8	7	6	5	4	3	2	1	0

Notes: Score should represent the entire stream riparian area within the property.
  Score for this element = left bank score plus right bank score divided by 2.

Element 6   Canopy cover

(a) Cold-water streams

>75% of water surface shaded within the length of the stream in landowner's property			75–50% of water surface shaded within the length of the stream in landowner's property			49–20% of water surface shaded within the length of the stream in landowner's property			<20% of water surface shaded within the length of the stream in landowner's property		
10		9	8	7	6	5	4	3	2	1	0

(b) Warm-water streams

50–75% of water surface shaded within the length of the stream in landowner's property			>75% of water surface shaded within the length of the stream in landowner's property			49–20% of water surface shaded within the length of the stream in landowner's property			<20% of water surface shaded within the length of the stream in landowner's property		
10		9	8	7	6	5	4	3	2	1	0

Element 7   Water appearance

Water is very clear, or clarity appropriate to site; submerged features in stream (rocks, wood) are visible at depths of 3 to 6 feet No motor oil sheen on surface; no evidence of metal precipitates in streams	Water is slightly turbid, especially after storm event, but clears after weather clears; submerged features in stream (rocks, wood) are only visible at depths of 1.5 to 3 feet No motor oil sheen on surface or evidence of metal precipitates in stream	Water is turbid most of the time; submerged features in stream (rocks, wood) are visible at depths of only .5 to 1.5 feet **and/or** Motor oil sheen is present on water surface or areas of slackwater **and/or** There is evidence of metal precipitates in stream	Very very turbid water most of the time; submerged features in stream (rocks, wood) are visible only within .5 feet below surface **and/or** Motor oil sheen is present on the water surface or areas of slackwater
10 9 8	7 6 5	4 3 2	1 0

Element 8   Nutrient enrichment

Clear water along entire reach Little algal growth present	Fairly clear or slightly greenish water Moderate algal growth on substrates	Greenish water particularly in slow sections Abundant algal growth, especially during warmer months **and/or** Slight odor of ammonia or rotten eggs **and/or** Sporadic growth of aquatic plants within slack water areas	Pea green color present; thick algal mats dominating stream **and/or** Strong odor of ammonia or rotten eggs **and/or** Dense stands of aquatic plants widely dispersed
10 9	8 7 6	5 4 3	2 1 0

Element 9   Manure or human waste presence

Livestock do not have access to stream No pipes or concentrated flows discharging animal waste or sewage directly into stream	Livestock access to stream is controlled and/or limited to small watering or crossing areas No pipes or concentrated flows discharging animal waste or sewage directly into stream	Livestock have unlimited access to stream during some portion of the year Manure is noticeable in stream **and/or** Pipes or concentrated flows discharge treated animal waste or sewage directly into stream	Livestock have unlimited access to stream during entire year Manure is noticeable in stream **and/or** Pipes or concentrated flows discharge untreated animal waste or sewage directly into stream
10 9	8 7 6	5 4 3	2 1 0

Element 10 Pools: Low-gradient streams (<2%) scoring matrix

More than two deep pools separated by riffles, each with greater than 30% of the pool bottom obscured by depth, wood, or other cover Shallow pools also present	One or two deep pools separated by riffles, each with greater than 30% of the pool bottom obscured by depth wood, or other cover At least one shallow pool present	Pools present but shallow (<2 times maximum depth of the upstream riffle) Only 10–30% of pool bottoms are obscured due to depth or wood cover	Pools absent, but some slow water habitat is available No cover discernible or Reach is dominated by shallow continuous pools or slow water
10 9	8 7 6	5 4 3	2 1 0

Element 11 Barriers to aquatic species movement scoring matrix

No artificial barriers that prohibit movement of aquatic organisms during any time of the year	Physical structures, water withdrawals and/or water quality seasonally restrict movement of aquatic species	Physical structures, water withdrawals and/or water quality restrict movement of aquatic species throughout the year	Physical structures, water withdrawals and/or water quality prohibit movement of aquatic species
10	9 8 7	6 5 4 3	2 1 0

Element 12 Fish habitat complexity scoring matrix

Ten or more habitat features available, at least one of which is considered optimal in reference sites (large wood in forested streams)	Eight to nine habitat features available	Six to seven habitat features available	Four to five habitat features available	Less than four habitat features available
10 9	8 7	6 5	4 3	2 1 0

Note: Fish habitat features: logs/large wood, deep pools, other pools (scour, plunge, shallow, pocket) overhanging vegetation, boulders, cobble, riffles, undercut banks, thick root mats, dense macrophyte beds, backwater pools, and other off-channel habitats

Element 13 Aquatic invertebrate habitat scoring matrix

At least 9 types of habitat present A combination of wood with riffles should be present and suitable in addition to other types of habitat (If nonforested stream, consider reference site's optimal habitat type needed for this high score)		8 to 6 types of habitat Site may be in need of more wood or reference habitat features and stable wood-riffle sections			5 to 4 types of habitat present		3 to 2 types of habitat present		None to 1 type of habitat present	
10	9	8	7	6	5	4	3	2	1	0

Note: Aquatic invertebrate habitat types, in order of importance: Logs/large wood, cobble within riffles, boulders within riffles. Additional habitat features should include: leaf packs, fine woody debris, overhanging vegetation, aquatic vegetation, undercut banks, pools, and root mats.

Element 14 Aquatic invertebrate community scoring matrix

Invertebrate community is diverse and well represented by group I or intolerant species One or two species do not dominate			Invertebrate community is well represented by group II or facultative species, and group I species are also present One or two species do not dominate			Invertebrate community is composed mainly of groups II and III and/or One or two species of any group may dominate			Invertebrate community composition is predominantly group III species and/or only one or two species of any group is present and abundance is low	
10	9	8	7	6	5	4	3	2	1	0

Element 15 Riffle embeddedness scoring matrix

Gravel or cobble substrates are <10% embedded		Gravel or cobble substrates are 10–20% embedded		Gravel or cobble substrates are 21–30% embedded		Gravel or cobble substrates are 31—0% embedded		Gravel or cobble substrates are >40% embedded		
10	9	8	7	6	5	4	3	2	1	0

Element 16 Salinity scoring matrix

No wilting, bleaching, leaf burn, or stunting of riparian vegetation No streamside salt-tolerant vegetation present			Minimal wilting, bleaching, leaf burn, or stunting of riparian vegetation Some salt-tolerant streamside vegetation			Riparian vegetation may show significant wilting, bleaching, leaf burn, or stunting Dominance of salt-tolerant streamside vegetation		Severe wilting, bleaching, leaf burn, or stunting; presence of only salt tolerant riparian vegetation Most streamside vegetation is salt tolerant		
10	9	8	7	6	5	4	3	2	1	0

Note: Do not assess this element unless elevated salinity levels caused by people are suspected.