



Natural Resources Conservation Service
3737 Government Street
Alexandria, LA 71302

(318) 473-7751
Fax: (318) 473-7626

August 3, 2009

NATIONAL ENGINEERING HANDBOOK
210-V

SUBJECT: ENG-NEH, PART 650, ENGINEERING FIELD HANDBOOK (EFH),
LOUISIANA NOTICE 50

Purpose: To distribute the following Louisiana Standard Drawings:

- “Concrete Heavy Use Area for Winter Feeding” Figure S-6-59, Pages S-6-128 to S-6-131.

Effective Date: This notice is effective upon receipt.

“Concrete Heavy Use Area for Winter Feeding” - This is the initial issue of these drawings. Only concrete pads will be allowed to be used for this aspect of the practice. Each feeding pad shall include a waste storage facility for storing manure and waste hay until it can be spread over the landowner’s land in the spring or summer. Contact the State Conservation Engineer for deviations to these drawings.

Filing Instructions:

- Remove Engineering Field Handbook – Louisiana Supplement Chapter 6 – Structures, Contents dated March 2003 and replace with the attached Engineering Field Handbook – Louisiana Supplement Chapter 6 – Structures, Contents dated July 2009.
- Insert the attached pages S-6-128 through S-6-131 behind page S-6-127.

A handwritten signature in blue ink, appearing to read "K. D. Norton".

Kevin D. Norton
State Conservationist

Attachments

DIST: EFH

ENGINEERING FIELD HANDBOOK - LOUISIANA SUPPLEMENT

CHAPTER 6 - STRUCTURES

<u>Figure</u>	<u>Contents</u>	<u>Page</u>
S-6-1	Water Control Structure - Riceland (Asbestos-Cement)	S-6-1
S-6-2	Water Control Structure - (Plastic Weir Drop)	S-6-3
S-6-3	Water Control Structure - Riceland (Corrugated Metal)	S-6-5
S-6-4	Water Control Structure - Riceland (Smooth Steel)	S-6-7
S-6-5	Pipe Overflow Structure (Metal End Section)	S-6-9
S-6-6	Pipe Overflow Structure (Concrete Headwall)	S-6-10
S-6-7	Curves - Ultimate Cantilever Load (Corrugated Metal Pipe)	S-6-11
S-6-8	Drop Inlet Structure (Corrugated Metal)	S-6-15
S-6-9	Drop Inlet Structure Capacity Chart For Corrugated Metal Pipe	S-6-17
S-6-10	Drop Inlet Structure (Head Discharge Curve)	S-6-19
S-6-11	Drop Inlet Structure (Trash Guard)	S-6-21
S-6-12	Structure For Water Control - Row Crop (Surface Field Drain at Road Crossing)	S-6-23
S-6-13	Water Control Structure - Row Crop (Surface Field Drain at Road Crossing-Deep-Outlet)	S-6-25
S-6-14	Water Control Structure - Row Crop (Water from Rows Crossing Road to Ditch Outlet)	S-6-27
S-6-15	Water Control Structure - Row Crop (For Low Overfall)	S-6-29
S-6-16	Concrete Box Drop Inlet	S-6-31
S-6-17	Grade Stabilization Structure - 21" RC Pipe And Weir/Low Overflow	S-6-33
S-6-18	Overflow Structure (Metal Chute)	S-6-37
S-6-19	Height of Fill (Smooth Steel Pipe)	S-6-39
S-6-20	Swinging Water Gates	S-6-41
S-6-21	Concrete Chute Spillway (Formless Details)	S-6-43
S-6-22	Concrete Chute Spillway (Formless Design Data)	S-6-44
S-6-23	Plans - (Pipe Pond to Water Trough)	S-6-45
S-6-24	Forms - Concrete Stock Tank	S-6-46
S-6-25	Design -Trickle Tubes - Farm Pond	S-6-47
S-6-26	Ring Joint - Farm Pond Drain Pipe	S-6-51
S-6-27	Drain Pipe - Trickle Tube - Farm Pond	S-6-53
S-6-28	Siphon Capacity - Smooth Steel Pipe	S-6-54
S-6-29	Pipe Support for Channel Crossing (Smooth Steel Pipe)	S-6-55
S-6-30	Installation of Automatic Flood Gates With Wood Headwalls	S-6-57
S-6-31	Typical Section Two-way Semi-Automatic Gate	S-6-59
S-6-32	Low Level Water Control Structure - Gulf Coast Marsh - Temporary (15 - 20 Years)	S-6-61
S-6-33	Low Level Water Control Structure - Gulf Coast Marsh Temporary (5-10 Years)	S-6-63
S-6-34	Wooden Box Culvert for Cattle Walkways 12'0"x 1'10" x 24'0"	S-6-65
S-6-35	Anti-Seep Collar Pipe Drop Structure (Aluminum)	S-6-75
S-6-36	Plastic Siphon Structure for Farm Ponds	S-6-79
S-6-37	Structure for Water Control (PVC Pipe)	S-6-81
S-6-38	Water Control Structure-PVC Cross Pipe	S-6-83
S-6-39	PVC Variable Weir Inlet - Water Control Structure	S-6-85
S-6-40	Drop Inlet - PVC Pipe Drop	S-6-87
S-6-41	Straight Corrugated Metal Pipe Drop	S-6-89
S-6-42	Weir Inlet - Corrugated Metal Pipe Drop	S-6-91

CHAPTER 6 - STRUCTURES

<u>Figure</u>	<u>Contents</u>	<u>Page</u>
S-6-43	Drop Inlet - Corrugated Metal Pipe Drop	S-6-93
S-6-44	CMP Variable Weir Inlet - Water Control Structure	S-6-95
S-6-45	Dry Hydrant Installation - Two 45° Bends With 90° Hydrant	S-6-97
S-6-46	Dry Hydrant Installation - With 45° Bend And 45° Hydrant	S-6-99
S-6-47	Dry Hydrant Installation - With 90° Bend And 90° Hydrant	S-6-101
S-6-48	Minimum Wall Thickness And Fill Height For Pipe	S-6-103
S-6-49	Concrete Heavy Use Area For Water Or Feed Trough	S-6-105
S-6-50	DELETED	S-6-107
S-6-51	Asphalt Heavy Use Area For Water Or Feed Trough	S-6-109
S-6-52	Stone Heavy Use Area For Water Or Feed Trough	S-6-111
S-6-53	Concrete Low Water Crossing For Livestock & Equipment	S-6-113
S-6-54	Plan & Details Litter Storage Building Type A Foundation for Pre-Fab Metal Frame	S-6-115
S-6-55	Plan & Details Litter Storage Building Type B Foundation for Pre-Fab Metal Frame	S-6-118
S-6-56	Plan & Details Rotary Drum Composter Building Foundation for Pre-Fab Metal Frame	S-6-121
S-6-57	Plan & Details Composting Facility Building Type B Foundation for Pre-Fab Metal Frame	S-6-124
S-6-58	Portable Livestock Shade Structure	S-6-127
S-6-59	Heavy Use Area for Winter Feeding	S-6-128