
Annual Energy Review 1997





Annual Energy Review 1997

The Annual Energy Review (AER) presents the Energy Information Administration's historical energy statistics. For many series, statistics are given for every year from 1949 through 1997. The statistics, expressed in either physical units or British thermal units, cover all major energy activities, including consumption, production, trade, stocks, and prices, for all major energy commodities, including fossil fuels, electricity, and renewable energy sources.

Publication of this report is in keeping with responsibilities given to the Energy Information Administration (EIA) in Public Law 95–91 (Department of Energy Organization Act), which states, in part, in Section 205(a)(2) that:

"The Administrator shall be responsible for carrying out a central, comprehensive, and unified energy data and information program which will collect, evaluate, assemble, analyze, and disseminate data and information..."

The AER is intended for use by Members of Congress, Federal and State agencies, energy analysts, and the general public. EIA welcomes suggestions from readers regarding data series in the AER and in other EIA publications.

Related Publication: Readers of the *AER* may also be interested in EIA's *Monthly Energy Review*, which presents monthly updates of many of the data in the *AER*. Contact our National Energy Information Center for more information.

Electronic Access

Most of the data in the AER are also available electronically. For more information about electronic access to the AER, please refer to the inside back cover of this report or contact EIA.

Internet Addresses

E-Mail: infoctr@eia.doe.gov
World Wide Web Site: http://www.eia.doe.gov
FTP Site: ftp://ftp.eia.doe.gov

Released for Printing: June 24, 1998

GPO Stock No.: 061-003-01036-9.

Ordering Information

This and other EIA publications may be purchased from the Superintendent of Documents, U.S. Government Printing Office.

Telephone and fax orders should be directed to:

Superintendent of Documents U.S. Government Printing Office Main Order Desk 202-512-1800

Fax: 202-512-2250

8 a.m. to 4:30 p.m., eastern time, M-F

Mail orders should be directed to:

U.S. Government Printing Office P.O. Box 371954 Pittsburgh, PA 15250–7954

Copies of the 1997 edition of the *Annual Energy Review* may be obtained by use of the order form in the back of this publication.

Complimentary subscriptions and single issues are available to certain groups of subscribers, such as public and academic libraries; Federal, State, local, and foreign governments; EIA survey respondents; and the media. For further information and for answers to questions on energy statistics, please contact EIA's National Energy Information Center. Address, telephone numbers, and hours are as follows:

National Energy Information Center, EI–30 Energy Information Administration Forrestal Building, Room 1F–048 Washington, DC 20585 202–586–8800

Fax: 202-586-0727

Internet E-Mail: infoctr@eia.doe.gov

TTY: For people who are deaf

or hard of hearing: 202–586–1181 9 a.m. to 5 p.m., eastern time, M-F

Cover Graphic: U.S. Energy Flow, 1997.



Printed with soy ink on recycled paper.

Annual Energy Review 1997

July 1998

Energy Information Administration
Office of Energy Markets and End Use
U.S. Department of Energy
Washington, DC 20585

This report was prepared by the Energy Information Administration, the independent statistical and analytical agency within the U.S. Department of Energy. The information contained herein should be attributed to the Energy Information Administration and should not be construed as advocating or reflecting any policy of the Department of Energy or any other organization.

Contacts

The *Annual Energy Review* (*AER*) is prepared in the Integrated Energy Statistics Division of the Office of Energy Markets and End Use, Energy Information Administration, under the direction of Katherine E. Seiferlein, 202-586-5695 (kitty.seiferlein@eia.doe.gov). Questions and comments about the *AER* may be referred to Leigh Carleton, 202-586-1132 (leigh.carleton@eia.doe.gov), or to the following subject specialists:

1.	Energy Overview	. Leigh Carleton	leigh.carleton@eia.doe.gov	202-586-1132
2.	End-Use Energy Consumption Manufacturing Energy Consumption Survey. Residential Energy Consumption Survey. Residential Transportation Energy Consumption Survey. Commercial Buildings Energy Consumption Survey.	. Robert Latta . Ronald Lambrecht	bob.adler@eia.doe.gov robert.latta@eia.doe.gov ron.lambrecht@eia.doe.gov martha.johnson@eia.doe.gov	202-586-1134 202-586-1385 202-586-4962 202-586-1135
3.	Financial Indicators Financial Reporting System	. Greg Filas	greg.filas@eia.doe.gov	202-586-1347
4.	Energy Resources Petroleum and Natural Gas Coal. Uranium	. Richard F. Bonskowski	robert.king@eia.doe.gov richard.bonskowski@eia.doe.gov douglas.bonnar@eia.doe.gov	202-586-4787 202-426-1132 202-426-1249
5.	Petroleum Prices	•	stephen.patterson@eia.doe.gov elizabeth.scott@eia.doe.gov	202-586-5994 202-426-1258
6.	Natural Gas	. Sylvia A. Norris	sylvia.norris@eia.doe.gov	202-586-6106
7.	Coal	. Paulette Young	paulette.young@eia.doe.gov	202-426-1150
8.	Electricity Generation	. Elsie Bess . Linda M. Bromley	melvin.johnson@eia.doe.gov elsie.bess@eia.doe.gov linda.bromley@eia.doe.gov betty.williams@eia.doe.gov	202-426-1172 202-426-1142 202-426-1164 202-426-1269
9.	Nuclear Energy	. John R. Moens	john.moens@eia.doe.gov	202-426-1247
10.	Renewable Energy		louise.guey-lee@eia.doe.gov mary.joyce@eia.doe.gov	202-426-1143 202-426-1168
11.	International Energy	. Michael J. Grillot	michael.grillot@eia.doe.gov	202-586-6577
12.	Environmental Indicators Greenhouse Gases Electric Utilities	-	perry.lindstrom@eia.doe.gov john.colligan@eia.doe.gov	202-586-0934 202-426-1174

Preface

The Annual Energy Review (AER) is a historical data report that tells many stories. It describes, in numbers, the changes that have occurred in U.S. energy markets since the midpoint of the 20th century. In many cases, those markets differ vastly from those of a half-century ago.

By studying the graphs and data tables presented in this report, readers can learn about past energy supply and usage in the United States and gain an understanding of the issues in energy and the environment now before us. Energy markets will continue to evolve, and those who know the history of our Nation's energy markets will be better prepared to address the future.

While most of this year's report content is similar to last year's, there are some noteworthy developments. Table 1.1 has been restructured into more summarized groupings—fossil fuels, nuclear electric power, and renewable energy—to aid analysts in their examination of the basic trends in those broad categories. Readers' attention is also directed to the electricity section, where considerable reformatting of the tables and graphs has been carried out to help clarify past and recent trends in the electric power industry as it enters a period of radical restructuring. Table 9.1, which summarizes U.S. nuclear generating units, has been redeveloped to cover the entire history of the industry in this country and to provide categories relevant in assessing the future of the industry, such as the numbers of ordered generating units that have been canceled and those that were built and later

shut down. Finally, the section-specific texts have been replaced by one consolidated narrative, which we hope readers will find more informative of energy history and trends and more interesting to read.

In general, the *AER* emphasizes *domestic* energy statistics. Sections 1 through 10 and Section 12 are devoted mostly to U.S. data; Section 11 reports on international statistics and world totals. Readers interested in more international data may wish to consult the Energy Information Administration's *International Energy Annual*.

Fuel-specific data in the *AER* are usually expressed in their common physical units, such as barrels of crude oil, cubic feet of natural gas, short tons of coal, and kilowatthours of electricity. Much of the integrated data in Sections 1 and 2 are expressed in British thermal units (Btu). Btu statistics are valuable because they make it possible to compare fuels that are otherwise in different data units and to calculate summaries of all energy, such as total energy production and consumption. Physical unit data are converted to Btu by applying the conversion factors shown in Appendix A.

The Energy Information Administration encourages you to contact us and let us know how this report fits your needs. We also invite you to access the *AER*, and our many other products, via our Internet homepage at http://www.eia.doe.gov.

Contents

	Paş	ge
Ene	gy in the United States: A Brief History and Current Trends	vii
1.	Energy Overview	1
2.	End-Use Energy Consumption	35
3.	Financial Indicators	61
4.	Energy Resouces	85
5.	Petroleum	13
6.	Natural Gas	63
7.	Coal	85
8.	Electricity	05
9.	Nuclear Energy	39
10.	Renewable Energy	47
11.	International Energy	65
12.	Environmental Indicators	03
App	endices	
A.	Thermal Conversion Factors	17
В.	Metric and Other Physical Conversion Factors	31
C.	Carbon Dioxide Emission Factors for Coal	35
D.	U.S. Census Regions and Divisions	37
Glos	ssary	39
Diag	grams	
1.	Energy Flow, 1997	3
2.	Petroleum Flow, 1997	15
3.	Natural Gas Flow, 1997	65
4.	Coal Flow, 1997	87
5.	Electricity Flow, 1997	07

Tables

			Page
1.	Energy	Overview	
	1.1	Energy Overview, 1949-1997	5
	1.2	Energy Production by Source, 1949-1997	7
	1.3	Energy Consumption by Source, 1949-1997	
	1.4	Energy Imports, Exports, and Net Imports, 1949-1997	. 11
	1.5	Energy Consumption per Capita and per Dollar of Gross Domestic Product, 1949-1997	. 13
	1.6	Energy Consumption, Prices, and Expenditures by State	
	1.7	Heating Degree-Days by Month, 1949-1998	
	1.8	Cooling Degree-Days by Month, 1949-1998	
	1.9	Heating Degree-Days by Census Division, 1949-1997	
	1.10	Cooling Degree-Days by Census Division, 1949-1997	
	1.11	U.S. Government Energy Consumption by Agency, Fiscal Years 1975-1997	. 25
	1.12	U.S. Government Energy Consumption by Source, Fiscal Years 1975-1997	. 27
	1.13	U.S. Government Energy Consumption by Agency and Source, Fiscal Years 1987 and 1997	. 29
	1.14	Fossil Fuel Production on Federally Administered Lands, 1949-1996	. 31
	1.15	Fossil Fuel Consumption for Nonfuel Use, 1980-1997	
2.	End-Us	se Energy Consumption	
	2.1	Energy Consumption by End-Use Sector, 1949-1997	. 37
	2.2	Manufacturing Total First Use of Energy for All Purposes, 1994	. 39
	2.3	Manufacturing Sector Inputs for Heat, Power, and Electricity Generation by End Use, 1994	. 41
	2.4	Household Energy Consumption by Census Region, Selected Years, 1978-1993	. 43
	2.5	Household Energy Consumption and Expenditures by End Use and Energy Source, Selected Years, 1978-1993	. 45
	2.6	Household Main Heating Fuel and Presence of Selected Appliances, Selected Years, 1978-1997	. 47
	2.7	Type of Heating in Occupied Housing Units, Selected Years, 1950-1995	
	2.8	Household Motor Vehicle Data, 1983, 1985, 1988, 1991, and 1994	. 51
	2.9	Motor Vehicle Efficiency, 1960-1996	. 53
	2.10	Commercial Buildings Consumption by Energy Source, Selected Years, 1979-1995	
	2.11	Commercial Buildings Energy Consumption and Expenditure Indicators, Selected Years, 1979-1995	
	2.12	Commercial Buildings Energy Intensities by Building Characteristic, 1995	
3.	Financi	ial Indicators	
	3.1	Fossil Fuel Production Prices, 1949-1997	
	3.2	Value of Fossil Fuel Production, 1949-1997	
	3.3	Consumer Price Estimates for Energy, 1970-1994	
	3.4	Consumer Expenditure Estimates for Energy, 1970-1994	
	3.5	Value of Fossil Fuel Imports, 1949-1997	
	3.6	Value of Fossil Fuel Exports, 1949-1997	
	3.7	Value of Fossil Fuel Net Imports, 1949-1997	. 75
	3.8	Major Energy Producers' U.S. Production and Refining, 1974-1996	
	3.9	Major Energy Producers' Net Income, 1974-1996	
	3.10	Major Energy Producers' Return on Investment, 1974-1996	. 81

Financi	ial Indiantons (continued)	Page
		02
3.12	Companies Reporting to the Financial Reporting System, 1974-1996	. 04
Energy	Resources	
4.1		. 87
4.2	Crude Oil and Natural Gas Field Counts, Cumulative Production, Proved Reserves,	
		. 89
4.3	Oil and Gas Drilling Activity Measurements, 1949-1997	. 91
4.4	Oil and Gas Exploratory and Development Wells, 1949-1997	. 93
4.5		
4.7		
4.8		
4.9		
4.11		
4.12		
4.13	Uranium Reserves and Resources, End of Year 1997	
Petrole		
5.1	Petroleum Overview, 1949-1997	. 117
5.2		
5.3	Petroleum Imports by Type, 1949-1997	. 121
5.4		
5.5	Petroleum Exports by Type, 1949-1997	. 125
5.6	Petroleum Exports by Country of Destination, 1960-1997	. 127
	Petroleum Net Imports by Country of Origin, 1960-1997	. 129
5.9		
5.10		
5.11		
5.12b		
5.13		
5.14		
5.15	Strategic Petroleum Reserve, 1977-1997	147
5.16	Crude Oil Domestic First Purchase Prices, 1949-1997	149
5.17	Landed Costs of Crude Oil Imports from Selected Countries, 1973-1997	151
5.18	Value of Crude Oil Imports from Selected Countries, 1973-1997	153
5.19	Crude Oil Refiner Acquisition Costs, 1968-1997	155
5.20	Refiner Sales Prices and Refiner Margins for Selected Petroleum Products, 1981-1997	. 157
5.21	All Sellers Sales Prices for Selected Petroleum Products, 1983-1997	
5.22	Retail Motor Gasoline and On-Highway Diesel Fuel Prices, 1949-1997	
	3.11 3.12 Energy 4.1 4.2 4.3 4.4 4.5 4.6 4.7 4.8 4.9 4.10 4.11 4.12 4.13 Petrole 5.1 5.2 5.3 5.4 5.5 5.6 5.7 5.8 5.9 5.10 5.11 5.12a 5.12b 5.13 5.14 5.15 5.16 5.17 5.18 5.19 5.20 5.21	Financial Indicators (continued) 3.11 U.S. Energy Activities by Foreign-Affiliated Companies, 1978-1995 3.12 Companies Reporting to the Financial Reporting System, 1974-1996 Energy Resources 4.1 Petroleum Resource Estimates, January 1, 1994 4.2 Crude Oil and Natural Gas Field Counts, Cumulative Production, Proved Reserves, and Ultimate Recovery, End of Year 1977-1996. 4.3 Oil and Gas Darilling Activity Measurements, 1949-1997 4.4. Oil and Gas Exploratory and Development Wells, 1949-1997 4.5 Oil and Gas Exploratory Wells, 1949-1997 4.6 Oil and Gas Exploratory Wells, 1949-1997 4.7 Costs of Oil and Gas Wells Drilled, 1960-1996 4.8 Gross Additions to Proved Reserves and Exploration and Development Expenditures by Geographic Area, 1974-1996 4.9 Major Energy Producers' Expenditures for Oil and Gas Exploration and Development by Region, 1974-1996 4.10 Liquid and Gaseous Hydrocarbon Proved Reserves, End of Year 1949-1996 4.11 Coal Demonstrated Reserve Base, January 1, 1997 4.12 Uranium Exploration and Development Drilling, 1949-1997 4.13 Uranium Reserves and Resources, End of Year 1997 Petroleum Petroleum Petroleum Overview, 1949-1997 5.1 Petroleum Overview, 1949-1997 5.2 Crude Oil Production and Oil Well Productivity, 1954-1997 5.3 Petroleum Exports by Type, 1949-1997 5.4 Petroleum Exports by Country of Origin, 1960-1997 5.5 Petroleum Exports by Country of Origin, 1960-1997 5.6 Petroleum Exports by Country of Destination, 1960-1997 5.7 Petroleum Exports by Country of Destination, 1960-1997 5.8 Refinery Lapacity and Utilization, 1949-1997 5.9 Refinery Capacity and Utilization, 1949-1997 5.10 Natural Gas Plant Liquids Production, 1949-1997 5.11 Petroleum Products Supplied to the Residential and Commercial Sector and the Industrial Sector, 1949-1997 5.12 Petroleum Products Supplied to the Transportation Sector, Electric Utilities, and Total, 1949-1997 5.13 Petroleum Products Supplied to the Transportation Sector, Electric Utilities, and Total, 1949-1997 5.14 Petroleum Profuncts Supplied to the Transportation Sector,

,	NT - 41		Page
6.	Natural 6.1	I Gas Natural Gas Overview, 1949-1997	167
	6.2	Natural Gas Production, 1949-1997	
	6.3	Natural Gas Imports, Exports, and Net Imports, 1949-1997	
	6.4	Natural Gas Gross Withdrawals by State and Location and Gas Well Productivity, 1960-1997	
	6.5	Natural Gas Delivered for the Account of Others, 1986-1996	
	6.6	Natural Gas Consumption by Sector, 1949-1997.	
	6.7	Natural Gas in Underground Storage, End of Year 1954-1997	
	6.8	Natural Gas Wellhead, City Gate, and Imports Prices, 1949-1997	
	6.9	Natural Gas Prices by Sector, 1967-1997	
	0.9	Natural Gas Trices by Sector, 1707-1797	. 165
7.	Coal		
	7.1	Coal Overview, 1949-1997	. 189
	7.2	Coal Production, 1949-1997	. 191
	7.3	Coal Consumption by Sector, 1949-1997	
	7.4	Coal Exports by Country of Destination, 1960-1997	
	7.5	Coal Stocks, End of Year 1949-1997	
	7.6	Coal Mining Productivity, 1949-1996	
	7.7	Coke Overview, 1949-1997	
	7.8	Coal Prices, 1949-1997	
8.	Electric		
	8.1	Electricity Overview, 1949-1997	
	8.2	Electric Power Industry Net Generation, 1989-1997	
	8.3	Electric Utility Net Generation, 1949-1997	
	8.4	Nonutility Power Net Generation, 1989-1997	
	8.5	Electric Power Industry Net Summer Capability, 1989-1997	
	8.6	Electric Utility Net Summer Capability, 1949-1997	
	8.7	Nonutility Power Net Summer Capability, 1989-1997	
	8.8	Electric Utility Consumption of Fossil Fuels To Generate Electricity, 1949-1997	
	8.9	Electric Utility Retail Sales of Electricity by End-Use Sector, 1949-1997	
	8.10	Electric Utility Demand-Side Management Programs: Peakload Reductions, Energy Savings, and Costs, 1989-1996	
	8.11	Electric Utility Noncoincidental Peak Load by Region, 1986-1996	
	8.12	Electric Utility Stocks of Coal and Petroleum, End of Year 1949-1997	
	8.13	Retail Prices of Electricity Sold by Electric Utilities, 1960-1997	
	8.14	Nonutility Power Overview, 1989-1997	
	8.15	Nonutility Power Gross Generation, 1996	. 237
0	Nuclear	r Energy	
ブ ・	9.1	Nuclear Generating Units, End of Year 1953-1997	2/1
	9.1	Nuclear Power Plant Operations, 1957-1997	
	9.2	Uranium Overview, 1949-1997	
	7.3	Utanium Uverview, 1747-177/	. 243

10	Renew	able Energy	Page
ıv.	10.1	Renewable Energy Consumption by Source, 1990-1997	240
	10.1	Renewable Energy Consumption by Sector, 1990-1997	
	10.2	Wood and Waste Energy and Alcohol Fuels Consumption Estimates by Sector and Census Region,	. 231
	10.5	Selected Years, 1981-1997	253
	10.4	Solar Thermal Collector Shipments by Type and Trade, 1974-1996	255
	10.4	Solar Thermal Collector Shipments by End Use, Market Sector, and Type, 1996	257
	10.5	Photovoltaic Cell and Module Shipments and Trade, 1982-1996	
	10.7	Photovoltaic Cell and Module Shipments by End Use, 1989-1996	261
	10.7	Alternative-Fueled Vehicles and Fuel Consumption by Type, 1992-1997.	261
	10.8	Atternative-rucied venicles and ruci Consumption by Type, 1992-1997	. 203
11.	Interna	ational Energy	
	11.1	World Primary Energy Production, 1987-1996	
	11.2	World Primary Energy Production by Source, 1973-1996	
	11.3	World Crude Oil and Natural Gas Reserves, January 1,1997	
	11.4	World Crude Oil Production, 1960-1997	
	11.5	World Natural Gas Plant Liquids Production, 1973-1996	. 275
	11.6	World Crude Oil Prices by Selected Type, 1970-1998	. 277
	11.7	World Retail Price of Premium Unleaded Motor Gasoline, 1990-1997	. 279
	11.8	World Crude Oil Refining Capacity, 1970-1997	. 281
	11.9	World Petroleum Consumption, 1960-1996	. 283
	11.10	World Dry Natural Gas Production, 1987-1996	. 285
	11.11	World Dry Natural Gas Consumption, 1980-1996	. 287
	11.12	World Recoverable Reserves of Coal	
	11.13	World Coal Production, 1987-1996	
	11.14	World Coal Consumption, 1980-1996	
	11.15	World Net Generation of Electricity by Type, 1994-1996	
	11.16	World Electrical Installed Capacity by Type, 1994-1996	
	11.17	World Nuclear Electricity Gross Generation, 1984-1997	
	11.18	World Carbon Dioxide Emissions, 1987-1996	
	11.10	World Caroon Browned Emissions, 1907-1990.	. 501
12.		nmental Indicators	
	12.1	Estimated Emissions of Greenhouse Gases, 1985-1996	
	12.2	Carbon Dioxide Emissions From Energy Consumption by Sector, 1980-1996	
	12.3	Carbon Dioxide Emissions From Energy Consumption by Sector by Energy Source, 1996	
	12.4	Methane Emissions, 1985-1996	
	12.5	Emissions From Electric Generating Units, 1989-1996	. 313
	12.6	Installed Nameplate Capacity of Steam-Electric Generators for Electric	
		Utility Plants With Environmental Equipment, 1985-1996	. 315
nn	endiv A	. Thermal Conversion Factors	
.hh	Al	Approximate Heat Content of Petroleum Products	317
	A1 A2	Approximate Heat Content of Tetroleum Froducts	
	$\Lambda \mathcal{L}$	Approximate freat Content of Crude Oil, Crude Oil and Froducts, and Matural Oas Frant English, 1949-1997	. 510

		Page
Appendix A.	Thermal Conversion Factors (continued)	
A3	Approximate Heat Content of Petroleum Product Weighted Averages, 1949-1997	. 319
	Approximate Heat Content of Natural Gas, 1949-1997	
	Approximate Heat Content of Coal and Coal Coke, 1949-1997	
	Approximate Heat Content of Coal by Type, 1949-1997	
	Approximate Heat Rates for Electricity, 1949-1997	
Appendix B.	Metric and Other Physical Conversion Factors	
B1	Metric Conversion Factors	. 332
	Metric Prefixes	
	Other Physical Conversion Factors	
Appendix C.	Carbon Dioxide Emission Factors for Coal	
	Average Carbon Dioxide Emission Factors for Coal by Sector, 1980-1996	. 335

Figures

		Page
1. Energy	y Overview	
1.1	Energy Overview	
1.2	Energy Production by Source	
1.3	Energy Consumption by Source	8
1.4	Energy Imports, Exports, and Net Imports, 1949-1997	. 10
1.5	Energy Consumption per Capita and per Dollar of Gross Domestic Product, 1949-1997	. 12
1.6	Energy Consumption and Prices by State	. 14
1.7	Heating Degree-Days by Month, 1949-1998	
1.8	Cooling Degree-Days by Month, 1949-1997	
1.9	Heating Degree-Days by Census Division, 1949-1997	
1.10	Cooling Degree-Days by Census Division, 1949-1997	
1.11	U.S. Government Energy Consumption by Agency	. 24
1.12	U.S. Government Energy Consumption by Source, Fiscal Years 1975-1997	. 26
1.13	U.S. Government Energy Consumption by Agency and Source	
1.14	Fossil Fuel Production on Federally Administered Lands	
1.15	Fossil Fuel Consumption for Nonfuel Use	
	1	
2. End-Us	se Energy Consumption	
2.1	Energy Consumption by End-Use Sector, 1949-1997	. 36
2.2	Manufacturing Total First Use of Energy for All Purposes, 1994	
2.3	Manufacturing Sector Inputs for Heat, Power, and Electricity Generation, 1994	
2.4	Household Energy Consumption	. 42
2.5	Household Energy Consumption and Expenditures	. 44
2.6	Households With Selected Appliances, 1980 and 1997	. 46
2.7	Type of Heating in Occupied Housing Units, 1950 and 1995	
2.8	Household Motor Vehicle Data	. 50
2.9	Motor Vehicle Efficiency, 1960-1996	. 52
2.10	Commercial Buildings Consumption by Energy Source	. 54
2.11	Commercial Buildings Energy Consumption and Expenditure Indicators, Selected Years, 1979-1995	. 56
2.12	Commercial Buildings Energy Intensities by Building Characteristic, 1995	. 58
3. Financ	ial Indicators	
3.1	Fossil Fuel Production Prices	
3.2	Value of Fossil Fuel Production	
3.3	Consumer Price Estimates for Energy	
3.4	Consumer Expenditure Estimates for Energy	
3.5	Value of Fossil Fuel Imports	
3.6	Value of Fossil Fuel Exports	
3.7	Value of Fossil Fuel Net Imports, 1949-1997	
3.8	Major Energy Producers' U.S. Production and Refining, 1974-1996	
3.9	Major Energy Producers' Net Income	. 78
3 10	Major Energy Producers' Return on Investment	80

Figures (continued)

_			Page
3.		al Indicators (continued)	0.7
	3.11	U.S. Energy Activities by Foreign-Affiliated Companies, 1978-1995	. 82
4.	Energy	Resources	
	4.1	Petroleum Resource Estimates, January 1, 1994	. 86
	4.2	Crude Oil and Natural Gas Field Counts, Cumulative Production, Proved Reserves, and Ultimate Recovery,	
		End of Year 1977-1996	. 88
	4.3	Oil and Gas Drilling Activity Measurements	
	4.4	Oil and Gas Exploratory and Development Wells, 1949-1997	. 92
	4.5	Oil and Gas Exploratory Wells, 1949-1997	. 94
	4.6	Oil and Gas Development Wells, 1949-1997	. 96
	4.7	Costs of Oil and Gas Wells Drilled, 1960-1996	
	4.8	Gross Additions to Proved Reserves and Exploration and Development Expenditures by Geographic Area	
	4.9	Major Energy Producers' Expenditures for Oil and Gas Exploration and Development by Region	
	4.10	Liquid and Gaseous Hydrocarbon Proved Reserves, End of Year	104
	4.11	Coal Demonstrated Reserve Base, January 1, 1997	106
	4.12	Uranium Exploration and Development Drilling, 1949-1997	
	4.13	Uranium Reserves and Resources, End of Year 1997	110
_	D 4 I		
5.	Petrole		
	5.1	Petroleum Overview	
	5.2	Crude Oil Production and Oil Well Productivity, 1954-1997	
	5.3	Petroleum Imports by Type	120
	5.4	Petroleum Imports by Country of Origin	
	5.5	Petroleum Exports by Type	
	5.6	Petroleum Exports by Country of Destination	126
	5.7	Petroleum Net Imports by Country of Origin, 1960-1997	
	5.8	Refinery Input and Output, 1949-1997	
	5.9	Refinery Capacity and Utilization, 1949-1997	
	5.10	Natural Gas Plant Liquids Production	
	5.11	Petroleum Products Supplied by Type	
	5.12a	Petroleum Products Supplied by Sector	138
		Petroleum Products Supplied by Product by Sector, 1949-1997	139
	5.13	Fuel Oil and Kerosene Adjusted Sales, 1984-1996	142
	5.14	Petroleum Primary Stocks by Type, End of Year	
	5.15	Strategic Petroleum Reserve, 1977-1997	146
	5.16	Crude Oil Domestic First Purchase Prices	148
	5.17	Landed Costs of Crude Oil Imports From Selected Countries	
	5.18	Value of Crude Oil Imports	
	5.19	Crude Oil Refiner Acquisition Costs, 1968-1997	
	5.20	Refiner Sales Prices for Selected Petroleum Products, 1981-1997	
	5.21	All Sellers Sales Prices for Selected Petroleum Products, 1997	
	5.22	Retail Motor Gasoline Prices	160

Figures (continued)

6	Natural	I Con	Page
0.	6.1	Natural Gas Overview	166
	6.2	Natural Gas Production.	
	6.3	Natural Gas Imports, Exports, and Net Imports	
		Natural Gas Gross Withdrawals by State and Location and Gas Well Productivity, 1960-1997	
		Natural Gas Delivered for the Account of Others	
	6.6	Natural Gas Consumption by Sector	
	6.7	Natural Gas in Underground Storage, End of Year 1954-1997	
	6.8	Natural Gas Wellhead, City Gate, and Imports Prices	
		Natural Gas Prices by Sector	187
	0.9	Natural Gas Trices by Sector	. 102
7.	Coal		
	7.1	Coal Overview	
	7.2	Coal Production, 1949-1997	
	7.3	Coal Consumption by Sector	
	7.4	Coal Exports by Country of Destination	
	7.5	Coal Stocks, End of Year	
	7.6	Coal Mining Productivity, 1949-1996	. 198
	7.7	Coke Overview, 1949-1997	
	7.8	Coal Prices, 1949-1997	. 202
8.	Electric	eitv	
-•		Electricity Overview	. 208
	8.2	Electric Power Industry Net Generation	
	8.3	Electric Utility Net Generation	
	8.4	Nonutility Power Net Generation	
	8.5	Electric Power Industry Net Summer Capability.	
	8.6	Electric Utility Net Summer Capability	
	8.7	Nonutility Power Net Summer Capability	
	8.8	Electric Utility Consumption of Fossil Fuels To Generate Electricity	
	8.9	Electric Utility Retail Sales of Electricity by End-Use Sector	
		Electric Utility Demand-Side Management Programs: Peakload Reductions, Energy Savings, and Costs	
	8.11	Electric Utility Noncoincidental Peak Load	
	8.12	Electric Utility Stocks of Coal and Petroleum, End of Year	
		Retail Prices of Electricity Sold by Electric Utilities, 1960-1997	
	8.14	Nonutility Power Overview.	
	8.15	Nonutility Power Gross Generation, 1996	
0	Nuclea-	- Enovery	
y.	9.1	r Energy Nuclear Generating Units	240
	9.1	Nuclear Power Plant Operations	242
	9.3	Uranium Overview	

Figures (continued)

10	Danawa	ble Energy	Page
10.	10.1	Renewable Energy Consumption by Source	248
	10.1	Renewable Energy Consumption by Sector, 1997	
	10.2	Wood and Waste Energy and Alcohol Fuels Consumption Estimates	
	10.3	Solar Thermal Collector Shipments by Type and Trade, 1974-1984 and 1986-1996	
	10.4	Solar Thermal Collector Shipments by End Use, Market Sector, and Type, 1996	
	10.6	Photovoltaic Cell and Module Shipments and Trade	
	10.7	Photovoltaic Cell and Module Shipments by End Use, 1996	. 260
	10.8	Alternative-Fueled Vehicles and Fuel Consumption by Type	. 262
11.	Interna	ational Energy	
	11.1	World Primary Energy Production	. 266
	11.2	World Primary Energy Production by Source	
	11.3	World Crude Oil and Natural Gas Reserves, January 1, 1997	
	11.4	World Crude Oil Production	
	11.5	World Natural Gas Plant Liquids Production	
	11.6	World Crude Oil Prices by Selected Type	
	11.7	World Retail Price of Premium Unleaded Motor Gasoline	
	11.8	World Crude Oil Refining Capacity.	
	11.9	World Petroleum Consumption	
	11.10	World Dry Natural Gas Production	
	11.11	World Dry Natural Gas Consumption	
	11.12	World Recoverable Reserves of Coal	
	11.12	World Coal Production	
	11.14	World Coal Consumption.	
	11.15	World Coar Consumption:	
	11.16	World Electrical Installed Capacity by Type, January 1, 1996	
	11.17	World Nuclear Electricity Gross Generation.	
		World Carbon Dioxide Emissions.	
	11.18	World Caroon Dioxide Emissions	. 300
12. I	Environi	nental Indicators	
	12.1	Estimated Emissions of Greenhouse Gases, 1985-1996	. 304
	12.2	Carbon Dioxide Emissions From Energy Consumption by Sector, 1980-1996	
	12.3	Carbon Dioxide Emissions From Energy Consumption by Sector by Energy Source, 1996	
	12.4	Methane Emissions	
	12.5	Emissions From Electric Generating Units	
	12.6	Installed Nameplate Capacity of Steam-Electric Generators for Electric	
		Utility Plants With Environmental Equipment	. 314
	11 5		
App		U.S. Census Regions and Divisions	
	D1	U.S. Census Regions and Divisions	. 337

Energy in the United States: A Brief History and Current Trends

Energy is essential to life. Living creatures draw on energy flowing through the environment and convert it to forms they can use. The most fundamental energy flow for living creatures is the energy of sunlight, and the most important conversion is the act of primary production, in which plants and phytoplankton convert sunlight into biomass by photosynthesis. The Earth's web of life, including human beings, rests on this foundation.

Over millennia, humans have found ways to extend and expand their energy harvest, first by harnessing draft animals and later by inventing machines to tap the power of wind and water. The watershed economic event of the modern world, industrialization, was accompanied by the widespread and intensive use of fossil fuels. This development for the first time freed human society from the limitations of natural energy flows by unlocking the Earth's vast stores of coal, oil, and natural gas. By tapping these ancient, concentrated deposits of solar energy, the rate at which energy could be poured into the human economy was enormously multiplied.

The result was one of the most profound social transformations in history. The new river of energy wrought astonishing changes and did so with unprecedented speed. The energy transformations experienced by traditional societies—from human labor alone to animal musclepower and later windmills and watermills—were very slow, and their consequences were equally slow to take effect. In contrast, industrialization and its associated socioeconomic changes took place in the space of a few generations.

The history of the United States bears witness to both the rapidity and scope of the fossil-fuel revolution. In the middle of the 19th century, most Americans lived in the countryside and were employed in agriculture. The country ran mainly on wood fuel and was relatively unimportant in global affairs. A hundred years later, after the Nation had become the world's largest producer and consumer of fossil fuels, most Americans were city-dwellers and only a relative handful worked on farms. The United States had roughly tripled its per-capita consumption of energy and become a global superpower.

The dominance of coal, oil, and natural gas does not extend to all corners of the globe. In most places and times diversity and evolution in energy supplies has been the rule. Despite the primacy of fossil fuels in the industrialized world, for example, elsewhere musclepower and biomass energy

are still indispensable. (In fact, biomass energy, especially fuelwood, dominated global energy production until the late 1800s.) The shifting emphasis over time is clear not only in the long sweep of history but also in the short term. Electricity was simply unavailable until the 1880s; now it is ubiquitous. As the data in this volume show, in the span of a few decades nuclear electric power in the United States was born, peaked, and began to decline in its contribution to total energy production.

No doubt we have not seen the end of evolution in energy sources. The pages that follow briefly discuss the major energy sources now in use in the United States, including a bit of history, current trends, and snapshots of current use patterns. The story they tell is one of diversity and shifting patterns of use, driven by chance, economic circumstance, and human ingenuity. Whatever energy future awaits us, that part of the story seems unlikely to change.

Total Energy

The United States has always been a resource-rich nation, but in 1776, the year the Nation declared its independence from Great Britain, nearly all energy was still supplied by musclepower and fuelwood. America's vast deposits of coal and petroleum lay untapped and mostly undiscovered, although small amounts of coal were used to make coke, critical to the job of making the cannon that helped win the war. Mills made use of waterpower, and of course the wind enabled long-distance ocean transport.

The growing nation's chronic shortage of people and their musclepower encouraged the search for other sources of energy. During the first 30 years or so of the 19th century, coal began to be used in blast furnaces and in making coal-gas for illumination. Natural gas also found limited application in lighting during the period. Even electricity sought a niche; for example, experiments were conducted with battery-powered electric trains in the 1840s and 1850s. Still, musclepower remained the chief source of energy for decades. The appearance of a number of mechanical innovations, including the cotton gin and the mechanical reaper, had the effect of multiplying the productivity of human and animal musclepower rather than spurring the development of machine power. It was not until well after the mid-1800s that the total work output from all types of engines exceeded that of work animals.

The westward expansion helped change that. As railroads drove west to the plains and the mountains, they left behind the fuelwood so abundant along the eastern seaboard. Coal became more attractive, both because deposits were often found near the new railroad rights of way and because its higher energy content increased the range and load of steam trains. Demand for coal also rose because the railroads were laying thousands of miles of new track, and the metals industry needed an economical source of coke to make iron and steel for the rails and spikes. The transportation and industrial sectors in general began to grow rapidly during the period after midcentury, and coal helped fuel their growth.


Petroleum got its start as an illuminant and ingredient in nostrums, and was not to catch on as a fuel for some time. At the end of World War I, coal still accounted for about 75 percent of U.S. total energy use. The same year (1918), the horse and mule population reached 26 million and then went into permanent decline. The beginning of the transition from musclepower was over.

America's appetite for energy as it industrialized was prodigious, roughly quadrupling between 1880 and 1918. Coal fed much of this growth, while electricity expanded in applications and total use alike. Petroleum got major boosts with the discovery of Texas's vast Spindletop Oil Field in 1901 and with the advent of mass-produced automobiles, several million of which had been built by 1918.

In the years before World War II, "Old King Coal" relinquished its place as the premier fuel in the United States. The railroads lost business to trucks that ran on petroleum and began switching to diesel locomotives themselves. Labor troubles and safety standards drove up coal production costs. The declining demand for natural gas as an illuminant caused that industry to look for other markets. Heating applications had obvious potential, and natural gas replaced coal in many household ranges and furnaces. The coal industry survived in part because nationwide electrification created new demand for coal among electric utilities despite regional competition from hydroelectric power and petroleum-fired generation.

Today the United States, like the rest of the industrialized world, relies heavily on these three fossil fuels. Although U.S. energy production taps many sources, the largest contributors are coal, natural gas, and crude oil.


Energy Production, 1997




These three fuels and natural gas plant liquids (ethane, propane, butane, and others) accounted for over 80 percent of total energy production in 1997 and were valued at \$108 billion (nominal dollars).

For much of its history, the United States was mostly self-sufficient in energy, although small amounts of coal were imported from Britain in colonial times. Through the late 1950s, production and consumption of energy were nearly in balance. Over the following decade, however, consumption slightly outpaced domestic production and by the early 1970s a more significant gap had developed, a gap which continues to widen.

Production and Consumption



In 1997 the United States produced 72 quadrillion British thermal units (Btu) of energy and exported nearly 5 quadrillion Btu, almost half of it as coal. Consumption totaled 94 quadrillion Btu, requiring imports of 25 quadrillion Btu.




The 1997 import level of 25 quadrillion Btu represents a 16-fold increase over the 1949 level. This appetite for imported energy is driven by petroleum consumption. U.S. petroleum imports in 1973 totaled 6.3 million barrels per day (3.2 million barrels per day of crude oil and 3.0 million barrels per day of petroleum products).

In October 1973 the Arab members of the Organization of Petroleum Exporting Countries (OPEC) embargoed the sale of oil to the United States, prices rose sharply, and petroleum imports fell for two years. They increased again until the price of crude oil rose dramatically (roughly 1979 through 1981) and suppressed imports. The rising-import trend resumed by 1986, and in 1997 U.S. petroleum net imports reached an annual record level of 8.9 million barrels per day, valued at \$67 billion (nominal dollars).

The efficiency with which Americans use energy has improved over the years. One such measure is the amount of energy consumed to produce a

Petroleum Trade




(constant) dollar's worth of gross domestic product (GDP). By that measure, efficiency improved by 36 percent between 1949 and 1997, as the amount of energy required to generate a dollar of output (chained 1992 dollars) fell from 20.6 thousand Btu to 13.1 thousand Btu. Nevertheless, a growing population and economy drove total energy use up. As the U.S. population expanded from 149 million people in 1949 to 268 million in 1997 (an increase of 79 percent), total energy consumption grew from 30 quadrillion Btu to 94 quadrillion Btu (up 209 percent). Per-capita energy consumption rose 73 percent, from 204 million Btu in 1949 to 352 million Btu in 1997.

Energy plays a central role in the operation of the industrialized U.S. economy, and energy spending is commensurately large. In recent years, American consumers have spent over half a trillion dollars a year on energy. That energy is used in three broad sectors: the residential and commercial sector, the industrial sector, and the transportation sector. Industry, historically the largest consuming sector of the economy, ran just ahead of the residential and commercial sector in recent years, followed by the transportation sector.


The industrial sector reveals occasional sharp fluctuations in its use of energy. In contrast, trends in the residential and commercial sector are smoother. Within the sectors, energy sources have changed dramatically over time. For example, in the residential and commercial sector, coal was the leading source

Energy Consumption by End-Use Sector



as late as 1951 but disappeared rapidly thereafter. Petroleum usage grew slowly to its peak in 1972 and then subsided. Natural gas became an important resource, growing strongly until 1972, when its growth stalled. Electricity, only an incidental source in 1949, expanded in every year except two (1974 and 1992) as did the energy losses associated with producing and distributing the electricity (see page xix for an explanation of these losses).

Residential and Commercial Consumption




The expansion of electricity use reflects the increased electrification of U.S. households, which typically rely on a wide variety of electrical appliances and systems. In 1997, 99 percent of U.S. homes had a color television and 47 percent had central air conditioning. Eighty-five percent of all homes had one refrigerator; the remaining 15 percent had two or more. New products continued to penetrate the market; for example, in 1978, only 8 percent of U.S. homes had a microwave oven, but by 1997 microwaves could be found in 83 percent.

U.S. home heating underwent a big change, too. Over a third of all U.S. homes were warmed by coal in 1950, but by 1995 that share was only 0.2 percent. Distillate fuel oil lost half its share of the home-heating market during the same period, falling from 22 percent. Natural gas and electricity gained as home-heating sources: the share of natural gas rose from about a quarter of all homes to over half, while electricity's share shot up from only 0.6 percent in 1950 to 27 percent in 1995. In recent times, electricity and natural gas have been the most common sources of energy used by commercial buildings as well.

In the industrial sector, the consumption of both natural gas and petroleum rose steadily and in tandem until the oil embargo in 1973, after which their use moderated. Consumption of coal, once the leading source in the sector, shrank. Electricity (and its associated losses) grew steadily.

About two-thirds of the energy consumed in the industrial sector is used for manufacturing. The remainder goes to mining, construction, agriculture,

Industrial Consumption




fisheries, and forestry. Within manufacturing, large consumers of energy are the petroleum and coal products, chemicals and allied products, paper and allied products, and primary metal industries. Natural gas is the most commonly consumed energy source in manufacturing. The predominant end-use activity is process heating, followed by machine drive and then facility heating, ventilation, and air conditioning combined.

Nearly 7 percent of all energy consumed in the United States is used for nonfuel purposes, such as asphalt and road oil for roofing products and road building and conditioning; liquefied gases for feedstocks at petrochemical plants; waxes for packaging, cosmetics, pharmaceuticals, inks, and adhesives; and still gas for chemical and rubber manufacture.


While variety and change in energy sources are the hallmarks of the industrial sector and the residential and commercial sector, transportation's reliance on petroleum has been nearly total since 1949.

Transportation Consumption



Compared with trends just prior to the oil embargo of 1973, fuel consumption per passenger car fell in the two decades that followed, miles traveled per car fell until the early 1980s and then resumed a pattern of increase, and the fuel rate (i.e., miles per gallon) improved greatly.

Passenger Car Efficiency



Petroleum


It is hard to imagine a world without petroleum, partly because humans have been using it for at least 5,000 years. Mesopotamians of that era used "rock oil" in architectural adhesives, ship caulks, medicines, and roads. The Chinese of two millennia ago refined crude oil for use in lamps and in heating homes. Seventh-century A.D. Arab and Persian chemists discovered that petroleum's lighter elements could be mixed with quicklime to make "Greek fire," the napalm of its day. From these scattered uses, petroleum has grown to occupy a central place in modern civilization. Today petroleum still finds applications in buildings, shipping, medicine, roads, and warfare. It is crucial to many industries, including chemicals and agriculture. Needless to say, it dominates the world energy scene.

The modern petroleum age began on a Sunday afternoon in August 1859 at Oil Creek, near Titusville in northwestern Pennsylvania. The credit has traditionally gone to "Colonel" Edwin L. Drake (who was, in fact, a railroad conductor on sick leave). After months of effort and many setbacks, Drake's homemade drilling rig drove down to 70 feet, and the bit came up coated with oil. Ironically, Drake wasn't there that day and didn't witness the historic event. And except for the slow and uncertain mails of the day, which delayed a letter from his backers ordering him to stop, it might not have happened in Oil Creek at all.

The oil boom that immediately followed Drake's achievement was driven by strong demand for lighting fuel and lubricants. Over the next four decades the boom spread to Texas and California in the United States and to Romania, Baku (in Azerbaijan) Sumatra, Mexico, Trinidad, Iran, and Venezuela. Overproduction temporarily drove prices down, but the rapid adoption and spread of internal combustion engines in the late 19th century helped create vast new markets. With only temporary interruptions, world petroleum consumption has expanded ever since.


Until the 1950s, the United States produced nearly all the petroleum it needed. But by the end of the decade the gap between production and consumption began to widen and imported petroleum became a major component of the U.S. petroleum supply. After 1992, imports exceeded production.

Petroleum Production and Consumption




U.S. production of petroleum (crude oil and natural gas plant liquids) reached its highest level in 1970 at 11.3 million barrels per day and then turned downward. A surge in Alaskan oil field output at Prudhoe Bay beginning in the late 1970s helped postpone the decline, but Alaska's production peaked in 1988 at 2.0 million barrels per day and fell to 1.3 million barrels per day in 1997. By then U.S. total output had dropped to 8.3 million barrels per day, 27 percent below the peak.

Lower 48 and Alaskan Crude Oil Production



Another index of the Nation's petroleum output is oil well productivity, which fell from a high of 18.4 barrels per day per well in 1972 to 11.2 barrels per day per well in 1997.

Oil Well Productivity




U.S. petroleum consumption rose annually until 1973, when the Arab OPEC embargo stalled the annual increases for two years. Consumption peaked in 1978 at 18.8 million barrels per day. Rising prices over the next

few years dampened consumption, which fell to 15.2 million barrels per day in 1983. The price of crude oil plummeted in 1986 and petroleum consumption resumed its climb. By 1997 it had reached 18.6 million barrels per day, close to the all-time high.

In modern times, the transportation sector accounted for well over half of the use of petroleum in the United States. Motor gasoline alone was consumed at the rate of 8.0 million barrels per day in 1997.

Petroleum Consumption by Sector




To meet demand, crude oil and petroleum products were imported at the all-time high rate of 9.9 million barrels per day in 1997, while exports measured 1.0 million barrels per day. Between 1985 and 1997, the rate of net importation of crude oil and products more than doubled from 4.3 million barrels per day to 8.9 million barrels per day. The share of U.S. net imports that came from OPEC nations peaked at 72 percent in 1977, subsided to 42 percent in 1985, and accounted for 50 percent in 1997. Total net imports as a share of petroleum consumption reached a record high of 48 percent in 1997. The five leading suppliers of petroleum to the United States in 1997 were Venezuela, Canada, Saudi Arabia, Mexico, and Nigeria.

To protect against supply disruptions, the United States began to build a Strategic Petroleum Reserve in the late 1970s. By 1985, the reserve's holdings reached 493 million barrels, which would have provided enough crude oil to replace about 115 days' worth of net imports that year. In


1997, the reserve held 563 million barrels of crude oil. Due to the increased rate of imports, however, that amount would replace only 63 days' worth of net imported petroleum.

Strategic Petroleum Reserve Storage



Petroleum remains relatively cheap in the United States. The price paid by refiners for crude oil in 1997 averaged \$19.08 per barrel. When adjusted for inflation, the price was \$16.98 (chained 1992 dollars), 10 percent below the previous year's price and 68 percent lower than 1981's record inflation-adjusted price of \$53.39 per barrel.

Inflation-Adjusted Price of Crude Oil




Natural Gas

Natural gas is mostly a mixture of methane, ethane, and propane, with methane making up 73 to 95 percent. Often encountered when drilling for oil, natural gas was once considered mainly a nuisance. When either uses or—more likely today—accessible markets were lacking, it was simply burned off (flared) at the wellhead. Even today, major flaring sites are sometimes easily the brightest areas visible in nighttime satellite images, outshining even the largest cities.

The practical use of natural gas dates to 200 B.C., when Chinese technicians bored shallow wells with crude percussion rigs and conveyed the released natural gas through bamboo pipes to gas-fired brine evaporators. Natural gas was used extensively in Europe and North America in the 19th century as a lighting fuel, until the rapid development of electricity beginning in the 1890's ended that era. The development of steel pipelines and related equipment, which allowed large volumes of gas to be easily and safely transported over many miles, launched the modern natural gas industry. The first all-welded pipeline over 200 miles in length was built in 1925, from Louisiana to Texas. U.S. demand grew rapidly thereafter, especially following World War II. Residential demand grew fifty-fold between 1906 and 1970.


The United States had large natural-gas reserves and was essentially self-sufficient in natural gas until the late 1980s, when consumption began to outpace production.

Natural Gas Overview




Imports rose to make up the difference, nearly all coming by pipeline from Canada, although small volumes were brought by tanker in liquefied form from Algeria and, in 1997, from Australia and the United Arab Emirates. Net imports as a share of consumption tripled from 1986 to 1997.

Natural Gas Net Imports as Share of Consumption



U.S. natural gas production in 1997 was 19.0 trillion cubic feet, well below the record-high 21.7 trillion cubic feet produced in 1973. Gas well productivity peaked at 435 thousand cubic feet per well per day in 1971, then fell steeply through the mid-1980s before stabilizing. Productivity in 1997 was 157 thousand cubic feet per well per day.


Natural Gas Well Productivity



Three States (Texas, Louisiana, and Oklahoma) account for over half of the natural gas produced in the United States. Texas alone produced 6.9 trillion cubic feet in 1997. Advancing drilling technology has made offshore sites more important, and over the last two decades about one-fifth of all U.S. production has come from offshore sites.

For decades, the industrial sector of the economy has been the heaviest user of natural gas. In 1997 industrial entities accounted for nearly half of all natural gas consumption, followed by the residential sector, which used another fourth of the total. In recent years, very small amounts of natural gas (about 3 billion cubic feet in 1996) have been reported for use in vehicles.

Natural Gas Consumption by Sector



The price of natural gas at the wellhead (i.e., the mouth of the well where the gas is produced) was \$2.15 per thousand cubic feet in 1997, in real terms (chained 1992 dollars), well below the historical high of \$3.54 per thousand cubic feet in 1983. In nominal dollars, the 1997 wellhead price was \$2.42 per thousand cubic feet.

Coal


Scattered records of the use of coal as a fuel date from at least 1100 B.C. However, it was not used extensively until the Middle Ages, when small mining operations in Europe began to supply coal for forges, smithies,

lime-burners, and breweries. The invention of firebricks in the late 1400s, which made chimneys cheap to build, helped create a home heating market for coal. Despite its drawbacks (smoke and fumes), coal was firmly established as a domestic fuel by the 1570s. By that time, production in England was high enough that exports were thriving. Eventually, some of that coal went to the American colonies.

The total amount of coal consumed in the United States in all the years before 1800 was an estimated 108,000 tons, much of it imported. The U.S. market for coal expanded slowly and it was not until 1840 that the young and heavily forested nation burned more coal than wood. However, the arrival of the industrial revolution and the development of the railroads in the mid-nineteenth century inaugurated a period of generally growing production and consumption of coal that continues to the present time. Today, the United States extracts coal in prodigious quantities. In 1997 U.S. production of coal reached a record-high level of 1.09 billion short tons and was second worldwide after China.


From 1949 through 1951, coal was the leading source of energy produced in the United States. From 1952 through 1983, crude oil and natural gas vied for that role, but in 1984 coal regained the position of the top resource and has retained it since. At 23 quadrillion Btu in 1997, coal accounted for a third of all energy produced in the country. Over the past several decades, coal production shifted from primarily underground mines to surface mines.

Coal Production by Mining Method



In addition, the coal resources of Wyoming and other areas west of the Mississippi River underwent tremendous development.

Coal Production by Location




Technological improvements in mining and the shift toward more surfacemined coal have led to great improvements in coal mining productivity. In 1949, U.S. miners produced 0.7 short tons of coal per miner hour; by 1996, that rate had increased to 5.7 short tons per miner hour.

Since 1950, the United States has produced more coal than it has consumed. The excess production allowed the United States to become a significant exporter of coal to other nations. In 1997 U.S. coal exports totaled 84 million short tons, which, measured in Btu, accounted for 48 percent of all U.S. energy exports. Almost half of the year's coal exports went to Europe, while the individual nations buying the most American coal were Canada, Japan, Brazil, United Kingdom, and Italy. While the quantities of coal leaving the country are huge, they still represent only about 10 percent of the Btu content of the amount of petroleum coming *into* the United States every year.


The uses of coal in the United States have changed dramatically over the years. In the 1950s, most coal was consumed in the industrial sector, but many homes were still heated by coal and the transportation sector still consumed significant amounts in steam-driven trains and ships.

Coal Consumption by Sector



In 1997 the industrial sector used less than half as much coal as in 1949, and today less than 10 percent of all coal consumed in the United States goes into industrial processing. Nearly 90 percent is used to produce electricity; coal-fired units accounted for 52 percent of U.S. electricity generation in 1997.





Coal-fired electric generating units emit gases that are of environmental concern. In 1996 carbon dioxide emissions from the combustion of coal in

the United States reached nearly half a billion metric tons of carbon, 36 percent of total carbon dioxide emitted from all fuel sources.

Electric utilities paid an average of \$26 per short ton for coal in 1997. In real (inflation adjusted) prices, the average price in 1997 was 30 percent less than it was in 1952. Coal is the least expensive of the major fossil fuels in this country: in 1997 dollars, the price for bituminous coal, subbituminous coal, and lignite was 85 cents per million Btu compared with \$2.18 per million Btu for natural gas and \$2.97 per million Btu for crude oil.

Electricity

Electric power arrived barely a hundred years ago, but it has radically transformed and expanded our energy use. To a large extent, electricity defines modern technological civilization.

The reasons may not be easy to appreciate for those who have never known the filth, hard labor, danger, scarcity and/or inconvenience historically associated with obtaining and deploying such fuels as wood, coal, and whale oil. By contrast, at the point of use electricity is clean, flexible, controllable, safe, effortless, and instantly available. In homes, it runs everything from toothbrushes and televisions to heating and cooling systems. Out of doors, electricity guides traffic, aircraft, and ships, and lights up the night. In business and industry, electricity enables virtually instantaneous global communication and powers everything from trains, auto plant assembly lines, and restaurant refrigerators to the computers that run the New York Stock Exchange and the automatic pin-setting machines at the local bowling alley.

But electric power began small. Humphrey Davy built a battery-powered arc lamp in 1808 and Michael Faraday an induction dynamo in 1831, but it was another half-century before Thomas Edison's primitive cotton-thread filament burned long enough to prove that a workable electric light could be made. Once past that hurdle, progress accelerated. Edison opened the first electricity generating plant (in London) less than 3 years later, in January 1882, and followed with the first American plant (in New York) in September. Within a month, electric current from New York's Pearl Street station was feeding 1,300 lightbulbs, and within a year, 11,000—each a hundred times brighter than a candle. Edison's goal, reportedly, was to "make electric light so cheap that only the rich will be able to burn candles."

Though he fathered the electric utility industry, Edison failed in his attempts to dominate its business and technical sides. Other companies surpassed him in building central power stations, and Edison's faith in direct current (DC) betrayed him. DC could only be transmitted 2 miles, while a rival alternating-current (AC) system developed by George Westinghouse and Nikola Tesla (whom Edison had fired) enabled long-distance transmission of high-voltage current and stepdowns to lower voltages at the point of use—essentially the system in place today. Edison even subsidized construction of an AC-powered electric chair to convince the public that AC was dangerous, but to no avail.


The process of electrification proceeded in fits and starts. Industries like mining, textiles, steel, and printing electrified rapidly during the years between 1890 and 1910. Electricity's penetration of the residential sector was slowed by competition from gas companies, which had a large stake in the lighting market. Nevertheless, by 1900 there were 25 million electric incandescent lamps in use and homeowners had been introduced to electric stoves, sewing machines, curling irons, and vacuum cleaners. In parallel, generating equipment and distribution systems developed to meet the demand. By 1903, utility executive Samuel Insull had commissioned a 5 megawatt steam-driven turbine generator, the first of its type and the largest of any generator then built, and launched a revolution in generating hardware.

The cities received electric service first, because it has always been cheaper, easier, and more profitable to supply large numbers of customers when they are close together. High costs and the Great Depression, which dried up most investment capital, delayed the arrival of electricity to rural Americans until President Franklin Roosevelt signed the law that created the Rural Electrification Administration in 1935. The REA helped to set up electricity cooperatives and loaned money at low interest. Though interrupted by World War II, rural electrification proceeded rapidly thereafter. By 1967 more than 98 percent of American farms were using electricity from central station power plants.

The profundity of electricity's penetration into our economy and way of life is reflected in the fact that, over the last half century, annual increases in total electricity sales faltered only twice, in 1974 and 1982; in every other year, sales grew. From 1949 to 1997, while the population of the United States grew by 79 percent, the total amount of electricity sold here grew by more than 1,100 percent. Per-capita average consumption of electricity was almost seven times higher in 1997 than in 1949.


Electricity's broad usage in the economy can be seen in the sector totals. In 1997, the residential sector used the most, followed closely by the industrial sector, and then the commercial sector.

Retail Sales of Electricity, 1997



Where does all this electricity come from? In the United States, coal has been and continues to be the source of most electricity, accounting for over half of all electricity generated in 1997.


Electric Utility Net Generation



Hydroelectric power was an early source of U.S. electricity—accounting for almost a third of all electricity in 1949—and remains a dependable contributor (about 10 percent of the total in 1997). Natural gas and petroleum grew steadily as sources of electricity in the late 1960s, but their combined usage peaked at 37 percent of the total in 1972 and then declined. By 1997 their combined share stood at only 17 percent of the total. Meanwhile, a new source entered the picture: nuclear electric power. A trickle of nuclear electricity began flowing in 1957, and the stream widened steadily in the years that followed except for downturns in 1979 and 1980 following the accident at Three Mile Island. In 1997, however, the pattern of increasing use of nuclear electricity ended, as nuclear generation declined seven percent.


Just as electricity's applications and sources change over time, so is the structure of the electric power industry itself evolving. The industry is now moving away from the traditional, highly regulated entities known for many decades as electric utilities and toward an environment marked by lighter regulation and greater competition from and among nonutility power producers. In 1997 12 percent of the total net generation of electricity came from nonutility power producers, such as independent power producers and cogenerators.

Electric Power Industry Net Generation, 1997



Electricity's great assets as a form of energy are reflected in its cost to the end user. The price paid by the consumer includes the cost of converting

the energy from its original form, such as coal, into electricity and the cost of delivering it. In 1997 consumers paid an average of \$24.91 per million Btu for the electricity delivered to their residences. In contrast, consumers paid an average of only \$6.71 per million Btu for the natural gas purchased for their homes and an average of \$10.32 per million Btu for the motor gasoline to fuel their vehicles.



The unit cost of electricity is high because most of the energy that must be purchased to generate it does not actually reach the end user but is expended in creating the electricity and moving it to the point of use. In 1997, for example, approximately 33 quadrillion Btu of energy were consumed to generate electricity at utilities in the United States, but only about 11 quadrillion Btu worth of electricity were actually used directly by consumers. Where did the other 22 quadrillion Btu go? Energy is never destroyed but it does change form. The chemical energy contained in fossil fuels, for example, is converted at the generator to the desired electric energy. Because of theoretical and practical limits on the efficiency of conversion equipment, much of the energy in the fossil fuels is "lost," mostly as waste heat. (In some cases, the production of electricity and industrial processing can be combined to increase the overall energy efficiency of a system. This process, known as cogeneration, reduces waste energy by utilizing otherwise unwanted heat in the form of steam, hot water, or hot air for other purposes, such as operating pumps or for space heating or cooling.)

In addition to the conversion losses, line losses occur during the transmission and distribution of electricity as it is transferred via connected wires from the generating plant to substations (transmission), where its voltage is lowered, and from the substations to the end user (distribution), such as homes, hospitals, stores, schools, and businesses. The generating plant itself uses some of the electricity. In the end, for every three units of energy that are converted to create electricity, only about one unit actually reaches the end user.

Nuclear Energy


Alone among all the major forms of energy now in use, nuclear power is native to the 20th century. The central insight—that the controlled fission of heavy elements could release enormous energies—came to British physicist Ernest Rutherford in 1904. Research during the 1930s convinced scientists that a controlled chain reaction was possible. Enrico Fermi's group achieved such a reaction for the first time in December 1942 at the University of Chicago in a primitive graphite-moderated reactor built on a vacant squash court.

World War II postponed further progress, but the theoretical foundation had been established and several factors encouraged nuclear power's development when peace returned. It was believed that, because fuel costs would be negligible, nuclear power would be relatively inexpensive. Moreover, both the United States and Western Europe became net importers of crude oil in the early 1950's and nuclear power was seen as critical to avoiding energy dependence. Geopolitics appear to have played a role as well; President Dwight Eisenhower's Atoms for Peace program was intended in part to divert fissionable materials from bombs to peaceful uses such as civilian nuclear power.

In 1951 an experimental reactor sponsored by the U.S. Atomic Energy Commission generated the first electricity from nuclear power. The British completed the first operable commercial reactor, at Calder Hall, in 1956. The U.S. Shippingport unit, a design based on power plants used in nuclear submarines, followed a year later. In cooperation with the U.S. electric utility industry, reactor manufacturers then built several demonstration plants and made commitments to build additional plants at fixed prices. This commitment helped launch commercial nuclear power in the United States. The success of the demonstration plants and the growing awareness of U.S. dependency on imported crude oil led to a wave of


enthusiasm for nuclear electric power that sent orders for reactor units soaring between 1966 and 1974.

Orders for Nuclear Generating Units



The number of operable units naturally began to climb as well, as ordered units were constructed, tested, licensed for full power operation, and connected to the electricity grid.

Operable Nuclear Generating Units




The curve of operable units lagged behind the curve of ordered units somewhat because of the long construction times required for the large, complex plants. The total number of U.S. operable reactor units peaked in 1990 at 112.

Orders for new units fell off sharply after 1974. Of the total of 259 units ordered to date, none was ordered after 1978. Although safety concerns, especially after the accident at Three Mile Island in 1979, reinforced a growing wariness of nuclear power, the chief reason for its declining momentum in the United States was economic. The promise of nuclear electric power had been that it would, in the now-famous phrase, make energy "too cheap to meter." In reality, nuclear power plants have always been costly to build and became radically more costly between the mid-1960s and the mid-1970s. There were several reasons. Utilities began building large plants before much experience had been gained with small ones. Expected economies of scale did not materialize. Many units were forced to undertake costly design changes and equipment retrofits, partially as a result of the Three Mile Island accident. Meanwhile, nuclear power plants have also had to compete with conventional coal- or natural gas-fired plants with declining operating costs.

These trends disillusioned many utilities and investors. Interest in further orders subsided and many ordered units were cancelled before they were built. By the end of 1997, 124 units had been cancelled, 48 percent of all ordered units.

Nuclear Generating Units Cancelled or Shut Down



As operable nuclear power plants have aged, some have become uneconomic to operate or have otherwise reached the end of their useful lives. By the end of 1997, 25 once-operable units had been shut down permanently. The joint effect of shutdowns and lack of new units coming on line is that the number of U.S. operable units has fallen off since 1990 to 107. EIA currently projects that 65 additional units will be retired, and no additional plants built, by 2020.

Renewable Energy

For all but the most recent fraction of humanity's time on Earth, virtually all energy was renewable energy. Prior to the widespread use of fossil fuels and nuclear power, which arrived only an eyeblink ago in relative terms, there was essentially nothing else. Our ancestors warmed themselves directly in the sun, burned brush and fuelwood fashioned by photosynthesis from sunlight and nutrients, harnessed the power of wind and water mainly created by sun-driven atmospheric and hydrologic cycles, and of course used their own musclepower and that of animals.

We still depend heavily on renewable energy in these primeval forms. But various cultures have also found more inventive means of harnessing renewable resources, from mounting sails on wheelbarrows, as did ancient Chinese laborers, to gathering and burning buffalo dung, as did American settlers making their way west. The story of renewable energy is one of the invention and refinement of technologies for extracting both more energy and more useful forms of it from a wider variety of renewable sources. Many energy experts believe that the age of fossil fuels is only a transition period between pre- and post-industrial eras dominated by the use of renewable energy.


Some renewable energy technologies, such as water- and wind-driven mills, have been in use for centuries. Grain mills powered by waterwheels have existed since at least the first century B.C. and became commonplace long ago. In England, for example, the Domesday Book survey of 1086 counted 5,624 mills in the south and east alone. They were to be found throughout Europe and elsewhere and were used for a wide variety of mechanical tasks in addition to milling, from pressing oil to making wire. Some installations were surprisingly large. The Romans built a mill with 16 wheels and an output of over 40 horsepower near Arles in France. A giant 72-foot waterwheel with an output of 572 horsepower, dubbed Lady Isabella, was erected at a mine site on the Isle of Man in 1854. Further

development of waterwheels ended with the invention of water turbines. Both types of machines were supplanted by large steam engines, which could be sited nearly anywhere. Turbines, however, found an important niche with the development of hydroelectric power.

Windmills are a younger but still very old technology, dating at least to the 10th century in the Middle East, a bit later in Europe. In one form or another, windmills have remained in use ever since, for milling grain, pumping water, working metal, sawing, and crushing chalk or sugar cane. American farms of the 19th century erected millions of small windmills to pump water for livestock or household use. In the modern era, technologically advanced windmills have been developed for generating electricity.

Modern renewable sources in the United States contribute about as much (roughly 10 percent) to total energy production as does nuclear power.

Renewable Energy in Total Energy Production, 1997



Just as water power was relatively more important than wind energy in pre-industrial times, renewable energy today is dominated by hydroelectric power. Over half of the U.S. renewable total in 1997 came from hydroelectric power generation, which uses dam-impounded water to drive turbine generators that make electricity. The American hydropower infrastructure is extensive and includes the great dams of the intermountain West, the Columbia basin, and the Tennessee River valley, as well as hundreds of other smaller installations nationwide.

Most of the rest of the U.S. renewable energy total came from biofuels, a diverse category that includes not only the obvious candidates (such as wood and wood waste, methanol, and ethanol) but also peat, wood liquors, wood sludge, railroad ties, pitch, municipal solid waste, agricultural waste, straw, tires, landfill gases, fish oils, and other things. Wood and wood byproducts are the most heavily used biofuel and figure prominently in the energy consumption of such industries as paper manufacturing and lumber, which have ready access to them. Geothermal energy was third in 1997, accounting for about 5 percent of U.S. renewable energy production.

Despite their prominence in the public mind, solar energy (photovoltaic and thermal) and wind energy contribute relatively little to the renewable total. Solar energy contributed about 1 percent to the total and wind energy about one-half percent. The peak year for U.S. manufacturers' shipments of solar thermal collectors was 1981, when 21 million square feet were shipped. From 1991 through 1996, about 7 million square feet were shipped each year. About 90 percent of the solar thermal collectors go to the residential sector. Eighty-nine percent of the collectors in the United States are used to heat swimming pools, while 10 percent are used for water heating and less than 1 percent for space heating. The number of U.S. companies making photovoltaic cells has edged up in recent years, and the volume of their shipments more than quintupled between 1982 and 1996. U.S. wind energy production increased more than half between 1990 and 1997 but remains a very small factor in renewable energy here.

Environmental Indicators

The use of energy brings undisputed benefits, but it also incurs costs. Some of these costs show up on consumers' utility bills. The charges levied on consumers by an energy producer (an electric utility with a coalfired generating plant, for instance) are designed to cover the producer's costs of building the power plant, extracting coal from the ground, transporting it to the power plant, crushing it to the proper size for combustion, maintaining the generating turbines, paying workers and managers, and so on.

One important category of costs that often is not reflected in consumers' bills is energy-related environmental effects. These unwanted effects can be thought of as the tail end of the energy cycle, which begins with extraction and processing of fuels (or gathering of wind or solar energy), proceeds with conversion to useful forms by means of petroleum refining, electricity generation, and other processes, and then moves on to


distribution to, and consumption by, end-users. Once the energy has rendered the services for which it is consumed, all that is left are the byproducts of energy use, i.e., waste heat, mine tailings, sulfur dioxide and carbon dioxide gases, spent nuclear fuel, and many others.

All energy use has unwanted effects of one kind or another; even a simple campfire produces eye-stinging smoke as well as warmth. And area-wide environmental effects are not only a recent problem. King Edward I of England, for instance, so objected to the noxious smoke and fumes from London's many coal-burning fires that in 1306 he banned its use by anyone except blacksmiths. But the enormous scale of modern energy use has increased concerns about unwanted environmental effects. No form of energy production is entirely free of them, including renewable energy. Damming rivers and streams for hydropower facilities radically alters natural stream flows in ways that can threaten or endanger aquatic species. Wind-turbine generators can kill birds. Biomass generating plants that rely on plantation forestry for fuel can displace natural forest habitat and reduce biological diversity.

Among the most significant environmental effects of energy production and consumption is the emission of greenhouse gases. Such gases—carbon dioxide, methane, nitrous oxide, carbon monoxide, and others—block infrared radiation from the Earth to space and retain the captured heat in the atmosphere. This greenhouse effect keeps the Earth's climate hospitable to life. But the possibility of carbon-dioxide-forced warming of the climate has been postulated since 1861, and in recent years many scientists have come to believe that anthropogenic (human-caused) additions to greenhouse gases are raising global average temperatures and may produce harmful changes in the global climate. Energy-related greenhouse gas emissions make up a significant fraction of all such emissions, and the United States, as one of the world's largest producers and consumers of fossil fuels, is responsible for a major portion of global energy-related emissions.

Carbon dioxide (CO₂) accounts for the largest share of combined anthropogenic greenhouse gas emissions. U.S. anthropogenic CO₂ emissions totaled about 5.5 billion metric tons in 1996, 3.5 percent higher than the year before and 18 percent higher than in 1985. Nearly 98 percent of this total was energy-related emissions, especially from petroleum consumed by the transportation sector, coal burned by electric utilities, and natural gas used by industry, homes, and businesses.

Carbon Dioxide Emissions



Energy-related emissions of methane, another important greenhouse gas, also rose in 1996, by 3.8 percent to 11.6 million metric tons. However, less than 38 percent of U.S. methane emissions stemmed from energy use; most came from landfills and such agricultural sources as ruminant animals (cattle and sheep) and their wastes. Emissions of a third potent greenhouse gas, nitrous oxide, declined in 1996.

All sectors of the U.S. economy contribute to energy-related greenhouse gas emissions, especially CO₂. Of 1996 total end-use CO₂ emissions of 1.5 billion metric tons of carbon (one ton of carbon equals 3.667 tons of carbon dioxide gas), the industrial sector accounted for 33 percent, the transportation sector for 32 percent, and the residential sector for 20 percent. The commercial sector accounted for the remaining 16 percent. Industry's emissions derive from a broad mix of fossil-origin energy, including electricity, petroleum, natural gas, and coal. Not surprisingly, the transportation sector emits carbon dioxide mostly via the consumption of petroleum (especially motor gasoline, distillate fuels such as diesel, and jet fuel). Residential- and commercial-sector emissions are owed mostly to the use of electricity and natural gas.

Bibliography

- Banks, F. *The Political Economy of Natural Gas*. London: Croom Helm, 1987.
- Dukert, J. A Short Energy History of the United States. Washington, DC: Edison Electric Institute, 1980.
- Energy Information Administration. *Annual Energy Outlook 1988: With Projections Through 2020.* DOE/EIA-0383 (98). Washington, DC: December 1997
- Gielecki, M. and Hewlett, J. "Commercial Nuclear Electric Power in the United States: Problems and Prospects." Energy Information Administration, *Monthly Energy Review*, August 1994, DOE/EIA-0035(94/08) (Washington, DC, August 1994).
- Glasstone, S. *Energy Deskbook*. Washington, DC: U.S. Department of Energy, Technical Information Center, 1982.
- Herbert, J. Clean Cheap Heat: The Development of Residential Markets for Natural Gas in the United States. New York: Praeger, 1992.
- Hyman, L. *America's Electric Utilities: Past, Present, and Future.* Arlington, VA: Public Utilities Reports, 1983.
- Lindbergh, K. and Provorse, B. *Coal: A Contemporary Energy Story*. Seattle: Scribe Publishing Corporation, 1977.
- McCaig, R. Electric Power in America. New York: Putnam, 1970.
- Smil, V. Energy in World History. Boulder: Westview Press, 1994.
- Smil, V. General Energetics: Energy in the Biosphere and Civilization. New York: John Wiley & Sons, 1991.
- Tussing, A. and Tippee, B. *The Natural Gas Industry: Evolution, Structure, and Economics*. Tulsa: PennWell Books, 1995.
- Walton, R. The Power of Oil. New York: Seabury Press, 1977.


.

Energy Overview



The United States at night from orbit. Source: National Oceanographic and Atmospheric Administration satellite imagery; mosaic provided by U.S. Geological Survey.

Diagram 1. Energy Flow, 1997 (Quadrillion Btu)



^a Includes lease condensate.

b Natural gas plant liquids.

^C Biofuels, conventional hydroelectric power, geothermal energy, solar energy, and wind energy.

d Includes -0.04 quadrillion Btu hydroelectric pumped storage.

e Natural gas, coal, coal coke, and electricity.

Stock changes, losses, gains, miscellaneous blending components, and unaccounted-for supply.

g Crude oil, petroleum products, natural gas, electricity, and coal coke.

 $^{^{\}mbox{h}}$ Includes supplemental gaseous fuels. $^{\mbox{!}}$ Petroleum products, including natural gas plant liquids and crude oil consumed directly as fuel.


Includes 0.02 quadrillion Btu coal coke imports.

k Includes, in quadrillion Btu, 0.16 net imported electricity from nonrenewable sources; -0.04 hydroelectric pumped storage; and -0.10 ethanol blended into motor gasoline, which is accounted for in both fossil fuels and renewables.

Notes: • Data are preliminary. • Totals may not equal sum of components due to independent rounding. Sources: Tables 1.1, 1.2, 1.3, 1.4, and 2.1.

Figure 1.1 Energy Overview

Overview, 1949-1997 100 -Net Imports and Adjustments² Quadrillion Btu (Cumulative) Consumption¹ 75 -50 -Production¹ 25 0 -1949 1954 1959 1964 1974 1979 1989 1994 1969 1984



¹ There is a discontinuity in this time series between 1989 and 1990 due to the expanded coverage of non-electric utility use of renewable energy beginning in 1990.

Note: Data for 1997 are preliminary.

Source: Table 1.1.

 $^{^{\}rm 2}$ Stock changes, losses, gains, miscellaneous blending components, and unaccounted-for supply.

Table 1.1 Energy Overview, 1949-1997

(Quadrillion Btu)

Possil			Prod	luction		Imp	orts	Exp	orts			Consi	umption	
1950 32.56 0	'ear		Electric		Total ⁴	Petroleum ⁵	Total ⁶	Coal	Total ⁷	Adjustments ⁸		Electric		Total 10
1950 32.56 0 1.42 33.98 1.89 1.93 0.79 1.47 1.37 31.63 0 1.45 1.95 1.95 1.95 1.95 1.95 1.95 1.95 1.9	49	28 75	0	1 43	30 18	1 43	1 47	0.88	1 59	0.40	29 00	0	1 45	30.46
1951 35.79 0 1.43 37.22 1.87 1.92 1.87 1.92 1.68 2.62 1.105 34.01 0 1.46 1952 348 0 0 1.47 36.45 2.11 2.17 1.40 2.37 0.95 33.80 0 1.47 36.45 2.11 2.17 1.40 2.37 0.95 33.80 0 1.50 1.93 35.35 0 1.42 36.77 2.28 2.34 0.99 1.87 0.96 34.83 0 1.44 1.44 1.45 36.77 2.28 2.37 0.99 1.87 0.95 33.80 0 1.43 36.78 0 1.38 35.35 0 1.42 36.77 2.28 2.37 0.99 1.87 0.95 33.80 0 1.43 1.43 1.44 1.44 1.44 1.44 1.44 1.44														33.08
993 35.55 0 1.42 36.77 2.28 2.34 0.98 1.87 0.96 34.83 0 1.44 91954 33.76 0 1.36 35.13 2.32 2.37 0.91 1.70 0.53 33.88 0 1.39 9195 37.36 0 1.36 35.13 2.32 2.37 0.91 1.70 0.53 33.88 0 1.39 9195 37.36 0 1.34 41.21 3.17 3.25 1.98 2.95 -1.13 38.89 0 1.44 91.996 39.77 0 1.44 41.21 3.17 3.25 1.98 2.95 -1.13 38.89 0 1.49 91.70 1.41 91.96 39.77 0 1.44 41.21 3.17 3.25 1.98 2.95 -1.13 38.89 0 1.49 91.70 9	51		0	1.43					2.62			0	1.46	35.47
995 37.6 0 1.36 38.73 2.32 2.37 0.91 1.70 -0.53 33.88 0 1.39 995 37.6 0 1.36 38.73 2.75 2.83 1.46 2.29 -0.44 37.41 0 1.41 996 39.77 0 1.44 41.21 3.17 3.25 1.98 2.95 -1.13 38.89 0 1.49 996 39.77 0 0 1.44 41.21 3.17 3.25 1.98 2.95 -1.13 38.89 0 1.49 996 39.77 0 0 1.44 41.25 3.17 3.25 1.98 2.95 -1.13 38.89 0 1.49 996 39.77 0 0 1.44 41.25 3.17 3.25 1.98 2.95 -1.13 38.89 0 1.49 996 39.87 0 0 1.49 996 39.87 0 0 1.55 40.60 3.27 4.41 1.10 1.05 1.54 4.0 1.30 38.97 (6) 1.55 996 39.87 0 0 1 1.61 41.49 4.00 4.23 1.02 1.48 -0.43 4.21 4.00 1 1.66 991 40.31 0.02 1.66 41.99 4.19 4.46 0.98 1.38 -0.60 42.76 0.02 1.68 992 41.73 0.03 1.82 43.58 4.55 5.01 1.08 1.48 -0.57 44.68 0.03 1.83 993 993 994 994 995 995 995 995 995 995 995 995		34.98		1.47		2.11	2.17		2.37	-0.95	33.80			35.30
956 39.77 0 1.44 41.21 3.17 3.25 1.98 2.95 -1.13 38.89 0 1.49 957 40.13 (8) 1.52 41.65 3.46 3.57 2.17 3.45 -1.28 38.93 (8) 1.56 958 37.22 (8) 1.59 38.81 3.72 3.92 1.42 2.06 -0.32 38.72 (8) 1.59 38.81 3.72 3.92 1.42 2.06 -0.32 38.72 (8) 1.59 38.81 3.72 3.92 1.42 2.06 -0.32 38.72 (8) 1.59 38.81 3.72 3.92 1.42 2.06 -0.32 38.72 (8) 1.59 38.81 3.72 3.92 1.42 2.06 -0.32 38.72 (8) 1.59 38.81 3.72 3.92 1.42 2.06 -0.32 38.72 (8) 1.59 38.81 3.72 3.92 1.42 2.06 -0.32 38.72 (8) 1.59 38.81 3.72 3.92 1.42 2.06 -0.32 38.72 (8) 1.59 38.81 3.72 3.92 1.42 2.06 -0.32 38.72 (8) 1.59 38.81 3.72 3.92 1.42 2.06 -0.32 38.72 (8) 1.59 38.81 3.72 3.92 1.42 2.06 -0.32 38.72 (8) 1.59 38.81 3.72 3.92 1.42 2.06 -0.32 38.72 (8) 1.59 38.81 3.72 3.92 1.42 2.06 -0.32 38.72 3.92 1.42 3.92 3.92 1.42 3.92 3.92 3.92 3.92 3.92 3.92 3.92 3.9						2.28	2.34					0		36.27
956 39.77 0 1.44 41.21 3.17 3.25 1.98 2.95 1.13 38.89 0 1.49 957 40.13 (s) 1.52 41.65 3.46 3.57 2.17 3.45 1.28 38.93 (s) 1.56 958 37.22 (s) 1.59 38.81 3.72 3.92 1.42 2.06 -0.32 38.72 (s) 1.63 959 39.05 (s) 1.55 40.60 3.91 4.11 1.05 1.54 1.03 40.55 (s) 1.59 980 39.87 0.01 1.81 41.49 4.00 4.23 1.02 1.48 40.43 42.14 0.01 1.66 41.99 4.10 4.23 1.02 1.48 40.43 42.14 0.01 1.66 94.19 4.00 4.23 1.02 1.48 40.07 4.76 0.02 1.68 41.99 4.19 4.00 4.23 1.02 1.48 40.07 4.76 0.02 1.68 41.99 4.19 4.00 4.23 1.02 1.48 40.07 4.76 0.02 1.68 41.99 4.19 4.00 4.23 1.02 1.48 40.07 4.76 0.02 1.68 41.99 4.19 4.00 4.23 1.02 1.48 40.07 4.76 0.02 1.68 41.99 4.10 0.04 1.76 41.99 4.00 4.23 1.02 1.48 40.07 4.76 0.02 1.68 41.99 4.10 0.04 1.76 41.89 4.72 4.66 5.10 1.08 1.38 4.00 79 4.65 1.00 4.77 4.78 40.00 4.17 4.78 40.00 4.17 4.78 40.00 4.17 4.78 40.00 4.17 4.18 40.00 4.1						2.32								35.27
957 40.13 (s) 1.52 41.65 3.46 3.57 2.17 3.45 -1.28 38.93 (s) 1.56 87.22 (s) 1.59 38.11 3.72 3.92 1.42 2.06 -0.32 38.72 (s) 1.63 959 39.05 (s) 1.55 40.60 3.91 4.11 1.05 1.54 -1.03 40.55 (s) 1.59 950 39.67 0.01 1.61 41.49 4.00 4.23 1.02 1.48 -0.43 42.14 0.01 1.66 961 40.31 0.02 1.66 41.99 4.19 4.46 0.98 1.38 -0.60 42.76 0.02 1.68 961 40.31 0.02 1.66 41.99 4.19 4.46 0.98 1.38 -0.60 42.76 0.02 1.68 962 41.73 0.03 1.82 43.58 4.65 5.01 1.08 1.48 -0.57 44.68 0.03 1.83 963 44.04 0.04 1.78 45.85 4.65 5.01 1.98 1.48 -0.57 44.68 0.03 1.83 963 44.04 0.04 1.78 45.85 4.65 5.10 1.39 1.85 4.07 4.85 1.85 4.07 4.85 1.85 1.85 1.85 1.85 1.85 1.85 1.85 1												•		38.82
958 37.22 (s) 1.59 38.81 3.72 3.92 1.42 2.06 -0.32 38.72 (s) 1.63 959 39.05 (s) 1.55 40.60 3.91 4.11 1.05 1.54 1.103 40.55 (s) 1.59 99.00 39.87 0.01 1.81 41.49 4.00 4.23 1.02 1.48 -0.43 42.14 0.01 1.66 99.01 1.02 1.66 41.99 4.19 4.19 4.46 0.98 1.38 -0.60 42.76 0.02 1.68 962 41.73 0.03 1.82 43.58 45.55 5.01 1.06 1.48 -0.57 44.68 0.03 1.83 962 41.73 0.03 1.82 43.58 4.55 5.01 1.06 1.48 -0.57 44.68 0.03 1.83 962 41.73 0.04 1.82 43.58 4.56 5.01 1.06 1.48 0.05 96.00 1.88 962 41.73 0.04 1.82 43.58 4.56 5.01 1.06 1.48 0.05 96.00 1.88 96.00 1.89 96.00 1.89 96.00 1.89 96.00 1.80 1.80 96.00 1.80 1.80 96.00 1.80 1.80 96.00 1.80 1.80 96.00 1.80 1.80 96.00 1.80 1.80 96.00 1.80 96.00 1.80 96.00 1.80 96.00 1.80 96.00 1.80 96.00 1.80 96.00 1.80 96.00 1.80 96.00 1.80 96.00 1.80 96.00 1.80 96.00 1.80 96.00 1.80 96.00 1.80 96.00 1.80 96.00 9.2 36 65.04 5.56 6.19 1.35 1.85 -0.83 63.51 0.06 2.08 96.8 43.1 0.14 2.36 56.81 6.21 6.93 1.38 1.85 -0.72 55.13 0.09 2.35 96.8 43.1 0.14 2.36 56.81 6.21 6.93 1.38 2.03 0.71 58.50 0.14 2.36 96.9 1.00 9.00 9.00 9.00 9.00 9.00 9.00 9.														40.38
959 39.05 (s) 1.55 40.60 3.91 4.11 1.05 1.54 -1.03 40.55 (s) 1.59 960 39.87 0.01 1.61 41.49 4.00 4.23 1.02 1.48 -0.43 42.14 0.01 1.66 961 40.31 0.02 1.66 41.99 4.19 4.46 0.98 1.38 -0.60 42.76 0.02 1.68 962 41.73 0.03 1.82 43.58 4.56 5.01 1.08 1.48 -0.57 44.68 0.03 1.83 963 44.04 0.04 1.78 45.85 4.65 5.10 1.36 1.85 -0.78 46.51 0.04 1.78 964 57.9 0.04 1.89 47.72 4.96 5.49 1.34 1.84 -0.87 44.56 0.04 1.99 4.19 966 47.29 0.04 1.89 47.72 4.96 5.49 1.38 1.85 -0.78 46.51 0.04 1.91 966 47.20 0.06 2.07 49.37 5.43 5.92 1.33 1.85 -0.73 50.55 0.04 2.06 96.78 52.60 0.09 2.36 55.44 5.65 5.40 1.35 5.20 1.35 1.85 5.20 5.50 0.04 2.08 96.78 52.60 0.09 2.36 55.44 5.65 5.40 1.35 1.35 2.15 5.40 1.35 2.36 989 56.29 0.15 2.66 58.81 5.21 5.20 5.20 0.15 2.66 58.81 5.21 5.20 5.20 5.20 5.20 5.20 5.20 5.20 5.20						3.46								40.48
980 39.87 0.01 1.61 41.49 4.00 4.23 1.02 1.48 -0.43 42.14 0.01 1.66 961 40.31 0.02 1.66 41.99 4.19 4.49 0.98 1.38 -0.60 42.76 0.02 1.68 962 41.73 0.03 1.82 43.58 4.56 5.01 1.08 1.48 -0.57 44.68 0.03 1.83 963 44.04 0.04 1.78 45.85 4.65 5.10 1.08 1.48 -0.57 44.68 0.03 1.83 964 45.79 0.04 1.89 47.72 4.96 5.49 1.34 1.84 -0.87 48.54 0.04 1.91 965 47.23 0.04 2.07 49.34 5.40 5.92 1.38 1.85 -0.72 50.58 0.04 2.06 965 50.04 0.06 2.07 52.17 5.63 6.18 1.35 1.85 -0.83 53.51 0.06 2.08 967 52.60 0.09 2.36 55.04 5.56 6.19 1.35 1.85 -0.83 53.51 0.06 2.08 968 54.31 0.14 2.36 58.81 6.21 6.83 1.38 2.03 -0.71 58.50 0.14 2.36 968 54.31 0.14 2.36 58.81 6.21 6.83 1.38 2.03 -0.71 58.50 0.14 2.36 969 52.90 1.5 2.66 59.10 6.90 7.71 1.53 2.15 -0.47 61.36 0.15 2.88 977 58.19 0.24 2.86 62.07 7.47 8.89 1.95 1.95 2.66 1.35 2.15 -0.47 61.36 0.15 2.88 973 58.94 0.08 2.90 62.42 2.03 0.14 4.47 14.73 1.33 2.16 -0.48 70.48 67.00 0.24 2.87 973 58.24 0.08 2.91 62.06 13.47 14.73 1.43 2.06 5.33 1.38 2.03 -0.71 58.50 0.14 2.38 973 58.24 0.08 2.91 62.06 13.47 14.73 1.43 2.05 50.04 0.04 6.70 0.22 0.91 3.06 974 56.33 1.37 1.90 3.23 59.86 12.95 14.11 1.76 2.36 -1.07 65.35 1.90 3.23 59.86 12.95 14.11 1.76 2.36 -1.07 65.35 1.90 3.29 976 54.72 1.13 3.06 59.89 15.67 16.84 1.10 1.10 1.10 1.10 1.10 1.10 1.10 1.1														40.35
961 40.31 0.02 1.66 41.99 4.19 4.46 0.98 1.38 -0.60 42.76 0.02 1.68 962 41.73 0.03 1.82 43.58 4.56 5.01 1.08 1.48 -0.57 44.68 0.03 1.83 963 44.04 0.04 1.78 45.85 4.65 5.10 1.36 1.85 -0.78 46.51 0.04 1.78 964 45.79 0.04 1.89 47.72 4.96 5.49 1.34 1.84 -0.87 48.54 0.04 1.91 965 47.23 0.04 2.07 49.34 5.40 5.92 1.38 1.85 -0.72 50.58 0.04 2.06 965 0.04 0.06 2.07 52.17 5.63 6.18 1.35 1.85 -0.83 53.51 0.06 2.08 967 52.60 0.09 2.36 55.04 5.56 6.19 1.35 2.15 -1.52 55.13 0.09 2.35 968 54.31 0.14 2.36 56.81 6.21 6.93 1.38 2.03 -0.71 58.50 0.14 2.36 999 56.29 0.15 2.66 59.10 6.90 7.71 1.53 2.15 -0.47 61.36 0.15 2.68 970 59.19 0.24 2.65 62.07 7.47 8.39 1.94 2.66 -1.37 63.52 0.24 2.67 971 58.04 0.41 2.84 61.29 8.54 9.58 1.55 2.18 -0.82 64.60 0.41 2.88 973 58.24 0.91 2.91 62.06 13.47 14.73 1.43 2.05 -0.46 70.32 0.91 3.06 973 59.45 975 54.73 1.90 3.23 59.86 12.95 14.11 1.76 2.36 -1.07 65.35 1.90 3.23 976 54.72 2.11 3.06 59.89 15.67 16.84 1.10 1.10 1.10 1.10 1.10 1.10 1.10 1.1														42.14 43.80
982 41/73 0.03 1.82 43.58 4.56 5.01 1.08 1.48 0.57 44.68 0.03 1.83 983 44.04 0.04 1.78 45.85 4.65 5.10 1.36 1.85 0.78 46.51 0.04 1.78 984 45.79 0.04 1.89 47.72 4.96 5.49 1.34 1.84 0.87 48.54 0.04 1.91 985 47.23 0.04 2.07 49.34 5.40 5.92 1.38 1.85 0.72 50.58 0.04 2.06 986 50.04 0.06 2.07 52.17 5.63 6.18 1.35 1.85 0.83 53.51 0.06 2.08 986 52.60 0.09 2.36 55.04 5.56 6.19 1.35 1.85 0.83 53.51 0.06 2.08 988 54.31 0.14 2.36 58.81 6.21 6.93 1.38 2.03 0.71 58.50 0.14 2.36 989 56.29 0.15 2.66 59.10 6.90 7.71 1.53 2.15 0.047 61.36 0.15 2.68 970 59.19 0.24 2.65 62.07 7.47 8.39 1.94 2.66 1.37 63.52 0.24 2.67 971 58.04 0.41 2.84 61.29 8.54 9.58 1.55 2.18 0.08 64.00 0.41 2.28 972 58.94 0.58 2.90 62.42 10.30 11.46 1.53 2.14 0.48 67.70 0.58 2.98 973 58.24 0.91 2.91 62.06 13.47 14.73 1.43 2.05 0.04 70.06 70.00 1.30 1.27 3.23 60.84 13.13 14.41 1.62 2.22 0.48 67.91 1.27 3.36 976 54.72 2.11 3.06 59.89 15.67 16.84 1.60 2.19 0.18 69.10 2.11 3.15 1.90 3.29 976 55.10 2.70 2.42 60.22 18.76 20.09 1.44 2.07 1.92 57.00 1.44 2.07 1.35 1.90 3.29 975 54.73 1.90 3.23 59.86 1.295 1.411 1.76 2.36 1.00 1.40 1.36 6.15 2.89 978 55.07 3.02 3.00 61.10 17.82 19.25 1.40 1.16 2.22 0.48 67.91 1.27 3.36 979 55.00 2.70 2.42 60.22 18.76 20.09 1.44 2.07 1.95 70.99 2.70 2.60 979 55.00 2.70 2.42 60.22 18.76 20.09 1.44 2.07 1.95 70.99 2.70 2.60 979 55.01 2.70 2.42 60.22 18.76 20.09 1.44 2.07 1.95 70.99 2.70 2.60 979 55.01 2.70 2.42 60.22 18.76 20.09 1.44 2.27 1.95 70.99 2.70 2.60 989 59.01 2.74 3.01 64.76 14.66 15.97 2.94 3.30 0.08 67.75 3.01 3.29 980 59.01 2.74 3.01 64.76 14.66 15.97 2.94 3.30 0.08 67.75 3.01 3.29 3.00 61.10 17.82 19.25 1.08 1.93 0.08 67.75 3.01 3.29 3.29 3.00 59.01 2.74 3.01 64.76 14.66 15.97 2.94 3.30 0.08 67.75 3.01 3.29 3.20 4.03 3.00 61.10 17.82 19.25 1.08 1.93 0.03 66.62 3.55 3.97 3.00 8.86 8.3 3.50 6.86 8.98 1.66 6.10 15.75 17.56 2.50 4.42 0.96 71.66 5.66 2.90 3.85 5.77 5.66 1.00 17.75 17.75 17.75 17.75 17.75 17.75 17.75 17.75 17.75 17.75 17.75 17.75 17.75 17.75 17.75 17.75 17.75 17.75 17.75 18.86 1.44 1.44 1.44 1.44 1.44 1.44 1.44 1.4														44.46
963 44.04 0.04 1.78 45.85 4.65 5.10 1.36 1.85 -0.78 46.51 0.04 1.78 964 45.79 0.04 1.89 47.72 4.96 5.49 1.34 1.84 -0.87 48.54 0.04 1.91 965 47.23 0.04 2.07 49.34 5.40 5.92 1.38 1.85 -0.72 50.58 0.04 2.06 965 50.04 0.06 2.07 52.17 5.63 6.18 1.35 1.85 -0.83 5.3.51 0.06 2.08 967 52.60 0.09 2.36 55.04 5.56 6.19 1.35 1.85 -0.83 5.3.51 0.09 2.35 988 54.31 0.14 2.36 56.81 6.21 6.93 1.38 2.03 -0.71 58.50 0.14 2.36 989 56.29 0.15 2.66 59.10 6.90 7.71 1.53 2.15 -0.47 61.36 0.15 2.68 970 59.19 0.24 2.65 62.07 7.47 8.39 1.94 2.66 -1.37 63.52 0.24 2.67 971 58.04 0.41 2.84 61.29 8.54 9.58 1.55 2.18 -0.82 64.60 0.41 2.88 972 58.94 0.58 2.90 62.42 10.30 11.46 1.53 2.14 -0.48 67.70 0.58 2.98 973 58.24 0.91 2.91 62.06 13.47 14.73 1.43 2.05 -0.46 70.32 0.91 3.06 975 54.73 1.90 3.23 59.86 12.95 14.11 1.76 2.36 -1.07 65.35 1.90 3.29 976 54.72 2.11 3.06 59.88 15.67 16.84 1.60 2.19 -0.18 69.10 2.11 3.15 978 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.98 1.98 1.99 2.70 2.26 3.29 1.97 55.10 2.70 2.42 60.22 18.76 20.09 1.44 2.07 -1.95 70.99 2.70 2.60 989 58.01 2.78 3.02 3.00 61.10 17.82 19.25 1.08 1.99 1.94 6.26 61.27 1.95 70.99 2.70 2.60 989 56.30 1.27 3.02 3.00 61.10 17.82 19.25 1.08 1.99 1.90 3.23 3.00 61.10 17.82 19.25 1.08 1.99 1.90 3.29 1.97 55.10 2.70 2.42 60.22 18.76 20.09 1.44 2.07 -1.95 70.99 2.70 2.60 978 55.10 2.70 2.42 60.22 18.76 20.09 1.44 2.07 -1.95 70.99 2.70 2.60 989 58.01 2.78 3.02 3.00 61.10 17.82 19.25 1.08 1.99 1.90 6.27 4.30 1.90 3.29 3.29 3.29 3.29 3.20 3.66 61.28 10.48 1.27 3.29 4.43 3.00 66.77 5.30 1.30 3.29 3.29 3.29 3.29 3.20 3.66 61.28 10.48 1.27 3.29 4.43 3.00 66.55 1.90 3.29 3.20 3.66 61.28 10.43 1.27 3.30 6.84 1.27 3.30 6.84 1.27 3.30 6.84 1.27 3.30 6.84 1.27 3.30 6.84 1.27 3.30 6.84 1.27 3.30 6.84 1.27 3.30 6.84 1.27 3.30 6.84 1.27 3.30 6.84 1.27 3.30 6.84 1.27 3.30 6.84 1.27 3.29 4.44 1.20 7 1.95 70.99 2.70 2.60 3.21 3.20 3.00 6.10 1.75 2.75 1.25 1.25 1.25 1.25 1.25 1.25 1.25 1.2					41.99									44.46
965 47.23 0.04 1.89 47.72 4.96 5.49 1.34 1.84 -0.87 48.54 0.04 1.91 9965 47.23 0.04 0.06 2.07 52.17 56.3 6.18 1.35 1.85 -0.72 50.58 0.04 2.06 966 50.04 0.06 2.07 52.17 56.3 6.18 1.35 1.85 -0.83 53.51 0.06 2.08 967 52.60 0.09 2.36 55.04 5.56 6.19 1.35 2.15 -1.52 55.13 0.09 2.35 988 54.31 0.14 2.36 56.81 6.21 6.93 1.38 2.03 -0.71 58.50 0.14 2.36 996 56.29 0.15 2.66 59.10 6.90 7.71 1.53 2.15 -0.47 61.36 0.15 2.68 9970 59.19 0.24 2.65 62.07 7.47 8.39 1.94 2.66 -1.37 63.52 0.24 2.67 9971 58.04 0.41 2.84 61.29 8.54 9.58 1.55 2.18 -0.82 64.60 0.41 2.88 9972 58.94 0.58 2.99 62.42 10.30 11.46 1.53 2.14 -0.48 67.70 0.58 2.98 9973 58.24 0.91 2.91 62.06 13.47 14.73 14.3 2.05 -0.46 70.32 0.91 3.06 9975 54.73 1.90 3.23 60.84 13.13 14.41 1.62 2.22 -0.48 67.91 1.27 3.36 9976 54.72 2.11 3.06 59.89 15.67 16.84 1.60 2.19 -0.18 69.10 2.11 3.15 9976 55.10 2.70 2.42 60.22 18.76 2.09 14.4 2.07 -1.95 70.99 2.70 2.60 998 55.07 3.02 3.00 61.10 17.82 19.25 10.8 1.93 -0.34 71.86 3.02 3.21 999 998 55.07 3.02 3.00 61.10 17.82 19.25 10.8 1.93 -0.34 71.86 3.02 3.21 999 998 55.07 3.02 3.00 61.10 17.82 19.25 10.8 1.93 -0.34 71.86 3.02 3.21 999 998 55.07 3.02 3.00 61.10 17.82 19.25 10.8 1.93 -0.34 71.86 3.02 3.21 999 998 55.07 3.02 3.00 61.10 17.82 19.25 10.8 1.93 -0.34 71.86 3.02 3.21 999 998 55.07 3.02 3.00 61.10 17.82 19.25 10.8 1.93 -0.34 71.86 3.02 3.21 999 998 55.07 3.02 3.00 61.10 17.82 19.25 10.8 1.93 -0.34 71.86 3.02 3.21 999 998 55.07 3.02 3.00 61.10 17.82 19.25 10.8 1.93 -0.34 71.86 3.02 3.21 999 998 55.07 3.02 3.00 61.10 17.82 19.25 10.8 1.93 -0.34 71.86 3.02 3.21 999 998 55.07 3.02 3.00 61.10 17.82 19.25 10.8 1.93 -0.34 71.86 3.02 3.21 999 998 55.07 3.02 3.00 61.10 17.82 19.25 10.8 1.93 -0.34 71.86 3.02 3.21 999 998 57.46 3.13 3.37 63.96 10.78 12.09 2.79 4.63 -0.75 64.04 3.13 3.68 998 57.46 3.13 3.37 63.96 10.78 12.09 2.79 4.63 -0.75 64.04 3.13 3.68 998 57.46 3.13 3.37 63.96 10.78 12.09 2.79 4.63 -0.75 64.04 3.13 3.68 998 57.47 5.66 2.57 66.10 15.75 17.56 2.50 4.42 0.96 71.66 6.62 3.55 3.99 998 57.47 5.66 2.57 66.10 15.75 17.56 2.50			0.03			4.50	5.01	1.00	1.40	-0.57 -0.78	44.00 46.51	0.03		48.32
965 47.23														50.50
966 50.04 0.06 2.07 52.17 5.63 6.18 1.35 1.85 -0.83 53.51 0.06 2.08 967 52.60 0.09 2.36 55.04 5.56 6.19 1.35 2.15 -1.52 55.13 0.09 2.35 988 54.31 0.14 2.36 56.81 6.21 6.93 1.38 2.03 -0.71 58.50 0.14 2.36 989 56.29 0.15 2.66 59.10 6.90 7.71 1.53 2.15 -0.47 61.36 0.15 2.88 970 59.19 0.24 2.65 62.07 7.47 8.39 1.94 2.66 -1.37 63.52 0.24 2.67 971 58.04 0.41 2.84 61.29 8.54 9.58 1.55 2.18 -0.82 64.60 0.41 2.88 972 58.94 0.58 2.90 62.42 10.30 11.46 1.53 2.14 -0.48 67.70 0.58 2.98 973 58.24 0.91 2.91 62.06 13.47 14.73 1.43 2.05 -0.46 70.32 0.91 3.06 974 56.33 1.27 3.23 60.84 13.13 14.41 1.62 2.22 -0.48 67.91 1.27 3.36 975 54.73 1.90 3.23 59.86 12.95 14.11 1.76 2.36 1.07 65.35 1.90 3.29 977 55.10 2.70 2.42 60.22 18.76 2.09 1.44 2.07 1.95 70.99 2.70 2.60 978 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 990 58.01 2.78 3.02 63.80 17.93 19.62 1.75 2.87 1.65 72.89 2.78 3.23 981 58.53 3.01 2.88 64.42 12.64 13.97 2.94 4.33 -0.08 67.75 3.01 3.23 18.65 61.28 10.49 1.92 1.92 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1.08														52.68
967 52.60 0.09 2.36 55.04 5.56 6.19 1.35 2.15 -1.52 55.13 0.09 2.35 68 54.31 0.14 2.36 56.81 6.21 6.93 1.38 2.03 -0.71 58.50 0.14 2.36 899 56.29 0.15 2.66 59.10 6.90 7.71 1.53 2.15 -0.47 61.36 0.15 2.68 707 59.19 0.24 2.65 62.07 7.47 8.39 1.94 2.66 -1.37 63.52 0.24 2.67 71 58.04 0.41 2.84 61.29 8.54 9.58 1.55 2.18 -0.82 64.60 0.41 2.88 72 58.94 0.58 2.90 62.42 10.30 11.46 1.53 2.14 -0.48 67.70 0.58 2.98 73 58.24 0.91 2.91 62.06 13.47 14.73 1.43 2.05 -0.46 70.32 0.91 3.06 73.4 56.33 1.27 3.23 60.84 13.13 14.41 1.62 2.22 -0.48 67.91 1.27 3.36 73.6 55.3 1.27 3.23 59.86 12.95 14.11 1.76 2.36 -1.07 65.35 1.90 3.29 73.6 54.73 1.90 3.23 59.86 12.95 14.11 1.76 2.36 -1.07 65.35 1.90 3.29 73.76 54.73 1.90 3.23 59.89 15.67 16.84 1.60 2.19 -0.18 69.10 2.11 3.15 73.78 55.10 2.70 2.42 60.22 18.76 20.09 1.44 2.07 -1.95 70.99 2.70 2.60 73.78 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 73.88 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 73.88 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 73.88 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 73.88 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 73.88 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 73.88 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 73.88 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 73.88 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 73.88 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 73.88 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 73.88 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 73.88 55.00 50				2.07							53.51		2.00	55.66
968 54.31 0.14 2.36 56.81 6.21 6.93 1.38 2.03 -0.71 58.50 0.14 2.36 96.96 56.29 0.15 2.66 59.10 6.90 7.71 1.53 2.15 -0.47 61.36 0.15 2.68 770 59.19 0.24 2.65 62.07 7.47 8.39 1.94 2.66 -1.37 63.52 0.24 2.67 971 58.04 0.41 2.84 61.29 8.54 9.58 1.55 2.18 -0.82 64.60 0.41 2.88 972 58.94 0.58 2.90 62.42 10.30 11.46 1.53 2.14 -0.48 67.70 0.58 2.98 973 58.24 0.91 2.91 62.06 13.47 14.73 1.43 2.05 -0.46 70.32 0.91 3.06 973 58.24 0.91 2.91 62.06 13.47 14.73 1.43 2.05 -0.46 70.32 0.91 3.06 974 56.33 1.27 3.23 60.84 13.13 14.41 1.62 2.22 -0.48 67.91 1.27 3.36 975 54.73 1.90 3.23 59.86 12.95 14.11 1.76 2.36 -1.07 65.35 1.90 3.29 975 55.10 2.70 2.42 60.22 18.76 20.09 1.44 2.07 -1.95 70.99 2.70 2.60 978 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 979 58.01 2.78 3.02 63.80 17.93 19.62 1.75 2.87 -1.65 72.89 2.78 3.23 981 56.53 3.01 2.88 64.42 12.64 13.97 2.94 4.33 -0.08 67.75 3.01 3.23 982 574 3.31 3.37 63.96 17.81 2.09 2.79 4.63 -0.08 67.75 3.01 3.23 983 55.42 12.64 13.97 2.94 4.33 -0.08 67.75 3.01 3.23 984 56.53 3.01 2.88 64.42 12.64 13.97 2.94 4.33 -0.08 67.75 3.01 3.23 981 56.53 3.01 2.88 64.42 12.64 13.97 2.94 4.33 -0.08 67.75 3.01 3.23 982 57.46 3.13 3.37 63.96 10.78 12.09 2.79 4.63 -0.57 64.04 3.13 3.88 54.42 3.20 3.66 61.28 10.65 12.03 2.04 3.72 0.94 63.29 3.20 4.03 982 57.54 4.15 3.18 64.87 10.61 12.10 2.44 4.23 1.24 66.22 4.15 3.61 988 57.77 5.60 9.78 66.62 3.55 3.97 9.99 2.70 4.63 6.62 3.55 3.97 9.99 2.70 5.60 9.90 9.70 5.60 9.70 9.90 9														57.57
56.29														61.00
971 58.04 0.41 2.84 61.29 8.54 9.58 1.55 2.18 -0.82 64.60 0.41 2.88 972 58.94 0.58 2.90 62.42 10.30 11.46 1.53 2.14 -0.48 67.70 0.58 2.98 973 58.24 0.91 2.91 62.06 13.47 14.73 1.43 2.05 -0.46 70.32 0.91 3.06 974 56.33 1.27 3.23 60.84 13.13 14.41 1.62 2.22 -0.48 67.91 1.27 3.36 975 54.73 1.90 3.23 58.86 12.95 14.11 1.76 2.36 -1.07 65.35 1.90 3.29 976 54.72 2.11 3.06 58.89 15.67 16.84 1.60 2.19 -0.18 69.10 2.11 3.15 977 55.10 2.70 2.42 60.22 18.76 20.09 1.44 2.07 -1.95 70.99 2.70 2.60 978 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 979 58.01 2.78 3.02 63.80 17.93 19.62 1.75 2.87 -1.65 72.89 2.78 3.23 980 59.01 2.74 3.01 64.76 14.66 15.97 2.42 3.72 -1.05 69.98 2.74 3.23 980 59.01 2.74 3.01 64.76 14.66 15.97 2.42 3.72 -1.05 69.98 2.74 3.23 981 58.53 3.01 2.88 64.42 12.64 13.97 2.94 4.33 -0.08 67.55 3.01 3.23 982 57.46 3.13 3.37 63.96 10.78 12.09 2.79 4.63 -0.57 64.04 3.13 3.38 983 54.42 3.20 3.66 61.28 10.65 12.03 2.04 3.72 0.94 63.29 3.20 4.03 983 57.54 4.15 3.18 64.87 10.61 12.10 2.44 4.23 1.24 66.22 4.15 3.61 985 57.54 4.15 3.18 64.87 10.61 12.10 2.44 4.23 1.24 66.22 4.15 3.61 986 57.87 5.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 988 57.47 5.66 2.57 66.10 15.75 17.56 69.98 1.47 3.68 987 57.17 4.91 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 988 57.57 4.15 3.80 6.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 988 57.47 5.66 2.57 66.10 15.75 17.56 2.50 4.42 0.96 671.66 5.66 2.90 989 57.47 5.68 86.09 870.45 14.66 15.76 2.09 3.85 0.03 68.63 4.91 3.36 989 57.47 5.68 86.99 870.45 14.66 15.76 2.09 3.85 0.03 68.63 4.91 3.36 989 57.47 5.68 86.99 870.45 14.66 15.76 2.09 3.85 0.03 68.63 4.91 3.36 989 57.47 5.68 86.99 870.45 14.66 15.76 2.09 3.85 0.03 68.63 4.91 3.36 989 57.47 5.68 86.99 870.45 14.89 92.77 4.91 0.75 71.95 6.16 86.34 86.30 989 57.47 5.68 86.99 870.45 18.85 92.85 5.22 0.21 77.23 6.58 86.30 995 57.55 6.61 86.84 86.99 870.45 18.85 2.25 1.96 4.35 92.55 5.66 88.99 870.47 19.25 5.25 4.42 0.96 6.16 86.31 9995 57.55 6.61 86.84 86.90 870.71 19.25 22.71 1.88 84.13 0.05 87														64.19
972 58.94 0.58 2.90 62.42 10.30 11.46 1.53 2.14 -0.48 67.70 0.58 2.98 973 58.24 0.91 2.91 62.06 13.47 14.73 1.43 2.05 -0.46 70.32 0.91 3.06 974 56.33 1.27 3.23 60.84 13.13 14.41 1.62 2.22 -0.48 67.91 1.27 3.36 975 54.73 1.90 3.23 59.86 12.95 14.11 1.76 2.36 -1.07 65.35 1.90 3.29 976 54.72 2.11 3.06 59.89 15.67 16.84 1.60 2.19 -0.18 69.10 2.11 3.15 977 55.10 2.70 2.42 60.22 18.76 20.09 1.44 2.07 -1.95 70.99 2.70 2.60 978 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 980 59.01 2.78 3.02 63.80 17.93 19.62 1.75 2.87 -1.65 72.89 2.78 3.23 980 59.01 2.74 3.01 64.76 14.66 15.97 2.42 3.72 -1.05 69.98 2.74 3.23 981 58.53 3.01 2.88 64.42 12.64 13.97 2.94 4.33 -0.08 67.75 3.01 3.23 982 57.46 3.13 3.37 63.96 10.78 12.09 2.79 4.63 -0.57 64.04 3.13 3.68 983 54.42 3.20 3.66 61.28 10.65 12.03 2.04 3.72 0.94 63.29 3.20 4.03 984 58.85 3.55 3.56 65.96 11.43 12.77 2.15 3.80 -0.78 66.62 3.55 3.97 985 57.54 4.15 3.18 64.87 10.61 12.10 2.44 4.23 1.24 66.22 4.15 3.61 986 57.57 4.91 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 989 57.47 4.91 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 987 57.17 4.91 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 987 57.17 4.91 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 989 57.47 5.68 8.30 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 989 57.47 5.68 8.30 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 989 57.47 5.68 8.30 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 989 57.47 5.68 8.30 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 989 57.47 5.68 8.30 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 989 57.47 5.68 8.60 9.81 17.17 0.88 14.99 2.77 4.91 0.07 7.15 5.68 8.30 9.90 57.47 5.68 8.60 9.81 17.17 0.88 14.19 1.90 57 5.10 1.90 5.00 9.90 57.47 5.68 8.60 9.81 17.17 0.88 14.19 1.90 5.75 5.68 8.30 9.90 57.47 5.68 8.60 9.81 1.90 9.90 57.47 5.68 8.60 9.81 1.90 9.90 57.47 5.68 8.60 9.81 1.90 9.90 57.47 5.68 8.60 9.80 1.90 9.90 57.47 5.68 8.60 9.80 1.90 9.90 57.47 5.68 8.84 8.60 9.80 1.90 9.90 57.47 5.68 8.84 8.60 9.87	70	59.19	0.24	2.65		7.47	8.39	1.94	2.66	-1.37		0.24	2.67	66.43
973 58.24 0.91 2.91 62.06 13.47 14.73 1.43 2.05 -0.46 70.32 0.91 3.06 974 56.33 1.27 3.23 60.84 13.13 14.41 1.62 2.22 -0.48 67.91 1.27 3.36 975 54.73 1.90 3.23 59.86 12.95 14.11 1.76 2.36 -1.07 65.35 1.90 3.29 976 54.72 2.11 3.06 59.89 15.67 16.84 1.60 2.19 -0.18 69.10 2.11 3.15 977 55.10 2.70 2.42 60.22 18.76 20.09 1.44 2.07 -1.95 70.99 2.70 2.60 978 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 980 59.01 2.78 3.02 63.80 17.93 19.62 1.75 2.87 -1.65 72.89 2.78 3.23 981 58.53 3.01 2.88 64.42 12.64 13.97 2.94 4.33 -0.08 67.75 3.01 3.23 981 58.53 3.01 2.88 64.42 12.64 13.97 2.94 4.33 -0.08 67.75 3.01 3.23 982 57.46 3.13 3.37 63.96 10.78 12.09 2.79 4.63 -0.57 64.04 3.13 3.68 983 54.42 3.20 3.66 61.28 10.65 12.03 2.04 3.72 0.94 63.29 3.20 4.03 984 58.85 3.55 3.56 65.96 11.43 12.77 2.15 3.80 -0.78 66.62 3.55 3.97 985 57.54 4.15 3.18 64.87 10.61 12.10 2.44 4.23 1.24 66.22 4.15 3.61 987 57.17 4.91 2.88 64.95 14.16 12.10 2.44 4.23 1.24 66.22 4.15 3.61 987 57.17 4.91 2.88 64.95 14.16 15.75 17.56 2.50 4.42 0.96 71.66 5.66 2.90 989 57.47 5.68 8.02 8.77 66.10 15.75 17.56 2.50 4.42 0.96 71.66 5.66 2.90 989 57.47 5.68 8.02 8.68 8.02 8.57 8.50 8.50 8.50 8.50 8.50 8.50 8.50 8.50										-0.82				67.89
974 56.33 1.27 3.23 60.84 13.13 14.41 1.62 2.22 -0.48 67.91 1.27 3.36 975 54.73 1.90 3.23 59.86 12.95 14.11 1.76 2.36 -1.07 65.35 1.90 3.29 976 54.72 2.11 3.06 59.89 15.67 16.84 1.60 2.19 -0.18 69.10 2.11 3.15 977 55.10 2.70 2.42 60.22 18.76 20.09 1.44 2.07 -1.95 70.99 2.70 2.60 978 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 979 58.01 2.78 3.02 63.80 17.93 19.62 1.75 2.87 -1.65 72.89 2.78 3.23 980 59.01 2.74 3.01 64.76 14.66 15.97 2.42 3.72 -1.05 69.98 2.74 3.23 981 58.53 3.01 2.88 64.42 12.64 13.97 2.94 4.33 -0.08 67.75 3.01 3.23 982 57.46 3.13 3.37 63.96 10.78 12.09 2.79 4.63 -0.57 64.04 3.13 3.68 983 54.42 3.20 3.66 61.28 10.65 12.03 2.04 3.72 0.94 63.29 3.20 4.03 984 58.85 3.55 3.56 65.96 11.43 12.77 2.15 3.80 -0.78 66.62 3.55 3.97 985 57.54 4.15 3.18 64.87 10.61 12.10 2.44 4.23 1.24 66.22 4.15 3.61 986 56.58 4.47 3.30 64.35 13.20 14.44 2.25 4.06 -0.44 66.15 4.47 3.68 987 57.17 4.91 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.66 989 57.47 5.68 83.02 86.66 15.75 17.56 2.50 4.42 0.96 71.66 5.66 2.90 989 57.47 5.68 83.02 86.66 15.76 15.76 15.76 2.09 3.85 0.03 68.63 4.91 3.68 989 57.47 5.68 83.02 86.66 1.57 17.16 18.95 2.64 4.77 1.01 72.55 5.68 83.13 990 57.47 5.68 80.09 870.45 16.35 818.59 2.85 5.22 0.21 71.23 6.58 86.30 991 57.83 6.68 86.09 870.45 16.35 818.59 2.85 5.22 0.21 71.23 6.58 86.30 991 57.83 6.58 86.09 870.45 16.35 818.59 2.85 5.22 0.21 71.23 6.58 86.30 991 57.83 6.58 86.00 870.45 16.35 818.59 2.85 5.22 0.21 71.23 6.58 86.30 993 55.71 6.52 86.15 86.83 18.51 21.54 1.96 4.35 81.83 84.13 -0.05 870.99 57.41 1.88 84.13 -0.05 870.99 57.41 1.88 84.13 -0.05 870.99 57.41 1.88 84.13 -0.05 870.99 57.41 1.88 84.13 -0.05 870.99 57.41 1.88 84.13 -0.05 870.99 57.41 1.88 84.13 -0.05 870.99 57.41 1.88 84.13 -0.05 870.99 57.41 1.88 84.13 -0.05 870.99 57.41 1.88 84.13 -0.05 870.99 57.41 1.88 84.13 -0.05 870.99 57.41 1.88 84.13 -0.05 870.99 57.41 1.88 84.13 -0.05 870.99 57.41 1.88 84.13 -0.05 870.99 57.41 1.88 84.13 -0.05 870.99 57.41 1.88 84.13 -0.05 870.99 57.41 1.88 84.13 -0.05 870.99 5				2.90		10.30	11.46	1.53		-0.48	67.70		2.98	71.26
975 54.73 1.90 3.23 59.86 12.95 14.11 1.76 2.36 -1.07 65.35 1.90 3.29 976 54.72 2.11 3.06 59.89 15.67 16.84 1.60 2.19 -0.18 69.10 2.11 3.15 977 55.10 2.70 2.42 60.22 18.76 20.09 1.44 2.07 -1.95 70.99 2.70 2.60 978 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 980 59.01 2.74 3.01 64.76 14.66 15.97 2.42 3.72 -1.65 72.89 2.78 3.23 980 59.01 2.74 3.01 64.76 14.66 15.97 2.42 3.72 -1.05 69.98 2.74 3.23 981 58.53 3.01 2.88 64.42 12.64 13.97 2.94 4.33 -0.08 67.75 3.01 3.23 982 57.46 3.13 3.37 63.96 10.78 12.09 2.79 4.63 -0.57 64.04 3.13 3.38 983 54.42 3.20 3.66 61.28 10.65 12.03 2.04 3.72 0.94 63.29 3.20 4.03 984 58.85 3.55 3.56 65.96 11.43 12.77 2.15 3.80 -0.78 66.62 3.55 3.97 985 57.54 4.15 3.18 64.87 10.61 12.10 2.44 4.23 1.24 66.22 4.15 3.61 986 56.58 4.47 3.30 64.35 13.20 14.44 2.25 4.06 -0.44 66.15 4.47 3.68 988 57.87 5.66 2.57 66.10 15.75 17.56 2.50 4.42 0.96 71.66 5.66 2.90 989 57.47 5.68 8.302 86.98 16.97 170.78 17.12 18.99 2.77 4.91 -0.75 71.95 6.16 8.13 999 57.47 5.68 8.02 8.02 8.03 97 19.66 5.28 5.22 0.21 71.23 6.58 8.39 991 57.83 6.58 8.60 8.90 87.04 16.35 88.90 97.74 5.68 8.302 8.66.16 17.16 18.95 2.64 4.77 1.01 72.55 5.68 8.31 999 57.47 5.68 8.02 8.00 87.07 19.25 8.00 87.07 19.25 8.68 8.30 992 57.55 6.61 8.60 8.90 87.07 19.25 8.60 8.90 87.07 1.90 8.00 87.07 1.90 8.00 87.07 1.90 8.00 87.00 87.17 1.90 6.18 8.90 97.77 4.91 -0.75 71.95 6.16 8.10 990 58.56 6.16 8.16.09 8.170.78 17.12 18.99 2.77 4.91 -0.75 71.95 6.16 8.13 990 58.56 6.16 8.16.09 8.170.78 17.12 18.99 2.77 4.91 -0.75 71.95 6.16 8.13 990 58.56 6.16 8.60 8.90 87.07 19.25 8.60 8.90 87.07 19.25 8.60 8.90 87.07 19.25 8.60 8.90 87.07 19.25 8.60 8.90 87.07 19.25 8.60 8.90 87.07 19.25 8.60 8.90 87.07 19.25 8.60 8.90 87.07 19.25 8.60 8.90 87.07 19.25 8.60 8.90 87.07 19.25 8.60 8.90 87.07 19.25 8.60 8.90 87.07 19.25 8.60 8.90 87.07 19.25 8.60 8.90 87.07 19.25 8.60 8.90 87.07 19.25 8.60 8.90 87.0														74.28
976 54.72 2.11 3.06 59.89 15.67 16.84 1.60 2.19 -0.18 69.10 2.11 3.15 977 55.10 2.70 2.42 60.22 18.76 20.09 1.44 2.07 -1.95 70.99 2.70 2.60 978 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 979 58.01 2.78 3.02 63.80 17.93 19.62 1.75 2.87 -1.65 72.89 2.78 3.23 980 59.01 2.74 3.01 64.76 14.66 15.97 2.42 3.72 -1.05 69.98 2.74 3.23 981 58.53 3.01 2.88 64.42 12.64 13.97 2.94 4.33 -0.08 67.75 3.01 3.23 982 57.46 3.13 3.37 63.96 10.78 12.09 2.79 4.63 -0.57 64.04 3.13 3.68 983 54.42 3.20 3.66 61.28 10.65 12.03 2.04 3.72 0.94 63.29 3.20 4.03 984 58.85 3.55 3.56 65.96 11.43 12.77 2.15 3.80 -0.78 66.62 3.55 3.97 985 57.54 4.15 3.18 64.87 10.61 12.10 2.44 4.23 1.24 66.22 4.15 3.61 986 56.58 4.47 3.30 64.35 13.20 14.44 2.25 4.06 -0.44 66.15 4.47 3.68 987 57.17 4.91 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.66 989 57.47 5.68 83.02 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 989 57.47 5.68 83.02 8.61 61.71 61.89 2.77 4.91 -0.75 71.95 6.16 8.11 6.20 991 57.83 6.58 8.00 8.76 75.56 8.83 0.00 8.63 4.91 3.36 999 58.56 6.16 8.16 0.9 8.1170.78 17.12 18.99 2.77 4.91 -0.75 71.95 6.16 8.116.20 991 57.83 6.58 80.9 87.045 16.35 818.59 2.85 5.22 0.21 71.23 6.58 86.30 993 55.71 6.52 86.15 86.34 18.51 21.54 1.96 4.35 81.93 76.94 77.18 86.48 87.10 18.86 22.48 2.32 4.58 81.93 76.94 71.18 86.76														72.54
977 55.10 2.70 2.42 60.22 18.76 20.09 1.44 2.07 -1.95 70.99 2.70 2.60 978 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 979 58.01 2.78 3.02 63.80 17.93 19.62 1.75 2.87 -1.65 72.89 2.78 3.23 980 59.01 2.74 3.01 64.76 14.66 15.97 2.42 3.72 -1.05 69.98 2.74 3.23 981 58.53 3.01 2.88 64.42 12.64 13.97 2.94 4.33 -0.08 67.75 3.01 3.23 982 57.46 3.13 3.37 63.96 10.78 12.09 2.79 4.63 -0.57 64.04 3.13 3.68 983 54.42 3.20 3.66 61.28 10.65 12.03 2.04 3.72 0.94 63.29 3.20 4.03 984 58.85 3.55 3.56 65.96 11.43 12.77 2.15 3.80 -0.78 66.62 3.55 3.97 985 57.54 4.15 3.18 64.87 10.61 12.10 2.44 4.23 1.24 66.22 4.15 3.61 986 56.58 4.47 3.30 64.35 13.20 14.44 2.25 4.06 -0.44 66.15 4.47 3.68 987 57.17 4.91 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 988 57.87 5.66 2.57 66.10 15.75 17.56 2.50 4.42 0.96 71.66 5.66 2.90 989 57.47 5.68 8.3.02 86.16 17.16 18.95 2.64 4.77 1.01 72.55 5.88 8.3.13 990 58.56 6.16 8.16 9.98 17.12 18.99 2.77 4.91 -0.75 71.95 6.16 8.16 2.99 991 57.83 6.58 8.60 8.70 8.70 19.66 2.68 5.02 8.99 872.90 6.61 8.30 993 55.71 6.52 86.15 86.84 86.00 870.45 18.59 2.85 5.22 0.21 71.23 6.58 86.30 993 55.71 6.52 86.15 86.84 86.00 870.71 19.25 22.71 1.88 84.13 -0.05 870.97 6.07 6.84 86.31 995 57.41 7.18 86.48 871.04 18.86 22.48 2.32 4.55 871.93 76.94 7.18 86.76													3.29	70.55
978 55.07 3.02 3.00 61.10 17.82 19.25 1.08 1.93 -0.34 71.86 3.02 3.21 979 58.01 2.78 3.02 63.80 17.93 19.62 1.75 2.87 -1.65 72.89 2.78 3.23 980 59.01 2.74 3.01 64.76 14.66 15.97 2.42 3.72 -1.05 69.98 2.74 3.23 981 58.53 3.01 2.88 64.42 12.64 13.97 2.94 4.33 -0.08 67.75 3.01 3.23 982 57.46 3.13 3.37 63.96 10.78 12.09 2.79 4.63 -0.57 64.04 3.13 3.68 983 54.42 3.20 3.66 61.28 10.65 12.03 2.04 3.72 0.94 63.29 3.20 4.03 984 58.85 3.55 3.56 65.96 11.43 12.77 2.15 3.80 -0.78 66.62 3.55 3.97 985 57.54 4.15 3.18 64.87 10.61 12.10 2.44 4.23 1.24 66.22 4.15 3.61 986 56.58 4.47 3.30 64.35 13.20 14.44 2.25 4.06 -0.44 66.15 4.47 3.68 987 57.17 4.91 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 989 57.87 5.66 2.57 66.10 15.75 17.56 2.50 4.42 0.96 71.66 5.66 2.90 989 57.47 5.68 83.02 86.66 11.716 18.95 2.64 4.77 1.01 72.55 5.68 83.13 990 58.56 6.16 8.16 0.9 8.1170.78 17.12 18.99 2.77 4.91 -0.75 71.95 6.16 8.16 2.90 992 57.55 6.61 8.84 8.74 52 6.52 86.30 993 55.71 6.52 86.15 86.34 18.51 21.54 1.96 4.35 81.99 76.94 71.88 86.31 9994 57.91 6.52 86.15 86.34 18.51 21.54 1.96 4.35 81.93 76.94 7.18 86.31 9995 57.41 7.18 86.48 871.04 18.86 22.48 2.32 4.58 81.93 76.94 7.18 86.56							16.84							74.36
979 58.01 2.78 3.02 63.80 17.93 19.62 1.75 2.87 -1.65 72.89 2.78 3.23 980 59.01 2.74 3.01 64.76 14.66 15.97 2.42 3.72 -1.05 69.98 2.74 3.23 981 58.53 3.01 2.88 64.42 12.64 13.97 2.94 4.33 -0.08 67.75 3.01 3.23 982 57.46 3.13 3.37 63.96 10.78 12.09 2.79 4.63 -0.57 64.04 3.13 3.68 983 54.42 3.20 3.66 61.28 10.65 12.03 2.04 3.72 0.94 63.29 3.20 4.03 984 58.85 3.55 3.56 65.96 11.43 12.77 2.15 3.80 -0.78 66.62 3.55 3.97 985 57.54 4.15 3.18 64.87 10.61 12.10 2.44 4.23 1.24 66.22 4.15 3.61 986 56.58 4.47 3.30 64.35 13.20 14.44 2.25 4.06 -0.44 66.15 4.47 3.68 987 57.17 4.91 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 988 57.87 5.66 2.57 66.10 15.75 17.56 2.50 4.42 0.96 71.66 5.66 2.90 989 57.47 5.68 83.02 86.16 17.16 18.95 2.64 4.77 1.01 72.55 5.68 83.13 990 58.56 6.16 8.16.09 8.1170.78 17.12 18.99 2.77 4.91 -0.75 71.95 6.16 8.16.09 8.1170.78 17.12 18.99 2.77 4.91 -0.75 71.95 6.16 8.16.09 992 57.55 6.61 8.62 86.98 16.97 19.66 2.68 5.02 80.93 872.90 6.61 86.30 993 55.71 6.52 86.15 86.34 18.51 21.54 1.96 4.35 81.84 874.52 6.52 86.43 993 55.71 6.52 86.15 86.34 18.51 21.54 1.96 4.35 81.84 874.52 6.52 86.43 994 57.91 6.84 86.00 870.71 19.25 22.71 1.88 84.13 -0.05 876.07 6.84 86.36 995 57.41 7.18 86.48 871.04 18.86 22.48 2.32 4.58 81.93 76.94 7.18 86.76														76.29
980 59.01 2.74 3.01 64.76 14.66 15.97 2.42 3.72 -1.05 69.98 2.74 3.23 981 58.53 3.01 2.88 64.42 12.64 13.97 2.94 4.33 -0.08 67.75 3.01 3.23 982 57.46 3.13 3.37 63.96 10.78 12.09 2.79 4.63 -0.57 64.04 3.13 3.68 983 54.42 3.20 3.66 61.28 10.65 12.03 2.04 3.72 0.94 63.29 3.20 4.03 384 58.85 3.55 3.56 65.96 11.43 12.77 2.15 3.80 -0.78 66.62 3.55 3.97 985 57.54 4.15 3.18 64.87 10.61 12.10 2.44 4.23 1.24 66.22 4.15 3.61 986 56.58 4.47 3.30 64.35 13.20 14.44 2.25 <td></td> <td>78.09 78.90</td>														78.09 78.90
881 58.53 3.01 2.88 64.42 12.64 13.97 2.94 4.33 -0.08 67.75 3.01 3.23 882 57.46 3.13 3.37 63.96 10.78 12.09 2.79 4.63 -0.57 64.04 3.13 3.68 883 54.42 3.20 3.66 61.28 10.65 12.03 2.04 3.72 0.94 63.29 3.20 4.03 884 58.85 3.55 3.56 65.96 11.43 12.77 2.15 3.80 -0.78 66.62 3.55 3.97 885 57.54 4.15 3.18 64.87 10.61 12.10 2.44 4.23 1.24 66.22 4.15 3.61 886 56.58 4.47 3.30 64.35 13.20 14.44 2.25 4.06 -0.44 66.15 4.47 3.68 887 57.17 4.91 2.88 64.95 14.16 15.76 2.09 <td></td> <td>78.90 75.96</td>														78.90 75.96
982 57.46 3.13 3.37 63.96 10.78 12.09 2.79 4.63 -0.57 64.04 3.13 3.68 983 54.42 3.20 3.66 61.28 10.65 12.03 2.04 3.72 0.94 63.29 3.20 4.03 984 58.85 3.55 3.56 65.96 11.43 12.77 2.15 3.80 -0.78 66.62 3.55 3.97 985 57.54 4.15 3.18 64.87 10.61 12.10 2.44 4.23 1.24 66.22 4.15 3.61 986 56.58 4.47 3.30 64.35 13.20 14.44 2.25 4.06 -0.44 66.15 4.47 3.68 987 57.17 4.91 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 988 57.87 5.66 2.57 66.10 15.75 17.56 2.50														73.99
83 54.42 3.20 3.66 61.28 10.65 12.03 2.04 3.72 0.94 63.29 3.20 4.03 844 58.85 3.55 3.56 65.96 11.43 12.77 2.15 3.80 -0.78 66.62 3.55 3.97 85.57.54 4.15 3.18 64.87 10.61 12.10 2.44 4.23 1.24 66.22 4.15 3.61 866 56.58 4.47 3.30 64.35 13.20 14.44 2.25 4.06 -0.44 66.15 4.47 3.68 87 57.17 4.91 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 888 57.87 5.66 2.57 66.10 15.75 17.56 2.50 4.42 0.96 71.66 5.66 2.90 889 57.47 5.68 83.02 86.16 17.16 18.95 2.64 4.77 1.01 72.55 5.68 83.13 890 58.56 6.16 8.116.09 8.1170.78 17.12 18.99 2.77 4.91 -0.75 71.95 6.16 8.116.09 8.1170.78 17.12 18.99 2.77 4.91 -0.75 71.95 6.16 8.116.09 8.1170.78 17.12 18.99 2.77 4.91 -0.75 71.95 6.16 8.116.09 8.1170.78 17.12 18.99 2.77 4.91 -0.75 71.95 6.16 8.116.09 8.115.05 81.05 8														70.85
884 58.85 3.55 3.56 65.96 11.43 12.77 2.15 3.80 -0.78 66.62 3.55 3.97 885 57.54 4.15 3.18 64.87 10.61 12.10 2.44 4.23 1.24 66.22 4.15 3.61 86 56.58 4.47 3.30 64.35 13.20 14.44 2.25 4.06 -0.44 66.15 4.47 3.68 887 57.17 4.91 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 88.63 57.87 5.66 2.57 66.10 15.75 17.56 2.50 4.42 0.96 71.66 5.66 2.90 889 57.47 5.68 83.02 866.16 17.16 18.95 2.64 4.77 1.01 72.55 5.68 83.13 890 58.56 6.16 8.116.09 8.1170.78 17.12 18.99 2.77 4.91 -0.75 71.95 6.16 8.116.20 891 57.83 6.58 86.09 870.45 16.35 818.59 2.85 5.22 0.21 71.23 6.58 86.30 892 57.55 6.61 85.86 86.98 16.97 19.66 2.68 5.02 80.93 872.90 6.61 86.13 893 55.71 6.52 86.15 868.34 18.51 21.54 1.96 4.35 81.84 874.52 6.52 86.43 874.04 57.91 6.84 86.00 870.71 19.25 22.71 1.88 84.13 -0.05 876.07 6.84 86.31 895 57.41 7.18 86.48 871.04 18.86 22.48 2.32 4.58 81.93 76.94 7.18 86.76			3.20	3.66	61.28		12.03		3.72	0.94	63.29			70.52
885 57.54 4.15 3.18 64.87 10.61 12.10 2.44 4.23 1.24 66.22 4.15 3.61 886 56.58 4.47 3.30 64.35 13.20 14.44 2.25 4.06 -0.44 66.15 4.47 3.68 887 57.17 4.91 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 888 57.87 5.66 2.57 66.10 15.75 17.56 2.50 4.42 0.96 71.66 5.66 2.90 889 57.47 5.68 R3.02 R66.16 17.16 18.95 2.64 4.77 1.01 72.55 5.68 R3.13 990 58.56 6.16 R.116.09 R.117.078 17.12 18.99 2.77 4.91 -0.75 71.95 6.16 R.116.20 991 57.83 6.58 R6.09 R70.045 16.35 R18.59														74.14
186 56.58 4.47 3.30 64.35 13.20 14.44 2.25 4.06 -0.44 66.15 4.47 3.68 187 57.17 4.91 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 188 57.87 5.66 2.57 66.10 15.75 17.56 2.50 4.42 0.96 71.66 5.66 2.90 189 57.47 5.68 R3.02 R66.16 17.16 18.95 2.64 4.77 1.01 72.55 5.68 R3.13 190 58.56 6.16 R.116.09 R.1170.78 17.12 18.99 2.77 4.91 -0.75 71.95 6.16 R116.20 191 57.83 6.58 R6.09 R70.45 16.35 R18.59 2.85 5.22 0.21 71.23 6.58 R6.30 192 57.55 6.61 R5.86 R69.98 16.97 19.66 2.68 5.02 R0.93 R72.90 6.61 R6.13 193 55.71 6.52 R6.15 R68.34 18.51 21.54 1.96 4.35 R1.84 R74.52 6.52 R6.43 <td></td> <td>73.98</td>														73.98
87 57.17 4.91 2.88 64.95 14.16 15.76 2.09 3.85 0.03 68.63 4.91 3.36 88 57.87 5.66 2.57 66.10 15.75 17.56 2.50 4.42 0.96 71.66 5.66 2.90 89 57.47 5.68 R3.02 R66.16 17.16 18.95 2.64 4.77 1.01 72.55 5.68 R3.13 190 58.56 6.16 R.116.09 R.1170.78 17.12 18.99 2.77 4.91 -0.75 71.95 6.16 R.116.20 191 57.83 6.58 R6.09 R70.45 16.35 R18.59 2.85 5.22 0.21 71.23 6.58 R6.30 192 57.55 6.61 R5.86 R6.98 16.97 19.66 2.68 5.02 R0.93 R72.90 6.61 R6.13 193 55.71 6.52 R6.15 R68.34 18.51 21.54 1.96 4.35 R1.84 R74.52 6.52 R6.43 194 57.91 6.84 R6.00 R70.71 19.25 22.71 1.88 R4.13 -0.05 R76.07 6.84 R6.10 195 57.41 7.18 R6.48 R71.04 18.86 22.48 2.32 4.58 R1.93 76.94 7.18 R6.76	86		4.47	3.30	64.35		14.44	2.25	4.06	-0.44	66.15			74.30
89 57.47 5.68 R3.02 R66.16 17.16 18.95 2.64 4.77 1.01 72.55 5.68 R3.13 890 58.56 6.16 R.116.09 R.1170.78 17.12 18.99 2.77 4.91 -0.75 71.95 6.16 R.116.20 891 57.83 6.58 R6.09 R70.45 16.35 R18.59 2.85 5.22 0.21 71.23 6.58 R6.30 892 57.55 6.61 R5.86 R6.98 16.97 19.66 2.68 5.02 R0.93 R72.90 6.61 R6.13 893 55.71 6.52 R6.15 R68.34 18.51 21.54 1.96 4.35 R1.84 R74.52 6.52 R6.43 894 57.91 6.84 R6.00 R70.71 19.25 22.71 1.88 R4.13 -0.05 R76.07 6.84 R6.31 895 57.41 7.18 R6.48 R71.04 18.86 22.48 2.32 4.58 R1.93 76.94 7.18 R6.76	87	57.17			64.95					0.03		4.91		76.89
990 58.56 6.16 6.16.09 6.1170.78 17.12 18.99 2.77 4.91 -0.75 71.95 6.16 6.16 6.20 6.20 6.20 6.20 6.20 6.20 6.20 6.2					66.10			2.50						80.22
990 58.56 6.16 6.16.09 6.1170.78 17.12 18.99 2.77 4.91 -0.75 71.95 6.16 6.16 6.20 6.20 6.20 6.20 6.20 6.20 6.20 6.2					R66.16		18.95				72.55			R81.35
992 57.55 6.61					R,1170.78									R,1184.12
993 55.71 6.52 ^R 6.15 ^R 68.34 18.51 21.54 1.96 4.35 ^R 1.84 ^R 74.52 6.52 ^R 6.43 994 57.91 6.84 ^R 6.00 ^R 70.71 19.25 22.71 1.88 ^R 4.13 -0.05 ^R 76.07 6.84 ^R 6.31 995 57.41 7.18 ^R 6.48 ^R 71.04 18.86 22.48 2.32 4.58 ^R 1.93 76.94 7.18 ^R 6.76				^K 6.09	^R 70.45					0.21	71.23		^R 6.30	R84.03
994 57.91 6.84 R6.00 R70.71 19.25 22.71 1.88 R4.13 -0.05 R76.07 6.84 R6.31 995 57.41 7.18 R6.48 R71.04 18.86 22.48 2.32 4.58 R1.93 76.94 7.18 R6.76			6.61	^K 5.86	[™] 69.98					r0.93	^K 72.90		r6.13	R85.55
995 57.41 7.18 ^R 6.48 ^R 71.04 18.86 22.48 2.32 4.58 ^R 1.93 76.94 7.18 ^R 6.76					K68.34				4.35		^K 74.52			R87.37
995 57.41 7.16 10.46 171.04 18.86 22.48 2.32 4.58 11.93 76.94 7.18 16.76 1996 88.20 7.17 87.31 82.29 879.43 7.17 87.31					^/U./1					-U.U5				R89.25
990 "56.20 7.17 "6.96 "72.32 "20.27 "23.97 2.37 "4.71 "2.29 "79.43 7.17 "7.31		57.41			'`/1.U4	18.86 Rad 27	22.48	2.32	4.58 R4.74	'`1.93 Ra 20	/6.94 R70.42		'\6./6 R7.24	R90.86 R93.87
997^{P} 58.75 6.69 6.93 72.32 21.22 24.96 2.19 4.57 1.50 80.36 6.69 7.14														94.21

Coal, natural gas (dry), crude oil, and natural gas plant liquids.
 See Note 1 at end of section.

 ³ Conventional hydroelectric power, geothermal energy, biofuels, solar energy, and wind energy.
 4 Also includes hydroelectric pumped storage.

⁵ Crude oil and petroleum products.

⁶ Also includes natural gas, coal, coal coke and electricity.

Also includes natural gas, petroleum, electricity, and coal coke.
 A balancing item. Includes stock changes, losses, gains, miscellaneous blending components, and unaccounted-for supply.

⁹ Coal, coal coke net imports, natural gas, and petroleum.

¹⁰ From 1990, includes net imported electricity from nonrenewable sources and hydroelectric pumped storage, and removes ethanol blended into motor gasoline, which would otherwise be double counted in

storage, and removes ethanol blended into motor gasoline, which would otherwise be double counted in both fossil fuels and renewable energy.

11 There is a discontinuity in this time series between 1989 and 1990 due to the expanded coverage of non-electric utility use of renewable energy beginning in 1990.


R=Revised. P=Preliminary. (s)=Less than 0.005 quadrillion Btu.

Note: Totals may not equal sum of components due to independent rounding.


Sources: Tables 5.1, 6.1, 7.1, 7.7, 8.1, 8.3, 10.1, Energy Information Administration estimates for industrial hydroelectric power, and conversion factors in Appendix A.

Figure 1.2 Energy Production by Source


By Source, 1949-1997



By Source, 1997



By Major Source, 1949-1997



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 1.2.

¹ Renewable energy and pumped-storage hydroelectric power.

² There is a discontinuity in this time series between 1989 and 1990 due to the expanded coverage of non-electric utility use of renewable energy beginning in 1990.

³ Includes lease condensate.

⁴Natural gas plant liquids.

⁵ Conventional and pumped-storage hydroelectric power.

⁶ Solar energy and wind energy.

Table 1.2 Energy Production by Source, 1949-1997

(Quadrillion Btu)

			Fossil Fuels							Renewable	Energy			
Year	Coal	Natural Gas (Dry)	Crude Oil ¹	Natural Gas Plant Liquids	Total Fossil Fuels	Nuclear Electric Power ²	Hydroelectric Pumped Storage ³	Conventional Hydroelectric Power	Geothermal Energy	Biofuels ⁴	Solar Energy	Wind Energy	Total Renewable Energy	Total
949	11.974	5.377	10.683	0.714	28.748	0	(5)	1.425	0	0.006	0	0	1.431	30.179
950	14.060	6.233	11.447	0.823	32.563	0	5 \	1.425	0	0.005	0	0	1.421	33.983
951	14.419	7.416	13.037	0.920	35.792	0	(5)	1.424	0	0.005	0	0	1.429	37.221
				0.920			(5)	1.466	0	0.005	0	0		36.449
952	12.735	7.964	13.281 13.671	0.998	34.977	0	5	1.466		0.006		•	1.472	36.449
953	12.278	8.339		1.062	35.349	0	(5)	1.413	0	0.005	0	0	1.418	36.767
954	10.542	8.682	13.427	1.113	33.764	0	(5)	1.360	0	0.003	0	0	1.363	35.127
955	12.370	9.345	14.410	1.240	37.364	0	(5)	1.360	0	0.003	0	0	1.363	38.727
956	13.306	10.002	15.180	1.283	39.771	0		1.435	0	0.002	0	0	1.436	41.208
957	13.061	10.605	15.178	1.289	40.133	(s)	(5)	1.516	0	0.002	0	0	1.518	41.651
958	10.783	10.942	14.204	1.287	37.216	0.002	(5)	1.592 1.548	0	0.002	0	0	1.594 1.550	38.812
959	10.778	11.952	14.933	1.383	39.045	0.002	\ 5 \	1.548	0	0.002	0	0	1.550	40.598
960	10.817	12.656	14.935	1.461	39.869	0.006	(5)	1.608	0.001	0.002	0	0	1.610	41.485
961	10.447	13.105	15.206	1.549	40.307	0.020	(5)	1.656	0.002	0.001	0	0	1.660	41.987
962	10.901	13.717	15.522	1.593	41.732	0.026	\ 5 \	1.816	0.002	0.001	0	0	1.820	43.578
963	11.849	14.513	15.966	1.709	44.037	0.038	(5)	1.771	0.004	0.001	0	0	1.776	45.852
964	12.524	15.298	16.164	1.803	45.789	0.040		1.886	0.005	0.002	Ö	0	1.892	47 721
965	13.055	15.775	16.521	1.883	47.235	0.043	\ 5 \	2.059	0.004	0.003	ŏ	ŏ	2.066	47.721 49.344
66	13.468	17.011	17.561	1.996	50.036	0.064	75 \	2.062	0.004	0.003	Ŏ	ő	2.069	52.169
67	13.826	17.943	18.651	2.177	52.597	0.088	\ ₅ \	2.347	0.007	0.003	0	0	2.357	55.043
68	13.608	19.068	19.308	2.321	54.306	0.142	(5)	2.347	0.007	0.003	0	0	2.362	56.809
69	13.864	20.446	19.556	2.420	56.286	0.154	(5)	2.648	0.009	0.004	0	0	2.665	59.104
70	14.607	21.666	20.401	2.420	59.186	0.154	5	2.634	0.013	0.003	0	0	2.649	62.074
							(5)			0.004		•		02.074
971	13.185	22.280	20.033	2.544	58.041	0.413	(5)	2.824	0.012	0.003	0	0	2.839	61.294
972	14.091	22.208	20.041	2.598	58.938	0.584	5	2.864	0.031	0.003	0	0	2.899	62.420
73	13.993	22.187	19.493	2.569	58.242	0.910		2.861	0.043	0.003	0	0	2.907	62.060
974	14.074	21.210	18.575	2.471	56.331	1.272	(5)	3.177	0.053	0.003	0	0	3.232	60.835
75	14.990	19.640	17.729	2.374	54.734	1.900	(5)	3.155	0.070	0.002	0	0	3.227	59.860
76	15.654	19.480	17.262	2.327	54.723	2.111		2.976	0.078	0.003	0	0	3.057	59.892
77	15.755	19.565	17.454	2.327	55.101	2.702	(5)	2.333	0.077	0.005	0	0	2.416	60.219
78	14.910	19.485	18.434	2.245	55.074	3.024	(5)	2.937	0.064	0.003	0	0	3.005	61.103
79	17.539	20.076	18.104	2.286	58.005	2.776	\ 5 \	2.931	0.084	0.005	0	0	3.020	63.801
080	18.597	19.908	18.249	2.254	59.007	2.739	(5)	2.900	0.110	0.005	0	0	3.014	64.761
81	18.376	19.699	18.146	2.307	58.529	3.008	(5)	2.758	0.123	0.004	0	0	2.885	64.421
82	18.639	18.319	18.309	2.191	57.458	3.131	\ 5 \	3.266	0.105	0.003	Ö	Ŏ	3.374	63 962
83	17.246	16.593	18.392	2.184	54.416	3.203	(5)	3.527	0.129	0.004	Ö	(s)	3.661	61.279 65.962
84	19.719	18.008	18.848	2.274	58.849	3.553	(5)	3.386	0.165	0.009	Ŏ	(s)	3.560	65 962
85	19.325	16.980	18.992	2.241	57.539	4.149	\ 5 \	2.970	0.198	0.014	ő	(s) (s)	3.183	64.871
86	19.510	16.541	18.376	2.149	56.576	4.471	\ 5 \	3.071	0.219	0.012	Ö	(s)	3.303	64.350
87	20.142	17.136	17.675	2.215	57.167	4.906		2 635	0.213	0.012	0		2.879	64.052
88	20.737	17.136	17.075	2.260	57.167	5.661	5 5	2.635 2.334	0.229 0.217	0.015	0	(s) (s)	2.569	64.952 66.105
oo 89	21.345	17.847	16.117	2.158	57.468	5.677	(5)	R2.798	0.217	0.017		(s)	R3.015	R66.160
90		18.362			58.564		-0.036	R,63.032	0.197 R,70.344	⁷ 2.632	(s) ^{R,7} 0.063	⁷ 0.023	R,76.094	R,770.782
	22.456	10.302	15.571	2.175		6.161		R2.005	RO 240	2.032	0.003		R6.089	R70.782
91	21.594	18.229	15.701	2.306	57.829	6.579	-0.047	R3.005	R0.349	2.642	0.066	0.027		R70.450
92	21.593	18.375	15.223	2.363	57.554	6.607	-0.043	R2.618	R0.361	2.788	0.068	0.030	R5.864	R69.983
93	20.221	18.584	14.494	2.408	55.708	6.519	-0.042	R2.893	R0.375	2.784	0.071	0.031	R6.154	R68.339
94	22.068	19.348	14.103	2.391	57.909	6.837	-0.035	R2.683	R0.370	2.838	0.072	0.036	R5.999	R70.711
95	_21.978	_19.101	_13.887	2.442	_57.408	7.177	-0.028	3.206	R _{0.321}	R2.846	0.073	0.033	R6.479	R71.035
996_	R22.646	R19.300	R13.723	2.530	R58.199	7.168	-0.032	3.594	0.339	R2.938	0.075	0.035	^R 6.981	R72.315
97P	23.173	19.474	13.572	2.535	58.754	6.686	-0.042	3.723	0.366	2.723	0.075	0.039	6.925	72.324

¹ Includes lease condensate.

² See Note 1 at end of section.

³ Represents total pumped storage facility production minus energy used for pumping.
4 Includes wood, wood waste, peat, wood liquors, railroad ties, pitch, wood sludge, municipal solid

^{**}Includes wood, wood waste, peat, wood liquors, failfold ties, pitch, wood studge, municipal solid waste, agricultural waste, straw, tires, landfill gases, fish oil, and/or other waste.

5 Through 1989, pumped storage is included in conventional hydroelectric power.

6 There is a discontinuity in this time series between 1989 and 1990; beginning in 1990, pumped storage is removed and expanded coverage of industrial use of hydroelectric power is included.


⁷ There is a discontinuity in this time series between 1989 and 1990 due to the expanded coverage of non-electric utility use of renewable energy beginning in 1990.
R=Revised. P=Preliminary. (s)=Less than 0.0005 quadrillion Btu.

Note: • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fueloverview.html#state.

Sources: Tables 5.1, 6.1, 7.1, 7.7, 8.1, 8.4, 10.1, Energy Information Administration estimates for industrial hydroelectric power, and conversion factors in Appendix A.

Figure 1.3 Energy Consumption by Source



¹ There is a discontinuity in this time series between 1989 and 1990 due to the expanded coverage of non-electric utility use of renewable energy beginning in 1990.

Note: Because vertical scales differ, graphs should not be compared.

Sources: Tables 1.2 and 1.3.

² Conventional and pumped-storage hydroelectric power.

³ Solar energy and wind energy.

Table 1.3 Energy Consumption by Source, 1949-1997

(Quadrillion Btu)

			Fossil Fuel	s						Renewable	Energy			
Year	Coal	Coal Coke Net Imports	Natural Gas ¹	Petroleum ²	Total Fossil Fuels	Nuclear Electric Power	Hydroelectric Pumped Storage ³	Conventional Hydroelectric Power ⁴	Geothermal Energy ⁵	Biofuels ⁶	Solar Energy	Wind Energy	Total Renewable Energy	Total ⁷
1949	11.981	-0.007	5.145	11.883	29.002	0	(8)	1.449	0	0.006	0	0	1.454	30.457
1950	12.347	0.001	5.968	13.315	31.632	Ö	8	1.440	Ö	0.005	Ŏ	Ö	1.446	33.078
1951	12.553	-0.021	7.049	14.428	34.008	0	(8)	1.454	0	0.005	0	0	1.459	35.467
1952	11.307	-0.012	7.550 7.907	14.956	33.800	0	8	1.496 1.439	0	0.006	0	0	1.503	35.302 36.270 35.269
1953	11.373	-0.009	7.907	15.556	34.826	0	(8)	1.439	0	0.005	0	0	1.444	36.270
1954	9.715	-0.007	8.330	15.839	33.877	0	(8)	1.388	0	0.003	0	0	1.391	35.269
1955	11.167	-0.010	8.998	17.255	37.410	0	8 8	1.407	0	0.003	0	0	1.411	38.821
1956	11.350	-0.013	9.614	17.937	38.888	0	(8)	1.487	0	0.002	0	0	1.489	40.377
1957	10.821	-0.017	10.191	17.932	38.926	(s) 0.002	(°)	1.557	0	0.002	0	0	1.559	40.484
1958	9.533	-0.007	10.663	18.527	38.717	0.002	(°)	1.629	0	0.002	0	0	1.631	40.349
1959 1960	9.518 9.838	-0.008 -0.006	11.717 12.385	19.323 19.919	40.550 42.137	0.002 0.006	(8)	1.587 1.657	0 0.001	0.002 0.002	0	0	1.589 1.659	42.141 43.802
1960	9.623	-0.008	12.385	20.216	42.758	0.020	8	1.680	0.001	0.002	0	0	1.684	44.462
1961	9.906	-0.006	13.731	21.049	44.681	0.026	8	1.822	0.002	0.001	0	0	1.825	44.40Z 46.522
1963	10.412	-0.007	14.403	21.701	46.509	0.038	(8)	1.772	0.002	0.001	0	0	1.777	46.533 48.325 50.496 52.684
1964	10.965	-0.010	15.288	22.301	48.543	0.038	8	1.907	0.005	0.001	0	0	1.913	50.496
1965	11.580	-0.018	15.769	23.246	50.576	0.043	\ ₈ \	2.058	0.003	0.002	0	0	2.065	52 684
1966	12.143	-0.025	16.995	24.401	53.514	0.064	8	2.073	0.004	0.003	0	0	2.081	55.659
1967	11.914	-0.015	17.945	25.284	55.127	0.088	8 \	2.344	0.007	0.003	0	ő	2.354	57.569
1968	12.331	-0.017	19.210	26.979	58.502	0.142	8	2 342	0.009	0.004	Õ	ŏ	2.355	60.999
1969	12.382	-0.036	20.678	28.338	61.362	0.154	(8)	2.659	0.013	0.003	0	0	2.676	64.191
1970	12.264	-0.058	21.795	29.521	63.522	0.239	8	2.654	0.011	0.004	Ō	Ö	2.669	66.431
1971	11.599	-0.033	22.469	30.561	64.596	0.413	8	2.861	0.012	0.003	0	0	2.876	67.885
1972	12.077	-0.026	22.698	32.947	67.696	0.584	(8)	2.944	0.031	0.003	0	0	2.979	71.258
1973	12.971	-0.007	22.512	34.840	70.316	0.910	8	3.010	0.043	0.003	0	0	3.056	74.282
1974	12.663	0.056	21.732	33.455	67.906	1.272	(8)	3.309 3.219	0.053	0.003	0	0	3.365	74.282 72.543
1975	12.663	0.014	19.948	32.731	65.355	1.900	(8)	3.219	0.070	0.002	0	0	3.291	70.546
1976	13.584	(s)_	20.345	35.175	69.104	2.111	(8)	3.066	0.078	0.003	0	0	3.146	74.362
1977	13.922	0.015	19.931	37.122	70.989	2.702	(8)	2.515	0.077	0.005	0	0	2.597	76.288
1978	13.765	0.125	20.000	37.965	71.856	3.024	(°)	3.141	0.064	0.003	0	0	3.209	78.089
1979 1980	15.040 15.423	0.063 -0.035	20.666 20.394	37.123 34.202	72.892 69.985	2.776 2.739	(8)	3.141 3.118	0.084 0.110	0.005	0	0	3.230	78.898 75.956
1980	15.423	-0.035	19.928	31.931	67.750	3.008	8	3.105	0.110	0.005 0.004	0	0	3.232 3.232	73.990
1982	15.321	-0.010	18.505	30.232	64.037	3.131	(8)	3.572	0.125	0.004	0	0	3.680	70.848
1983	15.895	-0.016	17.357	30.054	63.290	3.203	8	3.899	0.129	0.003	0	(s)	4.032	70.525
1984	17.070	-0.011	18.507	31.051	66.617	3.553	8	3.800	0.165	0.009	0	(s)	3.974	74.144
1985	17.478	-0.013	17.834	30.922	66.221	4.149	8	3.398	0.198	0.014	0	(s)	3.611	73.980
1986	17.260	-0.017	16.708	32.196	66.148	4.471	8 \	3.446	0.219	0.012	ő	(s)	3.678	74.297
1987	18.008	0.009	17.744	32.865	68.626	4.906	8	3.117	0.229	0.015	Ŏ	(s)	3.362	74.297 76.894
1988	18.846	0.040	18.552	34.222	71.660	5.661	(8)	2 662	0.217	0.017	Õ	(s)	2.897	80.218 R81.353 R,1084.118
1989	18.921	0.030	19 384	34.211	72.546	5.677	8 \	R2.912 R,93.123	0.197	0.020	(s)		R3.130	R81.353
1990	19.101	0.005	19.296	33.553	71.955	6.161	-Ò.036	R,93.123	0.197 R,100.355	0.020 ¹⁰ 2.632	(s) R,100.063	(s) 100.023	R,106.197	R,1084.118
1991	18.770	0.009	19.606	32.845	71.230	6.579	-0.047	R3.205	R _{0.365}	2.642	0.066	0.027	R6.304	R84.026
1992 ^F	R,1119.217	0.027	20.131	33.527	R,1172.902	6.607	-0.043	^R 2.863	^R 0.379	2.788	0.068	0.030	R6.128	R,1185.554
1993	R19.837	0.017	20.827	33.841	R74.522	6.519	-0.042	R3.147	R0.393	2.784	0.071	0.031	R6.426	R87.368
1994	R20.027	0.024	21.288	34.735	R76.073	6.837	-0.035 -0.028	R2.969	R _{0.395}	2.838	0.072	0.036	R6.309	R89.250
1995	R20.090	0.026	22.163	34.663	76.943	7.177	-0.028	3.472	R _{0.339}	R2.846	0.073	0.033	^R 6.763	R90.864
1996	R21.011	(s)	R22.560	R35.864	R79.434	7.168	-0.032	3.914	0.352	R2.938	0.075	0.035	R7.315	R93.871
1997 ^P	21.439	0.018	22.588	36.314	80.360	6.686	-0.042	3.942	0.366	2.723	0.075	0.039	7.145	94.209

 ¹ Includes supplemental gaseous fuels.
 ² Petroleum products supplied, including natural gas plant liquids and crude oil burned as fuel.
 ³ Represents total pumped storage facility production minus energy used for pumping.
 ⁴ Through 1989, includes all net imports of electricity. From 1990, includes only the portion of net imports of electricity that is derived from hydroelectric power.
 ⁵ Includes electricity imports from Mexico that are derived from geothermal energy.
 ⁶ Includes wood, wood waste, peat, wood liquors, railroad ties, pitch, wood sludge, municipal solid waste, stray tirse langfill gases fish oil and/or other waste.

waste, agricultural waste, straw, tires, landfill gases, fish oil, and/or other waste.

7 From 1990, includes net imported electricity from nonrenewable sources and removes ethanol blended into motor gasoline, which would otherwise be double counted in both petroleum and renewable energy.

⁸ Through 1989, pumped storage is included in conventional hydroelectric power.


⁹ There is a discontinuity in this time series between 1989 and 1990; beginning in 1990, pumped storage is removed and expanded coverage of industrial use of hydroelectric power is included.
¹⁰ There is a discontinuity in this time series between 1989 and 1990 due to the expanded coverage of nonutility use of renewable energy beginning in 1990.

¹¹ Independent power producers' use of coal is included beginning in 1992. See Table 7.3. R=Revised. P=Preliminary. (s)=Less than 0.0005 quadrillion Btu.


Note: Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fueloverview.html#state.
Sources: Tables 5.1, 6.1, 7.1, 7.7, 8.1, 8.3, 10.1, Energy Information Administration estimates for industrial hydroelectric power, and conversion factors in Appendix A.

Figure 1.4 Energy Imports, Exports, and Net Imports, 1949-1997



Energy Net Imports



Notes: • Negative net imports are net exports. •Because vertical scales differ, graphs should not be compared.

Source: Table 1.4.

Table 1.4 Energy Imports, Exports, and Net Imports, 1949-1997 (Quadrillion Btu)


			Imports					Exports					Net Imports 1		
Year	Coal	Natural Gas (Dry)	Petroleum ²	Other ³	Total	Coal	Natural Gas (Dry)	Petroleum	Other ³	Total	Coal	Natural Gas (Dry)	Petroleum ²	Other ³	Total
1949	0.01	0.00	1.43	0.03	1.47	0.88	0.02	0.68	0.02	1.59	-0.87	-0.02	0.75	0.02	-0.13
1950	0.01	0.00	1.89	0.04	1.93	0.79	0.03	0.64	0.01	1.47	-0.78	-0.03	1.24	0.03	0.47
1951	0.01	0.00	1.87	0.04	1.92	1.68	0.03	0.89	0.03	2.62	-1.67	-0.03	0.98	0.01	-0.71
1952	0.01	0.01	2.11	0.04	2.17	1.40	0.03	0.91	0.02	2.37	-1.40	-0.02	1.20	0.02	-0.20
1953 1954	0.01	0.01	2.28	0.04 0.04	2.34	0.98	0.03	0.84 0.75	0.02	1.87	-0.97	-0.02	1.44 1.58	0.02	0.47
1954	0.01 0.01	0.01 0.01	2.32 2.75	0.04	2.37 2.83	0.91 1.46	0.03 0.03	0.75	0.01 0.02	1.70 2.29	-0.91 -1.46	-0.02 -0.02	1.58	0.02 0.04	0.67 0.54
1956	0.01	0.01	3.17	0.06	3.25	1.98	0.03	0.77	0.02	2.95	-1.98	-0.02	2.26	0.04	0.30
1957	0.01	0.04	3.46	0.06	3.57	2.17	0.04	1.20	0.03	3.45	-2.16	(s)	2.26	0.02	0.12
1958	0.01	0.14	3.72	0.05	3.92	1.42	0.04	0.58	0.02	2.06	-1.41	0.10	3.14	0.03	1.86
1959	0.01	0.14	3.91	0.05	4.11	1.05	0.02	0.45	0.02	1.54	-1.04	0.12	3.46	0.03	2.57
1960	0.01	0.16	4.00	0.06	4.23	1.02	0.01	0.43	0.02	1.48	-1.02	0.15	3.57	0.04	2.74
1961	(s)	0.23	4.19	0.04	4.46	0.98	0.01	0.37	0.02	1.38	-0.98	0.22	3.82	0.02	3.08
1962	0.01	0.42	4.56	0.03	5.01	1.08	0.02	0.36	0.03	1.48	-1.08	0.40	4.20	(s)	3.53
1963 1964	0.01 0.01	0.42 0.46	4.65 4.96	0.03 0.07	5.10 5.49	1.36 1.34	0.02 0.02	0.44 0.43	0.03 0.06	1.85 1.84	-1.35 -1.33	0.40 0.44	4.21 4.53	-0.01 0.01	3.25 3.65
1965	(s)	0.47	5.40	0.07	5.92	1.38	0.02	0.43	0.06	1.85	-1.37	0.44	5.01	-0.02	4.06
1966	(s)	0.50	5.63	0.05	6.18	1.35	0.03	0.41	0.06	1.85	-1.35	0.47	5.21	-0.01	4.32
1967	0.01	0.58	5.56	0.04	6.19	1.35	0.08	0.65	0.06	2.15	-1.35	0.50	4.91	-0.02	4.04
1968	0.01	0.67	6.21	0.04	6.93	1.38	0.10	0.49	0.06	2.03	-1.37	0.58	5.73	-0.02	4.90
1969	(s)	0.75	6.90	0.06	7.71	1.53	0.05	0.49	0.08	2.15	-1.53	0.70	6.42	-0.02	5.56
1970	(s)	0.85	7.47	0.07	8.39	1.94	0.07	0.55	0.11	2.66	-1.93	0.77	6.92	-0.04	5.72
1971	(s)	0.96	8.54	0.08	9.58	1.55	0.08	0.47	0.07	2.18	-1.54	0.88	8.07	(s)	7.41
1972 1973	(s)	1.05 1.06	10.30 13.47	0.11 0.20	11.46 14.73	1.53 1.43	0.08 0.08	0.47 0.49	0.06 0.06	2.14 2.05	-1.53 -1.42	0.97 0.98	9.83 12.98	0.05 0.14	9.32 12.68
1973	(s) 0.05	0.99	13.47	0.25	14.73	1.62	0.08	0.49	0.06	2.05	-1.42	0.96	12.96	0.14	12.00
1975	0.03	0.98	12.95	0.16	14.11	1.76	0.07	0.44	0.08	2.36	-1.74	0.90	12.51	0.08	11.75
1976	0.03	0.99	15.67	0.15	16.84	1.60	0.07	0.47	0.06	2.19	-1.57	0.92	15.20	0.09	14.65
1977	0.04	1.04	18.76	0.26	20.09	1.44	0.06	0.51	0.06	2.07	-1.40	0.98	18.24	0.20	18.02
1978	0.07	0.99	17.82	0.36	19.25	1.08	0.05	0.77	0.03	1.93	-1.00	0.94	17.06	0.33	17.32
1979	0.05	1.30	17.93	0.33	19.62	1.75	0.06	1.00	0.06	2.87	-1.70	1.24	16.93	0.27	16.75
1980 1981	0.03	1.01 0.92	14.66 12.64	0.28 0.39	15.97	2.42 2.94	0.05	1.16	0.09 0.06	3.72 4.33	-2.39 -2.92	0.96 0.86	13.50	0.18	12.25 9.65
1981	0.03	0.92	12.64	0.39	13.97 12.09	2.94	0.06 0.05	1.26 1.73	0.06	4.33	-2.92 -2.77	0.86	11.38 9.05	0.33 0.28	7.46
1983	0.02	0.94	10.75	0.41	12.03	2.04	0.06	1.57	0.05	3.72	-2.01	0.89	9.08	0.36	8.31
1984	0.03	0.85	11.43	0.46	12.77	2.15	0.06	1.54	0.05	3.80	-2.12	0.79	9.89	0.40	8.96
1985	0.05	0.95	10.61	0.49	12.10	2.44	0.06	1.66	0.08	4.23	-2.39	0.90	8.95	0.41	7.87
1986	0.06	0.75	13.20	0.43	14.44	2.25	0.06	1.67	0.08	4.06	-2.19	0.69	11.53	0.36	10.38
1987	0.04	0.99	14.16	0.57	15.76	2.09	0.05	1.63	0.08	3.85	-2.05	0.94	12.53	0.49	11.91
1988	0.05	1.30	15.75	0.47	17.56	2.50	0.07	1.74	0.10	4.42	-2.45	1.22	14.01	0.37	13.15
1989 1990	0.07 0.07	1.39 1.55	17.16 17.12	0.33 0.26	18.95 18.99	2.64 2.77	0.11 0.09	1.84 1.82	0.18 0.23	4.77 4.91	-2.57 -2.70	1.28 1.46	15.33 15.29	0.14 0.03	14.18 14.08
1990	0.07	1.80	16.35	R _{0.36}	R18.59	2.77	0.09	2.13	0.23	5.22	-2.70 -2.77	1.46	14.22	0.03	R13.37
1992	0.10	2.16	16.97	0.44	19.66	2.68	0.13	2.01	0.11	5.02	-2.59	1.94	14.96	0.33	14.64
1993	0.18	2.40	18.51	0.45	21.54	1.96	0.14	2.12	0.13	4.35	-1.78	2.25	16.40	0.32	17.19
1994	0.19	2.68	19.25	0.59	22.71	1.88	0.16	1.99	0.09	R4.13	-1.69	2.52	17.26	R _{0.50}	18.58
1995	0.18	2.90	18.86	0.54	22.48	2.32	0.16	1.99	0.11	4.58	-2.14	2.74	16.87	0.42	17.90
1996	0.18	R3.00	R20.27	R _{0.52}	R23.97	2.37	R _{0.16}	2.06	R _{0.12}	R4.71	-2.19	R2.85	R18.21	R _{0.39}	R19.26
1997 ^P	0.19	3.04	21.22	0.52	24.96	2.19	0.16	2.10	0.13	4.57	-2.00	2.88	19.12	0.39	20.39

Notes: • Includes trade between the United States (50 States and the District of Columbia) and its territories and possessions. • Totals or net import items may not equal sum of components due to independent rounding.

Sources: Tables 5.1, 5.5, 6.1, 7.1, 7.7, and 8.1, and conversion factors in Appendix A.

Net imports = imports minus exports.
 Includes imports into the Strategic Petroleum Reserve, which began in 1977.
 Coal coke and small amounts of electricity transmitted across U.S. borders with Canada and Mexico. R=Revised. P=Preliminary. (s)=Less than 0.005 quadrillion Btu.

Figure 1.5 Energy Consumption per Capita and per Dollar of Gross Domestic Product, 1949-1997



Note: There is a discontinuity in this time series between 1989 and 1990 due to the expanded coverage of non-electric utility use of renewable energy beginning in 1990.

Table 1.5 Energy Consumption per Capita and per Dollar of Gross Domestic Product, 1949-1997

			Per Capita Indicator		Gros	s Domestic Product (GDP) Indic	cator
Year	Total Energy Consumption (Quadrillion Btu)	Population ¹ (Million People)	Energy Consumption per Capita (Million Btu)	Change from Previous Year (Percent) ²	GDP (Billion Chained (1992) Dollars)	Energy Consumption per Dollar of GDP (Thousand Btu per Chained (1992) Dollar)	Changed from Previous year (Percent) ²
949	30.46	149.3	204	_	R1,479.8	R20.58	_
950	33.08	151.3	219	7.4	R1 611 2	R20.53	R-0.2
950 051	35.47	154.0	230	5.0	1,011.3 R1 724.0	R20.45	R-0.4
951 952	35.30	156.4	226	-1.7	R1,611.3 R1,734.0 R1,798.7	R19.63	R-4.0
353	36.27	159.0	228	0.9	R1 881 4	R19.28	R-1.8
953 954	36.27 35.27	159.0 161.9	218	-4.4	R1,881.4 R1,868.2	R18.88	R-2.1
955	38.82	165.1	235	7.8	R2 001 1	R19.40	R2.8
956	40.38	168.1	235 240	2.1	R2,001.1 R2,040.2	R19.79	R2.0
957	40.48	171.2	236	-1.7	R2,078.5 R2,057.5 R2,210.2	R19.48	R-1.6
958	40.35	174.1	232	-1.7	R2 057 5	R19.61	R0.7
959	42.14	177.1	232 238	2.6	R2 210 2	R19.07	R-2.8
960	43.80	179.3	244	2.5	R2,262.9	R19.36	R1.5
961	44.46	183.0	243	-0.4	R2 314 3	R19.21	R-0.8
962	46.53	185.8	250	2.9	R2,454.8 R2,559.4 R2,708.4	R18.96	-1.3
963	48 32	188.5	256	2.0	R2 559 4	R18.88	-0.4
964	48.32 50.50	191.1	264	2.4 3.1	R2 708 4	R18.64	-1.3
965	52.68	193.5	272	3.0	R2 881 1	R18.29	
966	55.66	195.6	285	4.8	R2,881.1 R3,069.2	R18.13	-1.9 ^R -0.9
967	57.57	197.5	292	2.5	R3,147.2 R3,293.9 R3,393.6	R18.29	R _{0.9}
968	61.00	199.4	292 306	4.8	R3 293 9	R18.52	R1.3
969	64.19	201.4	319	4.8 4.2	R3 393 6	R18.92	2.2
70	66.43	203.2	327	2.5	R3,397.6 R3,510.0	R19.55	2.2 R3.3
971	67.89	206.8	328	2.5 0.3	R3 510 0	R19.34	-1.1
972	71.26	209.3	340	3.7	R3,702.3	R19.25	-0.5
973	74.28	211.4	351	3.2	R3,916.3	R18.97	R-1.5
974	72.54	213.3	340	-3.1	R3,891.2	R18.64	R-1.7
75	70.55	215.5	327	-3.8	R3,873.9	R18.21	R-2.3
976	74.36	217.6	327 342	4.6	R4 082 9	R18.21	0.0
77	76.29	219.8	347	1.5	R4 273 6	R17.85	R-2.0 R-2.9
78	78.09	222.1	352	1.4	R4,503.0	R17.34	R-2.9
79	78.90	224.6	351	-0.3	R4 630 6	R17.04	R-1.7
80	75.96	226.5	335	-4.6	R4.615.0	R16.46	R-3.4
981	73.99	229.6	322	-3.9	R4,615.0 R4,720.7	R15.67	R-4.8
982	70.85	232.0	305	-5.3 -1.3	R4,620.3 R4,803.7	R15.33	-2.2 R-4.2
983	70.52	234.3	301	-1.3	R4,803.7	R14.68	R-4.2
84	74.14	236.5	314	4.3	R5,140.1 R5,323.5	R14.42	R-1.8
85	73.98	238.7	310	-1.3	R5.323.5	R13.90	R-3.6
986	74.30	241.1	308	-0.6	^K 5.487.7	R13.54	R-2.6
87	76.89	243.4	316	2.6	R5 649 5	13.61	R _{0.5}
88	80.22	245.8	326	3.2	R5.865.2	13.68	0.5
989	R81.35	248.2	328	0.6	R6.062.0	13.42	-1.9
90	³ 84.12	R248.8	³ 338	33.0	R6,136.3	³ 13.71	³ 2.2
91	R84.03	252.1	333	-1.5	R6,079.4	13.82	R _{0.8}
992	R85 55	255.0	R336	R _{0.9}	6.244.4	13.70	-0.9
993	R87.37	257.8	339	R0.9	R6,389.6	R13.67	R-0.2
994	R89.25	R260.3	343	1.2	R6.610.7	13.50	R-1.2
995	R90.86	R262.8	346	0.9	R6,742.1	R13.48	-0.1
996	R93.87	R265.2	354	2.3	R6,928.4	R13.55	R _{0.5}
997 ^P	94.21	267.6	352	-0.6	7,189.6	13.10	-3.3

 $^{^{1}}$ Resident population of the 50 States and the District of Columbia estimated for July 1 of each year, except for the April 1 census count in 1950, 1960, 1970, 1980, and 1990.

R=Revised. P=Preliminary. — = Not applicable.


Note: See "Chained Dollars" in the Glossary.


Sources: Total Energy Consumption: Table 1.3. Population: • 1949—Bureau of the Census, Current Population Reports, "Population Estimates and Projections," Series P-25, No. 802, May 1979.

Percent change calculated from data prior to rounding.
 There is a discontinuity in this time series between 1989 and 1990 due to the expanded coverage of non-electric utility use of renewable energy beginning in 1990.

^{• 1950-1979—}Bureau of the Census, *Current Population Reports*, "Population Estimates and Projections," Series P-25, No. 990, July 1986. • 1980-1989—*Current Population Reports*, "Population Estimates and Projections," Series P-25, No. 1058, March 1990. • 1990-forward—unpublished data consistent with the Bureau of the Census Press Release CB96-224, December 1996. **Gross Domestic Product**: • 1949-1994—Department of Commerce (DOC), Bureau of Economic Analysis (BEA), Survey of Current Business, "Real Gross Domestic Product" (August 1997), Table 2A. • 1995-1997—DOC, BEA News Release (Washington DC, March 12, 1998), Table 2. Energy Consumption per Capita and Energy Consumption per Dollar GDP: calculated by Energy Information Administration.

Figure 1.6 Energy Consumption and Prices by State





Source: Table 1.6.

Table 1.6 Energy Consumption, Prices, and Expenditures by State

	Consumption, 1995			Prices, 1994			Expenditures, 1994	
Rank	State	Trillion Btu	Rank	State	Dollars per Million Btu	Rank	State	Million Dollar
4	Tayaa	10,511.5	1	District of Columbia	12.23	1	California	50.046
1	Texas California				12.23			50,216
2		7,577.0	2	Connecticut		2	Texas	47,246
3	Ohio	4,038.0	3	Arizona	11.53	3	New York	31,041
4	New York	3,913.4	4	New Hampshire	11.08	4	Pennsylvania	23,542
5	Pennsylvania	3,885.7	5	New York	11.03	5	Ohio	22,892
6	Louisiana	3,813.6	6	Vermont	10.73	6	Illinois	22,632
7	Illinois	3,804.3	7	Hawaii	10.70	7	Florida	21,654
8	Florida	3,518.6	8	Massachusetts	10.52	8	Michigan	17,777
9	Michigan	3,157.0	9	Maryland	10.03	9	New Jersey	17,190
10	Indiana	2,592.1	10	Florida	10.01	10	Georgia	13,777
11	New Jersey	2,542.9	11	North Carolina	9.65	11	North Carolina	13,677
12	Georgia	2,512.1	12	Rhode Island	9.54	12	Louisiana	13,320
13	North Carolina	2,328.1	13	California	9.46	13	Indiana	12,825
14	Washington	2,158.6	14	Nevada	9.41	14	Virginia	11,858
15	Virginia	2,056.0	15	New Mexico	9.21	15	Massachusetts	11,580
16	Tennessee	1,975.2	16	Delaware	8.94	16	Tennessee	10,203
17	Alabama	1,933.3	17	New Jersey	8.85	17	Missouri	9,856
18	Kentucky	1,770.4	18	Virginia	8.79	18	Washington	9,185
19	Wisconsin	1,749.1	19	Pennsylvania	8.63	19	Wisconsin	8,956
20	Missouri	1.662.8	20	Ohio	8.55	20	Alabama	8,912
21	Minnesota	1,622.1	21	Illinois	8.54	21	Maryland	8,692
22	Massachusetts	1,622.1	22	Missouri	8.42	22	Minnesota	8,502
23	South Carolina	1,400.7	23	Georgia	8.41	23	Kentucky	8,046
24	Oklahoma	1,359.6	24	South Carolina	8.41	24	Arizona	7,545
25	Maryland	1,311.9	25	Oregon	8.31	25	South Carolina	7,245
26	Colorado	1,075.2	26	Arkansas	8.18	26	Connecticut	6,620
27	Iowa	1,067.3	27	Colorado	8.17	27	Oklahoma	6,450
28	Arizona	1,058.9	28	South Dakota	8.15	28	Colorado	6,100
29	Mississippi	1,058.8	29	Tennessee	8.13	29	Iowa	5,944
30	Oregon	1,048.2	30	Maine	8.12	30	Oregon	5,528
31	Kansas	1,040.6	31	Nebraska	7.98	31	Kansas	5,391
32	Arkansas	997.9	32	Mississippi	7.96	32	Mississippi	5,282
33	West Virginia	818.9	33	Montana	7.93	33	Arkansas	5,147
34	Connecticut	786.3	34	Minnesota	7.91	34	West Virginia	3,858
35	Alaska	686.3	35	Wisconsin	7.91	35	Nebraska	3,279
36	Utah	638.4	36	Michigan	7.79	36	New Mexico	3,113
37	Nebraska	580.3	37	Idaho	7.77	37	Nevada	3,099
38	New Mexico	575.0	38	Iowa	7.64	38	Utah	2,959
39	Nevada	537.2	39	Kentucky	7.40	39	Maine	2,807
40	Maine	513.3	40	Alabama	7.37	40	New Hampshire	2,180
41	Idaho	456.2	41	Washington	7.33	41	Idaho	2,176
42	Wyoming	405.2	42	Kansas	7.30	42	Hawaii	2,065
43	Montana	378.9	43	Oklahoma	7.18	43	Montana	1,918
44	North Dakota	350.1	44	Indiana	7.01	44	Rhode Island	1.894
45	New Hampshire	284.5	45	West Virginia	6.94	45	Alaska	1,765
45 46	Delaware	264.5 264.0	45 46	Utah	6.92	45 46	Wyoming	1,765
46 47	Hawaii		46 47			46 47	North Dakota	
		254.8		Texas	6.55			1,645
48	South Dakota	235.8	48	Alaska	6.46	48	Delaware	1,510
49	Rhode Island	235.1	49	North Dakota	6.23	49	South Dakota	1,429
50	District of Columbia	177.8	50	Wyoming	5.97	50	District of Columbia	1,241
51	Vermont	149.9	51	Louisiana	5.36	51	Vermont	1,158
	United States	90,547.4		United States	8.31		United States	504,688


Note: Rankings based on unrounded data.

Web Page: http://www.eia.doe.gov/fueloverview.html#state.

Sources: • Consumption: Energy Information Administration (EIA), State Energy Data Report 1995, Consumption Estimates, Table 9 • Prices and Expenditures: EIA, State Energy Price and Expenditure

Report 1994, Table 1. • Both publications include State-level data by end-use sector and type of energy. Consumption estimates are annual 1960 through 1995, and price and expenditures estimates are annual 1970 through 1994.

Figure 1.7 Heating Degree-Days by Month, 1949-1998



Source: Table 1.7.

Table 1.7 Heating Degree-Days by Month, 1949-1998

Year	January	February	March	April	May	June	July	August	September	October	November	December	Total
1949	858	701	611	330	128	21	7	9	94	209	503	763	4,234
1950	761	721	693	412	162	40	11	18	85	196	565	872	4 536
1951	863	724	632	359	135	45	8	17	74	231	645	814	4,547 4,374
1951 1952	807	677	670	315	154	32	5	11	54	324	540	785	4.374
1953	754	667	557	378	142	33	5	11	51	208	492	765	4.063
1954	886	577	646	261	192	32	8	18	56	224	523	809	4,063 4,232
1955	927	759	600	272	121	48	9	6	56	237	600	886	4.521
1956	900	723	648	387	157	27	10	14	82	215	541	683	4.387
1957	977	628	610	308	148	23	6	16	61	315	536	711	4,521 4,387 4,339
1958	909	866	690	324	143	54	7	8	60	250	484	917	4,712 4,403 4,724
1959		762	619	305 278	112	26	4	6	48	249	594	734	4,403
1960	944 884	780	831	278	160	33	7	11	48	254	594 502	936	4,724
1961	982	670	565	413	199	29 35 35	5	7	48	238	532	852	4 540
1962	976	747	689	337	118	35	14	13	91	234	554	886	4.694
1963	1,061	841	689 562	337 325	118 163	35	8	13 18	76	234 162	471	1,012	4,694 4,734 4,515
1964	871	803	636	339	124	39	5	22	72	301	489	814	4,515
1965	907	780	738	355	114	48	11	14	78	271	494	739	4,549
1966	1,010	790	580	377	188	30	6	14	78 81	298	496	830	4,549 4,700 4,609
1967	816	820	600	352	229	34	8	17	82	270	588	793	4,609
1968	979	832	567	309	192	35	6	14	59	240	548	894	4.675
1969	939	778	735	307	134	47	7	14 9	60	296	564	860	4,675 4,736 4,664 4,547
1970	1,063	758	685	344	120	31	4	9	55	253		801	4.664
1971	976	760	681	344 375	194	29	10	12	47	187	541 553	723	4.547
1972	890	785	608	377	137	49	7	12	65	330	613	832	4,705
1973	893	772	504	356	182	22	6	9	61	212	497	799	4.313
1974	893 838	754	556	310	182 171	22 42	6	13	94	212 303	497 524	795	4,705 4,313 4,406 4,472 4,726 4,605 4,958 4,781 4,707 4,512
1975	821	742	686	449	117	37	5	13	100	235	462	805	4,472
1976	974	609	544	309	178	28	8	19	81	367	668	941	4.726
1977	1,188	751	529	270	119	38	6	13	59	295	493	844	4,605
1978	1,061	958	677	350	157	31	7	11	59	283	517	847	4.958
1979	1,079	950	575	364 338	148	37	6	15	58	271	528	750	4,781
1980	887	831	680	338	142	49	5	10	54	316	564	831	4,707
1981	984	689	620	260	165	25	6	11	76	327	504	845	4,512
1982	1,067	776	620	408	114	62	7		75	264	515	692	4 619
1983	874	706	588	421	189	35	6	19 5	53	251	509	990	4.627
1984	1,000	645	704	371	172	28	7	7	88	223	565	704	4,627 4,514
1985	1,057	807	557	260	123	47	5	17	69	243	506	951	4,642 4,295 4,334 4,653 4,726
1986	859	734	542	295	123	30	9	18	76	258	558	793	4.295
1987	920	714	573	309	107	20	8	13	61	345	491	773	4.334
1988	1,004	778 832	594	344	134 163	30	3	13 5	72	352	506	831	4,653
1989	789	832	603	344	163	32	5	14	73	259	542	1,070	4.726
1990	728	655	535	321	184	29	6	10	56	246	457	789	4.016
1991	921	639	564	287	98 152	30	6	7	69	242	586	751	4 200
1992	852	644	603	345	152	46	14	24	74	301	564	822	4,441
1993	860	827	664	368	128	38	11	9	89	302	580	824	4,700
1994	1,031	813	594	293	174	21	6	16	65	268	479	723	4,483
1995	847	750	556	375	174	31	4	7	77	233	605	872	4,531
1996	R945	R748	R713	R360	R165	R27	R8	Rg	R72	R276	R630	R760	R4.713
1997 ^P	922	666	555	405	R209	R55	R19	R25	R78	R294	R589	R809	R4,626
1998 ^P	754	616	555 605	336	NA	NA	NA	NA	NA	NA	NA	NA	4,441 4,700 4,483 4,531 R4,713 R4,626 NA
ormals1	948	768	611	339	150	36	7	13	69	271	528	836	4,576

¹ Based on calculations of data from 1961 through 1990.


R=Revised. P=Preliminary. NA=Not available.

Notes: • This table excludes Alaska and Hawaii. • Degree-days are relative measurements of outdoor air temperature. Heating degree-days are deviations of the mean daily temperature below 65 F. For example, a weather station recording a mean daily temperature of 40 F would report 25 heating degree-days. • Temperature information recorded by weather stations is used to calculate State-wide degree-day averages based on resident State population estimated for 1990. The population-weighted

State figures are aggregated into Census divisions and the national average.

Sources: • 1949-1996 and Normals—U.S. Department of Commerce, National Oceanic and Atmospheric Administration (NOAA), National Climatic Data Center, Asheville, North Carolina. Historical Climatology Series 5-1. • 1997 and 1998—Energy Information Administration, *Monthly Energy Review*, February 1997-May 1998 issues, Table 1.11, which reports data from NOAA, National Weather Service Climate Analysis Center, Camp Springs, Maryland.

Figure 1.8 Cooling Degree-Days by Month, 1949-1997



Source: Table 1.8.

Table 1.8 Cooling Degree-Days by Month, 1949-1998

Year	January	February	March	April	May	June	July	August	September	October	November	December	Total
1949	16	14	14	27	110	253	367	294	131	70	12	10	1,318
1950	27	12	13	21	105	201	268	244	128	78	9	4	1,110 1,195
1951	8	5	15	22	95	198	318	293	158	65	7	11	1,195
1952	17	8	15	20 25 55	96	280	368	303	159	38	10	4	1,318 1,326 1,315
1953	12	8	26	25	118	263	338	292	168	58	11	7	1,326
1954	11	12	11	55	65	241	338 356	296	168 195	60	9	4	1,315
1955	6	7	20	45	121	161	381	355	182	50	10	6	1 344
1956	4	12 17	14	23 33	112 96	232 243	297 337	290 275	151 155	66	9 13	11	1,221
1957	12		13	33	96	243	337	275	155	30	13	6	1,221 1,230
1958	3	1	8	27	101	187	315	304	166	53	18	6	1,189
1959	6	12	13	31	129	228	325	344	179	64	12	5	1.348
1960	7	4	6	37	76	215	301	302	181	59	15	3	1 206
1961	5	9	23	20	71	195	306	287	186	47	12	7	1,168
1962	6	15	9	26	144	204	276	289	136	64	7	3	1 179
1963	5	5	22	42	94	213	308	266	153	83	11	2	1,204
1964	6	3	14	37	114	214	327	256	146	42	17	9	1,185
1965	9	7	10	42	125	179	280	273	146 155	48	19	6	1,204 1,185 1,153 1,148
1966	4	5	12	28	81	201	353	273	132	43	12	4	1,148
1967	9	5	24	48	70	206	278	253	118	45	12	9	1.077
1968	6	3	9	32 33 36 22	75	204	307	292	145 153	53	7	4	1,137
1969	7	4	4	33	94	200	331	304	153	48	8	4	1,137 1,190 1,242
1970	3	4	10	36	104	201	323	313	185	48	6	9	1,242
1971	8	7	10	22	68	244	288	269	182	77	12	17	1.204
1972	15	6	22	36	88	174	299	276	169	44	9	8	1,146
1973	7	3	24	18	75	236	318	303	166	66	21	4	1,241
1974	21	6	28	18 29	101	173	317	267	120	40	10	5	1,117
1975	14	11	14	24	117	203	301	296	120	55 27	12	5	1,172
1976	5	11	23	27	64	208	282	243	127	27	8	4	1,029 1,285 1,226
1977	2	5	21	35	121	212 218	351 310	293 300	180 180	44 52	15	6	1,285
1978	3	1	10	35 31 32	121 93	218	310	300	180	52	19	9	1,226
1979	4	4	13	32	82	187	295	266	160	53	11	6	1 113
1980	9	4	13	23 52 26	95 75	199 257	374	347	192	42	10	5	1,313
1981	3	6	10	52	75	257	333	275	138	43 47	12	5	1,313 1,209 1,136 1,260
1982	6	10	21	26	115	165	318 353	262	140	47	15	11	1,136
1983	6	5	9	13	72	193	353	362	172	58	12	5	1,260
1984	5	6	14	24	92	233	291	312	143	70	9	15	1,214
1985	3	5	22	39	108	193	313	269	145	68	25	4	1,214 1,194 1,249 1,269 1,283
1986	8	10	17	33	106	231	340	259	161	52	23	9	1,249
1987	5	7	13	23	127	244	334	298	156	40	14	8	1,269
1988	5	5	13	28	89	218	359	348	149	45	18	6	1,283
1989	15	7	19	36 29 42	88 86	208 234	312	266	138 172	49 57	16	2	1,156 1,260 1,331
1990	15	14	21	29	86	234	316	291	172		16	9	1,260
1991	10	9	19	42	147	235	336	305	149	62	8	9	1,331
1992	6	10	15	29	77	170	286	228	150	49	13	7	1,040
1993	13	5	11	19 37	91	207	347	317	146	47	11	4	1,218
1994	7	9	18	37	76	262	328	263	141	50	20	9	1,220
1995	_7	_7	18	29 R26	91	202	348	363	150	_61	_12	_5	_1,293
1996	R7	R6	R8	R26	R116	R226	R299	R287	R139	R45	R14	R7	R1,180
1997 ^P	5	8	16	R15	R68	R192	R306	R254	R156	R56	R8	R4	R1,090
1998 ^P	5	4	15	19	NA	NA	NA	NA	NA	NA	NA	NA	1,040 1,218 1,220 1,293 R1,180 R1,090 NA
mals ¹	7	7	16	31	95	208	317	287	154	52	13	7	1,193

Based on calculations of data from 1961 through 1990.


Notes: • This table excludes Alaska and Hawaii. • Degree-days are relative measurements of outdoor air temperature. Cooling degree-days are deviations of the mean daily temperature above 65 F. For example, a weather station recording a mean daily temperature of 78 F would report 13 cooling degree-days. • Temperature information recorded by weather stations is used to calculate State-wide degree-day averages based on resident State population estimated for 1990. The population-weighted

State figures are aggregated into Census divisions and the national average.

Sources: • 1949-1996 and Normals—U.S. Department of Commerce, National Oceanic and Atmospheric Administration (NOAA), National Climatic Data Center, Asheville, North Carolina. Historical Climatology Series 5-2. • 1997 and 1998—Energy Information Administration, Monthly Energy Review, February 1997-May 1998 issues, Table 1.12, which reports data from NOAA, National Weather Service Climate Analysis Center, Camp Springs, Maryland.

R=Revised. P=Preliminary. NA=Not available.

Figure 1.9 Heating Degree-Days by Census Division, 1949-1997



¹ Excludes Alaska and Hawaii.

Note: See Appendix D for Census divisions.

Source: Table 1.9.

Table 1.9 Heating Degree-Days by Census Division, 1949-1997

Year	New England	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific ¹	United States ¹
1949	5,829	5,091	5,801	6,479	2,367	2,942	2,133	5,483	3,729	4,234
1950	6,470	5,765	6,619	7,136	2,713	3,315	1,974	4,930	3,355	4,536
1951	6,137	5,497	6,549	7 246	2,728	3,340	2 154	5 513	3 469	4,547
1951 1952	6,180	5,443	5,977	7,246 6,386	2,684	3,276	2,154 2,074	5,404 4,925	3,469 3,586	4,374
1953	5,650	5,027	5,626	5,994	2,486	3,132	2,024	4 925	3,224	4,063
1954	6,291	5.473	5,841	6.063	2.713	3.211	1 876	4 679	3 296	4,232
1955	6.577	5.708	6.101	6.630	2 786	3.314	2.083	5.517	3.723	4.521
1956	6,702	5,708 5,731	6,101 6,019	6,630 6,408	2,642	3,314 3,113	2,083 2,032	5,517 5,146	3,723 3,382	4,521 4,387
1957	6,158	5 469	6.166	6 525	2.594	3 112	2.068	5 203	3 322	4.339
1958	6 907	6,237 5,535 5,901	6,585 6,303	6,585 6,665 6,884	3.271	4,004 3,415 3,958	2.590	4,929 5,138 5,328 5,299	2,819 2,925 3,309	4 712
1959	6,363	5,535	6.303	6.665	2,698 3,147	3.415	2 398	5.138	2.925	4,403
1960	6.561	5,901	6,544	6,884	3,147	3,958	2,551	5,328	3,309	4,724
1961	6,632	5,895	6,275	6,591	2,869	3,497	2,296	5,299	3 221	4,540
1962	6,981	6 089	6.545	6 691	3 022	3 627	2 264	5,165 5,060	3,400 3,326 3,583 3,378	4.694
1963	6.816	6 103	6.691	6 485	3.138	3.890	2,438 2,272	5,060	3,326	4 734
1964	6,594	5,694 5,933	6,030	6,303 6,646	2,828	3,462 3,374 3,758	2,272	5,769 5,318 5,275	3,583	4,515
1965	6,825	5,933	6,284	6,646	2,830	3,374	2,078	5,318	3,378	4,549
1966	6,662	6,012	6,606	6.872	3,118	3,758	2.416	5,275	3.170	4,700
1967	6,987	6,127 5,981	6 477	6,569 6,556 6,903	2,864 3,160	3,403 3,927	2,082 2,522	5,232 5,415 5,324	3,316 3,198	4,609 4,675
1968	6,800	5,981	6,331	6,556	3,160	3,927	2,522	5,415	3,198	4,675
1969	6,593	5,933	6,603	6,903	3,205	3,910	2,325	5,324	3,377	4,736
1970	6,839	5.943	6.455	6 835	2.997	3 685	2.396	5 436	3 257	4.664
1971	6,695	5 761	6,236	6,594 7,094	2 763	3,395 3,438	1,985 2,259	5,585 5,352	3,698 3,376	4,547
1972	7,001	6,064	6,772	7,094	2,759	3,438	2,259	5,352	3,376	4,705
1973	6,120	6,064 5,327	5,780	6,226	2.718	3 309	2,256	5.562	3,383 3,294 3,623	4,313
1974	6,621	5.670	6,259	6.478	2,551	3,171	2,080	5,281	3,294	4,406
1975	6,362	5,477	6,169	6,678	2,551 2,640	3,171 3,336	2,187	5,281 5,693	3,623	4,472
1976	6,839	6,097	6,768	6,670	3.040	3,881	2,446	5.303	3 115	4,726
1977	6,579	5,889	6,538	6,506 7,324 7,369	3.047	3.812	2,330	5,060 5,370	3,135 3,168 3,202 2,986	4,605
1978	7,061	6,330	7,095	7,324	3 187	4,062	2 764	5,370	3,168	4.958
1979	6,348	5,851	6,921	7,369	2,977 3,099	3,900 3,855	2,694 2,378	5 564	3,202	4,781
1980	6,900	6,143	6,792	6,652	3,099	3,855	2,378	5,052	2,986	4,707
1981	6,612	5.989	6,446	6.115	3.177	3.757	2.162	4.671	2 841	4,512
1982	6,697	5,866	6.542	7,000	2,721	3,357	2,227	5 544	3,449	4,619
1983	6,305	5,733	6,423	6,901	3,057	3,892	2,672	5,359	3,073	4,627
1984	6,305 6,442	5,733 5,777	6,418	6,901 6,582	3,057 2,791	3,892 3,451	2,227 2,672 2,194	5,359 5,592	3,449 3,073 3,149	4,627 4,514
1985	6,571	5.660	6,546	7.119	2.736	3.602	2,466 2,058 2,292	5.676	3,441 2,807 3,013	4,642
1986	6,517	5,665	6,150	6,231 5,712	2,686 2,937	3,294 3,466	2,058	4,870 5,153	2,807	4,295
1987	6,546	5,699	5,810	5,712	2,937	3,466	2,292	5,153	3,013	4,334 4,653
1988	6,715	6.088	6,590	6,634 6,996	3,122	3,800 3,713	2,346 2,439	5,148 5,173	2,975 3,061	4,653
1989	6,887	6,134	6,834	6,996	2,944	3,713	2,439	5,173	3,061	4,726
1990	5,848	4,998 5,177	5 681	6.011	2.230	2 929	1 944	5,146 5,259 5,054	3,148 3,109 2,763	4,016
1991	5,960	5,177	5,906	6,319 6,262	2,503 2,852	3,211	2,178 2,145	5,259	3,109	4,200
1992	6,844	5.964	5,906 6,297	6,262	2,852	3,211 3,498	2,145	5,054	2,763	4,441
1993	6,728	5,948	6,646	7.168	2.981	3.768	2.489	5.514	3.052	4,700
1994	6,672	5,934	6,378	6,509	2,724	3,394	2,108	5,002	3 155	4,483
1995	6,559	5,831	6,664	6,804 R7,345	2,967	3,626 R3,782	2,145	4,953	2,784 R2,860	4,531
1996_	R6,679	^R 5,986	R6,947	^R 7,345	R3,106	R3,782	R2,285	^R 5,011	^R 2,860	^R 4,713
1997 ^P	6,803	5,915	6,671	7,415	2,905	3,722	2,549	5,249	3,008	4,626
Normals ²	6,621	5,839	6,421	6,635	2,895	3,589	2,306	5,321	3,245	4,576

¹ Excludes Alaska and Hawaii.

Notes: • Degree-days are relative measurements of outdoor air temperature. Heating degree-days are deviations of the mean daily temperature below 65 F. For example, a weather station recording a mean daily temperature of 40 F would report 25 heating degree-days. • Temperature information recorded by weather stations is used to calculate State-wide degree-day averages based on resident State population estimated for 1990. The population-weighted State figures are aggregated into Census divisions and the


national average. • See Appendix D for Census divisions.

Sources: • 1949-1996 and Normals—U.S. Department of Commerce, National Oceanic and Atmospheric Administration (NOAA), National Climatic Data Center, Asheville, North Carolina. Historical Climatology Series 5-1. • 1997—Energy Information Administration, *Monthly Energy Review*, February 1997-January 1998 issues, Table 1.11, which reports data from NOAA, National Weather Service Climate Analysis Center, Camp Springs, Maryland. Data for 1997 are the sums of the current year monthly statistics shown in the cited issues of the *MER*.

² Normals are based on calculations of data from 1961 through 1990.

R=Revised. P=Preliminary.

Figure 1.10 Cooling Degree-Days by Census Division, 1949-1997



¹ Excludes Alaska and Hawaii. Note: See Appendix D for Census divisions.

Source: Table 1.10.

Table 1.10 Cooling Degree-Days by Census Division, 1949-1997

Year	New England	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific ¹	United States ¹
1949	054	001	040	4.000	0.400	4 770	2.540	4.400	F02	4.240
1949	654 353	901 542 653 825 768 646 934 566 738 592 903 640 787 561 571 634 638 731 602 725 706	949 602	1,038 729 777	2,128 1,919 2,028	1,776	2,510	1,198 1,120 1,137 1,278 1,193 1,292 1,124 1,247 1,155 1,328 1,258 1,308 1,223 1,147 1,235 1,095 961 1,239 1,120 1,015 1,228	593 597	1,318
1950	400	04Z	644	729	2,020	1,300	2,473 2,684	1,120	597	1,110 1,195
1951 1952 1953	581	003	897	1111	2,028	1,781	2,084	1,137	593	1,195
1952	441	823 769	897 04F	1,109	2,097	1,804	2,543 2,727	1,278	00 <i>1</i>	1,318
1955	303	646	945 858	1,103	2,137	1,093	2,907	1,193	5/1	1,320
1954 1955	602	040	1,043	1,250	2,002	1,990	2,907	1,292	590	1,313
1956	336	50 4 566	750	1,230	1.012	1,731	2,643 2,833	1,124	506	1,318 1,326 1,315 1,344 1,221
1057	420	720	750	1,109 1,183 1,250 1,238 1,155 1,004 878 1,083 961 867 974 1,196 1,030 914 919	2,026 2,097 2,137 2,082 2,045 1,913 2,050 1,922 2,128	1,000	2,033	1,247	593 657 571 590 560 596 660 836 776	1,221
1957 1958	428 344 532	730 502	754 638 997	878	1,000	1,032	2,465 2,517 2,456	1,100	836	1,230 1,189 1,348
1959	532	003	997	1 083	2 128	1,302	2,517	1,320	776	1,103
1960	368	640	722	961	1,926	1,743	2,492	1,200	770	1,206
1960	482	787	745	867	1,320	1,013	2,432	1,300	700	1,200
1961 1962	264	561	745 742	974	1,888 1,908	1,370	2,230	1,223	559	1,100
1963	482 264 373	571	712	1 196	1,812	1,730	2,230 2,700 2,899	1,147	709 559 605	1,168 1,179 1,204 1,185 1,153
1964	312	634	787	1,130	1,012	1,500	2,603	1,095	574 542 680 817 632	1 185
1965	312 352	638	688	914	1,905 1,931	1,634	2,608 2,579	961	542	1,103
1966	421	731	724	919	1,788	1,440	2 309	1 239	680	1 148
1967	420	602	724 548 740	713 902 940	1,700	1 257	2,309 2,385 2,247	1 120	817	1,148 1,077 1,137 1,190 1,242 1,204 1,146 1,241
1968	410	725	740	902	1,697 1,842	1,517	2,303	1,120	632	1 137
1969	447	706	701	940	1 887	1,572	2,505	1 228	680 689 685 698 624	1 190
1970	479	779	827	1 066	2,007 1,932 1,843 2,000	1,662	2,375	1 163	689	1 242
1971	465	779 730 614	783	960	1 932	1,502	2 448	1,100	685	1 204
1972	364	614	783 643	908	1.843	1,525	2,113	1 141	698	1 146
1973	551	830	864	1 009	2 000	1,665	2,375 2,448 2,513 2,359	1 123	624	1 241
1974	393	614	626	878	1 842	1.382	2.342	1.188	690	1.117
1975	467	614 708 597 689 615	788	1,066 960 908 1,009 878 1,003 939 1,122	2,011 1,675 2,020 1,972	1.520	2,342 2,261 2,035	1,163 1,074 1,141 1,123 1,188 1,031 1,058 1,256 1,174	690 547 620 715 738	1,117 1,172 1,029
1976	402	597	788 619	939	1.675	1.232	2.035	1.058	620	1.029
1977	407	689	823	1.122	2.020	1.808	2,720	1.256	715	1.285
1978	407 378	615	741	1.027	1.972	1.685	2.638	1,174	738	1,285 1,226
1979	434	588 793 657	618	871 1,217 924	1,833 2,075 1,889	1.412	2,242	1,164	770 658 876	1 113
1980	487 436	793	816 658	1.217	2.075	1.834	2,734 2,498	1.202	658	1,313 1,209
1980 1981	436	657	658	924	1,889	1,576	2,498	1,331	876	1,209
1982	321	541	643	859	1,958	1,537	2,502	1,121	619	1.136
1983	538	799	934	1,178	1,958 1,925	1,579	2,502 2,288	1,174	776	1 260
1984	468	541 799 649 627 626 729 782 658 656 854 460 764 722 803 8623	724 643 738	859 1,178 955 830 1,021 1,115 1,230 864 983 1,125 637	1 865	1,776 1,568 1,781 1,864 1,893 1,998 1,791 1,685 1,692 1,582 1,745 1,613 1,370 1,738 1,580 1,591 1,634 1,440 1,257 1,517 1,577 1,525 1,662 1,577 1,517 1,577 1,525 1,665 1,382 1,520 1,232 1,808 1,685 1,418 1,577 1,577 1,579 1,508 1,577 1,579 1,508 1,579 1,508 1,579 1,508 1,579 1,508 1,579 1,508 1,579 1,508 1,579 1,508 1,579 1,508 1,579 1,508 1,579 1,508 1,579 1,508 1,579 1,508 1,579 1,508 1,579 1,508 1,579 1,508 1,579 1,508 1,592 1,417 1,622 1,758 1,293 1,622 1,448 1,671 R1,474	2,469 2,599 2,618	1,164 1,202 1,331 1,121 1,174 1,190 1,210 1,188 1,196 1,320 1,330 1,294 1,182 1,206 1,113 1,436 1,234 R1,381	619 776 956 737 664	1,214 1,194 1,249 1,269 1,283
1985	372 301	627	643	830	2,004 2,149	1,596	2,599	1,210	737	1,194
1986	301	626	738	1,021	2,149	1,792	2,618	1,188	664	1,249
1987	406	729	918	1,115	2,067	1,718	2,368 2,422	1,196	706 729 685 827 672 905	1,269
1988	545	782	975	1,230	1 923	1,582	2,422	1,320	729	1,283
1989	426	658	652	864	1,977 2,143 2,197 1,777	1,417	2,295 2,579 2,499	1,330	685	1,156 1,260 1,331
1990 1991	477	656	647 959	983	2,143	1,622	2,579	1,294	827	1,260
1991	511	854	959	1,125	2,197	1,758	2,499	1,182	672	1,331
1992	276	460	449	637	1,777	1,293	2.201	1,206	905	1.040
1993	486	764	735 664 921	817	2,092 2,005	1,622	2,369 2,422	1,113	708	1,218
1994	548	722	664	887	2,005	1,448	2,422	1,436	801	1,220
1995	507	803	921	985	2,081 R1,867	1,671	2.448	1,234	754 ^R 856	1.293
1996_	R400	^R 623	629	817 887 985 ^R 821	^R 1,867	^R 1,474	R2,515	^R 1,381	^R 856	R1,180
1993 1994 1995 1996 1997 ^P	413	588	552	830	1,832	1,324	2,220	1,169	762	1,090
Normals ²	421	675	736	981	1,926	1,565	2,460	1,174	694	1,193

¹ Excludes Alaska and Hawaii.

Notes: • Degree-days are relative measurements of outdoor air temperature. Cooling degree-days are deviations of the mean daily temperature above 65 F. For example, a weather station recording a mean daily temperature of 78 F would report 13 cooling degree-days. • Temperature information recorded by weather stations is used to calculate State-wide degree-day averages based on resident State population

estimated for 1990. The population-weighted State figures are aggregated into Census divisions and the national average. • See Appendix D for Census divisions.

national average. • See Appendix D for Census divisions.


Sources: • 1949-1996 and Normals—U.S. Department of Commerce, National Oceanic and Atmospheric Administration (NOAA), National Climatic Data Center, Asheville, North Carolina. Historical Climatology Series 5-2. • 1997—Energy Information Administration, *Monthly Energy Review*, January 1998 issue, Table 1.12, which reports data from NOAA, National Weather Service Climate Analysis Center, Camp Springs, Maryland.

² Normals are based on calculations of data from 1961 through 1990.


R=Revised. P=Preliminary.

Figure 1.11 U.S. Government Energy Consumption by Agency

Total and U.S. Department of Defense, Fiscal Years 1975-1997



Selected Non-Defense Agencies, Fiscal Year 1997



¹ General Services Administration.

Notes: • The U.S. Government's fiscal year was October 1 through September 30, except in 1975 and 1976 when it was July 1 through June 30. Because vertical scales differ, graphs should not be compared.

Source: Table 1.11.

² National Aeronautics and Space Administration.

³ Health and Human Services.

Table 1.11 U.S. Government Energy Consumption by Agency, Fiscal Years 1975-1997

(Trillion Btu)

							Agencies			_			
Year	Agriculture	Defense	Energy	GSA 1	HHS ²	Interior	Justice	NASA 3	Postal Service	Trans- portation	Veterans Affairs	Other ⁴	Total
975	9.5	1,360.2	50.4	22.3	6.5	9.4	5.9	13.4	30.5	19.3	27.1	10.5	1,565.0
976	9.3	R ₁ ,183.3	50.3	20.6	6.7	9.4	5.7	12.4	30.0	19.5	25.0	11.2	R1,383.4
977	8.9	1,192.3	51.6	20.4	6.9	9.5	5.9	12.0	32.7	20.4	25.9	11.9	R1,398.
978	9.1	1,157.8	50.1	20.4	6.5	9.2	5.9	11.2	30.9	20.6	26.8	12.4	1,360.9
979	9.2	1,175.8	49.6	19.6	6.4	10.4	6.4	11.1	29.3	19.6	25.7	12.3	1,375.4
980	8.6	1,183.1	47.4	18.1	6.0	8.5	5.7	10.4	27.2	19.2	24.8	12.3	R1,371.
981	7.9	1,239.5	47.3	18.0	6.7	7.6	5.4	10.0	27.9	18.8	24.0	11.1	1,424.
982	7.6	1,264.5	49.0	18.1	6.4	7.4	5.8	10.1	27.5	19.1	24.2	11.6	1,451.
983	7.4	1,248.3	49.5	16.1	6.2	7.7	5.5	10.3	26.5	19.4	24.1	10.8	1,431.
984	7.9	1,292.1	51.6	16.2	6.4	8.4	6.4	10.6	27.7	19.8	24.6	10.7	1,482.
985	8.4	1,250.6	52.3	17.3	7.0	7.8	8.2	10.8	27.8	R19.3	25.1	11.0	R1,445.
986	6.8	1,222.8	R50.4	14.0	6.2	6.9	8.6	11.2	28.0	19.4	25.0	10.8	R1,410.
987	7.3	1,280.5	R48.6	13.1	6.6	6.6	8.1	11.1	28.5	19.0	24.9	11.9	R1,466.
988	7.8	1,165.8	R49.9	12.4	6.4	7.0	9.4	11.2	29.6	18.7	26.3	15.8	R1,360.
989	8.7	1,274.4	R44.3	12.7	6.7	7.1	7.7	12.1	30.3	18.5	26.2	15.6	R1,464.4
990	9.5	1,241.7	R43.5	14.2	8.0	7.4	7.0	12.3	30.6	19.0	24.9	15.4	R1,433.
991	9.6	1,269.3	R42.2	14.0	7.1	7.1	8.0	12.4	30.8	19.0	25.1	13.8	R1,458.
992	9.1	1,104.0	R44.3	13.8	8.0	7.0	7.5	12.5	31.7	17.0	25.3	14.0	_1,294.
993	9.3	1,048.8	R43.7	14.1	8.1	7.5	9.1	12.4	33.7	19.4	25.7	14.7	R1,246.0
994	9.4	977.0	R42.3	14.0	8.4	7.9	10.3	12.6	35.0	19.8	25.6	17.0	R _{1,179.}
995	9.7	926.0	R47.1	13.7	_6.1	6.4	_10.2	12.4	36.2	18.4	25.4	R _{17.0}	R _{1,129.}
996	9.1	R904.2	R44.4	14.5	^R 6.6	4.3	^R 12.1	11.5	R36.4	19.4	26.8	^R 18.4	R _{1,107} .
997 ^P	8.9	899.6	44.4	14.3	6.6	5.0	12.1	11.8	38.2	19.7	26.8	18.7	1,106.

¹ General Services Administration.

R = Revised. P = Preliminary.

Notes: • The U.S. Government's fiscal year was October 1 through September 30, except in 1975 and 1976, when it was July 1 through June 30. • Data include energy consumed at foreign installations and in foreign operations, including aviation and ocean bunkering, primarily by the U.S. Department of Defense. U.S. Government energy use for electricity generation and uranium enrichment is excluded. However, other energy used by U.S. agencies that produce electricity or enriched uranium is included.

• Totals may not equal sum of components due to independent rounding.


Source: U.S. Department of Energy, Energy Efficiency and Renewable Energy, Office of Federal Energy Management Programs.

² Health and Human Services.

³ National Aeronautics and Space Administration.

⁴ Includes National Archives and Records Administration, U.S. Department of Commerce, Panama Canal Commission, Tennessee Valley Authority, U.S. Department of Labor, National Science Foundation, Federal Trade Commission, Federal Communications Commission, Environmental Protection Agency, U.S. Department of Housing and Urban Development, Railroad Retirement Board, Commodity Futures Trading Commission, Equal Employment Opportunity Commission, Nuclear Regulatory Commission, U.S. Department of State, U.S. Department of the Treasury, Small Business Administration, Office of Personnel Management, Federal Emergency Management Agency, and U.S. Information Agency.

Figure 1.12 U.S. Government Energy Consumption by Source, Fiscal Years 1975-1997



Notes: • The U.S. Government's fiscal year was October 1 through September 30, except in 1975 and 1976 when it was July 1 through June 30. • Because vertical scales differ, graphs should not be compared.

Source: Table 1.12.

Table 1.12 U.S. Government Energy Consumption by Source, Fiscal Years 1975-1997

(Trillion Btu)

Year	Coal	Natural Gas	Aviation Gasoline	Distillate and Residual Fuel Oil	Jet Fuel	LPG ¹ and Other	Motor Gasoline	Total	Electricity	Purchased Steam	Total
1975	77.9	R166.2	22.0	376.0	707.4	5.6	63.2	1,174.2	141.5	5.1	1,565.0
1976	71.3	151.8	11.6	329.7	610.0	4.7	60.4	1,016.4	139.3	4.6	R1,383.4
1977	68.4	141.2	8.8	348.5	619.2	4.1	61.4	R1,042.1	141.1	5.7	R1,398.5
1978	66.0	144.7	6.2	332.3	601.1	3.0	60.1	R1,002.9	141.0	6.4	1,360.9
1979	65.1	148.9	4.7	327.1	618.6	3.7	59.1	R1,013.1	141.2	7.1	1,375.4
1980	63.5	147.3	4.9	307.7	638.7	4.0	56.5	1,011.8	141.9	6.8	R _{1,371.2}
981	65.1	142.2	4.6	351.3	653.3	3.7	53.2	R1,066.2	144.5	6.2	1,424.2
982	68.6	146.2	3.6	349.4	672.7	3.9	53.1	R1,082.8	147.5	6.2	1,451.4
983	62.4	147.8	2.6	329.5	673.4	4.0	51.6	1,061.1	151.5	9.0	1,431.8
984	65.3	157.4	1.9	342.9	693.7	4.1	51.2	1,093.8	155.9	10.1	1,482.5
985	64.0	149.5	1.9	R290.5	705.7	4.0	50.5	R1,052.6	R165.8	13.8	R _{1,445.7}
986	63.8	140.9	1.4	R271.6	710.2	3.9	45.3	R1,032.4	R159.2	R13.7	R _{1,410.1}
987	67.0	145.6	1.0	R319.5	702.3	4.0	43.1	1,069.8	R169.9	R13.9	R1,466.2
988	60.2	144.6	6.0	284.7	617.2	3.2	41.2	952.3	R171.3	R32.0	R1,360.3
989	R48.7	R152.4	0.8	R245.1	761.7	5.7	41.1	R1,054.4	188.4	20.6	R1,464.4
990	44.2	^R 157.6	0.5	R243.7	732.4	6.3	37.2	R1,020.1	192.6	^R 18.9	R1,433.4
991	45.9	154.0	0.4	R231.9	774.5	9.0	R34.1	R1,049.9	190.1	R18.4	R1,458.3
992	^R 51.7	R151.0	1.0	200.5	628.2	11.4	35.6	R876.8	R191.7	22.8	1,294.3
993	38.5	153.1	0.7	187.1	612.4	9.3	34.5	R843.9	R192.4	18.7	R1,246.6
994	35.0	R144.0	0.6	198.6	550.7	10.9	29.5	790.3	² 191.6	18.3	R _{1,179.1}
995	31.7	R149.2	0.3	R178.6	522.3	11.4	31.9	R744.5	R185.2	18.9	R1,129.5
996	R23.3	R147.4	R _{0.2}	R170.6	^R 513.0	R21.7	R27.6	R733.2	R184.0	R19.8	R1,107.7
1997 ^P	21.4	157.1	0.2	162.4	513.0	21.6	26.7	724.0	182.9	20.8	1,106.1

¹ Liquefied petroleum gases.

Notes: • The U.S. Government's fiscal year was October 1 through September 30, except in 1975 and 1976, when it was July 1 through June 30. • This table uses a conversion factor for electricity of 3,412 Btu per kilowatthour and a conversion factor for purchased steam of 1,000 Btu per pound. • Data include


energy consumed at foreign installations and in foreign operations, including aviation and ocean bunkering, primarily by the U.S. Department of Defense. U.S. Government energy use for electricity generation and uranium enrichment is excluded. However, other energy used by U.S. agencies that produce electricity or enriched uranium is included. • Totals may not equal sum of components due to independent rounding.

Source: U.S. Department of Energy, Energy Efficiency and Renewable Energy, Office of Federal Energy Management Programs.


² Increase from previous years is result of initial reporting by TVA of electricity consumed for utility station service use.

R = Revised. P = Preliminary.

Figure 1.13 U.S. Government Energy Consumption by Agency and Source



By Source, Fiscal Years 1987 and 1997



Notes: • The U.S. Government's fiscal year runs from October 1 through September 30. Because • vertical scales differ, graphs should not be compared.

Source: Table 1.13.

Table 1.13 U.S. Government Energy Consumption by Agency and Source, Fiscal Years 1987 and 1997 (Trillion Btu)

			Petro	oleum						
Agency	Aviation Gasoline	Distillate and Residual Fuel Oil	Jet Fuel	Motor Gasoline	LPG ¹ and Other	Total	Electricity	Natural Gas	Coal and Other ²	Total
Total, 1987	1.0	319.5	702.3	43.1	4.0	1,069.8	169.9	145.6	80.9	1,466.2
Defense	0.6	294.5	694.7	20.2	2.3	1,012.3	106.1	105.4	56.8	1,280.5
Energy	0.0	3.1	0.5	1.4	0.2	5.1	18.8	6.1	18.6	48.6
Postal Service	0.0	3.9	0.0	9.2	0.2	13.3	10.3	4.3	0.7	28.5
Veterans Affairs	0.0	2.4	0.0	0.5	0.0	2.9	7.1	13.7	1.2	24.9
Transportation	0.2	7.4	5.1	1.2	0.0	14.0	4.0	1.0	0.0	19.0
General Services Administration	0.0	0.5	0.0	0.1	0.0	0.6	7.7	2.4	2.3	13.1
NASA	0.0	0.9	1.3	0.2	0.0	2.3	5.8	2.6	0.3	11.1
Justice	0.1	0.5	0.1	1.9	0.1	2.7	1.4	3.6	0.5	8.1
Agriculture	0.1	0.3	0.0	3.4	0.2	3.9	1.7	1.6	0.1	7.3
Interior	0.0	1.3	0.1	2.0	0.8	4.2	1.2	1.0	0.2	6.6
Health and Human Services	0.0	2.5	0.0	0.4	0.1	3.0	1.9	1.6	0.0	6.6
Other ³	0.1	2.2	0.6	2.6	0.0	5.5	3.7	2.3	0.4	11.9
Total, 1997 P	0.2	162.4	513.0	26.7	21.6	724.0	182.9	157.1	42.2	1,106.1
Defense	0.0	148.9	504.8	3.3	13.3	670.4	101.3	97.9	30.0	899.6
Energy	0.0	1.7	0.3	1.0	0.3	3.4	17.5	16.6	6.9	44.4
Postal Service	0.0	2.8	0.0	12.3	0.0	16.0	15.2	7.4	0.5	38.2
Veterans Affairs	0.0	1.3	0.0	0.6	0.0	1.9	9.1	14.2	1.5	26.8
Transportation	0.0	1.0	4.8	0.5	6.9	13.2	5.0	1.4	0.1	19.7
General Services Administration	0.0	0.2	0.0	0.1	0.0	0.3	9.2	3.4	1.5	14.3
NASA	0.1	0.5	0.9	0.1	0.0	1.6	6.8	3.0	0.2	11.8
Justice	0.0	0.5	1.3	2.7	0.0	4.0	3.5	4.3	0.3	12.1
Agriculture	0.1	0.4	0.0	4.3	0.2	5.0	2.0	1.5	0.3	8.9
Interior	0.0	0.7	0.0	0.8	0.6	2.1	1.4	1.3	0.1	5.0
Health and Human Services	0.0	1.6	0.1	0.0	0.1	1.7	2.5	2.4	0.0	6.6
Other ⁴	0.0	2.9	0.9	1.1	0.1	5.0	9.4	3.6	0.7	18.7

¹ Liquefied petroleum gases.

Retirement Board, Tennessee Valley Authority, Federal Emergency Management Agency, and U.S. Information Agency.

P=Preliminary.

Notes: • This table uses a conversion factor for electricity of 3,412 Btu per kilowatthour and a conversion factor for purchased steam of 1,000 Btu per pound. • Data include energy consumed at foreign installations and in foreign operations, including aviation and ocean bunkering, primarily by the U.S. Department of Defense. U.S. Government energy use for electricity generation and uranium enrichment is excluded. However, other energy used by U.S. agencies that produce electricity or enriched uranium is included. • The U.S. Government's fiscal year runs from October 1 through September 30. • Totals may not equal sum of components due to independent rounding.


Source: U.S. Department of Energy, Energy Efficiency and Renewable Energy, Office of Federal Energy Management Programs.

² Includes purchased steam, coal, and other.

³ Includes U.S. Department of Commerce, Panama Canal Commission, Tennessee Valley Authority, U.S. Department of Labor, National Science Foundation, U.S. Department of Housing and Urban Development, Federal Communications Commission, Office of Personnel Management, U.S. Department of State, U.S. Department of the Treasury, Small Business Administration, and Environmental Protection Agency.

⁴ Includes National Archives and Records Administration, U.S. Department of Commerce, U.S. Department of Labor, U.S. Department of State, Environmental Protection Agency, Federal Communications Commission, Federal Trade Commission, Panama Canal Commission, Equal Employment Opportunity Commission, Nuclear Regulatory Commission, Office of Personnel Management, U.S. Department of Housing and Urban Development, U.S. Department of the Treasury, Railroad

Figure 1.14 Fossil Fuel Production on Federally Administered Lands



Notes: • Federally Administered Lands include all classes of land owned by the Federal Government, including acquired military, Outer Continental Shelf, and public lands.

• Because vertical scales differ, graphs should not be compared. Source: Table 1.14.

Table 1.14 Fossil Fuel Production on Federally Administered Lands, 1949-1996

	Crude Oil and Lease Condensate 1			Natur	ral Gas Plant Lic	quids ²		Natural Gas 3			Coal ⁴		Total	
Year	Million Barrels	Quadrillion Btu	Percent U.S. Total ⁵	Million Barrels	Quadrillion Btu	Percent U.S. Total ⁵	Trillion Cubic Feet	Quadrillion Btu	Percent U.S. Total ⁵	Million Short Tons	Quadrillion Btu	Percent U.S. Total ⁵	Quadrillion Btu	Percent U.S. Total
1949	95.2	0.55	5.2	4.4	0.02	2.8	0.15	0.15	2.8	9.5	0.20	2.0	0.92	3.2
1950	105.9	0.61	5.4	4.4	0.02	2.4	0.14	0.15	2.4	7.7	0.16	1.4	0.94	2.9
1951	117.3	0.68	5.2	5.3	0.02	2.6	0.17	0.18	2.4	9.3	0.20	1.6	1.08	3.0
1952	118.7	0.69	5.2	5.5	0.02	2.5	0.25	0.25	3.2	8.7	0.18	1.7	1.15	3.3
1953	136.9	0.79	5.8	5.7	0.03	2.4	0.29	0.30	3.6	7.5	0.16	1.5	1.28	3.6
1954	146.5	0.85	6.3	6.1	0.03	2.4	0.39	0.40	4.6	7.4	0.16	1.8	1.43	4.2
1955	159.5	0.92	6.4	6.0	0.03	2.1	0.43	0.45	4.8	5.9	0.12	1.2	1.53	4.1
1956	174.1	1.01	6.7	6.4	0.03	2.2	0.49	0.51	5.1	5.8	0.12	1.1	1.67	4.2
1957	189.4	1.10	7.2	6.6	0.03	2.2	0.62	0.64	6.1	5.7	0.12	1.1	1.89	4.7
1958	216.8	1.26	8.9	8.0	0.04	2.7	0.69	0.71	6.5	5.3	0.11	1.2	2.11	5.7
1959	258.2	1.50	10.0	9.5	0.04	3.0	0.83	0.86	7.2	4.9	0.10	1.1	2.50	6.4
1960	277.3	1.61	10.8	11.6	0.05	3.4	0.95	0.98	7.8	5.2	0.11	1.2	2.75	6.9
1961	297.3	1.72	11.3	13.5	0.06	3.7	1.03	1.06	8.1	5.2	0.11	1.2	2.95	7.3
1962	321.7	1.87	12.0	15.3	0.07	4.1	1.18	1.22	8.9	5.8	0.12	1.3	3.27	7.8
1963	342.8	1.99	12.5	16.0	0.07	4.0	1.37	1.41	9.7	5.4	0.11	1.1	3.58	8.1
1964	356.0	2.07	12.8	15.5	0.07	3.7	1.51	1.55	10.2	7.1	0.15	1.4	3.84	8.4
1965	378.6	2.20	13.3	14.3	0.06	3.2	1.56	1.61	10.2	8.2	0.17	1.6	4.04	8.5
1966	426.7	2.47	14.1	15.2	0.06	3.2	2.02	2.09	12.3	8.3	0.17	1.5	4.80	9.6
1967	472.6	2.74	14.7	20.1	0.09	3.9	2.41	2.48	13.8	9.5	0.20	1.7	5.51	10.5
1968	523.7	3.04	15.7	13.7	0.06	2.5	2.61	2.69	14.1	9.1	0.19	1.6	5.97	11.0
1969	563.8	3.27	16.7	19.9	0.08	3.4	3.05	3.14	15.4	10.1	0.21	1.8	6.70	11.9
1970	605.6	3.51	17.2	40.6	0.17	6.7	3.56	3.67	16.9	12.0	0.25	2.0	7.60	12.8
1971	648.9	3.76	18.8	54.0	0.22	8.7	3.95	4.08	18.3	17.3	0.36	3.1	8.42	14.5
1972	630.5	3.66	18.2	56.7	0.23	8.9	4.17	4.28	19.3	19.0	0.40	3.1	8.56	14.5
1973	604.3	3.51	18.0	54.9	0.22	8.7	4.37	4.46	20.1	24.2	0.51	4.1	8.70	14.9
1974	570.2	3.31	17.8	61.9	0.25	10.1	4.75	4.87	22.9	32.1	0.67	5.3	9.10	16.1
1975	531.5	3.08	17.4	59.7	0.24	10.0	4.57	4.67	23.8	43.6	0.92	6.7	8.90	16.3
1976	525.7	3.05	17.7	57.2	0.23	9.7	4.81	4.91	25.2	86.4	1.82	12.6	10.00	18.3
1977	535.0	3.10	17.8	57.4	0.23	9.7	4.94	5.04	25.8	74.8	1.57	10.7	9.94	18.0
1978	523.6	3.04	16.5	25.9	0.10	4.5	5.60	5.71	29.3	79.2	1.66	11.8	10.51	19.1
1979	519.8	3.01	16.7	11.9	0.05	2.1	5.93	6.05	30.1	84.9	1.78	10.9	10.89	18.8
1980	510.4	2.96	16.2	10.5	0.04	1.8	5.85	6.01	30.2	92.9	1.95	11.2	10.96	18.6
1981	529.3	3.07	16.9	12.3	0.05	2.1	6.15	6.31	32.1	138.8	2.91	16.8	12.35	21.1
1982	552.3	3.20	17.5	15.0	0.06	2.7	5.97	6.14	33.5	130.0	2.73	15.5	12.13	21.1
1983	568.8	3.30	17.9	14.0	0.05	2.5	5.17	5.33	32.1	124.3	2.61	15.9	11.30	20.8
1984	595.8	3.46	18.3	25.4	0.10	4.3	5.88	6.07	33.7	136.3	2.86	15.2	12.48	21.2
1985	628.3	3.64	19.2	26.6	0.10	4.5	5.24	5.41	31.8	184.6	3.88	20.9	13.03	22.6
1986	608.4	3.53	19.2	23.3	0.09	4.1	4.87	5.01	30.3	189.7	3.98	21.3	12.61	22.3
1987	577.3	3.35	18.9	23.7	0.09	4.1	5.56	5.73	33.4	195.2	4.10	21.2	13.27	23.2
1988	516.3	2.99	17.3	37.0	0.14	6.2	5.45	5.61	31.9	225.4	4.73	23.7	13.48	23.3
1989	488.9	2.84	17.6	45.1	0.17	8.0	5.32	5.49	30.7	236.3	4.96	24.1	13.46	23.4
1990	515.9	2.99	19.2	50.9	0.19	8.9	6.55	6.75	36.8	280.6	5.89	27.3	15.83	27.0
1991	491.0	2.85	18.1	72.7	0.28	12.0	5.99	6.17	33.8	285.1	5.99	28.6	15.28	26.4
1992	529.1	3.07	20.2	70.7	0.27	11.4	6.25	6.43	35.0	266.7	5.60	26.7	15.37	26.7
1993	529.3	3.07	21.2	64.4	0.24	10.2	6.56	6.74	36.3	285.7	6.00	30.2	16.05	28.8
1994	527.7	3.06	21.7	60.0	0.23	9.5	6.78	6.97	36.0	321.4	6.75	31.1	17.01	29.4
1995	567.4	3.29	23.7	74.0	0.28	11.5	6.78	6.96	36.4	376.9	7.91	36.5	18.45	32.1
1996	596.5	3.46	25.2	71.2	0.27	10.6	7.31	7.51	38.9	354.5	7.44	33.3	18.68	32.1
1000	000.0	0.70	20.2	11.2	0.21	10.0	7.01	7.01	50.5	004.0	1.77	00.0	10.00	02.1

 $^{^{\}rm 1}$ Production from Naval Petroleum Reserve No. 1 (NPR#1) for 1974 and earlier years is for fiscal years (July through June).

fractionators.

Note: Federally Administered Lands include all classes of land owned by the Federal Government, including acquired military, Outer Continental Shelf, and public lands.

Source: See Note 2 at end of section.


² Includes only those quantities for which the royalties were paid on the basis of the value of the natural gas plant liquids produced. Additional quantities of natural gas plant liquids were produced; however, the royalties paid were based on the value of natural gas processed. These latter quantities are included with natural gas.

³ Includes some quantities of natural gas processed into liquids at natural gas processing plants and


⁴ Converted to British thermal units (Btu) on the basis of an estimated heat content of coal produced on Federally administered lands of 21.0 million Btu per short ton.

⁵ Based on physical units.


Figure 1.15 Fossil Fuel Consumption for Nonfuel Use




As Share of Total Energy Consumption, 1980-1997



By Fuel, 1997



By Petroleum Product, 1997



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 1.15.

¹ Liquefied petroleum gases.

² Distillate fuel, residual fuel oil, waxes, and miscellaneous products.

Table 1.15 Fossil Fuel Consumption for Nonfuel Use, 1980-1997

	Petroleum Products												
Year	Asphalt and Road Oil	Liquefied Petroleum Gases	Pentanes Plus	Lubricants	Petro- chemical Feedstocks	Petroleum Coke	Special Naphtha	Other ²	Total	Natural Gas	Coal	Total	Percent of Total Energy Consumption
	Physical Units ³												
1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995	145 125 125 136 R150 R156 164 170 171 165 R176 162 166 R174	R230 R229 R256 R264 R247 R265 R248 R303 R319 R332 R344 R394 R397 R389 R437 R450 R469	(1) (1) (1) (1) (1) 10 13 17 12 21 17 18 10 13 60 56 66	58 56 51 53 57 53 852 59 857 58 60 53 54 855 58	253 R216 R157 R151 R145 R144 R169 170 R173 172 R199 R200 214 R216 R215 R217	R24 R29 R23 R10 R16 R15 R14 24 25 23 R30 R30 R30 R30 R32 R35	37 27 25 30 40 30 ^R 25 28 22 20 20 17 20 20 15	R62 R58 R52 R47 R42 R41 41 R43 R40 R39 R39 R34 R35 R33 R35	R809 R740 R690 R692 R706 R718 R730 R809 R827 R827 R827 R907 R940 R976 R1,029	R639 R507 R440 R443 R496 R500 R496 R578 R554 R563 R572 R572 R573 R594 R608 R673 R693 R743	R2.4 R2.1 R1.4 R1.2 R1.5 R1.1 R0.7 R0.8 R0.7 R0.6 R0.6 R0.6 R1.2 R0.9 R0.9	- - - - - - - - - - - - - - - - - - -	
1996 1997 ^P	177 183	466	69 64	55 58	251	30	14 14	35	R1,070 1,101	723	0.9		
							Quadrillion Bt	u					
1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997	0.96 0.83 0.83 0.90 0.99 R1.03 1.09 1.13 1.14 1.10 R1.17 1.08 1.10 1.15 1.17 1.18 R1.18 1.21	R0.78 R0.77 R0.87 R0.89 R0.84 R0.90 R0.85 R1.06 R1.11 R1.18 R1.20 R1.38 R1.39 R1.35 R1.55 R1.55 R1.65	(1) (1) (1) (1) (1) 0.05 0.06 0.08 0.06 0.10 0.08 0.04 0.06 0.28 0.26 0.30 0.32	0.35 0.34 0.31 0.32 0.35 0.32 R0.31 R0.36 R0.34 0.35 R0.36 R0.32 0.33 0.34 0.35 R0.35	1.43 R1.21 R0.88 R0.85 R0.82 R0.82 R0.95 R0.96 R0.97 R0.96 R1.12 1.15 1.20 R1.22 1.26 R1.21 R1.21	R0.14 R0.17 R0.14 R0.06 R0.09 R0.09 0.08 0.14 0.15 0.14 R0.18 0.16 R0.25 R0.17 R0.18 R0.19 R0.21 0.18	0.19 0.14 0.13 0.16 0.21 0.16 0.13 0.14 0.11 0.11 0.11 0.09 0.10 0.08 0.07 0.07	R0.36 R0.34 R0.30 R0.28 R0.24 R0.24 R0.25 R0.23 R0.23 R0.22 R0.25 R0.20 R0.19 R0.20 R0.19 R0.20	R4.22 R3.80 R3.46 R3.46 R3.58 R3.63 R3.73 R4.10 R4.16 R4.14 R4.45 R4.47 R4.64 R4.80 R5.05 5.08 R5.16 5.35	R0.65 R0.52 R0.45 R0.46 R0.51 R0.52 R0.51 R0.60 R0.57 R0.58 R0.59 R0.61 R0.63 R0.69 R0.71 R0.76 0.74	R0.08 0.07 0.04 0.04 R0.05 R0.03 0.02 0.02 0.02 0.02 0.02 R0.04 R0.03 R0.03 R0.03 R0.03	R4.95 R4.39 R3.95 R3.96 R4.14 R4.18 R4.26 R4.73 R4.75 R4.75 R4.74 R5.06 R5.08 R5.29 R5.46 R5.77 R5.82 R5.95 R5.95	R6.5 R5.9 R5.6 5.6 R5.6 R5.7 R5.7 R5.7 R6.2 5.9 R6.0 6.0 R6.2 R6.2 R6.2 R6.4 R6.3 6.5

¹ Included in liquefied petroleum gases.

Notes: • See Energy Information Administration (EIA), *Emissions of Greenhouse Gases in the United States 1996* (October 1997), Appendix A, for a discussion of the estimates in the table. • 1997 is an early estimate by EIA and may differ from the emissions inventory to be published in late 1998.

Sources: Petroleum Products: • 1980—Energy Information Administration (EIA), Energy Data

Reports, Petroleum Statement, Annual and Sales of Liquefied Petroleum Gases and Ethane in 1980.

• 1981-1985—EIA, Petroleum Supply Annual and unpublished data.

• 1986 forward—EIA, Petroleum Supply Monthly and EIA estimates. Natural Gas:

• 1980—Bureau of the Census, 1980 Survey of Manufactures, Hydrocarbon, Coal, and Coke Materials Consumed.

• 1981 forward—U.S. Department of Commerce. Coal:

• 1960-1995—U.S. International Trade Commission, Synthetic Organic Chemicals, United States Production and Sales, 1995 (January 1997).

• 1996 forward—Estimated because the data series has been discontinued. Percent of Total Energy Consumption: Derived by dividing total by total consumption on Table 1.3.

² Distillate fuel oil, residual fuel oil, waxes, and miscellaneous products.


³ Petroleum - million barrels; natural gas - billion cubic feet; and coal - million short tons. R=Revised. P=Preliminary. — = Not applicable.

Energy Overview Notes

- 1. Data on the generation of electricity in the United States represent net generation, which is gross output of electricity (measured at the generator terminals) minus power plant use. Nuclear electricity generation data identified by individual countries in Section 11 are gross outputs of electricity.
- 2. Table 1.14 Sources: Coal: 1949-1980-U.S. Geological Survey, Coal, Phosphate, Potash, Sodium, and Other Mineral Production, Royalty Income, and Related Statistics, June 1981. 1981 forward-U.S. Minerals Management Service, Mineral Revenues-The 1995 Report on Receipts from Federal and Indian Leases, and predecessor annual reports.


All Other Data: 1949-1980–U.S. Geological Survey, *Oil and Gas Production*, Royalty Income, and Related Statistics, June 1981; Department of Energy, Office of Naval Petroleum and Oil Shale Reserves, unpublished data; and U.S. Geological Survey, National Petroleum Reserve in Alaska, unpublished data. 1981-1983–U.S. Minerals Management Service, *Mineral Revenues–The 1983 Report on Receipts from Federal and Indian Leases*, and predecessor annual reports; Department of Energy, Office of Naval Petroleum and Oil Shale Reserves, unpublished data; and U.S. Geological Survey, National Petroleum Reserve in Alaska, unpublished data. 1984 forward–U.S. Minerals Management Service, *Mineral Revenues–The 1995 Report on Receipts from Federal and Indian Leases*, and predecessor annual reports; Department of Energy, Office of Naval Petroleum and Oil Shale Reserves, unpublished data.

End-Use Energy Consumption



Office buildings, industries, residences, and transport systems, Baltimore, Maryland; east view from the Inner Harbor. Source: U.S. Department of Energy.

Figure 2.1 Energy Consumption by End-Use Sector, 1949-1997



¹ There is a discontinuity in this time series between 1989 and 1990 due to the expanded coverage of non-electric utility use of renewable energy beginning in 1990.

Note: Because vertical scales differ, graphs should not be compared. Source: Table 2.1.

² Electrical system energy losses associated with the generation, transmission, and distribution of energy in the form of electricity.

Table 2.1 Energy Consumption by End-Use Sector, 1949-1997

(Quadrillion Btu)

			Residential	and Commerc	cial				Indu	strial			Transpo	ortation	
Year	Coal	Natural Gas ¹	Petroleum	Electricity	Losses ²	Total ³	Coal	Natural Gas ¹	Petroleum	Electricity	Losses 2	Total 3,4	Petroleum	Total ⁵	Total ³
1949	2.83	1.39	1.85	0.43	1.72	8.21	5.43	3.19	3.47	0.42	1.68	14.26	6.15	7.99	30.46
1950	2.80	1.64	2.20	0.47	1.76	8.87	5.78	3.55	3.95	0.50	1.86	15.71	6.69	8.49	33.08
1951	2.47	2.01	2.40	0.54	1.89	9.30	6.20	4.05	4.27	0.57	2.00	17.13	7.36	9.04	35.47
1952	2.25	2.21	2.46	0.59	2.02	9.54	5.52	4.18	4.36	0.60	2.05	16.76	7.71	9.00	35.30
1953 1954	1.93 1.68	2.29 2.57	2.50 2.67	0.65 0.72	2.12 2.15	9.50 9.78	5.93 4.73	4.30 4.32	4.48 4.63	0.68 0.71	2.20 2.14	17.65 16.58	8.06 8.12	9.12 8.90	36.27 35.27
1954	1.67	2.57	2.87	0.72	2.15	10.41	5.62	4.32	4.63 5.11	0.71	2.14	18.86	8.80	9.55	38.82
1955	1.55	3.15	3.00	0.79	2.23	10.41	5.67	4.70	5.34	0.89	2.68	19.55	9.15	9.86	40.38
1957	1.19	3.39	2.91	0.95	2.55	10.98	5.54	5.11	5.24	1.00	2.70	19.60	9.29	9.90	40.48
1958	1.16	3.71	3.12	1.01	2.64	11.65	4.53	5.21	5.41	0.98	2.54	18.70	9.51	10.00	40.35
1959	0.99	4.02	3.18	1.12	2.84	12.15	4.41	5.65	5.74	1.08	2.73	19.64	9.85	10.35	42.14
1960	0.99	4.27	3.49	1.23	3.06	13.04	4.54	5.97	5.75	1.11	2.76	20.16	10.13	10.60	43.80
1961	0.90	4.48	3.58	1.30	3.18	13.44	4.35	6.17	5.75	1.15	2.80	20.25	10.32	10.77	44.46
1962	0.88	4.85	3.72	1.41	3.40	14.27	4.38	6.45	6.00	1.23	2.95	21.04	10.77	11.23	46.53
1963	0.76	5.01	3.72	1.54	3.68	14.71	4.59	6.75	6.23	1.29	3.08	21.95	11.17	11.66	48.32
1964	0.65	5.33	3.62	1.67	3.96	15.23	4.91	7.11	6.55	1.38	3.29	23.27	11.50	12.00	50.50
1965 1966	0.62 0.61	5.52 5.95	3.87 3.91	1.78 1.94	4.25 4.65	16.03 17.06	5.13 5.21	7.34 7.80	6.79	1.46	3.49 3.79	24.22 25.50	11.87	12.43	52.68 55.66
1966	0.61	5.95 6.47	4.04	2.09	4.65	18.10	4.93	7.80 8.04	7.11 7.12	1.58 1.65	3.79	25.50 25.72	12.50 13.11	13.10 13.75	57.57
1968	0.32	6.73	4.20	2.32	5.52	19.23	4.85	8.63	7.12	1.78	4.24	26.90	14.21	14.86	61.00
1969	0.44	7.20	4.26	2.57	6.12	20.59	4.71	9.23	7.70	1.91	4.56	28.10	14.81	15.50	64.19
1970	0.37	7.46	4.31	2.79	6.78	21.71	4.66	9.54	7.79	1.95	4.72	28.63	15.31	16.09	66.43
1971	0.35	7.71	4.29	2.99	7.25	22.59	3.94	9.89	7.86	2.01	4.87	28.57	15.92	16.72	67.89
1972	0.27	7.94	4.43	3.25	7.80	23.69	3.99	9.88	8.53	2.19	5.25	29.86	16.89	17.71	71.26
1973	0.25	7.63	4.39	3.50	8.38	24.14	4.06	10.39	9.10	2.34	5.61	31.53	17.83	18.60	74.28
1974	0.26	7.52	4.00	3.47	8.48	23.72	3.87	10.00	8.69	2.34	5.70	30.70	17.40	18.12	72.54
1975	0.21	7.58	3.80	3.60	8.70	23.90	3.67	8.53	8.15	2.35	5.66	28.40	17.62	18.25	70.55
1976	0.20	7.87	4.18	3.75	9.02	25.02	3.66	8.76	9.01	2.57	6.20	30.24	18.51	19.10	74.36
1977 1978	0.21 0.21	7.46 7.62	4.21 4.07	3.96 4.12	9.56 10.07	25.39 26.09	3.45 3.31	8.64 8.54	9.78 9.87	2.68 2.76	6.48 6.75	31.08 31.39	19.24 20.04	19.82 20.61	76.29 78.09
1976	0.21	7.89	3.45	4.12	10.07	25.81	3.59	8.55	10.57	2.76	6.94	32.61	19.82	20.47	78.90
1980	0.15	7.54	3.04	4.35	10.10	25.65	3.16	8.39	9.53	2.78	6.76	30.61	19.01	19.69	75.96
1981	0.17	7.24	2.63	4.50	10.70	25.24	3.16	8.26	8.29	2.82	6.70	29.24	18.81	19.51	73.99
1982	0.19	7.43	2.45	4.57	11.00	25.63	2.55	7.12	7.80	2.54	6.12	26.14	18.42	19.07	70.85
1983	0.19	7.02	2.50	4.68	11.24	25.63	2.49	6.83	7.42	2.65	6.36	25.75	18.59	19.13	70.52
1984	0.21	7.29	2.54	4.93	11.51	26.48	2.84	7.45	8.01	2.86	6.68	27.86	19.22	19.80	74.14
1985	0.18	7.08	2.52	5.06	11.87	26.70	2.76	7.08	7.81	2.86	6.69	27.22	19.50	20.07	73.98
1986	0.18	6.82	2.56	5.24	12.06	26.85	2.64	6.69	7.92	2.83	6.53	26.63	20.27	20.81	74.30
1987	0.16	6.95	2.59	5.44 5.72	12.48	27.62	2.67	7.32 7.70	8.15	2.93	6.71	27.83	20.87	21.45	76.89
1988 1989	0.17 0.15	7.51 7.73	2.60 2.53	5.72 5.86	12.92 ^R 13.16	28.92 R29.42	2.83 2.79	7.70 8.13	8.43 8.13	3.06 3.16	6.90 ^R 7.09	28.99 R29.36	21.63 21.87	22.30 22.56	80.22 ^R 81.35
1989	0.15	7.73	2.53	6.02	R13.16	R,629.45	2.79	8.50	8.32	3.16	R7.10	R,632.12	21.81	622.54	R,684.12
1991	0.10	7.51	2.17	6.18	R13.46	R30.12	2.60	8.62	8.06	3.23	R7.03	R31.78	21.46	22.12	R84.03
1992	0.14	7.73	2.13	6.10	R13.25	R30.05	2.51	8.97	8.64	3.32	R7.21	R33.03	21.81	22.46	R85.55
1993	0.14	8.04	2.14	6.42	R13.77	R31.17	2.50	9.41	8.45	3.33	R7.16	R33.31	22.20	22.88	R87.37
1994	0.14	7.97	2.09	6.56	R14.00	R31.42	2.51	9.56	8.85	3.44	R7.34	R34.26	22.82	23.57	R89.25
1995	0.13	8.09	R2.08	6.81	R14.47	R32.30	R2.49	10.06	R8.62	3.46	R7.34	R34.48	R23.31	R24.07	R90.86
1996_	0.14	R8.63	R2.18	7.04	R14.98	R33.69	R2.42	R10.39	R9.07	R3.52	R7.48	R35.51	R23.89	R24.66	R93.87
1997 ^P	0.14	8.50	2.19	7.10	15.25	33.72	2.35	10.32	9.25	3.53	7.59	35.67	24.04	24.81	94.21

Note: Totals may not equal sum of components due to independent rounding.

 $^{^{1}}$ Includes supplemental natural gas. 2 Electrical system energy losses. See Glossary and Diagram 5. Total losses are calculated as the sum of energy consumed at electric utilities to generate electricity, utility purchases of electricity from nonutility power producers, and imported electricity, minus exported electricity and electricity consumed by end users. Total losses are allocated to the end-use sectors in proportion to each sector's share of total electricity use.

³ Beginning in 1990, includes renewable energy. See Table 10.2.

⁴ Also includes hydroelectric power and net imports of coal coke.


⁵ Also includes coal, natural gas, electricity, and electrical system energy losses.

⁶ There is a discontinuity in this time series between 1989 and 1990 due to the expanded coverage of non-electric utility use of renewable energy beginning in 1990. See Table 10.2 for quantities. R=Revised. P=Preliminary.


Sources: Tables 5.12a, 5.12b, 6.6, 7.3, 7.7, 8.1, 8.4, 8.6, 10.9, A3-A7, and Energy Information Administration estimates for industrial hydroelectric power. "Other" from Table 8.6 is allocated to the Residential and Commercial Sector, except for approximately 4 percent used by railroads and railways and attributed to the Transportation Sector.

Figure 2.2 Manufacturing Total First Use of Energy for All Purposes, 1994

By Energy Source



By Standard Industrial Classification (SIC) Code³



¹ Includes all other types of energy that respondents indicated were consumed.

W=Withheld to avoid disclosure of data for individual establishments. Source: Table 2.2.

² Energy sources produced onsite but sold to another entity.

 $^{^{\}rm 3}\,{\rm See}$ Table 2.2 for Major Group titles of industries that correspond to the 2-digit SIC codes.

Table 2.2 Manufacturing Total First Use of Energy for All Purposes, 1994

(Trillion Btu)

SIC ¹ Code	Major Group	Net Electricity ²	Residual Fuel Oil	Distillate Fuel Oil	Natural Gas	Liquefied Petroleum Gas	Coal	Coke and Breeze	Other ³	Shipments of Energy Sources ⁴	Total ⁵
20	Food and Kindred Products	198	30	19	631	W	165	W	141	0	1,193
21	Tobacco Products	3	1	W	W	W	W	0	W	0	W
22	Textile Mill Products	111	17	7	117	4	40	0	14	0	310
23	Apparel and Other Textile Products	26	W	1	25	W	W	0	W	0	W
24	Lumber and Wood Products	68	2	25	48	W	W	0	341	0	491
25	Furniture and Fixtures	22	(s)	1	24	1	3	0	18	0	69
26	Paper and Allied Products	223	173	9	575	5	307	0	1,373	0	2,665
27	Printing and Publishing	59	W	2	48	W	0	0	2	0	112
28	Chemicals and Allied Products	520	110	14	2,569	1,535	293	11	442	166	5,328
29	Petroleum and Coal Products	121	71	22	811	47	W	W	5,344	87	6,339
30	Rubber and Miscellaneous Plastics Products	149	10	4	110	3	5	0	6	0	287
31	Leather and Leather Products	3	2	W	W	W	0	0	(s)	0	W
32	Stone, Clay, and Glass Products	123	7	23	432	4	274	8	73	0	944
33	Primary Metal Industries		43	13	811	5	922	424	85	334	2,462
34	Fabricated Metal Products	115	W	4	220	5	W	W	Q	0	367
35	Industrial Machinery and Equipment	109	W	4	111	3	11	W	5	0	246
36	Electronic and Other Electric Equipment	113	3	2	88	2	W	W	Q	0	243
37	Transportation Equipment	132	11	7	157	3	28	2	23	0	363
38	Instruments and Related Products		4	1	29	W	W	0	3	0	107
39	Miscellaneous Manufacturing Industries	19	1	1	19	1	1	0	W	0	W
_	Total Manufacturing	2,656	490	158	6,835	1,631	2,105	449	7,926	587	21,663

¹ Based on 1987 Standard Industrial Classification system.

(s)=Less than 0.5 trillion Btu. W=Withheld to avoid disclosure of data for individual establishments.

Q=Data withheld because the relative standard error was greater than 50 percent.

Note: • "First Use" was "Primary Consumption" in previous releases of this table. The estimates are for the primary consumption of energy for heat and power and as feedstocks or raw material inputs. Primary consumption is defined as the consumption of the energy that was originally produced offsite or was produced onsite from input materials not classified as energy. • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/emeu/consumption.

Source: Energy Information Administration, Form EIA-846, "1994 Manufacturing Energy Consumption Survey."


^{2 &}quot;Net Electricity" is obtained by summing purchases, transfers in, and generation from noncombustible renewable resources, minus quantities sold and transferred out. It excludes electricity generated from combustible fuels.

³ Includes all other types of energy that respondents indicated were consumed.


⁴ Energy sources produced onsite from the use of other energy sources but sold to another entity.

⁵ The sum of net electricity, fuel oil, natural gas, coal, and other minus shipments of energy sources. Previous surveys did not subtract shipments.

Figure 2.3 Manufacturing Sector Inputs for Heat, Power, and Electricity Generation, 1994



By Energy Source



¹Excludes inputs of unallocated energy sources (5,828 trillion Btu).

⁴ Liquefied petroleum gases and natural gas liquids. Source: Table 2.3.

²Heating, ventilation, and air conditioning.

³Excluding coal coke and breeze.

Table 2.3 Manufacturing Sector Inputs for Heat, Power, and Electricity Generation by End Use, 1994

	Net Electricity ¹	Residual Fuel Oil	Distillate Fuel Oil	Liquefied Petroleum Gases and Natural Gas Liquids	Natural Gas	Coal (Excluding Coal Coke and Breeze)	
End-Use Category	Million Kilowatthours		Thousand Barrels		Billion Cubic Feet	Thousand Short Tons	Total ²
Indirect End Use (Boiler Fuel)	8,250	49,731	7,296	3,829	2,326	39,496	
Direct End Use							
All Process Uses	608,190	16,825	8,795	14,051	2,788	13,697	
Process Heating	83.151	16,326	4,919	12,515	2,623	13,545	
Process Cooling and Refrigeration	40.583	19	44	413	20	3	
						-	
Machine Drive	400,545	406	3,161	869	93	149	
Electrochemical Processes	79,549	_ .	 .	 .		_	
Other Process Uses	4,363	74	671	254	52	Q	
All Non-Process Uses	134,020	2,197	8,394	6,860	705	378	
Facility Heating, Ventilation, and Air Conditioning 3	63,662	777	1,274	1,373	341	118	
Facility Lighting	54.332	_	_	<u> </u>	_	_	
Other Facility Support	13,545	455	203	156	29	1	
Onsite Transportation	1.192	_	5.997	5.168	1		
Conventional Electricity Generation	1,132	797	604	119	325	259	
				44		0	
Other Non-Process Use	1,290	167	316	44	9	U	
nd Use Not Reported	27,874	1,359	1,622	1,209	143	571	
otal	778,335	70,111	26,107	25,949	5,962	54,143	
				Trillion Btu			
ndirect End Use (Boiler Fuel)	28	313	42	15	2,396	875	3,669
Direct End Use							
All Process Uses	2,075	106	51	54	2,872	302	5.460
Process Heating	284	103	29	49	2,702	299	3,466
Process Cooling and Refrigeration	138		(s)	2	2,702		161
		(s)		3		(s)	
Machine Drive	1,367	3	18	3	95	3	1,489
Electrochemical Processes	271	_	- .	<u> </u>		_	271
Other Process Uses	15	(s)	4	1	53	(s)	73
All Non-Process Uses	457	14	49	25	726	8	1,279
Facility Heating, Ventilation, and Air Conditioning 3	217	5	7	5	351	3	588
Facility Lighting	185	_	_	_	_	_	185
Other Facility Support	46	3	1	1	30	(s)	81
Onsite Transportation	4		35	19	1		59
Conventional Electricity Generation		5	4	1	335	6	351
Other Non-Process Use	4	1	2	(s)	9	0	16
and Use Not Reported	96	9	9	4	148	13	279
·							

¹ "Net Electricity" is obtained by summing purchases, transfers in, and generation from noncombustible renewable resources, minus quantities sold and transferred out.

regardless of where the energy was produced. Specifically, the estimates include the quantities of energy that were originally produced offsite and purchased by or transferred to the establishment, plus those that were produced onsite from other energy or input materials not classified as energy, or were extracted from captive (onsite) mines or wells. • Allocations to end uses are made on the basis of reasonable approximations by respondents.

Web Page: http://www.eia.doe.gov/emeu/consumption.

Source: Energy Information Administration, Form EIA-846, "1994 Manufacturing Energy Consumption Survey."

² Total of listed energy sources. Excludes inputs of unallocated energy sources (5,828 trillion Btu). The top half of the "Total" column is blank because different physical units cannot be added.


³ Excludes steam and hot water.

⁻⁻ = Estimation of energy input quantity is not applicable. (s)=Less than 0.5 rounded to zero. Q=Withheld because relative standard error is greater than 50 percent.


Notes: • Totals may not equal sum of components due to independent rounding. • The estimates presented in this table are for the total consumption of energy for the production of heat and power,

Figure 2.4 Household Energy Consumption


Consumption by All Households, Selected Years, 1978-1993




Consumption by All Households, by Census Region, 1993



Consumption per Household, Selected Years, 1978-1993



Consumption per Household, by Census Region, 1993



Notes: • No data are available for years not shown. Data for 1978 through 1984 are for April of the year shown through March of the following year; data for 1987, 1990, and 1993 are for the calendar year. • Because vertical scales differ, graphs should not be compared.

Source: Table 2.4. See Appendix D for Census regions.

Table 2.4 Household Energy Consumption by Census Region, Selected Years, 1978-1993

(Quadrillion Btu, Except as Noted)

Census Region ¹	1978	1979	1980	1981	1982	1984	1987	1990	1993
Northeast	2.89	2.50	2.43	2.47	2.18	2.29	2.37	2.30	2.38
Natural Gas	1.14	1.05	0.92	1.06	0.99	0.93	1.03	1.03	1.11
Electricity ²	0.39	0.39	0.39	0.42	0.38	0.41	0.44	0.47	0.47
Distillate Fuel Oil and Kerosene	1.32	1.03	1.09	0.96	0.79	0.93	0.87	0.78	0.78
Liquefied Petroleum Gases	0.03	0.03	0.03	0.03	0.02	0.03	0.02	0.02	0.03
Consumption per Household (million Btu)	166	145	138	138	122	125	124	120	122
Midwest	3.70	3.48	2.92	3.12	2.60	2.80	2.73	2.81	3.13
Natural Gas	2.53	2.48	2.02	2.24	1.76	1.99	1.83	1.88	2.07
Electricity ²	0.60	0.59	0.60	0.57	0.57	0.55	0.61	0.66	0.74
Distillate Fuel Oil and Kerosene	0.46	0.31	0.16	0.17	0.15	0.13	0.16	0.13	0.13
Liquefied Petroleum Gases	0.12	0.10	0.15	0.13	0.11	0.13	0.13	0.13	0.19
Consumption per Household (million Btu)	180	168	139	147	122	129	123	122	134
South	2.43	2.30	2.59	2.46	2.46	2.50	2.61	2.60	2.95
Natural Gas	0.96	0.91	1.11	1.16	1.13	1.15	1.09	1.03	1.18
Electricity ²	1.00	0.97	1.06	1.03	1.05	1.06	1.22	1.36	1.51
Distillate Fuel Oil and Kerosene	0.32	0.28	0.27	0.16	0.17	0.16	0.17	0.11	0.13
Liquefied Petroleum Gases	0.15	0.14	0.15	0.12	0.12	0.12	0.12	0.10	0.13
Consumption per Household (million Btu)	99	92	96	89	88	85	84	81	88
West	1.54	1.47	1.38	1.47	1.38	1.45	1.42	1.51	1.55
Natural Gas	0.95	0.88	0.89	0.93	0.89	0.91	0.88	0.92	0.91
Electricity ²	0.48	0.47	0.41	0.46	0.42	0.47	0.48	0.54	0.56
Distillate Fuel Oil and Kerosene	0.09	0.09	0.04	0.03	0.03	0.04	0.02	0.02	0.03
Liquefied Petroleum Gases	0.03	0.04	0.04	0.04	0.04	0.03	0.05	0.03	0.04
Consumption per Household (million Btu)	110	100	86	90	84	85	78	78	76
United States	10.56	9.74	9.32	9.51	8.62	9.04	9.13	9.22	10.01
Natural Gas	5.58	5.31	4.94	5.39	4.77	4.98	4.83	4.86	5.27
Electricity ²	2.47	2.42	2.46	2.48	2.42	2.48	2.76	3.03	3.28
Distillate Fuel Oil and Kerosene	2.19	1.71	1.55	1.33	1.14	1.26	1.22	1.04	1.07
Liquefied Petroleum Gases	0.33	0.31	0.36	0.31	0.29	0.31	0.32	0.28	0.38
Consumption per Household (million Btu) ³	138	126	114	114	103	105	101	98	104

¹ See Appendix D for Census regions.

through March of following year; data for 1987, 1990, and 1993 are for the calendar year. • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/emeu/consumption.

Sources: • 1978 and 1979—Energy Information Administration (EIA), Form EIA-84, "Residential Energy Consumption Survey." • 1980 forward—EIA, Form EIA-457, "Residential Energy Consumption Survey."

 $^{^2}$ Includes site electricity generated for distribution from wood, waste, geothermal, wind, photovoltaic, and solar thermal energy.


³ Data not adjusted to account for more severe winter weather in earlier years when the survey was fielded. 1993 weather was normal, similar to that for 1982 and 1984.

Notes: • This table shows major energy items only. • No data are available for years not shown.


[•] One Btu of electricity = 0.000293 (1 3,412) kWh. • Data for 1978-1984 are for April of year shown

Figure 2.5 Household Energy Consumption and Expenditures


Consumption by Energy Source, 1993




Expenditures, Selected Years, 1978-1993



Consumption by End Use, 1993



Consumption for Space Heating, 1993



Notes: • No data are available for years not shown. • Because vertical scales differ, graphs should not be compared.

Source: Table 2.5.

¹ Fuel oil is distillate fuel oil and kerosene.

² Liquefied petroleum gases.

³ Nominal dollars.

Table 2.5 Household Energy Consumption and Expenditures by End Use and Energy Source, Selected Years, 1978-1993

		Space Heat	ing		Air Conditioning ¹		Water Hea	ting			Appliances ²			Total ¹		
Year	Natural Gas	Electricity ³	Fuel Oil ⁴	LPG ⁵	Electricity ³	Natural Gas	Electricity ³	Fuel Oil ⁴	LPG 5	Natural Gas	Electricity ³	LPG ⁵	Natural Gas	Electricity ³	Fuel Oil ⁴	LPG ⁵
								Consumpt Juadrillion								
1978	4.26	0.40	2.05	0.23	0.31	1.04	0.29	0.14	0.06	0.28	1.46	0.03	5.58	2.47	2.19	0.33
1980	3.32	0.28	1.32	0.25	0.32	1.24	0.31	0.24	0.07	0.38	1.55	0.04	4.94	2.46	1.55	0.36
1981	3.80	0.30	1.12	0.22	0.33	1.10	0.33	0.20	0.06	0.49	1.53	0.03	5.39	2.48	1.33	0.31
1982	3.31	0.27	1.05	0.19	0.30	1.08	0.33	0.09	0.06	0.39	1.52	0.04	4.77	2.42	1.14	0.29
1984	3.51	0.30	1.11	0.21	0.33	1.10	0.32	0.15	0.06	0.35	1.53	0.04	4.98	2.48	1.26	0.31
1987	3.38	0.28	1.05	0.22	0.44	1.10	0.31	0.17	0.06	0.34	1.72	0.04	4.83	2.76	1.22	0.32
1990	3.37	0.30	0.93	0.19	0.48	1.16	0.34	0.11	0.06	0.33	1.91	0.03	4.86	3.03	1.04	0.28
1993	3.67	0.41	0.95	0.30	0.46	1.31	0.34	0.12	0.05	0.29	2.08	0.03	5.27	3.28	1.07	0.38
								Expenditu illion dolla								
1978	11.49	3.53	8.06	1.05	3.97	2.88	3.15	0.56	0.36	0.93	19.24	0.25	15.30	29.89	8.62	1.66
1980	12.80	3.71	10.59	1.90	5.07	4.79	4.54	1.89	0.59	1.71	26.82	0.40	19.30	40.14	12.48	2.89
1981	17.07	4.60	9.99	1.84	5.96	4.93	5.32	1.83	0.53	2.50	30.02	0.37	24.50	45.90	11.82	2.74
1982	18.55	4.45	8.84	1.68	6.05	6.08	5.90	0.75	0.57	2.42	32.02	0.47	27.06	48.42	9.59	2.72
1984	20.66	5.71	8.51	2.00	7.37	6.63	6.44	1.09	0.58	2.31	34.96	0.54	29.78	54.48	9.60	3.12
1987	18.05	5.53	6.25	1.85	9.77	6.02	6.45	0.94	0.50	2.02	39.83	0.46	26.15	61.58	7.21	2.81
1990	18.59	6.16	7.42	2.01	11.19	6.59	7.21	0.83	0.65	2.03	46.95	0.48	27.26	71.54	8.25	3.14
1993	21.95	8.66	6.24	2.81	11.30	8.08	7.58	0.74	0.58	1.98	53.52	0.42	32.04	81.08	6.98	3.81

¹ A small amount of natural gas used for air conditioning is included in "Natural Gas" under "Total."

Notes: • No data are available for years not shown. Consumption totals for 1979 are available on Table 2.7. • One Btu of electricity = 0.000293 (1 3,412) kWh. • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/emeu/consumption.

Sources: • 1978—Energy Information Administration (EIA), Form EIA-84, "Residential Energy Consumption Survey." • 1980 forward—EIA, Form EIA-457, "Residential Energy Consumption Survey."

² Includes refrigerators.


 $^{^3}$ Includes electricity generated for distribution from wood, waste, geothermal, wind, photovoltaic, and solar thermal electricity.

⁴ Fuel oil is distillate fuel oil and kerosene. Includes a small amount of fuel oil or kerosene used for appliances.

⁵ Liquefied petroleum gases.

⁶ Nominal dollars.

Figure 2.6 Households With Selected Appliances, 1980 and 1997



¹ Not collected in 1980.

Source: Table 2.6.

² Households with both central and individual room units are counted only under "central."

Table 2.6 Household Main Heating Fuel and Presence of Selected Appliances, Selected Years, 1978-1997

					Ye	ear					Change
Appliance	1978	1979	1980	1981	1982	1984	1987	1990	1993	1997	1980 to 1997
Total Households (millions)	76	78	82	83	84	86	90	94	97	101	+20
-					Pe	ercent of Housel	nolds				
Type of Main Heating Fuel											
Natural Gas	55	55	55	56	57	55	55	55	53	52	-2
Electricity	16	17	18	17	16	17	20	23	26	30	+12
Liquefied Petroleum Gas	4	5	5	4	5	5	5	5	5	4	0
Fuel Oil	20	17	15	14	13	12	12	11	11	9	-6
Wood	2	4	6	6	7	7	6	4	3	2	-4
Type of Appliances Electric Appliances											
Television Set (Color)	NA	NA	82	82	85	88	93	96	98	99	+17
Television Set (B/W)	NA	NA	51	48	47	43	36	31	20	NA	NA
Clothes Washer	75	NA	74	74	72	74	76	76	77	77	+3
Range (Stove-Top Burner)	53	NA	54	54	53	54	57	58	61	60	+7
Oven, Regular or Microwave	54	NA	59	58	59	63	79	88	91	91	+32
	8	NA	14	17	21	34	7 9 61	79	84	83	+69
Oven, Microwave				45							
Clothes Dryer	45	NA	47		45	46	51	53	57	55	+8
Separate Freezer	35	NA	38	38	37	37	34	35	35	33	-5
Dishwasher	35	NA	37	37	36	38	43	45	45	50	+13
Dehumidifier	NA	NA	9	9	9	9	10	12	9	NA	NA
Waterbed Heaters	NA	NA	NA	NA	NA	10	14	15	12	8	NA
Window or Ceiling Fan	NA	NA	NA	NA	28	35	46	51	60	NA	NA
Whole House Fan	NA	NA	NA	NA	8	8	9	10	4	NA	NA
Evaporative Cooler	NA	NA	4	4	4	4	3	4	3	NA	NA
Personal Computer	NA	NA	NA	NA	NA	NA	NA	16	23	35	NA
Pump for Well Water	NA	NA	NA	NA	NA	NA	NA	15	13	14	NA
Swimming-Pool Pump 1	NA	NA	3	4	3	NA	NA	5	5	5	+2
Gas Appliances ²											
Range (Stove-Top or Burner)	48	NA	46	46	47	45	43	42	38	39	-7
Oven	47	NA	42	40	42	42	41	41	36	37	-5
Clothes Dryer	14	NA	14	16	15	16	15	16	15	16	+2
Outdoor Gas Grill	NA	NA	9	9	11	13	20	26	29	NA	NA
Outdoor Gas Light	2	NA	2	2	2	1	1	1	1	1	-1
Swimming Pool Heater ³	NA	NA	(s)	NA	NA	1	1	2	1	1	0
Refrigerators ⁴											
One	86	NA	86	87	86	88	86	84	85	85	-1
Two or More	14	NA	14	13	13	12	14	15	15	15	+1
Air Conditioning (A/C)											
Central 5	23	24	27	27	28	30	36	39	44	47	20
Individual Room Units 5	33	31	30	31	30	30	30	29	25	25	-5
None	44	45	43	42	42	40	36	32	32	27	-15
Portable Kerosene Heaters	(s)	NA	(s)	1	3	6	6	5	2	2	+2

 $^{^{1}}$ All reported swimming pools were assumed to have an electric pump for filtering and circulating the water, except for 1993, when a filtering system was made explicit.

NA=Not available. (s)=Less than 0.5 percent. Note: No data are available for years not shown. Web Page: http://www.eia.doe.gov/emeu/consumption.

Sources: • 1978 and 1979—Energy Information Administration (EIA), Form EIA-84, "Residential Energy Consumption Survey." • 1980 forward—EIA, Form EIA-457, "Residential Energy Consumption Survey."


² Includes natural gas or liquefied petroleum gases.

³ In 1984 and 1987, also includes heaters for jacuzzis and hot tubs.


⁴ Fewer than 0.5 percent of the households do not have a refrigerator.

⁵ Households with both central and individual room units are counted only under "Central."

Figure 2.7 Type of Heating in Occupied Housing Units, 1950 and 1995



By Fuel Type, Share of Total



¹ Sum of components may not equal 100 percent due to independent rounding.

(s)=Less than 0.5.

Source: Table 2.7.

² Kerosene, solar, and other.

Table 2.7 Type of Heating in Occupied Housing Units, Selected Years, 1950-1995

Year	Coal ¹	Natural Gas	Liquefied Gas	Distillate Fuel Oil	Kerosene	Electricity	Wood	Solar	Other	None ²	Total
						Million					
950	14.48	11.12	0.98	9.46	(3)	0.28	4.17	NA	0.77	1.57	42.83
960	6.46	22.85	2.69	17.16	(³)	0.93	2.24	NA	0.22	0.48	53.02
970	1.82	35.01	3.81	16.47	(3)	4.88	0.79	NA	0.27	0.40	63.45
973	0.80	38.46	4.42	17.24	(3)	7.21	0.60	NA	0.15	0.45	69.34
74	0.74	39.47	4.14	16.84	(³)	8.41	0.66	NA	0.09	0.48	70.83
75	0.57	40.93	4.15	16.30	(3)	9.17	0.85	NA	0.08	0.47	72.52
976	0.48	41.22	4.24	16.45	(3)	10.15	0.91	NA	0.09	0.46	74.01
77	0.45	41.54	4.18	15.62	0.44	11.15	1.24	NA	0.15	0.51	75.28
78	0.40	42.52	4.13	15.65	0.42	12.26	1.07	NA	0.12	0.60	77.17
79	0.36	43.32	4.13	15.30	0.41	13.24	1.14	NA	0.10	0.57	78.57
980	0.33	44.40	4.17	14.50	0.37	14.21	1.38	NA	0.11	0.61	80.07
981	0.36	46.08	4.17	14.13	0.37	15.49	1.89	NA	0.10	0.59	83.18
983 ⁴	0.43	46.70	3.87	12.59	0.45	15.68	4.09	NA	0.16	0.68	84.64
985	0.45	45.33	3.58	12.44	1.06	18.36	6.25	0.05	0.37	0.53	88.43
987	0.41	45.96	3.66	12.74	1.08	20.61	5.45	0.05	0.28	0.66	90.89
989	0.34	47.40	3.66	12.47	1.07	23.06	4.59	(s)	0.40	0.66	93.68
991	0.32	47.02	3.88	11.47	0.99	23.71	4.44	(s)	0.41	0.86	93.15
993	0.30	47.67	3.92	11.17	1.02	25.11	4.10	(s)	0.50	0.91	94.73
995	0.21	49.20	4.25	10.98	1.06	26.77	3.53	(s)	0.64	1.04	97.69
_						Percent					
950	33.8	26.0	2.3	22.1	(3)	0.6	9.7	NA	1.8	3.7	100.0
960	12.2	43.1	5.1	32.4	(3)	1.8	4.2	NA	0.4	0.9	100.0
970	2.9	55.2	6.0	26.0	(3)	7.7	1.3	NA	0.4	0.6	100.0
973	1.2	55.5	6.4	24.9	(3)	10.4	0.9	NA	0.2	0.7	100.0
974	1.0	55.7	5.8	23.8	(3)	11.9	0.9	NA	0.1	0.7	100.0
975	8.0	56.4	5.7	22.5	(3)	12.6	1.2	NA	0.1	0.6	100.0
976	0.7	55.7	5.7	22.2	(³)	13.7	1.2	NA	0.1	0.6	100.0
977	0.6	55.2	5.6	20.7	0.6	14.8	1.6	NA	0.2	0.7	100.0
978	0.5	55.1	5.4	20.3	0.5	15.9	1.4	NA	0.2	0.8	100.0
979	0.5	55.1	5.3	19.5	0.5	16.9	1.4	NA	0.1	0.7	100.0
080	0.4	55.4	5.2	18.1	0.5	17.7	1.7	NA	0.1	0.8	100.0
81	0.4	55.4	5.0	17.0	0.4	18.6	2.3	NA	0.1	0.7	100.0
83 4	0.5	55.2	4.6	14.9	0.5	18.5	4.8	NA	0.2	0.8	100.0
985	0.5	51.3	4.1	14.1	1.2	20.8	7.1	0.1	0.4	0.6	100.0
987	0.4	50.6	4.0	14.0	1.2	22.7	6.0	0.1	0.3	0.7	100.0
989	0.4	50.6	3.9	13.3	1.1	24.6	4.9	(s)	0.4	0.7	100.0
991	0.3	50.5	4.2	12.3	1.1	25.5	4.8	(s)	0.4	0.9	100.0
993	0.3	50.3	4.1	11.8	1.1	26.5	4.3	(s)	0.5	1.0	100.0
995	0.2	50.4	4.4	11.2	1.1	27.4	3.6	(s)	0.7	1.1	100.0

¹ Includes coal coke.

Notes: • Includes mobile homes and individual housing units in apartment buildings. Housing units with more than one type of heating system are classified according to the principal type of heating system.

Sources: • 1950, 1960, and 1970—Bureau of the Census, *Census of Population and Housing.* • 1973 forward—Bureau of the Census, *American Housing Survey for the United States in 1995*, Table 2-5.


² Includes nonreporting units in 1950 and 1960, which totaled 997 and 2,000 units, respectively.

³ Included in distillate fuel oil.

⁴ Since 1983, the *American Housing Survey for the United States* has been a biennial survey. NA=Not available. (s)=Less than 0.05 million or less than 0.05 percent.

Totals may not equal sum of components due to independent rounding.

Figure 2.8 Household Motor Vehicle Data



Note: The percent changes are of all income categories; they are simple average annual percent changes (computed as the 3-year percent change divided by 3) and will differ slightly from compound average annual percent changes.

NA=Not Available. Source: Table 2.8.

Table 2.8 Household Motor Vehicle Data, 1983, 1985, 1988, 1991, and 1994

							Fa	amily Incor	ne						
		Les	s than \$25,	,000			\$2	5,000 or M	ore			All Inc	ome Cate	gories	
Unit of Measure	1983	1985	1988	1991	1994	1983	1985	1988	1991	1994	1983	1985	1988	1991	1994
Households with Vehicles (millions)	42.9	43.3	38.9	36.5	34.5	30.5	34.5	42.2	48.2	50.3	73.4	77.7	81.3	84.6	84.9
Vehicles (millions)	66.7	65.4	58.7	52.7	52.0	63.0	71.9	88.8	98.5	104.8	129.7	137.3	147.5	151.2	156.8
Vehicle Miles Traveled (billions)	589	587	550	488	550.4	630	766	960	1,114	1,242.8	1,219	1,353	1,511	1,602	1,793
Motor Fuel Consumed (billion gallons)	40.8	38.2	31.4	26.9	28.3	39.8	45.7	51.0	55.9	62.3	80.5	83.9	82.4	82.8	90.6
Motor Gasoline Consumed (billion gallons) Leaded Unleaded	19.2 20.9	13.5 24.2	5.4 25.7	1.8 24.7	Q 26.7	13.2 25.3	11.0 33.7	5.8 44.3	1.6 52.9	Q 60.3	32.4 46.3	24.5 57.8	11.1 69.9	3.4 77.5	Q 87.0
Motor Fuel Expenditures (billion dollars¹)	48.1	44.8	30.7	31.7	32.6	47.3	54.3	50.3	66.6	72.1	95.4	99.1	81.1	98.2	104.7
Averages per Household with Vehicles Vehicles Vehicle Miles Traveled (thousands) Motor Fuel Consumed (gallons) Motor Fuel Expenditures (dollars¹)	1.6 13.7 950 1,121	1.5 13.6 883 1,035	1.5 14.1 807 789	1.4 13.4 737 869	1.5 15.9 818 943	2.1 20.7 1,305 1,552	2.1 22.2 1,326 1,575	2.1 22.7 1,205 1,191	2.0 23.1 1,160 1,382	2.1 24.7 1,238 1,433	1.8 16.6 1,097 1,300	1.8 17.4 1,079 1,274	1.8 18.6 1,014 998	1.8 18.9 979 1,161	1.8 21.1 1,067 1,234
Averages per Vehicle Vehicle Miles Traveled (thousands) Motor Fuel Consumed (gallons) Motor Fuel Expenditures (dollars¹)	8.8 612 722	9.0 585 685	9.4 536 524	9.3 510 602	10.6 545 628	10.0 631 751	10.7 636 755	10.8 574 567	11.3 568 676	11.9 594 688	9.4 621 736	9.9 611 722	10.3 559 550	10.6 548 650	11.4 578 668
Fuel Efficiency (miles per gallon)	14.4	15.3	17.5	18.1	19.5	15.8	16.8	18.8	19.9	20.0	15.1	16.1	18.3	19.3	19.8
Price of Motor Gasoline (dollars¹ per gallon) Leaded Unleaded	1.14 1.22	1.11 1.20	0.90 0.99	1.10 1.18	Q 1.15	1.14 1.22	1.11 1.21	0.90 1.00	1.10 1.19	Q 1.16	1.14 1.22	1.11 1.21	0.90 1.00	1.10 1.19	Q 1.16

¹ Nominal dollars.

Notes: • Included are passenger cars, minivans, passenger vans, cargo vans, motor homes, pickup trucks, and sport-utility vehicles (i.e., jeeplike vehicles, usually four-wheel drive). Excluded are motorcycles, mopeds, large trucks, and buses. • Motor fuel includes motor gasoline and a small amount of other fuels, such as diesel, gasohol, and propane. These data for 1983 differ from previously published 1983 data in that the basis for estimating the number of vehicle-owning households was changed to conform with that being used for 1985. Purchase diaries, which were fuel purchase logs retained by drivers


Sources: Fuel Efficiency: • 1983 and 1985—Energy Information Administration (EIA), "Residential Transportation Energy Consumption Survey," purchase diaries. • 1988 through 1994—Environmental Protection Agency Certification Files, adjusted for on-road driving. Price of Motor Gasoline: • 1983 and 1985—EIA, "Residential Transportation Energy Consumption Survey," purchase diaries. • 1988 through 1994—Bureau of Labor Statistics Gasoline Pump Price Series and Lundberg Inc. price series. All Other Data: EIA, Form EIA-876A/C, "Residential Transportation Energy Consumption Survey."

Q=Data withheld because either the relative standard error was greater than 50 percent or fewer than 10 households were sampled.

in 1983 and 1985, were used as the basis for estimating data for those years. • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/emeu/consumption.

Figure 2.9 Motor Vehicle Efficiency, 1960-1996



Source: Table 2.9.


Table 2.9 Motor Vehicle Efficiency, 1960-1996

			Passeng	ger Cars ¹					All Motor	Vehicles 2		
	Mil	leage	Fuel Co	nsumption	Fue	I Rate	Mil	eage	Fuel Con	sumption	Fue	I Rate
Year	Miles per Car	Index 1973 = 100.0	Gallons per Car	Index 1973 = 100.0	Miles per Gallon	Index 1973 = 100.0	Miles per Vehicle	Index 1973 = 100.0	Gallons per Vehicle	Index 1973 = 100.0	Miles per Gallon	Index 1973 = 100.0
1960	^R 9,518	R96.3	R668	R90.6	R14.3	R106.7	R9,732	R96.4	R784	R92.2	R12.4	R104.2
1961	R9,521	R96.3	R663	R90.0	R14.4	R107.5	R9,708	R96.1	^R 781	R91.9	R12.4	R104.2
1962	R9,494	R96.1	R662	R89.8	R14.3	R106.7	R9,687	R95.9	R779	R91.6	R12.4	R104.2
1963	R9.587	R97.0	R655	R88.9	R14.6	R109.0	R9,737	R96.4	R780	R91.8	R12.5	105.0
1964	R9.665	R97.8	R661	R89.7	R14.6	R109.0	R9,805	R97.1	R787	R92.6	R12.5	R105.0
1965	R9,603	R97.2	R661	R89.7	R14.5	R108.2	R9,826	R97.3	R787	R92.6	R12.5	105.0
1966	R9.733	R98.5	R688	R93.4	R14.1	R105.2	9.675	95.8	780	91.8	R12.4	104.2
1967	R9.849	R99.6	R699	R94.8	R14.1	R105.2	9,751	96.6	786	92.5	R12.4	104.2
1968	R9,922	R100.4	R714	R96.9	R13.9	R103.7	9,864	97.7	805	94.7	R12.2	R102.5
1969	R9,921	R100.4	R727	R98.6	R13.6	R101.5	9,885	97.9	821	96.6	R12.0	R100.8
1970	R9.989	R101.1	R737	R100.0	R13.5	R100.7	9.976	98.8	830	R97.6	R12.0	R100.8
1971	R10,097	R102.2	R743	R100.8	R13.6	R101.5	10,133	100.3	839	98.7	R12.1	R101.7
1972	R10,171	R102.9	R754	R102.3	R13.5	R100.7	10,133	101.8	857	R100.8	R12.0	100.8
1973	R9.884	100.0	R737	100.0	R13.4	100.7	10,099	100.0	850	100.0	R11.9	100.0
1974	R9,221	R93.3	R677	R91.9	R13.6	R101.5	9,493	94.0	788	92.7	R12.0	R100.8
1975	R9,309	R94.2	R665	R90.2	R14.0	R104.5	9,627	95.3	790	92.9	R12.2	R102.5
1976	R9.418	R95.3	R681	R92.4	R13.8	R103.0	9,774	96.8	806	94.8	R12.1	R101.7
1977	R9.517	96.3	R676	R91.7	R14.1	R105.2	9.978	98.8	814	95.8	R12.3	R103.4
1977	R9,500	⁸ 96.1	R665	R90.2	R14.1	R106.7	10,077	99.8	816	96.0	R12.4	R104.2
1978	R9,062	91.7	R620	R84.1	R14.6	R109.0	9.722		776	96.0	R12.5	R105.0
1980	R8.813	81.7 R89.2	R551	R74.8	R16.0	R119.4	9,722	96.3 93.7	776	83.8	R13.3	111.8
				R73.0	R16.5			93.7 R93.8			R13.6	
1981	R8,873	R89.8	R538		R16.9	R123.1 R126.1	R9,477		697	82.0	R14.1	R114.3
1982	R9,050	R91.6	R535	R72.6			9,644	95.5	686	80.7		R118.5
1983	R9,118	R92.3	R534	R72.5	R17.1	R127.6	R9,760	R96.6	686	80.7	R14.2	R119.3
1984	R9,248	R93.6	R530	R71.9	R17.4	R129.9	10,017	99.2	691	81.3	R14.5	R121.8
1985	R9,419	R95.3	R538	R73.0	R17.5	R130.6	R10,020	99.2	685	80.6	R14.6	R122.7
1986	R9,464	R95.8	R543	R73.7	R17.4	R129.9	R10,143	R100.4	R692	R81.4	R14.7	R123.5
1987	R9,720	R98.3	R539	R73.1	R18.0	R134.3	R10,453	103.5	694	81.6	R15.1	R126.9
1988	R9,972	R100.9	R531	R72.0	R18.8	R140.3	R10,721	R106.2	688	80.9	R15.6	R131.1
1989	R10,157	R102.8	R533	R72.3	R19.0	R141.8	R10,932	R108.2	688	80.9	R15.9	R133.6
1990	R _{10,277}	R104.0	R506	R68.7	R20.3	R _{151.5}	11,107	110.0	677	R79.6	R16.4	R137.8
1991	R10,322	R104.4	R487	R66.1	R21.2	R158.2	11,294	111.8	R669	R78.7	R16.9	R142.0
1992	R10,571	R107.0	R502	R68.1	R21.0	R156.7	11,558	114.4	683	80.4	R16.9	R142.0
1993	R10,545	R106.7	^R 512	R69.5	R20.6	R _{153.7}	R11,595	114.8	693	81.5	R _{16.7}	R140.3
1994	R _{10,759}	R _{108.9}	^R 517	R70.1	R20.8	R _{155.2}	_11,683	_115.7	_698	82.1	R16.7	R140.3
1995	R11,203	R113.3	^R 530	^R 71.9	R21.1	^R 157.5	R11,793	R116.8	^R 700	R82.4	^R 16.8	R141.2
1996 ^P	11,314	114.5	531	72.0	21.3	159.0	11,807	116.9	698	82.1	16.9	142.0


R=Revised. P=Preliminary.
Sources: • 1960-1994—Federal Highway Administration, *Highway Statistics Summary to 1995*, Table VM-201A. • 1995 forward—Federal Highway Administration, Highway Statistics, annual, Table VM-1.

From 1960 to 1965, passenger cars category also includes motorcycles.
 Passenger cars, motorcycles, buses, other 2-axle 4-tire vehicles (including vans, minivans, pickup trucks, and sport-utility vehicles), single-unit trucks with six or more tires, and combination trucks.

Figure 2.10 Commercial Buildings Consumption by Energy Source







¹ Distillate fuel oil, residual fuel oil, and kerosene.

Q=Data withheld because either the relative standard error was greater than 50 percent or fewer than 20 buildings were sampled.

(s)=Less than 50 trillion Btu.

Source: Table 2.10. See Appendix D for Census regions.

Table 2.10 Commercial Buildings Consumption by Energy Source, Selected Years, 1979-1995 (Trillion Btu)

	Squa	are Footage Cat	egory		Principal Bu	ilding Activity			Census	Region ¹		
Energy Source and Year	1,001 to 10,000	10,001 to 100,000	Over 100,000	Mercantile and Service	Office	Education	All Other	Northeast	Midwest	South	West	All Buildings
Major Sources ²												
1979	1,255	2,202	1,508	894	861	511	2,699	1,217	1,826	1,395	526	4,965
1983 1986	1,242 1,273	1,935 2,008	1,646 1,696	812 985	1,018 1,008	480 633	2,513 2,351	858 1,037	1,821 1,585	1,462 1,459	682 896	4,823 4,977
1989	1,259	2,402	2,127	1,048	1,230	704	2,806	1,354	1,659	1,648	1,126	5,788
1992	1,258	2,301	1,932	892	1,247	637	2,714	1,090	1,578	1,825	998	5,490
1995 ³	1,332	2,152	1,838	973	1,019	614	2,716	1,035	1,497	1,684	1,106	5,321
Electricity												
1979	429	872	608	361	424	163	961	425	593	662	227	1,908
1983 1986	469 654	903 927	758 809	426 536	509 641	152 179	1,041 1.035	324 430	673 584	801 867	331 510	2,129 2,390
1989	572	1,145	1,056	550	781	217	1,225	586	609	975	604	2,773
1992	586	991	1,033	444	704	235	1,226	419	622	1,002	566	2,609
1995 ³	618	1,064	926	508	676	221	1,204	436	558	1,027	587	2,608
Natural Gas												
1979	646 684	996 809	532 597	422 327	272 365	214 246	1,266	443 278	1,007 978	470 523	255	2,174 2,091
1983 1986	485	715	523	332	258	254 254	1,152 879	278 244	978 742	523 426	311 311	1,723
1989	568	836	670	417	238	323	1,095	353	831	498	391	2,073
1992	572	1,017	586	381	388	291	1,115	354	747	697	376	2,174
1995 ³	535	830	580	395	239	245	1,066	297	750	528	371	1,946
Fuel Oil ⁴												
1979	177	272	231	103	107	107	364	285	133	237	26 Q	681 314
1983 1986	85 114	140 206	90 121	43 105	75 39	61 103	135 194	172 270	28 63	104 86	23	442
1989	101	170	86	76	43	71	167	237	61	50	Q	357
1992	86	111	75	55	47	62	109	194	26	48	Q	272
1995 ³	71	104	60	49	28	57	101	168	16	45	7	235
District Heat 5												
1979	Q	61	136	Q	58	27	108	64	93	Q	Q	201
1983 1986	Q Q	83 159	202 243	Q 12	68 71	21 97	184 243	84 94	141 196	34 81	30 51	289 422
1989	19	252	315	Q	167	Q Q	319	179	159	126	121	585
1992	Q	182	238	Q	109	49	264	123	183	78	51	435
1995 ³	Q	154	271	Q	75	91	346	135	173	83	Q	533
Propane												
1979	23	15	5	10	Q	2	29	Q	1 <u>6</u>	15	10	43
1983 1986	20 44	12 18	2	6 17	Q Q	2	24 42	Q 9	7 19	21 26	Q Q	34 63
1300	44	10	ı	17	Q	3	44	Э	19	20	Q	03

¹ See Appendix D for Census regions.

² For 1979, 1983, and 1986 includes electricity, natural gas, fuel oil, district heat, and propane. For 1989, 1992, and 1995 includes electricity, natural gas, fuel oil, and district heat. Propane consumption statistics were not collected after 1986.

³ Parking garages and commercial buildings on multibuilding manufacturing facilities were excluded in the 1995 survey.

⁴ Distillate fuel oil, residual fuel oil, and kerosene.


⁵ For 1979 and 1983, includes only purchased steam. For 1986, 1989, 1992, and 1995 includes purchased and nonpurchased steam and purchased and nonpurchased hot water.

Q=Data withheld because either the relative standard error was greater than 50 percent or fewer than 20 buildings were sampled.

Note: Statistics for individual fuels are for all buildings using each fuel. Statistics for major sources are for the sum of electricity, natural gas, fuel oil, and district heat, across all buildings using any of those fuels. Web Page: http://www.eia.doe.gov/emeu/consumption.

Sources: • 1979—EIA, Form EIA-143, "Nonresidential Buildings Energy Consumption Survey." • 1983—EIA, Form EIA-788, "Nonresidential Buildings Energy Consumption Survey." • 1986—EIA, Form EIA-871, "Nonresidential Buildings Energy Consumption Survey." • 1989, 1992, and 1995—EIA, Form EIA-871A-F, "Commercial Buildings Energy Consumption Survey."

Figure 2.11 Commercial Buildings Energy Consumption and Expenditure Indicators, Selected Years, 1979-1995



¹ Distillate fuel oil, residual fuel oil, and kerosene.

Notes: • No data are available for 1980-1982, 1984, 1985, 1987, 1988, 1990, 1991, 1993, and 1994. • Because vertical scales differ, graphs should not be compared. Source: Table 2.11.

² Nominal dollars.

Table 2.11 Commercial Buildings Energy Consumption and Expenditure Indicators, Selected Years, 1979-1995

	Buile	ding Characteri	stics		Energy Co	onsumption			Energy Ex	penditures	
Energy Source and Year	Number of Buildings (thousand)	Total Square Feet (million)	Square Feet per Building (thousand)	Total (trillion Btu)	Per Building (million Btu)	Per Square Foot (thousand Btu)	Per Employee (million Btu)	Total (million dollars¹)	Per Building (thousand dollars¹)	Per Square Foot (dollars¹)	Per Million Btu (dollars¹)
Major Sources ²											
1979	3,073 3,185 4,154 4,528 4,806 4,579	43,546 49,471 58,199 63,184 67,876 58,772	14.2 15.5 14.0 14.0 14.1 12.8	5,008 4,856 5,040 5,788 5,490 5,321	1,630 1,525 1,213 1,278 1,142 1,162	115.0 98.2 86.6 91.6 80.9 90.5	85.0 65.7 68.6 81.9 77.1 69.3	33,821 55,764 60,762 70,826 71,821 69,918	11.0 17.5 14.6 15.6 14.9 15.3	0.78 1.13 1.04 1.12 1.06 1.19	6.75 11.48 12.06 12.24 13.08 13.14
Electricity											
1979	3,001 3,052 3,965 4,294 4,611 4,343	43,153 48,327 56,508 61,563 66,525 57,076	14.4 15.8 14.3 14.3 14.4 13.1	1,908 2,129 2,390 2,773 2,609 2,608	636 697 603 646 566 600	44.2 44.1 42.3 45.0 39.2 45.7	32.4 28.9 32.7 39.3 36.6 34.1	23,751 39,279 47,186 55,943 57,619 56,621	7.9 12.9 11.9 13.0 12.5 13.0	0.55 0.81 0.84 0.91 0.87 0.99	12.45 18.45 19.74 20.17 22.09 21.71
Natural Gas											
1979 1983 1986 1989 1992 1995 ³	1,864 1,904 2,214 2,420 2,657 2,478	30,477 33,935 37,263 41,143 44,994 38,145	16.4 17.8 16.8 17.0 16.9 15.4	2,174 2,091 1,723 2,073 2,174 1,946	1,167 1,098 778 857 818 785	71.3 61.6 46.2 50.4 48.3 51.0	52.5 40.6 35.2 43.2 42.5 38.7	5,814 11,443 8,355 9,204 9,901 9,018	3.1 6.0 3.8 3.8 3.7 3.6	0.19 0.34 0.22 0.22 0.22 0.24	2.67 5.47 4.85 4.44 4.55 4.63
Fuel Oil 4											
1979 1983 1986 1989 1992 1995 ³	441 534 581	11,397 9,409 11,005 12,600 13,215 14,421	17.8 21.3 20.6 21.7 23.6 23.7	681 314 442 357 272 235	1,063 714 827 614 487 387	59.7 33.4 40.1 28.3 20.6 16.3	40.5 19.8 27.7 21.0 15.1 10.2	2,765 2,102 2,059 1,822 1,400 1,175	4.3 4.8 3.9 3.1 2.5 1.9	0.24 0.22 0.19 0.14 0.11 0.08	4.06 6.68 4.66 5.11 5.14 5.00
District Heat 5											
1979	47 64 77 98 95 110	3,722 4,643 4,625 6,578 5,245 5,658	79.0 72.9 59.7 67.0 55.4 51.5	201 289 422 585 435 533	4,267 4,530 5,446 5,964 4,596 4,849	54.0 62.1 91.2 89.0 82.9 94.1	26.5 34.4 52.4 56.5 60.9 51.2	1,267 2,627 2,620 3,857 2,901 3,103	26.9 41.2 33.8 39.3 30.7 28.3	0.34 0.57 0.57 0.59 0.55 0.55	6.30 9.10 6.21 6.59 6.67 5.83
Propane											
1979	214 191 344 348 337	2,797 2,562 3,213 4,695 3,393	13.1 13.4 9.3 13.5 10.1	43 34 63 NA NA	202 176 184 NA NA	15.5 13.1 19.7 NA NA	12.9 8.5 17.6 NA NA	225 313 543 NA NA	1.1 1.6 1.6 NA NA	0.08 0.12 0.17 NA NA	5.19 9.29 8.59 NA NA

NA=Not available.

Note: Statistics for individual fuels are for all buildings using each fuel. Statistics for major sources are for all buildings, even buildings using no major fuel.

² For 1979, 1983, and 1986 includes electricity, natural gas, fuel oil, district heat, and propane. For 1989, 1992, and 1995 includes electricity, natural gas, fuel oil, and district heat. Propane consumption statistics were not collected after 1986.


³ Parking garages and commercial buildings on multibuilding manufacturing facilities were excluded in the 1995 survey.

⁴ Distillate fuel oil, residual fuel oil, and kerosene.

⁵ For 1979 and 1983, includes only purchased steam. For 1986, 1989, 1992, and 1995 includes purchased and nonpurchased steam and purchased and nonpurchased hot water.

Web Page: http://www.eia.doe.gov/emeu/cbecs/contents.html.
Sources: • 1979—EIA, Form EIA-143, "Nonresidential Buildings Energy Consumption Survey."
• 1983—EIA, Form EIA-788, "Nonresidential Buildings Energy Consumption Survey." • 1986—EIA, Form EIA-871, "Nonresidential Buildings Energy Consumption Survey." • 1989, 1992, and 1995—EIA, Form EIA-871A-F, "Commercial Buildings Energy Consumption Survey."

Figure 2.12 Commercial Buildings Energy Intensities by Building Characteristic, 1995



¹ Includes buildings that do not fit into any of the other named categories.

Notes: ◆See Appendix D for Census regions. ◆Because vertical scales differ, graphs should not be compared.

Source: Table 2.12.

Table 2.12 Commercial Buildings Energy Intensities by Building Characteristic, 1995

(Thousand Btu per Square Foot)

Building Characteristic	Space Heating	Cooling	Ventilation	Water Heating	Lighting	Cooking	Refrigeration	Office Equipment	Other ¹	All End Uses
All Buildings	. 29.0	6.0	2.8	13.8	20.4	3.7	3.1	5.7	6.1	90.5
Building Floorspace (square feet)										
1,001 to 5,000	. 39.5	7.0	2.9	9.7	22.7	8.9	10.4	5.4	5.1	111.7
5,001 to 10,000	. 38.5	4.4	1.7	11.1	13.6	4.3	2.5	3.8	2.9	82.8
10,001 to 25,000	. 27.4	4.8	1.7	9.1	14.7	2.6	2.5	4.3	3.7	70.9
25,001 to 50,000		6.7	2.1	11.6	18.5	2.1	2.5	5.0	5.2	82.0
50,001 to 100,000		7.0	3.2	12.9	21.3	2.0	2.1	6.1	6.0	87.6
100,001 to 200,000	. 26.6	6.2	3.3	19.6	25.0	3.1	1.4	7.2	8.9	101.4
200,001 to 500,000	. 24.0	6.7	4.5	25.2	27.4	4.6	1.6	8.5	11.9	114.6
Over 500,000	. 18.5	6.0	3.9	18.0	28.6	3.5	2.2	7.0	9.1	96.8
Principal Building Activity										
Education	. 32.8	4.8	1.6	17.4	15.8	1.4	1.0	1.5	2.9	79.3
Food Sales	. 27.5	13.4	4.4	9.1	33.9	5.6	110.9	1.3	7.4	213.5
Food Service		19.5	5.3	27.5	37.0	77.5	31.6	2.6	13.7	245.5
Health Care		9.9	7.2	63.0	39.3	11.2	4.7	15.5	34.4	240.4
Lodging	. 22.7	8.1	1.7	51.4	23.2	6.6	2.3	3.8	7.5	127.3
Mercantile and Service		5.8	2.5	5.1	23.4	1.5	0.9	2.9	3.7	76.4
Office	. 24.3	9.1	5.2	8.7	28.1	1.1	0.4	15.1	5.2	97.2
Public Assembly		6.3	3.5	17.5	21.9	2.8	1.8	2.4	3.8	113.7
Public Order and Safety		6.1	2.3	23.4	16.4	Q	0.2	5.8	12.7	97.2
Religious Worship		1.9	0.9	3.2	5.0	0.5	0.6	0.4	1.1	37.4
Warehouse and Storage	. 15.7	0.9	0.3	2.0	9.8	0.0	1.7	4.4	3.4	38.3
Other ²		9.3	8.3	15.3	26.7	Q	0.7	15.2	35.9	172.2
Vacant		0.6	0.3	2.4	3.6	Q	0.2	0.5	1.9	21.5
/ear Constructed										
1919 or Before	. 34.2	2.6	1.6	10.0	14.9	4.0	1.3	3.2	7.5	79.4
1920 to 1945	. 37.0	3.4	1.6	10.7	12.3	1.8	1.6	3.3	4.1	75.7
1946 to 1959	. 37.2	4.4	2.1	14.1	15.5	3.0	2.7	4.6	5.2	88.9
1960 to 1969	. 30.2	5.7	2.7	16.8	20.4	4.0	3.0	5.3	6.1	94.3
1970 to 1979	. 26.0	7.2	3.6	15.8	25.6	3.2	3.7	6.7	7.5	99.3
1980 to 1989	. 19.8	7.8	3.2	11.5	23.5	4.2	3.0	7.6	5.9	86.5
1990 to 1992		8.4	3.5	17.2	28.7	9.3	5.6	7.9	7.4	114.6
1993 to 1995		7.9	3.2	11.7	22.7	3.3	7.4	4.9	6.8	92.2
Census Region ³										
Northeast	. 32.4	4.0	2.0	14.2	17.7	2.7	3.0	4.5	6.4	87.1
Midwest		4.3	2.5	15.6	18.8	3.5	2.4	5.1	5.6	104.5
South		8.4	3.2	10.5	21.3	4.0	3.4	5.9	6.0	80.8
West		5.5	3.1	17.0	23.6	4.3	3.4	7.2	6.5	94.2

¹ Examples of "other" include medical, electronic, and testing equipment; conveyors, wrappers, hoists, and compactors; washers, disposals, dryers and cleaning equipment; escalators, elevators, dumb waiters, and window washers; shop tools and electronic testing equipment; sign motors, time clocks, vending machines, phone equipment, and sprinkler controls; scoreboards, fire alarms, intercoms, television sets, radios, projectors, and door operators.

² Includes buildings that do not fit into any of the other named categories.


³ See Appendix D for Census regions.

Q=Data withheld because there were fewer than 20 buildings sampled.

Web Page: http://www.eia.doe.gov/emeu/consumption.


Source: Energy Information Administration, Form EIA-871A/F, "Commercial Buildings Energy Consumption Survey."

Financial Indicators




Gas pump, Oregon, 1969. Source: U.S. Department of Energy.

Figure 3.1 Fossil Fuel Production Prices



Fossil Fuel Composite Price, Change from Previous Year, 1950-1997



Note: Prices are in chained (1992) dollars, calculated by using gross domestic product implicit price deflators.

Source: Table 3.1.

Table 3.1 Fossil Fuel Production Prices, 1949-1997

(Dollars per Million Btu)

	Gross Domestic Product Implicit Price Deflator ¹ (1992 = 1.000)	Crude Oil ²		Crude Oil ² Natural Gas ³		Bituminous Coal, Subbituminous Coal, and Lignite ⁴		Anthracite 5		Fossil Fuel Composite ⁶		
Year		Nominal	Real ⁷	Nominal	Real ⁷	Nominal	Real ⁷	Nominal	Real ⁷	Nominal	Real ⁷	Percent Change ⁸
1949	^R 0.181	0.44	R2.42	0.05	R _{0.30}	0.20	R1.08	0.36	R2.01	0.26	R1.45	_
1950	R0.183	0.43	R2.37	0.06	R _{0.34}	0.19	R1.06	0.38	R2.07	0.26	R1.40	R-3.4
1951	R _{0.196}	0.44	R2.22	0.06	R0.32	0.20	R1 00	0.41	R2 08	0.26	R1 32	R-5.6
1952	R _{0.199}	0.44	R2.19	0.07	R _{0.36}	0.20	R _{0.98}	0.39	R1.98	0.26	R1.31	R-0.7
1953	R _{0.202}	0.46	R2.29	0.08	R _{0.40}	0.20	R _{0.96}	0.41	R2.02	0.27	^R 1.35	R3.0
1954	R _{0.204}	0.48	R2.35	0.09	R _{0.44}	0.18	R0.88	0.36	R1.77	0.28	R1.36	R0.5
1955	R _{0.207}	0.48	R2.31	0.09	R _{0.43}	0.18	R _{0.86}	0.33	R1.60	0.27	R1.31	R-3.6
1956	R0.215	0.48	R2.24	0.10	R0.46	0.19	R0.89	0.35	R1.62	0.28	R1.29	R-1.2
1957	R0.222	0.53	R2.40	0.10	R0.45	0.20	R0.90	0.38	R1.72	0.30	R1.35	R4.2
1958	R0.227	0.52	R2.29	0.11	R0.48	0.19	R0.86	0.38	R1.67	0.29	R1.29	R-4.5
1959	R0.230	0.50	R2.17	0.12	R0.51	0.19	R0.83	0.36	R1.56	0.29	R1.24	R-3.3 R-2.3
1960	0.233 R0.235	0.50 0.50	2.13 R2.12	0.13 0.14	0.54 R0.57	0.19	0.81 ^R 0.78	0.34	1.45 R1.47	0.28 0.29	1.22 R1.22	
1961 1962	R _{0.238}	0.50	R2.12	0.14	R0.61	0.18 0.18	R0.76	0.35 0.34	R1.47	0.29	R1.21	0.2 -0.6
1962	R0.241	0.50	R2.07	0.14	R0.60	0.18	R0.73	0.34	R1.52	0.29	R1.21	-3.0
1964	0.241	0.50	2.03	0.14	0.56	0.18	0.73	0.37	1.55	0.28	1.13	R-3.7
1965	0.250	0.49	1.97	0.14	0.58	0.18	0.73	0.36	1.45	0.28	1.13	-2.0
1966	0.257	0.50	1.93	0.14	0.56	0.18	0.72	0.35	1.35	0.28	1.09	-1.7
1967	0.265	0.50	1.90	0.14	0.55	0.19	0.71	0.36	1.36	0.28	1.07	-1.6
1968	R _{0.276}	0.51	R1.84	0.14	R _{0.52}	0.19	R0.69	0.39	R1.42	0.28	R1.03	R-3.6
1969	R0.289	0.53	R1.84	0.15	R0.53	0.20	R0.71	0.44	R1 52	0.30	R1.04	0.2
1970	R0.305	0.55	R1.80	0.15	R _{0.50}	0.26	R0.86	0.49	R1.60	0.32	R1.04	R0.4
1971	R0.321	0.58	R1.82	0.16	R0.51	0.30	R _{0.94}	0.53	R1.66	0.34	R1.06	1.9
1972	R _{0.334}	0.58	R1.75	0.17	R _{0.52}	0.33	R0 98	0.55	R1.66	0.35	R1.05	-1 0
1973	R _{0.353}	0.67	R1.90	0.20	R _{0.57}	0.36	R1.03	0.62	R1.75	0.40	R1.13	R7.5
1974	0.385	1.18	3.08	0.27	0.71	0.68	1.77	1.02	2.66	0.68	1.76	R55.8
1975	R _{0.421}	1.32	R3.14	0.40	^R 0.96	0.84	R1.99	1.50	R3.55	0.82	R1.95	R11.0
1976	0.446	1.41	3.17	0.53 0.72	1.19	0.85	1.91	1.54	3.45	0.90	2.02	R3.7
1977	0.474	1.48	3.12	0.72	1.52	0.88	_1.85	1.54	3.24	1.01	2.13	_5.2
1978	R _{0.509}	1.55	R3.05	0.84	R1.64	0.98	R1.92	1.53	R3.00	1.12	R2.19	R3.1
1979	R0.552	2.18	R3.95	1.08	R1.96	1.05	R1.91	1.77	R3.21	1.42	R2.57	17.1
1980	R0.603	3.72	R6.17	1.45	R2.40	1.09	R1.81	1.86	R3.08	2.04	R3.39	R31.9
1981	R0.660	5.48	R8.30	1.80	R2.72	1.18	R1.79	1.90	R2.88	2.74	R4.16	R22.8
1982	R0.702 R0.732	4.92 4.52	R7.00 R6.17	2.22 2.32	R3.16 R3.17	1.22	R1.74 R1.60	2.14	R3.05 R3.14	2.76	R3.93 R3.69	-5.6 ^R -6.0
1983	0.732	4.52 4.46	5.88	2.32		1.17	1.53	2.30 2.09	*3.14 2.75	2.70 2.65	3.69	N-6.0 R-5.5
1984 1985	0.759 R0.785	4.46	85.29	2.40	3.16 ^R 2.88	1.16 1.15	R1.46	2.09	R2.60	2.51	R3.20	R-8.2
				2.20					2.37		2.05	R-35.9
1986 1987	0.806 0.831	2.16 2.66	2.68 3.20	1.75 1.50	2.17 1.81	1.08 1.05	1.34 1.26	1.91 1.89	2.37 2.27	1.65 1.70	2.05	-0.2
1988	0.861	2.17	2.52	1.52	1.77	1.03	1.26	1.90	2.20	1.53	1.78	-13.0
1989	0.897	2.73	3.05	1.53	1.77	1.00	1.17	1.84	2.05	1.67	1.86	4.7
1990	0.936	3.45	3.69	1.55	1.65	1.00	1.06	1.74	1.86	1.84	1.97	5.7
1991	0.973	2.85	2.93	1.48	1.52	0.99	1.02	1.61	1.66	1.67	1.72	-12.8
1992	1.000	2.76	2.76	1.57	1.57	R0.97	R0.97	1.52	1.52	R1.66	R1.66	R-3.3
1993	1 026	2.46	2.40	1.84	1.80	0.93	0.90	1.46	1.42	1.67	1.63	R-1.8
1994	R1.051	2.27	R2.16	1.67	R1.59	0.91	R0.86	1.60	R1.52	1.53	R1.46	R-10.7
1995	R1.078	2.27 2.52	R2.34	1.40	R1.30	0.88	R0 82	1.76	R1 64	1.47	R1.37	-6.0
1996	R1.102	3.18	R2.89	R1.96	R1.78	R _{0.87}	R _{0.79}	R1.63	R1.48	R1.82	R1.65	R21.0
1997P	1.124	2.97	2.64	2.18	1.94	0.85	0.76	1.51	1.34	1.84	1.64	-1.0

See Glossary.

² Domestic first purchase prices.

³ Wellhead prices.

Prices are based on the value of coal produced at free-on-board (f.o.b.) mines.
 Through 1978, prices are f.o.b. preparation plants; for 1979 forward, prices are f.o.b. mines.

⁶ Derived by multiplying the price per Btu of each fossil fuel by the total Btu content of the production of each fossil fuel and dividing this accumulated value of total fossil fuel production by the accumulated Btu content of total fossil fuel production.

⁷ In chained (1992) dollars, calculated by using gross domestic product implicit price deflators.

⁸ Based on real values.


Based on real values.

R=Revised. P=Preliminary. — = Not applicable.


Sources: Gross Domestic Product Implicit Price Deflator • 1949-1994—Department of Commerce (DOC), Bureau of Economic Analysis (BEA), Survey of Current Business, "Price Indexes and the Gross Domestic Product and Gross Purchases Implicit Price Deflators" (August 1997), Table 3.

• 1995-1997—DOC,BEA News Release (Washington DC, March 12, 1998), Table 4. Fuel Prices: Tables 5.16, 6.8, and 7.8, and Appendix A.


Figure 3.2 Value of Fossil Fuel Production



Overview, 1997



Production by Fuel, 1949-1997



Notes: • Prices are in chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Table 3.1. • Because vertical scales differ, graphs should not be compared.

Sources: Tables 3.2, 3.5, and 3.6.

Table 3.2 Value of Fossil Fuel Production, 1949-1997

(Billion Dollars)

	Crude Oil ¹		Natural Gas (Marketed Production)		Bituminous Coal, Subbituminous Coal, and Lignite		Anthr	acite	Total		Total	
Year	Nominal	Real ²	Nominal	Real ²	Nominal	Real ²	Nominal	Real ²	Nominal	Real ²	Nominal	Real ²
949	4.68	R25.86	0.33	R1.82	2.14	R11.82	0.38	R2.10	2.52	R13.92	7.53	R41.60
950	4.95	R27.05	0.44	R2.40	2.50	R13.66	0.41	R2.24	2.91	R15.90	8.30	R45.35
951	5.69	R29.03	0.52	R2.65	2.63	R13.42	0.42	R2.14	3.05	R15.56	9.26	R47.24
952	5.79	R29.10	0.64	R3.22	2.29	R11.51	0.39	R1.96	2.68	R13.47	9.20	R45.79
	6.32	R31.29	0.76	R3.76	2.25	R11.14	0.39	R1.53	2.56	R12.67	9.64	R47.72
953				R4.26		R8.68		R1.23		R9.91		R45.74
954	6.44	R31.57	0.87		1.77		0.25	N1.23	2.02	1.9.91	9.33	
955	6.88	R33.24	0.94	R4.54	2.09	R10.10	0.21	R1.01	2.30	R11.11	10.12	R48.89
956	7.30	R33.95	1.11	^R 5.16	2.41	R11.21	0.24	R1.12	2.65	R12.33	11.06	R51.44
957	8.09	R36.44	1.17	R5.27	2.50	R ₁ 1.26	0.23	R1.04	2.73	R _{12.30}	11.99	R54.01
958	7.37	R32.47	1.32	R5.81	1.99	R8.77	0.19	R _{0.84}	2.18	R9.61	10.87	R47.89
959	7.47	R32.48	1.57	R6.83	1.97	R8.57	0.18	R _{0.78}	2.15	R9.35	11.19	R48.66
960	7.42	31.85	1.79	7.68	1.95	8.37	0.15	0.64	2.10	9.01	11.31	48.54
961	7.58	R32.26	1.99	R8.47	1.85	R7.87	0.14	R0.60	1.99	R8.47	11.56	R49.20
962	7.76	R32.61	2.22	R9.33	1.89	R7.94	0.13	R _{0.55}	2.02	R8.49	12.00	R50.43
963	7.96	R33.03	2.36	R9.79	2.01	R8.34	0.16	0.66	2.17	R9.00	12.49	R51.82
964	8.03	32.78	2.33	9.51	2.17	8.86	0.15	0.61	2.32	9.47	12.68	51.76
65	8.15	32.60	2.57	10.28	2.27	9.08	0.13	0.52	2.40	9.60	13.12	52.48
66	8.72	33.93	2.75	10.70	2.42	9.42	0.10	0.39	2.52	9.81	13.99	54.44
67	9.39	35.43	2.91	10.78	2.55	9.62	0.10	0.38	2.65	10.00	14.95	56.41
	9.79	R35.47	3.09	R11.20	2.55	89.24	0.10	0.36	2.65	R9.60	15.53	R56.27
88		N35.47	3.09	N11.20		R9.69		0.36 Ro.05	2.00	N9.00		R58.28
69	10.42	R36.06	3.52	R12.18	2.80	N9.69	0.10	R0.35	2.90	R10.04	16.84	\58.28
970	11.19	R36.69	3.73	R12.23	3.77	R12.36	0.11	0.36	3.88	R12.72	18.80	R61.64
71	11.71	R36.48	4.05	R12.62	3.90	R12.15	0.11	0.34	4.01	R12.49	19.77	R61.59
972	11.71	R35.06	4.28	R12.81	4.56	R13.65	0.09	0.27	4.65	R13.92	20.64	R61.79
973	13.07	R37.03	4.98	R14.11	5.05	R14.31	0.09	0.25	5.14	R14.56	23.19	R65.70
974	22.00	57.14	6.48	16.83	9.50	24.68	0.15	0.39	9.65	25.07	38.13	99.04
75	23.45	R55.70	8.85	R21.02	12.47	R29.62	0.20	R _{0.48}	12.67	R30.10	44.97	R106.82
976	24.37	54.64	11.57	25.94	13.19	29.57	0.21	0.47	13.40	30.04	49.34	110.62
977	25.79	54.41	15.82	33.38	13.70	28.90	0.20	0.42	13.90	29.32	55.51	117.11
978	28.60	R56.19	18.18	R35.72	14.49	R28.47	0.18	0.35	14.67	R28.82	61.45	R120.73
979	39.45	R71.47	24.16	R43.77	18.36	R33.26	0.20	0.36	18.56	R33.62	82.17	R148.86
80	67.93	R112.65	32.09	R53.22	20.20	R33.50	0.26	0.43	20.46	R33.93	120.48	R199.80
981	99.40	R150.61	39.51	R59.86	21.51	R32.59	0.24	0.36	21.75	R32.95	160.66	R243.42
982	90.03	R128.25	45.71	R65.11	22.62	R32.22	0.23	0.33	22.85	R32.55	158.59	R225.91
983	83.05	R113.46	43.73	R59.74	20.11	R27.47	0.23	0.33	20.32	R27.76	147.10	R200.96
984	84.10	110.80	48.69	64.15	20.11	29.97	0.21	0.29	22.95	30.23	155.74	205.18
184 185	78.88	R100.48	43.35	R55.22	22.75	R28.10	0.20	0.28	22.28	R28.38	144.51	R184.08
185 186												
	39.63	49.17	32.71	40.58	21.00	26.05	0.19	0.24	21.19	26.29	93.53	116.04
87	46.93	56.47	29.11	35.03	21.05	25.33	0.16	0.19	21.21	25.52	97.25	117.02
88	37.48	43.53	30.28	35.17	20.83	24.19	0.16	0.19	20.99	24.38	88.75	103.08
89	44.07	49.13	30.58	34.09	21.27	23.71	0.14	0.16	21.41	23.87	96.06	107.09
90	53.77	57.45	31.80	33.97	22.27	23.79	0.14	0.15	22.41	23.94	107.98	115.36
91	44.77	46.01	30.39	31.23	21.29	_21.88	0.13	0.13	21.42	22.01	96.58	99.25
92	41.97	41.97	32.56	32.56	R20.87	R20.87	0.12	0.12	R20.99	R20.99	R95.52	R95.52
93	35.61	34.71	38.72	37.74	18.62	18.15	0.14	0.14	18.76	18.29	93.09	90.74
94	32.07	R30.51	36.46	R34.69	R19.90	R18.93	0.17	0.16	R20.07	R19.09	R88.60	R84.29
995	35.00	R32.47	30.24	R28.05	19.27	R17.88	0.19	0.18	19.46	R18.06	84.70	R78.58
996	R43.68	R39.64	R42.86	R38.89	R19.51	R17.70	0.17	0.15	R19.68	R17.85	R106.22	R96.38
997 ^P	40.34	35.89	48.13	42.82	19.63	17.46	0.17	0.15	19.80	17.61	108.27	96.32

¹ Includes lease condensate.

R=Revised. P=Preliminary.


Note: Value is based on fuel prices taken as closely as possible to the point of production.


Web Page: http://www.eia.doe.gov/


Sources: Tables 5.1, 5.16, 6.2, 6.8, 7.2, and 7.8.

 $^{^2}$ In chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Table 3.1.


Figure 3.3 Consumer Price Estimates for Energy











Note: Because vertical scales differ, graphs should not be compared.

Source: Table 3.3

¹ Nominal dollars.

² Electricity purchased by end users.

³ Liquefied petroleum gases.

⁴ Asphalt, road oil, aviation gasoline and aviation gasoline blending components, crude oil, kerosene, lubricants, motor gasoline blending components, pentanes plus, petrochemical waxes, and miscellaneous petroleum products.

Table 3.3 Consumer Price Estimates for Energy, 1970-1994

(Nominal Dollars per Million Btu)

	Primary Energy ¹														
	Coal			Petroleum									=	Electricity Purchased	
Year		Natural Gas	Distillate Fuel	Jet Fuel	LPG ²	Motor Gasoline	Residual Fuel	Other ³	Total	Nuclear Fuel	Biofuels	Total ⁴	Electric Utility Fuel	by End-Users	Total Energy ⁴
970	0.37	0.59	1.16	0.73	1.46	2.85	0.42	1.32	1.71	0.18	0.65	1.08	0.32	4.99	1.65
971	0.42	0.63	1.22	0.77	1.49	2.90	0.58	1.39	1.78	0.18	0.69	1.14	0.38	5.30	1.76
972	0.45	0.68	1.22	0.79	1.52	2.88	0.62	1.42	1.77	0.18	0.72	1.17	0.41	5.54	1.84
973	0.48	0.73	1.46	0.92	2.02	3.10	0.75	1.49	1.96	0.19	0.77	1.29	0.46	5.86	2.02
974	0.88	0.89	2.44	1.58	2.81	4.32	1.82	2.44	3.04	0.20	0.84	1.94	0.86	7.42	2.87
975	1.03	1.18	2.60	2.05	2.97	4.65	1.93	2.79	3.33	0.24	0.92	2.19	0.96	8.61	3.33
976	1.04	1.46	2.77	2.25	3.21	4.84	1.90	2.95	3.45	0.25	0.98	2.34	1.02	9.13	3.57
977	1.11	1.76	3.11	2.59	3.65	5.13	2.14	3.15	3.71	0.27	1.04	2.58	1.16	10.11	3.99
978	1.28	1.95	3.26	2.87	3.60	5.24	2.08	3.32	3.82	0.30	1.12	2.72	1.25	10.92	4.24
979	1.36	2.31	4.69	3.90	4.50	7.11	2.83	4.47	5.20	0.34	1.56	3.47	1.48	11.78	5.22
980	1.47	2.86	6.70	6.36	5.64	9.84	3.88	6.64	7.35	0.43	1.74	4.58	1.75	13.95	6.91
981	1.65	3.43	8.03	7.57	6.18	10.94	4.91	8.67	8.68	0.48	1.24	5.27	2.00	16.14	8.09
982	1.73	4.23	7.78	7.23	6.66	10.39	4.65	7.87	8.40	0.54	1.28	5.34	2.01	18.16	8.53
983	1.71	4.72	7.32	6.53	7.17	9.12	4.50	7.64	7.78	0.58	1.12	5.13	1.98	18.62	8.47
984	1.71	4.75	7.36	6.25	6.93	8.89	4.75	7.75	7.68	0.67	1.28	5.05	1.97	18.50	8.36
985	1.70	4.61	7.18	5.91	6.33	9.01	4.30	7.59	7.61	0.71	0.79	4.92	1.85	19.05	8.43
986	1.62	4.07	5.66	3.92	6.21	6.79	2.37	5.82	5.72	0.70	0.32	3.96	1.55	19.06	7.36
987	1.54	3.77	5.94	4.03	5.85	7.22	2.86	5.54	6.01	0.71	0.95	3.98	1.51	18.74	7.38
988	1.50	3.78	5.80	3.80	5.65	7.32	2.35	5.27	5.89	0.73	0.87	3.88	1.45	18.68	7.31
989	1.49	3.85	6.45	4.39	5.35	8.01	2.72	5.55	6.42	0.70	0.67	4.12	1.48	18.98	7.69
990	1.49	3.85	7.70	5.68	6.51	9.12	3.16	5.87	7.46	0.67	⁵ 1.94	⁵ 4.49	1.46	19.33	⁵ 8.29
991	1.49	3.78	7.28	4.83	6.54	8.93	2.62	5.78	7.18	0.63	2.00	4.32	1.37	19.85	8.24
992	1.46	3.89	7.11	4.52	5.95	8.96	2.27	5.67	7.07	0.59	2.01	4.29	1.34	20.06	8.17
993	1.43	4.16	7.10	4.29	5.97	8.82	2.25	5.54	7.00	0.56	1.91	4.31	1.35	20.38	8.27
994	1.40	4.15	7.03	3.95	6.22	8.91	2.32	5.52	7.02	0.56	1.88	4.32	1.30	20.34	8.31

 $^{^{\}rm 1}$ Primary energy is all energy, including that consumed to produce electricity but excluding the electricity produced.

Web Page: http://www.eia.doe.gov/emeu/sep/states.html

Sources: Energy Information Administration, State Energy Price and Expenditure Report 1994 (June 1997), Table 5.

² Liquefied petroleum gases.


^{3 &}quot;Other" is asphalt and road oil, aviation gasoline, kerosene, lubricants, petrochemical feedstocks, petroleum coke, special naphthas, waxes, and miscellaneous petroleum products.


⁴ The "Primary Energy Total" and "Total Energy" prices include consumption-weighted average prices for coal coke imports and coal coke exports that are not shown in the other columns. In 1994, coal coke imports averaged 3.31 dollars per million Btu and coal coke exports averaged 2.46 dollars per million Btu.


⁵ There is a discontinuity in this time series between 1989 and 1990 due to expanded coverage of non-electric utility use of biofuels beginning in 1990.

Note: There are no direct fuel costs for hydroelectric, geothermal, wind, photovoltaic, or solar thermal energy.


Figure 3.4 Consumer Expenditure Estimates for Energy











Note: Because vertical scales differ, graphs should not be compared. $\label{eq:compared}$

Source: Table 3.4.

¹ Nominal dollars.

² Electricity purchased by end users.

³ Liquefied petroleum gases.

⁴Asphalt, road oil, aviation gasoline and aviation gasoline blending components, crude oil, kerosene, lubricants, motor gasoline blending components, pentanes plus, petrochemical waxes, and miscellaneous petroleum products.

Table 3.4 Consumer Expenditure Estimates for Energy, 1970-1994

(Million Nominal Dollars)

			ı		Primary Energy ¹											
		Net			Petroleum									Electric	Electricity Purchased	
Year C	Coal	Imports of Coal Coke ²	Natural Gas	Distillate Fuel	Jet Fuel	LPG ³	Motor Gasoline	Residual Fuel	Other ⁴	Total	Nuclear Fuel	Biofuels	Total	Utility Fuel	by End-Users	Total Energy
970	4,594	-75	10,891	6,253	1,441	2,446	31,596	2,046	4,306	48,088	44	2	63,544	-4,316	23,351	82,579
971	4,883	-40	12,065	6,890	1,582	2,531	33,478	2,933	4,616	52,030	73	2	69,013	-5,441	26,208	89,781
972	5,412	-26	13,198	7,552	1,682	2,889	35,346	3,458	4,939	55,866	104	2	74,556	-6,473	29,718	97,801
973	6,251	7	13,933	9,524	2,001	3,933	39,667	4,667	5,512	65,304	177	3	85,675	-7,817	33,780	111,638
974	11,145	150	16,380	15,217	3,208	5,273	54,194	10,547	8,504	96,943	259	2	124,880	-14,391	42,589	153,078
975	13,047	82	20,061	15,680	4,193	5,231	59,446	10,374	8,934	103,858	448	2	137,499	-16,396	50,680	171,782
976	14,079	44	25,097	18,402	4,567	5,993	64,977	11,648	10,421	116,008	520	3	155,751	-18,923	56,971	193,799
977	15,448	67	29,602	22,004	5,517	6,824	70,591	14,381	12,377	131,694	743	5	177,560	-23,392	66,225	220,393
978	17,595	362	33,185	23,587	6,205	6,621	74,513	13,747	13,881	138,554	915	4	190,615	-25,746	74,164	239,033
979	20,421	259	40,785	32,854	8,603	9,383	95,916	17,656	19,354	183,766	941	8	246,180	-31,031	82,050	297,199
980	22,648	-78	51,061	40,797	13,923	10,926	124,408	21,573	26,781	238,408	1,189	8	313,237	-37,435	98,098	373,900
981	26,231	-31	60,544	48,200	15,607	11,900	138,138	22,668	28,571	265,084	1,436	5	353,268	-43,275	116,453	426,446
982	26,426	-52	68,292	44,087	14,974	12,925	130,305	17,632	22,449	242,372	1,684	4	338,726	-41,311	127,394	424,809
983	27,051	-44	72,000	41,846	13,979	14,083	115,816	14,099	21,691	221,514	1,859	4	322,384	-41,336	134,746	415,794
984	29,049	-22	77,169	44,580	15,097	14,143	114,438	14,410	22,892	225,560	2,384	12	334,151	-43,378	142,438	433,211
985	29,719	-34	72,938	43,759	14,747	13,108	118,044	11,493	22,199	223,350	2,930	11	328,914	-42,558	149,242	435,597
986	27,905	-40	59,702	34,995	10,505	12,283	91,526	7,486	17,720	174,515	3,125	4	265,210	-35,793	151,806	381,224
987	27,585	7	58,019	37,587	11,448	12,412	99,809	8,062	17,419	186,737	3,486	15	275,848	-36,692	154,692	393,848
988	28,370	116	61,089	38,593	11,318	12,301	103,211	7,259	16,816	189,498	4,111	15	283,199	-37,435	162,070	407,833
989	28,106	137	65,383	43,246	13,434	11,772	112,585	8,354	17,197	206,588	3,992	14	304,219	-38,895	169,340	434,664
990	28,381	22	64,102	49,430	17,784	13,187	126,472	8,707	19,413	234,993	4,142	⁵ 1,645	5333,286	-38,441	176,742	⁵ 471,586
991	27,866	42	64,697	45,181	14,609	14,372	123,051	6,786	18,376	222,375	4,172	1,809	320,962	-36,500	184,822	469,283
992	27,417	99	68,401	45,110	13,559	13,628	125,158	5,575	18,867	221,897	3,878	1,828	323,519	-35,763	186,957	474,713
993	27,857	56	75,941	45,885	13,002	13,432	126,397	5,439	18,463	222,618	3,658	1,737	331,866	-36,651	196,586	491,801
994	27,251	92	77,753	47,235	12,474	15,286	129,900	5,289	18,856	229,040	3,858	1,750	339,744	-35,951	200,894	504,688

 $^{^{\}rm 1}$ Primary energy is all energy, including that consumed to produce electricity but excluding the electricity produced.

Web Page: http://www.eia.doe.gov/emeu/sep/states.html.

Sources: Energy Information Administration, *State Energy Price and Expenditure Report 1994* (June 1997), Table 5.

² Values derive from U.S. Department of Commerce, Bureau of the Census, "Monthly Report IM-145" and "Monthly Report IM-545," and may differ slightly from those shown on Table 3.7, which derive from Bureau of the Census, U.S. International Trade in Goods and Services. FT600 series.


³ Liquefied petroleum gases.

⁴ "Other" is asphalt and road oil, aviation gasoline, kerosene, lubricants, petrochemical feedstocks, petroleum coke, special naphthas, waxes, and miscellaneous petroleum products.

 $^{^{5}}$ There is a discontinuity in this time series between 1989 and 1990 due to expanded coverage of non-electric utility use of biofuels beginning in 1990.

Notes: • There are no direct fuel costs for hydroelectric, geothermal, wind, photovoltaic, or solar thermal energy. • Totals may not equal the sum of components due to independent rounding.

Figure 3.5 Value of Fossil Fuel Imports



¹ Natural gas, coal, and coal coke.

Notes: • Prices are in chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Table 3.1. Because vertical scales differ, graphs should not be compared.

Source: Table 3.5.

Table 3.5 Value of Fossil Fuel Imports, 1949-1997

(Billion Dollars)

	Co	al	Coal	Coke	Natura	al Gas	Crud	le Oil 1	Petroleum	Products	Total		
Year	Nominal	Real ²	Nominal	Real ²	Nominal	Real ²	Nominal	Real ²	Nominal	Real ²	Nominal	Real ²	
1949	(s)	R0.01	(s)	R0.02	0.00	0.00	0.30	R1.68	0.14	R0.76	0.45	R2.48	
1950		R0.01	0.01	R0.03	0.00	0.00	0.37	R2.02	0.21	R1.17	0.59	R3.23	
1951	(s) (s)	R0.01	(s)	R _{0.01}	0.00	0.00	0.37	R1.91	0.23	R1.16	0.61	R3.09	
1952	(s)	R0.01	(s)	R0.02	(s)	(s)	0.42	R2.13	0.25	R1.27	0.68	R3.43	
1953		R _{0.01}	(s)	R _{0.01}	(s)	R _{0.01}	0.51 0.54	R2.52	0.25	R1.25	0.77	R3.80	
1954	(s) (s)	R _{0.01}	(s)	R _{0.01}	(s)	(s)	0.54	R2.67	0.28	R1.39	0.83	R4.08	
1955	(s)	R0.01	(s)	R0.01	(s)	R0.01	0.65	R3.16	0.44	R2.13	1.10	R5.32	
1956	(s) (s)	R _{0.01}	(s)	R _{0.01}	(s)	(s) R0.01	0.84	R3.90	0.45	R2.08	1.29	R6.01	
1957	(s)	R _{0.01}	(s)	R _{0.01}	(s)	^R 0.01	0.98	R4.42	0.57	R2.56	1.56	R7.01	
1958	(s)	R0.01	(s)	R0.01	0.02	R0.10	0.94	R4.14	0.68	R3.02	1.65	R7.27	
1959	(s) (s)	0.01	(s)	0.01	0.03	0.11	0.87	R3.79	0.66	R2.88	1.57	R6.81	
1960		0.01	(s)	0.01	0.03	0.12	0.90	3.84	0.73	3.14	1.66	7.12	
1961	(s)	0.01	(s)	0.01	0.04	0.19	0.93	R3.97	0.71	R3.02	1.69	R7.20	
1962	(s)	0.01	(s)	0.01	0.09	0.36	1.01	R4.25	0.75	R3.17	1.86	R7.79	
1963	(s)	0.01	(s)	0.01	0.10	0.41	1.03	R4.25	0.74	R3.06	1.87	R7.74	
1964 1965	(s)	0.01	(s)	0.01 0.01	0.10 0.11	0.41 0.42	1.08 1.12	4.41 4.48	0.78 0.92	3.20 3.69	1.97 2.15	8.03 8.61	
1965	(s)	0.01 0.01	(s)	0.01	0.11	0.42	1.12	4.48	0.92	3.84	2.15	8.61	
1967	(s)	0.01	(s)	0.01	0.13	0.41	1.06	4.02	1.02	3.83	2.21	8.35	
1967	(s) (s)	0.01	(s) (s)	0.01	0.15	0.49	1.18	R4.29	1.16	84.22	2.50	R9.05	
1969	(s)	(s)	(s)	0.01	0.13	0.67	1.30	R4.49	1.24	R4.29	2.74	R9.47	
1970	(s)	(s)	(s)	0.01	0.26	0.07	1.26	R4.13	1.48	R4.86	3.00	R9.85	
1971	(s)	0.01	0.01	0.02	0.31	0.84 0.97	1.69	R5.26	1.66	R5.16	3.66	R11.41	
1972	(s)	(s)	(s)	0.01	0.31	0.94	2.37	R7.09	1.99	R5.96	4.68	R14.01	
1973	(s)	(s)	0.04	0.11	0.36	R1.03	4.24	R12.01	3.50	R9.91	8.14	R23.06	
1974	0.06	0.15	0.19	0.50	0.36 0.53	1.38	15.25	39.62	11.01	28.61	27.05	70.25	
1975	0.02	0.05	0.16	0.37	1.15	2.73	18.29	R43.45	6.77	R16.08	26.39	R62.68	
1976	0.02	0.04	0.11	0.25	1.66	3.72 4.22	25.46	57.08	6.65	14.91	33.90	76.00	
1977	0.04	0.08	0.13	0.28	1.66 2.00	4.22	33.59	70.87	8.42	17.76	44.18	93.20	
1978	0.07	0.15	0.41	0.80	2.06	R4 05	32.30	R63.45	7.30	R14.35	42.15	R82.80	
1979	0.05	0.09	0.34	R _{0.62}	3.13	R5.66	46.06	R83.44	10.45	R18.93	60.03	R108.74	
1980	0.03	0.05	0.05	0.09	4.21	R5.66 R6.99	61.90	R102.65	12.54	R20.80	78.74	R130.57	
1981	0.03	0.05	0.04	R0.06	4.41	^R 6.69	61.46	R93.12	14.30	R21.66	80.24	R121.58	
1982	0.02	0.03	0.01	0.01	4.69 4.39	R6.69 R5.99	45.72	R65.13	13.86	R _{19.75}	64.31	^R 91.61	
1983	0.04	0.06	(s)	(s)	4.39	^R 5.99	36.49	R49.85	14.84	R20.27	55.77	^R 76.18	
1984	0.05	0.06	0.05	0.06	3.44	4.53	36.44	48.02	17.87	23.54	57.84	76.21	
1985	0.07	0.09	0.04	0.05	3.05	R3.88	32.90	R41.91	17.47	R22.25	53.53	R68.19	
1986	0.08	0.10	0.03	0.03	1.82	2.26	22.61	28.05	12.18	15.11	36.72	45.55	
1987	0.06	0.07	0.05	0.07	1.93	2.32	29.13	35.05	12.37	14.88	43.54	52.39	
1988	0.06	0.07	0.19	0.22	2.38	2.76	27.55	31.99	12.43	14.44	42.62	49.50	
1989 1990	0.10 0.09	0.11 0.10	0.22 0.07	0.24 0.08	2.51 2.97	2.79 3.18	35.53 43.78	39.61 46.78	13.50 16.90	15.05 18.06	51.85 63.83	57.80 68.19	
1990	0.09		0.07	0.08	3.24	3.18		46.78 37.93	13.17	18.06	53.51	55.00	
1991	0.11	0.12 0.13	0.09 0.14	0.10	3.24 3.96	3.33 3.96	36.90 38.55	37.93 38.55	13.17	13.54	53.51 54.77	55.00 54.77	
1992	0.13	0.13	0.14	0.14	3.96 4.77	3.90 4.65	38.47	37.49	11.98	11.44	55.31	54.77	
1993	0.22	0.21	0.12	0.11	4.77	4.65 R4.66	38.48	87.49 R36.61	11.74	R10.60	54.89	R52.22	
1994	0.25	0.22	0.16	0.15	4.23	R3.92	42.81	R39.72	9.95	R9.23	57.39	R53.24	
1996	0.24	0.23	0.10	0.10	R5.79	R5.25	R54.93	R49.85	R _{15.27}	R13.85	R76.34	R69.27	
1997 ^P	0.24	0.23	0.11	0.10	6.20	5.52	54.09	48.12	15.03	13.37	75.70	67.35	
1001	0.20	0.20	0.12	0.11	0.20	0.02	04.00	70.12	10.00	10.07	70.70	07.00	

¹ Includes imports into the Strategic Petroleum Reserve, which began in 1977.

Sources: Natural Gas: • 1949-1962—Bureau of the Census, U.S. Imports of Merchandise for Consumption, FT110. • 1963—Bureau of the Census, U.S. Imports of Merchandise for Consumption, FT125. • 1964-1971—Bureau of the Census, U.S. Imports for Consumption and General Imports, FT246.


² In chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Table 3.1.

R=Revised data. P=Preliminary data. (s)=Less than \$5 million.


Notes: • Includes value of imports into Puerto Rico from foreign countries; excludes receipts into the 50 States and the District of Columbia from the Virgin Islands and Puerto Rico. • Totals may not equal sum of components due to independent rounding.

^{• 1972} and 1973—Federal Power Commission, *Pipeline Imports and Exports of Natural Gas - Imports and Exports of LNG.* • 1974-1977—Federal Power Commission, *United States Imports and Exports of Natural Gas*, annual. • 1978-1981—Energy Information Administration (EIA), *U.S. Imports and Exports of Natural Gas*, annual. • 1982-1996—EIA, *Natural Gas Monthly, August Issue.* • 1997—EIA estimates. **All Other Data:** • 1949-1962—Bureau of the Census, *U.S. Imports of Merchandise for Consumption*, FT110. • 1963—Bureau of the Census, *U.S. Imports of Merchandise for Consumption*, FT125. • 1964-1988—Bureau of the Census, *U.S. Imports for Consumption*, FT135. • 1989-1993—Bureau of the Census, *Advanced Report on U.S. Merchandise Trade*, FT900 Advance (94-12). • 1994-1996—Bureau of the Census, *U.S. International Trade in Goods and Services*, FT900 Advance (96-12). • 1996 and 1997—Bureau of the Census, *Foreign Trade Division*, FT900 (CB-97-26), December Issue.


Figure 3.6 Value of Fossil Fuel Exports



By Fuel, 1997



By Fuel, 1949-1997



Notes: • Prices are in chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Table 3.1. Because vertical scales differ, graphs should not be compared.

Source: Table 3.6.

¹ Natural gas, crude oil, and coal coke.

Table 3.6 Value of Fossil Fuel Exports, 1949-1997

(Billion Dollars)

	Co	al	Coal	Coke	Natura	al Gas	Crud	e Oil	Petroleum	Products	To	otal
Year	Nominal	Real ¹	Nominal	Real ¹	Nominal	Real ¹	Nominal	Real ¹	Nominal	Real ¹	Nominal	Real ¹
949	0.30	R1.64	0.01	R _{0.05}	(s)	R _{0.01}	0.10	R _{0.54}	0.46	R2.55	0.87	R4.79
950	0.27	R1.47	0.01	R0 03	(s)	R0 02	0.10	R _{0.56}	0.39	R2.16	0.78	R4.24
951	0.59	R2.99	0.02	R _{0.09}	(s)	R _{0.02}	0.08	R _{0.42}	0.70	R3.57	1.39	R7.08
52	0.49	R2.48	0.01	R _{0.07}	(s)	R _{0.02}	0.08	R _{0.39}	0.74	R3.72	1.33	R6.68
953	0.34	R1.66	0.01	R _{0.05}	(s)	R _{0.02}	0.06	R _{0.30}	0.63	R3.12	1.04	R5.14
954	0.30	R1.49	0.01	R _{0.03}	(s)	R _{0.02}	0.05	R _{0.22}	0.61	R2.99	0.97	R4.75
955	0.48	R2.34	0.01	R _{0.04}	0.01	R0.03	0.04	R _{0.19}	0.60	R2.90	1.14	R5.50
56	0.73	R3.41	0.01	R _{0.05}	0.01	R _{0.04}	0.09	R _{0.42}	0.67	R3.10	1.51	R7.02
957	0.83	R3.73	0.01	R _{0.06}	0.01	R _{0.06}	0.17	R _{0.78}	0.81	R3.64	1.84	R8.27
958	0.53	R2.32	0.01	R _{0.03}	0.01	R _{0.06}	0.01	R _{0.06}	0.51	R2.25	1.07	R4.73
959	0.38	R1.64	0.01	0.04	0.01	0.03	0.01	0.03	0.45	R1.96	0.85	R3.70
960	0.35	1.52	0.01	0.03	(s)	0.02	0.01	0.03	0.47	2.00	0.84	_3.60
961	0.34	1.45	0.01	0.03	(s)	0.02	0.01	0.04	0.57	R2.44	0.93	R3.98
962	0.38	1.58	0.01	0.03	(s)	0.02	0.01	0.02	0.43	R1.82	0.83	R3.47
963	0.47	1.96	0.01	0.03	(s)	0.02	(s)	0.02	0.43	R1.78	0.92	R3.81
964	0.46	1.89	0.01	0.04	(s)	0.02	(s) (s)	0.02	0.43	1.75	0.91	3.72
965	0.48	1.91	0.02	0.07	0.01	0.03	(s)	0.02	0.44	1.76	0.95	3.78
966	0.47	1.82	0.02	0.09	0.02	0.07	0.01	0.04	0.46	1.77	0.97	3.79
967	0.48	1.82	0.02	0.06	0.03	0.12	0.09	0.35	0.48	1.81	1.10	4.16
968	0.50	R1.82	0.02	0.07	0.04	0.14	0.01	0.04	0.48	_1.74	1.05	R3.81
969	0.59	2.05	0.04	0.13	0.03	0.09	0.01	0.02	0.46	R1.60	1.13	R3.90
970	0.96	R3.15	0.08	0.26	0.03	0.10	0.02	0.06	0.50	1.64	1.59	^R 5.21
971	0.90	R2.81	0.04	0.14	0.04	0.12	0.01	0.02	0.50	1.56	1.49	R4.65
972	0.98	R2.95	0.03	0.09	0.04	0.12	(s)	0.01	0.49	1.46	1.55	R4.63
973	1.01	R2.87	0.03	0.09	0.04	0.12	(s)	0.01	0.57	1.62	1.66	R4.71
974	2.44	6.33	0.04	0.11	0.05	0.14	0.01	0.04	0.87	2.27	3.42	8.89
975	3.26	R7.74	0.07	0.18	0.09	0.22	(s)	(s)	1.01	2.39	4.43	R10.53
976	2.91	6.53	0.07	0.15	0.10	0.23	0.03	0.06	1.07	2.40	4.17	9.36
977	2.66	5.60	0.07	0.15	0.11	0.23	0.21	0.44	1.14	2.40	4.18	8.82
978	2.05	R4.03	0.05	0.10	0.11	0.22	0.39	R0.77	1.23	2.42	3.83	R7.53
979	3.40	R6.16	0.08	0.15 0.22	0.13 0.23	0.23 0.38	0.39	0.71	1.58	R2.87	5.58	R10.12
980	4.63	^R 7.67 ^R 8.96	0.13	0.22	0.23	0.38	0.75	1.24	2.12	R3.52	7.86	R13.03
81	5.92 5.99	R8.53	0.07	0.11 0.09	0.35	0.53 0.43	0.58 0.47	R _{0.87} 0.67	3.24 5.86	4.91 ^R 8.35	10.16	R15.39 R18.07
982 983		R5.54	0.06 0.05	0.09	0.30 0.28	0.43	0.47		4.88	R6.66	12.68	R12.95
184	4.06 4.13	5.44	0.05	0.06	0.28	0.35	0.22 0.19	0.31 0.24	4.62	6.08	9.48 9.27	12.95
984 985	4.13 4.47	5.44 R5.69		0.09	0.27				4.62			R12.65
986 986	3.93	4.88	0.08 0.07	0.10	0.26	0.34 0.21	0.23 0.12	0.29 0.15	4.90 3.77	6.24 4.67	9.93 8.05	9.99
986 987		4.88	0.07	0.08	0.17	0.21	0.12	0.15	3.77			9.99
187 188	3.40 4.01	4.10	0.05	0.06	0.17	0.20	0.13	0.15	3.80 2.72	4.57	7.54 7.09	9.07 8.24
188 189	4.01	4.66 4.78	0.08	0.09	0.20 0.27	0.23	0.08	0.09	2.72	3.16 2.96	7.09 7.49	8.24 8.35
90	4.29	4.78	0.05	0.09	0.27	0.30	0.21	0.23	4.23	4.52	9.20	9.82
90	4.62	4.82	0.05	0.05	0.27	0.28	0.14	0.15	4.65	4.52	9.69	9.82
92	4.02	4.24	0.03	0.03	0.33	0.49	0.03	0.03	4.27	4.76	9.07	9.96
93	3.09	3.01	0.04	0.04	0.49	0.49	0.03	0.03	4.15	4.04	7.68	7.48
994	2.85	R2.71	0.04	0.04	0.40	0.39	0.02	0.05	3.36	3.20	6.71	R6.38
994 995	3.57	3.31	0.04	0.04	0.40	0.34	0.05	0.05	3.56	R3.30	7.55	R7.00
96	3.69	R3.35	0.06	0.05	R _{0.46}	R _{0.41}	R _{0.56}	R _{0.51}	4.25	R3.86	R9.02	R8.18
990 997 ^P	3.39	3.01	0.05	0.05	0.48	0.43	0.78	0.69	4.25	3.72	8.88	7.90

¹ In chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Table 3.1.

LNG. • 1974-1977—Federal Power Commission, United States Imports and Exports of Natural Gas, annual. • 1978-1981—Energy Information Administration (EIA), U.S. Imports and Exports of Natural Gas, annual. • 1982-1994—EIA, Natural Gas Monthly. • 1995—EIA estimates. All Other Data: • 1949-1988—Bureau of the Census, U.S. Exports, FT410. • 1989-1993—Bureau of the Census, Advanced Report on U.S. Merchandise Trade, FT900 Advance. (94-12).• 1994-1995—Bureau of the Census, U.S. International Trade in Goods and Services, FT900 Advance. (96-12). • 1996 and 1997—Bureau of the Census, Foreign Trade Division, FT900 (CB-97-26), December Issue.


R=Revised data. P=Preliminary data. (s)=Less than \$5 million.

Notes: • Includes value of exports from Puerto Rico to foreign countries; excludes shipments from the 50 States and the District of Columbia to the Virgin Islands and Puerto Rico. • Totals may not equal sum of components due to independent rounding.


Sources: Natural Gas: • 1949-1971—Bureau of the Census, U.S. Exports, FT410. • 1972 and 1973—Federal Power Commission, Pipeline Imports and Exports of Natural Gas - Imports and Exports of

Figure 3.7 Value of Fossil Fuel Net Imports, 1949-1997

Value of Fossil Fuel Net Imports



Value of Fossil Fuel Net Imports by Fuel



¹ Includes small amounts of coal coke.

Source: Table 3.7.

Notes: • Negative net imports are net exports. • Prices are in chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Table 3.1.

Table 3.7 Value of Fossil Fuel Net Imports, 1949-1997

(Billion Dollars)


	Co	oal	Coal	Coke	Natura	al Gas	Cru	de Oil	Petroleum	Products	То	otal
Year	Nominal	Real ¹	Nominal	Real ¹	Nominal	Real ¹	Nominal	Real ¹	Nominal	Real ¹	Nominal	Real ¹
949	-0.29	R-1.63	(s)	R-0.02	(s)	R-0.01	0.21	R1.14	-0.32	R-1.79	-0.42	R-2.32
950	-0.27	R-1.46	(s)		(s)	R-0.02	0.27	R1.46	-0.18	R-0.98	-0.18	R-1.01
51	-0.58	R-2.98	-0.02	(s) R-0.08	(s)	R-0.02	0.29	R1.50	-0.47	R-2.41	-0.78	R-3.99
952	-0.49	R-2.47	-0.01	R-0.05	(s)	R-0.02 R-0.02	0.34	R1.73	-0.49	R-2.45	-0.65	R-3.25
953	-0.33	R-1.65	-0.01	R-0.04 R-0.02	(s)	R-0.02	0.45	R2.23	-0.38	R-1.87	-0.27	R-1.34
954	-0.30	R-1.48	(s)	R-0.02	(s)	R-0.02	0.50	R2.45	-0.32	R-1.59	-0.14	R-0.67
955	-0.48	R-2.33	-0.01	R-0.03	-0.01	R-0.03	0.62	R2.98	-0.16	R-0.76	-0.04	R-0.17
956	-0.73	R-3.39	-0.01	R-0.05	-0.01	R-0.04	0.75	R3.48	-0.22	R-1.02	-0.22	R-1.02
957	-0.83	R-3.72	-0.01	R-0.06	-0.01	R-0.04	0.81	R3.63	-0.24	R-1.08	-0.28	R-1.27
958	-0.52	R-2.30	-0.01	R-0.02	0.01	R _{0.03}	0.92	R4.07	0.17	R0.77	0.58	R2.54
959	-0.38	R-1.63	-0.01	-0.03	0.02	0.09	0.87	R3.76	0.21	0.92	0.71	R3.11
960	-0.35	-1.51	-0.01	-0.02	0.02	0.11	0.89	3.81	0.26	1.14	0.82	3.51
961	-0.34	R-1.45	-0.01	-0.03	0.04	0.17	0.92	R3.94	0.14	R _{0.59}	0.76	R3.22
962	-0.34	R-1.58	-0.01	-0.02	0.08	R0.35	1.01	R4.23	0.32	R1.35	1.03	R4.32
963	-0.47	R-1.96	-0.01	-0.02	0.09	0.39	1.02	R4.23	0.31	1.28	0.95	R3.93
964	-0.46	-1.88	-0.01	-0.03	0.10	0.39	1.08	4.39	0.35	1.44	1.06	4.31
965	-0.48	-1.90	-0.01	-0.06	0.10	0.39	1.11	4.46	0.48	1.94	1.21	4.83
966	-0.47	-1.81	-0.02	-0.08	0.09	0.34	1.11	4.30	0.53	2.07	1.24	4.81
967	-0.47	-1.81	-0.02	-0.06	0.10	0.34	0.97	3.67	0.54	2.07	1.24	4.19
968	-0.46	-1.81 -1.81	-0.02	-0.06	0.10	0.39	1.17	R4.25	0.68	2.47	1.45	R5.24
969	-0.59	R-2.05	-0.02	-0.12	0.17	0.58	1.17	R4.47	0.78	R2.69	1.61	R5.24
969 970	-0.59 -0.96	R-3.15	-0.04	-0.12 -0.25	0.17	R _{0.75}	1.29	R4.07	0.78	R3.22	1.41	R4.64
				-0.25								°4.04
971	-0.90	R-2.80	-0.04 -0.03	-0.12	0.27	0.85 0.82	1.68 2.37	^R 5.24 ^R 7.09	1.15	R3.60 R4.49	2.17	R6.76 R9.38
972	-0.98	-2.94 R-2.87		-0.08	0.28			1.7.09 R40.00	1.50	N4.49	3.13	"9.38 R40.05
973	-1.01		0.01	0.02	0.32	0.91	4.24	R12.00	2.93	R8.29	6.48	R18.35
974	-2.38	-6.18 ^R -7.69	0.15	0.39 0.19	0.48	1.24	15.24	39.58	10.14	26.34	23.63	61.37
975	-3.24		0.08		1.06	R2.52	18.29	R43.44	5.76	R13.68	21.96	R52.15
976	-2.89	-6.49	0.04	0.10	1.56	3.50	25.43	57.02	5.58	12.51	29.72	66.64
977	-2.62	-5.52	0.06	0.12	1.89 1.95	3.99	33.38	70.43	7.28	15.36	40.00	84.38
978	-1.98	R-3.88	0.36	R0.71	1.95	R3.83	31.91	R62.69	6.07	R11.93	38.31	R75.27
979	-3.35	R-6.06	0.26	0.47	3.00	R5.43	45.66	R82.72	8.87	R16.06	54.44	R98.63
980	-4.60	R-7.62	-0.08	-0.13	3.98	R6.61	61.15	R101.41	10.42	R17.28	70.88	R117.54
981	-5.89	R-8.92	-0.03	-0.05	4.06	R6.15	60.88	R92.24	11.06	R16.76	70.09	R ₁ 06.19
982	-5.97	R-8.50 R-5.48	-0.05	-0.07 -0.06	4.39	R6.26	45.25	R64.47	8.00	R11.40	51.63	R73.55
83	-4.01	^K -5.48	-0.04	-0.06	4.11	R5.61	36.27	R49.55	9.96	R13.61	46.28	R63.23
84	-4.09	-5.38	-0.02	-0.03	3.17	4.18	36.26	47.77	13.25	17.46	48.57	63.99
985	-4.39	R-5.60	-0.03	-0.04	2.79	3.55	32.68	R41.63	12.57	R16.01	43.60	R55.55
986	-3.85	-4.78	-0.04	-0.05	1.65	2.05	22.49	27.90	8.42	10.44	28.67	35.57
87	-3.35	-4.03	0.01	0.01	1.76	2.12	29.00	34.90	8.57	10.31	36.00	43.32
88	-3.95	-4.59	0.12	0.14	2.18	2.53	27.47	31.90	9.71	11.28	35.53	41.26
189	-4.19	-4.67	0.14	0.15	2.24	2.49	35.32	39.38	10.85	12.09	44.35	49.45
90	-4.42	-4.72	0.02	0.02	2.71	2.89	43.65	46.63	12.67	13.54	54.63	58.36
91	-4.51	-4.63	0.04	0.04	2.90	2.98	36.87	37.89	8.52	8.75	43.82	45.04
992	-4.11	-4.11	0.10	0.10	3.47	3.47	38.52	38.52	7.72	7.72	45.70	45.70
993	-2.87	-2.79	0.06	0.05	4.41	4.30	38.45	37.48	7.59	7.40	47.64	46.43
994	-2.62	R-2.49	0.09	0.09 0.10	4.50	R4.28	38.43	R36.57	7.78	R7.40	48.18	R45.84
995	-3.32	R-3.08	0.11	0.10	3.86	R3.58 R4.84	42.81	R39.71	6.39	R5.93	49.84	R46.24
996	-3.45	R-3.13	0.05	0.05	R5.33	R4.84	R54.37	R49.34	R11.01	R9.99	R67.32	R61.09
997 ^P	-3.13	-2.79	0.07	0.06	5.72	5.09	53.31	47.43	10.85	9.65	66.82	59.45

¹ In chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Table 3.1.
R=Revised. P=Preliminary. (s)=Less than \$5 million.

Notes: • Net imports = imports minus exports. • Totals may not equal sum of components due to


independent rounding. Data on this table may not equal data on Table 3.5 minus data on Table 3.6 due to independent rounding.
Sources: Tables 3.5 and 3.6.

Figure 3.8 Major Energy Producers' U.S. Production and Refining, 1974-1996



Major Producers' Shares of U.S. Total Production

Major Producers' Shares of U.S. Refining Capacity and Output



Notes: • See Table 3.12 for information on companies covered. scales differ, graphs should not be compared.

Because vertical

Source: Table 3.8.

Table 3.8 Major Energy Producers' U.S. Production and Refining, 1974-1996

		Produ	uction		Refi	ning
Year	Crude Oil and Natural Gas Liquids (Million Barrels per Day)	Dry Natural Gas (Trillion Cubic Feet)	Coal ¹ (Million Short Tons)	Uranium (Million Pounds U3O8)	Capacity ^{2,3} (Million Barrels per Day)	Output ³ (Million Barrels per Day)
974	R5.9	11.6	87.4	NA	13.3	11.8
975	R5.6	11.0	88.1	4.3	13.4	12.0
976	R5.4	10.6	89.0	3.3	14.2	12.6
977	R5.5	10.3	89.1	R16.0	14.6	13.5
978	R5.8	10.1	85.5	R17.3	14.8	13.5
979	R5.7	9.9	123.3	R16.7	14.4	13.2
980	R5.7	9.3	142.3	19.0	15.1	12.2
981	R5 7	0.0	154.8	14.5	14.6	11.2
982	^R 5.7 ^R 5.7	9.2 8.3	195.2	14.5 ^R 9.2	13.6	10.6
983	85.6	7.4	185.2	6.6	13.0	10.3
984	85.7	7.4	226.0	4.1	12.8	10.9
985	3.7 RE 0	7.3	230.4	2.1	12.6	10.8
986 986	^R 5.8 ^R 5.7	7.3 7.1	230.4	1.6	12.5	11.4
986 987	R5.7	7.1 7.2	227.6 255.3	0.0	12.5	11.4
988	R5.7	7.2	255.3	0.0	12.5	12.0
700	R5.2	7.6 7.5		0.0		
989	^5.Z	7.5	286.9		11.5	11.4
990	R5.0	7.6	282.0	0.0	11.4	11.3
991	R5.0	7.5	289.6	0.0	11.2	11.1
92	R4.8	7.9	251.9	0.0	11.0	11.0
993	R4.5	7.7	197.3	0.0	10.7	10.8
994	R4.4	8.0	179.7	0.0	10.6	10.8
995	R4.3	8.1	165.4	0.0	10.4	R10.6
996	4.2	8.2	169.4	0.0	10.5	10.9
_			Percent	of U.S. Total		
974	56.0	^R 56.1 ^R 57.4	14.3	NA	92.5	R87.6
975	56.1	^R 57.4	13.5	R18.6	89.8	R87.4
976	55.7	^R 55.6	13.0	R13.0	93.4	R85.9
977	55.3	R53.6	12.8	R53.4	89.0	R85.0
978	56.8	^R 52.7	12.8	R46.8	86.7	R84.5
979	56.3	50.3	15.8	R44.7	82.4	R83.9
980	56.1	R47.7	17.2	43.5	83.9	R83.1
981	55.8	R47.8	18.8	37.7	78.2	R80.3
982	55.9	R46.7	23.3	R34.2	76.2	R79.0
983	55.1	R45.8	23.7	R31.4	77.2	R78.7
984	54.3	R45.5	25.2	R27.8	79.1	R79.8
985	54.9	R44.6	26.1	R18.9	80.6	R78.9
986	56.0	R44 5	25.6	R12.1	81.0	R78.5
987	57.0	R43 4	27.8	0.0	80.1	R79.7
988	58.8	R44.6	30.0	0.0	77.2	R79.7
989	57.2	R43.2	29.3	0.0	73.4	75.2
990	55.8	R42.6	27.4	0.0	73.0	R74.0
991	54.9	42.4	29.1	0.0	73.0 71.5	72.9
992	53.9	R44.2	25.3	0.0	69.8	71.2
993	52.1	R42.3	20.9	0.0	70.9	R68.5
994	52.1	42.5	17.4	0.0	70.8	R68.4
995	51.7	R43.3	16.0	0.0	70.8 67.6	66.6
995 996	50.5	43.6	15.9	0.0	68.3	66.9
J J U	50.5	43.0	10.3	0.0	00.5	00.9

¹ Bituminous coal, subbituminous coal, and lignite.

Notes: • Major Energy Producers are the top publicly-owned crude oil producers that form the Financial Reporting System (FRS). See Table 3.12. • FRS Crude Oil and NGL and Natural Gas (Dry Marketed)

production are on a net ownership interest basis (see Glossary).


Web Page: http://www.eia.doe.gov/emeu/finance/index.html.

Sources: • 1974–1976—Energy Information Administration (EIA), Form EIA-28, "Financial Reporting System" database, November 1997. • 1977–1995—EIA, Performance Profiles of Major Energy Producers, annual report. • 1996—EIA, Performance Profiles of Major Energy Producers, 1996 (January 1998), Table

Operable capacity as of January 1 of the following year.

³ Includes Puerto Rico and the Virgin Islands. R=Revised. NA=Not available.

Figure 3.9 Major Energy Producers' Net Income



¹ Nominal dollars.

(s) = Less than \$50 million in absolute value.

Note: See Table 3.12 for information on companies covered.

Table 3.9 Major Energy Producers' Net Income, 1974-1996

(Billion Dollars¹)

	U	J.S. Petroleum a	and Natural Gas		Fo	reign Petroleu	m and Natural Ga	s			Type of Busines	s	
Year	Production	Refining and Marketing	Rate Regulated Pipelines	Total ²	Production	Refining and Marketing	International Marine	Total ²	Petroleum and Natural Gas	Coal	Nuclear and Other Energy	Non- energy	Total ²
1974	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.6
1975	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.3
1976	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.0
977	6.4	1.5	0.8	8.6	3.6	0.7	0.1	4.4	13.0	0.2	(s)	1.7	12.7
978	6.7	1.6	1.2	9.5	3.5	1.8	-0.1	5.2	14.7	0.1	-0.1	1.8	13.9
979	9.4	2.3	1.7	13.4	5.2	4.3	0.1	9.7	23.0	0.3	-0.1	2.8	23.5
980	13.8	2.5	1.7	17.9	6.9	4.3	0.1	11.2	29.1	0.3	(s)	2.3	31.0
981	16.8	1.3	1.8	19.9	8.0	1.6	-0.1	9.6	29.5	0.4	-0.3	1.6	30.0
982	14.1	1.9	2.3	18.3	6.1	0.8	-0.3	6.7	25.0	0.4	-0.3	0.4	21.8
983	12.2	1.6	2.0	15.9	7.2	1.3	-0.5	8.2	24.0	0.5	(s)	1.8	21.9
984	13.3	0.1	2.5	15.8	7.5	0.7	-0.4	7.8	23.6	0.6	-0.1	2.9	21.3
985	12.1	2.3	2.3	16.7	8.0	0.5	-0.4	8.1	24.8	0.4	-0.3	2.5	17.4
986	0.9	1.6	2.6	5.2	4.7	2.9	0.1	7.7	12.9	0.2	(s)	2.8	9.2
1987	4.7	1.1	2.6	8.4	5.4	1.0	-0.1	6.4	14.8	0.4	(s)	7.1	11.3
1988	3.2	5.4	2.0	10.6	4.3	2.4	0.1	6.9	17.5	0.6	-0.1	10.8	22.3
1989	3.1	4.5	1.9	9.5	4.7	1.8	0.2	6.7	16.2	0.4	-0.1	8.7	19.8
1990	8.7	2.2	2.1	12.9	7.4	2.8	0.2	10.5	23.4	0.3	0.1	4.3	21.6
991	5.1	0.9	2.0	7.9	5.4	4.1	0.3	9.8	17.7	0.6	0.1	1.6	14.7
1992	5.6	-0.2	2.1	7.5	4.7	2.2	(s)	6.9	14.4	-0.5	0.1	1.2	1.8
1993	4.8	1.7	1.6	8.1	5.2	3.2	(s)	8.4	16.5	0.4	0.1	2.7	15.5
1994	4.8	1.8	1.8	8.5	4.0	2.0	(s)	5.9	14.4	0.2	0.2	6.2	16.5
1995	3.7	0.5	2.2	6.4	5.9	2.4	(s)	8.3	14.7	0.3	0.2	12.6	21.1
1996	11.8	2.3	1.6	15.7	9.2	2.0	(s)	11.2	26.9	0.5	0.2	8.0	32.0

¹ Nominal dollars.

Web Page: http://www.eia.doe.gov/finance/index.html.


Sources: • 1974–1976—Energy Information Administration (EIA), Form EIA-28, "Financial Reporting System" database, November 1997. • 1977–1995—EIA, Performance Profiles of Major Energy Producers, annual report. • 1996—EIA, Performance Profiles of Major Energy Producers, 1996 (January 1998), Table 2

² Total is sum of components shown, plus eliminations and nontraceables, which are defined in the glossary.

NA=Not available. (s)=Less than \$50 million in absolute value.

Note: Major Energy Producers are the top publicly-owned crude oil producers that form the Financial Reporting System (FRS). See Table 3.12.

Figure 3.10 Major Energy Producers' Return on Investment



Note: See Table 3.12 for information on companies covered.

Table 3.10 Major Energy Producers' Return on Investment, 1974-1996

(Percent)

	ι	J.S. Petroleum a	and Natural Gas		Fo	reign Petroleu	m and Natural Ga	s			Type of Busines	s	
Year	Production	Refining and Marketing	Rate Regulated Pipelines	Total	Production	Refining and Marketing	International Marine	Total	Petroleum and Natural Gas	Coal	Nuclear and Other Energy	Non- energy	Total
1974	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	14.6
1975	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.7
1976	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.0
1977	17.5	7.2	7.3	12.5	21.8	5.1	2.6	12.4	12.5	8.8	-2.6	7.1	9.4
1978	16.4	7.5	10.9	12.8	18.2	12.7	-1.0	13.6	13.1	4.1	-4.2	6.5	9.4
1979	18.2	9.8	15.1	15.5	23.8	29.1	2.6	23.1	18.0	6.3	-3.7	8.8	13.8
1980	20.9	9.8	15.1	17.5	25.1	26.4	2.4	23.0	19.2	5.6	-0.7	5.9	15.3
1981	20.2	4.4	15.6	16.1	25.5	9.0	-1.1	17.7	16.6	6.1	-6.8	3.5	12.4
1982	14.0	6.0	20.8	12.7	17.4	4.7	-6.3	11.8	12.5	4.4	-5.2	0.6	7.7
1983	11.3	4.8	16.6	10.3	19.6	7.7	-13.2	14.1	11.3	5.0	0.5	2.9	7.4
1984	10.8	0.3	20.8	9.4	18.8	4.5	-14.0	13.3	10.4	6.2	-1.8	4.8	6.9
1985	9.5	6.5	15.0	9.4	20.0	3.3	-19.0	13.8	10.5	4.6	-8.4	4.2	5.5
1986	0.8	4.5	13.2	3.0	11.6	16.3	5.3	12.8	5.5	2.7	-0.8	5.1	3.0
1987	4.1	2.9	12.8	4.9	12.4	4.7	-3.6	9.5	6.2	5.1	0.5	12.2	3.6
1988	2.8	14.7	9.6	6.3	9.2	11.6	6.8	9.9	7.3	6.7	-2.5	20.3	7.2
1989	2.9	11.5	10.2	5.8	8.9	8.0	12.4	8.7	6.7	5.0	-2.3	17.3	6.4
1990	8.5	5.1	11.2	7.9	13.1	11.2	11.7	12.5	9.5	3.3	2.6	7.8	6.8
1991	5.1	2.0	10.7	4.9	9.1	14.6	15.6	11.0	7.0	8.7	2.8	2.9	4.5
1992	5.9	-0.4	8.4	4.4	8.2	7.8	-1.2	7.9	5.6	-9.3	1.8	2.1	0.5
1993	5.3	3.4	6.4	4.9	8.6	10.6	1.2	9.2	6.4	7.6	4.1	4.7	4.7
1994	5.5	3.6	7.6	5.2	6.5	6.1	-2.0	6.2	5.6	4.0	4.8	10.5	4.9
1995	4.4	1.0	9.1	4.0	9.3	7.2	-2.5	8.4	5.7	6.9	6.1	19.4	6.2
1996	14.1	4.4	6.9	9.9	12.8	6.0	2.2	10.6	10.1	9.9	7.9	15.0	9.5


NA=Not available.

Notes: • Major Energy Producers are the top publicly-owned crude oil producers that form the Financial Reporting System (FRS). See Table 3.12. • Return on investment measured as contribution to net income/net investment in place.

Web Page: http://www.eia.doe.gov/emeu/finance/index.html.

Sources: • 1974–1976—Energy Information Administration (EIA), Form EIA-28, "Financial Reporting System" database, October 1996. • 1977–1995—EIA, *Performance Profiles of Major Energy Producers*, annual report. • 1996—EIA, *Performance Profiles of Major Energy Producers*, 1996 (January 1998), Table 2.

Figure 3.11 U.S. Energy Activities by Foreign-Affiliated Companies, 1978-1995



¹ Crude oil and natural gas liquids.

Note: Because vertical scales differ, graphs should not be compared.

Source: Table 3.11.

² Expenditures for exploration and development of uranium.

³ Nominal dollars.

Table 3.11 U.S. Energy Activities by Foreign-Affiliated Companies, 1978-1995

		Production				Expenditures for
	Crude OII and Natural Gas Liquids	Dry Natural Gas	Coal	Refining Capacity	Sales of Motor Gasoline	Exploration and Development of Uranium
Year	Thousand Barrels per Day	Billion Cubic Feet	Million Short Tons	Thousand Ba	rrels per Day	Million Dollars ¹
978	1,076	783	24	1,895	1,066	39
979	1,145	786	29	1,984	948	34
980	1,143	776	31	2,066	926	38
	1,438	1,080	106			36 25
981				2,595	1,114	
982	1,421	1,055	138	2,423	1,092	15
983	1,325	924	128	2,337	1,022	5
984	1,365	1,075	153	2,276	1,066	7
985	1,455	1,093	147	2,656	1,285	6
986	1,523	1,276	146	3,133	1,565	12
987	1,614	1,318	181	3,342	1,586	12
988	1,659	1,392	195	3,356	1,673	9
989	1,553	1,452	207	4,243	2,084	6
990	1,481	1,457	254	4,379	2,282	3
991	1,469	1,360	238	4,312	2,299	4
992	1,392	1,368	259	4,256	2,369	8
993	1,299	1,451	254	4,440	2,362	9
994	R1,266	R1,439	R295	R4,479	2,346	2
995	1,172	1,226	316	4,124	2,204	2 2
			Share of U.S.	Total (Percent)		
978	10.5	3.9	3.1	10.9	13.6	12.5
979	11.3	4.0	3.8	11.0	13.5	10.8
980	12.6	4.0	3.8	11.1	14.1	14.1
981	14.1	5.6	12.9	14.5	16.9	17.0
982	13.9	5.9	16.6	14.4	16.7	19.8
983	12.9	5.8	16.5	14.4	15.4	13.0
984	12.9	6.2	17.3	14.5	15.9	24.9
985	13.7	6.7	16.8	17.2	18.8	24.9 27.9
986 986	14.8	8.0	16.5	20.1	22.2	54.3
987	16.1	8.0	19.8	21.0	22.0	60.4
988	16.9	8.1	20.6	21.4	22.8	44.2
989	16.8	8.4	21.2	27.2	28.4	41.2
990	16.5	8.2	24.7	27.9	31.5	14.6
991	16.0	7.7	24.0	27.5	32.0	19.7
992	15.5	7.7	26.0	28.1	32.6	55.2
993	_ 14.7	_8.0	_27.0	_29.5	31.6	76.0
994	R14.6	^R 7.7	R28.6	R29.2	30.9	51.0
995	13.6	6.5	30.7	26.9	29.0	35.0

Nominal dollars.

Web Page: http://www.eia.doe.gov/emeu/finance/index.html.

(May 1995), Tables 7, 9, 10, 11, and 12. • **1994**—EIA, Performance Profiles of Major Energy Producers 1995 (January 1997), Tables 36, 38, 39, 40, and 41. • **1995**—EIA, Performance Profiles of Major Energy Producers 1996 (January 1998), Tables 36, 38, 39, 40, and 41.

Sources: • 1978-1992—Energy Information Administration (EIA), Profiles of Foreign Direct Investment in U.S. Energy, annual report. • 1993—EIA, Profiles of Foreign Direct Investment in U.S. Energy 1993

Table 3.12 Companies Reporting to the Financial Reporting System, 1974-1996

Company	1974-1981	1982	1983-84	1985-86	1987	1988	1989-90	1991	1992-93	1994-96
Amerada Hess Corporation	X	Х	Х	Х	Х	Х	Х	Х	Х	Х
American Petrofina Inc.1		X	Χ	X	X	Χ	X			
Amoco Corporation ²	X	X	Χ	X	X	Χ	X	Χ	Χ	X
Anadarko Petroleum, Inc.									Χ	X
Ashland Oil, Inc.		Χ	X	X	X	X	X	X	X	X
Atlantic Richfield Co. (ARCO)		X	X	X	X	X	X	X	X	X
BP America, Inc. ³		• • •		• • •	X	X	X	X	X	X
Burlington Northern Inc. ⁴		X	X	X	X	,,	**	,,	**	
Burlington Resources Inc. ⁴		**	,,	**		X	X	X	Χ	X
Chevron Corporation ^{5,6}	X	X	Χ	X	X	X	X	X	X	X
Cities Service ⁷		X	^	Λ.	Λ	^	Λ.	Λ.	^	,
Coastal Corporation		X	X	X	X	X	Х	X	X	Х
Conoco8		^	^	^	^	^	^	^	^	^
E.I. du Pont de Nemours and Co.8		Х	X	X	X	X	X	X	X	V
		^	^	^	^	^	^	^	^	× ×
Enron Corporation		V	V	V	V	V	V	V	× ×	× ×
Exxon Corporation		X	X	X	X	X	X	X	Λ ν	X V
Fina, Inc. ¹								X	Х	Х
Getty Oil ⁹		X	X							
Gulf Oil ⁶		X	X							
Kerr-McGee Corporation		X	X	X	X	X	X	X	X	X
Marathon ¹⁰										
Mobil Corporation ¹¹		X	X	X	X	X	X	X	X	X
Nerco, Inc. ¹²									X	
Occidental Petroleum Corporation ⁷		X	X	Χ	X	X	X	X	X	X
Oryx Energy Company ¹³						X	X	X	X	X
Phillips Petroleum Company	X	X	X	Χ	X	X	X	X	X	X
Shell Oil Company		X	Χ	X	X	Χ	X	X	Χ	X
Standard Oil Co. (Ohio) (Sohio)3		Χ	Χ	Χ						
Sun Company, Inc. ¹³	X	X	X	X	X	X	X	X	X	X
Superior Oil ¹¹		X	X							
Tenneco Inc. ¹⁴		X	X	X	X	X				
Texaco Inc. ⁹		X	X	X	X	X	Χ	X	Χ	X
Total Petroleum (North America) Ltd. 15	^	^	^	^	^	^	X	X	^	^
Union Pacific Corporation		Х	X	X	X	X	X	×	Y	Y
Unocal Corporation		X	X	X	Ŷ	x	X	Ŷ	Y	Y
		^ V	^ V	^ V	^	^ V	^ V	×	^ V	^ V
USX Corporation ¹⁰		٨	٨	٨	۸	۸	٨	^	٨	^

¹ American Petrofina, Inc. changed its name to Fina, Inc. effective April 17, 1991.

Web Page: http://www.eia.doe.gov/emeu/finance/index.html.

Source: Energy Information Administration, Form EIA-28, "Financial Reporting System."

² Formerly Standard Oil Company (Indiana).

³ In 1987, British Petroleum acquired all shares in Standard Oil Company (Ohio) that it did not already control and renamed its U.S. affiliate British Petroleum America.

⁴ Burlington Resources was added to the Financial Reporting System (FRS) and Burlington Northern was dropped for 1988. Data for Burlington Resources cover the full year 1988 even though that company was not created until May of that year.

⁵ Formerly Standard Oil Company of California.

⁶ Chevron acquired Gulf Oil in 1984 but separate data for Gulf continued to be available for the full 1984 year

Occidental acquired Cities Service in 1982. Separate financial reports were available for 1982, so each company continued to be treated separately until 1983.

⁸ DuPont acquired Conoco in 1981. Separate data for Conoco were available for 1981. DuPont was included in the FRS system in 1982.

⁹ Texaco acquired Getty in 1984; however, Getty was treated as a separate FRS company for that year.

¹⁰ U.S. Steel (now USX) acquired Marathon in 1982.

¹¹ Mobil acquired Superior in 1984 but both companies were treated separately for that year.

¹² RTZ America acquired the common stock of Nerco, Inc., on February 17, 1994. In September 1993, Nerco, Inc., sold Nerco Oil & Gas, Inc., its subsidiary. Nerco's 1993 submission includes operations of Nerco Oil & Gas, Inc., through September 28, 1993.

¹³ Sun Company spun off Sun Exploration and Development Company (later renamed Oryx Energy Company) during 1988. Both companies were included in the FRS system for 1988; therefore, some degree of duplication exists for that year.

Tenneco sold its worldwide oil and gas assets and its refining and marketing assets in 1988. Other FRS companies purchased approximately 70 percent of Tenneco's assets.

¹⁵ Effective June 1, 1991, Total's exploration, production, and marketing operations in Canada were spun off to Total Oil & Gas, a new public entity.


Note: "X" indicates that the company was included in the FRS system for the year indicated.

Energy Resources



Semisubmersible drilling rig in the Gulf of Mexico. Source: U.S. Department of Energy.

Figure 4.1 Petroleum Resource Estimates, January 1, 1994



¹Undiscovered, technically recoverable resources.

Table 4.1 Petroleum Resource Estimates, January 1, 1994

		Crude Oil ¹ (million barrels)	l	N	atural Gas Liquio (million barrels)			Natural Gas (We billion cubic fee	
Region	Alaska	Lower 48 States	United States	Alaska	Lower 48 States	United States	Alaska	Lower 48 States	United States
Discovered									
Reserve Growth (Conventional; Onshore)	² 13,000	³ 47,000	60,000	500	12,900	13,400	32,000	290,000	322,000
Reserve Growth (Conventional; Federal Offshore)	0	4 2,200	2,200	NE	NE	NE	0	4 32,700	32,700
Unproved Reserves (Federal Offshore)	400	1,500	1,900	NE	NE	NE	700	5,500	6,200
Undiscovered, Technically Recoverable									
Conventional (Onshore)	8,440	21,810	30,250	1,120	6,080	7,200	68,410	190,280	258,690
Conventional (Federal Offshore)	24,300	21,300	45,600	(5)	6 1,800	1,800	125,900	142,100	268,000
Continuous-type (in Sandstone, Shales and Chalks; Onshore)	NE	2,066	2,066	NE	2,119	2,119	NE	308,080	308,080
Continuous-type (in Coal Beds; Onshore)	NA	NA	NA	NA	NA	NA	NE	49,910	49,910
Total	46,140	95,876	142,016	NA	NA	24,519	227,010	1,018,570	1,245,580

¹ Condensate is included with crude oil for Minerals Management Service (MMS) estimates in Federal Offshore regions.

NA=Not available. NE= Not estimated.

Notes: • See Note 1 at end of section. • Onshore indicates estimates for all Onshore plus State Offshore waters (near-shore, shallow-water areas under State jurisdiction). • Federal Offshore denotes

MMS estimates for Federal Offshore jurisdictions (the Outer Continental Shelf and deeper water areas seaward of the State Offshore jurisdictional boundary). • The USGS mean estimates are as of year-end 1993 (onshore and State offshore). The MMS mean estimates are as of year-end 1994. Probable and possible reserves are considered by the USGS to be part of reserve growth but are separately estimated by MMS as unproved reserves. USGS did not set a time limit for the duration of reserves growth; MMS set the year 2020 as the time limit in its estimates of reserve growth in existing fields in the Gulf of Mexico. Excluded from these resource estimates are undiscovered oil resources in tar deposits and oil shales, and undiscovered gas resources in geopressured brines and gas hydrates. • Data may not sum to totals due to independent rounding.

Source: **Federal Offshore:** U.S. Department of the Interior, Minerals Management Service. *An Assessment of the Undiscovered Hydrocarbon Potential of the Nation's Outer Continental Shelf (1996)*, OCS Report MMS 96-0034. **Onshore:** U.S. Department of the Interior, U.S. Geological Survey (USGS), 1995 National Assessment of United States Oil and Gas Resources, USGS Circular 1118.

² Using U.S. Geological Survey (USGS) definition, 952 million barrels of indicated additional oil reserves were included (Energy Information Administration (EIA), year end 1996).


³ Using USGS definition, 1,924 million barrels of indicated additional oil reserves were included (EIA, year end 1996)

⁴ Reserve growth in the Pacific Federal offshore is not included. It was not estimated by MMS.

⁵ Included with Lower 48 States; MMS did not generate separate Lower 48 and Alaska estimates (year end 1986).

⁶ Includes Alaska.

Figure 4.2 Crude Oil and Natural Gas Field Counts, Cumulative Production, Proved Reserves, and Ultimate Recovery, End of Year 1977-1996



Notes: • Crude oil includes lease condensate. • Natural gas is wet, after lease separation.

Source: Table 4.2.

Table 4.2 Crude Oil and Natural Gas Field Counts, Cumulative Production, Proved Reserves, and Ultimate Recovery, End of Year 1977-1996

	Cumulative Number of Fields	Cumulative		Crude Oil ¹ (billion barrels)		Cumulative		Natural Gas ² (trillion cubic feet)	
Year	with Crude Oil and/or Natural Gas	Number of Fields with Crude Oil	Cumulative Production	Proved Reserves	Ultimate Recovery	Number of Fields with Natural Gas	Cumulative Production	Proved Reserves	Ultimate Recovery
977	31,725	28,057	121.4	33.6	155.0	24,266	558.3	209.5	767.8
978	32,755	28,877	124.6	33.1	157.6	25,126	578.4	210.1	788.5
979	33,898	29,810	127.7	31.2	158.9	26,094	599.1	208.3	807.4
980	35,196	30,860	130.8	31.3	162.2	27,129	619.4	206.3	825.6
981	36,727	32,124	133.9	31.0	165.0	28,331	639.4	209.4	848.9
982	38,110	33,289	137.1	29.5	166.6	29,374	658.1	209.3	867.4
983	39,403	34,345	140.3	29.3	169.6	30,349	675.1	209.0	884.1
984	40,865	35,558	143.5	30.0	173.5	31,449	693.5	206.0	899.5
985	42,114	36,590	146.8	29.9	176.7	32,419	710.9	202.2	913.1
986	42,869	37,195	150.0	28.3	178.3	32,963	727.8	201.1	928.9
987	43,535	37,703	153.0	28.7	181.7	33,469	745.4	196.4	941.8
988	44,197	38,215	156.0	28.2	184.2	33,996	763.4	177.0	940.4
989	44,655	38,555	158.8	27.9	186.7	34,367	781.7	175.4	957.1
990	45,157	38,933	161.5	27.6	189.0	34,757	800.4	177.6	978.0
991	45,539	39,233	164.2	25.9	190.1	35,022	819.1	175.3	994.4
992	45,898	39,508	166.8	25.0	191.8	35,283	838.0	173.3	1,011.3
993	46,220	39,737	169.3	24.1	193.4	35,490	857.2	170.5	1,027.7
994	46,597	40,001	172.5	23.6	196.2	35,724	877.1	171.9	1,049.1
995	46,872	40,165	R175.0	23.5	198.5	35,836	896.9	173.5	1,070.4
996	47,322	40,483	177.3	23.3	200.6	36,052	917.0	175.1	1,092.1

¹ Includes lease condensate.

R=Revised.


Web Page: http://www.eia.doe.gov/fuelpetroleum.html.

Sources: 1992: Energy Information Administration (EIA), Office of Oil and Gas, Oil and Gas Integrated

Field File (OGIFF), (July 1995). **1977-1991 and 1993-1996:** • Crude Oil Cumulative Production—EIA, *Petroleum Supply Annual 1996*, *Volume 1* (June 1997). • Natural Gas Cumulative Production—EIA, *Natural Gas Annual 1996* (September 1997). • Proved Reserves—EIA, *U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves Annual Report 1996* (December 1997). • Field Counts—EIA, *Oil and Gas Field Code Master List 1997* (February 1998) and OGIFF.

Wet, after lease separation.

Figure 4.3 Oil and Gas Drilling Activity Measurements



Source: Table 4.3.

Table 4.3 Oil and Gas Drilling Activity Measurements, 1949-1997

			Rotary Rigs in Operation ¹			Active
	Ву	Site	Ву Т	уре		Well Servicing
Year	Offshore	Onshore	Oil	Gas	Total ²	Units
949	NA	NA	NA	NA	2,017	NA
950	NA	NA	NA	NA	2,154	NA
951	NA	NA	NA	NA	2,543	NA
952	NA	NA	NA	NA	2,641	NA
953	NA	NA	NA	NA	2,613	NA
954	NA	NA	NA	NA	2,508	NA
955	NA	NA	NA	NA	2,686	NA
956	NA	NA	NA	NA	2,620	NA
957	NA	NA	NA	NA	2,426	NA
958	NA	NA	NA	NA	1,922	NA
959	NA	NA	NA	NA	2,071	NA
960	NA NA	NA	NA NA	NA NA	1,748	NA NA
961	NA	NA	NA	NA	1,761	NA
962	NA NA	NA NA	NA NA	NA NA	1,641	NA
963	NA NA	NA NA	NA NA	NA NA	1,499	NA NA
964	NA	NA	NA NA	NA NA	1,501	NA
965	NA NA	NA NA	NA NA	NA NA	1,388	NA
966	NA NA	NA NA	NA NA	NA NA	1,272	NA NA
67	NA NA	NA NA	NA NA	NA NA	1,135	NA
168	NA NA	NA NA	NA NA	NA NA	1,169	NA NA
169	NA NA	NA NA	NA NA	NA NA	1,194	NA NA
					1,194	
)70)71	NA NA	NA NA	NA NA	NA NA	1,028 976	NA NA
971	NA NA	NA NA	NA NA	NA NA	1,107	NA NA
	84		NA NA	NA NA	1,107	NA NA
973 974	94	1,110 1,378	NA NA	NA NA	1,194 1,472	NA NA
974 975	106	1,576	NA NA	NA NA	1,660	NA NA
975 976	129	1,554	NA NA	NA NA	1,658	2,601
976 977	167	1,529			1,000	
77	185	1,834 2,074	NA NA	NA NA	2,001 2,259	2,828 2,988
	165	2,074			2,239	2,988
79	207	1,970	NA	NA	2,177	3,399
080	231	2,678	NA	NA	2,909	4,089
981	256	3,714	NA	NA	3,970	4,850
982 983	243	2,862	NA	NA	3,105	4,248
	199	2,033	NA	NA	2,232	3,732
184	213	2,215	NA	NA	2,428	4,663
985	206	1,774	NA	NA	1,980	4,716
986	99	865	NA	NA	964	3,036
87	95	841	NA	NA	936	3,060
88	123	813	554	354	936	3,341
89	105	764	453	401	869	3,391
90	108	902	532	464	1,010	3,658
91	81	779	482	351	860	3,331
92	52	669	373	331	721	2,732
93	82	672	373	364	754	3,158
994	102	673	335	427	775	2,961
995	101	622	323	385	723	3,043
996	108	671	306	464	779	3,425
997	122	821	376	564	943	3,510

¹ Data are not for the exact calendar year but for the 52 or 53 consecutive whole weeks that most nearly coincide with the calendar year.

² Sum of oil, gas, and miscellaneous other rigs, which is not shown.


Notes: • Geographic coverage is the 50 States and the District of Columbia. • Totals may not equal

sum of components due to independent rounding.

Sources: Rotary Rigs in Operation: Baker Hughes, Inc., Houston, Texas, Rotary Rigs Running-By State. Active Well Servicing Units: Association of Energy Service Companies, Dallas, Texas, Field Reports.

NA=Not available.

Figure 4.4 Oil and Gas Exploratory and Development Wells, 1949-1997



Source: Table 4.4.

Table 4.4 Oil and Gas Exploratory and Development Wells, 1949-1997

			s Drilled usands)		Successful			ge Drilled ion feet)				ge Depth per well)	
Year	Oil	Gas	Dry Holes	Total	Wells (percent)	Oil	Gas	Dry Holes	Total	Oil	Gas	Dry Holes	Total
1949	21.35	3.36	12.60	37.31	66.2	79.4	12.4	43.8	135.6	3.720	3.698	3.473	3.635
1950	23.81	3.44	14.80	42.05	64.8	92.7	13.7	51.0	157.4	3,893	3,979	3,445	3,742
1950	23.18	3.44	17.03	43.64	61.0	95.1	13.7	63.1	172.1	4.103	4,056	3,706	3,944
1952	23.29	3.51	17.76	44.56	60.1	98.1	15.3	70.7	184.1	4,214	4,342	3,983	4,132
1953	25.32	3.97	18.45	47.74	61.4	102.1	18.2	73.9	194.2	4,033	4,599	4,004	4,069
1954	28.14	4.04	18.93	51.11	63.0	113.4	18.9	75.8	208.0	4,028	4,670	4,004	4,070
1955	30.43	4.27	20.45	55.15	62.9	121.1	19.9	85.1	226.2	3,981	4,672	4,161	4,101
1956	30.53	4.53	22.11	57.17	61.3	120.4	22.7	90.2	233.3	3,942	5,018	4,079	4,080
1957	27.36	4.48	20.16	52.00	61.2	110.0	23.8	83.2	217.0	4,021	5,326	4,126	4,174
1958	23.77	5.01	18.16	46.94	61.3	93.1	25.6	74.6	193.3	3,916	5,106	4,110	4,118
1959	24.04	4.93	18.59	47.56	60.9	94.6	26.6	79.5	200.7	3,935	5,396	4,275	4,220
1960	22.26	5.15	18.21	45.62	60.1	86.6	28.2	77.4	192.2	3,889	5,486	4,248	4,213
1961	21.44	5.49	17.33	44.25	60.8	85.6	29.3	74.7	189.6	3,994	5,339	4,311	4,285
1962	21.73	5.35	17.08	44.16	61.3	88.4	28.9	77.3	194.6	4,070	5,408	4,524	4,408
1963	20.14	4.57	16.76	41.47	59.6	81.8	24.5	76.3	182.6	4,063	5,368	4,552	4,405
1964	19.91	4.69	17.69	42.29	58.2	80.5	25.6	81.4	187.4	4,042	5,453	4,598	4,431
1965	18.07	4.48	16.23	38.77	58.2	73.3	24.9	76.6	174.9	4,059	5,562	4,723	4,510
1966	16.78	4.38	15.23	36.38	58.1	67.3	25.9	69.6	162.9	4,013	5,928	4,573	4,478
1967	15.33	3.66	13.25	32.23	58.9	58.6	21.6	61.1	141.4	3,825	5,898	4,616	4,385
1968	14.33	3.46	12.81	30.60	58.1	59.5	20.7	64.7	145.0	4,153	5,994	5,053	4,738
1969	14.37	4.08	13.74	32.19	57.3	61.6	24.2	71.4	157.1	4,286	5,918	5,195	4,881
1970	R12.97	4.03	R11.03	R28.03	60.6	R56.9	23.6	58.1	138.6	R4,385	R5,860	R5,265	R4,943
1971	11.90	3.98	R10.31	R26.20	R60.6	49.1	R23.5	R54.7	127.3	R4.126	R5,890	R5,305	R4,858
1972	R11.38	R5.44	R10.89	R27.71	R60.7	R49.3	R30.0	R58.6	R137.8	R4,330	R5,516	R5,377	R4,974
1973	R10.17	R6.93	R10.32	R27.42	R62.4	R44.4	R38.0	R55.8	R138.2	R4,367	R5,487	R5,406	R5,041
1974	13.66	7.17	R12.12	R32.95	R63.2	R52.0	38.5	R63.0	R153.5	R3,807	R5,365	R5,198	R4,657
1975	16.98	R8.13	R13.65	R38.75	R64.8	R67.0	44.5	R69.5	181.0	R3,948	R5.477	R5.091	R4,671
1976	17.70	9.44	13.81	40.94	66.3	R68.9	49.2	R69.1	R187.2	R3,894	R5,212	R5,007	R4,573
1977	18.70	12.12	15.04	45.86	67.2	R75.4	R63.6	R76.8	R215.8	R4,034	R5,250	R5.105	R4,707
1978	R19.18	14.41	16.59	R50.18	66.9	R77.0	R75.8	R85.8	R238.6	R4,014	R5,259	R5,173	R4,754
1979	R20.85	R15.25	16.04	R52.14	R69.2	R82.5	R80.4	R81.6	R244.5	R3,959	R5,270	R5,089	R4,690
1980	R32.59	R17.28	R20.61	R70.49	R70.8	R124.1	R91.3	R98.8	R314.2	R3,809	R5,283	R4,792	R4,458
1981	R43.57	R20.13	R27.78	R91.47	R69.6	R171.1	R107.8	R134.1	R413.1	R3,927	R5,358	R4,830	R4,516
1982	R39.13	R18.95	R26.22	R84.30	R68.9	R148.9	R106.8	R123.0	R378.7	R3.806	R5,638	R4.689	R4.492
1983	R37.10	14.56	R24.16	R75.82	R68.1	R136.2	77.6	R104.4	R318.2	R3,670	R5,333	R4,323	R4,197
1984	R42.54	R17.04	R25.66	R85.23	R69.9	R161.9	R90.7	R119.2	R371.9	R3,807	R5,324	R4,647	R4,363
1985	R34.93	R14.19	R21.03	R70.15	R70.0	R137.2	75.9	R99.9	R313.1	R3,929	R5,349	R4,751	R4,463
1986	R18.98	R8.50	R12.65	R40.13	R68.5	R76.3	R44.7	R60.4	R181.5	R4,023	R5,261	R4.778	R4,523
1987	R16.09	R8.05	R11.09	R35.23	R68.5	R66.3	R42.5	R53.4	R162.1	R4,117	R5,279	R4.815	R4,602
1988	R13.56	R8.55	R10.03	R32.14	R68.8	R58.6	R45.4	R52.3	R156.3	R4,322	R5,305	R5,216	R4,862
1989	R10.18	R9.53	R8.17	R27.88	R70.7	R43.2	R49.2	R41.9	R134.3	R4,245	R5,168	R5,124	R4,818
1990	R12.18	R11.04	R8.30	R31.52	R73.7	R54.2	R56.3	R43.1	R153.6	R4.453	R5,097	R5.193	R4,874
1991	R11.72	R9.48	R7.60	R28.81	R73.6	R54.0	R50.0	R38.9	R143.0	R4,610	R5,279	R5,119	R4,964
1992	R8.76	R8.16	R6.11	R23.03	R73.5	R43.8	R46.1	R31.2	R121.1	R4,992	R5,655	R5,109	R5,258
1993 ^E	R8.25	R9.94	R6.22	R24.42	R74.5	R41 9	R59.6	R32.3	R133.8	R5,080	R6,000	R5.185	R5,481
1994 ^E	R6.59	R9.55	R5.24	R21.38	R75.5	R35.9	R59.5	R29.2	R124.5	R5,443	R6,229	R5,568	R5,824
1995 ^E	R7.50	R8.25	R5.04	R20.79	R75.8	R37.6	R50.6	R27.5	R115.8	R5,018	R6,135	R5,463	R5,569
1996 ^E	R8.00	R9.05	R5.16	R22.21	R76.8	R38.7	R55.4	R28.8	R123.0	R4,839	R6,125	R5,585	R5,535
1997 ^E	8.93	10.73	5.23	24.88	79.0	46.6	65.6	28.5	140.7	5,219	6,114	5.457	5,655
1001	0.33	10.73	5.25	24.00	13.0	40.0	05.0	20.0	140.7	5,213	0,114	5,457	5,055


R=Revised. E=Estimated.

Notes: • Service wells, stratigraphic tests, and core tests are excluded. • For 1949-1959, data represent wells completed in a given year. For 1960-1969, data are for well completion reports received by the American Petroleum Institute during the reporting year. For 1970 forward, the data represent wells completed in a given year. See Note 2 at end of section. • Totals may not equal sum of components due to independent rounding. Average depth may not equal average of components due to independent

rounding

Sources: • 1949-1965—Gulf Publishing Company, *World Oil,* "Forecast-Review" issue. • 1966-1969—American Petroleum Institute, *Quarterly Review of Drilling Statistics for the United States,* annual summaries and monthly reports. • 1970 forward—Energy Information Administration computations based on well reports submitted to the American Petroleum Institute (1970-1994) and to the Petroleum Information Corporation (1995 forward).

Figure 4.5 Oil and Gas Exploratory Wells, 1949-1997



Source: Table 4.5.

Table 4.5 Oil and Gas Exploratory Wells, 1949-1997

			s Drilled usands)		Successful			ge Drilled on feet)				ge Depth per well)	
Year	Oil	Gas	Dry Holes	Total	Wells (percent)	Oil	Gas	Dry Holes	Total	Oil	Gas	Dry Holes	Total
1949	1.41	0.42	7.23	9.06	20.2	6.0	2.4	26.4	34.8	4,232	5,682	3,658	3,842
1950 1951	1.58 1.76	0.43 0.45	8.29 9.54	10.31 11.76	19.5 18.9	6.9 8.1	2.4 2.5	31.0 38.7	40.2 49.3	4,335 4,609	5,466	3,733 4,059	3,898 4,197
1951	1.78	0.45	10.09	12.43	18.8	8.5	3.4	43.7	55.6	4,609	5,497 6,071	4,059	4,197
1952	1.78	0.70	10.63	13.31	20.1	9.4	4.0	47.3	60.7	4,761	5,654	4,334 4,447	4,557
1954	1.99	0.73	10.39	13.10	20.7	9.4	4.4	45.8	59.6	4,740	6,059	4.408	4,550
1955	2.24	0.87	11.83	14.94	20.8	10.8	5.2	53.2	69.2	4,819	5,964	4,498	4,632
1956	2.27	0.82	13.12	16.21	19.1	11.1	5.2	58.0	74.3	4,901	6,301	4,425	4,587
1957	1.95	0.87	11.90	14.71	19.1	9.8	6.0	53.4	69.2	5,036	6,898	4,488	4,702
1958	1.75	0.82	10.63	13.20	19.4	8.7	5.5	47.3	61.5	4,993	6,657	4,449	4,658
1959	1.70	0.91	10.58	13.19	19.8	8.5	6.0	48.7	63.3	5,021	6,613	4,602	4,795
1960	1.32	0.87	9.52	11.70	18.7	6.8	5.5	43.5	55.8	5,170	6,298	4,575	4,770
1961	1.16	0.81	9.02	10.99	17.9	5.9	5.2	43.3	54.4	5,099	6,457	4,799	4,953
1962 1963	1.21	0.77 0.66	8.82	10.80	18.4	6.2	5.2	42.2	53.6	5,124	6,728	4,790	4,966
1963	1.31 1.22	0.56	8.69 8.95	10.66 10.73	18.5 16.6	6.4 6.7	4.2 4.2	42.8 44.6	53.5 55.5	4,878 5,509	6,370 7,547	4,933 4,980	5,016 5,174
1965	0.95	0.52	8.01	9.47	15.4	5.4	3.8	40.1	49.2	5,672	7,347 7,295	5,007	5,174
1966	1.20	0.70	8.42	10.31	18.4	6.8	5.8	43.1	55.7	5,700	8,321	5.117	5,402
1967	0.99	0.53	7.36	8.88	17.1	5.7	4.0	38.2	47.8	5,758	7,478	5,188	5,388
1968	0.95	0.49	7.44	8.88	16.2	5.6	3.7	41.6	51.0	5,914	7,697	5,589	5,739
1969	1.08	0.62	8.00	9.70	17.5	6.6	5.0	45.9	57.5	6,054	8,092	5.739	5,924
1970	0.76	0.48	R6.16	R7.40	16.7	4.7	3.7	35.1	43.5	R6,247	R7,695	R5,700	R5,885
1971	0.66	0.47	R5.95	R7.08	R16.0	3.8	3.6	R34.5	R41.9	R5,745	R7,649	R5,796	R5,915
1972	0.69	_0.66	R _{6.13}	R7.47	17.9	4.0	R4.8	R36.1	R45.0	R5,880	R7,400	R5,882	R6,015
1973	R _{0.64}	R1.07	R5.95	R7.66	22.3	4.0	R7.0	R34.6	R45.6	R6,246	R6,600	^R 5,811	R5,957
1974	R0.86	R1.19	R6.84	R8.89	23.1	5.1	7.7	R38.7	R51.4	R5,865	R6,463	R5,657	R5,785
1975	0.99	1.26	R7.13	R9.39 R9.23	R24.0	R5.9	8.5	R40.6 R38.1	R55.0 R53.8	R5,908 R5,939	R6,749	R5,693	R5,858
1976 1977	1.10 1.18	R1.35 1.56	^R 6.78 ^R 7.29	R10.03	R26.6 R27.3	6.5 6.9	9.2 ^R 10.3	R40.9	R58.1	R5,939 R5,874	R6,794 R6,581	^R 5,617 ^R 5,607	R5,828 R5,790
1977	R1.18	1.79	R7.29	R10.94	R27.1	6.9 7.1	R11.9	R46.3	R65.4	R6,049	R6.643	R5.813	R5,790
1976	1.34	R1.95	7.48	R10.76	R30.5	8.0	R12.9	R42.6	R63.5	R5,988	R6,625	R5,696	R5,900
1980	R1.81	R2.13	R9.05	R12.99	R30.3	R10.2	R14.0	50.1	R74.2	R5,645	R6,571	R5,532	R5,718
1981	R2.75	R2.57	R12.36	R17.68	R30.1	R15 7	R17.4	R69.0	R102.1	R5,730	R6,754	R5,585	R5,778
1982	R2.63	R2.22	R11.32	R16.17	R30.0	R14.0	R15.2	R60.6	R89.8	R5,315	R6,862	R5,351	5,553
1983	R2.23	R1.72	R10.20	R14.15	R27.9	R10.9	R10.9	48.8	R70.6	R4,876	R6,366	R4,784	R4,990
1984	R2.52	R1.68	R11.46	R15.66	R26.8	R13.1	R ₁ 0.7	R58.9	R82.7	R5,208	R6,348	R5,139	R5,280
1985	R2.24	R1.50	R9.19	R12.92	R28.9	R11.4	R9.3	R48.2	R68.8	R5,080	R6,201	R5,245	R5,327
1986	R2.00	R1.16	R5.73	R8.89	R35.6	R10.6	R6.8	R30.9	R48.3	R5,307	R5,900	R5,394	R5,440
1987	R1.69	R1.10	R5.19	R7.97	R35.0	R9.1	R6.4	R27.5	R42.9	R5,354	R5,827	R5,297	R5,382
1988	R1.50 R1.22	R1.25 R1.50	R4.85 R4.03	^R 7.60 ^R 6.74	R36.2 R40.3	^R 8.3 ^R 6.8	^R 7.0 ^R 8.3	R28.1 R22.5	R43.4 R37.6	R5,564 R5,559	R5,573	R5,790	^R 5,710 ^R 5,581
1989 1990	R1.22	R1.53	R3.84	R6.63	R42.1	R7.7	R9.0	R22.1	R38.7	R6,096	R5,557 R5,873	^R 5,596 ^R 5,754	R5,846
1990	R1.22	R1.25	R3.42	R5.89	R41.9	R7.2	R7.5	R19.5	R34.2	R5,903	R5,992	R5,704	R5,806
1992	R1.00	R _{0.90}	R2.62	R4.51	R42.0	R5.9	R5.0	R14.3	R25.3	R5,956	R5,590	R5,484	R5,609
1993 ^E	R0.87	R _{0.88}	R2.59	R4.33	R40.3	R5.4	R5.0	R14.7	R25.2	6,282	R5,718	R5,683	R5,810
1994 ^E	R0.84	R _{0.99}	R2.48	R4.31	R42 4	R5.3	R5.9	R14.5	R25.7	R6,287	R6,007	R5,856	R5,974
1995 ^E	R0.86	R _{0.98}	R2.29	R4.12	R44.5	R5.4	^R 6.3	R13.4	R25.2	R6,340	R6,503	R5,882	R6,124
1996 ^E	0.82	R1.05	R2.20	R4.08	R45.9	R5.7	R6.4	R13.5	R25.5	R6,889	R6,055	R6,113	R ₆ ,255
1997 ^E	0.86	1.05	2.05	3.96	48.1	6.1	7.0	12.8	25.9	7,165	6,698	6,226	6,554


R=Revised. E=Estimated.

Notes: • For 1949-1959, data represent wells completed in a given year. For 1960-1969, data are for well completion reports received by the American Petroleum Institute during the reporting year. For 1970 forward, the data represent wells completed in a given year. See Note 2 at end of section. • Totals may not equal sum of components due to independent rounding. Average depth may not equal average of components due to independent rounding.

Sources: • 1949-1960—American Association of Petroleum Geologists, Statistics on Exploratory Drilling

in the United States, 1940 through 1960 (1962), pp. 4-19. • 1961-1965—Bulletin of the American Association of Petroleum Geologists, "North American Developments" issue. • 1966-1969—American Petroleum Institute, Quarterly Review of Drilling Statistics for the United States, annual summaries and monthly reports. • 1970 forward—Energy Information Administration computations based on well reports submitted to the American Petroleum Institute (1970-1994) and to the Petroleum Information Corporation (1995 forward).

Figure 4.6 Oil and Gas Development Wells, 1949-1997



Source: Table 4.6.

Table 4.6 Oil and Gas Development Wells, 1949-1997

			s Drilled usands)		Successful			ge Drilled on feet)				ge Depth per well)	
Year	Oil	Gas	Dry Holes	Total	Wells (percent)	Oil	Gas	Dry Holes	Total	Oil	Gas	Dry Holes	Total
1949	19.95	2.94	5.37	28.25	81.0	73.5	10.0	17.3	100.8	3,684	3,412	3,225	3,568
1950	22.23	3.01	6.51	31.74	79.5	85.8	11.3	20.0	117.2	3,861	3,766	3,077	3,691
1951 1952	21.42 21.51	2.98 2.96	7.49 7.67	31.89 32.14	76.5 76.1	87.0 89.7	11.5 11.9	24.4 27.0	122.8 128.5	4,061 4,167	3,837 4,015	3,255 3,520	3,851 3,999
1952	23.34	3.27	7.82	34.43	77.3	92.7	14.3	26.6	133.6	3,972	4,373	3,320	3,880
1954	26.16	3.31	8.54	38.01	77.5	104.0	14.5	30.0	148.4	3,974	4,365	3,512	3,905
1955	28.20	3.39	8.62	40.21	78.6	110.4	14.7	31.9	157.0	3,915	4,339	3,699	3,904
1956	28.26	3.71	8.99	40.96	78.0	109.2	17.6	32.1	158.9	3,865	4,734	3,574	3,880
1957	25.42	3.61	8.25	37.28	77.9	100.2	17.9	29.7	147.9	3,944	4,950	3,605	3,966
1958	22.03	4.18	7.53	33.74	77.7	84.4	20.1	27.3	131.8	3,831	4,801	3,631	3,907
1959	22.34	4.02	8.01	34.37	76.7	86.1	20.6	30.8	137.4	3,852	5,120	3,844	3,999
1960	20.94	4.28	8.70	33.92	74.4	79.7	22.8	33.8	136.3	3,809	5,321	3,889	4,020
1961	20.28	4.67	8.31	33.26	75.0	79.7	24.0	31.4	135.2	3,931	5,145	3,782	4,064
1962	20.52	4.58	8.26	33.36	75.2	82.2	23.8	35.0	141.0	4,008	5,186	4,239	4,227
1963	18.82	3.91	8.08	30.80	73.8	75.4	20.3	33.5	129.2	4,006	5,198	4,143	4,193
1964	18.69	4.14	8.74	31.57	72.3	73.7	21.4	36.8	131.9	3,947	5,171	4,207	4,179
1965 1966	17.12	3.97 3.68	8.22	29.31	71.9	68.0	21.2 20.1	36.5	125.7	3,970	5,337	4,446	4,288
1966	15.58 14.34	3.13	6.81 5.89	26.07 23.36	73.9 74.8	60.5 53.0	17.6	26.6 23.0	107.2 93.5	3,884 3,692	5,474 5,629	3,900 3,901	4,112 4,004
1967	13.38	2.97	5.37	21.72	74.6 75.3	53.9	17.0	23.2	94.0	4,027	5,716	4,311	4,004
1969	13.28	3.47	5.74	22.49	73.3 74.5	55.0	19.2	25.4	99.6	4,027	5,716	4,311	4,431
1970	R12.21	3.55	R4.87	R20.63	R76.4	52.1	R19.9	23.0	95.0	R4,269	R5,614	R4,714	R4,606
1971	11.24	3.51	R4.36	R19.11	R77.2	45.3	19.8	20.2	R85.4	R4,031	R5,654	R4,633	R4,466
1972	R10.69	R4.79	R4.76	R20.24	R76.5	45.2	R25.2	R22.5	R92.9	R4,231	R5,258	R4,725	R4,590
1973	R9.53	R5.87	R4.37	R19.76	R77.9	40.4	R31.0	R21.2	R92.6	R4,240	R5,285	R4,853	R4.686
1974	R12.80	R5.98	R5.28	R24.06	^R 78.1	47.0	R30.7	R24.3	R102.0	R3,668	R5,145	R4,604	R4,240
1975	15.99	R6.86	R6.51	R29.37	77.8	61.2	36.0	28.9	126.0	R3,826	R5,243	R4,431	R4.292
1976	16.60	R8.09	R7.03	R31.71	^R 77.8	62.4	40.0	31.1	133.4	R3,758	R4,947	^R 4,419	R4,208
1977	17.52	10.56	R7.74	R35.83	R78.4	68.5	53.3	ຼ35.9	R _{157.7}	R3,910	R5,053	R4,633	R4,403
1978	R18.00	12.61	R8.62	R39.23	R78.0	69.9	63.8	R39.5	R173.2	R3,881	R5,062	R4,580	R4,414
1979	R19.51	R13.31	8.56	R41.38	R79.3	74.5	R67.5	R39.0	R181.1	R3,820	R5,072	R4,559	R4,375
1980 1981	R30.78 R40.82	R15.16 R17.55	R11.56 R15.42	R57.50 R73.79	^R 79.9 ^R 79.1	113.9	R77.3 R90.5	R48.7 R65.1	R240.0 R310.9	R3,701 R3,806	R5,102 R5,153	R4,213 R4,224	R4,174 R4,214
1981	R36.50	R16.73	R14.90	R68.13	R78.1	155.4 134.9	R91.6	R62.4	R288.9	R3,697	R5,153	R4,185	R4,214
1982	R34.87	R12.84	R13.96	R61.67	R77.4	125.3	R66.7	R55.6	R247.6	R3,593	R5,195	R3,986	R4,015
1984	R40.02	R15.36	R14.20	R69.58	R79.6	148.8	R80.0	R60.3	R289.2	R3,719	R5,212	R4,250	R4,157
1985	R32.69	R12.70	R11.84	R57.23	R79.3	125.9	R66.6	R51.7	R244.2	R3.850	R5,249	R4,367	R4,268
1986	R16.97	R7.35	R6.92	R31.25	R77.8	65.7	R37.9	R29.5	R133.2	R3,871	R5,160	R4,268	R4,262
1987	R14.40	R6.95	R5.90	R27.26	R78.3	57.2	R36.1	R25.9	R119.2	R3,971	R5,193	R4,391	R4.374
1988	R12.06	R7.30	R5.18	R24.54	R78.9	50.3	R38.4	R24.2	R112.9	R4,167	R5,259	R4,679	R4,600
1989	R8.97	R8.03	R4.14	R21.14	R80.4	36.5	R40.9	R19.3	R96.7	R4.067	R5,095	R4,665	R4,575
1990	R10.92	^R 9.51	R4.46	R24.89	R82.1	46.5	R47.3	R21.0	R114.9	R4,263	R4,973	R4,711	R4,614
1991	R ₁ 0.50	R8.23	R4.18	R22.92	81.7	46.8	R42.6	R19.4	R108.8	R4,459	R5,172	R4,641	R4,748
1992	R7.77	R7.27	R3.49	R18.53	R81.1	37.8	R41.1	R16.9	R95.8	R4,869	R5,663	R4,829	R5,173
1993 ^E	R7.39	R9.06	R3.64	R20.09	R81.9	36.5	R54.6	R17.6	R108.7	R4,939	R6,027	R4,830	R5,410
1994 ^E	R5.75	R8.56	R2.76	R17.07	R83.8	30.6	R53.5	R14.7	R98.8	R5,320	R6,254	R5,310	R5,787
1995 ^E	R6.65	R7.28	R2.75	R16.68	R83.5	32.2	R44.3	R14.1	R90.6	R4,847	R6,086	R5,115	R5,432
1996 ^E 1997 ^E	^R 7.18 8.07	R8.00 9.68	R2.95 3.18	R18.14 20.93	R83.7 84.8	33.1 40.5	R49.1 58.6	R15.3 15.7	R97.5	R4,604 5.013	R6,134	^R 5,185 4.960	R5,374
1997-	8.07	9.00	3.18	20.93	84.8	40.5	0.80	15.7	114.8	5,013	6,051	4,900	5,485


R=Revised. E=Estimated.

Notes: • Service wells, stratigraphic tests, and core tests are excluded. • For 1949-1959, data represent wells completed in a given year. For 1960-1969, data are for well completion reports received by the American Petroleum Institute during the reporting year. For 1970 forward, the data represent wells completed in a given year. See Note 2 at end of section. • Totals may not equal sum of components due to independent rounding. Average depth may not equal average of components due to independent

rounding.

Sources: • 1949-1965—Gulf Publishing Company, World Oil, "Forecast-Review" issue. • 1966-1969—American Petroleum Institute, Quarterly Review of Drilling Statistics for the United States, annual summaries and monthly reports. • 1970 forward—Energy Information Administration computations based on well reports submitted to the American Petroleum Institute (1970-1994) and to the Petroleum Information Corporation (1995 forward).

Figure 4.7 Costs of Oil and Gas Wells Drilled, 1960-1996



¹In chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Table 3.1.

Source: Table 4.7.

Table 4.7 Costs of Oil and Gas Wells Drilled, 1960-1996

			Costs per Well (thousand dollars)					Costs per Foot (dollars)		
				A	II				Δ	All
Year	Oil (nominal)	Gas (nominal)	Dry Holes (nominal)	(nominal)	(real) ¹	Oil (nominal)	Gas (nominal)	Dry Holes (nominal)	(nominal)	(real) 1
1960	52.2	102.7	44.0	54.9	235.8	13.22	18.57	10.56	13.01	55.84
1961	51.3	94.7	45.2	54.5	R232.0	13.11	17.65	10.56	12.85	R54.68
1962	54.2	97.1	50.8	58.6	R246.4	13.41	18.10	11.20	13.31	R55.92
1963	51.8	92.4	48.2	55.0	R228.3	13.20	17.19	10.58	12.69	^R 52.66
1964	50.6	104.8	48.5	55.8	227.8	13.12	18.57	10.64	12.86	52.49
1965	56.6	101.9	53.1	60.6	242.6	13.94	18.35	11.21	13.44	53.76
1966	62.2	133.8	56.9	68.4	266.1	15.04	21.75	12.34	14.95	58.17
1967	66.6	141.0	61.5	72.9	275.1	16.61	23.05	12.87	15.97	60.26
1968	79.1	148.5	66.2	81.5	R295.2	18.63	24.05	12.88	16.83	R60.98
1969	86.5	154.3	70.2	88.6	R306.4	19.28	25.58	13.23	17.56	R60.76
1970	86.7	160.7	80.9	94.9	R311.1	19.29	26.75	15.21	18.84	R61.77
971	78.4	166.6	86.8	94.7	R295.0	18.41	27.70	16.02	19.03	R59.28
972	93.5	157.8	94.9	106.4	R318.6	20.77	27.78	17.28	20.76	R62.16
973	103.8	155.3	105.8	117.2	R331.9	22.54	27.46	19.22	22.50	R63.74
974	110.2	189.2	141.7	138.7	360.3	27.82	34.11	26.76	28.93	75.14
975	138.6	262.0	177.2	177.8	R422.3	34.17	46.23	33.86	36.99	R87.86
976	151.1	270.4	190.3	191.6	429.6	37.35	49.78	36.94	40.46	90.72
977	170.0	313.5	230.2	227.2	479.3	41.16	57.57	43.49	46.81	98.76
978	208.0	374.2	281.7	280.0	R550.0	49.72	68.37	52.55	56.63	R111.26
979	243.1	443.1	339.6	331.4	R600.3	58.29	80.66	64.60	67.70	R122.64
980	272.1	536.4	376.5	367.7	R609.8	66.36	95.16	73.70	77.02	R127.73
981	336.3	698.6	464.0	453.7	R687.4	80.40	122.17	90.03	94.30	R142.88
982	347.4	864.3	515.4	514.4	R732.7	86.34	146.20	104.09	108.73	R154.89
983	283.8	608.1	366.5	371.7	R507.8	72.65	108.37	79.10	83.34	R113.85
984	262.1	489.8	329.2	326.5	430.1	66.32	88.80	67.18	71.90	94.73
985	270.4	508.7	372.3	349.4	R445.1	66.78	93.09	73.69	75.35	R95.99
986	284.9	522.9	389.2	364.6	452.3	68.35	93.02	76.53	76.88	95.38
987	246.0	380.4	259.1	279.6	336.5	58.35	69.55	51.05	58.71	70.65
988	279.4	460.3	366.4	354.7	412.0	62.28	84.65	66.96	70.23	81.57
989	282.3	457.8	355.4	362.2	403.8	64.92	86.86	67.61	73.55	82.00
990	321.8	471.3	367.5	383.6	409.8	69.17	90.73	67.49	76.07	81.27
991	346.9	506.6	441.2	421.5	433.1	73.75	93.10	83.05	82.64	84.93
992	362.3	426.1	357.6	382.6	382.6	69.50	72.83	67.82	70.27	70.27
993	356.6	521.2	387.7	426.8	416.0	67.52	83.15	72.56	75.30	73.39
994	409.5	535.1	491.5	483.2	R459.8	70.57	81.90	86.60	79.49	R75.63
995	415.8	629.7	481.2	513.4	R476.3	78.09	95.97	84.60	87.22	^R 80.91
1996	341.0	616.0	541.0	496.1	450.2	70.60	98.67	95.74	88.92	80.69

 $^{^{\}rm 1}$ In chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Table 3.1.

R=Revised.


Notes: • The information reported for 1965 and prior years is not strictly comparable to that in the more recent surveys. • Average cost is the arithmetic mean and includes all costs for drilling and equipping


wells and for surface-producing facilities. Wells drilled include exploratory and development wells; excludes service wells, stratigraphic tests, and core tests.

Source: American Petroleum Institute, Independent Petroleum Association of America, Mid-Continent Oil and Gas Association, 1996 Joint Association Survey on Drilling Costs.

Figure 4.8 Gross Additions to Proved Reserves and Exploration and Development Expenditures by Geographic Area

Gross Additions to Proved Reserves of Liquid and Gaseous Hydrocarbons, 1974-1996





¹ Crude oil equivalent.

Note: See Table 3.12 for information about companies covered.

Source: Table 4.8.

² Nominal dollars.

Table 4.8 Gross Additions to Proved Reserves and Exploration and Development Expenditures by Geographic Area, 1974-1996

		s Additions to Proved Reserve quid and Gaseous Hydrocarbor (million barrels COE ³)		Exploration and Expendi (billion do	tures	Expenditures per Barrel of Reserve Additions Three-Year Weighted Average (dollars ⁴ per barrel COE ³)		
		Major Energy	Producers 5	Major Energy I	Producers ⁵	Major Energy	Producers 5	
Year	U.S. Total	United States	Foreign	United States	Foreign	United States	Foreign	
974	NA	2,205	NA	^R 8.7	3.8	NA	NA	
975	3,846	-634	NA	R7.8	5.3	8.05	NA	
976	3,224	1,663	1,459	R9.5	5.2	8.64	NA	
977	3,765	2,210	1,055	10.7	5.6	5.12	4.64	
978	3,679	2,383	1,191	11.8	6.4	7.34	5.73	
979	5,071	1,378	⁶ 1,208	21.3	7.8	9.34	⁶ 5.75	
980	6,723	2,590	1,977	26.2	11.0	11.80	7.45	
981	7,304	2,848	1,006	33.0	12.4	11.63	8.74	
982	5,030	2,482	1,332	32.9	14.2	⁷ 10.62	⁷ 8.78	
983	6,412	3,427	1,918	27.1	10.7	9.20	9.28	
984	6,653	3,941	1,298	30.6	17.3	⁷ 8.21	⁷ 8.63	
985	6,190	⁸ 3,129	1,192	28.5	10.1	⁸ 8.27	9.03	
986	4,866	2,178	⁶ 1,375	17.4	7.5	6.67	⁶ 5.28	
987	6,059	⁸ 3,698	2,516	14.2	9.2	⁸ 4.58	4.69	
988	7,156	3,359	2,460	21.2	13.0	5.05	5.18	
989	5,385	2,798	2,043	15.0	14.1	5.62	5.94	
990	^R 6,275	2,979	2,355	15.1	13.6	5.87	6.34	
991	4,227	1,772	2,135	14.2	13.7	6.52	6.50	
992	5,006	1,332	1,694	10.3	12.9	7.02	5.32	
993	4,814	1,945	3,526	10.9	12.5	5.66	4.45	
994	_6,021	2,703	3,175	12.6	11.9	4.74	3.96	
995	^R 6,558	2,929	2,801	12.4	13.2	^R 5.11	4.53	
996	4,148	2,131	3,345	14.6	17.1	NA	NA	

¹ Gross additions to proved reserves equal annual change in proved reserves plus annual production.

R=Revised. NA=Not available.

Web Page: http://www.eia.doe.gov/emeu/finance/index.html.

Sources: Major Energy Producers: • 1974-1976—Energy Information Administration (EIA), Form EIA-28, "Financial Reporting System" database, November 1997. • 1977-1995—EIA, Performance Profiles of Major Energy Producers, annual report. • 1996—EIA, Performance Profiles of Major Energy Producers 1996 (January 1998), Tables 13, 17, and B21. U.S. Total, Exploration and Development Expenditures: • 1975-1982—Bureau of the Census, Annual Survey of Oil and Gas. • 1983-1991—American Petroleum Institute, Survey on Oil and Gas Expenditures 1992. U.S. Total, Gross Additions to Proved Reserves of Liquid and Gaseous Hydrocarbons: • 1975-1979—American Gas Association, American Petroleum Institute, and Canadian Petroleum Association (published jointly), Reserves of Crude Oil, Natural Gas Liquids, and Natural Gas in the United States and Canada as of December 31, 1979, Volume 34, June 1980. • 1980 forward—EIA, U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves, 1996 Annual Report (December 1997).

² Liquid and gaseous hydrocarbons include crude oil, natural gas liquids, and natural gas.

³ Crude oil equivalent: converted to Btu on the basis of annual average conversion factors. See Appendix A.

Nominal dollars.


⁵ Major Energy Producers are the top publicly-owned crude oil producers that form the Financial Reporting System (FRS) (see Table 3.12).

⁶ Data for 1979 exclude downward revisions of 1,225 million barrels COE due to Iranian policies. Data for 1986 exclude downward revisions due to Libyan sanctions.

⁷ Data for 1982 and 1984 are adjusted to exclude purchases of proved reserves associated with mergers among the Financial Reporting System companies.

⁸ Data for 1985 and 1987 exclude downward revisions of 1,477 million barrels COE and 2,396 million barrels COE, respectively, of Alaska North Slope natural gas reserves.

Figure 4.9 Major Energy Producers' Expenditures for Oil and Gas Exploration and Development by Region



Notes: • See Table 3.12 for information on companies covered. • Because vertical scales differ, graphs should not be compared.

Hemisphere²

Hemisphere³

Source: Table 4.9.

¹ Nominal dollars.

² This region includes areas that are eastward of the Greenwich prime meridian to 180° longitude and that are not included in other specific domestic or foreign classifications.

³ This region includes areas that are westward of the Greenwich prime meridian to 180° longitude and that are not included in other specific domestic or foreign classifications.

Table 4.9 Major Energy Producers' Expenditures for Oil and Gas Exploration and Development by Region, 1974-1996 (Billion Dollars')

	United States				Foreign								
Year	Onshore	Offshore	Total	Canada	Europe	Africa	Middle East	Other Eastern Hemisphere ²	Other Western Hemisphere ³	Total	Total		
1974	NA	NA	8.7	NA	NA	NA	NA	NA	NA	3.8	12.5		
1975	NA	NA	7.8	NA	NA	NA	NA	NA	NA	5.3	13.1		
1976	NA	NA	9.5	NA	NA	NA	NA	NA	NA	5.2	14.7		
1977	6.7	4.0	10.7	1.5	2.5	0.7	0.2	0.3	0.4	5.6	16.3		
1978	7.5	4.3	11.8	1.6	2.6	0.8	0.3	0.4	0.6	6.4	18.2		
1979	13.0	8.3	21.3	2.3	3.0	0.8	0.2	0.5	0.8	7.8	29.1		
1980	16.8	9.4	26.2	3.1	4.3	1.4	0.2	0.8	1.0	11.0	37.2		
981	19.9	13.0	33.0	1.8	5.0	2.1	0.3	1.9	1.3	12.4	45.4		
1982	27.2	11.9	39.1	1.9	6.3	2.1	0.4	2.4	1.1	14.2	53.3		
1983	16.0	11.1	27.1	1.6	4.3	1.7	0.5	2.0	0.6	10.7	37.7		
1984	32.1	16.0	48.1	5.4	5.5	3.4	0.5	2.0	0.5	17.3	65.3		
1985	20.0	8.5	28.5	1.9	3.7	1.6	0.9	1.3	0.7	10.1	38.6		
1986	12.5	4.9	17.4	1.1	3.2	1.1	0.3	1.2	0.6	7.5	24.9		
1987	9.7	4.5	14.3	1.9	3.0	0.8	0.4	2.8	0.5	9.2	23.5		
1988	12.9	8.1	21.0	5.4	4.3	0.8	0.4	1.4	0.7	13.0	34.1		
1989	9.0	6.0	15.0	6.3	3.5	1.0	0.4	2.3	0.6	14.1	29.1		
1990	10.2	4.9	15.1	1.8	6.6	1.4	0.6	2.4	0.7	13.6	28.7		
991	9.6	4.6	14.2	1.7	6.8	1.5	0.5	2.4	0.7	13.7	27.9		
992	7.3	3.0	10.3	1.1	6.8	1.4	0.6	2.4	0.6	12.9	23.2		
993	7.2	3.7	10.9	1.6	5.7	1.5	0.7	2.5	0.6	12.5	23.5		
1994	7.8	4.8	12.6	1.8	4.7	1.4	0.4	2.8	0.7	11.9	24.5		
1995	7.7	4.7	12.4	1.9	5.6	2.0	0.4	2.4	0.9	13.2	25.6		
1996	7.9	6.7	14.6	1.6	6.0	2.8	0.5	4.6	1.6	17.1	31.7		

¹ Nominal dollars.

Reporting System (FRS). See Table 3.12. • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/emeu/finance/index.html.


Sources: • 1974–1976—Energy Information Administration (EIA), Office of Energy Markets and End Use, Financial Reporting System Database, November 1997. • 1977–1995—EIA, *Performance Profiles of Major Energy Producers*, annual report. • 1996—EIA, *Performance Profiles of Major Energy Producers*, 1996 (January 1998), Tables B32 and B34.


² This region includes areas that are eastward of the Greenwich prime meridian to 180 longitude and that are not included in other specified domestic or foreign classifications.

³ This region includes areas that are westward of the Greenwich prime meridian to 180 longitude and that are not included in other domestic or foreign classifications.
NA=Not available.

Note: • Major Energy Producers are the top publicly-owned crude oil producers that form the Financial

Figure 4.10 Liquid and Gaseous Hydrocarbon Proved Reserves, End of Year





¹ COE=crude oil equivalent.

Notes: • API=American Petroleum Institute. AGA=American Gas Association. EIA=Energy Information Administration. • Because vertical scales differ, graphs

should not be compared. Source: Table 4.10.

Table 4.10 Liquid and Gaseous Hydrocarbon Proved Reserves, End of Year 1949-1996

949 950 951 952 953 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 978 979 979 977 978 979 979 977 978 979 977 978 979 980 981 9980 981 9983 984	24.6 25.3 27.5 28.0 28.9 29.6 30.0 30.4 30.3 30.5 31.7	179.4 184.6 192.8 198.6 210.3 210.6 222.5	Billion Barrels COE ² American Petroleum Institute and 32.0 32.9 34.4 35.4 37.5	Billion Barrels American Gas Association Data 3.7 4.3 4.7	Billion Barrels COE ² 3.1 3.5	Billion Barrels COE ²
950 951 952 953 954 9555 956 957 958 959 960 961 961 962 963 964 965 966 967 968 969 970 971 971 977 977 977 977 977 977 977 977	25.3 27.5 28.0 28.9 29.6 30.0 30.4 30.3 30.5	184.6 192.8 198.6 210.3 210.6	32.0 32.9 34.4 35.4	3.7	3.1	
50 51 52 53 54 55 56 56 57 58 59 60 61 62 63 63 63 63 63 63 64 65 67 77 78 79 77 78 79 79 77 78 79 79 80 81 82 83 83 84 83 83 84 85 86 87 87 88 89 89 89 89 89 89 89 89 89	25.3 27.5 28.0 28.9 29.6 30.0 30.4 30.3 30.5	184.6 192.8 198.6 210.3 210.6	32.9 34.4 35.4	3.7 4.3	3.1 3.5	
50 51 52 53 54 55 56 56 57 58 59 50 61 61 62 63 63 63 63 64 65 67 77 78 79 77 78 79 77 78 79 77 78 79 79 77 78 79 77 78 79 79 77 78 78 79 79 77 78 78 79 77 78 78 78 78 78 78 78 78 78	25.3 27.5 28.0 28.9 29.6 30.0 30.4 30.3 30.5	184.6 192.8 198.6 210.3 210.6	32.9 34.4 35.4	4.3	3.5	59.7
51 52 53 53 54 55 56 57 58 59 50 60 61 71 72 73 74 75 76 77 78 79 77 78 79 77 78 79 77 78 79 77 78 78 79 77 78 78 79 77 78 78 78 79 79 79 79 79 79 79 79 79 79	27.5 28.0 28.9 29.6 30.0 30.4 30.3 30.5	192.8 198.6 210.3 210.6	34.4 35.4	4.5		61.7
52 53 54 55 56 66 67 68 89 99 99 17 78 89 99 17 78 89 99 17 78 89 99 18 18 18 18 18 18 18 18 18 18	28.0 28.9 29.6 30.0 30.4 30.3 30.5	198.6 210.3 210.6	35.4		3.9	65.7
33 54 55 56 57 58 59 51 52 53 54 55 56 67 77 78 79 77 78 79 90 30 31 31 32 33 34 34 35 36	28.9 29.6 30.0 30.4 30.3 30.5	210.3 210.6	35.4 37.5			
14 15 16 16 16 16 16 17 18 19 10 11 12 12 13 14 15 16 16 17 18 18 19 19 10 11 11 12 13 14 14 15 16 16 17 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	29.6 30.0 30.4 30.3 30.5	210.6		5.0	4.1	67.5
5667789901123445667899001233445	30.0 30.4 30.3 30.5	210.6 222.5	31.3	5.4	4.4	70.9
67 78 90 01 23 44 56 67 89 01 23 44 56 78 99 01 23 44 56 78 99 01 23 44 56	30.4 30.3 30.5	222 5	37.6	5.2	4.2	71.3
57 58 59 50 50 51 51 52 53 54 55 66 67 78 88 99 	30.3 30.5		39.7	5.4	4.4	74.1
57 58 59 50 50 51 51 52 53 54 55 66 67 78 88 99 	30.3 30.5	236.5	42.2	5.9 5.7	4.7	77.3
88 99 90 91 91 92 93 94 95 96 97 98 99 99 99 90 90 90 90 90 90 90	30.5	245.2	43.8	5.7	4.5	78.6
99 60 611 62 63 63 64 65 66 67 78 89 67 78 89 67 78 89 67 78 89 68 68 68 68 68 68 68 68 68 68 68 68 68		252.8	45.1	6.2	5.0	80.6
0 11 12 13 14 15 16 17 18 19 10 11 12 13 14 15 16 17 18 19 19 10 11 12 13 14 14 15 16 17 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19		261.2	46.6	6.5		83.5
11 12 13 14 15 15 16 16 17 18 19 19 10 11 12 13 14 15 15 16 17 18 19 19 19 19 19 19 19 19 19 19 19 19 19		201.2			5.2	03.3
52 53 54 55 56 57 58 59 67 77 78 79 69 69 69 69 69 69 69 69 69 6	31.6	262.3	46.8	6.8	5.4	83.8
54 55 56 57 68 59 70 71 72 73 74 75 76 77 78 78 77 78 79 77 78 79 77 78 79 77 78 79 77 78 79 79 79 79 79 79 79 79 79 79	31.8	266.3	47.5	7.0	5.6	84.8
44 56 67 89 90 12 33 45 66 78 89 	31.4	272.3	48.6	7.3 7.7	5.8	85.7
54 55 56 57 68 59 70 71 72 73 74 75 76 77 78 78 77 78 79 77 78 79 77 78 79 77 78 79 77 78 79 79 79 79 79 79 79 79 79 79	31.0	276.2	49.1	7.7	6.0	86.1
55 56 57 58 59 70 71 72 73 74 75 66 77 78 79 	31.0	281.3	50.0	7.7	6.1	87.1
666 67 68 69 70 71 72 73 74 75 76 77 77 78 79 ———— 77 78 80 81 82 83 84 84	31.4	286.5	51.0	8.0	6.3	88.6
67 68 89 70 71 72 73 74 74 75 76 77 78 79 ——————————————————————————————————	31.5	289.3	51.5	8.3	6.5	89.5
68 69 70 71 72 73 74 75 76 77 78 79 77 78 78 79 80 81 82 83 84 84						
59 77 77 78 79	31.4	292.9	52.1	8.6	6.7	90.2
70 71 72 73 74 75 76 77 78 79 ——————————————————————————————	30.7	287.3	51.1	8.6	6.7	88.5
71	29.6	275.1	48.9	8.1	6.3	84.8
72 73 74 75 76 77 78 77 78 77 78 89 	39.0	290.7	51.7	7.7	5.9	96.6
72 73 74 75 76 77 78 87 9 	38.1	278.8	49.6	7.3	5.5	93.2
73 74 75 76 77 78 79 ——————————————————————————————	36.3	266.1	47.1	6.8	5.1	88.5
74 75 76 77 78 79 77 78 77 80 80 80 81 82 83 84 84	35.3	250.0	44.0	6.5	4.8	84.1
75 76 77 78 79 77 78 78 79 80 81 82 83 84 84 85		200.0				
76 77 78 79 77 77 77 80 80 81 82 83 83 84 84	34.2	237.1	41.9	6.4	4.7	80.8
77 78 79 	32.7	228.2	40.2	6.3	4.6	77.5
77 77 78 79 80 80 81 82 83 83 84 85	30.9	216.0	38.0	6.4	4.7	73.6
79	29.5	208.9	36.8	6.0	4.4	70.6
77 77 78 79 80 81 82 83 83 84 84	27.8	200.3	35.2	5.9	4.3	67.3
78 99 30 31 32 33 34 35	27.1	194.9	34.3	5.7	4.1	65.5
78 79 30 31 32 33 34 35			Energy Information A	Administration Data		
78 79 80 81 82 83 84 84	31.8	207.4	36.5	NA	NA	NA
79 80 81 82 83 84 85	31.4	208.0	36.5 36.5	6.8	4.9	72.8
30 31 32 33 34 35	29.8	201.0	35.4	6.6	4.8	70.0
31 32 33 34 35	29.8 29.8	199.0	35.4 35.2	6.7	4.9	69.9
32 33 34 35	29.4	201.7	35.7	7.1	5.2	70.3
33 34 35	27.9	201.1 201 F	35.7 35.7	7.1	5.2	70.3
34 35		201.5	55. <i>l</i>	7.2	5.2	68.8
35	27.7	200.2	35.6 35.1	7.9	5.7	69.0
35	28.4	197.5	35.1	7.6	5.5	69.0
	28.4	193.4	34.4	7.9	5.6	68.5
Ö	26.9	191.6	34.0	8.2	5.7	66.6
7	27.3	187.2	33.3	8.1	5.8	66.3
38	26.8	168.0	29.8	8.2	5.8	62.5
9	∠n n	167.1	29.7	7.8	5.5	61.7
	∠0.ŏ 26.5	107.1	30.1	7.6 7.6		61.7
90	26.5	169.3			5.4	
91	26.5 26.3	167.1	29.7	7.5	5.3	59.6
92	26.5 26.3 24.7	165.0	29.3	7.5	5.2	58.3
93	26.5 26.3 24.7 23.7	162.4	28.8	7.2	5.1	56.8
94	26.5 26.3 24.7 23.7 23.0	163.8	29.0	7.2 7.2	5.1	56.6
95	26.5 26.3 24.7 23.7 23.0		29.2 29.5	7.4	5.3	56.9
96	26.5 26.3 24.7 23.7	165.1		7.8	5.5	57.0

¹ The American Gas Association estimates of natural gas proved reserves include volumes of gas held in underground storage. In 1979, this volume amounted to 4.9 trillion cubic feet. Energy Information Administration (EIA) data do not include gas in underground storage.

NA=Not available.


Web Page: http://www.eia.doe.gov/fuelpetroleum.html.

Sources: API/AGA Data: American Gas Association, American Petroleum Institute, and Canadian Petroleum Association (published jointly). Reserves of Crude Oil, Natural Gas Liquids and Natural Gas in the United States and Canada as of December 31, 1979. Volume 34, June 1980. EIA Data:

• 1977-1984—EIA, U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves, 1988 Annual Report (October 1989), Table 1. • 1985-forward—EIA, U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves, Annual Report 1996 (November 1997), Tables 1, 15, and 16.

² Crude oil equivalent. Natural gas and natural gas liquids are converted to Btu on the basis of annual average conversion factors. See Appendix A.

Figure 4.11 Coal Demonstrated Reserve Base, January 1, 1997



Note: Because vertical scales differ, graphs should not be compared.

Table 4.11 Coal Demonstrated Reserve Base, January 1, 1997

(Billion Short Tons)

	Anthracite	Bituminou	s Coal 1	Lignite	Total			
Region and State	Underground and Surface ²	Underground	Surface	Surface ³	Underground	Surface	Total	
Appalachian	7.3	75.3	24.4	1.1	79.2	28.9	108.1	
Alabama	0.0	1.3	2.2	1.1	1.3	3.3	4.5	
Kentucky, Eastern	0.0	2.2	9.8	0.0	2.2	9.8	12.1	
Ohio	0.0	17.8	5.9	0.0	17.8	5.9	23.7	
Pennsylvania	7.2	20.4	1.0	0.0	24.2	4.4	28.6	
Virginia	0.1	1.4	0.7	0.0	1.5	0.7	2.2	
West Virginia	0.0	31.0	4.4	0.0	31.0	4.4	35.4	
Other ⁴	0.0	1.2	0.4	0.0	1.2	0.4	1.5	
iterior	0.1	118.3	27.8	13.4	118.4	41.2	159.6	
Illinois	0.0	88.5	16.6	0.0	88.5	16.6	105.1	
Indiana	0.0	8.9	1.1	0.0	8.9	1.1	9.9	
lowa	0.0	1.7	0.5	0.0	1.7	0.5	2.2	
Kentucky, Western	0.0	16.3	3.7	0.0	16.3	3.7	20.0	
Missouri	0.0	1.5	4.5	0.0	1.5	4.5	6.0	
Oklahoma	0.0	1.2	0.3	0.0	1.2	0.3	1.6	
Texas	0.0	0.0	0.0	12.9	0.0	12.9	12.9	
Other ⁵	0.1	0.3	1.1	0.5	0.4	1.6	2.0	
/estern	0.0	144.1	66.2	29.7	144.1	95.9	240.0	
Alaska	0.0	5.4	0.7	0.0	5.4	0.7	6.1	
Colorado	0.0	12.0	0.6	4.2	12.0	4.8	16.8	
Montana	0.0	71.0	33.0	15.8	71.0	48.7	119.7	
New Mexico	0.0	6.2	6.3	0.0	6.2	6.3	12.5	
North Dakota	0.0	0.0	0.0	9.4	0.0	9.4	9.4	
Utah	0.0	5.6	0.3	0.0	5.6	0.3	5.9	
Washington	0.0	1.3	0.0	0.0	1.3	0.1	1.4	
Wyoming	0.0	42.5	25.3	0.0	42.5	25.3	67.8	
Other 6	0.0	0.1	0.1	0.4	0.1	0.4	0.5	
J.S. Total	7.5	337.7	118.3	44.2	341.8	166.0	507.7	
States East of the Mississippi River	7.3	189.0	45.8	1.1	192.9	50.2	243.2	
States West of the Mississippi River	0.1	148.7	72.6	43.2	148.8	115.7	264.6	

¹ Includes subbituminous coal.

Notes: • Data represent known measured and indicated coal resources meeting minimum seam and depth criteria, in the ground as of January 1, 1997. These coal resources are not totally recoverable. Net recoverability ranges from less than 0 percent to more than 90 percent. Fifty-four percent of the demonstrated reserve base of coal in the United States is estimated to be recoverable. • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelcoal.html.

Source: Energy Information Administration, U.S. Coal Reserves 1997 update (April 1998).

² Includes 3,385.4 million short tons of surface-minable resources, of which 3,370.0 million tons are in Pennsylvania and 15.5 million tons are in Arkansas.


Lignite resources are not mined underground in the United States.
 Georgia, Maryland, North Carolina, and Tennessee.

⁵ Arkansas, Kansas, Louisiana, and Michigan.


⁶ Arizona, Idaho, Oregon, and South Dakota.

Figure 4.12 Uranium Exploration and Development Drilling, 1949-1997

Holes Drilled



Footage Drilled



Source: Table 4.12.

Table 4.12 Uranium Exploration and Development Drilling, 1949-1997

	Explo	ration ¹	Devel	opment ²	To	otal
Year	Holes Drilled (thousands)	Footage Drilled (million feet)	Holes Drilled (thousands)	Footage Drilled (million feet)	Holes Drilled (thousands)	Footage Drilled (million feet)
1010	214	0.00	NA	0.05		0.44
1949	NA	0.36	NA	0.05	NA	0.41
1950	NA	0.57	NA	0.21	NA	0.78
951	NA	1.08	NA	0.35	NA	1.43
952	NA	1.36	NA	0.30	NA	1.66
953	NA	3.65	NA	0.37	NA	4.02
954	NA	4.06	NA	0.55	NA	4.61
955	NA	5.27	NA	0.76	NA	6.03
956	NA	7.29	NA	1.50	NA	8.79
957	NA	7.35	NA	1.85	NA	9.20
958	25.32	3.76	22.93	3.49	48.25	7.25
959	16.25	2.37	19.59	3.28	35.84	5.65
960	7.34	1.40	24.40	4.21	31.73	5.61
961	8.26	1.32	19.31	3.19	27.57	4.51
962	6.44	1.48	12.87	2.43	19.31	3.91
963	8.47	0.88	13.53	1.98	22.01	2.86
964	5.97	0.97	9.91	1.25	15.88	2.21
965	6.23	1.16	7.33	0.95	13.56	2.11
966	5.75	1.80	13.18	2.40	18.93	4.20
967	12.79	5.44	16.95	5.33	29.74	10.76
968	38.47	16.23	19.53	7.53	58.00	23.75
969	47.85	20.47	28.01	9.39	75.86	29.86
970	43.98	17.98	14.87	5.55	58.85	23.53
971	28.42	11.40	10.44	4.05	38.86	15.45
972	26.91	11.82	9.71	3.61	36.62	15.42
973	22.56	10.83	11.70	5.59	34.26	16.42
974	27.40	14.72	12.30	6.84	39.70	21.56
975	34.29	15.69	21.60	9.73	55.89	25.42
976	40.41	20.36	27.23	14.44	67.64	34.80
977	62.60	27.96	30.86	17.62	93.45	45.58
978	75.07	28.95	29.29	19.15	104.35	48.10
979	60.46	28.07	30.19	13.01	90.65	41.08
980	39.61	19.60	20.19	8.59	59.80	28.19
981	17.75	10.87	8.67	3.35	26.42	14.22
982	6.97	4.23	3.00	1.13	9.97	5.36
983	4.29	2.09	3.01	1.08	7.30	3.17
984	4.80	2.26	0.72	0.29	5.52	2.55
985	2.88	1.42	0.77	0.34	3.65	1.76
986	1.99	1.10	1.85	0.97	3.83	2.07
987	1.82	1.11	1.99	0.86	3.81	1.97
988	2.03	1.28	3.18	1.73	5.21	3.01
989	2.09	1.43	1.75	0.80	3.84	2.23
990	1.51	0.87	1.75	0.80	3.42	1.68
990	1.62	0.87	1.57	0.87	3.42	1.84
992	0.94	0.56	0.83	0.50	1.77	1.06
992 993	0.94	0.56	1.67	0.50	2.02	
993 994	0.36		0.48	0.89	1.00	1.11 0.66
		0.34				
995	0.58	0.40	1.73	0.95	2.31	1.35
996	1.12	0.88	3.58	2.16	4.70	3.05
997	1.94	1.33	5.86	3.56	7.79	4.88

¹ Includes surface drilling in search of new ore deposits or extensions of known deposits and drilling at the location of a discovery up to the time the company decides sufficient ore reserves are present to justify commercial exploitation.

R=Revised. NA=Not available.


Note: Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelnuclear.html.

Sources: • 1949-1981—U.S. Department of Energy, Grand Junction Office, Statistical Data of the Uranium Industry, January 1, 1983, Report No. GJO-100 (1983), Table VIII-5. • 1982-1984—Energy Information Administration (EIA), Uranium Industry Annual 1993 (September 1994), Table 3. • 1985—EIA, Uranium Industry Annual 1994 (July 1995), Table 4. • 1986-1987—EIA, Uranium Industry Annual 1995 (May 1996), Table 1. • 1988 forward—EIA, Uranium Industry Annual 1997 (April 1998), Table 1.

² Includes all surface drilling on an ore deposit to determine more precisely size, grade, and configuration subsequent to the time that commercial exploitation is deemed feasible.

Figure 4.13 Uranium Reserves and Resources, End of Year 1977



Note: States shaded by group correspond to categories listed under "Reserves" on Table 4.13.

Source: Table 4.13.

Table 4.13 Uranium Reserves and Resources, End of Year 1997

(Million Pounds U₃O₈)

	Forward Cost Category (dollars per pound) 1							
Resource Category and State	\$30 or Less	\$50 or Less	\$100 or Less					
New Mexico	281 84 116 8 42	931 350 381 26 119	1,466 578 602 42 164					
Others ³ otential Resources ⁴	32	56	79					
Estimated Additional Resources	2,180	3,310	4,850					
Speculative Resources	1,310	2,230	3,480					

¹ Forward costs are all operating and capital costs (in current dollars) yet to be incurred in the production of uranium from estimated resources. Excluded are previous expenditures (such as exploration and land acquisitions), taxes, profit, and the cost of money. Generally, forward costs are lower than market prices. Resource values in forward-cost categories are cumulative; that is, the quantity at each level of forward-cost includes all reserves/resources at the lower cost in that category.

Web Page: http://www.eia.doe.gov/fuelnuclear.html.

Sources: • Forward Costs \$30 or Less or \$50 or Less—Energy Information Administration (EIA), *Uranium Industry Annual 1997* (April 1998), Tables B1 and B4. • Forward Costs \$100 or Less—EIA, Office of Coal, Nuclear, Electric and Alternate Fuels database as of December 31, 1997.

² The Energy Information Administration category of uranium reserves is equivalent to the internationally reported category of Reasonably Assured Resources (RAR).

³ California, Idaho, Nebraska, Nevada, North Dakota, Oregon, South Dakota, and Washington.

 $^{^4}$ Shown are the mean values for the distribution of estimates for each forward-cost category, rounded to the nearest million pounds U₃O₈.

Energy Resources Notes

1. These volumes are the sum of the respective mean estimates in United States Geological Survey, 1995 National Assessment of United States Oil and Gas Resources, Circular 1118 (Washington DC, 1995), pp. 2 and 17-19, for the onshore United States and jurisdiction offshore waters, and in Minerals Management Services, An Assessment of the Undiscovered Hydrocarbon Potential of the Nation's Outer Continental Shelf, OCS Report MMS 96-0034 (Washington DC, 1996), pp. 14 and 18, for the Federal jurisdiction offshore.

Conventionally reservoired deposits are discrete subsurface accumulations of crude oil or natural gas usually defined, controlled, or limited by hydrocarbon/water contacts. Unconventionally reservoired deposits (continuous-type accumulations) are geographically extensive subsurface accumulations of crude oil or natural gas that generally lack well-defined hydrocarbon/water contacts. Examples include coalbed methane, "tight gas," and auto-sourced oil- and gas-shale reservoirs. Ultimate recovery appreciation (reserve growth) is the volume by which the estimate of

total recovery from a known oil or gas reservoir or aggregation of such reservoirs is expected to increase during the time between discovery and permanent abandonment.


For purposes of comparison, the Potential Gas Committee, an industry-sponsored group of experts, biennially provides another geologically-based estimate of the Nation's natural gas resources. The latest mean estimate, published in "Potential Supply of Natural Gas in the United States," December 31, 1996, is 1,067 trillion cubic feet. This volume includes undiscovered conventionally reservoired deposits, expected ultimate recovery appreciation, coalbed methane, and tight gas where it is believed to be technically recoverable and marketable at reasonable costs.

2. For 1970 forward, annual well completions are estimated by EIA based on individual well reports submitted to the American Petroleum Institute (1970-1994) and to Petroleum Information/Dwights LLC (1995 forward). The as-received well completion data for recent years are incomplete due to delays in the reporting of wells drilled. EIA therefore statistically imputes the missing data to provided estimates of total well completions and footage where necessary.

Petroleum



Oil pumping unit and drilling rig, Texas. Source: U.S. Department of Energy.



 $^{^{\}rm a}$ Unfinished oils, motor gasoline and aviation gasoline blending components, and other hydrocarbons, and oxygenates.

^b Natural gas liquids.


^cLiquefied refinery gas.

d Includes lease condensate.

^e Natural gas plant liquids.

Notes: • Data are preliminary. • Totals may not equal sum of components due to independent rounding. Sources: Tables 5.1, 5.5, 5.8, 5.11, 5.12a, and 5.12b, and *Petroleum Supply Monthly*, February 1998, Table 3.

Figure 5.1 Petroleum Overview



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 5.1.

Table 5.1 Petroleum Overview, 1949-1997

(Million Barrels per Day)

		Production					Trade					
Year	Crude Oil ¹	Natural Gas Plant Liquids	Total Petroleum	Other Domestic Supply ²	Crude Oil Imports ³	Petroleum Product Imports ⁴	Total Imports	Total Exports	Net Imports ⁵	Crude Oil Losses	Stock Change ⁶	Petroleum Products Supplied
1949	5.05	0.43	5.48	(s)	0.42	0.22	0.65	0.33	0.32	0.04	-0.01	5.76
1950	5.41	0.50	5.91	(s) (s)	0.49	0.36	0.85	0.30	0.55	0.05	-0.06	6.46
1951	6.16	0.56	6.72	0.01	0.49	0.35	0.84	0.42	0.42	0.03	0.10	7.02
1952	6.26	0.61	6.87	0.01	0.57	0.38	0.95	0.43	0.52	0.02	0.11	7.27
1953	6.46	0.65	7.11	0.02	0.65	0.39	1.03	0.40	0.63	0.02	0.14	7.60
1954	6.34	0.69	7.03	0.02	0.66	0.40	1.05	0.36	0.70	0.03	-0.03	7.76
1955	6.81	0.77	7.58	0.04	0.78	0.47	1.25	0.37	0.88	0.04	(s) 0.18	8.46
1956	7.15	0.80	7.95	0.04	0.93	0.50	1.44	0.43	1.01	0.05	0.18	8.78
1957	7.17	0.81	7.98	0.04	1.02	0.55	1.57	0.57	1.01	0.05	0.17	8.81
1958	6.71	0.81	7.52	0.06	0.95	0.75	1.70	0.28	1.42	0.03	-0.14	9.12
1959	7.05	0.88	7.93	0.09	0.97	0.81	1.78	0.21	1.57	0.01	0.05	9.53
1960	7.04	0.93	7.96	0.15	1.02	0.80	1.81	0.20	1.61	0.01	-0.08	9.80
1961	7.18	0.99	8.17	0.18	1.05	0.87	1.92	0.17	1.74	0.01	0.11	9.98
1962 1963	7.33 7.54	1.02 1.10	8.35 8.64	0.18 0.20	1.13 1.13	0.96 0.99	2.08 2.12	0.17 0.21	1.91 1.91	0.01 0.01	0.03	10.40 10.74
1963	7.54 7.61	1.10	8.64 8.77	0.20 0.22	1.13	1.06	2.12	0.21	2.06	0.01	(s) 0.01	10.74
1964	7.80	1.15	9.01	0.22	1.24	1.23	2.47	0.20	2.28	0.01	-0.01	11.51
1966	8.30	1.28	9.58	0.25	1.22	1.35	2.57	0.19	2.20	0.01	0.10	12.08
1967	8.81	1.41	10.22	0.29	1.13	1.41	2.54	0.31	2.23	0.01	0.10	12.56
1968	9.10	1.50	10.60	0.35	1.13	1.55	2.84	0.23	2.61	0.01	0.17	13.39
1969	9.24	1.59	10.83	0.34	1.41	1.76	3.17	0.23	2.93	0.01	-0.05	14.14
1970	9.64	1.66	11.30	0.35	1.32	2.10	3.42	0.26	3.16	0.01	0.10	14.70
1971	9.46	1.69	11.16	0.44	1.68	2.25	3.93	0.22	3.70	0.01	0.07	15.21
1972	9.44	1.74	11.18	0.44	2.22	2.53	4.74	0.22	4.52	0.01	-0.23	16.37
1973	9.21	1.74	10.95	0.49	3.24	3.01	6.26	0.23	6.02	0.01	0.14	17.31
1974	8.77	1.69	10.46	0.49	3.48	2.64	6.11	0.22	5.89	0.01	0.18	16.65
1975	8.37	1.63	10.01	0.51	4.10	1.95	6.06	0.21	5.85	0.01	0.03	16.32
1976	8.13	1.60	9.74	0.59	5.29	2.03	7.31	0.22	7.09	0.01	-0.06	17.46
1977	8.24	1.62	9.86	0.57	6.61	2.19	8.81	0.24	8.56	0.02	0.55	18.43
1978	8.71	1.57	10.27	0.49	6.36	2.01	8.36	0.36	8.00	0.02	-0.09	18.85
1979	8.55	1.58	10.14	0.58	6.52	1.94	8.46	0.47	7.99	0.02	0.17	18.51
1980	8.60	1.57	10.17	0.68	5.26	1.65	6.91	0.54	6.36	0.01	0.14	17.06
1981	8.57	1.61	10.18	0.64	4.40	1.60	6.00	0.59	5.40	(s) (s)	0.16	16.06
1982	8.65	1.55	10.20	0.65	3.49	1.63	5.11	0.82	4.30	(s)	-0.15	15.30
1983	8.69	1.56	10.25	0.65	3.33	1.72	5.05	0.74	4.31	(s) (s)	-0.02	15.23
1984	8.88	1.63	10.51	0.78	3.43	2.01	5.44	0.72	4.72	(s)	0.28	15.73
1985	8.97	1.61	10.58	0.76	3.20	1.87	5.07	0.78	4.29	(s)	-0.10	15.73
1986	8.68	1.55	10.23	0.81	4.18	2.05	6.22	0.78	5.44	(s)	0.20	16.28
1987	8.35	1.60	9.94	0.85	4.67	2.00	6.68	0.76	5.91	(s)	0.04	16.67
1988	8.14	1.62	9.76	0.90	5.11	2.30	7.40	0.82	6.59	(s)	-0.03	17.28
1989	7.61	1.55	9.16	0.92	5.84	2.22	8.06	0.86	7.20	(s)	-0.04	17.33
1990	7.36	1.56	8.91	1.02	5.89	2.12	8.02	0.86	7.16	(s)	0.11	16.99
1991	7.42	1.66	9.08	1.00	5.78	1.84	7.63	1.00	6.63	(s)	-0.01	16.71
1992	7.17	1.70	8.87	1.16	6.08	1.80	7.89	0.95	6.94	(s)	-0.07	17.03
1993	6.85	1.74	8.58	1.19	6.79	1.83	8.62	1.00	7.62 8.05	(s)	0.15	17.24
1994	6.66	1.73	8.39	1.29	7.06	1.93	9.00 8.83	0.94 0.95		(s)	0.02 -0.25	17.72
1995 1996	6.56 ^R 6.46	1.76 1.83	8.32 ^R 8.29	1.27 R1.36	7.23 ^R 7.51	1.61 R1.97	8.83 R9.48	0.95 0.98	7.89 ^R 8.50	(s) (s)	-0.25 R-0.15	17.72 R18.31
1996 1997 ^P	6.41	1.83	8.25	1.57	8.00	1.91	**9.48 9.91	1.00	8.90	0.00	0.14	18.58
1991.	0.41	1.04	0.20	1.57	0.00	1.91	9.91	1.00	0.90	0.00	0.14	10.30

¹ Includes lease condensate.

Includes benzol, other hydrocarbons, oxygenates, gasoline blending components, finished petroleum products, hydrogen, alcohol, processing gains, and unaccounted-for crude oil.
 Includes imports for the Strategic Petroleum Reserve, which began in 1977.

⁴ For 1981 forward, includes motor gasoline blending components and aviation gasoline blending components.


⁵ Net imports = imports minus exports.

⁶ A negative value indicates a decrease in stocks; a positive value indicates an increase in stocks. R=Revised. P=Preliminary. (s)=Less than 0.005 million barrels per day and greater than -0.005 million

Notes: • For the definition of petroleum products supplied, see Notes 1, 2, and 3 at end of section.
• Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelpetroleum.html.
Sources: • 1949-1975—Bureau of Mines, Mineral Industry Surveys, Petroleum Statement, Annual.
• 1976-1980—Energy Information Administration (EIA), Energy Data Reports, Petroleum Statement, Annual. • 1981-1996—EIA, Petroleum Supply Annual. • 1997—EIA, Petroleum Supply Monthly (February

Figure 5.2 Crude Oil Production and Oil Well Productivity, 1954-1997



Source: Table 5.2.

Note: Crude oil includes lease condensate.

Table 5.2 Crude Oil Production and Oil Well Productivity, 1954-1997

(Thousand Barrels per Day, Except as Noted)

	Geographic	Location	S	ite	Т	уре		Oil Well Productivity		
Year	Lower 48	Alaska	Onshore	Offshore	Crude Oil	Lease Condensate	Total Production	Producing Wells ¹ (thousands)	Average Productivity ² (barrels per day per well)	
954	6,342	0	6,209	133	6,342	(3)	6,342	511	12.6	
955	6,807	Ô	6,645	162	6,807	(3)	6,807	524	13.2	
956	7,151	0	6,951	201	7,151	3 \	7,151	551	13.3	
957	7,170	0	6,940	229	7,170	(3)	7,170	569	12.8	
958	6,710	0	6,473	236	6,710	3	6,710	575	11.7	
959	7,053	0	6,779	274	7,054	(3)	7,054	583	12.2	
960		1			7,034	(3)	7,054			
	7,034	2	6,716	319	7,035	(3)	7,035	591	12.0	
961	7,166	17	6,817	365	7,183	(3)	7,183	595	12.1	
962	7,304	28	6,888	444	7,332	(3)	7,332	596	12.3	
963	7,512	29	7,026	515	7,542	(3)	7,542	589	12.7	
964	7,584	30	7,027	587	7,614		7,614	588	12.9	
965	7,774	30	7,140	665	7,804	(3)	7,804	589	13.3	
966	8,256	39	7,473	823	8,295	(3)	8,295	583	14.2	
967	8,730	80	7,802	1,009	8,810	(3)	8,810	565	15.3	
968	8,915	181	7,808	1,287	8,660	436	9,096	554	16.2	
969	9,035	203	7,797	1,441	8,778	460	9,238	542	16.9	
970	9,408	229	8,060	1,577	9,180	457	9,637	531	18.0	
971	9,245	218	7,779	1,684	9,032	431	9,463	517	18.1	
972	9,242	199	7,780	1,660	8,998	443	9,441	508	18.4	
973	9,010	198	7,592	1,616	8,784	424	9,208	497	18.3	
974	8,581	193	7,285	1,489	8,375	399	8,774	498	17.6	
975	8,183	191	7,012	1,362	8,007	367	8,375	500	16.8	
976	7,958	173	6,868	1,264	7,776	356	8,132	499	16.3	
977	7,781	464	7,069	1,176	7,875	370	8,245	507	16.4	
978	7,478	1,229	7,571	1,136	8,353	355	8,707	517	17.0	
979	7,151	1,401	7,485	1,067	8,181	371	8,552	531	16.3	
980	6,980	1,617	7,562	1,034	8,210	386	8,597	548	15.9	
981	6,962	1,609	7,537	1,034	8,176	395	8,572	557	15.4	
982	6,953	1,696	7,538	1,110	8,261	387	8,649	580	14.9	
983	6,974	1,714	7,492	1,196	8,688	(3)	8,688	603	14.4	
963 984	7,157	1,714	7,492 7,596	1,196	8,879	$\binom{3}{3}$	8,879	621	14.4	
985	7,137		7,722			(3)	8,971	647	13.9	
985 986	6,814	1,825 1,867		1,250 1,254	8,971	(3)	8,680	623		
		1,807	7,426		8,680	(3)			13.9	
987	6,387	1,962	7,153	1,196	8,349	(3)	8,349	620	13.5	
988	6,123	2,017	6,949	1,191	8,140	(3)	8,140	612	13.5	
989	5,739	1,874	6,486	1,127	7,613	(3)	7,613	603	12.6	
990	5,582	1,773	6,273	1,082	7,355		7,355	602	12.2	
991	5,618	1,798	6,245	1,172	7,417	(3)	7,417	614	12.1	
992	5,457	1,714	5,953	1,218	7,171	(3)	7,171	594	12.1	
993	5,264	1,582	5,606	1,241	6,847	(3)	6,847	584	11.7	
994	5,103	1,559	5,291	1,370	6,662	(3)	6,662	582	11.4	
995	5,076	1,484	5,035	1,525	6,560	(3)	6,560	574	11.4	
996	R5,071	R1,393	R4,902	R1,562	R6,465	(3) (3) (3)	R6,465	574	11.3	
997P	5.115	1,296	4,822	1,589	6,411	(3)	6,411	574	11.2	

¹ As of December 31.

Note: Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelpetroleum.html.

 $^{^2}$ For 1954-1976, average productivity is based on the average number of producing wells. For 1977 forward, average productivity is based on the number of wells producing at end of year.


³ Included in crude oil.


R=Revised. P=Preliminary.

Sources: Offshore: • 1954-1969—U.S. Geological Survey, Outer Continental Shelf Statistics, June 1979. • 1970-1975—Bureau of Mines, Mineral Industry Surveys, Petroleum Statement, Annual.


^{• 1976-1980—}Energy Information Administration (EIA), Energy Data Reports, *Petroleum Statement, Annual.* • 1981-1996—EIA, *Petroleum Supply Annual.* • 1997—EIA, *Petroleum Supply Monthly* (February 1998). **Oil Well Productivity:** • 1954-1975—Bureau of Mines, *Minerals Yearbook*, "Crude Petroleum and Petroleum Products" chapter. • 1976-1980—EIA, Energy Data Reports, *Petroleum Statement, Annual.* • 1981-1994—Independent Petroleum Association of America, *The Oil Producing Industry in Your State.* • 1995–forward— Gulf Publishing Co., *World Oil*, February issue. **All Other Data:** • 1954-1975—Bureau of Mines, Mineral Industry Surveys, *Petroleum Statement, Annual.* • 1976-1980—EIA, Energy Data Reports, *Petroleum Statement, Annual.* • 1981-1996—EIA, *Petroleum Supply Annual.* • 1997—EIA, *Petroleum Supply Monthly* (February 1998).

Figure 5.3 Petroleum Imports by Type





By Selected Product, 1949-1997



¹ Liquefied petroleum gases.

Note: Because vertical scales differ, graphs should not be compared.

Source: Table 5.3.

² Asphalt and road oil, aviation gasoline and blending components, kerosene, lubricants, pentanes plus, petrochemical feedstocks, petroleum coke, special naphthas, wax, and miscellaneous products.

Table 5.3 Petroleum Imports by Type, 1949-1997

(Thousand Barrels per Day)

		Petroleum Products											
					Liquefied Petro	leum Gases		Motor Gasoline					
Year	Crude Oil ¹	Asphalt and Road Oil	Distillate Fuel Oil	Jet Fuel ²	Propane ³	Total	Motor Gasoline ⁴	Blending Components	Residual Fuel Oil	Unfinished Oils	Other Products ⁵	Total	Total Petroleum
1949	421	3	5	(6)	0	0	0	0	206	10	0	224	645
1950	487	5	5 7	(6)	Ö	ŏ	(s)	(7)	329	21	R1	363	850
1951	491	7	5	(6)	0	0	` 1	(7)	326	14	0	354	844
1952	573	7	7	(6)	0	0	5	(7)	351	9	0	380	952
1953 1954	648 656	7 9	9	(6) (6)	0	0	1	(7) (7)	360 354	9 21	0 (s)	386 396	1,034 1,052
1954	782	9	12		0	0	13	(7)	417	15	(8)	466	1,032
1956	934	10	14	(6) 21	0	0	5	(7)	445	7	(s)	502	1,436
1957	1,023	18	23	25	Ö	Ŏ	8	(7)	475	3	(s)	552	1,574
1958	953	20	41	57	0	0	38	(7)	499	92	(s)	747	1,700
1959	965	19	48	37	0	0	37	(7)	610	63	(s)	814	1,780
1960	1,015	17	35	34	NA	4	27	(7)	637	45	(s) ^R 8	799	1,815
1961 1962	1,045 1.126	18 18	48 32	28 30	NA NA	5 6	29 38	(7) (7)	666 724	69 89	'\8 R18	872 955	1,917 2,082
1962	1,131	17	25	41	NA NA	7	36 44	(7)	747	87	R24	992	2,123
1964	1,198	16	32	33	NA	11	29	(7)	808	89	R42	1,060	2,259
1965	1,238	17	36	81	NA	21	28	(7)	946	92	R10	1,229	2,468
1966	1,225	17	38	86	NA	29	43	(7)	1,032	97	R7	1,348	2,573
1967	1,128	18	51	89	11	27	42	(7)	1,085	97	R2 R4	1,409	2,537
1968	1,291	17	132	105	15	32	59	(7)	1,120	80	K4	1,549	2,840
1969 1970	1,409 1,324	13 17	139 147	125 144	14 26	35 52	62 67	(7)	1,265 1,528	106 108	R12 R32	1,757 2.095	3,166 3,419
1970	1,324	20	153	180	32	70	59	(7) (7)	1,583	124	R56	2,095	3,419
1972	2,216	25	182	194	43	89	68	(7)	1,742	125	R101	2,525	3,926 4,741
1973	3,244	23	392	212	71	132	134	(7)	1,853	137	R129	3,012	6,256
1974	3,477	31	289	163	59	123	204	(7)	1,587	121	R117	2,635	6,112
1975	4,105	14	155	133	60	112	184	(7)	1,223	36	R95	1,951	6,056
1976	5,287	11	146	76 75	68	130	131	(7)	1,413	32	^R 87 ^R 95	2,026	7,313
1977 1978	6,615 6,356	4	250 173	75 86	86 57	161 123	217 190	(7) (7)	1,359 1,355	31 27	R50	2,193 2,008	8,807 8,363
1979	6,519	4	193	78	88	217	181	(7)	1,151	59	R54	1,937	8,456
1980	5,263	4	142	80	69	216	140	(7)	939	59 55	R72	1,646	6,909
1981	4,396	4	173	38	70	244	157	24	800	112	R48	1.599	5,996
1982	3,488	5	93	29	63	226	197	42	776	174	R84	1,625	5,113
1983	3,329	.7	174	29	44	190	247	47	699	234	R94	1,722	5,051
1984	3,426	18	272	62	67	195 187	299	83 67	681	231	R171 R130	2,011	5,437
1985 1986	3,201 4,178	35 29	200 247	39 57	67 110	242	381 326	67 72	510 669	318 250	R153	1,866 2,045	5,067 6,224
1987	4,674	36	255	67	88	190	384	60	565	299	R146	2,045	6,678
1988	5,107	31	302	90	106	209	405	57	644	360	R196	2.295	7,402
1989	5,843	31	306	106	111	181	369	66	629	348	R183	2,217	8.061
1990	5,894	32	278	108	115	188	342	62	504	413	R198	2,123	8,018
1991	5,782	28	205	67	91	147	297	36	453	413	R198	1,844	7,627
1992 1993	6,083 6,787	27	216 184	82 100	85 103	131 160	294 247	41 27	375 373	443 491	R195 R219	1,805 1,833	7,888
1993	6,787 7,063	32 37	203	100	103	183	247 356	27	373 314	491	R219	1,833	8,620 8,996
1995	7,003	36	193	106	102	146	265	48	187	349	R276	1,605	8,835
1996	R7,508	27	R230	R111	119	R166	R336	R166	R248	R367	R319	R1,971	R9,478
1997 ^P	7.996	32	227	92	99	151	306	199	196	350	359	1,912	9,907

¹ Includes imports for the Strategic Petroleum Reserve, which began in 1977.

R=Revised. P=Preliminary. (s)=Less than 500 barrels per day.

Notes:

Includes imports from U.S. possessions and territories.

Totals may not equal sum of

² Prior to 1965, imports of kerosene-type jet fuel were included with kerosene, which is listed under "Other Products."

Includes propylene.
 Prior to 1964, motor gasoline data were for total gasoline, including motor gasoline, aviation gasoline, and special naphthas. After 1980, excludes motor gasoline blending components.
 Aviation gasoline, aviation gasoline blending components, kerosene, petrochemical feedstocks, included the included of the properties and miscellangous products.

special naphthas, lubricants, wax, petroleum coke, pentanes plus, and miscellaneous products.

⁶ Included in motor gasoline.

⁷ If applicable, included in motor gasoline.

components due to independent rounding.


Web Page: http://www.eia.doe.gov/fuelpetroleum.html.

Sources: • 1949-1975—Bureau of Mines, Mineral Industry Surveys, Petroleum Statement, Annual.


• 1976-1980—Energy Information Administration (EIA), Energy Data Reports, Petroleum Statement, Annual.

• 1981-1996—EIA, Petroleum Supply Annual. • 1997—EIA, Petroleum Supply Monthly (February


Figure 5.4 Petroleum Imports by Country of Origin




Top Countries, 1997



Selected OPEC Countries, 1960-1997



Selected Non-OPEC Countries, 1960-1997



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 5.4.

Table 5.4 Petroleum Imports by Country of Origin, 1960-1997

			Selecte	ed OPEC 1 Co	ountries			Selecte	d Non-OPEC (Countries			Imports from	Imports from OPEC as Share of
	Persian Gulf Nations ²	Algeria	Nigeria	Saudi Arabia	Venezuela	Total OPEC ³	Canada	Mexico	United Kingdom	Virgin Islands and Puerto Rico	Total Non-OPEC	Total Imports	Persian Gulf Nations as Share of Total Imports	
Year						Thousand Ba	arrels per Day						Per	cent
1960	NA	NA	0	84	911	1,314	120	16	(s)	36	500	1,815	NA	72.4
961	NA	NA	0	73	879	1,286	190	40	1	44	631	1,917	NA	67.1
962	NA	NA	0	74	906	1,265	250	49	2	41	816	2,082	NA	60.8
963	NA	NA	0	108	900	1,283	265	48	3	44	839	2,123	NA	60.5
964	NA	NA	Ö	131	933	1,361	299	47	(s)	47	898	2,259	NA	60.2
965	NA	NA	15	158	994	1,476	323	48	(s)	47	992	2,468	NA	59.8
966	NA	NA	11	147	1,018	1,471	384	45	6	61	1,102	2,573	NA	57.2
967	NA	NA	5	92	938	1,259	450	49	11	96	1,278	2,537	NA	49.6
968	NA	NA	9	74	886	1,302	506	45	28	145	1,538	2,840	NA	45.9
969	NA	NA	49	65	875	1,336	608	43	20	189	1,830	3,166	NA	42.2
970	NA	NA	50	30	989	1,343	766	42	11	271	2,076	3,419	NA	39.3
971	NA	NA	102	128	1,020	1,673	857	27	10	368	2,253	3,926	NA	42.6
972	471	92	251	190	959	2,063	1,108	21	9	432	2.678	4,741	9.9	43.5
973	848	136	459	486	1,135	2,993	1,325	16	15	429	3,263	6,256	13.6	47.8
974	1,039	190	713	461	979	3,280	1,070	8	8	481	2,832	6,112	17.0	53.7
975	1.165	282	762	715	702	3,601	846	71	14	496	2,454	6,056	19.2	59.5
976	1,840	432	1,025	1,230	700	5,066	599	87	31	510	2,247	7,313	25.2	69.3
977	2.448	559	1.143	1,380	690	6,193	517	179	126	571	2.614	8.807	27.8	70.3
978	2,219	649	919	1,144	646	5,751	467	318	180	522	2,612	8,363	26.5	68.8
979	2.069	636	1,080	1,356	690	5,637	538	439	202	523	2.819	8.456	24.5	66.7
980	1,519	488	857	1,261	481	4,300	455	533	176	476	2,609	6,909	22.0	62.2
981	1,219	311	620	1,129	406	3,323	447	522	375	389	2,672	5,996	20.3	55.4
982	696	170	514	552	412	2,146	482	685	456	366	2,968	5,113	13.6	42.0
983	442	240	302	337	422	1,862	547	826	382	322	3,189	5,051	8.8	36.9
984	506	323	216	325	548	2,049	630	748	402	336	3,388	5,437	9.3	37.7
985	R311	187	293	168	605	1,830	770	816	310	275	3,237	5,067	6.1	36.1
986	912	271	440	685	793	2,837	807	699	350	265	3.387	6.224	14.7	45.6
987	1,077	295	535	751	804	3,060	848	655	352	294	3,617	6,678	16.1	45.8
988	R1.541	300	618	1.073	794	3.520	999	747	315	264	3.882	7.402	R20.8	47.6
989	1,861	269	815	1,224	873	4,140	931	767	215	353	3,921	8,061	23.1	51.4
990	1,966	280	800	1,339	1,025	4,296	934	755	189	315	3.721	8.018	24.5	53.6
991	1,845	253	703	1,802	1,035	4,092	1,033	807	138	270	3,535	7,627	24.2	53.7
992	1,778	196	681	1,720	1,170	4,092	1,069	830	230	275	3,796	7,888	22.5	51.9
993	1,782	220	740	1,414	1,300	4,273	1,181	919	350	283	4,347	8.620	20.7	49.6
994	1,728	243	637	1,402	1,334	4,247	1,272	984	458	350	4,749	8,996	19.2	47.2
995	1,573	234	627	1,344	1.480	4.002	1,332	1.068	383	293	4.833	8.835	17.8	45.3
996	1,604	256	R617	1,363	R1,676	R4,211	R1,424	R1,244	R308	333	R5,267	R9,478	R16.9	R44.4
997 ^P	1.737	285	678	1,391	1.729	4.487	1.473	1.366	224	316	5,420	9.907	17.5	45.3

¹ Organization of Petroleum Exporting Countries. See Glossary for current membership.

R=Revised. P=Preliminary. (s)=Less than 500 barrels per day. NA=Not available.

Notes: • Data include imports for the Strategic Petroleum Reserve, which began in 1977. • Totals may not equal sum of components due to independent rounding.


Web Page: http://www.eia.doe.gov/fuelpetroleum.html.


Sources: • 1960-1975—Bureau of Mines, *Minerals Yearbook*, "Crude Petroleum and Petroleum Products" chapter. • 1976-1980—Energy Information Administration (EIA), Energy Data Reports, *P.A.D. Districts Supply/Demand, Annual.* • 1981-1996—EIA, *Petroleum Supply Annual.* • 1997—EIA, *Petroleum Supply Monthly* (February 1998).

² Bahrain, Iran, Iraq, Kuwait, Qatar, Saudi Arabia, and United Arab Emirates.


³ Total OPEC imports exclude petroleum imported into the United States indirectly from OPEC countries, primarily from Caribbean and West European refining areas, as petroleum products that were refined from crude oil produced in OPEC countries. Ecuador withdrew from OPEC on December 31, 1992. Beginning in 1993, imports from Ecuador appear under "Non-OPEC." Gabon withdrew from OPEC on December 31, 1994. Beginning in 1995, imports from Gabon appear under "Non-OPEC."

Figure 5.5 Petroleum Exports by Type





By Selected Products, 1949-1997



¹ Liquefied petroleum gases.

Note: Because vertical scales differ, graphs should not be compared.

Source: Table 5.5.`

² Lubricants, petrochemical feedstocks, special naphthas, and other products.

Table 5.5 Petroleum Exports by Type, 1949-1997

(Thousand Barrels per Day)

							Petroleur	n Products						
V	Crude	Distillate	Jet	Liquefied Petro		Lukaisanta	Motor	Petroleum	Petrochemical	Residual	Special	Other	T-1-1	Total
Year	Oil	Fuel Oil	Fuel	Propane ¹	Total	Lubricants	Gasoline ²	Coke	Feedstocks	Fuel Oil	Naphthas	Products ³	Total	Petroleum
1949	91	34	(4)	NA	4	35	108	7	0	35	NA	15	236	327
1950	95	35	(4)	NA	4	39	68	7	0	44	NA	12	210	305
1951	78	62	(4)	NA	6	48	110	12	0	79	NA	27	344	422
1952	73	92	(4)	NA	7	44	99	11	0	76	NA	31	359	432
1953 1954	55 37	89 66	1	NA NA	8 11	36 41	104 94	10 9	0	71 73	NA NA	R28 23	347 318	402 355
1954	32	67	(s) (s)	NA NA	12	39	94	12	0	93	NA NA	18	336	368
1956	78	94	(3)	NA	12	38	95 97	18	0	76	NA	R16	352	430
1957	138	131	(s)	NA	12	38	106	14	Ö	106	NA	23	430	568
1958	12	52	1	NA	8	36	75	12	0	71	NA	R10	264	276
1959	7	35	1	NA	6	38	46	13	0	57	NA	R8	204	211
1960	8	27	(s)	NA	8	43	37	19	0	51	NA	9	193	202
1961	9	19	(s)	NA	10	47	25	20	0	38	NA	7	165	174
1962	5	23	(s)	NA	11	48	18	20	0	35	NA	8	163	168
1963 1964	5	41	1	NA NA	13 15	50 50	19	29 37	0	42 52	NA	R8 R23	203 198	208 202
1964	4	15 10	(s) 3	NA NA	21	45	2 2	37	5	5∠ 41	5 4	R20	184	202 187
1966	4	12	5	NA NA	22	47	1	40	7	35	6	R19	194	198
1967	73	12	6	5	25	51	2	45	8	60	5	R20	234	307
1968	5	4	6	7	29	49	1	53	8	55	7	R15	226	231
1969	4	3	5	7	35	45	2	63	11	46	6	R13	229	233
1970	14	2	6	6	27	44	2	84	10	54	4	R10	245	259
1971	1	8	4	13	26	43	5	74	14	36	4	Rg	223	224 222
1972	1	3	3	18	31	41	1	85	13	33	4	8	222	
1973	2	9	4	15	27	35	4	96	19	23	5	8	229	231
1974 1975	3 6	2	3 2	14 13	25 26	33 25	2 2	113 102	15 22	14 15	4	7 6	218 204	221 209
1975	8	1	2	13	25 25	25 26	3	102	30	12	7	6	215	209
1977	50	1	2	10	18	26	2	102	24	6	4	7	193	243
1978	158	3	1	10 9 8	20	27	1	111	23	13	2	2	204	362
1979	235	3	i	8	15	23	(s)	146	31	9	5	3	236	471
1980	287	3	1	10	21	23	1	136	29	33	5	4	258	544
1981	228	5	2	18	42	19	2	138	26	118	11	4	367	595
1982	236	74	6	31	65	16	20	156	24	209	5	4	579	815
1983	164	64	6	43	73	16	10	195	20	185	3	3	575	739 722
1984 1985	181	51	9	30	48 62	15	6	193 187	21	190	2	6	541	722 781
1985	204 154	67 100	13 18	48 28	42	15 23	10 33	238	19 22	197 147	1	4 8	577 631	785
1987	151	66	24	24	38	23	35	213	20	186	2	7	613	764
1988	155	69	28	31	49	26	22	231	23	200	7	6	661	815
1989	142	97	27	24	35	19	39	233	26	215	12	15	717	859
1990	109	109	43	28	40	20	55	220	26	211	11	13	748	857
1991	116	215	43	28	41	18	82	235	0	226	15	9	885	1,001
1992	89	219	43	33	49	16	96	216	0	193	14	16	861	950
1993	98	274	R59	26	43	19	105	258	0	123	4	R20	904	1,003
1994 1995	99	234	20	24	38	22	97	261	0	125	20	26	843	942
1995 1996	95 110	183 190	26 48	38 28	58 51	25 34	104 104	277 285	0	136 102	21 21	25 36	855 871	949 981
1996 1997 ^P	108	152	48 35	32	50	3 4 31	137	306	0	120	22	36 44	896	1,003
	100	102	55	<i>52</i>	30	01	107	500	O	120	~~	77	000	1,000

R=Revised. P=Preliminary. NA=Not available. (s)=Less than 500 barrels per day.

components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelpetroleum.html.

Includes propylene.
 Includes aviation gasoline for the years 1949-1963.


Naviation gasoline (for 1964 forward), motor gasoline blending components, kerosene, wax, asphalt, road oil, pentanes plus, and miscellaneous products.
 Included in the products from which jet fuel was blended.

Notes: • Includes exports to U.S. possessions and territories. • Totals may not equal sum of


Sources: • 1949-1975—Bureau of Mines, Mineral Industry Surveys, Petroleum Statement, Annual. • 1976-1980—Energy Information Administration (EIA), Energy Data Reports, Petroleum Statement, Annual. • 1981-1996—EIA, Petroleum Supply Annual. • 1997—EIA, Petroleum Supply Monthly (February

Figure 5.6 Petroleum Exports by Country of Destination


Total Exports and Exports to Canada and Mexico, 1960-1997



By Selected Countries, 1997



By Selected Countries, 1960-1997



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 5.6.

Table 5.6 Petroleum Exports by Country of Destination, 1960-1997


(Thousand Barrels per Day)

Year	Belgium ¹	Brazil	Canada	France	Italy	Japan	Mexico	Nether- lands	South Korea	Spain	United Kingdom	Virgin Islands and Puerto Rico	Other	Total
960	3	4	34	4	6	62	18	6	NA	NA	12	1	52	202
961	4	4	23	4	5	59	12	4	NA NA	NA	10	1	48	174
962	3	5	21	3	5	54	14	5	NA	NA	8	1	50	168
963	9	4	22	4	8	58	19	13	NA	NA	11	1	59	208
964	4	4	27	4	8	56	24	9	NA	NA	10	2	55	202
965	3	3	26	3	7	40	27	10	NA	NA	12	1	54	187
966	3	4	32	4	7	36	39	9	NA	NA	12	3	49	198
967	5	6	50	3	9	51	36	13	NA	NA	62	7	65	307
968	4	8	39	4	8	56	31	10	NA	NA	14	2	55	231
969	4	7	44	4	9	47	33	9	NA	NA	13	2	59	233
970	5	7	31	5	10	69	33	15	NA	NA	12	2	71	259
971	7	9	26	5	8	39	42	11	NA	NA	9	3	67	224
972	13	9	26	5	9	32	41	12	NA	4	10	4	59	222
973	15	8	31	5	9	34	44	13	NA	4	9	3	56	231
974	13	9	32	4	9	38	35	17	NA	4	6	6	48	221
975	9	6	22	6	10	27	42	23	NA	4	7	12	40	209
976	12	7	28	6	10	25	35	22	NA	4	13	22	39	223
977	16	6	71	9	10	25	24	17	NA	5	9	11	39	243
978	15	8	108	9	10	26	27	18	NA	5	7	86	42	362
979	19	7	100	13	15	34	21	28	2	9	7	170	45	471
980	20	4	108	11	14	32	28	23	2	8	7	220	70	544
981	12	1	89	15	22	38	26	42	10	18	5	220	97	595
982	17	8	85	24	32	68	53	85	28	24	14	212	165	815
983	22	2	76	23	35	104	24	49	15	34	8	144	202	739
984	21	1	83	18	39	92	35	37	17	29	14	152	182	722
985	26	3	74	11	30	108	61	44	27	28	14	162	193	781
986	30	3	85	11	39	110	56	58	12	39	8	113	222	785
987	17	2	83	12	42	120	70	39	25	31	6	136	179	764
988	25	3	84	12	29	124	70	26	24	36	9	147	226	815
989	23	5	92	11	37	122	89	36	17	28	9	141	249	859
990	20	2	91	17	48	92	89	54	60	33	11	101	240	857
991	22	13	70	27	55	95	99	72	66	23	13	117	330	1,001
992	22	20	64	9	38	100	124	52	80	21	12	95	315	950
993	21	16	72	8	34	105	110	45	74	30	10	108	370	1,003
994	26	15	78	11	35	74	124	30	66	30	10	104	338	942
995	21	16	73	11	46	76	125	33	57	38	14	123	317	949
996	27	29	94	18	32	102	143	43	60	34	9	72	318	981
997 ^P	21	15	119	11	30	95	207	41	50	42	12	18	340	1,003

¹ Including Luxembourg. P=Preliminary. NA=Not available. Note: Totals may not equal sum of components due to independent rounding. Web Page: http://www.eia.doe.gov/fuelpetroleum.html.

Sources: • 1960-1975—Bureau of Mines, Mineral Industry Surveys, *Petroleum Statement, Annual.* • 1976-1980—Energy Information Administration (EIA), Energy Data Reports, *Petroleum Statement, Annual.* • 1981-1996—EIA, *Petroleum Supply Annual.* • 1997—EIA, *Petroleum Supply Monthly* (February 1998).

Figure 5.7 Petroleum Net Imports by Country of Origin, 1960-1997



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 5.7.

Table 5.7 Petroleum Net Imports by Country of Origin, 1960-1997

rsian							Jeiec	ted Non-OFE	C Countries		Total Net		Net Imports from OPEC	
ons 2	Algeria	Nigeria	Saudi Arabia	Venezuela	Total OPEC ³	Canada	Mexico	United Kingdom	Virgin Islands and Puerto Rico	Total Non-OPEC	Total Net Imports	Total Net Imports as Share of Consumption ⁴	Share of Total Net Imports ⁵	Share of Consumption ⁶
•					Thousand	Barrels per	Day						Percent	
NA	NA	0	84	910	1,311	86	-2	-12	34	302	1,613	16.5	81.3	13.4
NA	NA	0	73	878	1.283	167	27	-10	42	460	1,743	17.5	73.6	12.9
NA	NA	0	74	905	1,210	229	35	-6	40	703	1,913	18.4	63.3	11.6
NA	NA	0	108	899	1,282	243	29	-7	43	632	1,915	17.8	67.0	11.9
NA	NA	0	131	932	1,359	272	23	-9	45	698	2,057	18.7	66.1	12.3
NA	NA	15	158	994	1,475	297	21	-11	45	806	2,281	19.8	64.7	12.8
NA	NA	11	147	1,018	1,470	352	6	-6	58	904	2,375	19.7	61.9	12.2
NA	NA	5	92	937	1,258	400	13	-51	89	972	2,230	17.8	56.4	10.0
NA	NA	9	74	886	1,302	468	15	13	143	1,307	2,609	19.5	49.9	9.7
NA	NA	49	65	875	1,336	564	10	7	186	1,598	2,933	20.8	45.5	9.5
NA	NA	50	30	989	1,343	736	9	-1	270	1,817	3,161	21.5	42.5	9.1
NA	NA	102	128	1,019	1,671	831	-14	1	365	2,030	3,701	24.3	45.2	11.0
NA	NA	251	189	959	2,061	1,082	-20	-1	428	2,458	4,519	27.6	45.6	12.6
NA	NA	459	485	1.134	2,991	1,002	-28	6	426	3.034	6.025	34.8	49.6	17.3
NA	NA	713	461	978	3,277	1,038	-27	1	475	2,615	5,892	35.4	55.6	19.7
NA	NA	762	714	702	3,599	824	29	7	484	2,248	5,846	35.8	61.6	22.1
NA	NA	1,025	1,229	699	5,063	571	53	19	488	2,027	7,090	40.6	71.4	29.0
NA	NA	1,143	1,379	689	6,190	446	155	117	560	2,375	8,565	46.5	72.3	33.6
NA	NA	919	1,142	644	5,747	359	291	173	436	2,255	8,002	42.5	71.8	30.5
NA	NA	1,080	1,354	688	5,633	438	418	196	353	2,352	7,985	43.1	70.5	30.4
NA	NA	857	1,259	478	4,293	347	506	169	256	2,071	6,365	37.3	67.5	25.2
215	311	620	1,128	403	3,315	358	497	370	169	2,086	5,401	33.6	61.4	20.6
692	170	512	551	409	2,136	397	632	442	154	2,163	4,298	28.1	49.7	14.0
439	240	299	336	420	1,843	471	802	374	178	2,169	4,312	28.3	42.7	12.1
502	323	215	324	544	2,037	547	714	388	184	2,679	4,715	30.0	43.2	13.0
309	187	293	167	602	1,821	696	755	295	114	2,465	4,286	27.3	42.5	11.6
909	271	440	685	788	2,828	721	642	342	152	2,611	5,439	33.4	52.0	17.4
074	295	535	751	801	3,055	765	585	346	158	2,859	5,914	35.5	51.7	18.3
529	300	618	1,064	790	3,513	916	677	306	117	3,074	6,587	38.1	53.3	20.3
858	269	815	1,224	861	4,124	839	678	206	212	3,078	7,202	41.6	57.3	23.8
962	280	800	1,339	1.016	4.285	843	666	179	213	2.876	7,262	42.2	59.8	25.2
														24.3
														23.9
				, -							- ,			24.7
														23.9
														22.5
596		R616				R ₁ 330	R ₁ 101			R ₄ 305			R ₄ 0 3	22.9
				,		1,350					,			24.0
833 773 774 723 563 596 731		253 196 219 243 234 256 285	196 680 219 736 243 637 234 626 256 ^R 616	196 680 1,720 219 736 1,413 243 637 1,402 234 626 1,343 256 R616 1,362	196 680 1,720 1,161 219 736 1,413 1,296 243 637 1,402 1,322 234 626 1,343 1,468 256 ^R 616 1,362 ^R 1,667	196 680 1,720 1,161 4,071 219 736 1,413 1,296 4,253 243 637 1,402 1,322 4,233 234 626 1,343 1,468 3,980 256 R616 1,362 R1,667 R4,193	196 680 1,720 1,161 4,071 1,005 219 736 1,413 1,296 4,253 1,109 243 637 1,402 1,322 4,233 1,194 234 626 1,343 1,468 3,980 1,260 256 R616 1,362 R1,667 R4,193 R1,330	196 680 1,720 1,161 4,071 1,005 706 219 736 1,413 1,296 4,253 1,109 809 243 637 1,402 1,322 4,233 1,194 860 234 626 1,343 1,468 3,980 1,260 943 256 R616 1,362 R1,667 R4,193 R1,330 R1,101	196 680 1,720 1,161 4,071 1,005 706 219 219 736 1,413 1,296 4,253 1,109 809 340 243 637 1,402 1,322 4,233 1,194 860 448 234 626 1,343 1,468 3,980 1,260 943 369 256 R616 1,362 R1,667 R4,193 R1,330 R1,101 R299	196 680 1,720 1,161 4,071 1,005 706 219 180 219 736 1,413 1,296 4,253 1,109 809 340 175 243 637 1,402 1,322 4,233 1,194 860 448 246 234 626 1,343 1,468 3,980 1,260 943 369 170 256 R616 1,362 R1,667 R4,193 R1,330 R1,101 R299 262	196 680 1,720 1,161 4,071 1,005 706 219 180 2,867 219 736 1,413 1,296 4,253 1,109 809 340 175 3,365 243 637 1,402 1,322 4,233 1,194 860 448 246 3,822 234 626 1,343 1,468 3,980 1,260 943 369 170 3,906 256 R616 1,362 R1,667 R4,193 R1,330 R1,101 R299 262 R4,305	196 680 1,720 1,161 4,071 1,005 706 219 180 2,867 6,938 219 736 1,413 1,296 4,253 1,109 809 340 175 3,365 7,618 243 637 1,402 1,322 4,233 1,194 860 448 246 3,822 8,054 234 626 1,343 1,468 3,980 1,260 943 369 170 3,906 7,886 256 R616 1,362 R1,667 R4,193 R1,330 R1,101 R299 262 R4,305 R8,498	196 680 1,720 1,161 4,071 1,005 706 219 180 2,867 6,938 40.7 219 736 1,413 1,296 4,253 1,109 809 340 175 3,365 7,618 44.2 243 637 1,402 1,322 4,233 1,194 860 448 246 3,822 8,054 45.5 234 626 1,343 1,468 3,980 1,260 943 369 170 3,906 7,886 44.5 256 R616 1,362 R1,667 R4,193 R1,330 R1,101 R299 262 R4,305 R8,498 R46.4	196 680 1,720 1,161 4,071 1,005 706 219 180 2,867 6,938 40.7 58.7 219 736 1,413 1,296 4,253 1,109 809 340 175 3,365 7,618 44.2 55.8 243 637 1,402 1,322 4,233 1,194 860 448 246 3,822 8,054 45.5 52.6 234 626 1,343 1,468 3,980 1,260 943 369 170 3,906 7,886 44.5 50.5 256 R616 1,362 R1,667 R4,193 R1,330 R1,101 R299 262 R4,305 R8,498 R46.4 R49.3

¹ Organization of Petroleum Exporting Countries. See Glossary for membership.

R=Revised. P=Preliminary. NA=Not available.

Notes: • Net imports are imports minus exports; negative numbers indicate that exports exceed imports. • Data include imports for the Strategic Petroleum Reserve, which began in 1977. • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelpetroleum.html.

Sources: • 1960-1975—Bureau of Mines, *Minerals Yearbook*, "Crude Petroleum and Petroleum Products" chapter. • 1976-1980—Energy Information Administration (EIA), Energy Data Reports, *P.A.D. Districts Supply/Demand, Annual.* • 1981-1996—EIA, *Petroleum Supply Annual.* • 1997—EIA, *Petroleum Supply Monthly* (February 1998).

² Bahrain, Iran, Iraq, Kuwait, Qatar, Saudi Arabia, and United Arab Emirates.


³ Total OPEC imports exclude petroleum imported into the United States indirectly from OPEC countries, primarily from Caribbean and West European refining areas, as petroleum products that were refined from crude oil produced in OPEC countries.

⁴ Calculated by dividing total net petroleum imports by total U.S. petroleum products supplied (consumption).

⁵ Calculated by dividing net petroleum imports from OPEC countries by total net petroleum imports.

⁶ Calculated by dividing net petroleum imports from OPEC countries by total U.S. petroleum product supplied (consumption).

Figure 5.8 Refinery Input and Output, 1949-1997



Source: Table 5.8.

Table 5.8 Refinery Input and Output, 1949-1997

(Million Barrels per Day)

1949 5.33 0.23 0.03 5.59 0.16 0.93 (4) 0.06 2.57 0.05 1.16 0.23 \$0.49\$ 1950 5.74 0.26 0.02 0.18 1.09 (4) 0.08 2.74 0.05 1.16 0.23 \$0.49\$ 1951 6.49 0.27 0.03 6.80 0.20 1.30 (4) 0.09 3.04 0.05 1.29 0.26 \$0.57\$ 1952 6.67 0.28 0.01 6.97 0.21 1.42 0.06 0.08 3.12 0.05 1.24 0.26 \$0.57\$ 1953 7.00 0.30 (5) 7.31 0.22 1.45 0.10 0.09 3.38 0.06 1.23 0.28 \$0.52\$ 1954 6.96 0.32 0.02 7.30 0.23 1.49 0.13 0.09 3.38 0.06 1.23 0.28 \$0.52\$ 1954 6.96 0.32 0.02 7.30 0.23 1.49 0.13 0.09 3.89 0.07 1.14 0.28 \$0.52\$ 1955 7.48 0.34 0.03 7.86 0.25 1.65 0.16 0.12 3.65 0.08 1.15 0.32 \$0.52\$ 1956 7.94 0.37 0.01 8.32 0.27 1.82 0.18 0.14 3.82 0.08 1.17 0.33 \$0.55\$ 1956 7.94 0.37 0.01 8.32 0.27 1.82 0.18 0.14 3.82 0.08 1.17 0.33 \$0.55\$ 1958 7.64 0.37 0.09 8.11 0.26 1.73 0.20 0.16 3.87 0.10 1.00 0.35 \$0.55\$ 1960 8.07 0.45 0.06 8.58 0.29 1.86 0.25 0.19 4.04 0.11 0.95 0.35 \$0.51\$ 1961 8.18 0.46 0.06 8.71 0.29 1.91 0.26 0.22 4.15 0.24 0.21 0.80 0.91 0.35 \$0.52\$ 1962 8.41 0.50 0.08 8.99 0.32 1.97 0.28 0.21 4.30 0.22 0.16 0.91 0.35 \$0.55\$ 1963 8.69 0.52 0.09 9.30 0.33 2.09 0.27 0.26 4.39 0.02 0.27 0.88 \$0.69\$ 1963 8.69 0.52 0.09 9.30 0.33 2.09 0.27 0.26 4.39 0.02 0.70 0.35 \$0.65\$ 1964 8.81 0.58 0.09 9.75 0.36 2.10 \$0.52 0.29 4.51 0.24 0.74 0.39 \$0.83\$ 1965 9.04 0.62 0.09 9.75 0.36 2.10 \$0.52 0.29 4.51 0.24 0.74 0.39 \$0.83\$ 1966 9.04 0.62 0.09 9.75 0.36 2.10 \$0.52 0.29 4.51 0.24 0.74 0.39 \$0.83\$ 1966 9.04 0.62 0.09 9.75 0.36 2.10 \$0.52 0.29 4.51 0.24 0.74 0.39 \$0.83\$ 1967 9.82 0.67 0.09 10.18 0.37 2.20 0.75 0.31 4.94 0.25 0.76 0.41 \$0.89\$ 1968 10.31 0.71 0.08 11.10 0.39 2.29 0.86 0.32 5.70 0.30 0.71 0.48 \$0.89\$ 1969 10.63 0.72 0.11 1.1.46 0.40 2.32 0.88 0.34 5.47 0.28 0.73 0.75 0.47 \$0.89\$ 1969 10.63 0.77 0.78 0.78 0.78 0.78 0.78 0.78 0.78		Output						
1950 5.74 0.26 0.02 6.02 0.18 1.09 (4) 0.08 2.74 0.05 1.16 0.23 \(^60.49\) 1951 6.49 0.27 0.03 6.80 0.20 1.30 (4) 0.09 3.04 0.05 1.29 0.26 \(^60.54\) 1952 6.67 0.28 0.01 6.97 0.21 1.42 0.06 0.08 3.12 0.05 1.24 0.26 \(^60.54\) 1953 7.00 0.30 (8) 7.31 0.22 1.45 0.10 0.09 3.38 0.06 1.23 0.28 \(^60.52\) 1954 6.96 0.32 0.02 7.30 0.23 1.49 0.13 0.09 3.38 0.06 1.23 0.28 \(^60.52\) 1955 7.48 0.34 0.03 7.86 0.25 1.65 0.16 0.12 3.65 0.08 1.15 0.32 \(^60.52\) 1955 7.48 0.34 0.03 7.86 0.25 1.65 0.16 0.12 3.65 0.08 1.15 0.32 \(^60.52\) 1957 7.92 0.41 (8) 8.33 0.25 1.83 0.17 0.15 3.88 0.09 1.14 0.34 \(^60.51\) 1958 7.64 0.37 0.09 8.11 0.26 1.73 0.20 0.16 3.87 0.10 1.00 0.35 \(^60.51\) 1959 7.99 0.42 0.07 8.48 0.29 1.86 0.25 0.19 4.04 0.11 0.95 0.35 \(^60.53\) 1960 8.07 0.45 0.06 8.58 0.29 1.86 0.25 0.19 4.04 0.11 0.95 0.35 \(^60.53\) 1961 8.18 0.46 0.06 8.58 0.29 1.82 0.24 0.21 4.13 0.16 0.91 0.35 \(^60.62\) 1963 8.89 0.52 0.09 9.30 0.33 2.09 0.27 0.26 0.22 4.15 0.21 0.86 0.35 \(^60.62\) 1963 8.89 0.52 0.09 9.30 0.33 2.09 0.27 0.26 0.29 4.37 0.23 0.73 0.38 \(^60.99\) 1964 8.81 0.58 0.07 9.46 0.33 2.03 0.29 0.29 4.37 0.23 0.73 0.38 \(^60.99\) 1965 9.44 0.65 0.09 9.30 0.33 2.09 0.27 0.26 0.29 4.37 0.23 0.73 0.38 \(^60.99\) 1965 9.44 0.65 0.09 9.75 0.36 2.10 \(^60.52\) 0.29 4.77 0.24 0.74 0.39 \(^60.52\) 1966 9.44 0.65 0.09 10.18 0.37 2.15 0.59 0.29 4.77 0.24 0.77 0.70 0.40 \(^60.99\) 1966 9.44 0.65 0.09 10.18 0.37 2.15 0.59 0.29 4.77 0.24 0.75 0.76 0.41 \(^60.99\) 1969 10.63 0.77 0.78	Total Processing Output Gain	Other Products ³						
1951	5.59 (s)							
1952 6.67 0.28 0.01 6.97 0.21 1.42 0.06 0.08 3.12 0.05 1.24 0.26 Ro.54 1953 7.00 0.30 (s) 7.31 0.22 1.45 0.10 0.09 3.38 0.06 1.23 0.28 Ro.52 1954 6.96 0.32 0.02 7.30 0.23 1.49 0.13 0.09 3.38 0.07 1.14 0.28 Ro.53 1955 7.48 0.34 0.03 7.86 0.25 1.65 0.16 0.12 3.65 0.08 1.15 0.32 Ro.52 1956 7.94 0.37 0.01 8.32 0.27 1.82 0.18 0.14 3.82 0.08 1.17 0.33 Ro.55 1957 7.92 0.41 (s) 8.33 0.25 1.83 0.17 0.15 3.88 0.09 1.14 0.34 Ro.51 1958 7.64 0.37 0.09 8.11 0.26 1.73 0.20 0.16 3.87 0.10 1.00 0.35 Ro.51 1959 7.99 0.42 0.07 8.48 0.29 1.86 0.25 0.19 4.04 0.11 0.95 0.35 Ro.53 1960 8.07 0.45 0.06 8.58 0.29 1.82 0.24 0.21 4.13 0.16 0.91 0.35 Ro.62 1961 8.18 0.46 0.06 8.71 0.29 1.91 0.26 0.22 4.15 0.21 0.86 0.35 Ro.62 1963 8.69 0.52 0.09 9.30 0.33 2.09 0.27 0.26 4.39 0.22 0.76 0.38 Ro.89 1963 8.69 0.52 0.09 9.30 0.33 2.09 0.27 0.26 4.39 0.22 0.76 0.38 Ro.89 1964 8.81 0.58 0.07 9.46 0.33 2.03 0.29 0.29 4.51 0.24 0.74 0.39 Ro.83 1965 9.04 0.62 0.09 9.75 0.36 2.10 50.52 0.29 4.51 0.24 0.74 0.39 Ro.83 1966 9.44 0.65 0.09 10.18 0.37 2.15 0.59 0.29 4.77 0.24 0.72 0.40 Ro.89 1968 10.31 0.71 0.08 11.10 0.39 2.29 0.86 0.32 5.20 0.26 0.75 0.44 Ro.91 1969 10.63 0.72 0.11 11.46 0.40 2.32 0.88 0.34 5.47 0.28 0.73 0.47 Ro.91 1970 10.87 0.76 0.12 11.75 0.43 2.45 0.83 0.35 5.70 0.30 0.71 0.48 Ro.80 1971 11.20 0.78 0.14 12.12 0.45 2.50 0.83 0.36 0.37 6.53 0.36 0.97 0.52 Ro.94 1973 12.43 0.82 0.15 13.40 0.48 2.82 0.86 0.37 6.53 0.36 0.97 0.52 Ro.94 1974	6.02 (s)							
1953 7.00 0.30 (s) 7.31 0.22 1.45 0.10 0.09 3.38 0.06 1.23 0.28 \(\frac{P}{0.52} \) 1954 6.96 0.32 0.02 7.30 0.23 1.49 0.13 0.09 3.38 0.07 1.14 0.28 \(\frac{P}{0.53} \) 1955 7.48 0.34 0.03 7.86 0.25 1.65 0.16 0.12 3.65 0.08 1.15 0.32 \(\frac{P}{0.52} \) 1956 7.94 0.37 0.01 8.32 0.27 1.82 0.18 0.14 3.82 0.08 1.17 0.33 \(\frac{P}{0.52} \) 1957 7.92 0.41 (s) 8.33 0.25 1.83 0.17 0.15 3.88 0.09 1.14 0.34 \(\frac{P}{0.51} \) 1958 7.64 0.37 0.09 8.11 0.26 1.73 0.20 0.16 3.87 0.10 1.00 0.35 \(\frac{P}{0.51} \) 1959 7.99 0.42 0.07 8.48 0.29 1.86 0.25 0.19 4.04 0.11 0.95 0.35 \(\frac{P}{0.51} \) 1960 8.07 0.45 0.06 8.58 0.29 1.82 0.24 0.21 4.13 0.16 0.91 0.35 \(\frac{P}{0.62} \) 1961 8.18 0.46 0.06 8.71 0.29 1.91 0.26 0.22 4.15 0.21 0.86 0.35 \(\frac{P}{0.64} \) 1963 8.69 0.52 0.09 9.30 0.33 2.09 0.27 0.26 4.39 0.22 0.76 0.38 \(\frac{P}{0.69} \) 1964 8.81 0.58 0.07 9.46 0.33 2.03 0.29 0.29 4.37 0.23 0.73 0.38 \(\frac{P}{0.08} \) 1966 9.44 0.65 0.09 9.75 0.36 2.10 \(\frac{5}{0.55} \) 1967 9.82 0.62 0.09 9.75 0.36 2.10 \(\frac{5}{0.55} \) 1968 10.31 0.71 0.08 11.10 0.39 2.29 0.86 0.32 5.20 0.26 0.75 0.44 \(\frac{P}{0.89} \) 1969 10.63 0.72 0.11 11.46 0.40 2.32 0.88 0.34 5.47 0.28 0.73 0.47 \(\frac{P}{0.89} \) 1970 11.20 0.78 0.14 12.12 0.45 2.50 0.83 0.36 5.97 0.30 0.71 0.48 \(\frac{P}{0.89} \) 1971 11.20 0.78 0.14 13.02 0.47 2.67 0.84 0.34 6.36 0.34 1.07 0.52 \(\frac{P}{0.94} \) 1974 12.13 0.75 0.14 13.02 0.47 2.67 0.84 0.34 6.36 0.34 1.07 0.52 \(\frac{P}{0.94} \) 1975 12.44 0.71 0.07 13.23 0.41 2.66 0.87 0.31 0.3	6.80 0.01 6.97 0.01							
1954 6.96 0.32 0.02 7.30 0.23 1.49 0.13 0.09 3.38 0.07 1.14 0.28 \backsquare{P}_0.53 \\ 1955 7.48 0.34 0.03 7.86 0.25 1.65 0.16 0.12 3.65 0.08 1.15 0.32 \backsquare{P}_0.52 \\ 1956 7.94 0.37 0.01 8.32 0.27 1.82 0.18 0.14 3.82 0.08 1.17 0.33 \backsquare{P}_0.55 \\ 1957 7.92 0.41 (s) 8.33 0.25 1.83 0.17 0.15 3.88 0.09 1.14 0.34 \backsquare{P}_0.51 \\ 1958 7.64 0.37 0.09 8.11 0.26 1.73 0.20 0.16 3.87 0.10 1.00 0.35 \backsquare{P}_0.51 \\ 1959 7.99 0.42 0.07 8.48 0.29 1.86 0.25 0.19 4.04 0.11 0.95 0.35 \backsquare{P}_0.53 \\ 1960 8.07 0.45 0.06 8.58 0.29 1.82 0.24 0.21 4.13 0.16 0.91 0.35 \backsquare{P}_0.62 \\ 1961 8.18 0.46 0.66 0.06 8.71 0.29 1.91 0.26 0.22 4.15 0.21 0.86 0.35 \backsquare{P}_0.62 \\ 1962 8.41 0.50 0.08 8.99 0.32 1.97 0.28 0.21 4.30 0.22 0.81 0.36 \backsquare{P}_0.69 \\ 1963 8.69 0.52 0.09 9.30 0.33 2.09 0.27 0.26 4.39 0.22 0.76 0.38 \backsquare{P}_0.80 \\ 1964 8.81 0.58 0.07 9.46 0.33 2.03 0.29 0.29 4.37 0.23 0.73 0.38 \backsquare{P}_0.80 \\ 1966 9.44 0.65 0.09 9.75 0.36 2.10 \backsquare{P}_0.52 0.29 4.51 0.24 0.74 0.39 \backsquare{P}_0.83 \\ 1966 9.44 0.65 0.09 10.18 0.37 2.15 0.59 0.29 4.77 0.24 0.72 0.40 \backsquare{P}_0.89 \\ 1968 10.31 0.71 0.08 11.10 0.39 2.29 0.86 0.32 5.00 0.26 0.75 0.44 \backsquare{P}_0.91 \\ 1969 10.63 0.72 0.11 11.46 0.40 2.32 0.88 0.34 5.47 0.28 0.73 0.47 \backsquare{P}_0.91 \\ 1967 11.20 0.78 0.14 12.12 0.45 2.50 0.83 0.36 5.97 0.30 0.71 0.48 \backsquare{P}_0.89 \\ 1971 11.20 0.78 0.14 12.12 0.45 2.50 0.83 0.35 5.70 0.30 0.75 0.47 \backsquare{P}_0.86 \\ 1972 11.70 0.83 0.17 1.269 0.45 2.50 0.86 0.37 6.53 0.36 0.97 0.52 \backsquare{P}_0.94 \\ 1973 12.43 0.82 0.15 13.40 0.48 2.82 0.86 0.37 6.53 0.36 0.97 0.52 \backsquare{P}_0.94 \\ 1974 12.13 0.75 0.11 13.02 0.47 2.67 0.84 0.34 6.36 0.34 1.07 0.52 \backsquare{P}_0.90 \\ 1975 12.44 0.71 0.07 13.23 0.41 2.65 0.87 0.31 6.52 0.35 1.24 0.75 0.55 \\ 1975 12.44 0.71 0.07 13.23 0.41 2.65 0.87 0.31 6.52 0.35 1.24 0.75 0.55 \\ 1976 0.31 6.52 0.35 1.24 0.77 0.95 0.35 1.24 0.77 0.95 0.35 \\ 1977 12.49 0.71 0.07 13.23 0.41 12.65 0	7.33 0.02							
1955 7.48 0.34 0.03 7.86 0.25 1.65 0.16 0.12 3.65 0.08 1.15 0.32 \$\bar{\cap6}0.52\$ \\ 1956 7.94 0.37 0.01 8.32 0.27 1.82 0.18 0.14 3.82 0.08 1.17 0.33 \$\bar{\cap6}0.52\$ \\ 1957 7.92 0.41 (s) 8.33 0.25 1.83 0.17 0.15 3.88 0.09 1.14 0.34 \$\bar{\cap6}0.51\$ \\ 1958 7.64 0.37 0.09 8.11 0.26 1.73 0.20 0.16 3.87 0.10 1.00 0.35 \$\bar{\cap6}0.51\$ \\ 1959 7.99 0.42 0.07 8.48 0.29 1.86 0.25 0.19 4.04 0.11 0.95 0.35 \$\bar{\cap6}0.51\$ \\ 1960 8.07 0.45 0.06 8.58 0.29 1.82 0.24 0.21 4.13 0.16 0.91 0.35 \$\bar{\cap6}0.62\$ \\ 1961 8.18 0.46 0.06 8.71 0.29 1.91 0.26 0.22 4.15 0.21 0.86 0.35 \$\bar{\cap6}0.62\$ \\ 1962 8.41 0.50 0.08 8.99 0.32 1.97 0.28 0.21 4.30 0.22 0.81 0.36 \$\bar{\cap6}0.69\$ \\ 1963 8.69 0.52 0.09 9.30 0.33 2.09 0.27 0.26 4.39 0.22 0.76 0.38 \$\bar{\cap6}0.80\$ \\ 1964 8.81 0.58 0.07 9.46 0.33 2.03 0.29 0.27 0.26 4.39 0.22 0.76 0.38 \$\bar{\cap6}0.80\$ \\ 1965 9.04 0.62 0.09 9.75 0.36 2.10 \$\bar{\cap6}0.52\$ 0.29 4.51 0.24 0.74 0.39 \$\bar{\cap6}0.80\$ \\ 1966 9.44 0.65 0.09 10.18 0.37 2.15 0.59 0.29 4.51 0.24 0.74 0.39 \$\bar{\cap6}0.80\$ \\ 1968 10.31 0.71 0.08 11.10 0.39 2.29 0.86 0.32 5.20 0.26 0.75 0.44 \$\bar{\cap6}0.91\$ \\ 1960 10.87 0.76 0.12 11.75 0.43 2.45 0.83 0.35 5.70 0.30 0.71 0.48 \$\bar{\cap6}0.80\$ \\ 1970 10.87 0.76 0.12 11.75 0.43 2.45 0.83 0.35 5.70 0.30 0.71 0.48 \$\bar{\cap6}0.80\$ \\ 1971 11.20 0.78 0.14 12.12 0.45 2.50 0.83 0.35 0.36 0.37 0.34 0.35 0.36 0.97 0.52 \$\bar{\cap6}0.81\$ \\ 1971 11.20 0.78 0.14 12.12 0.45 2.50 0.83 0.35 0.36 0.37 0.34 0.37 0.35 0.75 0.47 \$\bar{\cap6}0.80\$ \\ 1973 12.44 0.75 0.76 0.14 13.02 0.47 2.67 0.84 0.34 0.34 6.36 0.34 1.07 0.52 \$\bar{\cap6}0.80\$ \\ 1973 12.44 0.71 0.07 13.23 0.41 2.65 0.87 0.31 6.52 0.35 1.24 0.55 0.85 \\ 1974 12.13 0.75 0.14 13.02 0.47 2.67 0.84 0.34 0.34 6.36 0.34 1.07 0.52 \$\bar{\cap6}0.80\$ \\ 1975 12.44 0.71 0.07 13.23 0.41 2.65 0.87 0.31 6.55 0.35 0.35 1.24 0.55 0.85 \\ 1976 12.44 0.71 0.07 13.23 0.41 2.65 0.87 0.31 6.55 0.35 1.24 0.55 0.85 \\ 1977 13.20 0.47 0.71 0.07 13.23 0.41 2.65 0.87 0.31 6.55 0.35 1.24 0.55 0.85 \\ 1978 12.44 0.71 0.07 13.2	7.32 0.02							
1956 7.94 0.37 0.01 8.32 0.27 1.82 0.18 0.14 3.82 0.08 1.17 0.33 R0.55 1957 7.92 0.41 (s) 8.33 0.25 1.83 0.17 0.15 3.88 0.09 1.14 0.34 R0.51 1958 7.64 0.37 0.09 8.11 0.26 1.73 0.20 0.16 3.87 0.10 1.00 .35 R0.51 1959 7.99 0.42 0.07 8.48 0.29 1.86 0.25 0.19 4.04 0.11 0.95 0.35 R0.51 1960 8.07 0.45 0.06 8.58 0.29 1.82 0.24 0.21 4.13 0.16 0.91 0.35 R0.62 1961 8.18 0.46 0.06 8.71 0.29 1.91 0.26 0.22 4.15 0.21 0.86 0.35 R0.62 1962 8.41 0.50	7.89 0.03							
1957 7.92 0.41 (s) 8.33 0.25 1.83 0.17 0.15 3.88 0.09 1.14 0.34 R0.51 1958 7.64 0.37 0.09 8.11 0.26 1.73 0.20 0.16 3.87 0.10 1.00 0.35 R0.51 1959 7.99 0.42 0.07 8.48 0.29 1.86 0.25 0.19 4.04 0.11 0.95 0.35 R0.53 1960 8.07 0.45 0.06 8.58 0.29 1.82 0.24 0.21 4.13 0.16 0.91 0.35 R0.62 1961 8.18 0.46 0.06 8.71 0.29 1.91 0.26 0.22 4.15 0.21 0.86 0.35 R0.62 1962 8.41 0.50 0.08 8.99 0.32 1.97 0.28 0.21 4.30 0.22 0.81 0.36 R0.69 1963 8.69 0.52	8.36 0.04	R _{0.55}						
1959 7.99 0.42 0.07 8.48 0.29 1.86 0.25 0.19 4.04 0.11 0.95 0.35 R0.53 1960 8.07 0.45 0.06 8.58 0.29 1.82 0.24 0.21 4.13 0.16 0.91 0.35 R0.62 1961 8.18 0.46 0.06 8.71 0.29 1.91 0.26 0.22 4.15 0.21 0.86 0.35 R0.62 1962 8.41 0.50 0.08 8.99 0.32 1.97 0.28 0.21 4.30 0.22 0.81 0.36 R0.69 1963 8.69 0.52 0.09 9.30 0.33 2.09 0.27 0.26 4.39 0.22 0.76 0.38 R0.80 1964 8.81 0.58 0.07 9.46 0.33 2.03 0.29 0.29 4.37 0.23 0.73 0.38 R1.03 1965 9.04 0.62	8.37 0.04	R _{0.51}						
1960 8.07 0.45 0.06 8.58 0.29 1.82 0.24 0.21 4.13 0.16 0.91 0.35 R0.62 1961 8.18 0.46 0.06 8.71 0.29 1.91 0.26 0.22 4.15 0.21 0.86 0.35 R0.64 1962 8.41 0.50 0.08 8.99 0.32 1.97 0.28 0.21 4.30 0.22 0.81 0.36 R0.69 1963 8.69 0.52 0.09 9.30 0.33 2.09 0.27 0.26 4.39 0.22 0.76 0.38 R0.60 1964 8.81 0.58 0.07 9.46 0.33 2.03 0.29 0.29 4.57 0.23 0.73 0.38 R1.03 1965 9.04 0.62 0.09 9.75 0.36 2.10 50.52 0.29 4.51 0.24 0.74 0.39 R9.83 1966 9.44 0.65	8.17 0.06							
1961 8.18 0.46 0.06 8.71 0.29 1.91 0.26 0.22 4.15 0.21 0.86 0.35 R0.64 1962 8.41 0.50 0.08 8.99 0.32 1.97 0.28 0.21 4.30 0.22 0.81 0.36 R0.69 1963 8.69 0.52 0.09 9.30 0.33 2.09 0.27 0.26 4.39 0.22 0.76 0.38 R0.80 1964 8.81 0.58 0.07 9.46 0.33 2.03 0.29 0.29 4.37 0.23 0.73 0.38 R1.03 1965 9.04 0.62 0.09 9.75 0.36 2.10 50.52 0.29 4.51 0.24 0.74 0.39 R2.83 1966 9.44 0.65 0.09 10.18 0.37 2.20 0.75 0.31 4.94 0.25 0.76 0.41 R0.89 1967 9.82 0.67	8.57 0.09							
1962 8.41 0.50 0.08 8.99 0.32 1.97 0.28 0.21 4.30 0.22 0.81 0.36 R0.69 1963 8.69 0.52 0.09 9.30 0.33 2.09 0.27 0.26 4.39 0.22 0.76 0.38 R0.80 1964 8.81 0.58 0.07 9.46 0.33 2.03 0.29 0.29 4.37 0.23 0.73 0.38 R1.03 1965 9.04 0.62 0.09 9.75 0.36 2.10 50.52 0.29 4.51 0.24 0.74 0.39 R1.03 1966 9.44 0.65 0.09 10.18 0.37 2.15 0.59 0.29 4.77 0.24 0.72 0.40 R0.89 1967 9.82 0.67 0.09 10.58 0.37 2.20 0.75 0.31 4.94 0.25 0.76 0.41 R0.89 1968 10.31 0.71 <td>8.73 0.15</td> <td></td>	8.73 0.15							
1963 8.69 0.52 0.09 9.30 0.33 2.09 0.27 0.26 4.39 0.22 0.76 0.38 R0.80 1964 8.81 0.58 0.07 9.46 0.33 2.03 0.29 0.29 4.37 0.23 0.73 0.38 R1.03 1965 9.04 0.62 0.09 9.75 0.36 2.10 50.52 0.29 4.51 0.24 0.74 0.39 R9.83 1966 9.44 0.65 0.09 10.18 0.37 2.15 0.59 0.29 4.77 0.24 0.72 0.40 R0.89 1967 9.82 0.67 0.09 10.58 0.37 2.20 0.75 0.31 4.94 0.25 0.76 0.41 R0.89 1968 10.31 0.71 0.08 11.10 0.39 2.29 0.86 0.32 5.20 0.26 0.75 0.44 R0.89 1969 10.63 0.72<	8.89 0.18							
1964 8.81 0.58 0.07 9.46 0.33 2.03 0.29 0.29 4.37 0.23 0.73 0.38 R1.03 1965 9.04 0.62 0.09 9.75 0.36 2.10 50.52 0.29 4.51 0.24 0.74 0.39 R0.83 1966 9.44 0.65 0.09 10.18 0.37 2.15 0.59 0.29 4.77 0.24 0.72 0.40 R0.89 1967 9.82 0.67 0.09 10.58 0.37 2.20 0.75 0.31 4.94 0.25 0.76 0.41 R0.89 1968 10.31 0.71 0.08 11.10 0.39 2.29 0.86 0.32 5.20 0.26 0.75 0.44 R0.91 1969 10.63 0.72 0.11 11.46 0.40 2.32 0.88 0.34 5.47 0.28 0.73 0.47 R0.91 1970 10.87 0.7	9.16 0.18 9.50 0.20	NU.09						
1965 9.04 0.62 0.09 9.75 0.36 2.10 50.52 0.29 4.51 0.24 0.74 0.39 R0.83 1966 9.44 0.65 0.09 10.18 0.37 2.15 0.59 0.29 4.77 0.24 0.72 0.40 R0.89 1967 9.82 0.67 0.09 10.58 0.37 2.20 0.75 0.31 4.94 0.25 0.76 0.41 R0.89 1968 10.31 0.71 0.08 11.10 0.39 2.29 0.86 0.32 5.20 0.26 0.75 0.44 R0.89 1969 10.63 0.72 0.11 11.46 0.40 2.32 0.88 0.34 5.47 0.28 0.73 0.47 R0.91 1970 10.87 0.76 0.12 11.75 0.43 2.45 0.83 0.35 5.70 0.30 0.71 0.48 R0.88 1971 11.20 0	9.68 0.22	R1 03						
1966 9.44 0.65 0.09 10.18 0.37 2.15 0.59 0.29 4.77 0.24 0.72 0.40 R0.89 1967 9.82 0.67 0.09 10.58 0.37 2.20 0.75 0.31 4.94 0.25 0.76 0.41 R0.89 1968 10.31 0.71 0.08 11.10 0.39 2.29 0.86 0.32 5.20 0.26 0.75 0.44 R0.91 1969 10.63 0.72 0.11 11.46 0.40 2.32 0.88 0.34 5.47 0.28 0.73 0.47 R0.91 1970 10.87 0.76 0.12 11.75 0.43 2.45 0.83 0.35 5.70 0.30 0.71 0.48 R0.88 1971 11.20 0.78 0.14 12.12 0.45 2.50 0.83 0.35 5.70 0.30 0.71 0.48 R0.88 1972 11.70	9.97 0.22	R0.83						
1967 9.82 0.67 0.09 10.58 0.37 2.20 0.75 0.31 4.94 0.25 0.76 0.41 R0.89 1968 10.31 0.71 0.08 11.10 0.39 2.29 0.86 0.32 5.20 0.26 0.75 0.44 R0.91 1969 10.63 0.72 0.11 11.46 0.40 2.32 0.88 0.34 5.47 0.28 0.73 0.47 R0.91 1970 10.87 0.76 0.12 11.75 0.43 2.45 0.83 0.35 5.70 0.30 0.71 0.48 R0.88 1971 11.20 0.78 0.14 12.12 0.45 2.50 0.83 0.36 5.97 0.30 0.75 0.47 R0.88 1972 11.70 0.83 0.17 12.69 0.45 2.63 0.85 0.36 6.28 0.33 0.80 0.51 R0.89 1973 12.43 <td< td=""><td>10.43 0.25</td><td></td></td<>	10.43 0.25							
1969 10.63 0.72 0.11 11.46 0.40 2.32 0.88 0.34 5.47 0.28 0.73 0.47 R0.91 1970 10.87 0.76 0.12 11.75 0.43 2.45 0.83 0.35 5.70 0.30 0.71 0.48 R0.88 1971 11.20 0.78 0.14 12.12 0.45 2.50 0.83 0.36 5.97 0.30 0.75 0.47 R0.86 1972 11.70 0.83 0.17 12.69 0.45 2.63 0.85 0.36 6.28 0.33 0.80 0.51 R0.89 1973 12.43 0.82 0.15 13.40 0.48 2.82 0.86 0.37 6.53 0.36 0.97 0.52 R0.94 1974 12.13 0.75 0.14 13.02 0.47 2.67 0.84 0.34 6.36 0.34 1.07 0.52 R0.90 1975 12.44 <t< td=""><td>10.87 0.29</td><td>R_{0.89}</td></t<>	10.87 0.29	R _{0.89}						
1970 10.87 0.76 0.12 11.75 0.43 2.45 0.83 0.35 5.70 0.30 0.71 0.48 R0.88 1971 11.20 0.78 0.14 12.12 0.45 2.50 0.83 0.36 5.97 0.30 0.75 0.47 R0.86 1972 11.70 0.83 0.17 12.69 0.45 2.63 0.85 0.36 6.28 0.33 0.80 0.51 R0.89 1973 12.43 0.82 0.15 13.40 0.48 2.82 0.86 0.37 6.53 0.36 0.97 0.52 R0.94 1974 12.13 0.75 0.14 13.02 0.47 2.67 0.84 0.34 6.36 0.34 1.07 0.52 R0.90 1975 12.44 0.71 0.07 13.23 0.41 2.65 0.87 0.31 6.52 0.35 1.24 0.52 R0.81	11.42 0.32	R _{0.91}						
1971 11.20 0.78 0.14 12.12 0.45 2.50 0.83 0.36 5.97 0.30 0.75 0.47 R0.86 1972 11.70 0.83 0.17 12.69 0.45 2.63 0.85 0.36 6.28 0.33 0.80 0.51 R0.89 1973 12.43 0.82 0.15 13.40 0.48 2.82 0.86 0.37 6.53 0.36 0.97 0.52 R0.94 1974 12.13 0.75 0.14 13.02 0.47 2.67 0.84 0.34 6.36 0.34 1.07 0.52 R0.90 1975 12.44 0.71 0.07 13.23 0.41 2.65 0.87 0.31 6.52 0.35 1.24 0.52 R0.81	11.79 0.34	R _{0.91}						
1972 11.70 0.83 0.17 12.69 0.45 2.63 0.85 0.36 6.28 0.33 0.80 0.51 R0.89 1973 12.43 0.82 0.15 13.40 0.48 2.82 0.86 0.37 6.53 0.36 0.97 0.52 R0.94 1974 12.13 0.75 0.14 13.02 0.47 2.67 0.84 0.34 6.36 0.34 1.07 0.52 R0.90 1975 12.44 0.71 0.07 13.23 0.41 2.65 0.87 0.31 6.52 0.35 1.24 0.52 R0.81	12.11 0.36	R0.88						
1973 12.43 0.82 0.15 13.40 0.48 2.82 0.86 0.37 6.53 0.36 0.97 0.52 R0.94 1974 12.13 0.75 0.14 13.02 0.47 2.67 0.84 0.34 6.36 0.34 1.07 0.52 R0.90 1975 12.44 0.71 0.07 13.23 0.41 2.65 0.87 0.31 6.52 0.35 1.24 0.52 R0.81	12.50 0.38	NO.86						
1974 12.13 0.75 0.14 13.02 0.47 2.67 0.84 0.34 6.36 0.34 1.07 0.52 ^R 0.90 1975 12.44 0.71 0.07 13.23 0.41 2.65 0.87 0.31 6.52 0.35 1.24 0.52 ^R 0.81	13.08 0.39 13.85 0.45	NU.89						
1975 12.44 0.71 0.07 13.23 0.41 2.65 0.87 0.31 6.52 0.35 1.24 0.52 ^R 0.81	13.50 0.48	RO 90						
	13.68 0.46							
1370 13.42 0.73 0.00 14.20 0.33 2.32 0.32 0.34 0.04 0.30 1.38 0.34 10.99	14.68 0.48	R _{0.99}						
1977 14.60 0.67 0.07 15.35 0.43 3.28 0.97 0.35 7.03 0.37 1.75 0.57 R1.11	15.87 0.52	R1.11						
1978 14.74 0.64 0.09 15.47 0.48 3.17 0.97 0.35 7.17 0.37 1.67 0.60 ^R 1.19	15.97 0.50							
1979 14.65 0.51 0.08 15.24 0.47 3.15 1.01 0.34 6.84 0.38 1.69 0.60 R1.30	15.76 0.53							
1980 13.48 0.46 0.08 14.02 0.39 2.66 1.00 0.33 6.49 0.37 1.58 0.58 R1.22	14.62 0.60							
1981 12.47 0.52 0.49 13.48 0.34 2.61 0.97 0.31 6.40 0.39 1.32 0.57 R1.08 1982 11.77 0.52 0.57 12.86 0.33 2.61 0.98 0.27 6.34 0.41 1.07 0.55 R0.84	13.99 0.51 13.39 0.53	N1.08						
1982 11.77 U.32 U.37 12.00 U.35 2.01 U.90 U.27 0.34 U.41 1.07 U.35 0.05 1983 11.69 U.46 0.50 12.65 0.37 2.46 1.02 0.33 6.34 0.42 0.85 0.55 80.80	13.14 0.49	R0.04						
1984 12.04 0.50 0.58 13.13 0.39 2.68 1.13 0.36 6.45 0.44 0.89 0.56 ⁸ 0.78	13.68 0.55	R0.78						
1985 12.00 0.51 0.68 13.19 0.40 2.69 1.19 0.39 6.42 0.45 0.88 0.58 ^R 0.74	13.75 0.56							
1986 12.72 0.48 0.71 13.91 0.41 2.80 1.29 0.42 6.75 0.51 0.89 0.64 ^R 0.82	14.52 0.62							
1987 12.85 0.47 0.67 13.99 0.43 2.73 1.34 0.45 6.84 0.51 0.89 0.64 ^R 0.79	14.63 0.64							
1988 13.25 0.51 0.61 14.37 0.44 2.86 1.37 0.50 6.96 0.54 0.93 0.67 ^R 0.76	15.02 0.66							
1989 13.40 0.50 0.61 14.51 0.42 2.90 1.40 0.55 6.96 0.54 0.95 0.68 ^R 0.75	15.17 0.66	R0.75						
1990 13.41 0.47 0.71 14.59 0.45 2.92 1.49 0.50 6.96 0.55 0.95 0.67 R0.78	15.27 0.68							
1991 13.30 0.47 0.77 14.54 0.43 2.96 1.44 0.54 6.98 0.57 0.93 0.65 ^R 0.76 1992 13.41 0.47 0.75 14.63 0.42 2.97 1.40 0.61 7.06 0.60 0.89 0.66 ^R 0.80	15.26 0.71 15.40 0.77	'`U./b Ro eo						
1992 13.41 0.47 0.75 14.65 0.42 2.97 1.40 0.61 7.06 0.60 0.69 0.66 70.78 1993 13.61 0.49 0.92 15.02 0.45 3.13 1.42 0.59 7.30 0.62 0.84 0.65 80.78	15.40 0.77	RO 78						
1994 13.87 0.47 0.69 15.02 0.45 3.20 1.45 0.61 7.18 0.62 0.83 0.66 80.79	15.79 0.77							
1995 13.97 0.47 0.78 15.22 0.47 3.16 1.42 0.65 7.46 0.63 0.79 0.65 80.78	15.99 0.77							
1996 R14.19 0.45 R0.84 R15.49 0.46 R3.32 1.52 0.66 R7.56 0.66 R0.73 0.65 R0.76	R16.32 R0.84							
1997 ^P 14.63 0.44 0.84 15.91 0.48 3.39 1.55 0.69 7.75 0.69 0.71 0.66 0.84	16.75 0.85	0.84						

¹ Prior to 1981, included unfinished oils (net), hydrogen, and hydrocarbons not included elsewhere; 1981 forward, included unfinished oils (net), motor gasoline blending components (net), aviation gasoline blending components (net), hydrogen, other hydrocarbons, and alcohol. See Note 1 at end of section.

² Prior to 1964, motor gasoline data were for total gasoline, including motor gasoline, aviation gasoline, and special naphthas.


³ Kerosene, petrochemical feedstocks (excluding still gas), lubricants, wax, and miscellaneous products. Since 1964, aviation gasoline and special naphthas have been included.

⁴ Included in the products from which jet fuel was blended: in 1952, 71 percent gasoline, 17 percent kerosene, and 12 percent distillate fuel.

⁵ Prior to 1965, kerosene-type jet fuel was included in kerosene. R=Revised. P=Preliminary. (s)=Less than 0.005 million barrels per day. Note: Totals may not equal sum of components due to independent rounding. Web Page: http://www.eia.doe.gov/fuelpetroleum.html.

Sources: • 1949-1975—Bureau of Mines, Mineral Industry Surveys, *Petroleum Statement, Annual.* • 1976-1980—Energy Information Administration (EIA), Energy Data Reports, *Petroleum Statement, Annual.* • 1981-1996—EIA, *Petroleum Supply Annual.* • 1997—EIA, *Petroleum Supply Monthly* (February 1998)

Figure 5.9 Refinery Capacity and Utilization, 1949-1997



Source: Table 5.9.

Table 5.9 Refinery Capacity and Utilization, 1949-1997

	Opera	able Refineries				
Year	Number ⁴	Capacity ¹ (million barrels per day)	Gross Input to Distillation Units ² (million barrels per day)	Utilization ³ (percent)		
949	336	6.23	5.56	89.2		
950	320	6.22	5.98	92.5		
951	325	6.70	6.76	97.5		
952	327	7.16	6.93	93.8		
953	315	7.62	7.26	93.1		
954	308	7.98	7.27	88.8		
55	296	8.39	7.82	92.2		
56	317	8.58	8.25	93.5		
57	317	9.07	8.22	89.2		
958	315	9.36	8.02	83.9		
59	313	9.76	8.36	85.2		
60	309	9.84	8.44	85.1		
961	309	10.00	8.57	85.7		
162	309	10.01	8.83	88.2		
163	304	10.01	9.14	90.0		
164	298	10.31	9.28	89.6		
965	293	10.42	9.56	91.8		
66	280	10.39	9.99	94.9		
67	276	10.66	10.39	94.4		
68	282	11.35	10.89	94.5		
69	279	11.70	11.25	94.8		
70	276	12.02	11.52	92.6		
71	272	12.86	11.88	90.9		
72	274	13.29	12.43	92.3		
73	268	13.64	13.15	93.9		
74	273	14.36	12.69	86.6		
75	279	14.96	12.90	85.5		
76	276	15.24	13.88	87.8		
77	282	16.40	14.98	89.6		
78	296	17.05	15.07	87.4		
79	308	17.44	14.96	84.4		
80	319	17.99	13.80	75.4		
81	324	18.62	12.75	68.6		
82	301	17.89	12.17	69.9		
83	258	16.86	11.95	71.7		
84	247	16.14	12.22	76.2		
85 86	223 216	15.66 15.46	12.17 12.83	77.6 82.9		
86 87	216	15.46	12.83	82.9 83.1		
		15.57	13.00	83.1		
88 89	213 204	15.92 15.65	13.45 13.55	84.7 86.6		
90	204	15.57	13.00	86.6		
90 91	205 202	15.68	13.61 13.51	87.1 86.0		
192	199	15.70	13.60	86.0 87.9		
93	187	15.70	13.85	91.5		
194	179	15.12	13.85	91.5		
194 195	179	15.43	14.03	92.6 92.0		
196	R170	15.43	14.12	92.0 R94.1		
996 997 ^P	164	15.33	14.82	97.2		
	104	10.40	14.02	31.2		

¹ Capacity in million barrels per calendar day on January 1.

R=Revised. P=Preliminary. Web Page: http://www.eia.doe.gov/fuelpetroleum.html.


Sources: Operable Refineries: • 1949-1961—Bureau of Mines Information Circular, "Petroleum Refineries, Including Cracking Plants in the United States." • 1962-1977—Bureau of Mines, Mineral Industry Surveys, Petroleum Refineries, Annual. • 1978-1981—Energy Information Administration (EIA), Energy Data Reports, Petroleum Refineries in the United States. • 1982-1997—EIA, Petroleum Supply Annual. • Gross Input to Distillation Units: • 1949-1966—Bureau of Mines, Minerals Yearbook, "Natural Gas Liquids" and "Crude Petroleum and Petroleum Products" chapters. • 1967-1977—Bureau of Mines, Mineral Industry Surveys, Petroleum Refineries, Annual. • 1978-1980—EIA, Energy Data Reports, Petroleum Refineries in the United States and U.S. Territories. • 1981-1997—EIA, Petroleum Supply Annual. • Utilization: • 1949-1980—Calculated. • 1981-1997—EIA, Petroleum Supply Annual.


² See Note 4 at end of section.

³ For 1949-1980, utilization is derived by dividing gross input to distillation units by one-half of the current year January 1 capacity and the following year January 1 capacity. Percentages were derived from unrounded numbers. For 1981 forward, utilization is derived by averaging reported monthly utilization.


⁴ Prior to 1956, the number of refineries included only those in operation on January 1. For 1957 forward, the number of refineries has included all operable refineries on January 1. See Glossary.

Figure 5.10 Natural Gas Plant Liquids Production





By Selected Product, 1949-1997



¹ Natural gas plant liquids.

Note: Because vertical scales differ, graphs should not be compared.

Source: Table 5.10.

² Liquefied petroleum gases.

Table 5.10 Natural Gas Plant Liquids Production, 1949-1997

(Thousand Barrels per Day)

	Finished Petroleum Products ¹							
Year		Ethane ²	Isobutane	Normal Butane ³	Propane ^{2,3}	Total	Pentanes Plus ⁴	Total
949	53	0	44	64	74	455	222	430
		8	11	61		155	223	
950	66	12	13	69	101	195	238	499
951	73	15	15	77	125	232	256	561
952	70	19	18	86	150	273	269	611
953	71	17	19	97	169	301	282	654
954	61	22	24	106	188	339	290	691
55	68	34	30	120	205	390	313	771
956	68	37	27	123	235	422	310	800
957	63	33	30	132	239	434	311	808
958	58	23	36	141	242	442	307	808
59	54	46	43	159	265	514	312	879
60	47	51	45	161	291	549	333	929
961	43	61	53	164	315	593	355	991
962	41	73	55	165	321	614	367	1,021
963	47	78	61	175	358	672	380	1,098
964	48	84	62	178	375	699	408	1,154
965	41	92	67	185	390	734	434	1,210
966	37	82	73	214	424	792	456	1,284
67	29	101	80	232	482	895	486	1,409
)68	25	125	81	236	517	960	509	1,504
969	35 27	173	74	248	543	1,037	526	1,590
	27 25	201	74 84	248	543 561	1,037	540	1,660
70								
971	25	221	88	249	586	1,144	523	1,693
972	21	275	92	249	600	1,215	507	1,744
973	16	296	92	249	587	1,225	497	1,738
74	7	323	92	244	569	1,227	454	1,688
75	7	337	90	237	552	1,217	409	1,633
76	6	365	82	227	521	1,195	403	1,604
977	5	397	81	223	513	1,214	399	1,618
78	3	406	75	210	491	1,182	382	1,567
79	26	400	104	212	500	1,216	342	1,584
80	23	396	105	210	494	1,205	345	1,573
81	18	397	117	224	519	1,256	334	1,609
82	11	426	109	204	519	1,258	282	1,550
83	12	456	100	217	541	1,314	233	1,559
84	4	505	99	203	527	1,334	292	1,630
985	14	493	127	171	521	1,313	282	1,609
986	4	485	128	157	508	1,277	269	1,551
87	4	499	141	157	503	1,300	291	1,595
88	À	501	144	167	506	1,319	302	1,625
89	(5)	466	149	151	471	1,237	309	1,546
90	(5)	477	151	149	474	1,250	309	1,559
91	(5)	530	169	150	487	1,336	324	1,659
91 92	(5)	541	189	137	499	1,365	332	1,697
92 93	(5)	556	192	142	513	1,402	334	1,736
193 194	(5)	559	192	136	513 510	1,402	334 326	
	(5)							1,727
95	(5)	573	185	151 R450	519	1,428	335	1,762
996	(5)	R627	R192	R150	525	1,494	R336	R1,830
997 ^P	(3)	638	193	152	529	1,511	331	1,842

¹ Motor gasoline, aviation gasoline, special naphthas, distillate fuel oil, and miscellaneous products.

R=Revised. P=Preliminary.

Note: Totals may not equal sum of components due to independent rounding. Web Page: http://www.eia.doe.gov/fuelpetroleum.html.

Sources: • 1949-1968—Bureau of Mines, *Minerals Yearbook*, "Crude Petroleum and Petroleum Products" chapter. • 1969-1975—Bureau of Mines, Mineral Industry Surveys, *Petroleum Statement*, Annual. • 1976-1980—Energy Information Administration (EIA), Energy Data Reports, Petroleum Statement, Annual. • 1981-1996—EIA, Petroleum Supply Annual. • 1997—EIA, Petroleum Supply Monthly (February 1998).

² Reported production of ethane-propane mixtures has been allocated 70 percent ethane and 30 percent propane.

³ Reported production of butane-propane mixtures has been allocated 60 percent butane and 40


percent propane.

⁴ Prior to 1984, this category was reported separately as natural gasoline, isopentane, and plant

⁵ Beginning in 1989, data on finished petroleum products production from natural gas processing plants were no longer available.


Figure 5.11 Petroleum Products Supplied by Type

By Selected Product, 1949-1997



By Product, 1997

Motor Gasoline's Share of Total Petroleum Products Supplied, 1949-1997



¹ Liquefied petroleum gases.

Table 5.11 Petroleum Products Supplied by Type, 1949-1997

(Million Barrels per Day)

	Asphalt and Road Oil	Distillata	Jet Fuel	Liquefied Petroleum Gases			Besideed			Percentage
Year		Distillate Fuel Oil		Propane ¹	Total	Motor Gasoline ²	Residual Fuel Oil	Other Products ³	Total Products	Change from Previous Year ⁴
1949	0.16	0.90	(5)	NA	0.19	2.50	1.36	R0.65	5.76	_
1950	0.18	1.08	(5)	NA	0.23	2.72	1.52	R _{0.72}	6.46	12.1
1951	0.20	1.23	(5)	NA	0.28	2.99	1.55	R0.78	7.02	8.6
1952	0.21	1.30	0.05	NA	0.30	3.12	1.52	R0.76	7.27	3.9
953	0.22	1.34	0.09	NA	0.33	3.30	1.54	R _{0.79}	7.60	4.3
1954	0.23	1.44	0.13	NA	0.35	3.37	1.43	R0.80	7.76	2.1
1955	0.25	1.59	0.15	NA	0.40	3.66	1.53	R0.87	8.46	9.0
1956	0.27	1.68	0.20	NA	0.44	3.75	1.54	R _{0.89}	8.78	4.1
1957	0.26	1.69	0.20	NA	0.45	3.82	1.50	R _{0.88}	8.81	0.1
1958	0.28	1.79	0.26	NA	0.49	3.93	1.45	R _{0.91}	9.12	3.5
1959	0.30	1.81	0.29	NA	0.58	4.07	1.54	R _{0.94}	9.53	4.5
1960	0.30	1.87	0.28	NA	0.62	4.13	1.53	R1.06	9.80	3.1
1961	0.31	1.90	0.29	NA	0.64	4.20	1.50	R1.13	9.98	1.5
1962	0.33	2.01	0.31	NA	0.70	4.34	1.50	R1.22	10.40	4.2
1963	0.34	2.05	0.32	NA	0.76	4.47	1.48	R1.34	10.74	3.3
1964	0.35	2.05	0.32	NA	0.81	4.40	1.52	R1.58	11.02	2.9
1965	0.37	2.13	0.60	NA	0.84	4.59	1.61	R1.38	11.51	4.2
1966	0.39	2.18	0.67	NA NA	0.89	4.81	1.72	R1.43	12.08	5.0
1967	0.38	2.24	0.82	0.62	0.94	4.96	1.79	R1.43	12.56	3.9
1968	0.41	2.39	0.95	0.69	1.05	5.26	1.83	R1.50	13.39	6.9
1969	0.42	2.47	0.99	0.78	1.22	5.53	1.98	R1.54	14.14	5.3
1970	0.45	2.54	0.97	0.78	1.22	5.78	2.20	R1.53	14.70	4.0
1971	0.46	2.66	1.01	0.79	1.25	6.01	2.30	R1.52	15.21	3.5
1972	0.47	2.91	1.05	0.89	1.42	6.38	2.53	R1.62	16.37	7.9
1973	0.52	3.09	1.06	0.87	1.45	6.67	2.82	R1.69	17.31	5.5
1973	0.48	2.95	0.99	0.83	1.41	6.54	2.64	R1.65	16.65	-3.8
1975	0.42	2.85	1.00	0.78	1.33	6.67	2.46	R1.58	16.32	-2.0
1976	0.42	3.13	0.99	0.83	1.40	6.98	2.80	R1.75	17.46	7.3
1976	0.41	3.35	1.04	0.82	1.42	7.18	3.07	R1.94	18.43	7.3 5.3
1977	0.48	3.43	1.04	0.62	1.41	7.10	3.02	R2.03	18.85	2.3
1976	0.48	3.31	1.08	0.76	1.59	7.41	2.83	R2.20	18.51	-1.8
1979	0.40	2.87	1.07	0.65	1.47	6.58	2.51	R2.17	17.06	-1.6 -7.6
1981	0.40	2.83	1.01	0.75	1.47	6.59	2.09	R1.74	16.06	-7.6 -6.1
1982	0.34	2.67	1.01	0.77	1.50	6.54	1.72	R1.51	15.30	-6.1 -4.7
1983	0.34	2.69	1.05	0.80	1.51	6.62	1.42	R1.57	15.23	-0.4
1983	0.37	2.69	1.05	0.75	1.57	6.69	1.42	R1.66	15.23	-0.4 3.5
1984	0.43	2.84	1.18	0.88	1.60		1.20	R1.58	15.73	
						6.83		11.08 R4.05		-0.3
1986	0.45	2.91	1.31	0.83	1.51	7.03	1.42	R1.65	16.28	3.5
1987	0.47	2.98	1.38	0.92	1.61	7.21	1.26	R1.76	16.67	2.4
1988	0.47	3.12	1.45	0.92	1.66	7.34	1.38	R1.87	17.28	4.0
1989	0.45	3.16	1.49	0.99	1.67	7.33	1.37	R1.86	17.33	0.0
1990	0.48	3.02	1.52	0.92	1.56	7.23	1.23	R1.94	16.99	-1.9
1991	0.44	2.92	1.47	0.98	1.69	7.19	1.16	R1.84	16.71	-1.6
1992	0.45	2.98	1.45	1.03	1.76	7.27	1.09	R2.03	17.03	2.2
1993	0.47	3.04	1.47	1.01	1.73	7.48	1.08	R1.96	17.24	0.9
1994	0.48	3.16	1.53	1.08	1.88	7.60	1.02	R2.04	17.72	2.8
1995	0.49	3.21	1.51	1.10	1.90	7.79	0.85	R1.98	17.72	0.0
1996	0.48	3.37	1.58	1.14	2.01	R7.89	R0.85	R2.13	R18.31	R3.6
1997 ^P	0.50	3.43	1.60	1.16	2.02	8.01	0.80	2.23	18.58	1.2

¹ Includes propylene.

R=Revised. P=Preliminary. NA=Not available. — = Not applicable.

² Prior to 1964, motor gasoline data were for total gasoline, including motor gasoline, aviation gasoline, and special naphthas.

³ Kerosene, petrochemical feedstocks, lubricants, wax, petroleum coke, still gas, pentanes plus, and miscellaneous products. Since 1964, aviation gasoline and special naphthas have been included. Prior to 1965, kerosene-type jet fuel was included in kerosene. For 1981 forward, other products include negative barrels per day of distillate and residual fuel oil reclassified as unfinished oils and other products (from both primary and secondary supply) reclassified as gasoline blending components. Beginning in 1983, product supplied has also included crude oil burned as fuel.

⁴ Percent change from previous year calculated from data in thousand barrels per year.


⁵ Included in the products from which jet fuel was blended: in 1952, 71 percent gasoline, 17 percent kerosene, and 12 percent distillate fuel.

Notes: • For the definition of petroleum products supplied, see Notes 1, 2, and 3 at end of section.
• Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelpetroleum.html.

Sources: • 1949-1975—Bureau of Mines, Mineral Industry Surveys, *Petroleum Statement, Annual.* • 1976-1980—Energy Information Administration (EIA), Energy Data Reports, *Petroleum Statement, Annual.* • 1981-1996—EIA, *Petroleum Supply Annual.* • 1997—EIA, *Petroleum Supply Monthly* (February 1998).

Figure 5.12a Petroleum Products Supplied by Sector




¹ Sum of shares may not equal 100 percent due to independent rounding. Note: See related Figure 5.12b.


Sources: Tables 5.12a and 5.12b.

Figure 5.12b Petroleum Products Supplied by Product by Sector, 1949-1997


Residential and Commercial Sector, Selected Products




Industrial Sector, Selected Products



Transportation Sector, Selected Products



Electric Utilities, Selected Products



ıld not be compared. Sources: Tables 5.12a and 5.12b.

.12a. • Because vertical scales differ, graphs

¹ Liquefied petroleum gases.

² Prior to 1980, based on oil used in steam plants. Since 1980, heavy oil includes fuel oil nos. 4, 5, and 6, and residual fuel oil.

³ Prior to 1980, based on oil used in internal combustion and gas turbine engine plants. Since 1980, light oil includes fuel nos. 1 and 2, kerosene, and jet fuel.

Notes: • See related Figure 5.12a. should not be compared.

Table 5.12a Petroleum Products Supplied to the Residential and Commercial Sector and the Industrial Sector, 1949-1997

(Million Barrels per Day)

	Residential and Commercial						Industrial								
Year	Distillate Fuel Oil	Kerosene	Liquefied Petroleum Gases	Motor Gasoline	Residual Fuel Oil	Total	Asphalt and Road Oil	Distillate Fuel Oil	Kerosene	Liquefied Petroleum Gases	Lubricants	Motor Gasoline	Residual Fuel Oil	Other ¹	Total
1949	0.43	0.16	0.11	0.05	0.15	0.90	0.16	0.27	0.12	0.08	0.04	0.12	0.53	0.28	1.60
1950	0.51	0.19	0.13	0.05	0.18	1.07	0.18	0.33	0.13	0.10	0.04	0.13	0.62	0.29	1.82
1951	0.57	0.21	0.14	0.06	0.19	1.17	0.20	0.37	0.13	0.13	0.05	0.14	0.63	0.33	1.98
1952	0.59	0.21	0.15	0.06	0.19	1.20	0.21	0.39	0.13	0.14	0.04	0.15	0.63	0.33	2.02
1953	0.60	0.20	0.16	0.06	0.20	1.22	0.22	0.38	0.12	0.16	0.04	0.16	0.65	0.36	2.08
1954	0.67	0.20	0.17	0.06	0.19	1.30	0.23	0.42	0.12	0.17	0.04	0.16	0.64	0.37	2.16
1955	0.74	0.20	0.18	0.07	0.21	1.40	0.25	0.47	0.12	0.21	0.05	0.17	0.69	0.43	2.39
1956	0.78	0.21	0.20	0.07	0.21	1.46	0.27	0.49	0.11	0.23	0.05	0.18	0.70	0.45	2.49
1957	0.77	0.18	0.20	0.07	0.20	1.43	0.26	0.49	0.10	0.24	0.05	0.18	0.66	0.48	2.46
1958	0.83	0.21	0.21	0.07	0.20	1.53	0.28	0.55	0.08	0.26	0.04	0.19	0.64	0.50	2.54
1959	0.83	0.18	0.26	0.08	0.23	1.57	0.30	0.55	0.08	0.31	0.05	0.19	0.70	0.52	2.71
1960	0.97	0.19	0.27	0.03	0.24	1.71	0.30	0.48	0.08	0.33	0.05	0.20	0.69	0.58	2.71
1961	0.99	0.20	0.28	0.04	0.25	1.76	0.31	0.48	0.06	0.34	0.05	0.19	0.66	0.76	2.72
1962	1.04	0.20	0.31	0.04	0.25	1.84	0.33	0.50	0.07	0.38	0.05	0.19	0.67	0.65	2.84
1963	1.04	0.20	0.33	0.04	0.24	1.84	0.34	0.50	0.07	0.41	0.05	0.18	0.67	0.74	2.96
1964	1.00	0.18	0.34	0.04	0.24	1.79	0.35	0.50	0.08	0.45	0.06	0.18	0.68	0.84	3.12
1965	1.06	0.19	0.35	0.04	0.28	1.91	0.37	0.54	0.08	0.47	0.06	0.18	0.69	0.86	3.25
1966	1.04	0.18	0.37	0.04	0.30	1.94	0.39	0.58	0.09	0.49	0.06	0.17	0.71	0.92	3.40
1967	1.10	0.16	0.41	0.04	0.31	2.02	0.38	0.58	0.11	0.51 0.59	0.06	0.16	0.69	0.94	3.43
1968	1.14	0.18	0.44 0.50	0.04	0.31 0.30	2.10	0.41 0.42	0.57 0.59	0.10	0.59	0.07 0.07	0.16	0.68	1.01	3.58 3.76
1969	1.13	0.18	0.50	0.04		2.16 2.18			0.10			0.15	0.69	1.06	
1970	1.16	0.17		0.05	0.31	2.18	0.45	0.58	0.09 0.08	0.70	0.07	0.15	0.71	1.07	3.81
1971 1972	1.17 1.23	0.17	0.50 0.54	0.04	0.29 0.28	2.18	0.46 0.47	0.60 0.65	0.08	0.71 0.85	0.07 0.07	0.14 0.13	0.71 0.77	1.08	3.84 4.19
1972	1.23	0.16 0.14	0.54	0.05 0.05	0.28		0.47	0.69	0.08	0.85	0.07	0.13		1.18 1.26	4.19
1973	1.24	0.14	0.51	0.05	0.29	2.23 2.04	0.52	0.63	0.08	0.90	0.09	0.13	0.81 0.75	1.26	4.48
1974	1.13	0.12	0.46	0.04	0.26	1.95	0.40	0.63	0.06	0.84	0.08	0.12	0.75	1.25	4.04
1976	1.13	0.10	0.48	0.05	0.25	2.12	0.42	0.72	0.06	0.90	0.07	0.12	0.79	1.39	4.45
1977	1.26	0.11	0.47	0.05	0.26	2.14	0.44	0.72	0.07	0.92	0.07	0.10	0.79	1.56	4.43
1978	1.23	0.10	0.45	0.06	0.23	2.07	0.48	0.82	0.08	0.92	0.09	0.09	0.75	1.64	4.87
1979	1.04	0.10	0.43	0.05	0.22	1.73	0.48	0.83	0.09	1.27	0.09	0.08	0.73	1.79	5.34
1980	0.86	0.07	0.28	0.06	0.25	1.52	0.40	0.62	0.09	1.17	0.08	0.08	0.59	1.81	4.84
1981	0.75	0.07	0.28	0.05	0.18	1.33	0.34	0.65	0.05	1.17	0.08	0.08	0.47	1.43	4.27
1982	0.70	0.06	0.26	0.05	0.17	1.24	0.34	0.62	0.07	1.21	0.07	0.07	0.46	1.22	4.06
1983	0.74	0.10	0.31	0.05	0.09	1.29	0.37	0.54	0.03	1.17	0.08	0.06	0.34	1.27	3.85
984	0.77	0.09	0.26	0.06	0.12	1.29	0.41	0.56	0.03	1.28	0.08	0.08	0.39	1.36	4.19
985	0.76	0.09	0.29	0.05	0.10	1.30	0.43	0.56	0.02	1.29	0.07	0.11	0.33	1.29	4.10
1986	0.76	0.08	0.29	0.06	0.13	1.31	0.45	0.56	0.02	1.21	0.07	0.11	0.32	1.37	4.11
987	0.76	0.08	0.32	0.06	0.11	1.33	0.47	0.58	0.01	1.28	0.08	0.11	0.25	1.47	4.25
988	0.77	0.08	0.31	0.06	0.11	1.34	0.47	0.57	0.01	1.33	0.08	0.10	0.24	1.59	4.39
1989	0.74	0.07	0.35	0.05	0.10	1.32	0.45	0.54	0.01	1.30	0.08	0.10	0.18	1.58	4.26
1990	0.62	0.04	0.32	0.06	0.10	1.14	0.48	0.56	0.01	1.22	0.08	0.10	0.18	1.70	4.32
1991	0.62	0.04	0.35	0.04	0.09	1.14	0.44	0.54	0.01	1.33	0.08	0.10	0.15	1.62	4.25
1992	0.62	0.04	0.34	0.04	0.08	1.12	0.45	0.54	(s)	1.40	0.08	0.10	0.17	1.80	4.55
1993	0.65	0.04	0.36	0.02	0.08	1.14	0.47	0.52	0.01	1.36	0.08	0.09	0.20	1.72	4.45
1994	0.63	0.04	0.35	0.01	0.08	1.11	0.48	0.52	0.01	1.50	0.08	0.10	0.19	1.80	4.69
1995	R0.63	0.05	R _{0.36}	0.01	R0.06	R1.11	0.49	R0.51	0.01	R1.53	0.08	R0.11	R0.15	1.74	R4.60
1996 ^E	R0.66	0.05	0.38	0.01	R0.06	R1.17	0.48	R0.52	0.01	R1.62	0.08	R0.11	R0.13	R1.89	R4.84
1997 ^E	0.67	0.06	0.38	0.01	0.05	1.17	0.50	0.53	0.01	1.62	0.08	0.11	0.12	1.97	4.94

¹ "Other" is petrochemical feedstocks, special naphthas, waxes, petroleum coke, still gas, natural gasoline, pentanes plus, crude oil, and miscellaneous products.

R=Revised. E=Estimated. (s)=Less than 0.005 million barrels per day.

sum of components due to independent rounding.
Sources: • 1949-1959—Bureau of Mines, Mineral Industry Surveys, *Petroleum Statement, Annual,* and Energy Information Administration (EIA) estimates. • 1960-1995—EIA, State Energy Data System 1995.

Notes: • See Table 5.12b for the transportation sector, electric utilities, and overall total. • See Notes 1, 2, and 3 at end of section for comments on the calculation of products supplied. • Totals may not equal

^{• 1996-}forward—EIA, Integrated Modeling Data System output for the Monthly Energy Review (March

Table 5.12b Petroleum Products Supplied to the Transportation Sector, Electric Utilities, and Total, 1949-1997 (Million Barrels per Day)

				Transp	Electric Utilities								
Year	Aviation Gasoline	Distillate Fuel Oil	Jet Fuel	Liquefied Petroleum Gases	Lubricants	Motor Gasoline	Residual Fuel Oil	Total	Heavy Oil ¹	Light Oil ²	Petroleum Coke	Total	Total
949	0.09	0.19	0.00	(s)	0.05	2.24	0.50	3.08	0.17	0.01	0.00	0.18	5.76
950	0.11	0.23	0.00	(s)	0.06	2.43	0.52	3.36	0.19	0.01	0.00	0.21	6.46
951	0.15	0.27	0.00	(s)	0.07	2.64	0.56	3.69	0.16	0.01	0.00	0.18	7.02
952	0.17	0.31	0.05	0.01	0.06	2.75	0.52	3.87	0.17	0.01	0.00	0.18	7.27
953	0.19	0.34	0.09	0.01	0.07	2.89	0.48	4.07	0.21	0.02	0.00	0.23	7.60
954	0.18	0.34	0.13	0.01	0.06	2.97	0.43	4.11	0.17	0.01	0.00	0.18	7.76
955	0.19	0.37	0.15	0.01	0.07	3.22	0.44	4.46	0.19	0.01	0.00	0.21	8.46
956	0.20	0.40	0.20	0.01	0.07	3.30	0.44	4.62	0.18	0.01	0.00	0.20	8.78
957	0.20	0.41	0.22	0.01	0.07	3.36	0.44	4.71	0.20	0.02	0.00	0.22	8.81
958	0.22	0.39	0.27	0.01	0.06	3.45	0.41	4.83	0.20	0.02	0.00	0.21	9.12
959	0.21	0.41	0.33	0.01	0.07	3.59	0.39	5.01	0.22	0.02	0.00	0.24	9.53
960	0.16	0.42	0.37	0.01	0.07	3.74	0.37	5.14	0.23	0.01	0.00	0.24	9.80
961	0.16	0.42	0.42	0.01	0.07	3.82	0.36	5.25	0.23	0.01	0.00	0.24	9.98
962	0.14	0.45	0.49	0.02	0.07	3.97	0.34	5.48	0.23	0.01	0.00	0.24	10.40
63	0.14	0.50	0.52	0.02	0.07	4.11	0.33	5.68	0.24	0.01	0.00	0.26	10.74
64	0.13	0.53	0.56	0.02	0.07	4.19	0.34	5.83	0.26	0.01	0.00	0.28	11.02
65	0.12	0.51	0.60	0.02	0.07	4.37	0.34	6.04	0.30	0.01	0.00	0.32	11.51
66	0.11	0.55	0.67	0.03	0.07	4.60	0.34	6.36	0.37	0.02	0.00	0.39	12.08
67	0.09	0.54	0.82	0.03	0.06	4.76	0.36	6.66	0.42	0.02	0.00	0.44	12.56
68	0.08	0.65	0.95	0.03	0.07	5.06	0.35	7.20	0.49	0.03	0.00	0.52	13.39
69	0.07	0.70	0.99	0.03	0.07	5.33	0.33	7.52	0.65	0.04	0.00	0.69	14.14
70	0.05	0.74	0.97	0.03	0.07	5.59	0.33	7.78	0.85	0.07	0.01	0.93	14.70
71	0.05	0.80	1.01	0.04	0.07	5.83	0.31	8.09	0.99	0.09	0.01	1.09	15.21
72	0.05	0.91	1.02	0.04	0.07	6.20	0.28	8.57	1.20	0.15	0.01	1.36	16.37
73	0.05	1.05	1.04	0.04	0.07	6.50	0.32	9.05	1.41	0.13	0.01	1.54	17.31
74	0.04	1.04	0.98	0.03	0.07	6.37	0.30	8.84	1.32	0.15	0.01	1.48	16.65
75	0.04	1.00	0.99	0.03	0.07	6.51	0.31	8.95	1.28	0.11	(s)	1.39	16.32
76	0.04	1.07	0.98	0.03	0.08	6.82	0.36	9.37	1.40	0.11	(s)	1.52	17.46
77	0.04	1.17	1.02	0.04	0.08	7.02	0.40	9.76	1.57	0.13	(s)	1.71	18.43
78	0.04	1.26	1.04	0.04	0.08	7.26	0.43	10.16	1.61	0.13	0.01	1.75	18.85
79	0.04	1.37	1.07	0.02	0.09	6.90	0.54	10.01	1.35	0.08	(s)	1.44	18.51
80	0.03	1.31	1.06	0.01	0.08	6.44	0.61	9.55	1.07	0.08	(s)	1.15	17.06
81	0.03	1.36	1.01	0.02	0.07	6.46	0.53	9.49	0.90	0.06	(s)	0.96	16.06
82	0.03	1.31	1.01	0.02	0.07	6.42	0.44	9.31	0.64	0.04	(s)	0.69	15.30
83	0.03	1.37	1.05	0.03	0.07	6.51	0.36	9.41	0.63	0.05	(s)	0.68	15.23
84	0.02	1.47	1.18	0.03	0.08	6.55	0.35	9.68	0.52	0.04	(s)	0.56	15.73
85	0.03	1.51	1.22	0.02	0.07	6.67	0.34	9.85	0.44	0.04	(s)	0.48	15.73
86	0.03	1.55	1.31	0.02	0.07	6.87	0.38	10.23	0.59	0.04	(s)	0.64	16.28
87	0.02	1.59	1.38	0.02	0.08	7.04	0.39	10.53	0.50	0.04	(s)	0.55	16.67
88	0.03	1.73	1.45	0.02	0.08	7.18	0.40	10.87	0.63	0.05	0.01	0.68	17.28
89	0.03	1.81	1.49	0.02	0.08	7.17	0.43	11.01	0.66	0.07	0.01	0.74	17.33
90	0.02	1.80	1.52	0.02	0.08	7.08	0.45	10.97	0.50	0.04	0.01	0.55	16.99
91	0.02	1.73	1.47	0.02	0.07	7.04	0.45	10.80	0.47	0.04	0.01	0.52	16.71
92	0.02	1.79	1.45	0.01	0.07	7.13	0.47	10.95	0.37	0.03	0.01	0.42	17.03
93	0.02	1.84	1.47	0.01	0.07	7.37	0.40	11.18	0.41	0.04	0.02	0.46	17.24
94	0.02	1.96	1.53	0.02	0.08	7.49	0.39	11.49	0.37	0.04	0.01	0.43	17.72
95 95	0.02	R2.03	1.51	R0.01	0.08	7.67	R0.40	R11.73	0.24	0.04	0.01	0.29	17.72
96 ^E	0.02	R2.13	1.58	R0.01	0.07	R7.77	R _{0.39}	R11.98	0.26	0.05	0.01	0.32	R18.31
97 ^E	0.02	2.18	1.60	0.01	0.08	7.89	0.33	12.10	0.30	0.05	0.02	0.37	18.58

¹ Prior to 1980, based on oil used in steam plants. Since 1980, heavy oil has included fuel oil nos. 4, 5,

Notes 1, 2, and 3 at end of section for comments on the calculation of products supplied. • Totals may not equal sum of components due to independent rounding.

Sources: • 1949-1959—Bureau of Mines, Mineral Industry Surveys, Petroleum Statement, Annual, and

Energy Information Administration (EIA) estimates. • 1960-1995—EIA, State Energy Data System 1995. • 1996-forward—EIA, Integrated Modeling Data System output for the Monthly Energy Review (March 1998).


and 6, and residual fuel oils.

² Prior to 1980, based on oil used in internal combustion and gas turbine engine plants. Since 1980, light oil has included fuel oil nos. 1 and 2, kerosene, and jet fuel.

R=Revised. E=Estimated. (s)=Less than 0.005 million barrels per day.

Notes: • See Table 5.12a for the residential and commercial sector and the industrial sector. • See

Figure 5.13 Fuel Oil and Kerosene Adjusted Sales, 1984-1996



Note: Because vertical scales differ, graphs should not be compared.

Table 5.13 Fuel Oil and Kerosene Adjusted Sales, 1984-1996

(Thousand Barrels per Day)

.,				Oil	_	Electric		Vessel	On- Highway		Off- Highway	All	
Year	Residential	Commercial	Industrial	Company	Farm	Utility	Railroad	Bunkering	Diesel	Military	Diesel	Other	Total
	Distillate Fuel Oil												
1984	450	319	153	59 57	193	45	225	110	1,093	45	109	44	2,845
1985	471	294	169	57	216	34	209	124	1,127	50	105	12	2,868
1986	476	280	175	49	220	40	202	133	1,169	50	111	9	2,914
1987	484	279	190	58	211	42	205	145	1,185	58	113	5	2,976
1988	498	269	170	57	223	52	212	150	1,304	64	119	4	3,122
1989	489	252	167	55	209	70	213	154	1,378	61	107	2	3,157
1990	393	228	160	63	215	48	209	143	1,393	51	116	(s)	3,021
1991	391	226	152	59	214	39	197	141	1,336	54	110	(s) (s)	2,921
1992	406	218	144	51	228	30	209	146	1,391	42	113	(s)	2,979
1993	429	218	128	50	211	38	190	133	1,485	31	127	(s)	3,041
1994	413	218	136	46	209	49	200	132	1,594	34	130	(s)	3,162 3,207
1995	416	216	132	36	211	39	208	129	1,668	24	126	_	3,207
1996	438	224	137	41	218	45	213	142	1,759	24	135		3,374
						ſ	Residual Fuel O	il					
1984	_	92	258	76	_	509	(1)	370	_	14	_	50	1,369
1985	_	103	252	71	_	403	(1)	346	_	13	_	15	1,202
1986	_	126	254	51	_	590	(1)	371	_	E12	_	15	1,418
1987	_	118	208	42	_	498	(1)	383	_	12	_	3	1,264
1988	_	119	200	34	_	621	(1)	392	_	9	_	4	1,378
1989	_	108	160	22	_	639	(1)	432	_	7	_	2	1,370
1990	_	98	145	21	_	550	(1)	408	_	5	_	2	1,229
1991	_	93	126	20	_	468	NA	443	_	8	_	1	1,158
1992	_	84	152	19	_	363	NA	468	_	7	_	1	1,094
1993	_	79	184	21	_	381	NA	409	_	6	_	(s)	1,080
1994	_	76	168	17	_	366	NA	388	_	4	_	(s) (s)	1,021
1995	_	66	141	15	_	206	NA	420	_	4	_	(s)	852
1996	_	62	139	11	_	256	NA	379	_	4	_	`1	851
							Kerosene						
1984	42	45	14	_	3	_	_	_	_	_	_	11	115
1985	56	24	17	_	3	_	_	_	_	_	_	14	114
1986	42	20	11	_	3	_	_	_	_	_	_	22	98
1987	44	17	10	_	2	_	_	_	_	_	_	21	95
1988	50	20	12	_	3	_	_	_	_	_	_	11	96
1989	40	23	11	_	2	_	_	_	_	_	_	8	84
1990	29	6	5	_	1	_	_	_	_	_	_	ĭ	43
1991	32	6	5	_	2	_	_	_	_	_	_	1	46
1992	31	5	3	_	1	_	_	_	_	_	_	(s)	41
1993	37	7	4	_	ż	_	_	_	_	_	_	1	50
1994	31	9	6	_	2	_	_	_	_	_	_	i	49
1995	36	11	6	_	1	_	_	_	_	_	_	(s)	54
1996	36 43	10	7	_	2	_	_	_	_	_	_	(s) (s)	62
					_							(-)	

Included in "All Other."

Sources: Distillate Fuel Oil and Kerosene: • 1984—EIA, Petroleum Marketing Annual 1988 (October 1989), Tables 13 and 15. • 1985—EIA, Fuel Oil and Kerosene Sales 1989 (January 1991), Tables 13 and


15. • 1986—EIA, Fuel Oil and Kerosene Sales 1990 (October 1991), Tables 13 and 15. • 1987—EIA, Fuel Oil and Kerosene Sales 1991 (November 1992), Tables 13 and 15. • 1988—EIA, Fuel Oil and Kerosene Sales 1992 (October 1993), Tables 13 and 15. • 1989—EIA, Fuel Oil and Kerosene Sales 1993 (September 1994), Tables 13 and 15. • 1990—EIA, Fuel Oil and Kerosene Sales 1994 (September 1995), Tables 13 and 15. • 1991 forward—EIA, Fuel Oil and Kerosene Sales 1996 (September 1997), Tables 13 and 15. • 1981 forward—EIA, Fuel Oil and Kerosene Sales 1996 (September 1997), Tables 13 and 15. • 1984—EIA, Fuel Oil and Kerosene Sales 1996, (October 1989) Table 14. • 1985—EIA, Fuel Oil and Kerosene Sales 1990 (October 1991), Table 14. • 1986—EIA, Fuel Oil and Kerosene Sales 1991 (November 1992), Table 14. • 1988—EIA, Fuel Oil and Kerosene Sales 1992 (October 1993), Table 14. • 1989—EIA, Fuel Oil and Kerosene Sales 1994 (September 1994), Table 14. • 1990—EIA, Fuel Oil and Kerosene Sales 1994 (September 1995), Table 14. • 1991 forward—EIA, Fuel Oil and Kerosene Sales 1996 (August 1997), Table 14.

E = Annual estimate based on eleven months of data. NA=Not available. — = Not applicable. (s)=Less than 0.5 thousand barrels per day.


Notes: • Distillate fuel oil and kerosene data are sales data that were adjusted at the Petroleum Administration for Defense district level to equal Energy Information Administration (EIA) volume estimates of products supplied in the U.S. marketplace. The residual fuel data are sales data adjusted at the national level to equal the EIA volume estimate of residual fuel oil products supplied. Additional information is available in EIA's report *Fuel Oil and Kerosene Sales 1994* (October 1995). • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelpetroleum.html.

Figure 5.14 Petroleum Primary Stocks by Type, End of Year



1955 1960 1965 1970 1975 1980 1985




1974 1979

1984 1989 1994

1949 1954 1959 1964 1969

By Type, 1997



¹ Includes crude oil stored in the Strategic Petroleum Reserve (SPR).

Note: Because vertical scales differ, graphs should not be compared.

Sources: Tables 5.14 and 5.15.

² See Figure 5.15 for additional Strategic Petroleum Reserve information.

Table 5.14 Petroleum Primary Stocks by Type, End of Year 1949-1997

(Million Barrels)

	Crude Oil	and Lease Co	ndensate					Petroleum	Products					
	Strategic			Distillate I	uel Oil	_	Liquefied Petr	oleum Gases						
Year	Petroleum Reserve	Other Primary	Total	Low Sulfur 1	Total	Jet Fuel	Propane ²	Total	Motor Gasoline ³	Residual Fuel Oil	Unfinished Oils	Other Products ⁴	Total Products	Total Petroleum
1949	0	253	253	NA	75	(5)	(6)	1	110	60	66	37	350	603
1950	0	248	248	NA	72	(5)	(6)	2	116	41	70	34	334	583
1951	0	256	256	NA	87	(5)	(6)	2	135	43	67	45	378	634
1952	0	272	272	NA	99		(6)	3	135	49	62	53	402	674
1953	0	274	274	NA	112	3	(6)	4	158	49	69	56	451	726
1954	0	258	258	NA	108	3	(6)	7	155	52	74	57	457	715
1955	0	266	266	NA	111	3	(6)	.7	165	39	68	55	449	715
1956 1957	0	266	266	NA	134	5	(6)	14	187	44	67	63	514	780 841
	0	282	282	NA	149	5 6	(6)	14	197	60	69	66	560	841
1958 1959	0	263 257	263 257	NA NA	125 151	8	(6) (6)	16 19	187 188	60 54	70 67	63 66	526 552	789 809
1960	0	240	240	NA NA	138	7	(6)	23	195	45	62	76	545	785
1961	0	245	245	NA	152	8	(6)	31	184	45	79	81	580	825
1962	ŏ	252	252	NA	144	10	(6)	25	189	50	82	83	582	834
1963	Ö	237	237	NA	157	9	(6)	28	191	48	82	85	598	836
1964	0	230	230	NA	156	19	(6)	30	186	40	87	92	609	839
1965	0	220	220	NA	155	19	(6)	30	175	56	89	92	616	836
1966	0	238	238	NA	154	19	(6)	35	186	61	89	91	636	874
1967	0	249	249	NA	160	22	(6)	64	200	66	90	93	695	944
1968	0	272	272	NA	173	24	(6)	76	204	67	93	89	727	1,000
1969	0	265	265	NA	172	28	(6)	60	211	58	98	88	715	980
1970	0	276	276	NA	195	28	(6)	67	209	54	99	89	741	1,018
1971	0	260	260	NA	191	28	(6)	95	219	60	101	92	784	1,044
1972 1973	0	246	246	NA	154	25 29	(6) R65	86	213	55	95 99	84 80	713	959
1973	0	242 265	242 265	NA NA	196 200	29 29	R69	99 113	209 218	53 60	106	80 82	766 809	1,008 1,074
1974	0	271	271	NA NA	200	30	R82	125	235	74	106	82 82	862	1,133
1975	0	285	285	NA NA	186	32	R74	116	231	72	110	78	826	1,112
1977	7	340	348	NA	250	35	R81	136	258	90	113	82	964	1,312
1978	67	309	376	NA	216	34	R87	132	238	90	109	82	901	1,278
1979	91	339	430	NA	229	39	R64	111	237	96	118	82	911	1.341
1980	108	358	466	NA	205	42	R65	120	261	92	124	82	926	1,392
1981	230	363	594	NA	192	41	R76	135	253	78	111	80	890	1,484
1982	294	350	644	NA	179	37	R54	94	235	66	105	70	786	1,430
1983	379	344	723	NA	140	39	R48	101	222	49	108	72	731	1,454
1984	451	345	796	NA	161	42	58	101	243	53	94	67	760	1,556
1985	493	321	814	NA	144	40	39	74	223	50	107	67	705	1,519
1986	512	331	843	NA	155	50	63	103	233	47	94	68	750	1,593
1987	541	349	890	NA	134	50	48	97	226	47	93	70	718	1,607
1988 1989	560	330	890	NA NA	124	44 41	50 32	97 80	228 213	45 44	100	70 70	707	1,597
1989	580 586	341 323	921 908	NA NA	106 132	52	32 49	98	220	49	106 99	63	660 712	1,581 1,621
1990	569	323 325	893	NA NA	144	52 49	49	98	219	50	98	72	712	1,621
1991	575	318	893	NA NA	144	43	39	89	216	43	96 95	73	699	1,592
1993	587	335	922	64	141	40	51	106	226	44	88	78 78	725	1,647
1994	592	337	929	73	145	47	46	99	215	42	91	84	724	1,653
1995	592	303	895	67	130	40	43	93	202	37	86	79	668	1.563
1996	566	R284	850	R68	127	40	43	86	R195	46	88	R76	R658	R1,507
1997 ^P	563	305	868	69	139	44	44	89	210	40	90	81	694	1,562

Sulfur content of 0.05 percent or less by weight.

R=Revised. P=Preliminary. NA=Not available.

Note: Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelpetroleum.html.

² Includes propylene.

³ Prior to 1964, motor gasoline data were for total gasoline, which included motor gasoline, aviation

gasoline, and special naphthas. For 1981 forward, includes motor gasoline blending components.


4 Kerosene, petrochemical feedstocks, lubricants, wax, petroleum coke, asphalt, road oil, pentanes plus, and miscellaneous products. Since 1964, aviation gasoline and special naphthas have been included. For 1981 forward, includes aviation gasoline blending components, hydrogen, other hydrocarbons, and alcohol.


⁵ Included in the products from which jet fuel was blended: in 1952, 71 percent gasoline, 17 percent kerosene, and 12 percent distillate fuel.

⁶ Included in liquefied petroleum gases total.

Sources: • 1949-1975—Bureau of Mines, Mineral Industry Surveys, Petroleum Statement, Annual. 1976-1980—Energy Information Administration (EIA), Energy Data Reports, Petroleum Statement, Annual.
 1981-1996—EIA, Petroleum Supply Annual.
 1997—EIA, Petroleum Supply Monthly (February)


Figure 5.15 Strategic Petroleum Reserve, 1977-1997






1977 1979 1981 1983 1985 1987 1989 1991 1993 1995 1997

SPR Storage as Days of Net Imports¹



SPR as Share of Domestic Stocks

25



Notes: • SPR=Strategic Petroleum Reserve.

 $^{^{\}rm 1}$ Derived by dividing end-of-year Strategic Petroleum Reserve stocks by average daily net imports of all petroleum.

[•] Because vertical scales differ, graphs should not be compared. Source: Table 5.15.

Table 5.15 Strategic Petroleum Reserve, 1977-1997

(Million Barrels, Except as Noted)

					End-of-Year Stocks		
Year	Crude Oil Imports	Domestic Crude Oil Deliveries	Domestic Crude Oil Sales	Quantity ¹	Share of Crude Oil ² Stocks (percent)	Share of Total Petroleum Stocks (percent)	Days of Net Petroleum Imports ³
1977	7.54	⁴ 0.37	0.00	7.46	2.1	0.6	1
1978	58.80	0.00	0.00	66.86	17.8	5.2	8
1979	24.43	(s)	0.00	91.19	21.2	6.8	11
1980	16.07	1.30	0.00	107.80	23.1	7.7	17
1981	93.30	28.79	0.00	230.34	38.8	15.5	43
1982	60.19	3.79	0.00	293.83	45.7	20.5	68
1983	85.29	0.42	0.00	379.09	52.4	26.1	88
1984	72.04	0.05	0.00	450.51	56.6	28.9	96
1985	43.12	0.17	0.00	493.32	60.6	32.5	115
1986	17.56	1.21	0.00	511.57	60.7	32.1	94
1987	26.52	2.69	0.00	540.65	60.8	33.6	91
1988	18.76	0.01	0.00	559.52	62.9	35.0	85
1989	20.35	0.00	0.00	579.86	62.9	36.7	81
1990	9.77	0.00	3.91	585.69	64.5	36.1	82
1991	0.00	0.00	17.22	568.51	63.7	35.2	86
1992	3.59	2.60	0.00	574.72	64.4	36.1	83
1993	5.37	6.96	0.00	587.08	63.6	35.6	77
1994	4.49	0.11	0.00	591.67	63.7	35.8	73
1995	0.00	0.00	0.00	591.64	66.1	37.9	75 807
1996 1997	0.00 0.00	0.00 0.00	25.82 2.33	565.82 563.43	^R 66.6 64.9	37.5 36.1	^R 67 63

¹ Stocks do not include imported quantities in transit to Strategic Petroleum Reserve terminals, pipeline fill, and above-ground storage.

R=Revised. (s)=Less than 0.005 million barrels.

Web Page: http://www.eia.doe.gov/fuelpetroleum.html.


Sources: Domestic Crude Oil Deliveries and Domestic Crude Oil Sales: U.S. Department of Energy, Assistant Secretary for Fossil Energy, unpublished data. All Other Data: • 1977-1980—Energy Information Administration (EIA), Energy Data Report, Petroleum Statement, Annual. • 1981-1996—EIA, Petroleum Supply Annual. • 1997—EIA, Petroleum Supply Monthly (February 1998).

² Including lease condensate stocks.

³ Derived by dividing end-of-year Strategic Petroleum Reserve stocks by annual average daily net imports of all petroleum. Calculated prior to rounding.

⁴ The quantity of domestic fuel oil which was in storage prior to injection of foreign crude oil.

Figure 5.16 Crude Oil Domestic First Purchase Prices



 $^{^{\}rm 1}$ In chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Table 3.1.

Note: Because vertical scales differ, graphs should not be compared. Source: Table 5.16.

² Alaska North Slope.

Table 5.16 Crude Oil Domestic First Purchase Prices, 1949-1997

(Dollars per Barrel)

	Alaska No	orth Slope	Califo	rnia	Tex	as	U.S. A	/erage
Year	Nominal	Real ¹	Nominal	Real ¹	Nominal	Real ¹	Nominal	Real ¹
949	_	_	_	_	_	_	2.54	R14.03
950	_	_	_	_	_	_	2.51	R13.72
51	_	_	_	_	_	_	2.53	R12.91
952	_	_	_	_	_	_	2.53	R12.71
953	_	_	_	_	_	_	2.68	R13.27
54	_	_	_	_	_	_	2.78	R13.63
55	_	_	_	_	_	_	2.77	R13.38
56	_	_	_	_	_	_	2.79	R12.98
57	_	_	_	_	_	_	3.09	R13.92
58	_	_	_	_	_	_	3.01	R13.26
59	_	_	_	_	_	_	2.90	R12.61
60							2.88	12.36
61	_	_	_	_	_	_	2.89	R12.30
62	_		_	_	_	_	2.90	R12.30
163							2.89	R12.18 R11.99
64	_			_	_	_	2.88	11.76
65					_	_	2.86	11.44
66	_		_		_		2.88	11.21
67	_	_		_	_	_	2.92	11.02
68	_	_	<u> </u>	_		_	2.92	R10.65
69	_	_		_	_		3.09	R10.69
	_		_		_			R10.43
70	_	_	_	_	_	_	3.18 3.39	R10.56
71	_	_	_	_	_	_	3.39	N10.56
72	_		_			_	3.39	R10.15 R11.02
73	_	_	_	_	_	_	3.89	
74	_	_	_	_	_	_	6.87	17.84
75 70	_	_	_	_	_	_	7.67	R18.22
76	20.00				_	_	8.19	18.36
77	² 6.29	² 13.27	7.92	16.71	8.58	18.10	8.57	18.08
78	5.21	R10.24	8.58	R16.86	9.29	R18.25	9.00	R17.68
79	10.57	R19.15	12.78	R23.15	12.65	R22.92	12.64	R22.90
80	16.87	R27.98	23.87	R39.59	21.84	R36.22	21.59	R35.80
81	23.23	R35.20	26.80	R40.61	35.06	R53.12	31.77	R48.14
82	19.92	R28.38	24.58	R35.01	31.77	R45.26	28.52	R40.63
83	17.69	R24.17	22.61	R30.89	29.35	R40.10	26.19	R35.78
84	17.91	23.60	22.09	29.10	28.87	38.04	25.88	34.10
85	16.98	R21.63	22.14	R28.20	26.80	R34.14	24.09	R30.69
86	6.45	8.00	11.90	14.76	14.73	18.28	12.51	15.52
87	10.83	13.03	13.92	16.75	17.55	21.12	15.40	18.53
88	8.43	9.79	10.97	12.74	14.71	17.08	12.58	14.61
39	12.00	13.38	14.06	15.67	17.81	19.86	15.86	17.68
90	15.23	16.27	17.81	19.03	22.37	23.90	20.03	21.40
91	11.57	11.89	13.72	14.10	19.04	19.57	16.54	17.00
92	11.73	11.73	13.55	13.55	18.32	18.32	15.99	15.99
93	10.84	10.57	12.11	11.80	16.19	15.78	14.25	13.89
994	9.77	R9.30	12.12	R11.53	14.98	R14.25	13.19	R12.55
95	11.12	R10.32	14.00	R12.99	16.38	R15.19	14.62	R13.56
96	15.32	R13.90	R16.72	R15.17	20.31	R18.43	18.46	R16.75
97 ^P	14.84	13.20	15.78	14.04	18.64	16.58	17.24	15.34

 $^{^{1}}$ In chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Table 3.1.

Products" chapter. • 1974 through January 1976—Federal Energy Administration (FEA), Form FEA-90, "Crude Petroleum Production Monthly Report." • February 1976 through September 1979—FEA, Form FEA-P-124, "Domestic Crude Oil Purchaser's Monthly Report." • October 1979 through 1982—Economic Regulatory Administration, Form ERA-182, "Domestic Crude Oil First Purchase Report." • 1983 forward—Energy Information Administration, Form EIA-182, "Domestic Crude Oil First Purchase Report."


² Average for July through December only.

R=Revised. P=Preliminary. — = Not applicable.

Note: For the definition of crude oil domestic first purchase prices, see Note 5 at end of section.


Sources: • 1949-1973—Bureau of Mines, Minerals Yearbook, "Crude Petroleum and Petroleum

Figure 5.17 Landed Costs of Crude Oil Imports From Selected Countries




25 -20.72 20.75 20.28 20 Dollars² per Barrel 17.83 17.62 17.32 16.42 15 -5 United Kingdom Saudi Arabia Mexico Venezuela Nigeria Canada Norway

By Selected OPEC Country, 19731-1997



By Selected Non-OPEC Country, 19731-1997

By Selected Country, 1997



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 5.17.

¹ Based on October, November, and December data only.

² Nominal dollars.

Table 5.17 Landed Costs of Crude Oil Imports From Selected Countries, 1973-1997

(Dollars¹ per Barrel)

	Davelen		Select	ted OPEC 2 Co	ountries				Selected	d Non-OPEC	Countries			
Year	Persian Gulf Nations	Kuwait	Nigeria	Saudi Arabia	Venezuela	Total OPEC ³	Angola	Canada	Colombia	Mexico	Norway	United Kingdom	Total Non-OPEC	Total
973 ⁴	5.91	W	9.08	5.37	5.99	6.85	W	5.33	W	NA	NA	NA	^R 5.64	6.41
974	12.21	W	13.16	11.63	11.25	12.49	12.48	11.48	W	W	NA	NA	R11.81	12.32
975	12.64	W	12.70	12.50	12.36	12.70	11.81	12.84	(5)	12.61	12.80	NA	R12.70	12.70
976	13.03	W	13.81	13.06	11.89	13.32	12.71	13.36	(5)	12.64	13.74	W	R13.35	13.32
977	13.85	W	15.29	13.69	13.11	14.35	14.04	14.13	(5)	13.82	14.93	14.83	R14.42	14.36
978	14.01	W	14.88	13.94	12.84	14.34	14.07	14.41	(5)	13.56	14.68	14.53	R14.38	14.35
979	20.42	W	22.97	18.95	17.65	21.29	21.06	20.22	(5)	20.77	22.55	22.97	R22.10	21.45
980	30.59	W	37.15	29.80	25.92	33.56	34.76	30.11	W	31.77	36.82	35.68	R33.99	33.67
981	34.61	NA	39.66	34.20	29.91	36.60	36.84	32.32	(5)	33.70	38.70	37.29	36.14	36.47
982	34.94	NA	36.16	34.99	24.93	34.81	33.08	27.15	(5)	28.63	34.70	34.25	31.47	33.18
983	29.37	NA	30.85	29.27	22.94	29.84	29.31	25.63	(5)	25.78	30.72	30.87	28.08	28.93
984	29.07	W	30.36	29.20	25.19	29.06	28.49	26.56	(5)	26.85	30.05	29.45	28.14	28.54
985	25.50	NA	28.96	24.72	24.43	26.86	27.39	25.71	(5)	25.63	28.32	28.36	26.53	26.67
986	12.92	11.70	15.29	12.84	11.52	13.46	14.09	13.43	12.85	12.17	15.98	14.63	13.52	13.49
987	17.47	18.14	19.32	16.81	15.76	17.64	18.20	17.04	18.43	16.69	19.10	18.78	17.66	17.65
988	13.51	12.84	15.88	13.37	13.66	14.18	14.48	13.50	14.47	12.58	15.43	15.82	13.96	14.08
989	17.37	16.90	19.19	17.34	16.78	17.78	18.36	16.81	18.10	16.35	19.06	18.74	17.54	17.68
990	20.55	17.01	23.33	21.82	20.31	21.23	21.51	20.48	22.34	19.64	21.11	22.65	20.98	21.13
991	17.34	18.48	21.39	17.22	15.92	18.08	19.90	17.16	19.55	15.89	21.44	21.37	17.93	18.02
992	17.58	16.99	20.78	17.48	15.13	17.81	19.36	17.04	18.46	15.60	20.90	20.63	17.67	17.75
993	15.26	14.23	18.73	15.40	13.39	15.68	17.40	15.27	16.54	14.11	18.99	17.92	15.78	15.72
994	15.00	14.49	17.21	15.11	13.12	15.08	16.36	14.83	15.80	14.09	17.09	16.64	15.29	15.18
995	16.78	16.47	18.25	16.84	14.81	16.61	17.66	16.65	17.45	16.19	18.06	17.91	16.95	16.78
996	R20.44	R20.32	R21.95	R20.49	R18.59	R20.14	R21.86	R19.94	22.02	R19.64	R21.34	R20.88	R20.46	R _{20.31}
997 ^P	17.70	17.17	20.72	17.83	16.42	17.88	20.36	17.62	19.70	17.32	20.28	20.75	18.47	18.19

Nominal dollars

R=Revised. P=Preliminary. NA=Not available. W=Value withheld to avoid disclosure of individual

company data.

Notes: • Data include imports for the Strategic Petroleum Reserve, which began in 1977. • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelpetroleum.html.

Sources: • 1973 through September 1977—Federal Energy Administration, Form FEA-F701-M-0, "Transfer Pricing Report." • October 1977 through January 1979—Energy Information Administration (EIA), Form FEA-F701-M-0, "Transfer Pricing Report." • February 1979 through September 1982—EIA, Form ERA-51, "Transfer Pricing Report." • October 1982 through June 1984—EIA, Form EP-51, "Monthly Foreign Crude Oil Transaction Report." • July 1984 forward—EIA, Form EIA-856, "Monthly Foreign Crude Oil Acquisition Report."


² Organization of Petroleum Exporting Countries (OPEC). See Glossary for current membership.

³ Ecuador, which withdrew from OPEC on December 31, 1992, is included through 1992. In June 1996, OPEC retroactively ended Gabon's membership in OPEC effective December 31, 1994. However, data for Gabon are still included here for 1995. Total OPEC imports exclude petroleum imported into the United States indirectly from OPEC countries, primarily from Caribbean and West European refining areas, as petroleum products that were refined from crude oil produced in OPEC countries.


⁴ Based on October, November, and December data only.

⁵ No data reported.

Figure 5.18 Value of Crude Oil Imports



By Selected Country, 1997



¹Nominal Dollars.

Source: Table 5.18.

Notes: • OPEC = Organization of Petroleum Exporting Countries. • Because vertical scales differ, graphs should not be compared.

Table 5.18 Value of Crude Oil Imports From Selected Countries, 1973-1997

(Billion Dollars1)

			Select	ted OPEC 2 Co	ountries				Selected	d Non-OPEC (Countries			
Year	Persian Gulf Nations	Kuwait	Nigeria	Saudi Arabia	Venezuela	Total OPEC ³	Angola	Canada	Colombia	Mexico	Norway	United Kingdom	Total Non-OPEC	Total ⁴
973	1.7	W	1.5	0.9	0.8	5.2	W	1.9	W	W	NA	NA	2.4	7.6
974	4.4	W	3.3	1.9	1.3	11.6	0.2	3.3	NA	W	W	NA	4.1	15.6
975	5.2	W	3.5	3.2	1.8	14.9	0.3	2.8	NA	0.3	0.1	W	4.1	19.0
976	8.7	W	5.1	5.8	1.0	22.2	(s)	1.8	W	0.4	0.2	W	3.6	25.8
977	12.2	W	6.3	6.9	1.2	29.6	0.1	1.4	NA	0.9	0.3	0.5	5.1	34.7
978	11.3	W	4.9	5.8	8.0	27.1	(s)	1.3	NA	1.6	0.6	0.9	6.2	33.3
979	15.3	W	9.0	9.3	1.9	39.7	0.3	2.0	NA	3.3	0.6	1.7	11.3	51.0
980	16.9	W	11.4	13.6	1.5	47.5	0.5	2.2	NA	5.9	1.9	2.3	17.4	64.9
981	15.1	NA	8.8	13.9	1.6	39.0	0.6	1.9	NA	5.8	1.6	5.0	19.5	58.5
982	8.4	W	6.7	6.8	1.4	22.0	0.5	2.1	NA	6.7	1.3	5.5	20.2	42.2
983	4.3	W	3.4	3.4	1.4	16.1	8.0	2.6	NA	7.2	0.7	4.1	19.1	35.2
984	4.8	W	2.3	3.3	2.3	16.1	0.9	3.3	NA	6.5	1.2	4.1	19.7	35.8
985	2.3	W	3.0	1.2	2.7	12.9	1.0	4.4	NA	6.7	0.3	2.9	18.3	31.2
986	3.8	0.1	2.4	2.9	1.8	10.4	0.5	2.8	0.3	2.8	0.3	1.7	10.2	20.6
987	6.0	0.5	3.7	3.9	2.8	15.5	1.2	3.8	0.8	3.7	0.5	2.1	14.7	30.1
988	6.7	0.4	3.5	4.4	2.2	14.0	1.1	3.4	0.6	3.1	0.3	1.5	12.3	26.3
989	11.0	1.0	5.6	7.1	3.0	21.9	1.9	3.9	0.9	4.3	0.9	1.1	15.8	37.7
990	13.5	0.5	6.7	9.5	4.9	27.2	1.9	4.8	1.1	4.9	0.7	1.3	18.2	45.5
991	11.0	(s)	5.3	10.7	3.9	22.3	1.8	4.7	0.9	4.4	0.6	0.8	15.7	38.0
992	10.5	0.2	5.1	10.2	4.6	22.2	2.4	5.0	0.7	4.5	0.9	1.5	17.3	39.5
993	9.1	1.8	4.9	7.2	4.9	20.7	2.1	5.0	0.9	4.4	0.9	2.0	18.3	38.9
994	8.8	1.6	3.9	7.2	5.0	19.7	1.9	5.3	0.8	4.8	1.2	2.4	19.4	39.1
995	9.1	1.3	4.1	7.7	6.2	21.6	2.3	6.3	1.3	6.1	1.7	2.2	22.6	44.3
996	11.1	1.8	4.8	9.4	8.9	25.3	2.8	7.8	1.8	8.7	2.3	1.6	30.5	55.8
997 ^P	10.5	1.6	5.1	8.3	8.1	24.1	3.0	7.3	1.9	8.5	2.1	1.3	29.0	53.1

Nominal dollars.

P=Preliminary. NA=Not available. W=Value withheld to avoid disclosure of individual company data. (s)=Less than \$0.05 billion.

Note: Because the volumes associated with the landed costs are not the same as those used in the calculation of this table, the value of imports do not sum. The values were calculated independently.

Web Page: http://www.eia.doe.gov/fuelpetroleum.html.


Sources: Calculated by using prices on Table 5.17 and volume data as follows: • 1973-1975—U.S. Department of the Interior, Bureau of Mines, *Petroleum Statement, Annual.* • 1976-1980—Energy Information Administration (EIA), *Petroleum Statement, Annual.* • 1981-1996—EIA, *Petroleum Supply Annual.* • 1997—EIA, *Petroleum Supply Monthly* (March 1998).

² Organization of Petroleum Exporting Countries. See Glossary for current membership.

³ Ecuador, which withdrew from OPEC on December 31, 1992, is included through 1992. In June 1996, OPEC retroactively ended Gabon's membership in OPEC effective December 31, 1994. However, data for Gabon are still included here for 1995. Total OPEC imports exclude petroleum imported into the United States indirectly from OPEC countries, primarily from Caribbean and West European refining areas, as petroleum products that were refined from crude oil produced in OPEC countries.

⁴ Data shown here represent landed value; they differ from data in Table 3.7, which are data from U.S. Customs that represent crude oil value at the port of loading.

Figure 5.19 Crude Oil Refiner Acquisition Costs, 1968-1997



 $^{^{\}rm 1}$ In chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Table 3.1.

Note: Because vertical scales differ, graphs should not be compared. Source: Table 5.19.

Table 5.19 Crude Oil Refiner Acquisition Costs, 1968-1997

(Dollars per Barrel)

	Dor	mestic	Impo	orted	Comp	oosite
Year	Nominal	Real ¹	Nominal	Real ¹	Nominal	Real ¹
968	3.21	R11.63	2.90	R10.51	3.17	R11.49
969	3.37	R11.66	2.80	^R 9.69	3.29	R11.38
970	3.46	R11.34	2.96	R9.70	3.40	R11.15
971	3.68	R11.46	3.17	R9.88	3.60	R11.21
972	3.67	R10.99	3.22	^R 9.64	3.58	R10.72
973	4.17	R11.81	4.08	R11.56	4.15	R11.76
974	7.18	18.65	12.52	32.52	9.07	23.56
975	8.39	R19.93	13.93	R33.09	10.38	R24.66
976	8.84	19.82	13.48	30.22	10.89	24.42
977	9.55	20.15	14.53	30.65	11.96	25.23
978	10.61	R20.84	14.57	R28.62	12.46	R24.48
979	14.27	R25.85	21.67	R39.26	17.72	R32.10
980	24.23	R40.18	33.89	R56.20	28.07	R46.55
981	34.33	R52.02	37.05	R56.14	35.24	^R 53.39
982	31.22	R44.47	33.55	R47.79	31.87	R45.40
983	28.87	R39.44	29.30	R40.03	28.99	R39.60
984	28.53	37.59	28.88	38.05	28.63	37.72
985	26.66	R33.96	26.99	R34.38	26.75	R34.08
986	14.82	18.39	14.00	17.37	14.55	18.05
987	17.76	21.37	18.13	21.82	17.90	21.54
988	14.74	17.12	14.56	16.91	14.67	17.04
989	17.87	19.92	18.08	20.16	17.97	20.03
990	22.59	24.13	21.76	23.25	22.22	23.74
991	19.33	19.87	18.70	19.22	19.06	19.59
992	18.63	18.63	18.20	18.20	18.43	18.43
993	16.67	16.25	16.14	15.73	16.41	15.99
994	15.67	R14.91	15.51	R14.76	15.59	R14.83
995	17.33	R16.08	17.14	R15.90	17.23	R15.98
996	R20.77	R18.85	R20.64	18.73	R20.71	R18.79
997 ^P	19.67	17.50	18.58	16.53	19.08	16.98

 $^{^{1}}$ In chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Table 3.1.


Note: Refiner acquisition cost of crude oil for each category and for the composite is derived by dividing the sum of the total purchasing (acquisition) costs of all refiners by the total volume of all refiners' purchases.

Sources: • 1968-1973—Estimated. See Note 6 at end of section. • 1974 through January 1976—Federal Energy Administration (FEA), Form FEA-96, "Monthly Cost Allocation Report." • February 1976 through September 1977—FEA, Form FEA-P110-M-1, "Refiners' Monthly Cost Allocation Report." • October 1977 through June 1978—Energy Information Administration (EIA), Form FEA-P110-M-1, "Refiners' Monthly Cost Allocation Report." • July 1978 through December 1980—EIA, Form ERA-49, "Domestic Crude Oil Entitlements Program Refiners Monthly Report." • 1981 forward—EIA, Form EIA-14, "Refiners' Monthly Cost Report."

R=Revised. P=Preliminary.

Web Page: http://www.eia.doe.gov/fuelpetroleum.html.

Figure 5.20 Refiner Sales Prices of Selected Petroleum Products, 1981-1997



¹ Nominal value. Source: Table 5.20.

Table 5.20 Refiner Sales Prices and Refiner Margins for Selected Petroleum Products, 1981-1997

(Cents¹ per Gallon, Excluding Taxes)

Sales Prices to Resellers: 2 Avistion Gasoline 125.0 122.8 117.8 116.5 113.0 91.2 85.9 85.0 95.0 106.3 100.1 99.1 96.5 93.3 97.5	1990 1991 1992 1993	1989 1990	1988	1987	1986	1985	1984	1983	1982	1981	Product
Motor Gasoline											Sales Prices to Resellers: 2
Motor Gasoline	106.3 100.1 99.1 96.5	95.0 106.3	85.0	85.9	91.2	113.0	116.5	117.8	122.8	125.0	Aviation Gasoline
Leaded Regular	78.6 69.9 67.7 62.0	65.4 78.6	57.7	58.9	53.1	83.5	83.2	88.2	97.3	106.4	
Unleaded Midgrade NA			54.8						NA	NA	
Unleaded Midgrade NA	75.8 67.2 64.5 59.3	61.8 75.8	54.8	56.9		84.3	84.2	89.5	NA	NA	
Premium										NA	Unleaded Midgrade
Kerosene 106.6 101.8 89.2 91.6 87.4 60.6 59.2 54.9 66.9 83.9 72.2 63.2 60.4 61.8 58.0											Premium
Jef Fleik, Kerosene-Type											
No. 1 Distillate											
No. 2 Distillate 97.4 91.4 81.2 81.3 77.4 47.0 53.1 47.3 56.6 69.5 61.8 58.5 55.9 52.2 53.0 No. 2 Fuel Oil 97.6 91.4 81.5 82.1 77.6 48.6 52.7 47.3 56.5 69.7 62.2 57.9 54.4 50.6 51.1 No. 2 Diesel Fuel 97.2 91.4 80.8 80.3 77.2 45.2 53.4 47.3 56.7 69.4 61.5 59.1 57.0 52.9 53.8 No. 4 Fuel 3											
No. 2 Fuel Oil 97.6 91.4 81.5 82.1 77.6 48.6 52.7 47.3 56.5 69.7 62.2 57.9 54.4 50.6 51.1 No. 2 Dissel Fuel 97.2 91.4 80.8 80.3 77.2 45.2 53.4 47.3 56.7 69.4 61.5 591 57.0 52.9 53.8 No. 4 Fuel 3 78.3 73.7 72.6 70.7 67.2 40.9 46.2 42.5 48.0 59.0 55.6 49.5 48.8 46.2 46.3 No. 4 Fuel 3 78.3 73.7 72.6 67.4 57.7 30.5 38.5 30.0 36.0 41.3 31.4 30.8 29.3 31.7 36.3 Greater than 1% Sulfur Content 62.2 57.2 59.1 63.9 56.0 28.9 36.2 27.1 33.1 37.2 29.2 28.6 25.6 28.7 33.8 Greater than 1% Sulfur Content 62.2 57.2 59.1 63.9 56.0 28.9 36.2 27.1 33.1 37.2 29.2 28.6 25.6 28.7 33.8 Propane (Consumer Grade) 46.6 42.7 48.4 45.0 39.8 29.0 25.2 24.0 24.7 38.6 43.1 32.8 35.1 32.4 34.4 34.4 34.8 Sales Prices to End Users: 2 Aviation Gasoline 130.3 131.2 125.5 123.4 120.1 101.1 90.7 88.1 99.5 112.0 104.7 102.7 99.0 95.7 100.5 Rotor Gasoline 114.7 106.0 95.4 90.7 91.2 62.4 66.9 67.3 75.6 88.3 79.7 78.7 75.9 73.8 76.5 Leaded Regular NA NA NA 97.0 91.5 91.7 61.6 65.0 64.1 71.4 84.9 76.1 74.3 71.2 68.9 71.7 Unleaded Midgrade NA NA NA 97.0 91.5 91.7 61.6 65.0 64.1 71.4 84.9 76.1 74.3 71.2 68.9 71.7 Unleaded Midgrade NA											
No. 2 Diesel Fuel											No. 2 Fuel Oil
No. 4 Fuel 3											No. 2 Piecel Fuel
Residual Fuel Oil 66.3 61.2 60.9 65.4 57.7 30.5 38.5 30.0 36.0 41.3 31.4 30.8 29.3 31.7 36.3 1% or Less Sulfur Content 74.8 69.5 64.3 68.5 61.0 32.8 41.2 33.3 40.7 47.2 36.4 35.1 33.7 34.5 38.3 Greater than 1% Sulfur Content 62.2 57.2 59.1 63.9 56.0 28.9 36.2 27.1 33.1 37.2 29.2 28.6 25.6 28.7 33.8 Propane (Consumer Grade) 46.6 42.7 48.4 45.0 39.8 29.0 25.2 24.0 24.7 38.6 34.9 32.8 35.1 32.4 34.4 20.4 34.4 45.0 39.8 29.0 25.2 24.0 24.7 38.6 34.9 32.8 35.1 32.4 34.4 34.4 34.4 34.6 39.8 29.0 25.2 24.0 24.7 38.6 34.9 32.8 35.1 32.4 34.4 34.4 34.4 34.6 39.8 29.0 25.2 24.0 24.7 38.6 34.9 32.8 35.1 32.4 34.4 34.4 34.4 34.6 39.8 29.0 25.2 24.0 24.7 38.6 34.9 32.8 35.1 32.4 34.4 34.4 34.4 34.4 34.4 34.4 34.4											No. 2 Diesei Fuei
1% or Less Sulfur Content											
Greater than 19% Sulfur Content 62.2 57.2 59.1 63.9 56.0 28.9 36.2 27.1 33.1 37.2 29.2 28.6 25.6 28.7 33.8 Propane (Consumer Grade) 46.6 42.7 48.4 45.0 39.8 29.0 25.2 24.0 24.7 38.6 34.9 32.8 35.1 32.4 34.4 34.4 34.0 39.8 29.0 25.2 24.0 24.7 38.6 34.9 32.8 35.1 32.4 34.4 34.4 34.4 34.4 34.4 34.4 34.4											
Propane (Consumer Grade)											
Sales Prices to End Users: 2 Aviation Gasoline 130.3 131.2 125.5 123.4 120.1 101.1 90.7 89.1 99.5 112.0 104.7 102.7 99.0 95.7 100.5 Rotor Gasoline 114.7 106.0 95.4 90.7 91.2 62.4 66.9 67.3 75.6 88.3 79.7 78.7 75.9 73.8 76.5 Leaded Regular NA											
Aviation Gasoline 130.3 131.2 125.5 123.4 120.1 101.1 90.7 89.1 99.5 112.0 104.7 102.7 99.0 95.7 100.5 Roboto Gasoline 114.7 106.0 95.4 90.7 91.2 62.4 66.9 67.3 75.6 88.3 79.7 75.9 73.8 75.5 NA NA NA NA Pol. 84.8 84.2 57.3 61.8 61.9 71.0 83.1 71.5 78.5 NA NA NA Unleaded Regular NA NA NA 97.0 91.5 91.7 61.6 65.0 64.1 71.4 84.9 76.1 74.3 71.2 68.9 71.7 Unleaded Regular NA	38.6 34.9 32.8 35.	24.7 38.6	24.0	25.2	29.0	39.8	45.0	48.4	42.7	46.6	Propane (Consumer Grade)
Motor Gasoline 114,7 106,0 95,4 90,7 91,2 62,4 66,9 67,3 75,6 88,3 79,7 78,7 75,9 73,8 76,5 Leaded Regular NA NA 90,6 84.8 84.2 57,3 61.8 61.9 71.0 83.1 71.5 78.5 NA											Sales Prices to End Users: 2
Motor Gasoline	112.0 104.7 102.7 99.0	99.5 112.0	89.1	90.7	101.1	120.1	123.4	125.5	131.2	130.3	Aviation Gasoline
Leaded Regular NA NA 90.6 84.8 84.2 57.3 61.8 61.9 71.0 83.1 71.5 78.5 NA NA NA NA Unleaded Regular NA	88.3 79.7 78.7 75.9	75.6 88.3	67.3	66.9	62.4	91.2	90.7	95.4	106.0	114.7	Motor Gasoline
Unleaded Regular NA	83.1 71.5 78.5 NA	71.0 83.1	61.9	61.8	57.3	84.2	84.8	90.6	NA	NA	Leaded Regular
Unleaded Midgrade NA											Unleaded Regular
Premium NA NA 105.7 101.5 102.3 73.7 78.4 78.8 86.7 98.5 90.7 91.4 88.9 86.5 89.0 Kerosene 112.3 108.9 96.1 103.6 103.0 79.0 77.0 73.8 70.9 92.3 83.8 78.8 75.4 66.0 58.9 Jet Fuel, Kerosene-Type 102.4 96.3 87.8 84.2 79.6 52.9 54.3 51.3 59.2 76.6 65.2 61.0 58.0 53.4 54.0 No. 1 Distillate 103.9 102.3 96.2 92.7 88.0 62.0 60.4 56.4 66.1 81.9 74.0 66.6 66.6 64.0 62.0 No. 2 Diestillate 95.8 92.5 83.9 83.7 79.9 49.1 55.6 50.7 58.5 72.6 65.0 62.0 60.2 55.6 56.0 No. 2 Diestillate 99.5 94.2 82.6 82.3											
Kerosene 112.3 108.9 96.1 103.6 103.0 79.0 77.0 73.8 70.9 92.3 83.8 78.8 75.4 66.0 58.9 Jet Fuel, Kerosene-Type 102.4 96.3 87.8 84.2 79.6 52.9 54.3 51.3 59.2 76.6 65.2 61.0 58.0 53.4 54.0 No. 1 Distillate 103.9 102.3 96.2 92.7 88.0 62.0 60.4 56.4 66.1 81.9 74.0 66.6 66.6 66.0 62.0 No. 2 Distillate 95.8 92.5 83.9 83.7 79.9 49.1 55.6 50.7 58.5 72.6 66.0											
Jet Fuel, Kerosene-Type											
No. 1 Distillate											
No. 2 Distillate 95.8 92.5 83.9 83.7 79.9 49.1 55.6 50.7 58.5 72.6 65.0 62.0 60.2 55.6 56.0 No. 2 Fuel Oil 91.4 90.5 91.6 91.6 84.9 56.0 58.1 54.4 58.7 73.4 66.5 62.7 60.2 57.2 56.2 No. 2 Diesel Fuel 99.5 94.2 82.6 82.3 78.9 47.8 55.1 50.0 58.5 72.5 64.8 61.9 60.2 55.4 56.0 No. 4 Fuel 3 79.7 75.0 76.6 79.6 77.3 48.9 51.3 46.1 51.2 62.2 58.0 52.6 50.1 50.1 50.1 50.5 Residual Fuel Oil 75.6 67.6 65.1 68.7 61.0 34.3 42.3 33.4 38.5 44.4 34.0 33.6 33.7 35.2 39.2 1% or Less Sulfur Content 82.9 74.7 69.5 72.0 64.4 37.2 44.7 37.2 43.6 50.5 40.2 38.9 39.7 40.1 43.6 Greater than 1% Sulfur Content 67.3 61.1 61.1 65.9 58.2 31.7 39.6 30.0 34.4 40.0 30.6 31.2 30.3 33.0 37.7 Propane (Consumer Grade) 56.5 59.2 70.9 73.7 71.7 74.5 70.1 71.4 61.5 74.5 73.0 64.3 67.3 53.0 49.2 10.4 10.4 10.4 10.4 10.4 10.4 10.4 10.4											No. 1 Distillato
No. 2 Fuel Oil 91.4 90.5 91.6 91.6 84.9 56.0 58.1 54.4 58.7 73.4 66.5 62.7 60.2 57.2 56.2 No. 2 Diesel Fuel 99.5 94.2 82.6 82.3 78.9 47.8 55.1 50.0 58.5 72.5 64.8 61.9 60.2 55.4 56.0 No. 4 Fuel 3 79.7 75.0 76.6 79.6 77.3 48.9 51.3 46.1 51.2 62.2 58.0 52.6 50.1 50.1 50.5 Residual Fuel Oil 75.6 67.6 65.1 68.7 61.0 34.3 42.3 33.4 38.5 44.4 34.0 33.6 33.7 35.2 39.2 1% or Less Sulfur Content 82.9 74.7 69.5 72.0 64.4 37.2 44.7 37.2 43.6 50.5 40.2 38.9 39.7 40.1 43.6 Greater than 1% Sulfur Content 67.3 61.1 61.1 65.9 58.2 31.7 39.6 30.0 34.4 40.0 30.6 31.2 30.3 33.0 37.7 Propane (Consumer Grade) 56.5 59.2 70.9 73.7 71.7 74.5 70.1 71.4 61.5 74.5 73.0 64.3 67.3 53.0 49.2 Refiner Margins 4 Motor Gasoline 22.5 21.4 19.2 15.1 19.8 18.4 16.3 22.8 22.6 25.7 24.5 23.8 23.5 22.8 21.6 19.5 Evel, Kerosene-Type 17.3 19.4 16.4 14.9 15.8 14.9 11.2 14.6 15.5 24.4 19.6 16.5 18.6 16.3 12.9 18.0 2.0 19.5 Evel, Kerosene-Type 13.5 15.5 12.2 13.1 13.8 12.4 10.4 12.4 13.8 16.6 16.4 14.6 16.8 15.1 12.0											No. 2 Distillate
No. 2 Diesel Fuel											No. 2 Fuel Oil
No. 4 Fuel 3											No. 2 Diocal Fuel
Residual Fuel Oil											No. 2 Diesei Fuei
1% or Less Sulfur Content											
Greater than 1% Sulfur Content 67.3 61.1 61.1 65.9 58.2 31.7 39.6 30.0 34.4 40.0 30.6 31.2 30.3 33.0 37.7 Propane (Consumer Grade) 56.5 59.2 70.9 73.7 71.7 74.5 70.1 71.4 61.5 74.5 73.0 64.3 67.3 53.0 49.2 Refiner Margins 4 Motor Gasoline 22.5 21.4 19.2 15.1 19.8 18.4 16.3 22.8 22.6 25.7 24.5 23.8 23.5 22.8 21.6 Jet Fuel, Kerosene-Type 17.3 19.4 16.4 14.9 15.8 14.9 11.2 14.6 15.5 24.4 19.6 16.5 18.6 16.3 12.9 No. 2 Distillate 13.5 15.5 12.2 13.1 13.8 12.4 10.4 12.4 13.8 16.6 16.4 14.6 16.8 15.1 12.0											
Propane (Consumer Grade)											
Refiner Margins ⁴ Motor Gasoline											
Motor Gasoline	74.5 73.0 64.3 67.3	61.5 74.5	71.4	70.1	74.5	71.7	73.7	70.9	59.2	56.5	Propane (Consumer Grade)
Jet Fuel, Kerosene-Type											
Jet Fuel, Kerosene-Type	25.7 24.5 23.8 23.8	22.6 25.7	22.8	16.3	18.4	19.8	15.1	19.2	21.4	22.5	Motor Gasoline
No. 2 Distillate	24.4 19.6 16.5 18.0	15.5 24.4	14.6	11.2	14.9	15.8	14.9	16.4	19.4	17.3	
				10.4					15.5		
			-5.0	-4.1	-4.1	-6.0	-2.8	-8.1	-14.7	-17.6	Residual Fuel Oil
Composite 5											Composite 5

¹ Nominal value.

Web Page: http://www.eia.doe.gov/fuelpetroleum.html.

Sources: • 1983-1996—EIA, Petroleum Marketing Annual. • 1997—EIA, Petroleum Marketing Monthly (March 1998).

² Sales for resale, that is, wholesale sales, are those made to purchasers who are other than ultimate consumers. Sales to end users are those made directly to the ultimate consumer, including bulk customers, such as agriculture, industry, and utilities, as well as residential and commercial customers.


³ Includes No. 4 fuel oil and No. 4 diesel fuel.

⁴ On this table, refiner margin is the difference between the composite refiner acquisition price of crude oil and the price to resellers.


⁵ Composite of aviation gasoline, kerosene-type jet fuel, kerosene, motor gasoline, distillate fuel nos. 1, 2, and 4, and residual fuel.

R=Revised. P=Preliminary. NA=Not available.

Figure 5.21 All Sellers Sales Prices for Selected Petroleum Products, 1997



Distillate Fuel Oil, Residual Fuel Oil, and Propane



¹ Nominal value.

Note: Data are preliminary.

Source: Table 5.21.

^{*} Not applicable.

Table 5.21 All Sellers Sales Prices for Selected Petroleum Products, 1983-1997

(Cents¹ per Gallon, Excluding Taxes)

Product	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997 P
Sales Prices to Resellers 2															
Motor Gasoline	NA	83.8	84.1	53.8	59.2	58.0	65.8	78.9	70.8	68.0	62.8	60.2	63.0	71.5	70.3
Unleaded Regular		84.9	84.9	52.9	57.2	55.1	62.3	76.2	68.2	64.9	59.7	57.1	59.9	68.9	67.8
Conventional		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	56.5	58.3	67.2	65.9
Oxygenated		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	62.7	66.2	74.5	76.2
Reformulated		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	63.2	64.6	73.3	72.4
Unleaded Midgrade		NA	NA	NA	NA	NA	69.1	82.3	74.4	71.3	66.4	64.1	67.3	76.0	75.1
Conventional		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	63.3	65.1	73.7	72.2
Oxygenated		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.9	71.1	78.9	79.7
Reformulated		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	72.2	71.9	80.2	80.0
Premium		92.4	92.8	61.7	67.4	67.5	75.2	87.7	80.0	77.6	72.2	69.6	72.4	80.4	79.4
Conventional		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.6	69.5	77.7	76.4
Oxygenated		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	75.7	78.7	85.1	86.8
Reformulated		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	76.9	77.9	85.1	84.5
No. 2 Distillate		81.9	78.1	48.0	53.5	48.2	57.2	70.6	62.7	59.1	56.6	52.9	53.6	66.0	61.1
No. 2 Diesel Fuel		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	53.8	54.6	66.7	61.6
Low Sulfur		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	54.2	55.1	67.3	61.9
High Sulfur		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.9	52.4	63.9	60.2
Residual Fuel Oil		65.8	58.2	31.5	39.9	31.5	37.8	43.4	33.0	32.6	30.1	32.2	36.6	42.7	39.6
1% or Less Sulfur Content		68.5	60.6	33.6	42.0	34.1	41.5	48.1	37.9	36.8	34.1	35.0	38.3	46.1	42.5
Greater than 1% Sulfur Content		64.1	56.1	29.5	38.1	28.2	34.0	38.8	29.7	30.0	27.2	29.8	34.4	39.7	37.6
Propane (Consumer Grade)		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	33.6	35.4	47.1	42.6
Sales Prices to End Users ²															
Motor Gasoline	NA	91.6	91.9	63.7	67.7	68.0	76.8	89.9	81.1	78.7	75.3	72.9	76.1	84.3	83.1
Unleaded Regular		92.7	92.8	63.0	66.3	65.5	73.2	87.0	78.0	75.0	71.4	69.0	72.1	80.9	79.7
Conventional		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.5	71.4	80.1	78.5
Oxygenated		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	73.7	77.3	86.1	89.0
Reformulated		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	74.3	74.1	83.3	82.1
Unleaded Midgrade		NA	NA	NA	NA	NA	NA	NA	NA	82.4	79.2	77.0	80.2	88.5	88.0
Conventional		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	76.6	79.3	87.4	86.6
Oxygenated		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.1	83.8	92.9	96.7
Reformulated		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	85.1	82.9	91.6	91.3
Premium		101.2	101.6	73.6	78.0	78.6	87.4	99.6	91.9	90.6	87.5	85.2	88.3	96.2	95.5
Conventional		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	84.6	87.1	95.0	94.0
Oxygenated		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	90.8	93.8	101.9	105.8
Reformulated		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	93.7	91.4	99.1	98.6
No. 2 Distillate		92.6	89.0	61.4	64.3	61.2	69.5	84.1	76.0	72.6	71.0	67.5	67.3	79.3	75.3
No. 2 Distillate to Residences ³	107.8	109.1	105.3	83.6	80.3	81.3	90.0	106.3	101.9	93.4	91.1	88.4	86.7	98.9	98.4
No. 2 Diesel Fuel		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	62.8	63.6	75.7	71.4
Low Sulfur		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	64.2	64.5	76.7	71.9
High Sulfur		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	59.8	61.4	73.2	69.8
Residual Fuel Oil		69.6	62.3	35.8	42.6	33.9	39.3	45.5	34.7	34.6	34.1	35.8	39.7	46.4	42.9
1% or Less Sulfur Content		72.9	66.0	38.9	44.9	37.3	43.6	51.2	40.0	39.4	39.3	40.3	43.3	52.9	47.2
Greater than 1% Sulfur Content		66.4	58.9	32.8	39.9	30.6	35.1	40.5	31.1	31.9	31.2	32.7	37.6	43.0	40.7
Ordator trial 170 Outlan Contont	NA	NA	50.5	02.0	00.0	50.0	NA	+0.5	01.1	01.0	01.2	02.1	07.0	+0.0	88.4

¹ Nominal value.

P=Preliminary. NA=Not available.

Web Page: http://www.eia.doe.gov/fuelpetroleum.html.

Sources: • 1983-1996—Energy Information Administration (EIA), Petroleum Marketing Annual.


 $^{^{2}}$ Sales for resale, that is, wholesale sales, are those made to purchasers who are other than ultimate consumers. Sales to end users are those made directly to the ultimate consumer, including bulk customers, such as agriculture, industry, and utilities, as well as residential and commercial customers.

³ See Note 7 at end of section for historical data.


^{• 1997—}EIA, Petroleum Marketing Monthly (March 1998).

Figure 5.22 Retail Motor Gasoline Prices

Motor Gasoline, All Types, 1978-1997




Motor Gasoline by Type, 1949-1997




¹ Area refers to the areas of the country in which specific types of motor gasoline are sold as designated by the Environmental Protection Agency. Only self-service prices are included.

Regular Motor Gasoline by Area Type, 1997



Motor Gasoline² Price and Consumption, Indexed to 1978, 1978-1997



³ In chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Table 3.1.

Note: Because vertical scales differ, graphs should not be compared. Sources: Tables 5.11 and 5.22.

² All types.

Table 5.22 Retail Motor Gasoline and On-Highway Diesel Fuel Prices, 1949-1997

(Cents per Gallon)

				Motor Gaso	line by Grade					Regular Moto	r Gasoline by Are	a Type ^{3,4}		_
	Leaded F	Regular ¹	Unleaded	l Regular	Unleaded	Premium	All T	ypes			Oxygenated and		All	On- Highway Diesel
Year	Nominal	Real ²	Nominal	Real ²	Nominal	Real ²	Nominal	Real ²	Conventional	Oxygenated	Reformulated	Reformulated	Area Types	Fuel
949	26.8	R148.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
950	26.8	R146.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
951	27.2	R138.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
952	27.4	R137.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
953	28.7	R142.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
954	29.0	R142.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
955	29.1	R140.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
956	29.9	R139.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
957	31.0	R139.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
958	30.4	R133.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
959	30.5	R132.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
960	31.1	133.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
961	30.8	R131.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
962	30.6	R128.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
963	30.4	R126.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
964	30.4	124.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
965	31.2	124.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
966	32.1	124.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
967 968	33.2 33.7	125.3 R122.1	NA NA	NA NA	NA NA	NA NA	NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA	NA
968 969	34.8	R120.4	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
		R117.0	NA NA	NA						NA NA				
970 971	35.7 36.4	R117.0	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
971	36.4	R108.1	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
973	38.8	R109.9	NA	NA	NA	NA	NA NA	NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA
974	53.2	138.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
975	56.7	R134.7	NA NA	NA NA	NA NA	NA NA	NA NA	NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA
976	59.0	132.3	61.4	137.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
977	62.2	131.2	65.6	138.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
978	62.6	R123.0	67.0	R131.6	NA	NA	65.2	R128.1	NA	NA	NA	NA	NA	NA
979	85.7	R155.3	90.3	R163.6	NA	NA	88.2	R159.8	NA	NA	NA	NA	NA	NA
980	119.1	R197.5	124.5	R206.5	NA	NA	122.1	R202.5	NA	NA	NA	NA	NA	NA
981	131.1	R198.6	137.8	R208.8	147.0	R222.7	135.3	R205.0	NA	NA	NA	NA	NA	NA
982	122.2	R174.1	129.6	R184.6	141.5	R201.6	128.1	R182.5	NA	NA	NA	NA	NA	NA
983	115.7	R158.1	124.1	R169.5	138.3	R188.9	122.5	R167.3	NA	NA	NA	NA	NA	NA
984	112.9	148.7	121.2	159.7	136.6	180.0	119.8	157.8	NA	NA	NA	NA	NA	NA
985	111.5	R142.0	120.2	R153.1	134.0	R170.7	119.6	R152.4	NA	NA	NA	NA	NA	NA
986	85.7	106.3	92.7	115.0	108.5	134.6	93.1	115.5	NA	NA	NA	NA	NA	NA
987	89.7	107.9	94.8	114.1	109.3	131.5	95.7	115.2	NA	NA	NA	NA	NA	NA
988	89.9	104.4	94.6	109.9	110.7	128.6	96.3	111.8	NA	NA	NA	NA	NA	NA
989	99.8	111.3	102.1	113.8	119.7	133.4	106.0	118.2	NA	NA	NA	NA	NA	NA
990	114.9	122.8	116.4	124.4	134.9	144.1	121.7	130.0	NA	NA	NA	NA	NA	NA
991	NA	NA	114.0	117.2	132.1	135.8	119.6	122.9	110.0	NA	NA	NA	110.0	NA
992	NA	NA	112.7	112.7	131.6	131.6	119.0	119.0	108.7	NA	NA	NA	108.7	NA
993	NA	NA	110.8	108.0	130.2	126.9	117.3	114.3	104.8	113.8	NA	NA	106.7	NA
994	NA	NA	111.2	R105.8	130.5	R124.2	117.4	R111.7	105.5	113.5	NA	NA	107.5	NA
995	NA	NA	114.7	R106.4	133.6	R123.9	120.5	R111.8	109.0	116.0	118.2	115.9	111.1	110.9
996	NA	NA	123.1	R111.7	141.3	R128.2	128.8	R116.9	117.8	127.1	126.5	123.9	119.9	123.5
997	NA	NA	123.4	109.8	141.6	126.0	129.1	114.9	117.9	126.2	127.5	125.0	119.9	119.8

¹ Average motor gasoline prices are calculated from a sample of service stations providing all types of service (i.e., full-, mini-, and self-serve). Geographic coverage - 1949-1973, 55 representative cities; 1974-1977, 56 urban areas; 1978 forward, 85 urban areas.

R=Revised. NA=Not available.

Web Page: http://www.eia.doe.gov/fuelpetroleum.html. Sources: Motor Gasoline by Grade: • 1949-1973—Platt's Oil Price Handbook and Oilmanac, 1974, 51st Edition. • 1974 forward—Énergy Information Administration (EIA), simple annual averages of monthly data from Bureau of Labor Statistics, Consumer Prices: Energy. Motor Gasoline by Area Type: EIA, Form EIA-878, "Motor Gasoline Price Survey." On-Highway Diesel: EIA, Form EIA-888, "On-Highway Diesel Fuel Price Survey."

² In chained (1992) cents, calculated by using gross domestic product implicit price deflators. See

³ Area refers to the areas of the country in which specific types of motor gasoline are sold as designated by the Environmental Protection Agency. Only self-service prices are included.

⁴ Nominal cents.

Petroleum Notes


- 1. Accurate calculation of the quantity of petroleum products supplied to the domestic market is complicated by the recycling of products at the refinery, the renaming of products involved in a transfer, and the receipt of products from outside the primary supply system. Beginning in 1981, a single adjustment (always a negative quantity) is made to total product supplied to correct this accounting problem. The calculation of this adjustment, called "reclassified," involves only unfinished oils and gasoline blending components. It is the sum of their net changes in primary stocks (net withdrawals is a plus quantity net additions is a minus quantity) plus imports minus net input to refineries.
- 2. Total petroleum products supplied is the sum of the products supplied for each petroleum product, crude oil, unfinished oils, and gasoline blending components. For each of these, except crude oil, product supplied is calculated by adding refinery production, natural gas plant liquids production, new supply of other liquids, imports, and stock withdrawals, and subtracting stock additions, refinery inputs, and exports. Crude oil product supplied is the sum of crude oil burned on leases and at pipeline pump stations as reported on Form EIA-813. Prior to 1983, crude oil burned on leases and at pipeline pump stations was reported as either distillate or residual fuel oil and was included as product supplied for these products. Petroleum product supplied is an approximation of petroleum consumption and is synonymous with the term "Petroleum Consumption" in Section 1. Sector data for petroleum products used in more than one sector are derived from surveys of sales to ultimate consumers by refiners, marketers, distributors, and dealers and from receipts at electric utilities.
- 3. Beginning in January 1981, several Energy Information Administration survey forms and calculation methodologies were changed to reflect new developments in refinery and blending plant practices and to improve data integrity. Those changes affect production and product supplied statistics for motor gasoline, distillate fuel oil, and residual fuel oil, and stocks of motor gasoline. On the basis of those changes, motor gasoline production during the last half of 1980 would have averaged 289,000 barrels per day higher than that which was published on the old basis. Distillate and residual fuel oil production and product supplied for all of 1980 would have

- averaged, respectively, 105,000 and 54,000 barrels per day higher than the numbers that were published.
- 4. The methods of deriving Gross Input to Distillation Units (GIDU) in this report are as follows: 1949-1966, GIDU is estimated by summing annual crude oil runs to stills, net unfinished oil reruns at refineries, and shipments of natural gasoline and plant condensate from natural gas processing plants to refineries. 1967-1973, GIDU is estimated by summing annual crude oil runs to stills, net unfinished oil reruns, and refinery input of natural gasoline and plant condensate. 1974-1980, GIDU is published annual data. 1981 forward, GIDU is the sum of reported monthly data.
- 5. The Crude Oil Domestic First Purchase Prices were derived as follows: 1949-1973, weighted average Domestic First Purchase values as reported by State agencies and calculated by the Bureau of Mines; 1974 and 1975, weighted averages of a sample survey of major first purchasers' purchases; 1976 forward, weighted averages of all first purchasers' purchases.
- 6. The Refiner Acquisition Cost of Crude Oil was estimated for 1968-1973. The cost of domestic crude oil was derived by adding estimated transportation costs to the reported average domestic first purchase value. The cost of imported crude oils was derived by adding an estimated ocean transport cost based on the published "Average Freight Rate Assessment" to the average "Free Alongside Ship" value published by the U.S. Bureau of the Census. The composite cost was derived by weighting domestic costs and imported costs on the basis of quantities produced and imported.
- 7. Residential heating oil prices for 1956 through 1982 were formerly published in the *Annual Energy Review*. These data are now being provided here: 15.2, 16.0, 15.1, 15.3, 15.0, 15.6, 15.6, 16.0, 16.1, 16.0, 16.4, 16.9, 17.4, 17.8, 18.5, 19.6, 19.7, 22.8, 36.0, 37.7, 40.6, 46.0, 49.0, 70.4, 97.4, 119.4, 116.0. The sources of these data are: 1956-1974— Bureau of Labor Statistics, *Retail Prices and Indexes of Fuels and Utilities for Residential Usage*, monthly. January 1975 through September 1977—Federal Energy Administration, Form FEA-P112-M-1, "No. 2 Heating Oil Supply/Price Monitoring Report." October 1977 Through December 1977—Energy Information Administration (EIA), Form EIA-9, "No. 2 Heating Oil Supply/Price Monitoring Report." 1978-forward—EIA, *Petroleum Marketing Monthly*, Table 18.

Natural Gas




Natural gas pipeline, El Paso County, Texas. Source: U.S. Department of Energy.




Notes: • Data are preliminary. • Totals may not equal sum of components due to independent rounding. Sources: Tables 6.1, 6.2, and 6.6.


a Includes lease and plant fuel.
Natural gas consumed in the operation of pipelines, primarily in compressors, and a small quantity used as vehicle fuel.

Figure 6.1 Natural Gas Overview





Storage Additions and Withdrawals, 1949-1997



¹ Beginning with 1980, includes liquefied natural gas stored in above-ground tanks. Note: Because vertical scales differ, graphs should not be compared.

Source: Table 6.1.

Table 6.1 Natural Gas Overview, 1949-1997

(Trillion Cubic Feet)

Year	Total Dry Gas Production	Supplemental Gaseous Fuels	Imports	Exports	Withdrawals from Storage ¹	Additions to Storage ¹	Balancing Item ²	Consumption
i cai	Troduction	i dels	Imports	Exports	Otorage	Otorage	Item	Consumption
949	5.20	NA	0.00	0.02	0.11	0.17	-0.14	4.97
1950	6.02	NA	0.00	0.03	0.18	0.23	-0.18	5.77
951	7.16	NA	0.00	0.02	0.21	0.35	-0.19	6.81
952	7.69	NA NA	0.01	0.02	0.22	0.40	-0.20	7.29
953	8.06	NA NA	0.01	0.03	0.25	0.40	-0.24	7.64
953 954	8.39	NA NA	0.01	0.03	0.23	0.43	-0.22	8.05
955	9.03	NA NA	0.01	0.03	0.44	0.51	-0.25	8.69
956	9.66	NA NA	0.01	0.04	0.45	0.59	-0.23	9.29
957	10.25	NA NA	0.01	0.04	0.48	0.67	-0.21	9.29
95 <i>1</i> 958	10.57	NA NA	0.04	0.04	0.46	0.70	-0.21	10.30
956 959	11.55	NA NA	0.14			0.79		10.30
959 960	11.00	NA NA	0.13	0.02	0.67 0.71	0.79	-0.22	11.32 11.97
	12.23			0.01		0.84	-0.27	11.97
961	12.66	NA	0.22	0.01	0.70	0.84	-0.23	12.49
962	13.25	NA	0.40	0.02	0.85	0.94	-0.29	13.27
963	14.08	NA	0.41	0.02	0.92	1.05	-0.36	13.97
964	14.82	NA	0.44	0.02	0.89	1.01	-0.30	14.81
965	15.29	NA	0.46	0.03	0.96	1.08	-0.32	15.28
966	16.47	NA	0.48	0.02	1.14	1.21	-0.40	16.45
967	17.39	NA	0.56	0.08	1.13	1.32	-0.30	17.39
968	18.49	NA	0.65	0.09	1.33	1.43	-0.33	18.63
969	19.83	NA	0.73	0.05	1.38	1.50	-0.33	20.06
970	21.01	NA	0.82	0.07	1.46	1.86	-0.23	21.14
971	21.61	NA	0.93	0.08	1.51	1.84	-0.34	21.79
972	21.62	NA	1.02	0.08	1.76	1.89	-0.33	22.10
973	21.73	NA	1.03	0.08	1.53	1.97	-0.20	22.05
974	20.71	NA	0.96	0.08	1.70	1.78	-0.29	21.22
975	19.24	NA	0.95	0.07	1.76	2.10	-0.24	19.54
976	19.10	NA	0.96	0.06	1.92	1.76	-0.22	19.95
977	19.16	NA	1.01	0.06	1.75	2.31	-0.04	19.52
978	19.12	NA	0.97	0.05	2.16	2.28	-0.29	19.63
979	19.66	NA	1.25	0.06	2.05	2.30	-0.37	20.24
980	19.40	0.15	0.98	0.05	1.97	1.95	-0.64	19.88
981	19.18	0.18	0.90	0.06	1.93	2.23	-0.50	19.40
982	17.82	0.14	0.93	0.05	2.16	2.47	-0.54	18.00
983	16.09	0.13	0.92	0.05	2.27	1.82	-0.70	16.83
984	17.47	0.11	0.84	0.05	2.10	2.30	-0.22	17.95
985	16.45	0.13	0.95	0.06	2.40	2.16	-0.43	17.28
986	16.06	0.11	0.75	0.06	1.84	1.98	-0.49	16.22
987	16.62	0.10	0.99	0.05	1.91	1.91	-0.44	17.21
988	17.10	0.10	1.29	0.07	2.27	2.21	-0.45	18.03
989	17.10	0.10	1.38	0.07	2.85	2.53	-0.43	18.80
990	17.81	0.12	1.53	0.09	1.99	2.50	-0.22	18.72
91	17.70	0.12	1.77	0.09	2.75	2.67	-0.15	19.04
992	17.70	0.11	2.14	0.13	2.75	2.60	-0.51	19.54
992 993	18.10	0.12	2.14		2.77	2.83		
993 994	18.10 18.82		2.35	0.14	2.80 2.58	2.83 2.86	-0.11	20.28 20.71
		0.11		0.16			-0.40	
995	18.60	0.11	2.84	0.15	3.02	2.61	-0.23	21.58
996	R18.79	R0.11	R2.94	0.15	R2.98	R2.98	R0.28	R21.97
997 ^P	18.96	0.12	2.97	0.16	2.82	2.80	0.07	21.99

¹ Beginning with 1980, includes liquefied natural gas stored in above-ground tanks.

Notes: • Beginning with 1965, all volumes are shown on a pressure base of 14.73 p.s.i.a. at 60° F. For prior years, the pressure base was 14.65 p.s.i.a. at 60° F. • Totals may not equal sum of components due

² Quantities lost and imbalances in data due to differences among data sources. Since 1980, excludes intransit shipments that cross the U.S.-Canada border (i.e., natural gas delivered to its destination via the other country).

R=Revised. P=Preliminary. NA=Not available.


to independent rounding.


Web Page: http://www.eia.doe.gov/fuelnatgas.html.

Sources: Supplemental Gaseous Fuels: • 1980-1991—EIA, Natural Gas Annual, various issues. • 1992 forward—EIA, Natural Gas Monthly (February 1998), Table 2. All Other Data: • 1949-1991—EIA, Natural Gas Annual 1996 (September 1997), Table 100. • 1992 forward—EIA, Natural Gas Monthly (February 1998), Table 2.


Figure 6.2 Natural Gas Production

Gross Withdrawals and Dry Gas Production, 1949-1997 $\,$ 30 $\,$ -





Gross Withdrawals by Well Type, 1997



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 6.2.

Table 6.2 Natural Gas Production, 1949-1997

(Trillion Cubic Feet)

		Gross Withdrawals							
Year	From Gas Wells	From Oil Wells	Total	Repressuring	Nonhydrocarbon Gases Removed	Vented and Flared	Marketed Production	Extraction Loss ¹	Total Dry Gas Production
949	4.99	2.56	7.55	1.27	NA	0.85	5.42	0.22	5.20
9 4 9 950	5.60	2.88	8.48	1.40	NA NA	0.80	6.28	0.22	6.02
950 951	6.48	3.21	9.69	1.44	NA NA	0.79	7.46	0.29	7.16
952	6.84	3.43	10.27			0.79			
				1.41	NA		8.01	0.32	7.69
953	7.10	3.55 3.52	10.65	1.44	NA	0.81	8.40	0.34	8.06
54	7.47		10.98	1.52	NA	0.72	8.74	0.35	8.39
55	7.84	3.88	11.72	1.54	NA	0.77	9.41	0.38	9.03
956	8.31	4.07	12.37	1.43	NA	0.86	10.08	0.42	9.66
957	8.72	4.19	12.91	1.42	NA	0.81	10.68	0.43	10.25
958	9.15	3.99	13.15	1.48	NA	0.63	11.03	0.46	10.57
959	10.10	4.13	14.23	1.61	NA	0.57	12.05	0.50	11.55
960	10.85	4.23	15.09	1.75	NA	0.56	12.77	0.54	12.23
161	11.20	4.27	15.46	1.68	NA	0.52	13.25	0.59	12.66
962	11.70	4.34	16.04	1.74	NA	0.43	13.88	0.62	13.25
963	12.61	4.37	16.97	1.84	NA	0.38	14.75	0.67	14.08
964	13.11	4.43	17.54	1.65	NA	0.34	15.55	0.72	14.82
965	13.52	4.44	17.96	1.60	NA	0.32	16.04	0.75	15.29
966	13.89	5.14	19.03	1.45	NA	0.38	17.21	0.74	16.47
967	15.35	4.91	20.25	1.59	NA	0.49	18.17	0.78	17.39
68	16.54	4.79	21.33	1.49	NA	0.52	19.32	0.83	18.49
969	17.49	5.19	22.68	1.46	NA	0.53	20.70	0.87	19.83
970	18.59	5.19	23.79	1.38	NA	0.49	21.92	0.91	21.01
971	18.93	5.16	24.09	1.31	NA	0.28	22.49	0.88	21.61
972	19.04	4.97	24.02	1.24	NA	0.25	22.53	0.91	21.62
973	19.37	4.70	24.07	1.17	NA	0.25	22.65	0.92	21.73
973 974	18.67	4.18	22.85	1.08	NA NA	0.23	21.60	0.89	20.71
975	17.38	3.72	21.10	0.86	NA NA	0.17	20.11	0.87	19.24
975 976	17.30	3.75	20.94	0.86	NA NA	0.13	19.95		19.10
								0.85	
977 978	17.42	3.68	21.10	0.93	NA	0.14	20.03	0.86	19.16
	17.39	3.91	21.31	1.18	NA	0.15	19.97	0.85	19.12
979	18.03	3.85	21.88	1.25	NA	0.17	20.47	0.81	19.66
980	17.57	4.30	21.87	1.37	0.20	0.13	20.18	0.78	19.40
981	17.34	4.25	21.59	1.31	0.22	0.10	19.96	0.77	19.18
982	15.81	4.46	20.27	1.39	0.21	0.09	18.58	0.76	17.82
983	14.15	4.51	18.66	1.46	0.22	0.09	16.88	0.79	16.09
984	15.51	4.75	20.27	1.63	0.22	0.11	18.30	0.84	17.47
985	14.54	5.07	19.61	1.92	0.33	0.09	17.27	0.82	16.45
986	14.15	4.98	19.13	1.84	0.34	0.10	16.86	0.80	16.06
987	14.81	5.33	20.14	2.21	0.38	0.12	17.43	0.81	16.62
988	15.47	5.53	21.00	2.48	0.46	0.14	17.92	0.82	17.10
989	15.71	5.37	21.07	2.48	0.36	0.14	18.10	0.78	17.31
990	16.05	5.47	21.52	2.49	0.29	0.15	18.59	0.78	17.81
991	16.02	5.73	21.75	2.77	0.28	0.17	18.53	0.83	17.70
992	16.16	5.97	22.13	2.97	0.28	0.17	18.71	0.87	17.84
993	16.69	6.03	22.73	3.10	0.41	0.23	18.98	0.89	18.10
994	17.35	6.23	23.58	3.23	0.41	0.23	19.71	0.89	18.82
995	17.28	6.46	23.74	3.57	0.39	0.28	19.51	0.91	18.60
996	R17.68	R6.37	R24.05	R3.51	R0.52	R0.27	R19.75	R0.96	R18.79
997	E17.44	E6.87	P24.31	P3.66	P0.50	P0.26	P19.89	P0.93	P18.96

¹ Volume reduction resulting from the removal of natural gas plant liquids. Natural gas plant liquids are transferred to petroleum supply.


Web Page: http://www.eia.doe.gov/fueInatgas.html.


Sources: From Gas Wells and From Oil Wells: • 1949-1966—Bureau of Mines, Minerals Yearbook, "Natural Gas" chapter. • 1967-1988—Energy Information Administration (EIA), Natural Gas Annual 1992, Volume 2 (November 1993), Table 5. • 1989-1996—EIA, Natural Gas Annual 1996 (September 1997), Table 3. • 1997—EIA, estimated data. All Other Data: • 1949-1990—EIA, Natural Gas Annual 1996 (September 1997), Table 99. • 1991 forward—EIA, Natural Gas Monthly (February 1998), Table 1.

R=Revised. P=Preliminary. E=Estimate. NA=Not available.

Notes: • Beginning with 1965 data, all volumes are shown on a pressure base of 14.73 p.s.i.a. at 60° F. For prior years, the pressure base was 14.65 p.s.i.a. at 60° F. • Totals may not equal sum of components due to independent rounding.

Figure 6.3 Natural Gas Imports, Exports, and Net Imports





¹ Imports from Algeria and Other and exports to Japan are liquefied natural gases.

Source: Table 6.3.

² Australia and United Arab Emirates.

Table 6.3 Natural Gas Imports, Exports, and Net Imports, 1949-1997

(Billion Cubic Feet, Except as Noted)

	Imports by Country of Origin							E	xports by Coun	Net Imports 1			
Year	Algeria ²	Australia ²	Canada	Indonesia ²	Mexico	United Arab Emirates ²	Total	Canada	Japan ²	Mexico	Total	Total	Percent of U.S. Consumption
1949	0	0	0	0	0	0	0	(s) 3	0	20	20	-20	(3)
1950	0	0	0	0	0	0	0		0	23	26	-26	(3)
1951	0	0	0	0	0	0	0	4	0	21	24	-24	(3)
1952	0	0	8 9	0 0	(s)	0	8	6	0 0	22	27	-20	(3)
1953 1954	0	0	7	0	0	0	9	6 6	0	22 23	28 29	-19 -22	(3)
1954	0	0	11	0	(s)	0	11	11	0	20	31	-22 -20	(3)
1956	0	Ö	10	0	(s)	0	10	17	Ö	19	36	-26	(3)
1957	Ö	Ö	21	Ö	17	Ö	38	31	Ö	11	42	-4	(3)
1958	0	0	90	0	46	0	136	32	0	7	39	97	0.9
1959	0	0	83	0	51	0	134	12	0	7	18	116	1.0
1960	0	0	109	0	47	0	156	6	0	6	11	144	1.2
1961	0	0	167	0	52	0	219	6	0	5	11	208	1.7
1962	0	0	350	0	51	0	402	6	0	10	16	386	2.9
1963 1964	0	0	356 391	0	50 53	0	406 443	7 10	0	10 10	17 20	389 424	2.8 2.9
1965	0	0	405	0	52	0	443 456	18	0	8	26	430	2.8
1966	0	0	430	0	50	0	480	20	0	4	25	455	2.8
1967	0	0	513	0	51	0	564	70	Õ	11	82	483	2.8
1968	Ö	Ö	604	Ö	47	Ö	652	82	Ő	12	94	558	3.0
1969	0	0	680	0	47	0	727	35	3	13	51	676	3.4
1970	1	0	779	0	41	0	821	11	44	15	70	751	3.6
1971	1	0	912	0	21	0	935	14	50	16	80	854	3.9
1972	2	0	1,009	0	8	0	1,019	16	48	15	78	941	4.3
1973 1974	3	0 0	1,028 959	0	2	0	1,033 959	15 13	48 50	14	77 77	956 882	4.3 4.2
1974	0 5	0	948	0	(s) 0	0	953	10	53	13 9	73	880	4.5
1976	10	0	954	0	0	0	964	8	50	7	65	899	4.5
1977	11	Ŏ	997	Ö	2	ŏ	1,011	(s)	52	4	56	955	4.9
1978	84	0	881	0	0	0	966	(s)	48	4	53	913	4.7
1979	253	0	1,001	0	0	0	1,253	(s)	51	4	56	1,198	5.9
1980	86	0	797	0	102	0	985	(s)	45	4	49	936	4.7
1981	37	0	762	0	105	0	904	(s)	56	3	59	845	4.4
1982	55 131	0	783	0	95 75	0	933	(s)	50 53	2	52 55	882	4.9
1983 1984	131 36	0	712 755	0	75 52	0	918 843	(s) (s)	53 53	2 2	55 55	864 788	5.1 4.4
1985	24	0	926	0	0	0	950		53	2	55 55	894	5.2
1986	0	ő	749	2	ő	Ö	750	(s) 9	50	2	61	689	4.2
1987	0	Ö	993	0	0	Ö	993	3	49	2	54	939	5.5
1988	17	0	1,276	0	0	0	1,294	20	52	2	74	1,220	6.8
1989	42	0	1,339	0	0	0	1,382	38	51	17	107	1,275	6.8
1990	84	0	1,448	0	0	0	1,532	17	53	16	R86	R1,447	7.7
1991	64	0	1,710	0	0	0	1,773	15	54	60	129	1,644	8.6
1992 1993	43 82	0	2,094 2,267	0	0 2	0	2,138	68 45	53 56	96 40	216 140	1,921	9.8
1993	82 51	0	2,267	0	7	0	2,350 2,624	53	56 63	40	162	2,210 2,462	10.9 11.9
1994	18	0	2,816	0	7	0	2,841	28	65	61	154	2,462	12.5
1996	35	0	R2,883	0	14	5	R2,937	R52	68	R34	R153	R2,784	R12.7
1997 ^P	66	10	2,880	Ő	15	2	2,972	51	62	44	157	2,815	12.8

¹ Net imports = imports minus exports.

R=Revised. P=Preliminary. (s)=Less than 0.5 billion cubic feet.

Note: Totals may not equal sum of components due to independent rounding.


Web Page: http://www.eia.doe.gov/fuelnatgas.html.

Sources: Total Imports and Total Exports: calculated. All Other Data: 1949-1954—Energy Information Administration (EIA), Office of Oil and Gas, Reserves and Natural Gas Division, unpublished data. • 1955-1971—EIA, Federal Power Commission, by telephone • 1972-1990—EIA, Form FPC-14, "Annual Report for Importers and Exporters of Natural Gas." • 1991 Forward—EIA, Natural Gas Monthly (February 1998), Tables 5, 6, and unpublished revisions.

² Imports from Algeria, Australia, Indonesia, and United Arab Emirates, and exports to Japan are liquefied natural gas.

³ Not meaningful because there were net exports during this year.

Figure 6.4 Natural Gas Gross Withdrawals by State and Location and Gas Well Productivity, 1960-1997




1975


1980

1970

1960



Gross Withdrawals by Top Producing States 10 -8 **Trillion Cubic Feet** Texas Louisiana Oklahoma 1980 1975 1985 1990 1995 1960 1965 1970



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 6.4.

Table 6.4 Natural Gas Gross Withdrawals by State and Location and Gas Well Productivity, 1960-1997

(Trillion Cubic Feet, Except as Noted)

		State			Loca	ation		Gas Well ¹ Productivity			
Year	Texas	Louisiana	Oklahoma	Other	Onshore ²	Offshore ³	Gross Withdrawals from Oil and Gas Wells	Gross Withdrawals from Gas Wells	Thousands of Producing Wells ⁴	Average Productivity (thousand cubic feet per day)	
4000	0.00	0.04	4.40	0.00	44.04	0.07	45.00	40.05	04	200.7	
1960 1961	6.96 7.02	3.31 3.57	1.13 1.16	3.68 3.71	14.81 15.14	0.27 0.32	15.09 15.46	10.85 11.20	91 97	326.7 316.8	
1961	7.02	3.85	1.16	3.76	15.14	0.32	16.04	11.20	100	319.8	
1962	7.20 7.45	4.25	1.35	3.76	16.41	0.45	16.04		103	335.4	
1963								12.61		335.4 347.4	
	7.62	4.52	1.42	3.98	16.91	0.62	17.54	13.11	103		
1965	7.74	4.76	1.41	4.04	17.32	0.65	17.96	13.52	112	331.8	
1966	7.93	5.37	1.50	4.23	18.03	1.01	19.03	13.89	112	338.4	
1967	8.29	6.09	1.62	4.25	19.06	1.19	20.25	15.35	112	374.3	
1968	8.57	6.78	1.61	4.37	19.80	1.52	21.33	16.54	114	395.1	
1969	8.91	7.56	1.74	4.46	20.72	1.95	22.68	17.49	114	418.6	
1970	9.40	8.08	1.81	4.50	21.37	2.42	23.79	18.59	117	433.6	
1971	9.52	8.32	1.81	4.44	21.31	2.78	24.09	18.93	119	434.8	
1972	9.55	8.16	1.93	4.38	20.98	3.04	24.02	19.04	121	429.4	
1973	9.29	8.49	1.89	4.40	20.86	3.21	24.07	19.37	124	427.4	
1974	8.86	7.92	1.76	4.31	19.34	3.51	22.85	18.67	126	404.9	
1975	7.99	7.24	1.72	4.15	17.55	3.55	21.10	17.38	130	365.3	
1976	7.67	7.14	1.84	4.29	17.35	3.60	20.94	17.19	138	341.5	
1977	7.50	7.35	1.89	4.36	17.16	3.93	21.10	17.42	148	323.1	
1978	6.99	7.64	1.89	4.79	16.95	4.36	21.31	17.39	157	302.7	
1979	7.59	7.36	1.96	4.97	17.06	4.82	21.88	18.03	170	290.8	
1980	7.66	7.01	2.02	5.19	16.97	4.90	21.87	17.57	182	263.8	
1981	7.45	6.83	2.02	5.29	16.60	4.99	21.59	17.34	199	238.9	
1982	6.98	6.22	1.99	5.09	15.50	4.77	20.27	15.81	211	205.5	
1983	6.43	5.38	1.78	5.07	14.48	4.18	18.66	14.15	222	174.7	
1984	6.71	5.89	2.05	5.62	15.56	4.71	20.27	15.51	234	181.2	
1985	6.58	5.22	1.99	5.82	15.42	4.19	19.61	14.54	243	163.6	
1986	6.66	4.96	1.97	5.54	14.95	4.19	19.13	14.15	242	160.6	
1987	6.69	5.20	2.07	6.17	15.47	4.67	20.14	14.81	249	162.8	
1988	6.92	5.25	2.17	6.67	16.25	4.75	21.00	15.47	257	164.3	
1989	6.88	5.14	2.24	6.81	16.30	4.77	21.07	15.71	262	164.0	
1990	6.91	5.30	2.26	7.05	16.48	5.05	21.52	16.05	269	163.4	
1991	6.85	5.10	2.15	7.65	16.90	4.85	21.75	16.02	276	158.8	
1992	6.71	4.98	2.02	8.43	17.36	4.77	22.13	16.16	275	160.8	
1993	6.82	5.05	2.05	8.81	17.96	4.77	22.73	16.69	282	162.1	
1994	6.91	5.23	1.93	9.51	18.58	5.00	23.58	17.35	292	162.9	
1995	_6.87	_5.16	_1.81	9.90	18.80	_4.94	_23.74	_17.28	299	_158.6	
1996	^R 7.01	^R 5.30	R _{1.73}	R _{10.01}	R _{18.88}	^R 5.18	R24.05	R _{17.68}	R302	R _{160.5}	
1997	E6.93	E5.23	E1.83	E10.32	E19.27	E5.04	P24.31	E17.44	P304	E157.3	

Natural Gas Annual 1991 (October 1992), Table 4. • 1988—EIA, Natural Gas Annual 1992, Volume 1 (November 1993), Table 4. • 1989-1991—EIA, Natural Gas Annual 1994 (November 1995), Table 4. • 1992-1996—EIA, Natural Gas Annual 1996 (September 1997), Table 4. • 1997—EIA, estimated data. Gross Withdrawals from Oil and Gas Wells: • 1960-1990—EIA, Natural Gas Annual 1996 (September 1997), Table 99. • 1991 forward—EIA, Natural Gas Monthly (February 1998), Table 1. Producing Wells: • 1960-1966—Bureau of Mines, Natural Gas Production and Consumption. • 1967-1991—EIA, Natural Gas Annual (various issues). • 1992-1996—EIA, Natural Gas Annual 1996 (September 1997), Table 1. • 1997—Gulf Publishing Company, World Oil (February 1998). All Other Data: • 1960-1966—Bureau of Mines, Natural Gas Production and Consumption. • 1967-1992—EIA, Natural Gas Annual 1992, Volume 2 (November 1993), Tables 5 and 6. • 1992-1996—EIA, Natural Gas Annual 1996 (September 1997), Table 3. • 1997—EIA, estimated data.

² Includes State offshore gross withdrawals.

³ Excludes State offshore gross withdrawals; includes Federal offshore (Outer Continental Shelf) gross withdrawals.

⁴ As of December 31 each year.


R=Revised. P=Preliminary. E=Estimate.

Web Page: http://www.eia.doe.gov/fuelnatgas.html.

Offshore (Outer Continental Shelf):


 ^{1960-1981—}U.S. Geological Survey. • 1982-1985—The United States Minerals Management Service, Mineral Revenues - The 1989 Report on Receipts from Federal and Indian Leases, and predecessor annual reports. • 1986—Energy Information Administration (EIA), Natural Gas Annual 1990, Volume 1 (December 1991), Table 4. • 1987—EIA,

Figure 6.5 Natural Gas Delivered for the Account of Others



Natural Gas Delivered for the Account of Others, 1986-1996

Account of Others Share of Total Deliveries to Sector, 1986-1996



Source: Table 6.5.

Table 6.5 Natural Gas Delivered for the Account of Others, 1986-1996

	Residential Customers		Con	Commercial Customers			Industrial Customers			Electric Utilities 1		
	Delivered for the Account of Others	Total Deliveries	Account of Others Share of Total	Delivered for the Account of Others	Total Deliveries ²	Account of Others Share of Total	Delivered for the Account of Others	Total Deliveries	Account of Others Share of Total	Delivered for the Account of Others	Total Deliveries	Account of Others Share of Total ¹
Year	Billion C	ubic Feet	Percent	Billion C	ubic Feet	Percent	Billion C	ubic Feet	Percent	Billion C	ubic Feet	Percent
1986	NA	4,314	NA	NA	2,318	NA	2,240	5,579	40.2	721	2,602	33.6
1987	NA	4,315	NA	167	2,430	6.9	3,129	5,953	52.6	914	2,844	36.3
1988	NA	4,630	NA	247	2,670	9.3	3,663	6,383	57.4	1,076	2,636	42.5
1989	3	4,781	0.1	296	2,718	10.9	4,298	6,816	63.1	1,152	2,787	45.0
1990	31	4,391	0.7	353	2,623	13.4	4,545	7,018	64.8	1,390	2,787	50.7
1991	36	4,556	0.8	406	2,729	14.9	4,864	7,231	67.3	1,580	2,789	58.5
1992	41	4,690	0.9	471	2,803	16.8	5,249	7,527	69.7	1,697	2,766	63.7
1993	44	4,956	0.9	460	2,863	16.1	5,645	7,981	70.7	1,658	2,682	67.8
1994	42	4,848	0.9	599	2,897	20.7	6,113	8,167	74.8	2,092	2,987	75.0
1995	45	4,850	0.9	706	3,034	23.3	6,517	8,580	76.0	2,110	3,197	66.0
1996	49	5,241	0.9	707	3,161	22.4	7,152	8,870	80.6	1,871	2,732	64.4

¹ For electric utilities, total deliveries data are from Energy Information Administration (EIA), Form EIA-759, "Monthly Power Plant Report"; deliveries for the account of others and their share of total deliveries are from EIA, Form EIA-176, "Annual Report of Natural and Supplemental Gas Supply and Disposition." Because of the different reporting universes for the two data collection forms, the account-of-others share of total deliveries for electric utilities cannot be derived from the data shown on this table.

NA=Not available.

Note: • Percentages are based on data prior to rounding. • Deliveries for the account of others


are deliveries to customers by transporters that do not own the natural gas but provide transportation services. These quantities may include gas covered by long-term contracts and quantities involved in short-term or spot market sales.

Web Page: http://www.eia.doe.gov/fuelnatgas.html.

Sources: Electric Utilities Total Deliveries: EIA, Form EIA-759, "Monthly Power Plant Report." All Other Data: • 1986—EIA, Natural Gas Annual 1990, Volume 1 (December 1991), Table 1. • 1987—EIA, Natural Gas Annual 1991 (October 1992), Table 1. • 1988-1991—EIA, Natural Gas Annual 1992, Volume 1 (November 1993), Table 1. • 1992 forward—EIA, Natural Gas Annual 1996 (September 1997), Table 1.

 $^{^2}$ Small quantities of natural gas delivered for use as vehicle fuel are included, beginning in 1990.

Figure 6.6 Natural Gas Consumption by Sector



¹ Pipeline fuel and vehicle fuel; for 1997, vehicle fuel data were not available.

Note: Because vertical scales differ, graphs should not be compared. Source: Table 6.6.

 $^{^{\}rm 2}$ Shares are based on data prior to rounding for publication and may not sum exactly to 100 percent.

Table 6.6 Natural Gas Consumption by Sector, 1949-1997

(Trillion Cubic Feet)

			Industrial				Transportation			
Year	Residential	Commercial ¹	Lease and Plant Fuel	Other	Total	Pipeline Fuel ²	Vehicle Fuel	Total	Electric Utilities	Total
949	0.99	0.35	0.84	2.25	3.08	NA	NA	NA	0.55	4.97
9 4 9	1.20	0.39	0.93	2.50	3.43	0.13	NA NA	0.13	0.63	5.77
951	1.47	0.39	1.15	2.77	3.91	0.19	NA NA	0.19	0.76	6.81
952	1.62	0.52	1.16	2.87	4.04	0.19	NA NA	0.19	0.70	7.29
953	1.69	0.53	1.13	3.03	4.16	0.23	NA NA	0.23	1.03	7.64
954	1.89	0.58	1.10	3.07	4.17	0.23	NA NA	0.23	1.17	8.05
955	2.12	0.63	1.13	3.41	4.54	0.25	NA	0.25	1.15	8.69
956	2.33	0.72	1.00	3.71	4.71	0.30	NA	0.30	1.24	9.29
957	2.50	0.78	1.05	3.89	4.93	0.30	NA	0.30	1.34	9.85
958	2.71	0.87	1.15	3.89	5.03	0.31	NA	0.31	1.37	10.30
959	2.91	0.98	1.24	4.22	5.46	0.35	NA	0.35	1.63	11.32
960	3.10	1.02	1.24	4.53	5.77	0.35	NA	0.35	1.72	11.97
961	3.25	1.08	1.29	4.67	5.96	0.38	NA	0.38	1.83	12.49
962	3.48	1.21	1.37	4.86	6.23	0.38	NA	0.38	1.97	13.27
963	3.59	1.27	1.41	5.13	6.55	0.42	NA	0.42	2.14	13.97
964	3.79	1.37	1.37	5.52	6.89	0.44	NA	0.44	2.32	14.81
965	3.90	1.44	1.16	5.96	7.11	0.50	NA	0.50	2.32	15.28
966	4.14	1.62	1.03	6.51	7.55	0.54	NA	0.54	2.61	16.45
967	4.31	1.96	1.14	6.65	7.79	0.58	NA	0.58	2.75	17.39
968	4.45	2.08	1.24	7.13	8.37	0.59	NA	0.59	3.15	18.63
969	4.73	2.25	1.35	7.61	8.96	0.63	NA	0.63	3.49	20.06
970	4.84	2.40	1.40	7.85	9.25	0.72	NA	0.72	3.93	21.14
971	4.97	2.51	1.41	8.18	9.59	0.74	NA	0.74	3.98	21.79
972	5.13	2.61	1.46	8.17	9.62	0.77	NA	0.77	3.98	22.10
973	4.88	2.60	1.50	8.69	10.18	0.73	NA	0.73	3.66	22.05
974	4.79	2.56	1.48	8.29	9.77	0.67	NA	0.67	3.44	21.22
975	4.92	2.51	1.40	6.97	8.36	0.58	NA	0.58	3.16	19.54
976	5.05	2.67	1.63	6.96	8.60	0.55	NA	0.55	3.08	19.95
977	4.82	2.50	1.66	6.82	8.47	0.53	NA	0.53	3.19	19.52
978	4.90	2.60	1.65	6.76	8.40	0.53	NA	0.53	3.19	19.63
979	4.97	2.79	1.50	6.90	8.40	0.60	NA	0.60	3.49	20.24
980	4.75	2.61	1.03	7.17	8.20	0.63	NA	0.63	3.68	19.88
981	4.55	2.52	0.93	7.13	8.06	0.64	NA	0.64	3.64	19.40
982	4.63	2.61	1.11	5.83	6.94	0.60	NA	0.60	3.23	18.00
983	4.38	2.43	0.98	5.64	6.62	0.49	NA	0.49	2.91	16.83
984	4.56	2.52	1.08	6.15	7.23	0.53	NA	0.53	3.11	17.95
985	4.43	2.43	0.97	5.90	6.87	0.50	NA	0.50	3.04	17.28
986	4.31	2.32	0.92	5.58	6.50	0.49	NA	0.49	2.60	16.22
987	4.31	2.43	1.15	5.95	7.10	0.52	NA	0.52	2.84	17.21
988	4.63	2.67	1.10	6.38	7.48	0.61	NA	0.61	2.64	18.03
989	4.78	2.72	1.07	6.82	7.89	0.63	NA	0.63	2.79	18.80
990	4.39	2.62	1.24	7.02	8.25	0.66	(s)	0.66	2.79	18.72
991	4.56	2.73	1.13	7.23	8.36	0.60	(s)	0.60	2.79	19.04
992	4.69	2.80	1.17	7.53	8.70	0.59	(s)	0.59	2.77	19.54
993	4.96	2.86	1.17	7.98	9.15	0.62	(s)	0.63	2.68	20.28
994	4.85	2.90	1.12	8.17	9.29	0.69	(s)	0.69	2.99	20.71
995	4.85	3.03	1.22	8.58	9.80	0.70	(s)	0.70	3.20	21.58
996	R5.24	R3.16	1.25	R8.87	R10.12	0.71	(s)	0.71	R2.73	R21.97
997 ^P	5.04	3.24	1.25	8.80	10.05	0.71	ŇÁ	0.71	2.96	21.99

¹ Includes deliveries to municipalities and public authorities for institutional heating and other purposes.

² Natural gas consumed in the operation of pipelines, primarily in compressors.


R=Revised. P=Preliminary. NA=Not available. (s)=Less than 5 billion cubic feet.


Notes: • For the definition of natural gas consumption, see Note at end of section. • Beginning with 1965, all volumes are shown on a pressure base of 14.73 p.s.i.a. at 60° F. For prior years, the pressure

base was 14.65 p.s.i.a. at 60° F. • Totals may not equal sum of components due to independent rounding. Web Page: http://www.eia.doe.gov/fuelnatgas.html.

Sources: **Electric Utilities:** Table 8.8. **All Other Data:** • 1949-1990—Energy Information Administration (EIA), *Natural Gas Annual 1996* (September 1997), Table 101. • 1991 forward—EIA, *Natural Gas Monthly* (February 1998), Table 3.

Figure 6.7 Natural Gas in Underground Storage, End of Year 1954-1997





Note: Because vertical scales differ, graphs should not be compared.

Sources: Tables 6.6 and 6.7.

Table 6.7 Natural Gas in Underground Storage, End of Year 1954-1997

(Billion Cubic Feet)

Year	Base Gas ¹	Working Gas	Total ¹
1954	817	465	1,281
955	863	505	1,368
956	919	505	
			1,502
957	1,001	673	1,674
958	1,056	708	1,764
959	NA	NA	1,901
960	NA	NA	2,184
961	NA	NA	2,344
962	1,571	933	2,504
963	1,738	1,007	2,745
964	1,781	1,159	2,940
965	1,848	1,242	3,090
966	1,958	1,267	3,225
967	2,058	1,318	3,376
968	2,128	1,366	3,495
969	2,181	1,421	3,602
970	2,326	1,678	4,004
971	2,485	1,840	4,325
72	2,751	1,729	4,480
773	2,864	2,034	4,898
774	2,912	2,050	4,962
975	3,162	2,212	5,374
976	3,102	1,926	5,250
	3,323	2,475	5,866
977 978	3,391		
	3,473	2,547	6,020
979	3,553	2,753	6,306
980	3,642	2,655	6,297
981	3,752	2,817	6,569
182	3,808	3,071	6,879
183	3,847	2,595	6,442
984	3,830	2,876	6,706
985	3,842	2,607	6,448
986	3,819	2,749	6,567
187	3,792	2,756	6,548
988	3,800	2,850	6,650
189	3,812	2,513	6,325
90	3,868	3,068	6,936
91	3,954	2,824	6,778
92	4,044	2,597	6,641
93	4,327	2,322	6,649
94	4,360	2,606	6,966
995	4,349	2,153	6,503
196	R4,345	2,133 R2,173	R6,513
997	4,350	2,173	
ายเ	4,300	2,170	6,520

Includes native gas.

R=Revised. NA=Not available.


Notes: • Beginning with 1965, all volumes are shown on a pressure base of 14.73 p.s.i.a. at 60 degrees F. For prior years, the pressure base was 14.65 p.s.i.a. at 60 degrees F. • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelnatgas.html.

Sources: • 1954-1974—American Gas Association, *Gas Facts.* • 1975 and 1976—Federal Energy

Administration, Form FEA-G318-M-O, "Underground Gas Storage Report," and Federal Power Commission, Form FPC-8, "Underground Gas Storage Report." • 1977 and 1978—Energy Information Administration (EIA) and Federal Energy Administration, Form FEA-G318-M-O, "Underground Gas Storage Report," and Federal Power Commission, Form FPC-8, "Underground Gas Storage Report." • 1979-1984—EIA, Form EIA-191, "Underground Gas Storage Report" and Federal Energy Regulatory Commission, Form FERC-8, "Underground Gas Storage Report." • 1985 forward—EIA, *Natural Gas Monthly*, March issues.

Figure 6.8 Natural Gas Wellhead, City Gate, and Imports Prices



¹ Nominal Dollars.

Source: Table 6.8.

 $^{^{\}rm 2}$ In chained (1992) dollars, calculated by using gross domestic product implicit price deflators.

³ There was no price in 1974 or 1987 because all imports were by pipeline in those years.

Table 6.8 Natural Gas Wellhead, City Gate, and Imports Prices, 1949-1997

(Dollars per Thousand Cubic Feet)

	Wellhead ¹		City	Gate	Imports			
Year	Nominal	Real ²	Nominal	Real ²	Pipeline (Nominal)	Other ³ (Nominal)	Average (Nominal)	
0.40	0.00	R _{0.33}	NIA	NIA	NA	NIA	NIA	
949	0.06	NO.33	NA	NA	NA	NA	NA	
950	0.07	R0.38	NA	NA	NA	NA	NA	
951	0.07	R0.36	NA	NA	NA	NA	NA	
952	0.08	R0.40	NA	NA	NA	NA	NA	
953	0.09	R0.45	NA	NA	NA	NA	NA	
954	0.10	R _{0.49}	NA	NA	NA	NA	NA	
955	0.10	R _{0.48}	NA	NA	NA	NA	NA	
956	0.11	R _{0.51}	NA	NA	NA	NA	NA	
957	0.11	R _{0.50}	NA	NA	NA	NA	NA	
958	0.12	R _{0.53}	NA	NA	NA	NA	NA	
959	0.13	0.57	NA	NA	NA	NA	NA	
960	0.14	0.60	NA	NA	NA	NA	NA	
961	0.15	0.64	NA	NA	NA	NA	NA	
962	0.16	0.67	NA	NA	NA	NA	NA	
963	0.16	0.66	NA	NA	NA	NA	NA	
964	0.15	0.61	NA	NA	NA	NA	NA	
965	0.16	0.64	NA	NA	NA	NA	NA	
966	0.16	0.62	NA	NA	NA	NA	NA NA	
967	0.16	0.60	NA NA	NA NA	NA	NA NA	NA	
968	0.16	0.60	NA NA	NA NA	NA NA	NA NA	NA NA	
			NA NA				NA NA	
969	0.17	0.59		NA	NA	NA		
970	0.17	0.56	NA	NA	NA	NA	NA	
971	0.18	0.56	NA	NA	NA	NA	NA	
972	0.19	0.57	NA	NA	0.31	1.38	0.31	
973	0.22	0.62	NA	NA	0.35	1.05	0.35	
974	0.30	_0.78	NA	NA	0.55	(4)	0.55	
975	0.44	R1.05	NA	NA	1.21	0.74	1.21	
976	0.58	1.30	NA	NA	1.73	0.77	1.72	
977	0.79	1.67	NA	NA	1.99	0.92	1.98	
978	0.91	R1.79	NA	NA	2.19	1.53	2.13	
979	1.18	R2.14	NA	NA	2.61	2.03	2.49	
980	1.59	R2.64	NA	NA	4.32	3.77	4.28	
981	1.98	3.00	NA	NA	4.83	5.54	4.88	
982	2.46	R3.50	NA	NA	4.97	5.82	5.03	
983	2.59	3.54	NA	NA	4.49	6.41	4.78	
984	2.66	3.50	3.95	5.20	4.01	4.90	4.08	
985	2.51	3.20	3.75	4.78	3.17	4.60	3.21	
986	1.94	2.41	3.73	4.00	2.42	4.62	2.43	
987	1.67		2.87	3.45	1.95	0.00	1.95	
988 988		2.01	2.92	3.45		2.71		
	1.69	1.96		3.39	1.83		1.84	
989	1.69	1.88	3.01	3.36	1.81	2.22	1.82	
990	1.71	1.83	3.03	3.24	1.91	2.47	1.94	
991	1.64	1.69	2.90	2.98	1.81	2.36	1.83	
992	1.74	1.74	3.01	3.01	1.84	2.54	1.85	
993	2.04	1.99	3.21	3.13	2.03	2.20	2.03	
994	1.85	1.76	3.07	2.92 2.58	1.86	2.28	1.87	
995	1.55	1.44	2.78	2.58	1.49	2.30	1.49	
996	R2.17	R1.97	3.34	3.03	1.96	R2.80	R1.97	
997	E2.42	E2.15	3.61	3.21	E2.06	E2.80	E2.07	

See Glossary for definition of Natural Gas Wellhead Price.

R=Revised. E=Estimated. NA=Not available.

Web Page: http://www.eia.doe.gov/fuelnatgas.html.

Sources: Wellhead: • 1949-1990—Energy Information Administration (EIA), Natural Gas Annual 1996

(September 1997), Table 99. • 1991 forward—EIA, *Natural Gas Monthly* (March 1998), Table 4. **City Gate:** • 1984-1990—EIA, *Natural Gas Annual*, various issues. • 1991 forward—EIA, *Natural Gas Monthly* (March 1998), Table 4. **Imports:** • 1972 and 1973—Federal Power Commission (FPC), *Pipeline* Imports and Exports of Natural Gas - Imports and Exports of LNG. • 1974-1976—FPC, United States Imports and Exports of Natural Gas, annual. • 1977-1988—EIA, Natural Gas Monthly (August 1994), Table FE7. • 1989-1991—EIA, Natural Gas Annual (1993), Table 10. 1992-1996—EIA, Natural Gas Monthly (March 1998), Table 5. • 1997—EIA estimates.


² In chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Appendix Table 3.1.

Primarily liquefied natural gas from Algeria.

⁴ Not applicable. All imports were by pipeline.

3

Figure 6.9 Natural Gas Prices by Sector



¹ Nominal dollars.

Source: Table 6.9.

² Based on 100 percent of volume delivered.

³ Based on 77.6 percent of volume delivered.

⁴ Based on 20.2 percent of volume delivered.

⁵ Based on 94.0 percent of volume delivered.

 $^{^{\}rm 6}$ Based on all steam-electric utility plants with a combined capacity of 50 megawatts or greater.

Table 6.9 Natural Gas Prices by Sector, 1967-1997

(Price: Dollars¹ per Thousand Cubic Feet; Share of Total Volume Delivered: Percentage)

	Residential	Comn	nercial ²	Indu	strial	Vehic	le Fuel ³	Electric Utilities
Year	Price ⁴	Price	Share of Total Volume Delivered	Price	Share of Total Volume Delivered	Price	Share of Total Volume Delivered	Price ⁵
1967	1.04	0.74	NA	0.34	NA	NA	NA	0.28
1968	1.04	0.74	NA NA	0.34	NA NA	NA NA	NA NA	0.20
1969	1.05	0.74	NA NA	0.35	NA NA	NA NA	NA NA	0.27
1970	1.09	0.74	NA NA	0.37	NA NA	NA NA	NA NA	0.27
1970	1.15	0.77	NA NA	0.41	NA NA	NA NA	NA NA	0.29
1972	1.21	0.88	NA NA	0.45	NA NA	NA NA	NA NA	0.34
1973	1.29	0.94	NA	0.50	NA	NA NA	NA	0.38
1974	1.43	1.07	NA	0.67	NA NA	NA NA	NA NA	0.51
1975	1.71	1.35	NA	0.96	NA NA	NA NA	NA NA	0.77
976	1.98	1.64	NA	1.24	NA	NA NA	NA	1.06
977	2.35	2.04	NA	1.50	NA	NA NA	NA	1.32
978	2.56	2.23	NA	1.70	NA	NA	NA	1.48
979	2.98	2.73	NA	1.99	NA	NA	NA	1.81
980	3.68	3.39	NA	2.56	NA	NA	NA	2.27
981	4.29	4.00	NA	3.14	NA	NA	NA	2.89
982	5.17	4.82	NA	3.87	85.1	NA	NA	3.48
983	6.06	5.59	NA	4.18	80.7	NA	NA	3.58
984	6.12	5.55	NA	4.22	74.7	NA	NA	3.70
985	6.12	5.50	NA	3.95	68.8	NA	NA	3.55
986	5.83	5.08	NA	3.23	59.8	NA	NA	2.43
987	5.54	4.77	93.1	2.94	47.4	NA	NA	2.32
988	5.47	4.63	90.7	2.95	42.6	NA	NA	2.33
989	5.64	4.74	89.1	2.96	36.9	NA	NA	2.43
990	5.80	4.83	86.6	2.93	35.2	3.39	NA	2.38
991	5.82	4.81	85.1	2.69	32.7	3.96	NA	2.18
992	5.89	4.88	83.2	2.84	30.3	4.05	NA	2.36
993	6.16	5.22	83.9	3.07	29.7	4.27	87.8	2.61
994	6.41	5.44	79.3	3.05	25.5	R4.11	86.9	2.28
995	6.06	5.05	76.7	2.71	24.5	3.98	86.6	2.02
996	R6.34	R5.40	^R 77.6	R3.42	R20.2	R4.34	R94.0	R2.69
997 ^P	6.89	5.75	65.0	3.53	15.3	NA	NA	NA

¹ Nominal dollars.

price data represent prices of natural gas sold and delivered by local distribution companies to residential, commercial, and industrial consumers, respectively. The data do not reflect prices of natural gas transported for the account of others. • The average for each end-use sector is calculated by dividing the total value of the gas consumed by each sector by the total quantity consumed. See Note at end of section.

Web Page: http://www.eia.doe.gov/fuelnatgas.html.

Sources: Vehicle Fuel: 1990-1996—EIA, Natural Gas Annual 1996 (September 1997), Table 102. All Other Data: • 1967-1990—EIA, Natural Gas Annual 1996 (September 1997), Table 102. • 1991 forward—EIA, Natural Gas Monthly (March 1998), Table 4.

Notified dollars.
 Includes deliveries to municipalities and public authorities for institutional heating and other purposes.

³ Much of the natural gas delivered for vehicle fuel represents deliveries to fueling stations that are used primarily or exclusively by respondents' fleet vehicles. Thus, the prices are often those associated with the operation of fleet vehicles.

⁴ Based on 100 percent of volume delivered.

⁵ Based on all steam-electric utility plants with a combined capacity of 50 megawatts or greater. R=Revised. P=Preliminary. NA=Not available.

Notes: • Natural gas includes supplemental gaseous fuels. • Residential, commercial, and industrial

Natural Gas Note


Natural gas consumption statistics are compiled from surveys of natural gas production, transmission, and distribution companies and electric utility companies. Consumption by sector from these surveys is compiled on a national and individual State basis and then balanced with national and individual State supply data. Included in the data are the following: Commercial Sector-consumption by nonmanufacturing establishments, by

municipalities for institutional heating and lighting, and those engaged in agriculture, forestry, and fishing; Electric Utility Sector-consumption by electric utilities for the generation of electric power; Industrial Sector-consumption by establishments engaged primarily in processing unfinished materials into another form of product (includes mining, petroleum refining, manufacturing, and natural gas industry use for lease and plant fuel); Residential Sector-consumption by private households for space heating, cooking, and other household uses; Transportation Sector-natural gas transmission (pipeline) fuel.

Coal



Coal yard, Curtis Bay, Maryland. Source: U.S. Department of Energy.




Notes: • Data are preliminary. • Totals may not equal sum of components due to independent rounding. Sources: Tables 7.1, 7.2, and 7.3.

a Estimated

b Includes 22.8 million short tons consumed by independent power producers.

Figure 7.1 Coal Overview



Sources: Tables 5.1, 6.1, and 7.1.

Table 7.1 Coal Overview, 1949-1997

Year	Production	Imports	Exports	Stock Change ¹	Losses and Unaccounted for ²	Consumption ³
949	480.6	0.3	32.8	(4)	⁵ -35.1	483.2
950	560.4	0.4	29.4	(4)	⁵ 37.3	494.1
151	576.3	0.3	62.7	(4)	⁵ 8.1	505.9
52	507.4	0.3	52.2	(4)	51.4	454.1
53	488.2	0.3	36.5	(4)	⁵ -2.8	454.8
54	420.8	0.2	33.9	(4)	5-2.8	389.9
55	490.8	0.3	54.4	(4)	5-10.3	447.0
56	529.8	0.4	73.8	(4)	5-0.5	456.9
57	518.0	0.4	80.8	(4)	⁵ 3.2	434.5
58	431.6	0.3	52.6	(4)	5-6.4	385.7
59	432.7	0.4	39.0	(4)	^{-0.4} ⁵ 9.0	385.1
80	434.3	0.3	38.0	(4)	5-1.5	398.1
51	420.4	0.2	36.4		⁵ -6.2	390.4
52	439.0	0.2	40.2	(4) (4)	5-3.2	402.3
63	477.2	0.3	50.4		⁵ 3.6	423.5
54	504.2	0.3	49.5	(4) (4)	⁵ 9.3	445.7
35	527.0	0.2	51.0	(4)	54.1	472.0
66 66	546.8	0.2	50.1		5-0.8	497.7
67	564.9	0.2	50.1	(4)	⁵ 23.6	491.4
57 58	556.7	0.2	51.2	(4)	⁵ -4.1	509.8
69	571.0	0.1	56.9	(4)	5-2.2	516.4
70	612.7	(s)	71.7	(4)	517.7	523.2
71	560.9	0.1	57.3	(4)	⁵ 2.2	501.6
72	602.5	0.1 (c)	56.7	(4)	⁵ 21.5	524.3
73	598.6	(s) 0.1	53.6	(4)	⁵ -17.5	562.6
74	610.0	2.1	60.7	(4) -8.9	2.0	558.4
7 4 75	654.6	0.9	66.3	32.2	-5.5	562.6
76	684.9	1.2	60.0	8.5	13.8	603.8
77	697.2	1.6	54.3	22.6	-3.4	625.3
78	670.2	3.0	40.7	-4.9	12.1	625.2
79	781.1	2.1	66.0	36.2	0.4	680.5
9	829.7	1.2	91.7	25.6	10.8	702.7
1	823.8	1.0	112.5	-19.0	-1.4	732.6
32	838.1	0.7	106.3	22.6	3.1	732.6
33	782.1	1.3	77.8	-29.5	-1.6	736.7
34	895.9	1.3	81.5	-29.5 28.7	-1.0 -4.3	791.3
35 35	883.6	2.0	92.7	-27.9	2.8	818.0
36	890.3	2.0	92.7 85.5	4.0	-1.2	804.2
87	918.8	1.7	79.6	6.5	-1.2 -2.5	836.9
38	950.3	2.1	95.0	-24.9	-2.5 -1.3	883.6
99	980.7	2.1	100.8	-24.9 -13.7	6.8	889.7
90	1,029.1	2.9	105.8	26.5	3.9	895.5
	996.0	3.4	109.0	-0.9	3.7	887.6
)1)2	996.0	3.4	102.5	-0.9 -3.0	-5.8	887.6 R,3907.7
92	997.5 945.4	7.3	74.5	-3.0 -51.9	-5.8 -13.9	R944.1
93 94	1,033.5	7.3 7.6	74.5 71.4	23.6	-13.9 -5.3	R951.5
			71.4 88.5		-5.3 -10.1	R962.0
95 96	1,033.0 R1,063.9	7.2 7.1	88.5 90.5	-0.3 -17.5	-10.1 -7.6	R1,005.6
		7.1 7.5				
7	1,088.6	7.5	83.5	-12.5	-2.1	1,027.1

¹ Includes changes in stocks at electric utilities, coke plants, other industries, retail dealers, producers and distributors. A negative value indicates a decrease in stocks; and a positive value indicates an increase in stocks.

Note: Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuellcoal.html.

Sources: • 1949-1975—Bureau of Mines, *Minerals Yearbook*, "Coal-Bituminous and Lignite" and "Coal-Pennsylvania Anthracite" chapters. • 1976—Energy Information Administration (EIA), Energy Data Report, *Coal-Bituminous and Lignite in 1976* and *Coal-Pennsylvania Anthracite 1976*. • 1977 and 1978—EIA, Energy Data Reports, *Bituminous Coal and Lignite Production and Mine Operations-1977*; 1978 and *Coal-Pennsylvania Anthracite 1977*; 1978. • 1979 and 1980—EIA, Energy Data Report, *Weekly Coal Report*. • 1981-1996—EIA, *Weekly Coal Production*, *Coal Production* (annual), *Coal Industry Annual 1996*, (November 1997), and *Quarterly Coal Report October-December 1996* (May 1997), Table 1. • 1997—Tables, 7.2, 7.3, and 7.4 of this report, and EIA, *Monthly Energy Review* (March 1998), Table 6.1.

² Production plus imports minus exports, stock change, and consumption.


³ Independent power producers' use of coal (nonutility power producers in SIC 49, "Electric Gas, and Sanitary Services") are included beginning in 1992. See Table 7.3.


⁴ Included in "Losses and Unaccounted for."

⁵ Includes "Stock Change."

R=Revised. (s)=Less than 0.05 million short tons.

Figure 7.2 Coal Production, 1949-1997





700 600 SUrface 500 Surface 300 Underground 100 -


1970 1975

1980

1985

1990 1995

Source: Table 7.2.



1960

By Mining Method

1950

Note: Because vertical scales differ, graphs should not be compared.

1965

¹ Included with bituminous coal prior to 1969.

Table 7.2 Coal Production, 1949-1997

		Ran	k		Mining N	Method	Loca	ation		
Year	Bituminous Coal	Subbituminous Coal	Lignite	Anthracite	Underground	Surface	West of the Mississippi	East of the Mississippi	Total	
949	437.9	(1)	(1)	42.7	358.9	121.7	36.4	444.2	480.6	
		(1)	(1)							
950 951	516.3 533.7	(1)	(1)	44.1 42.7	421.0 442.2	139.4 134.2	36.0	524.4 541.7	560.4	
951 952	466.8	(1)	(1)		381.2	126.3	34.6		576.3	
952 953	466.8 457.3	(1)	(1)	40.6 30.9	367.4	120.8	32.7 30.6	474.8 457.7	507.4 488.2	
953 954	457.3 391.7	(1)	(1)	29.1	306.0	120.8	25.4	457.7 395.4	488.2	
954 955	391.7 464.6	(1)	(1)	26.2	358.0	132.9	26.6	395.4 464.2		
	500.9	(1)	(1)	28.9	380.8	148.9			490.8 529.8	
956		(1)	(1)				25.8	504.0		
957	492.7	(')	(')	25.3	373.6	144.5	24.7	493.4	518.0	
958	410.4	(')	(1)	21.2	297.6	134.0	20.3	411.3	431.6	
959	412.0	(')	(1)	20.6	292.8	139.8	20.3	412.4	432.7	
960	415.5	(')	(')	18.8	292.6	141.7	21.3	413.0	434.3	
961	403.0	(')	(1)	17.4	279.6	140.9	21.8	398.6	420.4	
962	422.1	(1)	(1)	16.9	287.9	151.1	21.4	417.6	439.0	
963	458.9	(')	(')	18.3	309.0	168.2	23.7	453.5	477.2	
964	487.0	(1)	(1)	17.2	327.7	176.5	25.7	478.5	504.2	
965	512.1	(')	(1)	14.9	338.0	189.0	27.4	499.5	527.0	
966	533.9	(')	(1)	12.9	342.6	204.2	28.0	518.8	546.8	
967	552.6	(1)	(1)	12.3	352.4	212.5	28.9	536.0	564.9	
968	545.2	(1)	(1)	11.5	346.6	210.1	29.7	527.0	556.7	
969	547.2	8.3	5.0	10.5	349.2	221.7	33.3	537.7	571.0	
970	578.5	16.4	8.0	9.7	340.5	272.1	44.9	567.8	612.7	
971	521.3	22.2	8.7	8.7	277.2	283.7	51.0	509.9	560.9	
972	556.8	27.5	11.0	7.1	305.0	297.4	64.3	538.2	602.5	
973	543.5	33.9	14.3	6.8	300.1	298.5	76.4	522.1	598.6	
974	545.7	42.2	15.5	6.6	278.0	332.1	91.9	518.1	610.0	
975	577.5	51.1	19.8	6.2	293.5	361.2	110.9	543.7	654.6	
976	588.4	64.8	25.5	6.2	295.5	389.4	136.1	548.8	684.9	
977	581.0	82.1	28.2	5.9	266.6	430.6	163.9	533.3	697.2	
978	534.0	96.8	34.4	5.0	242.8	427.4	183.0	487.2	670.2	
979	612.3	121.5	42.5	4.8	320.9	460.2	221.4	559.7	781.1	
980	628.8	147.7	47.2	6.1	337.5	492.2	251.0	578.7	829.7	
981	608.0	159.7	50.7	5.4	316.5	507.3	269.9	553.9	823.8	
982	620.2	160.9	52.4	4.6	339.2	499.0	273.9	564.3	838.1	
983	568.6	151.0	58.3	4.1	300.4	481.7	274.7	507.4	782.1	
984	649.5	179.2	63.1	4.2	352.1	543.9	308.3	587.6	895.9	
985	613.9	192.7	72.4	4.7	350.8	532.8	324.9	558.7	883.6	
986	620.1	189.6	76.4	4.3	360.4	529.9	325.9	564.4	890.3	
987	636.6	200.2	78.4	3.6	372.9	545.9	336.8	581.9	918.8	
988	638.1	223.5	85.1	3.6	382.2	568.1	370.7	579.6	950.3	
989	659.8	231.2	86.4	3.3	393.8	586.9	381.7	599.0	980.7	
990	693.2	244.3	88.1	3.5	424.5	604.5	398.9	630.2	1,029.1	
991	_650.7	_255.3	86.5	3.4	407.2	588.8	404.7	591.3	996.0	
992	^R 651.8	R252.2	90.1	3.5	407.2	590.3	409.0	588.6	997.5	
993	576.7	274.9	89.5	4.3	351.1	594.4	429.2	516.2	945.4	
994	640.3	300.5	88.1	4.6	399.1	634.4	467.2	566.3	1,033.5	
995	_613.8	_328.0	_86.5	_4.7	_396.2	_636.7	488.7	_544.2	_1,033.0	
996	R630.8	R340.3	R88.1	R4.8	R409.8	R654.0	^R 500.2	R563.7	R1,063.9	
997	E629.3	E366.9	E87.6	P4.9	^E 419.1	E669.5	P511.3	P577.3	P1,088.6	

¹ Included in bituminous coal.

Report, Coal-Bituminous and Lignite in 1976 and Coal-Pennsylvania Anthracite 1976. • 1977 and 1978—EIA, Energy Data Report, Bituminous Coal and Lignite Production and Mine Operations-1977; 1978, Coal-Pennsylvania Anthracite 1977; 1978, and Coal Production (annual). • 1979 and 1980—EIA, Energy Data Report, Weekly Coal Report and Coal Production (annual). • 1981-1992—EIA, Weekly Coal Production and Coal Production (annual). • 1993—1996—EIA, Coal Industry Annual 1996 (November 1997), Tables 1, 3, and 9. • 1997—EIA estimates.


R=Revised. E=Estimated.

Note: Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelcoal.html.

Sources: • 1949-1975—Bureau of Mines, *Minerals Yearbook*, "Coal-Bituminous and Lignite" and "Coal-Pennsylvania Anthracite" chapters. • 1976—Energy Information Administration (EIA), Energy Data

Figure 7.3 Coal Consumption by Sector



¹Wholesale producers of electricity that are not franchised utilities and not cogeneration plants included in the commercial or industrial sector.

²Small amounts of coal for transportation use are included in Industry and Miscellaneous.

Source: Table 7.3.

Table 7.3 Coal Consumption by Sector, 1949-1997

			Industry and Miscellaneous				Electric Power Industry		
Year	Residential and Commercial	Coke Plants	Other Industry ¹ and Miscellaneous	Total	Transportation	Electric Utilities	Independent Power Producers ²	Total	Total
949	116.5	91.4	121.2	212.6	70.2	84.0	NA	84.0	483.2
950	114.6	104.0	121.2	224.6	63.0	91.9	NA NA	91.9	494.1
950 951	101.5	113.7	120.6	242.4	56.2	105.8	NA NA	105.8	505.9
952	92.3	97.8	117.1	214.9	39.8	107.1	NA	107.1	454.1
953	79.2	113.1	117.0	230.1	29.6	115.9	NA	115.9	454.8
954	69.1	85.6	98.2	183.9	18.6	118.4	NA	118.4	389.9
55	68.4	107.7	110.1	217.8	17.0	143.8	NA	143.8	447.0
956	64.2	106.3	114.3	220.6	13.8	158.3	NA	158.3	456.9
957	49.0	108.4	106.5	214.9	9.8	160.8	NA	160.8	434.5
958	47.9	76.8	100.5	177.4	4.7	155.7	NA	155.7	385.7
159	40.8	79.6	92.7	172.3	3.6	168.4	NA	168.4	385.1
60	40.9	81.4	96.0	177.4	3.0	176.7	NA	176.7	398.1
961	37.3	74.2	95.9	170.1	0.8	182.2	NA	182.2	390.4
962	36.5	74.7	97.1	171.7	0.7	193.3	NA	193.3	402.3
963	31.5	78.1	101.9	180.0	0.7	211.3	NA	211.3	423.5
964	27.2	89.2	103.1	192.4	0.7	225.4	NA	225.4	445.7
965	25.7	95.3	105.6	200.8	0.7	244.8	NA	244.8	472.0
966	25.6	96.4	108.7	205.1	0.6	266.5	NA	266.5	497.7
967	22.1	92.8	101.8	194.6	0.5	274.2	NA	274.2	491.4
168	20.0	91.3	100.4	191.6	0.3	297.8	NA NA	297.8	509.8
969	18.9	93.4	93.1	186.6	0.3	310.6	NA NA	310.6	516.4
970	16.1	96.5	90.2	186.6	0.3	320.2	NA NA	320.2	523.2
971	15.2	83.2	75.6	158.9	0.3	327.3	NA NA	320.2	501.6
971	11.7	87.7	73.6	160.6	0.2	351.8	NA NA	351.8	524.3
973	11.1	94.1	68.0	162.1	0.1	389.2	NA	389.2	562.6
974	11.4	90.2	64.9	155.1	0.1	391.8	NA	391.8	558.4
975	9.4	83.6	63.6	147.2	(s) (s) (s) (3)	406.0	NA	406.0	562.6
976	8.9	84.7	61.8	146.5	(s)	448.4	NA	448.4	603.8
77	9.0	77.7	61.5	139.2	(s)	477.1	NA	477.1	625.3
78	9.5	71.4	63.1	134.5		481.2	NA	481.2	625.2
979	8.4	77.4	67.7	145.1	(3)	527.1	NA	527.1	680.5
980	6.5	66.7	60.3	127.0	(3)	569.3	NA	569.3	702.7
981	7.4	61.0	67.4	128.4	(3)	596.8	NA	596.8	732.6
982	8.2	40.9	64.1	105.0	(3)	593.7	NA	593.7 625.2	706.9
83	8.4	37.0	66.0	103.0	(3)	625.2	NA	625.2	736.7
84	9.1	44.0	73.7	117.8	(3)	664.4	NA	664.4	791.3
985	7.8	41.1	75.4	116.4	(3)	693.8	NA	693.8	818.0
986	7.7	35.9	75.6	111.5	(3)	685.1	NA	685.1	804.2
87	6.9	37.0	75.2	112.1	(3)	717.9	NA	717.9	836.9
88	7.1	41.9	76.3	118.1		758.4	NA	758.4	883.6
89	6.2	40.5	76.1	116.6	(3) (3)	766.9	NA	766.9	889.7
90	6.7	38.9	76.3	115.2	(3)	773.5	NA	773.5	895.5
91	6.1	33.9	75.4	109.3	(3)	772.3	NA	772.3	887.6
192	6.2	32.4	74.0	106.4	(3)	779.9	R15.2	R,4795.1	R,4907.7
93	6.2	31.3	74.0	106.4	(3)	813.5	R18.1	R831.6	R944.1
94	6.0	31.7	74.9	106.2		817.3	R21.3	R838.5	R951.5
194 195	5.8	33.0	^{75.2} R73.1	R106.1	(3)	817.3 829.0	21.2	850.2	R962.0
	5.8 6.0	33.0 R31.7	R70.9	102.6	(3)		21.2 R22.2	850.2 R896.9	R1,005.6
996					(3)	R874.7			
997	6.0	29.4	70.4	99.8	(3)	898.5	E22.8	921.3	1,027.1

¹ See Note at end of section.

R=Revised. E=Estimated. NA=Not available. (s)=Less than 0.05 million short tons.

Notes: • See Note at end of section. • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelcoal.html.


Sources: Independent Power Producers: Energy Information Administration (EIA), Form EIA-867, "Annual Nonutility Power Producers Report." All Other Data: • 1949-1975—Bureau of Mines, Minerals Yearbook, "Coal-Bituminous and Lignite" and "Coal-Pennsylvania Anthracite" chapters. • 1976—EIA, Energy Data Report, Coal-Bituminous and Lignite in 1976 and Coal-Pennsylvania Anthracite 1976. • 1977 and 1978—EIA, Energy Data Report, Coal-Pennsylvania Anthracite 1977; 1978, and Weekly Coal Report. • 1979 and 1980—EIA, Energy Data Report, Weekly Coal Report. • 1981–1988—EIA, Quarterly Coal Report October-December 1989 (May 1990), Table 23. • 1989–1996—EIA, Quarterly Coal Report October-December 1997 (May 1998), Table 45. • 1997—EIA, Monthly Energy Review (March 1998), Table 5.


² Wholesale producers of electricity that are not franchised utilities and not cogeneration plants that are included in the commercial and industrial sectors.

³ After 1977, small amounts of coal consumed by Transportation Sector are included in "Other Industry and Miscellaneous."

⁴ There is a discontinuity in this time series between 1991 and 1992 due to the addition of the coal consumed by independent power producers beginning in 1992.

Figure 7.4 Coal Exports by Country of Destination





United Kingdom

Brazil

Netherlands


Italy

Belgium/ Luxembourg

Japan

Canada

By Selected Country, 1960-1997



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 7.4.

Table 7.4 Coal Exports by Country of Destination, 1960-1997


Year 1960 1961 1962 1963 1964 1965 1966	12.8 12.1 12.3 14.6 14.8 16.3 16.5	1.1 1.0 1.3 1.2	Belgium/ Luxembourg 1.1 1.0 1.3	0.1 0.1	France	Germany ¹	Italy	Netherlands	Spain	United				Other	
1961 1962 1963 1964 1965	12.1 12.3 14.6 14.8 16.3	1.0 1.3 1.2	1.0		0.8				Spain	Kingdom	Other	Total	Japan	Other	Total
1962 1963 1964 1965	12.3 14.6 14.8 16.3	1.3 1.2		0.1	0.0	4.6	4.9	2.8	0.3	0.0	2.4	17.1	5.6	1.3	38.0
1963 1964 1965	14.6 14.8 16.3	1.2	1.3	0.1	0.7	4.3	4.8	2.6	0.2	0.0	2.0	15.7	6.6	1.0	36.4
1964 1965	14.8 16.3		1.0	(s)	0.9	5.1	6.0	3.3	0.8	(s)	1.8	19.1	6.5	1.0	40.2
965	16.3		2.7	(s)	2.7	5.6	7.9	5.0	1.5	0.0	2.4	27.7	6.1	0.9	50.4
		1.1	2.3	(s)	2.2	5.2	8.1	4.2	1.4	0.0	2.6	26.0	6.5	1.1	49.5
966	16 E	1.2	2.2	(s)	2.1	4.7	9.0	3.4	1.4	(s)	2.3	25.1	7.5	0.9	51.0
	10.5	1.7	1.8	(s)	1.6	4.9	7.8	3.2	1.2	(s)	2.5	23.1	7.8	1.0	50.1
1967	15.8	1.7	1.4	0.0	2.1	4.7	5.9	2.2	1.0	0.0	2.1	19.4	12.2	1.0	50.1
968	17.1	1.8	1.1	0.0	1.5	3.8	4.3	1.5	1.5	0.0	1.9	15.5	15.8	0.9	51.2
969	17.3	1.8	0.9	0.0	2.3	3.5	3.7	1.6	1.8	0.0	1.3	15.2	21.4	1.2	56.9
970	19.1	2.0	1.9	0.0	3.6	5.0	4.3	2.1	3.2	(s)	1.8	21.8	27.6	1.2	71.7
971	18.0	1.9	0.8	0.0	3.2	2.9	2.7	1.6	2.6	1.7	1.1	16.6	19.7	1.1	57.3
972	18.7	1.9	1.1	0.0	1.7	2.4	3.7	2.3	2.1	2.4	1.1	16.9	18.0	1.2	56.7
973	16.7	1.6	1.2	0.0	2.0	1.6	3.3	1.8	2.2	0.9	1.3	14.4	19.2	1.6	53.6
974	14.2	1.3	1.1	0.0	2.7	1.5	3.9	2.6	2.0	1.4	0.9	16.1	27.3	1.8	60.7
975	17.3	2.0	0.6	0.0	3.6	2.0	4.5	2.1	2.7	1.9	1.6	19.0	25.4	2.6	66.3
976	16.9	2.2	2.2	(s)	3.5	1.0	4.2	3.5	2.5	0.8	2.1	19.9	18.8	2.1	60.0
977	17.7	2.3	1.5	0.1	2.1	0.9	4.1	2.0	1.6	0.6	2.1	15.0	15.9	3.5	54.3
978	15.7	1.5	1.1	0.0	1.7	0.6	3.2	1.1	0.8	0.4	2.2	11.0	10.1	2.5	40.7
979	19.5	2.8	3.2	0.2	3.9	2.6	5.0	2.0	1.4	1.4	4.4	23.9	15.7	4.1	66.0
980	17.5	3.3	4.6	1.7	7.8	2.5	7.1	4.7	3.4	4.1	6.0	41.9	23.1	6.0	91.7
981	18.2	2.7	4.3	3.9	9.7	4.3	10.5	6.8	6.4	2.3	8.8	57.0	25.9	8.7	112.5
982	18.6	3.1	4.8	2.8	9.0	2.3	11.3	5.9	5.6	2.0	7.6	51.3	25.8	7.5	106.3
983	17.2	3.6	2.5	1.7	4.2	1.5	8.1	4.2	3.3	1.2	6.4	33.1	17.9	6.1	77.8
984	20.4	4.7	3.9	0.6	3.8	0.9	7.6	5.5	2.3	2.9	5.3	32.8	16.3	7.2	81.5
985	16.4	5.9	4.4	2.2	4.5	1.1	10.3	6.3	3.5	2.7	10.3	45.1	15.4	9.9	92.7
986	14.5	5.7	4.4	2.1	5.4	0.8	10.4	5.6	2.6	2.9	8.4	42.6	11.4	11.4	85.5
987	16.2	5.8	4.6	0.9	2.9	0.5	9.5	4.1	2.5	2.6	6.6	34.2	11.1	12.3	79.6
988	19.2	5.3	6.5	2.8	4.3	0.7	11.1	5.1	2.5	3.7	8.5	45.1	14.1	11.3	95.0
989	16.8	5.7	7.1	3.2	6.5	0.7	11.2	6.1	3.3	4.5	8.9	51.6	13.8	12.9	100.8
990	15.5	5.8	8.5	3.2	6.9	1.1	11.9	8.4	3.8	5.2	9.5	58.4	13.3	12.7	105.8
991	11.2	7.1	7.5	4.7	9.5	1.7	11.3	9.6	4.7	6.2	10.4	65.5	12.3	13.0	103.8
992	15.1	6.4	7.2	3.8	8.1	1.0	9.3	9.1	4.7	5.6	8.5	57.3	12.3	11.4	103.0
992 993	8.9	5.2	5.2	0.3	4.0	0.5	6.9	5.6	4.5	4.1	6.9	37.6	11.9	11.4	74.5
993 994	9.2	5.5	4.9	0.5	2.9	0.3	7.5	4.9	4.1	3.4	7.3	35.8	10.2	10.7	74.5
995	9.4	6.4	4.5	2.1	3.7	2.0	9.1	7.3	4.7	4.7	10.7	48.6	11.8	12.4	88.5
996	12.0	6.5	4.6	1.3	3.7	1.1	9.1	7.3 7.1	4.7	6.2	R9.8	47.2	10.5	14.2	90.5
996	15.0	7.5	4.3	0.4	3.4	0.9	7.0	4.8	4.1	7.2	9.2	41.3	8.0	14.2	83.5

¹ Through 1990, the data for Germany are for the former West Germany only. Beginning with 1991, the data for Germany are for the unified Germany, i.e., the former East Germany and West Germany. (s)=Less than 50,000 tons.

Note: Totals may not equal sum of components due to independent rounding.

Sources: • 1960-1988—U.S. Department of Commerce, Bureau of the Census. *U.S. Exports by Schedule B Commodities, EM 522.* • 1989 forward—U.S. Department of Commerce, Bureau of the Census, Monthly Reports, EM-545.

Figure 7.5 Coal Stocks, End of Year



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 7.5.

Table 7.5 Coal Stocks, End of Year 1949-1997

			Consumer				
Year	Residential ¹ and Commercial	Coke Plants	Other Industry ²	Electric Utilities	Total	Producers and Distributors	Total
949	1.4	10.0	16.1	22.1	49.5	NA	NA
950	2.5	16.8	26.2	31.8	77.3	NA NA	NA
951	1.8	15.3	26.2	38.5	81.8	NA	NA
952	1.7	14.5	24.7	41.5	82.4	NA	NA
53 54	1.5 0.8	16.6	22.8	45.6 46.1	86.6	NA	NA
54	0.8	12.4	16.4	46.1	75.7	NA	NA
55	1.0	13.4	15.9	41.4	71.7	NA	NA
56	1.1	14.0	17.4	48.8	81.3	NA	NA
57	0.9	14.2	15.5	53.1	83.7	NA	NA
58	0.9	13.1	13.7	51.0	78.7	NA	NA
159	1.0	11.6	13.6	52.1	78.4	NA	NA
160	0.7	11.1	11.6	51.7	75.2	NA	NA
961	0.5	10.5	11.9	50.1	73.0	NA	NA
62	0.5	8.4	12.0	50.4	71.3	NA	NA
63	0.5	8.1	12.3	50.6	71.5	NA	NA
64	0.4	10.2	12.2	53.9	76.7	NA	NA
65	0.4	10.6	13.1	54.5	78.6	NA	NA
66	0.2	9.3	12.2	53.9	75.6	NA	NA
67	0.2	11.1	12.3	71.0	94.6	NA	NA
68	0.2	9.7	11.7	65.5	87.0	NA	NA
69	0.2	9.1	10.8	61.9	81.9	NA	NA
70	0.3	9.0 7.3	11.8	71.9	93.0	NA	NA
71	0.3	7.3	5.6	77.8	91.0	NA	NA
72	0.3 0.3	9.1	7.6 10.4	99.7	116.8	NA	NA 117.2 108.2
73	0.3	7.0 6.2	10.4	87.0	104.6	12.5	117.2
74 75	0.3	6.2	6.6	83.5	96.6	11.6	108.2
75	0.2	8.8	8.5	110.7	128.3	12.1	140.4
76	0.2	9.9	7.1	117.4	134.7	14.2	148.9
77	0.2	12.8	11.1	133.2	157.3	14.2	171.5
78	0.4	8.3	9.0	128.2	145.9	20.7	166.6
79	0.3	10.2	11.8	159.7	182.0	20.8	202.8
80	NA	9.1	12.0	183.0	204.0	24.4	228.4
81	NA	6.5	9.9	168.9	185.3	24.1	209.4
82	NA	4.6	9.5	181.1	195.3	36.8	232.0
83 84	NA	4.3 6.2	8.7	155.6	168.7	33.9	202.6
84	NA	6.2	11.3	179.7	197.2	34.1	231.3
85	NA	3.4	10.4	156.4	170.2	33.1	203.4
86 87	NA	3.0	10.4	161.8	175.2	32.1	207.3
00	NA	3.9	10.8	170.8	185.5	28.3	213.8
88	NA	3.1	8.8	146.5 135.9	158.4	30.4 29.0	188.8
89	NA	2.9	7.4	135.9	146.1	29.0	175.1
90	NA	3.3	8.7	156.2	168.2	33.4	201.6
91	NA	2.8	7.1	157.9	167.7	33.0	200.7
92	NA	2.6	7.0	154.1	163.7	34.0	197.7
93	NA	2.4	6.7	111.3	120.5	25.3	145.7
94	NA	2.7	6.6	126.9	136.1	33.2	169.4
95	NA	2.6	5.7	126.3	134.6	34.4	169.1
96	NA	R2.7	R5.7	114.6	R123.0	R28.6	R151.6
997	NA	2.4	5.6	98.3	106.3	32.9	139.2

¹ Stocks at retail dealers, excluding anthracite.

R=Revised. NA=Not available.

1978—EIA, Energy Data Report, Coal-Pennsylvania Anthracite 1977; 1978, and Weekly Coal Report.

1979 and 1980—EIA, Energy Data Report, Weekly Coal Report.

1981—1988—EIA, Quarterly Coal Report October-December 1989 (May 1990), Table 31.

1989—1994—EIA, Quarterly Coal Report October-December 1996 (May 1996), Table 52.

1987—1995—EIA, Quarterly Coal Report October-December 1997 (May 1997), Table 52.

1997—EIA, Monthly Energy Review (March 1998), Table 6.3.

² Includes transportation sector.


Note: Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelcoal.html.


Sources: • 1949-1975—Bureau of Mines, *Minerals Yearbook*, "Coal-Bituminous and Lignite" and "Coal-Pennsylvania Anthracite" chapters. • 1976—Energy Information Administration (EIA), Energy Data Report, *Coal-Bituminous and Lignite in 1976* and *Coal-Pennsylvania Anthracite 1976*. • 1977 and

Figure 7.7 Coke Overview, 1949-1997

Production and Consumption



Imports and Exports



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 7.7.

Table 7.6 Coal Mining Productivity, 1949-1996

(Short Tons per Miner Hour 1)

		Bituminous Coal $^{\rm 2}$ and Lignite Mines			
Year	Underground	Surface	Average	Anthracite Mines	All Mines
949	0.68	1.92	0.80	0.36	0.72
950	0.72	1.96	0.85	0.35	0.76
951	0.76	2.00	0.88	0.37	0.80
952	0.80	2.10	0.93	0.38	0.84
953	0.88	2.22	1.02	0.41	0.93
954	1.00	2.48	1.18	0.50	1.08
955	1.04	2.65	1.23	0.50	1.14
956	1.08	2.67	1.29	0.53	1.19
957	1.11	2.73	1.32	0.52	1.23
958	1.17	2.73	1.42	0.55	1.31
959	1.26	2.87	1.53	0.64	1.43
160	1.33	2.91	1.60	0.70	1.52
961	1.43	3.16	1.73	0.70	1.64
)62	1.43	3.10	1.73	0.70	1.74
963	1.60	3.40 3.66	1.98	0.74	1.74
163 164	1.72	3.76	2.11	0.70	1.99
964 965	1.72	4.10	2.11	0.76 0.82	2.09
	1.75	4.10	2.19	0.82	2.09
66	1.83	4.28	2.32	0.86	2.23
967	1.88	4.48	2.40 2.42	0.90	2.31
68	1.93	4.33	2.42	0.95	2.35
69	1.95	4.50	2.49	0.93	2.41
970	1.72	4.53 4.49	2.36	0.89	2.30
971	1.50	4.49	2.25	0.79	2.19
972	1.49	4.54	2.22	0.86	2.18
973	1.46	4.58	2.20	0.89	2.16
74	1.41	4.58 4.74	2.35	0.98	2.31
975	1.19	3 26	1.83	0.93	1.81
976	1.14	3.25	1.80	0.90	1.78
77	1.09	3.16	1.82	0.87	1.80
78	1.04	3.03	1.79	0.81	1.77
79	1.13	3.12	1.82	1.06	1.81
980	1.21	3.27	1.94	1.11	1.93
81	1.29	3.27 3.50	2.11	0.92	2.10
82	1.37	3.48	2.14	0.59	2.11
83	1.62	3.87	2.52	1.01	2.50
84	1.72	4.10	2.65	1.02	2.64
85	1.79	4.32	2.76	1.05	2.74
986	2.00	4.69	3.04	1.03	3.01
87	2.21	5.06	3.04 3.32	1.13	3.01 3.30
88	2.38	5.41	3.58	1.21	3.55
89	2.46	5.70	3.73	1.12	3.70
90	2.54	6.07	3.73	1.03	3.83
91	2.70	6.51	4.12	1.39	4.09
92	2.70 R2.93	86.71	4.12 R4.39	1.33	4.09
193	R2.96	R7.34	R4.73	R1.85	4.30
904			``4.73 RE 04	``1.80 R4.00	4.70
94 95	3.20 83.20	R7.80	R5.01	R1.93	4.98 5.38
90	R3.39	R8.64	R5.41	R2.08	5.38
996	3.58	9.26	5.74	1.92	5.69

Data for bituminous coal and lignite mines 1949-1973 and anthracite mines 1949-1978 were originally reported in short tons per miner-day. The data were converted to short-tons per miner-hour by assuming an eight-hour day. All remaining data were calculated by dividing total production by total labor hours worked by all mine employees except office workers.

R=Revised.


Web Page: http://www.eia.doe.gov/fuelcoal.html.

Sources: • 1949-1975—Bureau of Mines, *Minerals Yearbook*, "Coal-Bituminous and Lignite" and "Coal-Pennsylvania Anthracite" chapters. • 1976—Energy Information Administration (EIA), Energy Data Report, *Coal-Bituminous and Lignite in 1976* and *Coal-Pennsylvania Anthracite 1976*. • 1977 and 1978—EIA, Energy Data Report, *Bituminous Coal and Lignite Production and Mine Operations-1977*; 1978 and *Coal-Pennsylvania Anthracite 1977*; 1978. • 1979—EIA, Energy Data Report, *Coal Production-1979*. • 1980-1992—EIA, *Coal Production* (annual). • 1993 forward—EIA, Energy Information Administration, Form EIA-7A, "Coal Production Report."


² Includes subbituminous coal.

Figure 7.7 Coke Overview, 1949-1997

Production and Consumption



Imports and Exports



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 7.7.

Table 7.7 Coke Overview, 1949-1997

Year	Production	Imports	Exports	Stock Change ¹	Consumption ²
1949	63.64	0.28	0.55	0.18	63.19
1950	72.72	0.44	0.40	-0.66	73.42
951	79.33	0.16	1.03	0.37	78.09
952	68.25	0.31	0.79	0.42	67.36
953	78.84	0.16	0.52	0.78	77.70
954	59.66	0.12	0.39	0.27	59.12
955	75.30	0.12	0.53	-1.25	76.15
956	74.48	0.13	0.66	0.63	73.32
957	75.95	0.13	0.82	0.81	74.43
958	53.60	0.12	0.39	0.68	52.66
958 959		0.12	0.39	0.86	
	55.86				54.67
960	57.23	0.13	0.35	0.06	56.95
961	51.71	0.13	0.45	-0.70	52.09
962	51.91	0.14	0.36	-0.14	51.82
963	54.28	0.15	0.45	-1.02	55.00
964	62.15	0.10	0.52	-0.91	62.64
965	66.85	0.09	0.83	0.73	65.38
966	67.40	0.10	1.10	0.38	66.02
967	64.58	0.09	0.71	2.39	61.57
968	63.65	0.09	0.79	0.52	62.44
969	64.76	0.17	1.63	-2.87	66.17
970	66.53	0.15	2.48	0.99	63.21
971	57.44	0.17	1.51	-0.59	56.69
972	60.51	0.19	1.23	-0.59	60.05
973	64.33	1.09	1.40	-1.74	65.77
974	61.58	3.54	1.28	-0.25	64.09
975	57.21	1.82	1.27	4.06	53.69
976	58.33	1.31	1.32	1.50	56.83
976 977	53.51	1.83	1.32	-0.05	54.14
978		5.72	0.69	-2.91	56.95
	49.01	5.72			
979	52.94	3.97	1.44	1.65	53.83
980	46.13	0.66	2.07	3.44	41.28
981	42.79	0.53	1.17	-1.90	44.05
982	28.12	0.12	0.99	1.47	25.78
983	25.81	0.04	0.67	-4.67	29.85
984	30.40	0.58	1.05	0.20	29.74
985	28.44	0.58	1.12	-1.16	29.06
986	24.92	0.33	1.00	-0.49	24.73
987	26.30	0.92	0.57	-1.00	27.65
988	28.95	2.69	1.09	0.52	30.02
989	28.05	2.31	1.09	0.34	28.93
990	27.62	0.77	0.57	(s)	27.81
991	24.05	1.10	0.74	0.19	24.22
992	23.41	1.74	0.64	-0.22	24.73
993	23.18	1.53	0.84	-0.42	24.30
994	22.69	1.61	0.66	-0.53	24.16
995	23.75	1.82	0.00	0.37	24.16
996	23.73	1.02	1.12	0.02	R23.04
			0.83		
997	22.12	1.57	0.83	(s)	22.85

¹ Producer and distributor stocks at end of year. A negative value indicates a decrease in stocks; a positive value indicates an increase in stocks.


Note: Totals may not equal sum of components due to independent rounding.


Web Page: http://www.eia.doe.gov/fuelcoal.html.

² Consumption is the sum of production, imports, and stock change minus exports. R=Revised. (s)=Less than 0.005 million short tons.

Sources: • 1949-1975—Bureau of Mines, *Minerals Yearbook*, "Coke and Coal Chemicals" chapter.
• 1976-1980—Energy Information Administration (EIA), Energy Data Report, *Coke and Coal Chemicals*, annual. • 1981—EIA, Energy Data Report, *Coke Plant Report*, quarterly. • 1982-1989—EIA, *Quarterly Coal Report October-December 1990* (May 1991), Table A1. • 1990 forward—EIA, *Quarterly Coal Report October-December 1996* (May 1997), Table 2.

Figure 7.8 Coal Prices, 1949-1997





 $^{^{\}rm 1}$ In chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Table 3.1.

Notes: • Bituminous coal includes subbituminous coal. •CIF=Cost, Insurance, and

Freight. See Glossary. \bullet f.o.b.=Free on board. \bullet Because vertical scales differ, graphs should not be compared.

Source: Table 7.8.

Table 7.8 Coal Prices, 1949-1997

(Dollars per Short Ton)

	Bituminous Co	al ¹ and Lignite	Anthi	racite	All C	Coal
	F.O.B. ²	² Mines	At Plants a	nd Mines ³	CIF ⁴ Electric Uti	lity Power Plants
Year	Nominal	Real ⁵	Nominal	Real ⁵	Nominal	Real ⁵
949	4.88	R26.96	8.90	R49.17	NA	NA
950	4.84	R26.45	9.34	R51.04	NA	NA
951	4.92	R25.10	9.94	^K 50.71	NA	NA
952	4.90	R24.62	9.58	R48.14	6.61	R33 22
953	4.92	R24.36	9.87	R48.86	6.61	R32.72
54	4.52	R22.16	8.76	R42.94	6.31	R30.93
955	4.50	R21.74	8.00	R38.65	6.07	R29.32
956	4.82	R22.42	8.33	R38.74	6.32	R29.40
957	5.08	R22.88	9.11	R41.04	6.64	R29.91
958	4.86	R21.41	9.14	R40.26	6.58	R28.99
959	4.77	R20.74	8.55 8.01	R37.17	6.37	R27.70
960	4.69	20.13 R19.49	8.01	34.38	6.26	26.87
961	4.58	R19.49	8.26	R35.15	6.20	R26.38 R25.29
962	4.48	R18.82	7.99	R33.57	6.02	R25.29
963	4.39	R18.22	8.64	R35.85	5.86	R24.32
964	4.45	18.16	8.93	36.45	5.74	23.43
965	4.44	17.76	8.51	34.04	5.71	22.84
966	4.54	17.67	8.08	31.44	5.76	22.41
967	4.62	17.43	8.15	30.75	5.85	22.08
968	4.67	R16.92	8.78	R31.81 R34.29	5.93	R21.49
969	4.99	R17.27	9.91	R34.29	6.13	R21.21
970	6.26	R20.52	11.03	R36 16	7.13	R23.38
971	7.07	R22.02	12.08	R37.63 R37.13	8.00	R24.92
972	7.66	R22.02 R22.93	12.40	R37.13	8.44	R24.92 R25.27
73	8.53	R24.16	13.65	R38.67	9.01	^R 25.52
974	15.75	40.91	22.19	57.64	15.46	40.16
975	19.23	R45.68	32.26	R76.63	17.63	R41.88
976	19.43	43.57 41.81 ^R 42.79	33.92	76.05 73.54 869.25	18.38 20.37	41.21
77	19.82	41.81	34.86	73.54	20.37	42.97 R46.66
78	21.78	R42.79	35.25	R69.25	23.75	R46.66
79	23.65	R42.84	41.06	^R 74.38	26.15	R47.37
80	24.52 26.29	R40.66	42.51	R70.50	28.76	R47.69
981	26.29	R39.83	44.28	R67.09	32.32	R48.97
82	27.14	R38.66	49.85	R71.01	34.91	R49.73
983	25.85	R35.31	52.29	R71.43	34.99	R47.80
984	25.51	_33.61	48.22	_63.53	35.12	_46.27
85	25.10	R31.97	45.80	R58.34	34.53	R43.99
986	23.70	29.40	44.12	54.74	33.30	41.32
987	23.00 22.00 21.76	27.68	43.65	52.53	31.83	38.30 35.59 33.61
988	22.00	25.55 24.26	44.16	51.29 47.86	30.64	35.59
989	21.76	24.26	42.93	47.86	30.15	33.61
90	21.71	23.19	39.40	42.09	30.45	32.53
991	21.45	22.05	36.34	37.35	30.02	30.85
992	R20.99	R20.99	34.24	34.24	29.36	29.36
993 994	19.79 R19.34	19.29	32.94	32.11	28.58	27.86
994	^K 19.34	R18.40	36.07	R34.32	28.03	R26.67
995	18.74	R17.38	39.78	R36.90	27.01	R25.06
996	R18.42	R16.72	R36.78	R33.38	26.45	R24.00
997	E18.11	E16.11	E34.01	E30.26	26.16	23.27

¹ Includes subbituminous coal.

Bituminous Coal and Lignite Production and Mine Operations-1977; 1978. • 1979-1992—EIA, Coal Production, (annual). • 1993-1996—EIA, Form EIA-7A, "Coal Production Report." • 1997—EIA estimates. Anthracite: • 1949-1976—Bureau of Mines, Minerals Yearbook, "Coal-Pennsylvania Anthracite" chapter. • 1977 and 1978—EIA, Energy Data Report, Coal-Pennsylvania Anthracite 1977; 1978. • 1979—EIA, Energy Data Report, Coal Production-1979. • 1980-1992—EIA, Coal Production, (annual). • 1993-1996—EIA, Form EIA-7A, "Coal Production Report." • 1997—EIA estimates. All Coal, CIF Electric Utility Power Plants: • 1949-1972—National Coal Association, Steam Electric Plant Factors. • 1973-1982—Federal Power Commission, Form FPC-423, "Monthly Report of Cost and Quality of Fuels for Electric Plants." • 1983-1990—Federal Energy Regulatory Commission, Form FERC-423, "Monthly Report of Cost and Quality of Fuel for Electric Utilities." • 1991 forward—EIA, Quarterly Coal Report October-December 1997, Table 21.

Free on board. See Glossary.
 For 1949-1978, prices are f.o.b. preparation plants. For 1979 forward, prices are f.o.b. mines.

Cost, Insurance, and Freight. See Glossary.
 In chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Table 3.1.

R=Revised. E=Estimated. NA=Not available.

Web Page: http://www.eia.doe.gov/fuelcoal.html.

Sources: Bituminous Coal and Lignite, F.O.B. Mines: • 1949-1975—Bureau of Mines, Minerals Yearbook, "Coal-Bituminous and Lignite" chapter. • 1976—Energy Information Administration (EIA), Energy Data Report, Coal-Bituminous and Lignite in 1976. • 1977 and 1978—EIA, Energy Data Report,

Coal Note


Data in this report on the consumption of bituminous coal (including subbituminous coal), lignite, and anthracite are generated primarily from consumption data reported in surveys. Included are data reported by all electric utility companies and coke plant companies. Data on coal consumption by all industrial and manufacturing establishments and by the residential and commercial sector are based on distribution data obtained quarterly from coal companies. Included in each sector's data are the following: Electric Power Industry—consumption by privately and publicly owned establishments engaged in the generation and/or distribution of electric power primarily for sale or resale; Industrial and Miscellaneous Sector—consumption at manufacturing plants, large commercial establishments, coking plants, and by agriculture, mining (other than coal mining), and construction industries; Transportation Sector—sales to railroads and vessel bunkers; Residential and Commercial Sector—retail dealer sales to households and small commercial establishments.

Electricity



High-tension power lines and towers. Source: U.S. Department of Energy.

(Quadrillion Btu)



^a Approximately two-thirds of the energy consumed at electric utilities to generate electricity. See

included in industrial sales.

Public street and highway lighting, other sales to public authorities, sales to railroads and railways, and interdepartmental sales.

^g No data are available.

Sources: Tables 8.1, 8.3, 8.8, 8.9, 8.14, and A7.

Note 1 at end of section.


b Estimated as 5 percent of gross generation of electricity by utilities. See Note 1 at end of section. c Estimated as 9 percent of gross generation of electricity by utilities. See Note 1 at end of section.

d Wood, waste, wind, photovoltaic, and solar thermal energy used to generate electricity for distribution. See Table 8.3.

^e Sales, interchanges, and exchanges of electric energy with utilities and other nonutilities. Data are

h Includes sales, interchanges, and exchanges of electric energy with other nonutilities. Note: Totals may not equal sum of components due to independent rounding.

Figure 8.1 Electricity Overview



¹ Nonutility power producers. See Glossary.

Note: Because vertical scales differ, graphs should not be compared.

Sources: Tables 8.1 and 8.9.

² Energy losses that occur between the point of generation and delivery to the customer, and data collection frame differences and nonsampling error.

³ Public street and highway lighting, other sales to public authorities, sales to railroads and railways, and interdepartmental sales.

Table 8.1 Electricity Overview, 1949-1997

(Billion Kilowatthours)

		Net Generation ¹					End Use						
		Nonutility			Exports ²	Losses and Unaccounted for ³		Nonutility Pov	ver Producers	Total			
Year	Electric Utilities	Power Producers	Total	Imports ²			Electric Utility Retail Sales	Direct Use 4	Sales to End Users				
949	291	NA	NA	2	(0)	NA	255	NA	NA	NA			
949 950	329	NA NA	NA NA	2	(s) (s) (s)	NA NA	200	NA NA	NA NA	NA NA			
151	371	NA NA	NA NA	2 2	(5)	NA NA	291 330	NA NA	NA NA	NA NA			
52	399	NA	NA	3	(s)	NA	356	NA NA	NA	NA			
52 53	442	NA	NA	2	(s)	NA	306	NA NA	NA	NA			
53 54	443 472	NA NA	NA NA	3	(s)	NA NA	396 424	NA NA	NA NA	NA NA			
55	547	NA NA	NA NA	5	(s)	NA NA	497	NA NA	NA NA	NA NA			
56	601	NA NA	NA NA	5	(5)	NA NA	546	NA NA	NA NA	NA NA			
157	632	NA NA	NA NA	5	1	NA NA	576	NA NA	NA NA	NA NA			
157 158	645	NA NA	NA NA	4	1	NA NA	588	NA NA	NA NA	NA NA			
59	710	NA NA	NA NA	4	1	NA NA	647	NA NA	NA NA	NA NA			
60	756	NA NA	NA NA	5	1	NA NA	688	NA NA	NA NA	NA NA			
61	794	NA NA	NA NA	3	1	NA NA	722	NA NA	NA NA	NA			
62	855	NA NA	NA NA	2	2	NA NA	778	NA NA	NA NA	NA NA			
63	917	NA NA	NA NA	2	2	NA NA	110	NA NA	NA NA	NA NA			
64	984	NA NA		6	<u>2</u> Λ	NA NA	833 896	NA NA	NA NA	NA NA			
65	1,055	NA NA	NA	0 4	4	NA NA	954	NA NA	NA NA				
00	1,055		NA		4		954			NA			
66 67	1,144 1,214	NA	NA	4	3	NA	1,035 1,099 1,203	NA	NA	NA			
b/	1,214	NA	NA	4	4	NA	1,099	NA	NA	NA			
68	1,329	NA	NA	4	4	NA	1,203	NA	NA	NA			
69	1,442	NA	NA	5	4	NA	1,314	NA	NA	NA			
70	1,532	NA	NA	6	4	NA	1,392	NA	NA	NA			
71	1,613	NA	NA	7	4	NA	1,470	NA	NA	NA			
72	1,750	NA	NA	10	3	NA	1,595	NA	NA	NA			
73	1,861	NA	NA	17	3	NA	1,713	NA	NA	NA			
74	1,867	NA	NA	15	3	NA	1,706	NA	NA	NA			
75	1,918	NA	NA	11	5	NA	1,747	NA	NA	NA			
76	2,038	NA	NA	11	2	NA	1,855	NA	NA	NA			
77	2,124 2,206	NA	NA	20	3	NA	1,948 2,018	NA	NA	NA			
78	2,206	NA	NA	21	1	NA	2,018	NA	NA	NA			
79	2,247	NA	NA	23	2	NA	2,071	NA	NA	NA			
80	2,286	NA	NA	25	4	NA	2,094	NA	NA	NA			
81	2,295	NA	NA	36	3	NA	2,147	NA	NA	NA			
82	2,241	NA	NA	33	4	NA	2,086	NA	NA	NA			
83	2,310	NA	NA	39	3	NA	2,151	NA	NA	NA			
84	2,416	NA	NA	42	3	NA	2,286	NA	NA	NA			
85	2,470	NA	NA	46	5	NA	2,324	NA	NA	NA			
86	2,487	NA	NA	41	5	NA	2,369	NA	NA	NA			
87	2,572	NA	NA	52 39	6	NA	2,457	NA	NA	NA			
88	2,704	NA	NA	39	.7	NA	2,578	NA	NA	NA			
89	2,784	R184	2,968	26	15	232	2,578 2,647 2,713 2,762	83	18	2,747			
90	2,808	R213	3,021	23 31	21	206 218	2,713	84	20	2,817			
91	2,825	R244	3,069	31	9	218	2,762	100	11	2,873			
92	2,797	286	3,083	37	9	227	2,763 2,861	111	11	2,885			
93	2,883	314	3,197	39 52	11	237	2,861	111	16	2.988			
94	2,911	343	_3,254		8	_223	2,935	123	18	3,075			
95	2,995	R363	R3.358	47	9	R233	3.013	134	16	3,162			
96	R3,077	R370	R3.447	R47	Rg	R238	R3,098	R135	R14	R3,247			
97	P3,126	E407	E3,533	P47	P10	E290	P3,120	E145	E14	E3,279			

Web Page: http://www.eia.doe.gov/fuelelectric.html.

Sources: Net Generation, Electric Utilities: See Table 8.3. Net Generation, Nonutility Power

Producers: See Table 8.4. Imports and Exports: • 1949-September 1977—unpublished Federal Power Commission data. • October 1977-1980—unpublished Economic Regulatory Administration (ERA) data. • 1981—Office of Energy Emergency Operations, "Report on Electric Energy Exchanges with Canada and Mexico for Calendar Year 1981," April 1982 (revised June 1982). • 1982 and 1983—ERA, *Electricity* Exchanges Across International Borders. • 1984-1986—ERA, Electricity Transactions Across International Borders. • 1987 and 1988—ERA, Form ERA-781R, "Annual Report of International Electrical Export/Import Data." • 1989-1996—Fossil Energy, Form FE-781R, "Annual Report of International Electrical Export/Import Data." • 1997—EIA estimates based on preliminary data from the National Energy Board of Canada and Department of Energy, Fossil Energy. Losses and Unaccounted For: Estimated as Total End Use and Exports minus Total Net Generation and Imports. End Use, Electric Utility Retail Sales: See Table 8.9. End Use, Nonutility Power Producers: See Table 8.14.


See Note 1 at end of section.
 Electricity transmitted across U.S. borders with Canada and Mexico.

 $^{^3}$ Energy losses that occur between the point of generation and delivery to the customer, and data collection frame differences and nonsampling error. See Note 2 at end of section.

Power generated and consumed onsite. Differs from Table 8.14's "Facility Use," which also includes purchases from other producers.

R=Revised. P=Preliminary. E=Estimated. NA=Not available. (s)=Less than 0.5 billion kilowatthours. Notes: • See Note 3 at end of section. • Totals may not equal sum of components due to independent rounding.

Figure 8.2 Electric Power Industry Net Generation



¹ Other gas, petroleum, geothermal energy, wood, waste, solar, and wind.

Note: Because vertical scales differ, graphs should not be compared. Sources: Tables 8.2, 8.3, and 8.4.

² Other gas, petroleum, nuclear, hydroelectric power, geothermal energy, wind, solar, hydrogen, sulfur, batteries, and chemicals.

Table 8.2 Electric Power Industry Net Generation, 1989-1997

(Billion Kilowatthours)

	Fossil Fuels						Renewable Energy								
					Nuclear Electric Power	Hydroelectric Pumped Storage ⁴	Conventional Hydroelectric Power	Geothermal Energy	Wood ⁵	Waste					
Year	Coal ¹	Natural Gas	Other Gas ²	Petroleum ³						MSW ⁶ and LFG ⁷	Other Waste ⁸	Wind Energy	Solar Energy	Total ⁹	
1989	1,583.8	363.6	NA	163.9	529.4	0	272.1	14.6	27.7	7.2	1.9	1.8	0.5	¹⁰ 2,968.2	
1990	1,590.3	377.9	NA	124.0	577.0	-3.5	291.5	15.6	30.4	10.2	2.2	2.2	0.6	¹⁰ 3,021.2	
1991	1,589.9	392.4	NA	119.0	612.6	-4.5	288.2	15.9	33.2	11.9	3.2	2.6	0.8	¹⁰ 3,068.5	
1992	1,621.1	418.3	NA	99.4	618.8	-4.2	253.1	16.4	35.6	14.0	3.8	2.9	0.7	¹⁰ 3,083.4	
1993	1,690.0	428.4	NA	112.4	610.4	-4.0	280.5	17.0	36.8	14.5	4.1	3.0	0.9	¹⁰ 3,196.9	
1994	1,691.7	465.9	12.1	105.5	640.5	-3.4	260.2	16.8	37.8	15.5	3.6	3.4	0.8	3,253.8	
1995	R1,710.2	R498.5	13.6	R75.3	673.4	-2.7	311.0	14.4	36.4	16.9	3.3	3.2	0.8	R3,357.8	
1996	R1,795.8	R455.9	14.4	R81.7	674.7	-3.1	347.4	R15.1	R36.8	16.4	4.1	3.4	0.9	R3,447.1	
1997 ^E	1,853.1	497.1	14.8	95.5	629.4	-4.1	359.9	16.3	38.4	18.6	4.7	3.7	1.0	3,532.6	

¹ Coal, anthracite culm, and coal waste.

R=Revised. P=Preliminary. E=Estimated. NA=Not available.

Web Page: http://www.eia.doe.gov/fuelelectric.html. Source: Tables 8.3 and 8.4.

² Butane, ethane, and propane.

³ Petroleum, petroleum coke, diesel, kerosene, petroleum sludge, and tar.

⁴ Pumped storage facility production minus energy used for pumping.

⁵ Wood, wood waste, wood liquors, peat, railroad ties, wood sludge, and spent sulfite liquor.


⁶ Municipal solid waste.


⁷ Landfill gases.

⁸ Agricultural waste, straw, tires, fish oils, paper pellets, tall oil, sludge waste, and waste alcohol.


Includes hydrogen, sulfur, batteries, and chemicals.
 Includes other gas for electric utilities. For nonutilities, other gas data are not available.

Figure 8.3 Electric Utility Net Generation





By Source, 1949-1997



By Source, 1997

Note: Because vertical scales differ, graphs should not be compared.

¹ Conventional and pumped-storage hydroelectric power.

Table 8.3 Electric Utility Net Generation, 1949-1997

(Billion Kilowatthours)

	Fossil Fuels						Renewable Energy							
					Nuclear Electric Power	Hydroelectric Pumped Storage ³	Conventional Hydroelectric Power			Wa	ste		Solar Energy	
Year	Coal	Natural Gas	Other Gas ¹	Petroleum ²				Geothermal Energy	Wood ⁴	MSW ⁵ and LFG ⁶	Other Waste ⁷	Wind Energy		Total
1949	135.5	37.0	NA	28.5	0	(8)	89.7	0	0.4	NA	NA	0	0	291.1
1950	154.5	44.6	NA	33.7	ŏ	(8)	95.9	ŏ	0.4	NA	NA	ŏ	ŏ	329.1
1951	185.2	56.6	NA	28.7	0	(8)	99.8	0	0.4	NA	NA	0	0	370.7
1952	195.4	68.5	NA	29.7	0	(8)	105.1	0	0.5	NA	NA	0	Ō	399.2
1953	218.8	79.8	NA	38.4	0	(8)	105.2	0	0.4	NA	NA	0	0	442.7
1954	239.1	93.7	NA	31.5	0	(8)	107.1	0	0.3	NA	NA	0	0	471.7
1955	301.4	95.3	NA	37.1	0	(8)	113.0	0	0.3	NA	NA	0	0	547.0
1956	338.5	104.0	NA	35.9	0	(8)	122.0	0	0.2	NA	NA	0	0	600.7
1957	346.4	114.2	NA	40.5	(s) 0.2	(8)	130.2	0	0.2	NA	NA	0	0	631.5
1958	344.4	119.8	NA	40.4	0.2	(8)	140.3	0	0.2	NA	NA	0	0	645.1
1959	378.4	146.6	NA	46.8	0.2	(8)	137.8	0	0.2	NA	NA	. 0	0	710.0
1960	403.1	158.0	NA	48.0	0.5	(8)	145.8	(s)	0.1	NA	NA	NA	0	755.5
1961	421.9	169.3	NA	48.5	1.7	(8)	152.2	0.1	0.1	NA	NA	NA	0	793.8
1962	450.2	184.3	NA	48.9	2.3	(8)	168.6	0.1	0.1	NA	NA	NA	0	854.5
1963 1964	493.9 526.2	201.6 220.0	NA NA	52.0 57.0	3.2 3.3	(8)	165.8 177.1	0.2 0.2	0.1 0.1	NA NA	NA NA	NA NA	0	916.8 984.0
1964	526.2 570.9	220.0 221.6	NA NA	64.8	3.3 3.7	(8)	193.9	0.2	0.1	NA NA	NA NA	NA NA	0	1,055.3
1965	613.5	251.2	NA NA	78.9	5.5	(8) (8)	193.9	0.2	0.3	NA NA	NA NA	NA NA	0	1,055.3
1967	630.5	264.8	NA	89.3	7.7	(8)	221.5	0.3	0.3	NA	NA	NA	0	1,214.4
1968	684.9	304.4	NA	104.3	12.5	(8)	222.5	0.3	0.3	NA NA	NA	NA	0	1,329.4
1969	706.0	333.3	NA	137.8	13.9	(8)	250.2	0.6	0.3	NA	NA	NA	0	1,442.2
1970	704.4	372.9	NA	184.2	21.8	(8)	247.7	0.5	0.1	NA	NA	NA	Õ	1,531.9
1971	713.1	374.0	NA	220.2	38.1	(8)	266.3	0.5	0.1	NA	NA	NA	Ŏ	1,612.6
1972	771.1	375.7	NA	274.3	54.1	(8)	272.6	1.5	0.1	NA	NA	NA	0	1,749.7
1973	847.7	340.9	NA	314.3	83.5	(8)	272.1	2.0	0.1	NA	NA	NA	Ö	1.860.7
1974	828.4	320.1	NA	300.9	114.0	(8)	301.0	2.5	0.1	NA	NA	NA	0	1,867.1
1975	852.8	299.8	NA	289.1	172.5	(8)	300.0	3.2	(s)	NA	NA	NA	0	1,917.6
1976	944.4	294.6	NA	320.0	191.1	(8)	283.7	3.6	0.1	NA	NA	NA	0	2,037.7
1977	985.2	305.5	NA	358.2	250.9	(8)	220.5	3.6	0.3	NA	NA	NA	0	2,124.3
1978	975.7	305.4	NA	365.1	276.4	(8)	280.4	3.0	0.2	NA	NA	NA	0	2,206.3
1979	1,075.0	329.5	NA	303.5	255.2	(8)	279.8	3.9	0.3	NA	NA	NA	0	2,247.4
1980	1,161.6	346.2	NA	246.0	251.1	(8)	276.0	5.1	0.3	NA	NA	NA	0	2,286.4
1981	1,203.2	345.8	NA	206.4	272.7	(8)	260.7	5.7	0.2	NA	NA	NA	0	2,294.8
1982	1,192.0	305.3	NA	146.8	282.8	(8)	309.2	4.8	0.2	NA	NA	NA	0	2,241.2
1983 1984	1,259.4 1,341.7	274.1 297.4	NA NA	144.5 119.8	293.7 327.6	(8)	332.1 321.2	6.1 7.7	0.2 0.5	NA NA	NA NA	(s) (s)	0	2,310.3 2,416.3
1984	1,341.7	297.4	NA NA	100.2	383.7	(8)	281.1	9.3	0.5	NA NA	NA NA	(S)	0	2,469.8
1985	1,385.8	248.5	NA NA	136.6	363.7 414.0	(8) (8)	290.8	9.3 10.3	0.7	NA NA	NA NA	(s) (s)	0	2,469.8
1987	1,463.8	272.6	NA NA	118.5	455.3	(8)	249.7	10.8	0.3	NA NA	NA	(s)	0	2,572.1
1988	1,540.7	252.8	NA	148.9	527.0	(8)	222.9	10.3	0.8	NA	NA	(s)	0	2,704.3
1989	1,553.7	266.6	(s)	158.3	529.4	(8)	265.1	9.3	1.0	0.5	0.5	(5)	(s)	2 784 3
1990	1,559.6	264.1	(s)	117.0	576.9	-3.5	283.4	8.6	0.8	0.7	0.6	(s) (s)	(s)	2,784.3 2,808.2
1991	1,551.2	264.2	(s)	111.5	612.6	-4.5	280.1	8.1	0.7	0.7	0.6	(s)	(s)	2,825.0
1992	1,575.9	263.9	(s)	88.9	618.8	-4.2	243.7	8.1	0.8	0.7	0.6	(s)	(s)	2.797.2
1993	1,639.2	263.9 258.9	(s)	99.5	610.3	-4.0	269.1	7.6	0.9	0.7	0.4	(s) (s)	(s)	2,882.5
1994	1,635.5	291.1	(s)	91.0	640.4	-3.4	247.1	6.9	0.8	0.9	0.4	(s)	(s)	2,910.7
1995	1,652.9	307.3	(s)	60.8	673.4	-2.7	296.4	4.7	0.6	0.9	0.2	(s)	(s)	2,994.5
1996_	R1,737.5	262.7	0.1	R67.3	674.7	-3.1	R331.1	5.2	0.8	0.9	0.2	(s) (s)	(s)	R3,077.4
1997 ^P	1,788.7	283.6	0.1	79.0	629.4	-4.1	341.4	5.5	0.7	1.0	0.2	(s)	(s)	3,125.5

R=Revised. P=Preliminary. NA=Not available. (s)=Less than 0.05 billion killowatthours. Notes: \bullet See Notes 1 and 3 at the end of section.

Web Page: http://www.eia.doe.gov/fuelelectric.html.
Sources: • 1949-September 1977—Federal Power Commission, Form FPC-4, "Monthly Power Plant
Report." • October 1977-1981—Fedreal Energy Regulatory Commission, Form FPC-4, "Monthly Power Plant Report." • 1982 forward—Energy Information Administration, Form EIA-759, "Monthly Power Plant

Butane, methane, propane, and other gases.
 Petroleum, petroleum coke, diesel, kerosene, petroleum sludge, and tar.

Pumped storage facility production minus energy used for pumping.
 Wood, wood waste, wood liquors, peat, railroad ties, wood sludge and spent sulfite liquor.


⁵ Municipal solid waste.

⁶ Landfill gas.

⁷ Agricultural waste, straw, tires, fish oils, tall oil, sludge waste, and waste alcohol.

⁸ Included in conventional hydroelectric power.

Figure 8.4 Nonutility Power Net Generation



¹ Butane, methane, propane, and other gases.

Note: Because vertical scales differ, graphs should not be compared.

² Conventional hydroelectric power only.

Table 8.4 Nonutility Power Net Generation, 1989-1997

(Billion Kilowatthours)

		Fossil	Fuels			Renewable Energy								
					Nuclear Electric Power ⁴			Wood ⁶	Waste					
Year	Coal ¹	Natural Gas	Other Gas ²	Petroleum ³		Conventional Hydroelectric Power ⁵			MSW ⁷ and LFG ⁸	Other Waste ⁹	Wind Energy	Solar Energy	Total ¹⁰	
1989	30.2	97.0	(11)	5.5	(s)	7.1	5.3	26.8	6.8	1.4	1.8	0.5	183.9	
1990	30.7	113.8	(11)	7.0	0.1	8.1	7.0	29.6	9.5	1.7	2.2	0.6	213.0	
1991	38.8	128.2	(11)	7.5	0.1	8.1	7.8	32.4	11.2	2.6	2.6	0.8	243.5	
1992	45.2	154.4	(11)	10.5	0.1	9.4	8.3	34.8	13.3	3.2	2.9	0.7	286.1	
1993	50.9	169.5	(11)	12.8	0.1	11.4	9.5	35.9	13.8	3.7	3.0	0.9	314.4	
1994	56.2	174.8	12.1	14.5	0.1	13.1	9.8	37.0	14.6	3.2	3.4	0.8	343.1	
1995	^R 57.3	191.2	13.6	R14.4	0.0	14.6	9.6	R35.8	16.0	3.2	3.2	0.8	R363.3	
1996	R58.3	R193.2	14.3	R14.3	0.0	R16.4	^R 9.9	R36.0	15.5	3.9	3.4	0.9	R369.7	
1997 ^E	64.3	213.5	14.7	16.5	0.0	18.5	10.9	37.6	17.6	4.5	3.7	1.0	407.0	

¹ Coal, anthracite culm, and coal waste.

R=Revised. E=Estimated. (s)=Less than 0.05 billion killowatthours.

Note: Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelelectric.html.

Source: Energy Information Administration, estimated from Form EIA-867, "Annual Nonutility Power

Producer Report" gross generation data.

² Butane, methane, propane, and other gases.

³ Petroleum, petroleum coke, diesel, kerosene, petroleum sludge, and tar.

⁴ Nuclear reactor and generator at Argonne National Laboratory used primarily for research and development in testing reactor fuels as well as for training. Generation from the unit is for internal combustion.

⁵ Conventional hydropower only; there are no pumped storage projects among the nonutility power producers.

⁶ Wood, wood waste, wood liquors, peat, railroad ties, pitch, wood sludge, and spent sulfite liquor.

Municipal solid waste.


⁸ Landfill gas.

⁹ Agricultural waste, straw, tires, fish oils, paper pellets, tall oil, sludge waste, and waste alcohol.

¹⁰ Includes hydrogen, sulfur, batteries, and chemicals.

¹¹ Included in natural gas.

Figure 8.5 Electric Power Industry Net Summer Capability



¹Geothermal energy, wood, waste, wind, solar, hydrogen, sulfur, batteries, and chemicals.

Note: Because vertical scales differ, graphs should not be compared. Sources: Tables 8.5, 8.6, and 8.7.

² Other gas, conventional hydroelectric power, geothermal energy, waste, wind, solar, hydrogen, sulfur, batteries, and chemicals.

Table 8.5 Electric Power Industry Net Summer Capability, 1989-1997

(Million Kilowatts)

			Fossil Fuels	5				Renewable Energy						
Year	Coal ¹	Natural Gas	Other Gas ²	Petroleum ³	Dual Fired ⁴	Nuclear Electric Power	Hydroelectric Pumped Storage	Conventional Hydroelectric Power	Geothermal Energy	Wood ⁵	Waste ⁶	Wind Energy	Solar Energy	Total ⁷
1989	302.6	29.1	NA	56.6	130.8	98.2	18.1	74.0	2.5	5.5	1.9	1.3	0.2	721.0
1990	306.4	30.5	NA	56.4	133.2	99.6	19.5	73.3	2.6	6.0	2.4	1.4	0.3	731.9
1991	306.5	34.7	NA	54.0	135.2	99.6	18.4	75.6	2.6	6.6	2.8	1.7	0.3	738.4
1992	308.5	35.1	NA	51.5	141.2	99.0	21.2	74.8	2.9	6.7	3.0	1.8	0.3	746.6
1993	309.9	37.4	NA	49.7	144.7	99.1	21.1	77.4	3.0	6.9	3.2	1.8	0.3	755.0
1994	310.8	43.1	1.1	47.6	147.0	99.1	21.2	78.0	3.0	7.3	3.2	1.7	0.3	764.0
1995	R310.8	41.9	1.1	48.0	152.4	99.5	21.4	78.6	3.0	6.8	3.5	1.7	0.3	769.5
1996	R313.7	R49.4	0.2	48.7	R151.5	100.8	21.1	76.4	2.9	R5.8	R2.6	1.7	0.3	775.9
1997 ^E	313.9	50.9	0.2	48.1	154.1	100.8	21.1	76.7	2.9	5.9	2.7	1.7	0.3	779.9

¹ Coal, anthracite culm, and coal waste.

waste, and waste alcohol.

⁷ Includes hydrogen, sulfur, batteries, and chemicals.

R=Revised. E=Estimated. NA=Not available.

Note: See Note 4 at end of section.

Web Page: http://www.eia.doe.gov/fuelelectric.html.

Source: Tables 8.6 and 8.7.


Butane, methane, propane, and other gases.

³ Petroleum, petroleum coke, diesel, kerosene, petroleum sludge, and tar.


⁴ Petroleum and natural gas.

Wood, wood waste, wood liquors, peat, railroad ties, wood sludge, and spent sulfite liquor.
 Municipal solid waste, landfill gas, agricultural waste, straw, tires, fish oils, paper pellets, tall oil, sludge

Figure 8.6 Electric Utility Net Summer Capability



By Selected Sources, 1989-1997



¹ Petroleum and natural gas.

Note: Because vertical scales differ, graphs should not be compared.

Source: Table 8.6.

Table 8.6 Electric Utility Net Summer Capability, 1949-1997

(Million Kilowatts)

		Fossil	Fuels				Renewable Energy						
Year	Coal	Natural Gas	Petroleum ¹	Dual Fired ²	Nuclear Electric Power	Hydroelectric Pumped Storage	Conventional Hydroelectric Power	Geothermal Energy	Wood ³	Waste ⁴	Wind Energy	Solar Energy	Total
949	NA	NA	NA	NA	0	(5)	18.5	0	(s)	(6)	0	0	63.4
950	NA	NA	NA	NA	0	(5)	19.2	0	(s)	(6)	0	0	69.2
951	NA	NA	NA	NA	0	(5)	20.5	0	(s)	(6)	0	0	75.5
952	NA	NA	NA	NA	0	(5)	22.4	0	(s)	(6)	0	0	83.2
953	NA	NA	NA	NA	0	(5)	23.8	0	(s)	(6)	0	0	93.3
954	NA	NA	NA	NA	0	(5)	22.5	0	(s)	(6)	0	0	100.0
955	NA	NA	NA	NA	0	(5)	27.4	0	(s)	(6)	0	0	114.2
956	NA	NA	NA	NA	0	(5)	28.5	0	(s)	(6)	0	0	119.7
957	NA	NA	NA	NA	0.1	(5)	30.7	0	0.1	(6)	0	0	131.1
958	NA	NA	NA	NA	0.1	(5)	32.5	0	0.1	(⁶)	0	0	143.3
959	NA	NA	NA	NA	0.1	(5)	34.8	0	0.1	(6)	0	0	155.9
960	NA	NA	NA	NA	0.4	(5)	35.8	(s)	0.1	(6)	NA	0	167.1
961	NA	NA	NA	NA	0.4	(5)	40.7	(s)	0.1	(6)	NA	0	179.0
962 963	NA	NA	NA	NA	0.7	(5)	44.0	(s)	0.1	(6)	NA	0	192.1
963 964	NA NA	NA NA	NA NA	NA NA	0.8 0.8	(5)	47.0 49.4	(s)	0.1 0.1	(6)	NA NA	0	209.7 223.7
964 965	NA NA	NA NA	NA NA	NA NA	0.8	(5)	51.0	(s)	0.1	(6)	NA NA	0	223.7
966	NA NA	NA NA	NA NA	NA NA	1.7	(5)	51.0	(s)	0.1	(6)	NA NA	0	234.6
967	NA NA	NA NA	NA NA	NA NA	2.7	(5)	55.0	(s) 0.1	0.1	(6)	NA NA	0	266.7
)68	NA NA	NA NA	NA	NA NA	2.7	(5)	57.9	0.1	0.1	(6)	NA	0	284.0
969	NA NA	NA NA	NA NA	NA	4.4	(5)	61.6	0.1	0.1	(6)	NA NA	0	309.8
970	NA	NA	NA	NA	7.0	(5)	63.8	0.1	0.1	(6)	NA	0	336.4
971	NA	NA	NA	NA	9.0	\ 5 \	69.1	0.2	0.1	6	NA	0	366.4
972	NA	NA	NA	NA	14.5	(5)	70.5	0.3	0.1	(6)	NA	0	396.0
973	NA	NA	NA	NA	22.7	(5)	75.4	0.4	0.1	(6)	NA	Õ	439.8
974	NA	NA	NA	NA	31.9	(5)	75.5	0.4	0.1	(6)	NA	Õ	468.5
975	NA	NA	NA	NA	37.3	(5)	78.4	0.5	0.1	(6)	NA	0	491.3
976	NA	NA	NA	NA	43.8	(5)	78.0	0.5	0.1	(6)	NA	0	517.2
977	NA	NA	NA	NA	46.3	(5)	78.6	0.5	0.1	(6)	NA	0	535.9
78	NA	NA	NA	NA	50.8	(5)	79.9	0.5	0.1	(6)	NA	0	552.1
79	NA	NA	NA	NA	49.7	(5)	82.9	0.7	0.1	(6)	NA	0	565.5
80	NA	NA	NA	NA	51.8	(5)	81.7	0.9	0.1	(⁶)	NA	0	578.6
81	NA	NA	NA	NA	56.0	(5)	82.4	0.9	0.1	(6)	(s)	0	598.3
82	NA	NA	NA	NA	60.0	(5)	83.0	1.0	0.1	(6)	(s)	0	613.7
983	NA	NA	NA	NA	63.0	(5)	83.9	1.2	0.2	(6)	(s)	0	621.1
84	NA	NA	NA	NA	69.7	(5) (5)	85.3	1.2	0.3	(6)	(s)	0	635.1
85	NA	NA	NA	NA	79.4	()	88.9	1.6	0.2	0.2	(s)	0	655.2
86	NA	NA	NA	NA	85.2	(5)	89.3	1.6	0.2	0.2	(s)	0	664.8
87	NA	NA	NA	NA	93.6	(5)	89.7	1.5	0.2	0.2	(s)	0	674.1
88	NA	NA	NA	NA	94.7	(3)	90.3	1.7	0.2	0.2	(s)	0	677.7
89	296.6	15.4	55.6	126.3	98.2	18.1	R72.4 R71.4	1.6	0.2	0.2	(s)	(s)	684.6
90	299.9	15.0	55.4	127.5	99.6	R19.5		1.6	0.2	0.2	(s)	(s)	690.5
91	299.6	16.7	52.6	130.5	99.6	18.4	73.6	1.6	0.2	0.2	(s)	(s)	693.0
992	300.5 300.8	16.4 17.0	49.9 47.8	133.7 137.2	99.0 99.0	R21.2 21.1	^R 72.2 74.8	1.7 1.7	0.2 0.2	0.2 0.2	(s)	(s)	695.1 700.0
993 994					99.0 99.1			1.7			(s)	(s)	
994 995	301.1 300.6	19.8 17.7	45.5 46.1	138.4 143.2	99.1 99.5	21.2 21.4	74.8 75.3	1.7	0.3 0.3	0.3 0.3	(s)	(s)	702.2 706.1
	R302.4	R22.7	^{46.1} R45.7	R142.0	99.5 R100.8	21.4	75.3 R73.1	1.6	R _{0.2}	R _{0.2}	(s)	(s)	R709.9
996	302.4	23.1	44.6	144.5	100.8	21.1	73.1	1.6	0.2	0.2	(s) (s)	(s) (s)	712.0

 $^{^1\,}$ Petroleum, petroleum coke, diesel, kerosene, petroleum sludge, and tar. $^2\,$ Petroleum and natural gas.

³ Wood, wood waste, wood liquors, peat, railroad ties, wood sludge, and spent sulfite liquor.

⁴ Municipal solid waste, landfill gas, agricultural waste, straw, tires, fish oils, paper pellets, tall oil, sludge waste, and waste alcohol.

⁵ Included in "Conventional Hydroelectric Power."


⁶ Included in "Wood."

R=Revised. P=Preliminary. NA=Not available. (s)=Less than 0.05 million killowatthours.

Web Page: http://www.eia.doe.gov/fuelelectric.html.

Source: Energy Information Administration, Form EIA-860, "Annual Electric Generator Report" and EIA, Form EIA-759, "Monthly Power Plant Report."

Figure 8.7 Nonutility Power Net Summer Capability



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 8.7.

Table 8.7 Nonutility Power Net Summer Capability, 1989-1997

(Million Kilowatts)

			Fossil F	uels					Renew	able Energy				
						Nuclear	Conventional			Wa	ste			
Year	Coal 1	Natural Gas	Other Gas ²	Petroleum ³	Dual Fired ⁴	Electric Power	Hydroelectric Power ⁵	Geothermal Energy	Wood ⁶	MSL 7 and LFG 8	Other Waste ⁹	Wind Energy	Solar Energy	Total 10
1989	6.0	13.7	NA	1.1	4.4	(s)	1.6	0.9	5.2	1.5	0.2	1.3	0.2	36.4
1990	6.5	15.5	NA	1.0	5.8	(s)	1.9	1.0	5.7	1.8	0.4	1.4	0.3	41.4
1991	6.8	18.0	NA	1.4	4.7	(s)	2.0	1.0	6.3	2.0	0.5	1.7	0.3	45.4
1992	7.9	18.7	NA	1.6	7.5	(s)	2.6	1.2	6.4	2.2	0.6	1.8	0.3	51.5
1993	9.1	20.3	NA	1.9	7.5	(s)	2.6	1.2	6.7	2.2	0.7	1.8	0.3	55.0
1994	9.7	23.2	1.1	2.1	8.6	0	3.3	1.3	7.0	2.4	0.5	1.7	0.3	61.8
1995	10.2	24.2	1.1	2.0	9.2	0	3.3	1.2	R6.5	2.6	0.6	1.7	0.3	63.4
1996	R11.3	R26.7	0.2	3.0	R9.5	0	3.3	1.3	^R 5.6	1.9	0.5	1.7	0.3	65.9
1997 ^E	11.4	27.8	0.2	3.5	9.5	0	3.3	1.3	5.7	1.9	0.5	1.7	0.3	67.8

¹ Coal, anthracite culm, and coal waste.

Web Page: http://www.eia.doe.gov/fuelelectric.html.

Source: Energy Information Administration, estimated data using Form EIA-867, "Annual Nonutility Power Producer Report."

² Butane, methane, propane, and other gases.

³ Petroleum, petroleum coke, diesel, kerosene, petroleum sludge, and tar.

⁴ Petroleum and natural gas.

Furnished and Mattages.
 Pumped storage facility production minus energy used for pumping.
 Wood, wood waste, wood liquors, peat, railroad ties, wood sludge, and spend sulfite liquor.
 Municipal solid waste.


⁸ Landfill gas.

⁹ Agricultural waste, straw, tires, fish oils, paper pellets, tall oil, sludge waste, and waste alcohol.


¹⁰ Includes hydrogen, sulfur, batteries, and chemicals.

R=Revised. E=Estimated. NA=Not available. (s)=Less than 0.05 million killowatthours.

Figure 8.8 Electric Utility Consumption of Fossil Fuels To Generate Electricity



By Energy Source, 1949-1997



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 8.8.

Table 8.8 Electric Utility Consumption of Fossil Fuels To Generate Electricity, 1949-1997

	Co	oal	Natura	ıl Gas	Petro	leum ¹	Total
Year	Million Short Tons	Quadrillion Btu	Billion Cubic Feet	Quadrillion Btu	Million Barrels	Quadrillion Btu	Quadrillion Btu
949	84.0	2.00	550.1	0.57	66.3	0.41	2.98
950	91.9	2.20	628.9	0.65	75.4	0.47	3.32
951	105.8	2.51	763.9	0.79	75.4 63.9	0.40	3.70
952	107.1	2.56	910.1	0.94	67.2	0.42	3.92
953	115.9	2.78	1,034.3	1.07	82.2	0.51	4.36
954	118.4	2.84	1,165.5	1.21	66.7	0.42	4.46
955	143.8	3.46	1 153 3	1.19	75.3	0.47	5.12
956	158.3	3.79	1,153.3 1,239.3	1.28	72.7	0.45	5.53
957	160.8	3.86	1 336 1	1.38	79.7	0.50	5.74
958	155.7	3.72	1,336.1 1,372.9 1,628.5	1.42	77.7	0.49	5.63
959	168.4	4.03	1 628 5	1.69	88.3	0.55	6.27
960	176.7	4.23	1,724.8	1.79	88.2	0.55	6.57
961	182.2	4.35	1 825 1	1.89	88.9	0.56	6.80
962	193.3	4.62	1,825.1 1,966.0	2.03	89.3	0.56	7.22
963	211.3	5.05	2 144 5	2.21	93.3	0.58	7.85
964	225.4	5.38	2,144.5 2,322.9 2,321.1 2,609.9	2.40	101.1	0.63	8.41
965	244.8	5.82	2 321 1	2.40	115.2	0.72	8.94
966	266.5	6.30	2 609 9	2.70	140.9	0.88	9.88
967	274.2	6.44	2 746 4	2.83	161.3	1.01	10.29
968	297.8	6.99	2,746.4 3,147.9	3.25	188.6	1.18	11.42
969	310.6	7.22	3,487.6	3.60	251.0	1.57	12.39
970	320.2	7.22	3 931 9	4.05	338.7	2 12	13.40
971	327.3	7.23 7.30	3,931.9 3,976.0	4.10	399.5	2.12 2.49	13.89
972	351.8	7.81	3,976.9	4.08	496.9	3.10	14.99
973	389.2	8.66	3,660.2	3.75	562.8	3.51	15.92
974	391.8	8.53	3,443.4	3.52	539.4	3.36	15.42
975	406.0	8.79	3,157.7	3.24	506.5	3.17	15.19
976	448.4	9.72	3 080 9	3.15	556.3	3.48	16.35
976 977	477.1	9.72 10.26	3,080.9 3,191.2	3.28	624.2	3.90	17.45
978	481.2	10.24	3,188.4	3.30	637.8	3.99	17.52
979	527.1	11.26	3,490.5	3.61	524.6	3.28	18.16
980	569.3	12.12	3,681.6	3.81	421.1	2.63	18.57
981	596.8	12.58	3,640.2	3.77	351.8	2.20	18.55
982	593.7	12.58	3,225.5	3.34	250.5	1.57	17.49
983	625.2	13.21	2.910.8	3.00	246.8	1.54	17.75
84	664.4	14.02	3,111.3	3.22	205.7	1.29	18.53
85	693.8	14.54	3,044.1	3.16	174.6	1.09	18.79
986	685.1	14.44	2,602.4	2.69	232.0	1.45	18.59
987	717.9	15.17	2,844.1	2.94	201.1	1.26	19.37
988	758.4	15.85	2,635.6	2.71	250.1	1.56	20.12
189	766.9	15.85 15.99	2.787.0	2.87	270.0	1.69	20.54
90	773.5	16.19	2.787.3	2.88	200.2	1.25	20.32
91	772.3	16.03	2.789.0	2.86	188.5	1.18	20.06
92	779.9	16.21	2,789.0 2,765.6 2,682.4	2.83	152.3	0.95	19.99
993	813.5	16.79	2.682.4	2.74	168.6	1.05	20.58
994	817.3	16.90	2 987 1	3.05	155.4	0.97	20.92
995	829.0	16 99	3.196.5	3.28	106.0	0.66	20.92
996	R874.7	R17.95	3,196.5 R2,732.1	2.80	R116.7	R0.72	R21.48
997 ^P	898.5	18.44	2,962.4	3.03	135.3	0.84	22.31

¹ These data show petroleum consumed by electric utilities and do not equate to petroleum supplied to (or delivered to) electric utilities. Included are residual fuel oil (including crude oil burned as fuel), distillate fuel oil, jet fuel, and petroleum coke. Petroleum coke is reported in short tons and has been converted to barrels at a rate of 5 barrels per short ton.

R=Revised. P=Preliminary.


Notes: • See Note 3 at end of section. • Totals may not equal sum of components due to independent

rounding

Web Page: http://www.eia.doe.gov/fuelelectric.html.


Sources: • 1949-September 1977—Federal Power Commission, Form FPC-4, "Monthly Power Plant Report." • October 1977-1981—Federal Energy Regulatory Commission, Form FPC-4, "Monthly Power Plant Report." • 1982 forward—Energy Information Administration, Form EIA-759, "Monthly Power Plant Report."

Figure 8.9 Electric Utility Retail Sales of Electricity by End-Use Sector





By End-Use Sector, 1949-1997



¹ Public street and highway lighting, other sales to public authorities, sales to railroads and railways, and interdepartmental sales.

Note: Because vertical scales differ, graphs should not be compared. Source: Table 8.9.

Table 8.9 Electric Utility Retail Sales of Electricity by End-Use Sector, 1949-1997

(Billion Kilowatthours)

Year	Residential	Commercial	Industrial	Other ¹	Total
1949	67	45	123	20	255
1950	72	51	146	22	291
951	83	57	166	24	330
952	94	62	176	24	356
953	104	67	199	26	396
954	116	72	208	27	424
955	128	79	260	29	497
956	143	87	286	30	546
957	157	94	294	31	576
958	169	100	287	32	588
959	185	112	315	36	647
960	201	131	324	32	688
961	214	138	337	32	722
962	233	153	360	32	778
963	251	171	377	34	833
964	272	187	405	32	896
965	291	200	429	34	954
966	317	218	464	37	1,035
967	340	234	485	40	1,099
968	382	258	521	42	1,203
969	427	282	559	46	1,314
970	466	307	571	48	1,392
971	500	329	589	51	1,470
972	539	359	641	56	1,595
973	579	388	686	59	1,713
974	578	385	685	59 58	1,706
975	588	403	688	68	1,747
976	606	425	754	70	1,855
977	645	447	786	71	1,948
978	674	461	809	73	2,018
979	683	473	842	73	2,071
980	717	488	815	74	2,094
981	722	514	826	85	2,147
982	730	526	745	86	2,086
983	751	544	776	80	2,151
984	780	583	838	85	2,286
985	794	606	837	87	2,324
986	819	631	831	89	2,369
987	850	660	858	88	2,457
988	893	699	896	90	2,578
989	906	726	926	90	2,647
990	924	751	946	92	2,713
991	955	766	947	94	2,762
992	936	761	973	93	2,763
993	995	795	977	95	2,861
994	1,008	820	1,008	QR	2,935
995	_1,043	863	1,008	98 95	_3,013
996	R1,082	^R 887	R ₁ ,030	R98	R3,098
997 ^P	1,072	913	1,036	99	3,120

 $^{^{\}rm 1}$ "Other" is public street and highway lighting, other sales to public authorities, sales to railroads and railways, and interdepartmental sales.

R=Revised. P=Preliminary.

Notes: • See Note 5 at end of section. • Totals may not equal sum of components due to independent rounding.


Web Page: http://www.eia.doe.gov/fuelelectric.html.

Sources: • 1949-September 1977—Federal Power Commission, Form FPC-5, "Monthly Statement of


Electric Operating Revenue and Income." • October 1977-February 1980—Federal Energy Regulatory Commission (FERC), Form FPC-5, "Monthly Statement of Electric Operating Revenue and Income." • March 1980–1982—FERC, Form FPC-5, "Electric Utility Company Monthly Statement." • 1983—Energy Information Administration (EIA), Form EIA-826, "Electric Utility Company Monthly Statement." • 1984-1996—EIA, Form EIA-861, "Annual Electric Utility Report." • 1997—EIA, Form EIA-826, "Monthly Electric Utility Sales and Revenue Report with State Distributions."

Figure 8.10 Electric Utility Demand-Side Management Programs: Peakload Reductions, Energy Savings, and Costs

Actual Peakload Reductions, Total of All Programs, 1989-1996




Actual Peakload Reductions by Program, 1996




Total: 29,893 Megawatts

Energy Savings, 1989-1996



Costs, 1989-1996



¹ Nominal dollars. Source: Table 8.10.

Table 8.10 Electric Utility Demand-Side Management Programs: Peakload Reductions, Energy Savings, and Costs, 1989-1996

			load Reductions gawatts)		Energy	0 1
Year	Direct Load Control ^{1,2}	Interruptible Load ^{1,3}	Energy Efficiency ⁴ and Other ⁵	Total	Savings (million kilowatthours)	Costs (thousand dollars ⁶)
989	NA	NA	NA	12,463	14,672	872,935
990	3,692	4,219	5,793	13,704	20,458	1,177,457
991	5,093	3,674	6,852	15,619	24,848	1,803,773
992	3,779	3,579	9,847	17,204	35,563	2,348,094
993	3,955	6,628	12,486	23,069	45,294	2,743,533
994	4,179	6,743	14,079	25,001	52,483	2,715,657
995	5,352	8,401	15,807	29,561	57,421	2,421,261
996	5,575	7,390	16,928	29,893	61,842	1,902,197

¹ The actual reduction in peak load reflects the change in demand for electricity that results from a utility demand-side management program that is in effect at the time that the utility experiences its actual peak load as opposed to the potential installed peakload reduction capability. Differences between actual and potential peak reduction result from changes in weather, economic activity, and other variable conditions.

electricity consumption, often without explicit consideration for the timing of program-induced savings. Such savings are generally achieved by substituting technically more advanced equipment to produce the same level of end-use services (e.g., lighting, heating, motor drive) with less electricity. Examples include high-efficiency appliances, efficient lighting programs, high-efficiency heating, ventilating, and air conditioning systems or control modifications, efficient building design, advanced electric motor drives, and heat recovery systems.

NA=Not available.

Web Page: http://www.eia.doe.gov/fuelelectric.html.

Source: Energy Information Administration, Form EIA-861, "Annual Electric Utility Report."

² Direct load control refers to program activities that can interrupt consumer load at the time of annual peak load by direct control of the utility system operator by interrupting power supply to individual appliances or equipment on consumer premises. This type of control usually involves residential consumers.


³ Interruptible load refers to program activities that, in accordance with contractual arrangements, can interrupt consumer load at times of seasonal peak load by direct control of the utility system operator or by action of the consumer at the direct request of the system operator. It usually involves commercial and industrial consumers. In some instances, the load reduction may be affected by direct action of the system operator (remote tripping) after notice to the consumer in accordance with contractual provisions.

⁴ Energy efficiency refers to programs that are aimed at reducing the energy used by specific end-use devices and systems, typically without affecting the services provided. These programs reduce overall

⁵ For example, programs that promote consumer's substitution of electricity by other energy types and programs that limit or shift peak load from on-peak to off-peak time periods, such as space heating and water heating storage systems, cool storage systems, and load-limiting devices in energy management systems.

⁶ Nominal dollars.

Figure 8.11 Electric Utility Noncoincidental Peak Load



¹ Data for ASCC (Alaska) were not filed for 1996.

Notes: • Noncoincidental peak load is the sum of two or more peak loads on individual systems that do not occur at the same time interval. See Glossary for information on North

American Electric Reliability Council (NERC). •Because vertical scales differ, graphs should not be compared.

Source: Table 8.11.

Table 8.11 Electric Utility Noncoincidental Peak Load by Region, 1986-1996

(Megawatts)

				North American	Electric Reliabilit	y Council Region	s ¹				
Year	ECAR	ERCOT	MAAC	MAIN	MAPP (U.S.)	NPCC (U.S.)	SERC	SPP	WSCC (U.S.)	Contiguous United States	ASCC (Alaska)
						Summer					
986	69,606	39,335	37,564	35,943	21,029	39,026	105,570	47,123	81,787	476,983	(²)
987	72,561	39,339	40,526	37,446	23,162	42,651	109,798	47,723	82,967	496,173	(2)
988	79,149	40,843	43,110	41,139	24,899	45,245	115,168	49,356	90,551	529,460	(2)
989	75,442	40,402	41,614	39,460	23,531	45,031	117,051	49,439	90,657	522,627	` 455
990	79,258	42,737	42,613	40,740	24,994	44,116	121,149	52,541	97,389	545,537	463
991	81,539	41,870	45,937	41,598	25,498	46,594	124,688	51,885	92,096	551,705	471
92	78,550	42,619	43,658	38,819	22,638	43,658	128,236	51,324	99,205	548,707	504
93	85,930	44,255	46,494	41,956	24,396	46,706	136,101	57,106	97,809	580,753	511
94	87,165	44,162	46,019	42,562	27,000	47,581	132,584	56,035	102,212	585,320	524
95	92,619	46,618	48,577	45,782	29,192	47,705	146,569	59,595	103,592	620,249	622
996	90,798	47,480	44,302	46,402	28,253	45,094	145,650	60,072	108,739	616,790	(3)
_						Winter					
986	64,561	28,730	32,807	28,036	18,850	37,976	101,849	33,877	76,171	422,857	(²)
87	68,118	31,399	35,775	30,606	19,335	41,902	105,476	34,472	81,182	448,265	(²)
88	67,771	34,621	36,363	30,631	20,162	42,951	108,649	35,649	82,937	459,734	(2)
989	73,080	38,388	38,161	33,770	20,699	42,588	121,995	42,268	84,768	495,717	626
990	67,097	35,815	36,551	32,461	21,113	40,545	117,231	38,949	94,252	484,014	613
991	71,181	35,448	37,983	33,420	21,432	41,786	119,575	38,759	86,097	485,681	622
92	72,885	35,055	37,915	31,289	21,866	41,125	121,250	39,912	91,686	492,983	635
993	81,846	35,407	41,406	34,966	21,955	42,063	133,635	41,644	88,811	521,733	632
994	75,638	36,180	40,653	33,999	23,033	42,547	132,661	42,505	91,037	518,253	641
995	83,465	36,965	40,790	35,734	23,429	42,755	142,032	44,626	94,890	544,686	676
996	84,534	38,868	37,806	37,162	24,251	41,200	146,030	49,095	95,135	554,081	(3)

¹ See Glossary for information on the North American Electric Reliability Council (NERC). This table includes the U.S. portion of NERC only and does not cover Hawaii, Puerto Rico, and U.S. Trust Territories. See Figure 8.11 for an illustration of NERC regions.

Note: Noncoincidental peak load is the sum of two or more peak loads on individual systems that do not

occur at the same time interval.


Web Page: http://www.eia.doe.gov/fuelelectric.html.

Sources: • 1986—Energy Information Administration (EIA), Electric Power Annual 1990 (January 1992), Table 53. • 1987—EIA, Electric Power Annual 1991 (February 1993), Table 52. • 1988—EIA, Electric Power Annual 1992 (January 1994), Table 57. • 1989—EIA, Electric Power Annual 1993 (December 1994), Table 57. • 1990 forward—EIA, Electric Power Annual 1996, Volume II (February 1997), Table 35.

² Data submission for ASCC (Alaska) began in 1989.

³ Data for ASCC (Alaska) were not filed for 1996.

Figure 8.12 Electric Utility Stocks of Coal and Petroleum, End of Year



Source: Table 8.12.

Table 8.12 Electric Utility Stocks of Coal and Petroleum, End of Year 1949-1997

		Co	oal				Petr	oleum		
	Anthracite 1	Bituminous Coal ² and Lignite	Tot	al	Heavy Oil ³	Light Oil ⁴	Total Liquids	Petroleum Coke ⁵	То	tal
Year	Million SI	hort Tons	Million Short Tons	Trillion Btu		Million	Barrels		Million Barrels	Trillion Btu
949	4.3	17.8	22.1	524	NA	NA	8.6	NA	8.6	54
950	4.3 4.7	27.1	31.8	762	NA	NA	10.2	NA	10.2	64
951	5.1	33.4	38.5	913	NA	NA	12.8	NA	12.8	80
952	5.6	35.9	41.5	991	NA	NA	13.7	NA	13.7	86
953	5.9	39.8	45.6	1,094	NA	NA	15.0	NA	15.0	94
954	6.4	39.7	46.1	1,106	NA	NA	15.9	NA	15.9	99
955	3.2	38.2	41.4	996	NA	NA	13.7	NA	13.7	85
956	2.8	46.0	48.8	1,168	NA	NA	17.3	NA	17.3	108
957	2.8	50.3	53.1	1,273	NA	NA	20.1	NA	20.1	126
958	2.2	48.8	51.0	1,218	NA	NA	20.8	NA	20.8	130
959	2.0	50.1	52.1	1,247	NA	NA	18.5	NA	18.5	116
960	1.8	49.9	51.7	1,238	NA	NA	19.6	NA	19.6	123
961	1.5	48.6	50.1	1,197	NA	NA	22.0	NA	22.0	138
962	1.4	49.0	50.4	1,205	NA	NA	23.8	NA	23.8	149
963	1.3	49.3	50.6	1,209	NA	NA	24.9	NA	24.9	156
964	1.2	52.7	53.9	1,286	NA	NA	22.4	NA	22.4	140
965	1.1	53.4	54.5	1,297	NA	NA	25.6	NA	25.6	161
966	1.0	52.9	53.9	1,274	NA	NA	27.4	NA	27.4	172
967	1.3	69.7	71.0	1,669	NA	NA	26.7	NA	26.7	167
968	1.3	64.2	65.5	1,538	NA	NA	28.7	NA	28.7	180
969	1.3	60.6	61.9	1,438	NA	NA	35.3	NA	35.3	221
970	1.1	70.8	71.9	1,623	NA	NA	38.0	1.2	39.2	245
971	1.1	76.7	77.8	1,735	NA	NA	49.6	1.5	51.1	319
972	0.9	98.8	99.7	2,214	NA	NA	57.7	1.4	59.1	368
973	1.1	85.9	87.0	1,935	NA	NA	89.2	1.6	90.8	567
974	0.9	82.6	83.5	1,819	NA	NA	112.9	0.2	113.1	705
975	1.0	109.7	110.7	2,396	NA	NA	125.3	0.2	125.4	784
976	1.0	116.4	117.4	2,546	NA	NA	121.7	0.2	121.9	762
977	2.3	130.9	133.2	2,865	NA	NA	144.0	0.2	144.3	901
978	2.2	126.0	128.2	2,728	NA	NA	118.8	1.0	119.8	749
979	3.3	156.4	159.7	3,412	NA	NA	131.4	0.9	132.3	828
980	4.7	178.3	183.0	3,897	105.4	30.0	135.4	0.3	135.6	848
981	5.5	163.4	168.9	3,561	102.0	26.1	128.1	0.2	128.3	803
982	6.1	175.1	181.1	3,839	95.5	23.4	118.9	0.2	119.1	745
983	6.5	149.1	155.6	3,288	70.6	18.8	89.4	0.3	89.7	561
984	6.7	173.0	179.7	3,792	68.5	19.1	87.6	0.3	87.9	549
985	7.2	149.2	156.4	3,277	57.3	16.4	73.7	0.2	73.9	462
986	7.1	154.7	161.8	3,412	56.8	16.3	73.1	0.2	73.3	459
987	6.9	163.9	170.8	3,610	55.1	15.8	70.8	0.3	71.1	444
988	6.6	139.9	146.5	3,062	54.2	15.1	69.3	0.4	69.7	436
989	6.4	129.5	135.9	2,832	47.4	13.8	61.3	0.5	61.8	386
990	6.5	149.7	156.2	3,268	67.0	16.5	83.5	0.5	84.0	525
991	6.5	151.4	157.9	3,277	58.6	16.4	75.0	0.4	75.3	471
992	6.2	147.9	154.1	3,204	56.1	15.7	71.8	0.3	72.2	451
993	5.6	105.7	111.3	2,298	46.8	15.7	62.4	0.4	62.9	392
994	4.9	122.0	126.9	2,623	46.3	16.6	63.0	0.3	63.3	395
995	4.3	122.0	126.3	2,589	35.1	15.4	50.5	0.3	50.8	316
996	3.7	110.9	114.6	R2,353	32.5	R15.2	R47.7	0.5	R48.1	R299
997 ^P	3.0	95.2	98.3	2,017	33.4	15.2	48.6	2.3	50.9	316

¹ Includes anthracite silt stored off-site.

R=Revised. P=Preliminary. NA=Not available.

Notes: • See Note 3 at end of section. • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelelectric.html.

Sources: • 1949-September 1977—Federal Power Commission, Form FPC-4, "Monthly Power Plant Report." • October 1977-1981—Federal Energy Regulatory Commission, Form FPC-4, "Monthly Power Plant Report." • 1982 forward—Energy Information Administration, Form EIA-759, "Monthly Power Plant


² Includes subbituminous coal.

³ Includes Grade Nos. 4, 5, and 6, and residual fuel oils.

⁴ Includes Grade No. 2 heating oil, kerosene, and jet fuel.

⁵ Petroleum coke, which is reported in short tons, has been converted to barrels at a rate of 5 barrels per short ton.

Figure 8.13 Retail Prices of Electricity Sold by Electric Utilities, 1960-1997



 $^{^{\}rm 1}$ In chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Table 3.1.

to railroads and railways, and interdepartmental sales.

Note: Because vertical scales differ, graphs should not be compared.

Source: Table 8.13.

² Public street and highway lighting, other sales to public authorities, sales

Table 8.13 Retail Prices of Electricity Sold by Electric Utilities, 1960-1997

(Cents per Kilowatthour)

	Resid	lential	Commercial		Indu	strial	Oth	er ¹	To	tal
Year	Nominal	Real ²	Nominal	Real ²	Nominal	Real ²	Nominal	Real ²	Nominal	Real ²
1960	2.6	11.2	2.4	10.3	1.1	4.7	1.9	8.2	1.8	7.7
961	2.6	R11.1	2.4	10.2	1.1	4.7	1.8	R7.7	1.8	R7.7
1962	2.6	10.9	2.4	R10.1	1.1	4.6	1.9	R8.0	1.8	R7.6
1963	2.5	R10.4	2.3	9.5	1.0	4.1	1.8	^R 7.5	1.8	R7.5
1964	2.5	10.2	2.2	9.0	1.0	4.1	1.8	7.3	1.7	6.9
1965	2.4	9.6	2.2	8.8	1.0	4.0	1.8	7.2	1.7	6.8
1966	2.3	8.9	2.1	8.2	1.0	3.9	1.8	7.0	1.7	6.6
1967	2.3	8.7	2.1	7.9	1.0	3.8	1.8	6.8	1.7	6.4
1968	2.3	8.3	2.1	7.6	1.0	3.6	1.8	6.5	1.6	5.8
1969	2.2	7.6	2.1	R7.3	1.0	R3.5	1.7	5.9	1.6	5.5
1970	2.2	7.2	2.1	6.9	1.0	3.3	1.8	5.9	1.7	5.6
1971	2.3	R7.2	2.2	R6.9	1.1	3.4	1.9	5.9	1.8	5.6
1972	2.4	7.2	2.3	6.9	1.2	3.6	2.0	6.0	1.9	5.7
1973	2.5	7.1	2.4	6.8	1.3	3.7	2.1	5.9	2.0	R5.7
1974	3.1	8.1	3.0	7.8	1.7	4.4	2.8	7.3	2.5	6.5
1975	3.5	8.3	3.5	8.3	2.1	5.0	3.1	^R 7.4	2.9	6.9
1976	3.7	8.3	3.7	8.3	2.2	4.9	3.3	7.4	3.1	7.0
1977	4.1	8.6	4.1	8.6	2.5	5.3	3.5	7.4	3.4	7.2
1978	4.3	8.4	4.4	8.6	2.8	5.5	3.6	7.1	3.7	7.3
1979	4.6	8.3	4.7	8.5	3.1	5.6	4.0	7.2	4.0	7.2
1980	5.4	R9.0	5.5	9.1	3.7	6.1	4.8	R8.0	4.7	7.8
1981	6.2	9.4	6.3	R9.5	4.3	6.5	5.3	8.0	5.5	8.3
1982	6.9	9.8	6.9	9.8	5.0	7.1	5.9	8.4	6.1	8.7
1983	7.2	9.8	7.0	9.6	5.0	6.8	6.4	^R 8.7	6.3	8.6
1984 ³	7.2	9.5	7.1	9.4	4.8	6.3	5.9	7.8	6.3	8.3
1985 ³	7.4	9.4	7.3	9.3	5.0	6.4	6.1	7.8	6.4	8.2
1986 ³	7.4	9.2	7.2	8.9	4.9	6.1	6.1	7.6	6.4	7.9
1987 ³	7.4	8.9	7.1	8.5	4.8	5.8	6.2	7.5	6.4	7.7
1988	7.5	8.7	7.0	8.1	4.7	5.5	6.2	7.2	6.4	7.4
1989	7.6	8.5	7.2	8.0	4.7	5.2	6.2	6.9	6.5	7.2
1990	7.8	8.3	7.3	7.8	4.7	5.0	6.4	6.8	6.6	7.1
1991	8.0	8.2	7.5	7.7	4.8	4.9	6.5	6.7	6.7	6.9
1992	8.2	8.2	7.7	7.7	4.8	4.8	6.7	6.7	6.8	6.8
1993	8.3	8.1	7.7	7.5	4.8	4.7	6.9	6.7	6.9	6.7
1994	8.4	8.0	7.7	7.3	4.8	4.6	6.8	6.5	6.9	6.6
1995	8.4	7.8	7.7	^R 7.1	4.7	4.4	6.9	6.4	6.9	6.4
1996	8.4	^R 7.6	7.6	6.9	4.6	4.2	^R 6.9	^R 6.3	6.9	6.3
1997 ^P	8.5	7.6	7.6	6.8	4.6	4.1	6.8	6.0	6.9	6.1

¹ "Other" is public street and highway lighting, other sales to public authorities, sales to railroads and railways, and interdepartmental sales.

R=Revised. P=Preliminary.

Note: Data for 1979 and earlier data are for Classes A and B privately owned electric utilities only. Data for 1980 forward are for selected Class A utilities whose electric operating revenues were \$100 million or

more during the previous year.


Web Page: http://www.eia.doe.gov/fuelelectric.html.

Sources: • 1960 through September 1977—Federal Power Commission, Form FPC-5, "Monthly Statement of Electric Operating Revenues and Income." • October 1977 through February 1980—Federal Energy Regulatory Commission (FERC), Form FPC-5, "Monthly Statement of Electric Operating Revenues and Income." • March 1980 through 1982—FERC, Form FERC-5, "Electric Utility Company Monthly Statement." • 1983—Energy Information Administration (EIA), Form EIA-826, "Electric Utility Company Monthly Statement." • 1984-1996—EIA, Form EIA-861, "Annual Electric Utility Report." • 1997—EIA, Form EIA-826, "Monthly Electric Utility Sales and Revenue Report with State Distributions."

² In chained (1992) dollars, calculated by using gross domestic product implicit price deflators. See Table 3.1.

³ These data were taken from Form EIA-861, "Annual Electric Utility Report," and differ from the Form EIA-826, "Monthly Electric Utility Sales and Revenue Report with State Distributions," data published in previous issues of this publication.

Figure 8.14 Nonutility Power Overview



Notes: • Nonutility electric generating facilities with a total generator capacity of 1 megawatt or greater. See Table 8.14 for a description of fuels. Because vertical scales

differ, graphs should not be compared. Source: Table: 8.14.

Table 8.14 Nonutility Power Overview, 1989-1997

Item	1989	1990	1991	1992	1993	1994	1995	1996	1997 ^E
Supply and Disposition (million kilowatthours)									
Gross Generation	R189.896	R220.058	R251.747	296,001	325,226	354,925	R375,901	R382,530	421,199
Receipts 1		R60.926	R64.964	83,421	85.323	94,166	89,919	R104,101	120,279
Sales to Utilities 2	R81,229	R106,224	R129,118	164,374	187,466	204,688	R217,906	R224,675	260,760
Sales to Other End Users 3	R17,687	R19,824	R11,419	R10.786	R15.569	R17.626	R15.548	R14,283	14.320
Facility Use		R154,936	R176,175	204,261	207,514	226,777	R232,367	R247,673	266,399
Fossil Fuel Consumption									
Coal (thousand short tons)	R30.762	R32.300	R38.113	44.607	48.343	52.261	R50,328	R53,202	57.651
Petroleum ⁴ (thousand barrels)	R28,377	R28,980	R29,509	R34.626	R40,142	R46,630	R39,219	R42,926	45,805
Natural Gas (million cubic feet)		R1.386.741	R1,569,850	1.844.857	2.013.788	2.149.246	R2,303,944	R2,449,996	2.721,463
Other Gas 5 (million cubic feet)	R1,225,951	R1,279,176	R1,364,697	R1,587,632	R1,681,916	R1,591,051	R1,611,993	R1,738,362	1,830,382
Gross Generation (million kilowatthours)	R189,896	R220,058	R251,747	296,001	325,226	354,925	R375,901	R382,530	421,199
Coal ⁶		R32,131	R40,587	47,363	53,367	59,035	R60,234	R61,424	67,767
Petroleum 7		R7,330	R7,814	10,963	13,364	15,069	R15,049	R14,951	17,267
Natural Gas	R99,632	R116.969	R131,820	158,798	174,282	179,735	R196,633	R198,606	219,558
Other Gas 5	(8)	(8)	(8)	(8)	(8)	12,480	R13,984	R14,753	15,123
Hydroelectric Power 9		^R 8.153	^R 8.180	9.446	11.511	13,227	14,774	R16.555	18,702
Geothermal Energy	R5 416	R7,235	R8,014	8,578	9,749	10,122	9,912	R10,198	11,212
Wood ¹⁰	R27,835	R30,812	R33,785	36,255	37,421	38,595	R37,283	R37,549	39,229
Waste 11	R8,515	R11,688	R14,475	17,352	18,325	18,797	R20,231	R20,449	23,379
Solar	489	663	779	746	897	824	824	R903	994
Wind	R1,833	R2,251	R2,606	2,916	3,052	3,482	3,185	R3,400	3,727
Nuclear 12	49	116	80	67	78	54	R ₀	R ₀	0
Other ¹³	R1,750	R2,710	R3,609	3,516	3,181	3,507	R3,792	R3,744	4,242
Installed Nameplate Capacity 14 (megawatts)	R38,851	R45,271	R49,998	56,814	60,778	68,461	R 70,255	R73,183	78,940
Coal 6		R6,937	R7,351	8,503	9,772	10,372	R10,877	R12,122	12,582
Petroleum 7	R1,129	R1,038	R1,514	1,730	2,043	2,262	R2,116	R3,185	3,315
Natural Gas	R14,820	R17,430	R20,694	21,542	23,463	26,925	R27,906	R30,840	32,639
Other Gas 5	(8)	(8)	(8)	(8)	(8)	1,130	1,217	^R 184	184
Petroleum and Natural Gas (dual fired)	^R 4,732	R6,468	R5,292	8,478	8,505	9,820	10,479	R10,875	11,755
Hydroelectric Power 9	R1,672	R1,968	R2,072	2,684	2,741	3,364	3,399	R3,419	5,041
Geothermal Energy	^R 1,001	R1,086	R1,103	1,254	1,318	1,335	1,295	R1,346	1,446
Wood ¹⁰	^R 5,515	R6,049	R6,708	6,805	7,046	7,416	R6,885	R5,938	6,079
Waste 11	R1,825	R2,323	R2,741	3,006	3,131	3,150	R3,430	R2,556	2,874
Solar	200	360	360	360	360	354	354	354	354
Wind	R1,339	R1,405	R1,652	1,822	1,813	1,737	1,723	R1,670	1,892
Nuclear 12		20	20	20	20	0	0	0	0
Other 13	R176	R187	R491	611	566	597	574	R694	779

¹ Purchases, interchanges, and exchanges of electric energy with utilities and other nonutilities.

development in testing reactor fuels as well as for training. The generation from the unit is used for internal consumption.

R=Revised. E=Estimated.

² Sales, interchanges, and exchanges of electric energy with utilities.

³ Sales, interchanges, and exchanges of electric energy with other nonutilities. The disparity in these data and data reported on other EIA surveys occurs due to differences in the respondent universe. The Form EIA-867 is filed by nonutilities reporting the energy delivered, while other data sources are filed by electric utilities reporting energy received. Differences in terminology and accounting procedures contribute to the disparity. In addition, because the frame for the Form EIA-867 is derived from utility surveys, the Form EIA-867 universe lags 1 year.

⁴ Petroleum, diesel, kerosene, petroleum sludge, and tar. Does not include petroleum coke, which, in thousand barrels, was 23,700 in 1994; 20,940 in 1995; 22,420 in 1996; and an estimated 25,785 in 1997.

⁵ Butane, methane, propane, and other gases.

⁶ Coal, anthracite culm, and coal waste.

⁷ Petroleum, petroleum coke, diesel, kerosene, petroleum sludge, and tar.

⁸ Included in "Natural Gas."

⁹ Conventional hydroelectric power only; there are no pumped-storage projects in the nonutility sector.

Wood, wood waste, peat, wood liquors, railroad ties, pitch, and wood sludge.

¹¹ Municipal solid waste, agricultural byproducts, straw, tires, landfill gases, and other waste.

¹² Nuclear reactor and generator at Argonne National Laboratory used primarily for research and

¹³ Hydrogen, sulfur, batteries, and chemicals. Data previously published has been reclassified by energy source and are included in the category that best reflects their characteristics.

¹⁴ Installed nameplate capacity is the full-load continuous rating of a generator, prime mover, or other electrical equipment under specified conditions as designated by the manufacturer. It is usually indicated on a nameplate attached physically to the equipment. Installed station capacity does not include auxiliary or house units.

Notes: • Nonutility electric generating facilities with a total generator capacity of 1 megawatt or greater.

Totals may not equal sum of components due to independent rounding.


Web Page: http://www.eia.doe.gov/fuelelectric.html.

Sources: • 1989-1991—Estimated on the basis of data collected from Form EIA-867, "Annual Nonutility Power Producer Report." See Note 6 at end of section for additional information. • 1992—Energy Information Administration (EIA), *Electric Power Annual 1993* (December 1994), Table 74. • 1993-1996—EIA, *Electric Power Annual 1996*, *Volume II* (February 1997), Table 52. • 1997—EIA


estimated data using Form EIA-867, "Annual Nonutility Power Producer Report."

Figure 8.15 Nonutility Power Gross Generation, 1996

By Producing Energy Group



By Census Division



Notes: • See Appendix D for Census divisions. • Because vertical scales differ, graphs should not be compared.

Table 8.15 Nonutility Power Gross Generation, 1996

(Million Kilowatthours)

Division/Region	Manufacturing	Transportation and Public Utilities	Services	Mining	Public Administration	Other Industry Groups	Total
				Census Divisions			
	15,208	13.987	W	_	_	W	29.862
Middle Atlantic	48,575	12,347	3,819	W	W	1,621	68,860
East North Central	27,183	2,506	1,381	W	W	W	31,189
Vest North Central	2,830	561	403	W	_	W	4,362
South Atlantic	45,995	10,679	722	W	W	1,066	58,485
ast South Central	12,983	69	W	118	W	_	13,249
Vest South Central	80,794	2.190	566	385	W	W	84,013
Nountain	5,347	3,921	863	550	_	2,800	13,480
acific	32,691	23,616	2,638	18,060	1,535	489	79,030
otal	271,606	69,874	11,058	21,214	2,659	6,120	382,530
-			North Ameri	can Electric Reliability Co	ouncil Regions ¹		
	26,978	3.085	1,462	_	_	39	31,564
RCOT	49,762	314	445	130	2	=	50,653
AAC	22,588	7.736	1.553	1.467	443	1.148	34,935
AIN	6,953	535	507	61	16	, 3	8,075
APP (U.S.)	2,925	548	290	568	_	(s)	4,332
PCC (U.S.)	40,189	19.056	2,923	_	604	642	63,415
ERC	52,598	9.171	230	122	58	1,066	63,245
PP	31,577	1.891	125	216	==	75	33,883
SCC (U.S.)	34,139	26,775	3.462	18.146	1.367	3,084	86,974
ontiguous United States	267,709	69,112	10,995	20,711	2,491	6,057	377,075
SCC (Alaska)	452	3	63	503	168	11	1,200
awaii	3,445	758	_	_	_	52	4,254
otal	271,606	69.874	11,058	21,214	2,659	6.120	382,530

¹ See Glossary for information on the North American Electric Reliability Council (NERC). This table includes the U.S. portion of NERC only and does not cover Puerto Rico and U.S. Trust Territories. See Figure 8.11 for an illustration of NERC regions. See Appendix D for Census Divisions

^{— =} Not applicable. (s)=Less than 0.5 million kilowatthours. W=Withheld to avoid disclosure of individual company data.

Notes: • Nonutility electric generating facilities with a total generator capacity of 1 megawatt or greater.

[•] Data are based on facilities' consumption. • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelelectric.html.

Sources: Census Divisions: Energy Information Administration (EIA), *Electric Power Annual 1996*, Volume II, (February 1997), Table 61. **NERC Regions:** EIA, Form EIA-867, "Annual Nonutility Power Producer Report."

Electricity Notes

- 1. Data on the generation of electricity in Table 8.1 represent net generation, which is gross output of electricity (measured at the generator terminals) minus power plant use. Nuclear electricity generation data identified by individual countries in Section 11 are gross output of electricity.
- 2. Electrical system energy losses are estimated as the difference between total energy input at electric utilities and the total energy content of electricity sold to end-use consumers. Most of these losses occur at steamelectric power plants (conventional and nuclear) in the conversion of heat energy into mechanical energy to turn electric generators. This loss is a thermodynamically necessary feature of the steam-electric cycle. Part of the energy input-to-output losses are a result of imputing fossil energy equivalent inputs for hydroelectric and other energy sources, since there is no generally accepted practice for measuring these thermal conversion rates. In addition to conversion losses, other losses include power plant use of electricity, transmission and distribution of electricity from power plants to end-use consumers (also called "line-losses"), and unaccounted-for electricity. Total losses are allocated to the end-use sectors in proportion to each sector's share of total electricity sales. Overall, approximately 67 percent of total energy input is lost in conversion; of electricity generated, approximately 5 percent is lost in plant use and 9 percent is lost in transmission and distribution. Calculated electrical energy system losses may be less than actual losses, because primary consumption does not include the energy equivalent of utility purchases of electricity from non-electric utilities and from Canada and Mexico, although they are included in electricity sales.
- 3. Prior to 1985, electric utility supply and distribution statistics included data reported by institutions (such as universities) and military facilities that generated electricity primarily for their own use. Beginning in 1985, electricity statistics exclude data for these facilities and include data only for those organizations that generate electricity primarily for public use. In 1989, data for nonutility power producers (cogenerators, small power producers, and independent power producers) are provided.
- 4. Net summer capabilities were first collected on Form EIA-860 for 1984. Units not assigned a net summer capability rating by the utility were given an estimated rating by use of a statistical relationship between installed nameplate capacity and net summer capability for each prime mover. To

estimate net summer capability for the years 1949 through 1984, two methods were used. For each prime mover except nuclear and "other," net summer capability estimates were calculated in two steps. First, the unit capacity values reported on Form EIA-860 and the unit start dates contained in the 1984 Generating Unit Reference File (GURF) were used to compute preliminary aggregate estimates of annual net summer capability and installed nameplate capacity. These preliminary estimates were obtained by aggregating unit capacity values for all units in service during a given year. Next, the ratio of the preliminary capability to nameplate estimate was computed for each year and multiplied by the previously published installed nameplate capacity values to produce the final estimates of net summer capability. The net summer capability data for nuclear and "other" units were used directly from the 1984 GURF for all years. Historical aggregates were then developed by using the unit start dates on the GURF.

Historical capacity has also been modified to estimate capability based upon the operable definition. This was accomplished by assuming that nonnuclear generating units became operable between 1 and 4 months prior to their commercial operation dates, depending upon the prime mover and time period. The actual operable dates for nuclear units were used. It should be noted that net summer capabilities are not currently collected for nonutilities.


- 5. Data on the sales of electric utility electricity represent gross output of electricity (measured at the generator terminals) minus power plant use and transmission and distribution losses. Included in each end-use sector are the following: Commercial Sector-sales of electricity to businesses that generally require less than 1,000 kilowatts of service; Industrial Sector-sales of electricity to businesses that generally require more than 1,000 kilowatts of service; Residential Sector-sales of electricity to residences for household purposes; "Other" Sector-sales of electricity for public street and highway lighting, to public authorities, railways, and railroads, and interdepartmental sales.
- 6. Year-to-year changes in data from the Form EIA-867, "Annual Nonutility Power Plant Report," can result from correcting misreported data and modifying the frame to account for new or retired facilities, among other improvements. Data for 1989, 1990, and 1991 were collected for facilities of 5 megawatts or more. In 1992, the threshold was lowered to include facilities with capacities of 1 megawatt or more. Estimates of the 1-to-5-megawatt range for prior years were derived from historical data. The estimation did not include retirements that occurred prior to 1992 and included only the capacity of facilities that came on line before 1992.

Nuclear Energy



Site of Shippingport atomic power station, the first commercial nuclear power plant in the United States (rectangular reactor building and foreground); background, Beaver Valley 1 and 2 nuclear power plants and Bruce Mansfield coal-fired power plant (southwestern Pennsylvania). Source: U.S. Department of Energy.

Figure 9.1 Nuclear Generating Units



¹ Issuance by a regulatory authority of full-power operating license, or equivalent permission to operate.

Sources: Map: Based on Energy Information Administration data. Other: Table 9.1.

² Ordered but not completed or cancelled.

³ Ceased commercial operation permanently.

⁴ Cancellation of ordered units.

⁵ Placement of an order by a utility for a nuclear steam supply system.

 $^{^{\}rm 6}$ Issuance by regulatory authority of a permit, or equivalent permission, to begin construction.

Table 9.1 Nuclear Generating Units, End of Year 1953-1997

		_							
Year	Orders 1	Construction Permits ²	LPOL ³	New Operable Units ⁴	Shutdowns 5	Total Operable Units ⁶	Cancellations ⁷	Cumulative Cancellations	
1053	1	0	0	0	0	0	0	0	
1953 1954	Ó	Ő	Õ	Ö	ŏ	ŏ	Õ	0	
1955	3	ĭ	Ö	0	ŏ	ŏ	Ö	ő	
1956	1	3	0	0	Õ	Õ	0	Ö	
956 957	2	1	ĭ	ĭ	Ö	1	Ö	Ŏ	
958 959	4	0	0	0	0	1	0	0	
959	4	3	1	1	0	2	0	Ô	
960 961	1	7	1	1	0	3	0	0	
961	0	0	0	0	0	3	0	0	
962	2	1	7	6	0	9	0	0	
963	4	1	3	2	0	11	0	0	
964	0	3	2	3	1	13 13 14 15 13 17 20	0	0	
965	7	1	0	0	0	13	0	0	
964 965 966	20	5	1	2	1	14	0	0	
967	29	14	3	3	2	15	0	0	
968	16	23 7	0	0	2	13	0	0	
969 970	9		4	4	0	17	0	0	
70	14	10	4	3	0	20	0	0	
971 972 973 974	21	4	5	2	0	22 27	0	0	
972	38	8	6	6	1	27	7	7	
973	42 28	14 23	12 14	15 15	0	42 55 57 63	0	7	
974		23	14	15	2	55	9	16	
975 976	4	9	3	2	0	57	13	29 30	
976	3	9	7	7	1	63	1	30	
77	4	15	4	4	Ō	67	10	40	
978	2	13	3	4	1	70	13	53	
978 979 980	0	2	0	0	1	70 69 71	6 15	53 59 74	
980	0	0	5	2	Ō	<u>/1</u>	15	/4	
81	0	0	3	4	0	75 78 81	9	83 101 107	
82 83	0	0	6	4	1	78	18	101	
183	0	0	3	3	0	81	6	107	
84 85	0	0	7	6	0	87	6	113	
185	0	0	<u>/</u>	9	0	96	2	115	
986 987	0	0	/	5	0	101	2	117	
187	0	0	6	8	2	107	0	117 120 120	
188 189	0	0	1	2	0	109	3	120	
100	0	0	3	4	<u> </u>	111	U	120	
90 91	0	0	1	0	1	112	1	121 121	
91	0	0	0	U	1	111	0	121	
92	0	U	U	U	2	109	0	121	
93	0	0	1	1	0	110	0	121 122	
194 195	0	0	0	U	1	109	1	122	
90	· ·	U	1	U	U	109	2	124	
96	0	0	0	1	1	109	0	124 124	
997	0	0	0	0	2	107	0	124	

¹ Placement of an order by a utility or government agency for a nuclear steam supply system.

⁵ Ceased operation permanently, irrespective of intent.

Sources: Orders: Energy Information Administration, Commercial Nuclear Power 1991, Appendix E, September 1991, and Nuclear Energy Institute, Historical Profile of U.S. Nuclear Power Development, 1988 edition; U.S. Atomic Energy Commission, 1973 Annual Report to Congress, Volume 2, Regulatory

Activities; various utilities. Construction Permits: Nuclear Regulatory Commission, Information Digest, 1997 edition, Appendix A; and Nuclear Energy Institute, Historical Profile of U.S. Nuclear Power Development, 1988 edition; various utility, Federal, and contractor officials. Low-Power Operating Licenses: Nuclear Energy Institute, Historical Profile of U.S. Nuclear Power Development, 1988 edition; U.S. Department of Energy, Nuclear Reactors Built, Being Built, and Planned: 1995; and various utility, Federal, and contractor officials. New Operable Units: Nuclear Regulatory Commission, Information Digest, 1997 edition, Appendix B; various utility, Federal, and contractor officials. Shutdowns: Energy Information Administration, Commercial Nuclear Power 1991, Appendix E, Nuclear Regulatory Commission, Information Digest, 1997 edition, Appendix B; U.S. Department of Energy, Nuclear Reactors Built, Being Built, and Planned: 1995; Tennessee Valley Authority officials. Total Operable Units: Running sum of licenses minus permanent shutdowns. Cancellations: Energy Information Administration, Commercial Nuclear Power 1991, Appendix E, September 1991; Nuclear Regulatory Commission, Information Digest, 1997 edition, Appendix C; and Nuclear Energy Institute, Historical Profile of U.S. Nuclear Power Development, 1988 edition.

² Issuance by regulatory authority of a permit, or equivalent permission, to begin construction. Numbers reflect permits issued in a given year, not extant permits.


³ Low-power operating license: Issuance by regulatory authority of license, or equivalent permission, to conduct testing but not to operate at full power.


⁴ Issuance by regulatory authority of full-power operating license, or equivalent permission. Units generally did not begin immediate operation. See Note 1 at end of section.


⁶ Total of units holding full-power licenses, or equivalent permission to operate, at the end of the year. See Note 1 at end of section.

⁷ Cancellation by utilities of ordered units. Does not include three units (Bellefonte 1 and 2 and Watts Bar 2) where construction has been stopped indefinitely.


Figure 9.2 Nuclear Power Plant Operations








Net Summer Capability of Operable Units, 1957-1997



Capacity Factor, 1973-1997



Sources: Tables 8.3 and 9.2.

Table 9.2 Nuclear Power Plant Operations, 1957-1997

	Nuclear Electricity Net Generation	Nuclear Share of Electric Utility Net Generation	Net Summer Capability of Operable Units ^{1,2}	Capacity Factor ² Percent		
Year	Billion Kilowatthours	Percent	Million Kilowatts			
957	(e)	(s)	0.1	NA		
958	(s) 0.2	(s)	0.1	NA NA		
959	0.2	(s)	0.1	NA NA		
960	0.5	0.1	0.4	NA NA		
961	1.7	0.2	0.4	NA NA		
962	2.3	0.3	0.7	NA		
963	3.2	0.4	0.8	NA NA		
964	3.3	0.3	0.8	NA NA		
965	3.7	0.3	0.8	NA NA		
966 966	5.5	0.3	1.7	NA NA		
966 967	5.5 7.7	0.5	2.7	NA NA		
968	12.5	0.6	2.7	NA NA		
969	13.9			NA NA		
	21.8	1.0 1.4	4.4 7.0	NA NA		
970				NA NA		
971	38.1	2.4	9.0			
972	54.1	3.1	14.5	NA 50.5		
973	83.5	4.5	22.7	53.5		
974	114.0	6.1	31.9	47.8		
975	172.5	9.0	37.3	55.9		
976	191.1	9.4	43.8	54.7		
977	250.9	11.8	46.3	63.3		
978	276.4	12.5	50.8	64.5		
979	255.2	11.4	49.7	58.4		
980	251.1	11.0	51.8	56.3		
981	272.7	11.9	56.0	58.2		
982	282.8	12.6	60.0	56.6		
983	293.7	12.7	63.0	54.4		
984	327.6	13.6	69.7	56.3		
985	383.7	15.5	79.4	58.0		
986	414.0	16.6	85.2	56.9		
987	455.3	17.7	93.6	57.4		
988	527.0	19.5	94.7	63.5		
989	529.4	19.0	98.2	62.2		
990	576.9	20.5	99.6	66.0		
91	612.6	21.7	99.6	70.2		
992	618.8	22.1	99.0	70.9		
93	610.3	21.2	99.0	70.5		
994	640.4	22.0	99.1	73.8		
995	673.4	22.5	99.5	77.4		
996	R674.7	21.9	100.8	R76.3		
997 ^P	629.4	20.1	100.8	70.8		

At end of year.


Note: The performance data shown in this table are based on a universe of reactor units that differ in some respects from the reactor universe used to profile the nuclear power industry in Table 9.1, especially in the years prior to 1973. See Note 1 at end of section for further discussion.

Sources: Operable Units: • 1957-1972—Federal Power Commission (FPC), Form FPC-4, "Monthly Power Plant Report." • 1973 forward—Nuclear Regulatory Commission, *Licensed Operating Reactors*, (NUREG-0020), monthly. Electricity Generation: • 1957-September 1977—FPC, Form FPC-4, "Monthly Power Plant Report." • October 1977-1981—Federal Energy Regulatory Commission, Form FPC-4, "Monthly Power Plant Report." • 1982 forward—Energy Information Administration (EIA), Form EIA-759, "Monthly Power Plant Report." Net Summer Capability of Operable Units: • 1957-1983—See Note 2 at end of section. • 1984 forward—EIA, Form EIA-860, "Annual Electric Generator Report."

² See Note 2 at end of section.

R=Revised. P=Preliminary. NA=Not available. (s)=Less than 0.05 billion kilowatthours or less than 0.05 percent.

Figure 9.3 Uranium Overview



¹ Nominal dollars.

Note: Because vertical scales differ, graphs should not be compared.

Table 9.3 Uranium Overview, 1949-1997

				Utility			Inventories	Average Price		
	Domestic Concentrate Production	Purchased Imports ¹	Export ¹ Sales	Purchases from Domestic Suppliers	Loaded into U.S. Nuclear Reactors ²	Domestic Suppliers	Electric Utilities	Total	Purchased Imports	Domestic Purchases
Year		U.S. Dollars ³ p	U.S. Dollars ³ per Pound U ₃ O ₈							
1949	0.36	4.3	0.0	NA	NA	NA	NA	NA	NA	NA
1950	0.92	5.5	0.0	NA NA	NA	NA NA	NA NA	NA	NA	NA
1951	1.54	6.1	0.0	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
1952	1.74	5.7	0.0	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
1952	2.32	3.8	0.0	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA	NA NA
1954	3.40	6.5	0.0	NA	NA	NA	NA	NA	NA	NA
1955	5.56	7.6	0.0	NA	NA	NA	NA	NA	NA	NA
1956	11.92	12.5	0.0	NA	NA	NA	NA	NA	NA	NA
1957	16.96	17.1	0.0	NA	NA	NA	NA	NA	NA	NA
1958	24.88	32.3	0.0	NA	NA	NA	NA	NA	NA	NA
1959	32.48	36.3	0.0	NA	NA	NA	NA	NA	NA	NA
1960	35.28	36.0	0.0	NA	NA	NA	NA	NA	NA	NA
1961	34.70	29.0	0.0	NA	NA	NA	NA	NA	NA	NA
1962	34.02	24.2	0.0	NA	NA	NA	NA	NA	NA	NA
1963	28.44	22.4	0.0	NA	NA	NA	NA	NA	NA	NA
1964	23.70	12.1	0.0	NA	NA	NA	NA	NA	NA	NA
1965	20.88	8.0	0.0	NA	NA	NA	NA	NA	NA	NA
1966	21.18	4.6	0.8	NA	NA NA	NA NA	NA NA	NA	NA	NA NA
1967	22.51	0.0	1.4	NA NA	NA	NA NA	NA	NA	_	NA
1968	24.74	0.0	1.6	NA NA	NA NA	NA NA	NA NA	NA		NA
1969	23.22	0.0	1.0	NA NA	NA NA	NA NA	NA NA	NA NA	_	NA NA
1970	25.81	0.0	4.2	NA	NA	NA	NA	NA	_	NA
1971	24.55	0.0	0.4	NA	NA	NA	NA	NA	_	NA
1972	25.80	0.0	0.2	NA	NA	NA	NA	NA	_	NA
1973	26.47	0.0	1.2	NA	NA	NA	NA	NA	_	NA
1974	23.06	0.0	3.0	NA	NA	NA	NA	NA	_	NA
1975	23.20	1.4	1.0	NA	NA	NA	NA	NA	NA	NA
1976	25.49	3.6	1.2	NA	NA	NA	NA	NA	NA	NA
1977	29.88	5.6	4.0	NA	NA	NA	NA	NA	NA	NA
1978	36.97	5.2	6.8	NA	NA	NA	NA	NA	NA	NA
1979	37.47	3.0	6.2	NA	NA	NA	NA	NA	NA	NA
1980	43.70	3.6	5.8	NA	NA	NA	NA	NA	NA	NA
1981	38.47	6.6	4.4	32.6	NA	NA	NA	159.2	32.90	34.65
1982	26.87	17.1	6.2	27.1	NA NA	NA NA	NA NA	174.8	27.23	38.37
1982	21.16	8.2	3.3	24.2	NA NA	NA NA	NA NA	174.8	27.23 26.16	38.21
1984	14.88	12.5	2.2	22.5	NA	25.0	160.2	185.2	21.86	32.65
1985	11.31	11.7	5.3	21.7	NA	23.7	153.2	176.9	20.08	31.43
1986	13.51	13.5	1.6	18.9	NA	27.0	144.1	171.1	20.07	30.01
1987	12.99	15.1	1.0	20.8	NA	25.4	137.8	163.2	19.14	27.37
1988	13.13	15.8	3.3	17.6	NA	19.3	125.5	144.8	19.03	26.15
1989	13.84	13.1	2.1	18.4	NA	22.2	115.8	138.1	16.75	19.56
1990	8.89	23.7	2.0	20.5	NA	26.4	102.7	129.1	12.55	15.70
1991	7.95	16.3	3.5	26.8	34.6	20.7	98.0	118.7	15.55	13.66
1992	5.65	23.3	2.8	23.4	43.0	25.2	92.1	117.3	11.34	13.45
1993	3.06	21.0	3.0	15.5	45.1	24.5	81.2	105.7	10.53	13.14
1994	3.35	36.6	17.7	22.7	40.4	21.5	65.4	86.9	8.95	10.30
1995	6.04	41.3	9.8	22.3	51.1	13.7	58.7	72.5	10.20	11.11
1996	6.32	45.4	11.5	22.9	R 46.2	R 13.9	R 66.1	R 80.0	13.15	13.81
1997 ^P	5.64	43.0	17.0	18.7	48.7	11.9	63.9	75.8	11.81	12.87
1221.	5.04	43.0	17.0	10.7	40.1	11.9	03.9	10.0	11.01	12.01

 $^{^1}$ Import quantities through 1970 are reported for fiscal years. Prior to 1968, the Atomic Energy Commission was the sole purchaser of all imported U₃O₈. Trade data prior to 1982 were for transactions conducted by uranium suppliers only. For 1982 forward, transactions by uranium buyers (consumers) have been included. Buyer imports and exports prior to 1982 are believed to be small.

² Does not include any fuel rods removed from reactors and later reloaded.

R=Revised. P=Preliminary. NA=Not available. — = Not applicable.

Web Page: http://www.eia.doe.gov/fuelnuclear.html.

Sources: • 1949-1966—U.S. Department of Energy, Grand Junction Office, Statistical Data of the Uranium Industry, Report No. GJO-100, annual. • 1967-1996—Energy Information Administration (EIA), Uranium Industry Annual, annual reports. • 1997—EIA, Uranium Industry Annual 1997 (April 1998), Tables H1, H2, H3, 5, 14, 27, 28, and 31.

Nominal dollars.

Nuclear Energy Notes

1. In 1997 EIA undertook a major revision of Table 9.1 to more fully describe the history of the U.S. commercial nuclear power industry. The time series was extended back to the birth of the industry in 1953, and the data categories were revised for greater relevance to current industry conditions and trends. To acquire the data for the revised categories it was necessary to develop a reactor unit database employing different sources than those used previously for Table 9.1 and still used for Table 9.2.

In Table 9.1 "commercial" means that the units contributed power to the commercial electricity grid, whether or not they were owned by an electric utility. A total of 259 units ever ordered was identified. Although most orders were placed by electric utilities, several units are or were ordered, owned, and operated wholly or in part by the Federal government, including BONUS (Boiling Nuclear Superheater Power Station), Elk River, Experimental Breeder Reactor 2, Hallam, Hanford N, Piqua, and Shippingport.

A reactor is generally defined as operable in Table 9.1 while it possessed a full-power license from the Nuclear Regulatory Commission or its predecessor the Atomic Energy Commission, or equivalent permission to operate, at the end of the year. The definition is liberal in that it does not exclude units retaining full-power licenses during long, non-routine shutdowns. For example:

- In 1985 the five then-active Tennessee Valley Authority units (Browns Ferry 1, 2, and 3 and Sequoyah 1 and 2) were shut down under a regulatory forced outage. Browns Ferry 1 remains shut down and has been defueled, while the other units were idle for several years, restarting in 1991, 1995, 1988, and 1988, respectively. All five units are counted as operable during the shutdowns.
- Shippingport was shut down from 1974 through 1976 for conversion to a light-water breeder reactor, but is counted as operable until its retirement in 1982.


Calvert Cliffs 2 was shut down in 1989 and 1990 for replacement of pressurizer heater sleeves but is counted as operable during those years.

Exceptions to the rule are Shoreham and Three Mile Island 2. Shoreham was granted a full-power license in April 1989, but was shut down two months later and never restarted. In 1991, the license was changed to Possession Only. Although not operable at the end of the year, Shoreham is treated as operable during 1989 and shut down in 1990, because counting it as operable and shut down in the same year would introduce a statistical discrepancy in the tallies. A major accident closed Three Mile Island 2 in 1979, and although the unit retained its full-power license for several years, it is considered permanently shut down since that year.

2. Net summer capabilities were first collected on Form EIA-860 for 1984. Units not assigned a net summer capability rating by the utility were given an estimated rating by use of a statistical relationship between installed nameplate capacity and net summer capability for each prime mover. To estimate net summer capability for 1949-1984, two methods were used. For each prime mover except nuclear and "other," net summer capability estimates were calculated in two steps. First, the unit capacity values reported on Form EIA-860 and the unit start dates contained in the 1984 Generating Unit Reference File (GURF) were used to compute preliminary aggregate estimates of annual net summer capability and installed nameplate capacity. These preliminary estimates were obtained by aggregating unit capacity values for all units in service during a given year. Next, the ratio of the preliminary capability to nameplate estimate was computed for each year and multiplied by the previously published installed nameplate capacity values to produce the final estimates of net summer capability. The net summer capability data for nuclear and "other" units were use directly from the 1984 GURF for all years. Historical aggregates were then developed by use of the unit start dates on the GURF.

Historical capacity has also been modified to estimate capability based upon the operable definition, by assuming that nonnuclear generating units became operable between 1 and 4 months prior to their commercial operation dates, depending upon the prime mover and time period. The actual operable dates for nuclear units were used.


Renewable Energy




Grand Coulee Dam, Washington State. Source: U.S. Bureau of Reclamation.

Figure 10.1 Renewable Energy Consumption by Source


Renewable Energy as Share of Total Energy, 1997



Renewable Energy Consumption by Source, 1990-1997



Renewable Energy Consumption by Source, 1997



Note: Because vertical scales differ, graphs should not be compared.

Sources: Tables 1.3 and 10.1.

¹ Wood, wood waste, wood liquors, peat, railroad ties, wood sludge, spent sulfite liquors, agricultural waste, straw, tires, fish oils, tall oil, sludge waste, waste alcohol, municipal solid waste, landfill gases, other waste, and ethanol blended into motor gasoline.

² Includes electricity net imports from Canada that are derived from hydroelectric power.

³ Includes electricity imports from Mexico that are derived from geothermal energy.

⁴Geothermal, solar, and wind energy.

Table 10.1 Renewable Energy Consumption by Source, 1990-1997

(Quadrillion Btu)

Year	Biofuels ¹	Geothermal Energy ²	Conventional Hydroelectric Power ^{3,4}	Solar Energy ⁵	Wind Energy ⁶	Total
1990	2.632	R _{0.355}	R3.123	R0.063	0.023	^R 6.197
1991	2.642	R _{0.365}	R3.205	R0.066	0.027	R6.304
1992	2.788	R _{0.379}	R2.863	0.068	0.030	R6.128
1993	2.784	R _{0.393}	R3.147	^R 0.071	0.031	R6.426
1994	2.838	R _{0.395}	R2.969	R _{0.072}	0.036	R6.309
1995	R2.846	R _{0.339}	R3.472	R _{0.073}	0.033	R6.763
1996	R2.938	R _{0.352}	R3.914	0.075	R0.035	^R 7.315
1997 ^E	2.723	0.366	3.942	0.075	0.039	7.145

¹ Wood, wood waste, wood liquors, peat, railroad ties, wood sludge, spent sulfite liquors, agricultural waste, straw, tires, fish oils, tall oil, sludge waste, waste alcohol, municipal solid waste, landfill gases, other waste, and ethanol blended into motor gasoline.

R=Revised. E=Estimated.

Web Page: http://www.eia.doe.gov/fuelrenewable.html.

Source: Energy Information Administration (EIA), Office of Coal, Nuclear, Electric and Alternative Fuels estimates, and Oregon Institute of Technology, Geoheat Center, for geothermal direct use and heat pumps. For more information about renewable energy, see EIA, *Renewable Energy Annual 1997*, Volume 1 (February 1998).

² Includes electricity imports from Mexico that are derived from geothermal energy. Includes grid-connected electricity, and geothermal heat pump and direct use energy. Excludes shaft power and remote electrical power.


³ Hydroelectricity generated by pumped storage is not included in renewable energy.

⁴ Includes electricity net imports from Canada that are derived from hydroelectric power.

⁵ Includes solar thermal and photovoltaic energy.

⁶ Includes only grid-connected electricity. Excludes direct heat applications.

Figure 10.2 Renewable Energy Consumption by Sector, 1997



¹ Generation of electricity by cogenerators, independent power producers, and small power producers is included in the industrial sector, not the electric utility sector. Covers facilities of 1 megawatt or greater capacity.

Source: Table 10.2

² Wood, wood waste, wood liquors, peat, railroad ties, wood sludge, spent sulfite liquors, agricultural waste, straw, tires, fish oils, tall oil, sludge waste, waste alcohol, municipal solid waste, landfill gases, and other waste.

³ Geothermal heat pump and direct energy use.

⁴ Geothermal electricity generation, heat pump, and direct energy use.

⁵ Includes electricity net imports from Canada that are derived from hydroelectric power. Includes electricity imports from Mexico that are derived from geothermal energy.

Table 10.2 Renewable Energy Consumption by Sector, 1990-1997

(Quadrillion Btu)

	l	Residential d Commerc	ial	Industrial ¹						Trans- portation	Electric Utility ¹					
Year	Biofuels ²	Solar Energy ³	Total ⁴	Biofuels ²	Geo- thermal Energy ⁵	Conventional Hydro- electric Power ⁶	Solar Energy	Wind Energy	Total	Biofuels ⁷	Biofuels ²	Geo- thermal Energy ⁸	Conventional Hydro- electric Power ^{6,9}	Solar and Wind Energy	Total	Total
1990	0.581	R _{0.056}	R0.645	1.948	R _{0.155}	R0.085	0.007	0.023	R2.217	0.082	0.021	0.192	R3.039	(s)	R3.252	R6.197
1991	0.613	R0.058	R0.680	1.943	R0.170	0.085	0.008	0.027	R2.234	0.065	0.021	0.185	R3.120	(s)	R3.326	R6.304
1992	0.645	0.060	R0.714	2.042	R0.182	R0.098	0.008	0.030	R2.360	0.079	0.022	0.188	R2.765	(s)	R2.975	R6.128
1993	0.592	R0.062	R0.664	2.084	R0.206	R0.119	0.009	0.031	R2.449	0.088	0.020	0.177	R3.028	(s)	R3.225	R6.426
1994	0.582	R0.064	R0.656	2.138	R0.214	0.136	0.008	0.036	R2.533	0.097	0.020	0.170	R2.832	(s)	R3.023	R6.309
1995	0.641	R _{0.065}	R _{0.717}	R2.084	R _{0.210}	0.152	0.008	0.033	R2.487	0.104	0.017	0.118	R3.319	(s)	R3.454	R6.763
1996_	0.644	R0.066	R _{0.722}	R2.200	R _{0.217}	R0.171	0.009	R _{0.035}	R2.633	0.074	0.020	0.123	R3.743	(s)	R3.886	R7.315
1997 ^E	0.475	0.065	0.553	2.132	0.238	0.193	0.010	0.039	2.612	0.097	0.019	0.115	3.749	(s)	3.883	7.145

¹ Generation of electricity by cogenerators, independent power producers, and small power producers is included in the industrial sector, not the electric utility sector. Covers facilities of 1 megawatt or greater canacity

Note: Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelrenewable.html.

Sources: Energy Information Administration (EIA), Office of Coal, Nuclear, Electric and Alternative Fuels estimates, and Oregon Institute of Technology, Geoheat Center, for geothermal direct use and heat pumps. For more information about renewable energy, see EIA, Renewable Energy Annual 1997, Volume 1 (February 1998).

² Wood, wood waste, wood liquors, peat, railroad ties, wood sludge, spent sulfite liquors, agricultural waste, straw, tires, fish oils, tall oil, sludge waste, waste alcohol, municipal solid waste, landfill gases, and other waste.

³ The solar energy number of 0.06 quadrillion Btu for residential and commercial use is calculated by presuming an overall efficiency of 50 percent for all three categories of solar thermal collectors (low temperature, medium temperature, and high temperature), a 1,500-Btu per square foot average daily insolation, and the potential thermal energy production from the 227 million square feet of solar thermal collectors produced between 1978 and 1997. This is a simplified approach since low-temperature and high-temperature collectors have been rated at more than 50 percent efficient and medium-temperature collectors are generally less than 50 percent efficient.

⁴ Includes geothermal heat pump and direct use energy.

⁵ Geothermal electricity generation, heat pump, and direct use energy.

⁶ Hydroelectricity generated by pumped storage is not included in renewable energy.

⁷ Ethanol blended into motor gasoline.

⁸ Includes electricity imports from Mexico that are derived from geothermal energy.


⁹ Includes electricity net imports from Canada that are derived from hydroelectric power.

R=Revised. E=Estimated. (s)=Less than 0.5 trillion Btu.

Figure 10.3 Wood and Waste Energy and Alcohol Fuels Consumption Estimates


4 Biofuel Total Wood Energy 1 Waste Energy ² and Alcohol 1981 1983 1985 1987 1989 1991 1993 1995 1997

Wood Energy by Census Region, 1997




Wood Energy by Sector, 1997

Biofuel Total, 1981-1984, 1987, and 1989-19971



Waste Energy and Alcohol Fuels by Census Region, 1997



Notes: • See Appendix D for Census regions. • Because vertical scales differ, graphs should not be compared.

Source: Table 10.3.

¹ No data are available for 1985, 1986, and 1988.

² Municipal solid waste, manufacturing waste, refuse-derived fuel, and methane recovered from landfills.

Table 10.3 Wood and Waste Energy and Alcohol Fuels Consumption Estimates by Sector and Census Region, Selected Years, 1981-1997

(Trillion Btu)

Energy Source	1981	1982	1983	1984	1987	1989	1990	1991	1992	1993	1994	1995	1996	1997
Wood Energy	2,495	2,478	2,640	2,633	2,437	2,604	2,155	2,151	2,249	2,228	2,266	R 2,250	R 2,335	2,103
Sector Residential Commercial Industrial Electric Utility	869 21 1,602 3	937 22 1,516 2	925 22 1,690 3	923 22 1,679 9	852 (1) 1,576 9	918 (¹) 1,673 13	581 (1) 1,562 12	613 (¹) 1,528 10	645 (1) 1,593 11	548 44 1,625 11	537 45 1,673 11	596 45 ^R 1,598 11	595 49 ^R 1,679 12	433 42 1,617 11
Census Region Northeast Midwest South West	395 335 1,349 416	358 343 1,392 385	380 323 1,526 411	349 341 1,482 461	350 474 1,147 467	432 552 1,161 459	256 330 1,064 505	224 290 1,167 469	264 286 1,234 466	277 222 1,405 324	278 223 1,437 328	R343 R269 R1,024 R615	R348 R269 R1,074 R644	328 226 957 592
Waste Energy ²	88	120	157	208	289	344	395	426	460	468	475	492	R 529	523
Census Region Northeast Midwest South West	16 5 37 30	20 13 50 36	36 17 56 48	39 21 57 91	60 47 108 74	84 64 145 51	119 89 114 73	134 99 109 87	148 84 128 100	151 85 130 102	171 76 134 95	173 88 134 96	R188 R80 R158 R103	191 88 151 93
Alcohol Fuels (Ethanol)	7	19	35	43	69	71	82	65	79	88	97	104	74	97
Census Region Northeast Midwest South West	(s) 4 1 2	(s) 11 4 4	(s) 22 8 5	(s) 25 13 5	(s) 38 26 4	(s) 38 26 7	(s) 55 17 10	(s) 45 11 9	(s) 55 13 10	(s) 61 14 11	(s) 68 16 12	3 74 10 17	R7 R43 R8 R16	9 56 11 21
Biofuel Total	2,590	2,617	2,832	2,884	2,795	3,019	2,632	2,642	2,788	2,784	2,838	R 2,846	R 2,938	2,723

¹ Commercial wood energy use is not included because there are no accurate data sources to provide reliable estimates.

Sources: • 1981-1983, Wood Energy—EIA, Estimates of U.S. Wood Energy Consumption, 1980-1983 (November 1984), Tables ES1 and ES2. • 1981-1983 Waste Energy and Alcohol Fuels, and 1984 Data—EIA, Office of Coal, Nuclear, Electric and Alternate Fuels, unpublished data. • 1987—EIA, Estimates of Biofuels Consumption in the United States During 1987, Tables ES1 and ES2. • 1989—Wood Energy, Industrial Sector: American Paper Institute, Fact Sheet on 1990 Energy Use in the U.S. Pulp and Paper Industry (July 31, 1991). All Other Data: EIA, Estimates of U.S. Biofuels Consumption 1989 (April 1991), Table ES1. • 1990—Wood Energy, Industrial Sector: American Paper Institute, Fact Sheet on 1990 Energy Use in the U.S. Pulp and Paper Industry (July 1991). Wood Energy, Residential Sector: EIA, 1990 Residential Energy Consumption Survey. Waste Energy: EIA, Estimates


of U.S. Biofuels Consumption 1990 (October 1991), Table ES1. Alcohol Fuels: U.S. Department of Transportation, Monthly Motor Fuel Reported by States, FHWA-PL-92-011 (September 1991); U.S. Department of Treasury, Bureau of Alcohol, Tobacco, and Firearms, Monthly Distilled Spirits Report, Report Symbol 76 (June 1991) and Alcohol Fuels Report, internal quarterly report (September 1991). • 1991 and 1992: EIA, Estimates of U.S. Biomass Energy Consumption 1992 (May 1994). • 1993-1997—Wood Energy, Residential Sector: EIA, Form EIA-457, "1993 Residential Energy Consumption Survey," extrapolations from "1993 Residential Energy Consumption Survey," for 1994 through 1996 estimates, and "1997 Residential Energy Consumption Survey," for 1997. Wood Energy, Commercial and Industrial Sectors: EIA, Office of Coal, Nuclear, Electric and Alternate Fuels (CNEAF), estimates derived from information from other government agencies, trade journals, industry association reports, Form EIA-846, "1991 Manufacturing Energy Consumption Survey," and Form EIA-846, "1994 Manufacturing Energy Consumption Survey," and Form EIA-846, "1994 Manufacturing Energy Consumption Survey," and Form EIA-846, "Annual Electric Utility Report," and Form EIA-759, "Monthly Power Plant Report." Waste Energy: Government Advisory Associates, Resource Recovery Yearbook, and Methane Recovery Yearbook, and CNEAF estimates. Alcohol: EIA, Form EIA-819M, "Monthly Oxygenate Telephone Report."


² Municipal solid waste, manufacturing waste, refuse-derived fuel, and methane recovered from landfills. R=Revised. (s)=Less than 0.5 trillion Btu.

Notes: • No data are available for years not shown. • See Appendix D for Census regions. • Totals may not equal sum of components due to independent rounding.


Web Page: http://www.eia.doe.gov/fuelrenewable.html.

Figure 10.4 Solar Thermal Collector Shipments by Type and Trade, 1974-1984 and 1986-1996






Number of U.S. Manufacturers



Average Annual Shipments per Manufacturer



Notes: • Data were not collected for 1985. • Medium-temperature collectors include special collectors. • Because vertical scales differ, graphs should not be compared. Source: Table 10.4.

¹ Collectors that generally operate in the temperature range of 140 degrees Fahrenheit to 180 degrees Fahrenheit but can also operate at temperatures as low as 110 degrees Fahrenheit.

² Collectors that generally operate at temperatures below 110 degrees Fahrenheit.

Table 10.4 Solar Thermal Collector Shipments by Type and Trade, 1974-1996

	Lov	w-Temperature Co	llectors 1	Medi	um-Temperature (Collectors ²				
	Number of U.S.	Quantity Shipped (million	Average Annual Shipments per Manufacturer (thousand	Number of U.S.	Quantity Shipped (million	Average Annual Shipments per Manufacturer (thousand	High-Temperature Collector ³ Shipments (million	Total Shipments ⁴	Imports	Exports
Year	Manufacturers	square feet)	square feet)	Manufacturers	square feet)	square feet)	square feet)	Tho	ousand Square Fe	eet
974	6	1.14	189.5	39	0.14	3.5	NA	1,274	NA	NA
975	13	3.03	232.8	118	0.72	6.1	NA	3,743	NA	NA
976	19	3.88	204.0	203	1.93	9.5	NA	5,801	NA	NA
977	52	4.74	91.2	297	5.57	18.8	NA	10,312	NA	NA
978	69	5.87	85.1	204	4.99	24.5	NA	10,860	396	840
979	84	8.39	100.0	257	5.86	22.8	NA	14,251	290	855
980	79	12.23	154.8	250	7.17	28.7	NA	19,398	235	1,115
981	75	8.68	115.7	263	11.46	43.6	NA	21,133	196	771
982	61	7.48	122.6	248	11.15	44.9	NA	18,621	418	455
983	55	4.85	88.2	179	11.98	66.9	NA	16,828	511	159
984	48	4.48	93.3	206	11.94	58.0	0.77	17,191	621	348
985	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
986	22	3.75	170.5	87	1.11	12.8	4.50	9,360	473	224
987	12	3.16	263.1	50	0.96	19.1	3.16	7,269	691	182
988	8	3.33	415.8	45	0.73	16.2	4.12	8,174	814	158
989	10	4.28	428.3	36	1.99	55.3	5.21	11,482	1,233	461
990	12	3.65	303.8	41	2.53	61.6	5.24	11,409	1,562	245
991	16	5.59	349.0	41	0.99	24.1	(s)	6,574	1,543	332
992	16	6.19	386.7	34	0.90	26.4	(s)	7,086	1,650	316
993	13	6.03	463.5	33	0.93	28.2	0.01	6,968	2,039	411
994	16	6.82	426.0	31	0.80	26.0	(s)	7,627	1,815	405
995	14	6.81	487.0	26	0.84	32.0	0.01	7,666	2,037	530
996	14	6.82	487.0	19	0.79	41.0	0.01	7,616	1,930	454

¹ Low-temperature collectors are solar thermal collectors that generally operate at temperatures below 110 degrees Fahrenheit.

Notes: • Manufacturers producing more than one type of collector are accounted for in both groups.
• No data are available for 1985. • High-temperature collector shipments were dominated by one manufacturer.

Web Page: http://www.eia.doe.gov/fuelrenewable.html.

Sources: Number of U.S. Manufacturers: Energy Information Administration (EIA), Form CE-63A, "Annual Solar Thermal Collector Manufacturers Survey," and prior form, Form EIA-63, "Annual Solar Thermal Collector and Photovoltaic Module Manufacturing Survey." Shipments Data by Type:

1974-1976—Federal Energy Administration, Solar Collector Manufacturing Activity, semi-annual.

1977—EIA, Solar Collector Manufacturing Activity, July through December, 1981 (March 1982). • 1978 and 1979—EIA, Solar Collector Manufacturing Activity, annual. • 1980-1985—EIA, Solar Collector Manufacturing Activity, annual. • 1980-1985—EIA, Solar Collector Manufacturing Activity, 1993 (August 1994), Table 6. • 1986 forward—EIA, Renewable Energy Annual 1997 (February 1998), Tables 11 and 12, and Form EIA 63-A, "Annual Solar Thermal Collector Manufactures Survey."


² Medium-temperature collectors are solar thermal collectors that generally operate in the temperature range of 140 degrees Fahrenheit to 180 degrees Fahrenheit but can also operate at temperatures as low as 110 degrees Fahrenheit. Special collectors are included in this category. Special collectors are evacuated tube collectors or concentrating (focusing) collectors. They operate in the temperature range from just above ambient temperature (low concentration for pool heating) to several hundred degrees Fahrenheit (high concentration for air conditioning and specialized industrial processes).

³ High-temperature collectors are solar thermal collectors that generally operate at temperatures above 180 degrees Fahrenheit.

⁴ Total shipments as reported by respondents include all domestic and export shipments and may include imports that subsequently were shipped to domestic or to foreign customers.

NA=Not available. (s)=Less than 0.005 million square feet.

Figure 10.5 Solar Thermal Collector Shipments by End Use, Market Sector, and Type, 1996



¹ Collectors that generally operate at temperatures below 110 degrees Fahrenheit.

(s)=Less than 50 thousand square feet.

Source: Table 10.5.

² Collectors that generally operate in the temperature range of 140 degrees Fahrenheit to 180 degrees Fahrenheit but can also operate at temperatures as low as 110 degrees Fahrenheit.

Table 10.5 Solar Thermal Collector Shipments by End Use, Market Sector, and Type, 1996

(Thousand Square Feet)

End Use	Low-Temperature Collectors ¹	Medium-Temperature Collectors ²	High-Temperature Collectors ³	Total
nd-Use Total	6,821	785	10	7,616
Pool Heating	6,766	21	0	6,787
Water Heating	4	754	7	765
Space Heating	51	6	0	57
Space Cooling	0	0	0	0
Combined Space and Water Heating	0	3	0	3
Process Heating	0	2	2	4
Electricity Generation	0	(s)	0	(s)
Other ⁴	0	Ó	0	Ó
arket Sector Total	6,821	785	10	7,616
Residential	6,146	727	0	6,873
Commercial	625	50	7	682
ndustrial	51	1	2	54
Electric Utility	0	(s)	0	(s)
Other 5	(s)	` 7	0	ĺŹ

¹ Low-temperature collectors are solar thermal collectors that generally operate at temperatures below 110 degrees Fahrenheit.

(s)=Less than 0.5 thousand square feet.

Notes: • Data represent shipments from U.S. manufacturers only. • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelrenewable.html.

Source: Energy Information Administration, *Renewable Energy Annual 1997*, Volume 1 (February 1998), Table 16.

² Medium-temperature collectors are solar thermal collectors that generally operate in the temperature range of 140 degrees Fahrenheit to 180 degrees Fahrenheit but can also operate at temperatures as low as 110 degrees Fahrenheit. Special collectors are included in this category. Special collectors are evacuated tube collectors or concentrating (focusing) collectors. They operate in the temperature range from just above ambient temperature (low concentration for pool heating) to several hundred degrees Fahrenheit (high concentration for air conditioning and specialized industrial processes).


³ Parabolic dish/trough collectors used primarily by independent power producers to generate electricity for the electric grid. High-temperature collectors are solar thermal collectors that generally operate at temperatures above 180 degrees Fahrenheit.


⁴ "Other" includes shipments of solar thermal collectors for other uses, such as cooking foods, water pumping, water purification, desalinization, distilling, etc.

⁵ "Other" includes shipments of solar thermal collectors to other sectors, such as government, including the military but excluding space applications.

Figure 10.6 Photovoltaic Cell and Module Shipments and Trade

Number of U.S. Companies Reporting Shipments, 1982-1996





Note: Because vertical scales differ, graphs should not be compared.

Source: Table 10.6.

Table 10.6 Photovoltaic Cell and Module Shipments and Trade, 1982-1996

	Number	Total Shipments ¹	Imports	Exports
Year	of U.S. Companies Reporting Shipments		Peak Kilowatts	
1982	19	6,897	NA	NA
1983	18	12,620	NA	1,903
1984	23	9,912	NA	2,153
1985 ²	15	5,769	285	1,670
986 ²	17	6,333	678	3,109
987 ²	17	6,850	921	3,821
988 ²	14	9,676	1,453	5,358
989 ²	17	12,825	826	7,363
990 ²	³ 19	³ 13,837	1,398	7,544
991 ²	23	14,939	2,059	8,905
992 ²	21	15,583	1,602	9,823
993 ²	19	20,951	1,767	14,814
994 ²	22	26,077	1,960	17,714
995 ²	24	31,059	1,337	19,871
996 ²	25	35,464	1,864	22,448

¹ Total shipments include all types of photovoltaic cells and modules (single-crystal silicon, cast silicon, ribbon silicon, thin-film silicon, and concentrator silicon) and internationally traded cells and modules.


Web Page: http://www.eia.doe.gov/fuelrenewable.html.

Sources: • 1982-1984—Energy Information Administration (EIA), Solar Collector Manufacturing Activity 1993 (August 1994), Table 16. • 1985 forward—EIA, Renewable Energy Annual 1997, Volume 1 (February 1998), Table 25.


Shipments of cells and modules for space and satellite applications are not included.
Data were imputed for one nonrespondent who exited the industry during 1990. NA=Not available.

Figure 10.7 Photovoltaic Cell and Module Shipments by End Use, 1996

By End Use



By Market Sector



¹ Units designed for installations that are not grid-interactive.

³ Shipments to foreign governments and for specialty purposes. Source: Table 10.7.

² Represents such applications as cooking food, desalinization, and distilling.

Table 10.7 Photovoltaic Cell and Module Shipments by End Use, 1989-1996

					End Use							N	larket Sect	or			
						Ele Gene	ctric ration										
Year	Health	Water Pumping	Trans- portation	Commun- ications	Consumer Goods	Grid Inter- active	Remote ¹	OEM ²	Other ³	Resi- dential	Com- mercial	Gov- ernment	Indus- trial	Trans- portation	Electric Utility	Other ⁴	Total
_									mount Shippe eak kilowatts								
1989	5	711	1,196	2,590	2,788	1,251	2,620	1,595	69	1,439	3,850	1,077	3,993	1,130	785	551	12,825
1990	5	1,014	1,069	4,340	2,484	469	3,097	1,119	240	1,701	6,086	1,002	2,817	974	826	432	13,837
1991	61	729	1,523	3,538	3,312	856	3,594	1,315	13	3,624	3,345	815	3,947	1,555	1,275	377	14,939
1992	67	809	1,602	3,717	2,566	1,227	4,238	828	530	4,154	2,386	1,063	4,279	1,673	1,553	477	15,583
1993	674	2,294	4,238	3,846	946	1,096	5,761	2,023	74	5,237	4,115	1,325	5,352	2,564	1,503	856	20,951
1994	79	1,410	2,128	5,570	3,239	2,296	9,253	1,849	254	6,632	5,429	2,114	6,855	2,174	2,364	510	26,077
1995	776	2,727	4,203	5,154	1,025	4,585	8,233	3,188	1,170	6,272	8,100	2,000	7,198	2,383	3,759	1,347	31,059
1996	977	3,261	5,196	6,041	1,063	4,844	10,884	2,410	789	8,475	5,176	3,126	8,300	3,995	4,753	1,639	35,464
_								P	ercent of Total	al							
1989	(s)	5.5	9.3	20.2	21.7	9.8	20.4	12.4	0.5	11.2	30.0	8.4	31.1	8.8	6.1	4.3	100.0
1990	(s)	7.3	7.7	31.4	18.0	3.4	22.4	8.1	1.7	12.3	44.0	7.2	20.4	7.0	6.0	3.1	100.0
1991	0.4	4.9	10.2	23.7	22.2	5.7	24.1	8.8	0.1	24.3	22.4	5.5	26.4	10.4	8.5	2.5	100.0
1992	0.4	5.2	10.3	23.9	16.5	7.9	27.2	5.3	3.4	26.7	15.3	6.8	27.5	10.7	10.0	3.1	100.0
1993	3.2	10.9	20.2	18.4	4.5	5.2	27.5	9.7	0.4	25.0	19.6	6.3	25.5	12.2	7.2	4.1	100.0
1994	0.3	5.4	8.2	21.4	12.4	8.8	35.5	7.1	1.0	25.4	20.8	8.1	26.3	8.3	9.1	2.0	100.0
1995	2.5	8.8	13.5	16.6	3.3	14.8	26.5	10.3	3.8	20.2	26.1	6.4	23.2	7.7	12.1	4.3	100.0
1996	2.8	9.2	14.7	17.0	3.0	13.7	30.7	6.8	2.2	23.9	14.6	8.8	23.4	11.3	13.4	4.6	100.0

¹ Electric power generation photovoltaic units designed for installations that are not grid-interactive.

(s)=Less than 0.05 percent.

Note: Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/fuelrenewable.html.

Sources: • 1989—Energy Information Administration (EIA), Solar Collector Manufacturing Activity 1989 (March 1991), Tables 17 and 18. • 1990—EIA, Solar Collector Manufacturing Activity 1991 (December 1992), Tables 22 and 23. • 1991—EIA, Solar Collector Manufacturing Activity 1992 (November 1993), Tables 25 and 26. 1992—EIA, Solar Collector Manufacturing Activity 1993 (August 1994), Tables 23 and 24. • 1993—EIA, Renewable Energy Annual 1995 (December 1995), Table 38. • 1994 and 1995—EIA, Renewable Energy Annual 1997, Volume 1 (February 1998), Table 29.


² Original equipment manufacturers are non-photovoltaic manufacturers that combine photovoltaic technology into existing or newly developed product lines.

³ Represents such applications as cooking food, desalinization, and distilling.


⁴ Shipments to foreign governments and for specialty purposes.

Figure 10.8 Alternative-Fueled Vehicles and Fuel Consumption by Type


Vehicles in Use, 1992-1997




Vehicles in Use by Fuel Type, 1997



Fuel Consumption, 1992-1997



Fuel Consumption by Type,1997



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 10.8.

¹Liquefied petroleum gases.

²Compressed natural gas.

³Methanol, 85 percent, and methanol, neat.

⁴Ethanol, 85 percent, and ethanol, 95 percent.

⁵Liquefied natural gas.


Table 10.8 Alternative-Fueled Vehicles and Fuel Consumption by Type, 1992-1997

Year	Liquefied Petroleum Gases ¹	Compressed Natural Gas	Liquefied Natural Gas	Methanol, 85 Percent ²	Methanol, Neat	Ethanol, 85 Percent ²	Ethanol, 95 Percent ²	Electricity	Total
_				Estima	ted Number of Vehicles	s in Use			
1992 1993 1994 1995 1996 1997	221,000 269,000 264,000 259,000 R263,000 271,000	23,191 32,714 41,227 50,218 ^R 60,144 73,773	90 299 484 603 ^R 663 965	4,850 10,263 15,484 18,319 R20,265 20,656	404 414 415 386 ^R 172 172	172 441 605 1,527 R4,536 9,389	38 27 33 136 ^R 361 357	1,607 1,690 2,224 2,860 R3,280 4,040	251,352 314,848 324,472 333,049 R352,421 380,352
					timated Fuel Consumpt nd Gasoline-Equivalent				
1992 1993 1994 1995 1996 1997	208,142 264,655 248,467 232,701 R239,158 244,612	16,823 21,603 24,160 35,162 ^R 46,923 63,258	585 1,901 2,345 2,759 R3,247 4,567	1,069 1,593 2,340 R2,887 R3,390 3,625	2,547 3,166 3,190 2,150 R347 347	21 48 80 190 ^R 694 1,416	85 80 140 ^R 995 ^R 2,699 2,628	359 288 430 663 ^R 773 936	229,631 293,334 281,152 R277,507 R297,231 321,389

Vehicles in use represent lower bound estimates, rounded to the nearest thousand.
Remaining portion is motor gasoline.
R=Revised data.


Web Page: http://www.eia.doe.gov/fuelrenewable.html. Sources: Energy Information Administration, *Alternatives to Traditional Transportation Fuels* 1996 (December 1997), Tables 1 and 10.

International Energy




Drilling rig, Gansu Province, People's Republic of China. Source: U.S. Department of Energy.

Figure 11.1 World Primary Energy Production



Top Producing Countries, 1996



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 11.1.

Table 11.1 World Primary Energy Production, 1987-1996

(Quadrillion Btu)

Region and Country	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996 P
North, Central, and South America	R 99.24	R102.22	102.80	R108.44	110.11	R110.62	R110.83	R115.17	R117.36	121.41
Brazil	R3.48	R3.59	R3.75	R3.80	R3.95	R4.01	R4.17	R4.33	R4.57	4.96
Canada	12.54	13.41	13.36	13.36	R13.91	14.43	R15.36	R16.29	R16.83	17.29
Mexico	7.36	7.43	7.49	7.63	8.12	R8.15	R8.15	R8.13	R7.99	8.59
United States ¹	64.95	66.10	R66.16	R70.78	R,170.45	R69.98	R68.34	R70.71	71.04	72.32
Venezuela	R5.17	R5.59	R5.77	6.31	6.97	R6.98	7.29	7.74	R8.15	8.84
Other	R5.74	R _{6.11}	R6.27	R6.57	R6.72	R7.06	R7.52	R7.96	R8.80	9.41
Western Europe	R 38.59	R38.82	R 38.46	R 38.53	R38.41	R 38.77	R 39.28	R40.19	R41.30	43.81
France	4.01	4.07	4.05	R4.26	R4.46	4.61	R4.83	R4.84	R4.91	4.97
								R5.61		
Germany ²	8.03	8.10	7.89	7.51	R6.30	6.11	5.78		R5.54	5.53
Netherlands	R2.72	R2.41	R2.59	2.62	2.94	2.92	2.96	2.89	R2.88	3.23
Norway	4.40	4.77	5.71	5.94	6.22	7.08	7.28	^R 7.65	8.35	9.28
United Kingdom	10.32	9.99	9.02	9.11	9.29	9.05	9.33	10.09	R10.66	11.49
Other	R9.09	R9.47	R9.20	R9.08	R9.20	R9.00	^R 9.11	^R 9.11	R8.96	9.31
Eastern Europe and Former U.S.S.R	R 79.28	R81.62	R80.43	78.93	72.53	R 68.73	R 64.68	R 60.04	R 58.68	58.29
Kazakhstan	_	_	_	_	_	3.73	3.36	2.54	R2.25	2.23
Poland	R5.00	R5.01	R4.64	3.89	3.75	3.69	3.71	R3.76	R3.78	3.76
Former U.S.S.R.	R67.10	R69.48	R68.99	69.15	63.54	_	_	_	_	_
Russia	_	_	_	_	_	46.77	R43.40	R40.86	R39.98	39.68
Ukraine				_		4.27	4.13	R3.60	R3.48	3.28
	R7.17	R7.13	R6.80	5.89	5.24	R10.27	R10.08	R9.28	R9.18	9.34
Other	.7.17			5.89	5.24	10.27	10.08	9.28	9.18	9.34
Middle East	32.21	R36.12	39.73	R41.03	R40.32	R43.58	R45.78	R46.95	R47.98	48.99
Iran	5.67	5.71	R7.02	R7.67	^R 8.27	R8.53	R8.83	^R 9.15	9.35	9.60
Iraq	4.58	5.97	6.47	4.54	0.69	1.02	1.21	1.33	1.35	1.39
Kuwait	3.77	3.63	4.32	2.83	0.43	2.44	4.28	4.73	4.81	4.82
Saudi Arabia	10.84	12.86	12.81	15.92	19.75	20.39	20.11	20.00	R20.25	20.39
	4.21	4.22	4.99	5.51	6.24	6.11	5.78	5.84	R6.14	6.43
United Arab Emirates										
Other	3.14	R3.74	4.12	4.56	4.95	5.09	^R 5.56	5.91	^R 6.08	6.36
Africa	R18.42	R19.51	R20.39	R21.40	R22.38	R22.73	R22.58	R 22.77	R24.03	25.13
Algeria	4.01	R4.08	4.28	4.52	4.81	4.82	4.65	4.57	^R 5.11	5.37
Libya	2.29	2.73	2.70	3.18	3.43	3.34	3.17	3.21	3.23	3.28
Nigeria	3.05	3.30	3.90	4.07	4.30	R4.43	4.45	4.37	R4.53	4.96
South Africa	R4.07	R4.23	R4.12	R4.05	R4.12	R4.26	R4.41	R4.61	R4.85	4.87
Other	4.99	R5.16	R5.39	R5.58	R5.72	R5.88	R5.90	R6.01	R6.31	6.65
Far East and Oceania	R 52.69	R 54.43	57.24	R 59.43	61.04	R 62.59	R 65.58	R 68.79	R 75.32	77.48
Australia	R5.59	5.33	5.58	6.14	6.28	6.57	6.60	R6.90	R7.42	7.58
	25.92	27.14	28.75	29.37	29.66	R30.31	R31.83	R34.05	R36.81	37.41
China		27.14 R5.93				R7.12	R7.31	R7.67	R9.11	
India	5.60		6.21	6.53	6.81	_				9.33
Indonesia	4.46	4.56	4.96	5.12	5.67	R5.84	R6.18	6.43	R7.03	7.50
Japan	3.22	3.21	3.20	R3.27	3.44	3.36	3.73	3.63	R4.00	4.05
Other	^R 7.89	R8.28	R8.54	^R 9.01	9.19	R9.39	R9.93	R10.12	R10.94	11.61
World	R320.42	R 332.73	R339.05	R347.77	R 344.80	R347.02	R348.74	R353.91	R 364.67	375.11

¹ There is a discontinuity in this time series between 1989 and 1990 due to the expanded coverage of renewable energy beginning in 1990.

Notes: • See Note 1 at end of section. • World primary energy production includes crude oil and lease condensate, natural gas plant liquids, dry natural gas, coal, and net hydroelectric power, nuclear electric


power, geothermal, photovoltaic, solar, wind, and some biofuel electric power. Data for the United States also include biofuels for other than electric power generation. • Totals may not equal sum of components due to independent rounding.


Sources: United States: Table 1.2. All Other Data: Energy Information Administration, International Energy Annual 1996 (February 1998), Table F1, and the International Energy Database, May 1998.

² Through 1990, this is East and West Germany. Beginning in 1991, this is unified Germany. R=Revised. P=Preliminary. — = Not applicable.


Web Page: http://www.eia.doe.gov/emeu/international/reports.html.

Figure 11.2 World Primary Energy Production by Source





By Source, 1973-1996



¹ Photovoltaic, solar, wind, and some biofuels.

Notes: • Crude oil includes lease condensate. • NGPL is natural gas plant liquids.

• Because vertical scales differ, graphs should not be compared.

Source: Table 11.2.

Table 11.2 World Primary Energy Production by Source, 1973-1996

(Quadrillion Btu)

		-						
Year	Coal	Natural Gas ¹	Crude Oil ²	Natural Gas Plant Liquids	Nuclear Power ³	Hydroelectric Power ³	Geothermal Energy ³ and Other ⁴	Total
1973	63.87	45.00	117.88	4.23	2.15	13.52	0.21	246.86
974	63.79	45.82	117.82	4.22	2.87	14.84	0.22	249.57
975	66.20	46.17	113.09	4.12	3.85	15.04	0.24	248.70
976	67.33	48.14	122.92	4.24	4.52	15.08	0.26	262.49
977	68.47	49.35	127.75	4.40	5.41	15.56	0.27	271.21
978	69.55	50.79	128.51	4.55	6.43	16.80	0.28	276.91
979	73.80	54.44	133.87	4.87	6.69	17.69	0.34	291.70
980	R72.94	R52.63	128.12	5.10	7.58	R18.07	R _{0.32}	R284.76
981	R73.07	R53.52	120.16	5.36	8.53	R18.36	R _{0.35}	R279.35
982	R75.68	^R 51.86	114.51	5.34	9.51	R18.83	R _{0.38}	R276.11
983	R75.92	R53.59	113.97	5.34	10.72	19.73	R _{0.43}	R279.71
984	R80.13	^R 58.91	116.86	5.71	12.99	R20.35	R _{0.49}	R295.44
985	R83.95	^R 61.56	115.40	5.82	15.37	R20.57	R _{0.54}	R303.21
986	R86.08	R62.55	120.24	6.12	16.34	R21.04	R0.60	R312.98
987	R87.89	R65.49	121.16	6.32	17.80	R21.12	R0.65	R320.42
988	R89.62	R68.67	125.93	6.63	19.30	R21.92	R0.66	R332.73
989	R91.08	R71.12	127.98	6.67	19.81	R21.72	R0.66	R339.05
990	R92.38	72.53	129.50	6.85	R20.37	R22.60	R,53.54	R347.77
991	R87.76	73.29	128.77	7.13	R21.29	R22.98	R3.58	R344.80
992	R88.70	73.70	129.13	R7.38	R21.36	R22.98	R3.77	R347.02
993	R86.85	75.18	R128.86	R7.67	R22.02	R24.36	R3.81	R348.74
994	R88.87	R76.01	R130.46	R7.84	R22.45	R24.37	R3.91	R353.91
995	R92.41	R77.77	R133.32	R8.14	23.31	R25.80	R3.91	R364.67
996 ^P	93.34	81.67	137.39	8.30	24.10	26.25	4.06	375.11

¹ Dry production.

renewable energy beginning in 1990. See Table 1.2.

R=Revised. P=Preliminary.

Notes: • See Note 1 at end of section. • Totals may not equal sum of components due to independent rounding

Web Page: http://www.eia.doe.gov/emeu/international/reports.html.

Source: Energy Information Administration, International Energy Database, May 1998.


² Includes lease condensate.

³ Net generation, i.e., gross generation less plant use.

⁴ Includes net photovoltaic, solar, wind, and some biofuel electric power. Data for the United States also include biofuels for other than electric power generation.

⁵ There is a discontinuity in the series between 1989 and 1990 due to the expanded coverage of U.S.

Figure 11.3 World Crude Oil and Natural Gas Reserves, January 1, 1997



Source: Table 11.3.

Table 11.3 World Crude Oil and Natural Gas Reserves, January 1, 1997

		le Oil barrels)		al Gas cubic feet)			le Oil barrels)		al Gas ubic feet)
Region and Country	Oil and Gas Journal	World Oil	Oil and Gas Journal	World Oil	Region and Country	Oil and Gas Journal	World Oil	Oil and Gas Journal	World Oil
North America	75.7	76.0	302.3	298.5	Middle East	676.4	635.7	1,617.1	1,675.0
Canada	4.9	5.5	68.1	68.1	Bahrain	0.2	0.1	5.2	5.0
Mexico	48.8	48.5	67.7	63.9	Iran	93.0	90.5	741.6	812.2
United States	22.0	22.0	166.5	166.5	Iraq	112.0	112.0	118.0	118.5
			.00.0	10010	Kuwait	96.5	94.7	52.9	52.7
Central and South America	79.1	91.2	208.5	213.9	Oman	5.1	3.6	30.0	21.1
Argentina	2.4	2.6	21.9	24.3	Qatar	3.7	3.9	250.0	244.8
	0.1	0.1	4.5	4.4	Caudi Arabia	261.5	261.8	189.1	191.5
Bolivia					Saudi Arabia				
Brazil	4.8	7.0	5.4	8.3	Syria	2.5	2.4	8.3	8.2
Colombia	2.8	3.4	8.3	8.0	United Arab Emirates	97.8	63.5	204.9	203.6
Ecuador	2.1	3.3	3.7	3.4	Yemen	4.0	3.1	16.9	17.0
Peru	0.8	0.7	7.0	7.0	Other	0.0	0.0	0.2	0.2
Trinidad and Tobago	0.6	0.6	12.4	12.1					
Venezuela	64.9	72.6	141.6	143.0	Africa	67.6	76.2	328.6	344.6
Other	0.7	1.1	3.7	3.5	Algeria	9.2	13.0	130.3	138.9
					Angola	5.4	3.6	1.7	1.7
Western Europe	18.5	34.9	167.9	242.3	Cameroon	0.4	0.1	3.9	3.9
Denmark	1.0	0.9	3.9	3.7	Congo	1.5	1.6	3.2	4.3
Germany	0.4	0.4	11.6	12.1	Egypt	3.7	3.7	20.4	20.4
Italy	0.7	0.7	10.5	9.8	031	29.5	29.5	46.3	46.3
	0.7	0.7	64.1	62.3	Libya	15.5	20.8	104.7	109.7
Netherlands					Nigeria	0.3			
Norway	11.2	26.9	47.7	123.3	Tunisia		0.3	2.4	2.7
United Kingdom	4.5	5.0	24.7	26.8	Other	2.0	3.6	15.7	16.7
Other	0.6	0.9	5.4	4.2					
					Far East and Oceania	42.3	60.8	321.8	448.7
Eastern Europe and Former U.S.S.R	59.0	185.1	2,000.4	1,953.6	Australia	1.8	3.7	19.4	83.5
Hungary	0.1	0.1	3.3	3.1	Brunei	1.4	1.1	14.1	13.5
Romania	1.6	1.0	14.0	4.5	China	24.0	34.1	41.4	39.6
Former U.S.S.R.	57.0	183.8	1,977.0	1,939.3	India	4.3	5.0	24.2	19.5
Other ¹	0.2	0.2	6.1	6.7	Indonesia	5.0	9.2	72.3	135.9
	·		· · ·	0.7	Malaysia	4.0	5.2	80.2	79.1
					New Zealand	0.1	0.1	2.4	2.2
					Pakistan	0.1	0.1	22.0	18.3
						0.2	0.2	1.5	8.6
					Papua New Guinea				
					Thailand	0.3	0.3	7.1	7.1
					Other	0.9	1.6	37.3	41.3
					World	1,018.5	1,160.1	4,946.7	5,176.6

¹ Albania, Bulgaria, former Czech Republic, Poland, and Slovakia.


Notes: • Data for Kuwait and Saudi Arabia include one-half of the reserves in the Neutral Zone between Kuwait and Saudi Arabia. • All reserve figures except those for the former U.S.S.R. and natural gas reserves in Canada are proved reserves recoverable with present technology and prices. Former U.S.S.R. figures are "explored reserves," which include proved, probable, and some partially possible. The Canadian natural gas figure includes proved and some probable. The latest Energy Information Administration data for the United States are for December 31, 1996. See Table 4.8. • Totals may not


Sources: United States: Energy Information Administration (EIA), U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves, Annual Report 1996 (December 1997). All Other Data: PennWell Publishing Company, Oil and Gas Journal, December 30, 1996. Gulf Publishing Company, World Oil, August 1997.


equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/emeu/international/reports.html.

Figure 11.4 World Crude Oil Production








Selected Producing Countries, 1997

12 -



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 11.4.

Table 11.4 World Crude Oil Production, 1960-1997

(Million Barrels per Day)

					Selected C	PEC 1 Prod	lucers						Selecte	ed Non-OF	PEC Produ	ucers			
Year	Persian Gulf Nations ²	Iran	Iraq	Kuwait ³	Nigeria	Saudi Arabia ³	United Arab Emirates	Venezuela	Total OPEC	Canada	China	Mexico	Norway	Former U.S.S.R.	Russia	United Kingdom	United States	Total Non-OPEC ⁴	World
1960	5.27	1.07	0.97	1.69	0.02	1.31	0.00	2.85	8.70	0.52	0.10	0.27	0.00	2.91	_	(s)	7.04	12.29	20.99
1961	5.65	1.20	1.01	1.74	0.05	1.48	0.00	2.92	9.36	0.61	0.11	0.29	0.00	3.28	_	(s)	7.18	13.09	22.45
1962	6.19	1.33	1.01	1.96	0.07	1.64	0.01	3.20	10.51	0.67	0.12	0.31	0.00	3.67	_	(s)	7.33	13.84	24.35
1963	6.82	1.49	1.16	2.10	0.08	1.79	0.05	3.25	11.51	0.71	0.13	0.31	0.00	4.07	_	(s)	7.54	14.62	26.13
1964	7.61	1.71	1.26	2.30	0.12	1.90	0.19	3.39	12.98	0.75	0.18	0.32	0.00	4.60	_	(s)	7.61	15.20	28.18
1965	8.37	1.91	1.32	2.36	0.27	2.21	0.28	3.47	14.35	0.81	0.23	0.32	0.00	4.79	_	(s)	7.80	15.98	30.33
1966	9.32	2.13	1.39	2.48	0.42	2.60	0.36	3.37	15.77	0.88	0.29	0.33	0.00	5.23	_	(s)	8.30	17.19	32.96
1967 1968	9.91 10.91	2.60 2.84	1.23 1.50	2.50 2.61	0.32 0.14	2.81 3.04	0.38 0.50	3.54 3.60	16.85 18.79	0.96 1.19	0.28	0.36 0.39	0.00	5.68 6.08	_	(s)	8.81 9.10	18.54 19.84	35.39 38.63
1968	11.95	3.38	1.50	2.61	0.14	3.04	0.50	3.50	20.91	1.19	0.30	0.39	0.00	6.48	_	(s)	9.10	20.79	41.70
1970	13.39	3.83	1.52	2.77	1.08	3.80	0.63	3.71	23.30	1.13	0.46	0.46	0.00	6.99	_	(s) (s)	9.24	20.79	45.89
1970	15.77	4.54	1.69	3.20	1.53	4.77	1.06	3.55	25.21	1.26	0.80	0.49	0.00	7.48	_	(s)	9.46	23.31	48.52
1972	17.54	5.02	1.47	3.28	1.82	6.02	1.20	3.22	26.89	1.53	0.78	0.49	0.01	7.40		(s)	9.44	24.25	51.14
1973	20.67	5.86	2.02	3.02	2.05	7.60	1.53	3.37	30.63	1.80	1.09	0.47	0.03	8.32	_	(s)	9.21	25.05	55.68
1974	21.28	6.02	1.97	2.55	2.26	8.48	1.68	2.98	30.35	1.55	1.32	0.57	0.04	8.91	_	(s)	8.77	25.37	55.72
1975	18.93	5.35	2.26	2.08	1.78	7.08	1.66	2.35	26.77	1.43	1.49	0.71	0.19	9.52	_	0.01	8.37	26.06	52.83
1976	21.51	5.88	2.42	2.15	2.07	8.58	1.94	2.29	30.33	1.31	1.67	0.83	0.28	10.06	_	0.25	8.13	27.01	57.34
1977	21.73	5.66	2.35	1.97	2.09	9.25	2.00	2.24	30.89	1.32	1.87	0.98	0.28	10.60	_	0.77	8.24	28.82	59.71
1978	20.61	5.24	2.56	2.13	1.90	8.30	1.83	2.17	29.46	1.32	2.08	1.21	0.36	11.11	_	1.08	8.71	30.70	60.16
1979	21.07	3.17	3.48	2.50	2.30	9.53	1.83	2.36	30.58	1.50	2.12	1.46	0.40	11.38	_	1.57	8.55	32.09	62.67
1980	17.96	1.66	2.51	1.66	2.06	9.90	1.71	2.17	26.61	1.44	2.11	1.94	0.53	11.71	_	1.62	8.60	32.99	59.60
1981	15.25	1.38	1.00	1.13	1.43	9.82	1.47	2.10	22.48	1.29	2.01	2.31	0.50	11.85	_	1.81	8.57	33.60	56.08
1982	12.16	2.21	1.01	0.82	1.30	6.48	1.25	1.90	18.78	1.27	2.05	2.75	0.52	11.91	_	2.07	8.65	34.70	53.48
1983	11.08	2.44	1.01	1.06	1.24	5.09	1.15	1.80	17.50	1.36	2.12	2.69	0.61	11.97	_	2.29	8.69	35.76	53.26
1984	10.78	2.17	1.21	1.16	1.39	4.66	1.15	1.80	17.44	1.44	2.30	2.78	0.70	11.86	_	2.48	8.88	37.05	54.49
1985	9.63	2.25	1.43	1.02	1.50	3.39	1.19	1.68	16.18	1.47	2.51	2.75	0.79	11.59	_	2.53	8.97	37.80	53.98
1986	11.70	2.04	1.69	1.42	1.47	4.87	1.33	1.79	18.28	1.47	2.62	2.44	0.87	11.90	_	2.54	8.68	37.95	56.23
1987	12.10	2.30	2.08	1.59	1.34	4.27	1.54	1.75	18.52	1.54	2.69	2.55	1.02	12.05	_	2.41	8.35	38.15	56.67
1988	13.46	2.24	2.69	1.49	1.45	5.09	1.57	1.90	20.32	1.62	2.73	2.51	1.16	12.05	_	2.23	8.14	38.42	58.74
1989 1990	14.84 15.28	2.81 3.09	2.90 2.04	1.78 1.18	1.72	5.06 6.41	1.86 2.12	1.91 2.14	22.07	1.56	2.76 2.77	2.52 2.55	1.55 1.70	11.72 10.98	_	1.80 1.82	7.61 7.36	37.79	59.86
1990	15.28	3.09	0.31	0.19	1.81 1.89	8.12	2.12	2.14	23.20 23.27	1.55 1.55	2.77	2.55 2.68	1.70	9.99	_	1.82	7.36	37.37 36.94	60.57 60.21
1991	15.97	3.43	0.31	1.06	1.89	8.33	2.39	2.36	24.40	1.61	2.85	2.67	2.23	9.99	7.63	1.83	7.42	35.82	60.21
1992	16.71	3.43	0.43	1.85	1.94	8.20	2.27	2.37	25.12	1.68	2.89	2.67	2.23		6.73	1.03	6.85	35.62	60.25
1993	16.71	3.62	0.51	2.03	1.93	8.12	2.10	2.43	25.12	1.75	2.09	2.69	2.52	_	6.14	2.37	6.66	35.49	61.00
1995	17.30	3.64	0.56	2.06	1.99	8.23	2.19	2.75	26.09	1.73	2.99	2.62	2.77		6.00	2.49	6.56	36.36	62.45
1996	17.37	3.69	0.58	2.06	2.19	8.22	2.28	3.05	26.77	1.82	3.13	R2.86	3.10	_	R5.77	2.57	R _{6.46}	R37.20	R63.97
1997 ^P	18.50	3.66	1.19	2.08	2.32	8.56	2.32	3.31	28.36	1.89	3.20	3.03	3.15		5.88	2.52	6.41	37.20	66.27

¹ Organization of Petroleum Exporting Countries. See Glossary for membership.

R=Revised. P=Preliminary. — = Not applicable. (s)=Less than 5,000 barrels per day.

Notes: • Includes lease condensate, excludes natural gas plant liquids. • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/emeu/international/reports.html.

Sources: China: • 1960-1972—Central Intelligence Agency, unpublished data. • 1973-1979—Energy Information Administration (EIA), International Energy Annual 1983, Table 8.

of Mines, Mineral Industry Surveys, *Petroleum Statement, Annual.* • 1976-1980—EIA, Energy Data Reports, *Petroleum Statement, Annual.* • 1981-1996—EIA, *Petroleum Supply Annual.* • 1997—EIA, *Monthly Energy Review* (March 1998), Table 10.1. Former U.S.S.R.: • 1960-1969—U.S.S.R. Central Statistical Office, *Narodnoye Khozyaystvo SSSR* (National Economy USSR). • 1970-1991—EIA, *International Petroleum Statistics Report*, February 1996, Table 4.1c. Russia: • 1992 forward—EIA, Office of Energy Markets and End Use, International Energy Database, March 1998. **OPEC Nations**:

² Persian Gulf Nations are Bahrain, Iran, Iraq, Kuwait, Qatar, Saudi Arabia, and United Arab Emirates.

Includes about one-half of the production in the Neutral Zone between Kuwait and Saudi Arabia.

⁴ Ecuador, which withdrew from OPEC on December 31, 1992, and Gabon, which withdrew on December 31,1994, are included in "Non-OPEC" for all years.


^{• 1980-1996—}EIA, Office of Energy Markets and End Use, International Energy Database, March 1998.

^{• 1997—}EIA, Monthly Energy Review (March 1998), Table 10.1. United States: • 1960-1975—Bureau


^{• 1960-1972—}Organization of Petroleum Exporting Countries, Annual Statistical Bulletin 1979.
• 1973-1979—EIA, International Energy Annual 1983, Table 8. • 1980-1996—EIA, Office of Energy Markets and End Use, International Energy Database, March 1998. • 1997—EIA, Monthly Energy Review (March 1998), Table 10.1. All Other Countries: • 1960-1969—Bureau of Mines, International Petroleum Annual, 1969. • 1970-1972—EIA, International Petroleum Annual, 1978. • 1973-1979—EIA, International Energy Annual 1983, Table 8. • 1980-1996—EIA, International Energy Annual 1996 (February 1998), Table 2.2, and the International Energy Database, March 1998. • 1997—EIA, Monthly Energy Review (March 1998), Table 10.1.

Figure 11.5 World Natural Gas Plant Liquids Production


Crude Oil and NGPL Production, 1973-1996



World and OPEC NGPL Production, 1973-1996



Top NGPL Producing Countries, 1996



¹ Natural gas plant liquids.

Note: Because vertical scales differ, graphs should not be compared.

Sources: Tables 11.4 and 11.5.

Table 11.5 World Natural Gas Plant Liquids Production, 1973-1996

(Thousand Barrels per Day)

			Select	ted OPE	EC ¹ Prod	ucers						Selecto	ed Non-O	PEC Prod	ucers				
Year	Algeria	Indonesia	Kuwait ²	Qatar	Saudi Arabia ²	United Arab Emirates	Venezuela	Total OPEC	Australia	Canada	Kazakhstan	Mexico	Norway	Former U.S.S.R.	Russia	United Kingdom	United States	Total Non-OPEC ³	World
1973	9	(s)	60	(s)	90	(s)	89	324	50	314	_	75	(s)	170	_	5	1,738	2,462	2,786
1974	12	(s)	50	` ź	130	(s)	84	347	50	314	_	80	(s)	190	_	5	1,688	2,443	2,790
1975	20	(s)	50	10	140	(s)	76	372	50	309	_	80	5	205	_	15	1,633	2,419	2,791
1976	24	10	50	10	185	(s)	77	442	50	289	_	95	20	220	_	15	1,604	2,425	2,867
1977	19	10	55	5	215	15	78	482	55	290	_	105	20	235	_	30	1,618	2,502	2,984
1978	25	30	75	5	250	30	61	566	60	281	_	115	35	255	_	40	1,567	2,514	3,080
1979	30	40	95	10	303	30	69	637	60	331	_	150	40	270	_	45	1,584	2,650	3,287
1980	36	70	95	10	369	35	60	732	60	331	_	193	40	285	_	45	1,573	2,712	3,444
1981	49	95	60	24	433	60	55	825	60	330	_	241	31	300	_	50	1,609	2,800	3,625
1982	58	80	40	30	430	90	60	842	52	318	_	255	33	315	_	78	1,550	2,784	3,626
1983	56	94	55	25	330	120	57	780	52	309	_	265	38	330	_	111	1,559	2,855	3,635
1984	105	75	67	28	355	130	57	869	54	336	_	257	36	340	_	136	1,630	3,000	3,869
1985	120	44	54	30	375	160	63	892	65	337	_	271	41	350	_	145	1,609	3,046	3,938
1986	120	30	75	22	385	185	97	969	60	328	_	352	53	440	_	152	1,551	3,181	4,150
1987	140	30	95	24	418	145	94	1,006	65	367	_	338	55	430	_	162	1,595	3,273	4,279
1988	120	30	100	30	499	130	98	1,077	67	381	_	370	75	450	_	159	1,625	3,404	4,481
1989	130	72	105	24	503	130	108	1,188	65	410	_	384	74	425	_	140	1,546	3,314	4,502
1990	130	77	65	40	620	135	114	1,281	63	426	_	428	78	425	_	108	1,559	3,351	4,632
1991	140	76	0	50	680	146	117	1,299	61	431	_	457	94	420	_	141	1,659	_3,528	4,827
1992	140	75	34	55	713	144	113	1,364	56	460	86	454	95	_	230	160	1,697	R3,611	R ₄ ,975
1993	145	78	53	55	704	146	143	1,435	55	506	82	459	100	_	220	169	1,736	R3,746	R ₅ ,181
1994	140	80	85	50	698	150	146	1,465	56	529	63	461	103	_	200	218	1,727	R3,828	R ₅ ,293
1995	145	76	95	55	701	160	149	1,506	52	581	52	447	137	_	180	267	1,762	R3,979	R5,485
1996 ^P	150	80	85	50	697	160	150	1,501	62	596	54	423	138	_	185	259	1,830	4,081	5,582

R=Revised. P=Preliminary. — = Not applicable. (s)=Less than 500 barrels per day.

Note: Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/emeu/international/reports.html.

Source: Energy Information Administration, *International Energy Annual 1996* (February 1998), Table 2.3, and the International Energy Database, March 1998.


Organization of Petroleum Exporting Countries. See Glossary for membership.

Includes about one-half of the production in the Neutral Zone between Kuwait and Saudi Arabia.


Ecuador, which withdrew from OPEC on December 31, 1992, and Gabon, which withdrew on December 31,1994, are included in "Non-OPEC" for all years.

Figure 11.6 World Crude Oil Prices by Selected Type

Selected Types, 1970-1998



Selected Types, 1998



¹ Nominal dollars.

API=American Petroleum Institute.

Notes: • Prices are as of the first Friday in January, except in 1987, when prices are as of the first Friday in February. • Because vertical scales differ, graphs should not be compared.

Table 11.6 World Crude Oil Prices by Selected Type, 1970-1998

(Dollars¹ per Barrel)

Year	Saudi Arabian Light-34 API	Iranian Light-34 API	Libyan ² Es Sider-37 API	Nigerian ³ Bonny Light-37 API	Indonesian Minas-34 API	Venezuelan Tia Juana Light ⁴	Mexico Maya-22 API	United Kingdom Brent Blend-38 API
1970	1.35	1.36	2.09	2.10	1.67	2.05	NA	NA
1970	1.35	1.76	2.80	2.10	2.18	2.05	NA NA	NA NA
1971	1.75	1.76	2.80	2.80	2.18	2.45	NA NA	NA NA
1972	2.10	2.11	3.10	3.10	2.96	2.45	NA NA	NA NA
1973	9.60	10.63	14.30	12.60	10.80	9.30	NA NA	NA NA
1975	10.46	10.67	11.98	11.80	12.60	11.00	NA	NA
1976	11.51	11.62	12.21	12.84	12.80	11.12	NA	NA
1977	12.09	12.81	13.74	14.33	13.55	12.72	NA	NA
1978	12.70	12.81	13.80	14.33	13.55	12.82	NA 15.15	NA 45.70
1979	13.34	13.45	14.52	14.80	13.90	13.36	15.45	15.70
980	26.00	⁵ 30.37	34.50	29.97	27.50	25.20	28.00	26.02
981	32.00	37.00	40.78	40.00	35.00	32.88	34.50	39.25
982	34.00	34.20	36.50	36.50	35.00	32.88	26.50	36.60
1983	34.00	31.20	35.10	35.50	34.53	32.88	25.50	33.50
1984	29.00	28.00	30.15	30.00	29.53	27.88	25.00	30.00
1985	29.00	28.00	30.15	28.00	29.53	27.88	25.50	28.65
986	28.00	28.05	30.15	28.65	28.53	28.05	21.93	26.00
987	16.15	16.14	16.95	17.13	16.28	15.10	14.00	18.25
988	17.52	15.55	18.52	18.92	17.56	17.62	11.10	18.00
989	13.15	12.75	15.40	15.05	15.50	12.27	10.63	15.80
990	18.40	18.20	20.40	21.20	18.55	24.69	17.05	21.00
991	24.00	23.65	26.90	27.80	26.50	28.62	20.00	27.20
992	15.90	15.50	17.20	18.20	18.65	19.67	10.75	17.75
993	16.80	16.70	17.55	18.50	19.10	17.97	12.50	17.90
994	12.40	12.40	12.55	13.50	14.15	12.97	9.01	13.15
995	16.63	16.18	16.05	16.15	16.95	16.57	13.77	16.15
996	18.20	17.73	19.20	19.70	20.05	18.52	15.79	19.37
997	22.98	22.63	24.10	24.65	24.95	26.62	19.33	24.05
1998	15.50	14.93	16.72	16.50	16.50	15.93	10.81	15.89

API=American Petroleum Institute. NA=Not available.

Notes: • Prices are usually f.o.b. at the foreign port of lading. • Prices are as of the first Friday in January, except in 1987, when prices are as of the first Friday in February.

Web Page: http://www.eia.doe.gov/emeu/international/prices.html.


Sources: • 1970-1978—Petroleum and Energy Intelligence Weekly, Inc., Petroleum Intelligence Weekly. • 1979 forward—Energy Information Administration, Weekly Petroleum Status Report.

² Prices for 1974 and 1975 are for crude oil with 40 API gravity. Prices for 1980 include \$4.72 in retroactive charges and market premiums.

³ Prices from 1977 forward include 2 cents per barrel harbor dues.

^{4 1970-1985—26} API; 1986 forward—31 API.
5 Price for 1980 includes \$1.87 market premiums and credit charges.

Figure 11.7 World Retail Price of Premium Unleaded Motor Gasoline



¹ Organization for Economic Cooperation and Development. See Glossary for membership.

² Nominal dollars.

Source: Table 11.7.

Table 11.7 World Retail Price of Premium Unleaded Motor Gasoline, 1990-1997

(Dollars¹ per Gallon)

			S	elected OE	CD ² Countries	Selected Non-OECD Countries								
Year	Canada	France	Germany	Italy	South Korea ³	Spain	United Kingdom	United States	Brazil	Slovakia	South Africa	Taiwan	Thailand	Venezuela
1990	2.01	3.76	2.77	4.60	2.05	_	2.82	1.35	2.87	2.62	_	2.63	_	_
1991	2.11	3.48	3.02	4.50	2.41	_	3.01	1.32	2.18	2.31	_	2.53	1.40	_
1992	1.95	3.63	3.39	4.53	2.67	3.49	3.06	1.32	2.29	2.44	_	2.57	1.35	_
1993	1.82	3.50	3.19	3.68	2.85	3.02	2.84	1.30	1.89	2.36	_	2.41	1.33	_
1994	1.70	3.66	3.63	3.71	2.92	2.99	2.99	1.31	2.26	2.33	_	2.28	1.26	0.15
1995	1.79	4.29	4.10	4.00	2.93	3.24	3.21	1.34	2.05	2.48	_	2.37	1.36	0.20
996	1.87	4.45	4.07	4.39	3.01	3.32	3.34	1.41	1.96	2.57	1.74	2.29	1.38	0.42
1997	1.87	4.04	3.65	4.06	_	3.01	3.83	1.42	_	2.53	1.76	2.45	_	_

Nominal dollars.

Notes: • Prices for all countries, except the United States, have been converted from dollars per liter to dollars per gallon at 3.786 liters per gallon. Comparisons between prices and price trends in

different countries require care. They are of limited validity because of fluctuations in exchange rates, differences in product quality, marketing practices, market structures, and the extent to which the standard categories of sales are representative of total national sales for a given period.

Web Page: http://www.eia.doe.gov/emeu/international/prices.html.


Sources: • United States: Table 5.22. • All Other Data: International Energy Agency, Organization for Economic Cooperation and Development, *Energy Prices and Taxes, Part II, Section D, and Part III, Section B,* various issues.


² Organization for Economic Cooperation and Development. See Glossary for membership.

³ South Korea, which joined the OECD on December 12, 1996, is included in the OECD for all years shown in this table.


^{- =} Not applicable.

Figure 11.8 World Crude Oil Refining Capacity





Selected OECD¹ Countries, 1997



¹ Organization for Economic Cooperation and Development. See Glossary for membership.

Notes: • Capacity is as of January 1. •Because vertical scales differ, graphs should not be compared.

Source: Table 11.8.

Leading Countries, 1970-1997

Table 11.8 World Crude Oil Refining Capacity, 1970-1997

(Million Barrels per Day)

					Sele	cted OECD	1 Countries												
Year	Canada	France	Germany ²	Italy	Japan	Mexico ³	South Korea ³	Spain	United Kingdom	United States	Total OECD ⁴	Brazil	China	Former U.S.S.R.	Russia	Saudi Arabia	Ukraine	Total Non-OECD	World
1970	1.40	2.32	2.36	2.96	3.14	0.50	0.18	0.69	2.30	12.02	R32.18	0.50	0.30	5.64	_	0.38	_	R14.92	47.10
1971	1.45	2.53	2.54	3.24	3.70	0.57	0.25	0.85	2.39	12.86	R35.18	0.51	0.42	6.27	_	0.91	_	R16.73	51.91
1972	1.45	2.69	2.56	3.68	3.82	0.59	0.22	0.87	2.59	13.29	R37.22	0.56	0.48	6.68	_	0.51	_	R _{17.92}	55.14
1973	1.73	2.95	2.70	3.59	4.53	0.63	0.43	1.03	2.47	13.64	R39.48	0.72	0.50	7.26	_	0.43	_	R18.72	58.20
1974	1.79	3.14	2.83	3.88	5.15	0.63	0.42	1.16	2.76	14.36	R42.41	0.79	0.60	7.81	_	0.43	_	R20.74	63.15
1975	1.88	3.34	2.99	3.95	5.35	0.76	0.43	1.17	2.78	14.96	R44.07	0.96	0.85	8.24	_	0.61	_	R22.45	66.52
1976	2.02	3.31	3.10	4.08	5.63	0.76	0.44	1.32	2.89	15.24	R46.16	0.99	1.01	9.23	_	0.54	_	R23.77	69.93
1977	2.10	3.52	3.08	4.26	5.76	0.94	0.42	1.28	3.01	16.40	R48.34	1.12	1.40	9.10	_	0.60	_	R26.77	75.11
1978	2.17	3.46	3.08	4.23	5.67	1.38	0.48	1.27	2.91	17.05	R49.37	1.16	1.46	9.98	_	0.59	_	R28.09	77.46
1979	2.23	3.47	3.10	4.20	5.68	1.24	0.54	1.43	2.53	17.44	R49.31	1.21	1.58	10.48	_	0.49	_	R29.27	78.58
1980	2.22	3.40	2.99	4.13	5.71	1.39	0.60	1.46	2.53	17.99	R50.07	1.21	1.60	10.95	_	0.49	_	R29.78	79.85
1981	2.17	3.34	3.02	4.09	5.66	1.39	0.61	1.46	2.63	18.62	R50.57	1.40	1.81	11.40	_	0.49	_	R30.99	81.56
1982	2.20	3.29	2.94	4.00	5.81	1.47	0.76	1.52	2.48	17.89	R49.70	1.41	1.81	11.60	_	0.49	_	R30.93	80.63
1983	2.02	2.87	2.47	3.28	5.73	1.29	0.76	1.52	2.26	16.86	R45.79	1.22	2.00	11.75	_	0.71		R31.42	77.21
1984	1.81	2.67	2.39	3.05	5.17	1.27	0.78	1.49	2.09	16.14	R43.41	1.30	2.05	12.00	_	0.86	_	R32.01	75.42
1985	1.87	2.39	2.17	3.10	4.97	1.27	0.78	1.49	2.01	15.66	R42.10	1.31	2.15	12.20	_	0.84	_	R33.02	75.12
1986	1.86	1.95	1.93	2.74	4.72	1.27	0.78	1.37	1.79	15.46	R40.00	1.31	2.15	12.20		1.12	_	R32.55	72.55
1987	1.76	1.83	1.72	2.68	4.79	1.35	0.86	1.31	1.78	15.57	R39.64	1.32	2.20	12.26	_	1.13	_	R32.93	72.57
1988	1.87	1.94	1.65	2.56	4.57	1.35	0.82	1.31	1.80	15.92	R40.03	1.41	2.20	12.26	_	1.38	_	R33.54	73.57
1989	1.86	1.88 1.82	1.52 1.51	2.45	4.36 4.20	1.35 1.51	0.88 0.87	1.29 1.29	1.80	15.65 15.57	R39.35	1.41 1.40	2.20	12.30 12.30	_	1.38 1.48	_	R33.99 R34.20	73.34 73.86
1990 1991	1.85 1.88	1.82	2.07	2.80	4.20	1.68	0.87	1.32	1.83 1.87	15.68	R40.16	1.40	2.20	12.30		1.48		R34.20	73.86
1991	1.88	1.82	2.07	2.39	4.38	1.57	1.16	1.32	1.86	15.70	R41.17	1.41	2.20	12.30	_	1.86	_	R34.17	74.76 75.34
1992	1.87	1.85	2.06	2.39	4.61	1.52	1.15	1.32	1.84	15.70	R40.81	1.41	2.20	12.30	6.46	1.86	1.24	R32.29	73.10
1993	1.88	1.86	2.23	2.42	4.74	1.52	1.15	1.28	1.87	15.12	R40.97	1.40	2.20		6.46	1.61	1.24	R32.29	73.10
1994	1.88	1.77	2.27	2.26	4.81	1.52	1.15	1.28	1.87	15.03	R41.42	1.25	2.20	_	6.53	1.66	1.24	R32.83	73.06 74.25
1995	1.85	1.77	2.32	2.28	4.87	1.52	1.17	1.33	1.89	15.43	R41.23	1.25	2.87	_	6.72	1.66	1.26	R33.20	74.23
1996	1.85	1.79	2.13	2.26	4.07	1.52	2.21	1.30	1.94	15.35	42.46	1.26	2.87	_	6.73	1.66	1.25	33.63	76.09

¹ Organization for Economic Cooperation and Development. See Glossary for membership.

Notes: • Capacity for all years is as of January 1. • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/emeu/international/petroleu.html.

Sources: United States: • 1970-1977—Bureau of Mines, Mineral Industry Surveys, Petroleum Refineries, Annual. • 1978-1981—Energy Information Administration (EIA), Energy Data Reports, Petroleum Refineries in the United States and U.S. Territories. • 1982 forward—EIA, Petroleum Supply Annual. China and U.S.S.R.: • 1970-1976—Ballinger Publishing Company, The Energy Decade, 1970-1980, A Statistical and Graphic Chronicle. • 1977-forward—PennWell Publishing Company, Oil and Gas Journal. All Other Countries: PennWell Publishing Company, Oil and Gas Journal.


² Through 1990, this is East and West Germany. Beginning in 1991, this is unified Germany.

³ Mexico, which joined the OECD on May 18, 1994, and South Korea, which joined the OECD on December 12, 1996, are included in the OECD for all years shown in this table.


⁴ Hungary and Poland, which joined the OECD on May 7, 1996, and November 22, 1996, respectively, are included in Total OECD beginning in 1992, the first year that data for these countries were available. The Czech Republic, which joined the OECD on December 21, 1995, is included in Total OECD beginning in 1994, the first year that data for the country were available.

R=Revised. - = Not applicable.

Figure 11.9 World Petroleum Consumption



Selected OECD¹ Consumers, 1996



¹ Organization for Economic Cooperation and Development. See Glossary for membership.

Note: Because vertical scales differ, graphs should not be compared.

Source: Table 11.9.

Table 11.9 World Petroleum Consumption, 1960-1996

(Million Barrels per Day)

					Selected (DECD 1 Cor	sumers						Sele	ected Non-	-OECD Con	sumers		
Year	Canada	France	Germany ²	Italy	Japan	Mexico ³	South Korea ³	Spain	United Kingdom	United States	Total OECD ⁴	Brazil	China	India	Former U.S.S.R.	Russia	Total Non-OECD	World
960	0.84	0.56	0.63	0.44	0.66	0.30	0.01	0.10	0.94	9.80	R15.78	0.27	0.17	0.16	2.38	_	^R 5.56	21.34
961	0.87	0.63	0.79	0.54	0.82	0.29	0.02	0.12	1.04	9.98	R16.77	0.28	0.17	0.17	2.57	_	R6.23	23.00
962	0.92	0.73	1.00	0.67	0.93	0.30	0.02	0.12	1.12	10.40	R18.06	0.31	0.14	0.18	2.87	_	R6.83	24.89
963	0.99	0.86	1.17	0.77	1.21	0.31	0.03	0.12	1.27	10.74	R19.60	0.34	0.17	0.21	3.15	_	R7.32	26.92
964	1.05	0.98	1.36	0.90	1.48	0.33	0.02	0.20	1.36	11.02	R21.05	0.35	0.20	0.22	3.58	_	R8.03	29.08
965	1.14	1.09	1.61	0.98	1.74	0.34	0.03	0.23	1.49	11.51	R22.81	0.33	0.23	0.25	3.61	_	R8.33	31.14
966	1.21	1.19	1.80	1.08	1.98	0.36	0.04	0.31	1.58	12.08	R24.60	0.38	0.30	0.28	3.87	_	R8.96	33.56
967	1.25	1.34	1.86	1.19	2.14	0.39	0.07	0.36	1.64	12.56	R25.94	0.38	0.28	0.26	4.22	_	R9.65	35.59
968	1.34	1.46	1.99	1.40	2.66	0.41	0.10	0.46	1.82	13.39	R28.56	0.46	0.31	0.31	4.48	_	R10.40	38.96
969	1.42	1.66	2.33	1.69	3.25	0.45	0.15	0.49	1.98	14.14	R31.54	0.48	0.44	0.34	4.87	_	R11.35	42.89
970	1.52	1.94	2.83	1.71	3.82	0.50	0.20	0.58	2.10	14.70	R34.49	0.53	0.62	0.40	5.31	_	R12.32	46.81
971	1.56	2.12	2.94	1.84	4.14	0.52	0.23	0.64	2.14	15.21	R36.07	0.58	0.79	0.42	5.66	_	R13.35	49.42
972	1.66	2.32	3.13	1.95	4.36	0.59	0.23	0.68	2.28	16.37	R38.74	0.66	0.91	0.46	6.12	_	R14.35	53.09
973	1.73	2.60	3.34	2.07	4.95	0.67	0.28	0.78	2.34	17.31	R41.53	0.78	1.12	0.49	6.60	_	R15.71	57.24
974	1.78	2.45	3.06	2.00	4.86	0.71	0.29	0.86	2.21	16.65	R40.12	0.86	1.19	0.47	7.28	_	R16.56	56.68
975	1.78	2.25	2.96	1.86	4.62	0.75	0.31	0.87	1.91	16.32	R38.82	0.92	1.36	0.50	7.52	_	R17.38	56.20
976	1.82	2.42	3.21	1.97	4.84	0.83	0.36	0.97	1.89	17.46	R41.39	1.00	1.53	0.51	7.78	_	R18.28	59.67
977	1.85	2.29	3.21	1.90	4.88	0.88	0.42	0.94	1.91	18.43	R42.43	1.02	1.64	0.55	8.18	_	R19.40	61.83
978	1.90	2.41	3.29	1.95	4.95	0.99	0.48	0.98	1.94	18.85	R43.62	1.11	1.79	0.62	8.48	_	R20.54	64.16
979	1.97	2.46	3.37	2.04	5.05	1.10	0.53	1.02	1.97	18.51	R44.01	1.18	1.84	0.66	8.64	_	R21.21	65.22
980	1.87	2.26	3.08	1.93	4.96	1.27	0.54	0.99	1.73	17.06	R41.41	1.15	1.77	0.64	9.00	_	R21.66	63.07
981	1.77	2.02	2.80	1.87	4.85	1.40	0.54	0.94	1.59	16.06	R39.14	1.09	1.71	0.73	8.94	_	R21.76	60.90
982	1.58	1.88	2.74	1.78	4.58	1.48	0.53	1.00	1.59	15.30	R37.45	1.06	1.66	0.74	9.08	_	R22.05	59.50
983	1.45	1.84	2.66	1.75	4.40	1.35	0.56	1.01	1.53	15.23	R36.59	0.98	1.73	0.77	8.95	_	R22.15	58.74
984	1.47	1.75	2.66	1.65	4.58	1.45	0.59	0.91	1.85	15.73	R37.43	1.03	1.74	0.82	8.91	_	R22.41	59.84
985	1.50	1.78	2.70	1.72	4.38	1.47	0.57	0.85	1.63	15.73	R37.23	1.08	1.89	0.90	8.95	_	R22.87	60.10
986	1.51	1.77	2.86	1.74	4.44	1.49	0.61	0.88	1.65	16.28	R38.28	1.24	2.00	0.95	8.98	_	R23.48	61.76
987	1.55	1.79	2.77	1.86	4.48	1.52	0.64	0.90	1.60	16.67	R38.96	1.26	2.12	0.99	9.00	_	R24.04	63.00
988	1.69	1.80	2.74	1.84	4.75	1.55	0.73	0.98	1.70	17.28	R40.24	1.30	2.28	1.08	8.89	_	R24.58	64.82
989	1.73	1.86	2.58	1.93	4.98	1.64	0.84	1.03	1.74	17.33	R40.88	1.32	2.38	1.15	8.74	_	R25.04	65.92
990	1.69	1.82	2.66	1.87	5.14	1.68	1.03	1.01	1.75	16.99	R40.92	1.34	2.30	1.17	8.39	_	R25.07	65.99
991	1.62	1.94	2.83	1.86	5.28	1.70	1.20	1.07	1.80	16.71	R41.40	1.35	2.50	1.19	8.35	_	R25.18	66.58
992	1.64	1.93	2.84	1.94	5.45	1.72	1.46	1.11	1.80	17.03	R42.41	1.37	2.66	1.28	_	4.42	R24.33	66.74
993	1.69	1.88	2.90	1.85	5.40	1.78	1.69	1.06	1.82	17.24	R43.05	1.40	2.96	1.31	_	3.75	R23.99	67.04
994	1.73	1.83	2.88	1.84	5.67	1.82	1.86	1.13	1.84	17.72	R44.20	1.45	3.14	1.41	_	3.18	R24.11	68.31
995	1.76	1.90	2.88	2.05	5.71	R1.86	R2.03	1.26	R1.84	17.72	R45.07	R1.49	R3.33	R1.57	_	R2.98	R24.86	R69.93
996 ^P	1.80	1.93	2.91	2.06	5.87	1.90	2.16	1.18	1.85	18.31	46.15	1.53	3.55	1.66	_	2.73	25.37	71.52

¹ Organization for Economic Cooperation and Development. See Glossary for membership.

The Czech Republic, which joined the OECD on December 21, 1995, is included in Total OECD beginning in 1993, the year that it came into existence.

Note: Totals may not equal sum of components due to independent rounding.

² Through 1969, the data for Germany are for the former West Germany only. For 1970 through 1990, this is East and West Germany. Beginning in 1991, this is unified Germany.

³ Mexico, which joined the OECD on May 18, 1994, and South Korea, which joined the OECD on December 12, 1996, are included in the OECD for all years shown in this table.


⁴ Hungary and Poland, which joined the OECD on May 7, 1996, and November 22, 1996, respectively, are included in Total OECD beginning in 1970, the first year that data for these countries were available.

R=Revised. P=Preliminary. — = Not applicable.

Web Page: http://www.eia.doe.gov/emeu/international/reports.html.

Source: Energy Information Administration, *International Energy Annual 1996* (February 1998), Tables 1.1 and 1.2, and the International Energy Database, March 1998.

Figure 11.10 World Dry Natural Gas Production



Note: Because vertical scales differ, graphs should not be compared.

Table 11.10 World Dry Natural Gas Production, 1987-1996

(Trillion Cubic Feet)


Region and Country	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996 P
North, Central, and South America	22,33	23.47	24.16	24.62	24.84	25.42	26.20	27.44	R27.76	28.52
		0.63	0.72	0.63	0.70	0.71	0.76	0.79	R0.88	1.02
Argentina									R5.64	
Canada		3.57	3.80	3.85	4.06	4.52	4.91	5.26		5.85
Mexico		0.92	0.93	0.94	0.94	0.92	0.90	0.91	0.94	0.99
United States	16.62	17.10	17.31	17.81	17.70	17.84	18.10	18.82	18.60	18.79
Venezuela		0.66	0.77	0.76	0.79	0.76	0.82	0.88	R0.89	0.96
Other		0.58	0.64	0.62	0.65	0.66	0.73	0.78	R _{0.81}	0.91
Vestern Europe	7.44	7.07	7.32	7.24	7.83	7.89	8.32	8.40	R 8.75	10.08
Cormony 1			0.86	0.72					R _{0.71}	0.78
Germany ¹		0.90			0.67	0.68	0.68	0.67		
Italy		0.59	0.60	0.61	0.61	0.64	0.69	0.73	R _{0.72}	0.71
Netherlands		2.45	2.67	2.69	3.04	3.06	3.11	2.95	R2.97	3.37
Norway	1.06	1.05	1.09	0.98	0.97	1.04	0.97	1.04	R1.08	1.45
United Kingdom	1.68	1.62	1.58	1.75	2.01	1.93	2.31	2.47	R2.67	3.17
Other		0.47	0.51	0.50	0.53	0.54	0.56	0.54	R0.60	0.60
astern Europe and Former U.S.S.R.	27.14	28.95	29.70	30.13	29.85	28.58	27.99	26.47	R25.93	26.27
Romania	1.32	1.28	1.13	1.00	0.88	0.78	0.75	0.69	0.68	0.63
Former U.S.S.R.	25.36	27.19	28.11	28.78	28.62	_	_	_	_	_
Russia		_	_	_	_	22.62	21.81	21.45	21.01	21.23
Turkmenistan	—	_	_	_	_	2.02	2.29	1.26	1.14	1.31
Ukraine		_	_	_	_	0.74	0.68	0.64	0.62	0.64
				_	_	1.51	1.59	1.67	1.70	1.70
Uzbekistan Other		0.48	0.46	0.35	0.35	0.91	0.87	0.76	0.78	0.76
									Do	
Middle East and Africa		5.55	6.08	6.17	6.52	6.91	7.24	7.41	R 8.00	8.64
Algeria	1.52	1.63	1.71	1.79	1.93	1.97	1.90	1.81	2.05	2.19
Egypt	0.22	0.24	0.27	0.29	0.32	0.35	0.40	0.42	0.44	0.47
Iran	i	0.71	0.78	0.84	0.92	0.88	0.96	1.12	R1.25	1.38
		0.21	0.22	0.28	0.33	0.40	0.48	0.48	0.48	0.48
Qatar									R1.34	
Saudi Arabia		1.03	1.05	1.08	1.13	1.20	1.27	1.33		1.46
United Arab Emirates		0.66	0.81	0.78	0.92	1.02	0.94	0.91	R _{1.11}	1.28
Other	1.00	1.07	1.24	1.13	0.98	1.08	1.30	1.34	R1.33	1.38
ar East and Oceania	4.50	4.78	4.98	5.44	5.76	6.07	6.55	7.09	R 7.49	8.22
Australia		0.56	0.57	0.72	0.75	0.82	0.86	0.92	R1.03	1.06
China		0.49	0.51	0.51	0.53	0.53	0.56	0.59	0.60	0.67
India		0.31	0.32	0.40	0.45	0.48	0.53	0.59	R0.63	0.70
			1.42	1.53	1.72	1.79	1.97	2.21	R2.24	2.38
Indonesia		1.34								
Malaysia		0.58	0.61	0.65	0.75	0.80	0.88	0.92	R1.02	1.30
Pakistan		0.44	0.47	0.48	0.53	0.55	0.58	0.63	^R 0.65	0.70
Other	0.98	1.06	1.09	1.15	1.03	1.10	1.16	1.23	R1.32	1.41
/orld	66.54	69.81	72.25	73.61	74.81	74.87	76.30	76.80	R77.92	81.73

¹ Through 1990, this is East and West Germany. Beginning in 1991, this is unified Germany. R=Revised. P=Preliminary. — = Not applicable. Note: Totals may not equal sum of components due to independent rounding and the inclusion of more recent U.S. data from an alternative source.

Web Page: http://www.eia.doe.gov/emeu/international/reports.html. Sources: **United States:** Table 6.1. **All Other Data:** Energy Information Administration, *International Energy Annual 1996* (February 1998), Table 2.4, and the International Energy Database, March 1998.


Figure 11.11 World Dry Natural Gas Consumption

World and Leading Consumers, 1980-1996



Top Consuming Countries, 1996

30 -



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 11.11.

Table 11.11 World Dry Natural Gas Consumption, 1980-1996

(Billion Cubic Feet)

Year	Canada	France	Germany 1	Indonesia	Iran	Italy	Japan	Nether- lands	Former U.S.S.R.	Russia	Saudi Arabia	Ukraine	United Kingdom	United States	Uzbek- istan	Other	World
- Tour	Oundad	Tranco	Communy	maonooia	uii	italy	oupuii	lando	0.0.0	rtuooia	7 ti dibid	Omanio	rangaom	Otatoo	iotun	011101	Wond
1980	1.883	1,006	2,621	195	232	973	903	1.493	13,328	_	334	_	1,702	19,877	_	8,521	53,068
1981	1,708	996	2,513	232	155	983	886	1,421	14,440	_	564	_	1,671	19,404	_	8,502	53,475
1982	1,664	913	2,334	218	200	989	919	1,511	15,522	_	430	_	1,570	18,001	_	9,048	53,319
1983	1,807	1,049	2,397	302	310	1,009	1,008	1,371	16,822	_	418	_	1,774	16,835	_	9,590	54,692
1984	1,855	1,029	2,584	365	476	1,171	1,367	1,395	18,512	_	620	_	1,900	17,951	_	10,235	59,460
1985	2,165	1,120	2,546	513	600	1,156	1,468	1,613	20,302	_	716	_	1,991	17,281	_	10,770	62,240
1986	2,131	1,127	2,595	441	536	1,238	1,494	1,620	21,522	_	890	_	2,020	16,221	_	11,358	63,192
1987	2,112	1,057	2,733	542	565	1,371	1,543	1,672	22,462	_	946	_	2,079	17,211	_	11,989	66,283
1988	2,331	961	2,716	492	706	1,460	1,618	1,513	24,092	_	1,028	_	1,972	18,030	_	12,655	69,573
1989	2,498	991	2,835	546	784	1,578	1,731	1,550	24,529	_	1,052	_	1,951	18,801	_	13,672	72,518
1990	2,378	1,022	2,669	547	837	1,672	1,851	1,538	24,961	_	1,077	_	2,059	18,716	_	13,634	72,961
1991	2,400	1,143	2,883	557	811	1,773	1,976	1,715	25,014	_	1,130	_	2,218	19,035	_	13,868	74,523
1992	2,596	1,139	2,858	673	883	1,757	2,023	1,669	_	16,482	1,201	3,503	2,127	19,544	1,095	16,893	74,443
1993	2,713	1,173	3,042	850	938	1,801	1,949	1,696	_	16,185	1,268	3,871	2,440	20,279	1,541	16,941	76,686
1994	2,823	1,134	3,088	965	1,123	1,748	2,180	1,648	_	15,214	1,331	3,327	2,542	20,708	1,229	17,305	76,365
1995	R2,867	R1,183	R3,364	R1,061	R1,243	R1,921	R2,207	R1,694	_	14,507	R1,343	R2,970	R2,690	21,581	1,349	R18,310	R78,290
1996 ^P	3,065	1,325	3,666	1,137	1,374	1,981	2,390	1,862	_	14,504	1,459	2,935	3,185	21,967	1,434	19,920	82,204


¹ Through 1990, this is East and West Germany. Beginning in 1991, this is unified Germany. R=Revised. P=Preliminary. — = Not applicable.

Web Page: http://www.eia.doe.gov/emeu/international/reports.html.

Sources: United States: Table 6.1. All Other Data: Energy Information Administration, *International Energy Annual 1996* (February 1998), Table 1.3, and the International Energy Database, March 1998.

Note: Totals may not equal sum of components due to independent rounding and the inclusion of more recent U.S. data from an alternative source.

Figure 11.12 World Recoverable Reserves of Coal



77

India

Notes: • Recoverable reserves are as of December 31, 1993, except for U.S. recoverable reserves, which are as of January 1, 1997. • Because vertical scales differ, graphs should not be compared.

Former U.S.S.R.

United States

126

China

100

Australia

Source: Table 11.12.

74

Germany

61

South Africa

46

Poland

35

Indonesia

Table 11.12 World Recoverable Reserves of Coal

(Million Short Tons)

Region and Country	Anthracite and Bituminous Coal	Subbituminous Coal and Lignite	Total
North America	R 128,110	^R 153,832	^R 281,942
Canada	4.970	4,535	9,505
Greenland	0	202	202
	948	387	1,335
Mexico	R 122,192	R 148,708	R 270,901
United States ¹	122,192	148,708	~ 270,901
Central and South America	6,227	5,013	11,240
Brazil	0	3,136	3,136
Chile	34	1,268	1,302
Colombia	4.674	330	5.003
Peru	1,058	110	1,168
Other	461	170	631
Otilei	401	170	031
Western Europe	30,544	78,281	108,825
Germany	26,455	47,730	74,186
Greece	0	3,307	3.307
Spain	937	661	1.598
Turkey	179	7.701	7.879
	2,205	551	2.756
United Kingdom			
Former Yugoslavia	70	18,152	18,222
Other	698	179	877
Eastern Europe and Former U.S.S.R.	149,200	179,232	328,431
Albania	, 0	(s)	(s)
Bulgaria	14	2.974	2.988
Czech Republic	1,810	3,858	5,668
	657	4.260	4.917
Hungary			,-
Poland	32,077	14,330	46,407
Romania	1	3,436	3,437
Slovakia	0	251	251
Former U.S.S.R.	114,640	150,122	264,762
Africa	66,585	1,397	67,982
Botswana	3,858	0	3,858
South Africa	60,994	0	60,994
	128	1.101	1.229
Swaziland	·	, -	, -
Zimbabwe	809	0	809
Other	796	295	1,091
Middle East, Far East, and Oceania	196.630	146.941	343.571
Australia	49,979	50,265	100,244
China	68.564	57,651	126,215
India	75,009	2,094	77,103
	1,060	34,283	35,343
Indonesia			
Japan	886	19	905
Pakistan	0	809	809
Thailand	(s)	1,101	1,101
Other	1,132	719	1,850
World	R 577,296	^R 564,696	R1,141,992

¹ U.S. data are more current than other data on this table. They represent recoverable reserves as of January 1, 1997; data for the other countries are as of December 31, 1993, the most recent period for which they are available. U.S. reserves represent both measured and indicated tonnage. The U.S. term "measured" approximates the term "proved," which is used by the World Energy Council. The U.S. "measured and indicated" data have been combined prior to depletion adjustments and cannot be recaptured as "measured alone."

R=Revised. (s)=Less than 500 thousand short tons.


Notes: • World Energy Council definition of "Proved Recoverable Reserves" is the tonnage of Proved

Amount in Place that can be recovered (extracted from the earth in raw form) under present and expected local economic conditions with existing technology. • The EIA does not certify the international reserves data but reproduces the information as a matter of convenience for the reader. • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/emeu/international/reports.html.


Sources: **United States:** Energy Information Administration, Unpublished File Data of the Coal Reserves Database, (December 1997). **All Other Data:** World Energy Council, *1995 Survey of Energy Resources.* World Energy Conference (1995).

Figure 11.13 World Coal Production



1996

Top Producing Countries, 1996



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 11.13.

Table 11.13 World Coal Production, 1987-1996

(Million Short Tons)

Region and Country	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996 P
North, Central, and South America	R 1,020	1,065	1,100	1,144	1,118	R1,114	R1,064	R1,160	R1,165	1,201
Canada	67	78	78	75	78	72	76	80	83	84
Colombia	R15	17	R20	23	26	26	R24	R25	29	33
Mexico	9	8	8	7	6	7	R8	10	10	10
United States	919	950	981	1,029	996	998	945	1,034	1.033	1.064
Other	10	12	13	10	11	R ₁₁	11	12	R ₁₁	10
Western Europe	929	912	921	875	R 740	R 680	R 616	R 571	R 550	547
France	20	16	16	15	14	13	12	R10	Rg	10
Germany ¹	554	552	541	514	388	346	315	292	274	264
,	49	53	57	57	58	61	60	63	64	66
Greece						01	41	R40	44	43
Serbia and Montenegro										
Spain	47	45	48	40	37	37	35	33	31	33
Turkey	52	43	58	52	51	57	54	60	^R 61	62
United Kingdom	115	115	111	106	107	95	76	54	52	56
Former Yugoslavia	79	80	82	84	78	_ 0	_	_	_	0
Other	12	8	7	7	6	R25	R23	R20	R15	14
Eastern Europe and Former U.S.S.R	1,397	1,411	1,354	1,335	1,129	1,137	R1,030	962	R 907	874
Bulgaria	41	38	38	35	31	33	32	32	31	32
Czech Republic	_	_	_	_	_	_	_	82	79	77
Estonia	_	_	_	_	_	_	16	16	15	12
Hungary	25	23	22	19	19	17	16	16	15	17
Kazakhstan	_	_		_	_		R124	115	92	84
Poland	293	294	275	237	231	219	219	221	R221	219
Romania	57	65	69	42	36	42	43	45	44	45
Former U.S.S.R.	838	851	816	882	702	0	40	40	77	40
	—	- 051	010 —		702	U	364	320	310	302
Russia	_	_	_		_	_		104	R92	302 77
Ukraine				_			128			
Other	143	141	134	120	110	112	12	R11	8	8
Africa	203	208	202	201	205	R212	R 216	225	R232	233
South Africa	195	200	194	193	196	R203	R207	216	227	227
Other	8	8	8	8	9	9	8	9	R ₅	5
Middle East, Far East, and Oceania	1,582	1,639	1,747	1,801	R1,841	R1,910	R 2,003	R2,114	R2,289	2,331
Australia	209	196	216	226	236	249	248	^Ŕ 248	^Ŕ 267	274
China	1,023	1,080	1,162	1,190	1,199	R1,229	R1.304	R1.404	R1.537	1,550
India	209	215	221	233	253	R270	R281	R291	R301	311
Indonesia	4	5	9	12	15	R ₂₅	R32	R33	R45	53
Japan	15	14	13	11	10	9	8	8	45 7	7
	9	10	10	10	9	8	8	8	8	9
Mongolia	62	66	69	71	73	74	78	78	78	81
North Korea										
South Korea	27	27	23	19	17	13	10	8	6	5
Thailand	8	8	10	14	16	17	17	19	R20	21
Other	17	18	14	15	R14	16	R17	R17	R19	19
World	R5,130	5,235	5,324	5,356	5,033	R5.052	R4.930	R5,033	R5,144	5,185

¹ Through 1990, this is East and West Germany. Beginning in 1991, this is unified Germany. R=Revised. P=Preliminary. — = Not applicable.

Web Page: http://www.eia.doe.gov/emeu/international/reports.html.


Source: Energy Information Administration, *International Energy Annual 1996* (February 1998), Table 2.5, and the International Energy Database, May 1998.

Notes: • Coal includes anthracite, subanthracite, bituminous coal, subbituminous coal, lignite, and brown coal. • Totals may not equal sum of components due to independent rounding.

Figure 11.14 World Coal Consumption

World Total, 1980-1996 Peak Year 6 -5.28 5.28 5.26 5.13 5.19 5.14 5.01 5.03 5.01 5.08 4.99 4.91 5 -4.66 4.43 Billion Short Tons 4.29 4.19 4.14 1 -1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996

Top Consuming Countries, 1996



Note: Because vertical scales differ, graphs should not be compared.

Source: Table 11.14.

Table 11.14 World Coal Consumption, 1980-1996

(Million Short Tons)

Year	Australia	China	Germany 1	Greece	India	Japan	North Korea	Poland	Former U.S.S.R.	Russia	South Africa	Turkey	Ukraine	United Kingdom	United States	Other	World
- I Cai	Australia	Cillia	Germany	Greece	IIIuia	Japan	Rorea	1 Gland	0.0.0.1	Nussia	Airica	Turkey	Oktaine	Kiliguolii	States	Other	World
1980	74	679	R535	26	130	98	51	221	751	_	105	20	_	134	703	R612	R4,138
1981	75	680	544	30	139	106	51	200	R748	_	116	23	_	130	733	R617	R4,193
1982	80	726	548	31	147	105	53	208	771	_	124	26	_	122	707	R648	R4,294
1983	78	_768	549	36	161	100	56	213	764	_	127	29	_	123	737	R683	R4,425
1984	81	R845	573	36	180	113	61	227	770	_	137	35	_	88	791	R728	R4,664
1985	86	921	R579	42	194	119	62	238	779	_	142	46	_	116	818	R767	R4,909
1986	84	962	576	44	208	109	63	247	803	_	145	^R 54	_	123	804	R765	R4,988
1987	93	1,027	565	49	206	111	65	258	807	_	148	54	_	129	837	R783	R5,132
1988	96	1.098	562	56	215	123	69	253	821	_	151	R51	_	123	884	R781	R5,282
1989	104	1.113	553	59	226	123	72	242	777	_	140	60	_	126	890	R794	R5,280
1990	R105	1.124	528	59	242	R125	74	202	848	_	139	R60	_	R121	895	R739	R5,262
1991	R108	1,165	R406	R59	252	R128	75	202	672	_	144	64	_	120	888	R723	R5,005
1992	114	R1,199	R359	R62	R274	R126	76	192	_	400	R149	65	R154	112	R908	R840	R5,031
1993	R109	R1,276	R335	R62	R286	R129	80	194	_	361	R153	R60	132	97	944	R793	R5,012
1994	R110	R1,390	R314	R66	R303	R133	80	185	_	323	R160	R66	R107	R91	951	R803	R5,083
1995	R113	R1,489	R298	R65	R312	140	R80	R183	_	R303	R162	67	R95	R79	962	R794	R5,141
1996 ^P	117	1,500	290	66	321	144	83	179		289	165	72	80	81	1,006	797	5,190


¹ Through 1990, this is East and West Germany. Beginning in 1991, this is unified Germany. R=Revised. P=Preliminary. — = Not applicable.

Web Page: http://www.eia.doe.gov/emeu/international/reports.html.


Sources: United States: Table 7.1. All Other Data: Energy Information Administration, International Energy Annual 1996 (February 1998), Table 1.4, and the International Energy Database, May 1998.


Notes: • Totals may not equal sum of components due to independent rounding and the inclusion of more recent U.S. data from an alternative source.

Figure 11.15 World Net Generation of Electricity, 1996



Net Generation in Leading Countries





Hydroelectric Power and Other¹

Fossil

Fuels

Notes: • Data include both electric utility and non-electric utility sources.

Because vertical scales differ, graphs should not be compared.
 Source: Table 11.15.

Net Generation by Type by Region

(Percent of Regional Total)

¹ Geothermal, biofuels, wind, photovoltaic, solar thermal generation, hydrogen, sulfur, batteries, and chemicals.

Table 11.15 World Net Generation of Electricity by Type, 1994-1996


(Billion Kilowatthours)

		Fossil Fuel		Nucle	ar Electric Po	wer	Hydi	oelectric Pow	rer ¹		Total ²	
Region and Country	1994	1995	1996 P	1994	1995	1996 P	1994	1995	1996 P	1994	1995	1996 P
North America	R 2.497.6	2,515.0	2,570.5	R 747.0	774.4	770.3	R 601.4	666.2	724.7	R 3,932.6	4.039.7	4.151.4
Canada	111.1	112.5	111.7	R 102.4	93.0	88.1	324.7	330.7	349.2	R 538.4	536.2	549.2
				102.4						R 139.7		
Mexico	110.5	104.2	110.3	4.0	8.0	7.5	19.8 R 256.8	27.3	31.1	139.7	144.9	154.4
United States	R 2,275.2	2,297.5	2,347.7	640.5	673.4	674.7	200.0	308.3	344.4	R 3,253.8	3,357.8	3,447.1
Other	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	8.0
Central and South America	134.5	139.3	144.9	7.9	9.5	9.2	R 453.2	479.5	505.6	R 604.0	637.0	669.1
Argentina	28.7	28.9	29.1	7.8	7.1	6.9	R 33.3	33.4	28.6	^R 69.8	69.4	64.7
Brazil	R 9.1	10.6	12.5	0.1	2.4	2.3	R 240.3	251.4	263.1	R 256.6	271.8	285.7
Colombia		10.4	10.4	0.0	0.0	0.0	32.0	33.9	43.4	R 42.4	44.3	53.7
	20.4	18.1	15.0	0.0	0.0	0.0	50.9	55.0	58.0	71.3	73.2	73.0
Venezuela Other		71.2	78.0	0.0	0.0	0.0	R 96.8	105.8	112.5	R 164.0	178.4	192.0
Austria	R 1,170.8 15.4	1,218.2 16.9	1,245.2 18.1	771.9 0.0	789.9 0.0	828.0 0.0	R 497.2 35.3	501.0 36.7	483.5 34.1	R 2,448.1 R 50.7	2,518.3 53.6	2,566.4 52.2
		29.8	36.9	18.5	18.3	18.8	11.7	12.8	11.7	R 62.5	60.9	67.5
Finland										02.0		
France	00.2	37.8	41.9	342.0	358.4	376.2	76.5	70.6	62.1	702.2	467.3	480.8
Germany		334.9	341.1	143.6	146.4	153.5	18.3	19.6	18.0	100.7	503.2	515.1
Italy	169.5	184.0	181.4	0.0	0.0	0.0	44.2	37.4	41.4	R 217.3	225.0	226.7
Netherlands	70.8	71.8	75.4	3.8	3.8	4.0	0.1	0.1	0.1	74.9	76.0	79.8
Norway		0.7	0.8	0.0	0.0	0.0	R 110.4	120.1	102.6	R 111.0	120.8	103.4
Spain		81.6	70.6	52.5	52.7	53.5	27.9	22.9	39.1	R 153.2	157.4	163.5
	9.7	9.4	13.2	69.5	66.4	71.1	R 58.5	66.3	50.7	R 137.8	142.2	135.2
Sweden							30.5			101.0		
Switzerland	2.0	2.1	2.2	23.1	23.7	23.7	00.7	34.8	28.9	00.0	60.6	54.8
Turkey	44.8	47.6	51.1	0.0	0.0	0.0	30.3	35.2	40.0	R 75.2	82.9	91.2
United Kingdom	R 216.4	224.0	223.8	76.0	76.6	81.5	5.0	5.2	4.0	R 297.7	306.1	309.7
Other	R 171.4	177.7	188.7	42.9	43.8	45.5	R 40.3	39.3	50.9	R 256.0	262.3	286.8
Eastern Europe and Former U.S.S.R	R 1,124.9	1,113.6	1.091.3	217.7	224.3	249.8	R 272.4	270.5	247.8	R 1,615.0	1,608.4	1,589.1
Czech Republic	41.3	43.6	46.2	12.3	11.6	12.2	R 1.4	2.0	1.8	R 55.1	57.2	60.2
Kazakhstan	53.8	54.8	50.0	0.4	0.1	0.1	9.1	8.2	7.5	63.2	63.2	57.6
		127.0	130.8	0.0	0.0	0.0	3.7	3.8	3.9	127.4	130.8	134.7
Poland												
Romania		40.0	42.7	0.0	0.0	0.9	12.9	16.5	15.6		56.5	59.2
Russia		569.6	549.0	92.9	94.3	103.3	R 174.2	174.5	153.1	R 850.9	838.5	805.6
Ukraine	R 120.3	120.6	115.0	65.4	67.0	76.0	R 12.2	10.1	9.5	R 197.8	197.6	200.5
Other	R 162.5	158.0	157.6	46.8	51.2	57.3	R 58.8	55.4	56.4	R 268.1	264.6	271.3
Middle East	R 292.5	301.6	307.8	0.0	0.0	0.0	R 15.7	15.7	15.9	R 308.1	317.3	323.7
Iran		69.4	72.0	0.0	0.0	0.0	7.4	7.5	7.5	74.8	76.8	79.5
		93.9	95.0	0.0	0.0	0.0	R 0.0	0.0	0.0	R 91.0	93.9	95.0
Saudi Arabia							0.0			51.0		
Other	R 134.1	138.3	140.8	0.0	0.0	0.0	R 8.3	8.2	8.4	R 142.3	146.5	149.2
Africa	R 270.7	276.5	286.8	9.7	11.3	11.8	R 56.4	56.4	57.7	R 337.0	344.6	356.7
Egypt	R 36.4	35.8	35.0	0.0	0.0	0.0	R 10.6	10.7	11.0	R 47.1	46.5	46.0
South Africa		164.4	173.9	9.7	11.3	11.8	1.1	0.5	1.3	R 170.7	176.3	186.9
Other	R 74.3	76.3	78.0	0.0	0.0	0.0	R 44.6	45.1	45.4	R 119.2	121.8	123.7
Far East and Oceania	R 2,171.0	2.283.2	2.388.7	R 363.6	393.6	410.9	R 449.3	494.7	491.0	R 2.995.7	3.184.6	3.304.2
				303.0			443.3					
Australia		148.0	151.9	0.0	0.0	0.0	_ 10.2	15.7	14.7	_ 130.3	163.8	166.7
China		756.1	805.3	13.5	12.4	13.6	R 165.1	184.9	181.3	R 879.8	953.4	1,000.2
India	R 290.4	315.7	325.0	4.7	6.5	7.4	70.4	70.9	72.0	R 365.5	393.2	404.5
Indonesia		53.2	55.0	0.0	0.0	0.0	R 11.1	10.3	10.0	R 61.1	65.2	66.8
Japan	580.4	568.0	583.1	255.7	276.7	283.0	66.6	81.4	79.0	R 904.7	929.1	948.6
South Korea	96.1	105.4	118.8	55.7	63.7	70.2	4.1	5.4	5.1	155.9	174.5	194.2
Taiwan		84.2	89.6	R 33.5	33.9	36.3	8.8	8.8	8.9	R 118.8	126.9	134.9
										110.0		
Thailand		72.3	75.0	0.0	0.0	0.0	4.5 R 102.7	6.6	7.0	70.2 R 281.5	79.0	82.0
Other	R 170.0	180.3	184.9	0.6	0.5	0.3	R 102.7	110.5	112.9	R 281.5	299.6	306.5


Excludes pumped storage, except for the United States.
 Geothermal, biofuels, wind, photovoltaic, solar thermal generation, hydrogen, sulfur, batteries, and chemicals are included in total.
 R=Revised. P=Preliminary.
 Notes: • Data include both electric utility and non-electric utility sources. • Totals may not equal sum of

components due to independent rounding.
Web Page: http://www.eia.doe.gov/emeu/international/electric.html.
Source: United States: Table 8.2 in this report. All Other Data: Energy Information Administration, International Energy Annual 1996 (February 1998), Table 6.3, and the International Energy Database,

Figure 11.16 World Electrical Installed Capacity by Type, January 1, 1996



Comparison of Installed Capacity and Net Generation Shares by Type



¹Geothermal, biofuels, wind, photovoltaic, solar thermal capacity, hydrogen, sulfur, batteries, and chemicals.

Note: Data include both electric utility and non-electric utility sources. Sources: Tables 11.15 and 11.16.

Table 11.16 World Electrical Installed Capacity by Type, 1994-1996 (Million Kilowatts)

		Fossil Fuel		Nucl	ear Electric Po	ower	Hyd	roelectric Pow	ver 1		Total ²	
Region and Country	1994	1995	1996 P	1994	1995	1996 P	1994	1995	1996 P	1994	1995	1996 P
North America	595.9	R 607.9	613.3	115.2	116.8	117.2	168.0	R 171.4	173.9	895.5	R 913.0	921.0
North America	31.6		34.3		16.4	16.4	61.2	63.0	64.6	108.3		115.3
Canada		34.2 R 23.9		15.5							113.6 R 35.1	
Mexico	22.4	20.0	24.5	0.7	1.3	1.3	8.2	9.1	9.3	32.0	00.1	35.9
United States	541.6	549.5	554.2	99.1	99.1	99.5	98.6	R 99.3	99.9	755.0	764.0	769.5
Other	(s)	(s)	(s)	0.0	0.0	0.0	0.0	0.0	0.0	(s)	(s)	(s)
Central and South America	47.0	R 48.8	50.0	1.7	1.7	1.7	92.3	95.1	96.6	143.3	R 147.9	150.6
Argentina	10.0	10.6	10.6	1.0	1.0	1.0	7.0	8.0	8.0	18.0	19.6	19.6
Brazil	4.9	4.9	4.9	0.7	0.7	0.7	48.6	49.9	51.3	56.2	57.6	59.0
Colombia	2.6	2.8	2.8	0.0	0.0	0.0	7.7	8.0	8.0	10.4	10.8	10.8
	8.8	R 9.0		0.0	0.0	0.0	10.7	10.7	10.7			
Venezuela			9.3							19.5	19.7 R 40.2	20.0
Other	20.7	R 21.5	22.4	0.0	0.0	0.0	18.3	18.5	18.6	39.2	R 40.2	41.2
Western Europe	320.0	R 322.2	328.3	122.6	R 122.4	123.4	141.2	R 143.3	143.9	585.5	R 590.8	599.7
Austria	6.1	6.2	6.1	0.0	0.0	0.0	11.2	11.2	11.3	17.3	17.4	17.4
Finland	9.0	9.1	9.3	2.4	2.4	2.3	2.7	2.7	2.8	14.1	14.1	14.4
France	23.5	23.5	23.9	59.0	58.5	58.5	20.6	20.7	20.7	103.4	102.9	103.3
Germany	82.8	82.6	83.4	22.7	22.7	22.8	3.0	4.2	4.3	108.6	R 110.6	112.4
											R 57.3	
Italy	43.3	43.8	45.5	0.0	0.0	0.0	12.8	12.9	13.0	56.6	01.0	59.0
Netherlands	16.9	17.6	18.2	0.5	0.5	0.5	0.0	0.0	0.0	17.6	18.3	19.0
Norway	(s)	(s)	(s)	0.0	0.0	0.0	26.0	R 26.2	26.3	26.3	R 26.5	26.6
Spain	20.4	R 21.1	22.Ó	7.0	7.0	7.1	11.5	11.5	11.7	39.0	R 39.7	40.9
Sweden	8.5	R 7.9	7.3	10.0	R 10.0	10.1	15.9	R 16.1	15.7	34.4	R 34.0	33.2
Switzerland	0.9	R 0.9	1.1	3.0	3.1	3.1	10.4	10.4	10.4	14.3	14.3	14.6
	10.6	11.0	11.1	0.0	0.0	0.0	9.7	9.9	9.9	20.3	20.9	21.0
Turkey	52.9	R 52.7						R 1.4				
United Kingdom		02.7	53.1	11.9	12.0	12.8	1.4	1.7	1.4	66.3	00.2	67.4
Other	45.2	R 45.9	47.3	6.1	6.2	6.3	15.9	15.9	16.3	67.5	68.4	70.4
Eastern Europe and Former U.S.S.R	311.6	R 312.6	308.9	45.3	R 45.9	47.4	79.0	R 80.0	80.2	435.9	R 438.6	436.4
Czech Republic	11.1	10.7	10.6	1.8	1.8	1.8	0.9	R 0.9	0.9	13.7	R 13.4	13.3
Kazakhstan	16.3	R 16.8	16.8	(s)	(s)	(s)	2.2	2.1	2.1	18.6	R 19.0	19.0
Poland	27.1	27.6	27.4	ò.ó	ò.ó	ò.ó	2.0	2.0	2.0	29.1	29.6	29.5
Romania	16.4	16.1	16.3	0.0	0.0	0.7	5.9	5.9	6.0	22.3	22.1	22.9
	148.7	149.7	145.8	21.2	21.2	21.2	43.4	43.8	43.8	213.4	214.7	210.9
Russia												
Ukraine	36.7	36.7 R 55.1	36.7	12.8	12.8 R 10.1	12.8	4.7	4.7 R 20.5	4.7	54.3	07.2	54.2
Other	55.3	R 55.1	55.2	9.5	R 10.1	10.9	19.8	R 20.5	20.6	84.4	85.6	86.7
Middle East	73.9	R 80.1	81.3	0.0	0.0	0.0	4.0	4.0	4.6	77.9	R 84.2	85.9
Iran	20.7	23.2	23.8	0.0	0.0	0.0	2.0	2.0	2.5	22.7	25.1	26.3
Saudi Arabia	20.6	R 21.0	20.9	0.0	0.0	0.0	0.0	0.0	0.0	20.6	R 21.0	20.9
Other	32.5	R 36.0	36.6	0.0	0.0	0.0	2.1	2.1	2.1	34.6	R 38.1	38.7
04101												
Africa	69.6	R 69.4 R 13.1	69.8	1.8	R 1.8	1.8	20.4	R 20.7	20.7	91.9	R 92.0 R 15.9	92.4
Egypt	12.9	10.1	13.3	0.0	0.0	0.0	2.7	2.7	2.7	15.6	_ 10.0	16.0
South Africa	33.9	_ 32.1	32.1	1.8	R 1.8	1.8	0.6	_ 0.6	0.6	36.2	R 34.5	34.6
Other	22.9	R 24.2	24.3	0.0	0.0	0.0	17.1	R 17.4	17.4	40.1	R 41.6	41.8
Far East and Oceania	466.7	R 490.0	517.4	54.6	57.5	59.4	127.4	R 131.4	136.0	650.6	R 681.1	715.1
Australia	29.1	R 30.6	31.5	0.0	0.0	0.0	7.0	R 7.1	7.1	36.1	R 37.7	38.6
China	137.1	142.0	154.0	1.2	2.1	2.1	44.6	46.0	48.0	182.9	190.1	204.1
	65.0	68.6	70.4	2.0	2.0	2.0	20.4	20.9	21.3	87.5	91.6	93.8
India	12.5	R 14.7		0.0	0.0	0.0		R 3.3		07.5 15.9	R 18.3	
Indonesia		14.7	16.6				3.3	3.3	3.4		_ 10.5	20.3
Japan	134.1	_ 100.0	141.7	38.5	40.5	41.4	21.0	21.1	21.2	194.0	_ 200.0	204.7
South Korea	17.5	R 18.6	20.5	7.6	7.6	8.6	2.5	2.5	3.1	27.7	R 28.8	32.2
Taiwan	13.9	R 14.6	15.1	5.1	5.1	5.1	2.6	R 3.7	4.2	21.7	R 23.4	24.4
Thailand	11.5	R 12.5	14.8	0.0	0.0	0.0	2.5	2.6	2.7	13.9	R 15.1	17.5
Other	45.9	R 50.4	52.9	(s)	(s)	(s)	23.5	R 24.3	25.1	71.0	R 76.2	79.5
	40.0	00.1									70.2	
		R1,931.1	1,969.0	341.2	R 346.2	350.9	632.3	R 645.9	655.8	2,880.7	R2,947.7	3,001.1

 $^{^{\}rm 1}$ Excludes pumped storage, except for the United States. $^{\rm 2}$ Geothermal, biofuels, wind, photovoltaic, solar thermal capacity, hydrogen, sulfur, batteries, and chemicals are included in total.

R=Revised. P=Preliminary. (s)=Less than 0.5 million kilowatts.


Notes: • Capacity for all years is as of January 1. • Data include both electric utility and nonutility


sources. • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/emeu/international/electric.html.


Sources: United States: Table 8.5 in this report. All Other Data: Energy Information Administration, International Energy Annual 1996, (February 1998), Table 6.4, and the International Energy Database, March 1998.

Figure 11.17 World Nuclear Electricity Gross Generation





By Country, 1997



¹ "Other countries" are Argentina, Armenia, Brazil, China, Czech Republic, India, Kazakhstan, Lithuania, Mexico, Netherlands, Pakistan, Romania, South Africa, Slovakia, and Slovenia.

Note: Because vertical scales differ, graphs should not be compared. Source: Table 11.17.

Table 11.17 World Nuclear Electricity Gross Generation, 1984-1997

(Billion Kilowatthours)

Region and Country	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997
una country	1001	1000	1000	1001	1000	1000	1000	1001	1002	1000	1004	1000	1000	1001
North, Central, and														
South America	404.1	474.8	514.6	566.3	645.2	646.9	690.7	742.6	744.0	752.7	795.5	^E 825.6	E816.3	^E 763.9
Argentina	4.5	5.8	5.7	5.2	5.1	5.0	7.4	7.7	7.1	7.7	8.2	7.1	7.4	8.0
Brazil	2.1	3.4	0.1	1.0	0.3	1.6	2.0	1.4	1.8	0.4	0.0	2.5	2.4	3.2
Canada	53.8	62.9	74.6	80.6	85.6	83.2	75.8	86.1	81.3	97.6	110.7	100.4	95.2	84.1
Mexico	_	_	_	_	_	_	2.1	4.2	3.9	4.9	4.2	7.9	7.9	10.4
United States 1	343.8	402.7	434.1	479.5	554.1	557.0	603.4	643.0	650.0	642.0	672.4	E707.7	E703.3	E658.3
Western Europe	485.4	582.8	631.5	648.3	688.1	R 732.2	738.6	769.7	787.8	820.9	820.2	^E 835.7	^E 879.5	E886.5
Belgium	27.7	34.5	38.6	41.9	43.1	41.2	42.7	42.9	43.5	41.9	40.6	41.4	43.3	47.4
Finland	18.5	18.8	18.8	19.4	19.3	18.8	18.9	19.2	19.0	19.6	19.1	18.9	19.5	20.9
France	191.2	224.0	254.3	265.5	274.9	302.5	314.1	331.4	337.6	366.7	359.1	377.6	397.0	E389.3
Germany ²	92.6	125.8	118.9	130.2	145.2	R149.6	147.2	147.3	158.8	153.5	151.1	154.3	161.7	170.4
Italy ³	6.9	7.0	8.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Netherlands	3.8	3.9	4.2	3.6	3.7	4.0	3.4	3.3	3.8	3.9	4.0	4.0	4.2	E3.1
Slovenia	NA	NA	NA	NA	NA	NA	NA	NA	5.6 E4.0	4.0	4.6	4.0	E4.6	-3.1 5.4
				R41.2										
Spain	23.1	28.0	37.5		50.4	56.1	54.3	55.6	55.8	56.1	55.1	54.5	59.1	55.4
Sweden	51.3	58.6	69.9	67.2	69.4	65.6	68.2	76.8	63.5	61.4	72.8	69.9	76.2	E70.6
Switzerland	16.3	22.4	22.5	23.0	22.7	22.8	23.6	22.9	23.4	23.3	24.2	_24.8	25.0	25.3
United Kingdom	54.1	59.7	58.2	56.2	59.4	71.6	66.1	70.4	78.5	90.4	89.5	E85.5	E88.8	E98.8
Eastern Europe 4										F	F	F	F	F
and Former U.S.S.R.	NA	NA	NA	NA	NA	NA	NA	NA	E267.5	E259.0	E227.8	E234.9	E261.6	E246.8
Armenia										_	_	NA	NA	_ 1.4
Bulgaria	NA	NA	NA	NA	NA	NA	NA	NA	E12.2	_14.0	_14.9	_17.2	_18.7	E15.5
Czech Republic	_	NA	NA	NA	NA	NA	NA	NA	E12.9	E13.2	E12.7	E12.8	E13.5	NA
Hungary	NA	NA	NA	NA	NA	NA	NA	NA	E13.8	13.8	14.0	14.0	14.2	14.0
Kazakhstan	NA	NA	NA	NA	NA	NA	NA	NA	E0.5	E0.4	E0.4	E0.4	E0.1	NA
Lithuania	_	NA	NA	NA	NA	NA	NA	NA	E16.4	E12.9	E7.0	E9.7	E13.6	12.1
Romania	_	_	_	_	_	_	_	_	_	_	_	_	E1.0	3.9
Russia	NA	NA	NA	NA	NA	NA	NA	NA	E125.6	120.4	97.7	98.3	108.8	108.1
Slovakia	NA	NA	NA	NA	NA	NA	NA	NA	E11.7	E11.6	E12.7	E12.0	E11.8	11.0
Ukraine	NA	NA	NA	NA	NA	NA	NA	NA	E74.6	E72.7	68.4	70.4	80.0	80.8
Far East and														
Africa	171.9	207.9	232.9	266.1	259.6	R275.1	293.2	313.0	325.1	E353.0	E377.0	E418.9	^E 438.9	^E 458.1
China								_		E2.6	E14.2	E13.0	E14.3	NA
India	4.1	4.5	5.1	5.5	6.1	4.0	6.3	5.4	6.3	6.2	5.0	E8.0	8.3	E11.0
Japan	127.2	152.0	164.8	182.8	173.6	183.7	191.9	205.8	218.0	243.5	253.8	286.1	293.2	318.0
Pakistan	0.3	0.3	0.5	0.3	0.2	0.1	0.4	0.4	0.6	0.4	0.6	0.5	0.4	0.4
South Africa	4.2	5.9	9.3	6.6	11.1	11.7	8.9	9.7	9.9	7.7	10.3	11.9	E12.5	13.3
South Korea	11.8	16.5	26.1	37.8	38.7	R47.2	52.8	56.3	56.4	58.1	58.3	64.0	72.5	E78.9
Taiwan	24.3	28.7	26.9	33.1	29.9	28.3	32.9	35.3	33.8	34.3	34.8	35.3	37.8	E36.6
	24.3													
World 5	1,061.5	1,265.4	1,378.9	R1,480.7	1,592.8	1,654.2	1,722.5	1,825.2	E2,124.5	E2,185.6	E2,220.4	E2,315.1	E2,396.3	^E 2,355.3

¹ See Note 2 at end of section.

² Through 1990, the data for Germany are for the former West Germany only. Beginning in 1991, the data for Germany are for the unified Germany, i.e., the former East Germany and West Germany.

³ In 1987, Italy's citizens voted for a nuclear power moratorium, which shut down their nuclear power plants indefinitely.

⁴ The gross generation estimates for 1992 through 1997 for Eastern European countries are calculated as 5 percent more than the annual net nuclear generation reported by the International Atomic Energy

Agency and published annually in *Nuclear Power Reactors in the World*.


⁵ Eastern European countries are included in the total figure beginning in 1992. R=Revised. E=Estimated. NA=Not available. — = Not applicable.

Note: Totals may not equal sum of components due to independent rounding.

Source: Based on data from Nucleonics Week, a copyrighted publication of The McGraw-Hill Publishing

Companies, Inc. Used with permission.

Figure 11.18 World Carbon Dioxide Emissions



 $^{^{\}rm 1}$ Tons of carbon can be converted to tons of carbon dioxide gas by multiplying by 3.667. One ton of carbon = 3.667 tons of carbon dioxide gas.

Note: Because vertical scales differ, graphs should not be compared. Source: Table 11.18.

Table 11.18 World Carbon Dioxide Emissions, 1987-1996

(Million Metric Tons of Carbon 1)

North America	R1,485	R1,557	R1,576	R1,554	R1,540	R1,570	R1,600	R1,627	R1,635	1,694
Canada	120	R130	R134	R127	Ř124	Ř128	R127	R132	R137	141
Mexico	76	77	79	79	83	88	89	R90	R83	86
United States ²	R1,288	R1,351	R1,363	R1,348	R1,333	R1,354	R1,384	R1,404	R1,415	1,466
Other	(s)	(s)	(s)	(s)	(s)	(s)	(s)	(s)	(s)	(s)
Central and South America	183	186	191	188	R193	199	R 208	209	R 208	220
Argentina	29 ^R 57	30	30	27	28 ^R 60	31	R33 R65	32 ^R 64	^R 33 ^R 64	35
Brazil	R28	58 ^R 28	60 ^R 29	58 29	30	61 30	No5 R31	°64 R32	R31	71 31
Venezuela Other	R68	70	73	R74	R75	77	R79	R81	R80	83
	R 999	R 987	R4 000	R1.013	R1.008	R 971	R 952	R 943	R 947	970
Vestern Europe	R32	R31	R 1,006 R33	R34	**1 ,008 R35	R34	R33	R34	R34	36
Belgium	R99	94	R102	R103	109	R104	R98	94	97	101
France Germany ³	282	279	269	267	R253	R242	R242	R236	87 R235	238
	R110	R108	R113	113	R113	R113	108	R106	R116	236 116
Italy Netherlands	56	R56	R56	R59	R61	R60	59	R59	R57	58
	59	R59	R66	R62	65	R66	R62	64	R67	63
Spain	30	R32	R32	R35	R37	37	39	R37	R40	43
TurkeyUnited Kingdom	R164	R162	R166	R168	R167	8157	8157	R154	R146	43 155
Other	R167	R165	R169	R170	R168	R158	155	R158	R154	159
astern Europe and Former U.S.S.R	R1.284	R1.302	R 1.268	1,251	R1.145	R1.100	R1.016	R 900	R 845	820
	91	R89	R85	79	72	R65	1,010	900	045	020
Former Czechoslovakia	91	09	03	79	12	65	R46	R49	R47	<u></u> 47
Czech Republic	119	R117	112	R90	R89	 R89	R92	R86	R85	84
Poland	R53	R53	R55	49	36	33	33	32	34	34
RomaniaFormer U.S.S.R	R969	R994	R970	R993	R912	33		32	J4 —	34
Russia	-	334	370	333	312	R559	511	R451	R417	401
Ukraine						148	140	R118	R106	98
Other	R52	R50	R46	R41	36	R206	194	R164	R156	155
liddle East	R180	R190	R 198	R 201	R 215	R 221	R 231	R 233	R 242	253
Iran	48	50	54	56	R ₆₂	64	65	R ₆₆	R70	73
Saudi Arabia	R54	R57	R56	R57	R62	R63	65	61	R67	70 70
Other	78	R83	89	89	91	95	102	106	R ₁₀₅	111
frica	R 182	R188	R188	R 196	R 203	R 207	R 212	R 218	R 214	220
fricaSouth Africa	R85	R87	R80	R81	R84	R88	R90	R94	R94	96
Other	97	101	108	116	119	R119	122	R ₁₂₄	R ₁₂₀	124
ar East and Oceania	R1,257	R1.343	R1.388	R1.428	R1.488	R1.551	R1.642	R1.725	R1.802	1.859
Australia	R64	R67	R71	R74	R74	R78	R77	R77	R80	79
China	574	613	R620	R620	R649	672	R710	R759	R792	805
India	131	R139	146	155	161	R175	R184	R193	R224	232
Indonesia	31	33	37	39	41	R45	R ₅₁	R52	R57	61
Japan	R240	R257	R266	R274	R282	R287	R279	R296	R281	291
North Korea	43	44	R45	47	48	47	R48	R48	49	51
South Korea	R48	54	R56	R61	R70	R74	R96	R95	R102	113
Taiwan	25	R29	R32	R32	R34	R35	R42	R43	R47	51
Thailand	14	16	19	23	25	27	31	34	R42	44
Other	R87	92	R96	R ₁₀₃	R ₁₀₅	R111	R122	128	R128	133
/orld	R5.570	R 5.754	^R 5.816	^R 5.831	R 5.792	^R 5,819	R 5,862	R 5.856	R5.894	6,036

¹ Tons of carbon can be converted to tons of carbon dioxide gas by multiplying by 3.667. One ton of carbon = 3.667 tons of carbon dioxide gas.

² Data, when converted to million metric tons of carbon dioxide gas, are less than the values shown for the United States in Table 12.1 because they do not include carbon dioxide emissions from geothermal, unmetered natural gas, cement production, other industrial sources, and U.S. Territories.

³ Through 1990, this is East and West Germany. Beginning in 1991, this is unified Germany.

R=Revised. P=Preliminary. — = Not applicable. (s)=Less than 0.5 million metric tons.

Notes: • See Note 3 at end of section. • Totals may not equal sum of components due to independent

Web Page: http://www.eia.doe.gov/emeu/international/environm.html. Source: Energy Information Administration, *International Energy Annual 1996* (February 1998), Table H1.

International Energy Notes

1. World primary energy production comprises crude oil (including lease condensate), natural gas plant liquids, dry natural gas, coal, net electricity from hydroelectric power and nuclear electric power, and net electricity generated for distribution from geothermal, wind, solar and some biofuel energy. Data for the United States include biofuels. Crude oil production is measured at the wellhead and includes lease condensate. Natural gas plant liquids are products obtained from processing natural gas at natural gas processing plants, including natural gas plants, cycling plants, and fractionators. Dry natural gas production is that amount of natural gas produced that is available to be marketed and consumed as a gas. Coal (anthracitic, subanthracitic, bituminous, subbituminous, lignitic, and brown coal) production is the sum of sales, mine consumption, issues to miners, and issues to coking, briquetting, and other ancillary plants at mines. Coal production data include quantities extracted from surface and underground workings and normally exclude wastes removed at mines or associated preparation plants. The data on production of electricity from hydroelectric power, nuclear electric power, and electricity generated for distribution from geothermal, wind, solar, and biofuel energy include data on both electric utility and industrial production reported on a net basis, thus excluding electricity that is generally used by the electric power plant for its own operating purposes or electricity losses in the transformers that are considered integral parts of the station.


- 2. Nuclear electricity generation data in Table 11.17 are for gross output of electricity (measured at the generator terminals). Data on the gross generation of electricity in the United States are derived from data for net generation, which is gross output of electricity minus power plant use.
- 3. Data for carbon dioxide emissions include anthropogenic (human-caused) emissions from the consumption of petroleum, natural gas, and coal, and the flaring of natural gas. They do not include carbon dioxide emissions from cement production and other industrial sources. Hydrocarbon consumption and flaring statistics for each country have been reduced to account for the fraction of fuels not combusted and the fraction of sequestration of non-fuel uses of the hydrocarbons. Carbon dioxide emissions have been determined by applying carbon emission coefficients to the adjusted consumption and flaring data. Carbon emission coefficients are from Energy Information Administration, *Emissions of Greenhouse Gases in the United States 1996*, DOE/EIA-0573(96), October 1997, Table B1.

Environmental Indicators



Ferruginous hawk, National Environmental Research Park, Idaho National Engineering Laboratory. Source: U.S. Department of Energy.

Figure 12.1 Estimated Emissions of Greenhouse Gases, 1985-1996



 $^{^{1}}$ Carbon dioxide gas can be converted to units of carbon by dividing by 3.667. One ton of carbon = 3.667 tons of carbon dioxide gas.

² Nonmethane volatile organic compounds. Source: Table 12.1.

Table 12.1 Estimated Emissions of Greenhouse Gases, 1985-1996

(Million Metric Tons of Gas)

					Halocarbons a	nd Minor Gases			Criteria Pollutan	ts
Year	Carbon Dioxide ¹	Methane	Nitrous Oxide	CFC-11 CFC-12 CFC-113	HCFC-22	HFC-23 and PFCs	Methyl Chloroform	Carbon Monoxide	Nitrogen Oxides	Nonmethane VOCs
1985	R4,667.7	30.1	0.4	0.3	0.1	(^S)	0.3	R104.9	R21.3	R22.0
986	R4,666.3	29.5	0.4	0.3	0.1	(s)	0.3	R100.2	R21.2	R21.3
1987	R4,819.9	30.3	0.4	0.3	0.1	(s)	0.3	R98.8	R20.7	R21.0
988	R5,044.7	30.8	0.4	0.3	0.1	(s)	0.3	R106.3	R22.2	R21.9
989	R5,091.8	R31.3	0.4	0.3	0.1	(s)	0.3	R94.8	R21.8	R20.3
990	R5,037.1	R31.6	0.4	0.2	0.1	(S)	0.3	R87.6	R21.6	R19.0
991	R4,987.3	R31.6	0.5	0.2	0.1	(s)	0.2	R89.3	R21.6	R19.1
992	R5,059.8	R31.7	0.5	0.2	0.1	(s)	0.2	R86.3	R21.9	R18.8
993	R5,175.9	R30.8	0.5	R _{0.1}	0.1	(S)	0.1	R86.4	R22.2	R19.0
994	R5,256.1	R31.4	0.5	0.1	0.1	(s)	0.1	R90.4	R22.6	R19.5
995	R5,296.9	R30.9	0.5	0.1	0.1	(s)	(^S)	R81.4	R21.7	R18.7
996 ^P	5,484.9	30.9	0.4	0.1	0.1	(S)	(S)	80.6	21.2	17.3

 $^{^{1}}$ Carbon dioxide gas can be converted to units of carbon by dividing by 3.667. One ton of carbon = 3.667 tons of carbon dioxide gas.

Notes: • CFC = chlorofluorocarbons; HCFC = chlorodifluoromethane; HFC = hydrofluorocarbons; PFC = perfluorocarbon; and VOC = volatile organic compound. • Emissions are from anthropogenic sources. Anthropogenic means produced as the result of human activities, including emissions from agricultural activity and domestic livestock. Emissions from natural sources, such as wetlands and

wild animals, are not included.


Web Page: http://www.eia.doe.gov/environment.html.

Sources: Carbon Dioxide, Methane, Nitrous Oxide, and Halocarbons and Minor Gases:


• 1985-1988—Energy Information Administration (EIA), Office of Integrated Analysis and Forecasting estimates. • 1989 forward—EIA, *Emissions of Greenhouse Gases in the United States 1996* (October 1997), Table ES1. **Criteria Pollutants:** 1985 forward—Environmental Protection Agency, *National Air Pollutant Emissions Trends 1990-1996* (December 1997), Tables A-1, A-2, and A-3.

R=Revised. P=Preliminary. (s)=Less than 0.05 million metric tons.

Figure 12.2 Carbon Dioxide Emissions From Energy Consumption by Sector, 1980-1996



By End-Use Sector



 $^{^{1}}$ Tons of carbon can be converted to tons of carbon dioxide gas by multiplying by 3.667. One ton of carbon = 3.667 tons of carbon dioxide gas.

Sources: Tables 8.1 and 12.2.

Table 12.2 Carbon Dioxide Emissions From Energy Consumption by Sector, 1980-1996

(Million Metric Tons of Carbon¹)

Year	Residential	Commercial	Industrial	Transportation	End-Use Total	Electric Utilities ²
1				-		I.
1980	248.4	R178.4	R484.4	378.1	R1,289.3	R418.7
1981	R240.0	R178.4	R463.5	374.1	R1,256.0	R420.9
1982	R237.7	R178.3	R407.4	365.6	R1,189.0	R399.6
1983	R236.2	R180.1	R399.0	366.9	R1,182.3	R410.8
1984	R241.3	R189.0	R436.1	379.0	R1,245.4	R428.4
1985	R246.0	R189.9	R426.1	384.4	R1,246.3	R439.6
1986	R244.2	R190.7	R412.5	399.1	R1,246.5	R436.2
1987	R251.2	R197.4	R427.3	411.1	R1,287.0	R453.4
1988	R265.0	R207.8	R448.6	427.5	R1,348.9	R476.6
1989	R267.6	^R 210.1	R450.4	432.7	R1,360.9	R484.0
1990	R253.1	R206.8	R453.8	432.1	^R 1,345.8	R477.0
1991	R257.2	R206.5	R442.4	424.5	R1,330.6	R473.7
1992	255.9	205.5	R458.8	431.4	^R 1,351.5	472.9
1993	271.6	^R 212.0	R458.2	^R 439.1	^R 1,380.9	R490.3
1994	R268.3	^R 213.8	R467.0	R452.2	^R 1,401.3	R494.0
1995	^R 269.7	^R 218.3	R464.9	^R 458.5	^R 1,411.4	^R 493.7
1996 ^P	286.8	230.3	476.9	469.0	1,463.0	516.8

 $^{^{1}}$ Tons of carbon can be converted to tons of carbon dioxide gas by multiplying by 3.667. One ton of carbon = 3.667 tons of carbon dioxide gas.

Notes: • Includes energy from petroleum, natural gas, and coal. • Totals may not equal sum of


components due to independent rounding.

Web Page: http://www.eia.doe.gov/environment.html.


Sources: • 1980-1988—Energy Information Administration (EIA), Office of Integated Analysis and Forecasting (OIAF) estimates. • 1989 forward—EIA, *Emissions of Greenhouse Gases in the United States* 1996 (October 1997), Table 6.

² Electric utility emissions are distributed across end-use sectors. R=Revised. P=Preliminary.

Figure 12.3 Carbon Dioxide Emissions From Energy Consumption by Sector by Energy Source, 1996



By End-Use Sector and Source



¹ Tons of carbon can be converted to tons of carbon dioxide gas by multiplying by 3.667. One ton of carbon = 3.667 tons of carbon dioxide gas.

² Liquefied petroleum gases.

³ Aviation gasoline, kerosene, and other products.

⁴Coal used in the transportation sector is included in the industrial sector. Note: Because vertical scales differ, graphs should not be compared. Source: Table 12.3.

Table 12.3 Carbon Dioxide Emissions From Energy Consumption by Sector by Energy Source, 1996

(Million Metric Tons of Carbon¹)

Energy Source	Residential	Commercial	Industrial	Transportation	End-Use Total	Electric Utilities	Total
etroleum	27.3	15.3	104.8	457.9	605.3	15.5	620.8
Aviation Gasoline	_	_	_	0.7	0.7	_	0.7
Distillate Fuel	18.5	9.8	22.6	88.2	139.1	² 2.2	141.3
Jet Fuel	_	_	_	62.7	62.7	_	62.7
Kerosene	1.5	0.5	0.4	_	2.4	_	2.4
Liquefied Petroleum Gases	7.2	1.3	13.1	0.6	22.2	_	22.2
Lubricants	_	_	1.7	1.6	3.3	_	3.3
Motor Gasoline	_	0.5	3.8	286.7	291.0	_	291.0
Residual Fuel	_	3.3	7.9	17.3	28.5	³ 12.9	41.4
Other	_	_	55.3	_	55.3	4 0.5	55.8
atural Gas	77.4	47.4	142.8	10.5	278.1	40.3	318.4
oal	1.4	2.1	59.3	(⁵)	62.8	460.9	523.7
ectricity	180.8	165.5	170.0	0.7	516.8	_	_
otal	286.8	230.3	476.9	469.0	1,462.9	⁶ 516.8	1,462.9

 $^{^{1}}$ Tons of carbon can be converted to tons of carbon dioxide gas by multiplying by 3.667. One ton of carbon = 3.667 tons of carbon dioxide gas.

power producers but exclude cogeneration facilities.

- = Not applicable.

Note: Totals may not equal sum of components due to independent rounding. All values are considered preliminary.

Web Page: http://www.eia.doe.gov/environment.html.

Source: Energy Information Administration, *Emissions of Greenhouse Gases in the United States 1996* (October 1997), Tables 5 and 8-12.

² Light fuel oil.


³ Heavy fuel oil.


⁴ Petroleum coke.

⁵ Included in the industrial sector.


⁶ Electric utility emissions are distributed across end-use sectors. Electric utilities include independent

Figure 12.4 Methane Emissions






Energy Sources by Type, 1985-1996



Agricultural Sources by Type, 1985-1996



Source: Table 12.4.

¹ Includes area source methane emissions from wastewater treatment. Note: Because vertical scales differ, graphs should not be compared.

Table 12.4 Methane Emissions, 1985-1996

(Million Metric Tons of Methane)

	Energy Sources					Area Sources		Ą	gricultural Sou	rces			
Year	Crude Oil and Natural Gas	Coal Mining	Transportation	Stationary Combustion	Total	Landfills	Ruminant Animals	Animal Waste	Rice Paddies	Crop Residue Burning	Total	Industrial Processes	Total ¹
1985	6.26	R3.88	0.33	R0.84	R11.31	R10.58	5.27	2.64	0.36	0.14	8.41	0.11	R30.55
1986	6.22	R3.73	0.32	R _{0.82}	R11.09	R10.61	5.13	2.39	0.34	0.13	7.99	0.10	R29.94
1987	6.37	R4.01	0.31	R0.81	R11.50	R10.81	5.08	2.63	0.33	0.12	8.16	0.11	R30.73
1988	6.47	R4.24	0.30	R0.84	R11.85	R10.89	5.10	2.64	0.41	0.10	8.24	0.12	R31.26
1989	6.48	R4.31	0.29	R0.87	R11.95	R10.89	5.08	2.60	0.38	0.12	8.18	0.12	R31.29
1990	6.59	R4.63	0.27	R _{0.57}	R12.07	R10.96	5.13	2.63	0.40	0.13	8.29	0.12	R31.59
1991	6.73	R4.38	0.26	R0.60	R11.97	R10.85	5.31	2.73	0.39	0.12	8.55	0.11	R31.63
1992	6.78	R4.28	0.26	R _{0.63}	^R 11.96	R10.74	5.39	2.81	0.44	0.14	8.77	0.12	R31.74
1993	6.78	R3.50	^R 0.25	^R 0.55	R11.08	R10.68	5.46	2.81	0.40	0.11	8.79	0.12	R30.82
1994	R6.73	R3.90	0.24	R _{0.54}	11.42	R10.57	5.62	2.88	0.46	0.15	9.11	0.13	R31.38
1995	R6.32	R3.98	R _{0.25}	^R 0.59	^R 11.15	^R 10.45	^R 5.61	^R 2.88	0.43	0.12	^R 9.05	0.13	R30.93
1996 ^P	6.80	3.93	0.25	0.59	11.57	10.28	5.46	2.76	0.40	0.14	8.75	0.13	30.90

¹ Includes area source methane emissions from wastewater treatment. R=Revised. P=Preliminary.

Notes: • Emissions are from anthropogenic sources. Anthropogenic means produced as the result of human activities, including emissions from agricultural activity and domestic livestock. Emissions from natural sources, such as wetlands and wild animals, are not included. • Estimates of methane emissions are, in general, highly uncertain. The level of precision is probably on the order of 30 to 50 percent. For additional information, see "Appendix C, "Uncertainty in Emission Estimates" in the source report, page 110. • Ruminant animals, such as cattle, buffalo, sheep, goats, and camels, emit methane as a product of


the digestive process. • Under certain conditions, methane may be produced via anaerobic decomposition of organic materials in landfills, animal wastes, and rice paddies. • Totals may not equal sum of components due to independent rounding.

Web Page: http://www.eia.doe.gov/environment.html.

Sources: • 1985-1988—Energy Information Administration (EIA), Office of Integrated Analysis and Forecasting estimates. • 1989 forward—EIA, *Emissions of Greenhouse Gases in the United States 1996* (October 1997), Table 16.

Figure 12.5 Emissions From Electric Generating Units

Emissions by Type of Generating Unit, 1996



¹ Plants fired by light oil, methane, coal-oil mixture, propane gas, blast furnace gas, wood, and refuse.

(s)=Less than 0.05 million short tons.

Note: Because horizontal and vertical scales differ, graphs should not be compared.

Source: Table 12.5.

 $^{^2}$ Carbon dioxide gas can be converted to units of carbon by dividing by 3.667. One ton of carbon = 3.667 tons of carbon dioxide gas. Short tons can be converted to metric tons by dividing by 1.102.

Table 12.5 Emissions From Electric Generating Units, 1989-1996

(Thousand Short Tons of Gas)

		Coal Fired		Pe	etroleum Fire	d		Gas Fired			Other ¹			Total	
Year	Carbon Dioxide ²	Sulfur Dioxide	Nitrogen Oxides	Carbon Dioxide ²	Sulfur Dioxide	Nitrogen Oxides	Carbon Dioxide ²	Sulfur Dioxide	Nitrogen Oxides	Carbon Dioxide ²	Sulfur Dioxide	Nitrogen Oxides	Carbon Dioxide ²	Sulfur Dioxide	Nitrogen Oxides
							E	Electric Utilitie	s	•					
1989	1,651,810	15,200	6,895	141,858	830	298	161,051	1	644	4,397	3	8	1,959,117	16,034	7,845
1990	1,655,343	14,975	6,726	106,652	671	222	158,227	1	614	4,834	5	9	1,925,056	15,651	7,570
1991	1,653,114	14,843	6,652	101,666	685	212	159,816	1	607	3,206	3	3	1,917,802	15,532	7,473
1992	1,668,404	14,647	6,519	81.026	573	160	160,296	1	547	4,509	4	7	1,914,235	15,226	7,234
1993	1,738,068	14,385	6,726	86,173	647	171	154,141	1	526	3,754	4	4	1,982,136	15,036	7,426
1994	1,737,512	13,844	6,520	79,299	556	149	168,314	1	562	2,758	2	3	1,987,883	14,403	7,233
1995	1,753,836	11,260	6,514	54,929	345	102	179,631	1	614	2,295	2	2	1,990,691	11,608	7,233
1996	1,851,874	11,831	6,869	60,589	396	110	154,484	1	538	2,552	2	2	2,069,500	12,230	7,519
							Nonuti	lity Power Pro	ducers						
1989	72,360	548	282	14,884	90	36	142,974	1	531	114,944	27	89	345,162	665	938
1990	71,957	740	280	17,408	193	40	158,355	1	577	150,930	230	113	398,651	1,164	1,011
1991	83,461	661	323	18,704	160	44	174,315	1	617	164,794	281	116	441,274	1,102	1,100
1992	91,833	R668	367	23,510	254	56	204,158	1	704	R179,943	R288	R127	R499,444	R1,211	R1,254
1993	97,281	R709	395	27,304	266	62	219,859	1	749	R185,343	R296	R132	R529,787	R1,272	R1,337
1994	102,914	R797	R413	33,612	327	73	232,485	1	763	R194,879	R301	R133	R563,889	R1,425	R1,382
1995	R99,500	R689	R404	R29,287	R305	^R 65	R232,808	R1	R839	R185,514	R283	R136	R547,110	R1,278	R1,444
1996 ^P	105,508	788	422	31,445	410	71	248,891	1	904	207,676	319	148	593,520	1,518	1,545
								Total							
1989	1,724,171	15,748	7,177	156,742	920	334	304,025	2	1,175	119,341	30	97	2,304,278	16,699	8,783
1990	1,727,300	15,714	7,006	124,060	864	262	316,583	2	1,191	155,764	235	122	2,323,707	16,815	8,581
1991	1,736,575	15,504	6,974	120,370	845	256	334,131	2	1,224	168,000	284	120	2,359,077	16,634	8,573
1992	1,760,237	R _{15,315}	6,886	104,537	827	216	364,454	2	1,251	R184,451	R292	R135	R2,413,679	R16,436	R8,488
1993	1,835,349	R15,094	7,121	113,478	913	233	374,000	2	1,275	R189,097	R300	R135	R2,511,923	R16,308	R8,764
1994	1,840,426	R14,641	R6,932	112,911	882	222	400,799	_2	1,325	R197,637	R303	R135	R2,551,772	R15,828	R8,615
1995	R1,853,336	R11,949	^R 6,918	R84,216	R650	R167	R412,439	R ₂	R1,453	R187,810	R285	R138	R2,537,801	R12,886	R8,677
1996 ^P	1,957,383	12,619	7,291	92,034	806	181	403,374	2	1,442	210,228	321	150	2,663,019	13,749	9,064

¹ Plants fired by light oil, methane, coal-oil mixture, propane gas, blast furnace gas, wood, and refuse.


Notes: • Historical data are revised to reflect changed emission factors for the calculation of carbon dioxide and sulfur dioxide and reductions from nitrogen oxides control technologies. See Technical Notes in the *Electric Power Annual 1992* Volume II (December 1996) for additional information. • Electric Utility emissions are based on fuel consumption data reported on Form EIA-767, "Steam-Electric Plant Operation

and Design Report," for steam-electric generating units of 10 megawatts or larger and from data reported on Form EIA-759, "Monthly Power Plant Report" for steam-electric plants below 10 megawatts and for primemovers. Nonutility emissions are from data reported on Form EIA-867, "Annual Nonutility Power Producer Report," (1 megawatt and above).

Sources: Electric Utilities: EIA, Form EIA-767, "Steam-Electric Plant Operation and Design Report," and Form EIA-759, "Monthly Power Plant Report." Nonutilty Power Producers: EIA, Form EIA-867, "Annual Nonutility Power Producer Report." Total: Sum of Electric Utilities and Nonutility Power Producers.

² Carbon dioxide gas can be converted to units of carbon by dividing by 3.667. One ton of carbon = 3.667 tons of carbon dioxide gas. Short tons can be converted to metric tons by dividing by 1.102. R=Revised. P=Preliminary.

Figure 12.6 Installed Nameplate Capacity of Steam-Electric Generators for Electric Utility Plants With Environmental Equipment



Note: Because vertical scales differ, graphs should not be compared.

Table 12.6 Installed Nameplate Capacity of Steam-Electric Generators for Electric Utility Plants With Environmental Equipment, 1985-1996

(Megawatts)

	Coal Fired					Petroleum and Gas Fired				Total				
Year	Particulate Collectors	Cooling Towers	Scrubbers	Total ¹	Particulate Collectors	Cooling Towers	Scrubbers	Total ¹	Particulate Collectors	Cooling Towers	Scrubbers	Total ¹		
1985	302,056	120,591	56,955	304,706	36,054	28,895	65	62,371	338,110	149,486	57,020	367,078		
1986	308,566	126,731	63,735	311,217	34,258	27,919	65	59,618	342,825	154,650	63,800	370,835		
987	311,043	127,875	65,688	312,885	33,431	27,912	65	58,783	344,474	155,786	65,753	371,668		
988	311,776	129,366	67,156	313,618	34,063	27,434	65	58,937	345,839	156,800	67,221	372,555		
989	313,708	131,697	67,506	315,549	33,975	28,386	65	59,736	347,655	160,087	67,534	375,257		
990	315,681	134,199	69,057	317,522	33,639	28,359	65	59,372	349,319	162,557	69,122	376,894		
991	319,127	136,270	70,294	319,189	33,864	29,067	260	59,773	352,990	165,337	70,554	378,963		
992	320,016	136,542	71,157	320,078	33,509	28,764	195	59,116	353,525	165,306	71,351	379,194		
993	318,830	136,028	70,890	318,893	32,620	28,922	0	58,580	351,451	164,951	70,890	377,473		
994	319,309	137,266	80,617	319,600	31,695	28,186	0	57,123	351,004	165,452	80,617	376,723		
995	320,268	137,825	84,260	320,467	30,513	27,187	0	54,942	350,780	165,012	84,260	375,408		
996	321,721	139,065	86,359	321,785	30,349	27,685	0	55,275	352,070	166,749	86,359	377,060		

¹ Components are not additive because some generators are included in more than one category. Notes: • Historical data are revised to include emissions from other fuels (including light oil, methane, coal-oil mixture, propane gas, blast furnace gas, wood, and refuse); to incorporate reevaluation and

coal-oil mixture, propane gas, blast furnace gas, wood, and refuse); to incorporate reevaluation and resubmission of data by respondents to The Clean Air Act Amendments of 1990; and to reflect revisions to the methodology used to estimate emissions. • All data are preliminary and may be revised in future publications. • Data cover only plants with fossil-fueled steam-electric capacity of 100 megawatts or greater.

Web Page: http://www.eia.doe.gov/fuelelectric.html.

Sources: Coal Fired and Petroleum and Gas Fired: • 1985-1993—Energy Information Administration (EIA), Form EIA-767, "Steam-Electric Plant Operation and Design Report." • 1994—EIA, Electric Power Annual 1994, Volume II (November 1995), Tables 26 and 27. Total: • 1985 and 1989—EIA, Form EIA-767, "Steam-Electric Plant Operation and Design Report." • 1990 forward—EIA, Electric Power Annual 1996, Volume II (February 1998), Table 23.

Appendix A

Thermal Conversion Factors

Using Thermal Conversion Factors

The thermal conversion factors presented in the following seven tables can be used to estimate the heat content in British thermal units (Btu) of a given amount of energy measured in physical units, such as barrels or cubic feet. For example, 10 barrels of asphalt has a heat content of approximately 66.36 million Btu (10 barrels x 6.636 million Btu per barrel = 66.36 million Btu).

In general, the annual thermal conversion factors presented in Tables A2 through A7 are computed from final annual data. However, if the current year's final data are not available in time for publication, thermal conversion factors for the current year are computed from the best available data and are labeled "preliminary." Usually, the previous year's factor is used as the preliminary value until data become available to calculate the factor appropriate to the year. The source of each factor is described in the section entitled "Thermal Conversion Factor Source Documentation," which follows Table A7 in this appendix.

Thermal conversion factors for hydrocarbon mixes are weighted averages of the thermal conversion factors for each hydrocarbon included in the mix. For example, in calculating the thermal conversion factor for a 60-40 butane-propane mixture, the thermal conversion factor for butane is weighted 1.5 times more heavily than the thermal conversion factor for propane.

More information about British thermal units (the standardized unit of measure for energy) can be found in the Glossary.

Table A1. Approximate Heat Content of Petroleum Products (Million Btu per Barrel)

Energy Source	Heat Content
Asphalt	6.636
Aviation Gasoline	5.048
Butane	4.326
Butane-Propane Mixture (60 percent-40 percent)	4.130
Distillate Fuel Oil	
Ethane	3.082
Ethane-Propane Mixture (70 percent-30 percent)	3.308
Isobutane	
Jet Fuel, Kerosene-Type	5.670
Jet Fuel, Naphtha-Type	5.355
Kerosene	5.670
Lubricants	
Motor Gasoline	
Natural Gasoline	4.620
Pentanes Plus	4.620
Petrochemical Feedstocks	
Naphtha less than 401° F	5.248
Other Oils equal to or greater than 401° F	
Still Gas	6.000
Petroleum Coke	
Plant Condensate	
Propane	3.836
Residual Fuel Oil	
Road Oil	6.636
Special Naphthas	
Still Gas	6.000
Unfinished Oils	
Unfractionated Stream	
Waxes	5.537
Miscellaneous	5.796

Table A2. Approximate Heat Content of Crude Oil, Crude Oil and Products, and Natural Gas Plant Liquids, 1949-1997 (Million Btu per Barrel)

		Crude Oil Only		Crude Oil a	Natural Gas	
Year	Production	Imports	Exports	Imports	Exports	Plant Liquids Production
949	5.800	5.952	5.800	6.059	5.692	4.544
950	5.800	5.943	5.800	6.080	5.766	4.522
951	5.800	5.938	5.800	6.075	5.762	4.495
952	5.800	5.938	5.800	6.067	5.774	4.464
953	5.800	5.924	5.800	6.052	5.742	4.450
954	5.800	5.931	5.800	6.052	5.745	4.415
955	5.800	5.924	5.800	6.040	5.768	4.406
956	5.800	5.916	5.800	6.024	5.754	4.382
957	5.800	5.918	5.800	6.023	5.780	4.369
958	5.800	5.916	5.800	5.993	5.779	4.366
959	5.800	5.916	5.800	6.020	5.829	4.311
960	5.800	5.911	5.800	6.021	5.834	4.295
961	5.800	5.900	5.800	5.991	5.832	4.283
962	5.800	5.890	5.800	6.004	5.841	4.273
963	5.800	5.894	5.800	6.002	5.840	4.264
964	5.800	5.882	5.800	5.998	5.844	4.268
965	5.800	5.872	5.800	5.997	5.743	4.264
966	5.800	5.863	5.800	5.993	5.729	4.259
967	5.800	5.838	5.800	5.999	5.777	4.232
968	5.800	5.836	5.800	5.977	5.763	4.218
969	5.800	5.825	5.800	5.974	5.714	4.170
970	5.800	5.822	5.800	5.985	5.810	4.146
971	5.800	5.824	5.800	5.961	5.775	4.117
972	5.800	5.809	5.800	5.935	5.741	4.070
973	5.800	5.817	5.800	5.897	5.752	4.049
974	5.800	5.827	5.800	5.884	5.774	4.011
975	5.800	5.821	5.800	5.858	5.748	3.984
976	5.800	5.808	5.800	5.856	5.745	3.964
977	5.800	5.810	5.800	5.834	5.797	3.941
978	5.800	5.802	5.800	5.839	5.808	3.925
979	5.800	5.810	5.800	5.810	5.832	3.955
980	5.800	5.812	5.800	5.796	5.820	3.914
981	5.800	5.818	5.800	5.775	5.821	3.930
982	5.800	5.826	5.800	5.775	5.820	3.872
983	5.800	5.825	5.800	5.774	5.800	3.839
984	5.800	5.823	5.800	5.745	5.850	3.812
985	5.800	5.832	5.800	5.736	5.814	3.815
986	5.800	5.903	5.800	5.808	5.832	3.797
987	5.800	5.901	5.800	5.820	5.858	3.804
988	5.800	5.900	5.800	5.820	5.840	3.800
989	5.800	5.906	5.800	5.833	5.857	3.826
990	5.800	5.934	5.800	5.849	5.833	3.822
991	5.800	5.948	5.800	5.873	5.823	3.807
992	5.800	5.953	5.800	5.877	5.777	3.804
993	5.800	5.954	5.800	5.883	5.779	3.801
994	5.800	5.950	5.800	5.861	5.781	3.794
995	5.800	5.924	5.800	5.849	5.751	3.796
996	5.800	R5.935	5.800	5.843	5.745	3.777
997 ^P	5.800	5.956	5.800	5.867	5.734	3.771

R=Revised. P=Preliminary.

Note: Crude oil includes lease condensate.

Table A3. Approximate Heat Content of Petroleum Product Weighted Averages, 1949-1997

(Million Btu per Barrel)

			Consumption					Liquefied
Year	Residential and Commercial	Industrial	Transportation	Electric Utilities	Total	Imports	Exports	Petroleum Gases Consumption
0.40	5.004	5.047	5.405	0.054	5.040	0.004	5.054	4.044
949	5.631	5.947	5.465	6.254	5.649	6.261	5.651	4.011
950	5.626	5.940	5.461	6.254	5.649	6.263	5.751	4.011
951	5.626	5.913	5.458	6.254	5.634	6.265	5.753	4.011
952	5.621	5.905	5.442	6.254	5.621	6.261	5.768	4.011
953	5.606	5.897	5.426	6.254	5.608	6.268	5.732	4.011
954	5.603	5.883	5.412	6.254	5.595	6.252	5.738	4.011
955	5.607	5.866	5.408	6.254	5.591	6.234	5.765	4.011
956	5.601	5.856	5.406	6.254	5.585	6.225	5.744	4.011
957	5.587	5.842	5.405	6.254	5.577	6.219	5.774	4.011
958	5.582	5.832	5.393	6.254	5.567	6.091	5.778	4.011
959	5.549	5.811	5.389	6.254	5.557	6.142	5.830	4.011
960	5.570	5.800	5.388	6.267	5.555	6.161	5.835	4.011
961	5.570	5.795	5.386	6.268	5.552	6.102	5.833	4.011
962	5.555	5.784	5.386	6.267	5.545	6.138	5.842	4.011
963	5.532	5.759	5.384	6.266	5.534	6.126	5.841	4.011
964	5.517	5.728	5.388	6.267	5.528	6.129	5.845	4.011
965	5.535	5.728	5.387	6.267	5.532	6.123	5.742	4.011
966	5.523	5.722	5.388	6.266	5.532	6.112	5.728	4.011
67	5.473	5.682	5.391	6.266	5.515	6.128	5.758	3.838
68	5.450	5.646	5.394	6.263	5.504	6.095	5.762	3.818
69	5.399	5.603	5.394	6.259	5.492	6.093	5.713	3.805
70	5.404	5.604	5.393	6.252	5.503	6.088	5.811	3.779
71	5.392	5.600	5.389	6.245	5.504	6.062	5.775	3.772
972	5.368	5.564	5.388	6.233	5.500	6.045	5.741	3.760
973	5.387	5.568	5.395	6.245	5.515	5.983	5.752	3.746
974	5.377	5.538	5.394	6.238	5.504	5.959	5.773	3.730
975	5.358	5.528	5.392	6.250	5.494	5.935	5.747	3.715
976	5.383	5.538	5.395	6.251	5.504	5.980	5.743	3.713
977	5.389	5.555	5.400	6.249	5.518	5.908	5.796	3.677
78	5.382	5.553	5.404	6.251	5.519	5.955	5.814	3.669
976 979	5.471	5.418	5.428	6.258	5.494	5.811	5.864	3.680
979 980		5.376	5.428 5.440	6.254	5.494 5.479	5.748		3.674
	5.468						5.841	
981	5.409	5.313	5.432	6.258	5.448	5.659	5.837	3.643
82	5.392	5.263	5.422	6.258	5.415	5.664	5.829	3.615
183	5.286	5.273	5.415	6.255	5.406	5.677	5.800	3.614
84	5.384	5.223	5.422	6.251	5.395	5.613	5.867	3.599
985	5.326	5.221	5.423	6.247	5.387	5.572	5.819	3.603
986	5.357	5.286	5.427	6.257	5.418	5.624	5.839	3.640
87	5.316	5.253	5.430	6.249	5.403	5.599	5.860	3.659
88	5.320	5.248	5.434	6.250	5.410	5.618	5.842	3.652
989	5.257	5.233	5.440	6.241	5.410	5.641	5.869	3.683
990	5.208	5.272	5.445	6.247	5.411	5.614	5.838	3.625
991	5.163	5.192	5.442	6.248	5.384	5.636	5.827	3.614
992	5.169	5.188	5.445	6.243	5.378	5.623	5.774	3.624
93	5.148	5.200	5.438	6.241	5.379	5.620	5.777	3.606
994	5.154	5.171	5.442	6.231	5.371	5.538	5.779	3.635
95	^R 5.126	R5.141	R5.444	6.210	5.358	5.511	5.746	3.623
96	^R 5.114	R5.119	R5.446	R6.212	5.352	^R 5.495	5.738	3.613
997 ^P	5.111	5.132	5.442	6.212	5.354	5.493	5.726	3.613

R=Revised. P=Preliminary.

Note: Weighted averages of the products included in each category are calculated by using heat content values shown in Table A1.

Table A4. Approximate Heat Content of Natural Gas, 1949-1997

(Btu per Cubic Foot)

		luction		Consumption			
Year	Dry	Marketed (Wet)	Sectors Other Than Electric Utilities	Electric Utilities	Total	Imports	Exports
949	1,035	1,120	1,035	1,035	1,035		1,035
949 950		1,120	1,035	1,035	1,035	_	
950	1,035 1,035		1,035	1,035	1,035		1,035 1,035
951 952	1,035	1,114 1,115	1,035		1,035		1,035
952 953	1,035	1,116	1,035	1,035 1,035	1,035	1,035 1,035	1,035
953 954		1,116		1,035	1,035		
954 955	1,035 1,035	1,120	1,035 1,035	1,035	1,035	1,035 1,035	1,035 1,035
956 956	1,035	1,116	1,035	1,035	1,035	1,035	1,035
956 957	1,035	1,116	1,035	1,035	1,035	1,035	1,035
95 <i>1</i> 958	1,035	1,110	1,035		1,035		1,035
	1,035		1,035	1,035 1,035	1,035	1,035	1,035
959 960		1,109				1,035	
960 961	1,035 1,035	1,107 1,108	1,035 1,035	1,035 1,035	1,035 1,035	1,035 1,035	1,035 1,035
961 962	1,035	1,108	1,035	1,035	1,035	1,035	1,035
			1,035	1,035	1,035		
963	1,031	1,103				1,031	1,031
964 965	1,032	1,102	1,032	1,032 1,032	1,032 1,032	1,032	1,032
966 966	1,032	1,101	1,032			1,032	1,032
	1,033 1,032	1,103	1,033 1,032	1,033 1,032	1,033 1,032	1,033	1,033 1,032
967	1,032	1,105	1,032	1,032	1,032	1,032	
968		1,115	1,031	1,031	1,031	1,031	1,031
969 970	1,031 1,031	1,103	1,031	1,031	1,031	1,031	1,031 1,031
970 971	1,031	1,102 1,103	1,031	1,031	1,031	1,031 1,031	1,031
971	1,031		1,031	1,031	1,031	1,031	1,027
		1,100		1,027			
973	1,021	1,093	1,020		1,021	1,026	1,023
974	1,024	1,097	1,024	1,022	1,024	1,027	1,016
975	1,021	1,095	1,020	1,026	1,021	1,026	1,014
976	1,020	1,093	1,019	1,023	1,020	1,025	1,013
977	1,021	1,093	1,019	1,029	1,021	1,026	1,013
978	1,019	1,088	1,016	1,034	1,019	1,030	1,013
979	1,021	1,092	1,018	1,035	1,021	1,037	1,013
980	1,026	1,098	1,024	1,035	1,026	1,022	1,013
981	1,027	1,103	1,025	1,035	1,027	1,014	1,011
982	1,028	1,107	1,026	1,036	1,028	1,018	1,011
983	1,031	1,115	1,031	1,030	1,031	1,024	1,010
984 985	1,031	1,109	1,030	1,035	1,031	1,005	1,010
	1,032	1,112	1,031	1,038	1,032	1,002	1,011
986	1,030	1,110	1,029	1,034	1,030	997	1,008
987	1,031	1,112	1,031	1,032	1,031	999	1,011
88	1,029	1,109	1,029	1,028	1,029	1,002	1,018
989	1,031	1,107	1,031 1,030	1,030 1,034	1,031 1,031	1,004	1,019
90	1,031	1,106				1,012	1,018
991	1,030	1,108	1,031	1,024	1,030	1,014	1,022
992	1,030	1,110	1,031	1,022	1,030	1,011	1,018
993	1,027	1,106	1,028	1,022	1,027	1,020	1,016
994	1,028	1,105	1,029	1,022	1,028	1,022	1,011
995	1,027	1,106	1,027	1,025	1,027	1,021	1,011
996	1,027	R1,109 1,109	1,027 1,027	^R 1,024 1,024	1,027 1,027	R1,022 1,022	1,011 1,011

R=Revised. P=Preliminary. — = Not applicable.

Table A5. Approximate Heat Content of Coal and Coal Coke, 1949-1997

(Million Btu per Short Ton)

	Coal													
				Consumption										
Year	Production	Residential and Commercial	Coke Plants	Other Industries ¹	Electric Utilities	Total	Imports	Exports	Imports and Exports					
1949	24.916	24.263	26.797	24.612	23.761	24.793	25.000	26.759	24.800					
1950	25.090	24.461	26.798	24.820	23.937	24.989	25.020	26.788	24.800					
1951	25.019	24.281	26.796	24.521	23.701	24.813	25.034	26.848	24.800					
1952	25.096	24.371	26.796	24.724	23.885	24.901	25.040	26.859	24.800					
1953	25.147	24.383	26.796	24.785	23.964	25.006	25.048	26.881	24.800					
1954	25.054	24.362	26.795	24.788	23.996	24.913	25.012	26.865	24.800					
1955	25.201	24.373	26.794	24.821	24.056	24.982	25.000	26.907	24.800					
1956	25.117	24.195	26.792	24.664	23.943	24.843	25.000	26.886	24.800					
1957	25.213	24.238	26.792	24.707	23.980	24.905	25.001	26.914	24.800					
1958	24.983	24.287	26.794	24.606	23.897	24.716	25.005	26.931	24.800					
1959	24.910	24.224	26.790	24.609	23.924	24.719	25.003	26.927	24.800					
1960	24.906	24.226	26.791	24.609	23.927	24.713	25.003	26.939	24.800					
1961	24.849	24.248	26.792	24.580	23.904	24.653	25.002	26.937	24.800					
1962	24.828	24.173	26.788	24.562	23.911	24.627	25.013	26.928	24.800					
1963	24.831	24.173	26.784	24.502	23.897	24.588	25.007	26.894	24.800					
1964	24.840	24.037	26.785	24.477	23.864	24.602	25.007	26.949	24.800					
1965	24.775	24.028	26.787	24.385	23.780	24.537	25.000	26.973	24.800					
1966	24.629	23.915	26.786	24.226	23.648	24.396	25.000	26.976	24.800					
	24.629													
1967		23.685	26.781	24.040	23.506	24.243	25.000	26.981	24.800					
1968	24.445	23.621	26.780	24.014	23.486	24.186	25.000	26.984	24.800					
1969	24.280	23.474	26.779	23.724	23.240	23.976	25.000	26.982	24.800					
1970	23.842	23.203	26.784	22.983	22.573	23.440	25.000	26.982	24.800					
1971	23.507	23.090	26.784	22.670	22.301	23.124	25.000	26.981	24.800					
1972	23.389	22.998	26.782	22.550	22.204	23.036	25.000	26.979	24.800					
1973	23.376	22.831	26.780	22.586	22.246	23.057	25.000	26.596	24.800					
1974	23.072	22.479	26.778	22.419	21.781	22.677	25.000	26.700	24.800					
1975	22.897	22.261	26.782	22.436	21.642	22.506	25.000	26.562	24.800					
1976	22.855	22.774	26.781	22.530	21.679	22.498	25.000	26.601	24.800					
1977	22.597	22.919	26.787	22.322	21.508	22.265	25.000	26.548	24.800					
1978	22.248	22.466	26.789	22.207	21.275	22.017	25.000	26.478	24.800					
1979	22.454	22.242	26.788	22.452	21.364	22.100	25.000	26.548	24.800					
1980	22.415	22.543	26.790	22.690	21.295	21.947	25.000	26.384	24.800					
1981	22.308	22.474	26.794	22.585	21.085	21.713	25.000	26.160	24.800					
1982	22.239	22.695	26.797	22.712	21.194	21.674	25.000	26.223	24.800					
1983	22.052	22.775	26.798	22.691	21.133	21.576	25.000	26.291	24.800					
1984	22.010	22.844	26.799	22.543	21.101	21.573	25.000	26.402	24.800					
1985	21.870	22.646	26.798	22.020	20.959	21.366	25.000	26.307	24.800					
1986	21.913	22.947	26.798	22.198	21.084	21.462	25.000	26.292	24.800					
1987	21.922	23.404	26.799	22.381	21.136	21.517	25.000	26.291	24.800					
1988	21.823	23.571	26.799	22.360	20.900	21.328	25.000	26.299	24.800					
1989	21.765	23.650	26.800	22.347	20.848	21.272	25.000	26.160	24.800					
1990	21.822	23.137	26.799	22.457	20.929	21.331	25.000	26.202	24.800					
1990	21.681	23.137				21.146		26.202	24.800					
			26.799	22.460	20.755		25.000							
1992	21.646	23.105	26.799	22.250	20.787	21.143	25.000	26.161	24.800					
1993	21.388	22.994	26.800	22.123	20.639	20.983	25.000	26.335	24.800					
1994	21.352	23.112	26.800	22.068	20.673	21.010	25.000	26.329	24.800					
1995	21.277	23.118	26.800	21.950	20.495	20.845	25.000	26.180	24.800					
1996	R21.287	R23.011	26.800	R22.105	R20.525	R20.856	25.000	R26.174	24.800					
1997 ^P	21.287	23.011	26.800	22.105	20.525	20.856	25.000	26.174	24.800					

¹ Includes transportation. R=Revised. P=Preliminary.

Table A6. Approximate Heat Content of Coal by Type, 1949-1997

(Million Btu per Short Ton)

			E	Bituminous Coal	¹ and Lignite						Anthracite		
				Consumption							Consumption		
Year	Production	Residential and Commercial	Coke Plants	Other Industry ²	Electric Utilities	Total	Imports	Exports	Production	Sectors Other Than Electric Utilities	Electric Utilities	Total	Imports and Exports
949	24.965	24.044	26.800	24.601	24.022	24.836	25.000	27.000	24.421	24.954	17.500	24.291	25.400
950	25.126	24.162	26.800	24.804	24.200	25.024	25.000	27.000	24.667	25.297	17.500	24.592	25.400
951	25.065	23.988	26.800	24.503	23.936	24.854	25.000	27.000	24.439	25.082	17.500	24.289	25.400
952	25.157	24.108	26.800	24.711	24.118	24.955	25.000	27.000	24.400	25.063	17.500	24.257	25.400
953	25.207	24.143	26.800	24.773	24.172	25.062	25.000	27.000	24.264	25.132	17.500	24.147	25.400
954	25.115	24.144	26.800	24.775	24.174	24.971	25.000	27.000	24.234	25.015	17.500	24.130	25.400
955	25.258	24.166	26.800	24.811	24.206	25.034	25.000	27.000	24.194	25.084	17.500	24.053	25.400
956	25.187	24.082	26.800	24.668	24.080	24.913	25.000	27.000	23.899	24.548	17.500	23.580	25.400
957	25.286	24.108	26.800	24.711	24.118	24.979	25.000	27.000	23.785	24.587	17.500	23.441	25.400
958	25.031	24.039	26.800	24.592	24.014	24.758	25.000	27.000	24.059	25.003	17.500	23.903	25.400
959	24.965	24.047	26.800	24.606	24.026	24.773	25.000	27.000	23.817	24.666	17.500	23.664	25.400
960	24.960	24.054	26.800	24.604	24.029	24.765	25.000	27.000	23.717	24.721	17.500	23.592	25.400
961	24.892	24.034	26.800	24.569	23.993	24.693	25.000	27.000	23.854	24.870	17.500	23.707	25.400
962	24.869	24.027	26.800	24.558	23.988	24.668	25.000	27.000	23.811	24.666	17.500	23.515	25.400
963	24.879	24.007	26.800	24.524	23.962	24.639	25.000	27.000	23.633	24.110	17.500	23.107	25.400
964	24.887	23.988	26.800	24.490	23.928	24.652	25.000	27.000	23.507	24.164	17.500	23.128	25.400
965	24.813	23.928	26.800	24.387	23.836	24.575	25.000	27.000	23.471	24.316	17.500	23.175	25.400
966	24.664	23.836	26.800	24.227	23.699	24.431	25.000	27.000	23.202	24.193	17.500	22.906	25.400
967	24.516	23.737	26.800	24.056	23.554	24.287	25.000	27.000	22.655	23.506	17.500	22.291	25.400
968	24.487	23.724	26.800	24.034	23.531	24.229	25.000	27.000	22.426	23.293	17.500	22.037	25.400
969	24.313	23.553	26.800	23.737	23.274	24.011	25.000	27.000	22.543	23.200	17.500	22.003	25.400
970		23.111	26.800	22.973	22.603	23.461	25.000	27.000	22.603		17.500		25.400
	23.862									23.476		22.102	
971	23.519	22.927	26.800	22.653	22.325	23.138	25.000	27.000	22.718	23.572	17.500	22.210	25.400
972	23.400	22.861	26.800	22.539	22.225	23.050	25.000	27.000	22.422	23.403	17.500	21.822	25.400
973	23.391	22.887	26.800	22.585	22.262	23.073	25.000	26.612	22.132	22.674	17.920	21.464	25.400
974	23.087	22.523	26.800	22.420	21.799	22.694	25.000	26.716	21.711	22.330	17.200	20.919	25.400
975	22.910	22.258	26.800	22.439	21.659	22.522	25.000	26.573	21.582	22.272	17.064	20.762	25.400
976	22.863	22.819	26.800	22.528	21.692	22.509	25.000	26.613	22.045	22.618	17.526	21.254	25.400
977	22.597	22.594	26.800	22.290	21.521	22.266	25.000	26.561	22.661	24.101	17.244	22.066	25.400
978	22.242	22.078	26.800	22.175	21.284	22.014	25.000	26.501	23.079	24.388	17.104	22.398	25.400
979	22.449	21.884	26.800	22.436	21.372	22.100	25.000	26.570	23.170	24.272	17.454	22.069	25.400
980	22.411	22.488	26.800	22.690	21.301	21.950	25.000	26.404	22.869	22.719	17.652	21.405	25.400
981	22.301	22.010	26.800	22.572	21.091	21.710	25.000	26.176	23.291	23.749	18.168	22.080	25.400
982	22.233	22.226	26.800	22.695	21.200	21.670	25.000	26.231	23.289	24.578	18.160	22.518	25.400
983	22.048	22.438	26.800	22.680	21.141	21.576	25.000	26.300	22.734	24.536	16.516	21.583	25.400
984	22.005	22.406	26.800	22.525	21.108	21.570	25.000	26.410	23.107	25.128	17.018	22.322	25.400
985	21.867	22.568	26.800	22.013	20.965	21.368	25.000	26.320	22.428	23.031	16.784	20.817	25.400
986	21.908	22.669	26.800	22.185	21.091	21.462	25.000	26.308	23.084	24.399	15.578	21.512	25.400
987	21.918	22.800	26.800	22.360	21.143	21.514	25.000	26.304	23.108	26.293	15.962	22.435	25.400
988	21.817	23.135	26.800	22.341	20.905	21.324	25.000	26.308	23.266	26.021	17.312	22.423	25.400
988 989	21.759	23.135	26.800	22.341	20.905	21.324	25.000	26.308	23.266	27.196	16.312	22.423	25.400
			26.800		20.854						16.310		
990	21.819	22.678		22.444		21.330	25.000	26.207	22.574	25.199		21.668	25.400
991	21.678	22.635	26.800	22.448	20.761	21.146	25.000	26.192	22.573	25.268	15.858	21.410	25.400
992	21.643	22.768	26.800	22.242	20.792	21.142	25.000	26.165	22.572	24.617	16.944	21.423	25.400
993	21.383	22.749	26.800	22.111	20.644	20.983	25.000	26.341	22.573	24.096	16.534	21.262	25.400
994	21.347	22.683	26.800	22.046	20.681	21.011	25.000	26.335	22.572	25.037	14.680	20.828	25.400
995	_21.271	_22.767	26.800	21.931	20.502	_20.845	25.000	26.187	22.572	24.696	14.572	_20.808	25.400
996	R21.281	R22.649	26.800	R22.087	R20.532	R20.857	25.000	R26.181	R22.573	R24.638	R14.360	R20.652	25.400
997P	21.281	22.649	26.800	22.087	20.532	20.857	25.000	26.181	22.573	24.638	14.360	20.652	25.400

¹ Includes subbituminous coal.² Includes transportation.

R=Revised data. P=Preliminary data. Source: See "Thermal Conversion Factor Source Documentation," which follows Table A7.

Table A7. Approximate Heat Rates for Electricity, 1949-1997

(Btu per Kilowatthour)

Year	Fossil-Fueled Steam-Electric Plants ¹	Nuclear Steam-Electric Plants	Geothermal Energy Plants	Electricity Consumption
949	15,033	_	_	3,412
950	14,030	_	_	3,412
951	13,641		_	3,412
952	13,361		_	3,412
952 953	12,889	_ _	_ _	3,412
953 954	12,889			3,412 3,412
	12,100	_	_	3,412
955	11,699	_	_	3,412
956	11,456		_	3,412
957	11,365	11,629	_	3,412
958	11,085	11,629	_	3,412
959	10,970	11,629	-	3,412
960	10,760	11,629	23,200	3,412
961	10,650	11,629	23,200	3,412
962	10,558	11,629	23,200	3,412
963	10,482	11,877	22,182	3,412
964	10,462	11,912	22,182	3,412
965	10,453	11,804	22,182	3,412
966	10,415	11,623	22,182	3,412
967	10,432	11,555	21,770	3,412
168	10,398	11,297	21,606	3,412
969	10,447	11,037	21,606	3,412
970	10,494	10,977	21,606	3,412
971	10,478	10,837	21,655	3,412
972	10,379	10,792	21,668	3,412
973	10,389	10,903	21,674	3,412
974	10,442	11,161	21,674	3,412
975	10,406	11,013	21,611	3,412
976	10,373	11,047	21,611	3,412
977	10,435	10,769	21,611	3,412
978	10,361	10,941	21,611	3,412
79	10,353	10,879	21,545	3,412
980	10,388	10,908	21,639	3,412
981	10,453	11,030	21,639	3,412
982	10,454	11,073	21,629	3,412
983	10,520	10,905	21,290	3,412
984	10,440	10,843	21,303	3,412
985	10,447	10,813	21,303	3,412
986	10,447	10,813	21,203	3,412
			21,263	
987	10,419	10,776	21,263	3,412
188	10,324 840,432	10,743	21,096	3,412
189	R10,432	10,724	21,096	3,412
90	R10,399	10,680	21,096	3,412
991	R10,425	10,740	20,997	3,412
992	R10,340	10,678	20,914	3,412
993	R10,309	10,682	20,914	3,412
994	R10,309	10,676	20,914	3,412
995	R10,304	10,658	20,914	3,412
996	R10,338	10,623	20,960	3,412
997 ^P	10,338	10,623	20,960	3,412

¹ Used as the thermal conversion factor for hydroelectric power generation and for wood and waste, wind, photovoltaic, and solar thermal energy consumed at electric utilities.

R=Revised data. P=Preliminary data. — = Not applicable. Source: See "Thermal Conversion Factor Source Documentation," which follows this table.

Thermal Conversion Factor Source Documentation

Approximate Heat Content of Petroleum and Natural Gas Plant Liquids

Asphalt. The Energy Information Administration (EIA) adopted the thermal conversion factor of 6.636 million British thermal units (Btu) per barrel as estimated by the Bureau of Mines and first published in the *Petroleum Statement, Annual, 1956.*

Aviation Gasoline. EIA adopted the thermal conversion factor of 5.048 million Btu per barrel as adopted by the Bureau of Mines from the Texas Eastern Transmission Corporation publication *Competition and Growth in American Energy Markets 1947-1985*, a 1968 release of historical and projected statistics.

Butane. EIA adopted the Bureau of Mines thermal conversion factor of 4.326 million Btu per barrel as published in the *California Oil World and Petroleum Industry*, First Issue, April 1942.

Butane-Propane Mixture. EIA adopted the Bureau of Mines calculation of 4.130 million Btu per barrel based on an assumed mixture of 60 percent butane and 40 percent propane. See **Butane** and **Propane**.

Crude Oil, Exports. Assumed by EIA to be 5.800 million Btu per barrel or equal to the thermal conversion factor for crude oil produced in the United States. See **Crude Oil and Lease Condensate, Production.**

Crude Oil, Imports. Calculated annually by EIA by weighting the thermal conversion factor of each type of crude oil imported by the quantity imported. Thermal conversion factors for each type were calculated on a foreign country basis, by determining the average American Petroleum Institute (API) gravity of crude imported from each foreign country from Form ERA-60 in 1977 and converting average API gravity to average Btu content by using National Bureau of Standards, Miscellaneous Publication No. 97, *Thermal Properties of Petroleum Products*, 1933.

Crude Oil and Lease Condensate, Production. EIA adopted the thermal conversion factor of 5.800 million Btu per barrel as reported in a Bureau of

Mines internal memorandum, "Bureau of Mines Standard Average Heating Values of Various Fuels, Adopted January 3, 1950."

Crude Oil and Petroleum Products, Exports. Calculated annually by EIA as the average of the thermal conversion factors for each petroleum product exported and crude oil exported weighted by the quantity of each petroleum product and crude oil exported. See Petroleum Products, Exports and Crude Oil, Exports.

Crude Oil and Petroleum Products, Imports. Calculated annually by EIA as the average of the thermal conversion factors for each petroleum product and each crude oil imported weighted by the quantity of each petroleum product and each type of crude oil imported. See Crude Oil, Imports and Petroleum Products, Imports.

Distillate Fuel Oil. EIA adopted the Bureau of Mines thermal conversion factor of 5.825 million Btu per barrel as reported in a Bureau of Mines internal memorandum, "Bureau of Mines Standard Average Heating Values of Various Fuels, Adopted January 3, 1950."

Ethane. EIA adopted the Bureau of Mines thermal conversion factor of 3.082 million Btu per barrel as published in the *California Oil World and Petroleum Industry*, First Issue, April 1942.

Ethane-Propane Mixture. EIA calculation of 3.308 million Btu per barrel based on an assumed mixture of 70 percent ethane and 30 percent propane. See **Ethane and Propane.**

Isobutane. EIA adopted the Bureau of Mines thermal conversion factor of 3.974 million Btu per barrel as published in the *California Oil World and Petroleum Industry*, First Issue, April 1942.

Jet Fuel, Kerosene Type. EIA adopted the Bureau of Mines thermal conversion factor of 5.670 million Btu per barrel for "Jet Fuel, Commercial" as published by the Texas Eastern Transmission Corporation in the report *Competition and Growth in American Energy Markets 1947-1985*, a 1968 release of historical and projected statistics.

Jet Fuel, Naphtha Type. EIA adopted the Bureau of Mines thermal conversion factor of 5.355 million Btu per barrel for "Jet Fuel, Military" as published by the Texas Eastern Transmission Corporation in the report *Competition and Growth in American Energy Markets 1947-1985*, a 1968 release of historical and projected statistics.

Kerosene. EIA adopted the Bureau of Mines thermal conversion factor of 5.670 million Btu per barrel as reported in a Bureau of Mines internal memorandum, "Bureau of Mines Standard Average Heating Values of Various Fuels, Adopted January 3, 1950."

Lubricants. EIA adopted the thermal conversion factor of 6.065 million Btu per barrel as estimated by the Bureau of Mines and first published in the *Petroleum Statement, Annual, 1956*.

Miscellaneous Products. EIA adopted the thermal conversion factor of 5.796 million Btu per barrel as estimated by the Bureau of Mines and first published in the *Petroleum Statement, Annual, 1956.*

Motor Gasoline. EIA adopted the Bureau of Mines thermal conversion factor of 5.253 million Btu per barrel for "Gasoline, Motor Fuel" as published by the Texas Eastern Transmission Corporation in the report *Competition and Growth in American Energy Markets* 1947-1985, a 1968 release of historical and projected statistics.

Natural Gas Plant Liquids, Production. Calculated annually by EIA as the average of the thermal conversion factors of each natural gas plant liquid produced, weighted by the quantity of each natural gas plant liquid produced.

Natural Gasoline. EIA adopted the thermal conversion factor of 4.620 million Btu per barrel as estimated by the Bureau of Mines and first published in the *Petroleum Statement*, *Annual*, 1956.

Pentanes Plus. EIA assumed the thermal conversion factor to be 4.620 million Btu or equal to that for natural gasoline. See **Natural Gasoline**.

Petrochemical Feedstocks, Naphtha less than 401° **F.** Assumed by EIA to be 5.248 million Btu per barrel, equal to the thermal conversion factor for special naphthas. See **Special Naphthas**.

Petrochemical Feedstocks, Other Oils equal to or greater than 401° F. Assumed by EIA to be 5.825 million Btu per barrel, equal to the thermal conversion factor for distillate fuel oil. See Distillate Fuel Oil.

Petrochemical Feedstocks, Still Gas. Assumed by EIA to be 6.000 million Btu per barrel, equal to the thermal conversion factor for still gas. See **Still Gas.**

Petroleum Coke. EIA adopted the thermal conversion factor of 6.024 million Btu per barrel as reported in Btu per short ton in the Bureau of Mines internal memorandum, "Bureau of Mines Standard Average Heating Values of Various Fuels, Adopted January 3, 1950." The Bureau of Mines calculated this factor by dividing 30,120,000 Btu per short ton, as given in the referenced Bureau of Mines internal memorandum, by 5.0 barrels per short ton, as given in the Bureau of Mines Form 6-1300-M and successor EIA forms.

Petroleum Products, Total Consumption. Calculated annually by EIA as the average of the thermal conversion factors for all petroleum products consumed, weighted by the quantity of each petroleum product consumed.

Petroleum Products, Consumption by Electric Utilities. Calculated annually by EIA as the average of the thermal conversion factors for all petroleum products consumed at electric utilities, weighted by the quantity of each petroleum product consumed at electric utilities. The quantity of petroleum products consumed is estimated in the State Energy Data System as documented in EIA's *State Energy Data Report*.

Petroleum Products, Consumption by Industrial Users. Calculated annually by EIA as the average of the thermal conversion factors for all petroleum products consumed in the industrial sector, weighted by the estimated quantity of each petroleum product consumed in the industrial sector. The quantity of petroleum products consumed is estimated in the State Energy Data System as documented in EIA's *State Energy Data Report*.

Petroleum Products, Consumption by Residential and Commercial Users. Calculated annually by EIA as the average of the thermal conversion factors for all petroleum products consumed by the residential and commercial sector, weighted by the estimated quantity of each petroleum product consumed in the residential and commercial sector. The quantity of

petroleum products consumed is estimated in the State Energy Data System as docurnented in EIA's *State Energy Data Report*.

Petroleum Products, Consumption by Transportation Users. Calculated annually by EIA as the average of the thermal conversion factors for all petroleum products consumed in the transportation sector, weighted by the estimated quantity of each petroleum product consumed in the transportation sector. The quantity of petroleum products consumed is estimated in the State Energy Data System as documented in EIA's *State Energy Data Report*.

Petroleum Products, Exports. Calculated annually by EIA as the average of the thermal conversion factors for each petroleum product, weighted by the quantity of each petroleum product exported.

Petroleum Products, Imports. Calculated annually by EIA as the average of the thermal conversion factors for each petroleum product imported, weighted by the quantity of each petroleum product imported.

Plant Condensate. Estimated to be 5.418 million Btu per barrel by EIA from data provided by McClanahan Consultants, Inc., Houston, Texas.

Propane. EIA adopted the Bureau of Mines thermal conversion factor of 3.836 million Btu per barrel as published in the *California Oil World and Petroleum Industry*, First Issue, April 1942.

Residual Fuel Oil. EIA adopted the thermal conversion factor of 6.287 million Btu per barrel as reported in the Bureau of Mines internal memorandum, "Bureau of Mines Standard Average Heating Values of Various Fuels, Adopted January 3, 1950."

Road Oil. EIA adopted the Bureau of Mines thermal conversion factor of 6.636 million Btu per barrel, which was assumed to be equal to that of asphalt (see **Asphalt**) and was first published by the Bureau of Mines in the *Petroleum Statement, Annual, 1970*.

Special Naphthas. EIA adopted the Bureau of Mines thermal conversion factor of 5.248 million Btu per barrel, which was assumed to be equal to that of the total gasoline (aviation and motor) factor and was first published in the *Petroleum Statement, Annual, 1970*.

Still Gas. EIA adopted the Bureau of Mines estimated thermal conversion factor of 6.000 million Btu per barrel, first published in the *Petroleum Statement, Annual, 1970*.

Unfinished Oil. EIA assumed the thermal conversion factor to be 5.825 million Btu per barrel or equal to that for distillate fuel oil (see **Distillate Fuel Oil**) and first published it in EIA's *Annual Report to Congress, Volume 3. 1977.*

Unfractionated Stream. EIA assumed the thermal conversion factor to be 5.418 million Btu per barrel or equal to that for plant condensate (see **Plant Condensate**) and first published it in EIA's *Annual Report to Congress, Volume 2, 1981*.

Wax. EIA adopted the thermal conversion factor of 5.537 million Btu per barrel as estimated by the Bureau of Mines and first published in the *Petroleum Statement*, *Annual*, 1956.

Approximate Heat Content of Natural Gas

Natural Gas, Total Consumption. • 1949-1962: EIA adopted the thermal conversion factor of 1,035 Btu per cubic foot as estimated by the Bureau of Mines and first published in the *Petroleum Statement, Annual, 1956.* • *1963*-1979: EIA adopted the thermal conversion factor calculated annually by the American Gas Association (AGA) and published in *Gas Facts,* an AGA annual publication. • 1980 forward: Calculated annually by EIA by dividing the total heat content of natural gas consumed by the total quantity of natural gas consumed.

Natural Gas, Exports. • 1949-1972: Assumed by EIA to be equal to the thermal conversion factor for the consumption of dry natural gas. (See Natural Gas, Total Consumption). • 1973 forward: Calculated annually by EIA by dividing the heat content of exported natural gas by the quantity of natural gas exported, both reported on Form FPC-14.

Natural Gas Imports. • 1949-1972: Assumed by EIA to be equal to the thermal conversion factor for the consumption of dry natural gas. See Natural Gas, Total Consumption. • 1973 forward: Calculated annually by EIA by dividing the heat content of imported natural gas by the quantity of natural gas imported, both reported on Form FPC-14.

Natural Gas, Production (Dry). Assumed by EIA to be equal to the thermal conversion factor for the consumption of dry natural gas. See Natural Gas, Total Consumption.

Natural Gas, Production (Wet). Calculated annually by EIA by adding the heat content of natural gas, dry production, and the total heat content of natural gas plant liquids production and dividing this sum by the total quantity of marketed (wet) natural gas production.

Approximate Heat Content of Coal and Coal Coke

Anthracite, Total Consumption. Calculated annually by EIA by dividing the sum of the heat content of anthracite consumed by electric utilities and all other sectors combined by the total quantity of anthracite consumed.

Anthracite, Consumption by Electric Utilities. • 1949-1972: Assumed by EIA that all anthracite consumed at electric utilities was recovered from culm banks and river dredging and estimated to have an average heat content of 17.500 million Btu per short ton. • 1973 forward: Calculated annually by EIA by dividing the heat content of anthracite receipts at electric utilities by the quantity of anthracite received at electric utilities, as reported on Form FERC-423 and predecessor forms.

Anthracite, Consumption by Sectors Other Than Electric Utilities. Calculated annually by EIA by dividing the heat content of anthracite production less the heat content of the anthracite consumed at electric utilities, net exports, and shipments to U.S. Armed Forces overseas by the quantity of anthracite consumed by sectors other than electric utilities, less the quantity of anthracite stock changes, losses, and "unaccounted for."

Anthracite, Imports and Exports. EIA assumed the anthracite imports and exports to be freshly mined anthracite having an estimated heat content of 25.400 million Btu per short ton.

Anthracite, Production. Calculated annually by EIA by dividing the sum of the heat content of freshly mined anthracite (estimated to have an average heat content of 25.400 million Btu per short ton) and the heat content of anthracite recovered from culm banks and river dredging (estimated to have an average heat content of 17.500 million Btu per short ton) by the total quantity of anthracite produced.

Bituminous Coal and Lignite, Total Consumption. Calculated annually by EIA by dividing the sum of the heat content of bituminous coal and lignite consumed by electric utilities, coal coke plats, other industrial plants, and by the residential and commercial sector and the transportation sector by the sum of their respective tonnages.

Bituminous Coal and Lignite, Consumption by Coke Plants. Estimated by EIA to be 26.800 million Btu per short ton based on input-output analysis of coal carbonization.

Bituminous Coal and Lignite, Consumption by Electric Utilities.

•1949-1972: EIA adopted the average thermal conversion factor of the Bureau of Mines, which used the National Coal Association average thermal conversion factor for electric utilities calculated from Form FPC-1 and published in *Steam Electric Plant Factors*, a National Coal Association annual report. • 1973 forward: Calculated annually by EIA by dividing the total heat content of bituminous coal and lignite received at electric utilities by the total quantity received at electric utilities. Heat contents and receipts are from Form FERC-423 and predecessor Forms.

Bituminous Coal and Lignite, Consumption by Other Industrial Users

• 1949-1973: Calculated annually by EIA through regression analysis measuring the difference between the average Btu value of coal consumed by other industrial users and that of coal consumed at electric utilities in the 1974-1983 period. • 1974 forward: Calculated annually by EIA by assuming that the bituminous coal and lignite delivered to other industrial users from each coal-producing area (reported on Form EIA-6 and predecessor Bureau of Mines Form 6-1419-Q) contained a heat value equal to that of bituminous coal and lignite received at electric utilites from each of the same coal-producing areas (reported on Form FERC-423). The average Btu value of coal by coal-producing area was applied to the volume of deliveries to other industrial users from each coal-producing area, and the sum total of the heat content was divided by the total volume of deliveries. Coal-producing areas are the Bureau of Mines coal-producing districts for 1974 through 1989 and coal-producing States for 1990 forward.

Bituminous Coal and Lignite, Consumption by Residential and Commercial Users. • 1949-1973: Calculated annually by EIA through regression analysis measuring the difference between the average Btu value of coal consumed by residental and commercial users and that of coal consumed by electric utilities in the 1974-1983 period. • 1974 forward: Calculated annually by EIA by assuming that the bituminous coal and lignite

delivered to residential and commercial users from each coal-producing area (reported on Form EIA-6 and predecessor Bureau of Mines Form 6-1419-Q) contained a heat value equal to that of bituminous coal and lignite received at electric utilities from each of the same coal-producing areas (reported on Form FERC-423). The average Btu value of coal by coal-producing area was applied to the volume of deliveries to residential and commercial users from each coal-producing area, and the sum total of the heat value was divided by the total volume of deliveries. Coal-producing areas are the Bureau of Mines coal-producing districts for 1974 through 1989 and coal-producing States for 1990 forward.

Bituminous Coal and Lignite, Consumption by Transportation Users. Assumed by EIA to be equal to the Btu conversion factor for Bituminous Coal and Lignite, Consumption by Other Industrial Users.

Bituminous Coal and Lignite, Exports. • 1949-1972: Assumed by EIA to be all metallurgical coal and to have an average thermal content of 27.000 million Btu per short ton. • 1973 forward: Calculated annually by EIA by dividing the sum of the heat content of exported metallurgical coal (estimated to average 27.000 million Btu per short ton) and the heat content of exported steam coal (estimated to have an average thermal content of 25.000 million Btu per short ton) by the total quantity of bituminous coal and lignite exported.

Bituminous Coal and Lignite, Imports. EIA estimated the average thermal conversion factor to be 25.000 million Btu per short ton.

Bituminous Coal and Lignite, Production. Calculated annually by EIA by dividing the sum of the heat content of bituminous coal and lignite consumption, net exports, stock changes, and unaccounted for by the sum of their respective tonnages. Consumers' stock changes by sectors were assumed to have the same conversion factor as that for the consumption sector. Producers' stock changes and unaccounted for were assumed to have the same conversion factor as that for consumption by all users.

Coal, Total Consumption. Calculated annually by EIA by dividing the sum of the heat content of bituminous coal and lignite and anthracite consumption by the sum of their respective tonnages.

Coal, Consumption by Electric Utilities. Calculated annually by EIA by dividing the sum of the heat content of bituminous coal and lignite and

anthracite received at electric utilities by the sum of their respective tonnages received.

Coal, Consumption by Sectors Other Than Electric Utilities. Calculated annually by EIA by dividing the sum of the heat content of bituminous coal and lignite and anthracite consumed by sectors other than electric utilities by the sum of their respective tonnages.

Coal, Exports. Calculated annually by EIA by dividing the sum of the heat content of bituminous coal and lignite and anthracite exported by the sum of their respective tonnages.

Coal, Imports. Calculated annually by EIA by dividing the sum of the heat content of bituminous coal and lignite and anthracite imported by the sum of their respective tonnages.

Coal, Production. Calculated annually by EIA by dividing the sum of the total heat content of bituminous coal and lignite and anthracite produced by the sum of their respective tonnages.

Coal Coke, Imports and Exports. EIA adopted the Bureau of Mines estimate of 24.800 million Btu per short ton.

Approximate Heat Rates for Electricity

Fossil-Fueled Steam-Electric Plant Generation. There is no generally accepted practice for measuring the thermal conversion rates for power plants that generate electricity from hydroelectric, wood and waste, wind, photovoltaic, or solar thermal energy sources. Therefore, EIA used data from Form EIA-767, "Steam-Electric Power Operation and Design Report," to calculate a rate factor that is equal to the prevailing annual average heat rate factor for fossil-fueled steam-electric power plants in the United States. By using that factor, it is possible to evaluate fossil fuel requirements for replacing those sources during periods of interruption, such as droughts. The heat content of a kilowatthour of electricity produced, regardless of the generation process, is 3,412 Btu. • 1949-1955: The weighted annual average heat rate for fossil-fueled steam-electric power plants in the United States, as published by EIA in Thermal-Electric Plant Construction Cost and Annual Production Expenses-1981 and Steam-Electric Plant Construction Cost and Annual Production Expenses-1978. • 1956-1991: The weighted annual average heat rate for fossil-fueled

steam-electric power plants in the United States, as published in EIA, *Electric Plant Cost and Power Production Expenses 1991*, Table 9. • 1992 forward: Unpublished factors calculated on the basis of data from Form EIA-676, "Steam-Electric Plant Operation and Design Report."

Geothermal Energy Plant Generation. • 1960-1981: Calculated annually by EIA by weighting the annual average heat rates of operating geothermal units by the installed nameplate capacities as reported on Form FPC-12, "Power System Statement." • 1982 forward: Estimated annually by EIA on the basis of an informal survey of relevant plants.

Nuclear Steam-Electric Plant Generation. • 1957-1991: Calculated annually by EIA by dividing the total heat content consumed in nuclear

generating units by the total (net) electricity generated by nuclear generating units. The heat content and electricity generation are reported on Form FERC-1, "Annual Report of Major Electric Utilities, Licensees, and Others;" Form EIA-412, "Annual Report of Public Electric Utilities;" and predecessor forms. The factors, beginning with 1982 data, are published in the following EIA reports—1982: Historical Plant Cost and Annual Production Expenses for Selected Electric Plants 1982, page 215. 1983-1991: Electric Plant Cost and Power Production Expenses 1991, Table 13. 1992 forward: Calculated annually by EIA by dividing the total heat content of the steam leaving the nuclear generating units to generate electricity by the total (net) electricity generated by nuclear generating units. The heat content and electricity generation data are reported in Nuclear Regulatory Commission, Licensed Operating Reactors—Status Summary Report.

Appendix B

Data presented in the *Annual Energy Review* and in other Energy Information Administration publications are expressed predominately in units that historically have been used in the United States, such as British thermal units, barrels, cubic feet, and short tons. However, because U.S. commerce involves other nations, most of which use metric units of measure, the U.S. Government is committed to the transition to the metric system, as stated in the Metric Conversion Act of 1975 (Public Law 94-168), amended by the Omnibus Trade and Competitiveness Act of 1988 (Public Law 100-418), and Executive Order 12770 of July 25, 1991.

The metric conversion factors presented in Table B1 can be used to calculate the metric-unit equivalents of values expressed in U.S. customary units. For example, 500 short tons is the equivalent of 453.6 metric tons (500 short tons x 0.9071847 metric tons/short ton = 453.6 metric tons).

In the metric system of weights and measures, the names of multiples and subdivisions of any unit may be derived by combining the name of the unit with prefixes, such as deka, hecto, and kilo, meaning, respectively, 10, 100, 1,000, and deci, centi, and milli, meaning, respectively, one-tenth, one-hundredth, and one-thousandth. Common metric prefixes can be found in Table B2.

The conversion factors presented in Table B3 can be used to calculate equivalents in various physical units commonly used in energy analyses. For example, 10 barrels is the equivalent of 420 U.S. gallons (10 barrels x 42 gallons/barrel = 420 gallons).

Table B1. Metric Conversion Factors

U.S. Unit	multiplied by	Conversion Factor	equals	Metric Unit	U.S. Unit	multiplied by	Conversion Factor	equals	Metric Unit
Mass					Volume				
short tons (2,000 lb)	Х	0.907 184 7	=	metric tons (t)	barrels of oil (bbl)	Х	0.158 987 3	=	cubic meters (m ³)
long tons	Х	1.016 047	=	metric tons (t)	cubic yards (yd³)	Х	0.764 555	=	cubic meters (m ³)
pounds (lb)	Х	0.453 592 37°	=	kilograms (kg)	cubic feet (ft ³)	Х	0.028 316 85	=	cubic meters (m ³)
pounds uranium oxide	х	0.384 647 ^b	=	kilograms	U.S. gallons (gal)	х	3.785 412	=	liters (L)
(lb U_3O_8)				uranium (kgU)	ounces, fluid (fl oz	:) x	29.573 53	=	milliliters (mL)
ounces, avoirdupois	X	28.349 52	=	grams (g)	cubic inches (in ³)	X	16.387 06	=	milliliters (mL)
(avdp oz)									
Length					Area				
miles (mi)	х	1.609 344 ^a	=	kilometers (km)	acres	х	0.404 69	=	hectares (ha)
yards (yd)	х	0.914 4 ^a	=	meters (m)	square miles (mi ²)	х	2.589 988	=	square kilometers (km²)
feet (ft)	X	0.304 8 ^a	=	meters (m)	square yards (yd²)) X	0.836 127 4	=	square meters (m ²)
inches (in)	X	2.54 ^a	=	centimeters (cm)	square feet (ft ²)	х	0.092 903 04ª	=	square meters (m ²)
					square inches (in ²) x	6.451 6 ^a	=	square centimeters (cm ²)
Energy					•				, ,
British Thermal Units (Btu	n) x	1,055.055 852 62 ^{a,0}	c =	joules (J)	Temperature				
calories (cal)	X	4.186 8 ^a	=	joules (J)	degrees	X	5/9 (after	=	degrees
kilowatthours (kWh)	х	3.6ª	=	megajoules (MJ)	Fahrenheit (°F)		subtracting 32) ^a	, d	Celsius (°C)

^aExact conversion.

metric ton are accepted for use with the SI units. For more information about the SI units, contact Dr. Barry Taylor at Building 221, Room B160, National Institute of Standards and Technology, Gaithersburg, MD 20899, or on telephone number 301–975–4220.

Sources: General Services Administration, Federal Standard 376B, *Preferred Metric Units for General Use by the Federal Government* (Washington, DC, January 27, 1993), pp. 9–11, 13, and 16. National Institute of Standards and Technology, Special Publications 330, 811, and 814. American National Standards Institute/Institute of Electrical and Electronic Engineers, ANSI/IEEE Std. 268–1992, pp. 28 and 29.

^bCalculated by the Energy Information Administration.

[°]The Btu used in this table is the International Table Btu adopted by the Fifth International Conference on Properties of Steam, London, 1956.

^dTo convert degrees Celsius (°C) to degrees Fahrenheit (°F) exactly, multiply by 9/5, then add 32. Notes: • Spaces have been inserted after every third digit to the right of the decimal for ease of reading. • Most metric units shown belong to the International System of Units (SI), and the liter, hectare, and

Table B2. Metric Prefixes

Unit Multiple	Prefix	Symbol	Unit Multiple	Prefix	Symbol
10 ¹	deka	da	10 ⁻¹	deci	d
10 ²	hecto	h	10 ⁻²	centi	С
10 ³	kilo	k	10 ⁻³	milli	m
10 ⁶	mega	M	10 ⁻⁶	micro	μ
10 ⁹	giga	G	10 ⁻⁹	nano	n
10 ¹²	tera	Т	10 ⁻¹²	pico	р
10 ¹⁵	peta	Р	10 ⁻¹⁵	femto	f
10 ¹⁸	exa	E	10 ⁻¹⁸	atto	а
10 ²¹	zetta	Z	10 ⁻²¹	zepto	Z
10 ²⁴	yotta	Υ	10 ⁻²⁴	yocto	У

Source: U.S. Department of Commerce, National Institute of Standards and Technology, *The International System of Units (SI)*, NIST Special Publication 330, 1991 Edition (Washington, DC, August 1991), p. 10.

Table B3. Other Physical Conversion Factors

Energy Source	Original Unit	multiplied by	Conversion Factor	equals	Final Unit
Petroleum	barrels (bbl)	х	42 ^a	=	U.S. gallons (gal)
Coal	short tons long tons metric tons (x x (t) x	2,000 ^a 2,240 ^a 1,000 ^a	= = =	pounds (lb) pounds (lb) kilograms (kg)
Wood	cords (cd)	x x	1.25 ^b 128 ^a	=	short tons cubic feet (ft³)

^aExact conversion.

^bCalculated by the Energy Information Administration.

Source: U.S. Department of Commerce, National Institute of Standards and Technology, *Specifications, Tolerances and Other Technical Requirements for Weighing and Measuring Devices*, NIST Handbook 44, 1994 Edition (Washington, DC, October 1993), pp. B-10, C-17, and C-21.

Appendix C

Carbon Dioxide Emission Factors for Coal

Table C1 presents U.S. average carbon dioxide emission factors for coal by sector. The factors measure the emissions produced during the combustion of coal and were derived by the Energy Information Administration (EIA) from 5,426 sample analyses in EIA's Coal Analysis File. The factors are ratios of the carbon dioxide emitted to the heat content of the coal burned, assuming complete combustion. Factors vary according to the rank and geographic origin of the coal. Sectoral factors reflect the rank and origin of the coal consumed in the sector. Factors differ among sectors and within a sector over time for several reasons:

1. A higher average emission factor in the residential and commercial sector can be attributed to the steady consumption of bituminous coal and anthracite (presumably for home heating).

- 2. Virtually all of the coal consumed by coke plants comes from only a few States in the Appalachian Coal Basin (West Virginia, Virginia, and eastern Kentucky). Hence, the emission factors for this sector have remained fairly constant.
- 3. Other industrial users of coal (not coke plants) increased consumption of low-rank, high-emission western coals, which has contributed to a rise in their average emission factor.
- 4. Electric utilities, which account for most U.S. coal consumption, have shifted over time away from high-rank, low-emission bituminous coal to low-rank, high-emission subbutiminous coal and lignite as reflected in a gradually rising weighted-average carbon dioxide emission factor.

Table C1. Average Carbon Dioxide Emission Factors for Coal by Sector, 1980-1996 (Pounds of Carbon Dioxide per Million Btu)

	Residential and	Indus	strial		
Year	Commercial	Coke Plants ^a	Other Coal	Electric Utilities	U.S. Average ^b
980	210.6	205.8	205.9	206.7	206.5
981	212.0	205.8	205.9	206.9	206.7
982	210.4	205.7	206.0	207.0	206.9
983	209.2	205.5	205.9	207.1	207.0
984	209.5	205.6	206.2	207.1	207.0
985	209.3	205.6	206.4	207.3	207.1
986	209.2	205.4	206.5	207.3	207.1
987	209.4	205.2	206.4	207.3	207.2
988	209.1	205.3	206.4	207.6	207.3
989	209.7	205.3	206.6	207.5	207.3
990	209.5	206.2	206.8	207.6	207.4
991	210.2	206.2	206.9	207.7	207.5
992	211.2	206.2	207.1	207.7	207.6
993	209.9	206.2	207.0	207.8	207.7
994	209.8	206.3	207.2	207.9	207.8
995	210.2	206.4	207.2	208.1	207.9
996	209.5	206.5	207.0	208.1	208.0


^aNo allowances have been made for carbon related non-energy coal chemical by products from the coal carbonization process.

^bWeighted average. The weights used are consumption values by sector. Source: Energy Information Administration, Office of Coal, Nuclear, Electric and Alternate fuels.

Appendix D

U.S. Census Regions and Divisions

Figure D1. U.S. Census Regions and Divisions



Note: Map not to scale.

Source: Adapted from U.S. Department of Commerce, Bureau of the Census, Statistical Abstract of the United States, 1997 (Washington, DC, November 1997), Figure 1.

Glossary

Account of Others (natural gas): Natural gas deliveries for the account of others are deliveries to customers by transporters that do not own the natural gas but deliver it for others for a fee. Included are quantities covered by long-term contracts and quantities involved in short-term or spot market sales.

Additions to Property: The current year's expenditures on property, plant, and equipment. The amount is predicated upon each reporting company's accounting practices. That is, accounting practices with regard to capitalization of certain items may differ across companies, and, therefore, this figure is a function of each reporting company's policy.

Alcohol: The family name of a group of organic chemical compounds composed of carbon, hydrogen, and oxygen. The series of molecules vary in chain length and are composed of a hydrocarbon plus a hydroxyl group: CH₃-(CH₂)_n-OH (e.g., methanol, ethanol, and tertiary butyl alcohol).

Anthracite: A hard, black, lustrous coal containing a high percentage of fixed carbon and a low percentage of volatile matter. Often referred to as hard coal. It conforms to ASTM Specification D388-84 for anthracite, meta-anthracite, and semianthracite.

Anthracite Culm: Waste from Pennsylvania anthracite preparation plants, consisting of coarse rock fragments containing as much as 30 prcent small-sized coal; sometimes defined as including very fine coal particles called silt. Its heat value ranges from 8 to 17 million Btu per short ton.

API: The American Petroleum Institute, a trade association.

API Gravity: An arbitrary scale expressing the gravity or density of liquid petroleum products. The measuring scale is calibrated in terms of degrees API. A lighter, less dense product has a higher API gravity.

Asphalt: A dark-brown-to-black cement-like material containing bitumens as the predominant constituents. It is obtained by petroleum processing. The definition includes crude asphalt as well as the following finished products: cements, fluxes, the asphalt content of emulsions (exclusive of

water), and petroleum distillates blended with asphalt to make cutback asphalts.

ASTM: The American Society for Testing and Materials.

Aviation Gasoline Blending Components: Naphthas that are used for blending or compounding into finished aviation gasoline (e.g., straight-run gasoline, alkylate, and reformate). Excluded are oxygenates (alcohols, ethers), butane, and pentanes plus.

Aviation Gasoline, Finished: All special grades of gasoline for use in aviation reciprocating engines, as given in ASTM Specification D910 and Military Specification MIL-G-5572. Excludes blending components that will be used in blending or compounding into finished aviation gasoline.

Barrel (petroleum): A unit of volume equal to 42 U.S. gallons.

Barrels per Calendar Day (operable refinery capacity): The maximum number of barrels of input that can be processed during a 24-hour period after making allowances for the following limitations: the capability of downstream facilities to absorb the output of crude oil processing facilities of a given refinery (no reduction is made when a planned distribution of intermediate streams through other than downstream facilities is part of a refinery's normal operation); the types and grades of inputs to be processed; the types and grades of products to be manufactured; the environmental constraints associated with refinery operations; the reduction of capacity for scheduled downtime, such as routine inspection, mechanical problems, maintenance, repairs, and turnaround; and the reduction of capacity for unscheduled downtime, such as mechanical problems, repairs, and slowdowns.

Base (Cushion) Gas: The volume of gas needed as a permanent inventory to maintain adequate underground storage reservoir pressures and deliverability rates throughout the withdrawal season. All native gas is included in the base gas volume.

Biofuels: Wood, wood waste, wood liquors, peat, railroad ties, wood sludge, spent sulfite liquors, agricultural waste, straw, tires, fish oils, tall

oil, sludge waste, waste alcohol, municipal solid waste, landfill gases, other waste, and ethanol blended into motor gasoline.

Biomass: Materials that are biological in origin, including organic material (both living and dead) from above and below ground, for example, trees, crops, grasses, tree litter, roots, and animals and animal waste.

Bituminous Coal: A dense black coal, often with well-defined bands of bright and dull material, with a moisture content usually less than 20 percent. Often referred to as soft coal. It is the most common coal and is used primarily for generating electricity, making coke, and space heating. It conforms to ASTM Specification D388-84 for bituminous coal. In this report, bituminous coal includes subbituminous coal.

British Thermal Unit (Btu): The quantity of heat needed to raise the temperature of 1 pound of water by 1° F at or near 39.2° F. (See Heat Content of a Quantity of Fuel, Gross, and Heat Content of a Quantity of Fuel, Net.)

Butane: A normally gaseous straight-chain or branched-chain hydrocarbon (C₄H₁₀). It is extracted from natural gas or refinery gas streams. It includes isobutane and normal butane and is designated in ASTM Specification D1835 and Gas Processors Association Specifications for commercial butane. *Isobutane:* A normally gaseous branched-chain hydrocarbon. It is a colorless paraffinic gas that boils at a temperature of 10.9° F. It is extracted from natural gas or refinery gas streams. *Normal Butane:* A normally gaseous straight-chain hydrocarbon. It is a colorless paraffinic gas that boils at a temperature of 31.1° F. It is extracted from natural gas or refinery gas streams.

Butylene: An olefinic hydrocarbon (C₄H₈) recovered from refinery processes.

Capacity Factor: The ratio of the electrical energy produced by a generating unit for a given period of time to the electrical energy that could have been produced at continuous full-power operation during the same period.

Chained Dollars: A measure used to express real prices. Real prices are those that have been adjusted to remove the effect of changes in the purchasing power of the dollar; they usually reflect buying power relative to a reference year. Prior to 1996, real prices were expressed in constant dollars, a measure based on the weights of goods and services in a single year,

usually a recent year. In 1996, the U.S. Department of Commerce introduced the chained-dollar measure. The new measure is based on the average weights of goods and services in successive pairs of years. It is "chained" because the second year in each pair, with its weights, becomes the first year of the next pair. The advantage of using the chained-dollar measure is that it is more closely related to any given period covered and is therefore subject to less distortion over time.

CIF: See Cost, Insurance, Freight.

City Gate: A point or measuring station at which a distribution gas utility receives gas from a natural gas pipeline company or transmission system.

Class A Electric Utility: An electric utility having annual electric operating revenues of \$2.5 million or more. (Use of this term ceased on December 31, 1983.)

Class B Electric Utility: An electric utility having annual electric operating revenues of \$1.0 million or more but less than \$2.5 million. (Use of this term ceased on December 31, 1983.)

Coal: A black or brownish-black solid, combustible substance formed by the partial decomposition of vegetable matter without access to air. The rank of coal, which includes anthracite, bituminous coal, subbituminous coal, and lignite, is based on fixed carbon, volatile matter, and heating value. Coal rank indicates the progressive alteration, or coalification, from lignite to anthracite. Lignite contains approximately 9 to 17 million Btu per ton. The heat contents of subbituminous and bituminous coal range from 16 to 24 million Btu per ton, and from 19 to 30 million Btu per ton, respectively. Anthracite contains approximately 22 to 28 million Btu per ton.

Coalbed Methane: Methane that is produced from coalbeds in the same manner as natural gas produced from other strata. Methane is the principal component of natural gas.

Coal Coke: A hard, porous product made from baking bituminous coal in ovens at temperatures as high as 2,000° F. It is used both as a fuel and as a reducing agent in smelting iron ore in a blast furnace.

Cogenerator: A generating facility that produces electricity and another form of useful thermal energy (such as heat or steam) used for industrial,

commercial, heating, and cooling purposes. See Nonutility Power Producer.

Commercial Building: A building with more than 50 percent of its floor-space used for commercial activities. Commercial buildings include, but are not limited to, stores, offices, schools, churches, gymnasiums, libraries, museums, hospitals, clinics, warehouses, and jails. Government buildings are included, except buildings on military bases or reservations.

Commercial Sector: The commercial sector, as defined economically, consists of business establishments that are not engaged in transportation or in manufacturing or other types of industrial activity (agriculture, mining, or construction). Commercial establishments include hotels, motels, restaurants, wholesale businesses, retail stores, laundries, and other service enterprises; religious and nonprofit organizations; health, social, and educational institutions; and Federal, State, and local governments. Street lights, pumps, bridges, and public services are also included if the establishment operating them is considered commercial. Standard Industrial Classification (SIC) codes used to classify an establishment as commercial are 50 through 87, 89, and 91 through 97.

Completion: The installation of permanent equipment for the production of oil or gas. If a well is equipped to produce only oil or gas from one zone or reservoir, the definition of a well (classified as an oil well or gas well) and the definition of a completion are identical. However, if a well is equipped to produce oil and/or gas separately from more than one reservoir, a well is not synonymous with a completion.

Constant Dollars: See Chained Dollars.

Conversion Factor: A number that translates units of one system into corresponding values of another system. Conversion factors can be used to translate physical units of measure for various fuels into Btu equivalents.

Cost, Insurance, Freight (CIF): A type of sale in which the buyer of the product agrees to pay a unit price that includes the f.o.b. value of the product at the point of origin, plus all costs of insurance and transportation. This type of transaction differs from a "delivered" purchase in that the buyer accepts the quantity as determined at the loading port (as certified by the Bill of Loading and Quality Report) rather than pay on the basis of the quantity and quality ascertained at the unloading port. It is similar to the terms of an f.o.b. sale,

except that the seller, as a service for which he is compensated, arranges for transportation and insurance.

Criteria Polluntant: A pollutant determined to be hazardous to human health and regulated under the Environmental Protection Agency's (EPA) National Ambient Air Quality Standards. The 1970 amendments to the Clean Air Act require EPA to describe the health and welfare impacts of a pollutant as the "criteria" for inclusion in the regulatory regime.

Crude Oil f.o.b. Price: The crude oil price actually charged at the oil-producing country's port of loading. Includes deductions for any rebates and discounts or additions of premiums, where applicable. It is the actual price paid with no adjustment for credit terms.

Crude Oil (Including Lease Condensate): A mixture of hydrocarbons that exists in liquid phase in underground reservoirs and remains liquid at atmospheric pressure after passing through surface separating facilities. Included are lease condensate and liquid hydrocarbons produced from tar sands, gilsonite, and oil shale. Drip gases are also included, but topped crude oil (residual oil) and other unfinished oils are excluded. Where identifiable, liquids produced at natural gas processing plants and mixed with crude oil are likewise excluded.

Crude Oil Landed Cost: The price of crude oil at the port of discharge, including charges associated with the purchase, transporting, and insuring of a cargo from the purchase point to the port of discharge. The cost does not include charges incurred at the discharge port (e.g., import tariffs or fees, wharfage charges, and demurrage).

Crude Oil Refinery Input: The total crude oil put into processing units at refineries.

Crude Oil Stocks: Stocks of crude oil and lease condensate held at refineries, in pipelines, at pipeline terminals, and on leases.

Crude Oil Used Directly: Crude oil consumed as fuel by crude oil pipelines and on crude oil leases.

Cubic Foot (natural gas): A unit of volume equal to 1 cubic foot at a pressure base of 14.73 pounds standard per square inch absolute and a temperature base of 60° F.

Culm: See Anthacite Culm.

Current Dollars: See Nominal Dollars.

Degree-Days, Cooling (CDD): The number of degrees per day that the daily average temperature is above 65° F. The daily average temperature is the mean of the maximum and minimum temperatures for a 24-hour period.

Degree-Days, Heating (HDD): The number of degrees per day that the daily average temperature is below 65° F. The daily average temperature is the mean of the maximum and minimum temperatures for a 24-hour period.

Degree-Days, Population-Weighted: Heating or cooling degree-days weighted by the population of the area in which the degree-days are recorded. To compute State population-weighted degree-days, each State is divided into from one to nine climatically homogeneous divisions, which are assigned weights based on the ratio of the population of the division to the total population of the State. Degree-day readings for each division are multiplied by the corresponding population weight for each division and those products are then summed to arrive at the State population-weighted degree-days, the Nation is divided into nine Census regions, each comprising from three to eight States, which are assigned weights based on the ratio of the population of the region to the total population of the Nation. Degree-day readings for each region are multiplied by the corresponding population weight for each region and those products are then summed to arrive at the national population-weighted degree-day figure.

Demonstrated Reserve Base (coal): A collective term for the sum of coal in both measured and indicated resource categories of reliability, representing 100 percent of the in-place coal in those categories as of a certain date. Includes beds of bituminous coal and anthracite 28 or more inches thick and beds of subbituminous coal 60 or more inches thick that can occur at depths of up to 1,000 feet. Includes beds of lignite 60 or more inches thick that can be surface mined. Includes also thinner and/or deeper beds that currently are being mined or for which there is evidence that they could be mined commercially at a given time. Represents that portion of the identified coal resource from which reserves are calculated.

Design Electrical Rating, Net: The nominal net electrical output of a nuclear unit as specified by the electric utility for the purpose of plant design.

Development Well: A well drilled within the proved area of an oil or gas reservoir to the depth of a stratigraphic horizon known to be productive.

Distillate Fuel Oil: A general classification for one of the petroleum fractions produced in conventional distillation operations. Included are products known as No. 1, No. 2, and No. 4 fuel oils and No. 1, No. 2, and No. 4 diesel fuels. It is used primarily for space heating, on- and off-highway diesel engine fuel (including railroad engine fuel and fuel for agricultural machinery), and electric power generation.

Distillation Unit (atmospheric): The primary distillation unit that processes crude oil (including mixtures of other hydrocarbons) at approximately atmospheric conditions. It includes a pipe still for vaporizing the crude oil and a fractionation tower for separating the vaporized hydrocarbon components in the crude oil into fractions with different boiling ranges. This is done by continuously vaporizing and condensing the components to separate higher boiling point material. The selected boiling ranges are set by the processing scheme, the properties of the crude oil, and the product specifications.

District Heat: Steam or hot water from an outside source used as an energy source in a building. The steam or hot water is produced in a central plant and piped into the building. The district heat may be purchased from a utility or provided by a physical plant in a separate building that is part of the same facility (for example, a hospital complex or university).

Dry Hole: An exploratory or development well found to be incapable of producing either oil or gas in sufficient quantities to justify completion as an oil or gas well.

Dry Natural Gas Production (as a decrement from gas reserves): The volume of natural gas withdrawn from reservoirs during the report year less (1) the volume returned to such reservoirs in cycling, repressuring of oil reservoirs, and conservation operations; (2) shrinkage resulting from the removal of lease condensate and plant liquids; and (3) nonhydrocarbon gases, where they occur in sufficient quantity to render the gas unmarketable. Volumes of gas withdrawn from gas storage reservoirs and native gas that has been transferred to the storage category are not considered in production. This is not the same as marketed production, since the latter also excludes vented and flared gas but contains liquids.

Dry Natural Gas Production (as an increment to gas supply): Gross withdrawals from production reservoirs less gas used in reservoir repressuring, amounts vented and flared, nonhydrocarbons removed, and various natural gas constituents, such as ethane, propane, and butane, removed at natural gas processing plants. The parameters for measurement are 60° F and 14.73 pounds standard per square inch absolute.

Eastern Europe and Former U.S.S.R: Includes Albania, Armenia, Azerbaijan, Belarus, Bulgaria, Czech Republic, Estonia, Former Czechoslovakia, Former U.S.S.R, Georgia, Hungary, Kazakstan, Kyrgyzstan, Latvia, Lithuania, Moldova, Poland, Romania, Russia, Solvakia, Tajikistan, Turkmenistan, Ukraine, Uzbekistan.

Electrical System Energy Losses: The amount of energy lost during generation, transmission, and distribution of electricity, including plant and unaccounted-for uses.

Electricity Generation: The process of producing electric energy or transforming other forms of energy into electric energy. Also, the amount of electric energy produced or expressed in watthours (Wh).

Electricity Generation, Gross: The total amount of electric energy produced by a generating facility, as measured at the generator terminals.

Electricity Generation, Net: Gross generation minus plant use. The energy required for pumping at a pumped-storage hydroelectric plant is regarded as plant use and must be deducted from the gross generation.

Electricity Production: Net electricity (gross electricity output measured at generator terminals minus power plant use).

Electricity Sales: The amount of kilowatthours sold in a given period of time; usually grouped by classes of service, such as residential, commercial, industrial, and other. "Other" sales include sales for public street and highway lighting and other sales to public authorities and railways, and interdepartmental sales.

Electric Power Plant: A station containing prime movers, electric generators, and auxiliary equipment for converting mechanical, chemical, and/or fission energy into electric energy.

Electric Utilities: All privately owned companies and all publicly owned agencies engaged in the generation, transmission, or distribution of electric power for public use. Publicly owned agencies include municipal electric utilities; Federal power projects, such as the Tennessee Valley Authority (TVA); rural electrification cooperatives; power districts; and State power projects.

Electric Utility: A corporation, person, agency, authority, or other legal entity or instrumentality that owns and/or operates facilities within the United States, its territories, or Puerto Rico for the generation, transmission, distribution, or sale of electric energy, primarily for use by the public, and that files forms listed in the *Code of Federal Regulations*, Title 18, Part 141. Facilities that qualify as cogenerators or small power producers under the Public Utility Regulatory Policies Act are not considered electric utilities.

Electric Utility Sector: The electric utility sector consists of privately and publicly owned establishments that generate, transmit, distribute, or sell electricity primarily for use by the public and that meet the definition of an electric utility. Nonutility power producers are not included in the electric utility sector.

Eliminations: Revenues and expenses resulting from transactions between segments. Consolidated company accounts do not include intersegment revenues and expenses. Therefore, such intersegment transactions must be eliminated.

End-Use Sectors: The residential, commercial, industrial, and transportation sectors of the economy.

Energy: The capacity for doing work as measured by the capability of doing work (potential energy) or the conversion of this capability to motion (kinetic energy). Energy has several forms, some of which are easily convertible and can be changed to another form useful for work. Most of the world's convertible energy comes from fossil fuels that are burned to produce heat that is then used as a transfer medium to mechanical or other means in order to accomplish tasks. Electrical energy is usually measured in kilowatthours, while heat energy is usually measured in British thermal units.

Energy Consumption: The use of energy as a source of heat or power or as an input in the manufacturing process.

Energy Consumption, End-Use: The sum of fossil fuel consumption by the four end-use sectors (residential, commercial, industrial, and transportation) plus electric utility sales to those sectors and generation of hydroelectric power by nonelectric utilities. Net end-use energy consumption excludes electrical system energy losses. Total end-use energy consumption includes electrical system energy losses.

Energy Consumption, Total: The sum of fossil fuels and renewable energy consumed by the five sectors (residential, commercial, industrial, transportation, and electric utility) plus coal coke net imports, nuclear electric power, and hydroelectric pumped storage.

Energy Expenditures: The money spent directly by consumers to purchase energy. Expenditures equal the amount of energy used by the consumer times the price per unit paid by the consumer.

Energy Source: A substance, such as petroleum, natural gas, or coal, that supplies heat or power. In Energy Information Administration (EIA) reports, electricity and renewable forms of energy, such as biomass, geothermal, wind, and solar, are considered to be energy sources.

Energy-Weighted Industrial Output: The weighted sum of real output for all two-digit Standard Industrial Classification (SIC) manufacturing industries, plus agriculture, construction, and mining. The weight for each industry is the ratio of the quantity of end-use energy consumption to the value of real output. The base year for those weights is either 1981 or 1982, depending on data availability.

Ethane: A normally gaseous straight-chain hydrocarbon (C_2H_6). It is a colorless, paraffinic gas that boils at a temperature of -127.48° F. It is extracted from natural gas and refinery gas streams.

Ethylene: An olefinic hydrocarbon (C₂H₄) recovered from refinery processes or petrochemical processes.

Exploratory Well: A well drilled to find and produce oil or gas in an unproved area, to find a new reservoir in a field previously found to be productive of oil or gas in another reservoir, or to extend the limit of a known oil or gas reservoir.

Exports: Shipments of goods from the 50 States and the District of Columbia to foreign countries and to Puerto Rico, the Virgin Islands, and other U.S. possessions and territories.

Extraction Loss: The reduction in volume of natural gas due to the removal of natural gas constituents, such as ethane, propane, and butane, at natural gas processing plants.

f.a.s.: See Free Alongside Ship.

Federal Energy Regulatory Commission (FERC): The Federal agency with jurisdiction over interstate electricity sales, wholesale electric rates, hydroelectric licensing, natural gas pricing, oil pipeline rates, and gas pipeline certification. FERC is an independent regulatory agency within the Department of Energy and is the successor to the Federal Power Commission.

Federal Power Commission (FPC): The predecessor agency of the Federal Energy Regulatory Commission. The Federal Power Commission was created by an Act of Congress under the Federal Water Power Act on June 10, 1920. It was charged originally with regulating the electric power and natural gas industries. It was abolished on September 30, 1977, when the Department of Energy was created. Its functions were divided between the Department of Energy and the Federal Energy Regulatory Commission, an independent regulatory agency.

First Purchase Price: The marketed first sales price of domestic crude oil, consistent with the removal price defined by the provisions of the Windfall Profits Tax on Domestic Crude Oil (Public Law 96-223, Sec. 4998 [c]).

Fiscal Year: The U.S. Government's fiscal year runs from October 1 through September 30. The fiscal year is designated by the calendar year in which it ends; e.g., fiscal year 1998 began on October 1, 1997 and ends on September 30, 1998.

Flared Natural Gas: Natural gas burned in flares on the base site or at gas processing plants.

f.o.b.: See Free on Board.

Former U.S.S.R.: See U.S.S.R.

Footage Drilled: Total footage for wells in various categories, as reported for any specified period, includes (1) the deepest total depth (length of well bores) of all wells drilled from the surface, (2) the total of all bypassed footage drilled in connection with reported wells, and (3) all new footage drilled for directional sidetrack wells. Footage reported for directional sidetrack wells does not include footage in the common bore, which is reported as footage for the original well. In the case of old wells drilled deeper, the reported footage is that which was drilled below the total depth of the old well.

Forward Costs: The operating and capital costs still to be incurred in the production of uranium from estimated reserves; such costs are used in assigning the uranium reserves to cost categories. Those costs include labor, materials, power and fuel, royalties, payroll and production taxes, insurance, and applicable general and administrative costs. They exclude expenditures prior to reserve estimates, for example, for property acquisition, exploration, mine development, and mill construction from the forward cost determinations, as well as income taxes, profit, and the cost of money. Forward costs are neither the full costs of production nor the market price at which the uranium will be sold.

Fossil Fuel: Any naturally occurring organic fuel formed in the Earth's crust, such as petroleum, coal, and natural gas.

Fossil Fuel Steam-Electric Power Plant: An electricity generation plant in which the prime mover is a turbine rotated by high-pressure steam produced in a boiler by heat from burning fossil fuels.

Free Alongside Ship (f.a.s.): The value of a commodity at the port of exportation, generally including the purchase price, plus all charges incurred in placing the commodity alongside the carrier at the port of exportation.

Free on Board (f.o.b.): A transaction whereby the seller makes the product available within an agreed-on period at a given port at a given price. It is the responsibility of the buyer to arrange for the transportation and insurance.

Fuel Ethanol: An anhydrous, denatured aliphatic alcohol (C₂H₅OH) intended for motor gasoline blending. See **Oxygenates.**

Full-Power Operation: Operation of a nuclear generating unit at 100 percent of its design capacity. Full-power operation precedes commercial operation.

Gasohol: A blend of finished motor gasoline (leaded or unleaded) and alcohol (generally ethanol but sometimes methanol) limited to 10 percent by volume of alcohol. Gasohol is included in finished leaded and unleaded motor gasoline.

Gas-Turbine Electric Power Plant: A plant in which the prime mover is a gas turbine. A gas turbine typically consists of an axial-flow air compressor and one or more combustion chambers where liquid or gaseous fuel is burned. The hot gases expand to drive the generator and then are used to run the compressor.

Gas Well: A well completed for the production of natural gas from one or more gas zones or reservoirs. (Wells producing both crude oil and natural gas are classified as oil wells.)

Gas Well Productivity: Derived annually by dividing gross natural gas withdrawals from gas wells by the number of producing gas wells on December 31 and then dividing the quotient by the number of days in the year.

Geothermal Energy: Energy from the internal heat of the Earth, which may be residual heat, friction heat, or a result of radioactive decay. The heat is found in rocks and fluids at various depths and can be extracted by drilling and/or pumping.

Geothermal Energy (as used at electric utilities): Hot water or steam, extracted from geothermal reservoirs in the Earth's crust, and supplied to steam turbines at electric utilities that drive generators to produce electricity.

Gross Domestic Product (GDP): The total value of goods and services produced by labor and property located in the United States. As long as the labor and property are located in the United States, the supplier (that is, the workers and, for property, the owners) may be either U.S. residents or residents of foreign countries.

Gross Domestic Product (GDP) Implicit Price Deflator: A measure used to convert nominal prices to real prices. See Chained Dollars.

Gross Electricity Generation: See Electricity Generation, Gross.

Gross Input to Atmospheric Crude Oil Distillation Units: Total input to atmospheric crude oil distillation units. Includes all crude oil, lease condensate, natural gas plant liquids, unfinished oils, liquefied refinery gases, slop oils, and other liquid hydrocarbons produced from tar sands, gilsonite, and oil shale.

Heat Content of a Quantity of Fuel, Gross: The total amount of heat released when a fuel is burned. Coal, crude oil, and natural gas all include chemical compounds of carbon and hydrogen. When those fuels are burned, the carbon and hydrogen combine with oxygen in the air to produce carbon dioxide and water. Some of the energy released in burning goes into transforming the water into steam and is usually lost. The amount of heat spent in transforming the water into steam is counted as part of gross heat content but is not counted as part of net content. Also referred to as the higher heating value. Btu conversion factors typically used by EIA represent gross heat content.

Heat Content of a Quantity of Fuel, Net: The amount of usable heat energy released when a fuel is burned under conditions similar to those in which it is normally used. Also referred to as the lower heating value. Btu conversion factors typically used by the Energy Information Administration (EIA) represent gross heat content.

Heavy Oil: The fuel oils remaining after the lighter oils have been distilled off during the refining process. Except for start-up and flame stabilization, virtually all petroleum used in steam-electric power plants is heavy oil.

Household: A family, an individual, or a group of up to nine unrelated persons occupying the same housing unit. Occupy means the housing unit was the person's usual or permanent place of residence. The household includes babies, lodgers, boarders, employed persons who live in the housing unit, and persons who usually live in the household but are away traveling or in a hospital. The household does not include persons who are normally members of the household but who are away from home as college students or members of the armed forces. The household does not include persons temporarily visiting with the household if they have a place of residence elsewhere, persons who take their meals with the household but usually lodge or sleep elsewhere, domestic employees or other persons employed by the household who do not sleep in the same housing unit, or

persons who are former members of the household, but have since become inmates of correctional or penal institutions, mental institutions, homes for the aged or needy, homes or hospitals for the chronically ill or handicapped, nursing homes, convents or monasteries, or other places in which residents may remain for long periods of time. By definition, the number of households is the same as the number of occupied housing units.

Housing Unit: A structure or part of a structure where a household lives. It has access from the outside of the building either directly or through a common hall. Housing units do not include group quarters, such as prisons or nursing homes, where 10 or more unrelated persons live. Hotel and motel rooms are considered housing units if occupied as the usual or permanent place of residence.

Hydrocarbon: An organic chemical compound of hydrogen and carbon in the gaseous, liquid, or solid phase. The molecular structure of hydrocarbon compounds varies from the simplest (methane, a constituent of natural gas) to the very heavy and very complex.

Hydroelectric Power: The production of electricity from the kinetic energy of falling water.

Hydroelectric Power Plant: A plant in which the turbine generators are driven by falling water.

Implicit Price Deflator: See Gross Domestic Product (GDP) Implicit Price Deflator.

Imports: Receipts of goods into the 50 States and the District of Columbia from foreign countries and from Puerto Rico, the Virgin Islands, and other U.S. possessions and territories.

Independent Power Producer: Wholesale electricity producers (other than qualifying facilities under the Public Utilities Regulatory Policies Act of 1978) that are unaffiliated with franchised utilities in the area in which the independent power producers are selling power and that lack significant marketing power. Unlike traditional electric utilities, independent power producers do not possess transmission facilities that are essential to their customers and do not sell power in any retail service territory where they have a franchise. See **Nonutility Power Producer.**

Indicated Resources, Coal: Coal for which estimates of the rank, quality, and quantity are based partly on sample analyses and measurements and partly on reasonable geologic projections. Indicated resources are computed partly from specified measurements and partly from projection of visible data for a reasonable distance on the basis of geologic evidence. The points of observation are 1/2 to 1-1/2 miles apart. Indicated coal is projected to extend as a 1/2-mile-wide belt that lies more than 1/4 mile from the outcrop or points of observation or measurement.

Industrial Sector: The industrial sector comprises manufacturing industries which make up the largest part of the sector, along with mining, construction, agriculture, fisheries, and forestry. Establishments in this sector range from steel mills, to small farms, to companies assembling electronic components. The SIC codes used to classify establishments as industrial are 1 through 39.

Internal Combustion Electric Power Plant: A power plant in which the prime mover is an internal combustion engine. Diesel or gas-fired engines are the principal types used in electric power plants. The plant is usually operated during periods of high demand for electricity.

International Bunkers: Storage compartments, found on vessels and aircraft engaged in international commerce, where fuel to be used by the vessel or aircraft is stored.

Jet Fuel: The term includes kerosene-type jet fuel and naphtha-type jet fuel. Kerosene-type jet fuel is a kerosene-quality product used primarily for commercial turbojet and turboprop aircraft engines. Naphtha-type jet fuel is a fuel in the heavy naphthas range used primarily for military turbojet and turboprop aircraft engines.

Kerosene: A petroleum distillate that has a maximum distillation temperature of 401° F at the 10-percent recovery point, a final boiling point of 572° F, and a minimum flash point of 100° F. Included are the two grades designated in ASTM D3699 (No. 1-K and No. 2-K) and all grades of kerosene called range or stove oil. Kerosene is used in space heaters, cook stoves, and water heaters; it is suitable for use as an illuminant when burned in wick lamps.

Lease and Plant Fuel: Natural gas used in well, field, and lease operations (such as gas used in drilling operations, heaters, dehydrators, and field compressors), and used as fuel in natural gas processing plants.

Lease Condensate: A natural gas liquid recovered from gas well gas (associated and non-associated) in lease separators or natural gas field facilities. Lease condensate consists primarily of pentanes and heavier hydrocarbons.

Light Oil: Lighter fuel oils distilled off during the refining process. Virtually all petroleum used in internal combustion and gas-turbine engines is light oil.

Lignite: A brownish-black coal of low rank with a high content of moisture and volatile matter. Often referred to as brown coal. It is used almost exclusively for electric power generation. It conforms to ASTM Specification D388-84 for lignite.

Line-Miles of Seismic Exploration: The distance along the Earth's surface that is covered by seismic surveying.

Liquefied Natural Gas (LNG): Natural gas (primarily methane) that has been liquefied by reducing its temperature to -260° F at atmospheric pressure.

Liquefied Petroleum Gases (LPG): Ethane, ethylene, propane, propylene, normal butane, butylene, and isobutane produced at refineries or natural gas processing plants, including plants that fractionate new natural gas plant liquids.

Liquefied Refinery Gases (LRG): Liquefied petroleum gases fractionated from refinery or still gases. Through compression and/or refrigeration, they are retained in the liquid state. The reported categories are ethane/ethylene, propane/propylene, normal butane/butylene, and isobutane. Excludes still gas.

Low-Power Testing: The period of time between a nuclear generating unit's initial fuel loading date and the issuance of its operating (full-power) license. The maximum level of operation during that period is 5 percent of the unit's design thermal rating.

Lubricants: Substances used to reduce friction between bearing surfaces or as process materials either incorporated into other materials used as processing aids in the manufacturing of other products or as carriers of other materials. Petroleum lubricants may be produced either from distillates or residues. Other substances may be added to impart or improve

certain required properties. Excluded are byproducts of lubricating oil refining, such as aromatic extracts derived from solvent extraction or tars derived from deasphalting. Lubricants include all grades of lubricating oils from spindle oil to cylinder oil and those used in greases. Lubricant categories include paraffinic and naphthenic.

Main Cooking Fuel: Fuel most often used for cooking.

Main Heating Equipment: Equipment used primarily for heating ambient air in a housing unit.

Main Heating Fuel: Fuel that powers the main heating equipment.

Major Electric Utility: A utility that, in the last 3 consecutive calendar years, had sales or transmission services exceeding one of the following: (1) 1 million megawatthours of total annual sales; (2) 100 megawatthours of annual sales for resale; (3) 500 megawatthours of annual gross interchange out; or (4) 500 megawatthours of wheeling (deliveries plus losses) for others.

Major Sources: The energy sources or fuels for which consumption and expenditure data were collected on the Commercial Buildings Energy Consumption Survey. Those fuels or energy sources (for the 1989 survey forward) are as follows: electricity, fuel oil, natural gas, and district heat.

Manufacturing Establishment: An economic unit at a single physical location where the mechanical or chemical transformation of materials or substances into new products is performed. Those operations are generally conducted in facilities described as plants, factories, or mills and characteristically use power-driven machines and material-handling equipment. In addition, the assembly of components of manufactured products is considered manufacturing, as is the blending of materials, such as lubricating oil, plastics, resins, or liquors. Manufacturing establishments are covered by SIC codes 20 through 39.

Manufacturing Sector: The universe of manufacturing establishments within the 50 States and the District of Columbia.

Measured Resources, Coal: Coal resources for which estimates of the rank, quality, and quantity have been computed, within a margin of error of less than 20 percent, from sample analyses and measurements from closely spaced and geologically well known sample sites. Measured resources are

computed from dimensions revealed in outcrops, trenches, mine workings, and drill holes. The points of observation and measurement are so closely spaced and the thickness and extent of coals are so well defined that the tonnage is judged to be accurate within 20 percent. Although the spacing of the point of observation necessary to demonstrate continuity of the coal differs from region to region, according to the character of the coalbeds, the points of observation are no greater than 1/2 mile apart. Measured coal is projected to extend as a belt 1/4 mile wide from the outcrop or points of observation or measurement.

Metallurgical Coal: Coal that meets the requirements for making coke. It must be low in ash and sulfur and form a coke that is capable of supporting the charge of iron ore and limestone in a blast furnace. A blend of two or more bituminous coals is usually required to make coke.

Methanol: A light, volatile alcohol (CH₃OH) eligible for motor gasoline blending. See **Oxygenates.**

Miscellaneous Petroleum Products: All finished petroleum products not classified elsewhere, for example, petrolatum, lube refining byproducts (aromatic extracts and tars), absorption oils, ram-jet fuel, petroleum rocket fuels, synthetic natural gas feedstocks, and specialty oils.

Motor Gasoline: A complex mixture of relatively volatile hydrocarbons, with or without small quantities of additives, obtained by blending appropriate refinery streams to form a fuel suitable for use in spark-ignition engines. Motor gasoline includes both leaded and unleaded grades of finished motor gasoline, blending components, and gasohol.

Motor Gasoline Blending Components: Naphthas that will be used for blending or compounding into finished motor gasoline (e.g., straight-run gasoline, alkylate, reformate, benzene, toluene, and xylene). Excluded are oxygenates (alcohols and ethers), butane, and pentanes plus.

Motor Gasoline, Finished: A complex mixture of relatively volatile hydrocarbons, with or without small quantities of additives, that has been blended to form a fuel suitable for use in spark-ignition engines. Motor gasoline, as given in ASTM Specification D439 or Federal Specification VV-G-1690B, includes a range in distillation temperatures from 122° to 158° F at the 10-percent recovery point and from 365° to 374° F at the 90-percent recovery point. Motor gasoline includes reformulated motor

gasoline, oxygenated motor gasoline (Environmental Protection Agency [EPA] approved), and other finished motor gasoline. Blendstock is excluded until blending has been completed.

- Reformulated Motor Gasoline: Motor gasoline, formulated for use in motor vehicles, the composition and properties of which are certified as "reformulated motor gasoline" by the EPA.
- Oxygenated Motor Gasoline (EPA Approved): Motor gasoline, formulated for use in motor vehicles, that is intended for use in the EPA carbon monoxide nonattainment program. Reformulated motor gasoline is excluded.
- Other Finished: Motor gasoline that is not included in the reformulated or oxygenated categories.

Motor Gasoline, Finished Gasohol: A blend of finished motor gasoline (leaded or unleaded) and alcohol (generally ethanol, but sometimes methanol) in which 10 percent or more of the product is alcohol.

Motor Gasoline, Finished Leaded: Motor gasoline that contains more than 0.05 gram of lead per gallon or more than 0.005 gram of phosphorus per gallon. Premium and regular grades are included, depending on the octane rating. Includes leaded gasohol. Blendstock is excluded until blending has been completed. Alcohol that is to be used in the blending of gasohol is also excluded.

Motor Gasoline, Finished Leaded Premium: Motor gasoline having an antiknock index, calculated as (R+M)/2, greater than 90 and containing more than 0.05 gram of lead per gallon or more than 0.005 gram of phosphorus per gallon.

Motor Gasoline, Finished Leaded Regular: Motor gasoline having an antiknock index, calculated as (R+M)/2, greater than or equal to 87 and less than or equal to 90 and containing more than 0.05 gram of lead or 0.005 gram of phosphorus per gallon.

Motor Gasoline, Finished Unleaded: Motor gasoline containing not more than 0.05 gram of lead per gallon and not more than 0.005 gram of phosphorus per gallon. Premium and regular grades are included, depending on the octane rating. Includes unleaded gasohol. Blendstock is

excluded until blending has been completed. Alcohol that is to be used in the blending of gasohol is also excluded.

Motor Gasoline, Finished Unleaded Midgrade: Motor gasoline having an antiknock index, calculated as (R+M)/2, greater than or equal to 88 and less than or equal to 90 and containing not more than 0.05 gram of phosphorus per gallon.

Motor Gasoline, Finished Unleaded Premium: Motor gasoline having an antiknock index, calculated as (R+M)/2, greater than 90 and containing not more than 0.05 gram of lead or 0.005 gram of phosphorus per gallon.

Motor Gasoline, Finished Unleaded Regular: Motor gasoline having an antiknock index, calculated as (R+M)/2, of 87 and containing not more than 0.05 gram of lead per gallon and not more than 0.005 gram of phosphorus per gallon.

Motor Gasoline, Leaded: Motor gasoline that contains more than 0.05 gram of lead per gallon or more than 0.005 gram of phosphorus per gallon. Premium and regular grades are included.

Motor Gasoline Retail Prices: Motor gasoline prices calculated each month by the Bureau of Labor Statistics (BLS) in conjunction with the construction of the Consumer Price Index (CPI). Those prices are collected in 85 urban areas selected to represent all urban consumers—about 80 percent of the total U.S. population. The service stations are selected initially, and on a replacement basis, in such a way that they represent the purchasing habits of the CPI population. Service stations in the current sample include those providing all types of service (i.e., full-, mini-, and self-service).

Motor Gasoline, Total: Includes finished leaded motor gasoline (premium and regular), finished unleaded motor gasoline (premium, midgrade, and regular), motor gasoline blending components, and gasohol.

Motor Gasoline, Unleaded: Gasoline that contains not more than 0.05 gram of lead per gallon and not more than 0.005 gram of phosphorus per gallon. Premium and regular grades are included, depending on the octane rating.

MTBE (Methyl Tertiary Butyl Ether): An ether, (CH₃)₃COCH₃, intended for motor gasoline blending. See Oxygenates.

Naphtha: A generic term applied to a petroleum fraction with an approximate boiling range between 122° and 400° F.

Native Gas: The total volume of natural gas indigenous to the storage reservoir at the time the storage started.

Natural Gas: A mixture of hydrocarbons (principally methane) and small quantities of various nonhydrocarbons existing in the gaseous phase or in solution with crude oil in underground reservoirs.

Natural Gas, Dry: The marketable portion of natural gas production, which is obtained by subtracting extraction losses, including natural gas liquids removed at natural gas processing plants, from total production.

Natural Gas Gross Withdrawals: Full well stream volume of produced natural gas, excluding condensate separated at the lease.

Natural Gas Liquids (NGL): Those hydrocarbons in natural gas that are separated as liquids from the gas. Natural gas liquids include natural gas plant liquids (primarily ethane, propane, butane, and isobutane), and lease condensate (primarily pentanes produced from natural gas at lease separators and field facilities.)

Natural Gas Marketed Production: Gross withdrawals of natural gas from production reservoirs, less gas used for reservoir repressuring; nonhydrocarbon gases removed in treating and processing operations; and quantities vented and flared.

Natural Gas Plant Liquids (NGPL): Natural gas liquids recovered from natural gas in processing plants and, in some situations, from natural gas field facilities, as well as those extracted by fractionators. Natural gas plant liquids are defined according to the published specifications of the Gas Processors Association and the American Society for Testing and Materials as follows: ethane, propane, normal butane, isobutane, pentanes plus, and other products from natural gas processing plants (i.e., products meeting the standards for finished petroleum products produced at natural gas processing plants, such as finished motor gasoline, finished aviation gasoline, special naphthas, kerosene, distillate fuel oil, and miscellaneous products).

Natural Gas Wellhead Price: The wellhead price of natural gas is calculated by dividing the total reported value at the wellhead by the total

quantity produced as reported by the appropriate agencies of individual producing States and the U.S. Minerals Management Service. The price includes all costs prior to shipment from the lease, including gathering and compression costs, in addition to State production, severance, and similar charges.

Natural Gas, Wet: Natural gas prior to the extraction of liquids and other miscellaneous products.

NERC: See North American Electric Reliability Council.

Net Electricity Generation: See Electricity Generation, Net.

Net Income: Operating income plus earnings from unconsolidated affiliates; gains from disposition of property, plant, and equipment; minority interest income; and foreign currency translation effects less income taxes, extraordinary items, and the cumulative effect of accounting changes.

Net Ownership Interest: The sum of net working interest and royalty interest. Net ownership interest applies to both production and reserves.

Net Property Investment: The original cost of property, plant, and equipment (PP&E), less accumulated depreciation.

Net Summer Capability: The steady hourly output that generating equipment is expected to supply to system load, exclusive of auxiliary power, as demonstrated by testing at the time of summer peak demand.

Net Working Interest: A company's working interest, not including any basic royalty or overriding royalty interests.

Nominal Dollars: A measure used to express nominal prices.

Nominal Price: The price paid for goods or services at the time of the transaction. Nominal prices are those that have not been adjusted to remove the effect of changes in the purchasing power of the dollar; they reflect buying power in the year in which the transaction occurred.

Nonhydrocarbon Gases: Typical nonhydrocarbon gases that may be present in reservoir natural gas are carbon dioxide, helium, hydrogen sulfide, and nitrogen.

Nonmetropolitan: Refers to buildings not located within Metropolitan Statistical Areas as defined in the 1980 Census.

Nontraceables: Those revenues, costs, assays, and liabilities that cannot be directly attributed to a type of business by use of a reasonable allocation method developed on the basis of operating-level utilities.

Nonutility Power Producer: A corporation, person, agency, authority, or other legal entity or instrumentality that owns electric generating capacity and is not an electric utility. Nonutility power producers include qualifying cogenerators, qualifying small power producers, and other nonutility generators (including independent power producers) without a designated, franchised service area that do not file forms listed in the *Code of Federal Regulations*, Title 18, Part 141. See **Cogenerator**; **Independent Power Producer**; and **Small Power Producer**.

North American Electric Reliability Council (NERC): A council formed in 1968 by the electric utility industry to promote the reliability and adequacy of bulk power supply in the electric utility systems of North America. The NERC consists of ten regional reliability councils and encompasses essentially all the power systems of the contiguous United States and Canada. The NERC regions are as follows: (1) Alaskan System Coordination Council (ASCC); (2) East Central Area Reliability Coordination Agreement (ECAR); (3) Electric Reliability Council of Texas (ERCOT); (4) Mid-America Interpol Network (MAIN); (5) Mid-Atlantic Area Council (MAAC); (6) Mid-Continent Area Power Pool (MAPP); (7) Northeast Power Coordinating Council (NPCC); (8) Southeastern Electric Reliability Council (SERC); (9) Southwest Power Pool (SPP); and (10) Western Systems Coordinating Council (WSCC).

Nuclear Electric Power: Electricity generated by an electric power plant whose turbines are driven by steam generated in a reactor by heat from the fissioning of nuclear fuel.

Nuclear Electric Power Plant: A single-unit or multi-unit facility in which heat produced in one or more reactors by the fissioning of nuclear fuel is used to drive one or more steam turbines.

Nuclear Reactor: An apparatus in which the nuclear fission chain can be initiated, maintained, and controlled so that energy is released at a specific rate. The reactor includes fissionable material (fuel), such as uranium or plutonium; fertile material; moderating material (unless it is a fast reactor);

a heavy-walled pressure vessel; shielding to protect personnel; provision for heat removal; and control elements and instrumentation.

Offshore: That geographic area that lies seaward of the coastline. In general, the coastline is the line of ordinary low water along with that portion of the coast that is in direct contact with the open sea or the line marking the seaward limit of inland water.

Oil: See Crude Oil (Including Lease Condensate).

Oil Well: A well completed for the production of crude oil from one or more oil zones or reservoirs. Wells producing both crude oil and natural gas are classified as oil wells.

Operable (nuclear): A U.S. nuclear generating unit is considered operable after it completes low-power testing and is issued a full-power operating license by the Nuclear Regulatory Commission. A foreign nuclear generating unit is considered operable once it has generated electricity to the grid.

Operable Refineries: Refineries that were in one of the following three categories at the beginning of a given year: in operation; not in operation and not under active repair, but capable of being placed into operation within 30 days; or not in operation, but under active repair that could be completed within 90 days.

Operating Income: Operating revenues less operating expenses. Excludes items of other revenue and expense, such as equity in earnings of unconsolidated affiliates, dividends, interest income and expense, income taxes, extraordinary items, and cumulative effect of accounting changes.

Organization for Economic Cooperation and Development (OECD): Current members are Australia, Austria, Belgium, Canada, Czech Republic, Denmark and its territories (Faroe Islands and Greenland), Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Japan, Luxembourg, Mexico, the Netherlands, New Zealand, Norway, Poland, Portugal, South Korea, Spain, Sweden, Switzerland, Turkey, the United Kingdom, and the United States and its territories (Guam, Puerto Rico, and Virgin Islands).

Organization of Petroleum Exporting Countries (OPEC): Countries that have organized for the purpose of negotiating with oil companies on matters of oil production, prices, and future concession rights. Current members are

Algeria, Indonesia, Iran, Iraq, Kuwait, Libya, Nigeria, Qatar, Saudi Arabia, United Arab, United Emirates, and Venezuela.

Other Hydrocarbons (petroleum): Other materials processed at refineries. Includes coal tar derivatives, hydrogen, gilsonite, and natural gas received by the refinery for reforming into hydrogen.

Oxygenated Motor Gasoline: See Motor Gasoline, Finished.

Oxygenates: Any substance which, when added to motor gasoline, increases the amount of oxygen in that motor gasoline blend. Through a series of waivers and interpretive rules, the Environmental Protection Agency (EPA) has determined the allowable limits for oxygenates in unleaded gasoline. The "Substantially Similar" Interpretive Rules (56 FR [February 11, 1991]) allows blends of aliphatic alcohols other than methanol and aliphatic ethers, provided the oxygen content does not exceed 2.7 percent by weight. The "Substantially Similar" Interpretive Rules also provide for blends of methanol up to 0.3 percent by volume exclusive of other oxygenates, and butanol or alcohols of a higher molecular weight up to 2.75 percent by weight. Individual waivers pertaining to the use of oxygenates in unleaded motor gasoline have been issued by the EPA. They include the following:

- Fuel Ethanol: Blends of up to 10 percent by volume anhydrous ethanol (200 proof).
- *Methanol:* Blends of methanol and gasoline-grade tertiary butyl alcohol (GTBA) such that the total oxygen content does not exceed 3.5 percent by weight and the ratio of methanol to GTBA is less than or equal to 1. It is also specified that this blended fuel must meet ASTM volatility specifications. Blends of up to 5.0 percent by volume methanol with a minimum of 2.5 percent by volume cosolvent alcohols having carbon number of 4 or less (i.e., ethanol, propanol, butanol, and/or GTBA). The total oxygen must not exceed 3.7 percent by weight, and the blend must meet ASTM volatility specifications as well as phase separation and alcohol purity specifications.
- MTBE (Methyl tertiary butyl ether): Blends up to 15.0 percent by volume MTBE that must meet the ASTM D4814 specifications. Blenders must take precautions that the blends are not used as base gasolines for other oxygenated blends.

Pentanes Plus: A mixture of hydrocarbons, mostly pentanes and heavier, extracted from natural gas. Includes isopentane, natural gasoline, and plant condensate.

Petrochemical Feedstocks: Chemical feedstocks derived from petroleum principally for the manufacture of chemicals, synthetic rubber, and a variety of plastics. The categories reported are naphthas less than 401° F endpoint and other oils equal to or greater than 401° F endpoint.

Petroleum: A generic term applied to oil and oil products in all forms, such as crude oil, lease condensate, unfinished oils, petroleum products, natural gas plant liquids, and nonhydrocarbon compounds blended into finished petroleum products.

Petroleum Coke: A residue that is the final product of the condensation process in cracking. The product is either marketable petroleum coke or catalyst petroleum coke.

Petroleum Coke, Catalyst: The carbonaceous residue that is deposited on and deactivates the catalyst used in many catalytic operations (e.g., catalytic cracking). Carbon is deposited on the catalyst, thus deactivating the catalyst. The catalyst is reactivated by burning off the carbon, which is used as a fuel in the refining process. That carbon or coke is not recoverable in a concentrated form.

Petroleum Coke, Marketable: Those grades of coke produced in delayed or fluid cokers that may be recovered as relatively pure carbon. Marketable petroleum coke may be sold as is or may be further purified by calcining.

Petroleum Consumption: The sum of all refined petroleum products supplied. For each refined petroleum product, the amount supplied is calculated by adding production and imports, then subtracting changes in primary stocks (net withdrawals are a plus quantity and net additions are a minus quantity) and exports.

Petroleum Imports: Imports of petroleum into the 50 States and the District of Columbia from foreign countries and from Puerto Rico, the Virgin Islands, and other U.S. territories and possessions. Included are imports for the Strategic Petroleum Reserve and withdrawals from bonded warehouses for onshore consumption, offshore bunker use, and military use.

Excluded are receipts of foreign petroleum into bonded warehouses and into U.S. territories and U.S. Foreign Trade Zones.

Petroleum Products: Products obtained from the processing of crude oil (including lease condensate), natural gas, and other hydrocarbon compounds. Petroleum products include unfinished oils, liquefied petroleum gases, pentanes plus, aviation gasoline, motor gasoline, naphtha-type jet fuel, kerosene-type jet fuel, kerosene, distillate fuel oil, residual fuel oil, petrochemical feedstocks, special naphthas, lubricants, waxes, petroleum coke, asphalt, road oil, still gas, and miscellaneous products.

Petroleum Products Supplied: See Petroleum Consumption.

Petroleum Stocks, Primary: For individual products, quantities that are held at refineries, in pipelines, and at bulk terminals that have a capacity of 50,000 barrels or more, or that are in transit thereto. Stocks held by product retailers and resellers, as well as tertiary stocks held at the point of consumption, are excluded. Stocks of individual products held at gas processing plants are excluded from individual product estimates but are included in other oil estimates and total.

Photovoltaic and Solar Thermal Energy: Energy radiated by the sun as electromagnetic waves (electromagnetic radiation) that is converted into electricity by means of solar (photovoltaic) cells or concentrating (focusing) collectors.

Photovoltaic Module: A group of photovoltaic cells. (Cells are solid-state devices that produce electricity when exposed to sunlight.) The electricity is used primarily in applications requiring remote power, such as radio communication, cathodic protection, and navigational aids.

Pipeline, Natural Gas: A continuous pipe conduit, complete with such equipment as valves, compressor stations, communications systems, and meters, for transporting natural gas and/or supplemental gaseous fuels from one point to another, usually from a point in or beyond the producing field or processing plant to another pipeline or to points of utilization. Also refers to a company operating such facilities.

Pipeline, Petroleum: Crude oil and product pipelines (including interstate, intrastate, and intracompany pipelines) used to transport crude oil and petroleum products, respectively, within the 50 States and the District of Columbia.

Plant Condensate: One of the natural gas liquids, mostly pentanes and heavier hydrocarbons, recovered and separated as liquids at gas inlet separators or scrubbers in processing plants.

Process Fuel: All energy consumed in the acquisition, processing, and transportation of energy. Quantifiable process fuel includes three categories: natural gas lease and plant operations, natural gas pipeline operations, and oil refinery operations.

Processing Gain: The amount by which total volume of refinery output is greater than the volume of input for a given period of time. The processing gain arises when crude oil and other hydrocarbons are processed into products that are, on average, less dense than the input.

Processing Loss: The amount by which total volume of refinery output is less than input for a given period of time. The processing loss arises when crude oil and other hydrocarbons are processed into products that are, on average, more dense than the input.

Processing Plant (natural gas): A surface installation designed to separate and recover natural gas liquids from a stream of produced natural gas through the processes of condensation, absorption, refrigeration, or other methods, and to control the quality of natural gas marketed or returned to oil or gas reservoirs for pressure maintenance, repressuring, or cycling.

Propane: A normally gaseous straight-chain hydrocarbon (C_3H_8). It is a colorless paraffinic gas that boils at a temperature of -43.67° F. It is extracted from natural gas or refinery gas streams. It includes all products designated in ASTM Specification D1835 and Gas Processors Association Specifications for commercial propane and HD-5 propane.

Propylene: An olefinic hydrocarbon (C₃H₆) recovered from refinery or petrochemical processes.

Proved Reserves, Crude Oil: The estimated quantities of all liquids defined as crude oil that geological and engineering data demonstrate with reasonable certainty to be recoverable in future years from known reservoirs under existing economic and operating conditions.

Proved Reserves, Lease Condensate: The volumes of lease condensate expected to be recovered in future years in conjunction with the production

of proved reserves of natural gas based on the recovery efficiency of lease and/or field separation facilities installed.

Proved Reserves, Natural Gas: The estimated quantities of natural gas that analysis of geological and engineering data demonstrate with reasonable certainty to be recoverable in future years from known reservoirs under existing economic and operating conditions.

Proved Reserves, Natural Gas Liquids: Those volumes of natural gas liquids (including lease condensate) demonstrated with reasonable certainty to be separable in the future from proved natural gas reserves, under existing economic and operating conditions.

Real Price: A price that has been adjusted to remove the effect of changes in the purchasing power of the dollar. Real prices, which are expressed in chained dollars in this report, reflect buying power relative to a reference year. See **Chained Dollars.**

Refiner Acquisition Cost of Crude Oil: The cost of crude oil to the refiner, including transportation and fees. The composite cost is the weighted average of domestic and imported crude oil costs.

Refinery Input: The raw materials and intermediate materials processed at refineries to produce finished petroleum products. They include crude oil, products of natural gas processing plants, unfinished oils, other hydrocarbons and alcohol, motor gasoline and aviation gasoline blending components, and finished petroleum products.

Refinery Output: The total amount of petroleum products produced at a refinery. Includes petroleum consumed by the refinery.

Refinery (petroleum): An installation that manufactures finished petroleum products from crude oil, unfinished oils, natural gas liquids, other hydrocarbons, and alcohol.

Renewable Energy: Energy obtained from sources that are essentially inexhaustible (unlike, for example, the fossil fuels, of which there is a finite supply). Renewable sources of energy include conventional hydroelectric power, wood, waste, geothermal, wind, photovoltaic, and solar thermal energy.

Reservoir Repressuring: The injection of a pressurized fluid (such as air, gas, or water) into oil and gas reservoir formations to effect greater ultimate recovery.

Residential Sector: The residential sector is considered to consist of all private residences, whether occupied or vacant, owned or rented, including single-family homes, multifamily housing units, and mobile homes. Secondary homes, such as summer homes, are also included. Institutional housing, such as school dormitories, hospitals, and military barracks, generally are not included in the residential sector; they are included in the commercial sector. The Standard Industrial Classification (SIC) code used to classify an establishment as residential is 88 (Household).

Residential Vehicles: Motorized vehicles used by U.S. households for personal transportation. Excluded are motorcycles, mopeds, large trucks, and buses. Included are automobiles, station wagons, passenger vans, cargo vans, motor homes, pickup trucks, and jeeps or similar vehicles. In order to be included, vehicles must be: (1) owned by members of the household, or (2) company cars not owned by household members but regularly available to household members for their personal use and ordinarily kept at home, or (3) rented or leased for 1 month or more.

Residual Fuel Oil: The heavier oils that remain after the distillate fuel oils and lighter hydrocarbons are distilled away in refinery operations and that conform to ASTM Specifications D396 and D975. Included are No. 5, a residual fuel oil of medium viscosity; Navy Special, for use in steampowered vessels in government service and in shore power plants; and No. 6, which includes Bunker C fuel oil and is used for commercial and industrial heating, electricity generation, and to power ships. Imports of residual fuel oil include imported crude oil burned as fuel.

Road Oil: Any heavy petroleum oil, including residual asphaltic oil, used as a dust palliative and surface treatment on roads and highways. It is generally produced in six grades, from 0, the most liquid, to 5, the most viscous.

Rotary Rig: A machine used for drilling wells that employs a rotating tube attached to a bit for boring holes through rock.

Royalty Interest: An interest in a mineral property provided through a royalty contract.

Short Ton (coal): A unit of weight equal to 2,000 pounds.

SIC: See Standard Industrial Classification.

Small Power Producer: Under the Public Utility Regulatory Policies Act, a small power production facility (small power producer) generates electricity by using waste or renewable energy (biomass, conventional hydroelectric, wind, solar, and geothermal) as a primary energy source. Fossil fuels can be used, but renewable resources must provide at least 75 percent of the total energy input. See **Nonutility Power Producer.**

Solar Collector: Equipment that actively concentrates thermal energy from the sun. The energy is usually used for space heating, for water heating, or for heating swimming pools. Either air or liquid is the working fluid.

Solar Energy: The radiant energy of the sun that can be converted into other forms of energy, such as heat or electricity.

Solar Thermal Collector: A device designed to receive solar radiation and convert it into thermal energy. Normally, a solar thermal collector includes a frame, glazing, and an absorber, together with appropriate insulation. The heat collected by the solar thermal collector may be used immediately or stored for later use.

Solar Thermal Collector, High-Temperature: A collector that generally operates at temperatures above 180° F.

Solar Thermal Collector, Low-Temperature: A collector that generally operates at temperatures below 110° F. Typically, it has no glazing or insulation and is made of plastic or rubber, although some are made of metal.

Solar Thermal Collector, Medium-Temperature: A collector that generally operates at temperatures of 140° to 180° F but can also operate at temperatures as low as 110° F. Typically, it has one or two glazings, a metal frame, a metal absorption panel with integral flow channels or attached tubing (liquid collector) or with integral ducting (air collector) and insulation on the sides and back of the panel.

Solar Thermal Collector, Special: An evacuated tube collector or a concentrating (focusing) collector. Special collectors operate in the temperature range from just above ambient temperature (low concentration

for pool heating) to several hundred degrees Fahrenheit (high concentration for air conditioning and specialized industrial processes).

Space Heating: The use of mechanical equipment (including wood stoves and active solar heating devices) to heat all, or part, of a building to at least 50° F.

Special Naphthas: All finished products within the naphtha boiling range that are used as paint thinners, cleaners, or solvents. Those products are refined to a specified flash point. Special naphthas include all commercial hexane and cleaning solvents conforming to ASTM Specifications D1836 and D484, respectively. Naphthas to be blended or marketed as motor gasoline or aviation gasoline, or that are to be used as petrochemical and synthetic natural gas (SNG) feedstocks, are excluded.

Spot Market Price: A transaction price concluded "on the spot," that is, on a one-time, prompt basis; usually the transaction involves only one specific quantity of product. This contrasts with a term contract sale price, which obligates the seller to deliver a product at an agreed frequency and price over an extended period.

Standard Industrial Classification (SIC): A set of codes developed by the Office of Management and Budget which categorizes industries according to groups with similar economic activities.

Steam-Electric Power Plant: A plant in which the prime mover is a steam turbine. The steam used to drive the turbine is produced in a boiler where fossil fuels are burned.

Still Gas (refinery gas): Any form or mixture of gas produced in refineries by distillation, cracking, reforming, and other processes. The principal constituents are methane, ethane, ethylene, normal butane, butylene, propane, and propylene. It is used primarily as refinery fuel and petrochemical feedstock.

Strategic Petroleum Reserve (SPR): Petroleum stocks maintained by the Federal Government for use during periods of major supply interruption.

Stripper Well (natural gas): A well that produces 60 thousand cubic feet per day or less of gas-well gas, for a period of 3 consecutive months while producing at its maximum rate flow. In determining abandonments, a

stripper well is one that produced less than 22.5 million cubic feet in its last 12 months of production.

Stripper Well Property (petroleum): A property whose average daily production of crude oil per well (excluding condensate recovered in nonassociated natural gas production) did not exceed an average of 10 barrels per day during any preceding consecutive 12-month period beginning after December 31, 1972.

Subbituminous Coal: A dull, black coal of rank intermediate between lignite and bituminous coal. It conforms to ASTM Specification D388-84 for subbituminous coal. In this report, subbituminous coal is included in bituminous coal.

Supplemental Gaseous Fuels: Any gaseous substance that, introduced into or commingled with natural gas, increases the volume available for disposition. Such substances include, but are not limited to, propane-air, refinery gas, coke oven gas, still gas, manufactured gas, biomass gas, or air or inert gases added for Btu stabilization.

Synthetic Natural Gas (SNG): A manufactured product chemically similar in most respects to natural gas, resulting from the conversion or reforming of petroleum hydrocarbons. It may easily be substituted for, or interchanged with, pipeline quality natural gas. Also referred to as substitute natural gas.

Tall Oil: The oily mixture of rosin acids, fatty acids, and other materials obtained by acid treatment of the alkaline liquors from the digesting (pulping) of pine wood.

Transportation Sector: The transportation sector consists of private and public vehicles that move people and commodities. Included are automobiles, trucks, buses, motorcycles, railroads, and railways (including streetcars), aircraft, ships, barges, and natural gas pipelines. The SIC codes used to classify establishments as belonging to the transportation sector are 40 through 49.

Unaccounted-for Crude Oil: Represents the arithmetic difference between the calculated supply and the calculated disposition of crude oil. The calculated supply is the sum of crude oil production and imports, less changes in crude oil stocks. The calculated disposition of crude oil is the

sum of crude oil input to refineries, crude oil exports, crude oil burned as fuel, and crude oil losses.

Unaccounted-for Natural Gas: Quantities lost, the net result of flow data metered at varying temperature and pressure conditions and converted to a standard temperature and pressure base; metering inaccuracies; differences between the billing cycle and calendar period timeframes; the effect of variations in company accounting and billing practices; and imbalances from the merger of data reporting systems which vary in scope, format, definitions, and type of respondents.

Underground Storage: The storage of natural gas in underground reservoirs at locations other than those from which it was produced.

Undiscovered Recoverable Reserves (crude oil and natural gas): Those economic resources of crude oil and natural gas, yet undiscovered, that are estimated to exist in favorable geologic settings.

Unfinished Oils: All oils requiring further refinery processing, except those requiring only mechanical blending. Includes naphthas and lighter oils, kerosene and light gas oils, heavy gas oils, and residuum.

Unfractionated Streams: Mixtures of unsegregated natural gas liquid components, excluding those in plant condensate. This product is extracted from natural gas.

United States: Unless otherwise noted, United States in this publication means the 50 States and the District of Columbia. U.S. exports include shipments to U.S. territories, and imports include receipts from U.S. territories.

Uranium: A heavy, naturally radioactive, metallic element (atomic number 92). Its two principally occurring isotopes are uranium-235 and uranium-238. Uranium-235 is indispensable to the nuclear industry, because it is the only isotope existing in nature to any appreciable extent that is fissionable by thermal neutrons. Uranium-238 is also important, because it absorbs neutrons to produce a radioactive isotope that subsequently decays to plutonium-239, an isotope that also is fissionable by thermal neutrons.

Uranium Ore: Rock containing uranium mineralization (typically 1 to 4 pounds of U_3O_8 per ton or 0.05 percent to 0.2 percent U_3O_8) that can be mined economically.

Uranium Oxide: Uranium concentrate or yellowcake. See Yellowcake.

Uranium Resources: Uranium resource estimates are divided into three separate categories reflecting different levels of confidence in the quantities estimated: reasonable assured resources, estimated additional resources, and speculative resources. Reasonably assured resources refers to uranium in known mineral deposits of such size, grade, and configuration that it could be recovered within the given cost ranges with currently proven mining and processing technology. Estimated additional resources refers to uranium in addition to reasonably assured resources that is expected, mostly on the basis of direct geological evidence, to occur in extensions of well-explored deposits and in deposits in which geological continuity has been well established, as well as in deposits believed to exist in well-defined geologic trends or areas of mineralization with known deposits. Deposits in this category can be discovered and delineated and the uranium subsequently recovered, all within the given cost range. Speculative resources refers to uranium in addition to estimated additional resources that are thought to exist, mostly on the basis of indirect evidence and geological extrapolations.

U.S.S.R.: The Union of Soviet Socialist Republics consisted of 15 constituent republics: Armenia, Azerbaijan, Belarus, Estonia, Georgia, Kazakhstan, Kyrgyzstan, Latvia, Lithuania, Moldova, Russia, Tajikistan, Turkmenistan, Ukraine, and Uzbekistan. As a political entity, the U.S.S.R. ceased to exist as of December 31, 1991.

Vented Natural Gas: Gas released into the air on the base site or at processing plants.

Vessel: Tankers used to transport crude oil and petroleum products. Vessel categories are as follows: Ultra Large Crude Carrier (ULCC), Very Large Crude Carrier (VLCC), Other Tanker, and Specialty Ships (LPG/LNG).

Waxes: Solid or semisolid materials derived from petroleum distillates or residues. Waxes are light-colored, more or less translucent crystalline masses, slightly greasy to the touch, consisting of a mixture of solid hydrocarbons in which the paraffin series predominates. Included are

all marketable waxes, whether crude scale or fully refined. Waxes are used primarily as industrial coating for surface protection.

Western Europe: Includes Austria, Belgium, Bosnia, and Herzegovina, Croatia, Denmark, East Germany, Faroe Islands, Finland, Former Yugoslavia, France, Germany, Gibraltar, Greece, Iceland, Ireland, Italy, Luxembourg, Macedonia (The Former Yugoslav Republic of), Malta, Netherlands, Norway, Portugal, Serbia and Montenegro, Slovenia, Spain, Sweden, Switzerland, Turkey, United Kingdom, West Germany.

Well: A hole drilled in the Earth for the purpose of finding or producing crude oil or natural gas; or providing services related to the production of crude oil or natural gas. Wells are classified as oil wells, gas wells, dry holes, stratigraphic test wells, or service wells. The latter two types of wells are counted for Federal Reporting System data reporting. Oil wells, gas wells, and dry holes are classified as exploratory wells or development wells. Exploratory wells are subclassified as new-pool wildcats, deeperpool tests, shallow-pool tests, and outpost (extension) tests. Well classifications reflect the status of wells after drilling has been completed.

Wellhead Price: The value of crude oil or natural gas at the mouth of the well.

Well Servicing Unit: Truck-mounted equipment generally used for downhole services after a well is drilled. Services include well completions and recompletions, maintenance, repairs, workovers, and well plugging and abandonments. Jobs range from minor operations, such as pulling the rods and rod pumps out of an oil well, to major workovers, such as milling out and repairing collapsed casing. Well depth and characteristics determine the type of equipment used.

Wind Energy: The kinetic energy of wind converted into mechanical energy by wind turbines (i.e., blades rotating from a hub) that drive generators to produce electricity.

Wood and Waste: Wood energy, garbage, bagasse, sewerage gas, and other industrial, agricultural, and urban refuse used to generate electricity.

Wood Energy: Wood and wood products used as fuel, including round wood (cord wood), limb wood, wood chips, bark, sawdust, forest residues, charcoal, pulp waste, and spent pulping liquor.

Working Gas: The gas in a reservoir that is in addition to the base (cushion) gas. It may or may not be completely withdrawn during any particular withdrawal season. Conditions permitting, the total working capacity could be used more than once during any given season.

Working Interest: An interest in a mineral property that entitles the owner to explore, develop, and operate a property. The working interest owner bears the costs of exploration, development, and operation of the

property and, in return, is entitled to a share of the mineral production from the property or to a share of the proceeds.

Yellowcake: A uranium oxide concentrate that results from milling (concentrated) uranium ore. It is the final precipitate formed in the milling process. U_3O_8 , a common form of triuranium oxide, is the powder obtained by evaporating an ammonia solution of the oxide. Yellowcake typically contains 80 percent to 90 percent U_3O_8 .

Publication Order Form Annual Energy Review 1997

Published: July 1998
Energy Information Administration
GPO Stock Number: 061–003–01036–9
Price per copy: \$31.00

Personal name or attention line:	
Company name, if applicable:	
City, State, Zip Code:	
Daytime phone number (area code first):	
Purchase order number:	
May we make your name and address available to other mailers?yesno	
Please include payment with this form. Allow a minimum of 4 weeks for domestic delivery and an additional 6 weeks for international delivery.	
Quantity x \$31.00 = total due:	_ (International customers add 25%)
Check payable to Superintendant of Docum	
GPO Deposit Account Number:	
VISA of MasterCard Account Number:	
Authorizing signature:	Credit card expiration date:
Please note: Price includes regular domestic postage and handling, and is subject to change.	
Mail order form to:	U.S. Government Printing Office P.O. Box 371954 Pittsburgh, PA 15250-7954

202-512-2250

Or fax to:





Analytical and Forecast Publications

...from the Energy Information Administration

The items below are available via EIA's World Wide Web site at http://eia.doe.gov; click on "Forecasts" or the appropriate fuel category. Many are also available in hard copy. For more information on these and other EIA products, contact the National Energy Information Center at infoctr@eia.doe.gov or 202–586–8800.

Annual Energy Outlook 1998

Midterm forecasts of energy supply, demand, and prices through 2020, based on EIA's National Energy Modeling System.

International Energy Outlook 1998

Annual international energy projections through the year 2020.

Short-Term Energy Outlook

U.S. total energy and international oil forecasts for the coming 12 to 24 months, updated monthly. The model is available to external users with PCs running Windows interfaces.

The Changing Structure of the Electric Power Industry: Selected Issues, 1998

The latest in a series of reports. This edition focuses on three issues: how wholesale and retail prices have changed since 1990; on the power and ability of independent system operators to provide nondiscriminatory transmission services; and on how consumer choice issues (including stranded costs and the determination of retail prices) may be handled by Congress and/or the States.

Electricity Generation and Environmental Externalities: Case Studies

Overview of the economic foundation of externalities, the Federal and State regulatory approaches, and case studies of the impacts of externality policies adopted by three States.

Natural Gas 1996: Issues and Trends

Analyses of transportation capacity contracting, the emergence of market centers and how they are affecting the way gas is moved to market, producer behavior in a more competitive market, trends in consumer prices, and State-level initiatives to unbundle retail gas.

Petroleum 1996: Issues and Trends

Analyses of a broad spectrum of petroleum markets, from the drilling rig in the oil field to the pump at the local gasoline station.