

U.S. MARINE RECREATIONAL FISHERIES

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (WITH RELEASED ALIVE) WITH PSE (%) BY
MARINE RECREATIONAL ANGLERS, BY SPECIES, SUB-REGION, 1981-1996 FOR THE
ATLANTIC AND GULF COASTS

YEAR	ATLANTIC COD								TOTAL	
	NORTH ATLANTIC		MID-ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
----- NUMBERS IN THOUSANDS -----										
1981. . .	4,280	18	401	16	0	0	0	0	4,681	17
1982. . .	2,813	22	671	29	0	0	0	0	3,484	18
1983. . .	3,074	13	265	27	0	0	0	0	3,340	12
1984. . .	1,514	8	83	28	0	0	0	0	1,597	8
1985. . .	3,703	36	112	40	0	0	0	0	3,815	35
1986. . .	1,417	13	51	24	0	0	0	0	1,468	13
1987. . .	2,906	17	190	34	0	0	0	0	3,097	16
1988. . .	2,151	19	657	19	0	0	0	0	2,809	15
1989. . .	1,998	10	338	16	0	0	0	0	2,336	9
1990. . .	2,103	11	209	15	0	0	0	0	2,311	10
1991. . .	2,171	13	84	21	0	0	0	0	2,255	13
1992. . .	731	12	119	15	0	0	0	0	850	10
1993. . .	2,270	11	423	15	0	0	0	0	2,693	10
1994. . .	1,749	8	112	23	0	0	0	0	1,861	8
1995. . .	1,747	15	195	19	0	0	0	0	1,942	14
1996. . .	1,061	10	19	24	0	0	0	0	1,080	10
YEAR	ATLANTIC CROAKER								TOTAL	
	NORTH ATLANTIC		MID-ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
----- NUMBERS IN THOUSANDS -----										
1981. . .	0	0	1,313	18	2,775	15	5,312	15	9,400	10
1982. . .	0	0	361	29	3,691	18	10,462	13	14,515	10
1983. . .	0	0	5,180	15	3,898	17	10,267	11	19,345	8
1984. . .	0	0	3,002	14	8,442	10	8,753	11	20,197	7
1985. . .	0	0	3,935	10	5,484	25	7,345	11	16,764	10
1986. . .	0	0	9,137	9	6,726	25	14,204	9	30,067	8
1987. . .	0	0	5,534	6	6,213	16	4,640	14	16,387	7
1988. . .	0	0	6,161	10	4,467	10	6,948	19	17,577	9
1989. . .	0	0	3,612	6	3,822	7	2,799	13	10,233	5
1990. . .	0	0	6,488	10	4,247	6	4,094	13	14,829	6
1991. . .	0	0	15,578	7	3,232	7	7,122	14	25,932	6
1992. . .	0	0	9,722	8	3,403	4	3,827	9	16,953	5
1993. . .	0	0	14,136	6	2,921	5	3,959	7	21,016	5
1994. . .	0	0	17,472	5	5,753	5	3,445	6	26,671	3
1995. . .	0	0	12,246	6	2,970	7	2,537	6	17,753	4
1996. . .	0	0	12,082	6	2,245	5	2,539	7	16,867	5

(1) GULF OF MEXICO ESTIMATES DO NOT INCLUDE TEXAS DATA.

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR.

U.S. MARINE RECREATIONAL FISHERIES

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (WITH RELEASED ALIVE) WITH PSE (%) BY
MARINE RECREATIONAL ANGLERS, BY SPECIES, SUB-REGION, 1981-1996 FOR THE
ATLANTIC AND GULF COASTS

YEAR	ATLANTIC MACKEREL								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	2,129	22	2,969	20	10	76	0	0	5,108	15
1982. . .	689	33	854	28	0	0	0	0	1,543	21
1983. . .	953	14	3,146	31	21	72	0	0	4,119	24
1984. . .	1,437	16	2,388	25	0	0	0	0	3,825	17
1985. . .	5,185	39	2,625	22	15	73	0	0	7,825	27
1986. . .	1,552	23	3,836	26	0	0	0	0	5,388	20
1987. . .	2,991	20	4,743	20	0	0	0	0	7,735	15
1988. . .	4,890	22	1,105	34	4	100	0	0	5,999	19
1989. . .	2,926	10	1,109	24	0	0	0	0	4,035	10
1990. . .	2,585	11	1,406	25	0	0	0	0	3,994	12
1991. . .	3,287	16	2,168	19	0	0	0	0	5,455	12
1992. . .	787	11	252	35	0	0	0	0	1,045	12
1993. . .	2,161	10	144	35	0	0	0	0	2,307	10
1994. . .	4,690	12	170	44	0	0	0	0	4,860	12
1995. . .	2,934	13	1,074	35	0	0	0	0	4,008	13
1996. . .	3,001	10	647	26	1	55	0	0	3,650	9

YEAR	BLACK DRUM								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	0	0	4	74	71	21	473	15	548	13
1982. . .	0	0	0	0	194	22	1,514	13	1,708	12
1983. . .	0	0	46	22	220	19	1,497	14	1,764	12
1984. . .	0	0	4	62	273	16	668	16	946	12
1985. . .	0	0	7	31	240	18	658	14	905	12
1986. . .	0	0	35	40	415	18	1,442	13	1,892	11
1987. . .	0	0	16	30	388	19	1,180	14	1,584	11
1988. . .	0	0	1	58	210	14	1,213	8	1,424	7
1989. . .	0	0	5	32	108	19	622	14	736	12
1990. . .	0	0	3	47	134	16	680	16	818	14
1991. . .	0	0	5	40	348	13	671	12	1,024	9
1992. . .	0	0	5	34	270	9	1,130	7	1,405	6
1993. . .	0	0	12	34	253	9	1,268	9	1,534	7
1994. . .	0	0	4	41	297	8	824	8	1,125	6
1995. . .	0	0	27	23	505	10	1,063	8	1,595	6
1996. . .	0	0	22	29	355	8	818	7	1,196	6

(1) GULF OF MEXICO ESTIMATES DO NOT INCLUDE TEXAS DATA.

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR.

U.S. MARINE RECREATIONAL FISHERIES

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (WITH RELEASED ALIVE) WITH PSE (%) BY
MARINE RECREATIONAL ANGLERS, BY SPECIES, SUB-REGION, 1981-1996 FOR THE
ATLANTIC AND GULF COASTS

YEAR	BLACK SEA BASS								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	228	26	3,299	16	2,606	15	246	65	6,379	10
1982. . .	321	21	11,025	32	3,555	13	1,036	14	15,936	22
1983. . .	232	19	6,878	13	2,847	15	1,194	20	11,152	9
1984. . .	129	22	2,956	12	4,009	10	558	23	7,652	7
1985. . .	122	29	5,769	8	3,450	11	4,191	20	13,532	8
1986. . .	874	15	27,939	17	1,947	10	2,065	12	32,825	14
1987. . .	346	26	4,552	9	2,785	7	2,861	13	10,544	6
1988. . .	258	20	7,540	8	2,947	13	5,049	7	15,794	5
1989. . .	141	15	6,209	5	2,261	9	5,453	8	14,064	4
1990. . .	58	19	8,960	6	1,384	11	3,323	8	13,725	4
1991. . .	88	22	10,592	5	1,900	9	3,280	12	15,859	4
1992. . .	40	13	7,515	6	1,824	7	2,380	6	11,759	4
1993. . .	67	14	8,898	14	1,418	7	2,375	7	12,758	10
1994. . .	33	38	6,995	7	2,131	6	2,735	6	11,892	4
1995. . .	122	12	13,841	7	1,660	6	2,170	6	17,793	6
1996. . .	195	13	9,807	7	1,312	7	1,435	7	12,750	6

YEAR	BLUEFISH								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	8,707	14	18,397	24	4,157	14	494	28	31,755	14
1982. . .	10,096	12	11,276	9	5,848	11	499	19	27,719	6
1983. . .	7,190	18	15,866	7	7,082	13	2,337	30	32,475	6
1984. . .	5,485	10	15,176	9	5,847	7	560	45	27,068	6
1985. . .	5,709	13	12,756	7	4,009	8	519	26	22,993	5
1986. . .	8,437	7	18,459	6	3,514	10	888	23	31,298	4
1987. . .	6,541	8	17,318	5	3,744	7	888	16	28,491	4
1988. . .	2,311	6	7,318	8	3,736	8	1,070	11	14,435	5
1989. . .	2,931	9	12,103	4	3,603	7	878	11	19,515	3
1990. . .	2,866	7	9,702	4	3,878	6	427	19	16,873	3
1991. . .	4,845	7	11,040	4	2,407	6	959	16	19,251	3
1992. . .	3,080	6	5,640	4	2,681	6	589	13	11,990	3
1993. . .	2,425	5	4,516	5	2,984	4	376	12	10,301	3
1994. . .	2,220	6	6,190	6	3,510	4	484	12	12,405	3
1995. . .	2,022	6	5,113	5	3,341	5	464	12	10,940	3
1996. . .	2,810	7	5,135	5	1,954	4	471	12	10,370	3

(1) GULF OF MEXICO ESTIMATES DO NOT INCLUDE TEXAS DATA.

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR.

U.S. MARINE RECREATIONAL FISHERIES

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (WITH RELEASED ALIVE) WITH PSE (%) BY
MARINE RECREATIONAL ANGLERS, BY SPECIES, SUB-REGION, 1981-1996 FOR THE
ATLANTIC AND GULF COASTS

YEAR	DOLPHIN								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	0	0	0	0	607	24	224	21	1,128	16
1982. . .	0	0	2	100	595	14	728	23	1,332	14
1983. . .	0	0	4	40	981	16	209	21	1,194	13
1984. . .	0	0	9	71	801	24	297	35	1,107	20
1985. . .	0	0	34	36	704	21	397	30	1,138	16
1986. . .	0	0	31	27	756	11	750	16	1,539	10
1987. . .	0	0	14	25	902	10	623	15	1,554	8
1988. . .	0	54	27	33	1,121	11	460	16	1,689	9
1989. . .	1	74	153	21	2,046	8	694	14	2,923	7
1990. . .	1	94	92	34	1,150	10	536	25	1,925	10
1991. . .	2	58	142	20	1,883	7	1,112	14	3,141	6
1992. . .	0	100	154	20	924	6	388	12	1,484	5
1993. . .	18	29	246	22	961	5	675	11	1,927	5
1994. . .	1	54	86	20	1,680	7	653	11	2,450	6
1995. . .	11	60	74	21	1,523	4	963	8	2,613	4
1996. . .	1	100	199	35	1,233	5	461	9	1,905	5

YEAR	GAG								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	0	0	0	0	61	42	182	27	243	23
1982. . .	0	0	0	0	7	41	381	14	388	14
1983. . .	0	0	0	0	22	49	758	23	780	22
1984. . .	0	0	0	0	77	20	261	35	338	27
1985. . .	0	0	0	0	78	26	280	17	359	14
1986. . .	0	0	0	0	46	22	198	18	244	15
1987. . .	0	0	0	0	102	29	298	13	400	12
1988. . .	0	0	0	0	63	24	272	13	335	12
1989. . .	0	0	0	0	124	15	432	13	556	11
1990. . .	0	0	0	0	73	22	585	17	658	15
1991. . .	0	0	0	0	66	15	1,139	11	1,205	11
1992. . .	0	0	0	0	81	12	1,014	8	1,095	7
1993. . .	0	0	0	0	86	19	1,652	6	1,738	6
1994. . .	0	0	0	0	137	15	2,095	5	2,232	5
1995. . .	0	0	0	0	123	12	2,416	5	2,539	5
1996. . .	0	0	0	0	96	12	1,494	5	1,590	5

(1) GULF OF MEXICO ESTIMATES DO NOT INCLUDE TEXAS DATA.

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR.

U.S. MARINE RECREATIONAL FISHERIES

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (WITH RELEASED ALIVE) WITH PSE (%) BY
MARINE RECREATIONAL ANGLERS, BY SPECIES, SUB-REGION, 1981-1996 FOR THE
ATLANTIC AND GULF COASTS

YEAR	GRAY SNAPPER								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	0	0	0	0	897	39	746	17	1,643	22
1982. . .	0	0	0	0	532	28	1,500	11	2,032	11
1983. . .	0	0	0	0	472	16	3,625	34	4,097	31
1984. . .	0	0	0	0	409	18	3,965	22	4,373	20
1985. . .	0	0	0	0	938	19	1,383	20	2,321	14
1986. . .	0	0	0	0	524	13	1,570	18	2,093	14
1987. . .	0	0	0	0	653	13	1,378	41	2,031	28
1988. . .	0	0	0	0	587	11	1,396	9	1,983	7
1989. . .	0	0	1	100	736	10	2,415	8	3,152	7
1990. . .	0	0	0	0	697	12	1,872	10	2,570	8
1991. . .	0	0	0	0	1,074	10	6,332	8	7,405	7
1992. . .	0	0	0	0	1,178	7	4,185	7	5,363	5
1993. . .	0	0	0	0	745	7	4,408	4	5,154	4
1994. . .	0	0	0	0	1,312	8	3,534	5	4,845	4
1995. . .	0	0	0	0	1,315	12	3,237	5	4,552	5
1996. . .	0	0	0	0	1,084	8	3,330	6	4,413	5

YEAR	GRAY TRIGGERFISH								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	0	0	0	0	36	28	338	24	374	22
1982. . .	0	0	1	49	68	21	626	18	695	17
1983. . .	0	0	14	60	51	25	138	16	203	13
1984. . .	2	100	0	0	66	22	180	65	247	48
1985. . .	0	0	8	82	147	28	154	23	308	18
1986. . .	3	100	7	31	135	22	515	24	660	19
1987. . .	0	0	35	37	94	19	693	27	822	23
1988. . .	0	0	4	71	151	18	760	12	914	10
1989. . .	1	63	43	33	378	18	997	12	1,419	10
1990. . .	1	59	35	29	181	15	1,099	14	1,315	12
1991. . .	2	40	67	21	382	15	957	12	1,408	9
1992. . .	1	100	20	21	197	9	818	8	1,035	6
1993. . .	1	52	89	23	154	13	661	8	906	7
1994. . .	1	53	31	27	115	10	686	8	834	6
1995. . .	0	100	38	28	131	13	661	8	830	7
1996. . .	1	50	106	34	162	12	392	8	662	8

(1) GULF OF MEXICO ESTIMATES DO NOT INCLUDE TEXAS DATA.

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR.

U.S. MARINE RECREATIONAL FISHERIES

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (WITH RELEASED ALIVE) WITH PSE (%) BY
MARINE RECREATIONAL ANGLERS, BY SPECIES, SUB-REGION, 1981-1996 FOR THE
ATLANTIC AND GULF COASTS

YEAR	GREATER AMBERJACK								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	0	0	0	0	69	31	122	28	190	21
1982. . .	0	0	7	62	38	38	505	19	550	17
1983. . .	0	0	0	0	27	26	243	25	270	22
1984. . .	0	0	10	56	78	19	77	18	164	13
1985. . .	0	0	2	50	126	20	128	20	257	14
1986. . .	0	0	28	29	126	15	628	16	782	13
1987. . .	0	0	9	55	127	24	676	19	811	16
1988. . .	0	0	7	63	93	16	292	19	392	14
1989. . .	0	0	18	20	94	25	723	15	835	13
1990. . .	0	0	30	31	84	15	139	27	253	16
1991. . .	0	0	88	36	103	14	518	13	709	11
1992. . .	0	0	12	33	103	14	577	22	692	18
1993. . .	0	0	694	19	67	12	380	10	1,141	12
1994. . .	0	0	1	52	98	13	233	11	332	9
1995. . .	0	0	2	73	35	16	126	14	164	11
1996. . .	0	0	25	37	90	13	142	9	258	8

YEAR	KING MACKEREL								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	0	0	3	76	462	39	238	62	703	33
1982. . .	0	0	0	0	742	14	750	62	1,492	32
1983. . .	0	0	0	0	684	18	261	34	945	16
1984. . .	0	0	0	0	685	15	304	31	989	14
1985. . .	0	0	0	61	849	25	149	19	998	21
1986. . .	0	0	11	28	689	11	177	13	877	9
1987. . .	0	0	7	37	633	10	443	11	1,083	7
1988. . .	0	0	13	34	672	10	356	9	1,041	7
1989. . .	0	0	7	20	427	8	416	24	850	13
1990. . .	0	0	2	55	582	7	487	16	1,071	8
1991. . .	1	71	12	27	672	6	751	9	1,436	6
1992. . .	0	0	13	26	790	9	485	7	1,289	6
1993. . .	0	0	17	40	506	5	500	6	1,023	4
1994. . .	0	0	5	47	461	6	682	6	1,148	4
1995. . .	0	0	1	61	628	6	622	6	1,252	4
1996. . .	0	0	2	59	485	5	748	7	1,235	4

(1) GULF OF MEXICO ESTIMATES DO NOT INCLUDE TEXAS DATA.

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR.

U.S. MARINE RECREATIONAL FISHERIES

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (WITH RELEASED ALIVE) WITH PSE (%) BY
MARINE RECREATIONAL ANGLERS, BY SPECIES, SUB-REGION, 1981-1996 FOR THE
ATLANTIC AND GULF COASTS

YEAR	RED DRUM								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	0	0	50	59	136	23	1,517	11	1,704	10
1982. . .	0	0	0	0	428	15	2,907	10	3,335	9
1983. . .	0	0	35	45	652	14	4,969	12	5,657	11
1984. . .	0	0	1	100	1,100	12	3,760	11	4,862	9
1985. . .	0	0	1	73	1,218	15	2,439	11	3,658	9
1986. . .	0	0	49	24	607	9	3,542	6	4,197	6
1987. . .	0	0	2	59	1,487	9	4,881	7	6,370	6
1988. . .	0	0	8	50	1,292	10	4,504	5	5,805	5
1989. . .	0	0	23	26	570	10	3,814	7	4,407	6
1990. . .	0	0	2	72	612	13	2,401	7	3,015	6
1991. . .	0	0	39	34	1,390	12	6,642	7	8,070	7
1992. . .	0	0	29	29	844	6	7,809	4	8,682	3
1993. . .	0	0	64	36	1,274	7	6,310	4	7,649	4
1994. . .	0	0	12	32	1,683	6	5,913	4	7,609	3
1995. . .	0	0	36	37	2,105	7	7,096	4	9,236	3
1996. . .	0	0	3	40	1,130	6	5,952	3	7,085	3

YEAR	RED SNAPPER								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	0	0	0	0	166	25	1,791	19	1,957	18
1982. . .	0	0	0	0	60	31	1,456	19	1,516	18
1983. . .	0	0	0	0	206	18	2,617	16	2,823	15
1984. . .	0	0	0	0	539	15	676	15	1,215	11
1985. . .	0	0	0	0	619	17	827	13	1,445	11
1986. . .	0	0	0	0	181	32	875	12	1,056	12
1987. . .	0	0	0	0	170	37	857	21	1,027	19
1988. . .	0	0	0	0	270	25	912	11	1,183	10
1989. . .	0	0	0	0	196	17	985	14	1,181	12
1990. . .	0	0	0	0	17	30	930	14	947	14
1991. . .	0	0	0	0	91	27	1,509	9	1,600	9
1992. . .	0	0	0	0	116	15	1,908	6	2,024	5
1993. . .	0	0	0	0	87	23	2,458	5	2,546	5
1994. . .	0	0	0	0	95	21	1,916	6	2,011	5
1995. . .	0	0	0	0	69	16	1,539	6	1,609	6
1996. . .	0	0	0	0	34	24	1,700	6	1,733	6

(1) GULF OF MEXICO ESTIMATES DO NOT INCLUDE TEXAS DATA.

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR.

U.S. MARINE RECREATIONAL FISHERIES

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (WITH RELEASED ALIVE) WITH PSE (%) BY
MARINE RECREATIONAL ANGLERS, BY SPECIES, SUB-REGION, 1981-1996 FOR THE
ATLANTIC AND GULF COASTS

YEAR	SAND SEATROUT								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	0	0	0	0	0	0	9,215	45	9,215	45
1982. . .	0	0	0	0	0	0	3,498	22	3,498	22
1983. . .	0	0	0	0	0	0	5,457	18	5,457	18
1984. . .	0	0	0	0	0	0	7,681	22	7,681	22
1985. . .	0	0	0	0	0	0	6,791	16	6,791	16
1986. . .	0	0	0	0	0	0	7,118	8	7,118	8
1987. . .	0	0	0	0	0	0	4,008	9	4,008	9
1988. . .	0	0	0	0	1	100	2,951	8	2,953	8
1989. . .	0	0	0	0	0	0	3,421	16	3,421	16
1990. . .	0	0	0	0	0	0	4,583	9	4,583	9
1991. . .	0	0	0	0	0	0	5,135	10	5,135	10
1992. . .	0	0	0	0	0	0	3,780	10	3,780	10
1993. . .	0	0	0	0	0	0	4,068	7	4,068	7
1994. . .	0	0	0	0	0	0	5,665	5	5,665	5
1995. . .	0	0	0	0	0	0	4,355	7	4,355	7
1996. . .	0	0	0	0	0	0	4,624	6	4,624	6

YEAR	SCUP								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	4,954	12	5,419	37	5	49	0	0	10,389	20
1982. . .	5,200	12	1,980	14	5	46	0	0	7,185	10
1983. . .	4,064	13	6,091	17	0	66	0	0	10,156	11
1984. . .	2,846	12	4,929	22	0	0	0	0	7,775	15
1985. . .	7,953	15	5,908	16	8	56	0	0	13,868	11
1986. . .	19,454	10	11,418	10	2	71	0	0	30,874	7
1987. . .	9,278	11	3,097	15	2	57	0	0	12,377	9
1988. . .	5,598	8	1,940	16	2	31	0	0	7,540	7
1989. . .	6,507	8	4,877	7	10	20	0	0	11,395	6
1990. . .	4,178	8	5,993	7	1	79	0	0	10,172	5
1991. . .	10,032	6	6,811	6	13	34	0	0	16,855	5
1992. . .	5,392	8	4,621	8	65	19	0	0	10,078	5
1993. . .	4,337	8	2,723	8	17	24	0	0	7,077	6
1994. . .	2,431	7	3,192	13	39	41	0	0	5,662	8
1995. . .	2,572	7	1,111	20	5	27	0	0	3,688	8
1996. . .	3,533	9	1,321	13	4	34	0	0	4,858	7

(1) GULF OF MEXICO ESTIMATES DO NOT INCLUDE TEXAS DATA.

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR.

U.S. MARINE RECREATIONAL FISHERIES

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (WITH RELEASED ALIVE) WITH PSE (%) BY
MARINE RECREATIONAL ANGLERS, BY SPECIES, SUB-REGION, 1981-1996 FOR THE
ATLANTIC AND GULF COASTS

YEAR	SHEEPSHEAD								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	0	0	7	72	311	19	832	16	1,150	13
1982. . .	0	0	0	0	1,149	15	1,937	9	3,087	8
1983. . .	0	0	3	63	600	23	3,075	16	3,678	14
1984. . .	0	0	0	0	1,142	15	2,660	11	3,803	9
1985. . .	0	0	0	100	527	17	1,839	13	2,366	11
1986. . .	0	0	1	100	921	13	2,096	23	3,018	16
1987. . .	0	0	12	71	1,280	14	1,577	8	2,870	8
1988. . .	0	0	1	49	939	12	3,356	7	4,296	6
1989. . .	0	0	5	91	714	18	3,128	9	3,847	8
1990. . .	0	0	2	93	860	10	2,071	11	2,933	8
1991. . .	0	0	1	74	1,270	9	2,240	10	3,510	7
1992. . .	0	0	10	65	1,535	8	4,389	5	5,933	4
1993. . .	0	0	1	74	1,263	14	4,329	5	5,593	5
1994. . .	0	0	4	78	1,715	8	2,663	5	4,383	5
1995. . .	0	0	14	42	1,538	8	3,552	6	5,118	5
1996. . .	0	0	2	59	944	6	2,593	5	3,542	4

YEAR	SOUTHERN FLOUNDER								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	0	0	0	0	122	30	740	20	862	18
1982. . .	0	0	158	56	620	54	1,620	19	2,398	19
1983. . .	0	0	0	0	428	14	2,305	31	2,733	26
1984. . .	0	0	1	100	444	10	602	18	1,048	11
1985. . .	0	0	3	62	610	12	659	18	1,272	11
1986. . .	0	0	10	33	489	13	2,499	18	2,998	15
1987. . .	0	0	0	0	623	39	389	10	1,013	24
1988. . .	0	0	25	49	359	10	953	14	1,337	10
1989. . .	0	0	2	65	403	14	630	29	1,035	18
1990. . .	0	0	0	0	406	10	1,168	17	1,574	13
1991. . .	0	0	2	59	432	8	839	9	1,274	6
1992. . .	0	0	30	48	501	6	616	7	1,148	5
1993. . .	0	0	2	73	509	6	572	8	1,083	5
1994. . .	0	0	0	0	830	6	539	7	1,369	4
1995. . .	0	0	0	0	740	7	706	6	1,446	5
1996. . .	0	0	1	59	454	7	738	7	1,192	5

(1) GULF OF MEXICO ESTIMATES DO NOT INCLUDE TEXAS DATA.

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR.

U.S. MARINE RECREATIONAL FISHERIES

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (WITH RELEASED ALIVE) WITH PSE (%) BY
MARINE RECREATIONAL ANGLERS, BY SPECIES, SUB-REGION, 1981-1996 FOR THE
ATLANTIC AND GULF COASTS

YEAR	SPANISH MACKEREL								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	4	100	0	0	806	18	1,643	15	2,454	11
1982. . .	0	0	0	0	896	29	3,099	18	3,995	16
1983. . .	0	0	0	0	135	24	3,307	24	3,442	23
1984. . .	0	0	0	0	976	31	819	16	1,795	18
1985. . .	0	0	0	0	526	20	1,126	11	1,652	10
1986. . .	0	0	9	59	1,108	16	10,388	12	11,505	11
1987. . .	0	0	25	45	1,065	7	2,192	8	3,281	6
1988. . .	0	0	102	38	1,697	6	2,122	8	3,921	5
1989. . .	0	100	107	24	1,244	8	1,579	7	2,930	5
1990. . .	0	85	91	21	1,299	6	3,665	9	5,056	7
1991. . .	12	31	178	14	1,672	5	2,924	9	4,786	6
1992. . .	1	100	106	16	1,474	4	3,994	5	5,575	4
1993. . .	1	62	197	14	949	6	2,506	6	3,653	4
1994. . .	0	0	341	13	1,502	6	2,007	5	3,850	4
1995. . .	0	0	147	23	847	6	1,574	9	2,568	6
1996. . .	0	0	100	35	1,069	6	1,818	7	2,988	5

YEAR	SPOT								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	0	0	22,965	17	6,398	18	188	34	29,551	13
1982. . .	0	0	12,137	11	7,597	9	154	26	19,888	8
1983. . .	0	0	17,562	17	7,504	13	411	66	25,477	13
1984. . .	0	0	6,190	10	5,691	12	20	60	11,901	8
1985. . .	0	0	9,361	7	13,201	11	41	52	22,603	7
1986. . .	0	0	13,095	7	6,067	14	179	40	19,341	7
1987. . .	0	0	9,031	7	3,866	7	123	28	13,021	5
1988. . .	0	0	4,252	11	6,464	11	99	41	10,814	8
1989. . .	0	0	8,211	5	4,793	7	52	66	13,057	4
1990. . .	0	0	13,822	6	3,124	7	424	52	17,371	5
1991. . .	0	0	20,205	6	4,425	6	413	42	25,043	5
1992. . .	0	0	10,698	9	4,047	6	229	39	14,974	6
1993. . .	0	0	7,713	8	5,562	7	988	33	14,263	6
1994. . .	0	0	8,815	5	9,449	6	227	33	18,491	4
1995. . .	0	0	5,343	8	6,039	6	185	29	11,567	5
1996. . .	0	0	2,668	10	4,630	9	66	27	7,364	7

(1) GULF OF MEXICO ESTIMATES DO NOT INCLUDE TEXAS DATA.

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR.

U.S. MARINE RECREATIONAL FISHERIES

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (WITH RELEASED ALIVE) WITH PSE (%) BY
MARINE RECREATIONAL ANGLERS, BY SPECIES, SUB-REGION, 1981-1996 FOR THE
ATLANTIC AND GULF COASTS

YEAR	SPOTTED SEATROUT								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	0	0	0	0	1,068	21	5,048	12	6,116	11
1982. . .	0	0	0	0	1,812	20	12,843	9	14,654	8
1983. . .	0	0	0	0	1,614	14	13,109	9	14,723	8
1984. . .	0	0	0	0	1,168	11	11,434	11	12,602	10
1985. . .	0	0	0	0	1,843	13	9,501	10	11,344	9
1986. . .	0	0	132	19	2,061	10	24,475	15	26,668	13
1987. . .	0	0	77	41	2,382	8	19,310	4	21,768	4
1988. . .	0	0	485	19	2,264	9	19,276	3	22,026	3
1989. . .	0	0	283	15	1,494	7	18,814	5	20,591	4
1990. . .	0	0	117	23	1,420	10	11,862	4	13,399	4
1991. . .	0	0	150	16	3,726	7	26,054	4	29,931	4
1992. . .	0	0	55	20	2,262	6	19,986	3	22,304	3
1993. . .	0	0	176	16	2,336	5	19,026	3	21,538	3
1994. . .	0	0	425	11	2,319	6	19,438	3	22,181	3
1995. . .	0	0	579	19	3,425	5	20,610	3	24,615	3
1996. . .	0	0	304	19	1,976	5	18,282	3	20,563	3

YEAR	STRIPED BASS								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	67	23	244	18	557	57	0	100	869	37
1982. . .	790	51	211	24	0	0	48	54	1,048	39
1983. . .	135	24	548	28	12	70	0	0	695	22
1984. . .	227	37	310	18	7	58	8	58	553	18
1985. . .	255	28	253	22	46	48	35	49	590	16
1986. . .	494	35	602	23	15	47	32	34	1,142	20
1987. . .	268	17	484	20	1	42	7	63	760	14
1988. . .	299	13	776	37	23	28	35	32	1,133	26
1989. . .	401	10	837	27	4	50	15	44	1,257	18
1990. . .	559	10	1,257	11	0	0	157	26	1,974	8
1991. . .	902	16	2,421	11	12	75	97	24	3,432	9
1992. . .	1,341	8	2,326	8	11	56	162	22	3,840	6
1993. . .	1,692	9	3,080	9	13	40	15	25	4,900	6
1994. . .	3,243	7	5,241	9	22	23	15	34	8,636	6
1995. . .	5,190	7	5,405	8	63	13	30	30	10,839	5
1996. . .	6,799	8	6,987	7	297	9	18	24	14,101	5

(1) GULF OF MEXICO ESTIMATES DO NOT INCLUDE TEXAS DATA.

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR.

U.S. MARINE RECREATIONAL FISHERIES

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (WITH RELEASED ALIVE) WITH PSE (%) BY
MARINE RECREATIONAL ANGLERS, BY SPECIES, SUB-REGION, 1981-1996 FOR THE
ATLANTIC AND GULF COASTS

YEAR	SUMMER FLOUNDER								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	351	23	12,286	8	966	20	0	0	13,603	8
1982. . .	1,788	13	19,256	32	2,547	14	0	0	23,591	26
1983. . .	1,240	17	29,435	8	1,435	17	0	0	32,110	7
1984. . .	1,003	13	26,729	7	2,167	22	0	0	29,900	6
1985. . .	430	31	11,975	12	1,121	16	0	0	13,526	10
1986. . .	4,072	16	19,946	6	1,289	26	0	0	25,316	5
1987. . .	945	13	19,450	4	686	14	0	0	21,082	4
1988. . .	577	11	15,089	4	1,556	11	0	0	17,223	3
1989. . .	179	12	1,980	6	534	11	0	0	2,694	5
1990. . .	213	13	7,613	4	1,288	9	0	0	9,114	3
1991. . .	278	10	14,859	4	1,074	6	0	0	16,211	4
1992. . .	430	9	11,054	4	435	9	0	0	11,918	3
1993. . .	551	9	21,815	4	553	7	0	0	22,919	4
1994. . .	1,019	7	16,317	4	404	7	0	0	17,741	3
1995. . .	833	9	15,244	4	162	9	0	0	16,239	4
1996. . .	1,426	7	17,981	3	394	7	0	0	19,801	3
	TAUTOG									
YEAR	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)		TOTAL	
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	594	24	1,444	19	12	48	0	0	2,051	15
1982. . .	1,545	14	1,719	13	15	76	0	0	3,279	9
1983. . .	1,358	12	1,978	14	38	67	0	0	3,375	9
1984. . .	1,371	11	1,394	13	0	0	0	0	2,764	9
1985. . .	493	15	2,723	15	9	61	0	0	3,224	13
1986. . .	3,457	11	4,655	19	14	70	0	0	8,126	12
1987. . .	1,312	14	3,416	11	4	41	0	0	4,732	9
1988. . .	1,485	11	2,782	11	4	53	0	0	4,272	8
1989. . .	870	9	2,709	7	16	23	0	0	3,594	6
1990. . .	625	8	3,090	6	7	34	0	0	3,737	5
1991. . .	977	9	4,203	5	7	44	0	0	5,187	5
1992. . .	1,241	10	2,945	7	9	30	0	0	4,195	6
1993. . .	718	8	3,491	7	5	22	0	0	4,215	6
1994. . .	729	10	1,921	8	3	32	0	0	2,653	7
1995. . .	583	11	3,228	8	4	31	0	0	3,816	7
1996. . .	547	9	1,726	8	7	31	0	0	2,279	6

(1) GULF OF MEXICO ESTIMATES DO NOT INCLUDE TEXAS DATA.

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR.

U.S. MARINE RECREATIONAL FISHERIES

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (WITH RELEASED ALIVE) WITH PSE (%) BY
MARINE RECREATIONAL ANGLERS, BY SPECIES, SUB-REGION, 1981-1996 FOR THE
ATLANTIC AND GULF COASTS

YEAR	VERMILION SNAPPER								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	0	0	0	0	20	38	132	20	151	18
1982. . .	0	0	0	0	351	30	518	20	869	17
1983. . .	0	0	0	0	319	39	137	16	456	28
1984. . .	0	0	0	0	267	19	193	22	460	14
1985. . .	0	0	0	0	676	26	352	33	1,028	21
1986. . .	0	0	0	0	56	32	658	22	714	20
1987. . .	0	0	0	0	130	36	700	33	831	28
1988. . .	0	0	0	0	150	23	933	14	1,083	12
1989. . .	0	0	0	0	294	20	568	17	861	13
1990. . .	0	0	0	0	190	30	593	20	783	17
1991. . .	0	0	0	0	213	25	1,020	15	1,233	13
1992. . .	0	0	0	0	138	19	812	8	950	8
1993. . .	0	0	0	0	139	17	1,090	8	1,228	7
1994. . .	0	0	0	0	119	13	706	9	826	8
1995. . .	0	0	0	0	171	23	1,029	8	1,200	8
1996. . .	0	0	0	0	110	18	357	9	467	8

YEAR	WEAKFISH								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBERS IN THOUSANDS -----									
1981. . .	46	31	9,341	35	243	33	0	0	9,629	34
1982. . .	30	49	1,709	16	305	33	0	0	2,046	14
1983. . .	84	52	5,095	14	737	21	0	0	5,916	12
1984. . .	9	65	2,744	14	1,016	29	0	0	3,769	13
1985. . .	20	55	2,422	10	334	29	0	0	2,776	9
1986. . .	12	54	9,745	8	1,217	21	0	0	10,974	7
1987. . .	1	59	4,915	11	804	17	0	0	5,720	10
1988. . .	1	100	5,796	12	650	15	0	0	6,446	11
1989. . .	0	0	1,292	9	382	12	0	0	1,675	7
1990. . .	0	63	1,472	6	199	15	0	0	1,672	6
1991. . .	21	38	2,253	8	328	18	0	0	2,601	7
1992. . .	10	65	1,456	8	201	11	0	0	1,668	7
1993. . .	2	43	1,828	7	388	10	0	0	2,219	6
1994. . .	1	100	4,290	6	638	9	0	0	4,929	5
1995. . .	2	53	5,359	6	378	10	0	0	5,739	5
1996. . .	1	53	7,250	5	343	10	0	0	7,594	5

(1) GULF OF MEXICO ESTIMATES DO NOT INCLUDE TEXAS DATA.

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR.

U.S. MARINE RECREATIONAL FISHERIES

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (WITH RELEASED ALIVE) WITH PSE (%) BY
MARINE RECREATIONAL ANGLERS, BY SPECIES, SUB-REGION, 1981-1996 FOR THE
ATLANTIC AND GULF COASTS

YEAR	WINTER FLOUNDER								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
----- NUMBERS IN THOUSANDS -----										
1981. . .	7,740	12	9,719	11	0	0	0	0	17,459	8
1982. . .	11,531	28	7,055	10	0	0	0	0	18,587	18
1983. . .	5,027	9	8,134	11	1	100	0	0	13,163	8
1984. . .	4,854	9	15,032	11	0	0	0	0	19,886	8
1985. . .	6,953	12	14,612	18	0	0	0	0	21,566	13
1986. . .	4,702	20	5,582	7	0	0	0	0	10,284	10
1987. . .	4,980	12	7,289	10	0	0	0	0	12,269	8
1988. . .	2,932	13	8,186	10	0	0	0	0	11,118	8
1989. . .	3,835	25	4,233	29	0	0	0	0	8,068	19
1990. . .	1,816	11	2,816	7	0	0	0	0	4,632	6
1991. . .	849	11	3,713	10	0	0	0	0	4,562	9
1992. . .	413	10	1,131	10	0	0	0	0	1,544	8
1993. . .	651	9	2,930	23	0	0	0	0	3,582	19
1994. . .	486	9	1,814	13	0	0	0	0	2,300	11
1995. . .	473	14	1,851	10	0	0	0	0	2,324	9
1996. . .	400	10	2,514	14	0	0	0	0	2,913	12
YEAR	ALL FISHES								TOTAL	
	NORTH ATLANTIC		MID ATLANTIC		SOUTH ATLANTIC		GULF OF MEXICO (1)			
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
----- NUMBERS IN THOUSANDS -----										
1981. . .	36,982	5	100,820	7	44,482	5	87,391	8	269,674	4
1982. . .	46,749	8	81,150	9	64,150	6	113,332	3	305,381	3
1983. . .	35,200	8	125,023	4	62,990	3	146,166	4	369,379	2
1984. . .	24,583	4	101,110	3	59,767	3	133,865	4	319,325	2
1985. . .	41,080	8	90,846	4	67,175	5	101,201	5	300,302	3
1986. . .	49,886	5	153,940	4	59,416	5	144,077	3	407,319	2
1987. . .	34,294	5	99,922	3	50,300	3	101,561	2	286,078	2
1988. . .	25,723	6	77,895	3	56,083	3	130,954	2	290,654	1
1989. . .	24,575	5	64,578	3	46,053	2	113,907	3	249,113	2
1990. . .	18,654	3	84,593	2	40,779	2	106,377	3	250,402	2
1991. . .	26,689	4	125,999	2	54,952	2	177,341	3	384,980	1
1992. . .	17,738	4	75,026	2	54,094	2	145,025	2	291,884	1
1993. . .	20,991	3	97,574	2	50,887	2	147,332	2	316,784	1
1994. . .	25,880	8	94,945	2	72,173	1	148,856	3	341,854	1
1995. . .	21,983	5	88,522	2	65,240	1	135,781	3	311,526	1
1996. . .	23,427	4	86,419	2	51,257	2	118,625	2	279,728	1

(1) GULF OF MEXICO ESTIMATES DO NOT INCLUDE TEXAS DATA.

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR.