


FEDERAL AND STATE ENDANGERED AND THREATENED SPECIES EXPENDITURES



Fiscal Year 2012

TABLE OF CONTENTS

ENDANGERED SPECIES EXPENDITURES FISCAL YEAR 2012

PURPOSE	3
BACKGROUND	3
SECTION 18(1), FEDERAL EXPENDITURES	4
SECTION 18(2), STATE EXPENDITURES	4
SUMMARY OF DATA	5
COMPARISON TO PREVIOUS REPORTS	5
Table 1. FY 2012 Reported Expenditures for Endangered and Threatened Species.....	6
Table 2. Species Ranked in Descending Order of Total FY 2012 Reported Expenditures.....	98
Table 3. FY 2012 Reported Land Acquisition Expenditures for Endangered and Threatened Species.....	146
Table 4. FY 2012 Expenditures Reported by Individual Federal Agencies and the States.....	159
Appendix A. Supplemental Guidance for Reporting Expenditures for the Conservation of Endangered and Threatened Species.....	163
Appendix B. Reports Provided by Other Federal Agencies.....	167
Appendix C. Expenditures Reported by the States.....	385

ENDANGERED SPECIES EXPENDITURES FISCAL YEAR 2012

PURPOSE

The Endangered Species Act of 1973 (16 U.S.C. 1531 *et seq.*) was reauthorized and amended on October 7, 1988, under Public Law 100-478. A new section 18 was added to the Act that requires the Fish and Wildlife Service (Service) on behalf of the Secretary of the Interior to report annually on certain expenditures on a species-by-species basis. The section reads:

SEC. 18. On or before January 15, 1990, and each January 15 thereafter, the Secretary of the Interior, acting through the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain

- (1) the accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act; and
- (2) an accounting on a species-by-species basis of all reasonably identifiable expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act by States receiving grants under section 6.

This document constitutes the 23rd report by the Service pursuant to the requirements of section 18 of the Act. The report covers fiscal year 2012 (October 1, 2011 - September 30, 2012), although some States may be reporting for a different fiscal year period (without duplicating a previous year's reported data). To assist Federal and State agencies with more accurate accounting of expenditures, the addition of a multi-species reporting category was available for the FY12 report. This new option gives agencies another way to report expenditures when it is not possible to determine individual species costs for those species that are part of a multi-species conservation activity.

The term "State" as used in this report is defined in section 3(17) of the Act to mean any of the several States, the District of Columbia, the Commonwealth of Puerto Rico, American Samoa, the Virgin Islands, Guam, and the Trust Territory of the Pacific Islands.

The term "conservation," as defined in section 3(3) of the Act, means the use of all methods and procedures necessary to bring any endangered or threatened species to the point where the measures provided for by the Act are no longer necessary--including, but not limited to, research, census, law enforcement, habitat acquisition and maintenance, propagation, live trapping, and transplantation. For the purposes of this report, the definition of conservation is further expanded to include any and all actions taken by Federal and State agencies on behalf of threatened or endangered species listed pursuant to the Act.

BACKGROUND

At the time the reporting requirement was enacted by Congress, the Service determined that a good faith effort was expected to develop methods to track and obtain data that are "reasonably identifiable." No extensive or extraordinary measures to develop exceptionally precise data were sought, nor were the reporting agencies expected to prorate staff salaries and other normal operational and maintenance costs not directed toward a particular species. The expenditures reported in this and the preceding reports do not necessarily constitute all expenditures made for each species.

This report represents a compilation of reasonably identifiable expenditures for the conservation of listed species reported independently by Federal and State agencies. Expenditures for FY 2012 are reported for 1355 threatened and endangered species of the 1391 species that were listed under United States jurisdiction in 50 CFR Part 17 as of September 30, 2012 (Tables 1 and 3).

Expenditures are identified by listed entity, which may be a species¹, subspecies², Distinct Population Segment (DPS)³, or Evolutionarily Significant Unit (ESU)⁴, as identified in 50 CFR 17.11 and 17.12. They are reported separately for the Service and in aggregate for all other Federal agencies and the States (Tables 1 and 3).

For these annual reports, the Service requests that all reporting agencies submit their data directly into a Web-based data entry system to ensure accuracy, consistency, and efficiency. At the time of submission, the reporting agencies certify that their information is accurate. The information provided in this report, pursuant to section 18 of the Endangered Species Act, is presented as it was submitted by these agencies.

Expenditures for candidate species or other species not listed in 50 CFR Part 17 as of the end of each fiscal year are not included in this report. In addition, other types of expenses, such as those for litigation, are not reported.

SECTION 18(1), FEDERAL EXPENDITURES

Expenditures Reported by the Fish and Wildlife Service

The Service's operational categories of expenditures include fisheries, refuges, land acquisition, law enforcement, research, and regional and field office operations for listing, recovery, consultation, migratory birds, and grants. All reasonably identifiable expenditures that could be attributed to individual species within these activities have been included.

The Federal assistance portion under section 6 of the Act for each species is included in the FWS Total in Table 1. The State share for each species for which a Federal contribution was made is included in the States Total column of Table 1.

A portion of the Service's funds for consultation, listing, and recovery are incorporated into salaries, operations, and maintenance costs. If these costs contributed to the conservation of listed species and are reasonably identifiable to specific species, they are included in this report.

Expenditures Reported by other Federal Agencies

The Director of the Service sends a request to other Federal agencies identified as likely to have species-specific expenditures under the Act to report for each fiscal year. The Service provides guidance identifying what constitutes reasonably identifiable expenditures and how these are to be reported (Appendix A). For FY 2012, the Service and 29 other Federal agencies identified expenditures for the conservation of individual threatened and endangered species. Three additional Federal agencies responded that their expenditures were not reasonably identifiable. Results from all responding Federal agencies are included in Appendix B. The data identified by those responding Federal agencies for individual species and multi-species conservation activities are tabulated in the "Other Fed" columns of this report (Tables 1 and 3).

SECTION 18(2), STATE EXPENDITURES

The assistance of the Association of Fish and Wildlife Agencies is sought by the Service to help coordinate the reporting of reasonably identifiable expenditures made by the States. States report their data by species directly to the Service. Collective results from all responding State agencies are included in Appendix C.

¹ **Species** For purposes of the ESA, this term includes any species or subspecies of fish or wildlife or plants, and any Distinct Population Segment of any species of vertebrate fish or wildlife that interbreeds when mature.

² **Subspecies** A taxonomic rank below that of species, usually recognizing individuals that have certain heritable characteristics distinct from other subspecies of a species.

³ **Distinct Population Segment** A subdivision of a vertebrate species that is treated as a species for purposes of listing under the Endangered Species Act.

⁴ **Evolutionarily Significant Unit** A Pacific salmonid stock that is substantially reproductively isolated from other stocks of the same species and which represents an important part of the evolutionary legacy of the species; functionally equivalent to DPS for the purpose of listing under ESA.

SUMMARY OF DATA

Table 1 reports the activity-related expenditures that are reasonably identifiable to specific individual species as well as multi-species activity costs by the Service, other Federal agencies collectively, and the States collectively. Expenditures for land acquisition are not included in this tabulation. Species are grouped in the same general order as they appear in 50 CFR Part 17. Table 1 also provides the rank for each species from Table 2.

Table 2 ranks each species in descending order of the species total from Table 1. A cumulative total of the activity-related, species-specific expenditures is also provided.

Table 3 displays land acquisition expenditures, reasonably identifiable to specific individual species, by the Service, other Federal agencies collectively, and the States collectively. Expenditures for land purchased for multi-species conservation activities are listed at the end of the table. Table 3 also provides the rank for land expenditures by species.

Tables 4 shows the combined total expenditures for species and land acquisition by reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species and multi-species conservation activities are included.

Total expenditures reported for **FY 2012** were **\$1,714,930,023**, of which **\$1,629,644,362** were reported by Federal agencies and **\$85,285,661** were reported by the States. (Table 4)

COMPARISON TO PREVIOUS REPORTS

Over the years, these reports have been refined as our experience in planning and coordinating with the reporting agencies to track such expenditures has improved. A good faith effort is made to develop species-by-species expenditures for these reports, but due to differences in reporting methods, this report cannot be easily compared to prior expenditures reports. These year-to-year differences include changes in the number of Federal and State agencies reporting data, changes in how expenditures are calculated, changes in the agencies' abilities to track expenditures, and changes in the number of listed species. Therefore, real dollar increases or decreases cannot accurately be calculated or inferred from the overall or individual totals.

TABLE 1. FY 2012 REPORTED EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES

The list of species in Table 1 essentially follows the taxonomic and nomenclatural conventions used in 50 CFR Part 17 for the identification and sequence of species' names. For ease of reference, the alphabetized, inverted common name is provided within each group (usually Class) of animals and plants. Thus, the gray bat is found with other bats under "Bat, gray" within mammals, and Tar River spiny mussel is found under "Spiny mussel, Tar River" within the clams. Groups of animals follow the sequence: Mammals, Birds, Reptiles, Amphibians, Fishes, and Invertebrates, which include Clams, Snails, Insects, Arachnids, and Crustaceans. Groups of plants follow the sequence: Flowering Plants, Conifers, Ferns, and Lichens.

For additional information about the names, historical range, or status of an endangered or threatened species, the species can be found in 50 CFR 17.11 (wildlife) or 17.12 (plants), or through our Web site at <http://www.fws.gov/endangered>. The STATUS column indicates whether the species is endangered (E), threatened (T), experimental (EXPN), or threatened by similarity of appearance (SAT).

Fish and Wildlife Service expenditures (FWS Total) and other Federal agency expenditures (Other Fed) are totaled in the "Fed Total" column. The States Total is the amount reported to the Service directly by the States. None of these reported totals includes costs for land acquisition. (See Table 3 for reported land acquisition expenditures.)

The RANK is from Table 2 and indicates each species' rank by identifiable expenditures, where #1 is the highest expenditure.

Multi-species conservation activity-related expenditures are tabulated at the end of Table 1.

**TABLE 1. FY 2012 REPORTED EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES,
NOT INCLUDING LAND ACQUISITION COSTS**

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
Mammals	85	Bat, gray (<i>Myotis grisescens</i>)	E	\$662,471	\$1,870,813	\$2,533,284	\$317,954	\$2,851,238
	163	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>)	E	\$347,475	\$609,920	\$957,395	\$0	\$957,395
	22	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$4,026,818	\$10,530,128	\$14,556,946	\$471,916	\$15,028,862
	225	Bat, lesser long-nosed (<i>Leptonycteris curasoae yerbabuena</i>)	E	\$19,695	\$402,067	\$421,762	\$36,600	\$458,362
	1196	Bat, little Mariana fruit (<i>Pteropus tokudae</i>)	E	\$700	\$0	\$700	\$0	\$700
	268	Bat, Mariana fruit (=Mariana flying fox) (<i>Pteropus mariannus mariannus</i>)	T	\$162,000	\$147,727	\$309,727	\$0	\$309,727
	701	Bat, Mexican long-nosed (<i>Leptonycteris nivalis</i>)	E	\$3,000	\$30,000	\$33,000	\$1,500	\$34,500
	224	Bat, Ozark big-eared (<i>Corynorhinus (=Plecotus) townsendii ingens</i>)	E	\$68,000	\$382,026	\$450,026	\$10,900	\$460,926
	249	Bat, Virginia big-eared (<i>Corynorhinus (=Plecotus) townsendii virginianus</i>)	E	\$210,292	\$124,148	\$334,440	\$34,300	\$368,740
	185	Bear, American black (<i>Ursus americanus</i>) - County range of LA black bear	SAT	\$647,980	\$300	\$648,280	\$0	\$648,280
	40	Bear, grizzly (<i>Ursus arctos horribilis</i>) - lower 48 States, except where EXPN or delisted	T	\$1,710,917	\$3,558,662	\$5,269,579	\$2,081,977	\$7,351,556
	288	Bear, grizzly (<i>Ursus arctos horribilis</i>) - portions of ID and MT	EXPN	\$0	\$191,100	\$191,100	\$89,500	\$280,600
	56	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$257,000	\$4,777,247	\$5,034,247	\$96,688	\$5,130,935
	67	Bear, polar (<i>Ursus maritimus</i>)	T	\$1,372,000	\$3,066,621	\$4,438,621	\$0	\$4,438,621
	892	Bison, wood (<i>Bison bison athabasca</i>)	E	\$14,000	\$1,300	\$15,300	\$0	\$15,300

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	183	Caribou, woodland (<i>Rangifer tarandus caribou</i>) - Selkirk Mountain population	E	\$630,916	\$8,401	\$639,317	\$41,000	\$680,317
	97	Deer, Columbian white-tailed (<i>Odocoileus virginianus leucurus</i>) - Columbia River DPS	E	\$2,168,829	\$128,612	\$2,297,441	\$26,622	\$2,324,063
	608	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$51,500	\$5,279	\$56,779	\$0	\$56,779
	107	Ferret, black-footed (<i>Mustela nigripes</i>) - except where EXPN	E	\$1,544,699	\$403,469	\$1,948,168	\$158,366	\$2,106,534
	196	Ferret, black-footed (<i>Mustela nigripes</i>) - portions of AZ, CO, MT, SD, UT, and WY)	EXPN	\$0	\$231,507	\$231,507	\$325,500	\$557,007
	84	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>) - CA	E	\$618,583	\$2,282,200	\$2,900,783	\$0	\$2,900,783
	335	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>) - CA	E	\$57,889	\$148,218	\$206,107	\$0	\$206,107
	469	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>) - CA	E	\$102,321	\$6,266	\$108,587	\$0	\$108,587
	210	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>) - CA	E	\$491,322	\$16,548	\$507,870	\$0	\$507,870
	252	Fox, Santa Rosa Island (<i>Urocyon littoralis santarosae</i>) - CA	E	\$37,292	\$326,548	\$363,840	\$0	\$363,840
	306	Jaguar (<i>Panthera onca</i>) - AZ,CA,LA,NM,TX,Mexico, Central and South America	E	\$80,095	\$131,000	\$211,095	\$49,600	\$260,695
	506	Jaguarundi, Gulf Coast (<i>Herpailurus (=Felis) yagouaroundi cacomilti</i>) - TX, Mexico	E	\$54,000	\$39,281	\$93,281	\$0	\$93,281

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1166	Jaguarundi, Sinaloan (<i>Herpailurus (=Felis) yagouaroundi tolteca</i>)	E	\$0	\$0	\$0	\$2,300	\$2,300
	393	Kangaroo rat, Fresno (<i>Dipodomys nitratooides exilis</i>)	E	\$106,122	\$45,905	\$152,027	\$0	\$152,027
	204	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$222,255	\$303,000	\$525,255	\$0	\$525,255
	761	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>)	E	\$24,973	\$500	\$25,473	\$0	\$25,473
	355	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>)	E	\$2,505	\$182,122	\$184,627	\$0	\$184,627
	230	Kangaroo rat, Stephens' (<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>))	E	\$2,944	\$427,161	\$430,105	\$0	\$430,105
	238	Kangaroo rat, Tipton (<i>Dipodomys nitratooides nitratooides</i>)	E	\$243,805	\$155,003	\$398,808	\$0	\$398,808
	59	Lynx, Canada (<i>Lynx canadensis</i>) - Contiguous U.S. DPS	T	\$511,963	\$4,254,204	\$4,766,167	\$175,116	\$4,941,283
	27	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$2,980,500	\$4,381,998	\$7,362,498	\$4,593,226	\$11,955,724
	575	Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>)	E	\$36,000	\$30,000	\$66,000	\$0	\$66,000
	623	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	\$48,500	\$3,651	\$52,151	\$0	\$52,151
	895	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>)	E	\$6,000	\$6,839	\$12,839	\$2,205	\$15,044
	420	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus allophrys</i>)	E	\$108,500	\$20,800	\$129,300	\$2,940	\$132,240

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	822	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>)	E	\$16,000	\$3,728	\$19,728	\$0	\$19,728
	280	Mouse, Pacific pocket (<i>Perognathus longimembris pacificus</i>)	E	\$1,164	\$285,150	\$286,314	\$0	\$286,314
	370	Mouse, Perdido Key beach (<i>Peromyscus polionotus trissyllepsis</i>)	E	\$114,500	\$53,051	\$167,551	\$3,675	\$171,226
	198	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) - CO, WY	T	\$95,637	\$421,083	\$516,720	\$37,466	\$554,186
	144	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>) - CA	E	\$379,497	\$763,100	\$1,142,597	\$0	\$1,142,597
	358	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>) - FL	T	\$76,500	\$105,099	\$181,599	\$2,205	\$183,804
	468	Mouse, St. Andrew beach (<i>Peromyscus polionotus peninsularis</i>) - FL	E	\$85,000	\$19,946	\$104,946	\$3,675	\$108,621
	276	Ocelot (<i>Leopardus (=Felis) pardalis</i>) - AZ, TX to Central and South America	E	\$75,245	\$188,781	\$264,026	\$27,000	\$291,026
	218	Otter, Northern Sea (<i>Enhydra lutris kenyoni</i>) - southwest Alaska DPS	T	\$197,000	\$281,997	\$478,997	\$0	\$478,997
	187	Otter, southern sea (<i>Enhydra lutris nereis</i>)	T	\$154,493	\$481,000	\$635,493	\$0	\$635,493
	328	Otter, southern sea (<i>Enhydra lutris nereis</i>) - south of Pt. Conception, CA	EXPN	\$40,277	\$170,250	\$210,527	\$0	\$210,527
	108	Panther, Florida (<i>Puma (=Felis) concolor coryi</i>) - LA and AR east to SC and FL	E	\$498,000	\$886,410	\$1,384,410	\$719,738	\$2,104,148
	127	Prairie dog, Utah (<i>Cynomys parvidens</i>) - UT	T	\$369,189	\$699,600	\$1,068,789	\$427,977	\$1,496,766

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	232	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>)	E	\$20,965	\$387,000	\$407,965	\$15,000	\$422,965
	579	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>) -AZ, Mexico	EXPN	\$0	\$0	\$0	\$65,000	\$65,000
	770	Puma (=cougar), eastern (<i>Puma (=Felis) concolor couguar</i>)	E	\$20,700	\$2,400	\$23,100	\$1,150	\$24,250
	1194	Puma (=mountain lion) (<i>Puma (=Felis) concolor</i> (all subsp. except <i>coryi</i>)) - FL	SAT	\$0	\$800	\$800	\$0	\$800
	408	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>) - FL	E	\$35,500	\$104,152	\$139,652	\$0	\$139,652
	262	Rabbit, pygmy (<i>Brachylagus idahoensis</i>) - Columbia Basin DPS	E	\$208,655	\$62,062	\$270,717	\$53,800	\$324,517
	115	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>) - CA	E	\$39,930	\$1,741,542	\$1,781,472	\$0	\$1,781,472
	864	Rice rat (<i>Oryzomys palustris natator</i>) - lower FL Keys	E	\$10,500	\$6,210	\$16,710	\$0	\$16,710
	244	Seal, Caribbean monk (<i>Monachus tropicalis</i>)	E	\$0	\$380,000	\$380,000	\$0	\$380,000
	325	Seal, Guadalupe fur (<i>Arctocephalus townsendi</i>)	T	\$0	\$220,905	\$220,905	\$0	\$220,905
	66	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$405,500	\$4,188,893	\$4,594,393	\$0	\$4,594,393
	17	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - eastern pop.	T	\$0	\$17,952,480	\$17,952,480	\$7,627	\$17,960,107
	13	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - western pop.	E	\$0	\$22,244,726	\$22,244,726	\$10,000	\$22,254,726
	305	Seal, spotted (<i>Phoca largha</i>) - Southern DPS	T	\$0	\$262,500	\$262,500	\$0	\$262,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	156	Sheep, Peninsular bighorn (<i>Ovis canadensis nelsoni</i>) - Peninsular CA pop.	E	\$574,820	\$400,955	\$975,775	\$42,205	\$1,017,980
	137	Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>) - Sierra Nevada	E	\$62,296	\$479,272	\$541,568	\$700,000	\$1,241,568
	199	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus</i> <i>relictus</i>)	E	\$543,403	\$9,630	\$553,033	\$0	\$553,033
	445	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus</i> <i>coloratus</i>)	E	\$39,690	\$74,800	\$114,490	\$1,500	\$115,990
	384	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - except Sussex Co., DE	E	\$158,936	\$1,151	\$160,087	\$0	\$160,087
	1178	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - DE, Sussex Co.	EXPN	\$0	\$700	\$700	\$646	\$1,346
	438	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus</i> <i>grahamensis</i>)	E	\$6,265	\$9,000	\$15,265	\$104,000	\$119,265
	195	Squirrel, northern Idaho ground (<i>Spermophilus</i> <i>brunneus brunneus</i>)	T	\$341,652	\$207,394	\$549,046	\$9,000	\$558,046
	338	Squirrel, Virginia northern flying (<i>Glaucomys sabrinus</i> <i>fuscus</i>)	E	\$37,000	\$160,454	\$197,454	\$2,000	\$199,454
	327	Vole, Amargosa (<i>Microtus</i> <i>californicus scirpensis</i>)	E	\$209,223	\$5,000	\$214,223	\$1,280	\$215,503
	1042	Vole, Florida salt marsh (<i>Microtus pennsylvanicus</i> <i>dukecampbelli</i>)	E	\$4,500	\$3,808	\$8,308	\$0	\$8,308
	1065	Vole, Hualapai Mexican (<i>Microtus mexicanus</i> <i>hualpaiensis</i>)	E	\$0	\$2,100	\$2,100	\$5,400	\$7,500
	90	Whale, Beluga (<i>Delphinapterus leucas</i>) - Cook Inlet DPS	E	\$0	\$2,655,502	\$2,655,502	\$0	\$2,655,502

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	105	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$200	\$2,127,562	\$2,127,762	\$0	\$2,127,762
	50	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$0	\$5,614,736	\$5,614,736	\$0	\$5,614,736
	104	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$500	\$2,109,689	\$2,110,189	\$20,762	\$2,130,951
	418	Whale, gray (<i>Eschrichtius robustus</i>) - W Pacific Ocean	E	\$1,020	\$131,490	\$132,510	\$0	\$132,510
	65	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$37,834	\$4,568,499	\$4,606,333	\$19,700	\$4,626,033
	116	Whale, killer (<i>Orcinus orca</i>) - Southern Resident DPS	E	\$0	\$1,726,489	\$1,726,489	\$15,100	\$1,741,589
	33	Whale, North Atlantic Right (<i>Eubalaena glacialis</i>) - Entire	E	\$1,000	\$9,841,412	\$9,842,412	\$63,500	\$9,905,912
	193	Whale, North Pacific Right (<i>Eubalaena japonica</i>)	E	\$0	\$570,759	\$570,759	\$0	\$570,759
	119	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$0	\$1,620,552	\$1,620,552	\$0	\$1,620,552
	830	Whale, Southern Right (<i>Eubalaena australis</i>)	E	\$0	\$19,050	\$19,050	\$0	\$19,050
	102	Whale, sperm (<i>Physeter catodon</i> (=macrocephalus))	E	\$0	\$2,162,842	\$2,162,842	\$0	\$2,162,842
	86	Wolf, gray (<i>Canis lupus</i>) - AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT and WV; portions of AZ, NM, TX not included in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA. Mexico.	E	\$1,773,172	\$122,960	\$1,896,132	\$951,289	\$2,847,421
	129	Wolf, gray (<i>Canis lupus</i>) - MN	T	\$32,000	\$1,342,823	\$1,374,823	\$30,500	\$1,405,323
	88	Wolf, gray (<i>Canis lupus</i>) - WY, ID, MT	EXPN	\$1,177,343	\$665,600	\$1,842,943	\$911,342	\$2,754,285

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	95	Wolf, gray (<i>Canis lupus</i>) - Mexican gray wolf, EXPN	EXPN	\$2,052,508	\$130,970	\$2,183,478	\$172,000	\$2,355,478
	148	Wolf, gray (<i>Canis lupus</i>) - Western Great Lakes DPS	DM	\$381,000	\$386,109	\$767,109	\$331,581	\$1,098,690
	134	Wolf, gray (<i>Canis lupus</i>) - WY, EXPN	EXPN	\$1,109,776	\$200,000	\$1,309,776	\$0	\$1,309,776
	229	Wolf, red (<i>Canis rufus</i>) - except where EXPN	E	\$443,000	\$0	\$443,000	\$1,500	\$444,500
	75	Wolf, red (<i>Canis rufus</i>) - portions of NC and TN	EXPN	\$826,500	\$2,630,500	\$3,457,000	\$0	\$3,457,000
	662	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>)	E	\$39,000	\$3,728	\$42,728	\$0	\$42,728
	149	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$32,184	\$1,062,000	\$1,094,184	\$0	\$1,094,184
Mammals subtotal				\$32,362,935	\$132,190,972	\$164,553,907	\$13,275,828	\$177,829,735
Birds	475	Akekee (<i>Loxops caeruleirostris</i>)	E	\$81,800	\$26,220	\$108,020	\$0	\$108,020
	290	Akepa, Hawaii (honeycreeper) (<i>Loxops coccineus coccineus</i>)	E	\$165,500	\$114,002	\$279,502	\$0	\$279,502
	1115	Akepa, Maui (honeycreeper) (<i>Loxops coccineus ochraceus</i>)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	1097	Akialoa, Kauai (honeycreeper) (<i>Hemignathus procerus</i>)	E	\$6,500	\$0	\$6,500	\$0	\$6,500
	316	Akiapola`au (honeycreeper) (<i>Hemignathus munroi</i>)	E	\$165,500	\$76,002	\$241,502	\$0	\$241,502
	430	Akikiki (<i>Oreomystis bairdi</i>)	E	\$96,300	\$27,287	\$123,587	\$0	\$123,587
	231	Albatross, short-tailed (<i>Phoebastria (=Diomedea) albatrus</i>)	E	\$405,520	\$22,622	\$428,142	\$0	\$428,142
	314	Blackbird, yellow-shouldered (<i>Agelaius xanthomus</i>)	E	\$128,500	\$117,980	\$246,480	\$0	\$246,480

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	984	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>)	E	\$6,020	\$100	\$6,120	\$4,500	\$10,620
	192	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) - FL pop.	T	\$129,000	\$445,895	\$574,895	\$0	\$574,895
	114	Condor, California (<i>Gymnogyps californianus</i>) - except where listed as EXPN	E	\$957,010	\$799,639	\$1,756,649	\$84,455	\$1,841,104
	264	Condor, California (<i>Gymnogyps californianus</i>) - portions of AZ, NV, UT	EXPN	\$15,995	\$133,587	\$149,582	\$173,934	\$323,516
	98	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$806,852	\$1,512,172	\$2,319,024	\$0	\$2,319,024
	191	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	\$593,500	\$4,333	\$597,833	\$400	\$598,233
	91	Crane, whooping (<i>Grus americana</i>) - except where EXPN	E	\$254,736	\$2,369,041	\$2,623,777	\$17,438	\$2,641,215
	388	Crane, whooping (<i>Grus americana</i>) - CO, ID, FL, NM, UT, and western WY	EXPN	\$600	\$52,350	\$52,950	\$103,395	\$156,345
	126	Crane, whooping (<i>Grus americana</i>) - AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	EXPN	\$693,200	\$829,206	\$1,522,406	\$0	\$1,522,406
	417	Crane, whooping (<i>Grus americana</i>) - SW LA	EXPN	\$11,000	\$105,530	\$116,530	\$16,150	\$132,680
	309	Creeper, Hawaii (<i>Oreomystis mana</i>)	E	\$160,500	\$92,220	\$252,720	\$0	\$252,720
	995	Creeper, Molokai (<i>Paroreomyza flammea</i>)	E	\$9,000	\$1,109	\$10,109	\$0	\$10,109
	1012	Creeper, Oahu (<i>Paroreomyza maculata</i>)	E	\$9,500	\$0	\$9,500	\$0	\$9,500
	125	Crow, Hawaiian (= 'alala) (<i>Corvus hawaiiensis</i>)	E	\$1,498,259	\$39,400	\$1,537,659	\$0	\$1,537,659

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	155	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>)	E	\$820,940	\$205,975	\$1,026,915	\$0	\$1,026,915
	1072	Crow, white-necked (<i>Corvus leucognaphalus</i>)	E	\$7,000	\$290	\$7,290	\$0	\$7,290
	965	Curllew, Eskimo (<i>Numenius borealis</i>)	E	\$2,700	\$8,800	\$11,500	\$0	\$11,500
	96	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$810,519	\$1,541,524	\$2,352,043	\$0	\$2,352,043
	334	Duck, Laysan (<i>Anas laysanensis</i>)	E	\$60,500	\$146,875	\$207,375	\$0	\$207,375
	194	Eagle, bald (<i>Haliaeetus leucocephalus</i>) - Sonoran Desert DPS	T	\$55,000	\$297,342	\$352,342	\$208,425	\$560,767
	150	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$782,500	\$279,500	\$1,062,000	\$0	\$1,062,000
	123	Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop.	T	\$1,024,500	\$520,930	\$1,545,430	\$0	\$1,545,430
	273	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>)	E	\$25,000	\$272,434	\$297,434	\$0	\$297,434
	124	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - except where EXPN	E	\$52,000	\$1,476,406	\$1,528,406	\$10,651	\$1,539,057
	303	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) – SW pop.	EXPN	\$161,750	\$103,000	\$264,750	\$0	\$264,750
	844	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>)	E	\$6,500	\$11,537	\$18,037	\$0	\$18,037
	565	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>)	E	\$30,500	\$40,177	\$70,677	\$0	\$70,677
	20	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$769,824	\$15,522,986	\$16,292,810	\$548,352	\$16,841,162
	132	Gnatcatcher, coastal California (<i>Polioptila californica californica</i>)	T	\$179,702	\$1,183,969	\$1,363,671	\$0	\$1,363,671

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	147	Goose, Hawaiian (<i>Branta</i> (= <i>Nesochen sandvicensis</i>)	E	\$470,075	\$631,126	\$1,101,201	\$0	\$1,101,201
	798	Goshawk, Queen Charlotte (<i>Accipiter gentilis laingi</i>) - British Columbia DPS	T	\$21,652	\$0	\$21,652	\$0	\$21,652
	233	Hawk, Hawaiian (=lo) (<i>Buteo</i> <i>solitarius</i>)	E	\$199,306	\$216,500	\$415,806	\$0	\$415,806
	504	Hawk, Puerto Rican broad- winged (<i>Buteo platypterus</i> <i>brunnescens</i>)	E	\$94,000	\$1,311	\$95,311	\$0	\$95,311
	886	Hawk, Puerto Rican sharp- shinned (<i>Accipiter striatus</i> <i>venator</i>)	E	\$14,000	\$1,443	\$15,443	\$0	\$15,443
	894	Honeycreeper, crested (<i>Palmeria dolei</i>)	E	\$11,000	\$4,085	\$15,085	\$0	\$15,085
	491	Kingfisher, Guam Micronesian (<i>Halcyon</i> <i>cinnamomina cinnamomina</i>)	E	\$78,380	\$22,513	\$100,893	\$0	\$100,893
	118	Kite, Everglade snail (<i>Rostrhamus sociabilis</i> <i>plumbeus</i>) - FL pop.	E	\$320,000	\$1,331,099	\$1,651,099	\$38,091	\$1,689,190
	533	Megapode, Micronesian (<i>Megapodius laperouse</i>)	E	\$68,000	\$17,444	\$85,444	\$0	\$85,444
	271	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus</i> <i>familiaris kingi</i>)	E	\$264,500	\$40,177	\$304,677	\$0	\$304,677
	112	Moorhen, Hawaiian common (<i>Gallinula chloropus</i> <i>sandvicensis</i>)	E	\$547,812	\$1,389,086	\$1,936,898	\$0	\$1,936,898
	221	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>)	E	\$225,980	\$245,986	\$471,966	\$0	\$471,966
	41	Murrelet, marbled (<i>Brachyramphus</i> <i>marmoratus</i>) - CA, OR, WA	T	\$1,702,206	\$4,560,110	\$6,262,316	\$1,060,237	\$7,322,553
	1012	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>)	E	\$9,500	\$0	\$9,500	\$0	\$9,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1037	Nukupu`u (honeycreeper) <i>(Hemignathus lucidus)</i>	E	\$8,500	\$0	\$8,500	\$0	\$8,500
	1097	`O`o, Kauai (honeyeater) <i>(Moho braccatus)</i>	E	\$6,500	\$0	\$6,500	\$0	\$6,500
	1177	`O`u (honeycreeper) <i>(Psittirostra psittacea)</i>	E	\$1,400	\$0	\$1,400	\$0	\$1,400
	73	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	\$114,200	\$3,420,113	\$3,534,313	\$26,410	\$3,560,723
	15	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$4,866,236	\$14,189,255	\$19,055,491	\$1,409,817	\$20,465,308
	92	Palila (honeycreeper) <i>(Loxioides bailleui)</i>	E	\$2,313,484	\$291,753	\$2,605,237	\$0	\$2,605,237
	584	Parrotbill, Maui (honeycreeper) (<i>Pseudonestor xanthophrys</i>)	E	\$59,200	\$4,085	\$63,285	\$0	\$63,285
	122	Parrot, Puerto Rican <i>(Amazona vittata)</i>	E	\$1,479,000	\$77,868	\$1,556,868	\$0	\$1,556,868
	213	Petrel, Hawaiian dark-rumped <i>(Pterodroma phaeopygia sandwichensis)</i>	E	\$253,554	\$243,286	\$496,840	\$0	\$496,840
	875	Pigeon, Puerto Rican plain <i>(Columba inornata wetmorei)</i>	E	\$15,500	\$620	\$16,120	\$0	\$16,120
	153	Plover, piping (<i>Charadrius melodus</i>) - Great Lakes watershed	E	\$605,100	\$419,873	\$1,024,973	\$21,209	\$1,046,182
	29	Plover, piping (<i>Charadrius melodus</i>) - except Great Lakes watershed	T	\$980,026	\$10,432,598	\$11,412,624	\$189,679	\$11,602,303
	70	Plover, western snowy <i>(Charadrius alexandrinus nivosus)</i> - Pacific coastal pop.	T	\$1,143,045	\$2,588,245	\$3,731,290	\$252,179	\$3,983,469
	1115	Po`ouli (honeycreeper) <i>(Melamprosops phaeosoma)</i>	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	683	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>)	E	\$24,000	\$14,904	\$38,904	\$0	\$38,904

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	170	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	E	\$232,396	\$605,300	\$837,696	\$16,985	\$854,681
	241	Rail, Guam (<i>Rallus owstoni</i>) - except Rota	E	\$218,083	\$176,500	\$394,583	\$0	\$394,583
	754	Rail, Guam (<i>Rallus owstoni</i>) - Rota	EXPN	\$17,500	\$8,700	\$26,200	\$0	\$26,200
	142	Rail, light-footed clapper (<i>Rallus longirostris levipes</i>) - USA	E	\$23,387	\$1,132,217	\$1,155,604	\$1,360	\$1,156,964
	68	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) - USA	E	\$30,407	\$4,334,000	\$4,364,407	\$22,000	\$4,386,407
	103	Scrub-jay, Florida (<i>Aphelocoma coerulescens</i>)	T	\$628,000	\$1,461,166	\$2,089,166	\$57,049	\$2,146,215
	235	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>)	T	\$375,210	\$31,486	\$406,696	\$0	\$406,696
	93	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>)	E	\$643	\$2,541,746	\$2,542,389	\$0	\$2,542,389
	242	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>)	E	\$116,000	\$265,218	\$381,218	\$0	\$381,218
	189	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$176,000	\$434,619	\$610,619	\$20,530	\$631,149
	208	Sparrow, San Clemente sage (<i>Amphispiza belli clementeae</i>)	T	\$360	\$513,425	\$513,785	\$0	\$513,785
	99	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$645,742	\$1,612,821	\$2,258,563	\$0	\$2,258,563
	42	Stork, wood (<i>Mycteria americana</i>) - AL, FL, GA, SC	E	\$611,000	\$6,247,217	\$6,858,217	\$14,726	\$6,872,943
	240	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	\$17,000	\$378,174	\$395,174	\$0	\$395,174

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	79	Tern, California least (<i>Sterna antillarum browni</i>)	E	\$214,748	\$3,035,264	\$3,250,012	\$19,760	\$3,269,772
	32	Tern, least (<i>Sterna antillarum</i>) - interior pop.	E	\$433,519	\$9,461,133	\$9,894,652	\$74,900	\$9,969,552
	301	Tern, roseate (<i>Sterna dougallii dougallii</i>) - northeast U.S. nesting pop.	E	\$24,690	\$211,694	\$236,384	\$31,000	\$267,384
	708	Tern, roseate (<i>Sterna dougallii dougallii</i>) - Western Hemisphere except NE U.S.	T	\$18,000	\$15,739	\$33,739	\$0	\$33,739
	1065	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	1196	Thrush, Molokai (<i>Myadestes lanaiensis rutha</i>)	E	\$700	\$0	\$700	\$0	\$700
	406	Thrush, small Kauai (=puaiohi) (<i>Myadestes palmeri</i>)	E	\$118,000	\$22,434	\$140,434	\$0	\$140,434
	404	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>)	T	\$33,084	\$109,680	\$142,764	\$0	\$142,764
	206	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$31,300	\$487,100	\$518,400	\$300	\$518,700
	71	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$443,018	\$3,193,833	\$3,636,851	\$0	\$3,636,851
	131	Warbler, Kirtland's (<i>Dendroica kirtlandii</i>)	E	\$286,900	\$716,368	\$1,003,268	\$362,350	\$1,365,618
	349	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscina</i>)	E	\$188,404	\$1,000	\$189,404	\$0	\$189,404
	1109	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>)	E	\$4,500	\$1,250	\$5,750	\$400	\$6,150
	121	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$310,000	\$1,280,650	\$1,590,650	\$0	\$1,590,650
	1170	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>)	E	\$1,400	\$500	\$1,900	\$0	\$1,900
	764	White-eye, Rota bridled (<i>Zosterops rotensis</i>)	E	\$25,000	\$0	\$25,000	\$0	\$25,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1139	Woodpecker, ivory-billed (<i>Campephilus principalis</i>)	E	\$500	\$3,500	\$4,000	\$400	\$4,400
	7	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$1,275,348	\$36,082,202	\$37,357,550	\$542,930	\$37,900,480
Birds subtotal				\$33,400,222	\$142,888,856	\$176,289,078	\$5,330,012	\$181,619,090
Reptiles	120	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$220,660	\$132,481	\$353,141	\$1,255,518	\$1,608,659
	660	Anole, Culebra Island giant (<i>Anolis roosevelti</i>)	E	\$43,000	\$0	\$43,000	\$0	\$43,000
	1053	Boa, Mona (<i>Epicrates monensis monensis</i>)	T	\$8,000	\$0	\$8,000	\$0	\$8,000
	703	Boa, Puerto Rican (<i>Epicrates inornatus</i>)	E	\$27,000	\$7,241	\$34,241	\$0	\$34,241
	715	Boa, Virgin Islands tree (<i>Epicrates monensis granti</i>)	E	\$10,000	\$22,516	\$32,516	\$0	\$32,516
	239	Crocodile, American (<i>Crocodylus acutus</i>) - FL	T	\$63,000	\$328,973	\$391,973	\$4,348	\$396,321
	1097	Gecko, Monito (<i>Sphaerodactylus micropithecus</i>)	E	\$6,500	\$0	\$6,500	\$0	\$6,500
	746	Iguana, Mona ground (<i>Cyclura stejnegeri</i>)	T	\$27,000	\$0	\$27,000	\$0	\$27,000
	178	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$379,510	\$367,580	\$747,090	\$0	\$747,090
	699	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	\$1,761	\$33,300	\$35,061	\$0	\$35,061
	209	Lizard, Island night (<i>Xantusia riversiana</i>)	T	\$107,092	\$406,080	\$513,172	\$0	\$513,172
	592	Lizard, St. Croix ground (<i>Ameiva polops</i>)	E	\$56,500	\$4,295	\$60,795	\$0	\$60,795
	742	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$20,000	\$0	\$20,000	\$8,380	\$28,380
	740	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>)	T	\$7,400	\$18,200	\$25,600	\$3,400	\$29,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	133	Sea turtle, green (<i>Chelonia mydas</i>) - FL, Mexico nesting pops.	E	\$276,000	\$894,383	\$1,170,383	\$170,149	\$1,340,532
	51	Sea turtle, green (<i>Chelonia mydas</i>) - except where endangered	T	\$948,114	\$4,482,436	\$5,430,550	\$168,099	\$5,598,649
	53	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$1,226,017	\$4,010,199	\$5,236,216	\$200,696	\$5,436,912
	57	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	\$395,700	\$4,520,880	\$4,916,580	\$203,378	\$5,119,958
	48	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$1,235,230	\$4,241,143	\$5,476,373	\$331,308	\$5,807,681
	82	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$415,677	\$1,996,982	\$2,412,659	\$668,729	\$3,081,388
	81	Sea turtle, loggerhead (<i>Caretta caretta</i>) - Northwest Atlantic DPS	T	\$1,032,000	\$2,166,330	\$3,198,330	\$0	\$3,198,330
	111	Sea turtle, loggerhead (<i>Caretta caretta</i>) - North Pacific Ocean DPS	E	\$0	\$1,956,932	\$1,956,932	\$0	\$1,956,932
	136	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - except where endangered	T	\$228,537	\$1,037,746	\$1,266,283	\$0	\$1,266,283
	258	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - Mexican nesting pop.	E	\$700	\$339,850	\$340,550	\$0	\$340,550
	477	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$89,000	\$18,478	\$107,478	\$0	\$107,478
	151	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$182,000	\$877,474	\$1,059,474	\$0	\$1,059,474
	1038	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>)	T	\$2,000	\$6,460	\$8,460	\$0	\$8,460
	392	Snake, Concho water (<i>Nerodia paucimaculata</i>)	T	\$149,513	\$3,250	\$152,763	\$0	\$152,763
	171	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) -IN, MI, OH	T	\$98,300	\$721,585	\$819,885	\$17,500	\$837,385

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	101	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$399,000	\$1,748,581	\$2,147,581	\$27,000	\$2,174,581
	46	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$439,070	\$5,508,591	\$5,947,661	\$0	\$5,947,661
	162	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	\$158,482	\$800,000	\$958,482	\$0	\$958,482
	69	Tortoise, desert (<i>Gopherus agassizii</i>) - outside/taken from Sonoran Desert	SAT	\$0	\$4,376,424	\$4,376,424	\$0	\$4,376,424
	37	Tortoise, desert (<i>Gopherus agassizii</i>) - except in Sonoran Desert	T	\$2,483,211	\$4,602,741	\$7,085,952	\$872,105	\$7,958,057
	94	Tortoise, gopher (<i>Gopherus polyphemus</i>) - W of Mobile/Tombigbee Rs.	T	\$107,500	\$2,265,979	\$2,373,479	\$14,875	\$2,388,354
	675	Turtle, Alabama red-belly (<i>Pseudemys alabamensis</i>)	E	\$24,000	\$16,412	\$40,412	\$400	\$40,812
	117	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - northern	T	\$603,709	\$1,053,164	\$1,656,873	\$60,413	\$1,717,286
	633	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - southern	SAT	\$1,500	\$31,244	\$32,744	\$16,140	\$48,884
	839	Turtle, flattened musk (<i>Sternotherus depressus</i>) - species range clarified	T	\$12,500	\$5,952	\$18,452	\$0	\$18,452
	1040	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	\$6,000	\$1,982	\$7,982	\$400	\$8,382
	1099	Turtle, yellow-blotched map (<i>Graptemys flavimaculata</i>)	T	\$0	\$6,025	\$6,025	\$400	\$6,425
	227	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	\$251,870	\$194,360	\$446,230	\$0	\$446,230
Reptiles subtotal				\$11,743,053	\$49,206,249	\$60,949,302	\$4,023,238	\$64,972,540

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
Amphibians	1025	Coqui, golden (<i>Eleutherodactylus jasperi</i>)	T	\$9,000	\$0	\$9,000	\$0	\$9,000
	43	Frog, California red-legged (<i>Rana draytonii</i>)	T	\$1,587,024	\$4,801,719	\$6,388,743	\$0	\$6,388,743
	168	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>)	T	\$124,953	\$466,131	\$591,084	\$307,400	\$898,484
	222	Frog, dusky gopher (<i>Rana sevosia</i>)	E	\$152,000	\$231,025	\$383,025	\$87,400	\$470,425
	164	Frog, mountain yellow-legged (<i>Rana muscosa</i>) –So. CA DPS	E	\$35,696	\$894,644	\$930,340	\$22,310	\$952,650
	666	Guajon (<i>Eleutherodactylus cooki</i>)	T	\$41,500	\$387	\$41,887	\$0	\$41,887
	385	Hellbender, Ozark (<i>Cryptobranchus alleganiensis bishopi</i>)	E	\$48,300	\$15,960	\$64,260	\$94,500	\$158,760
	1126	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	\$5,000	\$700	\$5,700	\$0	\$5,700
	138	Salamander, California tiger (<i>Ambystoma californiense</i>) - CA - Santa Barbara County	E	\$254,133	\$953,223	\$1,207,356	\$0	\$1,207,356
	130	Salamander, California tiger (<i>Ambystoma californiense</i>) - CA - Sonoma County	E	\$438,106	\$961,675	\$1,399,781	\$0	\$1,399,781
	113	Salamander, California tiger (<i>Ambystoma californiense</i>) - Central CA DPS	T	\$399,882	\$1,519,590	\$1,919,472	\$0	\$1,919,472
	648	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$38,000	\$5,751	\$43,751	\$1,500	\$45,251
	529	Salamander, desert slender (<i>Batrachoseps aridus</i>)	E	\$86,511	\$0	\$86,511	\$0	\$86,511
	250	Salamander, frosted flatwoods (<i>Ambystoma cingulatum</i>)	T	\$87,000	\$265,302	\$352,302	\$13,304	\$365,606
	1051	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>)	T	\$5,000	\$3,042	\$8,042	\$0	\$8,042

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	266	Salamander, reticulated flatwoods (<i>Ambystoma bishopi</i>)	E	\$35,000	\$264,946	\$299,946	\$13,304	\$313,250
	1134	Salamander, San Marcos (<i>Eurycea nana</i>)	T	\$5,000	\$0	\$5,000	\$0	\$5,000
	347	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum croceum</i>)	E	\$150,287	\$0	\$150,287	\$40,000	\$190,287
	733	Salamander, Shenandoah (<i>Plethodon shenandoah</i>)	E	\$13,792	\$16,021	\$29,813	\$0	\$29,813
	396	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>)	E	\$1,575	\$122,300	\$123,875	\$26,000	\$149,875
	1134	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>)	E	\$5,000	\$0	\$5,000	\$0	\$5,000
	143	Toad, arroyo (=arroyo southwestern) (<i>Anaxyrus californicus</i>)	E	\$345,079	\$799,746	\$1,144,825	\$0	\$1,144,825
	261	Toad, Houston (<i>Bufo houstonensis</i>)	E	\$165,500	\$159,040	\$324,540	\$0	\$324,540
	1025	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>)	T	\$9,000	\$0	\$9,000	\$0	\$9,000
	243	Toad, Wyoming (<i>Bufo baxteri</i> (=hemiophrys))	E	\$365,384	\$200	\$365,584	\$14,844	\$380,428
Amphibians subtotal				\$4,407,722	\$11,481,402	\$15,889,124	\$620,562	\$16,509,686
Fishes	197	Bocaccio (<i>Sebastes paucispinis</i>) - Puget Sound-Georgia Basin DPS	E	\$0	\$397,535	\$397,535	\$157,155	\$554,690
	953	Catfish, Yaqui (<i>Ictalurus pricei</i>)	T	\$1,505	\$6,650	\$8,155	\$4,000	\$12,155
	1169	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	360	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$30,100	\$82,356	\$112,456	\$68,900	\$181,356
	45	Chub, bonytail (<i>Gila elegans</i>)	E	\$249,187	\$5,379,429	\$5,628,616	\$369,751	\$5,998,367

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	547	Chub, Borax Lake (<i>Gila boraxobius</i>)	E	\$67,000	\$11,100	\$78,100	\$760	\$78,860
	1010	Chub, Chihuahua (<i>Gila nigrescens</i>)	T	\$5,337	\$2,100	\$7,437	\$2,100	\$9,537
	87	Chub, Gila (<i>Gila intermedia</i>)	E	\$33,057	\$2,599,374	\$2,632,431	\$131,600	\$2,764,031
	36	Chub, humpback (<i>Gila cypha</i>)	E	\$283,309	\$8,087,026	\$8,370,335	\$635,128	\$9,005,463
	1120	Chub, Hutton tui (<i>Gila bicolor</i> ssp.)	T	\$5,500	\$100	\$5,600	\$250	\$5,850
	160	Chub, Oregon (<i>Oregonichthys crameri</i>)	T	\$359,102	\$611,849	\$970,951	\$1,200	\$972,151
	630	Chub, Pahrangat roundtail (<i>Gila robusta jordani</i>)	E	\$35,964	\$9,448	\$45,412	\$4,500	\$49,912
	823	Chub, slender (<i>Erimystax cahni</i>)	T	\$19,600	\$100	\$19,700	\$0	\$19,700
	1196	Chub, slender (<i>Erimystax cahni</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$700	\$700	\$0	\$700
	437	Chub, Sonora (<i>Gila ditaenia</i>)	T	\$3,955	\$111,400	\$115,355	\$5,000	\$120,355
	344	Chub, spotfin (<i>Erimonax monachus</i>)	T	\$182,948	\$4,148	\$187,096	\$5,000	\$192,096
	1145	Chub, spotfin (<i>Erimonax monachus</i>) - Tellico River, TN	EXPN	\$2,500	\$1,650	\$4,150	\$0	\$4,150
	1169	Chub, spotfin (<i>Erimonax monachus</i>) - Shoal Creek	EXPN	\$2,000	\$0	\$2,000	\$0	\$2,000
	1201	Chub, spotfin (<i>Erimonax monachus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$0	\$0	\$480	\$480
	169	Chub, Virgin River (<i>Gila seminuda</i> (=robusta))	E	\$347,024	\$137,131	\$484,155	\$406,224	\$890,379
	942	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$1,505	\$6,300	\$7,805	\$4,800	\$12,605
	139	Cui-ui (<i>Chasmistes cujus</i>)	E	\$255,834	\$925,699	\$1,181,533	\$0	\$1,181,533

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	312	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$242,994	\$3,010	\$246,004	\$1,500	\$247,504
	367	Dace, blackside (<i>Phoxinus cumberlandensis</i>)	T	\$134,326	\$39,142	\$173,468	\$420	\$173,888
	566	Dace, Clover Valley speckled (<i>Rhinichthys osculus oligoporus</i>)	E	\$65,720	\$3,110	\$68,830	\$1,200	\$70,030
	748	Dace, desert (<i>Eremichthys acros</i>)	T	\$5,780	\$19,010	\$24,790	\$2,000	\$26,790
	462	Dace, Foskett speckled (<i>Rhinichthys osculus</i> ssp.)	T	\$74,500	\$36,100	\$110,600	\$250	\$110,850
	969	Dace, Independence Valley speckled (<i>Rhinichthys osculus lethoporus</i>)	E	\$7,992	\$3,110	\$11,102	\$100	\$11,202
	848	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>)	E	\$13,785	\$4,100	\$17,885	\$0	\$17,885
	826	dace, Laurel (<i>Chrosomus saylori</i>)	E	\$11,500	\$8,046	\$19,546	\$0	\$19,546
	320	Dace, Moapa (<i>Moapa coriacea</i>)	E	\$186,127	\$38,922	\$225,049	\$7,500	\$232,549
	727	Darter, amber (<i>Percina antesella</i>)	E	\$19,000	\$4,339	\$23,339	\$7,500	\$30,839
	985	Darter, bayou (<i>Etheostoma rubrum</i>)	T	\$8,000	\$2,200	\$10,200	\$400	\$10,600
	278	Darter, bluemask (=jewel) (<i>Etheostoma</i> sp.)	E	\$34,000	\$255,300	\$289,300	\$0	\$289,300
	184	Darter, boulder (<i>Etheostoma wapiti</i>)	E	\$26,000	\$633,200	\$659,200	\$0	\$659,200
	1149	Darter, boulder (<i>Etheostoma wapiti</i>) - Shoal Creek	EXPN	\$4,000	\$0	\$4,000	\$0	\$4,000
	637	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$28,500	\$11,875	\$40,375	\$7,500	\$47,875
	873	Darter, Cumberland (<i>Etheostoma susanae</i>)	E	\$12,500	\$317	\$12,817	\$3,360	\$16,177

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	710	Darter, duskytail (<i>Etheostoma percnurum</i>)	E	\$28,500	\$4,683	\$33,183	\$210	\$33,393
	1109	Darter, duskytail (<i>Etheostoma percnurum</i>) - Tellico River, TN	EXPN	\$4,500	\$1,650	\$6,150	\$0	\$6,150
	1215	Darter, duskytail (<i>Etheostoma percnurum</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$100	\$0	\$100	\$0	\$100
	726	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$20,500	\$2,891	\$23,391	\$7,500	\$30,891
	673	Darter, fountain (<i>Etheostoma fonticola</i>)	E	\$8,000	\$32,900	\$40,900	\$0	\$40,900
	352	Darter, goldline (<i>Percina aurolineata</i>)	T	\$172,500	\$2,149	\$174,649	\$12,500	\$187,149
	364	Darter, leopard (<i>Percina pantherina</i>)	T	\$34,100	\$143,101	\$177,201	\$800	\$178,001
	1127	Darter, Maryland (<i>Etheostoma sellare</i>)	E	\$5,519	\$121	\$5,640	\$0	\$5,640
	286	Darter, Niangua (<i>Etheostoma nianguae</i>)	T	\$124,200	\$500	\$124,700	\$157,500	\$282,200
	152	Darter, Okaloosa (<i>Etheostoma okaloosae</i>)	E	\$141,000	\$917,016	\$1,058,016	\$0	\$1,058,016
	963	Darter, relict (<i>Etheostoma chienense</i>)	E	\$11,500	\$100	\$11,600	\$0	\$11,600
	1207	Darter, rush (<i>Etheostoma phytophilum</i>)	E	\$200	\$96	\$296	\$0	\$296
	842	Darter, slackwater (<i>Etheostoma boschungii</i>)	T	\$18,000	\$121	\$18,121	\$0	\$18,121
	378	Darter, snail (<i>Percina tanasi</i>)	T	\$157,500	\$4,684	\$162,184	\$2,500	\$164,684
	1149	Darter, vermilion (<i>Etheostoma chermocki</i>)	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	1169	Darter, watercress (<i>Etheostoma nuchale</i>)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	544	Darter, yellowcheek (<i>Etheostoma moorei</i>)	E	\$75,500	\$2,096	\$77,596	\$1,800	\$79,396

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	166	Eulachon, Pacific (<i>Thaleichthys pacificus</i>) - Southern DPS	T	\$0	\$897,163	\$897,163	\$35,964	\$933,127
	1155	Gambusia, Big Bend (<i>Gambusia gaigei</i>)	E	\$1,500	\$2,000	\$3,500	\$0	\$3,500
	1189	Gambusia, Clear Creek (<i>Gambusia heterochir</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	690	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$8,365	\$25,100	\$33,465	\$2,700	\$36,165
	1189	Gambusia, San Marcos (<i>Gambusia georgei</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	165	Goby, tidewater (<i>Eucyclogobius newberryi</i>)	E	\$507,982	\$436,740	\$944,722	\$0	\$944,722
	721	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	\$23,000	\$3,783	\$26,783	\$5,000	\$31,783
	260	Logperch, Roanoke (<i>Percina rex</i>)	E	\$129,460	\$186,947	\$316,407	\$8,350	\$324,757
	1034	Madtom, chunky (<i>Noturus crypticus</i>)	E	\$8,500	\$96	\$8,596	\$0	\$8,596
	386	Madtom, Neosho (<i>Noturus placidus</i>)	T	\$40,092	\$75,087	\$115,179	\$43,000	\$158,179
	401	Madtom, pygmy (<i>Noturus stanauli</i>)	E	\$144,000	\$0	\$144,000	\$0	\$144,000
	767	Madtom, pygmy (<i>Noturus stanauli</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$24,700	\$24,700	\$0	\$24,700
	1209	Madtom, Scioto (<i>Noturus trautmani</i>)	E	\$0	\$283	\$283	\$0	\$283
	720	Madtom, smoky (<i>Noturus baileyi</i>)	E	\$23,500	\$8,472	\$31,972	\$0	\$31,972
	1109	Madtom, smoky (<i>Noturus baileyi</i>) - Tellico River, TN	EXPN	\$4,500	\$1,650	\$6,150	\$0	\$6,150
	681	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - except where EXPN	T	\$32,500	\$6,793	\$39,293	\$0	\$39,293

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	791	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Holston River, VA, TN	EXPN	\$22,000	\$0	\$22,000	\$0	\$22,000
	1109	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Tellico River, TN	EXPN	\$4,500	\$1,650	\$6,150	\$0	\$6,150
	1131	Minnow, Devils River (<i>Dionda diaboli</i>)	T	\$2,550	\$2,800	\$5,350	\$0	\$5,350
	74	Minnow, loach (<i>Tiaroga cobitis</i>)	T	\$58,797	\$3,173,716	\$3,232,513	\$227,000	\$3,459,513
	34	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - except where EXPN	E	\$117,837	\$9,000,496	\$9,118,333	\$64,200	\$9,182,533
	236	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - Rio Grande, from Little Box Canyon to Amistad Dam	EXPN	\$275,000	\$130,921	\$405,921	\$0	\$405,921
	49	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - except Salt and Verde R. drainages, AZ	E	\$222,903	\$4,880,402	\$5,103,305	\$516,074	\$5,619,379
	615	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - Salt and Verde R. drainages, AZ	EXPN	\$245	\$7,489	\$7,734	\$47,000	\$54,734
	405	Poolfish, Pahrump (<i>Empetrichthys latos</i>)	E	\$92,342	\$46,000	\$138,342	\$3,500	\$141,842
	973	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$5,994	\$3,010	\$9,004	\$2,000	\$11,004
	813	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$500	\$20,000	\$20,500	\$0	\$20,500
	234	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$9,695	\$175,045	\$184,740	\$224,500	\$409,240
	203	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$157,472	\$369,368	\$526,840	\$4,600	\$531,440

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1210	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>)	E	\$250	\$0	\$250	\$0	\$250
	145	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	\$101,722	\$1,008,000	\$1,109,722	\$0	\$1,109,722
	628	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$49,449	\$0	\$49,449	\$1,000	\$50,449
	190	Rockfish, Canary (<i>Sebastes pinniger</i>) - Puget Sound–Georgia Basin DPS	T	\$0	\$466,039	\$466,039	\$162,952	\$628,991
	188	Rockfish, Yelloweye (<i>Sebastes ruberrimus</i>) - Puget Sound–Georgia Basin DPS	T	\$0	\$466,039	\$466,039	\$165,191	\$631,230
	30	Salmon, Atlantic (<i>Salmo salar</i>) - Expanded Gulf of Maine DPS	E	\$3,541,000	\$6,917,856	\$10,458,856	\$454,300	\$10,913,156
	5	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Snake River fall-run ESU	T	\$1,317,900	\$47,343,282	\$48,661,182	\$386,318	\$49,047,500
	3	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Snake River spring/summer-run ESU	T	\$262,000	\$59,952,236	\$60,214,236	\$617,941	\$60,832,177
	35	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Sacramento River winter-run ESU	E	\$291,265	\$8,880,328	\$9,171,593	\$0	\$9,171,593
	23	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Puget Sound ESU	T	\$455,600	\$6,362,856	\$6,818,456	\$8,031,328	\$14,849,784
	11	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Lower Columbia River ESU	T	\$825,400	\$27,609,309	\$28,434,709	\$1,745,925	\$30,180,634

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	10	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Upper Willamette River ESU	T	\$51,000	\$29,970,219	\$30,021,219	\$192,650	\$30,213,869
	9	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Upper Columbia spring-run ESU	E	\$233,095	\$34,208,896	\$34,441,991	\$1,265,545	\$35,707,536
	47	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Central Valley spring-run ESU	T	\$157,675	\$5,714,338	\$5,872,013	\$0	\$5,872,013
	62	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - CA coastal	T	\$0	\$4,814,557	\$4,814,557	\$0	\$4,814,557
	21	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) - Columbia R.	T	\$8,000	\$15,149,689	\$15,157,689	\$614,441	\$15,772,130
	55	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) - summer-run Hood Canal	T	\$5,000	\$4,468,074	\$4,473,074	\$674,841	\$5,147,915
	44	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Central CA Coast ESU	E	\$0	\$6,323,590	\$6,323,590	\$0	\$6,323,590
	18	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - So. OR/No. CA Coast ESU	T	\$87,500	\$17,464,555	\$17,552,055	\$44,500	\$17,596,555
	39	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - OR Coast ESU	T	\$658,183	\$6,096,306	\$6,754,489	\$620,000	\$7,374,489
	25	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Lower Columbia River ESU	T	\$393,506	\$11,339,581	\$11,733,087	\$1,450,274	\$13,183,361
	12	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) - Snake River, ID stock wherever found.	E	\$0	\$24,847,622	\$24,847,622	\$250,629	\$25,098,251

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	64	Salmon, sockeye (<i>Oncorhynchus (=Salmo)</i> <i>nerka</i>) - Ozette Lake, WA	T	\$11,693	\$4,457,339	\$4,469,032	\$249,293	\$4,718,325
	146	Sawfish, smalltooth (<i>Pristis</i> <i>pectinata</i>) - TX, FL	E	\$0	\$1,102,826	\$1,102,826	\$5,640	\$1,108,466
	1213	Sculpin, pygmy (<i>Cottus</i> <i>paulus (=pygmaeus)</i>)	T	\$200	\$0	\$200	\$0	\$200
	319	Shiner, Arkansas River (<i>Notropis girardi</i>) - Arkansas R. Basin	T	\$44,201	\$187,922	\$232,123	\$2,100	\$234,223
	1110	Shiner, beautiful (<i>Cyprinella</i> <i>formosa</i>)	T	\$1,330	\$100	\$1,430	\$4,700	\$6,130
	804	Shiner, blue (<i>Cyprinella</i> <i>caerulea</i>)	T	\$8,500	\$8,296	\$16,796	\$4,500	\$21,296
	1199	Shiner, Cahaba (<i>Notropis</i> <i>cahabae</i>)	E	\$200	\$319	\$519	\$0	\$519
	304	Shiner, Cape Fear (<i>Notropis</i> <i>mekistocholas</i>)	E	\$220,000	\$19,900	\$239,900	\$22,790	\$262,690
	458	Shiner, palezone (<i>Notropis</i> <i>albizonatus</i>)	E	\$111,000	\$396	\$111,396	\$420	\$111,816
	154	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$20,262	\$998,010	\$1,018,272	\$10,500	\$1,028,772
	207	Shiner, Topeka (<i>Notropis</i> <i>topeka (=tristis)</i>)	E	\$262,195	\$198,033	\$460,228	\$53,800	\$514,028
	841	Silverside, Waccamaw (<i>Menidia extensa</i>)	T	\$15,000	\$1,600	\$16,600	\$1,620	\$18,220
	19	Smelt, delta (<i>Hypomesus</i> <i>transpacificus</i>)	T	\$4,445,718	\$12,818,097	\$17,263,815	\$0	\$17,263,815
	76	Spinedace (<i>Meda fulgida</i>)	T	\$58,937	\$3,168,790	\$3,227,727	\$209,000	\$3,436,727
	669	Spinedace, Big Spring (<i>Lepidomeda mollispinis</i> <i>pratensis</i>)	T	\$9,990	\$29,000	\$38,990	\$2,500	\$41,490
	419	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	\$11,655	\$60,625	\$72,280	\$60,000	\$132,280
	416	Spinedace, White River (<i>Lepidomeda albivallis</i>)	E	\$101,904	\$25,110	\$127,014	\$6,000	\$133,014

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	564	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>)	E	\$25,974	\$43,110	\$69,084	\$2,000	\$71,084
	479	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	\$73,926	\$5,110	\$79,036	\$28,000	\$107,036
	843	Springfish, White River (<i>Crenichthys baileyi baileyi</i>)	E	\$5,994	\$9,110	\$15,104	\$3,000	\$18,104
	28	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Central Valley CA	T	\$850,000	\$10,990,159	\$11,840,159	\$0	\$11,840,159
	1	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Snake R. Basin	T	\$997,507	\$65,958,964	\$66,956,471	\$602,846	\$67,559,317
	31	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - central CA coast	T	\$0	\$10,103,546	\$10,103,546	\$0	\$10,103,546
	14	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - lower Columbia R.	T	\$233,000	\$20,199,929	\$20,432,929	\$743,824	\$21,176,753
	63	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - south central CA coast	T	\$0	\$4,811,613	\$4,811,613	\$0	\$4,811,613
	58	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - southern CA coast	E	\$12,500	\$5,073,808	\$5,086,308	\$0	\$5,086,308
	6	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - upper Columbia R. Basin	T	\$170,660	\$41,216,331	\$41,386,991	\$296,577	\$41,683,568
	16	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - upper Willamette R.	T	\$44,000	\$20,117,094	\$20,161,094	\$29,000	\$20,190,094
	2	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - middle Columbia R.	T	\$526,168	\$66,317,041	\$66,843,209	\$558,365	\$67,401,574
	52	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - northern CA	T	\$0	\$5,531,899	\$5,531,899	\$0	\$5,531,899

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	38	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Puget Sound DPS	T	\$480,100	\$5,881,750	\$6,361,850	\$1,391,861	\$7,753,711
	397	Stickleback, unarmored threespine (<i>Gasterosteus</i> <i>aculeatus williamsoni</i>)	E	\$84,411	\$63,500	\$147,911	\$0	\$147,911
	751	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>)	E	\$11,000	\$2,126	\$13,126	\$13,500	\$26,626
	80	Sturgeon, Atlantic (<i>Acipenser</i> <i>oxyrinchus oxyrinchus</i>)	T	\$109,500	\$3,107,091	\$3,216,591	\$5,913	\$3,222,504
	109	Sturgeon, gulf (<i>Acipenser</i> <i>oxyrinchus desotoi</i>)	T	\$286,500	\$1,647,469	\$1,933,969	\$96,900	\$2,030,869
	72	Sturgeon, North American green (<i>Acipenser medirostris</i>) - CA Southern DPS	T	\$2,500	\$3,566,540	\$3,569,040	\$36,028	\$3,605,068
	4	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$1,151,741	\$52,423,742	\$53,575,483	\$251,991	\$53,827,474
	89	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	E	\$113,000	\$2,544,984	\$2,657,984	\$49,120	\$2,707,104
	510	Sturgeon, Shovelnose (<i>Scaphirhynchus</i> <i>platorynchus</i>)	SAT	\$10,500	\$82,047	\$92,547	\$0	\$92,547
	24	Sturgeon, white (<i>Acipenser</i> <i>transmontanus</i>) - ID, MT, Canada (B.C.), Kootenai R. system	E	\$494,807	\$13,135,031	\$13,629,838	\$2,500	\$13,632,338
	128	Sucker, June (<i>Chasmistes</i> <i>liorus</i>)	E	\$50,375	\$722,360	\$772,735	\$667,817	\$1,440,552
	78	Sucker, Lost River (<i>Deltistes</i> <i>luxatus</i>)	E	\$1,438,709	\$1,833,932	\$3,272,641	\$4,700	\$3,277,341
	476	Sucker, Modoc (<i>Catostomus</i> <i>microps</i>)	E	\$57,870	\$49,594	\$107,464	\$500	\$107,964
	26	Sucker, razorback (<i>Xyrauchen texanus</i>)	E	\$843,964	\$10,761,554	\$11,605,518	\$810,057	\$12,415,575
	54	Sucker, Santa Ana (<i>Catostomus santaanae</i>) - 3 CA river basins	T	\$3,782	\$5,408,743	\$5,412,525	\$0	\$5,412,525

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	77	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	\$1,404,325	\$1,904,842	\$3,309,167	\$4,700	\$3,313,867
	287	Sucker, Warner (<i>Catostomus wamerensis</i>)	T	\$157,400	\$123,100	\$280,500	\$1,250	\$281,750
	83	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) - U.S.A. only	E	\$18,480	\$2,642,185	\$2,660,665	\$295,600	\$2,956,265
	311	Trout, Apache (<i>Oncorhynchus apache</i>)	T	\$4,655	\$37,002	\$41,657	\$206,000	\$247,657
	8	Trout, bull (<i>Salvelinus confluentus</i>) - conterminous, lower 48 states	T	\$8,783,388	\$27,789,745	\$36,573,133	\$1,123,877	\$37,697,010
	389	Trout, Gila (<i>Oncorhynchus gilae</i>)	T	\$12,662	\$16,424	\$29,086	\$125,000	\$154,086
	215	Trout, Greenback Cutthroat (<i>Oncorhynchus clarki stomias</i>)	T	\$213,321	\$201,196	\$414,517	\$76,210	\$490,727
	60	Trout, Lahontan cutthroat (<i>Oncorhynchus clarkii henshawi</i>)	T	\$2,421,178	\$2,448,991	\$4,870,169	\$52,480	\$4,922,649
	409	Trout, Little Kern golden (<i>Oncorhynchus aguabonita whitei</i>)	T	\$55,653	\$81,819	\$137,472	\$1,315	\$138,787
	490	Trout, Paiute cutthroat (<i>Oncorhynchus clarkii seleniris</i>)	T	\$69,930	\$3,300	\$73,230	\$27,910	\$101,140
	219	Tui chub, Mohave (<i>Gila bicolor ssp. mohavensis</i>)	E	\$356,737	\$111,006	\$467,743	\$7,500	\$475,243
	922	Tui chub, Owens (<i>Gila bicolor ssp. snyderi</i>)	E	\$9,757	\$4,000	\$13,757	\$0	\$13,757
	177	Woundfin (<i>Plagopterus argentissimus</i>) - except Gila R. drainage, AZ, NM	E	\$351,978	\$33,970	\$385,948	\$363,201	\$749,149
	503	Woundfin (<i>Plagopterus argentissimus</i>) - Gila R. drainage, AZ, NM	EXPN	\$0	\$88,661	\$88,661	\$7,000	\$95,661
Fishes subtotal				\$41,164,286	\$769,601,848	\$810,766,134	\$28,392,516	\$839,158,650

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
Clams	921	Acornshell, southern (<i>Epioblasma othcaloogensis</i>)	E	\$9,000	\$4,833	\$13,833	\$0	\$13,833
	292	Bankclimber, purple (mussel) (<i>Elliptioideus sloatianus</i>)	T	\$150,000	\$121,375	\$271,375	\$5,500	\$276,875
	471	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - Except where listed as EXPN	E	\$94,500	\$3,389	\$97,889	\$10,500	\$108,389
	1219	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$60	\$60	\$0	\$60
	343	Bean, purple (<i>Villosa perpurpurea</i>)	E	\$192,275	\$1,500	\$193,775	\$0	\$193,775
	451	Bean, rayed (<i>Villosa fabalis</i>)	E	\$40,500	\$71,042	\$111,542	\$1,584	\$113,126
	1189	Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>)	E	\$300	\$700	\$1,000	\$0	\$1,000
	678	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - Except where listed as EXPN	E	\$39,700	\$379	\$40,079	\$0	\$40,079
	1211	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$235	\$235	\$0	\$235
	1174	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) - Except where listed as EXPN	E	\$1,000	\$600	\$1,600	\$0	\$1,600

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1213	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$200	\$200	\$0	\$200
	1204	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) - Except where listed as EXPN	E	\$300	\$96	\$396	\$0	\$396
	1216	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$96	\$96	\$0	\$96
	731	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>)	E	\$4,200	\$24,095	\$28,295	\$1,584	\$29,879
	267	Clubshell (<i>Pleurobema clava</i>) - Except where EXPN	E	\$83,200	\$167,494	\$250,694	\$60,284	\$310,978
	897	Clubshell (<i>Pleurobema clava</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$15,000	\$0	\$15,000	\$0	\$15,000
	1198	Clubshell, black (<i>Pleurobema curtum</i>)	E	\$0	\$132	\$132	\$400	\$532
	588	Clubshell, ovate (<i>Pleurobema perovatum</i>)	E	\$10,000	\$51,464	\$61,464	\$400	\$61,864
	642	Clubshell, southern (<i>Pleurobema decisum</i>)	E	\$14,000	\$27,740	\$41,740	\$4,900	\$46,640
	313	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - Except where EXPN	E	\$208,400	\$31,900	\$240,300	\$6,650	\$246,950

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1161	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$2,738	\$2,738	\$0	\$2,738
	1185	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$1,200	\$1,200	\$0	\$1,200
	1111	Combshell, southern (<i>Epioblasma penita</i>)	E	\$0	\$1,224	\$1,224	\$4,900	\$6,124
	874	Combshell, upland (<i>Epioblasma metastrata</i>)	E	\$9,500	\$4,658	\$14,158	\$2,000	\$16,158
	492	Elktoe, Appalachian (<i>Alasmidonta raveneliana</i>)	E	\$64,000	\$18,500	\$82,500	\$18,340	\$100,840
	530	Elktoe, Cumberland (<i>Alasmidonta atropurpurea</i>)	E	\$74,000	\$1,396	\$75,396	\$10,500	\$85,896
	538	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$62,796	\$6,524	\$69,320	\$14,283	\$83,603
	825	Fanshell (<i>Cyprogenia stegaria</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$19,589	\$19,589	\$0	\$19,589
	174	Fatmucket, Arkansas (<i>Lampsilis powellii</i>)	T	\$2,000	\$788,845	\$790,845	\$875	\$791,720
	1063	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>)	T	\$1,500	\$5,640	\$7,140	\$400	\$7,540
	223	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	\$399,500	\$56,335	\$455,835	\$9,160	\$464,995
	173	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$208,700	\$563,327	\$772,027	\$38,200	\$810,227
	722	Kidneyshell, triangular (<i>Ptychobranthus greenii</i>)	E	\$14,500	\$12,700	\$27,200	\$4,500	\$31,700

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	373	Lampmussel, Alabama (<i>Lampsilis virescens</i>) - Except where EXPN	E	\$119,500	\$49,500	\$169,000	\$0	\$169,000
	453	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>)	E	\$112,500	\$61	\$112,561	\$0	\$112,561
	253	Mapleleaf, winged (<i>Quadrula fragosa</i>) - except where EXPN	E	\$122,100	\$223,336	\$345,436	\$15,800	\$361,236
	1217	Mapleleaf, winged (<i>Quadrula fragosa</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$94	\$94	\$0	\$94
	707	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	\$15,000	\$14,437	\$29,437	\$4,400	\$33,837
	797	Moccasinshell, Coosa (<i>Medionidus parvulus</i>)	E	\$14,500	\$3,686	\$18,186	\$3,500	\$21,686
	381	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$134,500	\$23,658	\$158,158	\$5,000	\$163,158
	525	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$63,000	\$21,264	\$84,264	\$5,000	\$89,264
	716	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	\$32,400	\$100	\$32,500	\$0	\$32,500
	1186	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$1,175	\$1,175	\$0	\$1,175
	269	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - Except where listed as EXPN	E	\$175,400	\$133,461	\$308,861	\$0	\$308,861
	1196	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$700	\$700	\$0	\$700

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	341	Mucket, orangenacre (<i>Lampsilis perovalis</i>)	T	\$186,500	\$7,328	\$193,828	\$400	\$194,228
	181	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$217,200	\$429,748	\$646,948	\$39,600	\$686,548
	332	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - Except where listed as EXPN	E	\$199,400	\$3,289	\$202,689	\$6,250	\$208,939
	1203	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$0	\$0	\$400	\$400
	1182	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$1,260	\$1,260	\$0	\$1,260
	486	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$57,400	\$14,494	\$71,894	\$31,100	\$102,994
	315	Mussel, sheepnose (<i>Plethobasus cyphus</i>)	E	\$67,600	\$161,880	\$229,480	\$16,983	\$246,463
	202	Mussel, snuffbox (<i>Epioblasma triquetra</i>)	E	\$77,200	\$433,868	\$511,068	\$22,183	\$533,251
	228	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>)	T	\$407,000	\$27,300	\$434,300	\$11,875	\$446,175
	353	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - Except where listed as EXPN	E	\$53,400	\$133,321	\$186,721	\$0	\$186,721
	1203	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$0	\$0	\$0	\$400	\$400
	1179	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$1,321	\$1,321	\$0	\$1,321

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	263	Pearl mussel, cracking (<i>Hemistena lata</i>) - Except where listed as EXPN	E	\$190,600	\$133,875	\$324,475	\$0	\$324,475
	1214	Pearl mussel, cracking (<i>Hemistena lata</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$121	\$121	\$0	\$121
	1196	Pearl mussel, cracking (<i>Hemistena lata</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$700	\$700	\$0	\$700
	877	Pearl mussel, Curtis (<i>Epioblasma florentina curtisii</i>)	E	\$3,700	\$700	\$4,400	\$11,500	\$15,900
	598	Pearl mussel, dromedary (<i>Dromus dromas</i>) - Except where listed as EXPN	E	\$50,400	\$3,010	\$53,410	\$6,250	\$59,660
	1203	Pearl mussel, dromedary (<i>Dromus dromas</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$0	\$0	\$400	\$400
	1192	Pearl mussel, dromedary (<i>Dromus dromas</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$921	\$921	\$0	\$921
	585	Pearl mussel, littlewing (<i>Pegias fabula</i>)	E	\$49,900	\$5,996	\$55,896	\$7,270	\$63,166
	1190	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>)	E	\$900	\$96	\$996	\$0	\$996
	1025	Pigtoe, dark (<i>Pleurobema furvum</i>)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	399	Pigtoe, finereyed (<i>Fusconaia cuneolus</i>) - Except where listed as EXPN	E	\$144,400	\$200	\$144,600	\$0	\$144,600

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	415	Pigtoe, finereyed (<i>Fusconaia cuneolus</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$133,200	\$133,200	\$0	\$133,200
	1196	Pigtoe, finereyed (<i>Fusconaia cuneolus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$700	\$700	\$0	\$700
	1203	Pigtoe, flat (<i>Pleurobema marshalli</i>)	E	\$0	\$0	\$0	\$400	\$400
	1078	Pigtoe, Georgia (<i>Pleurobema hanleyianum</i>)	E	\$5,500	\$1,622	\$7,122	\$0	\$7,122
	1167	Pigtoe, heavy (<i>Pleurobema taitianum</i>)	E	\$0	\$1,828	\$1,828	\$400	\$2,228
	383	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	\$131,500	\$24,839	\$156,339	\$4,500	\$160,839
	345	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$168,600	\$16,322	\$184,922	\$6,250	\$191,172
	1196	Pigtoe, rough (<i>Pleurobema plenum</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$700	\$700	\$0	\$700
	398	Pigtoe, shiny (<i>Fusconaia cor</i>) - Except where EXPN	E	\$145,775	\$200	\$145,975	\$0	\$145,975
	415	Pigtoe, shiny (<i>Fusconaia cor</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$133,200	\$133,200	\$0	\$133,200
	1196	Pigtoe, shiny (<i>Fusconaia cor</i>) - TN - specified portions of the French Broad and Holston Rivers	EXPN	\$0	\$700	\$700	\$0	\$700
	753	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	\$15,000	\$7,718	\$22,718	\$3,500	\$26,218

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	337	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	\$42,200	\$154,910	\$197,110	\$6,250	\$203,360
	1213	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$0	\$0	\$200	\$200
	329	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$64,200	\$125,345	\$189,545	\$20,883	\$210,428
	330	Pocketbook, finelined (<i>Lampsilis altilis</i>)	T	\$182,500	\$23,645	\$206,145	\$4,000	\$210,145
	550	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>)	E	\$52,400	\$25,054	\$77,454	\$700	\$78,154
	372	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$139,500	\$25,835	\$165,335	\$4,000	\$169,335
	1037	Pocketbook, speckled (<i>Lampsilis streckeri</i>)	E	\$6,500	\$2,000	\$8,500	\$0	\$8,500
	856	Purple cat's paw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - Except where listed as EXPN	E	\$14,000	\$3,230	\$17,230	\$0	\$17,230
	629	Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>)	E	\$35,275	\$9,546	\$44,821	\$5,383	\$50,204
	359	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	\$69,000	\$70,838	\$139,838	\$43,183	\$183,021
	494	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (=E. <i>walkeri</i>))	E	\$89,400	\$5,165	\$94,565	\$6,250	\$100,815
	622	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	\$35,200	\$18,075	\$53,275	\$0	\$53,275
	374	Slabshell, Chipola (<i>Elliptio chipolaensis</i>)	T	\$50,500	\$117,514	\$168,014	\$0	\$168,014
	502	Spectaclecase (mussel) (<i>Cumberlandia monodonta</i>)	E	\$61,300	\$15,168	\$76,468	\$19,450	\$95,918

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1135	Spinymussel, Altamaha (<i>Elliptio spinosa</i>)	E	\$3,500	\$1,400	\$4,900	\$0	\$4,900
	302	Spinymussel, James (<i>Pleurobema collina</i>)	E	\$229,959	\$29,841	\$259,800	\$5,550	\$265,350
	421	Spinymussel, Tar River (<i>Elliptio steinstansana</i>)	E	\$60,500	\$48,000	\$108,500	\$22,730	\$131,230
	1203	Stirrupshell (<i>Quadrula stapes</i>)	E	\$0	\$0	\$0	\$400	\$400
	259	Three-ridge, fat (mussel) (<i>Amblema neislerii</i>)	E	\$211,500	\$112,288	\$323,788	\$4,000	\$327,788
	1168	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>)	E	\$2,000	\$100	\$2,100	\$0	\$2,100
	835	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$18,849	\$18,849	\$0	\$18,849
	211	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$154,726	\$251,175	\$405,901	\$98,190	\$504,091
Clams subtotal				\$6,172,906	\$5,199,913	\$11,372,819	\$639,490	\$12,012,309
Snails	161	Abalone, Black (<i>Haliotis cracherodii</i>)	E	\$0	\$963,645	\$963,645	\$0	\$963,645
	158	Abalone, White (<i>Haliotis sorenseni</i>) - West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico	E	\$0	\$1,004,328	\$1,004,328	\$0	\$1,004,328
	616	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>)	E	\$0	\$27,654	\$27,654	\$27,000	\$54,654
	1045	Campeloma, slender (<i>Campeloma decampi</i>)	E	\$5,000	\$3,200	\$8,200	\$0	\$8,200
	760	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>)	E	\$7,200	\$13,900	\$21,100	\$4,500	\$25,600
	965	Elimia, lacy (snail) (<i>Elimia crenatella</i>)	T	\$11,500	\$0	\$11,500	\$0	\$11,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1165	Globe, noonday (<i>Patera clarki nantahala</i>)	T	\$2,500	\$0	\$2,500	\$0	\$2,500
	1189	Hornsnail, rough (<i>Pleurocera foremani</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	380	Limpet, Banbury Springs (<i>Lanx</i> sp.)	E	\$150,343	\$13,044	\$163,387	\$0	\$163,387
	1002	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$5,500	\$4,416	\$9,916	\$0	\$9,916
	1129	Marstonia, royal (snail) (<i>Pyrgulopsis ogmorhaphe</i>)	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	377	Pebblesnail, flat (<i>Lepyrium showalteri</i>)	E	\$166,500	\$91	\$166,591	\$0	\$166,591
	926	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) - Except where listed as EXPN	E	\$13,500	\$0	\$13,500	\$0	\$13,500
	1194	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$400	\$0	\$400	\$400	\$800
	1173	Rocksnailed, interrupted (=Georgia) (<i>Leptoxis foremani</i>)	E	\$1,500	\$133	\$1,633	\$0	\$1,633
	881	Rocksnailed, painted (<i>Leptoxis taeniata</i>)	T	\$11,500	\$4,138	\$15,638	\$0	\$15,638
	357	Rocksnailed, plicate (<i>Leptoxis plicata</i>)	E	\$184,000	\$0	\$184,000	\$0	\$184,000
	1208	Rocksnailed, round (<i>Leptoxis ampla</i>)	T	\$200	\$91	\$291	\$0	\$291
	1138	Shagreen, Magazine Mountain (<i>Mesodon magazinensis</i>)	T	\$3,000	\$1,600	\$4,600	\$0	\$4,600
	1126	Snail, armored (<i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i>)	E	\$2,500	\$3,200	\$5,700	\$0	\$5,700
	322	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>)	T	\$198,723	\$28,205	\$226,928	\$0	\$226,928

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	981	Snail, Chittenango ovate amber (<i>Succinea chittenangoensis</i>)	T	\$7,286	\$3,407	\$10,693	\$0	\$10,693
	254	Snail, flat-spined three- toothed (<i>Triodopsis platysayoides</i>)	T	\$353,500	\$0	\$353,500	\$1,500	\$355,000
	794	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$19,400	\$270	\$19,670	\$2,200	\$21,870
	428	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	\$121,609	\$4,267	\$125,876	\$0	\$125,876
	548	Snail, Newcomb's (<i>Erinna newcombi</i>)	T	\$78,423	\$264	\$78,687	\$0	\$78,687
	1165	Snail, painted snake coiled forest (<i>Anguispira picta</i>)	T	\$2,500	\$0	\$2,500	\$0	\$2,500
	971	Snail, Pecos assiminea (<i>Assiminea pecos</i>)	E	\$5,337	\$4,400	\$9,737	\$1,300	\$11,037
	265	Snail, Snake River physa (<i>Physa natricina</i>)	E	\$158,474	\$159,620	\$318,094	\$0	\$318,094
	159	Snails, Oahu tree (<i>Achatinella spp.</i>)	E	\$196,763	\$776,554	\$973,317	\$4,134	\$977,451
	728	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>))	T	\$26,000	\$4,370	\$30,370	\$0	\$30,370
	858	Snail, tulotoma (<i>Tulotoma magnifica</i>)	E	\$10,000	\$7,101	\$17,101	\$0	\$17,101
	745	Snail, Virginia fringed mountain (<i>Polygyriscus virginianus</i>)	E	\$690	\$26,500	\$27,190	\$0	\$27,190
	1180	Springsnail, Alamosa (<i>Tryonia alamosae</i>)	E	\$0	\$0	\$0	\$1,300	\$1,300
	348	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>)	E	\$175,943	\$13,682	\$189,625	\$0	\$189,625
	927	Springsnail, Koster's (<i>Juturnia kosteri</i>)	E	\$8,365	\$4,100	\$12,465	\$1,000	\$13,465

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	924	Springsnail, Roswell <i>(Pyrgulopsis roswellensis)</i>	E	\$8,365	\$4,100	\$12,465	\$1,100	\$13,565
	1069	springsnail, San Bernardino <i>(Pyrgulopsis bernardina)</i>	T	\$1,400	\$0	\$1,400	\$6,000	\$7,400
	1177	Springsnail, Socorro <i>(Pyrgulopsis neomexicana)</i>	E	\$0	\$100	\$100	\$1,300	\$1,400
	787	Springsnail, Three Forks <i>(Pyrgulopsis trivialis)</i>	E	\$1,400	\$0	\$1,400	\$21,000	\$22,400
Snails subtotal				\$1,945,821	\$3,076,380	\$5,022,201	\$72,734	\$5,094,935
Insects	110	Beetle, American burying <i>(Nicrophorus americanus)</i>	E	\$479,064	\$1,349,993	\$1,829,057	\$183,700	\$2,012,757
	1158	Beetle, Coffin Cave mold <i>(Batrissodes texanus)</i>	E	\$2,500	\$700	\$3,200	\$0	\$3,200
	1133	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>)	E	\$5,000	\$200	\$5,200	\$0	\$5,200
	1133	Beetle, Comal Springs riffle <i>(Heterelmis comalensis)</i>	E	\$5,000	\$200	\$5,200	\$0	\$5,200
	1203	Beetle, delta green ground <i>(Elaphrus viridis)</i>	T	\$0	\$400	\$400	\$0	\$400
	805	Beetle, Helotes mold <i>(Batrissodes venyivi)</i>	E	\$20,000	\$1,100	\$21,100	\$0	\$21,100
	802	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>)	E	\$20,400	\$862	\$21,262	\$100	\$21,362
	1177	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	\$1,200	\$200	\$1,400	\$0	\$1,400
	556	Beetle, Mount Hermon June <i>(Polyphylla barbata)</i>	E	\$74,986	\$200	\$75,186	\$0	\$75,186
	1172	Beetle, Tooth Cave ground <i>(Rhadin persephone)</i>	E	\$1,500	\$200	\$1,700	\$0	\$1,700
	61	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$762,591	\$4,068,217	\$4,830,808	\$0	\$4,830,808
	326	Butterfly, bay checkerspot <i>(Euphydryas editha bayensis)</i>	T	\$93,500	\$122,200	\$215,700	\$0	\$215,700
	627	Butterfly, Behren's silverspot <i>(Speyeria zerene behrensii)</i>	E	\$48,328	\$2,200	\$50,528	\$0	\$50,528

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	599	Butterfly, callippe silverspot (<i>Speyeria callippe callippe</i>)	E	\$58,400	\$200	\$58,600	\$0	\$58,600
	587	Butterfly, El Segundo blue (<i>Euphilotes battoides allyni</i>)	E	\$62,045	\$200	\$62,245	\$0	\$62,245
	141	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	\$1,012,294	\$148,600	\$1,160,894	\$0	\$1,160,894
	135	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$309,500	\$884,082	\$1,193,582	\$104,600	\$1,298,182
	517	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>)	E	\$90,900	\$200	\$91,100	\$0	\$91,100
	918	Butterfly, lotis blue (<i>Lycaeides argyrognomon lotis</i>)	E	\$13,694	\$200	\$13,894	\$0	\$13,894
	321	Butterfly, Miami Blue (<i>Cyclargus (=Hemiargus) thomasi bethunebakeri</i>)	E	\$170,000	\$47,510	\$217,510	\$9,859	\$227,369
	543	Butterfly, mission blue (<i>Icaricia icarioides missionensis</i>)	E	\$68,303	\$12,200	\$80,503	\$0	\$80,503
	342	Butterfly, Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>)	E	\$61,640	\$37,785	\$99,425	\$94,500	\$193,925
	775	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtleae</i>)	E	\$20,300	\$3,200	\$23,500	\$0	\$23,500
	182	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>)	T	\$531,964	\$141,731	\$673,695	\$9,500	\$683,195
	248	Butterfly, Palos Verdes blue (<i>Glaucopsyche lygdamus palosverdesensis</i>)	E	\$11,046	\$364,699	\$375,745	\$0	\$375,745
	106	Butterfly, Quino checkerspot (<i>Euphydryas editha quino (=E. e. wrighti)</i>)	E	\$306,139	\$322,972	\$629,111	\$1,488,000	\$2,117,111
	641	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>)	E	\$13,000	\$33,194	\$46,194	\$500	\$46,694
	870	Butterfly, San Bruno elfin (<i>Callophrys mossii bayensis</i>)	E	\$15,672	\$700	\$16,372	\$0	\$16,372

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	518	Butterfly, Schaus swallowtail (<i>Heraclides aristodemus ponceanus</i>)	E	\$23,500	\$67,380	\$90,880	\$0	\$90,880
	520	Butterfly, Smith's blue (<i>Euphilotes enoptes smithi</i>)	E	\$84,709	\$5,961	\$90,670	\$0	\$90,670
	793	Butterfly, Uncompahgre fritillary (<i>Boloria acrocneema</i>)	E	\$9,633	\$12,341	\$21,974	\$0	\$21,974
	1085	Damselfly, flying earwig Hawaiian (<i>Megalagrion nesiotes</i>)	E	\$6,923	\$0	\$6,923	\$0	\$6,923
	1085	Damselfly, Pacific Hawaiian (<i>Megalagrion pacificum</i>)	E	\$6,923	\$0	\$6,923	\$0	\$6,923
	310	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$194,900	\$24,068	\$218,968	\$29,100	\$248,068
	539	Fly, Delhi Sands flower-loving (<i>Rhaphiomidas terminatus abdominalis</i>)	E	\$83,001	\$200	\$83,201	\$0	\$83,201
	1055	Fly, Hawaiian picture-wing (<i>Drosophila sharpi</i>)	E	\$7,923	\$0	\$7,923	\$0	\$7,923
	1154	Grasshopper, Zayante band-winged (<i>Trimerotropis infantilis</i>)	E	\$3,252	\$300	\$3,552	\$0	\$3,552
	805	Ground beetle, [unnamed] (<i>Rhadine exilis</i>)	E	\$20,000	\$1,100	\$21,100	\$0	\$21,100
	805	Ground beetle, [unnamed] (<i>Rhadine infernalis</i>)	E	\$20,000	\$1,100	\$21,100	\$0	\$21,100
	890	June Beetle, Caseys (<i>Dinacoma caseyi</i>)	E	\$15,150	\$200	\$15,350	\$0	\$15,350
	346	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>)	E	\$90,953	\$98,685	\$189,638	\$869	\$190,507
	702	Moth, Kern primrose sphinx (<i>Euproserpinus euterpe</i>)	T	\$20,800	\$13,603	\$34,403	\$0	\$34,403
	993	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$9,990	\$200	\$10,190	\$0	\$10,190
	1013	Pomace fly, [unnamed] (<i>Drosophila aglaia</i>)	E	\$9,423	\$0	\$9,423	\$0	\$9,423

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1027	Pomace fly, [unnamed] (<i>Drosophila differens</i>)	E	\$8,923	\$0	\$8,923	\$0	\$8,923
	1027	Pomace fly, [unnamed] (<i>Drosophila hemipeza</i>)	E	\$8,923	\$0	\$8,923	\$0	\$8,923
	1027	Pomace fly, [unnamed] (<i>Drosophila heteroneura</i>)	E	\$8,923	\$0	\$8,923	\$0	\$8,923
	508	Pomace fly, [unnamed] (<i>Drosophila montgomeryi</i>)	E	\$9,423	\$83,511	\$92,934	\$0	\$92,934
	1027	Pomace fly, [unnamed] (<i>Drosophila mulli</i>)	T	\$8,923	\$0	\$8,923	\$0	\$8,923
	947	Pomace fly, [unnamed] (<i>Drosophila musaphilia</i>)	E	\$12,423	\$0	\$12,423	\$0	\$12,423
	1027	Pomace fly, [unnamed] (<i>Drosophila neoclavisetae</i>)	E	\$8,923	\$0	\$8,923	\$0	\$8,923
	1039	Pomace fly, [unnamed] (<i>Drosophila obatai</i>)	E	\$8,423	\$0	\$8,423	\$0	\$8,423
	1001	Pomace fly, [unnamed] (<i>Drosophila ochrobasis</i>)	E	\$9,923	\$0	\$9,923	\$0	\$9,923
	508	Pomace fly, [unnamed] (<i>Drosophila substenoptera</i>)	E	\$9,423	\$83,511	\$92,934	\$0	\$92,934
	1027	Pomace fly, [unnamed] (<i>Drosophila tarphytrichia</i>)	E	\$8,923	\$0	\$8,923	\$0	\$8,923
	527	Skipper, Carson wandering (<i>Pseudocopaeodes eunus obscurus</i>) - NV, CA	E	\$63,722	\$24,930	\$88,652	\$0	\$88,652
	272	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>)	E	\$280,582	\$17,113	\$297,695	\$0	\$297,695
	568	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>)	T	\$37,865	\$31,988	\$69,853	\$0	\$69,853
	425	Tiger beetle, northeastern beach (<i>Cicindela dorsalis dorsalis</i>)	T	\$125,933	\$1,700	\$127,633	\$0	\$127,633
	937	Tiger beetle, Ohlone (<i>Cicindela ohlone</i>)	E	\$12,668	\$200	\$12,868	\$0	\$12,868
	509	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	\$91,373	\$1,382	\$92,755	\$0	\$92,755

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	432	Tiger beetle, Salt Creek (<i>Cicindela nevadica lincolniiana</i>)	E	\$102,047	\$6,955	\$109,002	\$14,000	\$123,002
Insects subtotal				\$5,683,389	\$8,020,573	\$13,703,962	\$1,934,728	\$15,638,690
Arachnids	1188	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>)	E	\$1,150	\$0	\$1,150	\$0	\$1,150
	1171	Harvestman, Bone Cave (<i>Texella reyesi</i>)	E	\$1,250	\$500	\$1,750	\$0	\$1,750
	395	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	\$20,000	\$130,500	\$150,500	\$0	\$150,500
	800	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>)	E	\$20,000	\$1,590	\$21,590	\$0	\$21,590
	816	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$20,000	\$200	\$20,200	\$0	\$20,200
	808	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	\$20,000	\$900	\$20,900	\$0	\$20,900
	1189	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	803	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	\$20,000	\$1,300	\$21,300	\$0	\$21,300
	758	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (<i>Adelocosa anops</i>)	E	\$25,923	\$0	\$25,923	\$0	\$25,923
	735	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	\$29,190	\$100	\$29,290	\$0	\$29,290
	1175	Spider, Tooth Cave (<i>Leptoneta myopica</i>)	E	\$1,500	\$0	\$1,500	\$0	\$1,500
Arachnids subtotal				\$160,013	\$135,090	\$295,103	\$0	\$295,103
Crustaceans	1128	Amphipod, Hay's Spring (<i>Stygobromus hayi</i>)	E	\$5,519	\$0	\$5,519	\$0	\$5,519
	893	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>)	E	\$8,400	\$162	\$8,562	\$6,700	\$15,262
	765	Amphipod, Kauai cave (<i>Spelaeorchestia koloana</i>)	E	\$24,923	\$0	\$24,923	\$0	\$24,923

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	915	Amphipod, Noel's (<i>Gammarus desperatus</i>)	E	\$8,365	\$4,100	\$12,465	\$1,600	\$14,065
	1134	Amphipod, Peck's cave (<i>Stygobromus (=Stygonectes)</i> <i>pecki</i>)	E	\$5,000	\$0	\$5,000	\$0	\$5,000
	1132	Crayfish, cave (<i>Cambarus</i> <i>aculabrum</i>)	E	\$5,200	\$100	\$5,300	\$0	\$5,300
	1193	Crayfish, cave (<i>Cambarus</i> <i>zophonastes</i>)	E	\$800	\$100	\$900	\$0	\$900
	1105	Crayfish, Nashville (<i>Orconectes shoupi</i>)	E	\$6,000	\$217	\$6,217	\$0	\$6,217
	560	Crayfish, Shasta (<i>Pacifastacus fortis</i>)	E	\$69,089	\$789	\$69,878	\$1,680	\$71,558
	473	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$65,068	\$43,112	\$108,180	\$0	\$108,180
	691	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	\$26,250	\$9,550	\$35,800	\$0	\$35,800
	257	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$218,566	\$123,669	\$342,235	\$0	\$342,235
	205	Fairy shrimp, San Diego (<i>Branchinecta</i> <i>sandiegonensis</i>)	E	\$75,881	\$445,259	\$521,140	\$0	\$521,140
	100	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$723,803	\$1,466,414	\$2,190,217	\$0	\$2,190,217
	626	Isopod, Lee County cave (<i>Lirceus usdagalun</i>)	E	\$51,690	\$100	\$51,790	\$0	\$51,790
	412	Isopod, Madison Cave (<i>Antrolana lira</i>)	T	\$85,960	\$49,145	\$135,105	\$0	\$135,105
	1059	Isopod, Socorro (<i>Thermosphaeroma</i> <i>thermophilus</i>)	E	\$0	\$6,100	\$6,100	\$1,650	\$7,750
	1213	Shrimp, Alabama cave (<i>Palaemonias alabamae</i>)	E	\$200	\$0	\$200	\$0	\$200
	307	Shrimp, California freshwater (<i>Syncaris pacifica</i>)	E	\$44,183	\$210,800	\$254,983	\$0	\$254,983
	694	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>)	E	\$32,500	\$3,100	\$35,600	\$0	\$35,600

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	172	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	\$448,042	\$378,010	\$826,052	\$0	\$826,052
Crustaceans subtotal				\$1,905,439	\$2,740,727	\$4,646,166	\$11,630	\$4,657,796
Corals	140	Coral, elkhorn (<i>Acropora palmata</i>)	T	\$10,000	\$1,163,382	\$1,173,382	\$0	\$1,173,382
	157	Coral, staghorn (<i>Acropora cervicornis</i>)	T	\$10,000	\$1,003,144	\$1,013,144	\$0	\$1,013,144
Corals subtotal				\$20,000	\$2,166,526	\$2,186,526	\$0	\$2,186,526
Flowering Plants	815	A`e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>)	E	\$15,231	\$170	\$15,401	\$4,807	\$20,208
	295	A`e (<i>Zanthoxylum hawaiiense</i>)	E	\$2,886	\$269,580	\$272,466	\$1,149	\$273,615
	555	^Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>)	T	\$23,148	\$52,253	\$75,401	\$0	\$75,401
	755	^Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>)	E	\$21,186	\$170	\$21,356	\$4,807	\$26,163
	910	^Aiakeakua, popolo (<i>Solanum sandwicense</i>)	E	\$11,216	\$170	\$11,386	\$3,014	\$14,400
	536	^Aiea (<i>Nothoestrum breviflorum</i>)	E	\$12,555	\$67,453	\$80,008	\$4,591	\$84,599
	1030	^Aiea (<i>Nothoestrum peltatum</i>)	E	\$8,362	\$170	\$8,532	\$217	\$8,749
	455	^Akoko (<i>Chamaesyce celastroides</i> var. <i>kaenana</i>)	E	\$7,040	\$105,236	\$112,276	\$0	\$112,276
	1107	^Akoko (<i>Chamaesyce deppeana</i>)	E	\$6,040	\$170	\$6,210	\$0	\$6,210
	1136	^Akoko (<i>Chamaesyce eleanoriae</i>)	E	\$4,686	\$170	\$4,856	\$0	\$4,856
	463	^Akoko (<i>Chamaesyce herbstii</i>)	E	\$6,040	\$103,636	\$109,676	\$0	\$109,676
	567	^Akoko (<i>Chamaesyce kuwaleana</i>)	E	\$7,540	\$62,379	\$69,919	\$0	\$69,919
	1130	^Akoko (<i>Chamaesyce remyi</i> var. <i>kauaiensis</i>)	E	\$5,186	\$170	\$5,356	\$0	\$5,356

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1136	Akoko (<i>Chamaesyce remyi</i> <i>var. remyi</i>)	E	\$4,686	\$170	\$4,856	\$0	\$4,856
	482	Akoko (<i>Chamaesyce rockii</i>)	E	\$22,540	\$83,681	\$106,221	\$0	\$106,221
	1047	Akoko (<i>Euphorbia</i> <i>haeleleana</i>)	E	\$7,040	\$170	\$7,210	\$932	\$8,142
	562	Akoko, Ewa Plains (<i>Chamaesyce skottsbergii</i> var. <i>skottsbergii</i>)	E	\$71,040	\$170	\$71,210	\$0	\$71,210
	938	Alani (<i>Melicope adscendens</i>)	E	\$8,862	\$2,855	\$11,717	\$1,149	\$12,866
	1101	Alani (<i>Melicope balloui</i>)	E	\$5,686	\$270	\$5,956	\$433	\$6,389
	1095	Alani (<i>Melicope degeneri</i>)	E	\$6,362	\$170	\$6,532	\$0	\$6,532
	1030	Alani (<i>Melicope haupuensis</i>)	E	\$8,362	\$170	\$8,532	\$217	\$8,749
	887	Alani (<i>Melicope knudsenii</i>)	E	\$12,362	\$2,855	\$15,217	\$217	\$15,434
	519	Alani (<i>Melicope lydgatei</i>)	E	\$7,040	\$83,681	\$90,721	\$0	\$90,721
	920	Alani (<i>Melicope</i> <i>mucronulata</i>)	E	\$9,862	\$2,855	\$12,717	\$1,149	\$13,866
	889	Alani (<i>Melicope munroi</i>)	E	\$15,186	\$170	\$15,356	\$0	\$15,356
	1075	Alani (<i>Melicope ovalis</i>)	E	\$5,686	\$1,470	\$7,156	\$0	\$7,156
	789	Alani (<i>Melicope pallida</i>)	E	\$7,040	\$15,170	\$22,210	\$0	\$22,210
	1119	Alani (<i>Melicope paniculata</i>)	E	\$5,686	\$170	\$5,856	\$0	\$5,856
	1130	Alani (<i>Melicope puberula</i>)	E	\$5,186	\$170	\$5,356	\$0	\$5,356
	1095	Alani (<i>Melicope</i> <i>quadrangularis</i>)	E	\$6,362	\$170	\$6,532	\$0	\$6,532
	1119	Alani (<i>Melicope reflexa</i>)	E	\$5,686	\$170	\$5,856	\$0	\$5,856
	907	Alani (<i>Melicope saint-johnii</i>)	E	\$5,540	\$8,979	\$14,519	\$0	\$14,519
	613	Alani (<i>Melicope</i> <i>zahlbruckneri</i>)	E	\$6,862	\$47,149	\$54,011	\$1,149	\$55,160
	999	Allocarya, Calistoga (<i>Plagiobothrys strictus</i>)	E	\$10,000	\$0	\$10,000	\$0	\$10,000
	695	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	\$29,533	\$6,000	\$35,533	\$0	\$35,533
	339	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$71,844	\$123,175	\$195,019	\$2,690	\$197,709
	1176	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	\$906	\$525	\$1,431	\$0	\$1,431

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	652	Ambrosia, south Texas (<i>Ambrosia cheiranthifolia</i>)	E	\$31,000	\$13,804	\$44,804	\$0	\$44,804
	470	Amole, purple (<i>Chlorogalum purpureum</i>)	T	\$32,523	\$75,900	\$108,423	\$0	\$108,423
	896	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	\$2,000	\$10,533	\$12,533	\$2,500	\$15,033
	834	Anaunau (<i>Lepidium arbuscula</i>)	E	\$5,540	\$12,379	\$17,919	\$932	\$18,851
	836	Anunu (<i>Sicyos alba</i>)	E	\$11,731	\$2,381	\$14,112	\$4,591	\$18,703
	677	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	\$27,000	\$10,365	\$37,365	\$2,816	\$40,181
	505	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$50,200	\$38,243	\$88,443	\$5,200	\$93,643
	625	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	\$37,000	\$600	\$37,600	\$14,500	\$52,100
	860	Aster, Ruth's golden (<i>Pityopsis ruthii</i>)	E	\$7,500	\$9,500	\$17,000	\$0	\$17,000
	297	Aupaka (<i>Isodendrion hosakae</i>)	E	\$5,186	\$266,895	\$272,081	\$932	\$273,013
	1005	Aupaka (<i>Isodendrion laurifolium</i>)	E	\$7,540	\$170	\$7,710	\$2,081	\$9,791
	771	Aupaka (<i>Isodendrion longifolium</i>)	T	\$8,040	\$15,170	\$23,210	\$932	\$24,142
	851	Avens, spreading (<i>Geum radiatum</i>)	E	\$9,500	\$8,320	\$17,820	\$0	\$17,820
	871	Awikiwiki (<i>Canavalia molokaiensis</i>)	E	\$14,186	\$2,170	\$16,356	\$0	\$16,356
	1130	Awikiwiki (<i>Canavalia napaliensis</i>)	E	\$5,186	\$170	\$5,356	\$0	\$5,356
	950	Awiwi (<i>Centaurium sebaeoides</i>)	E	\$10,354	\$1,770	\$12,124	\$217	\$12,341
	1141	Awiwi (<i>Hedyotis cookiana</i>)	E	\$4,186	\$170	\$4,356	\$0	\$4,356
	685	Ayenia, Texas (<i>Ayenia limitaris</i>)	E	\$32,500	\$5,600	\$38,100	\$0	\$38,100
	1148	Baccharis, Encinitas (<i>Baccharis vanessae</i>)	T	\$4,065	\$0	\$4,065	\$0	\$4,065

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	821	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>)	E	\$17,345	\$2,500	\$19,845	\$0	\$19,845
	923	Barberry, Nevin's (<i>Berberis nevinii</i>)	E	\$245	\$13,378	\$13,623	\$0	\$13,623
	965	Bariaco (<i>Trichilia triacantha</i>)	E	\$11,500	\$0	\$11,500	\$0	\$11,500
	400	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>)	T	\$15,000	\$129,000	\$144,000	\$68	\$144,068
	612	beardtongue, Parachute (<i>Penstemon debilis</i>)	T	\$49,284	\$6,200	\$55,484	\$0	\$55,484
	916	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	\$3,846	\$10,200	\$14,046	\$0	\$14,046
	763	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$6,000	\$15,800	\$21,800	\$3,500	\$25,300
	394	Bear-poppy, Dwarf (<i>Arctomecon humilis</i>)	E	\$20,000	\$130,530	\$150,530	\$0	\$150,530
	586	Beauty, Harper's (<i>Harperocalis flava</i>)	E	\$14,500	\$47,278	\$61,778	\$1,300	\$63,078
	651	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>)	E	\$35,860	\$9,000	\$44,860	\$0	\$44,860
	1134	Bedstraw, island (<i>Galium buxifolium</i>)	E	\$0	\$5,000	\$5,000	\$0	\$5,000
	954	Bellflower, Brooksville (<i>Campanula robinsiae</i>)	E	\$1,000	\$500	\$1,500	\$10,500	\$12,000
	1044	Birch, Virginia round-leaf (<i>Betula uber</i>)	T	\$8,275	\$0	\$8,275	\$0	\$8,275
	571	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$63,115	\$4,130	\$67,245	\$0	\$67,245
	667	Bird's-beak, Pennell's (<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>)	E	\$41,852	\$0	\$41,852	\$0	\$41,852
	561	Bird's-beak, salt marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>)	E	\$51,813	\$19,451	\$71,264	\$0	\$71,264
	620	Bird's-beak, soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>)	E	\$53,421	\$0	\$53,421	\$0	\$53,421

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	674	Birds-in-a-nest, white (<i>Macbridea alba</i>)	T	\$4,500	\$35,393	\$39,893	\$1,000	\$40,893
	1065	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	\$5,190	\$1,000	\$6,190	\$1,310	\$7,500
	591	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	\$27,728	\$33,341	\$61,069	\$0	\$61,069
	1168	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	\$1,000	\$1,100	\$2,100	\$0	\$2,100
	1203	Bladderpod, lyrate (<i>Lesquerella lyrata</i>)	T	\$400	\$0	\$400	\$0	\$400
	658	bladderpod, Missouri (<i>Physaria filiformis</i>)	T	\$1,400	\$39,710	\$41,110	\$2,500	\$43,610
	688	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>)	E	\$0	\$37,864	\$37,864	\$0	\$37,864
	1094	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	\$6,500	\$96	\$6,596	\$0	\$6,596
	831	Bladderpod, white (<i>Lesquerella pallida</i>)	E	\$19,000	\$0	\$19,000	\$0	\$19,000
	1065	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	\$6,500	\$1,000	\$7,500	\$0	\$7,500
	847	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$17,982	\$0	\$17,982	\$0	\$17,982
	1004	Blazingstar, Heller's (<i>Liatris</i> <i>helleri</i>)	T	\$4,500	\$4,320	\$8,820	\$1,000	\$9,820
	900	Blazingstar, scrub (<i>Liatris</i> <i>ohlingerae</i>)	E	\$3,500	\$1,900	\$5,400	\$9,500	\$14,900
	739	Bluecurls, Hidden Lake (<i>Trichostema</i> <i>austromontanum</i> ssp. <i>compactum</i>)	T	\$29,081	\$0	\$29,081	\$0	\$29,081
	1136	Bluegrass, Hawaiian (<i>Poa</i> <i>sandvicensis</i>)	E	\$4,686	\$170	\$4,856	\$0	\$4,856
	1136	Bluegrass, Mann's (<i>Poa</i> <i>mannii</i>)	E	\$4,686	\$170	\$4,856	\$0	\$4,856
	999	Bluegrass, Napa (<i>Poa</i> <i>napensis</i>)	E	\$10,000	\$0	\$10,000	\$0	\$10,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	277	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	\$215,147	\$74,400	\$289,547	\$0	\$289,547
	1074	Blue-star, Kearney's (<i>Amsonia kearneyana</i>)	E	\$2,800	\$1,600	\$4,400	\$2,800	\$7,200
	1080	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>)	E	\$5,000	\$1,000	\$6,000	\$1,000	\$7,000
	499	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$4,000	\$90,215	\$94,215	\$3,000	\$97,215
	1031	Boxwood, Vahl's (<i>Buxus vahlii</i>)	E	\$8,000	\$695	\$8,695	\$0	\$8,695
	656	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	\$43,315	\$630	\$43,945	\$0	\$43,945
	298	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	\$1,957	\$270,823	\$272,780	\$0	\$272,780
	410	Broom, San Clemente Island (<i>Lotus dendroideus</i> ssp. <i>traskiae</i>)	E	\$71,570	\$65,000	\$136,570	\$0	\$136,570
	1184	Buckwheat, cushenbury (<i>Eriogonum ovalifolium</i> var. <i>vineum</i>)	E	\$0	\$1,212	\$1,212	\$0	\$1,212
	427	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$4,000	\$116,588	\$120,588	\$5,500	\$126,088
	1048	Buckwheat, steamboat (<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>)	E	\$0	\$8,100	\$8,100	\$0	\$8,100
	773	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$19,500	\$3,287	\$22,787	\$900	\$23,687
	863	Bush-clover, prairie (<i>Lepedeza leptostachya</i>)	T	\$14,900	\$83	\$14,983	\$1,800	\$16,783
	274	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	\$23,252	\$273,184	\$296,436	\$0	\$296,436
	672	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>)	E	\$33,519	\$7,500	\$41,019	\$0	\$41,019

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	729	Buttercup, autumn (<i>Ranunculus aestivalis</i> (= <i>acriformis</i>))	E	\$30,000	\$300	\$30,300	\$0	\$30,300
	552	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	T	\$42,680	\$34,492	\$77,172	\$700	\$77,872
	610	Butterweed, Layne's (<i>Senecio</i> <i>layneae</i>)	T	\$40,393	\$15,562	\$55,955	\$0	\$55,955
	580	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	\$24,500	\$36,878	\$61,378	\$3,500	\$64,878
	354	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>)	E	\$6,082	\$179,044	\$185,126	\$0	\$185,126
	883	Button, Mohr's Barbara (<i>Marshallia mohrii</i>)	T	\$4,000	\$8,533	\$12,533	\$3,000	\$15,533
	768	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>)	E	\$6,790	\$14,547	\$21,337	\$3,300	\$24,637
	369	Cactus, Bakersfield (<i>Opuntia</i> <i>treleasei</i>)	E	\$166,594	\$5,000	\$171,594	\$0	\$171,594
	959	Cactus, black lace (<i>Echinocereus reichenbachii</i> var. <i>albertii</i>)	E	\$11,500	\$400	\$11,900	\$0	\$11,900
	772	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	\$1,470	\$19,600	\$21,070	\$2,800	\$23,870
	1129	Cactus, Chisos Mountain hedgehog (<i>Echinocereus</i> <i>chisoensis</i> var. <i>chisoensis</i>)	T	\$500	\$5,000	\$5,500	\$0	\$5,500
	1159	Cactus, Cochise pincushion (<i>Coryphantha robbinsiorum</i>)	T	\$500	\$100	\$600	\$2,300	\$2,900
	423	Cactus, Colorado hookless (<i>Sclerocactus glaucus</i>)	T	\$29,928	\$100,490	\$130,418	\$0	\$130,418
	904	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$2,000	\$720	\$2,720	\$12,000	\$14,720
	723	Cactus, Knowlton's (<i>Pediocactus knowltonii</i>)	E	\$9,816	\$21,738	\$31,554	\$0	\$31,554

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	375	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	\$3,000	\$164,535	\$167,535	\$0	\$167,535
	914	Cactus, Lee pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>)	T	\$3,000	\$11,100	\$14,100	\$0	\$14,100
	1158	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	\$200	\$3,000	\$3,200	\$0	\$3,200
	569	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	\$3,000	\$66,438	\$69,438	\$0	\$69,438
	1213	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	\$200	\$0	\$200	\$0	\$200
	933	Cactus, Nichol's Turk's head (<i>Echinocactus</i> <i>horizontalonius</i> var. <i>nicholii</i>)	E	\$3,150	\$6,100	\$9,250	\$3,800	\$13,050
	581	Cactus, Pariette (<i>Sclerocactus</i> <i>brevispinus</i>)	T	\$51,000	\$13,600	\$64,600	\$0	\$64,600
	484	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>)	E	\$1,190	\$99,100	\$100,290	\$3,800	\$104,090
	366	Cactus, Pima pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>)	E	\$8,050	\$163,394	\$171,444	\$3,800	\$175,244
	534	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	\$20,000	\$65,100	\$85,100	\$0	\$85,100
	1024	Cactus, Siler pincushion (<i>Pediocactus</i> (= <i>Echinocactus</i> ,= <i>Utahia</i>) <i>sileri</i>)	T	\$6,120	\$100	\$6,220	\$2,800	\$9,020
	817	Cactus, Sneed pincushion (<i>Coryphantha sneedii</i> var. <i>sneedii</i>)	E	\$3,000	\$17,100	\$20,100	\$0	\$20,100
	684	Cactus, star (<i>Astrophytum</i> <i>asterias</i>)	E	\$37,500	\$900	\$38,400	\$0	\$38,400

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	635	cactus, Tobusch fishhook (<i>Sclerocactus brevihamatus</i> ssp. <i>tobuschii</i>)	E	\$45,000	\$3,300	\$48,300	\$0	\$48,300
	559	cactus, Uinta Basin hookless (<i>Sclerocactus wetlandicus</i>)	T	\$55,000	\$17,230	\$72,230	\$0	\$72,230
	618	Cactus, Winkler (<i>Pediocactus</i> <i>winkleri</i>)	T	\$15,000	\$39,100	\$54,100	\$0	\$54,100
	522	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	\$15,000	\$75,100	\$90,100	\$0	\$90,100
	762	Campion, fringed (<i>Silene</i> <i>polypetala</i>)	E	\$16,500	\$2,908	\$19,408	\$6,000	\$25,408
	999	Capa rosa (<i>Callicarpa ampla</i>)	E	\$10,000	\$0	\$10,000	\$0	\$10,000
	246	Catchfly, Spalding's (<i>Silene</i> <i>spaldingii</i>)	T	\$232,047	\$145,542	\$377,589	\$0	\$377,589
	1200	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	\$500	\$0	\$500	\$0	\$500
	570	Ceanothus, coyote (<i>Ceanothus ferrisiae</i>)	E	\$67,785	\$0	\$67,785	\$0	\$67,785
	643	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	\$39,533	\$7,000	\$46,533	\$0	\$46,533
	1140	Ceanothus, Vail Lake (<i>Ceanothus ophiochilus</i>)	T	\$4,379	\$0	\$4,379	\$0	\$4,379
	792	Centaury, spring-loving (<i>Centaurium namophilum</i>)	T	\$21,978	\$0	\$21,978	\$0	\$21,978
	686	Chaff-flower, round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>)	E	\$36,200	\$1,770	\$37,970	\$0	\$37,970
	255	Chaffseed, American (<i>Schwalbea americana</i>)	E	\$52,000	\$285,940	\$337,940	\$13,768	\$351,708
	696	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	\$34,582	\$930	\$35,512	\$0	\$35,512
	1081	Checker-mallow, Kenwood Marsh (<i>Sidalcea oregana</i> ssp. <i>valida</i>)	E	\$6,975	\$0	\$6,975	\$0	\$6,975
	212	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$404,357	\$99,578	\$503,935	\$0	\$503,935

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1205	Checker-mallow, pedate (<i>Sidalcea pedata</i>)	E	\$103	\$252	\$355	\$0	\$355
	600	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>)	E	\$45,213	\$13,371	\$58,584	\$0	\$58,584
	785	Chumbo, Higo (<i>Harrisia</i> <i>portoricensis</i>)	T	\$22,500	\$0	\$22,500	\$0	\$22,500
	999	Chupacallos (<i>Pleodendron</i> <i>macranthum</i>)	E	\$10,000	\$0	\$10,000	\$0	\$10,000
	1195	Clarkia, Pismo (<i>Clarkia</i> <i>speciosa</i> ssp. <i>immaculata</i>)	E	\$761	\$0	\$761	\$0	\$761
	803	Clarkia, Presidio (<i>Clarkia</i> <i>franciscana</i>)	E	\$20,300	\$1,000	\$21,300	\$0	\$21,300
	880	Clarkia, Springville (<i>Clarkia</i> <i>springvillensis</i>)	T	\$9,655	\$6,050	\$15,705	\$0	\$15,705
	734	Clarkia, Vine Hill (<i>Clarkia</i> <i>imbricata</i>)	E	\$29,533	\$0	\$29,533	\$0	\$29,533
	866	Cliff-rose, Arizona (<i>Purshia</i> (= <i>Cowania</i>) <i>subintegra</i>)	E	\$7,315	\$7,000	\$14,315	\$2,300	\$16,615
	356	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$58,700	\$121,811	\$180,511	\$4,100	\$184,611
	711	Clover, showy Indian (<i>Trifolium amoenum</i>)	E	\$33,315	\$0	\$33,315	\$0	\$33,315
	860	Cobana negra (<i>Stahlia</i> <i>monosperma</i>)	T	\$17,000	\$0	\$17,000	\$0	\$17,000
	331	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$59,117	\$141,923	\$201,040	\$9,082	\$210,122
	1212	Cory cactus, bunched (<i>Coryphantha ramosa</i>)	T	\$233	\$0	\$233	\$0	\$233
	717	Crownbeard, big-leaved (<i>Verbesina dissita</i>)	T	\$32,485	\$0	\$32,485	\$0	\$32,485
	488	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notatior</i>)	E	\$99,010	\$2,767	\$101,777	\$0	\$101,777
	481	Cycladenia, Jones (<i>Cycladenia humilis</i> var. <i>jonesii</i>)	T	\$1,000	\$103,100	\$104,100	\$2,300	\$106,400

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	749	Daisy, lakeside (<i>Hymenoxys herbacea</i>)	T	\$20,700	\$5,742	\$26,442	\$300	\$26,742
	744	Daisy, Parish's (<i>Erigeron parishii</i>)	T	\$0	\$27,364	\$27,364	\$0	\$27,364
	200	Daisy, Willamette (<i>Erigeron decumbens</i> var. <i>decumbens</i>)	E	\$378,548	\$168,880	\$547,428	\$0	\$547,428
	422	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>)	E	\$16,000	\$114,619	\$130,619	\$0	\$130,619
	300	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	\$85,202	\$185,272	\$270,474	\$0	\$270,474
	1061	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	\$5,500	\$2,200	\$7,700	\$0	\$7,700
	572	Dropwort, Canby's (<i>Oxyopolis canbyi</i>)	E	\$51,500	\$5,058	\$56,558	\$10,568	\$67,126
	1123	Dudleya, Conejo (<i>Dudleya abramsii</i> ssp. <i>parva</i>)	T	\$5,771	\$0	\$5,771	\$0	\$5,771
	1206	Dudleya, marcescent (<i>Dudleya cymosa</i> ssp. <i>marcescens</i>)	T	\$0	\$300	\$300	\$0	\$300
	545	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>)	E	\$78,100	\$1,000	\$79,100	\$0	\$79,100
	574	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>)	T	\$65,546	\$1,000	\$66,546	\$0	\$66,546
	1025	Erubia (<i>Solanum drymophilum</i>)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	595	Evening-primrose, Antioch Dunes (<i>Oenothera deltoides</i> ssp. <i>howellii</i>)	E	\$60,303	\$0	\$60,303	\$0	\$60,303
	535	Evening-primrose, Eureka Valley (<i>Oenothera avita</i> ssp. <i>eurekensis</i>)	E	\$66,124	\$18,780	\$84,904	\$0	\$84,904
	414	Evening-primrose, San Benito (<i>Camissonia benitensis</i>)	T	\$8,673	\$125,000	\$133,673	\$0	\$133,673
	705	Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>)	E	\$30,800	\$3,130	\$33,930	\$0	\$33,930

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	643	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>)	E	\$39,533	\$7,000	\$46,533	\$0	\$46,533
	854	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	\$3,500	\$11,500	\$15,000	\$2,300	\$17,300
	376	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$114,750	\$52,444	\$167,194	\$0	\$167,194
	1074	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$6,500	\$700	\$7,200	\$0	\$7,200
	1058	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$3,500	\$350	\$3,850	\$4,000	\$7,850
	247	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	\$130,382	\$245,750	\$376,132	\$0	\$376,132
	752	Gardenia (=Na`u), Hawaiian (<i>Gardenia brighamii</i>)	E	\$21,648	\$170	\$21,818	\$4,615	\$26,433
	676	Geranium, Hawaiian red-flowered (<i>Geranium arboreum</i>)	E	\$14,862	\$23,623	\$38,485	\$2,081	\$40,566
	1188	Gerardia, sandplain (<i>Agalinis acuta</i>)	E	\$0	\$1,000	\$1,000	\$150	\$1,150
	1134	Gilia, Hoffmann's slender-flowered (<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>)	E	\$0	\$5,000	\$5,000	\$0	\$5,000
	719	Gilia, Monterey (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>)	E	\$22,772	\$9,675	\$32,447	\$0	\$32,447
	846	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	\$18,000	\$0	\$18,000	\$0	\$18,000
	1134	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>)	T	\$5,000	\$0	\$5,000	\$0	\$5,000
	853	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	\$8,200	\$8,629	\$16,829	\$500	\$17,329
	926	Goldenrod, Short's (<i>Solidago shortii</i>)	E	\$13,200	\$0	\$13,200	\$300	\$13,500
	1149	Goldenrod, white-haired (<i>Solidago albopilosa</i>)	T	\$3,000	\$1,000	\$4,000	\$0	\$4,000
	217	Goldfields, Burke's (<i>Lasthenia burkei</i>)	E	\$32,500	\$450,300	\$482,800	\$0	\$482,800

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	631	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	\$44,491	\$5,005	\$49,496	\$0	\$49,496
	497	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	\$75,000	\$18,963	\$93,963	\$4,500	\$98,463
	955	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>)	E	\$7,500	\$1,970	\$9,470	\$2,500	\$11,970
	944	Grass, Colusa (<i>Neostapfia</i> <i>colusana</i>)	T	\$10,500	\$2,000	\$12,500	\$0	\$12,500
	578	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	\$46,610	\$18,780	\$65,390	\$0	\$65,390
	990	Grass, Solano (<i>Tuctoria</i> <i>mucronata</i>)	E	\$10,300	\$0	\$10,300	\$0	\$10,300
	732	Grass, Tennessee yellow- eyed (<i>Xyris tennesseensis</i>)	E	\$14,000	\$10,353	\$24,353	\$5,500	\$29,853
	689	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus</i> <i>bibullatus</i>)	E	\$35,500	\$1,886	\$37,386	\$0	\$37,386
	1000	Gumplant, Ash Meadows (<i>Grindelia fraxino-pratensis</i>)	T	\$9,990	\$0	\$9,990	\$0	\$9,990
	442	Haha (<i>Cyanea acuminata</i>)	E	\$33,540	\$83,681	\$117,221	\$0	\$117,221
	1067	Haha (<i>Cyanea asarifolia</i>)	E	\$6,362	\$170	\$6,532	\$932	\$7,464
	1047	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	\$7,972	\$170	\$8,142	\$0	\$8,142
	1083	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>)	E	\$6,186	\$770	\$6,956	\$0	\$6,956
	1102	Haha (<i>Cyanea dolichopoda</i>)	E	\$6,186	\$170	\$6,356	\$0	\$6,356
	987	Haha (<i>Cyanea dunbarii</i>)	E	\$9,362	\$170	\$9,532	\$932	\$10,464
	1119	Haha (<i>Cyanea eleeleensis</i>)	E	\$5,686	\$170	\$5,856	\$0	\$5,856
	1117	Haha (<i>Cyanea glabra</i>)	E	\$5,686	\$270	\$5,956	\$0	\$5,956
	769	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>)	E	\$23,216	\$270	\$23,486	\$1,149	\$24,635
	459	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>)	E	\$7,040	\$103,636	\$110,676	\$932	\$111,608
	935	Haha (<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>)	E	\$9,148	\$170	\$9,318	\$3,658	\$12,976

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1052	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>)	E	\$7,769	\$270	\$8,039	\$0	\$8,039
	1125	Haha (<i>Cyanea humboldtiana</i>)	E	\$5,540	\$170	\$5,710	\$0	\$5,710
	1136	Haha (<i>Cyanea kolekoleensis</i>)	E	\$4,686	\$170	\$4,856	\$0	\$4,856
	513	Haha (<i>Cyanea koolauensis</i>)	E	\$8,040	\$83,681	\$91,721	\$0	\$91,721
	1119	Haha (<i>Cyanea kuhihewa</i>)	E	\$5,686	\$170	\$5,856	\$0	\$5,856
	829	Haha (<i>Cyanea lobata</i>)	E	\$16,862	\$170	\$17,032	\$2,081	\$19,113
	465	Haha (<i>Cyanea longiflora</i>)	E	\$5,540	\$103,636	\$109,176	\$0	\$109,176
	884	Haha (<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>)	E	\$15,362	\$170	\$15,532	\$0	\$15,532
	1119	Haha (<i>Cyanea mannii</i>)	E	\$5,686	\$170	\$5,856	\$0	\$5,856
	1119	Haha (<i>Cyanea mcelandweyi</i>)	E	\$5,686	\$170	\$5,856	\$0	\$5,856
	1049	Haha (<i>Cyanea pinnatifida</i>)	E	\$6,040	\$170	\$6,210	\$1,865	\$8,075
	884	Haha (<i>Cyanea platyphylla</i>)	E	\$10,555	\$170	\$10,725	\$4,807	\$15,532
	1006	Haha (<i>Cyanea procera</i>)	E	\$9,362	\$170	\$9,532	\$217	\$9,749
	1119	Haha (<i>Cyanea recta</i>)	T	\$5,686	\$170	\$5,856	\$0	\$5,856
	1136	Haha (<i>Cyanea remyi</i>)	E	\$4,686	\$170	\$4,856	\$0	\$4,856
	757	Haha (<i>Cyanea shipmanii</i>)	E	\$13,731	\$7,453	\$21,184	\$4,807	\$25,991
	828	Haha (<i>Cyanea stictophylla</i>)	E	\$12,231	\$2,453	\$14,684	\$4,591	\$19,275
	456	Haha (<i>Cyanea st.-johnii</i>)	E	\$28,216	\$83,681	\$111,897	\$217	\$112,114
	457	Haha (<i>Cyanea superba</i>)	E	\$7,540	\$103,636	\$111,176	\$932	\$112,108
	956	Haha (<i>Cyanea truncata</i>)	E	\$9,716	\$170	\$9,886	\$2,081	\$11,967
	1019	Haha (<i>Cyanea undulata</i>)	E	\$7,862	\$170	\$8,032	\$1,149	\$9,181
	1009	Haiwale (<i>Cyrtandra paliku</i>)	E	\$8,362	\$170	\$8,532	\$1,149	\$9,681
	1150	Ha`iwale (<i>Cyrtandra crenata</i>)	E	\$3,686	\$170	\$3,856	\$0	\$3,856
	463	Ha`iwale (<i>Cyrtandra dentata</i>)	E	\$6,040	\$103,636	\$109,676	\$0	\$109,676
	948	Ha`iwale (<i>Cyrtandra</i> <i>giffardii</i>)	E	\$11,555	\$170	\$11,725	\$669	\$12,394
	820	Ha`iwale (<i>Cyrtandra</i> <i>limahuliensis</i>)	T	\$4,686	\$15,170	\$19,856	\$0	\$19,856
	889	Ha`iwale (<i>Cyrtandra munroi</i>)	E	\$15,186	\$170	\$15,356	\$0	\$15,356
	1130	Ha`iwale (<i>Cyrtandra</i> <i>oenobarba</i>)	E	\$5,186	\$170	\$5,356	\$0	\$5,356
	1028	Ha`iwale (<i>Cyrtandra</i> <i>polyantha</i>)	E	\$7,716	\$170	\$7,886	\$932	\$8,818

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	523	Ha`iwale (<i>Cyrtandra subumbellata</i>)	E	\$6,040	\$83,681	\$89,721	\$0	\$89,721
	901	Ha`iwale (<i>Cyrtandra tintinnabula</i>)	E	\$10,555	\$2,453	\$13,008	\$1,818	\$14,826
	480	Ha`iwale (<i>Cyrtandra viridiflora</i>)	E	\$23,040	\$83,681	\$106,721	\$0	\$106,721
	434	Hala pepe (<i>Pleomele hawaiiensis</i>)	E	\$11,555	\$105,453	\$117,008	\$4,591	\$121,599
	811	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$3,500	\$250	\$3,750	\$17,000	\$20,750
	602	Harperella (<i>Ptilimnium nodosum</i>)	E	\$44,448	\$7,039	\$51,487	\$6,650	\$58,137
	1071	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>)	E	\$4,862	\$2,453	\$7,315	\$0	\$7,315
	878	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>)	E	\$10,055	\$5,170	\$15,225	\$669	\$15,894
	980	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	\$10,362	\$170	\$10,532	\$217	\$10,749
	245	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>)	T	\$31,500	\$179,485	\$210,985	\$167,680	\$378,665
	1021	Heather, mountain golden (<i>Hudsonia montana</i>)	T	\$9,000	\$0	\$9,000	\$80	\$9,080
	850	Heau (<i>Exocarpos luteolus</i>)	E	\$17,686	\$170	\$17,856	\$0	\$17,856
	1029	Hedyotis, Na Pali beach (<i>Hedyotis st.-johnii</i>)	E	\$6,362	\$2,453	\$8,815	\$0	\$8,815
	1019	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	\$7,862	\$170	\$8,032	\$1,149	\$9,181
	1012	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	\$9,500	\$0	\$9,500	\$0	\$9,500
	1136	Ho`awa (<i>Pittosporum napaliense</i>)	E	\$4,686	\$170	\$4,856	\$0	\$4,856
	1093	Holei (<i>Ochrosia kilaueaensis</i>)	E	\$4,186	\$2,453	\$6,639	\$0	\$6,639
	1025	Holly, Cook's (<i>Ilex cookii</i>)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	279	Honohono (<i>Haplostachys haplostachya</i>)	E	\$6,769	\$279,366	\$286,135	\$932	\$287,067

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	201	Howellia, water (<i>Howellia aquatilis</i>)	T	\$454,584	\$85,028	\$539,612	\$0	\$539,612
	966	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$4,000	\$1,350	\$5,350	\$6,000	\$11,350
	296	Iagu, Hayun (=Guam), Tronkon guafi (Rota) (<i>Serianthes nelsonii</i>)	E	\$218,740	\$54,450	\$273,190	\$0	\$273,190
	609	Iliau, dwarf (<i>Wilkesia hobydi</i>)	E	\$5,186	\$50,170	\$55,356	\$932	\$56,288
	336	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	E	\$73,612	\$132,000	\$205,612	\$0	\$205,612
	1016	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>)	E	\$5,175	\$4,084	\$9,259	\$0	\$9,259
	670	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$26,300	\$14,636	\$40,936	\$250	\$41,186
	780	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	\$9,500	\$6,500	\$16,000	\$6,990	\$22,990
	1008	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	\$7,186	\$2,553	\$9,739	\$0	\$9,739
	1000	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$9,990	\$0	\$9,990	\$0	\$9,990
	917	Jacquemontia, beach (<i>Jacquemontia reclinata</i>)	E	\$1,500	\$1,970	\$3,470	\$10,500	\$13,970
	365	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$162,152	\$15,630	\$177,782	\$0	\$177,782
	546	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>)	E	\$79,000	\$0	\$79,000	\$0	\$79,000
	1014	Jewelflower, Tiburon (<i>Streptanthus niger</i>)	E	\$9,400	\$0	\$9,400	\$0	\$9,400
	680	Joint-vetch, sensitive (<i>Aeschynomene virginica</i>)	T	\$36,267	\$2,100	\$38,367	\$1,338	\$39,705
	507	Kamakahala (<i>Labordia cyrtandrae</i>)	E	\$9,216	\$83,681	\$92,897	\$217	\$93,114
	1136	Kamakahala (<i>Labordia helleri</i>)	E	\$4,686	\$170	\$4,856	\$0	\$4,856
	778	Kamakahala (<i>Labordia lydgatei</i>)	E	\$7,862	\$15,170	\$23,032	\$0	\$23,032

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	871	Kamakahala (<i>Labordia pumila</i>)	E	\$16,186	\$170	\$16,356	\$0	\$16,356
	849	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>)	E	\$14,686	\$170	\$14,856	\$3,014	\$17,870
	992	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	\$9,862	\$170	\$10,032	\$217	\$10,249
	1011	Kamakahala (<i>Labordia triflora</i>)	E	\$9,362	\$170	\$9,532	\$0	\$9,532
	448	Kamanomano (<i>Cenchrus agrimonioides</i>)	E	\$8,540	\$106,321	\$114,861	\$217	\$115,078
	1082	Kauai hau kuahiwi (<i>Hibiscadelphus distans</i>)	E	\$5,862	\$170	\$6,032	\$932	\$6,964
	590	Kauila (<i>Colubrina oppositifolia</i>)	E	\$14,409	\$40,170	\$54,579	\$6,888	\$61,467
	1086	Kaulu (<i>Pteralyxia kauaiensis</i>)	E	\$6,686	\$170	\$6,856	\$0	\$6,856
	291	Kio`ele (<i>Kadua coriacea</i>)	E	\$12,540	\$266,895	\$279,435	\$0	\$279,435
	840	Kiponapona (<i>Phyllostegia racemosa</i>)	E	\$11,555	\$5,170	\$16,725	\$1,601	\$18,326
	1036	Kohe malama malama o kanaloa (<i>Kanaloa kahoolawensis</i>)	E	\$8,362	\$170	\$8,532	\$0	\$8,532
	483	Koki`o (<i>Kokia drynarioides</i>)	E	\$7,445	\$93,170	\$100,615	\$4,854	\$105,469
	1035	Koki`o (<i>Kokia kauaiensis</i>)	E	\$8,186	\$170	\$8,356	\$217	\$8,573
	998	Koki`o, Cooke's (<i>Kokia cookei</i>)	E	\$8,686	\$170	\$8,856	\$1,149	\$10,005
	1057	Koki`o ke`oke`o (<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>)	E	\$5,686	\$2,170	\$7,856	\$0	\$7,856
	783	Koki`o ke`oke`o (<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>)	E	\$6,686	\$15,170	\$21,856	\$932	\$22,788
	482	Kolea (<i>Myrsine juddii</i>)	E	\$22,540	\$83,681	\$106,221	\$0	\$106,221
	1060	Kolea (<i>Myrsine knudsenii</i>)	E	\$7,362	\$170	\$7,532	\$217	\$7,749
	788	Kolea (<i>Myrsine linearifolia</i>)	T	\$6,186	\$15,170	\$21,356	\$932	\$22,288
	1030	Kolea (<i>Myrsine mezii</i>)	E	\$8,362	\$170	\$8,532	\$217	\$8,749
	704	Ko`oko`olau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>)	E	\$7,686	\$26,308	\$33,994	\$217	\$34,211
	1136	Ko`oko`olau (<i>Bidens wiebkei</i>)	E	\$4,686	\$170	\$4,856	\$0	\$4,856

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	531	Ko`oloa`ula (<i>Abutilon menziesii</i>)	E	\$18,769	\$66,738	\$85,507	\$217	\$85,724
	852	Kopa (<i>Hedyotis schlechtendahliana</i> var. <i>remyi</i>)	E	\$17,362	\$170	\$17,532	\$0	\$17,532
	1030	Kopiko (<i>Psychotria grandiflora</i>)	E	\$8,362	\$170	\$8,532	\$217	\$8,749
	1104	Kopiko (<i>Psychotria hobdyi</i>)	E	\$5,186	\$170	\$5,356	\$932	\$6,288
	979	Kuahiwi laukahi (<i>Plantago hawaiiensis</i>)	E	\$7,445	\$2,453	\$9,898	\$932	\$10,830
	391	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	\$35,862	\$116,145	\$152,007	\$932	\$152,939
	1136	Kuawawaenohu (<i>Alsidendron lychnoides</i>)	E	\$4,686	\$170	\$4,856	\$0	\$4,856
	603	Kula wahine noho (<i>Isodendron pyrifolium</i>)	E	\$53,799	\$3,170	\$56,969	\$1,149	\$58,118
	446	Kulu`i (<i>Nototrichium humile</i>)	E	\$9,040	\$105,236	\$114,276	\$932	\$115,208
	1153	Ladies'-tresses, Canelo Hills (<i>Spiranthes delitescens</i>)	E	\$735	\$100	\$835	\$2,800	\$3,635
	801	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	\$21,000	\$500	\$21,500	\$0	\$21,500
	220	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$98,995	\$371,427	\$470,422	\$2,700	\$473,122
	649	Larkspur, Baker's (<i>Delphinium bakeri</i>)	E	\$44,940	\$0	\$44,940	\$0	\$44,940
	576	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>)	E	\$858	\$65,000	\$65,858	\$0	\$65,858
	734	Larkspur, yellow (<i>Delphinium luteum</i>)	E	\$29,533	\$0	\$29,533	\$0	\$29,533
	961	Lau `ehu (<i>Panicum niuhauense</i>)	E	\$9,362	\$170	\$9,532	\$2,081	\$11,613
	951	Laulihilihi (<i>Schiedea stellarioides</i>)	E	\$10,686	\$405	\$11,091	\$1,149	\$12,240
	583	Layia, beach (<i>Layia carnosa</i>)	E	\$13,863	\$49,500	\$63,363	\$0	\$63,363
	712	Lead-plant, Crenulate (<i>Amorpha crenulata</i>)	E	\$7,000	\$15,550	\$22,550	\$10,500	\$33,050

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	903	Leather flower, Alabama (<i>Clematis socialis</i>)	E	\$3,500	\$7,733	\$11,233	\$3,500	\$14,733
	986	Leather flower, Morefield's (<i>Clematis morefieldii</i>)	E	\$10,500	\$0	\$10,500	\$0	\$10,500
	879	lehua makanoe (<i>Lysimachia daphnoides</i>)	E	\$15,686	\$170	\$15,856	\$0	\$15,856
	371	Lessingia, San Francisco (<i>Lessingia germanorum</i> (= <i>L.g. var. germanorum</i>))	E	\$3,782	\$1,000	\$4,782	\$0	\$4,782
	1070	Liliwai (<i>Acaena exigua</i>)	E	\$7,186	\$170	\$7,356	\$0	\$7,356
	1084	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>)	E	\$5,700	\$245	\$5,945	\$1,000	\$6,945
	1014	Lily, Pitkin Marsh (<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>)	E	\$9,400	\$0	\$9,400	\$0	\$9,400
	323	Lily, Western (<i>Lilium occidentale</i>)	E	\$196,942	\$27,750	\$224,692	\$0	\$224,692
	1218	Liveforever, Laguna Beach (<i>Dudleya stolonifera</i>)	T	\$86	\$0	\$86	\$0	\$86
	946	Liveforever, Santa Barbara Island (<i>Dudleya traskiae</i>)	E	\$12,455	\$0	\$12,455	\$0	\$12,455
	978	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>)	T	\$8,200	\$2,648	\$10,848	\$0	\$10,848
	390	Lomatium, Cook's (<i>Lomatium cookii</i>)	E	\$73,784	\$79,600	\$153,384	\$0	\$153,384
	424	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$30,000	\$84,063	\$114,063	\$14,740	\$128,803
	899	Lo`ulu (<i>Pritchardia affinis</i>)	E	\$5,186	\$5,853	\$11,039	\$3,921	\$14,960
	464	Lo`ulu (<i>Pritchardia kaalae</i>)	E	\$3,686	\$103,636	\$107,322	\$1,865	\$109,187
	1116	Lo`ulu (<i>Pritchardia munroi</i>)	E	\$4,862	\$170	\$5,032	\$932	\$5,964
	1089	Lo`ulu (<i>Pritchardia napaliensis</i>)	E	\$4,686	\$170	\$4,856	\$1,865	\$6,721
	1150	Lo`ulu (<i>Pritchardia remota</i>)	E	\$3,686	\$170	\$3,856	\$0	\$3,856
	906	Lo`ulu (<i>Pritchardia schattaueri</i>)	E	\$13,731	\$170	\$13,901	\$669	\$14,570
	1030	Lo`ulu (<i>Pritchardia viscosa</i>)	E	\$8,362	\$170	\$8,532	\$217	\$8,749

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1122	Lo'ulu, (=Na`ena`e) (<i>Pritchardia hardyi</i>)	E	\$4,686	\$170	\$4,856	\$932	\$5,788
	777	Lousewort, Furbish (<i>Pedicularis furbishiae</i>)	E	\$18,000	\$100	\$18,100	\$5,000	\$23,100
	1107	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>)	E	\$6,040	\$170	\$6,210	\$0	\$6,210
	1080	Lupine, clover (<i>Lupinus</i> <i>tidestromii</i>)	E	\$0	\$7,000	\$7,000	\$0	\$7,000
	176	Lupine, Kincaid's (<i>Lupinus</i> <i>sulphureus</i> ssp. <i>kincaidii</i>)	T	\$488,896	\$272,156	\$761,052	\$0	\$761,052
	782	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>)	E	\$22,869	\$0	\$22,869	\$0	\$22,869
	747	Lupine, scrub (<i>Lupinus</i> <i>aridorum</i>)	E	\$10,500	\$350	\$10,850	\$16,000	\$26,850
	413	Mahoe (<i>Alectryon</i> <i>macrococtus</i>)	E	\$18,216	\$115,130	\$133,346	\$1,366	\$134,712
	941	Makou (<i>Peucedanum</i> <i>sandwicense</i>)	T	\$9,540	\$2,170	\$11,710	\$932	\$12,642
	1165	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>)	E	\$0	\$2,500	\$2,500	\$0	\$2,500
	604	Mallow, Kern (<i>Eremalche</i> <i>kernensis</i>)	E	\$38,849	\$19,253	\$58,102	\$0	\$58,102
	1197	Mallow, Peter's Mountain (<i>Iliamna corei</i>)	E	\$690	\$0	\$690	\$0	\$690
	1115	Manaca, palma de (<i>Calyptronoma rivalis</i>)	T	\$6,000	\$0	\$6,000	\$0	\$6,000
	796	Manioc, Walker's (<i>Manihot</i> <i>walkerae</i>)	E	\$21,000	\$700	\$21,700	\$0	\$21,700
	767	Manzanita, Ione (<i>Arctostaphylos myrtifolia</i>)	T	\$23,400	\$1,300	\$24,700	\$0	\$24,700
	736	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	\$28,186	\$1,000	\$29,186	\$0	\$29,186
	734	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	\$29,533	\$0	\$29,533	\$0	\$29,533
	1152	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>)	E	\$3,782	\$0	\$3,782	\$0	\$3,782

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	967	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>)	E	\$4,336	\$7,000	\$11,336	\$0	\$11,336
	340	Ma`o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>)	E	\$24,731	\$165,921	\$190,652	\$6,672	\$197,324
	1119	Ma`oli`oli (<i>Schiedea apokremnos</i>)	E	\$5,686	\$170	\$5,856	\$0	\$5,856
	1087	Ma`oli`oli (<i>Schiedea kealiae</i>)	E	\$5,040	\$1,770	\$6,810	\$0	\$6,810
	1141	Mapele (<i>Cyrtandra cyaneoides</i>)	E	\$4,186	\$170	\$4,356	\$0	\$4,356
	734	Mariposa lily, Tiburon (<i>Calochortus tiburonensis</i>)	T	\$29,533	\$0	\$29,533	\$0	\$29,533
	636	Meadowfoam, Butte County (<i>Limnanthes floccosa</i> ssp. <i>californica</i>)	E	\$43,200	\$4,830	\$48,030	\$0	\$48,030
	532	Meadowfoam, large-flowered woolly (<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>)	E	\$77,784	\$7,850	\$85,634	\$0	\$85,634
	216	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>)	E	\$33,360	\$450,300	\$483,660	\$0	\$483,660
	644	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>)	E	\$35,600	\$5,300	\$40,900	\$5,420	\$46,320
	387	Mehamehame (<i>Flueggea neowawraea</i>)	E	\$22,409	\$133,530	\$155,939	\$1,818	\$157,757
	1209	Mesa-mint, Otay (<i>Pogogyne nadiuscula</i>)	E	\$283	\$0	\$283	\$0	\$283
	368	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$1,409	\$171,269	\$172,678	\$0	\$172,678
	1050	Milkpea, Small's (<i>Galactia smallii</i>)	E	\$5,500	\$1,250	\$6,750	\$1,300	\$8,050
	607	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	\$51,092	\$6,350	\$57,442	\$0	\$57,442
	819	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$19,980	\$0	\$19,980	\$0	\$19,980
	444	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	\$16,211	\$100,567	\$116,778	\$0	\$116,778

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	324	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>coachellae</i>)	E	\$207,277	\$15,000	\$222,277	\$0	\$222,277
	799	Milk-vetch, coastal dunes (<i>Astragalus tener</i> var. <i>titi</i>)	E	\$21,600	\$0	\$21,600	\$0	\$21,600
	1106	Milk-vetch, Cushenbury (<i>Astragalus albens</i>)	E	\$0	\$6,212	\$6,212	\$0	\$6,212
	1168	Milk-vetch, Deseret (<i>Astragalus desereticus</i>)	T	\$2,000	\$100	\$2,100	\$0	\$2,100
	1164	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>)	T	\$1,084	\$1,500	\$2,584	\$0	\$2,584
	1168	Milk-vetch, heliotrope (<i>Astragalus montii</i>)	T	\$2,000	\$100	\$2,100	\$0	\$2,100
	493	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>)	E	\$5,000	\$93,035	\$98,035	\$2,800	\$100,835
	1100	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	E	\$1,100	\$1,893	\$2,993	\$3,400	\$6,393
	361	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>)	E	\$61,337	\$120,000	\$181,337	\$0	\$181,337
	679	Milk-vetch, Mancos (<i>Astragalus humillimus</i>)	E	\$6,000	\$33,938	\$39,938	\$0	\$39,938
	809	Milk-vetch, Osterhout (<i>Astragalus osterhoutii</i>)	E	\$8,662	\$12,200	\$20,862	\$0	\$20,862
	983	Milk-vetch, Peirson's (<i>Astragalus magdalenae</i> var. <i>peirsonii</i>)	T	\$3,626	\$7,000	\$10,626	\$0	\$10,626
	638	Milk-vetch, Sentry (<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>)	E	\$12,775	\$32,100	\$44,875	\$2,800	\$47,675
	654	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>)	E	\$10,000	\$34,100	\$44,100	\$0	\$44,100
	431	Milk-vetch, triple-ribbed (<i>Astragalus tricarinatus</i>)	E	\$87,350	\$36,152	\$123,502	\$0	\$123,502

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1077	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	\$6,504	\$624	\$7,128	\$0	\$7,128
	614	Milkweed, Mead's (<i>Asclepias</i> <i>meadii</i>)	T	\$37,559	\$5,990	\$43,549	\$11,200	\$54,749
	657	Milkweed, Welsh's (<i>Asclepias</i> <i>welshii</i>)	T	\$0	\$41,100	\$41,100	\$2,800	\$43,900
	855	Mint, Garrett's (<i>Dicerandra</i> <i>christmanii</i>)	E	\$5,000	\$250	\$5,250	\$12,000	\$17,250
	861	Mint, Lakela's (<i>Dicerandra</i> <i>immaculata</i>)	E	\$4,000	\$2,870	\$6,870	\$10,000	\$16,870
	1144	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	\$2,000	\$500	\$2,500	\$1,800	\$4,300
	790	Mint, scrub (<i>Dicerandra</i> <i>frutescens</i>)	E	\$200	\$17,360	\$17,560	\$4,500	\$22,060
	382	Monardella, willowy (<i>Monardella viminea</i>)	E	\$111,499	\$51,532	\$163,031	\$0	\$163,031
	882	Monkey-flower, Michigan (<i>Mimulus michiganensis</i>)	E	\$12,900	\$1,662	\$14,562	\$1,000	\$15,562
	837	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$17,200	\$916	\$18,116	\$500	\$18,616
	639	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>)	E	\$40,393	\$7,262	\$47,655	\$0	\$47,655
	640	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	\$45,960	\$1,000	\$46,960	\$0	\$46,960
	1187	Mountain-mahogany, Catalina Island (<i>Cercocarpus</i> <i>traskiae</i>)	E	\$1,158	\$0	\$1,158	\$0	\$1,158
	1090	Mustard, Carter's (<i>Warea</i> <i>carteri</i>)	E	\$3,500	\$1,600	\$5,100	\$1,600	\$6,700
	632	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	\$32,078	\$17,200	\$49,278	\$0	\$49,278
	1191	Mustard, slender-petaled (<i>Thelypodium stenopetalum</i>)	E	\$0	\$939	\$939	\$0	\$939
	982	Naenae (<i>Dubautia</i> <i>kalalauensis</i>)	E	\$9,362	\$170	\$9,532	\$1,149	\$10,681
	1102	Naenae (<i>Dubautia kenwoodii</i>)	E	\$6,186	\$170	\$6,356	\$0	\$6,356

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	474	Na`ena`e (<i>Dubautia herbstobatae</i>)	E	\$4,540	\$103,636	\$108,176	\$0	\$108,176
	1102	Na`ena`e (<i>Dubautia imbricata imbricata</i>)	E	\$6,186	\$170	\$6,356	\$0	\$6,356
	1136	Na`ena`e (<i>Dubautia latifolia</i>)	E	\$4,686	\$170	\$4,856	\$0	\$4,856
	1006	Na`ena`e (<i>Dubautia pauciflora</i>)	E	\$9,362	\$170	\$9,532	\$217	\$9,749
	1136	Na`ena`e (<i>Dubautia plantaginea magnifolia</i>)	E	\$4,686	\$170	\$4,856	\$0	\$4,856
	1006	Na`ena`e (<i>Dubautia plantaginea ssp. humilis</i>)	E	\$9,362	\$170	\$9,532	\$217	\$9,749
	871	Na`ena`e (<i>Dubautia waialealae</i>)	E	\$16,186	\$170	\$16,356	\$0	\$16,356
	1054	Nani wai`ale`ale (<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>)	E	\$6,862	\$170	\$7,032	\$932	\$7,964
	478	Nanu (<i>Gardenia manni</i>)	E	\$22,540	\$83,681	\$106,221	\$932	\$107,153
	962	Naupaka, dwarf (<i>Scaevola coriacea</i>)	E	\$6,686	\$3,770	\$10,456	\$1,149	\$11,605
	426	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$925	\$126,602	\$127,527	\$0	\$127,527
	1141	Nehe (<i>Lipochaeta fauriei</i>)	E	\$4,186	\$170	\$4,356	\$0	\$4,356
	179	Nehe (<i>Lipochaeta kamolensis</i>)	E	\$5,686	\$722,783	\$728,469	\$0	\$728,469
	867	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>)	E	\$7,540	\$8,979	\$16,519	\$0	\$16,519
	997	Nehe (<i>Lipochaeta micrantha</i>)	E	\$9,862	\$170	\$10,032	\$0	\$10,032
	1070	Nehe (<i>Lipochaeta waimeensis</i>)	E	\$7,186	\$170	\$7,356	\$0	\$7,356
	465	Nehe (<i>Melanthera tenuifolia</i>)	E	\$5,540	\$103,636	\$109,176	\$0	\$109,176
	512	Nioi (<i>Eugenia koolauensis</i>)	E	\$7,540	\$83,681	\$91,221	\$932	\$92,153
	498	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$78,407	\$19,500	\$97,907	\$0	\$97,907
	952	<i>Abutilon eremitopetalum</i> (=Sci name)	E	\$10,862	\$170	\$11,032	\$1,149	\$12,181

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	435	<i>Abutilon sandwicense</i> (=Sci name)	E	\$5,686	\$115,845	\$121,531	\$0	\$121,531
	891	<i>Achyranthes mutica</i> (=Sci name)	E	\$13,555	\$170	\$13,725	\$1,601	\$15,326
	1136	<i>Alsiniidendron viscosum</i> (=Sci name)	E	\$4,686	\$170	\$4,856	\$0	\$4,856
	1150	<i>Amaranthus brownii</i> (=Sci name)	E	\$3,686	\$170	\$3,856	\$0	\$3,856
	1025	<i>Aristida chaseae</i> (=Sci name)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	1115	<i>Auerodendron pauciflorum</i> (=Sci name)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	634	<i>Bonamia menziesii</i> (=Sci name)	E	\$15,623	\$31,664	\$47,287	\$1,149	\$48,436
	986	<i>Calyptanthes thomasiana</i> (=Sci name)	E	\$10,500	\$0	\$10,500	\$0	\$10,500
	1062	<i>Catesbaea melanocarpa</i> (=Sci name)	E	\$7,000	\$695	\$7,695	\$0	\$7,695
	1025	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i> (=Sci name)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	1136	<i>Chamaesyce halemanui</i> (=Sci name)	E	\$4,686	\$170	\$4,856	\$0	\$4,856
	1080	<i>Cordia bellonis</i> (=Sci name)	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	1025	<i>Cranichis ricartii</i> (=Sci name)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	516	<i>Cyanea</i> (=Rollandia) <i>crispa</i> (=Sci name)	E	\$6,540	\$83,681	\$90,221	\$932	\$91,153
	1041	<i>Cyperus pennatiformis</i> (=Sci name)	E	\$8,186	\$170	\$8,356	\$0	\$8,356
	1012	<i>Daphnopsis hellerana</i> (=Sci name)	E	\$9,500	\$0	\$9,500	\$0	\$9,500
	964	<i>Delissea rhytidosperra</i> (=Sci name)	E	\$11,362	\$170	\$11,532	\$0	\$11,532
	958	<i>Delissea undulata</i> (=Sci name)	E	\$11,731	\$170	\$11,901	\$0	\$11,901
	876	<i>Eugenia woodburyana</i> (=Sci name)	E	\$16,000	\$0	\$16,000	\$0	\$16,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	929	<i>Gahnia lanaiensis</i> (=Sci name)	E	\$13,186	\$170	\$13,356	\$0	\$13,356
	959	<i>Geocarpon minimum</i> (=Sci name)	T	\$3,700	\$3,000	\$6,700	\$5,200	\$11,900
	665	<i>Gesneria pauciflora</i> (=Sci name)	T	\$42,000	\$0	\$42,000	\$0	\$42,000
	1086	<i>Gouania hillebrandii</i> (=Sci name)	E	\$6,686	\$170	\$6,856	\$0	\$6,856
	945	<i>Gouania meyenii</i> (=Sci name)	E	\$10,216	\$170	\$10,386	\$2,081	\$12,467
	436	<i>Gouania vitifolia</i> (=Sci name)	E	\$15,085	\$103,636	\$118,721	\$2,534	\$121,255
	466	<i>Hesperomannia arborescens</i> (=Sci name)	E	\$25,040	\$83,681	\$108,721	\$217	\$108,938
	439	<i>Hesperomannia arbuscula</i> (=Sci name)	E	\$15,216	\$103,636	\$118,852	\$217	\$119,069
	1102	<i>Hesperomannia lydgatei</i> (=Sci name)	E	\$6,186	\$170	\$6,356	\$0	\$6,356
	1012	<i>Ilex sintenisii</i> (=Sci name)	E	\$9,500	\$0	\$9,500	\$0	\$9,500
	467	<i>Kadua degeneri</i> (=Sci name)	E	\$5,186	\$103,636	\$108,822	\$0	\$108,822
	440	<i>Kadua parvula</i> (=Sci name)	E	\$5,686	\$112,445	\$118,131	\$0	\$118,131
	795	<i>Keysseria</i> (=Lagenifera) <i>erici</i> (=Sci name)	E	\$21,686	\$170	\$21,856	\$0	\$21,856
	862	<i>Keysseria</i> (=Lagenifera) <i>helenae</i> (=Sci name)	E	\$16,686	\$170	\$16,856	\$0	\$16,856
	1012	<i>Lepanthes eltoroensis</i> (=Sci name)	E	\$9,500	\$0	\$9,500	\$0	\$9,500
	897	<i>Leptocereus grantianus</i> (=Sci name)	E	\$15,000	\$0	\$15,000	\$0	\$15,000
	294	<i>Lipochaeta venosa</i> (=Sci name)	E	\$9,269	\$266,895	\$276,164	\$0	\$276,164
	500	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i> (=Sci name)	E	\$13,040	\$83,681	\$96,721	\$0	\$96,721
	1022	<i>Lobelia monostachya</i> (=Sci name)	E	\$7,716	\$170	\$7,886	\$1,149	\$9,035
	940	<i>Lobelia niihauensis</i> (=Sci name)	E	\$7,040	\$4,696	\$11,736	\$932	\$12,668

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	466	<i>Lobelia oahuensis</i> (=Sci name)	E	\$25,040	\$83,681	\$108,721	\$217	\$108,938
	1020	<i>Lyonia truncata</i> var. <i>proctorii</i> (=Sci name)	E	\$9,000	\$170	\$9,170	\$0	\$9,170
	1076	<i>Lysimachia filifolia</i> (=Sci name)	E	\$6,040	\$170	\$6,210	\$932	\$7,142
	1064	<i>Lysimachia iniki</i> (=Sci name)	E	\$7,362	\$170	\$7,532	\$0	\$7,532
	1032	<i>Lysimachia lydgatei</i> (=Sci name)	E	\$7,362	\$170	\$7,532	\$1,149	\$8,681
	994	<i>Lysimachia maxima</i> (=Sci name)	E	\$6,862	\$2,170	\$9,032	\$1,149	\$10,181
	1030	<i>Lysimachia pendens</i> (=Sci name)	E	\$8,362	\$170	\$8,532	\$217	\$8,749
	1082	<i>Lysimachia scopulensis</i> (=Sci name)	E	\$5,862	\$170	\$6,032	\$932	\$6,964
	1136	<i>Lysimachia venosa</i> (=Sci name)	E	\$4,686	\$170	\$4,856	\$0	\$4,856
	1070	<i>Mariscus fauriei</i> (=Sci name)	E	\$7,186	\$170	\$7,356	\$0	\$7,356
	1115	<i>Mitracarpus maxwelliae</i> (=Sci name)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	1115	<i>Mitracarpus polycladus</i> (=Sci name)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	820	<i>Munroidendron racemosum</i> (=Sci name)	E	\$4,686	\$15,170	\$19,856	\$0	\$19,856
	1025	<i>Myrcia paganii</i> (=Sci name)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	433	<i>Neraudia angulata</i> (=Sci name)	E	\$10,326	\$111,562	\$121,888	\$0	\$121,888
	285	<i>Neraudia ovata</i> (=Sci name)	E	\$10,945	\$266,895	\$277,840	\$4,807	\$282,647
	833	<i>Neraudia sericea</i> (=Sci name)	E	\$8,862	\$9,806	\$18,668	\$217	\$18,885
	1080	<i>Nesogenes rotensis</i> (=Sci name)	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	1065	<i>Osmoxylon mariannense</i> (=Sci name)	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	949	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i> (=Sci name)	E	\$12,186	\$170	\$12,356	\$0	\$12,356

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	472	<i>Phyllostegia hirsuta</i> (=Sci name)	E	\$23,716	\$83,681	\$107,397	\$932	\$108,329
	351	<i>Phyllostegia hispida</i> (=Sci name)	E	\$187,362	\$170	\$187,532	\$217	\$187,749
	461	<i>Phyllostegia kaalaensis</i> (=Sci name)	E	\$6,716	\$103,636	\$110,352	\$932	\$111,284
	1102	<i>Phyllostegia knudsenii</i> (=Sci name)	E	\$6,186	\$170	\$6,356	\$0	\$6,356
	1006	<i>Phyllostegia mannii</i> (=Sci name)	E	\$9,362	\$170	\$9,532	\$217	\$9,749
	501	<i>Phyllostegia mollis</i> (=Sci name)	E	\$11,716	\$83,681	\$95,397	\$932	\$96,329
	925	<i>Phyllostegia parviflora</i> (=Sci name)	E	\$12,216	\$170	\$12,386	\$1,149	\$13,535
	1064	<i>Phyllostegia renovans</i> (=Sci name)	E	\$7,362	\$170	\$7,532	\$0	\$7,532
	943	<i>Phyllostegia velutina</i> (=Sci name)	E	\$8,472	\$2,453	\$10,925	\$1,601	\$12,526
	992	<i>Phyllostegia waimeae</i> (=Sci name)	E	\$9,862	\$170	\$10,032	\$217	\$10,249
	653	<i>Phyllostegia warshaueri</i> (=Sci name)	E	\$39,731	\$170	\$39,901	\$4,591	\$44,492
	1114	<i>Phyllostegia wawrana</i> (=Sci name)	E	\$5,862	\$170	\$6,032	\$0	\$6,032
	743	<i>Platanthera holochila</i> (=Sci name)	E	\$25,716	\$270	\$25,986	\$2,081	\$28,067
	1130	<i>Poa siphonoglossa</i> (=Sci name)	E	\$5,186	\$170	\$5,356	\$0	\$5,356
	1088	<i>Remya kauaiensis</i> (=Sci name)	E	\$5,686	\$170	\$5,856	\$932	\$6,788
	1009	<i>Remya montgomeryi</i> (=Sci name)	E	\$8,362	\$170	\$8,532	\$1,149	\$9,681
	465	<i>Sanicula mariversa</i> (=Sci name)	E	\$5,540	\$103,636	\$109,176	\$0	\$109,176
	1018	<i>Sanicula purpurea</i> (=Sci name)	E	\$9,040	\$170	\$9,210	\$0	\$9,210

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1114	<i>Schiedea attenuata</i> (=Sci name)	E	\$5,862	\$170	\$6,032	\$0	\$6,032
	912	<i>Schiedea haleakalensis</i> (=Sci name)	E	\$6,862	\$6,470	\$13,332	\$932	\$14,264
	1122	<i>Schiedea helleri</i> (=Sci name)	E	\$4,686	\$170	\$4,856	\$932	\$5,788
	905	<i>Schiedea hookeri</i> (=Sci name)	E	\$5,540	\$9,079	\$14,619	\$0	\$14,619
	972	<i>Schiedea kaalae</i> (=Sci name)	E	\$9,716	\$170	\$9,886	\$1,149	\$11,035
	759	<i>Schiedea kauaiensis</i> (=Sci name)	E	\$9,362	\$15,170	\$24,532	\$1,149	\$25,681
	1119	<i>Schiedea lydgatei</i> (=Sci name)	E	\$5,686	\$170	\$5,856	\$0	\$5,856
	994	<i>Schiedea membranacea</i> (=Sci name)	E	\$8,862	\$170	\$9,032	\$1,149	\$10,181
	447	<i>Schiedea nuttallii</i> (=Sci name)	E	\$10,540	\$103,636	\$114,176	\$932	\$115,108
	463	<i>Schiedea obovata</i> (=Sci name)	E	\$6,040	\$103,636	\$109,676	\$0	\$109,676
	1086	<i>Schiedea sarmentosa</i> (=Sci name)	E	\$6,686	\$170	\$6,856	\$0	\$6,856
	1136	<i>Schiedea spergulina</i> var. <i>leiopoda</i> (=Sci name)	E	\$4,686	\$170	\$4,856	\$0	\$4,856
	1136	<i>Schiedea spergulina</i> var. <i>spergulina</i> (=Sci name)	T	\$4,686	\$170	\$4,856	\$0	\$4,856
	515	<i>Schiedea trinervis</i> (=Sci name)	E	\$7,540	\$83,681	\$91,221	\$0	\$91,221
	1156	<i>Schiedea verticillata</i> (=Sci name)	E	\$3,186	\$170	\$3,356	\$0	\$3,356
	1080	<i>Schoepfia arenaria</i> (=Sci name)	T	\$7,000	\$0	\$7,000	\$0	\$7,000
	1046	<i>Silene alexandri</i> (=Sci name)	E	\$6,862	\$170	\$7,032	\$1,149	\$8,181
	283	<i>Silene hawaiiensis</i> (=Sci name)	T	\$6,686	\$276,405	\$283,091	\$0	\$283,091
	293	<i>Silene lanceolata</i> (=Sci name)	E	\$9,040	\$266,895	\$275,935	\$932	\$276,867
	991	<i>Silene perlmanii</i> (=Sci name)	E	\$8,040	\$170	\$8,210	\$2,081	\$10,291
	256	<i>Spermolepis hawaiiensis</i> (=Sci name)	E	\$15,040	\$330,672	\$345,712	\$932	\$346,644

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	284	<i>Stenogyne angustifolia</i> <i>angustifolia</i> (=Sci name)	E	\$6,269	\$275,845	\$282,114	\$932	\$283,046
	1017	<i>Stenogyne bifida</i> (=Sci name)	E	\$8,862	\$170	\$9,032	\$217	\$9,249
	1009	<i>Stenogyne campanulata</i> (=Sci name)	E	\$8,362	\$170	\$8,532	\$1,149	\$9,681
	514	<i>Stenogyne kanehoana</i> (=Sci name)	E	\$6,716	\$83,681	\$90,397	\$932	\$91,329
	1113	<i>Stenogyne kealiae</i> (=Sci name)	E	\$5,686	\$170	\$5,856	\$217	\$6,073
	1025	<i>Ternstroemia subsessilis</i> (=Sci name)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	299	<i>Tetramolopium arenarium</i> (=Sci name)	E	\$4,186	\$266,895	\$271,081	\$0	\$271,081
	450	<i>Tetramolopium filiforme</i> (=Sci name)	E	\$5,540	\$107,919	\$113,459	\$0	\$113,459
	988	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i> (=Sci name)	E	\$10,216	\$170	\$10,386	\$0	\$10,386
	992	<i>Tetramolopium remyi</i> (=Sci name)	E	\$9,862	\$170	\$10,032	\$217	\$10,249
	664	<i>Tetramolopium rockii</i> (=Sci name)	T	\$6,186	\$36,170	\$42,356	\$0	\$42,356
	1057	<i>Tetraplasandra bisattenuata</i> (=Sci name)	E	\$7,686	\$170	\$7,856	\$0	\$7,856
	1023	<i>Tetraplasandra flynnii</i> (=Sci name)	E	\$8,862	\$170	\$9,032	\$0	\$9,032
	1125	<i>Trematolobelia singularis</i> (=Sci name)	E	\$5,540	\$170	\$5,710	\$0	\$5,710
	1025	<i>Vernonia proctorii</i> (=Sci name)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	237	<i>Vigna o-wahuensis</i> (=Sci name)	E	\$27,123	\$371,580	\$398,703	\$932	\$399,635
	1006	<i>Viola helenae</i> (=Sci name)	E	\$9,362	\$170	\$9,532	\$217	\$9,749
	829	<i>Viola lanaiensis</i> (=Sci name)	E	\$16,862	\$170	\$17,032	\$2,081	\$19,113
	526	<i>Viola oahuensis</i> (=Sci name)	E	\$5,540	\$83,681	\$89,221	\$0	\$89,221
	1017	<i>Xylosma crenatum</i> (=Sci name)	E	\$8,862	\$170	\$9,032	\$217	\$9,249

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	862	Nohoanu (<i>Geranium kauaiense</i>)	E	\$16,686	\$170	\$16,856	\$0	\$16,856
	865	Nohoanu (<i>Geranium multiflorum</i>)	E	\$7,686	\$8,023	\$15,709	\$932	\$16,641
	1202	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	\$455	\$0	\$455	\$0	\$455
	1142	Oha (<i>Delissea rivularis</i>)	E	\$4,176	\$170	\$4,346	\$0	\$4,346
	454	Oha (<i>Delissea subcordata</i>)	E	\$8,862	\$103,636	\$112,498	\$0	\$112,498
	596	Ohai (<i>Sesbania tomentosa</i>)	E	\$32,826	\$24,188	\$57,014	\$2,750	\$59,764
	697	ʻOha wai (<i>Clermontia drepanomorpha</i>)	E	\$33,472	\$170	\$33,642	\$1,601	\$35,243
	738	ʻOha wai (<i>Clermontia lindseyana</i>)	E	\$13,055	\$14,220	\$27,275	\$1,818	\$29,093
	982	ʻOha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	\$9,362	\$170	\$9,532	\$1,149	\$10,681
	908	ʻOha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>)	E	\$14,186	\$270	\$14,456	\$0	\$14,456
	737	ʻOha wai (<i>Clermontia peleana</i>)	E	\$16,731	\$10,553	\$27,284	\$1,818	\$29,102
	838	ʻOha wai (<i>Clermontia pyrularia</i>)	E	\$11,731	\$5,170	\$16,901	\$1,601	\$18,502
	975	ʻOha wai (<i>Clermontia samuelii</i>)	E	\$6,686	\$4,270	\$10,956	\$0	\$10,956
	1151	ʻOhe`ohe (<i>Tetraplasandra gymnocarpa</i>)	E	\$3,640	\$170	\$3,810	\$0	\$3,810
	1056	Olulu (<i>Brighamia insignis</i>)	E	\$5,862	\$170	\$6,032	\$1,865	\$7,897
	521	Onion, Munz's (<i>Allium munzii</i>)	E	\$90,660	\$0	\$90,660	\$0	\$90,660
	972	Opuhe (<i>Urera kaalae</i>)	E	\$9,716	\$170	\$9,886	\$1,149	\$11,035
	308	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$182,800	\$50,920	\$233,720	\$19,950	\$253,670
	270	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$192,830	\$90,709	\$283,539	\$21,400	\$304,939
	573	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$321	\$66,500	\$66,821	\$0	\$66,821

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	872	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	\$10,500	\$5,690	\$16,190	\$0	\$16,190
	495	Orcutt grass, Sacramento (<i>Orcuttia viscida</i>)	E	\$77,960	\$21,660	\$99,620	\$0	\$99,620
	687	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	\$35,021	\$2,860	\$37,881	\$0	\$37,881
	524	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	\$45,350	\$44,052	\$89,402	\$0	\$89,402
	554	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$70,749	\$5,380	\$76,129	\$0	\$76,129
	1103	Oxytheca, cushenbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>)	E	\$116	\$6,212	\$6,328	\$0	\$6,328
	784	Pa`iniu (<i>Astelia waialealae</i>)	E	\$21,362	\$170	\$21,532	\$1,149	\$22,681
	540	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	\$8,666	\$74,400	\$83,066	\$0	\$83,066
	167	Paintbrush, golden (<i>Castilleja levisecta</i>)	T	\$891,112	\$22,635	\$913,747	\$0	\$913,747
	766	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	\$17,345	\$7,500	\$24,845	\$0	\$24,845
	724	Paintbrush, Tiburon (<i>Castilleja affinis</i> ssp. <i>neglecta</i>)	E	\$30,388	\$1,000	\$31,388	\$0	\$31,388
	999	Palo colorado (<i>Ternstroemia luquillensis</i>)	E	\$10,000	\$0	\$10,000	\$0	\$10,000
	986	Palo de jazmin (<i>Styrax portoricensis</i>)	E	\$10,500	\$0	\$10,500	\$0	\$10,500
	1012	Palo de nigua (<i>Cornutia obovata</i>)	E	\$9,500	\$0	\$9,500	\$0	\$9,500
	1025	Palo de ramon (<i>Banara vanderbiltii</i>)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	1025	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	1070	Pamakani (<i>Tetramolopium capillare</i>)	E	\$7,186	\$170	\$7,356	\$0	\$7,356

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	441	Pamakani (<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>)	E	\$5,540	\$112,445	\$117,985	\$0	\$117,985
	1068	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>)	E	\$3,686	\$3,770	\$7,456	\$0	\$7,456
	1119	Papala (<i>Charpentiera densiflora</i>)	E	\$5,686	\$170	\$5,856	\$0	\$5,856
	1174	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>)	E	\$900	\$400	\$1,300	\$300	\$1,600
	1053	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$1,500	\$5,800	\$7,300	\$700	\$8,000
	1183	Pawpaw, Rugel's (<i>Deeringothamnus rugelii</i>)	E	\$0	\$250	\$250	\$1,000	\$1,250
	1025	Pelos del diablo (<i>Aristida portoricensis</i>)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	1098	Penny-cress, Kneeland Prairie (<i>Thlaspi californicum</i>)	E	\$6,482	\$0	\$6,482	\$0	\$6,482
	511	Pennyroyal, Todsens's (<i>Hedeoma todsenii</i>)	E	\$1,000	\$91,415	\$92,415	\$0	\$92,415
	489	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	\$46,363	\$53,765	\$100,128	\$1,500	\$101,628
	617	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>)	E	\$54,337	\$0	\$54,337	\$0	\$54,337
	1012	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>)	E	\$9,500	\$0	\$9,500	\$0	\$9,500
	186	Peppergrass, Slickspot (<i>Lepidium papilliferum</i>) -	T	\$305,027	\$317,038	\$622,065	\$16,000	\$638,065
	1163	Phacelia, clay (<i>Phacelia argillacea</i>)	E	\$0	\$2,600	\$2,600	\$0	\$2,600
	549	Phacelia, DeBeque (<i>Phacelia submutica</i>)	T	\$54,100	\$24,241	\$78,341	\$0	\$78,341
	1065	Phacelia, island (<i>Phacelia insularis</i> ssp. <i>insularis</i>)	E	\$0	\$7,500	\$7,500	\$0	\$7,500
	593	Phacelia, North Park (<i>Phacelia formosula</i>)	E	\$49,211	\$11,200	\$60,411	\$0	\$60,411

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	251	Phlox, Texas trailing (<i>Phlox nivalis</i> ssp. <i>texensis</i>)	E	\$2,000	\$362,407	\$364,407	\$0	\$364,407
	594	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	\$60,367	\$0	\$60,367	\$0	\$60,367
	960	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$3,500	\$6,350	\$9,850	\$2,000	\$11,850
	1147	Pilo (<i>Hedyotis mannii</i>)	E	\$3,962	\$170	\$4,132	\$0	\$4,132
	1119	Pilo kea lau li'i (<i>Platydesma rostrata</i>)	E	\$5,686	\$170	\$5,856	\$0	\$5,856
	931	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	\$4,500	\$8,338	\$12,838	\$300	\$13,138
	379	Pink, swamp (<i>Helonias bullata</i>)	T	\$82,222	\$69,822	\$152,044	\$12,350	\$164,394
	551	Piperia, Yadon's (<i>Piperia yadonii</i>)	E	\$3,096	\$75,000	\$78,096	\$0	\$78,096
	1213	Pitaya, Davis' green (<i>Echinocereus viridiflorus</i> var. <i>davisii</i>)	E	\$200	\$0	\$200	\$0	\$200
	885	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra alabamensis</i>)	E	\$15,500	\$0	\$15,500	\$0	\$15,500
	661	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	\$36,500	\$4,486	\$40,986	\$2,000	\$42,986
	650	Pitcher-plant, mountain sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>)	E	\$39,000	\$2,575	\$41,575	\$3,320	\$44,895
	756	Plum, scrub (<i>Prunus geniculata</i>)	E	\$3,500	\$15,650	\$19,150	\$7,000	\$26,150
	289	Po'e (<i>Portulaca sclerocarpa</i>)	E	\$7,862	\$271,178	\$279,040	\$932	\$279,972
	226	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$35,587	\$405,221	\$440,808	\$8,393	\$449,201
	589	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$3,500	\$38,258	\$41,758	\$20,000	\$61,758
	1092	Polygala, tiny (<i>Polygala smallii</i>)	E	\$5,000	\$1,350	\$6,350	\$300	\$6,650
	902	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>)	E	\$14,743	\$0	\$14,743	\$0	\$14,743

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	363	Pondberry (<i>Lindera melissifolia</i>)	E	\$55,200	\$107,007	\$162,207	\$17,811	\$180,018
	1200	Pondweed, Little Aguja (=Creek) (<i>Potamogeton clystocarpus</i>)	E	\$500	\$0	\$500	\$0	\$500
	621	popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	\$33,942	\$19,350	\$53,292	\$0	\$53,292
	281	Popolo ku mai (<i>Solanum incompletum</i>)	E	\$15,686	\$269,680	\$285,366	\$932	\$286,298
	1196	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>)	E	\$200	\$500	\$700	\$0	\$700
	541	Poppy, Sacramento prickly (<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>)	E	\$25,000	\$58,015	\$83,015	\$0	\$83,015
	682	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$27,700	\$10,923	\$38,623	\$500	\$39,123
	989	Potentilla, Hickman's (<i>Potentilla hickmanii</i>)	E	\$4,336	\$6,000	\$10,336	\$0	\$10,336
	663	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	\$29,700	\$12,649	\$42,349	\$100	\$42,449
	1162	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$900	\$250	\$1,150	\$1,500	\$2,650
	1037	Prickly-ash, St. Thomas (<i>Zanthoxylum thomsonianum</i>)	E	\$8,500	\$0	\$8,500	\$0	\$8,500
	1160	Primrose, Maguire (<i>Primula maguirei</i>)	T	\$1,000	\$1,800	\$2,800	\$0	\$2,800
	930	Pua`ala (<i>Brighamia rockii</i>)	E	\$9,862	\$2,170	\$12,032	\$1,149	\$13,181
	647	Pussypaws, Mariposa (<i>Calyptridium pulchellum</i>)	T	\$43,900	\$1,930	\$45,830	\$0	\$45,830
	845	Pu`uka`a (<i>Cyperus trachysanthos</i>)	E	\$9,040	\$8,979	\$18,019	\$0	\$18,019
	779	Ragwort, San Francisco Peaks (<i>Packera franciscana</i>)	T	\$4,725	\$15,000	\$19,725	\$3,300	\$23,025
	860	Rattleweed, hairy (<i>Baptisia arachnifera</i>)	E	\$6,500	\$0	\$6,500	\$10,500	\$17,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1080	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>)	E	\$5,000	\$2,000	\$7,000	\$0	\$7,000
	1168	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	\$0	\$2,100	\$2,100	\$0	\$2,100
	1079	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>)	E	\$5,000	\$2,100	\$7,100	\$0	\$7,100
	977	Remya, Maui (<i>Remya mauiensis</i>)	E	\$10,686	\$170	\$10,856	\$0	\$10,856
	832	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	\$4,500	\$14,400	\$18,900	\$0	\$18,900
	1112	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	\$5,000	\$1,100	\$6,100	\$0	\$6,100
	781	Rock-cress, Braun's (<i>Arabis perstellata</i>)	E	\$22,500	\$386	\$22,886	\$0	\$22,886
	919	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>)	E	\$6,384	\$7,500	\$13,884	\$0	\$13,884
	671	Rock-cress, McDonald's (<i>Arabis macdonaldiana</i>)	E	\$24,942	\$16,180	\$41,122	\$0	\$41,122
	407	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	\$25,348	\$115,000	\$140,348	\$0	\$140,348
	709	rock cress, Shale barren (<i>Arabis serotina</i>)	E	\$27,774	\$5,413	\$33,187	\$550	\$33,737
	944	Rosemary, Apalachicola (<i>Conradina glabra</i>)	E	\$4,500	\$7,700	\$12,200	\$300	\$12,500
	429	Rosemary, Cumberland (<i>Conradina verticillata</i>)	T	\$122,500	\$1,596	\$124,096	\$0	\$124,096
	1157	Rosemary, Etonia (<i>Conradina etonia</i>)	E	\$0	\$250	\$250	\$3,000	\$3,250
	911	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	\$4,000	\$350	\$4,350	\$10,000	\$14,350
	824	roseroot, Leedy's (<i>Rhodiola integrifolia</i> ssp. <i>leedyi</i>)	T	\$18,818	\$814	\$19,632	\$0	\$19,632
	869	Rush-pea, slender (<i>Hoffmannseggia tenella</i>)	E	\$16,000	\$400	\$16,400	\$0	\$16,400
	898	Rush-rose, island (<i>Helianthemum greenii</i>)	T	\$9,973	\$5,000	\$14,973	\$0	\$14,973

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	862	Sandalwood, Lanai (=`iliahi) (<i>Santalum freycinetianum</i> var. <i>lanaiense</i>)	E	\$16,686	\$170	\$16,856	\$0	\$16,856
	776	Sandlace (<i>Polygonella</i> <i>myriophylla</i>)	E	\$3,500	\$15,650	\$19,150	\$4,000	\$23,150
	1003	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>)	E	\$9,000	\$900	\$9,900	\$0	\$9,900
	645	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	\$8,260	\$38,000	\$46,260	\$0	\$46,260
	1007	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>)	E	\$7,000	\$2,746	\$9,746	\$0	\$9,746
	411	Sandwort, Marsh (<i>Arenaria</i> <i>paludicola</i>)	E	\$121,173	\$14,934	\$136,107	\$0	\$136,107
	1073	Schiedea, Diamond Head (<i>Schiedea adamantis</i>)	E	\$6,862	\$170	\$7,032	\$217	\$7,249
	619	Seablite, California (<i>Suaeda</i> <i>californica</i>)	E	\$53,402	\$500	\$53,902	\$0	\$53,902
	175	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	\$0	\$778,755	\$778,755	\$3,500	\$782,255
	818	Sedge, golden (<i>Carex lutea</i>)	E	\$16,000	\$3,450	\$19,450	\$600	\$20,050
	928	Sedge, Navajo (<i>Carex</i> <i>specuicola</i>)	T	\$1,400	\$9,688	\$11,088	\$2,300	\$13,388
	1014	Sedge, white (<i>Carex albida</i>)	E	\$9,400	\$0	\$9,400	\$0	\$9,400
	859	Silversword, Mauna Loa (=Ka'u) (<i>Argyroxiphium</i> <i>kauense</i>)	E	\$10,055	\$2,453	\$12,508	\$4,591	\$17,099
	668	Skullcap, Florida (<i>Scutellaria</i> <i>floridana</i>)	T	\$4,500	\$36,678	\$41,178	\$500	\$41,678
	496	Skullcap, large-flowered (<i>Scutellaria montana</i>)	T	\$22,000	\$75,162	\$97,162	\$1,500	\$98,662
	528	Skyrocket, Pagosa (<i>Ipomopsis</i> <i>polyantha</i>)	E	\$51,625	\$35,200	\$86,825	\$0	\$86,825
	806	Snakeroot (<i>Eryngium</i> <i>cuneifolium</i>)	E	\$0	\$14,550	\$14,550	\$6,500	\$21,050
	812	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	\$16,078	\$0	\$16,078	\$4,500	\$20,578

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1160	Snowbells, Texas (<i>Styrax texanus</i>)	E	\$2,500	\$300	\$2,800	\$0	\$2,800
	1118	Spineflower, Ben Lomond (<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>)	E	\$5,950	\$0	\$5,950	\$0	\$5,950
	1043	Spineflower, Howell's (<i>Chorizanthe howellii</i>)	E	\$8,282	\$0	\$8,282	\$0	\$8,282
	750	Spineflower, Monterey (<i>Chorizanthe pungens</i> var. <i>pungens</i>)	T	\$17,758	\$8,924	\$26,682	\$0	\$26,682
	318	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	\$58,330	\$178,943	\$237,273	\$0	\$237,273
	934	Spineflower, Robust (incl. Scotts Valley) (<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i>))	E	\$13,009	\$0	\$13,009	\$0	\$13,009
	557	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	\$1,093	\$73,690	\$74,783	\$0	\$74,783
	1115	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	\$0	\$6,000	\$6,000	\$0	\$6,000
	333	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	\$158,800	\$46,858	\$205,658	\$2,860	\$208,518
	1026	Spurge, deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>)	E	\$5,500	\$1,450	\$6,950	\$2,000	\$8,950
	909	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$11,500	\$2,150	\$13,650	\$800	\$14,450
	888	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	\$10,500	\$4,900	\$15,400	\$0	\$15,400
	553	Spurge, telephus (<i>Euphorbia telephioides</i>)	T	\$73,500	\$3,541	\$77,041	\$300	\$77,341
	807	Stickseed, showy (<i>Hackelia venusta</i>)	E	\$3,760	\$17,254	\$21,014	\$0	\$21,014
	443	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	\$32,866	\$61,973	\$94,839	\$22,370	\$117,209
	646	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$21,731	\$24,250	\$45,981	\$0	\$45,981

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	403	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	\$129,596	\$14,055	\$143,651	\$0	\$143,651
	827	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$13,512	\$5,852	\$19,364	\$0	\$19,364
	814	Sunflower, San Mateo woolly (<i>Eriophyllum latilobum</i>)	E	\$20,300	\$0	\$20,300	\$0	\$20,300
	537	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$45,000	\$24,685	\$69,685	\$14,750	\$84,435
	1000	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$9,990	\$0	\$9,990	\$0	\$9,990
	214	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	\$44,426	\$450,300	\$494,726	\$0	\$494,726
	452	Taraxacum, California (<i>Taraxacum californicum</i>)	E	\$38,513	\$74,400	\$112,913	\$0	\$112,913
	970	Tarplant, Gaviota (<i>Deinandra increscens</i> ssp. <i>villosa</i>)	E	\$10,873	\$300	\$11,173	\$0	\$11,173
	713	Tarplant, Otay (<i>Deinandra (=Hemizonia) conjugens</i>)	T	\$1,640	\$31,209	\$32,849	\$0	\$32,849
	611	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>)	T	\$55,764	\$0	\$55,764	\$0	\$55,764
	913	Thelypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	\$11,442	\$2,750	\$14,192	\$0	\$14,192
	542	Thistle, Chorro Creek bog (<i>Cirsium fontinale</i> var. <i>obispoense</i>)	E	\$52,446	\$30,327	\$82,773	\$0	\$82,773
	999	Thistle, fountain (<i>Cirsium fontinale</i> var. <i>fontinale</i>)	E	\$10,000	\$0	\$10,000	\$0	\$10,000
	857	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	\$16,171	\$956	\$17,127	\$0	\$17,127
	317	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$131,500	\$106,789	\$238,289	\$2,200	\$240,489
	976	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	\$5,000	\$5,915	\$10,915	\$0	\$10,915

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	620	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>)	E	\$53,421	\$0	\$53,421	\$0	\$53,421
	1181	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	\$283	\$1,000	\$1,283	\$0	\$1,283
	741	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	\$2,000	\$26,600	\$28,600	\$0	\$28,600
	968	Trillium, persistent (<i>Trillium persistens</i>)	E	\$3,000	\$712	\$3,712	\$7,500	\$11,212
	605	Trillium, relict (<i>Trillium reliquum</i>)	E	\$28,500	\$24,970	\$53,470	\$4,500	\$57,970
	692	Tuctoria, Greene's (<i>Tuctoria greenei</i>)	E	\$30,280	\$5,500	\$35,780	\$0	\$35,780
	597	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>)	T	\$25,386	\$34,341	\$59,727	\$0	\$59,727
	460	Uhiuhi (<i>Caesalpinia kavaense</i>)	E	\$44,269	\$63,170	\$107,439	\$4,138	\$111,577
	974	Uvillo (<i>Eugenia haematocarpa</i>)	E	\$11,000	\$0	\$11,000	\$0	\$11,000
	1108	Vervain, Red Hills (<i>Verbena californica</i>)	T	\$4,642	\$1,530	\$6,172	\$0	\$6,172
	868	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	\$11,731	\$170	\$11,901	\$4,591	\$16,492
	1124	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	\$3,686	\$170	\$3,856	\$1,865	\$5,721
	1143	Wallflower, Ben Lomond (<i>Erysimum teretifolium</i>)	E	\$4,336	\$0	\$4,336	\$0	\$4,336
	563	Wallflower, Contra Costa (<i>Erysimum capitatum</i> var. <i>angustatum</i>)	E	\$71,138	\$0	\$71,138	\$0	\$71,138
	402	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	\$8,800	\$135,000	\$143,800	\$0	\$143,800
	1012	Walnut (=Nogal), West Indian (<i>Juglans jamaicensis</i>)	E	\$9,500	\$0	\$9,500	\$0	\$9,500
	714	Warea, wide-leaf (<i>Warea amplexifolia</i>)	E	\$12,000	\$600	\$12,600	\$20,000	\$32,600

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	577	Watercress, Gambel's (<i>Rorippa gambellii</i>)	E	\$64,867	\$592	\$65,459	\$0	\$65,459
	1091	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	\$0	\$5,191	\$5,191	\$1,500	\$6,691
	180	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>)	E	\$2,275	\$721,064	\$723,339	\$2,800	\$726,139
	1121	Water-willow, Cooley's (<i>Justicia cooleyi</i>)	E	\$5,000	\$500	\$5,500	\$300	\$5,800
	1033	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$4,000	\$1,350	\$5,350	\$3,300	\$8,650
	558	Wild buckwheat, clay-loving (<i>Eriogonum pelinophilum</i>)	E	\$8,662	\$65,374	\$74,036	\$0	\$74,036
	698	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>)	T	\$0	\$35,100	\$35,100	\$0	\$35,100
	655	Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>)	T	\$6,085	\$38,000	\$44,085	\$0	\$44,085
	936	Wild-rice, Texas (<i>Zizania texana</i>)	E	\$5,000	\$7,900	\$12,900	\$0	\$12,900
	730	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>)	E	\$17,442	\$12,500	\$29,942	\$0	\$29,942
	693	Wireweed (<i>Polygonella basiramia</i>)	E	\$3,500	\$27,650	\$31,150	\$4,500	\$35,650
	362	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>)	E	\$6,052	\$175,000	\$181,052	\$0	\$181,052
	350	Woolly-star, Santa Ana River (<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>)	E	\$1,055	\$186,916	\$187,971	\$0	\$187,971
	275	Wooly-threads, San Joaquin (<i>Monolopia (=Lembertia) congdonii</i>)	E	\$125,777	\$167,900	\$293,677	\$0	\$293,677
	706	Yellowhead, desert (<i>Yermo xanthocephalus</i>)	T	\$9,803	\$24,100	\$33,903	\$0	\$33,903

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1154	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>)	E	\$3,252	\$300	\$3,552	\$0	\$3,552
	582	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	\$27,500	\$2,568	\$30,068	\$34,500	\$64,568
Flowering Plants subtotal				\$16,928,024	\$25,138,425	\$42,066,449	\$1,063,979	\$43,130,428
Conifers and Cycads	700	Cypress, Gowen (<i>Cupressus goveniana</i> ssp. <i>goveniana</i>)	T	\$34,740	\$0	\$34,740	\$0	\$34,740
	624	Cypress, Santa Cruz (<i>Cupressus abramsiana</i>)	E	\$52,131	\$0	\$52,131	\$0	\$52,131
	659	Torreya, Florida (<i>Torreya taxifolia</i>)	E	\$6,000	\$24,966	\$30,966	\$12,500	\$43,466
Conifers and Cycads subtotal				\$92,871	\$24,966	\$117,837	\$12,500	\$130,337
Ferns and Allies	1137	Aumakua, Palapalai (<i>Dryopteris crinalis</i> var. <i>podosorus</i>)	E	\$4,500	\$170	\$4,670	\$0	\$4,670
	774	Diellia, asplenium-leaved (<i>Diellia erecta</i>)	E	\$22,502	\$170	\$22,672	\$932	\$23,604
	1146	Fern, Alabama streak-sorus (<i>Thelypteris pilosa</i> var. <i>alabamensis</i>)	T	\$0	\$4,138	\$4,138	\$0	\$4,138
	885	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$10,500	\$5,000	\$15,500	\$0	\$15,500
	601	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>)	T	\$51,940	\$6,314	\$58,254	\$0	\$58,254
	1025	Fern, Elfin tree (<i>Cyathea X dryopteroides</i>)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	725	Fern, pendant kihi (<i>Adenophorus periens</i>)	E	\$14,148	\$16,381	\$30,529	\$669	\$31,198
	718	Ihi` ihi (<i>Marsilea villosa</i>)	E	\$11,540	\$19,979	\$31,519	\$932	\$32,451
	1115	<i>Adiantum vivesii</i> (=Sci name)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	282	<i>Asplenium fragile insulare</i> (=Sci name)	E	\$15,472	\$269,278	\$284,750	\$0	\$284,750
	932	<i>Diellia falcata</i> (=Sci name)	E	\$5,540	\$7,523	\$13,063	\$0	\$13,063
	957	<i>Diellia mannii</i> (=Sci name)	E	\$11,362	\$567	\$11,929	\$0	\$11,929

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1023	<i>Diellia pallida</i> (=Sci name)	E	\$8,862	\$170	\$9,032	\$0	\$9,032
	907	<i>Diellia unisora</i> (=Sci name)	E	\$5,540	\$8,979	\$14,519	\$0	\$14,519
	786	<i>Diplazium molokaiense</i> (=Sci name)	E	\$13,716	\$7,623	\$21,339	\$1,149	\$22,488
	1015	<i>Doryopteris angelica</i> (=Sci name)	E	\$7,362	\$170	\$7,532	\$1,865	\$9,397
	1115	<i>Elaphoglossum serpens</i> (=Sci name)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	1097	<i>Polystichum calderonense</i> (=Sci name)	E	\$6,500	\$0	\$6,500	\$0	\$6,500
	449	<i>Pteris lidgatei</i> (=Sci name)	E	\$29,716	\$83,681	\$113,397	\$1,149	\$114,546
	1115	<i>Tectaria estremarana</i> (=Sci name)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	1025	<i>Thelypteris inabonensis</i> (=Sci name)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	1025	<i>Thelypteris verecunda</i> (=Sci name)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	1025	<i>Thelypteris yaucoensis</i> (=Sci name)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	810	<i>Pauoa (Ctenitis squamigera)</i>	E	\$20,540	\$270	\$20,810	\$0	\$20,810
	1096	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$3,500	\$1,006	\$4,506	\$2,000	\$6,506
	485	Quillwort, Louisiana (<i>Isoetes louisianensis</i>)	E	\$500	\$102,942	\$103,442	\$400	\$103,842
	1066	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	\$5,000	\$477	\$5,477	\$2,000	\$7,477
	996	Wawae`iole (<i>Huperzia mannii</i>)	E	\$0	\$9,123	\$9,123	\$932	\$10,055
	487	Wawae`iole (<i>Huperzia nutans</i>)	E	\$18,686	\$83,681	\$102,367	\$0	\$102,367
Ferns and Allies subtotal				\$321,426	\$627,642	\$949,068	\$12,028	\$961,096
Lichens	606	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	\$39,500	\$10,550	\$50,050	\$7,500	\$57,550
	939	Lichen, rock gnome (<i>Gymmoderma lineare</i>)	E	\$10,190	\$500	\$10,690	\$2,140	\$12,830

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
Lichens subtotal				\$49,690	\$11,050	\$60,740	\$9,640	\$70,380
Multi-species				\$3,192,684	\$23,756,490	\$26,949,174	\$2,383,293	\$29,332,467
Total Species Expenditures				\$159,550,481	\$1,176,267,109	\$1,335,817,590	\$57,782,178	\$1,393,599,768

TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2012 REPORTED EXPENDITURES

Species are arranged in descending rank order of total identifiable expenditures (Table 1). Cumulative totals of the expenditures totals are provided. The cumulative total column is the sum of all higher ranked species totals (from Table 1) and the selected species entry. This table does not include costs for land acquisition or multi-species conservation activities.

The species list in the report follows the same breakdown as in 50 CFR 17.11 and 17.12. All populations are itemized separately, not just Evolutionarily Significant Units (ESUs). Thus, it appears as if there are more listed species. Populations of the same species may be ranked differently.

TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY2012 REPORTED EXPENDITURES, NOT INCLUDING LAND ACQUISITION COSTS

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Snake R. Basin	T	\$67,559,317	\$67,559,317
2	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - middle Columbia R.	T	\$67,401,574	\$134,960,891
3	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Snake River spring/summer-run ESU	T	\$60,832,177	\$195,793,068
4	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$53,827,474	\$249,620,542
5	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Snake River fall-run ESU	T	\$49,047,500	\$298,668,042
6	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - upper Columbia R. Basin	T	\$41,683,568	\$340,351,610
7	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$37,900,480	\$378,252,090
8	Trout, bull (<i>Salvelinus confluentus</i>) - conterminous, lower 48 states	T	\$37,697,010	\$415,949,100
9	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Upper Columbia spring-run ESU	E	\$35,707,536	\$451,656,636
10	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Upper Willamette River ESU	T	\$30,213,869	\$481,870,505
11	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Lower Columbia River ESU	T	\$30,180,634	\$512,051,139
12	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) - Snake River, ID stock wherever found.	E	\$25,098,251	\$537,149,390
13	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - western pop.	E	\$22,254,726	\$559,404,116
14	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - lower Columbia R.	T	\$21,176,753	\$580,580,869
15	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$20,465,308	\$601,046,177
16	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - upper Willamette R.	T	\$20,190,094	\$621,236,271
17	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - eastern pop.	T	\$17,960,107	\$639,196,378
18	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Southern Oregon–Northern California Coast ESU	T	\$17,596,555	\$656,792,933
19	Smelt, delta (<i>Hypomesus transpacificus</i>)	T	\$17,263,815	\$674,056,748
20	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$16,841,162	\$690,897,910
21	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) - Columbia R.	T	\$15,772,130	\$706,670,040
22	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$15,028,862	\$721,698,902
23	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Puget Sound ESU	T	\$14,849,784	\$736,548,686
24	Sturgeon, white (<i>Acipenser transmontanus</i>) - ID, MT, Canada (B.C.), Kootenai R. system	E	\$13,632,338	\$750,181,024

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
25	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Lower Columbia River ESU	T	\$13,183,361	\$763,364,385
26	Sucker, razorback (<i>Xyrauchen texanus</i>)	E	\$12,415,575	\$775,779,960
27	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$11,955,724	\$787,735,684
28	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Central Valley CA	T	\$11,840,159	\$799,575,843
29	Plover, piping (<i>Charadrius melodus</i>) - except Great Lakes watershed	T	\$11,602,303	\$811,178,146
30	Salmon, Atlantic (<i>Salmo salar</i>) - Expanded Gulf of Maine DPS	E	\$10,913,156	\$822,091,302
31	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - central CA coast	T	\$10,103,546	\$832,194,848
32	Tern, least (<i>Sterna antillarum</i>) - interior pop.	E	\$9,969,552	\$842,164,400
33	Whale, North Atlantic Right (<i>Eubalaena glacialis</i>)	E	\$9,905,912	\$852,070,312
34	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - except where listed as EXPN	E	\$9,182,533	\$861,252,845
35	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Sacramento River winter-run ESU	E	\$9,171,593	\$870,424,438
36	Chub, humpback (<i>Gila cypha</i>)	E	\$9,005,463	\$879,429,901
37	Tortoise, desert (<i>Gopherus agassizii</i>) - except in Sonoran Desert	T	\$7,958,057	\$887,387,958
38	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Puget Sound DPS	T	\$7,753,711	\$895,141,669
39	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Oregon Coast ESU	T	\$7,374,489	\$902,516,158
40	Bear, grizzly (<i>Ursus arctos horribilis</i>) - lower 48 States, except where listed as EXPN or delisted	T	\$7,351,556	\$909,867,714
41	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) - CA, OR, WA	T	\$7,322,553	\$917,190,267
42	Stork, wood (<i>Mycteria americana</i>) - AL, FL, GA, SC	E	\$6,872,943	\$924,063,210
43	Frog, California red-legged (<i>Rana draytonii</i>)	T	\$6,388,743	\$930,451,953
44	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Central CA ESU	E	\$6,323,590	\$936,775,543
45	Chub, bonytail (<i>Gila elegans</i>)	E	\$5,998,367	\$942,773,910
46	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$5,947,661	\$948,721,571
47	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Central Valley spring-run ESU	T	\$5,872,013	\$954,593,584
48	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$5,807,681	\$960,401,265
49	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - except Salt and Verde R. drainages, AZ	E	\$5,619,379	\$966,020,644
50	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$5,614,736	\$971,635,380
51	Sea turtle, green (<i>Chelonia mydas</i>) - except where endangered	T	\$5,598,649	\$977,234,029
52	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - northern CA	T	\$5,531,899	\$982,765,928

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
53	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$5,436,912	\$988,202,840
54	Sucker, Santa Ana (<i>Catostomus santaanae</i>) - 3 CA river basins	T	\$5,412,525	\$993,615,365
55	Salmon, chum (<i>Oncorhynchus (=Salmo) keta</i>) - summer-run Hood Canal	T	\$5,147,915	\$998,763,280
56	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$5,130,935	\$1,003,894,215
57	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	\$5,119,958	\$1,009,014,173
58	Steelhead (<i>Oncorhynchus (=Salmo) mykiss</i>) - southern CA coast	E	\$5,086,308	\$1,014,100,481
59	Lynx, Canada (<i>Lynx canadensis</i>) - Contiguous U.S. DPS	T	\$4,941,283	\$1,019,041,764
60	Trout, Lahontan cutthroat (<i>Oncorhynchus clarkii henshawi</i>)	T	\$4,922,649	\$1,023,964,413
61	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$4,830,808	\$1,028,795,221
62	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - CA coast	T	\$4,814,557	\$1,033,609,778
63	Steelhead (<i>Oncorhynchus (=Salmo) mykiss</i>) - south central CA coast	T	\$4,811,613	\$1,038,421,391
64	Salmon, sockeye (<i>Oncorhynchus (=Salmo) nerka</i>) - Ozette Lake, WA	T	\$4,718,325	\$1,043,139,716
65	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$4,626,033	\$1,047,765,749
66	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$4,594,393	\$1,052,360,142
67	Bear, polar (<i>Ursus maritimus</i>)	T	\$4,438,621	\$1,056,798,763
68	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) - U.S.A. only	E	\$4,386,407	\$1,061,185,170
69	Tortoise, desert (<i>Gopherus agassizii</i>) - outside/taken from Sonoran Desert	SAT	\$4,376,424	\$1,065,561,594
70	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) - Pacific coast pop.	T	\$3,983,469	\$1,069,545,063
71	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$3,636,851	\$1,073,181,914
72	Sturgeon, North American green (<i>Acipenser medirostris</i>) - CA Southern DPS	T	\$3,605,068	\$1,076,786,982
73	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	\$3,560,723	\$1,080,347,705
74	Minnow, loach (<i>Tiaroga cobitis</i>)	T	\$3,459,513	\$1,083,807,218
75	Wolf, red (<i>Canis rufus</i>) - portions of NC and TN	EXPN	\$3,457,000	\$1,087,264,218
76	Spikedace (<i>Meda fulgida</i>)	T	\$3,436,727	\$1,090,700,945
77	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	\$3,313,867	\$1,094,014,812
78	Sucker, Lost River (<i>Deltistes luxatus</i>)	E	\$3,277,341	\$1,097,292,153
79	Tern, California least (<i>Sterna antillarum browni</i>)	E	\$3,269,772	\$1,100,561,925
80	Sturgeon, Atlantic (<i>Acipenser oxyrinchus oxyrinchus</i>) -	T	\$3,222,504	\$1,103,784,429
81	Sea turtle, loggerhead (<i>Caretta caretta</i>) - Northwest Atlantic DPS	T	\$3,198,330	\$1,106,982,759

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
82	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$3,081,388	\$1,110,064,147
83	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) - U.S.A.	E	\$2,956,265	\$1,113,020,412
84	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>) - CA	E	\$2,900,783	\$1,115,921,195
85	Bat, gray (<i>Myotis grisescens</i>)	E	\$2,851,238	\$1,118,772,433
86	Wolf, gray (<i>Canis lupus</i>) - AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; those portions of AZ, NM, TX not included inEXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, and WA; Mexico.	E	\$2,847,421	\$1,121,619,854
87	Chub, Gila (<i>Gila intermedia</i>)	E	\$2,764,031	\$1,124,383,885
88	Wolf, gray (<i>Canis lupus</i>) - WY, ID, MT	EXPN	\$2,754,285	\$1,127,138,170
89	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	E	\$2,707,104	\$1,129,845,274
90	Whale, Beluga (<i>Delphinapterus leucas</i>) - Cook Inlet DPS	E	\$2,655,502	\$1,132,500,776
91	Crane, whooping (<i>Grus americana</i>) - except where EXPN	E	\$2,641,215	\$1,135,141,991
92	Palila (honeycreeper) (<i>Loxioides bailleui</i>)	E	\$2,605,237	\$1,137,747,228
93	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>)	E	\$2,542,389	\$1,140,289,617
94	Tortoise, gopher (<i>Gopherus polyphemus</i>) - W of Mobile/Tombigbee Rs.	T	\$2,388,354	\$1,142,677,971
95	Wolf, gray (<i>Canis lupus</i>) - Mexican gray wolf, EXPN population	EXPN	\$2,355,478	\$1,145,033,449
96	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$2,352,043	\$1,147,385,492
97	Deer, Columbian white-tailed (<i>Odocoileus virginianus leucurus</i>) - Columbia River DPS	E	\$2,324,063	\$1,149,709,555
98	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$2,319,024	\$1,152,028,579
99	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$2,258,563	\$1,154,287,142
100	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$2,190,217	\$1,156,477,359
101	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$2,174,581	\$1,158,651,940
102	Whale, sperm (<i>Physeter catodon</i> (=macrocephalus))	E	\$2,162,842	\$1,160,814,782
103	scrub-jay, Florida (<i>Aphelocoma coerulescens</i>)	T	\$2,146,215	\$1,162,960,997
104	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$2,130,951	\$1,165,091,948
105	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$2,127,762	\$1,167,219,710
106	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (=E. e. wrighti))	E	\$2,117,111	\$1,169,336,821
107	Ferret, black-footed (<i>Mustela nigripes</i>) - except where EXPN	E	\$2,106,534	\$1,171,443,355
108	Panther, Florida (<i>Puma</i> (=Felis) concolor coryi) - LA and AR east to SC and FL	E	\$2,104,148	\$1,173,547,503

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
109	Sturgeon, gulf (<i>Acipenser oxyrinchus desotoi</i>)	T	\$2,030,869	\$1,175,578,372
110	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$2,012,757	\$1,177,591,129
111	Sea turtle, loggerhead (<i>Caretta caretta</i>) - North Pacific Ocean DPS	E	\$1,956,932	\$1,179,548,061
112	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$1,936,898	\$1,181,484,959
113	Salamander, California tiger (<i>Ambystoma californiense</i>) - Central CA DPS	T	\$1,919,472	\$1,183,404,431
114	Condor, California (<i>Gymnogyps californianus</i>) - except where EXPN	E	\$1,841,104	\$1,185,245,535
115	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>) - CA	E	\$1,781,472	\$1,187,027,007
116	Whale, killer (<i>Orcinus orca</i>) - Southern Resident DPS	E	\$1,741,589	\$1,188,768,596
117	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - northern	T	\$1,717,286	\$1,190,485,882
118	Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) - FL pop.	E	\$1,689,190	\$1,192,175,072
119	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$1,620,552	\$1,193,795,624
120	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$1,608,659	\$1,195,404,283
121	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$1,590,650	\$1,196,994,933
122	Parrot, Puerto Rican (<i>Amazona vittata</i>)	E	\$1,556,868	\$1,198,551,801
123	Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop.	T	\$1,545,430	\$1,200,097,231
124	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - except where listed as EXPN	E	\$1,539,057	\$1,201,636,288
125	Crow, Hawaiian (=alala) (<i>Corvus hawaiiensis</i>)	E	\$1,537,659	\$1,203,173,947
126	Crane, whooping (<i>Grus americana</i>) - AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	EXPN	\$1,522,406	\$1,204,696,353
127	Prairie dog, Utah (<i>Cynomys parvidens</i>) - UT	T	\$1,496,766	\$1,206,193,119
128	Sucker, June (<i>Chasmistes liorus</i>)	E	\$1,440,552	\$1,207,633,671
129	Wolf, gray (<i>Canis lupus</i>) - MN	T	\$1,405,323	\$1,209,038,994
130	Salamander, California tiger (<i>Ambystoma californiense</i>) - CA - Sonoma County	E	\$1,399,781	\$1,210,438,775
131	Warbler, Kirtland's (<i>Dendroica kirtlandii</i>)	E	\$1,365,618	\$1,211,804,393
132	Gnatcatcher, coastal California (<i>Polioptila californica californica</i>)	T	\$1,363,671	\$1,213,168,064
133	Sea turtle, green (<i>Chelonia mydas</i>) - FL, Mexico nesting pops.	E	\$1,340,532	\$1,214,508,596
134	Wolf, gray (<i>Canis lupus</i>) - WY, EXPN population	EXPN	\$1,309,776	\$1,215,818,372
135	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$1,298,182	\$1,217,116,554
136	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - except where endangered	T	\$1,266,283	\$1,218,382,837
137	Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>) - Sierra Nevada	E	\$1,241,568	\$1,219,624,405

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
138	Salamander, California tiger (<i>Ambystoma californiense</i>) - CA - Santa Barbara County	E	\$1,207,356	\$1,220,831,761
139	Cui-ui (<i>Chasmistes cujus</i>)	E	\$1,181,533	\$1,222,013,294
140	Coral, elkhorn (<i>Acropora palmata</i>)	T	\$1,173,382	\$1,223,186,676
141	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	\$1,160,894	\$1,224,347,570
142	Rail, light-footed clapper (<i>Rallus longirostris levipes</i>) - U.S.A.	E	\$1,156,964	\$1,225,504,534
143	Toad, arroyo (=arroyo southwestern) (<i>Anaxyrus californicus</i>)	E	\$1,144,825	\$1,226,649,359
144	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>) - CA	E	\$1,142,597	\$1,227,791,956
145	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	\$1,109,722	\$1,228,901,678
146	Sawfish, smalltooth (<i>Pristis pectinata</i>) - TX, FL	E	\$1,108,466	\$1,230,010,144
147	Goose, Hawaiian (<i>Branta</i> (=Nesochen) <i>sandvicensis</i>)	E	\$1,101,201	\$1,231,111,345
148	Wolf, gray (<i>Canis lupus</i>) - Western Great Lakes DPS	DM	\$1,098,690	\$1,232,210,035
149	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$1,094,184	\$1,233,304,219
150	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$1,062,000	\$1,234,366,219
151	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$1,059,474	\$1,235,425,693
152	Darter, Okaloosa (<i>Etheostoma okaloosae</i>)	E	\$1,058,016	\$1,236,483,709
153	Plover, piping (<i>Charadrius melodus</i>) - Great Lakes watershed	E	\$1,046,182	\$1,237,529,891
154	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$1,028,772	\$1,238,558,663
155	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>)	E	\$1,026,915	\$1,239,585,578
156	Sheep, Peninsular bighorn (<i>Ovis canadensis nelsoni</i>) - Peninsular CA	E	\$1,017,980	\$1,240,603,558
157	Coral, staghorn (<i>Acropora cervicornis</i>)	T	\$1,013,144	\$1,241,616,702
158	Abalone, White (<i>Haliotis sorenseni</i>) - West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico	E	\$1,004,328	\$1,242,621,030
159	Snails, Oahu tree (<i>Achatinella</i> spp.)	E	\$977,451	\$1,243,598,481
160	Chub, Oregon (<i>Oregonichthys crameri</i>)	T	\$972,151	\$1,244,570,632
161	Abalone, Black (<i>Haliotis cracherodii</i>)	E	\$963,645	\$1,245,534,277
162	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	\$958,482	\$1,246,492,759
163	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>)	E	\$957,395	\$1,247,450,154
164	Frog, mountain yellow-legged (<i>Rana muscosa</i>) – So. CA DPS	E	\$952,650	\$1,248,402,804
165	Goby, tidewater (<i>Eucyclogobius newberryi</i>)	E	\$944,722	\$1,249,347,526
166	Eulachon, Pacific (<i>Thaleichthys pacificus</i>) - Southern DPS	T	\$933,127	\$1,250,280,653
167	Paintbrush, golden (<i>Castilleja levisecta</i>)	T	\$913,747	\$1,251,194,400
168	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>)	T	\$898,484	\$1,252,092,884
169	Chub, Virgin River (<i>Gila seminuda</i> (=robusta))	E	\$890,379	\$1,252,983,263

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
170	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	E	\$854,681	\$1,253,837,944
171	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) – IN, MI, OH	T	\$837,385	\$1,254,675,329
172	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	\$826,052	\$1,255,501,381
173	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$810,227	\$1,256,311,608
174	Fatmucket, Arkansas (<i>Lampsilis powellii</i>)	T	\$791,720	\$1,257,103,328
175	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	\$782,255	\$1,257,885,583
176	Lupine, Kincaid's (<i>Lupinus sulphureus</i> ssp. <i>kincaidii</i>)	T	\$761,052	\$1,258,646,635
177	Woundfin (<i>Plagopterus argentissimus</i>) - except Gila R. drainage, AZ, NM	E	\$749,149	\$1,259,395,784
178	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$747,090	\$1,260,142,874
179	Nehe (<i>Lipochaeta kamolensis</i>)	E	\$728,469	\$1,260,871,343
180	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>)	E	\$726,139	\$1,261,597,482
181	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$686,548	\$1,262,284,030
182	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>)	T	\$683,195	\$1,262,967,225
183	Caribou, woodland (<i>Rangifer tarandus caribou</i>) - Selkirk Mountains	E	\$680,317	\$1,263,647,542
184	Darter, boulder (<i>Etheostoma wapiti</i>)	E	\$659,200	\$1,264,306,742
185	Bear, American black (<i>Ursus americanus</i>) - County range of LA b.bear	SAT	\$648,280	\$1,264,955,022
186	Peppergrass, Slickspot (<i>Lepidium papilliferum</i>)	T	\$638,065	\$1,265,593,087
187	Otter, southern sea (<i>Enhydra lutris nereis</i>)	T	\$635,493	\$1,266,228,580
188	Rockfish, Yelloweye (<i>Sebastes ruberrimus</i>) - Puget Sound–GA Basin DPS	T	\$631,230	\$1,266,859,810
189	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$631,149	\$1,267,490,959
190	Rockfish, Canary (<i>Sebastes pinniger</i>) - Puget Sound–GA Basin DPS	T	\$628,991	\$1,268,119,950
191	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	\$598,233	\$1,268,718,183
192	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) - FL	T	\$574,895	\$1,269,293,078
193	Whale, North Pacific Right (<i>Eubalaena japonica</i>)	E	\$570,759	\$1,269,863,837
194	Eagle, bald (<i>Haliaeetus leucocephalus</i>) - Sonoran Desert DPS	T	\$560,767	\$1,270,424,604
195	Squirrel, northern Idaho ground (<i>Spermophilus brunneus brunneus</i>)	T	\$558,046	\$1,270,982,650
196	Ferret, black-footed (<i>Mustela nigripes</i>) - portions of AZ, CO, MT, SD, UT, WY	EXPN	\$557,007	\$1,271,539,657
197	Bocaccio (<i>Sebastes paucispinis</i>) - Puget Sound–GA Basin DPS	E	\$554,690	\$1,272,094,347

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
198	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) - CO, WY	T	\$554,186	\$1,272,648,533
199	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>)	E	\$553,033	\$1,273,201,566
200	Daisy, Willamette (<i>Erigeron decumbens</i> var. <i>decumbens</i>)	E	\$547,428	\$1,273,748,994
201	Howellia, water (<i>Howellia aquatilis</i>)	T	\$539,612	\$1,274,288,606
202	Mussel, snuffbox (<i>Epioblasma triquetra</i>)	E	\$533,251	\$1,274,821,857
203	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$531,440	\$1,275,353,297
204	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$525,255	\$1,275,878,552
205	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$521,140	\$1,276,399,692
206	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$518,700	\$1,276,918,392
207	Shiner, Topeka (<i>Notropis topeka</i> (=tristis))	E	\$514,028	\$1,277,432,420
208	Sparrow, San Clemente sage (<i>Amphispiza belli clementeae</i>)	T	\$513,785	\$1,277,946,205
209	Lizard, Island night (<i>Xantusia riversiana</i>)	T	\$513,172	\$1,278,459,377
210	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>) - CA	E	\$507,870	\$1,278,967,247
211	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$504,091	\$1,279,471,338
212	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$503,935	\$1,279,975,273
213	Petrel, Hawaiian dark-rumped (<i>Pterodroma phaeopygia sandwichensis</i>)	E	\$496,840	\$1,280,472,113
214	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	\$494,726	\$1,280,966,839
215	trout, Greenback Cutthroat (<i>Oncorhynchus clarki stomias</i>)	T	\$490,727	\$1,281,457,566
216	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>)	E	\$483,660	\$1,281,941,226
217	Goldfields, Burke's (<i>Lasthenia burkei</i>)	E	\$482,800	\$1,282,424,026
218	Otter, Northern Sea (<i>Enhydra lutris kenyoni</i>) - SW Alaska DPS	T	\$478,997	\$1,282,903,023
219	Tui chub, Mohave (<i>Gila bicolor</i> ssp. <i>mohavensis</i>)	E	\$475,243	\$1,283,378,266
220	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$473,122	\$1,283,851,388
221	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>)	E	\$471,966	\$1,284,323,354
222	Frog, dusky gopher (<i>Rana sevosia</i>)	E	\$470,425	\$1,284,793,779
223	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	\$464,995	\$1,285,258,774
224	Bat, Ozark big-eared (<i>Corynorhinus</i> (=Plecotus) <i>townsendii ingens</i>)	E	\$460,926	\$1,285,719,700
225	Bat, lesser long-nosed (<i>Leptonycteris curasoae yerbabuena</i>)	E	\$458,362	\$1,286,178,062
226	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$449,201	\$1,286,627,263
227	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	\$446,230	\$1,287,073,493
228	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>)	T	\$446,175	\$1,287,519,668
229	Wolf, red (<i>Canis rufus</i>) - except where EXPN	E	\$444,500	\$1,287,964,168

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
230	Kangaroo rat, Stephens' (<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>))	E	\$430,105	\$1,288,394,273
231	Albatross, short-tailed (<i>Phoebastria</i> (= <i>Diomedea</i>) <i>albatrus</i>)	E	\$428,142	\$1,288,822,415
232	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>)	E	\$422,965	\$1,289,245,380
233	Hawk, Hawaiian (=lo) (<i>Buteo solitarius</i>)	E	\$415,806	\$1,289,661,186
234	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$409,240	\$1,290,070,426
235	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>)	T	\$406,696	\$1,290,477,122
236	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - Rio Grande, from Little Box Canyon to Amistad Dam	EXPN	\$405,921	\$1,290,883,043
237	<i>Vigna o-wahuensis</i> (=Sci name)	E	\$399,635	\$1,291,282,678
238	Kangaroo rat, Tipton (<i>Dipodomys nitratoides nitratoides</i>)	E	\$398,808	\$1,291,681,486
239	Crocodile, American (<i>Crocodylus acutus</i>) - FL pop.	T	\$396,321	\$1,292,077,807
240	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	\$395,174	\$1,292,472,981
241	Rail, Guam (<i>Rallus owstoni</i>) - except Rota	E	\$394,583	\$1,292,867,564
242	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>)	E	\$381,218	\$1,293,248,782
243	Toad, Wyoming (<i>Bufo baxteri</i> (= <i>hemiophrys</i>))	E	\$380,428	\$1,293,629,210
244	Seal, Caribbean monk (<i>Monachus tropicalis</i>)	E	\$380,000	\$1,294,009,210
245	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>)	T	\$378,665	\$1,294,387,875
246	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	\$377,589	\$1,294,765,464
247	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	\$376,132	\$1,295,141,596
248	Butterfly, Palos Verdes blue (<i>Glaucopsyche lygdamus palosverdesensis</i>)	E	\$375,745	\$1,295,517,341
249	Bat, Virginia big-eared (<i>Corynorhinus</i> (= <i>Plecotus</i>) <i>townsendii virginianus</i>)	E	\$368,740	\$1,295,886,081
250	Salamander, frosted flatwoods (<i>Ambystoma cingulatum</i>)	T	\$365,606	\$1,296,251,687
251	Phlox, Texas trailing (<i>Phlox nivalis</i> ssp. <i>texensis</i>)	E	\$364,407	\$1,296,616,094
252	Fox, Santa Rosa Island (<i>Urocyon littoralis santarosae</i>) - CA	E	\$363,840	\$1,296,979,934
253	Mapleleaf, winged (<i>Quadrula fragosa</i>) - except where EXPN	E	\$361,236	\$1,297,341,170
254	Snail, flat-spined three-toothed (<i>Triodopsis platysayoides</i>)	T	\$355,000	\$1,297,696,170
255	Chaffseed, American (<i>Schwalbea americana</i>)	E	\$351,708	\$1,298,047,878
256	<i>Spermolepis hawaiiensis</i> (=Sci name)	E	\$346,644	\$1,298,394,522
257	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$342,235	\$1,298,736,757
258	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - Mexican nesting pop.	E	\$340,550	\$1,299,077,307
259	Three-ridge, fat (mussel) (<i>Amblema neislerii</i>)	E	\$327,788	\$1,299,405,095
260	Logperch, Roanoke (<i>Percina rex</i>)	E	\$324,757	\$1,299,729,852

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
261	Toad, Houston (<i>Bufo houstonensis</i>)	E	\$324,540	\$1,300,054,392
262	Rabbit, pygmy (<i>Brachylagus idahoensis</i>) - Columbia Basin DPS	E	\$324,517	\$1,300,378,909
263	Pearlymussel, cracking (<i>Hemistena lata</i>) - Except where EXPN	E	\$324,475	\$1,300,703,384
264	Condor, California (<i>Gymnogyps californianus</i>) - AZ, NV, UT	EXPN	\$323,516	\$1,301,026,900
265	Snail, Snake River physa (<i>Physa natricina</i>)	E	\$318,094	\$1,301,344,994
266	Salamander, Reticulated flatwoods (<i>Ambystoma bishopi</i>)	E	\$313,250	\$1,301,658,244
267	Clubshell (<i>Pleurobema clava</i>) - Except where EXPN	E	\$310,978	\$1,301,969,222
268	Bat, Mariana fruit (=Mariana flying fox) (<i>Pteropus mariannus mariannus</i>)	T	\$309,727	\$1,302,278,949
269	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - Except where EXPN	E	\$308,861	\$1,302,587,810
270	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$304,939	\$1,302,892,749
271	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus familiaris kingi</i>)	E	\$304,677	\$1,303,197,426
272	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>)	E	\$297,695	\$1,303,495,121
273	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>)	E	\$297,434	\$1,303,792,555
274	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	\$296,436	\$1,304,088,991
275	Wooly-threads, San Joaquin (<i>Monolopia (=Lembertia) congdonii</i>)	E	\$293,677	\$1,304,382,668
276	Ocelot (<i>Leopardus (=Felis) pardalis</i>) - AZ, TX to Central and South America	E	\$291,026	\$1,304,673,694
277	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	\$289,547	\$1,304,963,241
278	Darter, bluemask (=jewel) (<i>Etheostoma</i> sp.)	E	\$289,300	\$1,305,252,541
279	Honohono (<i>Haplostachys haplostachya</i>)	E	\$287,067	\$1,305,539,608
280	Mouse, Pacific pocket (<i>Perognathus longimembris pacificus</i>)	E	\$286,314	\$1,305,825,922
281	Popolo ku mai (<i>Solanum incompletum</i>)	E	\$286,298	\$1,306,112,220
282	<i>Asplenium fragile insulare</i> (=Sci name)	E	\$284,750	\$1,306,396,970
283	<i>Silene hawaiiensis</i> (=Sci name)	T	\$283,091	\$1,306,680,061
284	<i>Stenogyne angustifolia angustifolia</i> (=Sci name)	E	\$283,046	\$1,306,963,107
285	<i>Neraudia ovata</i> (=Sci name)	E	\$282,647	\$1,307,245,754
286	Darter, Niangua (<i>Etheostoma nianguae</i>)	T	\$282,200	\$1,307,527,954
287	Sucker, Warner (<i>Catostomus warnerensis</i>)	T	\$281,750	\$1,307,809,704
288	Bear, grizzly (<i>Ursus arctos horribilis</i>) - portions of ID and MT	EXPN	\$280,600	\$1,308,090,304
289	Po`e (<i>Portulaca sclerocarpa</i>)	E	\$279,972	\$1,308,370,276
290	Akepa, Hawaii (honeycreeper) (<i>Loxops coccineus coccineus</i>)	E	\$279,502	\$1,308,649,778
291	Kio`ele (<i>Kadua coriacea</i>)	E	\$279,435	\$1,308,929,213

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
292	Bankclimber, purple (mussel) (<i>Elliptoideus sloatianus</i>)	T	\$276,875	\$1,309,206,088
293	<i>Silene lanceolata</i> (=Sci name)	E	\$276,867	\$1,309,482,955
294	<i>Lipochaeta venosa</i> (=Sci name)	E	\$276,164	\$1,309,759,119
295	A`e (<i>Zanthoxylum hawaiiense</i>)	E	\$273,615	\$1,310,032,734
296	Iagu, Hayun (=Guam, Tronkon guafi (Rota)) (<i>Serianthes nelsonii</i>)	E	\$273,190	\$1,310,305,924
297	Aupaka (<i>Isodendrion hosakae</i>)	E	\$273,013	\$1,310,578,937
298	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	\$272,780	\$1,310,851,717
299	<i>Tetramolopium arenarium</i> (=Sci name)	E	\$271,081	\$1,311,122,798
300	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	\$270,474	\$1,311,393,272
301	Tern, roseate (<i>Sterna dougallii dougallii</i>) - northeast U.S. nesting pop.	E	\$267,384	\$1,311,660,656
302	Spiny mussel, James (<i>Pleurobema collina</i>)	E	\$265,350	\$1,311,926,006
303	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - Southwestern population	EXPN	\$264,750	\$1,312,190,756
304	Shiner, Cape Fear (<i>Notropis mekistocholas</i>)	E	\$262,690	\$1,312,453,446
305	Seal, spotted (<i>Phoca largha</i>) - Southern DPS	T	\$262,500	\$1,312,715,946
306	Jaguar (<i>Panthera onca</i>) - AZ,CA,LA,NM,TX,Mexico,Central and South America	E	\$260,695	\$1,312,976,641
307	Shrimp, California freshwater (<i>Syncaris pacifica</i>)	E	\$254,983	\$1,313,231,624
308	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$253,670	\$1,313,485,294
309	Creeper, Hawaii (<i>Oreomyza mana</i>)	E	\$252,720	\$1,313,738,014
310	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$248,068	\$1,313,986,082
311	Trout, Apache (<i>Oncorhynchus apache</i>)	T	\$247,657	\$1,314,233,739
312	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$247,504	\$1,314,481,243
313	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - Except where EXPN	E	\$246,950	\$1,314,728,193
314	Blackbird, yellow-shouldered (<i>Agelaius xanthomus</i>)	E	\$246,480	\$1,314,974,673
315	Mussel, sheepnose (<i>Plethobasus cyphus</i>)	E	\$246,463	\$1,315,221,136
316	Akiapola`au (honeycreeper) (<i>Hemignathus munroi</i>)	E	\$241,502	\$1,315,462,638
317	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$240,489	\$1,315,703,127
318	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	\$237,273	\$1,315,940,400
319	Shiner, Arkansas River (<i>Notropis girardi</i>) - Arkansas R. Basin	T	\$234,223	\$1,316,174,623
320	Dace, Moapa (<i>Moapa coriacea</i>)	E	\$232,549	\$1,316,407,172
321	Butterfly, Miami Blue (<i>Cyclargus</i> (=Hemiargus) thomasi bethunebakeri)	E	\$227,369	\$1,316,634,541

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
322	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>)	T	\$226,928	\$1,316,861,469
323	Lily, Western (<i>Lilium occidentale</i>)	E	\$224,692	\$1,317,086,161
324	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>coachellae</i>)	E	\$222,277	\$1,317,308,438
325	Seal, Guadalupe fur (<i>Arctocephalus townsendi</i>)	T	\$220,905	\$1,317,529,343
326	Butterfly, bay checkerspot (<i>Euphydryas editha bayensis</i>)	T	\$215,700	\$1,317,745,043
327	Vole, Amargosa (<i>Microtus californicus scirpensis</i>)	E	\$215,503	\$1,317,960,546
328	Otter, southern sea (<i>Enhydra lutris nereis</i>) - south of Pt. Conception, CA	EXPN	\$210,527	\$1,318,171,073
329	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$210,428	\$1,318,381,501
330	Pocketbook, finlined (<i>Lampsilis altilis</i>)	T	\$210,145	\$1,318,591,646
331	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$210,122	\$1,318,801,768
332	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - Except where EXPN	E	\$208,939	\$1,319,010,707
333	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	\$208,518	\$1,319,219,225
334	Duck, Laysan (<i>Anas laysanensis</i>)	E	\$207,375	\$1,319,426,600
335	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>) - CA	E	\$206,107	\$1,319,632,707
336	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	E	\$205,612	\$1,319,838,319
337	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	\$203,360	\$1,320,041,679
338	Squirrel, Virginia northern flying (<i>Glaucomys sabrinus fuscus</i>)	E	\$199,454	\$1,320,241,133
339	Amaranth, seabeach (<i>Amaranthus punilus</i>)	T	\$197,709	\$1,320,438,842
340	Ma`o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>)	E	\$197,324	\$1,320,636,166
341	Mucket, orangenacre (<i>Lampsilis perovalis</i>)	T	\$194,228	\$1,320,830,394
342	Butterfly, Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>)	E	\$193,925	\$1,321,024,319
343	Bean, purple (<i>Villosa perpurpurea</i>)	E	\$193,775	\$1,321,218,094
344	Chub, spotfin (<i>Erimonax monachus</i>)	T	\$192,096	\$1,321,410,190
345	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$191,172	\$1,321,601,362
346	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>)	E	\$190,507	\$1,321,791,869
347	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum croceum</i>)	E	\$190,287	\$1,321,982,156
348	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>)	E	\$189,625	\$1,322,171,781
349	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscini</i>)	E	\$189,404	\$1,322,361,185
350	Woolly-star, Santa Ana River (<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>)	E	\$187,971	\$1,322,549,156
351	<i>Phyllostegia hispida</i> (=Sci name)	E	\$187,749	\$1,322,736,905

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
352	Darter, goldline (<i>Percina aurolineata</i>)	T	\$187,149	\$1,322,924,054
353	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - Except where EXPN	E	\$186,721	\$1,323,110,775
354	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>)	E	\$185,126	\$1,323,295,901
355	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>)	E	\$184,627	\$1,323,480,528
356	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$184,611	\$1,323,665,139
357	Rocksnailed, plicate (<i>Leptoxis plicata</i>)	E	\$184,000	\$1,323,849,139
358	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>) FL	T	\$183,804	\$1,324,032,943
359	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	\$183,021	\$1,324,215,964
360	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$181,356	\$1,324,397,320
361	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>)	E	\$181,337	\$1,324,578,657
362	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>)	E	\$181,052	\$1,324,759,709
363	Pondberry (<i>Lindera melissifolia</i>)	E	\$180,018	\$1,324,939,727
364	Darter, leopard (<i>Percina pantherina</i>)	T	\$178,001	\$1,325,117,728
365	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$177,782	\$1,325,295,510
366	Cactus, Pima pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>)	E	\$175,244	\$1,325,470,754
367	Dace, blackside (<i>Phoxinus cumberlandensis</i>)	T	\$173,888	\$1,325,644,642
368	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$172,678	\$1,325,817,320
369	Cactus, Bakersfield (<i>Opuntia treleasei</i>)	E	\$171,594	\$1,325,988,914
370	Mouse, Perdido Key beach (<i>Peromyscus polionotus trissyllepsis</i>)	E	\$171,226	\$1,326,160,140
371	Lessingia, San Francisco (<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>))	E	\$4,782	\$1,326,164,922
372	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$169,335	\$1,326,334,257
373	Lampmussel, Alabama (<i>Lampsilis virescens</i>) - Except where EXPN	E	\$169,000	\$1,326,503,257
374	Slabshell, Chipola (<i>Elliptio chipolaensis</i>)	T	\$168,014	\$1,326,671,271
375	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	\$167,535	\$1,326,838,806
376	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$167,194	\$1,327,006,000
377	Pebblesnail, flat (<i>Lepyrium showalteri</i>)	E	\$166,591	\$1,327,172,591
378	Darter, snail (<i>Percina tanasi</i>)	T	\$164,684	\$1,327,337,275
379	Pink, swamp (<i>Helonias bullata</i>)	T	\$164,394	\$1,327,501,669
380	Limpet, Banbury Springs (<i>Lanx</i> sp.)	E	\$163,387	\$1,327,665,056
381	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$163,158	\$1,327,828,214
382	Monardella, willow (<i>Monardella viminea</i>)	E	\$163,031	\$1,327,991,245
383	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	\$160,839	\$1,328,152,084

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
384	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - except Sussex Co., DE	E	\$160,087	\$1,328,312,171
385	Hellbender, Ozark (<i>Cryptobranchus alleganiensis bishopi</i>)	E	\$158,760	\$1,328,470,931
386	Madtom, Neosho (<i>Noturus placidus</i>)	T	\$158,179	\$1,328,629,110
387	Mehamehame (<i>Flueggea neowawraea</i>)	E	\$157,757	\$1,328,786,867
388	Crane, whooping (<i>Grus americana</i>) - CO, ID, FL, NM, UT, WY	EXPN	\$156,345	\$1,328,943,212
389	Trout, Gila (<i>Oncorhynchus gilae</i>)	T	\$154,086	\$1,329,097,298
390	Lomatium, Cook's (<i>Lomatium cookii</i>)	E	\$153,384	\$1,329,250,682
391	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	\$152,939	\$1,329,403,621
392	Snake, Concho water (<i>Nerodia paucimaculata</i>)	T	\$152,763	\$1,329,556,384
393	Kangaroo rat, Fresno (<i>Dipodomys nitratooides exilis</i>)	E	\$152,027	\$1,329,708,411
394	Bear-poppy, Dwarf (<i>Arctomecon humilis</i>)	E	\$150,530	\$1,329,858,941
395	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	\$150,500	\$1,330,009,441
396	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>)	E	\$149,875	\$1,330,159,316
397	Stickleback, unarmored threespine (<i>Gasterosteus aculeatus williamsoni</i>)	E	\$147,911	\$1,330,307,227
398	Pigtoe, shiny (<i>Fusconaia cor</i>) - Except where EXPN	E	\$145,975	\$1,330,453,202
399	Pigtoe, finerayed (<i>Fusconaia cuneolus</i>) - Except where EXPN	E	\$144,600	\$1,330,597,802
400	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>)	T	\$144,068	\$1,330,741,870
401	Madtom, pygmy (<i>Noturus stanauli</i>)	E	\$144,000	\$1,330,885,870
402	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	\$143,800	\$1,331,029,670
403	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	\$143,651	\$1,331,173,321
404	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>)	T	\$142,764	\$1,331,316,085
405	Poolfish, Pahump (<i>Empetrichthys latos</i>)	E	\$141,842	\$1,331,457,927
406	Thrush, small Kauai (=puaiohi) (<i>Myadestes palmeri</i>)	E	\$140,434	\$1,331,598,361
407	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	\$140,348	\$1,331,738,709
408	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>) - FL	E	\$139,652	\$1,331,878,361
409	Trout, Little Kern golden (<i>Oncorhynchus aguabonita whitei</i>) - Entire	T	\$138,787	\$1,332,017,148
410	Broom, San Clemente Island (<i>Lotus dendroideus</i> ssp. <i>traskiae</i>)	E	\$136,570	\$1,332,153,718
411	Sandwort, Marsh (<i>Arenaria paludicola</i>)	E	\$136,107	\$1,332,289,825
412	Isopod, Madison Cave (<i>Antrolana lira</i>)	T	\$135,105	\$1,332,424,930
413	Mahoe (<i>Alectryon macrococcus</i>)	E	\$134,712	\$1,332,559,642
414	Evening-primrose, San Benito (<i>Camissonia benitensis</i>)	T	\$133,673	\$1,332,693,315
415	Pigtoe, finerayed (<i>Fusconaia cuneolus</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$133,200	\$1,332,826,515

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
415	Pigtoe, shiny (<i>Fusconaia cor</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$133,200	\$1,332,959,715
416	Spinedace, White River (<i>Lepidomeda albivallis</i>)	E	\$133,014	\$1,333,092,729
417	Crane, whooping (<i>Grus americana</i>) - SW LA	EXPN	\$132,680	\$1,333,225,409
418	Whale, gray (<i>Eschrichtius robustus</i>) - W Pacific Ocean	E	\$132,510	\$1,333,357,919
419	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	\$132,280	\$1,333,490,199
420	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus allopkyrs</i>)	E	\$132,240	\$1,333,622,439
421	Spinymussel, Tar River (<i>Elliptio steinstansana</i>)	E	\$131,230	\$1,333,753,669
422	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>)	E	\$130,619	\$1,333,884,288
423	Cactus, Colorado hookless (<i>Sclerocactus glaucus</i>)	T	\$130,418	\$1,334,014,706
424	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$128,803	\$1,334,143,509
425	Tiger beetle, northeastern beach (<i>Cicindela dorsalis dorsalis</i>)	T	\$127,633	\$1,334,271,142
426	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$127,527	\$1,334,398,669
427	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$126,088	\$1,334,524,757
428	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	\$125,876	\$1,334,650,633
429	Rosemary, Cumberland (<i>Conradina verticillata</i>)	T	\$124,096	\$1,334,774,729
430	Akikiki (<i>Oreomystis bairdi</i>)	E	\$123,587	\$1,334,898,316
431	Milk-vetch, triple-ribbed (<i>Astragalus tricarinatus</i>)	E	\$123,502	\$1,335,021,818
432	Tiger beetle, Salt Creek (<i>Cicindela nevadica lincolniana</i>)	E	\$123,002	\$1,335,144,820
433	<i>Neraudia angulata</i> (=Sci name)	E	\$121,888	\$1,335,266,708
434	Hala pepe (<i>Pleomele hawaiiensis</i>)	E	\$121,599	\$1,335,388,307
435	<i>Abutilon sandwicense</i> (=Sci name)	E	\$121,531	\$1,335,509,838
436	<i>Gouania vitifolia</i> (=Sci name)	E	\$121,255	\$1,335,631,093
437	Chub, Sonora (<i>Gila ditaenia</i>)	T	\$120,355	\$1,335,751,448
438	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>)	E	\$119,265	\$1,335,870,713
439	<i>Hesperomannia arbuscula</i> (=Sci name)	E	\$119,069	\$1,335,989,782
440	<i>Kadua parvula</i> (=Sci name)	E	\$118,131	\$1,336,107,913
441	Pamakani (<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>)	E	\$117,985	\$1,336,225,898
442	Haha (<i>Cyanea acuminata</i>)	E	\$117,221	\$1,336,343,119
443	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	\$117,209	\$1,336,460,328
444	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	\$116,778	\$1,336,577,106
445	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus coloratus</i>)	E	\$115,990	\$1,336,693,096
446	Kulu`i (<i>Nototrichium humile</i>)	E	\$115,208	\$1,336,808,304

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
447	<i>Schiedea nuttallii</i> (=Sci name)	E	\$115,108	\$1,336,923,412
448	Kamanomano (<i>Cenchrus agrimonioides</i>)	E	\$115,078	\$1,337,038,490
449	<i>Pteris lidgatei</i> (=Sci name)	E	\$114,546	\$1,337,153,036
450	<i>Tetramolopium filiforme</i> (=Sci name)	E	\$113,459	\$1,337,266,495
451	Bean, rayed (<i>Villosa fabalis</i>)	E	\$113,126	\$1,337,379,621
452	Taraxacum, California (<i>Taraxacum californicum</i>)	E	\$112,913	\$1,337,492,534
453	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>)	E	\$112,561	\$1,337,605,095
454	Oha (<i>Delissea subcordata</i>)	E	\$112,498	\$1,337,717,593
455	`Akoko (<i>Chamaesyce celastroides</i> var. <i>kaenana</i>)	E	\$112,276	\$1,337,829,869
456	Haha (<i>Cyanea st.-johnii</i>)	E	\$112,114	\$1,337,941,983
457	Haha (<i>Cyanea superba</i>)	E	\$112,108	\$1,338,054,091
458	Shiner, palezone (<i>Notropis albizonatus</i>)	E	\$111,816	\$1,338,165,907
459	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>)	E	\$111,608	\$1,338,277,515
460	Uhiuhi (<i>Caesalpinia kavaiense</i>)	E	\$111,577	\$1,338,389,092
461	<i>Phyllostegia kaalaensis</i> (=Sci name)	E	\$111,284	\$1,338,500,376
462	Dace, Foscett speckled (<i>Rhinichthys osculus</i> ssp.)	T	\$110,850	\$1,338,611,226
463	Ha`iwale (<i>Cyrtandra dentata</i>)	E	\$109,676	\$1,338,720,902
463	<i>Schiedea obovata</i> (=Sci name)	E	\$109,676	\$1,338,830,578
463	`Akoko (<i>Chamaesyce herbstii</i>)	E	\$109,676	\$1,338,940,254
464	Lo`ulu (<i>Pritchardia kaalae</i>)	E	\$109,187	\$1,339,049,441
465	Nehe (<i>Melanthera tenuifolia</i>)	E	\$109,176	\$1,339,158,617
465	<i>Sanicula mariversa</i> (=Sci name)	E	\$109,176	\$1,339,267,793
465	Haha (<i>Cyanea longiflora</i>)	E	\$109,176	\$1,339,376,969
466	<i>Hesperomannia arborescens</i> (=Sci name)	E	\$108,938	\$1,339,485,907
466	<i>Lobelia oahuensis</i> (=Sci name)	E	\$108,938	\$1,339,594,845
467	<i>Kadua degeneri</i> (=Sci name)	E	\$108,822	\$1,339,703,667
468	Mouse, St. Andrew beach (<i>Peromyscus polionotus peninsularis</i>) - FL	E	\$108,621	\$1,339,812,288
469	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>) - CA	E	\$108,587	\$1,339,920,875
470	Amole, purple (<i>Chlorogalum purpureum</i>)	T	\$108,423	\$1,340,029,298
471	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - Except where listed as EXPN	E	\$108,389	\$1,340,137,687
472	<i>Phyllostegia hirsuta</i> (=Sci name)	E	\$108,329	\$1,340,246,016
473	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$108,180	\$1,340,354,196
474	Na`ena`e (<i>Dubautia herbstobatae</i>)	E	\$108,176	\$1,340,462,372

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
475	Akekee (<i>Loxops caeruleirostris</i>)	E	\$108,020	\$1,340,570,392
476	Sucker, Modoc (<i>Catostomus microps</i>)	E	\$107,964	\$1,340,678,356
477	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$107,478	\$1,340,785,834
478	Nanu (<i>Gardenia manni</i>)	E	\$107,153	\$1,340,892,987
479	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	\$107,036	\$1,341,000,023
480	Ha`iwale (<i>Cyrtandra viridiflora</i>)	E	\$106,721	\$1,341,106,744
481	Cycladenia, Jones (<i>Cycladenia humilis</i> var. <i>jonesii</i>)	T	\$106,400	\$1,341,213,144
482	Kolea (<i>Myrsine juddii</i>)	E	\$106,221	\$1,341,319,365
482	`Akoko (<i>Chamaesyce rockii</i>)	E	\$106,221	\$1,341,425,586
483	Koki`o (<i>Kokia drynarioides</i>)	E	\$105,469	\$1,341,531,055
484	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>)	E	\$104,090	\$1,341,635,145
485	Quillwort, Louisiana (<i>Isoetes louisianensis</i>)	E	\$103,842	\$1,341,738,987
486	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$102,994	\$1,341,841,981
487	Wawae`iole (<i>Huperzia nutans</i>)	E	\$102,367	\$1,341,944,348
488	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notatior</i>)	E	\$101,777	\$1,342,046,125
489	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	\$101,628	\$1,342,147,753
490	Trout, Paiute cutthroat (<i>Oncorhynchus clarkii seleniris</i>)	T	\$101,140	\$1,342,248,893
491	Kingfisher, Guam Micronesian (<i>Halcyon cinnamomina cinnamomina</i>)	E	\$100,893	\$1,342,349,786
492	Elktoe, Appalachian (<i>Alasmidonta raveneliana</i>)	E	\$100,840	\$1,342,450,626
493	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>)	E	\$100,835	\$1,342,551,461
494	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (=E. <i>walkeri</i>))	E	\$100,815	\$1,342,652,276
495	Orcutt grass, Sacramento (<i>Orcuttia viscida</i>)	E	\$99,620	\$1,342,751,896
496	Skullcap, large-flowered (<i>Scutellaria montana</i>)	T	\$98,662	\$1,342,850,558
497	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	\$98,463	\$1,342,949,021
498	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$97,907	\$1,343,046,928
499	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$97,215	\$1,343,144,143
500	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i> (=Sci name)	E	\$96,721	\$1,343,240,864
501	<i>Phyllostegia mollis</i> (=Sci name)	E	\$96,329	\$1,343,337,193
502	Spectaclecase (mussel) (<i>Cumberlandia monodonta</i>)	E	\$95,918	\$1,343,433,111
503	Woundfin (<i>Plagopterus argentissimus</i>) - Gila R. drainage, AZ, NM	EXPN	\$95,661	\$1,343,528,772
504	Hawk, Puerto Rican broad-winged (<i>Buteo platypterus brunnescens</i>)	E	\$95,311	\$1,343,624,083
505	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$93,643	\$1,343,717,726

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
506	Jaguarundi, Gulf Coast (<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>) – TX , Mexico	E	\$93,281	\$1,343,811,007
507	Kamakahala (<i>Labordia cyrtandrae</i>)	E	\$93,114	\$1,343,904,121
508	Pomace fly, [unnamed] (<i>Drosophila montgomeryi</i>)	E	\$92,934	\$1,343,997,055
508	Pomace fly, [unnamed] (<i>Drosophila substenoptera</i>)	E	\$92,934	\$1,344,089,989
509	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	\$92,755	\$1,344,182,744
510	Sturgeon, Shovelnose (<i>Scaphirhynchus platyrhynchus</i>)	SAT	\$92,547	\$1,344,275,291
511	Pennyroyal, Todsens's (<i>Hedeoma todsenii</i>)	E	\$92,415	\$1,344,367,706
512	Nioi (<i>Eugenia koolauensis</i>)	E	\$92,153	\$1,344,459,859
513	Haha (<i>Cyanea koolauensis</i>)	E	\$91,721	\$1,344,551,580
514	<i>Stenogyne kanehoana</i> (=Sci name)	E	\$91,329	\$1,344,642,909
515	<i>Schiedea trinervis</i> (=Sci name)	E	\$91,221	\$1,344,734,130
516	<i>Cyanea (=Rollandia) crispa</i> (=Sci name)	E	\$91,153	\$1,344,825,283
517	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>)	E	\$91,100	\$1,344,916,383
518	Butterfly, Schaus swallowtail (<i>Heraclides aristodemus ponceanus</i>)	E	\$90,880	\$1,345,007,263
519	Alani (<i>Melicope lydgatei</i>)	E	\$90,721	\$1,345,097,984
520	Butterfly, Smith's blue (<i>Euphilotes enoptes smithi</i>)	E	\$90,670	\$1,345,188,654
521	Onion, Munz's (<i>Allium munzii</i>)	E	\$90,660	\$1,345,279,314
522	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	\$90,100	\$1,345,369,414
523	Ha`iwale (<i>Cyrtandra subumbellata</i>)	E	\$89,721	\$1,345,459,135
524	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	\$89,402	\$1,345,548,537
525	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$89,264	\$1,345,637,801
526	<i>Viola oahuensis</i> (=Sci name)	E	\$89,221	\$1,345,727,022
527	Skipper, Carson wandering (<i>Pseudocopaedodes eunus obscurus</i>) - NV, CA	E	\$88,652	\$1,345,815,674
528	Skyrocket, Pagosa (<i>Ipomopsis polyantha</i>)	E	\$86,825	\$1,345,902,499
529	Salamander, desert slender (<i>Batrachoseps aridus</i>)	E	\$86,511	\$1,345,989,010
530	Elktoe, Cumberland (<i>Alasmidonta atropurpurea</i>)	E	\$85,896	\$1,346,074,906
531	Ko`oloa`ula (<i>Abutilon menziesii</i>)	E	\$85,724	\$1,346,160,630
532	Meadowfoam, large-flowered woolly (<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>)	E	\$85,634	\$1,346,246,264
533	Megapode, Micronesian (<i>Megapodius laperouse</i>)	E	\$85,444	\$1,346,331,708
534	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	\$85,100	\$1,346,416,808
535	Evening-primrose, Eureka Valley (<i>Oenothera avita</i> ssp. <i>eurekensis</i>)	E	\$84,904	\$1,346,501,712
536	`Aiea (<i>Nothoctrum breviflorum</i>)	E	\$84,599	\$1,346,586,311

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
537	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$84,435	\$1,346,670,746
538	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$83,603	\$1,346,754,349
539	Fly, Delhi Sands flower-loving (<i>Rhaphiomidas terminatus abdominalis</i>)	E	\$83,201	\$1,346,837,550
540	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	\$83,066	\$1,346,920,616
541	Poppy, Sacramento prickly (<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>)	E	\$83,015	\$1,347,003,631
542	Thistle, Chorro Creek bog (<i>Cirsium fontinale</i> var. <i>obispoense</i>)	E	\$82,773	\$1,347,086,404
543	Butterfly, mission blue (<i>Icaricia icarioides missionensis</i>)	E	\$80,503	\$1,347,166,907
544	Darter, yellowcheek (<i>Etheostoma moorei</i>)	E	\$79,396	\$1,347,246,303
545	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>)	E	\$79,100	\$1,347,325,403
546	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>)	E	\$79,000	\$1,347,404,403
547	Chub, Borax Lake (<i>Gila boraxobius</i>)	E	\$78,860	\$1,347,483,263
548	Snail, Newcomb's (<i>Erinna newcombi</i>)	T	\$78,687	\$1,347,561,950
549	Phacelia, DeBeque (<i>Phacelia submutica</i>)	T	\$78,341	\$1,347,640,291
550	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>)	E	\$78,154	\$1,347,718,445
551	Piperia, Yadon's (<i>Piperia yadonii</i>)	E	\$78,096	\$1,347,796,541
552	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	T	\$77,872	\$1,347,874,413
553	Spurge, telephus (<i>Euphorbia telephioides</i>)	T	\$77,341	\$1,347,951,754
554	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$76,129	\$1,348,027,883
555	Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>)	T	\$75,401	\$1,348,103,284
556	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>)	E	\$75,186	\$1,348,178,470
557	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	\$74,783	\$1,348,253,253
558	wild buckwheat, clay-loving (<i>Eriogonum pelinophilum</i>)	E	\$74,036	\$1,348,327,289
559	cactus, Uinta Basin hookless (<i>Sclerocactus wetlandicus</i>)	T	\$72,230	\$1,348,399,519
560	Crayfish, Shasta (<i>Pacifastacus fortis</i>)	E	\$71,558	\$1,348,471,077
561	Bird's-beak, salt marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>)	E	\$71,264	\$1,348,542,341
562	Akoko, Ewa Plains (<i>Chamaesyce skottsbergii</i> var. <i>skottsbergii</i>)	E	\$71,210	\$1,348,613,551
563	Wallflower, Contra Costa (<i>Erysimum capitatum</i> var. <i>angustatum</i>)	E	\$71,138	\$1,348,684,689
564	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>)	E	\$71,084	\$1,348,755,773
565	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>)	E	\$70,677	\$1,348,826,450
566	Dace, Clover Valley speckled (<i>Rhinichthys osculus oligoporus</i>)	E	\$70,030	\$1,348,896,480
567	Akoko (<i>Chamaesyce kuwaleana</i>)	E	\$69,919	\$1,348,966,399
568	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>)	T	\$69,853	\$1,349,036,252
569	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	\$69,438	\$1,349,105,690

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
570	Ceanothus, coyote (<i>Ceanothus ferrisiae</i>)	E	\$67,785	\$1,349,173,475
571	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$67,245	\$1,349,240,720
572	Dropwort, Canby's (<i>Oxypolis canbyi</i>)	E	\$67,126	\$1,349,307,846
573	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$66,821	\$1,349,374,667
574	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>)	T	\$66,546	\$1,349,441,213
575	Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>)	E	\$66,000	\$1,349,507,213
576	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>)	E	\$65,858	\$1,349,573,071
577	Watercress, Gambel's (<i>Rorippa gambellii</i>)	E	\$65,459	\$1,349,638,530
578	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	\$65,390	\$1,349,703,920
579	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>) - AZ, Mexico	EXPN	\$65,000	\$1,349,768,920
580	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	\$64,878	\$1,349,833,798
581	cactus, Pariette (<i>Sclerocactus brevispinus</i>)	T	\$64,600	\$1,349,898,398
582	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	\$64,568	\$1,349,962,966
583	Layia, beach (<i>Layia camosa</i>)	E	\$63,363	\$1,350,026,329
584	Parrotbill, Maui (honeycreeper) (<i>Pseudonestor xanthophrys</i>)	E	\$63,285	\$1,350,089,614
585	Pearlymussel, littlewing (<i>Pegias fabula</i>)	E	\$63,166	\$1,350,152,780
586	Beauty, Harper's (<i>Harperocallis flava</i>)	E	\$63,078	\$1,350,215,858
587	Butterfly, El Segundo blue (<i>Euphilotes battoides allyni</i>)	E	\$62,245	\$1,350,278,103
588	Clubshell, ovate (<i>Pleurobema perovatum</i>) -	E	\$61,864	\$1,350,339,967
589	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$61,758	\$1,350,401,725
590	Kauila (<i>Colubrina oppositifolia</i>)	E	\$61,467	\$1,350,463,192
591	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	\$61,069	\$1,350,524,261
592	Lizard, St. Croix ground (<i>Ameiva polops</i>)	E	\$60,795	\$1,350,585,056
593	Phacelia, North Park (<i>Phacelia formosula</i>)	E	\$60,411	\$1,350,645,467
594	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	\$60,367	\$1,350,705,834
595	Evening-primrose, Antioch Dunes (<i>Oenothera deltooides</i> ssp. <i>howellii</i>)	E	\$60,303	\$1,350,766,137
596	Ohai (<i>Sesbania tomentosa</i>)	E	\$59,764	\$1,350,825,901
597	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>)	T	\$59,727	\$1,350,885,628
598	Pearlymussel, dromedary (<i>Dromus dromas</i>) - Except where EXPN	E	\$59,660	\$1,350,945,288
599	Butterfly, callippe silverspot (<i>Speyeria callippe callippe</i>)	E	\$58,600	\$1,351,003,888
600	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>)	E	\$58,584	\$1,351,062,472

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
601	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>)	T	\$58,254	\$1,351,120,726
602	Harperella (<i>Ptilimnium nodosum</i>)	E	\$58,137	\$1,351,178,863
603	Kula wahine noho (<i>Isodendrion pyriformium</i>)	E	\$58,118	\$1,351,236,981
604	Mallow, Kern (<i>Eremalche kernensis</i>)	E	\$58,102	\$1,351,295,083
605	Trillium, relict (<i>Trillium reliquum</i>)	E	\$57,970	\$1,351,353,053
606	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	\$57,550	\$1,351,410,603
607	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	\$57,442	\$1,351,468,045
608	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$56,779	\$1,351,524,824
609	Iliau, dwarf (<i>Wilkesia hobyi</i>)	E	\$56,288	\$1,351,581,112
610	Butterweed, Layne's (<i>Senecio layneae</i>)	T	\$55,955	\$1,351,637,067
611	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>)	T	\$55,764	\$1,351,692,831
612	Beardtongue, Parachute (<i>Penstemon debilis</i>)	T	\$55,484	\$1,351,748,315
613	Alani (<i>Melicope zahlbruckneri</i>)	E	\$55,160	\$1,351,803,475
614	Milkweed, Mead's (<i>Asclepias meadii</i>)	T	\$54,749	\$1,351,858,224
615	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - Salt and Verde R. drainages, AZ	EXPN	\$54,734	\$1,351,912,958
616	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>)	E	\$54,654	\$1,351,967,612
617	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>)	E	\$54,337	\$1,352,021,949
618	Cactus, Winkler (<i>Pediocactus winkleri</i>)	T	\$54,100	\$1,352,076,049
619	Seablite, California (<i>Suaeda californica</i>)	E	\$53,902	\$1,352,129,951
620	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>)	E	\$53,421	\$1,352,183,372
620	Bird's-beak, soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>)	E	\$53,421	\$1,352,236,793
621	popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	\$53,292	\$1,352,290,085
622	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	\$53,275	\$1,352,343,360
623	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	\$52,151	\$1,352,395,511
624	Cypress, Santa Cruz (<i>Cupressus abramsiana</i>)	E	\$52,131	\$1,352,447,642
625	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	\$52,100	\$1,352,499,742
626	Isopod, Lee County cave (<i>Lirceus usdagalum</i>)	E	\$51,790	\$1,352,551,532
627	Butterfly, Behren's silverspot (<i>Speyeria zerene behrensii</i>)	E	\$50,528	\$1,352,602,060
628	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$50,449	\$1,352,652,509
629	Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>)	E	\$50,204	\$1,352,702,713
630	Chub, Pahrnagat roundtail (<i>Gila robusta jordani</i>)	E	\$49,912	\$1,352,752,625
631	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	\$49,496	\$1,352,802,121

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
632	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	\$49,278	\$1,352,851,399
633	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - southern	SAT	\$48,884	\$1,352,900,283
634	<i>Bonamia menziesii</i> (=Sci name)	E	\$48,436	\$1,352,948,719
635	Cactus, Tobusch fishhook (<i>Sclerocactus breviphamatus</i> ssp. <i>tobuschii</i>)	E	\$48,300	\$1,352,997,019
636	Meadowfoam, Butte County (<i>Limnanthes floccosa</i> ssp. <i>californica</i>)	E	\$48,030	\$1,353,045,049
637	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$47,875	\$1,353,092,924
638	Milk-vetch, Sentry (<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>)	E	\$47,675	\$1,353,140,599
639	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>)	E	\$47,655	\$1,353,188,254
640	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	\$46,960	\$1,353,235,214
641	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>)	E	\$46,694	\$1,353,281,908
642	Clubshell, southern (<i>Pleurobema decisum</i>)	E	\$46,640	\$1,353,328,548
643	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	\$46,533	\$1,353,375,081
643	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>)	E	\$46,533	\$1,353,421,614
644	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>)	E	\$46,320	\$1,353,467,934
645	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	\$46,260	\$1,353,514,194
646	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$45,981	\$1,353,560,175
647	Pussypaws, Mariposa (<i>Calyptridium pulchellum</i>)	T	\$45,830	\$1,353,606,005
648	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$45,251	\$1,353,651,256
649	Larkspur, Baker's (<i>Delphinium bakeri</i>)	E	\$44,940	\$1,353,696,196
650	Pitcher-plant, mountain sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>)	E	\$44,895	\$1,353,741,091
651	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>)	E	\$44,860	\$1,353,785,951
652	Ambrosia, south Texas (<i>Ambrosia cheiranthifolia</i>)	E	\$44,804	\$1,353,830,755
653	<i>Phyllostegia warshaueri</i> (=Sci name)	E	\$44,492	\$1,353,875,247
654	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>)	E	\$44,100	\$1,353,919,347
655	Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>)	T	\$44,085	\$1,353,963,432
656	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	\$43,945	\$1,354,007,377
657	Milkweed, Welsh's (<i>Asclepias welshii</i>)	T	\$43,900	\$1,354,051,277
658	bladderpod, Missouri (<i>Physaria filiformis</i>)	T	\$43,610	\$1,354,094,887
659	Torreya, Florida (<i>Torreya taxifolia</i>)	E	\$43,466	\$1,354,138,353
660	Anole, Culebra Island giant (<i>Anolis roosevelti</i>)	E	\$43,000	\$1,354,181,353
661	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	\$42,986	\$1,354,224,339
662	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>)	E	\$42,728	\$1,354,267,067

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
663	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	\$42,449	\$1,354,309,516
664	<i>Tetramolopium rockii</i> (=Sci name)	T	\$42,356	\$1,354,351,872
665	<i>Gesneria pauciflora</i> (=Sci name)	T	\$42,000	\$1,354,393,872
666	Guajon (<i>Eleutherodactylus cooki</i>)	T	\$41,887	\$1,354,435,759
667	Bird's-beak, Pennell's (<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>)	E	\$41,852	\$1,354,477,611
668	Skullcap, Florida (<i>Scutellaria floridana</i>)	T	\$41,678	\$1,354,519,289
669	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>)	T	\$41,490	\$1,354,560,779
670	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$41,186	\$1,354,601,965
671	Rock-cress, McDonald's (<i>Arabis macdonaldiana</i>)	E	\$41,122	\$1,354,643,087
672	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>)	E	\$41,019	\$1,354,684,106
673	Darter, fountain (<i>Etheostoma fonticola</i>)	E	\$40,900	\$1,354,725,006
674	Birds-in-a-nest, white (<i>Macbridea alba</i>)	T	\$40,893	\$1,354,765,899
675	Turtle, Alabama red-belly (<i>Pseudemys alabamensis</i>)	E	\$40,812	\$1,354,806,711
676	Geranium, Hawaiian red-flowered (<i>Geranium arboreum</i>)	E	\$40,566	\$1,354,847,277
677	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	\$40,181	\$1,354,887,458
678	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - Except where listed as EXPN	E	\$40,079	\$1,354,927,537
679	Milk-vetch, Mancos (<i>Astragalus humillimus</i>)	E	\$39,938	\$1,354,967,475
680	Joint-vetch, sensitive (<i>Aeschynomene virginica</i>)	T	\$39,705	\$1,355,007,180
681	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - except where EXPN	T	\$39,293	\$1,355,046,473
682	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$39,123	\$1,355,085,596
683	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>)	E	\$38,904	\$1,355,124,500
684	Cactus, star (<i>Astrophytum asterias</i>)	E	\$38,400	\$1,355,162,900
685	Ayenia, Texas (<i>Ayenia limitaris</i>)	E	\$38,100	\$1,355,201,000
686	Chaff-flower, round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>)	E	\$37,970	\$1,355,238,970
687	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	\$37,881	\$1,355,276,851
688	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>)	E	\$37,864	\$1,355,314,715
689	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	\$37,386	\$1,355,352,101
690	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$36,165	\$1,355,388,266
691	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	\$35,800	\$1,355,424,066
692	Tuctoria, Greene's (<i>Tuctoria greenei</i>)	E	\$35,780	\$1,355,459,846
693	Wireweed (<i>Polygonella basiramia</i>)	E	\$35,650	\$1,355,495,496
694	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>)	E	\$35,600	\$1,355,531,096

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
695	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	\$35,533	\$1,355,566,629
696	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	\$35,512	\$1,355,602,141
697	Oha wai (<i>Clermontia drepanomorpha</i>)	E	\$35,243	\$1,355,637,384
698	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>)	T	\$35,100	\$1,355,672,484
699	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	\$35,061	\$1,355,707,545
700	Cypress, Gowen (<i>Cupressus goveniana</i> ssp. <i>goveniana</i>)	T	\$34,740	\$1,355,742,285
701	Bat, Mexican long-nosed (<i>Leptonycteris nivalis</i>)	E	\$34,500	\$1,355,776,785
702	Moth, Kern primrose sphinx (<i>Euproserpinus euterpe</i>)	T	\$34,403	\$1,355,811,188
703	Boa, Puerto Rican (<i>Epicrates inornatus</i>)	E	\$34,241	\$1,355,845,429
704	Ko`oko`olau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>)	E	\$34,211	\$1,355,879,640
705	Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>)	E	\$33,930	\$1,355,913,570
706	Yellowhead, desert (<i>Yermo xanthocephalus</i>)	T	\$33,903	\$1,355,947,473
707	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	\$33,837	\$1,355,981,310
708	Tern, roseate (<i>Sterna dougallii dougallii</i>) - Western Hemisphere except NE U.S.	T	\$33,739	\$1,356,015,049
709	Rock cress, Shale barren (<i>Arabis serotina</i>)	E	\$33,737	\$1,356,048,786
710	Darter, duskytail (<i>Etheostoma percnurum</i>)	E	\$33,393	\$1,356,082,179
711	Clover, showy Indian (<i>Trifolium amoenum</i>)	E	\$33,315	\$1,356,115,494
712	Lead-plant, Crenulate (<i>Amorpha crenulata</i>)	E	\$33,050	\$1,356,148,544
713	Tarplant, Otay (<i>Deinandra (=Hemizonia) conjugens</i>)	T	\$32,849	\$1,356,181,393
714	Warea, wide-leaf (<i>Warea amplexifolia</i>)	E	\$32,600	\$1,356,213,993
715	Boa, Virgin Islands tree (<i>Epicrates monensis granti</i>)	E	\$32,516	\$1,356,246,509
716	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	\$32,500	\$1,356,279,009
717	Crownbeard, big-leaved (<i>Verbesina dissita</i>)	T	\$32,485	\$1,356,311,494
718	Ihi`ihi (<i>Marsilea villosa</i>)	E	\$32,451	\$1,356,343,945
719	Gilia, Monterey (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>)	E	\$32,447	\$1,356,376,392
720	Madtom, smoky (<i>Noturus baileyi</i>)	E	\$31,972	\$1,356,408,364
721	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	\$31,783	\$1,356,440,147
722	Kidneyshell, triangular (<i>Ptychobranthus greenii</i>)	E	\$31,700	\$1,356,471,847
723	Cactus, Knowlton's (<i>Pediocactus knowltonii</i>)	E	\$31,554	\$1,356,503,401
724	Paintbrush, Tiburon (<i>Castilleja affinis</i> ssp. <i>neglecta</i>)	E	\$31,388	\$1,356,534,789
725	Fern, pendant kihi (<i>Adenophorus periens</i>)	E	\$31,198	\$1,356,565,987
726	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$30,891	\$1,356,596,878
727	Darter, amber (<i>Percina antesella</i>)	E	\$30,839	\$1,356,627,717

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
728	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>))	T	\$30,370	\$1,356,658,087
729	Buttercup, autumn (<i>Ranunculus aestivalis</i> (= <i>acriformis</i>))	E	\$30,300	\$1,356,688,387
730	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>)	E	\$29,942	\$1,356,718,329
731	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>)	E	\$29,879	\$1,356,748,208
732	Grass, Tennessee yellow-eyed (<i>Xyris tennesseensis</i>)	E	\$29,853	\$1,356,778,061
733	Salamander, Shenandoah (<i>Plethodon shenandoah</i>)	E	\$29,813	\$1,356,807,874
734	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	\$29,533	\$1,356,837,407
734	Clarkia, Vine Hill (<i>Clarkia imbricata</i>)	E	\$29,533	\$1,356,866,940
734	Larkspur, yellow (<i>Delphinium luteum</i>)	E	\$29,533	\$1,356,896,473
734	Mariposa lily, Tiburon (<i>Calochortus tiburonensis</i>)	T	\$29,533	\$1,356,926,006
735	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	\$29,290	\$1,356,955,296
736	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	\$29,186	\$1,356,984,482
737	`Oha wai (<i>Clermontia peleana</i>)	E	\$29,102	\$1,357,013,584
738	`Oha wai (<i>Clermontia lindseyana</i>)	E	\$29,093	\$1,357,042,677
739	Bluecurls, Hidden Lake (<i>Trichostema austromontanum</i> ssp. <i>compactum</i>)	T	\$29,081	\$1,357,071,758
740	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>)	T	\$29,000	\$1,357,100,758
741	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	\$28,600	\$1,357,129,358
742	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$28,380	\$1,357,157,738
743	<i>Platanthera holochila</i> (=Sci name)	E	\$28,067	\$1,357,185,805
744	Daisy, Parish's (<i>Erigeron parishii</i>)	T	\$27,364	\$1,357,213,169
745	Snail, Virginia fringed mountain (<i>Polygyriscus virginianus</i>)	E	\$27,190	\$1,357,240,359
746	Iguana, Mona ground (<i>Cyclura stejnegeri</i>)	T	\$27,000	\$1,357,267,359
747	Lupine, scrub (<i>Lupinus aridorum</i>)	E	\$26,850	\$1,357,294,209
748	Dace, desert (<i>Eremichthys acros</i>)	T	\$26,790	\$1,357,320,999
749	Daisy, Lakeside (<i>Hymenoxys herbacea</i>)	T	\$26,742	\$1,357,347,741
750	Spineflower, Monterey (<i>Chorizanthe pungens</i> var. <i>pungens</i>)	T	\$26,682	\$1,357,374,423
751	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>)	E	\$26,626	\$1,357,401,049
752	Gardenia (=Na`u), Hawaiian (<i>Gardenia brighamii</i>)	E	\$26,433	\$1,357,427,482
753	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	\$26,218	\$1,357,453,700
754	Rail, Guam (<i>Rallus owstoni</i>) - Rota	EXPN	\$26,200	\$1,357,479,900
755	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>)	E	\$26,163	\$1,357,506,063
756	Plum, scrub (<i>Prunus geniculata</i>)	E	\$26,150	\$1,357,532,213
757	Haha (<i>Cyanea shipmanii</i>)	E	\$25,991	\$1,357,558,204

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
758	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (<i>Adelocosa anops</i>)	E	\$25,923	\$1,357,584,127
759	<i>Schiedea kauaiensis</i> (=Sci name)	E	\$25,681	\$1,357,609,808
760	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>)	E	\$25,600	\$1,357,635,408
761	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>)	E	\$25,473	\$1,357,660,881
762	Campion, fringed (<i>Silene polypetala</i>)	E	\$25,408	\$1,357,686,289
763	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$25,300	\$1,357,711,589
764	White-eye, Rota bridled (<i>Zosterops rotensis</i>)	E	\$25,000	\$1,357,736,589
765	Amphipod, Kauai cave (<i>Spelaeorchestia koloana</i>)	E	\$24,923	\$1,357,761,512
766	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	\$24,845	\$1,357,786,357
767	Madtom, pygmy (<i>Noturus stanauli</i>) -TN - portions of the French Broad and Holston Rivers	EXPN	\$24,700	\$1,357,811,057
767	Manzanita, Ione (<i>Arctostaphylos myrtifolia</i>)	T	\$24,700	\$1,357,835,757
768	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>)	E	\$24,637	\$1,357,860,394
769	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>)	E	\$24,635	\$1,357,885,029
770	Puma (=cougar), eastern (<i>Puma (=Felis) concolor cougar</i>)	E	\$24,250	\$1,357,909,279
771	Aupaka (<i>Isodendrion longifolium</i>)	T	\$24,142	\$1,357,933,421
772	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	\$23,870	\$1,357,957,291
773	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$23,687	\$1,357,980,978
774	Diellia, asplenium-leaved (<i>Diellia erecta</i>)	E	\$23,604	\$1,358,004,582
775	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtleae</i>)	E	\$23,500	\$1,358,028,082
776	Sandlace (<i>Polygonella myriophylla</i>)	E	\$23,150	\$1,358,051,232
777	Lousewort, Furbish (<i>Pedicularis furbishiae</i>)	E	\$23,100	\$1,358,074,332
778	Kamakahala (<i>Labordia lydgatei</i>)	E	\$23,032	\$1,358,097,364
779	Ragwort, San Francisco Peaks (<i>Packera franciscana</i>)	T	\$23,025	\$1,358,120,389
780	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	\$22,990	\$1,358,143,379
781	Rock-cress, Braun's (<i>Arabis perstellata</i>)	E	\$22,886	\$1,358,166,265
782	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>)	E	\$22,869	\$1,358,189,134
783	Koki`o ke`oke`o (<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>)	E	\$22,788	\$1,358,211,922
784	Pa`iniu (<i>Astelia waialealae</i>)	E	\$22,681	\$1,358,234,603
785	Chumbo, Higo (<i>Harrisia portoricensis</i>)	T	\$22,500	\$1,358,257,103
786	<i>Diplazium molokaiense</i> (=Sci name)	E	\$22,488	\$1,358,279,591
787	Springsnail, Three Forks (<i>Pyrgulopsis trivialis</i>)	E	\$22,400	\$1,358,301,991
788	Kolea (<i>Myrsine linearifolia</i>)	T	\$22,288	\$1,358,324,279

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
789	Alani (<i>Melicope pallida</i>)	E	\$22,210	\$1,358,346,489
790	Mint, scrub (<i>Dicerandra frutescens</i>)	E	\$22,060	\$1,358,368,549
791	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Holston River, VA, TN	EXPN	\$22,000	\$1,358,390,549
792	Centaury, spring-loving (<i>Centaurium namophilum</i>)	T	\$21,978	\$1,358,412,527
793	Butterfly, Uncompahgre fritillary (<i>Boloria acrocneuma</i>)	E	\$21,974	\$1,358,434,501
794	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$21,870	\$1,358,456,371
795	<i>Keysseria (=Lagenifera) erici</i> (=Sci name)	E	\$21,856	\$1,358,478,227
796	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$21,700	\$1,358,499,927
797	Moccasinshell, Coosa (<i>Medionidus parvulus</i>)	E	\$21,686	\$1,358,521,613
798	Goshawk, Queen Charlotte (<i>Accipiter gentilis laingi</i>) - British Columbia DPS	T	\$21,652	\$1,358,543,265
799	Milk-vetch, coastal dunes (<i>Astragalus tener</i> var. <i>titi</i>)	E	\$21,600	\$1,358,564,865
800	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>)	E	\$21,590	\$1,358,586,455
801	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	\$21,500	\$1,358,607,955
802	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>)	E	\$21,362	\$1,358,629,317
803	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	\$21,300	\$1,358,650,617
803	Clarkia, Presidio (<i>Clarkia franciscana</i>)	E	\$21,300	\$1,358,671,917
804	Shiner, blue (<i>Cyprinella caerulea</i>)	T	\$21,296	\$1,358,693,213
805	Ground beetle, [unnamed] (<i>Rhadine infernalis</i>)	E	\$21,100	\$1,358,714,313
805	Beetle, Helotes mold (<i>Batrisodes venyivi</i>)	E	\$21,100	\$1,358,735,413
805	Ground beetle, [unnamed] (<i>Rhadine exilis</i>)	E	\$21,100	\$1,358,756,513
806	Snakeroot (<i>Eryngium cuneifolium</i>)	E	\$21,050	\$1,358,777,563
807	Stickseed, showy (<i>Hackelia venusta</i>)	E	\$21,014	\$1,358,798,577
808	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	\$20,900	\$1,358,819,477
809	Milkvetch, Osterhout (<i>Astragalus osterhoutii</i>)	E	\$20,862	\$1,358,840,339
810	Pauoa (<i>Ctenitis squamigera</i>)	E	\$20,810	\$1,358,861,149
811	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$20,750	\$1,358,881,899
812	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	\$20,578	\$1,358,902,477
813	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$20,500	\$1,358,922,977
814	Sunflower, San Mateo woolly (<i>Eriophyllum latilobum</i>)	E	\$20,300	\$1,358,943,277
815	A`e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>)	E	\$20,208	\$1,358,963,485
816	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$20,200	\$1,358,983,685
817	Cactus, Sneed pincushion (<i>Coryphantha sneedii</i> var. <i>sneedii</i>)	E	\$20,100	\$1,359,003,785
818	Sedge, golden (<i>Carex lutea</i>)	E	\$20,050	\$1,359,023,835

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
819	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$19,980	\$1,359,043,815
820	<i>Munroidendron racemosum</i> (=Sci name)	E	\$19,856	\$1,359,063,671
820	Ha`iwale (<i>Cyrtandra limahuliensis</i>)	T	\$19,856	\$1,359,083,527
821	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>)	E	\$19,845	\$1,359,103,372
822	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>)	E	\$19,728	\$1,359,123,100
823	Chub, slender (<i>Erimystax cahni</i>)	T	\$19,700	\$1,359,142,800
824	roseroot, Leedy's (<i>Rhodiola integrifolia</i> ssp. <i>leedyi</i>)	T	\$19,632	\$1,359,162,432
825	Fanshell (<i>Cyprogenia stegaria</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$19,589	\$1,359,182,021
826	Dace, Laurel (<i>Chrosomus saylori</i>)	E	\$19,546	\$1,359,201,567
827	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$19,364	\$1,359,220,931
828	Haha (<i>Cyanea stictophylla</i>)	E	\$19,275	\$1,359,240,206
829	<i>Viola lanaiensis</i> (=Sci name)	E	\$19,113	\$1,359,259,319
829	Haha (<i>Cyanea lobata</i>)	E	\$19,113	\$1,359,278,432
830	Whale, Southern Right (<i>Eubalaena australis</i>)	E	\$19,050	\$1,359,297,482
831	Bladderpod, white (<i>Lesquerella pallida</i>)	E	\$19,000	\$1,359,316,482
832	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	\$18,900	\$1,359,335,382
833	<i>Neraudia sericea</i> (=Sci name)	E	\$18,885	\$1,359,354,267
834	`Anaunau (<i>Lepidium arbuscula</i>)	E	\$18,851	\$1,359,373,118
835	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$18,849	\$1,359,391,967
836	`Anunu (<i>Sicyos alba</i>)	E	\$18,703	\$1,359,410,670
837	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$18,616	\$1,359,429,286
838	`Oha wai (<i>Clermontia pyrularia</i>)	E	\$18,502	\$1,359,447,788
839	Turtle, flattened musk (<i>Stemotherus depressus</i>) - species range clarified	T	\$18,452	\$1,359,466,240
840	Kiponapona (<i>Phyllostegia racemosa</i>)	E	\$18,326	\$1,359,484,566
841	Silverside, Waccamaw (<i>Menidia extensa</i>)	T	\$18,220	\$1,359,502,786
842	Darter, slackwater (<i>Etheostoma boschungii</i>)	T	\$18,121	\$1,359,520,907
843	Springfish, White River (<i>Crenichthys baileyi baileyi</i>)	E	\$18,104	\$1,359,539,011
844	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>)	E	\$18,037	\$1,359,557,048
845	Pu`uka`a (<i>Cyperus trachysanthos</i>)	E	\$18,019	\$1,359,575,067
846	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	\$18,000	\$1,359,593,067
847	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$17,982	\$1,359,611,049
848	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>)	E	\$17,885	\$1,359,628,934

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
849	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>)	E	\$17,870	\$1,359,646,804
850	Heau (<i>Exocarpos luteolus</i>)	E	\$17,856	\$1,359,664,660
851	Avens, spreading (<i>Geum radiatum</i>)	E	\$17,820	\$1,359,682,480
852	Kopa (<i>Hedyotis schlechtendahlana</i> var. <i>remyi</i>)	E	\$17,532	\$1,359,700,012
853	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	\$17,329	\$1,359,717,341
854	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	\$17,300	\$1,359,734,641
855	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$17,250	\$1,359,751,891
856	Purple cat's paw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - Except where EXPN	E	\$17,230	\$1,359,769,121
857	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	\$17,127	\$1,359,786,248
858	Snail, tulotoma (<i>Tulotoma magnifica</i>)	E	\$17,101	\$1,359,803,349
859	Silversword, Mauna Loa (=Ka'u) (<i>Argyroxiphium kauense</i>)	E	\$17,099	\$1,359,820,448
860	Rattleweed, hairy (<i>Baptisia arachnifera</i>)	E	\$17,000	\$1,359,837,448
860	Cobana negra (<i>Stahlia monosperma</i>)	T	\$17,000	\$1,359,854,448
860	Aster, Ruth's golden (<i>Pityopsis ruthii</i>)	E	\$17,000	\$1,359,871,448
861	Mint, Lakela's (<i>Dicerandra immaculata</i>)	E	\$16,870	\$1,359,888,318
862	Sandalwood, Lanai (=`iliah) (<i>Santalum freycinetianum</i> var. <i>lanaiense</i>)	E	\$16,856	\$1,359,905,174
862	Nohoanu (<i>Geranium kauaiense</i>)	E	\$16,856	\$1,359,922,030
862	<i>Keysseria</i> (=Lagenifera) <i>helenae</i> (=Sci name)	E	\$16,856	\$1,359,938,886
863	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$16,783	\$1,359,955,669
864	Rice rat (<i>Oryzomys palustris natator</i>) - lower FL Keys	E	\$16,710	\$1,359,972,379
865	Nohoanu (<i>Geranium multiflorum</i>)	E	\$16,641	\$1,359,989,020
866	Cliff-rose, Arizona (<i>Purshia</i> (=Cowania) <i>subintegra</i>)	E	\$16,615	\$1,360,005,635
867	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>)	E	\$16,519	\$1,360,022,154
868	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	\$16,492	\$1,360,038,646
869	Rush-pea, slender (<i>Hoffmannseggia tenella</i>)	E	\$16,400	\$1,360,055,046
870	Butterfly, San Bruno elfin (<i>Callophrys mossii bayensis</i>)	E	\$16,372	\$1,360,071,418
871	Na`ena`e (<i>Dubautia waialealae</i>)	E	\$16,356	\$1,360,087,774
871	`Awikiwiki (<i>Canavalia molokaiensis</i>)	E	\$16,356	\$1,360,104,130
871	Kamakahala (<i>Labordia pumila</i>)	E	\$16,356	\$1,360,120,486
872	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	\$16,190	\$1,360,136,676
873	Darter, Cumberland (<i>Etheostoma susanae</i>)	E	\$16,177	\$1,360,152,853
874	Combshell, upland (<i>Epioblasma metastrata</i>)	E	\$16,158	\$1,360,169,011

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
875	Pigeon, Puerto Rican plain (<i>Columba inornata wetmorei</i>)	E	\$16,120	\$1,360,185,131
876	<i>Eugenia woodburyana</i> (=Sci name)	E	\$16,000	\$1,360,201,131
877	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>)	E	\$15,900	\$1,360,217,031
878	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>)	E	\$15,894	\$1,360,232,925
879	Lehua makanoe (<i>Lysimachia daphnoides</i>)	E	\$15,856	\$1,360,248,781
880	Clarkia, Springville (<i>Clarkia springvillensis</i>)	T	\$15,705	\$1,360,264,486
881	Rocksnailed, painted (<i>Leptoxis taeniata</i>)	T	\$15,638	\$1,360,280,124
882	monkey-flower, Michigan (<i>Mimulus michiganensis</i>)	E	\$15,562	\$1,360,295,686
883	Button, Mohr's Barbara (<i>Marshallia mohrii</i>)	T	\$15,533	\$1,360,311,219
884	Haha (<i>Cyanea platyphylla</i>)	E	\$15,532	\$1,360,326,751
884	Haha (<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>)	E	\$15,532	\$1,360,342,283
885	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra</i> ssp. <i>alabamensis</i>)	E	\$15,500	\$1,360,357,783
885	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$15,500	\$1,360,373,283
886	Hawk, Puerto Rican sharp-shinned (<i>Accipiter striatus venator</i>)	E	\$15,443	\$1,360,388,726
887	Alani (<i>Melicope knudsenii</i>)	E	\$15,434	\$1,360,404,160
888	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	\$15,400	\$1,360,419,560
889	Alani (<i>Melicope munroi</i>)	E	\$15,356	\$1,360,434,916
889	Ha`iwale (<i>Cyrtandra munroi</i>)	E	\$15,356	\$1,360,450,272
890	June Beetle, Caseys (<i>Dinacoma caseyi</i>)	E	\$15,350	\$1,360,465,622
891	<i>Achyranthes mutica</i> (=Sci name)	E	\$15,326	\$1,360,480,948
892	Bison, wood (<i>Bison bison athabasca</i>)	E	\$15,300	\$1,360,496,248
893	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>)	E	\$15,262	\$1,360,511,510
894	Honeycreeper, crested (<i>Palmeria dolei</i>)	E	\$15,085	\$1,360,526,595
895	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>)	E	\$15,044	\$1,360,541,639
896	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	\$15,033	\$1,360,556,672
897	Clubshell (<i>Pleurobema clava</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$15,000	\$1,360,571,672
897	<i>Leptocereus grantianus</i> (=Sci name)	E	\$15,000	\$1,360,586,672
898	Rush-rose, island (<i>Helianthemum greenii</i>)	T	\$14,973	\$1,360,601,645
899	Lo`ulu (<i>Pritchardia affinis</i>)	E	\$14,960	\$1,360,616,605
900	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$14,900	\$1,360,631,505
901	Ha`iwale (<i>Cyrtandra tintinnabula</i>)	E	\$14,826	\$1,360,646,331
902	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>)	E	\$14,743	\$1,360,661,074

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
903	Leather flower, Alabama (<i>Clematis socialis</i>)	E	\$14,733	\$1,360,675,807
904	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$14,720	\$1,360,690,527
905	<i>Schiedea hookeri</i> (=Sci name)	E	\$14,619	\$1,360,705,146
906	Lo`ulu (<i>Pritchardia schattaueri</i>)	E	\$14,570	\$1,360,719,716
907	Alani (<i>Melicope saint-johnii</i>)	E	\$14,519	\$1,360,734,235
907	<i>Diellia unisora</i> (=Sci name)	E	\$14,519	\$1,360,748,754
908	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>)	E	\$14,456	\$1,360,763,210
909	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$14,450	\$1,360,777,660
910	`Aiakeakua, popolo (<i>Solanum sandwicense</i>)	E	\$14,400	\$1,360,792,060
911	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	\$14,350	\$1,360,806,410
912	<i>Schiedea haleakalensis</i> (=Sci name)	E	\$14,264	\$1,360,820,674
913	Thelypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	\$14,192	\$1,360,834,866
914	Cactus, Lee pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>)	T	\$14,100	\$1,360,848,966
915	Amphipod, Noel's (<i>Gammarus desperatus</i>)	E	\$14,065	\$1,360,863,031
916	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	\$14,046	\$1,360,877,077
917	Jacquemontia, beach (<i>Jacquemontia reclinata</i>)	E	\$13,970	\$1,360,891,047
918	Butterfly, lotis blue (<i>Lycaeides argyrognomon lotis</i>)	E	\$13,894	\$1,360,904,941
919	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>)	E	\$13,884	\$1,360,918,825
920	Alani (<i>Melicope mucronulata</i>)	E	\$13,866	\$1,360,932,691
921	Acornshell, southern (<i>Epioblasma othcaloogensis</i>)	E	\$13,833	\$1,360,946,524
922	tui chub, Owens (<i>Gila bicolor</i> ssp. <i>snyderi</i>)	E	\$13,757	\$1,360,960,281
923	Barberry, Nevin's (<i>Berberis nevinii</i>)	E	\$13,623	\$1,360,973,904
924	Springsnail, Roswell (<i>Pyrgulopsis roswellensis</i>)	E	\$13,565	\$1,360,987,469
925	<i>Phyllostegia parviflora</i> (=Sci name)	E	\$13,535	\$1,361,001,004
926	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) - Except where EXPN	E	\$13,500	\$1,361,014,504
926	Goldenrod, Short's (<i>Solidago shortii</i>)	E	\$13,500	\$1,361,028,004
927	Springsnail, Koster's (<i>Juturnia kosteri</i>)	E	\$13,465	\$1,361,041,469
928	Sedge, Navajo (<i>Carex specuicola</i>)	T	\$13,388	\$1,361,054,857
929	<i>Gahnia lanaiensis</i> (=Sci name)	E	\$13,356	\$1,361,068,213
930	Pua `ala (<i>Brighamia rockii</i>)	E	\$13,181	\$1,361,081,394
931	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	\$13,138	\$1,361,094,532
932	<i>Diellia falcata</i> (=Sci name)	E	\$13,063	\$1,361,107,595
933	Cactus, Nichol's Turk's head (<i>Echinocactus horizontalonius</i> var. <i>nicholii</i>)	E	\$13,050	\$1,361,120,645

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
934	Spineflower, Robust (incl. Scotts Valley) (<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i>))	E	\$13,009	\$1,361,133,654
935	Haha (<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>)	E	\$12,976	\$1,361,146,630
936	Wild-rice, Texas (<i>Zizania texana</i>)	E	\$12,900	\$1,361,159,530
937	Tiger beetle, Ohlone (<i>Cicindela ohlone</i>)	E	\$12,868	\$1,361,172,398
938	Alani (<i>Melicope adscendens</i>)	E	\$12,866	\$1,361,185,264
939	Lichen, rock gnome (<i>Gymmoderma lineare</i>)	E	\$12,830	\$1,361,198,094
940	<i>Lobelia niuhauensis</i> (=Sci name)	E	\$12,668	\$1,361,210,762
941	Makou (<i>Peucedanum sandwicense</i>)	T	\$12,642	\$1,361,223,404
942	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$12,605	\$1,361,236,009
943	<i>Phyllostegia velutina</i> (=Sci name)	E	\$12,526	\$1,361,248,535
944	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$12,500	\$1,361,261,035
944	Rosemary, Apalachicola (<i>Conradina glabra</i>)	E	\$12,500	\$1,361,273,535
945	<i>Gouania meyenii</i> (=Sci name)	E	\$12,467	\$1,361,286,002
946	Liveforever, Santa Barbara Island (<i>Dudleya traskiae</i>)	E	\$12,455	\$1,361,298,457
947	Pomace fly, [unnamed] (<i>Drosophila musaphilia</i>)	E	\$12,423	\$1,361,310,880
948	Ha`iwale (<i>Cyrtandra giffardii</i>)	E	\$12,394	\$1,361,323,274
949	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i> (=Sci name)	E	\$12,356	\$1,361,335,630
950	Awiji (<i>Centaurium sebaeoides</i>)	E	\$12,341	\$1,361,347,971
951	Laulihilihi (<i>Schiedea stellarioides</i>)	E	\$12,240	\$1,361,360,211
952	<i>Abutilon eremitopetalum</i> (=Sci name) -	E	\$12,181	\$1,361,372,392
953	Catfish, Yaqui (<i>Ictalurus pricei</i>)	T	\$12,155	\$1,361,384,547
954	Bellflower, Brooksville (<i>Campanula robinsiae</i>)	E	\$12,000	\$1,361,396,547
955	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>)	E	\$11,970	\$1,361,408,517
956	Haha (<i>Cyanea truncata</i>)	E	\$11,967	\$1,361,420,484
957	<i>Diellia mannii</i> (=Sci name)	E	\$11,929	\$1,361,432,413
958	<i>Delissea undulata</i> (=Sci name)	E	\$11,901	\$1,361,444,314
959	Cactus, black lace (<i>Echinocereus reichenbachii</i> var. <i>albertii</i>)	E	\$11,900	\$1,361,456,214
959	<i>Geocarpon minimum</i> (=Sci name)	T	\$11,900	\$1,361,468,114
960	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$11,850	\$1,361,479,964
961	Lau`ehu (<i>Panicum niuhauense</i>)	E	\$11,613	\$1,361,491,577
962	Naupaka, dwarf (<i>Scaevola coriacea</i>)	E	\$11,605	\$1,361,503,182
963	Darter, relict (<i>Etheostoma chienense</i>)	E	\$11,600	\$1,361,514,782
964	<i>Delissea rhytidosperma</i> (=Sci name)	E	\$11,532	\$1,361,526,314

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
965	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$11,500	\$1,361,537,814
965	Elimia, lacy (snail) (<i>Elimia crenatella</i>)	T	\$11,500	\$1,361,549,314
965	Bariaco (<i>Trichilia triacantha</i>)	E	\$11,500	\$1,361,560,814
966	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$11,350	\$1,361,572,164
967	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>)	E	\$11,336	\$1,361,583,500
968	Trillium, persistent (<i>Trillium persistens</i>)	E	\$11,212	\$1,361,594,712
969	Dace, Independence Valley speckled (<i>Rhinichthys osculus lethoporus</i>)	E	\$11,202	\$1,361,605,914
970	Tarplant, Gaviota (<i>Deinandra increscens</i> ssp. <i>villosa</i>)	E	\$11,173	\$1,361,617,087
971	Snail, Pecos assiminea (<i>Assiminea pecos</i>)	E	\$11,037	\$1,361,628,124
972	<i>Schiedea kaalae</i> (=Sci name)	E	\$11,035	\$1,361,639,159
972	Opuhe (<i>Urera kaalae</i>)	E	\$11,035	\$1,361,650,194
973	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$11,004	\$1,361,661,198
974	Uvillo (<i>Eugenia haematocarpa</i>)	E	\$11,000	\$1,361,672,198
975	`Oha wai (<i>Clermontia samuelii</i>)	E	\$10,956	\$1,361,683,154
976	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	\$10,915	\$1,361,694,069
977	Remya, Maui (<i>Remya mauiensis</i>)	E	\$10,856	\$1,361,704,925
978	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>)	T	\$10,848	\$1,361,715,773
979	Kuahiwi laukahi (<i>Plantago hawaiensis</i>)	E	\$10,830	\$1,361,726,603
980	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	\$10,749	\$1,361,737,352
981	Snail, Chittenango ovate amber (<i>Succinea chittenangoensis</i>)	T	\$10,693	\$1,361,748,045
982	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	\$10,681	\$1,361,758,726
982	Naenae (<i>Dubautia kalalauensis</i>)	E	\$10,681	\$1,361,769,407
983	Milk-vetch, Peirson's (<i>Astragalus magdalenae</i> var. <i>peirsonii</i>)	T	\$10,626	\$1,361,780,033
984	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>)	E	\$10,620	\$1,361,790,653
985	Darter, bayou (<i>Etheostoma rubrum</i>)	T	\$10,600	\$1,361,801,253
986	<i>Calyptanthus thomasiana</i> (=Sci name)	E	\$10,500	\$1,361,811,753
986	Palo de jazmin (<i>Styrax portoricensis</i>)	E	\$10,500	\$1,361,822,253
986	Leather flower, Morefield's (<i>Clematis morefieldii</i>)	E	\$10,500	\$1,361,832,753
987	Haha (<i>Cyanea dunbarii</i>)	E	\$10,464	\$1,361,843,217
988	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i> (=Sci name)	E	\$10,386	\$1,361,853,603
989	Potentilla, Hickman's (<i>Potentilla hickmanii</i>)	E	\$10,336	\$1,361,863,939
990	Grass, Solano (<i>Tuctoria mucronata</i>)	E	\$10,300	\$1,361,874,239

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
991	<i>Silene perlmanii</i> (=Sci name)	E	\$10,291	\$1,361,884,530
992	<i>Tetramolopium remyi</i> (=Sci name)	E	\$10,249	\$1,361,894,779
992	<i>Phyllostegia waimeae</i> (=Sci name)	E	\$10,249	\$1,361,905,028
992	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	\$10,249	\$1,361,915,277
993	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$10,190	\$1,361,925,467
994	<i>Schiedea membranacea</i> (=Sci name)	E	\$10,181	\$1,361,935,648
994	<i>Lysimachia maxima</i> (=Sci name)	E	\$10,181	\$1,361,945,829
995	Creeper, Molokai (<i>Paroreomyza flammea</i>)	E	\$10,109	\$1,361,955,938
996	Wawae`iole (<i>Huperzia mannii</i>)	E	\$10,055	\$1,361,965,993
997	Nehe (<i>Lipochaeta micrantha</i>)	E	\$10,032	\$1,361,976,025
998	Koki`o, Cooke's (<i>Kokia cookei</i>)	E	\$10,005	\$1,361,986,030
999	Allocarya, Calistoga (<i>Plagiobothrys strictus</i>)	E	\$10,000	\$1,361,996,030
999	Bluegrass, Napa (<i>Poa napensis</i>)	E	\$10,000	\$1,362,006,030
999	Thistle, fountain (<i>Cirsium fontinale</i> var. <i>fontinale</i>)	E	\$10,000	\$1,362,016,030
999	Capa rosa (<i>Callicarpa ampla</i>)	E	\$10,000	\$1,362,026,030
999	Chupacallos (<i>Pleodendron macranthum</i>)	E	\$10,000	\$1,362,036,030
999	Palo colorado (<i>Ternstroemia luquillensis</i>)	E	\$10,000	\$1,362,046,030
1000	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$9,990	\$1,362,056,020
1000	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$9,990	\$1,362,066,010
1000	Gumplant, Ash Meadows (<i>Grindelia fraxino-pratensis</i>)	T	\$9,990	\$1,362,076,000
1001	Pomace fly, [unnamed] (<i>Drosophila ochrobasis</i>)	E	\$9,923	\$1,362,085,923
1002	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$9,916	\$1,362,095,839
1003	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>)	E	\$9,900	\$1,362,105,739
1004	Blazingstar, Heller's (<i>Liatris helleri</i>)	T	\$9,820	\$1,362,115,559
1005	Aupaka (<i>Isodendron laurifolium</i>)	E	\$9,791	\$1,362,125,350
1006	<i>Viola helenae</i> (=Sci name)	E	\$9,749	\$1,362,135,099
1006	Haha (<i>Cyanea procera</i>)	E	\$9,749	\$1,362,144,848
1006	Na`ena`e (<i>Dubautia pauciflora</i>)	E	\$9,749	\$1,362,154,597
1006	Na`ena`e (<i>Dubautia plantaginea</i> ssp. <i>humilis</i>)	E	\$9,749	\$1,362,164,346
1006	<i>Phyllostegia mannii</i> (=Sci name)	E	\$9,749	\$1,362,174,095
1007	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>)	E	\$9,746	\$1,362,183,841
1008	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	\$9,739	\$1,362,193,580
1009	<i>Remya montgomeryi</i> (=Sci name)	E	\$9,681	\$1,362,203,261
1009	<i>Stenogyne campanulata</i> (=Sci name)	E	\$9,681	\$1,362,212,942

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1009	Haiwale (<i>Cyrtandra paliku</i>)	E	\$9,681	\$1,362,222,623
1010	Chub, Chihuahua (<i>Gila nigrescens</i>)	T	\$9,537	\$1,362,232,160
1011	Kamakahala (<i>Labordia triflora</i>)	E	\$9,532	\$1,362,241,692
1012	Creepers, Oahu (<i>Paroreomyza maculata</i>)	E	\$9,500	\$1,362,251,192
1012	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>)	E	\$9,500	\$1,362,260,692
1012	Palo de nigua (<i>Cornutia obovata</i>)	E	\$9,500	\$1,362,270,192
1012	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	\$9,500	\$1,362,279,692
1012	<i>Daphnopsis hellerana</i> (=Sci name)	E	\$9,500	\$1,362,289,192
1012	<i>Lepanthes eltoroensis</i> (=Sci name)	E	\$9,500	\$1,362,298,692
1012	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>)	E	\$9,500	\$1,362,308,192
1012	Walnut (=Nogal), West Indian (<i>Juglans jamaicensis</i>)	E	\$9,500	\$1,362,317,692
1012	<i>Ilex sintenisii</i> (=Sci name)	E	\$9,500	\$1,362,327,192
1013	Pomace fly, [unnamed] (<i>Drosophila aglaia</i>)	E	\$9,423	\$1,362,336,615
1014	Sedge, white (<i>Carex albida</i>)	E	\$9,400	\$1,362,346,015
1014	Lily, Pitkin Marsh (<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>)	E	\$9,400	\$1,362,355,415
1014	Jewelflower, Tiburon (<i>Streptanthus niger</i>)	E	\$9,400	\$1,362,364,815
1015	<i>Doryopteris angelica</i> (=Sci name)	E	\$9,397	\$1,362,374,212
1016	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>)	E	\$9,259	\$1,362,383,471
1017	<i>Xylosma crenatum</i> (=Sci name)	E	\$9,249	\$1,362,392,720
1017	<i>Stenogyne bifida</i> (=Sci name)	E	\$9,249	\$1,362,401,969
1018	<i>Sanicula purpurea</i> (=Sci name)	E	\$9,210	\$1,362,411,179
1019	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	\$9,181	\$1,362,420,360
1019	Haha (<i>Cyanea undulata</i>)	E	\$9,181	\$1,362,429,541
1020	<i>Lyonia truncata</i> var. <i>proctorii</i> (=Sci name)	E	\$9,170	\$1,362,438,711
1021	Heather, mountain golden (<i>Hudsonia montana</i>)	T	\$9,080	\$1,362,447,791
1022	<i>Lobelia monostachya</i> (=Sci name)	E	\$9,035	\$1,362,456,826
1023	<i>Tetraplasandra flynnii</i> (=Sci name)	E	\$9,032	\$1,362,465,858
1023	<i>Diellia pallida</i> (=Sci name)	E	\$9,032	\$1,362,474,890
1024	Cactus, Siler pincushion (<i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i>)	T	\$9,020	\$1,362,483,910
1025	Coqui, golden (<i>Eleutherodactylus jasperi</i>)	T	\$9,000	\$1,362,492,910
1025	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>)	T	\$9,000	\$1,362,501,910
1025	Pigtoe, dark (<i>Pleurobema furvum</i>)	E	\$9,000	\$1,362,510,910
1025	Pelos del diablo (<i>Aristida portoricensis</i>)	E	\$9,000	\$1,362,519,910

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1025	Palo de ramon (<i>Banara vanderbiltii</i>)	E	\$9,000	\$1,362,528,910
1025	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i> (=Sci name)	E	\$9,000	\$1,362,537,910
1025	Holly, Cook's (<i>Ilex cookii</i>)	E	\$9,000	\$1,362,546,910
1025	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	\$9,000	\$1,362,555,910
1025	Erubia (<i>Solanum drymophilum</i>)	E	\$9,000	\$1,362,564,910
1025	<i>Ternstroemia subsessilis</i> (=Sci name)	E	\$9,000	\$1,362,573,910
1025	<i>Myrcia paganii</i> (=Sci name)	E	\$9,000	\$1,362,582,910
1025	<i>Aristida chaseae</i> (=Sci name)	E	\$9,000	\$1,362,591,910
1025	<i>Vernonia proctorii</i> (=Sci name)	E	\$9,000	\$1,362,600,910
1025	<i>Cranichis ricartii</i> (=Sci name)	E	\$9,000	\$1,362,609,910
1025	Fern, Elfin tree (<i>Cyathea X dryopteroides</i>)	E	\$9,000	\$1,362,618,910
1025	<i>Thelypteris inabonensis</i> (=Sci name)	E	\$9,000	\$1,362,627,910
1025	<i>Thelypteris verecunda</i> (=Sci name)	E	\$9,000	\$1,362,636,910
1025	<i>Thelypteris yaucoensis</i> (=Sci name)	E	\$9,000	\$1,362,645,910
1026	Spurge, deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>)	E	\$8,950	\$1,362,654,860
1027	Pomace fly, [unnamed] (<i>Drosophila heteroneura</i>)	E	\$8,923	\$1,362,663,783
1027	Pomace fly, [unnamed] (<i>Drosophila mulli</i>)	T	\$8,923	\$1,362,672,706
1027	Pomace fly, [unnamed] (<i>Drosophila neoclavisetae</i>)	E	\$8,923	\$1,362,681,629
1027	Pomace fly, [unnamed] (<i>Drosophila tarphytrichia</i>)	E	\$8,923	\$1,362,690,552
1027	Pomace fly, [unnamed] (<i>Drosophila hemipeza</i>)	E	\$8,923	\$1,362,699,475
1027	Pomace fly, [unnamed] (<i>Drosophila differens</i>)	E	\$8,923	\$1,362,708,398
1028	Ha`iwale (<i>Cyrtandra polyantha</i>)	E	\$8,818	\$1,362,717,216
1029	Hedyotis, Na Pali beach (<i>Hedyotis st.-johnii</i>)	E	\$8,815	\$1,362,726,031
1030	Kopiko (<i>Psychotria grandiflora</i>)	E	\$8,749	\$1,362,734,780
1030	Alani (<i>Melicope haupuensis</i>)	E	\$8,749	\$1,362,743,529
1030	`Aiea (<i>Nothocestrum peltatum</i>)	E	\$8,749	\$1,362,752,278
1030	Kolea (<i>Myrsine mezii</i>)	E	\$8,749	\$1,362,761,027
1030	Lo`ulu (<i>Pritchardia viscosa</i>)	E	\$8,749	\$1,362,769,776
1030	<i>Lysimachia pendens</i> (=Sci name)	E	\$8,749	\$1,362,778,525
1031	Boxwood, Vahl's (<i>Buxus vahlii</i>)	E	\$8,695	\$1,362,787,220
1032	<i>Lysimachia lydgatei</i> (=Sci name)	E	\$8,681	\$1,362,795,901
1033	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$8,650	\$1,362,804,551
1034	Madtom, chunky (<i>Noturus crypticus</i>)	E	\$8,596	\$1,362,813,147
1035	Koki`o (<i>Kokia kauaiensis</i>)	E	\$8,573	\$1,362,821,720

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1036	Kohe malama malama o kanaloa (<i>Kanaloa kahoolawensis</i>)	E	\$8,532	\$1,362,830,252
1037	Nukupu`u (honeycreeper) (<i>Hemignathus lucidus</i>)	E	\$8,500	\$1,362,838,752
1037	Pocketbook, speckled (<i>Lampsilis streckeri</i>)	E	\$8,500	\$1,362,847,252
1037	Prickly-ash, St. Thomas (<i>Zanthoxylum thomsonianum</i>)	E	\$8,500	\$1,362,855,752
1038	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>)	T	\$8,460	\$1,362,864,212
1039	Pomace fly, [unnamed] (<i>Drosophila obatai</i>)	E	\$8,423	\$1,362,872,635
1040	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	\$8,382	\$1,362,881,017
1041	<i>Cyperus pennatiformis</i> (=Sci name)	E	\$8,356	\$1,362,889,373
1042	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukecampbelli</i>)	E	\$8,308	\$1,362,897,681
1043	Spineflower, Howell's (<i>Chorizanthe howellii</i>)	E	\$8,282	\$1,362,905,963
1044	Birch, Virginia round-leaf (<i>Betula uber</i>)	T	\$8,275	\$1,362,914,238
1045	Campeloma, slender (<i>Campeloma decampi</i>)	E	\$8,200	\$1,362,922,438
1046	<i>Silene alexandri</i> (=Sci name)	E	\$8,181	\$1,362,930,619
1047	`Akoko (<i>Euphorbia haeleleana</i>)	E	\$8,142	\$1,362,938,761
1047	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	\$8,142	\$1,362,946,903
1048	Buckwheat, steamboat (<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>)	E	\$8,100	\$1,362,955,003
1049	Haha (<i>Cyanea pinnatifida</i>)	E	\$8,075	\$1,362,963,078
1050	Milkpea, Small's (<i>Galactia smallii</i>)	E	\$8,050	\$1,362,971,128
1051	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>)	T	\$8,042	\$1,362,979,170
1052	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>)	E	\$8,039	\$1,362,987,209
1053	Boa, Mona (<i>Epicrates monensis monensis</i>)	T	\$8,000	\$1,362,995,209
1053	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$8,000	\$1,363,003,209
1054	Nani wai`ale`ale (<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>)	E	\$7,964	\$1,363,011,173
1055	Fly, Hawaiian picture-wing (<i>Drosophila sharpi</i>)	E	\$7,923	\$1,363,019,096
1056	Olulu (<i>Brighamia insignis</i>)	E	\$7,897	\$1,363,026,993
1057	<i>Tetraplasandra bisattenuata</i> (=Sci name)	E	\$7,856	\$1,363,034,849
1057	Koki`o ke`oke`o (<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>)	E	\$7,856	\$1,363,042,705
1058	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$7,850	\$1,363,050,555
1059	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>)	E	\$7,750	\$1,363,058,305
1060	Kolea (<i>Myrsine knudsenii</i>)	E	\$7,749	\$1,363,066,054
1061	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	\$7,700	\$1,363,073,754
1062	<i>Catesbaea melanocarpa</i> (=Sci name)	E	\$7,695	\$1,363,081,449
1063	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>)	T	\$7,540	\$1,363,088,989
1064	<i>Lysimachia iniki</i> (=Sci name)	E	\$7,532	\$1,363,096,521

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1064	<i>Phyllostegia renovans</i> (=Sci name)	E	\$7,532	\$1,363,104,053
1065	Vole, Hualapai Mexican (<i>Microtus mexicanus hualpaiensis</i>)	E	\$7,500	\$1,363,111,553
1065	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	\$7,500	\$1,363,119,053
1065	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	\$7,500	\$1,363,126,553
1065	Phacelia, island (<i>Phacelia insularis</i> ssp. <i>insularis</i>)	E	\$7,500	\$1,363,134,053
1065	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	\$7,500	\$1,363,141,553
1065	<i>Osmoxylon mariannense</i> (=Sci name)	E	\$7,500	\$1,363,149,053
1066	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	\$7,477	\$1,363,156,530
1067	Haha (<i>Cyanea asarifolia</i>)	E	\$7,464	\$1,363,163,994
1068	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>)	E	\$7,456	\$1,363,171,450
1069	Springsnail, San Bernardino (<i>Pyrgulopsis bernardina</i>)	T	\$7,400	\$1,363,178,850
1070	Liliwai (<i>Acaena exigua</i>)	E	\$7,356	\$1,363,186,206
1070	Pamakani (<i>Tetramolopium capillare</i>)	E	\$7,356	\$1,363,193,562
1070	Nehe (<i>Lipochaeta waimeaensis</i>)	E	\$7,356	\$1,363,200,918
1070	<i>Mariscus fauriei</i> (=Sci name)	E	\$7,356	\$1,363,208,274
1071	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>)	E	\$7,315	\$1,363,215,589
1072	Crow, white-necked (<i>Corvus leucognaphalus</i>)	E	\$7,290	\$1,363,222,879
1073	Schiedea, Diamond Head (<i>Schiedea adamantis</i>)	E	\$7,249	\$1,363,230,128
1074	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$7,200	\$1,363,237,328
1074	Blue-star, Kearney's (<i>Amsonia kearneyana</i>)	E	\$7,200	\$1,363,244,528
1075	Alani (<i>Melicope ovalis</i>)	E	\$7,156	\$1,363,251,684
1076	<i>Lysimachia filifolia</i> (=Sci name)	E	\$7,142	\$1,363,258,826
1077	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	\$7,128	\$1,363,265,954
1078	Pigtoe, Georgia (<i>Pleurobema hanleyianum</i>)	E	\$7,122	\$1,363,273,076
1079	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>)	E	\$7,100	\$1,363,280,176
1080	<i>Cordia bellonis</i> (=Sci name)	E	\$7,000	\$1,363,287,176
1080	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>)	E	\$7,000	\$1,363,294,176
1080	Lupine, clover (<i>Lupinus tidestromii</i>)	E	\$7,000	\$1,363,301,176
1080	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>)	E	\$7,000	\$1,363,308,176
1080	<i>Schoepfia arenaria</i> (=Sci name)	T	\$7,000	\$1,363,315,176
1080	<i>Nesogenes rotensis</i> (=Sci name)	E	\$7,000	\$1,363,322,176
1081	Checker-mallow, Kenwood Marsh (<i>Sidalcea oregana</i> ssp. <i>valida</i>)	E	\$6,975	\$1,363,329,151
1082	Kauai hau kuahiwi (<i>Hibiscadelphus distans</i>)	E	\$6,964	\$1,363,336,115

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1082	<i>Lysimachia scopulensis</i> (=Sci name)	E	\$6,964	\$1,363,343,079
1083	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>)	E	\$6,956	\$1,363,350,035
1084	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>)	E	\$6,945	\$1,363,356,980
1085	Damselfly, flying earwig Hawaiian (<i>Megalagrion nesiotes</i>)	E	\$6,923	\$1,363,363,903
1085	Damselfly, Pacific Hawaiian (<i>Megalagrion pacificum</i>)	E	\$6,923	\$1,363,370,826
1086	<i>Schiedea sarmentosa</i> (=Sci name)	E	\$6,856	\$1,363,377,682
1086	<i>Gouania hillebrandii</i> (=Sci name)	E	\$6,856	\$1,363,384,538
1086	Kaulu (<i>Pteralyxia kauaiensis</i>)	E	\$6,856	\$1,363,391,394
1087	Ma`oli`oli (<i>Schiedea kealiae</i>)	E	\$6,810	\$1,363,398,204
1088	<i>Remya kauaiensis</i> (=Sci name)	E	\$6,788	\$1,363,404,992
1089	Lo`ulu (<i>Pritchardia napaliensis</i>)	E	\$6,721	\$1,363,411,713
1090	Mustard, Carter's (<i>Warea carteri</i>)	E	\$6,700	\$1,363,418,413
1091	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	\$6,691	\$1,363,425,104
1092	Polygala, tiny (<i>Polygala smallii</i>)	E	\$6,650	\$1,363,431,754
1093	Holei (<i>Ochrosia kilaueaensis</i>)	E	\$6,639	\$1,363,438,393
1094	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	\$6,596	\$1,363,444,989
1095	Alani (<i>Melicope degeneri</i>)	E	\$6,532	\$1,363,451,521
1095	Alani (<i>Melicope quadrangularis</i>)	E	\$6,532	\$1,363,458,053
1096	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$6,506	\$1,363,464,559
1097	Akialoa, Kauai (honeycreeper) (<i>Hemignathus procerus</i>)	E	\$6,500	\$1,363,471,059
1097	`O`o, Kauai (honeyeater) (<i>Moho braccatus</i>)	E	\$6,500	\$1,363,477,559
1097	Gecko, Monito (<i>Sphaerodactylus micropithecus</i>)	E	\$6,500	\$1,363,484,059
1097	<i>Polystichum calderonense</i> (=Sci name)	E	\$6,500	\$1,363,490,559
1098	Penny-cress, Kneeland Prairie (<i>Thlaspi californicum</i>)	E	\$6,482	\$1,363,497,041
1099	Turtle, yellow-blotched map (<i>Graptemys flavimaculata</i>)	T	\$6,425	\$1,363,503,466
1100	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	E	\$6,393	\$1,363,509,859
1101	Alani (<i>Melicope balloui</i>)	E	\$6,389	\$1,363,516,248
1102	<i>Phyllostegia knudsenii</i> (=Sci name)	E	\$6,356	\$1,363,522,604
1102	<i>Hesperomannia lydgatei</i> (=Sci name)	E	\$6,356	\$1,363,528,960
1102	Na`ena`e (<i>Dubautia imbricata imbricata</i>)	E	\$6,356	\$1,363,535,316
1102	Haha (<i>Cyanea dolichopoda</i>)	E	\$6,356	\$1,363,541,672
1102	Naenae (<i>Dubautia kenwoodii</i>)	E	\$6,356	\$1,363,548,028
1103	Oxytheca, cushenbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>)	E	\$6,328	\$1,363,554,356
1104	Kopiko (<i>Psychotria hobdyi</i>)	E	\$6,288	\$1,363,560,644

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1105	Crayfish, Nashville (<i>Orconectes shoupi</i>)	E	\$6,217	\$1,363,566,861
1106	Milk-vetch, Cushenbury (<i>Astragalus albens</i>)	E	\$6,212	\$1,363,573,073
1107	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>)	E	\$6,210	\$1,363,579,283
1107	Akoko (<i>Chamaesyce deppeana</i>)	E	\$6,210	\$1,363,585,493
1108	Vervain, Red Hills (<i>Verbena californica</i>)	T	\$6,172	\$1,363,591,665
1109	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>)	E	\$6,150	\$1,363,597,815
1109	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Tellico River, TN	EXPN	\$6,150	\$1,363,603,965
1109	Madtom, smoky (<i>Noturus baileyi</i>) - Tellico River, TN	EXPN	\$6,150	\$1,363,610,115
1109	Darter, duskytail (<i>Etheostoma percnurum</i>) - Tellico River, TN	EXPN	\$6,150	\$1,363,616,265
1110	Shiner, beautiful (<i>Cyprinella formosa</i>)	T	\$6,130	\$1,363,622,395
1111	Combshell, southern (<i>Epioblasma penita</i>)	E	\$6,124	\$1,363,628,519
1112	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	\$6,100	\$1,363,634,619
1113	<i>Stenogyne kealiae</i> (=Sci name)	E	\$6,073	\$1,363,640,692
1114	<i>Phyllostegia wawrana</i> (=Sci name)	E	\$6,032	\$1,363,646,724
1114	<i>Schiedea attenuata</i> (=Sci name)	E	\$6,032	\$1,363,652,756
1115	Akepa, Maui (honeycreeper) (<i>Loxops coccineus ochraceus</i>)	E	\$6,000	\$1,363,658,756
1115	Po`ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>)	E	\$6,000	\$1,363,664,756
1115	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	\$6,000	\$1,363,670,756
1115	Manaca, palma de (<i>Calyptronoma rivalis</i>)	T	\$6,000	\$1,363,676,756
1115	<i>Mitracarpus maxwelliae</i> (=Sci name)	E	\$6,000	\$1,363,682,756
1115	<i>Mitracarpus polycladus</i> (=Sci name)	E	\$6,000	\$1,363,688,756
1115	<i>Auerodendron pauciflorum</i> (=Sci name)	E	\$6,000	\$1,363,694,756
1115	<i>Adiantum vivesii</i> (=Sci name)	E	\$6,000	\$1,363,700,756
1115	<i>Elaphoglossum serpens</i> (=Sci name)	E	\$6,000	\$1,363,706,756
1115	<i>Tectaria estremerana</i> (=Sci name)	E	\$6,000	\$1,363,712,756
1116	Lo`ulu (<i>Pritchardia munroi</i>)	E	\$5,964	\$1,363,718,720
1117	Haha (<i>Cyanea glabra</i>)	E	\$5,956	\$1,363,724,676
1118	Spineflower, Ben Lomond (<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>)	E	\$5,950	\$1,363,730,626
1119	Papala (<i>Charpentiera densiflora</i>)	E	\$5,856	\$1,363,736,482
1119	Haha (<i>Cyanea mceldowneyi</i>)	E	\$5,856	\$1,363,742,338
1119	Alani (<i>Melicope paniculata</i>)	E	\$5,856	\$1,363,748,194
1119	Alani (<i>Melicope reflexa</i>)	E	\$5,856	\$1,363,754,050
1119	Ma`oli`oli (<i>Schiedea apokremnos</i>)	E	\$5,856	\$1,363,759,906
1119	<i>Schiedea lydgatei</i> (=Sci name)	E	\$5,856	\$1,363,765,762

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1119	Haha (<i>Cyanea mannii</i>)	E	\$5,856	\$1,363,771,618
1119	Haha (<i>Cyanea recta</i>)	T	\$5,856	\$1,363,777,474
1119	Pilo kea lau li'i (<i>Platydesma rostrata</i>)	E	\$5,856	\$1,363,783,330
1119	Haha (<i>Cyanea kuhihewa</i>)	E	\$5,856	\$1,363,789,186
1119	Haha (<i>Cyanea eleeleensis</i>)	E	\$5,856	\$1,363,795,042
1120	Chub, Hutton tui (<i>Gila bicolor</i> ssp.)	T	\$5,850	\$1,363,800,892
1121	Water-willow, Cooley's (<i>Justicia cooleyi</i>)	E	\$5,800	\$1,363,806,692
1122	<i>Schiedea helleri</i> (=Sci name)	E	\$5,788	\$1,363,812,480
1122	Lo`ulu, (=Na`ena`e) (<i>Pritchardia hardyi</i>)	E	\$5,788	\$1,363,818,268
1123	Dudleya, Conejo (<i>Dudleya abramsii</i> ssp. <i>parva</i>)	T	\$5,771	\$1,363,824,039
1124	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	\$5,721	\$1,363,829,760
1125	Haha (<i>Cyanea humboldtiana</i>)	E	\$5,710	\$1,363,835,470
1125	<i>Trematobelvia singularis</i> (=Sci name)	E	\$5,710	\$1,363,841,180
1126	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	\$5,700	\$1,363,846,880
1126	Snail, armored (<i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i>)	E	\$5,700	\$1,363,852,580
1127	Darter, Maryland (<i>Etheostoma sellare</i>)	E	\$5,640	\$1,363,858,220
1128	Amphipod, Hay's Spring (<i>Stygobromus hayi</i>)	E	\$5,519	\$1,363,863,739
1129	Marstonia, royal (snail) (<i>Pyrgulopsis ogmorhapse</i>)	E	\$5,500	\$1,363,869,239
1129	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>)	T	\$5,500	\$1,363,874,739
1130	Ha`iwale (<i>Cyrtandra oenobarba</i>)	E	\$5,356	\$1,363,880,095
1130	Awikiwiki (<i>Canavalia napaliensis</i>)	E	\$5,356	\$1,363,885,451
1130	Akoko (<i>Chamaesyce remyi</i> var. <i>kauaiensis</i>)	E	\$5,356	\$1,363,890,807
1130	<i>Poa siphonoglossa</i> (=Sci name)	E	\$5,356	\$1,363,896,163
1130	Alani (<i>Melicope puberula</i>)	E	\$5,356	\$1,363,901,519
1131	Minnow, Devils River (<i>Dionda diaboli</i>)	T	\$5,350	\$1,363,906,869
1132	Crayfish, cave (<i>Cambarus aculabrum</i>)	E	\$5,300	\$1,363,912,169
1133	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>)	E	\$5,200	\$1,363,917,369
1133	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>)	E	\$5,200	\$1,363,922,569
1134	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>)	E	\$5,000	\$1,363,927,569
1134	Salamander, San Marcos (<i>Eurycea nana</i>)	T	\$5,000	\$1,363,932,569
1134	Amphipod, Peck's cave (<i>Stygobromus</i> (=Stygonectes) <i>pecki</i>)	E	\$5,000	\$1,363,937,569
1134	Bedstraw, island (<i>Galium buxifolium</i>)	E	\$5,000	\$1,363,942,569
1134	Gilia, Hoffmann's slender-flowered (<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>)	E	\$5,000	\$1,363,947,569

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1134	Goldenrod, Blue Ridge (<i>Solidago spithamaea</i>)	T	\$5,000	\$1,363,952,569
1135	Spinymussel, Altamaha (<i>Elliptio spinosa</i>)	E	\$4,900	\$1,363,957,469
1136	Ko`oko`olau (<i>Bidens wiebkei</i>)	E	\$4,856	\$1,363,962,325
1136	<i>Chamaesyce halemanui</i> (=Sci name)	E	\$4,856	\$1,363,967,181
1136	`Akoko (<i>Chamaesyce remyi</i> var. <i>remyi</i>)	E	\$4,856	\$1,363,972,037
1136	Na`ena`e (<i>Dubautia latifolia</i>)	E	\$4,856	\$1,363,976,893
1136	Bluegrass, Hawaiian (<i>Poa sandvicensis</i>)	E	\$4,856	\$1,363,981,749
1136	Bluegrass, Mann's (<i>Poa mannii</i>)	E	\$4,856	\$1,363,986,605
1136	<i>Schiedea spergulina</i> var. <i>leiopoda</i> (=Sci name)	E	\$4,856	\$1,363,991,461
1136	<i>Schiedea spergulina</i> var. <i>spergulina</i> (=Sci name)	T	\$4,856	\$1,363,996,317
1136	<i>Alsinidendron viscosum</i> (=Sci name)	E	\$4,856	\$1,364,001,173
1136	Kuawawaenuhu (<i>Alsinidendron lychnoides</i>)	E	\$4,856	\$1,364,006,029
1136	Kamakahala (<i>Labordia helleri</i>)	E	\$4,856	\$1,364,010,885
1136	Ho`awa (<i>Pittosporum napaliense</i>)	E	\$4,856	\$1,364,015,741
1136	Haha (<i>Cyanea remyi</i>)	E	\$4,856	\$1,364,020,597
1136	Na`ena`e (<i>Dubautia plantaginea magnifolia</i>)	E	\$4,856	\$1,364,025,453
1136	<i>Lysimachia venosa</i> (=Sci name)	E	\$4,856	\$1,364,030,309
1136	`Akoko (<i>Chamaesyce eleanoriae</i>)	E	\$4,856	\$1,364,035,165
1136	Haha (<i>Cyanea kolekoleensis</i>)	E	\$4,856	\$1,364,040,021
1137	aumakua, Palapalai (<i>Dryopteris crinalis</i> var. <i>podosorus</i>)	E	\$4,670	\$1,364,044,691
1138	Shagreen, Magazine Mountain (<i>Mesodon magazinensis</i>)	T	\$4,600	\$1,364,049,291
1139	Woodpecker, ivory-billed (<i>Campephilus principalis</i>)	E	\$4,400	\$1,364,053,691
1140	Ceanothus, Vail Lake (<i>Ceanothus ophiochilus</i>)	T	\$4,379	\$1,364,058,070
1141	Awiji (<i>Hedyotis cookiana</i>)	E	\$4,356	\$1,364,062,426
1141	Nehe (<i>Lipochaeta fauriei</i>)	E	\$4,356	\$1,364,066,782
1141	Mapele (<i>Cyrtandra cyaneoides</i>)	E	\$4,356	\$1,364,071,138
1142	Oha (<i>Delissea rivularis</i>)	E	\$4,346	\$1,364,075,484
1143	Wallflower, Ben Lomond (<i>Erysimum teretifolium</i>)	E	\$4,336	\$1,364,079,820
1144	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	\$4,300	\$1,364,084,120
1145	Chub, spotfin (<i>Erimonax monachus</i>) - Tellico River, TN	EXPN	\$4,150	\$1,364,088,270
1146	Fern, Alabama streak-sorus (<i>Thelypteris pilosa</i> var. <i>alabamensis</i>)	T	\$4,138	\$1,364,092,408
1147	Pilo (<i>Hedyotis mannii</i>)	E	\$4,132	\$1,364,096,540
1148	Baccharis, Encinitas (<i>Baccharis vanessae</i>)	T	\$4,065	\$1,364,100,605
1149	Darter, boulder (<i>Etheostoma wapiti</i>) - Shoal Creek	EXPN	\$4,000	\$1,364,104,605

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1149	Darter, vermilion (<i>Etheostoma chermocki</i>)	E	\$4,000	\$1,364,108,605
1149	Goldenrod, white-haired (<i>Solidago albopilosa</i>)	T	\$4,000	\$1,364,112,605
1150	<i>Amaranthus brownii</i> (=Sci name)	E	\$3,856	\$1,364,116,461
1150	Lo`ulu (<i>Pritchardia remota</i>)	E	\$3,856	\$1,364,120,317
1150	Ha`iwale (<i>Cyrtandra crenata</i>)	E	\$3,856	\$1,364,124,173
1151	‘Ohe`ohe (<i>Tetraplasandra gymnocarpa</i>)	E	\$3,810	\$1,364,127,983
1152	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>)	E	\$3,782	\$1,364,131,765
1153	Ladies'-tresses, Canelo Hills (<i>Spiranthes delitescens</i>)	E	\$3,635	\$1,364,135,400
1154	Grasshopper, Zayante band-winged (<i>Trimerotropis infantilis</i>)	E	\$3,552	\$1,364,138,952
1154	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>)	E	\$3,552	\$1,364,142,504
1155	Gambusia, Big Bend (<i>Gambusia gaigei</i>)	E	\$3,500	\$1,364,146,004
1156	<i>Schiedea verticillata</i> (=Sci name)	E	\$3,356	\$1,364,149,360
1157	Rosemary, Etonia (<i>Conradina etonia</i>)	E	\$3,250	\$1,364,152,610
1158	Beetle, Coffin Cave mold (<i>Batrissodes texanus</i>)	E	\$3,200	\$1,364,155,810
1158	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	\$3,200	\$1,364,159,010
1159	Cactus, Cochise pincushion (<i>Coryphantha robbinsiorum</i>)	T	\$2,900	\$1,364,161,910
1160	Snowbells, Texas (<i>Styrax texanus</i>)	E	\$2,800	\$1,364,164,710
1160	Primrose, Maguire (<i>Primula maguirei</i>)	T	\$2,800	\$1,364,167,510
1161	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$2,738	\$1,364,170,248
1162	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$2,650	\$1,364,172,898
1163	Phacelia, clay (<i>Phacelia argillacea</i>)	E	\$2,600	\$1,364,175,498
1164	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>)	T	\$2,584	\$1,364,178,082
1165	globe, noonday (<i>Patena clarki nantahala</i>)	T	\$2,500	\$1,364,180,582
1165	Snail, painted snake coiled forest (<i>Anguispira picta</i>)	T	\$2,500	\$1,364,183,082
1165	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>)	E	\$2,500	\$1,364,185,582
1166	Jaguarundi, Sinaloa (<i>Herpailurus</i> (=Felis) <i>yagouaroundi tolteca</i>)	E	\$2,300	\$1,364,187,882
1167	Pigtoe, heavy (<i>Pleurobema taitianum</i>)	E	\$2,228	\$1,364,190,110
1168	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>)	E	\$2,100	\$1,364,192,210
1168	Milk-vetch, Deseret (<i>Astragalus desereticus</i>)	T	\$2,100	\$1,364,194,310
1168	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	\$2,100	\$1,364,196,410
1168	Milk-vetch, heliotrope (<i>Astragalus montii</i>)	T	\$2,100	\$1,364,198,510
1168	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	\$2,100	\$1,364,200,610

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1169	Darter, watercress (<i>Etheostoma nuchale</i>)	E	\$2,000	\$1,364,202,610
1169	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>)	E	\$2,000	\$1,364,204,610
1169	Chub, spotfin (<i>Erimonax monachus</i>)	EXPN	\$2,000	\$1,364,206,610
1170	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>)	E	\$1,900	\$1,364,208,510
1171	Harvestman, Bone Cave (<i>Texella reyesi</i>)	E	\$1,750	\$1,364,210,260
1172	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>)	E	\$1,700	\$1,364,211,960
1173	Rocksnaail, interrupted (=Georgia) (<i>Leptoxis foremani</i>) -	E	\$1,633	\$1,364,213,593
1174	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) - Except where listed as EXPN	E	\$1,600	\$1,364,215,193
1174	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>)	E	\$1,600	\$1,364,216,793
1175	Spider, Tooth Cave (<i>Leptoneta myopica</i>)	E	\$1,500	\$1,364,218,293
1176	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	\$1,431	\$1,364,219,724
1177	O`u (honeycreeper) (<i>Psittirostra psittacea</i>)	E	\$1,400	\$1,364,221,124
1177	Springsnaail, Socorro (<i>Pyrgulopsis neomexicana</i>)	E	\$1,400	\$1,364,222,524
1177	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	\$1,400	\$1,364,223,924
1178	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - DE, Sussex Co.	EXPN	\$1,346	\$1,364,225,270
1179	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$1,321	\$1,364,226,591
1180	Springsnaail, Alamosa (<i>Tryonia alamosae</i>)	E	\$1,300	\$1,364,227,891
1181	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	\$1,283	\$1,364,229,174
1182	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$1,260	\$1,364,230,434
1183	Pawpaw, Rugel's (<i>Deeringothamnus rugelii</i>)	E	\$1,250	\$1,364,231,684
1184	Buckwheat, cushenbury (<i>Eriogonum ovalifolium</i> var. <i>vineum</i>)	E	\$1,212	\$1,364,232,896
1185	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$1,200	\$1,364,234,096
1186	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$1,175	\$1,364,235,271
1187	Mountain-mahogany, Catalina Island (<i>Cercocarpus traskiae</i>)	E	\$1,158	\$1,364,236,429
1188	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>)	E	\$1,150	\$1,364,237,579
1188	Gerardia, sandplain (<i>Agalinis acuta</i>)	E	\$1,150	\$1,364,238,729
1189	Gambusia, Clear Creek (<i>Gambusia heterochir</i>)	E	\$1,000	\$1,364,239,729
1189	Gambusia, San Marcos (<i>Gambusia georgei</i>)	E	\$1,000	\$1,364,240,729
1189	Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>)	E	\$1,000	\$1,364,241,729

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1189	Hornsnail, rough (<i>Pleurocera foremani</i>)	E	\$1,000	\$1,364,242,729
1189	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>)	E	\$1,000	\$1,364,243,729
1190	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>)	E	\$996	\$1,364,244,725
1191	Mustard, slender-petaled (<i>Thelypodium stenopetalum</i>)	E	\$939	\$1,364,245,664
1192	Pearlymussel, dromedary (<i>Dromus dromas</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$921	\$1,364,246,585
1193	Crayfish, cave (<i>Cambarus zophonastes</i>)	E	\$900	\$1,364,247,485
1194	Puma (=mountain lion) (<i>Puma (=Felis) concolor</i> (all subsp. except <i>coryi</i>)) - FL	SAT	\$800	\$1,364,248,285
1194	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) - Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$800	\$1,364,249,085
1195	Clarkia, Pismo (<i>Clarkia speciosa</i> ssp. <i>immaculata</i>)	E	\$761	\$1,364,249,846
1196	Bat, little Mariana fruit (<i>Pteropus tokudae</i>)	E	\$700	\$1,364,250,546
1196	Thrush, Molokai (<i>Myadestes lanaiensis rutha</i>)	E	\$700	\$1,364,251,246
1196	Chub, slender (<i>Erimystax cahni</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$700	\$1,364,251,946
1196	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$700	\$1,364,252,646
1196	Pigtoe, finerayed (<i>Fusconaia cuneolus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$700	\$1,364,253,346
1196	Pigtoe, rough (<i>Pleurobema plenum</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$700	\$1,364,254,046
1196	Pigtoe, shiny (<i>Fusconaia cor</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$700	\$1,364,254,746
1196	Pearlymussel, cracking (<i>Hemistena lata</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$700	\$1,364,255,446
1196	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>)	E	\$700	\$1,364,256,146
1197	Mallow, Peter's Mountain (<i>Iliamna corei</i>)	E	\$690	\$1,364,256,836
1198	Clubshell, black (<i>Pleurobema curtum</i>)	E	\$532	\$1,364,257,368
1199	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$519	\$1,364,257,887
1200	Pondweed, Little Aguja (=Creek) (<i>Potamogeton clystocarpus</i>)	E	\$500	\$1,364,258,387
1200	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	\$500	\$1,364,258,887
1201	Chub, spotfin (<i>Erimonax monachus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$480	\$1,364,259,367
1202	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	\$455	\$1,364,259,822

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1203	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - Free-Flowing Reach of TN River below Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$400	\$1,364,260,222
1203	Pearlymussel, dromedary (<i>Dromus dromas</i>) - Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$400	\$1,364,260,622
1203	Pigtoe, flat (<i>Pleurobema marshalli</i>)	E	\$400	\$1,364,261,022
1203	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$400	\$1,364,261,422
1203	Stirrupshell (<i>Quadrula stapes</i>)	E	\$400	\$1,364,261,822
1203	Beetle, delta green ground (<i>Elaphrus viridis</i>)	T	\$400	\$1,364,262,222
1203	Bladderpod, lyrate (<i>Lesquerella lyrata</i>)	T	\$400	\$1,364,262,622
1204	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) - Except where listed as EXPN	E	\$396	\$1,364,263,018
1205	Checker-mallow, pedate (<i>Sidalcea pedata</i>)	E	\$355	\$1,364,263,373
1206	Dudleya, marcescent (<i>Dudleya cymosa</i> ssp. <i>marcescens</i>)	T	\$300	\$1,364,263,673
1207	Darter, rush (<i>Etheostoma phytophilum</i>)	E	\$296	\$1,364,263,969
1208	Rocksnailed, round (<i>Leptoxis ampla</i>)	T	\$291	\$1,364,264,260
1209	Madtom, Scioto (<i>Noturus trautmani</i>)	E	\$283	\$1,364,264,543
1209	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$283	\$1,364,264,826
1210	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>)	E	\$250	\$1,364,265,076
1211	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$235	\$1,364,265,311
1212	Cory cactus, bunched (<i>Coryphantha ramillosa</i>)	T	\$233	\$1,364,265,544
1213	Sculpin, pygmy (<i>Cottus paulus</i> (=pygmaeus))	T	\$200	\$1,364,265,744
1213	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) - Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$200	\$1,364,265,944
1213	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$200	\$1,364,266,144
1213	Shrimp, Alabama cave (<i>Palaemonias alabamiae</i>)	E	\$200	\$1,364,266,344
1213	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	\$200	\$1,364,266,544
1213	Pitaya, Davis' green (<i>Echinocereus viridiflorus</i> var. <i>davisii</i>)	E	\$200	\$1,364,266,744
1214	Pearlymussel, cracking (<i>Hemistena lata</i>) - Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$121	\$1,364,266,865
1215	Darter, duskytail (<i>Etheostoma percnurum</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$100	\$1,364,266,965

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1216	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$96	\$1,364,267,061
1217	Mapleleaf, winged (<i>Quadrula fragosa</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$94	\$1,364,267,155
1218	Liveforever, Laguna Beach (<i>Dudleya stolonifera</i>)	T	\$86	\$1,364,267,241
1219	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$60	\$1,364,267,301

TABLE 3. FY 2012 REPORTED LAND ACQUISITION EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES

Species are arranged in the same sequence as Table 1. These costs are not included in the expenditures displayed in Tables 1 and 2. Only those species that had land acquisition costs reported for FY 2012 are included here. Land rank is included to show the relative order of the species for which land expenditures are reported. Land acquisition costs for multi-species conservation activities are tabulated at the end of Table 3.

TABLE 3. FY 2012 REPORTED LAND ACQUISITION EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
Mammals	74	Bat, gray (<i>Myotis grisescens</i>)	E	\$134,901	\$109,500	\$244,401	\$0	\$244,401
	3	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$1,633,334	\$17,470,600	\$19,103,934	\$165,100	\$19,269,034
	84	Bat, Ozark big-eared (<i>Corynorhinus (=Plecotus)</i> <i>townsendii ingens</i>)	E	\$4,501	\$109,500	\$114,001	\$0	\$114,001
	6	Bear, Louisiana black (<i>Ursus</i> <i>americanus luteolus</i>)	T	\$0	\$11,298,000	\$11,298,000	\$0	\$11,298,000
	105	Bear, polar (<i>Ursus maritimus</i>)	T	\$4,286	\$0	\$4,286	\$0	\$4,286
	37	Fox, San Joaquin kit (<i>Vulpes</i> <i>macrotis mutica</i>) - CA	E	\$601,504	\$725,000	\$1,326,504	\$0	\$1,326,504
	90	Jaguarundi, Sinaloan (<i>Herpailurus (=Felis)</i> <i>yagouarundi tolteca</i>)	E	\$68,643	\$0	\$68,643	\$0	\$68,643
	88	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$0	\$84,000	\$84,000	\$0	\$84,000
	52	Kangaroo rat, Tipton (<i>Dipodomys nitratooides</i> <i>nitratooides</i>)	E	\$0	\$666,583	\$666,583	\$0	\$666,583
	59	Lynx, Canada (<i>Lynx</i> <i>canadensis</i>) - U.S. DPS	T	\$0	\$0	\$0	\$463,000	\$463,000
	77	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$177,778	\$0	\$177,778	\$0	\$177,778
	93	Mouse, Alabama beach (<i>Peromyscus polionotus</i> <i>ammobates</i>)	E	\$50,875	\$0	\$50,875	\$0	\$50,875
	22	Ocelot (<i>Leopardus (=Felis)</i> <i>pardalis</i>) - AZ, TX to Central and South America	E	\$68,643	\$3,000,000	\$3,068,643	\$0	\$3,068,643
	102	Otter, Northern Sea (<i>Enhydra</i> <i>lutris kenyoni</i>) – SW AK DPS	T	\$8,411	\$0	\$8,411	\$0	\$8,411
	8	Panther, Florida (<i>Puma</i> <i>(=Felis) concolor coryi</i>) - LA and AR east to SC and FL	E	\$0	\$9,500,000	\$9,500,000	\$0	\$9,500,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	100	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>)	E	\$0	\$0	\$0	\$11,000	\$11,000
	26	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>) - CA	E	\$0	\$2,890,000	\$2,890,000	\$0	\$2,890,000
	108	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$0	\$2,025	\$2,025	\$0	\$2,025
	98	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - eastern pop.	T	\$0	\$12,572	\$12,572	\$0	\$12,572
	78	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - western pop.	E	\$163,077	\$12,572	\$175,649	\$0	\$175,649
	34	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - except Sussex Co., DE	E	\$1,504,643	\$0	\$1,504,643	\$0	\$1,504,643
	64	Squirrel, Virginia northern flying (<i>Glaucomys sabrinus fuscus</i>)	E	\$376,828	\$0	\$376,828	\$0	\$376,828
	103	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$4,286	\$2,600	\$6,886	\$0	\$6,886
	105	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$4,286	\$0	\$4,286	\$0	\$4,286
	102	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$8,411	\$0	\$8,411	\$0	\$8,411
	102	Whale, gray (<i>Eschrichtius robustus</i>) - W Pacific Ocean	E	\$8,411	\$0	\$8,411	\$0	\$8,411
	97	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$8,411	\$8,737	\$17,148	\$0	\$17,148
	110	Whale, killer (<i>Orcinus orca</i>) - Southern Resident DPS	E	\$0	\$1,540	\$1,540	\$0	\$1,540
	102	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$8,411	\$0	\$8,411	\$0	\$8,411
	105	Whale, sperm (<i>Physeter catodon</i> (=macrocephalus))	E	\$4,286	\$0	\$4,286	\$0	\$4,286

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	17	Wolf, gray (<i>Canis lupus</i>) - AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	E	\$0	\$0	\$0	\$3,665,251	\$3,665,251
	26	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$0	\$2,890,000	\$2,890,000	\$0	\$2,890,000
Mammals subtotal				\$4,843,926	\$48,783,229	\$53,627,155	\$4,304,351	\$57,931,506
Birds	102	Albatross, short-tailed (<i>Phoebastria (=Diomedea) albatrus</i>)	E	\$8,411	\$0	\$8,411	\$0	\$8,411
	2	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) - FL pop.	T	\$0	\$20,500,000	\$20,500,000	\$0	\$20,500,000
	39	Crane, whooping (<i>Grus americana</i>) - except EXPN	E	\$0	\$1,273,500	\$1,273,500	\$0	\$1,273,500
	89	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$71,901	\$0	\$71,901	\$0	\$71,901
	71	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$256,452	\$0	\$256,452	\$0	\$256,452
	69	Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop.	T	\$300,577	\$0	\$300,577	\$0	\$300,577
	90	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - except EXPN	E	\$68,643	\$0	\$68,643	\$0	\$68,643
	28	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$22,727	\$2,289,500	\$2,312,227	\$53,000	\$2,365,227
	27	Gnatcatcher, coastal California (<i>Polioptila californica californica</i>)	T	\$22,727	\$2,425,000	\$2,447,727	\$0	\$2,447,727

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	101	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	\$0	\$10,000	\$10,000	\$0	\$10,000
	19	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$0	\$2,374,000	\$2,374,000	\$1,160,500	\$3,534,500
	5	Plover, piping (<i>Charadrius melodus</i>) - except Great Lakes watershed	T	\$11,653,796	\$1,276,000	\$12,929,796	\$0	\$12,929,796
	83	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>)	E	\$0	\$119,500	\$119,500	\$0	\$119,500
	72	Scrub-jay, Florida (<i>Aphelocoma coerulescens</i>)	T	\$0	\$250,000	\$250,000	\$0	\$250,000
	72	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$0	\$250,000	\$250,000	\$0	\$250,000
	1	Stork, wood (<i>Mycteria americana</i>) - AL, FL, GA, SC	E	\$405,410	\$48,000,000	\$48,405,410	\$0	\$48,405,410
	16	Tern, least (<i>Sterna antillarum</i>) - interior pop.	E	\$3,261,650	\$1,273,500	\$4,535,150	\$0	\$4,535,150
	35	Tern, roseate (<i>Sterna dougallii dougallii</i>) - northeast U.S. nesting pop.	E	\$1,500,000	\$0	\$1,500,000	\$0	\$1,500,000
	24	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$22,727	\$2,930,000	\$2,952,727	\$0	\$2,952,727
	90	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$68,643	\$0	\$68,643	\$0	\$68,643
	51	Woodpecker, ivory-billed (<i>Campephilus principalis</i>)	E	\$677,900	\$0	\$677,900	\$0	\$677,900
	9	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$8,752,926	\$250,000	\$9,002,926	\$60,500	\$9,063,426
Birds subtotal				\$27,094,490	\$83,221,000	\$110,315,490	\$1,274,000	\$111,589,490
Reptiles	23	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$0	\$3,000,000	\$3,000,000	\$0	\$3,000,000
	55	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$601,504	\$0	\$601,504	\$0	\$601,504

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	43	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$0	\$0	\$0	\$1,000,000	\$1,000,000
	77	Sea turtle, green (<i>Chelonia mydas</i>) - FL, Mexico nesting pops.	E	\$177,778	\$0	\$177,778	\$0	\$177,778
	76	Sea turtle, green (<i>Chelonia mydas</i>) - except where endangered	T	\$220,810	\$0	\$220,810	\$0	\$220,810
	90	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$68,643	\$0	\$68,643	\$0	\$68,643
	73	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	\$246,421	\$0	\$246,421	\$0	\$246,421
	68	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$326,421	\$0	\$326,421	\$0	\$326,421
	60	Sea turtle, loggerhead (<i>Caretta caretta</i>) - Northwest Atlantic DPS	T	\$449,462	\$0	\$449,462	\$0	\$449,462
	62	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) -IN, MI, OH	T	\$276,650	\$143,000	\$419,650	\$0	\$419,650
	13	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$0	\$5,700,000	\$5,700,000	\$0	\$5,700,000
	25	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$694,504	\$2,208,000	\$2,902,504	\$0	\$2,902,504
	31	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	\$0	\$1,750,000	\$1,750,000	\$0	\$1,750,000
	66	Tortoise, gopher (<i>Gopherus polyphemus</i>) - W of Mobile/Tombigbee Rs.	T	\$0	\$367,000	\$367,000	\$0	\$367,000
	14	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - northern	T	\$558,250	\$4,596,000	\$5,154,250	\$266,500	\$5,420,750
Reptiles subtotal				\$3,620,443	\$17,764,000	\$21,384,443	\$1,266,500	\$22,650,943
Amphibians	30	Frog, California red-legged (<i>Rana draytonii</i>)	T	\$22,727	\$2,025,000	\$2,047,727	\$0	\$2,047,727

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	46	Frog, mountain yellow-legged (<i>Rana muscosa</i>) - southern CA DPS	E	\$0	\$776,000	\$776,000	\$0	\$776,000
	41	Salamander, California tiger (<i>Ambystoma californiense</i>) - Central CA DPS	T	\$0	\$1,172,000	\$1,172,000	\$0	\$1,172,000
	64	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$376,828	\$0	\$376,828	\$0	\$376,828
	77	Salamander, Reticulated flatwoods (<i>Ambystoma bishopi</i>)	E	\$177,778	\$0	\$177,778	\$0	\$177,778
Amphibians subtotal				\$577,333	\$3,973,000	\$4,550,333	\$0	\$4,550,333
Fishes	85	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$0	\$110,000	\$110,000	\$0	\$110,000
	54	Chub, Oregon (<i>Oregonichthys crameri</i>)	T	\$0	\$609,772	\$609,772	\$0	\$609,772
	81	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$145,667	\$0	\$145,667	\$0	\$145,667
	96	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$0	\$22,000	\$22,000	\$0	\$22,000
	18	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - except where EXPN	E	\$0	\$3,576,000	\$3,576,000	\$0	\$3,576,000
	65	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - except Salt and Verde R. drainages, AZ	E	\$0	\$375,000	\$375,000	\$0	\$375,000
	81	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$145,667	\$0	\$145,667	\$0	\$145,667
	96	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$0	\$22,000	\$22,000	\$0	\$22,000
	81	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$145,667	\$0	\$145,667	\$0	\$145,667

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	81	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$145,667	\$0	\$145,667	\$0	\$145,667
	61	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Snake River fall-run ESU	T	\$0	\$449,199	\$449,199	\$0	\$449,199
	47	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Snake River spring/summer-run ESU	T	\$0	\$769,540	\$769,540	\$0	\$769,540
	91	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Sacramento River winter-run ESU	E	\$0	\$61,500	\$61,500	\$0	\$61,500
	32	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Lower Columbia River ESU	T	\$0	\$1,652,768	\$1,652,768	\$0	\$1,652,768
	50	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Upper Willamette River ESU	T	\$0	\$684,208	\$684,208	\$0	\$684,208
	11	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Upper Columbia spring-run ESU	E	\$0	\$6,244,794	\$6,244,794	\$313,000	\$6,557,794
	79	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Central Valley spring-run ESU	T	\$93,000	\$61,500	\$154,500	\$0	\$154,500
	53	Salmon, coho (<i>Oncorhynchus (=Salmo) kisutch</i>) - Lower Columbia River ESU	T	\$0	\$17,779	\$17,779	\$617,000	\$634,779
	15	Salmon, sockeye (<i>Oncorhynchus (=Salmo) nerka</i>) - Snake River, ID	E	\$0	\$4,992,248	\$4,992,248	\$0	\$4,992,248

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	38	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$0	\$1,300,000	\$1,300,000	\$0	\$1,300,000
	56	Shiner, Topeka (<i>Notropis topeka</i> (=tristis))	E	\$3,258	\$558,000	\$561,258	\$0	\$561,258
	107	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>)	E	\$0	\$3,000	\$3,000	\$0	\$3,000
	91	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - Central Valley CA	T	\$0	\$61,500	\$61,500	\$0	\$61,500
	45	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - Snake R. Basin	T	\$0	\$787,721	\$787,721	\$0	\$787,721
	29	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - lower Columbia R.	T	\$0	\$1,501,173	\$1,501,173	\$617,500	\$2,118,673
	33	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - upper Columbia R. Basin	T	\$0	\$1,285,292	\$1,285,292	\$263,000	\$1,548,292
	49	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - upper Willamette R.	T	\$0	\$684,331	\$684,331	\$0	\$684,331
	10	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - middle Columbia R.	T	\$0	\$4,914,740	\$4,914,740	\$2,650,418	\$7,565,158
	109	Sturgeon, gulf (<i>Acipenser oxyrinchus desotoi</i>)	T	\$2,000	\$0	\$2,000	\$0	\$2,000
	4	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$78,258	\$13,033,912	\$13,112,170	\$0	\$13,112,170
	65	Sucker, razorback (<i>Xyrauchen texanus</i>)	E	\$0	\$375,000	\$375,000	\$0	\$375,000
	7	Trout, bull (<i>Salvelinus confluentus</i>) - lower 48 states	T	\$0	\$9,825,446	\$9,825,446	\$0	\$9,825,446
	21	Trout, Lahontan cutthroat (<i>Oncorhynchus clarkii henshawi</i>)	T	\$0	\$3,157,008	\$3,157,008	\$0	\$3,157,008
Fishes subtotal				\$759,184	\$57,135,431	\$57,894,615	\$4,460,918	\$62,355,533

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
Clams	86	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$106,667	\$0	\$106,667	\$0	\$106,667
	48	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$759,667	\$0	\$759,667	\$0	\$759,667
	86	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$106,667	\$0	\$106,667	\$0	\$106,667
	106	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$3,258	\$0	\$3,258	\$0	\$3,258
	111	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	\$0	\$100	\$100	\$0	\$100
	75	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$221,250	\$0	\$221,250	\$0	\$221,250
	36	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$1,345,800	\$0	\$1,345,800	\$0	\$1,345,800
Clams subtotal				\$2,543,309	\$100	\$2,543,409	\$0	\$2,543,409
Insects	106	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$3,258	\$0	\$3,258	\$0	\$3,258
	99	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$0	\$11,200	\$11,200	\$0	\$11,200
	67	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$0	\$8,000	\$8,000	\$350,000	\$358,000
	12	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (= <i>E. e. wrighti</i>))	E	\$22,727	\$6,135,000	\$6,157,727	\$0	\$6,157,727
	81	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$145,667	\$0	\$145,667	\$0	\$145,667
Insects subtotal				\$171,652	\$6,154,200	\$6,325,852	\$350,000	\$6,675,852
Crustaceans	95	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$22,727	\$0	\$22,727	\$0	\$22,727
	95	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$22,727	\$0	\$22,727	\$0	\$22,727
	40	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$0	\$1,183,200	\$1,183,200	\$0	\$1,183,200

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	44	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	\$0	\$922,000	\$922,000	\$0	\$922,000
Crustaceans subtotal				\$45,454	\$2,105,200	\$2,150,654	\$0	\$2,150,654
Flowering Plants	94	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$38,300	\$0	\$38,300	\$0	\$38,300
	70	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$216,667	\$51,000	\$267,667	\$0	\$267,667
	87	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$93,000	\$0	\$93,000	\$0	\$93,000
	81	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$145,667	\$0	\$145,667	\$0	\$145,667
	95	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>)	E	\$22,727	\$0	\$22,727	\$0	\$22,727
	20	Cactus, Colorado hookless (<i>Sclerocactus glaucus</i>)	T	\$0	\$3,500,000	\$3,500,000	\$0	\$3,500,000
	107	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	\$0	\$3,000	\$3,000	\$0	\$3,000
	81	Centaury, spring-loving (<i>Centaurium namophilum</i>)	T	\$145,667	\$0	\$145,667	\$0	\$145,667
	57	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$0	\$552,000	\$552,000	\$0	\$552,000
	57	Daisy, Willamette (<i>Erigeron decumbens</i> var. <i>decumbens</i>)	E	\$0	\$552,000	\$552,000	\$0	\$552,000
	57	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	\$0	\$552,000	\$552,000	\$0	\$552,000
	90	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	\$68,643	\$0	\$68,643	\$0	\$68,643
	109	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$0	\$2,000	\$2,000	\$0	\$2,000
	90	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$68,643	\$0	\$68,643	\$0	\$68,643
	81	Gumplant, Ash Meadows (<i>Grindelia fraxino-pratensis</i>)	T	\$145,667	\$0	\$145,667	\$0	\$145,667
	80	Howellia, water (<i>Howellia aquatilis</i>)	T	\$146,000	\$0	\$146,000	\$0	\$146,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	81	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$145,667	\$0	\$145,667	\$0	\$145,667
	82	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$0	\$0	\$0	\$129,863	\$129,863
	57	Lupine, Kincaid's (<i>Lupinus sulphureus</i> ssp. <i>kincaidii</i>)	T	\$0	\$552,000	\$552,000	\$0	\$552,000
	90	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$68,643	\$0	\$68,643	\$0	\$68,643
	95	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$22,727	\$0	\$22,727	\$0	\$22,727
	95	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$22,727	\$0	\$22,727	\$0	\$22,727
	81	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$145,667	\$0	\$145,667	\$0	\$145,667
	63	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	\$0	\$400,000	\$400,000	\$0	\$400,000
	36	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	E	\$1,345,800	\$0	\$1,345,800	\$0	\$1,345,800
	81	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$145,667	\$0	\$145,667	\$0	\$145,667
	95	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$22,727	\$0	\$22,727	\$0	\$22,727
	72	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$0	\$250,000	\$250,000	\$0	\$250,000
	109	Peppergrass, Slickspot (<i>Lepidium papilliferum</i>)	T	\$0	\$2,000	\$2,000	\$0	\$2,000
	94	Pink, swamp (<i>Helonias bullata</i>)	T	\$38,300	\$0	\$38,300	\$0	\$38,300
	58	Pitcher-plant, mountain sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>)	E	\$0	\$0	\$0	\$498,485	\$498,485
	104	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$0	\$5,000	\$5,000	\$0	\$5,000
	92	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$55,400	\$0	\$55,400	\$0	\$55,400

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	72	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$0	\$250,000	\$250,000	\$0	\$250,000
	42	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$0	\$1,170,000	\$1,170,000	\$0	\$1,170,000
	81	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$145,667	\$0	\$145,667	\$0	\$145,667
Flowering Plants subtotal				\$3,249,973	\$7,841,000	\$11,090,973	\$628,348	\$11,719,321
Ferns and Allies	105	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$4,286	\$0	\$4,286	\$0	\$4,286
Ferns and Allies subtotal				\$4,286	\$0	\$4,286	\$0	\$4,286
Multi-species				\$0	\$10,607,140	\$10,607,140	\$15,219,366	\$25,826,506
Total Land Expenditures				\$42,910,050	\$237,584,300	\$280,494,350	\$27,503,483	\$307,997,833

**TABLE 4. FY 2012 EXPENDITURES REPORTED BY INDIVIDUAL FEDERAL AGENCIES
AND THE STATES**

This table displays combined species expenditures and land acquisition costs by each reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species are included as well as costs for multi-species conservation activities.

**TABLE 4. FY2012 EXPENDITURES REPORTED BY INDIVIDUAL FEDERAL AGENCIES
AND THE STATES.**

Expense Type	Agency	Species Total	Land Total	Cumulative Total
Federal Domestic Expenditures	DHS Coast Guard	\$39,330,801	\$42,546	\$39,373,347
	DHS Customs and Border Protection	\$1,586,106	\$11,130,000	\$12,716,106
	DOC National Oceanic and Atmospheric Administration	\$184,951,945	\$0	\$184,951,945
	DOD Air Force	\$8,347,819	\$0	\$8,347,819
	DOD Army	\$26,637,050	\$0	\$26,637,050
	DOD Army Corps of Engineers	\$314,702,253	\$13,048,912	\$327,751,165
	DOD Defense Logistics Agency	\$200,700	\$0	\$200,700
	DOD Marine Corps	\$14,630,603	\$0	\$14,630,603
	DOD Navy	\$18,680,446	\$0	\$18,680,446
	DOE Bonneville Power Administration	\$221,324,651	\$33,009,019	\$254,333,670
	DOE Southwestern Power Administration	\$46,400	\$0	\$46,400
	DOE Western Area Power Administration	\$1,020,900	\$0	\$1,020,900
	DOI Bureau of Indian Affairs	\$834,500	\$0	\$834,500
	DOI Bureau of Land Management	\$20,866,500	\$3,693,600	\$24,560,100
	DOI Bureau of Ocean Energy Management, Regulation and Enforcement	\$5,446,423	\$0	\$5,446,423
	DOI Bureau of Reclamation	\$124,629,500	\$15,868,500	\$140,498,000
	DOI National Park Service	\$13,602,999	\$0	\$13,602,999
	DOI Office of Surface Mining	\$62,193	\$0	\$62,193
	DOI US Geological Survey	\$17,796,282	\$0	\$17,796,282
	DOT Federal Aviation Administration	\$1,033,794	\$0	\$1,033,794
	DOT Federal Highway Administration	\$41,721,788	\$22,676,583	\$64,398,371
	Environmental Protection Agency	\$2,261,662	\$0	\$2,261,662
	Federal Energy Regulatory Commission	\$178,982	\$0	\$178,982
	Nuclear Regulatory Commission	\$353,992	\$0	\$353,992
	Smithsonian Institution	\$475,120	\$0	\$475,120
	Tennessee Valley Authority	\$1,906,600	\$0	\$1,906,600
	USDA Animal and Plant Health Inspection Service	\$5,418,400	\$0	\$5,418,400
	USDA Forest Service	\$58,833,510	\$0	\$58,833,510


Expense Type	Agency	Species Total	Land Total	Cumulative Total
	USDA Natural Resources Conservation Service	\$25,628,700	\$127,508,000	\$153,136,700
	US Fish and Wildlife Service	\$156,357,797	\$42,910,050	\$199,267,847
Federal Domestic Expenditures subtotal		\$1,308,868,416	\$269,887,210	\$1,578,755,626
Federal Foreign Expenditures	Federal Energy Regulatory Commission	\$3,298	\$0	\$3,298
	USDA Animal and Plant Health Inspection Service	\$13,100	\$0	\$13,100
	DOI US Geological Survey	\$48,275	\$0	\$48,275
	Smithsonian Institution	\$652,600	\$0	\$652,600
	US Fish and Wildlife Service	\$12,615,149	\$0	\$12,615,149
Federal Foreign Expenditures subtotal		\$13,332,422	\$0	\$13,332,422
Federal Domestic and Foreign Expenditures Subtotal		\$1,322,200,838	\$269,887,210	\$1,592,088,048
Federal Multi-species Expenditures	DOI Bureau of Land Management	\$4,000	\$0	\$4,000
	DOI Bureau of Indian Affairs	\$40,000	\$0	\$40,000
	Environmental Protection Agency	\$2,552,260	\$0	\$2,552,260
	USDA Animal and Plant Health Inspection Service	\$11,100	\$0	\$11,100
	DOT Federal Aviation Administration	\$71,780	\$0	\$71,780
	DOE Southwestern Power Administration	\$1,000	\$0	\$1,000
	DOI Office of Surface Mining	\$1,825	\$0	\$1,825
	DOI Bureau of Reclamation	\$4,020,500	\$0	\$4,020,500
	DOI US Geological Survey	\$283,962	\$0	\$283,962
	DOD Navy	\$1,209,109	\$0	\$1,209,109
	DOE Western Area Power Administration	\$840,500	\$0	\$840,500
	Nuclear Regulatory Commission	\$1,443	\$0	\$1,443
	DHS Customs and Border Protection	\$400,000	\$0	\$400,000
	USDA Natural Resources Conservation Service	\$47,000	\$0	\$47,000
	DOT Federal Highway Administration	\$11,402,565	\$10,607,140	\$22,009,705
	DOI Bureau of Ocean Energy Management, Regulation and Enforcement	\$2,528,818	\$0	\$2,528,818

Expense Type	Agency	Species Total	Land Total	Cumulative Total
	DOD Air Force	\$340,628	\$0	\$340,628
	US Fish and Wildlife Service	\$3,192,684	\$0	\$3,192,684
Federal Multi-species Expenditures subtotal		\$26,949,174	\$10,607,140	\$37,556,314
Federal Domestic and Foreign Expenditures Subtotal		\$26,949,174	\$10,607,140	\$37,556,314
		\$1,349,150,012	\$280,494,350	\$1,629,644,362
State Expenditures	State Governments	\$55,398,885	\$12,284,117	\$67,683,002
State Multi-species Expenditures	State Governments	\$2,383,293	\$15,219,366	\$17,602,659
Grand Total		\$1,406,932,190	\$307,997,833	\$1,714,930,023

Appendix A. Supplemental Guidance for Reporting Expenditures for the Conservation of Endangered and Threatened Species -- FY 2012

This reporting guidance provides information on how to report expenditures attributable to individual species to the extent this information is reasonably available. The Congress requested information for this report on a species-by-species basis, but to provide the most accurate account of expenditures for the conservation of species listed under the Endangered Species Act, **we have added a new reporting feature to this year's report. This new "multi-species" option will allow the reporting of lump sum costs for multi-species conservation activities when it is not possible to account accurately for individual species.**

Each agency must enter data directly into our Web-based system and will need to designate a contact person (more than one person is permissible) to enter the data. The contact person(s) will need to obtain a username and password before entering the data. Credentials can be obtained by accessing the Environmental Conservation Online System at <http://ecos.fws.gov> and clicking on "Contact ECOS" located at the bottom of the page.



This brings you to the next page where you will click on "ECOS Help Desk."

For assistance with the ECOS application, click here:
[**ECOS Help Desk**](#)
or call 1-970-226-9468

Fill in the requested information along with your affiliated agency and request access to the "Expenditures" application.

required.

Name:*	<input type="text" value="John Doe"/>
Email:*	<input type="text" value="john_doe@usgs.gov"/>
Phone:*	<input type="text" value="555-555-5555"/>
Issue Title:*	<input type="text" value="Need to enter expenditures"/>
Issue Description:*	<input type="text" value="I am John Doe with the U.S. Geological Survey and I need access to the Expenditures module."/>

about the FWS or
 || 1 800 244 WILD

Please allow 2 to 3 working days for access approval (email confirmation will be sent). When you receive login credentials and your access approval email, log in at <https://ecos.fws.gov> to begin entering expenditures data. Contact the Help Desk (1-970-226-9468) if you experience any problems.

The following information should be used to gather the data.

BACKGROUND

- Section 18 of the Endangered Species Act of 1973 (16 U.S. 1531 *et seq.*) reads, in part, "...the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain--
 - (1) an accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act; and
 - (2) an accounting on a species-by-species basis for all reasonably identifiable expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act by States receiving grants under section 6."
- The conference report for the 1988 amendments made some of the following points concerning section 18 of the Act:
 - Provision should not become unduly burdensome or result in diversion of funds from the operation of the program.
 - The Secretary of the Interior is to make a good faith effort to develop and obtain data but is not to undertake extensive or extraordinary measures.
 - Generalized dollar estimates will suffice.
 - Amendment does not apply to expenditures for delisted, proposed, and candidate species.
 - Amendment is not to require new species-specific time sheets for the Service or other reporting agency.
 - Listing, consultation, and law enforcement are to be included to the extent they are "reasonably identifiable."
 - Only salary costs that can be reasonably identified as applicable to listed species need be reported.
 - For other Federal and State agencies, a good faith effort to collect information is expected.
 - Submission of data from any agency is not to be a precondition to receiving any contracts or grants or establishing other arrangements with the Fish and Wildlife Service.
 - Only one data set per agency should be submitted for any given fiscal year.

DATA FORMAT

- Species should be identified by the same scientific name as found in the most current list of endangered and threatened species.
- Amounts should be reported in whole dollars. Amounts above \$2,000 may be rounded to the nearest \$500 or \$1,000; smaller amounts may be rounded to the nearest \$100. **Do not report amounts lower than \$100.**

EXPENDITURES TO BE REPORTED

- Only species on the Federal list of Endangered and Threatened Wildlife and Plants (50 CFR Part 17) at the end of the fiscal year (October 1, 2011 to September 30, 2012) are to be reported. Expenditures made prior to the actual listing date of a species, but still within the same year, may be reported (e.g., costs of public meetings, notices, surveys, initial recovery efforts). Funds expended for unlisted, separate populations of listed vertebrates cannot be included in the report (e.g., Atlantic coast least terns, Alaska gray wolves). Expenditures for State-listed species are not reportable unless they are also federally listed. Amounts for foreign species on the list (e.g., grants or contracts carried out in another country) are reportable in the same manner as domestic species, but again, to the extent they are reasonably identifiable.
- Only reasonably identifiable expenditures for listed species will be compiled for this report. Extraordinary accounting to track funds expended on listed species is not expected. **Funds reported should be those actually expended, not obligated.**
- Examples of reportable expenditures include status surveys, habitat management, habitat acquisition, research, propagation (including surrogate species), recovery plan development or implementation, and mitigation. The project must primarily benefit listed species and not other conservation goals, although if a readily identifiable portion of the expenditure is for the benefit of listed species (either individually or collectively), that portion of the expenditure may be reported.
- All habitat (land or water) acquisition costs are to be reported separately from all other identifiable expenditures. Such acquisitions must be primarily for the purpose of conserving federally listed species. As with other projects, those portions of habitat acquisition costs that are specifically for a listed species may be prorated out of the total acquisition costs when the other habitat is being acquired for other purposes (e.g., 25 acres of a 250-acre purchase will be set aside).
- Expenditures in a single project devoted to a number of listed species should be prorated by species, if possible. **When it is not possible to determine individual listed species costs in a multi-species project by prorating, those costs should be entered, in total, in the multi-species category option. The comment box, which is part of this new feature, should be used to include information about the project.**
- General surveys or projects that cover a large number of species, some of which may not be listed, are reportable only to extent that the agency can reasonably identify the proportion of the costs that benefit listed species.
- Expenditures associated with consultations pursuant to section 7 of the Act should be reported as for the benefit of a specific species to the extent they are readily identifiable to that particular species. Thus, a formal consultation dealing with a single species, or up to several species where the relative costs are easily divisible, should be reported under that or those species. **Consultation costs not readily attributable to individual species can be reported in the multi-species category.**
- Monitoring and survey costs should be reported when: (1) the cost of the monitoring or survey was incurred during the period the species was under a proposed listing and the species was actually listed in the same fiscal year that the monitoring and surveys were conducted; (2) the monitoring or survey covered both candidates and listed species, and the costs can be prorated to include only the listed species; or (3) the cost was readily identifiable to individual species. **Costs meeting the criteria in (1) and (2), but not readily identifiable to individual species can be reported in the multi-species category.**
- Salary and benefits of an employee working full-time on a single species or whose time is devoted to particular species that can be readily identified should be reported for those species. Travel costs should be treated similarly. **Staff costs for work on multi-species activities that cannot be identified to particular species can be reported in the multi-species category.**

-
- Any State or Federal project that incurs increased costs related directly to mitigation or other conservation efforts on behalf of federally listed species should report that added cost, by species, if readily identifiable, or **may report such costs in the multi-species category.**
 - All State agencies (e.g., fish and wildlife, parks, heritage programs, forests, highways) should report their expenditures, but only a single, collective report from each State should be submitted. **Expenditures should include conservation costs for fish, wildlife, and plants.** For ESA section 6 grants or other Federal grants, States should report **only the State cost-share portion** of each grant. States should not include other sources of non-Federal cost share, e.g., third-party contributions, unless those contributions are donated to the State as a general donation.
 - For reimbursable funds, the paying or disbursing agency should report the expenditure.
 - Litigation costs should not be reported.

Appendix B. Reports Provided by Other Federal Agencies for Fiscal Year 2012

Department of Agriculture:

- Animal and Plant Health Inspection Service
- Farm Service Agency*
- Forest Service
- Natural Resources Conservation Service

Department of Commerce:

- National Oceanic and Atmospheric Administration

Department of Defense:

- Office of the Under Secretary
(representing Air Force, Army, Defense Logistics Agency, Marine Corps and Navy)
- Army Corps of Engineers

Department of Energy:

- Bonneville Power Administration
- Southeastern Power Administration*
- Southwestern Power Administration
- Western Area Power Administration

Department of Homeland Security

- Coast Guard
- Customs and Border Protection

Department of the Interior:

- Bureau of Indian Affairs
- Bureau of Land Management
- Bureau of Ocean Energy Management
- Bureau of Reclamation
- National Park Service
- Office of Surface Mining
- U.S. Geological Survey

Department of Transportation:

- Federal Aviation Administration
- Federal Highway Administration

Independent Agencies:

- Environmental Protection Agency
- Federal Communications Commission*
- Federal Energy Regulatory Commission
- Nuclear Regulatory Commission
- Smithsonian Institution
- Tennessee Valley Authority

* Agencies reporting no expenditures for FY 2012

USDA Animal and Plant Health Inspection Service--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$82,400	\$0	\$82,400
		Bat, Mariana fruit (=Mariana flying fox)	<i>Pteropus mariannus</i> <i>mariannus</i>	Entire	\$45,500	\$0	\$45,500
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$51,800	\$0	\$51,800
		Bear, Louisiana black	<i>Ursus americanus</i> <i>luteolus</i>	Entire	\$15,700	\$0	\$15,700
		Bear, polar	<i>Ursus maritimus</i>	Entire	\$100	\$0	\$100
		Caribou, woodland	<i>Rangifer tarandus</i> <i>caribou</i>	Selkirk Mountain population	\$600	\$0	\$600
		Deer, Columbian white- tailed	<i>Odocoileus virginianus</i> <i>leucurus</i>	Columbia River DPS	\$28,500	\$0	\$28,500
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$6,500	\$0	\$6,500
		Ferret, black-footed	<i>Mustela nigripes</i>	entire population, except where EXPN	\$11,600	\$0	\$11,600
		Jaguar	<i>Panthera onca</i>	AZ,CA,LA,NM,TX; Mexico; Central and South America	\$2,500	\$0	\$2,500
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis)</i> <i>yagouarundi cacomitli</i>	TX, Mexico	\$2,000	\$0	\$2,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$20,400	\$0	\$20,400
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$300	\$0	\$300
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus</i> <i>phasma</i>	Entire	\$2,300	\$0	\$2,300
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus</i> <i>allophrys</i>	Entire	\$19,900	\$0	\$19,900
		Mouse, Perdido Key beach	<i>Peromyscus polionotus</i> <i>trissyllepis</i>	Entire	\$19,900	\$0	\$19,900
		Mouse, salt marsh harvest	<i>Reithrodontomys</i> <i>raviventris</i>	CA	\$108,900	\$0	\$108,900
		Mouse, southeastern beach	<i>Peromyscus polionotus</i> <i>niveiventris</i>	FL	\$19,800	\$0	\$19,800

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>	FL	\$15,000	\$0	\$15,000
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	AZ, TX to Central and South America	\$10,400	\$0	\$10,400
		Prairie dog, Utah	<i>Cynomys parvidens</i>	UT	\$2,000	\$0	\$2,000
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>	FL	\$8,600	\$0	\$8,600
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	Entire	\$2,000	\$0	\$2,000
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$86,300	\$0	\$86,300
		Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	Except Sussex Co., DE	\$700	\$0	\$700
		Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	DE, Sussex Co.	\$700	\$0	\$700
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	Entire	\$600	\$0	\$600
		Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>	Entire	\$100	\$0	\$100
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$110,000	\$0	\$110,000
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$4,600	\$0	\$4,600
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$178,500	\$0	\$178,500
		Wolf, gray	<i>Canis lupus</i>	Western Great Lakes DPS	\$356,700	\$0	\$356,700

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Mammals subtotal				\$1,214,900	\$0	\$1,214,900
	Birds	Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	Entire	\$100	\$0	\$100
		Coot, Hawaiian	<i>Fulica americana alai</i>	Entire	\$49,000	\$0	\$49,000
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$6,500	\$0	\$6,500
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>	Entire	\$176,500	\$0	\$176,500
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	Entire	\$113,900	\$0	\$113,900
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$86,900	\$0	\$86,900
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Except where listed as EXPN	\$2,000	\$0	\$2,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$900	\$0	\$900
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	Entire	\$42,100	\$0	\$42,100
		Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>	Entire	\$500	\$0	\$500
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$2,800	\$0	\$2,800
		Megapode, Micronesian	<i>Megapodius laperouse</i>	Entire	\$500	\$0	\$500
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	Entire	\$34,900	\$0	\$34,900
		Moorhen, Mariana common	<i>Gallinula chloropus guami</i>	Entire	\$500	\$0	\$500
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$30,100	\$0	\$30,100
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$100	\$0	\$100
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$100	\$0	\$100
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$69,500	\$0	\$69,500
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$128,900	\$0	\$128,900
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$383,900	\$0	\$383,900

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	Entire	\$7,500	\$0	\$7,500
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>	Entire	\$108,900	\$0	\$108,900
		Rail, Guam	<i>Rallus owstoni</i>	except Rota	\$176,500	\$0	\$176,500
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$61,100	\$0	\$61,100
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$700	\$0	\$700
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	Entire	\$105,000	\$0	\$105,000
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$102,400	\$0	\$102,400
		Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>		\$126,500	\$0	\$126,500
		Tern, California least	<i>Sterna antillarum browni</i>		\$403,400	\$0	\$403,400
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$32,000	\$0	\$32,000
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$11,200	\$0	\$11,200
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$6,300	\$0	\$6,300
		Vireo, black-capped	<i>Vireo atricapilla</i>	Entire	\$1,100	\$0	\$1,100
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	Entire	\$2,700	\$0	\$2,700
		Warbler, Kirtland's	<i>Dendroica kirtlandii</i>	Entire	\$11,800	\$0	\$11,800
		Warbler, nightingale reed (old world warbler)	<i>Acrocephalus luscini</i>	Entire	\$500	\$0	\$500
		White-eye, bridled	<i>Zosterops conspicillatus conspicillatus</i>	Entire	\$500	\$0	\$500
	Birds subtotal				\$2,287,800	\$0	\$2,287,800
	Reptiles	Lizard, St. Croix ground	<i>Ameiva polops</i>	Entire	\$2,100	\$0	\$2,100
		Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	Entire	\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$33,300	\$0	\$33,300
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$18,700	\$0	\$18,700
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$15,400	\$0	\$15,400
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$36,000	\$0	\$36,000
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$45,000	\$0	\$45,000
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$68,300	\$0	\$68,300
		Skink, sand	<i>Neoseps reynoldsi</i>	Entire	\$300	\$0	\$300
		Snake, Concho water	<i>Nerodia paucimaculata</i>		\$100	\$0	\$100
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$2,500	\$0	\$2,500
		Tortoise, desert	<i>Gopherus agassizii</i>	except in Sonoran Desert	\$22,900	\$0	\$22,900
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$2,500	\$0	\$2,500
	Reptiles subtotal				\$247,300	\$0	\$247,300
	Amphibians	Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$1,600	\$0	\$1,600
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	Entire	\$200	\$0	\$200
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	Entire	\$34,400	\$0	\$34,400
		Salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>	Entire	\$1,000	\$0	\$1,000
		Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	Entire	\$200	\$0	\$200
		Toad, arroyo (=arroyo southwestern)	<i>Anaxyrus californicus</i>	Entire	\$100	\$0	\$100
		Toad, Wyoming	<i>Bufo baxteri</i> (=hemiophrys)	Entire	\$200	\$0	\$200
	Amphibians subtotal				\$37,700	\$0	\$37,700

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Fishes	Catfish, Yaqui	<i>Ictalurus pricei</i>	Entire	\$100	\$0	\$100
		Cavefish, Ozark	<i>Amblyopsis rosae</i>	Entire	\$100	\$0	\$100
		Chub, bonytail	<i>Gila elegans</i>	Entire	\$800	\$0	\$800
		Chub, Borax Lake	<i>Gila boraxobius</i>	Entire	\$100	\$0	\$100
		Chub, Chihuahua	<i>Gila nigrescens</i>	Entire	\$100	\$0	\$100
		Chub, Gila	<i>Gila intermedia</i>	Entire	\$100	\$0	\$100
		Chub, humpback	<i>Gila cypha</i>	Entire	\$100	\$0	\$100
		Chub, Hutton tui	<i>Gila bicolor ssp.</i>	Entire	\$100	\$0	\$100
		Chub, Oregon	<i>Oregonichthys crameri</i>	Entire	\$100	\$0	\$100
		Chub, Sonora	<i>Gila ditaenia</i>	Entire	\$100	\$0	\$100
		Chub, Virgin River	<i>Gila seminuda</i> (= <i>robusta</i>)	Entire	\$100	\$0	\$100
		Chub, Yaqui	<i>Gila purpurea</i>	Entire	\$100	\$0	\$100
		Cui-ui	<i>Chasmistes cujus</i>	Entire	\$100	\$0	\$100
		Dace, Clover Valley speckled	<i>Rhinichthys osculus oligoporus</i>	Entire	\$100	\$0	\$100
		Dace, Foscett speckled	<i>Rhinichthys osculus ssp.</i>	Entire	\$100	\$0	\$100
		Dace, Independence Valley speckled	<i>Rhinichthys osculus lethoporus</i>	Entire	\$100	\$0	\$100
		Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>	Entire	\$100	\$0	\$100
		Darter, leopard	<i>Percina pantherina</i>	Entire	\$100	\$0	\$100
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>	Entire	\$7,700	\$0	\$7,700
		Gambusia, Pecos	<i>Gambusia nobilis</i>	Entire	\$100	\$0	\$100
		Madtom, Neosho	<i>Noturus placidus</i>	Entire	\$100	\$0	\$100
		Minnow, loach	<i>Tiaroga cobitis</i>	Entire	\$100	\$0	\$100
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Except where listed as EXPN	\$100	\$0	\$100
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$200	\$0	\$200
		Pupfish, desert	<i>Cyprinodon macularius</i>	Entire	\$200	\$0	\$200
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo tshawytscha</i>)	Snake River fall-run ESU	\$143,200	\$0	\$143,200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Snake River spring/ summer-run ESU	\$143,200	\$0	\$143,200
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Upper Columbia spring-run ESU	\$142,900	\$0	\$142,900
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	Snake River, ID stock	\$429,400	\$0	\$429,400
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$100	\$0	\$100
		Shiner, beautiful	<i>Cyprinella formosa</i>	Entire	\$100	\$0	\$100
		Shiner, Pecos bluntnose	<i>Notropis simus</i> <i>pecosensis</i>	Entire	\$100	\$0	\$100
		Shiner, Topeka	<i>Notropis topeka</i> (= <i>tristis</i>)	Entire	\$100	\$0	\$100
		Spikedace	<i>Meda fulgida</i>	Entire	\$100	\$0	\$100
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	Entire	\$100	\$0	\$100
		Spinedace, White River	<i>Lepidomeda albivallis</i>	Entire	\$100	\$0	\$100
		Springfish, Hiko White River	<i>Crenichthys baileyi</i> <i>grandis</i>	Entire	\$100	\$0	\$100
		Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	Entire	\$100	\$0	\$100
		Springfish, White River	<i>Crenichthys baileyi</i> <i>baileyi</i>	Entire	\$100	\$0	\$100
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Central Valley CA	\$100	\$0	\$100
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Snake R. Basin	\$107,800	\$0	\$107,800
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	lower Columbia R.	\$107,200	\$0	\$107,200
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	middle Columbia R.	\$107,200	\$0	\$107,200
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Columbia R. Basin	\$107,200	\$0	\$107,200
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$100	\$0	\$100
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sturgeon, white	<i>Acipenser transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$700	\$0	\$700
		Sucker, June	<i>Chasmistes liorus</i>	Entire	\$100	\$0	\$100
		Sucker, Lost River	<i>Deltistes luxatus</i>	Entire	\$100	\$0	\$100
		Sucker, Modoc	<i>Catostomus microps</i>	Entire	\$100	\$0	\$100
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$800	\$0	\$800
		Sucker, Santa Ana	<i>Catostomus santaanae</i>	3 CA river basins	\$100	\$0	\$100
		Sucker, Warner	<i>Catostomus warnerensis</i>	Entire	\$100	\$0	\$100
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$100	\$0	\$100
		Trout, Apache	<i>Oncorhynchus apache</i>	Entire	\$2,600	\$0	\$2,600
		Trout, bull	<i>Salvelinus confluentus</i>	lower 48 states	\$2,100	\$0	\$2,100
		Trout, Gila	<i>Oncorhynchus gilae</i>	Entire	\$100	\$0	\$100
		Trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>	Entire	\$100	\$0	\$100
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii henshawi</i>	Entire	\$200	\$0	\$200
		Trout, Little Kern golden	<i>Oncorhynchus aguabonita whitei</i>	Entire	\$100	\$0	\$100
		Trout, Paiute cutthroat	<i>Oncorhynchus clarkii seleniris</i>	Entire	\$100	\$0	\$100
		Tui chub, Mohave	<i>Gila bicolor ssp. mohavensis</i>	Entire	\$100	\$0	\$100
		Woundfin	<i>Plagopterus argentissimus</i>	except Gila R. drainage, AZ, NM	\$100	\$0	\$100
	Fishes subtotal				\$1,308,000	\$0	\$1,308,000
	Clams	Bean, rayed	<i>Villosa fabalis</i>		\$1,600	\$0	\$1,600
		Fanshell	<i>Cyprogenia stegaria</i>		\$1,600	\$0	\$1,600
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>	Entire	\$1,500	\$0	\$1,500
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	Entire	\$100	\$0	\$100
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Except where EXPN	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Entire	\$1,600	\$0	\$1,600
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$100	\$0	\$100
		Mussel, sheepnose	<i>Plethobasus cyphus</i>		\$700	\$0	\$700
		Mussel, snuffbox	<i>Epioblasma triquetra</i>		\$1,600	\$0	\$1,600
		Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	Entire	\$9,200	\$0	\$9,200
		Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	Entire	\$100	\$0	\$100
		Spinymussel, James	<i>Pleurobema collina</i>	Entire	\$1,500	\$0	\$1,500
	Clams subtotal				\$19,700	\$0	\$19,700
	Snails	Ambersnail, Kanab	<i>Oxyloma haydeni</i> <i>kanabensis</i>	Entire	\$100	\$0	\$100
		Limpet, Banbury Springs	<i>Lanx sp.</i>	Entire	\$700	\$0	\$700
		Snail, Bliss Rapids	<i>Taylorconcha</i> <i>serpenticola</i>	Entire	\$700	\$0	\$700
		Snail, Pecos assiminea	<i>Assiminea pecos</i>		\$400	\$0	\$400
		Snail, Snake River physa	<i>Physa natricina</i>	Entire	\$700	\$0	\$700
		Snail, Stock Island tree	<i>Orthalicus reses (not</i> <i>incl. nesodryas)</i>	Entire	\$2,400	\$0	\$2,400
		Springsnail, Bruneau Hot	<i>Pyrgulopsis</i> <i>bruneauensis</i>	Entire	\$700	\$0	\$700
		Springsnail, Koster's	<i>Juturnia kosteri</i>		\$100	\$0	\$100
		Springsnail, Roswell	<i>Pyrgulopsis</i> <i>roswellensis</i>		\$100	\$0	\$100
		Springsnail, Socorro	<i>Pyrgulopsis</i> <i>neomexicana</i>	Entire	\$100	\$0	\$100
	Snails subtotal				\$6,000	\$0	\$6,000
	Insects	Beetle, American burying	<i>Nicrophorus</i> <i>americanus</i>	Entire	\$6,400	\$0	\$6,400
		Beetle, Coffin Cave mold	<i>Batrisodes texanus</i>	Entire	\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>		\$200	\$0	\$200
		Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>		\$200	\$0	\$200
		Beetle, delta green ground	<i>Elaphrus viridis</i>	Entire	\$400	\$0	\$400
		Beetle, Helotes mold	<i>Batrisodes venyivi</i>		\$1,100	\$0	\$1,100
		Beetle, Hungerford's crawling water	<i>Brychius hungerfordi</i>	Entire	\$200	\$0	\$200
		Beetle, Kretschmarr Cave mold	<i>Texamaurops reddelli</i>	Entire	\$200	\$0	\$200
		Beetle, Mount Hermon June	<i>Polyphylla barbata</i>	Entire	\$200	\$0	\$200
		Beetle, Tooth Cave ground	<i>Rhadine persephone</i>	Entire	\$200	\$0	\$200
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Entire	\$400	\$0	\$400
		Butterfly, bay checkerspot	<i>Euphydryas editha bayensis</i>	Entire	\$200	\$0	\$200
		Butterfly, Behren's silverspot	<i>Speyeria zerene behrensii</i>	Entire	\$200	\$0	\$200
		Butterfly, callippe silverspot	<i>Speyeria callippe callippe</i>	Entire	\$200	\$0	\$200
		Butterfly, El Segundo blue	<i>Euphilotes battoides allyni</i>	Entire	\$200	\$0	\$200
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$2,000	\$0	\$2,000
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	Entire	\$1,300	\$0	\$1,300
		Butterfly, Lange's metalmark	<i>Apodemia mormo langei</i>	Entire	\$200	\$0	\$200
		Butterfly, lotis blue	<i>Lycaeides argyrognomon lotis</i>	Entire	\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Butterfly, Miami Blue	<i>Cyclargus</i> (= <i>Hemiargus</i>) <i>thomasi</i> <i>bethunebakeri</i>		\$11,600	\$0	\$11,600
		Butterfly, mission blue	<i>Icaricia icarioides</i> <i>missionensis</i>	Entire	\$200	\$0	\$200
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii</i> <i>mitchellii</i>	Entire	\$200	\$0	\$200
		Butterfly, Myrtle's silverspot	<i>Speyeria zerene</i> <i>myrtleae</i>	Entire	\$200	\$0	\$200
		Butterfly, Oregon silverspot	<i>Speyeria zerene</i> <i>hippolyta</i>	Entire	\$300	\$0	\$300
		Butterfly, Palos Verdes blue	<i>Glaucopsyche lygdamus</i> <i>palosverdesensis</i>	Entire	\$200	\$0	\$200
		Butterfly, Quino checkerspot	<i>Euphydryas editha</i> <i>quino</i> (= <i>E. e. wrighti</i>)	Entire	\$200	\$0	\$200
		Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii</i> <i>francisci</i>	Entire	\$400	\$0	\$400
		Butterfly, San Bruno elfin	<i>Callophrys mossii</i> <i>bayensis</i>	Entire	\$200	\$0	\$200
		Butterfly, Schaus swallowtail	<i>Heraclides aristodemus</i> <i>ponceanus</i>	Entire	\$1,600	\$0	\$1,600
		Butterfly, Smith's blue	<i>Euphilotes enoptes</i> <i>smithi</i>	Entire	\$200	\$0	\$200
		Butterfly, Uncompahgre fritillary	<i>Boloria acrocroma</i>	Entire	\$300	\$0	\$300
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$400	\$0	\$400
		Fly, Delhi Sands flower-loving	<i>Rhaphiomidas</i> <i>terminatus abdominalis</i>	Entire	\$200	\$0	\$200
		Grasshopper, Zayante band-winged	<i>Trimerotropis infantilis</i>		\$300	\$0	\$300
		Ground beetle, [unnamed]	<i>Rhadine exilis</i>		\$1,100	\$0	\$1,100
		Ground beetle, [unnamed]	<i>Rhadine infernalis</i>		\$1,100	\$0	\$1,100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		June Beetle, Caseys	<i>Dinacoma caseyi</i>	Entire	\$200	\$0	\$200
		Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>	Entire	\$200	\$0	\$200
		Naucorid, Ash Meadows	<i>Ambrysus amargosus</i>	Entire	\$200	\$0	\$200
		Skipper, Carson wandering	<i>Pseudocopaodes eunus obscurus</i>	NV, CA	\$300	\$0	\$300
		Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>	Entire	\$400	\$0	\$400
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>	Entire	\$300	\$0	\$300
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>	Entire	\$200	\$0	\$200
		Tiger beetle, Ohlone	<i>Cicindela ohlone</i>		\$200	\$0	\$200
		Tiger beetle, Puritan	<i>Cicindela puritana</i>	Entire	\$200	\$0	\$200
		Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>	Entire	\$300	\$0	\$300
	Insects subtotal				\$35,400	\$0	\$35,400
	Arachnids	Meshweaver, Government Canyon Bat Cave	<i>Cicurina vespera</i>		\$1,300	\$0	\$1,300
		Meshweaver, Robber Baron Cave	<i>Cicurina baronia</i>		\$900	\$0	\$900
		Spider, Government Canyon Bat Cave	<i>Neoleptoneta microps</i>		\$1,300	\$0	\$1,300
	Arachnids subtotal				\$3,500	\$0	\$3,500
	Crustaceans	Amphipod, Noel's	<i>Gammarus desperatus</i>		\$100	\$0	\$100
		Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	Entire	\$100	\$0	\$100
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>	Entire	\$100	\$0	\$100
		Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>	Entire	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	Entire	\$200	\$0	\$200
		Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	Entire	\$100	\$0	\$100
		Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>	Entire	\$100	\$0	\$100
	Crustaceans subtotal				\$800	\$0	\$800
	Flowering Plants	Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>		\$1,100	\$0	\$1,100
		Awiwi	<i>Centaurium sebaeoides</i>		\$1,600	\$0	\$1,600
		Ayenia, Texas	<i>Ayenia limitaris</i>		\$5,600	\$0	\$5,600
		Bear-poppy, Dwarf	<i>Arctomecon humilis</i>		\$100	\$0	\$100
		Beardtongue, Parachute	<i>Penstemon debilis</i>		\$100	\$0	\$100
		Beardtongue, Penland	<i>Penstemon penlandii</i>		\$100	\$0	\$100
		Beargrass, Britton's	<i>Nolina brittoniana</i>		\$14,300	\$0	\$14,300
		Beauty, Harper's	<i>Harperocallis flava</i>		\$14,300	\$0	\$14,300
		Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>		\$100	\$0	\$100
		Bladderpod, kodachrome	<i>Lesquerella tumulosa</i>		\$100	\$0	\$100
		Bladderpod, Zapata	<i>Lesquerella thammophila</i>		\$700	\$0	\$700
		Blue-star, Kearney's	<i>Amsonia kearneyana</i>		\$100	\$0	\$100
		Bonamia, Florida	<i>Bonamia grandiflora</i>		\$14,300	\$0	\$14,300
		Buckwheat, steamboat	<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>		\$100	\$0	\$100
		Butterfly plant, Colorado	<i>Gaura neomexicana</i> var. <i>coloradensis</i>		\$100	\$0	\$100
		Cactus, black lace	<i>Echinocereus reichenbachii</i> var. <i>albertii</i>		\$400	\$0	\$400
		Cactus, Brady pincushion	<i>Pediocactus bradyi</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Cactus, Cochise pincushion	<i>Coryphantha robbinsiorum</i>		\$100	\$0	\$100
		Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>		\$100	\$0	\$100
		Cactus, Knowlton's	<i>Pediocactus knowltonii</i>		\$100	\$0	\$100
		Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri</i> <i>var. kuenzleri</i>		\$100	\$0	\$100
		Cactus, Lee pincushion	<i>Coryphantha sneedii</i> <i>var. leei</i>		\$100	\$0	\$100
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$100	\$0	\$100
		Cactus, Nichol's Turk's head	<i>Echinocactus horizonthalonius</i> <i>var. nicholii</i>		\$100	\$0	\$100
		Cactus, Pariette	<i>Sclerocactus brevispinus</i>		\$100	\$0	\$100
		Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> <i>var. peeblesianus</i>		\$100	\$0	\$100
		Cactus, Pima pineapple	<i>Coryphantha scheeri</i> <i>var. robustispina</i>		\$100	\$0	\$100
		Cactus, San Rafael	<i>Pediocactus despainii</i>		\$100	\$0	\$100
		Cactus, Siler pincushion	<i>Pediocactus (=Echinocactus, =Utahia) sileri</i>		\$100	\$0	\$100
		Cactus, Sneed pincushion	<i>Coryphantha sneedii</i> <i>var. sneedii</i>		\$100	\$0	\$100
		Cactus, star	<i>Astrophytum asterias</i>		\$900	\$0	\$900
		Cactus, Tobusch fishhook	<i>Sclerocactus breviamatus</i> <i>ssp. tobuschii</i>		\$300	\$0	\$300
		Cactus, Uinta Basin hookless	<i>Sclerocactus wetlandicus</i>		\$100	\$0	\$100
		Cactus, Winkler	<i>Pediocactus winkleri</i>		\$100	\$0	\$100
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$700	\$0	\$700
		Chaff-flower, round-leaved	<i>Achyranthes splendens</i> <i>var. rotundata</i>		\$1,600	\$0	\$1,600
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$100	\$0	\$100
		Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana</i> <i>var. calva</i>		\$100	\$0	\$100
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$2,000	\$0	\$2,000
		Crownscale, San Jacinto Valley	<i>Atriplex coronata</i> <i>var. notatior</i>		\$500	\$0	\$500
		Cycladenia, Jones	<i>Cycladenia humilis</i> <i>var. jonesii</i>		\$100	\$0	\$100
		Daisy, Willamette	<i>Erigeron decumbens</i> <i>var. decumbens</i>		\$1,800	\$0	\$1,800
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$1,800	\$0	\$1,800
		Dogweed, ashy	<i>Thymophylla tephroleuca</i>		\$700	\$0	\$700
		Fleabane, Zuni	<i>Erigeron rhizomatus</i>		\$100	\$0	\$100
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$700	\$0	\$700
		Frankenia, Johnston's	<i>Frankenia johnstonii</i>		\$700	\$0	\$700
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$100	\$0	\$100
		Howellia, water	<i>Howellia aquatilis</i>		\$700	\$0	\$700
		Ipomopsis, Holy Ghost	<i>Ipomopsis sancti-spiritus</i>		\$100	\$0	\$100
		Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$800	\$0	\$800
		Ko`oloa`ula	<i>Abutilon menziesii</i>		\$1,600	\$0	\$1,600
		Kulu`i	<i>Nototrichium humile</i>		\$1,600	\$0	\$1,600
		Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>		\$100	\$0	\$100
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$700	\$0	\$700
		Lead-plant, Crenulate	<i>Amorpha crenulata</i>		\$14,300	\$0	\$14,300
		Lily, Western	<i>Lilium occidentale</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Lomatium, Cook's	<i>Lomatium cookii</i>		\$100	\$0	\$100
		Lupine, Kincaid's	<i>Lupinus sulphureus ssp. kincaidii</i>		\$100	\$0	\$100
		Manioc, Walker's	<i>Manihot walkerae</i>		\$700	\$0	\$700
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$1,600	\$0	\$1,600
		Ma`oli`oli	<i>Schiedea kealiae</i>		\$1,600	\$0	\$1,600
		Meadowfoam, large-flowered woolly	<i>Limnanthes floccosa ssp. grandiflora</i>		\$100	\$0	\$100
		Milk-vetch, Applegate's	<i>Astragalus applegatei</i>		\$100	\$0	\$100
		Milk-vetch, Deseret	<i>Astragalus desereticus</i>		\$100	\$0	\$100
		Milk-vetch, heliotrope	<i>Astragalus montii</i>		\$100	\$0	\$100
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>		\$100	\$0	\$100
		Milk-vetch, Mancos	<i>Astragalus humillimus</i>		\$100	\$0	\$100
		Milk-vetch, Sentry	<i>Astragalus cremnophylax var. cremnophylax</i>		\$100	\$0	\$100
		Milkvetch, Osterhout	<i>Astragalus osterhoutii</i>		\$100	\$0	\$100
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$100	\$0	\$100
		Milkweed, Welsh's	<i>Asclepias welshii</i>		\$100	\$0	\$100
		Mint, scrub	<i>Dicerandra frutescens</i>		\$14,300	\$0	\$14,300
		Mustard, Penland alpine fen	<i>Eutrema penlandii</i>		\$100	\$0	\$100
		Naupaka, dwarf	<i>Scaevola coriacea</i>		\$1,600	\$0	\$1,600
		Niterwort, Amargosa	<i>Nitrophila mohavensis</i>		\$500	\$0	\$500
		Ohai	<i>Sesbania tomentosa</i>		\$1,600	\$0	\$1,600
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$100	\$0	\$100
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$100	\$0	\$100
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$100	\$0	\$100
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Panicgrass, Carter's	<i>Panicum fauriei</i> var. <i>carteri</i>		\$1,600	\$0	\$1,600
		Pawpaw, beautiful	<i>Deeringothamnus pulchellus</i>		\$300	\$0	\$300
		Pennyroyal, Todsen's	<i>Hedeoma todsenii</i>		\$100	\$0	\$100
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$100	\$0	\$100
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$100	\$0	\$100
		Phacelia, clay	<i>Phacelia argillacea</i>		\$100	\$0	\$100
		Phacelia, DeBeque	<i>Phacelia submutica</i>		\$100	\$0	\$100
		Phacelia, North Park	<i>Phacelia formosula</i>		\$100	\$0	\$100
		Pink, swamp	<i>Helonias bullata</i>		\$17,800	\$0	\$17,800
		Pinkroot, gentian	<i>Spigelia gentianoides</i>		\$7,700	\$0	\$7,700
		Plum, scrub	<i>Prunus geniculata</i>		\$14,300	\$0	\$14,300
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$18,700	\$0	\$18,700
		Popcornflower, rough	<i>Plagiobothrys hirtus</i>		\$100	\$0	\$100
		Poppy, Sacramento prickly	<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>		\$100	\$0	\$100
		Primrose, Maguire	<i>Primula maguirei</i>		\$100	\$0	\$100
		Reed-mustard, clay	<i>Schoenocrambe argillacea</i>		\$100	\$0	\$100
		Reed-mustard, shrubby	<i>Schoenocrambe suffrutescens</i>		\$100	\$0	\$100
		Rhododendron, Chapman	<i>Rhododendron chapmanii</i>		\$14,300	\$0	\$14,300
		Ridge-cress, Barneby	<i>Lepidium barnebyanum</i>		\$100	\$0	\$100
		Rock-cress, McDonald's	<i>Arabis macdonaldiana</i>		\$100	\$0	\$100
		Rosemary, Apalachicola	<i>Conradina glabra</i>		\$7,700	\$0	\$7,700
		Rush-pea, slender	<i>Hoffmannseggia tenella</i>		\$400	\$0	\$400
		Sandlace	<i>Polygonella myriophylla</i>		\$14,300	\$0	\$14,300
		Seablite, California	<i>Suaeda californica</i>		\$500	\$0	\$500
		Sedge, Navajo	<i>Carex specuicola</i>		\$100	\$0	\$100
		Skyrocket, Pagosa	<i>Ipomopsis polyantha</i>		\$100	\$0	\$100
		Snakeroot	<i>Eryngium cuneifolium</i>		\$14,300	\$0	\$14,300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Snowbells, Texas	<i>Styrax texanus</i>		\$300	\$0	\$300
		Stickseed, showy	<i>Hackelia venusta</i>		\$100	\$0	\$100
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$100	\$0	\$100
		Thelypody, Howell's spectacular	<i>Thelypodium howellii</i> <i>spectabilis</i>		\$100	\$0	\$100
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$600	\$0	\$600
		Thistle, Sacramento Mountains	<i>Cirsium vinaceum</i>		\$100	\$0	\$100
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$100	\$0	\$100
		Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>		\$100	\$0	\$100
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> <i>var. recurva</i>		\$100	\$0	\$100
		Wild buckwheat, clay- loving	<i>Eriogonum</i> <i>pelinophilum</i>		\$100	\$0	\$100
		Wild-buckwheat, gypsum	<i>Eriogonum gypsophilum</i>		\$100	\$0	\$100
		Wire-lettuce, Malheur	<i>Stephanomeria</i> <i>malheurensis</i>		\$100	\$0	\$100
		Wireweed	<i>Polygonella basiramaia</i>		\$14,300	\$0	\$14,300
		Yellowhead, desert	<i>Yermo xanthocephalus</i>		\$100	\$0	\$100
		Akoko	<i>Chamaesyce</i> <i>celastroides var.</i> <i>kaenana</i>		\$1,600	\$0	\$1,600
	Flowering Plants subtotal				\$241,900	\$0	\$241,900
	Conifers and Cycads	Torreya, Florida	<i>Torreya taxifolia</i>		\$7,700	\$0	\$7,700
	Conifers and Cycads subtotal				\$7,700	\$0	\$7,700
	Lichens	Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$7,700	\$0	\$7,700

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Lichens subtotal				\$7,700	\$0	\$7,700
Domestic subtotal					\$5,418,400	\$0	\$5,418,400
Foreign	Mammals	Bat, Rodrigues fruit (=flying fox)	<i>Pteropus rodricensis</i>	Entire	\$100	\$0	\$100
		Bontebok	<i>Damaliscus pygargus</i> (= <i>dorcas</i>) <i>dorcas</i>	Entire	\$100	\$0	\$100
		Cheetah	<i>Acinonyx jubatus</i>	Entire	\$100	\$0	\$100
		Koala	<i>Phascolarctos cinereus</i>	Australia	\$100	\$0	\$100
		Leopard, snow	<i>Uncia</i> (= <i>Panthera</i>) <i>uncia</i>	Central Asia	\$100	\$0	\$100
		Mandrill	<i>Mandrillus</i> (= <i>Papio</i>) <i>sphinx</i>	Entire	\$100	\$0	\$100
		Oryx, Arabian	<i>Oryx leucoryx</i>	Arabian Peninsula	\$100	\$0	\$100
		Zebra, Grevy's	<i>Equus grevyi</i>	Entire	\$400	\$0	\$400
	Mammals subtotal				\$1,100	\$0	\$1,100
	Reptiles	Iguana, Cuban ground	<i>Cyclura nubila nubila</i>	Entire	\$12,000	\$0	\$12,000
	Reptiles subtotal				\$12,000	\$0	\$12,000
Foreign subtotal					\$13,100	\$0	\$13,100
Domestic	Multi-Species				\$11,100	\$0	\$11,100
Grand Total					\$5,442,600	\$0	\$5,442,600

USDA Forest Service--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$1,437,907	\$0	\$1,437,907
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	Entire	\$5,000	\$0	\$5,000
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$3,180,937	\$0	\$3,180,937
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus townsendii) ingens</i>	Entire	\$296,326	\$0	\$296,326
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus townsendii) virginianus</i>	Entire	\$8,472	\$0	\$8,472
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$849,414	\$0	\$849,414
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$2,500	\$0	\$2,500
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$86,107	\$0	\$86,107
		Ferret, black-footed	<i>Mustela nigripes</i>	Except where EXPN	\$2,000	\$0	\$2,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$3,765,403	\$0	\$3,765,403
		Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>	Entire	\$20,000	\$0	\$20,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$17,441	\$0	\$17,441
		Prairie dog, Utah	<i>Cynomys parvidens</i>	UT	\$49,064	\$0	\$49,064
		Sheep, Peninsular bighorn	<i>Ovis canadensis nelsoni</i>	Peninsular CA pop.	\$955	\$0	\$955
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$5,955	\$0	\$5,955
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	Entire	\$59,200	\$0	\$59,200
		Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	Entire	\$9,000	\$0	\$9,000
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	Entire	\$198,550	\$0	\$198,550

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Squirrel, Virginia northern flying	<i>Glaucomys sabrinus fuscus</i>	Entire	\$40,454	\$0	\$40,454
		Wolf, gray	<i>Canis lupus</i>	MN	\$864,121	\$0	\$864,121
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$10,000	\$0	\$10,000
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$11,530	\$0	\$11,530
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$800	\$0	\$800
		Wolf, gray	<i>Canis lupus</i>	Western Great Lakes DPS	\$26,925	\$0	\$26,925
	Mammals subtotal				\$10,948,061	\$0	\$10,948,061
	Birds	Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>	Entire	\$5,000	\$0	\$5,000
		Akiapola`au (honeycreeper)	<i>Hemignathus munroi</i>	Entire	\$5,000	\$0	\$5,000
		Condor, California	<i>Gymnogyps californianus</i>	Except where listed as EXPN	\$12,935	\$0	\$12,935
		Condor, California	<i>Gymnogyps californianus</i>	portions of AZ, NV, UT	\$5,000	\$0	\$5,000
		Creepers, Hawaii	<i>Oreomyza mana</i>	Entire	\$5,000	\$0	\$5,000
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$47,402	\$0	\$47,402
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$21,018	\$0	\$21,018

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	Entire	\$3,000	\$0	\$3,000
		Hawk, Hawaiian (=lo)	<i>Buteo solitarius</i>	Entire	\$5,000	\$0	\$5,000
		Hawk, Puerto Rican broad-winged	<i>Buteo platypterus brunnescens</i>	Entire	\$1,311	\$0	\$1,311
		Hawk, Puerto Rican sharp-shinned	<i>Accipiter striatus venator</i>	Entire	\$1,443	\$0	\$1,443
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$2,522,154	\$0	\$2,522,154
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$2,491,317	\$0	\$2,491,317
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$8,337,006	\$0	\$8,337,006
		Parrot, Puerto Rican	<i>Amazona vittata</i>	Entire	\$77,868	\$0	\$77,868
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$84,858	\$0	\$84,858
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$100,890	\$0	\$100,890
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Entire	\$390,575	\$0	\$390,575
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$4,050	\$0	\$4,050
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$1,408	\$0	\$1,408
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>	Entire	\$15,568	\$0	\$15,568
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	Entire	\$40,000	\$0	\$40,000
		Warbler, Kirtland's	<i>Dendroica kirtlandii</i>	Entire	\$698,778	\$0	\$698,778
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$16,435,359	\$0	\$16,435,359
	Birds subtotal				\$31,311,940	\$0	\$31,311,940
	Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	Entire	\$3,803	\$0	\$3,803
		Boa, Puerto Rican	<i>Epicrates inornatus</i>	Entire	\$6,621	\$0	\$6,621
		Skink, sand	<i>Neoseps reynoldsi</i>	Entire	\$153,895	\$0	\$153,895

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$399,690	\$0	\$399,690
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$1,210,350	\$0	\$1,210,350
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$4,000	\$0	\$4,000
	Reptiles subtotal				\$1,778,359	\$0	\$1,778,359
	Amphibians	Frog, California red- legged	<i>Rana draytonii</i>	Entire	\$92,196	\$0	\$92,196
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	Entire	\$111,651	\$0	\$111,651
		Frog, dusky gopher	<i>Rana sevosia</i>	Entire	\$208,300	\$0	\$208,300
		Frog, mountain yellow- legged	<i>Rana muscosa</i>	Southern CA DPS	\$19,023	\$0	\$19,023
		Salamander, Cheat Mountain	<i>Plethodon nettingi</i>	Entire	\$5,630	\$0	\$5,630
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	Entire	\$161,927	\$0	\$161,927
		Toad, arroyo (=arroyo southwestern)	<i>Anaxyrus californicus</i>	Entire	\$60,611	\$0	\$60,611
	Amphibians subtotal				\$659,338	\$0	\$659,338
	Fishes	Chub, Gila	<i>Gila intermedia</i>	Entire	\$7,379	\$0	\$7,379
		Chub, Oregon	<i>Oregonichthys crameri</i>	Entire	\$6,000	\$0	\$6,000
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$500	\$0	\$500
		Chub, spotfin	<i>Erimonax monachus</i>	Tellico River, TN	\$1,650	\$0	\$1,650
		Dace, blackside	<i>Phoxinus cumberlandensis</i>	Entire	\$400	\$0	\$400
		Darter, duskytail	<i>Etheostoma percnurum</i>	Entire	\$3,687	\$0	\$3,687
		Darter, duskytail	<i>Etheostoma percnurum</i>	Tellico River, TN	\$1,650	\$0	\$1,650
		Darter, leopard	<i>Percina pantherina</i>	Entire	\$118,817	\$0	\$118,817
		Darter, snail	<i>Percina tanasi</i>	Entire	\$900	\$0	\$900
		Logperch, Conasauga	<i>Percina jenkinsi</i>	Entire	\$1,650	\$0	\$1,650

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Madtom, smoky	<i>Noturus baileyi</i>	Entire	\$3,687	\$0	\$3,687
		Madtom, smoky	<i>Noturus baileyi</i>	Tellico River, TN	\$1,650	\$0	\$1,650
		Madtom, yellowfin	<i>Noturus flavipinnis</i>	Tellico River, TN	\$1,650	\$0	\$1,650
		Madtom, yellowfin	<i>Noturus flavipinnis</i>	Except where EXPN	\$3,687	\$0	\$3,687
		Minnow, loach	<i>Tiaroga cobitis</i>	Entire	\$38,101	\$0	\$38,101
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Except where listed as EXPN	\$12,000	\$0	\$12,000
		Pikeminnow (=squawfish), Colorado	<i>Prychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$6,906	\$0	\$6,906
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$20,000	\$0	\$20,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Central Valley spring-run ESU	\$12,500	\$0	\$12,500
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Lower Columbia River ESU	\$36,535	\$0	\$36,535
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Puget Sound ESU	\$700,556	\$0	\$700,556
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Snake River spring/summer-run ESU	\$376,059	\$0	\$376,059
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Upper Columbia spring-run ESU	\$60,302	\$0	\$60,302
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Upper Willamette River ESU	\$1,196,502	\$0	\$1,196,502
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Lower Columbia River ESU	\$175,465	\$0	\$175,465
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Oregon Coast ESU	\$695,477	\$0	\$695,477
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	So. OR/No. CA Coast ESU	\$730,183	\$0	\$730,183
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	Snake River, ID stock	\$23,075	\$0	\$23,075
		Shiner, blue	<i>Cyprinella caerulea</i>	Entire	\$2,100	\$0	\$2,100
		Shiner, palezone	<i>Notropis albizonatus</i>	Entire	\$200	\$0	\$200
		Spikedace	<i>Meda fulgida</i>	Entire	\$35,466	\$0	\$35,466

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	Entire	\$53,100	\$0	\$53,100
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Central Valley CA	\$22,500	\$0	\$22,500
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Puget Sound DPS	\$709,056	\$0	\$709,056
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Snake R. Basin	\$147,770	\$0	\$147,770
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	lower Columbia R.	\$84,889	\$0	\$84,889
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	middle Columbia R.	\$826,595	\$0	\$826,595
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	northern CA	\$9,532	\$0	\$9,532
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	southern CA coast	\$13,500	\$0	\$13,500
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Columbia R. Basin	\$44,452	\$0	\$44,452
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Willamette R.	\$36,000	\$0	\$36,000
		Stickleback, unarmored threespine	<i>Gasterosteus aculeatus</i> <i>williamsoni</i>	Entire	\$43,000	\$0	\$43,000
		Sucker, Modoc	<i>Catostomus microps</i>	Entire	\$48,864	\$0	\$48,864
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$24,656	\$0	\$24,656
		Sucker, Santa Ana	<i>Catostomus santaanae</i>	3 CA river basins	\$17,104	\$0	\$17,104
		Sucker, shortnose	<i>Chasmistes brevirostris</i>	Entire	\$66,842	\$0	\$66,842
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis</i> <i>occidentalis</i>	U.S.A. only	\$9,885	\$0	\$9,885
		Trout, Apache	<i>Oncorhynchus apache</i>	Entire	\$3,310	\$0	\$3,310
		Trout, bull	<i>Salvelinus confluentus</i>	lower 48 states	\$3,612,422	\$0	\$3,612,422
		Trout, Gila	<i>Oncorhynchus gilae</i>	Entire	\$16,324	\$0	\$16,324
		Trout, Greenback Cutthroat	<i>Oncorhynchus clarki</i> <i>stomias</i>	Entire	\$91,260	\$0	\$91,260
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii</i> <i>henshawi</i>	Entire	\$52,695	\$0	\$52,695

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Trout, Little Kern golden	<i>Oncorhynchus aguabonita whitei</i>	Entire	\$81,719	\$0	\$81,719
		Trout, Paiute cutthroat	<i>Oncorhynchus clarkii seleniris</i>	Entire	\$3,200	\$0	\$3,200
	Fishes subtotal				\$10,293,409	\$0	\$10,293,409
	Clams	Clubshell, ovate	<i>Pleurobema perovatum</i>		\$2,000	\$0	\$2,000
		Clubshell, southern	<i>Pleurobema decisum</i>		\$8,000	\$0	\$8,000
		Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	Entire	\$2,500	\$0	\$2,500
		Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>		\$400	\$0	\$400
		Fatmucket, Arkansas	<i>Lampsilis powellii</i>	Entire	\$788,505	\$0	\$788,505
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>	Entire	\$16,000	\$0	\$16,000
		Moccasinshell, Alabama	<i>Medionidus acutissimus</i>		\$8,000	\$0	\$8,000
		Mucket, orangenacre	<i>Lampsilis perovalis</i>		\$2,000	\$0	\$2,000
		Mussel, snuffbox	<i>Epioblasma triquetra</i>		\$7,000	\$0	\$7,000
		Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	Entire	\$18,000	\$0	\$18,000
		Pearlymussel, littlewing	<i>Pegias fabula</i>	Entire	\$500	\$0	\$500
		Pocketbook, finelined	<i>Lampsilis altilis</i>		\$5,000	\$0	\$5,000
	Clams subtotal				\$857,905	\$0	\$857,905
	Snails	Shagreen, Magazine Mountain	<i>Mesodon magazinensis</i>	Entire	\$1,500	\$0	\$1,500
	Snails subtotal				\$1,500	\$0	\$1,500
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$530,391	\$0	\$530,391
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Entire	\$5,203	\$0	\$5,203
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	Entire	\$535,347	\$0	\$535,347

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	Entire	\$86,186	\$0	\$86,186
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (=E. e. wrighti)	Entire	\$6,000	\$0	\$6,000
		Butterfly, Smith's blue	<i>Euphilotes enoptes smithi</i>	Entire	\$4,763	\$0	\$4,763
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$2,830	\$0	\$2,830
		Moth, Blackburn's sphinx	<i>Manduca blackburni</i>		\$5,000	\$0	\$5,000
		Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>	Entire	\$3,403	\$0	\$3,403
		Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>	Entire	\$10,000	\$0	\$10,000
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>	Entire	\$29,188	\$0	\$29,188
	Insects subtotal				\$1,218,311	\$0	\$1,218,311
	Crustaceans	Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	Entire	\$340	\$0	\$340
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	Entire	\$340	\$0	\$340
	Crustaceans subtotal				\$680	\$0	\$680
	Flowering Plants	Amole, purple	<i>Chlorogalum purpureum</i>		\$6,600	\$0	\$6,600
		Aster, Ruth's golden	<i>Pityopsis ruthii</i>		\$1,000	\$0	\$1,000
		Avens, spreading	<i>Geum radiatum</i>		\$5,000	\$0	\$5,000
		Barberry, Nevin's	<i>Berberis nevinii</i>		\$13,000	\$0	\$13,000
		Beauty, Harper's	<i>Harperocallis flava</i>		\$30,878	\$0	\$30,878
		Birds-in-a-nest, white	<i>Macbridea alba</i>		\$33,293	\$0	\$33,293
		Bladderpod, San Bernardino Mountains	<i>Lesquerella kingii ssp. bernardina</i>		\$37,612	\$0	\$37,612
		Bluegrass, San Bernardino	<i>Poa atropurpurea</i>		\$74,148	\$0	\$74,148

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Bonamia, Florida	<i>Bonamia grandiflora</i>		\$75,315	\$0	\$75,315
		Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>		\$15,600	\$0	\$15,600
		Buckwheat, cushenbury	<i>Eriogonum ovalifolium</i> <i>var. vineum</i>		\$1,212	\$0	\$1,212
		Buckwheat, scrub	<i>Eriogonum longifolium</i> <i>var. gnaphalifolium</i>		\$116,238	\$0	\$116,238
		Butterweed, Layne's	<i>Senecio layneae</i>		\$4,300	\$0	\$4,300
		Butterwort, Godfrey's	<i>Pinguicula ionantha</i>		\$30,878	\$0	\$30,878
		Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri</i> <i>var. kuenzleri</i>		\$46,135	\$0	\$46,135
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$19,000	\$0	\$19,000
		Chaffseed, American	<i>Schwalbea americana</i>		\$226,999	\$0	\$226,999
		Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana</i> <i>var. calva</i>		\$1,000	\$0	\$1,000
		Clarkia, Springville	<i>Clarkia springvillensis</i>		\$3,050	\$0	\$3,050
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$18,400	\$0	\$18,400
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$132,104	\$0	\$132,104
		Daisy, Lakeside	<i>Hymenoxys herbacea</i>		\$2,000	\$0	\$2,000
		Daisy, Parish's	<i>Erigeron parishii</i>		\$1,212	\$0	\$1,212
		Dropwort, Canby's	<i>Oxypolis canbyi</i>		\$1,000	\$0	\$1,000
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$10,000	\$0	\$10,000
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$2,000	\$0	\$2,000
		Goldenrod, Houghton's	<i>Solidago houghtonii</i>		\$5,560	\$0	\$5,560
		Goldenrod, white-haired	<i>Solidago albopilosa</i>		\$1,000	\$0	\$1,000
		Gooseberry, Miccosukee	<i>Ribes echinellum</i>		\$18,963	\$0	\$18,963
		Haha	<i>Cyanea shipmanii</i>		\$5,000	\$0	\$5,000
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$40,000	\$0	\$40,000
		Harperella	<i>Ptilimnium nodosum</i>		\$4,000	\$0	\$4,000
		Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>		\$5,000	\$0	\$5,000
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$6,000	\$0	\$6,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Howellia, water	<i>Howellia aquatilis</i>		\$25,000	\$0	\$25,000
		Ipomopsis, Holy Ghost	<i>Ipomopsis sancti-spiritus</i>		\$3,984	\$0	\$3,984
		Iris, dwarf lake	<i>Iris lacustris</i>		\$11,150	\$0	\$11,150
		Kauila	<i>Colubrina oppositifolia</i>		\$40,000	\$0	\$40,000
		Kiponapona	<i>Phyllostegia racemosa</i>		\$5,000	\$0	\$5,000
		Koki`o	<i>Kokia drynarioides</i>		\$40,000	\$0	\$40,000
		Ko`oloa`ula	<i>Abutilon menziesii</i>		\$5,000	\$0	\$5,000
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$12,500	\$0	\$12,500
		Locoweed, Fassett's	<i>Oxytropis campestris</i> var. <i>chartacea</i>		\$2,000	\$0	\$2,000
		Mallow, Kern	<i>Eremalche kernensis</i>		\$8,253	\$0	\$8,253
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$5,000	\$0	\$5,000
		Milk-vetch, Cushenbury	<i>Astragalus albens</i>		\$1,212	\$0	\$1,212
		Mustard, Penland alpine fen	<i>Eutrema penlandii</i>		\$10,000	\$0	\$10,000
		Mustard, slender-petaled	<i>Thelypodium stenopetalum</i>		\$687	\$0	\$687
		No common name	<i>Bonamia menziesii</i>		\$5,000	\$0	\$5,000
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$8,092	\$0	\$8,092
		Oxytheca, cushenbury	<i>Oxytheca parishii</i> var. <i>goodmaniana</i>		\$1,212	\$0	\$1,212
		Paintbrush, ash-grey	<i>Castilleja cinerea</i>		\$74,148	\$0	\$74,148
		Pennyroyal, Todsens	<i>Hedeoma todsenii</i>		\$815	\$0	\$815
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$2,665	\$0	\$2,665
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$1,000	\$0	\$1,000
		Phacelia, clay	<i>Phacelia argillacea</i>		\$1,000	\$0	\$1,000
		Phacelia, DeBeque	<i>Phacelia submutica</i>		\$10,000	\$0	\$10,000
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$1,010	\$0	\$1,010
		Polygala, Lewton's	<i>Polygala lewtonii</i>		\$37,658	\$0	\$37,658
		Pondberry	<i>Lindera melissifolia</i>		\$96,000	\$0	\$96,000
		Poppy, Sacramento prickly	<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>		\$47,915	\$0	\$47,915

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Potato-bean, Price's	<i>Apios priceana</i>		\$300	\$0	\$300
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$7,593	\$0	\$7,593
		Pussypaws, Mariposa	<i>Calyptridium pulchellum</i>		\$1,000	\$0	\$1,000
		Ragwort, San Francisco Peaks	<i>Packera franciscana</i>		\$15,000	\$0	\$15,000
		rock cress, Shale barren	<i>Arabis serotina</i>		\$178	\$0	\$178
		Rock-cress, McDonald's	<i>Arabis macdonaldiana</i>		\$11,080	\$0	\$11,080
		Sandwort, Bear Valley	<i>Arenaria ursina</i>		\$37,748	\$0	\$37,748
		Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>		\$1,750	\$0	\$1,750
		Skullcap, Florida	<i>Scutellaria floridana</i>		\$30,878	\$0	\$30,878
		Taraxacum, California	<i>Taraxacum californicum</i>		\$74,148	\$0	\$74,148
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$18,716	\$0	\$18,716
		Thistle, Sacramento Mountains	<i>Cirsium vinaceum</i>		\$5,815	\$0	\$5,815
		Thornmint, San Diego	<i>Acanthomintha ilicifolia</i>		\$1,000	\$0	\$1,000
		Wild-buckwheat, southern mountain	<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>		\$37,748	\$0	\$37,748
		`Aiea	<i>Nothocestrum breviflorum</i>		\$40,000	\$0	\$40,000
		`Oha wai	<i>Clermontia lindseyana</i>		\$5,000	\$0	\$5,000
		`Oha wai	<i>Clermontia pyrularia</i>		\$5,000	\$0	\$5,000
	Flowering Plants subtotal				\$1,742,752	\$0	\$1,742,752
	Conifers and Cycads	Torreya, Florida	<i>Torreya taxifolia</i>		\$15,000	\$0	\$15,000
	Conifers and Cycads subtotal				\$15,000	\$0	\$15,000
	Ferns and Allies	Fern, American hart's-tongue	<i>Asplenium scolopendrium</i> var. <i>americanum</i>		\$4,900	\$0	\$4,900

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Quillwort, Louisiana	<i>Isoetes louisianensis</i>		\$1,355	\$0	\$1,355
	Ferns and Allies subtotal				\$6,255	\$0	\$6,255
Grand Total					\$58,833,510	\$0	\$58,833,510

USDA Natural Resources Conservation Service--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$78,000	\$109,500	\$187,500
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	Entire	\$35,000	\$0	\$35,000
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$18,000	\$271,000	\$289,000
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	Entire	\$200	\$0	\$200
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	Entire	\$78,000	\$109,500	\$187,500
		Bear, grizzly	<i>Ursus arctos horribilis</i>	portions of ID and MT	\$100	\$0	\$100
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$800	\$0	\$800
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>	Entire	\$4,691,000	\$11,298,000	\$15,989,000
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$100	\$0	\$100
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$500	\$0	\$500
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$19,000	\$0	\$19,000
		Ferret, black-footed	<i>Mustela nigripes</i>	except where EXPN	\$6,000	\$0	\$6,000
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	CA	\$8,000	\$641,000	\$649,000
		Jaguar	<i>Panthera onca</i>	AZ,CA,LA,NM,TX, Mexico, Central and South America	\$400	\$0	\$400
		Kangaroo rat, giant	<i>Dipodomys ingens</i>	Entire	\$1,000	\$0	\$1,000
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>	Entire	\$7,000	\$641,000	\$648,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$153,000	\$0	\$153,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$2,000	\$0	\$2,000
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	LA and AR east to SC and FL	\$150,000	\$9,500,000	\$9,650,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Prairie dog, Utah	<i>Cynomys parvidens</i>	UT	\$10,000	\$0	\$10,000
		Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	CA	\$1,062,000	\$2,890,000	\$3,952,000
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	Entire	\$100	\$0	\$100
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$800	\$0	\$800
		Wolf, red	<i>Canis rufus</i>	portions of NC and TN	\$2,630,000	\$0	\$2,630,000
		Woodrat, riparian (=San Joaquin Valley)	<i>Neotoma fuscipes riparia</i>	Entire	\$1,062,000	\$2,890,000	\$3,952,000
	Mammals subtotal				\$10,013,000	\$28,350,000	\$38,363,000
	Birds	Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>	Entire	\$38,000	\$0	\$38,000
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$100,000	\$20,500,000	\$20,600,000
		Coot, Hawaiian	<i>Fulica americana alai</i>	Entire	\$60,500	\$0	\$60,500
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, and western WY	\$10,000	\$0	\$10,000
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$12,000	\$0	\$12,000
		Creepers, Hawaii	<i>Oreomystis mana</i>	Entire	\$14,000	\$0	\$14,000
		Crow, Hawaiian (=alala)	<i>Corvus hawaiiensis</i>	Entire	\$38,000	\$0	\$38,000
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	Entire	\$42,000	\$0	\$42,000
		Duck, Laysan	<i>Anas laysanensis</i>	Entire	\$14,000	\$0	\$14,000
		Eider, spectacled	<i>Somateria fischeri</i>	Entire	\$82,000	\$0	\$82,000
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$82,000	\$0	\$82,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$193,000	\$1,170,000	\$1,363,000
		Gnatcatcher, coastal California	<i>Poliottila californica californica</i>	Entire	\$5,000	\$0	\$5,000
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	Entire	\$19,000	\$0	\$19,000
		Hawk, Hawaiian (=lo)	<i>Buteo solitarius</i>	Entire	\$210,000	\$0	\$210,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$10,000	\$0	\$10,000
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$1,000	\$0	\$1,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$2,000	\$0	\$2,000
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$259,000	\$2,374,000	\$2,633,000
		Palila (honeycreeper)	<i>Loxioides bailleui</i>	Entire	\$172,000	\$0	\$172,000
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	Entire	\$14,000	\$0	\$14,000
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$800	\$0	\$800
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$3,800	\$0	\$3,800
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$1,300	\$0	\$1,300
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$100	\$0	\$100
		Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Entire	\$25,000	\$250,000	\$275,000
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>	Entire	\$14,000	\$0	\$14,000
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	Entire	\$50,000	\$250,000	\$300,000
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$94,000	\$0	\$94,000
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$1,000,000	\$48,000,000	\$49,000,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$12,000	\$0	\$12,000
		Vireo, black-capped	<i>Vireo atricapilla</i>	Entire	\$8,000	\$0	\$8,000
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>	Entire	\$1,061,000	\$2,890,000	\$3,951,000
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$1,884,000	\$250,000	\$2,134,000
	Birds subtotal				\$5,531,500	\$75,684,000	\$81,215,500
	Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	Entire	\$2,000	\$3,000,000	\$3,002,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	Entire	\$5,000	\$0	\$5,000
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$4,000	\$0	\$4,000
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>	Entire	\$10,000	\$0	\$10,000
		Skink, sand	<i>Neoseps reynoldsi</i>	Entire	\$10,000	\$0	\$10,000
		Snake, Concho water	<i>Nerodia paucimaculata</i>		\$3,000	\$0	\$3,000
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	IN, MI, OH	\$719,000	\$143,000	\$862,000
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$850,000	\$5,700,000	\$6,550,000
		Snake, giant garter	<i>Thamnophis gigas</i>	Entire	\$4,440,000	\$2,208,000	\$6,648,000
		Tortoise, desert	<i>Gopherus agassizii</i>	except in Sonoran Desert	\$5,000	\$0	\$5,000
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$614,000	\$367,000	\$981,000
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$242,000	\$4,596,000	\$4,838,000
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$400	\$0	\$400
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>	Entire	\$4,000	\$0	\$4,000
	Reptiles subtotal				\$6,908,400	\$16,014,000	\$22,922,400
	Amphibians	Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$210,000	\$0	\$210,000
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	Entire	\$800	\$0	\$800
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara County	\$1,000	\$0	\$1,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Sonoma County	\$5,000	\$0	\$5,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$171,000	\$922,000	\$1,093,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	Entire	\$30,000	\$0	\$30,000
		Toad, arroyo (=arroyo southwestern)	<i>Anaxyrus californicus</i>	Entire	\$5,000	\$0	\$5,000
	Amphibians subtotal				\$422,800	\$922,000	\$1,344,800
	Fishes	Catfish, Yaqui	<i>Ictalurus pricei</i>	Entire	\$200	\$0	\$200
		Cavefish, Ozark	<i>Amblyopsis rosae</i>	Entire	\$78,000	\$110,000	\$188,000
		Chub, bonytail	<i>Gila elegans</i>	Entire	\$3,800	\$0	\$3,800
		Chub, Gila	<i>Gila intermedia</i>	Entire	\$200	\$0	\$200
		Chub, humpback	<i>Gila cypha</i>	Entire	\$3,800	\$0	\$3,800
		Chub, Sonora	<i>Gila ditaenia</i>	Entire	\$200	\$0	\$200
		Chub, Virgin River	<i>Gila seminuda</i> (= <i>robusta</i>)	Entire	\$4,700	\$0	\$4,700
		Chub, Yaqui	<i>Gila purpurea</i>	Entire	\$200	\$0	\$200
		Dace, blackside	<i>Phoxinus cumberlandensis</i>	Entire	\$400	\$0	\$400
		Darter, leopard	<i>Percina pantherina</i>	Entire	\$18,000	\$0	\$18,000
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>	Entire	\$10,000	\$0	\$10,000
		Darter, yellowcheek	<i>Etheostoma moorei</i>	Entire	\$2,000	\$0	\$2,000
		Minnow, loach	<i>Tiaroga cobitis</i>	Entire	\$300	\$0	\$300
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$200	\$0	\$200
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$4,000	\$0	\$4,000
		Pupfish, desert	<i>Cyprinodon macularius</i>	Entire	\$2,000	\$0	\$2,000
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$295,000	\$0	\$295,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Lower Columbia River ESU	\$11,000	\$0	\$11,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Puget Sound ESU	\$2,500	\$0	\$2,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Sacramento River winter-run ESU	\$1,000	\$0	\$1,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Snake River fall-run ESU	\$400	\$0	\$400
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Snake River spring/ summer-run ESU	\$400	\$0	\$400
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>keta</i>	Columbia R.	\$59,000	\$0	\$59,000
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>keta</i>	summer-run Hood Canal	\$2,000	\$0	\$2,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Central California Coast ESU	\$3,000	\$0	\$3,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Lower Columbia River ESU	\$11,000	\$0	\$11,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Oregon Coast ESU	\$11,000	\$0	\$11,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	So. OR/No. CA Coast ESU	\$6,000	\$0	\$6,000
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	Snake River, ID stock	\$400	\$0	\$400
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$16,000	\$0	\$16,000
		Shiner, Topeka	<i>Notropis topeka</i> (= <i>tristis</i>)	Entire	\$22,000	\$558,000	\$580,000
		Smelt, delta	<i>Hypomesus</i> <i>transpacificus</i>	Entire	\$1,500	\$0	\$1,500
		Spikedace	<i>Meda fulgida</i>	Entire	\$200	\$0	\$200
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	Entire	\$300	\$0	\$300
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Central Valley CA	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Puget Sound DPS	\$164,000	\$0	\$164,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Snake R. Basin	\$400	\$0	\$400

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	central CA coast	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	lower Columbia R.	\$14,000	\$0	\$14,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	middle Columbia R.	\$71,000	\$0	\$71,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	northern CA	\$2,000	\$0	\$2,000
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus</i> <i>oxyrinchus</i>		\$1,000	\$0	\$1,000
		Sturgeon, gulf	<i>Acipenser oxyrinchus</i> <i>desotoi</i>	Entire	\$10,000	\$0	\$10,000
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$800	\$0	\$800
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$12,000	\$0	\$12,000
		Sturgeon, white	<i>Acipenser</i> <i>transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$10,000	\$0	\$10,000
		Sucker, June	<i>Chasmistes liorus</i>	Entire	\$3,000	\$0	\$3,000
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$4,000	\$0	\$4,000
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis</i> <i>occidentalis</i>	U.S.A. only	\$200	\$0	\$200
		Trout, Apache	<i>Oncorhynchus apache</i>	Entire	\$200	\$0	\$200
		Trout, bull	<i>Salvelinus confluentus</i>	lower 48 states	\$58,000	\$590,000	\$648,000
		Trout, Greenback Cutthroat	<i>Oncorhynchus clarki</i> <i>stomias</i>	Entire	\$500	\$0	\$500
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii</i> <i>henshawi</i>	Entire	\$123,000	\$0	\$123,000
		Woundfin	<i>Plagopterus</i> <i>argentissimus</i>	Gila R. drainage, AZ, NM	\$4,000	\$0	\$4,000
		Woundfin	<i>Plagopterus</i> <i>argentissimus</i>	except Gila R. drainage, AZ, NM	\$200	\$0	\$200
	Fishes subtotal				\$1,055,000	\$1,258,000	\$2,313,000
	Clams	Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>		\$20,000	\$0	\$20,000
		Moccasinshell, Gulf	<i>Medionidus penicillatus</i>		\$20,000	\$0	\$20,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>		\$20,000	\$0	\$20,000
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$20,000	\$0	\$20,000
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$20,000	\$0	\$20,000
		Pocketbook, speckled	<i>Lampsilis streckeri</i>	Entire	\$2,000	\$0	\$2,000
		Slabshell, Chipola	<i>Elliptio chipolaensis</i>		\$20,000	\$0	\$20,000
		Three-ridge, fat (mussel)	<i>Amblema neislerii</i>		\$20,000	\$0	\$20,000
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	Entire	\$31,000	\$0	\$31,000
	Clams subtotal				\$173,000	\$0	\$173,000
	Snails	Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	Entire	\$300	\$0	\$300
		Campeloma, slender	<i>Campeloma decampi</i>	Entire	\$3,200	\$0	\$3,200
		Limpet, Banbury Springs	<i>Lanx sp.</i>	Entire	\$100	\$0	\$100
		Snail, armored	<i>Pyrgulopsis (=Marstonia) pachyta</i>	Entire	\$3,200	\$0	\$3,200
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	Entire	\$100	\$0	\$100
		Snail, Snake River physa	<i>Physa natricina</i>	Entire	\$100	\$0	\$100
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	Entire	\$2,500	\$0	\$2,500
	Snails subtotal				\$9,500	\$0	\$9,500
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$18,000	\$0	\$18,000
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Entire	\$1,000	\$0	\$1,000
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$2,000	\$0	\$2,000
		Butterfly, Myrtle's silverspot	<i>Speyeria zerene myrtleae</i>	Entire	\$3,000	\$0	\$3,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	Entire	\$1,500	\$0	\$1,500
		Moth, Blackburn's sphinx	<i>Manduca blackburni</i>		\$91,000	\$0	\$91,000
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>	Entire	\$100	\$0	\$100
		Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>	Entire	\$5,800	\$0	\$5,800
	Insects subtotal				\$122,400	\$0	\$122,400
	Crustaceans	Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	Entire	\$142,000	\$922,000	\$1,064,000
		Shrimp, California freshwater	<i>Syncaris pacifica</i>	Entire	\$1,300	\$0	\$1,300
		Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>	Entire	\$142,000	\$922,000	\$1,064,000
	Crustaceans subtotal				\$285,300	\$1,844,000	\$2,129,300
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$25,000	\$0	\$25,000
		Coral, staghorn	<i>Acropora cervicornis</i>		\$25,000	\$0	\$25,000
	Corals subtotal				\$50,000	\$0	\$50,000
	Flowering Plants	Alani	<i>Melicope pallida</i>		\$15,000	\$0	\$15,000
		Aster, decurrent false	<i>Boltonia decurrens</i>		\$7,000	\$51,000	\$58,000
		Aupaka	<i>Isodendrion longifolium</i>		\$15,000	\$0	\$15,000
		Bear-poppy, Dwarf	<i>Arctomecon humilis</i>		\$100	\$0	\$100
		Beardtongue, Parachute	<i>Penstemon debilis</i>		\$100	\$0	\$100
		Beardtongue, Penland	<i>Penstemon penlandii</i>		\$100	\$0	\$100
		Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>		\$100	\$0	\$100
		Buttercup, autumn	<i>Ranunculus aestivalis (=acriiformis)</i>		\$300	\$0	\$300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Butterfly plant, Colorado	<i>Gaura neomexicana</i> <i>var. coloradensis</i>		\$1,300	\$0	\$1,300
		Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>		\$2,000	\$0	\$2,000
		Cactus, Knowlton's	<i>Pediocactus knowltonii</i>		\$100	\$0	\$100
		Cactus, Mesa Verde	<i>Sclerocactus mesae-</i> <i>verdae</i>		\$100	\$0	\$100
		Cactus, Pariette	<i>Sclerocactus</i> <i>brevispinus</i>		\$500	\$0	\$500
		Cactus, Pima pineapple	<i>Coryphantha scheeri</i> <i>var. robustispina</i>		\$1,600	\$0	\$1,600
		Cactus, Uinta Basin hookless	<i>Sclerocactus</i> <i>wetlandicus</i>		\$500	\$0	\$500
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$100	\$0	\$100
		Chaffseed, American	<i>Schwalbea americana</i>		\$20,000	\$0	\$20,000
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$78,000	\$552,000	\$630,000
		Daisy, Willamette	<i>Erigeron decumbens</i> <i>var. decumbens</i>		\$68,000	\$552,000	\$620,000
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$78,000	\$552,000	\$630,000
		Fleabane, Zuni	<i>Erigeron rhizomatus</i>		\$400	\$0	\$400
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$100	\$0	\$100
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$53,000	\$0	\$53,000
		Ha`iwale	<i>Cyrtandra limahuliensis</i>		\$15,000	\$0	\$15,000
		Howellia, water	<i>Howellia aquatilis</i>		\$100	\$0	\$100
		Kamakahala	<i>Labordia lydgatei</i>		\$15,000	\$0	\$15,000
		Koki`o	<i>Kokia drynarioides</i>		\$53,000	\$0	\$53,000
		Koki`o ke`oke`o	<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>		\$15,000	\$0	\$15,000
		Kolea	<i>Myrsine linearifolia</i>		\$15,000	\$0	\$15,000
		Ko`oloa`ula	<i>Abutilon menziesii</i>		\$53,000	\$0	\$53,000
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$17,000	\$0	\$17,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Lupine, Kincaid's	<i>Lupinus sulphureus ssp. kincaidii</i>		\$68,000	\$552,000	\$620,000
		Ma`o hau hele, (native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$53,000	\$0	\$53,000
		Mehamehame	<i>Flueggea neowawraea</i>		\$15,000	\$0	\$15,000
		Milk-vetch, Mancos	<i>Astragalus humillimus</i>		\$100	\$0	\$100
		Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>		\$100	\$0	\$100
		Milkvetch, Osterhout	<i>Astragalus osterhoutii</i>		\$100	\$0	\$100
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$900	\$0	\$900
		Mustard, Penland alpine fen	<i>Eutrema penlandii</i>		\$100	\$0	\$100
		No common name	<i>Bonamia menziesii</i>		\$15,000	\$0	\$15,000
		No common name	<i>Munroidendron racemosum</i>		\$15,000	\$0	\$15,000
		No common name	<i>Schiedea kauaiensis</i>		\$15,000	\$0	\$15,000
		No common name	<i>Tetramolopium rockii</i>		\$34,000	\$0	\$34,000
		No common name	<i>Vigna o-wahuensis</i>		\$102,000	\$0	\$102,000
		Ohai	<i>Sesbania tomentosa</i>		\$17,000	\$0	\$17,000
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$30,000	\$0	\$30,000
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$1,700	\$0	\$1,700
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$500	\$0	\$500
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$1,300	\$2,000	\$3,300
		Phacelia, North Park	<i>Phacelia formosula</i>		\$100	\$0	\$100
		Pink, swamp	<i>Helonias bullata</i>		\$200	\$0	\$200
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$11,000	\$5,000	\$16,000
		Primrose, Maguire	<i>Primula maguirei</i>		\$1,700	\$0	\$1,700
		Reed-mustard, Barneby	<i>Schoenocrambe barnebyi</i>		\$500	\$0	\$500
		Reed-mustard, clay	<i>Schoenocrambe argillacea</i>		\$500	\$0	\$500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Reed-mustard, shrubby	<i>Schoenocrambe suffrutescens</i>		\$500	\$0	\$500
		Ridge-cress, Barneby	<i>Lepidium barnebyanum</i>		\$500	\$0	\$500
		Skyrocket, Pagosa	<i>Ipomopsis polyantha</i>		\$100	\$0	\$100
		Sunflower, Pecos	<i>Helianthus paradoxus</i>		\$0	\$1,170,000	\$1,170,000
		Thelypody, Howell's spectacular	<i>Thelypodium howellii spectabilis</i>		\$2,000	\$0	\$2,000
		Thistle, Chorro Creek bog	<i>Cirsium fontinale var. obispoense</i>		\$100	\$0	\$100
		Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>		\$100	\$0	\$100
		Uhiuhi	<i>Caesalpinia kavaense</i>		\$53,000	\$0	\$53,000
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>		\$200	\$0	\$200
		Wild buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>		\$4,000	\$0	\$4,000
		Aiea	<i>Nothocestrum breviflorum</i>		\$15,000	\$0	\$15,000
		Akoko	<i>Chamaesyce kuwaleana</i>		\$50,000	\$0	\$50,000
	Flowering Plants subtotal				\$1,032,800	\$3,436,000	\$4,468,800
	Ferns and Allies	Fern, pendant kihi	<i>Adenophorus periens</i>		\$14,000	\$0	\$14,000
		Ihi`ihi	<i>Marsilea villosa</i>		\$11,000	\$0	\$11,000
	Ferns and Allies subtotal				\$25,000	\$0	\$25,000
	Multi-Species				\$47,000	\$0	\$47,000
Grand Total					\$25,675,700	\$127,508,000	\$153,183,700

DOC National Oceanic and Atmospheric Administration—FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$447,467	\$0	\$447,467
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$4,387,357	\$0	\$4,387,357
		Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>	Entire	\$220,405	\$0	\$220,405
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	Entire	\$3,877,333	\$0	\$3,877,333
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$1,645,350	\$0	\$1,645,350
		Whale, blue	<i>Balaenoptera musculus</i>	Entire	\$1,214,658	\$0	\$1,214,658
		Whale, bowhead	<i>Balaena mysticetus</i>	Entire	\$585,847	\$0	\$585,847
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$1,214,658	\$0	\$1,214,658
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$1,222,810	\$0	\$1,222,810
		Whale, killer	<i>Orcinus orca</i>	So. Resident DPS	\$1,250,375	\$0	\$1,250,375
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Entire	\$8,716,567	\$0	\$8,716,567
		Whale, North Pacific Right	<i>Eubalaena japonica</i>	Entire	\$439,314	\$0	\$439,314
		Whale, Sei	<i>Balaenoptera borealis</i>	Entire	\$1,198,757	\$0	\$1,198,757
		Whale, sperm	<i>Physeter catodon</i> (= <i>macrocephalus</i>)	Entire	\$1,107,077	\$0	\$1,107,077
	Mammals subtotal				\$27,527,975	\$0	\$27,527,975
	Reptiles	Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$339,850	\$0	\$339,850
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$3,385,718	\$0	\$3,385,718
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$2,939,816	\$0	\$2,939,816
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$1,830,500	\$0	\$1,830,500
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$3,488,381	\$0	\$3,488,381
		Sea turtle, loggerhead	<i>Caretta caretta</i>	North Pacific Ocean DPS	\$1,945,218	\$0	\$1,945,218
		Sea turtle, loggerhead	<i>Caretta caretta</i>	Northwest Atlantic DPS	\$1,945,218	\$0	\$1,945,218

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Mexican nesting pop.	\$339,850	\$0	\$339,850
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$869,145	\$0	\$869,145
	Reptiles subtotal				\$17,083,696	\$0	\$17,083,696
	Fishes	Bocaccio	<i>Sebastes paucispinis</i>	Puget Sound/Georgia Basin DPS	\$371,574	\$0	\$371,574
		Eulachon, Pacific	<i>Thaleichthys pacificus</i>	Southern DPS	\$636,377	\$0	\$636,377
		Rockfish, Canary	<i>Sebastes pinniger</i>	Puget Sound/Georgia Basin DPS	\$371,574	\$0	\$371,574
		Rockfish, Yelloweye	<i>Sebastes ruberrimus</i>	Puget Sound/Georgia Basin DPS	\$371,574	\$0	\$371,574
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$5,861,450	\$0	\$5,861,450
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$4,718,353	\$0	\$4,718,353
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$2,675,496	\$0	\$2,675,496
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$5,453,927	\$0	\$5,453,927
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$4,382,711	\$0	\$4,382,711
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento River winter-run ESU	\$2,675,496	\$0	\$2,675,496
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$4,349,378	\$0	\$4,349,378
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/summer run ESU	\$5,508,469	\$0	\$5,508,469
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$4,194,836	\$0	\$4,194,836

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$2,920,374	\$0	\$2,920,374
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$5,253,927	\$0	\$5,253,927
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	summer-run Hood Canal	\$4,382,711	\$0	\$4,382,711
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Central CA Coast ESU	\$4,718,353	\$0	\$4,718,353
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$5,453,927	\$0	\$5,453,927
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Oregon Coast ESU	\$3,434,134	\$0	\$3,434,134
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Southern OR/ No. CA Coast ESU	\$6,317,444	\$0	\$6,317,444
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Ozette Lake, WA	\$4,382,711	\$0	\$4,382,711
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River, ID stock	\$2,511,283	\$0	\$2,511,283
		Sawfish, smalltooth	<i>Pristis pectinata</i>	TX, FL	\$865,487	\$0	\$865,487
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$2,675,496	\$0	\$2,675,496
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$4,382,711	\$0	\$4,382,711
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake R. Basin	\$5,523,300	\$0	\$5,523,300
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	central CA coast	\$4,718,353	\$0	\$4,718,353
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	lower Columbia R.	\$5,453,927	\$0	\$5,453,927
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	middle Columbia R.	\$5,453,927	\$0	\$5,453,927
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	northern CA	\$5,158,353	\$0	\$5,158,353
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	south central CA coast	\$4,718,353	\$0	\$4,718,353

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	southern CA coast	\$4,718,353	\$0	\$4,718,353
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Columbia R. Basin	\$4,194,836	\$0	\$4,194,836
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Willamette R.	\$2,920,374	\$0	\$2,920,374
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>		\$1,207,133	\$0	\$1,207,133
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	Entire	\$637,822	\$0	\$637,822
		Sturgeon, North American green	<i>Acipenser medirostris</i>	CA Southern DPS	\$960,376	\$0	\$960,376
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$1,677,416	\$0	\$1,677,416
	Fishes subtotal				\$136,212,296	\$0	\$136,212,296
	Snails	Abalone, Black	<i>Haliotis cracherodii</i>		\$854,145	\$0	\$854,145
		Abalone, White	<i>Haliotis sorenseni</i>	West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico	\$905,356	\$0	\$905,356
	Snails subtotal				\$1,759,501	\$0	\$1,759,501
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$859,303	\$0	\$859,303
		Coral, staghorn	<i>Acropora cervicornis</i>		\$859,303	\$0	\$859,303
	Corals subtotal				\$1,718,606	\$0	\$1,718,606
	Flowering Plants	Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$649,871	\$0	\$649,871
	Flowering Plants subtotal				\$649,871	\$0	\$649,871
Grand Total					\$184,951,945	\$0	\$184,951,945

DOD Air Force—FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$32,000	\$0	\$32,000
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	Entire	\$5,000	\$0	\$5,000
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$56,000	\$0	\$56,000
		Bear, polar	<i>Ursus maritimus</i>	Entire	\$80,000	\$0	\$80,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$57,000	\$0	\$57,000
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	FL	\$15,000	\$0	\$15,000
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	SW Alaska DPS	\$10,000	\$0	\$10,000
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Entire	\$210,000	\$0	\$210,000
		Puma (=mountain lion)	<i>Puma (=Felis) concolor (all subsp. except coryi)</i>	FL	\$800	\$0	\$800
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$40,000	\$0	\$40,000
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$615,000	\$0	\$615,000
		Whale, blue	<i>Balaenoptera musculus</i>	Entire	\$10,000	\$0	\$10,000
		Whale, bowhead	<i>Balaena mysticetus</i>	Entire	\$10,000	\$0	\$10,000
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$10,000	\$0	\$10,000
		Whale, gray	<i>Eschrichtius robustus</i>	W Pacific Ocean	\$10,000	\$0	\$10,000
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$10,000	\$0	\$10,000
		Whale, North Pacific Right	<i>Eubalaena japonica</i>	Entire	\$10,000	\$0	\$10,000
		Whale, Sei	<i>Balaenoptera borealis</i>	Entire	\$10,000	\$0	\$10,000
	Mammals subtotal				\$1,190,800	\$0	\$1,190,800
	Birds	Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$7,350	\$0	\$7,350
		Coot, Hawaiian	<i>Fulica americana alai</i>	Entire	\$52,500	\$0	\$52,500
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	Entire	\$52,500	\$0	\$52,500
		Eider, spectacled	<i>Somateria fischeri</i>	Entire	\$50,000	\$0	\$50,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$50,000	\$0	\$50,000
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Southwestern population	\$40,000	\$0	\$40,000
		Gnatcatcher, coastal California	<i>Poliophtila californica californica</i>	Entire	\$30,000	\$0	\$30,000
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	Entire	\$52,500	\$0	\$52,500
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	Entire	\$10,000	\$0	\$10,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$75,294	\$0	\$75,294
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Entire	\$955,180	\$0	\$955,180
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	Entire	\$273,880	\$0	\$273,880
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$52,500	\$0	\$52,500
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$136,000	\$0	\$136,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$45,633	\$0	\$45,633
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$2,375,062	\$0	\$2,375,062
	Birds subtotal				\$4,258,399	\$0	\$4,258,399
	Reptiles	Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$188,000	\$0	\$188,000
		Tortoise, desert	<i>Gopherus agassizii</i>	except in Sonoran Desert	\$756,000	\$0	\$756,000
	Reptiles subtotal				\$944,000	\$0	\$944,000
	Amphibians	Salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>	Entire	\$211,480	\$0	\$211,480
	Amphibians subtotal				\$211,480	\$0	\$211,480
	Fishes	Darter, Okaloosa	<i>Etheostoma okaloosae</i>	Entire	\$801,000	\$0	\$801,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$20,000	\$0	\$20,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	Entire	\$343,000	\$0	\$343,000
	Fishes subtotal				\$1,164,000	\$0	\$1,164,000
	Insects	Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Entire	\$10,000	\$0	\$10,000
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (= <i>E. e. wrighti</i>)	Entire	\$30,000	\$0	\$30,000
	Insects subtotal				\$40,000	\$0	\$40,000
	Crustaceans	Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$15,000	\$0	\$15,000
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	Entire	\$127,500	\$0	\$127,500
		Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>	Entire	\$127,500	\$0	\$127,500
	Crustaceans subtotal				\$270,000	\$0	\$270,000
	Flowering Plants	Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>		\$129,000	\$0	\$129,000
		Butterfly plant, Colorado	<i>Gaura neomexicana</i> var. <i>coloradensis</i>		\$23,640	\$0	\$23,640
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$15,000	\$0	\$15,000
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$50,000	\$0	\$50,000
		Pigeon wings	<i>Clitoria fragrans</i>		\$4,000	\$0	\$4,000
		Tarplant, Otay	<i>Deinandra</i> (= <i>Hemizonia</i>) <i>conjugens</i>		\$30,000	\$0	\$30,000
		Wireweed	<i>Polygonella basiramia</i>		\$12,000	\$0	\$12,000
		Ahinahina	<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>		\$500	\$0	\$500
	Flowering Plants subtotal				\$264,140	\$0	\$264,140

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Ferns and Allies	Fern, Aleutian shield	<i>Polystichum aleuticum</i>		\$5,000	\$0	\$5,000
	Ferns and Allies subtotal				\$5,000	\$0	\$5,000
	Multi-Species				\$340,628	\$0	\$340,628
Grand Total					\$8,688,447	\$0	\$8,688,447

DOD Air Force—FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$32,000	\$0	\$32,000
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	Entire	\$5,000	\$0	\$5,000
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$56,000	\$0	\$56,000
		Bear, polar	<i>Ursus maritimus</i>	Entire	\$80,000	\$0	\$80,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$57,000	\$0	\$57,000
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	FL	\$15,000	\$0	\$15,000
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	SW Alaska DPS	\$10,000	\$0	\$10,000
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Entire	\$210,000	\$0	\$210,000
		Puma (=mountain lion)	<i>Puma (=Felis) concolor</i> (all subsp. except coryi)	FL	\$800	\$0	\$800
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$40,000	\$0	\$40,000
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$615,000	\$0	\$615,000
		Whale, blue	<i>Balaenoptera musculus</i>	Entire	\$10,000	\$0	\$10,000
		Whale, bowhead	<i>Balaena mysticetus</i>	Entire	\$10,000	\$0	\$10,000
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$10,000	\$0	\$10,000
		Whale, gray	<i>Eschrichtius robustus</i>	W Pacific Ocean	\$10,000	\$0	\$10,000
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$10,000	\$0	\$10,000
		Whale, North Pacific Right	<i>Eubalaena japonica</i>	Entire	\$10,000	\$0	\$10,000
		Whale, Sei	<i>Balaenoptera borealis</i>	Entire	\$10,000	\$0	\$10,000
	Mammals subtotal				\$1,190,800	\$0	\$1,190,800
	Birds	Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$7,350	\$0	\$7,350
		Coot, Hawaiian	<i>Fulica americana alai</i>	Entire	\$52,500	\$0	\$52,500
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	Entire	\$52,500	\$0	\$52,500
		Eider, spectacled	<i>Somateria fischeri</i>	Entire	\$50,000	\$0	\$50,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$50,000	\$0	\$50,000
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Southwestern population	\$40,000	\$0	\$40,000
		Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	Entire	\$30,000	\$0	\$30,000
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	Entire	\$52,500	\$0	\$52,500
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	Entire	\$10,000	\$0	\$10,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$75,294	\$0	\$75,294
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Entire	\$955,180	\$0	\$955,180
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	Entire	\$273,880	\$0	\$273,880
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$52,500	\$0	\$52,500
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$136,000	\$0	\$136,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$45,633	\$0	\$45,633
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$2,375,062	\$0	\$2,375,062
	Birds subtotal				\$4,258,399	\$0	\$4,258,399
	Reptiles	Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$188,000	\$0	\$188,000
		Tortoise, desert	<i>Gopherus agassizii</i>	except in Sonoran Desert	\$756,000	\$0	\$756,000
	Reptiles subtotal				\$944,000	\$0	\$944,000
	Amphibians	Salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>	Entire	\$211,480	\$0	\$211,480
	Amphibians subtotal				\$211,480	\$0	\$211,480
	Fishes	Darter, Okaloosa	<i>Etheostoma okaloosae</i>	Entire	\$801,000	\$0	\$801,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$20,000	\$0	\$20,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	Entire	\$343,000	\$0	\$343,000
	Fishes subtotal				\$1,164,000	\$0	\$1,164,000
	Insects	Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Entire	\$10,000	\$0	\$10,000
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (= <i>E. e. wrighti</i>)	Entire	\$30,000	\$0	\$30,000
	Insects subtotal				\$40,000	\$0	\$40,000
	Crustaceans	Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$15,000	\$0	\$15,000
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	Entire	\$127,500	\$0	\$127,500
		Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>	Entire	\$127,500	\$0	\$127,500
	Crustaceans subtotal				\$270,000	\$0	\$270,000
	Flowering Plants	Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>		\$129,000	\$0	\$129,000
		Butterfly plant, Colorado	<i>Gaura neomexicana</i> var. <i>coloradensis</i>		\$23,640	\$0	\$23,640
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$15,000	\$0	\$15,000
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$50,000	\$0	\$50,000
		Pigeon wings	<i>Clitoria fragrans</i>		\$4,000	\$0	\$4,000
		Tarplant, Otay	<i>Deinandra</i> (= <i>Hemizonia</i>) <i>conjugens</i>		\$30,000	\$0	\$30,000
		Wireweed	<i>Polygonella basiramia</i>		\$12,000	\$0	\$12,000
		Ahinahina	<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>		\$500	\$0	\$500
	Flowering Plants subtotal				\$264,140	\$0	\$264,140

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Ferns and Allies	Fern, Aleutian shield	<i>Polystichum aleuticum</i>		\$5,000	\$0	\$5,000
	Ferns and Allies subtotal				\$5,000	\$0	\$5,000
	Multi-Species				\$340,628	\$0	\$340,628
Grand Total					\$8,688,447	\$0	\$8,688,447

DOD Defense Logistics Agency—FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Birds	Gnatcatcher, coastal California	<i>Poliophtila californica californica</i>	Entire	\$24,075	\$0	\$24,075
	Insects	Butterfly, Palos Verdes blue	<i>Glaucopsyche lygdamus palosverdesensis</i>	Entire	\$176,625	\$0	\$176,625
Grand Total					\$200,700	\$0	\$200,700

DOD Marine Corps--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Kangaroo rat, Stephens'	<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>)	Entire	\$351,466	\$0	\$351,466
		Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>	Entire	\$275,150	\$0	\$275,150
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Entire	\$80,000	\$0	\$80,000
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	Entire	\$500	\$0	\$500
	Mammals subtotal				\$707,116	\$0	\$707,116
	Birds	Coot, Hawaiian	<i>Fulica americana alai</i>	Entire	\$1,000	\$0	\$1,000
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	Entire	\$1,000	\$0	\$1,000
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$69,000	\$0	\$69,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$369,213	\$0	\$369,213
		Gnatcatcher, coastal California	<i>Poliophtila californica californica</i>	Entire	\$271,224	\$0	\$271,224
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	Entire	\$1,000	\$0	\$1,000
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$345,675	\$0	\$345,675
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$24,625	\$0	\$24,625
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$30,000	\$0	\$30,000
		Tern, California least	<i>Sterna antillarum browni</i>		\$363,402	\$0	\$363,402
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>	Entire	\$420,744	\$0	\$420,744
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$6,571,856	\$0	\$6,571,856
	Birds subtotal				\$8,468,739	\$0	\$8,468,739

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Reptiles	Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$4,350	\$0	\$4,350
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$204,350	\$0	\$204,350
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$3,516,529	\$0	\$3,516,529
	Reptiles subtotal				\$3,725,229	\$0	\$3,725,229
	Amphibians	Toad, arroyo (=arroyo southwestern)	<i>Anaxyrus californicus</i>	Entire	\$435,190	\$0	\$435,190
	Amphibians subtotal				\$435,190	\$0	\$435,190
	Fishes	Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$122,564	\$0	\$122,564
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	southern CA coast	\$72,064	\$0	\$72,064
	Fishes subtotal				\$194,628	\$0	\$194,628
	Crustaceans	Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>	Entire	\$122,169	\$0	\$122,169
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$279,134	\$0	\$279,134
	Crustaceans subtotal				\$401,303	\$0	\$401,303
	Flowering Plants	Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>		\$252,956	\$0	\$252,956
		Button-celery, San Diego	<i>Eryngium aristulatum</i> var. <i>parishii</i>		\$126,169	\$0	\$126,169
		Mesa-mint, San Diego	<i>Pogogyne abramsii</i>		\$67,500	\$0	\$67,500
		Monardella, willow	<i>Monardella viminea</i>		\$51,532	\$0	\$51,532
		Navarretia, spreading	<i>Navarretia fossalis</i>		\$125,169	\$0	\$125,169
		Ohai	<i>Sesbania tomentosa</i>		\$150	\$0	\$150
		Orcutt grass, California	<i>Orcuttia californica</i>		\$66,500	\$0	\$66,500
		Pondberry	<i>Lindera melissifolia</i>		\$8,422	\$0	\$8,422

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Flowering Plants subtotal				\$698,398	\$0	\$698,398
Grand Total					\$14,630,603	\$0	\$14,630,603

DOD Navy—FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	Entire	\$52,017	\$0	\$52,017
		Bat, Mariana fruit (=Mariana flying fox)	<i>Pteropus mariannus mariannus</i>	Entire	\$102,227	\$0	\$102,227
		Kangaroo rat, Fresno	<i>Dipodomys nitratoides exilis</i>	Entire	\$20,215	\$0	\$20,215
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>)	Entire	\$39,064	\$0	\$39,064
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$107,842	\$0	\$107,842
		Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>	FL	\$4,846	\$0	\$4,846
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	SW AK DPS	\$8,397	\$0	\$8,397
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>	FL	\$79,652	\$0	\$79,652
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$540	\$0	\$540
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$33,593	\$0	\$33,593
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	Entire	\$40,036	\$0	\$40,036
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$147,340	\$0	\$147,340
		Whale, blue	<i>Balaenoptera musculus</i>	Entire	\$801,710	\$0	\$801,710
		Whale, bowhead	<i>Balaena mysticetus</i>	Entire	\$34,111	\$0	\$34,111
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$763,800	\$0	\$763,800
		Whale, gray	<i>Eschrichtius robustus</i>	W Pacific Ocean	\$33,593	\$0	\$33,593
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$1,021,295	\$0	\$1,021,295
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$137,967	\$0	\$137,967
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Entire	\$710,136	\$0	\$710,136
		Whale, North Pacific Right	<i>Eubalaena japonica</i>	Entire	\$33,593	\$0	\$33,593
		Whale, Sei	<i>Balaenoptera borealis</i>	Entire	\$318,350	\$0	\$318,350
		Whale, sperm	<i>Physeter catodon</i> (= <i>macrocephalus</i>)	Entire	\$963,210	\$0	\$963,210

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Mammals subtotal				\$5,453,534	\$0	\$5,453,534
	Birds	Coot, Hawaiian	<i>Fulica americana alai</i>	Entire	\$17,686	\$0	\$17,686
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>	Entire	\$24,195	\$0	\$24,195
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	Entire	\$9,686	\$0	\$9,686
		Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	Entire	\$662,373	\$0	\$662,373
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	Entire	\$12,986	\$0	\$12,986
		Megapode, Micronesian	<i>Megapodius laperouse</i>	Entire	\$16,944	\$0	\$16,944
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	Entire	\$17,686	\$0	\$17,686
		Moorhen, Mariana common	<i>Gallinula chloropus guami</i>	Entire	\$244,986	\$0	\$244,986
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$45,394	\$0	\$45,394
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$30,952	\$0	\$30,952
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	Entire	\$12,986	\$0	\$12,986
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$25,219	\$0	\$25,219
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$1,032,250	\$0	\$1,032,250
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$232,917	\$0	\$232,917
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>	Entire	\$12,986	\$0	\$12,986
		Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>	Entire	\$2,538,711	\$0	\$2,538,711
		Sparrow, San Clemente sage	<i>Amphispiza belli clementeae</i>	Entire	\$496,597	\$0	\$496,597
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$22,686	\$0	\$22,686

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>		\$251,674	\$0	\$251,674
		Tern, California least	<i>Sterna antillarum browni</i>		\$1,600,000	\$0	\$1,600,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$44,000	\$0	\$44,000
		Towhee, Inyo California	<i>Pipilo crissalis eremophilus</i>		\$109,680	\$0	\$109,680
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>	Entire	\$144,727	\$0	\$144,727
	Birds subtotal				\$7,607,321	\$0	\$7,607,321
	Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	Entire	\$1,018	\$0	\$1,018
		Lizard, Island night	<i>Xantusia riversiana</i>	Entire	\$401,080	\$0	\$401,080
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$433,472	\$0	\$433,472
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$238,662	\$0	\$238,662
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$210,933	\$0	\$210,933
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$217,810	\$0	\$217,810
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$55,500	\$0	\$55,500
		Sea turtle, loggerhead	<i>Caretta caretta</i>	North Pacific Ocean DPS	\$7,974	\$0	\$7,974
		Sea turtle, loggerhead	<i>Caretta caretta</i>	Northwest Atlantic DPS	\$205,552	\$0	\$205,552
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$153,352	\$0	\$153,352
		Tortoise, desert	<i>Gopherus agassizii</i>	except in Sonoran Desert	\$66,394	\$0	\$66,394
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/Tombigbee Rs.	\$55,409	\$0	\$55,409
		Turtle, ringed map	<i>Graptemys oculifera</i>	Entire	\$1,882	\$0	\$1,882
	Reptiles subtotal				\$2,049,038	\$0	\$2,049,038
	Amphibians	Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$6,000	\$0	\$6,000
		Salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>	Entire	\$9,766	\$0	\$9,766

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Toad, arroyo (=arroyo southwestern)	<i>Anaxyrus californicus</i>	Entire	\$16,174	\$0	\$16,174
	Amphibians subtotal				\$31,940	\$0	\$31,940
	Fishes	Bocaccio	<i>Sebastes paucispinis</i>	Puget Sound/Georgia Basin DPS	\$8,397	\$0	\$8,397
		Eulachon, Pacific	<i>Thaleichthys pacificus</i>	Southern DPS	\$17,336	\$0	\$17,336
		Rockfish, Canary	<i>Sebastes pinniger</i>	Puget Sound/Georgia Basin DPS	\$8,397	\$0	\$8,397
		Rockfish, Yelloweye	<i>Sebastes ruberrimus</i>	Puget Sound/Georgia Basin DPS	\$8,397	\$0	\$8,397
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$7,610	\$0	\$7,610
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$540	\$0	\$540
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$540	\$0	\$540
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$540	\$0	\$540
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$64,451	\$0	\$64,451
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento R. winter-run ESU	\$540	\$0	\$540
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$8,937	\$0	\$8,937
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/summer-run ESU	\$8,937	\$0	\$8,937
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$540	\$0	\$540

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$8,937	\$0	\$8,937
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$8,937	\$0	\$8,937
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	summer-run Hood Canal	\$25,734	\$0	\$25,734
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Central CA Coast ESU	\$540	\$0	\$540
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$8,937	\$0	\$8,937
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Oregon Coast ESU	\$540	\$0	\$540
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Southern OR/ Northern CA Coast ESU	\$540	\$0	\$540
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Ozette Lake, WA	\$8,937	\$0	\$8,937
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River, ID stock	\$8,937	\$0	\$8,937
		Sawfish, smalltooth	<i>Pristis pectinata</i>	TX, FL	\$7,610	\$0	\$7,610
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$540	\$0	\$540
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$8,937	\$0	\$8,937
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake R. Basin	\$8,937	\$0	\$8,937
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	central CA coast	\$540	\$0	\$540
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	lower Columbia R.	\$8,397	\$0	\$8,397
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	middle Columbia R.	\$8,937	\$0	\$8,937
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	northern CA	\$540	\$0	\$540

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	south central CA coast	\$540	\$0	\$540
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	southern CA coast	\$540	\$0	\$540
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Columbia R. Basin	\$540	\$0	\$540
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Willamette R.	\$540	\$0	\$540
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>		\$899,063	\$0	\$899,063
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	Entire	\$10,110	\$0	\$10,110
		Sturgeon, North American green	<i>Acipenser medirostris</i>	CA Southern DPS	\$16,796	\$0	\$16,796
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$7,610	\$0	\$7,610
		Trout, bull	<i>Salvelinus confluentus</i>	lower 48 states	\$16,796	\$0	\$16,796
		Tui chub, Mohave	<i>Gila bicolor ssp. mohavensis</i>	Entire	\$92,606	\$0	\$92,606
	Fishes subtotal				\$1,296,780	\$0	\$1,296,780
	Snails	Abalone, Black	<i>Haliotis cracherodii</i>		\$84,500	\$0	\$84,500
		Abalone, White	<i>Haliotis sorenseni</i>	West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico	\$98,972	\$0	\$98,972
		Snails, Oahu tree	<i>Achatinella spp.</i>		\$5,000	\$0	\$5,000
	Snails subtotal				\$188,472	\$0	\$188,472
	Insects	Butterfly, Palos Verdes blue	<i>Glaucopsyche lygdamus palosverdesensis</i>	Entire	\$187,874	\$0	\$187,874
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>	Entire	\$175,279	\$0	\$175,279
		Butterfly, Smith's blue	<i>Euphilotes enoptes smithi</i>	Entire	\$998	\$0	\$998
	Insects subtotal				\$364,151	\$0	\$364,151

Locality	Group Name	Common Name	Scientific Name	Population	General	Land	Grand Total
					Expenditures	Expenditures	
	Crustaceans	Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$144,217	\$0	\$144,217
	Crustaceans subtotal				\$144,217	\$0	\$144,217
	Flowering Plants	Alani	<i>Melicope saint-johnii</i>		\$8,809	\$0	\$8,809
		Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>		\$12,704	\$0	\$12,704
		Bird's-beak, salt marsh	<i>Cordylanthus maritimus ssp. maritimus</i>		\$19,151	\$0	\$19,151
		Broom, San Clemente Island	<i>Lotus dendroideus ssp. traskiae</i>		\$65,000	\$0	\$65,000
		Bush-mallow, San Clemente Island	<i>Malacothamnus clementinus</i>		\$273,184	\$0	\$273,184
		Button-celery, San Diego	<i>Eryngium aristulatum var. parishii</i>		\$52,000	\$0	\$52,000
		Gilia, Monterey	<i>Gilia tenuiflora ssp. arenaria</i>		\$7,075	\$0	\$7,075
		Iagu, Hayun (=Guam), Tronkon guafi (Rota)	<i>Serianthes nelsonii</i>		\$54,450	\$0	\$54,450
		Iliau, dwarf	<i>Wilkesia hobdyi</i>		\$50,000	\$0	\$50,000
		Indian paintbrush, San Clemente Island	<i>Castilleja grisea</i>		\$132,000	\$0	\$132,000
		Ko`oloa`ula	<i>Abutilon menziesii</i>		\$4,283	\$0	\$4,283
		Kuahiwi laukahi	<i>Plantago princeps</i>		\$8,809	\$0	\$8,809
		Larkspur, San Clemente Island	<i>Delphinium variegatum ssp. kinkiense</i>		\$65,000	\$0	\$65,000
		Mahoe	<i>Alectryon macrococcus</i>		\$8,809	\$0	\$8,809
		Mehamehame	<i>Flueggea neowawraea</i>		\$12,209	\$0	\$12,209
		Mesa-mint, San Diego	<i>Pogogyne abramsii</i>		\$102,894	\$0	\$102,894
		Nehe	<i>Lipochaeta lobata var. leptophylla</i>		\$8,809	\$0	\$8,809
		No common name	<i>Abutilon sandwicense</i>		\$12,209	\$0	\$12,209
		No common name	<i>Bonamia menziesii</i>		\$8,809	\$0	\$8,809
		No common name	<i>Kadua parvula</i>		\$8,809	\$0	\$8,809

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Lobelia niihauensis</i>		\$4,526	\$0	\$4,526
		No common name	<i>Neraudia angulata</i>		\$7,926	\$0	\$7,926
		No common name	<i>Schiedea hookeri</i>		\$8,809	\$0	\$8,809
		No common name	<i>Spermolepis hawaiiensis</i>		\$58,809	\$0	\$58,809
		No common name	<i>Tetramolopium filiforme</i>		\$4,283	\$0	\$4,283
		Pamakani	<i>Viola chamissoniana ssp. chamissoniana</i>		\$8,809	\$0	\$8,809
		Piperia, Yadon's	<i>Piperia yadonii</i>		\$3,000	\$0	\$3,000
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$11,106	\$0	\$11,106
		Pu`uka`a	<i>Cyperus trachysanthos</i>		\$8,809	\$0	\$8,809
		Rockcross, Santa Cruz Island	<i>Sibara filifolia</i>		\$115,000	\$0	\$115,000
		Spineflower, Monterey	<i>Chorizanthe pungens var. pungens</i>		\$2,924	\$0	\$2,924
		Spineflower, Orcutt's	<i>Chorizanthe orcuttiana</i>		\$178,943	\$0	\$178,943
		Woodland-star, San Clemente Island	<i>Lithophragma maximum</i>		\$175,000	\$0	\$175,000
		`Akoko	<i>Chamaesyce kuwaleana</i>		\$12,209	\$0	\$12,209
		`Anaunau	<i>Lepidium arbuscula</i>		\$12,209	\$0	\$12,209
	Flowering Plants subtotal				\$1,527,375	\$0	\$1,527,375
	Ferns and Allies	Ihi`ihi	<i>Marsilea villosa</i>		\$8,809	\$0	\$8,809
		No common name	<i>Diellia unisora</i>		\$8,809	\$0	\$8,809
	Ferns and Allies subtotal				\$17,618	\$0	\$17,618
	Multi-Species				\$1,209,109	\$0	\$1,209,109
Grand Total					\$19,889,555	\$0	\$19,889,555

DOD Army Corps of Engineers—FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$26,827	\$0	\$26,827
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$306,505	\$0	\$306,505
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	Entire	\$2,267	\$0	\$2,267
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	Entire	\$2,496	\$0	\$2,496
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$5,405	\$0	\$5,405
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>	Entire	\$69,751	\$0	\$69,751
		Bear, polar	<i>Ursus maritimus</i>	Entire	\$78,600	\$0	\$78,600
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$2,201	\$0	\$2,201
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$1,985	\$0	\$1,985
		Deer, key	<i>Odocoileus virginianus clavium</i>	Entire	\$2,171	\$0	\$2,171
		Ferret, black-footed	<i>Mustela nigripes</i>	except where EXPN	\$14,253	\$0	\$14,253
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	CA	\$7,560	\$0	\$7,560
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	TX, Mexico	\$7,804	\$0	\$7,804
		Kangaroo rat, Fresno	<i>Dipodomys nitratoides exilis</i>	Entire	\$1,190	\$0	\$1,190
		Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>	Entire	\$182,122	\$0	\$182,122
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	Entire	\$1,631	\$0	\$1,631
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>	Entire	\$630	\$0	\$630
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$46,726	\$0	\$46,726
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$2,442,709	\$0	\$2,442,709

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	Entire	\$3,151	\$0	\$3,151
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	Entire	\$931	\$0	\$931
		Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>	Entire	\$620	\$0	\$620
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	Entire	\$8,151	\$0	\$8,151
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$19,640	\$0	\$19,640
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	CA	\$72,200	\$0	\$72,200
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	FL	\$1,241	\$0	\$1,241
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	AZ, TX to Central and South America	\$6,604	\$0	\$6,604
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest AK DPS	\$87,600	\$0	\$87,600
		Otter, southern sea	<i>Enhydra lutris nereis</i>		\$126,000	\$0	\$126,000
		Otter, southern sea	<i>Enhydra lutris nereis</i>	south of Pt. Conception, CA	\$1,250	\$0	\$1,250
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	LA and AR east to SC and FL	\$80,042	\$0	\$80,042
		Prairie dog, Utah	<i>Cynomys parvidens</i>	UT	\$1,260	\$0	\$1,260
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>	FL	\$2,792	\$0	\$2,792
		Rabbit, pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$20,575	\$0	\$20,575
		Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	CA	\$1,260	\$0	\$1,260
		Rice rat	<i>Oryzomys palustris natator</i>	lower FL Keys	\$3,102	\$0	\$3,102
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$76,828	\$0	\$76,828
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$267,800	\$0	\$267,800
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	Entire	\$8,000	\$0	\$8,000
		Shrew, Buena Vista Lake ornate	<i>Sorex ornatus relictus</i>	Entire	\$630	\$0	\$630

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	except Sussex Co., DE	\$330	\$0	\$330
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	Entire	\$144	\$0	\$144
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$135,460	\$0	\$135,460
		Whale, blue	<i>Balaenoptera musculus</i>	Entire	\$3,279	\$0	\$3,279
		Whale, bowhead	<i>Balaena mysticetus</i>	Entire	\$600	\$0	\$600
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$6,654	\$0	\$6,654
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$33,821	\$0	\$33,821
		Whale, killer	<i>Orcinus orca</i>	So. Resident DPS	\$23,009	\$0	\$23,009
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Entire	\$212,974	\$0	\$212,974
		Whale, North Pacific Right	<i>Eubalaena japonica</i>	Entire	\$600	\$0	\$600
		Whale, Sei	<i>Balaenoptera borealis</i>	Entire	\$4,830	\$0	\$4,830
		Whale, Southern Right	<i>Eubalaena australis</i>	Entire	\$19,050	\$0	\$19,050
		Whale, sperm	<i>Physeter catodon</i> (= <i>macrocephalus</i>)	Entire	\$4,210	\$0	\$4,210
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$438	\$0	\$438
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in anEXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$30,088	\$0	\$30,088
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	Entire	\$620	\$0	\$620

Locality	Group Name	Common Name	Scientific Name	Population	General	Land	Grand Total
					Expenditures	Expenditures	
	Mammals subtotal				\$4,468,617	\$0	\$4,468,617
	Birds	Albatross, short-tailed	<i>Phoebastria</i> (= <i>Diomedea</i>) <i>albatrus</i>	Entire	\$5,985	\$0	\$5,985
		Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>	Entire	\$117,980	\$0	\$117,980
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$227,067	\$0	\$227,067
		Condor, California	<i>Gymnogyps californianus</i>	except where EXPN	\$7,090	\$0	\$7,090
		Coot, Hawaiian	<i>Fulica americana alai</i>	Entire	\$1,316,486	\$0	\$1,316,486
		Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	Entire	\$2,293	\$0	\$2,293
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, and western WY	\$33,030	\$0	\$33,030
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$13,987	\$0	\$13,987
		Curlew, Eskimo	<i>Numenius borealis</i>	Entire	\$4,728	\$0	\$4,728
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	Entire	\$1,283,000	\$0	\$1,283,000
		Eider, spectacled	<i>Somateria fischeri</i>	Entire	\$68,200	\$0	\$68,200
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$170,530	\$0	\$170,530
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	except where EXPN	\$2,806	\$0	\$2,806
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$1,772,825	\$0	\$1,772,825
		Gnatcatcher, coastal California	<i>Poliophtila californica californica</i>	Entire	\$81,197	\$0	\$81,197
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$1,034,796	\$0	\$1,034,796
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	Entire	\$1,283,000	\$0	\$1,283,000
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$18,393	\$0	\$18,393
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$6,323	\$0	\$6,323
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$3,592	\$0	\$3,592

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pigeon, Puerto Rican plain	<i>Columba inornata wetmorei</i>	Entire	\$620	\$0	\$620
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$56,035	\$0	\$56,035
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$6,532,768	\$0	\$6,532,768
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$95,489	\$0	\$95,489
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	Entire	\$4,728	\$0	\$4,728
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>	Entire	\$58,700	\$0	\$58,700
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$812,275	\$0	\$812,275
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$1,700	\$0	\$1,700
		Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Entire	\$5,273	\$0	\$5,273
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	Entire	\$3,160	\$0	\$3,160
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	Entire	\$931	\$0	\$931
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$1,285,000	\$0	\$1,285,000
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$189,683	\$0	\$189,683
		Tern, California least	<i>Sterna antillarum browni</i>		\$638,863	\$0	\$638,863
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$6,880,138	\$0	\$6,880,138
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$931	\$0	\$931
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$4,000	\$0	\$4,000
		Vireo, black-capped	<i>Vireo atricapilla</i>	Entire	\$4,400	\$0	\$4,400
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>	Entire	\$1,296,872	\$0	\$1,296,872
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	Entire	\$4,200	\$0	\$4,200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$1,065,825	\$0	\$1,065,825
	Birds subtotal				\$26,394,899	\$0	\$26,394,899
	Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	Entire	\$6,130	\$0	\$6,130
		Boa, Puerto Rican	<i>Epicrates inornatus</i>	Entire	\$620	\$0	\$620
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$2,792	\$0	\$2,792
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	Entire	\$3,080	\$0	\$3,080
		Lizard, St. Croix ground	<i>Ameiva polops</i>	Entire	\$695	\$0	\$695
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$331,212	\$0	\$331,212
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$235,662	\$0	\$235,662
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$434,883	\$0	\$434,883
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$1,138,883	\$0	\$1,138,883
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$352,499	\$0	\$352,499
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$899,214	\$0	\$899,214
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$3,985	\$0	\$3,985
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>	Entire	\$620	\$0	\$620
		Skink, sand	<i>Neoseps reynoldsi</i>	Entire	\$2,171	\$0	\$2,171
		Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>	Entire	\$3,102	\$0	\$3,102
		Snake, Concho water	<i>Nerodia paucimaculata</i>		\$150	\$0	\$150
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	IN, MI, OH	\$814	\$0	\$814
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$244,351	\$0	\$244,351
		Snake, giant garter	<i>Thamnophis gigas</i>	Entire	\$102,511	\$0	\$102,511
		Tortoise, desert	<i>Gopherus agassizii</i>	except in Sonoran Desert	\$31,348	\$0	\$31,348

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$1,080	\$0	\$1,080
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$61,908	\$0	\$61,908
		Turtle, Alabama red-belly	<i>Pseudemys alabamensis</i>	Entire	\$16,412	\$0	\$16,412
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$83,292	\$0	\$83,292
		Turtle, flattened musk	<i>Sternotherus depressus</i>	species range clarified	\$5,452	\$0	\$5,452
		Turtle, yellow-blotched map	<i>Graptemys flavimaculata</i>	Entire	\$6,025	\$0	\$6,025
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>	Entire	\$1,260	\$0	\$1,260
	Reptiles subtotal				\$3,970,151	\$0	\$3,970,151
	Amphibians	Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$146,556	\$0	\$146,556
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	Entire	\$3,838	\$0	\$3,838
		Frog, dusky gopher	<i>Rana sevosia</i>	Entire	\$22,625	\$0	\$22,625
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	Southern CA DPS	\$630	\$0	\$630
		Hellbender, Ozark	<i>Cryptobranchus alleganiensis bishopi</i>	Entire	\$1,450	\$0	\$1,450
		Salamander, Barton Springs	<i>Eurycea sosorum</i>	Entire	\$500	\$0	\$500
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara County	\$2,923	\$0	\$2,923
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$29,540	\$0	\$29,540
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	Entire	\$6,871	\$0	\$6,871
		Salamander, Red Hills	<i>Phaeognathus hubrichti</i>	Entire	\$3,042	\$0	\$3,042

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Toad, arroyo (=arroyo southwestern)	<i>Anaxyrus californicus</i>	Entire	\$16,393	\$0	\$16,393
		Toad, Houston	<i>Bufo houstonensis</i>	Entire	\$1,800	\$0	\$1,800
	Amphibians subtotal				\$236,168	\$0	\$236,168
	Fishes	Bocaccio	<i>Sebastes paucispinis</i>	Puget Sound/Georgia Basin DPS	\$17,009	\$0	\$17,009
		Catfish, Yaqui	<i>Ictalurus pricei</i>	Entire	\$350	\$0	\$350
		Chub, bonytail	<i>Gila elegans</i>	Entire	\$9,076	\$0	\$9,076
		Chub, humpback	<i>Gila cypha</i>	Entire	\$6,683	\$0	\$6,683
		Chub, Pahrnagat roundtail	<i>Gila robusta jordani</i>	Entire	\$438	\$0	\$438
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$96	\$0	\$96
		Chub, Virgin River	<i>Gila seminuda</i> (= <i>robusta</i>)	Entire	\$5,670	\$0	\$5,670
		Cui-ui	<i>Chasmistes cujus</i>	Entire	\$630	\$0	\$630
		Dace, blackside	<i>Phoxinus</i> <i>cumberlandensis</i>	Entire	\$96	\$0	\$96
		Dace, Laurel	<i>Chrosomus saylora</i>	Entire	\$96	\$0	\$96
		Darter, amber	<i>Percina antesella</i>	Entire	\$3,100	\$0	\$3,100
		Darter, Cherokee	<i>Etheostoma scotti</i>	Entire	\$9,600	\$0	\$9,600
		Darter, Cumberland	<i>Etheostoma susanae</i>	Entire	\$96	\$0	\$96
		Darter, duskytail	<i>Etheostoma percnurum</i>	Entire	\$96	\$0	\$96
		Darter, Etowah	<i>Etheostoma etowahae</i>	Entire	\$2,600	\$0	\$2,600
		Darter, fountain	<i>Etheostoma fonticola</i>	Entire	\$1,400	\$0	\$1,400
		Darter, goldline	<i>Percina aurolineata</i>	Entire	\$1,091	\$0	\$1,091
		Darter, leopard	<i>Percina pantherina</i>	Entire	\$990	\$0	\$990
		Darter, rush	<i>Etheostoma phytophilum</i>	Entire	\$96	\$0	\$96
		Darter, snail	<i>Percina tanasi</i>	Entire	\$1,700	\$0	\$1,700
		Darter, yellowcheek	<i>Etheostoma moorei</i>	Entire	\$96	\$0	\$96
		Eulachon, Pacific	<i>Thaleichthys pacificus</i>	Southern DPS	\$83,011	\$0	\$83,011
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$108,376	\$0	\$108,376
		Logperch, Conasauga	<i>Percina jenkinsi</i>	Entire	\$1,000	\$0	\$1,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Logperch, Roanoke	<i>Percina rex</i>	Entire	\$166,244	\$0	\$166,244
		Madtom, chucky	<i>Noturus crypticus</i>	Entire	\$96	\$0	\$96
		Minnow, Devils River	<i>Dionda diaboli</i>	Entire	\$2,800	\$0	\$2,800
		Minnow, loach	<i>Tiaroga cobitis</i>	Entire	\$438	\$0	\$438
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	except where EXPN	\$2,633,396	\$0	\$2,633,396
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$383	\$0	\$383
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$13,668	\$0	\$13,668
		Pupfish, desert	<i>Cyprinodon macularius</i>	Entire	\$2,267	\$0	\$2,267
		Rockfish, Canary	<i>Sebastes pinniger</i>	Puget Sound/Georgia Basin DPS	\$17,054	\$0	\$17,054
		Rockfish, Yelloweye	<i>Sebastes ruberrimus</i>	Puget Sound/Georgia Basin DPS	\$17,054	\$0	\$17,054
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$477,584	\$0	\$477,584
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$2,718	\$0	\$2,718
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$1,500,331	\$0	\$1,500,331
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$11,843,767	\$0	\$11,843,767
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$1,012,515	\$0	\$1,012,515
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento River winter-run ESU	\$685,071	\$0	\$685,071
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$28,068,339	\$0	\$28,068,339
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/summer-run ESU	\$23,247,719	\$0	\$23,247,719

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$11,322,892	\$0	\$11,322,892
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$19,141,496	\$0	\$19,141,496
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$5,961,237	\$0	\$5,961,237
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	summer-run Hood Canal	\$5,629	\$0	\$5,629
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Central California Coast ESU	\$1,302,111	\$0	\$1,302,111
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$2,445	\$0	\$2,445
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Oregon Coast ESU	\$103,045	\$0	\$103,045
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	So. OR/No.CA Coast ESU	\$5,489,252	\$0	\$5,489,252
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Ozette Lake, WA	\$1,985	\$0	\$1,985
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River, ID stock	\$12,789,039	\$0	\$12,789,039
		Sawfish, smalltooth	<i>Pristis pectinata</i>	TX, FL	\$180,354	\$0	\$180,354
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$2,000	\$0	\$2,000
		Shiner, blue	<i>Cyprinella caerulea</i>	Entire	\$4,138	\$0	\$4,138
		Shiner, Cahaba	<i>Notropis cahabae</i>	Entire	\$319	\$0	\$319
		Shiner, Cape Fear	<i>Notropis mekistocholas</i>	Entire	\$1,900	\$0	\$1,900
		Shiner, palezone	<i>Notropis albizonatus</i>	Entire	\$96	\$0	\$96
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	Entire	\$2,970	\$0	\$2,970
		Smelt, delta	<i>Hypomesus transpacificus</i>	Entire	\$237,887	\$0	\$237,887
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	Entire	\$2,625	\$0	\$2,625
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$1,479,781	\$0	\$1,479,781
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$601,479	\$0	\$601,479

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake R. Basin	\$26,161,125	\$15,000	\$26,176,125
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	central CA coast	\$3,089,835	\$0	\$3,089,835
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	lower Columbia R.	\$5,941,391	\$0	\$5,941,391
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	middle Columbia R.	\$19,647,333	\$0	\$19,647,333
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	northern CA	\$288,188	\$0	\$288,188
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	south central CA coast	\$78,267	\$0	\$78,267
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	southern CA coast	\$201,200	\$0	\$201,200
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Columbia R. Basin	\$12,911,987	\$0	\$12,911,987
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Willamette R.	\$13,680,469	\$0	\$13,680,469
		Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>		\$1,657	\$0	\$1,657
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>		\$771,447	\$0	\$771,447
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	Entire	\$192,021	\$0	\$192,021
		Sturgeon, North American green	<i>Acipenser medirostris</i>	CA Southern DPS	\$1,033,242	\$0	\$1,033,242
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$49,130,678	\$13,033,912	\$62,164,590
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$591,484	\$0	\$591,484
		Sturgeon, white	<i>Acipenser transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$325,709	\$0	\$325,709
		Sucker, June	<i>Chasmistes liorus</i>	Entire	\$1,260	\$0	\$1,260
		Sucker, Modoc	<i>Catostomus microps</i>	Entire	\$630	\$0	\$630
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$20,348	\$0	\$20,348
		Sucker, Santa Ana	<i>Catostomus santaanae</i>	3 CA river basins	\$5,386,539	\$0	\$5,386,539
		Trout, Apache	<i>Oncorhynchus apache</i>	Entire	\$438	\$0	\$438

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Trout, bull	<i>Salvelinus confluentus</i>	lower 48 states	\$5,028,874	\$0	\$5,028,874
		Trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>	Entire	\$495	\$0	\$495
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii henshawi</i>	Entire	\$14,136	\$0	\$14,136
		Woundfin	<i>Plagopterus argentissimus</i>	except Gila R. drainage, AZ, NM	\$5,670	\$0	\$5,670
	Fishes subtotal				\$273,081,943	\$13,048,912	\$286,130,855
	Clams	Acornshell, southern	<i>Epioblasma othcaloogensis</i>		\$3,775	\$0	\$3,775
		Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>		\$55,000	\$0	\$55,000
		Bean, Cumberland (pearlymussel)	<i>Villosa trabalis</i>	Except where EXPN	\$1,789	\$0	\$1,789
		Blossom, tubercled (pearlymussel)	<i>Epioblasma torulosa torulosa</i>	Except where EXPN	\$379	\$0	\$379
		Blossom, yellow (pearlymussel)	<i>Epioblasma florentina florentina</i>	Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	\$96	\$0	\$96
		Blossom, yellow (pearlymussel)	<i>Epioblasma florentina florentina</i>	Except where EXPN	\$96	\$0	\$96
		Catspaw, white (pearlymussel)	<i>Epioblasma obliquata perobliqua</i>	Entire	\$17,814	\$0	\$17,814
		Clubshell	<i>Pleurobema clava</i>	Except where EXPN	\$5,385	\$0	\$5,385
		Clubshell, black	<i>Pleurobema curtum</i>	Entire	\$132	\$0	\$132
		Clubshell, ovate	<i>Pleurobema perovatum</i>		\$17,772	\$0	\$17,772
		Clubshell, southern	<i>Pleurobema decisum</i>		\$12,602	\$0	\$12,602

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Co., AL	\$1,789	\$0	\$1,789
		Combshell, southern	<i>Epioblasma penita</i>	Entire	\$1,224	\$0	\$1,224
		Combshell, upland	<i>Epioblasma metastrata</i>		\$1,377	\$0	\$1,377
		Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>		\$96	\$0	\$96
		Fanshell	<i>Cyprogenia stegaria</i>	TN - portions of the French Broad and Holston Rivers	\$18,789	\$0	\$18,789
		Fatmucket, Arkansas	<i>Lampsilis powellii</i>	Entire	\$240	\$0	\$240
		Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>	Entire	\$5,171	\$0	\$5,171
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>	Entire	\$24,270	\$0	\$24,270
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	Entire	\$428,377	\$0	\$428,377
		Kidneyshell, triangular	<i>Ptychobranthus greenii</i>		\$7,848	\$0	\$7,848
		Mapleleaf, winged	<i>Quadrula fragosa</i>	except where listed as EXPN	\$191,475	\$0	\$191,475
		Moccasinshell, Alabama	<i>Medionidus acutissimus</i>		\$2,282	\$0	\$2,282
		Moccasinshell, Gulf	<i>Medionidus penicillatus</i>		\$1,130	\$0	\$1,130
		Monkeyface, Appalachian (pearlymussel)	<i>Quadrula sparsa</i>	TN - portions of the French Broad and Holston Rivers	\$475	\$0	\$475
		Mucket, orangenacre	<i>Lampsilis perovalis</i>		\$2,112	\$0	\$2,112
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Entire	\$230,901	\$0	\$230,901
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Except where EXPN	\$1,789	\$0	\$1,789
		Mussel, sheepnose	<i>Plethobasus cyphus</i>		\$145,975	\$0	\$145,975
		Mussel, snuffbox	<i>Epioblasma triquetra</i>		\$3,294	\$0	\$3,294
		Pearlymussel, cracking	<i>Hemistena lata</i>	Except where EXPN	\$475	\$0	\$475

Locality	Group Name	Common Name	Scientific Name	Population	General	Land	Grand Total
					Expenditures	Expenditures	
		Pearlymussel, dromedary	<i>Dromus dromas</i>	Except where EXPN	\$1,789	\$0	\$1,789
		Pearlymussel, littlewing	<i>Pegias fabula</i>	Entire	\$96	\$0	\$96
		Pigtoe, Cumberland	<i>Pleurobema gibberum</i>	Entire	\$96	\$0	\$96
		Pigtoe, heavy	<i>Pleurobema taitianum</i>	Entire	\$1,828	\$0	\$1,828
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$2,370	\$0	\$2,370
		Pigtoe, rough	<i>Pleurobema plenum</i>		\$12,504	\$0	\$12,504
		Pigtoe, southern	<i>Pleurobema georgianum</i>		\$4,138	\$0	\$4,138
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>		\$151,184	\$0	\$151,184
		Pocketbook, fat	<i>Potamilus capax</i>	Entire	\$112,356	\$0	\$112,356
		Pocketbook, finelined	<i>Lampsilis altilis</i>		\$5,658	\$0	\$5,658
		Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	Entire	\$12,260	\$0	\$12,260
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$3,060	\$0	\$3,060
		Rabbitsfoot, rough	<i>Quadrula cylindrica</i> <i>strigillata</i>		\$8,846	\$0	\$8,846
		Riffleshell, northern	<i>Epioblasma torulosa</i> <i>rangiana</i>	Entire	\$1,628	\$0	\$1,628
		Riffleshell, tan	<i>Epioblasma florentina</i> <i>walkeri</i> (=E. <i>walkeri</i>)	Entire	\$765	\$0	\$765
		Ring pink (mussel)	<i>Obovaria retusa</i>		\$17,975	\$0	\$17,975
		Slabshell, Chipola	<i>Elliptio chipolaensis</i>		\$57,060	\$0	\$57,060
		Spectaclecase (mussel)	<i>Cumberlandia</i> <i>monodonta</i>		\$7,119	\$0	\$7,119
		Three-ridge, fat (mussel)	<i>Amblema neislerii</i>		\$91,130	\$0	\$91,130
		Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>	TN - portions of the French Broad and Holston Rivers	\$18,789	\$0	\$18,789
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	Entire	\$9,838	\$0	\$9,838

Locality	Group Name	Common Name	Scientific Name	Population	General	Land	Grand Total
					Expenditures	Expenditures	
	Clams subtotal				\$1,704,418	\$0	\$1,704,418
	Snails	Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>		\$3,900	\$0	\$3,900
		Limpet, Banbury Springs	<i>Lanx sp.</i>	Entire	\$5,244	\$0	\$5,244
		Lioplax, cylindrical (snail)	<i>Lioplax cyclostomaformis</i>	Entire	\$4,230	\$0	\$4,230
		Pebblesnail, flat	<i>Lepyrium showalteri</i>	Entire	\$91	\$0	\$91
		Rocksnailed, painted	<i>Leptoxis taeniata</i>	Entire	\$4,138	\$0	\$4,138
		Rocksnailed, round	<i>Leptoxis ampla</i>	Entire	\$91	\$0	\$91
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	Entire	\$10,776	\$0	\$10,776
		Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>	Entire	\$407	\$0	\$407
		Snail, Morro shoulderband (=Banded dune)	<i>Helminthoglypta walkeriana</i>		\$2,267	\$0	\$2,267
		Snail, Snake River physa	<i>Physa natricina</i>	Entire	\$3,599	\$0	\$3,599
		Snail, Stock Island tree	<i>Orthalicus reses (not incl. nesodryas)</i>	Entire	\$620	\$0	\$620
		Snail, tulotoma	<i>Tulotoma magnifica</i>	Entire	\$7,101	\$0	\$7,101
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	Entire	\$2,982	\$0	\$2,982
	Snails subtotal				\$45,446	\$0	\$45,446
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$117,774	\$0	\$117,774
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Entire	\$3,195,573	\$0	\$3,195,573
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$47,400	\$0	\$47,400
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	Entire	\$4,944	\$0	\$4,944

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	Entire	\$963	\$0	\$963
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	Entire	\$1,985	\$0	\$1,985
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (= <i>E. e. wrighti</i>)	Entire	\$4,780	\$0	\$4,780
		Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>	Entire	\$620	\$0	\$620
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$800	\$0	\$800
		Skipper, Carson wandering	<i>Pseudocopaeodes eunus obscurus</i>	NV, CA	\$630	\$0	\$630
		Tiger beetle, Puritan	<i>Cicindela puritana</i>	Entire	\$990	\$0	\$990
		Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>	Entire	\$855	\$0	\$855
	Insects subtotal				\$3,377,314	\$0	\$3,377,314
	Crustaceans	Crayfish, Nashville	<i>Orconectes shoupi</i>	Entire	\$96	\$0	\$96
		Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	Entire	\$21,923	\$0	\$21,923
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>	Entire	\$3,150	\$0	\$3,150
		Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>	Entire	\$1,400	\$0	\$1,400
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$6,908	\$0	\$6,908
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	Entire	\$51,974	\$0	\$51,974
		Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>	Entire	\$48,510	\$0	\$48,510
	Crustaceans subtotal				\$133,961	\$0	\$133,961
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$17,320	\$0	\$17,320
		Coral, staghorn	<i>Acropora cervicornis</i>		\$15,766	\$0	\$15,766

Locality	Group Name	Common Name	Scientific Name	Population	General	Land	Grand Total
					Expenditures	Expenditures	
	Corals subtotal				\$33,086	\$0	\$33,086
	Flowering Plants	Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$26,075	\$0	\$26,075
		Ambrosia, San Diego	<i>Ambrosia pumila</i>		\$525	\$0	\$525
		Amphianthus, little	<i>Amphianthus pusillus</i>		\$7,600	\$0	\$7,600
		Arrowhead, bunched	<i>Sagittaria fasciculata</i>		\$10,365	\$0	\$10,365
		Aster, decurrent false	<i>Boltonia decurrens</i>		\$29,000	\$0	\$29,000
		Barberry, Nevin's	<i>Berberis nevinii</i>		\$378	\$0	\$378
		Bird's beak, palmate- bracted	<i>Cordylanthus palmatus</i>		\$630	\$0	\$630
		Bladderpod, Missouri	<i>Physaria filiformis</i>		\$5,710	\$0	\$5,710
		Bladderpod, San Bernardino Mountains	<i>Lesquerella kingii</i> ssp. <i>bernardina</i>		\$252	\$0	\$252
		Bladderpod, Spring Creek	<i>Lesquerella perforata</i>		\$96	\$0	\$96
		Bluegrass, San Bernardino	<i>Poa atropurpurea</i>		\$252	\$0	\$252
		Boxwood, Vahl's	<i>Buxus vahlii</i>		\$695	\$0	\$695
		Brodiaea, Chinese Camp	<i>Brodiaea pallida</i>		\$630	\$0	\$630
		Brodiaea, thread- leaved	<i>Brodiaea filifolia</i>		\$2,267	\$0	\$2,267
		Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>		\$1,247	\$0	\$1,247
		Button, Mohr's Barbara	<i>Marshallia mohrii</i>		\$7,600	\$0	\$7,600
		Button-celery, San Diego	<i>Eryngium aristulatum</i> var. <i>parishii</i>		\$875	\$0	\$875
		Cactus, Key tree	<i>Pilosocereus robinii</i>		\$620	\$0	\$620
		Cactus, Knowlton's	<i>Pediocactus knowltonii</i>		\$438	\$0	\$438
		Cactus, Mesa Verde	<i>Sclerocactus mesae- verdae</i>		\$438	\$0	\$438

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Cactus, Tobusch fishhook	<i>Sclerocactus brevihamatus ssp. tobuschii</i>		\$2,800	\$0	\$2,800
		Cactus, Uinta Basin hookless	<i>Sclerocactus wetlandicus</i>		\$630	\$0	\$630
		Campion, fringed	<i>Silene polypetala</i>		\$2,184	\$0	\$2,184
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$22,719	\$0	\$22,719
		Chaffseed, American	<i>Schwalbea americana</i>		\$96	\$0	\$96
		Checker-mallow, Keck's	<i>Sidalcea keckii</i>		\$630	\$0	\$630
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$2,615	\$0	\$2,615
		Checker-mallow, pedate	<i>Sidalcea pedata</i>		\$252	\$0	\$252
		Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana var. calva</i>		\$1,985	\$0	\$1,985
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$500	\$0	\$500
		Crownscale, San Jacinto Valley	<i>Atriplex coronata var. notatior</i>		\$2,267	\$0	\$2,267
		Daisy, Lakeside	<i>Hymenoxys herbacea</i>		\$3,242	\$0	\$3,242
		Daisy, Willamette	<i>Erigeron decumbens var. decumbens</i>		\$27,930	\$0	\$27,930
		Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>		\$110,519	\$0	\$110,519
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$34,815	\$0	\$34,815
		Dropwort, Canby's	<i>Oxypolis canbyi</i>		\$2,575	\$0	\$2,575
		Fiddleneck, large-flowered	<i>Amsinckia grandiflora</i>		\$630	\$0	\$630
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$144	\$0	\$144
		Goldenrod, Houghton's	<i>Solidago houghtonii</i>		\$407	\$0	\$407
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$1,505	\$0	\$1,505

Locality	Group Name	Common Name	Scientific Name	Population	General	Land	Grand Total
					Expenditures	Expenditures	
		Gourd, Okeechobee	<i>Cucurbita okeechobeensis ssp. okeechobeensis</i>		\$620	\$0	\$620
		Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>		\$7,600	\$0	\$7,600
		Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>		\$386	\$0	\$386
		Harperella	<i>Ptilimnium nodosum</i>		\$215	\$0	\$215
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$5,150	\$0	\$5,150
		Howellia, water	<i>Howellia aquatilis</i>		\$1,985	\$0	\$1,985
		Jacquemontia, beach	<i>Jacquemontia reclinata</i>		\$620	\$0	\$620
		Jewelflower, California	<i>Caulanthus californicus</i>		\$630	\$0	\$630
		Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>		\$500	\$0	\$500
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$49,715	\$0	\$49,715
		Leather flower, Alabama	<i>Clematis socialis</i>		\$7,600	\$0	\$7,600
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$18,568	\$0	\$18,568
		Lupine, Kincaid's	<i>Lupinus sulphureus ssp. kincaidii</i>		\$17,785	\$0	\$17,785
		Meadowfoam, Butte County	<i>Limnanthes floccosa ssp. californica</i>		\$630	\$0	\$630
		Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>		\$3,900	\$0	\$3,900
		Mesa-mint, San Diego	<i>Pogogyne abramsii</i>		\$875	\$0	\$875
		Milk-vetch, Braunton's	<i>Astragalus brauntonii</i>		\$567	\$0	\$567
		Milk-vetch, Mancos	<i>Astragalus humillimus</i>		\$438	\$0	\$438
		Milk-vetch, Ventura Marsh	<i>Astragalus pycnostachyus var. lanosissimus</i>		\$324	\$0	\$324
		Monkshood, northern wild	<i>Aconitum noveboracense</i>		\$814	\$0	\$814
		Mustard, slender-petaled	<i>Thelypodium stenopetalum</i>		\$252	\$0	\$252

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Navarretia, spreading	<i>Navarretia fossalis</i>		\$1,133	\$0	\$1,133
		No common name	<i>Catesbaea melanocarpa</i>		\$695	\$0	\$695
		No common name	<i>Geocarpon minimum</i>		\$900	\$0	\$900
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$4,070	\$0	\$4,070
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$3,263	\$0	\$3,263
		Orcutt grass, hairy	<i>Orcuttia pilosa</i>		\$1,190	\$0	\$1,190
		Orcutt grass, Sacramento	<i>Orcuttia viscida</i>		\$20,160	\$0	\$20,160
		Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>		\$1,260	\$0	\$1,260
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$20,160	\$0	\$20,160
		Owl's-clover, fleshy	<i>Castilleja campestris ssp. succulenta</i>		\$3,080	\$0	\$3,080
		Paintbrush, ash-grey	<i>Castilleja cinerea</i>		\$252	\$0	\$252
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$1,985	\$0	\$1,985
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$6,607	\$0	\$6,607
		Phlox, Texas trailing	<i>Phlox nivalis ssp. texensis</i>		\$358,087	\$0	\$358,087
		Pinkroot, gentian	<i>Spigelia gentianoides</i>		\$638	\$0	\$638
		Pitcher-plant, green	<i>Sarracenia oreophila</i>		\$4,353	\$0	\$4,353
		Pitcher-plant, mountain sweet	<i>Sarracenia rubra ssp. jonesii</i>		\$2,575	\$0	\$2,575
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$407	\$0	\$407
		Pondberry	<i>Lindera melissifolia</i>		\$42	\$0	\$42
		Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>		\$500	\$0	\$500
		Potato-bean, Price's	<i>Apios priceana</i>		\$10,223	\$0	\$10,223
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$1,186	\$0	\$1,186
		Pussypaws, Mariposa	<i>Calyptidium pulchellum</i>		\$630	\$0	\$630
		Rock-cress, Braun's	<i>Arabis perstellata</i>		\$386	\$0	\$386
		Rosemary, Cumberland	<i>Conradina verticillata</i>		\$96	\$0	\$96

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Roseroot, Leedy's	<i>Rhodiola integrifolia ssp. leedyi</i>		\$814	\$0	\$814
		Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>		\$900	\$0	\$900
		Sandwort, Bear Valley	<i>Arenaria ursina</i>		\$252	\$0	\$252
		Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>		\$96	\$0	\$96
		Sandwort, Marsh	<i>Arenaria paludicola</i>		\$2,277	\$0	\$2,277
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$23,574	\$0	\$23,574
		Sedge, golden	<i>Carex lutea</i>		\$2,950	\$0	\$2,950
		Sedge, Navajo	<i>Carex specuicola</i>		\$438	\$0	\$438
		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$7,600	\$0	\$7,600
		Spineflower, slender-horned	<i>Dodecahema leptoceras</i>		\$73,690	\$0	\$73,690
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$96	\$0	\$96
		Spurge, telephus	<i>Euphorbia telephioides</i>		\$1,241	\$0	\$1,241
		Stickseed, showy	<i>Hackelia venusta</i>		\$1,985	\$0	\$1,985
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$10,030	\$0	\$10,030
		Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>		\$15,750	\$0	\$15,750
		Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>		\$9,055	\$0	\$9,055
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$5,752	\$0	\$5,752
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$4,475	\$0	\$4,475
		Taraxacum, California	<i>Taraxacum californicum</i>		\$252	\$0	\$252
		Tarplant, Otay	<i>Deinandra (=Hemizonia) conjugens</i>		\$1,209	\$0	\$1,209
		Thistle, La Graciosa	<i>Cirsium loncholepis</i>		\$656	\$0	\$656
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$5,630	\$0	\$5,630
		Trillium, relict	<i>Trillium reliquum</i>		\$3,575	\$0	\$3,575
		Vervain, Red Hills	<i>Verbena californica</i>		\$630	\$0	\$630

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Water-plantain, Kral's	<i>Sagittaria secundifolia</i>		\$4,138	\$0	\$4,138
		Watercress, Gambel's	<i>Rorippa gambellii</i>		\$292	\$0	\$292
		wild buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>		\$630	\$0	\$630
		Wild-buckwheat, southern mountain	<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>		\$252	\$0	\$252
		Wild-rice, Texas	<i>Zizania texana</i>		\$1,400	\$0	\$1,400
		Woolly-star, Santa Ana River	<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>		\$186,916	\$0	\$186,916
	Flowering Plants subtotal				\$1,243,745	\$0	\$1,243,745
	Conifers and Cycads	Torreya, Florida	<i>Torreya taxifolia</i>		\$2,066	\$0	\$2,066
	Conifers and Cycads subtotal				\$2,066	\$0	\$2,066
	Ferns and Allies	Fern, Alabama streak-sorus	<i>Thelypteris pilosa</i> var. <i>alabamensis</i>		\$4,138	\$0	\$4,138
		Fern, American hart's-tongue	<i>Asplenium scolopendrium</i> var. <i>americanum</i>		\$814	\$0	\$814
		Quillwort, Louisiana	<i>Isoetes louisianensis</i>		\$5,487	\$0	\$5,487
	Ferns and Allies subtotal				\$10,439	\$0	\$10,439
Grand Total					\$314,702,253	\$13,048,912	\$327,751,165

DOE Bonneville Power Administration—FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Fishes	Chub, Oregon	<i>Oregonichthys crameri</i>	Entire	\$591,349	\$609,772	\$1,201,121
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$9,736,416	\$1,217,268	\$10,953,684
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$13,793,409	\$11,699	\$13,805,108
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/summer-run ESU	\$28,061,533	\$334,040	\$28,395,573
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$14,846,515	\$5,809,294	\$20,655,809
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$6,662,271	\$684,208	\$7,346,479
		Salmon, chum	<i>Oncorhynchus (=) keta</i>	Columbia R.	\$3,731,582	\$0	\$3,731,582
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$5,641,403	\$17,779	\$5,659,182
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River, ID stock	\$8,601,488	\$4,556,248	\$13,157,736
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake R. Basin	\$30,272,179	\$335,221	\$30,607,400
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	lower Columbia R.	\$8,104,477	\$1,065,673	\$9,170,150
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	middle Columbia R.	\$38,604,733	\$4,444,240	\$43,048,973
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Columbia R. Basin	\$20,722,073	\$849,792	\$21,571,865
		Steelhead	<i>Oncorhynchus mykiss</i>	upper Willamette R.	\$3,455,707	\$684,331	\$4,140,038
		Sturgeon, white	<i>Acipenser transmontanus</i>	ID, MT, Canada Kootenai R. system	\$12,652,213	\$0	\$12,652,213
		Trout, bull	<i>Salvelinus confluentus</i>	lower 48 states	\$14,586,565	\$9,233,446	\$23,820,011
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii henshawi</i>	Entire	\$1,260,738	\$3,156,008	\$4,416,746
	Fishes subtotal				\$221,324,651	\$33,009,019	\$254,333,670
Grand Total					\$221,324,651	\$33,009,019	\$254,333,670

DOE Southwestern Power Administration--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$600	\$0	\$600
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$1,000	\$0	\$1,000
		Bat, Ozark big-eared	<i>Corynorhinus townsendii ingens</i>	Entire	\$600	\$0	\$600
	Mammals subtotal				\$2,200	\$0	\$2,200
	Birds	Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$400	\$0	\$400
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$26,000	\$0	\$26,000
	Birds subtotal				\$26,400	\$0	\$26,400
	Amphibians	Hellbender, Ozark	<i>Cryptobranchus alleganiensis bishopi</i>	Entire	\$600	\$0	\$600
	Amphibians subtotal				\$600	\$0	\$600
	Clams	Blossom, turgid (pearlymussel)	<i>Epioblasma turgidula</i>	Except where listed as EXPN	\$600	\$0	\$600
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Entire	\$1,300	\$0	\$1,300
		Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>	Entire	\$600	\$0	\$600
		Pocketbook, fat	<i>Potamilus capax</i>	Entire	\$1,800	\$0	\$1,800
	Clams subtotal				\$4,300	\$0	\$4,300
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$2,500	\$0	\$2,500
	Insects subtotal				\$2,500	\$0	\$2,500
	Flowering Plants	Bladderpod, Missouri	<i>Physaria filiformis</i>		\$8,000	\$0	\$8,000
		No common name	<i>Geocarpon minimum</i>		\$600	\$0	\$600
		Pondberry	<i>Lindera melissifolia</i>		\$1,800	\$0	\$1,800
	Flowering Plants subtotal				\$10,400	\$0	\$10,400
	Multi-Species				\$1,000	\$0	\$1,000
Grand Total					\$47,400	\$0	\$47,400

DOE Western Area Power Administration--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$12,000	\$0	\$12,000
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	CA	\$33,000	\$0	\$33,000
		Kangaroo rat, giant	<i>Dipodomys ingens</i>	Entire	\$24,000	\$0	\$24,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$1,600	\$0	\$1,600
	Mammals subtotal				\$70,600	\$0	\$70,600
	Birds	Crane, whooping	<i>Grus americana</i>	except where EXPN	\$200	\$0	\$200
		Flycatcher, southwestern willow	<i>Empidonax traillii eximius</i>	Entire	\$5,500	\$0	\$5,500
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$8,100	\$0	\$8,100
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$900	\$0	\$900
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$100	\$0	\$100
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$100	\$0	\$100
	Birds subtotal				\$14,900	\$0	\$14,900
	Reptiles	Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	Entire	\$24,000	\$0	\$24,000
		Snake, giant garter	<i>Thamnophis gigas</i>	Entire	\$44,000	\$0	\$44,000
		Tortoise, desert	<i>Gopherus agassizii</i>	except in Sonoran Desert	\$103,000	\$0	\$103,000
	Reptiles subtotal				\$171,000	\$0	\$171,000
	Amphibians	Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$13,000	\$0	\$13,000
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	Entire	\$1,500	\$0	\$1,500
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$7,500	\$0	\$7,500
	Amphibians subtotal				\$22,000	\$0	\$22,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Fishes	Chub, bonytail	<i>Gila elegans</i>	Entire	\$5,400	\$0	\$5,400
		Chub, humpback	<i>Gila cypha</i>	Entire	\$5,400	\$0	\$5,400
		Minnow, loach	<i>Tiaroga cobitis</i>	Entire	\$1,500	\$0	\$1,500
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$11,900	\$0	\$11,900
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Central Valley spring-run ESU	\$1,700	\$0	\$1,700
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Sacramento River winter- run ESU	\$1,700	\$0	\$1,700
		Smelt, delta	<i>Hypomesus</i> <i>transpacificus</i>	Entire	\$3,000	\$0	\$3,000
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	Entire	\$1,500	\$0	\$1,500
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Central Valley CA	\$1,700	\$0	\$1,700
		Sturgeon, North American green	<i>Acipenser</i> <i>medirostris</i>	CA Southern DPS	\$1,700	\$0	\$1,700
		Sturgeon, pallid	<i>Scaphirhynchus</i> <i>albus</i>	Entire	\$300,000	\$0	\$300,000
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$11,900	\$0	\$11,900
		Trout, Apache	<i>Oncorhynchus</i> <i>apache</i>	Entire	\$1,500	\$0	\$1,500
		Trout, Greenback Cutthroat	<i>Oncorhynchus clarki</i> <i>stomias</i>	Entire	\$5,000	\$0	\$5,000
	Fishes subtotal				\$353,900	\$0	\$353,900
	Insects	Beetle, valley elderberry longhorn	<i>Desmocerus</i> <i>californicus</i> <i>dimorphus</i>	Entire	\$113,300	\$0	\$113,300
		Butterfly, Uncompahgre fritillary	<i>Boloria acrocynema</i>	Entire	\$1,600	\$0	\$1,600
	Insects subtotal				\$114,900	\$0	\$114,900

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Crustaceans	Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	Entire	\$2,300	\$0	\$2,300
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>	Entire	\$2,300	\$0	\$2,300
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	Entire	\$12,000	\$0	\$12,000
		Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>	Entire	\$9,900	\$0	\$9,900
	Crustaceans subtotal				\$26,500	\$0	\$26,500
	Flowering Plants	Bird's beak, palmate-bracted	<i>Cordylanthus palmatus</i>		\$2,500	\$0	\$2,500
		Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>		\$19,600	\$0	\$19,600
		Cactus, Knowlton's	<i>Pediocactus knowltonii</i>		\$8,000	\$0	\$8,000
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$26,500	\$0	\$26,500
		Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>		\$8,000	\$0	\$8,000
		Cactus, Pima pineapple	<i>Coryphantha scheeri</i> var. <i>robustispina</i>		\$33,000	\$0	\$33,000
		Fiddleneck, large-flowered	<i>Amsinckia grandiflora</i>		\$2,500	\$0	\$2,500
		Fleabane, Zuni	<i>Erigeron rhizomatus</i>		\$8,000	\$0	\$8,000
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$2,900	\$0	\$2,900
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$35,900	\$0	\$35,900
		Meadowfoam, Butte County	<i>Limnanthes floccosa</i> ssp. <i>californica</i>		\$4,200	\$0	\$4,200
		Milk-vetch, Mancos	<i>Astragalus humillimus</i>		\$31,500	\$0	\$31,500
		Milkweed, Welsh's	<i>Asclepias welshii</i>		\$8,000	\$0	\$8,000
		Orcutt grass, hairy	<i>Orcuttia pilosa</i>		\$4,200	\$0	\$4,200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Orcutt grass, Sacramento	<i>Orcuttia viscida</i>		\$1,500	\$0	\$1,500
		Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>		\$600	\$0	\$600
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$5,700	\$0	\$5,700
		Owl's-clover, fleshy	<i>Castilleja campestris</i> <i>ssp. succulenta</i>		\$300	\$0	\$300
		Sedge, Navajo	<i>Carex specuicola</i>		\$8,000	\$0	\$8,000
		Spurge, Hoover's	<i>Chamaesyce hooveri</i>		\$3,600	\$0	\$3,600
		Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>		\$2,500	\$0	\$2,500
		Tuctoria, Greene's	<i>Tuctoria greenei</i>		\$4,200	\$0	\$4,200
		Wild buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>		\$18,000	\$0	\$18,000
		Wooly-threads, San Joaquin	<i>Monolopia</i> (= <i>Lembertia</i>) <i>congdonii</i>		\$7,900	\$0	\$7,900
	Flowering Plants subtotal				\$247,100	\$0	\$247,100
	Multi-Species				\$840,500	\$0	\$840,500
GrandTotal					\$1,861,400	\$0	\$1,861,400

DHS Coast Guard--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$5,273	\$0	\$5,273
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$17,407,645	\$12,572	\$17,420,217
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$17,407,645	\$12,572	\$17,420,217
		Seal, Caribbean monk	<i>Monachus tropicalis</i>		\$380,000	\$0	\$380,000
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	Entire	\$256,024	\$2,025	\$258,049
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$87,352	\$0	\$87,352
		Whale, blue	<i>Balaenoptera musculus</i>	Entire	\$96,352	\$2,600	\$98,952
		Whale, bowhead	<i>Balaena mysticetus</i>	Entire	\$87,252	\$0	\$87,252
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$109,684	\$0	\$109,684
		Whale, gray	<i>Eschrichtius robustus</i>	W Pacific Ocean	\$87,252	\$0	\$87,252
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$1,692,980	\$8,737	\$1,701,717
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$233,993	\$1,540	\$235,533
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Entire	\$196,822	\$0	\$196,822
		Whale, North Pacific Right	<i>Eubalaena japonica</i>	Entire	\$87,252	\$0	\$87,252
		Whale, Sei	<i>Balaenoptera borealis</i>	Entire	\$87,252	\$0	\$87,252
		Whale, sperm	<i>Physeter catodon</i> (= <i>macrocephalus</i>)	Entire	\$87,252	\$0	\$87,252
	Mammals subtotal				\$38,310,030	\$40,046	\$38,350,076
	Birds	Albatross, short-tailed	<i>Phoebastria</i> (= <i>Diomedea</i>) <i>albatrus</i>	Entire	\$5,100	\$0	\$5,100
		Murrelet, marbled	<i>Brachyramphus</i> <i>marmoratus</i>	CA, OR, WA	\$71,000	\$0	\$71,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$21,875	\$2,500	\$24,375
		Tern, California least	<i>Sterna antillarum browni</i>		\$20,000	\$0	\$20,000
	Birds subtotal				\$117,975	\$2,500	\$120,475
	Reptiles	Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$8,147	\$0	\$8,147

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$8,147	\$0	\$8,147
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$6,294	\$0	\$6,294
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$6,294	\$0	\$6,294
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$27,958	\$0	\$27,958
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$10,114	\$0	\$10,114
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$5,864	\$0	\$5,864
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$15,000	\$0	\$15,000
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$2,820	\$0	\$2,820
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$2,820	\$0	\$2,820
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>	Entire	\$10,000	\$0	\$10,000
	Reptiles subtotal				\$103,458	\$0	\$103,458
	Amphibians	Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$10,000	\$0	\$10,000
	Amphibians subtotal				\$10,000	\$0	\$10,000
	Fishes	Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$7,984	\$0	\$7,984
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$7,984	\$0	\$7,984
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$7,984	\$0	\$7,984
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$7,984	\$0	\$7,984
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento River winter-run ESU	\$7,984	\$0	\$7,984
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$7,984	\$0	\$7,984

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/summer-run ESU	\$7,984	\$0	\$7,984
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$7,984	\$0	\$7,984
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$7,984	\$0	\$7,984
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$35,000	\$0	\$35,000
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	summer-run Hood Canal	\$35,000	\$0	\$35,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Central California Coast ESU	\$31,580	\$0	\$31,580
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$31,580	\$0	\$31,580
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Oregon Coast ESU	\$31,580	\$0	\$31,580
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	So. OR/ No. CA Coast ESU	\$31,580	\$0	\$31,580
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Ozette Lake, WA	\$35,000	\$0	\$35,000
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River, ID stock	\$35,000	\$0	\$35,000
		Sawfish, smalltooth	<i>Pristis pectinata</i>	TX, FL	\$5,344	\$0	\$5,344
		Smelt, delta	<i>Hypomesus transpacificus</i>	Entire	\$75,000	\$0	\$75,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$6,818	\$0	\$6,818
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$6,818	\$0	\$6,818
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake R. Basin	\$6,818	\$0	\$6,818
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	central CA coast	\$6,818	\$0	\$6,818

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	lower Columbia R.	\$6,818	\$0	\$6,818
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	middle Columbia R.	\$6,818	\$0	\$6,818
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	northern CA	\$6,818	\$0	\$6,818
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	south central CA coast	\$6,818	\$0	\$6,818
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	southern CA coast	\$6,818	\$0	\$6,818
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Columbia R. Basin	\$6,818	\$0	\$6,818
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Willamette R.	\$6,818	\$0	\$6,818
		Sturgeon, North American green	<i>Acipenser medirostris</i>	CA Southern DPS	\$70,000	\$0	\$70,000
		Trout, bull	<i>Salvelinus confluentus</i>	lower 48 states	\$70,100	\$0	\$70,100
	Fishes subtotal				\$633,618	\$0	\$633,618
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$52,860	\$0	\$52,860
		Coral, staghorn	<i>Acropora cervicornis</i>		\$52,860	\$0	\$52,860
	Corals subtotal				\$105,720	\$0	\$105,720
	Flowering Plants	Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$50,000	\$0	\$50,000
	Flowering Plants subtotal				\$50,000	\$0	\$50,000
Grand Total					\$39,330,801	\$42,546	\$39,373,347

DHS Customs and Border Protection—FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, lesser long-nosed	Leptonycteris curasoae yerbabuena	Entire	\$111,100	\$0	\$111,100
		Bear, grizzly	Ursus arctos horribilis	lower 48 States, except where EXPN or delisted	\$100,000	\$0	\$100,000
		Jaguar	Panthera onca	AZ,CA,LA,NM, TX;Mexico;Central and South America	\$111,100	\$0	\$111,100
		Jaguarundi, Gulf Coast	Herpailurus (=Felis) yagouaroundi cacomitli	TX, Mexico	\$25,207	\$0	\$25,207
		Ocelot	Leopardus (=Felis) pardalis	AZ, TX to Central and South America	\$136,307	\$3,000,000	\$3,136,307
	Mammals subtotal				\$483,714	\$3,000,000	\$3,483,714
	Birds	Crane, whooping	Grus americana	except where EXPN	\$19,500	\$0	\$19,500
		falcon, northern aplomado	Falco femoralis septentrionalis	Southwestern pop.	\$61,500	\$0	\$61,500
		Flycatcher, southwestern willow	Empidonax traillii extimus	Entire	\$80,180	\$0	\$80,180
		Gnatcatcher, coastal California	Poliptila californica californica	Entire	\$0	\$1,995,000	\$1,995,000
		Owl, Mexican spotted	Strix occidentalis lucida	Entire	\$118,100	\$0	\$118,100
		Plover, piping	Charadrius melodus	except Great Lakes watershed	\$200	\$0	\$200
		Plover, western snowy	Charadrius alexandrinus nivosus	Pacific coastal pop.	\$60,000	\$0	\$60,000
		Tern, least	Sterna antillarum	interior pop.	\$60,000	\$0	\$60,000
		Vireo, least Bell's	Vireo bellii pusillus	Entire	\$6,500	\$0	\$6,500
	Birds subtotal				\$405,980	\$1,995,000	\$2,400,980
	Reptiles	Sea turtle, green	Chelonia mydas	except where endangered	\$200	\$0	\$200
		Sea turtle, hawksbill	Eretmochelys imbricata	Entire	\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$200	\$0	\$200
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$200	\$0	\$200
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$200	\$0	\$200
	Reptiles subtotal				\$1,000	\$0	\$1,000
	Amphibians	Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	Entire	\$116,012	\$0	\$116,012
		Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	Entire	\$111,100	\$0	\$111,100
		Toad, arroyo (=arroyo southwestern)	<i>Anaxyrus californicus</i>	Entire	\$135,000	\$0	\$135,000
	Amphibians subtotal				\$362,112	\$0	\$362,112
	Fishes	Chub, Sonora	<i>Gila ditaenia</i>	Entire	\$111,100	\$0	\$111,100
	Fishes subtotal				\$111,100	\$0	\$111,100
	Insects	Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (=E. e. wrighti)	Entire	\$0	\$6,135,000	\$6,135,000
	Insects subtotal				\$0	\$6,135,000	\$6,135,000
	Flowering Plants	Cactus, Pima pineapple	<i>Coryphantha scheeri</i> var. <i>robustispina</i>		\$111,100	\$0	\$111,100
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>		\$111,100	\$0	\$111,100
	Flowering Plants subtotal				\$222,200	\$0	\$222,200
	Multi-Species				\$400,000	\$0	\$400,000
Grand Total					\$1,986,106	\$11,130,000	\$13,116,106

DOI Bureau of Indian Affairs--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$40,000	\$0	\$40,000
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$55,000	\$0	\$55,000
		Wolf, gray	<i>Canis lupus</i>	MN	\$37,500	\$0	\$37,500
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in an EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$60,000	\$0	\$60,000
	Mammals subtotal				\$192,500	\$0	\$192,500
	Birds	Condor, California	<i>Gymnogyps californianus</i>	except where EXPN	\$75,000	\$0	\$75,000
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$15,000	\$0	\$15,000
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$37,500	\$0	\$37,500
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$32,000	\$0	\$32,000
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$259,000	\$0	\$259,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$100,000	\$0	\$100,000
	Birds subtotal				\$518,500	\$0	\$518,500
	Fishes	Madtom, Neosho	<i>Noturus placidus</i>	Entire	\$40,000	\$0	\$40,000
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	Entire	\$15,000	\$0	\$15,000
		Trout, bull	<i>Salvelinus confluentus</i>	lower 48 states	\$35,000	\$0	\$35,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii henshawi</i>	Entire	\$33,500	\$0	\$33,500
	Fishes subtotal				\$123,500	\$0	\$123,500
	Multi-Species				\$40,000	\$0	\$40,000
Grand Total					\$874,500	\$0	\$874,500

DOI Bureau of Land Management--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$300	\$0	\$300
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$300	\$0	\$300
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	Entire	\$46,000	\$0	\$46,000
		Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	Entire	\$25,000	\$0	\$25,000
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	Entire	\$100	\$0	\$100
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	Entire	\$100	\$0	\$100
		Bear, American black	<i>Ursus americanus</i>	County range of LA b.bear	\$100	\$0	\$100
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$125,000	\$0	\$125,000
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>	Entire	\$100	\$0	\$100
		Bear, polar	<i>Ursus maritimus</i>	Entire	\$62,000	\$0	\$62,000
		Bison, wood	<i>Bison bison athabasca</i>	Entire	\$1,000	\$0	\$1,000
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$2,000	\$0	\$2,000
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$90,000	\$0	\$90,000
		Deer, key	<i>Odocoileus virginianus clavium</i>	Entire	\$100	\$0	\$100
		Ferret, black-footed	<i>Mustela nigripes</i>	except where EXPN	\$88,000	\$0	\$88,000
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	CA	\$41,000	\$84,000	\$125,000
		Jaguar	<i>Panthera onca</i>	AZ,CA,LA,NM,TX; Mexico; Central and South America	\$12,000	\$0	\$12,000
		Kangaroo rat, Fresno	<i>Dipodomys nitratoideus exilis</i>	Entire	\$500	\$0	\$500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Kangaroo rat, giant	<i>Dipodomys ingens</i>	Entire	\$168,000	\$84,000	\$252,000
		Kangaroo rat, Morro Bay	<i>Dipodomys heermanni morroensis</i>	Entire	\$500	\$0	\$500
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>)	Entire	\$30,000	\$0	\$30,000
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>	Entire	\$16,000	\$0	\$16,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$202,000	\$0	\$202,000
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$6,000	\$0	\$6,000
		Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>	Entire	\$10,000	\$0	\$10,000
		Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	Entire	\$500	\$0	\$500
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	Entire	\$100	\$0	\$100
		Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>	Entire	\$100	\$0	\$100
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$24,000	\$0	\$24,000
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	FL	\$100	\$0	\$100
		Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>	FL	\$100	\$0	\$100
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	AZ, TX to Central and South America	\$10,000	\$0	\$10,000
		Otter, southern sea	<i>Enhydra lutris nereis</i>		\$1,000	\$0	\$1,000
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	LA and AR east to SC and FL	\$100	\$0	\$100
		Prairie dog, Utah	<i>Cynomys parvidens</i>	UT	\$484,000	\$0	\$484,000
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Entire	\$22,000	\$0	\$22,000
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>	FL	\$100	\$0	\$100
		Rabbit, pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$7,000	\$0	\$7,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Rice rat	<i>Oryzomys palustris natator</i>	lower FL Keys	\$100	\$0	\$100
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$800	\$0	\$800
		Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>	Entire	\$500	\$0	\$500
		Sheep, Peninsular bighorn	<i>Ovis canadensis nelsoni</i>	Peninsular CA pop.	\$400,000	\$0	\$400,000
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$41,000	\$0	\$41,000
		Shrew, Buena Vista Lake ornate	<i>Sorex ornatus relictus</i>	Entire	\$2,000	\$0	\$2,000
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	Entire	\$3,000	\$0	\$3,000
		Vole, Amargosa	<i>Microtus californicus scirpensis</i>	Entire	\$5,000	\$0	\$5,000
		Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>	Entire	\$2,000	\$0	\$2,000
		Whale, blue	<i>Balaenoptera musculus</i>	Entire	\$500	\$0	\$500
		Whale, bowhead	<i>Balaena mysticetus</i>	Entire	\$5,000	\$0	\$5,000
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$3,000	\$0	\$3,000
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$4,000	\$0	\$4,000
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$33,000	\$0	\$33,000
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	Entire	\$100	\$0	\$100
	Mammals subtotal				\$1,975,200	\$168,000	\$2,143,200
	Birds	Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$200	\$0	\$200
		Condor, California	<i>Gymnogyps californianus</i>	Entire, except where listed as an EXPN	\$229,000	\$0	\$229,000
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, and western WY	\$8,000	\$0	\$8,000
		Eider, spectacled	<i>Somateria fischeri</i>	Entire	\$54,000	\$0	\$54,000
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$64,000	\$0	\$64,000
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	except where listed as an EXPN	\$956,000	\$0	\$956,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$562,000	\$0	\$562,000
		Gnatcatcher, coastal California	<i>Poliophtila californica californica</i>	Entire	\$500	\$0	\$500
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$100	\$0	\$100
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$1,584,000	\$0	\$1,584,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$426,000	\$10,000	\$436,000
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$4,548,000	\$0	\$4,548,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$14,000	\$0	\$14,000
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$420,000	\$0	\$420,000
	Birds subtotal				\$8,865,800	\$10,000	\$8,875,800
	Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	Entire	\$100	\$0	\$100
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$100	\$0	\$100
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	Entire	\$327,000	\$0	\$327,000
		Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>	Entire	\$15,000	\$0	\$15,000
		Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	Entire	\$15,000	\$0	\$15,000
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$200	\$0	\$200
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$100	\$0	\$100
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$100	\$0	\$100
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$100	\$0	\$100
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>	Entire	\$100	\$0	\$100
		Skink, sand	<i>Neoseps reynoldsi</i>	Entire	\$100	\$0	\$100
		Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>	Entire	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$100	\$0	\$100
		Snake, giant garter	<i>Thamnophis gigas</i>	Entire	\$31,000	\$0	\$31,000
		Tortoise, desert	<i>Gopherus agassizii</i>	except in Sonoran Desert	\$976,000	\$0	\$976,000
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$400	\$0	\$400
		Turtle, ringed map	<i>Graptemys oculifera</i>	Entire	\$100	\$0	\$100
	Reptiles subtotal				\$1,365,600	\$0	\$1,365,600
	Amphibians	Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$10,000	\$0	\$10,000
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	Entire	\$93,000	\$0	\$93,000
		Frog, dusky gopher	<i>Rana sevosia</i>	Entire	\$100	\$0	\$100
		Hellbender, Ozark	<i>Cryptobranchus alleganiensis bishopi</i>	Entire	\$200	\$0	\$200
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Sonoma County	\$7,000	\$0	\$7,000
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	Entire	\$100	\$0	\$100
		Salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>	Entire	\$200	\$0	\$200
	Amphibians subtotal				\$110,600	\$0	\$110,600
	Fishes	Catfish, Yaqui	<i>Ictalurus pricei</i>	Entire	\$6,000	\$0	\$6,000
		Cavefish, Ozark	<i>Amblyopsis rosae</i>	Entire	\$100	\$0	\$100
		Chub, bonytail	<i>Gila elegans</i>	Entire	\$41,000	\$0	\$41,000
		Chub, Borax Lake	<i>Gila boraxobius</i>	Entire	\$11,000	\$0	\$11,000
		Chub, Chihuahua	<i>Gila nigrescens</i>	Entire	\$2,000	\$0	\$2,000
		Chub, humpback	<i>Gila cypha</i>	Entire	\$28,000	\$0	\$28,000
		Chub, Oregon	<i>Oregonichthys crameri</i>	Entire	\$100	\$0	\$100
		Chub, Pahrnagat roundtail	<i>Gila robusta jordani</i>	Entire	\$6,000	\$0	\$6,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Chub, slender	<i>Erimystax cahni</i>	Entire	\$100	\$0	\$100
		Chub, Virgin River	<i>Gila seminuda</i> (= <i>robusta</i>)	Entire	\$36,000	\$0	\$36,000
		Chub, Yaqui	<i>Gila purpurea</i>	Entire	\$6,000	\$0	\$6,000
		Cui-ui	<i>Chasmistes cujus</i>	Entire	\$1,900	\$0	\$1,900
		Dace, blackside	<i>Phoxinus</i> <i>cumberlandensis</i>	Entire	\$100	\$0	\$100
		Dace, desert	<i>Eremichthys acros</i>	Entire	\$16,000	\$0	\$16,000
		Dace, Foscett speckled	<i>Rhinichthys osculus ssp.</i>	Entire	\$36,000	\$0	\$36,000
		Dace, Kendall Warm Springs	<i>Rhinichthys osculus</i> <i>thermalis</i>	Entire	\$4,000	\$0	\$4,000
		Dace, Moapa	<i>Moapa coriacea</i>	Entire	\$4,000	\$0	\$4,000
		Darter, Cumberland	<i>Etheostoma susanae</i>	Entire	\$100	\$0	\$100
		Darter, duskytail	<i>Etheostoma percnurum</i>	Entire	\$100	\$0	\$100
		Darter, leopard	<i>Percina pantherina</i>	Entire	\$100	\$0	\$100
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>	Entire	\$100	\$0	\$100
		Darter, relict	<i>Etheostoma chienense</i>	Entire	\$100	\$0	\$100
		Gambusia, Pecos	<i>Gambusia nobilis</i>	Entire	\$4,000	\$0	\$4,000
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$800	\$0	\$800
		Logperch, Roanoke	<i>Percina rex</i>	Entire	\$100	\$0	\$100
		Madtom, yellowfin	<i>Noturus flavipinnis</i>	except where EXPN	\$100	\$0	\$100
		Minnow, loach	<i>Tiaroga cobitis</i>	Entire	\$40,000	\$0	\$40,000
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Rio Grande, from Little Box Canyon to Amistad Dam	\$4,000	\$0	\$4,000
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$49,000	\$0	\$49,000
		Poolfish, Pahrump	<i>Empetrichthys latos</i>	Entire	\$46,000	\$0	\$46,000
		Pupfish, desert	<i>Cyprinodon macularius</i>	Entire	\$43,000	\$0	\$43,000
		Pupfish, Owens	<i>Cyprinodon radiosus</i>	Entire	\$8,000	\$0	\$8,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Snake River fall-run ESU	\$588,000	\$2,000	\$590,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Oregon Coast ESU	\$1,789,000	\$0	\$1,789,000
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River, ID stock	\$30,000	\$500	\$30,500
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$100	\$0	\$100
		Shiner, palezone	<i>Notropis albizonatus</i>	Entire	\$100	\$0	\$100
		Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	Entire	\$14,000	\$0	\$14,000
		Spikedace	<i>Meda fulgida</i>	Entire	\$41,000	\$0	\$41,000
		Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>	Entire	\$29,000	\$0	\$29,000
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	Entire	\$3,000	\$0	\$3,000
		Spinedace, White River	<i>Lepidomeda albivallis</i>	Entire	\$22,000	\$0	\$22,000
		Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	Entire	\$40,000	\$3,000	\$43,000
		Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	Entire	\$2,000	\$0	\$2,000
		Springfish, White River	<i>Crenichthys baileyi baileyi</i>	Entire	\$6,000	\$0	\$6,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake R. Basin	\$641,000	\$2,000	\$643,000
		Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>	Entire	\$500	\$0	\$500
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	Entire	\$100	\$0	\$100
		Sturgeon, North American green	<i>Acipenser medirostris</i>	CA Southern DPS	\$500	\$0	\$500
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$9,000	\$0	\$9,000
		Sturgeon, white	<i>Acipenser transmontanus</i>	ID, MT, Canada , Kootenai R. system	\$2,000	\$0	\$2,000
		Sucker, Lost River	<i>Deltistes luxatus</i>	Entire	\$1,800	\$0	\$1,800
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$56,000	\$0	\$56,000
		Sucker, shortnose	<i>Chasmistes brevirostris</i>	Entire	\$12,000	\$0	\$12,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sucker, Warner	<i>Catostomus warnerensis</i>	Entire	\$123,000	\$0	\$123,000
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$40,000	\$0	\$40,000
		Trout, bull	<i>Salvelinus confluentus</i>	lower 48 states	\$508,000	\$2,000	\$510,000
		Trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>	Entire	\$22,000	\$0	\$22,000
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii henshawi</i>	Entire	\$868,000	\$1,000	\$869,000
		Tui chub, Owens	<i>Gila bicolor ssp. snyderi</i>	Entire	\$4,000	\$0	\$4,000
		Woundfin	<i>Plagopterus argentissimus</i>	Gila R. drainage, AZ, NM	\$35,000	\$0	\$35,000
	Fishes subtotal				\$5,280,900	\$10,500	\$5,291,400
	Clams	Bean, Cumberland (pearlymussel)	<i>Villosa trabalis</i>	Except where listed as EXPN	\$100	\$0	\$100
		Bean, purple	<i>Villosa perpurpurea</i>		\$100	\$0	\$100
		Bean, rayed	<i>Villosa fabalis</i>		\$100	\$0	\$100
		Blossom, turgid (pearlymussel)	<i>Epioblasma turgidula</i>	Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lau- derdale Counties, AL	\$200	\$0	\$200
		Clubshell	<i>Pleurobema clava</i>	Except where listed as EXPN	\$200	\$0	\$200
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Except where listed as EXPN	\$200	\$0	\$200
		Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>		\$100	\$0	\$100
		Fanshell	<i>Cyprogenia stegaria</i>		\$100	\$0	\$100
		Fatmucket, Arkansas	<i>Lampsilis powellii</i>	Entire	\$100	\$0	\$100
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Except where listed as EXPN	\$200	\$0	\$200
		Monkeyface, Appalachian (pearlymussel)	<i>Quadrula sparsa</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Monkeyface, Cumberland (pearlymussel)	<i>Quadrula intermedia</i>	Except where listed as EXPN	\$200	\$0	\$200
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Entire	\$100	\$0	\$100
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Except where listed as EXPN	\$200	\$0	\$200
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$100	\$0	\$100
		Mussel, sheepnose	<i>Plethobasus cyphyus</i>		\$100	\$0	\$100
		Mussel, snuffbox	<i>Epioblasma triquetra</i>		\$100	\$0	\$100
		Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	Entire	\$100	\$0	\$100
		Pearlymussel, cracking	<i>Hemistena lata</i>	Except where listed as EXPN	\$200	\$0	\$200
		Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>	Entire	\$100	\$0	\$100
		Pearlymussel, dromedary	<i>Dromus dromas</i>	Except where listed as EXPN	\$200	\$0	\$200
		Pearlymussel, littlewing	<i>Pegias fabula</i>	Entire	\$100	\$0	\$100
		Pigtoe, fineryed	<i>Fusconaia cuneolus</i>	Except where listed as EXPN	\$200	\$0	\$200
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$100	\$0	\$100
		Pigtoe, rough	<i>Pleurobema plenum</i>		\$100	\$0	\$100
		Pigtoe, shiny	<i>Fusconaia cor</i>	Except where listed as EXPN	\$200	\$0	\$200
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>		\$0	\$100	\$100
		Pocketbook, fat	<i>Potamilus capax</i>	Entire	\$100	\$0	\$100
		Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	Entire	\$100	\$0	\$100
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Purple cat's paw (=purple cat's paw pearlymussel)	<i>Epioblasma obliquata</i> <i>obliquata</i>	Except where listed as EXPN	\$200	\$0	\$200
		Riffleshell, northern	<i>Epioblasma torulosa</i> <i>rangiana</i>	Entire	\$100	\$0	\$100
		Riffleshell, tan	<i>Epioblasma florentina</i> <i>walkeri</i> (=E. <i>walkeri</i>)	Entire	\$100	\$0	\$100
		Ring pink (mussel)	<i>Obovaria retusa</i>		\$100	\$0	\$100
		Spectaclecase (mussel)	<i>Cumberlandia</i> <i>monodonta</i>		\$100	\$0	\$100
		Three-ridge, fat (mussel)	<i>Amblema neislerii</i>		\$100	\$0	\$100
		Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>		\$100	\$0	\$100
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	Entire	\$100	\$0	\$100
	Clams subtotal				\$4,800	\$100	\$4,900
	Snails	Limpet, Banbury Springs	<i>Lanx sp.</i>	Entire	\$7,000	\$0	\$7,000
		Shagreen, Magazine Mountain	<i>Mesodon magazinensis</i>	Entire	\$100	\$0	\$100
		Snail, Bliss Rapids	<i>Taylorconcha</i> <i>serpenticola</i>	Entire	\$14,000	\$0	\$14,000
		Snail, Morro shoulderband (=Banded dune)	<i>Helminthoglypta</i> <i>walkeriana</i>		\$2,000	\$0	\$2,000
		Snail, Pecos assiminea	<i>Assiminea pecos</i>		\$4,000	\$0	\$4,000
		Snail, Snake River physa	<i>Physa natricina</i>	Entire	\$16,000	\$0	\$16,000
		Snail, Stock Island tree	<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>)	Entire	\$100	\$0	\$100
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	Entire	\$7,000	\$0	\$7,000
		Springsnail, Koster's	<i>Juturnia kosteri</i>		\$4,000	\$0	\$4,000
		Springsnail, Roswell	<i>Pyrgulopsis roswellensis</i>		\$4,000	\$0	\$4,000
	Snails subtotal				\$58,200	\$0	\$58,200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$20,000	\$0	\$20,000
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Entire	\$9,000	\$0	\$9,000
		Butterfly, Behren's silverspot	<i>Speyeria zerene behrensii</i>	Entire	\$2,000	\$0	\$2,000
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$78,000	\$0	\$78,000
		Butterfly, Miami Blue	<i>Cyclargus (=Hemiargus) thomasi bethunebakeri</i>		\$100	\$0	\$100
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	Entire	\$100	\$0	\$100
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>	Entire	\$100,000	\$0	\$100,000
		Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>	Entire	\$100	\$0	\$100
		Butterfly, Uncompahgre fritillary	<i>Boloria acrocneuma</i>	Entire	\$9,000	\$0	\$9,000
		Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>	Entire	\$10,000	\$0	\$10,000
		Skipper, Carson wandering	<i>Pseudocopaeodes eunus obscurus</i>	NV, CA	\$24,000	\$0	\$24,000
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>	Entire	\$2,000	\$0	\$2,000
	Insects subtotal				\$254,300	\$0	\$254,300
	Crustaceans	Amphipod, Noel's	<i>Gammarus desperatus</i>		\$4,000	\$0	\$4,000
		Crayfish, cave	<i>Cambarus aculabrum</i>	Entire	\$100	\$0	\$100
		Crayfish, cave	<i>Cambarus zophonastes</i>	Entire	\$100	\$0	\$100
		Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	Entire	\$500	\$0	\$500
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>	Entire	\$4,000	\$0	\$4,000
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	Entire	\$10,000	\$0	\$10,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Isopod, Lee County cave	<i>Lirceus usdagalun</i>	Entire	\$100	\$0	\$100
		Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	Entire	\$6,000	\$0	\$6,000
		Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>	Entire	\$100	\$0	\$100
		Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>	Entire	\$5,000	\$0	\$5,000
	Crustaceans subtotal				\$29,900	\$0	\$29,900
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$100	\$0	\$100
		Coral, staghorn	<i>Acropora cervicornis</i>		\$100	\$0	\$100
	Corals subtotal				\$200	\$0	\$200
	Flowering Plants	Amole, purple	<i>Chlorogalum purpureum</i>		\$300	\$0	\$300
		Aster, Florida golden	<i>Chrysopsis floridana</i>		\$100	\$0	\$100
		Bear-poppy, Dwarf	<i>Arctomecon humilis</i>		\$41,000	\$0	\$41,000
		Beardtongue, Parachute	<i>Penstemon debilis</i>		\$6,000	\$0	\$6,000
		Beardtongue, Penland	<i>Penstemon penlandii</i>		\$10,000	\$0	\$10,000
		Bedstraw, El Dorado	<i>Galium californicum ssp. sierrae</i>		\$9,000	\$0	\$9,000
		Bird's-beak, salt marsh	<i>Cordylanthus maritimus ssp. maritimus</i>		\$300	\$0	\$300
		Birds-in-a-nest, white	<i>Macbridea alba</i>		\$1,100	\$0	\$1,100
		Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>		\$32,000	\$0	\$32,000
		Bladderpod, kodachrome	<i>Lesquerella tumulosa</i>		\$1,000	\$0	\$1,000
		Blazingstar, scrub	<i>Liatris ohlingerae</i>		\$100	\$0	\$100
		Blue-star, Kearney's	<i>Amsonia kearneyana</i>		\$1,500	\$0	\$1,500
		Bonamia, Florida	<i>Bonamia grandiflora</i>		\$100	\$0	\$100
		Buckwheat, scrub	<i>Eriogonum longifolium var. gnaphalifolium</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Buckwheat, steamboat	<i>Eriogonum ovalifolium</i> <i>var. williamsiae</i>		\$8,000	\$0	\$8,000
		Butterfly plant, Colorado	<i>Gaura neomexicana</i> <i>var.</i> <i>coloradensis</i>		\$2,000	\$0	\$2,000
		Butterweed, Layne's	<i>Senecio layneae</i>		\$11,000	\$0	\$11,000
		Butterwort, Godfrey's	<i>Pinguicula ionantha</i>		\$4,000	\$0	\$4,000
		Cactus, Bakersfield	<i>Opuntia treleasei</i>		\$5,000	\$0	\$5,000
		Cactus, Brady pincushion	<i>Pediocactus bradyi</i>		\$4,000	\$0	\$4,000
		Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>		\$75,000	\$3,500,000	\$3,575,000
		Cactus, Key tree	<i>Pilosocereus robinii</i>		\$100	\$0	\$100
		Cactus, Knowlton's	<i>Pediocactus knowltonii</i>		\$13,000	\$0	\$13,000
		Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri</i> <i>var. kuenzleri</i>		\$81,000	\$0	\$81,000
		Cactus, Lee pincushion	<i>Coryphantha sneedii</i> <i>var.</i> <i>leei</i>		\$10,000	\$0	\$10,000
		Cactus, Mesa Verde	<i>Sclerocactus mesae-</i> <i>verdae</i>		\$17,000	\$0	\$17,000
		Cactus, Nichol's Turk's head	<i>Echinocactus</i> <i>horizonthalonius</i> <i>var.</i> <i>nicholii</i>		\$6,000	\$0	\$6,000
		Cactus, Pariette	<i>Sclerocactus brevispinus</i>		\$13,000	\$0	\$13,000
		Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> <i>var. peeblesianus</i>		\$91,000	\$0	\$91,000
		Cactus, Pima pineapple	<i>Coryphantha scheeri</i> <i>var.</i> <i>robustispina</i>		\$3,000	\$0	\$3,000
		Cactus, San Rafael	<i>Pediocactus despainii</i>		\$65,000	\$0	\$65,000
		Cactus, Sneed pincushion	<i>Coryphantha sneedii</i> <i>var.</i> <i>sneedii</i>		\$16,000	\$0	\$16,000
		Cactus, Uinta Basin hookless	<i>Sclerocactus wetlandicus</i>		\$16,000	\$0	\$16,000
		Cactus, Winkler	<i>Pediocactus winkleri</i>		\$21,000	\$0	\$21,000
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$57,000	\$0	\$57,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$65,000	\$3,000	\$68,000
		Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>		\$7,000	\$0	\$7,000
		Chaffseed, American	<i>Schwalbea americana</i>		\$100	\$0	\$100
		Checker-mallow, Keck's	<i>Sidalcea keckii</i>		\$300	\$0	\$300
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$800	\$0	\$800
		Clarkia, Springville	<i>Clarkia springvillensis</i>		\$3,000	\$0	\$3,000
		Cliff-rose, Arizona	<i>Purshia (=Cowania) subintegra</i>		\$7,000	\$0	\$7,000
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$100	\$0	\$100
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$100	\$0	\$100
		Cycladenia, Jones	<i>Cycladenia humilis var. jonesii</i>		\$103,000	\$0	\$103,000
		Daisy, Parish's	<i>Erigeron parishii</i>		\$5,000	\$0	\$5,000
		Daisy, Willamette	<i>Erigeron decumbens var. decumbens</i>		\$69,000	\$0	\$69,000
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$62,000	\$0	\$62,000
		Dudleya, marcescent	<i>Dudleya cymosa ssp. marcescens</i>		\$300	\$0	\$300
		Evening-primrose, San Benito	<i>Camissonia benitensis</i>		\$125,000	\$0	\$125,000
		Flannelbush, Pine Hill	<i>Fremontodendron californicum ssp. decumbens</i>		\$7,000	\$0	\$7,000
		Fleabane, Zuni	<i>Erigeron rhizomatus</i>		\$3,000	\$0	\$3,000
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$41,000	\$2,000	\$43,000
		Fringe-tree, pygmy	<i>Chionanthus pygmaeus</i>		\$100	\$0	\$100
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$243,000	\$0	\$243,000
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$600	\$0	\$600

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Gourd, Okeechobee	<i>Cucurbita okeechobeensis ssp. okeechobeensis</i>		\$100	\$0	\$100
		Harperella	<i>Ptilimnium nodosum</i>		\$100	\$0	\$100
		Howellia, water	<i>Howellia aquatilis</i>		\$11,000	\$0	\$11,000
		Hypericum, highlands scrub	<i>Hypericum cumulicola</i>		\$100	\$0	\$100
		Jacquemontia, beach	<i>Jacquemontia reclinata</i>		\$100	\$0	\$100
		Jewelflower, California	<i>Caulanthus californicus</i>		\$15,000	\$0	\$15,000
		Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$100	\$0	\$100
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$111,000	\$0	\$111,000
		Layia, beach	<i>Layia carnosa</i>		\$40,000	\$0	\$40,000
		Lily, Western	<i>Lilium occidentale</i>		\$21,000	\$0	\$21,000
		Lomatium, Cook's	<i>Lomatium cookii</i>		\$71,000	\$0	\$71,000
		Lupine, Kincaid's	<i>Lupinus sulphureus ssp. kincaidii</i>		\$147,000	\$0	\$147,000
		Lupine, scrub	<i>Lupinus aridorum</i>		\$100	\$0	\$100
		Mallow, Kern	<i>Eremalche kernensis</i>		\$11,000	\$0	\$11,000
		Manzanita, Ione	<i>Arctostaphylos myrtifolia</i>		\$1,300	\$0	\$1,300
		Manzanita, Morro	<i>Arctostaphylos morroensis</i>		\$1,000	\$0	\$1,000
		Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>		\$100	\$0	\$100
		Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus var. coachellae</i>		\$15,000	\$0	\$15,000
		Milk-vetch, Cushenbury	<i>Astragalus albens</i>		\$5,000	\$0	\$5,000
		Milk-vetch, Fish Slough	<i>Astragalus lentiginosus var. piscinensis</i>		\$1,500	\$0	\$1,500
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>		\$39,000	\$0	\$39,000
		Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>		\$120,000	\$0	\$120,000
		Milk-vetch, Mancos	<i>Astragalus humillimus</i>		\$1,500	\$0	\$1,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Milk-vetch, Peirson's	<i>Astragalus magdalenae</i> <i>var. peirsonii</i>		\$7,000	\$0	\$7,000
		Milk-vetch, Shivwits	<i>Astragalus</i> <i>ampullarioides</i>		\$29,000	\$0	\$29,000
		Milk-vetch, triple-ribbed	<i>Astragalus tricarinatus</i>		\$15,000	\$0	\$15,000
		Milk-vetch, Ventura Marsh	<i>Astragalus pycnostachyus</i> <i>var. lanosissimus</i>		\$300	\$0	\$300
		Milkvetch, Osterhout	<i>Astragalus osterhoutii</i>		\$12,000	\$0	\$12,000
		Milkweed, Welsh's	<i>Asclepias welshii</i>		\$33,000	\$0	\$33,000
		Mint, scrub	<i>Dicerandra frutescens</i>		\$100	\$0	\$100
		Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>		\$7,000	\$0	\$7,000
		Mountain balm, Indian Knob	<i>Eriodictyon altissimum</i>		\$1,000	\$0	\$1,000
		Mustard, Carter's	<i>Warea carteri</i>		\$100	\$0	\$100
		Mustard, Penland alpine fen	<i>Eutrema penlandii</i>		\$7,000	\$0	\$7,000
		Navarretia, spreading	<i>Navarretia fossalis</i>		\$300	\$0	\$300
		Niterwort, Amargosa	<i>Nitrophila mohavensis</i>		\$19,000	\$0	\$19,000
		No common name	<i>Geocarpon minimum</i>		\$1,000	\$0	\$1,000
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$3,000	\$0	\$3,000
		Orcutt grass, hairy	<i>Orcuttia pilosa</i>		\$300	\$0	\$300
		Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>		\$1,000	\$0	\$1,000
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$10,000	\$0	\$10,000
		Owl's-clover, fleshy	<i>Castilleja campestris</i> ssp. <i>succulenta</i>		\$1,000	\$0	\$1,000
		Oxytheca, cushenbury	<i>Oxytheca parishii</i> var. <i>goodmaniana</i>		\$5,000	\$0	\$5,000
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$10,000	\$0	\$10,000
		Pawpaw, beautiful	<i>Deeringothamnus pulchellus</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pawpaw, four-petal	<i>Asimina tetramera</i>		\$5,000	\$0	\$5,000
		Pennyroyal, Todsens	<i>Hedeoma todsenii</i>		\$10,000	\$0	\$10,000
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$48,000	\$0	\$48,000
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$154,000	\$0	\$154,000
		Phacelia, DeBeque	<i>Phacelia submutica</i>		\$13,000	\$0	\$13,000
		Phacelia, North Park	<i>Phacelia formosula</i>		\$11,000	\$0	\$11,000
		Pigeon wings	<i>Clitoria fragrans</i>		\$100	\$0	\$100
		Plum, scrub	<i>Prunus geniculata</i>		\$100	\$0	\$100
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$100	\$0	\$100
		Polygala, Lewton's	<i>Polygala lewtonii</i>		\$100	\$0	\$100
		Polygala, tiny	<i>Polygala smallii</i>		\$100	\$0	\$100
		Popcornflower, rough	<i>Plagiobothrys hirtus</i>		\$15,000	\$0	\$15,000
		Poppy, Sacramento prickly	<i>Argemone pleiacantha ssp. pinnatisecta</i>		\$10,000	\$0	\$10,000
		Potato-bean, Price's	<i>Apios priceana</i>		\$100	\$0	\$100
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$100	\$0	\$100
		Pussypaws, Mariposa	<i>Calyptridium pulchellum</i>		\$300	\$0	\$300
		Reed-mustard, Barneby	<i>Schoenocrambe barnebyi</i>		\$1,500	\$0	\$1,500
		Reed-mustard, clay	<i>Schoenocrambe argillacea</i>		\$1,500	\$0	\$1,500
		Reed-mustard, shrubby	<i>Schoenocrambe suffrutescens</i>		\$1,500	\$0	\$1,500
		Ridge-cress, Barneby	<i>Lepidium barnebyanum</i>		\$500	\$0	\$500
		Rock-cress, McDonald's	<i>Arabis macdonaldiana</i>		\$5,000	\$0	\$5,000
		Rosemary, short-leaved	<i>Conradina brevifolia</i>		\$100	\$0	\$100
		Sandlace	<i>Polygonella myriophylla</i>		\$100	\$0	\$100
		Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>		\$100	\$0	\$100
		Sandwort, Marsh	<i>Arenaria paludicola</i>		\$300	\$0	\$300
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$1,100	\$0	\$1,100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Skullcap, Florida	<i>Scutellaria floridana</i>		\$4,000	\$0	\$4,000
		Skyrocket, Pagosa	<i>Ipomopsis polyantha</i>		\$22,000	\$0	\$22,000
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$100	\$0	\$100
		Spurge, deltoid	<i>Chamaesyce deltoidea</i> <i>ssp. deltoidea</i>		\$100	\$0	\$100
		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$100	\$0	\$100
		Spurge, Hoover's	<i>Chamaesyce hooveri</i>		\$300	\$0	\$300
		Spurge, telephus	<i>Euphorbia telephoides</i>		\$100	\$0	\$100
		Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>		\$5,000	\$0	\$5,000
		Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>		\$5,000	\$0	\$5,000
		Tarplant, Gaviota	<i>Deinandra increscens</i> <i>ssp. villosa</i>		\$300	\$0	\$300
		Thistle, Chorro Creek bog	<i>Cirsium fontinale</i> var. <i>obispoense</i>		\$300	\$0	\$300
		Thistle, La Graciosa	<i>Cirsium loncholepis</i>		\$300	\$0	\$300
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$18,000	\$0	\$18,000
		Tuctoria, Greene's	<i>Tuctoria greenei</i>		\$300	\$0	\$300
		Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>		\$33,000	\$0	\$33,000
		Vervain, Red Hills	<i>Verbena californica</i>		\$900	\$0	\$900
		Wallflower, Menzies'	<i>Erysimum menziesii</i>		\$135,000	\$0	\$135,000
		Warea, wide-leaf	<i>Warea amplexifolia</i>		\$100	\$0	\$100
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>		\$10,000	\$0	\$10,000
		Watercress, Gambel's	<i>Rorippa gambellii</i>		\$300	\$0	\$300
		Whitlow-wort, papery	<i>Paronychia chartacea</i>		\$100	\$0	\$100
		Wild buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>		\$39,000	\$0	\$39,000
		Wild-buckwheat, gypsum	<i>Eriogonum gypsophilum</i>		\$35,000	\$0	\$35,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Wire-lettuce, Malheur	<i>Stephanomeria malheurensis</i>		\$11,000	\$0	\$11,000
		Wireweed	<i>Polygonella basiramia</i>		\$100	\$0	\$100
		Wooly-threads, San Joaquin	<i>Monolopia (=Lembertia) congdonii</i>		\$160,000	\$0	\$160,000
		Yellowhead, desert	<i>Yermo xanthocephalus</i>		\$24,000	\$0	\$24,000
		Yerba santa, Lompoc	<i>Eriodictyon capitatum</i>		\$300	\$0	\$300
		Ziziphus, Florida	<i>Ziziphus celata</i>		\$100	\$0	\$100
	Flowering Plants subtotal				\$2,920,800	\$3,505,000	\$6,425,800
	Conifers and Cycads	Torreya, Florida	<i>Torreya taxifolia</i>		\$100	\$0	\$100
	Conifers and Cycads subtotal				\$100	\$0	\$100
	Ferns and Allies	Quillwort, Louisiana	<i>Isoetes louisianensis</i>		\$100	\$0	\$100
	Ferns and Allies subtotal				\$100	\$0	\$100
	Multi-Species				\$4,000	\$0	\$4,000
Grand Total					\$20,870,500	\$3,693,600	\$24,564,100

DOI Bureau of Ocean Energy Management, Regulation and Enforcement--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bear, polar	<i>Ursus maritimus</i>	Entire	\$261,997	\$0	\$261,997
		Seal, spotted	<i>Phoca largha</i>	Southern DPS	\$262,500	\$0	\$262,500
		Whale, bowhead	<i>Balaena mysticetus</i>	Entire	\$4,891,926	\$0	\$4,891,926
	Mammals subtotal				\$5,416,423	\$0	\$5,416,423
	Reptiles	Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$10,000	\$0	\$10,000
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$10,000	\$0	\$10,000
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$10,000	\$0	\$10,000
	Reptiles subtotal				\$30,000	\$0	\$30,000
	Multi-Species				\$2,528,818	\$0	\$2,528,818
Grand Total					\$7,975,241	\$0	\$7,975,241

DOI Bureau of Reclamation--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	Entire	\$4,000	\$0	\$4,000
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	CA	\$187,500	\$0	\$187,500
		Kangaroo rat, giant	<i>Dipodomys ingens</i>	Entire	\$110,000	\$0	\$110,000
		Kangaroo rat, Tipton	<i>Dipodomys nitratoideus nitratoideus</i>	Entire	\$6,000	\$0	\$6,000
		Rabbit, pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$10,000	\$0	\$10,000
		Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	CA	\$678,000	\$0	\$678,000
		Wolf, gray	<i>Canis lupus</i>	Western Great Lakes DPS	\$2,000	\$0	\$2,000
	Mammals subtotal				\$997,500	\$0	\$997,500
	Birds	Crane, whooping	<i>Grus americana</i>	except where EXPN	\$2,091,000	\$1,273,500	\$3,364,500
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$108,500	\$0	\$108,500
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$11,773,000	\$1,119,500	\$12,892,500
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$2,093,500	\$1,273,500	\$3,367,000
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$4,331,500	\$119,500	\$4,451,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$2,103,500	\$1,273,500	\$3,377,000
	Birds subtotal				\$22,501,000	\$5,059,500	\$27,560,500
	Reptiles	Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	Entire	\$1,500	\$0	\$1,500
		Snake, giant garter	<i>Thamnophis gigas</i>	Entire	\$321,500	\$0	\$321,500
	Reptiles subtotal				\$323,000	\$0	\$323,000
	Amphibians	Frog, CA red-legged	<i>Rana draytonii</i>	Entire	\$42,000	\$0	\$42,000
		Salamander, CA tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$359,000	\$250,000	\$609,000
	Amphibians subtotal				\$401,000	\$250,000	\$651,000
	Fishes	Chub, bonytail	<i>Gila elegans</i>	Entire	\$5,275,000	\$0	\$5,275,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Chub, Gila	<i>Gila intermedia</i>	Entire	\$2,588,000	\$0	\$2,588,000
		Chub, humpback	<i>Gila cypha</i>	Entire	\$7,532,000	\$0	\$7,532,000
		Chub, Virgin River	<i>Gila seminuda</i> (= <i>robusta</i>)	Entire	\$37,500	\$0	\$37,500
		Cui-ui	<i>Chasmistes cujus</i>	Entire	\$768,500	\$0	\$768,500
		Eulachon, Pacific	<i>Thaleichthys pacificus</i>	Southern DPS	\$120,000	\$0	\$120,000
		Gambusia, Pecos	<i>Gambusia nobilis</i>	Entire	\$21,000	\$22,000	\$43,000
		Minnow, loach	<i>Tiaroga cobitis</i>	Entire	\$2,588,000	\$0	\$2,588,000
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Except where listed as EXPN	\$6,355,000	\$3,576,000	\$9,931,000
		Pikeminnow (=squawfish), CO	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$4,750,000	\$375,000	\$5,125,000
		Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	Entire	\$20,000	\$22,000	\$42,000
		Pupfish, desert	<i>Cyprinodon macularius</i>	Entire	\$4,000	\$0	\$4,000
		Pupfish, Owens	<i>Cyprinodon radiosus</i>	Entire	\$1,000,000	\$0	\$1,000,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$232,000	\$61,500	\$293,500
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$443,000	\$435,500	\$878,500
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento River winter-run ESU	\$4,236,500	\$61,500	\$4,298,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$296,000	\$435,500	\$731,500
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/summer-run ESU	\$2,568,000	\$435,500	\$3,003,500
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$3,523,000	\$435,500	\$3,958,500
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$5,000	\$0	\$5,000
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$10,000	\$0	\$10,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Southern OR/Northern CA Coast ESU	\$4,750,000	\$0	\$4,750,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River, ID stock	\$296,000	\$435,500	\$731,500
		Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	Entire	\$947,000	\$1,300,000	\$2,247,000
		Smelt, delta	<i>Hypomesus transpacificus</i>	Entire	\$12,319,000	\$0	\$12,319,000
		Spikedace	<i>Meda fulgida</i>	Entire	\$2,588,000	\$0	\$2,588,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$5,514,000	\$61,500	\$5,575,500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake R. Basin	\$3,037,000	\$435,500	\$3,472,500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	lower Columbia R.	\$448,000	\$435,500	\$883,500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	middle Columbia R.	\$1,520,500	\$470,500	\$1,991,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	southern CA coast	\$48,500	\$0	\$48,500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Columbia R. Basin	\$3,141,000	\$435,500	\$3,576,500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Willamette R.	\$5,000	\$0	\$5,000
		Sturgeon, North American green	<i>Acipenser medirostris</i>	CA Southern DPS	\$178,500	\$0	\$178,500
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$2,494,000	\$0	\$2,494,000
		Sucker, June	<i>Chasmistes liorus</i>	Entire	\$718,000	\$0	\$718,000
		Sucker, Lost River	<i>Deltistes luxatus</i>	Entire	\$1,821,000	\$0	\$1,821,000
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$10,553,000	\$375,000	\$10,928,000
		Sucker, shortnose	<i>Chasmistes brevirostris</i>	Entire	\$1,821,000	\$0	\$1,821,000
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$2,591,500	\$0	\$2,591,500
		Trout, bull	<i>Salvelinus confluentus</i>	lower 48 states	\$2,730,000	\$0	\$2,730,000
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii henshawi</i>	Entire	\$83,500	\$0	\$83,500
		Woundfin	<i>Plagopterus argentissimus</i>	Gila R. drainage, AZ, NM	\$37,500	\$0	\$37,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Fishes subtotal				\$100,014,500	\$9,809,000	\$109,823,500
	Snails	Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	Entire	\$26,000	\$0	\$26,000
		Snail, Snake River physa	<i>Physa natricina</i>	Entire	\$129,500	\$0	\$129,500
	Snails subtotal				\$155,500	\$0	\$155,500
	Insects	Beetle, Am. burying	<i>Nicrophorus americanus</i>	Entire	\$2,500	\$0	\$2,500
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Entire	\$42,000	\$0	\$42,000
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$5,000	\$0	\$5,000
	Insects subtotal				\$49,500	\$0	\$49,500
	Crustaceans	Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	Entire	\$17,000	\$0	\$17,000
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	Entire	\$87,000	\$250,000	\$337,000
	Crustaceans subtotal				\$104,000	\$250,000	\$354,000
	Flowering Plants	Bird's beak, palmate-bracted	<i>Cordylanthus palmatus</i>		\$1,000	\$0	\$1,000
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$20,000	\$0	\$20,000
		Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>		\$14,500	\$0	\$14,500
		Dudleya, Santa Clara Valley	<i>Dudleya setchellii</i>		\$1,000	\$0	\$1,000
		Grass, Colusa	<i>Neostapfia colusana</i>		\$2,000	\$0	\$2,000
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$26,000	\$0	\$26,000
		Lupine, Kincaid's	<i>Lupinus sulphureus ssp. kincaidii</i>		\$15,000	\$0	\$15,000
		Owl's-clover, fleshy	<i>Castilleja campestris ssp. succulenta</i>		\$1,000	\$250,000	\$251,000
		Spurge, Hoover's	<i>Chamaesyce hooveri</i>		\$1,000	\$0	\$1,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>		\$1,000	\$250,000	\$251,000
		Tuctoria, Greene's	<i>Tuctoria greenei</i>		\$1,000	\$0	\$1,000
	Flowering Plants subtotal				\$83,500	\$500,000	\$583,500
	Multi-Species				\$4,020,500	\$0	\$4,020,500
Grand Total					\$128,650,000	\$15,868,500	\$144,518,500

DOI National Park Service--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$14,900	\$0	\$14,900
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	Entire	\$2,000	\$0	\$2,000
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$104,400	\$0	\$104,400
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	Entire	\$162,000	\$0	\$162,000
		Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	Entire	\$5,000	\$0	\$5,000
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	Entire	\$1,000	\$0	\$1,000
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	Entire	\$1,200	\$0	\$1,200
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$1,693,600	\$0	\$1,693,600
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$35,000	\$0	\$35,000
		Ferret, black-footed	<i>Mustela nigripes</i>	Except where EXPN	\$30,000	\$0	\$30,000
		Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>	CA	\$125,000	\$0	\$125,000
		Fox, Santa Cruz Island	<i>Urocyon littoralis santacruzae</i>	CA	\$15,000	\$0	\$15,000
		Fox, Santa Rosa Island	<i>Urocyon littoralis santarosae</i>	CA	\$325,000	\$0	\$325,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$13,100	\$0	\$13,100
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$15,200	\$0	\$15,200
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	Entire	\$600	\$0	\$600
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	Entire	\$25,000	\$0	\$25,000
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	FL	\$3,300	\$0	\$3,300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	LA and AR east to SC and FL	\$426,860	\$0	\$426,860
		Prairie dog, Utah	<i>Cynomys parvidens</i>	UT	\$45,000	\$0	\$45,000
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Entire	\$75,000	\$0	\$75,000
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$20,000	\$0	\$20,000
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	Entire	\$5,000	\$0	\$5,000
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$286,017	\$0	\$286,017
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	Entire	\$14,000	\$0	\$14,000
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$300	\$0	\$300
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$582,300	\$0	\$582,300
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Entire	\$300	\$0	\$300
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in an EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$300	\$0	\$300
		Wolf, gray	<i>Canis lupus</i>	WY EXPN	\$200,000	\$0	\$200,000
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$452,500	\$0	\$452,500
	Mammals subtotal				\$4,678,877	\$0	\$4,678,877

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Birds	Condor, California	<i>Gymnogyps californianus</i>	Except where listed as EXPN	\$409,000	\$0	\$409,000
		Condor, California	<i>Gymnogyps californianus</i>	portions of AZ, NV, UT	\$96,800	\$0	\$96,800
		Coot, Hawaiian	<i>Fulica americana alai</i>	Entire	\$3,000	\$0	\$3,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$32,850	\$0	\$32,850
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	Entire	\$172,337	\$0	\$172,337
		Honeycreeper, crested	<i>Palmeria dolei</i>	Entire	\$1,000	\$0	\$1,000
		Moorhen, Mariana common	<i>Gallinula chloropus guami</i>	Entire	\$500	\$0	\$500
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$127,400	\$0	\$127,400
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$141,644	\$0	\$141,644
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$436,500	\$0	\$436,500
		Parrotbill, Maui (honeycreeper)	<i>Pseudonestor xanthophrys</i>	Entire	\$1,000	\$0	\$1,000
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	Entire	\$124,803	\$0	\$124,803
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$169,718	\$0	\$169,718
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$910,616	\$0	\$910,616
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$44,000	\$0	\$44,000
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Entire	\$7,600	\$0	\$7,600
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	Entire	\$257,800	\$0	\$257,800
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$3,000	\$0	\$3,000
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$19,750	\$0	\$19,750
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$30,221	\$0	\$30,221

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$600	\$0	\$600
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$19,800	\$0	\$19,800
		Vireo, black-capped	<i>Vireo atricapilla</i>	Entire	\$3,000	\$0	\$3,000
		Warbler, Kirtland's	<i>Dendroica kirtlandii</i>	Entire	\$3,000	\$0	\$3,000
		Warbler, nightingale reed (old world warbler)	<i>Acrocephalus luscinia</i>	Entire	\$500	\$0	\$500
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$7,100	\$0	\$7,100
	Birds subtotal				\$3,023,539	\$0	\$3,023,539
	Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	Entire	\$106,300	\$0	\$106,300
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$32,500	\$0	\$32,500
		Lizard, St. Croix ground	<i>Ameiva polops</i>	Entire	\$1,500	\$0	\$1,500
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$28,110	\$0	\$28,110
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$361,502	\$0	\$361,502
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$148,590	\$0	\$148,590
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$1,269,102	\$0	\$1,269,102
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$78,540	\$0	\$78,540
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$455,692	\$0	\$455,692
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$8,500	\$0	\$8,500
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	Entire	\$5,000	\$0	\$5,000
		Tortoise, desert	<i>Gopherus agassizii</i>	except in Sonoran Desert	\$93,000	\$0	\$93,000
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$5,000	\$0	\$5,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$1,500	\$0	\$1,500
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$15,900	\$0	\$15,900
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$20,000	\$0	\$20,000
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis</i> <i>euryxanthus</i>	Entire	\$200	\$0	\$200
	Reptiles subtotal				\$2,630,936	\$0	\$2,630,936
	Amphibians	Frog, California red- legged	<i>Rana draytonii</i>	Entire	\$102,000	\$0	\$102,000
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern CA DPS	\$72,104	\$0	\$72,104
		Hellbender, Ozark	<i>Cryptobranchus</i> <i>alleganiensis bishopi</i>	Entire	\$13,710	\$0	\$13,710
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$400	\$0	\$400
		Salamander, Shenandoah	<i>Plethodon shenandoah</i>	Entire	\$15,900	\$0	\$15,900
	Amphibians subtotal				\$204,114	\$0	\$204,114
	Fishes	Chub, bonytail	<i>Gila elegans</i>	Entire	\$2,000	\$0	\$2,000
		Chub, humpback	<i>Gila cypha</i>	Entire	\$369,000	\$0	\$369,000
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$700	\$0	\$700
		Dace, blackside	<i>Phoxinus cumberlandensis</i>	Entire	\$4,200	\$0	\$4,200
		Darter, duskytail	<i>Etheostoma percnurum</i>	Entire	\$800	\$0	\$800
		Gambusia, Big Bend	<i>Gambusia gagei</i>	Entire	\$2,000	\$0	\$2,000
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$5,000	\$0	\$5,000
		Madtom, smoky	<i>Noturus baileyi</i>	Entire	\$3,006	\$0	\$3,006
		Madtom, yellowfin	<i>Noturus flavipinnis</i>	except where EXPN	\$3,006	\$0	\$3,006
		Pupfish, desert	<i>Cyprinodon macularius</i>	Entire	\$75,000	\$0	\$75,000
		Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	Entire	\$369,368	\$0	\$369,368

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$54,000	\$0	\$54,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$6,000	\$0	\$6,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$19,000	\$0	\$19,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$40,000	\$0	\$40,000
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$19,000	\$0	\$19,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Central CA Coast ESU	\$255,000	\$0	\$255,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Southern OR–Northern CA Coast ESU	\$73,000	\$0	\$73,000
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Ozette Lake, WA	\$10,000	\$0	\$10,000
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	Entire	\$8,246	\$0	\$8,246
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$6,000	\$0	\$6,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	central CA coast	\$255,000	\$0	\$255,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	middle Columbia R.	\$41,600	\$0	\$41,600
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	northern CA	\$56,000	\$0	\$56,000
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	Entire	\$2,500	\$0	\$2,500
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$300	\$0	\$300
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$50,000	\$0	\$50,000
		Trout, bull	<i>Salvelinus confluentus</i>	lower 48 states	\$386,230	\$0	\$386,230
		Trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>	Entire	\$76,200	\$0	\$76,200
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii henshawi</i>	Entire	\$1,300	\$0	\$1,300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Tui chub, Mohave	<i>Gila bicolor ssp. mohavensis</i>	Entire	\$18,300	\$0	\$18,300
	Fishes subtotal				\$2,211,756	\$0	\$2,211,756
	Clams	Bean, Cumberland (pearlymussel)	<i>Villosa trabalis</i>	Except where EXPN	\$1,500	\$0	\$1,500
		Bean, purple	<i>Villosa perpurpurea</i>		\$700	\$0	\$700
		Clubshell	<i>Pleurobema clava</i>	Except where EXPN	\$800	\$0	\$800
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Except where EXPN	\$800	\$0	\$800
		Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>		\$800	\$0	\$800
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	Entire	\$7,692	\$0	\$7,692
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Except where EXPN	\$14,039	\$0	\$14,039
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Entire	\$21,200	\$0	\$21,200
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Except where EXPN	\$800	\$0	\$800
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$1,200	\$0	\$1,200
		Mussel, snuffbox	<i>Epioblasma triquetra</i>		\$7,000	\$0	\$7,000
		Pearlymussel, dromedary	<i>Dromus dromas</i>	Except where EXPN	\$800	\$0	\$800
		Pearlymussel, littlewing	<i>Pegias fabula</i>	Entire	\$800	\$0	\$800
		Riffleshell, tan	<i>Epioblasma florentina walkeri (=E. walkeri)</i>	Entire	\$800	\$0	\$800
		Spectaclecase (mussel)	<i>Cumberlandia monodonta</i>		\$800	\$0	\$800
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	Entire	\$6,500	\$0	\$6,500
	Clams subtotal				\$66,231	\$0	\$66,231
	Insects	Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	Entire	\$90,300	\$0	\$90,300
		Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>	Entire	\$12,000	\$0	\$12,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	Entire	\$600	\$0	\$600
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	Entire	\$12,400	\$0	\$12,400
		Butterfly, San Bruno elfin	<i>Callophrys mossii bayensis</i>	Entire	\$500	\$0	\$500
		Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>	Entire	\$28,000	\$0	\$28,000
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$100	\$0	\$100
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>	Entire	\$1,500	\$0	\$1,500
	Insects subtotal				\$145,400	\$0	\$145,400
	Crustaceans	Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>	Entire	\$3,000	\$0	\$3,000
	Crustaceans subtotal				\$3,000	\$0	\$3,000
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$40,500	\$0	\$40,500
		Coral, staghorn	<i>Acropora cervicornis</i>		\$31,500	\$0	\$31,500
	Corals subtotal				\$72,000	\$0	\$72,000
	Flowering Plants	Alani	<i>Melicope balloui</i>		\$100	\$0	\$100
		Alani	<i>Melicope ovalis</i>		\$1,300	\$0	\$1,300
		Alani	<i>Melicope zahlbruckneri</i>		\$6,667	\$0	\$6,667
		Alopecurus, Sonoma	<i>Alopecurus aequalis var. sonomensis</i>		\$6,000	\$0	\$6,000
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$55,700	\$0	\$55,700
		Avens, spreading	<i>Geum radiatum</i>		\$3,320	\$0	\$3,320
		Bladderpod, Missouri	<i>Physaria filiformis</i>		\$26,000	\$0	\$26,000
		Blazingstar, Heller's	<i>Liatris helleri</i>		\$3,320	\$0	\$3,320
		Cactus, Brady pincushion	<i>Pediocactus bradyi</i>		\$15,500	\$0	\$15,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Cactus, Chisos Mountain hedgehog	<i>Echinocereus chisoensis</i> <i>var. chisoensis</i>		\$5,000	\$0	\$5,000
		Cactus, Lee pincushion	<i>Coryphantha sneedii</i> <i>var.</i> <i>leei</i>		\$1,000	\$0	\$1,000
		Cactus, Lloyd's Mariposa	<i>Echinomastus</i> <i>mariposensis</i>		\$3,000	\$0	\$3,000
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$700	\$0	\$700
		Cactus, Sneed pincushion	<i>Coryphantha sneedii</i> <i>var.</i> <i>sneedii</i>		\$1,000	\$0	\$1,000
		Cactus, Winkler	<i>Pediocactus winkleri</i>		\$18,000	\$0	\$18,000
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$18,000	\$0	\$18,000
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$8,500	\$0	\$8,500
		Clarkia, Presidio	<i>Clarkia franciscana</i>		\$1,000	\$0	\$1,000
		Daisy, Parish's	<i>Erigeron parishii</i>		\$21,152	\$0	\$21,152
		Dwarf-flax, Marin	<i>Hesperolinon congestum</i>		\$1,000	\$0	\$1,000
		Evening-primrose, Eureka Valley	<i>Oenothera avita</i> <i>ssp.</i> <i>eurekensis</i>		\$4,480	\$0	\$4,480
		Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>		\$16,100	\$0	\$16,100
		Grass, Eureka Dune	<i>Swallenia alexandrae</i>		\$4,480	\$0	\$4,480
		Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>		\$1,500	\$0	\$1,500
		Haha	<i>Cyanea copelandii</i> <i>ssp.</i> <i>haleakalaensis</i>		\$600	\$0	\$600
		Haha	<i>Cyanea glabra</i>		\$100	\$0	\$100
		Haha	<i>Cyanea grimesiana</i> <i>ssp.</i> <i>grimesiana</i>		\$100	\$0	\$100
		Haha	<i>Cyanea hamatiflora</i> <i>ssp.</i> <i>hamatiflora</i>		\$100	\$0	\$100
		Harperella	<i>Ptilimnium nodosum</i>		\$800	\$0	\$800
		Honohono	<i>Haplostachys</i> <i>haplostachya</i>		\$12,471	\$0	\$12,471
		Ischaemum, Hilo	<i>Ischaemum byrone</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Koki'o ke'oke'o	<i>Hibiscus arnottianus ssp. immaculatus</i>		\$2,000	\$0	\$2,000
		Ko'oko'olau	<i>Bidens micrantha ssp. kalealaha</i>		\$16,100	\$0	\$16,100
		Kuahiwi laukahi	<i>Plantago princeps</i>		\$3,700	\$0	\$3,700
		Kula wahine noho	<i>Isodendron pyrifolium</i>		\$3,000	\$0	\$3,000
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$18,000	\$0	\$18,000
		Layia, beach	<i>Layia carnosa</i>		\$9,500	\$0	\$9,500
		Lessingia, San Francisco	<i>Lessingia germanorum (=L.g. var. germanorum)</i>		\$1,000	\$0	\$1,000
		Lo'ulu	<i>Pritchardia affinis</i>		\$3,400	\$0	\$3,400
		Lupine, clover	<i>Lupinus tidestromii</i>		\$7,000	\$0	\$7,000
		Makou	<i>Peucedanum sandwicense</i>		\$2,000	\$0	\$2,000
		Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>		\$2,000	\$0	\$2,000
		Milk-vetch, Sentry	<i>Astragalus cremnophylax var. cremnophylax</i>		\$32,000	\$0	\$32,000
		Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>		\$5,000	\$0	\$5,000
		Milk-vetch, triple-ribbed	<i>Astragalus tricarinatus</i>		\$21,152	\$0	\$21,152
		Monkey-flower, Michigan	<i>Mimulus michiganensis</i>		\$500	\$0	\$500
		Naupaka, dwarf	<i>Scaevola coriacea</i>		\$2,000	\$0	\$2,000
		No common name	<i>Lysimachia maxima</i>		\$2,000	\$0	\$2,000
		No common name	<i>Platanthera holochila</i>		\$100	\$0	\$100
		No common name	<i>Schiedea haleakalensis</i>		\$6,300	\$0	\$6,300
		No common name	<i>Schiedea hookeri</i>		\$100	\$0	\$100
		No common name	<i>Stenogyne angustifolia angustifolia</i>		\$6,667	\$0	\$6,667
		No common name	<i>Tetramolopium rockii</i>		\$2,000	\$0	\$2,000
		Nohoanu	<i>Geranium multiflorum</i>		\$500	\$0	\$500
		Ohai	<i>Sesbania tomentosa</i>		\$300	\$0	\$300
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$8,800	\$0	\$8,800

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Paintbrush, Tiburon	<i>Castilleja affinis ssp. neglecta</i>		\$1,000	\$0	\$1,000
		Panicgrass, Carter's	<i>Panicum fauriei var. carteri</i>		\$2,000	\$0	\$2,000
		Phlox, Texas trailing	<i>Phlox nivalis ssp. texensis</i>		\$4,320	\$0	\$4,320
		Pink, swamp	<i>Helonias bullata</i>		\$2,500	\$0	\$2,500
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$76,400	\$0	\$76,400
		Popolo ku mai	<i>Solanum incompletum</i>		\$100	\$0	\$100
		Potentilla, Hickman's	<i>Potentilla hickmanii</i>		\$6,000	\$0	\$6,000
		Po`e	<i>Portulaca sclerocarpa</i>		\$2,000	\$0	\$2,000
		Pua `ala	<i>Brighamia rockii</i>		\$2,000	\$0	\$2,000
		Rosemary, Cumberland	<i>Conradina verticillata</i>		\$1,500	\$0	\$1,500
		Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>		\$800	\$0	\$800
		Sandwort, Marsh	<i>Arenaria paludicola</i>		\$5,000	\$0	\$5,000
		Sedge, Navajo	<i>Carex specuicola</i>		\$1,050	\$0	\$1,050
		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$3,000	\$0	\$3,000
		Spineflower, Sonoma	<i>Chorizanthe valida</i>		\$6,000	\$0	\$6,000
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$1,500	\$0	\$1,500
		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$500	\$0	\$500
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$19,000	\$0	\$19,000
		ʻAhinahina	<i>Argyroxiphium sandwicense ssp. macrocephalum</i>		\$17,300	\$0	\$17,300
		ʻAwikiwiki	<i>Canavalia molokaiensis</i>		\$2,000	\$0	\$2,000
		ʻOha wai	<i>Clermontia lindseyana</i>		\$6,767	\$0	\$6,767
		ʻOha wai	<i>Clermontia oblongifolia ssp. mauiensis</i>		\$100	\$0	\$100
		ʻOha wai	<i>Clermontia peleana</i>		\$8,100	\$0	\$8,100
		ʻOha wai	<i>Clermontia samuelii</i>		\$4,100	\$0	\$4,100
	Flowering Plants subtotal				\$565,246	\$0	\$565,246

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Ferns and Allies	No common name	<i>Asplenium fragile insulare</i>		\$100	\$0	\$100
		No common name	<i>Diplazium molokaiense</i>		\$100	\$0	\$100
		Pauoa	<i>Ctenitis squamigera</i>		\$100	\$0	\$100
		Wawae`iole	<i>Huperzia mannii</i>		\$1,600	\$0	\$1,600
	Ferns and Allies subtotal				\$1,900	\$0	\$1,900
Grand Total					\$13,602,999	\$0	\$13,602,999

DOI Office of Surface Mining--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$36,681	\$0	\$36,681
		Ferret, black-footed	<i>Mustela nigripes</i>	Except where EXPN	\$1,141	\$0	\$1,141
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$1,141	\$0	\$1,141
	Mammals subtotal				\$38,963	\$0	\$38,963
	Birds	Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$1,141	\$0	\$1,141
	Birds subtotal				\$1,141	\$0	\$1,141
	Fishes	Chub, bonytail	<i>Gila elegans</i>	Entire	\$1,141	\$0	\$1,141
		Chub, humpback	<i>Gila cypha</i>	Entire	\$1,141	\$0	\$1,141
		Dace, blackside	<i>Phoxinus cumberlandensis</i>	Entire	\$3,825	\$0	\$3,825
		Dace, Laurel	<i>Chrosomus saylori</i>	Entire	\$450	\$0	\$450
		Pikeminnow (=squawfish), CO	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$1,141	\$0	\$1,141
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$1,141	\$0	\$1,141
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$1,141	\$0	\$1,141
		Trout, bull	<i>Salvelinus confluentus</i>	lower 48 states	\$1,141	\$0	\$1,141
		Trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>	Entire	\$1,141	\$0	\$1,141
	Fishes subtotal				\$12,262	\$0	\$12,262
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$1,840	\$0	\$1,840
		Butterfly, Uncompahgre fritillary	<i>Boloria acrocneoma</i>	Entire	\$1,141	\$0	\$1,141
	Insects subtotal				\$2,981	\$0	\$2,981
	Flowering Plants	Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>		\$1,141	\$0	\$1,141
		Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>		\$1,141	\$0	\$1,141
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$1,141	\$0	\$1,141
		Phacelia, DeBeque	<i>Phacelia submutica</i>		\$1,141	\$0	\$1,141

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>		\$1,141	\$0	\$1,141
		Wild buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>		\$1,141	\$0	\$1,141
	Flowering Plants subtotal				\$6,846	\$0	\$6,846
	Multi-Species				\$1,825	\$0	\$1,825
Grand Total					\$64,018	\$0	\$64,018

DOI US Geological Survey--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$2,400	\$0	\$2,400
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	Entire	\$235,178	\$0	\$235,178
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$63,005	\$0	\$63,005
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$689,643	\$0	\$689,643
		Bear, polar	<i>Ursus maritimus</i>	Entire	\$2,578,424	\$0	\$2,578,424
		Deer, key	<i>Odocoileus virginianus clavium</i>	Entire	\$3,008	\$0	\$3,008
		Ferret, black-footed	<i>Mustela nigripes</i>	except where EXPN	\$139,078	\$0	\$139,078
		Fox, Santa Catalina Island	<i>Urocyon littoralis catalinae</i>	CA	\$6,266	\$0	\$6,266
		Fox, Santa Cruz Island	<i>Urocyon littoralis santacruzae</i>	CA	\$1,548	\$0	\$1,548
		Fox, Santa Rosa Island	<i>Urocyon littoralis santarosae</i>	CA	\$1,548	\$0	\$1,548
		Kangaroo rat, Fresno	<i>Dipodomys nitratoides exilis</i>	Entire	\$24,000	\$0	\$24,000
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	Entire	\$5,000	\$0	\$5,000
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$1,676,632	\$0	\$1,676,632
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	Entire	\$3,008	\$0	\$3,008
		Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>	Entire	\$3,008	\$0	\$3,008
		Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>	Entire	\$10,000	\$0	\$10,000
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	FL	\$3,008	\$0	\$3,008
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest Alaska DPS	\$39,000	\$0	\$39,000
		Otter, southern sea	<i>Enhydra lutris nereis</i>		\$339,000	\$0	\$339,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Otter, southern sea	<i>Enhydra lutris nereis</i>	south of Pt. Conception, CA	\$154,000	\$0	\$154,000
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	LA and AR east to SC and FL	\$8,008	\$0	\$8,008
		Prairie dog, Utah	<i>Cynomys parvidens</i>	UT	\$13,121	\$0	\$13,121
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>	FL	\$13,008	\$0	\$13,008
		Rice rat	<i>Oryzomys palustris natator</i>	lower FL Keys	\$3,008	\$0	\$3,008
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$15,461	\$0	\$15,461
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$60,000	\$0	\$60,000
		Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>	Entire	\$3,008	\$0	\$3,008
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Entire	\$3,520	\$0	\$3,520
		Wolf, gray	<i>Canis lupus</i>	MN	\$441,202	\$0	\$441,202
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$10,102	\$0	\$10,102
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in EXPN; and portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$170	\$0	\$170
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	Entire	\$3,008	\$0	\$3,008
	Mammals subtotal				\$6,550,370	\$0	\$6,550,370
	Birds	Akekee	<i>Loxops caeruleirostris</i>	Entire	\$26,220	\$0	\$26,220

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus</i> <i>coccineus</i>	Entire	\$71,002	\$0	\$71,002
		Akiapola`au	<i>Hemignathus munroi</i>	Entire	\$71,002	\$0	\$71,002
		Akikiki	<i>Oreomystis bairdi</i>	Entire	\$26,220	\$0	\$26,220
		Albatross, short-tailed	<i>Phoebastria (=Diomedea)</i> <i>albatrus</i>	Entire	\$11,537	\$0	\$11,537
		Caracara, Audubon's crested	<i>Polyborus plancus</i> <i>audubonii</i>	FL pop.	\$3,008	\$0	\$3,008
		Condor, California	<i>Gymnogyps californianus</i>	except where EXPN	\$52,614	\$0	\$52,614
		Condor, California	<i>Gymnogyps californianus</i>	portions of AZ, NV, UT	\$28,287	\$0	\$28,287
		Coot, Hawaiian	<i>Fulica americana alai</i>	Entire	\$12,000	\$0	\$12,000
		Crane, MS sandhill	<i>Grus canadensis pulla</i>	Entire	\$2,040	\$0	\$2,040
		Crane, whooping	<i>Grus americana</i>	Southwestern LA	\$104,780	\$0	\$104,780
		Crane, whooping	<i>Grus americana</i>	AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	\$783,076	\$0	\$783,076
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$194,750	\$0	\$194,750
		Creeper, Hawaii	<i>Oreomystis mana</i>	Entire	\$71,002	\$0	\$71,002
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	Entire	\$39,438	\$0	\$39,438
		Duck, Laysan	<i>Anas laysanensis</i>	Entire	\$132,875	\$0	\$132,875
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$32,000	\$0	\$32,000
		Eider, spectacled	<i>Somateria fischeri</i>	Entire	\$20,000	\$0	\$20,000
		Elepaio, Oahu	<i>Chasiempis sandwichensis</i> <i>ibidis</i>	Entire	\$22,434	\$0	\$22,434
		Finch, Laysan	<i>Telespyza cantans</i>	Entire	\$11,537	\$0	\$11,537
		Finch, Nihoa	<i>Telespyza ultima</i>	Entire	\$40,177	\$0	\$40,177
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$34,000	\$0	\$34,000
		Gnatcatcher, coastal California	<i>Poliptila californica</i> <i>californica</i>	Entire	\$6,600	\$0	\$6,600

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	Entire	\$105,543	\$0	\$105,543
		Honeycreeper, crested	<i>Palmeria dolei</i>	Entire	\$3,085	\$0	\$3,085
		Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>	Entire	\$6,713	\$0	\$6,713
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$259,703	\$0	\$259,703
		Millerbird, Nihoa (old world warbler)	<i>Acrocephalus familiaris kingi</i>	Entire	\$40,177	\$0	\$40,177
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$11,786	\$0	\$11,786
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$154,448	\$0	\$154,448
		Palila (honeycreeper)	<i>Loxioides bailleui</i>	Entire	\$119,753	\$0	\$119,753
		Parrotbill, Maui	<i>Pseudonestor xanthophrys</i>	Entire	\$3,085	\$0	\$3,085
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	Entire	\$16,797	\$0	\$16,797
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$33,597	\$0	\$33,597
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$329,908	\$0	\$329,908
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$11,696	\$0	\$11,696
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	Entire	\$1,706	\$0	\$1,706
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>	Entire	\$25,700	\$0	\$25,700
		Sscrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Entire	\$3,008	\$0	\$3,008
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>	Entire	\$3,000	\$0	\$3,000
		Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>	Entire	\$3,035	\$0	\$3,035
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	Entire	\$3,008	\$0	\$3,008

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	Entire	\$3,008	\$0	\$3,008
		Sparrow, San Clemente sage	<i>Amphispiza belli clementae</i>	Entire	\$16,828	\$0	\$16,828
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$10,800	\$0	\$10,800
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$3,608	\$0	\$3,608
		Tern, California least	<i>Sterna antillarum browni</i>		\$9,599	\$0	\$9,599
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$124,303	\$0	\$124,303
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$3,008	\$0	\$3,008
		Tern, roseate	<i>Sterna dougallii dougallii</i>	NE U.S. nesting pop.	\$177,658	\$0	\$177,658
		Thrush, small Kauai (=puaiohi)	<i>Myadestes palmeri</i>		\$22,434	\$0	\$22,434
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>	Entire	\$127,100	\$0	\$127,100
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	Entire	\$73,000	\$0	\$73,000
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$6,717	\$0	\$6,717
	Birds subtotal				\$3,510,410	\$0	\$3,510,410
	Reptiles	Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$235,890	\$0	\$235,890
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	Entire	\$7,000	\$0	\$7,000
		Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>	Entire	\$18,300	\$0	\$18,300
		Lizard, Island night	<i>Xantusia riversiana</i>	Entire	\$5,000	\$0	\$5,000
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$141,034	\$0	\$141,034
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$26,600	\$0	\$26,600
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$209,426	\$0	\$209,426
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$284,352	\$0	\$284,352
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$5,400	\$0	\$5,400

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>	Entire	\$3,008	\$0	\$3,008
		Skink, sand	<i>Neoseps reynoldsi</i>	Entire	\$3,008	\$0	\$3,008
		Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>	Entire	\$3,008	\$0	\$3,008
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$3,008	\$0	\$3,008
		Snake, giant garter	<i>Thamnophis gigas</i>	Entire	\$136,700	\$0	\$136,700
		Tortoise, desert	<i>Gopherus agassizii</i>	except in Sonoran Desert	\$982,179	\$0	\$982,179
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$44,515	\$0	\$44,515
	Reptiles subtotal				\$2,108,428	\$0	\$2,108,428
	Amphibians	Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$67,000	\$0	\$67,000
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	Entire	\$136,130	\$0	\$136,130
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	Southern CA DPS	\$26,000	\$0	\$26,000
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	Entire	\$3,008	\$0	\$3,008
		Toad, arroyo (=arroyo southwestern)	<i>Anaxyrus californicus</i>	Entire	\$29,000	\$0	\$29,000
	Amphibians subtotal				\$261,138	\$0	\$261,138
	Fishes	Chub, bonytail	<i>Gila elegans</i>	Entire	\$12,619	\$0	\$12,619
		Chub, Gila	<i>Gila intermedia</i>	Entire	\$3,695	\$0	\$3,695
		Chub, humpback	<i>Gila cypha</i>	Entire	\$129,709	\$0	\$129,709
		Chub, Pahrnagat roundtail	<i>Gila robusta jordani</i>	Entire	\$3,010	\$0	\$3,010
		Cui-ui	<i>Chasmistes cujus</i>	Entire	\$154,569	\$0	\$154,569
		Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	Entire	\$3,010	\$0	\$3,010
		Dace, blackside	<i>Phoxinus cumberlandensis</i>	Entire	\$30,000	\$0	\$30,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Dace, Clover Valley speckled	<i>Rhinichthys osculus oligoporus</i>	Entire	\$3,010	\$0	\$3,010
		Dace, desert	<i>Eremichthys acros</i>	Entire	\$3,010	\$0	\$3,010
		Dace, Independence Valley speckled	<i>Rhinichthys osculus lethoporus</i>	Entire	\$3,010	\$0	\$3,010
		Dace, Moapa	<i>Moapa coriacea</i>	Entire	\$34,922	\$0	\$34,922
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>	Entire	\$60,716	\$0	\$60,716
		Eulachon, Pacific	<i>Thaleichthys pacificus</i>	Southern DPS	\$16,256	\$0	\$16,256
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$25,000	\$0	\$25,000
		Madtom, Neosho	<i>Noturus placidus</i>	Entire	\$27,387	\$0	\$27,387
		Minnnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Rio Grande, from Little Box Canyon to Amistad Dam	\$126,921	\$0	\$126,921
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$8,000	\$0	\$8,000
		Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>	Entire	\$3,010	\$0	\$3,010
		Pupfish, desert	<i>Cyprinodon macularius</i>	Entire	\$48,000	\$0	\$48,000
		Rockfish, Canary	<i>Sebastes pinniger</i>	Puget Sound–Georgia Basin DPS	\$5,000	\$0	\$5,000
		Rockfish, Yelloweye	<i>Sebastes ruberrimus</i>	Puget Sound–Georgia Basin DPS	\$5,000	\$0	\$5,000
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$235,000	\$0	\$235,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$25,000	\$0	\$25,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$25,000	\$0	\$25,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$50,000	\$0	\$50,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$123,382	\$0	\$123,382
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento River winter-run ESU	\$18,075	\$0	\$18,075

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$25,000	\$0	\$25,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/summer-run ESU	\$25,000	\$0	\$25,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$100,086	\$0	\$100,086
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$25,000	\$0	\$25,000
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$15,000	\$0	\$15,000
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	summer-run Hood Canal	\$15,000	\$0	\$15,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Central California Coast ESU	\$10,000	\$0	\$10,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$10,000	\$0	\$10,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Oregon Coast ESU	\$27,824	\$0	\$27,824
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Southern OR/Northern CA Coast ESU	\$57,032	\$0	\$57,032
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Ozette Lake, WA	\$15,000	\$0	\$15,000
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River, ID stock	\$15,000	\$0	\$15,000
		Sawfish, smalltooth	<i>Pristis pectinata</i>	TX, FL	\$30,000	\$0	\$30,000
		Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	Entire	\$26,410	\$0	\$26,410
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	Entire	\$25,761	\$0	\$25,761
		Smelt, delta	<i>Hypomesus transpacificus</i>	Entire	\$5,000	\$0	\$5,000
		Spinedace, White River	<i>Lepidomeda albivallis</i>	Entire	\$3,010	\$0	\$3,010
		Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	Entire	\$3,010	\$0	\$3,010
		Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	Entire	\$3,010	\$0	\$3,010

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Springfish, White River	<i>Crenichthys baileyi baileyi</i>	Entire	\$3,010	\$0	\$3,010
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$5,000	\$0	\$5,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$5,000	\$0	\$5,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake R. Basin	\$50,000	\$0	\$50,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	central CA coast	\$5,000	\$0	\$5,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	lower Columbia R.	\$25,000	\$0	\$25,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	middle Columbia R.	\$25,000	\$0	\$25,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	northern CA	\$5,000	\$0	\$5,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	south central CA coast	\$5,000	\$0	\$5,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	southern CA coast	\$5,000	\$0	\$5,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Columbia R. Basin	\$81,621	\$0	\$81,621
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Willamette R.	\$10,000	\$0	\$10,000
		Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>	Entire	\$20,000	\$0	\$20,000
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>		\$30,000	\$0	\$30,000
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	Entire	\$384,476	\$0	\$384,476
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$474,905	\$0	\$474,905
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$74,000	\$0	\$74,000
		Sturgeon, Shovelnose	<i>Scaphirhynchus platyrhynchus</i>	Entire	\$81,906	\$0	\$81,906

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sturgeon, white	<i>Acipenser transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$143,305	\$0	\$143,305
		Sucker, Lost River	<i>Deltistes luxatus</i>	Entire	\$11,032	\$0	\$11,032
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$5,516	\$0	\$5,516
		Sucker, Santa Ana	<i>Catostomus santaanae</i>	3 CA river basins	\$5,000	\$0	\$5,000
		Sucker, shortnose	<i>Chasmistes brevirostris</i>	Entire	\$5,000	\$0	\$5,000
		Trout, Apache	<i>Oncorhynchus apache</i>	Entire	\$28,954	\$0	\$28,954
		Trout, bull	<i>Salvelinus confluentus</i>	lower 48 states	\$484,630	\$0	\$484,630
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii henshawi</i>	Entire	\$11,922	\$0	\$11,922
	Fishes subtotal				\$3,603,731	\$0	\$3,603,731
	Clams	Clubshell	<i>Pleurobema clava</i>	Except where EXPN	\$7,000	\$0	\$7,000
		Clubshell, southern	<i>Pleurobema decisum</i>		\$1,622	\$0	\$1,622
		Kidneyshell, triangular	<i>Ptychobranthus greenii</i>		\$1,622	\$0	\$1,622
		Moccasinshell, Alabama	<i>Medionidus acutissimus</i>		\$1,622	\$0	\$1,622
		Moccasinshell, Coosa	<i>Medionidus parvulus</i>		\$1,622	\$0	\$1,622
		Pigtoe, Georgia	<i>Pleurobema hanleyianum</i>		\$1,622	\$0	\$1,622
		Pigtoe, southern	<i>Pleurobema georgianum</i>		\$1,622	\$0	\$1,622
		Pocketbook, finelined	<i>Lampsilis altilis</i>		\$1,622	\$0	\$1,622
		Slabshell, Chipola	<i>Elliptio chipolaensis</i>		\$40,454	\$0	\$40,454
		Spinymussel, Tar River	<i>Elliptio steinstansana</i>	Entire	\$30,000	\$0	\$30,000
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	Entire	\$106,000	\$0	\$106,000
	Clams subtotal				\$194,808	\$0	\$194,808
	Snails	Abalone, Black	<i>Haliotis cracherodii</i>		\$25,000	\$0	\$25,000
		Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	Entire	\$1,254	\$0	\$1,254

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>		\$10,000	\$0	\$10,000
		Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>	Entire	\$3,000	\$0	\$3,000
	Snails subtotal				\$39,254	\$0	\$39,254
	Insects	Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	Entire	\$66,618	\$0	\$66,618
		Butterfly, Miami Blue	<i>Cyclargus (=Hemiargus) thomasi bethunebakeri</i>		\$35,810	\$0	\$35,810
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	Entire	\$4,710	\$0	\$4,710
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>	Entire	\$6,713	\$0	\$6,713
		Butterfly, Schaus swallowtail	<i>Heracles aristodemus ponceanus</i>	Entire	\$35,810	\$0	\$35,810
		Moth, Blackburn's sphinx	<i>Manduca blackburni</i>		\$2,685	\$0	\$2,685
		Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>	Entire	\$6,713	\$0	\$6,713
	Insects subtotal				\$159,059	\$0	\$159,059
	Crustaceans	Isopod, Madison Cave	<i>Antrolana lira</i>	Entire	\$3,000	\$0	\$3,000
	Crustaceans subtotal				\$3,000	\$0	\$3,000
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$154,568	\$0	\$154,568
		Coral, staghorn	<i>Acropora cervicornis</i>		\$14,604	\$0	\$14,604
	Corals subtotal				\$169,172	\$0	\$169,172
	Flowering Plants	Alani	<i>Melicope adscendens</i>		\$2,855	\$0	\$2,855
		Alani	<i>Melicope balloui</i>		\$170	\$0	\$170
		Alani	<i>Melicope degeneri</i>		\$170	\$0	\$170
		Alani	<i>Melicope hauptuensis</i>		\$170	\$0	\$170
		Alani	<i>Melicope knudsenii</i>		\$2,855	\$0	\$2,855

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Alani	<i>Melicope lydgatei</i>		\$170	\$0	\$170
		Alani	<i>Melicope mucronulata</i>		\$2,855	\$0	\$2,855
		Alani	<i>Melicope munroi</i>		\$170	\$0	\$170
		Alani	<i>Melicope ovalis</i>		\$170	\$0	\$170
		Alani	<i>Melicope pallida</i>		\$170	\$0	\$170
		Alani	<i>Melicope paniculata</i>		\$170	\$0	\$170
		Alani	<i>Melicope puberula</i>		\$170	\$0	\$170
		Alani	<i>Melicope quadrangularis</i>		\$170	\$0	\$170
		Alani	<i>Melicope reflexa</i>		\$170	\$0	\$170
		Alani	<i>Melicope saint-johnii</i>		\$170	\$0	\$170
		Alani	<i>Melicope zahlbruckneri</i>		\$40,482	\$0	\$40,482
		Aupaka	<i>Isodendron hosakae</i>		\$170	\$0	\$170
		Aupaka	<i>Isodendron laurifolium</i>		\$170	\$0	\$170
		Aupaka	<i>Isodendron longifolium</i>		\$170	\$0	\$170
		Awiwi	<i>Centaurium sebaeoides</i>		\$170	\$0	\$170
		Awiwi	<i>Hedyotis cookiana</i>		\$170	\$0	\$170
		A`e	<i>Zanthoxylum dipetalum</i> <i>var. tomentosum</i>		\$170	\$0	\$170
		A`e	<i>Zanthoxylum hawaiiense</i>		\$2,855	\$0	\$2,855
		Barberry, island	<i>Berberis pinnata</i> ssp. <i>insularis</i>		\$2,500	\$0	\$2,500
		Bear-poppy, Dwarf	<i>Arctomecon humilis</i>		\$38,830	\$0	\$38,830
		Bedstraw, island	<i>Galium buxifolium</i>		\$5,000	\$0	\$5,000
		Bluegrass, Hawaiian	<i>Poa sandvicensis</i>		\$170	\$0	\$170
		Bluegrass, Mann's	<i>Poa mannii</i>		\$170	\$0	\$170
		Bush-mallow, Santa Cruz Island	<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>		\$7,500	\$0	\$7,500
		Chaff-flower, round-leaved	<i>Achyranthes splendens</i> <i>var. rotundata</i>		\$170	\$0	\$170
		Evening-primrose, Eureka Valley	<i>Oenothera avita</i> ssp. <i>eurekaensis</i>		\$14,300	\$0	\$14,300
		Gardenia, Hawaiian	<i>Gardenia brighamii</i>		\$170	\$0	\$170

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>		\$7,523	\$0	\$7,523
		Gilia, Hoffmann's slender-flowered	<i>Gilia tenuiflora ssp. hoffmannii</i>		\$5,000	\$0	\$5,000
		Grass, Eureka Dune	<i>Swallenia alexandrae</i>		\$14,300	\$0	\$14,300
		Haha	<i>Cyanea acuminata</i>		\$170	\$0	\$170
		Haha	<i>Cyanea asarifolia</i>		\$170	\$0	\$170
		Haha	<i>Cyanea copelandii ssp. copelandii</i>		\$170	\$0	\$170
		Haha	<i>Cyanea copelandii ssp. haleakalaensis</i>		\$170	\$0	\$170
		Haha	<i>Cyanea dolichopoda</i>		\$170	\$0	\$170
		Haha	<i>Cyanea dunbarii</i>		\$170	\$0	\$170
		Haha	<i>Cyanea eleleensis</i>		\$170	\$0	\$170
		Haha	<i>Cyanea glabra</i>		\$170	\$0	\$170
		Haha	<i>Cyanea grimesiana ssp. grimesiana</i>		\$170	\$0	\$170
		Haha	<i>Cyanea grimesiana ssp. obatae</i>		\$170	\$0	\$170
		Haha	<i>Cyanea hamatiflora ssp. carlsonii</i>		\$170	\$0	\$170
		Haha	<i>Cyanea hamatiflora ssp. hamatiflora</i>		\$170	\$0	\$170
		Haha	<i>Cyanea humboldtiana</i>		\$170	\$0	\$170
		Haha	<i>Cyanea kolekoleensis</i>		\$170	\$0	\$170
		Haha	<i>Cyanea koolauensis</i>		\$170	\$0	\$170
		Haha	<i>Cyanea kuhihewa</i>		\$170	\$0	\$170
		Haha	<i>Cyanea lobata</i>		\$170	\$0	\$170
		Haha	<i>Cyanea longiflora</i>		\$170	\$0	\$170
		Haha	<i>Cyanea macrostegia ssp. gibsonii</i>		\$170	\$0	\$170
		Haha	<i>Cyanea mannii</i>		\$170	\$0	\$170
		Haha	<i>Cyanea mceldowneyi</i>		\$170	\$0	\$170
		Haha	<i>Cyanea pinnatifida</i>		\$170	\$0	\$170

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Haha	<i>Cyanea platyphylla</i>		\$170	\$0	\$170
		Haha	<i>Cyanea procera</i>		\$170	\$0	\$170
		Haha	<i>Cyanea recta</i>		\$170	\$0	\$170
		Haha	<i>Cyanea remyi</i>		\$170	\$0	\$170
		Haha	<i>Cyanea shipmanii</i>		\$2,453	\$0	\$2,453
		Haha	<i>Cyanea st.-johnii</i>		\$170	\$0	\$170
		Haha	<i>Cyanea stictophylla</i>		\$2,453	\$0	\$2,453
		Haha	<i>Cyanea superba</i>		\$170	\$0	\$170
		Haha	<i>Cyanea truncata</i>		\$170	\$0	\$170
		Haha	<i>Cyanea undulata</i>		\$170	\$0	\$170
		Haiwale	<i>Cyrtandra paliku</i>		\$170	\$0	\$170
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$2,453	\$0	\$2,453
		Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>		\$2,453	\$0	\$2,453
		Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>		\$170	\$0	\$170
		Hau kuahiwi	<i>Hibiscadelphus woodii</i>		\$170	\$0	\$170
		Ha`iwale	<i>Cyrtandra crenata</i>		\$170	\$0	\$170
		Ha`iwale	<i>Cyrtandra dentata</i>		\$170	\$0	\$170
		Ha`iwale	<i>Cyrtandra giffardii</i>		\$170	\$0	\$170
		Ha`iwale	<i>Cyrtandra limahuliensis</i>		\$170	\$0	\$170
		Ha`iwale	<i>Cyrtandra munroi</i>		\$170	\$0	\$170
		Ha`iwale	<i>Cyrtandra oenobarba</i>		\$170	\$0	\$170
		Ha`iwale	<i>Cyrtandra polyantha</i>		\$170	\$0	\$170
		Ha`iwale	<i>Cyrtandra subumbellata</i>		\$170	\$0	\$170
		Ha`iwale	<i>Cyrtandra tintinnabula</i>		\$2,453	\$0	\$2,453
		Ha`iwale	<i>Cyrtandra viridiflora</i>		\$170	\$0	\$170
		Heau	<i>Exocarpos luteolus</i>		\$170	\$0	\$170
		Hedyotis, Na Pali beach	<i>Hedyotis st.-johnii</i>		\$2,453	\$0	\$2,453
		Hibiscus, Clay's	<i>Hibiscus clayi</i>		\$170	\$0	\$170
		Holei	<i>Ochrosia kilauaeensis</i>		\$2,453	\$0	\$2,453

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Honohono	<i>Haplostachys haplostachya</i>		\$170	\$0	\$170
		Ho`awa	<i>Pittosporum napaliense</i>		\$170	\$0	\$170
		Iliau, dwarf	<i>Wilkesia hobdyi</i>		\$170	\$0	\$170
		Ischaemum, Hilo	<i>Ischaemum byrone</i>		\$2,453	\$0	\$2,453
		Kamakahala	<i>Labordia cyrtandrae</i>		\$170	\$0	\$170
		Kamakahala	<i>Labordia helleri</i>		\$170	\$0	\$170
		Kamakahala	<i>Labordia lydgatei</i>		\$170	\$0	\$170
		Kamakahala	<i>Labordia pumila</i>		\$170	\$0	\$170
		Kamakahala	<i>Labordia tinifolia</i> var. <i>lanaiensis</i>		\$170	\$0	\$170
		Kamakahala	<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>		\$170	\$0	\$170
		Kamakahala	<i>Labordia triflora</i>		\$170	\$0	\$170
		Kamanomano	<i>Cenchrus agrimonoides</i>		\$2,855	\$0	\$2,855
		Kauai hau kuahiwi	<i>Hibiscadelphus distans</i>		\$170	\$0	\$170
		Kauila	<i>Colubrina oppositifolia</i>		\$170	\$0	\$170
		Kaulu	<i>Pteralyxia kauaiensis</i>		\$170	\$0	\$170
		Kio`ele	<i>Kadua coriacea</i>		\$170	\$0	\$170
		Kiponapona	<i>Phyllostegia racemosa</i>		\$170	\$0	\$170
		Kohe malama malama o kanaloa	<i>Kanaloa kahoolawensis</i>		\$170	\$0	\$170
		Koki`o	<i>Kokia drynarioides</i>		\$170	\$0	\$170
		Koki`o	<i>Kokia kauaiensis</i>		\$170	\$0	\$170
		Koki`o ke`oke`o	<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>		\$170	\$0	\$170
		Koki`o ke`oke`o	<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>		\$170	\$0	\$170
		Koki`o, Cooke's	<i>Kokia cookei</i>		\$170	\$0	\$170
		Kolea	<i>Myrsine juddii</i>		\$170	\$0	\$170
		Kolea	<i>Myrsine knudsenii</i>		\$170	\$0	\$170
		Kolea	<i>Myrsine linearifolia</i>		\$170	\$0	\$170
		Kolea	<i>Myrsine mezii</i>		\$170	\$0	\$170

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Kopa	<i>Hedyotis schlechtendahliana</i> var. <i>remyi</i>		\$170	\$0	\$170
		Kopiko	<i>Psychotria grandiflora</i>		\$170	\$0	\$170
		Kopiko	<i>Psychotria hobdyi</i>		\$170	\$0	\$170
		Ko`oko`olau	<i>Bidens micrantha</i> ssp. <i>kalealaha</i>		\$10,208	\$0	\$10,208
		Ko`oko`olau	<i>Bidens wiebkei</i>		\$170	\$0	\$170
		Ko`oloa`ula	<i>Abutilon menziesii</i>		\$2,855	\$0	\$2,855
		Kuahwi lauahi	<i>Plantago hawaiiensis</i>		\$2,453	\$0	\$2,453
		Kuahwi lauahi	<i>Plantago princeps</i>		\$170	\$0	\$170
		Kuawawaenuhu	<i>Alsindendron lychnoides</i>		\$170	\$0	\$170
		Kula wahine noho	<i>Isodendron pyriformium</i>		\$170	\$0	\$170
		Kulu`i	<i>Nototrichium humile</i>		\$170	\$0	\$170
		Lau`ehu	<i>Panicum niuhauense</i>		\$170	\$0	\$170
		Lauhilihi	<i>Schiedea stellarioides</i>		\$170	\$0	\$170
		Iehua makanoe	<i>Lysimachia daphnoides</i>		\$170	\$0	\$170
		Liliwai	<i>Acaena exigua</i>		\$170	\$0	\$170
		Love grass, Fosberg's	<i>Eragrostis fosbergii</i>		\$170	\$0	\$170
		Lo`ulu	<i>Pritchardia affinis</i>		\$2,453	\$0	\$2,453
		Lo`ulu	<i>Pritchardia kaalae</i>		\$170	\$0	\$170
		Lo`ulu	<i>Pritchardia munroi</i>		\$170	\$0	\$170
		Lo`ulu	<i>Pritchardia napaliensis</i>		\$170	\$0	\$170
		Lo`ulu	<i>Pritchardia remota</i>		\$170	\$0	\$170
		Lo`ulu	<i>Pritchardia schattaueri</i>		\$170	\$0	\$170
		Lo`ulu	<i>Pritchardia viscosa</i>		\$170	\$0	\$170
		Lo`ulu, (=Na`ena`e)	<i>Pritchardia hardyi</i>		\$170	\$0	\$170
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> ssp. <i>kincaidii</i>		\$6,064	\$0	\$6,064
		Mahoe	<i>Alectryon macrococcus</i>		\$2,855	\$0	\$2,855
		Makou	<i>Peucedanum sandwicense</i>		\$170	\$0	\$170
		Malacothrix, Santa Cruz Island	<i>Malacothrix indecora</i>		\$2,500	\$0	\$2,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>		\$5,000	\$0	\$5,000
		Mapele	<i>Cyrtandra cyaneoides</i>		\$170	\$0	\$170
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$2,855	\$0	\$2,855
		Ma`oli`oli	<i>Schiedea apokremnos</i>		\$170	\$0	\$170
		Ma`oli`oli	<i>Schiedea kealiae</i>		\$170	\$0	\$170
		Mehamehame	<i>Flueggea neowawraea</i>		\$2,855	\$0	\$2,855
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>		\$3,000	\$0	\$3,000
		Naenae	<i>Dubautia kalalauensis</i>		\$170	\$0	\$170
		Naenae	<i>Dubautia kenwoodii</i>		\$170	\$0	\$170
		Nani wai`ale`ale	<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>		\$170	\$0	\$170
		Nanu	<i>Gardenia mannii</i>		\$170	\$0	\$170
		Naupaka, dwarf	<i>Scaevola coriacea</i>		\$170	\$0	\$170
		Na`ena`e	<i>Dubautia herbstobatae</i>		\$170	\$0	\$170
		Na`ena`e	<i>Dubautia imbricata imbricata</i>		\$170	\$0	\$170
		Na`ena`e	<i>Dubautia latifolia</i>		\$170	\$0	\$170
		Na`ena`e	<i>Dubautia pauciflorula</i>		\$170	\$0	\$170
		Na`ena`e	<i>Dubautia plantaginea magnifolia</i>		\$170	\$0	\$170
		Na`ena`e	<i>Dubautia plantaginea</i> ssp. <i>humilis</i>		\$170	\$0	\$170
		Na`ena`e	<i>Dubautia waialealae</i>		\$170	\$0	\$170
		Nehe	<i>Lipochaeta fauriei</i>		\$170	\$0	\$170
		Nehe	<i>Lipochaeta kamolensis</i>		\$722,783	\$0	\$722,783
		Nehe	<i>Lipochaeta lobata</i> var. <i>leptophylla</i>		\$170	\$0	\$170
		Nehe	<i>Lipochaeta micrantha</i>		\$170	\$0	\$170
		Nehe	<i>Lipochaeta waimeaensis</i>		\$170	\$0	\$170
		Nehe	<i>Melanthera tenuifolia</i>		\$170	\$0	\$170

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Nioi	<i>Eugenia koolauensis</i>		\$170	\$0	\$170
		No common name	<i>Abutilon eremitopetalum</i>		\$170	\$0	\$170
		No common name	<i>Abutilon sandwicense</i>		\$170	\$0	\$170
		No common name	<i>Achyranthes mutica</i>		\$170	\$0	\$170
		No common name	<i>Alsinidendron viscosum</i>		\$170	\$0	\$170
		No common name	<i>Amaranthus brownii</i>		\$170	\$0	\$170
		No common name	<i>Bonania menziesii</i>		\$2,855	\$0	\$2,855
		No common name	<i>Chamaesyce halemanui</i>		\$170	\$0	\$170
		No common name	<i>Cyanea crispa</i>		\$170	\$0	\$170
		No common name	<i>Cyperus pennatifolius</i>		\$170	\$0	\$170
		No common name	<i>Delissea rhytidosperra</i>		\$170	\$0	\$170
		No common name	<i>Delissea undulata</i>		\$170	\$0	\$170
		No common name	<i>Gahnia lanaiensis</i>		\$170	\$0	\$170
		No common name	<i>Gouania hillebrandii</i>		\$170	\$0	\$170
		No common name	<i>Gouania meyenii</i>		\$170	\$0	\$170
		No common name	<i>Gouania vitifolia</i>		\$170	\$0	\$170
		No common name	<i>Hesperomannia arborescens</i>		\$170	\$0	\$170
		No common name	<i>Hesperomannia arbuscula</i>		\$170	\$0	\$170
		No common name	<i>Hesperomannia lydgatei</i>		\$170	\$0	\$170
		No common name	<i>Kadua degeneri</i>		\$170	\$0	\$170
		No common name	<i>Kadua parvula</i>		\$170	\$0	\$170
		No common name	<i>Keysseria (=Lagenifera) erici</i>		\$170	\$0	\$170
		No common name	<i>Keysseria (=Lagenifera) helenae</i>		\$170	\$0	\$170
		No common name	<i>Lipochaeta venosa</i>		\$170	\$0	\$170
		No common name	<i>Lobelia gaudichaudii ssp. koolauensis</i>		\$170	\$0	\$170
		No common name	<i>Lobelia monostachya</i>		\$170	\$0	\$170
		No common name	<i>Lobelia niihauensis</i>		\$170	\$0	\$170
		No common name	<i>Lobelia oahuensis</i>		\$170	\$0	\$170

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Lyonia truncata</i> var. <i>proctorii</i>		\$170	\$0	\$170
		No common name	<i>Lysimachia filifolia</i>		\$170	\$0	\$170
		No common name	<i>Lysimachia iniki</i>		\$170	\$0	\$170
		No common name	<i>Lysimachia lydgatei</i>		\$170	\$0	\$170
		No common name	<i>Lysimachia maxima</i>		\$170	\$0	\$170
		No common name	<i>Lysimachia pendens</i>		\$170	\$0	\$170
		No common name	<i>Lysimachia scopulensis</i>		\$170	\$0	\$170
		No common name	<i>Lysimachia venosa</i>		\$170	\$0	\$170
		No common name	<i>Mariscus fauriei</i>		\$170	\$0	\$170
		No common name	<i>Munroidendron</i> <i>racemosum</i>		\$170	\$0	\$170
		No common name	<i>Neraudia angulata</i>		\$170	\$0	\$170
		No common name	<i>Neraudia ovata</i>		\$170	\$0	\$170
		No common name	<i>Neraudia sericea</i>		\$9,806	\$0	\$9,806
		No common name	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i>		\$170	\$0	\$170
		No common name	<i>Phyllostegia hirsuta</i>		\$170	\$0	\$170
		No common name	<i>Phyllostegia hispida</i>		\$170	\$0	\$170
		No common name	<i>Phyllostegia kaalaensis</i>		\$170	\$0	\$170
		No common name	<i>Phyllostegia knudsenii</i>		\$170	\$0	\$170
		No common name	<i>Phyllostegia mannii</i>		\$170	\$0	\$170
		No common name	<i>Phyllostegia mollis</i>		\$170	\$0	\$170
		No common name	<i>Phyllostegia parviflora</i>		\$170	\$0	\$170
		No common name	<i>Phyllostegia renovans</i>		\$170	\$0	\$170
		No common name	<i>Phyllostegia velutina</i>		\$2,453	\$0	\$2,453
		No common name	<i>Phyllostegia waimeae</i>		\$170	\$0	\$170
		No common name	<i>Phyllostegia warshaueri</i>		\$170	\$0	\$170
		No common name	<i>Phyllostegia wawrana</i>		\$170	\$0	\$170
		No common name	<i>Platanthera holochila</i>		\$170	\$0	\$170
		No common name	<i>Poa siphonoglossa</i>		\$170	\$0	\$170
		No common name	<i>Remya kauaiensis</i>		\$170	\$0	\$170
		No common name	<i>Remya montgomeryi</i>		\$170	\$0	\$170

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Sanicula mariversa</i>		\$170	\$0	\$170
		No common name	<i>Sanicula purpurea</i>		\$170	\$0	\$170
		No common name	<i>Schiedea attenuata</i>		\$170	\$0	\$170
		No common name	<i>Schiedea haleakalensis</i>		\$170	\$0	\$170
		No common name	<i>Schiedea helleri</i>		\$170	\$0	\$170
		No common name	<i>Schiedea hookeri</i>		\$170	\$0	\$170
		No common name	<i>Schiedea kaalae</i>		\$170	\$0	\$170
		No common name	<i>Schiedea kauaiensis</i>		\$170	\$0	\$170
		No common name	<i>Schiedea lydgatei</i>		\$170	\$0	\$170
		No common name	<i>Schiedea membranacea</i>		\$170	\$0	\$170
		No common name	<i>Schiedea nuttallii</i>		\$170	\$0	\$170
		No common name	<i>Schiedea obovata</i>		\$170	\$0	\$170
		No common name	<i>Schiedea sarmentosa</i>		\$170	\$0	\$170
		No common name	<i>Schiedea spergulina</i> var. <i>leiopoda</i>		\$170	\$0	\$170
		No common name	<i>Schiedea spergulina</i> var. <i>spergulina</i>		\$170	\$0	\$170
		No common name	<i>Schiedea trinervis</i>		\$170	\$0	\$170
		No common name	<i>Schiedea verticillata</i>		\$170	\$0	\$170
		No common name	<i>Silene alexandri</i>		\$170	\$0	\$170
		No common name	<i>Silene hawaiiensis</i>		\$9,680	\$0	\$9,680
		No common name	<i>Silene lanceolata</i>		\$170	\$0	\$170
		No common name	<i>Silene perlmanii</i>		\$170	\$0	\$170
		No common name	<i>Spermolepis hawaiiensis</i>		\$5,138	\$0	\$5,138
		No common name	<i>Stenogyne angustifolia</i> <i>angustifolia</i>		\$2,453	\$0	\$2,453
		No common name	<i>Stenogyne bifida</i>		\$170	\$0	\$170
		No common name	<i>Stenogyne campanulata</i>		\$170	\$0	\$170
		No common name	<i>Stenogyne kanehoana</i>		\$170	\$0	\$170
		No common name	<i>Stenogyne kealiae</i>		\$170	\$0	\$170
		No common name	<i>Tetramolopium arenarium</i>		\$170	\$0	\$170
		No common name	<i>Tetramolopium filiforme</i>		\$170	\$0	\$170

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Tetramolopium lepidotum</i> <i>ssp. lepidotum</i>		\$170	\$0	\$170
		No common name	<i>Tetramolopium remyi</i>		\$170	\$0	\$170
		No common name	<i>Tetramolopium rockii</i>		\$170	\$0	\$170
		No common name	<i>Tetraplasandra</i> <i>bisattenuata</i>		\$170	\$0	\$170
		No common name	<i>Tetraplasandra flynnii</i>		\$170	\$0	\$170
		No common name	<i>Trematobelgia singularis</i>		\$170	\$0	\$170
		No common name	<i>Vigna o-wahuensis</i>		\$2,855	\$0	\$2,855
		No common name	<i>Viola helenae</i>		\$170	\$0	\$170
		No common name	<i>Viola lanaiensis</i>		\$170	\$0	\$170
		No common name	<i>Viola oahuensis</i>		\$170	\$0	\$170
		No common name	<i>Xylosma crenatum</i>		\$170	\$0	\$170
		Nohoanu	<i>Geranium kauaiense</i>		\$170	\$0	\$170
		Nohoanu	<i>Geranium multiflorum</i>		\$7,523	\$0	\$7,523
		Oha	<i>Delissea rivularis</i>		\$170	\$0	\$170
		Oha	<i>Delissea subcordata</i>		\$170	\$0	\$170
		Ohai	<i>Sesbania tomentosa</i>		\$5,138	\$0	\$5,138
		Olulu	<i>Brighamia insignis</i>		\$170	\$0	\$170
		Opuhe	<i>Urera kaalae</i>		\$170	\$0	\$170
		Paintbrush, soft-leaved	<i>Castilleja mollis</i>		\$7,500	\$0	\$7,500
		Pamakani	<i>Tetramolopium capillare</i>		\$170	\$0	\$170
		Pamakani	<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>		\$170	\$0	\$170
		Panicgrass, Carter's	<i>Panicum fauriei</i> var. <i>carteri</i>		\$170	\$0	\$170
		Papala	<i>Charpentiera densiflora</i>		\$170	\$0	\$170
		Pa`iniu	<i>Astelia waialealae</i>		\$170	\$0	\$170
		Phacelia, island	<i>Phacelia insularis</i> ssp. <i>insularis</i>		\$7,500	\$0	\$7,500
		Pilo	<i>Hedyotis mannii</i>		\$170	\$0	\$170
		Pilo kea lau li`i	<i>Platydesma rostrata</i>		\$170	\$0	\$170

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Popolo ku mai	<i>Solanum incompletum</i>		\$2,855	\$0	\$2,855
		Po`e	<i>Portulaca sclerocarpa</i>		\$2,453	\$0	\$2,453
		Pua `ala	<i>Brighamia rockii</i>		\$170	\$0	\$170
		Pu`uka`a	<i>Cyperus trachysanthos</i>		\$170	\$0	\$170
		Remya, Maui	<i>Remya mauiensis</i>		\$170	\$0	\$170
		Rock-cress, Hoffmann's	<i>Arabis hoffmannii</i>		\$7,500	\$0	\$7,500
		Rush-rose, island	<i>Helianthemum greenei</i>		\$5,000	\$0	\$5,000
		Sandalwood, Lanai (= `iliahi)	<i>Santalum freycinetianum</i> <i>var. lanaiense</i>		\$170	\$0	\$170
		Schiedea, Diamond Head	<i>Schiedea adamantis</i>		\$170	\$0	\$170
		Silversword, Mauna Loa (=Ka'u)	<i>Argyroxiphium kauense</i>		\$2,453	\$0	\$2,453
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$60,189	\$0	\$60,189
		Uhiuhi	<i>Caesalpinia kavaense</i>		\$170	\$0	\$170
		Vetch, Hawaiian	<i>Vicia menziesii</i>		\$170	\$0	\$170
		Wahane	<i>Pritchardia aylmer- robinsonii</i>		\$170	\$0	\$170
		`Ahinahina	<i>Argyroxiphium</i> <i>sand wicense ssp.</i> <i>macrocephalum</i>		\$34,453	\$0	\$34,453
		`Ahinahina	<i>Argyroxiphium sand- wicense ssp. sandwicense</i>		\$170	\$0	\$170
		`Aiakeakua, popolo	<i>Solanum sandwicense</i>		\$170	\$0	\$170
		`Aiea	<i>Nothoestrum breviflorum</i>		\$2,453	\$0	\$2,453
		`Aiea	<i>Nothoestrum peltatum</i>		\$170	\$0	\$170
		`Akoko	<i>Chamaesyce celastroides</i> <i>var. kaenana</i>		\$170	\$0	\$170
		`Akoko	<i>Chamaesyce deppeana</i>		\$170	\$0	\$170
		`Akoko	<i>Chamaesyce eleanoriae</i>		\$170	\$0	\$170
		`Akoko	<i>Chamaesyce herbstii</i>		\$170	\$0	\$170
		`Akoko	<i>Chamaesyce kuwaleana</i>		\$170	\$0	\$170

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		`Akoko	<i>Chamaesyce remyi</i> var. <i>kauaiensis</i>		\$170	\$0	\$170
		`Akoko	<i>Chamaesyce remyi</i> var. <i>remyi</i>		\$170	\$0	\$170
		`Akoko	<i>Chamaesyce rockii</i>		\$170	\$0	\$170
		`Akoko	<i>Euphorbia haeleleana</i>		\$170	\$0	\$170
		`Akoko, Ewa Plains	<i>Chamaesyce skottsbergii</i> var. <i>skottsbergii</i>		\$170	\$0	\$170
		`Anaunau	<i>Lepidium arbuscula</i>		\$170	\$0	\$170
		`Anunu	<i>Sicyos alba</i>		\$2,381	\$0	\$2,381
		`Awikiwiki	<i>Canavalia molokaiensis</i>		\$170	\$0	\$170
		`Awikiwiki	<i>Canavalia napaliensis</i>		\$170	\$0	\$170
		`Oha wai	<i>Clermontia</i> <i>drepanomorpha</i>		\$170	\$0	\$170
		`Oha wai	<i>Clermontia lindseyana</i>		\$2,453	\$0	\$2,453
		`Oha wai	<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>		\$170	\$0	\$170
		`Oha wai	<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>		\$170	\$0	\$170
		`Oha wai	<i>Clermontia peleana</i>		\$2,453	\$0	\$2,453
		`Oha wai	<i>Clermontia pyrularia</i>		\$170	\$0	\$170
		`Oha wai	<i>Clermontia samuelii</i>		\$170	\$0	\$170
		`Ohe`ohe	<i>Tetraplasandra</i> <i>gymnocarpa</i>		\$170	\$0	\$170
	Flowering Plants subtotal				\$1,167,809	\$0	\$1,167,809
	Ferns and Allies	Aumakua, Palapalai	<i>Dryopteris crinalis</i> var. <i>podosorus</i>		\$170	\$0	\$170
		Diellia, asplenium- leaved	<i>Diellia erecta</i>		\$170	\$0	\$170
		Fern, pendant kihi	<i>Adenophorus periens</i>		\$2,381	\$0	\$2,381
		Ihi`ihi	<i>Marsilea villosa</i>		\$170	\$0	\$170
		No common name	<i>Asplenium fragile insulare</i>		\$2,453	\$0	\$2,453
		No common name	<i>Diellia falcata</i>		\$7,523	\$0	\$7,523

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Diellia mannii</i>		\$170	\$0	\$170
		No common name	<i>Diellia pallida</i>		\$170	\$0	\$170
		No common name	<i>Diellia unisora</i>		\$170	\$0	\$170
		No common name	<i>Diplazium molokaiense</i>		\$7,523	\$0	\$7,523
		No common name	<i>Doryopteris angelica</i>		\$170	\$0	\$170
		No common name	<i>Pteris lidgatei</i>		\$170	\$0	\$170
		Pauoa	<i>Ctenitis squamigera</i>		\$170	\$0	\$170
		Wawae`iole	<i>Huperzia mannii</i>		\$7,523	\$0	\$7,523
		Wawae`iole	<i>Huperzia nutans</i>		\$170	\$0	\$170
	Ferns and Allies subtotal				\$29,103	\$0	\$29,103
Domestic subtotal					\$17,796,282	\$0	\$17,796,282
Foriegn	Mammals	Manatee, Amazonian	<i>Trichechus inunguis</i>	Entire	\$30,035	\$0	\$30,035
	Mammals subtotal				\$30,035	\$0	\$30,035
	Birds	Crane, black-necked	<i>Grus nigricollis</i>	Entire	\$240	\$0	\$240
	Birds subtotal				\$240	\$0	\$240
	Reptiles	Iguana, Fiji banded	<i>Brachylophus fasciatus</i>	Entire	\$9,000	\$0	\$9,000
		Iguana, Fiji crested	<i>Brachylophus vitiensis</i>	Entire	\$9,000	\$0	\$9,000
	Reptiles subtotal				\$18,000	\$0	\$18,000
Foriegn subtotal					\$48,275	\$0	\$48,275
Domestic	Multi-Species				\$283,962	\$0	\$283,962
Grand Total					\$18,128,519	\$0	\$18,128,519

DOT Federal Aviation Administration--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$2,000	\$0	\$2,000
		Bear, polar	<i>Ursus maritimus</i>	Entire	\$5,000	\$0	\$5,000
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	CA	\$290,000	\$0	\$290,000
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest AK DPS	\$137,000	\$0	\$137,000
	Mammals subtotal				\$434,000	\$0	\$434,000
	Birds	Crane, whooping	<i>Grus americana</i>	except where EXPN	\$2,000	\$0	\$2,000
		Eider, spectacled	<i>Somateria fischeri</i>	Entire	\$5,000	\$0	\$5,000
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$57,500	\$0	\$57,500
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>	Entire	\$290,000	\$0	\$290,000
		Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Entire	\$35,000	\$0	\$35,000
	Birds subtotal				\$389,500	\$0	\$389,500
	Reptiles	Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	Entire	\$2,000	\$0	\$2,000
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$65,000	\$0	\$65,000
	Reptiles subtotal				\$67,000	\$0	\$67,000
	Amphibians	Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$3,000	\$0	\$3,000
	Amphibians subtotal				\$3,000	\$0	\$3,000
	Fishes	Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	Entire	\$118,294	\$0	\$118,294
	Fishes subtotal				\$118,294	\$0	\$118,294
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$10,000	\$0	\$10,000
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	Entire	\$6,000	\$0	\$6,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Insects subtotal				\$16,000	\$0	\$16,000
	Flowering Plants	Lily, Western	<i>Lilium occidentale</i>		\$6,000	\$0	\$6,000
	Flowering Plants subtotal				\$6,000	\$0	\$6,000
	Multi-Species				\$71,780	\$0	\$71,780
Grand Total					\$1,105,574	\$0	\$1,105,574

DOT Federal Highway Administration--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$12,160	\$0	\$12,160
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	Entire	\$1,500	\$0	\$1,500
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$5,776,501	\$17,199,600	\$22,976,101
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	Entire	\$6,000	\$0	\$6,000
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	Entire	\$68,000	\$0	\$68,000
		Bear, grizzly	<i>Ursus arctos horribilis</i>	portions of ID, MT	\$191,000	\$0	\$191,000
		Bear, polar	<i>Ursus maritimus</i>	Entire	\$500	\$0	\$500
		Bison, wood	<i>Bison bison athabascaae</i>	Entire	\$300	\$0	\$300
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mt. pop	\$1,000	\$0	\$1,000
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$5,800	\$0	\$5,800
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$17,900	\$0	\$17,900
		Ferret, black-footed	<i>Mustela nigripes</i>	except where EXPN	\$8,000	\$0	\$8,000
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	CA	\$1,645,522	\$0	\$1,645,522
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	TX,Mexico	\$300	\$0	\$300
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>	Entire	\$125,373	\$25,583	\$150,956
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$47,350	\$0	\$47,350
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$121,090	\$0	\$121,090
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	Entire	\$800	\$0	\$800
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$297,900	\$0	\$297,900
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	FL	\$62,400	\$0	\$62,400
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	AZ, TX to Central and South America	\$21,500	\$0	\$21,500
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	LA and AR east to SC and FL	\$221,400	\$0	\$221,400

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Prairie dog, Utah	<i>Cynomys parvidens</i>	UT	\$94,500	\$0	\$94,500
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$90,800	\$0	\$90,800
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	Entire	\$1,100	\$0	\$1,100
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	Entire	\$5,000	\$0	\$5,000
		Squirrel, Virginia northern flying	<i>Glaucomys sabrinus fuscus</i>	Entire	\$120,000	\$0	\$120,000
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$25,000	\$0	\$25,000
		Whale, killer	<i>Orcinus orca</i>	So. Resident DPS	\$80,500	\$0	\$80,500
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included inEXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$11,500	\$0	\$11,500
		Wolf, red	<i>Canis rufus</i>	portions of NC and TN	\$500	\$0	\$500
	Mammals subtotal				\$9,061,196	\$17,225,183	\$26,286,379
	Birds	Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$106,470	\$0	\$106,470
		Condor, California	<i>Gymnogyps californianus</i>	portions of AZ, NV, UT	\$3,500	\$0	\$3,500
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, and western WY	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Crane, whooping	<i>Grus americana</i>	AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	\$37,400	\$0	\$37,400
		Eider, spectacled	<i>Somateria fischeri</i>	Entire	\$300	\$0	\$300
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$10,000	\$0	\$10,000
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Except where listed as EXPN	\$6,600	\$0	\$6,600
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$115,500	\$0	\$115,500
		Gnatcatcher, coastal California	<i>Poliotilta californica californica</i>	Entire	\$100,000	\$430,000	\$530,000
		Hawk, Hawaiian (=lo)	<i>Buteo solitarius</i>	Entire	\$1,500	\$0	\$1,500
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$21,900	\$0	\$21,900
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$148,300	\$0	\$148,300
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$28,000	\$0	\$28,000
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$186,300	\$0	\$186,300
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	Entire	\$1,500	\$0	\$1,500
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$1,100	\$0	\$1,100
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$120,090	\$0	\$120,090
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$1,300	\$0	\$1,300
		Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Entire	\$37,230	\$0	\$37,230
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>	Entire	\$1,500	\$0	\$1,500
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$4,890,532	\$0	\$4,890,532
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$98,900	\$0	\$98,900
		Tern, roseate	<i>Sterna dougallii dougallii</i>	NE U.S. nesting pop.	\$1,000	\$0	\$1,000
		Vireo, black-capped	<i>Vireo atricapilla</i>	Entire	\$20,600	\$0	\$20,600

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>	Entire	\$114,322	\$40,000	\$154,322
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	Entire	\$665,500	\$0	\$665,500
		Warbler, Kirtland's	<i>Dendroica kirtlandii</i>	Entire	\$1,000	\$0	\$1,000
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$217,752	\$0	\$217,752
	Birds subtotal				\$6,938,196	\$470,000	\$7,408,196
	Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	Entire	\$4,300	\$0	\$4,300
		Boa, Virgin Islands tree	<i>Epicrates monensis granti</i>	Entire	\$22,516	\$0	\$22,516
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$51,200	\$0	\$51,200
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$8,760	\$0	\$8,760
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$8,160	\$0	\$8,160
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$960	\$0	\$960
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$8,000	\$0	\$8,000
		Sea turtle, loggerhead	<i>Caretta caretta</i>	NW Atlantic DPS	\$8,560	\$0	\$8,560
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>	Entire	\$4,500	\$0	\$4,500
		Skink, sand	<i>Neoseps reynoldsi</i>	Entire	\$707,500	\$0	\$707,500
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	IN, MI, OH	\$500	\$0	\$500
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$49,142	\$0	\$49,142
		Snake, giant garter	<i>Thamnophis gigas</i>	Entire	\$432,880	\$0	\$432,880
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	Entire	\$671,000	\$1,750,000	\$2,421,000
		Tortoise, desert	<i>Gopherus agassizii</i>	except in Sonoran Desert	\$152,500	\$0	\$152,500
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$809,300	\$0	\$809,300
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/Tombigbee Rs.	\$67,412	\$0	\$67,412
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$697,675	\$0	\$697,675

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$133	\$0	\$133
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>	Entire	\$16,900	\$0	\$16,900
	Reptiles subtotal				\$3,721,898	\$1,750,000	\$5,471,898
	Amphibians	Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$4,070,200	\$2,025,000	\$6,095,200
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern CA DPS	\$776,000	\$776,000	\$1,552,000
		Salamander, Barton Springs	<i>Eurycea sosorum</i>	Entire	\$200	\$0	\$200
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara County	\$833,300	\$0	\$833,300
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Sonoma County	\$833,300	\$0	\$833,300
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$833,300	\$0	\$833,300
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	Entire	\$1,006	\$0	\$1,006
		Salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>	Entire	\$42,500	\$0	\$42,500
		Toad, Houston	<i>Bufo houstonensis</i>	Entire	\$153,400	\$0	\$153,400
	Amphibians subtotal				\$7,543,206	\$2,801,000	\$10,344,206
	Fishes	Chub, bonytail	<i>Gila elegans</i>	Entire	\$28,400	\$0	\$28,400
		Chub, humpback	<i>Gila cypha</i>	Entire	\$11,000	\$0	\$11,000
		Chub, Oregon	<i>Oregonichthys crameri</i>	Entire	\$14,300	\$0	\$14,300
		Chub, slender	<i>Erimystax cahni</i>	TN - portions of the French Broad and Holston Rivers	\$700	\$0	\$700
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$2,852	\$0	\$2,852
		Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	Entire	\$53,161	\$0	\$53,161
		Dace, Laurel	<i>Chrosomus saylori</i>	Entire	\$4,000	\$0	\$4,000
		Darter, amber	<i>Percina antesella</i>	Entire	\$1,239	\$0	\$1,239

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Darter, Cherokee	<i>Etheostoma scotti</i>	Entire	\$2,275	\$0	\$2,275
		Darter, Etowah	<i>Etheostoma etowahae</i>	Entire	\$291	\$0	\$291
		Darter, fountain	<i>Etheostoma fonticola</i>	Entire	\$31,500	\$0	\$31,500
		Darter, goldline	<i>Percina aurolineata</i>	Entire	\$1,058	\$0	\$1,058
		Darter, leopard	<i>Percina pantherina</i>	Entire	\$5,000	\$0	\$5,000
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>	Entire	\$37,500	\$0	\$37,500
		Darter, snail	<i>Percina tanasi</i>	Entire	\$1,984	\$0	\$1,984
		Eulachon, Pacific	<i>Thaleichthys pacificus</i>	Southern DPS	\$24,183	\$0	\$24,183
		Logperch, Conasauga	<i>Percina jenkinsi</i>	Entire	\$1,133	\$0	\$1,133
		Logperch, Roanoke	<i>Percina rex</i>	Entire	\$18,500	\$0	\$18,500
		Madtom, Neosho	<i>Noturus placidus</i>	Entire	\$6,000	\$0	\$6,000
		Madtom, pygmy	<i>Noturus stanauli</i>	TN - portions of the French Broad and Holston Rivers	\$24,700	\$0	\$24,700
		Minnow, loach	<i>Tiaroga cobitis</i>	Entire	\$3,277	\$0	\$3,277
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$42,300	\$0	\$42,300
		Pupfish, desert	<i>Cyprinodon macularius</i>	Entire	\$578	\$0	\$578
		Rockfish, Canary	<i>Sebastes pinniger</i>	Puget Sound/Georgia Basin DPS	\$60,600	\$0	\$60,600
		Rockfish, Yelloweye	<i>Sebastes ruberrimus</i>	Puget Sound/Georgia Basin DPS	\$60,600	\$0	\$60,600
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$15,000	\$0	\$15,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$1,248,000	\$0	\$1,248,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento River winter-run ESU	\$1,248,000	\$0	\$1,248,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$60,000	\$0	\$60,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/summer-run ESU	\$2,300	\$0	\$2,300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$52,300	\$0	\$52,300
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River, ID stock	\$106,000	\$0	\$106,000
		Sawfish, smalltooth	<i>Pristis pectinata</i>	TX, FL	\$9,990	\$0	\$9,990
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$169,722	\$0	\$169,722
		Shiner, blue	<i>Cyprinella caerulea</i>	Entire	\$2,058	\$0	\$2,058
		Shiner, Cape Fear	<i>Notropis mekistocholas</i>	Entire	\$18,000	\$0	\$18,000
		Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	Entire	\$10,500	\$0	\$10,500
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	Entire	\$5,000	\$0	\$5,000
		Silverside, Waccamaw	<i>Menidia extensa</i>	Entire	\$1,600	\$0	\$1,600
		Spikedace	<i>Meda fulgida</i>	Entire	\$2,024	\$0	\$2,024
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$1,248,000	\$0	\$1,248,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	central CA coast	\$2,023,000	\$0	\$2,023,000
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>		\$160,900	\$0	\$160,900
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	Entire	\$64,300	\$0	\$64,300
		Sturgeon, North American green	<i>Acipenser medirostris</i>	CA- Southern DPS	\$1,304,573	\$0	\$1,304,573
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$9,100	\$0	\$9,100
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$155,700	\$0	\$155,700
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$34,000	\$0	\$34,000
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$500	\$0	\$500
		Trout, bull	<i>Salvelinus confluentus</i>	lower 48 states	\$238,658	\$0	\$238,658
		Trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>	Entire	\$4,500	\$0	\$4,500
		Woundfin	<i>Plagopterus argentissimus</i>	Gila R. drainage, AZ, NM	\$12,161	\$0	\$12,161

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Woundfin	<i>Plagopterus argentissimus</i>	except Gila R. drainage, AZ, NM	\$28,000	\$0	\$28,000
	Fishes subtotal				\$8,671,017	\$0	\$8,671,017
	Clams	Acornshell, southern	<i>Epioblasma othcaloogensis</i>		\$1,058	\$0	\$1,058
		Bankclimber, purple (mussel)	<i>Elliptioideus sloatianus</i>		\$46,000	\$0	\$46,000
		Bean, purple	<i>Villosa perpurpurea</i>		\$700	\$0	\$700
		Bean, rayed	<i>Villosa fabalis</i>		\$41,000	\$0	\$41,000
		Blossom, green (pearlymussel)	<i>Epioblasma torulosa gubernaculum</i>	Entire	\$700	\$0	\$700
		Clubshell	<i>Pleurobema clava</i>	Except where listed as EXPN	\$147,910	\$0	\$147,910
		Clubshell, ovate	<i>Pleurobema perovatum</i>		\$31,223	\$0	\$31,223
		Clubshell, southern	<i>Pleurobema decisum</i>		\$5,047	\$0	\$5,047
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	TN - portions of the French Broad and Holston Rivers	\$1,200	\$0	\$1,200
		Combshell, upland	<i>Epioblasma metastrata</i>		\$3,281	\$0	\$3,281
		Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	Entire	\$16,000	\$0	\$16,000
		Fanshell	<i>Cyprogenia stegaria</i>	TN - portions of the French Broad and Holston Rivers	\$700	\$0	\$700
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>	Entire	\$9,000	\$0	\$9,000
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	Entire	\$119,814	\$0	\$119,814
		Kidneyshell, triangular	<i>Ptychobranthus greenii</i>		\$3,230	\$0	\$3,230
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Except where EXPN	\$12,500	\$0	\$12,500
		Moccasinshell, Alabama	<i>Medionidus acutissimus</i>		\$2,064	\$0	\$2,064
		Moccasinshell, Coosa	<i>Medionidus parvulus</i>		\$2,064	\$0	\$2,064
		Moccasinshell, Gulf	<i>Medionidus penicillatus</i>		\$2,434	\$0	\$2,434
		Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>		\$1,264	\$0	\$1,264

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Monkeyface, Appalachian (pearlymussel)	<i>Quadrula sparsa</i>	TN - portions of the French Broad and Holston Rivers	\$700	\$0	\$700
		Monkeyface, Cumberland (pearlymussel)	<i>Quadrula intermedia</i>	TN - portions of the French Broad and Holston Rivers	\$700	\$0	\$700
		Mucket, orangenacre	<i>Lampsilis perovalis</i>		\$3,216	\$0	\$3,216
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Entire	\$12,700	\$0	\$12,700
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Except where EXPN	\$500	\$0	\$500
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	TN - portions of the French Broad and Holston Rivers	\$1,200	\$0	\$1,200
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$12,500	\$0	\$12,500
		Mussel, sheepnose	<i>Plethobasus cyphus</i>		\$3,200	\$0	\$3,200
		Mussel, snuffbox	<i>Epioblasma triquetra</i>		\$398,925	\$0	\$398,925
		Pearlymussel, birdwing	<i>Lemiox rimosus</i>	TN - portions of the French Broad and Holston Rivers	\$1,200	\$0	\$1,200
		Pearlymussel, cracking	<i>Hemistena lata</i>	TN - portions of the French Broad and Holston Rivers	\$700	\$0	\$700
		Pearlymussel, dromedary	<i>Dromus dromas</i>	TN - specified portions of the French Broad and Holston Rivers	\$700	\$0	\$700
		Pearlymussel, littlewing	<i>Pegias fabula</i>	Entire	\$4,500	\$0	\$4,500
		Pigtoe, finereyed	<i>Fusconaia cuneolus</i>	TN - portions of the French Broad and Holston Rivers	\$700	\$0	\$700
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$2,275	\$0	\$2,275
		Pigtoe, rough	<i>Pleurobema plenum</i>	TN - portions of the French Broad and Holston Rivers	\$700	\$0	\$700

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pigtoe, shiny	<i>Fusconaia cor</i>	TN - specified portions of the French Broad and Holston Rivers	\$700	\$0	\$700
		Pigtoe, southern	<i>Pleurobema georgianum</i>		\$1,958	\$0	\$1,958
		Pocketbook, fat	<i>Potamilus capax</i>	Entire	\$5,661	\$0	\$5,661
		Pocketbook, finelined	<i>Lampsilis altilis</i>		\$10,896	\$0	\$10,896
		Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	Entire	\$12,500	\$0	\$12,500
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$2,581	\$0	\$2,581
		Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>		\$700	\$0	\$700
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	Entire	\$56,152	\$0	\$56,152
		Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)	Entire	\$3,500	\$0	\$3,500
		Spectaclecase (mussel)	<i>Cumberlandia monodonta</i>		\$1,500	\$0	\$1,500
		Spinymussel, Altamaha	<i>Elliptio spinosa</i>	Entire	\$1,400	\$0	\$1,400
		Spinymussel, James	<i>Pleurobema collina</i>	Entire	\$27,000	\$0	\$27,000
		Spinymussel, Tar River	<i>Elliptio steinstansana</i>	Entire	\$18,000	\$0	\$18,000
		Three-ridge, fat (mussel)	<i>Amblema neislerii</i>		\$1,058	\$0	\$1,058
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	Entire	\$93,800	\$0	\$93,800
	Clams subtotal				\$1,129,011	\$0	\$1,129,011
	Snails	Lioplax, cylindrical (snail)	<i>Lioplax cyclostomaformis</i>	Entire	\$186	\$0	\$186
		Rocksnailed, interrupted (=Georgia)	<i>Leptoxis foremani</i>		\$133	\$0	\$133
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	Entire	\$500	\$0	\$500
		Snail, Snake River physa	<i>Physa natricina</i>	Entire	\$5,500	\$0	\$5,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Snail, Virginia fringed mountain	<i>Polygyriscus virginianus</i>	Entire	\$26,500	\$0	\$26,500
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	Entire	\$500	\$0	\$500
	Snails subtotal				\$33,319	\$0	\$33,319
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$149,600	\$0	\$149,600
		Beetle, Coffin Cave mold	<i>Batrisodes texanus</i>	Entire	\$500	\$0	\$500
		Beetle, Hungerford's crawling water	<i>Brychius hungerfordi</i>	Entire	\$500	\$0	\$500
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Entire	\$517,000	\$11,200	\$528,200
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$14,200	\$0	\$14,200
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	Entire	\$5,320	\$8,000	\$13,320
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	Entire	\$29,000	\$0	\$29,000
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	Entire	\$9,150	\$0	\$9,150
		Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	Entire	\$500	\$0	\$500
		Butterfly, Uncompahgre fritillary	<i>Boloria acrocneuma</i>	Entire	\$300	\$0	\$300
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$4,480	\$0	\$4,480
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>	Entire	\$400	\$0	\$400
	Insects subtotal				\$730,950	\$19,200	\$750,150
	Arachnids	Harvestman, Bone Cave	<i>Texella reyesi</i>	Entire	\$500	\$0	\$500
		Meshweaver, Braken Bat Cave	<i>Cicurina venii</i>		\$130,500	\$0	\$130,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Meshweaver, Madla's Cave	<i>Cicurina madla</i>		\$200	\$0	\$200
	Arachnids subtotal				\$131,200	\$0	\$131,200
	Crustaceans	Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	Entire	\$1,035,400	\$11,200	\$1,046,600
		Isopod, Madison Cave	<i>Antrolana lira</i>	Entire	\$45,000	\$0	\$45,000
		Shrimp, California freshwater	<i>Syncaris pacifica</i>	Entire	\$87,500	\$0	\$87,500
	Crustaceans subtotal				\$1,167,900	\$11,200	\$1,179,100
	Flowering Plants	Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$1,400	\$0	\$1,400
		Amphianthus, little	<i>Amphianthus pusillus</i>		\$1,270	\$0	\$1,270
		Aster, decurrent false	<i>Boltonia decurrens</i>		\$1,865	\$0	\$1,865
		Bear-poppy, Dwarf	<i>Arctomecon humilis</i>		\$50,500	\$0	\$50,500
		Beargrass, Britton's	<i>Nolina brittoniana</i>		\$1,000	\$0	\$1,000
		Beauty, Harper's	<i>Harperocallis flava</i>		\$2,100	\$0	\$2,100
		Birds-in-a-nest, white	<i>Macbridea alba</i>		\$1,000	\$0	\$1,000
		Bittercress, small-anthered	<i>Cardamine micranthera</i>		\$1,000	\$0	\$1,000
		Bladderpod, Zapata	<i>Lesquerella thamnophila</i>		\$300	\$0	\$300
		Blazingstar, Heller's	<i>Liatris helleri</i>		\$1,000	\$0	\$1,000
		Blazingstar, scrub	<i>Liatris ohlingeriae</i>		\$1,800	\$0	\$1,800
		Bluet, Roan Mountain	<i>Hedyotis purpurea</i> var. <i>montana</i>		\$1,000	\$0	\$1,000
		Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>		\$1,500	\$0	\$1,500
		Butterfly plant, Colorado	<i>Gaura neomexicana</i> var. <i>coloradensis</i>		\$7,350	\$0	\$7,350
		Butterwort, Godfrey's	<i>Pinguicula ionantha</i>		\$2,000	\$0	\$2,000
		Button, Mohr's Barbara	<i>Marshallia mohrii</i>		\$133	\$0	\$133

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>		\$14,547	\$0	\$14,547
		Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>		\$1,700	\$0	\$1,700
		Cactus, Knowlton's	<i>Pediocactus knowltonii</i>		\$100	\$0	\$100
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$1,600	\$0	\$1,600
		Cactus, Tobusch fishhook	<i>Sclerocactus brevihamatus</i> ssp. <i>tobuschii</i>		\$200	\$0	\$200
		Campion, fringed	<i>Silene polypetala</i>		\$724	\$0	\$724
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$14,523	\$0	\$14,523
		Chaffseed, American	<i>Schwalbea americana</i>		\$500	\$0	\$500
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$16,357	\$0	\$16,357
		Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana</i> var. <i>calva</i>		\$10,286	\$0	\$10,286
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$81,103	\$0	\$81,103
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$500	\$0	\$500
		Daisy, Lakeside	<i>Hymenoxys herbacea</i>		\$500	\$0	\$500
		Daisy, Willamette	<i>Erigeron decumbens</i> var. <i>decumbens</i>		\$2,150	\$0	\$2,150
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$8,657	\$0	\$8,657
		Dogweed, ashy	<i>Thymophylla tephroleuca</i>		\$1,500	\$0	\$1,500
		Dropwort, Canby's	<i>Oxypolis canbyi</i>		\$1,373	\$0	\$1,373
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$500	\$0	\$500
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$650	\$0	\$650
		Gerardia, sandplain	<i>Agalinis acuta</i>		\$1,000	\$0	\$1,000
		Goldenrod, Houghton's	<i>Solidago houghtonii</i>		\$2,500	\$0	\$2,500
		Goldfields, Burke's	<i>Lasthenia burkei</i>		\$450,300	\$0	\$450,300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>		\$1,353	\$0	\$1,353
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$10,000	\$0	\$10,000
		Harperella	<i>Ptilimnium nodosum</i>		\$1,924	\$0	\$1,924
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$161,000	\$0	\$161,000
		Howellia, water	<i>Howellia aquatilis</i>		\$10,858	\$0	\$10,858
		Hypericum, highlands scrub	<i>Hypericum cumulicola</i>		\$1,000	\$0	\$1,000
		Iris, dwarf lake	<i>Iris lacustris</i>		\$3,000	\$0	\$3,000
		Irisette, white	<i>Sisyrinchium dichotomum</i>		\$6,500	\$0	\$6,500
		Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$400	\$0	\$400
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$97,505	\$0	\$97,505
		Leather flower, Alabama	<i>Clematis socialis</i>		\$133	\$0	\$133
		Lily, Western	<i>Lilium occidentale</i>		\$650	\$0	\$650
		Lomatium, Cook's	<i>Lomatium cookii</i>		\$8,500	\$0	\$8,500
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$1,000	\$0	\$1,000
		Lousewort, Furbish	<i>Pedicularis furbishiae</i>		\$100	\$0	\$100
		Lupine, Kincaid's	<i>Lupinus sulphureus ssp. kincaidii</i>		\$15,207	\$0	\$15,207
		Meadowfoam, large-flowered woolly	<i>Limnanthes floccosa ssp. grandiflora</i>		\$7,750	\$0	\$7,750
		Meadowfoam, Sebastopol	<i>Limnanthes vinculans</i>		\$450,300	\$0	\$450,300
		Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>		\$1,300	\$0	\$1,300
		Milk-vetch, Applegate's	<i>Astragalus applegatei</i>		\$6,250	\$0	\$6,250
		Milk-vetch, Braunton's	<i>Astragalus brauntonii</i>		\$100,000	\$400,000	\$500,000
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>		\$50,935	\$0	\$50,935
		Milk-vetch, Jesup's	<i>Astragalus robbinsii var. jesupi</i>		\$1,500	\$0	\$1,500
		Milk-vetch, Mancos	<i>Astragalus humillimus</i>		\$300	\$0	\$300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$4,000	\$0	\$4,000
		Mint, Lakela's	<i>Dicerandra immaculata</i>		\$2,870	\$0	\$2,870
		Mint, scrub	<i>Dicerandra frutescens</i>		\$1,000	\$0	\$1,000
		Monkey-flower, Michigan	<i>Mimulus michiganensis</i>		\$1,000	\$0	\$1,000
		Mustard, Carter's	<i>Warea carteri</i>		\$1,000	\$0	\$1,000
		No common name	<i>Geocarpon minimum</i>		\$500	\$0	\$500
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$13,601	\$0	\$13,601
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$20,000	\$0	\$20,000
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$8,850	\$0	\$8,850
		Pawpaw, four-petal	<i>Asimina tetramera</i>		\$800	\$0	\$800
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$2,500	\$0	\$2,500
		Peppergrass, Slickspot	<i>Lepidium papilliferum</i>		\$1,000	\$0	\$1,000
		Phacelia, clay	<i>Phacelia argillacea</i>		\$1,500	\$0	\$1,500
		Pigeon wings	<i>Clitoria fragrans</i>		\$2,000	\$0	\$2,000
		Pink, swamp	<i>Helonias bullata</i>		\$200	\$0	\$200
		Pitcher-plant, green	<i>Sarracenia oreophila</i>		\$133	\$0	\$133
		Plum, scrub	<i>Prunus geniculata</i>		\$1,000	\$0	\$1,000
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$156,633	\$0	\$156,633
		Pondberry	<i>Lindera melissifolia</i>		\$633	\$0	\$633
		Popcornflower, rough	<i>Plagiobothrys hirtus</i>		\$4,250	\$0	\$4,250
		Potato-bean, Price's	<i>Apios priceana</i>		\$300	\$0	\$300
		Rhododendron, Chapman	<i>Rhododendron chapmanii</i>		\$100	\$0	\$100
		rock cress, Shale barren	<i>Arabis serotina</i>		\$5,000	\$0	\$5,000
		Sandlace	<i>Polygonella myriophylla</i>		\$1,000	\$0	\$1,000
		Sandwort, Marsh	<i>Arenaria paludicola</i>		\$7,357	\$0	\$7,357
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$54,100	\$0	\$54,100
		Sedge, golden	<i>Carex lutea</i>		\$500	\$0	\$500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sedge, Navajo	<i>Carex specuicola</i>		\$100	\$0	\$100
		Skullcap, Florida	<i>Scutellaria floridana</i>		\$1,800	\$0	\$1,800
		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$4,132	\$0	\$4,132
		Skyrocket, Pagosa	<i>Ipomopsis polyantha</i>		\$13,000	\$0	\$13,000
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$45,000	\$0	\$45,000
		Spurge, deltoid	<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>		\$100	\$0	\$100
		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$300	\$0	\$300
		Spurge, telephus	<i>Euphorbia telephioides</i>		\$2,200	\$0	\$2,200
		Stickseed, showy	<i>Hackelia venusta</i>		\$15,169	\$0	\$15,169
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$14,058	\$0	\$14,058
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$13,000	\$0	\$13,000
		Sunshine, Sonoma	<i>Blennosperma bakeri</i>		\$450,300	\$0	\$450,300
		Thelypody, Howell's spectacular	<i>Thelypodium howellii</i> <i>spectabilis</i>		\$650	\$0	\$650
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$2,000	\$0	\$2,000
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$8,500	\$0	\$8,500
		Trillium, persistent	<i>Trillium persistens</i>		\$477	\$0	\$477
		Trillium, relict	<i>Trillium reliquum</i>		\$926	\$0	\$926
		Uhiuhi	<i>Caesalpinia kavaiense</i>		\$10,000	\$0	\$10,000
		Water-plantain, Kral's	<i>Sagittaria secundifolia</i>		\$1,053	\$0	\$1,053
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>		\$65,664	\$0	\$65,664
		Whitlow-wort, papery	<i>Paronychia chartacea</i>		\$1,000	\$0	\$1,000
		Wild buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>		\$2,503	\$0	\$2,503
		Wild-rice, Texas	<i>Zizania texana</i>		\$6,500	\$0	\$6,500
		Wire-lettuce, Malheur	<i>Stephanomeria malheurensis</i>		\$1,400	\$0	\$1,400
		Wireweed	<i>Polygonella basiramaia</i>		\$1,000	\$0	\$1,000
		^Aiea	<i>Nothocestrum breviflorum</i>		\$10,000	\$0	\$10,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Flowering Plants subtotal				\$2,586,612	\$400,000	\$2,986,612
	Conifers and Cycads	Torreyia, Florida	<i>Torreyia taxifolia</i>		\$100	\$0	\$100
	Conifers and Cycads subtotal				\$100	\$0	\$100
	Ferns and Allies	Fern, American hart's-tongue	<i>Asplenium scolopendrium</i> <i>var. americanum</i>		\$600	\$0	\$600
		Quillwort, black spored	<i>Isoetes melanospora</i>		\$1,006	\$0	\$1,006
		Quillwort, Louisiana	<i>Isoetes louisianensis</i>		\$2,000	\$0	\$2,000
		Quillwort, mat-forming	<i>Isoetes tegetiformans</i>		\$477	\$0	\$477
	Ferns and Allies subtotal				\$4,083	\$0	\$4,083
	Lichens	Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$2,600	\$0	\$2,600
		Lichen, rock gnome	<i>Gymnoderma lineare</i>		\$500	\$0	\$500
	Lichens subtotal				\$3,100	\$0	\$3,100
	Multi-Species				\$11,402,565	\$10,607,140	\$22,009,705
Grand Total					\$53,124,353	\$33,283,723	\$86,408,076

Environmental Protection Agency--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$378	\$0	\$378
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$16,306	\$0	\$16,306
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where listed as an experimental population or delisted	\$3,000	\$0	\$3,000
		Ferret, black-footed	<i>Mustela nigripes</i>	entire population, except where EXPN	\$3,000	\$0	\$3,000
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	U.S.A(CA)	\$179,000	\$0	\$179,000
		Jaguar	<i>Panthera onca</i>	U.S.A(AZ,CA,LA,NM, TX),Mexico,Central and South America	\$3,000	\$0	\$3,000
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomilti</i>	U.S.A.(TX),Mexico	\$3,000	\$0	\$3,000
		Lynx, Canada	<i>Lynx canadensis</i>	(Contiguous U.S. DPS)	\$3,000	\$0	\$3,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A. (CO, WY)	\$3,000	\$0	\$3,000
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	U.S.A.(CA)	\$292,000	\$0	\$292,000
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	U.S.A.(AZ, TX) to Central and South America	\$3,000	\$0	\$3,000
		Whale, blue	<i>Balaenoptera musculus</i>	Entire	\$100	\$0	\$100
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$100	\$0	\$100
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$100	\$0	\$100
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Entire	\$100	\$0	\$100
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$430	\$0	\$430

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Wolf, gray	<i>Canis lupus</i>	U.S.A.: All of AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT and WV; those portions of AZ, NM, and TX not included in an experimental population; and portions of IA, IN, IL, ND, OH, OR, SD, UT, and WA. Mexico.	\$3,066	\$0	\$3,066
	Mammals subtotal				\$512,580	\$0	\$512,580
	Birds	Crane, whooping	<i>Grus americana</i>	U.S.A (Southwestern Louisiana)	\$750	\$0	\$750
		Crane, whooping	<i>Grus americana</i>	U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	\$750	\$0	\$750
		Crane, whooping	<i>Grus americana</i>	U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	\$750	\$0	\$750
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$750	\$0	\$750
		Curlew, Eskimo	<i>Numenius borealis</i>	Entire	\$3,000	\$0	\$3,000
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Entire, except where listed as an experimental population	\$1,500	\$0	\$1,500
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Southwestern population	\$1,500	\$0	\$1,500
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$3,000	\$0	\$3,000
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$4,265	\$0	\$4,265

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$1,500	\$0	\$1,500
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>	Entire	\$122,000	\$0	\$122,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$270	\$0	\$270
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$2,936	\$0	\$2,936
		Vireo, black-capped	<i>Vireo atricapilla</i>	Entire	\$3,000	\$0	\$3,000
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	Entire	\$3,000	\$0	\$3,000
		Warbler, Kirtland's	<i>Dendroica kirtlandii</i>	Entire	\$540	\$0	\$540
	Birds subtotal				\$149,511	\$0	\$149,511
	Reptiles	Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	Entire	\$3,000	\$0	\$3,000
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$1,585	\$0	\$1,585
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$1,538	\$0	\$1,538
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$156	\$0	\$156
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$1,585	\$0	\$1,585
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$1,585	\$0	\$1,585
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	Indiana north of 40 degrees north latitude, Michigan, Ohio	\$162	\$0	\$162
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	Entire	\$122,000	\$0	\$122,000
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$281	\$0	\$281
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>	Entire	\$162,000	\$0	\$162,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Reptiles subtotal				\$293,892	\$0	\$293,892
	Amphibians	Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	Entire	\$3,000	\$0	\$3,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A. (CA - Santa Barbara County)	\$116,000	\$0	\$116,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A. (CA - Sonoma County)	\$116,000	\$0	\$116,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A. (Central CA DPS)	\$116,000	\$0	\$116,000
	Amphibians subtotal				\$351,000	\$0	\$351,000
	Fishes	Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$175,000	\$0	\$175,000
		Madtom, Scioto	<i>Noturus trautmani</i>	Entire	\$162	\$0	\$162
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$481	\$0	\$481
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	CA coastal	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Central Valley spring-run ESU	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Lower Columbia River ESU	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Puget Sound ESU	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Sacramento River winter-run ESU	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Snake River fall-run ESU	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Snake River spring/summer-run ESU	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Upper Columbia spring-run ESU	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Upper Willamette River ESU	\$2,000	\$0	\$2,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>keta</i>	Columbia R.	\$2,000	\$0	\$2,000
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>keta</i>	summer-run Hood Canal	\$2,000	\$0	\$2,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Central California Coast ESU	\$2,000	\$0	\$2,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Lower Columbia River ESU	\$2,000	\$0	\$2,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Oregon Coast ESU	\$2,000	\$0	\$2,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Southern Oregon–Northern California Coast ESU	\$2,000	\$0	\$2,000
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	U.S.A. (Ozette Lake, WA)	\$2,000	\$0	\$2,000
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	U.S.A. (Snake River, ID stock wherever found.)	\$2,000	\$0	\$2,000
		Shiner, Topeka	<i>Notropis topeka</i> (= <i>tristis</i>)	Entire	\$162	\$0	\$162
		Smelt, delta	<i>Hypomesus transpacificus</i>	Entire	\$175,000	\$0	\$175,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Central Valley CA	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Puget Sound DPS	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Snake R. Basin	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	central CA coast	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	lower Columbia R.	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	middle Columbia R.	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	northern CA	\$2,000	\$0	\$2,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	south central CA coast	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	southern CA coast	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Columbia R. Basin	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Willamette R.	\$2,000	\$0	\$2,000
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus</i> <i>oxyrinchus</i>		\$1,886	\$0	\$1,886
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$540	\$0	\$540
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$7,032	\$0	\$7,032
	Fishes subtotal				\$416,263	\$0	\$416,263
	Clams	Bean, rayed	<i>Villosa fabalis</i>		\$21,384	\$0	\$21,384
		Catspaw, white (pearlymussel)	<i>Epioblasma obliquata</i> <i>perobliqua</i>	Entire	\$3,780	\$0	\$3,780
		Clubshell	<i>Pleurobema clava</i>	Entire Range; Except where listed as Experimental Populations	\$6,078	\$0	\$6,078
		Fanshell	<i>Cyprogenia stegaria</i>		\$4,374	\$0	\$4,374
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	Entire	\$7,344	\$0	\$7,344
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Entire; except where listed as experimental populations	\$5,022	\$0	\$5,022
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Entire	\$3,618	\$0	\$3,618
		Mussel, sheepnose	<i>Plethobasus cyphus</i>		\$7,722	\$0	\$7,722
		Mussel, snuffbox	<i>Epioblasma triquetra</i>		\$8,208	\$0	\$8,208
		Pigtoe, rough	<i>Pleurobema plenum</i>		\$3,618	\$0	\$3,618
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus</i> <i>cooperianus</i>		\$3,726	\$0	\$3,726

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pocketbook, fat	<i>Potamilus capax</i>	Entire	\$4,428	\$0	\$4,428
		Purple cat's paw (=purple cat's paw pearlymussel)	<i>Epioblasma obliquata</i> <i>obliquata</i>	Entire Range; Except where listed as Experimental Populations	\$2,970	\$0	\$2,970
		Riffleshell, northern	<i>Epioblasma torulosa</i> <i>rangiana</i>	Entire	\$5,832	\$0	\$5,832
		Spectaclecase (mussel)	<i>Cumberlandia</i> <i>monodonta</i>		\$4,914	\$0	\$4,914
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	Entire	\$498	\$0	\$498
	Clams subtotal				\$93,516	\$0	\$93,516
	Snails	Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	Entire	\$270	\$0	\$270
	Snails subtotal				\$270	\$0	\$270
	Insects	Beetle, American burying	<i>Nicrophorus</i> <i>americanus</i>	Entire	\$3,000	\$0	\$3,000
		Beetle, Hungerford's crawling water	<i>Brychius hungerfordi</i>	Entire	\$162	\$0	\$162
		Beetle, valley elderberry longhorn	<i>Desmocerus</i> <i>californicus dimorphus</i>	Entire	\$172,000	\$0	\$172,000
		Butterfly, bay checkerspot	<i>Euphydryas editha</i> <i>bayensis</i>	Entire	\$122,000	\$0	\$122,000
		Butterfly, Karner blue	<i>Lycæides melissa</i> <i>samuelis</i>	Entire	\$432	\$0	\$432
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii</i> <i>mitchellii</i>	Entire	\$162	\$0	\$162
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$15,176	\$0	\$15,176
	Insects subtotal				\$312,932	\$0	\$312,932
	Crustaceans	Amphipod, Illinois cave	<i>Gammarus</i> <i>acherondytes</i>	Entire	\$162	\$0	\$162

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Shrimp, California freshwater	<i>Syncaris pacifica</i>	Entire	\$122,000	\$0	\$122,000
	Crustaceans subtotal				\$122,162	\$0	\$122,162
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$2,041	\$0	\$2,041
		Coral, staghorn	<i>Acropora cervicornis</i>		\$2,041	\$0	\$2,041
	Corals subtotal				\$4,082	\$0	\$4,082
	Flowering Plants	Aster, decurrent false	<i>Boltonia decurrens</i>		\$378	\$0	\$378
		Goldenrod, Houghton's	<i>Solidago houghtonii</i>		\$162	\$0	\$162
		Iris, dwarf lake	<i>Iris lacustris</i>		\$486	\$0	\$486
		Lily, Minnesota dwarf trout	<i>Erythronium propullans</i>		\$162	\$0	\$162
		Locoweed, Fassett's	<i>Oxytropis campestris</i> <i>var. chartacea</i>		\$648	\$0	\$648
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$648	\$0	\$648
		Monkey-flower, Michigan	<i>Mimulus michiganensis</i>		\$162	\$0	\$162
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$1,620	\$0	\$1,620
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$162	\$0	\$162
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$270	\$0	\$270
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$162	\$0	\$162
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$594	\$0	\$594
	Flowering Plants subtotal				\$5,454	\$0	\$5,454
	Multi-Species				\$2,552,260	\$0	\$2,552,260
Grand Total					\$4,813,922	\$0	\$4,813,922

Federal Energy Regulatory Commission--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$141	\$0	\$141
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$5,831	\$0	\$5,831
		Bat, Virginia big-eared	<i>Corynorhinus</i> (= <i>Plecotus townsendii</i> <i>virginianus</i>)	Entire	\$1,060	\$0	\$1,060
		Bear, Louisiana black	<i>Ursus americanus</i> <i>luteolus</i>	Entire	\$496	\$0	\$496
		Deer, Columbian white-tailed	<i>Odocoileus virginianus</i> <i>leucurus</i>	Columbia River DPS	\$1,827	\$0	\$1,827
		Fox, San Miguel Island	<i>Urocyon littoralis</i> <i>littoralis</i>	CA	\$2,218	\$0	\$2,218
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$484	\$0	\$484
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$121	\$0	\$121
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$102	\$0	\$102
		Prairie dog, Utah	<i>Cynomys parvidens</i>	UT	\$655	\$0	\$655
		Rabbit, pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$387	\$0	\$387
		Rabbit, riparian brush	<i>Sylvilagus bachmani</i> <i>riparius</i>	CA	\$282	\$0	\$282
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$1,270	\$0	\$1,270
		Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	Except Sussex Co., DE	\$121	\$0	\$121
		Whale, blue	<i>Balaenoptera musculus</i>	Entire	\$463	\$0	\$463
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$193	\$0	\$193
		Whale, gray	<i>Eschrichtius robustus</i>	W Pacific Ocean	\$645	\$0	\$645
		Whale, humpback	<i>Megaptera</i> <i>novaeangliae</i>	Entire	\$193	\$0	\$193
		Whale, killer	<i>Orcinus orca</i>	So. Resident DPS	\$645	\$0	\$645
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Entire	\$193	\$0	\$193
		Whale, Sei	<i>Balaenoptera borealis</i>	Entire	\$463	\$0	\$463
		Whale, sperm	<i>Physeter catodon</i> (= <i>macrocephalus</i>)	Entire	\$193	\$0	\$193

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in anEXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$1,706	\$0	\$1,706
		Wolf, gray	<i>Canis lupus</i>	Western Great Lakes DPS	\$484	\$0	\$484
	Mammals subtotal				\$20,173	\$0	\$20,173
	Birds	Akikiki	<i>Oreomystis bairdi</i>	Entire	\$1,067	\$0	\$1,067
		Crane, whooping	<i>Grus americana</i>	Except where EXPN	\$154	\$0	\$154
		Creepers, Hawaii	<i>Oreomystis mana</i>	Entire	\$2,218	\$0	\$2,218
		Creepers, Molokai	<i>Paroreomyza flammea</i>	Entire	\$1,109	\$0	\$1,109
		Crow, white-necked	<i>Corvus leucognaphalus</i>	Entire	\$290	\$0	\$290
		Curlew, Eskimo	<i>Numenius borealis</i>	Entire	\$102	\$0	\$102
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$2,470	\$0	\$2,470
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$583	\$0	\$583
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$102	\$0	\$102
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$1,409	\$0	\$1,409
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$478	\$0	\$478
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$94	\$0	\$94
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$1,960	\$0	\$1,960

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$2,617	\$0	\$2,617
	Birds subtotal				\$14,653	\$0	\$14,653
	Reptiles	Sea turtle, loggerhead	<i>Caretta caretta</i>		\$635	\$0	\$635
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	IN, MI, OH	\$1,109	\$0	\$1,109
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$8,396	\$0	\$8,396
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$331	\$0	\$331
	Reptiles subtotal				\$10,471	\$0	\$10,471
	Amphibians	Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$2,267	\$0	\$2,267
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern CA DPS	\$887	\$0	\$887
		Guajon	<i>Eleutherodactylus cooki</i>	Entire	\$387	\$0	\$387
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Sonoma County	\$375	\$0	\$375
		Salamander, Cheat Mountain	<i>Plethodon nettingi</i>	Entire	\$121	\$0	\$121
		Salamander, Shenandoah	<i>Plethodon shenandoah</i>	Entire	\$121	\$0	\$121
		Toad, arroyo (=arroyo southwestern)	<i>Anaxyrus californicus</i>	Entire	\$278	\$0	\$278
		Toad, Houston	<i>Bufo houstonensis</i>	Entire	\$3,840	\$0	\$3,840
	Amphibians subtotal				\$8,276	\$0	\$8,276
	Fishes	Bocaccio	<i>Sebastes paucispinis</i>	Puget Sound/Georgia Basin DPS	\$555	\$0	\$555
		Cavefish, Ozark	<i>Amblyopsis rosae</i>	Entire	\$1,161	\$0	\$1,161
		Chub, bonytail	<i>Gila elegans</i>	Entire	\$193	\$0	\$193
		Chub, humpback	<i>Gila cypha</i>	Entire	\$193	\$0	\$193
		Dace, blackside	<i>Phoxinus cumberlandensis</i>	Entire	\$121	\$0	\$121

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Darter, Cumberland	<i>Etheostoma susanae</i>	Entire	\$121	\$0	\$121
		Darter, leopard	<i>Percina pantherina</i>	Entire	\$94	\$0	\$94
		Darter, Maryland	<i>Etheostoma sellare</i>	Entire	\$121	\$0	\$121
		Darter, slackwater	<i>Etheostoma boschungii</i>	Entire	\$121	\$0	\$121
		Logperch, Roanoke	<i>Percina rex</i>	Entire	\$2,103	\$0	\$2,103
		Madtom, Scioto	<i>Noturus trautmani</i>	Entire	\$121	\$0	\$121
		Madtom, smoky	<i>Noturus baileyi</i>	Entire	\$1,779	\$0	\$1,779
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt & Verde R. drainages, AZ	\$193	\$0	\$193
		Rockfish, Canary	<i>Sebastes pinniger</i>	Puget Sound/Georgia Basin DPS	\$555	\$0	\$555
		Rockfish, Yelloweye	<i>Sebastes ruberrimus</i>	Puget Sound/Georgia Basin DPS	\$555	\$0	\$555
		Salmon, Atlantic	<i>Salmo salar</i>	Expanded Gulf of Maine DPS	\$5,731	\$0	\$5,731
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	CA coastal	\$3,962	\$0	\$3,962
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Central Valley spring-run ESU	\$2,787	\$0	\$2,787
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Lower Columbia River ESU	\$5,140	\$0	\$5,140
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Puget Sound ESU	\$597	\$0	\$597
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Sacramento River winter-run ESU	\$3,962	\$0	\$3,962
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Snake River fall-run ESU	\$635	\$0	\$635
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Snake River spring/ summer-run ESU	\$635	\$0	\$635
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Upper Columbia spring-run ESU	\$2,341	\$0	\$2,341
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Upper Willamette River ESU	\$655	\$0	\$655
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>keta</i>	Columbia R.	\$1,706	\$0	\$1,706

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Central California Coast ESU	\$1,006	\$0	\$1,006
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Lower Columbia River ESU	\$2,824	\$0	\$2,824
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Oregon Coast ESU	\$1,706	\$0	\$1,706
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	Southern OR/ Northern CA Coast ESU	\$2,024	\$0	\$2,024
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>	Ozette Lake, WA	\$1,706	\$0	\$1,706
		Smelt, delta	<i>Hypomesus</i> <i>transpacificus</i>	Entire	\$1,710	\$0	\$1,710
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Central Valley CA	\$5,224	\$0	\$5,224
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Puget Sound DPS	\$1,749	\$0	\$1,749
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Snake R. Basin	\$635	\$0	\$635
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	lower Columbia R.	\$3,830	\$0	\$3,830
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	middle Columbia R.	\$1,398	\$0	\$1,398
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	northern CA	\$3,468	\$0	\$3,468
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	south central CA coast	\$635	\$0	\$635
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	southern CA coast	\$5,833	\$0	\$5,833
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Columbia R. Basin	\$3,104	\$0	\$3,104
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	upper Willamette R.	\$186	\$0	\$186
		Sturgeon, Alabama	<i>Scaphirhynchus</i> <i>suttkusi</i>		\$469	\$0	\$469

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>		\$642	\$0	\$642
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	Entire	\$590	\$0	\$590
		Sturgeon, North American green	<i>Acipenser medirostris</i>	CA- Southern DPS	\$853	\$0	\$853
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$2,619	\$0	\$2,619
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$1,672	\$0	\$1,672
		Sturgeon, Shovelnose	<i>Scaphirhynchus platyrhynchus</i>	Entire	\$141	\$0	\$141
		Sturgeon, white	<i>Acipenser transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$1,104	\$0	\$1,104
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$193	\$0	\$193
		Trout, bull	<i>Salvelinus confluentus</i>	lower 48 states	\$5,810	\$0	\$5,810
	Fishes subtotal				\$87,268	\$0	\$87,268
	Clams	Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>		\$375	\$0	\$375
		Bean, Cumberland (pearlymussel)	<i>Villosa trabalis</i>	Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Co., AL	\$60	\$0	\$60
		Bean, rayed	<i>Villosa fabalis</i>		\$188	\$0	\$188
		Blossom, tubercled (pearlymussel)	<i>Epioblasma torulosa torulosa</i>	Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Co., AL	\$235	\$0	\$235
		Catspaw, white (pearlymussel)	<i>Epioblasma obliquata perobliqua</i>	Entire	\$61	\$0	\$61
		Clubshell	<i>Pleurobema clava</i>	Except where EXPN	\$121	\$0	\$121
		Clubshell, ovate	<i>Pleurobema perovatum</i>		\$469	\$0	\$469
		Clubshell, southern	<i>Pleurobema decisum</i>		\$469	\$0	\$469

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Co., AL	\$949	\$0	\$949
		Fanshell	<i>Cyprogenia stegaria</i>		\$450	\$0	\$450
		Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>	Entire	\$469	\$0	\$469
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>	Entire	\$235	\$0	\$235
		Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>	Entire	\$61	\$0	\$61
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Co., AL	\$94	\$0	\$94
		Moccasinshell, Alabama	<i>Medionidus acutissimus</i>		\$469	\$0	\$469
		Moccasinshell, Gulf	<i>Medionidus penicillatus</i>		\$94	\$0	\$94
		Monkeyface, Cumberland (pearlymussel)	<i>Quadrula intermedia</i>	Except where listed as EXPN	\$61	\$0	\$61
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Entire	\$329	\$0	\$329
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	TN - portions of the French Broad and Holston Rivers	\$60	\$0	\$60
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$94	\$0	\$94
		Mussel, sheepnose	<i>Plethobasus cyphyus</i>		\$683	\$0	\$683
		Mussel, snuffbox	<i>Epioblasma triquetra</i>		\$581	\$0	\$581
		Pearlymussel, birdwing	<i>Lemiox rimosus</i>	Except where listed as EXPN	\$121	\$0	\$121
		Pearlymussel, birdwing	<i>Lemiox rimosus</i>	TN - portions of the French Broad and Holston Rivers	\$121	\$0	\$121

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pearlymussel, cracking	<i>Hemistena lata</i>	Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Co., AL	\$121	\$0	\$121
		Pearlymussel, dromedary	<i>Dromus dromas</i>	Except where listed as EXPN	\$121	\$0	\$121
		Pearlymussel, dromedary	<i>Dromus dromas</i>	TN - portions of the French Broad and Holston Rivers	\$121	\$0	\$121
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$94	\$0	\$94
		Pocketbook, finelined	<i>Lampsilis altilis</i>		\$469	\$0	\$469
		Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	Entire	\$94	\$0	\$94
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$94	\$0	\$94
		Purple cat's paw (=purple cat's paw pearlymussel)	<i>Epioblasma obliquata obliquata</i>	Except where listed as EXPN	\$60	\$0	\$60
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	Entire	\$356	\$0	\$356
		Spectaclecase (mussel)	<i>Cumberlandia monodonta</i>		\$235	\$0	\$235
		Spinymussel, James	<i>Pleurobema collina</i>	Entire	\$121	\$0	\$121
		Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>	TN - portions of the French Broad and Holston Rivers	\$60	\$0	\$60
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	Entire	\$1,219	\$0	\$1,219
	Clams subtotal				\$10,014	\$0	\$10,014
	Snails	Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	Entire	\$2,129	\$0	\$2,129
		Snail, Newcomb's	<i>Erinna newcombi</i>	Entire	\$264	\$0	\$264
		Snail, Snake River physa	<i>Physa natricina</i>	Entire	\$4,221	\$0	\$4,221
	Snails subtotal				\$6,614	\$0	\$6,614

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$1,926	\$0	\$1,926
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Entire	\$2,741	\$0	\$2,741
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	Entire	\$121	\$0	\$121
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	Entire	\$60	\$0	\$60
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$282	\$0	\$282
		Tiger beetle, Puritan	<i>Cicindela puritana</i>	Entire	\$192	\$0	\$192
	Insects subtotal				\$5,322	\$0	\$5,322
	Arachnids	Meshweaver, Government Canyon Bat Cave	<i>Cicurina vespera</i>		\$290	\$0	\$290
	Arachnids subtotal				\$290	\$0	\$290
	Crustaceans	Crayfish, Nashville	<i>Orconectes shoupi</i>	Entire	\$121	\$0	\$121
		Crayfish, Shasta	<i>Pacifastacus fortis</i>	Entire	\$789	\$0	\$789
		Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	Entire	\$949	\$0	\$949
		Isopod, Madison Cave	<i>Antrolana lira</i>	Entire	\$1,145	\$0	\$1,145
	Crustaceans subtotal				\$3,004	\$0	\$3,004
	Flowering Plants	Amphianthus, little	<i>Amphianthus pusillus</i>		\$563	\$0	\$563
		Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>		\$540	\$0	\$540
		Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>		\$102	\$0	\$102
		Butterweed, Layne's	<i>Senecio layneae</i>		\$262	\$0	\$262
		Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>		\$949	\$0	\$949
		Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>		\$94	\$0	\$94

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$1,706	\$0	\$1,706
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$108	\$0	\$108
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$759	\$0	\$759
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$235	\$0	\$235
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$1,866	\$0	\$1,866
		Laulihilihi	<i>Schiedea stellarioides</i>		\$235	\$0	\$235
		Milk-vetch, Jesup's	<i>Astragalus robbinsii</i> <i>var. jesupi</i>		\$393	\$0	\$393
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$342	\$0	\$342
		Monkshood, northern wild	<i>Aconitum noveboracense</i>		\$102	\$0	\$102
		Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>		\$262	\$0	\$262
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$188	\$0	\$188
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$384	\$0	\$384
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$193	\$0	\$193
		Rock cress, Shale barren	<i>Arabis serotina</i>		\$235	\$0	\$235
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$60	\$0	\$60
		Trillium, persistent	<i>Trillium persistens</i>		\$235	\$0	\$235
		Trillium, relict	<i>Trillium reliquum</i>		\$469	\$0	\$469
		Ziziphus, Florida	<i>Ziziphus celata</i>		\$2,218	\$0	\$2,218
	Flowering Plants subtotal				\$12,500	\$0	\$12,500
	Ferns and Allies	No common name	<i>Diellia mannii</i>		\$397	\$0	\$397
	Ferns and Allies subtotal				\$397	\$0	\$397
Domestic subtotal					\$178,982	\$0	\$178,982

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Foreign	Mammals	Bandicoot, pig-footed	<i>Chaeropus ecaudatus</i>	Entire	\$353	\$0	\$353
		Jaguarundi, Panamanian	<i>Herpailurus (=Felis) yagouarundi panamensis</i>	Entire	\$290	\$0	\$290
	Mammals subtotal				\$643	\$0	\$643
	Birds	Curassow, razor-billed	<i>Mitu mitu mitu</i>	Entire	\$193	\$0	\$193
		Dove, cloven-feathered	<i>Drepanoptila holosericea</i>	Entire	\$967	\$0	\$967
		Parrot, red-tailed	<i>Amazona brasiliensis</i>	Entire	\$353	\$0	\$353
		Thrush, Taita	<i>Turdus olivaceus helleri</i>		\$193	\$0	\$193
	Birds subtotal				\$1,706	\$0	\$1,706
	Reptiles	Turtle, South American red-lined	<i>Trachemys scripta callirostris</i>	Entire	\$949	\$0	\$949
	Reptiles subtotal				\$949	\$0	\$949
Foreign subtotal					\$3,298	\$0	\$3,298
Grand Total					\$182,280	\$0	\$182,280

Nuclear Regulatory Commission--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$1,200	\$0	\$1,200
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$28,262	\$0	\$28,262
		Bear, American black	<i>Ursus americanus</i>	County range of LA b.bear	\$200	\$0	\$200
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>	Entire	\$200	\$0	\$200
		Ferret, black-footed	<i>Mustela nigripes</i>	Except where EXPN	\$1,397	\$0	\$1,397
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	TX, Mexico	\$970	\$0	\$970
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$6,831	\$0	\$6,831
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	FL	\$250	\$0	\$250
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	AZ, TX to Central and South America	\$970	\$0	\$970
		Puma (=cougar), eastern	<i>Puma (=Felis) concolor couguar</i>	Entire	\$2,300	\$0	\$2,300
		Rabbit, pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$100	\$0	\$100
		Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>	Entire	\$800	\$0	\$800
		Whale, blue	<i>Balaenoptera musculus</i>	Entire	\$500	\$0	\$500
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$1,300	\$0	\$1,300
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$1,000	\$0	\$1,000
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Entire	\$800	\$0	\$800
		Whale, Sei	<i>Balaenoptera borealis</i>	Entire	\$900	\$0	\$900
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	Entire	\$900	\$0	\$900
	Mammals subtotal				\$48,880	\$0	\$48,880
	Birds	Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$1,800	\$0	\$1,800

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, western WY	\$470	\$0	\$470
		Crane, whooping	<i>Grus americana</i>	AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	\$3,880	\$0	\$3,880
		Curlew, Eskimo	<i>Numenius borealis</i>	Entire	\$970	\$0	\$970
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$470	\$0	\$470
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$1,800	\$0	\$1,800
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$4,250	\$0	\$4,250
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	Entire	\$970	\$0	\$970
		Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Entire	\$2,300	\$0	\$2,300
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	Entire	\$1,250	\$0	\$1,250
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	Entire	\$1,800	\$0	\$1,800
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$3,500	\$0	\$3,500
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$100	\$0	\$100
		Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>	Entire	\$1,250	\$0	\$1,250
		Warbler, Kirtland's	<i>Dendroica kirtlandii</i>	Entire	\$1,250	\$0	\$1,250
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$2,510	\$0	\$2,510
	Birds subtotal				\$28,570	\$0	\$28,570
	Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	Entire	\$2,830	\$0	\$2,830
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$6,491	\$0	\$6,491
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$3,770	\$0	\$3,770

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$6,500	\$0	\$6,500
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$7,130	\$0	\$7,130
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$13,752	\$0	\$13,752
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$11,070	\$0	\$11,070
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$7,040	\$0	\$7,040
		Sea turtle, loggerhead	<i>Caretta caretta</i>	North Pacific Ocean DPS	\$3,740	\$0	\$3,740
		Sea turtle, loggerhead	<i>Caretta caretta</i>	Northwest Atlantic DPS	\$7,000	\$0	\$7,000
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>	Entire	\$250	\$0	\$250
		Skink, sand	<i>Neoseps reynoldsi</i>	Entire	\$500	\$0	\$500
		Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>	Entire	\$250	\$0	\$250
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$3,290	\$0	\$3,290
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$300	\$0	\$300
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$3,160	\$0	\$3,160
	Reptiles subtotal				\$77,073	\$0	\$77,073
	Amphibians	Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	Entire	\$360	\$0	\$360
	Amphibians subtotal				\$360	\$0	\$360
	Fishes	Dace, Laurel	<i>Chrosomus saylora</i>	Entire	\$3,500	\$0	\$3,500
		Darter, bayou	<i>Etheostoma rubrum</i>	Entire	\$2,200	\$0	\$2,200
		Darter, Niangua	<i>Etheostoma nianguae</i>	Entire	\$500	\$0	\$500
		Darter, snail	<i>Percina tanasi</i>	Entire	\$100	\$0	\$100
		Madtom, Neosho	<i>Noturus placidus</i>	Entire	\$1,600	\$0	\$1,600

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>	Upper Columbia R. spring-run ESU	\$5,500	\$0	\$5,500
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>	So. OR/ No. CA Coast ESU	\$5,500	\$0	\$5,500
		Sawfish, smalltooth	<i>Pristis pectinata</i>	TX, FL	\$4,041	\$0	\$4,041
		Shiner, Topeka	<i>Notropis topeka</i> (= <i>tristis</i>)	Entire	\$500	\$0	\$500
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>	Upper Columbia R. Basin	\$700	\$0	\$700
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus</i> <i>oxyrinchus</i>		\$35,020	\$0	\$35,020
		Sturgeon, gulf	<i>Acipenser oxyrinchus</i> <i>desotoi</i>	Entire	\$2,550	\$0	\$2,550
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$2,000	\$0	\$2,000
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$17,270	\$0	\$17,270
		Trout, bull	<i>Salvelinus confluentus</i>	lower 48 states	\$400	\$0	\$400
	Fishes subtotal				\$81,381	\$0	\$81,381
	Clams	Bean, rayed	<i>Villosa fabalis</i>		\$6,770	\$0	\$6,770
		Catspaw, white (pearlymussel)	<i>Epioblasma obliquata</i> <i>perobliqua</i>	Entire	\$2,440	\$0	\$2,440
		Fanshell	<i>Cyprogenia stegaria</i>	TN - portions of the French Broad and Holston Rivers	\$100	\$0	\$100
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>	Entire	\$5,330	\$0	\$5,330
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Entire	\$600	\$0	\$600
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$500	\$0	\$500
		Mussel, sheepnose	<i>Plethobasus cyphus</i>		\$3,500	\$0	\$3,500
		Mussel, snuffbox	<i>Epioblasma triquetra</i>		\$7,160	\$0	\$7,160
		Pearlymussel, dromedary	<i>Dromus dromas</i>	Except where listed as EXPN	\$100	\$0	\$100
		Pearlymussel, dromedary	<i>Dromus dromas</i>	TN - portions of the French Broad and Holston Rivers	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pigtoe, rough	<i>Pleurobema plenum</i>		\$100	\$0	\$100
		Pocketbook, fat	<i>Potamilus capax</i>	Entire	\$1,000	\$0	\$1,000
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	Entire	\$6,770	\$0	\$6,770
		Spectaclecase (mussel)	<i>Cumberlandia monodonta</i>		\$500	\$0	\$500
		Spinymussel, James	<i>Pleurobema collina</i>	Entire	\$1,220	\$0	\$1,220
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	Entire	\$2,220	\$0	\$2,220
	Clams subtotal				\$38,410	\$0	\$38,410
	Snails	Snail, Stock Island tree	<i>Orthalicus reses (not incl. nesodryas)</i>	Entire	\$1,250	\$0	\$1,250
	Snails subtotal				\$1,250	\$0	\$1,250
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$6,341	\$0	\$6,341
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	Entire	\$6,700	\$0	\$6,700
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	Entire	\$6,700	\$0	\$6,700
		Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	Entire	\$6,700	\$0	\$6,700
		Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>	Entire	\$1,250	\$0	\$1,250
	Insects subtotal				\$27,691	\$0	\$27,691
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$1,970	\$0	\$1,970
		Coral, staghorn	<i>Acropora cervicornis</i>		\$1,970	\$0	\$1,970
	Corals subtotal				\$3,940	\$0	\$3,940
	Flowering Plants	Amphianthus, little	<i>Amphianthus pusillus</i>		\$1,100	\$0	\$1,100
		Aster, Florida golden	<i>Chrysopsis floridana</i>		\$500	\$0	\$500
		Beargrass, Britton's	<i>Nolina brittoniana</i>		\$500	\$0	\$500
		Bellflower, Brooksville	<i>Campanula robinsiae</i>		\$500	\$0	\$500
		Bonamia, Florida	<i>Bonamia grandiflora</i>		\$500	\$0	\$500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Buckwheat, scrub	<i>Eriogonum longifolium</i> <i>var. gnaphalifolium</i>		\$250	\$0	\$250
		Bush-clover, prairie	<i>Lepedeza leptostachya</i>		\$83	\$0	\$83
		Chaffseed, American	<i>Schwalbea americana</i>		\$360	\$0	\$360
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$100	\$0	\$100
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$1,960	\$0	\$1,960
		Dropwort, Canby's	<i>Oxypolis canbyi</i>		\$110	\$0	\$110
		Fringe-tree, pygmy	<i>Chionanthus pygmaeus</i>		\$250	\$0	\$250
		Gourd, Okeechobee	<i>Cucurbita</i> <i>okeechobeensis</i> ssp. <i>okeechobeensis</i>		\$1,250	\$0	\$1,250
		Harebells, Avon Park	<i>Crotalaria avonensis</i>		\$250	\$0	\$250
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$7,100	\$0	\$7,100
		Hypericum, highlands scrub	<i>Hypericum cumulicola</i>		\$250	\$0	\$250
		Jacquemontia, beach	<i>Jacquemontia reclinata</i>		\$1,250	\$0	\$1,250
		Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$800	\$0	\$800
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$100	\$0	\$100
		Lead-plant, Crenulate	<i>Amorpha crenulata</i>		\$1,250	\$0	\$1,250
		Lily, Minnesota dwarf trout	<i>Erythronium propullans</i>		\$83	\$0	\$83
		Loosestrife, rough-leaved	<i>Lysimachia</i> <i>asperulaefolia</i>		\$110	\$0	\$110
		Lupine, scrub	<i>Lupinus aridorum</i>		\$250	\$0	\$250
		Milkpea, Small's	<i>Galactia smallii</i>		\$1,250	\$0	\$1,250
		Mint, Garrett's	<i>Dicerandra christmanii</i>		\$250	\$0	\$250
		Mint, longspurred	<i>Dicerandra</i> <i>cornutissima</i>		\$500	\$0	\$500
		Mint, scrub	<i>Dicerandra frutescens</i>		\$1,960	\$0	\$1,960
		Mustard, Carter's	<i>Warea carteri</i>		\$500	\$0	\$500
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$6,341	\$0	\$6,341

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pawpaw, Rugel's	<i>Deeringothamnus rugelii</i>		\$250	\$0	\$250
		Pigeon wings	<i>Clitoria fragrans</i>		\$250	\$0	\$250
		Pink, swamp	<i>Helonias bullata</i>		\$250	\$0	\$250
		Plum, scrub	<i>Prunus geniculata</i>		\$250	\$0	\$250
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$800	\$0	\$800
		Polygala, Lewton's	<i>Polygala lewtonii</i>		\$500	\$0	\$500
		Polygala, tiny	<i>Polygala smallii</i>		\$1,250	\$0	\$1,250
		Pondberry	<i>Lindera melissifolia</i>		\$110	\$0	\$110
		Prickly-apple, fragrant	<i>Cereus eriophorus var. fragrans</i>		\$250	\$0	\$250
		Rosemary, Etonia	<i>Conradina etonia</i>		\$250	\$0	\$250
		Rosemary, short-leaved	<i>Conradina brevifolia</i>		\$250	\$0	\$250
		Sandlace	<i>Polygonella myriophylla</i>		\$250	\$0	\$250
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$110	\$0	\$110
		Snakeroot	<i>Eryngium cuneifolium</i>		\$250	\$0	\$250
		Spurge, deltoid	<i>Chamaesyce deltoidea ssp. deltoidea</i>		\$1,250	\$0	\$1,250
		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$1,250	\$0	\$1,250
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$7,210	\$0	\$7,210
		Warea, wide-leaf	<i>Warea amplexifolia</i>		\$500	\$0	\$500
		Water-willow, Cooley's	<i>Justicia cooleyi</i>		\$500	\$0	\$500
		Whitlow-wort, papery	<i>Paronychia chartacea</i>		\$250	\$0	\$250
		Wireweed	<i>Polygonella basiramia</i>		\$250	\$0	\$250
		Ziziphus, Florida	<i>Ziziphus celata</i>		\$250	\$0	\$250
	Flowering Plants subtotal				\$46,187	\$0	\$46,187
	Lichens	Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$250	\$0	\$250

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Lichens subtotal				\$250	\$0	\$250
	Multi-Species				\$1,443	\$0	\$1,443
Grand Total					\$355,435	\$0	\$355,435

Smithsonian Institution--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, Virginia big-eared	<i>Corynorhinus townsendii virginianus</i>	Entire	\$42,820	\$0	\$42,820
		Ferret, black-footed	<i>Mustela nigripes</i>	Except where EXPN	\$99,000	\$0	\$99,000
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	CA	\$84,000	\$0	\$84,000
		Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>	CA	\$21,000	\$0	\$21,000
		Otter, southern sea	<i>Enhydra lutris nereis</i>		\$15,000	\$0	\$15,000
		Otter, southern sea	<i>Enhydra lutris nereis</i>	South of Pt. Conception, CA	\$15,000	\$0	\$15,000
		Shrew, Buena Vista Lake ornate	<i>Sorex ornatus relictus</i>	Entire	\$7,000	\$0	\$7,000
	Mammals subtotal				\$283,820	\$0	\$283,820
	Birds	Condor, California	<i>Gymnogyps californianus</i>	Except where listed as EXPN	\$14,000	\$0	\$14,000
		Crane, whooping	<i>Grus americana</i>	Except where EXPN	\$13,200	\$0	\$13,200
		Crow, Hawaiian (= 'alala)	<i>Corvus hawaiiensis</i>	Entire	\$1,400	\$0	\$1,400
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>	Entire	\$5,280	\$0	\$5,280
		Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>	Entire	\$15,300	\$0	\$15,300
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	Entire	\$63,200	\$0	\$63,200
		Rail, Guam	<i>Rallus owstoni</i>	Rota	\$8,700	\$0	\$8,700
		Woodpecker, ivory-billed	<i>Campephilus principalis</i>	Entire	\$3,500	\$0	\$3,500
	Birds subtotal				\$124,580	\$0	\$124,580
	Reptiles	Tortoise, desert	<i>Gopherus agassizii</i>	except in Sonoran Desert	\$7,000	\$0	\$7,000
	Reptiles subtotal				\$7,000	\$0	\$7,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$9,720	\$0	\$9,720
	Corals subtotal				\$9,720	\$0	\$9,720
	Flowering Plants	Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$25,000	\$0	\$25,000
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$25,000	\$0	\$25,000
	Flowering Plants subtotal				\$50,000	\$0	\$50,000
Domestic subtotal					\$475,120	\$0	\$475,120
Foreign	Mammals	Addax	<i>Addax nasomaculatus</i>	Entire	\$7,000	\$0	\$7,000
		Ass, Asian wild	<i>Equus hemionus</i>	Entire	\$10,100	\$0	\$10,100
		Cheetah	<i>Acinonyx jubatus</i>	Entire	\$12,600	\$0	\$12,600
		Deer, Eld's brow-antlered	<i>Cervus eldi</i>		\$34,200	\$0	\$34,200
		Elephant, African	<i>Loxodonta africana</i>	Entire	\$8,400	\$0	\$8,400
		Elephant, Asian	<i>Elephas maximus</i>	Entire	\$133,000	\$0	\$133,000
		Horse, Przewalski's	<i>Equus przewalskii</i>	Mongolia, China	\$21,500	\$0	\$21,500
		Leopard, clouded	<i>Neofelis nebulosa</i>	SE and South-Central Asia; Taiwan	\$35,000	\$0	\$35,000
		Panda, giant	<i>Ailuropoda melanoleuca</i>	China	\$49,000	\$0	\$49,000
		Tamarin, golden-rumped	<i>Leontopithecus spp.</i>	Entire	\$60,500	\$0	\$60,500
		Tiger	<i>Panthera tigris</i>	Entire	\$56,000	\$0	\$56,000
		Wolf, maned	<i>Chrysocyon brachyurus</i>	Entire	\$128,100	\$0	\$128,100
	Mammals subtotal				\$555,400	\$0	\$555,400
	Birds	Siskin, red	<i>Carduelis cucullata</i>	Entire	\$16,200	\$0	\$16,200
	Birds subtotal				\$16,200	\$0	\$16,200
	Amphibians	Frog, Panamanian golden	<i>Atelopus varius zeteki</i>	Entire	\$81,000	\$0	\$81,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Amphibians subtotal				\$81,000	\$0	\$81,000
Foreign subtotal					\$652,600	\$0	\$652,600
Grand Total					\$1,127,720	\$0	\$1,127,720

Tennessee Valley Authority--FY2012

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$27,000	\$0	\$27,000
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$57,000	\$0	\$57,000
		Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>	Entire	\$100	\$0	\$100
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	Entire	\$500	\$0	\$500
	Mammals subtotal				\$84,600	\$0	\$84,600
	Birds	Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$700	\$0	\$700
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$600	\$0	\$600
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$1,400	\$0	\$1,400
	Birds subtotal				\$2,700	\$0	\$2,700
	Reptiles	Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$400	\$0	\$400
		Turtle, flattened musk	<i>Sternotherus depressus</i>	species range clarified	\$500	\$0	\$500
	Reptiles subtotal				\$900	\$0	\$900
	Fishes	Darter, bluemask (=jewel)	<i>Etheostoma sp.</i>	Entire	\$255,300	\$0	\$255,300
		Darter, boulder	<i>Etheostoma wapiti</i>	Entire	\$633,200	\$0	\$633,200
	Fishes subtotal				\$888,500	\$0	\$888,500
	Clams	Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Except where listed as EXPN	\$30,900	\$0	\$30,900
		Lampmussel, Alabama	<i>Lampsilis virescens</i>	Except where listed as EXPN	\$49,500	\$0	\$49,500
		Monkeyface, Cumberland (pearlymussel)	<i>Quadrula intermedia</i>	Except where listed as EXPN	\$133,200	\$0	\$133,200
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Entire	\$157,400	\$0	\$157,400

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pearlymussel, birdwing	<i>Lemiox rimosus</i>	Except where listed as EXPN	\$133,200	\$0	\$133,200
		Pearlymussel, cracking	<i>Hemistena lata</i>	Except where listed as EXPN	\$133,200	\$0	\$133,200
		Pigtoe, finerayed	<i>Fusconaia cuneolus</i>	Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Co., AL	\$133,200	\$0	\$133,200
		Pigtoe, shiny	<i>Fusconaia cor</i>	Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Co., AL	\$133,200	\$0	\$133,200
	Clams subtotal				\$903,800	\$0	\$903,800
	Arachnids	Spider, spruce-fir moss	<i>Microhexura montivaga</i>		\$100	\$0	\$100
	Arachnids subtotal				\$100	\$0	\$100
	Flowering Plants	Aster, Ruth's golden	<i>Pityopsis ruthii</i>		\$8,500	\$0	\$8,500
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$3,500	\$0	\$3,500
		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$14,000	\$0	\$14,000
	Flowering Plants subtotal				\$26,000	\$0	\$26,000
Grand Total					\$1,906,600	\$0	\$1,906,600

Appendix C. Expenditures Reported by the States for FY2012

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals	Bat, gray	<i>Myotis grisescens</i>	\$317,954	\$0
	Bat, Indiana	<i>Myotis sodalis</i>	\$471,916	\$165,100
	Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	\$36,600	\$0
	Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$1,500	\$0
	Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	\$10,900	\$0
	Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	\$34,300	\$0
	Bear, grizzly -- lower 48 States, except where listed as EXPN or delisted	<i>Ursus arctos horribilis</i>	\$2,081,977	\$0
	Bear, grizzly -- portions of ID and MT	<i>Ursus arctos horribilis</i>	\$89,500	\$0
	Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$96,688	\$0
	Caribou, woodland -- Selkirk Mts.	<i>Rangifer tarandus caribou</i>	\$41,000	\$0
	Deer, Columbian white-tailed -- Columbia River DPS	<i>Odocoileus virginianus leucurus</i>	\$26,622	\$0
	Ferret, black-footed -- except EXPN	<i>Mustela nigripes</i>	\$158,366	\$0
	Ferret, black-footed -- portions of AZ, CO, MT, SD, UT, WY	<i>Mustela nigripes</i>	\$325,500	\$0
	Jaguar --AZ,CA,LA,NM,TX; Mexico; Central and South America	<i>Panthera onca</i>	\$49,600	\$0
	Jaguarundi, Sinaloa	<i>Herpailurus (=Felis) yagouaroundi tolteca</i>	\$2,300	\$0
	Lynx, Canada -- Contiguous U.S. DPS	<i>Lynx canadensis</i>	\$175,116	\$463,000
	Manatee, West Indian	<i>Trichechus manatus</i>	\$4,593,226	\$0
	Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	\$2,205	\$0
	Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	\$2,940	\$0
	Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	\$3,675	\$0
	Mouse, Preble's meadow jumping -- CO, WY	<i>Zapus hudsonius preblei</i>	\$37,466	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Mouse, southeastern beach -- FL	<i>Peromyscus polionotus niveiventris</i>	\$2,205	\$0
	Mouse, St. Andrew beach -- FL	<i>Peromyscus polionotus peninsularis</i>	\$3,675	\$0
	Ocelot -- AZ, TX to Central and South America	<i>Leopardus (=Felis) pardalis</i>	\$27,000	\$0
	Panther, Florida -- LA and AR east to SC and FL	<i>Puma (=Felis) concolor coryi</i>	\$719,738	\$0
	Prairie dog, Utah -- UT	<i>Cynomys parvidens</i>	\$427,977	\$0
	Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$15,000	\$11,000
	Pronghorn, Sonoran -- AZ, Mexico	<i>Antilocapra americana sonoriensis</i>	\$65,000	\$0
	Puma (=cougar), eastern	<i>Puma (=Felis) concolor couguar</i>	\$1,150	\$0
	Rabbit, pygmy -- Columbia Basin DPS	<i>Brachylagus idahoensis</i>	\$53,800	\$0
	Sea-lion, Steller -- eastern pop.	<i>Eumetopias jubatus</i>	\$7,627	\$0
	Sea-lion, Steller -- western pop.	<i>Eumetopias jubatus</i>	\$10,000	\$0
	Sheep, Peninsular bighorn -- Peninsular CA pop.	<i>Ovis canadensis nelsoni</i>	\$42,205	\$0
	Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	\$700,000	\$0
	Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	\$1,500	\$0
	Squirrel, Delmarva Peninsula fox -- DE, Sussex Co.	<i>Sciurus niger cinereus</i>	\$646	\$0
	Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	\$104,000	\$0
	Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$9,000	\$0
	Squirrel, Virginia northern flying	<i>Glaucomys sabrinus fuscus</i>	\$2,000	\$0
	Vole, Amargosa	<i>Microtus californicus scirpensis</i>	\$1,280	\$0
	Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>	\$5,400	\$0
	Whale, finback	<i>Balaenoptera physalus</i>	\$20,762	\$0
	Whale, humpback	<i>Megaptera novaeangliae</i>	\$19,700	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Whale, killer -- Southern Resident DPS	<i>Orcinus orca</i>	\$15,100	\$0
	Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	\$63,500	\$0
	Wolf, gray -- All of AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	<i>Canis lupus</i>	\$951,289	\$3,665,251
	Wolf, gray -- MN	<i>Canis lupus</i>	\$30,500	\$0
	Wolf, gray -- WY, ID, MT	<i>Canis lupus</i>	\$911,342	\$0
	Wolf, gray -- Mexican gray wolf EXPN	<i>Canis lupus</i>	\$172,000	\$0
	Wolf, gray -- Western Great Lakes DPS	<i>Canis lupus</i>	\$331,581	\$0
	Wolf, red -- except where EXPN	<i>Canis rufus</i>	\$1,500	\$0
Mammals subtotal			\$13,275,828	\$4,304,351
Birds	Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	\$4,500	\$0
	Condor, California -- except where listed as EXPN	<i>Gymnogyps californianus</i>	\$84,455	\$0
	Condor, California -- portions of AZ, NV, UT	<i>Gymnogyps californianus</i>	\$173,934	\$0
	Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	\$400	\$0
	Crane, whooping -- except where EXPN	<i>Grus americana</i>	\$17,438	\$0
	Crane, whooping --CO, ID, FL, NM, UT, and western WY	<i>Grus americana</i>	\$103,395	\$0
	Crane, whooping -- Southwestern LA	<i>Grus americana</i>	\$16,150	\$0
	Eagle, bald -- Sonoran Desert DPS	<i>Haliaeetus leucocephalus</i>	\$208,425	\$0
	Falcon, northern aplomado -- except where EXPN	<i>Falco femoralis septentrionalis</i>	\$10,651	\$0
	Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$548,352	\$53,000
	Kite, Everglade snail -- FL pop.	<i>Rostrhamus sociabilis plumbeus</i>	\$38,091	\$0
	Murrelet, marbled -- CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$1,060,237	\$0
	Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$26,410	\$0
	Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$1,409,817	\$1,160,500
	Plover, piping -- Great Lakes watershed	<i>Charadrius melodus</i>	\$21,209	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Plover, piping -- except Great Lakes watershed	<i>Charadrius melodus</i>	\$189,679	\$0
	Plover, western snowy -- Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$252,179	\$0
	Rail, California clapper	<i>Rallus longirostris obsoletus</i>	\$16,985	\$0
	Rail, light-footed clapper -- U.S.A. only	<i>Rallus longirostris levipes</i>	\$1,360	\$0
	Rail, Yuma clapper -- U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$22,000	\$0
	scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	\$57,049	\$0
	Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	\$20,530	\$0
	Stork, wood -- AL, FL, GA, SC	<i>Mycteria americana</i>	\$14,726	\$0
	Tern, California least	<i>Sterna antillarum browni</i>	\$19,760	\$0
	Tern, least -- interior pop.	<i>Sterna antillarum</i>	\$74,900	\$0
	Tern, roseate -- NE U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$31,000	\$0
	Vireo, black-capped	<i>Vireo atricapilla</i>	\$300	\$0
	Warbler, Kirtland's	<i>Dendroica kirtlandii</i>	\$362,350	\$0
	Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>	\$400	\$0
	Woodpecker, ivory-billed	<i>Campephilus principalis</i>	\$400	\$0
	Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$542,930	\$60,500
Birds subtotal			\$5,330,012	\$1,274,000
Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	\$1,255,518	\$0
	Crocodile, American -- FL pop.	<i>Crocodylus acutus</i>	\$4,348	\$0
	Plymouth Red-Bellied Turtle	<i>Pseudemys rubriventris bangsi</i>	\$8,380	\$1,000,000
	Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	\$3,400	\$0
	Sea turtle, green -- FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$170,149	\$0
	Sea turtle, green -- except where endangered	<i>Chelonia mydas</i>	\$168,099	\$0
	Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$200,696	\$0
	Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$203,378	\$0
	Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$331,308	\$0
	Sea turtle, loggerhead	<i>Caretta caretta</i>	\$668,729	\$0
	Snake, copperbelly water -- IN, MI, OH	<i>Nerodia erythrogaster neglecta</i>	\$17,500	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$27,000	\$0
	Tortoise, desert -- except in Sonoran Desert	<i>Gopherus agassizii</i>	\$872,105	\$0
	Tortoise, gopher -- W of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$14,875	\$0
	Turtle, Alabama red-belly	<i>Pseudemys alabamensis</i>	\$400	\$0
	Turtle, bog (=Muhlenberg) -- northern	<i>Clemmys muhlenbergii</i>	\$60,413	\$266,500
	Turtle, bog (=Muhlenberg) -- southern	<i>Clemmys muhlenbergii</i>	\$16,140	\$0
	Turtle, ringed map	<i>Graptemys oculifera</i>	\$400	\$0
	Turtle, yellow-blotched map	<i>Graptemys flavimaculata</i>	\$400	\$0
Reptiles subtotal			\$4,023,238	\$1,266,500
Amphibians	Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$307,400	\$0
	Frog, dusky gopher	<i>Rana sevosa</i>	\$87,400	\$0
	Frog, mountain yellow-legged -- southern California DPS	<i>Rana muscosa</i>	\$22,310	\$0
	Hellbender, Ozark	<i>Cryptobranchus alleganiensis bishopi</i>	\$94,500	\$0
	Salamander, Cheat Mountain	<i>Plethodon nettingi</i>	\$1,500	\$0
	Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	\$13,304	\$0
	Salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>	\$13,304	\$0
	Salamander, Santa Cruz long-toed	<i>Ambystoma macrodactylum croceum</i>	\$40,000	\$0
	Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	\$26,000	\$0
	Toad, Wyoming	<i>Bufo baxteri (=hemiophrys)</i>	\$14,844	\$0
Amphibians subtotal			\$620,562	\$0
Fishes	Bocaccio -- Puget Sound--Georgia Basin DPS	<i>Sebastes paucispinis</i>	\$157,155	\$0
	Catfish, Yaqui	<i>Ictalurus pricei</i>	\$4,000	\$0
	Cavefish, Ozark	<i>Amblyopsis rosae</i>	\$68,900	\$0
	Chub, bonytail	<i>Gila elegans</i>	\$369,751	\$0
	Chub, Borax Lake	<i>Gila boraxobius</i>	\$760	\$0
	Chub, Chihuahua	<i>Gila nigrescens</i>	\$2,100	\$0
	Chub, Gila	<i>Gila intermedia</i>	\$131,600	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Chub, humpback	<i>Gila cypha</i>	\$635,128	\$0
	Chub, Hutton tui	<i>Gila bicolor ssp.</i>	\$250	\$0
	Chub, Oregon	<i>Oregonichthys crameri</i>	\$1,200	\$0
	Chub, Pahrnagat roundtail	<i>Gila robusta jordani</i>	\$4,500	\$0
	Chub, Sonora	<i>Gila ditaenia</i>	\$5,000	\$0
	Chub, spotfin	<i>Erimonax monachus</i>	\$5,000	\$0
	Chub, spotfin --TN - portions of the French Broad and Holston Rivers	<i>Erimonax monachus</i>	\$480	\$0
	Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	\$406,224	\$0
	Chub, Yaqui	<i>Gila purpurea</i>	\$4,800	\$0
	Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	\$1,500	\$0
	Dace, blackside	<i>Phoxinus cumberlandensis</i>	\$420	\$0
	Dace, Clover Valley speckled	<i>Rhinichthys osculus oligoporus</i>	\$1,200	\$0
	Dace, desert	<i>Eremichthys acros</i>	\$2,000	\$0
	Dace, Foskett speckled	<i>Rhinichthys osculus ssp.</i>	\$250	\$0
	Dace, Independence Valley speckled	<i>Rhinichthys osculus lethoporus</i>	\$100	\$0
	Dace, Moapa	<i>Moapa coriacea</i>	\$7,500	\$0
	Darter, amber	<i>Percina antesella</i>	\$7,500	\$0
	Darter, bayou	<i>Etheostoma rubrum</i>	\$400	\$0
	Darter, Cherokee	<i>Etheostoma scotti</i>	\$7,500	\$0
	Darter, Cumberland	<i>Etheostoma susanae</i>	\$3,360	\$0
	Darter, duskytail	<i>Etheostoma percnum</i>	\$210	\$0
	Darter, Etowah	<i>Etheostoma etowahae</i>	\$7,500	\$0
	Darter, goldline	<i>Percina aurolineata</i>	\$12,500	\$0
	Darter, leopard	<i>Percina pantherina</i>	\$800	\$0
	Darter, Niangua	<i>Etheostoma nianguae</i>	\$157,500	\$0
	Darter, snail	<i>Percina tanasi</i>	\$2,500	\$0
	Darter, yellowcheek	<i>Etheostoma moorei</i>	\$1,800	\$0
	Eulachon, Pacific -- Southern DPS	<i>Thaleichthys pacificus</i>	\$35,964	\$0
	Gambusia, Pecos	<i>Gambusia nobilis</i>	\$2,700	\$0
	Logperch, Conasauga	<i>Percina jenkinsi</i>	\$5,000	\$0
	Logperch, Roanoke	<i>Percina rex</i>	\$8,350	\$0
	Madtom, Neosho	<i>Noturus placidus</i>	\$43,000	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Minnow, loach	<i>Tiaroga cobitis</i>	\$227,000	\$0
	Minnow, Rio Grande silvery -- except where listed as EXPN	<i>Hybognathus amarus</i>	\$64,200	\$0
	Pikeminnow (=squawfish), Colorado -- except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$516,074	\$0
	Pikeminnow (=squawfish), Colorado -- Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$47,000	\$0
	Poolfish, Pahrump	<i>Empetrichthys latos</i>	\$3,500	\$0
	Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>	\$2,000	\$0
	Pupfish, desert	<i>Cyprinodon macularius</i>	\$224,500	\$0
	Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	\$4,600	\$0
	Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>	\$1,000	\$0
	Rockfish, Canary -- Puget Sound-- Georgia Basin DPS	<i>Sebastes pinniger</i>	\$162,952	\$0
	Rockfish, Yelloweye -- Puget Sound-- Georgia Basin DPS	<i>Sebastes ruberrimus</i>	\$165,191	\$0
	Salmon, Atlantic -- Expanded Gulf of Maine DPS	<i>Salmo salar</i>	\$454,300	\$0
	Salmon, chinook -- Snake River fall-run ESU	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$386,318	\$0
	Salmon, chinook -- Snake River spring/summer-run ESU	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$617,941	\$0
	Salmon, chinook -- Puget Sound ESU	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$8,031,328	\$0
	Salmon, chinook -- Lower Columbia River ESU	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,745,925	\$0
	Salmon, chinook -- Upper Willamette River ESU	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$192,650	\$0
	Salmon, chinook -- Upper Columbia spring-run ESU	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,265,545	\$313,000
	Salmon, chum -- Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$614,441	\$0
	Salmon, chum -- summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$674,841	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Salmon, coho -- Southern Oregon/Northern California Coast ESU	<i>Oncorhynchus (=Salmo) kisutch</i>	\$44,500	\$0
	Salmon, coho -- Oregon Coast ESU	<i>Oncorhynchus (=Salmo) kisutch</i>	\$620,000	\$0
	Salmon, coho -- Lower Columbia River ESU	<i>Oncorhynchus (=Salmo) kisutch</i>	\$1,450,274	\$617,000
	Salmon, sockeye -- Snake River, ID	<i>Oncorhynchus (=Salmo) nerka</i>	\$250,629	\$0
	Salmon, sockeye -- Ozette Lake, WA	<i>Oncorhynchus (=Salmo) nerka</i>	\$249,293	\$0
	Sawfish, smalltooth -- TX, FL	<i>Pristis pectinata</i>	\$5,640	\$0
	Shiner, Arkansas River -- Arkansas R. Basin	<i>Notropis girardi</i>	\$2,100	\$0
	Shiner, beautiful	<i>Cyprinella formosa</i>	\$4,700	\$0
	Shiner, blue	<i>Cyprinella caerulea</i>	\$4,500	\$0
	Shiner, Cape Fear	<i>Notropis mekistocholas</i>	\$22,790	\$0
	Shiner, palezone	<i>Notropis albizonatus</i>	\$420	\$0
	Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	\$10,500	\$0
	Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$53,800	\$0
	Silverside, Waccamaw	<i>Menidia extensa</i>	\$1,620	\$0
	Spikedace	<i>Meda fulgida</i>	\$209,000	\$0
	Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>	\$2,500	\$0
	Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	\$60,000	\$0
	Spinedace, White River	<i>Lepidomeda albivallis</i>	\$6,000	\$0
	Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	\$2,000	\$0
	Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	\$28,000	\$0
	Springfish, White River	<i>Crenichthys baileyi baileyi</i>	\$3,000	\$0
	Steelhead -- Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$602,846	\$0
	Steelhead -- lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$743,824	\$617,500
	Steelhead -- upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$296,577	\$263,000
	Steelhead -- upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$29,000	\$0
	Steelhead -- middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$558,365	\$2,650,418
	Steelhead -- Puget Sound DPS	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,391,861	\$0
	Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>	\$13,500	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>	\$5,913	\$0
	Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$96,900	\$0
	Sturgeon, North American green -- Southern CA DPS	<i>Acipenser medirostris</i>	\$36,028	\$0
	Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$251,991	\$0
	Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$49,120	\$0
	Sturgeon, white -- ID, MT, Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$2,500	\$0
	Sucker, June	<i>Chasmistes liorus</i>	\$667,817	\$0
	Sucker, Lost River	<i>Deltistes luxatus</i>	\$4,700	\$0
	Sucker, Modoc	<i>Catostomus microps</i>	\$500	\$0
	Sucker, razorback	<i>Xyrauchen texanus</i>	\$810,057	\$0
	Sucker, shortnose	<i>Chasmistes brevirostris</i>	\$4,700	\$0
	Sucker, Warner	<i>Catostomus warnerensis</i>	\$1,250	\$0
	Topminnow, Gila (incl. Yaqui) -- U.S.A.	<i>Poeciliopsis occidentalis</i>	\$295,600	\$0
	Trout, Apache	<i>Oncorhynchus apache</i>	\$206,000	\$0
	Trout, bull -- lower 48 states	<i>Salvelinus confluentus</i>	\$1,123,877	\$0
	Trout, Gila	<i>Oncorhynchus gilae</i>	\$125,000	\$0
	Trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>	\$76,210	\$0
	Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii henshawi</i>	\$52,480	\$0
	Trout, Little Kern golden	<i>Oncorhynchus aguabonita whitei</i>	\$1,315	\$0
	Trout, Paiute cutthroat	<i>Oncorhynchus clarkii seleniris</i>	\$27,910	\$0
	Tui chub, Mohave	<i>Gila bicolor ssp. mohavensis</i>	\$7,500	\$0
	Woundfin -- except Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$363,201	\$0
	Woundfin -- Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$7,000	\$0
Fishes subtotal			\$28,392,516	\$4,460,918
Clams	Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>	\$5,500	\$0
	Bean, Cumberland (pearlymussel) -- Except where listed as EXPN	<i>Villosa trabalis</i>	\$10,500	\$0
	Bean, rayed	<i>Villosa fabalis</i>	\$1,584	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Catspaw, white (pearlymussel)	<i>Epioblasma obliquata perobliqua</i>	\$1,584	\$0
	Clubshell -- Except where EXPN	<i>Pleurobema clava</i>	\$60,284	\$0
	Clubshell, black	<i>Pleurobema curtum</i>	\$400	\$0
	Clubshell, ovate	<i>Pleurobema perovatum</i>	\$400	\$0
	Clubshell, southern	<i>Pleurobema decisum</i>	\$4,900	\$0
	Combshell, Cumberlandian -- Except where listed as EXPN	<i>Epioblasma brevidens</i>	\$6,650	\$0
	Combshell, southern	<i>Epioblasma penita</i>	\$4,900	\$0
	Combshell, upland	<i>Epioblasma metastrata</i>	\$2,000	\$0
	Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	\$18,340	\$0
	Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	\$10,500	\$0
	Fanshell	<i>Cyprogenia stegaria</i>	\$14,283	\$0
	Fatmucket, Arkansas	<i>Lampsilis powellii</i>	\$875	\$0
	Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>	\$400	\$0
	Heelsplitter, Carolina	<i>Lasmigona decorata</i>	\$9,160	\$0
	Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	\$38,200	\$0
	Kidneyshell, triangular	<i>Ptychobranhus greenii</i>	\$4,500	\$0
	Mapleleaf, winged -- except where listed as EXPN	<i>Quadrula fragosa</i>	\$15,800	\$0
	Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	\$4,400	\$0
	Moccasinshell, Coosa	<i>Medionidus parvulus</i>	\$3,500	\$0
	Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	\$5,000	\$0
	Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	\$5,000	\$0
	Mucket, orangenacre	<i>Lampsilis provalis</i>	\$400	\$0
	Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$39,600	\$0
	Mussel, oyster -- Except where EXPN	<i>Epioblasma capsaeformis</i>	\$6,250	\$0
	Mussel, oyster -- Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Epioblasma capsaeformis</i>	\$400	\$0
	Mussel, scaleshell	<i>Leptodea leptodon</i>	\$31,100	\$0
	Mussel, sheepnose	<i>Plethobasus cyphus</i>	\$16,983	\$0
	Mussel, snuffbox	<i>Epioblasma triquetra</i>	\$22,183	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	\$11,875	\$0
	Pearlymussel, birdwing -- Free-Flowing Reach of the TN River below Wilson Dam, Colbert, and Lauderdale Counties, AL	<i>Lemiox rimosus</i>	\$400	\$0
	Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>	\$11,500	\$0
	Pearlymussel, dromedary -- Except where listed as EXPN	<i>Dromus dromas</i>	\$6,250	\$0
	Pearlymussel, dromedary -- Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Dromus dromas</i>	\$400	\$0
	Pearlymussel, littlewing	<i>Pegias fabula</i>	\$7,270	\$0
	Pigtoe, flat	<i>Pleurobema marshalli</i>	\$400	\$0
	Pigtoe, heavy	<i>Pleurobema taitianum</i>	\$400	\$0
	Pigtoe, oval	<i>Pleurobema pyriforme</i>	\$4,500	\$0
	Pigtoe, rough	<i>Pleurobema plenum</i>	\$6,250	\$0
	Pigtoe, southern	<i>Pleurobema georgianum</i>	\$3,500	\$0
	Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	\$6,250	\$0
	Pimpleback, orangefoot (pearlymussel) - TN - portions of the French Broad and Holston Rivers	<i>Plethobasus cooperianus</i>	\$200	\$0
	Pocketbook, fat	<i>Potamilus capax</i>	\$20,883	\$0
	Pocketbook, finelined	<i>Lampsilis altilis</i>	\$4,000	\$0
	Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	\$700	\$0
	Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	\$4,000	\$0
	Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>	\$5,383	\$0
	Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	\$43,183	\$0
	Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (= <i>E. walkeri</i>)	\$6,250	\$0
	Spectaclecase (mussel)	<i>Cumberlandia monodonta</i>	\$19,450	\$0
	Spinymussel, James	<i>Pleurobema collina</i>	\$5,550	\$0
	Spinymussel, Tar River	<i>Elliptio steinstansana</i>	\$22,730	\$0
	Stirrupshell	<i>Quadrula stapes</i>	\$400	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Three-ridge, fat (mussel)	<i>Amblema neislerii</i>	\$4,000	\$0
	Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$98,190	\$0
Clams subtotal			\$639,490	\$0
Snails	Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$27,000	\$0
	Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>	\$4,500	\$0
	Riversnail, Anthony's -- Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Athearnia anthonyi</i>	\$400	\$0
	Snail, flat-spired three-toothed	<i>Triodopsis platysayoides</i>	\$1,500	\$0
	Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	\$2,200	\$0
	Snail, Pecos assiminea	<i>Assiminea pecos</i>	\$1,300	\$0
	Snails, Oahu tree	<i>Achatinella spp.</i>	\$4,134	\$0
	Springsnail, Alamosa	<i>Tryonia alamosae</i>	\$1,300	\$0
	Springsnail, Koster's	<i>Juturnia kosteri</i>	\$1,000	\$0
	Springsnail, Roswell	<i>Pyrgulopsis roswellensis</i>	\$1,100	\$0
	springsnail, San Bernardino	<i>Pyrgulopsis bernardina</i>	\$6,000	\$0
	Springsnail, Socorro	<i>Pyrgulopsis neomexicana</i>	\$1,300	\$0
	Springsnail, Three Forks	<i>Pyrgulopsis trivialis</i>	\$21,000	\$0
Snails subtotal			\$72,734	\$0
Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	\$183,700	\$0
	Beetle, Hungerford's crawling water	<i>Brychius hungerfordi</i>	\$100	\$0
	Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$104,600	\$350,000
	Butterfly, Miami Blue	<i>Cyclargus (=Hemiargus) thomasi bethunebakeri</i>	\$9,859	\$0
	Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	\$94,500	\$0
	Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$9,500	\$0
	Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>	\$1,488,000	\$0
	Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	\$500	\$0
	Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$29,100	\$0
	Moth, Blackburn's sphinx	<i>Manduca blackburni</i>	\$869	\$0
	Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>	\$14,000	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
Insects subtotal			\$1,934,728	\$350,000
Crustaceans	Amphipod, Illinois cave	<i>Gammarus acherondytes</i>	\$6,700	\$0
	Amphipod, Noel's	<i>Gammarus desperatus</i>	\$1,600	\$0
	Crayfish, Shasta	<i>Pacifastacus fortis</i>	\$1,680	\$0
	Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	\$1,650	\$0
Crustaceans subtotal			\$11,630	\$0
Flowering Plants	A`e	<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>	\$4,807	\$0
	A`e	<i>Zanthoxylum hawaiiense</i>	\$1,149	\$0
	`Ahinahina	<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>	\$4,807	\$0
	`Aiakeakua, popolo	<i>Solanum sandwicense</i>	\$3,014	\$0
	`Aiea	<i>Nothocestrum breviflorum</i>	\$4,591	\$0
	`Aiea	<i>Nothocestrum peltatum</i>	\$217	\$0
	`Akoko	<i>Euphorbia haelealeana</i>	\$932	\$0
	Alani	<i>Melicope adscendens</i>	\$1,149	\$0
	Alani	<i>Melicope balloui</i>	\$433	\$0
	Alani	<i>Melicope haupuensis</i>	\$217	\$0
	Alani	<i>Melicope knudsenii</i>	\$217	\$0
	Alani	<i>Melicope mucronulata</i>	\$1,149	\$0
	Alani	<i>Melicope zahlbruckneri</i>	\$1,149	\$0
	Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$2,690	\$0
	Amphianthus, little	<i>Amphianthus pusillus</i>	\$2,500	\$0
	`Anaunau	<i>Lepidium arbuscula</i>	\$932	\$0
	`Anunu	<i>Sicyos alba</i>	\$4,591	\$0
	Arrowhead, bunched	<i>Sagittaria fasciculata</i>	\$2,816	\$0
	Aster, decurrent false	<i>Boltonia decurrens</i>	\$5,200	\$0
	Aster, Florida golden	<i>Chrysopsis floridana</i>	\$14,500	\$0
	Aupaka	<i>Isodendron hosakae</i>	\$932	\$0
	Aupaka	<i>Isodendron laurifolium</i>	\$2,081	\$0
	Aupaka	<i>Isodendron longifolium</i>	\$932	\$0
	Awiwi	<i>Centaurium sebaeoides</i>	\$217	\$0
	Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>	\$68	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Beargrass, Britton's	<i>Nolina brittoniana</i>	\$3,500	\$0
	Beauty, Harper's	<i>Harperocallis flava</i>	\$1,300	\$0
	Bellflower, Brooksville	<i>Campanula robinsiae</i>	\$10,500	\$0
	Birds-in-a-nest, white	<i>Macbridea alba</i>	\$1,000	\$0
	Bittercress, small-anthered	<i>Cardamine micranthera</i>	\$1,310	\$0
	bladderpod, Missouri	<i>Physaria filiformis</i>	\$2,500	\$0
	Blazingstar, Heller's	<i>Liatris helleri</i>	\$1,000	\$0
	Blazingstar, scrub	<i>Liatris ohlingerae</i>	\$9,500	\$0
	Blue-star, Kearney's	<i>Amsonia kearneyana</i>	\$2,800	\$0
	Bluet, Roan Mountain	<i>Hedyotis purpurea var. montana</i>	\$1,000	\$0
	Bonamia, Florida	<i>Bonamia grandiflora</i>	\$3,000	\$0
	Buckwheat, scrub	<i>Eriogonum longifolium var. gnaphalifolium</i>	\$5,500	\$0
	Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	\$900	\$0
	Bush-clover, prairie	<i>Lespedeza leptostachya</i>	\$1,800	\$0
	Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>	\$700	\$0
	Butterwort, Godfrey's	<i>Pinguicula ionantha</i>	\$3,500	\$0
	Button, Mohr's Barbara	<i>Marshallia mohrii</i>	\$3,000	\$0
	Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus var. arizonicus</i>	\$3,300	\$0
	Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	\$2,800	\$0
	Cactus, Cochise pincushion	<i>Coryphantha robbinsiorum</i>	\$2,300	\$0
	Cactus, Key tree	<i>Pilosocereus robinii</i>	\$12,000	\$0
	Cactus, Nichol's Turk's head	<i>Echinocactus horizontalonius var. nicholii</i>	\$3,800	\$0
	Cactus, Peebles Navajo	<i>Pediocactus peeblesianus var. peeblesianus</i>	\$3,800	\$0
	Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>	\$3,800	\$0
	Cactus, Siler pincushion	<i>Pediocactus (=Echinocactus, =Utahia) sileri</i>	\$2,800	\$0
	Campion, fringed	<i>Silene polypetala</i>	\$6,000	\$0
	Chaffseed, American	<i>Schwalbea americana</i>	\$13,768	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Cliff-rose, Arizona	<i>Purshia (=Cowania) subintegra</i>	\$2,300	\$0
	Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$4,100	\$0
	Coneflower, smooth	<i>Echinacea laevigata</i>	\$9,082	\$0
	Cycladenia, Jones	<i>Cycladenia humilis var. jonesii</i>	\$2,300	\$0
	Daisy, Lakeside	<i>Hymenoxys herbacea</i>	\$300	\$0
	Dropwort, Canby's	<i>Oxypolis canbyi</i>	\$10,568	\$0
	Fleabane, Zuni	<i>Erigeron rhizomatus</i>	\$2,300	\$0
	Fringe-tree, pygmy	<i>Chionanthus pygmaeus</i>	\$4,000	\$0
	Gardenia (=Na`u), Hawaiian	<i>Gardenia brighamii</i>	\$4,615	\$0
	Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>	\$2,081	\$0
	Gerardia, sandplain	<i>Agalinis acuta</i>	\$150	\$0
	Goldenrod, Houghton's	<i>Solidago houghtonii</i>	\$500	\$0
	Goldenrod, Short's	<i>Solidago shortii</i>	\$300	\$0
	Gooseberry, Miccosukee	<i>Ribes echinellum</i>	\$4,500	\$0
	Gourd, Okeechobee	<i>Cucurbita okeechobeensis ssp. okeechobeensis</i>	\$2,500	\$0
	Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	\$5,500	\$0
	Haha	<i>Cyanea asarifolia</i>	\$932	\$0
	Haha	<i>Cyanea dunbarii</i>	\$932	\$0
	Haha	<i>Cyanea grimesiana ssp. grimesiana</i>	\$1,149	\$0
	Haha	<i>Cyanea grimesiana ssp. obatae</i>	\$932	\$0
	Haha	<i>Cyanea hamatiflora ssp. carlsonii</i>	\$3,658	\$0
	Haha	<i>Cyanea lobata</i>	\$2,081	\$0
	Haha	<i>Cyanea pinnatifida</i>	\$1,865	\$0
	Haha	<i>Cyanea platyphylla</i>	\$4,807	\$0
	Haha	<i>Cyanea procera</i>	\$217	\$0
	Haha	<i>Cyanea shipmanii</i>	\$4,807	\$0
	Haha	<i>Cyanea stictophylla</i>	\$4,591	\$0
	Haha	<i>Cyanea st.-johnii</i>	\$217	\$0
	Haha	<i>Cyanea superba</i>	\$932	\$0
	Haha	<i>Cyanea truncata</i>	\$2,081	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Haha	<i>Cyanea undulata</i>	\$1,149	\$0
	Haiwale	<i>Cyrtandra paliku</i>	\$1,149	\$0
	Ha`iwale	<i>Cyrtandra giffardii</i>	\$669	\$0
	Ha`iwale	<i>Cyrtandra polyantha</i>	\$932	\$0
	Ha`iwale	<i>Cyrtandra tintinnabula</i>	\$1,818	\$0
	Hala pepe	<i>Pleomele hawaiiensis</i>	\$4,591	\$0
	Harebells, Avon Park	<i>Crotalaria avonensis</i>	\$17,000	\$0
	Harperella	<i>Ptilimnium nodosum</i>	\$6,650	\$0
	Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>	\$669	\$0
	Hau kuahiwi	<i>Hibiscadelphus woodii</i>	\$217	\$0
	Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	\$167,680	\$0
	Heather, mountain golden	<i>Hudsonia montana</i>	\$80	\$0
	Hibiscus, Clay's	<i>Hibiscus clayi</i>	\$1,149	\$0
	Honohono	<i>Haplostachys haplostachya</i>	\$932	\$0
	Hypericum, highlands scrub	<i>Hypericum cumulicola</i>	\$6,000	\$0
	Iliau, dwarf	<i>Wilkesia hobdyi</i>	\$932	\$0
	Iris, dwarf lake	<i>Iris lacustris</i>	\$250	\$0
	Irisette, white	<i>Sisyrinchium dichotomum</i>	\$6,990	\$0
	Jacquemontia, beach	<i>Jacquemontia reclinata</i>	\$10,500	\$0
	Joint-vetch, sensitive	<i>Aeschynomene virginica</i>	\$1,338	\$0
	Kamakahala	<i>Labordia cyrtandrae</i>	\$217	\$0
	Kamakahala	<i>Labordia tinifolia</i> var. <i>lanaiensis</i>	\$3,014	\$0
	Kamakahala	<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>	\$217	\$0
	Kamanomano	<i>Cenchrus agrimonioides</i>	\$217	\$0
	Kauai hau kuahiwi	<i>Hibiscadelphus distans</i>	\$932	\$0
	Kauila	<i>Colubrina oppositifolia</i>	\$6,888	\$0
	Kiponapona	<i>Phyllostegia racemosa</i>	\$1,601	\$0
	Koki`o	<i>Kokia drynarioides</i>	\$4,854	\$0
	Koki`o	<i>Kokia kauaiensis</i>	\$217	\$0
	Koki`o, Cooke's	<i>Kokia cookei</i>	\$1,149	\$0
	Koki`o ke`oke`o	<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>	\$932	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Kolea	<i>Myrsine knudsenii</i>	\$217	\$0
	Kolea	<i>Myrsine linearifolia</i>	\$932	\$0
	Kolea	<i>Myrsine mezii</i>	\$217	\$0
	Ko`oko`olau	<i>Bidens micrantha ssp. kalealaha</i>	\$217	\$0
	Ko`oloa`ula	<i>Abutilon menziesii</i>	\$217	\$0
	Kopiko	<i>Psychotria grandiflora</i>	\$217	\$0
	Kopiko	<i>Psychotria hobdyi</i>	\$932	\$0
	Kuahiwi laukahi	<i>Plantago hawaiiensis</i>	\$932	\$0
	Kuahiwi laukahi	<i>Plantago princeps</i>	\$932	\$0
	Kula wahine noho	<i>Isodendron pyrifolium</i>	\$1,149	\$0
	Kulu`i	<i>Nototrichium humile</i>	\$932	\$0
	Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	\$2,800	\$0
	Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$2,700	\$0
	Lau `ehu	<i>Panicum niuhauense</i>	\$2,081	\$0
	Laulihilihi	<i>Schiedea stellarioides</i>	\$1,149	\$0
	Lead-plant, Crenulate	<i>Amorpha crenulata</i>	\$10,500	\$0
	Leather flower, Alabama	<i>Clematis socialis</i>	\$3,500	\$0
	Lily, Minnesota dwarf trout	<i>Erythronium propullans</i>	\$1,000	\$0
	Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	\$14,740	\$129,863
	Lo`ulu	<i>Pritchardia affinis</i>	\$3,921	\$0
	Lo`ulu	<i>Pritchardia kaalae</i>	\$1,865	\$0
	Lo`ulu	<i>Pritchardia munroi</i>	\$932	\$0
	Lo`ulu	<i>Pritchardia napaliensis</i>	\$1,865	\$0
	Lo`ulu	<i>Pritchardia schattaueri</i>	\$669	\$0
	Lo`ulu	<i>Pritchardia viscosa</i>	\$217	\$0
	Lo`ulu, (=Na`ena`e)	<i>Pritchardia hardyi</i>	\$932	\$0
	Lousewort, Furbish	<i>Pedicularis furbishiae</i>	\$5,000	\$0
	Lupine, scrub	<i>Lupinus aridorum</i>	\$16,000	\$0
	Mahoe	<i>Alectryon macrococcus</i>	\$1,366	\$0
	Makou	<i>Peucedanum sandwicense</i>	\$932	\$0
	Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	\$6,672	\$0
	Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>	\$5,420	\$0
	Mehamehame	<i>Flueggea neowawraea</i>	\$1,818	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Milkpea, Small's	<i>Galactia smallii</i>	\$1,300	\$0
	Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	\$2,800	\$0
	Milk-vetch, Jesup's	<i>Astragalus robbinsii</i> var. <i>jesupi</i>	\$3,400	\$0
	Milk-vetch, Sentry	<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>	\$2,800	\$0
	Milkweed, Mead's	<i>Asclepias meadii</i>	\$11,200	\$0
	Milkweed, Welsh's	<i>Asclepias welshii</i>	\$2,800	\$0
	Mint, Garrett's	<i>Dicerandra christmanii</i>	\$12,000	\$0
	Mint, Lakela's	<i>Dicerandra immaculata</i>	\$10,000	\$0
	Mint, longspurred	<i>Dicerandra cornutissima</i>	\$1,800	\$0
	Mint, scrub	<i>Dicerandra frutescens</i>	\$4,500	\$0
	monkey-flower, Michigan	<i>Mimulus michiganensis</i>	\$1,000	\$0
	Monkshood, northern wild	<i>Aconitum noveboracense</i>	\$500	\$0
	Mustard, Carter's	<i>Warea carteri</i>	\$1,600	\$0
	Naenae	<i>Dubautia kalalauensis</i>	\$1,149	\$0
	Na`ena`e	<i>Dubautia pauciflora</i>	\$217	\$0
	Na`ena`e	<i>Dubautia plantaginea</i> ssp. <i>humilis</i>	\$217	\$0
	Nani wai`ale`ale	<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>	\$932	\$0
	Nanu	<i>Gardenia mannii</i>	\$932	\$0
	Naupaka, dwarf	<i>Scaevola coriacea</i>	\$1,149	\$0
	Nioi	<i>Eugenia koolauensis</i>	\$932	\$0
	No common name	<i>Abutilon eremitopetalum</i>	\$1,149	\$0
	No common name	<i>Achyranthes mutica</i>	\$1,601	\$0
	No common name	<i>Bonamia menziesii</i>	\$1,149	\$0
	No common name	<i>Cyanea (=Rollandia) crispa</i>	\$932	\$0
	No common name	<i>Geocarpon minimum</i>	\$5,200	\$0
	No common name	<i>Gouania meyenii</i>	\$2,081	\$0
	No common name	<i>Gouania vitifolia</i>	\$2,534	\$0
	No common name	<i>Hesperomannia arborescens</i>	\$217	\$0
	No common name	<i>Hesperomannia arbuscula</i>	\$217	\$0
	No common name	<i>Lobelia monostachya</i>	\$1,149	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	No common name	<i>Lobelia niihauensis</i>	\$932	\$0
	No common name	<i>Lobelia oahuensis</i>	\$217	\$0
	No common name	<i>Lysimachia filifolia</i>	\$932	\$0
	No common name	<i>Lysimachia lydgatei</i>	\$1,149	\$0
	No common name	<i>Lysimachia maxima</i>	\$1,149	\$0
	No common name	<i>Lysimachia pendens</i>	\$217	\$0
	No common name	<i>Lysimachia scopulensis</i>	\$932	\$0
	No common name	<i>Neraudia ovata</i>	\$4,807	\$0
	No common name	<i>Neraudia sericea</i>	\$217	\$0
	No common name	<i>Phyllostegia hirsuta</i>	\$932	\$0
	No common name	<i>Phyllostegia hispida</i>	\$217	\$0
	No common name	<i>Phyllostegia kaalaensis</i>	\$932	\$0
	No common name	<i>Phyllostegia mannii</i>	\$217	\$0
	No common name	<i>Phyllostegia mollis</i>	\$932	\$0
	No common name	<i>Phyllostegia parviflora</i>	\$1,149	\$0
	No common name	<i>Phyllostegia velutina</i>	\$1,601	\$0
	No common name	<i>Phyllostegia waimeae</i>	\$217	\$0
	No common name	<i>Phyllostegia warshaueri</i>	\$4,591	\$0
	No common name	<i>Platanthera holochila</i>	\$2,081	\$0
	No common name	<i>Remya kauaiensis</i>	\$932	\$0
	No common name	<i>Remya montgomeryi</i>	\$1,149	\$0
	No common name	<i>Schiedea haleakalensis</i>	\$932	\$0
	No common name	<i>Schiedea helleri</i>	\$932	\$0
	No common name	<i>Schiedea kaalae</i>	\$1,149	\$0
	No common name	<i>Schiedea kauaiensis</i>	\$1,149	\$0
	No common name	<i>Schiedea membranacea</i>	\$1,149	\$0
	No common name	<i>Schiedea nuttallii</i>	\$932	\$0
	No common name	<i>Silene alexandri</i>	\$1,149	\$0
	No common name	<i>Silene lanceolata</i>	\$932	\$0
	No common name	<i>Silene perlmanii</i>	\$2,081	\$0
	No common name	<i>Spermolepis hawaiiensis</i>	\$932	\$0
	No common name	<i>Stenogyne angustifolia</i> <i>angustifolia</i>	\$932	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	No common name	<i>Stenogyne bifida</i>	\$217	\$0
	No common name	<i>Stenogyne campanulata</i>	\$1,149	\$0
	No common name	<i>Stenogyne kanehoana</i>	\$932	\$0
	No common name	<i>Stenogyne kealiae</i>	\$217	\$0
	No common name	<i>Tetramolopium remyi</i>	\$217	\$0
	No common name	<i>Vigna o-wahuensis</i>	\$932	\$0
	No common name	<i>Viola helenae</i>	\$217	\$0
	No common name	<i>Viola lanaiensis</i>	\$2,081	\$0
	No common name	<i>Xylosma crenatum</i>	\$217	\$0
	Nohoanu	<i>Geranium multiflorum</i>	\$932	\$0
	Ohai	<i>Sesbania tomentosa</i>	\$2,750	\$0
	`Oha wai	<i>Clermontia drepanomorpha</i>	\$1,601	\$0
	`Oha wai	<i>Clermontia lindseyana</i>	\$1,818	\$0
	`Oha wai	<i>Clermontia oblongifolia ssp. brevipes</i>	\$1,149	\$0
	`Oha wai	<i>Clermontia peleana</i>	\$1,818	\$0
	`Oha wai	<i>Clermontia pyrularia</i>	\$1,601	\$0
	Olulu	<i>Brighamia insignis</i>	\$1,865	\$0
	Opuhe	<i>Urera kaalae</i>	\$1,149	\$0
	Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$19,950	\$0
	Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$21,400	\$0
	Pa`iniu	<i>Astelia waialealae</i>	\$1,149	\$0
	Pawpaw, beautiful	<i>Deeringothamnus pulchellus</i>	\$300	\$0
	Pawpaw, four-petal	<i>Asimina tetramera</i>	\$700	\$0
	Pawpaw, Rugel's	<i>Deeringothamnus rugelii</i>	\$1,000	\$0
	Penstemon, blowout	<i>Penstemon haydenii</i>	\$1,500	\$0
	Peppergrass, Slickspot	<i>Lepidium papilliferum</i>	\$16,000	\$0
	Pigeon wings	<i>Clitoria fragrans</i>	\$2,000	\$0
	Pinkroot, gentian	<i>Spigelia gentianooides</i>	\$300	\$0
	Pink, swamp	<i>Helonias bullata</i>	\$12,350	\$0
	Pitcher-plant, green	<i>Sarracenia oreophila</i>	\$2,000	\$0
	Pitcher-plant, mountain sweet	<i>Sarracenia rubra ssp. jonesii</i>	\$3,320	\$498,485
	Plum, scrub	<i>Prunus geniculata</i>	\$7,000	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Po'e	<i>Portulaca sclerocarpa</i>	\$932	\$0
	Pogonia, small whorled	<i>Isotria medeoloides</i>	\$8,393	\$0
	Polygala, Lewton's	<i>Polygala lewtonii</i>	\$20,000	\$0
	Polygala, tiny	<i>Polygala smallii</i>	\$300	\$0
	Pondberry	<i>Lindera melissifolia</i>	\$17,811	\$0
	Popolo ku mai	<i>Solanum incompletum</i>	\$932	\$0
	Potato-bean, Price's	<i>Apios priceana</i>	\$500	\$0
	Prairie-clover, leafy	<i>Dalea foliosa</i>	\$100	\$0
	Prickly-apple, fragrant	<i>Cereus eriophorus var. fragrans</i>	\$1,500	\$0
	Pua`ala	<i>Brighamia rockii</i>	\$1,149	\$0
	Ragwort, San Francisco Peaks	<i>Packera franciscana</i>	\$3,300	\$0
	Rattleweed, hairy	<i>Baptisia arachnifera</i>	\$10,500	\$0
	Rock cress, Shale barren	<i>Arabis serotina</i>	\$550	\$0
	Rosemary, Apalachicola	<i>Conradina glabra</i>	\$300	\$0
	Rosemary, Etonia	<i>Conradina etonia</i>	\$3,000	\$0
	Rosemary, short-leaved	<i>Conradina brevifolia</i>	\$10,000	\$0
	Sandlace	<i>Polygonella myriophylla</i>	\$4,000	\$0
	Schiedea, Diamond Head	<i>Schiedea adamantis</i>	\$217	\$0
	Seagrass, Johnson's	<i>Halophila johnsonii</i>	\$3,500	\$0
	Sedge, golden	<i>Carex lutea</i>	\$600	\$0
	Sedge, Navajo	<i>Carex specuicola</i>	\$2,300	\$0
	Silversword, Mauna Loa (=Ka'u)	<i>Argyroxiphium kauense</i>	\$4,591	\$0
	Skullcap, Florida	<i>Scutellaria floridana</i>	\$500	\$0
	Skullcap, large-flowered	<i>Scutellaria montana</i>	\$1,500	\$0
	Snakeroot	<i>Eryngium cuneifolium</i>	\$6,500	\$0
	Sneezeweed, Virginia	<i>Helenium virginicum</i>	\$4,500	\$0
	Spiraea, Virginia	<i>Spiraea virginiana</i>	\$2,860	\$0
	Spurge, deltoid	<i>Chamaesyce deltoidea ssp. deltoidea</i>	\$2,000	\$0
	Spurge, Garber's	<i>Chamaesyce garberi</i>	\$800	\$0
	Spurge, telephus	<i>Euphorbia telephioides</i>	\$300	\$0
	Sumac, Michaux's	<i>Rhus michauxii</i>	\$22,370	\$0
	Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	\$14,750	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$2,200	\$0
	Trillium, persistent	<i>Trillium persiciens</i>	\$7,500	\$0
	Trillium, relict	<i>Trillium reliquum</i>	\$4,500	\$0
	Uhiuhi	<i>Caesalpinia kavaiense</i>	\$4,138	\$0
	Vetch, Hawaiian	<i>Vicia menziesii</i>	\$4,591	\$0
	Wahane	<i>Pritchardia aylmer-robinsonii</i>	\$1,865	\$0
	Warea, wide-leaf	<i>Warea amplexifolia</i>	\$20,000	\$0
	Water-plantain, Kral's	<i>Sagittaria secundifolia</i>	\$1,500	\$0
	Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>	\$2,800	\$0
	Water-willow, Cooley's	<i>Justicia cooleyi</i>	\$300	\$0
	Whitlow-wort, papery	<i>Paronychia chartacea</i>	\$3,300	\$0
	Wireweed	<i>Polygonella basiramia</i>	\$4,500	\$0
	Ziziphus, Florida	<i>Ziziphus celata</i>	\$34,500	\$0
Flowering Plants subtotal			\$1,063,979	\$628,348
Conifers and Cycads	Torreya, Florida	<i>Torreya taxifolia</i>	\$12,500	\$0
Conifers and Cycads subtotal			\$12,500	\$0
Ferns and Allies	Diellia, asplenium-leaved	<i>Diellia erecta</i>	\$932	\$0
	Fern, pendant kihi	<i>Adenophorus periens</i>	\$669	\$0
	Ihi`ihi	<i>Marsilea villosa</i>	\$932	\$0
	No common name	<i>Diplazium molokaiense</i>	\$1,149	\$0
	No common name	<i>Doryopteris angelica</i>	\$1,865	\$0
	No common name	<i>Pteris lidgatei</i>	\$1,149	\$0
	Quillwort, black spored	<i>Isoetes melanospora</i>	\$2,000	\$0
	Quillwort, Louisiana	<i>Isoetes louisianensis</i>	\$400	\$0
	Quillwort, mat-forming	<i>Isoetes tegetiformans</i>	\$2,000	\$0
	Wawae`iole	<i>Huperzia mannii</i>	\$932	\$0
Ferns and Allies subtotal			\$12,028	\$0
Lichens	Cladonia, Florida perforate	<i>Cladonia perforata</i>	\$7,500	\$0
	Lichen, rock gnome	<i>Gymnoderma lineare</i>	\$2,140	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
Lichens subtotal			\$9,640	\$0
Multi-Species Expenditures			\$2,383,293	\$15,219,366
Totals			\$57,782,178	\$27,503,483
State Governments				\$85,285,661
Grand Total				

U.S. Fish and Wildlife Service
Ecological Services Program
1849 C Street, NW (MS-420-ARLSQ)
Washington, D. C. 20240
<http://www.fws.gov/endangered>

Photo Credits:

Polar bear - Gary Kramer / USFWS
Karner blue butterfly - Joel Trick / USFWS
Piping plover - Steven Tucker / USFWS
Bull trout - Joel Sartore / National Geographic, Wade Fredenberg / USFWS
Black-footed ferret - Kimberly Tampkun / USFWS
Spreading avens - Gary Peeples / USFWS
California tiger salamander - Adam Clause / USFWS
Sonoran desert tortoise - USFWS