

# Federal and State Endangered and Threatened Species Expenditures

*Fiscal Year 1998*



# TABLE OF CONTENTS

<b>EXECUTIVE SUMMARY .....</b>	ii
What is the purpose of this report? .....	ii
What expenditures are reported?.....	ii
What expenditures are not included?.....	ii
What are the expenditures reported for FY 1998?.....	ii
How does the 1998 expenditure report compare to other years?.....	ii
 <b>ENDANGERED SPECIES EXPENDITURES FISCAL YEAR 1998.....</b>	1
PURPOSE.....	1
BACKGROUND .....	1
What does "Reasonably Identifiable Expenditures" mean? .....	1
What is not included in the report?.....	2
What is included in the report? .....	2
SECTION 18(1), FEDERAL EXPENDITURES .....	2
What expenditures are reported by the Fish and Wildlife Service?.....	2
What expenditures are reported by Other Federal Agencies? .....	3
SECTION 18(2), STATE EXPENDITURES .....	3
What is included in the State expenditures? .....	3
SUMMARY OF DATA .....	3
What is the format for the report's tables? .....	4
What are the expenditures reported for FY 1998? .....	4
What are the 10 species with the highest reported expenditures in Fiscal Year 1998? .....	5
How do the expenditures compare among species? .....	5
COMPARISON TO PREVIOUS REPORTS .....	5
Why are comparisons with other reports difficult? .....	5
<i>Table 1. Reasonably Identifiable Federal and State                 Expenditures during FY 1998 .....</i>	1-35
<i>Table 2. Species Ranked in Descending Order of Total                 Expenditures Reported .....</i>	1-37
<i>Table 3. Species with Reported Expenditures for Land Acquisition .....</i>	1-4
<b>Appendix A. Reports Provided by Other Federal Agencies</b>	
<b>Appendix B. Summary of Legislative Record and Supplemental Guidance of                 What is a "Reasonably Identifiable Expenditure"                 for Purposes of this Report</b>	

## **EXECUTIVE SUMMARY**

### What is the purpose of this report?

Section 18 of the Endangered Species Act (Act) of 1973 requires the Secretary of the Interior (working through the Fish and Wildlife Service) to annually report certain expenditures for the conservation of threatened and endangered species. This report presents the reported expenditures for Fiscal Year 1998 (October 1997 - September 1998).

### What expenditures are reported?

Only those expenditures that are reasonably identifiable for a listed species are to be reported. All Federal agencies and those States receiving section 6 grant-in-aid funds pursuant to the Act are asked to report. Since only a few foreign species are receiving expenditures from U.S. governmental agencies, we restrict these annual reports to a discussion concerning listed U.S. species.

Expenditures are identified by species and reported separately for the Fish and Wildlife Service (Service), the States, and in aggregate for all other reporting Federal agencies. The Service and 19 other Federal agencies identified expenditures for the conservation of individual threatened and endangered species. Two additional Federal agencies responded that their expenditures were not reasonably identifiable to species. We included responses from all Federal agencies in Appendix 1.

### What expenditures are not included?

The Federal and State agencies involved made a good faith effort to develop species-by-species expenditures for this report. However, a significant portion of threatened and endangered species conservation activities includes law enforcement, consultation, recovery coordination, and other actions that are not easily or reasonably identified to species. Accounting procedures by all agencies for most staff salaries, operations, maintenance, and other support services are not recorded to species and are not required to be for purposes of this report.

### What are the expenditures reported for FY 1998?

- Total Expenditures reported: \$454,324,309 (\$71,670,132 for land acquisition--Table 3, \$382,654,177 all other expenditures--Table 1)
- Percent of threatened and endangered species with expenditures reported: 97.6 percent
- The median and maximum total general (non-land) expenditure for species with at least \$100 reported expenditures:
  - Median - \$14,200
  - Maximum species total - \$34.95 million
- The range of general (non-land) expenditures: \$0 to \$35,000,000 (Table 2)
- Number of species with 50 percent of expenditures: 9 species (.77 percent of the list) (Table 2)
- Number of species with 90 percent of expenditures: 86 species (7.4 percent of the list) (Table 2).

### How does the 1998 expenditure report compare to other years?

Due to differences in reporting methods, this report cannot be easily compared to the 1989 or subsequent expenditure reports. These year-to-year differences include changes in the number of States reporting, changes in how expenditures are calculated, and changes in the agencies' ability to track expenditures. Therefore, real dollar increases or decreases cannot be accurately calculated or inferred from the overall or individual totals.

Taking into account the limits of this reporting system and excluding land acquisition expenditures, the 1998 reported expenditures increased by approximately \$116.7 million from the FY 1997 report, an increase of 44 percent. Of the increase in reported expenditures since FY 1997, over \$60 million is attributable to three steelhead stocks added to the list in FY 1998. For an additional comparison of the FY 1

## ENDANGERED SPECIES EXPENDITURES FISCAL YEAR 1998

### **PURPOSE**

The Endangered Species Act of 1973 (16 U.S.C. 1531 *et seq.*) (Act) was reauthorized and amended on October 7, 1988, under Public Law 100-478. A new section 18 was added to the Act that requires the Fish and Wildlife Service (Service) on behalf of the Secretary of the Interior to report on certain expenditures on a species-by-species basis. The section reads:

SEC. 18. On or before January 15, 1990, and each January 15 thereafter, the Secretary of the Interior, acting through the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain

- (1) the accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act; and
- (2) an accounting on a species-by-species basis of all reasonably identifiable expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act by States receiving grants under section 6.

This document constitutes the tenth report by the Service pursuant to the requirements of section 18 of the Act. The report covers Fiscal Year 1998(October 1997- September 1998), although some States may be reporting for a different fiscal year period (without duplicating previous year's reported data).

The term "State" as used in this report is defined in section 3(17) of the Act to mean any of the several States, the District of Columbia, the Commonwealth of Puerto Rico, American Samoa, the Virgin Islands, Guam, and the Trust Territory of the Pacific Islands.

The term "conservation," as defined in section 3(3) of the Act, means the use of all methods and procedures necessary to bring any endangered or threatened species to the point where the measures provided for by the Act are no longer necessary--including, but not limited to, research, census, law enforcement, habitat acquisition and maintenance, propagation, live trapping, and transplantation. For the purposes of this report, the definition of conservation is further expanded to include any and all actions taken by Federal and State agencies on behalf of threatened or endangered species listed pursuant to the Act.

### **BACKGROUND**

#### What does "Reasonably Identifiable Expenditures" mean?

The purpose of the above 1988 amendment was to obtain information with which to assess claims that a disproportionate effort is being made to conserve a few, highly visible species at the expense of numerous, less well-known species that may have greater need for protection. At the time of the first report, the Service met with staff of the House Merchant Marine and Fisheries Committee and the Senate Environment and Public Works Committee for clarification of the intent and purpose of the amendment. As a result of these discussions, the Service determined that a good faith effort was expected to develop and obtain data that are "reasonably identifiable" (Appendix 2). No extensive or extraordinary measures to develop exceptionally precise data were sought, nor were the reporting agencies expected to "pro-rate" staff salaries and other normal operational and maintenance costs not directed towards a particular species.

#### What is not included in the report?

Since it is recognized that certain expenditures would not be included, this report is not a complete representation of all Federal and State expenditures for the conservation of specific listed species. The expenditures reported in this and the preceding reports do not necessarily constitute all expenditures made for each species. This report does not present cost accounting in the sense of an accountant's ledger of credits and debits of all Federal and State funds available and their expenditure.

In FY 1998, a few species listed as endangered or threatened outside of the United States, but also occur in the United States are not included (e.g., short-tailed albatross, northern swift fox) in the tabulation. Expenditures for candidate species or other species not listed at 50 CFR Part 17 as of September 30, 1998, were excluded unless the species was listed during the year. The report also does not include unrealized revenues from unsold water, timber, power, or other resources by the agencies reporting.

What is included in the report?

This report does represent a compilation of those reasonably identifiable expenditures reported independently by the various Federal and the State agencies. Expenditures for FY 1998 (Tables 1 and 3) are reported here for 1,137 threatened and endangered species (97.6 percent) of the 1,166 species that were listed under United States jurisdiction at 50 CFR Part 17 on September 30, 1998. Expenditures are identified by species and reported separately for the Service and in aggregate for all other Federal agencies reporting and for the States (Tables 1 and 3).

Some vertebrate species (as defined under the Act) have more than a single listing in 50 CFR 17.11 where one population is listed as endangered and the other threatened (for example the gray wolf, or green sea turtle). For the purposes of reporting expenditures, we combined such multiple listings. We listed subspecies separately (for example, the Hawaiian common moorhen and Mariana common moorhen) when one or more other subspecies are not listed.

The Service did not report land acquisition funds in the tables of expenditures for FY 1989. However, other Federal agencies reported land acquisition costs in that report, and even more were reported in the 1990, 1991, and, most noticeably, 1992 tabulations. Beginning with the FY 1993 report, the Service has tabulated the known expenditures for land acquisition separately (Table 3) from all other expenditures. The Service's land acquisitions expenditures (\$35.66 million) have been included in this report, when they were identifiable to a species (Table 3). The States' reported land acquisition expenditures (\$3.31 million) are also reported in Table 3. In this report for FY 1998, total reported land acquisition expenditures for 139 species represent 13.2 percent of the total gross expenditures. Only one species (short-leaved rosemary) had only land acquisition costs reported in FY 1998 (Tables 1 and 3).

**SECTION 18(1), FEDERAL EXPENDITURES**

What expenditures are reported by the Fish and Wildlife Service?

The Service's operational categories of expenditures include fisheries, refuges, land acquisition, law enforcement, research, and Regional and field operations for listing, recovery, consultation, environmental contaminant and habitat conservation activities. All reasonably identifiable expenditures that could be attributed to individual species that were made by these activities have been included.

For example, reasonably identifiable expenditures for research programs included large sums for species where an intensive effort is underway to save a species from extinction (e.g., whooping crane, California condor) and smaller sums where only a minor research effort exists. The Refuge program identified specific listed species as a major responsibility of certain refuges. The Columbian white-tailed deer, Key deer, Hawaiian monk seal, and masked bobwhite quail are examples of listed species where the respective National Wildlife Refuge is devoted nearly entirely to their management and

recovery. Other listed species use these and many other refuges for all or part of their life cycles. Only "dedicated" refuge expenditures that are reasonably identifiable to species are included in this report.

Listed fish species benefit from fisheries programs, but costs are seldom identifiable to a particular species. For example, the Dexter National Fish Hatchery in Arizona has achieved a remarkable record in the propagation and maintenance of listed southwestern fishes. Attributing costs on a species-by-species basis for the dozen or so species managed at this facility is difficult. Few species-specific expenditures could be reasonably identified in the Law Enforcement program for specific endangered species. The Federal Aid portion under section 6 of the Act for each species is included in the FWS TOTAL in Table 1. The State share for each species for which a Federal contribution was made is included in the STATE TOTAL column of Table 1, as reported to the International Association of Fish and Wildlife Agencies (IAFWA).

A significant portion of the Service's funds for consultations, listing, and recovery are incorporated into salaries, operations and maintenance costs. As a result, they are not reasonably identifiable to species. Only salary, operation, and maintenance costs towards individual species coordinators (e.g., whooping crane, red wolf, grizzly bear, sea turtles, sea otter) are included in this report.

#### What expenditures are reported by Other Federal Agencies?

The Director of the Service sent a request to other Federal agencies identified as likely to have some species-specific expenditures under the Act to report. The Service provided background information identifying what constitutes reasonably identifiable expenditures and how these were to be reported (Appendix 2). Two agencies responded with letters indicating that they did not have any reasonably identifiable expenditures for individual species. Correspondence from all responding agencies is included in Appendix 1. The data identified by those responding Federal agencies for individual species have been tabulated in the OTHER FED column of this report (Tables 1 and 3).

### **SECTION 18(2), STATE EXPENDITURES**

#### What is included in the State expenditures?

The Committees' staffs anticipated that not all States would be willing to voluntarily submit their expenditures for a variety of reasons. As a result, the Secretary was expected to only submit those expenditure figures that were voluntarily provided. In order to maximize the return of information, the assistance of the IAFWA was sought by the Service to coordinate the reporting of reasonably identifiable expenditures made by States.

The States' report to the IAFWA, and the latter tabulates the data by species and provides the totals to the Service, based on the best available information provided by the States. The States' reported \$16.337 million for general (non-land) expenditures (Table 1) and \$3.317 million for land acquisition expenditures (Table 3).

### **SUMMARY OF DATA**

#### What is the format for the report's tables?

Table 1 reports the reasonably identifiable expenditures for each species by the Service, other Federal agencies, and the States; expenditures for land acquisitions are not included in this tabulation or used in the ranking. We grouped species in the same general order as they appear in 50 CFR Part 17. Tables 1 and 3 also provide the rank for each species from Table 2. Table 2 ranks each species in descending order by the SPECIES TOTAL of Table 1; a cumulative, or running, total and percentage of the \$382.6 million total (general (non-land) expenditures) is also provided to assist the reader. Land acquisition expenditures are included only in Table 3.

What are the expenditures reported for FY 1998?

Total Expenditures reported: \$454,324,309 (\$71,670,132 for land acquisition--Table 3, \$382,654,177 all other expenditures--Table 1).

Percent of threatened and endangered species with reported expenditures: 97.6%

The median and maximum total general (non-land) expenditure for species with at least \$100 reported expenditures:  
Median - \$14,200

Maximum species total - \$34.95 million

The range of general (non-land) expenditures: \$0 to \$35,000,000 (Table 2)

Number of species with general (non-land) expenditures exceeding \$1million: 55 species (including five with both endangered and threatened vertebrate populations) (Table 2)

Number of species with 50 percent of expenditures: 9 species (0.77 percent of the list) (Table 2)  
Six are threatened species.

Number of species with 90 percent of expenditures: 86 species (7.4 percent of the list) (Table 2)

What are the 10 species with the highest reported expenditures in Fiscal Year 1998 (from Table 2)?

1998 RANK	SPECIES (50 CFR Part 17)	STATUS	TOTAL (\$000s)	1997 RANK
1	Salmon, coho	T	34,944.97	6
2	Salmon, chinook, Snake R. spring/summer run	T	29,036.67	1
3	Salmon, chinook, Snake R. fall run	T	27,045.34	2
4	Salmon, sockeye (=red, =blueback), Snake R.	E	24,720.00	3
5	Steelhead (Snake R. Basin)	T	22,549.22	Not listed
6	Steelhead (lower Columbia R.)	T	19,738.99	Not listed
7	Steelhead (southern CA coast)	E	18,201.86	Not listed
8	Woodpecker, red-cockaded	E	11,262.99	5
9	Owl, northern spotted	T	9,510.03	4
10	Flycatcher, southwestern willow	E	7,260.46	13

How do the expenditures compare among species?

Taking into account the limits of this reporting system, less than 1 percent of all listed species received approximately half of the reasonably identifiable funding (Table 2). This conclusion was expected. The Congress and some State legislatures identify specific appropriations for most of these species, and State and Federal natural resource managers use the public interest in these high-profile species to help protect other species in the same habitats or imperiled by the same threats. The species identified by Congress as deserving of specific appropriations are the same species that drive interest and participation in the considerable State and private sector efforts on behalf of all listed species. It is also important to note that 97.7 percent of the listed species had reported expenditures, including land acquisition expenditures.

## **COMPARISON TO PREVIOUS REPORTS**

Why are comparisons with other reports difficult?

A good faith effort was made to develop species-by-species expenditures for this report. However, the information presented each year does not reflect the total governmental (Federal and State) effort toward threatened and endangered species conservation, because not all actions can be easily identified or funding directly calculated per species. Therefore, the reader is cautioned against making comparisons with other reports on threatened and endangered species expenditures beyond those which are provided below. A significant portion of threatened and endangered species conservation activities at all levels includes law enforcement, consultation, recovery coordination, and other actions that are not easily or reasonably funded in a species-by-species manner. Accounting procedures for staff salaries and operational, maintenance, and other support services are not normally creditable towards individual species totals. In addition, as the Service, States and other Federal agencies move

to actions and planning efforts that benefit multi-species, dividing costs by the species benefitting also becomes more difficult.

Also, there exists significant variability among some Federal and State agency reports that are compiled to produce this report. Agencies reported gross totals for those other expenditures that could not be identified to species; this reporting is not included within the summary tables because they cannot be itemized by species. However, this information is available on the individual agency reports under Appendix 1 (Reports Provided by Other Federal Agencies).

The amendment to the Act requiring this report was passed in the first quarter of FY 1989. The Service, other Federal agencies, and State agencies gathered the best available data with little opportunity for advance planning and coordination in that year. Subsequent reports have greatly benefited by the FY 1989 experience in planning and coordination with the reporting agencies to track such expenditures. Therefore, due to differences in reporting methods, this report cannot be easily compared to the 1989 or subsequent expenditure reports. These year-to-year differences include changes in the States' reporting, changes in how expenditures are calculated, and changes in the agencies' ability to track expenditures. Thus, real dollar increases or decreases cannot be accurately calculated or inferred from the overall or individual totals.

When requested by the House Appropriations Committee staff, the Service has provided reports on allocations of current or anticipated funding by species. The reader of this report is cautioned that there are important differences in the assumptions that led to each of these reports. The data in this report are more precise than previous reports on estimated allocations, since land acquisition costs are separated from general expenditures. However, they may be biased, since they only include reasonably identifiable expenditures. The following table includes data from the present and previous expenditure reports.

**SUMMARY OF FIGURES**  
**(Amounts \$000)**

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
Federal Total	\$39,638.7	\$96,642.5	\$112,684.8	\$160,060.3	\$204,501.8	\$234,933.9	\$286,445.0	\$268,778.5	\$288,661.49	\$434,669.12
State Total	\$4,086.1	\$5,701.2	\$64,126.7	\$131,450.7	\$17,698.5	\$9,643.6	\$11,231.0	\$16,935.2	\$12,269.81	\$19,655.19
Grand Total	\$43,724.8	\$102,343.7	\$176,811.5	\$291,510.9	\$222,200.3	\$244,577.5	\$297,676.0	\$285,713.7	\$300,931.30	\$454,324.31
Change from previous year	*****	\$58,618.90	\$74,467.80	\$114,699.40	- \$69,310.6	\$22,377.21	\$53,098.50	- \$11,962.30	\$15,217.60	\$153,393.01
No. listed species	554	591	639	728	809	914	957	963	1,111	1,166
No. reporting expenditures	347	477	570	679	749	819	925	895	1,060	1,137
Max. reported amount	\$3,108.6	\$9,687.2	\$24,651.3	\$73,578.6	\$18,518.66	\$24,280.56	\$35,942.47	\$40,777.26	\$28,545.27	\$34,944.97
Median for species equal to or greater than \$100	\$11.75	\$13.15	\$12.20	\$16.00	\$12.94	\$23.00	\$30.00	\$15.00	\$13.80	\$14.20
No. with 50% of expenditures (percentage of no. listed)	12 2.2%	10 1.7%	7 1.1%	5 0.7%	10 1.2%	9 1.1%	6 0.63%	5 0.52%	10 0.9%	9 0.8%
No. with 90% of expenditures (percentage of no. listed)	63 11.4%	58 9.8%	54 8.5%	59 8.1%	79 9.8%	103 11.0%	131 14.0%	77 8.0%	101 9.1%	86 7.4%

**NOTES:**

All figures include land acquisition expenditures, except those that are shaded. In 1993 the Service began to tabulate these costs separately.

The Federal and Grand Totals for 1993 differ from those published in the 1993 report due to an error made in the 1993 report for the desert tortoise.

The Federal and Grand Totals shown here for 1995 differ from those published in the 1995 report by \$32,002.50 less than what was reported for the FWS total due to an error.

Table 1. Reasonably Identifiable Federal and State Expenditures during FY 1998

The list of species in Table 1 essentially follows the taxonomic and nomenclatural conventions used in 50 CFR Part 17 for the identification and sequence of names. For ease of reference, the alphabetized, inverted common name is provided within each group (usually Class) of animals. Thus, the gray bat is found with other bats under "Bat, gray" within mammals, and Tar River spiny-mussel is found under "Spiny-mussel, Tar River" within the clams. Groups of animals follow the sequence: Mammals, Birds, Reptiles, Amphibians, Fishes, and Invertebrates, which include Clams, Snails, Insects, Arachnids, and Copepods. Groups of plants follow the sequence: Flowering Plants, Conifers, Ferns, and Lichens. If no common name exists for the species, then the scientific name is used.

If a reader should need other information about the names, historical range, or status of an endangered or threatened species, the species can be found in 50 CFR 17.11 (wildlife) or 17.12 (plants), or through our web site at <http://endangered.fws.gov>. The STATUS column indicates whether the species is endangered (E), threatened (T) or with two United States populations under separate classifications (E,T) [for purposes of this report, the latter are counted as one species in the number listed].

Service expenditures (FWS TOTAL) and other Federal agencies expenditures (OTHER FED) are totaled in the FED TOTAL column. The STATES TOTAL is the amount reported by the IAFWA to the Service. None of these reported totals include known costs for land acquisition; see Table 3 for land acquisitions reported to the Service.

The RANK is from Table 2, and indicates each species rank by identifiable expenditures, where 1 is the highest expenditure.

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
<b>MAMMALS</b>								
78	Bat, gray	<i>Myotis grisescens</i>	E	192.9	315.3	508.2	33.0	541.20
246	Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	E	12.5	46.0	58.5	0.0	58.50
33	Bat, Indiana	<i>Myotis sodalis</i>	E	314.5	1381.7	1696.2	157.9	1,854.12
103	Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuenae</i>	E	28.5	244.0	272.5	32.5	305.00
502	Bat, little Mariana fruit	<i>Pteropus tokudae</i>	E	17.5	0.0	17.5	0.0	17.50
257	Bat, Mariana fruit	<i>Pteropus mariannus mariannus</i>	E	36.5	17.5	54.0	0.0	54.00
419	Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	E	10.5	10.6	21.1	3.5	24.60
209	Bat, Ozark big-eared	<i>Plecotus townsendii ingens</i>	E	29.5	47.8	77.3	3.3	80.60
306	Bat, Virginia big-eared	<i>Plecotus townsendii virginianus</i>	E	20.9	16.4	37.3	1.5	38.77
15	Bear, grizzly	<i>Ursus arctos</i>	T	819.4	3356.8	4176.2	833.1	5,009.31
87	Bear, Louisiana black	<i>Ursus americanus luteolus</i>	T	266.0	180.7	446.7	0.0	446.67
98	Caribou, woodland	<i>Rangifer tarandus caribou</i>	E	229.0	49.0	278.0	72.2	350.23
1095	Cougar, eastern	<i>Felis concolor couguar</i>	E	1.1	0.0	1.1	0.0	1.10
161	Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	E	46.0	86.4	132.4	3.6	136.06
118	Deer, key	<i>Odocoileus virginianus clavium</i>	E	117.0	126.0	243.0	0.8	243.80
35	Ferret, black-footed	<i>Mustela nigripes</i>	E	392.4	1132.9	1525.3	209.1	1,734.42
65	Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	E	137.3	664.6	801.9	0.0	801.86
272	Jaguar	<i>Panthera onca</i>	E	13.0	27.2	40.2	9.5	49.72
229	Jaguarundi	<i>Felis yagouaroundi cacomitli</i>	E	38.0	28.0	66.0	0.0	66.00
285	Jaguarundi	<i>Felis yagouaroundi tolteca</i>	E	34.0	9.1	43.1	0.5	43.60
174	Kangaroo rat, Fresno	<i>Dipodomys nitratoides exilis</i>	E	53.3	69.0	122.3	0.0	122.30
149	Kangaroo rat, giant	<i>Dipodomys ingens</i>	E	81.3	70.6	151.9	0.0	151.90
707	Kangaroo rat, Morro Bay	<i>Dipodomys heermanni morroensis</i>	E	2.0	7.0	9.0	0.0	9.00
116	Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>	E	2.0	255.0	257.0	0.0	257.00
170	Kangaroo rat, Stephens'	<i>Dipodomys stephensi</i>	E	36.0	88.9	124.9	0.0	124.90
148	Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>	E	109.3	44.0	153.3	0.0	153.30
39	Manatee, West Indian (=Florida)	<i>Trichechus manatus</i>	E	926.6	624.8	1551.4	13.3	1,564.68
363	Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>	E	30.5	0.0	30.5	0.0	30.50
185	Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	E	102.5	1.0	103.5	6.7	110.17
757	Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	E	0.0	7.0	7.0	0.0	7.00
579	Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	E	14.0	0.0	14.0	0.0	14.00
487	Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>	E	17.5	0.0	17.5	0.8	18.30
123	Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>	E	103.0	120.0	223.0	0.0	223.00
329	Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	E	25.0	8.2	33.2	0.9	34.10
48	Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	T	330.3	814.5	1144.8	29.3	1,174.06
162	Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	E	109.3	26.2	135.5	0.0	135.52

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
431	Mouse, southeastern beach	<i>Peromyscus polionotus niveiventeris</i>	T	0.9	23.0	23.9	0.0	23.90
139	Ocelot	<i>Felis pardalis</i>	E	46.0	126.7	172.7	0.5	173.20
82	Otter, southern sea	<i>Enhydra lutris nereis</i>	T	97.0	398.0	495.0	0.0	495.00
17	Panther, Florida	<i>Felis concolor coryi</i>	E	579.0	2389.6	2968.6	1,834.8	4,803.42
100	Prairie dog, Utah	<i>Cynomys parvidens</i>	T	121.1	175.2	296.3	30.0	326.27
73	Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	E	114.0	451.3	565.3	60.0	625.30
164	Rabbit, Lower Keys	<i>Sylvilagus palustris hefneri</i>	E	0.0	132.0	132.0	0.0	132.00
1033	Rice rat (=silver rice rat)	<i>Oryzomys palustris natator</i>	E	0.0	2.0	2.0	0.0	2.00
694	Seal, Caribbean monk	<i>Monachus tropicalis</i>	E	0.0	9.6	9.6	0.0	9.60
1138	Seal, guadalupe fur	<i>Arctocephalus townsendi</i>	T	0.0	0.0	0.0	0.0	-
40	Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	E	0.0	1516.0	1516.0	0.0	1,516.00
23	Sea-lion, Steller	<i>Eumetopias jubatus</i>	E, T	0.0	3060.2	3060.2	19.0	3,079.18
749	Sheep, bighorn (Peninsular Ranges pop. in Ovis canadensis cremnobates)		E	2.0	5.4	7.4	0.0	7.37
570	Shrew, Dismal Swamp southeastern	<i>Sorex longirostris fisheri</i>	T	0.3	13.8	14.1	0.0	14.10
457	Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	E	12.2	4.8	17.0	3.0	19.99
151	Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	E	7.0	131.0	138.0	10.2	148.22
127	Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	E	14.0	112.1	126.1	70.0	196.10
271	Squirrel, Virginia northern flying	<i>Glaucomys sabrinus fuscus</i>	E	5.0	44.8	49.8	0.4	50.16
1033	Vole, Amargosa	<i>Microtus californicus scirpensis</i>	E	2.0	0.0	2.0	0.0	2.00
1138	Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>	E	0.0	0.0	0.0	0.0	-
178	Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>	E	14.0	95.5	109.5	8.0	117.50
859	Whale, blue	<i>Balaenoptera musculus</i>	E	0.0	3.0	3.0	1.3	4.25
1089	Whale, bowhead	<i>Balaena mysticetus</i>	E	0.0	0.0	0.0	1.3	1.25
847	Whale, finback	<i>Balaenoptera physalus</i>	E	0.0	3.5	3.5	1.3	4.75
168	Whale, gray	<i>Eschrichtius robustus</i>	E	0.0	127.0	127.0	1.3	128.25
95	Whale, humpback	<i>Megaptera novaeangliae</i>	E	0.0	319.8	319.8	41.3	361.02
41	Whale, right	<i>Balaena glacialis</i> (incl. <i>australis</i> )	E	1.5	1456.9	1458.4	1.3	1,459.65
847	Whale, Sei	<i>Balaenoptera borealis</i>	E	0.0	3.5	3.5	1.3	4.75
847	Whale, sperm	<i>Physeter macrocephalus</i> (=catodon)	E	0.0	3.5	3.5	1.3	4.75
20	Wolf, gray	<i>Canis lupus</i>	E, T	2232.5	1885.2	4117.7	336.5	4,454.25
59	Wolf, red	<i>Canis rufus</i>	E	938.8	39.7	978.5	0.0	978.50
516	Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	E	16.5	0.0	16.5	0.0	16.50
<b>MAMMALS subtotals</b>		<b># of species:</b>	<b>68</b>	<b>8,902.90</b>	<b>22,409.21</b>	<b>31,312.11</b>	<b>3,833.91</b>	<b>35,146.02</b>
<b>BIRDS</b>								
258	`Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>	E	47.5	6.3	53.8	0.0	53.79
221	`Akepa, Maui (honeycreeper)	<i>Loxops coccineus ochraceus</i>	E	71.5	0.0	71.5	0.0	71.50
536	`Akialoa, Kauai (honeycreeper)	<i>Hemignathus procerus</i>	E	15.5	0.0	15.5	0.0	15.50

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
258	`Akiapola`au (honeycreeper)	<i>Hemignathus munroi</i>	E	47.5	6.3	53.8	0.0	53.79
492	`O`o, Kauai (= `o`o `a`a) (honeyeater)	<i>Moho braccatus</i>	E	15.5	2.7	18.2	0.0	18.20
536	`O`u (honeycreeper)	<i>Psittirostra psittacea</i>	E	15.5	0.0	15.5	0.0	15.50
132	Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>	E	104.5	53.9	158.4	26.9	185.26
64	Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	E	804.0	2.6	806.6	5.0	811.60
363	Broadbill, Guam	<i>Myiagra freycineti</i>	E	30.5	0.0	30.5	0.0	30.50
421	Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	T	9.0	0.0	9.0	15.4	24.40
53	Condor, California	<i>Gymnogyps californianus</i>	E	1020.2	19.8	1040.0	18.0	1,058.00
171	Coot, Hawaiian (= `alae-ke`oke`o)	<i>Fulica americana alai</i>	E	34.5	87.3	121.8	3.0	124.80
61	Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	E	919.3	14.4	933.7	0.0	933.70
19	Crane, whooping	<i>Grus americana</i>	E	520.5	3993.4	4513.9	75.3	4,589.12
255	Creeper, Hawaii	<i>Oreomystis mana</i>	E	47.5	6.3	53.8	1.0	54.79
536	Creeper, Molokai (=kakawahie)	<i>Paroreomyza flammea</i>	E	15.5	0.0	15.5	0.0	15.50
369	Creeper, Oahu (=alauwahio)	<i>Paroreomyza maculata</i>	E	15.5	14.1	29.6	0.0	29.62
117	Crow, Hawaiian (=`alala)	<i>Corvus hawaiiensis</i>	E	207.5	14.5	222.0	27.0	249.00
114	Crow, Mariana	<i>Corvus kubaryi</i>	E	230.5	34.7	265.2	0.0	265.20
1138	Crow, white-necked	<i>Corvus leucognaphalus</i>	E	0.0	0.0	0.0	0.0	-
940	Curlew, Eskimo	<i>Numenius borealis</i>	E	0.1	3.1	3.2	0.0	3.20
79	Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	E	34.5	500.1	534.6	1.0	535.56
983	Duck, Laysan	<i>Anas laysanensis</i>	E	2.5	0.0	2.5	0.0	2.50
13	Eagle, bald	<i>Haliaeetus leucocephalus</i>	T	1448.9	3722.0	5170.9	828.5	5,999.43
99	Eider, spectacled	<i>Somateria fischeri</i>	T	225.5	120.5	346.0	0.5	346.45
104	Falcon, Steller's	<i>Polysticta stelleri</i>	T	175.5	128.5	304.0	0.5	304.45
26	Falcon, American peregrine	<i>Falco peregrinus anatum</i>	E	573.3	1843.8	2417.1	341.9	2,759.09
83	Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	E	16.0	478.4	494.4	0.5	494.90
521	Finch, Laysan (honeycreeper)	<i>Telespyza cantans</i>	E	15.5	0.8	16.3	0.0	16.30
536	Finch, Nihoa (honeycreeper)	<i>Telespyza ultima</i>	E	15.5	0.0	15.5	0.0	15.50
10	Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	E	741.6	6418.7	7160.3	100.2	7,260.46
34	Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	T	75.0	1737.5	1812.5	0.0	1,812.50
107	Goose, Aleutian Canada	<i>Branta canadensis leucopareia</i>	T	209.5	77.9	287.4	2.0	289.34
140	Goose, Hawaiian (=nene)	<i>Nesochen sandvicensis</i>	E	53.5	58.7	112.2	58.0	170.18
302	Hawk, Hawaiian (=io)	<i>Buteo solitarius</i>	E	31.5	8.3	39.8	0.0	39.75
316	Hawk, Puerto Rican broad-winged	<i>Buteo platypterus brunnescens</i>	E	31.0	5.3	36.3	0.0	36.30
406	Hawk, Puerto Rican sharp-shinned	<i>Accipiter striatus venator</i>	E	21.0	5.2	26.2	0.0	26.20
250	Honeycreeper, crested (= `akohekohe)	<i>Palmeria dolei</i>	E	47.5	1.9	49.4	7.0	56.43
81	Jay, Florida scrub	<i>Aphelocoma coerulescens coerulescens</i>	T	168.1	340.8	508.9	3.2	512.09
273	Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>	E	35.5	14.0	49.5	0.0	49.50
206	Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	E	11.5	65.3	76.8	7.0	83.78

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
502	Mallard, Mariana	<i>Anas oustaleti</i>	E	17.5	0.0	17.5	0.0	17.50
200	Megapode, Micronesian (=La Perouse's)	<i>Megapodius laperouse</i>	E	88.5	0.0	88.5	0.0	88.50
536	Millerbird, Nihoa (old world warbler)	<i>Acrocephalus familiaris kingi</i>	E	15.5	0.0	15.5	0.0	15.50
363	Monarch, Tinian (old world flycatcher)	<i>Monarcha takatsukasae</i>	T	30.5	0.0	30.5	0.0	30.50
196	Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	E	34.5	60.4	94.9	2.0	96.86
265	Moorhen, Mariana common	<i>Gallinula chloropus guami</i>	E	17.5	35.0	52.5	0.0	52.50
11	Murrelet, marbled	<i>Brachyramphus marmoratus marmoratus</i>	T	1317.0	3953.1	5270.1	1,820.3	7,090.35
687	Nightjar, Puerto Rican	<i>Caprimulgus noctitherus</i>	E	10.0	0.0	10.0	0.0	10.00
176	Nukupu'u (honeycreeper)	<i>Hemignathus lucidus</i>	E	119.5	0.0	119.5	0.0	119.50
25	Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	T	701.5	2178.4	2879.9	76.0	2,955.85
9	Owl, northern spotted	<i>Strix occidentalis caurina</i>	T	1510.5	7066.5	8577.0	933.0	9,510.03
186	Palila (honeycreeper)	<i>Loxioides bailleui</i>	E	64.5	6.3	70.8	35.0	105.79
49	Parrot, Puerto Rican	<i>Amazona vittata</i>	E	1054.0	79.2	1133.2	30.6	1,163.80
181	Parrotbill, Maui (honeycreeper)	<i>Pseudonestor xanthophrys</i>	E	103.5	1.9	105.4	7.0	112.43
155	Pelican, brown	<i>Pelecanus occidentalis</i>	E	109.4	36.7	146.1	1.5	147.57
668	Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	E	9.5	2.0	11.5	0.0	11.50
234	Pigeon, Puerto Rican plain	<i>Columba inornata wetmorei</i>	E	43.0	0.0	43.0	21.6	64.60
30	Plover, piping	<i>Charadrius melanotos</i>	E, T	380.8	1747.6	2128.4	291.5	2,419.95
70	Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	T	93.8	639.1	732.9	25.7	758.55
144	Po`ouli (honeycreeper)	<i>Melamprosops phaeosoma</i>	E	103.5	0.0	103.5	55.0	158.50
101	Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	E	220.0	91.8	311.8	7.5	319.29
68	Pygmy-owl, cactus ferruginous	<i>Glaucidium brasilianum cactorum</i>	E	46.0	594.5	640.5	132.5	773.00
97	Rail, California clapper	<i>Rallus longirostris obsoletus</i>	E	176.3	174.5	350.8	0.0	350.85
106	Rail, Guam	<i>Rallus owstoni</i>	E	275.5	15.0	290.5	0.0	290.50
494	Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	E	4.0	14.1	18.1	0.0	18.14
131	Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	E	2.0	178.4	180.4	9.0	189.40
459	Shearwater, Newell's Townsend's (formerly Puffinus auricularis newelli)	<i>Puffinus auricularis newelli</i>	T	9.5	5.3	14.8	5.0	19.81
38	Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>	E	2.0	1653.3	1655.3	2.0	1,657.34
62	Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	E	166.7	707.1	873.8	0.1	873.90
183	Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	E	18.0	68.2	86.2	25.2	111.33
1033	Sparrow, San Clemente sage	<i>Amphispiza belli clementae</i>	T	2.0	0.0	2.0	0.0	2.00
120	Stilt, Hawaiian (=ae'o)	<i>Himantopus mexicanus knudseni</i>	E	34.5	196.3	230.8	5.0	235.80
77	Stork, wood	<i>Mycteria americana</i>	E	371.9	183.5	555.4	10.7	566.10
363	Swiftlet, Mariana gray (=vanikoro)	<i>Aerodramus vanikorensis bartschi</i>	E	30.5	0.0	30.5	0.0	30.50
56	Tern, California least	<i>Sterna antillarum browni</i>	E	140.0	842.0	982.0	0.0	982.04
58	Tern, least	<i>Sterna antillarum</i>	E	141.9	816.7	958.6	20.1	978.75
141	Tern, roseate	<i>Sterna dougallii dougallii</i>	E, T	28.1	71.1	99.2	66.0	165.23
536	Thrush, large Kauai	<i>Myadestes myadestinus</i>	E	15.5	0.0	15.5	0.0	15.50

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
536	Thrush, Molokai (=oloma`o)	<i>Myadestes lanaiensis rutha</i>	E	15.5	0.0	15.5	0.0	15.50
204	Thrush, small Kauai (=puiaiohi)	<i>Myadestes palmeri</i>	E	63.5	0.0	63.5	20.5	84.00
253	Towhee, Inyo California (=brown)	<i>Pipilo crissalis eremophilus</i>	T	19.5	35.5	55.0	0.0	55.00
50	Vireo, black-capped	<i>Vireo atricapillus</i>	E	47.0	1077.8	1124.8	3.1	1,127.90
32	Vireo, least Bell's	<i>Vireo bellii pusillus</i>	E	144.0	1756.0	1900.0	0.0	1,899.98
1069	Warbler, Bachman's	<i>Vermivora bachmanii</i>	E	0.5	0.8	1.3	0.0	1.30
55	Warbler, golden-cheeked	<i>Dendroica chrysoparia</i>	E	233.0	798.0	1031.0	2.5	1,033.50
75	Warbler, Kirtland's	<i>Dendroica kirtlandii</i>	E	405.5	125.5	531.0	60.5	591.52
396	Warbler, nightingale reed	<i>Acrocephalus luscinia</i>	E	27.5	0.0	27.5	0.0	27.50
363	White-eye, bridled	<i>Zosterops conspicillatus conspicillatus</i>	E	30.5	0.0	30.5	0.0	30.50
1132	Woodpecker, ivory-billed	<i>Campephilus principalis</i>	E	0.2	0.0	0.2	0.0	0.20
8	Woodpecker, red-cockaded	<i>Picoides borealis</i>	E	1079.5	10121.1	11200.6	62.4	11,262.99
<b>BIRDS subtotals</b>			<b># of species:</b>	<b>91</b>	<b>17,680.10</b>	<b>55,119.75</b>	<b>72,799.85</b>	<b>5,253.00</b>
<b>REPTILES</b>								
1138	Anole, Culebra Island giant	<i>Anolis roosevelti</i>	E	0.0	0.0	0.0	0.0	-
733	Boa, Mona	<i>Epicrates monensis monensis</i>	T	7.0	0.0	7.0	1.0	8.00
283	Boa, Puerto Rican	<i>Epicrates inornatus</i>	E	35.5	8.3	43.8	0.5	44.30
733	Boa, Virgin Islands tree	<i>Epicrates monensis granti</i>	E	8.0	0.0	8.0	0.0	8.00
215	Crocodile, American	<i>Crocodylus acutus</i>	E	30.5	42.6	73.1	0.7	73.80
427	Gecko, Monito	<i>Sphaerodactylus micropithecus</i>	E	9.0	0.0	9.0	15.0	24.00
707	Iguana, Mona ground	<i>Cyclura stejnegeri</i>	T	7.4	0.0	7.4	1.6	9.00
137	Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	E	134.3	39.9	174.2	0.0	174.20
261	Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>	T	36.0	17.1	53.1	0.0	53.09
422	Lizard, Island night	<i>Xantusia riversiana</i>	T	4.0	20.4	24.4	0.0	24.40
757	Lizard, St. Croix ground	<i>Ameiva polops</i>	E	7.0	0.0	7.0	0.0	7.00
230	Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	T	6.0	12.8	18.8	46.9	65.68
978	Skink, bluetail mole	<i>Eumeces egregius lividus</i>	T	2.5	0.0	2.5	0.1	2.60
827	Skink, sand	<i>Neoseps reynoldsi</i>	T	2.5	2.6	5.1	0.1	5.20
947	Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>	T	0.0	0.4	0.4	2.7	3.05
830	Snake, Concho water	<i>Nerodia paucimaculata</i>	T	3.0	2.0	5.0	0.0	5.00
227	Snake, copperbelly water (northern pop.)	<i>Nerodia erythrogaster neglecta</i>	T	60.0	0.2	60.2	7.0	67.16
138	Snake, eastern indigo	<i>Drymarchon corais couperi</i>	T	95.8	78.1	173.9	0.1	173.99
86	Snake, giant garter	<i>Thamnophis gigas</i>	T	166.3	284.1	450.4	0.0	450.38
243	Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	E	59.3	0.0	59.3	0.0	59.30
16	Tortoise, desert	<i>Gopherus agassizii</i>	T	911.8	3935.8	4847.6	55.7	4,903.29
89	Tortoise, gopher	<i>Gopherus polyphemus</i>	T	158.5	264.0	422.5	0.0	422.49
282	Turtle, Alabama redbelly (=red-bellied)	<i>Pseudemys alabamensis</i>	E	32.0	7.5	39.5	5.0	44.50

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
184	Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	T	34.5	31.0	65.5	45.5	111.04
675	Turtle, flattened musk	<i>Sternotherus depressus</i>	T	4.5	6.4	10.9	0.0	10.89
43	Turtle, green sea	<i>Chelonia mydas</i>	E, T	234.0	1109.3	1343.3	18.6	1,361.92
60	Turtle, hawksbill sea (=carey)	<i>Eretmochelys imbricata</i>	E	89.2	846.4	935.6	13.1	948.60
51	Turtle, Kemp's ridley sea	<i>Lepidochelys kempii</i>	E	132.7	972.7	1105.4	8.0	1,113.40
54	Turtle, leatherback sea	<i>Dermochelys coriacea</i>	E	211.9	833.7	1045.6	10.6	1,056.21
37	Turtle, loggerhead sea	<i>Caretta caretta</i>	T	591.6	1038.4	1630.0	51.1	1,681.12
44	Turtle, olive ridley sea	<i>Lepidochelys olivacea</i>	E, T	35.0	1251.2	1286.2	0.0	1,286.20
579	Turtle, Plymouth redbelly (=red-bellied)	<i>Pseudemys rubriventris bangsi</i>	E	4.0	0.0	4.0	10.0	14.00
486	Turtle, ringed map (=sawback)	<i>Graptemys oculifera</i>	T	10.0	8.5	18.5	0.0	18.45
249	Turtle, yellow-blotched map (=sawback)	<i>Graptemys flavimaculata</i>	T	9.5	47.8	57.3	0.0	57.25
728	Whipsnake, (=striped racer) Alameda	<i>Masticophis lateralis euryxanthus</i>	T	8.3	0.0	8.3	0.0	8.30
<b>REPTILES</b> subtotals		# of species:	35	<b>3,141.60</b>	<b>10,861.02</b>	<b>14,002.62</b>	<b>293.19</b>	<b>14,295.81</b>
<b>AMPHIBIANS</b>								
660	Coqui, golden	<i>Eleutherodactylus jasperi</i>	T	12.0	0.0	12.0	0.0	12.00
74	Frog, California red-legged	<i>Rana aurora draytonii</i>	T	230.8	370.8	601.6	0.0	601.62
733	Guajon	<i>Eleutherodactylus cooki</i>	T	8.0	0.0	8.0	0.0	8.00
189	Salamander, Barton Springs	<i>Eurycea sosorum</i>		105.0	0.0	105.0	0.0	105.00
509	Salamander, Cheat Mountain	<i>Plethodon nettingi</i>	T	2.0	13.5	15.5	1.4	16.87
1033	Salamander, desert slender	<i>Batrachoseps aridus</i>	E	2.0	0.0	2.0	0.0	2.00
223	Salamander, Red Hills	<i>Phaeognathus hubrichti</i>	T	22.0	48.0	70.0	0.0	70.00
386	Salamander, San Marcos	<i>Eurycea nana</i>	T	27.0	1.0	28.0	0.0	28.00
301	Salamander, Santa Cruz long-toed	<i>Ambystoma macrodactylum croceum</i>	E	40.0	0.0	40.0	0.0	40.00
1138	Salamander, Shenandoah	<i>Plethodon shenandoah</i>	E	0.0	0.0	0.0	0.0	-
425	Salamander, Sonoran tiger	<i>Ambystoma tigrinum stebbinsi</i>	E	4.0	10.1	14.1	10.0	24.10
386	Salamander, Texas blind	<i>Typhlomolge rathbuni</i>	E	27.0	1.0	28.0	0.0	28.00
63	Toad, Arroyo southwestern	<i>Bufo microscaphus californicus</i>	E	132.5	740.4	872.9	0.0	872.90
190	Toad, Houston	<i>Bufo houstonensis</i>	E	85.0	18.0	103.0	0.0	103.00
476	Toad, Puerto Rican crested	<i>Peltophryne lemur</i>	T	18.0	0.0	18.0	1.0	19.00
111	Toad, Wyoming	<i>Bufo hemiophrys baxteri</i>	E	39.6	188.3	227.9	50.1	277.99
<b>AMPHIBIANS</b> subtotals		# of species:	16	<b>754.90</b>	<b>1,391.12</b>	<b>2,146.02</b>	<b>62.46</b>	<b>2,208.48</b>
<b>FISHES</b>								
797	Catfish, Yaqui	<i>Ictalurus pricei</i>	T	2.0	0.0	2.0	4.0	6.00
1138	Cavefish, Alabama	<i>Speoplatyrhinus pouloni</i>	E	0.0	0.0	0.0	0.0	-
238	Cavefish, Ozark	<i>Amblyopsis rosae</i>	T	51.0	2.3	53.3	10.0	63.25

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
47	Chub, bonytail	<i>Gila elegans</i>	E	134.4	1010.8	1145.2	32.7	1,177.94
818	Chub, Borax Lake	<i>Gila boraxobius</i>	E	4.0	1.5	5.5	0.0	5.50
778	Chub, Chihuahua	<i>Gila nigrescens</i>	T	3.0	2.0	5.0	1.5	6.50
42	Chub, humpback	<i>Gila cypha</i>	E	129.4	1275.6	1405.0	25.0	1,430.04
415	Chub, Hutton tui	<i>Gila bicolor</i> ssp.	T	25.0	0.0	25.0	0.0	25.00
928	Chub, Mohave tui	<i>Gila bicolor mohavensis</i>	E	2.0	1.3	3.3	0.0	3.30
136	Chub, Oregon	<i>Oregonichthys crameri</i>	E	46.0	132.1	178.1	0.0	178.14
425	Chub, Owens tui	<i>Gila bicolor snyderi</i>	E	23.5	0.6	24.1	0.0	24.10
182	Chub, Pahranagat roundtail (=bonytail)	<i>Gila robusta jordani</i>	E	82.0	24.5	106.5	5.5	112.00
817	Chub, slender	<i>Erimystax cahni</i>	T	4.5	0.1	4.6	1.0	5.56
225	Chub, Sonora	<i>Gila ditaenia</i>	T	0.0	40.1	40.1	28.0	68.10
463	Chub, spotfin (=turquoise shiner)	<i>Cyprinella monacha</i>	T	15.4	1.7	17.1	2.5	19.56
91	Chub, Virgin River	<i>Gila robusta seminudus</i>	E	356.0	26.0	382.0	22.8	404.75
658	Chub, Yaqui	<i>Gila purpurea</i>	E	2.0	6.1	8.1	4.0	12.10
24	Cui-ui	<i>Chasmistes cujus</i>	E	14.0	3012.0	3026.0	0.0	3,026.00
693	Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	E	8.0	0.0	8.0	1.7	9.65
247	Dace, blackside	<i>Phoxinus cumberlandensis</i>	T	28.5	28.8	57.3	1.0	58.30
231	Dace, Clover Valley speckled	<i>Rhinichthys osculus oligoporus</i>	E	65.0	0.0	65.0	0.0	65.00
344	Dace, desert	<i>Eremichthys acros</i>	T	4.0	27.5	31.5	0.0	31.50
415	Dace, Foskett speckled	<i>Rhinichthys osculus</i> ssp.	T	25.0	0.0	25.0	0.0	25.00
231	Dace, Independence Valley speckled	<i>Rhinichthys osculus lethoporus</i>	E	65.0	0.0	65.0	0.0	65.00
887	Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>	E	0.8	3.0	3.8	0.0	3.80
417	Dace, Moapa	<i>Moapa coriacea</i>	E	8.0	14.0	22.0	2.8	24.80
299	Darter, amber	<i>Percina antesella</i>	E	32.5	6.2	38.7	2.3	40.99
887	Darter, bayou	<i>Etheostoma rubrum</i>	T	2.0	1.8	3.8	0.0	3.80
774	Darter, bluemask (=jewel)	<i>Etheostoma (Doration) sp.</i>	E	5.6	0.0	5.6	1.0	6.60
336	Darter, boulder (=Elk River)	<i>Etheostoma wapiti</i>	E	19.2	8.0	27.2	6.0	33.20
110	Darter, Cherokee	<i>Etheostoma (Ulocentra) sp.</i>	T	30.7	250.3	281.0	0.3	281.25
570	Darter, duskytail	<i>Etheostoma (Catonotus) sp.</i>	E	11.7	1.4	13.1	1.0	14.10
263	Darter, Etowah	<i>Etheostoma etowahae</i>	E	21.5	31.2	52.7	0.3	52.95
313	Darter, fountain	<i>Etheostoma fonticola</i>	E	27.0	9.5	36.5	0.0	36.50
655	Darter, goldline	<i>Percina aurolineata</i>	T	6.0	0.2	6.2	6.3	12.45
226	Darter, leopard	<i>Percina pantherina</i>	T	33.0	33.5	66.5	1.4	67.90
1117	Darter, Maryland	<i>Etheostoma sellare</i>	E	0.0	0.0	0.0	0.5	0.50
201	Darter, Niangua	<i>Etheostoma nianguae</i>	T	81.0	5.0	86.0	0.0	86.00
69	Darter, Okaloosa	<i>Etheostoma okaloosae</i>	E	26.0	741.0	767.0	0.0	767.00
1132	Darter, relict	<i>Etheostoma chienense</i>	E	0.2	0.0	0.2	0.0	0.20
830	Darter, slackwater	<i>Etheostoma boschungi</i>	T	0.4	2.6	3.0	2.0	5.00

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
423	Darter, snail	<i>Percina tanasi</i>	T	7.1	15.0	22.1	2.3	24.35
1090	Darter, watercress	<i>Etheostoma nuchale</i>	E	1.0	0.2	1.2	0.0	1.20
368	Gambusia, Big Bend	<i>Gambusia gaigei</i>	E	1.0	29.1	30.1	0.0	30.09
1097	Gambusia, Clear Creek	<i>Gambusia heterochir</i>	E	1.0	0.0	1.0	0.0	1.00
67	Gambusia, Pecos	<i>Gambusia nobilis</i>	E	758.0	15.0	773.0	2.5	775.50
325	Gambusia, San Marcos	<i>Gambusia georgei</i>	E	27.0	7.5	34.5	0.0	34.50
150	Goby, tidewater	<i>Eucyclogobius newberryi</i>	E	105.0	45.0	150.0	0.0	150.00
401	Logperch, Conasauga	<i>Percina jenkinsi</i>	E	24.5	1.2	25.7	1.3	26.95
173	Logperch, Roanoke	<i>Percina rex</i>	E	29.0	94.6	123.6	0.0	123.60
191	Madtom, Neosho	<i>Noturus placidus</i>	T	52.9	44.8	97.7	4.6	102.25
818	Madtom, pygmy	<i>Noturus stanauli</i>	E	4.5	0.0	4.5	1.0	5.50
673	Madtom, Scioto	<i>Noturus trautmani</i>	E	11.0	0.0	11.0	0.0	11.00
672	Madtom, Smoky	<i>Noturus baileyi</i>	E	7.2	2.0	9.2	2.0	11.20
531	Madtom, yellowfin	<i>Noturus flavipinnis</i>	T	11.7	2.1	13.8	2.0	15.76
129	Minnow, loach	<i>Rhinichthys cobitis</i>	T	34.0	153.5	187.5	3.5	190.97
52	Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	E	582.0	518.0	1100.0	3.0	1,103.00
684	Poolfish, Pahrump	<i>Empetrichthys latos</i>	E	4.0	0.5	4.5	5.8	10.26
284	Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>	E	42.0	0.0	42.0	2.1	44.06
668	Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	E	10.0	1.5	11.5	0.0	11.50
143	Pupfish, desert	<i>Cyprinodon macularius</i>	E	120.0	31.5	151.5	12.0	163.49
125	Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	E	4.0	200.0	204.0	6.8	210.75
427	Pupfish, Leon Springs	<i>Cyprinodon bovinus</i>	E	24.0	0.0	24.0	0.0	24.00
455	Pupfish, Owens	<i>Cyprinodon radiosus</i>	E	19.5	0.7	20.2	0.0	20.20
746	Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>	E	4.0	3.5	7.5	0.0	7.50
36	Salmon, chinook, Sacramento R. winter run	<i>Oncorhynchus tshawytscha</i>	T	2.0	1698.8	1700.8	0.0	1,700.79
3	Salmon, chinook, Snake R. fall run	<i>Oncorhynchus tshawytscha</i>	T	0.0	26262.5	26262.5	782.8	27,045.34
2	Salmon, chinook, Snake R. spring/summer	<i>Oncorhynchus tshawytscha</i>	T	0.0	28102.3	28102.3	934.4	29,036.67
1	Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	T	0.0	34820.0	34820.0	125.0	34,944.97
4	Salmon, sockeye (=red, =blueback), Snake	<i>Oncorhynchus nerka</i>	E	0.0	24712.9	24712.9	7.1	24,720.00
813	Sculpin, pygmy	<i>Cottus pygmaeus</i>	T	5.5	0.2	5.7	0.0	5.70
797	Shiner, beautiful	<i>Cyprinella formosa</i>	T	1.0	1.0	2.0	4.0	6.00
208	Shiner, blue	<i>Cyprinella caerulea</i>	T	25.0	54.7	79.7	1.3	80.99
1027	Shiner, Cahaba	<i>Notropis cahabae</i>	E	1.0	1.2	2.2	0.0	2.20
374	Shiner, Cape Fear	<i>Notropis mekistocholas</i>	E	24.1	0.0	24.1	5.0	29.10
1097	Shiner, Palezone	<i>Notropis sp.</i>	E	0.0	0.0	0.0	1.0	1.00
88	Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	T	23.0	401.0	424.0	1.0	425.00
1090	Silverside, Waccamaw	<i>Menidia extensa</i>	T	0.2	0.0	0.2	1.0	1.20
156	Smelt, delta	<i>Hypomesus transpacificus</i>	T	114.3	29.3	143.6	0.0	143.61

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
122	Spikedace	<i>Meda fulgida</i>	T	66.0	151.3	217.3	8.0	225.30
233	Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>	T	11.0	50.7	61.7	3.0	64.70
172	Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	T	4.0	0.0	4.0	120.0	124.00
290	Spinedace, White River	<i>Lepidomeda albivallis</i>	E	27.0	15.5	42.5	0.0	42.50
210	Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	E	74.0	0.5	74.5	3.2	77.69
384	Springfish, Railroad Valley	<i>Crenichthys nevadæ</i>	T	19.0	3.3	22.3	5.8	28.12
203	Springfish, White River	<i>Crenichthys baileyi baileyi</i>	E	74.0	0.0	74.0	10.9	84.90
18	Squawfish, Colorado	<i>Ptychocheilus lucius</i>	E	324.1	4332.0	4656.1	22.0	4,678.14
80	Steelhead (central CA coast)	<i>Oncorhynchus (=Salmo) mykiss gilberti</i>	T	0.0	520.1	520.1	0.0	520.06
72	Steelhead (Central Valley CA)	<i>Oncorhynchus (=Salmo) mykiss gilberti</i>	T	0.0	659.9	659.9	0.0	659.92
6	Steelhead (lower Columbia R.)	<i>Oncorhynchus (=Salmo) mykiss gilberti</i>	T	0.0	18945.3	18945.3	793.7	19,738.99
5	Steelhead (Snake R. Basin)	<i>Oncorhynchus (=Salmo) mykiss gilberti</i>	T	0.0	21758.7	21758.7	790.5	22,549.22
84	Steelhead (south central CA coast)	<i>Oncorhynchus (=Salmo) mykiss gilberti</i>	T	0.0	482.4	482.4	0.0	482.36
7	Steelhead (southern CA coast)	<i>Oncorhynchus (=Salmo) mykiss gilberti</i>	E	0.0	18201.9	18201.9	0.0	18,201.86
31	Steelhead (upper Columbia R. Basin)	<i>Oncorhynchus (=Salmo) mykiss gilberti</i>	E	0.0	1608.8	1608.8	686.1	2,294.84
160	Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>	E	2.0	135.0	137.0	0.0	137.00
90	Sturgeon, Gulf	<i>Acipenser oxyrinchus desotoi</i>	T	253.5	142.2	395.7	17.1	412.86
46	Sturgeon, pallid	<i>Scaphirhynchus albus</i>	E	627.9	505.0	1132.9	47.4	1,180.32
66	Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	E	370.1	421.5	791.6	0.0	791.64
22	Sturgeon, white (Kootenai River pop.)	<i>Acipenser transmontanus</i>	E	78.5	3504.5	3583.0	6.5	3,589.47
45	Sucker, June	<i>Chasmistes liorus</i>	E	42.0	1167.0	1209.0	33.0	1,242.00
27	Sucker, Lost River	<i>Deltistes luxatus</i>	E	52.0	2472.7	2524.7	4.1	2,528.84
287	Sucker, Modoc	<i>Catostomus microps</i>	E	8.0	35.2	43.2	0.0	43.17
12	Sucker, razorback	<i>Xyrauchen texanus</i>	E	771.1	5565.7	6336.8	46.0	6,382.81
28	Sucker, shortnose	<i>Chasmistes brevirostris</i>	E	49.0	2471.6	2520.6	4.1	2,524.71
222	Sucker, Warner	<i>Catostomus warnerensis</i>	T	30.0	37.0	67.0	3.5	70.47
57	Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	E	635.0	226.2	861.2	118.0	979.20
241	Trout, Apache (=Arizona)	<i>Oncorhynchus apache</i>	T	2.0	38.5	40.5	20.0	60.50
14	Trout, bull (Columbia R. pop.)	<i>Salvelinus confluentus</i>	T	1189.6	3784.5	4974.1	616.1	5,590.16
187	Trout, bull (Jarbridge R. pop.)	<i>Salvelinus confluentus</i>	E	1.0	92.6	93.6	12.0	105.64
152	Trout, bull (Klamath R. pop.)	<i>Salvelinus confluentus</i>	T	24.5	120.1	144.6	3.3	147.93
153	Trout, Gila	<i>Oncorhynchus gilae</i>	E	76.0	50.1	126.1	21.7	147.83
102	Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	T	77.0	114.2	191.2	118.0	309.17
76	Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	T	99.0	428.8	527.8	60.1	587.94
264	Trout, Little Kern golden	<i>Oncorhynchus aguabonita whitei</i>	T	6.3	46.5	52.8	0.0	52.80
676	Trout, Paiute cutthroat	<i>Oncorhynchus clarki seleniris</i>	T	7.3	3.5	10.8	0.0	10.80
29	Trout, Umpqua River cutthroat	<i>Oncorhynchus clarki clarki</i>	E	0.0	2322.0	2322.0	107.5	2,429.52
92	Woundfin	<i>Plagopterus argentissimus</i>	E	359.0	27.0	386.0	10.0	395.95

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)	
	<b>FISHES subtotals</b>		# of species:	117	8,835.70	214,391.90	223,227.60	5,766.24	228,993.84
	<b>VERTEBRATES subtotals</b>		# of species:	327	39,315.20	304,173.00	343,488.20	15,208.80	358,697.00
<b>INVERTEBRATES</b>									
<b>CLAMS</b>									
516	Acornshell, southern	<i>Epioblasma othcaloogensis</i>	E	10.1	5.2	15.3	1.2	16.50	
480	Bankclimber (mussel), purple	<i>Elliptoideus sloatianus</i>	T	12.0	6.8	18.8	0.0	18.82	
692	Bean, purple (=Fine-rayed purple pearly m	<i>Villosa perpurpurea</i>	E	4.4	4.4	8.8	1.0	9.83	
197	Clubshell	<i>Pleurobema clava</i>	E	62.6	5.4	68.0	28.0	95.99	
1094	Clubshell, black (=Curtus' mussel)	<i>Pleurobema curtum</i>	E	1.0	0.1	1.1	0.0	1.13	
268	Clubshell, ovate	<i>Pleurobema perovatum</i>	E	5.8	41.1	46.9	4.6	51.47	
235	Clubshell, southern	<i>Pleurobema decisum</i>	E	22.3	40.1	62.4	2.1	64.47	
640	Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	E	6.4	4.2	10.6	2.4	12.98	
458	Combshell, southern (=penitent mussel)	<i>Epioblasma penita</i>	E	1.7	17.9	19.6	0.3	19.88	
381	Combshell, upland	<i>Epioblasma metasta triata</i>	E	21.1	6.2	27.3	1.2	28.50	
341	Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	E	16.2	12.0	28.2	4.0	32.24	
677	Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	E	4.5	5.2	9.7	1.0	10.67	
462	Fanshell	<i>Cyprogenia stegaria</i>	E	6.7	2.0	8.7	11.0	19.70	
890	Fatmucket, Arkansas	<i>Lampsilis powelli</i>	T	0.0	1.9	1.9	1.8	3.70	
207	Heelsplitter, Carolina	<i>Lasmigona decorata</i>	E	16.4	10.4	26.8	56.5	83.30	
377	Heelsplitter, inflated	<i>Potamilus inflatus</i>	T	20.2	5.9	26.1	2.8	28.86	
279	Kidneyshell, triangular	<i>Ptychobranchus greeni</i>	E	19.6	24.6	44.2	1.2	45.36	
430	Lampmussel, Alabama (=Pearly mussel, A	<i>Lampsilis virescens</i>	E	6.1	17.9	24.0	0.0	24.00	
254	Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	T	11.3	43.1	54.4	0.5	54.86	
605	Moccasinshell, Coosa	<i>Medionidus parvulus</i>	E	7.1	6.2	13.3	0.2	13.50	
440	Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	E	20.0	1.8	21.8	0.0	21.82	
660	Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	E	12.0	0.0	12.0	0.0	12.00	
277	Mucket, orange-nacre	<i>Lampsilis perovalis</i>	T	4.7	40.8	45.5	0.3	45.76	
133	Mussel, dwarf wedge	<i>Alasmidonta heterodon</i>	E	136.0	26.6	162.6	19.0	181.54	
513	Mussel, oyster	<i>Epioblasma capsaeformis</i>	E	9.8	4.2	14.0	2.7	16.66	
534	Mussel, ring pink (=golf stick pearly)	<i>Obovaria retusa</i>	E	6.9	1.0	7.9	7.7	15.63	
146	Mussel, winged mapleleaf	<i>Quadrula fragosa</i>	E	93.6	54.9	148.5	7.5	156.01	
520	Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	T	4.0	12.3	16.3	0.0	16.32	
678	Pearlymussel, Appalachian monkeyface	<i>Quadrula sparsa</i>	E	8.6	0.0	8.6	2.0	10.60	
563	Pearlymussel, birdwing	<i>Conradilla caelata</i>	E	8.9	3.5	12.4	2.0	14.36	
696	Pearlymussel, cracking	<i>Hemistena lata</i>	E	6.5	2.0	8.5	1.0	9.50	
400	Pearlymussel, Cumberland bean	<i>Villosa trabalis</i>	E	18.2	6.5	24.7	2.4	27.12	

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
641	Pearlymussel, Cumberland monkeyface	<i>Quadrula intermedia</i>	E	8.7	2.1	10.8	2.0	12.76
307	Pearlymussel, Curtis'	<i>Epioblasma florentina curtisi</i>	E	35.5	2.0	37.5	0.9	38.40
678	Pearlymussel, dromedary	<i>Dromus dromas</i>	E	9.6	0.0	9.6	1.0	10.60
774	Pearlymussel, green-blossom	<i>Epioblasma torulosa gubernaculum</i>	E	5.6	0.0	5.6	1.0	6.60
105	Pearlymussel, Higgins' eye	<i>Lampsilis higginsi</i>	E	127.0	135.0	262.0	39.7	301.61
251	Pearlymussel, little-wing	<i>Pegias fabula</i>	E	42.4	3.3	45.7	10.0	55.77
281	Pearlymussel, orange-foot pimpleback	<i>Plethobasus cooperianus</i>	E	7.0	36.6	43.6	1.0	44.60
707	Pearlymussel, pale lilliput	<i>Toxolasma cylindrellus</i>	E	7.8	0.2	8.0	1.0	9.00
179	Pearlymussel, pink mucket	<i>Lampsilis abrupta</i>	E	94.4	17.5	111.9	2.3	114.17
456	Pearlymussel, purple cat's paw	<i>Epioblasma obliquata obliquata</i>	E	8.6	0.4	9.0	11.0	20.00
680	Pearlymussel, tubercled-blossom	<i>Epioblasma torulosa torulosa</i>	E	9.5	0.0	9.5	1.0	10.50
774	Pearlymussel, turgid-blossom	<i>Epioblasma turgidula</i>	E	5.6	0.0	5.6	1.0	6.60
119	Pearlymussel, white cat's paw	<i>Epioblasma obliquata perobliqua</i>	E	228.0	0.0	228.0	10.0	238.00
745	Pearlymussel, white wartyback	<i>Plethobasus cicatricosus</i>	E	6.9	0.0	6.9	1.0	7.90
730	Pearlymussel, yellow-blossom	<i>Epioblasma florentina florentina</i>	E	7.1	0.0	7.1	1.0	8.10
328	Pigtoe (mussel), oval	<i>Pleurobema pyriforme</i>	E	23.0	11.2	34.2	0.0	34.20
623	Pigtoe, Cumberland (=Cumberland pigtoe)	<i>Pleurobema gibberum</i>	E	9.6	2.7	12.3	1.0	13.30
733	Pigtoe, dark	<i>Pleurobema furvum</i>	E	2.0	6.0	8.0	0.0	8.00
654	Pigtoe, fine-rayed	<i>Fusconaia cuneolus</i>	E	9.2	2.3	11.5	1.0	12.46
1025	Pigtoe, flat (=Marshall's mussel)	<i>Pleurobema marshalli</i>	E	1.7	0.2	1.9	0.3	2.22
891	Pigtoe, heavy (=Judge Tait's mussel)	<i>Pleurobema taitianum</i>	E	2.7	0.7	3.4	0.3	3.70
778	Pigtoe, rough	<i>Pleurobema plenum</i>	E	5.5	0.0	5.5	1.0	6.50
682	Pigtoe, shiny	<i>Fusconaia cor</i>	E	9.1	0.3	9.4	1.0	10.36
475	Pigtoe, southern	<i>Pleurobema georgianum</i>	E	9.1	9.8	18.9	0.2	19.06
666	Pocketbook (mussel), shinyrayed	<i>Lampsilis subangulata</i>	E	10.5	1.4	11.9	0.0	11.87
240	Pocketbook, fat	<i>Potamilus capax</i>	E	19.5	40.5	60.0	0.8	60.80
397	Pocketbook, fine-lined	<i>Lampsilis altilis</i>	T	14.3	9.7	24.0	3.3	27.31
1111	Pocketbook, speckled	<i>Lampsilis streckeri</i>	E	0.0	0.0	0.0	0.8	0.80
626	Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>	E	4.5	7.8	12.3	1.0	13.26
267	Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	E	34.1	7.1	41.2	10.4	51.56
275	Riffleshell, tan	<i>Epioblasma walkeri</i>	E	39.3	6.5	45.8	2.0	47.82
195	Rock-pocketbook, Ouachita (=Wheeler's pocketbook)	<i>Arkansas wheeleri</i>	E	89.0	4.2	93.2	3.9	97.05
1138	Slabshell, Chipola	<i>Elliptio chipolaensis</i>	T	0.0	0.0	0.0	0.0	-
379	Spiny mussel, James River (=Virginia)	<i>Pleurobema collina</i>	E	19.0	9.7	28.7	0.0	28.70
382	Spiny mussel, Tar River	<i>Elliptio steinbansana</i>	E	18.0	0.4	18.4	10.0	28.39
1025	Stirrupshell	<i>Quadrula stapes</i>	E	1.7	0.2	1.9	0.3	2.22
1097	Three-ridge (mussel), fat	<i>Amblema neislerii</i>	E	0.0	1.0	1.0	0.0	1.00

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
<b>SNAILS</b>								
194	Ambersnail, Kanab	Oxyloma haydeni kanabensis	E	11.0	76.3	87.3	10.0	97.30
320	Limpet, Banbury Springs	Lanx sp.	E	35.5	0.3	35.8	0.0	35.80
1097	Marstonia (snail), royal (=obese)	Pyrgulopsis ogmoraphe	E	0.0	0.0	0.0	1.0	1.00
853	Riversnail, Anthony's	Athearna anthonyi	E	2.0	0.0	2.0	2.4	4.42
860	Shagreen, Magazine Mountain	Mesodon magazinensis	T	1.5	2.3	3.8	0.3	4.10
217	Snail, Bliss Rapids	Taylorconcha serpentiscola	T	35.5	36.4	71.9	0.2	72.10
757	Snail, Chittenango ovate amber	Succinea chittenangoensis	T	4.0	0.0	4.0	3.0	7.00
892	Snail, flat-spined three-toothed	Triodopsis platysayoides	T	2.0	0.0	2.0	1.7	3.67
976	Snail, Iowa Pleistocene	Discus macclintocki	E	0.0	1.6	1.6	1.2	2.75
403	Snail, Morro shoulderband (=Banded dune	Helminthoglypta walkeri	E	19.5	7.0	26.5	0.0	26.50
1128	Snail, noonday	Mesodon clarki nantahala	T	0.4	0.0	0.4	0.0	0.40
1097	Snail, painted snake coiled forest	Anguispira picta	T	0.0	0.0	0.0	1.0	1.00
219	Snail, Snake River physa	Physa natricina	E	35.5	36.0	71.5	0.2	71.66
321	Snail, Stock Island tree	Orthalicus reses	T	35.5	0.0	35.5	0.0	35.50
532	Snail, tulotoma (=Alabama live-bearing)	Tulotoma magnifica	E	15.0	0.7	15.7	0.0	15.70
115	Snail, Utah valvata	Valvata utahensis	E	35.5	222.5	258.0	3.2	261.16
1138	Snail, Virginia fringed mountain	Polygyriscus virginianus	E	0.0	0.0	0.0	0.0	-
109	Snails, Oahu tree	Achatinella^ spp. (all species)	E	24.0	257.8	281.8	0.0	281.82
897	Springsnail, Alamosa	Tryonia alamosae	E	0.0	2.0	2.0	1.5	3.50
270	Springsnail, Bruneau Hot	Pyrgulopsis bruneauensis	E	35.5	9.0	44.5	6.4	50.94
219	Springsnail, Idaho	Fontelicella idahoensis	E	35.5	36.0	71.5	0.2	71.66
778	Springsnail, Socorro	Pyrgulopsis neomexicana	E	3.0	2.0	5.0	1.5	6.50
<b>INSECTS</b>								
130	Beetle, American burying (=giant carrion)	Nicrophorus americanus	E	17.2	144.0	161.2	28.4	189.61
579	Beetle, Coffin Cave mold	Batrisodes texanus	E	14.0	0.0	14.0	0.0	14.00
386	Beetle, Comal Springs dryopid	Stygoparnus comalensis	E	27.0	1.0	28.0	0.0	28.00
386	Beetle, Comal Springs riffle	Heterelmis comalensis	E	27.0	1.0	28.0	0.0	28.00
789	Beetle, delta green ground	Elaphrus viridis	T	5.3	1.0	6.3	0.0	6.30
495	Beetle, Hungerford's crawling water	Brychius hungerfordi	E	18.0	0.0	18.0	0.0	18.00
579	Beetle, Kretschmarr Cave mold	Texamaurops reddelli	E	14.0	0.0	14.0	0.0	14.00
1033	Beetle, Mount Hermon June	Polyphylla barbata	E	2.0	0.0	2.0	0.0	2.00
304	Beetle, northeastern beach tiger	Cicindela dorsalis dorsalis	T	18.5	16.5	35.0	3.9	38.90
481	Beetle, Puritan tiger	Cicindela puritana	T	7.5	0.2	7.7	11.0	18.65
579	Beetle, Tooth Cave ground	Rhadine persephone	E	14.0	0.0	14.0	0.0	14.00
124	Beetle, valley elderberry longhorn	Desmocerus californicus dimorphus	T	180.3	39.7	220.0	0.0	219.99
224	Butterfly, bay checkerspot	Euphydryas editha bayensis	T	69.3	0.0	69.3	0.0	69.30

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
1117	Butterfly, Behren's silverspot	<i>Speyeria zerene behrensi</i>	E	0.5	0.0	0.5	0.0	0.50
789	Butterfly, callippe silverspot	<i>Speyeria callippe callippe</i>	E	5.3	1.0	6.3	0.0	6.30
262	Butterfly, El Segundo blue	<i>Euphilotes battoides allynii</i>	E	53.0	0.0	53.0	0.0	53.00
71	Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	E	381.5	171.6	553.1	158.7	711.76
789	Butterfly, Lange's metalmark	<i>Apodemia mormo langei</i>	E	6.3	0.0	6.3	0.0	6.30
1117	Butterfly, lotis blue	<i>Lycaeides argyrognomon lotis</i>	E	0.5	0.0	0.5	0.0	0.50
293	Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>	E	42.3	0.0	42.3	0.0	42.30
94	Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	E	163.5	197.0	360.5	21.0	381.50
410	Butterfly, Myrtle's silverspot	<i>Speyeria zerene myrtleae</i>	E	25.3	0.0	25.3	0.0	25.31
177	Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	T	66.0	49.0	115.0	4.0	119.00
201	Butterfly, Palos Verdes blue	<i>Glauopsyche lygdamus palosverdesensis</i>	E	36.0	50.0	86.0	0.0	86.00
199	Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>	E	52.0	42.5	94.5	0.0	94.50
269	Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	E	1.2	50.0	51.2	0.0	51.20
821	Butterfly, San Bruno elfin	<i>Callophrys mossii bayensis</i>	E	5.3	0.0	5.3	0.0	5.30
310	Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>	E	35.5	0.8	36.3	0.3	36.64
1033	Butterfly, Smith's blue	<i>Euphilotes enoptes smithi</i>	E	2.0	0.0	2.0	0.0	2.00
338	Butterfly, Uncompahgre fritillary	<i>Boloria acrocnema</i>	E	0.7	32.0	32.7	0.0	32.70
142	Dragonfly, Hine's (=Ohio) emerald	<i>Somatochlora hineana</i>	E	35.0	0.1	35.1	128.6	163.72
317	Fly, Delhi Sands flower-loving	<i>Rhaphiomidas terminatus abdominalis</i>	E	36.0	0.0	36.0	0.0	36.00
465	Grasshopper, Zayante band-winged	<i>Trimerotropis infantilis</i>	E	19.5	0.0	19.5	0.0	19.50
1055	Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>	T	1.3	0.5	1.8	0.0	1.80
865	Naucorid, Ash Meadows	<i>Ambrysus amargosus</i>	T	4.0	0.0	4.0	0.0	4.00
495	Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>	E	2.0	16.0	18.0	0.0	18.00
1061	Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>	T	0.0	1.5	1.5	0.0	1.50
<b>ARACHNIDS</b>								
579	Harvestman, Bee Creek Cave	<i>Texella reddelli</i>	E	14.0	0.0	14.0	0.0	14.00
579	Harvestman, Bone Cave	<i>Texella reyesi</i>	E	14.0	0.0	14.0	0.0	14.00
579	Pseudoscorpion, Tooth Cave	<i>Microcreagris texana</i>	E	14.0	0.0	14.0	0.0	14.00
886	Spider, spruce-fir moss	<i>Microhexura montivaga</i>	E	0.5	3.4	3.9	0.0	3.90
579	Spider, Tooth Cave	<i>Leptoneta myopica</i>	E	14.0	0.0	14.0	0.0	14.00
<b>CRUSTACEANS</b>								
1138	Amphipod, Hay's Spring	<i>Stygobromus hayi</i>	E	0.0	0.0	0.0	0.0	-
447	Amphipod, Illinois cave	<i>Gammarus acherondytes</i>	E	20.0	0.0	20.0	0.8	20.80
386	Amphipod, Peck's cave	<i>Stygobromus pecki (=Stygonectes p.)</i>	E	27.0	1.0	28.0	0.0	28.00
1033	Crayfish, cave [no common name]	<i>Cambarus aculabrum</i>	E	2.0	0.0	2.0	0.0	2.00
696	Crayfish, cave [no common name]	<i>Cambarus zophonastes</i>	E	2.0	0.0	2.0	7.5	9.50

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
623	Crayfish, Nashville	<i>Orconectes shoupi</i>	E	11.3	0.0	11.3	2.0	13.30
323	Crayfish, Shasta (=placid)	<i>Pacifastacus fortis</i>	E	33.3	1.7	35.0	0.0	35.04
333	Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	E	21.3	12.0	33.3	0.0	33.30
239	Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>	E	60.3	2.0	62.3	0.0	62.30
154	Fairy shrimp, riverside	<i>Streptocephalus woottoni</i>	E	93.0	54.7	147.7	0.0	147.70
134	Fairy shrimp, San Diego	<i>Branchinecta sandiegoensis</i>	E	87.0	93.5	180.5	0.0	180.50
93	Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	T	271.3	119.7	391.0	0.0	390.98
865	Isopod, Lee County cave	<i>Lirceus usdagalun</i>	E	4.0	0.0	4.0	0.0	4.00
1138	Isopod, Madison Cave	<i>Antrolana lira</i>	T	0.0	0.0	0.0	0.0	-
691	Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	E	3.0	2.0	5.0	4.8	9.83
375	Shrimp, Alabama cave	<i>Palaemonias alabamae</i>	E	9.0	20.0	29.0	0.0	29.00
243	Shrimp, California freshwater	<i>Syncaris pacifica</i>	E	47.3	12.0	59.3	0.0	59.30
1138	Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>	E	0.0	0.0	0.0	0.0	-
1138	Shrimp, Squirrel Chimney Cave (=Florida c	<i>Palaemonetes cummingi</i>	T	0.0	0.0	0.0	0.0	-
113	Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>	E	220.3	49.0	269.3	0.0	269.30
<b>INVERTEBRATES subtotals</b>		<b># of species:</b>	<b>153</b>	<b>4,198.50</b>	<b>2,608.77</b>	<b>6,807.27</b>	<b>690.25</b>	<b>7,497.52</b>
<b>PLANTS</b>								
<b>FLOWERING PLANTS</b>								
829	`Aiakeakua, popolo	<i>Solanum sandwicense</i>	E	5.0	0.0	5.0	0.0	5.03
797	`Aiea	<i>Nothocestrum breviflorum</i>	E	6.0	0.0	6.0	0.0	6.00
897	`Aiea	<i>Nothocestrum peltatum</i>	E	3.5	0.0	3.5	0.0	3.50
558	`Akoko	<i>Chamaesyce celastroides</i> var. <i>kaenana</i>	E	14.5	0.0	14.5	0.0	14.50
605	`Akoko	<i>Chamaesyce deppeana</i>	E	13.5	0.0	13.5	0.0	13.50
643	`Akoko	<i>Chamaesyce herbstii</i>	E	12.5	0.0	12.5	0.0	12.50
643	`Akoko	<i>Chamaesyce kuwaleana</i>	E	12.5	0.0	12.5	0.0	12.50
375	`Akoko	<i>Chamaesyce rockii</i>	E	13.5	15.5	29.0	0.0	29.00
399	`Akoko	<i>Euphorbia haeleeleana</i>	E	15.5	11.7	27.2	0.0	27.20
983	`Akoko, Ewa Plains	<i>Chamaesyce skottsbergii</i> var. <i>kalaeloana</i>	E	2.5	0.0	2.5	0.0	2.50
378	`Anaunu	<i>Lepidium arbuscula</i>	E	14.5	14.3	28.8	0.0	28.80
634	`Anunu	<i>Sicyos alba</i>	E	13.0	0.0	13.0	0.0	13.00
983	`Awikiwiki	<i>Canavalia molokaiensis</i>	E	2.5	0.0	2.5	0.0	2.50
558	`Awiwi	<i>Centaurium sebaeoides</i>	E	14.5	0.0	14.5	0.0	14.50
948	`Awiwi	<i>Hedyotis cookiana</i>	E	3.0	0.0	3.0	0.0	3.00
579	`Oha	<i>Delissea rivularis</i>	E	14.0	0.0	14.0	0.0	14.00
536	`Oha	<i>Delissea subcordata</i>	E	15.5	0.0	15.5	0.0	15.50
634	`Oha wai	<i>Clermontia drepanomorpha</i>	E	13.0	0.0	13.0	0.0	13.00

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
373	`Oha wai	<i>Clermontia lindseyana</i>	E	3.0	26.3	29.3	0.0	29.30
948	`Oha wai	<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>	E	3.0	0.0	3.0	0.0	3.00
948	`Oha wai	<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>	E	3.0	0.0	3.0	0.0	3.00
897	`Oha wai	<i>Clermontia peleana</i>	E	3.5	0.0	3.5	0.0	3.50
897	`Oha wai	<i>Clermontia pyrularia</i>	E	3.5	0.0	3.5	0.0	3.50
167	`Ohai	<i>Sesbania tomentosa</i>	E	14.5	115.0	129.5	0.0	129.50
404	`Ohe `ohe	<i>Tetraplasandra gymnocarpa</i>	E	13.5	12.9	26.4	0.0	26.40
983	`Olulu	<i>Brighamia insignis</i>	E	2.5	0.0	2.5	0.0	2.50
605	A`e	<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>	E	13.5	0.0	13.5	0.0	13.50
865	A`e	<i>Zanthoxylum hawaiiense</i>	E	4.0	0.0	4.0	0.0	4.00
948	Abutilon eremitopetalum (=Sci name)	<i>Abutilon eremitopetalum</i>	E	3.0	0.0	3.0	0.0	3.00
643	Abutilon sandwicense (=Sci name)	<i>Abutilon sandwicense</i>	E	12.5	0.0	12.5	0.0	12.50
598	Achyranthes mutica (=Sci. name)	<i>Achyranthes mutica</i>	E	13.5	0.0	13.5	0.2	13.65
623	Agave, Arizona	<i>Agave arizonica</i>	E	7.0	6.3	13.3	0.0	13.30
948	Alani	<i>Melicope adscendens</i>	E	3.0	0.0	3.0	0.0	3.00
983	Alani	<i>Melicope balloui</i>	E	2.5	0.0	2.5	0.0	2.50
865	Alani	<i>Melicope haupuensis</i>	E	4.0	0.0	4.0	0.0	4.00
897	Alani	<i>Melicope knudsenii</i>	E	3.5	0.0	3.5	0.0	3.50
552	Alani	<i>Melicope lydgatei</i>	E	15.0	0.0	15.0	0.0	15.00
948	Alani	<i>Melicope mucronulata</i>	E	3.0	0.0	3.0	0.0	3.00
948	Alani	<i>Melicope ovalis</i>	E	2.5	0.0	2.5	0.5	3.00
897	Alani	<i>Melicope pallida</i>	E	3.5	0.0	3.5	0.0	3.50
865	Alani	<i>Melicope quadrangularis</i>	E	4.0	0.0	4.0	0.0	4.00
983	Alani	<i>Melicope reflexa</i>	E	2.5	0.0	2.5	0.0	2.50
605	Alani	<i>Melicope saint-johnii</i>	E	13.5	0.0	13.5	0.0	13.50
634	Alani	<i>Melicope zahlbruckneri</i>	E	13.0	0.0	13.0	0.0	13.00
1069	Allocarya, Calistoga	<i>Plagiobothrys strictus</i>	E	1.3	0.0	1.3	0.0	1.30
1055	Alopecurus, Sonoma	<i>Alopecurus aequalis</i> var. <i>sonomensis</i>	E	1.3	0.5	1.8	0.0	1.80
407	Alsinidendron obovatum (=Sci name)	<i>Alsinidendron obovatum</i>	E	13.0	11.7	24.7	1.3	26.00
479	Alsinidendron trinerve (=Sci name)	<i>Alsinidendron trinerve</i>	E	14.5	2.6	17.1	1.8	18.90
594	Alsinidendron viscosum (=Sci. name)	<i>Alsinidendron viscosum</i>	E	13.5	0.0	13.5	0.3	13.80
159	Amaranth, seabeach	<i>Amaranthus pumilus</i>	T	13.2	122.9	136.1	3.0	139.08
948	Amaranthus brownii (=Sci. name)	<i>Amaranthus brownii</i>	E	3.0	0.0	3.0	0.0	3.00
797	Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>	E	4.0	2.0	6.0	0.0	6.00
362	Amphianthus, little	<i>Amphianthus pusillus</i>	T	26.5	1.0	27.5	3.0	30.54
830	Aristida chaseae (=Sci name)	<i>Aristida chaseae</i>	E	5.0	0.0	5.0	0.0	5.00
570	Arrowhead, bunched	<i>Sagittaria fasciculata</i>	E	11.1	0.0	11.1	3.0	14.10
236	Aster, decurrent false	<i>Boltonia decurrens</i>	T	57.0	5.6	62.6	1.2	63.72

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
1117	Aster, Florida golden	<i>Chrysopsis floridana</i>	E	0.5	0.0	0.5	0.0	0.50
506	Aster, Ruth's golden	<i>Pityopsis ruthii</i>	E	8.2	9.1	17.3	0.0	17.30
865	Auerodendron pauciflorum (=Sci name)	<i>Auerodendron pauciflorum</i>	E	4.0	0.0	4.0	0.0	4.00
928	Aupaka	<i>Isodendron hosakae</i>	E	3.0	0.0	3.0	0.3	3.30
558	Aupaka	<i>Isodendron laurifolium</i>	E	14.5	0.0	14.5	0.0	14.50
605	Aupaka	<i>Isodendron longifolium</i>	T	13.5	0.0	13.5	0.0	13.50
420	Avens, spreading	<i>Geum radiatum</i>	E	8.6	15.9	24.5	0.0	24.50
1033	Ayenia, Texas	<i>Ayenia limitaris</i>	E	0.0	2.0	2.0	0.0	2.00
436	Baccharis, Encinitis	<i>Baccharis vanessae</i>	T	2.0	21.4	23.4	0.0	23.40
850	Barberry, island	<i>Berberis pinnata</i> ssp. <i>insularis</i>	E	2.0	2.5	4.5	0.0	4.50
1069	Barberry, Truckee	<i>Berberis sonnei</i>	E	1.3	0.0	1.3	0.0	1.30
830	Bariaco	<i>Trichilia triacantha</i>	E	5.0	0.0	5.0	0.0	5.00
828	Beaked-rush, Krieskern's	<i>Rhynchospora knieskernii</i>	T	0.0	5.0	5.0	0.1	5.10
1136	Beardtongue, Penland	<i>Penstemon penlandii</i>	E	0.0	0.1	0.1	0.0	0.10
1117	Beargrass, Britton's	<i>Nolina brittoniana</i>	E	0.5	0.0	0.5	0.0	0.50
529	Bear-poppy, dwarf	<i>Arctomecon humilis</i>	E	1.6	14.0	15.6	0.2	15.80
778	Beauty, Harper's	<i>Harperocallis flava</i>	E	3.5	3.0	6.5	0.0	6.50
928	Bedstraw, El Dorado	<i>Galium californicum</i> ssp. <i>sierrae</i>	E	3.3	0.0	3.3	0.0	3.30
948	Bedstraw, island	<i>Galium buxifolium</i>	E	2.0	1.0	3.0	0.0	3.00
1117	Bellflower, Brooksville	<i>Campanula robbinsiae</i>	E	0.5	0.0	0.5	0.0	0.50
1138	Bidens, cuneate	<i>Bidens cuneata</i>	E	0.0	0.0	0.0	0.0	-
1137	Birch, Virginia round-leaf	<i>Betula uber</i>	T	0.0	0.1	0.1	0.0	0.06
165	Bird's beak, palmate-bracted	<i>Cordylanthus palmatus</i>	E	38.3	92.0	130.3	0.0	130.30
346	Bird's-beak, Pennell's	<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>	E	31.3	0.0	31.3	0.0	31.30
797	Bird's-beak, salt marsh	<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>	E	4.0	2.0	6.0	0.0	6.00
564	Bird's-beak, soft	<i>Cordylanthus mollis</i> ssp. <i>mollis</i>	E	3.3	11.0	14.3	0.0	14.30
983	Birds-in-a-nest, white	<i>Macbridea alba</i>	T	2.5	0.0	2.5	0.0	2.50
1132	Bittercress, small-anthered	<i>Cardamine micranthera</i>	E	0.2	0.0	0.2	0.0	0.20
750	Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>	T	0.3	7.0	7.3	0.0	7.30
535	Bladderpod, kodachrome	<i>Lesquerella tumulosa</i>	E	0.4	15.0	15.4	0.2	15.60
1138	Bladderpod, lyrate	<i>Lesquerella lyrata</i>	T	0.0	0.0	0.0	0.0	-
216	Bladderpod, Missouri	<i>Lesquerella filiformis</i>	E	20.0	51.5	71.5	0.8	72.30
1029	Bladderpod, San Bernardino Mountains	<i>Lesquerella kingii</i> ssp. <i>bernardina</i>	E	2.0	0.0	2.0	0.0	2.05
1130	Bladderpod, Spring Creek	<i>Lesquerella perforata</i>	E	0.3	0.0	0.3	0.0	0.30
454	Bladderpod, white	<i>Lesquerella pallida</i>	E	19.0	1.3	20.3	0.0	20.30
757	Blazingstar, Ash Meadows	<i>Mentzelia leucophylla</i>	T	7.0	0.0	7.0	0.0	7.00
667	Blazingstar, Heller's	<i>Liatris helleri</i>	T	0.5	11.1	11.6	0.0	11.60
797	Blazingstar, scrub	<i>Liatris ohlingerae</i>	E	6.0	0.0	6.0	0.0	6.00

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
1138	Bluecurls, Hidden Lake	<i>Trichostema austromontanum</i> ssp. <i>compactum</i>	T	0.0	0.0	0.0	0.0	-
897	Bluegrass, Hawaiian	<i>Poa sandvicensis</i>	E	3.5	0.0	3.5	0.0	3.50
897	Bluegrass, Mann's	<i>Poa mannii</i>	E	3.5	0.0	3.5	0.0	3.50
1069	Bluegrass, Napa	<i>Poa napensis</i>	E	1.3	0.0	1.3	0.0	1.30
865	Bluegrass, San Bernardino	<i>Poa atropurpurea</i>	E	2.0	2.0	4.0	0.0	4.00
733	Blue-star, Kearney's	<i>Amsonia kearneyana</i>	E	1.0	7.0	8.0	0.0	8.00
720	Bluet, Roan Mountain	<i>Hedyotis purpurea</i> var. <i>montana</i>	E	8.6	0.1	8.7	0.0	8.70
338	Bonamia menziesii (=Sci name)	<i>Bonamia menziesii</i>	E	17.5	11.7	29.2	3.5	32.70
1097	Bonamia, Florida	<i>Bonamia grandiflora</i>	T	0.0	1.0	1.0	0.0	1.00
830	Boxwood, Vahl's	<i>Buxus vahlii</i>	E	5.0	0.0	5.0	0.0	5.00
1069	Brodiaea, Chinese Camp	<i>Brodiaea pallida</i>	T	1.3	0.0	1.3	0.0	1.30
1033	Broom, San Clemente Island	<i>Lotus dendroideus</i> ssp. <i>traskiae</i>	E	2.0	0.0	2.0	0.0	2.00
982	Buckwheat, cushenbury	<i>Eriogonum ovalifolium</i> var. <i>vineum</i>	E	2.5	0.0	2.5	0.0	2.55
1097	Buckwheat, scrub	<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>	T	0.0	1.0	1.0	0.0	1.00
855	Buckwheat, steamboat	<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>	E	4.3	0.0	4.3	0.0	4.30
1093	Bulrush, Northeastern (=barbed bristle)	<i>Scirpus ancistrochaetus</i>	E	0.0	0.2	0.2	1.0	1.17
309	Bush-clover, prairie	<i>Lespedeza leptostachya</i>	T	28.0	0.1	28.1	9.0	37.13
750	Bush-mallow, San Clemente Island	<i>Malacothamnus clementinus</i>	E	2.0	5.3	7.3	0.0	7.30
983	Bush-mallow, Santa Cruz Island	<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>	E	2.0	0.5	2.5	0.0	2.50
1090	Buttercup, autumn	<i>Ranunculus aceriformis</i> var. <i>aestivalis</i>	E	1.0	0.0	1.0	0.2	1.20
180	Butterweed, Layne's	<i>Senecio layneae</i>	T	3.3	110.7	114.0	0.0	114.00
1055	Butterwort, Godfrey's	<i>Pinguicula ionantha</i>	T	1.5	0.3	1.8	0.0	1.80
796	Button, Mohr's Barbara	<i>Marshallia mohrii</i>	T	2.5	0.2	2.7	3.3	6.03
126	Button-celery, San Diego	<i>Eryngium aristulatum</i> var. <i>parishii</i>	E	53.0	152.2	205.2	0.0	205.20
671	Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>	E	1.0	10.3	11.3	0.0	11.30
305	Cactus, Bakersfield	<i>Opuntia treleasei</i>	E	33.3	5.5	38.8	0.0	38.80
1097	Cactus, black lace	<i>Echinocereus reichenbachii</i> var. <i>albertii</i>	E	0.0	0.0	0.0	1.0	1.00
499	Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	E	0.0	17.9	17.9	0.0	17.90
687	Cactus, bunched cory	<i>Coryphantha ramosissima</i>	T	9.0	1.0	10.0	0.0	10.00
978	Cactus, Chisos Mtn. hedgehog	<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>	T	1.0	1.6	2.6	0.0	2.60
1095	Cactus, Cochise pincushion	<i>Coryphantha robbinsorum</i>	T	1.0	0.1	1.1	0.0	1.10
1061	Cactus, Key tree	<i>Pilosocereus robinii</i>	E	1.5	0.0	1.5	0.0	1.50
570	Cactus, Knowlton	<i>Pediocactus knowltonii</i>	E	6.6	7.5	14.1	0.0	14.10
214	Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>	E	6.0	68.7	74.7	0.0	74.70
687	Cactus, Lee pincushion	<i>Coryphantha sneedii</i> var. <i>leei</i>	T	0.0	10.0	10.0	0.0	10.00
1097	Cactus, Lloyd's hedgehog	<i>Echinocereus lloydii</i>	E	1.0	0.0	1.0	0.0	1.00
707	Cactus, Lloyd's Mariposa	<i>Echinomastus mariposensis</i>	T	7.0	1.0	8.0	1.0	9.00
108	Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>	T	9.3	279.5	288.8	0.0	288.80

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
1097	Cactus, Nellie cory	<i>Escobaria minima</i>	E	0.0	0.0	0.0	1.0	1.00
733	Cactus, Nichol's Turk's head	<i>Echinocactus horizonthalonius</i> var. <i>nicholii</i>	E	5.0	3.0	8.0	0.0	8.00
707	Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>	E	1.0	8.0	9.0	0.0	9.00
158	Cactus, Pima pineapple	<i>Coryphantha scheeri</i> var. <i>robustispina</i>	E	63.0	79.3	142.3	0.0	142.30
413	Cactus, San Rafael	<i>Pediocactus despainii</i>	E	2.0	23.0	25.0	0.2	25.20
705	Cactus, Siler pincushion	<i>Pediocactus sileri</i>	T	4.0	5.0	9.0	0.2	9.20
342	Cactus, Sneed pincushion	<i>Coryphantha sneedii</i> var. <i>sneedii</i>	E	6.0	26.0	32.0	0.0	32.00
948	Cactus, star	<i>Astrophytum asterias</i>	E	3.0	0.0	3.0	0.0	3.00
385	Cactus, Tobusch fishhook	<i>Ancistrocactus tobuschii</i>	E	20.0	4.0	24.0	4.1	28.10
487	Cactus, Unita Basin hookless	<i>Sclerocactus glaucus</i>	T	2.8	15.3	18.1	0.2	18.30
274	Cactus, Winkler	<i>Pediocactus winkleri</i>	T	8.0	40.5	48.5	0.2	48.70
605	Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>	E	0.8	12.5	13.3	0.2	13.50
865	Calyptranthes thomasiana (=Sci name)	<i>Calyptranthes thomasiana</i>	E	4.0	0.0	4.0	0.0	4.00
405	Campion, fringed	<i>Silene polypetala</i>	E	26.0	0.0	26.0	0.3	26.30
811	Capa rosa	<i>Callicarpa ampla</i>	E	5.0	0.8	5.8	0.0	5.80
1097	Cat's-eye, Terlingua Creek	<i>Cryptantha crassipes</i>	E	1.0	0.0	1.0	0.0	1.00
346	Ceanothus, coyote (=California-lilac, Coyot	<i>Ceanothus ferrisiae</i>	E	31.3	0.0	31.3	0.0	31.30
928	Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>	E	3.3	0.0	3.3	0.0	3.30
707	Centaury, spring-loving	<i>Centaurium namophilum</i>	T	9.0	0.0	9.0	0.0	9.00
818	Chaff-flower, round-leaved	<i>Achyranthes splendens</i> var. <i>rotundata</i>	E	4.5	0.0	4.5	1.0	5.50
157	Chaffseed, American	<i>Schwalbea americana</i>	E	30.2	107.4	137.6	5.7	143.28
830	Chamaecrista glandulosa var. mirabilis (=S	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i>	E	5.0	0.0	5.0	0.0	5.00
897	Chamaesyce halemanui (=Sci name)	<i>Chamaesyce halemanui</i>	E	3.5	0.0	3.5	0.0	3.50
1069	Checker-mallow, Kenwood Marsh	<i>Sidalcea oregana</i> ssp. <i>valida</i>	E	1.3	0.0	1.3	0.0	1.30
128	Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	T	49.0	118.2	167.2	25.0	192.18
248	Checker-mallow, pedate	<i>Sidalcea pedata</i>	E	53.0	5.0	58.0	0.0	58.00
797	Chumbo, higo	<i>Harrisia portoricensis</i>	T	6.0	0.0	6.0	0.0	6.00
811	Chupacallos (=Chupagallo)	<i>Pleodendron macranthum</i>	E	5.0	0.8	5.8	0.0	5.80
668	Cinquefoil, Robbins'	<i>Potentilla robinsiana</i>	E	0.0	11.5	11.5	0.0	11.50
465	Clarkia, Pismo	<i>Clarkia speciosa</i> ssp. <i>immaculata</i>	E	19.5	0.0	19.5	0.0	19.50
346	Clarkia, Presidio	<i>Clarkia franciscana</i>	E	31.3	0.0	31.3	0.0	31.30
658	Clarkia, Springville	<i>Clarkia springvillensis</i>	T	1.3	10.8	12.1	0.0	12.10
1069	Clarkia, Vine Hill	<i>Clarkia imbricata</i>	E	1.3	0.0	1.3	0.0	1.30
656	Cliff-rose, Arizona	<i>Purshia subintegra</i>	E	2.0	10.4	12.4	0.0	12.40
1033	Clover, Monterey (=Del Monte)	<i>Trifolium trichocalyx</i>	E	2.0	0.0	2.0	0.0	2.00
356	Clover, running buffalo	<i>Trifolium stoloniferum</i>	E	22.4	6.6	29.0	2.2	31.24
1055	Clover, showy Indian	<i>Trifolium amoenum</i>	E	1.8	0.0	1.8	0.0	1.80
228	Coneflower, smooth	<i>Echinacea laevigata</i>	E	13.8	51.8	65.6	1.5	67.13

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
983	Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>	E	2.3	0.2	2.5	0.0	2.50
757	<i>Cordia bellonii</i>	<i>Cordia bellonii</i>	E	7.0	0.0	7.0	0.0	7.00
1033	<i>Cranichis ricartii</i> (=Sci name)	<i>Cranichis ricartii</i>	E	2.0	0.0	2.0	0.0	2.00
1132	Cress, toad-flax	<i>Schoenocrambe suffrutescens</i>	E	0.0	0.0	0.0	0.2	0.20
1033	Crownbeard, big-leaved	<i>Verbesina dissita</i>	T	2.0	0.0	2.0	0.0	2.00
928	<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i> (=Sci na	<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>	E	3.0	0.0	3.0	0.3	3.30
380	<i>Cyanea superba</i> (=Sci name)	<i>Cyanea superba</i>	E	15.0	11.7	26.7	1.9	28.60
865	<i>Cyanea undulata</i> (=Sci name)	<i>Cyanea undulata</i>	E	4.0	0.0	4.0	0.0	4.00
845	<i>Cycladenia</i> , Jones	<i>Cycladenia humilis</i> var. <i>jonesii</i>	T	0.2	4.5	4.7	0.2	4.90
732	Daisy, lakeside	<i>Hymenoxys herbacea</i> (=acaulis var. <i>glabra</i> )	T	7.0	0.1	7.1	1.0	8.06
482	Daisy, Maguire	<i>Erigeron maguirei</i> var. <i>maguirei</i>	E	0.4	18.0	18.4	0.2	18.60
1029	Daisy, Parish's	<i>Erigeron parishii</i>	T	2.0	0.0	2.0	0.0	2.05
386	<i>Daphnopsis hellerana</i> (=Sci name)	<i>Daphnopsis hellerana</i>	E	28.0	0.0	28.0	0.0	28.00
295	Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>	E	18.0	24.0	42.0	0.0	42.00
724	<i>Delissea rhytidosperma</i> (=Sci name)	<i>Delissea rhytidosperma</i>	E	4.0	0.0	4.0	4.5	8.50
789	<i>Delissea undulata</i> (=Sci name)	<i>Delissea undulata</i>	E	3.5	0.0	3.5	2.8	6.30
928	Dogweed, ashy	<i>Thymophylla tephroleuca</i>	E	3.0	0.3	3.3	0.0	3.30
706	Dropwort, Canby's	<i>Oxypolis canbyi</i>	E	4.7	1.2	5.9	3.2	9.10
897	<i>Dubautia latifolia</i> (=Sci name)	<i>Dubautia latifolia</i>	E	3.5	0.0	3.5	0.0	3.50
983	<i>Dubautia pauciflorula</i> (=Sci name)	<i>Dubautia pauciflorula</i>	E	2.5	0.0	2.5	0.0	2.50
465	Dudleya, Conejo	<i>Dudleya abramsii</i> ssp. <i>parva</i>	T	19.5	0.0	19.5	0.0	19.50
465	Dudleya, Marcescent	<i>Dudleya cymosa</i> ssp. <i>marcescens</i>	T	19.5	0.0	19.5	0.0	19.50
346	Dudleya, Santa Clara Valley	<i>Dudleya setchellii</i>	E	31.3	0.0	31.3	0.0	31.30
1033	Dudleya, Santa Cruz Island	<i>Dudleya nesiotica</i>	T	2.0	0.0	2.0	0.0	2.00
465	Dudleya, Verity's	<i>Dudleya verityi</i>	E	19.5	0.0	19.5	0.0	19.50
450	Dudleya, Santa Monica Mountains	<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>	T	19.5	1.0	20.5	0.0	20.50
333	Dwarf-flax, Marin	<i>Hesperolinon congestum</i>	T	33.3	0.0	33.3	0.0	33.30
797	Erubia	<i>Solanum drymophilum</i>	E	6.0	0.0	6.0	0.0	6.00
757	<i>Eugenia woodburyana</i> (=Sci name)	<i>Eugenia woodburyana</i>	E	7.0	0.0	7.0	0.0	7.00
821	Evening-primrose, Antioch Dunes	<i>Oenothera deltoides</i> ssp. <i>howellii</i>	E	5.3	0.0	5.3	0.0	5.30
660	Evening-primrose, Eureka Valley	<i>Oenothera avita</i> ssp. <i>eurekensis</i>	E	2.0	10.0	12.0	0.0	12.00
797	Evening-primrose, San Benito	<i>Camissonia benitensis</i>	T	6.0	0.0	6.0	0.0	6.00
821	Fiddleneck, Large-flowered	<i>Amsinckia grandiflora</i>	E	5.3	0.0	5.3	0.0	5.30
928	Flannelbush, Pine Hill	<i>Fremontodendron californicum</i> ssp. <i>decumb</i>	E	3.3	0.0	3.3	0.0	3.30
492	Fleabane, Rhizome	<i>Erigeron rhizomatus</i>	T	6.0	12.2	18.2	0.0	18.20
311	Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>	E	18.5	17.1	35.6	1.0	36.60
595	Frankenia, Johnston's	<i>Frankenia johnstonii</i>	E	7.0	1.0	8.0	5.7	13.70
983	Fringepod (=lacepod), Santa Cruz Island	<i>Thysanocarpus conchuliferus</i>	E	2.0	0.5	2.5	0.0	2.50

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
944	Gahnia lanaiensis (=Sci name)	Gahnia lanaiensis	E	3.0	0.0	3.0	0.1	3.10
311	Gardenia, Hawaiian (na`u)	Gardenia brighamii	E	35.5	0.0	35.5	1.1	36.60
707	Geocarpon minimum (=Sci name)	Geocarpon minimum	T	2.0	2.5	4.5	4.5	9.00
757	Geranium, Hawaiian red-flowered	Geranium arboreum	E	5.5	0.0	5.5	1.5	7.00
483	Gerardia, sandplain	Agalinis acuta	E	0.0	5.0	5.0	13.6	18.56
757	Gesneria pauciflora (=Sci name)	Gesneria pauciflora	T	7.0	0.0	7.0	0.0	7.00
774	Gilia, Hoffmann's slender-flowered	Gilia tenuiflora ssp. hoffmannii	E	2.0	4.6	6.6	0.0	6.60
465	Gilia, Monterey	Gilia tenuiflora ssp. arenaria	E	19.5	0.0	19.5	0.0	19.50
830	Goetzea, beautiful (matabuey)	Goetzea elegans	E	5.0	0.0	5.0	0.0	5.00
720	Goldenrod, Blue Ridge	Solidago spithamea	T	8.6	0.1	8.7	0.0	8.70
278	Goldenrod, Houghton's	Solidago houghtonii	T	42.0	0.7	42.7	3.0	45.70
728	Goldenrod, Short's	Solidago shortii	E	8.3	0.0	8.3	0.0	8.30
634	Goldenrod, white-haired	Solidago albopilosa	T	7.1	5.9	13.0	0.0	13.00
719	Goldfields, Burke's	Lasthenia burkei	E	8.8	0.0	8.8	0.0	8.80
855	Goldfields, Contra Costa	Lasthenia conjugens	E	3.3	1.0	4.3	0.0	4.30
813	Gooseberry, Miccosukee (Florida)	Ribes echinellum	T	1.6	2.6	4.2	1.5	5.70
983	Gouania hillebrandii (=Sci name)	Gouania hillebrandii	E	2.5	0.0	2.5	0.0	2.50
605	Gouania meyenii (=Sci name)	Gouania meyenii	E	13.5	0.0	13.5	0.0	13.50
601	Gouania vitifolia (=Sci name)	Gouania vitifolia	E	13.5	0.0	13.5	0.1	13.60
1061	Gourd, Okeechobee	Cucurbita okeechobeensis ssp. okeechobee	E	0.5	1.0	1.5	0.0	1.50
245	Grass, California Orcutt	Orcuttia californica	E	59.0	0.0	59.0	0.0	59.00
750	Grass, Colusa	Neostapfia colusana	T	6.3	1.0	7.3	0.0	7.30
660	Grass, Eureka Dune	Swallenia alexandrae	E	2.0	10.0	12.0	0.0	12.00
1023	Grass, Solano	Tuctoria mucronata	E	1.3	1.0	2.3	0.0	2.30
794	Grass, Tennessee yellow-eyed	Xyris tennesseensis	E	2.7	3.4	6.1	0.0	6.10
532	Ground-plum, Guthrie's	Astragalus bibullatus	E	15.7	0.0	15.7	0.0	15.70
1128	Groundsel, San Francisco Peaks	Senecio franciscanus	T	0.0	0.4	0.4	0.0	0.40
757	Gumplant, Ash Meadows	Grindelia fraxino-pratensis	T	7.0	0.0	7.0	0.0	7.00
604	Ha`iwale	Cyrtandra crenata	E	13.5	0.0	13.5	0.1	13.55
411	Ha`iwale	Cyrtandra dentata	E	13.5	11.7	25.2	0.1	25.30
948	Ha`iwale	Cyrtandra giffardii	E	3.0	0.0	3.0	0.0	3.00
893	Ha`iwale	Cyrtandra limahuliensis	T	3.5	0.0	3.5	0.2	3.65
948	Ha`iwale	Cyrtandra munroi	E	3.0	0.0	3.0	0.0	3.00
564	Ha`iwale	Cyrtandra polyantha	E	14.0	0.0	14.0	0.3	14.30
519	Ha`iwale	Cyrtandra subumbellata	E	13.5	2.6	16.1	0.3	16.40
897	Ha`iwale	Cyrtandra tintinnabula	E	3.5	0.0	3.5	0.0	3.50
485	Ha`iwale	Cyrtandra viridiflora	E	14.0	4.5	18.5	0.0	18.50
579	Haha	Cyanea (=Rollandia) humboldtiana	E	13.5	0.0	13.5	0.5	14.00

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
495	Haha	<i>Cyanea (=Rollandia) st-johnii</i>	E	13.5	4.5	18.0	0.0	18.00
445	Haha	<i>Cyanea acuminata</i>	E	13.5	7.1	20.6	0.5	21.10
865	Haha	<i>Cyanea asarifolia</i>	E	4.0	0.0	4.0	0.0	4.00
897	Haha	<i>Cyanea copelandii</i> ssp. <i>copelandii</i>	E	3.5	0.0	3.5	0.0	3.50
631	Haha	<i>Cyanea dunbarii</i>	E	13.0	0.0	13.0	0.1	13.05
548	Haha	<i>Cyanea grimesiana</i> spp. <i>obatae</i>	E	15.0	0.0	15.0	0.1	15.10
443	Haha	<i>Cyanea grimesiana</i> spp. <i>grimesiana</i>	E	18.5	2.6	21.1	0.5	21.60
733	Haha	<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>	E	7.5	0.0	7.5	0.5	8.00
370	Haha	<i>Cyanea koolauensis</i>	E	13.5	15.5	29.0	0.6	29.60
855	Haha	<i>Cyanea lobata</i>	E	2.5	0.0	2.5	1.8	4.30
579	Haha	<i>Cyanea longiflora</i>	E	13.5	0.0	13.5	0.5	14.00
983	Haha	<i>Cyanea manni</i>	E	2.5	0.0	2.5	0.0	2.50
983	Haha	<i>Cyanea mcedowneyi</i>	E	2.5	0.0	2.5	0.0	2.50
629	Haha	<i>Cyanea pinnatifida</i>	E	13.0	0.0	13.0	0.1	13.10
605	Haha	<i>Cyanea platyphylla</i>	E	13.5	0.0	13.5	0.0	13.50
944	Haha	<i>Cyanea procera</i>	E	3.0	0.0	3.0	0.1	3.10
601	Haha	<i>Cyanea recta</i>	T	13.5	0.0	13.5	0.1	13.60
521	Haha	<i>Cyanea remyi</i>	E	13.5	0.0	13.5	2.8	16.30
896	Haha	<i>Cyanea shipmannii</i>	E	3.5	0.0	3.5	0.1	3.55
860	Haha	<i>Cyanea stictophylla</i>	E	3.5	0.0	3.5	0.6	4.10
564	Haha	<i>Cyanea truncata</i>	E	14.0	0.0	14.0	0.3	14.30
529	Hala pepe	<i>Pleomele hawaiiensis</i>	E	13.0	0.5	13.5	2.3	15.80
699	Haplostachys haplostachya (=Sci name)	<i>Haplostachys haplostachya</i>	E	3.0	6.3	9.3	0.2	9.44
1061	Harebells, Avon Park	<i>Crotalaria avonensis</i>	E	1.5	0.0	1.5	0.0	1.50
441	Harperella	<i>Ptilimnium nodosum</i>	E	7.3	9.7	17.0	4.8	21.79
567	Hau kuahwi	<i>Hibiscadelphus giffardianus</i>	E	13.5	0.5	14.0	0.3	14.25
521	Hau kuahwi	<i>Hibiscadelphus woodii</i>	E	14.0	0.0	14.0	2.3	16.30
511	Hau kuahwi, Hualalai	<i>Hibiscadelphus hualalaiensis</i>	E	16.5	0.0	16.5	0.3	16.80
816	Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	T	4.2	0.4	4.6	1.0	5.59
724	Heather, mountain golden	<i>Hudsonia montana</i>	T	5.2	3.3	8.5	0.0	8.50
894	Heau	<i>Exocarpos luteolus</i>	E	3.5	0.0	3.5	0.1	3.60
628	Hedyotis degeneri (=Sci name)	<i>Hedyotis degeneri</i>	E	13.0	0.0	13.0	0.2	13.15
392	Hedyotis parvula (=Sci name)	<i>Hedyotis parvula</i>	E	12.5	15.2	27.7	0.1	27.82
983	Hedyotis, Na Pali beach	<i>Hedyotis st.-johnii</i>	E	2.5	0.0	2.5	0.0	2.50
360	Hesperomannia arborescens (=Sci name)	<i>Hesperomannia arborescens</i>	E	14.5	15.5	30.0	0.6	30.60
548	Hesperomannia arbustula (=Sci name)	<i>Hesperomannia arbustula</i>	E	14.5	0.0	14.5	0.6	15.10
897	Hesperomannia lydgatei (=Sci name)	<i>Hesperomannia lydgatei</i>	E	3.5	0.0	3.5	0.0	3.50
948	Hibiscus, Clay's	<i>Hibiscus clayi</i>	E	3.0	0.0	3.0	0.0	3.00

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
830	Higuero de Sierra	<i>Crescentia portoricensis</i>	E	5.0	0.0	5.0	0.0	5.00
897	Holei	<i>Ochrosia kilaeaensis</i>	E	3.5	0.0	3.5	0.0	3.50
1033	Holly, Cook's	<i>Ilex cookii</i>	E	2.0	0.0	2.0	0.0	2.00
135	Howellia, water	<i>Howellia aquatilis</i>	T	62.1	103.2	165.3	14.6	179.83
707	Hypericum, highlands scrub	<i>Hypericum cumulicola</i>	E	8.0	1.0	9.0	0.0	9.00
974	<i>Ilex sintenisi</i> (=Sci name)	<i>Ilex sintenisi</i>	E	2.0	0.8	2.8	0.0	2.80
897	Iliau, dwarf	<i>Wilkesia hobdyi</i>	E	3.5	0.0	3.5	0.0	3.50
324	Indian paintbrush, San Clemente Island	<i>Castilleja grisea</i>	E	2.0	32.9	34.9	0.0	34.90
643	Ipomopsis, Holy Ghost	<i>Ipomopsis sancti-spiritus</i>	E	12.0	0.5	12.5	0.0	12.50
372	Iris, dwarf lake	<i>Iris lacustris</i>	T	22.0	1.4	23.4	6.0	29.40
1130	Irisette, white	<i>Sisyrinchium dichotomum</i>	E	0.3	0.0	0.3	0.0	0.30
860	Ischaemum, Hilo	<i>Ischaemum byrone</i>	E	2.5	1.0	3.5	0.6	4.10
757	Ivesia, Ash Meadows	<i>Ivesia kingii</i> var. <i>eremica</i>	T	7.0	0.0	7.0	0.0	7.00
1117	Jacquemontia, beach	<i>Jacquemontia reclinata</i>	E	0.5	0.0	0.5	0.0	0.50
252	Jewelflower, California	<i>Caulanthus californicus</i>	E	35.3	20.0	55.3	0.0	55.30
346	Jewelflower, Metcalf Canyon	<i>Streptanthus albidus</i> ssp. <i>albidus</i>	E	31.3	0.0	31.3	0.0	31.30
346	Jewelflower, Tiburon	<i>Streptanthus niger</i>	E	31.3	0.0	31.3	0.0	31.30
360	Joint-vetch, sensitive	<i>Aeschynomene virginica</i>	T	21.2	9.2	30.4	0.2	30.60
553	Kamakahala	<i>Labordia cyrtandrae</i>	E	14.0	0.0	14.0	0.8	14.80
860	Kamakahala	<i>Labordia lydgatei</i>	E	4.0	0.0	4.0	0.1	4.10
570	Kamakahala	<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>	E	14.0	0.0	14.0	0.1	14.10
660	Kauai hau kuahiwi	<i>Hibiscadelphus distans</i>	E	6.5	0.0	6.5	5.5	12.00
545	Kauila	<i>Colubrina oppositifolia</i>	E	10.0	0.0	10.0	5.3	15.30
750	Kaulu	<i>Pteralyxia kauaiensis</i>	E	3.5	0.0	3.5	3.8	7.30
690	Kio`ele	<i>Hedyotis coriacea</i>	E	3.5	6.3	9.8	0.2	9.99
627	Kiponapona	<i>Phyllostegia racemosa</i>	E	13.0	0.0	13.0	0.2	13.20
773	Ko`oko`olau	<i>Bidens micrantha</i> ssp. <i>kalealaha</i>	E	2.5	0.0	2.5	4.4	6.90
983	Ko`oko`olau	<i>Bidens wiebkei</i>	E	2.5	0.0	2.5	0.0	2.50
948	Ko`oloa`ula	<i>Abutilon menziesii</i>	E	3.0	0.0	3.0	0.0	3.00
521	Koki`o (=hau-hele`ula or Hawaii tree cotton)	<i>Kokia drynarioides</i>	E	10.5	0.0	10.5	5.8	16.30
500	Koki`o, Cooke's	<i>Kokia cookei</i>	E	16.0	0.0	16.0	1.8	17.80
514	Koki`o, Kaua`i	<i>Kokia kauaiensis</i>	E	13.5	0.0	13.5	3.1	16.60
983	Koki`oke`oke`o	<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>	E	2.5	0.0	2.5	0.0	2.50
605	Koki`oke`oke`o	<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>	E	13.5	0.0	13.5	0.0	13.50
579	Kolea	<i>Myrsine juddii</i>	E	13.5	0.0	13.5	0.5	14.00
601	Kolea	<i>Myrsine linearifolia</i>	T	13.5	0.0	13.5	0.1	13.60
830	Kuahiwi, laukahi	<i>Plantago hawaiiensis</i>	E	3.0	1.0	4.0	1.0	5.00
330	Kuahiwi, laukahi	<i>Plantago princeps</i>	E	15.0	18.8	33.8	0.2	34.00

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
605	Kuawawaenohu	<i>Alsinidendron lychnoides</i>	E	13.5	0.0	13.5	0.0	13.50
983	Kula, wahine noho	<i>Isodendrion pyrifolium</i>	E	2.5	0.0	2.5	0.0	2.50
327	Kulu'i	<i>Nototrichium humile</i>	E	12.5	21.8	34.3	0.1	34.42
319	Ladies'-tresses, Canelo Hills (=Madrean)	<i>Spiranthes delitescens</i>	E	1.0	34.8	35.8	0.0	35.80
213	Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>	E	43.0	32.0	75.0	0.0	75.00
96	Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	T	85.9	265.4	351.3	2.3	353.58
502	Lagu, Hyan	<i>Serianthes nelsonii</i>	E	17.5	0.0	17.5	0.0	17.50
1033	Larkspur, San Clemente Island	<i>Delphinium variegatum ssp. kinkiense</i>	E	2.0	0.0	2.0	0.0	2.00
634	Lau `ehu	<i>Panicum niihauense</i>	E	13.0	0.0	13.0	0.0	13.00
605	Laulihilihi (=Ma`oli`oli)	<i>Schiedea stellaroides</i>	E	13.5	0.0	13.5	0.0	13.50
165	Layia, beach	<i>Layia carnosa</i>	E	29.3	101.0	130.3	0.0	130.30
778	Lead-plant, Crenulate	<i>Amorpha crenulata</i>	E	6.5	0.0	6.5	0.0	6.50
948	Leather flower, Alabama	<i>Clematis socialis</i>	E	3.0	0.0	3.0	0.0	3.00
1138	Leather flower, Morefield's	<i>Clematis morefieldii</i>	E	0.0	0.0	0.0	0.0	-
865	Lepanthes eltoroensis (=Sci name)	<i>Lepanthes eltoroensis</i>	E	4.0	0.0	4.0	0.0	4.00
865	Leptocereus grantianus (=Sci name)	<i>Leptocereus grantianus</i>	E	4.0	0.0	4.0	0.0	4.00
1069	Lessingia, San Francisco	<i>Lessingia germanorum (=L. g. var. germano</i>	E	1.3	0.0	1.3	0.0	1.30
510	Liliwai	<i>Acaena exigua</i>	E	3.5	13.3	16.8	0.1	16.85
464	Lily, Minnesota trout	<i>Erythronium propullans</i>	E	12.0	0.0	12.0	7.5	19.52
1069	Lily, Pitkin Marsh	<i>Lilium pardalinum ssp. pitkinense</i>	E	1.3	0.0	1.3	0.0	1.30
325	Lily, Western	<i>Lilium occidentale</i>	E	27.5	6.0	33.5	1.0	34.50
942	Lipochaeta venosa (=Sci name)	<i>Lipochaeta venosa</i>	E	3.0	0.0	3.0	0.2	3.15
1097	Liveforever, Santa Barbara Island	<i>Dudleya traskiae</i>	E	0.0	1.0	1.0	0.0	1.00
514	Lobelia gaudichaudii ssp. koolauensis , (=Lobelia gaudichaudii var. koolauensis		E	13.5	2.6	16.1	0.5	16.60
568	Lobelia monostachya (=Sci. name)	<i>Lobelia monostachya</i>	E	14.0	0.0	14.0	0.2	14.20
340	Lobelia niihauensis (=Sci name)	<i>Lobelia niihauensis</i>	E	15.5	14.3	29.8	2.7	32.50
370	Lobelia oahuensis (=Sci name)	<i>Lobelia oahuensis</i>	E	14.5	14.3	28.8	0.8	29.60
570	Locoweed, Fassett's	<i>Oxytropis campestris var. chartacea</i>	T	8.0	5.1	13.1	1.0	14.10
175	Lomatium, Bradshaw's	<i>Lomatium bradshawii</i>	E	14.0	99.6	113.6	8.0	121.60
163	Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	E	16.8	115.8	132.6	0.0	132.60
727	Loulu	<i>Pritchardia affinis</i>	E	3.0	1.0	4.0	4.4	8.40
642	Loulu	<i>Pritchardia kaalae</i>	E	12.5	0.0	12.5	0.1	12.60
939	Loulu	<i>Pritchardia munroi</i>	E	3.0	0.0	3.0	0.3	3.25
629	Loulu	<i>Pritchardia napaliensis</i>	E	12.5	0.0	12.5	0.6	13.10
595	Loulu	<i>Pritchardia schattaueri</i>	E	13.5	0.0	13.5	0.2	13.70
545	Loulu	<i>Pritchardia viscosa</i>	E	14.0	0.0	14.0	1.3	15.30
748	Lousewort, Furbish	<i>Pedicularis furbishiae</i>	E	5.0	0.6	5.6	1.9	7.50
631	Love grass, Fosberg's	<i>Eragrostis fosbergii</i>	E	13.0	0.0	13.0	0.1	13.05

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
460	Lupine, clover	<i>Lupinus tidestromii</i>	E	18.8	1.0	19.8	0.0	19.80
850	Lupine, scrub	<i>Lupinus aridorum</i>	E	4.5	0.0	4.5	0.0	4.50
830	Lyonia truncata var. proctorii (=Sci name)	<i>Lyonia truncata</i> var. <i>proctorii</i>	E	5.0	0.0	5.0	0.0	5.00
897	Lysimachia filifolia (=Sci name)	<i>Lysimachia filifolia</i>	E	3.5	0.0	3.5	0.0	3.50
983	Lysimachia lydgatei (=Sci name)	<i>Lysimachia lydgatei</i>	E	2.5	0.0	2.5	0.0	2.50
507	Lysimachia maxima (=ternifolia) (=Sci. nar)	<i>Lysimachia maxima</i> (=ternifolia)	E	17.0	0.0	17.0	0.1	17.10
337	Ma`ohau hele (=biscus, native yellow)	<i>Hibiscus brackenridgei</i>	E	18.0	6.6	24.6	8.2	32.80
622	Ma`aloa, Big Island	<i>Neraudia ovata</i>	E	13.0	0.0	13.0	0.4	13.40
983	Ma`oli`oli	<i>Schiedea apokremnos</i>	E	2.5	0.0	2.5	0.0	2.50
558	Ma`oli`oli	<i>Schiedea kealiae</i>	E	14.5	0.0	14.5	0.0	14.50
757	Mahoe	<i>Alectryon macrococcus</i>	E	4.0	0.0	4.0	3.0	7.00
865	Makou	<i>Peucedanum sandwicense</i>	T	2.5	0.0	2.5	1.5	4.00
983	Malacothrix, island	<i>Malacothrix squalida</i>	E	2.0	0.5	2.5	0.0	2.50
237	Mallow, Kern	<i>Eremalche kernensis</i>	E	38.3	25.0	63.3	0.0	63.30
733	Mallow, Peter's Mountain	<i>Iliamna corei</i>	E	6.5	1.5	8.0	0.0	8.00
701	Malacothrix, Santa Cruz Island	<i>Malacothrix indecora</i>	E	2.0	7.4	9.4	0.0	9.40
1138	Manaca, palma de	<i>Calyptromoma rivalis</i>	T	0.0	0.0	0.0	0.0	-
797	Manioc, Walker's	<i>Manihot walkerae</i>	E	5.0	1.0	6.0	0.0	6.00
437	Manzanita, Del Mar (=Costa Baja, =Eastwo)	<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>	E	2.0	20.4	22.4	0.0	22.40
465	Manzanita, Morro	<i>Arctostaphylos morroensis</i>	T	19.5	0.0	19.5	0.0	19.50
928	Manzanita, pallid	<i>Arctostaphylos pallida</i>	T	3.3	0.0	3.3	0.0	3.30
1069	Manzanita, Presido (=Raven's)	<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>	E	1.3	0.0	1.3	0.0	1.30
757	Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>	E	2.0	5.0	7.0	0.0	7.00
605	Mapele	<i>Cyrtandra cyanoides</i>	E	13.5	0.0	13.5	0.0	13.50
346	Mariposa lily, Tiburon	<i>Calochortus tiburonensis</i>	T	31.3	0.0	31.3	0.0	31.30
948	Mariscus fauriei (=Sci name)	<i>Mariscus fauriei</i>	E	3.0	0.0	3.0	0.0	3.00
553	Mariscus pennatifloris (=Sci name)	<i>Mariscus pennatifloris</i>	E	14.5	0.0	14.5	0.3	14.80
1069	Meadowfoam, Butte County	<i>Limnanthes floccosa</i> ssp. <i>californica</i>	E	1.3	0.0	1.3	0.0	1.30
1069	Meadowfoam, Sebastopol	<i>Limnanthes vinculans</i>	E	1.3	0.0	1.3	0.0	1.30
418	Meadowrue, Cooley's	<i>Thalictrum cooleyae</i>	E	24.7	0.0	24.7	0.0	24.70
359	Mehamehame	<i>Flueggea neowawraea</i>	E	16.0	14.3	30.3	0.5	30.80
204	Mesa-mint, Otay	<i>Pogogyne nudiuscula</i>	E	84.0	0.0	84.0	0.0	84.00
211	Mesa-mint, San Diego	<i>Pogogyne abramsii</i>	E	53.0	24.3	77.3	0.0	77.30
778	Milkpea, Small's	<i>Galactia smallii</i>	E	6.5	0.0	6.5	0.0	6.50
218	Milk-vetch, Applegate's	<i>Astragalus applegatei</i>	E	52.0	0.0	52.0	20.0	72.00
757	Milk-vetch, Ash meadows	<i>Astragalus phoenix</i>	T	7.0	0.0	7.0	0.0	7.00
450	Milk-vetch, Braunton's	<i>Astragalus brauntonii</i>	E	19.5	1.0	20.5	0.0	20.50
1069	Milk-vetch, Clara Hunt's	<i>Astragalus clarianus</i>	E	1.3	0.0	1.3	0.0	1.30

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
1033	Milk-vetch, coastal dunes	<i>Astragalus tener</i> var. <i>titi</i>	E	2.0	0.0	2.0	0.0	2.00
1029	Milk-vetch, Cushmanbury	<i>Astragalus albens</i>	E	2.0	0.0	2.0	0.0	2.05
707	Milk-vetch, heliotrope	<i>Astragalus montii</i>	T	8.0	0.8	8.8	0.2	9.00
409	Milk-vetch, Jesup's	<i>Astragalus robbinsii</i> var. <i>jesupi</i>	E	22.8	2.0	24.8	1.0	25.80
112	Milk-vetch, Mancos	<i>Astragalus humillimus</i>	E	0.2	275.3	275.5	0.0	275.50
701	Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>	E	0.3	9.1	9.4	0.0	9.40
683	Milk-vetch, Sentry	<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>	E	0.0	10.3	10.3	0.0	10.30
290	Milkweed, Mead's	<i>Asclepias meadii</i>	T	28.9	12.2	41.1	1.4	42.50
315	Milkweed, Welsh's	<i>Asclepias welshii</i>	T	0.4	35.8	36.2	0.2	36.40
897	Mint, Garrett's (=scrub, in part)	<i>Dicerandra christmanii</i>	E	3.5	0.0	3.5	0.0	3.50
1097	Mint, Lakela's	<i>Dicerandra immaculata</i>	E	1.0	0.0	1.0	0.0	1.00
1117	Mint, longspurred	<i>Dicerandra cornutissima</i>	E	0.5	0.0	0.5	0.0	0.50
897	Mint, scrub	<i>Dicerandra frutescens</i>	E	3.5	0.0	3.5	0.0	3.50
830	Mitracarpus maxwelliae (=Sci name)	<i>Mitracarpus maxwelliae</i>	E	5.0	0.0	5.0	0.0	5.00
830	Mitracarpus polycladus (=Sci name)	<i>Mitracarpus polycladus</i>	E	5.0	0.0	5.0	0.0	5.00
276	Monkey-flower, Michigan	<i>Mimulus glabratus</i> var. <i>michiganensis</i>	E	45.0	0.0	45.0	2.0	47.00
256	Monkshood, northern wild	<i>Aconitum noveboracense</i>	T	51.0	0.4	51.4	2.6	54.04
928	Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>	E	3.3	0.0	3.3	0.0	3.30
502	Mountain balm, Indian Knob	<i>Eriodictyon altissimum</i>	E	17.5	0.0	17.5	0.0	17.50
1033	Mountain-mahogany, Catalina Island	<i>Cercocarpus traskiae</i>	E	2.0	0.0	2.0	0.0	2.00
815	Munroidendron racemosum (=Sci name)	<i>Munroidendron racemosum</i>	E	2.5	0.0	2.5	3.1	5.60
897	Mustard, Carter's	<i>Warea carteri</i>	E	3.5	0.0	3.5	0.0	3.50
756	Mustard, Penland alpine fen	<i>Eutrema penlandii</i>	T	0.2	7.0	7.2	0.0	7.20
242	Mustard, slender-petaled	<i>Thelypodium stenopetalum</i>	E	53.0	6.7	59.7	0.0	59.70
948	Myrcia paganii (=Sci name)	<i>Myrcia paganii</i>	E	3.0	0.0	3.0	0.0	3.00
392	Na`ena`e	<i>Dubautia herbstobatae</i>	E	12.5	15.2	27.7	0.1	27.82
605	Nani wai`ale`ale	<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>	E	13.5	0.0	13.5	0.0	13.50
344	Nanu	<i>Gardenia mannii</i>	E	15.5	15.5	31.0	0.5	31.50
977	Naupaka, dwarf	<i>Scaevola coriacea</i>	E	2.5	0.0	2.5	0.2	2.70
1069	Navarretia, few-flowered	<i>Navarretia leucocephala</i> ssp. <i>pauciflora</i>	E	1.3	0.0	1.3	0.0	1.30
928	Navarretia, many-flowered	<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>	E	3.3	0.0	3.3	0.0	3.30
865	Negra, cobana	<i>Stahlia monosperma</i>	T	4.0	0.0	4.0	0.0	4.00
897	Nehe	<i>Lipochaeta fauriei</i>	E	3.5	0.0	3.5	0.0	3.50
983	Nehe	<i>Lipochaeta kamolensis</i>	E	2.5	0.0	2.5	0.0	2.50
643	Nehe	<i>Lipochaeta lobata</i> var. <i>leptophylla</i>	E	12.5	0.0	12.5	0.0	12.50
897	Nehe	<i>Lipochaeta micrantha</i>	E	3.5	0.0	3.5	0.0	3.50
593	Nehe	<i>Lipochaeta tenuifolia</i>	E	12.5	0.0	12.5	1.4	13.90
897	Nehe	<i>Lipochaeta waimeaensis</i>	E	3.5	0.0	3.5	0.0	3.50

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
294	Neraudia angulata (=Sci name)	<i>Neraudia angulata</i>	E	12.5	29.5	42.0	0.0	42.02
643	Neraudia sericea (=Sci name)	<i>Neraudia sericea</i>	E	12.5	0.0	12.5	0.0	12.50
427	Nioi	<i>Eugenia koolauensis</i>	E	13.5	8.4	21.9	2.1	24.00
707	Nitervort, Amargosa	<i>Nitrophila mohavensis</i>	E	9.0	0.0	9.0	0.0	9.00
983	Nohoanu	<i>Geranium multiflorum</i>	E	2.5	0.0	2.5	0.0	2.50
1138	Oak, Hinckley	<i>Quercus hinckleyi</i>	T	0.0	0.0	0.0	0.0	-
547	Opuhe	<i>Urera kaalae</i>	E	12.5	2.6	15.1	0.1	15.20
147	Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	T	139.2	9.1	148.3	7.0	155.24
121	Orchid, western prairie fringed	<i>Platanthera praecox</i>	T	84.8	135.8	220.6	5.0	225.64
474	Orcutt grass, Greene's	<i>Tuctoria greenei</i>	E	18.3	1.0	19.3	0.0	19.30
487	Orcutt grass, hairy (=pilose)	<i>Orcuttia pilosa</i>	E	18.3	0.0	18.3	0.0	18.30
704	Orcutt grass, Sacramento	<i>Orcuttia viscosa</i>	E	3.3	6.0	9.3	0.0	9.30
750	Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>	T	6.3	1.0	7.3	0.0	7.30
308	Orcutt grass, slender	<i>Orcuttia tenuis</i>	T	22.3	16.0	38.3	0.0	38.30
750	Owl's-clover, fleshy	<i>Castilleja campestris</i> ssp. <i>succulenta</i>	T	6.3	1.0	7.3	0.0	7.30
1029	Oxytheca, cushenbury	<i>Oxytheca parishii</i> var. <i>goodmaniana</i>	E	2.0	0.0	2.0	0.0	2.05
1138	Paintbrush, ash-grey	<i>Castilleja cinerea</i>	T	0.0	0.0	0.0	0.0	-
297	Paintbrush, golden	<i>Castilleja levisecta</i>	T	24.0	15.7	39.7	1.9	41.51
570	Paintbrush, soft-leaved	<i>Castilleja mollis</i>	E	6.0	8.1	14.1	0.0	14.10
333	Paintbrush, Tiburon	<i>Castilleja affinis</i> ssp. <i>neglecta</i>	E	33.3	0.0	33.3	0.0	33.30
887	Palo colorado	<i>Ternstroemia luquillensis</i>	E	3.0	0.8	3.8	0.0	3.80
854	Palo de jazmin	<i>Styrax portoricensis</i>	E	3.0	1.4	4.4	0.0	4.40
865	Palo de Nigua	<i>Cornutia obovata</i>	E	4.0	0.0	4.0	0.0	4.00
948	Palo de Ramon	<i>Banara vanderbiltii</i>	E	3.0	0.0	3.0	0.0	3.00
978	Pamakani	<i>Tetramolopium capillare</i>	E	2.5	0.0	2.5	0.1	2.60
643	Pamakani	<i>Viola Chamissoniana</i> ssp. <i>Chamissoniana</i>	E	12.5	0.0	12.5	0.0	12.50
897	Panicgrass, Carter's	<i>Panicum fauriei</i> var. <i>carteri</i>	E	3.5	0.0	3.5	0.0	3.50
983	Pau'ala	<i>Brighamia rockii</i>	E	2.5	0.0	2.5	0.0	2.50
1117	Pawpaw, beautiful	<i>Deeringothamnus pulchellus</i>	E	0.5	0.0	0.5	0.0	0.50
778	Pawpaw, four-petal	<i>Asimina tetramera</i>	E	0.5	6.0	6.5	0.0	6.50
897	Pawpaw, Rugel's	<i>Deeringothamnus rugelii</i>	E	3.5	0.0	3.5	0.0	3.50
830	Pelos del diablo	<i>Aristida portoricensis</i>	E	5.0	0.0	5.0	0.0	5.00
527	Pennyroyal, Todsens	<i>Hedeoma todseii</i>	E	12.0	4.0	16.0	0.0	16.00
212	Penstemon, blowout	<i>Penstemon haydenii</i>	E	0.0	10.9	10.9	64.6	75.50
433	Pentachaeta, Lyon's	<i>Pentachaeta lyoni</i>	E	23.5	0.0	23.5	0.0	23.50
346	Pentachaeta, white-rayed	<i>Pentachaeta bellidiflora</i>	E	31.3	0.0	31.3	0.0	31.30
865	Peperomia, Wheeler's	<i>Peperomia wheeleri</i>	E	4.0	0.0	4.0	0.0	4.00
927	Phacelia, clay	<i>Phacelia argillacea</i>	E	1.0	2.2	3.2	0.2	3.40

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
701	Phacelia, island	<i>Phacelia insularis</i> var. <i>insularis</i>	E	2.0	7.4	9.4	0.0	9.40
730	Phacelia, North Park	<i>Phacelia formosula</i>	E	0.1	8.0	8.1	0.0	8.10
476	Phlox, Texas trailing	<i>Phlox nivalis</i> ssp. <i>texensis</i>	E	19.0	0.0	19.0	0.0	19.00
948	Phyllostegia glabra var. <i>lanaiensis</i> (=Sci na	Phyllostegia glabra var. <i>lanaiensis</i>	E	3.0	0.0	3.0	0.0	3.00
442	Phyllostegia hirsuta (=Sci. name)	Phyllostegia hirsuta	E	13.5	7.1	20.6	1.1	21.70
525	Phyllostegia kaalaensis (=Sci. name)	Phyllostegia kaalaensis	E	13.5	2.6	16.1	0.0	16.10
544	Phyllostegia knudsenii , (=Sci. name)	Phyllostegia knudsenii	E	14.0	0.0	14.0	1.4	15.40
948	Phyllostegia manni (=Sci name)	Phyllostegia manni	E	3.0	0.0	3.0	0.0	3.00
548	Phyllostegia mollis (=Sci name)	Phyllostegia mollis	E	12.5	2.6	15.1	0.0	15.10
525	Phyllostegia parviflora (=Sci. name)	Phyllostegia parviflora	E	15.5	0.0	15.5	0.6	16.10
598	Phyllostegia velutina (=Sci. name)	Phyllostegia velutina	E	13.5	0.0	13.5	0.2	13.65
865	Phyllostegia waimeae (=Sci name)	Phyllostegia waimeae	E	4.0	0.0	4.0	0.0	4.00
598	Phyllostegia warshawer (=Sci. name)	Phyllostegia warshawer	E	13.5	0.0	13.5	0.2	13.65
605	Phyllostegia wawrana , (=Sci. name)	Phyllostegia wawrana	E	13.5	0.0	13.5	0.0	13.50
974	Pilo	<i>Hedyotis manni</i>	E	2.5	0.0	2.5	0.3	2.80
512	Pink, swamp	<i>Helonias bullata</i>	T	6.1	7.1	13.2	3.5	16.75
450	Pinkroot, gentian	<i>Spigelia gentianoides</i>	E	20.5	0.0	20.5	0.0	20.50
973	Piperia, Yadon's	<i>Piperia yadonii</i>	E	2.0	0.9	2.9	0.0	2.90
797	Pitaya, Davis' green	<i>Echinocereus viridiflorus</i> var. <i>davisii</i>	E	5.0	0.0	5.0	1.0	6.00
680	Pitcher-plant, Alabama canebrake	<i>Sarracenia rubra</i> ssp. <i>alabamensis</i>	E	10.5	0.0	10.5	0.0	10.50
193	Pitcher-plant, green	<i>Sarracenia oreophila</i>	E	72.5	26.4	98.9	0.5	99.35
432	Pitcher-plant, mountain sweet	<i>Sarracenia rubra</i> ssp. <i>jonesii</i>	E	18.1	1.0	19.1	4.5	23.60
595	Platanthera holochila (=Sci. name)	Platanthera holochila	E	13.5	0.0	13.5	0.2	13.70
797	Plum, scrub	<i>Prunus geniculata</i>	E	6.0	0.0	6.0	0.0	6.00
733	Po`e	<i>Portulaca sclerocarpa</i>	E	3.0	5.0	8.0	0.0	8.00
865	Poa siphonoglossa (=Sci name)	<i>Poa siphonoglossa</i>	E	3.5	0.0	3.5	0.5	4.00
198	Pogonia, small whorled	<i>Isotria medeoloides</i>	T	11.0	81.6	92.6	2.2	94.74
1061	Polygala, Lewton's	<i>Polygala lewtonii</i>	E	0.5	1.0	1.5	0.0	1.50
778	Polygala, tiny	<i>Polygala smallii</i>	E	6.5	0.0	6.5	0.0	6.50
260	Pondberry	<i>Lindera melissifolia</i>	E	10.2	32.1	42.3	10.8	53.13
1138	Pondweed, Little Aguja Creek	<i>Potamogeton clystocarpus</i>	E	0.0	0.0	0.0	0.0	-
570	Popolo, ku mai (=Popolo, thorny)	<i>Solanum incompletum</i>	E	14.0	0.0	14.0	0.1	14.10
289	Poppy, Sacramento prickly	<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>	E	6.0	36.6	42.6	0.0	42.60
860	Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>	E	4.0	0.1	4.1	0.0	4.10
286	Potato-bean, Price's	<i>Aipos priceana</i>	T	8.3	34.9	43.2	0.0	43.20
1033	Potentilla, Hickman's	<i>Potentilla hickmanii</i>	E	2.0	0.0	2.0	0.0	2.00
830	Prairie-clover, leafy	<i>Dalea foliosa</i>	E	0.5	4.5	5.0	0.0	5.00
1117	Prickly-apple, fragrant	<i>Cereus eriophorus</i> var. <i>fragrans</i>	E	0.5	0.0	0.5	0.0	0.50

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
1138	Prickly-ash, St. Thomas	<i>Zanthoxylum thomasianum</i>	E	0.0	0.0	0.0	0.0	-
794	Primrose, Maguire	<i>Primula maguirei</i>	T	0.8	5.1	5.9	0.2	6.10
983	Pritchardia remota (=Sci name)	<i>Pritchardia remota</i>	E	2.5	0.0	2.5	0.0	2.50
556	Pu`uka`a	<i>Cyperus trachysanthos</i>	E	14.5	0.0	14.5	0.1	14.60
1054	Pussypaws, Mariposa	<i>Calyptidium pulchellum</i>	T	1.3	0.6	1.9	0.0	1.90
941	Rattleweed, hairy	<i>Baptisia arachnifera</i>	E	1.5	0.0	1.5	1.7	3.17
1060	Reed-mustard, Barneby	<i>Schoenocrambe barnebyi</i>	E	0.4	1.0	1.4	0.2	1.60
1114	Reed-mustard, clay	<i>Schoenocrambe argillacea</i>	T	0.4	0.0	0.4	0.2	0.60
897	Remya kauaiensis (=Sci name)	<i>Remya kauaiensis</i>	E	3.5	0.0	3.5	0.0	3.50
897	Remya montgomeryi (=Sci name)	<i>Remya montgomeryi</i>	E	3.5	0.0	3.5	0.0	3.50
944	Remya, Maui	<i>Remya mauiensis</i>	E	3.0	0.0	3.0	0.1	3.10
450	Rhododendron, Chapman	<i>Rhododendron chapmanii</i>	E	20.5	0.0	20.5	0.0	20.50
1114	Ridge-cress (=pepper-cress), Barneby	<i>Lepidium barnebyanum</i>	E	0.4	0.0	0.4	0.2	0.60
1113	Rock-cress	<i>Arabis perstellata</i>	E	0.5	0.2	0.7	0.0	0.70
948	Rock-cress, Hoffmann's	<i>Arabis hoffmannii</i>	E	2.0	1.0	3.0	0.0	3.00
317	Rock-cress, McDonald's	<i>Arabis mcdonaldiana</i>	E	29.0	7.0	36.0	0.0	36.00
330	Rockcress, Santa Cruz Island	<i>Sibara filifolia</i>	E	2.0	32.0	34.0	0.0	34.00
744	Rock-cress, shale barren	<i>Arabis serotina</i>	E	5.5	2.2	7.7	0.2	7.90
487	Rollandia crispa (=Sci name)	<i>Rollandia crispa</i>	E	13.5	4.5	18.0	0.3	18.30
757	Rosa, palo de	<i>Ottoschulzia rhodoxylon</i>	E	7.0	0.0	7.0	0.0	7.00
778	Rosemary, Apalachicola	<i>Conradina glabra</i>	E	6.5	0.0	6.5	0.0	6.50
1114	Rosemary, Cumberland	<i>Conradina verticillata</i>	T	0.0	0.6	0.6	0.0	0.60
1138	Rosemary, Etonia	<i>Conradina etonia</i>	E	0.0	0.0	0.0	0.0	-
1138	Rosemary, short-leaved	<i>Conradina brevifolia</i>	E	0.0	0.0	0.0	0.0	-
643	Roseroot, Leedy's	<i>Sedum integrifolium</i> ssp. <i>leedyi</i>	T	12.0	0.0	12.0	0.5	12.50
21	Rush-pea, slender	<i>Hoffmannseggia tenella</i>	E	4000.0	0.5	4000.5	5.5	4,006.00
948	Rush-rose, island	<i>Helianthemum greenei</i>	T	2.0	1.0	3.0	0.0	3.00
983	Sandalwood, Lanai or `ilahi	<i>Santalum freycinetianum</i> var. <i>lanaiense</i>	E	2.5	0.0	2.5	0.0	2.50
424	Sandbur, agrimony or Kamanomano	<i>Cenchrus agrimonoides</i>	E	12.5	11.7	24.2	0.0	24.20
948	Sandlace	<i>Polygonella myriophylla</i>	E	3.0	0.0	3.0	0.0	3.00
357	Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>	E	31.0	0.0	31.0	0.0	31.00
1138	Sandwort, Bear Valley	<i>Arenaria ursina</i>	T	0.0	0.0	0.0	0.0	-
1111	Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>	E	0.2	0.6	0.8	0.0	0.80
266	Sandwort, Marsh	<i>Arenaria paludicola</i>	E	51.5	0.0	51.5	0.2	51.70
383	Sanicula mariversa (=Sci name)	<i>Sanicula mariversa</i>	E	12.5	15.2	27.7	0.6	28.32
343	Sanicula purpurea (=Sci. name)	<i>Sanicula purpurea</i>	E	13.5	17.8	31.3	0.5	31.75
983	Schiedea haleakalensis (=Sci name)	<i>Schiedea haleakalensis</i>	E	2.5	0.0	2.5	0.0	2.50
605	Schiedea helleri, (=Sci. name)	<i>Schiedea helleri</i>	E	13.5	0.0	13.5	0.0	13.50

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
398	<i>Schiedea hookeri</i> (=Sci. name)	<i>Schiedea hookeri</i>	E	12.5	14.3	26.8	0.5	27.30
553	<i>Schiedea kaalae</i> (=Sci name)	<i>Schiedea kaalae</i>	E	14.5	0.0	14.5	0.3	14.80
634	<i>Schiedea kauaiensis</i> (=Sci. name)	<i>Schiedea kauaiensis</i>	E	13.0	0.0	13.0	0.0	13.00
983	<i>Schiedea lydgatei</i> (=Sci name)	<i>Schiedea lydgatei</i>	E	2.5	0.0	2.5	0.0	2.50
605	<i>Schiedea membranacea</i> (=Sci. name)	<i>Schiedea membranacea</i>	E	13.5	0.0	13.5	0.0	13.50
411	<i>Schiedea nuttallii</i> (=Sci. name)	<i>Schiedea nuttallii</i>	E	13.5	11.7	25.2	0.1	25.30
643	<i>Schiedea sarmentosa</i> (=Sci. name)	<i>Schiedea sarmentosa</i>	E	12.5	0.0	12.5	0.0	12.50
983	<i>Schiedea spergulina</i> var. <i>leiopoda</i> (=Sci na	<i>Schiedea spergulina</i> var. <i>leiopoda</i>	E	2.5	0.0	2.5	0.0	2.50
983	<i>Schiedea spergulina</i> var. <i>spergulina</i> (=Sci i	<i>Schiedea spergulina</i> var. <i>spergulina</i>	T	2.5	0.0	2.5	0.0	2.50
983	<i>Schiedea verticillata</i> (=Sci name)	<i>Schiedea verticillata</i>	E	2.5	0.0	2.5	0.0	2.50
897	<i>Schiedea</i> , Diamond Head	<i>Schiedea adamantis</i>	E	3.5	0.0	3.5	0.0	3.50
830	<i>Schoepfia arenaria</i> (=Sci name)	<i>Schoepfia arenaria</i>	T	5.0	0.0	5.0	0.0	5.00
1033	Seablite, California	<i>Suaeda californica</i>	E	2.0	0.0	2.0	0.0	2.00
665	Sedge, Navajo	<i>Carex specuicola</i>	T	1.0	10.7	11.7	0.2	11.90
1069	Sedge, white	<i>Carex albida</i>	E	1.3	0.0	1.3	0.0	1.30
978	<i>Silene alexandri</i> (=Sci name)	<i>Silene alexandri</i>	E	2.5	0.0	2.5	0.1	2.60
476	<i>Silene hawaiiensis</i> (=Sci name)	<i>Silene hawaiiensis</i>	T	19.0	0.0	19.0	0.0	19.00
444	<i>Silene lanceolata</i> (=Sci name)	<i>Silene lanceolata</i>	E	3.0	18.0	21.0	0.3	21.24
568	<i>Silene perlmanii</i> (=Sci name)	<i>Silene perlmanii</i>	E	14.0	0.0	14.0	0.2	14.20
558	Silversword, `Ahinahina Mauna Kea	<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicensis</i>	E	6.5	0.0	6.5	8.0	14.50
983	Silversword, Haleakala ('ahinahina)	<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>	E	2.5	0.0	2.5	0.0	2.50
516	Silversword, Ka'u	<i>Argyroxiphium kauense</i>	E	6.5	10.0	16.5	0.0	16.50
850	Skullcap, Florida	<i>Scutellaria floridana</i>	T	4.5	0.0	4.5	0.0	4.50
484	Skullcap, large-flowered	<i>Scutellaria montana</i>	E	2.2	16.3	18.5	0.0	18.51
707	Shakeroot	<i>Eryngium cuneifolium</i>	E	8.0	1.0	9.0	0.0	9.00
1061	Snowbells, Texas	<i>Styrax texana</i>	E	1.0	0.5	1.5	0.0	1.50
408	<i>Spermolepis hawaiiensis</i> (=Sci name)	<i>Spermolepis hawaiiensis</i>	E	14.0	11.7	25.7	0.2	25.90
433	Spineflower, Ben Lomond	<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>	E	23.5	0.0	23.5	0.0	23.50
495	Spineflower, Howell's	<i>Chorizanthe howellii</i>	E	18.0	0.0	18.0	0.0	18.00
797	Spineflower, Monterey	<i>Chorizanthe pungens</i> var. <i>pungens</i>	T	6.0	0.0	6.0	0.0	6.00
288	Spineflower, Orcutt's	<i>Chorizanthe orcuttiana</i>	E	2.0	40.7	42.7	0.0	42.70
433	Spineflower, Robust (incl. Scotts Valley)	<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> & <i>hastata</i> )	E	23.5	0.0	23.5	0.0	23.50
188	Spineflower, slender-horned	<i>Dodecahema leptoceras</i>	E	4.0	101.4	105.4	0.0	105.40
460	Spineflower, Sonoma	<i>Chorizanthe valida</i>	E	18.8	1.0	19.8	0.0	19.80
501	Spiraea, Virginia	<i>Spiraea virginiana</i>	T	13.7	3.5	17.2	0.3	17.53
778	Spurge, deltoid	<i>Chamaesyce deltoidea</i> ssp. <i>deltoides</i>	E	6.5	0.0	6.5	0.0	6.50
720	Spurge, Garber's	<i>Chamaesyce garberi</i>	T	6.5	2.2	8.7	0.0	8.70
487	Spurge, Hoover's	<i>Chamaesyce hooveri</i>	T	18.3	0.0	18.3	0.0	18.30

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
983	Spurge, telephus	<i>Euphorbia telephioides</i>	T	2.5	0.0	2.5	0.0	2.50
699	Stenogyne angustifolia (=Sci name)	<i>Stenogyne angustifolia</i>	E	3.0	6.3	9.3	0.2	9.44
928	Stenogyne bifida (=Sci name)	<i>Stenogyne bifida</i>	E	3.0	0.0	3.0	0.3	3.30
865	Stenogyne campanulata (=Sci name)	<i>Stenogyne campanulata</i>	E	4.0	0.0	4.0	0.0	4.00
631	Stenogyne kanehoana (=Sci name)	<i>Stenogyne kanehoana</i>	E	13.0	0.0	13.0	0.1	13.05
1069	Stonecrop, Lake County	<i>Parvisedum leiocarpum</i>	E	1.3	0.0	1.3	0.0	1.30
145	Sumac, Michaux's	<i>Rhus michauxii</i>	E	24.2	131.3	155.5	1.2	156.67
1069	Sunburst, Hartweg's golden	<i>Pseudobahia bahiafolia</i>	E	1.3	0.0	1.3	0.0	1.30
1069	Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>	T	1.3	0.0	1.3	0.0	1.30
85	Sunflower, Eggert's	<i>Helianthus eggertii</i>	T	9.0	443.7	452.7	0.0	452.70
346	Sunflower, San Mateo woolly	<i>Eriophyllum latilobum</i>	E	31.3	0.0	31.3	0.0	31.30
551	Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	E	9.2	1.3	10.5	4.5	15.04
757	Sunray, Ash Meadows	<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>	T	7.0	0.0	7.0	0.0	7.00
821	Sunshine, Sonoma (=Stickyseed, Baker's)	<i>Blennosperma bakeri</i>	E	5.3	0.0	5.3	0.0	5.30
1059	Taraxacum, California	<i>Taraxacum californicum</i>	E	0.0	1.7	1.7	0.0	1.70
865	Ternstroemia subsessilis (=Sci name)	<i>Ternstroemia subsessilis</i>	E	4.0	0.0	4.0	0.0	4.00
942	Tetramolopium arenarium (=Sci name)	<i>Tetramolopium arenarium</i>	E	3.0	0.0	3.0	0.2	3.15
394	Tetramolopium filiforme (=Sci name)	<i>Tetramolopium filiforme</i>	E	12.5	15.2	27.7	0.0	27.72
438	Tetramolopium lepidotum ssp. <i>lepidotum</i> (=Tetramolopium lepidotum ssp. <i>lepidotum</i> )	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>	E	13.5	8.9	22.4	0.0	22.39
948	Tetramolopium remyi (=Sci name)	<i>Tetramolopium remyi</i>	E	3.0	0.0	3.0	0.0	3.00
983	Tetramolopium rockii (=Sci name)	<i>Tetramolopium rockii</i>	T	2.5	0.0	2.5	0.0	2.50
303	Thistle, Chorro Creek	<i>Cirsium fontinale</i> var. <i>obispense</i>	E	19.5	20.0	39.5	0.0	39.50
346	Thistle, fountain	<i>Cirsium fontinale</i> var. <i>fontinale</i>	E	31.3	0.0	31.3	0.0	31.30
1069	Thistle, Loch Lomond coyote	<i>Eryngium constancei</i>	E	1.3	0.0	1.3	0.0	1.30
298	Thistle, Pitcher's	<i>Cirsium pitcheri</i>	T	27.0	9.0	36.0	5.0	41.00
448	Thistle, Sacramento Mountains	<i>Cirsium vinaceum</i>	T	6.0	14.6	20.6	0.0	20.60
1023	Thistle, Suisun	<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>	E	1.3	1.0	2.3	0.0	2.30
357	Thornmint, San Mateo	<i>Acanthomintha obovata</i> ssp. <i>duttonii</i>	E	31.0	0.0	31.0	0.0	31.00
694	Townsendia, Last Chance	<i>Townsendia aprica</i>	T	0.4	9.0	9.4	0.2	9.60
797	Tree, pygmy fringe	<i>Chionanthus pygmaeus</i>	E	6.0	0.0	6.0	0.0	6.00
605	Trematolobelia singularis (=Sci. name)	<i>Trematolobelia singularis</i>	E	13.5	0.0	13.5	0.0	13.50
821	Trillium, persistent	<i>Trillium persistens</i>	E	1.6	1.2	2.8	2.5	5.30
296	Trillium, relict	<i>Trillium reliquum</i>	E	34.6	6.0	40.6	1.3	41.85
788	Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>	T	0.4	6.0	6.4	0.0	6.40
439	Uhiuhi	<i>Caesalpinia kavaiense</i>	E	13.0	0.0	13.0	8.9	21.90
846	Uvillo	<i>Eugenia haematocarpa</i>	E	4.0	0.8	4.8	0.0	4.80
757	Vernonia proctorii (=Sci name)	<i>Vernonia proctorii</i>	E	7.0	0.0	7.0	0.0	7.00
1069	Vervain, Red Hills	<i>Verbena californica</i>	T	1.3	0.0	1.3	0.0	1.30

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
720	Vetch, Hawaiian	<i>Vicia menziesii</i>	E	7.0	0.0	7.0	1.7	8.70
570	Vigna o-wahuensis (=Sci name)	<i>Vigna o-wahuensis</i>	E	14.0	0.0	14.0	0.1	14.10
894	Viola helenae (=Sci name)	<i>Viola helenae</i>	E	3.5	0.0	3.5	0.1	3.60
746	Viola lanaiensis (=Sci name)	<i>Viola lanaiensis</i>	E	7.5	0.0	7.5	0.0	7.50
448	Viola oahuensis (=Sci. Name)	<i>Viola oahuensis</i>	E	13.5	7.1	20.6	0.0	20.60
948	Wahane (=Hawane or iolulu)	<i>Pritchardia aylmer-robinsonii</i>	E	3.0	0.0	3.0	0.0	3.00
465	Wallflower, Ben Lomond	<i>Erysimum teretifolium</i>	E	19.5	0.0	19.5	0.0	19.50
821	Wallflower, Contra Costa	<i>Erysimum capitatum</i> var. <i>angustatum</i>	E	5.3	0.0	5.3	0.0	5.30
169	Wallflower, Menzies'	<i>Erysimum menziesii</i>	E	26.0	100.0	126.0	0.0	126.00
1138	Walnut, West Indian or nogal	<i>Juglans jamaicensis</i>	E	0.0	0.0	0.0	0.0	-
696	Warea, wide-leaf	<i>Warea amplexifolia</i>	E	9.5	0.0	9.5	0.0	9.50
290	Watercress, Gambel's	<i>Rorippa gambellii</i>	E	42.5	0.0	42.5	0.0	42.50
1033	Water-plantain, Kral's	<i>Sagittaria secundifolia</i>	T	1.5	0.5	2.0	0.0	2.00
395	Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> ssp. <i>recurva</i>	E	14.0	13.6	27.6	0.0	27.60
1068	Water-willow, Cooley's	<i>Justicia cooleyi</i>	E	0.5	0.8	1.3	0.0	1.32
673	Whitlow-wort, papery	<i>Paronychia chartacea</i>	T	11.0	0.0	11.0	0.0	11.00
789	Wild-buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>	E	0.3	6.0	6.3	0.0	6.30
1097	Wild-buckwheat, gypsum	<i>Eriogonum gypsophilum</i>	T	1.0	0.0	1.0	0.0	1.00
1138	Wild-buckwheat, southern mountain	<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>	T	0.0	0.0	0.0	0.0	-
313	Wild-rice, Texas	<i>Zizania texana</i>	E	27.0	9.5	36.5	0.0	36.50
1117	Wings, Pigeon	<i>Clitoria fragrans</i>	T	0.5	0.0	0.5	0.0	0.50
733	Wire-lettuce, Malheur	<i>Stephanomeria malheurensis</i>	E	5.5	2.5	8.0	0.0	8.00
733	Wireweed	<i>Polygonella basiramia</i>	E	8.0	0.0	8.0	0.0	8.00
330	Woodland-star, San Clemente Island	<i>Lithophragma maximum</i>	E	2.0	32.0	34.0	0.0	34.00
280	Woolly-star, Hoover's	<i>Eriastrum hooveri</i>	T	35.3	10.0	45.3	0.0	45.30
192	Woolly-star, Santa Ana River	<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>	E	2.0	100.0	102.0	0.0	102.00
300	Wooly-threads, San Joaquin	<i>Lembertia congdonii</i>	E	35.3	5.0	40.3	0.0	40.30
865	Xylosma crenatum (=Sci name)	<i>Xylosma crenatum</i>	E	4.0	0.0	4.0	0.0	4.00
897	Ziziphus, florida	<i>Ziziphus celata</i>	E	3.5	0.0	3.5	0.0	3.50
<b>CONIFERS</b>								
1033	Cypress, Gowen	<i>Cupressus goveniana</i> ssp. <i>gotheniana</i>	T	2.0	0.0	2.0	0.0	2.00
465	Cypress, Santa Cruz	<i>Cupressus abramsiana</i>	E	19.5	0.0	19.5	0.0	19.50
685	Torreya, Florida	<i>Torreya taxifolia</i>	E	10.0	0.0	10.0	0.2	10.20
<b>FERNS AND ALLIES</b>								
1138	Adiantum vivesii (=Sci name)	<i>Adiantum vivesii</i>	E	0.0	0.0	0.0	0.0	-
643	Asplenium fragile var. insulare (=Sci name)	<i>Asplenium fragile</i> var. <i>insulare</i>	E	12.5	0.0	12.5	0.0	12.50

**TABLE 1. FY 1998 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
508	Diellia , asplenium-leaved	Diellia erecta	E	17.0	0.0	17.0	0.0	17.03
402	Diellia falcata (=Sci name)	Diellia falcata	E	12.5	14.3	26.8	0.0	26.80
855	Diellia pallida (=laciniata) (=Sci name)	Diellia pallida (=laciniata)	E	3.5	0.0	3.5	0.8	4.30
643	Diellia unisora (=Sci name)	Diellia unisora	E	12.5	0.0	12.5	0.0	12.50
556	Diplazium molokaiense (=Sci name)	Diplazium molokaiense	E	14.5	0.0	14.5	0.1	14.60
983	Elaphoglossum serpens (=Sci name)	Elaphoglossum serpens	E	2.5	0.0	2.5	0.0	2.50
1027	Fern, Alabama streak-sorus	Thelypteris pilosa var. alabamensis	T	0.0	2.2	2.2	0.0	2.20
1138	Fern, Aleutian shield	Polystichum aleuticum	E	0.0	0.0	0.0	0.0	-
686	Fern, American hart's-tongue	Asplenium scolopendrium var. americanum	T	7.0	0.0	7.0	3.0	10.04
1138	Fern, Elfin tree	Cyathea dryopteroides	E	0.0	0.0	0.0	0.0	-
579	Fern, pendant kihi	Adenophorus periens	E	14.0	0.0	14.0	0.0	14.00
897	Ihi`ihi	Marsilea villosa	E	3.5	0.0	3.5	0.0	3.50
413	Pauoa	Ctenitis squamigera	E	13.5	11.7	25.2	0.0	25.20
983	Polystichum calderonense (=Sci name)	Polystichum calderonense	E	2.5	0.0	2.5	0.0	2.50
445	Pteris lidgatei (=Sci name)	Pteris lidgatei	E	13.5	7.1	20.6	0.5	21.10
1061	Quillwort, black spored	Isoetes melanospora	E	0.5	1.0	1.5	0.0	1.50
322	Quillwort, Louisiana	Isoetes louisianensis	E	21.1	14.1	35.2	0.0	35.23
983	Quillwort, mat-forming	Isoetes tegetiformans	E	1.5	1.0	2.5	0.0	2.50
897	Tectaria estremerana (=Sci name)	Tectaria estremerana	E	3.5	0.0	3.5	0.0	3.50
983	Thelypteris inabonensis (=Sci name)	Thelypteris inabonensis	E	2.5	0.0	2.5	0.0	2.50
983	Thelypteris verecunda (=Sci name)	Thelypteris verecunda	E	2.5	0.0	2.5	0.0	2.50
983	Thelypteris yaucoensis (=Sci name)	Thelypteris yaucoensis	E	2.5	0.0	2.5	0.0	2.50
527	Wawa`iole	Lycopodium nutans	E	16.0	0.0	16.0	0.0	16.00
724	Wawae`iole	Huperzia mannii	E	4.0	4.5	8.5	0.0	8.50
<b>LICHENS</b>								
707	Cladonia, Florida perforate	Cladonia perforata	E	3.0	6.0	9.0	0.0	9.00
657	Lichen, rock gnome	Gymnoderma lineare	E	0.6	11.6	12.2	0.0	12.20
<b>PLANTS subtotals</b>			# of species:	686	10,609.00	5,411.75	16,020.75	438.91
<b>TOTALS</b>			# of species:	1,166	54,122.70	312,193.52	366,316.22	16,337.96
								382,654.18

Table 2. Species Ranked in Descending Order of Total Expenditures Reported

Species are arranged in descending rank order by total identifiable expenditures (Table 1). Cumulative totals and percentages of the grand total (\$382,654,177) are provided to assist the reader. None of these reported totals include known costs for land acquisition; see Table 3 for those costs reported to the Service.

For purposes of rank, the six vertebrate species that have both an endangered and a threatened population on the list are ranked as one species. The six are identifiable by the "E,T" in the STATUS column.

The cumulative total column is the sum of all higher ranked Species Totals (from Table 1) and the selected species entry; cumulative percent is based upon \$382,654,177. (Example: \$204,270.52 or 53.38% of all reported expenditures are for the top 10 species; see species Rank No. 10.)

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
1	Salmon, coho	Oncorhynchus (=Salmo) kisutch	T	34,944.97	\$34,944.97	9.13%
2	Salmon, chinook, Snake R. spring/summer run	Oncorhynchus tshawytscha	T	29,036.67	\$63,981.64	16.72%
3	Salmon, chinook, Snake R. fall run	Oncorhynchus tshawytscha	T	27,045.34	\$91,026.98	23.79%
4	Salmon, sockeye (=red, =blueback), Snake R.	Oncorhynchus nerka	E	24,720.00	\$115,746.97	30.25%
5	Steelhead (Snake R. Basin)	Oncorhynchus (=Salmo) mykiss gilberti	T	22,549.22	\$138,296.19	36.14%
6	Steelhead (lower Columbia R.)	Oncorhynchus (=Salmo) mykiss gilberti	T	19,738.99	\$158,035.18	41.30%
7	Steelhead (southern CA coast)	Oncorhynchus (=Salmo) mykiss gilberti	E	18,201.86	\$176,237.04	46.06%
8	Woodpecker, red-cockaded	Picoides borealis	E	11,262.99	\$187,500.02	49.00%
9	Owl, northern spotted	Strix occidentalis caurina	T	9,510.03	\$197,010.06	51.49%
10	Flycatcher, southwestern willow	Empidonax traillii extimus	E	7,260.46	\$204,270.52	53.38%
11	Murrelet, marbled	Brachyramphus marmoratus marmoratus	T	7,090.35	\$211,360.86	55.24%
12	Sucker, razorback	Xyrauchen texanus	E	6,382.81	\$217,743.67	56.90%
13	Eagle, bald	Haliaeetus leucocephalus	T	5,999.43	\$223,743.11	58.47%
14	Trout, bull (Columbia R. pop.)	Salvelinus confluentus	T	5,590.16	\$229,333.27	59.93%
15	Bear, grizzly	Ursus arctos	T	5,009.31	\$234,342.58	61.24%
16	Tortoise, desert	Gopherus agassizii	T	4,903.29	\$239,245.87	62.52%
17	Panther, Florida	Felis concolor coryi	E	4,803.42	\$244,049.30	63.78%
18	Squawfish, Colorado	Ptychocheilus lucius	E	4,678.14	\$248,727.44	65.00%
19	Crane, whooping	Grus americana	E	4,589.12	\$253,316.56	66.20%
20	Wolf, gray	Canis lupus	E, T	4,454.25	\$257,770.81	67.36%
21	Rush-pea, slender	Hoffmannseggia tenella	E	4,006.00	\$261,776.81	68.41%
22	Sturgeon, white (Kootenai River pop.)	Acipenser transmontanus	E	3,589.47	\$265,366.28	69.35%
23	Sea-lion, Steller	Eumetopias jubatus	E, T	3,079.18	\$268,445.46	70.15%
24	Cui-ui	Chasmistes cujus	E	3,026.00	\$271,471.46	70.94%
25	Owl, Mexican spotted	Strix occidentalis lucida	T	2,955.85	\$274,427.31	71.72%
26	Falcon, American peregrine	Falco peregrinus anatum	E	2,759.09	\$277,186.39	72.44%
27	Sucker, Lost River	Deltistes luxatus	E	2,528.84	\$279,715.23	73.10%
28	Sucker, shorthnose	Chasmistes brevirostris	E	2,524.71	\$282,239.95	73.76%
29	Trout, Umpqua River cutthroat	Oncorhynchus clarki clarki	E	2,429.52	\$284,669.47	74.39%
30	Plover, piping	Charadrius melanotos	E, T	2,419.95	\$287,089.42	75.03%
31	Steelhead (upper Columbia R. Basin)	Oncorhynchus (=Salmo) mykiss gilberti	E	2,294.84	\$289,384.26	75.63%
32	Vireo, least Bell's	Vireo bellii pusillus	E	1,899.98	\$291,284.24	76.12%
33	Bat, Indiana	Myotis sodalis	E	1,854.12	\$293,138.36	76.61%
34	Gnatcatcher, coastal California	Polioptila californica californica	T	1,812.50	\$294,950.86	77.08%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
35	Ferret, black-footed	<i>Mustela nigripes</i>	E	1,734.42	\$296,685.28	77.53%
36	Salmon, chinook, Sacramento R. winter run	<i>Oncorhynchus tshawytscha</i>	T	1,700.79	\$298,386.08	77.98%
37	Turtle, loggerhead sea	<i>Caretta caretta</i>	T	1,681.12	\$300,067.20	78.42%
38	Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>	E	1,657.34	\$301,724.53	78.85%
39	Manatee, West Indian (=Florida)	<i>Trichechus manatus</i>	E	1,564.68	\$303,289.22	79.26%
40	Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	E	1,516.00	\$304,805.22	79.66%
41	Whale, right	<i>Balaena glacialis</i> (incl. <i>australis</i> )	E	1,459.65	\$306,264.87	80.04%
42	Chub, humpback	<i>Gila cypha</i>	E	1,430.04	\$307,694.91	80.41%
43	Turtle, green sea	<i>Chelonia mydas</i>	E, T	1,361.92	\$309,056.83	80.77%
44	Turtle, olive ridley sea	<i>Lepidochelys olivacea</i>	E, T	1,286.20	\$310,343.03	81.10%
45	Sucker, June	<i>Chasmistes liorus</i>	E	1,242.00	\$311,585.03	81.43%
46	Sturgeon, pallid	<i>Scaphirhynchus albus</i>	E	1,180.32	\$312,765.35	81.74%
47	Chub, bonytail	<i>Gila elegans</i>	E	1,177.94	\$313,943.29	82.04%
48	Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	T	1,174.06	\$315,117.35	82.35%
49	Parrot, Puerto Rican	<i>Amazona vittata</i>	E	1,163.80	\$316,281.15	82.65%
50	Vireo, black-capped	<i>Vireo atricapillus</i>	E	1,127.90	\$317,409.05	82.95%
51	Turtle, Kemp's ridley sea	<i>Lepidochelys kempii</i>	E	1,113.40	\$318,522.45	83.24%
52	Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	E	1,103.00	\$319,625.45	83.53%
53	Condor, California	<i>Gymnogyps californianus</i>	E	1,058.00	\$320,683.45	83.81%
54	Turtle, leatherback sea	<i>Dermochelys coriacea</i>	E	1,056.21	\$321,739.66	84.08%
55	Warbler, golden-cheeked	<i>Dendroica chrysoparia</i>	E	1,033.50	\$322,773.16	84.35%
56	Tern, California least	<i>Sterna antillarum browni</i>	E	982.04	\$323,755.19	84.61%
57	Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	E	979.20	\$324,734.39	84.86%
58	Tern, least	<i>Sterna antillarum</i>	E	978.75	\$325,713.15	85.12%
59	Wolf, red	<i>Canis rufus</i>	E	978.50	\$326,691.65	85.38%
60	Turtle, hawksbill sea (=carey)	<i>Eretmochelys imbricata</i>	E	948.60	\$327,640.25	85.62%
61	Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	E	933.70	\$328,573.95	85.87%
62	Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	E	873.90	\$329,447.85	86.10%
63	Toad, Arroyo southwestern	<i>Bufo microscaphus californicus</i>	E	872.90	\$330,320.75	86.32%
64	Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	E	811.60	\$331,132.35	86.54%
65	Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	E	801.86	\$331,934.20	86.75%
66	Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	E	791.64	\$332,725.84	86.95%
67	Gambusia, Pecos	<i>Gambusia nobilis</i>	E	775.50	\$333,501.34	87.15%
68	Pygmy-owl, cactus ferruginous	<i>Glaucidium brasilianum cactorum</i>	E	773.00	\$334,274.34	87.36%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
69	Darter, Okaloosa	<i>Etheostoma okaloosae</i>	E	767.00	\$335,041.34	87.56%
70	Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	T	758.55	\$335,799.89	87.76%
71	Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	E	711.76	\$336,511.65	87.94%
72	Steelhead (Central Valley CA)	<i>Oncorhynchus (=Salmo) mykiss gilberti</i>	T	659.92	\$337,171.57	88.11%
73	Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	E	625.30	\$337,796.87	88.28%
74	Frog, California red-legged	<i>Rana aurora draytonii</i>	T	601.62	\$338,398.49	88.43%
75	Warbler, Kirtland's	<i>Dendroica kirtlandii</i>	E	591.52	\$338,990.01	88.59%
76	Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	T	587.94	\$339,577.95	88.74%
77	Stork, wood	<i>Mycteria americana</i>	E	566.10	\$340,144.05	88.89%
78	Bat, gray	<i>Myotis grisescens</i>	E	541.20	\$340,685.25	89.03%
79	Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	E	535.56	\$341,220.81	89.17%
80	Steelhead (central CA coast)	<i>Oncorhynchus (=Salmo) mykiss gilberti</i>	T	520.06	\$341,740.87	89.31%
81	Jay, Florida scrub	<i>Aphelocoma coerulescens coerulescens</i>	T	512.09	\$342,252.96	89.44%
82	Otter, southern sea	<i>Enhydra lutris nereis</i>	T	495.00	\$342,747.96	89.57%
83	Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	E	494.90	\$343,242.86	89.70%
84	Steelhead (south central CA coast)	<i>Oncorhynchus (=Salmo) mykiss gilberti</i>	T	482.36	\$343,725.21	89.83%
85	Sunflower, Eggert's	<i>Helianthus eggertii</i>	T	452.70	\$344,177.91	89.94%
86	Snake, giant garter	<i>Thamnophis gigas</i>	T	450.38	\$344,628.29	90.06%
87	Bear, Louisiana black	<i>Ursus americanus luteolus</i>	T	446.67	\$345,074.96	90.18%
88	Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	T	425.00	\$345,499.96	90.29%
89	Tortoise, gopher	<i>Gopherus polyphemus</i>	T	422.49	\$345,922.45	90.40%
90	Sturgeon, Gulf	<i>Acipenser oxyrinchus desotoi</i>	T	412.86	\$346,335.31	90.51%
91	Chub, Virgin River	<i>Gila robusta semidnuda</i>	E	404.75	\$346,740.06	90.61%
92	Woundfin	<i>Plagopterus argentissimus</i>	E	395.95	\$347,136.01	90.72%
93	Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	T	390.98	\$347,526.98	90.82%
94	Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	E	381.50	\$347,908.48	90.92%
95	Whale, humpback	<i>Megaptera novaeangliae</i>	E	361.02	\$348,269.50	91.01%
96	Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	T	353.58	\$348,623.08	91.11%
97	Rail, California clapper	<i>Rallus longirostris obsoletus</i>	E	350.85	\$348,973.93	91.20%
98	Caribou, woodland	<i>Rangifer tarandus caribou</i>	E	350.23	\$349,324.16	91.29%
99	Eider, spectacled	<i>Somateria fischeri</i>	T	346.45	\$349,670.61	91.38%
100	Prairie dog, Utah	<i>Cynomys parvidens</i>	T	326.27	\$349,996.87	91.47%
101	Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	E	319.29	\$350,316.17	91.55%
102	Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	T	309.17	\$350,625.33	91.63%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
103	Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuenae</i>	E	305.00	\$350,930.33	91.71%
104	Eider, Steller's	<i>Polysticta stelleri</i>	T	304.45	\$351,234.78	91.79%
105	Pearlymussel, Higgins' eye	<i>Lampsilis higginsi</i>	E	301.61	\$351,536.39	91.87%
106	Rail, Guam	<i>Rallus owstoni</i>	E	290.50	\$351,826.89	91.94%
107	Goose, Aleutian Canada	<i>Branta canadensis leucopareia</i>	T	289.34	\$352,116.23	92.02%
108	Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>	T	288.80	\$352,405.03	92.09%
109	Snails, Oahu tree	<i>Achatinella^ spp. (all species)</i>	E	281.82	\$352,686.85	92.17%
110	Darter, Cherokee	<i>Etheostoma (Ulocentra) sp.</i>	T	281.25	\$352,968.10	92.24%
111	Toad, Wyoming	<i>Bufo hemiophrys baxteri</i>	E	277.99	\$353,246.09	92.31%
112	Milk-vetch, Mancos	<i>Astragalus humillimus</i>	E	275.50	\$353,521.59	92.39%
113	Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>	E	269.30	\$353,790.89	92.46%
114	Crow, Mariana	<i>Corvus kubaryi</i>	E	265.20	\$354,056.09	92.53%
115	Snail, Utah valvata	<i>Valvata utahensis</i>	E	261.16	\$354,317.25	92.59%
116	Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>	E	257.00	\$354,574.25	92.66%
117	Crow, Hawaiian (=alala)	<i>Corvus hawaiiensis</i>	E	249.00	\$354,823.25	92.73%
118	Deer, key	<i>Odocoileus virginianus clavium</i>	E	243.80	\$355,067.05	92.79%
119	Pearlymussel, white cat's paw	<i>Epioblasma obliquata perobliqua</i>	E	238.00	\$355,305.05	92.85%
120	Stilt, Hawaiian (=ae`o)	<i>Himantopus mexicanus knudseni</i>	E	235.80	\$355,540.85	92.91%
121	Orchid, western prairie fringed	<i>Platanthera praecalaria</i>	T	225.64	\$355,766.49	92.97%
122	Spikedace	<i>Meda fulgida</i>	T	225.30	\$355,991.79	93.03%
123	Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>	E	223.00	\$356,214.79	93.09%
124	Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	T	219.99	\$356,434.79	93.15%
125	Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	E	210.75	\$356,645.54	93.20%
126	Button-celery, San Diego	<i>Eryngium aristulatum var. parishii</i>	E	205.20	\$356,850.74	93.26%
127	Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	E	196.10	\$357,046.84	93.31%
128	Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	T	192.18	\$357,239.01	93.36%
129	Minnow, loach	<i>Rhinichthys cobitis</i>	T	190.97	\$357,429.98	93.41%
130	Beetle, American burying (=giant carrion)	<i>Nicrophorus americanus</i>	E	189.61	\$357,619.59	93.46%
131	Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	E	189.40	\$357,808.99	93.51%
132	Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>	E	185.26	\$357,994.25	93.56%
133	Mussel, dwarf wedge	<i>Alasmidonta heterodon</i>	E	181.54	\$358,175.78	93.60%
134	Fairy shrimp, San Diego	<i>Branchinecta sandiegoensis</i>	E	180.50	\$358,356.28	93.65%
135	Howellia, water	<i>Howellia aquatilis</i>	T	179.83	\$358,536.11	93.70%
136	Chub, Oregon	<i>Oregonichthys crameri</i>	E	178.14	\$358,714.25	93.74%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
137	Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	E	174.20	\$358,888.45	93.79%
138	Snake, eastern indigo	<i>Drymarchon corais couperi</i>	T	173.99	\$359,062.44	93.83%
139	Ocelot	<i>Felis pardalis</i>	E	173.20	\$359,235.64	93.88%
140	Goose, Hawaiian (=nene)	<i>Nesochen sandvicensis</i>	E	170.18	\$359,405.83	93.92%
141	Tern, roseate	<i>Sterna dougallii dougallii</i>	E, T	165.23	\$359,571.05	93.97%
142	Dragonfly, Hine's (=Ohio) emerald	<i>Somatochlora hineana</i>	E	163.72	\$359,734.77	94.01%
143	Pupfish, desert	<i>Cyprinodon macularius</i>	E	163.49	\$359,898.26	94.05%
144	Po`ouli (honeycreeper)	<i>Melamprosops phaeosoma</i>	E	158.50	\$360,056.76	94.09%
145	Sumac, Michaux's	<i>Rhus michauxii</i>	E	156.67	\$360,213.43	94.14%
146	Mussel, winged mapleleaf	<i>Quadrula fragosa</i>	E	156.01	\$360,369.44	94.18%
147	Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	T	155.24	\$360,524.68	94.22%
148	Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>	E	153.30	\$360,677.98	94.26%
149	Kangaroo rat, giant	<i>Dipodomys ingens</i>	E	151.90	\$360,829.88	94.30%
150	Goby, tidewater	<i>Eucyclogobius newberryi</i>	E	150.00	\$360,979.88	94.34%
151	Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	E	148.22	\$361,128.11	94.37%
152	Trout, bull (Klamath R. pop.)	<i>Salvelinus confluentus</i>	T	147.93	\$361,276.04	94.41%
153	Trout, Gila	<i>Oncorhynchus gilae</i>	E	147.83	\$361,423.87	94.45%
154	Fairy shrimp, riverside	<i>Streptocephalus woottoni</i>	E	147.70	\$361,571.57	94.49%
155	Pelican, brown	<i>Pelecanus occidentalis</i>	E	147.57	\$361,719.14	94.53%
156	Smelt, delta	<i>Hypomesus transpacificus</i>	T	143.61	\$361,862.76	94.57%
157	Chaffseed, American	<i>Schwalbea americana</i>	E	143.28	\$362,006.03	94.60%
158	Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>	E	142.30	\$362,148.33	94.64%
159	Amaranth, seabeach	<i>Amaranthus pumilus</i>	T	139.08	\$362,287.41	94.68%
160	Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>	E	137.00	\$362,424.41	94.71%
161	Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	E	136.06	\$362,560.47	94.75%
162	Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	E	135.52	\$362,695.99	94.78%
163	Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	E	132.60	\$362,828.59	94.82%
164	Rabbit, Lower Keys	<i>Sylvilagus palustris hefneri</i>	E	132.00	\$362,960.59	94.85%
165	Bird's beak, palmate-bracted	<i>Cordylanthus palmatus</i>	E	130.30	\$363,090.89	94.89%
165	Layia, beach	<i>Layia carnosa</i>	E	130.30	\$363,221.19	94.92%
167	`Ohai	<i>Sesbania tomentosa</i>	E	129.50	\$363,350.69	94.96%
168	Whale, gray	<i>Eschrichtius robustus</i>	E	128.25	\$363,478.94	94.99%
169	Wallflower, Menzies'	<i>Erysimum menziesii</i>	E	126.00	\$363,604.94	95.02%
170	Kangaroo rat, Stephens'	<i>Dipodomys stephensi</i>	E	124.90	\$363,729.84	95.05%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
171	Coot, Hawaiian (=`alae-ke`oke`o)	<i>Fulica americana alai</i>	E	124.80	\$363,854.64	95.09%
172	Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	T	124.00	\$363,978.64	95.12%
173	Logperch, Roanoke	<i>Percina rex</i>	E	123.60	\$364,102.24	95.15%
174	Kangaroo rat, Fresno	<i>Dipodomys nitratoides exilis</i>	E	122.30	\$364,224.54	95.18%
175	Lomatium, Bradshaw's	<i>Lomatium bradshawii</i>	E	121.60	\$364,346.14	95.22%
176	Nukupu`u (honeycreeper)	<i>Hemignathus lucidus</i>	E	119.50	\$364,465.64	95.25%
177	Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	T	119.00	\$364,584.64	95.28%
178	Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>	E	117.50	\$364,702.14	95.31%
179	Pearlmussel, pink mucket	<i>Lampsilis abrupta</i>	E	114.17	\$364,816.31	95.34%
180	Butterweed, Layne's	<i>Senecio layneae</i>	T	114.00	\$364,930.31	95.37%
181	Parrotbill, Maui (honeycreeper)	<i>Pseudonestor xanthophrys</i>	E	112.43	\$365,042.75	95.40%
182	Chub, Pahranagat roundtail (=bonytail)	<i>Gila robusta jordani</i>	E	112.00	\$365,154.75	95.43%
183	Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	E	111.33	\$365,266.08	95.46%
184	Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	T	111.04	\$365,377.12	95.48%
185	Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	E	110.17	\$365,487.29	95.51%
186	Palila (honeycreeper)	<i>Loxioides bailleui</i>	E	105.79	\$365,593.08	95.54%
187	Trout, bull (Jarbridge R. pop.)	<i>Salvelinus confluentus</i>	E	105.64	\$365,698.73	95.57%
188	Spineflower, slender-horned	<i>Dodecahema leptoceras</i>	E	105.40	\$365,804.13	95.60%
189	Salamander, Barton Springs	<i>Eurycea sosorum</i>	E	105.00	\$365,909.13	95.62%
190	Toad, Houston	<i>Bufo houstonensis</i>	E	103.00	\$366,012.13	95.65%
191	Madtom, Neosho	<i>Noturus placidus</i>	T	102.25	\$366,114.38	95.68%
192	Woolly-star, Santa Ana River	<i>Eriastrum densifolium ssp. sanctorum</i>	E	102.00	\$366,216.38	95.70%
193	Pitcher-plant, green	<i>Sarracenia oreophila</i>	E	99.35	\$366,315.73	95.73%
194	Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	E	97.30	\$366,413.03	95.76%
195	Rock-pocketbook, Ouachita (=Wheeler's pearly)	<i>Arkansas wheeleri</i>	E	97.05	\$366,510.08	95.78%
196	Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	E	96.86	\$366,606.94	95.81%
197	Clubshell	<i>Pleurobema clava</i>	E	95.99	\$366,702.93	95.83%
198	Pogonia, small whorled	<i>Isotria medeoloides</i>	T	94.74	\$366,797.67	95.86%
199	Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>	E	94.50	\$366,892.17	95.88%
200	Megapode, Micronesian (=La Perouse's)	<i>Megapodius laperouse</i>	E	88.50	\$366,980.67	95.90%
201	Darter, Niangua	<i>Etheostoma nianguae</i>	T	86.00	\$367,066.67	95.93%
201	Butterfly, Palos Verdes blue	<i>Glaucopsyche lygdamus palosverdesensis</i>	E	86.00	\$367,152.67	95.95%
203	Springfish, White River	<i>Crenichthys baileyi baileyi</i>	E	84.90	\$367,237.57	95.97%
204	Thrush, small Kauai (=puaiohi)	<i>Myadestes palmeri</i>	E	84.00	\$367,321.57	95.99%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
204	Mesa-mint, Otay	<i>Pogogyne nudiuscula</i>	E	84.00	\$367,405.57	96.02%
206	Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	E	83.78	\$367,489.35	96.04%
207	Heelsplitter, Carolina	<i>Lasmigona decorata</i>	E	83.30	\$367,572.65	96.06%
208	Shiner, blue	<i>Cyprinella caerulea</i>	T	80.99	\$367,653.64	96.08%
209	Bat, Ozark big-eared	<i>Plecotus townsendii ingens</i>	E	80.60	\$367,734.24	96.10%
210	Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	E	77.69	\$367,811.93	96.12%
211	Mesa-mint, San Diego	<i>Pogogyne abramsii</i>	E	77.30	\$367,889.23	96.14%
212	Penstemon, blowout	<i>Penstemon haydenii</i>	E	75.50	\$367,964.73	96.16%
213	Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>	E	75.00	\$368,039.73	96.18%
214	Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri var. kuenzleri</i>	E	74.70	\$368,114.43	96.20%
215	Crocodile, American	<i>Crocodylus acutus</i>	E	73.80	\$368,188.23	96.22%
216	Bladderpod, Missouri	<i>Lesquerella filiformis</i>	E	72.30	\$368,260.53	96.24%
217	Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	T	72.10	\$368,332.62	96.26%
218	Milk-vetch, Applegate's	<i>Astragalus applegatei</i>	E	72.00	\$368,404.62	96.28%
219	Snail, Snake River physa	<i>Physa natricina</i>	E	71.66	\$368,476.29	96.29%
219	Springsnail, Idaho	<i>Fontelicella idahoensis</i>	E	71.66	\$368,547.95	96.31%
221	`Akepa, Maui (honeycreeper)	<i>Loxops coccineus ochraceus</i>	E	71.50	\$368,619.45	96.33%
222	Sucker, Warner	<i>Catostomus warnerensis</i>	T	70.47	\$368,689.92	96.35%
223	Salamander, Red Hills	<i>Phaeognathus hubrichti</i>	T	70.00	\$368,759.92	96.37%
224	Butterfly, bay checkerspot	<i>Euphydryas editha bayensis</i>	T	69.30	\$368,829.22	96.39%
225	Chub, Sonora	<i>Gila ditaenia</i>	T	68.10	\$368,897.32	96.40%
226	Darter, leopard	<i>Percina pantherina</i>	T	67.90	\$368,965.21	96.42%
227	Snake, copperbelly water (northern pop.)	<i>Nerodia erythrogaster neglecta</i>	T	67.16	\$369,032.37	96.44%
228	Coneflower, smooth	<i>Echinacea laevigata</i>	E	67.13	\$369,099.50	96.46%
229	Jaguarundi	<i>Felis yagouaroundi cacomitli</i>	E	66.00	\$369,165.50	96.47%
230	Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	T	65.68	\$369,231.18	96.49%
231	Dace, Clover Valley speckled	<i>Rhinichthys osculus oligoporus</i>	E	65.00	\$369,296.18	96.51%
231	Dace, Independence Valley speckled	<i>Rhinichthys osculus lethoporus</i>	E	65.00	\$369,361.18	96.53%
233	Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>	T	64.70	\$369,425.88	96.54%
234	Pigeon, Puerto Rican plain	<i>Columba inornata wetmorei</i>	E	64.60	\$369,490.48	96.56%
235	Clubshell, southern	<i>Pleurobema decisum</i>	E	64.47	\$369,554.94	96.58%
236	Aster, decurrent false	<i>Boltonia decurrens</i>	T	63.72	\$369,618.66	96.59%
237	Mallow, Kern	<i>Eremalche kernensis</i>	E	63.30	\$369,681.96	96.61%
238	Cavefish, Ozark	<i>Amblyopsis rosae</i>	T	63.25	\$369,745.21	96.63%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
239	Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>	E	62.30	\$369,807.51	96.64%
240	Pocketbook, fat	<i>Potamilus capax</i>	E	60.80	\$369,868.31	96.66%
241	Trout, Apache (=Arizona)	<i>Oncorhynchus apache</i>	T	60.50	\$369,928.81	96.67%
242	Mustard, slender-petaled	<i>Thelypodium stenopetalum</i>	E	59.70	\$369,988.51	96.69%
243	Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	E	59.30	\$370,047.81	96.71%
243	Shrimp, California freshwater	<i>Syncaris pacifica</i>	E	59.30	\$370,107.11	96.72%
245	Grass, California Orcutt	<i>Orcuttia californica</i>	E	59.00	\$370,166.11	96.74%
246	Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	E	58.50	\$370,224.61	96.75%
247	Dace, blackside	<i>Phoxinus cumberlandensis</i>	T	58.30	\$370,282.91	96.77%
248	Checker-mallow, pedate	<i>Sidalcea pedata</i>	E	58.00	\$370,340.91	96.78%
249	Turtle, yellow-blotched map (=sawback)	<i>Graptemys flavimaculata</i>	T	57.25	\$370,398.16	96.80%
250	Honeycreeper, crested (=akohekohe)	<i>Palmeria dolei</i>	E	56.43	\$370,454.60	96.81%
251	Pearlmussel, little-wing	<i>Pegias fabula</i>	E	55.77	\$370,510.36	96.83%
252	Jewelflower, California	<i>Caulanthus californicus</i>	E	55.30	\$370,565.66	96.84%
253	Towhee, Inyo California (=brown)	<i>Pipilo crissalis eremophilus</i>	T	55.00	\$370,620.66	96.86%
254	Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	T	54.86	\$370,675.52	96.87%
255	Creeper, Hawaii	<i>Oreomystis mana</i>	E	54.79	\$370,730.31	96.88%
256	Monkshood, northern wild	<i>Aconitum noveboracense</i>	T	54.04	\$370,784.35	96.90%
257	Bat, Mariana fruit	<i>Pteropus mariannus mariannus</i>	E	54.00	\$370,838.35	96.91%
258	`Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>	E	53.79	\$370,892.14	96.93%
258	`Akiapola`au (honeycreeper)	<i>Hemignathus munroi</i>	E	53.79	\$370,945.94	96.94%
260	Pondberry	<i>Lindera melissifolia</i>	E	53.13	\$370,999.06	96.95%
261	Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>	T	53.09	\$371,052.16	96.97%
262	Butterfly, El Segundo blue	<i>Euphilotes battoides allynii</i>	E	53.00	\$371,105.16	96.98%
263	Darter, Etowah	<i>Etheostoma etowahae</i>	E	52.95	\$371,158.11	97.00%
264	Trout, Little Kern golden	<i>Oncorhynchus aguabonita whitei</i>	T	52.80	\$371,210.91	97.01%
265	Moorhen, Mariana common	<i>Gallinula chloropus guami</i>	E	52.50	\$371,263.41	97.02%
266	Sandwort, Marsh	<i>Arenaria paludicola</i>	E	51.70	\$371,315.11	97.04%
267	Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	E	51.56	\$371,366.66	97.05%
268	Clubshell, ovate	<i>Pleurobema perovatum</i>	E	51.47	\$371,418.13	97.06%
269	Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	E	51.20	\$371,469.33	97.08%
270	Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	E	50.94	\$371,520.27	97.09%
271	Squirrel, Virginia northern flying	<i>Glaucomys sabrinus fuscus</i>	E	50.16	\$371,570.43	97.10%
272	Jaguar	<i>Panthera onca</i>	E	49.72	\$371,620.15	97.12%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
273	Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>	E	49.50	\$371,669.65	97.13%
274	Cactus, Winkler	<i>Pediocactus winkleri</i>	T	48.70	\$371,718.35	97.14%
275	Riffleshell, tan	<i>Epioblasma walkeri</i>	E	47.82	\$371,766.17	97.15%
276	Monkey-flower, Michigan	<i>Mimulus glabratus var. michiganensis</i>	E	47.00	\$371,813.17	97.17%
277	Mucket, orange-nacre	<i>Lampsilis perovalis</i>	T	45.76	\$371,858.93	97.18%
278	Goldenrod, Houghton's	<i>Solidago houghtonii</i>	T	45.70	\$371,904.63	97.19%
279	Kidneyshell, triangular	<i>Ptychobranchus greeni</i>	E	45.36	\$371,949.99	97.20%
280	Woolly-star, Hoover's	<i>Eriastrum hooveri</i>	T	45.30	\$371,995.29	97.21%
281	Pearlmussel, orange-foot pimpleback	<i>Plethobasus cooperianus</i>	E	44.60	\$372,039.89	97.23%
282	Turtle, Alabama redbelly (=red-bellied)	<i>Pseudemys alabamensis</i>	E	44.50	\$372,084.39	97.24%
283	Boa, Puerto Rican	<i>Epicrates inornatus</i>	E	44.30	\$372,128.69	97.25%
284	Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>	E	44.06	\$372,172.75	97.26%
285	Jaguarundi	<i>Felis yagouaroundi tolteca</i>	E	43.60	\$372,216.35	97.27%
286	Potato-bean, Price's	<i>Aplos priceana</i>	T	43.20	\$372,259.55	97.28%
287	Sucker, Modoc	<i>Catostomus microps</i>	E	43.17	\$372,302.72	97.29%
288	Spineflower, Orcutt's	<i>Chorizanthe orcuttiana</i>	E	42.70	\$372,345.42	97.31%
289	Poppy, Sacramento prickly	<i>Argemone pleiacantha ssp. pinnatisecta</i>	E	42.60	\$372,388.02	97.32%
290	Spinedace, White River	<i>Lepidomeda albivallis</i>	E	42.50	\$372,430.52	97.33%
290	Milkweed, Mead's	<i>Asclepias meadii</i>	T	42.50	\$372,473.02	97.34%
290	Watercress, Gambel's	<i>Rorippa gambelii</i>	E	42.50	\$372,515.52	97.35%
293	Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>	E	42.30	\$372,557.82	97.36%
294	Neraudia angulata (=Sci name)	<i>Neraudia angulata</i>	E	42.02	\$372,599.85	97.37%
295	Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>	E	42.00	\$372,641.85	97.38%
296	Trillium, relict	<i>Trillium reliquum</i>	E	41.85	\$372,683.70	97.39%
297	Paintbrush, golden	<i>Castilleja levisecta</i>	T	41.51	\$372,725.21	97.41%
298	Thistle, Pitcher's	<i>Cirsium pitcheri</i>	T	41.00	\$372,766.21	97.42%
299	Darter, amber	<i>Percina antesella</i>	E	40.99	\$372,807.19	97.43%
300	Wooly-threads, San Joaquin	<i>Lembertia congdonii</i>	E	40.30	\$372,847.49	97.44%
301	Salamander, Santa Cruz long-toed	<i>Ambystoma macrodactylum croceum</i>	E	40.00	\$372,887.49	97.45%
302	Hawk, Hawaiian (=io)	<i>Buteo solitarius</i>	E	39.75	\$372,927.24	97.46%
303	Thistle, Chorro Creek	<i>Cirsium fontinale var. obispoense</i>	E	39.50	\$372,966.74	97.47%
304	Beetle, northeastern beach tiger	<i>Cicindela dorsalis dorsalis</i>	T	38.90	\$373,005.64	97.48%
305	Cactus, Bakersfield	<i>Opuntia treleasei</i>	E	38.80	\$373,044.44	97.49%
306	Bat, Virginia big-eared	<i>Plecotus townsendii virginianus</i>	E	38.77	\$373,083.21	97.50%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
307	Pearl mussel, Curtis'	<i>Epioblasma florentina curtisi</i>	E	38.40	\$373,121.61	97.51%
308	Orcutt grass, slender	<i>Orcuttia tenuis</i>	T	38.30	\$373,159.91	97.52%
309	Bush-clover, prairie	<i>Lespedeza leptostachya</i>	T	37.13	\$373,197.04	97.53%
310	Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>	E	36.64	\$373,233.68	97.54%
311	Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>	E	36.60	\$373,270.28	97.55%
311	Gardenia, Hawaiian (na` u)	<i>Gardenia brighamii</i>	E	36.60	\$373,306.88	97.56%
313	Darter, fountain	<i>Etheostoma fonticola</i>	E	36.50	\$373,343.38	97.57%
313	Wild-rice, Texas	<i>Zizania texana</i>	E	36.50	\$373,379.88	97.58%
315	Milkweed, Welsh's	<i>Asclepias welshii</i>	T	36.40	\$373,416.28	97.59%
316	Hawk, Puerto Rican broad-winged	<i>Buteo platypterus brunnescens</i>	E	36.30	\$373,452.58	97.60%
317	Fly, Delhi Sands flower-loving	<i>Rhaphiomidas terminatus abdominalis</i>	E	36.00	\$373,488.58	97.60%
317	Rock-cress, McDonald's	<i>Arabis mcdonaldiana</i>	E	36.00	\$373,524.58	97.61%
319	Ladies'-tresses, Canelo Hills (=Madrean)	<i>Spiranthes delitescens</i>	E	35.80	\$373,560.38	97.62%
320	Limpet, Banbury Springs	<i>Lanx sp.</i>	E	35.80	\$373,596.18	97.63%
321	Snail, Stock Island tree	<i>Orthalicus reses</i>	T	35.50	\$373,631.68	97.64%
322	Quillwort, Louisiana	<i>Isoetes louisianensis</i>	E	35.23	\$373,666.90	97.65%
323	Crayfish, Shasta (=placid)	<i>Pacifastacus fortis</i>	E	35.04	\$373,701.94	97.66%
324	Indian paintbrush, San Clemente Island	<i>Castilleja grisea</i>	E	34.90	\$373,736.84	97.67%
325	Gambusia, San Marcos	<i>Gambusia georgei</i>	E	34.50	\$373,771.34	97.68%
325	Lily, Western	<i>Lilium occidentale</i>	E	34.50	\$373,805.84	97.69%
327	Kulu'i	<i>Nototrichium humile</i>	E	34.42	\$373,840.27	97.70%
328	Pigtoe (mussel), oval	<i>Pleurobema pyriforme</i>	E	34.20	\$373,874.47	97.71%
329	Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	E	34.10	\$373,908.57	97.71%
330	Kuahiwi, laukahi	<i>Plantago princeps</i>	E	34.00	\$373,942.57	97.72%
330	Rockcress, Santa Cruz Island	<i>Sibara filifolia</i>	E	34.00	\$373,976.57	97.73%
330	Woodland-star, San Clemente Island	<i>Lithophragma maximum</i>	E	34.00	\$374,010.57	97.74%
333	Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	E	33.30	\$374,043.87	97.75%
333	Dwarf-flax, Marin	<i>Hesperolinon congestum</i>	T	33.30	\$374,077.17	97.76%
333	Paintbrush, Tiburon	<i>Castilleja affinis ssp. neglecta</i>	E	33.30	\$374,110.47	97.77%
336	Darter, boulder (=Elk River)	<i>Etheostoma wapiti</i>	E	33.20	\$374,143.67	97.78%
337	Ma`ohau hele (=biscus, native yellow)	<i>Hibiscus brackenridgei</i>	E	32.80	\$374,176.47	97.78%
338	Butterfly, Uncompahgre fritillary	<i>Boloria acrocnema</i>	E	32.70	\$374,209.17	97.79%
338	Bonamia menziesii (=Sci name)	<i>Bonamia menziesii</i>	E	32.70	\$374,241.87	97.80%
340	Lobelia niihauensis (=Sci name)	<i>Lobelia niihauensis</i>	E	32.50	\$374,274.37	97.81%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
341	Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	E	32.24	\$374,306.61	97.82%
342	Cactus, Sneed pincushion	<i>Coryphantha sneedii</i> var. <i>sneedii</i>	E	32.00	\$374,338.61	97.83%
343	Sanicula purpurea (=Sci. name)	<i>Sanicula purpurea</i>	E	31.75	\$374,370.36	97.84%
344	Dace, desert	<i>Eremichthys acros</i>	T	31.50	\$374,401.86	97.84%
344	Nanu	<i>Gardenia mannii</i>	E	31.50	\$374,433.36	97.85%
346	Bird's-beak, Pennell's	<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>	E	31.30	\$374,464.66	97.86%
346	Ceanothus, coyote (=California-lilac, Coyote)	<i>Ceanothus ferrisiae</i>	E	31.30	\$374,495.96	97.87%
346	Clarkia, Presidio	<i>Clarkia franciscana</i>	E	31.30	\$374,527.26	97.88%
346	Dudleya, Santa Clara Valley	<i>Dudleya setchellii</i>	E	31.30	\$374,558.56	97.88%
346	Jewelflower, Metcalf Canyon	<i>Streptanthus albidus</i> ssp. <i>albidus</i>	E	31.30	\$374,589.86	97.89%
346	Jewelflower, Tiburon	<i>Streptanthus niger</i>	E	31.30	\$374,621.16	97.90%
346	Mariposa lily, Tiburon	<i>Calochortus tiburonensis</i>	T	31.30	\$374,652.46	97.91%
346	Pentachaeta, white-rayed	<i>Pentachaeta bellidiflora</i>	E	31.30	\$374,683.76	97.92%
346	Sunflower, San Mateo woolly	<i>Eriophyllum latilobum</i>	E	31.30	\$374,715.06	97.93%
346	Thistle, fountain	<i>Cirsium fontinale</i> var. <i>fontinale</i>	E	31.30	\$374,746.36	97.93%
356	Clover, running buffalo	<i>Trifolium stoloniferum</i>	E	31.24	\$374,777.60	97.94%
357	Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>	E	31.00	\$374,808.60	97.95%
357	Thormint, San Mateo	<i>Acanthomintha obovata</i> ssp. <i>duttonii</i>	E	31.00	\$374,839.60	97.96%
359	Mehamehame	<i>Flueggea neowawraea</i>	E	30.80	\$374,870.40	97.97%
360	Hesperomannia arborescens (=Sci name)	<i>Hesperomannia arborescens</i>	E	30.60	\$374,901.00	97.97%
360	Joint-vetch, sensitive	<i>Aeschynomene virginica</i>	T	30.60	\$374,931.60	97.98%
362	Amphianthus, little	<i>Amphianthus pusillus</i>	T	30.54	\$374,962.13	97.99%
363	Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>	E	30.50	\$374,992.63	98.00%
363	Broadbill, Guam	<i>Myiagra freycineti</i>	E	30.50	\$375,023.13	98.01%
363	Monarch, Tinian (old world flycatcher)	<i>Monarcha takatsukasae</i>	T	30.50	\$375,053.63	98.01%
363	Swiftlet, Mariana gray (=vanikoro)	<i>Aerodramus vanikorensis</i> <i>bartschi</i>	E	30.50	\$375,084.13	98.02%
363	White-eye, bridled	<i>Zosterops conspicillatus</i> <i>conspicillatus</i>	E	30.50	\$375,114.63	98.03%
368	Gambusia, Big Bend	<i>Gambusia gaigei</i>	E	30.09	\$375,144.73	98.04%
369	Creeper, Oahu (=alauwahio)	<i>Paroreomyza maculata</i>	E	29.62	\$375,174.35	98.05%
370	Haha	<i>Cyanea koolauensis</i>	E	29.60	\$375,203.95	98.05%
370	Lobelia oahuensis (=Sci name)	<i>Lobelia oahuensis</i>	E	29.60	\$375,233.55	98.06%
372	Iris, dwarf lake	<i>Iris lacustris</i>	T	29.40	\$375,262.95	98.07%
373	`Oha wai	<i>Clermontia lindseyana</i>	E	29.30	\$375,292.25	98.08%
374	Shiner, Cape Fear	<i>Notropis mekistocholas</i>	E	29.10	\$375,321.35	98.08%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
375	Shrimp, Alabama cave	<i>Palaemonias alabamae</i>	E	29.00	\$375,350.35	98.09%
375	`Akoko	<i>Chamaesyce rockii</i>	E	29.00	\$375,379.35	98.10%
377	Heelsplitter, inflated	<i>Potamilus inflatus</i>	T	28.86	\$375,408.21	98.11%
378	`Anaunau	<i>Lepidium arbuscula</i>	E	28.80	\$375,437.01	98.11%
379	Spiny mussel, James River (=Virginia)	<i>Pleurobema collina</i>	E	28.70	\$375,465.71	98.12%
380	Cyanea superba (=Sci name)	<i>Cyanea superba</i>	E	28.60	\$375,494.31	98.13%
381	Combshell, upland	<i>Epioblasma metastriata</i>	E	28.50	\$375,522.81	98.14%
382	Spiny mussel, Tar River	<i>Elliptio steinstansana</i>	E	28.39	\$375,551.20	98.14%
383	Sanicula mariversa (=Sci name)	<i>Sanicula mariversa</i>	E	28.32	\$375,579.53	98.15%
384	Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	T	28.12	\$375,607.65	98.16%
385	Cactus, Tobusch fishhook	<i>Ancistrocactus tobuschii</i>	E	28.10	\$375,635.75	98.17%
386	Salamander, San Marcos	<i>Eurycea nana</i>	T	28.00	\$375,663.75	98.17%
386	Salamander, Texas blind	<i>Typhlomolge rathbuni</i>	E	28.00	\$375,691.75	98.18%
386	Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>	E	28.00	\$375,719.75	98.19%
386	Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>	E	28.00	\$375,747.75	98.20%
386	Amphipod, Peck's cave	<i>Stygbromus pecki</i> (=Stygonectes p.)	E	28.00	\$375,775.75	98.20%
386	Daphnopsis hellerana (=Sci name)	<i>Daphnopsis hellerana</i>	E	28.00	\$375,803.75	98.21%
392	Hedyotis parvula (=Sci name)	<i>Hedyotis parvula</i>	E	27.82	\$375,831.57	98.22%
392	Na`ena`e	<i>Dubaautia herbstobatae</i>	E	27.82	\$375,859.39	98.22%
394	Tetramolopium filiforme (=Sci name)	<i>Tetramolopium filiforme</i>	E	27.72	\$375,887.12	98.23%
395	Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> ssp. <i>recurva</i>	E	27.60	\$375,914.72	98.24%
396	Warbler, nightingale reed	<i>Acrocephalus luscinius</i>	E	27.50	\$375,942.22	98.25%
397	Pocketbook, fine-lined	<i>Lampsilis altilis</i>	T	27.31	\$375,969.53	98.25%
398	Schiedea hookeri (=Sci. name)	<i>Schiedea hookeri</i>	E	27.30	\$375,996.83	98.26%
399	`Akoko	<i>Euphorbia haeleleana</i>	E	27.20	\$376,024.03	98.27%
400	Pearly mussel, Cumberland bean	<i>Villosa trabalis</i>	E	27.12	\$376,051.15	98.27%
401	Logperch, Conasauga	<i>Percina jenkinsi</i>	E	26.95	\$376,078.10	98.28%
402	Diellia falcata (=Sci name)	<i>Diellia falcata</i>	E	26.80	\$376,104.90	98.29%
403	Snail, Morro shoulderband (=Banded dune)	<i>Helminthoglypta walkeri</i>	E	26.50	\$376,131.40	98.30%
404	`Ohe `ohe	<i>Tetraplasandra gymnocarpa</i>	E	26.40	\$376,157.80	98.30%
405	Campion, fringed	<i>Silene polypetala</i>	E	26.30	\$376,184.10	98.31%
406	Hawk, Puerto Rican sharp-shinned	<i>Accipiter striatus venator</i>	E	26.20	\$376,210.30	98.32%
407	Alsinidendron obovatum (=Sci name)	<i>Alsinidendron obovatum</i>	E	26.00	\$376,236.30	98.32%
408	Spermolepis hawaiiensis (=Sci name)	<i>Spermolepis hawaiiensis</i>	E	25.90	\$376,262.20	98.33%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
409	Milk-vetch, Jesup's	<i>Astragalus robbinsii</i> var. <i>jesupi</i>	E	25.80	\$376,288.00	98.34%
410	Butterfly, Myrtle's silverspot	<i>Speyeria zerene myrtleae</i>	E	25.31	\$376,313.30	98.34%
411	Ha`iwale	<i>Cyrtandra dentata</i>	E	25.30	\$376,338.60	98.35%
411	Schiedea nuttallii (=Sci. name)	<i>Schiedea nuttallii</i>	E	25.30	\$376,363.90	98.36%
413	Cactus, San Rafael	<i>Pediocactus despainii</i>	E	25.20	\$376,389.10	98.36%
413	Pauoa	<i>Ctenitis squamigera</i>	E	25.20	\$376,414.30	98.37%
415	Chub, Hutton tui	<i>Gila bicolor</i> ssp.	T	25.00	\$376,439.30	98.38%
415	Dace, Foskett speckled	<i>Rhinichthys osculus</i> ssp.	T	25.00	\$376,464.30	98.38%
417	Dace, Moapa	<i>Moapa coriacea</i>	E	24.80	\$376,489.10	98.39%
418	Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>	E	24.70	\$376,513.80	98.40%
419	Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	E	24.60	\$376,538.40	98.40%
420	Avens, spreading	<i>Geum radiatum</i>	E	24.50	\$376,562.90	98.41%
421	Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	T	24.40	\$376,587.30	98.41%
422	Lizard, Island night	<i>Xantusia riversiana</i>	T	24.40	\$376,611.71	98.42%
423	Darter, snail	<i>Percina tanasi</i>	T	24.35	\$376,636.06	98.43%
424	Sandbur, agrimony or Kamanomano	<i>Cenchrus agrimonoides</i>	E	24.20	\$376,660.26	98.43%
425	Salamander, Sonoran tiger	<i>Ambystoma tigrinum stebbinsi</i>	E	24.10	\$376,684.36	98.44%
425	Chub, Owens tui	<i>Gila bicolor snyderi</i>	E	24.10	\$376,708.46	98.45%
427	Gecko, Monito	<i>Sphaerodactylus micropithecus</i>	E	24.00	\$376,732.46	98.45%
427	Pupfish, Leon Springs	<i>Cyprinodon bovinus</i>	E	24.00	\$376,756.46	98.46%
427	Nioi	<i>Eugenia koolauensis</i>	E	24.00	\$376,780.46	98.47%
430	Lampmussel, Alabama (=Pearly mussel, Alabama)	<i>Lampsilis virescens</i>	E	24.00	\$376,804.45	98.47%
431	Mouse, southeastern beach	<i>Peromyscus polionotus niveiventralis</i>	T	23.90	\$376,828.35	98.48%
432	Pitcher-plant, mountain sweet	<i>Sarracenia rubra</i> ssp. <i>jonesii</i>	E	23.60	\$376,851.95	98.48%
433	Pentachaeta, Lyon's	<i>Pentachaeta lyonii</i>	E	23.50	\$376,875.45	98.49%
433	Spineflower, Ben Lomond	<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>	E	23.50	\$376,898.95	98.50%
433	Spineflower, Robust (incl. Scotts Valley)	<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> & <i>hartwegiana</i> )	E	23.50	\$376,922.45	98.50%
436	Baccharis, Encinitis	<i>Baccharis vanessae</i>	T	23.40	\$376,945.85	98.51%
437	Manzanita, Del Mar (=Costa Baja, =Eastwood's)	<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>	E	22.40	\$376,968.25	98.51%
438	Tetramolopium lepidotum ssp. lepidotum (=Sci.)	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>	E	22.39	\$376,990.65	98.52%
439	Uhiuhi	<i>Caesalpinia kavaiense</i>	E	21.90	\$377,012.55	98.53%
440	Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	E	21.82	\$377,034.36	98.53%
441	Harperella	<i>Ptilimnium nodosum</i>	E	21.79	\$377,056.15	98.54%
442	Phyllostegia hirsuta (=Sci. name)	<i>Phyllostegia hirsuta</i>	E	21.70	\$377,077.85	98.54%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
443	Haha	<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>	E	21.60	\$377,099.45	98.55%
444	Silene lanceolata (=Sci name)	<i>Silene lanceolata</i>	E	21.24	\$377,120.70	98.55%
445	Haha	<i>Cyanea acuminata</i>	E	21.10	\$377,141.80	98.56%
445	Pteris lidgatei (=Sci name)	<i>Pteris lidgatei</i>	E	21.10	\$377,162.90	98.56%
447	Amphipod, Illinois cave	<i>Gammarus acheronodus</i>	E	20.80	\$377,183.70	98.57%
448	Thistle, Sacramento Mountains	<i>Cirsium vinaceum</i>	T	20.60	\$377,204.30	98.58%
448	Viola oahuensis (=Sci. Name)	<i>Viola oahuensis</i>	E	20.60	\$377,224.90	98.58%
450	Dudleyea, Santa Monica Mountains	<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>	T	20.50	\$377,245.40	98.59%
450	Milk-vetch, Braunton's	<i>Astragalus brauntonii</i>	E	20.50	\$377,265.90	98.59%
450	Pinkroot, gentian	<i>Spigelia gentianoides</i>	E	20.50	\$377,286.40	98.60%
450	Rhododendron, Chapman	<i>Rhododendron chapmanii</i>	E	20.50	\$377,306.90	98.60%
454	Bladderpod, white	<i>Lesquerella pallida</i>	E	20.30	\$377,327.20	98.61%
455	Pupfish, Owens	<i>Cyprinodon radiosus</i>	E	20.20	\$377,347.40	98.61%
456	Pearlymussel, purple cat's paw	<i>Epioblasma obliquata obliquata</i>	E	20.00	\$377,367.40	98.62%
457	Squirrel, Carolina northern flying	<i>Glaucostomus sabrinus coloratus</i>	E	19.99	\$377,387.39	98.62%
458	Combshell, southern (=penitent mussel)	<i>Epioblasma penita</i>	E	19.88	\$377,407.27	98.63%
459	Shearwater, Newell's Townsend's (formerly Man)	<i>Puffinus auricularis newelli</i>	T	19.81	\$377,427.08	98.63%
460	Lupine, clover	<i>Lupinus tidestromii</i>	E	19.80	\$377,446.88	98.64%
460	Spineflower, Sonoma	<i>Chorizanthe valida</i>	E	19.80	\$377,466.68	98.64%
462	Fanshell	<i>Cyprogenia stegaria</i>	E	19.70	\$377,486.38	98.65%
463	Chub, spotfin (=turquoise shiner)	<i>Cyprinella monacha</i>	T	19.56	\$377,505.94	98.65%
464	Lily, Minnesota trout	<i>Erythronium propullans</i>	E	19.52	\$377,525.46	98.66%
465	Grasshopper, Zayante band-winged	<i>Trimerotropis infantilis</i>	E	19.50	\$377,544.96	98.66%
465	Clarkia, Pismo	<i>Clarkia speciosa</i> ssp. <i>immaculata</i>	E	19.50	\$377,564.46	98.67%
465	Dudleya, Conejo	<i>Dudleya abramsii</i> ssp. <i>parva</i>	T	19.50	\$377,583.96	98.67%
465	Dudleya, Marcescent	<i>Dudleya cymosa</i> ssp. <i>marcescens</i>	T	19.50	\$377,603.46	98.68%
465	Dudleya, Verity's	<i>Dudleya verityi</i>	E	19.50	\$377,622.96	98.69%
465	Gilia, Monterey	<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>	E	19.50	\$377,642.46	98.69%
465	Manzanita, Morro	<i>Arctostaphylos morroensis</i>	T	19.50	\$377,661.96	98.70%
465	Wallflower, Ben Lomond	<i>Erysimum teretifolium</i>	E	19.50	\$377,681.46	98.70%
465	Cypress, Santa Cruz	<i>Cupressus abramsiana</i>	E	19.50	\$377,700.96	98.71%
474	Orcutt grass, Greene's	<i>Tuctoria greenei</i>	E	19.30	\$377,720.26	98.71%
475	Pigtoe, southern	<i>Pleurobema georgianum</i>	E	19.06	\$377,739.31	98.72%
476	Toad, Puerto Rican crested	<i>Peltophryne lemur</i>	T	19.00	\$377,758.31	98.72%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
476	Phlox, Texas trailing	<i>Phlox nivalis</i> ssp. <i>texensis</i>	E	19.00	\$377,777.31	98.73%
476	Silene hawaiiensis (=Sci name)	<i>Silene hawaiiensis</i>	T	19.00	\$377,796.31	98.73%
479	Alsinidendron trinerve (=Sci name)	<i>Alsinidendron trinerve</i>	E	18.90	\$377,815.21	98.74%
480	Bankclimber (mussel), purple	<i>Elliptoideus sloatianus</i>	T	18.82	\$377,834.03	98.74%
481	Beetle, Puritan tiger	<i>Cicindela puritana</i>	T	18.65	\$377,852.68	98.75%
482	Daisy, Maguire	<i>Erigeron maguirei</i> var. <i>maguirei</i>	E	18.60	\$377,871.28	98.75%
483	Gerardia, sandplain	<i>Agalinis acuta</i>	E	18.56	\$377,889.83	98.75%
484	Skullcap, large-flowered	<i>Scutellaria montana</i>	E	18.51	\$377,908.35	98.76%
485	Ha`iwale	<i>Cyrtandra viridiflora</i>	E	18.50	\$377,926.85	98.76%
486	Turtle, ringed map (=sawback)	<i>Graptemys oculifera</i>	T	18.45	\$377,945.30	98.77%
487	Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>	E	18.30	\$377,963.60	98.77%
487	Cactus, Unita Basin hookless	<i>Sclerocactus glaucus</i>	T	18.30	\$377,981.90	98.78%
487	Orcutt grass, hairy (=pilose)	<i>Orcuttia pilosa</i>	E	18.30	\$378,000.20	98.78%
487	Rollandia crispa (=Sci name)	<i>Rollandia crispa</i>	E	18.30	\$378,018.50	98.79%
487	Spurge, Hoover's	<i>Chamaesyce hooveri</i>	T	18.30	\$378,036.80	98.79%
492	`O`o, Kauai (=`o`o `a`a) (honeyeater)	<i>Moho braccatus</i>	E	18.20	\$378,055.00	98.80%
492	Fleabane, Rhizome	<i>Erigeron rhizomatus</i>	T	18.20	\$378,073.20	98.80%
494	Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	E	18.14	\$378,091.34	98.81%
495	Beetle, Hungerford's crawling water	<i>Brychius hungerfordi</i>	E	18.00	\$378,109.34	98.81%
495	Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>	E	18.00	\$378,127.34	98.82%
495	Haha	<i>Cyanea</i> (= <i>Rollandia</i> ) <i>st-johnii</i>	E	18.00	\$378,145.34	98.82%
495	Spineflower, Howell's	<i>Chorizanthe howellii</i>	E	18.00	\$378,163.34	98.83%
499	Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	E	17.90	\$378,181.24	98.83%
500	Koki`o, Cooke's	<i>Kokia cookei</i>	E	17.80	\$378,199.04	98.84%
501	Spiraea, Virginia	<i>Spiraea virginiana</i>	T	17.53	\$378,216.57	98.84%
502	Bat, little Mariana fruit	<i>Pteropus tokudae</i>	E	17.50	\$378,234.07	98.84%
502	Mallard, Mariana	<i>Anas oustaleti</i>	E	17.50	\$378,251.57	98.85%
502	Lagu, Hyan	<i>Serianthes nelsonii</i>	E	17.50	\$378,269.07	98.85%
502	Mountain balm, Indian Knob	<i>Eriodictyon altissimum</i>	E	17.50	\$378,286.57	98.86%
506	Aster, Ruth's golden	<i>Pityopsis ruthii</i>	E	17.30	\$378,303.87	98.86%
507	Lysimachia maxima (=ternifolia) (=Sci. name)	<i>Lysimachia maxima</i> (=tenrnifolia)	E	17.10	\$378,320.97	98.87%
508	Diellia , asplenium-leaved	<i>Diellia erecta</i>	E	17.03	\$378,338.00	98.87%
509	Salamander, Cheat Mountain	<i>Plethodon nettingi</i>	T	16.87	\$378,354.87	98.88%
510	Liliwai	<i>Acaena exigua</i>	E	16.85	\$378,371.72	98.88%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
511	Hau kuahiwi, Hualalai	<i>Hibiscadelphus hualalaiensis</i>	E	16.80	\$378,388.52	98.89%
512	Pink, swamp	<i>Helonias bullata</i>	T	16.75	\$378,405.27	98.89%
513	Mussel, oyster	<i>Epioblasma capsaeformis</i>	E	16.66	\$378,421.92	98.89%
514	Koki`o, Kaua`i	<i>Kokia kauaiensis</i>	E	16.60	\$378,438.52	98.90%
514	Lobelia gaudichaudii ssp. koolauensis , (=Sci. na	<i>Lobelia gaudichaudii</i> var. <i>koolauensis</i>	E	16.60	\$378,455.12	98.90%
516	Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	E	16.50	\$378,471.62	98.91%
516	Acornshell, southern	<i>Epioblasma othcaloogensis</i>	E	16.50	\$378,488.12	98.91%
516	Silversword, Ka`u	<i>Argyroxiphium kauense</i>	E	16.50	\$378,504.62	98.92%
519	Ha`iwale	<i>Cyrtandra subumbellata</i>	E	16.40	\$378,521.02	98.92%
520	Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	T	16.32	\$378,537.34	98.92%
521	Finch, Laysan (honeycreeper)	<i>Telespyza cantans</i>	E	16.30	\$378,553.64	98.93%
521	Haha	<i>Cyanea remyi</i>	E	16.30	\$378,569.94	98.93%
521	Hau kuahiwi	<i>Hibiscadelphus woodii</i>	E	16.30	\$378,586.24	98.94%
521	Koki`o (=hau-hele`ula or Hawaii tree cotton)	<i>Kokia drynarioides</i>	E	16.30	\$378,602.54	98.94%
525	Phyllostegia kaalaensis (=Sci. name)	<i>Phyllostegia kaalaensis</i>	E	16.10	\$378,618.64	98.95%
525	Phyllostegia parviflora (=Sci. name)	<i>Phyllostegia parviflora</i>	E	16.10	\$378,634.74	98.95%
527	Pennyroyal, Todsen's	<i>Hedeoma todsenii</i>	E	16.00	\$378,650.74	98.95%
527	Wawa`iole	<i>Lycopodium nutans</i>	E	16.00	\$378,666.74	98.96%
529	Hala pepe	<i>Pleomele hawaiiensis</i>	E	15.80	\$378,682.54	98.96%
529	Bear-poppy, dwarf	<i>Arctomecon humilis</i>	E	15.80	\$378,698.34	98.97%
531	Madtom, yellowfin	<i>Noturus flavipinnis</i>	T	15.76	\$378,714.10	98.97%
532	Snail, tulotoma (=Alabama live-bearing)	<i>Tulotoma magnifica</i>	E	15.70	\$378,729.80	98.97%
532	Ground-plum, Guthrie's	<i>Astragalus bibullatus</i>	E	15.70	\$378,745.50	98.98%
534	Mussel, ring pink (=golf stick pearly)	<i>Obovaria retusa</i>	E	15.63	\$378,761.13	98.98%
535	Bladderpod, kodachrome	<i>Lesquerella tumulosa</i>	E	15.60	\$378,776.73	98.99%
536	`Akialoa, Kauai (honeycreeper)	<i>Hemignathus procerus</i>	E	15.50	\$378,792.23	98.99%
536	`O`u (honeycreeper)	<i>Psittirostra psittacea</i>	E	15.50	\$378,807.73	98.99%
536	Creeper, Molokai (=kakawahie)	<i>Paroreomyza flammea</i>	E	15.50	\$378,823.23	99.00%
536	Finch, Nihoa (honeycreeper)	<i>Telespyza ultima</i>	E	15.50	\$378,838.73	99.00%
536	Millerbird, Nihoa (old world warbler)	<i>Acrocephalus familiaris kingi</i>	E	15.50	\$378,854.23	99.01%
536	Thrush, large Kauai	<i>Myadestes myadestinus</i>	E	15.50	\$378,869.73	99.01%
536	Thrush, Molokai (=oloma`o)	<i>Myadestes lanaiensis rutha</i>	E	15.50	\$378,885.23	99.02%
536	`Oha	<i>Delissea subcordata</i>	E	15.50	\$378,900.73	99.02%
544	Phyllostegia knudsenii , (=Sci. name)	<i>Phyllostegia knudsenii</i>	E	15.40	\$378,916.13	99.02%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
545	Kauila	<i>Colubrina oppositifolia</i>	E	15.30	\$378,931.43	99.03%
545	Loulu	<i>Pritchardia viscosa</i>	E	15.30	\$378,946.73	99.03%
547	Opuhe	<i>Urera kaalae</i>	E	15.20	\$378,961.93	99.04%
548	Haha	<i>Cyanea grimesiana</i> spp. <i>obatae</i>	E	15.10	\$378,977.03	99.04%
548	Hesperomannia arbuscula (=Sci name)	<i>Hesperomannia arbuscula</i>	E	15.10	\$378,992.13	99.04%
548	Phyllostegia mollis (=Sci name)	<i>Phyllostegia mollis</i>	E	15.10	\$379,007.23	99.05%
551	Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	E	15.04	\$379,022.27	99.05%
552	Alani	<i>Melicope lydgatei</i>	E	15.00	\$379,037.27	99.05%
553	Kamakahala	<i>Labordia cyrtandrae</i>	E	14.80	\$379,052.07	99.06%
553	Mariscus pennatiformis (=Sci name)	<i>Mariscus pennatiformis</i>	E	14.80	\$379,066.87	99.06%
553	Schiedea kaalae (=Sci name)	<i>Schiedea kaalae</i>	E	14.80	\$379,081.67	99.07%
556	Pu`uка'a	<i>Cyperus trachysanthos</i>	E	14.60	\$379,096.27	99.07%
556	Diplazium molokaiense (=Sci name)	<i>Diplazium molokaiense</i>	E	14.60	\$379,110.87	99.07%
558	‘Akoko	<i>Chamaesyce celastroides</i> var. <i>kaenana</i>	E	14.50	\$379,125.37	99.08%
558	‘Awivi	<i>Centaurium sebaeoides</i>	E	14.50	\$379,139.87	99.08%
558	Aupaka	<i>Isodendron laurifolium</i>	E	14.50	\$379,154.37	99.09%
558	Ma`oli`oli	<i>Schiedea kealiae</i>	E	14.50	\$379,168.87	99.09%
558	Silversword, ‘Ahinahina Mauna Kea	<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>	E	14.50	\$379,183.37	99.09%
563	Pearlymussel, birdwing	<i>Conradilla caelata</i>	E	14.36	\$379,197.72	99.10%
564	Bird's-beak, soft	<i>Cordylanthus mollis</i> ssp. <i>mollis</i>	E	14.30	\$379,212.02	99.10%
564	Ha`iwale	<i>Cyrtandra polyantha</i>	E	14.30	\$379,226.32	99.10%
564	Haha	<i>Cyanea truncata</i>	E	14.30	\$379,240.62	99.11%
567	Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>	E	14.25	\$379,254.87	99.11%
568	Lobelia monostachya (=Sci. name)	<i>Lobelia monostachya</i>	E	14.20	\$379,269.07	99.12%
568	Silene perlmanii (=Sci name)	<i>Silene perlmanii</i>	E	14.20	\$379,283.27	99.12%
570	Shrew, Dismal Swamp southeastern	<i>Sorex longirostris fisheri</i>	T	14.10	\$379,297.37	99.12%
570	Darter, duskytail	<i>Etheostoma</i> ( <i>Catonotus</i> ) sp.	E	14.10	\$379,311.47	99.13%
570	Arrowhead, bunched	<i>Sagittaria fasciculata</i>	E	14.10	\$379,325.57	99.13%
570	Cactus, Knowlton	<i>Pediocactus knowltonii</i>	E	14.10	\$379,339.67	99.13%
570	Kamakahala	<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>	E	14.10	\$379,353.77	99.14%
570	Locoweed, Fassett's	<i>Oxytropis campestris</i> var. <i>chartacea</i>	T	14.10	\$379,367.87	99.14%
570	Paintbrush, soft-leaved	<i>Castilleja mollis</i>	E	14.10	\$379,381.97	99.14%
570	Popolo, ku mai (=Popolo, thorny)	<i>Solanum incompletum</i>	E	14.10	\$379,396.07	99.15%
570	Vigna o-wahuensis (=Sci name)	<i>Vigna o-wahuensis</i>	E	14.10	\$379,410.17	99.15%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
579	Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	E	14.00	\$379,424.17	99.16%
579	Turtle, Plymouth redbelly (=red-bellied)	<i>Pseudemys rubriventris bangsi</i>	E	14.00	\$379,438.17	99.16%
579	Beetle, Coffin Cave mold	<i>Batriscodes texanus</i>	E	14.00	\$379,452.17	99.16%
579	Beetle, Kretschmarr Cave mold	<i>Texamaurops reddelli</i>	E	14.00	\$379,466.17	99.17%
579	Beetle, Tooth Cave ground	<i>Rhadine persephone</i>	E	14.00	\$379,480.17	99.17%
579	Harvestman, Bee Creek Cave	<i>Texella reddelli</i>	E	14.00	\$379,494.17	99.17%
579	Harvestman, Bone Cave	<i>Texella reyesi</i>	E	14.00	\$379,508.17	99.18%
579	Pseudoscorpion, Tooth Cave	<i>Microcreagris texana</i>	E	14.00	\$379,522.17	99.18%
579	Spider, Tooth Cave	<i>Leptoneta myopica</i>	E	14.00	\$379,536.17	99.19%
579	`Oha	<i>Delissea rivularis</i>	E	14.00	\$379,550.17	99.19%
579	Haha	<i>Cyanea (=Rollandia) humboldtiana</i>	E	14.00	\$379,564.17	99.19%
579	Haha	<i>Cyanea longiflora</i>	E	14.00	\$379,578.17	99.20%
579	Kolea	<i>Myrsine juddii</i>	E	14.00	\$379,592.17	99.20%
579	Fern, pendant kihi	<i>Adenophorus periens</i>	E	14.00	\$379,606.17	99.20%
593	Nehe	<i>Lipochaeta tenuifolia</i>	E	13.90	\$379,620.07	99.21%
594	Alsinodendron viscosum (=Sci. name)	<i>Alsinidendron viscosum</i>	E	13.80	\$379,633.87	99.21%
595	Frankenia, Johnston's	<i>Frankenia johnstonii</i>	E	13.70	\$379,647.57	99.21%
595	Loulu	<i>Pritchardia schattaueri</i>	E	13.70	\$379,661.27	99.22%
595	Platanthera holochila (=Sci. name)	<i>Platanthera holochila</i>	E	13.70	\$379,674.97	99.22%
598	Achyranthes mutica (=Sci. name)	<i>Achyranthes mutica</i>	E	13.65	\$379,688.62	99.23%
598	Phyllostegia velutina (=Sci. name)	<i>Phyllostegia velutina</i>	E	13.65	\$379,702.27	99.23%
598	Phyllostegia warshawerii (=Sci. name)	<i>Phyllostegia warshawerii</i>	E	13.65	\$379,715.92	99.23%
601	Gouania vitifolia (=Sci name)	<i>Gouania vitifolia</i>	E	13.60	\$379,729.52	99.24%
601	Haha	<i>Cyanea recta</i>	T	13.60	\$379,743.12	99.24%
601	Kolea	<i>Myrsine linearifolia</i>	T	13.60	\$379,756.72	99.24%
604	Ha`iwale	<i>Cyrtandra crenata</i>	E	13.55	\$379,770.27	99.25%
605	Moccasinshell, Coosa	<i>Medionidus parvulus</i>	E	13.50	\$379,783.77	99.25%
605	`Akoko	<i>Chamaesyce deppeana</i>	E	13.50	\$379,797.27	99.25%
605	A`e	<i>Zanthoxylum dipetalum var. tomentosum</i>	E	13.50	\$379,810.77	99.26%
605	Alani	<i>Melicope saint-johnii</i>	E	13.50	\$379,824.27	99.26%
605	Aupaka	<i>Isodendrion longifolium</i>	T	13.50	\$379,837.77	99.26%
605	Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>	E	13.50	\$379,851.27	99.27%
605	Gouania meyenii (=Sci name)	<i>Gouania meyenii</i>	E	13.50	\$379,864.77	99.27%
605	Haha	<i>Cyanea platyphylla</i>	E	13.50	\$379,878.27	99.27%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
605	Koki`oke`oke`o	<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>	E	13.50	\$379,891.77	99.28%
605	Kuawawaenohu	<i>Alsinidendron lychnoides</i>	E	13.50	\$379,905.27	99.28%
605	Laulihilihi (=Ma`oli`oli)	<i>Schiedea stellaroides</i>	E	13.50	\$379,918.77	99.29%
605	Mapele	<i>Cyrtandra cyaneoides</i>	E	13.50	\$379,932.27	99.29%
605	Nani wai`ale`ale	<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>	E	13.50	\$379,945.77	99.29%
605	Phyllostegia wawrana , (=Sci. name)	<i>Phyllostegia wawrana</i>	E	13.50	\$379,959.27	99.30%
605	Schiedea helleri , (=Sci. name)	<i>Schiedea helleri</i>	E	13.50	\$379,972.77	99.30%
605	Schiedea membranacea , (=Sci. name)	<i>Schiedea membranacea</i>	E	13.50	\$379,986.27	99.30%
605	Trematolobelia singularis (=Sci. name)	<i>Trematolobelia singularis</i>	E	13.50	\$379,999.77	99.31%
622	Ma`aloa, Big Island	<i>Neraudia ovata</i>	E	13.40	\$380,013.17	99.31%
623	Pigtoe, Cumberland (=Cumberland pigtoe mussel)	<i>Pleurobema gibberum</i>	E	13.30	\$380,026.47	99.31%
623	Crayfish, Nashville	<i>Orconectes shoupi</i>	E	13.30	\$380,039.77	99.32%
623	Agave, Arizona	<i>Agave arizonica</i>	E	13.30	\$380,053.07	99.32%
626	Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>	E	13.26	\$380,066.33	99.32%
627	Kiponapona	<i>Phyllostegia racemosa</i>	E	13.20	\$380,079.53	99.33%
628	Hedyotis degeneri (=Sci name)	<i>Hedyotis degeneri</i>	E	13.15	\$380,092.68	99.33%
629	Haha	<i>Cyanea pinnatifida</i>	E	13.10	\$380,105.78	99.33%
629	Loulu	<i>Pritchardia napaliensis</i>	E	13.10	\$380,118.88	99.34%
631	Haha	<i>Cyanea dunbarii</i>	E	13.05	\$380,131.93	99.34%
631	Love grass, Fosberg's	<i>Eragrostis fosbergii</i>	E	13.05	\$380,144.98	99.34%
631	Stenogyne kanehoana (=Sci name)	<i>Stenogyne kanehoana</i>	E	13.05	\$380,158.03	99.35%
634	`Anunu	<i>Sicyos alba</i>	E	13.00	\$380,171.03	99.35%
634	`Oha wai	<i>Clermontia drepanomorpha</i>	E	13.00	\$380,184.03	99.35%
634	Alani	<i>Melicope zahlbruckneri</i>	E	13.00	\$380,197.03	99.36%
634	Goldenrod, white-haired	<i>Solidago albopilosus</i>	T	13.00	\$380,210.03	99.36%
634	Lau `ehu	<i>Panicum niihauense</i>	E	13.00	\$380,223.03	99.36%
634	Schiedea kauaiensis (=Sci. name)	<i>Schiedea kauaiensis</i>	E	13.00	\$380,236.03	99.37%
640	Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	E	12.98	\$380,249.01	99.37%
641	Pearlymussel, Cumberland monkeyface	<i>Quadrula intermedia</i>	E	12.76	\$380,261.77	99.37%
642	Loulu	<i>Pritchardia kaalae</i>	E	12.60	\$380,274.37	99.38%
643	`Akoko	<i>Chamaesyce herbstii</i>	E	12.50	\$380,286.87	99.38%
643	`Akoko	<i>Chamaesyce kuwaleana</i>	E	12.50	\$380,299.37	99.38%
643	Abutilon sandwicense (=Sci name)	<i>Abutilon sandwicense</i>	E	12.50	\$380,311.87	99.39%
643	Ipomopsis, Holy Ghost	<i>Ipomopsis sancti-spiritus</i>	E	12.50	\$380,324.37	99.39%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
643	Nehe	<i>Lipochaeta lobata</i> var. <i>leptophylla</i>	E	12.50	\$380,336.87	99.39%
643	<i>Neraudia sericea</i> (=Sci name)	<i>Neraudia sericea</i>	E	12.50	\$380,349.37	99.40%
643	Pamakaní	<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>	E	12.50	\$380,361.87	99.40%
643	Roseroot, Leedy's	<i>Sedum integrifolium</i> ssp. <i>leedyi</i>	T	12.50	\$380,374.37	99.40%
643	<i>Schiedea sarmentosa</i> (=Sci. name)	<i>Schiedea sarmentosa</i>	E	12.50	\$380,386.87	99.41%
643	<i>Asplenium fragile</i> var. <i>insulare</i> (=Sci name)	<i>Asplenium fragile</i> var. <i>insulare</i>	E	12.50	\$380,399.37	99.41%
643	<i>Diellia unisora</i> (=Sci name)	<i>Diellia unisora</i>	E	12.50	\$380,411.87	99.41%
654	Pigtoe, fine-rayed	<i>Fusconaia cuneolus</i>	E	12.46	\$380,424.32	99.42%
655	Darter, goldline	<i>Percina aurolineata</i>	T	12.45	\$380,436.77	99.42%
656	Cliff-rose, Arizona	<i>Purshia subintegra</i>	E	12.40	\$380,449.17	99.42%
657	Lichen, rock gnome	<i>Gymnoderma lineare</i>	E	12.20	\$380,461.37	99.43%
658	Clarkia, Springville	<i>Clarkia springvillensis</i>	T	12.10	\$380,473.47	99.43%
658	Chub, Yaqui	<i>Gila purpurea</i>	E	12.10	\$380,485.57	99.43%
660	Coqui, golden	<i>Eleutherodactylus jasperi</i>	T	12.00	\$380,497.57	99.44%
660	Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	E	12.00	\$380,509.57	99.44%
660	Evening-primrose, Eureka Valley	<i>Oenothera avita</i> ssp. <i>eurekensis</i>	E	12.00	\$380,521.57	99.44%
660	Grass, Eureka Dune	<i>Swallenia alexandrae</i>	E	12.00	\$380,533.57	99.45%
660	Kauai hau kuahiwi	<i>Hibiscadelphus distans</i>	E	12.00	\$380,545.57	99.45%
665	Sedge, Navajo	<i>Carex specuicola</i>	T	11.90	\$380,557.47	99.45%
666	Pocketbook (mussel), shinyrayed	<i>Lampsilis subangulata</i>	E	11.87	\$380,569.35	99.46%
667	Blazingstar, Heller's	<i>Liatris helleri</i>	T	11.60	\$380,580.95	99.46%
668	Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	E	11.50	\$380,592.45	99.46%
668	Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	E	11.50	\$380,603.95	99.46%
668	Cinquefoil, Robbins'	<i>Potentilla robbinsiana</i>	E	11.50	\$380,615.45	99.47%
671	Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>	E	11.30	\$380,626.75	99.47%
672	Madtom, Smoky	<i>Noturus baileyi</i>	E	11.20	\$380,637.95	99.47%
673	Madtom, Scioto	<i>Noturus trautmani</i>	E	11.00	\$380,648.95	99.48%
673	Whitlow-wort, papery	<i>Paronychia chartacea</i>	T	11.00	\$380,659.95	99.48%
675	Turtle, flattened musk	<i>Sternotherus depressus</i>	T	10.89	\$380,670.83	99.48%
676	Trout, Paiute cutthroat	<i>Oncorhynchus clarki seleniris</i>	T	10.80	\$380,681.63	99.48%
677	Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	E	10.67	\$380,692.30	99.49%
678	Pearlymussel, Appalachian monkeyface	<i>Quadrula sparsa</i>	E	10.60	\$380,702.90	99.49%
678	Pearlymussel, dromedary	<i>Dromus dromas</i>	E	10.60	\$380,713.50	99.49%
680	Pearlymussel, tubercled-blossom	<i>Epioblasma torulosa torulosa</i>	E	10.50	\$380,724.00	99.50%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
680	Pitcher-plant, Alabama canebrake	<i>Sarracenia rubra</i> ssp. <i>alabamensis</i>	E	10.50	\$380,734.50	99.50%
682	Pigtoe, shiny	<i>Fusconaia cor</i>	E	10.36	\$380,744.86	99.50%
683	Milk-vetch, Sentry	<i>Astragalus cremophylax</i> var. <i>cremophylax</i>	E	10.30	\$380,755.16	99.50%
684	Poolfish, Pahrump	<i>Empetrichthys latos</i>	E	10.26	\$380,765.42	99.51%
685	Torreya, Florida	<i>Torreya taxifolia</i>	E	10.20	\$380,775.62	99.51%
686	Fern, American hart's-tongue	<i>Asplenium scolopendrium</i> var. <i>americanum</i>	T	10.04	\$380,785.65	99.51%
687	Nightjar, Puerto Rican	<i>Caprimulgus noctitherus</i>	E	10.00	\$380,795.65	99.51%
687	Cactus, bunched cory	<i>Coryphantha ramillosa</i>	T	10.00	\$380,805.65	99.52%
687	Cactus, Lee pincushion	<i>Coryphantha sneedii</i> var. <i>leei</i>	T	10.00	\$380,815.65	99.52%
690	Kio`ele	<i>Hedyotis coriacea</i>	E	9.99	\$380,825.65	99.52%
691	Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	E	9.83	\$380,835.48	99.52%
692	Bean, purple (=Fine-rayed purple pearly mussel)	<i>Villosa perpurpurea</i>	E	9.83	\$380,845.31	99.53%
693	Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	E	9.65	\$380,854.96	99.53%
694	Seal, Caribbean monk	<i>Monachus tropicalis</i>	E	9.60	\$380,864.56	99.53%
694	Townsendia, Last Chance	<i>Townsendia aprica</i>	T	9.60	\$380,874.16	99.53%
696	Pearlymussel, cracking	<i>Hemistena lata</i>	E	9.50	\$380,883.66	99.54%
696	Crayfish, cave [no common name]	<i>Cambarus zophonastes</i>	E	9.50	\$380,893.16	99.54%
696	Warea, wide-leaf	<i>Warea amplexifolia</i>	E	9.50	\$380,902.66	99.54%
699	Haplostachys haplostachya (=Sci name)	<i>Haplostachys haplostachya</i>	E	9.44	\$380,912.10	99.54%
699	Stenogyne angustifolia (=Sci name)	<i>Stenogyne angustifolia</i>	E	9.44	\$380,921.55	99.55%
701	Malcothrix, Santa Cruz Island	<i>Malcothrix indecora</i>	E	9.40	\$380,930.95	99.55%
701	Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>	E	9.40	\$380,940.35	99.55%
701	Phacelia, island	<i>Phacelia insularis</i> var. <i>insularis</i>	E	9.40	\$380,949.75	99.55%
704	Orcutt grass, Sacramento	<i>Orcuttia viscosa</i>	E	9.30	\$380,959.05	99.56%
705	Cactus, Siler pincushion	<i>Pediocactus sileri</i>	T	9.20	\$380,968.25	99.56%
706	Dropwort, Canby's	<i>Oxypolis canbyi</i>	E	9.10	\$380,977.35	99.56%
707	Kangaroo rat, Morro Bay	<i>Dipodomys heermanni morroensis</i>	E	9.00	\$380,986.35	99.56%
707	Iguana, Mona ground	<i>Cyclura stejnegeri</i>	T	9.00	\$380,995.35	99.57%
707	Pearlymussel, pale lilliput	<i>Toxolasma cylindrellus</i>	E	9.00	\$381,004.35	99.57%
707	Cactus, Lloyd's Mariposa	<i>Echinomastus mariposensis</i>	T	9.00	\$381,013.35	99.57%
707	Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>	E	9.00	\$381,022.35	99.57%
707	Centaury, spring-loving	<i>Centaurium namophilum</i>	T	9.00	\$381,031.35	99.58%
707	Geocarpon minimum (=Sci name)	<i>Geocarpon minimum</i>	T	9.00	\$381,040.35	99.58%
707	Hypericum, highlands scrub	<i>Hypericum cumulicola</i>	E	9.00	\$381,049.35	99.58%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
707	Milk-vetch, heliotrope	<i>Astragalus montii</i>	T	9.00	\$381,058.35	99.58%
707	Niterwort, Amargosa	<i>Nitrophila mohavensis</i>	E	9.00	\$381,067.35	99.59%
707	Snakeroot	<i>Eryngium cuneifolium</i>	E	9.00	\$381,076.35	99.59%
707	Cladonia, Florida perforate	<i>Cladonia perforata</i>	E	9.00	\$381,085.35	99.59%
719	Goldfields, Burke's	<i>Lasthenia burkei</i>	E	8.80	\$381,094.15	99.59%
720	Bluet, Roan Mountain	<i>Hedyotis purpurea var. montana</i>	E	8.70	\$381,102.85	99.59%
720	Goldenrod, Blue Ridge	<i>Solidago spithamea</i>	T	8.70	\$381,111.55	99.60%
720	Spurge, Garber's	<i>Chamaesyce garberi</i>	T	8.70	\$381,120.25	99.60%
720	Vetch, Hawaiian	<i>Vicia menziesii</i>	E	8.70	\$381,128.95	99.60%
724	Delissea rhytidosperma (=Sci name)	<i>Delissea rhytidosperma</i>	E	8.50	\$381,137.45	99.60%
724	Heather, mountain golden	<i>Hudsonia montana</i>	T	8.50	\$381,145.95	99.61%
724	Wawae`iole	<i>Huperzia mannii</i>	E	8.50	\$381,154.45	99.61%
727	Loulu	<i>Pritchardia affinis</i>	E	8.40	\$381,162.85	99.61%
728	Whipsnake, (=striped racer) Alameda	<i>Masticophis lateralis euryxanthus</i>	T	8.30	\$381,171.15	99.61%
728	Goldenrod, Short's	<i>Solidago shortii</i>	E	8.30	\$381,179.45	99.61%
730	Pearlymussel, yellow-blossom	<i>Epioblasma florentina florentina</i>	E	8.10	\$381,187.55	99.62%
730	Phacelia, North Park	<i>Phacelia formosa</i>	E	8.10	\$381,195.65	99.62%
732	Daisy, lakeside	<i>Hymenoxys herbacea (=acaulis var. glabra^)</i>	T	8.06	\$381,203.71	99.62%
733	Boa, Mona	<i>Epicrates monensis monensis</i>	T	8.00	\$381,211.71	99.62%
733	Boa, Virgin Islands tree	<i>Epicrates monensis granti</i>	E	8.00	\$381,219.71	99.63%
733	Guajon	<i>Eleutherodactylus cooki</i>	T	8.00	\$381,227.71	99.63%
733	Pigtoe, dark	<i>Pleurobema furvum</i>	E	8.00	\$381,235.71	99.63%
733	Blue-star, Kearney's	<i>Amsonia kearneyana</i>	E	8.00	\$381,243.71	99.63%
733	Cactus, Nichol's Turk's head	<i>Echinocactus horizonthalonius var. nicholii</i>	E	8.00	\$381,251.71	99.63%
733	Haha	<i>Cyanea hamatiflora ssp. carlsonii</i>	E	8.00	\$381,259.71	99.64%
733	Mallow, Peter's Mountain	<i>Iliamna corei</i>	E	8.00	\$381,267.71	99.64%
733	Po`e	<i>Portulaca sclerocarpa</i>	E	8.00	\$381,275.71	99.64%
733	Wire-lettuce, Malheur	<i>Stephanomeria malheurensis</i>	E	8.00	\$381,283.71	99.64%
733	Wireweed	<i>Polygonella basiramia</i>	E	8.00	\$381,291.71	99.64%
744	Rock-cress, shale barren	<i>Arabis serotina</i>	E	7.90	\$381,299.61	99.65%
745	Pearlymussel, white wartyback	<i>Plethobasus cicatricosus</i>	E	7.90	\$381,307.51	99.65%
746	Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>	E	7.50	\$381,315.01	99.65%
746	Viola lanaiensis (=Sci name)	<i>Viola lanaiensis</i>	E	7.50	\$381,322.51	99.65%
748	Lousewort, Furbish	<i>Pedicularis furbishiae</i>	E	7.50	\$381,330.01	99.65%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
749	Sheep, bighorn (Peninsular Ranges pop. in CA)	<i>Ovis canadensis cremnobates</i>	E	7.37	\$381,337.38	99.66%
750	Kaulu	<i>Pteralyxia kauaiensis</i>	E	7.30	\$381,344.68	99.66%
750	Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>	T	7.30	\$381,351.98	99.66%
750	Bush-mallow, San Clemente Island	<i>Malacothamnus clementinus</i>	E	7.30	\$381,359.28	99.66%
750	Grass, Colusa	<i>Neostapfia colusana</i>	T	7.30	\$381,366.58	99.66%
750	Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>	T	7.30	\$381,373.88	99.67%
750	Owl's-clover, fleshy	<i>Castilleja campestris</i> ssp. <i>succulenta</i>	T	7.30	\$381,381.18	99.67%
756	Mustard, Penland alpine fen	<i>Eutrema penlandii</i>	T	7.20	\$381,388.38	99.67%
757	Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	E	7.00	\$381,395.38	99.67%
757	Lizard, St. Croix ground	<i>Ameiva polops</i>	E	7.00	\$381,402.38	99.67%
757	Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>	T	7.00	\$381,409.38	99.67%
757	Blazingstar, Ash Meadows	<i>Mentzelia leucophylla</i>	T	7.00	\$381,416.38	99.68%
757	Cordia bellonis	<i>Cordia bellonis</i>	E	7.00	\$381,423.38	99.68%
757	Eugenia woodburyana (=Sci name)	<i>Eugenia woodburyana</i>	E	7.00	\$381,430.38	99.68%
757	Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>	E	7.00	\$381,437.38	99.68%
757	Gesneria pauciflora (=Sci name)	<i>Gesneria pauciflora</i>	T	7.00	\$381,444.38	99.68%
757	Gumplant, Ash Meadows	<i>Grindelia fraxino-pratensis</i>	T	7.00	\$381,451.38	99.69%
757	Ivesia, Ash Meadows	<i>Ivesia kingii</i> var. <i>eremica</i>	T	7.00	\$381,458.38	99.69%
757	Mahoe	<i>Alectryon macrococcus</i>	E	7.00	\$381,465.38	99.69%
757	Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>	E	7.00	\$381,472.38	99.69%
757	Milk-vetch, Ash meadows	<i>Astragalus phoenix</i>	T	7.00	\$381,479.38	99.69%
757	Rosa, palo de	<i>Ottoschulzia rhodoxylon</i>	E	7.00	\$381,486.38	99.69%
757	Sunray, Ash Meadows	<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>	T	7.00	\$381,493.38	99.70%
757	Vernonia proctorii (=Sci name)	<i>Vernonia proctorii</i>	E	7.00	\$381,500.38	99.70%
773	Ko`oko`olau	<i>Bidens micrantha</i> ssp. <i>kalealaha</i>	E	6.90	\$381,507.28	99.70%
774	Darter, bluemask (=jewel)	<i>Etheostoma</i> (Doration) sp.	E	6.60	\$381,513.88	99.70%
774	Pearlymussel, green-blossom	<i>Epioblasma torulosa gubernaculum</i>	E	6.60	\$381,520.48	99.70%
774	Pearlymussel, turgid-blossom	<i>Epioblasma turgidula</i>	E	6.60	\$381,527.08	99.71%
774	Gilia, Hoffmann's slender-flowered	<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>	E	6.60	\$381,533.68	99.71%
778	Chub, Chihuahua	<i>Gila nigrescens</i>	T	6.50	\$381,540.18	99.71%
778	Pigtoe, rough	<i>Pleurobema plenum</i>	E	6.50	\$381,546.68	99.71%
778	Springsnail, Socorro	<i>Pyrgulopsis neomexicana</i>	E	6.50	\$381,553.18	99.71%
778	Beauty, Harper's	<i>Harperocallis flava</i>	E	6.50	\$381,559.68	99.71%
778	Lead-plant, Crenulate	<i>Amorpha crenulata</i>	E	6.50	\$381,566.18	99.72%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
778	Milkpea, Small's	<i>Galactia smallii</i>	E	6.50	\$381,572.68	99.72%
778	Pawpaw, four-petal	<i>Asimina tetramera</i>	E	6.50	\$381,579.18	99.72%
778	Polygala, tiny	<i>Polygala smallii</i>	E	6.50	\$381,585.68	99.72%
778	Rosemary, Apalachicola	<i>Conradina glabra</i>	E	6.50	\$381,592.18	99.72%
778	Spurge, deltoid	<i>Chamaesyce deltoidea ssp. deltoidea</i>	E	6.50	\$381,598.68	99.72%
788	Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>	T	6.40	\$381,605.08	99.73%
789	<i>Delissea undulata</i> (=Sci name)	<i>Delissea undulata</i>	E	6.30	\$381,611.38	99.73%
789	Beetle, delta green ground	<i>Elaphrus viridis</i>	T	6.30	\$381,617.68	99.73%
789	Butterfly, callippe silverspot	<i>Speyeria callippe callippe</i>	E	6.30	\$381,623.98	99.73%
789	Butterfly, Lange's metalmark	<i>Apodemia mormo langei</i>	E	6.30	\$381,630.28	99.73%
789	Wild-buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>	E	6.30	\$381,636.58	99.73%
794	Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	E	6.10	\$381,642.68	99.74%
794	Primrose, Maguire	<i>Primula maguirei</i>	T	6.10	\$381,648.78	99.74%
796	Button, Mohr's Barbara	<i>Marshallia mohrii</i>	T	6.03	\$381,654.81	99.74%
797	Catfish, Yaqui	<i>Ictalurus pricei</i>	T	6.00	\$381,660.81	99.74%
797	Shiner, beautiful	<i>Cyprinella formosa</i>	T	6.00	\$381,666.81	99.74%
797	`Aiea	<i>Nothocestrum breviflorum</i>	E	6.00	\$381,672.81	99.74%
797	Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>	E	6.00	\$381,678.81	99.75%
797	Bird's-beak, salt marsh	<i>Cordylanthus maritimus ssp. maritimus</i>	E	6.00	\$381,684.81	99.75%
797	Blazingstar, scrub	<i>Liatris ohlingerae</i>	E	6.00	\$381,690.81	99.75%
797	Chumbo, higo	<i>Harrisia portoricensis</i>	T	6.00	\$381,696.81	99.75%
797	Erubia	<i>Solanum drymophilum</i>	E	6.00	\$381,702.81	99.75%
797	Evening-primrose, San Benito	<i>Camissonia benitensis</i>	T	6.00	\$381,708.81	99.75%
797	Manioc, Walker's	<i>Manihot walkerae</i>	E	6.00	\$381,714.81	99.75%
797	Pitaya, Davis' green	<i>Echinocereus viridiflorus var. davisii</i>	E	6.00	\$381,720.81	99.76%
797	Plum, scrub	<i>Prunus geniculata</i>	E	6.00	\$381,726.81	99.76%
797	Spineflower, Monterey	<i>Chorizanthe pungens var. pungens</i>	T	6.00	\$381,732.81	99.76%
797	Tree, pygmy fringe	<i>Chionanthus pygmaeus</i>	E	6.00	\$381,738.81	99.76%
811	Capa rosa	<i>Callicarpa ampla</i>	E	5.80	\$381,744.61	99.76%
811	Chupacallos (=Chupagallos)	<i>Pleodendron macranthum</i>	E	5.80	\$381,750.41	99.76%
813	Sculpin, pygmy	<i>Cottus pygmaeus</i>	T	5.70	\$381,756.11	99.77%
813	Gooseberry, Miccosukee (Florida)	<i>Ribes echinellum</i>	T	5.70	\$381,761.81	99.77%
815	Munroidendron racemosum (=Sci name)	<i>Munroidendron racemosum</i>	E	5.60	\$381,767.41	99.77%
816	Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	T	5.59	\$381,773.00	99.77%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
817	Chub, slender	<i>Erimystax cahni</i>	T	5.56	\$381,778.55	99.77%
818	Chub, Borax Lake	<i>Gila boraxobius</i>	E	5.50	\$381,784.05	99.77%
818	Madtom, pygmy	<i>Noturus stanauli</i>	E	5.50	\$381,789.55	99.77%
818	Chaff-flower, round-leaved	<i>Achyranthes splendens</i> var. <i>rotundata</i>	E	5.50	\$381,795.05	99.78%
821	Butterfly, San Bruno elfin	<i>Callophrys mossii bayensis</i>	E	5.30	\$381,800.35	99.78%
821	Evening-primrose, Antioch Dunes	<i>Oenothera deltoides</i> ssp. <i>howellii</i>	E	5.30	\$381,805.65	99.78%
821	Fiddleneck, Large-flowered	<i>Amsinckia grandiflora</i>	E	5.30	\$381,810.95	99.78%
821	Sunshine, Sonoma (=Stickyseed, Baker's)	<i>Blennosperma bakeri</i>	E	5.30	\$381,816.25	99.78%
821	Trillium, persistent	<i>Trillium persistens</i>	E	5.30	\$381,821.55	99.78%
821	Wallflower, Contra Costa	<i>Erysimum capitatum</i> var. <i>angustatum</i>	E	5.30	\$381,826.85	99.78%
827	Skink, sand	<i>Neoseps reynoldsi</i>	T	5.20	\$381,832.05	99.79%
828	Beaked-rush, Kniekern's	<i>Rhynchospora knieskernii</i>	T	5.10	\$381,837.15	99.79%
829	`Aiaakeakua, popolo	<i>Solanum sandwicense</i>	E	5.03	\$381,842.18	99.79%
830	Snake, Concho water	<i>Nerodia paucimaculata</i>	T	5.00	\$381,847.18	99.79%
830	Darter, slackwater	<i>Etheostoma boschungi</i>	T	5.00	\$381,852.18	99.79%
830	Aristida chaseae (=Sci name)	<i>Aristida chaseae</i>	E	5.00	\$381,857.18	99.79%
830	Bariaco	<i>Trichilia triacantha</i>	E	5.00	\$381,862.18	99.79%
830	Boxwood, Vahl's	<i>Buxus vahlii</i>	E	5.00	\$381,867.18	99.79%
830	Chamaecrista glandulosa var. mirabilis (=Sci	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i>	E	5.00	\$381,872.18	99.80%
830	Goetzea, beautiful (matabuey)	<i>Goetzea elegans</i>	E	5.00	\$381,877.18	99.80%
830	Higuero de Sierra	<i>Crescentia portoricensis</i>	E	5.00	\$381,882.18	99.80%
830	Kuahiwi, laukahi	<i>Plantago hawaiensis</i>	E	5.00	\$381,887.18	99.80%
830	Lyonia truncata var. proctorii (=Sci name)	<i>Lyonia truncata</i> var. <i>proctorii</i>	E	5.00	\$381,892.18	99.80%
830	Mitracarpus maxwelliae (=Sci name)	<i>Mitracarpus maxwelliae</i>	E	5.00	\$381,897.18	99.80%
830	Mitracarpus polycladus (=Sci name)	<i>Mitracarpus polycladus</i>	E	5.00	\$381,902.18	99.80%
830	Pelos del diablo	<i>Aristida portoricensis</i>	E	5.00	\$381,907.18	99.80%
830	Prairie-clover, leafy	<i>Dalea foliosa</i>	E	5.00	\$381,912.18	99.81%
830	Schoepfia arenaria (=Sci name)	<i>Schoepfia arenaria</i>	T	5.00	\$381,917.18	99.81%
845	Cycladenia, Jones	<i>Cycladenia humilis</i> var. <i>jonesii</i>	T	4.90	\$381,922.08	99.81%
846	Uvillo	<i>Eugenia haematoxarpa</i>	E	4.80	\$381,926.88	99.81%
847	Whale, finback	<i>Balaenoptera physalus</i>	E	4.75	\$381,931.63	99.81%
847	Whale, Sei	<i>Balaenoptera borealis</i>	E	4.75	\$381,936.38	99.81%
847	Whale, sperm	<i>Physeter macrocephalus</i> (=catodon)	E	4.75	\$381,941.13	99.81%
850	Barberry, island	<i>Berberis pinnata</i> ssp. <i>insularis</i>	E	4.50	\$381,945.63	99.81%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
850	Lupine, scrub	<i>Lupinus aridorum</i>	E	4.50	\$381,950.13	99.82%
850	Skullcap, Florida	<i>Scutellaria floridana</i>	T	4.50	\$381,954.63	99.82%
853	Riversnail, Anthony's	<i>Atheurnia anthonyi</i>	E	4.42	\$381,959.05	99.82%
854	Palo de jazmin	<i>Styrax portoricensis</i>	E	4.40	\$381,963.45	99.82%
855	Buckwheat, steamboat	<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>	E	4.30	\$381,967.75	99.82%
855	Goldfields, Contra Costa	<i>Lasthenia conjugens</i>	E	4.30	\$381,972.05	99.82%
855	Haha	<i>Cyanea lobata</i>	E	4.30	\$381,976.35	99.82%
855	Diellia pallida (=laciniata) (=Sci name)	<i>Diellia pallida</i> (=laciniata)	E	4.30	\$381,980.65	99.82%
859	Whale, blue	<i>Balaenoptera musculus</i>	E	4.25	\$381,984.90	99.83%
860	Shagreen, Magazine Mountain	<i>Mesodon magazinensis</i>	T	4.10	\$381,989.00	99.83%
860	Haha	<i>Cyanea stictophylla</i>	E	4.10	\$381,993.10	99.83%
860	Ischaemum, Hilo	<i>Ischaemum byrone</i>	E	4.10	\$381,997.20	99.83%
860	Kamakahala	<i>Labordia lydgatei</i>	E	4.10	\$382,001.30	99.83%
860	Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>	E	4.10	\$382,005.40	99.83%
865	Naucorid, Ash Meadows	<i>Ambrysus amargosus</i>	T	4.00	\$382,009.40	99.83%
865	Isopod, Lee County cave	<i>Lirceus usdagalun</i>	E	4.00	\$382,013.40	99.83%
865	A`e	<i>Zanthoxylum hawaiiense</i>	E	4.00	\$382,017.40	99.83%
865	Alani	<i>Melicope haupuensis</i>	E	4.00	\$382,021.40	99.83%
865	Alani	<i>Melicope quadrangularis</i>	E	4.00	\$382,025.40	99.84%
865	Auerodendron pauciflorum (=Sci name)	<i>Auerodendron pauciflorum</i>	E	4.00	\$382,029.40	99.84%
865	Bluegrass, San Bernardino	<i>Poa atropurpurea</i>	E	4.00	\$382,033.40	99.84%
865	Calyptranthes thomasiana (=Sci name)	<i>Calyptranthes thomasiana</i>	E	4.00	\$382,037.40	99.84%
865	Cyanea undulata (=Sci name)	<i>Cyanea undulata</i>	E	4.00	\$382,041.40	99.84%
865	Haha	<i>Cyanea asarifolia</i>	E	4.00	\$382,045.40	99.84%
865	Lepanthes eltoroensis (=Sci name)	<i>Lepanthes eltoroensis</i>	E	4.00	\$382,049.40	99.84%
865	Leptocereus grantianus (=Sci name)	<i>Leptocereus grantianus</i>	E	4.00	\$382,053.40	99.84%
865	Makou	<i>Peucedanum sandwicense</i>	T	4.00	\$382,057.40	99.84%
865	Negra, cobana	<i>Stahlia monosperma</i>	T	4.00	\$382,061.40	99.85%
865	Palo de Nigua	<i>Cornutia obovata</i>	E	4.00	\$382,065.40	99.85%
865	Peperomia, Wheeler's	<i>Peperomia wheeleri</i>	E	4.00	\$382,069.40	99.85%
865	Phyllostegia waimeae (=Sci name)	<i>Phyllostegia waimeae</i>	E	4.00	\$382,073.40	99.85%
865	Poa siphonoglossa (=Sci name)	<i>Poa siphonoglossa</i>	E	4.00	\$382,077.40	99.85%
865	Stenogyne campanulata (=Sci name)	<i>Stenogyne campanulata</i>	E	4.00	\$382,081.40	99.85%
865	Ternstroemia subsessilis (=Sci name)	<i>Ternstroemia subsessilis</i>	E	4.00	\$382,085.40	99.85%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
865	Xylosma crenatum (=Sci name)	Xylosma crenatum	E	4.00	\$382,089.40	99.85%
886	Spider, spruce-fir moss	Microhexura montivaga	E	3.90	\$382,093.30	99.85%
887	Dace, Kendall Warm Springs	Rhinichthys osculus thermalis	E	3.80	\$382,097.10	99.85%
887	Darter, bayou	Etheostoma rubrum	T	3.80	\$382,100.90	99.86%
887	Palo Colorado	Ternstroemia luquillensis	E	3.80	\$382,104.70	99.86%
890	Fatmucket, Arkansas	Lampsilis powelli	T	3.70	\$382,108.40	99.86%
891	Pigtoe, heavy (=Judge Tait's mussel)	Pleurobema taitianum	E	3.70	\$382,112.10	99.86%
892	Snail, flat-spined three-toothed	Triodopsis platysayoides	T	3.67	\$382,115.76	99.86%
893	Ha`iwale	Cyrtandra limahuliensis	T	3.65	\$382,119.41	99.86%
894	Heau	Exocarpos luteolus	E	3.60	\$382,123.01	99.86%
894	Viola helenae (=Sci name)	Viola helenae	E	3.60	\$382,126.61	99.86%
896	Haha	Cyanea shipmannii	E	3.55	\$382,130.16	99.86%
897	Springsnail, Alamosa	Tryonia alamosae	E	3.50	\$382,133.66	99.86%
897	`Aiea	Nothocestrum peltatum	E	3.50	\$382,137.16	99.86%
897	`Oha wai	Clermontia peleana	E	3.50	\$382,140.66	99.87%
897	`Oha wai	Clermontia pyrularia	E	3.50	\$382,144.16	99.87%
897	Alani	Melicope knudsenii	E	3.50	\$382,147.66	99.87%
897	Alani	Melicope pallida	E	3.50	\$382,151.16	99.87%
897	Bluegrass, Hawaiian	Poa sandvicensis	E	3.50	\$382,154.66	99.87%
897	Bluegrass, Mann's	Poa mannii	E	3.50	\$382,158.16	99.87%
897	Chamaesyce halemanui (=Sci name)	Chamaesyce halemanui	E	3.50	\$382,161.66	99.87%
897	Dubautia latifolia (=Sci name)	Dubautia latifolia	E	3.50	\$382,165.16	99.87%
897	Ha`iwale	Cyrtandra tintinnabula	E	3.50	\$382,168.66	99.87%
897	Haha	Cyanea copelandii ssp. copelandii	E	3.50	\$382,172.16	99.87%
897	Hesperomannia lydgatei (=Sci name)	Hesperomannia lydgatei	E	3.50	\$382,175.66	99.87%
897	Holei	Ochrosia kilaueaensis	E	3.50	\$382,179.16	99.88%
897	Iliau, dwarf	Wilkesia hobdyi	E	3.50	\$382,182.66	99.88%
897	Lysimachia filifolia (=Sci name)	Lysimachia filifolia	E	3.50	\$382,186.16	99.88%
897	Mint, Garrett's (=scrub, in part)	Dicerandra christmanii	E	3.50	\$382,189.66	99.88%
897	Mint, scrub	Dicerandra frutescens	E	3.50	\$382,193.16	99.88%
897	Mustard, Carter's	Warea carteri	E	3.50	\$382,196.66	99.88%
897	Nehe	Lipochaeta fauriei	E	3.50	\$382,200.16	99.88%
897	Nehe	Lipochaeta micrantha	E	3.50	\$382,203.66	99.88%
897	Nehe	Lipochaeta waimeaeensis	E	3.50	\$382,207.16	99.88%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
897	Panicgrass, Carter's	<i>Panicum fauriei</i> var. <i>carteri</i>	E	3.50	\$382,210.66	99.88%
897	Pawpaw, Rugel's	<i>Deeringothamnus rugelii</i>	E	3.50	\$382,214.16	99.89%
897	Remya kauaiensis (=Sci name)	<i>Remya kauaiensis</i>	E	3.50	\$382,217.66	99.89%
897	Remya montgomeryi (=Sci name)	<i>Remya montgomeryi</i>	E	3.50	\$382,221.16	99.89%
897	Schiedea, Diamond Head	<i>Schiedea adamantis</i>	E	3.50	\$382,224.66	99.89%
897	Ziziphus, florida	<i>Ziziphus celata</i>	E	3.50	\$382,228.16	99.89%
897	Ihi` ihi	<i>Marsilea villosa</i>	E	3.50	\$382,231.66	99.89%
897	Tectaria estremerana (=Sci name)	<i>Tectaria estremerana</i>	E	3.50	\$382,235.16	99.89%
927	Phacelia, clay	<i>Phacelia argillacea</i>	E	3.40	\$382,238.56	99.89%
928	Chub, Mohave tui	<i>Gila bicolor mohavensis</i>	E	3.30	\$382,241.86	99.89%
928	Aupaka	<i>Isodendrion hosakae</i>	E	3.30	\$382,245.16	99.89%
928	Bedstraw, El Dorado	<i>Galium californicum</i> ssp. <i>sierrae</i>	E	3.30	\$382,248.46	99.89%
928	Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>	E	3.30	\$382,251.76	99.89%
928	Cyanea macrostegia ssp. gibsonii (=Sci name)	<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>	E	3.30	\$382,255.06	99.90%
928	Dogweed, ashy	<i>Thymophylla tephroleuca</i>	E	3.30	\$382,258.36	99.90%
928	Flannelbush, Pine Hill	<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>	E	3.30	\$382,261.66	99.90%
928	Manzanita, pallid	<i>Arctostaphylos pallida</i>	T	3.30	\$382,264.96	99.90%
928	Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>	E	3.30	\$382,268.26	99.90%
928	Navarretia, many-flowered	<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>	E	3.30	\$382,271.56	99.90%
928	Stenogyne bifida (=Sci name)	<i>Stenogyne bifida</i>	E	3.30	\$382,274.86	99.90%
939	Loulu	<i>Pritchardia munroi</i>	E	3.25	\$382,278.11	99.90%
940	Curlew, Eskimo	<i>Numenius borealis</i>	E	3.20	\$382,281.31	99.90%
941	Rattleweed, hairy	<i>Baptisia arachnifera</i>	E	3.17	\$382,284.48	99.90%
942	Lipochaeta venosa (=Sci name)	<i>Lipochaeta venosa</i>	E	3.15	\$382,287.63	99.90%
942	Tetramolopium arenarium (=Sci name)	<i>Tetramolopium arenarium</i>	E	3.15	\$382,290.78	99.91%
944	Gahnia lanaiensis (=Sci name)	<i>Gahnia lanaiensis</i>	E	3.10	\$382,293.88	99.91%
944	Haha	<i>Cyanea procera</i>	E	3.10	\$382,296.98	99.91%
944	Remya, Maui	<i>Remya mauiensis</i>	E	3.10	\$382,300.08	99.91%
947	Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>	T	3.05	\$382,303.13	99.91%
948	`Awiwi	<i>Hedyotis cookiana</i>	E	3.00	\$382,306.13	99.91%
948	`Oha wai	<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>	E	3.00	\$382,309.13	99.91%
948	`Oha wai	<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>	E	3.00	\$382,312.13	99.91%
948	Abutilon eremitopetalum (=Sci name)	<i>Abutilon eremitopetalum</i>	E	3.00	\$382,315.13	99.91%
948	Alani	<i>Melicope adscendens</i>	E	3.00	\$382,318.13	99.91%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
948	Alani	<i>Melicope mucronulata</i>	E	3.00	\$382,321.13	99.91%
948	Alani	<i>Melicope ovalis</i>	E	3.00	\$382,324.13	99.91%
948	Amaranthus brownii (=Sci. name)	<i>Amaranthus brownii</i>	E	3.00	\$382,327.13	99.91%
948	Bedstraw, island	<i>Galium buxifolium</i>	E	3.00	\$382,330.13	99.92%
948	Cactus, star	<i>Astrophytum asterias</i>	E	3.00	\$382,333.13	99.92%
948	Ha`iwale	<i>Cyrtandra giffardii</i>	E	3.00	\$382,336.13	99.92%
948	Ha`iwale	<i>Cyrtandra munroi</i>	E	3.00	\$382,339.13	99.92%
948	Hibiscus, Clay's	<i>Hibiscus clayi</i>	E	3.00	\$382,342.13	99.92%
948	Ko`oloa`ula	<i>Abutilon menziesii</i>	E	3.00	\$382,345.13	99.92%
948	Leather flower, Alabama	<i>Clematis socialis</i>	E	3.00	\$382,348.13	99.92%
948	Mariscus fauriei (=Sci name)	<i>Mariscus fauriei</i>	E	3.00	\$382,351.13	99.92%
948	Myrcia paganii (=Sci name)	<i>Myrcia paganii</i>	E	3.00	\$382,354.13	99.92%
948	Palo de Ramon	<i>Banara vanderbiltii</i>	E	3.00	\$382,357.13	99.92%
948	Phyllostegia glabra var. lanaiensis (=Sci nam	<i>Phyllostegia glabra var. lanaensis</i>	E	3.00	\$382,360.13	99.92%
948	Phyllostegia mannii (=Sci name)	<i>Phyllostegia mannii</i>	E	3.00	\$382,363.13	99.92%
948	Rock-cress, Hoffmann's	<i>Arabis hoffmannii</i>	E	3.00	\$382,366.13	99.92%
948	Rush-rose, island	<i>Helianthemum greenei</i>	T	3.00	\$382,369.13	99.93%
948	Sandlace	<i>Polygonella myriophylla</i>	E	3.00	\$382,372.13	99.93%
948	Tetramolopium remyi (=Sci name)	<i>Tetramolopium remyi</i>	E	3.00	\$382,375.13	99.93%
948	Wahane (=Hawane or loulu)	<i>Pritchardia aylmer-robinsonii</i>	E	3.00	\$382,378.13	99.93%
973	Piperia, Yadon's	<i>Piperia yadonii</i>	E	2.90	\$382,381.03	99.93%
974	<i>Ilex sibiricoides</i> (=Sci name)	<i>Ilex sibiricoides</i>	E	2.80	\$382,383.83	99.93%
974	Pilo	<i>Hedyotis mannii</i>	E	2.80	\$382,386.63	99.93%
976	Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	E	2.75	\$382,389.38	99.93%
977	Naupaka, dwarf	<i>Scaevola coriacea</i>	E	2.70	\$382,392.08	99.93%
978	Skink, bluetail mole	<i>Eumeces egregius lividus</i>	T	2.60	\$382,394.68	99.93%
978	Cactus, Chisos Mtn. hedgehog	<i>Echinocereus chisoensis var. chisoensis</i>	T	2.60	\$382,397.28	99.93%
978	Pamakani	<i>Tetramolopium capillare</i>	E	2.60	\$382,399.88	99.93%
978	Silene alexandri (=Sci name)	<i>Silene alexandri</i>	E	2.60	\$382,402.48	99.93%
982	Buckwheat, cushenbury	<i>Eriogonum ovalifolium var. vineum</i>	E	2.55	\$382,405.03	99.93%
983	Duck, Laysan	<i>Anas laysanensis</i>	E	2.50	\$382,407.53	99.94%
983	`Akoko, Ewa Plains	<i>Chamaesyce skottsbergii var. kalaaloana</i>	E	2.50	\$382,410.03	99.94%
983	`Awikiwiki	<i>Canavalia molokaiensis</i>	E	2.50	\$382,412.53	99.94%
983	`Olulu	<i>Brighamia insignis</i>	E	2.50	\$382,415.03	99.94%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
983	Alani	<i>Melicope balloui</i>	E	2.50	\$382,417.53	99.94%
983	Alani	<i>Melicope reflexa</i>	E	2.50	\$382,420.03	99.94%
983	Birds-in-a-nest, white	<i>Macbridea alba</i>	T	2.50	\$382,422.53	99.94%
983	Bush-mallow, Santa Cruz Island	<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>	E	2.50	\$382,425.03	99.94%
983	Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>	E	2.50	\$382,427.53	99.94%
983	Dubautia pauciflorula (=Sci name)	<i>Dubautia pauciflorula</i>	E	2.50	\$382,430.03	99.94%
983	Fringepod (=lacepod), Santa Cruz Island	<i>Thysanocarpus conchuliferus</i>	E	2.50	\$382,432.53	99.94%
983	Gouania hillebrandii (=Sci name)	<i>Gouania hillebrandii</i>	E	2.50	\$382,435.03	99.94%
983	Haha	<i>Cyanea mannii</i>	E	2.50	\$382,437.53	99.94%
983	Haha	<i>Cyanea mceldowneyi</i>	E	2.50	\$382,440.03	99.94%
983	Hedyotis, Na Pali beach	<i>Hedyotis st.-johnii</i>	E	2.50	\$382,442.53	99.94%
983	Ko`oko`olau	<i>Bidens wiebkei</i>	E	2.50	\$382,445.03	99.95%
983	Koki`oke`oke`o	<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>	E	2.50	\$382,447.53	99.95%
983	Kula, wahine noho	<i>Isodendrion pyrifolium</i>	E	2.50	\$382,450.03	99.95%
983	Lysimachia lydgatei (=Sci name)	<i>Lysimachia lydgatei</i>	E	2.50	\$382,452.53	99.95%
983	Ma`oli`oli	<i>Schiedea apokremnos</i>	E	2.50	\$382,455.03	99.95%
983	Malacothrix, island	<i>Malacothrix squalida</i>	E	2.50	\$382,457.53	99.95%
983	Nehe	<i>Lipochaeta kamolensis</i>	E	2.50	\$382,460.03	99.95%
983	Nohoanu	<i>Geranium multiflorum</i>	E	2.50	\$382,462.53	99.95%
983	Pau`ala	<i>Brighamia rockii</i>	E	2.50	\$382,465.03	99.95%
983	Pritchardia remota (=Sci name)	<i>Pritchardia remota</i>	E	2.50	\$382,467.53	99.95%
983	Sandalwood, Lanai or `iliahi	<i>Santalum freycinetianum</i> var. <i>lanaiense</i>	E	2.50	\$382,470.03	99.95%
983	Schiedea haleakalensis (=Sci name)	<i>Schiedea haleakalensis</i>	E	2.50	\$382,472.53	99.95%
983	Schiedea lydgatei (=Sci name)	<i>Schiedea lydgatei</i>	E	2.50	\$382,475.03	99.95%
983	Schiedea spergulina var. leiopoda (=Sci name)	<i>Schiedea spergulina</i> var. <i>leiopoda</i>	E	2.50	\$382,477.53	99.95%
983	Schiedea spergulina var. spergulina (=Sci name)	<i>Schiedea spergulina</i> var. <i>spergulina</i>	T	2.50	\$382,480.03	99.95%
983	Schiedea verticillata (=Sci name)	<i>Schiedea verticillata</i>	E	2.50	\$382,482.53	99.96%
983	Silversword, Haleakala ('ahinahina)	<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>	E	2.50	\$382,485.03	99.96%
983	Spurge, telephus	<i>Euphorbia telephioides</i>	T	2.50	\$382,487.53	99.96%
983	Tetramolopium rockii (=Sci name)	<i>Tetramolopium rockii</i>	T	2.50	\$382,490.03	99.96%
983	Elaphoglossum serpens (=Sci name)	<i>Elaphoglossum serpens</i>	E	2.50	\$382,492.53	99.96%
983	Polystichum calderonense (=Sci name)	<i>Polystichum calderonense</i>	E	2.50	\$382,495.03	99.96%
983	Quillwort, mat-forming	<i>Isoetes tegetiformans</i>	E	2.50	\$382,497.53	99.96%
983	Thelypteris inabonensis (=Sci name)	<i>Thelypteris inabonensis</i>	E	2.50	\$382,500.03	99.96%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
983	Thelypteris verecunda (=Sci name)	Thelypteris verecunda	E	2.50	\$382,502.53	99.96%
983	Thelypteris yaucoensis (=Sci name)	Thelypteris yaucoensis	E	2.50	\$382,505.03	99.96%
1023	Grass, Solano	Tuctoria mucronata	E	2.30	\$382,507.33	99.96%
1023	Thistle, Suisun	Cirsium hydrophilum var. hydrophilum	E	2.30	\$382,509.63	99.96%
1025	Pigtoe, flat (=Marshall's mussel)	Pleurobema marshalli	E	2.22	\$382,511.85	99.96%
1025	Stirrupshell	Quadrula stapes	E	2.22	\$382,514.07	99.96%
1027	Shiner, Cahaba	Notropis cahabae	E	2.20	\$382,516.27	99.96%
1027	Fern, Alabama streak-sorus	Thelypteris pilosa var. alabamensis	T	2.20	\$382,518.47	99.96%
1029	Bladderpod, San Bernardino Mountains	Lesquerella kingii ssp. bernardina	E	2.05	\$382,520.52	99.97%
1029	Daisy, Parish's	Erigeron parishii	T	2.05	\$382,522.56	99.97%
1029	Milk-vetch, Cushmanbury	Astragalus albens	E	2.05	\$382,524.61	99.97%
1029	Oxytheca, cushenbury	Oxytheca parishii var. goodmaniana	E	2.05	\$382,526.66	99.97%
1033	Rice rat (=silver rice rat)	Oryzomys palustris natator	E	2.00	\$382,528.66	99.97%
1033	Vole, Amargosa	Microtus californicus scirpensis	E	2.00	\$382,530.66	99.97%
1033	Sparrow, San Clemente sage	Amphispiza bellii clementae	T	2.00	\$382,532.66	99.97%
1033	Salamander, desert slender	Batrachoseps aridus	E	2.00	\$382,534.66	99.97%
1033	Beetle, Mount Hermon June	Polyphylla barbata	E	2.00	\$382,536.66	99.97%
1033	Butterfly, Smith's blue	Euphilotes enoptes smithi	E	2.00	\$382,538.66	99.97%
1033	Crayfish, cave [no common name]	Cambarus aculabrum	E	2.00	\$382,540.66	99.97%
1033	Ayenia, Texas	Ayenia limitaris	E	2.00	\$382,542.66	99.97%
1033	Broom, San Clemente Island	Lotus dendroideus ssp. traskiae	E	2.00	\$382,544.66	99.97%
1033	Clover, Monterey (=Del Monte)	Trifolium trichocalyx	E	2.00	\$382,546.66	99.97%
1033	Cranichis ricartii (=Sci name)	Cranichis ricartii	E	2.00	\$382,548.66	99.97%
1033	Crownbeard, big-leaved	Verbesina dissita	T	2.00	\$382,550.66	99.97%
1033	Dudleya, Santa Cruz Island	Dudleya nesiotica	T	2.00	\$382,552.66	99.97%
1033	Holly, Cook's	Ilex cookii	E	2.00	\$382,554.66	99.97%
1033	Larkspur, San Clemente Island	Delphinium variegatum ssp. kinkiense	E	2.00	\$382,556.66	99.97%
1033	Milk-vetch, coastal dunes	Astragalus tener var. titi	E	2.00	\$382,558.66	99.98%
1033	Mountain-mahogany, Catalina Island	Cercocarpus traskiae	E	2.00	\$382,560.66	99.98%
1033	Potentilla, Hickman's	Potentilla hickmanii	E	2.00	\$382,562.66	99.98%
1033	Seablite, California	Suaeda californica	E	2.00	\$382,564.66	99.98%
1033	Water-plantain, Kral's	Sagittaria secundifolia	T	2.00	\$382,566.66	99.98%
1033	Cypress, Gowen	Cupressus goveniana ssp. goveniana	T	2.00	\$382,568.66	99.98%
1054	Pussypaws, Mariposa	Calyptidium pulchellum	T	1.90	\$382,570.56	99.98%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
1055	Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>	T	1.80	\$382,572.36	99.98%
1055	Alopecurus, Sonoma	<i>Alopecurus aequalis</i> var. <i>sonomensis</i>	E	1.80	\$382,574.16	99.98%
1055	Butterwort, Godfrey's	<i>Pinguicula ionantha</i>	T	1.80	\$382,575.96	99.98%
1055	Clover, showy Indian	<i>Trifolium amoenum</i>	E	1.80	\$382,577.76	99.98%
1059	Taraxacum, California	<i>Taraxacum californicum</i>	E	1.70	\$382,579.46	99.98%
1060	Reed-mustard, Barneby	<i>Schoenocrambe barnebyi</i>	E	1.60	\$382,581.06	99.98%
1061	Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>	T	1.50	\$382,582.56	99.98%
1061	Cactus, Key tree	<i>Pilosocereus robinii</i>	E	1.50	\$382,584.06	99.98%
1061	Gourd, Okeechobee	<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>	E	1.50	\$382,585.56	99.98%
1061	Harebells, Avon Park	<i>Crotalaria avonensis</i>	E	1.50	\$382,587.06	99.98%
1061	Polygala, Lewton's	<i>Polygala lewtonii</i>	E	1.50	\$382,588.56	99.98%
1061	Snowbells, Texas	<i>Styrax texana</i>	E	1.50	\$382,590.06	99.98%
1061	Quillwort, black spored	<i>Isoetes melanospora</i>	E	1.50	\$382,591.56	99.98%
1068	Water-willow, Cooley's	<i>Justicia cooleyi</i>	E	1.32	\$382,592.88	99.98%
1069	Warbler, Bachman's	<i>Vermivora bachmanii</i>	E	1.30	\$382,594.18	99.98%
1069	Allocarya, Calistoga	<i>Plagiobothrys strictus</i>	E	1.30	\$382,595.48	99.98%
1069	Barberry, Truckee	<i>Berberis sonnei</i>	E	1.30	\$382,596.78	99.98%
1069	Bluegrass, Napa	<i>Poa napensis</i>	E	1.30	\$382,598.08	99.99%
1069	Brodiaea, Chinese Camp	<i>Brodiaea pallida</i>	T	1.30	\$382,599.38	99.99%
1069	Checker-mallow, Kenwood Marsh	<i>Sidalcea oregana</i> ssp. <i>valida</i>	E	1.30	\$382,600.68	99.99%
1069	Clarkia, Vine Hill	<i>Clarkia imbricata</i>	E	1.30	\$382,601.98	99.99%
1069	Lessingia, San Francisco	<i>Lessingia germanorum</i> (= <i>L. g.</i> var. <i>germanorum</i> )	E	1.30	\$382,603.28	99.99%
1069	Lily, Pitkin Marsh	<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>	E	1.30	\$382,604.58	99.99%
1069	Manzanita, Presido (=Raven's)	<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>	E	1.30	\$382,605.88	99.99%
1069	Meadowfoam, Butte County	<i>Limnanthes floccosa</i> ssp. <i>californica</i>	E	1.30	\$382,607.18	99.99%
1069	Meadowfoam, Sebastopol	<i>Limnanthes vinculans</i>	E	1.30	\$382,608.48	99.99%
1069	Milk-vetch, Clara Hunt's	<i>Astragalus clarianus</i>	E	1.30	\$382,609.78	99.99%
1069	Navarretia, few-flowered	<i>Navarretia leucocephala</i> ssp. <i>pauciflora</i>	E	1.30	\$382,611.08	99.99%
1069	Sedge, white	<i>Carex albida</i>	E	1.30	\$382,612.38	99.99%
1069	Stonecrop, Lake County	<i>Parvisedum leiocarpum</i>	E	1.30	\$382,613.68	99.99%
1069	Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>	E	1.30	\$382,614.98	99.99%
1069	Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>	T	1.30	\$382,616.28	99.99%
1069	Thistle, Loch Lomond coyote	<i>Eryngium constancei</i>	E	1.30	\$382,617.58	99.99%
1069	Vervain, Red Hills	<i>Verbena californica</i>	T	1.30	\$382,618.88	99.99%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
1089	Whale, bowhead	<i>Balaena mysticetus</i>	E	1.25	\$382,620.13	99.99%
1090	Darter, watercress	<i>Etheostoma nuchale</i>	E	1.20	\$382,621.33	99.99%
1090	Silverside, Waccamaw	<i>Menidia extensa</i>	T	1.20	\$382,622.53	99.99%
1090	Buttercup, autumn	<i>Ranunculus acriformis</i> var. <i>aestivalis</i>	E	1.20	\$382,623.73	99.99%
1093	Bulrush, Northeastern (=barbed bristle)	<i>Scirpus ancistrochaetus</i>	E	1.17	\$382,624.89	99.99%
1094	Clubshell, black (=Curtus' mussel)	<i>Pleurobema curtum</i>	E	1.13	\$382,626.02	99.99%
1095	Cougar, eastern	<i>Felis concolor couguar</i>	E	1.10	\$382,627.12	99.99%
1095	Cactus, Cochise pincushion	<i>Coryphantha robbinsorum</i>	T	1.10	\$382,628.22	99.99%
1097	Gambusia, Clear Creek	<i>Gambusia heterochir</i>	E	1.00	\$382,629.22	99.99%
1097	Shiner, Palezone	<i>Notropis</i> sp.	E	1.00	\$382,630.22	99.99%
1097	Three-ridge (mussel), fat	<i>Amblema neislerii</i>	E	1.00	\$382,631.22	99.99%
1097	Marstonia (snail), royal (=obese)	<i>Pyrgulopsis ogmoraphe</i>	E	1.00	\$382,632.22	99.99%
1097	Snail, painted snake coiled forest	<i>Anguispira picta</i>	T	1.00	\$382,633.22	99.99%
1097	Bonamia, Florida	<i>Bonamia grandiflora</i>	T	1.00	\$382,634.22	99.99%
1097	Buckwheat, scrub	<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>	T	1.00	\$382,635.22	100.00%
1097	Cactus, black lace	<i>Echinocereus reichenbachii</i> var. <i>albertii</i>	E	1.00	\$382,636.22	100.00%
1097	Cactus, Lloyd's hedgehog	<i>Echinocereus lloydii</i>	E	1.00	\$382,637.22	100.00%
1097	Cactus, Nellie cory	<i>Escobaria minima</i>	E	1.00	\$382,638.22	100.00%
1097	Cat's-eye, Terlingua Creek	<i>Cryptantha crassipes</i>	E	1.00	\$382,639.22	100.00%
1097	Liveforever, Santa Barbara Island	<i>Dudleya traskiae</i>	E	1.00	\$382,640.22	100.00%
1097	Mint, Lakela's	<i>Dicerandra immaculata</i>	E	1.00	\$382,641.22	100.00%
1097	Wild-buckwheat, gypsum	<i>Eriogonum gypsophilum</i>	T	1.00	\$382,642.22	100.00%
1111	Pocketbook, speckled	<i>Lampsilis streckeri</i>	E	0.80	\$382,643.02	100.00%
1111	Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>	E	0.80	\$382,643.82	100.00%
1113	Rock-cress	<i>Arabis perstellata</i>	E	0.70	\$382,644.52	100.00%
1114	Reed-mustard, clay	<i>Schoenocrambe argillacea</i>	T	0.60	\$382,645.12	100.00%
1114	Ridge-cress (=pepper-cress), Barneby	<i>Lepidium barnebyanum</i>	E	0.60	\$382,645.72	100.00%
1114	Rosemary, Cumberland	<i>Conradina verticillata</i>	T	0.60	\$382,646.32	100.00%
1117	Darter, Maryland	<i>Etheostoma sellare</i>	E	0.50	\$382,646.82	100.00%
1117	Butterfly, Behren's silverspot	<i>Speyeria zerene behrensii</i>	E	0.50	\$382,647.32	100.00%
1117	Butterfly, lotis blue	<i>Lycaeides argyrogynomon lotis</i>	E	0.50	\$382,647.82	100.00%
1117	Aster, Florida golden	<i>Chrysopsis floridana</i>	E	0.50	\$382,648.32	100.00%
1117	Beargrass, Britton's	<i>Nolina brittoniana</i>	E	0.50	\$382,648.82	100.00%
1117	Bellflower, Brooksville	<i>Campanula robbinsiae</i>	E	0.50	\$382,649.32	100.00%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
1117	Jacquemontia, beach	<i>Jacquemontia reclinata</i>	E	0.50	\$382,649.82	100.00%
1117	Mint, longspurred	<i>Dicerandra cornutissima</i>	E	0.50	\$382,650.32	100.00%
1117	Pawpaw, beautiful	<i>Deeringothamnus pulchellus</i>	E	0.50	\$382,650.82	100.00%
1117	Prickly-apple, fragrant	<i>Cereus eriophorus</i> var. <i>fragrans</i>	E	0.50	\$382,651.32	100.00%
1117	Wings, Pigeon	<i>Clitoria fragrans</i>	T	0.50	\$382,651.82	100.00%
1128	Snail, noonday	<i>Mesodon clarki nantahala</i>	T	0.40	\$382,652.22	100.00%
1128	Groundsel, San Francisco Peaks	<i>Senecio franciscanus</i>	T	0.40	\$382,652.62	100.00%
1130	Bladderpod, Spring Creek	<i>Lesquerella perforata</i>	E	0.30	\$382,652.92	100.00%
1130	Irisette, white	<i>Sisyrinchium dichotomum</i>	E	0.30	\$382,653.22	100.00%
1132	Woodpecker, ivory-billed	<i>Campephilus principalis</i>	E	0.20	\$382,653.42	100.00%
1132	Darter, relict	<i>Etheostoma chienense</i>	E	0.20	\$382,653.62	100.00%
1132	Bittercress, small-anthered	<i>Cardamine micrantha</i>	E	0.20	\$382,653.82	100.00%
1132	Cress, toad-flax	<i>Schoenocrambe suffrutescens</i>	E	0.20	\$382,654.02	100.00%
1136	Beardtongue, Penland	<i>Penstemon penlandii</i>	E	0.10	\$382,654.12	100.00%
1137	Birch, Virginia round-leaf	<i>Betula uber</i>	T	0.06	\$382,654.18	100.00%
1138	Seal, guadalupe fur	<i>Arctocephalus townsendi</i>	T	-	\$382,654.18	100.00%
1138	Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>	E	-	\$382,654.18	100.00%
1138	Crow, white-necked	<i>Corvus leucognaphalus</i>	E	-	\$382,654.18	100.00%
1138	Anole, Culebra Island giant	<i>Anolis roosevelti</i>	E	-	\$382,654.18	100.00%
1138	Salamander, Shenandoah	<i>Plethodon shenandoah</i>	E	-	\$382,654.18	100.00%
1138	Cavefish, Alabama	<i>Speoplatyrrhinus poulsoni</i>	E	-	\$382,654.18	100.00%
1138	Slabshell, Chipola	<i>Elliptio chipolaensis</i>	T	-	\$382,654.18	100.00%
1138	Snail, Virginia fringed mountain	<i>Polygyriscus virginianus</i>	E	-	\$382,654.18	100.00%
1138	Amphipod, Hay's Spring	<i>Stygobromus hayi</i>	E	-	\$382,654.18	100.00%
1138	Isopod, Madison Cave	<i>Antrolana lira</i>	T	-	\$382,654.18	100.00%
1138	Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>	E	-	\$382,654.18	100.00%
1138	Shrimp, Squirrel Chimney Cave (=Florida cave)	<i>Palaemonetes cummingi</i>	T	-	\$382,654.18	100.00%
1138	Bidens, cuneate	<i>Bidens cuneata</i>	E	-	\$382,654.18	100.00%
1138	Bladderpod, lyrate	<i>Lesquerella lyrata</i>	T	-	\$382,654.18	100.00%
1138	Bluecurls, Hidden Lake	<i>Trichostema austromontanum</i> ssp. <i>compactum</i>	T	-	\$382,654.18	100.00%
1138	Leather flower, Morefield's	<i>Clematis morefieldii</i>	E	-	\$382,654.18	100.00%
1138	Manaca, palma de	<i>Calyptromoma rivalis</i>	T	-	\$382,654.18	100.00%
1138	Oak, Hinckley	<i>Quercus hinckleyi</i>	T	-	\$382,654.18	100.00%
1138	Paintbrush, ash-grey	<i>Castilleja cinerea</i>	T	-	\$382,654.18	100.00%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998  
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
1138	Pondweed, Little Aguja Creek	<i>Potamogeton clystocarpus</i>	E	-	\$382,654.18	100.00%
1138	Prickly-ash, St. Thomas	<i>Zanthoxylum thomasianum</i>	E	-	\$382,654.18	100.00%
1138	Rosemary, Etonia	<i>Conradina etonia</i>	E	-	\$382,654.18	100.00%
1138	Rosemary, short-leaved	<i>Conradina brevifolia</i>	E	-	\$382,654.18	100.00%
1138	Sandwort, Bear Valley	<i>Arenaria ursina</i>	T	-	\$382,654.18	100.00%
1138	Walnut, West Indian or nogal	<i>Juglans jamaicensis</i>	E	-	\$382,654.18	100.00%
1138	Wild-buckwheat, southern mountain	<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>	T	-	\$382,654.18	100.00%
1138	Adiantum vivesii (=Sci name)	<i>Adiantum vivesii</i>	E	-	\$382,654.18	100.00%
1138	Fern, Aleutian shield	<i>Polystichum aleuticum</i>	E	-	\$382,654.18	100.00%
1138	Fern, Elfin tree	<i>Cyathea dryopteroides</i>	E	-	\$382,654.18	100.00%

Table 3. Species with Reported Expenditures for Land Acquisition

Species are arranged in the same sequence as Table 1. These costs are not included in the general expenditures of Tables 1 and 2. Only those species that had land acquisition costs reported for FY 1998 are included here.

**TABLE 3. FY 1998 REPORTED LAND ACQUISITION EXPENDITURES (\$000)  
FOR ENDANGERED AND THREATENED SPECIES**

RANK	SPECIES NAME (50 CFR PART 17)	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
<b>MAMMALS</b>							
78	Bat, gray	E	0.30	-	0.30	-	0.30
246	Bat, Hawaiian hoary	E	556.00	-	556.00	-	556.00
33	Bat, Indiana	E	0.30	8.00	8.30	-	8.30
15	Bear, grizzly	T	-	30.00	30.00	-	30.00
87	Bear, Louisiana black	T	40.50	-	40.50	-	40.50
1095	Cougar, eastern	E	0.50	-	0.50	-	0.50
161	Deer, Columbian white-tailed	E	60.00	-	60.00	-	60.00
118	Deer, key	E	5.50	-	5.50	-	5.50
65	Fox, San Joaquin kit	E	79.00	367.00	446.00	-	446.00
229	Jaguarundi	E	167.00	-	167.00	-	167.00
285	Jaguarundi	E	167.00	-	167.00	-	167.00
148	Kangaroo rat, Tipton	E	167.00	-	167.00	-	167.00
39	Manatee, West Indian (=Florida)	E	314.20	-	314.20	-	314.20
185	Mouse, Alabama beach	E	710.00	-	710.00	-	710.00
487	Mouse, Key Largo cotton	E	49.50	-	49.50	-	49.50
17	Panther, Florida	E	0.70	-	0.70	-	0.70
164	Rabbit, Lower Keys	E	5.50	-	5.50	-	5.50
1033	Rice rat (=silver rice rat)	E	5.60	-	5.60	-	5.60
59	Wolf, red	E	4.60	-	4.60	-	4.60
516	Woodrat, Key Largo	E	49.50	-	49.50	-	49.50
<b>BIRDS</b>							
258	`Akepa, Hawaii (honeycreeper)	E	556.00	-	556.00	-	556.00
258	`Akiapola`au (honeycreeper)	E	556.00	-	556.00	-	556.00
536	`O'u (honeycreeper)	E	556.00	-	556.00	-	556.00
421	Caracara, Audubon's crested	T	0.70	-	0.70	-	0.70
61	Crane, Mississippi sandhill	E	3.00	-	3.00	-	3.00
255	Creeper, Hawaii	E	556.00	-	556.00	-	556.00
79	Duck, Hawaiian (=koloa)	E	556.00	-	556.00	-	556.00
13	Eagle, bald	T	4,252.90	1,304.60	5,557.50	-	5,557.50
26	Falcon, American peregrine	E	3,680.90	-	3,680.90	276.10	3,957.00
10	Flycatcher, southwestern willow	E	272.00	105.00	377.00	-	377.00
34	Gnatcatcher, coastal California	T	272.00	-	272.00	-	272.00
107	Goose, Aleutian Canada	T	1,014.00	-	1,014.00	-	1,014.00
140	Goose, Hawaiian (=nene)	E	556.00	-	556.00	-	556.00
302	Hawk, Hawaiian (=io)	E	556.00	-	556.00	-	556.00
81	Jay, Florida scrub	T	321.10	-	321.10	-	321.10
206	Kite, Everglade snail	E	117.70	-	117.70	-	117.70
155	Pelican, brown	E	1,003.00	-	1,003.00	-	1,003.00
30	Plover, piping	E, T	1,667.40	-	1,667.40	-	1,667.40
131	Rail, Yuma clapper	E	-	-	-	2.13	2.13
77	Stork, wood	E	238.20	-	238.20	-	238.20
50	Tern, least	E	23.90	-	23.90	-	23.90

**TABLE 3. FY 1998 REPORTED LAND ACQUISITION EXPENDITURES (\$000)  
FOR ENDANGERED AND THREATENED SPECIES**

RANK	SPECIES NAME (50 CFR PART 17)	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
50	Vireo, black-capped	E	400.00	-	400.00	-	400.00
32	Vireo, least Bell's	E	622.00	-	622.00	-	622.00
55	Warbler, golden-cheeked	E	1,300.00	-	1,300.00	-	1,300.00
75	Warbler, Kirtland's	E	-	402.00	402.00	-	402.00
8	Woodpecker, red-cockaded	E	942.20	-	942.20	-	942.20
			-				
	<b>REPTILES</b>		-				
215	Crocodile, American	E	69.50	-	69.50	-	69.50
137	Lizard, blunt-nosed leopard	E	79.00	367.00	446.00	-	446.00
978	Skink, bluetail mole	T	56.00	-	56.00	-	56.00
827	Skink, sand	T	56.00	-	56.00	-	56.00
138	Snake, eastern indigo	T	244.40	-	244.40	-	244.40
86	Snake, giant garter	T	567.00	-	567.00	-	567.00
16	Tortoise, desert	T	-	25,035.00	25,035.00	-	25,035.00
89	Tortoise, gopher	T	1,216.00	-	1,216.00	-	1,216.00
43	Turtle, green sea	E, T	173.20	-	173.20	-	173.20
60	Turtle, hawksbill sea (=carey)	E	163.00	-	163.00	-	163.00
51	Turtle, Kemp's ridley sea	E	0.60	-	0.60	-	0.60
54	Turtle, leatherback sea	E	163.70	-	163.70	-	163.70
37	Turtle, loggerhead sea	T	936.50	-	936.50	-	936.50
486	Turtle, ringed map (=sawback)	T	2.00	-	2.00	-	2.00
	<b>AMPHIBIANS</b>						
74	Frog, California red-legged	T	272.00	100.00	372.00	-	372.00
63	Toad, Arroyo southwestern	E	272.00	-	272.00	-	272.00
	<b>FISHES</b>						
47	Chub, bonytail	E	-	1.00	1.00	-	1.00
42	Chub, humpback	E	-	2.00	2.00	-	2.00
226	Darter, leopard	T	-	66.00	66.00	-	66.00
818	Madtom, pygmy	E	0.20	-	0.20	-	0.20
36	Salmon, chinook, Sacramento R. winter	T	113.00	-	113.00	-	113.00
3	Salmon, chinook, Snake R. fall run	T	-	500.00	500.00	-	500.00
2	Salmon, chinook, Snake R. spring/sumn	T	-	500.00	500.00	-	500.00
1	Salmon, coho	T	-	520.00	520.00	-	520.00
4	Salmon, sockeye (=red, =blueback), Sn	E	-	500.00	500.00	-	500.00
172	Spinedace, Little Colorado	T	-	-	-	1,824.30	1,824.30
18	Squawfish, Colorado	E	-	5.00	5.00	-	5.00
5	Steelhead (Snake R. Basin)	T	-	500.00	500.00	-	500.00
31	Steelhead (upper Columbia R. Basin)	E	-	-	-	976.70	976.70
90	Sturgeon, Gulf	T	2.00	-	2.00	-	2.00
12	Sucker, razorback	E	-	5.00	5.00	-	5.00
	<b>CLAMS</b>						
254	Moccasinshell, Alabama	T	-	600.00	600.00	-	600.00
534	Mussel, ring pink (=golf stick pearly)	E	0.20	-	0.20	-	0.20

**TABLE 3. FY 1998 REPORTED LAND ACQUISITION EXPENDITURES (\$000)  
FOR ENDANGERED AND THREATENED SPECIES**

RANK	SPECIES NAME (50 CFR PART 17)	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
281	Pearlymussel, orange-foot pimpleback	E	0.20	-	0.20	-	0.20
179	Pearlymussel, pink mucket	E	5.20	-	5.20	-	5.20
778	Pigtoe, rough	E	0.20	-	0.20	-	0.20
<b>SNAILS</b>							
321	Snail, Stock Island tree	T	5.50	-	5.50	-	5.50
<b>INSECTS</b>							
124	Beetle, valley elderberry longhorn	T	674.00	-	674.00	-	674.00
71	Butterfly, Karner blue	E	-	29.00	29.00	125.00	154.00
94	Butterfly, Mitchell's satyr	E	-	80.00	80.00	-	80.00
199	Butterfly, Quino checkerspot	E	272.00	-	272.00	-	272.00
310	Butterfly, Schaus swallowtail	E	44.00	-	44.00	-	44.00
<b>CRUSTACEANS</b>							
154	Fairy shrimp, riverside	E	272.00	-	272.00	-	272.00
134	Fairy shrimp, San Diego	E	272.00	-	272.00	-	272.00
93	Fairy shrimp, vernal pool	T	797.00	370.00	1,167.00	-	1,167.00
113	Tadpole shrimp, vernal pool	E	797.00	370.00	1,167.00	-	1,167.00
<b>FLOWERING PLANTS</b>							
797	`Aiea ( <i>Nothocestrum breviflorum</i> )	E	556.00	-	556.00	-	556.00
897	`Oha wai ( <i>Clermontia pyrularia</i> )	E	556.00	-	556.00	-	556.00
159	Amaranth, seabeach	T	3.00	-	3.00	-	3.00
1117	Beargrass, Britton's	E	56.00	-	56.00	-	56.00
928	Bedstraw, El Dorado	E	-	110.00	110.00	-	110.00
165	Bird's beak, palmate-bracted	E	59.00	70.00	129.00	-	129.00
797	Blazingstar, scrub	E	56.00	-	56.00	-	56.00
1097	Bonamia, Florida	T	56.00	-	56.00	-	56.00
1097	Buckwheat, scrub	T	56.00	-	56.00	-	56.00
126	Button-celery, San Diego	E	272.00	-	272.00	-	272.00
1061	Cactus, Key tree	E	5.50	-	5.50	-	5.50
928	Ceanothus, Pine Hill	E	-	110.00	110.00	-	110.00
157	Chaffseed, American	E	9.00	-	9.00	-	9.00
928	Flannelbush, Pine Hill	E	-	110.00	110.00	-	110.00
245	Grass, California Orcutt	E	272.00	-	272.00	-	272.00
948	Ha`iwale ( <i>Cyrtandra munroi</i> )	E	556.00	-	556.00	-	556.00
860	Haha ( <i>Cyanea stictophylla</i> )	E	556.00	-	556.00	-	556.00
1061	Harebells, Avon Park	E	56.00	-	56.00	-	56.00
135	Howellia, water	T	48.00	-	48.00	-	48.00
707	Hypericum, highlands scrub	E	56.00	-	56.00	-	56.00
372	Iris, dwarf lake	T	-	-	-	40.00	40.00
570	Locoweed, Fassett's	T	-	-	-	43.00	43.00
850	Lupine, scrub	E	56.00	-	56.00	-	56.00

**TABLE 3. FY 1998 REPORTED LAND ACQUISITION EXPENDITURES (\$000)  
FOR ENDANGERED AND THREATENED SPECIES**

RANK	SPECIES NAME (50 CFR PART 17)	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
204	Mesa-mint, Otay	E	272.00	-	272.00	-	272.00
211	Mesa-mint, San Diego	E	272.00	-	272.00	-	272.00
897	Mint, Garrett's (=scrub, in part)	E	56.00	-	56.00	-	56.00
1097	Mint, Lakela's	E	0.60	-	0.60	-	0.60
897	Mint, scrub	E	56.00	-	56.00	-	56.00
928	Morning-glory, Stebbins'	E	-	110.00	110.00	-	110.00
897	Mustard, Carter's	E	56.00	-	56.00	-	56.00
147	Orchid, eastern prairie fringed	T	-	-	-	30.00	30.00
778	Pawpaw, four-petal	E	0.60	-	0.60	-	0.60
598	Phyllostegia velutina (=Sci. name)	E	556.00	-	556.00	-	556.00
797	Plum, scrub	E	56.00	-	56.00	-	56.00
1061	Polygala, Lewton's	E	56.00	-	56.00	-	56.00
1138	Rosemary, short-leaved	E	56.00	-	56.00	-	56.00
948	Sandlace	E	56.00	-	56.00	-	56.00
707	Snakeroot	E	56.00	-	56.00	-	56.00
188	Spineflower, slender-horned	E	-	414.00	414.00	-	414.00
720	Spurge, Garber's	T	5.50	-	5.50	-	5.50
797	Tree, pygmy fringe	E	56.00	-	56.00	-	56.00
673	Whitlow-wort, papery	T	56.00	-	56.00	-	56.00
1117	Wings, Pigeon	T	56.00	-	56.00	-	56.00
733	Wireweed	E	56.00	-	56.00	-	56.00
897	Ziziphus, florida	E	56.00	-	56.00	-	56.00
<b>FERNS AND ALLIES</b>							
643	Asplenium fragile var. insulare (=Sci nar	E	556.00	-	556.00	-	556.00
<b>LICHENS</b>							
707	Cladonia, Florida perforate	E	56.00	-	56.00	-	56.00
<b>TOTAL</b>			<b>35,662.30</b>	<b>32,690.60</b>	<b>68,352.90</b>	<b>3,317.23</b>	<b>71,670.13</b>

**Species on Cover (clockwise from top right corner):**

Plymouth Redbelly Turtle (*Pseudemys rubrivtris bangsi*), photo by T.E. Graham

Jaquar (*Panthera onca*), photo by Corel Corp.

Chapman Rhododendron (*Rhododendron chapmanii*), photo by USFWS/E. LaVerne Smith

Spectacled Eider (*Somateria fischeri*), photo by USFWS/Glen Smart

Borax Lake Chub (*Gila boraxobius*), photo by Jack Williams

Lange's Metalmark Butterfly (*Apodemia mormo langei*), photo by Jerry Powell

**U.S. Fish & Wildlife Service**

**Endangered Species Program**

1849 C Street, NW (MS-420 ARLSQ)

Washington, DC 20240

<http://www.fws.gov/endangered>

November 2003

