

Table A-1a. Age-adjusted percentages (with standard errors) of selected circulatory diseases among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All types of heart disease ¹	Coronary heart disease ¹	Hypertension ¹	Stroke ¹
Total	10.8 (0.19)	6.1 (0.14)	23.9 (0.27)	2.6 (0.10)
Sex				
Male	12.1 (0.30)	7.7 (0.24)	24.5 (0.40)	2.8 (0.15)
Female	9.7 (0.25)	4.7 (0.17)	23.2 (0.35)	2.5 (0.13)
Age (years)				
18–44	3.8 (0.20)	1.0 (0.10)	8.6 (0.29)	0.5 (0.07)
45–64	12.1 (0.40)	7.1 (0.31)	33.1 (0.56)	2.8 (0.19)
65–74	25.5 (0.87)	16.3 (0.72)	52.7 (0.96)	6.5 (0.50)
75 and over	35.7 (1.05)	24.1 (0.94)	58.3 (1.10)	11.4 (0.70)
Race				
One race ²	10.7 (0.19)	6.0 (0.15)	23.8 (0.27)	2.6 (0.10)
White	11.1 (0.22)	6.1 (0.16)	22.8 (0.30)	2.5 (0.11)
Black or African American	10.3 (0.50)	6.3 (0.38)	32.6 (0.68)	3.6 (0.29)
American Indian or Alaska Native	8.2 (1.77)	*4.5 (1.41)	26.3 (2.98)	*2.7 (0.99)
Asian	6.1 (0.63)	3.7 (0.49)	21.0 (1.01)	1.9 (0.44)
Native Hawaiian or Other Pacific Islander	*	*	28.2 (7.11)	*
Two or more races ³	14.9 (1.89)	8.1 (1.50)	29.0 (2.05)	3.8 (1.00)
Black or African American, white	*13.4 (4.53)	*9.8 (4.04)	34.2 (4.64)	*
American Indian or Alaska Native, white	16.5 (2.60)	9.0 (1.90)	28.9 (2.87)	*4.7 (1.41)
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	8.3 (0.47)	5.4 (0.38)	21.6 (0.60)	2.6 (0.31)
Mexican or Mexican American	8.1 (0.62)	5.0 (0.47)	21.9 (0.83)	2.6 (0.43)
Not Hispanic or Latino	11.2 (0.21)	6.1 (0.16)	24.4 (0.30)	2.6 (0.11)
White, single race	11.6 (0.25)	6.2 (0.18)	23.3 (0.34)	2.5 (0.12)
Black or African American, single race	10.3 (0.51)	6.3 (0.38)	32.6 (0.69)	3.6 (0.30)
Education ⁵				
Less than a high school diploma	14.2 (0.61)	9.7 (0.49)	30.7 (0.79)	4.7 (0.34)
High school diploma or GED ⁶	12.6 (0.45)	7.4 (0.34)	29.8 (0.59)	3.3 (0.21)
Some college	12.5 (0.42)	7.1 (0.34)	28.6 (0.57)	2.9 (0.25)
Bachelor's degree or higher	10.2 (0.37)	5.1 (0.28)	21.8 (0.52)	1.9 (0.18)
Current employment status ⁷				
Employed	8.0 (0.39)	4.1 (0.33)	20.9 (0.54)	1.0 (0.15)
Full-time	7.9 (0.59)	3.6 (0.45)	20.8 (0.83)	1.1 (0.26)
Part-time	8.6 (0.63)	4.6 (0.51)	19.9 (0.89)	0.8 (0.16)
Not employed but has worked previously	15.1 (0.41)	8.9 (0.31)	29.0 (0.54)	4.2 (0.23)
Not employed and has never worked	9.8 (0.90)	6.7 (0.77)	25.2 (1.28)	3.7 (0.54)

Table A-1a. Age-adjusted percentages (with standard errors) of selected circulatory diseases among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All types of heart disease ¹	Coronary heart disease ¹	Hypertension ¹	Stroke ¹
Family income ⁸				
Less than \$35,000	13.0 (0.34)	8.2 (0.27)	28.1 (0.46)	4.0 (0.21)
\$35,000 or more	10.0 (0.26)	5.2 (0.19)	22.4 (0.36)	1.9 (0.13)
\$35,000–\$49,999	11.2 (0.56)	6.6 (0.45)	23.9 (0.67)	2.6 (0.28)
\$50,000–\$74,999	10.1 (0.51)	5.4 (0.40)	24.6 (0.68)	2.3 (0.25)
\$75,000–\$99,999	9.2 (0.62)	4.7 (0.47)	23.1 (0.95)	1.4 (0.26)
\$100,000 or more	9.7 (0.55)	4.5 (0.40)	19.4 (0.67)	1.3 (0.28)
Poverty status ⁹				
Poor	14.3 (0.58)	9.7 (0.48)	28.9 (0.73)	4.9 (0.37)
Near poor	12.1 (0.48)	7.4 (0.37)	27.3 (0.63)	3.4 (0.26)
Not poor	10.0 (0.25)	5.2 (0.18)	22.7 (0.35)	1.9 (0.12)
Health insurance coverage ¹⁰				
Under 65:				
Private	5.8 (0.22)	2.3 (0.14)	15.9 (0.34)	0.7 (0.07)
Medicaid	13.1 (0.77)	7.9 (0.61)	27.2 (0.94)	4.2 (0.46)
Other	10.4 (0.92)	5.8 (0.60)	25.8 (1.39)	4.2 (0.52)
Uninsured	5.8 (0.44)	3.3 (0.33)	15.3 (0.59)	1.1 (0.16)
65 and over:				
Private	30.3 (1.02)	18.6 (0.83)	54.2 (1.06)	7.5 (0.58)
Medicare and Medicaid	39.7 (2.21)	28.9 (2.00)	70.0 (2.06)	17.9 (1.99)
Medicare only	27.6 (1.08)	19.4 (0.95)	53.1 (1.24)	8.2 (0.67)
Other	36.1 (2.53)	24.1 (2.25)	61.4 (2.56)	12.1 (1.92)
Uninsured	*13.7 (4.20)	*12.3 (4.08)	40.6 (7.89)	*
Marital status				
Married	10.3 (0.27)	5.9 (0.21)	23.8 (0.41)	2.3 (0.15)
Widowed	9.3 (0.58)	6.1 (0.45)	26.8 (1.96)	*5.2 (1.87)
Divorced or separated	12.4 (0.58)	6.8 (0.37)	29.1 (0.85)	3.4 (0.27)
Never married	10.4 (0.67)	5.7 (0.60)	23.4 (0.79)	2.6 (0.35)
Living with a partner	12.7 (1.32)	7.3 (1.18)	21.0 (1.40)	3.0 (0.78)
Place of residence ¹¹				
Large MSA	9.9 (0.27)	5.5 (0.21)	22.9 (0.37)	2.3 (0.14)
Small MSA	11.3 (0.31)	6.4 (0.24)	23.8 (0.43)	2.6 (0.18)
Not in MSA	12.6 (0.48)	7.2 (0.36)	27.8 (0.75)	3.5 (0.26)
Region				
Northeast	9.7 (0.45)	5.5 (0.33)	22.6 (0.63)	2.5 (0.25)
Midwest	12.2 (0.45)	6.8 (0.35)	24.0 (0.59)	2.6 (0.20)
South	11.2 (0.32)	6.6 (0.25)	25.8 (0.44)	2.8 (0.16)
West	9.6 (0.33)	4.8 (0.25)	21.5 (0.51)	2.4 (0.23)

Table A-1a. Age-adjusted percentages (with standard errors) of selected circulatory diseases among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All types of heart disease ¹	Coronary heart disease ¹	Hypertension ¹	Stroke ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	9.0 (0.77)	6.1 (0.65)	20.7 (0.94)	2.9 (0.54)
Hispanic or Latina, female	7.6 (0.56)	5.0 (0.45)	22.3 (0.77)	2.3 (0.33)
Not Hispanic or Latino:				
White, single race, male	13.1 (0.40)	8.1 (0.31)	24.8 (0.52)	2.6 (0.17)
White, single race, female	10.3 (0.33)	4.5 (0.20)	21.8 (0.45)	2.4 (0.17)
Black or African American, single race, male	10.4 (0.73)	7.1 (0.60)	30.5 (1.11)	3.5 (0.43)
Black or African American, single race, female	10.2 (0.68)	5.7 (0.48)	34.4 (0.91)	3.7 (0.41)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹In separate questions, respondents were asked if they had ever been told by a doctor or other health professional that they had: hypertension (or high blood pressure), coronary heart disease, angina (or angina pectoris), heart attack (or myocardial infarction), any other heart condition or disease not already mentioned, or a stroke. A person may be represented in more than one column.

"All types of heart disease" includes coronary heart disease, angina, heart attack, or any other heart condition or disease.

"Coronary heart disease" includes coronary heart disease, angina, or heart attack.

Persons had to have been told on two or more different visits that they had hypertension or high blood pressure to be classified as hypertensive.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over. Estimates are age adjusted to the projected 2000 U.S. population as the standard population using four age groups: 25-44, 45-64, 65-74, and 75 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁹"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarreal MA, Clarke TC. Tables of Summary Health Statistics for U.S. Adults: 2013 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

Table A-1b. Frequencies (in thousands) of selected circulatory diseases among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All adults aged 18 and over	All types of heart disease ¹	Coronary heart disease ¹	Hypertension ¹	Stroke ¹
Total	237,394	27,033	15,382	60,573	6,552
Sex					
Male	114,334	14,082	8,993	29,228	3,191
Female	123,061	12,952	6,389	31,345	3,361
Age (years)					
18–44	111,717	4,191	1,067	9,565	511
45–64	82,286	9,949	5,868	27,208	2,327
65–74	25,086	6,394	4,066	13,188	1,632
75 and over	18,305	6,500	4,381	10,612	2,082
Race					
One race ²	233,678	26,571	15,147	59,689	6,442
White	189,484	23,000	12,988	47,542	5,231
Black or African American	28,503	2,715	1,662	9,006	943
American Indian or Alaska Native	1,970	145	*74	479	*44
Asian	13,236	686	398	2,554	214
Native Hawaiian or Other Pacific Islander	485	*	*	*	*
Two or more races ³	3,716	463	235	884	111
Black or African American, white	801	*68	*20	92	*
American Indian or Alaska Native, white	1,570	253	141	470	*78
Hispanic or Latino origin ⁴ and race					
Hispanic or Latino	35,704	2,232	1,364	6,026	621
Mexican or Mexican American	22,277	1,211	679	3,504	356
Not Hispanic or Latino	201,690	24,802	14,018	54,547	5,931
White, single race	156,858	20,951	11,723	42,053	4,653
Black or African American, single race	27,415	2,633	1,613	8,752	920
Education ⁵					
Less than a high school diploma	27,749	4,850	3,356	9,968	1,636
High school diploma or GED ⁶	52,621	7,628	4,627	17,708	2,061
Some college	60,000	7,354	4,169	17,492	1,672
Bachelor's degree or higher	65,758	6,384	3,078	14,177	1,096
Current employment status ⁷					
Employed	144,126	8,604	3,684	25,440	1,037
Full-time	117,101	6,586	2,733	20,568	794
Part-time	24,980	1,828	858	4,352	204
Not employed but has worked previously	78,659	17,026	10,789	31,891	5,001
Not employed and has never worked	14,364	1,361	879	3,195	502

Table A-1b. Frequencies (in thousands) of selected circulatory diseases among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All adults aged 18 and over	All types of heart disease ¹	Coronary heart disease ¹	Hypertension ¹	Stroke ¹
Family income ⁸					
Less than \$35,000	72,188	10,615	6,775	22,224	3,356
\$35,000 or more	149,560	14,570	7,490	34,204	2,664
\$35,000–\$49,999	30,855	3,709	2,189	7,864	878
\$50,000–\$74,999	40,797	4,162	2,246	10,443	937
\$75,000–\$99,999	27,096	2,343	1,129	6,045	338
\$100,000 or more	50,812	4,356	1,926	9,852	511
Poverty status ⁹					
Poor	29,822	3,715	2,425	7,606	1,252
Near poor	38,468	4,977	3,055	10,943	1,430
Not poor	148,428	15,559	8,151	36,364	2,952
Health insurance coverage ¹⁰					
Under 65:					
Private	125,224	7,979	3,347	22,468	1,005
Medicaid	19,711	2,534	1,515	5,262	810
Other	9,247	1,422	849	3,288	632
Uninsured	38,942	2,174	1,202	5,648	391
65 and over:					
Private	21,580	6,413	3,925	11,592	1,541
Medicare and Medicaid	3,185	1,255	903	2,218	568
Medicare only	14,960	4,012	2,800	7,891	1,186
Other	3,159	1,134	749	1,906	378
Uninsured	411	*79	*70	169	*
Marital status					
Married	125,149	14,466	8,374	33,969	3,135
Widowed	14,432	4,151	2,707	8,099	1,401
Divorced or separated	27,632	4,053	2,421	9,650	1,154
Never married	52,816	2,995	1,252	6,259	564
Living with a partner	16,910	1,295	572	2,464	286
Place of residence ¹¹					
Large MSA	127,881	12,725	7,111	30,189	2,914
Small MSA	73,440	8,795	4,990	18,617	2,069
Not in MSA	36,074	5,513	3,281	11,767	1,570
Region					
Northeast	41,590	4,449	2,635	10,702	1,161
Midwest	53,833	6,911	3,903	13,551	1,461
South	87,664	10,468	6,261	24,374	2,627
West	54,307	5,206	2,583	11,946	1,303

Table A-1b. Frequencies (in thousands) of selected circulatory diseases among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All adults aged 18 and over	All types of heart disease ¹	Coronary heart disease ¹	Hypertension ¹	Stroke ¹
Hispanic or Latino origin ⁴ , race, and sex					
Hispanic or Latino, male	17,870	1,133	688	2,793	329
Hispanic or Latina, female	17,834	1,099	675	3,233	292
Not Hispanic or Latino:					
White, single race, male	75,979	11,169	7,132	21,021	2,285
White, single race, female	80,880	9,782	4,591	21,031	2,368
Black or African American, single race, male	12,321	1,160	795	3,574	378
Black or African American, single race, female	15,094	1,472	818	5,179	542

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹In separate questions, respondents were asked if they had ever been told by a doctor or other health professional that they had: hypertension (or high blood pressure), coronary heart disease, angina (or angina pectoris), heart attack (or myocardial infarction), any other heart condition or disease not already mentioned, or a stroke. A person may be represented in more than one column.

"All types of heart disease" includes coronary heart disease, angina, heart attack, or any other heart condition or disease.

"Coronary heart disease" includes coronary heart disease, angina, or heart attack.

Persons had to have been told on two or more different visits that they had hypertension or high blood pressure to be classified as hypertensive.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race. Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

⁹"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the frequencies, but they are included in the "All adults aged 18 and over" column. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarroel MA, Clarke TC. Tables of Summary Health Statistics for U.S. Adults: 2013 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

Table A-1c. Crude percentages (with standard errors) of selected circulatory diseases among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All types of heart disease ¹	Coronary heart disease ¹	Hypertension ¹	Stroke ¹
Total	11.4 (0.22)	6.5 (0.16)	25.6 (0.32)	2.8 (0.11)
Sex				
Male	12.3 (0.34)	7.9 (0.26)	25.6 (0.46)	2.8 (0.16)
Female	10.5 (0.28)	5.2 (0.19)	25.5 (0.42)	2.7 (0.15)
Age (years)				
18–44	3.8 (0.20)	1.0 (0.10)	8.6 (0.29)	0.5 (0.07)
45–64	12.1 (0.40)	7.1 (0.31)	33.1 (0.56)	2.8 (0.19)
65–74	25.5 (0.87)	16.3 (0.72)	52.7 (0.96)	6.5 (0.50)
75 and over	35.7 (1.05)	24.1 (0.94)	58.3 (1.10)	11.4 (0.70)
Race				
One race ²	11.4 (0.22)	6.5 (0.17)	25.6 (0.32)	2.8 (0.11)
White	12.2 (0.26)	6.9 (0.19)	25.1 (0.36)	2.8 (0.13)
Black or African American	9.5 (0.51)	5.8 (0.38)	31.6 (0.84)	3.3 (0.28)
American Indian or Alaska Native	7.4 (1.74)	*3.8 (1.23)	24.4 (3.09)	*2.2 (0.83)
Asian	5.2 (0.57)	3.0 (0.40)	19.3 (1.15)	1.6 (0.41)
Native Hawaiian or Other Pacific Islander	*	*	*22.4 (8.90)	*
Two or more races ³	12.5 (1.73)	6.3 (1.29)	23.8 (2.19)	3.0 (0.75)
Black or African American, white	*8.5 (3.52)	*2.5 (1.12)	11.4 (3.03)	*
American Indian or Alaska Native, white	16.1 (2.82)	9.0 (2.11)	29.9 (3.61)	5.0 (1.49)
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	6.3 (0.39)	3.8 (0.29)	16.9 (0.58)	1.7 (0.21)
Mexican or Mexican American	5.4 (0.46)	3.0 (0.32)	15.8 (0.70)	1.6 (0.27)
Not Hispanic or Latino	12.3 (0.25)	7.0 (0.19)	27.1 (0.35)	2.9 (0.12)
White, single race	13.4 (0.30)	7.5 (0.22)	26.9 (0.41)	3.0 (0.14)
Black or African American, single race	9.6 (0.53)	5.9 (0.39)	32.0 (0.86)	3.4 (0.29)
Education ⁵				
Less than a high school diploma	17.5 (0.73)	12.1 (0.59)	36.0 (0.92)	5.9 (0.40)
High school diploma or GED ⁶	14.5 (0.52)	8.8 (0.40)	33.7 (0.66)	3.9 (0.26)
Some college	12.3 (0.44)	7.0 (0.34)	29.2 (0.63)	2.8 (0.24)
Bachelor's degree or higher	9.7 (0.38)	4.7 (0.27)	21.6 (0.55)	1.7 (0.16)
Current employment status ⁷				
Employed	6.0 (0.21)	2.6 (0.14)	17.7 (0.35)	0.7 (0.07)
Full-time	5.6 (0.23)	2.3 (0.15)	17.6 (0.38)	0.7 (0.08)
Part-time	7.3 (0.52)	3.4 (0.37)	17.4 (0.83)	0.8 (0.16)
Not employed but has worked previously	21.7 (0.46)	13.8 (0.37)	40.6 (0.58)	6.4 (0.29)
Not employed and has never worked	9.5 (0.80)	6.1 (0.64)	22.3 (1.14)	3.5 (0.49)

Table A-1c. Crude percentages (with standard errors) of selected circulatory diseases among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All types of heart disease ¹	Coronary heart disease ¹	Hypertension ¹	Stroke ¹
Family income ⁸				
Less than \$35,000	14.7 (0.39)	9.4 (0.32)	30.8 (0.57)	4.7 (0.24)
\$35,000 or more	9.7 (0.27)	5.0 (0.20)	22.9 (0.40)	1.8 (0.12)
\$35,000–\$49,999	12.0 (0.63)	7.1 (0.50)	25.5 (0.79)	2.8 (0.31)
\$50,000–\$74,999	10.2 (0.55)	5.5 (0.42)	25.6 (0.76)	2.3 (0.25)
\$75,000–\$99,999	8.7 (0.62)	4.2 (0.43)	22.3 (0.97)	1.2 (0.22)
\$100,000 or more	8.6 (0.47)	3.8 (0.32)	19.4 (0.65)	1.0 (0.17)
Poverty status ⁹				
Poor	12.5 (0.57)	8.1 (0.46)	25.5 (0.82)	4.2 (0.33)
Near poor	13.0 (0.52)	8.0 (0.41)	28.5 (0.72)	3.7 (0.29)
Not poor	10.5 (0.28)	5.5 (0.20)	24.5 (0.41)	2.0 (0.12)
Health insurance coverage ¹⁰				
Under 65:				
Private	6.4 (0.24)	2.7 (0.17)	18.0 (0.39)	0.8 (0.08)
Medicaid	12.9 (0.78)	7.7 (0.63)	26.8 (1.02)	4.1 (0.46)
Other	15.4 (1.23)	9.2 (0.91)	35.6 (1.64)	6.9 (0.86)
Uninsured	5.6 (0.42)	3.1 (0.32)	14.5 (0.59)	1.0 (0.15)
65 and over:				
Private	29.8 (1.03)	18.3 (0.84)	53.8 (1.08)	7.1 (0.56)
Medicare and Medicaid	39.5 (2.23)	28.5 (2.02)	70.0 (2.07)	17.8 (2.01)
Medicare only	27.0 (1.07)	18.9 (0.93)	53.0 (1.22)	8.0 (0.66)
Other	35.9 (2.52)	23.7 (2.22)	60.6 (2.62)	12.0 (1.88)
Uninsured	*19.2 (6.04)	*17.0 (5.81)	41.1 (7.22)	*
Marital status				
Married	11.6 (0.32)	6.7 (0.24)	27.2 (0.48)	2.5 (0.16)
Widowed	28.8 (1.04)	18.9 (0.92)	56.3 (1.17)	9.7 (0.71)
Divorced or separated	14.7 (0.61)	8.8 (0.46)	35.0 (0.83)	4.2 (0.31)
Never married	5.7 (0.34)	2.4 (0.23)	11.9 (0.44)	1.1 (0.14)
Living with a partner	7.7 (0.71)	3.4 (0.48)	14.6 (0.91)	1.7 (0.36)
Place of residence ¹¹				
Large MSA	10.0 (0.30)	5.6 (0.23)	23.6 (0.42)	2.3 (0.14)
Small MSA	12.0 (0.37)	6.8 (0.27)	25.4 (0.55)	2.8 (0.20)
Not in MSA	15.3 (0.65)	9.1 (0.47)	32.7 (0.92)	4.4 (0.36)
Region				
Northeast	10.7 (0.52)	6.3 (0.40)	25.7 (0.77)	2.8 (0.28)
Midwest	12.9 (0.52)	7.3 (0.39)	25.2 (0.70)	2.7 (0.22)
South	12.0 (0.37)	7.2 (0.28)	27.8 (0.53)	3.0 (0.18)
West	9.6 (0.37)	4.8 (0.27)	22.0 (0.61)	2.4 (0.25)

Table A-1c. Crude percentages (with standard errors) of selected circulatory diseases among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All types of heart disease ¹	Coronary heart disease ¹	Hypertension ¹	Stroke ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	6.3 (0.57)	3.9 (0.42)	15.7 (0.85)	1.8 (0.33)
Hispanic or Latina, female	6.2 (0.50)	3.8 (0.38)	18.2 (0.78)	1.6 (0.24)
Not Hispanic or Latino:				
White, single race, male	14.7 (0.47)	9.4 (0.37)	27.7 (0.60)	3.0 (0.21)
White, single race, female	12.1 (0.39)	5.7 (0.25)	26.0 (0.55)	2.9 (0.20)
Black or African American, single race, male	9.4 (0.73)	6.5 (0.59)	29.0 (1.34)	3.1 (0.38)
Black or African American, single race, female	9.8 (0.69)	5.4 (0.50)	34.4 (1.10)	3.6 (0.41)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹In separate questions, respondents were asked if they had ever been told by a doctor or other health professional that they had: hypertension (or high blood pressure), coronary heart disease, angina (or angina pectoris), heart attack (or myocardial infarction), any other heart condition or disease not already mentioned, or a stroke. A person may be represented in more than one column.

"All types of heart disease" includes coronary heart disease, angina, heart attack, or any other heart condition or disease.

"Coronary heart disease" includes coronary heart disease, angina, or heart attack.

Persons had to have been told on two or more different visits that they had hypertension or high blood pressure to be classified as hypertensive.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

⁹"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding.

"Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarreal MA, Clarke TC. Tables of Summary Health Statistics for U.S. Adults: 2013 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.