

Monthly Energy Review

READING FILE

April 1993

New Data Series

- Oxygenates Stocks (Table 3.4)
- Distillate Fuel Stocks by Sulfur Type (Table 3.5)
- Propane and Propylene Data (Table 3.9)

EIA
Energy
Information
Administration

This publication and other Energy Information Administration (EIA) publications may be purchased from the Superintendent of Documents, U.S. Government Printing Office.

All telephone orders should be directed to:

U.S. Government Printing Office
McPherson Square Bookstore
1510 H Street N.W.
Washington, DC 20005
202-653-2050
FAX 202-376-5055
9 a.m. to 4:30 p.m., eastern time, M-F

Superintendent of Documents
U.S. Government Printing Office
Washington, DC 20402
202-783-3238
FAX 202-512-2233
8 a.m. to 4:30 p.m., eastern time, M-F

All mail orders should be directed to:

U.S. Government Printing Office
P.O. Box 371954
Pittsburgh, PA 15250-7954

Complimentary subscriptions and single issues are available to certain groups of subscribers, such as public and academic libraries, Federal, State, local, and foreign governments, EIA survey respondents, and the media. For further information, and for answers to questions on energy statistics, please contact EIA's National Energy Information Center. Address, telephone numbers, and hours are as follows:

National Energy Information Center, EI-231
Energy Information Administration
Forrestal Building, Room 1F-048
Washington, DC 20585
202-586-8800
TTY: For people who are deaf
or hard of hearing: 202-586-1181
9 a.m. to 5 p.m., eastern time, M-F

The *Monthly Energy Review* (ISSN 0095-7356) is published monthly by the Energy Information Administration, 1000 Independence Avenue, SW, Washington, DC 20585, and sells for \$71.00 per year (price is subject to change without advance notice). Second-class postage rates are paid at Washington, DC 20066-9998, and at additional mailing offices. POSTMASTER: Send address changes to *Monthly Energy Review*, Energy Information Administration, EI-231, 1000 Independence Avenue, SW, Washington, DC 20585.

Released for Printing: April 28, 1993

Monthly Energy Review

April 1993

Energy Information Administration
Office of Energy Markets and End Use
U.S. Department of Energy
Washington, DC 20585

This report was prepared by the Energy Information Administration, the independent statistical and analytical agency within the Department of Energy. The information contained herein should not be construed as advocating or reflecting any policy position of the Department of Energy or any other organization.

Contacts

The *Monthly Energy Review* is prepared by the Energy Information Administration. General information may be obtained from W. Calvin Kilgore, Director, Office of Energy Markets and End Use, 202-586-1617; Lynda T. Carlson, Director, Energy End Use and Integrated Statistics Division, 202-586-1112; and Katherine E. Seiferlein, Chief, Integrated Statistics Branch, 202-586-5692. Questions and comments concerning the contents of the *Monthly Energy Review* may be directed to the Principal Analyst, Chuck Allen, 202-586-5692, or to Diane D. Perritt, 202-586-2788, Carol Swiggins, 202-586-5743, or the following subject specialists:

| | | |
|--|---------------------|--------------|
| Special Features | Barbara T. Fichman | 202-586-5737 |
| Section 1. Energy Overview | | |
| Tables 1.1-1.5 | Alethea K. Jennings | 202-586-9160 |
| Tables 1.6-1.12 | Dianne R. Dunn | 202-586-2792 |
| Section 2. Energy Consumption | Alethea K. Jennings | 202-586-9160 |
| Section 3. Petroleum | Christine D. Gray | 202-586-8995 |
| Section 4. Natural Gas | Donna Dunston | 202-586-6135 |
| Section 5. Oil and Gas Resource Development | Herbert T. Black | 202-586-4055 |
| Section 6. Coal | Wayne Watson | 202-254-5389 |
| Section 7. Electricity | Deborah Bolden | 202-254-5663 |
| Section 8. Nuclear Energy | Douglas C. Bonnar | 202-254-5560 |
| Section 9. Energy Prices | | |
| Petroleum | Elizabeth Scott | 202-586-1258 |
| Natural Gas | Donna Dunston | 202-586-6135 |
| Electricity | | |
| Retail Prices | Deborah Bolden | 202-254-5663 |
| Fossil-Fuel Receipts | Sandra Smith | 202-254-5632 |
| Section 10. International Energy | | |
| Petroleum | | |
| Production | Patricia Smith | 202-586-6925 |
| Consumption and Stocks | H. Vicky McLaine | 202-586-9412 |
| Nuclear Electricity Gross Generation | Douglas C. Bonnar | 202-254-5560 |

Requests for additional information on other energy statistics available from the Energy Information Administration and questions concerning subscriptions and report distribution may be addressed to the National Energy Information Center, 202-586-8800 (TDD, 202-586-1181).

Contents

| | Page |
|---|------|
| Section 1. Energy Overview | 1 |
| Section 2. Energy Consumption | 21 |
| Section 3. Petroleum | 39 |
| Section 4. Natural Gas | 69 |
| Section 5. Oil and Gas Resource Development | 77 |
| Section 6. Coal | 81 |
| Section 7. Electricity | 89 |
| Section 8. Nuclear Energy | 97 |
| Section 9. Energy Prices | 103 |
| Section 10. International Energy | 123 |
| Appendix A. Conversion Factors | 137 |
| Appendix B. List of Special Features | 147 |
| Glossary | 151 |

Tables

| | Page |
|--|------|
| Section 1. Energy Overview | |
| 1.1 Energy Summary for January 1993 | 1 |
| 1.2 Energy Overview | 3 |
| 1.3 Energy Production by Source | 5 |
| 1.4 Energy Consumption by Source | 7 |
| 1.5 Energy Net Imports by Source | 9 |
| 1.6 Merchandise Trade Value | 11 |
| 1.7 Energy Consumption per Dollar of Gross Domestic Product | 12 |
| 1.8 U.S. Dependence on Petroleum Net Imports | 13 |
| 1.9 Cost of Fuels to End Users in Constant (1982-1984) Dollars | 14 |
| 1.10 Passenger Car Efficiency | 15 |
| 1.11 Population-Weighted Heating Degree-Days | 16 |
| 1.12 Population-Weighted Cooling Degree-Days | 17 |
| Section 2. Energy Consumption | |
| 2.1 Energy Consumption Summary for January 1993 | 21 |
| 2.2 Energy Consumption by End-Use Sector | 23 |
| 2.3 Residential and Commercial Energy Consumption | 25 |
| 2.4 Industrial Energy Consumption | 27 |
| 2.5 Transportation Energy Consumption | 29 |
| 2.6 Energy Input at Electric Utilities | 31 |
| Section 3. Petroleum | |
| 3.1 Petroleum Overview | |
| 3.1a Field Production, Stock Change, Petroleum Products Supplied, and Ending Stocks ... | 40 |
| 3.1b Imports, Exports, and Net Imports | 41 |
| 3.2 Crude Oil Supply and Disposition | |
| 3.2a Supply | 44 |
| 3.2b Disposition and Ending Stocks | 45 |
| 3.3 Petroleum Imports | |
| 3.3a Algeria, Iraq, Kuwait, and Libya | 46 |
| 3.3b Qatar, Saudi Arabia, U.A.E., and Total Arab OPEC | 47 |
| 3.3c Ecuador, Gabon, Indonesia, and Iran | 48 |
| 3.3d Nigeria, Venezuela, Total Non-Arab OPEC, and Total OPEC | 49 |
| 3.3e Angola, Australia, Bahama Islands, Brazil, Canada, and China | 50 |
| 3.3f Colombia, Ecuador, Italy, Malaysia, Mexico, and Netherlands | 51 |
| 3.3g Netherland Antilles, Norway, Puerto Rico, Russia, Spain, and Trinidad and Tobago .. | 52 |
| 3.3h United Kingdom, Virgin Islands, Other Non-OPEC, Total Non-OPEC, and Total Imports | 53 |
| 3.4 Finished Motor Gasoline Supply and Disposition | 55 |
| 3.5 Distillate Fuel Oil Supply and Disposition | 57 |
| 3.6 Residual Fuel Oil Supply and Disposition | 59 |
| 3.7 Jet Fuel Supply and Disposition | 61 |
| 3.8 Liquefied Petroleum Gases Supply and Disposition | 63 |
| 3.9 Propane and Propylene Supply and Disposition | 65 |
| 3.10 Other Petroleum Products Supply and Disposition | 66 |
| Section 4. Natural Gas | |
| 4.1 Natural Gas Production | 71 |
| 4.2 Natural Gas Supply and Disposition | 72 |
| 4.3 Natural Gas Consumption by End-Use Sector | 73 |
| 4.4 Natural Gas in Underground Storage | 74 |

Tables (Continued)

| | Page |
|--|------|
| Section 5. Oil and Gas Resource Development | |
| 5.1 Oil and Gas Drilling Activity Measurements | 78 |
| 5.2 Oil and Gas Wells Drilled | 79 |
| Section 6. Coal | |
| 6.1 Coal Overview | 83 |
| 6.2 Coal Consumption by End-Use Sector | 84 |
| 6.3 Coal Stocks, End of Period | 85 |
| Section 7. Electricity | |
| 7.1 Electric Utility Net Generation of Electricity | 91 |
| 7.2 Electricity Sales by End-Use Sector | 93 |
| 7.3 Electric Utility Consumption of Fossil Fuels to Generate Electricity | 95 |
| 7.4 Electric Utility Stocks of Coal and Petroleum, End of Period | 96 |
| Section 8. Nuclear Energy | |
| 8.1 Nuclear Power Plant Operations | 99 |
| 8.2 Nuclear Generating Units, End of Period | 100 |
| Section 9. Energy Prices | |
| 9.1 Crude Oil Price Summary | 105 |
| 9.2 F.O.B. Cost of Crude Oil Imports from Selected Countries | 106 |
| 9.3 Landed Cost of Crude Oil Imports from Selected Countries | 107 |
| 9.4 Motor Gasoline Retail Prices, U.S. City Average | 108 |
| 9.5 Refiner Prices of Residual Fuel Oil | 109 |
| 9.6 Refiner Prices of Petroleum Products for Resale | 110 |
| 9.7 Refiner Prices of Petroleum Products to End Users | 111 |
| 9.8 No. 2 Distillate Prices to Residences | |
| 9.8a Northeastern States | 112 |
| 9.8b Selected South Atlantic and Midwestern States | 113 |
| 9.8c Selected Western States and U.S. Average | 114 |
| 9.9 Electricity Retail Prices | 116 |
| 9.10 Quantity and Cost of Fossil-Fuel Receipts at Steam-Electric Utility Plants | 117 |
| 9.11 Natural Gas Prices | 119 |
| Section 10. International Energy | |
| 10.1 World Crude Oil Production | |
| 10.1a Algeria Through Venezuela | 124 |
| 10.1b Total OPEC, Canada Through Former U.S.S.R., and World | 125 |
| 10.2 Petroleum Consumption in OECD Countries | 129 |
| 10.3 Petroleum Stocks in OECD Countries, End of Period | 131 |
| 10.4 Nuclear Electricity Gross Generation | |
| 10.4a Argentina Through India | 133 |
| 10.4b Italy Through Spain | 134 |
| 10.4c Sweden Through United States and Total | 135 |
| Appendix A. Conversion Factors | |
| A1. Physical Conversion Factors for Energy Units | 137 |
| A2. Approximate Heat Content of Petroleum Products | 138 |
| A3. Approximate Heat Content of Crude Oil, Crude Oil and Products, and Natural Gas Plant Liquids | 138 |
| A4. Approximate Heat Content of Petroleum Product Weighted Averages | 139 |
| A5. Approximate Heat Content of Natural Gas | 139 |
| A6. Approximate Heat Content of Coal | 140 |
| A7. Approximate Heat Content of Bituminous Coal and Lignite | 140 |
| A8. Approximate Heat Content of Anthracite and Coal Coke | 141 |
| A9. Approximate Heat Rates for Electricity | 141 |

Figures

| | Page |
|--|------|
| Section 1. Energy Overview | |
| 1.1 Energy Overview | 2 |
| 1.2 Energy Production | 4 |
| 1.3 Energy Consumption | 6 |
| 1.4 Energy Net Imports | 8 |
| 1.5 Merchandise Trade Value | 10 |
| 1.6 Energy Consumption per Dollar of Gross National Product | 12 |
| 1.7 U.S. Dependence on Petroleum Net Imports | 13 |
| 1.8 Cost of Fuels to End Users in Constant (1982-1984) Dollars | 14 |
| 1.9 Passenger Car Efficiency | 15 |
| Section 2. Energy Consumption | |
| 2.1 Energy Consumption by End-Use Sector | 22 |
| 2.2 Residential and Commercial Energy Consumption | 24 |
| 2.3 Industrial Energy Consumption | 26 |
| 2.4 Transportation Energy Consumption | 28 |
| 2.5 Energy Input at Electric Utilities | 30 |
| Section 3. Petroleum | |
| 3.1 Petroleum Overview | 42 |
| 3.2 Finished Motor Gasoline | 54 |
| 3.3 Distillate Fuel | 56 |
| 3.4 Residual Fuel | 58 |
| 3.5 Jet Fuel | 60 |
| 3.6 Liquefied Petroleum Gases | 62 |
| 3.7 Propane and Propylene | 64 |
| Section 4. Natural Gas | |
| 4.1 Natural Gas | 70 |
| Section 5. Oil and Gas Resource Development | |
| 5.1 Oil and Gas Resource Development Indicators | 77 |
| Section 6. Coal | |
| 6.1 Coal | 82 |
| Section 7. Electricity | |
| 7.1 Electric Utility Net Generation of Electricity | 90 |
| 7.2 Electricity Sales | 92 |
| 7.3 Electric Utility Consumption and Stocks of Fossil Fuels | 94 |
| Section 8. Nuclear Energy | |
| 8.1 Nuclear Power Plant Operations | 98 |
| Section 9. Energy Prices | |
| 9.1 Petroleum Prices | 104 |
| 9.2 Electricity Retail Prices | 115 |
| 9.3 Cost of Fossil-Fuel Receipts at Steam-Electric Plants | 115 |
| 9.4 Natural Gas Prices | 118 |
| Section 10. International Energy | |
| 10.1 Crude Oil Production | 126 |
| 10.2 Crude Oil Production by Selected Country | 127 |
| 10.3 Petroleum Consumption in OECD Countries | 128 |
| 10.4 Petroleum Stocks in OECD Countries | 130 |
| 10.5 Nuclear Electricity Gross Generation | 132 |

Section 1. Energy Overview

Energy production during January 1993 totaled 5.7 quadrillion Btu, a 3.3-percent decrease compared with the level of production during January 1992. Coal production decreased 9.9 percent, petroleum production dropped 3.9 percent, and natural gas production increased 0.5 percent. All other forms of energy production combined were up 4.9 percent from the level of production during January 1992.

Energy consumption during January 1993 totaled 7.7 quadrillion Btu, 0.4 percent above the level of consumption during January 1992. Coal consumption

increased 2.2 percent, natural gas consumption was up 1.3 percent, and petroleum consumption dropped 2.8 percent. Consumption of all other forms of energy combined increased 5.1 percent compared with the level 1 year earlier.

Net imports of energy during January 1993 totaled 1.3 quadrillion Btu, 14.0 percent above the level of net imports 1 year earlier. Net imports of petroleum increased 8.7 percent, and net imports of natural gas were down 1.6 percent. Net exports of coal fell 25.8 percent compared with the level in January 1992.

Table 1.1 Energy Summary for January 1993
(Quadrillion Btu)

| | January | | | | |
|--------------------------------------|--------------|-----------------|--------------|-----------------|-----------------------------|
| | 1993 | 1993 Daily Rate | 1992 | 1992 Daily Rate | Percent Change ^a |
| Production^b | 5.739 | 0.185 | 5.935 | 0.191 | -3.3 |
| Coal | 1.724 | .056 | 1.912 | .062 | -9.9 |
| Natural Gas (Dry) | 1.644 | .053 | 1.636 | .053 | .5 |
| Petroleum ^c | 1.464 | .047 | 1.523 | .049 | -3.9 |
| Other ^d | .907 | .029 | .864 | .028 | 4.9 |
| Consumption^b | 7.713 | .249 | 7.680 | .248 | .4 |
| Coal | 1.696 | .055 | 1.659 | .054 | 2.2 |
| Natural Gas ^e | 2.333 | .075 | 2.302 | .074 | 1.3 |
| Petroleum | 2.751 | .089 | 2.831 | .091 | -2.8 |
| Other ^f | .933 | .030 | .888 | .029 | 5.1 |
| Net Imports | 1.304 | .042 | 1.145 | .037 | 14.0 |
| Coal ^g | -.162 | -.005 | -.218 | -.007 | -25.8 |
| Natural Gas | .157 | .005 | .160 | .005 | -1.6 |
| Petroleum ^h | 1.282 | .041 | 1.179 | .038 | 8.7 |
| Other ⁱ | .027 | .001 | .024 | .001 | 12.2 |

^a Based on daily rates prior to rounding.

^b Production and consumption totals exclude wood, waste, geothermal, wind, photovoltaic, and solar thermal energy, except for small amounts used by electric utilities to generate electricity for distribution.

^c Includes crude oil, lease condensate, and natural gas plant liquids.

^d "Other" is hydroelectric and nuclear electric power, and electricity generated for distribution from wood, waste, geothermal, wind, photovoltaic, and solar thermal energy.

^e Includes supplemental gaseous fuels.

^f "Other" is hydroelectric and nuclear electric power; electricity generated

for distribution from wood, waste, geothermal, wind, photovoltaic, and solar thermal energy; and net imports of electricity and coal coke.

^g Minus sign indicates exports are greater than imports.

^h Includes crude oil, lease condensate, petroleum products, pentanes plus, unfinished oils, gasoline blending components, and imports of crude oil for the Strategic Petroleum Reserve.


ⁱ "Other" is net imports of electricity and coal coke.

Note: Totals may not equal sum of components due to independent rounding.


Sources: Tables 1.3, 1.4, and 1.5.

Figure 1.1 Energy Overview (Quadrillion Btu)


Consumption, Production, and Imports, 1973-1992




Consumption, Production, and Imports, Monthly



Overview, January 1993




Net Imports, January




Note: Because vertical scales differ, graphs should not be compared.
Source: Table 1.2.

Figure 1.2 Energy Production
(Quadrillion Btu)


Total Production, 1973-1992




Total Production, Monthly




Production by Major Sources, 1973-1992




Production by Major Sources, Monthly



Total Production, January




Production by Major Sources, January 1993




Note: Because vertical scales differ, graphs should not be compared.
Source: Table 1.3.

Figure 1.3 Energy Consumption (Quadrillion Btu)


Total Consumption, 1973-1992




Total Consumption, Monthly




Consumption by Major Sources, 1973-1992




Consumption by Major Sources, Monthly



Total Consumption, January




Consumption by Major Sources, January 1993




Note: Because vertical scales differ, graphs should not be compared.
Source: Table 1.4.

Figure 1.4 Energy Net Imports
(Quadrillion Btu, Except as Noted)


Total Net Imports, 1973-1992




Net Imports, Monthly




Net Imports by Major Sources, 1973-1992




Net Imports by Major Sources, Monthly



Net Imports by Major Sources, January 1993




Net Imports as Share of Consumption, January




Note: Because vertical scales differ, graphs should not be compared.
Sources: Tables 1.4 and 1.5.

Figure 1.5 Merchandise Trade Value
(Billion Dollars)


Imports and Exports, 1974-1992




Imports and Exports, Monthly



Trade Balance, 1974-1992




Trade Balance, Monthly



Note: Because vertical scales differ, graphs should not be compared.
Source: Table 1.6.

Figure 1.8 Cost of Fuels to End Users in Constant (1982-84) Dollars

(Dollars per Million Btu)



Source: Table 1.9.

Table 1.9 Cost of Fuels to End Users in Constant (1982-84) Dollars

| | Motor Gasoline | | Residential Heating Oil | | Residential Natural Gas | | Residential Electricity | |
|------------------------------------|------------------|-------------------------|-------------------------|-------------------------|-------------------------------|-------------------------|-------------------------|-------------------------|
| | Cents per Gallon | Dollars per Million Btu | Cents per Gallon | Dollars per Million Btu | Cents per Thousand Cubic Feet | Dollars per Million Btu | Cents per Kilowatthour | Dollars per Million Btu |
| 1973 Average | NA | NA | NA | NA | 290.5 | 2.85 | 5.6 | 16.50 |
| 1974 Average | NA | NA | NA | NA | 290.1 | 2.83 | 6.3 | 18.43 |
| 1975 Average | NA | NA | NA | NA | 317.8 | 3.12 | 6.5 | 19.07 |
| 1976 Average | NA | NA | NA | NA | 348.0 | 3.41 | 6.5 | 19.06 |
| 1977 Average | NA | NA | NA | NA | 387.8 | 3.81 | 6.8 | 19.83 |
| 1978 Average | 100.0 | 8.00 | 75.2 | 5.42 | 392.6 | 3.86 | 6.6 | 19.33 |
| 1979 Average | 121.5 | 9.71 | 97.0 | 6.99 | 410.5 | 4.03 | 6.3 | 18.57 |
| 1980 Average | 148.2 | 11.85 | 118.2 | 8.52 | 446.6 | 4.36 | 6.6 | 19.21 |
| 1981 Average | 148.8 | 11.90 | 131.4 | 9.47 | 471.9 | 4.60 | 6.8 | 19.99 |
| 1982 Average | 132.7 | 10.61 | 120.2 | 8.67 | 535.8 | 5.22 | 7.2 | 20.96 |
| 1983 Average | 123.0 | 9.83 | 108.2 | 7.80 | 608.4 | 5.90 | 7.2 | 21.19 |
| 1984 Average | 115.3 | 9.22 | 105.0 | 7.57 | 589.0 | 5.72 | 7.2 | 21.16 |
| 1985 Average | 111.2 | 8.89 | 97.9 | 7.06 | 568.8 | 5.52 | 7.2 | 21.25 |
| 1986 Average | 84.9 | 6.79 | 76.3 | 5.50 | 531.9 | 5.17 | 6.8 | 19.79 |
| 1987 Average | 84.2 | 6.74 | 70.7 | 5.10 | 487.7 | 4.73 | 6.5 | 19.09 |
| 1988 Average | 81.4 | 6.51 | 68.7 | 4.96 | 462.4 | 4.49 | 6.3 | 18.58 |
| 1989 Average | 85.5 | 6.83 | 72.6 | 5.23 | 454.8 | 4.41 | 6.1 | 17.96 |
| 1990 Average | 93.1 | 7.44 | 81.3 | 5.86 | 443.8 | 4.31 | 6.0 | 17.49 |
| 1991 1 st Quarter | 90.0 | 7.19 | 81.7 | 5.89 | 413.2 | 4.01 | 5.6 | 16.52 |
| 2 nd Quarter | 88.1 | 7.04 | 68.5 | 4.94 | 471.2 | 4.57 | 6.0 | 17.72 |
| 3 rd Quarter | 87.3 | 6.98 | 64.2 | 4.63 | 524.5 | 5.09 | 6.1 | 18.01 |
| 4 th Quarter | 86.1 | 6.88 | 69.7 | 5.03 | 416.8 | 4.04 | 5.8 | 17.03 |
| Average | 87.8 | 7.02 | 74.8 | 5.39 | 427.3 | 4.14 | 5.9 | 17.43 |
| 1992 1 st Quarter | 81.1 | 6.49 | 67.6 | 4.87 | 397.3 | 3.85 | 5.6 | 16.48 |
| 2 nd Quarter | 85.3 | 6.82 | 66.0 | 4.76 | 442.8 | 4.29 | 5.9 | 17.40 |
| 3 rd Quarter | 87.1 | 6.96 | 63.7 | 4.59 | 513.8 | 4.98 | 6.1 | 17.89 |
| 4 th Quarter | 85.6 | 6.84 | 66.5 | 4.80 | 426.4 | 4.14 | 5.8 | 16.94 |
| Average | 84.8 | 6.78 | 66.6 | 4.80 | ^R 417.0 | ^R 4.04 | 5.8 | 17.13 |


R=Revised data. NA=Not available.

Notes: • Fuel costs are calculated by using the Urban Consumer Price Index (CPI) developed by the Bureau of Labor Statistics. See Note 6 at end of section. • Geographic coverage is the 50 States and the District of Columbia. • Annual averages may not equal average of quarters due to independent rounding.

Sources: • Annual Data: Annual prices in Tables 9.4 (All Types), 9.8c,

9.11, and 9.9 (Monthly Series), adjusted by the CPI. • Quarterly Data: Simple averages of monthly prices in Tables 9.4 (All Types), 9.8c, 9.11, and 9.9 (Monthly Series), adjusted by the CPI. • CPI: 1973-1990—*Economic Report of the President*, February 1993, Table B-56. 1991 forward—Council of Economic Advisers, *Economic Indicators*, March 1993, "Consumer Prices—All Urban Consumers." • Conversion Factors: Tables A2, A5, and A9.

Figure 1.9 Passenger Car Efficiency
(Index, 1973 = 100)



Source: Table 1.10.

Table 1.10 Passenger Car Efficiency

| | Mileage | | Fuel Consumption | | Fuel Rate | |
|-------------------|---------------|------------------|------------------|------------------|------------------|------------------|
| | Miles per Car | Index 1973=100.0 | Gallons per Car | Index 1973=100.0 | Miles per Gallon | Index 1973=100.0 |
| 1973 | 10,256 | 100.0 | 771 | 100.0 | 13.30 | 100.0 |
| 1974 | 9,606 | 93.7 | 716 | 92.9 | 13.42 | 100.9 |
| 1975 | 9,690 | 94.5 | 716 | 92.9 | 13.52 | 101.7 |
| 1976 | 9,785 | 95.4 | 723 | 93.8 | 13.53 | 101.7 |
| 1977 | 9,879 | 96.3 | 716 | 92.9 | 13.80 | 103.8 |
| 1978 | 9,835 | 95.9 | 701 | 90.9 | 14.04 | 105.6 |
| 1979 | 9,403 | 91.7 | 653 | 84.7 | 14.41 | 108.3 |
| 1980 | 9,141 | 89.1 | 591 | 76.7 | 15.46 | 116.2 |
| 1981 | 9,186 | 89.6 | 576 | 74.7 | 15.94 | 119.8 |
| 1982 | 9,428 | 91.9 | 566 | 73.4 | 16.65 | 125.2 |
| 1983 | 9,475 | 92.4 | 553 | 71.7 | 17.14 | 128.9 |
| 1984 | 9,558 | 93.2 | 536 | 69.5 | 17.83 | 134.1 |
| 1985 | 9,560 | 93.2 | 525 | 68.1 | 18.20 | 136.8 |
| 1986 | 9,608 | 93.7 | 526 | 68.2 | 18.27 | 137.4 |
| 1987 | 9,878 | 96.3 | 514 | 66.7 | 19.20 | 144.4 |
| 1988 | 10,121 | 98.7 | 509 | 66.0 | 19.87 | 149.4 |
| 1989 | 10,332 | 100.7 | 509 | 66.0 | 20.31 | 152.7 |
| 1990 | 10,548 | 102.8 | 502 | 65.1 | 21.02 | 158.0 |
| 1991 ^a | 10,728 | 104.6 | 495 | 64.2 | 21.68 | 163.0 |

^a Preliminary data.

Note: Geographic coverage is the 50 States and the District of Columbia.
Sources: Indices are prepared from statistics published by the U.S.

Department of Transportation, Federal Highway Administration, Federal Highway Statistics Division. • 1973-1985: *Highway Statistics Summary to 1985*, Table VM-201A. • 1986 forward: *Highway Statistics*, Table VM-1.

Table 1.11 Population-Weighted Heating Degree-Days

| Census Divisions | March 1 through March 31 | | | | | Cumulative July 1 through March 31 | | | | |
|--|--------------------------|------|------|----------------|--------------|------------------------------------|-------|-------|----------------|--------------|
| | Normal ^a | 1992 | 1993 | Percent Change | | Normal ^a | 1992 | 1993 | Percent Change | |
| | | | | Normal to 1993 | 1992 to 1993 | | | | Normal to 1993 | 1992 to 1993 |
| New England Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont | 920 | 977 | 976 | 6.1 | -0.1 | 5,643 | 5,422 | 5,822 | 3.2 | 7.4 |
| Middle Atlantic New Jersey, New York, Pennsylvania | 834 | 864 | 916 | 9.8 | 6.0 | 5,127 | 4,770 | 5,138 | .2 | 7.7 |
| East North Central Illinois, Indiana, Michigan, Ohio, Wisconsin | 894 | 835 | 917 | 2.6 | 9.8 | 5,631 | 5,209 | 5,624 | -1 | 8.0 |
| West North Central Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota | 914 | 744 | 922 | .9 | 23.9 | 5,975 | 5,361 | 6,229 | 4.3 | 16.2 |
| South Atlantic Delaware, Florida, Georgia, Maryland and the District of Columbia, North Carolina, South Carolina, Virginia, West Virginia | 408 | 401 | 455 | 11.5 | 13.5 | 2,773 | 2,494 | 2,691 | -3.0 | 7.9 |
| East South Central Alabama, Kentucky, Mississippi, Tennessee | 466 | 427 | 515 | 10.5 | 20.6 | 3,294 | 2,947 | 3,164 | -3.9 | 7.4 |
| West South Central Arkansas, Louisiana, Oklahoma, Texas | 287 | 195 | 291 | 1.4 | 49.2 | 2,217 | 1,937 | 2,145 | -3.2 | 10.7 |
| Mountain Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming | 724 | 574 | 617 | -14.8 | 7.5 | 4,728 | 4,383 | 4,848 | 2.5 | 10.6 |
| Pacific California, Oregon, Washington | 452 | 356 | 338 | -25.2 | -5.1 | 2,692 | 2,287 | 2,538 | -5.7 | 11.0 |
| U.S. Average^b | 647 | 597 | 659 | 1.9 | 10.4 | 4,151 | 3,786 | 4,137 | -3 | 9.3 |

^a "Normal" is based on calculations of data from 1951 through 1980.

^b Excludes Alaska and Hawaii.

Source: See Note 7 at end of section.

Table 1.12 Population-Weighted Cooling Degree-Days

| Census Divisions | March 1 through March 31 | | | | | Cumulative January 1 through March 31 | | | | |
|--|--------------------------|------|------|------------------|------------------|---------------------------------------|------|------|------------------|------------------|
| | Normal ^a | 1992 | 1993 | Percent Change | | Normal ^a | 1992 | 1993 | Percent Change | |
| | | | | Normal to 1993 | 1992 to 1993 | | | | Normal to 1993 | 1992 to 1993 |
| New England Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont | 0 | 0 | 0 | (^c) | (^c) | 0 | 0 | 0 | (^c) | (^c) |
| Middle Atlantic New Jersey, New York, Pennsylvania | 0 | 0 | 0 | (^c) | (^c) | 0 | 0 | 0 | (^c) | (^c) |
| East North Central Illinois, Indiana, Michigan, Ohio, Wisconsin | 0 | 0 | 0 | (^c) | (^c) | 0 | 0 | 0 | (^c) | (^c) |
| West North Central Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota | 5 | 0 | 0 | (^c) | (^c) | 5 | 0 | 0 | (^c) | (^c) |
| South Atlantic Delaware, Florida, Georgia, Maryland and the District of Columbia, North Carolina, South Carolina, Virginia, West Virginia | 37 | 38 | 35 | (^c) | (^c) | 71 | 84 | 92 | (^c) | (^c) |
| East South Central Alabama, Kentucky, Mississippi, Tennessee | 6 | 2 | 2 | (^c) | (^c) | 13 | 2 | 3 | (^c) | (^c) |
| West South Central Arkansas, Louisiana, Oklahoma, Texas | 21 | 28 | 23 | (^c) | (^c) | 21 | 36 | 29 | (^c) | (^c) |
| Mountain Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming | 1 | 1 | 4 | (^c) | (^c) | 1 | 2 | 4 | (^c) | (^c) |
| Pacific California, Oregon, Washington | 0 | 0 | 0 | (^c) | (^c) | 0 | 0 | 0 | (^c) | (^c) |
| U.S. Average^b | 9 | 9 | 8 | (^c) | (^c) | 15 | 18 | 18 | (^c) | (^c) |

^a "Normal" is based on calculations of data from 1951 through 1980.

^b Excludes Alaska and Hawaii.

^c Percent change is not meaningful: normal is less than 100 or ratio is

incalculable.

Source: See Note 7 at end of section.

Energy Summary Notes

1. Energy Production: Production of energy includes production of coal, crude oil and lease condensate, natural gas plant liquids, natural gas (dry), electric utility and industrial production of hydroelectric power, and electricity generated from nuclear power. Production also includes electricity generated for distribution from wood, waste, geothermal, wind, photovoltaic, and solar thermal energy but excludes other energy obtained from those sources because consistent historical data are not available. Approximate heat contents (Btu values) are derived by using the conversion factors provided in Appendix A.

2. Energy Consumption: Consumption of energy includes consumption of coal, natural gas (including supplemental gaseous fuels), petroleum products supplied, electric utility and industrial production of hydroelectric power, net imports of electricity (assumed to be hydroelectricity), net imports of coal coke, and electricity generated from nuclear power. Consumption also includes electricity generated for distribution from wood, waste, geothermal, wind, photovoltaic, and solar thermal energy but excludes other energy obtained from those sources because consistent historical data are not available. Approximate heat contents (Btu values) are derived by using the conversion factors provided in Appendix A.

3. Energy Imports: Energy imports include imports of coal, crude oil (including crude oil imported for the Strategic Petroleum Reserve), petroleum products, natural gas, electricity (assumed to be hydroelectricity), and coal coke. Approximate heat contents (Btu values) are derived by using the conversion factors provided in Appendix A. For further information on electricity, see "Note for imports and exports of electricity" under Note 8 of the Notes and Sources for the Energy Consumption Section.

4. Energy Exports: Energy exports include coal, crude oil, petroleum products, natural gas, electricity produced from hydroelectric power, and coal coke. Approximate heat contents (Btu values) are derived by using the conversion factors provided in Appendix A. For more information on electricity, see "Note for imports and exports of electricity" under Note 8 of the Notes and Sources for the Energy Consumption Section.

5. Merchandise Trade Value: Import data presented are based on the customs value. That value does not include insurance and freight and is consequently lower than the cost, insurance, and freight (CIF) value, which is also reported by the Bureau of the Census. All export data, and import data prior to 1981, are on a free alongside ship (f.a.s.) basis.

"Balance" is exports minus imports; a positive balance indicates a surplus trade value and a negative balance

indicates a deficit trade value. "Energy" includes mineral fuels, lubricants, and related material. "Non-Energy Balance" and "Total Merchandise" include foreign exports (i.e., reexports) and nonmonetary gold and Department of Defense Grant-Aid shipments. The "Non-Energy Balance" is calculated by subtracting the "Energy" from the "Total Merchandise Balance."

"Imports" consist of government and nongovernment shipments of merchandise into the 50 States, the District of Columbia, Puerto Rico, the U.S. Virgin Islands, and the U.S. Foreign Trade Zones. They reflect the total arrival from foreign countries of merchandise that immediately entered consumption channels, warehouses, the Foreign Trade Zones, or the Strategic Petroleum Reserve. They exclude shipments between the United States, Puerto Rico, and U.S. possessions, shipments to U.S. Armed Forces and diplomatic missions abroad for their own use, U.S. goods returned to the United States by its Armed Forces, and in-transit shipments.

6. The Consumer Price Index: The values for the Consumer Price Index, All Urban Consumers, All Items, 1982-84=100, are as follows:

| | | | | |
|------|-------|-------|-------------|-------|
| 1973 | 44.4 | 1990: | 1st Quarter | 128.0 |
| 1974 | 49.3 | | 2nd Quarter | 129.3 |
| 1975 | 53.8 | | 3rd Quarter | 131.6 |
| 1976 | 56.9 | | 4th Quarter | 133.7 |
| 1977 | 60.6 | | Year | 130.7 |
| 1978 | 65.2 | 1991: | 1st Quarter | 134.8 |
| 1979 | 72.6 | | 2nd Quarter | 135.6 |
| 1980 | 82.4 | | 3rd Quarter | 136.7 |
| 1981 | 90.9 | | 4th Quarter | 137.7 |
| 1982 | 96.5 | | Year | 136.2 |
| 1983 | 99.6 | 1992: | 1st Quarter | 138.7 |
| 1984 | 103.9 | | 2nd Quarter | 139.8 |
| 1985 | 107.6 | | 3rd Quarter | 140.9 |
| 1986 | 109.6 | | 4th Quarter | 141.9 |
| 1987 | 113.6 | | Year | 140.3 |
| 1988 | 118.3 | | | |
| 1989 | 124.0 | | | |

7. Degree-Days: Degree-days are relative measurements of outdoor air temperature. Cooling degree-days are defined as deviations of the mean daily temperature at a sampling station above a base temperature equal to 65°F by convention. Heating degree-days are deviations of the mean daily temperature below 65°F. For example, if a weather station recorded a mean daily temperature of 78°F, cooling degree-days for that station would be 13 (and heating degree-days, 0). A weather station recording a mean daily temperature of 40°F would report 25 heating degree-days (and 0 cooling degree-days).

There are several degree-day databases maintained by the National Oceanic and Atmospheric Administration. The information published in the *Monthly Energy Review (MER)* is developed by the National Weather Service Climate Analysis Center, Camp Springs, MD.

The data are available weekly with monthly summaries and are based on mean daily temperatures recorded at about 200 major weather stations around the country. The temperature information recorded at those weather stations is used to calculate statewide degree-day averages based on population. The State figures are then aggregated into Census Divisions and into the national average. The population weights currently used represent resident State population data estimated for 1980 by the U.S. Department of Commerce, Bureau of the Census. The data shown in the *MER* are available sooner than the Historical Climatology Series 5-1 and 5-2 developed by the National Climatic Center, Asheville, NC, which compiles data from some 8,000 weather stations.

Sources for Table 1.6

U.S. Department of Commerce, Bureau of the Census, Foreign Trade Division:

• **Petroleum Exports—1974-1987:** "U.S. Exports," FT410, December issues. **1988:** "Report on U.S. Merchandise Trade 1988 Final Revisions." **1989:** "Report on U.S. Merchandise Trade 1989 Revisions." **1990:** "U.S. Merchandise Trade: 1990 Final Report." **1991:** "U.S. Merchandise Trade, 1991 Final Report," May 13, 1992. **1992:** "U.S. Merchandise Trade," FT900, monthly.

• **Petroleum Imports—1974-1987:** "U.S. Merchandise Trade," FT900, December issues, 1975-1988. **1988:** "Report on U.S. Merchandise Trade 1988 Final Revisions." **1989:** "Report on U.S. Merchandise Trade 1989 Revisions." **1990:** "U.S. Merchandise

Trade: 1990 Final Report." **1991:** "U.S. Merchandise Trade, 1991 Final Report," May 13, 1992, and "U.S. Merchandise Trade: October 1992," December 17, 1992, page 3. **1992:** "U.S. Merchandise Trade," FT900, monthly.

• **Energy Exports and Imports—1974-1987:** U.S. merchandise trade press releases and database printouts for adjustments. **1988:** January-July, monthly FT900 supplement, 1989 issues. August-December, monthly FT900, 1989 issues. **1989:** Monthly FT900, 1990 issues. **1990:** "U.S. Merchandise Trade: 1990 Final Report." **1991:** "U.S. Merchandise Trade, 1991 Final Report," May 13, 1992, and "U.S. Merchandise Trade: October 1992," December 17, 1992, page 3. **1992:** Monthly FT900 issues.

• **Total Merchandise—1974-1987:** U.S. merchandise trade press releases and database printouts for adjustments. **1988:** "Report on U.S. Merchandise Trade 1988 Final Revisions," August 18, 1989. **1989:** "Report on U.S. Merchandise Trade 1989 Revisions," July 10, 1990. **1990:** "U.S. Merchandise Trade: 1990 Final Report," May 10, 1991, and "U.S. Merchandise Trade: December 1992," February 18, 1993, page 3. **1991:** U.S. Merchandise Trade, 1991 Final Report," May 13, 1992; "U.S. Merchandise Trade: October 1992," December 17, 1992, page 3; and "U.S. Merchandise Trade: December 1992," February 18, 1993, page 3. **1992:** Monthly FT900 issues.

• **Petroleum Balance, Energy Balance, and Non-Energy Balance—**Calculated by the Energy Information Administration.

Section 2. Energy Consumption

U.S. total energy consumption in January 1993 was 7.7 quadrillion Btu. Petroleum products accounted for 36 percent¹ of the energy consumed in January 1993, while natural gas accounted for 30 percent, and coal accounted for 22 percent.

Residential and commercial sector consumption was 3.3 quadrillion Btu in January 1993, up 2 percent from the January 1992 level. The sector accounted for 43 percent of January 1993 total consumption, up 1 percentage point from its 42-percent share in January 1992.

Industrial sector consumption was 2.6 quadrillion Btu in January 1993, down slightly from the January 1992 level. The industrial sector accounted for 34 percent of January 1993 total consumption, about the same share as in January 1992.

Transportation sector consumption of energy was 1.8 quadrillion Btu in January 1993, down 2 percent from the January 1992 level. The sector accounted for 23 percent of January 1993 total consumption, down 1 percentage point from its 24-percent share in January 1992.

Electric utility consumption of energy totaled 2.6 quadrillion Btu in January 1993, up 1 percent from the January 1992 level. Coal contributed 55 percent of the energy consumed by electric utilities in January 1993, while nuclear electric power contributed 24 percent; hydroelectric power 11 percent; natural gas 6 percent; petroleum 3 percent; and wood, waste, geothermal, wind, photovoltaic, and solar thermal energy, about 1 percent.

Table 2.1 Energy Consumption Summary for January 1993
(Quadrillion Btu)

| Energy Source | End-Use Sectors | | | | Electric Utilities | Total |
|--|----------------------------|--------------|------------------|--------------------|--------------------|--------------|
| | Residential and Commercial | Industrial | Transportation | Total ^a | | |
| Coal | 0.018 | 0.233 | (^b) | 0.250 | 1.446 | 1.696 |
| Natural Gas ^c | 1.286 | .798 | .082 | 2.165 | .168 | 2.333 |
| Petroleum | .231 | .728 | 1.715 | 2.674 | .077 | 2.751 |
| Nuclear Electric Power | - | - | - | - | .634 | .634 |
| Hydroelectric Power | - | .003 | - | .003 | .276 | .279 |
| Net Imports of Coal Coke | - | .004 | - | .004 | - | .004 |
| Other ^d | - | - | - | - | .016 | .016 |
| Primary Consumption | 1.534 | 1.766 | 1.797 | 5.096 | 2.617 | 7.713 |
| Electricity | .564 | .266 | .001 | .832 | - | - |
| Net Consumption | 2.099 | 2.033 | 1.799 | 5.928 | - | - |
| Electrical System Energy Losses | 1.211 | .571 | .003 | 1.785 | - | - |
| Total Consumption^e | 3.310 | 2.604 | 1.801 | 7.713 | - | - |

^a Totals for coal and natural gas may not equal sum of sectors due to the use of sector-specific conversion factors.

^b Small amounts of coal consumed for transportation are reported as industrial sector consumption.

^c Includes supplemental gaseous fuels. Transportation sector is pipeline fuel only.

^d "Other" is electricity generated for distribution from wood, waste, geothermal, wind, photovoltaic, and solar thermal energy.

^e Excludes wood, waste, geothermal, wind, photovoltaic, and solar thermal energy, except for small amounts used by electric utilities to generate electricity for distribution.

- = Not applicable.


Note: Totals may not equal sum of components due to independent rounding.

Additional Notes and Sources: See Tables 2.2-2.6 and end of section.


¹Percentage changes are based on numbers in the following tables.

Figure 2.1 Energy Consumption by End-Use Sector
(Quadrillion Btu)


Consumption by End-Use Sector, 1973-1992



Consumption by End-Use Sector, Monthly




Consumption by End-Use Sector, January




Note: Because vertical scales differ, graphs should not be compared.
Source: Table 2.2.

Figure 2.2 Residential and Commercial Energy Consumption (Quadrillion Btu)


Consumption by Major Sources, 1973-1992




Consumption by Major Sources, Monthly



Total Consumption, January




Consumption by Major Sources, January 1993




Note: Because vertical scales differ, graphs should not be compared.
Source: Table 2.3.

Figure 2.3 Industrial Energy Consumption
(Quadrillion Btu)


Consumption by Major Sources, 1973-1992




Consumption by Major Sources, Monthly



Total Consumption, January




Consumption by Major Sources, January 1993




Note: Because vertical scales differ, graphs should not be compared.
Source: Table 2.4.

Figure 2.5 Energy Input at Electric Utilities (Quadrillion Btu)


Total Input, 1973-1992




Total Input, Monthly




Input by Major Sources, 1973-1992




Input by Major Sources, Monthly



Total Input, January



Input by Major Sources, January 1993



Note: Because vertical scales differ, graphs should not be compared.
Source: Table 2.6.

Energy Consumption Notes and Sources

The data in this section of the *Monthly Energy Review (MER)* are obtained initially from a group of energy-related surveys, typically called "supply surveys," conducted by the Energy Information Administration (EIA). Supply surveys are those surveys directed to suppliers and marketers of specific energy sources. They measure the quantities of specific energy sources produced, or the quantities supplied to the market, or both. The data obtained from the EIA's supply surveys are integrated to yield the summary consumption statistics published in this section (and in Section 1) of the *MER*. Users of the EIA's energy consumption statistics should be aware of a second group of energy-related surveys, typically called "consumption surveys." Consumption surveys gather information on the types of energy consumed by end users of energy, along with the characteristics of those end users that can be associated with energy use. For example, the Manufacturing Energy Consumption Survey belongs to the consumption survey group because it collects information directly from end users (the manufacturing establishments). There are important differences between the supply and consumption surveys that need to be taken into account in any analysis that uses both data sources. For information on those differences, see *Energy Consumption by End-Use Sector, A Comparison of Measures by Consumption and Supply Surveys*, DOE/EIA-0533, Energy Information Administration, Washington, DC, April 6, 1990. The numbered notes that follow elaborate on essential information in Section 2.

1. Total Energy Consumed: Total energy consumed includes coal, natural gas (including supplemental gaseous fuels), petroleum products supplied, electric utility and industrial generation of hydroelectric power, net imports of electricity generated from hydroelectric power, and electricity generated from nuclear power. Total energy consumed also includes electricity generated from wood, waste, geothermal, wind, photovoltaic, and solar thermal energy but excludes other energy obtained from those sources because consistent historical data are not available.

2. Economic Sectors: Energy use is assigned to the major economic sectors according to the following guidelines as closely as possible:

- **Residential**—All private residences, whether occupied or vacant, owned or rented, including single-family homes, multifamily housing units, and mobile homes. Secondary homes, such as summer homes, are also included. Institutional housing, such as school dormitories, hospitals, and military barracks, generally are not included in the residential sector; they are included in the commercial sector. The SIC code used to classify an establishment as residential is 88 (Household).

- **Commercial**—Business establishments that are not engaged in transportation or in manufacturing or other types of industrial activity (agriculture, mining, or construction). Commercial establishments include hotels, motels, restaurants, wholesale businesses, retail stores, laundries, and other service enterprises; religious and nonprofit organizations; health, social, and educational institutions; and Federal, State, and local governments. Street lights, pumps, bridges, and public services are also included if the establishment operating them is considered commercial. SIC codes used to classify an establishment as commercial are 50 through 87, 89, and 91 through 97.
- **Industrial**—Manufacturing industries, which make up the largest part of the sector, along with mining, construction, agriculture, fisheries, and forestry. Establishments in the sector range from steel mills to small farms to companies assembling electronic components. The SIC codes used to classify establishments as industrial are 1 through 39.
- **Transportation**—Private and public vehicles that move people and commodities. Included are automobiles, trucks, buses, motorcycles, railroads and railways (including streetcars), aircraft, ships, barges, and natural gas pipelines. The SIC codes used to classify establishments as belonging to the transportation sector are 40 through 49.
- **Electric Utility**—Privately and publicly owned establishments that generate, transmit, distribute, and sell electricity primarily for use by the public and meet the definition of an electric utility. Nonutility power producers are not included in the electric utility sector.

Although the end-use allocations are made according to these aggregations as closely as possible, some data are collected by using different classifications. For example, data on agricultural use of natural gas are collected and reported in the commercial sector, rather than in the industrial sector. Since agricultural use of natural gas cannot be identified separately, it is included in the commercial sector in this report. Another example is master-metered condominiums and apartments, and buildings with a combination of residential and commercial units. In many cases, the metering and billing practices cause residential energy usage of electricity, natural gas, or fuel oil to be included in the commercial sector. No adjustments for these discrepancies were made.

3. Conversion Factors: See the conversion factors listed in Appendix A.

4. Coal: Coal is anthracite, bituminous coal (including subbituminous coal), and lignite. Sources:

- 1973-September 1977: U.S. Department of the Interior (DOI), Bureau of Mines (BOM), *Minerals Yearbook* and *Minerals Industry Surveys*.
- Electric Utilities—October 1977 forward: Energy Information Administration (EIA), Form EIA-759 (formerly Form FPC-4), "Monthly Power Plant Report."
- Other Industrial—October 1977-December 1979: EIA, Form EIA-3, "Monthly Coal Consumption Report - Manufacturing Plants"; January 1980 forward: EIA, Form EIA-3, "Quarterly Coal Consumption Report - Manufacturing Plants" and Form EIA-6, "Coal Distribution Report."
- Coke Plants—October 1977-December 1980: EIA, Form EIA-5/5A, "Coke and Coal Chemicals - Monthly/Annual"; January 1981-December 1984: EIA, Form EIA-5/5A, "Coke Plant Report - Quarterly/Annual Supplement"; January 1985 forward: EIA, Form EIA-5/5A, "Coke Plant Report," quarterly.
- Residential and Commercial—October 1977-December 1979: EIA, Form EIA-2, "Monthly Coal Report, Retail Dealers - Upper Lake Docks"; January 1980 forward: EIA, Form EIA-6, "Coal Distribution Report."

5. Natural Gas: Natural gas consumption by end use is based on data presented in Table 4.3 of this report. For Section 2 calculations, lease and plant fuel consumption are added to industrial deliveries, and pipeline fuel represents transportation use of natural gas. Values in Btu are derived by using the conversion factors provided in Appendix A. Sources:

- 1973-1975: DOI, BOM, *Minerals Yearbook*, "Natural Gas" chapter.
- 1976-1978: EIA, *Energy Data Reports*, "Natural Gas, Annual."
- 1979: EIA, *Natural Gas Production and Consumption 1979*.
- 1980-1991: EIA, *Natural Gas Annual*.
- 1992 and 1993: EIA, *Natural Gas Monthly*.
- Electric Utilities—1973-1976: Form FPC-4, "Monthly Power Plant Report"; 1977-1981: Federal Energy Regulatory Commission (FERC), Form FPC-4, "Monthly Power Plant Report"; 1982 forward: EIA, Form EIA-759, "Monthly Power Plant Report."
- American Gas Association, "Monthly Gas Utility Statistical Report," residential and commercial monthly sales data for 1973-1979, which are used to estimate monthly consumption values from EIA annual consumption values.

6. Petroleum: Petroleum consumption by end use is the sum of all individual petroleum products estimated to be consumed in each end-use sector. First, total consumption by product is determined. Petroleum

consumption in this section of the *Monthly Energy Review (MER)* is the series called "petroleum products supplied" in Section 3. Sources for petroleum products supplied by individual products are:

- 1973-1975: DOI, BOM, *Mineral Industry Surveys*, "Petroleum Statement, Annual."
- 1976-1980: EIA, *Energy Data Reports*, "Petroleum Statement, Annual."
- 1981-1991: EIA, *Petroleum Supply Annual*.
- 1992 and 1993: EIA, *Petroleum Supply Monthly*.

Specific petroleum products' end-use allocation procedures follow:

- **Aviation Gasoline**—All product supplied is assigned to the transportation sector.
- **Asphalt**—All product supplied is assigned to the industrial sector.
- **Distillate Fuel**—Product supplied is assigned to electric utilities and non-electric utilities as follows:

Electric Utilities, All Periods.

Monthly and annual consumption for 1973-1979 is assumed to be the amount of oil (minus small amounts of kerosene and kerosene-type jet fuel deliveries) reported as consumed in internal combustion and gas turbine engine plants. From January 1980, electric utility consumption of distillate fuel is assumed to be the petroleum products reported as "light oil" (minus small amounts of kerosene deliveries through 1982) consumed at electric utilities.

Sources: 1973-September 1977: FPC, Form FPC-4, "Monthly Power Plant Report"; October 1977-1981: FERC, Form FPC-4, "Monthly Power Plant Report"; 1982 forward: EIA, Form EIA-759, "Monthly Power Plant Report."

Sectors Other Than Electric Utilities, Annual Estimates Through 1991.

The aggregate non-electric utility use of distillate fuel is total distillate fuel supplied minus the electric utility consumption. The non-electric utility annual consumption totals are allocated to the individual non-electric utility sectors (residential, commercial, industrial, and transportation) in proportion to the share of "adjusted sales" of each end-use sector, as reported in EIA's *Fuel Oil and Kerosene Sales* report series (DOE/EIA-0535), which is based primarily on data collected by Form EIA-821, previously Form EIA-172. "Adjusted sales" are sales that have been adjusted at the PAD district level to equal EIA volume estimates of petroleum products supplied in the U.S. market. Following are notes on the individual sector groupings:

- Since 1979, the residential sector adjusted sales total is directly from the *Sales* reports. Prior to 1979, each year's sales subtotal of the heating plus industrial category is split into residential, commercial, and industrial (including farm) in proportion to the 1979 shares.

- Since 1979, the commercial sector adjusted sales total is directly from the *Sales* reports. Prior to 1979, each year's sales subtotal of the heating plus industrial category is split into residential, commercial, and industrial (including farm) in proportion to the 1979 shares.

- Since 1979, the industrial sector adjusted sales total is the sum of the adjusted sales for industrial, farm, oil company, off-highway, diesel, and all other uses. Prior to 1979, each year's sales subtotal of the heating plus industrial category is split into residential, commercial, and industrial (including farm) in proportion to the 1979 shares, and this estimated industrial portion is added to oil company, off-highway diesel, and all other uses.

- The transportation sector adjusted sales total is the sum of the adjusted sales for railroad, vessel bunkering, on-highway diesel, and military uses for all years.

Sectors Other Than Electric Utilities, Monthly Estimates Through 1991.

- Residential and commercial monthly consumption is estimated by allocating the annual estimates described above into months in proportion to each month's share of the year's sales of No. 2 heating oil as reported in the "Monthly Report of Heating Oil Sales" by the Ethyl Corporation from 1973-1980 and the American Petroleum Institute for 1981 and 1982, and the EIA, Form EIA-782A, "Refiners/Gas Plant Operators' Monthly Petroleum Product Sales Report," No. 2 Fuel Oil Sales to End Users and for Resale, since 1983.

- The transportation highway use portion is allocated into the months in proportion to each month's share of the year's total sales for highway use as reported by the Federal Highway Administration's Table MF-25, "Private and Commercial Highway Use of Special Fuels by Months." The remaining transportation use of distillate fuel (i.e., for railroads, vessel bunkering, and military use) is evenly distributed over the months, adjusted for the number of days per month.

- Industrial monthly estimates are made by subtracting the residential and commercial, transportation, and electric utility sector estimates from each month's total distillate fuel supplied.

Sectors Other Than Electric Utilities, 1992 and 1993

Each month's non-electric utility consumption subtotal is disaggregated into the major end-use sectors in proportion to the shares each sector held of

the non-electric utility subtotal in the same month in 1991.

• **Jet Fuel**—Through 1982, small amounts of kerosene-type jet fuel were consumed by electric utilities. Kerosene-type jet fuel deliveries to electric utilities as reported on the Form FERC-423 (formerly Form FPC-423) were used as estimates of this consumption. All remaining jet fuel (kerosene-type and naphtha-type) is consumed by the transportation sector.

• **Kerosene**—Total product supplied monthly is allocated to the major end-use sectors in proportion to annual sales grouped into end-use sectors from EIA's *Fuel Oil and Kerosene Sales (Sales)* reports (based primarily on data collected by Form EIA-821, previously Form EIA-172), as follows:

- Residential deliveries are directly from the *Sales* reports for 1979-1991. Sales for 1991 are used as estimates for succeeding periods. Prior to 1979, each year's sales category called "heating" is split into residential, commercial, and industrial in proportion to the 1979 shares.

- Commercial sales are directly from the *Sales* reports for 1979-1991. Sales for 1991 are used as estimates for succeeding periods. Prior to 1979, each year's sales category called "heating" is split into residential, commercial, and industrial in proportion to the 1979 shares.

- Industrial sales are directly from the *Sales* reports for 1979-1991. Sales for 1991 are used as estimates for succeeding periods. Prior to 1979, each year's sales category called "heating" is split into residential, commercial and industrial in proportion to the 1979 shares, and this estimated industrial (including farm) portion is added to all other uses.

• **Liquefied Petroleum Gases (LPG)**—The annual shares of LPG's total consumption that are estimated to be consumed by each end-use sector are applied to each month's total LPG consumption (i.e., product supplied) to create monthly end-use consumption estimates. The annual end-use shares are calculated in the following manner:

- Sales of LPG to the residential and commercial sector are converted from thousand gallons per year to thousand barrels per year and are assumed to be the annual consumption of LPG by the sector.

- The quantity of LPG sold each year for consumption in internal combustion engines is allocated between the transportation and industrial sectors on the basis of data for special fuels used on highways published by the U.S. Department of Transportation, Federal Highway Administration, in *Highway Statistics*. The allocations of LPG sold for internal combustion engine use to the transportation sector range from a high of 67 percent in 1981 to a low of 37 percent in 1987.

- LPG consumed annually by the industrial sector is estimated as the difference between LPG's total supplied and the estimated consumption by the sum of the residential and commercial sector and the transportation sector. The industrial sector includes LPG used by chemical plants as raw materials or solvents and for use in the production of synthetic rubber; refinery fuel use; use as synthetic natural gas feedstock and use in secondary recovery projects; all farm use; LPG sold to gas utility companies for distribution through the mains; and a portion of the use of LPG as an internal combustion engine fuel.

The sources of the annual sales data for creating annual end-use shares are:

- 1973-1982: EIA's "Sales of Liquefied Petroleum Gases and Ethane" reports, based primarily on data collected by Form EIA-174.

- 1983: End-use consumption estimates for 1983 are based on 1982 end-use consumption because the collection of data under Form EIA-174 was discontinued after data year 1982.

- 1984-1991: American Petroleum Institute (API), "Sales of Natural Gas Liquids and Liquefied Refinery Gases," which is based on an LPG sales survey jointly sponsored by API, the Gas Processors Association, and the National Liquefied Petroleum Gas Association.

- 1992 and 1993: The 1991 source is used to estimate succeeding periods.

• **Lubricants**—Total product supplied is allocated to the industrial and transportation sectors for all months according to proportions developed from annual sales of lubricants to the two sectors from U.S. Department of Commerce, Bureau of the Census, *Current Industrial Reports*, "Sales of Lubricating and Industrial Oils and Greases." The 1973 shares are applied to 1973 and 1974; the 1975 shares are applied to 1975 and 1976; and the 1977 shares are applied to 1977 forward.

• **Motor Gasoline**—Total product supplied monthly is allocated to the major end-use sectors in proportion to aggregations of annual sales categories formed from the U.S. Department of Transportation, Federal Highway Administration, *Highway Statistics*, Tables MF-21, MF-24, and MF-25, as follows:

- Commercial sales are the sum of sales for public non-highway use and miscellaneous and unclassified uses.

- Industrial sales are the sum of sales for agriculture, construction, and industrial and commercial use as classified in the *Highway Statistics*.

- Transportation sales are the sum of sales for highway use (minus the sales of special fuels, which are primarily diesel fuel and are accounted

for in the transportation sector of distillate fuel) and sales for marine use.

• **Petroleum Coke**—The portion consumed by electric utilities is from Form EIA-759, "Monthly Power Plant Report" (formerly Form FPC-4). The remaining petroleum coke is assigned to the industrial sector.

• **Residual Fuel**—Product supplied is assigned to electric utilities and non-electric utilities as follows:

Electric Utilities, All Periods.

Monthly and annual consumption for 1973-1979 is assumed to be the amount of oil reported as consumed in steam-electric power plants. From January 1980 forward, electric utility consumption of residual fuel is assumed to be the petroleum products reported as heavy oil consumed at electric utilities.

Sources: 1973-September 1977: Form FPC-4, "Monthly Power Plant Report"; October 1977-1981: FERC, Form FPC-4, "Monthly Power Plant Report"; 1982 forward: EIA, Form EIA-759, "Monthly Power Plant Report."

Sectors Other Than Electric Utilities, Annual Estimates Through 1991.

The aggregate non-electric utility use of residual fuel is total residual fuel supplied minus the electric utility consumption. The non-electric utility annual totals are allocated into the individual non-electric utility sectors in proportion to the amount of residual fuel sold to end users, grouped into sectors from EIA's *Fuel Oil and Kerosene Sales (Sales)* reports (based primarily on data collected by Form EIA-821, previously Form EIA-172), as follows:

- Since 1979, commercial sales data are directly from the *Sales* reports. Prior to 1979, each year's sales subtotal of the heating plus industrial category is split into commercial and industrial in proportion to the 1979 shares.

- Since 1979, industrial sales data are the sum of sales for industrial, oil company, and all other uses. Prior to 1979, each year's sales subtotal of the heating plus industrial category is split into commercial and industrial in proportion to the 1979 shares, and this estimated industrial portion is added to oil company and all other uses.

- Transportation sales are the sum of sales for railroad, vessel bunkering, and military uses for all years.

Sectors Other Than Electric Utilities, Monthly Estimates Through 1991.

- Commercial sector monthly consumption is estimated by allocating the annual commercial sector estimates described above into months in

proportion to each month's share of the year's sales of No. 2 fuel oil as reported in the "Monthly Report of Heating Oil Sales" by the Ethyl Corporation for 1973-1980 and the American Petroleum Institute for 1981 and 1982, and the EIA, Form EIA-782A, "Refiners/Gas Plant Operators' Monthly Petroleum Product Sales Report," No. 2 Fuel Oil Sales to End Users and for Resale, since 1983.

- Transportation monthly estimates are made by evenly distributing the annual sector estimate over the months, adjusting for the number of days per month.

- Industrial monthly estimates are made by subtracting the commercial, transportation, and electric utility sector estimates from each month's total residual fuel supplied.

Sectors Other Than Electric Utilities, 1992 and 1993

Each month's non-electric utility consumption subtotal is disaggregated into the major end-use sectors in proportion to the shares each sector held of the non-electric utility subtotal in the same month in 1991.

- **Road Oil**—All product supplied is assigned to the industrial sector.
- **All Other Petroleum Products**—The product supplied of all remaining petroleum products is assigned to the industrial sector.

7. Nuclear Electric Power and Wood, Waste, Geothermal, Wind, Photovoltaic, and Solar Thermal Energy Sources Connected to Electric Utility Distribution Systems: Sources:

- 1973-1976: FPC, Form FPC-4, "Monthly Power Plant Report."
- 1977-1981: FERC, Form FPC-4, "Monthly Power Plant Report."
- 1982 forward: EIA, Form EIA-759, "Monthly Power Plant Report."

8. Hydroelectric Power: Includes electricity generated by hydroelectric power at electric utilities, small amounts in the industrial sector, and net imports of electricity, which are assumed to be generated by hydroelectric power and are included in the electric utilities sector.

Sources for electric utilities sector:

- 1973-1976: FPC, Form FPC-4, "Monthly Power Plant Report."
- 1977-1981: FERC, Form FPC-4, "Monthly Power Plant Report."
- 1982 forward: EIA, Form EIA-759, "Monthly Power Plant Report."

Sources for industrial sector:

- 1973-1978: FPC, Form FPC-4, "Monthly Power Plant Report," for plants with generating capacity exceeding 10 megawatts, and FPC, Form FPC-12C, *Industrial Electric Generating Capacity*, for all other plants.
- 1979: FPC, Form FPC-4, "Monthly Power Plant Report," for plants with generating capacity exceeding 10 megawatts and EIA estimates for all other plants.
- 1980 forward: Annual generation estimated by EIA as the average generation over the 6-year period of 1974-1979; monthly generation estimated to be in proportion to each month's hydroelectricity generation in the electric utility industry in 1980.

Sources for imports and exports of electricity:

- 1973-September 1977: Unpublished Federal Power Commission data.
- October 1977-1980: Unpublished Economic Regulatory Administration (ERA) data.
- 1981: DOE, Office of Energy Emergency Operations, "Report on Electric Energy Exchanges with Canada and Mexico for Calendar Year 1981," April 1982 (revised June 1982).
- 1982 and 1983: DOE, ERA, *Electricity Exchanges Across International Borders*.
- 1984-1986: DOE, ERA, *Electricity Transactions Across International Borders*.
- 1987 and 1988: DOE, ERA, Form ERA-781R, "Annual Report of International Electrical Export/Import Data."
- 1989-1991: DOE, Assistant Secretary for Fossil Energy, Form FE-781-R, "Annual Report of International Electrical Export/Import Data."
- 1992 forward: EIA estimates based on preliminary data from the National Energy Board of Canada and DOE, Assistant Secretary for Fossil Energy.

9. Net Imports of Coal Coke: Net imports means imports minus exports, and a minus sign indicates that exports are greater than imports. Sources:


- 1973-1975: DOI, BOM, *Minerals Yearbook*, "Coke and Coal Chemicals" chapter.
- 1976-1980: EIA, *Energy Data Report*, "Coke and Coal Chemicals" annual.
- 1981: EIA, *Energy Data Report*, "Coke Plant Report," quarterly.
- 1982 forward: EIA, *Quarterly Coal Report*.

10. Electricity: End-use consumption of electricity is based on Table 7.2 sales data. "Other," which is primarily for use in government buildings, is added to

the commercial sector, except for approximately 4 percent used by railroads and railways and attributed to the transportation sector. For 1973-1983 and 1992 forward, "Monthly Series" data are used directly. For 1984-1991, monthly estimates are created by dividing each month's "Monthly Series" value by the "Monthly Series" total for the year and multiplying by the "Annual Series" value for the year. Kilowatthours are converted to Btu at the rate of 3,412 Btu per kilowatthour. See Table 7.2 for sources of the electricity sales data.

11. Electrical System Energy Losses: Electrical system energy losses are calculated as the difference between total energy input at electric utilities and the total energy content of electricity sold to end-use consumers. Most of those losses occur at steam-electric power plants (conventional and nuclear) in the conversion of heat energy into mechanical energy to turn electric generators. The loss is a thermodynamically necessary feature of the steam-electric cycle. Part of

the energy input-to-output losses is a result of imputing fossil energy equivalent inputs for hydroelectric and other energy sources, since there is no generally accepted practice for measuring those thermal conversion rates. In addition to conversion losses, other losses include power plant use of electricity, transmission and distribution of electricity from power plants to end-use consumers (also called "line losses"), and unaccounted for electricity. Total losses are allocated to the end-use sectors in proportion to each sector's share of total electricity sales. Overall, approximately 67 percent of total energy input is lost in conversion; of electricity generated, approximately 5 percent is lost in plant use and 9 percent is lost in transmission and distribution. Calculated electrical system energy losses may be less than actual losses, because primary consumption does not include the energy equivalent of utility purchases of electricity from non-electric utilities and from Canada and Mexico, although they are included in electricity sales.



Section 3. Petroleum

Total petroleum imports² averaged 8.0 million barrels per day in February 1993, slightly higher than the previous month's rate and 18 percent³ higher than the February 1992 rate.

In January 1993, (latest date for which data are available), 16.5 million barrels per day of petroleum products were supplied for domestic use, 8 percent lower than the previous month's rate and 3 percent lower than the January 1992 rate. Motor gasoline accounted for 41 percent of the total; distillate fuel oil, 20 percent; and residual fuel oil, 6 percent.

Motor gasoline supplied during January 1993 (latest date for which data are available), averaged 6.7 million barrels per day, 9 percent lower than the previous month's rate and 2 percent lower than the January 1992 rate. Total motor gasoline stocks were 238 million barrels at the end of February 1993, 1 million barrels

above the stock level in the previous month and 9 million barrels above the level 1 year earlier.

Distillate fuel oil supplied during February 1993 averaged 3.6 million barrels per day, 9 percent higher than the previous month's rate and 12 percent higher than the February 1992 rate. Distillate fuel oil ending stocks for February 1993 were 109 million barrels, 21 million barrels below the stock level in the previous month but 1 million barrels above the stock level 1 year earlier.

Residual fuel oil supplied in February 1993 averaged 1 million barrels per day, 3 percent lower than the previous month's rate and 24 percent lower than the February 1992 rate. Residual fuel oil stocks measured 42 million barrels at the end of February 1993, 2 million barrels below the stock level in the previous month and 1 million barrels below the stock level 1 year earlier.

Notice

Several changes have been incorporated into Section 3 this month. In summary, they are:

- Table 3.3c Ecuador withdrew from OPEC on December 31, 1992. As of January 1993, imports from Ecuador appear on Table 3.3f under "Non-OPEC."
- Table 3.4 Oxygenates ending stocks series is added. Unleaded motor gasoline data are deleted.
- Table 3.5 Sulfur content of ending stocks is added.
- Table 3.9 Propane and propylene supply and disposition table is added.

Additional information regarding these changes is provided in the Highlights section of the March 1993 issue of the *Petroleum Supply Monthly*.


Estimates (except of crude production) for the most current month are based on Energy Information Administration (EIA) weekly data and will be revised to conform with data from the EIA Petroleum Reporting System as available. For the most recent month, crude production is an EIA estimate based on historical and provisional data through November 1992.

²Total import data include imports into the Strategic Petroleum Reserve.


³Percentage changes are based on numbers shown in the following tables.

Figure 3.1 Petroleum Overview
(Million Barrels per Day)


Overview, January and February




Overview, 1973-1992




Production, 1973-1992



Crude Oil Production, 1973-1992




Total Production, Monthly




NA = Not available.
Note: Because vertical scales differ, graphs should not be compared.
Sources: Tables 3.1a, 3.1b, and 3.2a.

Figure 3.1 Petroleum Overview (Continued)
 (Million Barrels per Day, Except as Noted)


Product Supplied, 1973-1992




Total Product Supplied, Monthly




Imports from Selected Countries, January 1993



Stocks, End of Year, 1973-1992



Total Petroleum Stocks, End of Month



Note: OPEC = Organization of Petroleum Exporting Countries.

Note: SPR = Strategic Petroleum Reserve.

Note: Because vertical scales differ, graphs should not be compared.

Sources: Tables 3.1a, 3.2b, 3.3a, 3.3b, 3.3d-3.3h, 3.4, 3.5, and 3.6.

Table 3.3a Petroleum Imports: Algeria, Iraq, Kuwait, and Libya
(Thousand Barrels per Day)

| | Arab OPEC ^a | | | | | | | |
|--------------------|------------------------|-----------|-------|-----------|---------------------|-----------|-------|-----------|
| | Algeria | | Iraq | | Kuwait ^b | | Libya | |
| | Total | Crude Oil | Total | Crude Oil | Total | Crude Oil | Total | Crude Oil |
| 1973 Average | 136 | 120 | 4 | 4 | 47 | 42 | 164 | 133 |
| 1974 Average | 190 | 180 | 0 | 0 | 5 | 5 | 4 | 4 |
| 1975 Average | 282 | 264 | 2 | 2 | 16 | 4 | 232 | 223 |
| 1976 Average | 432 | 408 | 26 | 26 | 5 | 1 | 453 | 444 |
| 1977 Average | 559 | 544 | 74 | 74 | 48 | 42 | 723 | 704 |
| 1978 Average | 649 | 634 | 62 | 62 | 6 | 5 | 654 | 638 |
| 1979 Average | 636 | 608 | 88 | 88 | 8 | 5 | 658 | 642 |
| 1980 Average | 488 | 456 | 28 | 28 | 27 | 27 | 554 | 548 |
| 1981 Average | 311 | 261 | (s) | 0 | 0 | 0 | 319 | 317 |
| 1982 Average | 170 | 90 | 3 | 3 | 5 | 2 | 26 | 23 |
| 1983 Average | 240 | 176 | 10 | 10 | 14 | 7 | 0 | 0 |
| 1984 Average | 323 | 194 | 12 | 12 | 36 | 24 | 1 | 0 |
| 1985 Average | 187 | 84 | 46 | 46 | 21 | 4 | 4 | 0 |
| 1986 Average | 271 | 78 | 81 | 81 | 68 | 28 | 0 | 0 |
| 1987 Average | 295 | 115 | 83 | 82 | 84 | 70 | 0 | 0 |
| 1988 Average | 300 | 58 | 345 | 343 | 92 | 80 | 0 | 0 |
| 1989 Average | 269 | 60 | 449 | 441 | 157 | 155 | 0 | 0 |
| 1990 Average | 280 | 63 | 518 | 514 | 86 | 79 | 0 | 0 |
| 1991 January | 327 | 48 | 0 | 0 | 0 | 0 | 0 | 0 |
| February | 246 | 20 | 0 | 0 | 0 | 0 | 0 | 0 |
| March | 222 | 45 | 0 | 0 | 0 | 0 | 0 | 0 |
| April | 282 | 74 | 0 | 0 | 0 | 0 | 0 | 0 |
| May | 308 | 72 | 0 | 0 | 0 | 0 | 0 | 0 |
| June | 304 | 37 | 0 | 0 | 0 | 0 | 0 | 0 |
| July | 202 | 28 | 0 | 0 | 0 | 0 | 0 | 0 |
| August | 182 | 16 | 0 | 0 | 0 | 0 | 0 | 0 |
| September | 205 | 19 | 0 | 0 | 34 | 34 | 0 | 0 |
| October | 235 | 53 | 0 | 0 | 33 | 33 | 0 | 0 |
| November | 278 | 58 | 0 | 0 | 0 | 0 | 0 | 0 |
| December | 247 | 54 | 0 | 0 | 0 | 0 | 0 | 0 |
| Average | 253 | 44 | 0 | 0 | 6 | 6 | 0 | 0 |
| 1992 January | 217 | 37 | 0 | 0 | 0 | 0 | 0 | 0 |
| February | 218 | 57 | 0 | 0 | 0 | 0 | 0 | 0 |
| March | 215 | 37 | 0 | 0 | 0 | 0 | 0 | 0 |
| April | 182 | 19 | 0 | 0 | 0 | 0 | 0 | 0 |
| May | 202 | 7 | 0 | 0 | 0 | 0 | 0 | 0 |
| June | 144 | 12 | 0 | 0 | 0 | 0 | 0 | 0 |
| July | 179 | 37 | 0 | 0 | 58 | 23 | 0 | 0 |
| August | 261 | 45 | 0 | 0 | 66 | 33 | 0 | 0 |
| September | 184 | 19 | 0 | 0 | 70 | 33 | 0 | 0 |
| October | 186 | 8 | 0 | 0 | 137 | 109 | 0 | 0 |
| November | 171 | 0 | 0 | 0 | 117 | 117 | 0 | 0 |
| December | 203 | 9 | 0 | 0 | 165 | 149 | 0 | 0 |
| Average | 197 | 24 | 0 | 0 | 51 | 39 | 0 | 0 |
| 1993 January | 153 | 28 | 0 | 0 | 144 | 129 | 0 | 0 |

^a Excludes petroleum imported into the United States indirectly from members of the Organization of Petroleum Exporting Countries (OPEC), primarily from Caribbean and West European areas, as petroleum products that were refined from crude oil produced by OPEC.

^b Imports from the Neutral Zone between Kuwait and Saudi Arabia are included in Saudi Arabia.


(s)=Less than 500 barrels per day.

Notes: • Beginning in October 1977, Strategic Petroleum Reserve imports are included. • Geographic coverage is the 50 States and the District of Columbia.


Sources: • 1973-1980: Energy Information Administration (EIA), *Petroleum Supply Monthly*, February 1993, Table S3. • 1981 forward: EIA, *Petroleum Supply Monthly*, March 1993, Table S3.

Figure 3.2 Finished Motor Gasoline
(Million Barrels per Day, Except as Noted)


Overview, 1973-1992




Overview, Monthly



Total Product Supplied, January and February



Total Stocks, End of Month




NA = Not available.

Note: Because vertical scales differ, graphs should not be compared.


Source: Table 3.4.

Figure 3.3 Distillate Fuel
(Million Barrels per Day, Except as Noted)


Overview, 1973-1992




Overview, Monthly



Product Supplied, January and February




Stocks, End of Month




Source: Table 3.5.

Figure 3.4 Residual Fuel
(Million Barrels per Day, Except as Noted)


Overview, 1973-1992




Overview, Monthly



Product Supplied, January and February




Stocks, End of Month




Note: Because vertical scales differ, graphs should not be compared.
Source: Table 3.6.

Figure 3.6 Liquefied Petroleum Gases
 (Million Barrels per Day, Except as Noted)


Overview, 1973-1992




Overview, Monthly



Product Supplied, January




Stocks, End of Month




Note: Because vertical scales differ, graphs should not be compared.
 Source: Table 3.8.

Figure 3.7 Propane and Propylene
(Million Barrels per Day, Except as Noted)


Overview, 1973-1992




Stocks, End of Month




Product Supplied, Monthly



Product Supplied, January




Share of Liquefied Petroleum Gases, January




Note: Because vertical scales differ, graphs should not be compared.
Sources: Table 3.9 and, for calculation of shares, data prior to rounding for publication in Tables 3.8 and 3.9.

Figure 3.5 Jet Fuel
(Million Barrels per Day, Except as Noted)


Total Jet Fuel Overview, 1973-1992




Total Jet Fuel Overview, Monthly




Product Supplied by Type, 1973-1992




Product Supplied by Type, Monthly



Total Product Supplied, January and February



Total Stocks, End of Month



Source: Table 3.7.

Petroleum Notes

1. The Energy Information Administration (EIA) uses a number of sources and methods to maintain the survey respondent lists. On a regular basis, survey managers review such industry publications as the *Oil and Gas Journal* and *Oil Daily* for information on facilities or companies starting up or closing down operations. Those sources are augmented by articles in newspapers, letters from respondents indicating changes in status, and information received from survey systems.

To supplement routine frames maintenance and to provide more thorough coverage, a comprehensive frames investigation is conducted every 3 years. This investigation results in the reassessment and recompilation of the complete frame for each survey. The effort also includes the evaluation of the impact of potential frame changes on the historical time series of data published from these respondents. The results of this frame study are usually implemented in January to provide a full year under the same frame.

In 1991, the EIA conducted a frame identifier survey of companies that produce, blend, store, or import oxygenates. A summary of the results from the identification survey was published in the *Weekly Petroleum Status Report* dated February 12, 1992, and in the February 1992 issue of the *Petroleum Supply Monthly*. In order to continue to provide relevant information about U.S. and regional gasoline supply, the EIA conducted a second frame identifier survey of those companies during 1992. As a result, numerous respondents were added to the monthly surveys effective in January 1993. See Explanatory Note 7 in the *Petroleum Supply Monthly*.

2. **Motor Gasoline:** Beginning in January 1981, the EIA expanded its universe to include non-refinery blenders and separated blending components from finished motor gasoline as a reporting category. Also, survey forms were modified to describe refinery operations more accurately.

Beginning with the reporting of January 1993 data, the EIA made adjustments to the product supplied series for finished motor gasoline. It was recognized that motor gasoline statistics published by the EIA through 1992 were underreported because the reporting system was (1) not collecting all fuel ethanol blending, and (2) there was a misreporting of motor gasoline blending components that were blended into finished gasoline. The adjustments are incorporated into EIA's data beginning in January 1993. To facilitate data analysis across the 1992-1993 period, EIA has prepared a table of 1992 data adjusted according to the 1993 basis. See *Petroleum Supply Monthly*, March 1993, Table H3.

3. **Distillate and Residual Fuel Oils:** The requirement to report crude oil in pipelines or burned on leases as either distillate or residual fuel oil has been eliminated.

Prior to January 1981, the refinery input of unfinished oils typically exceeded the available supply of unfinished oils. That discrepancy was assumed to be due to the redesignation of distillate and residual fuel oils received as such but used as unfinished oil inputs by the receiving refinery. The imbalance between supply and disposition of unfinished oils would then be subtracted from the production of distillate and residual fuel oils. Two-thirds of that difference was subtracted from distillate and one-third from residual. Beginning in January 1981, the EIA modified its survey forms to account for redesignated product and discontinued the above-mentioned adjustment.

Beginning in January 1993, the end-of-month stocks of distillate fuel oil are split into two sulfur categories (0.05 percent sulfur or less and greater than 0.05 percent sulfur) to meet Environmental Protection Agency requirements effective in October 1992. For further details, see the EIA, *Petroleum Supply Monthly*.

4. **New Stock Basis:** In January 1975, 1979, 1981, and 1983, numerous respondents were added to bulk terminal and pipeline surveys, affecting subsequent stocks reported and stock change calculations. Using the expanded coverage (new basis), the end-of-year stocks, in million barrels, would have been:

- Crude Oil: 1982—645 (Total) and 351 (Other Primary).
- Crude Oil and Petroleum Products: 1974—1,121; 1980—1,425; and 1982—1,461.
- Motor Gasoline: 1974—225; 1980—263; 1982—244 (Total) and 202 (Finished).
- Distillate Fuel Oil: 1974—224; 1980—205; and 1982—186.
- Residual Fuel Oil: 1974—75; 1980—91; and 1982—69.
- Jet Fuel: 1974—30 (Total) and 24 (Kerosene Type); 1980—42 (Total) and 36 (Kerosene Type); and 1982—39 (Total) and 32 (Kerosene Type).
- Liquefied Petroleum Gases: 1974—113; 1978—136; 1980—128; and 1982—102.
- Propane and Propylene: 1978—86; 1980—69; and 1982—57.
- Other Petroleum Products: 1974—190; 1980—207; and 1982—219.

Stock change calculations beginning in 1975, 1979, 1981, and 1983 were made by using new basis stock levels.

In January 1984, changes were made in the reporting of natural gas liquids. As a result, unfractionated stream, which was formerly included in the "Other Petroleum Products Supply and Disposition" table, is now reported on a component basis (ethane, propane, normal butane, isobutane, and pentanes plus). Most of these stocks now appear in the "Liquefied Petroleum Gases Supply

and Disposition" table. This change affects stocks reported and stock change calculations in each table. Under the new basis, end-of-year 1983 stocks, in million barrels, would have been:

- Liquefied Petroleum Gases: 1983—108.
- Propane and Propylene: 1983—55.
- Other Petroleum Products: 1983—210.

In January 1993, changes were made in the monthly surveys to begin collecting bulk terminal and pipeline stocks of oxygenates. This change affected stocks reported and stock change calculations. However, a new basis stock level was not calculated for 1992 end-of-year stocks.

5. Stocks of Alaskan Crude Oil: Stocks of Alaskan Crude oil in transit were included for the first time in January 1981. The major impact of this change is on the reporting of stock change calculations. Using the expanded coverage (new basis), 1980 end-of-year stocks, in million barrels, would have been 488 (Total) and 380 (Other Primary).

6. Data Discrepancies: Due to differences internal to EIA data processing systems, some small discrepancies exist between data in the *Monthly Energy Review* and the *Petroleum Supply Annual* and *Petroleum Supply Monthly*. The data that have discrepancies are footnoted in Section 3 tables and summarized here.

| Table | Data Series | Year Average | MER Data | PSA/PSM Data |
|-------|------------------------------|--------------|----------|--------------|
| 3.1a | Natural Gas Plant Production | 1976 | 1,604 | 1,603 |
| 3.1b | Exports, Total | 1979 | 471 | 472 |
| 3.1b | Exports, Petroleum Products | 1979 | 236 | 237 |
| 3.1b | Net Imports | 1979 | 7,985 | 7,984 |
| 3.2a | Crude Used Directly | 1976 | -19 | -18 |
| 3.2a | Imports, SPR | 1978 | 161 | 162 |
| 3.2a | Crude Used Directly | 1978 | -15 | -14 |
| 3.2a | Crude Used Directly | 1979 | -14 | -13 |
| 3.2a | Crude Used Directly | 1980 | -14 | -13 |
| 3.2b | Crude Losses | 1976 | 14 | 15 |
| 3.2b | Crude Losses | 1980 | 14 | 15 |
| 3.5 | Stock Change | 1974 | 10 | 9 |
| 3.5 | Stock Change | 1975 | -41 | -40 |
| 3.8 | Total Production | 1982 | 1,527 | 1,525 |
| 3.9 | Products Supplied | 1982 | 1,857 | 1,856 |

Section 4. Natural Gas

Total dry natural gas production in the United States during February 1993 was an estimated 1.4 trillion cubic feet, slightly lower than production during the previous February.

Consumption of natural and supplemental gas in February 1993 was 2.0 trillion cubic feet, 3 percent⁴ below the level in February 1992.

Deliveries to residential consumers in January 1993 (latest date for which data are available) were 829 billion cubic feet, 5 percent above the previous January's deliveries. Total deliveries to industrial con-

sumers during January 1993 were 670 billion cubic feet, 3 percent below the previous January's level.

Imports of natural gas in February 1993 were 174 billion cubic feet, 2 percent higher than imports in the previous February.


Stocks of working gas⁵ in underground natural gas storage reservoirs at the end of February 1993 totaled 1.5 trillion cubic feet, 18 percent below the level of stocks available 1 year earlier. Net withdrawals from storage during February 1993 were 550 billion cubic feet, 44 percent above the amount of withdrawals during the previous February.

⁴Percentage changes are calculated by using unrounded data.


⁵Gas available for withdrawal.

Figure 4.1 Natural Gas (Trillion Cubic Feet)


Overview, 1973-1992




Overview, Monthly




Consumption by Sector, 1973-1992




Consumption by Sector, Monthly



Underground Storage, End of Year, 1973-1992



Underground Storage, End of Month



Note: Because vertical scales differ, graphs should not be compared.
Sources: Tables 4.2, 4.3, and 4.4.

Natural Gas Notes

1. Nonhydrocarbon Gases Removed: Annual data on nonhydrocarbon gases removed from marketed production—carbon dioxide, helium, hydrogen sulfide, and nitrogen—are from the Energy Information Administration (EIA) *Natural Gas Annual (NGA) 1991*. Data are not available for periods prior to 1980. Monthly data are reported by three States and computed for six States. Monthly data are preliminary until after publication of the EIA *NGA*. Differences between annual data published in the EIA *NGA* and the sum of the preliminary monthly data (January-December) are allocated proportionally to the months to create final monthly data. For further information on methods of estimating preliminary monthly data, see the EIA *Natural Gas Monthly (NGM)*.

2. Production.

- Annual data: Final annual data are from the EIA *NGA*.
- Estimated monthly data: Data for the two most recent months presented are estimated. Some of the data for earlier months are also estimated or computed. For a discussion of computation and estimation procedures, see the EIA *NGM*.
- Preliminary monthly data: Monthly data are considered preliminary until after publication of the EIA *NGA*. Preliminary monthly data are gathered from reports to the Interstate Oil Compact Commission and the U.S. Minerals Management Service. Volumetric data are converted, as necessary, to a standard 14.73 psi pressure base. Unless there are major changes, data are not revised until after publication of the EIA *NGA*.
- Final monthly data: Differences between annual data in the EIA *NGA* and the sum of preliminary monthly data (January-December) are allocated proportionally to the months to create final monthly data.

3. Extraction Loss: Extraction loss is the reduction in volume of natural gas resulting from the removal of natural gas liquid constituents at natural gas processing plants.

Annual data for extraction loss are from the EIA *NGA*, where they are estimated on the basis of the type and quantity of liquid products extracted from the gas stream and the calculated volume of such products at standard conditions. For a detailed explanation of the calculations used to derive estimated extraction losses, see the EIA *NGA*.

Preliminary monthly data are estimated on the basis of extraction loss as an annual percentage of marketed production. This percentage is applied to each month's marketed production to estimate monthly extraction loss.

Monthly data are revised and considered final after the publication of the EIA *NGA*. Final monthly data are estimated by allocating annual extraction loss data to the months on the basis of total natural gas marketed production data from the EIA *NGA*.

4. Supplemental Gaseous Fuels: Supplemental gaseous fuels are mainly synthetic natural gas, propane-air, and refinery gas. Other gases, such as coke oven gas, biomass gas, manufactured gas, and air injected for Btu stabilization, may also be included.

Annual data beginning with 1980 are from the EIA *NGA*. Unknown quantities of supplemental gaseous fuels are included in consumption data for 1979 and earlier years.

Monthly data are considered preliminary until after the publication of the EIA *NGA*. Monthly estimates are based on the annual ratio of supplemental gaseous fuels to the sum of dry gas production, net imports, and net withdrawals from storage. The ratio is applied to the monthly sum of the three elements to compute a monthly supplemental gaseous fuels figure.

5. Imports and Exports: The United States imported natural gas via pipeline from Mexico (until 1984) and Canada and liquefied natural gas (LNG) (except in 1986) via tanker from Algeria. One shipment of LNG was received in December 1986 from Indonesia. The United States exports natural gas via pipeline to Mexico and Canada and LNG via tanker to Japan.

Annual and final monthly data are from the annual Form FPC-14, "Annual Report for Importers and Exporters of Natural Gas," which requires data to be reported by month for the calendar year.

Preliminary monthly data are EIA estimates. For a discussion of estimation procedures, see the EIA *NGM*. Preliminary data are revised after the publication of the EIA *U.S. Imports and Exports of Natural Gas*.

6. Consumption: Consumption includes pipeline fuel use, lease and plant fuel use, and deliveries to consuming sectors.

Final data are from the EIA *NGA*. Monthly data are considered preliminary until after publication of the EIA *NGA*. For more detailed information on the methods of estimating preliminary and final monthly data, see the EIA *NGM*.

7. Balancing Item: The balancing item for natural gas represents the difference between the sum of the components of natural gas supply and the sum of components of natural gas disposition. The differences may be due to quantities lost or to the effects of data reporting problems. Reporting problems include differences due to the net result of conversions of flow data

metered at varying temperature and pressure bases and converted to a standard temperature and pressure base; the effect of variations in company accounting and billing practices; differences between billing cycle and calendar period time frames; and imbalances resulting from the merger of data reporting systems which vary in scope, format, definitions, and type of respondents.

The increase of 0.2 trillion cubic feet (Tcf) in the "Balancing Item" category in 1983, followed by a decline of 0.5 Tcf in 1984, reflected unusually large differences resulting from the use of the annual billing cycle (essentially December 15 through the following December 14) consumption data in conjunction with calendar year supply data. Record cold temperatures during the last half of December 1983 resulted in a reported 0.3 Tcf increase in net withdrawals from underground storage for peak shaving as compared with the same period in 1982, but the effect of this cold weather was reflected primarily in 1984 consumption data. For underground storage data, see Table F2 in the May 1985 *NGM*, which was published in July 1985.

8. Natural Gas Storage: Gas in storage at the end of a reporting period may not equal the quantity derived

by adding or subtracting net injections or withdrawals from the quantity in storage at the end of the previous period. The difference is due to changes in the quantity of native gas included in the base gas and/or losses in base gas due to migration from storage reservoirs.

Monthly underground storage data are collected from the Forms FERC-8 (interstate data) and EIA-191 (intrastate data). Beginning in January 1991, all data are collected on the revised Form EIA-191. Injection and withdrawal data from the FERC-8/EIA-191 survey are adjusted to correspond to data from Form EIA-176 following publication of the EIA *NGA*.

The final monthly and annual storage and withdrawal data for 1980-1989 include both underground and liquefied natural gas (LNG) storage. Annual data on LNG additions and withdrawals are from Form EIA-176. Monthly data are estimated by computing the ratio of each month's underground storage additions and withdrawals to annual underground storage additions and withdrawals and applying the ratio to the annual LNG data.

Section 5. Oil and Gas Resource Development

A total of 71 seismic exploration crews were active in March 1993, 9 less than a year earlier. Of the total, 55 were land crews and 16 were aboard marine vessels. The number of land crews was down by 12, and the number of operating marine vessels increased by 3 vessels from the March 1992 count.

The March 1993 rotary rig count of 611 was 11 percent lower than the count in the previous month and 6 percent lower than the count in March 1992. Of the total number of rigs in operation, 549 were onshore and 62 were offshore. The number of onshore rigs was down 8 percent from the number in March 1992, but the number of offshore rigs was up 15 percent.

Total footage drilled in February 1993 was 7.99 million feet, down 25 percent from footage drilled in January


1993 and down 6 percent from that drilled in February 1992.

The estimated number of exploratory and development gas and oil wells drilled during February 1993 was 1,155, 24 percent lower than the number drilled in January 1993 and 4 percent lower than the number drilled in February 1992. The estimated number of oil wells drilled was 519 and the estimated number of gas wells was 636, down 17 percent and up 9 percent, respectively, from the February 1992 levels. The estimated number of dry holes drilled in February 1993 was 276, 46 percent lower than the number drilled in January 1993 and 37 percent lower than the number drilled in February 1992.


Figure 5.1 Oil and Gas Resource Development Indicators

--- 1991
 - - - 1992
 — 1993


Crews Engaged in Exploration




Rotary Rigs in Operation



Wells Drilled



Footage Drilled



Sources: Tables 5.1 and 5.2.

Oil and Gas Resource Development Notes

Three well types are considered in the *Monthly Energy Review (MER)* drilling statistics: "completed for oil," "completed for gas," and "dry hole." Wells that productively encounter both crude oil and natural gas are categorized as "completed for oil." Both development wells and exploratory wells (new field wildcats, new pool tests, and extension tests) are included in the statistics. All other classes of wells drilled in connection with the search for producible hydrocarbons are excluded.

Prior to the March 1985 *MER*, drilling statistics consisted of completion data for the above types and classes of wells as reported to the American Petroleum Institute (API) during a given month. Due to time lags between the date of well completion and the date of completion reporting to the API, as-reported well completions proved to be an inaccurate indicator of drilling

activity. During 1982, for example, as-reported well completions rose, while the number of actual completions fell. Consequently, the drilling statistics published since the March 1985 *MER* are Energy Information Administration-generated (EIA) estimates produced by statistically imputing well counts and footage based on the partial data available from the API.

Estimates for a given month are first published in the *MER* for that month. Revisions are made in the 6th, 12th, and 24th subsequent months, as newly reported data allow refinement of the estimates. Unscheduled revisions may also occur when the latest estimate differs by more than 15 percent during the first 5 months, more than 10 percent during the next 6 months, or more than 2 percent thereafter through 5 years. After 5 years, the reported API data are published in lieu of EIA-generated estimates. Additional information about the EIA estimation methodology may be found in "Estimating Well Completions," the feature article published in the March 1985 *MER*.

Section 6. Coal

Coal production in February 1993 totaled 76 million short tons, 8 percent⁶ lower than coal production in February 1992.

Electric utility coal consumption in January 1993 totaled 69 million short tons, 2 percent higher than the consumption level in January 1992. Electric utility coal stocks were 150 million short tons at


the end of January 1993, compared with 156 million short tons at the end of January 1992.

Coal exports in January 1993 totaled 7 million short tons, 24 percent lower than exports in January 1992. Coal imports in January 1993 totaled 344 thousand short tons, 26 percent higher than imports in January 1992.


⁶Calculated values are computed using unrounded data.

Figure 6.1 Coal
(Million Short Tons)


Overview, 1973-1992




Overview, Monthly




Consumption by Sector, 1973-1992




Consumption by Electric Utilities, Monthly



Stocks, End of Year, 1973-1992



Stocks at Electric Utilities, End of Month



Note: Because vertical scales differ, graphs should not be compared.
Sources: Tables 6.1, 6.2, and 6.3.

Coal Notes

1. Production: Preliminary monthly estimates of national coal production are the sum of weekly estimates developed by the Energy Information Administration (EIA) and published in the *Weekly Coal Production* report. When a week extends into a new month, production is allocated on a daily basis and added to the appropriate month. Weekly estimates are based on Association of American Railroads data showing the number of railcars loaded with coal during the week by Class I and certain other railroads. This number is converted into tons of coal by EIA by using the average number of tons of coal per railcar loaded reported in the most recent "Quarterly Freight Commodity Statistics" from the Interstate Commerce Commission. If an average coal tonnage per railcar loaded is not available for a specific railroad, the national average is used. To derive the estimate of total weekly production, the total rail tonnage for the week is divided by the ratio of quarterly production shipped by rail and total quarterly production. Data for the corresponding quarter of previous years are used to derive this ratio. This method insures that the seasonal variations are preserved in the production estimates.

When preliminary quarterly data become available, the monthly and weekly estimates are adjusted to conform to the quarterly figure. The adjustment procedure uses State-level production data and is explained in EIA's *Quarterly Coal Report*. Initial estimates of annual production published in January of the following year are based on preliminary production data covering the first 9 months (three quarters) and weekly/monthly estimates for the fourth quarter. The fourth quarter estimates may or may not be revised when preliminary data become available in March of the following year, depending on the magnitude of the difference between the estimates and the preliminary data. In any event, all quarterly, monthly, and weekly production figures are adjusted to conform to the final annual production data published in the *Monthly Energy Review* in the fall of the following year.

2. Consumption: Coal consumption data are reported by major end-use sector. Estimated data for the most recent months (designated by an "E") are derived from forecasted values shown in the EIA *Short-Term Energy Outlook* (DOE/EIA-0202) table titled "Supply and Disposition of Coal: Mid World Oil Price Case." The monthly estimates are one-third of the quarterly values shown in the then current issue of the publication, regularly released in February, May, August, and November. The estimates are revised quarterly as collected data become available from the data sources. Sector-specific information follows.

- Residential and Commercial—Prior to 1980, monthly consumption estimates for the residential and commercial sector were derived by using reported data to modify baseline figures developed by the Bureau of Mines. From 1980-

1987, monthly estimates were derived by proportioning reported quarterly data by using the ratios of monthly-to-quarterly consumption data in 1979, the last year in which monthly data were reported on Form EIA-2. During 1981 and 1982, the estimates were also modified to reflect air temperature degree-days. Quarterly consumption data were directly from reported data and were defined as distribution to the residential and commercial sector as reported by coal producers and distributors on Form EIA-6. Beginning in January 1988, monthly residential and commercial consumption estimates are derived from reported quarterly data by using monthly national average population weighted heating/cooling degree-days obtained from the National Oceanic and Atmospheric Administration. The monthly ratios are the monthly national sum of heating and cooling degree-days as a proportion of the quarterly national sum. Quarterly consumption data are directly from reported data.

- Coke Plants—Prior to 1980, monthly coke plant consumption data were taken directly from reported data. From 1980-1987, coke plant consumption estimates were derived by proportioning reported quarterly data by using the ratios of monthly-to-quarterly consumption data in 1979, the last year in which monthly data were reported. Beginning in January 1988, monthly coke plant consumption estimates are derived from the reported quarterly data by using monthly ratios of raw steel production data from the American Iron and Steel Institute. The ratios are the monthly raw steel production from open hearth and basic oxygen process furnaces as a proportion of the quarterly production from those kinds of furnaces.
- Other Industrial—Prior to 1978, monthly consumption data for the other industrial sector (i.e., all industrial users minus coke plants) were derived by using reported data to modify baseline consumption figures from the most recent Bureau of the Census Annual Survey of Manufactures or Census of Manufactures. For 1978 and 1979, monthly estimates were derived from data reported on Forms EIA-3 and EIA-6. From 1980-1987, monthly figures were estimated by proportioning quarterly data by using the ratios of monthly-to-quarterly consumption data in 1979, the last year in which monthly data were reported on Form EIA-3. Quarterly consumption data were derived by adding beginning stocks at manufacturing plants to current receipts and subtracting ending stocks at manufacturing plants. In this calculation, current receipts were the greater of either reported receipts from manufacturing plants (Form EIA-3) or reported shipments to the other industrial sector (Form EIA-6), thereby ensuring that agriculture, forestry, fishing, mining, and construction consumption data were included where appropriate. Starting in January 1988, monthly consumption for the other industrial sector is estimated from reported

quarterly data by using ratios derived from industrial production indices published by the Board of Governors of the Federal Reserve System. Indices for six major industry groups are used as the basis for calculating the ratios: foods (SIC 20); paper and products (SIC 26); chemicals and products (SIC 28); petroleum products (SIC 29); clay, glass, and stone products (SIC 32); and primary metals (SIC 33). The monthly ratios are computed as the monthly sum of the weighted indices as a proportion of the quarterly sum of the weighted indices by using the 1977 proportion as the weights.

- Electric Utilities—Monthly consumption data for electric utility plants are directly from reported data.

3. Stocks: Coal stocks data are reported by major end-use sector. Estimated data for the most recent months (designated by an "E") are derived from forecasted values shown in the EIA *Short-Term Energy Outlook* (DOE/EIA-0202) table titled "Supply and Disposition of Coal: Mid World Oil Price Case." The monthly estimates are one-third of the quarterly values shown in the then current issue of the publication, regularly released in February, May, August, and November. The estimates are revised quarterly as collected data become available from the data sources. Sector-specific information follows.

- Coke Plants—Prior to 1980, monthly stocks at coke plants were taken directly from reported data. From 1980 forward, coke plant stocks are estimated by using one-third of the current

quarterly change to indicate the monthly change in stocks. Quarterly stocks are directly from data reported on Form EIA-5.

- Other Industrial—Prior to 1978, stocks for the other industrial sector were derived by using reported data to modify baseline figures from a one-time Bureau of Mines survey of consumers. For 1978-1982, monthly estimates were derived by judgmentally proportioning reported quarterly data based on representative seasonal patterns of supply and demand. From 1983 forward, other industrial coal stocks are estimated as indicated above for coke plants. Quarterly stocks are taken directly from data reported on Form EIA-3 and therefore include only manufacturing industries; data for agriculture, forestry, fishing, mining, and construction stocks are not available.
- Electric Utilities—Monthly stocks data at electric utility plants are taken directly from reported data.
- Producers and Distributors—Quarterly stocks at producers and distributors are taken directly from reported data. Monthly data are estimated by using one-third of the current quarterly change to indicate the monthly change in stocks.

4. Imports and Exports: All coal import and export figures are taken directly from data reported monthly by the Bureau of the Census.

5. Additional Information: EIA's *Quarterly Coal Report* provides additional information about coal data and estimation procedures.

Section 7. Electricity

During January 1993, electric utilities generated 246 billion kilowatthours of electricity, 1 percent⁷ above the January 1992 generation level. Coal-fired generation totaled 138 billion kilowatthours, 1 percent above the January 1992 level. Nuclear generation totaled 59 billion kilowatthours, 2 percent above the level 1 year earlier. Hydroelectric generation totaled 24 billion kilowatthours, 14 percent above the January 1992 level. Natural gas-fired generation was 16 billion kilowatthours, 2 percent below the January 1992 level. Petroleum-fired generation totaled 7 billion kilowatthours, 29 percent below the level 1 year earlier.

Sales of electricity to all ultimate consumers in the United States in January were 244 billion kilowatthours, 2 percent higher than sales during January 1992. Sales to residential consumers during January 1993 were 94 billion kilowatthours, 3 percent above the level of sales during the previous year. Sales to industrial consumers totaled 78 billion kilowatthours in January 1993, 2 percent above the level a year ago.

Commercial sales were 64 billion kilowatthours, 2 percent above the level of commercial sales 1 year earlier. In January 1993, other sales totaled 8 billion kilowatthours, 5 percent above the January 1992 level.


Electric utility consumption of coal during January 1993 was 69 million short tons, 2 percent above consumption in January 1992. Petroleum consumption (excluding petroleum coke) during January 1993 was 12 million barrels, 30 percent below the January 1992 level. During January 1993, electric utilities consumed 164 billion cubic feet of natural gas, 3 percent below the January 1992 consumption level.

On January 31, 1993, electric utility stocks of all types of coal totaled 150 million short tons, 3 percent below the level on January 31, 1992. Stocks of petroleum (excluding petroleum coke) on January 31, 1993, totaled 70 million barrels, 1 percent above the level on January 31, 1992.


⁷Percentage changes are based on numbers shown in the following tables.

Figure 7.1 Electric Utility Net Generation of Electricity
(Billion Kilowatthours)


Net Generation by Source, 1973-1992



Net Generation, January




Net Generation by Source, January 1993




Note: Because vertical scales differ, graphs should not be compared.
Source: Table 7.1.

Figure 7.2 Electricity Sales
(Billion Kilowatthours)


Total Sales, January




Total Sales, Monthly




Sales by Sector, Monthly



Sales by Sector, 1973-1992



Sales by Sector, January 1993



Note: Because vertical scales differ, graphs should not be compared.
Source: Table 7.2, Monthly Series.

Section 8. Nuclear Energy

In January 1993, U.S. nuclear generating units produced a total of 59 net terawatt-hours (billion kilowatt-hours) of electricity, 2 percent⁸ more than in January 1992. Nuclear units generated at an average capacity factor of 81.1 percent, 3 percentage points higher than in January 1992. Nuclear power supplied 24.0 percent of the total electric utility-generated electricity in January 1993, compared with 23.7 percent in January 1992.

No low- or full-power licenses for nuclear power plants were issued by the Nuclear Regulatory Commission (NRC) during January 1993.

On January 4, 1993, Portland General Electric Company announced they were going to cease commercial operations and permanently close their Trojan nuclear unit in Prescott, Oregon.

On January 31, 1993, there were 108 operable nuclear generating units in the United States, with a collective net summer capability of 97.9 million kilowatts of electricity. Of the 108 operable units, 10 units generated at less than 25 percent of capacity because of maintenance, refueling, or repair outage, and 7 of the 10 units generated no electricity during the month.


Two operable units, Browns Ferry 1 and 3, have been shut down since March 1985. Each unit had a capacity of 1,065 megawatts electric.

As of January 31, there were 116 domestic nuclear generating units in all stages of construction and operation. The aggregate net design capacity of operable units was 99.9 million kilowatts, and the design capacity of units under construction was 9.7 million kilowatts, for a total design capacity of 109.6 million kilowatts.


⁸Percentage changes are based on numbers shown in the following tables.

Figure 8.1 Nuclear Power Plant Operations


Operable Units, End of Year, 1973-1992




Net Generation of Electricity, 1973-1992




Nuclear Portion of Domestic Electricity Net Generation



Nuclear Electricity Net Generation



Capacity Factor, Monthly



Note: Because vertical scales differ, graphs should not be compared.
Sources: Tables 7.1 and 8.1.

Nuclear Energy Notes

1. Operable Units: Nuclear generating units that have been issued a full-power license by the Nuclear Regulatory Commission (NRC).

Exceptions: The Shippingport (60 MWe) and the Hanford-N (840 MWe) nuclear units were included in the operable units until 1982 and 1988, respectively. The Shippingport unit was excluded from the operable category during March 1974-August 1977 due to a major core modification outage. Hanford-N, an unlicensed unit used for defense material production, was included in the operable category because power was produced as by-product and sold commercially. Three Mile Island 2 (880 MWe) experienced a major accident in 1979 and, although that unit still retains its operating license and site cleanup continues, there is no plan to restart it. Therefore, it has not been included in the operable category since March 1979. Although Shoreham received a full-power license in April 1989, the unit is not currently scheduled to operate and, therefore, has not been included in the operable category. Rancho Seco (873 MWe) was shut down by the Sacramento Municipal Utility District (SMUD) in June 1989 following a referendum on its continued operation. Because there are currently no plans to operate it as a nuclear unit, it is no longer included as an operable unit but is identified as a unit shut down for an extended period. As soon as SMUD and the NRC formalize the plant's official retirement, it will be noted as such in this report. The Department of Energy-operated Experimental Breeder Reactor 2 (EBR-2) unit is not a commercial reactor and is therefore not included in the operable category.

In addition, seven units have been retired and therefore removed from the operable category. Those units are: Peach Bottom 1 (40 MWe) and Indian Point 1 (265

MWe), both retired in 1974; Humboldt Bay (65 MWe), officially retired in 1976; Dresden 1 (200 MWe), retired in August 1979; LaCrosse (51 MWe), retired in May 1987; Fort Saint Vrain (217 MWe), retired in August 1989; Yankee Rowe 1 (185 MWe), retired in February 1992; San Onofre 1 (436 MWe), retired in December 1992, and Trojan (1,104 MWe), retired in January 1993.

2. In Startup: The period of time between a nuclear generating unit's initial fuel loading date and the issuance of its full-power license. During that period, the unit is undergoing low-power testing and the maximum level of operation is 5 percent of the unit's design thermal rating.

3. Capacity: Nuclear generating units may have more than one type of net capacity rating, including the following:

(a) **Net Summer Capability**—The steady hourly output that generating equipment is expected to supply to system load, exclusive of auxiliary power, as demonstrated by test at the time of summer peak demand. Auxiliary power of a typical nuclear power plant is about 5 percent of gross generation.

(b) **Net Design Capacity or Net Design Electrical Rating (DER)**—The nominal net electrical output of the unit, specified by the utility and used for plant design.

4. Monthly Capacity Factors: The monthly capacity factors are computed as the actual monthly generation divided by the maximum possible generation for that month. The maximum possible generation is the number of hours in the month multiplied by the net summer capability at the end of the month. That fraction is then multiplied by 100 to obtain a percentage. Annual capacity factors are averages of the monthly values for that year.

Section 9. Energy Prices

Crude Oil. The average price of domestic crude oil purchased at the wellhead was \$14.65 per barrel in January 1993, 5 percent above the level in January 1992. The refiner acquisition cost of imported crude oil in January 1993 was \$16.78 per barrel, 4 percent above the January 1992 level. The average cost of domestic crude oil in January 1993 was \$17.40, 4 percent more than the January 1992 average.

Motor Gasoline. The national city average retail price of unleaded regular gasoline at all types of stations was \$1.11 per gallon in February 1993, 5 percent higher than the price in February 1992. The price of unleaded premium gasoline averaged \$1.30 per gallon in February 1993, 4 percent higher than the price in February 1992.

Residual Fuel Oil. The average price, excluding taxes, of residual fuel oil sold to end users in January 1993 was 35 cents per gallon, 2 percent lower than the previous month's price but 21 percent above the January 1992 average. The average resale price, excluding taxes, of residual fuel oil in January 1993 was 31 cents per gallon, 2 percent higher than the December 1992 average and 30 percent above the price 1 year earlier.

Aviation Fuel. The average price, excluding taxes, of aviation gasoline sold to end users in January 1993 was \$1.00 per gallon, 1 percent lower than the previous month's price but 2 percent higher than the January 1992 price. The average price, excluding taxes, of kerosene-type jet fuel sold to end users in January 1993 was 59 cents per gallon, 1 percent lower than the previous month's average price and 8 percent higher than the January 1992 average price.

No. 2 Distillate Fuel Oil. The January 1993 national average price, excluding taxes, of heating oil sold to residential customers was 94 cents per gallon, slightly lower than the December 1992 price but slightly higher than the January 1992 price. The average price of No. 2 fuel oil sold to all end users was 63 cents per gallon in January 1993, 1 percent lower than the

December 1992 price but 5 percent higher than the January 1992 price.

Electricity. The average price of electricity sold to all ultimate consumers in the United States in January 1993 was 6.6 cents per kilowatt-hour, the same as the January 1992 mean price. The price of electricity sold to residential consumers in January 1993 averaged 7.7 cents per kilowatt-hour, the same as the January 1992 price. The price of electricity sold to commercial consumers averaged 7.3 cents per kilowatt-hour in January 1993, the same as the price 1 year earlier. The price of electricity sold to other consumers was 6.5 cents per kilowatt-hour, the same as the January 1992 price. The price of electricity sold to industrial users in January 1993 averaged 4.7 cents per kilowatt-hour, the same as the price 1 year earlier.


Beginning with January 1986, there were new series of national average price estimates based on a statistically derived sample of both publicly and privately owned electric utilities. Previously, average price estimates were derived from selected privately owned electric utilities and were not national averages.

Natural Gas. The estimated average wellhead price of natural gas for January 1993 was \$2.08 per thousand cubic feet, 18 percent above the January 1992 price.


The average price of natural gas delivered to electric utility plants was \$2.81 per thousand cubic feet in December 1992 (latest date for which data are available), 6 percent above the December 1991 price. The average price of natural gas used by residential consumers in January 1993 was \$5.71 per thousand cubic feet, 3 percent above the January 1992 price. The average price of natural gas used by commercial consumers in January 1993 was \$5.17 per thousand cubic feet, 7 percent higher than the January 1992 price. The average price of natural gas used by industrial consumers in January 1993 was \$3.25 per thousand cubic feet, 6 percent above the January 1992 price.

Figure 9.1 Petroleum Prices


Crude Oil Prices, 1973-1992




Composite Refiner Acquisition Cost, Monthly



Refiner Prices to End Users: Motor Gasoline, Diesel Fuel, and Jet Fuel, Monthly



Refiner Prices to End Users: No. 2 Fuel Oil, Propane, and Residual Fuel, Monthly



Sources: Tables 9.1, 9.5, and 9.7.

Table 9.4 Motor Gasoline Retail Prices, U.S. City Average
(Cents per Gallon, Including Taxes)

| | Leaded Regular | Unleaded Regular | Unleaded Premium | All Types ^a |
|---------------------------------|----------------|------------------|--------------------|------------------------|
| 1973 Average | 38.8 | NA | NA | NA |
| 1974 Average | 53.2 | NA | NA | NA |
| 1975 Average | 56.7 | NA | NA | NA |
| 1976 Average | 59.0 | 61.4 | NA | NA |
| 1977 Average | 62.2 | 65.6 | NA | NA |
| 1978 Average | 62.6 | 67.0 | NA | 65.2 |
| 1979 Average | 85.7 | 90.3 | NA | 88.2 |
| 1980 Average | 119.1 | 124.5 | NA | 122.1 |
| 1981 Average ^b | 131.1 | 137.8 | ^c 147.0 | 135.3 |
| 1982 Average | 122.2 | 129.6 | 141.5 | 128.1 |
| 1983 Average | 115.7 | 124.1 | 138.3 | 122.5 |
| 1984 Average | 112.9 | 121.2 | 136.6 | 119.8 |
| 1985 Average | 111.5 | 120.2 | 134.0 | 119.6 |
| 1986 Average | 85.7 | 92.7 | 108.5 | 93.1 |
| 1987 Average | 89.7 | 94.8 | 109.3 | 95.7 |
| 1988 Average | 89.9 | 94.6 | 110.7 | 96.3 |
| 1989 Average | 99.8 | 102.1 | 119.7 | 106.0 |
| 1990 Average | 114.9 | 116.4 | 134.9 | 121.7 |
| 1991 January | 124.6 | 124.7 | 143.1 | 130.4 |
| February | 113.7 | 114.3 | 132.1 | 119.8 |
| March | 104.7 | 108.2 | 126.4 | 113.8 |
| April | 106.2 | 110.4 | 128.1 | 115.9 |
| May | NA | 115.6 | 133.1 | 120.9 |
| June | NA | 116.0 | 133.8 | 121.4 |
| July | NA | 112.7 | 131.3 | 118.5 |
| August | NA | 114.0 | 131.8 | 119.6 |
| September | NA | 114.3 | 132.4 | 119.9 |
| October | NA | 112.2 | 130.7 | 118.0 |
| November | NA | 113.4 | 131.8 | 119.3 |
| December | NA | 112.3 | 130.9 | 118.2 |
| Average | NA | 114.0 | 132.1 | 119.6 |
| 1992 January | NA | 107.3 | 126.7 | 113.5 |
| February | NA | 105.4 | 124.8 | 111.7 |
| March | NA | 105.8 | 125.0 | 112.2 |
| April | NA | 107.9 | 126.8 | 114.3 |
| May | NA | 113.6 | 131.7 | 119.7 |
| June | NA | 117.9 | 135.9 | 123.9 |
| July | NA | 117.5 | 136.3 | 123.8 |
| August | NA | 115.8 | 134.8 | 122.1 |
| September | NA | 115.8 | 134.6 | 122.2 |
| October | NA | 115.4 | 134.5 | 121.9 |
| November | NA | 115.9 | 135.1 | 122.3 |
| December | NA | 113.6 | 133.0 | 120.1 |
| Average | NA | 112.7 | 131.6 | 119.0 |
| 1993 January | NA | 111.7 | 131.3 | 118.2 |
| February | NA | 110.8 | 130.1 | 117.2 |

^a Also includes types of motor gasoline not shown separately.

^b In September 1981, the Bureau of Labor Statistics changed the weights used in the calculation of average motor gasoline prices. From September 1981 forward, gasohol is included in the average for all types, and unleaded premium is weighted more heavily.

^c Based on September through December data only.

NA=Not available.

Notes: • See Note 5 at end of section. • Geographic coverage for

1973-1977 is 56 urban areas. Geographic coverage for 1978 forward is 85 urban areas.

Sources: • Monthly Data: U.S. Department of Labor, Bureau of Labor Statistics (BLS), *Consumer Prices: Energy*. • Annual Data: 1973—*Platt's Oil Price Handbook* and *Oilmanac*, 1974, 51st Edition. 1974 forward—calculated by the Energy Information Administration as the simple averages of monthly data.

Table 9.5 Refiner Prices of Residual Fuel Oil
(Cents per Gallon, Excluding Taxes)

| | Residual Fuel Oil Sulfur Content Less Than or Equal to 1 Percent | | Residual Fuel Oil Sulfur Content Greater Than 1 Percent | | Average | |
|--------------------|--|-----------------------|---|-----------------------|---------------------|-----------------------|
| | Sales for Resale | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale | Sales to End Users |
| 1978 Average | 29.3 | 31.4 | 24.5 | 27.5 | 26.3 | 29.8 |
| 1979 Average | 45.0 | 46.8 | 36.6 | 38.9 | 39.9 | 43.6 |
| 1980 Average | 60.8 | 67.5 | 47.9 | 52.3 | 52.8 | 60.7 |
| 1981 Average | 74.8 | 82.9 | 62.2 | 67.3 | 66.3 | 75.6 |
| 1982 Average | 69.5 | 74.7 | 57.2 | 61.1 | 61.2 | 67.6 |
| 1983 Average | 64.3 | 69.5 | 59.1 | 61.1 | 60.9 | 65.1 |
| 1984 Average | 68.5 | 72.0 | 63.9 | 65.9 | 65.4 | 68.7 |
| 1985 Average | 61.0 | 64.4 | 56.0 | 58.2 | 57.7 | 61.0 |
| 1986 Average | 32.8 | 37.2 | 28.9 | 31.7 | 30.5 | 34.3 |
| 1987 Average | 41.2 | 44.7 | 36.2 | 39.6 | 38.5 | 42.3 |
| 1988 Average | 33.3 | 37.2 | 27.1 | 30.0 | 30.0 | 33.4 |
| 1989 Average | 40.7 | 43.6 | 33.1 | 34.4 | 36.0 | 38.5 |
| 1990 Average | 47.2 | 50.5 | 37.2 | 40.0 | 41.3 | 44.4 |
| 1991 January | 52.1 | 59.8 | 49.2 | 49.7 | 50.2 | 53.4 |
| February | 36.5 | 44.4 | 32.0 | 37.1 | 33.4 | 39.8 |
| March | 36.0 | 38.3 | 24.2 | 28.2 | 28.2 | 32.3 |
| April | 33.6 | 37.8 | 25.8 | 27.0 | 28.7 | 30.2 |
| May | 36.6 | 36.6 | 27.7 | 27.6 | 30.3 | 31.0 |
| June | 32.1 | 35.3 | 28.6 | 26.9 | 29.7 | 29.5 |
| July | 32.6 | 36.4 | 27.4 | 28.2 | 28.8 | 31.2 |
| August | 33.4 | 36.8 | 25.9 | 27.7 | 27.9 | 31.1 |
| September | 33.7 | 36.8 | 25.4 | 27.3 | 27.9 | 30.6 |
| October | 34.1 | 38.5 | 27.6 | 29.7 | 29.5 | 32.3 |
| November | 36.6 | 40.8 | 27.9 | 31.8 | 30.7 | 35.1 |
| December | 34.8 | 40.0 | 26.1 | 28.8 | 28.9 | 33.1 |
| Average | 36.4 | 40.2 | 29.2 | 30.6 | 31.4 | 34.0 |
| 1992 January | 30.7 | 35.7 | 21.3 | 24.7 | 24.1 | 29.1 |
| February | 33.4 | 36.2 | 20.8 | 23.7 | 25.1 | 28.0 |
| March | 31.2 | 34.8 | 21.4 | 24.4 | 24.5 | 27.9 |
| April | 32.0 | 35.3 | 25.6 | 27.4 | 27.6 | 29.7 |
| May | 33.7 | 37.2 | 29.3 | 31.9 | 30.5 | 33.4 |
| June | 36.3 | 38.8 | 30.9 | 33.0 | 32.7 | 34.5 |
| July | 38.6 | 41.4 | 33.5 | 34.7 | 34.9 | 36.7 |
| August | 37.7 | 42.3 | 33.2 | 37.0 | 34.6 | 38.9 |
| September | 37.9 | 42.0 | 32.9 | 35.3 | 34.8 | 37.5 |
| October | 41.4 | 44.7 | 35.5 | 37.3 | 37.4 | 39.2 |
| November | 39.4 | 42.8 | 33.8 | 37.6 | 36.0 | 39.4 |
| December | R 35.6 | 40.5 | 28.1 | R 33.4 | R 30.7 | 36.2 |
| Average | 35.4 | 39.0 | 28.4 | 31.3 | 30.7 | 33.8 |
| 1993 January | 36.6 | 41.6 | 27.7 | 32.4 | 31.4 | 35.3 |

R=Revised data.

Notes: • Sales for resale are those made to purchasers other than ultimate consumers. Sales to end users are those made directly to the ultimate consumer, including bulk customers, such as agriculture, industry, and electric utilities, as well as commercial customers. • Geographic

coverage is the 50 States and the District of Columbia. • Values for the current month are preliminary. • Prices prior to 1983 are Energy Information Administration (EIA) estimates. See Note 6 at end of section.

Source: EIA, *Petroleum Marketing Monthly*, April 1993, Table 17.

Table 9.8c No. 2 Distillate Prices to Residences: Selected Western States and U.S. Average

(Cents per Gallon, Excluding Taxes)

| | Idaho | Washington | Oregon | Alaska | U.S. Average |
|--------------------|-------|-------------------|--------|-------------------|-------------------|
| 1978 Average | 43.6 | 48.6 | 45.8 | 53.2 | 49.0 |
| 1979 Average | 62.1 | 69.7 | 68.0 | 68.2 | 70.4 |
| 1980 Average | 91.6 | 100.8 | 97.3 | 97.8 | 97.4 |
| 1981 Average | 110.4 | 116.5 | 111.4 | 118.0 | 119.4 |
| 1982 Average | 110.4 | 117.6 | 111.6 | 117.4 | 116.0 |
| 1983 Average | 101.8 | 109.0 | 103.6 | 108.8 | 107.8 |
| 1984 Average | 98.5 | 102.6 | 99.3 | 106.9 | 109.1 |
| 1985 Average | 97.2 | 101.1 | 97.1 | 108.3 | 105.3 |
| 1986 Average | 73.8 | 77.5 | 70.4 | 94.9 | 83.6 |
| 1987 Average | 68.8 | 79.5 | 72.5 | 86.5 | 80.3 |
| 1988 Average | 68.8 | 78.5 | 70.9 | 86.9 | 81.3 |
| 1989 Average | 77.8 | 87.4 | 80.2 | 96.4 | 90.0 |
| 1990 Average | 97.4 | 102.9 | 97.0 | 110.1 | 106.3 |
| 1991 January | 110.8 | 118.4 | 108.4 | 129.3 | 117.1 |
| February | 97.3 | 112.0 | 102.9 | 122.8 | 110.5 |
| March | 84.0 | 95.3 | 88.8 | 109.5 | 102.6 |
| April | 83.4 | 93.5 | 86.4 | 101.9 | 96.9 |
| May | 84.4 | 94.9 | 86.5 | 101.3 | 92.5 |
| June | 83.4 | 91.7 | 85.6 | 98.2 | 89.3 |
| July | 80.0 | 85.5 | 83.6 | 98.6 | 86.6 |
| August | 84.6 | 92.6 | 87.3 | 96.8 | 87.0 |
| September | 87.4 | 93.5 | 90.8 | 92.4 | 89.7 |
| October | 87.6 | 95.2 | 89.1 | 91.3 | 94.0 |
| November | 93.3 | 99.5 | 90.6 | 96.0 | 98.0 |
| December | 94.7 | 96.2 | 87.0 | 95.2 | 95.9 |
| Average | 95.1 | 101.6 | 93.3 | 105.0 | 101.9 |
| 1992 January | 86.1 | 92.3 | 84.8 | 92.5 | 94.1 |
| February | 79.2 | 91.4 | 83.6 | 91.0 | 94.1 |
| March | 82.2 | 92.3 | 82.8 | 92.8 | 93.0 |
| April | 84.2 | 92.5 | 86.9 | 91.9 | 92.5 |
| May | 84.4 | 95.2 | 91.8 | 93.4 | 92.3 |
| June | 84.6 | 92.6 | 92.8 | 93.9 | 92.2 |
| July | 85.1 | 87.9 | 91.0 | 93.0 | 90.4 |
| August | 79.2 | 84.2 | 84.1 | 96.7 | 88.6 |
| September | 85.9 | 90.9 | 87.6 | 93.4 | 90.1 |
| October | 89.6 | 95.1 | 91.7 | 96.7 | 93.8 |
| November | 91.8 | 98.6 | 92.8 | 97.5 | 94.9 |
| December | 86.9 | ^R 99.7 | 91.5 | ^R 95.4 | ^R 94.6 |
| Average | 85.7 | ^R 94.3 | 87.8 | 94.0 | 93.4 |
| 1993 January | 85.0 | 100.7 | 92.3 | 95.2 | 94.3 |

R=Revised data.


Notes: • States are grouped in Tables 9.8a, 9.8b, and 9.8c by geographic region of the country. • Values for the current month are preliminary.

• Prices prior to 1983 are Energy Information Administration (EIA) estimates. See Note 6 at end of section.


Source: EIA, *Petroleum Marketing Monthly*, April 1993, Table 16.

Figure 9.2 Electricity Retail Prices
(Cents per Kilowatt-hour)

Prices by Sector, 1973-1992




Prices by Sector, Monthly




Source: Table 9.9, Monthly Series.

Figure 9.3 Cost of Fossil-Fuel Receipts at Steam-Electric Plants
(Dollars per Million Btu)

Fossil Fuels Costs, 1973-1992




Fossil Fuel Costs, Monthly




Source: Table 9.10.

Figure 9.4 Natural Gas Prices
(Dollars per Thousand Cubic Feet)


Selected Prices, 1973-1992



Delivered to Consumers, 1973-1992



Delivered to Consumers, Monthly



Note: Because vertical scales differ, graphs should not be compared.
Source: Table 9.11.

Energy Prices Notes

1. The average domestic first purchase price represents the average price at which all domestic crude oil is purchased. Prior to February 1976, the price represented an estimate of the average of posted prices; beginning with February 1976, the price represents an average of actual first purchase prices. The data series was previously called "Actual Domestic Wellhead Price."

2. F.O.B. literally means "Free on Board." It denotes a transaction whereby the seller makes the product available with an agreement on a given port at a given price; it is the responsibility of the buyer to arrange for the transportation and insurance.

3. The landed cost of imported crude oil from selected countries does not represent the total cost of all imported crude. Prior to March 1975, imported crude costs to U.S. company-owned refineries in the Caribbean were not included in the landed cost, and costs of crude oil from countries that export only small amounts to the United States were also excluded. Beginning in March 1975, however, coverage was expanded to include U.S. company-owned refineries in the Caribbean. Landed costs do not include supplemental fees.

4. Beginning with January 1981, refiner acquisition costs of crude oil are from data collected on Form EIA-14, "Refiners' Monthly Cost Report." Those costs were previously published from data collected on Form ERA-49, "Domestic Crude Oil Entitlements Program Refiners Monthly Report." Form ERA-49 was discontinued with the decontrol of crude oil on January 28, 1981. Crude oil purchases and costs are defined for Form EIA-14 in accordance with conventions used for Form ERA-49. Also, the respondents for the two forms are essentially the same. However, due to possible different interpretations of the filing requirements and a different method for handling prior period adjustments, care must be taken when comparing the data collected on the two forms.

The refiner acquisition cost of crude oil is the average price paid by refiners for crude oil booked into their refineries in accordance with accounting procedures generally accepted and consistently and historically applied by the refiners concerned. Domestic crude oil is that oil produced in the United States or from the outer continental shelf as defined in 43 USC Section 1331. Imported crude oil is either that oil reported on Form ERA-51, "Transfer Pricing Report," or any crude oil that is not domestic oil. The composite cost is the weighted average of domestic and imported crude oil costs.

Crude oil costs and volumes reported on Form ERA-49 excluded unfinished oils but included the Strategic Petroleum Reserve (SPR). Crude oil costs and volumes reported on Form FEA-P110-M-1, "Refiners' Monthly Cost Allocation Report," included unfinished oils but

excluded SPR. Imported averages derived from Form ERA-49 exclude oil purchased for SPR, whereas the composite averages derived from Form ERA-49 include SPR. None of the prices derived from Form EIA-14 include either unfinished oils or SPR.

5. Several different series of motor gasoline prices are published in this section. U.S. City Average Retail Prices of Motor Gasoline are calculated monthly by the Bureau of Labor Statistics during the development of the Consumer Price Index (CPI). These prices include all Federal, State, and local taxes paid at the time of sale. For the period 1974-1977, prices were collected in 56 urban areas. For the period 1978 forward, prices were collected from a new sample of service stations in 85 urban areas selected to represent all urban consumers—about 80 percent of the total U.S. population. The service stations are selected initially, and on a replacement basis, in such a way that they represent the purchasing habits of the CPI population. Service stations in the current sample include those providing all types of service (i.e., full-, mini-, and self-serve).

Refiner prices of finished motor gasoline for resale and to end users are determined by the Energy Information Administration (EIA) in a monthly survey of refiners and gas plant operators (Form EIA-782A). The prices do not include any Federal, State, or local taxes paid at the time of sale. Estimates of prices prior to January 1983 are based on Form FEA-P302-M-1/EIA-460, "Petroleum Industry Monthly Report for Product Prices," and also exclude all Federal, State, or local taxes paid at the time of sale. Sales for resale are those made to purchasers who are other-than-ultimate consumers. Sales to end users are sales made directly to the consumer of the product, including bulk consumers, such as agriculture, industry, and utilities, as well as residential and commercial consumers.

6. Starting in January 1983, Form EIA-782, "Monthly Petroleum Product Sales Report," replaced 10 previous surveys. Every attempt was made to continue the most important price series. However, prices published through December 1982 and those published since January 1983 do not necessarily form continuous data series due to changes in survey forms, definitions, instructions, populations, samples, processing systems, and statistical procedures. To provide historical data, continuous series were generated for annual data 1978-1982 and for monthly data 1981 and 1982 by estimating the prices that would have been published had Form EIA-782 survey and system been in operation at that time. This form of estimation was performed after detailed adjustment was made for product and sales type matching and for discontinuity due to other factors. An important difference between the previous and present prices is the distinction between wholesale and resale and between retail and end user. The resale category continues to include sales among resellers. However, bulk sales to utility, industrial, and commercial accounts previously included in the wholesale category are now counted as made to end users. The

end-user category continues to include retail sales through company owned and operated outlets but also includes the bulk utility, industrial, and commercial sales. Additional information may be found in Estimated Historic Time Series for the EIA-782, a feature article reprinted from the December 1983 [3] *Petroleum Marketing Monthly*, published by EIA.

7. National average electricity prices are shown in two data series. The "Annual Series" is based on data from more than 3,000 publicly and privately owned electric utilities that report on Form EIA-861, "Annual Electric Utility Report." The "Monthly Series" is based on data from over 400 utilities statistically chosen as a stratified sample of the utilities that report on Form EIA-861. The selected utilities report monthly on Form EIA-826, "Monthly Electric Utility Sales and Revenue Report with State Distributions," formerly the "Electric Utility Company Monthly Statement." Annual values shown for the monthly series are the sum of the monthly revenue divided by the sum of the monthly sales. Prior to January 1986, only privately owned utilities were included in the monthly survey and the sample was chosen by using cut-off, rather than stratification, techniques.

8. Natural gas prices are intended to include all taxes. Instructions on the data collection forms specifically direct that all U.S., State, and local taxes, surcharges,

and/or adjustments billed to consumers are to be included. However, sales and other taxes itemized on consumers' bills are sometimes excluded by the reporting utilities.

Delivered-to-consumers prices for 1987 forward represent natural gas delivered and sold to residential, commercial, industrial, and electric utility consumers. They do not include the price of natural gas delivered to industrial and commercial consumers on behalf of third parties. Volumes of natural gas delivered on behalf of third parties are included in the consumption data shown in Table 4.3. Additional information is available in the EIA *Natural Gas Monthly*, Appendix C.

Electric utility data for 1973-1982 cover all electric generating plants at which the generator nameplate capacity of all steam-electric units combined totaled 25 megawatts or greater. From 1974-1982, peaking units were included in the data and counted towards the 25-megawatt-or-greater total. Data for 1983-1990 cover all electric generating plants at which the generator nameplate capacity of all steam-electric units combined totaled 50 megawatts or greater. Data for 1991 cover all electric generating plants at which the generator nameplate capacity of all steam-electric units and combined-cycle units together totaled 50 megawatts or greater.

Section 10. International Energy

Crude Oil Production. World crude oil production during January 1993 was 60 million barrels per day, down 0.4 million barrels per day from the level during the previous month.

Organization of Petroleum Exporting Countries (OPEC) production during January 1993 averaged 26 million barrels per day, up 0.2 million barrels per day from the level during the previous month. Production by the Arab members of OPEC during January 1993 averaged 16 million barrels per day, up 0.1 million barrels per day from the December 1992 level. During January 1993, production increased in Kuwait by 125 thousand barrels per day and in Qatar by 10 thousand barrels per day. Production decreased in Saudi Arabia by 25 thousand barrels per day and in Libya by 20 thousand barrels per day. Production remained unchanged in Algeria, Iraq, and the United Arab Emirates. Among the non-Arab members of OPEC, production during January 1993 increased in Iran by 100 thousand barrels per day and in Nigeria by 25 thousand barrels per day. Production decreased in Venezuela by 5 thousand barrels per day, but remained unchanged in Indonesia.

Among the non-OPEC nations, production during January 1993 increased in Canada by 15 thousand barrels per day. Production decreased in the United Kingdom by 125 thousand barrels per day, in the United States by 117 thousand barrels per day, in the former U.S.S.R. by 95 thousand barrels per day, and in Mexico by 5 thousand barrels per day. Production remained unchanged in China.

Petroleum Consumption. In November 1992, consumption in all Organization for Economic Cooperation and Development (OECD) countries was 38.9 million barrels per day, 1 percent higher than the November 1991 level. Consumption levels were

higher than a year ago in Canada (+7 percent) and in the United Kingdom and the United States (each +2 percent), compared with the levels 1 year earlier. Consumption levels were lower than they were a year ago in France (-3 percent), Japan (-2 percent), and Germany (-1 percent). Italy's level of consumption was slightly higher, compared with the level 1 year earlier.

Petroleum Stocks. For all OECD countries, petroleum stocks at the end of November 1992 totaled 3.6 billion barrels, slightly lower than the ending stock level in November 1991. Stock levels were lower than 1 year ago in the United Kingdom (-6 percent), Canada (-5 percent), and France and the United States (each -1 percent). Stocks were higher in Italy and Germany (each +6 percent) and Japan (+1 percent), compared with levels 1 year earlier.

Nuclear Electricity Generation. Based on *Nucleonics Week* information for January 1993, reporting countries with nuclear capacity generated 179 gross terawatt-hours⁹ of nuclear-generated electricity, 3 percent more than in January 1992.

A U.S. unit, Trojan, a 1,178-megawatt pressurized light-water reactor, shut down on January 4, 1993, after 16 years of commercial service. Another U.S. unit, San Onofre 1, shut down in December 1992 after 25 years of commercial service. Both the Trojan and San Onofre 1 units stopped generating electricity in November 1992.


As of January 31, 1993, there were 353 operable nuclear generating units in the reporting countries. The units had a collective gross generating capacity of 299.2 gigawatts.¹⁰ The 108 U.S. units accounted for 104.1 gross gigawatts, 34.8 percent of the total reported nuclear generating capacity.

⁹One terawatt-hour equals 1 billion kilowatt-hours.


¹⁰One gigawatt equals 1 million kilowatts.

Figure 10.1 Crude Oil Production
(Million Barrels per Day)


World Production, 1973-1992




World Production, Monthly



Leading Producers, 1973-1992




Leading Producers, Monthly



Note: OPEC is the Organization of Petroleum Exporting Countries.
Sources: Tables 10.1a and 10.1b.

Figure 10.2 Crude Oil Production by Selected Country
(Million Barrels per Day)




Note: OPEC is the Organization of Petroleum Exporting Countries.
Sources: Tables 10.1a and 10.1b.


Figure 10.3 Petroleum Consumption in OECD Countries

(Million Barrels per Day)


OECD Consumption, 1973-1991



OECD Consumption




Consumption by Selected OECD Country




Note: OECD is the Organization for Economic Cooperation and Development.
Source: Table 10.2.

Figure 10.4 Petroleum Stocks in OECD Countries
(Billion Barrels)


OECD Stocks, End of Year, 1973-1991



OECD Stocks, End of Month




Stocks by Selected Country, End of Month




Note: OECD is the Organization for Economic Cooperation and Development.
Source: Table 10.3.

Figure 10.5 Nuclear Electricity Gross Generation
(Billion Kilowatthours)


U.S. and Total* Generation, 1973-1992



Total* Generation



Generation by Selected Country, January 1993



**Total* equals nuclear-generated electricity from all countries except Bulgaria, China, Cuba, Czechoslovakia, Hungary, North Korea, Poland, Romania, the former U.S.S.R., and Slovenia (formerly Yugoslavia).

Note: Because vertical scales differ, graphs should not be compared.

Sources: Tables 10.4a-10.4c.

Table 10.4a Nuclear Electricity Gross Generation: Argentina Through India
(Billion Kilowatt-hours)

| | Argentina | Belgium | Brazil | Canada | Finland | France | Germany ^a | India |
|--------------------|-----------|---------|--------|--------|---------|--------|----------------------|-------|
| 1973 Total | 0.0 | 0.0 | 0.0 | 15.3 | 0.0 | 14.7 | 11.9 | 2.5 |
| 1974 Total | 1.0 | .1 | .0 | 15.4 | .0 | 14.7 | 12.0 | 1.9 |
| 1975 Total | 2.5 | 6.8 | .0 | 13.2 | .0 | 18.3 | 21.7 | 2.5 |
| 1976 Total | 2.6 | 10.0 | .0 | 18.0 | .0 | 15.8 | 24.5 | 3.2 |
| 1977 Total | 1.6 | 11.9 | .0 | 26.6 | 2.7 | 17.9 | 36.0 | 2.8 |
| 1978 Total | 2.9 | 12.5 | .0 | 33.0 | 3.3 | 30.6 | 35.7 | 2.3 |
| 1979 Total | 2.7 | 11.4 | .0 | 38.4 | 6.7 | 39.9 | 42.2 | 3.2 |
| 1980 Total | 2.3 | 12.5 | .0 | 40.4 | 7.0 | 61.2 | 43.7 | 2.9 |
| 1981 Total | 2.8 | 12.8 | .0 | 43.3 | 14.5 | 105.2 | 53.4 | 3.1 |
| 1982 Total | 1.9 | 15.6 | .1 | 42.6 | 16.5 | 108.9 | 63.4 | 2.2 |
| 1983 Total | 3.4 | 24.1 | .2 | 53.0 | 17.4 | 144.2 | 65.8 | 2.9 |
| 1984 Total | 4.5 | 27.7 | 2.1 | 53.8 | 18.5 | 191.2 | 92.6 | 4.1 |
| 1985 Total | 5.8 | 34.5 | 3.4 | 62.9 | 18.0 | 224.0 | 125.8 | 4.5 |
| 1986 Total | 5.7 | 38.6 | .1 | 74.6 | 18.8 | 254.3 | 118.9 | 5.1 |
| 1987 Total | 5.2 | 41.9 | 1.0 | 80.6 | 19.4 | 265.5 | 130.2 | 5.5 |
| 1988 Total | 5.1 | 43.1 | .3 | 85.6 | 19.3 | 274.9 | 145.2 | 6.1 |
| 1989 Total | 5.0 | 41.2 | 1.6 | 83.2 | 18.8 | 302.5 | 149.6 | 4.0 |
| 1990 Total | 7.4 | 42.7 | 2.0 | 75.8 | 18.9 | 314.1 | 147.2 | 6.3 |
| 1991 January | .5 | 4.2 | .2 | 7.6 | 1.8 | 33.5 | 15.2 | .5 |
| February | .6 | 3.9 | .2 | 7.3 | 1.6 | 30.0 | 13.6 | .4 |
| March | .6 | 4.2 | .2 | 7.8 | 1.8 | 28.4 | 14.3 | .6 |
| April | .7 | 3.5 | .2 | 6.7 | 1.4 | 25.3 | 12.5 | .4 |
| May | .7 | 3.4 | .2 | 7.2 | 1.5 | 25.3 | 10.6 | .4 |
| June | .7 | 2.9 | .2 | 7.1 | 1.6 | 23.6 | 10.0 | .4 |
| July | .7 | 3.5 | .2 | 7.7 | 1.7 | 23.9 | 11.7 | .3 |
| August | .7 | 3.8 | .0 | 8.6 | 1.4 | 24.5 | 10.0 | .4 |
| September | E .7 | 3.0 | .0 | 6.7 | 1.3 | 25.8 | 10.8 | .4 |
| October | E .8 | 3.2 | .0 | 6.6 | 1.7 | 28.4 | 11.7 | .5 |
| November | E .7 | 3.3 | .0 | 6.3 | 1.7 | 29.8 | 12.9 | .6 |
| December | E .5 | 4.0 | .0 | 6.5 | 1.7 | 32.8 | 14.2 | .5 |
| Total | E 8.1 | 42.9 | 1.4 | 86.1 | 19.2 | 331.4 | 147.3 | 5.4 |
| 1992 January | .6 | 4.3 | .0 | 6.9 | 1.8 | 33.5 | 15.6 | .5 |
| February | .7 | 4.0 | .0 | 6.4 | 1.7 | 29.8 | 15.2 | .5 |
| March | .6 | 4.0 | .0 | 7.4 | 1.8 | 30.7 | 15.8 | .5 |
| April | .6 | 3.4 | .0 | 6.4 | 1.7 | 28.0 | 14.1 | .4 |
| May | .5 | 3.8 | .0 | 4.8 | 1.3 | 25.6 | 11.8 | .4 |
| June | .6 | 3.6 | .1 | 5.6 | 1.4 | 22.4 | 11.8 | .3 |
| July | .7 | 3.1 | .3 | 7.2 | 1.6 | 23.7 | 12.0 | .4 |
| August | .7 | 3.4 | .4 | 6.9 | 1.4 | 24.6 | 10.9 | .5 |
| September | .7 | 3.1 | .3 | 6.9 | 1.3 | 25.6 | 11.6 | .5 |
| October | .3 | 3.6 | .1 | 7.2 | 1.6 | 28.5 | 13.2 | .6 |
| November | .4 | 3.3 | .3 | 7.4 | 1.7 | 29.5 | 13.0 | .7 |
| December | E .6 | 3.9 | .1 | 8.0 | 1.8 | 33.1 | 13.8 | .8 |
| Total | E 7.1 | 43.5 | 1.8 | 86.4 | 19.0 | 337.6 | 158.8 | 6.5 |
| 1993 January | E .7 | 4.3 | .2 | 8.2 | 1.8 | 36.3 | 15.1 | .7 |

^a Through December 1990, the data for Germany are for the former West Germany only. Beginning with January 1991, the data for Germany are for the unified Germany, i.e., the former East Germany and West Germany.

E=Estimate.

Notes: • Net figures are generally less than gross figures by about 5 percent, the difference being the energy consumed by the generating plants

themselves. • U.S. geographic coverage is the 50 States and the District of Columbia. • Monthly data may not sum to annual totals due to independent rounding and because precommercial generation is included in the annual totals but not in the monthly data.

Source: McGraw-Hill Publishing Company, *Nucleonics Week*.

Table 10.4b Nuclear Electricity Gross Generation: Italy Through Spain
(Billion Kilowatthours)

| | Italy | Japan | Mexico | Netherlands | Pakistan | South Africa | South Korea | Spain |
|--------------|-------|-------|--------|-------------|----------|--------------|-------------|-------|
| 1973 Total | 3.1 | 9.4 | 0.0 | 1.1 | 0.5 | 0.0 | 0.0 | 6.5 |
| 1974 Total | 3.4 | 18.9 | .0 | 3.3 | .6 | .0 | .0 | 7.2 |
| 1975 Total | 3.8 | 21.3 | .0 | 3.3 | .5 | .0 | .0 | 7.5 |
| 1976 Total | 3.8 | 36.6 | .0 | 3.9 | .5 | .0 | .0 | 7.6 |
| 1977 Total | 3.4 | 28.2 | .0 | 3.7 | .3 | .0 | .1 | 6.5 |
| 1978 Total | 4.5 | 53.1 | .0 | 4.1 | .2 | .0 | 2.3 | 7.6 |
| 1979 Total | 2.6 | 62.0 | .0 | 3.5 | (s) | .0 | 3.2 | 6.7 |
| 1980 Total | 2.2 | 82.8 | .0 | 4.2 | .1 | .0 | 3.5 | 5.2 |
| 1981 Total | 2.7 | 86.0 | .0 | 3.7 | .2 | .0 | 2.9 | 9.4 |
| 1982 Total | 6.8 | 104.5 | .0 | 3.9 | .1 | .0 | 3.8 | 8.8 |
| 1983 Total | 5.8 | 109.1 | .0 | 3.6 | .2 | .0 | 9.0 | 10.7 |
| 1984 Total | 6.9 | 127.2 | .0 | 3.8 | .3 | 4.2 | 11.8 | 23.1 |
| 1985 Total | 7.0 | 152.0 | .0 | 3.9 | .3 | 5.9 | 16.5 | 28.0 |
| 1986 Total | 8.7 | 164.8 | .0 | 4.2 | .5 | 9.3 | 26.1 | 37.5 |
| 1987 Total | .2 | 182.8 | .0 | 3.6 | .3 | 6.6 | 37.8 | 41.2 |
| 1988 Total | .0 | 173.6 | .0 | 3.7 | .2 | 11.1 | 38.7 | 50.4 |
| 1989 Total | .0 | 183.7 | .0 | 4.0 | .1 | 11.7 | 47.2 | 56.1 |
| 1990 Total | .0 | 191.9 | 2.1 | 3.4 | .4 | 8.9 | 52.8 | 54.3 |
| 1991 January | .0 | 18.0 | .5 | .3 | (s) | .6 | 4.1 | 5.3 |
| February | .0 | 15.2 | .4 | .2 | (s) | .5 | 4.5 | 4.6 |
| March | .0 | 15.6 | .5 | .1 | (s) | 1.1 | 4.5 | 4.3 |
| April | .0 | 12.8 | .5 | .2 | (s) | .7 | 4.1 | 4.2 |
| May | .0 | 12.6 | .5 | .4 | .1 | .7 | 4.1 | 4.8 |
| June | .0 | 14.8 | .4 | .4 | (s) | .6 | 4.8 | 4.4 |
| July | .0 | 19.5 | .4 | .4 | (s) | .7 | 5.5 | 4.7 |
| August | .0 | 22.1 | .4 | .4 | (s) | .7 | 5.2 | 5.2 |
| September | .0 | 19.7 | .0 | .1 | (s) | .8 | 4.7 | 4.5 |
| October | .0 | 19.1 | .0 | (s) | .1 | 1.2 | 4.9 | 4.7 |
| November | .0 | 17.6 | .2 | .4 | (s) | 1.1 | 4.8 | 4.4 |
| December | .0 | 18.9 | .5 | .4 | (s) | 1.1 | 5.2 | 4.7 |
| Total | .0 | 205.8 | 4.2 | 3.3 | .4 | 9.7 | 56.3 | 55.6 |
| 1992 January | .0 | 18.5 | .5 | .4 | (s) | .9 | 4.6 | 5.4 |
| February | .0 | 17.1 | .4 | .3 | .0 | .4 | 4.0 | 4.6 |
| March | .0 | 17.9 | .5 | .1 | (s) | .4 | 4.2 | 4.2 |
| April | .0 | 16.0 | .5 | .1 | (s) | .4 | 4.5 | 3.6 |
| May | .0 | 16.3 | .5 | .3 | (s) | .7 | 4.5 | 4.3 |
| June | .0 | 17.1 | .3 | .3 | .1 | 1.2 | 4.5 | 4.5 |
| July | .0 | 21.1 | .3 | .4 | .1 | 1.3 | 5.3 | 5.0 |
| August | .0 | 23.1 | .2 | .4 | .1 | 1.0 | 5.4 | 5.2 |
| September | .0 | 17.2 | .0 | .4 | .1 | 1.1 | 4.6 | 4.2 |
| October | .0 | 16.2 | (s) | .4 | .1 | 1.0 | 4.9 | 5.0 |
| November | .0 | 16.3 | .4 | .4 | .1 | .6 | 4.7 | 4.4 |
| December | .0 | 19.1 | .4 | .4 | .1 | .8 | 5.1 | 5.4 |
| Total | .0 | 215.8 | 3.9 | 3.8 | .6 | 9.9 | 56.4 | 55.8 |
| 1993 January | .0 | 19.5 | .5 | .4 | (s) | .6 | 4.8 | 5.4 |

(s)=Less than 0.05 billion kilowatthours.

Notes: • Net figures are generally less than gross figures by about 5 percent, the difference being the energy consumed by the generating plants themselves. • U.S. geographic coverage is the 50 States and the District of

Columbia. • Monthly data may not sum to annual totals due to independent rounding and because precommercial generation is included in the annual totals but not in the monthly data.

Source: McGraw-Hill Publishing Company, *Nucleonics Week*.

**Table 10.4c Nuclear Electricity Gross Generation: Sweden Through United States
and Total**
(Billion Kilowatthours)

| | Sweden | Switzerland | Taiwan | United Kingdom ^a | Total ^b Excluding U.S. | United States | Total ^b |
|--------------|--------|-------------|--------|-----------------------------|--------------------------------------|---------------|----------------------|
| 1973 Total | 2.1 | 6.2 | 0.0 | 28.2 | 101.4 | 87.8 | 189.3 |
| 1974 Total | 2.3 | 7.0 | .0 | 33.8 | 121.7 | 124.3 | 246.0 |
| 1975 Total | 12.0 | 7.7 | .0 | 30.5 | 151.8 | 182.3 | 334.1 |
| 1976 Total | 16.0 | 7.9 | .0 | 36.8 | 187.1 | 201.8 | 388.9 |
| 1977 Total | 19.9 | 8.1 | .1 | 38.1 | 207.8 | 264.2 | 472.0 |
| 1978 Total | 23.8 | 8.3 | 2.7 | 36.6 | 263.5 | 292.4 | 555.9 |
| 1979 Total | 21.0 | 11.8 | 6.3 | 38.5 | 300.1 | 270.6 | 570.7 |
| 1980 Total | 26.7 | 14.3 | 8.2 | 37.2 | 354.3 | 265.4 | 619.8 |
| 1981 Total | 37.7 | 15.2 | 10.7 | 38.9 | 442.4 | 288.5 | 730.9 |
| 1982 Total | 38.8 | 15.0 | 13.1 | 44.1 | 489.9 | 298.6 | 788.5 |
| 1983 Total | 40.4 | 15.5 | 18.9 | 49.6 | 573.9 | 313.6 | 887.5 |
| 1984 Total | 51.3 | 16.3 | 24.3 | 54.1 | 717.7 | 343.8 | 1,061.5 |
| 1985 Total | 58.6 | 22.4 | 28.7 | 59.7 | 862.7 | 402.7 | 1,265.4 |
| 1986 Total | 69.9 | 22.5 | 26.9 | 58.2 | 944.8 | 434.1 | 1,378.9 |
| 1987 Total | 67.2 | 23.0 | 33.1 | 56.2 | 1,001.2 | 479.5 | 1,480.7 |
| 1988 Total | 69.4 | 22.7 | 29.9 | 59.4 | 1,038.7 | 554.1 | 1,592.8 |
| 1989 Total | 65.6 | 22.8 | 28.3 | 71.6 | 1,097.1 | 557.0 | 1,654.1 |
| 1990 Total | 68.2 | 23.6 | 32.9 | 66.1 | 1,119.1 | 603.4 | 1,722.5 |
| 1991 January | 7.6 | 2.3 | 2.4 | 6.6 | 111.2 | 56.6 | 167.8 |
| February | 6.9 | 2.1 | 2.2 | 6.8 | 101.1 | 50.2 | 151.3 |
| March | 7.6 | 2.3 | 2.9 | 6.7 | 103.3 | 51.6 | 154.9 |
| April | 6.9 | 2.2 | 2.5 | 5.0 | 89.6 | 43.8 | 133.4 |
| May | 5.7 | 2.0 | 2.8 | 4.5 | 87.3 | 49.2 | 136.6 |
| June | 4.7 | 1.1 | 3.2 | 6.1 | 87.0 | 56.9 | 143.9 |
| July | 4.6 | 1.5 | 3.2 | 5.1 | 95.4 | 63.7 | 159.1 |
| August | 5.2 | 1.0 | 3.6 | 5.4 | 98.6 | 61.4 | 160.0 |
| September | 5.5 | 1.8 | 3.1 | 6.6 | ^E 95.5 | 54.4 | ^E 150.0 |
| October | 7.2 | 2.3 | 3.1 | 5.9 | ^E 101.3 | 50.2 | ^E 151.5 |
| November | 7.3 | 2.2 | 3.0 | 5.2 | ^E 101.7 | 48.7 | ^E 150.4 |
| December | 7.6 | 2.3 | 3.2 | 6.6 | ^E 110.5 | 56.3 | ^E 166.8 |
| Total | 76.8 | 22.9 | 35.3 | 70.4 | ^E 1,182.6 | 643.0 | ^E 1,825.6 |
| 1992 January | 7.6 | 2.3 | 3.1 | 6.5 | 113.1 | 60.6 | 173.7 |
| February | 6.8 | 2.1 | 2.2 | 6.3 | 102.6 | 55.4 | 158.1 |
| March | 7.1 | 2.2 | 2.2 | 8.3 | 107.8 | 48.3 | 156.1 |
| April | 6.7 | 1.9 | 2.6 | 5.0 | 95.9 | 44.3 | 140.2 |
| May | 4.7 | 1.9 | 2.6 | 6.0 | 90.1 | 48.1 | 138.2 |
| June | 3.9 | 1.3 | 2.9 | 7.0 | 88.9 | 53.7 | 142.7 |
| July | 3.6 | 1.7 | 3.3 | 4.9 | 96.0 | 59.0 | 155.0 |
| August | 3.5 | 1.1 | 3.6 | 5.5 | 97.9 | 61.6 | 159.5 |
| September | 3.9 | 2.0 | 2.8 | 6.9 | 93.2 | 53.2 | 146.4 |
| October | 5.2 | 2.3 | 2.9 | 5.7 | 98.8 | 51.5 | 150.3 |
| November | 5.2 | 2.2 | 3.2 | 6.1 | 99.9 | 53.2 | 153.1 |
| December | 5.4 | 2.3 | 2.6 | 10.4 | ^E 114.1 | 61.0 | ^E 175.1 |
| Total | 63.5 | 23.4 | 33.8 | 78.5 | ^E 1,206.0 | 650.0 | ^E 1,856.0 |
| 1993 January | 5.8 | 2.3 | 3.0 | 7.6 | ^E 117.2 | 61.8 | ^E 179.0 |

^a Monthly data for the United Kingdom are totals for 4- or 5-week reporting periods, not calendar months.

^b "Total" equals nuclear-generated electricity from all countries except Bulgaria, China, Cuba, Czechoslovakia, Hungary, North Korea, Poland, Romania, the former U.S.S.R., and Slovenia (formerly Yugoslavia).

E=Estimate.

Notes: • Net figures are generally less than gross figures by about 5

percent, the difference being the energy consumed by the generating plants themselves. • U.S. geographic coverage is the 50 States and the District of Columbia. • Monthly data may not sum to annual totals due to independent rounding and because precommercial generation is included in the annual totals but not in the monthly data. • Data for countries may not sum to world totals due to independent rounding.

Source: McGraw-Hill Publishing Company, *Nucleonics Week*.

Appendix A. Conversion Factors

Using Conversion Factors

Physical conversion factors can be used to compare energy quantities expressed in units of volume and weight. For example, 6.65 barrels of crude oil weighs approximately 1 short ton, as indicated in Table A1.

However, the heat content of a "short ton" of crude oil is greater than the heat content of a short ton of coal. The heat content, measured in British thermal units (Btu), of a given quantity of energy can be calculated by using the thermal conversion factors presented in Tables A2 through A9.

Based on the thermal conversion factor shown for crude oil (production) in Table A3, a short ton of crude oil has a heat content of approximately 39 million Btu (6.65 barrels times 5.8 million Btu per barrel equals 38.57 million Btu). As calculated from the thermal conversion factor for coal (production) in Table A6, a short ton of coal in 1988 had a heat content of 22 million Btu (1 short ton times 21.823

million Btu per short ton equals 21.823 million Btu). In 1988, therefore, a short ton of crude oil had a heat content almost two times greater than a short ton of coal.

Thermal conversion factors for hydrocarbon mixes (Table A2) are weighted averages of the thermal conversion factors for each hydrocarbon included in the mix. For example, in calculating the thermal conversion factor for a 60/40 butane/propane mixture, the thermal conversion factor for butane is weighted 1.5 times more heavily than the thermal conversion factor for propane.

The thermal conversion factors in Tables A2 through A9 are computed from final annual data wherever possible. When the current year's final data are not yet available for publication, thermal conversion factors for the current year are computed from the best available data and are noted as "preliminary." Sources are described in the section entitled "Thermal Conversion Factor Source Documentation," which follows Table A9 in this appendix.

Table A1. Physical Conversion Factors for Energy Units

| Unit | Equivalent | |
|---|------------|-----------------------|
| Crude Oil (Average Gravity) | | |
| 1 U.S. barrel | 42 | U.S. gallons |
| 1 short ton | 6.65 | barrels |
| 1 metric ton | 7.33 | barrels |
| Coal | | |
| 1 short ton | 2,000 | pounds |
| 1 long ton | 2,240 | pounds |
| 1 metric ton | 2,204.62 | pounds |
| 1 metric ton | 1,000 | kilograms |
| Uranium | | |
| 1 short ton U ₃ O ₈ | 0.769 | metric ton of uranium |
| 1 short ton UF ₆ | 0.613 | metric ton of uranium |
| 1 metric ton UF ₆ | 0.676 | metric ton of uranium |
| Wood (Average Dry Hardwood) | | |
| 1 cord | 1.25 | short tons |
| 1 cord | 128 | cubic feet |
| 1 cubic foot | 0.028 | cubic meters |

Table A2. Approximate Heat Content of Petroleum Products
(Million Btu per Barrel)

| Petroleum Product | Heat Content | Petroleum Product | Heat Content |
|---|--------------|--|--------------|
| Asphalt | 6.636 | Petrochemical Feedstocks | |
| Aviation Gasoline | 5.048 | Naphtha Less Than 401° F | 5.248 |
| Butane | 4.326 | Other Oils Equal to or Greater Than 401° F ... | 5.825 |
| Butane-Propane Mixture ^a | 4.130 | Still Gas | 6.000 |
| Distillate Fuel Oil | 5.825 | Petroleum Coke | 6.024 |
| Ethane | 3.082 | Plant Condensate | 5.418 |
| Ethane-Propane Mixture ^b | 3.308 | Propane | 3.836 |
| Isobutane | 3.974 | Residual Fuel Oil | 6.287 |
| Jet Fuel, Kerosene Type | 5.670 | Road Oil | 6.636 |
| Jet Fuel, Naphtha Type | 5.355 | Special Naphthas | 5.248 |
| Kerosene | 5.670 | Still Gas | 6.000 |
| Lubricants | 6.065 | Unfinished Oils | 5.825 |
| Motor Gasoline | 5.253 | Unfractionated Stream | 5.418 |
| Natural Gasoline and Isopentane | 4.620 | Waxes | 5.537 |
| Pentanes Plus | 4.620 | Miscellaneous | 5.796 |

^a 60 percent butane and 40 percent propane.

^b 70 percent ethane and 30 percent propane.

Source: See "Thermal Conversion Factor Source Documentation," which follows Table A9.

Table A3. Approximate Heat Content of Crude Oil, Crude Oil and Products, and Natural Gas Plant Liquids
(Million Btu per Barrel)

| | Crude Oil | | | Crude Oil and Products | | Natural Gas Plant Liquids |
|-------------------------|------------|---------|---------|------------------------|---------|---------------------------|
| | Production | Imports | Exports | Imports | Exports | |
| 1973 | 5.800 | 5.817 | 5.800 | 5.897 | 5.752 | 4.049 |
| 1974 | 5.800 | 5.827 | 5.800 | 5.884 | 5.774 | 4.011 |
| 1975 | 5.800 | 5.821 | 5.800 | 5.858 | 5.748 | 3.984 |
| 1976 | 5.800 | 5.808 | 5.800 | 5.856 | 5.745 | 3.964 |
| 1977 | 5.800 | 5.810 | 5.800 | 5.834 | 5.797 | 3.941 |
| 1978 | 5.800 | 5.802 | 5.800 | 5.839 | 5.808 | 3.925 |
| 1979 | 5.800 | 5.810 | 5.800 | 5.810 | 5.832 | 3.955 |
| 1980 | 5.800 | 5.812 | 5.800 | 5.796 | 5.820 | 3.914 |
| 1981 | 5.800 | 5.818 | 5.800 | 5.775 | 5.821 | 3.930 |
| 1982 | 5.800 | 5.826 | 5.800 | 5.775 | 5.820 | 3.872 |
| 1983 | 5.800 | 5.825 | 5.800 | 5.774 | 5.800 | 3.839 |
| 1984 | 5.800 | 5.823 | 5.800 | 5.745 | 5.850 | 3.812 |
| 1985 | 5.800 | 5.832 | 5.800 | 5.736 | 5.814 | 3.815 |
| 1986 | 5.800 | 5.903 | 5.800 | 5.808 | 5.832 | 3.797 |
| 1987 | 5.800 | 5.901 | 5.800 | 5.820 | 5.858 | 3.804 |
| 1988 | 5.800 | 5.900 | 5.800 | 5.820 | 5.840 | 3.800 |
| 1989 | 5.800 | 5.906 | 5.800 | 5.833 | 5.857 | 3.826 |
| 1990 | 5.800 | 5.934 | 5.800 | 5.849 | 5.833 | 3.822 |
| 1991 | 5.800 | 5.948 | 5.800 | 5.873 | 5.823 | 3.807 |
| 1992 ^a | 5.800 | 5.953 | 5.800 | 5.874 | 5.776 | 3.803 |
| 1993 ^a | 5.800 | 5.953 | 5.800 | 5.874 | 5.776 | 3.803 |

^a Preliminary.

Note: Crude oil includes lease condensate.

Source: See "Thermal Conversion Factor Source Documentation," which follows Table A9.

Table A4. Approximate Heat Content of Petroleum Product Weighted Averages
(Million Btu per Barrel)

| | Consumption | | | | | Imports | Exports | LPG Consumption |
|-------------------------|----------------------------------|--------------------|----------------|-----------------------|-------|---------|---------|--------------------|
| | Residential and Commercial | Industrial | Transportation | Electric Utilities | Total | | | |
| 1973 | 5.387 | 5.568 | 5.395 | 6.245 | 5.515 | 5.983 | 5.752 | 3.746 |
| 1974 | 5.377 | 5.538 | 5.394 | 6.238 | 5.504 | 5.959 | 5.773 | 3.730 |
| 1975 | 5.358 | 5.528 | 5.392 | 6.250 | 5.494 | 5.935 | 5.747 | 3.715 |
| 1976 | 5.383 | 5.538 | 5.395 | 6.251 | 5.504 | 5.980 | 5.743 | 3.711 |
| 1977 | 5.389 | 5.555 | 5.400 | 6.249 | 5.518 | 5.908 | 5.796 | 3.677 |
| 1978 | 5.382 | 5.553 | 5.404 | 6.251 | 5.519 | 5.955 | 5.814 | 3.669 |
| 1979 | 5.471 | 5.418 | 5.428 | 6.258 | 5.494 | 5.811 | 5.864 | 3.680 |
| 1980 | 5.468 | 5.376 | 5.440 | 6.254 | 5.479 | 5.748 | 5.841 | 3.674 |
| 1981 | 5.409 | 5.313 | 5.432 | 6.258 | 5.448 | 5.659 | 5.837 | 3.643 |
| 1982 | 5.392 | 5.263 | 5.422 | 6.258 | 5.415 | 5.664 | 5.829 | 3.615 |
| 1983 | 5.286 | 5.273 | 5.415 | 6.255 | 5.406 | 5.677 | 5.800 | 3.614 |
| 1984 | 5.384 | 5.223 | 5.422 | 6.251 | 5.395 | 5.613 | 5.867 | 3.599 |
| 1985 | 5.326 | 5.221 | 5.423 | 6.247 | 5.387 | 5.572 | 5.819 | 3.603 |
| 1986 | 5.357 | 5.286 | 5.427 | 6.257 | 5.418 | 5.624 | 5.839 | 3.640 |
| 1987 | 5.318 | 5.253 | 5.430 | 6.249 | 5.403 | 5.599 | 5.860 | 3.659 |
| 1988 | 5.323 | 5.247 | 5.434 | 6.250 | 5.410 | 5.618 | 5.842 | 3.652 |
| 1989 | 5.260 | 5.233 | 5.440 | 6.241 | 5.410 | 5.641 | 5.869 | 3.683 |
| 1990 | 5.212 | 5.272 | 5.445 | 6.247 | 5.411 | 5.614 | 5.838 | 3.625 |
| 1991 | 5.163 | ^R 5.192 | 5.442 | 6.248 | 5.384 | 5.636 | 5.827 | 3.614 |
| 1992 ^a | 5.157 | 5.191 | 5.444 | 6.243 | 5.377 | 5.623 | 5.774 | 3.608 |
| 1993 ^a | 5.157 | 5.191 | 5.444 | 6.243 | 5.377 | 5.623 | 5.774 | 3.608 |

^a Preliminary.

R=Revised data.

Note: Weighted averages of the products included in each category are calculated by using heat content values shown in Table A1.
Source: See "Thermal Conversion Factor Source Documentation," which follows Table A9.

Table A5. Approximate Heat Content of Natural Gas
(Btu per Cubic Foot)

| | Production | | Consumption | | | Imports | Exports |
|-------------------------|------------|-------------------|---|-----------------------|-------|---------|---------|
| | Dry | Marketed (Wet) | Sectors Other Than Electric Utilities | Electric Utilities | Total | | |
| 1973 | 1,021 | 1,093 | 1,020 | 1,024 | 1,021 | 1,026 | 1,023 |
| 1974 | 1,024 | 1,097 | 1,024 | 1,022 | 1,024 | 1,027 | 1,016 |
| 1975 | 1,021 | 1,095 | 1,020 | 1,026 | 1,021 | 1,026 | 1,014 |
| 1976 | 1,020 | 1,093 | 1,019 | 1,023 | 1,020 | 1,025 | 1,013 |
| 1977 | 1,021 | 1,093 | 1,019 | 1,029 | 1,021 | 1,026 | 1,013 |
| 1978 | 1,019 | 1,088 | 1,016 | 1,034 | 1,019 | 1,030 | 1,013 |
| 1979 | 1,021 | 1,092 | 1,018 | 1,035 | 1,021 | 1,037 | 1,013 |
| 1980 | 1,026 | 1,098 | 1,024 | 1,035 | 1,026 | 1,022 | 1,013 |
| 1981 | 1,027 | 1,103 | 1,025 | 1,035 | 1,027 | 1,014 | 1,011 |
| 1982 | 1,028 | 1,107 | 1,026 | 1,036 | 1,028 | 1,018 | 1,011 |
| 1983 | 1,031 | 1,115 | 1,031 | 1,030 | 1,031 | 1,024 | 1,010 |
| 1984 | 1,031 | 1,109 | 1,030 | 1,035 | 1,031 | 1,005 | 1,010 |
| 1985 | 1,032 | 1,112 | 1,031 | 1,038 | 1,032 | 1,002 | 1,011 |
| 1986 | 1,030 | 1,110 | 1,029 | 1,034 | 1,030 | 997 | 1,008 |
| 1987 | 1,031 | 1,112 | 1,031 | 1,032 | 1,031 | 999 | 1,011 |
| 1988 | 1,029 | 1,109 | 1,029 | 1,028 | 1,029 | 1,002 | 1,018 |
| 1989 | 1,031 | 1,107 | 1,031 | 1,030 | 1,031 | 1,004 | 1,019 |
| 1990 | 1,031 | 1,105 | 1,030 | 1,034 | 1,031 | 1,012 | 1,018 |
| 1991 | 1,030 | 1,108 | 1,031 | 1,024 | 1,030 | 1,014 | 1,022 |
| 1992 ^a | 1,030 | 1,108 | 1,031 | 1,024 | 1,030 | 1,014 | 1,022 |
| 1993 ^a | 1,030 | 1,108 | 1,031 | 1,024 | 1,030 | 1,014 | 1,022 |

^a Preliminary.

Source: See "Thermal Conversion Factor Source Documentation," which follows Table A9.

Table A6. Approximate Heat Content of Coal
(Million Btu per Short Ton)

| | Production | Consumption | | | | | Imports | Exports |
|-------------------|---------------------|----------------------------|-------------|-------------------------------|---------------------------------|---------------------|---------|---------------------|
| | | Residential and Commercial | Coke Plants | Other Industrial ^a | Electric Utilities ^b | Total | | |
| 1973 | 23.376 | 22.831 | 26.780 | 22.586 | 22.246 | 23.057 | 25.000 | 26.596 |
| 1974 | 23.072 | 22.479 | 26.778 | 22.419 | 21.781 | 22.677 | 25.000 | 26.700 |
| 1975 | 22.897 | 22.261 | 26.782 | 22.436 | 21.642 | 22.506 | 25.000 | 26.562 |
| 1976 | 22.855 | 22.774 | 26.781 | 22.530 | 21.679 | 22.498 | 25.000 | 26.601 |
| 1977 | 22.597 | 22.919 | 26.787 | 22.322 | 21.508 | 22.265 | 25.000 | 26.548 |
| 1978 | 22.248 | 22.466 | 26.789 | 22.207 | 21.275 | 22.017 | 25.000 | 26.478 |
| 1979 | 22.454 | 22.242 | 26.788 | 22.452 | 21.364 | 22.100 | 25.000 | 26.548 |
| 1980 | 22.415 | 22.543 | 26.790 | 22.690 | 21.295 | 21.947 | 25.000 | 26.384 |
| 1981 | 22.308 | 22.474 | 26.794 | 22.585 | 21.085 | 21.713 | 25.000 | 26.160 |
| 1982 | 22.239 | 22.695 | 26.797 | 22.712 | 21.194 | 21.674 | 25.000 | 26.223 |
| 1983 | 22.052 | 22.775 | 26.798 | 22.691 | 21.133 | 21.576 | 25.000 | 26.291 |
| 1984 | 22.010 | 22.844 | 26.799 | 22.543 | 21.101 | 21.573 | 25.000 | 26.402 |
| 1985 | 21.870 | 22.646 | 26.798 | 22.020 | 20.959 | 21.366 | 25.000 | 26.307 |
| 1986 | 21.913 | 22.947 | 26.798 | 22.198 | 21.084 | 21.462 | 25.000 | 26.292 |
| 1987 | 21.922 | 23.404 | 26.799 | 22.381 | 21.136 | 21.517 | 25.000 | 26.291 |
| 1988 | 21.823 | 23.571 | 26.799 | 22.360 | 20.900 | 21.328 | 25.000 | 26.299 |
| 1989 | 21.765 | 23.650 | 26.800 | 22.347 | 20.848 | 21.272 | 25.000 | 26.160 |
| 1990 | 21.822 | 23.137 | 26.799 | 22.457 | 20.929 | 21.331 | 25.000 | 26.202 |
| 1991 | 21.681 | 23.114 | 26.799 | 22.460 | 20.755 | 21.146 | 25.000 | 26.188 |
| 1992 ^c | ^R 21.675 | ^R 23.197 | 26.799 | ^R 22.313 | ^R 20.804 | ^R 21.164 | 25.000 | ^R 26.162 |
| 1993 ^c | 21.675 | 23.197 | 26.799 | 22.313 | 20.804 | 21.164 | 25.000 | 26.162 |

^a Includes transportation.

^b Data shown in this column are not the same as those shown in the *Electric Power Monthly* (EPM). The EPM data report coal receipts; the data shown here represent coal consumption.

^c Preliminary.

^R=Revised data.

Source: See "Thermal Conversion Factor Source Documentation," which follows Table A9.

Table A7. Approximate Heat Content of Bituminous Coal and Lignite
(Million Btu per Short Ton)

| | Production | Consumption | | | | | Imports | Exports |
|-------------------|---------------------|----------------------------|-------------|-------------------------------|---------------------|---------------------|---------|---------------------|
| | | Residential and Commercial | Coke Plants | Other Industrial ^a | Electric Utilities | Total | | |
| 1973 | 23.391 | 22.887 | 26.800 | 22.585 | 22.262 | 23.073 | 25.000 | 26.612 |
| 1974 | 23.087 | 22.523 | 26.800 | 22.420 | 21.799 | 22.694 | 25.000 | 26.716 |
| 1975 | 22.910 | 22.258 | 26.800 | 22.439 | 21.659 | 22.522 | 25.000 | 26.573 |
| 1976 | 22.863 | 22.819 | 26.800 | 22.528 | 21.692 | 22.509 | 25.000 | 26.613 |
| 1977 | 22.597 | 22.594 | 26.800 | 22.290 | 21.521 | 22.266 | 25.000 | 26.561 |
| 1978 | 22.242 | 22.078 | 26.800 | 22.175 | 21.284 | 22.014 | 25.000 | 26.501 |
| 1979 | 22.449 | 21.884 | 26.800 | 22.436 | 21.372 | 22.100 | 25.000 | 26.570 |
| 1980 | 22.411 | 22.488 | 26.800 | 22.690 | 21.301 | 21.950 | 25.000 | 26.404 |
| 1981 | 22.301 | 22.010 | 26.800 | 22.572 | 21.091 | 21.710 | 25.000 | 26.176 |
| 1982 | 22.233 | 22.226 | 26.800 | 22.695 | 21.200 | 21.670 | 25.000 | 26.231 |
| 1983 | 22.048 | 22.438 | 26.800 | 22.680 | 21.141 | 21.576 | 25.000 | 26.300 |
| 1984 | 22.005 | 22.406 | 26.800 | 22.525 | 21.108 | 21.570 | 25.000 | 26.410 |
| 1985 | 21.867 | 22.568 | 26.800 | 22.013 | 20.965 | 21.368 | 25.000 | 26.320 |
| 1986 | 21.908 | 22.669 | 26.800 | 22.185 | 21.091 | 21.462 | 25.000 | 26.308 |
| 1987 | 21.918 | 22.800 | 26.800 | 22.360 | 21.143 | 21.514 | 25.000 | 26.304 |
| 1988 | 21.817 | 23.135 | 26.800 | 22.341 | 20.905 | 21.324 | 25.000 | 26.308 |
| 1989 | 21.759 | 22.917 | 26.800 | 22.324 | 20.854 | 21.268 | 25.000 | 26.166 |
| 1990 | 21.819 | 22.678 | 26.800 | 22.444 | 20.935 | 21.330 | 25.000 | 26.207 |
| 1991 | 21.678 | 22.635 | 26.800 | 22.448 | 20.761 | 21.146 | 25.000 | 26.192 |
| 1992 ^b | ^R 21.672 | ^R 22.871 | 26.800 | ^R 22.305 | ^R 20.809 | ^R 21.164 | 25.000 | ^R 26.166 |
| 1993 ^b | 21.672 | 22.871 | 26.800 | 22.305 | 20.809 | 21.164 | 25.000 | 26.166 |

^a Includes transportation.

^b Preliminary.

^R=Revised data.

Source: See "Thermal Conversion Factor Source Documentation," which follows Table A9.

Table A8. Approximate Heat Content of Anthracite and Coal Coke
(Million Btu per Short Ton)

| | Anthracite | | | | | Coal Coke Imports and Exports |
|-------------------------|---------------------|---------------------------------------|---------------------|---------------------|---------------------|-------------------------------|
| | Production | Consumption | | | Imports and Exports | |
| | | Sectors Other Than Electric Utilities | Electric Utilities | Total | | |
| 1973 | 22.132 | 22.674 | 17.920 | 21.464 | 25.400 | 24.800 |
| 1974 | 21.711 | 22.330 | 17.200 | 20.919 | 25.400 | 24.800 |
| 1975 | 21.582 | 22.272 | 17.064 | 20.762 | 25.400 | 24.800 |
| 1976 | 22.045 | 22.618 | 17.526 | 21.254 | 25.400 | 24.800 |
| 1977 | 22.661 | 24.101 | 17.244 | 22.066 | 25.400 | 24.800 |
| 1978 | 23.079 | 24.388 | 17.104 | 22.398 | 25.400 | 24.800 |
| 1979 | 23.170 | 24.272 | 17.454 | 22.069 | 25.400 | 24.800 |
| 1980 | 22.869 | 22.719 | 17.652 | 21.405 | 25.400 | 24.800 |
| 1981 | 23.291 | 23.749 | 18.168 | 22.080 | 25.400 | 24.800 |
| 1982 | 23.289 | 24.578 | 18.160 | 22.518 | 25.400 | 24.800 |
| 1983 | 22.734 | 24.536 | 16.516 | 21.583 | 25.400 | 24.800 |
| 1984 | 23.107 | 25.128 | 17.018 | 22.322 | 25.400 | 24.800 |
| 1985 | 22.428 | 23.031 | 16.784 | 20.817 | 25.400 | 24.800 |
| 1986 | 23.084 | 24.399 | 15.578 | 21.512 | 25.400 | 24.800 |
| 1987 | 23.108 | 26.293 | 15.962 | 22.435 | 25.400 | 24.800 |
| 1988 | 23.266 | 26.021 | 17.312 | 22.423 | 25.400 | 24.800 |
| 1989 | 23.385 | 27.196 | 16.310 | 22.623 | 25.400 | 24.800 |
| 1990 | 22.574 | 25.199 | 16.140 | 21.668 | 25.400 | 24.800 |
| 1991 | 22.573 | 25.268 | 15.858 | 21.410 | 25.400 | 24.800 |
| 1992 ^a | ^R 22.571 | ^R 24.660 | ^R 16.898 | ^R 21.278 | 25.400 | 24.800 |
| 1993 ^a | 22.571 | 24.660 | 16.898 | 21.278 | 25.400 | 24.800 |

^a Preliminary.
R=Revised data.
Source: See "Thermal Conversion Factor Source Documentation," which follows Table A9.

Table A9. Approximate Heat Rates for Electricity
(Btu per Kilowatthour)

| | Electricity Generation | | | Electricity Consumption |
|-------------------------|--|-------------------------------|--------------------------|-------------------------|
| | Fossil-Fueled Steam-Electric Plants ^a | Nuclear Steam-Electric Plants | Geothermal Energy Plants | |
| 1973 | 10,389 | 10,903 | 21,674 | 3,412 |
| 1974 | 10,442 | 11,161 | 21,674 | 3,412 |
| 1975 | 10,406 | 11,013 | 21,611 | 3,412 |
| 1976 | 10,373 | 11,047 | 21,611 | 3,412 |
| 1977 | 10,435 | 10,769 | 21,611 | 3,412 |
| 1978 | 10,361 | 10,941 | 21,611 | 3,412 |
| 1979 | 10,353 | 10,879 | 21,545 | 3,412 |
| 1980 | 10,388 | 10,908 | 21,639 | 3,412 |
| 1981 | 10,453 | 11,030 | 21,639 | 3,412 |
| 1982 | 10,454 | 11,073 | 21,629 | 3,412 |
| 1983 | 10,520 | 10,905 | 21,290 | 3,412 |
| 1984 | 10,440 | 10,843 | 21,303 | 3,412 |
| 1985 | 10,447 | 10,813 | 21,263 | 3,412 |
| 1986 | 10,446 | 10,799 | 21,263 | 3,412 |
| 1987 | 10,419 | 10,776 | 21,263 | 3,412 |
| 1988 | 10,324 | 10,743 | 21,096 | 3,412 |
| 1989 | 10,317 | 10,724 | 21,096 | 3,412 |
| 1990 | 10,335 | 10,680 | 21,096 | 3,412 |
| 1991 | 10,352 | 10,740 | 20,997 | 3,412 |
| 1992 ^b | 10,352 | 10,740 | 20,997 | 3,412 |
| 1993 ^b | 10,352 | 10,740 | 20,997 | 3,412 |

^a This thermal conversion factor is used for hydroelectric power generation and for wood and waste, wind, photovoltaic, and solar thermal energy consumed at electric utilities.

^b Preliminary.
Source: See "Thermal Conversion Factor Source Documentation," which follows this table.

Thermal Conversion Factor Source Documentation

Approximate Heat Content of Petroleum and Natural Gas Plant Liquids

Asphalt. The Energy Information Administration (EIA) adopted the thermal conversion factor of 6.636 million British thermal units (Btu) per barrel as estimated by the Bureau of Mines and first published in the *Petroleum Statement, Annual, 1956*.

Aviation Gasoline. EIA adopted the Bureau of Mines thermal conversion factor of 5.048 million Btu per barrel as published for "Gasoline, Aviation" by the Texas Eastern Transmission Corporation in Appendix V of *Competition and Growth in American Energy Markets 1947-1985*, a 1968 release of historical and projected statistics.

Butane. EIA adopted the Bureau of Mines thermal conversion factor of 4.326 million Btu per barrel as published in the *California Oil World and Petroleum Industry*, First Issue, April 1942.

Butane-Propane Mixture. EIA adopted the Bureau of Mines calculation of 4.130 million Btu per barrel based on an assumed mixture of 60 percent butane and 40 percent propane. See **Butane and Propane**.

Crude Oil, Exports. Assumed by EIA to be 5.800 million Btu per barrel or equal to the thermal conversion factor for crude oil produced in the United States. See **Crude Oil and Lease Condensate, Production**.

Crude Oil, Imports. Calculated annually by EIA by weighting the thermal conversion factor of each type of crude oil imported by the quantity imported. Thermal conversion factors for each type were calculated on a foreign country basis, by determining the average American Petroleum Institute (API) gravity of crude imported from each foreign country from Form ERA-60 in 1977 and converting average API gravity to average Btu content by using National Bureau of Standards, Miscellaneous Publication No. 97, *Thermal Properties of Petroleum Products*, 1933.

Crude Oil and Lease Condensate, Production. EIA adopted the thermal conversion factor of 5.800 million Btu per barrel as reported in a Bureau of Mines internal memorandum, "Bureau of Mines Standard Average Heating Values of Various Fuels, adopted January 3, 1950."

Crude Oil and Petroleum Products, Exports. Calculated annually by EIA as the average of the thermal conversion factors for each petroleum product exported and crude oil exported weighted by the

quantity of each petroleum product and crude oil exported. See **Crude Oil, Exports and Petroleum Products, Exports**.

Crude Oil and Petroleum Products, Imports. Calculated annually by EIA as the average of the thermal conversion factors for each petroleum product and each type of crude oil imported weighted by the quantity of each petroleum product and each type of crude oil imported. See **Crude Oil, Imports and Petroleum Products, Imports**.

Distillate Fuel Oil. EIA adopted the Bureau of Mines thermal conversion factor of 5.825 million Btu per barrel as reported in a Bureau of Mines internal memorandum, "Bureau of Mines Standard Average Heating Value of Various Fuels, adopted January 3, 1950."

Ethane. EIA adopted the Bureau of Mines thermal conversion factor of 3.082 million Btu per barrel as published in the *California Oil World and Petroleum Industry*, First Issue, April 1942.

Ethane-Propane Mixture. EIA calculated 3.308 million Btu per barrel based on an assumed mixture of 70 percent ethane and 30 percent propane. See **Ethane and Propane**.

Isobutane. EIA adopted the Bureau of Mines thermal conversion factor of 3.974 million Btu per barrel as published in the *California Oil World and Petroleum Industry*, First Issue, April 1942.

Jet Fuel, Kerosene Type. EIA adopted the Bureau of Mines thermal conversion factor of 5.670 million Btu per barrel as published for "Jet Fuel, Commercial" by the Texas Eastern Transmission Corporation in Appendix V of *Competition and Growth in American Energy Markets 1947-1985*, a 1968 release of historical and projected statistics.

Jet Fuel, Naphtha Type. EIA adopted the Bureau of Mines thermal conversion factor of 5.355 million Btu per barrel as published for "Jet Fuel, Military" by the Texas Eastern Transmission Corporation in Appendix V of *Competition and Growth in American Energy Markets 1947-1985*, a 1968 release of historical and projected statistics.

Kerosene. EIA adopted the Bureau of Mines thermal conversion factor of 5.670 million Btu per barrel as reported in a Bureau of Mines internal memorandum, "Bureau of Mines Standard Average Heating Values of Various Fuels, adopted January 3, 1950."

Liquefied Petroleum Gases (LPG) Consumption. Calculated annually by EIA as the average of the thermal conversion factors of each liquefied petroleum gas consumed, weighted by the quantity of each liquefied petroleum gas consumed.

Lubricants. EIA adopted the thermal conversion factor of 6.065 million Btu per barrel as estimated by the Bureau of Mines and first published in the *Petroleum Statement, Annual, 1956*.

Miscellaneous Products. EIA adopted the thermal conversion factor of 5.796 million Btu per barrel as estimated by the Bureau of Mines and first published in the *Petroleum Statement, Annual, 1956*.

Motor Gasoline. EIA adopted the Bureau of Mines thermal conversion factor of 5.253 million Btu per barrel as published for "Gasoline, Motor Fuel" by the Texas Eastern Transmission Corporation in Appendix V of *Competition and Growth in American Energy Markets 1947-1985*, a 1968 release of historical and projected statistics.

Natural Gas Plant Liquids, Production. Calculated annually by EIA as the average of the thermal conversion factors of each natural gas plant liquid produced weighted by the quantity of each natural gas plant liquid produced.

Natural Gasoline. EIA adopted the thermal conversion factor of 4.620 million Btu per barrel as estimated by the Bureau of Mines and first published in the *Petroleum Statement, Annual, 1956*.

Pentanes Plus. EIA assumed the thermal conversion factor to be 4.620 million Btu per barrel or equal to that for natural gasoline. See **Natural Gasoline**.

Petrochemical Feedstocks, Naphtha Less Than 401 Degrees Fahrenheit. Assumed by EIA to be 5.248 million Btu per barrel, equal to the thermal conversion factor for special naphtha. See **Special Naphtha**.

Petrochemical Feedstocks, Oils Equal to or Greater Than 401 Degrees Fahrenheit. Assumed by EIA to be 5.825 million Btu per barrel, equal to the thermal conversion factor for distillate fuel oil. See **Distillate Fuel Oil**.

Petrochemical Feedstocks, Still Gas. Assumed by EIA to be 6.000 million Btu per barrel, equal to the thermal conversion factor for still gas. See **Still Gas**.

Petroleum Coke. EIA adopted the thermal conversion factor of 6.024 million Btu per barrel as reported in Btu per short ton in the Bureau of Mines internal memorandum, "Bureau of Mines Standard Average Heating Value of Various Fuels, adopted January 3, 1950." The Bureau of Mines calculated this factor by dividing 30,120,000 Btu per short ton, as given in the referenced Bureau of Mines internal memorandum, by 5.0 barrels per short ton, as given in the Bureau of Mines Form 6-1300-M and successor EIA forms.

Petroleum Products, Total Consumption. Calculated annually by EIA as the average of the thermal conversion factors for all petroleum products

consumed, weighted by the quantity of each petroleum product consumed.

Petroleum Products, Consumption by Electric Utilities. Calculated annually by EIA as the average of the thermal conversion factors for all petroleum products consumed at electric utilities, weighted by the quantity of each petroleum product consumed at electric utilities. The quantity of petroleum consumed is estimated in the State Energy Data System as documented in the *State Energy Data Report*.

Petroleum Products, Consumption by Industrial Users. Calculated annually by EIA as the average of the thermal conversion factors for all petroleum products consumed in the industrial sector, weighted by the estimated quantity of each petroleum product consumed in the industrial sector. The quantity of petroleum products consumed is estimated in the State Energy Data System as documented in the *State Energy Data Report*.

Petroleum Products, Consumption by Residential and Commercial Users. Calculated annually by EIA as the average of the thermal conversion factors for all petroleum products consumed by the residential and commercial sector, weighted by the estimated quantity of each petroleum product consumed in the residential and commercial sector. The quantity of petroleum products consumed is estimated in the State Energy Data System as documented in the *State Energy Data Report*.

Petroleum Products, Consumption by Transportation Users. Calculated annually by EIA as the average of the thermal conversion factor for all petroleum products consumed in the transportation sector, weighted by the estimated quantity of each petroleum product consumed in the transportation sector. The quantity of petroleum products consumed is estimated in the State Energy Data System as documented in the *State Energy Data Report*.

Petroleum Products, Exports. Calculated annually by EIA as the average of the thermal conversion factors for each petroleum product, weighted by the quantity of each petroleum product exported.

Petroleum Products, Imports. Calculated annually by EIA as the average of the thermal conversion factors for each petroleum product imported, weighted by the quantity of each petroleum product imported.

Plant Condensate. Estimated to be 5.418 million Btu per barrel by EIA from data provided by McClanahan Consultants, Inc., Houston, Texas.

Propane. EIA adopted the Bureau of Mines thermal conversion factor of 3.836 million Btu per barrel as published in the *California Oil World and Petroleum Industry*, First Issue, April 1942.

Residual Fuel Oil. EIA adopted the thermal conversion factor of 6.287 million Btu per barrel as reported in the Bureau of Mines internal memorandum, "Bureau of Mines Standard Average Heating Values of Various Fuels, adopted January 3, 1950."

Road Oil. EIA adopted the Bureau of Mines thermal conversion factor of 6.636 million Btu per barrel, which was assumed to be equal to that of asphalt (see **Asphalt**) and was first published by the Bureau of Mines in the *Petroleum Statement, Annual, 1970*.

Special Naphtha. EIA adopted the Bureau of Mines thermal conversion factor of 5.248 million Btu per barrel, which was assumed to be equal to that of total gasoline (aviation and motor) factor and was first published in the *Petroleum Statement, Annual, 1970*.

Still Gas. EIA adopted the Bureau of Mines estimated thermal conversion factor of 6.000 million Btu per barrel and first published in the *Petroleum Statement, Annual, 1970*.

Unfinished Oil. EIA assumed the thermal conversion factor to be 5.825 million Btu per barrel or equal to that for distillate fuel oil (see **Distillate Fuel Oil**) and first published in the *Annual Report to Congress, Volume 3, 1977*.

Unfractionated Stream. EIA assumed the thermal conversion factor to be 5.418 million Btu per barrel or equal to that for plant condensate (see **Plant Condensate**) and first published in the *Annual Report to Congress, Volume 2, 1981*.

Waxes. EIA adopted the thermal conversion factor of 5.537 million Btu per barrel as estimated by the Bureau of Mines and first published in the *Petroleum Statement, Annual, 1956*.

Approximate Heat Content of Natural Gas

Natural Gas, Total Consumption. 1973-1979: EIA adopted the thermal conversion factor calculated annually by the American Gas Association (AGA) and published in *Gas Facts*, an AGA annual publication. 1980 forward: Calculated annually by EIA by dividing the total heat content of natural gas consumed by the total quantity of natural gas consumed. The heat content and quantity consumed are from Form EIA-176. Published sources are: 1980-1990: EIA, *Natural Gas Annual 1990, Volume 2, Table 15*. 1991 forward: 1990 value used as an estimate.

Natural Gas, Consumption by Electric Utilities. Calculated annually by EIA by dividing the total heat content of natural gas received at electric utilities by the total quantity received at electric utilities. The heat contents and receipts are from Form FERC-423 and predecessor forms.

Natural Gas, Consumption by Sectors Other Than Electric Utilities. Calculated annually by EIA by dividing the heat content of all natural gas consumed less the heat content of natural gas consumed at electric utilities by the quantity of all natural gas consumed less the quantity of natural gas consumed at electric utilities. Data are from Forms EIA-176, FERC-423, EIA-759, and predecessor forms.

Natural Gas, Exports. Calculated annually by EIA by dividing the heat content of exported natural gas by the quantity of natural gas exported, both reported on Form FPC-14.

Natural Gas, Imports. Calculated annually by EIA by dividing the heat content of imported natural gas by the quantity of natural gas imported, both reported on Form FPC-14.

Natural Gas Production, Dry. Assumed by EIA to be equal to the thermal conversion factor for the consumption of dry natural gas. See **Natural Gas Consumption**.

Natural Gas Production, Marketed (Wet). Calculated annually by EIA by adding the heat content of dry natural gas production and the total heat content of natural gas plant liquids production and dividing this sum by the total quantity of marketed (wet) natural gas production.

Approximate Heat Content of Coal and Coal Coke

Anthracite, Total Consumption. Calculated annually by EIA by dividing the sum of the heat content of anthracite consumed by electric utilities and all other sectors combined by the total quantity of anthracite consumed.

Anthracite, Consumption by Electric Utilities. Calculated annually by EIA by dividing the heat content of anthracite receipts at electric utilities by the quantity of anthracite received at electric utilities. Heat contents and receipts are from Form FERC-423 and predecessor forms.

Anthracite, Consumption by Sectors Other Than Electric Utilities. Calculated annually by EIA by dividing the heat content of anthracite production less the heat content of the anthracite consumed at electric utilities, net exports, and shipments to U.S. Armed Forces overseas by the quantity of anthracite consumed by sectors other than electric utilities less the quantity of anthracite stock changes, losses, and "unaccounted for."

Anthracite, Imports and Exports. EIA assumed the anthracite imports and exports to be freshly mined anthracite having an estimated heat content of 25.40 million Btu per short ton.

Anthracite, Production. Calculated annually by EIA by dividing the sum of the heat content of freshly mined anthracite (estimated to have an average heat content of 25,400 million Btu per short ton) and the heat content of anthracite recovered from culm banks and river dredging (estimated to have a heat content of 17,500 million Btu per short ton) by the total quantity of anthracite production.

Bituminous Coal and Lignite, Total Consumption. Calculated annually by EIA by dividing the sum of the heat content of bituminous coal and lignite consumed by electric utilities, coal coke plants, other industrial plants, the residential and commercial sector, and the transportation sector by the sum of their respective tonnages.

Bituminous Coal and Lignite, Consumption by Coke Plants. Estimated by EIA to be 26,800 million Btu per short ton on the basis of an input/output analysis of coal carbonization.

Bituminous Coal and Lignite, Consumption by Electric Utilities. Calculated annually by EIA by dividing the total heat content of bituminous coal and lignite received at electric utilities by the total quantity received at electric utilities. Heat contents and receipts are from Form FERC-423 and predecessor forms.

Bituminous Coal and Lignite, Consumption by Other Industrial and Transportation Users. 1973: Calculated by EIA through regression analysis measuring the difference between the average Btu value of coal consumed by other industrial users and that of coal consumed at electric utilities in the 1974-1982 period. 1974 forward: Calculated annually by EIA by assuming that the bituminous coal and lignite delivered to other industrial users from each coal-producing area (reported on Form EIA-6 and predecessor Bureau of Mines Form 6-1419-Q) contained a heat value equal to that of bituminous coal and lignite received at electric utilities from each of the same coal-producing areas (reported on Form FERC-423). The average Btu value of coal by coal-producing area was applied to the volume of deliveries to other industrial users from each coal-producing area, and the sum total of the heat content was divided by the total volume of deliveries. Coal-producing areas are the Bureau of Mines coal-producing districts for 1974 through 1989 and coal-producing States for 1990 forward.

Bituminous Coal and Lignite, Consumption by Residential and Commercial Users. 1973: Calculated by EIA through regression analysis measuring the difference between the average Btu value of coal consumed by residential and commercial users and that of coal consumed by electric utilities in the 1974-1982 period. 1974 forward: Calculated annually by EIA by assuming that the bituminous coal and lignite delivered to residential and commercial

users from each coal-producing area (reported on Form EIA-6 and predecessor Bureau of Mines Form 6-1419-Q) contained a heat value equal to that of bituminous coal and lignite received at electric utilities from each of the same coal-producing areas (reported on Form FERC-423). The average Btu value of coal by coal-producing area was applied to the volume of deliveries to residential and commercial users from each coal-producing area, and the total of the heat value was divided by the total volume of deliveries. Coal-producing areas are the Bureau of Mines coal-producing districts for 1974 through 1989 and coal-producing States for 1990 forward.

Bituminous Coal and Lignite, Exports. Calculated annually by EIA by dividing the sum of the heat content of exported metallurgical coal (estimated to average 27,000 million Btu per short ton) and the heat content of exported steam coal (estimated to have an average thermal content of 25,000 million Btu per short ton) by the total quantity of bituminous coal and lignite exported.

Bituminous Coal and Lignite, Imports. EIA estimated the average thermal conversion factor to be 25,000 million Btu per short ton.

Bituminous Coal and Lignite, Production. Calculated annually by EIA by dividing the sum of the heat content of bituminous coal and lignite consumption, net exports, stock changes, and unaccounted for by the sum of their respective tonnages. Consumers' stock changes by sectors were assumed to have the same conversion factor as that of the consumption sector. Producers' stock changes and unaccounted for were assumed to have the same conversion factor as that for consumption by all users.

Coal, Consumption. Calculated annually by EIA by dividing the sum of the heat content of bituminous coal and lignite and anthracite consumption by the sum of their respective tonnages.

Coal, Consumption by Electric Utilities. Calculated annually by EIA by dividing the sum of the heat content of bituminous coal and lignite and anthracite received at electric utilities by the sum of their respective tonnages received.

Coal, Consumption by Sectors Other Than Electric Utilities. Calculated annually by EIA by dividing the sum of the heat content of bituminous coal and lignite and anthracite consumed by sectors other than electric utilities by the sum of their respective tonnages.

Coal, Exports. Calculated annually by EIA by dividing the sum of the heat content of bituminous coal and lignite and anthracite exported by the sum of their respective tonnages.

Coal, Imports. Calculated annually by EIA by dividing the sum of the heat content of bituminous

coal and lignite and anthracite imported by the sum of their respective tonnages.

Coal, Production. Calculated annually by EIA by dividing the sum of the total heat content of bituminous coal and lignite and anthracite production by the sum of their respective tonnages.

Coal Coke, Imports and Exports. EIA adopted the Bureau of Mines estimate of 24.800 million Btu per short ton.

Approximate Heat Rates for Electricity

Fossil-Fueled Steam-Electric Plant Generation. There is no generally accepted practice for measuring the thermal conversion rates for power plants that generate electricity from hydroelectric, wood and waste, wind, photovoltaic, or solar thermal energy sources. Therefore, EIA has selected a rate that is equal to the prevailing annual average heat rate factor for fossil-fueled steam-electric power plants in the United States. By using that factor, it is possible to evaluate fossil fuel requirements for replacing those sources during periods of interruption such as droughts. The heat content of a kilowatthour of electricity produced, regardless of the generation

process, is 3,412 Btu per kilowatthour. 1973-1990: The weighted annual average heat rate for fossil-fueled steam-electric power plants in the United States, as published by EIA in *Electric Plant Cost and Power Production Expenses 1990*, Table 11. 1991 forward: 1990 value used as an estimate.

Geothermal Energy Plant Generation. 1973-1981: Calculated annually by EIA by weighting the average annual heat rates of operating geothermal units by the installed nameplate capacities as reported on Form FPC-12. 1982 forward: Estimated annually by EIA on the basis of an informal survey of relevant plants.

Nuclear Steam-Electric Plant Generation. Calculated annually by EIA by dividing the total heat content consumed in nuclear generating units by the total (net) electricity generated by nuclear generating units. The heat content and electricity generation are reported on Form FERC-1, Form EIA-412, and predecessor forms. The factors, beginning with 1982 data, are published in the following EIA reports—1982: *Historical Plant Cost and Annual Production Expenses for Selected Electric Plants 1982*, page 215. 1983-1990: *Electric Plant Cost and Power Production Expenses 1990*, Table 15. 1991 forward: 1990 value used as an estimate.

Appendix B. List of Special Features

The following is a complete list of all the special features that have appeared in the *Monthly Energy Review* since the first issue was published in October 1974. There are four categories of special features on the list. "Feature Articles" cover a wide range of energy-related subjects in depth. "Highlights" summarize the most important information presented in the subject Energy Information Administration (EIA) report. "Energy

Previews" provide brief overviews of EIA preliminary energy data on a given topic. "EIA Data News" items present information on recent changes in the scope, design, methodology, and findings of the EIA's energy surveys and data bases. Questions and comments about special features may be directed to Barbara T. Fichman by telephone on 202-586-5737 or by FAX on 202-586-0018.

| Special Feature | Cover Date |
|---|----------------|
| 1993 | |
| Energy Preview: Residential Transportation Energy Consumption Survey, Preliminary Estimates, 1991 | January 1993 |
| EIA Data News: Natural Gas Transported for the Account of Others | February 1993 |
| 1992 | |
| Energy Preview: Residential Energy Consumption and Expenditures Preliminary Estimates, 1990 | April 1992 |
| EIA Data News: Oxygenate Data Collection Begins | May 1992 |
| Highlights: <i>Lighting in Commercial Buildings</i> | June 1992 |
| Feature Article: Demand, Supply, and Price Outlook for Oxygenated Gasoline, Winter 1992-1993 | August 1992 |
| EIA Data News: EIA Statistics on Electric Utility Demand-Side Management | September 1992 |
| EIA Data News: EIA Statistics on Nonutility Power Producers | October 1992 |
| Highlights: <i>Derived Annual Estimates of Manufacturing Energy Consumption, 1974-1988</i> | November 1992 |
| Feature Article: Energy Efficiency in the Manufacturing Sector | December 1992 |
| 1991 | |
| Highlights: <i>U.S. Energy Industry Financial Developments, 1990 Fourth Quarter</i> | March 1991 |
| Feature Article: U.S. Wholesale Electricity Transactions | April 1991 |
| 1990 | |
| Feature Article: Refining Results Highlight Energy Companies' First-Half Profit Performance | June 1990 |
| Highlights: <i>U.S. Oil and Gas Reserves by Year of Field Discovery</i> | August 1990 |
| 1989 | |
| Feature Article: A Review of Valdez Oil Spill Market Impacts | March 1989 |
| Feature Article: Monthly U.S. Crude Oil Production Estimates | March 1989 |
| Feature Article: Superconductivity and Energy Production and Consumption | May 1989 |
| Highlights: <i>Commercial Buildings Consumption and Expenditures 1986</i> | May 1989 |
| Feature Article: Higher Prices Yield Improved Energy Industry Financial Results in the First Half of 1989 | June 1989 |
| Feature Article: The Future Structure of the U.S. Commercial Nuclear Power Equipment Manufacturing Industry | July 1989 |
| Highlights: <i>Potential Costs of Restricting Chlorofluorocarbon Use</i> | September 1989 |
| Highlights: <i>Manufacturing Energy Consumption Survey: Changes in Energy Efficiency, 1980-1985</i> | October 1989 |
| Highlights: <i>Household Energy Consumption and Expenditures 1987, Part 1: National Data</i> | November 1989 |
| Feature Article: Improved Energy Profits Offset by Refining Results in 1989 | December 1989 |

Special Feature

Cover Date

1988

| | |
|---|----------------|
| Feature Article: Measures of Energy Consumption, Expenditures, and Prices | May 1988 |
| Highlights: <i>Characteristics of Commercial Buildings 1986</i> | June 1988 |
| Feature Article: The U.S. Energy Industry's Financial Recovery Continued in the First Half of 1988 | June 1988 |
| Feature Article: A U.S. Perspective on Condensate | June 1988 |
| Feature Article: State Energy Severance Taxes, 1972-1987 | July 1988 |
| Highlights: <i>Manufacturing Energy Consumption Survey: Consumption of Energy, 1985</i> | September 1988 |
| Highlights: <i>Profiles of Foreign Direct Investment in U.S. Energy 1987</i> | October 1988 |
| Highlights: <i>Manufacturing Energy Consumption Survey: Fuel Switching, 1985</i> | November 1988 |
| Feature Article: Increased Refining Income Led U.S. Energy Industry Financial Recovery in 1988 | December 1988 |

1987

| | |
|---|----------------|
| Feature Article: Manufacturing Sector Energy Consumption, 1985 Provisional Estimates | January 1987 |
| Highlights: <i>Consumption and Expenditures, April 1984 Through March 1985, Part 1: National Data</i> | April 1987 |
| Highlights: <i>Consumption and Expenditures, April 1984 Through March 1985, Part 2: Regional Data</i> | May 1987 |
| Feature Article: U.S. Energy Industry Financial Developments, 1987 Second Quarter | June 1987 |
| Feature Article: End-Use Consumption of Residential Energy | July 1987 |
| Highlights: <i>Uranium Industry Annual 1986</i> | September 1987 |
| Highlights: <i>Potential Oil Production from ANWR</i> | October 1987 |
| Highlights: <i>Profiles of Foreign Direct Investment in U.S. Energy 1986</i> | November 1987 |
| Feature Article: The U.S. Energy Industry in 1987: A Slow Recovery | December 1987 |

1986

| | |
|---|----------------|
| Feature Article: State Motor Gasoline Taxes, 1960-1985 | March 1986 |
| Feature Article: The Impact of Low Oil Prices on Electric Utility Fuel Choice | June 1986 |
| Feature Article: U.S. Energy Industry Financial Developments, 1986 Second Quarter | June 1986 |
| Highlights: <i>International Energy Annual 1985</i> | September 1986 |
| Feature Article: U.S. Energy Industry Financial Developments, 1986 | December 1986 |

1985

| | |
|---|---------------|
| Highlights: <i>Annual Energy Review 1984</i> | January 1985 |
| Highlights: <i>Performance Profiles of Major Energy Producers 1983</i> | February 1985 |
| Feature Article: Estimating Well Completions | March 1985 |
| Highlights: <i>State Energy Price and Expenditure Report 1970-1982</i> | March 1985 |
| Highlights: <i>State Energy Data Report, Consumption Estimates, 1960-1983</i> | April 1985 |
| Highlights: <i>Annual Outlook for U.S. Electric Power 1985</i> | June 1985 |
| Highlights: <i>Short-Term Energy Outlook, Volume 1, October 1985</i> | August 1985 |
| Highlights: <i>Analysis of Growth in Electricity Demand, 1980-1984</i> | August 1985 |
| Highlights: <i>Profiles of Foreign Direct Investment in U.S. Energy 1984</i> | November 1985 |
| Highlights: <i>Performance Profiles of Major Energy Producers 1984</i> | December 1985 |

1984

| | |
|---|----------------|
| Highlights: <i>Annual Energy Review 1983</i> | February 1984 |
| Highlights: <i>Annual Energy Outlook 1983</i> | March 1984 |
| Highlights: <i>State Energy Data Report, Consumption Estimates, 1960-1982</i> | March 1984 |
| Highlights: <i>State Energy Price and Expenditure Report, 1970-1981</i> | May 1984 |
| Highlights: <i>Solar Collector Manufacturing Activity 1983</i> | June 1984 |
| Highlights: <i>International Energy Annual 1983</i> | September 1984 |
| Highlights: <i>Estimates of U.S. Wood Energy Consumption, 1980-1983</i> | September 1984 |
| Highlights: <i>Energy Conservation Indicators 1983 Annual Report</i> | November 1984 |
| Highlights: <i>Annual Energy Outlook 1984</i> | December 1984 |

Special Feature

Cover Date

1983

| | |
|--|------------------|
| Highlights: <i>Residential Energy Consumption Survey: Consumption and Expenditures</i> | January 1983 |
| Highlights: <i>Residential Energy Consumption Survey: Housing Characteristics</i> | February 1983 |
| Feature Article: The Effect of Weather on Energy Use | April 1983 |
| Feature Article: Trends in U.S. Energy Since 1973 | May 1983 |
| Feature Article: Data Series on Petroleum Use at Electric Utilities | July 1983 |
| Highlights: <i>Energy Price and Expenditure Data Report, 1970-1980</i> | July 1983 |
| Highlights: <i>Railroad Deregulation: Impact on Coal</i> | August 1983 |
| Highlights: <i>Port Deepening and User Fees: Impact on U.S. Coal Exports</i> | August 1983 |
| Highlights: <i>U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves, 1982 Annual Report</i> | September 1983 |
| Feature Article: Residential Energy Consumption, 1978 Through 1981 | September 1983 |
| Feature Article: Exploring for Oil and Gas | November 1983 |
| Feature Article: The Influence of Federal Actions on Petroleum Exploration | December 1983[2] |
| Feature Article: Aggregate Statistics: Accurate or Misleading? | December 1983[3] |

1982

| | |
|--|----------------|
| Feature Article: The Interstate and Intrastate Natural Gas Markets | January 1982 |
| Feature Article: Natural Gas Drilling and Production Under the Natural Gas Policy Act | February 1982 |
| Highlights: <i>U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves, 1981 Annual Report</i> | September 1982 |
| Feature Article: Impacts of Financial Constraints on the Electric Utility Industry | October 1982 |
| Highlights: <i>Energy Company Development Patterns in the Postembargo Era</i> | November 1982 |

1981

| | |
|--|----------------|
| Feature Article: Changes in 1981 Petroleum Data Series | May 1981 |
| Feature Article: Information Services of the Energy Information Administration | September 1981 |
| Feature Article: An Overview of Natural Gas Markets | December 1981 |

1980

| | |
|---|---------------|
| Feature Article: The Solar Collector Industry and Solar Energy | February 1980 |
| Feature Article: Trends in the Installation of Energy Using Equipment in New Residential Buildings | March 1980 |
| Feature Article: The Energy Information Administration's Oil and Gas Reserves Program—The First Year's Report | June 1980 |
| Feature Article: Energy From Urban Waste | August 1980 |
| Feature Article: Natural Gas Liquids: Revisions to 1979 Data | October 1980 |
| Feature Article: EIA Weekly Petroleum Data: Data Collection and Methods of Estimation | November 1980 |
| Feature Article: The Department of Energy Disclosure Policy for Individually Identifiable Information Maintained by the Energy Information Administration | December 1980 |

1979

| | |
|---|---------------|
| Feature Article: The Energy Requirements of U.S. Agriculture | July 1979 |
| Feature Article: Three Mile Island—Possible Regulatory Responses and Their Impacts on the Nation's Short-Term Electric Utility Fuel Outlook | October 1979 |
| Feature Article: Reduction in Natural Gas Requirements Due to Fuel Switching | December 1979 |

1978

| | |
|---|----------|
| Feature Article: Short-Term Petroleum Supply and Demand | May 1978 |
|---|----------|

1977

| | |
|---|--------------|
| Feature Article: Crude Oil Entitlements Program | January 1977 |
| Feature Article: Motor Gasoline Supply and Demand | July 1977 |

Special Feature

Cover Date

1976

| | |
|---|----------------|
| Feature Article: Curtailments of Natural Gas Service | January 1976 |
| Feature Article: Home Heating Conservation Alternatives and the Solar Collector Industry | March 1976 |
| Feature Article: Trends in United States Petroleum Imports | September 1976 |

1975

| | |
|---|----------------|
| Feature Article: Energy Consumption | March 1975 |
| Feature Article: Nuclear Power | April 1975 |
| Feature Article: The Price of Crude Oil | June 1975 |
| Feature Article: U.S. Coal Resources and Reserves | July 1975 |
| Feature Article: Propane—A National Energy Resource | September 1975 |
| Feature Article: Short-Term Energy Supply and Demand Forecasting at FEA | October 1975 |

Glossary

Anthracite: A hard, black, lustrous coal containing a high percentage of fixed carbon and a low percentage of volatile matter. Often referred to as hard coal. It conforms to ASTM Specification D388-84 for anthracite, meta-anthracite, and semianthracite.

Asphalt: A dark-brown-to-black cement-like material containing bitumens as the predominant constituents obtained by petroleum processing. The definition includes crude asphalt as well as the following finished products: cements, fluxes, the asphalt content of emulsions (exclusive of water), and petroleum distillates blended with asphalt to make cutback asphalts.

ASTM: The American Society for Testing and Materials.

Aviation Gasoline Blending Components: Naphthas that are used for blending or compounding into finished aviation gasoline (e.g., straight-run gasoline, alkylate, and reformate). Excluded are oxygenates (alcohols and ethers), butane, and pentanes plus.

Aviation Gasoline, Finished: All special grades of gasoline for use in aviation reciprocating engines, as given in ASTM Specification D910 and Military Specification MIL-G-5572. Excludes blending components that will be used in blending or compounding into finished aviation gasoline.

Barrel (petroleum): A unit of volume equal to 42 U.S. gallons.

Base (Cushion) Gas: The volume of gas needed as a permanent inventory to maintain adequate underground storage reservoir pressures and deliverability rates throughout the withdrawal season. All native gas is included in the base gas volume.

Bituminous Coal: A dense black coal, often with well-defined bands of bright and dull material, with a moisture content usually less than 20 percent. Often referred to as soft coal. It is the most common coal and is used primarily for generating electricity, making coke, and space heating. It conforms to ASTM Specification D388-84 for bituminous coal.

British Thermal Unit (Btu): The quantity of heat needed to raise the temperature of 1 pound of water by 1° F at or near 39.2° F. See **Heat Content of a**

Quantity of Fuel, Gross and Heat Content of a Quantity of Fuel, Net.

Butane: A normally gaseous straight-chain or branched-chain hydrocarbon (C₄H₁₀). It is extracted from natural gas or refinery gas streams. It includes isobutane and normal butane and is designated in ASTM Specification D1835 and Gas Processors Association Specifications for commercial butane.

Isobutane: A normally gaseous branched-chain hydrocarbon. It is a colorless paraffinic gas that boils at a temperature of 10.9° F. It is extracted from natural gas or refinery gas streams.

Normal Butane: A normally gaseous straight-chain hydrocarbon. It is a colorless paraffinic gas that boils at a temperature of 31.1° F. It is extracted from natural gas or refinery gas streams.

Butylene: An olefinic hydrocarbon (C₄H₈) recovered from refinery processes.

Capacity Factor: The ratio of the electrical energy produced by a generating unit for the period of time considered to the electrical energy that could have been produced at continuous full-power operation during the same period.

CIF: See **Cost, Insurance, Freight.**

City Gate: A point or measuring station at which a distribution gas utility receives gas from a natural gas pipeline company or transmission system.

Coal: A black or brownish-black solid, combustible substance formed by the partial decomposition of vegetable matter without access to air. The rank of coal, which includes anthracite, bituminous coal, subbituminous coal, and lignite, is based on fixed carbon, volatile matter, and heating value. Coal rank indicates the progressive alteration, or coalification, from lignite to anthracite. Lignite contains approximately 9 to 17 million Btu per ton. The heat contents of subbituminous and bituminous coal range from 16 to 24 million Btu per ton, and from 19 to 30 million Btu per ton, respectively. Anthracite contains approximately 22 to 28 million Btu per ton.

Coal Coke: A hard, porous product made from baking bituminous coal in ovens at temperatures as high as 2,000° F. It is used both as a fuel and as a reducing agent in smelting iron ore in a blast furnace.

Commercial Sector: The commercial sector, as defined economically, consists of business establishments that are not engaged in transportation or in manufacturing or other types of industrial activity (agriculture, mining, or construction). Commercial establishments include hotels, motels, restaurants, wholesale businesses, retail stores, laundries, and other service enterprises; religious and nonprofit organizations; health, social, and educational institutions; and Federal, State, and local governments. Street lights, pumps, bridges, and public services are also included if the establishment operating them is considered commercial. SIC codes used to classify an establishment as commercial are 50 through 87, 89, and 91 through 97.

Completion: The installation of permanent equipment for the production of oil or gas. If a well is equipped to produce only oil or gas from one zone or reservoir, the definition of a well (classified as an oil well or gas well) and the definition of a completion are identical. However, if a well is equipped to produce oil and/or gas separately from more than one reservoir, a well is not synonymous with a completion.

Conversion Factor: A number that translates units of one system into corresponding values of another system. Conversion factors can be used to translate physical units of measure for various fuels into Btu equivalents.

Cost, Insurance, Freight (CIF): A type of sale in which the buyer of the product agrees to pay a unit price that includes the f.o.b. value of the product at the point of origin plus all costs of insurance and transportation. This type of transaction differs from a "delivered" purchase in that the buyer accepts the quantity as determined at the loading port (as certified by the Bill of Lading and Quality Report) rather than pay on the basis of the quantity and quality ascertained at the unloading port. It is similar to the terms of an f.o.b. sale, except that the seller, as a service for which he is compensated, arranges for transportation and insurance.

Crude Oil f.o.b. Price: The crude oil price actually charged at the oil-producing country's port of loading. Includes deductions for any rebates and discounts or additions of premiums, where applicable. It is the actual price paid with no adjustment for credit terms.

Crude Oil (Including Lease Condensate): A mixture of hydrocarbons that exists in liquid phase in underground reservoirs and remains liquid at atmospheric pressure after passing through surface separating facilities. Included are lease condensate and liquid hydrocarbons produced from tar sands, gilsonite, and oil shale. Drip gases are also included, but topped crude oil (residual oil) and other unfinished oils are excluded. Where identifiable, liquids produced at natural gas processing plants and mixed with crude oil are likewise excluded.

Crude Oil Landed Cost: The price of crude oil at the port of discharge, including charges associated with the purchase, transporting, and insuring of a cargo from the purchase point to the port of discharge. Does not include charges incurred at the discharge port (e.g., import tariffs or fees, wharfage charges, and demurrage).

Crude Oil Refinery Input: The total crude oil put into processing units at refineries.

Crude Oil Stocks: Stocks of crude oil and lease condensate held at refineries, in pipelines, at pipeline terminals, and on leases.

Crude Oil Used Directly: Crude oil consumed as fuel by crude oil pipelines and on crude oil leases.

Cubic Foot (natural gas): A unit of volume equal to 1 cubic foot at a pressure base of 14.73 pounds standard per square inch absolute and a temperature base of 60° F.

Degree-Day Normals: Simple arithmetic averages of monthly or annual degree-days over a long period of time (usually the 30-year period 1951-1980). The averages may be simple degree-day normals or population-weighted degree-day normals.

Degree-Days, Cooling (CDD): The number of degrees per day that the daily average temperature is above 65° F. The daily average temperature is the mean of the maximum and minimum temperatures for a 24-hour period.

Degree-Days, Heating (HDD): The number of degrees per day that the daily average temperature is below 65° F. The daily average temperature is the mean of the maximum and minimum temperatures for a 24-hour period.

Degree-Days, Population-Weighted: Heating or cooling degree-days weighted by the population of the area in which the degree-days are recorded. To compute State population-weighted degree-days, each State is divided into from one to nine climatically homogeneous divisions, which are assigned weights based on the ratio of the population of the division to the total population of the State. Degree-day readings for each division are multiplied by the corresponding population weight for each division and those products are then summed to arrive at the State population-weighted degree-day figure. To compute national population-weighted degree-days, the Nation is divided into nine Census regions comprised of from three to eight States, which are assigned weights based on the ratio of the population of the region to the total population of the Nation. Degree-day readings for each region are multiplied by the corresponding population weight for each region and those products are then summed to arrive at the national population-weighted degree-day figure.

Design Electrical Rating, Net: The nominal net electrical output of a nuclear unit as specified by the electric utility for the purpose of plant design.

Development Well: A well drilled within the proved area of an oil or gas reservoir to the depth of a stratigraphic horizon known to be productive.

Distillate Fuel Oil: A general classification for one of the petroleum fractions produced in conventional distillation operations. Included are products known as No. 1, No. 2, and No. 4 fuel oils and No. 1, No. 2, and No. 4 diesel fuels. It is used primarily for space heating, on-and off-highway diesel engine fuel (including railroad engine fuel and fuel for agricultural machinery), and electric power generation.

Dry Hole: An exploratory or development well found to be incapable of producing either oil or gas in sufficient quantities to justify completion as an oil or gas well.

Dry Natural Gas Production (as a decrement from gas reserves): The volume of natural gas withdrawn from reservoirs during the report year less (1) the volume returned to such reservoirs in cycling, repressuring of oil reservoirs, and conservation operations; (2) shrinkage resulting from the removal of lease condensate and plant liquids; and (3) nonhydrocarbon gases, where they occur in sufficient quantity to render the gas unmarketable. Volumes of gas withdrawn from gas storage reservoirs and native gas that has been transferred to the storage category are not considered production. This is not the same as marketed production, since the latter also excludes vented and flared gas but contains liquids.

Dry Natural Gas Production (as an increment to gas supply): Gross withdrawals from production reservoirs less gas used in reservoir repressuring, amounts vented and flared, nonhydrocarbons removed, and various natural gas constituents, such as ethane, propane, and butane, removed at natural gas processing plants. The parameters for measurement are 60° F and 14.73 pounds standard per square inch absolute.

Electrical System Energy Losses: The amount of energy lost during generation, transmission, and distribution of electricity, including plant and unaccounted-for uses.

Electricity Generation: The process of producing electric energy or transforming other forms of energy into electric energy. Also the amount of electric energy produced or expressed in wathours (Wh).

Electricity Generation, Gross: The total amount of electric energy produced by the generating station or stations, measured at the generator terminals.

Electricity Generation, Net: Gross generation less electricity consumed at the generating plant for station use. Electricity required for pumping at pumped-storage plants is regarded as plant use and is deducted from gross generation.

Electricity Production: Net electricity (gross electricity output measured at generator terminals minus power plant use) generated by publicly and privately owned electric utilities. Excludes industrial electricity generation (except autogeneration of hydroelectric power).

Electricity Sales: The amount of kilowatthours sold in a given period of time; usually grouped by classes of service, such as residential, commercial, industrial, and other. "Other" sales include sales for public street and highway lighting and other sales to public authorities, sales to railroads and railways, and interdepartmental sales.

Electric Power Plant: A station containing prime movers, electric generators, and auxiliary equipment for converting mechanical, chemical, and/or fission energy into electric energy.

Electric Utilities: All privately owned companies and all publicly owned agencies engaged in the generation, transmission, or distribution of electric power for public use. Publicly owned agencies include municipal electric utilities; Federal power projects, such as the Tennessee Valley Authority; rural electrification cooperatives; power districts; and State power projects.

Electric Utility: A corporation, person, agency, authority, or other legal entity or instrumentality that owns and/or operates facilities within the United States, its territories, or Puerto Rico for the generation, transmission, distribution, or sale of electric energy, primarily for use by the public. An entity that solely operates qualifying facilities under the Public Utility Regulatory Policies Act of 1978 is not considered an electric utility.

Electric Utility Sector: Privately and publicly owned establishments that generate electricity primarily for use by the public.

End-Use Sectors: The residential, commercial, industrial, and transportation sectors of the economy.

Energy: The capacity for doing work as measured by the capability of doing work (potential energy) or the conversion of this capability to motion (kinetic energy). Energy has several forms, some of which are easily convertible and can be changed to another form useful for work. Most of the world's convertible energy comes from fossil fuels that are burned to produce heat that is then used as a transfer medium to mechanical or other means in order to accomplish tasks. Electrical energy is usually measured in

kilowatthours, while heat energy is usually measured in British thermal units.

Energy Consumption: The use of energy as a source of heat or power or as an input in the manufacturing process.

Energy Consumption, End-Use: Primary end-use energy consumption is the sum of fossil fuel consumption by the four end-use sectors (residential, commercial, industrial, and transportation) and generation of hydroelectric power by nonelectric utilities. **Net end-use energy consumption** includes electric utility sales to those sectors but excludes electrical system energy losses. **Total end-use energy consumption** includes both electric utility sales to the four end-use sectors *and* electrical system energy losses.

Energy Consumption, Total: The sum of fossil fuel consumption by the five sectors (residential, commercial, industrial, transportation, and electric utility) plus hydroelectric power, nuclear electric power, net imports of coal coke, and electricity generated for distribution from wood, waste, geothermal, wind, photovoltaic, and solar thermal energy.

Energy Source: A substance, such as petroleum, natural gas, or coal, that supplies heat or power. In Energy Information Administration (EIA) reports, electricity and renewable forms of energy, such as biomass, geothermal, wind, and solar, are considered to be energy sources.

Ethane: A normally gaseous straight-chain hydrocarbon (C₂H₆). It is a colorless, paraffinic gas that boils at a temperature of -127.48° F. It is extracted from natural gas and refinery gas streams.

Ethylene: An olefinic hydrocarbon (C₂H₄) recovered from refinery processes or petrochemical processes.

Exploratory Well: A well drilled to find and produce oil or gas in an unproved area, to find a new reservoir in a field previously found to be productive of oil or gas in another reservoir, or to extend the limit of a known oil or gas reservoir.

Exports: Shipments of goods from the 50 States and the District of Columbia to foreign countries and to Puerto Rico, the Virgin Islands, and other U.S. possessions and territories.

f.a.s.: See Free Alongside Ship.

Federal Energy Regulatory Commission (FERC): The Federal agency with jurisdiction over interstate electricity sales, wholesale electric rates, hydroelectric licensing, natural gas pricing, oil pipeline rates, and gas pipeline certification. FERC is an independent

regulatory agency within the Department of Energy (DOE) and is the successor to the Federal Power Commission.

Federal Power Commission (FPC): The predecessor agency of the Federal Energy Regulatory Commission. The Federal Power Commission was created by an Act of Congress under the Federal Water Power Act on June 10, 1920. It was charged originally with regulating the electric power and natural gas industries. It was abolished on September 30, 1977, when DOE was created. Its functions were divided between DOE and FERC, an independent regulatory agency.

First Purchase Price: The marketed first sales price of domestic crude oil, consistent with the removal price defined by the provisions of the Windfall Profits Tax on Domestic Crude Oil (Public Law 96-223, Sec. 4998 (c)).

Flared Natural Gas: Natural gas burned in flares on the base site or at gas processing plants.

f.o.b.: See Free on Board.

Footage Drilled: Total footage for wells in various categories, as reported for any specified period, includes (1) the deepest total depth (length of well bores) of all wells drilled from the surface, (2) the total of all bypassed footage drilled in connection with reported wells, and (3) all new footage drilled for directional sidetrack wells. Footage reported for directional sidetrack wells does not include footage in the common bore, which is reported as footage for the original well. In the case of old wells drilled deeper, the reported footage is that which was drilled below the total depth of the old well.

Former U.S.S.R.: See U.S.S.R.

Fossil Fuel: Any naturally occurring organic fuel, such as petroleum, coal, and natural gas.

Fossil Fuel Steam-Electric Power Plant: An electricity generation plant in which the prime mover is a turbine rotated by high-pressure steam produced in a boiler by heat from burning fossil fuels.

Free Alongside Ship (f.a.s.): The value of a commodity at the port of exportation, generally including the purchase price, plus all charges incurred in placing the commodity alongside the carrier at the port of exportation.

Free on Board (f.o.b.): A transaction whereby the seller makes the product available within an agreed-on period at a given port at a given price. It is the responsibility of the buyer to arrange for the transportation and insurance.

Full-Power Operation: Operation of a nuclear generating unit at 100 percent of its design capacity. Full-power operation precedes commercial operation.

Gasohol: A blend of finished motor gasoline (leaded or unleaded) and alcohol (generally ethanol but sometimes methanol) limited to 10 percent by volume of alcohol. Gasohol is included in finished leaded and unleaded motor gasoline.

Gas-Turbine Electric Power Plant: A plant in which the prime mover is a gas turbine. A gas turbine typically consists of an axial-flow air compressor, one or more combustion chambers where liquid or gaseous fuel is burned and the hot gases expand to drive the generator and then are used to run the compressor.

Gas Well: A well completed for the production of natural gas from one or more gas zones or reservoirs. (Wells producing both crude oil and natural gas are classified as oil wells.)

Geothermal Energy: Energy from the internal heat of the Earth, which may be residual heat, friction heat, or a result of radioactive decay. The heat is found in rocks and fluids at various depths and can be extracted by drilling and/or pumping.

Geothermal Energy (as used at electric utilities): Hot water or steam extracted from geothermal reservoirs in the Earth's crust that is supplied to steam turbines at electric utilities that drive generators to produce electricity.

Gross National Product (GNP): The total value of goods and services produced by the Nation's economy, before deduction of depreciation charges and other allowances for capital consumption. It includes the total purchases of goods and services by private consumers and government, gross private domestic capital investment, and net foreign trade.

Heat Content of a Quantity of Fuel, Gross: The total amount of heat released when a fuel is burned. Coal, crude oil, and natural gas all include chemical compounds of carbon and hydrogen. When those fuels are burned, the carbon and hydrogen combine with oxygen in the air to produce carbon dioxide and water. Some of the energy released in burning goes into transforming the water into steam and is usually lost. The amount of heat spent in transforming the water into steam is counted as part of gross heat content but is not counted as part of net heat content. Also referred to as the higher heating value. Btu conversion factors typically used in EIA represent gross heat content.

Heat Content of a Quantity of Fuel, Net: The amount of useable heat energy released when a fuel is burned under conditions similar to those in which it is normally used. Also referred to as the lower

heating value. Btu conversion factors typically used in EIA represent gross heat content.

Heavy Oil: The fuel oils remaining after the lighter oils have been distilled off during the refining process. Except for start-up and flame stabilization, virtually all petroleum used in steam-electric power plants is heavy oil.

Hydrocarbon: An organic chemical compound of hydrogen and carbon in the gaseous, liquid, or solid phase. The molecular structure of hydrocarbon compounds varies from the simplest (methane, the primary constituent of natural gas) to the very heavy and very complex.

Hydroelectric Power: The production of electricity from the kinetic energy of falling water.

Hydroelectric Power Plant: A plant in which the turbine generators are driven by falling water.

Imports: Receipts of goods into the 50 States and the District of Columbia from foreign countries and from Puerto Rico, the Virgin Islands, and other U.S. possessions and territories.

Industrial Sector: The industrial sector comprises manufacturing industries, which make up the largest part of the sector, along with mining, construction, agriculture, fisheries, and forestry. Establishments in the sector range from steel mills, to small farms, to companies assembling electronic components. The SIC codes used to classify establishments as industrial are 1 through 39.

Internal Combustion Electric Power Plant: A power plant in which the prime mover is an internal combustion engine. Diesel or gas-fired engines are the principal types used in electric power plants. The plant is usually operated during periods of high demand for electricity.

Jet Fuel: The term includes kerosene-type jet fuel and naphtha-type jet fuel. Kerosene-type jet fuel is a kerosene-quality product used primarily for commercial turbojet and turboprop aircraft engines. Naphtha-type jet fuel is a fuel in the heavy naphthas range used primarily for military turbojet and turboprop aircraft engines.

Kerosene: A petroleum distillate that has a maximum distillation temperature of 401° F at the 10-percent recovery point, a final boiling point of 572° F, and a minimum flash point of 100° F. Included are the two grades designated in ASTM D3699 (No. 1-K and No. 2-K) and all grades of kerosene called range or stove oil. Kerosene is used in space heaters, cook stoves, and water heaters; it is suitable for use as an illuminant when burned in wick lamps.

Lease and Plant Fuel: Natural gas used in well, field, and lease operations (such as gas used in drilling operations, heaters, dehydrators, and field compressors), and as fuel in natural gas processing plants.

Lease Condensate: A natural gas liquid recovered from gas well gas (associated and non-associated) in lease separators or natural gas field facilities. Lease condensate consists primarily of pentanes and heavier hydrocarbons.

Light Oil: Lighter fuel oils distilled off during the refining process. Virtually all petroleum used in internal combustion and gas-turbine engines is light oil.

Lignite: A brownish-black coal of low rank with a high content of moisture and volatile matter. Often referred to as brown coal. It is used almost exclusively for electric power generation. It conforms to ASTM Specification D388-84 for lignite.

Liquefied Natural Gas (LNG): Natural gas (primarily methane) that has been liquefied by reducing its temperature to -260° F at atmospheric pressure.

Liquefied Petroleum Gases (LPG): Ethane, ethylene, propane, propylene, normal butane, butylene, and isobutane produced at refineries or natural gas processing plants, including plants that fractionate new natural gas plant liquids.

Low-Power Testing: The period of time between a nuclear generating unit's initial fuel loading date and the issuance of its operating (full-power) license. The maximum level of operation during that period is 5 percent of the unit's design thermal rating.

Lubricants: Substances used to reduce friction between bearing surfaces or as process materials either incorporated into other materials used as processing aids in the manufacturing of other products or as carriers of other materials. Petroleum lubricants may be produced either from distillates or residues. Other substances may be added to impart or improve certain required properties. Excluded are byproducts of lubricating oil refining, such as aromatic extracts derived from solvent extraction or tars derived from deasphalting. Included are all grades of lubricating oils from spindle oil to cylinder oil and those used in greases. Lubricants categories are paraffinic and naphthenic.

Miscellaneous Petroleum Products: All finished petroleum products not classified elsewhere—for example, petrolatum, lube refining byproducts (aromatic extracts and tars), absorption oils, ram-jet fuel, petroleum rocket fuels, synthetic natural gas feedstocks, and specialty oils.

Motor Gasoline Blending Components: Naphthas that will be used for blending or compounding into finished motor gasoline (e.g., straight-run gasoline, alkylate, and reformat). Excluded are oxygenates (alcohols and ethers), butane, and pentanes plus.

Motor Gasoline, Finished: A complex mixture of relatively volatile hydrocarbons, with or without small quantities of additives, that has been blended to form a fuel suitable for use in spark-ignition engines. Motor gasoline, as given in ASTM Specification D439 or Federal Specification VV-G-1690B, includes a range in distillation temperatures from 122 to 158° F at the 10-percent recovery point and from 365 to 374° F at the 90-percent recovery point. The Reid Vapor Pressure ranges from 9 to 15 pounds per square inch. Motor gasoline includes finished leaded gasoline, finished unleaded gasoline, and gasohol. Blendstock is excluded until blending has been completed. Alcohol that is to be used in the blending of gasohol is also excluded.

Motor Gasoline, Finished Gasohol: A blend of finished motor gasoline (leaded or unleaded) and alcohol (generally ethanol, but sometimes methanol) in which 10 percent or more of the product is alcohol.

Motor Gasoline, Finished Leaded: Motor gasoline that contains more than 0.05 gram of lead per gallon or more than 0.005 gram of phosphorus per gallon. Premium and regular grades are included, depending on the octane rating. Includes leaded gasohol. Blendstock is excluded until blending has been completed. Alcohol that is to be used in the blending of gasohol is also excluded.

Motor Gasoline, Finished Leaded Premium: Motor gasoline having an antiknock index, calculated as $(R+M)/2$, greater than 90 and containing more than 0.05 gram of lead per gallon or more than 0.005 gram of phosphorus per gallon.

Motor Gasoline, Finished Leaded Regular: Motor gasoline having an antiknock index, calculated as $(R+M)/2$, greater than or equal to 87 and less than or equal to 90 and containing more than 0.05 gram of lead or 0.005 gram of phosphorus per gallon.

Motor Gasoline, Finished Unleaded: Motor gasoline containing not more than 0.05 gram of lead per gallon and not more than 0.005 gram of phosphorus per gallon. Premium and regular grades are included, depending on the octane rating. Includes unleaded gasohol. Blendstock is excluded until blending has been completed. Alcohol that is to be used in the blending of gasohol is also excluded.

Motor Gasoline, Finished Unleaded Midgrade: Motor gasoline having an antiknock index, calculated as $(R+M)/2$, greater than or equal to 88 and less than or equal to 90 and containing not more than 0.05 gram of phosphorus per gallon.

Motor Gasoline, Finished Unleaded Premium: Motor gasoline having an antiknock index, calculated as $(R+M)/2$, greater than 90 and containing not more than 0.05 gram of lead or 0.005 gram of phosphorus per gallon.

Motor Gasoline, Finished Unleaded Regular: Motor gasoline having an antiknock index, calculated as $(R+M)/2$, of 87 containing not more than 0.05 gram of lead per gallon and not more than 0.005 gram of phosphorus per gallon.

Motor Gasoline Retail Prices: Motor gasoline prices calculated each month by the Bureau of Labor Statistics (BLS) in conjunction with the construction of the Consumer Price Index (CPI). Those prices are collected in 85 urban areas selected to represent all urban consumers—about 80 percent of the total U.S. population. The service stations are selected initially, and on a replacement basis, in such a way that they represent the purchasing habits of the CPI population. Service stations in the current sample include those providing all types of service (i.e., full-, mini-, and self-service).

Motor Gasoline, Total: Includes finished leaded motor gasoline (premium and regular), finished unleaded motor gasoline (premium, midgrade, and regular), motor gasoline blending components, and gasohol.

Natural Gas: A mixture of hydrocarbons (principally methane) and small quantities of various nonhydrocarbons existing in the gaseous phase or in solution with crude oil in underground reservoirs.

Natural Gas, Dry: The marketable portion of natural gas production, which is obtained by subtracting extraction losses, including natural gas liquids removed at natural gas processing plants, from total production.

Natural Gas Marketed Production: Gross withdrawals of natural gas from production reservoirs, less gas used for reservoir repressuring; nonhydrocarbon gases removed in treating and processing operations; and quantities vented and flared.

Natural Gas Plant Liquids (NGPL): Natural gas liquids recovered from natural gas in processing plants and, in some situations, from natural gas field facilities, as well as those extracted by fractionators. Natural gas plant liquids are defined according to the published specifications of the Gas Processors Associations and the American Society for Testing and Materials as follows: ethane, propane, normal butane, isobutane, pentanes plus, and other products from natural gas processing plants (i.e., products meeting the standards for finished petroleum products produced at natural gas processing plants, such as finished motor gasoline, finished aviation gasoline, special naphthas,

kerosene, distillate fuel oil, and miscellaneous products).

Natural Gas Wellhead Price: The wellhead price of natural gas is calculated by dividing the total reported value at the wellhead by the total quantity produced as reported by the appropriate agencies of individual producing States and the U.S. Minerals Management Service. The price includes all costs prior to shipment from the lease, including gathering and compression costs, in addition to State production, severance, and similar charges.

Natural Gas, Wet: Natural gas prior to the extraction of liquids and other miscellaneous products.

Net Consumption: See **Energy Consumption, End-Use.**

Nuclear Electric Power: Electricity generated by an electric power plant whose turbines are driven by steam generated in a reactor by heat from the fissioning of nuclear fuel.

Nuclear Electric Power Plant: A single-unit or multiunit facility in which heat produced in one or more reactors by the fissioning of nuclear fuel is used to drive one or more steam turbines.

Nuclear Reactor: An apparatus in which the nuclear fission chain can be initiated, maintained, and controlled so that energy is released at a specific rate. The reactor includes fissionable material (fuel), such as uranium or plutonium; fertile material; moderating material (unless it is a fast reactor); a heavy-walled pressure vessel; shielding to protect personnel; provision for heat removal; and control elements and instrumentation.

Offshore: That geographic area that lies seaward of the coastline. In general, the coastline is the line of ordinary low water along with that portion of the coast that is in direct contact with the open sea or the line marking the seaward limit of inland water.

Oil: See **Crude Oil (Including Lease Condensate).**

Oil Well: A well completed for the production of crude oil from one or more oil zones or reservoirs. Wells producing both crude oil and natural gas are classified as oil wells.

Operable (nuclear): A U.S. nuclear generating unit is considered operable after it completes low-power testing and is issued a full-power operating license by the Nuclear Regulatory Commission (NRC). A foreign nuclear generating unit is considered operable once it has generated electricity to the grid.

Organization for Economic Cooperation and Development (OECD): Current members are Australia, Austria, Belgium, Canada, Denmark,

Finland, France, Greece, Iceland, Ireland, Italy, Japan, Luxembourg, the Netherlands, New Zealand, Norway, Portugal, Spain, Sweden, Switzerland, Turkey, the United Kingdom, the United States and its territories (Guam, Puerto Rico, and the Virgin Islands), and Germany.

Organization of Petroleum Exporting Countries (OPEC): Countries that have organized for the purpose of negotiating with oil companies on matters of oil production, prices, and future concession rights. Current members are Algeria, Gabon, Indonesia, Iran, Iraq, Kuwait, Libya, Nigeria, Qatar, Saudi Arabia, the United Arab Emirates, and Venezuela.

Pentanes Plus: A mixture of hydrocarbons, mostly pentanes and heavier, extracted from natural gas. Includes isopentane, natural gasoline, and plant condensate.

Petroleum: A generic term applied to oil and oil products in all forms, such as crude oil, lease condensate, unfinished oils, petroleum products, natural gas plant liquids, and nonhydrocarbon compounds blended into finished petroleum products.

Petroleum Coke: A residue that is the final product of the condensation process in cracking. The product is either marketable petroleum coke or catalyst petroleum coke.

Petroleum Coke, Catalyst: The carbonaceous residue that is deposited on and deactivates the catalyst used in many catalytic operations (e.g., catalytic cracking). Carbon is deposited on the catalyst, thus deactivating the catalyst. The catalyst is reactivated by burning off the carbon, which is used as a fuel in the refining process. That carbon or coke is not recoverable in a concentrated form.

Petroleum Coke, Marketable: Those grades of coke produced in delayed or fluid cokers that may be recovered as relatively pure carbon. Marketable petroleum coke may be sold as is or further purified by calcining.

Petroleum Consumption: The sum of all refined petroleum products supplied. For each refined petroleum product, the amount supplied is calculated by adding production and imports, then subtracting changes in primary stocks (net withdrawals are a plus quantity and net additions are a minus quantity) and exports.

Petroleum Imports: Imports of petroleum into the 50 States and the District of Columbia from foreign countries and from Puerto Rico, the Virgin Islands, and other U.S. territories and possessions. Included are imports for the Strategic Petroleum Reserve and withdrawals from bonded warehouses for onshore consumption, offshore bunker use, and military use. Excluded are receipts of foreign petroleum into

bonded warehouses and into U.S. territories and U.S. Foreign Trade Zones.

Petroleum Products: Products obtained from the processing of crude oil (including lease condensate), natural gas, and other hydrocarbon compounds. Petroleum products include unfinished oils, liquefied petroleum gases, pentanes plus, aviation gasoline, motor gasoline, naphtha-type jet fuel, kerosene-type jet fuel, kerosene, distillate fuel oil, residual fuel oil, petrochemical feedstocks, special naphthas, lubricants, waxes, petroleum coke, asphalt, road oil, still gas, and miscellaneous products.

Petroleum Products Supplied: See **Petroleum Consumption**.

Petroleum Stocks, Primary: For individual products, quantities that are held at refineries, in pipelines, and at bulk terminals that have a capacity of 50,000 barrels or more, or that are in transit thereto. Stocks held by product retailers and resellers, as well as tertiary stocks held at the point of consumption, are excluded. Stocks of individual products held at gas processing plants are excluded from individual product estimates but are included in other oils estimates and total.

Photovoltaic and Solar Thermal Energy (as used at electric utilities): Energy radiated by the sun as electromagnetic waves (electromagnetic radiation) that is converted at electric utilities into electricity by means of solar (photovoltaic) cells or concentrating (focusing) collectors.

Primary Consumption: See **Energy Consumption, End-Use**.

Propane: A normally gaseous straight-chain hydrocarbon (C_3H_8). It is a colorless paraffinic gas that boils at a temperature of $-43.67^\circ F$. It is extracted from natural gas or refinery gas streams. It includes all products designated in ASTM Specification D1835 and Gas Processors Association Specifications for commercial propane and HD-5 propane.

Propylene: An olefinic hydrocarbon (C_3H_6) recovered from refinery or petrochemical processes.

Refiner Acquisition Cost of Crude Oil: The cost of crude oil to the refiner, including transportation and fees. The composite cost is the weighted average of domestic and imported crude oil costs.

Refinery (petroleum): An installation that manufactures finished petroleum products from crude oil, unfinished oils, natural gas liquids, other hydrocarbons, and alcohol.

Renewable Energy: Energy obtained from sources that are essentially inexhaustible (unlike, for example, the fossil fuels, of which there is a finite supply).

Renewable sources of energy include wood, waste, photovoltaic, and solar thermal energy.

Reservoir Repressuring: The injection of a pressurized fluid (such as air, gas, or water) into oil and gas reservoir formations to effect greater ultimate recovery.

Residential Sector: The residential sector is considered to consist of all private residences, whether occupied or vacant, owned or rented, including single-family homes, multifamily housing units, and mobile homes. Secondary homes, such as summer homes, are also included. Institutional housing, such as school dormitories, hospitals, and military barracks, generally are not included in the residential sector; they are included in the commercial sector. The SIC code used to classify an establishment as residential is 88 (Household).

Residual Fuel Oil: The heavier oils that remain after the distillate fuel oils and lighter hydrocarbons are distilled away in refinery operations and that conform to ASTM Specifications D396 and 975. Included are No. 5, a residual fuel oil of medium viscosity; Navy Special, for use in steam-powered vessels in government service and in shore power plants; and No. 6, which includes Bunker C fuel oil and is used for commercial and industrial heating, electricity generation, and to power ships. Imports of residual fuel oil include imported crude oil burned as fuel.

Road Oil: Any heavy petroleum oil, including residual asphaltic oil used as a dust palliative and surface treatment on roads and highways. It is generally produced in six grades, from 0, the most liquid, to 5, the most viscous.

Rotary Rig: A machine used for drilling wells that employs a rotating tube attached to a bit for boring holes through rock.

Short Ton (coal): A unit of weight equal to 2,000 pounds.

SIC: See **Standard Industrial Classification**.

Solar Energy: The radiant energy of the sun, which can be converted into other forms of energy, such as heat or electricity.

Standard Industrial Classification (SIC): A set of codes developed by the Office of Management and Budget which categorizes industries into groups with similar economic activities.

Startup Test Phase of Nuclear Power Plant: A nuclear power plant that has been licensed by the NRC to operate but is still in the initial testing phase, during which the production of electricity may not be continuous. In general, when the electric utility is satisfied with the plant's performance, it formally

accepts the plant from the manufacturer and places it in commercial operation status. A request is then submitted to the appropriate utility rate commission to include the power plant in the rate base calculation.

Steam-Electric Power Plant: A plant in which the prime mover is a steam turbine. The steam used to drive the turbine is produced in a boiler where fossil fuels are burned.

Strategic Petroleum Reserve (SPR): Petroleum stocks maintained by the Federal Government for use during periods of major supply interruption.

Subbituminous Coal: A dull, black coal of rank intermediate between lignite and bituminous coal. It conforms to ASTM Specification D388-84 for subbituminous coal.

Supplemental Gaseous Fuels: Any gaseous substance that, introduced into or commingled with natural gas, increases the volume available for disposition. Such substances include, but are not limited to, propane-air, refinery gas, coke oven gas, still gas, manufactured gas, biomass gas, or air or inert gases added for Btu stabilization.

Synthetic Natural Gas (SNG): A manufactured product chemically similar in most respects to natural gas, resulting from the conversion or reforming of petroleum hydrocarbons. It may easily be substituted for or interchanged with pipeline quality natural gas. Also referred to as substitute natural gas.

Total Consumption: See **Energy Consumption, End-Use**.

Transportation Sector: Private and public vehicles that move people and commodities. Included are automobiles, trucks, buses, motorcycles, railroads and railways (including streetcars), aircraft, ships, barges, and natural gas pipelines. The SIC codes used to classify establishments as belonging to the transportation sector are 40 through 49.

Unaccounted-for Crude Oil: Arithmetic difference between the calculated supply and the calculated disposition of crude oil. The calculated supply is the sum of crude oil production phase imports, less changes in crude oil stocks. The calculated disposition of crude oil is the sum of crude oil input to refineries, crude oil exports, crude oil burned as fuel, and crude oil losses.

Underground Storage: The storage of natural gas in underground reservoirs at a different location from which it was produced.

United States: Unless otherwise noted, "United States" in this publication means the 50 States and the District of Columbia. U.S. exports include shipments

to U.S. territories, and imports include receipts from U.S. territories.

U.S.S.R.: The Union of Soviet Socialist Republics consisted of 15 constituent republics: Armenia, Azerbaijan, Belorussia, Estonia, Georgia, Kazakhstan, Kirghizia, Latvia, Lithuania, Moldavia, Russia, Tadzhikistan, Turkmenistan, Ukraine, and Uzbekistan. As a political entity, the U.S.S.R. ceased to exist as of December 31, 1991.

Vented Natural Gas: Gas released into the air on the base site or at processing plants.

Wellhead Price: The value of crude oil or natural gas at the mouth of the well.

Well Servicing Unit: Truck-mounted equipment generally used for downhole services after a well is drilled. Services include well completions and recompletions, maintenance, repairs, workovers, and well plugging and abandonments. Jobs range from minor operations, such as pulling the rods and rod pumps out of an oil well, replacing the pump and rerunning the assemblage into the well, to major workovers, such as milling out and repairing collapsed


casing. Well depth and characteristics determine the type of equipment used.

Wind Energy (as used at electric utilities): The kinetic energy of wind converted at electric utilities into mechanical energy by wind turbines (i.e., blades rotating from a hub) that drive generators to produce electricity for distribution.

Wood and Waste (as used at electric utilities): Wood energy, garbage, bagasse, sewerage gas, and other industrial, agricultural, and urban refuse used to generate electricity for distribution.

Wood Energy: Wood and wood products used as fuel, including round wood (cord wood), limb wood, wood chips, bark, sawdust, forest residues, charcoal, pulp waste, and spent pulping liquor.

Working Gas: The gas in a reservoir that is in addition to the base (cushion) gas. It may or may not be completely withdrawn during any particular withdrawal season. Conditions permitting, the total working capacity could be used more than once during any given season.



Monthly Energy Review

Data Diskette Available from GPO and NTIS

- For IBM-PC and compatible microcomputers
- 5-1/4 inch double-sided high-density diskette
- ASCII comma-delimited format
- Can easily be imported into Lotus or dBase

A single diskette contains most of the data published in the *Monthly Energy Review*. Although the published tables present data in rounded form, the diskette contains data in the fullest precision available. A new diskette superseding all previous releases is available each month. For prices and more information, contact:

**Esther Edmonds
Superintendent of Documents
U.S. Government Printing Office
P.O. Box 37082
Washington, DC 20402
202-512-1530**

**Order Control
National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161
703-487-4650**

**1990 Data on
Average Household Energy Usage and Costs by Fuel
Now Available!**

Household Energy Consumption and Expenditures 1990

Published: February 1993
Energy Information Administration

*Household Energy Consumption and Expenditures 1990
Supplement: Regional Data*

Published: February 1993
Energy Information Administration

Both reports contain data from the 1993 Residential Energy Consumption Survey (RECS) on energy usage and costs by major fuel (electricity, natural gas, fuel oil, kerosene, and liquefied petroleum gas) and by energy end use (space heating, air conditioning, water heating, refrigerators, and appliances).

The main report contains information at the national level; the supplement presents similar information for the four Census regions and nine Census divisions. State-level data are not available from the RECS.

Also included in the main report is information about a "typical" household in the United States.

For more information about the reports, contact:

National Energy Information Center, EI-231
Energy Information Administration
1000 Independence Avenue, SW.
Washington, DC 20585
Telephone: 202-586-8800
Fax: 202-586-0727
TDD: 202-586-1181

To obtain copies of the reports, contact:

McPherson Square Bookstore of the
U.S. Government Printing Office
1510 H Street, NW.
Washington, DC 20005
Telephone: 202-653-2050
Fax: 202-376-5055

Energy Information Administration
U.S. Department of Energy
Forrestal Building, EI-231
Washington, DC 20585

SECOND-CLASS MAIL
POSTAGE & FEES PAID
U.S. DEPARTMENT OF ENERGY
ISSN 0095-7356

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300



1914 1208 65
02/05/04 94 MAB

