

FEDERAL AND STATE ENDANGERED AND THREATENED SPECIES EXPENDITURES



Fiscal Year 2013

TABLE OF CONTENTS

ENDANGERED AND THREATENED SPECIES EXPENDITURES FISCAL YEAR 2013	
PURPOSE	3
BACKGROUND.....	4
SECTION 18(1), FEDERAL EXPENDITURES.....	4
SECTION 18(2), STATE EXPENDITURES	5
SUMMARY OF DATA	5
COMPARISON TO PREVIOUS REPORTS	6
Table 1. FY 2013 Reported Expenditures for Endangered and Threatened Species.....	7
Table 2. Species Ranked in Descending Order of Total FY 2013 Reported Expenditures.....	95
Table 3. FY 2013 Reported Land Acquisition Expenditures for Endangered and Threatened Species..	142
Table 4. FY 2013 Expenditures Reported by Individual Federal Agencies and the States.....	159
Appendix A. Supplemental Guidance for Reporting Expenditures for the Conservation of Endangered and Threatened Species.....	163
Appendix B. Reports Provided by Other Federal Agencies.....	167
Appendix C. Expenditures Reported by the States.....	387

ENDANGERED AND THREATENED SPECIES EXPENDITURES FISCAL YEAR 2013

PURPOSE

The Endangered Species Act of 1973 (16 U.S.C. 1531 *et seq.*) was reauthorized and amended on October 7, 1988, under Public Law 100-478. A new section 18 was added to the Act that requires the Fish and Wildlife Service (Service) on behalf of the Secretary of the Interior to report annually on certain expenditures on a species-by-species basis. The section reads:

SEC. 18. On or before January 15, 1990, and each January 15 thereafter, the Secretary of the Interior, acting through the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain

- (1) the accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act; and
- (2) an accounting on a species-by-species basis of all reasonably identifiable expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act by States receiving grants under section 6.

This document constitutes the 24th report by the Service pursuant to the requirements of section 18 of the Act. The report covers fiscal year 2013 (October 1, 2012 - September 30, 2013), although some States may be reporting for a different fiscal year period (without duplicating a previous year's reported data). To assist Federal and State agencies with a more accurate accounting of expenditures, the addition of a multi-species reporting category was available for the FY12 report. This new option gives agencies another way to report expenditures when it is not possible to determine individual species costs for those species that are part of a multi-species conservation activity.

The term "State" as used in this report is defined in section 3(17) of the Act to mean any of the several States, the District of Columbia, the Commonwealth of Puerto Rico, American Samoa, the Virgin Islands, Guam, and the Trust Territory of the Pacific Islands.

The term "State agency" as used in this report is defined in section 3(18) of the Act to mean any State agency, department, board, commission, or other governmental entity which is responsible for the management and conservation of fish, plant, or wildlife resources within a State.

The term "conservation," as defined in section 3(3) of the Act, means the use of all methods and procedures necessary to bring any endangered or threatened species to the point where the measures provided for by the Act are no longer necessary--including, but not limited to, research, census, law enforcement, habitat acquisition and maintenance, propagation, live trapping, and transplantation. For the purposes of this report, the definition of conservation is further expanded to include any and all actions taken by Federal and State agencies on behalf of threatened or endangered species listed pursuant to the Act.

BACKGROUND

At the time the reporting requirement was enacted by Congress, the Service determined that a good faith effort was expected to develop methods to track and obtain data that are "reasonably identifiable." No extensive or extraordinary measures to develop exceptionally precise data were sought, nor were the reporting agencies expected to prorate staff salaries and other normal operational and maintenance costs not directed toward a particular species. The expenditures reported in this and the preceding reports do not necessarily constitute all expenditures made for each species.

This report represents a compilation of reasonably identifiable expenditures for the conservation of listed species reported independently by Federal and State agencies. Expenditures for FY 2013 are reported for 1416 threatened and endangered species of the 1466 species that were listed under United States jurisdiction in 50 CFR Part 17 as of September 30, 2013 (Tables 1 and 3).

Expenditures are identified by listed entity, which may be a species¹, subspecies², Distinct Population Segment (DPS)³, or Evolutionarily Significant Unit (ESU)⁴, as identified in 50 CFR 17.11 and 17.12. They are reported separately for the Service and in aggregate for all other Federal agencies and the States (Tables 1 and 3).

For these annual reports, the Service requests that all reporting agencies submit their data directly into a Web-based data entry system to ensure accuracy, consistency, and efficiency. At the time of submission, the reporting agencies certify that their information is accurate. The information provided in this report, pursuant to section 18 of the Endangered Species Act, is presented as it was submitted by these agencies.

Expenditures for candidate species or other species not listed in 50 CFR Part 17 as of the end of each fiscal year are not included in this report. In addition, other types of expenses, such as those for litigation, are not reported.

SECTION 18(1), FEDERAL EXPENDITURES

Expenditures Reported by the Fish and Wildlife Service

The Service's operational categories of expenditures include fisheries, refuges, land acquisition, law enforcement, research, and regional and field office operations for listing, recovery, consultation, migratory birds, and grants. All reasonably identifiable expenditures that could be attributed to individual species within these activities have been included.

¹ **Species** For purposes of the ESA, this term includes any species or subspecies of fish or wildlife or plants, and any Distinct Population Segment of any species of vertebrate fish or wildlife that interbreeds when mature.

² **Subspecies** A taxonomic rank below that of species, usually recognizing individuals that have certain heritable characteristics distinct from other subspecies of a species.

³ **Distinct Population Segment** A subdivision of a vertebrate species that is treated as a species for purposes of listing under the Endangered Species Act.

⁴ **Evolutionarily Significant Unit** A Pacific salmonid stock that is substantially reproductively isolated from other stocks of the same species and which represents an important part of the evolutionary legacy of the species; functionally equivalent to DPS for the purpose of listing under ESA.

The Federal assistance portion under section 6 of the Act for each species is included in the FWS Total in Table 1. The State share for each species for which a Federal contribution was made is included in the States Total column of Table 1.

A portion of the Service's funds for consultation, listing, and recovery are incorporated into salaries, operations, and maintenance costs. If these costs contributed to the conservation of listed species and are reasonably identifiable to specific species, they are included in this report.

Expenditures Reported by other Federal Agencies

The Director of the Service sends a request to other Federal agencies identified as likely to have species-specific expenditures under the Act to report for each fiscal year. The Service provides guidance identifying what constitutes reasonably identifiable expenditures and how these are to be reported (Appendix A). For FY 2013, the Service and 29 other Federal agencies identified expenditures for the conservation of individual threatened and endangered species. Results from all responding Federal agencies are included in Appendix B. The data identified by those responding Federal agencies for individual species and multi-species conservation activities are tabulated in the “Other Fed” columns of this report (Tables 1 and 3).

SECTION 18(2), STATE EXPENDITURES

The assistance of the Association of Fish and Wildlife Agencies is sought by the Service to help coordinate the reporting of reasonably identifiable expenditures made by the States. States report their data by species directly to the Service. Collective results from all responding State agencies are included in Appendix C.

SUMMARY OF DATA

Table 1 reports the activity-related expenditures that are reasonably identifiable to specific individual species as well as multi-species activity costs by the Service, other Federal agencies collectively, and the States collectively. Expenditures for land acquisition are not included in this tabulation. Species are grouped in the same general order as they appear in 50 CFR Part 17. Table 1 also provides the rank for each species from Table 2.

Table 2 ranks each species in descending order of the species total from Table 1. A cumulative total of the activity-related, species-specific expenditures is also provided.

Table 3 displays land acquisition expenditures, reasonably identifiable to specific individual species, by the Service, other Federal agencies collectively, and the States collectively. Expenditures for land purchased for multi-species conservation activities are listed at the end of the table. Table 3 also provides the rank for land expenditures by species.

Table 4 shows the combined total expenditures for species and land acquisition by reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species and multi-species conservation activities are included.

Total expenditures reported for **FY 2013** were **\$1,747,208,849**, of which **\$1,670,924,144** were reported by Federal agencies and **\$76,284,705** were reported by the States. (Table 4)

COMPARISON TO PREVIOUS REPORTS

Over the years, these reports have been refined as our experience in planning and coordinating with the reporting agencies to track such expenditures has improved. A good faith effort is made to develop species-by-species expenditures for these reports, but due to differences in reporting methods, this report cannot be easily compared to prior expenditures reports. These year-to-year differences include changes in the number of Federal and State agencies reporting data, changes in how expenditures are calculated, changes in the agencies' abilities to track expenditures, and changes in the number of listed species. Therefore, real dollar increases or decreases cannot accurately be calculated or inferred from the overall or individual totals.

TABLE 1. FY 2013 REPORTED EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES

The list of species in Table 1 essentially follows the taxonomic and nomenclatural conventions used in 50 CFR Part 17 for the identification and sequence of species' names. For ease of reference, the alphabetized, inverted common name is provided within each group (usually Class) of animals and plants. Thus, the gray bat is found with other bats under "Bat, gray" within mammals, and Tar River spiny-mussel is found under "Spiny-mussel, Tar River" within the clams. Groups of animals follow the sequence: Mammals, Birds, Reptiles, Amphibians, Fishes, and Invertebrates, which include Clams, Snails, Insects, Arachnids, and Crustaceans. Groups of plants follow the sequence: Flowering Plants, Conifers and Cycads, Ferns and Allies, and Lichens.

For additional information about the names, historical range, or status of an endangered or threatened species, the species can be found in 50 CFR 17.11 (wildlife) or 17.12 (plants), or through our Web site at <http://www.fws.gov/endangered>. The STATUS column indicates whether the species is endangered (E), threatened (T), experimental (EXPN), or threatened by similarity of appearance (SAT).

Fish and Wildlife Service expenditures (FWS Total) and other Federal agency expenditures (Other Fed) are totaled in the "Fed Total" column. The States Total is the amount reported to the Service directly by the States. None of these reported totals includes costs for land acquisition. (See Table 3 for reported land acquisition expenditures.)

The RANK is from Table 2 and indicates each species' rank by identifiable expenditures, where #1 is the highest expenditure.

Multi-species conservation activity-related expenditures are tabulated at the end of Table 1.

TABLE 1. FY 2013 REPORTED EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
Mammals	99	Bat, gray (<i>Myotis grisescens</i>)	E	\$415,328	\$1,071,862	\$1,487,190	\$168,149	\$1,655,339
	130	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>)	E	\$492,467	\$564,858	\$1,057,325	\$0	\$1,057,325
	20	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$2,764,686	\$11,115,089	\$13,879,775	\$302,331	\$14,182,106
	180	Bat, lesser long-nosed (<i>Leptonycteris curasoae yerbabuenae</i>)	E	\$35,020	\$555,115	\$590,135	\$30,572	\$620,707
	677	Bat, little Mariana fruit (<i>Pteropus tokudae</i>)	E	\$36,772	\$0	\$36,772	\$0	\$36,772
	292	Bat, Mariana fruit (=Mariana flying fox) (<i>Pteropus mariannus mariannus</i>)	T	\$219,663	\$300	\$219,963	\$0	\$219,963
	678	Bat, Mexican long-nosed (<i>Leptonycteris nivalis</i>)	E	\$8,000	\$27,250	\$35,250	\$1,500	\$36,750
	458	Bat, Ozark big-eared (<i>Corynorhinus (=Plecotus) townsendii ingens</i>)	E	\$75,450	\$20,308	\$95,758	\$10,900	\$106,658
	195	Bat, Virginia big-eared (<i>Corynorhinus (=Plecotus) townsendii virginianus</i>)	E	\$84,034	\$355,852	\$439,886	\$100,700	\$540,586
	347	Bear, American black (<i>Ursus americanus</i>) - County range of LA b.bear	SAT	\$20,480	\$130,999	\$151,479	\$0	\$151,479
	31	Bear, grizzly (<i>Ursus arctos horribilis</i>) - lower 48 States, except where EXPN or delisted	T	\$2,552,599	\$4,926,592	\$7,479,191	\$2,220,610	\$9,699,801
	202	Bear, grizzly (<i>Ursus arctos horribilis</i>) - portions of ID and MT; see 17.84(l)	EXPN	\$171,014	\$196,680	\$367,694	\$138,242	\$505,936
	193	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$231,500	\$291,687	\$523,187	\$20,935	\$544,122
	49	Bear, polar (<i>Ursus maritimus</i>)	T	\$1,628,500	\$3,922,000	\$5,550,500	\$0	\$5,550,500
	989	Bison, wood (<i>Bison bison athabascae</i>)	E	\$8,500	\$6,000	\$14,500	\$0	\$14,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	261	Caribou, woodland (<i>Rangifer tarandus caribou</i>) - Selkirk Mountain population	E	\$227,173	\$25,026	\$252,199	\$15,870	\$268,069
	162	Deer, Columbian white-tailed (<i>Odocoileus virginianus leucurus</i>) - Columbia R. DPS	E	\$272,329	\$472,488	\$744,817	\$14,000	\$758,817
	582	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$32,000	\$20,572	\$52,572	\$0	\$52,572
	90	Ferret, black-footed (<i>Mustela nigripes</i>) - except where EXPN	E	\$1,461,097	\$491,285	\$1,952,382	\$9,100	\$1,961,482
	190	Ferret, black-footed (<i>Mustela nigripes</i>) - specific portions of AZ, CO, MT, SD, UT, WY	EXPN	\$6,840	\$240,866	\$247,706	\$311,045	\$558,751
	144	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>) - CA	E	\$316,745	\$552,260	\$869,005	\$0	\$869,005
	302	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>) - CA	E	\$25,167	\$178,000	\$203,167	\$0	\$203,167
	662	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>) CA	E	\$38,127	\$0	\$38,127	\$0	\$38,127
	789	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>) - CA	E	\$9,031	\$15,000	\$24,031	\$0	\$24,031
	339	Fox, Santa Rosa Island (<i>Urocyon littoralis santarosae</i>) - CA	E	\$9,031	\$150,000	\$159,031	\$0	\$159,031
	229	Jaguar (<i>Panthera onca</i>) - AZ,CA,LA,NM,TX,Mexico, Central and South America	E	\$86,690	\$253,166	\$339,856	\$29,480	\$369,336
	482	Jaguarundi, Gulf Coast (<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>) - TX, Mexico	E	\$48,300	\$47,378	\$95,678	\$0	\$95,678
	1265	Jaguarundi, Sinaloan (<i>Herpailurus (=Felis) yagouaroundi tolteca</i>)	E	\$0	\$0	\$0	\$2,480	\$2,480

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	508	Kangaroo rat, Fresno <i>(Dipodomys nitratoides exilis)</i>	E	\$0	\$83,576	\$83,576	\$0	\$83,576
	289	Kangaroo rat, giant <i>(Dipodomys ingens)</i>	E	\$101,203	\$125,120	\$226,323	\$0	\$226,323
	1269	Kangaroo rat, Morro Bay <i>(Dipodomys heermanni morroensis)</i>	E	\$1,686	\$500	\$2,186	\$0	\$2,186
	485	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>)	E	\$3,170	\$91,205	\$94,375	\$0	\$94,375
	321	Kangaroo rat, Stephens' <i>(Dipodomys stephensi (incl. D. cascus))</i>	E	\$1,776	\$175,074	\$176,850	\$0	\$176,850
	436	Kangaroo rat, Tipton <i>(Dipodomys nitratoides nitratoides)</i>	E	\$94,800	\$19,200	\$114,000	\$0	\$114,000
	55	Lynx, Canada (<i>Lynx canadensis</i>) - Contiguous U.S. DPS	T	\$739,218	\$3,934,420	\$4,673,638	\$237,017	\$4,910,655
	33	Manatee, West Indian <i>(Trichechus manatus)</i>	E	\$1,111,104	\$2,862,413	\$3,973,517	\$4,575,327	\$8,548,844
	714	Mountain beaver, Point Arena <i>(Aplodontia rufa nigra)</i>	E	\$11,472	\$21,300	\$32,772	\$0	\$32,772
	525	Mouse, Alabama beach <i>(Peromyscus polionotus ammobates)</i>	E	\$64,000	\$12,422	\$76,422	\$0	\$76,422
	572	Mouse, Anastasia Island beach <i>(Peromyscus polionotus phasma)</i>	E	\$56,000	\$500	\$56,500	\$0	\$56,500
	355	Mouse, Choctawhatchee beach <i>(Peromyscus polionotus allophrys)</i>	E	\$94,000	\$40,490	\$134,490	\$11,302	\$145,792
	1027	Mouse, Key Largo cotton <i>(Peromyscus gossypinus allapaticola)</i>	E	\$12,000	\$968	\$12,968	\$0	\$12,968

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	151	Mouse, Pacific pocket <i>(Perognathus longimembris pacificus)</i>	E	\$523,749	\$279,857	\$803,606	\$0	\$803,606
	256	Mouse, Perdido Key beach <i>(Peromyscus polionotus trissyllepsis)</i>	E	\$198,000	\$61,747	\$259,747	\$18,837	\$278,584
	87	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) - CO, WY	T	\$516,749	\$1,581,972	\$2,098,721	\$84,140	\$2,182,861
	150	Mouse, salt marsh harvest <i>(Reithrodontomys raviventris)</i> - CA	E	\$401,684	\$404,350	\$806,034	\$0	\$806,034
	443	Mouse, southeastern beach <i>(Peromyscus polionotus niveiventris)</i> - FL	T	\$67,000	\$44,288	\$111,288	\$0	\$111,288
	359	Mouse, St. Andrew beach <i>(Peromyscus polionotus peninsularis)</i> - FL	E	\$95,500	\$40,288	\$135,788	\$7,535	\$143,323
	186	Ocelot (<i>Leopardus (=Felis pardalis)</i>) - AZ, TX, Central and South America	E	\$266,735	\$291,194	\$557,929	\$12,280	\$570,209
	197	Otter, Northern Sea (<i>Enhydra lutris kenyoni</i>) – SW AK DPS	T	\$318,500	\$209,649	\$528,149	\$0	\$528,149
	137	Otter, southern sea (<i>Enhydra lutris nereis</i>)	T	\$212,745	\$774,783	\$987,528	\$0	\$987,528
	84	Panther, Florida (<i>Puma (=Felis concolor coryi)</i>)	E	\$721,000	\$853,120	\$1,574,120	\$1,075,274	\$2,649,394
	152	Prairie dog, Utah (<i>Cynomys parvidens</i>) - UT	T	\$138,179	\$452,623	\$590,802	\$205,400	\$796,202
	225	Pronghorn, Sonoran <i>(Antilocapra americana sonoriensis)</i>	E	\$24,185	\$266,790	\$290,975	\$87,404	\$378,379
	460	Pronghorn, Sonoran <i>(Antilocapra americana sonoriensis)</i> - AZ, Mexico	EXPN	\$0	\$39,025	\$39,025	\$67,241	\$106,266

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	312	Puma (=cougar), eastern (<i>Puma (=Felis) concolor</i> <i>couguar</i>)	E	\$0	\$187,437	\$187,437	\$2,200	\$189,637
	270	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>) - FL	E	\$13,000	\$240,671	\$253,671	\$0	\$253,671
	234	Rabbit, Pygmy (<i>Brachylagus</i> <i>idahoensis</i>) - Columbia Basin DPS	E	\$214,603	\$79,132	\$293,735	\$61,000	\$354,735
	334	Rabbit, riparian brush (<i>Sylvi-</i> <i>lagus bachmani riparius</i>) - CA	E	\$70,940	\$91,063	\$162,003	\$0	\$162,003
	1029	Rice rat (<i>Oryzomys palustris</i> <i>natator</i>) - lower FL Keys	E	\$12,000	\$944	\$12,944	\$0	\$12,944
	280	Seal, Guadalupe fur (<i>Arctocephalus townsendi</i>)	T	\$0	\$238,856	\$238,856	\$0	\$238,856
	60	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$3,342	\$4,637,853	\$4,641,195	\$0	\$4,641,195
	30	Sea-lion, Steller (<i>Eumetopias</i> <i>jubatus</i>) - eastern pop.	T	\$0	\$9,720,168	\$9,720,168	\$2,000	\$9,722,168
	21	Sea-lion, Steller (<i>Eumetopias</i> <i>jubatus</i>) - western pop.	E	\$18,000	\$13,936,083	\$13,954,083	\$21,000	\$13,975,083
	424	Sheep, Peninsular bighorn (<i>Ovis canadensis nelsoni</i>) - Peninsular CA pop.	E	\$2,917	\$114,500	\$117,417	\$0	\$117,417
	490	Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>) - Sierra Nevada	E	\$53,554	\$35,500	\$89,054	\$0	\$89,054
	474	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>)	E	\$88,387	\$10,800	\$99,187	\$0	\$99,187
	377	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus</i> <i>coloratus</i>)	E	\$31,100	\$95,630	\$126,730	\$7,425	\$134,155
	248	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - except Sussex Co., DE	E	\$304,357	\$300	\$304,657	\$1,000	\$305,657

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1199	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - DE, Sussex Co.	EXPN	\$0	\$100	\$100	\$6,349	\$6,449
	613	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>)	E	\$7,910	\$13,600	\$21,510	\$24,215	\$45,725
	235	Squirrel, northern Idaho ground (<i>Spermophilus brunneus brunneus</i>)	T	\$163,697	\$183,672	\$347,369	\$6,032	\$353,401
	203	Squirrel, Virginia northern flying (<i>Glaucomys sabrinus fuscus</i>)	E	\$4,438	\$500,200	\$504,638	\$0	\$504,638
	694	Vole, Amargosa (<i>Microtus californicus scirpensis</i>)	E	\$21,378	\$13,500	\$34,878	\$0	\$34,878
	893	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukecampbelli</i>)	E	\$6,000	\$11,900	\$17,900	\$0	\$17,900
	674	Vole, Hualapai Mexican (<i>Microtus mexicanus hualpaiensis</i>)	E	\$0	\$34,100	\$34,100	\$2,830	\$36,930
	102	Whale, Beluga (<i>Delphinapterus leucas</i>) - Cook Inlet DPS	E	\$0	\$1,624,839	\$1,624,839	\$0	\$1,624,839
	98	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$0	\$1,706,907	\$1,706,907	\$8,393	\$1,715,300
	13	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$0	\$25,859,765	\$25,859,765	\$0	\$25,859,765
	89	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$0	\$1,943,822	\$1,943,822	\$44,593	\$1,988,415
	149	Whale, gray (<i>Eschrichtius robustus</i>) - W Pacific Ocean	E	\$0	\$806,503	\$806,503	\$0	\$806,503
	66	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$600	\$4,054,118	\$4,054,718	\$20,393	\$4,075,111
	78	Whale, killer (<i>Orcinus orca</i>) - Southern Resident DPS	E	\$0	\$2,759,433	\$2,759,433	\$18,000	\$2,777,433
	32	Whale, North Atlantic Right (<i>Eubalaena glacialis</i>)	E	\$0	\$9,613,538	\$9,613,538	\$78,893	\$9,692,431

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	166	Whale, North Pacific Right (<i>Eubalaena japonica</i>)	E	\$0	\$715,298	\$715,298	\$0	\$715,298
	105	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$0	\$1,567,566	\$1,567,566	\$8,393	\$1,575,959
	1293	Whale, Southern Right (<i>Eubalaena australis</i>)	E	\$0	\$239	\$239	\$517	\$756
	92	Whale, sperm (<i>Physeter catodon</i> (=macrocephalus))	E	\$16,000	\$1,875,423	\$1,891,423	\$8,393	\$1,899,816
	65	Wolf, gray (<i>Canis lupus</i>) - AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; those portions of AZ, NM, TX not included in an EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	E	\$2,793,205	\$716,559	\$3,509,764	\$573,247	\$4,083,011
	80	Wolf, gray (<i>Canis lupus</i>) - Mexican gray wolf, EXPN	EXPN	\$2,024,745	\$396,497	\$2,421,242	\$347,635	\$2,768,877
	723	Wolf, red (<i>Canis rufus</i>) - except where EXPN	E	\$30,000	\$1,500	\$31,500	\$0	\$31,500
	70	Wolf, red (<i>Canis rufus</i>) - portions of NC and TN	EXPN	\$1,163,000	\$2,383,130	\$3,546,130	\$44,125	\$3,590,255
	392	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>)	E	\$126,500	\$3,468	\$129,968	\$0	\$129,968
	983	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$14,710	\$63	\$14,773	\$0	\$14,773
Mammals subtotal				\$24,235,381	\$124,472,184	\$148,707,565	\$11,044,304	\$159,751,869
Birds	336	Akekee (<i>Loxops caeruleirostris</i>)	E	\$118,990	\$42,184	\$161,174	\$0	\$161,174
	300	Akepa, Hawaii (honeycreeper) (<i>Loxops coccineus coccineus</i>)	E	\$155,134	\$53,088	\$208,222	\$0	\$208,222
	999	Akepa, Maui (honeycreeper) (<i>Loxops coccineus ochraceus</i>)	E	\$14,110	\$0	\$14,110	\$0	\$14,110

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1205	Akialoa, Kauai (honeycreeper) <i>(Hemignathus procerus)</i>	E	\$6,129	\$0	\$6,129	\$0	\$6,129
	304	Akiapola`au (honeycreeper) <i>(Hemignathus munroi)</i>	E	\$147,961	\$52,288	\$200,249	\$0	\$200,249
	330	Akikiki (<i>Oreomystis bairdi</i>)	E	\$123,046	\$42,184	\$165,230	\$0	\$165,230
	318	Albatross, short-tailed <i>(Phoebastria (=Diomedea) albatrus)</i>	E	\$147,872	\$32,080	\$179,952	\$0	\$179,952
	391	Blackbird, yellow-shouldered <i>(Agelaius xanthomus)</i>	E	\$131,000	\$0	\$131,000	\$0	\$131,000
	870	Bobwhite, masked (quail) <i>(Colinus virginianus ridgwayi)</i>	E	\$8,750	\$6,913	\$15,663	\$3,060	\$18,723
	127	Caracara, Audubon's crested <i>(Polyborus plancus audubonii)</i> - FL pop.	T	\$238,500	\$854,269	\$1,092,769	\$0	\$1,092,769
	82	Condor, California <i>(Gymnogyps californianus)</i> - except where listed as EXPN	E	\$1,852,766	\$836,005	\$2,688,771	\$0	\$2,688,771
	208	Condor, California <i>(Gymnogyps californianus)</i> - portions of AZ, NV, UT	EXPN	\$12,219	\$282,801	\$295,020	\$190,153	\$485,173
	224	Coot, Hawaiian (<i>Fulica americana alata</i>)	E	\$189,301	\$189,536	\$378,837	\$0	\$378,837
	1240	Crane, Mississippi sandhill <i>(Grus canadensis pulla)</i>	E	\$0	\$4,219	\$4,219	\$0	\$4,219
	94	Crane, whooping (<i>Grus americana</i>) - except where EXPN	E	\$255,500	\$1,561,230	\$1,816,730	\$20,700	\$1,837,430
	170	Crane, whooping (<i>Grus americana</i>) - CO, ID, FL, NM, UT, western WY	EXPN	\$521,792	\$50,486	\$572,278	\$101,806	\$674,084
	121	Crane, whooping (<i>Grus americana</i>) - AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	EXPN	\$599,200	\$588,018	\$1,187,218	\$300	\$1,187,518

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	555	Crane, whooping (<i>Grus americana</i>) - SW LA	EXPN	\$55,500	\$7,150	\$62,650	\$0	\$62,650
	301	Creeper, Hawaii (<i>Oreomystis mana</i>)	E	\$154,627	\$52,288	\$206,915	\$0	\$206,915
	1194	Creeper, Molokai (<i>Paroreomyza flammea</i>)	E	\$6,624	\$0	\$6,624	\$0	\$6,624
	1192	Creeper, Oahu (<i>Paroreomyza maculata</i>)	E	\$6,687	\$0	\$6,687	\$0	\$6,687
	108	Crow, Hawaiian (=alala) (<i>Corvus hawaiiensis</i>)	E	\$1,505,137	\$800	\$1,505,937	\$0	\$1,505,937
	124	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>)	E	\$941,546	\$182,380	\$1,123,926	\$0	\$1,123,926
	1219	Crow, white-necked (<i>Corvus leucognaphalus</i>)	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	1167	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$0	\$7,928	\$7,928	\$0	\$7,928
	239	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$155,886	\$179,100	\$334,986	\$0	\$334,986
	369	Duck, Laysan (<i>Anas laysanensis</i>)	E	\$27,973	\$111,089	\$139,062	\$0	\$139,062
	88	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$739,500	\$1,333,830	\$2,073,330	\$0	\$2,073,330
	117	Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop.	T	\$1,005,000	\$234,401	\$1,239,401	\$0	\$1,239,401
	161	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>)	E	\$492,526	\$267,023	\$759,549	\$0	\$759,549
	214	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - except where listed as EXPN	E	\$3,500	\$428,152	\$431,652	\$4,000	\$435,652
	131	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - AZ, NM	EXPN	\$23,100	\$1,017,806	\$1,040,906	\$3,280	\$1,044,186
	741	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>)	E	\$24,004	\$5,248	\$29,252	\$0	\$29,252

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	846	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>)	E	\$14,763	\$4,948	\$19,711	\$0	\$19,711
	15	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$529,156	\$22,073,474	\$22,602,630	\$93,154	\$22,695,784
	9	Gnatcatcher, coastal California (<i>Polioptila californica californica</i>)	T	\$65,530	\$34,035,359	\$34,100,889	\$0	\$34,100,889
	107	Goose, Hawaiian (<i>Branta (=Nesochen) sandvicensis</i>)	E	\$762,646	\$768,881	\$1,531,527	\$0	\$1,531,527
	287	Hawk, Hawaiian (=lo) (<i>Buteo solitarius</i>)	E	\$222,370	\$7,300	\$229,670	\$0	\$229,670
	1188	Hawk, Puerto Rican broad-winged (<i>Buteo platypterus brunnescens</i>)	E	\$5,900	\$968	\$6,868	\$0	\$6,868
	603	Hawk, Puerto Rican sharp-shinned (<i>Accipiter striatus venator</i>)	E	\$32,500	\$15,968	\$48,468	\$0	\$48,468
	408	Honeycreeper, crested (<i>Palmeria dolei</i>)	E	\$117,362	\$5,954	\$123,316	\$0	\$123,316
	313	Kingfisher, Guam Micronesian (<i>Halcyon cinnamomina cinnamomina</i>)	E	\$150,880	\$38,610	\$189,490	\$0	\$189,490
	159	Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) - FL pop.	E	\$486,500	\$271,866	\$758,366	\$12,008	\$770,374
	199	Megapode, Micronesian (<i>Megapodius laperouse</i>)	E	\$82,621	\$440,193	\$522,814	\$0	\$522,814
	489	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus familiaris kingi</i>)	E	\$84,729	\$4,948	\$89,677	\$0	\$89,677
	254	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$172,826	\$107,510	\$280,336	\$0	\$280,336
	251	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>)	E	\$109,930	\$185,705	\$295,635	\$0	\$295,635

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	53	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) - CA, OR, WA	T	\$1,275,195	\$3,580,110	\$4,855,305	\$102,000	\$4,957,305
	1025	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>)	E	\$13,000	\$0	\$13,000	\$0	\$13,000
	1205	Nukupu'u (honeycreeper) (<i>Hemignathus lucidus</i>)	E	\$6,129	\$0	\$6,129	\$0	\$6,129
	1205	`O'o, Kauai (honeyeater) (<i>Moho braccatus</i>)	E	\$6,129	\$0	\$6,129	\$0	\$6,129
	1193	`O'u (honeycreeper) (<i>Psittirostra psittacea</i>)	E	\$6,636	\$0	\$6,636	\$0	\$6,636
	86	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	\$124,016	\$2,134,064	\$2,258,080	\$26,863	\$2,284,943
	17	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$4,281,003	\$13,224,371	\$17,505,374	\$157,000	\$17,662,374
	257	Palila (honeycreeper) (<i>Loxoides bailleui</i>)	E	\$196,385	\$79,258	\$275,643	\$0	\$275,643
	271	Parrotbill, Maui (honeycreeper) (<i>Pseudonestor xanthophrys</i>)	E	\$244,945	\$6,954	\$251,899	\$0	\$251,899
	110	Parrot, Puerto Rican (<i>Amazona vittata</i>)	E	\$1,373,000	\$67,767	\$1,440,767	\$0	\$1,440,767
	148	Petrel, Hawaiian dark-rumped (<i>Pterodroma phaeopygia sandwichensis</i>)	E	\$392,416	\$425,877	\$818,293	\$0	\$818,293
	1180	Pigeon, Puerto Rican plain (<i>Columba inornata wetmorei</i>)	E	\$7,000	\$248	\$7,248	\$0	\$7,248
	147	Plover, piping (<i>Charadrius melanodus</i>) - Great Lakes watershed	E	\$474,016	\$336,264	\$810,280	\$33,500	\$843,780
	29	Plover, piping (<i>Charadrius melanodus</i>) - except Great Lakes watershed	T	\$1,347,484	\$8,116,471	\$9,463,955	\$350,567	\$9,814,522
	71	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) - Pacific coastal pop.	T	\$1,567,396	\$1,790,759	\$3,358,155	\$45,000	\$3,403,155

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1130	Po`ouli (honeycreeper) <i>(Melamprosops phaeosoma)</i>	E	\$9,159	\$0	\$9,159	\$0	\$9,159
	196	Prairie-chicken, Attwater's greater <i>(Tympanuchus cupido attwateri)</i>	E	\$516,400	\$12,228	\$528,628	\$0	\$528,628
	101	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	E	\$388,814	\$1,242,320	\$1,631,134	\$0	\$1,631,134
	194	Rail, Guam (<i>Rallus owstoni</i>) - except Rota	E	\$356,587	\$187,300	\$543,887	\$0	\$543,887
	520	Rail, Guam (<i>Rallus owstoni</i>) - Rota	EXPN	\$79,530	\$0	\$79,530	\$0	\$79,530
	219	Rail, light-footed clapper (<i>Rallus longirostris levipes</i>) - U.S.A. only	E	\$76,457	\$332,985	\$409,442	\$0	\$409,442
	51	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) - U.S.A. only	E	\$56,061	\$5,188,644	\$5,244,705	\$15,380	\$5,260,085
	122	Scrub-jay, Florida <i>(Aphelocoma coerulescens)</i>	T	\$922,000	\$146,565	\$1,068,565	\$104,190	\$1,172,755
	169	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>)	T	\$632,487	\$44,918	\$677,405	\$0	\$677,405
	74	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>)	E	\$100	\$2,962,285	\$2,962,385	\$0	\$2,962,385
	187	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>)	E	\$302,500	\$264,244	\$566,744	\$0	\$566,744
	184	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$467,500	\$111,151	\$578,651	\$0	\$578,651
	182	Sparrow, San Clemente sage (<i>Amphispiza belli clementae</i>)	T	\$0	\$590,286	\$590,286	\$0	\$590,286
	233	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$150,515	\$204,398	\$354,913	\$0	\$354,913

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	93	Stork, wood (<i>Mycteria americana</i>) - AL, FL, GA, SC	E	\$508,500	\$1,335,449	\$1,843,949	\$9,606	\$1,853,555
	303	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	\$76,168	\$126,000	\$202,168	\$0	\$202,168
	106	Tern, California least (<i>Sterna antillarum browni</i>)	E	\$327,202	\$1,228,898	\$1,556,100	\$2,780	\$1,558,880
	38	Tern, least (<i>Sterna antillarum</i>) - interior pop.	E	\$531,330	\$6,260,516	\$6,791,846	\$120,025	\$6,911,871
	226	Tern, roseate (<i>Sterna dougallii dougallii</i>) - NE U.S. nesting pop.	E	\$44,682	\$275,816	\$320,498	\$56,160	\$376,658
	652	Tern, roseate (<i>Sterna dougallii dougallii</i>) - Western Hemisphere except NE U.S.	T	\$7,000	\$32,644	\$39,644	\$0	\$39,644
	1205	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	\$6,129	\$0	\$6,129	\$0	\$6,129
	1183	Thrush, Molokai (<i>Myadestes lanaiensis rutha</i>)	E	\$7,131	\$0	\$7,131	\$0	\$7,131
	276	Thrush, small Kauai (=puiaiohi) (<i>Myadestes palmeri</i>)	E	\$207,553	\$42,184	\$249,737	\$0	\$249,737
	505	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>)	T	\$49,988	\$34,500	\$84,488	\$0	\$84,488
	175	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$50,500	\$589,493	\$639,993	\$6,300	\$646,293
	76	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$207,285	\$2,665,543	\$2,872,828	\$0	\$2,872,828
	112	Warbler, Kirtland's (<i>Setophaga kirtlandii</i> (= <i>Dendroica kirtlandii</i>))	E	\$229,500	\$698,738	\$928,238	\$400,000	\$1,328,238
	325	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscinia</i>)	E	\$123,759	\$47,000	\$170,759	\$0	\$170,759
	1252	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>)	E	\$0	\$3,350	\$3,350	\$0	\$3,350

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	109	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$295,000	\$1,159,804	\$1,454,804	\$5,750	\$1,460,554
	620	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>)	E	\$44,227	\$0	\$44,227	\$0	\$44,227
	639	White-eye, Rota bridled (<i>Zosterops rotensis</i>)	E	\$41,264	\$0	\$41,264	\$0	\$41,264
	1174	Woodpecker, ivory-billed (<i>Campetherus principalis</i>)	E	\$1,250	\$6,350	\$7,600	\$0	\$7,600
	7	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$4,464,533	\$28,641,241	\$33,105,774	\$1,688,199	\$34,793,973
Birds subtotal				\$35,002,954	\$150,581,173	\$185,584,127	\$3,551,781	\$189,135,908
Reptiles	95	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$132,000	\$316,578	\$448,578	\$1,352,370	\$1,800,948
	1163	Anole, Culebra Island giant (<i>Anolis roosevelti</i>)	E	\$8,000	\$0	\$8,000	\$0	\$8,000
	1196	Boa, Mona (<i>Epicrates monensis monensis</i>)	T	\$6,500	\$0	\$6,500	\$0	\$6,500
	530	Boa, Puerto Rican (<i>Epicrates inornatus</i>)	E	\$20,000	\$55,000	\$75,000	\$0	\$75,000
	1089	Boa, Virgin Islands tree (<i>Epicrates monensis granti</i>)	E	\$10,500	\$0	\$10,500	\$0	\$10,500
	125	Crocodile, American (<i>Crocodylus acutus</i>) - FL pop.	T	\$13,000	\$1,061,846	\$1,074,846	\$33,980	\$1,108,826
	1219	Gecko, Monito (<i>Sphaerodactylus micropithecus</i>)	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	572	Iguana, Mona ground (<i>Cyclura stejnegeri</i>)	T	\$56,500	\$0	\$56,500	\$0	\$56,500
	183	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$86,852	\$502,943	\$589,795	\$0	\$589,795
	213	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	\$410,957	\$25,135	\$436,092	\$0	\$436,092
	204	Lizard, Island night (<i>Xantusia riversiana</i>)	T	\$52,784	\$448,887	\$501,671	\$0	\$501,671

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	535	Lizard, St. Croix ground (<i>Ameiva polops</i>)	E	\$13,000	\$60,000	\$73,000	\$0	\$73,000
	797	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$8,000	\$1,793	\$9,793	\$13,641	\$23,434
	1123	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>)	T	\$3,000	\$3,000	\$6,000	\$3,480	\$9,480
	79	Sea turtle, green (<i>Chelonia mydas</i>) - FL, Mexico nesting pops.	E	\$176,640	\$2,379,985	\$2,556,625	\$217,390	\$2,774,015
	56	Sea turtle, green (<i>Chelonia mydas</i>) - except where endangered	T	\$378,473	\$4,268,221	\$4,646,694	\$202,533	\$4,849,227
	52	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$480,457	\$4,354,954	\$4,835,411	\$196,082	\$5,031,493
	48	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	\$352,344	\$5,006,298	\$5,358,642	\$254,664	\$5,613,306
	50	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$1,074,594	\$4,091,489	\$5,166,083	\$239,774	\$5,405,857
	43	Sea turtle, loggerhead (<i>Caretta caretta</i>) - NW Atlantic DPS	T	\$970,584	\$4,184,734	\$5,155,318	\$952,457	\$6,107,775
	77	Sea turtle, loggerhead (<i>Caretta caretta</i>) - N Pacific Ocean DPS	E	\$47,134	\$2,732,261	\$2,779,395	\$0	\$2,779,395
	83	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - except where endangered	T	\$263,227	\$2,421,844	\$2,685,071	\$0	\$2,685,071
	120	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - Mexican nesting pop.	E	\$0	\$1,197,731	\$1,197,731	\$0	\$1,197,731
	267	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$96,000	\$165,687	\$261,687	\$0	\$261,687
	145	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$625,000	\$240,731	\$865,731	\$0	\$865,731
	1172	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>)	T	\$7,000	\$620	\$7,620	\$0	\$7,620

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	516	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) - IN, MI, OH	T	\$21,300	\$59,183	\$80,483	\$500	\$80,983
	91	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$684,000	\$1,191,309	\$1,875,309	\$37,782	\$1,913,091
	173	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$208,748	\$443,024	\$651,772	\$0	\$651,772
	294	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	\$90,500	\$127,100	\$217,600	\$0	\$217,600
	72	Tortoise, desert (<i>Gopherus agassizii</i>) - outside/taken from Sonoran Desert	SAT	\$0	\$3,266,559	\$3,266,559	\$0	\$3,266,559
	34	Tortoise, desert (<i>Gopherus agassizii</i>) - except in Sonoran Desert	T	\$5,170,526	\$2,629,817	\$7,800,343	\$256,755	\$8,057,098
	139	Tortoise, gopher (<i>Gopherus polyphemus</i>) - W of Mobile/Tombigbee Rs.	T	\$115,000	\$809,189	\$924,189	\$7,988	\$932,177
	512	Turtle, Alabama red-belly (<i>Pseudemys alabamensis</i>)	E	\$52,000	\$21,721	\$73,721	\$8,000	\$81,721
	85	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - northern	T	\$671,862	\$1,629,362	\$2,301,224	\$185,617	\$2,486,841
	177	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - southern	SAT	\$10,000	\$605,860	\$615,860	\$16,300	\$632,160
	670	Turtle, flattened musk (<i>Sternotherus depressus</i>) - species range clarified	T	\$18,000	\$11,078	\$29,078	\$8,000	\$37,078
	1105	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	\$0	\$2,580	\$2,580	\$7,488	\$10,068
	1246	Turtle, yellow-blotched map (<i>Graptemys flavimaculata</i>)	T	\$0	\$3,873	\$3,873	\$0	\$3,873
	281	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	\$119,700	\$119,100	\$238,800	\$0	\$238,800

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
Reptiles subtotal				\$12,459,682	\$44,439,492	\$56,899,174	\$3,994,801	\$60,893,975
Amphibians	783	Coqui, golden (<i>Eleutherodactylus jasperi</i>)	T	\$7,000	\$17,500	\$24,500	\$0	\$24,500
	75	Frog, California red-legged (<i>Rana draytonii</i>)	T	\$791,251	\$2,119,374	\$2,910,625	\$0	\$2,910,625
	126	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>)	T	\$153,055	\$649,788	\$802,843	\$305,280	\$1,108,123
	286	Frog, dusky gopher (<i>Rana sevosa</i>)	E	\$162,000	\$67,212	\$229,212	\$3,609	\$232,821
	158	Frog, mountain yellow-legged (<i>Rana muscosa</i>) – So. CA DPS	E	\$135,108	\$639,005	\$774,113	\$0	\$774,113
	1227	Guajon (<i>Eleutherodactylus cooki</i>)	T	\$5,000	\$0	\$5,000	\$0	\$5,000
	483	Hellbender, Ozark (<i>Cryptobranchus alleganiensis bishopi</i>)	E	\$47,200	\$25,518	\$72,718	\$21,700	\$94,418
	529	Salamander, Austin blind (<i>Eurycea waterlooensis</i>)	E	\$75,000	\$550	\$75,550	\$0	\$75,550
	544	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	\$25,000	\$43,725	\$68,725	\$0	\$68,725
	67	Salamander, California tiger (<i>Ambystoma californiense</i>) - CA - Santa Barbara County	E	\$327,054	\$3,673,967	\$4,001,021	\$0	\$4,001,021
	242	Salamander, California tiger (<i>Ambystoma californiense</i>) - CA - Sonoma County	E	\$241,000	\$84,067	\$325,067	\$0	\$325,067
	134	Salamander, California tiger (<i>Ambystoma californiense</i>) - Central CA DPS	T	\$457,632	\$557,696	\$1,015,328	\$0	\$1,015,328
	1079	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$10,744	\$0	\$10,744	\$0	\$10,744
	1302	Salamander, desert slender (<i>Batrachoseps aridus</i>)	E	\$214	\$0	\$214	\$0	\$214
	221	Salamander, frosted flatwoods (<i>Ambystoma cingulatum</i>)	T	\$58,000	\$321,083	\$379,083	\$12,312	\$391,395

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	273	Salamander, Jollyville Plateau (<i>Eurycea tonkawae</i>)	T	\$250,000	\$550	\$250,550	\$0	\$250,550
	1066	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>)	T	\$200	\$10,901	\$11,101	\$0	\$11,101
	335	Salamander, Reticulated flatwoods (<i>Ambystoma bishopi</i>)	E	\$42,500	\$106,622	\$149,122	\$12,313	\$161,435
	1191	Salamander, San Marcos (<i>Eurycea nana</i>)	T	\$5,000	\$1,750	\$6,750	\$0	\$6,750
	546	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum croceum</i>)	E	\$66,928	\$0	\$66,928	\$0	\$66,928
	1056	Salamander, Shenandoah (<i>Plethodon shenandoah</i>)	E	\$600	\$10,900	\$11,500	\$0	\$11,500
	265	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>)	E	\$4,375	\$248,034	\$252,409	\$10,788	\$263,197
	1071	Salamander, Texas blind (<i>Typhlonolge rathbuni</i>)	E	\$10,000	\$950	\$10,950	\$0	\$10,950
	129	Toad, arroyo (=arroyo southwestern) (<i>Anaxyrus californicus</i>)	E	\$489,446	\$575,289	\$1,064,735	\$0	\$1,064,735
	211	Toad, Houston (<i>Bufo houstonensis</i>)	E	\$256,000	\$158,500	\$414,500	\$40,591	\$455,091
	1210	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>)	T	\$6,000	\$0	\$6,000	\$0	\$6,000
	192	Toad, Wyoming (<i>Anaxyrus baxteri</i>)	E	\$506,994	\$23,790	\$530,784	\$13,371	\$544,155
Amphibians subtotal				\$4,133,301	\$9,336,771	\$13,470,072	\$419,964	\$13,890,036
Fishes	181	Bocaccio (<i>Sebastodes paucispinis</i>) - Puget Sound–Georgia Basin DPS	E	\$0	\$422,655	\$422,655	\$186,000	\$608,655
	1245	Catfish, Yaqui (<i>Ictalurus pricei</i>)	T	\$475	\$1,200	\$1,675	\$2,280	\$3,955

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1299	Cavefish, Alabama (<i>Speoplatyrrhinus poulsoni</i>)	E	\$400	\$0	\$400	\$0	\$400
	481	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$92,900	\$2,985	\$95,885	\$400	\$96,285
	41	Chub, bonytail (<i>Gila elegans</i>)	E	\$281,131	\$5,640,763	\$5,921,894	\$409,432	\$6,331,326
	459	Chub, Borax Lake (<i>Gila boraxobius</i>)	E	\$81,938	\$22,100	\$104,038	\$2,500	\$106,538
	1209	Chub, Chihuahua (<i>Gila nigrescens</i>)	T	\$5,444	\$100	\$5,544	\$500	\$6,044
	176	Chub, Gila (<i>Gila intermedia</i>)	E	\$55,925	\$447,116	\$503,041	\$135,280	\$638,321
	64	Chub, humpback (<i>Gila cypha</i>)	E	\$36,265	\$3,709,310	\$3,745,575	\$366,472	\$4,112,047
	1266	Chub, Hutton tui (<i>Gila bicolor</i> ssp.)	T	\$2,000	\$100	\$2,100	\$300	\$2,400
	136	Chub, Oregon (<i>Oregonichthys crameri</i>)	T	\$337,725	\$658,819	\$996,544	\$1,200	\$997,744
	241	Chub, Pahranagat roundtail (<i>Gila robusta jordani</i>)	E	\$312,361	\$10,400	\$322,761	\$9,000	\$331,761
	451	Chub, slender (<i>Erimystax cahni</i>)	T	\$22,000	\$87,169	\$109,169	\$0	\$109,169
	1144	Chub, Sonora (<i>Gila ditaenia</i>)	T	\$3,150	\$2,200	\$5,350	\$3,280	\$8,630
	250	Chub, spotfin (<i>Erimonax monachus</i>)	T	\$286,500	\$8,680	\$295,180	\$8,775	\$303,955
	1275	Chub, spotfin (<i>Erimonax monachus</i>) - Tellico River, TN	EXPN	\$0	\$1,600	\$1,600	\$0	\$1,600
	165	Chub, Virgin River (<i>Gila seminuda</i> (=robusta))	E	\$223,728	\$170,180	\$393,908	\$332,399	\$726,307
	1015	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$105	\$11,200	\$11,305	\$2,280	\$13,585
	123	Cui-ui (<i>Chasmistes cujus</i>)	E	\$264,508	\$886,360	\$1,150,868	\$200	\$1,151,068
	272	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$242,872	\$7,500	\$250,372	\$900	\$251,272
	262	Dace, blackside (<i>Phoxinus cumberlandensis</i>)	T	\$127,000	\$138,890	\$265,890	\$0	\$265,890
	650	Dace, Clover Valley speckled (<i>Rhinichthys osculus oligoporus</i>)	E	\$35,964	\$2,600	\$38,564	\$1,100	\$39,664

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	506	Dace, desert (<i>Eremichthys acros</i>)	T	\$83,924	\$100	\$84,024	\$400	\$84,424
	488	Dace, Foskett speckled (<i>Rhinichthys osculus</i> ssp.)	T	\$53,000	\$37,100	\$90,100	\$1,900	\$92,000
	1097	Dace, Independence Valley speckled (<i>Rhinichthys osculus lethoporus</i>)	E	\$9,990	\$100	\$10,090	\$100	\$10,190
	1108	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>)	E	\$2,880	\$7,120	\$10,000	\$0	\$10,000
	990	Dace, Laurel (<i>Chrosomus saylori</i>)	E	\$11,500	\$2,990	\$14,490	\$0	\$14,490
	258	Dace, Moapa (<i>Moapa coriacea</i>)	E	\$247,800	\$17,500	\$265,300	\$8,400	\$273,700
	542	Darter, amber (<i>Percina antesella</i>)	E	\$35,500	\$26,400	\$61,900	\$7,500	\$69,400
	1163	Darter, bayou (<i>Etheostoma rubrum</i>)	T	\$7,500	\$500	\$8,000	\$0	\$8,000
	836	Darter, bluemask (=jewel) (<i>Etheostoma</i> sp.)	E	\$7,000	\$13,040	\$20,040	\$0	\$20,040
	205	Darter, boulder (<i>Etheostoma wapiti</i>)	E	\$10,500	\$491,000	\$501,500	\$0	\$501,500
	185	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$541,000	\$28,488	\$569,488	\$7,500	\$576,988
	849	Darter, Cumberland (<i>Etheostoma susanae</i>)	E	\$13,000	\$5,624	\$18,624	\$1,000	\$19,624
	402	Darter, diamond (<i>Crystallaria cincotta</i>)	E	\$117,460	\$7,200	\$124,660	\$1,000	\$125,660
	799	Darter, duskytail (<i>Etheostoma percnurum</i>)	E	\$16,500	\$6,683	\$23,183	\$0	\$23,183
	1274	Darter, duskytail (<i>Etheostoma percnurum</i>) - Tellico R., TN	EXPN	\$0	\$1,700	\$1,700	\$0	\$1,700
	188	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$530,000	\$26,900	\$556,900	\$7,500	\$564,400
	751	Darter, fountain (<i>Etheostoma fonticola</i>)	E	\$15,000	\$13,200	\$28,200	\$0	\$28,200

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	756	Darter, goldline (<i>Percina aurolineata</i>)	T	\$12,000	\$3,286	\$15,286	\$12,500	\$27,786
	775	Darter, leopard (<i>Percina pantherina</i>)	T	\$7,900	\$12,695	\$20,595	\$4,500	\$25,095
	1068	Darter, Maryland (<i>Etheostoma sellare</i>)	E	\$11,010	\$0	\$11,010	\$0	\$11,010
	252	Darter, Niangua (<i>Etheostoma nianguae</i>)	T	\$278,000	\$12,284	\$290,284	\$0	\$290,284
	298	Darter, Okaloosa (<i>Etheostoma okaloosae</i>)	E	\$133,500	\$77,613	\$211,113	\$0	\$211,113
	971	Darter, relict (<i>Etheostoma chienense</i>)	E	\$15,000	\$300	\$15,300	\$100	\$15,400
	1202	Darter, rush (<i>Etheostoma phytophilum</i>)	E	\$5,000	\$1,335	\$6,335	\$0	\$6,335
	645	Darter, slackwater (<i>Etheostoma boschungi</i>)	T	\$23,000	\$0	\$23,000	\$17,500	\$40,500
	803	Darter, snail (<i>Percina tanasi</i>)	T	\$10,500	\$7,866	\$18,366	\$4,500	\$22,866
	1267	Darter, vermillion (<i>Etheostoma chermocki</i>)	E	\$1,000	\$1,295	\$2,295	\$0	\$2,295
	790	Darter, watercress (<i>Etheostoma nuchale</i>)	E	\$23,500	\$398	\$23,898	\$0	\$23,898
	676	Darter, yellowcheek (<i>Etheostoma moorei</i>)	E	\$30,000	\$6,140	\$36,140	\$700	\$36,840
	168	Eulachon, Pacific (<i>Thaleichthys pacificus</i>) - Southern DPS	T	\$6,100	\$635,854	\$641,954	\$37,800	\$679,754
	1177	Gambusia, Big Bend (<i>Gambusia gaigei</i>)	E	\$2,500	\$5,000	\$7,500	\$0	\$7,500
	1286	Gambusia, Clear Creek (<i>Gambusia heterochir</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	592	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$10,034	\$27,100	\$37,134	\$12,402	\$49,536
	1262	Gambusia, San Marcos (<i>Gambusia georgei</i>)	E	\$1,000	\$1,600	\$2,600	\$0	\$2,600
	157	Goby, tidewater (<i>Eucyclogobius newberryi</i>)	E	\$567,937	\$211,491	\$779,428	\$0	\$779,428

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	528	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	\$67,000	\$4,188	\$71,188	\$4,500	\$75,688
	220	Logperch, Roanoke (<i>Percina rex</i>)	E	\$98,500	\$292,046	\$390,546	\$6,600	\$397,146
	1232	Madtom, chucky (<i>Noturus crypticus</i>)	E	\$4,500	\$40	\$4,540	\$0	\$4,540
	243	Madtom, Neosho (<i>Noturus placidus</i>)	T	\$24,835	\$298,278	\$323,113	\$800	\$323,913
	998	Madtom, pygmy (<i>Noturus stanauli</i>)	E	\$10,500	\$3,650	\$14,150	\$0	\$14,150
	1298	Madtom, Scioto (<i>Noturus trautmani</i>)	E	\$300	\$108	\$408	\$0	\$408
	807	Madtom, smoky (<i>Noturus baileyi</i>)	E	\$14,000	\$8,548	\$22,548	\$0	\$22,548
	1275	Madtom, smoky (<i>Noturus baileyi</i>) - Tellico River, TN	EXPN	\$0	\$1,600	\$1,600	\$0	\$1,600
	511	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - except where EXPN	T	\$71,500	\$10,548	\$82,048	\$0	\$82,048
	1243	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Holston River, VA, TN	EXPN	\$4,000	\$0	\$4,000	\$0	\$4,000
	1275	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Tellico River, TN	EXPN	\$0	\$1,600	\$1,600	\$0	\$1,600
	1218	Minnow, Devils River (<i>Dionda diaboli</i>)	T	\$5,000	\$530	\$5,530	\$0	\$5,530
	154	Minnow, loach (<i>Tiaroga cobitis</i>)	T	\$64,173	\$467,239	\$531,412	\$259,748	\$791,160
	39	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - except where EXPN	E	\$280,824	\$6,532,100	\$6,812,924	\$64,200	\$6,877,124
	46	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - Rio Grande, from Little Box Canyon to Amistad Dam	EXPN	\$60,000	\$5,789,904	\$5,849,904	\$4,456	\$5,854,360

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	42	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - except Salt and Verde R. drainages, AZ	E	\$191,737	\$5,422,850	\$5,614,587	\$551,066	\$6,165,653
	1104	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - Salt and Verde R. drainages, AZ	EXPN	\$0	\$5,425	\$5,425	\$4,650	\$10,075
	413	Poolfish, Pahrump (<i>Empetrichthys latos</i>)	E	\$98,402	\$19,000	\$117,402	\$3,100	\$120,502
	259	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$262,876	\$7,500	\$270,376	\$1,000	\$271,376
	713	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$1,000	\$20,000	\$21,000	\$11,902	\$32,902
	200	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$8,107	\$309,781	\$317,888	\$203,380	\$521,268
	167	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$304,310	\$379,368	\$683,678	\$2,600	\$686,278
	1278	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>)	E	\$1,500	\$0	\$1,500	\$0	\$1,500
	478	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	\$79,436	\$18,500	\$97,936	\$0	\$97,936
	370	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$129,968	\$7,800	\$137,768	\$700	\$138,468
	179	Rockfish, Canary (<i>Sebastodes pinniger</i>) - Puget Sound–Georgia Basin DPS	T	\$0	\$433,147	\$433,147	\$193,000	\$626,147
	178	Rockfish, Yelloweye (<i>Sebastodes ruberrimus</i>) - Puget Sound–Georgia Basin DPS	T	\$0	\$432,747	\$432,747	\$196,000	\$628,747
	27	Salmon, Atlantic (<i>Salmo salar</i>) - Expanded Gulf of ME DPS	E	\$2,970,235	\$7,784,393	\$10,754,628	\$322,000	\$11,076,628

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	5	Salmon, chinook <i>(Oncorhynchus (=Salmo) tshawytscha)</i> - Snake River fall-run ESU	T	\$999,071	\$38,819,853	\$39,818,924	\$377,000	\$40,195,924
	4	Salmon, chinook <i>(Oncorhynchus (=Salmo) tshawytscha)</i> - Snake River spring/summer-run ESU	T	\$219,904	\$46,813,870	\$47,033,774	\$581,000	\$47,614,774
	35	Salmon, chinook <i>(Oncorhynchus (=Salmo) tshawytscha)</i> - Sacramento River winter-run ESU	E	\$28,000	\$7,978,781	\$8,006,781	\$0	\$8,006,781
	24	Salmon, chinook <i>(Oncorhynchus (=Salmo) tshawytscha)</i> - Puget Sound ESU	T	\$43,746	\$5,035,930	\$5,079,676	\$7,589,000	\$12,668,676
	12	Salmon, chinook <i>(Oncorhynchus (=Salmo) tshawytscha)</i> - Lower Columbia River ESU	T	\$696,500	\$24,598,021	\$25,294,521	\$1,603,000	\$26,897,521
	11	Salmon, chinook <i>(Oncorhynchus (=Salmo) tshawytscha)</i> - Upper Willamette River ESU	T	\$4,000	\$28,412,687	\$28,416,687	\$227,000	\$28,643,687
	8	Salmon, chinook <i>(Oncorhynchus (=Salmo) tshawytscha)</i> - Upper Columbia spring-run ESU	E	\$229,404	\$33,405,174	\$33,634,578	\$1,062,000	\$34,696,578
	58	Salmon, chinook <i>(Oncorhynchus (=Salmo) tshawytscha)</i> - Central Valley spring-run ESU	T	\$30,000	\$4,703,791	\$4,733,791	\$0	\$4,733,791
	59	Salmon, chinook <i>(Oncorhynchus (=Salmo) tshawytscha)</i> - CA coastal	T	\$0	\$4,656,032	\$4,656,032	\$0	\$4,656,032
	19	Salmon, chum <i>(Oncorhynchus (=Salmo) keta)</i> - Columbia R.	T	\$29,500	\$14,444,323	\$14,473,823	\$564,000	\$15,037,823

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	57	Salmon, chum (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>keta</i>) - summer-run Hood Canal	T	\$400	\$4,198,023	\$4,198,423	\$606,000	\$4,804,423
	36	Salmon, coho (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>) - Central California Coast ESU	E	\$0	\$7,632,005	\$7,632,005	\$0	\$7,632,005
	26	Salmon, coho (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>) – So. OR– No. CA Coast ESU	T	\$1,068,308	\$10,493,679	\$11,561,987	\$15,000	\$11,576,987
	40	Salmon, coho (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>) - Oregon Coast ESU	T	\$138,700	\$5,566,971	\$5,705,671	\$1,140,200	\$6,845,871
	25	Salmon, coho (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>) - Lower Columbia River ESU	T	\$184,100	\$10,544,928	\$10,729,028	\$1,386,500	\$12,115,528
	14	Salmon, sockeye (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>) - Snake River, ID	E	\$2,404	\$24,614,330	\$24,616,734	\$205,385	\$24,822,119
	62	Salmon, sockeye (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>) - Ozette Lake, WA	T	\$3,000	\$4,190,999	\$4,193,999	\$203,000	\$4,396,999
	133	Sawfish, smalltooth (<i>Pristis pectinata</i>) - TX, FL	E	\$200	\$1,003,108	\$1,003,308	\$23,407	\$1,026,715
	1134	Sculpin, pygmy (<i>Cottus paulus</i> (= <i>pygmaeus</i>))	T	\$400	\$5,000	\$5,400	\$3,500	\$8,900
	278	Shiner, Arkansas River (<i>Notropis girardi</i>) - Arkansas R. Basin	T	\$28,684	\$202,291	\$230,975	\$10,256	\$241,231
	1242	Shiner, beautiful (<i>Cyprinella formosa</i>)	T	\$105	\$1,160	\$1,265	\$2,780	\$4,045
	710	Shiner, blue (<i>Cyprinella caerulea</i>)	T	\$21,500	\$7,266	\$28,766	\$4,500	\$33,266
	1282	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$1,000	\$298	\$1,298	\$0	\$1,298
	557	Shiner, Cape Fear (<i>Notropis mekistocholas</i>)	E	\$32,750	\$4,800	\$37,550	\$23,550	\$61,100

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1222	Shiner, palezone (<i>Notropis albizonatus</i>)	E	\$5,000	\$240	\$5,240	\$0	\$5,240
	128	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$22,288	\$1,054,510	\$1,076,798	\$0	\$1,076,798
	115	Shiner, Topeka (<i>Notropis topeka (=tristis)</i>)	E	\$576,298	\$638,313	\$1,214,611	\$59,400	\$1,274,011
	731	Silverside, Waccamaw (<i>Menidia extensa</i>)	T	\$26,750	\$0	\$26,750	\$3,650	\$30,400
	18	Smelt, delta (<i>Hypomesus transpacificus</i>)	T	\$1,757,325	\$13,305,361	\$15,062,686	\$0	\$15,062,686
	160	Spikedace (<i>Meda fulgida</i>)	T	\$57,113	\$452,414	\$509,527	\$251,748	\$761,275
	552	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>)	T	\$23,976	\$38,200	\$62,176	\$1,100	\$63,276
	772	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	\$10,080	\$1,850	\$11,930	\$13,280	\$25,210
	375	Spinedace, White River (<i>Lepidomeda albivallis</i>)	E	\$131,868	\$1,108	\$132,976	\$4,200	\$137,176
	581	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>)	E	\$47,952	\$1,830	\$49,782	\$2,800	\$52,582
	707	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	\$16,784	\$3,328	\$20,112	\$13,400	\$33,512
	574	Springfish, White River (<i>Crenichthys baileyi baileyi</i>)	E	\$43,956	\$10,500	\$54,456	\$1,600	\$56,056
	37	Steelhead (<i>Oncorhynchus (=Salmo) mykiss</i>) - Central Valley CA	T	\$18,000	\$7,025,476	\$7,043,476	\$0	\$7,043,476
	3	Steelhead (<i>Oncorhynchus (=Salmo) mykiss</i>) - Snake R. Basin	T	\$728,071	\$53,124,553	\$53,852,624	\$792,189	\$54,644,813
	47	Steelhead (<i>Oncorhynchus (=Salmo) mykiss</i>) - central CA coast	T	\$15,031	\$5,727,325	\$5,742,356	\$0	\$5,742,356
	22	Steelhead (<i>Oncorhynchus (=Salmo) mykiss</i>) - lower Columbia R.	T	\$169,000	\$12,259,938	\$12,428,938	\$835,000	\$13,263,938

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	63	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - south central CA coast	T	\$8,135	\$4,375,173	\$4,383,308	\$0	\$4,383,308
	54	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - southern CA coast	E	\$66,333	\$4,876,922	\$4,943,255	\$0	\$4,943,255
	6	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - upper Columbia R. Basin	T	\$116,904	\$37,221,328	\$37,338,232	\$328,000	\$37,666,232
	16	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - upper Willamette R.	T	\$8,600	\$19,708,952	\$19,717,552	\$224,000	\$19,941,552
	2	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - middle Columbia R.	T	\$415,904	\$54,113,229	\$54,529,133	\$530,000	\$55,059,133
	45	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - northern CA	T	\$0	\$5,936,543	\$5,936,543	\$0	\$5,936,543
	44	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Puget Sound DPS	T	\$55,833	\$4,644,252	\$4,700,085	\$1,256,000	\$5,956,085
	539	Stickleback, unarmored threespine (<i>Gasterosteus aculeatus williamsoni</i>)	E	\$49,741	\$20,677	\$70,418	\$0	\$70,418
	667	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>)	E	\$30,500	\$2,455	\$32,955	\$4,500	\$37,455
	69	Sturgeon, Atlantic (<i>Acipenser oxyrinchus oxyrinchus</i>) - Gulf of Maine	T	\$324,234	\$3,137,186	\$3,461,420	\$164,912	\$3,626,332
	103	Sturgeon, gulf (<i>Acipenser oxyrinchus desotoi</i>)	T	\$454,500	\$1,129,853	\$1,584,353	\$6,500	\$1,590,853
	81	Sturgeon, North American green (<i>Acipenser medirostris</i>) - CA Southern DPS	T	\$1,000	\$2,659,135	\$2,660,135	\$42,800	\$2,702,935
	1	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$4,526,765	\$50,602,027	\$55,128,792	\$137,000	\$55,265,792

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	73	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	E	\$55,500	\$2,967,764	\$3,023,264	\$238,686	\$3,261,950
	531	Sturgeon, Shovelnose (<i>Scaphirhynchus platorynchus</i>)	SAT	\$0	\$74,500	\$74,500	\$0	\$74,500
	23	Sturgeon, white (<i>Acipenser transmontanus</i>) - ID, MT, Canada (B.C.), Kootenai R. system	E	\$462,478	\$12,344,352	\$12,806,830	\$876	\$12,807,706
	118	Sucker, June (<i>Chasmistes liorus</i>)	E	\$126,000	\$583,800	\$709,800	\$526,702	\$1,236,502
	104	Sucker, Lost River (<i>Deltistes luxatus</i>)	E	\$699,838	\$873,704	\$1,573,542	\$3,900	\$1,577,442
	299	Sucker, Modoc (<i>Catostomus microps</i>)	E	\$152,342	\$53,604	\$205,946	\$3,500	\$209,446
	28	Sucker, razorback (<i>Xyrauchen texanus</i>)	E	\$819,246	\$8,724,381	\$9,543,627	\$541,726	\$10,085,353
	236	Sucker, Santa Ana (<i>Catostomus santaanae</i>) - 3 CA river basins	T	\$38,947	\$311,950	\$350,897	\$0	\$350,897
	97	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	\$858,096	\$909,004	\$1,767,100	\$3,900	\$1,771,000
	216	Sucker, Warner (<i>Catostomus warnerensis</i>)	T	\$262,638	\$153,650	\$416,288	\$2,100	\$418,388
	156	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) - U.S.A. only	E	\$20,895	\$460,442	\$481,337	\$305,280	\$786,617
	255	Trout, Apache (<i>Oncorhynchus apache</i>)	T	\$4,620	\$43,260	\$47,880	\$232,255	\$280,135
	10	Trout, bull (<i>Salvelinus confluentus</i>) - conterminous, lower 48 states	T	\$8,654,792	\$22,264,852	\$30,919,644	\$1,215,863	\$32,135,507
	317	Trout, Gila (<i>Oncorhynchus gilae</i>)	T	\$16,976	\$3,260	\$20,236	\$165,110	\$185,346
	153	Trout, Greenback Cutthroat (<i>Oncorhynchus clarki stomias</i>)	T	\$156,169	\$570,224	\$726,393	\$69,000	\$795,393

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	61	Trout, Lahontan cutthroat <i>(Oncorhynchus clarkii henshawi)</i>	T	\$2,494,565	\$1,999,312	\$4,493,877	\$97,200	\$4,591,077
	453	Trout, Little Kern golden <i>(Oncorhynchus aguabonita whitei)</i>	T	\$37,000	\$71,600	\$108,600	\$0	\$108,600
	507	Trout, Paiute cutthroat <i>(Oncorhynchus clarkii seleniris)</i>	T	\$83,916	\$0	\$83,916	\$0	\$83,916
	373	Tui chub, Mohave (<i>Gila bicolor</i> ssp. <i>mohavensis</i>)	E	\$65,490	\$72,380	\$137,870	\$0	\$137,870
	801	Tui chub, Owens (<i>Gila bicolor</i> ssp. <i>snyderi</i>)	E	\$4,054	\$19,000	\$23,054	\$0	\$23,054
	135	Woundfin (<i>Plagopterus argentissimus</i>) - except Gila R. drainage, AZ, NM	E	\$361,538	\$167,880	\$529,418	\$471,713	\$1,001,131
	1268	Woundfin (<i>Plagopterus argentissimus</i>) - Gila R. drainage, AZ, NM	EXPN	\$0	\$2,200	\$2,200	\$0	\$2,200
Fishes subtotal				\$38,851,346	\$654,249,836	\$693,101,182	\$27,594,270	\$720,695,452
Clams	641	Acornshell, southern <i>(Epioblasma othcaloogensis)</i>	E	\$1,500	\$39,687	\$41,187	\$0	\$41,187
	296	Bankclimber, purple (mussel) <i>(Elliptoideus sloatianus)</i>	T	\$125,000	\$85,319	\$210,319	\$3,000	\$213,319
	871	Bean, Choctaw (<i>Villosa choctawensis</i>)	E	\$0	\$18,695	\$18,695	\$0	\$18,695
	590	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - Except where EXPN	E	\$36,500	\$3,597	\$40,097	\$10,000	\$50,097
	306	Bean, purple (<i>Villosa perpurpurea</i>)	E	\$197,000	\$850	\$197,850	\$0	\$197,850
	548	Bean, rayed (<i>Villosa fabalis</i>)	E	\$23,863	\$29,569	\$53,432	\$12,392	\$65,824
	1286	Blossom, green (pearlymussel) <i>(Epioblasma torulosa gubernaculum)</i>	E	\$1,000	\$0	\$1,000	\$0	\$1,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1273	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - Except where EXPN	E	\$1,200	\$540	\$1,740	\$0	\$1,740
	1291	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$828	\$0	\$828	\$0	\$828
	1275	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) - Except where EXPN	E	\$1,500	\$100	\$1,600	\$0	\$1,600
	1290	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) - Except where EXPN	E	\$800	\$40	\$840	\$0	\$840
	566	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>)	E	\$11,800	\$45,638	\$57,438	\$0	\$57,438
	253	Clubshell (<i>Pleurobema clava</i>) - Except where EXPN	E	\$131,472	\$126,610	\$258,082	\$31,550	\$289,632
	1296	Clubshell (<i>Pleurobema clava</i>) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$600	\$600	\$0	\$600
	975	Clubshell, black (<i>Pleurobema curtum</i>)	E	\$15,000	\$100	\$15,100	\$0	\$15,100
	625	Clubshell, ovate (<i>Pleurobema perovatum</i>)	E	\$1,500	\$38,901	\$40,401	\$2,500	\$42,901
	628	Clubshell, southern (<i>Pleurobema decisum</i>)	E	\$12,000	\$25,984	\$37,984	\$4,500	\$42,484
	466	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - Except where EXPN	E	\$46,750	\$48,727	\$95,477	\$8,000	\$103,477

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1304	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$100	\$100	\$0	\$100
	926	Combshell, southern (<i>Epioblasma penita</i>)	E	\$15,000	\$954	\$15,954	\$1,000	\$16,954
	809	Combshell, upland (<i>Epioblasma metastriata</i>)	E	\$2,000	\$19,355	\$21,355	\$1,000	\$22,355
	878	Ebonyshell, round (<i>Fusconaia rotulata</i>)	E	\$0	\$18,447	\$18,447	\$0	\$18,447
	438	Elktoe, Appalachian (<i>Alasmidonta raveneliana</i>)	E	\$79,500	\$12,350	\$91,850	\$20,875	\$112,725
	654	Elktoe, Cumberland (<i>Alasmidonta atropurpurea</i>)	E	\$16,500	\$12,947	\$29,447	\$10,000	\$39,447
	420	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$69,380	\$45,908	\$115,288	\$4,000	\$119,288
	1211	Fflatmucket, Arkansas (<i>Lampsilis powelli</i>)	T	\$5,000	\$470	\$5,470	\$500	\$5,970
	1090	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>)	T	\$2,000	\$8,434	\$10,434	\$0	\$10,434
	212	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	\$137,000	\$292,933	\$429,933	\$6,750	\$436,683
	191	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$208,800	\$327,459	\$536,259	\$19,500	\$555,759
	887	Kidneyshell, southern (<i>Ptychobranchus jonesi</i>)	E	\$0	\$18,200	\$18,200	\$0	\$18,200
	869	Kidneyshell, triangular (<i>Ptychobranchus greenii</i>)	E	\$11,500	\$2,769	\$14,269	\$4,500	\$18,769
	198	Lampmussel, Alabama (<i>Lampsilis virescens</i>) - Except where EXPN	E	\$8,000	\$514,500	\$522,500	\$3,500	\$526,000
	1297	Lampmussel, Alabama (<i>Lampsilis virescens</i>) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$0	\$0	\$500	\$500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1132	Lilliput, pale (pearlymussel) <i>(Toxolasma cylindrellus)</i>	E	\$5,500	\$0	\$5,500	\$3,500	\$9,000
	172	Mapleleaf, winged (<i>Quadrula fragosa</i>) - except where EXPN	E	\$468,550	\$182,418	\$650,968	\$6,800	\$657,768
	1303	Mapleleaf, winged (<i>Quadrula fragosa</i>) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$200	\$200	\$0	\$200
	728	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	\$7,500	\$18,822	\$26,322	\$4,500	\$30,822
	695	Moccasinshell, Coosa (<i>Medionidus parvulus</i>)	E	\$11,000	\$20,170	\$31,170	\$3,500	\$34,670
	372	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$96,000	\$36,472	\$132,472	\$5,500	\$137,972
	602	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$7,000	\$36,200	\$43,200	\$5,500	\$48,700
	747	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	\$28,500	\$40	\$28,540	\$0	\$28,540
	696	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - Except where EXPN	E	\$30,000	\$4,630	\$34,630	\$0	\$34,630
	1174	Mucket, orangenacre (<i>Lampsilis perovalis</i>)	T	\$1,750	\$2,350	\$4,100	\$3,500	\$7,600
	142	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$437,858	\$426,872	\$864,730	\$22,500	\$887,230
	538	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - Except where EXPN	E	\$68,500	\$1,940	\$70,440	\$0	\$70,440
	1304	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$100	\$100	\$0	\$100
	589	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$21,350	\$26,933	\$48,283	\$1,900	\$50,183

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	324	Mussel, sheepnose (<i>Plethobasus cyphyus</i>)	E	\$69,435	\$96,335	\$165,770	\$5,192	\$170,962
	171	Mussel, snuffbox (<i>Epioblasma triquetra</i>)	E	\$100,865	\$554,709	\$655,574	\$6,133	\$661,707
	1235	Pearlshell, Alabama (<i>Margaritifera marrianae</i>)	E	\$0	\$935	\$935	\$3,500	\$4,435
	284	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>)	T	\$211,500	\$19,860	\$231,360	\$3,609	\$234,969
	614	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - Except where EXPN	E	\$40,500	\$5,063	\$45,563	\$0	\$45,563
	1069	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - Tennessee River below Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$11,000	\$0	\$11,000	\$0	\$11,000
	201	Pearlymussel, cracking (<i>Hemistena lata</i>) - Except where EXPN	E	\$35,600	\$482,457	\$518,057	\$0	\$518,057
	1292	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>)	E	\$600	\$200	\$800	\$0	\$800
	591	Pearlymussel, dromedary (<i>Dromus dromas</i>) - Except where EXPN	E	\$41,000	\$4,940	\$45,940	\$4,000	\$49,940
	455	Pearlymussel, littlewing (<i>Pegias fabula</i>)	E	\$89,000	\$11,854	\$100,854	\$7,125	\$107,979
	1287	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>)	E	\$400	\$540	\$940	\$0	\$940
	1277	Pigtoe, dark (<i>Pleurobema furvum</i>)	E	\$1,500	\$34	\$1,534	\$0	\$1,534
	697	Pigtoe, finerayed (<i>Fusconaia cuneolus</i>) - Except where listed as EXPN	E	\$34,500	\$0	\$34,500	\$0	\$34,500
	1304	Pigtoe, flat (<i>Pleurobema marshalli</i>)	E	\$0	\$100	\$100	\$0	\$100

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	658	Pigtoe, fuzzy (<i>Pleurobema strodeanum</i>)	T	\$0	\$38,907	\$38,907	\$0	\$38,907
	1021	Pigtoe, Georgia (<i>Pleurobema hanleyianum</i>)	E	\$9,500	\$166	\$9,666	\$3,600	\$13,266
	1276	Pigtoe, heavy (<i>Pleurobema taitianum</i>)	E	\$750	\$839	\$1,589	\$0	\$1,589
	868	Pigtoe, narrow (<i>Fusconaia escambia</i>)	T	\$0	\$18,819	\$18,819	\$0	\$18,819
	314	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	\$103,000	\$82,153	\$185,153	\$3,500	\$188,653
	549	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$54,100	\$7,124	\$61,224	\$4,000	\$65,224
	1304	Pigtoe, rough (<i>Pleurobema plenum</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$100	\$100	\$0	\$100
	611	Pigtoe, shiny (<i>Fusconaia cor</i>) - Except where EXPN	E	\$46,000	\$0	\$46,000	\$0	\$46,000
	691	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	\$11,500	\$20,072	\$31,572	\$3,500	\$35,072
	875	Pigtoe, tapered (<i>Fusconaia burkei</i>)	T	\$0	\$18,596	\$18,596	\$0	\$18,596
	315	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	\$36,600	\$149,556	\$186,156	\$1,000	\$187,156
	1301	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$200	\$100	\$300	\$0	\$300
	307	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$79,150	\$106,140	\$185,290	\$10,000	\$195,290
	586	Pocketbook, finelined (<i>Lampsilis altilis</i>)	T	\$12,500	\$30,996	\$43,496	\$7,500	\$50,996
	673	Pocketbook, Ouachita rock (<i>Arkansas wheeleri</i>)	E	\$16,500	\$17,280	\$33,780	\$3,200	\$36,980

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	386	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$109,000	\$18,744	\$127,744	\$4,000	\$131,744
	805	Pocketbook, speckled (<i>Lampsilis streckeri</i>)	E	\$22,000	\$600	\$22,600	\$0	\$22,600
	1053	Purple Cat's paw (=Purple Cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - Except where EXPN	E	\$10,300	\$1,340	\$11,640	\$0	\$11,640
	1048	Purple cat's paw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$8,000	\$3,988	\$11,988	\$0	\$11,988
	600	Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>)	E	\$29,200	\$17,322	\$46,522	\$2,392	\$48,914
	269	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	\$124,936	\$92,570	\$217,506	\$36,567	\$254,073
	567	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (= <i>E. walkeri</i>))	E	\$47,500	\$3,747	\$51,247	\$6,000	\$57,247
	612	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	\$34,100	\$9,657	\$43,757	\$2,200	\$45,957
	859	Sandshell, Southern (<i>Hamiota australis</i>)	T	\$0	\$19,266	\$19,266	\$0	\$19,266
	533	Slabshell, Chipola (<i>Elliptio chipolaensis</i>)	T	\$6,000	\$67,260	\$73,260	\$0	\$73,260
	405	Spectaclecase (mussel) (<i>Cumberlandia monodonta</i>)	E	\$69,780	\$44,632	\$114,412	\$10,000	\$124,412
	760	Spiny mussel, Altamaha (<i>Elliptio spinosa</i>)	E	\$200	\$22,500	\$22,700	\$4,500	\$27,200
	295	Spiny mussel, James (<i>Pleurobema collina</i>)	E	\$195,708	\$16,056	\$211,764	\$3,025	\$214,789
	565	Spiny mussel, Tar River (<i>Elliptio steinstansana</i>)	E	\$25,500	\$14,660	\$40,160	\$17,950	\$58,110

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	279	Three-ridge, fat (mussel) <i>(Amblema neislerii)</i>	E	\$155,500	\$84,277	\$239,777	\$1,000	\$240,777
	571	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>)	E	\$7,600	\$48,957	\$56,557	\$0	\$56,557
	1294	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$0	\$700	\$700	\$0	\$700
	132	Wedgemussel, dwarf <i>(Alasmidonta heterodon)</i>	E	\$282,153	\$699,434	\$981,587	\$56,394	\$1,037,981
Clams subtotal				\$4,479,078	\$5,330,515	\$9,809,593	\$411,154	\$10,220,747
Snails	100	Abalone, Black (<i>Haliotis cracherodii</i>)	E	\$0	\$1,638,873	\$1,638,873	\$0	\$1,638,873
	141	Abalone, White (<i>Haliotis sorenseni</i>) - West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico	E	\$0	\$919,698	\$919,698	\$0	\$919,698
	575	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>)	E	\$1,575	\$30,110	\$31,685	\$24,075	\$55,760
	1288	Campeloma, slender (<i>Campeloma decampi</i>)	E	\$400	\$0	\$400	\$500	\$900
	986	Cavesnail, Tumbling Creek <i>(Antrobia culveri)</i>	E	\$8,800	\$5,790	\$14,590	\$0	\$14,590
	1206	Elimia, lacy (snail) (<i>Elimia crenatella</i>)	T	\$6,000	\$100	\$6,100	\$0	\$6,100
	1149	Globe, noonday (<i>Patera clarki nantahala</i>)	T	\$8,500	\$0	\$8,500	\$0	\$8,500
	1228	Hornsnail, rough (<i>Pleurocera foremani</i>)	E	\$1,500	\$300	\$1,800	\$3,000	\$4,800
	320	Limpet, Banbury Springs (<i>Lanx</i> sp.)	E	\$76,970	\$101,725	\$178,695	\$0	\$178,695
	1260	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$1,000	\$298	\$1,298	\$1,500	\$2,798

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1122	Marstonia, royal (snail) <i>(Pyrgulopsis ogmorhaphe)</i>	E	\$9,500	\$0	\$9,500	\$0	\$9,500
	1303	Pebblesnail, flat (<i>Lepyrium showalteri</i>)	E	\$200	\$0	\$200	\$0	\$200
	981	Riversnail, Anthony's (<i>Atheastaria anthonyi</i>) - Except where EXPN	E	\$12,500	\$817	\$13,317	\$1,500	\$14,817
	1174	Rocksnail, interrupted (=Georgia) (<i>Leptoxis foremani</i>)	E	\$200	\$2,400	\$2,600	\$5,000	\$7,600
	1203	Rocksnail, painted (<i>Leptoxis taeniata</i>)	T	\$6,000	\$300	\$6,300	\$0	\$6,300
	1210	Rocksnail, plicate (<i>Leptoxis plicata</i>)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	1286	Rocksnail, round (<i>Leptoxis ampla</i>)	T	\$1,000	\$0	\$1,000	\$0	\$1,000
	1069	Shagreen, Magazine Mountain (<i>Mesodon magazinensis</i>)	T	\$11,000	\$0	\$11,000	\$0	\$11,000
	1286	Snail, armored (<i>Pyrgulopsis (=Marstonia) pachytia</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	249	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>)	T	\$171,847	\$133,093	\$304,940	\$0	\$304,940
	1234	Snail, Chittenango ovate amber (<i>Succinea chittenangoensis</i>)	T	\$0	\$2,668	\$2,668	\$1,800	\$4,468
	1279	Snail, flat-spired three-toothed (<i>Triodopsis platysayoides</i>)	T	\$1,391	\$0	\$1,391	\$0	\$1,391
	781	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$23,200	\$108	\$23,308	\$1,500	\$24,808
	1214	Snail, Lanai tree (<i>Partulina semicarinata</i>)	E	\$5,879	\$0	\$5,879	\$0	\$5,879
	1214	Snail, Lanai tree (<i>Partulina variabilis</i>)	E	\$5,879	\$0	\$5,879	\$0	\$5,879
	416	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeri</i>)	E	\$117,606	\$2,000	\$119,606	\$0	\$119,606
	1121	Snail, Newcomb's (<i>Erinna newcombi</i>)	T	\$9,502	\$0	\$9,502	\$0	\$9,502

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1171	Snail, painted snake coiled forest (<i>Anguispira picta</i>)	T	\$7,500	\$200	\$7,700	\$0	\$7,700
	532	Snail, Pecos assiminea (<i>Assiminea pecos</i>)	E	\$25,657	\$47,170	\$72,827	\$1,300	\$74,127
	206	Snail, Snake River physa (<i>Physa natricina</i>)	E	\$150,850	\$349,598	\$500,448	\$0	\$500,448
	116	Snails, Oahu tree (<i>Achatinella</i> spp.)	E	\$470,701	\$790,674	\$1,261,375	\$0	\$1,261,375
	1033	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>))	T	\$9,500	\$3,268	\$12,768	\$0	\$12,768
	1255	Snail, tulotoma (<i>Tulotoma magnifica</i>)	E	\$2,250	\$954	\$3,204	\$0	\$3,204
	815	Snail, Virginia fringed mountain (<i>Polygyriscus virginianus</i>)	E	\$2,000	\$19,692	\$21,692	\$0	\$21,692
	1253	Springsnail, Alamosa (<i>Tryonia alamosae</i>)	E	\$0	\$2,000	\$2,000	\$1,300	\$3,300
	237	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>)	E	\$167,426	\$181,819	\$349,245	\$0	\$349,245
	1297	Springsnail, Chupadera (<i>Pyrgulopsis chupaderae</i>)	E	\$500	\$0	\$500	\$0	\$500
	1081	Springsnail, Koster's (<i>Juturnia kosteri</i>)	E	\$7,612	\$2,100	\$9,712	\$1,000	\$10,712
	1055	Springsnail, Roswell (<i>Pyrgulopsis roswellensis</i>)	E	\$8,365	\$2,100	\$10,465	\$1,100	\$11,565
	1212	Springsnail, San Bernardino (<i>Pyrgulopsis bernardina</i>)	T	\$2,030	\$600	\$2,630	\$3,280	\$5,910
	1281	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>)	E	\$0	\$0	\$0	\$1,300	\$1,300
	659	Springsnail, Three Forks (<i>Pyrgulopsis trivialis</i>)	E	\$2,030	\$410	\$2,440	\$36,280	\$38,720
	633	Tree snail, Newcomb's (<i>Newcombia cumingi</i>)	E	\$41,897	\$0	\$41,897	\$0	\$41,897
	834	Tryonia, Diamond (<i>Pseudotryonia adamantina</i>)	E	\$20,000	\$310	\$20,310	\$0	\$20,310

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	834	Tryonia, Phantom (<i>Tryonia cheatumi</i>)	E	\$20,000	\$310	\$20,310	\$0	\$20,310
Snails subtotal				\$1,425,767	\$4,239,485	\$5,665,252	\$84,435	\$5,749,687
Insects	96	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$457,822	\$1,305,803	\$1,763,625	\$33,711	\$1,797,336
	1076	Beetle, Casey's June (<i>Dinacoma caseyi</i>)	E	\$10,668	\$110	\$10,778	\$0	\$10,778
	113	Beetle, Coffin Cave mold (<i>Batrisodes texanus</i>)	E	\$30,000	\$1,280,000	\$1,310,000	\$0	\$1,310,000
	680	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>)	E	\$25,000	\$11,667	\$36,667	\$0	\$36,667
	680	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>)	E	\$25,000	\$11,667	\$36,667	\$0	\$36,667
	1294	Beetle, delta green ground (<i>Elaphrus viridis</i>)	T	\$700	\$0	\$700	\$0	\$700
	1182	Beetle, Helotes mold (<i>Batrisodes venyivi</i>)	E	\$6,000	\$1,150	\$7,150	\$0	\$7,150
	916	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>)	E	\$16,100	\$1,108	\$17,208	\$0	\$17,208
	1204	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	\$6,000	\$200	\$6,200	\$0	\$6,200
	700	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>)	E	\$34,230	\$0	\$34,230	\$0	\$34,230
	956	Beetle, [no common name] (<i>Rhadine exilis</i>)	E	\$15,000	\$950	\$15,950	\$0	\$15,950
	769	Beetle, [no common name] (<i>Rhadine infernalis</i>)	E	\$7,500	\$17,950	\$25,450	\$0	\$25,450
	1284	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>)	E	\$1,000	\$200	\$1,200	\$0	\$1,200
	155	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$265,594	\$522,057	\$787,651	\$0	\$787,651
	288	Butterfly, bay checkerspot (<i>Euphydryas editha bayensis</i>)	T	\$76,611	\$151,300	\$227,911	\$0	\$227,911
	823	Butterfly, Behren's silverspot (<i>Speyeria zerene behrensi</i>)	E	\$19,090	\$2,300	\$21,390	\$0	\$21,390

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	573	Butterfly, callippe silverspot (<i>Speyeria callippe callippe</i>)	E	\$51,300	\$5,000	\$56,300	\$0	\$56,300
	560	Butterfly, El Segundo blue (<i>Euphilotes battoides allynii</i>)	E	\$60,156	\$0	\$60,156	\$0	\$60,156
	209	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	\$374,665	\$92,534	\$467,199	\$0	\$467,199
	143	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$178,849	\$493,050	\$671,899	\$209,566	\$881,465
	456	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>)	E	\$107,696	\$0	\$107,696	\$0	\$107,696
	709	Butterfly, Miami Blue (<i>Cyclargus (=Hemiargus) thomasi bethunebakeri</i>)	E	\$30,000	\$275	\$30,275	\$3,088	\$33,363
	576	Butterfly, mission blue (<i>Icaricia icarioides missionensis</i>)	E	\$43,500	\$12,000	\$55,500	\$0	\$55,500
	513	Butterfly, Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>)	E	\$50,500	\$6,058	\$56,558	\$25,000	\$81,558
	943	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtleae</i>)	E	\$16,200	\$100	\$16,300	\$0	\$16,300
	189	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>)	T	\$448,949	\$101,245	\$550,194	\$9,000	\$559,194
	305	Butterfly, Palos Verdes blue (<i>Glauopsyche lygdamus palosverdesensis</i>)	E	\$12,989	\$185,698	\$198,687	\$0	\$198,687
	247	Butterfly, Quino checkerspot (<i>Euphydryas editha quino (=E. e. wrighti)</i>)	E	\$204,418	\$111,448	\$315,866	\$0	\$315,866
	309	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>)	E	\$11,000	\$181,213	\$192,213	\$1,500	\$193,713
	1149	Butterfly, San Bruno elfin (<i>Callophrys mossii bayensis</i>)	E	\$8,000	\$500	\$8,500	\$0	\$8,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	734	Butterfly, Schaus swallowtail <i>(Heraclides aristodemus ponceanus)</i>	E	\$26,250	\$4,045	\$30,295	\$0	\$30,295
	326	Butterfly, Smith's blue <i>(Euphilotes enoptes smithi)</i>	E	\$123,221	\$44,350	\$167,571	\$0	\$167,571
	829	Butterfly, Uncompahgre fritillary <i>(Boloria acrocnema)</i>	E	\$11,951	\$8,900	\$20,851	\$0	\$20,851
	795	Damselfly, blackline Hawaiian <i>(Megalagrion nigrohamatum nigrolineatum)</i>	E	\$23,499	\$0	\$23,499	\$0	\$23,499
	1173	Damselfly, crimson Hawaiian <i>(Megalagrion leptodemas)</i>	E	\$7,608	\$0	\$7,608	\$0	\$7,608
	1116	Damselfly, flying earwig Hawaiian <i>(Megalagrion nesiotes)</i>	E	\$9,691	\$0	\$9,691	\$0	\$9,691
	802	Damselfly, oceanic Hawaiian <i>(Megalagrion oceanicum)</i>	E	\$22,992	\$0	\$22,992	\$0	\$22,992
	1114	Damselfly, Pacific Hawaiian <i>(Megalagrion pacificum)</i>	E	\$9,751	\$0	\$9,751	\$0	\$9,751
	217	Dragonfly, Hine's emerald <i>(Somatochlora hineana)</i>	E	\$387,400	\$24,998	\$412,398	\$3,200	\$415,598
	1184	Fly, Delhi Sands flower-loving <i>(Rhaphiomidas terminatus abdominalis)</i>	E	\$6,920	\$100	\$7,020	\$0	\$7,020
	689	Fly, Hawaiian picture-wing <i>(Drosophila sharpii)</i>	E	\$13,624	\$22,269	\$35,893	\$0	\$35,893
	1258	Grasshopper, Zayante band-winged <i>(Trimerotropis infantilis)</i>	E	\$2,775	\$100	\$2,875	\$0	\$2,875
	285	Moth, Blackburn's sphinx <i>(Manduca blackburni)</i>	E	\$229,484	\$5,440	\$234,924	\$0	\$234,924
	692	Moth, Kern primrose sphinx <i>(Euproserpinus euterpe)</i>	T	\$19,878	\$15,060	\$34,938	\$0	\$34,938
	1207	Naucorid, Ash Meadows <i>(Ambrysus amargosus)</i>	T	\$6,096	\$0	\$6,096	\$0	\$6,096

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1073	Pomace fly, [unnamed] (<i>Drosophila aglaia</i>)	E	\$10,862	\$0	\$10,862	\$0	\$10,862
	1057	Pomace fly, [unnamed] (<i>Drosophila differens</i>)	E	\$11,369	\$0	\$11,369	\$0	\$11,369
	1189	Pomace fly, [unnamed] (<i>Drosophila hemipeza</i>)	E	\$6,806	\$0	\$6,806	\$0	\$6,806
	1215	Pomace fly, [unnamed] (<i>Drosophila heteroneura</i>)	E	\$5,792	\$0	\$5,792	\$0	\$5,792
	264	Pomace fly, [unnamed] (<i>Drosophila montgomeryi</i>)	E	\$10,862	\$253,250	\$264,112	\$0	\$264,112
	1215	Pomace fly, [unnamed] (<i>Drosophila mulli</i>)	T	\$5,792	\$0	\$5,792	\$0	\$5,792
	719	Pomace fly, [unnamed] (<i>Drosophila musaphilia</i>)	E	\$9,907	\$22,269	\$32,176	\$0	\$32,176
	1215	Pomace fly, [unnamed] (<i>Drosophila neoclavisetae</i>)	E	\$5,792	\$0	\$5,792	\$0	\$5,792
	1215	Pomace fly, [unnamed] (<i>Drosophila obatai</i>)	E	\$5,792	\$0	\$5,792	\$0	\$5,792
	1215	Pomace fly, [unnamed] (<i>Drosophila ochrobasis</i>)	E	\$5,792	\$0	\$5,792	\$0	\$5,792
	266	Pomace fly, [unnamed] (<i>Drosophila substenoptera</i>)	E	\$8,834	\$253,250	\$262,084	\$0	\$262,084
	1215	Pomace fly, [unnamed] (<i>Drosophila tarphytrichia</i>)	E	\$5,792	\$0	\$5,792	\$0	\$5,792
	329	Skipper, Carson wandering (<i>Pseudocopaeodes eunus</i> <i>obscurus</i>) - NV, CA	E	\$139,860	\$25,700	\$165,560	\$0	\$165,560
	702	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>)	E	\$0	\$34,068	\$34,068	\$0	\$34,068
	733	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>)	T	\$17,926	\$12,400	\$30,326	\$0	\$30,326
	374	Tiger beetle, Northeastern beach (<i>Cicindela dorsalis</i> <i>dorsalis</i>)	T	\$114,756	\$22,010	\$136,766	\$1,000	\$137,766
	1147	Tiger beetle, Ohlone (<i>Cicindela ohlone</i>)	E	\$8,550	\$0	\$8,550	\$0	\$8,550

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	476	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	\$92,722	\$630	\$93,352	\$5,000	\$98,352
	244	Tiger beetle, Salt Creek (<i>Cicindela nevadica lincoliniana</i>)	E	\$292,985	\$14,600	\$307,585	\$15,000	\$322,585
Insects subtotal				\$4,255,868	\$5,259,022	\$9,514,890	\$306,065	\$9,820,955
Arachnids	1224	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>)	E	\$5,000	\$200	\$5,200	\$0	\$5,200
	114	Harvestman, Bone Cave (<i>Texella reyesi</i>)	E	\$1,000	\$1,280,000	\$1,281,000	\$0	\$1,281,000
	1171	Harvestman, Cokendolpher Cave (<i>Texella cokendolpheri</i>)	E	\$7,500	\$200	\$7,700	\$0	\$7,700
	1261	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	\$2,500	\$200	\$2,700	\$0	\$2,700
	1241	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespера</i>)	E	\$2,500	\$1,580	\$4,080	\$0	\$4,080
	1224	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$5,000	\$200	\$5,200	\$0	\$5,200
	1249	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	\$2,500	\$1,120	\$3,620	\$0	\$3,620
	1286	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	1238	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	\$2,500	\$1,780	\$4,280	\$0	\$4,280
	1110	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (<i>Adelocosa anops</i>)	E	\$9,907	\$0	\$9,907	\$0	\$9,907
	1160	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	\$7,000	\$600	\$7,600	\$525	\$8,125
	1284	Spider, Tooth Cave (<i>Leptoneta myopica</i>)	E	\$1,000	\$200	\$1,200	\$0	\$1,200
Arachnids subtotal				\$47,407	\$1,286,080	\$1,333,487	\$525	\$1,334,012

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
Crustaceans	832	Amphipod, diminutive (<i>Gammarus hyalleloides</i>)	E	\$20,000	\$500	\$20,500	\$0	\$20,500
	1272	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>)	E	\$1,800	\$108	\$1,908	\$0	\$1,908
	1110	Amphipod, Kauai cave (<i>Spelaeorchestia koloana</i>)	E	\$9,907	\$0	\$9,907	\$0	\$9,907
	1006	Amphipod, Noel's (<i>Gammarus desperatus</i>)	E	\$8,281	\$2,100	\$10,381	\$3,500	\$13,881
	715	Amphipod, Peck's cave (<i>Stygobromus (=Stygonectes) pecki</i>)	E	\$20,000	\$12,667	\$32,667	\$0	\$32,667
	805	Crayfish, cave (<i>Cambarus aculabrum</i>)	E	\$22,400	\$200	\$22,600	\$0	\$22,600
	821	Crayfish, cave (<i>Cambarus zophonastes</i>)	E	\$19,500	\$100	\$19,600	\$1,850	\$21,450
	1024	Crayfish, Nashville (<i>Orconectes shoupi</i>)	E	\$11,500	\$1,540	\$13,040	\$0	\$13,040
	422	Crayfish, Shasta (<i>Pacifastacus fortis</i>)	E	\$116,500	\$2,400	\$118,900	\$0	\$118,900
	570	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$31,083	\$25,497	\$56,580	\$0	\$56,580
	616	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	\$26,121	\$18,900	\$45,021	\$0	\$45,021
	703	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$26,013	\$8,002	\$34,015	\$0	\$34,015
	442	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$4,746	\$107,027	\$111,773	\$0	\$111,773
	140	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$412,130	\$517,420	\$929,550	\$0	\$929,550
	578	Isopod, Lee County cave (<i>Lirceus usdagalun</i>)	E	\$53,600	\$0	\$53,600	\$0	\$53,600
	563	Isopod, Madison Cave (<i>Antrolana lira</i>)	T	\$57,391	\$1,500	\$58,891	\$0	\$58,891
	1174	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>)	E	\$0	\$4,100	\$4,100	\$3,500	\$7,600

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1292	Shrimp, Alabama cave (<i>Palaemonias alabamae</i>)	E	\$800	\$0	\$800	\$0	\$800
	492	Shrimp, California freshwater (<i>Syncaris pacifica</i>)	E	\$16,200	\$72,300	\$88,500	\$0	\$88,500
	861	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>)	E	\$7,000	\$12,200	\$19,200	\$0	\$19,200
	210	Tadpole shrimp, vernal pool (<i>Lepidurus packardi</i>)	E	\$324,569	\$134,744	\$459,313	\$0	\$459,313
Crustaceans subtotal				\$1,189,541	\$921,305	\$2,110,846	\$8,850	\$2,119,696
Corals	111	Coral, elkhorn (<i>Acropora palmata</i>)	T	\$0	\$1,357,470	\$1,357,470	\$0	\$1,357,470
	119	Coral, staghorn (<i>Acropora cervicornis</i>)	T	\$0	\$1,208,075	\$1,208,075	\$0	\$1,208,075
Corals subtotal				\$0	\$2,565,545	\$2,565,545	\$0	\$2,565,545
Flowering Plants	598	A`e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>)	E	\$47,920	\$395	\$48,315	\$665	\$48,980
	342	A`e (<i>Zanthoxylum hawaiiense</i>)	E	\$47,269	\$109,654	\$156,923	\$665	\$157,588
	974	A`e (<i>Zanthoxylum oahuense</i>)	E	\$14,051	\$395	\$14,446	\$665	\$15,111
	540	``Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>)	T	\$10,388	\$59,195	\$69,583	\$665	\$70,248
	699	``Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>)	E	\$33,283	\$295	\$33,578	\$665	\$34,243
	618	``Aiaakeakua, popolo (<i>Solanum sandwicense</i>)	E	\$43,387	\$395	\$43,782	\$665	\$44,447
	345	``Aiea (<i>Nothocestrum breviflorum</i>)	E	\$110,897	\$41,795	\$152,692	\$665	\$153,357
	879	``Aiea (<i>Nothocestrum peltatum</i>)	E	\$17,468	\$295	\$17,763	\$665	\$18,428
	446	``Akoko (<i>Chamaesyce celastroides</i> var. <i>kaenana</i>)	E	\$10,108	\$100,676	\$110,784	\$0	\$110,784
	1168	``Akoko (<i>Chamaesyce deppeana</i>)	E	\$7,594	\$295	\$7,889	\$0	\$7,889
	972	``Akoko (<i>Chamaesyce eleanoriae</i>)	E	\$15,038	\$295	\$15,333	\$0	\$15,333
	437	``Akoko (<i>Chamaesyce herbstii</i>)	E	\$13,224	\$100,676	\$113,900	\$0	\$113,900

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	811	`Akoko (<i>Chamaesyce kuwaleana</i>)	E	\$7,766	\$14,414	\$22,180	\$0	\$22,180
	917	`Akoko (<i>Chamaesyce remyi</i> var. <i>kauaiensis</i>)	E	\$16,908	\$295	\$17,203	\$0	\$17,203
	762	`Akoko (<i>Chamaesyce remyi</i> var. <i>remyi</i>)	E	\$26,400	\$295	\$26,695	\$0	\$26,695
	403	`Akoko (<i>Chamaesyce rockii</i>)	E	\$24,246	\$100,676	\$124,922	\$0	\$124,922
	661	`Akoko (<i>Euphorbia haeeleleana</i>)	E	\$37,250	\$395	\$37,645	\$665	\$38,310
	599	`Akoko, Ewa Plains (<i>Chamaesyce skottsbergii</i> var. <i>skottsbergii</i>)	E	\$40,677	\$8,254	\$48,931	\$0	\$48,931
	853	`Ala `ala wai nui (<i>Peperomia subpetiolata</i>)	E	\$18,565	\$295	\$18,860	\$665	\$19,525
	876	Alani (<i>Melicope adscendens</i>)	E	\$17,613	\$295	\$17,908	\$665	\$18,573
	902	Alani (<i>Melicope balloui</i>)	E	\$17,194	\$395	\$17,589	\$0	\$17,589
	897	Alani (<i>Melicope christophersenii</i>)	E	\$8,807	\$8,254	\$17,061	\$665	\$17,726
	729	Alani (<i>Melicope degeneri</i>)	E	\$29,820	\$295	\$30,115	\$665	\$30,780
	796	Alani (<i>Melicope haupuensis</i>)	E	\$14,555	\$8,254	\$22,809	\$665	\$23,474
	938	Alani (<i>Melicope hiiakae</i>)	E	\$15,536	\$295	\$15,831	\$665	\$16,496
	888	Alani (<i>Melicope knudsenii</i>)	E	\$17,180	\$295	\$17,475	\$665	\$18,140
	361	Alani (<i>Melicope lydgatei</i>)	E	\$40,960	\$100,676	\$141,636	\$665	\$142,301
	1139	Alani (<i>Melicope makahae</i>)	E	\$7,793	\$295	\$8,088	\$665	\$8,753
	882	Alani (<i>Melicope mucronulata</i>)	E	\$17,360	\$295	\$17,655	\$665	\$18,320
	1084	Alani (<i>Melicope munroi</i>)	E	\$9,708	\$295	\$10,003	\$665	\$10,668
	1044	Alani (<i>Melicope ovalis</i>)	E	\$10,467	\$995	\$11,462	\$665	\$12,127
	1142	Alani (<i>Melicope pallida</i>)	E	\$7,688	\$295	\$7,983	\$665	\$8,648
	786	Alani (<i>Melicope paniculata</i>)	E	\$23,358	\$295	\$23,653	\$665	\$24,318
	739	Alani (<i>Melicope puberula</i>)	E	\$28,752	\$296	\$29,048	\$665	\$29,713
	988	Alani (<i>Melicope quadrangularis</i>)	E	\$13,578	\$297	\$13,875	\$665	\$14,540
	961	Alani (<i>Melicope reflexa</i>)	E	\$14,727	\$298	\$15,025	\$665	\$15,690
	962	Alani (<i>Melicope saint-johnii</i>)	E	\$7,594	\$7,418	\$15,012	\$665	\$15,677
	770	Alani (<i>Melicope zahlbruckneri</i>)	E	\$23,166	\$1,500	\$24,666	\$665	\$25,331

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1163	Allocarya, Calistoga (<i>Plagiobothrys strictus</i>)	E	\$8,000	\$0	\$8,000	\$0	\$8,000
	522	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	\$18,500	\$60,100	\$78,600	\$0	\$78,600
	232	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$58,303	\$293,729	\$352,032	\$5,288	\$357,320
	1156	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	\$7,451	\$834	\$8,285	\$0	\$8,285
	594	Ambrosia, south Texas (<i>Ambrosia cheiranthifolia</i>)	E	\$34,000	\$15,457	\$49,457	\$0	\$49,457
	371	Amole, purple (<i>Chlorogalum</i> <i>purpureum</i>)	T	\$34,127	\$103,878	\$138,005	\$0	\$138,005
	1099	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	\$2,500	\$5,175	\$7,675	\$2,500	\$10,175
	942	`Anaunau (<i>Lepidium</i> <i>arbuscula</i>)	E	\$8,263	\$7,414	\$15,677	\$665	\$16,342
	979	`Anunu (<i>Sicyos alba</i>)	E	\$13,984	\$295	\$14,279	\$665	\$14,944
	857	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	\$15,250	\$3,110	\$18,360	\$1,021	\$19,381
	418	Aster, decurrent false (<i>Boltonia</i> <i>decurrens</i>)	T	\$13,000	\$103,361	\$116,361	\$3,000	\$119,361
	745	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	\$12,500	\$100	\$12,600	\$16,000	\$28,600
	779	Aster, Ruth's golden (<i>Pityopsis</i> <i>ruthii</i>)	E	\$9,500	\$15,500	\$25,000	\$0	\$25,000
	440	Aupaka (<i>Isodendrion hosakae</i>)	E	\$10,130	\$101,595	\$111,725	\$665	\$112,390
	1072	Aupaka (<i>Isodendrion</i> <i>laurifolium</i>)	E	\$9,934	\$295	\$10,229	\$665	\$10,894
	1112	Aupaka (<i>Isodendrion</i> <i>longifolium</i>)	T	\$8,874	\$295	\$9,169	\$665	\$9,834
	679	Avens, spreading (<i>Geum</i> <i>radiatum</i>)	E	\$8,000	\$27,095	\$35,095	\$1,575	\$36,670
	976	`Awikiwiki (<i>Canavalia</i> <i>molokaiensis</i>)	E	\$10,132	\$4,295	\$14,427	\$665	\$15,092

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	675	`Awikiwiki (<i>Canavalia napaliensis</i>)	E	\$35,911	\$295	\$36,206	\$665	\$36,871
	831	`Awikiwiki (<i>Canavalia pubescens</i>)	E	\$19,550	\$395	\$19,945	\$665	\$20,610
	584	Awiwi (<i>Centaurium sebaeoides</i>)	E	\$51,489	\$295	\$51,784	\$0	\$51,784
	1164	Awiwi (<i>Hedyotis cookiana</i>)	E	\$7,682	\$296	\$7,978	\$0	\$7,978
	725	Ayenia, Texas (<i>Ayenia limitaris</i>)	E	\$30,500	\$400	\$30,900	\$0	\$30,900
	1223	Baccharis, Encinitas (<i>Baccharis vanessae</i>)	T	\$719	\$4,500	\$5,219	\$0	\$5,219
	1175	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>)	E	\$7,586	\$0	\$7,586	\$0	\$7,586
	1152	Barberry, Nevin's (<i>Berberis nevinii</i>)	E	\$767	\$7,622	\$8,389	\$0	\$8,389
	1219	Bariaco (<i>Trichilia triacantha</i>)	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	561	Beaked-rush, Krieskern's (<i>Rhynchospora knieskernii</i>)	T	\$10,900	\$48,529	\$59,429	\$246	\$59,675
	1118	Bean, sea (<i>Mucuna sloanei persericea</i>)	E	\$8,926	\$0	\$8,926	\$665	\$9,591
	777	Beardtongue, Parachute (<i>Penstemon debilis</i>)	T	\$17,926	\$7,100	\$25,026	\$0	\$25,026
	761	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	\$0	\$26,700	\$26,700	\$0	\$26,700
	856	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$4,000	\$11,900	\$15,900	\$3,500	\$19,400
	495	Bear-poppy, Dwarf (<i>Arctomecon humilis</i>)	E	\$15,000	\$72,020	\$87,020	\$0	\$87,020
	470	Beauty, Harper's (<i>Harperocallis flava</i>)	E	\$21,500	\$79,841	\$101,341	\$500	\$101,841
	697	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>)	E	\$26,500	\$8,000	\$34,500	\$0	\$34,500
	794	Bellflower, Brooksville (<i>Campanula robbinsiae</i>)	E	\$8,500	\$0	\$8,500	\$15,000	\$23,500
	1296	Birch, Virginia round-leaf (<i>Betula uber</i>)	T	\$600	\$0	\$600	\$0	\$600

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1137	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$8,000	\$800	\$8,800	\$0	\$8,800
	1159	Bird's-beak, Pennell's (<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>)	E	\$8,200	\$0	\$8,200	\$0	\$8,200
	479	Bird's-beak, salt marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>)	E	\$15,536	\$81,753	\$97,289	\$0	\$97,289
	632	Bird's-beak, soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>)	E	\$31,944	\$10,000	\$41,944	\$0	\$41,944
	1082	Birds-in-a-nest, white (<i>Macbridea alba</i>)	T	\$4,500	\$5,500	\$10,000	\$700	\$10,700
	1195	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	\$4,600	\$1,000	\$5,600	\$1,000	\$6,600
	651	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	\$11,951	\$27,700	\$39,651	\$0	\$39,651
	1256	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	\$2,000	\$1,000	\$3,000	\$0	\$3,000
	1056	Bladderpod, Missouri (<i>Physaria filiformis</i>)	T	\$8,600	\$2,900	\$11,500	\$0	\$11,500
	1208	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>)	E	\$100	\$5,952	\$6,052	\$0	\$6,052
	959	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	\$15,250	\$540	\$15,790	\$0	\$15,790
	1210	Bladderpod, white (<i>Lesquerella pallida</i>)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	1236	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	\$3,000	\$1,405	\$4,405	\$0	\$4,405
	362	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$141,496	\$0	\$141,496	\$0	\$141,496
	1127	Blazingstar, Heller's (<i>Liatris helleri</i>)	T	\$5,000	\$4,320	\$9,320	\$0	\$9,320
	1115	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$4,000	\$700	\$4,700	\$5,000	\$9,700

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1176	Bluecurls, Hidden Lake (<i>Trichostema austromontanum</i> ssp. <i>compactum</i>)	T	\$7,569	\$0	\$7,569	\$0	\$7,569
	1085	Bluegrass, Hawaiian (<i>Poa</i> <i>sandvicensis</i>)	E	\$9,581	\$395	\$9,976	\$665	\$10,641
	1096	Bluegrass, Mann's (<i>Poa</i> <i>mannii</i>)	E	\$9,141	\$395	\$9,536	\$665	\$10,201
	1161	Bluegrass, Napa (<i>Poa</i> <i>napensis</i>)	E	\$8,000	\$100	\$8,100	\$0	\$8,100
	668	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	\$8,740	\$28,646	\$37,386	\$0	\$37,386
	1230	Blue-star, Kearney's (<i>Amsonia</i> <i>kearneyana</i>)	E	\$450	\$3,283	\$3,733	\$1,000	\$4,733
	1217	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>)	E	\$3,000	\$1,000	\$4,000	\$1,550	\$5,550
	519	Bonamia, Florida (<i>Bonamia</i> <i>grandiflora</i>)	T	\$5,500	\$70,647	\$76,147	\$3,500	\$79,647
	832	Boxwood, Vahl's (<i>Buxus</i> <i>vahlii</i>)	E	\$20,500	\$0	\$20,500	\$0	\$20,500
	946	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	\$16,200	\$0	\$16,200	\$0	\$16,200
	268	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	\$2,748	\$255,000	\$257,748	\$0	\$257,748
	487	Buckwheat, cushenbury (<i>Eriogonum ovalifolium</i> var. <i>vineum</i>)	E	\$2,813	\$90,819	\$93,632	\$0	\$93,632
	471	Buckwheat, scrub (<i>Eriogonum</i> <i>longifolium</i> var. <i>gnaphalifolium</i>)	T	\$4,000	\$93,224	\$97,224	\$4,000	\$101,224
	1129	Buckwheat, steamboat (<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>)	E	\$1,998	\$6,300	\$8,298	\$900	\$9,198
	587	Bulrush, Northeastern (<i>Scirpus</i> <i>ancistrochaetus</i>)	E	\$17,016	\$30,464	\$47,480	\$3,292	\$50,772

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1197	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$2,800	\$2,290	\$5,090	\$1,400	\$6,490
	218	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	\$6,000	\$407,952	\$413,952	\$0	\$413,952
	787	Buttercup, autumn (<i>Ranunculus aestivalis</i> (<i>=acriformis</i>))	E	\$24,200	\$0	\$24,200	\$0	\$24,200
	640	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	T	\$24,513	\$16,319	\$40,832	\$400	\$41,232
	637	Butterweed, Layne's (<i>Senecio layneae</i>)	T	\$26,500	\$15,100	\$41,600	\$0	\$41,600
	475	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	\$24,500	\$72,771	\$97,271	\$1,500	\$98,771
	593	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishi</i>)	E	\$1,111	\$48,368	\$49,479	\$0	\$49,479
	1023	Button, Mohr's Barbara (<i>Marshallia mohrii</i>)	T	\$5,500	\$4,200	\$9,700	\$3,500	\$13,200
	820	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>)	E	\$5,390	\$13,100	\$18,490	\$3,000	\$21,490
	605	Cactus, Bakersfield (<i>Opuntia treleasei</i>)	E	\$32,295	\$15,200	\$47,495	\$0	\$47,495
	1065	Cactus, black lace (<i>Echinocereus reichenbachii</i> var. <i>albertii</i>)	E	\$11,000	\$130	\$11,130	\$0	\$11,130
	1069	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	\$1,000	\$7,000	\$8,000	\$3,000	\$11,000
	1163	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>)	T	\$1,000	\$7,000	\$8,000	\$0	\$8,000
	1280	Cactus, Cochise pincushion (<i>Coryphantha robbinsiorum</i>)	T	\$350	\$0	\$350	\$1,000	\$1,350

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	536	Cactus, Colorado hookless (<i>Sclerocactus glaucus</i>)	T	\$16,951	\$55,370	\$72,321	\$0	\$72,321
	839	Cactus, Key tree (<i>Pilosocereus robinitii</i>)	E	\$2,500	\$968	\$3,468	\$16,500	\$19,968
	828	Cactus, Knowlton's (<i>Pediocactus knowltonii</i>)	E	\$12,975	\$7,900	\$20,875	\$0	\$20,875
	521	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	\$10,000	\$69,150	\$79,150	\$0	\$79,150
	794	Cactus, Lee pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>)	T	\$15,000	\$8,500	\$23,500	\$0	\$23,500
	1264	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	\$500	\$2,000	\$2,500	\$0	\$2,500
	441	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	\$5,000	\$106,800	\$111,800	\$0	\$111,800
	1286	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	804	Cactus, Nichol's Turk's head (<i>Echinocactus horizonthalonius</i> var. <i>nicholii</i>)	E	\$4,550	\$14,283	\$18,833	\$4,000	\$22,833
	568	Cactus, Pariette (<i>Sclerocactus brevispinus</i>)	T	\$41,000	\$16,200	\$57,200	\$0	\$57,200
	970	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>)	E	\$410	\$11,000	\$11,410	\$4,000	\$15,410
	383	Cactus, Pima pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>)	E	\$6,020	\$120,417	\$126,437	\$6,000	\$132,437
	573	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	\$22,000	\$34,300	\$56,300	\$0	\$56,300
	726	Cactus, Siler pincushion (<i>Pediocactus</i> (= <i>Echinocactus</i> , = <i>Utahia</i>) <i>sileri</i>)	T	\$16,050	\$13,800	\$29,850	\$1,000	\$30,850

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	730	Cactus, Sneed pincushion (<i>Coryphantha sneedii</i> var. <i>sneedii</i>)	E	\$15,000	\$15,500	\$30,500	\$0	\$30,500
	1020	Cactus, star (<i>Astrophytum</i> <i>asterias</i>)	E	\$13,000	\$300	\$13,300	\$0	\$13,300
	685	Cactus, Tobusch fishhook (<i>Sclerocactus brevihamatus</i> ssp. <i>tobuschii</i>)	E	\$35,000	\$1,330	\$36,330	\$0	\$36,330
	499	Cactus, Uinta Basin hookless (<i>Sclerocactus wetlandicus</i>)	T	\$61,000	\$24,900	\$85,900	\$0	\$85,900
	445	Cactus, Winkler (<i>Pediocactus</i> <i>winkleri</i>)	T	\$10,000	\$100,950	\$110,950	\$0	\$110,950
	393	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	\$15,000	\$114,850	\$129,850	\$0	\$129,850
	817	Campion, fringed (<i>Silene</i> <i>polypetala</i>)	E	\$4,750	\$12,344	\$17,094	\$4,500	\$21,594
	1219	Capa rosa (<i>Callicarpa ampla</i>)	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	245	Catchfly, Spalding's (<i>Silene</i> <i>spaldingii</i>)	T	\$165,134	\$156,430	\$321,564	\$423	\$321,987
	1286	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	635	Ceanothus, coyote (<i>Ceanothus</i> <i>ferrisiae</i>)	E	\$36,700	\$5,000	\$41,700	\$0	\$41,700
	701	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	\$26,500	\$7,600	\$34,100	\$0	\$34,100
	934	Ceanothus, Vail Lake (<i>Ceanothus ophiochilus</i>)	T	\$13,744	\$3,000	\$16,744	\$0	\$16,744
	388	Centaury, spring-loving (<i>Centaurium namophilum</i>)	T	\$125,496	\$6,000	\$131,496	\$0	\$131,496
	720	Chaff-flower, round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>)	E	\$23,458	\$7,514	\$30,972	\$1,190	\$32,162
	274	Chaffseed, American (<i>Schalbea americana</i>)	E	\$19,605	\$214,220	\$233,825	\$16,246	\$250,071
	798	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	\$22,700	\$489	\$23,189	\$0	\$23,189

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	431	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$80,465	\$35,207	\$115,672	\$0	\$115,672
	163	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>)	E	\$727,980	\$2,037	\$730,017	\$0	\$730,017
	773	Chumbo, Higo (<i>Harrisia portoricensis</i>)	T	\$25,200	\$0	\$25,200	\$0	\$25,200
	1210	Chupacallos (<i>Pleodendron macranthum</i>)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	1295	Clarkia, Pismo (<i>Clarkia speciosa</i> ssp. <i>immaculata</i>)	E	\$634	\$0	\$634	\$0	\$634
	918	Clarkia, Presidio (<i>Clarkia franciscana</i>)	E	\$16,200	\$1,000	\$17,200	\$0	\$17,200
	1251	Clarkia, Springville (<i>Clarkia springvillensis</i>)	T	\$465	\$3,000	\$3,465	\$0	\$3,465
	877	Clarkia, Vine Hill (<i>Clarkia imbricata</i>)	E	\$18,500	\$0	\$18,500	\$0	\$18,500
	856	Cliff-rose, Arizona (<i>Purshia (=Cowania) subintegra</i>)	E	\$1,400	\$17,000	\$18,400	\$1,000	\$19,400
	1284	Clover, Monterey (<i>Trifolium trichocalyx</i>)	E	\$0	\$1,200	\$1,200	\$0	\$1,200
	297	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$48,795	\$163,001	\$211,796	\$200	\$211,996
	845	Clover, showy Indian (<i>Trifolium amoenum</i>)	E	\$18,500	\$1,230	\$19,730	\$0	\$19,730
	877	Cobana negra (<i>Stahlia monosperma</i>)	T	\$18,500	\$0	\$18,500	\$0	\$18,500
	480	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$46,000	\$27,828	\$73,828	\$22,575	\$96,403
	686	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notationior</i>)	E	\$36,100	\$0	\$36,100	\$0	\$36,100
	504	Cycladenia, Jones (<i>Cycladenia humilis</i> var. <i>jonesii</i>)	T	\$1,000	\$82,500	\$83,500	\$1,000	\$84,500
	1018	Daisy, Lakeside (<i>Hymenoxys herbacea</i>)	T	\$9,500	\$3,901	\$13,401	\$0	\$13,401

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	669	Daisy, Parish's (<i>Erigeron parishii</i>)	T	\$2,813	\$34,500	\$37,313	\$0	\$37,313
	537	Daisy, Willamette (<i>Erigeron decumbens</i> var. <i>decumbens</i>)	E	\$49,500	\$22,040	\$71,540	\$0	\$71,540
	409	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>)	E	\$17,000	\$106,219	\$123,219	\$0	\$123,219
	501	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	\$54,741	\$30,397	\$85,138	\$0	\$85,138
	607	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	\$3,500	\$43,313	\$46,813	\$0	\$46,813
	494	Dropwort, Canby's (<i>Oxypolis canbyi</i>)	E	\$72,500	\$5,075	\$77,575	\$10,246	\$87,821
	1244	Dudleya, Conejo (<i>Dudleya abramsii</i> ssp. <i>parva</i>)	T	\$3,613	\$381	\$3,994	\$0	\$3,994
	1270	Dudleya, marcescent (<i>Dudleya cymosa</i> ssp. <i>marcescens</i>)	T	\$1,806	\$300	\$2,106	\$0	\$2,106
	635	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>)	E	\$36,700	\$5,000	\$41,700	\$0	\$41,700
	1186	Dudleya, Verity's (<i>Dudleya verityi</i>)	T	\$5,058	\$1,881	\$6,939	\$0	\$6,939
	1225	Dudleyea, Santa Monica Mountains (<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>)	T	\$3,613	\$1,500	\$5,113	\$0	\$5,113
	946	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>)	T	\$16,200	\$0	\$16,200	\$0	\$16,200
	1201	Erubia (<i>Solanum drymophilum</i>)	E	\$6,000	\$380	\$6,380	\$0	\$6,380
	596	Evening-primrose, Antioch Dunes (<i>Oenothera deltoides</i> ssp. <i>howellii</i>)	E	\$49,096	\$0	\$49,096	\$0	\$49,096
	465	Evening-primrose, Eureka Valley (<i>Oenothera avita</i> ssp. <i>eurekensis</i>)	E	\$88,016	\$16,000	\$104,016	\$0	\$104,016
	577	Evening-primrose, San Benito (<i>Camissonia benitensis</i>)	T	\$10,050	\$45,000	\$55,050	\$0	\$55,050
	705	Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>)	E	\$33,000	\$800	\$33,800	\$0	\$33,800

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1233	Flannelbush, Mexican (<i>Fremontodendron mexicanum</i>)	E	\$300	\$4,200	\$4,500	\$0	\$4,500
	697	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>)	E	\$26,500	\$8,000	\$34,500	\$0	\$34,500
	954	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	\$6,000	\$9,000	\$15,000	\$1,000	\$16,000
	385	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$123,601	\$8,520	\$132,121	\$167	\$132,288
	649	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$39,500	\$260	\$39,760	\$0	\$39,760
	1178	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$4,000	\$400	\$4,400	\$3,000	\$7,400
	246	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	\$89,000	\$231,290	\$320,290	\$0	\$320,290
	863	Gardenia (=Na`u), Hawaiian (<i>Gardenia brighamii</i>)	E	\$17,941	\$395	\$18,336	\$665	\$19,001
	579	Geranium, Hawaiian red-flowered (<i>Geranium arboreum</i>)	E	\$24,496	\$28,397	\$52,893	\$665	\$53,558
	997	Gerardia, sandplain (<i>Agalinis acuta</i>)	E	\$2,000	\$0	\$2,000	\$12,167	\$14,167
	543	Gilia, Monterey (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>)	E	\$23,420	\$45,748	\$69,168	\$0	\$69,168
	989	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	\$14,500	\$0	\$14,500	\$0	\$14,500
	1045	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>)	T	\$1,000	\$10,775	\$11,775	\$350	\$12,125
	444	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	\$100,716	\$9,750	\$110,466	\$500	\$110,966
	1032	Goldenrod, Short's (<i>Solidago shortii</i>)	E	\$12,500	\$0	\$12,500	\$300	\$12,800
	1108	Goldenrod, white-haired (<i>Solidago albopilosa</i>)	T	\$7,500	\$2,500	\$10,000	\$0	\$10,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	68	Goldfields, Burke's (<i>Lasthenia burkei</i>)	E	\$26,500	\$3,793,000	\$3,819,500	\$0	\$3,819,500
	400	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	\$93,308	\$32,790	\$126,098	\$0	\$126,098
	556	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	\$36,000	\$25,296	\$61,296	\$1,000	\$62,296
	1106	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>)	E	\$2,250	\$5,285	\$7,535	\$2,500	\$10,035
	1153	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$7,000	\$1,381	\$8,381	\$0	\$8,381
	464	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	\$88,016	\$16,100	\$104,116	\$0	\$104,116
	1155	Grass, Solano (<i>Tuctoria mucronata</i>)	E	\$8,200	\$100	\$8,300	\$0	\$8,300
	763	Grass, Tennessee yellow-eyed (<i>Xyris tennesseensis</i>)	E	\$12,750	\$8,800	\$21,550	\$5,000	\$26,550
	721	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	\$24,000	\$8,040	\$32,040	\$0	\$32,040
	399	Gumplant, Ash Meadows (<i>Grindelia fraxinipratensis</i>)	T	\$121,209	\$5,000	\$126,209	\$0	\$126,209
	398	Haha (<i>Cyanea acuminata</i>)	E	\$24,871	\$100,676	\$125,547	\$665	\$126,212
	672	Haha (<i>Cyanea asarifolia</i>)	E	\$36,052	\$295	\$36,347	\$665	\$37,012
	980	Haha (<i>Cyanea asplenifolia</i>)	E	\$11,927	\$2,295	\$14,222	\$665	\$14,887
	788	Haha (<i>Cyanea calycina</i>)	E	\$23,177	\$295	\$23,472	\$665	\$24,137
	1098	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	\$9,225	\$295	\$9,520	\$665	\$10,185
	880	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>)	E	\$16,936	\$795	\$17,731	\$665	\$18,396
	924	Haha (<i>Cyanea dolichopoda</i>)	E	\$16,145	\$295	\$16,440	\$665	\$17,105
	896	Haha (<i>Cyanea dunbarii</i>)	E	\$16,853	\$295	\$17,148	\$665	\$17,813
	1026	Haha (<i>Cyanea duvalliorum</i>) -	E	\$11,927	\$395	\$12,322	\$665	\$12,987
	949	Haha (<i>Cyanea elealeensis</i>)	E	\$15,131	\$295	\$15,426	\$665	\$16,091
	907	Haha (<i>Cyanea glabra</i>)	E	\$16,391	\$395	\$16,786	\$665	\$17,451

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	693	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>)	E	\$33,821	\$395	\$34,216	\$665	\$34,881
	434	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>)	E	\$13,224	\$100,676	\$113,900	\$665	\$114,565
	517	Haha (<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>)	E	\$79,882	\$295	\$80,177	\$665	\$80,842
	808	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>)	E	\$21,362	\$395	\$21,757	\$665	\$22,422
	800	Haha (<i>Cyanea humboldtiana</i>)	E	\$22,222	\$295	\$22,517	\$665	\$23,182
	952	Haha (<i>Cyanea koleoleensis</i>)	E	\$15,099	\$295	\$15,394	\$665	\$16,059
	423	Haha (<i>Cyanea koolauensis</i>)	E	\$16,088	\$100,676	\$116,764	\$665	\$117,429
	949	Haha (<i>Cyanea kuhihewa</i>)	E	\$15,131	\$295	\$15,426	\$665	\$16,091
	860	Haha (<i>Cyanea kunthiana</i>)	E	\$18,145	\$395	\$18,540	\$665	\$19,205
	788	Haha (<i>Cyanea lanceolata</i>)	E	\$23,177	\$295	\$23,472	\$665	\$24,137
	778	Haha (<i>Cyanea lobata</i>)	E	\$23,385	\$295	\$23,680	\$1,330	\$25,010
	449	Haha (<i>Cyanea longiflora</i>)	E	\$8,828	\$100,676	\$109,504	\$665	\$110,169
	910	Haha (<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>)	E	\$16,366	\$295	\$16,661	\$665	\$17,326
	948	Haha (<i>Cyanea magnicalyx</i>) -	E	\$15,180	\$295	\$15,475	\$665	\$16,140
	1093	Haha (<i>Cyanea manni</i>)	E	\$9,453	\$295	\$9,748	\$665	\$10,413
	850	Haha (<i>Cyanea maritae</i>)	E	\$18,563	\$395	\$18,958	\$665	\$19,623
	1051	Haha (<i>Cyanea mauiensis</i>)	E	\$10,831	\$295	\$11,126	\$665	\$11,791
	881	Haha (<i>Cyanea mceldowneyi</i>)	E	\$17,367	\$295	\$17,662	\$665	\$18,327
	947	Haha (<i>Cyanea munroi</i>)	E	\$15,200	\$295	\$15,495	\$665	\$16,160
	847	Haha (<i>Cyanea obtusa</i>)	E	\$18,735	\$295	\$19,030	\$665	\$19,695
	1031	Haha (<i>Cyanea pinnatifida</i>)	E	\$11,931	\$295	\$12,226	\$665	\$12,891
	559	Haha (<i>Cyanea platyphylla</i>)	E	\$59,378	\$295	\$59,673	\$665	\$60,338
	913	Haha (<i>Cyanea procera</i>)	E	\$16,346	\$295	\$16,641	\$665	\$17,306
	1107	Haha (<i>Cyanea recta</i>)	T	\$9,074	\$295	\$9,369	\$665	\$10,034
	977	Haha (<i>Cyanea remyi</i>)	E	\$14,084	\$295	\$14,379	\$665	\$15,044
	323	Haha (<i>Cyanea shipmanii</i>)	E	\$160,550	\$9,795	\$170,345	\$665	\$171,010
	491	Haha (<i>Cyanea stictophylla</i>)	E	\$83,881	\$4,295	\$88,176	\$665	\$88,841
	353	Haha (<i>Cyanea st.-johnii</i>)	E	\$46,423	\$100,676	\$147,099	\$665	\$147,764
	426	Haha (<i>Cyanea superba</i>)	E	\$15,119	\$100,676	\$115,795	\$1,330	\$117,125

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	911	Haha (<i>Cyanea truncata</i>)	E	\$16,351	\$295	\$16,646	\$665	\$17,311
	965	Haha (<i>Cyanea undulata</i>)	E	\$14,549	\$295	\$14,844	\$665	\$15,509
	890	Haiwale (<i>Cyrtandra ferripilosa</i>)	E	\$16,955	\$395	\$17,350	\$665	\$18,015
	904	Haiwale (<i>Cyrtandra paliku</i>)	E	\$16,583	\$295	\$16,878	\$665	\$17,543
	1119	Ha`iwale (<i>Cyrtandra crenata</i>)	E	\$8,604	\$295	\$8,899	\$665	\$9,564
	452	Ha`iwale (<i>Cyrtandra dentata</i>)	E	\$7,826	\$100,676	\$108,502	\$665	\$109,167
	929	Ha`iwale (<i>Cyrtandra filipes</i>)	E	\$15,941	\$295	\$16,236	\$665	\$16,901
	1120	Ha`iwale (<i>Cyrtandra giffardii</i>)	E	\$8,597	\$295	\$8,892	\$665	\$9,557
	939	Ha`iwale (<i>Cyrtandra kaulantha</i>)	E	\$15,525	\$295	\$15,820	\$665	\$16,485
	1124	Ha`iwale (<i>Cyrtandra limahuliensis</i>)	T	\$9,141	\$295	\$9,436	\$0	\$9,436
	1070	Ha`iwale (<i>Cyrtandra munroi</i>)	E	\$10,023	\$295	\$10,318	\$665	\$10,983
	1043	Ha`iwale (<i>Cyrtandra oenobarba</i>)	E	\$11,169	\$295	\$11,464	\$665	\$12,129
	1039	Ha`iwale (<i>Cyrtandra oxybapha</i>)	E	\$11,420	\$295	\$11,715	\$665	\$12,380
	967	Ha`iwale (<i>Cyrtandra polyantha</i>)	E	\$14,498	\$295	\$14,793	\$665	\$15,458
	1139	Ha`iwale (<i>Cyrtandra sessilis</i>)	E	\$7,793	\$295	\$8,088	\$665	\$8,753
	1095	Ha`iwale (<i>Cyrtandra subumbellata</i>)	E	\$9,255	\$295	\$9,550	\$665	\$10,215
	358	Ha`iwale (<i>Cyrtandra tintinnabula</i>)	E	\$142,740	\$295	\$143,035	\$665	\$143,700
	390	Ha`iwale (<i>Cyrtandra viridiflora</i>)	E	\$29,974	\$100,676	\$130,650	\$665	\$131,315
	1041	Hala pepe (<i>Pleomele fernaldii</i>)	E	\$11,311	\$295	\$11,606	\$665	\$12,271
	1113	Hala pepe (<i>Pleomele forbesii</i>)	E	\$8,807	\$295	\$9,102	\$665	\$9,767
	407	Hala pepe (<i>Pleomele hawaiiensis</i>)	E	\$57,715	\$65,295	\$123,010	\$665	\$123,675
	812	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$12,500	\$600	\$13,100	\$9,000	\$22,100
	588	Harperella (<i>Ptilimnium nodosum</i>)	E	\$37,712	\$5,755	\$43,467	\$7,208	\$50,675

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1011	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>)	E	\$8,775	\$4,295	\$13,070	\$665	\$13,735
	463	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>)	E	\$99,002	\$5,295	\$104,297	\$665	\$104,962
	1125	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	\$8,396	\$295	\$8,691	\$665	\$9,356
	277	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>)	T	\$7,500	\$121,995	\$129,495	\$115,050	\$244,545
	754	Heather, mountain golden (<i>Hudsonia montana</i>)	T	\$10,000	\$18,000	\$28,000	\$0	\$28,000
	750	Heau (<i>Exocarpos luteolus</i>)	E	\$27,335	\$295	\$27,630	\$665	\$28,295
	1013	Hedyotis, Na Pali beach (<i>Hedyotis st.-johnii</i>)	E	\$13,408	\$295	\$13,703	\$0	\$13,703
	1077	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	\$9,710	\$395	\$10,105	\$665	\$10,770
	1190	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	\$6,500	\$295	\$6,795	\$0	\$6,795
	680	Ho`awa (<i>Pittosporum napaliense</i>)	E	\$35,607	\$395	\$36,002	\$665	\$36,667
	1148	Holei (<i>Ochrosia kilaueaensis</i>)	E	\$7,584	\$295	\$7,879	\$665	\$8,544
	1174	Holly, Cook's (<i>Ilex cookii</i>)	E	\$7,500	\$100	\$7,600	\$0	\$7,600
	387	Honohono (<i>Haplostachys haplostachya</i>)	E	\$12,456	\$118,595	\$131,051	\$665	\$131,716
	207	Howellia, water (<i>Howellia aquatilis</i>)	T	\$434,202	\$52,997	\$487,199	\$316	\$487,515
	1150	Hulumoia (<i>Korthalsella degeneri</i>)	E	\$7,793	\$0	\$7,793	\$665	\$8,458
	1103	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$4,000	\$600	\$4,600	\$5,500	\$10,100
	454	Iagu, Hayun (=Guam), Tronkon gua��i (Rota)) (<i>Serianthes nelsonii</i>)	E	\$54,057	\$54,450	\$108,507	\$0	\$108,507
	746	Iliau, dwarf (<i>Wilkesia hobdyi</i>)	E	\$7,682	\$20,230	\$27,912	\$665	\$28,577
	223	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	E	\$54,000	\$325,786	\$379,786	\$0	\$379,786

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	838	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>)	E	\$20,000	\$0	\$20,000	\$0	\$20,000
	688	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$26,000	\$9,416	\$35,416	\$500	\$35,916
	1003	Irissette, white (<i>Sisyrinchium dichotomum</i>)	E	\$8,500	\$3,660	\$12,160	\$1,850	\$14,010
	1038	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	\$10,583	\$1,395	\$11,978	\$665	\$12,643
	414	Ivesia, Ash Meadows (<i>Ivesia kingii var. eremica</i>)	T	\$120,094	\$0	\$120,094	\$0	\$120,094
	547	Jacquemontia, beach (<i>Jacquemontia reclinata</i>)	E	\$54,000	\$1,525	\$55,525	\$10,500	\$66,025
	681	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$20,745	\$15,800	\$36,545	\$0	\$36,545
	583	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>)	E	\$47,000	\$5,000	\$52,000	\$0	\$52,000
	1159	Jewelflower, Tiburon (<i>Streptanthus niger</i>)	E	\$8,200	\$0	\$8,200	\$0	\$8,200
	569	Joint-vetch, Sensitive (<i>Aeschynomene virginica</i>)	T	\$35,802	\$19,241	\$55,043	\$1,784	\$56,827
	923	Kamakahala (<i>Labordia cyrtandrae</i>)	E	\$16,152	\$295	\$16,447	\$665	\$17,112
	1028	Kamakahala (<i>Labordia helleri</i>)	E	\$10,724	\$295	\$11,019	\$1,948	\$12,967
	655	Kamakahala (<i>Labordia lydgatei</i>)	E	\$38,460	\$295	\$38,755	\$665	\$39,420
	1019	Kamakahala (<i>Labordia pumila</i>)	E	\$12,349	\$295	\$12,644	\$665	\$13,309
	944	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>)	E	\$15,243	\$295	\$15,538	\$665	\$16,203
	940	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	\$15,442	\$295	\$15,737	\$665	\$16,402
	915	Kamakahala (<i>Labordia triflora</i>)	E	\$16,329	\$295	\$16,624	\$665	\$17,289
	410	Kamanomano (<i>Cenchrus agrimonoides</i>)	E	\$12,987	\$108,735	\$121,722	\$1,330	\$123,052
	1136	Kauai hau kuahiwai (<i>Hibiscadelphus distans</i>)	E	\$7,856	\$295	\$8,151	\$665	\$8,816

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	462	Kauila (<i>Colubrina oppositifolia</i>)	E	\$64,418	\$40,295	\$104,713	\$665	\$105,378
	671	Kaulu (<i>Pteralyxia kauaiensis</i>)	E	\$36,114	\$295	\$36,409	\$665	\$37,074
	1139	Kaulu (<i>Pteralyxia macrocarpa</i>)	E	\$7,793	\$295	\$8,088	\$665	\$8,753
	427	Kio`ele (<i>Kadua coriacea</i>)	E	\$14,548	\$101,595	\$116,143	\$665	\$116,808
	331	Kiponapona (<i>Phyllostegia racemosa</i>)	E	\$158,645	\$5,295	\$163,940	\$665	\$164,605
	933	Kohe malama malama o kanaloa (<i>Kanaloa kahoolawensis</i>)	E	\$15,794	\$295	\$16,089	\$665	\$16,754
	493	Koki`o (<i>Kokia drynarioides</i>)	E	\$45,521	\$41,795	\$87,316	\$665	\$87,981
	735	Koki`o (<i>Kokia kauaiensis</i>)	E	\$29,279	\$295	\$29,574	\$665	\$30,239
	921	Koki`o, Cooke's (<i>Kokia cookei</i>)	E	\$16,204	\$295	\$16,499	\$665	\$17,164
	1088	Koki`o ke`oke`o (<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>)	E	\$9,453	\$395	\$9,848	\$665	\$10,513
	690	Koki`o ke`oke`o (<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>)	E	\$34,086	\$395	\$34,481	\$665	\$35,146
	404	Kolea (<i>Myrsine juddii</i>)	E	\$23,562	\$100,676	\$124,238	\$665	\$124,903
	994	Kolea (<i>Myrsine knudsenii</i>)	E	\$13,344	\$295	\$13,639	\$665	\$14,304
	1062	Kolea (<i>Myrsine linearifolia</i>)	T	\$10,260	\$295	\$10,555	\$665	\$11,220
	1059	Kolea (<i>Myrsine mezii</i>)	E	\$10,337	\$295	\$10,632	\$665	\$11,297
	1058	Kolea (<i>Myrsine vaccinoides</i>)	E	\$10,406	\$295	\$10,701	\$665	\$11,366
	1113	Ko`oko`olau (<i>Bidens amplectens</i>)	E	\$8,807	\$295	\$9,102	\$665	\$9,767
	1037	Ko`oko`olau (<i>Bidens campylotheca pentamera</i>)	E	\$11,592	\$395	\$11,987	\$665	\$12,652
	1030	Ko`oko`olau (<i>Bidens campylotheca waihoiensis</i>)	E	\$11,845	\$395	\$12,240	\$665	\$12,905
	1058	Ko`oko`olau (<i>Bidens conjuncta</i>)	E	\$10,406	\$295	\$10,701	\$665	\$11,366
	764	Ko`oko`olau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>)	E	\$11,879	\$13,656	\$25,535	\$665	\$26,200
	1091	Ko`oko`olau (<i>Bidens wiebkei</i>)	E	\$9,458	\$295	\$9,753	\$665	\$10,418
	683	Ko`oloa`ula (<i>Abutilon menziesii</i>)	E	\$13,129	\$22,573	\$35,702	\$665	\$36,367

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	935	Kopa (<i>Hedyotis schlechtendahliana</i> var. <i>remyi</i>)	E	\$16,364	\$295	\$16,659	\$0	\$16,659
	851	Kopiko (<i>Psychotria grandiflora</i>)	E	\$18,611	\$295	\$18,906	\$665	\$19,571
	1052	Kopiko (<i>Psychotria hobdyi</i>)	E	\$10,724	\$295	\$11,019	\$665	\$11,684
	776	Kuahiwi laukahi (<i>Plantago hawaiensis</i>)	E	\$12,970	\$11,414	\$24,384	\$665	\$25,049
	319	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	\$48,701	\$127,791	\$176,492	\$2,660	\$179,152
	757	Kuawawaenohu (<i>Alsinidendron lychnoides</i>)	E	\$27,102	\$295	\$27,397	\$0	\$27,397
	503	Kula wahine noho (<i>Isodendrion pyrifolium</i>)	E	\$65,707	\$18,295	\$84,002	\$665	\$84,667
	357	Kulu`i (<i>Nototrichium humile</i>)	E	\$13,360	\$130,410	\$143,770	\$665	\$144,435
	293	Ladies'-tresses, Canelo Hills (<i>Spiranthes delitescens</i>)	E	\$0	\$216,553	\$216,553	\$3,000	\$219,553
	656	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	\$8,000	\$31,153	\$39,153	\$0	\$39,153
	138	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$133,362	\$839,098	\$972,460	\$676	\$973,136
	877	Larkspur, Baker's (<i>Delphinium bakeri</i>)	E	\$18,500	\$0	\$18,500	\$0	\$18,500
	263	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkense</i>)	E	\$15,220	\$249,786	\$265,006	\$0	\$265,006
	1159	Larkspur, yellow (<i>Delphinium luteum</i>)	E	\$8,200	\$0	\$8,200	\$0	\$8,200
	554	Lau`ehu (<i>Panicum niihauense</i>)	E	\$13,408	\$48,830	\$62,238	\$665	\$62,903
	1131	Laulihilihi (<i>Schiedea stellaroides</i>)	E	\$8,189	\$295	\$8,484	\$665	\$9,149
	412	Layia, beach (<i>Layia carnosa</i>)	E	\$10,147	\$111,800	\$121,947	\$0	\$121,947
	765	Lead-plant, Crenulate (<i>Amorpha crenulata</i>)	E	\$2,500	\$12,925	\$15,425	\$10,500	\$25,925
	1074	Leather flower, Alabama (<i>Clematis socialis</i>)	E	\$2,750	\$5,100	\$7,850	\$3,000	\$10,850

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1177	Leather flower, Morefield's (<i>Clematis morefieldii</i>)	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	724	lehua makanoe (<i>Lysimachia daphnoides</i>)	E	\$30,377	\$295	\$30,672	\$665	\$31,337
	1286	Lessingia, San Francisco (<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>))	E	\$0	\$1,000	\$1,000	\$0	\$1,000
	909	Liliwai (<i>Acaena exigua</i>)	E	\$16,382	\$295	\$16,677	\$665	\$17,342
	1221	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>)	E	\$1,700	\$138	\$1,838	\$3,500	\$5,338
	874	Lily, Pitkin Marsh (<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>)	E	\$18,500	\$100	\$18,600	\$0	\$18,600
	364	Lily, Western (<i>Lilium occidentale</i>)	E	\$108,450	\$31,760	\$140,210	\$0	\$140,210
	1220	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>)	T	\$5,000	\$378	\$5,378	\$0	\$5,378
	510	Lomatium, Cook's (<i>Lomatium cookii</i>)	E	\$35,335	\$46,860	\$82,195	\$0	\$82,195
	308	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$13,500	\$175,050	\$188,550	\$5,619	\$194,169
	227	Lotus, San Clemente Island (<i>Acmispon dendroideus</i> var. <i>traskiae</i> (= <i>Lotus d.</i> ssp. <i>traskiae</i>))	E	\$54,000	\$320,730	\$374,730	\$0	\$374,730
	630	Lo`ulu (<i>Pritchardia affinis</i>)	E	\$23,549	\$18,595	\$42,144	\$0	\$42,144
	379	Lo`ulu (<i>Pritchardia kaalae</i>)	E	\$9,487	\$123,291	\$132,778	\$665	\$133,443
	991	Lo`ulu (<i>Pritchardia munroi</i>)	E	\$13,419	\$295	\$13,714	\$665	\$14,379
	1143	Lo`ulu (<i>Pritchardia napaliensis</i>)	E	\$7,682	\$295	\$7,977	\$665	\$8,642
	526	Lo`ulu (<i>Pritchardia remota</i>)	E	\$75,181	\$295	\$75,476	\$665	\$76,141
	867	Lo`ulu (<i>Pritchardia schattaueri</i>)	E	\$17,860	\$295	\$18,155	\$665	\$18,820
	1094	Lo`ulu (<i>Pritchardia viscosa</i>)	E	\$9,323	\$295	\$9,618	\$665	\$10,283
	1083	Lo`ulu, (=Na`ena`e) (<i>Pritchardia hardyi</i>)	E	\$9,710	\$295	\$10,005	\$665	\$10,670

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1256	Lousewort, Furbish (<i>Pedicularis furbishiae</i>)	E	\$0	\$0	\$0	\$3,000	\$3,000
	1000	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>)	E	\$12,994	\$395	\$13,389	\$665	\$14,054
	738	Lupine, clover (<i>Lupinus</i> <i>tidestromii</i>)	E	\$0	\$30,000	\$30,000	\$0	\$30,000
	240	Lupine, Kincaid's (<i>Lupinus</i> <i>sulphureus</i> ssp. <i>kincaidii</i>)	T	\$180,361	\$151,772	\$332,133	\$0	\$332,133
	1049	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>)	E	\$11,921	\$0	\$11,921	\$0	\$11,921
	901	Lupine, scrub (<i>Lupinus</i> <i>aridorum</i>)	E	\$1,500	\$600	\$2,100	\$15,500	\$17,600
	338	Mahoe (<i>Alectryon</i> <i>macrococcus</i>)	E	\$19,736	\$138,369	\$158,105	\$1,330	\$159,435
	1050	Makou (<i>Peucedanum</i> <i>sandwicense</i>)	T	\$10,832	\$295	\$11,127	\$665	\$11,792
	551	Mallow, Gierisch (<i>Sphaeralcea</i> <i>gierischii</i>)	E	\$350	\$63,000	\$63,350	\$0	\$63,350
	634	Mallow, Kern (Eremalche <i>kernensis</i>)	E	\$25,448	\$16,444	\$41,892	\$0	\$41,892
	1296	Mallow, Peter's Mountain (<i>Iliamna corei</i>)	E	\$600	\$0	\$600	\$0	\$600
	1177	Manaca, palma de (<i>Calyptromona rivalis</i>)	T	\$7,500	\$0	\$7,500	\$0	\$7,500
	1007	Manioc, Walker's (<i>Manihot</i> <i>walkerae</i>)	E	\$13,500	\$370	\$13,870	\$0	\$13,870
	749	Manzanita, Del Mar (<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>)	E	\$1,018	\$27,293	\$28,311	\$0	\$28,311
	743	Manzanita, Ione (<i>Arctostaphylos myrtifolia</i>)	T	\$18,500	\$10,463	\$28,963	\$0	\$28,963
	1237	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	\$3,372	\$1,000	\$4,372	\$0	\$4,372
	877	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	\$18,500	\$0	\$18,500	\$0	\$18,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1286	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>)	E	\$0	\$1,000	\$1,000	\$0	\$1,000
	238	Manzanita, San Francisco (<i>Arctostaphylos franciscana</i>)	E	\$334,628	\$5,000	\$339,628	\$0	\$339,628
	1162	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>)	E	\$7,466	\$600	\$8,066	\$0	\$8,066
	222	Ma`o hau hele, (=native yellow hibiscus) (<i>Hibiscus</i> <i>brackenridgei</i>)	E	\$57,227	\$326,272	\$383,499	\$1,995	\$385,494
	1143	Ma`oli`oli (<i>Schiedea</i> <i>apokremnos</i>)	E	\$7,682	\$295	\$7,977	\$665	\$8,642
	1061	Ma`oli`oli (<i>Schiedea kealiae</i>)	E	\$10,269	\$295	\$10,564	\$665	\$11,229
	682	Mapele (<i>Cyrtandra</i> <i>cyaneoides</i>)	E	\$35,478	\$295	\$35,773	\$665	\$36,438
	1159	Mariposa lily, Tiburon (<i>Calochortus tiburonensis</i>)	T	\$8,200	\$0	\$8,200	\$0	\$8,200
	606	Meadowfoam, Butte County (<i>Limnanthes floccosa</i> ssp. <i>californica</i>)	E	\$43,510	\$3,400	\$46,910	\$0	\$46,910
	623	Meadowfoam, large-flowered woolly (<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>)	E	\$33,530	\$9,920	\$43,450	\$0	\$43,450
	609	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>)	E	\$26,500	\$20,000	\$46,500	\$0	\$46,500
	830	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>)	E	\$10,000	\$5,260	\$15,260	\$5,575	\$20,835
	311	Mehamehame (<i>Flueggea</i> <i>neowawraea</i>)	E	\$52,810	\$138,369	\$191,179	\$665	\$191,844
	1289	Mesa-mint, Otay (<i>Pogogyne</i> <i>nudiuscula</i>)	E	\$864	\$0	\$864	\$0	\$864
	621	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$524	\$43,268	\$43,792	\$0	\$43,792
	1158	Milkpea, Small's (<i>Galactia</i> <i>smallii</i>)	E	\$6,000	\$1,425	\$7,425	\$800	\$8,225

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	472	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	\$52,618	\$48,460	\$101,078	\$0	\$101,078
	500	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$85,396	\$0	\$85,396	\$0	\$85,396
	1126	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	\$8,010	\$1,328	\$9,338	\$0	\$9,338
	541	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>coachellae</i>)	E	\$31,147	\$39,035	\$70,182	\$0	\$70,182
	1223	Milk-vetch, coastal dunes (<i>Astragalus tener</i> var. <i>titi</i>)	E	\$219	\$5,000	\$5,219	\$0	\$5,219
	824	Milk-vetch, Cushenbury (<i>Astragalus albens</i>)	E	\$2,813	\$18,500	\$21,313	\$0	\$21,313
	1243	Milk-vetch, Deseret (<i>Astragalus desereticus</i>)	T	\$4,000	\$0	\$4,000	\$0	\$4,000
	748	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>)	T	\$25,898	\$2,500	\$28,398	\$0	\$28,398
	1227	Milk-vetch, heliotrope (<i>Astragalus montii</i>)	T	\$5,000	\$0	\$5,000	\$0	\$5,000
	496	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>)	E	\$2,350	\$83,300	\$85,650	\$1,000	\$86,650
	1256	Milk-vetch, Jesup's (<i>Astragalus</i> <i>robbinsii</i> var. <i>jesupi</i>)	E	\$2,000	\$0	\$2,000	\$1,000	\$3,000
	164	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>)	E	\$170,044	\$559,519	\$729,563	\$0	\$729,563
	941	Milk-vetch, Mancos (<i>Astragalus humillimus</i>)	E	\$3,500	\$12,900	\$16,400	\$0	\$16,400
	698	milkvetch, Osterhout (<i>Astragalus osterhoutii</i>)	E	\$5,975	\$28,450	\$34,425	\$0	\$34,425
	468	Milk-vetch, Peirson's (<i>Astragalus magdalena</i> var. <i>peirsonii</i>)	T	\$2,817	\$100,000	\$102,817	\$0	\$102,817
	340	Milk-vetch, Sentry (<i>Astragalus</i> <i>cremnophylax</i> var. <i>cremnophylax</i>)	E	\$11,900	\$146,100	\$158,000	\$1,000	\$159,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	711	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>)	E	\$2,000	\$31,100	\$33,100	\$0	\$33,100
	648	Milk-vetch, triple-ribbed (<i>Astragalus tricarinatus</i>)	E	\$2,909	\$37,000	\$39,909	\$0	\$39,909
	1299	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	\$100	\$300	\$400	\$0	\$400
	467	Milkweed, Mead's (<i>Asclepias meadii</i>)	T	\$78,588	\$23,961	\$102,549	\$400	\$102,949
	545	Milkweed, Welsh's (<i>Asclepias welshii</i>)	T	\$12,000	\$54,000	\$66,000	\$2,000	\$68,000
	1056	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$6,000	\$0	\$6,000	\$5,500	\$11,500
	664	Mint, Lakela's (<i>Dicerandra immaculata</i>)	E	\$16,500	\$3,320	\$19,820	\$18,000	\$37,820
	1294	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	\$400	\$0	\$400	\$300	\$700
	957	Mint, scrub (<i>Dicerandra frutescens</i>)	E	\$400	\$12,000	\$12,400	\$3,500	\$15,900
	759	Monardella, willowy (<i>Monardella viminea</i>)	E	\$664	\$26,659	\$27,323	\$0	\$27,323
	966	Monkey-flower, Michigan (<i>Mimulus michiganensis</i>)	E	\$11,500	\$3,008	\$14,508	\$1,000	\$15,508
	900	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$16,400	\$442	\$16,842	\$800	\$17,642
	356	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>)	E	\$135,153	\$9,600	\$144,753	\$0	\$144,753
	343	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	\$155,848	\$1,000	\$156,848	\$0	\$156,848
	1229	Mountain-mahogany, Catalina Island (<i>Cercocarpus traskiae</i>)	E	\$4,747	\$0	\$4,747	\$0	\$4,747
	1198	Mustard, Carter's (<i>Warea carteri</i>)	E	\$4,250	\$700	\$4,950	\$1,500	\$6,450
	993	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	\$11,951	\$2,370	\$14,321	\$0	\$14,321

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	833	Mustard, slender-petaled (<i>Thelypodium stenopetalum</i>)	E	\$100	\$20,219	\$20,319	\$0	\$20,319
	925	Naenae (<i>Dubautia kalalauensis</i>)	E	\$16,112	\$295	\$16,407	\$665	\$17,072
	949	Naenae (<i>Dubautia kenwoodii</i>)	E	\$15,131	\$295	\$15,426	\$665	\$16,091
	384	Na`ena`e (<i>Dubautia herbstobatae</i>)	E	\$8,473	\$123,291	\$131,764	\$665	\$132,429
	1052	Na`ena`e (<i>Dubautia imbricata imbricata</i>)	E	\$10,724	\$295	\$11,019	\$665	\$11,684
	1102	Na`ena`e (<i>Dubautia latifolia</i>)	E	\$9,141	\$295	\$9,436	\$665	\$10,101
	936	Na`ena`e (<i>Dubautia pauciflorula</i>)	E	\$15,569	\$295	\$15,864	\$665	\$16,529
	1034	Na`ena`e (<i>Dubautia plantaginea magnifolia</i>)	E	\$11,790	\$295	\$12,085	\$665	\$12,750
	913	Na`ena`e (<i>Dubautia plantaginea</i> ssp. <i>humilis</i>)	E	\$16,346	\$295	\$16,641	\$665	\$17,306
	992	Na`ena`e (<i>Dubautia waialealeae</i>)	E	\$13,363	\$295	\$13,658	\$665	\$14,323
	927	Nani wai`ale`ale (<i>Viola kauaiensis</i> var. <i>wahiaensis</i>)	E	\$15,985	\$295	\$16,280	\$665	\$16,945
	396	Nanu (<i>Gardenia manni</i>)	E	\$24,975	\$100,776	\$125,751	\$665	\$126,416
	908	Naupaka, dwarf (<i>Scaevola coriacea</i>)	E	\$12,454	\$4,295	\$16,749	\$665	\$17,414
	1159	Navarretia, few-flowered (<i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (= <i>N. pauciflora</i>))	E	\$8,200	\$0	\$8,200	\$0	\$8,200
	1108	Navarretia, many-flowered (<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>)	E	\$0	\$10,000	\$10,000	\$0	\$10,000
	597	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$881	\$48,153	\$49,034	\$0	\$49,034
	1165	Nehe (<i>Lipochaeta fauriei</i>)	E	\$7,682	\$295	\$7,977	\$0	\$7,977
	889	Nehe (<i>Lipochaeta kamolensis</i>)	E	\$9,882	\$8,254	\$18,136	\$0	\$18,136
	1154	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>)	E	\$7,354	\$295	\$7,649	\$665	\$8,314
	973	Nehe (<i>Lipochaeta micrantha</i>)	E	\$14,977	\$295	\$15,272	\$0	\$15,272

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	813	Nehe (<i>Lipochaeta waimeaeensis</i>)	E	\$14,555	\$7,414	\$21,969	\$0	\$21,969
	381	Nehe (<i>Melanthera tenuifolia</i>)	E	\$8,840	\$123,291	\$132,131	\$665	\$132,796
	439	Nioi (<i>Eugenia koolauensis</i>)	E	\$11,326	\$100,676	\$112,002	\$665	\$112,667
	608	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$9,309	\$37,500	\$46,809	\$0	\$46,809
	903	<i>Abutilon eremitopetalum</i>	E	\$16,600	\$295	\$16,895	\$665	\$17,560
	415	<i>Abutilon sandwicense</i>	E	\$11,375	\$107,795	\$119,170	\$665	\$119,835
	1016	<i>Achyranthes mutica</i>	E	\$12,428	\$395	\$12,823	\$665	\$13,488
	1080	<i>Alsinidendron viscosum</i>	E	\$10,439	\$295	\$10,734	\$0	\$10,734
	1140	<i>Amaranthus brownii</i>	E	\$7,664	\$395	\$8,059	\$665	\$8,724
	1117	<i>Aristida chaseae</i>	E	\$9,500	\$100	\$9,600	\$0	\$9,600
	1243	<i>Auerodendron pauciflorum</i>	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	704	<i>Bonamia menziesii</i>	E	\$12,762	\$20,503	\$33,265	\$665	\$33,930
	1122	<i>Calyptranthes thomasiana</i>	E	\$9,500	\$0	\$9,500	\$0	\$9,500
	891	<i>Catesbea melanocarpa</i>	E	\$18,000	\$0	\$18,000	\$0	\$18,000
	1210	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i>	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	1165	<i>Chamaesyce halemanui</i>	E	\$7,682	\$295	\$7,977	\$0	\$7,977
	1185	<i>Cordia bellonis</i>	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	1216	<i>Cranichis ricartii</i>	E	\$5,500	\$100	\$5,600	\$0	\$5,600
	886	<i>Cyanea profuga</i>	E	\$17,549	\$0	\$17,549	\$665	\$18,214
	722	<i>Cyanea purpurellifolia</i>	E	\$30,920	\$0	\$30,920	\$665	\$31,585
	394	<i>Cyanea (=Rollandia) crispa</i>	E	\$29,077	\$100,676	\$129,753	\$0	\$129,753
	518	<i>Cyperus pannatiformis</i>	E	\$79,452	\$0	\$79,452	\$1,330	\$80,782
	945	<i>Cyrtandra gracilis</i>	E	\$15,536	\$0	\$15,536	\$665	\$16,201
	1157	<i>Cyrtandra waiolani</i>	E	\$7,601	\$0	\$7,601	\$665	\$8,266
	1149	<i>Daphnopsis hellerana</i>	E	\$8,500	\$0	\$8,500	\$0	\$8,500
	919	<i>Delissea rhytidosperma</i>	E	\$16,225	\$295	\$16,520	\$665	\$17,185
	1017	<i>Delissea undulata</i>	E	\$13,158	\$295	\$13,453	\$0	\$13,453
	742	<i>Eugenia woodburyana</i>	E	\$29,000	\$0	\$29,000	\$0	\$29,000
	1063	<i>Festuca molokaiensis</i>	E	\$10,407	\$100	\$10,507	\$665	\$11,172
	1166	<i>Gahnia lanaiensis</i>	E	\$7,659	\$295	\$7,954	\$0	\$7,954
	996	<i>Geocarpon minimum</i>	T	\$7,000	\$5,400	\$12,400	\$1,800	\$14,200

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1185	<i>Gesneria pauciflora</i>	T	\$7,000	\$0	\$7,000	\$0	\$7,000
	1087	<i>Gouania hillebrandii</i>	E	\$9,645	\$295	\$9,940	\$665	\$10,605
	963	<i>Gouania meyenii</i>	E	\$14,577	\$295	\$14,872	\$665	\$15,537
	419	<i>Gouania vitifolia</i>	E	\$17,952	\$100,676	\$118,628	\$665	\$119,293
	380	<i>Hesperomannia arborescens</i>	E	\$31,727	\$100,676	\$132,403	\$665	\$133,068
	432	<i>Hesperomannia arbuscula</i>	E	\$14,012	\$100,676	\$114,688	\$665	\$115,353
	1146	<i>Hesperomannia lydgatei</i>	E	\$7,617	\$295	\$7,912	\$665	\$8,577
	1206	<i>Ilex sintenisii</i>	E	\$6,000	\$100	\$6,100	\$0	\$6,100
	473	<i>Kadua degeneri</i>	E	\$14,248	\$83,703	\$97,951	\$1,330	\$99,281
	367	<i>Kadua parvula</i>	E	\$8,482	\$130,115	\$138,597	\$665	\$139,262
	1009	<i>Keysseria (=Lagenifera) erici</i>	E	\$12,810	\$295	\$13,105	\$665	\$13,770
	1009	<i>Keysseria (=Lagenifera) helenae</i>	E	\$12,810	\$295	\$13,105	\$665	\$13,770
	1216	<i>Lepanthes eltoroensis</i>	E	\$5,500	\$100	\$5,600	\$0	\$5,600
	1122	<i>Leptocereus grantianus</i>	E	\$9,500	\$0	\$9,500	\$0	\$9,500
	395	<i>Lipochaeta venosa</i>	E	\$26,798	\$101,595	\$128,393	\$0	\$128,393
	401	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i>	E	\$24,607	\$100,676	\$125,283	\$665	\$125,948
	950	<i>Lobelia monostachya</i>	E	\$15,124	\$295	\$15,419	\$665	\$16,084
	629	<i>Lobelia niihauensis</i>	E	\$34,098	\$7,414	\$41,512	\$665	\$42,177
	350	<i>Lobelia oahuensis</i>	E	\$47,377	\$100,676	\$148,053	\$665	\$148,718
	1177	<i>Lyonia truncata</i> var. <i>proctorii</i>	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	1075	<i>Lysimachia filifolia</i>	E	\$9,861	\$295	\$10,156	\$665	\$10,821
	905	<i>Lysimachia iniki</i>	E	\$16,557	\$295	\$16,852	\$665	\$17,517
	951	<i>Lysimachia lydgatei</i>	E	\$15,112	\$295	\$15,407	\$665	\$16,072
	913	<i>Lysimachia maxima</i>	E	\$16,346	\$295	\$16,641	\$665	\$17,306
	904	<i>Lysimachia pendens</i>	E	\$16,583	\$295	\$16,878	\$665	\$17,543
	953	<i>Lysimachia scopulensis</i>	E	\$15,098	\$295	\$15,393	\$665	\$16,058
	952	<i>Lysimachia venosa</i>	E	\$15,099	\$295	\$15,394	\$665	\$16,059
	1109	<i>Mariscus fauriei</i>	E	\$9,659	\$295	\$9,954	\$0	\$9,954
	1243	<i>Mitracarpus maxwelliae</i>	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	1239	<i>Mitracarpus polycladus</i>	E	\$4,250	\$0	\$4,250	\$0	\$4,250
	816	<i>Munroidendron racemosum</i>	E	\$21,390	\$295	\$21,685	\$0	\$21,685
	1191	<i>Myrcia paganii</i>	E	\$6,750	\$0	\$6,750	\$0	\$6,750

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	351	<i>Neraudia angulata</i>	E	\$16,286	\$130,410	\$146,696	\$1,330	\$148,026
	328	<i>Neraudia ovata</i>	E	\$63,383	\$102,595	\$165,978	\$665	\$166,643
	848	<i>Neraudia sericea</i>	E	\$16,696	\$2,297	\$18,993	\$665	\$19,658
	1010	<i>Nesogenes rotensis</i>	E	\$13,736	\$0	\$13,736	\$0	\$13,736
	960	<i>Osmoxylon mariannense</i>	E	\$15,764	\$0	\$15,764	\$0	\$15,764
	842	<i>Phyllostegia bracteata</i>	E	\$18,483	\$695	\$19,178	\$665	\$19,843
	1133	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i>	E	\$7,986	\$295	\$8,281	\$665	\$8,946
	760	<i>Phyllostegia haliakalae</i>	E	\$16,340	\$10,195	\$26,535	\$665	\$27,200
	389	<i>Phyllostegia hirsuta</i>	E	\$30,054	\$100,676	\$130,730	\$665	\$131,395
	717	<i>Phyllostegia hispida</i>	E	\$31,469	\$295	\$31,764	\$665	\$32,429
	430	<i>Phyllostegia kaalaensis</i>	E	\$14,505	\$100,676	\$115,181	\$665	\$115,846
	1002	<i>Phyllostegia knudsenii</i>	E	\$13,068	\$295	\$13,363	\$665	\$14,028
	883	<i>Phyllostegia mannii</i>	E	\$17,358	\$295	\$17,653	\$665	\$18,318
	421	<i>Phyllostegia mollis</i>	E	\$17,686	\$100,676	\$118,362	\$665	\$119,027
	712	<i>Phyllostegia parviflora</i>	E	\$30,696	\$295	\$30,991	\$1,995	\$32,986
	920	<i>Phyllostegia pilosa</i>	E	\$16,219	\$295	\$16,514	\$665	\$17,179
	1012	<i>Phyllostegia renovans</i>	E	\$12,752	\$295	\$13,047	\$665	\$13,712
	354	<i>Phyllostegia velutina</i>	E	\$145,090	\$295	\$145,385	\$665	\$146,050
	904	<i>Phyllostegia waimeae</i>	E	\$16,583	\$295	\$16,878	\$665	\$17,543
	785	<i>Phyllostegia warshawerii</i>	E	\$23,507	\$295	\$23,802	\$665	\$24,467
	1001	<i>Phyllostegia wawrana</i>	E	\$13,070	\$295	\$13,365	\$665	\$14,030
	858	<i>Pittosporum halophilum</i>	E	\$18,310	\$395	\$18,705	\$665	\$19,370
	791	<i>Platanthera holochila</i>	E	\$22,526	\$495	\$23,021	\$665	\$23,686
	732	<i>Platydesma cornuta cornuta</i>	E	\$29,435	\$295	\$29,730	\$665	\$30,395
	1128	<i>Platydesma cornuta decurrens</i>	E	\$8,300	\$295	\$8,595	\$665	\$9,260
	1085	<i>Poa siphonoglossa</i>	E	\$9,581	\$395	\$9,976	\$665	\$10,641
	1086	<i>Remya kauaiensis</i>	E	\$9,648	\$295	\$9,943	\$665	\$10,608
	895	<i>Remya montgomeryi</i>	E	\$16,899	\$295	\$17,194	\$665	\$17,859
	382	<i>Sanicula mariversa</i>	E	\$8,638	\$123,291	\$131,929	\$665	\$132,594
	397	<i>Sanicula purpurea</i>	E	\$24,935	\$100,676	\$125,611	\$665	\$126,276
	955	<i>Schiedea attenuata</i>	E	\$14,998	\$295	\$15,293	\$665	\$15,958
	862	<i>Schiedea haleakalensis</i>	E	\$16,045	\$2,295	\$18,340	\$665	\$19,005
	1143	<i>Schiedea helleri</i>	E	\$7,682	\$295	\$7,977	\$665	\$8,642

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	932	<i>Schiedea hookeri</i>	E	\$8,612	\$7,514	\$16,126	\$665	\$16,791
	853	<i>Schiedea jacobii</i>	E	\$18,565	\$295	\$18,860	\$665	\$19,525
	425	<i>Schiedea kaalae</i>	E	\$15,876	\$100,676	\$116,552	\$665	\$117,217
	626	<i>Schiedea kauaiensis</i>	E	\$41,859	\$295	\$42,154	\$665	\$42,819
	875	<i>Schiedea lauui</i>	E	\$17,636	\$295	\$17,931	\$665	\$18,596
	1093	<i>Schiedea lydgatei</i>	E	\$9,453	\$295	\$9,748	\$665	\$10,413
	841	<i>Schiedea membranacea</i>	E	\$18,927	\$295	\$19,222	\$665	\$19,887
	429	<i>Schiedea nuttallii</i>	E	\$14,688	\$100,676	\$115,364	\$665	\$116,029
	434	<i>Schiedea obovata</i>	E	\$13,224	\$100,676	\$113,900	\$665	\$114,565
	1058	<i>Schiedea salicaria</i>	E	\$10,406	\$295	\$10,701	\$665	\$11,366
	1093	<i>Schiedea sarmentosa</i>	E	\$9,453	\$295	\$9,748	\$665	\$10,413
	1131	<i>Schiedea spergulina</i> var. <i>leiopoda</i>	E	\$8,189	\$295	\$8,484	\$665	\$9,149
	1143	<i>Schiedea spergulina</i> var. <i>spergulina</i>	T	\$7,682	\$295	\$7,977	\$665	\$8,642
	448	<i>Schiedea trinervis</i>	E	\$9,360	\$100,676	\$110,036	\$665	\$110,701
	1141	<i>Schiedea verticillata</i>	E	\$7,727	\$295	\$8,022	\$665	\$8,687
	1299	<i>Schoepfia arenaria</i>	T	\$0	\$400	\$400	\$0	\$400
	913	<i>Silene alexandri</i>	E	\$16,346	\$295	\$16,641	\$665	\$17,306
	327	<i>Silene hawaiiensis</i>	T	\$60,960	\$105,595	\$166,555	\$665	\$167,220
	360	<i>Silene lanceolata</i>	E	\$40,119	\$101,595	\$141,714	\$665	\$142,379
	969	<i>Silene perlmanii</i>	E	\$14,452	\$295	\$14,747	\$665	\$15,412
	344	<i>Spermolepis hawaiiensis</i>	E	\$16,565	\$136,608	\$153,173	\$665	\$153,838
	435	<i>Stenogyne angustifolia</i> <i>angustifolia</i>	E	\$10,447	\$103,095	\$113,542	\$665	\$114,207
	912	<i>Stenogyne bifida</i>	E	\$16,347	\$295	\$16,642	\$665	\$17,307
	964	<i>Stenogyne campanulata</i>	E	\$14,555	\$295	\$14,850	\$665	\$15,515
	433	<i>Stenogyne kanehoana</i>	E	\$13,871	\$100,676	\$114,547	\$665	\$115,212
	885	<i>Stenogyne kauaulaensis</i>	E	\$17,296	\$295	\$17,591	\$665	\$18,256
	851	<i>Stenogyne kealiae</i>	E	\$18,611	\$295	\$18,906	\$665	\$19,571
	1213	<i>Ternstroemia subsessilis</i>	E	\$5,500	\$400	\$5,900	\$0	\$5,900
	1078	<i>Tetramolopium arenarium</i>	E	\$8,463	\$295	\$8,758	\$1,995	\$10,753
	363	<i>Tetramolopium filiforme</i>	E	\$9,240	\$130,410	\$139,650	\$1,330	\$140,980

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	866	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>	E	\$17,872	\$295	\$18,167	\$665	\$18,832
	898	<i>Tetramolopium remyi</i>	E	\$16,742	\$295	\$17,037	\$665	\$17,702
	636	<i>Tetramolopium rockii</i>	T	\$10,009	\$30,295	\$40,304	\$1,330	\$41,634
	865	<i>Tetraplasandra bisattenuata</i>	E	\$18,611	\$295	\$18,906	\$0	\$18,906
	894	<i>Tetraplasandra flynnii</i>	E	\$17,597	\$295	\$17,892	\$0	\$17,892
	984	<i>Tetraplasandra lydgatei</i>	E	\$14,477	\$295	\$14,772	\$0	\$14,772
	792	<i>Trematolobelia singularis</i>	E	\$22,697	\$295	\$22,992	\$665	\$23,657
	1132	<i>Vernonia proctorii</i>	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	378	<i>Vigna o-wahuensis</i>	E	\$15,315	\$117,654	\$132,969	\$665	\$133,634
	906	<i>Viola helenae</i>	E	\$16,456	\$395	\$16,851	\$665	\$17,516
	1060	<i>Viola lanaiensis</i>	E	\$10,215	\$395	\$10,610	\$665	\$11,275
	365	<i>Viola oahuensis</i>	E	\$38,448	\$100,776	\$139,224	\$665	\$139,889
	852	<i>Wikstroemia villosa</i>	E	\$18,483	\$395	\$18,878	\$665	\$19,543
	864	<i>Xylosma crenatum</i>	E	\$17,975	\$295	\$18,270	\$665	\$18,935
	987	Nohoanu (<i>Geranium hanaense</i>)	E	\$11,420	\$2,497	\$13,917	\$665	\$14,582
	1054	Nohoanu (<i>Geranium hillebrandii</i>)	E	\$10,612	\$295	\$10,907	\$665	\$11,572
	727	Nohoanu (<i>Geranium kauaiense</i>)	E	\$29,870	\$295	\$30,165	\$665	\$30,830
	884	Nohoanu (<i>Geranium multiflorum</i>)	E	\$16,939	\$695	\$17,634	\$665	\$18,299
	758	Nui, haha (<i>Cyanea horrida</i>)	E	\$25,968	\$695	\$26,663	\$665	\$27,328
	1300	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	\$250	\$100	\$350	\$0	\$350
	644	Oha (<i>Delissea rivularis</i>)	E	\$40,710	\$295	\$41,005	\$0	\$41,005
	417	Oha (<i>Delissea subcordata</i>)	E	\$17,393	\$100,676	\$118,069	\$1,330	\$119,399
	477	Ohai (<i>Sesbania tomentosa</i>)	E	\$66,900	\$30,454	\$97,354	\$665	\$98,019
	1005	`Oha wai (<i>Clermontia drepanomorpha</i>)	E	\$12,975	\$295	\$13,270	\$665	\$13,935
	333	`Oha wai (<i>Clermontia lindseyana</i>)	E	\$152,653	\$9,395	\$162,048	\$665	\$162,713
	914	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	\$16,344	\$295	\$16,639	\$665	\$17,304

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	872	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>)	E	\$17,591	\$395	\$17,986	\$665	\$18,651
	524	`Oha wai (<i>Clermontia peleana</i>)	E	\$55,772	\$20,395	\$76,167	\$1,330	\$77,497
	337	`Oha wai (<i>Clermontia pyrularia</i>)	E	\$154,639	\$5,295	\$159,934	\$665	\$160,599
	837	`Oha wai (<i>Clermontia samuelii</i>)	E	\$16,410	\$2,295	\$18,705	\$1,330	\$20,035
	368	`Ohe`ohe (<i>Tetraplasandra gymnocarpa</i>)	E	\$38,471	\$100,676	\$139,147	\$0	\$139,147
	647	Olulu (<i>Brighamia insignis</i>)	E	\$39,030	\$295	\$39,325	\$665	\$39,990
	457	Onion, Munz's (<i>Allium munzii</i>)	E	\$102,545	\$4,260	\$106,805	\$0	\$106,805
	968	Opuhe (<i>Urera kaalae</i>)	E	\$14,477	\$295	\$14,772	\$665	\$15,437
	411	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$81,000	\$38,069	\$119,069	\$3,350	\$122,419
	341	Orchid, western prairie fringed (<i>Platanthera praecox</i>)	T	\$80,284	\$48,340	\$128,624	\$30,334	\$158,958
	622	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$578	\$43,090	\$43,668	\$0	\$43,668
	1067	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	\$8,755	\$2,332	\$11,087	\$0	\$11,087
	550	Orcutt grass, Sacramento (<i>Orcuttia viscosa</i>)	E	\$43,510	\$20,100	\$63,610	\$0	\$63,610
	806	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	\$20,280	\$2,300	\$22,580	\$0	\$22,580
	484	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	\$41,610	\$52,771	\$94,381	\$0	\$94,381
	818	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$18,420	\$3,150	\$21,570	\$0	\$21,570
	1259	Oxytheca, cushenbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>)	E	\$2,813	\$0	\$2,813	\$0	\$2,813
	825	Pa`iniu (<i>Astelia waialealae</i>)	E	\$20,236	\$295	\$20,531	\$665	\$21,196
	502	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	\$9,857	\$74,863	\$84,720	\$0	\$84,720
	215	Paintbrush, golden (<i>Castilleja levigata</i>)	T	\$378,771	\$44,624	\$423,395	\$0	\$423,395

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1283	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	\$1,204	\$0	\$1,204	\$0	\$1,204
	665	Paintbrush, Tiburon (<i>Castilleja affinis</i> ssp. <i>neglecta</i>)	E	\$36,700	\$1,000	\$37,700	\$0	\$37,700
	1219	Palo colorado (<i>Ternstroemia luquillensis</i>)	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	1219	Palo de jazmin (<i>Styrax portoricensis</i>)	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	1185	Palo de nigua (<i>Cornutia obovata</i>)	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	1196	Palo de ramon (<i>Banara vanderbiltii</i>)	E	\$6,500	\$0	\$6,500	\$0	\$6,500
	767	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	\$10,500	\$15,000	\$25,500	\$0	\$25,500
	958	Pamakani (<i>Tetramolopium capillare</i>)	E	\$14,860	\$295	\$15,155	\$665	\$15,820
	366	Pamakani (<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>)	E	\$8,536	\$130,510	\$139,046	\$665	\$139,711
	1101	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>)	E	\$9,057	\$395	\$9,452	\$665	\$10,117
	663	Papala (<i>Charpentiera densiflora</i>)	E	\$37,128	\$295	\$37,423	\$665	\$38,088
	1248	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>)	E	\$2,250	\$1,200	\$3,450	\$300	\$3,750
	1082	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$2,000	\$8,200	\$10,200	\$500	\$10,700
	1285	Pawpaw, Rugel's (<i>Deeringothamnus rugelii</i>)	E	\$0	\$744	\$744	\$300	\$1,044
	1145	Pelos del diablo (<i>Aristida portoricensis</i>)	E	\$8,500	\$100	\$8,600	\$0	\$8,600
	624	Pennyroyal, Todsen's (<i>Hedeoma todsenii</i>)	E	\$12,000	\$31,000	\$43,000	\$0	\$43,000
	486	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	\$52,772	\$39,972	\$92,744	\$1,000	\$93,744

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	740	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>)	E	\$28,900	\$381	\$29,281	\$0	\$29,281
	1056	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>)	E	\$11,500	\$0	\$11,500	\$0	\$11,500
	780	Phacelia, clay (<i>Phacelia argillacea</i>)	E	\$5,000	\$19,887	\$24,887	\$0	\$24,887
	604	Phacelia, DeBeque (<i>Phacelia submutica</i>)	T	\$17,926	\$30,070	\$47,996	\$0	\$47,996
	1151	Phacelia, island (<i>Phacelia insularis</i> ssp. <i>insularis</i>)	E	\$8,429	\$0	\$8,429	\$0	\$8,429
	855	Phacelia, North Park (<i>Phacelia formosula</i>)	E	\$11,951	\$7,450	\$19,401	\$0	\$19,401
	230	Phlox, Texas trailing (<i>Phlox nivalis</i> ssp. <i>texensis</i>)	E	\$5,000	\$364,087	\$369,087	\$0	\$369,087
	660	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	\$38,668	\$0	\$38,668	\$0	\$38,668
	1171	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$4,000	\$700	\$4,700	\$3,000	\$7,700
	931	Pilo (<i>Hedyotis mannii</i>)	E	\$16,504	\$295	\$16,799	\$0	\$16,799
	1014	Pilo kea lau li`i (<i>Platydesma rostrata</i>)	E	\$12,716	\$295	\$13,011	\$665	\$13,676
	873	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	\$4,500	\$12,630	\$17,130	\$1,500	\$18,630
	275	Pink, swamp (<i>Helonias bullata</i>)	T	\$116,740	\$122,094	\$238,834	\$11,063	\$249,897
	348	Piperia, Yadon's (<i>Piperia yadonii</i>)	E	\$5,550	\$144,530	\$150,080	\$0	\$150,080
	1286	Pitaya, Davis' green (<i>Echinocereus viridiflorus</i> var. <i>davisi</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	954	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra</i> ssp. <i>alabamensis</i>)	E	\$16,000	\$0	\$16,000	\$0	\$16,000
	595	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	\$33,000	\$14,140	\$47,140	\$2,050	\$49,190
	684	Pitcher-plant, mountain sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>)	E	\$29,000	\$5,010	\$34,010	\$2,345	\$36,355

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	826	Plum, scrub (<i>Prunus geniculata</i>)	E	\$5,500	\$12,150	\$17,650	\$3,500	\$21,150
	322	Po`e (<i>Portulaca sclerocarpa</i>)	E	\$64,795	\$109,695	\$174,490	\$665	\$175,155
	174	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$27,419	\$612,059	\$639,478	\$11,755	\$651,233
	617	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$4,000	\$29,824	\$33,824	\$11,000	\$44,824
	1135	Polygala, tiny (<i>Polygala smallii</i>)	E	\$6,000	\$2,525	\$8,525	\$300	\$8,825
	1042	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>) -	E	\$12,210	\$0	\$12,210	\$0	\$12,210
	231	Pondberry (<i>Lindera melissifolia</i>)	E	\$46,050	\$301,994	\$348,044	\$15,981	\$364,025
	1297	Pondweed, Little Aguja (=Creek) (<i>Potamogeton clystocarpus</i>)	E	\$500	\$0	\$500	\$0	\$500
	509	Popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	\$77,500	\$4,700	\$82,200	\$0	\$82,200
	885	Popolo (<i>Cyanea solanacea</i>)	E	\$17,296	\$295	\$17,591	\$665	\$18,256
	346	Popolo ku mai (<i>Solanum incompletum</i>)	E	\$41,835	\$109,764	\$151,599	\$665	\$152,264
	1296	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>)	E	\$500	\$100	\$600	\$0	\$600
	794	Poppy, Sacramento prickly (<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>)	E	\$8,500	\$15,000	\$23,500	\$0	\$23,500
	627	Potato-bean, Price's (<i>Aipos priceana</i>)	T	\$36,500	\$6,253	\$42,753	\$0	\$42,753
	1181	Potentilla, Hickman's (<i>Potentilla hickmanii</i>)	E	\$1,204	\$6,000	\$7,204	\$0	\$7,204
	610	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	\$31,000	\$15,252	\$46,252	\$0	\$46,252
	1247	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$2,250	\$100	\$2,350	\$1,500	\$3,850
	1174	Prickly-ash, St. Thomas (<i>Zanthoxylum thomasianum</i>)	E	\$7,500	\$100	\$7,600	\$0	\$7,600

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	899	Pua `ala (<i>Brighamia rockii</i>)	E	\$16,735	\$295	\$17,030	\$665	\$17,695
	782	Pussypaws, Mariposa (<i>Calyptridium pulchellum</i>)	T	\$22,700	\$1,900	\$24,600	\$0	\$24,600
	843	Pu`uka`a (<i>Cyperus trachysanthos</i>)	E	\$11,651	\$7,514	\$19,165	\$665	\$19,830
	810	Ragwort, San Francisco Peaks (<i>Packera franciscana</i>)	T	\$4,900	\$16,320	\$21,220	\$1,000	\$22,220
	854	Rattleweed, hairy (<i>Baptisia arachnifera</i>)	E	\$6,000	\$2,000	\$8,000	\$11,500	\$19,500
	1064	Reedgrass, Hillegrand's (<i>Calamagrostis hillebrandii</i>)	E	\$10,406	\$100	\$10,506	\$665	\$11,171
	1035	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>)	E	\$10,000	\$2,700	\$12,700	\$0	\$12,700
	1253	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	\$0	\$3,300	\$3,300	\$0	\$3,300
	1216	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>)	E	\$5,000	\$600	\$5,600	\$0	\$5,600
	1092	Remya, Maui (<i>Remya mauiensis</i>)	E	\$9,455	\$295	\$9,750	\$665	\$10,415
	928	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	\$4,500	\$11,640	\$16,140	\$800	\$16,940
	1204	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	\$5,000	\$1,200	\$6,200	\$0	\$6,200
	753	Rock-cress, Braun's (<i>Arabis perstellata</i>)	E	\$26,250	\$1,840	\$28,090	\$0	\$28,090
	827	Rock-cress, McDonald's (<i>Arabis macdonaldiana</i>)	E	\$11,014	\$10,112	\$21,126	\$0	\$21,126
	291	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	\$0	\$225,786	\$225,786	\$0	\$225,786
	752	Rock cress, Shale barren (<i>Arabis serotina</i>)	E	\$18,198	\$10,000	\$28,198	\$0	\$28,198
	982	Rosemary, Apalachicola (<i>Conradina glabra</i>)	E	\$3,000	\$11,500	\$14,500	\$300	\$14,800
	332	Rosemary, Cumberland (<i>Conradina verticillata</i>)	T	\$133,000	\$30,364	\$163,364	\$0	\$163,364

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1047	Rosemary, Etonia (<i>Conradina etonia</i>)	E	\$0	\$0	\$0	\$12,000	\$12,000
	1210	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	\$4,000	\$500	\$4,500	\$1,500	\$6,000
	1046	Roseroot, Leedy's (<i>Rhodiola integrifolia</i> ssp. <i>leedyi</i>)	T	\$11,174	\$884	\$12,058	\$0	\$12,058
	708	Rush-pea, slender (<i>Hoffmannseggia tenella</i>)	E	\$28,000	\$5,390	\$33,390	\$0	\$33,390
	1254	Rush-rose, island (<i>Helianthemum greenei</i>)	T	\$3,251	\$0	\$3,251	\$0	\$3,251
	985	Sandalwood, Lanai (=`iliahi) (<i>Santalum freycinetianum</i> var. <i>lanaiense</i>)	E	\$13,784	\$295	\$14,079	\$665	\$14,744
	819	Sandlace (<i>Polygonella myriophylla</i>)	E	\$3,750	\$14,800	\$18,550	\$3,000	\$21,550
	1195	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>)	E	\$6,500	\$100	\$6,600	\$0	\$6,600
	736	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	\$4,984	\$25,082	\$30,066	\$0	\$30,066
	844	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>)	E	\$19,000	\$790	\$19,790	\$0	\$19,790
	585	Sandwort, Marsh (<i>Arenaria paludicola</i>)	E	\$47,956	\$3,514	\$51,470	\$0	\$51,470
	922	Schiedea, Diamond Head (<i>Schiedea adamantis</i>)	E	\$16,170	\$295	\$16,465	\$665	\$17,130
	687	Seablite, California (<i>Suaeda californica</i>)	E	\$31,944	\$4,120	\$36,064	\$0	\$36,064
	146	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	\$0	\$844,210	\$844,210	\$0	\$844,210
	814	Sedge, golden (<i>Carex lutea</i>)	E	\$19,000	\$1,830	\$20,830	\$1,013	\$21,843
	1257	Sedge, Navajo (<i>Carex specuicola</i>)	T	\$1,925	\$0	\$1,925	\$1,000	\$2,925
	877	Sedge, white (<i>Carex albida</i>)	E	\$18,500	\$0	\$18,500	\$0	\$18,500
	822	Silversword, Mauna Loa (=Ka'u) (<i>Argyroxiphium kauense</i>)	E	\$17,780	\$3,000	\$20,780	\$665	\$21,445

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	523	Skullcap, Florida (<i>Scutellaria floridana</i>)	T	\$4,500	\$72,466	\$76,966	\$1,200	\$78,166
	352	Skullcap, large-flowered (<i>Scutellaria montana</i>)	T	\$31,000	\$113,480	\$144,480	\$3,500	\$147,980
	646	Skyrocket, Pagosa (<i>Ipomopsis polyantha</i>)	E	\$23,901	\$16,350	\$40,251	\$0	\$40,251
	971	Snakeroot (<i>Eryngium cuneifolium</i>)	E	\$400	\$11,500	\$11,900	\$3,500	\$15,400
	1227	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	\$5,000	\$0	\$5,000	\$0	\$5,000
	1100	Snowbells, Texas (<i>Styrax texanus</i>)	E	\$10,000	\$130	\$10,130	\$0	\$10,130
	1200	Spineflower, Ben Lomond (<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>)	E	\$6,388	\$0	\$6,388	\$0	\$6,388
	562	Spineflower, Monterey (<i>Chorizanthe pungens</i> var. <i>pungens</i>)	T	\$20,524	\$39,000	\$59,524	\$0	\$59,524
	406	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	\$124,193	\$0	\$124,193	\$0	\$124,193
	1231	Spineflower, Robust (<i>Chorizanthe robusta</i> var. <i>robusta</i>)	E	\$4,613	\$0	\$4,613	\$0	\$4,613
	497	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	\$758	\$85,572	\$86,330	\$0	\$86,330
	1256	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	\$0	\$3,000	\$3,000	\$0	\$3,000
	282	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	\$173,458	\$61,644	\$235,102	\$1,700	\$236,802
	553	Spurge, deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>)	E	\$58,500	\$2,425	\$60,925	\$2,000	\$62,925
	1263	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$200	\$1,525	\$1,725	\$800	\$2,525
	1138	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	\$6,500	\$2,283	\$8,783	\$0	\$8,783

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	564	Spurge, telephus (<i>Euphorbia telephoides</i>)	T	\$57,500	\$448	\$57,948	\$800	\$58,748
	1022	Stickseed, showy (<i>Hackelia venusta</i>)	E	\$11,228	\$2,037	\$13,265	\$0	\$13,265
	310	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	\$35,000	\$144,120	\$179,120	\$13,319	\$192,439
	631	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$15,865	\$26,090	\$41,955	\$0	\$41,955
	930	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	\$9,365	\$7,452	\$16,817	\$0	\$16,817
	706	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$15,000	\$18,620	\$33,620	\$0	\$33,620
	946	Sunflower, San Mateo woolly (<i>Eriophyllum latilobum</i>)	E	\$16,200	\$0	\$16,200	\$0	\$16,200
	515	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$50,750	\$23,020	\$73,770	\$7,714	\$81,484
	461	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$106,176	\$0	\$106,176	\$0	\$106,176
	615	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	\$26,500	\$18,820	\$45,320	\$0	\$45,320
	580	Taraxacum, California (<i>Taraxacum californicum</i>)	E	\$7,443	\$45,140	\$52,583	\$0	\$52,583
	1179	Tarplant, Gaviota (<i>Deinandra increscens</i> ssp. <i>villosa</i>)	E	\$7,050	\$300	\$7,350	\$0	\$7,350
	771	Tarplant, Otay (<i>Deinandra</i> (= <i>Hemizonia</i>) <i>conjugens</i>)	T	\$24,501	\$769	\$25,270	\$0	\$25,270
	784	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>)	T	\$24,490	\$0	\$24,490	\$0	\$24,490
	1036	Thełypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	\$10,000	\$2,680	\$12,680	\$0	\$12,680
	744	Thistle, Chorro Creek bog (<i>Cirsium fontinale</i> var. <i>obispoense</i>)	E	\$28,493	\$300	\$28,793	\$0	\$28,793

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1163	Thistle, fountain (<i>Cirsium fontinale</i> var. <i>fontinale</i>)	E	\$8,000	\$0	\$8,000	\$0	\$8,000
	793	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	\$22,564	\$1,067	\$23,631	\$0	\$23,631
	1304	Thistle, Loch Lomond coyote (<i>Eryngium constancei</i>)	E	\$0	\$100	\$100	\$0	\$100
	283	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$147,500	\$85,523	\$233,023	\$1,950	\$234,973
	831	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	\$7,500	\$13,110	\$20,610	\$0	\$20,610
	619	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>)	E	\$31,944	\$12,500	\$44,444	\$0	\$44,444
	768	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	\$15,974	\$9,500	\$25,474	\$0	\$25,474
	1294	Thornmint, San Mateo (<i>Acanthomintha obovata</i> ssp. <i>duttonii</i>)	E	\$700	\$0	\$700	\$0	\$700
	1226	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	\$0	\$5,100	\$5,100	\$0	\$5,100
	877	Trillium, persistent (<i>Trillium persistens</i>)	E	\$9,000	\$2,000	\$11,000	\$7,500	\$18,500
	534	Trillium, relict (<i>Trillium reliquum</i>)	E	\$28,500	\$40,170	\$68,670	\$4,500	\$73,170
	643	Tuctoria, Greene's (<i>Tuctoria greenei</i>)	E	\$36,955	\$4,135	\$41,090	\$0	\$41,090
	653	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>)	T	\$11,950	\$27,500	\$39,450	\$0	\$39,450
	349	Uhiuhī (<i>Caesalpinia kavaiense</i>)	E	\$121,617	\$28,295	\$149,912	\$0	\$149,912
	1196	Uvillo (<i>Eugenia haematocarpa</i>)	E	\$6,500	\$0	\$6,500	\$0	\$6,500
	1297	Vervain, Red Hills (<i>Verbena californica</i>)	T	\$0	\$500	\$500	\$0	\$500
	892	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	\$16,905	\$395	\$17,300	\$665	\$17,965

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	1169	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	\$7,583	\$295	\$7,878	\$0	\$7,878
	527	Wallflower, Contra Costa (<i>Erysimum capitatum</i> var. <i>angustatum</i>)	E	\$75,696	\$0	\$75,696	\$0	\$75,696
	450	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	\$9,545	\$100,000	\$109,545	\$0	\$109,545
	1132	Walnut (=Nogal), West Indian (<i>Juglans jamaicensis</i>)	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	718	Warea, wide-leaf (<i>Warea amplexifolia</i>)	E	\$11,500	\$700	\$12,200	\$20,000	\$32,200
	766	Watercress, Gambel's (<i>Rorippa gambellii</i>)	E	\$25,206	\$477	\$25,683	\$0	\$25,683
	1162	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	\$1,500	\$5,066	\$6,566	\$1,500	\$8,066
	228	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>)	E	\$5,110	\$367,301	\$372,411	\$2,000	\$374,411
	1191	Water-willow, Cooley's (<i>Justicia cooleyi</i>)	E	\$4,250	\$0	\$4,250	\$2,500	\$6,750
	1178	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$4,000	\$600	\$4,600	\$2,800	\$7,400
	774	Wild buckwheat, clay-loving (<i>Eriogonum pelinophilum</i>)	E	\$5,001	\$20,100	\$25,101	\$0	\$25,101
	1069	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>)	T	\$10,000	\$1,000	\$11,000	\$0	\$11,000
	1170	Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>)	T	\$7,793	\$0	\$7,793	\$0	\$7,793
	1008	Wild coffee, Oahu (=kopiko) (<i>Psychotria hexandra</i> ssp. <i>oahuensis</i>)	E	\$13,191	\$0	\$13,191	\$665	\$13,856
	1040	Wild-rice, Texas (<i>Zizania texana</i>)	E	\$10,000	\$2,300	\$12,300	\$0	\$12,300
	737	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>)	E	\$24,788	\$5,240	\$30,028	\$0	\$30,028

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	838	Wireweed (<i>Polygonella basiramia</i>)	E	\$4,000	\$13,000	\$17,000	\$3,000	\$20,000
	290	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>)	E	\$536	\$225,786	\$226,322	\$0	\$226,322
	498	Woolly-star, Santa Ana River (<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>)	E	\$1,405	\$84,626	\$86,031	\$0	\$86,031
	469	Wooly-threads, San Joaquin (<i>Monolopia (=Lembertia) congonii</i>)	E	\$9,290	\$93,200	\$102,490	\$0	\$102,490
	1187	Yellowhead, desert (<i>Yermo xanthocephalus</i>)	T	\$1,807	\$5,120	\$6,927	\$0	\$6,927
	1271	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>)	E	\$1,794	\$300	\$2,094	\$0	\$2,094
	642	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	\$24,000	\$600	\$24,600	\$16,500	\$41,100
Flowering Plants subtotal				\$18,607,601	\$25,618,451	\$44,226,052	\$895,636	\$45,121,688
Conifers and Cycads	447	Cypress, Santa Cruz (<i>Cupressus abramsiana</i>)	E	\$110,775	\$0	\$110,775	\$0	\$110,775
	638	Torreya, Florida (<i>Torreya taxifolia</i>)	E	\$7,000	\$24,570	\$31,570	\$10,000	\$41,570
Conifers and Cycads subtotal				\$117,775	\$24,570	\$142,345	\$10,000	\$152,345
Ferns and Allies	937	Aumakua, Palapalai (<i>Dryopteris crinalis</i> var. <i>podosorus</i>)	E	\$15,559	\$295	\$15,854	\$665	\$16,519
	835	Diellia, asplenium-leaved (<i>Diellia erecta</i>)	E	\$19,971	\$295	\$20,266	\$0	\$20,266
	1303	Fern, Alabama streak-sorus (<i>Thelypteris pilosa</i> var. <i>alabamensis</i>)	T	\$200	\$0	\$200	\$0	\$200
	1250	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$3,500	\$0	\$3,500	\$0	\$3,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	558	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>)	T	\$54,383	\$6,088	\$60,471	\$0	\$60,471
	1177	Fern, Elfin tree (<i>Cyathea dryopteroides</i>)	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	840	Fern, pendant kihi (<i>Adenophorus periens</i>)	E	\$18,974	\$295	\$19,269	\$665	\$19,934
	601	Ihi`ihi (<i>Marsilea villosa</i>)	E	\$29,718	\$18,414	\$48,132	\$665	\$48,797
	1243	<i>Adiantum vivesii</i>	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	316	<i>Asplenium fragile insulare</i>	E	\$85,463	\$100,876	\$186,339	\$0	\$186,339
	1111	<i>Diellia falcata</i>	E	\$7,594	\$2,297	\$9,891	\$0	\$9,891
	716	<i>Diellia manni</i>	E	\$32,300	\$295	\$32,595	\$0	\$32,595
	666	<i>Diellia pallida</i>	E	\$37,293	\$295	\$37,588	\$0	\$37,588
	978	<i>Diellia unisora</i>	E	\$7,589	\$7,414	\$15,003	\$0	\$15,003
	755	<i>Diplazium molokaiense</i>	E	\$24,894	\$2,397	\$27,291	\$665	\$27,956
	657	<i>Doryopteris angelica</i>	E	\$38,080	\$295	\$38,375	\$665	\$39,040
	1150	<i>Doryopteris takeuchii</i>	E	\$7,793	\$0	\$7,793	\$665	\$8,458
	1233	<i>Elaphoglossum serpens</i>	E	\$4,500	\$0	\$4,500	\$0	\$4,500
	1243	<i>Polystichum calderonense</i>	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	376	<i>Pteris lidgatei</i>	E	\$32,878	\$100,776	\$133,654	\$665	\$134,319
	1243	<i>Tectaria estremerana</i>	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	1219	<i>Thelypteris inabonensis</i>	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	1219	<i>Thelypteris verecunda</i>	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	1219	<i>Thelypteris yaucoensis</i>	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	1004	<i>Pauoa (Ctenitis squamigera)</i>	E	\$12,891	\$395	\$13,286	\$665	\$13,951
	1177	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$3,000	\$2,000	\$5,000	\$2,500	\$7,500
	260	Quillwort, Louisiana (<i>Isoetes louisianensis</i>)	E	\$0	\$269,670	\$269,670	\$0	\$269,670
	1149	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	\$4,000	\$2,000	\$6,000	\$2,500	\$8,500
	995	Wawaec`iole (<i>Huperzia manni</i>)	E	\$11,189	\$2,397	\$13,586	\$665	\$14,251
	428	Wawaec`iole (<i>Huperzia nutans</i>)	E	\$14,771	\$100,676	\$115,447	\$665	\$116,112
Ferns and Allies subtotal				\$502,540	\$617,170	\$1,119,710	\$11,650	\$1,131,360

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
Lichens	514	Cladonia, Florida perforate <i>(Cladonia perforata)</i>	E	\$56,000	\$18,540	\$74,540	\$7,000	\$81,540
	1056	Lichen, rock gnome <i>(Gymnoderma lineare)</i>	E	\$6,750	\$3,250	\$10,000	\$1,500	\$11,500
Lichens subtotal				\$62,750	\$21,790	\$84,540	\$8,500	\$93,040
Multi-species				\$15,523,668	\$67,470,436	\$82,994,104	\$2,621,288	\$85,615,392
Total Species Expenditures				\$160,894,659	\$1,096,433,825	\$1,257,328,484	\$50,963,223	\$1,308,291,707

TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2013 REPORTED EXPENDITURES

Species are arranged in descending rank order of total identifiable expenditures (Table 1). Cumulative totals of the expenditures totals are provided. The cumulative total column is the sum of all higher ranked species totals (from Table 1) and the selected species entry. This table does not include costs for land acquisition or multi-species conservation activities.

The species list in the report follows the same breakdown as in 50 CFR 17.11 and 17.12. All populations are itemized separately, not just Evolutionarily Significant Units (ESUs). Thus, it appears as if there are more listed species. Separate populations of the same species may be ranked differently.

TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY2013 REPORTED EXPENDITURES, NOT INCLUDING LAND ACQUISITION COSTS

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$55,265,792	\$55,265,792
2	Steelhead (<i>Oncorhynchus (=Salmo) mykiss</i>) - middle Columbia R.	T	\$55,059,133	\$110,324,925
3	Steelhead (<i>Oncorhynchus (=Salmo) mykiss</i>) - Snake R. Basin	T	\$54,644,813	\$164,969,738
4	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Snake River spring/summer-run ESU	T	\$47,614,774	\$212,584,512
5	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Snake River fall-run ESU	T	\$40,195,924	\$252,780,436
6	Steelhead (<i>Oncorhynchus (=Salmo) mykiss</i>) - upper Columbia R. Basin	T	\$37,666,232	\$290,446,668
7	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$34,793,973	\$325,240,641
8	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Upper Columbia spring-run ESU	E	\$34,696,578	\$359,937,219
9	Gnatcatcher, coastal California (<i>Polioptila californica californica</i>)	T	\$34,100,889	\$394,038,108
10	Trout, bull (<i>Salvelinus confluentus</i>) - conterminous, lower 48 states	T	\$32,135,507	\$426,173,615
11	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Upper Willamette River ESU	T	\$28,643,687	\$454,817,302
12	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Lower Columbia River ESU	T	\$26,897,521	\$481,714,823
13	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$25,859,765	\$507,574,588
14	Salmon, sockeye (<i>Oncorhynchus (=Salmo) nerka</i>) - Snake River, ID stock	E	\$24,822,119	\$532,396,707
15	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$22,695,784	\$555,092,491
16	Steelhead (<i>Oncorhynchus (=Salmo) mykiss</i>) - upper Willamette R.	T	\$19,941,552	\$575,034,043
17	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$17,662,374	\$592,696,417
18	Smelt, delta (<i>Hypomesus transpacificus</i>)	T	\$15,062,686	\$607,759,103
19	Salmon, chum (<i>Oncorhynchus (=Salmo) keta</i>) - Columbia R.	T	\$15,037,823	\$622,796,926
20	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$14,182,106	\$636,979,032
21	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - western pop.	E	\$13,975,083	\$650,954,115
22	Steelhead (<i>Oncorhynchus (=Salmo) mykiss</i>) - lower Columbia R.	T	\$13,263,938	\$664,218,053
23	Sturgeon, white (<i>Acipenser transmontanus</i>) - ID, MT, Canada (B.C.), Kootenai R. system	E	\$12,807,706	\$677,025,759
24	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Puget Sound ESU	T	\$12,668,676	\$689,694,435

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
25	Salmon, coho (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>) - Lower Columbia R. ESU	T	\$12,115,528	\$701,809,963
26	Salmon, coho (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>) - Southern OR/Northern CA Coast ESU	T	\$11,576,987	\$713,386,950
27	Salmon, Atlantic (<i>Salmo salar</i>) - Expanded Gulf of Maine DPS	E	\$11,076,628	\$724,463,578
28	Sucker, razorback (<i>Xyrauchen texanus</i>)	E	\$10,085,353	\$734,548,931
29	Plover, piping (<i>Charadrius melanotos</i>) - except Great Lakes watershed	T	\$9,814,522	\$744,363,453
30	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - eastern pop.	T	\$9,722,168	\$754,085,621
31	Bear, grizzly (<i>Ursus arctos horribilis</i>) - lower 48 States, except where EXPN or delisted	T	\$9,699,801	\$763,785,422
32	Whale, North Atlantic Right (<i>Eubalaena glacialis</i>)	E	\$9,692,431	\$773,477,853
33	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$8,548,844	\$782,026,697
34	Tortoise, desert (<i>Gopherus agassizii</i>) - U.S.A., except in Sonoran Desert	T	\$8,057,098	\$790,083,795
35	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - Sacramento River winter-run ESU	E	\$8,006,781	\$798,090,576
36	Salmon, coho (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>) - Central CA Coast ESU	E	\$7,632,005	\$805,722,581
37	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Central Valley CA	T	\$7,043,476	\$812,766,057
38	Tern, least (<i>Sterna antillarum</i>) - interior pop.	E	\$6,911,871	\$819,677,928
39	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - except where EXPN	E	\$6,877,124	\$826,555,052
40	Salmon, coho (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>) - OR Coast ESU	T	\$6,845,871	\$833,400,923
41	Chub, bonytail (<i>Gila elegans</i>)	E	\$6,331,326	\$839,732,249
42	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - except Salt and Verde R. drainages, AZ	E	\$6,165,653	\$845,897,902
43	Sea turtle, loggerhead (<i>Caretta caretta</i>) - Northwest Atlantic DPS	T	\$6,107,775	\$852,005,677
44	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Puget Sound DPS	T	\$5,956,085	\$857,961,762
45	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - northern CA	T	\$5,936,543	\$863,898,305
46	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - Rio Grande, from Little Box Canyon to Amistad Dam	EXPN	\$5,854,360	\$869,752,665
47	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - central CA coast	T	\$5,742,356	\$875,495,021
48	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	\$5,613,306	\$881,108,327
49	Bear, polar (<i>Ursus maritimus</i>)	T	\$5,550,500	\$886,658,827
50	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$5,405,857	\$892,064,684
51	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) - U.S.A. only	E	\$5,260,085	\$897,324,769

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
52	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$5,031,493	\$902,356,262
53	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) - CA, OR, WA	T	\$4,957,305	\$907,313,567
54	Steelhead (<i>Oncorhynchus (=Salmo) mykiss</i>) - southern CA coast	E	\$4,943,255	\$912,256,822
55	Lynx, Canada (<i>Lynx canadensis</i>) - contiguous U.S. DPS	T	\$4,910,655	\$917,167,477
56	Sea turtle, green (<i>Chelonia mydas</i>) - except where endangered	T	\$4,849,227	\$922,016,704
57	Salmon, chum (<i>Oncorhynchus (=Salmo) keta</i>) - summer-run Hood Canal	T	\$4,804,423	\$926,821,127
58	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - Central Valley spring-run ESU	T	\$4,733,791	\$931,554,918
59	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) - CA coast	T	\$4,656,032	\$936,210,950
60	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$4,641,195	\$940,852,145
61	Trout, Lahontan cutthroat (<i>Oncorhynchus clarkii henshawi</i>)	T	\$4,591,077	\$945,443,222
62	Salmon, sockeye (<i>Oncorhynchus (=Salmo) nerka</i>) - Ozette Lake, WA	T	\$4,396,999	\$949,840,221
63	Steelhead (<i>Oncorhynchus (=Salmo) mykiss</i>) - south central CA coast	T	\$4,383,308	\$954,223,529
64	Chub, humpback (<i>Gila cypha</i>)	E	\$4,112,047	\$958,335,576
65	Wolf, gray (<i>Canis lupus</i>) - AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	E	\$4,083,011	\$962,418,587
66	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$4,075,111	\$966,493,698
67	Salamander, California tiger (<i>Ambystoma californiense</i>) - CA - Santa Barbara County	E	\$4,001,021	\$970,494,719
68	Goldfields, Burke's (<i>Lasthenia burkei</i>)	E	\$3,819,500	\$974,314,219
69	Sturgeon, Atlantic (<i>Acipenser oxyrinchus oxyrinchus</i>) - Gulf of Maine	T	\$3,626,332	\$977,940,551
70	Wolf, red (<i>Canis rufus</i>) - portions of NC and TN	EXPN	\$3,590,255	\$981,530,806
71	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) - Pacific coast pop.	T	\$3,403,155	\$984,933,961
72	Tortoise, desert (<i>Gopherus agassizii</i>) - outside/taken from Sonoran Desert	SAT	\$3,266,559	\$988,200,520
73	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	E	\$3,261,950	\$991,462,470
74	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>)	E	\$2,962,385	\$994,424,855
75	Frog, California red-legged (<i>Rana draytonii</i>)	T	\$2,910,625	\$997,335,480
76	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$2,872,828	\$1,000,208,308
77	Sea turtle, loggerhead (<i>Caretta caretta</i>) - No. Pacific Ocean DPS	E	\$2,779,395	\$1,002,987,703
78	Whale, killer (<i>Orcinus orca</i>) - Southern Resident DPS	E	\$2,777,433	\$1,005,765,136

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
79	Sea turtle, green (<i>Chelonia mydas</i>) - FL, Mexico nesting pops.	E	\$2,774,015	\$1,008,539,151
80	Wolf, gray (<i>Canis lupus</i>) - Mexican gray wolf, EXPN population	EXPN	\$2,768,877	\$1,011,308,028
81	Sturgeon, North American green (<i>Acipenser medirostris</i>) - CA Southern DPS	T	\$2,702,935	\$1,014,010,963
82	Condor, California (<i>Gymnogyps californianus</i>) - except EXPN	E	\$2,688,771	\$1,016,699,734
83	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - except where endangered	T	\$2,685,071	\$1,019,384,805
84	Panther, Florida (<i>Puma (=Felis) concolor coryi</i>)	E	\$2,649,394	\$1,022,034,199
85	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - northern	T	\$2,486,841	\$1,024,521,040
86	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	\$2,284,943	\$1,026,805,983
87	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) - CO, WY	T	\$2,182,861	\$1,028,988,844
88	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$2,073,330	\$1,031,062,174
89	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$1,988,415	\$1,033,050,589
90	Ferret, black-footed (<i>Mustela nigripes</i>) - except where EXPN	E	\$1,961,482	\$1,035,012,071
91	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$1,913,091	\$1,036,925,162
92	Whale, sperm (<i>Physeter catodon</i> (=macrocephalus))	E	\$1,899,816	\$1,038,824,978
93	Stork, wood (<i>Mycteria americana</i>) - AL, FL, GA, MS, NC, SC	E	\$1,853,555	\$1,040,678,533
94	Crane, whooping (<i>Grus americana</i>) - except where EXPN	E	\$1,837,430	\$1,042,515,963
95	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$1,800,948	\$1,044,316,911
96	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$1,797,336	\$1,046,114,247
97	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	\$1,771,000	\$1,047,885,247
98	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$1,715,300	\$1,049,600,547
99	Bat, gray (<i>Myotis grisescens</i>)	E	\$1,655,339	\$1,051,255,886
100	Abalone, Black (<i>Haliotis cracherodii</i>)	E	\$1,638,873	\$1,052,894,759
101	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	E	\$1,631,134	\$1,054,525,893
102	Whale, Beluga (<i>Delphinapterus leucas</i>) - Cook Inlet DPS	E	\$1,624,839	\$1,056,150,732
103	Sturgeon, gulf (<i>Acipenser oxyrinchus desotoi</i>)	T	\$1,590,853	\$1,057,741,585
104	Sucker, Lost River (<i>Deltistes luxatus</i>)	E	\$1,577,442	\$1,059,319,027
105	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$1,575,959	\$1,060,894,986
106	Tern, California least (<i>Sterna antillarum browni</i>)	E	\$1,558,880	\$1,062,453,866
107	Goose, Hawaiian (<i>Branta (=Nesochen) sandvicensis</i>)	E	\$1,531,527	\$1,063,985,393
108	Crow, Hawaiian (=alala) (<i>Corvus hawaiiensis</i>)	E	\$1,505,937	\$1,065,491,330
109	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$1,460,554	\$1,066,951,884
110	Parrot, Puerto Rican (<i>Amazona vittata</i>)	E	\$1,440,767	\$1,068,392,651

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
111	Coral, elkhorn (<i>Acropora palmata</i>)	T	\$1,357,470	\$1,069,750,121
112	Warbler, Kirtland's (<i>Setophaga kirtlandii</i> (= <i>Dendroica kirtlandii</i>))	E	\$1,328,238	\$1,071,078,359
113	Beetle, Coffin Cave mold (<i>Batriscodes texanus</i>)	E	\$1,310,000	\$1,072,388,359
114	Harvestman, Bone Cave (<i>Texella reyesi</i>)	E	\$1,281,000	\$1,073,669,359
115	Shiner, Topeka (<i>Notropis topeka</i> (= <i>tristis</i>))	E	\$1,274,011	\$1,074,943,370
116	Snails, Oahu tree (<i>Achatinella</i> spp.)	E	\$1,261,375	\$1,076,204,745
117	Eider, Steller's (<i>Polyysticia stelleri</i>) - AK breeding pop.	T	\$1,239,401	\$1,077,444,146
118	Sucker, June (<i>Chasmistes liorus</i>)	E	\$1,236,502	\$1,078,680,648
119	Coral, staghorn (<i>Acropora cervicornis</i>)	T	\$1,208,075	\$1,079,888,723
120	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - Mexican nesting pop.	E	\$1,197,731	\$1,081,086,454
121	Crane, whooping (<i>Grus americana</i>) - AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	EXPN	\$1,187,518	\$1,082,273,972
122	Scrub-jay, Florida (<i>Aphelocoma coerulescens</i>)	T	\$1,172,755	\$1,083,446,727
123	Cui-ui (<i>Chasmistes cujus</i>)	E	\$1,151,068	\$1,084,597,795
124	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>)	E	\$1,123,926	\$1,085,721,721
125	Crocodile, American (<i>Crocodylus acutus</i>) - FL pop.	T	\$1,108,826	\$1,086,830,547
126	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>)	T	\$1,108,123	\$1,087,938,670
127	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) - FL	T	\$1,092,769	\$1,089,031,439
128	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$1,076,798	\$1,090,108,237
129	Toad, arroyo (=arroyo southwestern) (<i>Anaxyrus californicus</i>)	E	\$1,064,735	\$1,091,172,972
130	Bat, Hawaiian hoary (<i>Lasiorurus cinereus semotus</i>)	E	\$1,057,325	\$1,092,230,297
131	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - AZ, NM	EXPN	\$1,044,186	\$1,093,274,483
132	Wedge mussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$1,037,981	\$1,094,312,464
133	Sawfish, smalltooth (<i>Pristis pectinata</i>) - TX, FL	E	\$1,026,715	\$1,095,339,179
134	Salamander, California tiger (<i>Ambystoma californiense</i>) - Central CA DPS	T	\$1,015,328	\$1,096,354,507
135	Woundfin (<i>Plagopterus argentissimus</i>) - except Gila R. drainage, AZ, NM	E	\$1,001,131	\$1,097,355,638
136	Chub, Oregon (<i>Oregonichthys crameri</i>)	T	\$997,744	\$1,098,353,382
137	Otter, southern sea (<i>Enhydra lutris nereis</i>)	T	\$987,528	\$1,099,340,910
138	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$973,136	\$1,100,314,046
139	Tortoise, gopher (<i>Gopherus polyphemus</i>) - W of Mobile/ Tombigbee Rs.	T	\$932,177	\$1,101,246,223
140	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$929,550	\$1,102,175,773

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
141	Abalone, White (<i>Haliotis sorenseni</i>) - West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico	E	\$919,698	\$1,103,095,471
142	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$887,230	\$1,103,982,701
143	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$881,465	\$1,104,864,166
144	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>) - CA	E	\$869,005	\$1,105,733,171
145	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$865,731	\$1,106,598,902
146	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	\$844,210	\$1,107,443,112
147	Plover, piping (<i>Charadrius melanotos</i>) - Great Lakes watershed	E	\$843,780	\$1,108,286,892
148	Petrel, Hawaiian dark-rumped (<i>Pterodroma phaeopygia sandwichensis</i>)	E	\$818,293	\$1,109,105,185
149	Whale, gray (<i>Eschrichtius robustus</i>) - W Pacific Ocean	E	\$806,503	\$1,109,911,688
150	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>) - CA	E	\$806,034	\$1,110,717,722
151	Mouse, Pacific pocket (<i>Perognathus longimembris pacificus</i>)	E	\$803,606	\$1,111,521,328
152	Prairie dog, Utah (<i>Cynomys parvidens</i>) - UT	T	\$796,202	\$1,112,317,530
153	Trout, Greenback Cutthroat (<i>Oncorhynchus clarki stomias</i>)	T	\$795,393	\$1,113,112,923
154	Minnow, loach (<i>Tiaroga cobitis</i>)	T	\$791,160	\$1,113,904,083
155	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$787,651	\$1,114,691,734
156	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) - U.S.A. only	E	\$786,617	\$1,115,478,351
157	Goby, tidewater (<i>Eucyclogobius newberryi</i>)	E	\$779,428	\$1,116,257,779
158	Frog, mountain yellow-legged (<i>Rana muscosa</i>) – So. CA DPS	E	\$774,113	\$1,117,031,892
159	Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) - FL pop.	E	\$770,374	\$1,117,802,266
160	Spikedace (<i>Meda fulgida</i>)	T	\$761,275	\$1,118,563,541
161	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>)	E	\$759,549	\$1,119,323,090
162	Deer, Columbian white-tailed (<i>Odocoileus virginianus leucurus</i>) - Columbia River DPS	E	\$758,817	\$1,120,081,907
163	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>)	E	\$730,017	\$1,120,811,924
164	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>)	E	\$729,563	\$1,121,541,487
165	Chub, Virgin River (<i>Gila seminuda</i> (=robusta))	E	\$726,307	\$1,122,267,794
166	Whale, North Pacific Right (<i>Eubalaena japonica</i>)	E	\$715,298	\$1,122,983,092
167	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$686,278	\$1,123,669,370
168	Eulachon, Pacific (<i>Thaleichthys pacificus</i>) - Southern DPS	T	\$679,754	\$1,124,349,124
169	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>)	T	\$677,405	\$1,125,026,529
170	Crane, whooping (<i>Grus americana</i>) - CO, ID, FL, NM, UT, western WY	EXPN	\$674,084	\$1,125,700,613
171	Mussel, snuffbox (<i>Epioblasma triquetra</i>)	E	\$661,707	\$1,126,362,320
172	Mapleleaf, winged (<i>Quadrula fragosa</i>) - except where EXPN	E	\$657,768	\$1,127,020,088

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
173	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$651,772	\$1,127,671,860
174	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$651,233	\$1,128,323,093
175	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$646,293	\$1,128,969,386
176	Chub, Gila (<i>Gila intermedia</i>)	E	\$638,321	\$1,129,607,707
177	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - southern	SAT	\$632,160	\$1,130,239,867
178	Rockfish, Yelloweye (<i>Sebastodes ruberrimus</i>) - Puget Sound–Georgia Basin DPS	T	\$628,747	\$1,130,868,614
179	Rockfish, Canary (<i>Sebastodes pinniger</i>) - Puget Sound–Georgia Basin DPS	T	\$626,147	\$1,131,494,761
180	Bat, lesser long-nosed (<i>Leptonycteris curasoae yerbabuenae</i>)	E	\$620,707	\$1,132,115,468
181	Bocaccio (<i>Sebastodes paucispinis</i>) - Puget Sound–Georgia Basin DPS	E	\$608,655	\$1,132,724,123
182	Sparrow, San Clemente sage (<i>Amphispiza belli clementae</i>)	T	\$590,286	\$1,133,314,409
183	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$589,795	\$1,133,904,204
184	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$578,651	\$1,134,482,855
185	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$576,988	\$1,135,059,843
186	Ocelot (<i>Leopardus (=Felis) pardalis</i>) - AZ, TX to Central and South America	E	\$570,209	\$1,135,630,052
187	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>)	E	\$566,744	\$1,136,196,796
188	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$564,400	\$1,136,761,196
189	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>)	T	\$559,194	\$1,137,320,390
190	Ferret, black-footed (<i>Mustela nigripes</i>) - portions of AZ, CO, MT, SD, UT, WY	EXPN	\$558,751	\$1,137,879,141
191	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$555,759	\$1,138,434,900
192	Toad, Wyoming (<i>Anaxyrus baxteri</i>)	E	\$544,155	\$1,138,979,055
193	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$544,122	\$1,139,523,177
194	Rail, Guam (<i>Rallus owstoni</i>) - except Rota	E	\$543,887	\$1,140,067,064
195	Bat, Virginia big-eared (<i>Corynorhinus (=Plecotus) townsendii virginianus</i>)	E	\$540,586	\$1,140,607,650
196	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>)	E	\$528,628	\$1,141,136,278
197	Otter, Northern Sea (<i>Enhydra lutris kenyoni</i>) - SW Alaska DPS	T	\$528,149	\$1,141,664,427
198	Lampmussel, Alabama (<i>Lampsilis virescens</i>) - except where EXPN	E	\$526,000	\$1,142,190,427
199	Megapode, Micronesian (<i>Megapodius laperouse</i>)	E	\$522,814	\$1,142,713,241
200	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$521,268	\$1,143,234,509
201	Pearlymussel, cracking (<i>Hemistena lata</i>) - except where EXPN	E	\$518,057	\$1,143,752,566
202	Bear, grizzly (<i>Ursus arctos horribilis</i>) - portions of ID and MT	EXPN	\$505,936	\$1,144,258,502

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
203	Squirrel, Virginia northern flying (<i>Glaucomys sabrinus fuscus</i>)	E	\$504,638	\$1,144,763,140
204	Lizard, Island night (<i>Xantusia riversiana</i>)	T	\$501,671	\$1,145,264,811
205	Darter, boulder (<i>Etheostoma wapiti</i>)	E	\$501,500	\$1,145,766,311
206	Snail, Snake River physa (<i>Physa natricina</i>)	E	\$500,448	\$1,146,266,759
207	Howellia, water (<i>Howellia aquatilis</i>)	T	\$487,515	\$1,146,754,274
208	Condor, California (<i>Gymnogyps californianus</i>) - portions of AZ, NV, and UT	EXPN	\$485,173	\$1,147,239,447
209	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	\$467,199	\$1,147,706,646
210	Tadpole shrimp, vernal pool (<i>Lepidurus packardi</i>)	E	\$459,313	\$1,148,165,959
211	Toad, Houston (<i>Bufo houstonensis</i>)	E	\$455,091	\$1,148,621,050
212	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	\$436,683	\$1,149,057,733
213	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	\$436,092	\$1,149,493,825
214	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - except where EXPN	E	\$435,652	\$1,149,929,477
215	Paintbrush, golden (<i>Castilleja levisecta</i>)	T	\$423,395	\$1,150,352,872
216	Sucker, Warner (<i>Catostomus warnerensis</i>)	T	\$418,388	\$1,150,771,260
217	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$415,598	\$1,151,186,858
218	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	\$413,952	\$1,151,600,810
219	Rail, light-footed clapper (<i>Rallus longirostris levipes</i>) - U.S.A.	E	\$409,442	\$1,152,010,252
220	Logperch, Roanoke (<i>Percina rex</i>)	E	\$397,146	\$1,152,407,398
221	Salamander, frosted flatwoods (<i>Ambystoma cingulatum</i>)	T	\$391,395	\$1,152,798,793
222	Ma`o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>)	E	\$385,494	\$1,153,184,287
223	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	E	\$379,786	\$1,153,564,073
224	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$378,837	\$1,153,942,910
225	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>)	E	\$378,379	\$1,154,321,289
226	Tern, roseate (<i>Sterna dougallii dougallii</i>) - NE U.S. nesting pop.	E	\$376,658	\$1,154,697,947
227	Lotus, San Clemente Island (<i>Acmispon dendroideus</i> var. <i>traskiae</i> (= <i>Lotus d. ssp. traskiae</i>))	E	\$374,730	\$1,155,072,677
228	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>)	E	\$374,411	\$1,155,447,088
229	Jaguar (<i>Panthera onca</i>) - AZ, CA, LA, NM, TX; Mexico; Central and South America	E	\$369,336	\$1,155,816,424
230	Phlox, Texas trailing (<i>Phlox nivalis</i> ssp. <i>texensis</i>)	E	\$369,087	\$1,156,185,511
231	Pondberry (<i>Lindera melissifolia</i>)	E	\$364,025	\$1,156,549,536
232	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$357,320	\$1,156,906,856

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
233	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$354,913	\$1,157,261,769
234	Rabbit, Pygmy (<i>Brachylagus idahoensis</i>) - Columbia Basin DPS	E	\$354,735	\$1,157,616,504
235	Squirrel, northern Idaho ground (<i>Spermophilus brunneus brunneus</i>)	T	\$353,401	\$1,157,969,905
236	Sucker, Santa Ana (<i>Catostomus santaanae</i>) - 3 CA river basins	T	\$350,897	\$1,158,320,802
237	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>)	E	\$349,245	\$1,158,670,047
238	Manzanita, San Francisco (<i>Arctostaphylos franciscana</i>)	E	\$339,628	\$1,159,009,675
239	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$334,986	\$1,159,344,661
240	Lupine, Kincaid's (<i>Lupinus sulphureus</i> ssp. <i>kincaidii</i>)	T	\$332,133	\$1,159,676,794
241	Chub, Pahranagat roundtail (<i>Gila robusta jordani</i>)	E	\$331,761	\$1,160,008,555
242	Salamander, California tiger (<i>Ambystoma californiense</i>) - CA - Sonoma Co.	E	\$325,067	\$1,160,333,622
243	Madtom, Neosho (<i>Noturus placidus</i>)	T	\$323,913	\$1,160,657,535
244	Tiger beetle, Salt Creek (<i>Cicindela nevadica lincoliniana</i>)	E	\$322,585	\$1,160,980,120
245	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	\$321,987	\$1,161,302,107
246	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	\$320,290	\$1,161,622,397
247	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (= <i>E. e. wrighti</i>))	E	\$315,866	\$1,161,938,263
248	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - except Sussex Co., DE	E	\$305,657	\$1,162,243,920
249	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>)	T	\$304,940	\$1,162,548,860
250	Chub, spotfin (<i>Erimonax monachus</i>)	T	\$303,955	\$1,162,852,815
251	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>)	E	\$295,635	\$1,163,148,450
252	Darter, Niangua (<i>Etheostoma nianguae</i>)	T	\$290,284	\$1,163,438,734
253	Clubshell (<i>Pleurobema clava</i>) - except where EXPN	E	\$289,632	\$1,163,728,366
254	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$280,336	\$1,164,008,702
255	Trout, Apache (<i>Oncorhynchus apache</i>)	T	\$280,135	\$1,164,288,837
256	Mouse, Perdido Key beach (<i>Peromyscus polionotus trissyllepsis</i>)	E	\$278,584	\$1,164,567,421
257	Palila (honeycreeper) (<i>Loxioides bailleui</i>)	E	\$275,643	\$1,164,843,064
258	Dace, Moapa (<i>Moapa coriacea</i>)	E	\$273,700	\$1,165,116,764
259	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$271,376	\$1,165,388,140
260	Quillwort, Louisiana (<i>Isoetes louisianensis</i>)	E	\$269,670	\$1,165,657,810
261	Caribou, woodland (<i>Rangifer tarandus caribou</i>) - Selkirk Mts.	E	\$268,069	\$1,165,925,879
262	Dace, blackside (<i>Phoxinus cumberlandensis</i>)	T	\$265,890	\$1,166,191,769
263	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>)	E	\$265,006	\$1,166,456,775
264	Pomace fly, [unnamed] (<i>Drosophila montgomeryi</i>)	E	\$264,112	\$1,166,720,887

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
265	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>)	E	\$263,197	\$1,166,984,084
266	Pomace fly, [unnamed] (<i>Drosophila substenoptera</i>)	E	\$262,084	\$1,167,246,168
267	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$261,687	\$1,167,507,855
268	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	\$257,748	\$1,167,765,603
269	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	\$254,073	\$1,168,019,676
270	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>) - FL	E	\$253,671	\$1,168,273,347
271	Parrotbill, Maui (honeycreeper) (<i>Pseudonestor xanthophrys</i>)	E	\$251,899	\$1,168,525,246
272	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$251,272	\$1,168,776,518
273	Salamander, Jollyville Plateau (<i>Eurycea tonkawae</i>)	T	\$250,550	\$1,169,027,068
274	Chaffseed, American (<i>Schwalbea americana</i>)	E	\$250,071	\$1,169,277,139
275	Pink, swamp (<i>Helonias bullata</i>)	T	\$249,897	\$1,169,527,036
276	Thrush, small Kauai (=puiaiohi) (<i>Myadestes palmeri</i>)	E	\$249,737	\$1,169,776,773
277	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>)	T	\$244,545	\$1,170,021,318
278	Shiner, Arkansas River (<i>Notropis girardi</i>) - Arkansas R. Basin	T	\$241,231	\$1,170,262,549
279	Three-ridge, fat (mussel) (<i>Amblema neislerii</i>)	E	\$240,777	\$1,170,503,326
280	Seal, Guadalupe fur (<i>Arctocephalus townsendi</i>)	T	\$238,856	\$1,170,742,182
281	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	\$238,800	\$1,170,980,982
282	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	\$236,802	\$1,171,217,784
283	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$234,973	\$1,171,452,757
284	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>)	T	\$234,969	\$1,171,687,726
285	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>)	E	\$234,924	\$1,171,922,650
286	Frog, dusky gopher (<i>Rana sevosa</i>)	E	\$232,821	\$1,172,155,471
287	Hawk, Hawaiian (=lo) (<i>Buteo solitarius</i>)	E	\$229,670	\$1,172,385,141
288	Butterfly, bay checkerspot (<i>Euphydryas editha bayensis</i>)	T	\$227,911	\$1,172,613,052
289	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$226,323	\$1,172,839,375
290	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>)	E	\$226,322	\$1,173,065,697
291	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	\$225,786	\$1,173,291,483
292	Bat, Mariana fruit (=Mariana flying fox) (<i>Pteropus mariannus mariannus</i>)	T	\$219,963	\$1,173,511,446
293	Ladies'-tresses, Canelo Hills (<i>Spiranthes delitescens</i>)	E	\$219,553	\$1,173,730,999
294	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	\$217,600	\$1,173,948,599
295	Spiny mussel, James (<i>Pleurobema collina</i>)	E	\$214,789	\$1,174,163,388
296	Bankclimber, purple (mussel) (<i>Elliptoideus sloatianus</i>)	T	\$213,319	\$1,174,376,707

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
297	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$211,996	\$1,174,588,703
298	Darter, Okaloosa (<i>Etheostoma okaloosae</i>)	E	\$211,113	\$1,174,799,816
299	Sucker, Modoc (<i>Catostomus microps</i>)	E	\$209,446	\$1,175,009,262
300	Akepa, Hawaii (honeycreeper) (<i>Loxops coccineus coccineus</i>)	E	\$208,222	\$1,175,217,484
301	Creeper, Hawaii (<i>Oreomystis mana</i>)	E	\$206,915	\$1,175,424,399
302	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>) - CA	E	\$203,167	\$1,175,627,566
303	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	\$202,168	\$1,175,829,734
304	Akiapola`au (honeycreeper) (<i>Hemignathus munroi</i>)	E	\$200,249	\$1,176,029,983
305	Butterfly, Palos Verdes blue (<i>Glaucomysche lygdamus palosverdesensis</i>)	E	\$198,687	\$1,176,228,670
306	Bean, purple (<i>Villosa perpurpurea</i>)	E	\$197,850	\$1,176,426,520
307	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$195,290	\$1,176,621,810
308	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$194,169	\$1,176,815,979
309	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>)	E	\$193,713	\$1,177,009,692
310	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	\$192,439	\$1,177,202,131
311	Mehamehame (<i>Flueggea neowawraea</i>)	E	\$191,844	\$1,177,393,975
312	Puma (=cougar), eastern (<i>Puma (=Felis) concolor couguar</i>)	E	\$189,637	\$1,177,583,612
313	Kingfisher, Guam Micronesian (<i>Halcyon cinnamominina cinnamominina</i>)	E	\$189,490	\$1,177,773,102
314	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	\$188,653	\$1,177,961,755
315	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	\$187,156	\$1,178,148,911
316	<i>Asplenium fragile insulare</i>	E	\$186,339	\$1,178,335,250
317	Trout, Gila (<i>Oncorhynchus gilae</i>)	T	\$185,346	\$1,178,520,596
318	Albatross, short-tailed (<i>Phoebastria (=Diomedea) albatrus</i>)	E	\$179,952	\$1,178,700,548
319	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	\$179,152	\$1,178,879,700
320	Limpet, Banbury Springs (<i>Lanx</i> sp.)	E	\$178,695	\$1,179,058,395
321	Kangaroo rat, Stephens' (<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>))	E	\$176,850	\$1,179,235,245
322	Po`e (<i>Portulaca sclerocarpa</i>)	E	\$175,155	\$1,179,410,400
323	Haha (<i>Cyanea shipmanii</i>)	E	\$171,010	\$1,179,581,410
324	Mussel, sheepnose (<i>Plethobasus cyphyus</i>)	E	\$170,962	\$1,179,752,372
325	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscinia</i>)	E	\$170,759	\$1,179,923,131
326	Butterfly, Smith's blue (<i>Euphilotes enoptes smithi</i>)	E	\$167,571	\$1,180,090,702
327	<i>Silene hawaiiensis</i>	T	\$167,220	\$1,180,257,922
328	<i>Neraudia ovata</i>	E	\$166,643	\$1,180,424,565
329	Skipper, Carson wandering (<i>Pseudocopaeodes eunus obscurus</i>) - NV, CA	E	\$165,560	\$1,180,590,125

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
330	Akikiki (<i>Oreomystis bairdi</i>)	E	\$165,230	\$1,180,755,355
331	Kiponapona (<i>Phyllostegia racemosa</i>)	E	\$164,605	\$1,180,919,960
332	Rosemary, Cumberland (<i>Conradina verticillata</i>)	T	\$163,364	\$1,181,083,324
333	`Oha wai (<i>Clermontia lindseyana</i>)	E	\$162,713	\$1,181,246,037
334	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>) - CA	E	\$162,003	\$1,181,408,040
335	Salamander, Reticulated flatwoods (<i>Ambystoma bishopi</i>)	E	\$161,435	\$1,181,569,475
336	Akekee (<i>Loxops caeruleirostris</i>)	E	\$161,174	\$1,181,730,649
337	`Oha wai (<i>Clermontia pyrularia</i>)	E	\$160,599	\$1,181,891,248
338	Mahoe (<i>Alectryon macrococcus</i>)	E	\$159,435	\$1,182,050,683
339	Fox, Santa Rosa Island (<i>Urocyon littoralis santarosae</i>) - CA	E	\$159,031	\$1,182,209,714
340	Milk-vetch, Sentry (<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>)	E	\$159,000	\$1,182,368,714
341	Orchid, western prairie fringed (<i>Platanthera praecolorata</i>)	T	\$158,958	\$1,182,527,672
342	A`e (<i>Zanthoxylum hawaiiense</i>)	E	\$157,588	\$1,182,685,260
343	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	\$156,848	\$1,182,842,108
344	<i>Spermolepis hawaiiensis</i>	E	\$153,838	\$1,182,995,946
345	`Aiea (<i>Nothocestrum breviflorum</i>)	E	\$153,357	\$1,183,149,303
346	Popolo ku mai (<i>Solanum incompletum</i>)	E	\$152,264	\$1,183,301,567
347	Bear, American black (<i>Ursus americanus</i>) - County range of LA black bear	SAT	\$151,479	\$1,183,453,046
348	Piperia, Yadon's (<i>Piperia yadonii</i>)	E	\$150,080	\$1,183,603,126
349	Uhiuhi (<i>Caesalpinia kavaiene</i>)	E	\$149,912	\$1,183,753,038
350	<i>Lobelia oahuensis</i>	E	\$148,718	\$1,183,901,756
351	<i>Neraudia angulata</i>	E	\$148,026	\$1,184,049,782
352	Skullcap, large-flowered (<i>Scutellaria montana</i>)	T	\$147,980	\$1,184,197,762
353	Haha (<i>Cyanea st.-johnii</i>)	E	\$147,764	\$1,184,345,526
354	<i>Phyllostegia velutina</i>	E	\$146,050	\$1,184,491,576
355	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus allophrys</i>)	E	\$145,792	\$1,184,637,368
356	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>)	E	\$144,753	\$1,184,782,121
357	Kulu`i (<i>Nototrichium humile</i>)	E	\$144,435	\$1,184,926,556
358	Ha`iwale (<i>Cyrtandra tintinnabula</i>)	E	\$143,700	\$1,185,070,256
359	Mouse, St. Andrew beach (<i>Peromyscus polionotus peninsularis</i>) - FL	E	\$143,323	\$1,185,213,579
360	<i>Silene lanceolata</i>	E	\$142,379	\$1,185,355,958
361	Alani (<i>Melicope lydgatei</i>)	E	\$142,301	\$1,185,498,259
362	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$141,496	\$1,185,639,755

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
363	<i>Tetramolopium filiforme</i>	E	\$140,980	\$1,185,780,735
364	Lily, Western (<i>Lilium occidentale</i>)	E	\$140,210	\$1,185,920,945
365	<i>Viola oahuensis</i>	E	\$139,889	\$1,186,060,834
366	Pamakani (<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>)	E	\$139,711	\$1,186,200,545
367	<i>Kadua parvula</i>	E	\$139,262	\$1,186,339,807
368	`Ohe`ohe (<i>Tetraplasandra gymnocarpa</i>)	E	\$139,147	\$1,186,478,954
369	Duck, Laysan (<i>Anas laysanensis</i>)	E	\$139,062	\$1,186,618,016
370	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$138,468	\$1,186,756,484
371	Amole, purple (<i>Chlorogalum purpureum</i>)	T	\$138,005	\$1,186,894,489
372	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$137,972	\$1,187,032,461
373	Tui chub, Mohave (<i>Gila bicolor</i> ssp. <i>mohavensis</i>)	E	\$137,870	\$1,187,170,331
374	Tiger beetle, Northeastern beach (<i>Cicindela dorsalis dorsalis</i>)	T	\$137,766	\$1,187,308,097
375	Spinedace, White River (<i>Lepidomeda albivallis</i>)	E	\$137,176	\$1,187,445,273
376	<i>Pteris lidgatei</i>	E	\$134,319	\$1,187,579,592
377	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus coloratus</i>)	E	\$134,155	\$1,187,713,747
378	<i>Vigna o-wahuensis</i>	E	\$133,634	\$1,187,847,381
379	Lo`ulu (<i>Pritchardia kaalae</i>)	E	\$133,443	\$1,187,980,824
380	<i>Hesperomannia arborescens</i>	E	\$133,068	\$1,188,113,892
381	Nehe (<i>Melanthera tenuifolia</i>)	E	\$132,796	\$1,188,246,688
382	<i>Sanicula mariversa</i>	E	\$132,594	\$1,188,379,282
383	Cactus, Pima pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>)	E	\$132,437	\$1,188,511,719
384	Na`ena`e (<i>Dubautia herbostobatae</i>)	E	\$132,429	\$1,188,644,148
385	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$132,288	\$1,188,776,436
386	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$131,744	\$1,188,908,180
387	Honohono (<i>Haplostachys haplostachya</i>)	E	\$131,716	\$1,189,039,896
388	Centaury, spring-loving (<i>Centaurium namophilum</i>)	T	\$131,496	\$1,189,171,392
389	<i>Phyllostegia hirsuta</i>	E	\$131,395	\$1,189,302,787
390	Ha`iwale (<i>Cyrtandra viridiflora</i>)	E	\$131,315	\$1,189,434,102
391	Blackbird, yellow-shouldered (<i>Agelaius xanthomus</i>)	E	\$131,000	\$1,189,565,102
392	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>)	E	\$129,968	\$1,189,695,070
393	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	\$129,850	\$1,189,824,920
394	<i>Cyanea (=Rollandia) crispia</i>	E	\$129,753	\$1,189,954,673
395	<i>Lipochaeta venosa</i>	E	\$128,393	\$1,190,083,066
396	Nanu (<i>Gardenia mannii</i>)	E	\$126,416	\$1,190,209,482

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
397	<i>Sanicula purpurea</i>	E	\$126,276	\$1,190,335,758
398	Haha (<i>Cyanea acuminata</i>)	E	\$126,212	\$1,190,461,970
399	Gumplant, Ash Meadows (<i>Grindelia fraxinipratensis</i>)	T	\$126,209	\$1,190,588,179
400	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	\$126,098	\$1,190,714,277
401	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i>	E	\$125,948	\$1,190,840,225
402	Darter, diamond (<i>Crystallaria cincotta</i>)	E	\$125,660	\$1,190,965,885
403	Akoko (<i>Chamaesyce rockii</i>)	E	\$124,922	\$1,191,090,807
404	Kolea (<i>Myrsine juddii</i>)	E	\$124,903	\$1,191,215,710
405	Spectaclecase (mussel) (<i>Cumberlandia monodonta</i>)	E	\$124,412	\$1,191,340,122
406	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	\$124,193	\$1,191,464,315
407	Hala pepe (<i>Pleomele hawaiiensis</i>)	E	\$123,675	\$1,191,587,990
408	Honeycreeper, crested (<i>Palmeria dolei</i>)	E	\$123,316	\$1,191,711,306
409	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>)	E	\$123,219	\$1,191,834,525
410	Kamanomano (<i>Cenchrus agrimonoides</i>)	E	\$123,052	\$1,191,957,577
411	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$122,419	\$1,192,079,996
412	Layia, beach (<i>Layia carnosa</i>)	E	\$121,947	\$1,192,201,943
413	Poolfish, Pahrump (<i>Empetrichthys latos</i>)	E	\$120,502	\$1,192,322,445
414	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$120,094	\$1,192,442,539
415	<i>Abutilon sandwicense</i>	E	\$119,835	\$1,192,562,374
416	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	\$119,606	\$1,192,681,980
417	Oha (<i>Delissea subcordata</i>)	E	\$119,399	\$1,192,801,379
418	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$119,361	\$1,192,920,740
419	<i>Gouania vitifolia</i>	E	\$119,293	\$1,193,040,033
420	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$119,288	\$1,193,159,321
421	<i>Phyllostegia mollis</i>	E	\$119,027	\$1,193,278,348
422	Crayfish, Shasta (<i>Pacifastacus fortis</i>)	E	\$118,900	\$1,193,397,248
423	Haha (<i>Cyanea koolauensis</i>)	E	\$117,429	\$1,193,514,677
424	Sheep, Peninsular bighorn (<i>Ovis canadensis nelsoni</i>) - Peninsular CA pop.	E	\$117,417	\$1,193,632,094
425	<i>Schiedea kaalae</i>	E	\$117,217	\$1,193,749,311
426	Haha (<i>Cyanea superba</i>)	E	\$117,125	\$1,193,866,436
427	Kio`ele (<i>Kadua coriacea</i>)	E	\$116,808	\$1,193,983,244
428	Wawai`ole (<i>Huperzia nutans</i>)	E	\$116,112	\$1,194,099,356

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
429	<i>Schiedea nuttallii</i>	E	\$116,029	\$1,194,215,385
430	<i>Phyllostegia kaalaensis</i>	E	\$115,846	\$1,194,331,231
431	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$115,672	\$1,194,446,903
432	<i>Hesperomannia arbuscula</i>	E	\$115,353	\$1,194,562,256
433	<i>Stenogyne kanehoana</i>	E	\$115,212	\$1,194,677,468
434	<i>Schiedea obovata</i>	E	\$114,565	\$1,194,792,033
434	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>)	E	\$114,565	\$1,194,906,598
435	<i>Stenogyne angustifolia angustifolia</i>	E	\$114,207	\$1,195,020,805
436	Kangaroo rat, Tipton (<i>Dipodomys nitratoides nitratoides</i>)	E	\$114,000	\$1,195,134,805
437	‘Akoko (<i>Chamaesyce herbstii</i>)	E	\$113,900	\$1,195,248,705
438	Elktoe, Appalachian (<i>Alasmidonta raveneliana</i>)	E	\$112,725	\$1,195,361,430
439	Nioi (<i>Eugenia koolauensis</i>)	E	\$112,667	\$1,195,474,097
440	Aupaka (<i>Isodendrion hosakae</i>)	E	\$112,390	\$1,195,586,487
441	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	\$111,800	\$1,195,698,287
442	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$111,773	\$1,195,810,060
443	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventralis</i>) - FL	T	\$111,288	\$1,195,921,348
444	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	\$110,966	\$1,196,032,314
445	Cactus, Winkler (<i>Pediocactus winkleri</i>)	T	\$110,950	\$1,196,143,264
446	‘Akoko (<i>Chamaesyce celastroides</i> var. <i>kaenana</i>)	E	\$110,784	\$1,196,254,048
447	Cypress, Santa Cruz (<i>Cupressus abramsiana</i>)	E	\$110,775	\$1,196,364,823
448	<i>Schiedea trinervis</i>	E	\$110,701	\$1,196,475,524
449	Haha (<i>Cyanea longiflora</i>)	E	\$110,169	\$1,196,585,693
450	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	\$109,545	\$1,196,695,238
451	Chub, slender (<i>Erimystax cahni</i>)	T	\$109,169	\$1,196,804,407
452	Ha`iwale (<i>Cyrtandra dentata</i>)	E	\$109,167	\$1,196,913,574
453	Trout, Little Kern golden (<i>Oncorhynchus aguabonita whitei</i>)	T	\$108,600	\$1,197,022,174
454	Iagu, Hayun (=Guam), Tronkon guafi (Rota) (<i>Serianthes nelsonii</i>)	E	\$108,507	\$1,197,130,681
455	Pearlymussel, littlewing (<i>Pegias fabula</i>)	E	\$107,979	\$1,197,238,660
456	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>)	E	\$107,696	\$1,197,346,356
457	Onion, Munz's (<i>Allium munzii</i>)	E	\$106,805	\$1,197,453,161
458	Bat, Ozark big-eared (<i>Corynorhinus (=Plecotus) townsendii ingens</i>)	E	\$106,658	\$1,197,559,819
459	Chub, Borax Lake (<i>Gila boraxobius</i>)	E	\$106,538	\$1,197,666,357
460	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>) – AZ; Mexico	EXPN	\$106,266	\$1,197,772,623
461	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$106,176	\$1,197,878,799

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
462	Kauila (<i>Colubrina oppositifolia</i>)	E	\$105,378	\$1,197,984,177
463	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>)	E	\$104,962	\$1,198,089,139
464	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	\$104,116	\$1,198,193,255
465	Evening-primrose, Eureka Valley (<i>Oenothera avita</i> ssp. <i>eurekensis</i>)	E	\$104,016	\$1,198,297,271
466	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - except where EXPN	E	\$103,477	\$1,198,400,748
467	Milkweed, Mead's (<i>Asclepias meadii</i>)	T	\$102,949	\$1,198,503,697
468	Milk-vetch, Peirson's (<i>Astragalus magdalena var. peirsonii</i>)	T	\$102,817	\$1,198,606,514
469	Wooly-threads, San Joaquin (<i>Monolopia (=Lembertia) congonii</i>)	E	\$102,490	\$1,198,709,004
470	Beauty, Harper's (<i>Harperocallis flava</i>)	E	\$101,841	\$1,198,810,845
471	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$101,224	\$1,198,912,069
472	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	\$101,078	\$1,199,013,147
473	<i>Kadua degeneri</i>	E	\$99,281	\$1,199,112,428
474	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>)	E	\$99,187	\$1,199,211,615
475	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	\$98,771	\$1,199,310,386
476	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	\$98,352	\$1,199,408,738
477	Ohai (<i>Sesbania tomentosa</i>)	E	\$98,019	\$1,199,506,757
478	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	\$97,936	\$1,199,604,693
479	Bird's-beak, salt marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>)	E	\$97,289	\$1,199,701,982
480	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$96,403	\$1,199,798,385
481	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$96,285	\$1,199,894,670
482	Jaguarundi, Gulf Coast (<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>) – TX; Mexico	E	\$95,678	\$1,199,990,348
483	Hellbender, Ozark (<i>Cryptobranchus alleganiensis bishopi</i>)	E	\$94,418	\$1,200,084,766
484	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	\$94,381	\$1,200,179,147
485	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>)	E	\$94,375	\$1,200,273,522
486	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	\$93,744	\$1,200,367,266
487	Buckwheat, cushenbury (<i>Eriogonum ovalifolium</i> var. <i>vineum</i>)	E	\$93,632	\$1,200,460,898
488	Dace, Foskett speckled (<i>Rhinichthys osculus</i> ssp.)	T	\$92,000	\$1,200,552,898
489	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus familiaris kingi</i>)	E	\$89,677	\$1,200,642,575
490	Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>) - Sierra Nevada	E	\$89,054	\$1,200,731,629
491	Haha (<i>Cyanea stictophylla</i>)	E	\$88,841	\$1,200,820,470
492	Shrimp, California freshwater (<i>Syncaris pacifica</i>)	E	\$88,500	\$1,200,908,970
493	Koki`o (<i>Kokia drynarioides</i>)	E	\$87,981	\$1,200,996,951

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
494	Dropwort, Canby's (<i>Oxypolis canbyi</i>)	E	\$87,821	\$1,201,084,772
495	Bear-poppy, Dwarf (<i>Arctomecon humilis</i>)	E	\$87,020	\$1,201,171,792
496	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>)	E	\$86,650	\$1,201,258,442
497	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	\$86,330	\$1,201,344,772
498	Woolly-star, Santa Ana River (<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>)	E	\$86,031	\$1,201,430,803
499	Cactus, Uinta Basin hookless (<i>Sclerocactus wetlandicus</i>)	T	\$85,900	\$1,201,516,703
500	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$85,396	\$1,201,602,099
501	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	\$85,138	\$1,201,687,237
502	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	\$84,720	\$1,201,771,957
503	Kula wahine noho (<i>Isodendrion pyrifolium</i>)	E	\$84,667	\$1,201,856,624
504	Cycladenia, Jones (<i>Cycladenia humilis</i> var. <i>jonesii</i>)	T	\$84,500	\$1,201,941,124
505	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>)	T	\$84,488	\$1,202,025,612
506	Dace, desert (<i>Eremichthys acros</i>)	T	\$84,424	\$1,202,110,036
507	Trout, Paiute cutthroat (<i>Oncorhynchus clarkii seleniris</i>)	T	\$83,916	\$1,202,193,952
508	Kangaroo rat, Fresno (<i>Dipodomys nitratoides exilis</i>)	E	\$83,576	\$1,202,277,528
509	Popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	\$82,200	\$1,202,359,728
510	Lomatium, Cook's (<i>Lomatium cookii</i>)	E	\$82,195	\$1,202,441,923
511	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - except where EXPN	T	\$82,048	\$1,202,523,971
512	Turtle, Alabama red-belly (<i>Pseudemys alabamensis</i>)	E	\$81,721	\$1,202,605,692
513	Butterfly, Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>)	E	\$81,558	\$1,202,687,250
514	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	\$81,540	\$1,202,768,790
515	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$81,484	\$1,202,850,274
516	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) - IN, MI, OH	T	\$80,983	\$1,202,931,257
517	Haha (<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>)	E	\$80,842	\$1,203,012,099
518	<i>Cyperus pannatifloris</i>	E	\$80,782	\$1,203,092,881
519	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$79,647	\$1,203,172,528
520	Rail, Guam (<i>Rallus owstoni</i>) - Rota	EXPN	\$79,530	\$1,203,252,058
521	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	\$79,150	\$1,203,331,208
522	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	\$78,600	\$1,203,409,808
523	Skullcap, Florida (<i>Scutellaria floridana</i>)	T	\$78,166	\$1,203,487,974
524	‘Oha wai (<i>Clermontia peleana</i>)	E	\$77,497	\$1,203,565,471
525	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	\$76,422	\$1,203,641,893
526	Lo`ulu (<i>Pritchardia remota</i>)	E	\$76,141	\$1,203,718,034
527	Wallflower, Contra Costa (<i>Erysimum capitatum</i> var. <i>angustatum</i>)	E	\$75,696	\$1,203,793,730

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
528	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	\$75,688	\$1,203,869,418
529	Salamander, Austin blind (<i>Eurycea waterlooensis</i>)	E	\$75,550	\$1,203,944,968
530	Boa, Puerto Rican (<i>Epicrates inornatus</i>)	E	\$75,000	\$1,204,019,968
531	Sturgeon, Shovelnose (<i>Scaphirhynchus platorynchus</i>)	SAT	\$74,500	\$1,204,094,468
532	Snail, Pecos assiminea (<i>Assiminea pecos</i>)	E	\$74,127	\$1,204,168,595
533	Slabshell, Chipola (<i>Elliptio chipolaensis</i>)	T	\$73,260	\$1,204,241,855
534	Trillium, relict (<i>Trillium reliquum</i>)	E	\$73,170	\$1,204,315,025
535	Lizard, St. Croix ground (<i>Ameiva polops</i>)	E	\$73,000	\$1,204,388,025
536	Cactus, Colorado hookless (<i>Sclerocactus glaucus</i>)	T	\$72,321	\$1,204,460,346
537	Daisy, Willamette (<i>Erigeron decumbens</i> var. <i>decumbens</i>)	E	\$71,540	\$1,204,531,886
538	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - except where EXPN	E	\$70,440	\$1,204,602,326
539	Stickleback, unarmored threespine (<i>Gasterosteus aculeatus williamsoni</i>)	E	\$70,418	\$1,204,672,744
540	‘Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>)	T	\$70,248	\$1,204,742,992
541	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>coachellae</i>)	E	\$70,182	\$1,204,813,174
542	Darter, amber (<i>Percina antesella</i>)	E	\$69,400	\$1,204,882,574
543	Gilia, Monterey (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>)	E	\$69,168	\$1,204,951,742
544	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	\$68,725	\$1,205,020,467
545	Milkweed, Welsh's (<i>Asclepias welshii</i>)	T	\$68,000	\$1,205,088,467
546	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum croceum</i>)	E	\$66,928	\$1,205,155,395
547	Jacquemontia, beach (<i>Jacquemontia reclinata</i>)	E	\$66,025	\$1,205,221,420
548	Bean, rayed (<i>Villosa fabalis</i>)	E	\$65,824	\$1,205,287,244
549	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$65,224	\$1,205,352,468
550	Orcutt grass, Sacramento (<i>Orcuttia viscosa</i>)	E	\$63,610	\$1,205,416,078
551	Mallow, Gierisch (<i>Sphaeralcea gierischii</i>)	E	\$63,350	\$1,205,479,428
552	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>)	T	\$63,276	\$1,205,542,704
553	Spurge, deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>)	E	\$62,925	\$1,205,605,629
554	Lau `ehu (<i>Panicum nihihauense</i>)	E	\$62,903	\$1,205,668,532
555	Crane, whooping (<i>Grus americana</i>) - SW Louisiana	EXPN	\$62,650	\$1,205,731,182
556	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	\$62,296	\$1,205,793,478
557	Shiner, Cape Fear (<i>Notropis mekistocholas</i>)	E	\$61,100	\$1,205,854,578
558	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>)	T	\$60,471	\$1,205,915,049
559	Haha (<i>Cyanea platyphylla</i>)	E	\$60,338	\$1,205,975,387
560	Butterfly, El Segundo blue (<i>Euphilotes battoides allyni</i>)	E	\$60,156	\$1,206,035,543

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
561	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>)	T	\$59,675	\$1,206,095,218
562	Spineflower, Monterey (<i>Chorizanthe pungens</i> var. <i>pungens</i>)	T	\$59,524	\$1,206,154,742
563	Isopod, Madison Cave (<i>Antrolana lira</i>)	T	\$58,891	\$1,206,213,633
564	Spurge, telephus (<i>Euphorbia telephiooides</i>)	T	\$58,748	\$1,206,272,381
565	Spiny mussel, Tar River (<i>Elliptio stein stansana</i>)	E	\$58,110	\$1,206,330,491
566	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>)	E	\$57,438	\$1,206,387,929
567	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (= <i>E. walkerii</i>))	E	\$57,247	\$1,206,445,176
568	Cactus, Pariette (<i>Sclerocactus brevispinus</i>)	T	\$57,200	\$1,206,502,376
569	Joint-vetch, Sensitive (<i>Aeschynomene virginica</i>)	T	\$56,827	\$1,206,559,203
570	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$56,580	\$1,206,615,783
571	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>)	E	\$56,557	\$1,206,672,340
572	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>)	E	\$56,500	\$1,206,728,840
572	Iguana, Mona ground (<i>Cyclura stejnegeri</i>)	T	\$56,500	\$1,206,785,340
573	Butterfly, callippe silverspot (<i>Speyeria callippe callippe</i>)	E	\$56,300	\$1,206,841,640
573	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	\$56,300	\$1,206,897,940
574	Springfish, White River (<i>Crenichthys baileyi baileyi</i>)	E	\$56,056	\$1,206,953,996
575	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>)	E	\$55,760	\$1,207,009,756
576	Butterfly, mission blue (<i>Icaricia icarioides missionensis</i>)	E	\$55,500	\$1,207,065,256
577	Evening-primrose, San Benito (<i>Camissonia benitensis</i>)	T	\$55,050	\$1,207,120,306
578	Isopod, Lee County cave (<i>Lirceus usdagalun</i>)	E	\$53,600	\$1,207,173,906
579	Geranium, Hawaiian red-flowered (<i>Geranium arboreum</i>)	E	\$53,558	\$1,207,227,464
580	Taraxacum, California (<i>Taraxacum californicum</i>)	E	\$52,583	\$1,207,280,047
581	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>)	E	\$52,582	\$1,207,332,629
582	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$52,572	\$1,207,385,201
583	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>)	E	\$52,000	\$1,207,437,201
584	Awiwi (<i>Centaurium sebaeoides</i>)	E	\$51,784	\$1,207,488,985
585	Sandwort, Marsh (<i>Arenaria paludicola</i>)	E	\$51,470	\$1,207,540,455
586	Pocketbook, finelined (<i>Lampsilis altilis</i>)	T	\$50,996	\$1,207,591,451
587	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$50,772	\$1,207,642,223
588	Harperella (<i>Ptilimnium nodosum</i>)	E	\$50,675	\$1,207,692,898
589	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$50,183	\$1,207,743,081
590	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - except where EXPN	E	\$50,097	\$1,207,793,178
591	Pearlymussel, dromedary (<i>Dromus dromas</i>) - except where EXPN	E	\$49,940	\$1,207,843,118

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
592	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$49,536	\$1,207,892,654
593	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>)	E	\$49,479	\$1,207,942,133
594	Ambrosia, south Texas (<i>Ambrosia cheiranthifolia</i>)	E	\$49,457	\$1,207,991,590
595	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	\$49,190	\$1,208,040,780
596	Evening-primrose, Antioch Dunes (<i>Oenothera deltoides</i> ssp. <i>howellii</i>)	E	\$49,096	\$1,208,089,876
597	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$49,034	\$1,208,138,910
598	A`e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>)	E	\$48,980	\$1,208,187,890
599	``Akoko, Ewa Plains (<i>Chamaesyce skottsbergii</i> var. <i>skottsbergii</i>)	E	\$48,931	\$1,208,236,821
600	Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>)	E	\$48,914	\$1,208,285,735
601	Ihi`ihi (<i>Marsilea villosa</i>)	E	\$48,797	\$1,208,334,532
602	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$48,700	\$1,208,383,232
603	Hawk, Puerto Rican sharp-shinned (<i>Accipiter striatus venator</i>)	E	\$48,468	\$1,208,431,700
604	Phacelia, DeBeque (<i>Phacelia submutica</i>)	T	\$47,996	\$1,208,479,696
605	Cactus, Bakersfield (<i>Opuntia treleasei</i>)	E	\$47,495	\$1,208,527,191
606	Meadowfoam, Butte County (<i>Limnanthes floccosa</i> ssp. <i>californica</i>)	E	\$46,910	\$1,208,574,101
607	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	\$46,813	\$1,208,620,914
608	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$46,809	\$1,208,667,723
609	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>)	E	\$46,500	\$1,208,714,223
610	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	\$46,252	\$1,208,760,475
611	Pigtoe, shiny (<i>Fusconaia cor</i>) - except where EXPN	E	\$46,000	\$1,208,806,475
612	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	\$45,957	\$1,208,852,432
613	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>)	E	\$45,725	\$1,208,898,157
614	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - except where EXPN	E	\$45,563	\$1,208,943,720
615	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	\$45,320	\$1,208,989,040
616	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	\$45,021	\$1,209,034,061
617	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$44,824	\$1,209,078,885
618	``Aiaakeakua, popolo (<i>Solanum sandwicense</i>)	E	\$44,447	\$1,209,123,332
619	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>)	E	\$44,444	\$1,209,167,776
620	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>)	E	\$44,227	\$1,209,212,003
621	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$43,792	\$1,209,255,795
622	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$43,668	\$1,209,299,463
623	Meadowfoam, large-flowered woolly (<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>)	E	\$43,450	\$1,209,342,913
624	Pennyroyal, Todsen's (<i>Hedeoma todseii</i>)	E	\$43,000	\$1,209,385,913

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
625	Clubshell, ovate (<i>Pleurobema perovatum</i>)	E	\$42,901	\$1,209,428,814
626	<i>Schiedea kauaiensis</i>	E	\$42,819	\$1,209,471,633
627	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$42,753	\$1,209,514,386
628	Clubshell, southern (<i>Pleurobema decisum</i>)	E	\$42,484	\$1,209,556,870
629	<i>Lobelia niihauensis</i>	E	\$42,177	\$1,209,599,047
630	Lo`ulu (<i>Pritchardia affinis</i>)	E	\$42,144	\$1,209,641,191
631	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$41,955	\$1,209,683,146
632	Bird's-beak, soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>)	E	\$41,944	\$1,209,725,090
633	Tree snail, Newcomb's (<i>Newcombia cumingi</i>)	E	\$41,897	\$1,209,766,987
634	Mallow, Kern (<i>Eremalche kernensis</i>)	E	\$41,892	\$1,209,808,879
635	Ceanothus, coyote (<i>Ceanothus ferrisiae</i>)	E	\$41,700	\$1,209,850,579
635	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>)	E	\$41,700	\$1,209,892,279
636	<i>Tetramolopium rockii</i>	T	\$41,634	\$1,209,933,913
637	Butterweed, Layne's (<i>Senecio layneae</i>)	T	\$41,600	\$1,209,975,513
638	Torreya, Florida (<i>Torreya taxifolia</i>)	E	\$41,570	\$1,210,017,083
639	White-eye, Rota bridled (<i>Zosterops rotensis</i>)	E	\$41,264	\$1,210,058,347
640	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	T	\$41,232	\$1,210,099,579
641	Acornshell, southern (<i>Epioblasma othcaloogensis</i>)	E	\$41,187	\$1,210,140,766
642	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	\$41,100	\$1,210,181,866
643	Tuctoria, Greene's (<i>Tuctoria greenei</i>)	E	\$41,090	\$1,210,222,956
644	Oha (<i>Delissea rivularis</i>)	E	\$41,005	\$1,210,263,961
645	Darter, slackwater (<i>Etheostoma boschungi</i>)	T	\$40,500	\$1,210,304,461
646	Skyrocket, Pagosa (<i>Ipomopsis polyantha</i>)	E	\$40,251	\$1,210,344,712
647	Olulu (<i>Brighamia insignis</i>)	E	\$39,990	\$1,210,384,702
648	Milk-vetch, triple-ribbed (<i>Astragalus tricarinatus</i>)	E	\$39,909	\$1,210,424,611
649	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$39,760	\$1,210,464,371
650	Dace, Clover Valley speckled (<i>Rhinichthys osculus oligoporus</i>)	E	\$39,664	\$1,210,504,035
651	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	\$39,651	\$1,210,543,686
652	Tern, roseate (<i>Sterna dougallii dougallii</i>) - Western Hemisphere except NE U.S.	T	\$39,644	\$1,210,583,330
653	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>)	T	\$39,450	\$1,210,622,780
654	Elktoe, Cumberland (<i>Alasmidonta atropurpurea</i>)	E	\$39,447	\$1,210,662,227
655	Kamakahala (<i>Labordia lydgatei</i>)	E	\$39,420	\$1,210,701,647
656	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	\$39,153	\$1,210,740,800

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
657	Doryopteris angelica	E	\$39,040	\$1,210,779,840
658	Pigtoe, fuzzy (<i>Pleurobema strodeanum</i>)	T	\$38,907	\$1,210,818,747
659	Springsnail, Three Forks (<i>Pyrgulopsis trivialis</i>)	E	\$38,720	\$1,210,857,467
660	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	\$38,668	\$1,210,896,135
661	Akoko (<i>Euphorbia haeleeleana</i>)	E	\$38,310	\$1,210,934,445
662	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>) - CA	E	\$38,127	\$1,210,972,572
663	Papala (<i>Charpentiera densiflora</i>)	E	\$38,088	\$1,211,010,660
664	Mint, Lakela's (<i>Dicerandra immaculata</i>)	E	\$37,820	\$1,211,048,480
665	Paintbrush, Tiburon (<i>Castilleja affinis</i> ssp. <i>neglecta</i>)	E	\$37,700	\$1,211,086,180
666	Diellia pallida	E	\$37,588	\$1,211,123,768
667	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>)	E	\$37,455	\$1,211,161,223
668	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	\$37,386	\$1,211,198,609
669	Daisy, Parish's (<i>Erigeron parishii</i>)	T	\$37,313	\$1,211,235,922
670	Turtle, flattened musk (<i>Sternotherus depressus</i>)	T	\$37,078	\$1,211,273,000
671	Kaulu (<i>Pteralyxia kauaiensis</i>)	E	\$37,074	\$1,211,310,074
672	Haha (<i>Cyanea asarifolia</i>)	E	\$37,012	\$1,211,347,086
673	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>)	E	\$36,980	\$1,211,384,066
674	Vole, Hualapai Mexican (<i>Microtus mexicanus hualpaiensis</i>)	E	\$36,930	\$1,211,420,996
675	Awikiwiki (<i>Canavalia napaliensis</i>)	E	\$36,871	\$1,211,457,867
676	Darter, yellowcheek (<i>Etheostoma moorei</i>)	E	\$36,840	\$1,211,494,707
677	Bat, little Mariana fruit (<i>Pteropus tokudae</i>)	E	\$36,772	\$1,211,531,479
678	Bat, Mexican long-nosed (<i>Leptonycteris nivalis</i>)	E	\$36,750	\$1,211,568,229
679	Avens, spreading (<i>Geum radiatum</i>)	E	\$36,670	\$1,211,604,899
680	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>)	E	\$36,667	\$1,211,641,566
680	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>)	E	\$36,667	\$1,211,678,233
680	Ho`awa (<i>Pittosporum napaliense</i>)	E	\$36,667	\$1,211,714,900
681	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$36,545	\$1,211,751,445
682	Mapele (<i>Cyrtandra cyaneoides</i>)	E	\$36,438	\$1,211,787,883
683	Ko`oloa`ula (<i>Abutilon menziesii</i>)	E	\$36,367	\$1,211,824,250
684	Pitcher-plant, mountain sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>)	E	\$36,355	\$1,211,860,605
685	Cactus, Tobusch fishhook (<i>Sclerocactus brevihamatus</i> ssp. <i>tobuschii</i>)	E	\$36,330	\$1,211,896,935
686	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notariot</i>)	E	\$36,100	\$1,211,933,035
687	Seablite, California (<i>Suaeda californica</i>)	E	\$36,064	\$1,211,969,099
688	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$35,916	\$1,212,005,015

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
689	Fly, Hawaiian picture-wing (<i>Drosophila sharpii</i>)	E	\$35,893	\$1,212,040,908
690	Koki`o ke`oke`o (<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>)	E	\$35,146	\$1,212,076,054
691	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	\$35,072	\$1,212,111,126
692	Moth, Kern primrose sphinx (<i>Euproserpinus euterpe</i>)	T	\$34,938	\$1,212,146,064
693	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>)	E	\$34,881	\$1,212,180,945
694	Vole, Amargosa (<i>Microtus californicus scirpensis</i>)	E	\$34,878	\$1,212,215,823
695	Moccasinshell, Coosa (<i>Medionidus parvulus</i>)	E	\$34,670	\$1,212,250,493
696	Monkeyface, Cumberland (pearlmussel) (<i>Quadrula intermedia</i>) - except where EXPN	E	\$34,630	\$1,212,285,123
697	Pigtoe, finerayed (<i>Fusconaia cuneolus</i>) - except where EXPN	E	\$34,500	\$1,212,319,623
697	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>)	E	\$34,500	\$1,212,354,123
697	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>)	E	\$34,500	\$1,212,388,623
698	Milkvetch, Osterhout (<i>Astragalus osterhoutii</i>)	E	\$34,425	\$1,212,423,048
699	Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>)	E	\$34,243	\$1,212,457,291
700	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>)	E	\$34,230	\$1,212,491,521
701	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	\$34,100	\$1,212,525,621
702	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>)	E	\$34,068	\$1,212,559,689
703	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$34,015	\$1,212,593,704
704	<i>Bonamia menziesii</i>	E	\$33,930	\$1,212,627,634
705	Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>)	E	\$33,800	\$1,212,661,434
706	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$33,620	\$1,212,695,054
707	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	\$33,512	\$1,212,728,566
708	Rush-pea, slender (<i>Hoffmannseggia tenella</i>)	E	\$33,390	\$1,212,761,956
709	Butterfly, Miami Blue (<i>Cyclargus</i> (= <i>Hemiargus</i>) <i>thomasi bethunebakeri</i>)	E	\$33,363	\$1,212,795,319
710	Shiner, blue (<i>Cyprinella caerulea</i>)	T	\$33,266	\$1,212,828,585
711	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>)	E	\$33,100	\$1,212,861,685
712	<i>Phyllostegia parviflora</i>	E	\$32,986	\$1,212,894,671
713	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$32,902	\$1,212,927,573
714	Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>)	E	\$32,772	\$1,212,960,345
715	Amphipod, Peck's cave (<i>Stygobromus</i> (= <i>Stygonectes</i>) <i>pecki</i>)	E	\$32,667	\$1,212,993,012
716	<i>Diellia manni</i>	E	\$32,595	\$1,213,025,607
717	<i>Phyllostegia hispida</i>	E	\$32,429	\$1,213,058,036
718	Warea, wide-leaf (<i>Warea amplexifolia</i>)	E	\$32,200	\$1,213,090,236
719	Pomace fly, [unnamed] (<i>Drosophila musaphilia</i>)	E	\$32,176	\$1,213,122,412

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
720	Chaff-flower, round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>)	E	\$32,162	\$1,213,154,574
721	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	\$32,040	\$1,213,186,614
722	<i>Cyanea purpurellifolia</i>	E	\$31,585	\$1,213,218,199
723	Wolf, red (<i>Canis rufus</i>) - except where EXPN	E	\$31,500	\$1,213,249,699
724	Lehua makanoe (<i>Lysimachia daphnoides</i>)	E	\$31,337	\$1,213,281,036
725	Ayenia, Texas (<i>Ayenia limitaris</i>)	E	\$30,900	\$1,213,311,936
726	Cactus, Siler pincushion (<i>Pediocactus</i> (= <i>Echinocactus</i> ,= <i>Utahia</i>) <i>sileri</i>)	T	\$30,850	\$1,213,342,786
727	Nohoanu (<i>Geranium kauaiense</i>)	E	\$30,830	\$1,213,373,616
728	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	\$30,822	\$1,213,404,438
729	Alani (<i>Melicope degeneri</i>)	E	\$30,780	\$1,213,435,218
730	Cactus, Sneed pincushion (<i>Coryphantha sneedii</i> var. <i>sneedii</i>)	E	\$30,500	\$1,213,465,718
731	Silverside, Waccamaw (<i>Menidia extensa</i>)	T	\$30,400	\$1,213,496,118
732	<i>Platydesma cornuta cornuta</i>	E	\$30,395	\$1,213,526,513
733	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>)	T	\$30,326	\$1,213,556,839
734	Butterfly, Schaus swallowtail (<i>Heraclides aristodemus ponceanus</i>)	E	\$30,295	\$1,213,587,134
735	Koki`o (<i>Kokia kauaiensis</i>)	E	\$30,239	\$1,213,617,373
736	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	\$30,066	\$1,213,647,439
737	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>)	E	\$30,028	\$1,213,677,467
738	Lupine, clover (<i>Lupinus tidestromii</i>)	E	\$30,000	\$1,213,707,467
739	Alani (<i>Melicope puberula</i>)	E	\$29,713	\$1,213,737,180
740	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>)	E	\$29,281	\$1,213,766,461
741	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>)	E	\$29,252	\$1,213,795,713
742	<i>Eugenia woodburyana</i>	E	\$29,000	\$1,213,824,713
743	Manzanita, Ione (<i>Arctostaphylos myrtifolia</i>)	T	\$28,963	\$1,213,853,676
744	Thistle, Chorro Creek bog (<i>Cirsium fontinale</i> var. <i>obispoense</i>)	E	\$28,793	\$1,213,882,469
745	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	\$28,600	\$1,213,911,069
746	Iliau, dwarf (<i>Wilkesia hobdyi</i>)	E	\$28,577	\$1,213,939,646
747	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	\$28,540	\$1,213,968,186
748	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>)	T	\$28,398	\$1,213,996,584
749	Manzanita, Del Mar (<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>)	E	\$28,311	\$1,214,024,895
750	Heau (<i>Exocarpos luteolus</i>)	E	\$28,295	\$1,214,053,190
751	Darter, fountain (<i>Etheostoma fonticola</i>)	E	\$28,200	\$1,214,081,390
752	Rock cress, Shale barren (<i>Arabis serotina</i>)	E	\$28,198	\$1,214,109,588
753	Rock-cress, Braun's (<i>Arabis perstellata</i>)	E	\$28,090	\$1,214,137,678

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
754	Heather, mountain golden (<i>Hudsonia montana</i>)	T	\$28,000	\$1,214,165,678
755	<i>Diplazium molokaiense</i>	E	\$27,956	\$1,214,193,634
756	Darter, goldline (<i>Percina aurolineata</i>)	T	\$27,786	\$1,214,221,420
757	Kuawawaenohu (<i>Alsinidendron lychnoides</i>)	E	\$27,397	\$1,214,248,817
758	Nui, haha (<i>Cyanea horrida</i>)	E	\$27,328	\$1,214,276,145
759	Monardella, willowy (<i>Monardella viminea</i>)	E	\$27,323	\$1,214,303,468
760	Spiny mussel, Altamaha (<i>Elliptio spinosa</i>)	E	\$27,200	\$1,214,330,668
760	<i>Phyllostegia haliakalae</i>	E	\$27,200	\$1,214,357,868
761	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	\$26,700	\$1,214,384,568
762	‘Akoko (<i>Chamaesyce remyi</i> var. <i>remyi</i>)	E	\$26,695	\$1,214,411,263
763	Grass, Tennessee yellow-eyed (<i>Xyris tennesseensis</i>)	E	\$26,550	\$1,214,437,813
764	Ko`oko`olau (<i>Bidens micrantha</i> ssp. <i>kalealahala</i>)	E	\$26,200	\$1,214,464,013
765	Lead-plant, Crenulate (<i>Amorpha crenulata</i>)	E	\$25,925	\$1,214,489,938
766	Watercress, Gambel's (<i>Rorippa gambelii</i>)	E	\$25,683	\$1,214,515,621
767	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	\$25,500	\$1,214,541,121
768	Thormmint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	\$25,474	\$1,214,566,595
769	Beetle [no common name] (<i>Rhadine infernalis</i>)	E	\$25,450	\$1,214,592,045
770	Alani (<i>Melicope zahlbruckneri</i>)	E	\$25,331	\$1,214,617,376
771	Tarplant, Otay (<i>Deinandra (=Hemizonia) conjugens</i>)	T	\$25,270	\$1,214,642,646
772	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	\$25,210	\$1,214,667,856
773	Chumbo, Higo (<i>Harrisia portoricensis</i>)	T	\$25,200	\$1,214,693,056
774	Wild buckwheat, clay-loving (<i>Eriogonum pelinophilum</i>)	E	\$25,101	\$1,214,718,157
775	Darter, leopard (<i>Percina pantherina</i>)	T	\$25,095	\$1,214,743,252
776	Kuahiwi laukahi (<i>Plantago hawaiensis</i>)	E	\$25,049	\$1,214,768,301
777	Beardtongue, Parachute (<i>Penstemon debilis</i>)	T	\$25,026	\$1,214,793,327
778	Haha (<i>Cyanea lobata</i>)	E	\$25,010	\$1,214,818,337
779	Aster, Ruth's golden (<i>Pityopsis ruthii</i>)	E	\$25,000	\$1,214,843,337
780	Phacelia, clay (<i>Phacelia argillacea</i>)	E	\$24,887	\$1,214,868,224
781	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$24,808	\$1,214,893,032
782	Pussypaws, Mariposa (<i>Calyptidium pulchellum</i>)	T	\$24,600	\$1,214,917,632
783	Coqui, golden (<i>Eleutherodactylus jasperi</i>)	T	\$24,500	\$1,214,942,132
784	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>)	T	\$24,490	\$1,214,966,622
785	<i>Phyllostegia warshaweri</i>	E	\$24,467	\$1,214,991,089
786	Alani (<i>Melicope paniculata</i>)	E	\$24,318	\$1,215,015,407

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
787	Buttercup, autumn (<i>Ranunculus aestivalis</i> (= <i>acriformis</i>))	E	\$24,200	\$1,215,039,607
788	Haha (<i>Cyanea lanceolata</i>)	E	\$24,137	\$1,215,063,744
788	Haha (<i>Cyanea calycina</i>)	E	\$24,137	\$1,215,087,881
789	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>) - CA	E	\$24,031	\$1,215,111,912
790	Darter, watercress (<i>Etheostoma nuchale</i>)	E	\$23,898	\$1,215,135,810
791	<i>Platanthera holochila</i>	E	\$23,686	\$1,215,159,496
792	<i>Trematolobelia singularis</i>	E	\$23,657	\$1,215,183,153
793	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	\$23,631	\$1,215,206,784
794	Poppy, Sacramento prickly (<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>)	E	\$23,500	\$1,215,230,284
794	Bellflower, Brooksville (<i>Campanula robbinsiae</i>)	E	\$23,500	\$1,215,253,784
794	Cactus, Lee pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>)	T	\$23,500	\$1,215,277,284
795	Damselfly, blackline Hawaiian (<i>Megalagrion nigrohamatum</i> <i>nigrolineatum</i>)	E	\$23,499	\$1,215,300,783
796	Alani (<i>Melicope haupuensis</i>)	E	\$23,474	\$1,215,324,257
797	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$23,434	\$1,215,347,691
798	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	\$23,189	\$1,215,370,880
799	Darter, duskytail (<i>Etheostoma percnurum</i>)	E	\$23,183	\$1,215,394,063
800	Haha (<i>Cyanea humboldtiana</i>)	E	\$23,182	\$1,215,417,245
801	Tui chub, Owens (<i>Gila bicolor</i> ssp. <i>snyderi</i>)	E	\$23,054	\$1,215,440,299
802	Damselfly, oceanic Hawaiian (<i>Megalagrion oceanicum</i>)	E	\$22,992	\$1,215,463,291
803	Darter, snail (<i>Percina tanasi</i>)	T	\$22,866	\$1,215,486,157
804	Cactus, Nichol's Turk's head (<i>Echinocactus horizonthalonius</i> var. <i>nicholii</i>)	E	\$22,833	\$1,215,508,990
805	Pocketbook, speckled (<i>Lampsilis streckeri</i>)	E	\$22,600	\$1,215,531,590
805	Crayfish, cave (<i>Cambarus aculabrum</i>)	E	\$22,600	\$1,215,554,190
806	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	\$22,580	\$1,215,576,770
807	Madtom, smoky (<i>Noturus baileyi</i>)	E	\$22,548	\$1,215,599,318
808	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>)	E	\$22,422	\$1,215,621,740
809	Combshell, upland (<i>Epioblasma metastriata</i>)	E	\$22,355	\$1,215,644,095
810	Ragwort, San Francisco Peaks (<i>Packera franciscana</i>)	T	\$22,220	\$1,215,666,315
811	‘Akoko (<i>Chamaesyce kuwaleana</i>)	E	\$22,180	\$1,215,688,495
812	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$22,100	\$1,215,710,595
813	Nehe (<i>Lipochaeta waimeaensis</i>)	E	\$21,969	\$1,215,732,564
814	Sedge, golden (<i>Carex lutea</i>)	E	\$21,843	\$1,215,754,407

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
815	Snail, Virginia fringed mountain (<i>Polygyriscus virginianus</i>)	E	\$21,692	\$1,215,776,099
816	<i>Munroidendron racemosum</i>	E	\$21,685	\$1,215,797,784
817	Campion, fringed (<i>Silene polypetala</i>)	E	\$21,594	\$1,215,819,378
818	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$21,570	\$1,215,840,948
819	Sandlace (<i>Polygonella myriophylla</i>)	E	\$21,550	\$1,215,862,498
820	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>)	E	\$21,490	\$1,215,883,988
821	Crayfish, cave (<i>Cambarus zophonastes</i>)	E	\$21,450	\$1,215,905,438
822	Silversword, Mauna Loa (=Ka'u) (<i>Argyroxiphium kauense</i>)	E	\$21,445	\$1,215,926,883
823	Butterfly, Behren's silverspot (<i>Speyeria zerene behrensi</i>)	E	\$21,390	\$1,215,948,273
824	Milk-vetch, Cushenbury (<i>Astragalus albens</i>)	E	\$21,313	\$1,215,969,586
825	Pa`iniu (<i>Astelia waialealae</i>)	E	\$21,196	\$1,215,990,782
826	Plum, scrub (<i>Prunus geniculata</i>)	E	\$21,150	\$1,216,011,932
827	Rock-cress, McDonald's (<i>Arabis macdonaldiana</i>)	E	\$21,126	\$1,216,033,058
828	Cactus, Knowlton's (<i>Pediocactus knowltonii</i>)	E	\$20,875	\$1,216,053,933
829	Butterfly, Uncompahgre fritillary (<i>Boloria acrocnema</i>)	E	\$20,851	\$1,216,074,784
830	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>)	E	\$20,835	\$1,216,095,619
831	Awikiwiki (<i>Canavalia pubescens</i>)	E	\$20,610	\$1,216,116,229
831	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	\$20,610	\$1,216,136,839
832	Amphipod, diminutive (<i>Gammarus hyalleloides</i>)	E	\$20,500	\$1,216,157,339
832	Boxwood, Vahl's (<i>Buxus vahlii</i>)	E	\$20,500	\$1,216,177,839
833	Mustard, slender-petaled (<i>Thelypodium stenopetalum</i>)	E	\$20,319	\$1,216,198,158
834	Tryonia, Phantom (<i>Tryonia cheatumi</i>)	E	\$20,310	\$1,216,218,468
834	Tryonia, Diamond (<i>Pseudotryonia adamantina</i>)	E	\$20,310	\$1,216,238,778
835	Diellia, asplenium-leaved (<i>Diellia erecta</i>)	E	\$20,266	\$1,216,259,044
836	Darter, bluemask (=jewel) (<i>Etheostoma</i> sp.)	E	\$20,040	\$1,216,279,084
837	Ohā wai (<i>Clermontia samuelii</i>)	E	\$20,035	\$1,216,299,119
838	Wireweed (<i>Polygonella basiramia</i>)	E	\$20,000	\$1,216,319,119
838	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>)	E	\$20,000	\$1,216,339,119
839	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$19,968	\$1,216,359,087
840	Fern, pendant kihi (<i>Adenophorus periens</i>)	E	\$19,934	\$1,216,379,021
841	<i>Schiedea membranacea</i>	E	\$19,887	\$1,216,398,908
842	<i>Phyllostegia bracteata</i>	E	\$19,843	\$1,216,418,751
843	Pu`uka`a (<i>Cyperus trachysanthos</i>)	E	\$19,830	\$1,216,438,581
844	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>)	E	\$19,790	\$1,216,458,371

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
845	Clover, showy Indian (<i>Trifolium amoenum</i>)	E	\$19,730	\$1,216,478,101
846	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>)	E	\$19,711	\$1,216,497,812
847	Haha (<i>Cyanea obtusa</i>)	E	\$19,695	\$1,216,517,507
848	<i>Neraudia sericea</i>	E	\$19,658	\$1,216,537,165
849	Darter, Cumberland (<i>Etheostoma susanae</i>)	E	\$19,624	\$1,216,556,789
850	Haha (<i>Cyanea maritae</i>)	E	\$19,623	\$1,216,576,412
851	Kopiko (<i>Psychotria grandiflora</i>)	E	\$19,571	\$1,216,595,983
851	<i>Stenogyne kealiae</i>	E	\$19,571	\$1,216,615,554
852	<i>Wikstroemia villosa</i>	E	\$19,543	\$1,216,635,097
853	ʻAla ʻala wai nui (<i>Peperomia subpetiolata</i>)	E	\$19,525	\$1,216,654,622
853	<i>Schiedea jacobii</i>	E	\$19,525	\$1,216,674,147
854	Rattleweed, hairy (<i>Baptisia arachnifera</i>)	E	\$19,500	\$1,216,693,647
855	Phacelia, North Park (<i>Phacelia formosula</i>)	E	\$19,401	\$1,216,713,048
856	Cliff-rose, Arizona (<i>Purshia (=Cowania) subintegra</i>)	E	\$19,400	\$1,216,732,448
856	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$19,400	\$1,216,751,848
857	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	\$19,381	\$1,216,771,229
858	<i>Pittosporum halophilum</i>	E	\$19,370	\$1,216,790,599
859	Sandshell, Southern (<i>Hamiota australis</i>)	T	\$19,266	\$1,216,809,865
860	Haha (<i>Cyanea kunthiana</i>)	E	\$19,205	\$1,216,829,070
861	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>)	E	\$19,200	\$1,216,848,270
862	<i>Schiedea haleakalensis</i>	E	\$19,005	\$1,216,867,275
863	Gardenia (=Na`u), Hawaiian (<i>Gardenia brighamii</i>)	E	\$19,001	\$1,216,886,276
864	<i>Xylosma crenatum</i>	E	\$18,935	\$1,216,905,211
865	<i>Tetraplasandra bisattenuata</i>	E	\$18,906	\$1,216,924,117
866	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>	E	\$18,832	\$1,216,942,949
867	Lo`ulu (<i>Pritchardia schattaueri</i>)	E	\$18,820	\$1,216,961,769
868	Pigtoe, narrow (<i>Fusconaia escambia</i>)	T	\$18,819	\$1,216,980,588
869	Kidneyshell, triangular (<i>Ptychobranchus greenii</i>)	E	\$18,769	\$1,216,999,357
870	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>)	E	\$18,723	\$1,217,018,080
871	Bean, Choctaw (<i>Villosa choctawensis</i>)	E	\$18,695	\$1,217,036,775
872	ʻOha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>)	E	\$18,651	\$1,217,055,426
873	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	\$18,630	\$1,217,074,056
874	Lily, Pitkin Marsh (<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>)	E	\$18,600	\$1,217,092,656
875	Pigtoe, tapered (<i>Fusconaia burkei</i>)	T	\$18,596	\$1,217,111,252

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
875	<i>Schiedea laui</i>	E	\$18,596	\$1,217,129,848
876	Alani (<i>Melicope adscendens</i>)	E	\$18,573	\$1,217,148,421
877	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	\$18,500	\$1,217,166,921
877	Sedge, white (<i>Carex albida</i>)	E	\$18,500	\$1,217,185,421
877	Clarkia, Vine Hill (<i>Clarkia imbricata</i>)	E	\$18,500	\$1,217,203,921
877	Larkspur, Baker's (<i>Delphinium bakeri</i>)	E	\$18,500	\$1,217,222,421
877	Trillium, persistent (<i>Trillium persistens</i>)	E	\$18,500	\$1,217,240,921
877	Cobana negra (<i>Stahlia monosperma</i>)	T	\$18,500	\$1,217,259,421
878	Ebonyshell, round (<i>Fusconaia rotulata</i>)	E	\$18,447	\$1,217,277,868
879	ʻAiea (<i>Nothocestrum peltatum</i>)	E	\$18,428	\$1,217,296,296
880	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>)	E	\$18,396	\$1,217,314,692
881	Haha (<i>Cyanea mcedowneyi</i>)	E	\$18,327	\$1,217,333,019
882	Alani (<i>Melicope mucronulata</i>)	E	\$18,320	\$1,217,351,339
883	<i>Phyllostegia mannii</i>	E	\$18,318	\$1,217,369,657
884	Nohoanu (<i>Geranium multiflorum</i>)	E	\$18,299	\$1,217,387,956
885	Popolo (<i>Cyanea solanacea</i>)	E	\$18,256	\$1,217,406,212
885	<i>Stenogyne kauaulaensis</i>	E	\$18,256	\$1,217,424,468
886	<i>Cyanea profuga</i>	E	\$18,214	\$1,217,442,682
887	Kidneyshell, southern (<i>Ptychobranchus jonesi</i>)	E	\$18,200	\$1,217,460,882
888	Alani (<i>Melicope knudsenii</i>)	E	\$18,140	\$1,217,479,022
889	Nehe (<i>Lipochaeta kamolensis</i>)	E	\$18,136	\$1,217,497,158
890	haiwale (<i>Cyrtandra ferripilosa</i>)	E	\$18,015	\$1,217,515,173
891	<i>Catesbea melanocarpa</i>	E	\$18,000	\$1,217,533,173
892	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	\$17,965	\$1,217,551,138
893	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukecampbelli</i>)	E	\$17,900	\$1,217,569,038
894	<i>Tetraplasandra flynnii</i>	E	\$17,892	\$1,217,586,930
895	<i>Remya montgomeryi</i>	E	\$17,859	\$1,217,604,789
896	Haha (<i>Cyanea dunbarii</i>)	E	\$17,813	\$1,217,622,602
897	Alani (<i>Melicope christophersenii</i>)	E	\$17,726	\$1,217,640,328
898	<i>Tetramolopium remyi</i>	E	\$17,702	\$1,217,658,030
899	Pua ʻala (<i>Brighamia rockii</i>)	E	\$17,695	\$1,217,675,725
900	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$17,642	\$1,217,693,367
901	Lupine, scrub (<i>Lupinus aridorum</i>)	E	\$17,600	\$1,217,710,967
902	Alani (<i>Melicope balloui</i>)	E	\$17,589	\$1,217,728,556

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
903	<i>Abutilon eremitopetalum</i>	E	\$17,560	\$1,217,746,116
904	<i>Phyllostegia waimeae</i>	E	\$17,543	\$1,217,763,659
904	Haiwale (<i>Cyrtandra paliku</i>)	E	\$17,543	\$1,217,781,202
904	<i>Lysimachia pendens</i>	E	\$17,543	\$1,217,798,745
905	<i>Lysimachia iniki</i>	E	\$17,517	\$1,217,816,262
906	<i>Viola helenae</i>	E	\$17,516	\$1,217,833,778
907	Haha (<i>Cyanea glabra</i>)	E	\$17,451	\$1,217,851,229
908	Naupaka, dwarf (<i>Scaevola coriacea</i>)	E	\$17,414	\$1,217,868,643
909	Liliwai (<i>Acaena exigua</i>)	E	\$17,342	\$1,217,885,985
910	Haha (<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>)	E	\$17,326	\$1,217,903,311
911	Haha (<i>Cyanea truncata</i>)	E	\$17,311	\$1,217,920,622
912	<i>Stenogyne bifida</i>	E	\$17,307	\$1,217,937,929
913	<i>Silene alexandri</i>	E	\$17,306	\$1,217,955,235
913	Haha (<i>Cyanea procera</i>)	E	\$17,306	\$1,217,972,541
913	Na`ena`e (<i>Dubautia plantaginea</i> ssp. <i>humilis</i>)	E	\$17,306	\$1,217,989,847
913	<i>Lysimachia maxima</i>	E	\$17,306	\$1,218,007,153
914	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	\$17,304	\$1,218,024,457
915	Kamakahala (<i>Labordia triflora</i>)	E	\$17,289	\$1,218,041,746
916	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>)	E	\$17,208	\$1,218,058,954
917	`Akoko (<i>Chamaesyce remyi</i> var. <i>kauaiensis</i>)	E	\$17,203	\$1,218,076,157
918	Clarkia, Presidio (<i>Clarkia franciscana</i>)	E	\$17,200	\$1,218,093,357
919	<i>Delissea rhytidosperma</i>	E	\$17,185	\$1,218,110,542
920	<i>Phyllostegia pilosa</i>	E	\$17,179	\$1,218,127,721
921	Koki`o, Cooke's (<i>Kokia cookei</i>)	E	\$17,164	\$1,218,144,885
922	Schiedea, Diamond Head (<i>Schiedea adamantis</i>)	E	\$17,130	\$1,218,162,015
923	Kamakahala (<i>Labordia cyrtandrae</i>)	E	\$17,112	\$1,218,179,127
924	Haha (<i>Cyanea dolichopoda</i>)	E	\$17,105	\$1,218,196,232
925	Naenae (<i>Dubautia kalalauensis</i>)	E	\$17,072	\$1,218,213,304
926	Combshell, southern (<i>Epioblasma penita</i>)	E	\$16,954	\$1,218,230,258
927	Nani wai`ale`ale (<i>Viola kauaiensis</i> var. <i>wahiaawaensis</i>)	E	\$16,945	\$1,218,247,203
928	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	\$16,940	\$1,218,264,143
929	Ha`iwale (<i>Cyrtandra filipes</i>)	E	\$16,901	\$1,218,281,044
930	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	\$16,817	\$1,218,297,861
931	Pilo (<i>Hedyotis manni</i>)	E	\$16,799	\$1,218,314,660

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
932	<i>Schiedea hookeri</i>	E	\$16,791	\$1,218,331,451
933	Kohe malama malama o kanaloa (<i>Kanaloa kahoolawensis</i>)	E	\$16,754	\$1,218,348,205
934	Ceanothus, Vail Lake (<i>Ceanothus ophiochilus</i>)	T	\$16,744	\$1,218,364,949
935	Kopa (<i>Hedyotis schlechtendahliana</i> var. <i>remyi</i>)	E	\$16,659	\$1,218,381,608
936	Na`ena`e (<i>Dubautia pauciflorula</i>)	E	\$16,529	\$1,218,398,137
937	Aumakua, Palapalai (<i>Dryopteris crinalis</i> var. <i>podosorus</i>)	E	\$16,519	\$1,218,414,656
938	Alani (<i>Melicope hiiakae</i>)	E	\$16,496	\$1,218,431,152
939	Ha`iwale (<i>Cyrtandra kaulantha</i>)	E	\$16,485	\$1,218,447,637
940	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	\$16,402	\$1,218,464,039
941	Milk-vetch, Mancos (<i>Astragalus humillimus</i>)	E	\$16,400	\$1,218,480,439
942	ʻAnaunau (<i>Lepidium arbuscula</i>)	E	\$16,342	\$1,218,496,781
943	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtleae</i>)	E	\$16,300	\$1,218,513,081
944	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>)	E	\$16,203	\$1,218,529,284
945	<i>Cyrtandra gracilis</i>	E	\$16,201	\$1,218,545,485
946	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	\$16,200	\$1,218,561,685
946	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>)	T	\$16,200	\$1,218,577,885
946	Sunflower, San Mateo woolly (<i>Eriophyllum latilobum</i>)	E	\$16,200	\$1,218,594,085
947	Haha (<i>Cyanea munroi</i>)	E	\$16,160	\$1,218,610,245
948	Haha (<i>Cyanea magnicalyx</i>)	E	\$16,140	\$1,218,626,385
949	Haha (<i>Cyanea kuhihewa</i>)	E	\$16,091	\$1,218,642,476
949	Haha (<i>Cyanea elealeensis</i>)	E	\$16,091	\$1,218,658,567
949	Naenae (<i>Dubautia kenwoodii</i>)	E	\$16,091	\$1,218,674,658
950	<i>Lobelia monostachya</i>	E	\$16,084	\$1,218,690,742
951	<i>Lysimachia lydgatei</i>	E	\$16,072	\$1,218,706,814
952	<i>Lysimachia venosa</i>	E	\$16,059	\$1,218,722,873
952	Haha (<i>Cyanea kolekoleensis</i>)	E	\$16,059	\$1,218,738,932
953	<i>Lysimachia scopolensis</i>	E	\$16,058	\$1,218,754,990
954	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	\$16,000	\$1,218,770,990
954	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra</i> ssp. <i>alabamensis</i>)	E	\$16,000	\$1,218,786,990
955	<i>Schiedea attenuata</i>	E	\$15,958	\$1,218,802,948
956	Beetle [no common name] (<i>Rhadine exilis</i>)	E	\$15,950	\$1,218,818,898
957	Mint, scrub (<i>Dicerandra frutescens</i>)	E	\$15,900	\$1,218,834,798
958	Pamakani (<i>Tetramolopium capillare</i>)	E	\$15,820	\$1,218,850,618
959	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	\$15,790	\$1,218,866,408

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
960	<i>Osmoxylon mariannense</i>	E	\$15,764	\$1,218,882,172
961	Alani (<i>Melicope reflexa</i>)	E	\$15,690	\$1,218,897,862
962	Alani (<i>Melicope saint-johnii</i>)	E	\$15,677	\$1,218,913,539
963	<i>Gouania meyenii</i>	E	\$15,537	\$1,218,929,076
964	<i>Stenogyne campanulata</i>	E	\$15,515	\$1,218,944,591
965	Haha (<i>Cyanea undulata</i>)	E	\$15,509	\$1,218,960,100
966	Monkey-flower, Michigan (<i>Mimulus michiganensis</i>)	E	\$15,508	\$1,218,975,608
967	Ha`iwale (<i>Cyrtandra polyantha</i>)	E	\$15,458	\$1,218,991,066
968	Opuhe (<i>Ureria kaalae</i>)	E	\$15,437	\$1,219,006,503
969	<i>Silene perlmanii</i>	E	\$15,412	\$1,219,021,915
970	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>)	E	\$15,410	\$1,219,037,325
971	Darter, relict (<i>Etheostoma chienense</i>)	E	\$15,400	\$1,219,052,725
971	Snakeroot (<i>Eryngium cuneifolium</i>)	E	\$15,400	\$1,219,068,125
972	‘Akoko (<i>Chamaesyce eleanoriae</i>)	E	\$15,333	\$1,219,083,458
973	Nehe (<i>Lipochaeta micrantha</i>)	E	\$15,272	\$1,219,098,730
974	A`e (<i>Zanthoxylum oahuense</i>)	E	\$15,111	\$1,219,113,841
975	Clubshell, black (<i>Pleurobema curtum</i>)	E	\$15,100	\$1,219,128,941
976	‘Awikiwiki (<i>Canavalia molokaiensis</i>)	E	\$15,092	\$1,219,144,033
977	Haha (<i>Cyanea remyi</i>)	E	\$15,044	\$1,219,159,077
978	<i>Diellia unisora</i>	E	\$15,003	\$1,219,174,080
979	‘Anunu (<i>Sicyos alba</i>)	E	\$14,944	\$1,219,189,024
980	Haha (<i>Cyanea asplenifolia</i>)	E	\$14,887	\$1,219,203,911
981	Riversnail, Anthony's (<i>Atheurnia anthonyi</i>) - except where EXPN	E	\$14,817	\$1,219,218,728
982	Rosemary, Apalachicola (<i>Conradina glabra</i>)	E	\$14,800	\$1,219,233,528
983	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$14,773	\$1,219,248,301
984	<i>Tetraplasandra lydgatei</i>	E	\$14,772	\$1,219,263,073
985	Sandalwood, Lanai (=‘ilahi) (<i>Santalum freycinetianum</i> var. <i>lanaiense</i>)	E	\$14,744	\$1,219,277,817
986	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>)	E	\$14,590	\$1,219,292,407
987	Nohoanu (<i>Geranium hanaense</i>)	E	\$14,582	\$1,219,306,989
988	Alani (<i>Melicope quadrangularis</i>)	E	\$14,540	\$1,219,321,529
989	Bison, wood (<i>Bison bison athabascae</i>)	E	\$14,500	\$1,219,336,029
989	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	\$14,500	\$1,219,350,529
990	Dace, Laurel (<i>Chrosomus saylori</i>)	E	\$14,490	\$1,219,365,019
991	Lo`ulu (<i>Pritchardia munroi</i>)	E	\$14,379	\$1,219,379,398

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
992	Na`ena`e (<i>Dubautia waialealae</i>)	E	\$14,323	\$1,219,393,721
993	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	\$14,321	\$1,219,408,042
994	Kolea (<i>Myrsine knudsenii</i>)	E	\$14,304	\$1,219,422,346
995	Wawai`iole (<i>Huperzia mannii</i>)	E	\$14,251	\$1,219,436,597
996	<i>Geocarpon minimum</i>	T	\$14,200	\$1,219,450,797
997	Gerardia, sandplain (<i>Agalinis acuta</i>)	E	\$14,167	\$1,219,464,964
998	Madtom, pygmy (<i>Noturus stanauli</i>)	E	\$14,150	\$1,219,479,114
999	Akepa, Maui (honeycreeper) (<i>Loxops coccineus ochraceus</i>)	E	\$14,110	\$1,219,493,224
1000	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>)	E	\$14,054	\$1,219,507,278
1001	<i>Phyllostegia wawrana</i>	E	\$14,030	\$1,219,521,308
1002	<i>Phyllostegia knudsenii</i>	E	\$14,028	\$1,219,535,336
1003	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	\$14,010	\$1,219,549,346
1004	Pauoa (<i>Ctenitis squamigera</i>)	E	\$13,951	\$1,219,563,297
1005	`Oha wai (<i>Clermontia drepanomerpha</i>)	E	\$13,935	\$1,219,577,232
1006	Amphipod, Noel's (<i>Gammarus desperatus</i>)	E	\$13,881	\$1,219,591,113
1007	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$13,870	\$1,219,604,983
1008	Wild coffee, Oahu (=kopiko) (<i>Psychotria hexandra</i> ssp. <i>oahuensis</i>)	E	\$13,856	\$1,219,618,839
1009	<i>Keysseria</i> (= <i>Lagenifera</i>) <i>erici</i>	E	\$13,770	\$1,219,632,609
1009	<i>Keysseria</i> (= <i>Lagenifera</i>) <i>heleneae</i>	E	\$13,770	\$1,219,646,379
1010	<i>Nesogenes rotensis</i>	E	\$13,736	\$1,219,660,115
1011	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>)	E	\$13,735	\$1,219,673,850
1012	<i>Phyllostegia renovans</i>	E	\$13,712	\$1,219,687,562
1013	Hedyotis, Na Pali beach (<i>Hedyotis st.-johnii</i>)	E	\$13,703	\$1,219,701,265
1014	Pilo kea lau li`i (<i>Platydesma rostrata</i>)	E	\$13,676	\$1,219,714,941
1015	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$13,585	\$1,219,728,526
1016	<i>Achyranthes mutica</i>	E	\$13,488	\$1,219,742,014
1017	<i>Delissea undulata</i>	E	\$13,453	\$1,219,755,467
1018	Daisy, Lakeside (<i>Hymenoxys herbacea</i>)	T	\$13,401	\$1,219,768,868
1019	Kamakahala (<i>Labordia pumila</i>)	E	\$13,309	\$1,219,782,177
1020	Cactus, star (<i>Astrophytum asterias</i>)	E	\$13,300	\$1,219,795,477
1021	Pigtoe, Georgia (<i>Pleurobema hanleyianum</i>)	E	\$13,266	\$1,219,808,743
1022	Stickseed, showy (<i>Hackelia venusta</i>)	E	\$13,265	\$1,219,822,008
1023	Button, Mohr's Barbara (<i>Marshallia mohrii</i>)	T	\$13,200	\$1,219,835,208
1024	Crayfish, Nashville (<i>Orconectes shoupi</i>)	E	\$13,040	\$1,219,848,248

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1025	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>)	E	\$13,000	\$1,219,861,248
1026	Haha (<i>Cyanea duvalliorum</i>)	E	\$12,987	\$1,219,874,235
1027	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>)	E	\$12,968	\$1,219,887,203
1028	Kamakahala (<i>Labordia helleri</i>)	E	\$12,967	\$1,219,900,170
1029	Rice rat (<i>Oryzomys palustris natator</i>) - lower FL Keys	E	\$12,944	\$1,219,913,114
1030	Ko`oko`olau (<i>Bidens campylotheca waihoiensis</i>)	E	\$12,905	\$1,219,926,019
1031	Haha (<i>Cyanea pinnatifida</i>)	E	\$12,891	\$1,219,938,910
1032	Goldenrod, Short's (<i>Solidago shortii</i>)	E	\$12,800	\$1,219,951,710
1033	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>))	T	\$12,768	\$1,219,964,478
1034	Na`ena`e (<i>Dubautia plantaginea magnifolia</i>)	E	\$12,750	\$1,219,977,228
1035	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>)	E	\$12,700	\$1,219,989,928
1036	Thelypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	\$12,680	\$1,220,002,608
1037	Ko`oko`olau (<i>Bidens campylotheca pentamera</i>)	E	\$12,652	\$1,220,015,260
1038	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	\$12,643	\$1,220,027,903
1039	Ha`iwale (<i>Cyrtandra oxybapha</i>)	E	\$12,380	\$1,220,040,283
1040	Wild-rice, Texas (<i>Zizania texana</i>)	E	\$12,300	\$1,220,052,583
1041	Hala pepe (<i>Pleomele fernaldii</i>)	E	\$12,271	\$1,220,064,854
1042	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>)	E	\$12,210	\$1,220,077,064
1043	Ha`iwale (<i>Cyrtandra oenobarba</i>)	E	\$12,129	\$1,220,089,193
1044	Alani (<i>Melicope ovalis</i>)	E	\$12,127	\$1,220,101,320
1045	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>)	T	\$12,125	\$1,220,113,445
1046	Roseroot, Leedy's (<i>Rhodiola integrifolia</i> ssp. <i>leedyi</i>)	T	\$12,058	\$1,220,125,503
1047	Rosemary, Etonia (<i>Conradina etonia</i>)	E	\$12,000	\$1,220,137,503
1048	Purple cat's paw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - AL; Free-Flowing Reach of the Tennessee River below Wilson Dam, Colbert and Lauderdale Counties	EXPN	\$11,988	\$1,220,149,491
1049	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>)	E	\$11,921	\$1,220,161,412
1050	Makou (<i>Peucedanum sandwicense</i>)	T	\$11,792	\$1,220,173,204
1051	Haha (<i>Cyanea mauiensis</i>)	E	\$11,791	\$1,220,184,995
1052	Na`ena`e (<i>Dubautia imbricata imbricata</i>)	E	\$11,684	\$1,220,196,679
1052	Kopiko (<i>Psychotria hobdyi</i>)	E	\$11,684	\$1,220,208,363
1053	Purple Cat's paw (=Purple Cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - except where EXPN	E	\$11,640	\$1,220,220,003
1054	Nohoanu (<i>Geranium hillebrandii</i>)	E	\$11,572	\$1,220,231,575

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1055	Springsnail, Roswell (<i>Pyrgulopsis roswellensis</i>)	E	\$11,565	\$1,220,243,140
1056	Salamander, Shenandoah (<i>Plethodon shenandoah</i>)	E	\$11,500	\$1,220,254,640
1056	Bladderpod, Missouri (<i>Physaria filiformis</i>)	T	\$11,500	\$1,220,266,140
1056	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>)	E	\$11,500	\$1,220,277,640
1056	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$11,500	\$1,220,289,140
1056	Lichen, rock gnome (<i>Gymnoderma lineare</i>)	E	\$11,500	\$1,220,300,640
1057	Pomace fly, [unnamed] (<i>Drosophila differens</i>)	E	\$11,369	\$1,220,312,009
1058	Ko`oko`olau (<i>Bidens conjuncta</i>)	E	\$11,366	\$1,220,323,375
1058	<i>Schiedea salicaria</i>	E	\$11,366	\$1,220,334,741
1058	Kolea (<i>Myrsine vaccinoides</i>)	E	\$11,366	\$1,220,346,107
1059	Kolea (<i>Myrsine mezii</i>)	E	\$11,297	\$1,220,357,404
1060	<i>Viola lanaiensis</i>	E	\$11,275	\$1,220,368,679
1061	Ma`oli`oli (<i>Schiedea kealiae</i>)	E	\$11,229	\$1,220,379,908
1062	Kolea (<i>Myrsine linearifolia</i>)	T	\$11,220	\$1,220,391,128
1063	<i>Festuca molokaiensis</i>	E	\$11,172	\$1,220,402,300
1064	Reedgrass, Hillebrand's (<i>Calamagrostis hillebrandii</i>)	E	\$11,171	\$1,220,413,471
1065	Cactus, black lace (<i>Echinocereus reichenbachii</i> var. <i>albertii</i>)	E	\$11,130	\$1,220,424,601
1066	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>)	T	\$11,101	\$1,220,435,702
1067	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	\$11,087	\$1,220,446,789
1068	Darter, Maryland (<i>Etheostoma sellare</i>)	E	\$11,010	\$1,220,457,799
1069	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - Free-Flowing Reach of the Tennessee River below Wilson Dam, Colbert, and Lauderdale Counties	EXPN	\$11,000	\$1,220,468,799
1069	Shagreen, Magazine Mountain (<i>Mesodon magazinensis</i>)	T	\$11,000	\$1,220,479,799
1069	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>)	T	\$11,000	\$1,220,490,799
1069	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	\$11,000	\$1,220,501,799
1070	Ha`iwale (<i>Cyrtandra munroi</i>)	E	\$10,983	\$1,220,512,782
1071	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>)	E	\$10,950	\$1,220,523,732
1072	Aupaka (<i>Isodendrion laurifolium</i>)	E	\$10,894	\$1,220,534,626
1073	Pomace fly, [unnamed] (<i>Drosophila aglaia</i>)	E	\$10,862	\$1,220,545,488
1074	Leather flower, Alabama (<i>Clematis socialis</i>)	E	\$10,850	\$1,220,556,338
1075	<i>Lysimachia filifolia</i>	E	\$10,821	\$1,220,567,159
1076	Beetle, Casey's June (<i>Dinacoma caseyi</i>)	E	\$10,778	\$1,220,577,937
1077	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	\$10,770	\$1,220,588,707
1078	<i>Tetramolopium arenarium</i>	E	\$10,753	\$1,220,599,460

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1079	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$10,744	\$1,220,610,204
1080	<i>Alsinidendron viscosum</i>	E	\$10,734	\$1,220,620,938
1081	Springsnail, Koster's (<i>Juturnia kosteri</i>)	E	\$10,712	\$1,220,631,650
1082	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$10,700	\$1,220,642,350
1082	Birds-in-a-nest, white (<i>Macbridea alba</i>)	T	\$10,700	\$1,220,653,050
1083	Lo`ulu, (=Na`ena`e) (<i>Pritchardia hardyi</i>)	E	\$10,670	\$1,220,663,720
1084	Alani (<i>Melicope munroi</i>)	E	\$10,668	\$1,220,674,388
1085	Bluegrass, Hawaiian (<i>Poa sandvicensis</i>)	E	\$10,641	\$1,220,685,029
1085	<i>Poa siphonoglossa</i>	E	\$10,641	\$1,220,695,670
1086	<i>Remya kauaiensis</i>	E	\$10,608	\$1,220,706,278
1087	<i>Gouania hillebrandii</i>	E	\$10,605	\$1,220,716,883
1088	Koki`o ke`oke`o (<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>)	E	\$10,513	\$1,220,727,396
1089	Boa, Virgin Islands tree (<i>Epicrates monensis granti</i>)	E	\$10,500	\$1,220,737,896
1090	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>)	T	\$10,434	\$1,220,748,330
1091	Ko`oko`olau (<i>Bidens wiebkei</i>)	E	\$10,418	\$1,220,758,748
1092	Remya, Maui (<i>Remya maulensis</i>)	E	\$10,415	\$1,220,769,163
1093	<i>Schiedea sarmentosa</i>	E	\$10,413	\$1,220,779,576
1093	<i>Schiedea lydgatei</i>	E	\$10,413	\$1,220,789,989
1093	Haha (<i>Cyanea manni</i>)	E	\$10,413	\$1,220,800,402
1094	Lo`ulu (<i>Pritchardia viscosa</i>)	E	\$10,283	\$1,220,810,685
1095	Ha`iwale (<i>Cyrtandra subumbellata</i>)	E	\$10,215	\$1,220,820,900
1096	Bluegrass, Mann's (<i>Poa manni</i>)	E	\$10,201	\$1,220,831,101
1097	Dace, Independence Valley speckled (<i>Rhinichthys osculus lethoporus</i>)	E	\$10,190	\$1,220,841,291
1098	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	\$10,185	\$1,220,851,476
1099	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	\$10,175	\$1,220,861,651
1100	Snowbells, Texas (<i>Styrax texanus</i>)	E	\$10,130	\$1,220,871,781
1101	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>)	E	\$10,117	\$1,220,881,898
1102	Na`ena`e (<i>Dubautia latifolia</i>)	E	\$10,101	\$1,220,891,999
1103	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$10,100	\$1,220,902,099
1104	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - Salt and Verde R. drainages, AZ	EXPN	\$10,075	\$1,220,912,174
1105	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	\$10,068	\$1,220,922,242
1106	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>)	E	\$10,035	\$1,220,932,277
1107	Haha (<i>Cyanea recta</i>)	T	\$10,034	\$1,220,942,311

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1108	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>)	E	\$10,000	\$1,220,952,311
1108	Navarretia, many-flowered (<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>)	E	\$10,000	\$1,220,962,311
1108	Goldenrod, white-haired (<i>Solidago albopilosa</i>)	T	\$10,000	\$1,220,972,311
1109	<i>Mariscus fauriei</i>	E	\$9,954	\$1,220,982,265
1110	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (<i>Adelocosa anops</i>)	E	\$9,907	\$1,220,992,172
1110	Amphipod, Kauai cave (<i>Spelaeorchestia koloana</i>)	E	\$9,907	\$1,221,002,079
1111	<i>Diellia falcata</i>	E	\$9,891	\$1,221,011,970
1112	Aupaka (<i>Isodendrion longifolium</i>)	T	\$9,834	\$1,221,021,804
1113	Hala pepe (<i>Pleomele forbesii</i>)	E	\$9,767	\$1,221,031,571
1113	Ko`oko`olau (<i>Bidens amplectens</i>)	E	\$9,767	\$1,221,041,338
1114	Damselfly, Pacific Hawaiian (<i>Megalagrion pacificum</i>)	E	\$9,751	\$1,221,051,089
1115	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$9,700	\$1,221,060,789
1116	Damselfly, flying earwig Hawaiian (<i>Megalagrion nesiotes</i>)	E	\$9,691	\$1,221,070,480
1117	<i>Aristida chaseae</i>	E	\$9,600	\$1,221,080,080
1118	Bean, sea (<i>Mucuna sloanei persericea</i>)	E	\$9,591	\$1,221,089,671
1119	Ha`iwale (<i>Cyrtandra crenata</i>)	E	\$9,564	\$1,221,099,235
1120	Ha`iwale (<i>Cyrtandra giffardii</i>)	E	\$9,557	\$1,221,108,792
1121	Snail, Newcomb's (<i>Erinna newcombi</i>)	T	\$9,502	\$1,221,118,294
1122	Marstonia, royal (snail) (<i>Pyrgulopsis ogmorhaphe</i>)	E	\$9,500	\$1,221,127,794
1122	<i>Calyptranthes thomasiana</i>	E	\$9,500	\$1,221,137,294
1122	<i>Leptocereus grantianus</i>	E	\$9,500	\$1,221,146,794
1123	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>)	T	\$9,480	\$1,221,156,274
1124	Ha`iwale (<i>Cyrtandra limahuliensis</i>)	T	\$9,436	\$1,221,165,710
1125	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	\$9,356	\$1,221,175,066
1126	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	\$9,338	\$1,221,184,404
1127	Blazingstar, Heller's (<i>Liatris helleri</i>)	T	\$9,320	\$1,221,193,724
1128	<i>Platydesma cornuta decurrens</i>	E	\$9,260	\$1,221,202,984
1129	Buckwheat, steamboat (<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>)	E	\$9,198	\$1,221,212,182
1130	Po`ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>)	E	\$9,159	\$1,221,221,341
1131	<i>Schiedea spergulina</i> var. <i>leiopoda</i>	E	\$9,149	\$1,221,230,490
1131	Laulihilihi (<i>Schiedea stellaroides</i>)	E	\$9,149	\$1,221,239,639
1132	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>)	E	\$9,000	\$1,221,248,639
1132	Walnut (=Nogal), West Indian (<i>Juglans jamaicensis</i>)	E	\$9,000	\$1,221,257,639
1132	<i>Vernonia proctorii</i>	E	\$9,000	\$1,221,266,639

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1133	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i>	E	\$8,946	\$1,221,275,585
1134	Sculpin, pygmy (<i>Cottus paulus</i> (= <i>pygmaeus</i>))	T	\$8,900	\$1,221,284,485
1135	Polygala, tiny (<i>Polygala smallii</i>)	E	\$8,825	\$1,221,293,310
1136	Kauai hau kuahiwi (<i>Hibiscadelphus distans</i>)	E	\$8,816	\$1,221,302,126
1137	Bird's beak, palmate-bracted (<i>Cordylinthus palmatus</i>)	E	\$8,800	\$1,221,310,926
1138	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	\$8,783	\$1,221,319,709
1139	Kaulu (<i>Pteralyxia macrocarpa</i>)	E	\$8,753	\$1,221,328,462
1139	Alani (<i>Melicope makahae</i>)	E	\$8,753	\$1,221,337,215
1139	Ha`iwale (<i>Cyrtandra sessilis</i>)	E	\$8,753	\$1,221,345,968
1140	<i>Amaranthus brownii</i>	E	\$8,724	\$1,221,354,692
1141	<i>Schiedea verticillata</i>	E	\$8,687	\$1,221,363,379
1142	Alani (<i>Melicope pallida</i>)	E	\$8,648	\$1,221,372,027
1143	Ma`oli`oli (<i>Schiedea apokremnos</i>)	E	\$8,642	\$1,221,380,669
1143	<i>Schiedea helleri</i>	E	\$8,642	\$1,221,389,311
1143	<i>Schiedea spergulina</i> var. <i>spergulina</i>	T	\$8,642	\$1,221,397,953
1143	Lo`ulu (<i>Pritchardia napaliensis</i>)	E	\$8,642	\$1,221,406,595
1144	Chub, Sonora (<i>Gila ditaenia</i>)	T	\$8,630	\$1,221,415,225
1145	Pelos del diablo (<i>Aristida portoricensis</i>)	E	\$8,600	\$1,221,423,825
1146	<i>Hesperomannia lydgatei</i>	E	\$8,577	\$1,221,432,402
1147	Tiger beetle, Ohlone (<i>Cicindela ohlone</i>)	E	\$8,550	\$1,221,440,952
1148	Holei (<i>Ochrosia kilaueaensis</i>)	E	\$8,544	\$1,221,449,496
1149	Globe, noonday (<i>Patera clarki nantahala</i>)	T	\$8,500	\$1,221,457,996
1149	Butterfly, San Bruno elfin (<i>Callophrys mossii bayensis</i>)	E	\$8,500	\$1,221,466,496
1149	<i>Daphnopsis hellerana</i>	E	\$8,500	\$1,221,474,996
1149	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	\$8,500	\$1,221,483,496
1150	Hulumoa (<i>Korthalsella degeneri</i>)	E	\$8,458	\$1,221,491,954
1150	<i>Doryopteris takeuchii</i>	E	\$8,458	\$1,221,500,412
1151	Phacelia, island (<i>Phacelia insularis</i> ssp. <i>insularis</i>)	E	\$8,429	\$1,221,508,841
1152	Barberry, Nevin's (<i>Berberis nevinii</i>)	E	\$8,389	\$1,221,517,230
1153	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$8,381	\$1,221,525,611
1154	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>)	E	\$8,314	\$1,221,533,925
1155	Grass, Solano (<i>Tuctoria mucronata</i>)	E	\$8,300	\$1,221,542,225
1156	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	\$8,285	\$1,221,550,510
1157	<i>Cyrtandra waiolani</i>	E	\$8,266	\$1,221,558,776

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1158	Milkpea, Small's (<i>Galactia smallii</i>)	E	\$8,225	\$1,221,567,001
1159	Larkspur, yellow (<i>Delphinium luteum</i>)	E	\$8,200	\$1,221,575,201
1159	Navarretia, few-flowered (<i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (= <i>N. pauciflora</i>))	E	\$8,200	\$1,221,583,401
1159	Mariposa lily, Tiburon (<i>Calochortus tiburonensis</i>)	T	\$8,200	\$1,221,591,601
1159	Jewelflower, Tiburon (<i>Streptanthus niger</i>)	E	\$8,200	\$1,221,599,801
1159	Bird's-beak, Pennell's (<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>)	E	\$8,200	\$1,221,608,001
1160	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	\$8,125	\$1,221,616,126
1161	Bluegrass, Napa (<i>Poa napensis</i>)	E	\$8,100	\$1,221,624,226
1162	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>)	E	\$8,066	\$1,221,632,292
1162	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	\$8,066	\$1,221,640,358
1163	Anole, Culebra Island giant (<i>Anolis roosevelti</i>)	E	\$8,000	\$1,221,648,358
1163	Darter, bayou (<i>Etheostoma rubrum</i>)	T	\$8,000	\$1,221,656,358
1163	Allocarya, Calistoga (<i>Plagiobothrys strictus</i>)	E	\$8,000	\$1,221,664,358
1163	Thistle, fountain (<i>Cirsium fontinale</i> var. <i>fontinale</i>)	E	\$8,000	\$1,221,672,358
1163	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>)	T	\$8,000	\$1,221,680,358
1164	Awiwi (<i>Hedyotis cookiana</i>)	E	\$7,978	\$1,221,688,336
1165	<i>Chamaesyce halemanui</i>	E	\$7,977	\$1,221,696,313
1165	Nehe (<i>Lipochaeta fauriei</i>)	E	\$7,977	\$1,221,704,290
1166	<i>Gahnia lanaiensis</i>	E	\$7,954	\$1,221,712,244
1167	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$7,928	\$1,221,720,172
1168	‘Akoko (<i>Chamaesyce deppeana</i>)	E	\$7,889	\$1,221,728,061
1169	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	\$7,878	\$1,221,735,939
1170	Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>)	T	\$7,793	\$1,221,743,732
1171	Snail, painted snake coiled forest (<i>Anguispira picta</i>)	T	\$7,700	\$1,221,751,432
1171	Harvestman, Cokendolpher Cave (<i>Texella cokendolpheri</i>)	E	\$7,700	\$1,221,759,132
1171	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$7,700	\$1,221,766,832
1172	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>)	T	\$7,620	\$1,221,774,452
1173	Damselfly, crimson Hawaiian (<i>Megalagrion leptodemas</i>)	E	\$7,608	\$1,221,782,060
1174	Woodpecker, ivory-billed (<i>Campetherus principalis</i>)	E	\$7,600	\$1,221,789,660
1174	Mucket, orangenacre (<i>Lampsilis perovalis</i>)	T	\$7,600	\$1,221,797,260
1174	Rocksnail, interrupted (=Georgia) (<i>Leptoxis foremani</i>)	E	\$7,600	\$1,221,804,860

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1174	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>)	E	\$7,600	\$1,221,812,460
1174	Holly, Cook's (<i>Ilex cookii</i>)	E	\$7,600	\$1,221,820,060
1174	Prickly-ash, St. Thomas (<i>Zanthoxylum thomasianum</i>)	E	\$7,600	\$1,221,827,660
1175	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>)	E	\$7,586	\$1,221,835,246
1176	Bluecurls, Hidden Lake (<i>Trichostema austromontanum</i> ssp. <i>compactum</i>)	T	\$7,569	\$1,221,842,815
1177	Gambusia, Big Bend (<i>Gambusia gaigei</i>)	E	\$7,500	\$1,221,850,315
1177	Manaca, palma de (<i>Calyptromoma rivalis</i>)	T	\$7,500	\$1,221,857,815
1177	Leather flower, Morefield's (<i>Clematis morefieldii</i>)	E	\$7,500	\$1,221,865,315
1177	<i>Lyonia truncata</i> var. <i>proctorii</i>	E	\$7,500	\$1,221,872,815
1177	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$7,500	\$1,221,880,315
1177	Fern, Elfin tree (<i>Cyathea dryopteroides</i>)	E	\$7,500	\$1,221,887,815
1178	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$7,400	\$1,221,895,215
1178	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$7,400	\$1,221,902,615
1179	Tarplant, Gaviota (<i>Deinandra increscens</i> ssp. <i>villosa</i>)	E	\$7,350	\$1,221,909,965
1180	Pigeon, Puerto Rican plain (<i>Columba inornata wetmorei</i>)	E	\$7,248	\$1,221,917,213
1181	Potentilla, Hickman's (<i>Potentilla hickmani</i>)	E	\$7,204	\$1,221,924,417
1182	Beetle, Helotes mold (<i>Batrissodes venyivi</i>)	E	\$7,150	\$1,221,931,567
1183	Thrush, Molokai (<i>Myadestes lanaiensis rutha</i>)	E	\$7,131	\$1,221,938,698
1184	Fly, Delhi Sands flower-loving (<i>Rhaphiomidas terminatus abdominalis</i>)	E	\$7,020	\$1,221,945,718
1185	<i>Cordia bellonii</i>	E	\$7,000	\$1,221,952,718
1185	Palo de nigua (<i>Cornutia obovata</i>)	E	\$7,000	\$1,221,959,718
1185	<i>Gesneria pauciflora</i>	T	\$7,000	\$1,221,966,718
1186	Dudleya, Verity's (<i>Dudleya verityi</i>)	T	\$6,939	\$1,221,973,657
1187	Yellowhead, desert (<i>Yermo xanthocephalus</i>)	T	\$6,927	\$1,221,980,584
1188	Hawk, Puerto Rican broad-winged (<i>Buteo platypterus brunnescens</i>)	E	\$6,868	\$1,221,987,452
1189	Pomace fly, [unnamed] (<i>Drosophila hemipeza</i>)	E	\$6,806	\$1,221,994,258
1190	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	\$6,795	\$1,222,001,053
1191	Salamander, San Marcos (<i>Eurycea nana</i>)	T	\$6,750	\$1,222,007,803
1191	Water-willow, Cooley's (<i>Justicia cooleyi</i>)	E	\$6,750	\$1,222,014,553
1191	<i>Myrcia paganii</i>	E	\$6,750	\$1,222,021,303
1192	Creeper, Oahu (<i>Paroreomyza maculata</i>)	E	\$6,687	\$1,222,027,990
1193	‘O’u (honeycreeper) (<i>Psittirostra psittacea</i>)	E	\$6,636	\$1,222,034,626
1194	Creeper, Molokai (<i>Paroreomyza flammnea</i>)	E	\$6,624	\$1,222,041,250
1195	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	\$6,600	\$1,222,047,850

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1195	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>)	E	\$6,600	\$1,222,054,450
1196	Boa, Mona (<i>Epicrates monensis monensis</i>)	T	\$6,500	\$1,222,060,950
1196	Palo de ramon (<i>Banara vanderbiltii</i>)	E	\$6,500	\$1,222,067,450
1196	Uvillo (<i>Eugenia haematoxarpa</i>)	E	\$6,500	\$1,222,073,950
1197	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$6,490	\$1,222,080,440
1198	Mustard, Carter's (<i>Warea carteri</i>)	E	\$6,450	\$1,222,086,890
1199	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - DE, Sussex Co.	EXPN	\$6,449	\$1,222,093,339
1200	Spineflower, Ben Lomond (<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>)	E	\$6,388	\$1,222,099,727
1201	Erubia (<i>Solanum drymophilum</i>)	E	\$6,380	\$1,222,106,107
1202	Darter, rush (<i>Etheostoma phytophilum</i>)	E	\$6,335	\$1,222,112,442
1203	Rocksnail, painted (<i>Leptoxis taeniata</i>)	T	\$6,300	\$1,222,118,742
1204	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	\$6,200	\$1,222,124,942
1204	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	\$6,200	\$1,222,131,142
1205	Akialoa, Kauai (honeycreeper) (<i>Hemignathus procerus</i>)	E	\$6,129	\$1,222,137,271
1205	`O`o, Kauai (honeyeater) (<i>Moho braccatus</i>)	E	\$6,129	\$1,222,143,400
1205	Nukupu`u (honeycreeper) (<i>Hemignathus lucidus</i>)	E	\$6,129	\$1,222,149,529
1205	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	\$6,129	\$1,222,155,658
1206	Elimia, lacy (snail) (<i>Elimia crenatella</i>)	T	\$6,100	\$1,222,161,758
1206	<i>Ilex sintenisii</i>	E	\$6,100	\$1,222,167,858
1207	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$6,096	\$1,222,173,954
1208	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>)	E	\$6,052	\$1,222,180,006
1209	Chub, Chihuahua (<i>Gila nigrescens</i>)	T	\$6,044	\$1,222,186,050
1210	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>)	T	\$6,000	\$1,222,192,050
1210	Rocksnail, plicate (<i>Leptoxis plicata</i>)	E	\$6,000	\$1,222,198,050
1210	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	\$6,000	\$1,222,204,050
1210	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i>	E	\$6,000	\$1,222,210,050
1210	Chupacallos (<i>Pleodendron macranthum</i>)	E	\$6,000	\$1,222,216,050
1210	Bladderpod, white (<i>Lesquerella pallida</i>)	E	\$6,000	\$1,222,222,050
1211	Fatmucket, Arkansas (<i>Lampsilis powellii</i>)	T	\$5,970	\$1,222,228,020
1212	Springsnail, San Bernardino (<i>Pyrgulopsis bernardina</i>)	T	\$5,910	\$1,222,233,930
1213	<i>Ternstroemia subsessilis</i>	E	\$5,900	\$1,222,239,830
1214	Snail, Lanai tree (<i>Partulina semicarinata</i>)	E	\$5,879	\$1,222,245,709

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1214	Snail, Lanai tree (<i>Partulina variabilis</i>)	E	\$5,879	\$1,222,251,588
1215	Pomace fly, [unnamed] (<i>Drosophila heteroneura</i>)	E	\$5,792	\$1,222,257,380
1215	Pomace fly, [unnamed] (<i>Drosophila mulli</i>)	T	\$5,792	\$1,222,263,172
1215	Pomace fly, [unnamed] (<i>Drosophila neoclavisetae</i>)	E	\$5,792	\$1,222,268,964
1215	Pomace fly, [unnamed] (<i>Drosophila obatai</i>)	E	\$5,792	\$1,222,274,756
1215	Pomace fly, [unnamed] (<i>Drosophila tarphytrichia</i>)	E	\$5,792	\$1,222,280,548
1215	Pomace fly, [unnamed] (<i>Drosophila ochrobasis</i>)	E	\$5,792	\$1,222,286,340
1216	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>)	E	\$5,600	\$1,222,291,940
1216	<i>Lepanthes eltoroensis</i>	E	\$5,600	\$1,222,297,540
1216	<i>Cranichis ricartii</i>	E	\$5,600	\$1,222,303,140
1217	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>)	E	\$5,550	\$1,222,308,690
1218	Minnow, Devils River (<i>Dionda diaboli</i>)	T	\$5,530	\$1,222,314,220
1219	Crow, white-necked (<i>Corvus leucognaphalus</i>)	E	\$5,500	\$1,222,319,720
1219	Gecko, Monito (<i>Sphaerodactylus micropithecus</i>)	E	\$5,500	\$1,222,325,220
1219	Capa rosa (<i>Callicarpa ampla</i>)	E	\$5,500	\$1,222,330,720
1219	Palo Colorado (<i>Ternstroemia luquillensis</i>)	E	\$5,500	\$1,222,336,220
1219	Bariaco (<i>Trichilia triacantha</i>)	E	\$5,500	\$1,222,341,720
1219	Palo de jazmin (<i>Styrax portoricensis</i>)	E	\$5,500	\$1,222,347,220
1219	<i>Thelypteris inabonensis</i>	E	\$5,500	\$1,222,352,720
1219	<i>Thelypteris verecunda</i>	E	\$5,500	\$1,222,358,220
1219	<i>Thelypteris yaucoensis</i>	E	\$5,500	\$1,222,363,720
1220	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>)	T	\$5,378	\$1,222,369,098
1221	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>)	E	\$5,338	\$1,222,374,436
1222	Shiner, palezone (<i>Notropis albizonatus</i>)	E	\$5,240	\$1,222,379,676
1223	Milk-vetch, coastal dunes (<i>Astragalus tener</i> var. <i>titi</i>)	E	\$5,219	\$1,222,384,895
1223	Baccharis, Encinitas (<i>Baccharis vanessae</i>)	T	\$5,219	\$1,222,390,114
1224	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>)	E	\$5,200	\$1,222,395,314
1224	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$5,200	\$1,222,400,514
1225	Dudleyea, Santa Monica Mountains (<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>)	T	\$5,113	\$1,222,405,627
1226	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	\$5,100	\$1,222,410,727
1227	Guajon (<i>Eleutherodactylus cooki</i>)	T	\$5,000	\$1,222,415,727
1227	Milk-vetch, heliotrope (<i>Astragalus montii</i>)	T	\$5,000	\$1,222,420,727
1227	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	\$5,000	\$1,222,425,727
1228	Hornsniail, rough (<i>Pleurocera foremani</i>)	E	\$4,800	\$1,222,430,527

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1229	Mountain-mahogany, Catalina Island (<i>Cercocarpus traskiae</i>)	E	\$4,747	\$1,222,435,274
1230	Blue-star, Kearney's (<i>Amsonea kearneyana</i>)	E	\$4,733	\$1,222,440,007
1231	Spineflower, Robust (<i>Chorizanthe robusta</i> var. <i>robusta</i>)	E	\$4,613	\$1,222,444,620
1232	Madtom, chucky (<i>Noturus crypticus</i>)	E	\$4,540	\$1,222,449,160
1233	Flannelbush, Mexican (<i>Fremontodendron mexicanum</i>)	E	\$4,500	\$1,222,453,660
1233	<i>Elaphoglossum serpens</i>	E	\$4,500	\$1,222,458,160
1234	Snail, Chittenango ovate amber (<i>Succinea chittenangoensis</i>)	T	\$4,468	\$1,222,462,628
1235	Pearlshell, Alabama (<i>Margaritifera marrianae</i>)	E	\$4,435	\$1,222,467,063
1236	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	\$4,405	\$1,222,471,468
1237	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	\$4,372	\$1,222,475,840
1238	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	\$4,280	\$1,222,480,120
1239	<i>Mitracarpus polycladus</i>	E	\$4,250	\$1,222,484,370
1240	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	\$4,219	\$1,222,488,589
1241	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespера</i>)	E	\$4,080	\$1,222,492,669
1242	Shiner, beautiful (<i>Cyprinella formosa</i>)	T	\$4,045	\$1,222,496,714
1243	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Holston River, VA, TN	EXPN	\$4,000	\$1,222,500,714
1243	Milk-vetch, Deseret (<i>Astragalus desereticus</i>)	T	\$4,000	\$1,222,504,714
1243	<i>Mitracarpus maxwelliae</i>	E	\$4,000	\$1,222,508,714
1243	<i>Auerodendron pauciflorum</i>	E	\$4,000	\$1,222,512,714
1243	<i>Adiantum vivesii</i>	E	\$4,000	\$1,222,516,714
1243	<i>Polystichum calderonense</i>	E	\$4,000	\$1,222,520,714
1243	<i>Tectaria estremerana</i>	E	\$4,000	\$1,222,524,714
1244	Dudleya, Conejo (<i>Dudleya abramsii</i> ssp. <i>parva</i>)	T	\$3,994	\$1,222,528,708
1245	Catfish, Yaqui (<i>Ictalurus pricei</i>)	T	\$3,955	\$1,222,532,663
1246	Turtle, yellow-blotched map (<i>Graptemys flavimaculata</i>)	T	\$3,873	\$1,222,536,536
1247	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$3,850	\$1,222,540,386
1248	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>)	E	\$3,750	\$1,222,544,136
1249	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	\$3,620	\$1,222,547,756
1250	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$3,500	\$1,222,551,256
1251	Clarkia, Springville (<i>Clarkia springvillensis</i>)	T	\$3,465	\$1,222,554,721
1252	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>)	E	\$3,350	\$1,222,558,071
1253	Springsnail, Alamosa (<i>Tryonia alamosae</i>)	E	\$3,300	\$1,222,561,371
1253	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	\$3,300	\$1,222,564,671
1254	Rush-rose, island (<i>Helianthemum greenei</i>)	T	\$3,251	\$1,222,567,922

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1255	Snail, tulotoma (<i>Tulotoma magnifica</i>)	E	\$3,204	\$1,222,571,126
1256	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	E	\$3,000	\$1,222,574,126
1256	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	\$3,000	\$1,222,577,126
1256	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	\$3,000	\$1,222,580,126
1256	Lousewort, Furbish (<i>Pedicularis furbishiae</i>)	E	\$3,000	\$1,222,583,126
1257	Sedge, Navajo (<i>Carex specuicola</i>)	T	\$2,925	\$1,222,586,051
1258	Grasshopper, Zayante band-winged (<i>Trimerotropis infantilis</i>)	E	\$2,875	\$1,222,588,926
1259	Oxytheca, cushenbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>)	E	\$2,813	\$1,222,591,739
1260	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$2,798	\$1,222,594,537
1261	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	\$2,700	\$1,222,597,237
1262	Gambusia, San Marcos (<i>Gambusia georgei</i>)	E	\$2,600	\$1,222,599,837
1263	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$2,525	\$1,222,602,362
1264	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	\$2,500	\$1,222,604,862
1265	Jaguarundi, Sinaloan (<i>Herpailurus (=Felis) yagouaroundi tolteca</i>)	E	\$2,480	\$1,222,607,342
1266	Chub, Hutton tui (<i>Gila bicolor</i> ssp.)	T	\$2,400	\$1,222,609,742
1267	Darter, vermillion (<i>Etheostoma chermocki</i>)	E	\$2,295	\$1,222,612,037
1268	Woundfin (<i>Plagopterus argentissimus</i>) - Gila R. drainage, AZ, NM	EXPN	\$2,200	\$1,222,614,237
1269	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>)	E	\$2,186	\$1,222,616,423
1270	Dudleya, marcescent (<i>Dudleya cymosa</i> ssp. <i>marcescens</i>)	T	\$2,106	\$1,222,618,529
1271	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>)	E	\$2,094	\$1,222,620,623
1272	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>)	E	\$1,908	\$1,222,622,531
1273	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - except where EXPN	E	\$1,740	\$1,222,624,271
1274	Darter, duskytail (<i>Etheostoma percnurum</i>) - Tellico River, TN	EXPN	\$1,700	\$1,222,625,971
1275	Chub, spotfin (<i>Erimonax monachus</i>) - Tellico River, TN	EXPN	\$1,600	\$1,222,627,571
1275	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Tellico River, TN	EXPN	\$1,600	\$1,222,629,171
1275	Madtom, smoky (<i>Noturus baileyi</i>) - Tellico River, TN	EXPN	\$1,600	\$1,222,630,771
1275	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) - except where EXPN	E	\$1,600	\$1,222,632,371
1276	Pigtoe, heavy (<i>Pleurobema taitianum</i>)	E	\$1,589	\$1,222,633,960
1277	Pigtoe, dark (<i>Pleurobema furvum</i>)	E	\$1,534	\$1,222,635,494
1278	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>)	E	\$1,500	\$1,222,636,994
1279	Snail, flat-spined three-toothed (<i>Triodopsis platysayoides</i>)	T	\$1,391	\$1,222,638,385
1280	Cactus, Cochise pincushion (<i>Coryphantha robbinsorum</i>)	T	\$1,350	\$1,222,639,735

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1281	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>)	E	\$1,300	\$1,222,641,035
1282	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$1,298	\$1,222,642,333
1283	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	\$1,204	\$1,222,643,537
1284	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>)	E	\$1,200	\$1,222,644,737
1284	Spider, Tooth Cave (<i>Leptoneta myopica</i>)	E	\$1,200	\$1,222,645,937
1284	Clover, Monterey (<i>Trifolium trichocalyx</i>)	E	\$1,200	\$1,222,647,137
1285	Pawpaw, Rugel's (<i>Deeringothamnus rugelii</i>)	E	\$1,044	\$1,222,648,181
1286	Gambusia, Clear Creek (<i>Gambusia heterochir</i>)	E	\$1,000	\$1,222,649,181
1286	Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>)	E	\$1,000	\$1,222,650,181
1286	Snail, armored (<i>Pyrgulopsis (=Marstonia) pachyta</i>)	E	\$1,000	\$1,222,651,181
1286	Rocksnail, round (<i>Leptoxis ampla</i>)	T	\$1,000	\$1,222,652,181
1286	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>)	E	\$1,000	\$1,222,653,181
1286	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>)	E	\$1,000	\$1,222,654,181
1286	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	\$1,000	\$1,222,655,181
1286	Pitaya, Davis' green (<i>Echinocereus viridiflorus</i> var. <i>davisii</i>)	E	\$1,000	\$1,222,656,181
1286	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	\$1,000	\$1,222,657,181
1286	Lessingia, San Francisco (<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>))	E	\$1,000	\$1,222,658,181
1287	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>)	E	\$940	\$1,222,659,121
1288	Campeloma, slender (<i>Campeloma decampi</i>)	E	\$900	\$1,222,660,021
1289	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$864	\$1,222,660,885
1290	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) - except where EXPN	E	\$840	\$1,222,661,725
1291	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - Free-Flowing Reach of the Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$828	\$1,222,662,553
1292	Pearlymussel, Curtis (<i>Epioblasma florentina curtisi</i>)	E	\$800	\$1,222,663,353
1292	Shrimp, Alabama cave (<i>Palaemonias alabamae</i>)	E	\$800	\$1,222,664,153
1293	Whale, Southern Right (<i>Eubalaena australis</i>)	E	\$756	\$1,222,664,909
1294	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$700	\$1,222,665,609
1294	Beetle, delta green ground (<i>Elaphrus viridis</i>)	T	\$700	\$1,222,666,309
1294	Thornmint, San Mateo (<i>Acanthomintha obovata</i> ssp. <i>duttonii</i>)	E	\$700	\$1,222,667,009
1294	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	\$700	\$1,222,667,709

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1295	Clarkia, Pismo (<i>Clarkia speciosa</i> ssp. <i>immaculata</i>)	E	\$634	\$1,222,668,343
1296	Clubshell (<i>Pleurobema clava</i>) - Free-Flowing Reach of the Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$600	\$1,222,668,943
1296	Birch, Virginia round-leaf (<i>Betula uber</i>)	T	\$600	\$1,222,669,543
1296	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>)	E	\$600	\$1,222,670,143
1296	Mallow, Peter's Mountain (<i>Iliamna corei</i>)	E	\$600	\$1,222,670,743
1297	Lampmussel, Alabama (<i>Lampsilis virescens</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$500	\$1,222,671,243
1297	Springsnail, Chupadera (<i>Pyrgulopsis chupaderae</i>)	E	\$500	\$1,222,671,743
1297	Pondweed, Little Aguja (=Creek) (<i>Potamogeton clystocarpus</i>)	E	\$500	\$1,222,672,243
1297	Vervain, Red Hills (<i>Verbena californica</i>)	T	\$500	\$1,222,672,743
1298	Madtom, Scioto (<i>Noturus trautmani</i>)	E	\$408	\$1,222,673,151
1299	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>)	E	\$400	\$1,222,673,551
1299	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	\$400	\$1,222,673,951
1299	<i>Schoepfia arenaria</i>	T	\$400	\$1,222,674,351
1300	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	\$350	\$1,222,674,701
1301	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$300	\$1,222,675,001
1302	Salamander, desert slender (<i>Batrachoseps aridus</i>)	E	\$214	\$1,222,675,215
1303	Mapleleaf, winged (<i>Quadrula fragosa</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$200	\$1,222,675,415
1303	Pebblesnail, flat (<i>Lepyrium showalteri</i>)	E	\$200	\$1,222,675,615
1303	Fern, Alabama streak-sorus (<i>Thelypteris pilosa</i> var. <i>alabamensis</i>)	T	\$200	\$1,222,675,815
1304	Pigtoe, rough (<i>Pleurobema plenum</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$100	\$1,222,675,915
1304	Pigtoe, flat (<i>Pleurobema marshalli</i>)	E	\$100	\$1,222,676,015
1304	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - Free-Flowing Reach of Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$100	\$1,222,676,115
1304	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$100	\$1,222,676,215
1304	Thistle, Loch Lomond coyote (<i>Eryngium constancei</i>)	E	\$100	\$1,222,676,315

TABLE 3. FY 2013 REPORTED LAND ACQUISITION EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES

Species are arranged in the same sequence as Table 1. These costs are not included in the expenditures displayed in Tables 1 and 2. Only those species that had land acquisition costs reported for FY 2013 are included here. Land rank is included to show the relative order of the species for which land expenditures are reported. Land acquisition costs for multi-species conservation activities are tabulated at the end of Table 3.

**TABLE 3. FY 2013 REPORTED LAND ACQUISITION EXPENDITURES FOR
ENDANGERED AND THREATENED SPECIES**

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
Mammals	7	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$3,720,796	\$6,250,100	\$9,970,896	\$0	\$9,970,896
	6	Bear, grizzly (<i>Ursus arctos horribilis</i>) - lower 48 States, except where EXPN or delisted	T	\$6,617,089	\$0	\$6,617,089	\$4,400,000	\$11,017,089
	4	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$0	\$14,811,361	\$14,811,361	\$0	\$14,811,361
	111	Bear, polar (<i>Ursus maritimus</i>)	T	\$24,000	\$0	\$24,000	\$0	\$24,000
	37	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>) - CA	E	\$90,625	\$1,449,583	\$1,540,208	\$0	\$1,540,208
	68	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$0	\$482,633	\$482,633	\$0	\$482,633
	84	Kangaroo rat, Tipton (<i>Dipodomys nitratoides nitratoides</i>)	E	\$90,625	\$82,000	\$172,625	\$0	\$172,625
	24	Lynx, Canada (<i>Lynx canadensis</i>) - Contiguous U.S. DPS	T	\$3,153,256	\$0	\$3,153,256	\$0	\$3,153,256
	69	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$445,740	\$0	\$445,740	\$0	\$445,740
	73	Otter, Northern Sea (<i>Enhydra lutris kenyoni</i>) - southwest Alaska DPS	T	\$338,800	\$0	\$338,800	\$0	\$338,800
	28	Panther, Florida (<i>Puma (=Felis concolor coryi)</i>)	E	\$0	\$2,350,000	\$2,350,000	\$0	\$2,350,000
	39	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>) - CA	E	\$573,924	\$807,000	\$1,380,924	\$0	\$1,380,924
	85	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$162,213	\$0	\$162,213	\$0	\$162,213
	117	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - Eastern DPS	T	\$0	\$750	\$750	\$0	\$750
	117	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - Western DPS	E	\$0	\$750	\$750	\$0	\$750
	107	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>)	E	\$29,375	\$0	\$29,375	\$0	\$29,375

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	59	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - except Sussex Co., DE	E	\$536,500	\$0	\$536,500	\$0	\$536,500
	103	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukemcampbelli</i>)	E	\$49,200	\$0	\$49,200	\$0	\$49,200
	111	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$24,000	\$0	\$24,000	\$0	\$24,000
	109	Whale, gray (<i>Eschrichtius robustus</i>) - Western North Pacific DPS	E	\$24,000	\$784	\$24,784	\$0	\$24,784
	110	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$24,000	\$122	\$24,122	\$0	\$24,122
	111	Whale, North Pacific Right (<i>Eubalaena japonica</i>)	E	\$24,000	\$0	\$24,000	\$0	\$24,000
	17	Wolf, gray (<i>Canis lupus</i>) - AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in an EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	E	\$0	\$0	\$0	\$4,400,000	\$4,400,000
	62	Wolf, gray (<i>Canis lupus</i>) - Mexican gray wolf EXPN	EXPN	\$523,795	\$0	\$523,795	\$0	\$523,795
	104	Wolf, red (<i>Canis rufus</i>) - except EXPN	E	\$45,167	\$0	\$45,167	\$0	\$45,167
	57	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$573,924	\$0	\$573,924	\$0	\$573,924
Mammals subtotal				\$17,071,029	\$26,235,083	\$43,306,112	\$8,800,000	\$52,106,112
Birds	111	Albatross, short-tailed (<i>Phoebastria (=Diomedea) albatrus</i>)	E	\$24,000	\$0	\$24,000	\$0	\$24,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	3	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) - FL pop.	T	\$692	\$18,200,000	\$18,200,692	\$0	\$18,200,692
	85	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$162,213	\$0	\$162,213	\$0	\$162,213
	19	Crane, whooping (<i>Grus americana</i>) - except where EXPN	E	\$573,676	\$3,418,000	\$3,991,676	\$0	\$3,991,676
	89	Crane, whooping (<i>Grus americana</i>) - CO, ID, FL, NM, UT, western WY	EXPN	\$144,167	\$0	\$144,167	\$0	\$144,167
	85	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$162,213	\$0	\$162,213	\$0	\$162,213
	81	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$229,000	\$0	\$229,000	\$0	\$229,000
	51	Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop.	T	\$677,300	\$0	\$677,300	\$0	\$677,300
	50	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - except where EXPN	E	\$769,525	\$0	\$769,525	\$0	\$769,525
	29	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$1,485,714	\$799,000	\$2,284,714	\$53,055	\$2,337,769
	1	Gnatcatcher, coastal California (<i>Polioptila californica californica</i>)	T	\$18,000	\$167,875,000	\$167,893,000	\$0	\$167,893,000
	42	Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) - FL pop.	E	\$0	\$1,000,000	\$1,000,000	\$0	\$1,000,000
	85	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$162,213	\$0	\$162,213	\$0	\$162,213
	58	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) - CA, OR, WA	T	\$550,833	\$0	\$550,833	\$0	\$550,833
	20	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$0	\$3,678,200	\$3,678,200	\$0	\$3,678,200

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	98	Plover, piping (<i>Charadrius melanotos</i>) - Great Lakes watershed	E	\$72,250	\$3,800	\$76,050	\$0	\$76,050
	9	Plover, piping (<i>Charadrius melanotos</i>) - except Great Lakes watershed	T	\$5,136,643	\$3,417,000	\$8,553,643	\$0	\$8,553,643
	58	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) - Pacific coast pop.	T	\$550,833	\$0	\$550,833	\$0	\$550,833
	106	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	E	\$0	\$30,000	\$30,000	\$0	\$30,000
	114	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) - U.S.A. only	E	\$15,714	\$0	\$15,714	\$0	\$15,714
	102	Scrub-jay, Florida (<i>Aphelocoma coerulescens</i>)	T	\$49,892	\$0	\$49,892	\$0	\$49,892
	32	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$0	\$2,000,000	\$2,000,000	\$0	\$2,000,000
	85	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$162,213	\$0	\$162,213	\$0	\$162,213
	2	Stork, wood (<i>Mycteria americana</i>) - AL, FL, GA, MS, NC, SC	E	\$394,766	\$17,830,000	\$18,224,766	\$0	\$18,224,766
	21	Tern, least (<i>Sterna antillarum</i>) - interior pop.	E	\$0	\$3,468,000	\$3,468,000	\$0	\$3,468,000
	108	Tern, roseate (<i>Sterna dougallii dougallii</i>) - northeast U.S. nesting pop.	E	\$26,000	\$0	\$26,000	\$0	\$26,000
	53	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$0	\$0	\$0	\$613,542	\$613,542
	55	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$591,924	\$0	\$591,924	\$0	\$591,924
	100	Warbler, Kirtland's (<i>Setophaga kirtlandii</i> (= <i>Dendroica kirtlandii</i>))	E	\$72,250	\$0	\$72,250	\$0	\$72,250

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	53	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$0	\$0	\$0	\$613,542	\$613,542
	71	Woodpecker, ivory-billed (<i>Campetherus principalis</i>)	E	\$431,286	\$0	\$431,286	\$0	\$431,286
	26	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$2,563,762	\$0	\$2,563,762	\$42,000	\$2,605,762
Birds subtotal				\$15,027,079	\$221,719,000	\$236,746,079	\$1,322,139	\$238,068,218
Reptiles	75	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$0	\$325,000	\$325,000	\$0	\$325,000
	52	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$90,625	\$523,833	\$614,458	\$0	\$614,458
	66	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$0	\$0	\$0	\$500,000	\$500,000
	89	Sea turtle, green (<i>Chelonia mydas</i>) - FL, Mexico nesting pops.	E	\$144,167	\$0	\$144,167	\$0	\$144,167
	115	Sea turtle, green (<i>Chelonia mydas</i>) - Except where endangered	T	\$9,857	\$0	\$9,857	\$0	\$9,857
	45	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	\$913,692	\$0	\$913,692	\$0	\$913,692
	89	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$144,167	\$0	\$144,167	\$0	\$144,167
	44	Sea turtle, loggerhead (<i>Caretta caretta</i>) - Northwest Atlantic Ocean DPS	T	\$923,549	\$0	\$923,549	\$0	\$923,549
	118	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$692	\$0	\$692	\$0	\$692
	118	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$692	\$0	\$692	\$0	\$692
	96	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) - IN, MI, OH	T	\$0	\$84,700	\$84,700	\$0	\$84,700
	5	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$49,892	\$12,620,000	\$12,669,892	\$0	\$12,669,892

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	41	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$202,489	\$1,024,300	\$1,226,789	\$0	\$1,226,789
	11	Tortoise, desert (<i>Gopherus agassizii</i>) - outside/taken from Sonoran Desert	SAT	\$0	\$7,000,000	\$7,000,000	\$0	\$7,000,000
	101	Tortoise, gopher (<i>Gopherus polyphemus</i>) - W of Mobile/Tombigbee Rs.	T	\$63,325	\$0	\$63,325	\$0	\$63,325
	16	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - northern	T	\$647,500	\$4,303,853	\$4,951,353	\$0	\$4,951,353
	101	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	\$63,325	\$0	\$63,325	\$0	\$63,325
Reptiles subtotal				\$3,253,972	\$25,881,686	\$29,135,658	\$500,000	\$29,635,658
Amphibians	56	Frog, California red-legged (<i>Rana draytonii</i>)	T	\$0	\$577,420	\$577,420	\$0	\$577,420
	99	Salamander, California tiger (<i>Ambystoma californiense</i>) - CA - Santa Barbara Co.	E	\$0	\$72,560	\$72,560	\$0	\$72,560
	105	Salamander, California tiger (<i>Ambystoma californiense</i>) - CA - Sonoma County	E	\$0	\$42,560	\$42,560	\$0	\$42,560
	38	Salamander, California tiger (<i>Ambystoma californiense</i>) - Central CA DPS	T	\$202,489	\$1,208,860	\$1,411,349	\$0	\$1,411,349
	87	Salamander, frosted flatwoods (<i>Ambystoma cingulatum</i>)	T	\$154,024	\$0	\$154,024	\$0	\$154,024
	53	Salamander, San Marcos (<i>Eurycea nana</i>)	T	\$0	\$0	\$0	\$613,542	\$613,542
	53	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>)	E	\$0	\$0	\$0	\$613,542	\$613,542
	48	Toad, arroyo (=arroyo southwestern) (<i>Anaxyrus californicus</i>)	E	\$18,000	\$875,000	\$893,000	\$0	\$893,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
Amphibians subtotal				\$374,513	\$2,776,400	\$3,150,913	\$1,227,084	\$4,377,997
Fishes	23	Chub, Oregon (<i>Oregonichthys crameri</i>)	T	\$0	\$3,291,726	\$3,291,726	\$0	\$3,291,726
	114	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$15,714	\$0	\$15,714	\$0	\$15,714
	53	Darter, fountain (<i>Etheostoma fonticola</i>)	E	\$0	\$0	\$0	\$613,542	\$613,542
	58	Eulachon, Pacific (<i>Thaleichthys pacificus</i>) - Southern DPS	T	\$550,833	\$0	\$550,833	\$0	\$550,833
	95	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$0	\$100,000	\$100,000	\$0	\$100,000
	53	Gambusia, San Marcos (<i>Gambusia georgei</i>)	E	\$0	\$0	\$0	\$613,542	\$613,542
	79	Madtom, Neosho (<i>Noturus placidus</i>)	T	\$243,250	\$0	\$243,250	\$0	\$243,250
	13	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - except EXPN	E	\$0	\$5,400,000	\$5,400,000	\$0	\$5,400,000
	34	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - except Salt and Verde R. drainages, AZ	E	\$0	\$1,800,000	\$1,800,000	\$0	\$1,800,000
	114	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis miowectes</i>)	E	\$15,714	\$0	\$15,714	\$0	\$15,714
	112	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$0	\$20,000	\$20,000	\$0	\$20,000
	114	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$15,714	\$0	\$15,714	\$0	\$15,714
	114	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$15,714	\$0	\$15,714	\$0	\$15,714
	108	Salmon, Atlantic (<i>Salmo salar</i>) - Gulf of Maine DPS	E	\$26,000	\$0	\$26,000	\$0	\$26,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	80	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - Snake River fall-run ESU	T	\$0	\$238,000	\$238,000	\$0	\$238,000
	64	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - Snake River spring/summer-run ESU	T	\$0	\$514,357	\$514,357	\$0	\$514,357
	46	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - Sacramento River winter-run ESU	E	\$573,924	\$333,000	\$906,924	\$0	\$906,924
	30	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - Lower Columbia River ESU	T	\$0	\$2,313,479	\$2,313,479	\$0	\$2,313,479
	15	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - Upper Willamette River ESU	T	\$0	\$4,979,838	\$4,979,838	\$0	\$4,979,838
	35	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - Upper Columbia spring-run ESU	E	\$0	\$1,744,803	\$1,744,803	\$0	\$1,744,803
	92	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - Central Valley spring-run ESU	T	\$0	\$136,000	\$136,000	\$0	\$136,000
	36	Salmon, coho (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>) - So. OR/No. CA Coast ESU	T	\$0	\$1,739,000	\$1,739,000	\$0	\$1,739,000
	60	Salmon, coho (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>) - OR Coast ESU	T	\$0	\$0	\$0	\$527,150	\$527,150
	10	Salmon, sockeye (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>) - Snake River ESU	E	\$0	\$7,709,651	\$7,709,651	\$0	\$7,709,651
	116	Shiner, Arkansas River (<i>Notropis girardi</i>) - Arkansas R. Basin	T	\$0	\$2,000	\$2,000	\$0	\$2,000
	42	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$0	\$1,000,000	\$1,000,000	\$0	\$1,000,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	49	Shiner, Topeka (<i>Notropis topeka</i> (= <i>tristis</i>))	E	\$816,926	\$0	\$816,926	\$0	\$816,926
	92	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - CA Central Valley DPS	T	\$0	\$136,000	\$136,000	\$0	\$136,000
	63	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Snake River Basin DPS	T	\$0	\$515,614	\$515,614	\$0	\$515,614
	25	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Lower Columbia River DPS	T	\$0	\$2,156,541	\$2,156,541	\$527,000	\$2,683,541
	57	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - So. CA DPS	E	\$573,924	\$0	\$573,924	\$0	\$573,924
	61	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Upper Columbia River DPS	T	\$0	\$310,077	\$310,077	\$217,000	\$527,077
	14	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Upper Willamette River DPS	T	\$0	\$4,980,795	\$4,980,795	\$0	\$4,980,795
	8	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Middle Columbia River DPS	T	\$0	\$7,030,547	\$7,030,547	\$2,356,000	\$9,386,547
	76	Sturgeon, Atlantic (<i>Acipenser oxyrinchus</i>)	T	\$308,358	\$0	\$308,358	\$0	\$308,358
	119	Sturgeon, Atlantic (<i>Acipenser oxyrinchus oxyrinchus</i>) - Gulf of Maine DPS	T	\$0	\$500	\$500	\$0	\$500
	90	Sturgeon, Green (<i>Acipenser medirostris</i>) - Southern DPS	T	\$0	\$144,000	\$144,000	\$0	\$144,000
	18	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$744,010	\$3,417,000	\$4,161,010	\$0	\$4,161,010
	78	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	E	\$245,874	\$500	\$246,374	\$0	\$246,374
	22	Sturgeon, white (<i>Acipenser transmontanus</i>) - ID, MT, Canada (B.C.), Kootenai R. system	E	\$0	\$3,302,899	\$3,302,899	\$0	\$3,302,899

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	27	Sucker, Lost River (<i>Deltistes luxatus</i>)	E	\$0	\$2,595,000	\$2,595,000	\$0	\$2,595,000
	27	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	\$0	\$2,595,000	\$2,595,000	\$0	\$2,595,000
	12	Trout, bull (<i>Salvelinus confluentus</i>) - conterminous, lower 48 states	T	\$493,750	\$3,890,272	\$4,384,022	\$1,900,000	\$6,284,022
Fishes subtotal				\$4,639,705	\$62,396,599	\$67,036,304	\$6,754,234	\$73,790,538
Clams	89	Bankclimber, purple (mussel) (<i>Elliptoideus sloataianus</i>)	T	\$144,167	\$0	\$144,167	\$0	\$144,167
	101	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>)	T	\$63,325	\$0	\$63,325	\$0	\$63,325
	86	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$154,625	\$0	\$154,625	\$0	\$154,625
	71	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$431,286	\$0	\$431,286	\$0	\$431,286
	71	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$431,286	\$0	\$431,286	\$0	\$431,286
	86	Mussel, sheepnose (<i>Plethobasus cyphyus</i>)	E	\$154,625	\$0	\$154,625	\$0	\$154,625
	119	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	\$0	\$500	\$500	\$0	\$500
	71	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$431,286	\$0	\$431,286	\$0	\$431,286
	120	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$0	\$100	\$100	\$0	\$100
	94	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	\$104,000	\$0	\$104,000	\$0	\$104,000
	86	Spectaclecase (mussel) (<i>Cumberlandia monodonta</i>)	E	\$154,625	\$0	\$154,625	\$0	\$154,625
	65	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$510,086	\$0	\$510,086	\$0	\$510,086
Clams subtotal				\$2,579,311	\$600	\$2,579,911	\$0	\$2,579,911
Snails	82	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$214,667	\$0	\$214,667	\$0	\$214,667

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
Snails subtotal				\$214,667	\$0	\$214,667	\$0	\$214,667
Insects	77	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$243,250	\$55,100	\$298,350	\$0	\$298,350
	53	Beetle, Comal Springs dryopid (<i>Stygoparmus comalensis</i>)	E	\$0	\$0	\$0	\$613,542	\$613,542
	53	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>)	E	\$0	\$0	\$0	\$613,542	\$613,542
	53	Beetle, Helotes mold (<i>Batrisedes venyivi</i>)	E	\$0	\$0	\$0	\$613,542	\$613,542
	53	Beetle [no common name] (<i>Rhadine exilis</i>)	E	\$0	\$0	\$0	\$613,542	\$613,542
	53	Beetle [no common name] (<i>Rhadine infernalis</i>)	E	\$0	\$0	\$0	\$613,542	\$613,542
	54	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$0	\$610,500	\$610,500	\$0	\$610,500
	100	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$72,250	\$0	\$72,250	\$0	\$72,250
	113	Butterfly, Quino checkerspot (<i>Euphydryas editha quino (=E. e. wrighti)</i>)	E	\$18,000	\$0	\$18,000	\$0	\$18,000
	114	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$15,714	\$0	\$15,714	\$0	\$15,714
	65	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	\$510,086	\$0	\$510,086	\$0	\$510,086
	72	Tiger beetle, Salt Creek (<i>Cicindela nevadica lincolniana</i>)	E	\$0	\$0	\$0	\$375,000	\$375,000
Insects subtotal				\$859,300	\$665,600	\$1,524,900	\$3,442,710	\$4,967,610
Arachnids	53	Harvestman, Cokendolpher Cave (<i>Texella cokendolpheri</i>)	E	\$0	\$0	\$0	\$613,542	\$613,542
	53	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>)	E	\$0	\$0	\$0	\$613,542	\$613,542
	53	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$0	\$0	\$0	\$613,542	\$613,542

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
Arachnids subtotal				\$0	\$0	\$0	\$1,840,626	\$1,840,626
Crustaceans	53	Amphipod, Peck's cave (<i>Stygobromus (=Stygonectes) pecki</i>)	E	\$0	\$0	\$0	\$613,542	\$613,542
	47	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$776,413	\$125,000	\$901,413	\$0	\$901,413
	83	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	\$202,489	\$0	\$202,489	\$0	\$202,489
	113	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$18,000	\$0	\$18,000	\$0	\$18,000
	31	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$867,038	\$1,316,000	\$2,183,038	\$0	\$2,183,038
	33	Tadpole shrimp, vernal pool (<i>Lepidurus packardi</i>)	E	\$776,413	\$1,174,000	\$1,950,413	\$0	\$1,950,413
Crustaceans subtotal				\$2,640,353	\$2,615,000	\$5,255,353	\$613,542	\$5,868,895
Flowering Plants	113	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	\$18,000	\$0	\$18,000	\$0	\$18,000
	118	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$692	\$0	\$692	\$0	\$692
	114	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$15,714	\$0	\$15,714	\$0	\$15,714
	118	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$692	\$0	\$692	\$0	\$692
	118	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$692	\$0	\$692	\$0	\$692
	118	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$692	\$0	\$692	\$0	\$692
	43	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$940,086	\$0	\$940,086	\$0	\$940,086
	113	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>)	E	\$18,000	\$0	\$18,000	\$0	\$18,000
	114	Centaury, spring-loving (<i>Centaureum namophilum</i>)	T	\$15,714	\$0	\$15,714	\$0	\$15,714

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	97	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$82,500	\$0	\$82,500	\$0	\$82,500
	113	Flannelbush, Mexican (<i>Fremontodendron mexicanum</i>)	E	\$18,000	\$0	\$18,000	\$0	\$18,000
	118	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$692	\$0	\$692	\$0	\$692
	83	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$202,489	\$0	\$202,489	\$0	\$202,489
	114	Gumplant, Ash Meadows (<i>Grindelia fraxinipratensis</i>)	T	\$15,714	\$0	\$15,714	\$0	\$15,714
	118	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$692	\$0	\$692	\$0	\$692
	67	Howellia, water (<i>Howellia aquatilis</i>)	T	\$493,750	\$0	\$493,750	\$0	\$493,750
	118	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$692	\$0	\$692	\$0	\$692
	114	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$15,714	\$0	\$15,714	\$0	\$15,714
	107	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$29,375	\$0	\$29,375	\$0	\$29,375
	88	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$0	\$0	\$0	\$147,605	\$147,605
	118	Lupine, scrub (<i>Lupinus aridorum</i>)	E	\$692	\$0	\$692	\$0	\$692
	107	Mallow, Kern (<i>Eremalche kernensis</i>)	E	\$29,375	\$0	\$29,375	\$0	\$29,375
	113	Manzanita, Del Mar (<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>)	E	\$18,000	\$0	\$18,000	\$0	\$18,000
	113	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$18,000	\$0	\$18,000	\$0	\$18,000
	113	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$18,000	\$0	\$18,000	\$0	\$18,000
	114	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$15,714	\$0	\$15,714	\$0	\$15,714

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	65	Milk-vetch, Jesup's (<i>Astragalus robbinsii var. jesupi</i>)	E	\$510,086	\$0	\$510,086	\$0	\$510,086
	118	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$692	\$0	\$692	\$0	\$692
	82	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$214,667	\$0	\$214,667	\$0	\$214,667
	118	Mustard, Carter's (<i>Warea carteri</i>)	E	\$692	\$0	\$692	\$0	\$692
	113	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$18,000	\$0	\$18,000	\$0	\$18,000
	114	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$15,714	\$0	\$15,714	\$0	\$15,714
	85	Ohai (<i>Sesbania tomentosa</i>)	E	\$162,213	\$0	\$162,213	\$0	\$162,213
	100	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$72,250	\$0	\$72,250	\$0	\$72,250
	40	Orchid, western prairie fringed (<i>Platanthera praecox</i>)	T	\$1,175,000	\$0	\$1,175,000	\$60,000	\$1,235,000
	113	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$18,000	\$0	\$18,000	\$0	\$18,000
	83	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$202,489	\$0	\$202,489	\$0	\$202,489
	118	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$692	\$0	\$692	\$0	\$692
	91	Pink, swamp (<i>Helonias bullata</i>)	T	\$140,000	\$0	\$140,000	\$0	\$140,000
	118	Plum, scrub (<i>Prunus geniculata</i>)	E	\$692	\$0	\$692	\$0	\$692
	65	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$510,086	\$0	\$510,086	\$0	\$510,086
	118	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$692	\$0	\$692	\$0	\$692
	70	Pondberry (<i>Lindera melissifolia</i>)	E	\$441,143	\$0	\$441,143	\$0	\$441,143
	118	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	\$692	\$0	\$692	\$0	\$692
	82	Roseroot, Leedy's (<i>Rodiola integrifolia</i> ssp. <i>leedyi</i>)	T	\$214,667	\$0	\$214,667	\$0	\$214,667
	118	Sandlace (<i>Polygonella myriophylla</i>)	E	\$692	\$0	\$692	\$0	\$692

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	118	Snakeroot (<i>Eryngium cuneifolium</i>)	E	\$692	\$0	\$692	\$0	\$692
	74	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	\$202,489	\$125,000	\$327,489	\$0	\$327,489
	114	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$15,714	\$0	\$15,714	\$0	\$15,714
	113	Tarplant, Otay (<i>Deinandra</i> (= <i>Hemizonia</i>) <i>conjugens</i>)	T	\$18,000	\$0	\$18,000	\$0	\$18,000
	113	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	\$18,000	\$0	\$18,000	\$0	\$18,000
	93	Tuctoria, Greene's (<i>Tuctoria greenei</i>)	E	\$0	\$125,000	\$125,000	\$0	\$125,000
	118	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$692	\$0	\$692	\$0	\$692
	53	Wild-rice, Texas (<i>Zizania texana</i>)	E	\$0	\$0	\$0	\$613,542	\$613,542
	118	Wireweed (<i>Polygonella basiramia</i>)	E	\$692	\$0	\$692	\$0	\$692
	107	Wooly-threads, San Joaquin (<i>Monolopia</i> (= <i>Lembertia</i>) <i>congdonii</i>)	E	\$29,375	\$0	\$29,375	\$0	\$29,375
	118	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	\$692	\$0	\$692	\$0	\$692
Flowering Plants subtotal				\$5,955,186	\$250,000	\$6,205,186	\$821,147	\$7,026,333
Ferns and Allies	111	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$24,000	\$0	\$24,000	\$0	\$24,000
Ferns and Allies subtotal				\$24,000	\$0	\$24,000	\$0	\$24,000
Lichens	118	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	\$692	\$0	\$692	\$0	\$692
Lichens subtotal				\$692	\$0	\$692	\$0	\$692
Multi-species				\$0	\$3,866,869	\$3,866,869	\$0	\$3,866,869

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
Total Land Expenditures				\$52,639,807	\$346,406,837	\$399,046,644	\$25,321,482	\$424,368,126

**TABLE 4. FY 2013 EXPENDITURES REPORTED BY INDIVIDUAL FEDERAL AGENCIES
AND THE STATES**

This table displays combined species expenditures and land acquisition costs by each reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species are included as well as costs for multi-species conservation activities.

TABLE 4. FY2013 EXPENDITURES REPORTED BY INDIVIDUAL FEDERAL AGENCIES AND THE STATES

Expense Type	Agency	Species Total	Land Total	Cumulative Total
Federal Domestic Expenditures	DHS Coast Guard	\$29,337,142	\$6,206	\$29,343,348
	DHS Customs and Border Protection	\$359,090	\$0	\$359,090
	DHS Federal Emergency Management Agency	\$250,000	\$0	\$250,000
	DHS Office of Science and Technology	\$3,000	\$0	\$3,000
	DOC National Oceanic and Atmospheric Administration	\$165,612,937	\$0	\$165,612,937
	DOD Army	\$28,708,975	\$45,100	\$28,754,075
	DOD Army Corps of Engineers	\$244,422,051	\$0	\$244,422,051
	DOD Marine Corps	\$4,043,589	\$0	\$4,043,589
	DOD Navy	\$25,412,255	\$0	\$25,412,255
	DOE Bonneville Power Administration	\$212,888,187	\$40,835,799	\$253,723,986
	DOE Southwestern Power Administration	\$23,474	\$50,000	\$73,474
	DOE Western Area Power Administration	\$1,040,697	\$0	\$1,040,697
	DOI Bureau of Indian Affairs	\$1,880,925	\$0	\$1,880,925
	DOI Bureau of Land Management	\$21,518,367	\$2,545,400	\$24,063,767
	DOI Bureau of Ocean Energy Management, Regulation and Enforcement	\$28,846,208	\$0	\$28,846,208
	DOI Bureau of Reclamation	\$93,309,000	\$32,436,000	\$125,745,000
	DOI National Park Service	\$13,000,617	\$0	\$13,000,617
	DOI Office of Surface Mining	\$24,660	\$0	\$24,660
	DOI US Geological Survey	\$16,729,178	\$0	\$16,729,178
	DOT Federal Aviation Administration	\$8,382,897	\$0	\$8,382,897
	DOT Federal Highway Administration	\$64,505,590	\$184,262,149	\$248,767,739
	Environmental Protection Agency	\$772,380	\$0	\$772,380
	Federal Energy Regulatory Commission	\$266,300	\$500	\$266,800
	Nuclear Regulatory Commission	\$215,595	\$0	\$215,595
	Smithsonian Institution	\$397,540	\$0	\$397,540
	Tennessee Valley Authority	\$1,902,300	\$0	\$1,902,300

Expense Type	Agency	Species Total	Land Total	Cumulative Total
	USDA Animal and Plant Health Inspection Service	\$5,158,050	\$0	\$5,158,050
	USDA Forest Service	\$45,013,905	\$0	\$45,013,905
	USDA Natural Resources Conservation Service	\$14,938,480	\$82,358,814	\$97,297,294
	US Fish and Wildlife Service	\$145,370,991	\$52,639,807	\$198,010,798
Federal Domestic Expenditures				
Subtotal		\$1,174,334,380	\$395,179,775	\$1,569,514,155
Federal Foreign Expenditures	Nuclear Regulatory Commission	\$200	\$0	\$200
	USDA Forest Service	\$14,783	\$0	\$14,783
	DOI US Geological Survey	\$28,475	\$0	\$28,475
	DOD Navy	\$74,257	\$0	\$74,257
	USDA Animal and Plant Health Inspection Service	\$102,490	\$0	\$102,490
	Smithsonian Institution	\$711,900	\$0	\$711,900
	US Fish and Wildlife Service	\$13,616,911	\$0	\$13,616,911
Federal Foreign Expenditures				
Subtotal		\$14,549,016	\$0	\$14,549,016
Federal Domestic and Foreign Expenditures Subtotal		\$1,188,883,396	\$395,179,775	\$1,584,063,171
Federal Multi-species Expenditures	USDA Farm Service Agency	\$14,458,100	\$0	\$14,458,100
	DOI Office of Surface Mining	\$68,690	\$0	\$68,690
	DOE Southwestern Power Administration	\$5,020	\$0	\$5,020
	USDA Animal and Plant Health Inspection Service	\$1,299,000	\$0	\$1,299,000
	DOI US Geological Survey	\$800,331	\$0	\$800,331
	Smithsonian Institution	\$53,990	\$0	\$53,990
	DOT Federal Highway Administration	\$7,207,079	\$2,566,569	\$9,773,648
	DOI Bureau of Ocean Energy Management, Regulation and Enforcement	\$15,844,537	\$0	\$15,844,537
	DHS Federal Emergency Management Agency	\$737,700	\$0	\$737,700

Expense Type	Agency	Species Total	Land Total	Cumulative Total
	DHS Customs and Border Protection	\$68,783	\$0	\$68,783
	Nuclear Regulatory Commission	\$13,000	\$0	\$13,000
	DOD Navy	\$859,281	\$0	\$859,281
	DOE Western Area Power Administration	\$787,000	\$0	\$787,000
	DOD Army Corps of Engineers	\$996,079	\$0	\$996,079
	Environmental Protection Agency	\$3,676,824	\$0	\$3,676,824
	DOI Bureau of Reclamation	\$3,979,000	\$0	\$3,979,000
	USDA Natural Resources Conservation Service	\$1,949,733	\$1,300,300	\$3,250,033
	DOD Army	\$14,666,289	\$0	\$14,666,289
	US Fish and Wildlife Service	\$15,523,668	\$0	\$15,523,668
Federal Multi-species Expenditures Subtotal		\$82,994,104	\$3,866,869	\$86,860,973
Federal Domestic and Foreign Expenditures Subtotal		\$1,271,877,500	\$399,046,644	\$1,670,924,144
State Expenditures	State Governments	\$48,341,935	\$25,321,482	\$73,663,417
State Multi-species Expenditures	State Governments	\$2,621,288	\$0	\$2,621,288
State Subtotal		\$50,963,223	\$25,321,482	\$76,284,705
Grand Total		\$1,322,840,723	\$424,368,126	\$1,747,208,849

Appendix A. Supplemental Guidance for Reporting Expenditures for the Conservation of Endangered and Threatened Species -- FY 2013

This reporting guidance provides information on how to report expenditures attributable to individual species to the extent this information is reasonably available. The Congress requested information for this report on a species-by-species basis, but to provide the most accurate account of expenditures for the conservation of species listed under the Endangered Species Act, we added a new reporting feature in FY 2012. This new “multi-species” option allows the reporting of lump sum costs for multi-species conservation activities **when it is not possible to account accurately for individual species.**

Each agency must enter data directly into our Web-based system and will need to designate a contact person (more than one person is permissible) to enter the data. The contact person(s) will need to obtain a username and password before entering the data. Credentials can be obtained by accessing the Environmental Conservation Online System at <http://ecos.fws.gov> and clicking on “Contact Us” located at the bottom of the ECOS home page. This brings you the Help Desk where you will click on “help desk web form.”

The screenshot shows a portion of a website with a dark blue header. On the left is a search bar with the placeholder "Enter Search Term(s):" and a "Search" button. To the right of the search bar is a navigation menu with "ECOS > ECOS Help Desk". Below the header, the main content area has a light gray background. It features a section titled "Getting ECOS and FWS help" with a horizontal line underneath. Below this, there is text: "For assistance with a U.S. FWS ECOS web application available from the [ECOS home page](#): Please use our [help desk web form](#) or call us at 970-226-9468, 8am - 4pm Mountain Time, M-F." At the bottom of the page, there is a footer with links: "ECOS Home | About ECOS | Contact Us", "U.S. Fish and Wildlife Service Home Page | Department of the Interior | USA.gov | About the U.S. Fish and Wildlife Service | Accessibility | Privacy | Notices | Disclaimer".

Fill in the requested information along with your affiliated agency and request access to the “Expenditures” application.

Required.

Name:^{*}

Email:^{*}

Phone:^{*}

Issue Title:^{*}

Issue Description:^{*}
about the FWS or
1 800 244 WILDLIFE

Please allow 2 working days for access approval (email confirmation will be sent). Once you receive your log-in credentials and access approval email, log in at <https://ecos.fws.gov> to begin entering expenditures data. Contact the Help Desk (970-226-9468) if you experience any problems.

The following information should be used to gather the data.

BACKGROUND

- Section 18 of the Endangered Species Act of 1973 (16 U.S. 1531 *et seq.*) reads, in part, “...the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain—
 - (1) an accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act; and
 - (2) an accounting on a species-by-species basis for all reasonably identifiable expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act by States receiving grants under section 6.”
- The conference report for the 1988 amendments made some of the following points concerning section 18 of the Act:
 - Provision should not become unduly burdensome or result in diversion of funds from the operation of the program.
 - The Secretary of the Interior is to make a good faith effort to develop and obtain data but is not to undertake extensive or extraordinary measures.
 - Generalized dollar estimates will suffice.
 - Amendment does not apply to expenditures for delisted, proposed, and candidate species.

- Amendment is not to require new species-specific time sheets for the Service or other reporting agency.
- Listing, consultation, and law enforcement are to be included to the extent they are "reasonably identifiable."
- Only salary costs that can be reasonably identified as applicable to listed species need be reported.
- For other Federal and State agencies, a good faith effort to collect information is expected.
- Submission of data from any agency is not to be a precondition to receiving any contracts or grants or establishing other arrangements with the Fish and Wildlife Service.
- Only one data set per agency should be submitted for any given fiscal year.

DATA FORMAT

- Species should be identified by the same scientific name as found in the most current list of endangered and threatened species.
- Amounts should be reported in whole dollars. Amounts above \$2,000 may be rounded to the nearest \$500 or \$1,000; smaller amounts may be rounded to the nearest \$100. **Do not report amounts lower than \$100.**

EXPENDITURES TO BE REPORTED

- Only species on the Federal list of Endangered and Threatened Wildlife and Plants (50 CFR Part 17) at the end of the fiscal year (October 1, 2012 to September 30, 2013) are to be reported. Expenditures made prior to the actual listing date of a species, but still within the same year, may be reported (e.g., costs of public meetings, notices, surveys, initial recovery efforts). Funds expended for unlisted, separate populations of listed vertebrates cannot be included in the report (e.g., Atlantic coast least terns, Alaska gray wolves). Expenditures for State-listed species are not reportable unless they are also federally listed. Amounts for foreign species on the list (e.g., grants or contracts carried out in another country) are reportable in the same manner as domestic species, but again, to the extent they are reasonably identifiable.
- Only reasonably identifiable expenditures for listed species will be compiled for this report. Extraordinary accounting to track funds expended on listed species is not expected. **Funds reported should be those actually expended, not obligated.**
- Examples of reportable expenditures include status surveys, habitat management, habitat acquisition, research, propagation (including surrogate species), recovery plan development or implementation, and mitigation. **Projects must primarily benefit listed species** and not other conservation goals, although if a readily identifiable portion of the expenditure is for the benefit of listed species (either individually or collectively), that portion of the expenditure may be reported.

- All habitat (land or water) acquisition costs are to be reported separately from all other identifiable expenditures. Such acquisitions must be primarily for the purpose of conserving federally listed species. As with other projects, those portions of habitat acquisition costs that are specifically for a listed species may be prorated out of the total acquisition costs when the other habitat is being acquired for other purposes (e.g., 25 acres of a 250-acre purchase will be set aside).
- Expenditures in a single project devoted to a number of listed species should be prorated by species, if possible. **When it is not possible to determine individual listed species costs in a multi-species project by prorating, those costs should be entered, in total, in the multi-species category option. The comment box, which is part of this feature, should be used to include information about the project.**
- General surveys or projects that cover a large number of species, some of which may not be listed, are reportable only to extent that the agency can reasonably identify the portion of costs that benefit listed species.
- Expenditures associated with consultations pursuant to section 7 of the Act should be reported as for the benefit of a specific species to the extent they are readily identifiable to that particular species. Thus, a formal consultation dealing with a single species, or up to several species where the relative costs are easily divisible, should be reported under that or those species.
Consultation costs not readily attributable to individual species can be reported in the multi-species category.
- Monitoring and survey costs should be reported when: (1) the cost of the monitoring or survey was incurred during the period the species was under a proposed listing and the species was actually listed in the same fiscal year that the monitoring and surveys were conducted; (2) the monitoring or survey covered both candidates and listed species, and the costs can be prorated to include only the listed species; or (3) the cost was readily identifiable to individual species.
Costs meeting the criteria in (1) and (2), but not readily identifiable to individual species can be reported in the multi-species category.
- Salary and benefits of an employee working full-time on a single species or whose time is devoted to particular species that can be readily identified should be reported for those species. Travel costs should be treated similarly. **Staff costs for work on multi-species activities that cannot be identified to particular species can be reported in the multi-species category.**
- Any State or Federal project that incurs increased costs related directly to mitigation or other conservation efforts on behalf of federally listed species should report that added cost, by species, if readily identifiable, or **may report such costs in the multi-species category.**
- All State agencies (e.g., fish and wildlife, parks, heritage programs, forests, highways) should report their expenditures, but only a single, collective report from each State should be submitted. **Expenditures should include conservation costs for fish, wildlife, and plants.** For ESA section 6 grants or other Federal grants, States should report **only the State cost-share portion** of each grant. States should not include other sources of non-Federal cost share, e.g., third-party contributions, unless those contributions are donated to the State as a general donation.
- For reimbursable funds, the paying or disbursing agency should report the expenditure.
- **Litigation costs should not be reported.**

Appendix B. Reports Provided by Other Federal Agencies for Fiscal Year 2013

Department of Agriculture:

Animal and Plant Health Inspection Service

Farm Service Agency*

Forest Service

Natural Resources Conservation Service

Department of Commerce:

National Oceanic and Atmospheric Administration

Department of Defense:

Office of the Under Secretary

(representing Air Force*, Army, Defense Logistics Agency*, Marine Corps and Navy)

Army Corps of Engineers

Department of Energy:

Bonneville Power Administration

Southeastern Power Administration*

Southwestern Power Administration

Western Area Power Administration

Department of Homeland Security

Coast Guard

Customs and Border Protection

Federal Emergency Management Agency

Office of Science and Technology

Department of the Interior:

Bureau of Indian Affairs

Bureau of Land Management

Bureau of Ocean Energy Management

Bureau of Reclamation

National Park Service

Office of Surface Mining

U.S. Geological Survey

Department of Transportation:

Federal Aviation Administration

Federal Highway Administration

Independent Agencies:

Environmental Protection Agency

Federal Communications Commission*

Federal Energy Regulatory Commission

Nuclear Regulatory Commission

Smithsonian Institution

Tennessee Valley Authority

* Agencies reporting no expenditures for FY 2013

USDA Animal and Plant Health Inspection Service -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$82,400	\$0	\$82,400
		Bat, lesser long-nosed	<i>Leptonycteris curasoae</i> <i>yerbabuenae</i>	Entire	\$100	\$0	\$100
		Bear, grizzly	<i>Ursus arctos horribilis</i>	portions of ID, MT	\$33,130	\$0	\$33,130
		Bear, Louisiana black	<i>Ursus americanus</i> <i>luteolus</i>	Entire	\$14,000	\$0	\$14,000
		Bear, polar	<i>Ursus maritimus</i>	Entire	\$140	\$0	\$140
		Caribou, woodland	<i>Rangifer tarandus</i> <i>caribou</i>	Selkirk Mountain population	\$1,430	\$0	\$1,430
		Deer, Columbian white-tailed	<i>Odocoileus virginianus</i> <i>leucurus</i>	Columbia River DPS	\$43,000	\$0	\$43,000
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$17,600	\$0	\$17,600
		Ferret, black-footed	<i>Mustela nigripes</i>	Except where EXPN	\$35,540	\$0	\$35,540
		Jaguar	<i>Panthera onca</i>	AZ, CA, LA, NM, TX ; Mexico; Central and South America	\$1,300	\$0	\$1,300
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis)</i> <i>yagouaroundi cacomitli</i>	TX; Mexico	\$1,640	\$0	\$1,640
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$10,130	\$0	\$10,130
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$360	\$0	\$360
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus</i> <i>allophrys</i>	Entire	\$39,940	\$0	\$39,940
		Mouse, Perdido Key beach	<i>Peromyscus polionotus</i> <i>trissyllepsis</i>	Entire	\$39,940	\$0	\$39,940
		Mouse, salt marsh harvest	<i>Reithrodontomys</i> <i>raviventris</i>	CA	\$128,350	\$0	\$128,350
		Mouse, southeastern beach	<i>Peromyscus polionotus</i> <i>niveiventris</i>	FL	\$39,940	\$0	\$39,940
		Mouse, St. Andrew beach	<i>Peromyscus polionotus</i> <i>peninsularis</i>	FL	\$39,940	\$0	\$39,940

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	AZ, TX to Central and South America	\$10,140	\$0	\$10,140
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$100	\$0	\$100
		Prairie dog, Utah	<i>Cynomys parvidens</i>	UT	\$2,000	\$0	\$2,000
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	AZ; Mexico	\$100	\$0	\$100
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>	FL	\$8,630	\$0	\$8,630
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	Entire	\$24,090	\$0	\$24,090
		Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	DE-- Sussex Co.	\$100	\$0	\$100
		Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	Entire	\$100	\$0	\$100
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	Entire	\$2,990	\$0	\$2,990
		Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>	Entire	\$100	\$0	\$100
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$130,000	\$0	\$130,000
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$17,200	\$0	\$17,200
	Mammals subtotal				\$724,430	\$0	\$724,430

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Birds	Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	Entire	\$130	\$0	\$130
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$100	\$0	\$100
		Condor, California	<i>Gymnogyps californianus</i>	portions of AZ , NV, UT	\$100	\$0	\$100
		Coot, Hawaiian	<i>Fulica americana alai</i>	Entire	\$83,580	\$0	\$83,580
		Crane, whooping	<i>Grus americana</i>	AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	\$130	\$0	\$130
		Crane, whooping	<i>Grus americana</i>	Except where EXPN	\$6,070	\$0	\$6,070
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>	Entire	\$176,000	\$0	\$176,000
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	Entire	\$98,340	\$0	\$98,340
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$73,670	\$0	\$73,670
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Except where EXPN	\$1,770	\$0	\$1,770
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$300	\$0	\$300
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	Entire	\$58,860	\$0	\$58,860
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$980	\$0	\$980
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	Entire	\$40,830	\$0	\$40,830
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$30,030	\$0	\$30,030
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$130	\$0	\$130
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$100	\$0	\$100
		Plover, piping	<i>Charadrius melanotos</i>	Great Lakes watershed	\$60,190	\$0	\$60,190

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Plover, piping	<i>Charadrius melanotos</i>	except Great Lakes watershed	\$115,090	\$0	\$115,090
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$379,330	\$0	\$379,330
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	Entire	\$7,500	\$0	\$7,500
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>	Entire	\$174,750	\$0	\$174,750
		Rail, Guam	<i>Rallus owstoni</i>	except Rota	\$176,000	\$0	\$176,000
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$54,800	\$0	\$54,800
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$190	\$0	\$190
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>	Entire	\$10,540	\$0	\$10,540
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$91,430	\$0	\$91,430
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, MS, NC, SC	\$100	\$0	\$100
		Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>		\$126,000	\$0	\$126,000
		Tern, California least	<i>Sterna antillarum browni</i>		\$336,540	\$0	\$336,540
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$31,810	\$0	\$31,810
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$31,200	\$0	\$31,200
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Northeast U.S. nesting pop.	\$8,180	\$0	\$8,180
		Vireo, black-capped	<i>Vireo atricapilla</i>	Entire	\$1,080	\$0	\$1,080
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	Entire	\$2,630	\$0	\$2,630
		Warbler, Kirtland's	<i>Setophaga kirtlandii</i> (= <i>Dendroica kirtlandii</i>)	Entire	\$12,720	\$0	\$12,720
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Birds subtotal				\$2,191,300	\$0	\$2,191,300
	Reptiles	Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$100	\$0	\$100
		Lizard, St. Croix ground	<i>Ameiva polops</i>	Entire	\$4,500	\$0	\$4,500
		Sea turtle, green	<i>Chelonia mydas</i>	Except where endangered	\$151,000	\$0	\$151,000
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$53,500	\$0	\$53,500
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$8,000	\$0	\$8,000
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$52,000	\$0	\$52,000
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$59,000	\$0	\$59,000
		Sea turtle, loggerhead	<i>Caretta caretta</i>	NW Atlantic DPS	\$73,500	\$0	\$73,500
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$1,000	\$0	\$1,000
		Tortoise, desert	<i>Gopherus agassizii</i>	except in Sonoran Desert	\$37,000	\$0	\$37,000
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$4,000	\$0	\$4,000
	Reptiles subtotal				\$443,600	\$0	\$443,600
	Amphibians	Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$130	\$0	\$130
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	Entire	\$230	\$0	\$230
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	Entire	\$34,400	\$0	\$34,400
		Salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>	Entire	\$11,500	\$0	\$11,500
		Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	Entire	\$230	\$0	\$230
		Toad, Wyoming	<i>Anaxyrus baxteri</i>	Entire	\$100	\$0	\$100
	Amphibians subtotal				\$46,590	\$0	\$46,590
	Fishes	Catfish, Yaqui	<i>Ictalurus pricei</i>	Entire	\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Chub, bonytail	<i>Gila elegans</i>	Entire	\$160	\$0	\$160
		Chub, Borax Lake	<i>Gila boraxobius</i>	Entire	\$100	\$0	\$100
		Chub, Chihuahua	<i>Gila nigrescens</i>	Entire	\$100	\$0	\$100
		Chub, Gila	<i>Gila intermedia</i>	Entire	\$160	\$0	\$160
		Chub, humpback	<i>Gila cypha</i>	Entire	\$160	\$0	\$160
		Chub, Hutton tui	<i>Gila bicolor</i> ssp.	Entire	\$100	\$0	\$100
		Chub, Oregon	<i>Oregonichthys crameri</i>	Entire	\$100	\$0	\$100
		Chub, Sonora	<i>Gila ditaenia</i>	Entire	\$200	\$0	\$200
		Chub, Virgin River	<i>Gila seminuda</i> <i>(=robusta)</i>	Entire	\$200	\$0	\$200
		Chub, Yaqui	<i>Gila purpurea</i>	Entire	\$200	\$0	\$200
		Cui-ui	<i>Chasmistes cujus</i>	Entire	\$100	\$0	\$100
		Dace, Clover Valley speckled	<i>Rhinichthys osculus</i> <i>oligoporus</i>	Entire	\$100	\$0	\$100
		Dace, desert	<i>Eremichthys acros</i>	Entire	\$100	\$0	\$100
		Dace, Foskett speckled	<i>Rhinichthys osculus</i> ssp.	Entire	\$100	\$0	\$100
		Dace, Independence Valley speckled	<i>Rhinichthys osculus</i> <i>lethoporus</i>	Entire	\$100	\$0	\$100
		Dace, Kendall Warm Springs	<i>Rhinichthys osculus</i> <i>thermalis</i>	Entire	\$100	\$0	\$100
		Darter, leopard	<i>Percina pantherina</i>	Entire	\$100	\$0	\$100
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>	Entire	\$7,680	\$0	\$7,680
		Gambusia, Pecos	<i>Gambusia nobilis</i>	Entire	\$100	\$0	\$100
		Madtom, Neosho	<i>Noturus placidus</i>	Entire	\$100	\$0	\$100
		Minnow, Devils River	<i>Dionda diaboli</i>	Entire	\$130	\$0	\$130
		Minnow, loach	<i>Tiaroga cobitis</i>	Entire	\$200	\$0	\$200
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Except where EXPN	\$100	\$0	\$100
		Pikeminnow (squaw- fish), Colorado	<i>Ptychocheilus lucius</i>	Except where EXPN	\$100	\$0	\$100
		Pikeminnow (squaw- fish), Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$100	\$0	\$100
		Pupfish, desert	<i>Cyprinodon macularius</i>	Entire	\$160	\$0	\$160

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	California Coastal ESU	\$100	\$0	\$100
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$200	\$0	\$200
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$1,010	\$0	\$1,010
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento River winter-run ESU	\$100	\$0	\$100
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$1,010	\$0	\$1,010
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/summer-run ESU	\$1,530	\$0	\$1,530
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$367,540	\$0	\$367,540
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$650	\$0	\$650
		Salmon, chum	<i>Oncorhynchus keta</i>	Columbia River ESU	\$1,200	\$0	\$1,200
		Salmon, chum	<i>Oncorhynchus keta</i>	Hood Canal summer-run ESU	\$550	\$0	\$550
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Central California Coast ESU	\$330	\$0	\$330
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$368,520	\$0	\$368,520
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Oregon Coast ESU	\$1,010	\$0	\$1,010
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	So. OR/ No. CA Coast ESU	\$1,340	\$0	\$1,340
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Ozette Lake ESU	\$180	\$0	\$180
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River ESU	\$367,880	\$0	\$367,880
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$100	\$0	\$100
		Shiner, beautiful	<i>Cyprinella formosa</i>	Entire	\$160	\$0	\$160

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	Entire	\$100	\$0	\$100
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	Entire	\$100	\$0	\$100
		Spikedace	<i>Meda fulgida</i>	Entire	\$200	\$0	\$200
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	Entire	\$200	\$0	\$200
		Spinedace, White River	<i>Lepidomeda albivallis</i>	Entire	\$100	\$0	\$100
		Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	Entire	\$100	\$0	\$100
		Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	Entire	\$100	\$0	\$100
		Springfish, White River	<i>Crenichthys baileyi baileyi</i>	Entire	\$100	\$0	\$100
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	California Central Valley DPS	\$130	\$0	\$130
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central California Coast DPS	\$130	\$0	\$130
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Lower Columbia River DPS	\$92,840	\$0	\$92,840
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Middle Columbia River DPS	\$92,840	\$0	\$92,840
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Northern California DPS	\$130	\$0	\$130
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake River Basin DPS	\$93,360	\$0	\$93,360
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	South-Central CA Coast DPS	\$130	\$0	\$130
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Southern California DPS	\$200	\$0	\$200
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Columbia River DPS	\$92,180	\$0	\$92,180
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Willamette River DPS	\$1,040	\$0	\$1,040
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sturgeon, white	<i>Acipenser transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$240	\$0	\$240
		Sucker, June	<i>Chasmistes liorus</i>	Entire	\$100	\$0	\$100
		Sucker, Lost River	<i>Deltistes luxatus</i>	Entire	\$100	\$0	\$100
		Sucker, Modoc	<i>Catostomus microps</i>	Entire	\$100	\$0	\$100
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$200	\$0	\$200
		Sucker, shortnose	<i>Chasmistes brevirostris</i>	Entire	\$100	\$0	\$100
		Sucker, Warner	<i>Catostomus warnerensis</i>	Entire	\$100	\$0	\$100
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$160	\$0	\$160
		Trout, Apache	<i>Oncorhynchus apache</i>	Entire	\$2,760	\$0	\$2,760
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$2,150	\$0	\$2,150
		Trout, Gila	<i>Oncorhynchus gilae</i>	Entire	\$160	\$0	\$160
		Trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>	Entire	\$100	\$0	\$100
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii henshawi</i>	Entire	\$100	\$0	\$100
		Woundfin	<i>Plagopterus argentissimus</i>	Gila R. drainage, AZ, NM	\$100	\$0	\$100
	Fishes subtotal				\$1,505,010	\$0	\$1,505,010
	Clams	Bean, rayed	<i>Villosa fabalis</i>		\$1,200	\$0	\$1,200
		Fanshell	<i>Cyprogenia stegaria</i>		\$1,200	\$0	\$1,200
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>	Entire	\$1,500	\$0	\$1,500
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	Entire	\$100	\$0	\$100
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Free-Flowing Reach of Tennessee River below Wilson Dam, Colbert and Lauderdale Co., AL	\$100	\$0	\$100
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Entire	\$1,200	\$0	\$1,200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$100	\$0	\$100
		Mussel, sheepnose	<i>Plethobasus cyphyus</i>		\$1,200	\$0	\$1,200
		Mussel, snuffbox	<i>Epioblasma triquetra</i>		\$1,200	\$0	\$1,200
		Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	Entire	\$9,000	\$0	\$9,000
		Pocketbook, Ouachita rock	<i>Arkansas wheeleri</i>	Entire	\$100	\$0	\$100
		Spiny mussel, James	<i>Pleurobema collina</i>	Entire	\$5,500	\$0	\$5,500
	Clams subtotal				\$22,400	\$0	\$22,400
	Snails	Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	Entire	\$160	\$0	\$160
		Limpet, Banbury Springs	<i>Lanx sp.</i>	Entire	\$210	\$0	\$210
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	Entire	\$210	\$0	\$210
		Snail, Pecos assiminea	<i>Assiminea pecos</i>		\$70	\$0	\$70
		Snail, Snake River physa	<i>Physa natricina</i>	Entire	\$210	\$0	\$210
		Snail, Stock Island tree	<i>Orthalicus reses (not incl. nesodryas)</i>	Entire	\$1,050	\$0	\$1,050
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	Entire	\$210	\$0	\$210
		Springsnail, Koster's	<i>Juturnia kosteri</i>		\$100	\$0	\$100
		Springsnail, Roswell	<i>Pyrgulopsis roswellensis</i>		\$100	\$0	\$100
		Springsnail, San Bernardino	<i>Pyrgulopsis bernardina</i>	Entire	\$600	\$0	\$600
		Springsnail, Three Forks	<i>Pyrgulopsis trivialis</i>	Entire	\$410	\$0	\$410
		Tryonia, Diamond	<i>Pseudotryonia adamantina</i>		\$310	\$0	\$310
		Tryonia, Phantom	<i>Tryonia cheatumii</i>		\$310	\$0	\$310
	Snails subtotal				\$3,950	\$0	\$3,950
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$6,180	\$0	\$6,180

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Beetle, Casey's June	<i>Dinacoma caseyi</i>	Entire	\$110	\$0	\$110
		Beetle, Helotes mold	<i>Batriscodes venyivi</i>		\$950	\$0	\$950
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Entire	\$140	\$0	\$140
		Beetle	<i>Rhadine exilis</i>		\$950	\$0	\$950
		Beetle	<i>Rhadine infernalis</i>		\$950	\$0	\$950
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$320	\$0	\$320
		Butterfly, Miami Blue	<i>Cyclargus (Hemimargus) thomasi bethunebakeri</i>		\$100	\$0	\$100
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	Entire	\$100	\$0	\$100
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (=E. e. wrighti)	Entire	\$110	\$0	\$110
		Fly, Delhi Sands flower-loving	<i>Rhaphiomidas terminatus abdominalis</i>	Entire	\$100	\$0	\$100
		Grasshopper, Zayante band-winged	<i>Trimerotropis infantilis</i>		\$100	\$0	\$100
		Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>	Entire	\$110	\$0	\$110
		Skipper, Carson wandering	<i>Pseudocopaeodes eunus obscurus</i>	NV, CA	\$100	\$0	\$100
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>	Entire	\$100	\$0	\$100
		Tiger beetle, Northeastern beach	<i>Cicindela dorsalis dorsalis</i>	Entire	\$110	\$0	\$110
		Tiger beetle, Salt Creek	<i>Cicindela nevadica lincoliana</i>	Entire	\$100	\$0	\$100
	Insects subtotal				\$10,630	\$0	\$10,630
	Arachnids	Meshweaver, Government Canyon Bat Cave	<i>Cicurina vesperra</i>		\$1,380	\$0	\$1,380
		Meshweaver, Robber Baron Cave	<i>Cicurina baronia</i>		\$920	\$0	\$920

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Spider, Government Canyon Bat Cave	<i>Neoleptoneta microps</i>		\$1,380	\$0	\$1,380
	Arachnids subtotal				\$3,680	\$0	\$3,680
	Crustaceans	Amphipod, diminutive	<i>Gammarus hyaleloides</i>		\$500	\$0	\$500
		Amphipod, Noel's	<i>Gammarus desperatus</i>		\$100	\$0	\$100
		Fairy shrimp, vernal pool	<i>Branchinecta lynchii</i>	Entire	\$100	\$0	\$100
		Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	Entire	\$100	\$0	\$100
	Crustaceans subtotal				\$800	\$0	\$800
	Flowering Plants	Alopecurus, Sonoma	<i>Alopecurus aequalis var. sonomensis</i>		\$100	\$0	\$100
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$100	\$0	\$100
		Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>		\$1,000	\$0	\$1,000
		Ayenia, Texas	<i>Ayenia limitaris</i>		\$400	\$0	\$400
		A`e	<i>Zanthoxylum dipetalum var. tomentosum</i>		\$100	\$0	\$100
		A`e	<i>Zanthoxylum hawaiiense</i>		\$100	\$0	\$100
		A`e	<i>Zanthoxylum oahuense</i>		\$100	\$0	\$100
		Beargrass, Britton's	<i>Nolina brittoniana</i>		\$11,500	\$0	\$11,500
		Beauty, Harper's	<i>Harperocallis flava</i>		\$11,500	\$0	\$11,500
		Bladderpod, Zapata	<i>Lesquerella thamnophila</i>		\$250	\$0	\$250
		Bluegrass, Hawaiian	<i>Poa sandvicensis</i>		\$100	\$0	\$100
		Bluegrass, Mann's	<i>Poa mannii</i>		\$100	\$0	\$100
		Bluegrass, Napa	<i>Poa napensis</i>		\$100	\$0	\$100
		Bluegrass, San Bernardino	<i>Poa atropurpurea</i>		\$100	\$0	\$100
		Bonamia, Florida	<i>Bonamia grandiflora</i>		\$11,500	\$0	\$11,500
		Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>		\$100	\$0	\$100
		Butterweed, Layne's	<i>Senecio layneae</i>		\$1,300	\$0	\$1,300
		Button-celery, San Diego	<i>Eryngium aristulatum var. parishii</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Cactus, Bakersfield	<i>Opuntia treleasei</i>		\$100	\$0	\$100
		Cactus, black lace	<i>Echinocereus reichenbachii var. albertii</i>		\$130	\$0	\$130
		Cactus, star	<i>Astrophytum asterias</i>		\$300	\$0	\$300
		Cactus, Tobusch fishhook	<i>Sclerocactus breviamatus ssp. tobuschii</i>		\$130	\$0	\$130
		Campion, fringed	<i>Silene polypetala</i>		\$100	\$0	\$100
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$140	\$0	\$140
		Chaff-flower, round-leaved	<i>Achyranthes splendens var. rotundata</i>		\$100	\$0	\$100
		Chaffseed, American	<i>Schwalbea americana</i>		\$100	\$0	\$100
		Clover, Monterey	<i>Trifolium trichocalyx</i>		\$1,200	\$0	\$1,200
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$1,550	\$0	\$1,550
		Clover, showy Indian	<i>Trifolium amoenum</i>		\$1,230	\$0	\$1,230
		Daisy, Willamette	<i>Erigeron decumbens var. decumbens</i>		\$220	\$0	\$220
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$220	\$0	\$220
		Dogweed, ashy	<i>Thymophylla tephroleuca</i>		\$260	\$0	\$260
		Erubia	<i>Solanum drymophilum</i>		\$380	\$0	\$380
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$140	\$0	\$140
		Frankenia, Johnston's	<i>Frankenia johnstonii</i>		\$260	\$0	\$260
		Gardenia (=Na`u), Hawaiian	<i>Gardenia brighamii</i>		\$100	\$0	\$100
		Gooseberry, Miccosukee	<i>Ribes echinellum</i>		\$100	\$0	\$100
		Gourd, Okeechobee	<i>Cucurbita okeechobeensis ssp. okeechobeensis</i>		\$1,360	\$0	\$1,360
		Grass, Colusa	<i>Neostapfia colusana</i>		\$100	\$0	\$100
		Grass, Eureka Dune	<i>Swallenia alexandrae</i>		\$100	\$0	\$100
		Grass, Solano	<i>Tuctoria mucronata</i>		\$100	\$0	\$100
		Harebells, Avon Park	<i>Crotalaria avonensis</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Hibiscus, Clay's	<i>Hibiscus clayi</i>		\$100	\$0	\$100
		Holly, Cook's	<i>Ilex cookii</i>		\$100	\$0	\$100
		Howellia, water	<i>Howellia aquatilis</i>		\$140	\$0	\$140
		Ho`awa	<i>Pittosporum napaliense</i>		\$100	\$0	\$100
		Ischaemum, Hilo	<i>Ischaemum byrone</i>		\$100	\$0	\$100
		Jacquemontia, beach	<i>Jacquemontia reclinata</i>		\$100	\$0	\$100
		Joint-vetch, Sensitive	<i>Aeschynomene virginica</i>		\$1,430	\$0	\$1,430
		Kamanomano	<i>Cenchrus agrimonoides</i>		\$100	\$0	\$100
		Koki`o ke`oke`o	<i>Hibiscus arnottianus ssp. immaculatus</i>		\$100	\$0	\$100
		Koki`o ke`oke`o	<i>Hibiscus waimeae ssp. hannerae</i>		\$100	\$0	\$100
		Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>		\$1,220	\$0	\$1,220
		Ladies'-tresses, Navasota	<i>Spiranthes parksi</i>		\$1,220	\$0	\$1,220
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$1,360	\$0	\$1,360
		Lau`ehu	<i>Panicum niihauense</i>		\$100	\$0	\$100
		Lead-plant, Crenulate	<i>Amorpha crenulata</i>		\$11,600	\$0	\$11,600
		Lily, Pitkin Marsh	<i>Lilium pardalinum ssp. pitkinense</i>		\$100	\$0	\$100
		Lily, Western	<i>Lilium occidentale</i>		\$100	\$0	\$100
		Love grass, Fosberg's	<i>Eragrostis fosbergii</i>		\$100	\$0	\$100
		Manioc, Walker's	<i>Manihot walkerae</i>		\$370	\$0	\$370
		Ma`o hau hele, (native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$200	\$0	\$200
		Milk-vetch, Applegate's	<i>Astragalus applegatei</i>		\$100	\$0	\$100
		Milkpea, Small's	<i>Galactia smallii</i>		\$100	\$0	\$100
		Mint, scrub	<i>Dicerandra frutescens</i>		\$11,500	\$0	\$11,500
		Mustard, Carter's	<i>Warea carteri</i>		\$100	\$0	\$100
		Nanu	<i>Gardenia manni</i>		\$100	\$0	\$100
		No common name	<i>Achyranthes mutica</i>		\$100	\$0	\$100
		No common name	<i>Amaranthus brownii</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Aristida chaseae</i>		\$100	\$0	\$100
		No common name	<i>Bonamia menziesii</i>		\$130	\$0	\$130
		No common name	<i>Cranichis ricartii</i>		\$100	\$0	\$100
		No common name	<i>Festuca molokaiensis</i>		\$100	\$0	\$100
		No common name	<i>Ilex sintenisii</i>		\$100	\$0	\$100
		No common name	<i>Lepanthes eltoroensis</i>		\$100	\$0	\$100
		No common name	<i>Pittosporum halophilum</i>		\$100	\$0	\$100
		No common name	<i>Platanthera holochila</i>		\$100	\$0	\$100
		No common name	<i>Poa siphonoglossa</i>		\$100	\$0	\$100
		No common name	<i>Vigna o-wahuensis</i>		\$100	\$0	\$100
		No common name	<i>Viola helenae</i>		\$100	\$0	\$100
		No common name	<i>Viola lanaiensis</i>		\$100	\$0	\$100
		No common name	<i>Viola oahuensis</i>		\$100	\$0	\$100
		Oak, Hinckley	<i>Quercus hinckleyi</i>		\$100	\$0	\$100
		Ohai	<i>Sesbania tomentosa</i>		\$100	\$0	\$100
		Onion, Munz's	<i>Allium munzii</i>		\$1,260	\$0	\$1,260
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$1,220	\$0	\$1,220
		Orchid, western prairie fringed	<i>Platanthera praecilara</i>		\$1,220	\$0	\$1,220
		Orcutt grass, CA	<i>Orcuttia californica</i>		\$100	\$0	\$100
		Orcutt grass, hairy	<i>Orcuttia pilosa</i>		\$100	\$0	\$100
		Orcutt grass, Sacramento	<i>Orcuttia viscosa</i>		\$100	\$0	\$100
		Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>		\$100	\$0	\$100
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$100	\$0	\$100
		Pamakani	<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>		\$100	\$0	\$100
		Panicgrass, Carter's	<i>Panicum fauriei</i> var. <i>carteri</i>		\$100	\$0	\$100
		Pelos del diablo	<i>Aristida portoricensis</i>		\$100	\$0	\$100
		Pigeon wings	<i>Clitoria fragrans</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pinkroot, gentian	<i>Spigelia gentianoides</i>		\$11,570	\$0	\$11,570
		Piperia, Yadon's	<i>Piperia yadonii</i>		\$1,220	\$0	\$1,220
		Plum, scrub	<i>Prunus geniculata</i>		\$11,550	\$0	\$11,550
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$990	\$0	\$990
		Polygala, tiny	<i>Polygala smallii</i>		\$100	\$0	\$100
		Popolo ku mai	<i>Solanum incompletum</i>		\$110	\$0	\$110
		Po`e	<i>Portulaca sclerocarpa</i>		\$100	\$0	\$100
		Prickly-apple, fragrant	<i>Cereus eriophorus var. fragrans</i>		\$100	\$0	\$100
		Prickly-ash, St. Thomas	<i>Zanthoxylum thomasianum</i>		\$100	\$0	\$100
		Pu`uka`a	<i>Cyperus trachysanthos</i>		\$100	\$0	\$100
		Ragwort, San Francisco Peaks	<i>Packera franciscana</i>		\$1,320	\$0	\$1,320
		Reedgrass, Hillebrand's	<i>Calamagrostis hillebrandii</i>		\$100	\$0	\$100
		Rhododendron, Chapman	<i>Rhododendron chapmanii</i>		\$11,640	\$0	\$11,640
		Rosemary, Apalachicola	<i>Conradina glabra</i>		\$11,500	\$0	\$11,500
		Rush-pea, slender	<i>Hoffmannseggia tenella</i>		\$130	\$0	\$130
		Sandlace	<i>Polygonella myriophylla</i>		\$14,300	\$0	\$14,300
		Seablite, California	<i>Suaeda californica</i>		\$4,120	\$0	\$4,120
		Snakeroot	<i>Eryngium cuneifolium</i>		\$11,500	\$0	\$11,500
		Snowbells, Texas	<i>Styrax texanus</i>		\$130	\$0	\$130
		Spurge, deltoid	<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>		\$100	\$0	\$100
		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$100	\$0	\$100
		Spurge, telephus	<i>Euphorbia telephioides</i>		\$100	\$0	\$100
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$1,260	\$0	\$1,260
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$1,070	\$0	\$1,070
		Sunshine, Sonoma	<i>Blennosperma bakeri</i>		\$1,320	\$0	\$1,320
		Thistle, Loch Lomond coyote	<i>Eryngium constancei</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Tuctoria, Greene's	<i>Tuctoria greenei</i>		\$100	\$0	\$100
		Vetch, Hawaiian	<i>Vicia menziesii</i>		\$100	\$0	\$100
		Wild-rice, Texas	<i>Zizania texana</i>		\$100	\$0	\$100
		Wireweed	<i>Polygonella basiramia</i>		\$11,500	\$0	\$11,500
		Yellowhead, desert	<i>Yermo xanthocephalus</i>		\$1,320	\$0	\$1,320
		Ziziphus, Florida	<i>Ziziphus celata</i>		\$100	\$0	\$100
		‘Aiaakeakua, popolo	<i>Solanum sandwicense</i>		\$100	\$0	\$100
		‘Akoko	<i>Euphorbia haeeleleana</i>		\$100	\$0	\$100
		‘Awikiwiki	<i>Canavalia pubescens</i>		\$100	\$0	\$100
	Flowering Plants subtotal				\$182,290	\$0	\$182,290
	Conifers and Cycads	Torreya, Florida	<i>Torreya taxifolia</i>		\$11,570	\$0	\$11,570
	Ferns and Allies	Fern, American hart's-tongue	<i>Asplenium scolopendrium var. americanum</i>		\$100	\$0	\$100
		No common name	<i>Asplenium fragile insulare</i>		\$100	\$0	\$100
		No common name	<i>Pteris lidgatei</i>		\$100	\$0	\$100
	Ferns and Allies subtotal				\$300	\$0	\$300
	Lichens	Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$11,500	\$0	\$11,500
Domestic subtotal					\$5,158,050	\$0	\$5,158,050
Foreign	Mammals	Baboon, gelada	<i>Theropithecus gelada</i>	Entire	\$280	\$0	\$280
		Cheetah	<i>Acinonyx jubatus</i>	Entire	\$140	\$0	\$140
		Elephant, African	<i>Loxodonta africana</i>	Entire	\$41,300	\$0	\$41,300
		Elephant, Asian	<i>Elephas maximus</i>	Entire	\$42,000	\$0	\$42,000
		Gibbons	<i>Hylobates spp. (including Nomascus)</i>	China, India, Southeast Asia	\$700	\$0	\$700
		Gorilla	<i>Gorilla gorilla</i>	Central and western Africa	\$140	\$0	\$140

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Lemurs	<i>Lemuridae (incl. genera Lemur, Phaner, Hapalemur, Lepilemur, Microcebus, Allocebus, Cheirogaleus, Varecia)</i>	Entire	\$1,830	\$0	\$1,830
		Leopard	<i>Panthera pardus</i>	Gabon to Kenya & southward	\$140	\$0	\$140
		Leopard	<i>Panthera pardus</i>	except where threatened	\$1,130	\$0	\$1,130
		Leopard, clouded	<i>Neofelis nebulosa</i>	Southeastern and South-Central Asia, Taiwan	\$140	\$0	\$140
		Leopard, snow	<i>Uncia (=Panthera) uncia</i>	Central Asia	\$850	\$0	\$850
		Lion, Asiatic	<i>Panthera leo persica</i>	Entire	\$140	\$0	\$140
		Mandrill	<i>Mandrillus (=Papio) sphinx</i>	Entire	\$140	\$0	\$140
		Tiger	<i>Panthera tigris</i>	Entire	\$560	\$0	\$560
	Reptiles	Iguana, Cuban ground	<i>Cyclura nubila nubila</i>	Entire	\$13,000	\$0	\$13,000
Foreign subtotal					\$102,490	\$0	\$102,490
Domestic	Multi-Species				\$1,299,000	\$0	\$1,299,000
Grand Total					\$6,559,540	\$0	\$6,559,540

USDA Forest Service -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$50,000	\$0	\$50,000
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	Entire	\$5,000	\$0	\$5,000
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$904,373	\$0	\$904,373
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	Entire	\$13,608	\$0	\$13,608
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	Entire	\$10,700	\$0	\$10,700
		Bear, American black	<i>Ursus americanus</i>	County range of LA black bear	\$6,412	\$0	\$6,412
		Bear, grizzly	<i>Ursus arctos horribilis</i>	portions of ID, MT	\$126,550	\$0	\$126,550
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$1,894,750	\$0	\$1,894,750
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>	Entire	\$2,000	\$0	\$2,000
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$11,000	\$0	\$11,000
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$413,278	\$0	\$413,278
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$106,904	\$0	\$106,904
		Ferret, black-footed	<i>Mustela nigripes</i>	Except where EXPN	\$6,500	\$0	\$6,500
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$3,082,769	\$0	\$3,082,769
		Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>	Entire	\$20,000	\$0	\$20,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$7,621	\$0	\$7,621
		Prairie dog, Utah	<i>Cynomys parvidens</i>	UT	\$45,856	\$0	\$45,856
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	Entire	\$58,300	\$0	\$58,300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	Entire	\$13,500	\$0	\$13,500
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	Entire	\$72,192	\$0	\$72,192
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$495	\$0	\$495
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$14,055	\$0	\$14,055
	Mammals subtotal				\$6,865,863	\$0	\$6,865,863
	Birds	Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>	Entire	\$5,000	\$0	\$5,000
		Akiapola`au (honeycreeper)	<i>Hemignathus munroi</i>	Entire	\$5,000	\$0	\$5,000
		Condor, California	<i>Gymnogyps californianus</i>	Except where EXPN	\$18,010	\$0	\$18,010
		Condor, California	<i>Gymnogyps californianus</i>	portions of AZ, NV, UT	\$20,000	\$0	\$20,000
		Creeper, Hawaii	<i>Oreomystis mana</i>	Entire	\$5,000	\$0	\$5,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$72,443	\$0	\$72,443
		Hawk, Hawaiian (=lo)	<i>Buteo solitarius</i>	Entire	\$5,000	\$0	\$5,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Hawk, Puerto Rican broad-winged	<i>Buteo platypterus brunnescens</i>	Entire	\$968	\$0	\$968
		Hawk, Puerto Rican sharp-shinned	<i>Accipiter striatus venator</i>	Entire	\$968	\$0	\$968
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$1,570,149	\$0	\$1,570,149
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$556,545	\$0	\$556,545
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$7,576,813	\$0	\$7,576,813
		Parrot, Puerto Rican	<i>Amazona vittata</i>	Entire	\$67,767	\$0	\$67,767
		Plover, piping	<i>Charadrius melanodus</i>	Great Lakes watershed	\$36,835	\$0	\$36,835
		Plover, piping	<i>Charadrius melanodus</i>	except Great Lakes watershed	\$2,770	\$0	\$2,770
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$96,845	\$0	\$96,845
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, MS, NC, SC	\$5,907	\$0	\$5,907
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>	Entire	\$20,820	\$0	\$20,820
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	Entire	\$51,156	\$0	\$51,156
		Warbler, Kirtland's	<i>Setophaga kirtlandii</i> (<i>Dendroica kirtlandii</i>)	Entire	\$613,719	\$0	\$613,719
		Woodpecker, ivory-billed	<i>Campetherus principalis</i>	Entire	\$5,000	\$0	\$5,000
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$16,433,217	\$0	\$16,433,217
	Birds subtotal				\$27,169,932	\$0	\$27,169,932
	Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	Entire	\$2,825	\$0	\$2,825
		Skink, sand	<i>Neoseps reynoldsi</i>	Entire	\$29,324	\$0	\$29,324
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$100,624	\$0	\$100,624
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$9,000	\$0	\$9,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$235,292	\$0	\$235,292
		Turtle, flattened musk	<i>Sternotherus depressus</i>		\$4,892	\$0	\$4,892
	Reptiles subtotal				\$381,957	\$0	\$381,957
	Amphibians	Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	Entire	\$43,596	\$0	\$43,596
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern CA DPS	\$243,605	\$0	\$243,605
		Hellbender, Ozark	<i>Cryptobranchus alleganiensis bishopi</i>	Entire	\$3,734	\$0	\$3,734
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	Entire	\$153,902	\$0	\$153,902
		Toad, arroyo (=arroyo southwestern)	<i>Anaxyrus californicus</i>	Entire	\$59,599	\$0	\$59,599
	Amphibians subtotal				\$504,436	\$0	\$504,436
	Fishes	Chub, Gila	<i>Gila intermedia</i>	Entire	\$450	\$0	\$450
		Chub, Oregon	<i>Oregonichthys crameri</i>	Entire	\$84,683	\$0	\$84,683
		Chub, spotfin	<i>Erimonax monachus</i>	Tellico River, TN	\$1,600	\$0	\$1,600
		Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>	Entire	\$7,020	\$0	\$7,020
		Darter, Cumberland	<i>Etheostoma susanae</i>	Entire	\$5,184	\$0	\$5,184
		Darter, duskytail	<i>Etheostoma percnurum</i>	Tellico River, TN	\$1,600	\$0	\$1,600
		Darter, leopard	<i>Percina pantherina</i>	Entire	\$9,000	\$0	\$9,000
		Logperch, Conasauga	<i>Percina jenkinsi</i>	Entire	\$1,600	\$0	\$1,600
		Madtom, smoky	<i>Noturus baileyi</i>	Entire	\$2,755	\$0	\$2,755
		Madtom, smoky	<i>Noturus baileyi</i>	Tellico River, TN	\$1,600	\$0	\$1,600
		Madtom, yellowfin	<i>Noturus flavipinnis</i>	Except where EXPN	\$2,755	\$0	\$2,755
		Madtom, yellowfin	<i>Noturus flavipinnis</i>	Tellico River, TN	\$1,600	\$0	\$1,600
		Minnow, loach	<i>Tiaroga cobitis</i>	Entire	\$3,774	\$0	\$3,774

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pikeminnow (squaw-fish), Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$3,825	\$0	\$3,825
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine DPS	\$20,000	\$0	\$20,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$1,800	\$0	\$1,800
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$260,000	\$0	\$260,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/ summer-run ESU	\$341,000	\$0	\$341,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$140,677	\$0	\$140,677
		Salmon, chum	<i>Oncorhynchus keta</i>	Columbia River ESU	\$8,000	\$0	\$8,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$100,000	\$0	\$100,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Oregon Coast ESU	\$83,825	\$0	\$83,825
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	So. OR/ No. CA Coast ESU	\$1,118,523	\$0	\$1,118,523
		Shiner, blue	<i>Cyprinella caerulea</i>	Entire	\$1,600	\$0	\$1,600
		Spikedace	<i>Meda fulgida</i>	Entire	\$7,149	\$0	\$7,149
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	Entire	\$650	\$0	\$650
		Spinedace, White River	<i>Lepidomeda albivallis</i>	Entire	\$1,008	\$0	\$1,008
		Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	Entire	\$1,788	\$0	\$1,788
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	California Central Valley DPS	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Lower Columbia River DPS	\$106,000	\$0	\$106,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Middle Columbia River DPS	\$395,795	\$0	\$395,795

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Northern California DPS	\$155,000	\$0	\$155,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$184,670	\$0	\$184,670
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake River Basin DPS	\$481,953	\$0	\$481,953
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	South-Central California Coast DPS	\$2,550	\$0	\$2,550
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Southern California DPS	\$89,050	\$0	\$89,050
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Columbia River DPS	\$267,500	\$0	\$267,500
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus</i>	Entire	\$750	\$0	\$750
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$2,100	\$0	\$2,100
		Sucker, Lost River	<i>Deltistes luxatus</i>	Entire	\$32,204	\$0	\$32,204
		Sucker, Modoc	<i>Catostomus microps</i>	Entire	\$52,704	\$0	\$52,704
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$3,825	\$0	\$3,825
		Sucker, Santa Ana	<i>Catostomus santaanae</i>	3 CA river basins	\$7,770	\$0	\$7,770
		Sucker, shortnose	<i>Chasmistes brevirostris</i>	Entire	\$57,504	\$0	\$57,504
		Sucker, Warner	<i>Catostomus warnerensis</i>	Entire	\$61,700	\$0	\$61,700
		Trout, Apache	<i>Oncorhynchus apache</i>	Entire	\$12,500	\$0	\$12,500
		Trout, bull	<i>Salvelinus confluentus</i>	U.S.A., conterminous, lower 48 states	\$2,670,599	\$0	\$2,670,599
		Trout, Gila	<i>Oncorhynchus gilae</i>	Entire	\$3,100	\$0	\$3,100
		Trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>	Entire	\$504,591	\$0	\$504,591
		Trout, Little Kern golden	<i>Oncorhynchus aguabonita whitei</i>	Entire	\$71,000	\$0	\$71,000
	Fishes subtotal				\$7,378,331	\$0	\$7,378,331
	Clams	Clubshell, ovate	<i>Pleurobema perovatum</i>		\$15,000	\$0	\$15,000
		Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>		\$10,000	\$0	\$10,000
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>	Entire	\$156,573	\$0	\$156,573

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Kidneyshell, triangular	<i>Ptychobranchus greenii</i>		\$34	\$0	\$34
		Moccasinshell, Alabama	<i>Medionidus acutissimus</i>		\$34	\$0	\$34
		Mucket, orangenacre	<i>Lampsilis perovalis</i>		\$34	\$0	\$34
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$1,990	\$0	\$1,990
		Mussel, sheepnose	<i>Plethobasus cyphyus</i>		\$1,690	\$0	\$1,690
		Mussel, snuffbox	<i>Epioblasma triquetra</i>		\$28,144	\$0	\$28,144
		Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	Entire	\$10,170	\$0	\$10,170
		Pigtoe, dark	<i>Pleurobema furvum</i>		\$34	\$0	\$34
		Pocketbook, finelined	<i>Lampsilis altilis</i>		\$8,000	\$0	\$8,000
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	Entire	\$600	\$0	\$600
		Spectaclecase (mussel)	<i>Cumberlandia monodonta</i>		\$24,790	\$0	\$24,790
	Clams subtotal				\$257,093	\$0	\$257,093
	Snails	Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>		\$1,690	\$0	\$1,690
	Snails subtotal				\$1,690	\$0	\$1,690
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$382,202	\$0	\$382,202
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Entire	\$15,550	\$0	\$15,550
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	Entire	\$214,576	\$0	\$214,576
		Butterfly, Smith's blue	<i>Euphilotes enoptes smithi</i>	Entire	\$2,860	\$0	\$2,860
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$10,102	\$0	\$10,102
		Moth, Blackburn's sphinx	<i> Manduca blackburni</i>		\$5,000	\$0	\$5,000
		Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>	Entire	\$4,950	\$0	\$4,950

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>	Entire	\$12,000	\$0	\$12,000
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>	Entire	\$12,100	\$0	\$12,100
	Insects subtotal				\$659,340	\$0	\$659,340
	Flowering Plants	Avens, spreading	<i>Geum radiatum</i>		\$22,775	\$0	\$22,775
		Beauty, Harper's	<i>Harperocallis flava</i>		\$67,241	\$0	\$67,241
		Bladderpod, San Bernardino Mountains	<i>Lesquerella kingii ssp. bernardina</i>		\$5,952	\$0	\$5,952
		Bluegrass, San Bernardino	<i>Poa atropurpurea</i>		\$28,546	\$0	\$28,546
		Bonamia, Florida	<i>Bonamia grandiflora</i>		\$58,647	\$0	\$58,647
		Buckwheat, cushenbury	<i>Eriogonum ovalifolium var. vineum</i>		\$73,319	\$0	\$73,319
		Buckwheat, scrub	<i>Eriogonum longifolium var. gnaphalifolium</i>		\$93,124	\$0	\$93,124
		Butterwort, Godfrey's	<i>Pinguicula ionantha</i>		\$67,241	\$0	\$67,241
		Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>		\$2,770	\$0	\$2,770
		Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri var. kuenzleri</i>		\$1,150	\$0	\$1,150
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$22,144	\$0	\$22,144
		Ceanothus, Vail Lake	<i>Ceanothus ophiochilus</i>		\$3,000	\$0	\$3,000
		Chaffseed, American	<i>Schwalbea americana</i>		\$79,547	\$0	\$79,547
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$21,451	\$0	\$21,451
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$5,000	\$0	\$5,000
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$4,000	\$0	\$4,000
		Goldenrod, Blue Ridge	<i>Solidago spithamea</i>		\$10,775	\$0	\$10,775
		Goldenrod, Houghton's	<i>Solidago houghtonii</i>		\$6,200	\$0	\$6,200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Goldenrod, white-haired	<i>Solidago albopilosa</i>		\$2,500	\$0	\$2,500
		Gooseberry, Miccosukee	<i>Ribes echinellum</i>		\$24,700	\$0	\$24,700
		Haha	<i>Cyanea shipmanii</i>		\$5,000	\$0	\$5,000
		Hala pepe	<i>Pleomele hawaiensis</i>		\$40,000	\$0	\$40,000
		Harperella	<i>Ptilimnium nodosum</i>		\$2,510	\$0	\$2,510
		Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>		\$5,000	\$0	\$5,000
		Heather, mountain golden	<i>Hudsonia montana</i>		\$18,000	\$0	\$18,000
		Iris, dwarf lake	<i>Iris lacustris</i>		\$7,700	\$0	\$7,700
		Kauila	<i>Colubrina oppositifolia</i>		\$40,000	\$0	\$40,000
		Kiponapona	<i>Phyllostegia racemosa</i>		\$5,000	\$0	\$5,000
		Koki`o	<i>Kokia drynarioides</i>		\$40,000	\$0	\$40,000
		Ko`oloa`ula	<i>Abutilon menziesii</i>		\$5,000	\$0	\$5,000
		Ladies'-tresses, Navasota	<i>Spiranthes parksi</i>		\$963	\$0	\$963
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$12,263	\$0	\$12,263
		Mallow, Kern	<i>Eremalche kernensis</i>		\$5,444	\$0	\$5,444
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$5,000	\$0	\$5,000
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$12,865	\$0	\$12,865
		Mustard, Penland alpine fen	<i>Eutrema penlandii</i>		\$1,070	\$0	\$1,070
		Mustard, slender-petaled	<i>Thelypodium stenopetalum</i>		\$20,219	\$0	\$20,219
		No common name	<i>Bonamia menziesii</i>		\$5,000	\$0	\$5,000
		Onion, Munz's	<i>Allium munzii</i>		\$3,000	\$0	\$3,000
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$3,612	\$0	\$3,612
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$9,171	\$0	\$9,171
		Paintbrush, ash-grey	<i>Castilleja cinerea</i>		\$74,863	\$0	\$74,863

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$3,172	\$0	\$3,172
		Phacelia, clay	<i>Phacelia argillacea</i>		\$19,887	\$0	\$19,887
		Phacelia, DeBeque	<i>Phacelia submutica</i>		\$1,070	\$0	\$1,070
		Pink, swamp	<i>Helonias bullata</i>		\$600	\$0	\$600
		Pitcher-plant, mountain sweet	<i>Sarracenia rubra ssp. jonesii</i>		\$2,400	\$0	\$2,400
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$18,275	\$0	\$18,275
		Polygala, Lewton's	<i>Polygala lewtonii</i>		\$29,324	\$0	\$29,324
		Pondberry	<i>Lindera melissifolia</i>		\$289,000	\$0	\$289,000
		Potato-bean, Price's	<i>Aplos priceana</i>		\$1,925	\$0	\$1,925
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$9,989	\$0	\$9,989
		Ragwort, San Francisco Peaks	<i>Packera franciscana</i>		\$15,000	\$0	\$15,000
		Rock-cress, McDonald's	<i>Arabis macdonaldiana</i>		\$5,112	\$0	\$5,112
		Rosemary, Cumberland	<i>Conradina verticillata</i>		\$28,124	\$0	\$28,124
		Sandwort, Bear Valley	<i>Arenaria ursina</i>		\$25,082	\$0	\$25,082
		Skullcap, Florida	<i>Scutellaria floridana</i>		\$67,241	\$0	\$67,241
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$38,399	\$0	\$38,399
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$9,700	\$0	\$9,700
		Taraxacum, California	<i>Taraxacum californicum</i>		\$45,140	\$0	\$45,140
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$24,437	\$0	\$24,437
		Thistle, Sacramento Mountains	<i>Cirsium vinaceum</i>		\$13,110	\$0	\$13,110
		Uhiuhi	<i>Caesalpinia kavaiense</i>		\$25,000	\$0	\$25,000
		`Aiea	<i>Nothocestrum breviflorum</i>		\$40,000	\$0	\$40,000
		`Oha wai	<i>Clermontia lindseyana</i>		\$5,000	\$0	\$5,000
		`Oha wai	<i>Clermontia pyrularia</i>		\$5,000	\$0	\$5,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Flowering Plants subtotal				\$1,643,749	\$0	\$1,643,749
	Conifers and Cycads	Torreya, Florida	<i>Torreya taxifolia</i>		\$13,000	\$0	\$13,000
	Ferns and Allies	Fern, American hart's-tongue	<i>Asplenium scolopendrium</i> var. <i>americanum</i>		\$4,320	\$0	\$4,320
		Quillwort, Louisiana	<i>Isoetes louisianensis</i>		\$133,444	\$0	\$133,444
	Ferns and Allies subtotal				\$137,764	\$0	\$137,764
	Lichens	Lichen, rock gnome	<i>Gymnoderma lineare</i>		\$750	\$0	\$750
Domestic subtotal					\$45,013,905	\$0	\$45,013,905
Foreign	Mammals	Deer, Persian fallow	<i>Dama mesopotamica</i> (= <i>dama m.</i>)	Entire	\$908	\$0	\$908
	Fishes	Catfish	<i>Pangasius sanitwongsei</i>	Entire	\$13,875	\$0	\$13,875
Foreign subtotal					\$14,783	\$0	\$14,783
Grand Total					\$45,028,688	\$0	\$45,028,688

USDA Natural Resources Conservation Service -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$200	\$0	\$200
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	Entire	\$11,000	\$0	\$11,000
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$105,042	\$474,100	\$579,142
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	Entire	\$200	\$0	\$200
		Bear, grizzly	<i>Ursus arctos horribilis</i>	portions of ID, MT	\$100	\$0	\$100
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$195,760	\$0	\$195,760
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>	Entire	\$121,555	\$14,811,361	\$14,932,916
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$100	\$0	\$100
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$1,000	\$0	\$1,000
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$4,660	\$0	\$4,660
		Ferret, black-footed	<i>Mustela nigripes</i>	Except where EXPN	\$9,060	\$0	\$9,060
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	CA	\$31,300	\$0	\$31,300
		Kangaroo rat, giant	<i>Dipodomys ingens</i>	Entire	\$2,400	\$0	\$2,400
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>	Entire	\$7,200	\$0	\$7,200
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$193,220	\$0	\$193,220
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$350,000	\$0	\$350,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$400	\$0	\$400
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	AZ, TX to Central and South America	\$5,750	\$0	\$5,750

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$380,000	\$2,350,000	\$2,730,000
		Prairie dog, Utah	<i>Cynomys parvidens</i>	UT	\$6,000	\$0	\$6,000
		Rabbit, Pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$1,000	\$0	\$1,000
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	Entire	\$100	\$0	\$100
		Wolf, red	<i>Canis rufus</i>	portions of NC, TN	\$2,350,000	\$0	\$2,350,000
	Mammals subtotal				\$3,776,047	\$17,635,461	\$21,411,508
	Birds	Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>	Entire	\$800	\$0	\$800
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$470,000	\$18,200,000	\$18,670,000
		Coot, Hawaiian	<i>Fulica americana alai</i>	Entire	\$2,000	\$0	\$2,000
		Crane, whooping	<i>Grus americana</i>	SW LA	\$6,400	\$0	\$6,400
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, western WY	\$20,000	\$0	\$20,000
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$5,960	\$0	\$5,960
		Crow, Hawaiian ('alala)	<i>Corvus hawaiiensis</i>	Entire	\$800	\$0	\$800
		Eider, spectacled	<i>Somateria fischeri</i>	Entire	\$15,580	\$0	\$15,580
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$15,580	\$0	\$15,580
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$522,800	\$0	\$522,800
		Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	Entire	\$5,600	\$0	\$5,600
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	Entire	\$2,000	\$0	\$2,000
		Hawk, Hawaiian ('lo)	<i>Buteo solitarius</i>	Entire	\$800	\$0	\$800
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$35,000	\$1,000,000	\$1,035,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	Entire	\$2,000	\$0	\$2,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$2,000	\$0	\$2,000
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$301,401	\$3,678,200	\$3,979,601
		Plover, piping	<i>Charadrius melanotos</i>	except Great Lakes watershed	\$6,400	\$0	\$6,400
		Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Entire	\$60,000	\$0	\$60,000
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	Entire	\$60,000	\$2,000,000	\$2,060,000
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$2,000	\$0	\$2,000
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, MS, NC, SC	\$650,000	\$17,830,000	\$18,480,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$5,660	\$0	\$5,660
		Vireo, black-capped	<i>Vireo atricapilla</i>	Entire	\$2,500	\$0	\$2,500
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>	Entire	\$50,200	\$0	\$50,200
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	Entire	\$3,200	\$0	\$3,200
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$2,798,269	\$0	\$2,798,269
	Birds subtotal				\$5,046,950	\$42,708,200	\$47,755,150
	Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	Entire	\$202,800	\$325,000	\$527,800
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	Entire	\$30,200	\$0	\$30,200
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>	Entire	\$60,000	\$0	\$60,000
		Skink, sand	<i>Neoseps reynoldsi</i>	Entire	\$60,000	\$0	\$60,000
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	IN, MI, OH	\$53,977	\$84,700	\$138,677
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$460,000	\$12,620,000	\$13,080,000
		Snake, giant garter	<i>Thamnophis gigas</i>	Entire	\$8,600	\$1,024,300	\$1,032,900
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$2,900	\$0	\$2,900

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$112,134	\$0	\$112,134
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$176,800	\$4,303,853	\$4,480,653
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis</i> <i>uryxanthus</i>	Entire	\$700	\$0	\$700
	Reptiles subtotal				\$1,168,111	\$18,357,853	\$19,525,964
	Amphibians	Frog, California red- legged	<i>Rana draytonii</i>	Entire	\$65,800	\$0	\$65,800
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$1,200	\$0	\$1,200
		Hellbender, Ozark	<i>Cryptobranchus</i> <i>alleganiensis bishopi</i>	Entire	\$4,000	\$0	\$4,000
		Salamander, Austin blind	<i>Eurycea waterlooensis</i>		\$550	\$0	\$550
		Salamander, Barton Springs	<i>Eurycea sosorum</i>	Entire	\$550	\$0	\$550
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara County	\$800	\$0	\$800
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Sonoma County	\$2,400	\$0	\$2,400
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$9,900	\$1,166,300	\$1,176,200
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	Entire	\$75,000	\$0	\$75,000
		Salamander, Jollyville Plateau	<i>Eurycea tonkawae</i>		\$550	\$0	\$550
		Salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>	Entire	\$75,000	\$0	\$75,000
		Salamander, San Marcos	<i>Eurycea nana</i>	Entire	\$550	\$0	\$550
		Salamander, Texas blind	<i>Typhlomolge rathbuni</i>	Entire	\$550	\$0	\$550

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Toad, arroyo (arroyo southwestern)	<i>Anaxyrus californicus</i>	Entire	\$6,400	\$0	\$6,400
		Toad, Houston	<i>Bufo houstonensis</i>	Entire	\$20,000	\$0	\$20,000
	Amphibians subtotal				\$263,250	\$1,166,300	\$1,429,550
	Fishes	Chub, bonytail	<i>Gila elegans</i>	Entire	\$1,200	\$0	\$1,200
		Chub, humpback	<i>Gila cypha</i>	Entire	\$1,500	\$0	\$1,500
		Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	Entire	\$700	\$0	\$700
		Dace, blackside	<i>Phoxinus cumberlandensis</i>	Entire	\$200	\$0	\$200
		Darter, Cumberland	<i>Etheostoma susanae</i>	Entire	\$200	\$0	\$200
		Darter, diamond	<i>Crystallaria cincotta</i>		\$200	\$0	\$200
		Darter, duskytail	<i>Etheostoma percnurum</i>	Entire	\$200	\$0	\$200
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>	Entire	\$20,000	\$0	\$20,000
		Darter, relict	<i>Etheostoma chienense</i>	Entire	\$200	\$0	\$200
		Pikeminnow (squaw-fish), Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$1,500	\$0	\$1,500
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine DPS	\$354,000	\$0	\$354,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$360,000	\$0	\$360,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$9,643	\$0	\$9,643
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$5,500	\$0	\$5,500
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento River winter-run ESU	\$800	\$0	\$800
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$140,000	\$0	\$140,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/ summer-run ESU	\$300,000	\$0	\$300,000
		Salmon, chum	<i>Oncorhynchus keta</i>	Columbia River ESU	\$95,000	\$0	\$95,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Central California Coast ESU	\$5,200	\$0	\$5,200
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$23,411	\$0	\$23,411
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	So. OR/ No. CA Coast ESU	\$365,000	\$0	\$365,000
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River ESU	\$100	\$0	\$100
		Sculpin, pygmy	<i>Cottus paulus (=pygmæus)</i>	Entire	\$5,000	\$0	\$5,000
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	Entire	\$2,000	\$0	\$2,000
		Smelt, delta	<i>Hypomesus transpacificus</i>	Entire	\$1,000	\$0	\$1,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	California Central Valley DPS	\$11,000	\$0	\$11,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central California Coast DPS	\$3,100	\$0	\$3,100
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Middle Columbia River DPS	\$59,215	\$0	\$59,215
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Northern California DPS	\$148,000	\$0	\$148,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$53,000	\$0	\$53,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake River Basin DPS	\$441,500	\$0	\$441,500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Southern California DPS	\$300	\$0	\$300
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus</i>	Entire	\$60,000	\$0	\$60,000
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>	Gulf of Maine DPS	\$500	\$500	\$1,000
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$2,220	\$0	\$2,220
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$60,500	\$500	\$61,000
		Sturgeon, white	<i>Acipenser transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$72,000	\$0	\$72,000
		Sucker, June	<i>Chasmistes liorus</i>	Entire	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$900	\$0	\$900
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$1,415,837	\$0	\$1,415,837
		Woundfin	<i>Plagopterus argentissimus</i>	Except EXPN	\$700	\$0	\$700
	Fishes subtotal				\$4,021,426	\$1,000	\$4,022,426
	Clams	Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>		\$18,000	\$0	\$18,000
		Bean, Choctaw	<i>Villosa choctawensis</i>		\$18,000	\$0	\$18,000
		Ebonyshell, round	<i>Fusconaia rotulata</i>		\$18,000	\$0	\$18,000
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>	Entire	\$3,000	\$0	\$3,000
		Kidneyshell, southern	<i>Ptychobranchus jonesi</i>		\$18,000	\$0	\$18,000
		Moccasinshell, Gulf	<i>Medionidus penicillatus</i>		\$18,000	\$0	\$18,000
		Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>		\$18,000	\$0	\$18,000
		Pigtoe, fuzzy	<i>Pleurobema strodeanum</i>		\$18,000	\$0	\$18,000
		Pigtoe, narrow	<i>Fusconaia escambia</i>		\$18,000	\$0	\$18,000
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$18,000	\$0	\$18,000
		Pigtoe, tapered	<i>Fusconaia burkei</i>		\$18,000	\$0	\$18,000
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$18,000	\$0	\$18,000
		Sandshell, Southern	<i>Hamiota australis</i>		\$18,000	\$0	\$18,000
		Slabshell, Chipola	<i>Elliptio chipolaensis</i>		\$18,000	\$0	\$18,000
		Threeridge, fat (mussel)	<i>Ambloema neislerii</i>		\$18,000	\$0	\$18,000
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	Entire	\$75,842	\$0	\$75,842
	Clams subtotal				\$330,842	\$0	\$330,842
	Snails	Limpet, Banbury Springs	<i>Lanx sp.</i>	Entire	\$100	\$0	\$100
		Snail, Bliss Rapids	<i>Taylorconcha serpentiscola</i>	Entire	\$200	\$0	\$200
		Snail, Snake River physa	<i>Physa natricina</i>	Entire	\$100	\$0	\$100
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	Entire	\$13,500	\$0	\$13,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Snails subtotal				\$13,900	\$0	\$13,900
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$10,500	\$0	\$10,500
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Entire	\$2,200	\$0	\$2,200
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$10,134	\$0	\$10,134
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	Entire	\$1,000	\$0	\$1,000
		Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>	Entire	\$400	\$0	\$400
		Tiger beetle, Salt Creek	<i>Cicindela nevadica lincoliana</i>	Entire	\$13,500	\$0	\$13,500
	Insects subtotal				\$37,734	\$0	\$37,734
	Crustaceans	Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	Entire	\$5,400	\$1,316,000	\$1,321,400
		Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>	Entire	\$5,400	\$1,174,000	\$1,179,400
	Crustaceans subtotal				\$10,800	\$2,490,000	\$2,500,800
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$40,000	\$0	\$40,000
		Coral, staghorn	<i>Acropora cervicornis</i>		\$40,000	\$0	\$40,000
	Corals subtotal				\$80,000	\$0	\$80,000
	Flowering Plants	Ambrosia, San Diego	<i>Ambrosia pumila</i>		\$300	\$0	\$300
		Bear-poppy, Dwarf	<i>Arctomecon humilis</i>		\$600	\$0	\$600
		Bladderpod, Spring Creek	<i>Lesquerella perforata</i>		\$500	\$0	\$500
		Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>		\$1,000	\$0	\$1,000
		Button-celery, San Diego	<i>Eryngium aristulatum var. parishii</i>		\$300	\$0	\$300
		Cactus, Pariette	<i>Sclerocactus brevispinus</i>		\$1,300	\$0	\$1,300
		Cactus, San Rafael	<i>Pediocactus despainii</i>		\$1,300	\$0	\$1,300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Cactus, Uinta Basin hookless	<i>Sclerocactus wetlandicus</i>		\$1,300	\$0	\$1,300
		Cactus, Winkler	<i>Pediocactus winkleri</i>		\$100	\$0	\$100
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$100	\$0	\$100
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$3,540	\$0	\$3,540
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$5,000	\$0	\$5,000
		Daisy, Willamette	<i>Erigeron decumbens</i> var. <i>decumbens</i>		\$2,000	\$0	\$2,000
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$5,000	\$0	\$5,000
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$100	\$0	\$100
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$1,500	\$0	\$1,500
		Howellia, water	<i>Howellia aquatilis</i>		\$6,420	\$0	\$6,420
		Koki`o	<i>Kokia drynarioides</i>		\$1,500	\$0	\$1,500
		Ko`oloa`ula	<i>Abutilon menziesii</i>		\$1,500	\$0	\$1,500
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$6,160	\$0	\$6,160
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> ssp. <i>kincaidii</i>		\$2,000	\$0	\$2,000
		Manzanita, Del Mar	<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>		\$300	\$0	\$300
		Ma`o hau hele, (native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$1,500	\$0	\$1,500
		Mesa-mint, San Diego	<i>Pogogyne abramsii</i>		\$300	\$0	\$300
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>		\$300	\$0	\$300
		Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>		\$600	\$0	\$600
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$400	\$0	\$400
		Navarretia, spreading	<i>Navarretia fossalis</i>		\$1,900	\$0	\$1,900
		No common name	<i>Tetramolopium rockii</i>		\$29,000	\$0	\$29,000
		No common name	<i>Vigna o-wahuensis</i>		\$8,000	\$0	\$8,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Ohai	<i>Sesbania tomentosa</i>		\$18,000	\$0	\$18,000
		Orchid, western prairie fringed	<i>Platanthera praecalaria</i>		\$24,800	\$0	\$24,800
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$37,100	\$0	\$37,100
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$500	\$0	\$500
		Potato-bean, Price's	<i>Apios priceana</i>		\$500	\$0	\$500
		Reed-mustard, Barneby	<i>Schoenocrambe barnebyi</i>		\$600	\$0	\$600
		Reed-mustard, clay	<i>Schoenocrambe argillacea</i>		\$600	\$0	\$600
		Reed-mustard, shrubby	<i>Schoenocrambe suffrutescens</i>		\$600	\$0	\$600
		Ridge-cress, Barneby	<i>Lepidium barnebyanum</i>		\$600	\$0	\$600
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$500	\$0	\$500
		Thelypody, Howell's spectacular	<i>Thelypodium howellii spectabilis</i>		\$2,000	\$0	\$2,000
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$300	\$0	\$300
		Uhiuhi	<i>Caesalpinia kavaiense</i>		\$1,500	\$0	\$1,500
		`Akoko	<i>Chamaesyce kuwaleana</i>		\$7,000	\$0	\$7,000
	Flowering Plants subtotal				\$178,420	\$0	\$178,420
	Ferns and Allies	Ihi`ihi	<i>Marsilea villosa</i>		\$11,000	\$0	\$11,000
	Multi-Species				\$1,949,733	\$1,300,300	\$3,250,033
Domestic subtotal					\$16,888,213	\$83,659,114	\$100,547,327
Grand Total					\$16,888,213	\$83,659,114	\$100,547,327

DOC National Oceanic and Atmospheric Administration -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Sea-lion, Steller	<i>Eumetopias jubatus</i>	Eastern DPS	\$538,356	\$0	\$538,356
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	Western DPS	\$4,909,128	\$0	\$4,909,128
		Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>	Entire	\$238,356	\$0	\$238,356
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	Entire	\$3,724,611	\$0	\$3,724,611
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$1,440,140	\$0	\$1,440,140
		Whale, blue	<i>Balaenoptera musculus</i>	Entire	\$408,858	\$0	\$408,858
		Whale, bowhead	<i>Balaena mysticetus</i>	Entire	\$408,858	\$0	\$408,858
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$408,858	\$0	\$408,858
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$408,858	\$0	\$408,858
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$1,660,224	\$0	\$1,660,224
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Entire	\$8,357,896	\$0	\$8,357,896
		Whale, North Pacific Right	<i>Eubalaena japonica</i>	Entire	\$238,356	\$0	\$238,356
		Whale, Sei	<i>Balaenoptera borealis</i>	Entire	\$408,858	\$0	\$408,858
		Whale, sperm	<i>Physeter catodon</i> <i>(=macrocephalus)</i>	Entire	\$408,858	\$0	\$408,858
	Mammals subtotal				\$23,560,215	\$0	\$23,560,215
	Reptiles	Sea turtle, green	<i>Chelonia mydas</i>	Except where endangered	\$2,212,116	\$0	\$2,212,116
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$1,021,217	\$0	\$1,021,217
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$2,201,115	\$0	\$2,201,115
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$1,421,123	\$0	\$1,421,123
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$2,169,415	\$0	\$2,169,415
		Sea turtle, loggerhead	<i>Caretta caretta</i>	North Pacific Ocean DPS	\$2,060,189	\$0	\$2,060,189

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sea turtle, loggerhead	<i>Caretta caretta</i>	Northwest Atlantic Ocean DPS	\$1,633,160	\$0	\$1,633,160
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Except where endangered	\$1,692,265	\$0	\$1,692,265
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Mexican nesting pop.	\$606,280	\$0	\$606,280
	Reptiles subtotal				\$15,016,880	\$0	\$15,016,880
	Fishes	Bocaccio	<i>Sebastes paucispinis</i>	Puget Sound - Georgia Basin DPS	\$386,681	\$0	\$386,681
		Eulachon, Pacific	<i>Thaleichthys pacificus</i>	Southern DPS	\$386,681	\$0	\$386,681
		Rockfish, Canary	<i>Sebastes pinniger</i>	Puget Sound - Georgia Basin DPS	\$386,681	\$0	\$386,681
		Rockfish, Yelloweye	<i>Sebastes ruberrimus</i>	Puget Sound - Georgia Basin DPS	\$386,681	\$0	\$386,681
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine DPS	\$5,140,464	\$0	\$5,140,464
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	California Coastal ESU	\$4,337,860	\$0	\$4,337,860
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$2,295,002	\$0	\$2,295,002
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$5,014,808	\$0	\$5,014,808
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$4,154,483	\$0	\$4,154,483
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento River winter-run ESU	\$2,295,002	\$0	\$2,295,002
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$4,121,149	\$0	\$4,121,149

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/summer-run ESU	\$3,755,717	\$0	\$3,755,717
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$3,755,717	\$0	\$3,755,717
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$3,243,380	\$0	\$3,243,380
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia River ESU	\$4,814,808	\$0	\$4,814,808
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Hood Canal summer-run ESU	\$4,154,483	\$0	\$4,154,483
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Central California Coast ESU	\$4,337,860	\$0	\$4,337,860
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$5,014,808	\$0	\$5,014,808
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Oregon Coast ESU	\$3,205,905	\$0	\$3,205,905
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	So. OR/ No. CA Coast ESU	\$5,936,951	\$0	\$5,936,951
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Ozette Lake ESU	\$4,154,483	\$0	\$4,154,483
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River ESU	\$2,283,054	\$0	\$2,283,054
		Sawfish, smalltooth	<i>Pristis pectinata</i>	United States DPS	\$715,695	\$0	\$715,695
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	California Central Valley DPS	\$2,295,002	\$0	\$2,295,002
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central California Coast DPS	\$4,337,860	\$0	\$4,337,860
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Lower Columbia River DPS	\$5,014,808	\$0	\$5,014,808
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Middle Columbia River DPS	\$5,014,808	\$0	\$5,014,808
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Northern California DPS	\$4,777,860	\$0	\$4,777,860

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$4,154,483	\$0	\$4,154,483
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake River Basin DPS	\$5,280,240	\$0	\$5,280,240
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	South-Central California Coast DPS	\$4,337,860	\$0	\$4,337,860
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Southern California DPS	\$4,337,860	\$0	\$4,337,860
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Columbia River DPS	\$3,755,717	\$0	\$3,755,717
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Willamette River DPS	\$3,243,380	\$0	\$3,243,380
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus</i>	Entire	\$514,101	\$0	\$514,101
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>	Gulf of Maine DPS	\$708,797	\$0	\$708,797
		Sturgeon, Green	<i>Acipenser medirostris</i>	Southern DPS	\$843,906	\$0	\$843,906
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$1,110,692	\$0	\$1,110,692
	Fishes subtotal				\$124,005,727	\$0	\$124,005,727
	Snails	Abalone, Black	<i>Haliotis cracherodii</i>		\$743,906	\$0	\$743,906
		Abalone, White	<i>Haliotis sorenseni</i>	North America (West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico)	\$743,906	\$0	\$743,906
	Snails subtotal				\$1,487,812	\$0	\$1,487,812
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$514,101	\$0	\$514,101
		Coral, staghorn	<i>Acropora cervicornis</i>		\$514,101	\$0	\$514,101
	Corals subtotal				\$1,028,202	\$0	\$1,028,202
	Flowering Plants	Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$514,101	\$0	\$514,101
	Flowering Plants subtotal				\$514,101	\$0	\$514,101

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic subtotal					\$165,612,937	\$0	\$165,612,937
Grand Total					\$165,612,937	\$0	\$165,612,937

DOD Army—FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$583,805	\$0	\$583,805
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	Entire	\$210,513	\$0	\$210,513
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$558,259	\$0	\$558,259
		Bat, lesser long-nosed	<i>Leptonycteris curasoae</i> <i>yerbabuenae</i>	Entire	\$258,662	\$0	\$258,662
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	U.S.A(CA)	\$67,314	\$0	\$67,314
		Jaguar	<i>Panthera onca</i>	U.S.A(AZ,CA,LA,NM, TX),Mexico,Central and South America	\$217,333	\$0	\$217,333
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$38,000	\$0	\$38,000
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	AZ, TX to Central and South America	\$215,333	\$0	\$215,333
		Rabbit, Pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$23,500	\$0	\$23,500
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	Western DPS	\$250	\$0	\$250
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$250	\$0	\$250
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$215,333	\$0	\$215,333

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA. Mexico.	\$16,100	\$0	\$16,100
	Mammals subtotal				\$2,404,652	\$0	\$2,404,652
	Birds	Crane, whooping	<i>Grus americana</i>	AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	\$4,100	\$0	\$4,100
		Elepaio, Oahu	<i>Chasiempis sandwichensis ibidis</i>	Entire	\$223,772	\$0	\$223,772
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Entire, except where EXPN	\$310,065	\$0	\$310,065
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$215,333	\$0	\$215,333
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	Entire	\$412,857	\$0	\$412,857
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$250	\$0	\$250
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$1,087,106	\$0	\$1,087,106
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$75,000	\$0	\$75,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	Entire	\$199,200	\$0	\$199,200
		Plover, piping	<i>Charadrius melanotos</i>	except Great Lakes watershed	\$103,797	\$0	\$103,797
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$73,500	\$0	\$73,500
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Entire	\$207	\$0	\$207
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, MS, NC, SC	\$1,600	\$0	\$1,600
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$4,965	\$0	\$4,965
		Vireo, black-capped	<i>Vireo atricapilla</i>	Entire	\$559,382	\$0	\$559,382
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>	Entire	\$4,076	\$0	\$4,076
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	Entire	\$814,200	\$0	\$814,200
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$7,707,017	\$0	\$7,707,017
	Birds subtotal				\$11,796,427	\$0	\$11,796,427
	Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	Entire	\$4,205	\$0	\$4,205
		Boa, Puerto Rican	<i>Epicrates inornatus</i>	Entire	\$55,000	\$0	\$55,000
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$82,880	\$0	\$82,880
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$415,910	\$0	\$415,910
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/Tombigbee Rs.	\$160,000	\$0	\$160,000
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$17,405	\$0	\$17,405
	Reptiles subtotal				\$735,400	\$0	\$735,400
	Amphibians	Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$36,218	\$0	\$36,218
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	Entire	\$240,947	\$0	\$240,947
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$7,760	\$0	\$7,760

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	Entire	\$44,410	\$0	\$44,410
		Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	Entire	\$247,804	\$0	\$247,804
		Toad, arroyo (=arroyo southwestern)	<i>Anaxyrus californicus</i>	Entire	\$64,076	\$0	\$64,076
	Amphibians subtotal				\$641,215	\$0	\$641,215
	Fishes	Bocaccio	<i>Sebastes paucispinis</i>	Puget Sound - Georgia Basin DPS	\$250	\$0	\$250
		Cavefish, Ozark	<i>Amblyopsis rosae</i>	Entire	\$2,885	\$0	\$2,885
		Chub, Gila	<i>Gila intermedia</i>	Entire	\$215,333	\$0	\$215,333
		Minnow, loach	<i>Tiaroga cobitis</i>	Entire	\$215,333	\$0	\$215,333
		Pupfish, desert	<i>Cyprinodon macularius</i>	Entire	\$215,333	\$0	\$215,333
		Rockfish, Canary	<i>Sebastes pinniger</i>	Puget Sound - Georgia Basin DPS	\$250	\$0	\$250
		Rockfish, Yelloweye	<i>Sebastes ruberrimus</i>	Puget Sound - Georgia Basin DPS	\$250	\$0	\$250
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$35,250	\$0	\$35,250
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$2,500	\$0	\$2,500
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	Entire	\$407,600	\$0	\$407,600
		Spikedace	<i>Meda fulgida</i>	Entire	\$215,333	\$0	\$215,333
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Middle Columbia River DPS	\$2,500	\$0	\$2,500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Southern California DPS	\$34,539	\$0	\$34,539
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Columbia River DPS	\$2,500	\$0	\$2,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>	Gulf of Maine DPS	\$23,750	\$0	\$23,750
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$23,750	\$0	\$23,750
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$215,333	\$0	\$215,333
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$2,500	\$0	\$2,500
	Fishes subtotal				\$1,615,189	\$0	\$1,615,189
	Snails	Snails, Oahu tree	<i>Achatinella spp.</i>		\$771,554	\$0	\$771,554
	Snails subtotal				\$771,554	\$0	\$771,554
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$682,608	\$45,100	\$727,708
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	Entire	\$94,500	\$0	\$94,500
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	Entire	\$19,200	\$0	\$19,200
		Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	Entire	\$179,713	\$0	\$179,713
		Pomace fly, [unnamed]	<i>Drosophila montgomeryi</i>		\$253,250	\$0	\$253,250
		Pomace fly, [unnamed]	<i>Drosophila substenoptera</i>		\$253,250	\$0	\$253,250
	Insects subtotal				\$1,482,521	\$45,100	\$1,527,621
	Crustaceans	Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	Entire	\$173,909	\$0	\$173,909
	Crustaceans subtotal				\$173,909	\$0	\$173,909
	Flowering Plants	Alani	<i>Melicope lydgatei</i>		\$100,381	\$0	\$100,381
		Amole, purple	<i>Chlorogalum purpureum</i>		\$103,878	\$0	\$103,878
		Aupaka	<i>Isodendrion hosakae</i>		\$101,300	\$0	\$101,300
		A`e	<i>Zanthoxylum hawaiiense</i>		\$101,300	\$0	\$101,300
		Bear-poppy, Dwarf	<i>Arctomecon humilis</i>		\$320	\$0	\$320

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Button, Mohr's Barbara	<i>Marshallia mohrii</i>		\$1,100	\$0	\$1,100
		Chaffseed, American	<i>Schwalbea americana</i>		\$131,090	\$0	\$131,090
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$11,000	\$0	\$11,000
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$8,490	\$0	\$8,490
		Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>		\$4,100	\$0	\$4,100
		Gilia, Monterey	<i>Gilia tenuiflora ssp. arenaria</i>		\$2,600	\$0	\$2,600
		Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>		\$600	\$0	\$600
		Haha	<i>Cyanea acuminata</i>		\$100,381	\$0	\$100,381
		Haha	<i>Cyanea grimesiana ssp. obatae</i>		\$100,381	\$0	\$100,381
		Haha	<i>Cyanea koolauensis</i>		\$100,381	\$0	\$100,381
		Haha	<i>Cyanea longiflora</i>		\$100,381	\$0	\$100,381
		Haha	<i>Cyanea st. johnii</i>		\$100,381	\$0	\$100,381
		Haha	<i>Cyanea superba</i>		\$100,381	\$0	\$100,381
		Ha`iwale	<i>Cyrtandra dentata</i>		\$100,381	\$0	\$100,381
		Ha`iwale	<i>Cyrtandra viridiflora</i>		\$100,381	\$0	\$100,381
		Honohono	<i>Haplostachys haplostachya</i>		\$101,300	\$0	\$101,300
		Howellia, water	<i>Howellia aquatilis</i>		\$30,000	\$0	\$30,000
		Joint-vetch, Sensitive	<i>Aeschynomene virginica</i>		\$4,500	\$0	\$4,500
		Kamanomano	<i>Cenchrus agrimonoides</i>		\$100,381	\$0	\$100,381
		Kio`ele	<i>Kadua coriacea</i>		\$101,300	\$0	\$101,300
		Kolea	<i>Myrsine juddii</i>		\$100,381	\$0	\$100,381
		Kuahiwi laukahi	<i>Plantago princeps</i>		\$122,996	\$0	\$122,996
		Kulu`i	<i>Nototrichium humile</i>		\$122,996	\$0	\$122,996
		Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>		\$215,333	\$0	\$215,333
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$157,090	\$0	\$157,090

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Lo`ulu	<i>Pritchardia kaalae</i>		\$122,996	\$0	\$122,996
		Mahoe	<i>Alectryon macrococcus</i>		\$122,996	\$0	\$122,996
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$311,118	\$0	\$311,118
		Mehamehame	<i>Flueggea neowawraea</i>		\$122,996	\$0	\$122,996
		Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>		\$537,019	\$0	\$537,019
		Nanu	<i>Gardenia mannii</i>		\$100,381	\$0	\$100,381
		Na`ena`e	<i>Dubautia herbstobatae</i>		\$122,996	\$0	\$122,996
		Nehe	<i>Melanthera tenuifolia</i>		\$122,996	\$0	\$122,996
		Nioi	<i>Eugenia koolauensis</i>		\$100,381	\$0	\$100,381
		No common name	<i>Abutilon sandwicense</i>		\$100,381	\$0	\$100,381
		No common name	<i>Cyanea (=Rollandia) crispa</i>		\$100,381	\$0	\$100,381
		No common name	<i>Gouania vitifolia</i>		\$100,381	\$0	\$100,381
		No common name	<i>Hesperomannia arborescens</i>		\$100,381	\$0	\$100,381
		No common name	<i>Hesperomannia arbuscula</i>		\$100,381	\$0	\$100,381
		No common name	<i>Kadua degeneri</i>		\$83,703	\$0	\$83,703
		No common name	<i>Kadua parvula</i>		\$122,996	\$0	\$122,996
		No common name	<i>Lipochaeta venosa</i>		\$101,300	\$0	\$101,300
		No common name	<i>Lobelia gaudichaudii ssp. koolauensis</i>		\$100,381	\$0	\$100,381
		No common name	<i>Lobelia oahuensis</i>		\$100,381	\$0	\$100,381
		No common name	<i>Neraudia angulata</i>		\$122,996	\$0	\$122,996
		No common name	<i>Neraudia ovata</i>		\$101,300	\$0	\$101,300
		No common name	<i>Phyllostegia hirsuta</i>		\$100,381	\$0	\$100,381
		No common name	<i>Phyllostegia kaalaensis</i>		\$100,381	\$0	\$100,381
		No common name	<i>Phyllostegia mollis</i>		\$100,381	\$0	\$100,381
		No common name	<i>Sanicula mariversa</i>		\$122,996	\$0	\$122,996
		No common name	<i>Sanicula purpurea</i>		\$100,381	\$0	\$100,381
		No common name	<i>Schiedea kaalae</i>		\$100,381	\$0	\$100,381

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Schiedea nuttallii</i>		\$100,381	\$0	\$100,381
		No common name	<i>Schiedea obovata</i>		\$100,381	\$0	\$100,381
		No common name	<i>Schiedea trinervis</i>		\$100,381	\$0	\$100,381
		No common name	<i>Silene hawaiiensis</i>		\$101,300	\$0	\$101,300
		No common name	<i>Silene lanceolata</i>		\$101,300	\$0	\$101,300
		No common name	<i>Spermolepis hawaiiensis</i>		\$101,300	\$0	\$101,300
		No common name	<i>Stenogyne angustifolia</i> <i>angustifolia</i>		\$101,300	\$0	\$101,300
		No common name	<i>Stenogyne kanehoana</i>		\$100,381	\$0	\$100,381
		No common name	<i>Tetramolopium filiforme</i>		\$122,996	\$0	\$122,996
		No common name	<i>Vigna o-wahuensis</i>		\$101,300	\$0	\$101,300
		No common name	<i>Viola oahuensis</i>		\$100,381	\$0	\$100,381
		Oha	<i>Delissea subcordata</i>		\$100,381	\$0	\$100,381
		Palo de rosa	<i>Ottoschulzia rhodoxylon</i>		\$15,000	\$0	\$15,000
		Pamakani	<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>		\$122,996	\$0	\$122,996
		Pennyroyal, Todsen's	<i>Hedeoma todserii</i>		\$15,000	\$0	\$15,000
		Pink, swamp	<i>Helonias bullata</i>		\$105,580	\$0	\$105,580
		Piperia, Yadon's	<i>Piperia yadonii</i>		\$110,500	\$0	\$110,500
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$44,769	\$0	\$44,769
		Popolo ku mai	<i>Solanum incompletum</i>		\$101,300	\$0	\$101,300
		Po`e	<i>Portulaca sclerocarpa</i>		\$101,300	\$0	\$101,300
		Skullcap, large- flowered	<i>Scutellaria montana</i>		\$82,880	\$0	\$82,880
		Spineflower, Monterey	<i>Chorizanthe pungens</i> var. <i>pungens</i>		\$4,000	\$0	\$4,000
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$131,090	\$0	\$131,090
		Trillium, relict	<i>Trillium reliquum</i>		\$20,000	\$0	\$20,000
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> <i>var. recurva</i>		\$256,018	\$0	\$256,018
		`Akoko	<i>Chamaesyce celastroides</i> <i>var. kaenana</i>		\$100,381	\$0	\$100,381
		`Akoko	<i>Chamaesyce herbstii</i>		\$100,381	\$0	\$100,381

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		‘Akoko	<i>Chamaesyce rockii</i>		\$100,381	\$0	\$100,381
		‘Ohe`ohe	<i>Tetraplasandra gymnocarpa</i>		\$100,381	\$0	\$100,381
	Flowering Plants subtotal				\$8,692,965	\$0	\$8,692,965
	Ferns and Allies	No common name	<i>Asplenium fragile insulare</i>		\$100,381	\$0	\$100,381
		No common name	<i>Pteris lidgatei</i>		\$100,381	\$0	\$100,381
		Quillwort, Louisiana	<i>Isoetes louisianensis</i>		\$94,000	\$0	\$94,000
		Wawae`iole	<i>Huperzia nutans</i>		\$100,381	\$0	\$100,381
	Ferns and Allies subtotal				\$395,143	\$0	\$395,143
	Multi-Species				\$14,666,289	\$0	\$14,666,289
Domestic subtotal					\$43,375,264	\$45,100	\$43,420,364
Grand Total					\$43,375,264	\$45,100	\$43,420,364

DOD Marine Corps -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Kangaroo rat, Stephens'	<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>)	Entire	\$125,373	\$0	\$125,373
		Mouse, Pacific pocket	<i>Perognathus longimembris</i> <i>pacificus</i>	Entire	\$266,473	\$0	\$266,473
		Pronghorn, Sonoran	<i>Antilocapra americana</i> <i>sonoriensis</i>	Entire	\$80,000	\$0	\$80,000
	Mammals subtotal				\$471,846	\$0	\$471,846
	Birds	Coot, Hawaiian	<i>Fulica americana alai</i>	Entire	\$6,000	\$0	\$6,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$186,484	\$0	\$186,484
		Gnatcatcher, coastal California	<i>Polioptila californica</i> <i>californica</i>	Entire	\$625,352	\$0	\$625,352
		Moorhen, Hawaiian common	<i>Gallinula chloropus</i> <i>sandvicensis</i>	Entire	\$6,000	\$0	\$6,000
		Plover, western snowy	<i>Charadrius alexandrinus</i> <i>nivosus</i>	Pacific coastal pop.	\$134,556	\$0	\$134,556
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$34,700	\$0	\$34,700
		Stilt, Hawaiian	<i>Himantopus mexicanus</i> <i>knudseni</i>		\$20,000	\$0	\$20,000
		Tern, California least	<i>Sterna antillarum browni</i>		\$143,855	\$0	\$143,855
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>	Entire	\$218,986	\$0	\$218,986
		Woodpecker, red- cockaded	<i>Picoides borealis</i>	Entire	\$302,552	\$0	\$302,552
	Birds subtotal				\$1,678,485	\$0	\$1,678,485
	Reptiles	Sea turtle, loggerhead	<i>Caretta caretta</i>	NW Atlantic Ocean DPS	\$3,500	\$0	\$3,500
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$1,067,385	\$0	\$1,067,385
	Reptiles subtotal				\$1,070,885	\$0	\$1,070,885

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Amphibians	Toad, arroyo (=arroyo southwestern)	<i>Anaxyrus californicus</i>	Entire	\$255,391	\$0	\$255,391
	Amphibians subtotal				\$255,391	\$0	\$255,391
	Fishes	Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$38,000	\$0	\$38,000
	Fishes subtotal				\$38,000	\$0	\$38,000
	Crustaceans	Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$42,300	\$0	\$42,300
	Crustaceans subtotal				\$42,300	\$0	\$42,300
	Flowering Plants	Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>		\$255,000	\$0	\$255,000
		Button-celery, San Diego	<i>Eryngium aristulatum var. parishii</i>		\$42,300	\$0	\$42,300
		Manzanita, Del Mar	<i>Arctostaphylos glandulosa ssp. crassifolia</i>		\$26,659	\$0	\$26,659
		Mesa-mint, San Diego	<i>Pogogyne abramsii</i>		\$42,300	\$0	\$42,300
		Monardella, willowy	<i>Monardella viminea</i>		\$26,659	\$0	\$26,659
		Navarretia, spreading	<i>Navarretia fossalis</i>		\$42,300	\$0	\$42,300
		Orcutt grass, California	<i>Orcuttia californica</i>		\$42,300	\$0	\$42,300
		Pondberry	<i>Lindera melissifolia</i>		\$9,164	\$0	\$9,164
	Flowering Plants subtotal				\$486,682	\$0	\$486,682
Domestic subtotal					\$4,043,589	\$0	\$4,043,589
Grand Total					\$4,043,589	\$0	\$4,043,589

DOD Navy -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	Entire	\$9,437	\$0	\$9,437
		Kangaroo rat, Fresno	<i>Dipodomys nitratoides exilis</i>	Entire	\$82,713	\$0	\$82,713
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	Entire	\$39,838	\$0	\$39,838
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$308,598	\$0	\$308,598
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest Alaska DPS	\$8,799	\$0	\$8,799
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>	FL	\$229,069	\$0	\$229,069
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	Eastern DPS	\$215,289	\$0	\$215,289
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	Western DPS	\$35,199	\$0	\$35,199
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	Entire	\$811,283	\$0	\$811,283
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$21,741	\$0	\$21,741
		Whale, blue	<i>Balaenoptera musculus</i>	Entire	\$1,254,295	\$0	\$1,254,295
		Whale, bowhead	<i>Balaena mysticetus</i>	Entire	\$36,744	\$0	\$36,744
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$1,458,424	\$0	\$1,458,424
		Whale, gray	<i>Eschrichtius robustus</i>	Western North Pacific DPS	\$784,045	\$0	\$784,045
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$1,828,506	\$0	\$1,828,506
		Whale, killer	<i>Orcinus orca</i>	So. Resident DPS	\$919,276	\$0	\$919,276
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Entire	\$983,904	\$0	\$983,904
		Whale, North Pacific Right	<i>Eubalaena japonica</i>	Entire	\$42,853	\$0	\$42,853
		Whale, Sei	<i>Balaenoptera borealis</i>	Entire	\$1,131,637	\$0	\$1,131,637
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	Entire	\$1,431,661	\$0	\$1,431,661
	Mammals subtotal				\$11,633,311	\$0	\$11,633,311
	Birds	Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>	Entire	\$19,518	\$0	\$19,518

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Coot, Hawaiian	<i>Fulica americana alai</i>	Entire	\$39,643	\$0	\$39,643
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	Entire	\$39,643	\$0	\$39,643
		Elepaio, Oahu	<i>Chasiempis sandwichensis</i> <i>ibidis</i>	Entire	\$12,119	\$0	\$12,119
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$3,458	\$0	\$3,458
		Gnatcatcher, coastal California	<i>Polioptila californica</i> <i>californica</i>	Entire	\$3,798	\$0	\$3,798
		Goose, Hawaiian	<i>Branta (=Nesochen)</i> <i>sandvicensis</i>	Entire	\$24,186	\$0	\$24,186
		Megapode, Micronesian	<i>Megapodius laperouse</i>	Entire	\$440,193	\$0	\$440,193
		Moorhen, Hawaiian common	<i>Gallinula chloropus</i> <i>sandvicensis</i>	Entire	\$39,643	\$0	\$39,643
		Moorhen, Mariana common	<i>Gallinula chloropus guami</i>	Entire	\$183,705	\$0	\$183,705
		Murrelet, marbled	<i>Brachyramphus</i> <i>marmoratus</i>	CA, OR, WA	\$170,473	\$0	\$170,473
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia</i> <i>sandwichensis</i>	Entire	\$19,518	\$0	\$19,518
		Plover, piping	<i>Charadrius melanotos</i>	Great Lakes watershed	\$16,000	\$0	\$16,000
		Plover, western snowy	<i>Charadrius alexandrinus</i> <i>nivosus</i>	Pacific coastal pop.	\$553,876	\$0	\$553,876
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$209,698	\$0	\$209,698
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis</i> <i>newelli</i>	Entire	\$19,518	\$0	\$19,518
		Shrike, San Clemente loggerhead	<i>Lanius ludovicianus</i> <i>mearnsi</i>	Entire	\$2,962,285	\$0	\$2,962,285
		Sparrow, San Clemente sage	<i>Amphispiza belli</i> <i>clementeae</i>	Entire	\$590,286	\$0	\$590,286
		Stilt, Hawaiian	<i>Himantopus mexicanus</i> <i>knudseni</i>		\$64,631	\$0	\$64,631

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Tern, California least	<i>Sterna antillarum browni</i>		\$587,149	\$0	\$587,149
	Birds subtotal				\$5,999,340	\$0	\$5,999,340
	Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	Entire	\$10,273	\$0	\$10,273
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$21,678	\$0	\$21,678
		Lizard, Island night	<i>Xantusia riversiana</i>	Entire	\$392,037	\$0	\$392,037
		Sea turtle, green	<i>Chelonia mydas</i>	Except where endangered	\$914,998	\$0	\$914,998
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$154,328	\$0	\$154,328
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$308,668	\$0	\$308,668
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$258,871	\$0	\$258,871
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$260,791	\$0	\$260,791
		Sea turtle, loggerhead	<i>Caretta caretta</i>	North Pacific DPS	\$6,154	\$0	\$6,154
		Sea turtle, loggerhead	<i>Caretta caretta</i>	Northwest Atlantic Ocean DPS	\$321,007	\$0	\$321,007
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Except where endangered	\$117,815	\$0	\$117,815
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Mexican nesting pop.	\$6,154	\$0	\$6,154
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$95,870	\$0	\$95,870
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$40,388	\$0	\$40,388
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/Tombigbee Rs.	\$46,419	\$0	\$46,419
	Reptiles subtotal				\$2,955,451	\$0	\$2,955,451
	Amphibians	Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$23,168	\$0	\$23,168
		Toad, arroyo (=arroyo southwestern)	<i>Anaxyrus californicus</i>	Entire	\$19,445	\$0	\$19,445

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Amphibians subtotal				\$42,613	\$0	\$42,613
	Fishes	Bocaccio	<i>Sebastodes paucispinis</i>	Puget Sound - Georgia Basin DPS	\$33,779	\$0	\$33,779
		Eulachon, Pacific	<i>Thaleichthys pacificus</i>	Southern DPS	\$17,599	\$0	\$17,599
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$47,262	\$0	\$47,262
		Rockfish, Canary	<i>Sebastodes pinniger</i>	Puget Sound - Georgia Basin DPS	\$33,779	\$0	\$33,779
		Rockfish, Yelloweye	<i>Sebastodes ruberrimus</i>	Puget Sound - Georgia Basin DPS	\$33,779	\$0	\$33,779
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$35,944	\$0	\$35,944
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$8,799	\$0	\$8,799
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/ summer-run ESU	\$8,799	\$0	\$8,799
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$8,799	\$0	\$8,799
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia River ESU	\$8,799	\$0	\$8,799
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Hood Canal summer-run ESU	\$28,401	\$0	\$28,401
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$8,799	\$0	\$8,799
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Ozette Lake ESU	\$8,799	\$0	\$8,799
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River ESU	\$8,799	\$0	\$8,799
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Lower Columbia River DPS	\$8,799	\$0	\$8,799

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Middle Columbia River DPS	\$8,799	\$0	\$8,799
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$10,801	\$0	\$10,801
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake River Basin DPS	\$8,799	\$0	\$8,799
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus</i>	Entire	\$7,357	\$0	\$7,357
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>	Gulf of Maine DPS	\$78,224	\$0	\$78,224
		Sturgeon, Green	<i>Acipenser medirostris</i>	Southern DPS	\$17,599	\$0	\$17,599
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$16,150	\$0	\$16,150
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$18,363	\$0	\$18,363
		Tui chub, Mohave	<i>Gila bicolor ssp. mohavensis</i>	Entire	\$47,380	\$0	\$47,380
	Fishes subtotal				\$514,407	\$0	\$514,407
	Snails	Abalone, Black	<i>Haliotis cracherodii</i>		\$852,461	\$0	\$852,461
		Abalone, White	<i>Haliotis sorenseni</i>	North America (West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico)	\$175,792	\$0	\$175,792
		Snails, Oahu tree	<i>Achatinella spp.</i>		\$19,120	\$0	\$19,120
	Snails subtotal				\$1,047,373	\$0	\$1,047,373
	Insects	Butterfly, Palos Verdes blue	<i>Glauopsyche lygdamus palosverdesensis</i>	Entire	\$185,698	\$0	\$185,698
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (=E. e. wrighti)	Entire	\$16,694	\$0	\$16,694
		Butterfly, Smith's blue	<i>Euphilotes enoptes smithi</i>	Entire	\$34,490	\$0	\$34,490
		Fly, Hawaiian picture-wing	<i>Drosophila sharpi</i>		\$22,269	\$0	\$22,269

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pomace fly, [unnamed]	<i>Drosophila musaphilia</i>		\$22,269	\$0	\$22,269
	Insects subtotal				\$281,420	\$0	\$281,420
	Crustaceans	Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$57,340	\$0	\$57,340
	Crustaceans subtotal				\$57,340	\$0	\$57,340
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$377,906	\$0	\$377,906
		Coral, staghorn	<i>Acropora cervicornis</i>		\$272,371	\$0	\$272,371
	Corals subtotal				\$650,277	\$0	\$650,277
	Flowering Plants	Alani	<i>Melicope saint-johnii</i>		\$7,119	\$0	\$7,119
		Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>		\$9,197	\$0	\$9,197
		Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>		\$48,529	\$0	\$48,529
		Bird's-beak, salt marsh	<i>Cordylanthus maritimus ssp. maritimus</i>		\$71,453	\$0	\$71,453
		Bush-mallow, San Clemente Island	<i>Malacothamnus clementinus</i>		\$407,952	\$0	\$407,952
		Chaff-flower, round- leaved	<i>Achyranthes splendens var. rotundata</i>		\$7,119	\$0	\$7,119
		Gilia, Monterey	<i>Gilia tenuiflora ssp. arenaria</i>		\$23,148	\$0	\$23,148
		Iagu, Hayun (=Guam), Tronkon guafi (Rota))	<i>Serianthes nelsonii</i>		\$54,450	\$0	\$54,450
		Iliau, dwarf	<i>Wilkesia hobdyi</i>		\$19,935	\$0	\$19,935
		Indian paintbrush, San Clemente Island	<i>Castilleja grisea</i>		\$325,786	\$0	\$325,786
		Ko'oloa'ula	<i>Abutilon menziesii</i>		\$7,819	\$0	\$7,819
		Kuahiwi laukahi	<i>Plantago hawaiensis</i>		\$7,119	\$0	\$7,119
		Kulu'i	<i>Nototrichium humile</i>		\$7,119	\$0	\$7,119
		Larkspur, San Clemente Island	<i>Delphinium variegatum ssp. kinkiense</i>		\$249,786	\$0	\$249,786

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Lau `ehu	<i>Panicum niihauense</i>		\$48,435	\$0	\$48,435
		Lotus, San Clemente Island	<i>Acmispon dendroideus var. traskiae</i> (= <i>Lotus d.</i> ssp. <i>traskiae</i>)		\$320,730	\$0	\$320,730
		Mahoe	<i>Alectryon macrococcus</i>		\$7,119	\$0	\$7,119
		Mehamehame	<i>Flueggea neowawraea</i>		\$7,119	\$0	\$7,119
		Nehe	<i>Lipochaeta waimeaensis</i>		\$7,119	\$0	\$7,119
		No common name	<i>Abutilon sandwicense</i>		\$7,119	\$0	\$7,119
		No common name	<i>Bonamia menziesii</i>		\$7,119	\$0	\$7,119
		No common name	<i>Kadua parvula</i>		\$7,119	\$0	\$7,119
		No common name	<i>Lobelia niihauensis</i>		\$7,119	\$0	\$7,119
		No common name	<i>Neraudia angulata</i>		\$7,119	\$0	\$7,119
		No common name	<i>Schiedea hookeri</i>		\$7,119	\$0	\$7,119
		No common name	<i>Spermolepis hawaiiensis</i>		\$27,054	\$0	\$27,054
		No common name	<i>Tetramolopium filiforme</i>		\$7,119	\$0	\$7,119
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$4,687	\$0	\$4,687
		Pamakani	<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>		\$7,119	\$0	\$7,119
		Piperia, Yadon's	<i>Piperia yadonii</i>		\$17,810	\$0	\$17,810
		Pu`uka`a	<i>Cyperus trachysanthos</i>		\$7,119	\$0	\$7,119
		Rockcress, Santa Cruz Island	<i>Sibara filifolia</i>		\$225,786	\$0	\$225,786
		Woodland-star, San Clemente Island	<i>Lithophragma maximum</i>		\$225,786	\$0	\$225,786
		`Akoko	<i>Chamaesyce kuwaleana</i>		\$7,119	\$0	\$7,119
		`Anaunau	<i>Lepidium arbuscula</i>		\$7,119	\$0	\$7,119
	Flowering Plants subtotal				\$2,216,485	\$0	\$2,216,485
	Ferns and Allies	Ihi`ahi	<i>Marsilea villosa</i>		\$7,119	\$0	\$7,119
		No common name	<i>Diellia unisora</i>		\$7,119	\$0	\$7,119
	Ferns and Allies subtotal				\$14,238	\$0	\$14,238

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic subtotal					\$25,412,255	\$0	\$25,412,255
Foriegn	Mammals	Hutia, Cabrera's	<i>Capromys angelcabrerai</i>	Cuba	\$37,777	\$0	\$37,777
	Mammals subtotal				\$37,777	\$0	\$37,777
	Reptiles	Iguana, Cuban ground	<i>Cyclura nubila nubila</i>	Entire	\$26,480	\$0	\$26,480
		Sea turtle, loggerhead	<i>Caretta caretta</i>	Northeast Atlantic Ocean DPS	\$10,000	\$0	\$10,000
	Reptiles subtotal				\$36,480	\$0	\$36,480
Foriegn subtotal					\$74,257	\$0	\$74,257
Domestic	Multi-Species				\$859,281	\$0	\$859,281
Grand Total					\$26,345,793	\$0	\$26,345,793

DOD Army Corps of Engineers – FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$36,583	\$0	\$36,583
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	Entire	\$3,960	\$0	\$3,960
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$560,676	\$0	\$560,676
		Bat, lesser long-nosed	<i>Leptonycteris curasoae</i> <i>yerbabuena</i>	Entire	\$2,306	\$0	\$2,306
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	Entire	\$1,352	\$0	\$1,352
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$5,037	\$0	\$5,037
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>	Entire	\$150,532	\$0	\$150,532
		Bear, polar	<i>Ursus maritimus</i>	Entire	\$82,500	\$0	\$82,500
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mts. Pop.	\$2,037	\$0	\$2,037
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$2,037	\$0	\$2,037
		Deer, key	<i>Odocoileus virginianus clavium</i>	Entire	\$372	\$0	\$372
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$11,200	\$0	\$11,200
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	CA	\$29,886	\$0	\$29,886
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	TX; Mexico	\$4,604	\$0	\$4,604
		Kangaroo rat, Fresno	<i>Dipodomys nitratoides exilis</i>	Entire	\$863	\$0	\$863
		Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>	Entire	\$90,905	\$0	\$90,905
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	Entire	\$4,863	\$0	\$4,863
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$87,348	\$0	\$87,348

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$469,134	\$0	\$469,134
		Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	Entire	\$4,922	\$0	\$4,922
		Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>	Entire	\$868	\$0	\$868
		Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>	Entire	\$384	\$0	\$384
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	Entire	\$8,307	\$0	\$8,307
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$10,009	\$0	\$10,009
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	CA	\$276,000	\$0	\$276,000
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	FL	\$248	\$0	\$248
		Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>	FL	\$248	\$0	\$248
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	AZ, TX, to Central and South America	\$4,604	\$0	\$4,604
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	SW Alaska DPS	\$171,900	\$0	\$171,900
		Otter, southern sea	<i>Enhydra lutris nereis</i>		\$6,360	\$0	\$6,360
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$38,690	\$0	\$38,690
		Prairie dog, Utah	<i>Cynomys parvidens</i>	UT	\$1,600	\$0	\$1,600
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>	FL	\$372	\$0	\$372
		Rabbit, Pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$25,188	\$0	\$25,188
		Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	CA	\$63	\$0	\$63
		Rice rat	<i>Oryzomys palustris natator</i>	lower FL Keys	\$744	\$0	\$744
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	Eastern DPS	\$77,908	\$0	\$77,908
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	Western DPS	\$71,500	\$0	\$71,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	Entire	\$21,860	\$0	\$21,860
		Shrew, Buena Vista Lake ornate	<i>Sorex ornatus relictus</i>	Entire	\$800	\$0	\$800
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	Entire	\$1,330	\$0	\$1,330
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	Entire	\$1,690	\$0	\$1,690
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$85,000	\$0	\$85,000
		Whale, blue	<i>Balaenoptera musculus</i>	Entire	\$2,837	\$0	\$2,837
		Whale, bowhead	<i>Balaena mysticetus</i>	Entire	\$1,300	\$0	\$1,300
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$5,176	\$0	\$5,176
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$30,743	\$0	\$30,743
		Whale, killer	<i>Orcinus orca</i>	So. Resident DPS	\$8,931	\$0	\$8,931
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Entire	\$205,357	\$0	\$205,357
		Whale, Sei	<i>Balaenoptera borealis</i>	Entire	\$3,296	\$0	\$3,296
		Whale, Southern Right	<i>Eubalaena australis</i>	Entire	\$239	\$0	\$239
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	Entire	\$6,101	\$0	\$6,101
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$35,006	\$0	\$35,006

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	Entire	\$868	\$0	\$868
		Woodrat, riparian (=San Joaquin Valley)	<i>Neotoma fuscipes riparia</i>	Entire	\$63	\$0	\$63
	Mammals subtotal				\$2,656,707	\$0	\$2,656,707
	Birds	Albatross, short-tailed	<i>Phoebastria (=Diomedea) albaturus</i>	Entire	\$2,037	\$0	\$2,037
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$114,579	\$0	\$114,579
		Condor, California	<i>Gymnogyps californianus</i>	portions of AZ, NV, UT	\$1,942	\$0	\$1,942
		Coot, Hawaiian	<i>Fulica americana alai</i>	Entire	\$46,326	\$0	\$46,326
		Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	Entire	\$2,559	\$0	\$2,559
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, and western WY	\$27,100	\$0	\$27,100
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$19,404	\$0	\$19,404
		Curlew, Eskimo	<i>Numenius borealis</i>	Entire	\$4,728	\$0	\$4,728
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	Entire	\$13,280	\$0	\$13,280
		Eider, spectacled	<i>Somateria fischeri</i>	Entire	\$71,600	\$0	\$71,600
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$80,350	\$0	\$80,350
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	AZ, NM	\$2,806	\$0	\$2,806
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$7,668,176	\$0	\$7,668,176
		Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	Entire	\$63,209	\$0	\$63,209
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	Entire	\$880	\$0	\$880
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$104,496	\$0	\$104,496

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	Entire	\$13,280	\$0	\$13,280
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$14,798	\$0	\$14,798
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$3,406	\$0	\$3,406
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$7,353	\$0	\$7,353
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	Entire	\$4,400	\$0	\$4,400
		Pigeon, Puerto Rican plain	<i>Columba inornata wetmorei</i>	Entire	\$248	\$0	\$248
		Plover, piping	<i>Charadrius melanotos</i>	Great Lakes watershed	\$74,418	\$0	\$74,418
		Plover, piping	<i>Charadrius melanotos</i>	except Great Lakes watershed	\$5,265,459	\$0	\$5,265,459
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$145,658	\$0	\$145,658
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	Entire	\$4,728	\$0	\$4,728
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>	Entire	\$124,568	\$0	\$124,568
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$33,487	\$0	\$33,487
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$2,104	\$0	\$2,104
		Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Entire	\$2,233	\$0	\$2,233
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>	Entire	\$3,960	\$0	\$3,960
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	Entire	\$744	\$0	\$744
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	Entire	\$993	\$0	\$993
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$15,280	\$0	\$15,280

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, MS, NC, SC	\$104,487	\$0	\$104,487
		Tern, California least	<i>Sterna antillarum browni</i>		\$120,215	\$0	\$120,215
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$4,467,906	\$0	\$4,467,906
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$744	\$0	\$744
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$70,860	\$0	\$70,860
		Vireo, black-capped	<i>Vireo atricapilla</i>	Entire	\$1,600	\$0	\$1,600
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>	Entire	\$2,229,661	\$0	\$2,229,661
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	Entire	\$14,018	\$0	\$14,018
		Warbler, Kirtland's	<i>Setophaga kirtlandii</i> (= <i>Dendroica kirtlandii</i>)	Entire	\$9,933	\$0	\$9,933
		Woodpecker, red- cockaded	<i>Picoides borealis</i>	Entire	\$1,058,791	\$0	\$1,058,791
	Birds subtotal				\$22,018,804	\$0	\$22,018,804
	Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	Entire	\$4,735	\$0	\$4,735
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$14,516	\$0	\$14,516
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	Entire	\$2,523	\$0	\$2,523
		Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>	Entire	\$1,335	\$0	\$1,335
		Plymouth Red- Bellied Turtle	<i>Pseudemys rubriventris</i> <i>bangsi</i>	Entire	\$1,793	\$0	\$1,793
		Sea turtle, green	<i>Chelonia mydas</i>	Except where endangered	\$67,836	\$0	\$67,836
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$367,755	\$0	\$367,755
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$433,643	\$0	\$433,643
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$446,916	\$0	\$446,916
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$321,696	\$0	\$321,696

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sea turtle, loggerhead	<i>Caretta caretta</i>	Northwest Atlantic Ocean DPS	\$496,875	\$0	\$496,875
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Except where endangered	\$24,304	\$0	\$24,304
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Mexican nesting pop.	\$2,037	\$0	\$2,037
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>	Entire	\$1,737	\$0	\$1,737
		Skink, sand	<i>Neoseps reynoldsi</i>	Entire	\$2,357	\$0	\$2,357
		Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>	Entire	\$620	\$0	\$620
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	IN, MI, OH	\$442	\$0	\$442
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$132,975	\$0	\$132,975
		Snake, giant garter	<i>Thamnophis gigas</i>	Entire	\$131,224	\$0	\$131,224
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	Entire	\$17,500	\$0	\$17,500
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$24,541	\$0	\$24,541
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$3,560	\$0	\$3,560
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/Tombigbee Rs.	\$147,644	\$0	\$147,644
		Turtle, Alabama red-belly	<i>Pseudemys alabamensis</i>	Entire	\$21,721	\$0	\$21,721
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$18,473	\$0	\$18,473
		Turtle, flattened musk	<i>Sternotherus depressus</i>		\$3,586	\$0	\$3,586
		Turtle, ringed map	<i>Graptemys oculifera</i>	Entire	\$400	\$0	\$400
		Turtle, yellow-blotched map	<i>Graptemys flavimaculata</i>	Entire	\$2,093	\$0	\$2,093
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>	Entire	\$38,300	\$0	\$38,300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Reptiles subtotal				\$2,733,137	\$0	\$2,733,137
	Amphibians	Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$325,878	\$0	\$325,878
		Frog, dusky gopher	<i>Rana sevosa</i>	Entire	\$66,812	\$0	\$66,812
		Hellbender, Ozark	<i>Cryptobranchus alleganiensis bishopi</i>	Entire	\$4,984	\$0	\$4,984
		Salamander, Barton Springs	<i>Eurycea sosorum</i>	Entire	\$500	\$0	\$500
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$123,669	\$0	\$123,669
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	Entire	\$7,271	\$0	\$7,271
		Salamander, Red Hills	<i>Phaeognathus hubrichti</i>	Entire	\$901	\$0	\$901
		Salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>	Entire	\$1,752	\$0	\$1,752
		Salamander, San Marcos	<i>Eurycea nana</i>	Entire	\$1,200	\$0	\$1,200
		Salamander, Texas blind	<i>Typhlomolge rathbuni</i>	Entire	\$400	\$0	\$400
		Toad, arroyo (=arroyo southwestern)	<i>Anaxyrus californicus</i>	Entire	\$9,578	\$0	\$9,578
		Toad, Houston	<i>Bufo houstonensis</i>	Entire	\$1,400	\$0	\$1,400
	Amphibians subtotal				\$544,345	\$0	\$544,345
	Fishes	Bocaccio	<i>Sebastodes paucispinis</i>	Puget Sound - Georgia Basin DPS	\$1,945	\$0	\$1,945
		Chub, bonytail	<i>Gila elegans</i>	Entire	\$14,403	\$0	\$14,403
		Chub, Gila	<i>Gila intermedia</i>	Entire	\$890	\$0	\$890
		Chub, humpback	<i>Gila cypha</i>	Entire	\$12,450	\$0	\$12,450
		Chub, Oregon	<i>Oregonichthys crameri</i>	Entire	\$1,300	\$0	\$1,300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Chub, Pahranagat roundtail	<i>Gila robusta jordani</i>	Entire	\$800	\$0	\$800
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$4,030	\$0	\$4,030
		Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	Entire	\$6,400	\$0	\$6,400
		Dace, blackside	<i>Phoxinus cumberlandensis</i>	Entire	\$40	\$0	\$40
		Dace, Laurel	<i>Chrosomus saylori</i>	Entire	\$40	\$0	\$40
		Darter, amber	<i>Percina antesella</i>	Entire	\$1,300	\$0	\$1,300
		Darter, bluemask (=jewel)	<i>Etheostoma sp.</i>	Entire	\$40	\$0	\$40
		Darter, Cherokee	<i>Etheostoma scotti</i>	Entire	\$3,488	\$0	\$3,488
		Darter, Cumberland	<i>Etheostoma susanae</i>	Entire	\$40	\$0	\$40
		Darter, duskytail	<i>Etheostoma percnurum</i>	Entire	\$40	\$0	\$40
		Darter, Etowah	<i>Etheostoma etowahae</i>	Entire	\$1,900	\$0	\$1,900
		Darter, fountain	<i>Etheostoma fonticola</i>	Entire	\$3,000	\$0	\$3,000
		Darter, goldline	<i>Percina aurolineata</i>	Entire	\$1,286	\$0	\$1,286
		Darter, leopard	<i>Percina pantherina</i>	Entire	\$995	\$0	\$995
		Darter, Niangua	<i>Etheostoma nianguae</i>	Entire	\$7,084	\$0	\$7,084
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>	Entire	\$248	\$0	\$248
		Darter, rush	<i>Etheostoma phytophilum</i>	Entire	\$1,335	\$0	\$1,335
		Darter, snail	<i>Percina tanasi</i>	Entire	\$3,366	\$0	\$3,366
		Darter, vermillion	<i>Etheostoma chermocki</i>	Entire	\$1,295	\$0	\$1,295
		Darter, watercress	<i>Etheostoma nuchale</i>	Entire	\$398	\$0	\$398
		Darter, yellowcheek	<i>Etheostoma moorei</i>	Entire	\$40	\$0	\$40
		Eulachon, Pacific	<i>Thaleichthys pacificus</i>	Southern DPS	\$164,633	\$0	\$164,633
		Gambusia, San Marcos	<i>Gambusia georgei</i>	Entire	\$1,600	\$0	\$1,600
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$35,129	\$0	\$35,129
		Logperch, Conasauga	<i>Percina jenkinsi</i>	Entire	\$588	\$0	\$588
		Logperch, Roanoke	<i>Percina rex</i>	Entire	\$257,491	\$0	\$257,491
		Madtom, chucky	<i>Noturus crypticus</i>	Entire	\$40	\$0	\$40
		Madtom, Neosho	<i>Noturus placidus</i>	Entire	\$13,578	\$0	\$13,578
		Minnow, Devils River	<i>Dionda diaboli</i>	Entire	\$400	\$0	\$400

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Minnow, loach	<i>Tiaroga cobitis</i>	Entire	\$2,132	\$0	\$2,132
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Rio Grande, from Little Box Canyon to Amistad Dam	\$5,787,904	\$0	\$5,787,904
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Entire, except EXPN	\$13,250	\$0	\$13,250
		Pupfish, desert	<i>Cyprinodon macularius</i>	Entire	\$4,005	\$0	\$4,005
		Rockfish, Canary	<i>Sebastes pinniger</i>	Puget Sound - Georgia Basin DPS	\$2,037	\$0	\$2,037
		Rockfish, Yelloweye	<i>Sebastes ruberrimus</i>	Puget Sound - Georgia Basin DPS	\$2,037	\$0	\$2,037
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine DPS	\$411,800	\$0	\$411,800
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	California Coastal ESU	\$48,474	\$0	\$48,474
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$1,859,191	\$0	\$1,859,191
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$10,667,136	\$0	\$10,667,136
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$263,557	\$0	\$263,557
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento River winter-run ESU	\$1,287,111	\$0	\$1,287,111
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$17,931,641	\$0	\$17,931,641
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/summer-run ESU	\$13,437,361	\$0	\$13,437,361
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$10,096,693	\$0	\$10,096,693
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$18,260,246	\$0	\$18,260,246

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia River ESU	\$6,098,906	\$0	\$6,098,906
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Hood Canal summer-run ESU	\$4,089	\$0	\$4,089
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Central California Coast ESU	\$3,194,815	\$0	\$3,194,815
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$25,302	\$0	\$25,302
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Oregon Coast ESU	\$39,650	\$0	\$39,650
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Southern Oregon - Northern California Coast ESU	\$144,555	\$0	\$144,555
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Ozette Lake ESU	\$2,037	\$0	\$2,037
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River ESU	\$14,291,584	\$0	\$14,291,584
		Sawfish, smalltooth	<i>Pristis pectinata</i>	United States DPS	\$247,710	\$0	\$247,710
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$1,331	\$0	\$1,331
		Shiner, blue	<i>Cyprinella caerulea</i>	Entire	\$66	\$0	\$66
		Shiner, Cahaba	<i>Notropis cahabae</i>	Entire	\$298	\$0	\$298
		Shiner, Cape Fear	<i>Notropis mekistocholas</i>	Entire	\$2,800	\$0	\$2,800
		Shiner, palezone	<i>Notropis albizonatus</i>	Entire	\$40	\$0	\$40
		Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	Entire	\$19,000	\$0	\$19,000
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	Entire	\$120,105	\$0	\$120,105
		Smelt, delta	<i>Hypomesus transpacificus</i>	Entire	\$586,391	\$0	\$586,391
		Spikedace	<i>Meda fulgida</i>	Entire	\$2,132	\$0	\$2,132
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	California Central Valley DPS	\$1,885,674	\$0	\$1,885,674
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central California Coast DPS	\$1,286,735	\$0	\$1,286,735

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Lower Columbia River DPS	\$477,497	\$0	\$477,497
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Middle Columbia River DPS	\$10,097,583	\$0	\$10,097,583
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Northern California DPS	\$313,853	\$0	\$313,853
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$121,800	\$0	\$121,800
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake River Basin DPS	\$13,148,858	\$0	\$13,148,858
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	South-Central California Coast DPS	\$28,133	\$0	\$28,133
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Southern California DPS	\$45,173	\$0	\$45,173
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Columbia River DPS	\$11,686,790	\$0	\$11,686,790
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Willamette River DPS	\$12,815,246	\$0	\$12,815,246
		Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>	Entire	\$177	\$0	\$177
		Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>		\$2,155	\$0	\$2,155
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus</i>	Entire	\$263,128	\$0	\$263,128
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>	Gulf of Maine DPS	\$2,248,191	\$0	\$2,248,191
		Sturgeon, Green	<i>Acipenser medirostris</i>	Southern DPS	\$1,385,026	\$0	\$1,385,026
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$48,718,484	\$0	\$48,718,484
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$1,628,115	\$0	\$1,628,115
		Sturgeon, white	<i>Acipenser transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$10,345	\$0	\$10,345
		Sucker, June	<i>Chasmistes liorus</i>	Entire	\$1,600	\$0	\$1,600
		Sucker, Modoc	<i>Catostomus micros</i>	Entire	\$800	\$0	\$800
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$15,556	\$0	\$15,556
		Sucker, Santa Ana	<i>Catostomus santaanae</i>	3 CA river basins	\$270,480	\$0	\$270,480

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$24,266	\$0	\$24,266
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$979,656	\$0	\$979,656
		Trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>	Entire	\$1,400	\$0	\$1,400
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii henshawi</i>	Entire	\$10,125	\$0	\$10,125
		Woundfin	<i>Plagopterus argentissimus</i>	Except EXPN	\$6,400	\$0	\$6,400
	Fishes subtotal				\$212,870,244	\$0	\$212,870,244
	Clams	Acornshell, southern	<i>Epioblasma othcaloogensis</i>		\$3,264	\$0	\$3,264
		Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>		\$49,119	\$0	\$49,119
		Bean, Choctaw	<i>Villosa choctawensis</i>		\$595	\$0	\$595
		Bean, Cumberland (pearlymussel)	<i>Villosa trabalis</i>	Except EXPN	\$2,197	\$0	\$2,197
		Bean, rayed	<i>Villosa fabalis</i>		\$5,520	\$0	\$5,520
		Blossom, tubercled (pearlymussel)	<i>Epioblasma torulosa torulosa</i>	Except EXPN	\$40	\$0	\$40
		Blossom, yellow (pearlymussel)	<i>Epioblasma florentina florentina</i>	Except EXPN	\$40	\$0	\$40
		Catspaw, white (pearlymussel)	<i>Epioblasma obliquata perobliqua</i>	Entire	\$42,884	\$0	\$42,884
		Clubshell	<i>Pleurobema clava</i>	Except EXPN	\$7,781	\$0	\$7,781
		Clubshell, ovate	<i>Pleurobema perovatum</i>		\$23,044	\$0	\$23,044
		Clubshell, southern	<i>Pleurobema decisum</i>		\$2,196	\$0	\$2,196
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Except EXPN	\$3,014	\$0	\$3,014
		Combshell, southern	<i>Epioblasma penita</i>	Entire	\$654	\$0	\$654
		Combshell, upland	<i>Epioblasma metastriata</i>		\$1,132	\$0	\$1,132
		Ebonyshell, round	<i>Fusconaia rotulata</i>		\$347	\$0	\$347
		Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	Entire	\$10,750	\$0	\$10,750
		Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>		\$2,197	\$0	\$2,197

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Fanshell	<i>Cyprogenia stegaria</i>		\$35,357	\$0	\$35,357
		Fatmucket, Arkansas	<i>Lampsilis powellii</i>	Entire	\$270	\$0	\$270
		Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>	Entire	\$7,674	\$0	\$7,674
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>	Entire	\$27,460	\$0	\$27,460
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	Entire	\$260,441	\$0	\$260,441
		Kidneyshell, triangular	<i>Ptychobranchus greenii</i>		\$1,201	\$0	\$1,201
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Except EXPN	\$164,540	\$0	\$164,540
		Moccasinshell, Alabama	<i>Medionidus acutissimus</i>		\$588	\$0	\$588
		Moccasinshell, Coosa	<i>Medionidus parvulus</i>		\$66	\$0	\$66
		Moccasinshell, Gulf	<i>Medionidus penicillatus</i>		\$272	\$0	\$272
		Monkeyface, Appalachian (pearlymussel)	<i>Quadrula sparsa</i>		\$40	\$0	\$40
		Mucket, orangenacre	<i>Lampsilis perovalis</i>		\$886	\$0	\$886
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Entire	\$238,254	\$0	\$238,254
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Except EXPN	\$857	\$0	\$857
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$10,351	\$0	\$10,351
		Mussel, sheepnose	<i>Plethobasus cyphyus</i>		\$66,540	\$0	\$66,540
		Mussel, snuffbox	<i>Epioblasma triquetra</i>		\$8,079	\$0	\$8,079
		Pearlshell, Alabama	<i>Margaritifera marrianae</i>		\$935	\$0	\$935
		Pearlymussel, cracking	<i>Hemistena lata</i>	Except EXPN	\$857	\$0	\$857
		Pearlymussel, dromedary	<i>Dromus dromas</i>	Except EXPN	\$1,357	\$0	\$1,357
		Pearlymussel, littlewing	<i>Pegias fabula</i>	Entire	\$2,197	\$0	\$2,197
		Pigtoe, Cumberland	<i>Pleurobema gibberum</i>	Entire	\$40	\$0	\$40
		Pigtoe, fuzzy	<i>Pleurobema strodeanum</i>		\$1,092	\$0	\$1,092

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pigtoe, Georgia	<i>Pleurobema hanleyianum</i>		\$66	\$0	\$66
		Pigtoe, heavy	<i>Pleurobema taitianum</i>	Entire	\$739	\$0	\$739
		Pigtoe, narrow	<i>Fusconaia escambia</i>		\$719	\$0	\$719
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$768	\$0	\$768
		Pigtoe, rough	<i>Pleurobema plenum</i>		\$2,606	\$0	\$2,606
		Pigtoe, southern	<i>Pleurobema georgianum</i>		\$1,740	\$0	\$1,740
		Pigtoe, tapered	<i>Fusconaia burkei</i>		\$496	\$0	\$496
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>		\$145,106	\$0	\$145,106
		Pocketbook, fat	<i>Potamilus capax</i>	Entire	\$103,990	\$0	\$103,990
		Pocketbook, finelined	<i>Lampsilis altilis</i>		\$1,132	\$0	\$1,132
		Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	Entire	\$4,580	\$0	\$4,580
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$644	\$0	\$644
		Purple Cat's paw (=Purple Cat's paw pearlymussel)	<i>Epioblasma obliquata</i> <i>obliquata</i>	Except EXPN	\$40	\$0	\$40
		Riffleshell, northern	<i>Epioblasma torulosa</i> <i>rangiana</i>	Entire	\$36,769	\$0	\$36,769
		Riffleshell, tan	<i>Epioblasma florentina</i> <i>walkeri</i> (=E. walkeri)	Entire	\$2,197	\$0	\$2,197
		Ring pink (mussel)	<i>Obovaria retusa</i>		\$8,857	\$0	\$8,857
		Sandshell, Southern	<i>Hamiota australis</i>		\$1,266	\$0	\$1,266
		Slabshell, Chipola	<i>Elliptio chipolaensis</i>		\$49,060	\$0	\$49,060
		Spectaclecase (mussel)	<i>Cumberlandia monodonta</i>		\$11,885	\$0	\$11,885
		Spiny mussel, James	<i>Pleurobema collina</i>	Entire	\$1,330	\$0	\$1,330
		Spiny mussel, Tar River	<i>Elliptio steinstansana</i>	Entire	\$2,660	\$0	\$2,660
		Three-ridge, fat (mussel)	<i>Amblema neislerii</i>		\$48,077	\$0	\$48,077

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>		\$48,857	\$0	\$48,857
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	Entire	\$6,990	\$0	\$6,990
	Clams subtotal				\$1,464,702	\$0	\$1,464,702
	Snails	Abalone, Black	<i>Haliotis cracherodii</i>		\$2,306	\$0	\$2,306
		Cavesnail, Tumbling Creek	<i>Antronia culveri</i>		\$4,100	\$0	\$4,100
		Limpet, Banbury Springs	<i>Lanx sp.</i>	Entire	\$2,315	\$0	\$2,315
		Lioplax, cylindrical (snail)	<i>Lioplax cyclostomaformis</i>	Entire	\$298	\$0	\$298
		Riversnail, Anthony's	<i>Atheurnia anthonyi</i>	Except EXPN	\$817	\$0	\$817
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	Entire	\$11,283	\$0	\$11,283
		Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>	Entire	\$442	\$0	\$442
		Snail, Snake River physa	<i>Physa natricina</i>	Entire	\$7,081	\$0	\$7,081
		Snail, Stock Island tree	<i>Orthalicus reses (not incl. nesodryas)</i>	Entire	\$868	\$0	\$868
		Snail, tulotoma	<i>Tulotoma magnifica</i>	Entire	\$654	\$0	\$654
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	Entire	\$3,702	\$0	\$3,702
	Snails subtotal				\$33,866	\$0	\$33,866
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$4,054	\$0	\$4,054
		Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>		\$800	\$0	\$800
		Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>		\$800	\$0	\$800
		Beetle, Helotes mold	<i>Batrisodes venyivi</i>		\$200	\$0	\$200
		Beetle, Kretschmarr Cave mold	<i>Texamaurops reddelli</i>	Entire	\$200	\$0	\$200
		Beetle, Tooth Cave ground	<i>Rhadine persephone</i>	Entire	\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Entire	\$222,167	\$0	\$222,167
		Butterfly, bay checkerspot	<i>Euphydryas editha bayensis</i>	Entire	\$5,000	\$0	\$5,000
		Butterfly, callippe silverspot	<i>Speyeria callippe callippe</i>	Entire	\$5,000	\$0	\$5,000
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$60,500	\$0	\$60,500
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	Entire	\$1,242	\$0	\$1,242
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	Entire	\$442	\$0	\$442
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	Entire	\$2,037	\$0	\$2,037
		Butterfly, Quino checkerspot (=E. e. wrighti)	<i>Euphydryas editha quino</i>	Entire	\$2,326	\$0	\$2,326
		Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>	Entire	\$620	\$0	\$620
		Butterfly, Smith's blue	<i>Euphilotes enoptes smithi</i>	Entire	\$5,000	\$0	\$5,000
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$800	\$0	\$800
		Moth, Blackburn's sphinx	<i>Manduca blackburni</i>		\$440	\$0	\$440
		Tiger beetle, Northeastern beach	<i>Cicindela dorsalis dorsalis</i>	Entire	\$19,400	\$0	\$19,400
		Tiger beetle, Puritan	<i>Cicindela puritana</i>	Entire	\$330	\$0	\$330
		Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>	Entire	\$1,000	\$0	\$1,000
	Insects subtotal				\$332,558	\$0	\$332,558
	Arachnids	Harvestman, Bee Creek Cave	<i>Texella reddelli</i>	Entire	\$200	\$0	\$200
		Harvestman, Cokendolpher Cave	<i>Texella cokendolpheri</i>		\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Meshweaver, Braken Bat Cave	<i>Cicurina venii</i>		\$200	\$0	\$200
		Meshweaver, Government Canyon Bat Cave	<i>Cicurina vespера</i>		\$200	\$0	\$200
		Meshweaver, Madla's Cave	<i>Cicurina madla</i>		\$200	\$0	\$200
		Meshweaver, Robber Baron Cave	<i>Cicurina baronia</i>		\$200	\$0	\$200
		Spider, Government Canyon Bat Cave	<i>Neoleptoneta microps</i>		\$400	\$0	\$400
		Spider, Tooth Cave	<i>Leptoneta myopica</i>	Entire	\$200	\$0	\$200
	Arachnids subtotal				\$1,800	\$0	\$1,800
	Crustaceans	Amphipod, Peck's cave	<i>Stygbromus</i> <i>(=Stygonectes) pecki</i>		\$1,800	\$0	\$1,800
		Crayfish, Nashville	<i>Orconectes shoupi</i>	Entire	\$40	\$0	\$40
		Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	Entire	\$24,197	\$0	\$24,197
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>	Entire	\$11,600	\$0	\$11,600
		Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>	Entire	\$1,719	\$0	\$1,719
		Fairy shrimp, San Diego	<i>Branchinecta</i> <i>sandiegonensis</i>		\$2,387	\$0	\$2,387
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	Entire	\$63,761	\$0	\$63,761
		Shrimp, California freshwater	<i>Syncaris pacifica</i>	Entire	\$5,000	\$0	\$5,000
		Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>	Entire	\$600	\$0	\$600
		Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>	Entire	\$56,144	\$0	\$56,144
	Crustaceans subtotal				\$167,248	\$0	\$167,248

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$22,132	\$0	\$22,132
		Coral, staghorn	<i>Acropora cervicornis</i>		\$17,651	\$0	\$17,651
	Corals subtotal				\$39,783	\$0	\$39,783
	Flowering Plants	Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$231,635	\$0	\$231,635
		Ambrosia, San Diego	<i>Ambrosia pumila</i>		\$534	\$0	\$534
		Amphianthus, little	<i>Amphianthus pusillus</i>		\$3,100	\$0	\$3,100
		Arrowhead, bunched	<i>Sagittaria fasciculata</i>		\$2,610	\$0	\$2,610
		Aster, decurrent false	<i>Boltonia decurrens</i>		\$98,285	\$0	\$98,285
		Barberry, Nevin's	<i>Berberis nevinii</i>		\$622	\$0	\$622
		Bird's beak, palmate-bracted	<i>Cordylanthus palatus</i>		\$800	\$0	\$800
		Bird's-beak, salt marsh	<i>Cordylanthus maritimus ssp. maritimus</i>		\$10,000	\$0	\$10,000
		Bird's-beak, soft	<i>Cordylanthus mollis ssp. mollis</i>		\$10,000	\$0	\$10,000
		Bladderpod, Missouri	<i>Physaria filiformis</i>		\$2,800	\$0	\$2,800
		Bladderpod, Spring Creek	<i>Lesquerella perforata</i>		\$40	\$0	\$40
		Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>		\$864	\$0	\$864
		Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>		\$422	\$0	\$422
		Button, Mohr's Barbara	<i>Marshallia mohrii</i>		\$3,100	\$0	\$3,100
		Button-celery, San Diego	<i>Eryngium aristulatum var. parishii</i>		\$668	\$0	\$668
		Cactus, Bakersfield	<i>Opuntia treleasei</i>		\$800	\$0	\$800
		Cactus, Key tree	<i>Pilosocereus robinii</i>		\$868	\$0	\$868
		Cactus, Siler pincushion	<i>Pediocactus (=Echinocactus,=Utahia) sileri</i>		\$800	\$0	\$800
		Cactus, Tobusch fishhook	<i>Sclerocactus brevihamatus ssp. tobuschii</i>		\$1,200	\$0	\$1,200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Campion, fringed	<i>Silene polypetala</i>		\$2,244	\$0	\$2,244
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$25,188	\$0	\$25,188
		Ceanothus, coyote	<i>Ceanothus ferrisiae</i>		\$5,000	\$0	\$5,000
		Chaffseed, American	<i>Schwalbea americana</i>		\$883	\$0	\$883
		Checker-mallow, Keck's	<i>Sidalcea keckii</i>		\$189	\$0	\$189
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$2,837	\$0	\$2,837
		Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana var. calva</i>		\$2,037	\$0	\$2,037
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$400	\$0	\$400
		Daisy, Lakeside	<i>Hymenoxys herbacea</i>		\$1,586	\$0	\$1,586
		Daisy, Willamette	<i>Erigeron decumbens var. decumbens</i>		\$15,800	\$0	\$15,800
		Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>		\$100,519	\$0	\$100,519
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$21,737	\$0	\$21,737
		Dropwort, Canby's	<i>Oxypolis canbyi</i>		\$2,575	\$0	\$2,575
		Dudleya, Conejo	<i>Dudleya abramsii ssp. parva</i>		\$381	\$0	\$381
		Dudleya, Santa Clara Valley	<i>Dudleya setchellii</i>		\$5,000	\$0	\$5,000
		Dudleya, Verity's	<i>Dudleya verityi</i>		\$381	\$0	\$381
		Fiddleneck, large- flowered	<i>Amsinckia grandiflora</i>		\$800	\$0	\$800
		Goldenrod, Houghton's	<i>Solidago houghtonii</i>		\$442	\$0	\$442
		Goldfields, Burke's	<i>Lasthenia burkei</i>		\$17,500	\$0	\$17,500
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$1,690	\$0	\$1,690
		Gooseberry, Miccosukee	<i>Ribes echinellum</i>		\$496	\$0	\$496

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Gourd, Okeechobee	<i>Cucurbita okeechobeensis</i> <i>ssp. okeechobeensis</i>		\$2,500	\$0	\$2,500
		Grass, Colusa	<i>Neostapfia colusana</i>		\$1,281	\$0	\$1,281
		Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>		\$3,100	\$0	\$3,100
		Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>		\$40	\$0	\$40
		Harperella	<i>Ptilimnium nodosum</i>		\$245	\$0	\$245
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$6,545	\$0	\$6,545
		Howellia, water	<i>Howellia aquatilis</i>		\$3,037	\$0	\$3,037
		Irisette, white	<i>Sisyrinchium dichotomum</i>		\$2,660	\$0	\$2,660
		Jewelflower, California	<i>Caulanthus californicus</i>		\$800	\$0	\$800
		Jewelflower, Metcalf Canyon	<i>Streptanthus albidus</i> ssp. <i>albidus</i>		\$5,000	\$0	\$5,000
		Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>		\$900	\$0	\$900
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$66,065	\$0	\$66,065
		Leather flower, Alabama	<i>Clematis socialis</i>		\$3,100	\$0	\$3,100
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$16,960	\$0	\$16,960
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> ssp. <i>kincaidii</i>		\$59,137	\$0	\$59,137
		Manzanita, Del Mar	<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>		\$334	\$0	\$334
		Manzanita, Ione	<i>Arctostaphylos myrtifolia</i>		\$63	\$0	\$63
		Meadowfoam, Butte County	<i>Limnanthes floccosa</i> ssp. <i>californica</i>		\$1,600	\$0	\$1,600
		Meadowfoam, Sebastopol	<i>Limnanthes vinculans</i>		\$20,000	\$0	\$20,000
		Meadow Rue, Cooley's	<i>Thalictrum cooleyi</i>		\$2,660	\$0	\$2,660
		Mesa-mint, San Diego	<i>Pogogyne abramsii</i>		\$668	\$0	\$668

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Milk-vetch, Braunton's	<i>Astragalus brauntonii</i>		\$1,328	\$0	\$1,328
		Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus</i> <i>var. coachellae</i>		\$1,335	\$0	\$1,335
		Milk-vetch, coastal dunes	<i>Astragalus tener var. titi</i>		\$5,000	\$0	\$5,000
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$3,020	\$0	\$3,020
		Monkey-flower, Michigan	<i>Mimulus michiganensis</i>		\$1,900	\$0	\$1,900
		Monkshood, northern wild	<i>Aconitum noveboracense</i>		\$442	\$0	\$442
		Navarretia, many- flowered	<i>Navarretia leucocephala</i> <i>ssp. plieantha</i>		\$10,000	\$0	\$10,000
		Navarretia, spreading	<i>Navarretia fossalis</i>		\$3,653	\$0	\$3,653
		No common name	<i>Geocarpon minimum</i>		\$5,000	\$0	\$5,000
		No common name	<i>Schoepfia arenaria</i>		\$400	\$0	\$400
		No common name	<i>Ternstroemia subsessilis</i>		\$400	\$0	\$400
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$7,469	\$0	\$7,469
		Orcutt grass, California	<i>Orcuttia californica</i>		\$690	\$0	\$690
		Orcutt grass, hairy	<i>Orcuttia pilosa</i>		\$132	\$0	\$132
		Orcutt grass, Sacramento	<i>Orcuttia viscosa</i>		\$19,200	\$0	\$19,200
		Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>		\$1,200	\$0	\$1,200
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$20,800	\$0	\$20,800
		Owl's-clover, fleshy	<i>Castilleja campestris ssp.</i> <i>succulenta</i>		\$2,150	\$0	\$2,150
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$2,037	\$0	\$2,037
		Pawpaw, Rugel's	<i>Deeringothamnus rugelii</i>		\$744	\$0	\$744
		Pentachaeta, Lyon's	<i>Pentachaeta lyonii</i>		\$381	\$0	\$381
		Phlox, Texas trailing	<i>Phlox nivalis ssp. texensis</i>		\$358,087	\$0	\$358,087
		Pinkroot, gentian	<i>Spigelia gentianoides</i>		\$560	\$0	\$560

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pitcher-plant, green	<i>Sarracenia oreophila</i>		\$40	\$0	\$40
		Pitcher-plant, mountain sweet	<i>Sarracenia rubra ssp. jonesii</i>		\$2,610	\$0	\$2,610
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$1,330	\$0	\$1,330
		Pondberry	<i>Lindera melissifolia</i>		\$1,330	\$0	\$1,330
		Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>		\$100	\$0	\$100
		Potato-bean, Price's	<i>Apios priceana</i>		\$628	\$0	\$628
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$840	\$0	\$840
		Pussypaws, Mariposa	<i>Calyptidium pulchellum</i>		\$1,600	\$0	\$1,600
		Rock-cress, Braun's	<i>Arabis perstellata</i>		\$40	\$0	\$40
		Rosemary, Cumberland	<i>Conradina verticillata</i>		\$40	\$0	\$40
		Roseroot, Leedy's	<i>Rhodiola integrifolia ssp. leedyi</i>		\$884	\$0	\$884
		Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>		\$100	\$0	\$100
		Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>		\$40	\$0	\$40
		Sandwort, Marsh	<i>Arenaria paludicola</i>		\$2,214	\$0	\$2,214
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$24,246	\$0	\$24,246
		Sedge, golden	<i>Carex lutea</i>		\$1,330	\$0	\$1,330
		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$3,100	\$0	\$3,100
		Skyrocket, Pagosa	<i>Ipomopsis polyantha</i>		\$800	\$0	\$800
		Spineflower, Monterey	<i>Chorizanthe pungens var. pungens</i>		\$5,000	\$0	\$5,000
		Spineflower, slender-horned	<i>Dodecahema leptoceras</i>		\$78,872	\$0	\$78,872
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$7,429	\$0	\$7,429
		Spurge, Hoover's	<i>Chamaesyce hooveri</i>		\$183	\$0	\$183
		Spurge, telephus	<i>Euphorbia telephiooides</i>		\$248	\$0	\$248
		Stickseed, showy	<i>Hackelia venusta</i>		\$2,037	\$0	\$2,037

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$4,680	\$0	\$4,680
		Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>		\$21,090	\$0	\$21,090
		Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>		\$2,452	\$0	\$2,452
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$5,560	\$0	\$5,560
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$6,600	\$0	\$6,600
		Sunshine, Sonoma	<i>Blennosperma bakeri</i>		\$17,500	\$0	\$17,500
		Tarplant, Otay	<i>Deinandra (=Hemizonia) conjugens</i>		\$769	\$0	\$769
		Thistle, La Graciosa	<i>Cirsium loncholepis</i>		\$767	\$0	\$767
		Thistle, Suisun	<i>Cirsium hydrophilum var. hydrophilum</i>		\$12,500	\$0	\$12,500
		Trillium, relict	<i>Trillium reliquum</i>		\$3,170	\$0	\$3,170
		Tuctoria, Greene's	<i>Tuctoria greenei</i>		\$1,935	\$0	\$1,935
		Water-plantain, Kral's	<i>Sagittaria secundifolia</i>		\$66	\$0	\$66
		Watercress, Gambel's	<i>Rorippa gambellii</i>		\$177	\$0	\$177
		Wild-rice, Texas	<i>Zizania texana</i>		\$2,200	\$0	\$2,200
		Woolly-star, Santa Ana River	<i>Eriastrum densifolium ssp. sanctorum</i>		\$81,826	\$0	\$81,826
		Wooly-threads, San Joaquin	<i>Monolopia (=Lembertia) congonii</i>		\$800	\$0	\$800
	Flowering Plants subtotal				\$1,516,589	\$0	\$1,516,589
	Ferns and Allies	Fern, American hart's-tongue	<i>Asplenium scolopendrium var. americanum</i>		\$442	\$0	\$442
		Quillwort, Louisiana	<i>Isoetes louisianensis</i>		\$41,826	\$0	\$41,826
	Ferns and Allies subtotal				\$42,268	\$0	\$42,268
	Multi-Species				\$996,079	\$0	\$996,079

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic subtotal					\$245,418,130	\$0	\$245,418,130
Grand Total					\$245,418,130	\$0	\$245,418,130

DOE Bonneville Power Administration -- FY2013

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Fishes	Chub, Oregon	<i>Oregonichthys crameri</i>	Entire	\$561,546	\$3,291,726	\$3,853,272
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$8,268,326	\$2,075,479	\$10,343,805
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$15,906,256	\$0	\$15,906,256
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/summer-run ESU	\$26,337,211	\$276,357	\$26,613,568
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$16,667,826	\$1,506,803	\$18,174,629
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$6,668,637	\$4,979,838	\$11,648,475
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia River ESU	\$3,356,810	\$0	\$3,356,810
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$4,902,088	\$0	\$4,902,088
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River ESU	\$7,172,413	\$7,471,651	\$14,644,064
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Lower Columbia River DPS	\$6,043,594	\$1,918,541	\$7,962,135
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Middle Columbia River DPS	\$36,776,156	\$6,792,547	\$43,568,703
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake River Basin DPS	\$30,546,610	\$277,614	\$30,824,224
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Columbia River DPS	\$18,912,141	\$72,077	\$18,984,218
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Willamette River DPS	\$3,489,386	\$4,979,995	\$8,469,381
		Sturgeon, white	<i>Acipenser transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$12,119,188	\$3,302,899	\$15,422,087
		Trout, bull	<i>Salvelinus confluentus</i>	Conterminous, lower 48 states	\$13,626,655	\$3,890,272	\$17,516,927

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii henshawi</i>	Entire	\$1,533,344	\$0	\$1,533,344
	Fishes subtotal				\$212,888,187	\$40,835,799	\$253,723,986
Grand Total					\$212,888,187	\$40,835,799	\$253,723,986

DOE Southwestern Power Administration -- FY2013

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$1,604	\$0	\$1,604
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$1,704	\$0	\$1,704
	Mammals subtotal				\$3,308	\$0	\$3,308
	Birds	Tern, least	<i>Sterna antillarum</i>	interior pop.	\$13,000	\$50,000	\$63,000
	Birds subtotal				\$13,000	\$50,000	\$63,000
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$7,166	\$0	\$7,166
	Insects subtotal				\$7,166	\$0	\$7,166
	Multi-Species				\$5,020	\$0	\$5,020
	Multi-Species subtotal				\$5,020	\$0	\$5,020
Domestic subtotal					\$28,494	\$50,000	\$78,494
Grand Total					\$28,494	\$50,000	\$78,494

DOE Western Area Power Administration -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$100	\$0	\$100
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	CA	\$27,800	\$0	\$27,800
		Kangaroo rat, giant	<i>Dipodomys ingens</i>	Entire	\$22,400	\$0	\$22,400
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$1,600	\$0	\$1,600
	Mammals subtotal				\$51,900	\$0	\$51,900
	Birds	Crane, whooping	<i>Grus americana</i>	except where EXPN	\$200	\$0	\$200
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$11,200	\$0	\$11,200
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$4,400	\$0	\$4,400
		Plover, piping	<i>Charadrius melanodus</i>	except Great Lakes watershed	\$100	\$0	\$100
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$100	\$0	\$100
	Birds subtotal				\$16,000	\$0	\$16,000
	Reptiles	Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	Entire	\$22,400	\$0	\$22,400
		Snake, giant garter	<i>Thamnophis gigas</i>	Entire	\$13,500	\$0	\$13,500
		Tortoise, desert	<i>Gopherus agassizii</i>	USA, except in Sonoran Desert	\$100,500	\$0	\$100,500
	Reptiles subtotal				\$136,400	\$0	\$136,400
	Amphibians	Frog, California red- legged	<i>Rana draytonii</i>	Entire	\$6,100	\$0	\$6,100
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara County	\$4,500	\$0	\$4,500
	Amphibians subtotal				\$10,600	\$0	\$10,600
	Fishes	Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$1,200	\$0	\$1,200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento River winter-run ESU	\$1,200	\$0	\$1,200
		Smelt, delta	<i>Hypomesus transpacificus</i>	Entire	\$4,400	\$0	\$4,400
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	California Central Valley DPS	\$1,200	\$0	\$1,200
		Sturgeon, green	<i>Acipenser medirostris</i>	Southern DPS	\$1,200	\$0	\$1,200
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$310,000	\$0	\$310,000
	Fishes subtotal				\$319,200	\$0	\$319,200
	Insects	Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Entire	\$149,400	\$0	\$149,400
	Insects subtotal				\$149,400	\$0	\$149,400
	Crustaceans	Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	Entire	\$800	\$0	\$800
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>	Entire	\$800	\$0	\$800
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	Entire	\$89,000	\$0	\$89,000
		Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>	Entire	\$62,700	\$0	\$62,700
	Crustaceans subtotal				\$153,300	\$0	\$153,300
	Flowering Plants	Beardtongue, Penland	<i>Penstemon penlandii</i>		\$19,300	\$0	\$19,300
		Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>		\$6,897	\$0	\$6,897
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$27,200	\$0	\$27,200
		Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>		\$82,000	\$0	\$82,000
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$800	\$0	\$800
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$5,600	\$0	\$5,600
		Meadowfoam, Butte County	<i>Limnanthes floccosa ssp. californica</i>		\$1,800	\$0	\$1,800
		Milk-vetch, Mancos	<i>Astragalus humillimus</i>		\$9,700	\$0	\$9,700

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Milkvetch, Osterhout	<i>Astragalus osterhoutii</i>		\$19,300	\$0	\$19,300
		Orcutt grass, hairy	<i>Orcuttia pilosa</i>		\$1,800	\$0	\$1,800
		Orcutt grass, Sacramento	<i>Orcuttia viscosa</i>		\$800	\$0	\$800
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$2,700	\$0	\$2,700
		Spurge, Hoover's	<i>Chamaesyce hooveri</i>		\$1,800	\$0	\$1,800
		Tuctoria, Greene's	<i>Tuctoria greenei</i>		\$1,800	\$0	\$1,800
		Wooly-threads, San Joaquin	<i>Monolopia (=Lembertia) congdonii</i>		\$22,400	\$0	\$22,400
	Flowering Plants subtotal				\$203,897	\$0	\$203,897
	Multi-Species				\$787,000	\$0	\$787,000
Domestic subtotal					\$1,827,697	\$0	\$1,827,697
Grand Total					\$1,827,697	\$0	\$1,827,697

DHS Coast Guard -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$51,231	\$0	\$51,231
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	Eastern DPS	\$8,865,515	\$750	\$8,866,265
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	Western DPS	\$8,865,515	\$750	\$8,866,265
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	Entire	\$50,527	\$0	\$50,527
		Whale, Beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$21,058	\$0	\$21,058
		Whale, blue	<i>Balaenoptera musculus</i>	Entire	\$38,317	\$0	\$38,317
		Whale, bowhead	<i>Balaena mysticetus</i>	Entire	\$21,422	\$0	\$21,422
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$61,035	\$0	\$61,035
		Whale, gray	<i>Eschrichtius robustus</i>	Western North Pacific DPS	\$21,058	\$784	\$21,842
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$1,464,035	\$122	\$1,464,157
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$168,352	\$0	\$168,352
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Entire	\$54,600	\$0	\$54,600
		Whale, North Pacific Right	<i>Eubalaena japonica</i>	Entire	\$433,471	\$0	\$433,471
		Whale, Sei	<i>Balaenoptera borealis</i>	Entire	\$21,058	\$0	\$21,058
		Whale, sperm	<i>Physeter catodon</i> (<i>=macrocephalus</i>)	Entire	\$24,986	\$0	\$24,986
	Mammals subtotal				\$20,162,180	\$2,406	\$20,164,586
	Birds	Plover, piping	<i>Charadrius melanotos</i>	Great Lakes watershed	\$25,649	\$3,800	\$29,449
		Tern, California least	<i>Sterna antillarum browni</i>		\$25,003	\$0	\$25,003
	Birds subtotal				\$50,652	\$3,800	\$54,452
	Reptiles	Sea turtle, green	<i>Chelonia mydas</i>	Except where endangered	\$591,551	\$0	\$591,551
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$591,551	\$0	\$591,551
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$1,166,611	\$0	\$1,166,611

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$1,166,521	\$0	\$1,166,521
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$1,198,909	\$0	\$1,198,909
		Sea turtle, loggerhead	<i>Caretta caretta</i>	North Pacific Ocean DPS	\$665,918	\$0	\$665,918
		Sea turtle, loggerhead	<i>Caretta caretta</i>	Northwest Atlantic Ocean DPS	\$665,918	\$0	\$665,918
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Except where endangered	\$583,260	\$0	\$583,260
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Mexican nesting pop.	\$583,260	\$0	\$583,260
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$583,260	\$0	\$583,260
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$583,260	\$0	\$583,260
	Reptiles subtotal				\$8,380,019	\$0	\$8,380,019
	Amphibians	Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A. (CA - Santa Barbara County)	\$36,167	\$0	\$36,167
		Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A. (CA - Sonoma County)	\$36,167	\$0	\$36,167
		Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A. (Central CA DPS)	\$36,167	\$0	\$36,167
	Amphibians subtotal				\$108,501	\$0	\$108,501
	Fishes	Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	California Coastal ESU	\$3,598	\$0	\$3,598
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$3,598	\$0	\$3,598
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$3,598	\$0	\$3,598

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$3,598	\$0	\$3,598
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento River winter-run ESU	\$3,598	\$0	\$3,598
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$3,598	\$0	\$3,598
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/summer-run ESU	\$3,598	\$0	\$3,598
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$3,598	\$0	\$3,598
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$3,598	\$0	\$3,598
		Sawfish, smalltooth	<i>Pristis pectinata</i>	United States DPS	\$10,503	\$0	\$10,503
	Fishes subtotal				\$42,885	\$0	\$42,885
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$277,561	\$0	\$277,561
		Coral, staghorn	<i>Acropora cervicornis</i>		\$276,841	\$0	\$276,841
	Corals subtotal				\$554,402	\$0	\$554,402
	Flowering Plants	Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$38,503	\$0	\$38,503
	Flowering Plants subtotal				\$38,503	\$0	\$38,503
Domestic subtotal					\$29,337,142	\$6,206	\$29,343,348
Grand Total					\$29,337,142	\$6,206	\$29,343,348

DHS Customs and Border Protection -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, lesser long-nosed	<i>Leptonycteris curasoae</i> <i>yerbabuenae</i>	Entire	\$29,097	\$0	\$29,097
		Bear, grizzly	<i>Ursus arctos horribilis</i>	U.S.A. (portions of ID and MT, see 17.84(l))	\$34,000	\$0	\$34,000
		Jaguar	<i>Panthera onca</i>	U.S.A(AZ,CA,LA,NM,TX),Mexico, Central and South America	\$1,283	\$0	\$1,283
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	U.S.A.(TX),Mexico	\$5,000	\$0	\$5,000
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	U.S.A.(AZ, TX) to Central and South America	\$6,283	\$0	\$6,283
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Entire	\$25,790	\$0	\$25,790
	Mammals subtotal				\$101,453	\$0	\$101,453
	Birds	Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	Entire	\$1,283	\$0	\$1,283
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$1,283	\$0	\$1,283
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$1,483	\$0	\$1,483
	Birds subtotal				\$4,049	\$0	\$4,049
	Amphibians	Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	Entire	\$146,890	\$0	\$146,890
	Amphibians subtotal				\$146,890	\$0	\$146,890
	Fishes	Chub, Gila	<i>Gila intermedia</i>	Entire	\$3,283	\$0	\$3,283
		Chub, Sonora	<i>Gila dittaenia</i>	Entire	\$2,000	\$0	\$2,000
		Pupfish, desert	<i>Cyprinodon macularius</i>	Entire	\$1,283	\$0	\$1,283
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$1,283	\$0	\$1,283

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Fishes subtotal				\$7,849	\$0	\$7,849
	Insects	Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (= <i>E. e. wrighti</i>)	Entire	\$50,000	\$0	\$50,000
	Insects subtotal				\$50,000	\$0	\$50,000
	Crustaceans	Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>	Entire	\$6,283	\$0	\$6,283
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$5,000	\$0	\$5,000
	Crustaceans subtotal				\$11,283	\$0	\$11,283
	Flowering Plants	Blue-star, Kearney's	<i>Amsonia kearneyana</i>		\$1,283	\$0	\$1,283
		Button-celery, San Diego	<i>Eryngium aristulatum var. parishii</i>		\$5,000	\$0	\$5,000
		Cactus, Nichol's Turk's head	<i>Echinocactus horizonthalonius var. nicholii</i>		\$1,283	\$0	\$1,283
		Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>		\$24,717	\$0	\$24,717
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>		\$5,283	\$0	\$5,283
	Flowering Plants subtotal				\$37,566	\$0	\$37,566
	Multi-Species				\$68,783	\$0	\$68,783
Domestic subtotal					\$427,873	\$0	\$427,873
Grand Total					\$427,873	\$0	\$427,873

DHS Federal Emergency Management Agency -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Birds	Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	Entire	\$16,900	\$0	\$16,900
	Birds subtotal				\$16,900	\$0	\$16,900
	Amphibians	Toad, Houston	<i>Bufo houstonensis</i>	Entire	\$700	\$0	\$700
	Amphibians subtotal				\$700	\$0	\$700
	Fishes	Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine DPS	\$140,000	\$0	\$140,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$2,500	\$0	\$2,500
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	Entire	\$74,200	\$0	\$74,200
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central California Coast DPS	\$10,000	\$0	\$10,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$3,200	\$0	\$3,200
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake River Basin DPS	\$2,500	\$0	\$2,500
	Fishes subtotal				\$232,400	\$0	\$232,400
	Multi-Species				\$737,700	\$0	\$737,700
Domestic subtotal					\$987,700	\$0	\$987,700
Grand Total					\$987,700	\$0	\$987,700

DHS Office of Science and Technology -- FY2013

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Birds	Plover, piping	Charadrius melanotos	except Great Lakes watershed	\$3,000	\$0	\$3,000
	Birds subtotal				\$3,000	\$0	\$3,000
Domestic subtotal					\$3,000	\$0	\$3,000
Grand Total					\$3,000	\$0	\$3,000

DOI Bureau of Indian Affairs -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$13,000	\$0	\$13,000
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$55,720	\$0	\$55,720
		Ferret, black-footed	<i>Mustela nigripes</i>	except where EXPN	\$94,000	\$0	\$94,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$1,650	\$0	\$1,650
		Panther, Florida	<i>Puma (=Felis) concolor</i> <i>coryi</i>		\$80,000	\$0	\$80,000
	Mammals subtotal				\$244,370	\$0	\$244,370
	Birds	Condor, California	<i>Gymnogyps californianus</i>	except where EXPN	\$86,000	\$0	\$86,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$34,000	\$0	\$34,000
		Murrelet, marbled	<i>Brachyramphus</i> <i>marmoratus</i>	CA, OR, WA	\$25,000	\$0	\$25,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$65,000	\$0	\$65,000
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$901,555	\$0	\$901,555
		Plover, piping	<i>Charadrius melanotos</i>	except Great Lakes watershed	\$2,480	\$0	\$2,480
	Birds subtotal				\$1,114,035	\$0	\$1,114,035
	Fishes	Madtom, Neosho	<i>Noturus placidus</i>	Entire	\$259,100	\$0	\$259,100
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	except where EXPN	\$30,000	\$0	\$30,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo)</i> <i>tshawytscha</i>	Puget Sound ESU	\$78,000	\$0	\$78,000
		Steelhead	<i>Oncorhynchus (=Salmo)</i> <i>mykiss</i>	Puget Sound DPS	\$100,000	\$0	\$100,000
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$50,420	\$0	\$50,420
	Fishes subtotal				\$517,520	\$0	\$517,520

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Flowering Plants	Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus</i> <i>var. coachellae</i>		\$5,000	\$0	\$5,000
Domestic subtotal					\$1,880,925	\$0	\$1,880,925
Grand Total					\$1,880,925	\$0	\$1,880,925

DOI Bureau of Land Management -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$2,400	\$0	\$2,400
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$7,200	\$0	\$7,200
		Bat, lesser long-nosed	<i>Leptonycteris curasoae</i> <i>yerbabuena</i>	Entire	\$99,250	\$0	\$99,250
		Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	Entire	\$22,250	\$0	\$22,250
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	Entire	\$200	\$0	\$200
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	Entire	\$200	\$0	\$200
		Bear, grizzly	<i>Ursus arctos horribilis</i>	portions of ID , MT	\$1,400	\$0	\$1,400
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$218,800	\$0	\$218,800
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>	Entire	\$800	\$0	\$800
		Bear, polar	<i>Ursus maritimus</i>	Entire	\$76,800	\$0	\$76,800
		Bison, wood	<i>Bison bison athabascae</i>	Entire	\$6,000	\$0	\$6,000
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$2,000	\$0	\$2,000
		Deer, key	<i>Odocoileus virginianus clavium</i>	Entire	\$200	\$0	\$200
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$61,927	\$0	\$61,927
		Ferret, black-footed	<i>Mustela nigripes</i>	except where EXPN	\$23,720	\$0	\$23,720
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	CA	\$22,000	\$500,000	\$522,000
		Jaguar	<i>Panthera onca</i>	AZ,CA,LA,NM,T X;Mexico;Central and South America	\$19,750	\$0	\$19,750
		Kangaroo rat, Morro Bay	<i>Dipodomys heermanni morroensis</i>	Entire	\$500	\$0	\$500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$413,350	\$0	\$413,350
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$2,000	\$0	\$2,000
		Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>	Entire	\$1,300	\$0	\$1,300
		Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	Entire	\$5,000	\$0	\$5,000
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	Entire	\$100	\$0	\$100
		Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>	Entire	\$100	\$0	\$100
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$77,492	\$0	\$77,492
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	FL	\$1,600	\$0	\$1,600
		Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>	FL	\$100	\$0	\$100
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	AZ, TX to Central and South America	\$8,350	\$0	\$8,350
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	SW Alaska DPS	\$500	\$0	\$500
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$500	\$0	\$500
		Prairie dog, Utah	<i>Cynomys parvidens</i>	UT	\$87,500	\$0	\$87,500
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Entire	\$79,000	\$0	\$79,000
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>	FL	\$100	\$0	\$100
		Rabbit, Pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$3,000	\$0	\$3,000
		Rice rat	<i>Oryzomys palustris natator</i>	lower FL Keys	\$200	\$0	\$200
		Sea lion, Steller	<i>Eumetopias jubatus</i>	Eastern DPS	\$5,000	\$0	\$5,000
		Sea lion, Steller	<i>Eumetopias jubatus</i>	Western DPS	\$1,800	\$0	\$1,800

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>	Entire	\$500	\$0	\$500
		Sheep, Peninsular bighorn	<i>Ovis canadensis nelsoni</i>	Peninsular CA pop.	\$114,500	\$0	\$114,500
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$12,500	\$0	\$12,500
		Shrew, Buena Vista Lake ornate	<i>Sorex ornatus relictus</i>	Entire	\$3,000	\$0	\$3,000
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	Entire	\$105,200	\$0	\$105,200
		Vole, Amargosa	<i>Microtus californicus scirpensis</i>	Entire	\$13,500	\$0	\$13,500
		Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>	Entire	\$34,000	\$0	\$34,000
		Whale, blue	<i>Balaenoptera musculus</i>	Entire	\$500	\$0	\$500
		Whale, bowhead	<i>Balaena mysticetus</i>	Entire	\$10,000	\$0	\$10,000
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$5,500	\$0	\$5,500
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$5,500	\$0	\$5,500
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$18,000	\$0	\$18,000
		Wolf, gray	<i>Canis lupus</i>	All of AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in an EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA. Mexico.	\$8,500	\$0	\$8,500
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	Entire	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Mammals subtotal				\$1,583,689	\$500,000	\$2,083,689
	Birds	Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$200	\$0	\$200
		Condor, California	<i>Gymnogyps californianus</i>	Entire, except where EXPN	\$131,000	\$0	\$131,000
		Condor, California	<i>Gymnogyps californianus</i>	portions of AZ, NV, UT	\$149,200	\$0	\$149,200
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, and western WY	\$400	\$0	\$400
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$10,100	\$1,000	\$11,100
		Eider, spectacled	<i>Somateria fischeri</i>	Entire	\$37,650	\$0	\$37,650
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$42,250	\$0	\$42,250
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	except where EXPN	\$16,500	\$0	\$16,500
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	AZ, NM	\$1,013,500	\$0	\$1,013,500
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$1,274,947	\$230,000	\$1,504,947
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$100	\$0	\$100
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$1,535,000	\$0	\$1,535,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$271,500	\$0	\$271,500
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$3,816,300	\$0	\$3,816,300
		Plover, piping	<i>Charadrius melanodus</i>	Great Lakes watershed	\$400	\$0	\$400
		Plover, piping	<i>Charadrius melanodus</i>	except Great Lakes watershed	\$17,750	\$0	\$17,750
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$334,100	\$0	\$334,100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$300	\$0	\$300
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$49,350	\$0	\$49,350
		Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Entire	\$2,200	\$0	\$2,200
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	Entire	\$100	\$0	\$100
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	Entire	\$100	\$0	\$100
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, MS, NC, SC	\$200	\$0	\$200
		Tern, California least	<i>Sterna antillarum browni</i>		\$500	\$0	\$500
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$16,450	\$1,000	\$17,450
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$200	\$0	\$200
		Towhee, Inyo California	<i>Pipilo crissalis eremophilus</i>		\$34,500	\$0	\$34,500
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>	Entire	\$13,300	\$0	\$13,300
		Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>	Entire	\$100	\$0	\$100
		Woodpecker, ivory-billed	<i>Campephilus principalis</i>	Entire	\$100	\$0	\$100
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$14,700	\$0	\$14,700
	Birds subtotal				\$8,782,997	\$232,000	\$9,014,997
	Reptiles	Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$100	\$0	\$100
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	Entire	\$338,500	\$0	\$338,500
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$200	\$0	\$200
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$200	\$0	\$200
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$4,000	\$0	\$4,000
		Sea turtle, loggerhead	<i>Caretta caretta</i>	Northwest Atlantic Ocean DPS	\$200	\$0	\$200
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>	Entire	\$100	\$0	\$100
		Skink, sand	<i>Neoseps reynoldsi</i>	Entire	\$100	\$0	\$100
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$200	\$0	\$200
		Snake, giant garter	<i>Thamnophis gigas</i>	Entire	\$500	\$0	\$500
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$1,067,330	\$0	\$1,067,330
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$400	\$0	\$400
		Turtle, ringed map	<i>Graptemys oculifera</i>	Entire	\$300	\$0	\$300
	Reptiles subtotal				\$1,412,330	\$0	\$1,412,330
	Amphibians	Frog, California red- legged	<i>Rana draytonii</i>	Entire	\$9,000	\$500	\$9,500
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	Entire	\$109,000	\$0	\$109,000
		Frog, dusky gopher	<i>Rana sevosa</i>	Entire	\$100	\$0	\$100
		Hellbender, Ozark	<i>Cryptobranchus alleganiensis bishopi</i>	Entire	\$200	\$0	\$200
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara County	\$3,000	\$0	\$3,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$123,000	\$0	\$123,000
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	Entire	\$100	\$0	\$100
		salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>	Entire	\$100	\$0	\$100
		Toad, arroyo (=arroyo southwestern)	<i>Anaxyrus californicus</i>	Entire	\$300	\$0	\$300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Toad, Wyoming	<i>Anaxyrus baxteri</i>	Entire	\$23,690	\$0	\$23,690
	Amphibians subtotal				\$268,490	\$500	\$268,990
	Fishes	Catfish, Yaqui	<i>Ictalurus pricei</i>	Entire	\$1,000	\$0	\$1,000
		Cavefish, Ozark	<i>Amblyopsis rosae</i>	Entire	\$100	\$0	\$100
		Chub, bonytail	<i>Gila elegans</i>	Entire	\$32,700	\$0	\$32,700
		Chub, Borax Lake	<i>Gila boraxobius</i>	Entire	\$22,000	\$0	\$22,000
		Chub, Gila	<i>Gila intermedia</i>	Entire	\$52,000	\$0	\$52,000
		Chub, humpback	<i>Gila cypha</i>	Entire	\$13,700	\$0	\$13,700
		Chub, Pahranagat roundtail	<i>Gila robusta jordani</i>	Entire	\$2,100	\$0	\$2,100
		Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	Entire	\$42,780	\$0	\$42,780
		Chub, Yaqui	<i>Gila purpurea</i>	Entire	\$1,000	\$0	\$1,000
		Dace, blackside	<i>Phoxinus cumberlandensis</i>	Entire	\$200	\$0	\$200
		Dace, Clover Valley speckled	<i>Rhinichthys osculus oligoporus</i>	Entire	\$2,500	\$0	\$2,500
		Dace, Foskett speckled	<i>Rhinichthys osculus ssp.</i>	Entire	\$35,000	\$0	\$35,000
		Darter, Cumberland	<i>Etheostoma susanae</i>	Entire	\$200	\$0	\$200
		Darter, duskytail	<i>Etheostoma percnurum</i>	Tellico River, TN	\$100	\$0	\$100
		Darter, leopard	<i>Percina pantherina</i>	Entire	\$100	\$0	\$100
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>	Entire	\$100	\$0	\$100
		Darter, relict	<i>Etheostoma chienense</i>	Entire	\$100	\$0	\$100
		Darter, yellowcheek	<i>Etheostoma moorei</i>	Entire	\$900	\$0	\$900
		Gambusia, Pecos	<i>Gambusia nobilis</i>	Entire	\$2,000	\$0	\$2,000
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$800	\$0	\$800
		Minnow, loach	<i>Tiaroga cobitis</i>	Entire	\$53,500	\$0	\$53,500
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	except where EXPN	\$2,000	\$0	\$2,000
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Except where EXPN	\$52,000	\$1,800,000	\$1,852,000
		Poolfish, Pahrump	<i>Empetrichthys latos</i>	Entire	\$19,000	\$0	\$19,000
		Pupfish, desert	<i>Cyprinodon macularius</i>	Entire	\$54,000	\$0	\$54,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pupfish, Owens	<i>Cyprinodon radiosus</i>	Entire	\$8,500	\$0	\$8,500
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	California Coastal ESU	\$166,200	\$0	\$166,200
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$43,300	\$0	\$43,300
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$33,500	\$0	\$33,500
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento River winter-run ESU	\$6,000	\$0	\$6,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/ summer-run ESU	\$373,254	\$0	\$373,254
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$3,000	\$0	\$3,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$47,300	\$0	\$47,300
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Central California Coast ESU	\$300	\$0	\$300
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$89,000	\$0	\$89,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Oregon Coast ESU	\$2,181,700	\$0	\$2,181,700
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	So. OR/ No. CA Coast ESU	\$438,200	\$0	\$438,200
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River ESU	\$128,900	\$0	\$128,900
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$4,100	\$2,000	\$6,100
		Shiner, beautiful	<i>Cyprinella formosa</i>	Entire	\$1,000	\$0	\$1,000
		Shiner, palezone	<i>Notropis albizonatus</i>	Entire	\$200	\$0	\$200
		Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	Entire	\$9,000	\$0	\$9,000
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	Entire	\$100	\$0	\$100
		Spikedace	<i>Meda fulgida</i>	Entire	\$50,500	\$0	\$50,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>	Entire	\$38,200	\$0	\$38,200
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	Entire	\$1,000	\$0	\$1,000
		Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	Entire	\$1,730	\$0	\$1,730
		Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	Entire	\$1,440	\$0	\$1,440
		Springfish, White River	<i>Crenichthys baileyi baileyi</i>	Entire	\$2,900	\$0	\$2,900
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	California Central Valley DPS	\$43,300	\$0	\$43,300
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central California Coast DPS	\$1,000	\$0	\$1,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Lower Columbia River DPS	\$37,900	\$0	\$37,900
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Northern California DPS	\$159,900	\$0	\$159,900
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake River Basin DPS	\$555,633	\$0	\$555,633
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	South-Central CA Coast DPS	\$1,000	\$0	\$1,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Southern California DPS	\$300	\$0	\$300
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Columbia River DPS	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Willamette River DPS	\$147,400	\$800	\$148,200
		Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>	Entire	\$500	\$0	\$500
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus</i>	Entire	\$200	\$0	\$200
		Sturgeon, green	<i>Acipenser medirostris</i>	Southern DPS	\$6,000	\$0	\$6,000
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$9,500	\$0	\$9,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sturgeon, white	<i>Acipenser transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$43,900	\$0	\$43,900
		Sucker, Lost River	<i>Deltistes luxatus</i>	Entire	\$400	\$0	\$400
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$54,400	\$0	\$54,400
		Sucker, shortnose	<i>Chasmistes brevirostris</i>	Entire	\$10,400	\$0	\$10,400
		Sucker, Warner	<i>Catostomus warnerensis</i>	Entire	\$91,850	\$0	\$91,850
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$44,000	\$0	\$44,000
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$673,254	\$0	\$673,254
		Trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>	Entire	\$23,200	\$0	\$23,200
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii henshawi</i>	Entire	\$257,240	\$0	\$257,240
		Tui chub, Mohave	<i>Gila bicolor</i> ssp. <i>mohavensis</i>	Entire	\$4,000	\$0	\$4,000
		Tui chub, Owens	<i>Gila bicolor</i> ssp. <i>snyderi</i>	Entire	\$19,000	\$0	\$19,000
		Woundfin	<i>Plagopterus argentissimus</i>	except EXPN	\$42,780	\$0	\$42,780
	Fishes subtotal				\$6,249,261	\$1,802,800	\$8,052,061
	Clams	Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>		\$100	\$0	\$100
		Bean, Cumberland (pearlymussel)	<i>Villosa trabalis</i>	except where EXPN	\$100	\$0	\$100
		Blossom, turgid (pearlymussel)	<i>Epioblasma turgidula</i>	except where EXPN	\$100	\$0	\$100
		Clubshell	<i>Pleurobema clava</i>	except where EXPN	\$100	\$0	\$100
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Free-Flowing Reach of Tennessee River below Wilson Dam, Colbert and Lauderdale Co., AL	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>		\$100	\$0	\$100
		Fanshell	<i>Cyprogenia stegaria</i>		\$100	\$0	\$100
		Fatmucket, Arkansas	<i>Lampsilis powellii</i>	Entire	\$100	\$0	\$100
		Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>	Entire	\$100	\$0	\$100
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	Entire	\$200	\$0	\$200
		Mapleleaf, winged	<i>Quadrula fragosa</i>	except where EXPN	\$300	\$0	\$300
		Moccasinshell, Gulf	<i>Medionidus penicillatus</i>		\$100	\$0	\$100
		Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>		\$100	\$0	\$100
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Entire	\$200	\$0	\$200
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Free-Flowing Reach of Tennessee River below Wilson Dam, Colbert and Lauderdale Co., AL	\$100	\$0	\$100
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$500	\$0	\$500
		Mussel, sheepnose	<i>Plethobasus cyphyus</i>		\$100	\$0	\$100
		Mussel, snuffbox	<i>Epioblasma triquetra</i>		\$200	\$0	\$200
		Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	Entire	\$300	\$0	\$300
		Pearlymussel, Curtis	<i>Epioblasma florentina</i> <i>curtisii</i>	Entire	\$200	\$0	\$200
		Pearlymussel, littlewing	<i>Pegias fabula</i>	Entire	\$100	\$0	\$100
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$100	\$0	\$100
		Pigtoe, rough	<i>Pleurobema plenum</i>	TN - portions of the French Broad and Holston Rivers	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>		\$100	\$0	\$100
		Pocketbook, fat	<i>Potamilus capax</i>	Entire	\$100	\$0	\$100
		Pocketbook, Ouachita rock	<i>Arkansas wheeleri</i>	Entire	\$100	\$0	\$100
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$0	\$100	\$100
		Pocketbook, speckled	<i>Lampsilis streckeri</i>	Entire	\$600	\$0	\$600
		Purple Cat's paw (=Purple Cat's paw pearlymussel)	<i>Epioblasma obliquata</i> <i>obliquata</i>	except where EXPN	\$100	\$0	\$100
		Riffleshell, northern	<i>Epioblasma torulosa</i> <i>rangiana</i>	Entire	\$100	\$0	\$100
		Riffleshell, tan	<i>Epioblasma florentina</i> <i>walkeri</i> (= <i>E. walkeri</i>)	Entire	\$200	\$0	\$200
		Ring pink (mussel)	<i>Obovaria retusa</i>		\$100	\$0	\$100
		Slabshell, Chipola	<i>Elliptio chipolaensis</i>		\$100	\$0	\$100
		Spectaclecase (mussel)	<i>Cumberlandia monodonta</i>		\$300	\$0	\$300
		Threeridge, fat (mussel)	<i>Ambloema neislerii</i>		\$100	\$0	\$100
		Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>		\$100	\$0	\$100
	Clams subtotal				\$5,500	\$100	\$5,600
	Snails	Limpet, Banbury Springs	<i>Lanx sp.</i>	Entire	\$97,400	\$0	\$97,400
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	Entire	\$118,600	\$0	\$118,600
		Snail, Morro shoulderband (=Banded dune)	<i>Helminthoglypta</i> <i>walkeriana</i>		\$2,000	\$0	\$2,000
		Snail, Pecos assiminea	<i>Assiminea pecos</i>		\$2,000	\$0	\$2,000
		Snail, Snake River physa	<i>Physa natricina</i>	Entire	\$143,600	\$0	\$143,600

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Snail, Stock Island tree	<i>Orthalicus reses (not incl. nesodryas)</i>	Entire	\$100	\$0	\$100
		Snail, Virginia fringed mountain	<i>Polygyriscus virginianus</i>	Entire	\$200	\$0	\$200
		Springsnail, Alamosa	<i>Tryonia alamosae</i>	Entire	\$2,000	\$0	\$2,000
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	Entire	\$162,100	\$0	\$162,100
		Springsnail, Koster's	<i>Juturnia kosteri</i>		\$2,000	\$0	\$2,000
		Springsnail, Roswell	<i>Pyrgulopsis roswellensis</i>		\$2,000	\$0	\$2,000
	Snails subtotal				\$532,000	\$0	\$532,000
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$21,700	\$10,000	\$31,700
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Entire	\$23,800	\$0	\$23,800
		Butterfly, Behren's silverspot	<i>Speyeria zerene behrensi</i>	Entire	\$2,300	\$0	\$2,300
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$9,300	\$0	\$9,300
		Butterfly, Miami Blue	<i>Cyclargus (=Hemiargus) thomasi bethunebakeri</i>		\$100	\$0	\$100
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	Entire	\$200	\$0	\$200
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	Entire	\$10,000	\$0	\$10,000
		Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>	Entire	\$100	\$0	\$100
		Butterfly, Smith's blue	<i>Euphilotes enoptes smithi</i>	Entire	\$2,000	\$0	\$2,000
		Butterfly, Uncompahgre fritillary	<i>Boloria acrocnema</i>	Entire	\$8,500	\$0	\$8,500
		Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>	Entire	\$10,000	\$0	\$10,000
		Skipper, Carson wandering	<i>Pseudocopaeodes eunus obscurus</i>	NV, CA	\$25,600	\$0	\$25,600
	Insects subtotal				\$113,600	\$10,000	\$123,600

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Crustaceans	Amphipod, Noel's	<i>Gammarus desperatus</i>		\$2,000	\$0	\$2,000
		Crayfish, cave	<i>Cambarus aculabrum</i>	Entire	\$200	\$0	\$200
		Crayfish, cave	<i>Cambarus zophonastes</i>	Entire	\$100	\$0	\$100
		Crayfish, Shasta	<i>Pacifastacus fortis</i>	Entire	\$500	\$0	\$500
		Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	Entire	\$500	\$0	\$500
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>	Entire	\$6,500	\$0	\$6,500
		Fairy shrimp, vernal pool	<i>Branchinecta lynchii</i>	Entire	\$20,000	\$0	\$20,000
		Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	Entire	\$4,000	\$0	\$4,000
		Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>	Entire	\$100	\$0	\$100
		Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>	Entire	\$10,500	\$0	\$10,500
	Crustaceans subtotal				\$44,400	\$0	\$44,400
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$100	\$0	\$100
		Coral, staghorn	<i>Acropora cervicornis</i>		\$100	\$0	\$100
	Corals subtotal				\$200	\$0	\$200
	Flowering Plants	Aster, Florida golden	<i>Chrysopsis floridana</i>		\$100	\$0	\$100
		Baccharis, Encinitas	<i>Baccharis vanessae</i>		\$4,500	\$0	\$4,500
		Barberry, Nevin's	<i>Berberis nevinii</i>		\$7,000	\$0	\$7,000
		Bear-poppy, Dwarf	<i>Arctomecon humilis</i>		\$31,100	\$0	\$31,100
		Beardtongue, Parachute	<i>Penstemon debilis</i>		\$7,100	\$0	\$7,100
		Beardtongue, Penland	<i>Penstemon penlandii</i>		\$7,400	\$0	\$7,400
		Bedstraw, El Dorado	<i>Galium californicum ssp. sierrae</i>		\$8,000	\$0	\$8,000
		Bird's-beak, salt marsh	<i>Cordylanthus maritimus ssp. maritimus</i>		\$300	\$0	\$300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Birds-in-a-nest, white	<i>Macbridea alba</i>		\$2,200	\$0	\$2,200
		Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>		\$27,700	\$0	\$27,700
		Bladderpod, kodachrome	<i>Lesquerella tumulosa</i>		\$1,000	\$0	\$1,000
		Bladderpod, Missouri	<i>Physaria filiformis</i>		\$100	\$0	\$100
		Blazingstar, scrub	<i>Liatris ohlingerae</i>		\$100	\$0	\$100
		Blue-star, Kearney's	<i>Amsonia kearneyana</i>		\$2,000	\$0	\$2,000
		Bonamia, Florida	<i>Bonamia grandiflora</i>		\$100	\$0	\$100
		Buckwheat, cushenbury	<i>Eriogonum ovalifolium</i> <i>var. vineum</i>		\$17,500	\$0	\$17,500
		Buckwheat, scrub	<i>Eriogonum longifolium</i> <i>var. gnaphalifolium</i>		\$100	\$0	\$100
		Buckwheat, steamboat	<i>Eriogonum ovalifolium</i> <i>var. williamsiae</i>		\$6,300	\$0	\$6,300
		Butterfly plant, Colorado	<i>Gaura neomexicana</i> var. <i>coloradensis</i>		\$1,200	\$0	\$1,200
		Butterweed, Layne's	<i>Senecio layneae</i>		\$13,500	\$0	\$13,500
		Butterwort, Godfrey's	<i>Pinguicula ionantha</i>		\$2,200	\$0	\$2,200
		Cactus, Bakersfield	<i>Opuntia treleasei</i>		\$14,300	\$0	\$14,300
		Cactus, Brady pincushion	<i>Pediocactus bradyi</i>		\$6,000	\$0	\$6,000
		Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>		\$52,600	\$0	\$52,600
		Cactus, Key tree	<i>Pilosocereus robinii</i>		\$100	\$0	\$100
		Cactus, Knowlton's	<i>Pediocactus knowltonii</i>		\$7,500	\$0	\$7,500
		Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>		\$52,500	\$0	\$52,500
		Cactus, Lee pincushion	<i>Coryphantha sneedii</i> var. <i>leei</i>		\$500	\$0	\$500
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$16,000	\$0	\$16,000
		Cactus, Nichol's Turk's head	<i>Echinocactus horizontalinus</i> var. <i>nicholii</i>		\$13,000	\$0	\$13,000
		Cactus, Pariette	<i>Sclerocactus brevispinus</i>		\$14,900	\$0	\$14,900

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> <i>var. peeblesianus</i>		\$11,000	\$0	\$11,000
		Cactus, Pima pineapple	<i>Coryphantha scheeri var.</i> <i>robustispina</i>		\$5,000	\$0	\$5,000
		Cactus, San Rafael	<i>Pediocactus despainii</i>		\$33,000	\$0	\$33,000
		Cactus, Siler pincushion	<i>Pediocactus (=Echinocactus,=Utahia) sileri</i>		\$13,000	\$0	\$13,000
		Cactus, Sneed pincushion	<i>Coryphantha sneedii var.</i> <i>sneedii</i>		\$15,500	\$0	\$15,500
		Cactus, Uinta Basin hookless	<i>Sclerocactus wetlandicus</i>		\$23,600	\$0	\$23,600
		Cactus, Winkler	<i>Pediocactus winkleri</i>		\$24,100	\$0	\$24,100
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$38,000	\$0	\$38,000
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$91,500	\$0	\$91,500
		Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>		\$7,600	\$0	\$7,600
		Centaury, spring- loving	<i>Centaurium namophilum</i>		\$6,000	\$0	\$6,000
		Chaffseed, American	<i>Schwalbea americana</i>		\$100	\$0	\$100
		Checker-mallow, Keck's	<i>Sidalcea keckii</i>		\$300	\$0	\$300
		Clarkia, Springville	<i>Clarkia springvillensis</i>		\$3,000	\$0	\$3,000
		Cliff-rose, Arizona	<i>Purshia (=Cowania)</i> <i>subintegra</i>		\$17,000	\$0	\$17,000
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$100	\$0	\$100
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$200	\$0	\$200
		Cycladenia, Jones	<i>Cycladenia humilis var.</i> <i>jonesii</i>		\$82,000	\$0	\$82,000
		Daisy, Parish's	<i>Erigeron parishii</i>		\$22,500	\$0	\$22,500
		Daisy, Willamette	<i>Erigeron decumbens var.</i> <i>decumbens</i>		\$1,000	\$0	\$1,000
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$1,000	\$0	\$1,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Dudleya, marcescent	<i>Dudleya cymosa</i> ssp. <i>marcescens</i>		\$300	\$0	\$300
		Evening-primrose, San Benito	<i>Camissonia benitensis</i>		\$45,000	\$0	\$45,000
		Flannelbush, Mexican	<i>Fremontodendron</i> <i>mexicanum</i>		\$4,200	\$0	\$4,200
		Flannelbush, Pine Hill	<i>Fremontodendron</i> <i>californicum</i> ssp. <i>decumbens</i>		\$8,000	\$0	\$8,000
		Fleabane, Zuni	<i>Erigeron rhizomatus</i>		\$9,000	\$0	\$9,000
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$2,000	\$0	\$2,000
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$224,400	\$0	\$224,400
		Gilia, Monterey	<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>		\$20,000	\$0	\$20,000
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$30,300	\$0	\$30,300
		Gourd, Okeechobee	<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>		\$100	\$0	\$100
		Gumplant, Ash Meadows	<i>Grindelia fraxinipratensis</i>		\$5,000	\$0	\$5,000
		Harebells, Avon Park	<i>Crotalaria avonensis</i>		\$100	\$0	\$100
		Harperella	<i>Ptilimnium nodosum</i>		\$200	\$0	\$200
		Howellia, water	<i>Howellia aquatilis</i>		\$11,000	\$0	\$11,000
		Hypericum, highlands scrub	<i>Hypericum cumulicola</i>		\$100	\$0	\$100
		Jacquemontia, beach	<i>Jacquemontia reclinata</i>		\$100	\$0	\$100
		Jewelflower, California	<i>Caulanthus californicus</i>		\$15,000	\$0	\$15,000
		Joint-vetch, Sensitive	<i>Aeschynomene virginica</i>		\$100	\$0	\$100
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$268,200	\$0	\$268,200
		Layia, beach	<i>Layia carnosa</i>		\$110,300	\$0	\$110,300
		Lily, Western	<i>Lilium occidentale</i>		\$21,000	\$0	\$21,000
		Lomatium, Cook's	<i>Lomatium cookii</i>		\$38,500	\$0	\$38,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> ssp. <i>kincaidii</i>		\$67,900	\$0	\$67,900
		Lupine, scrub	<i>Lupinus aridorum</i>		\$100	\$0	\$100
		Mallow, Gierisch	<i>Sphaeralcea gierischii</i>		\$63,000	\$0	\$63,000
		Mallow, Kern	<i>Eremalche kernensis</i>		\$11,000	\$0	\$11,000
		Manzanita, Ione	<i>Arctostaphylos myrtifolia</i>		\$10,400	\$0	\$10,400
		Manzanita, Morro	<i>Arctostaphylos morroensis</i>		\$1,000	\$0	\$1,000
		Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>		\$100	\$0	\$100
		Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus</i> <i>var. coachellae</i>		\$32,700	\$0	\$32,700
		Milk-vetch, Cushenbury	<i>Astragalus albens</i>		\$18,500	\$0	\$18,500
		Milk-vetch, Fish Slough	<i>Astragalus lentiginosus</i> <i>var. piscinensis</i>		\$2,500	\$0	\$2,500
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>		\$28,000	\$0	\$28,000
		Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>		\$22,500	\$0	\$22,500
		Milk-vetch, Mancos	<i>Astragalus humillimus</i>		\$1,000	\$0	\$1,000
		Milk-vetch, Peirson's	<i>Astragalus magdalenae</i> <i>var. peirsonii</i>		\$100,000	\$0	\$100,000
		Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>		\$17,500	\$0	\$17,500
		Milk-vetch, triple- ribbed	<i>Astragalus tricarinatus</i>		\$25,000	\$0	\$25,000
		Milk-vetch, Ventura Marsh	<i>Astragalus pycnostach- yus</i> <i>var. lanosissimus</i>		\$300	\$0	\$300
		Milkvetch, Osterhout	<i>Astragalus osterhoutii</i>		\$8,600	\$0	\$8,600
		Milkweed, Welsh's	<i>Asclepias welshii</i>		\$54,000	\$0	\$54,000
		Mint, scrub	<i>Dicerandra frutescens</i>		\$100	\$0	\$100
		Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>		\$9,300	\$0	\$9,300
		Mountain balm, Indian Knob	<i>Eriodictyon altissimum</i>		\$1,000	\$0	\$1,000
		Mustard, Carter's	<i>Warea carteri</i>		\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mustard, Penland alpine fen	<i>Eutrema penlandii</i>		\$1,300	\$0	\$1,300
		Navarretia, spreading	<i>Navarretia fossalis</i>		\$300	\$0	\$300
		Niterwort, Amargosa	<i>Nitrophila mohavensis</i>		\$37,500	\$0	\$37,500
		No common name	<i>Geocarpon minimum</i>		\$400	\$0	\$400
		Orchid, western prairie fringed	<i>Platanthera praecox</i>		\$3,200	\$0	\$3,200
		Orcutt grass, hairy	<i>Orcuttia pilosa</i>		\$300	\$0	\$300
		Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>		\$1,000	\$0	\$1,000
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$20,000	\$0	\$20,000
		Owl's-clover, fleshy	<i>Castilleja campestris ssp. succulenta</i>		\$1,000	\$0	\$1,000
		Pawpaw, beautiful	<i>Deeringothamnus pulchellus</i>		\$100	\$0	\$100
		Pawpaw, four-petal	<i>Asimina tetramera</i>		\$7,200	\$0	\$7,200
		Pennyroyal, Todsen's	<i>Hedeoma todsonii</i>		\$16,000	\$0	\$16,000
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$35,800	\$0	\$35,800
		Phacelia, DeBeque	<i>Phacelia submutica</i>		\$29,000	\$0	\$29,000
		Phacelia, North Park	<i>Phacelia formosula</i>		\$7,400	\$0	\$7,400
		Pigeon wings	<i>Clitoria fragrans</i>		\$100	\$0	\$100
		Piperia, Yadon's	<i>Piperia yadonii</i>		\$15,000	\$0	\$15,000
		Plum, scrub	<i>Prunus geniculata</i>		\$100	\$0	\$100
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$200	\$0	\$200
		Polygala, Lewton's	<i>Polygala lewtonii</i>		\$100	\$0	\$100
		Polygala, tiny	<i>Polygala smallii</i>		\$100	\$0	\$100
		Popcornflower, rough	<i>Plagiobothrys hirtus</i>		\$1,000	\$0	\$1,000
		Poppy, Sacramento prickly	<i>Argemone pleiacantha ssp. pinnatisecta</i>		\$15,000	\$0	\$15,000
		Potato-bean, Price's	<i>Ajuga priceana</i>		\$200	\$0	\$200
		Pussypaws, Mariposa	<i>Calyptidium pulchellum</i>		\$300	\$0	\$300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Reed-mustard, Barneby	<i>Schoenocrambe barnebyi</i>		\$2,100	\$0	\$2,100
		Reed-mustard, clay	<i>Schoenocrambe argillacea</i>		\$2,700	\$0	\$2,700
		Ridge-cress, Barneby	<i>Lepidium barnebyanum</i>		\$600	\$0	\$600
		Rock-cress, McDonald's	<i>Arabis macdonaldiana</i>		\$5,000	\$0	\$5,000
		Rosemary, short-leaved	<i>Conradina brevifolia</i>		\$100	\$0	\$100
		Sandlace	<i>Polygonella myriophylla</i>		\$100	\$0	\$100
		Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>		\$100	\$0	\$100
		Sandwort, Marsh	<i>Arenaria paludicola</i>		\$300	\$0	\$300
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$200	\$0	\$200
		Skullcap, Florida	<i>Scutellaria floridana</i>		\$3,600	\$0	\$3,600
		Spineflower, Monterey	<i>Chorizanthe pungens var. pungens</i>		\$30,000	\$0	\$30,000
		Spineflower, slender-horned	<i>Dodecahema leptoceras</i>		\$6,700	\$0	\$6,700
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$200	\$0	\$200
		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$100	\$0	\$100
		Spurge, Hoover's	<i>Chamaesyce hooveri</i>		\$300	\$0	\$300
		Spurge, telephus	<i>Euphorbia telephiooides</i>		\$100	\$0	\$100
		Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>		\$5,000	\$0	\$5,000
		Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>		\$5,000	\$0	\$5,000
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$10,500	\$0	\$10,500
		Tarplant, Gaviota	<i>Deinandra increscens ssp. villlosa</i>		\$300	\$0	\$300
		Thistle, Chorro Creek bog	<i>Cirsium fontinale var. obispoense</i>		\$300	\$0	\$300
		Thistle, La Graciosa	<i>Cirsium loncholepis</i>		\$300	\$0	\$300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Thornmint, San Diego	<i>Acanthomintha ilicifolia</i>		\$9,500	\$0	\$9,500
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$3,800	\$0	\$3,800
		Tuctoria, Greene's	<i>Tuctoria greenei</i>		\$300	\$0	\$300
		Twinspod, Dudley Bluffs	<i>Physaria obcordata</i>		\$27,500	\$0	\$27,500
		Vervain, Red Hills	<i>Verbena californica</i>		\$500	\$0	\$500
		Wallflower, Menzies'	<i>Erysimum menziesii</i>		\$100,000	\$0	\$100,000
		Warea, wide-leaf	<i>Warea amplexifolia</i>		\$200	\$0	\$200
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> <i>var. recurva</i>		\$15,000	\$0	\$15,000
		Watercress, Gambel's	<i>Rorippa gambellii</i>		\$300	\$0	\$300
		Whitlow-wort, papery	<i>Paronychia chartacea</i>		\$100	\$0	\$100
		Wild buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>		\$18,100	\$0	\$18,100
		Wild-buckwheat, gypsum	<i>Eriogonum gypsophilum</i>		\$1,000	\$0	\$1,000
		Wire-lettuce, Malheur	<i>Stephanomeria malheurensis</i>		\$3,000	\$0	\$3,000
		Wireweed	<i>Polygonella basiramia</i>		\$100	\$0	\$100
		Woolly-star, Santa Ana River	<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>		\$2,800	\$0	\$2,800
		Wooly-threads, San Joaquin	<i>Monolopia (=Lembertia)</i> <i>congdonii</i>		\$70,000	\$0	\$70,000
		Yellowhead, desert	<i>Yermo xanthocephalus</i>		\$3,800	\$0	\$3,800
		Yerba santa, Lompoc	<i>Eriodictyon capitatum</i>		\$300	\$0	\$300
		Ziziphus, Florida	<i>Ziziphus celata</i>		\$100	\$0	\$100
	Flowering Plants subtotal				\$2,522,600	\$0	\$2,522,600
	Ferns and Allies	Quillwort, Louisiana	<i>Isoetes louisianensis</i>		\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Lichens	Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$3,100	\$0	\$3,100
Domestic subtotal					\$21,518,367	\$2,545,400	\$24,063,767
Grand Total					\$21,518,367	\$2,545,400	\$24,063,767

DOI Bureau of Ocean Energy Management -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bear, polar	<i>Ursus maritimus</i>	Entire	\$1,480,767	\$0	\$1,480,767
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$784,000	\$0	\$784,000
		Whale, bowhead	<i>Balaena mysticetus</i>	Entire	\$25,381,441	\$0	\$25,381,441
	Mammals subtotal				\$27,646,208	\$0	\$27,646,208
	Birds	Eider, spectacled	<i>Somateria fischeri</i>	Entire	\$1,200,000	\$0	\$1,200,000
	Multi-Species				\$15,844,537	\$0	\$15,844,537
Domestic subtotal					\$44,690,745	\$0	\$44,690,745
Grand Total					\$44,690,745	\$0	\$44,690,745

DOI Bureau of Reclamation -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	U.S.A(CA)	\$124,000	\$317,000	\$441,000
		Kangaroo rat, giant	<i>Dipodomys ingens</i>	Entire	\$1,000	\$0	\$1,000
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>	Entire	\$12,000	\$82,000	\$94,000
		Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	(CA)	\$91,000	\$807,000	\$898,000
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$1,000	\$0	\$1,000
	Mammals subtotal				\$229,000	\$1,206,000	\$1,435,000
	Birds	Crane, whooping	<i>Grus americana</i>	except where EXPN	\$1,168,000	\$3,417,000	\$4,585,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$11,896,000	\$569,000	\$12,465,000
		Plover, piping	<i>Charadrius melanodus</i>	except Great Lakes watershed	\$1,171,000	\$3,417,000	\$4,588,000
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>	Entire	\$69,000	\$30,000	\$99,000
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$5,132,000	\$0	\$5,132,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$1,180,000	\$3,417,000	\$4,597,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>	Entire	\$20,000	\$0	\$20,000
	Birds subtotal				\$20,636,000	\$10,850,000	\$31,486,000
	Reptiles	Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	Entire	\$1,000	\$82,000	\$83,000
		Snake, giant garter	<i>Thamnophis gigas</i>	Entire	\$148,000	\$0	\$148,000
	Reptiles subtotal				\$149,000	\$82,000	\$231,000
	Amphibians	Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$43,000	\$0	\$43,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$210,000	\$0	\$210,000
	Amphibians subtotal				\$253,000	\$0	\$253,000
	Fishes	Chub, bonytail	<i>Gila elegans</i>	Entire	\$5,591,000	\$0	\$5,591,000
		Chub, Gila	<i>Gila intermedia</i>	Entire	\$175,000	\$0	\$175,000
		Chub, humpback	<i>Gila cypha</i>	Entire	\$3,319,000	\$0	\$3,319,000
		Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	Entire	\$38,000	\$0	\$38,000
		Cui-ui	<i>Chasmistes cujus</i>	Entire	\$817,000	\$0	\$817,000
		Eulachon	<i>Thaleichthys pacificus</i>	Southern DPS	\$34,000	\$0	\$34,000
		Gambusia, Pecos	<i>Gambusia nobilis</i>	Entire	\$25,000	\$100,000	\$125,000
		Minnow, loach	<i>Tiaroga cobitis</i>	Entire	\$175,000	\$0	\$175,000
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	except where EXPN	\$6,500,000	\$5,400,000	\$11,900,000
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Except where EXPN	\$5,356,000	\$0	\$5,356,000
		Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	Entire	\$20,000	\$20,000	\$40,000
		Pupfish, Owens	<i>Cyprinodon radiosus</i>	Entire	\$10,000	\$0	\$10,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$105,000	\$136,000	\$241,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$444,000	\$238,000	\$682,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento River winter-run ESU	\$4,048,000	\$333,000	\$4,381,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$333,000	\$238,000	\$571,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/summer-run ESU	\$2,141,000	\$238,000	\$2,379,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$2,484,000	\$238,000	\$2,722,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$2,000	\$0	\$2,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	So. OR/ No. CA Coast ESU	\$2,311,000	\$1,734,000	\$4,045,000
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River ESU	\$303,000	\$238,000	\$541,000
		Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	Entire	\$1,000,000	\$1,000,000	\$2,000,000
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	Entire	\$1,000	\$0	\$1,000
		Smelt, delta	<i>Hypomesus transpacificus</i>	Entire	\$12,331,000	\$0	\$12,331,000
		Spikedace	<i>Meda fulgida</i>	Entire	\$175,000	\$0	\$175,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	CA Central Valley DPS	\$2,461,000	\$136,000	\$2,597,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Lower Columbia River DPS	\$444,000	\$238,000	\$682,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Middle Columbia River DPS	\$1,223,000	\$238,000	\$1,461,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake River Basin DPS	\$2,461,000	\$238,000	\$2,699,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Southern California DPS	\$238,000	\$0	\$238,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Columbia River DPS	\$2,444,000	\$238,000	\$2,682,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Willamette River DPS	\$2,000	\$0	\$2,000
		Sturgeon, green	<i>Acipenser medirostris</i>	Southern DPS	\$329,000	\$144,000	\$473,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$1,171,000	\$3,417,000	\$4,588,000
		Sucker, June	<i>Chasmistes liorus</i>	Entire	\$582,000	\$0	\$582,000
		Sucker, Lost River	<i>Deltistes luxatus</i>	Entire	\$767,000	\$2,595,000	\$3,362,000
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$8,638,000	\$0	\$8,638,000
		Sucker, Santa Ana	<i>Catostomus santaanae</i>	3 CA river basins	\$10,000	\$0	\$10,000
		Sucker, shortnose	<i>Chasmistes brevirostris</i>	Entire	\$767,000	\$2,595,000	\$3,362,000
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$175,000	\$0	\$175,000
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$2,029,000	\$0	\$2,029,000
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii henshawi</i>	Entire	\$152,000	\$0	\$152,000
		Woundfin	<i>Plagopterus argentissimus</i>	except where EXPN	\$38,000	\$0	\$38,000
	Fishes subtotal				\$71,669,000	\$19,752,000	\$91,421,000
	Snails	Snail, Snake River physa	<i>Physa natricina</i>	Entire	\$155,000	\$0	\$155,000
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$1,000	\$0	\$1,000
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Entire	\$52,000	\$171,000	\$223,000
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$3,000	\$0	\$3,000
	Insects subtotal				\$56,000	\$171,000	\$227,000
	Crustaceans	Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	Entire	\$0	\$125,000	\$125,000
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	Entire	\$92,000	\$0	\$92,000
	Crustaceans subtotal				\$92,000	\$125,000	\$217,000
	Flowering Plants	Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$20,000	\$0	\$20,000
		Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>		\$8,000	\$0	\$8,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$35,000	\$0	\$35,000
		Lupine, Kincaid's	<i>Lupinus sulphureus ssp. kincaidii</i>		\$5,000	\$0	\$5,000
		Spurge, Hoover's	<i>Chamaesyce hooveri</i>		\$0	\$125,000	\$125,000
		Tuctoria, Greene's	<i>Tuctoria greenei</i>		\$0	\$125,000	\$125,000
		Wild buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>		\$2,000	\$0	\$2,000
	Flowering Plants subtotal				\$70,000	\$250,000	\$320,000
	Multi-Species				\$3,979,000	\$0	\$3,979,000
Domestic subtotal					\$97,288,000	\$32,436,000	\$129,724,000
Grand Total					\$97,288,000	\$32,436,000	\$129,724,000

DOI National Park Service -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$24,700	\$0	\$24,700
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	Entire	\$17,100	\$0	\$17,100
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$45,500	\$0	\$45,500
		Bat, lesser long-nosed	<i>Leptonycteris curasoae</i> <i>yerbabuenae</i>	Entire	\$165,500	\$0	\$165,500
		Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	Entire	\$5,000	\$0	\$5,000
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	Entire	\$500	\$0	\$500
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	Entire	\$2,400	\$0	\$2,400
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$1,726,433	\$0	\$1,726,433
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$35,000	\$0	\$35,000
		Ferret, black-footed	<i>Mustela nigripes</i>	except where EXPN	\$25,000	\$0	\$25,000
		Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>	CA	\$150,000	\$0	\$150,000
		Fox, Santa Cruz Island	<i>Urocyon littoralis santacruzae</i>	CA	\$15,000	\$0	\$15,000
		Fox, Santa Rosa Island	<i>Urocyon littoralis santarosae</i>	CA	\$150,000	\$0	\$150,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$10,600	\$0	\$10,600
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$9,100	\$0	\$9,100
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	Entire	\$500	\$0	\$500
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	Entire	\$1,500	\$0	\$1,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	FL	\$2,500	\$0	\$2,500
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$259,800	\$0	\$259,800
		Prairie dog, Utah	<i>Cynomys parvidens</i>	UT	\$40,000	\$0	\$40,000
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	Entire	\$82,000	\$0	\$82,000
		Sea lion, Steller	<i>Eumetopias jubatus</i>	Eastern DPS	\$17,300	\$0	\$17,300
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	Entire	\$5,482	\$0	\$5,482
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$23,000	\$0	\$23,000
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	Entire	\$9,000	\$0	\$9,000
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$1,100	\$0	\$1,100
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$301,347	\$0	\$301,347
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Entire	\$500	\$0	\$500
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	Entire	\$600	\$0	\$600
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$547,500	\$0	\$547,500
	Mammals subtotal				\$3,673,962	\$0	\$3,673,962

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Birds	Condor, California	<i>Gymnogyps californianus</i>	except where EXPN	\$383,300	\$0	\$383,300
		Condor, California	<i>Gymnogyps californianus</i>	portions of AZ, NV, UT	\$48,500	\$0	\$48,500
		Coot, Hawaiian	<i>Fulica americana alai</i>	Entire	\$5,000	\$0	\$5,000
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, western WY	\$100	\$0	\$100
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$9,100	\$0	\$9,100
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	Entire	\$211,988	\$0	\$211,988
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$5,000	\$0	\$5,000
		Moorhen, Mariana common	<i>Gallinula chloropus guami</i>	Entire	\$500	\$0	\$500
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$66,200	\$0	\$66,200
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$140,894	\$0	\$140,894
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$294,000	\$0	\$294,000
		Parrotbill, Maui (honeycreeper)	<i>Pseudonestor xanthophrys</i>	Entire	\$1,000	\$0	\$1,000
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	Entire	\$141,159	\$0	\$141,159
		Plover, piping	<i>Charadrius melanotos</i>	Great Lakes watershed	\$97,254	\$0	\$97,254
		Plover, piping	<i>Charadrius melanotos</i>	except Great Lakes watershed	\$959,704	\$0	\$959,704
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$38,000	\$0	\$38,000
		Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Entire	\$4,835	\$0	\$4,835
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	Entire	\$262,000	\$0	\$262,000
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$5,000	\$0	\$5,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, MS, NC, SC	\$28,400	\$0	\$28,400
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$32,500	\$0	\$32,500
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$500	\$0	\$500
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$21,200	\$0	\$21,200
		Vireo, black-capped	<i>Vireo atricapilla</i>	Entire	\$4,000	\$0	\$4,000
		Warbler, nightingale reed (old world warbler)	<i>Acrocephalus luscinia</i>	Entire	\$500	\$0	\$500
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$5,000	\$0	\$5,000
	Birds subtotal				\$2,765,634	\$0	\$2,765,634
	Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	Entire	\$87,150	\$0	\$87,150
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$45,000	\$0	\$45,000
		Lizard, St. Croix ground	<i>Ameiva polops</i>	Entire	\$55,500	\$0	\$55,500
		Sea turtle, green	<i>Chelonia mydas</i>	Except where endangered	\$277,689	\$0	\$277,689
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$81,100	\$0	\$81,100
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$144,152	\$0	\$144,152
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$1,225,069	\$0	\$1,225,069
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$34,600	\$0	\$34,600
		Sea turtle, loggerhead	<i>Caretta caretta</i>	NW Atlantic DPS	\$588,048	\$0	\$588,048
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$6,700	\$0	\$6,700
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	Entire	\$5,000	\$0	\$5,000
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$127,000	\$0	\$127,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$6,000	\$0	\$6,000
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$5,200	\$0	\$5,200
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$20,000	\$0	\$20,000
	Reptiles subtotal				\$2,708,208	\$0	\$2,708,208
	Amphibians	Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$60,000	\$0	\$60,000
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern CA DPS	\$295,900	\$0	\$295,900
		Hellbender, Ozark	<i>Cryptobranchus alleganiensis bishopi</i>	Entire	\$12,600	\$0	\$12,600
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$2,200	\$0	\$2,200
		Salamander, Shenandoah	<i>Plethodon shenandoah</i>	Entire	\$10,000	\$0	\$10,000
	Amphibians subtotal				\$380,700	\$0	\$380,700
	Fishes	Chub, bonytail	<i>Gila elegans</i>	Entire	\$1,000	\$0	\$1,000
		Chub, humpback	<i>Gila cypha</i>	Entire	\$282,000	\$0	\$282,000
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$650	\$0	\$650
		Dace, blackside	<i>Phoxinus cumberlandensis</i>	Entire	\$1,650	\$0	\$1,650
		Darter, diamond	<i>Crystallaria cincotta</i>		\$7,000	\$0	\$7,000
		Darter, duskytail	<i>Etheostoma percnurum</i>	Entire	\$6,443	\$0	\$6,443
		Gambusia, Big Bend	<i>Gambusia gaigei</i>	Entire	\$5,000	\$0	\$5,000
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$3,000	\$0	\$3,000
		Madtom, smoky	<i>Noturus baileyi</i>	Entire	\$5,793	\$0	\$5,793
		Madtom, yellowfin	<i>Noturus flavipinnis</i>	Entire, except where EXPN	\$5,793	\$0	\$5,793
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Rio Grande, from Little Box Canyon to Amistad Dam	\$2,000	\$0	\$2,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pupfish, desert	<i>Cyprinodon macularius</i>	Entire	\$35,000	\$0	\$35,000
		Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	Entire	\$369,368	\$0	\$369,368
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	California Coastal ESU	\$54,000	\$0	\$54,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$3,000	\$0	\$3,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$50,000	\$0	\$50,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$355,000	\$0	\$355,000
		Salmon, chum	<i>Oncorhynchus keta</i>	Columbia River ESU	\$50,000	\$0	\$50,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Central California Coast ESU	\$83,000	\$0	\$83,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	So. OR/ No. CA Coast ESU	\$104,000	\$0	\$104,000
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Ozette Lake ESU	\$10,000	\$0	\$10,000
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	Entire	\$23,200	\$0	\$23,200
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	California Central Valley DPS	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central California Coast DPS	\$83,000	\$0	\$83,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Middle Columbia River DPS	\$400,185	\$0	\$400,185
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Northern California DPS	\$56,000	\$0	\$56,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Columbia River DPS	\$5,000	\$0	\$5,000
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$600	\$0	\$600
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$10,000	\$0	\$10,000
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$400	\$0	\$400
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$300,600	\$0	\$300,600

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>	Entire	\$39,933	\$0	\$39,933
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii henshawi</i>	Entire	\$400	\$0	\$400
		Trout, Little Kern golden	<i>Oncorhynchus aguabonita whitei</i>	Entire	\$600	\$0	\$600
		Tui chub, Mohave	<i>Gila bicolor ssp. mohavensis</i>	Entire	\$21,000	\$0	\$21,000
	Fishes subtotal				\$2,377,615	\$0	\$2,377,615
	Clams	Bean, Cumberland (pearlymussel)	<i>Villosa trabalis</i>	Except where EXPN	\$1,300	\$0	\$1,300
		Bean, purple	<i>Villosa perpurpurea</i>		\$650	\$0	\$650
		Blossom, tubercled (pearlymussel)	<i>Epioblasma torulosa torulosa</i>	Except where EXPN	\$500	\$0	\$500
		Clubshell	<i>Pleurobema clava</i>	Except where EXPN	\$500	\$0	\$500
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Except where EXPN	\$650	\$0	\$650
		Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>		\$650	\$0	\$650
		Fanshell	<i>Cyprogenia stegaria</i>		\$500	\$0	\$500
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	Entire	\$2,000	\$0	\$2,000
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Except where EXPN	\$2,000	\$0	\$2,000
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Entire	\$20,000	\$0	\$20,000
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Except where EXPN	\$650	\$0	\$650
		Mussel, snuffbox	<i>Epioblasma triquetra</i>		\$100	\$0	\$100
		Pearlymussel, cracking	<i>Hemistena lata</i>	Except where EXPN	\$500	\$0	\$500
		Pearlymussel, dromedary	<i>Dromus dromas</i>	Except where EXPN	\$650	\$0	\$650
		Pearlymussel, littlewing	<i>Pegias fabula</i>	Entire	\$650	\$0	\$650

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pigtoe, rough	<i>Pleurobema plenum</i>		\$500	\$0	\$500
		Purple Cat's paw (=Purple Cat's paw pearlymussel)	<i>Epioblasma obliquata</i> <i>obliquata</i>	Except where EXPN	\$500	\$0	\$500
		Rabbitsfoot, rough	<i>Quadrula cylindrica</i> <i>strigillata</i>		\$15,000	\$0	\$15,000
		Riffleshell, northern	<i>Epioblasma torulosa</i> <i>rangiana</i>	Entire	\$500	\$0	\$500
		Riffleshell, tan	<i>Epioblasma florentina</i> <i>walkeri</i> (=E. <i>walkeri</i>)	Entire	\$650	\$0	\$650
		Ring pink (mussel)	<i>Obovaria retusa</i>		\$500	\$0	\$500
		Spectaclecase (mussel)	<i>Cumberlandia monodonta</i>		\$650	\$0	\$650
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	Entire	\$4,000	\$0	\$4,000
	Clams subtotal				\$53,600	\$0	\$53,600
	Snails	Abalone, Black	<i>Haliotis cracherodii</i>		\$1,000	\$0	\$1,000
	Snails subtotal				\$1,000	\$0	\$1,000
	Insects	Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	Entire	\$87,300	\$0	\$87,300
		Butterfly, mission blue	<i>Icaricia icarioides</i> <i>missionensis</i>	Entire	\$12,000	\$0	\$12,000
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii</i> <i>mitchellii</i>	Entire	\$700	\$0	\$700
		Butterfly, Myrtle's silverspot	<i>Speyeria zerene myrtleae</i>	Entire	\$100	\$0	\$100
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	Entire	\$5,100	\$0	\$5,100
		Butterfly, San Bruno elfin	<i>Callophrys mossii bayensis</i>	Entire	\$500	\$0	\$500
		Butterfly, Schaus swallowtail	<i>Heraclides aristodemus</i> <i>ponceanus</i>	Entire	\$2,000	\$0	\$2,000
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$100	\$0	\$100
		Tiger beetle, Northeastern beach	<i>Cicindela dorsalis dorsalis</i>	Entire	\$2,500	\$0	\$2,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Insects subtotal				\$110,300	\$0	\$110,300
	Crustaceans	Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>	Entire	\$11,500	\$0	\$11,500
	Crustaceans subtotal				\$11,500	\$0	\$11,500
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$60,000	\$0	\$60,000
		Coral, staghorn	<i>Acropora cervicornis</i>		\$50,000	\$0	\$50,000
	Corals subtotal				\$110,000	\$0	\$110,000
	Flowering Plants	Alani	<i>Melicope balloui</i>		\$100	\$0	\$100
		Alani	<i>Melicope ovalis</i>		\$700	\$0	\$700
		Alani	<i>Melicope zahlbruckneri</i>		\$1,200	\$0	\$1,200
		Alopecurus, Sonoma	<i>Alopecurus aequalis var. sonomensis</i>		\$60,000	\$0	\$60,000
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$58,700	\$0	\$58,700
		Avens, spreading	<i>Geum radiatum</i>		\$4,320	\$0	\$4,320
		Blazingstar, Heller's	<i>Liatris helleri</i>		\$3,320	\$0	\$3,320
		Cactus, Brady pincushion	<i>Pediocactus bradyi</i>		\$1,000	\$0	\$1,000
		Cactus, Chisos Mountain hedgehog	<i>Echinocereus chisoensis var. chisoensis</i>		\$7,000	\$0	\$7,000
		Cactus, Lee pincushion	<i>Coryphantha sneedii var. leei</i>		\$8,000	\$0	\$8,000
		Cactus, Lloyd's Mariposa	<i>Echinomastus mariposensis</i>		\$2,000	\$0	\$2,000
		Cactus, Winkler	<i>Pediocactus winkleri</i>		\$35,500	\$0	\$35,500
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$35,500	\$0	\$35,500
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$8,488	\$0	\$8,488
		Clarkia, Presidio	<i>Clarkia franciscana</i>		\$1,000	\$0	\$1,000
		Cycladenia, Jones	<i>Cycladenia humilis var. jonesii</i>		\$500	\$0	\$500
		Daisy, Parish's	<i>Erigeron parishii</i>		\$12,000	\$0	\$12,000
		Dudleya, Verity's	<i>Dudleya verityi</i>		\$1,500	\$0	\$1,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Dudleyea, Santa Monica Mountains	<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>		\$1,500	\$0	\$1,500
		Evening-primrose, Eureka Valley	<i>Oenothera avita</i> ssp. <i>eurekensis</i>		\$16,000	\$0	\$16,000
		Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>		\$26,100	\$0	\$26,100
		Grass, Eureka Dune	<i>Swallenia alexandrae</i>		\$16,000	\$0	\$16,000
		Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>		\$8,000	\$0	\$8,000
		Haha	<i>Cyanea asplenifolia</i>		\$2,000	\$0	\$2,000
		Haha	<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>		\$500	\$0	\$500
		Haha	<i>Cyanea duvalliorum</i>		\$100	\$0	\$100
		Haha	<i>Cyanea glabra</i>		\$100	\$0	\$100
		Haha	<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>		\$100	\$0	\$100
		Haha	<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>		\$100	\$0	\$100
		Haha	<i>Cyanea kunthiana</i>		\$100	\$0	\$100
		Haha	<i>Cyanea maritae</i>		\$100	\$0	\$100
		Haha	<i>Cyanea shipmanii</i>		\$4,500	\$0	\$4,500
		Haha	<i>Cyanea stictophylla</i>		\$4,000	\$0	\$4,000
		Haiwale	<i>Cyrtandra ferripilosa</i>		\$100	\$0	\$100
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$22,000	\$0	\$22,000
		Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>		\$4,000	\$0	\$4,000
		Honohono	<i>Haplostachys haplostachya</i>		\$17,000	\$0	\$17,000
		Ischaemum, Hilo	<i>Ischaemum byrone</i>		\$1,000	\$0	\$1,000
		Ko`oko`olau	<i>Bidens campylotheca pentamera</i>		\$100	\$0	\$100
		Ko`oko`olau	<i>Bidens campylotheca waihoiensis</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Ko`oko`olau	<i>Bidens micrantha</i> ssp. <i>kalealaha</i>		\$3,400	\$0	\$3,400
		Kuahiwi laukahi	<i>Plantago hawaiensis</i>		\$4,000	\$0	\$4,000
		Kuahiwi laukahi	<i>Plantago princeps</i>		\$4,500	\$0	\$4,500
		Kula wahine noho	<i>Isodendrion pyrifolium</i>		\$18,000	\$0	\$18,000
		Layia, beach	<i>Layia carnosa</i>		\$1,500	\$0	\$1,500
		Lessingia, San Francisco	<i>Lessingia germanorum</i> (<i>L.g. var. germanorum</i>)		\$1,000	\$0	\$1,000
		Lo`ulu	<i>Pritchardia affinis</i>		\$18,300	\$0	\$18,300
		Lupine, clover	<i>Lupinus tidestromii</i>		\$30,000	\$0	\$30,000
		Manzanita, Presidio	<i>Arctostaphylos hookeri</i> <i>var. ravenii</i>		\$1,000	\$0	\$1,000
		Manzanita, San Francisco	<i>Arctostaphylos franciscana</i>		\$5,000	\$0	\$5,000
		Manzanita, Santa Rosa Island	<i>Arctostaphylos</i> <i>confertiflora</i>		\$600	\$0	\$600
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$200	\$0	\$200
		Milk-vetch, Sentry	<i>Astragalus cremnophylax</i> <i>var. cremnophylax</i>		\$146,100	\$0	\$146,100
		Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>		\$5,000	\$0	\$5,000
		Milk-vetch, triple- ribbed	<i>Astragalus tricarinatus</i>		\$12,000	\$0	\$12,000
		Naupaka, dwarf	<i>Scaevola coriacea</i>		\$4,000	\$0	\$4,000
		No common name	<i>Neraudia ovata</i>		\$1,000	\$0	\$1,000
		No common name	<i>Phyllostegia bracteata</i>		\$400	\$0	\$400
		No common name	<i>Phyllostegia haliakalae</i>		\$9,900	\$0	\$9,900
		No common name	<i>Platanthera holochila</i>		\$100	\$0	\$100
		No common name	<i>Schiedea haleakalensis</i>		\$2,000	\$0	\$2,000
		No common name	<i>Schiedea hookeri</i>		\$100	\$0	\$100
		No common name	<i>Silene hawaiensis</i>		\$4,000	\$0	\$4,000
		No common name	<i>Stenogyne angustifolia</i> <i>angustifolia</i>		\$1,500	\$0	\$1,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Tetramolopium rockii</i>		\$1,000	\$0	\$1,000
		No common name	<i>Wikstroemia villosa</i>		\$100	\$0	\$100
		Nohoanu	<i>Geranium hanaense</i>		\$200	\$0	\$200
		Nohoanu	<i>Geranium multiflorum</i>		\$400	\$0	\$400
		Nui, haha	<i>Cyanea horrida</i>		\$400	\$0	\$400
		Ohai	<i>Sesbania tomentosa</i>		\$4,100	\$0	\$4,100
		Orchid, western prairie fringed	<i>Platanthera praecox</i>		\$8,000	\$0	\$8,000
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$500	\$0	\$500
		Paintbrush, Tiburon	<i>Castilleja affinis ssp. neglecta</i>		\$1,000	\$0	\$1,000
		Phlox, Texas trailing	<i>Phlox nivalis ssp. texensis</i>		\$6,000	\$0	\$6,000
		Pink, swamp	<i>Helonias bullata</i>		\$2,500	\$0	\$2,500
		Pitcher-plant, green	<i>Sarracenia oreophila</i>		\$9,000	\$0	\$9,000
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$4,920	\$0	\$4,920
		Popolo ku mai	<i>Solanum incompletum</i>		\$100	\$0	\$100
		Potentilla, Hickman's	<i>Potentilla hickmanii</i>		\$6,000	\$0	\$6,000
		Po`e	<i>Portulaca sclerocarpa</i>		\$8,000	\$0	\$8,000
		Rosemary, Cumberland	<i>Conradina verticillata</i>		\$1,300	\$0	\$1,300
		Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>		\$650	\$0	\$650
		Sandwort, Marsh	<i>Arenaria paludicola</i>		\$1,000	\$0	\$1,000
		Silversword, Mauna Loa (=Ka'u)	<i>Argyroxiphium kauense</i>		\$3,000	\$0	\$3,000
		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$3,000	\$0	\$3,000
		Spineflower, Sonoma	<i>Chorizanthe valida</i>		\$3,000	\$0	\$3,000
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$1,300	\$0	\$1,300
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$500	\$0	\$500
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$13,600	\$0	\$13,600

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$1,000	\$0	\$1,000
		`Ahinahina	<i>Argyroxiphium sandwicense ssp. macrocephalum</i>		\$58,900	\$0	\$58,900
		`Awikiwiki	<i>Canavalia molokaiensis</i>		\$4,000	\$0	\$4,000
		`Oha wai	<i>Clermontia lindseyana</i>		\$4,100	\$0	\$4,100
		`Oha wai	<i>Clermontia oblongifolia ssp. mauiensis</i>		\$100	\$0	\$100
		`Oha wai	<i>Clermontia peleana</i>		\$20,100	\$0	\$20,100
		`Oha wai	<i>Clermontia samuelii</i>		\$2,000	\$0	\$2,000
	Flowering Plants subtotal				\$807,698	\$0	\$807,698
	Ferns and Allies	No common name	<i>Asplenium fragile insulare</i>		\$100	\$0	\$100
		No common name	<i>Diplazium molokaiense</i>		\$100	\$0	\$100
		Pauoa	<i>Ctenitis squamigera</i>		\$100	\$0	\$100
		Wawae`iole	<i>Huperzia mannii</i>		\$100	\$0	\$100
	Ferns and Allies subtotal				\$400	\$0	\$400
Domestic subtotal					\$13,000,617	\$0	\$13,000,617
Grand Total					\$13,000,617	\$0	\$13,000,617

DOI Office of Surface Mining -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$19,086	\$0	\$19,086
	Fishes	Dace, blackside	<i>Phoxinus cumberlandensis</i>	Entire	\$1,800	\$0	\$1,800
		Dace, Laurel	<i>Chrosomus saylori</i>	Entire	\$450	\$0	\$450
	Fishes subtotal				\$2,250	\$0	\$2,250
	Clams	Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Except where EXPN	\$433	\$0	\$433
		Fanshell	<i>Cyprogenia stegaria</i>		\$433	\$0	\$433
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Except where EXPN	\$433	\$0	\$433
		Mussel, snuffbox	<i>Epioblasma triquetra</i>		\$433	\$0	\$433
		Pearlymussel, birdwing	<i>Lemiox rimosus</i>	Except where EXPN	\$433	\$0	\$433
		Pearlymussel, dromedary	<i>Dromus dromas</i>	Except where EXPN	\$433	\$0	\$433
		Spectaclecase (mussel)	<i>Cumberlandia monodonta</i>		\$433	\$0	\$433
	Clams subtotal				\$3,031	\$0	\$3,031
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$293	\$0	\$293
	Multi-Species				\$68,690	\$0	\$68,690
Domestic subtotal					\$93,350	\$0	\$93,350
Grand Total					\$93,350	\$0	\$93,350

DOI US Geological Survey -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$2,300	\$0	\$2,300
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	Entire	\$306,348	\$0	\$306,348
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$454,784	\$0	\$454,784
		Bat, Mariana fruit (=Mariana flying fox)	<i>Pteropus mariannus</i> <i>mariannus</i>	Entire	\$300	\$0	\$300
		Bear, American black	<i>Ursus americanus</i>	County range of LA b.bear	\$121,892	\$0	\$121,892
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$711,139	\$0	\$711,139
		Bear, polar	<i>Ursus maritimus</i>	Entire	\$2,274,793	\$0	\$2,274,793
		Deer, key	<i>Odocoileus virginianus</i> <i>clavium</i>	Entire	\$20,000	\$0	\$20,000
		Ferret, black-footed	<i>Mustela nigripes</i>	except where EXPN	\$146,975	\$0	\$146,975
		Jaguar	<i>Panthera onca</i>	AZ,CA,LA,NM,T X.;Mexico; Central and South America	\$10,000	\$0	\$10,000
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>)	Entire	\$5,000	\$0	\$5,000
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$805,640	\$0	\$805,640
		Mouse, Pacific pocket	<i>Perognathus longimembris</i> <i>pacificus</i>	Entire	\$13,000	\$0	\$13,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$46,300	\$0	\$46,300
		Ocelot	<i>Leopardus (=Felis)</i> <i>pardalis</i>	AZ, TX to Central and South America	\$3,000	\$0	\$3,000
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest Alaska DPS	\$15,000	\$0	\$15,000
		Otter, southern sea	<i>Enhydra lutris nereis</i>		\$740,423	\$0	\$740,423

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$5,500	\$0	\$5,500
		Prairie dog, Utah	<i>Cynomys parvidens</i>	UT	\$129,667	\$0	\$129,667
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	AZ, Mexico	\$38,925	\$0	\$38,925
		Puma (=cougar), eastern	<i>Puma (=Felis) concolor couguar</i>	Entire	\$187,437	\$0	\$187,437
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>	FL	\$2,500	\$0	\$2,500
		Rabbit, Pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$10,000	\$0	\$10,000
		Sea lion, Steller	<i>Eumetopias jubatus</i>	Western DPS	\$18,000	\$0	\$18,000
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	Entire	\$25,000	\$0	\$25,000
		Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	Except Sussex Co., DE	\$300	\$0	\$300
		Vole, Florida salt marsh	<i>Microtus pennsyl- vanicus dukecampbelli</i>	Entire	\$10,900	\$0	\$10,900
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Entire	\$6,000	\$0	\$6,000
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$31,169	\$0	\$31,169

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$3,900	\$0	\$3,900
		Wolf, red	<i>Canis rufus</i>	portions of NC and TN	\$2,130	\$0	\$2,130
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	Entire	\$2,500	\$0	\$2,500
	Mammals subtotal				\$6,150,822	\$0	\$6,150,822
	Birds	Akekee	<i>Loxops caeruleirostris</i>	Entire	\$42,184	\$0	\$42,184
		Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus</i> <i>coccineus</i>	Entire	\$47,288	\$0	\$47,288
		Akiapola`au (honeycreeper)	<i>Hemignathus munroi</i>	Entire	\$47,288	\$0	\$47,288
		Akikiki	<i>Oreomystis bairdi</i>	Entire	\$42,184	\$0	\$42,184
		Albatross, short-tailed	<i>Phoebastria (=Diomedea)</i> <i>albatrus</i>	Entire	\$7,948	\$0	\$7,948
		Bobwhite, masked (quail)	<i>Colinus virginianus</i> <i>ridgwayi</i>	Entire	\$5,000	\$0	\$5,000
		Condor, California	<i>Gymnogyps californianus</i>	Except where EXPN	\$203,695	\$0	\$203,695
		Condor, California	<i>Gymnogyps californianus</i>	portions of AZ, NV, UT	\$38,959	\$0	\$38,959
		Coot, Hawaiian	<i>Fulica americana alai</i>	Entire	\$6,987	\$0	\$6,987

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	Entire	\$1,460	\$0	\$1,460
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, western WY	\$900	\$0	\$900
		Crane, whooping	<i>Grus americana</i>	AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	\$571,311	\$0	\$571,311
		Crane, whooping	<i>Grus americana</i>	Except where EXPN	\$288,634	\$0	\$288,634
		Creeper, Hawaii	<i>Oreomystis mana</i>	Entire	\$47,288	\$0	\$47,288
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>	Entire	\$600	\$0	\$600
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	Entire	\$27,837	\$0	\$27,837
		Duck, Laysan	<i>Anas laysanensis</i>	Entire	\$111,089	\$0	\$111,089
		Eider, spectacled	<i>Somateria fischeri</i>	Entire	\$5,000	\$0	\$5,000
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$5,100	\$0	\$5,100
		Elepaio, Oahu	<i>Chasiempis sandwichensis ibidis</i>	Entire	\$31,132	\$0	\$31,132
		Finch, Laysan (honeycreeper)	<i>Telespyza cantans</i>	Entire	\$5,248	\$0	\$5,248
		Finch, Nihoa (honeycreeper)	<i>Telespyza ultima</i>	Entire	\$4,948	\$0	\$4,948
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$30,500	\$0	\$30,500
		Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	Entire	\$12,400	\$0	\$12,400
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	Entire	\$58,110	\$0	\$58,110
		Hawk, Puerto Rican sharp-shinned	<i>Accipiter striatus venator</i>	Entire	\$15,000	\$0	\$15,000
		Honeycreeper, crested	<i>Palmeria dolei</i>	Entire	\$5,954	\$0	\$5,954

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina</i> <i>cinnamomina</i>	Entire	\$11,910	\$0	\$11,910
		Kite, Everglade snail	<i>Rostrhamus sociabilis</i> <i>plumbeus</i>	FL pop.	\$85,000	\$0	\$85,000
		Millerbird, Nihoa (old world warbler)	<i>Acrocephalus familiaris</i> <i>kingi</i>	Entire	\$4,948	\$0	\$4,948
		Moorhen, Hawaiian common	<i>Gallinula chloropus</i> <i>sandvicensis</i>	Entire	\$5,757	\$0	\$5,757
		Moorhen, Mariana common	<i>Gallinula chloropus guami</i>	Entire	\$1,500	\$0	\$1,500
		Murrelet, marbled	<i>Brachyramphus</i> <i>marmoratus</i>	CA, OR, WA	\$47,495	\$0	\$47,495
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$122,439	\$0	\$122,439
		Palila (honeycreeper)	<i>Loxoides bailleui</i>	Entire	\$79,258	\$0	\$79,258
		Parrotbill, Maui (honeycreeper)	<i>Pseudonestor xanthophrys</i>	Entire	\$5,954	\$0	\$5,954
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia</i> <i>sandwichensis</i>	Entire	\$29,800	\$0	\$29,800
		Plover, piping	<i>Charadrius melanotos</i>	except Great Lakes watershed	\$356,754	\$0	\$356,754
		Plover, western snowy	<i>Charadrius alexandrinus</i> <i>nivosus</i>	Pacific coastal pop.	\$25,325	\$0	\$25,325
		Rail, California clapper	<i>Rallus longirostris</i> <i>obsoletus</i>	Entire	\$62,102	\$0	\$62,102
		Rail, Yuma clapper	<i>Rallus longirostris</i> <i>yumanensis</i>	U.S.A. only	\$5,000	\$0	\$5,000
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis</i> <i>newelli</i>	Entire	\$900	\$0	\$900
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum</i> <i>floridanus</i>	Entire	\$30,158	\$0	\$30,158
		Stilt, Hawaiian	<i>Himantopus mexicanus</i> <i>knudseni</i>		\$6,057	\$0	\$6,057
		Tern, California least	<i>Sterna antillarum browni</i>		\$15,636	\$0	\$15,636
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$228,047	\$0	\$228,047

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$175,426	\$0	\$175,426
		Thrush, small Kauai (=puiaiohi)	<i>Myadestes palmeri</i>		\$42,184	\$0	\$42,184
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>	Entire	\$108,200	\$0	\$108,200
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	Entire	\$118,500	\$0	\$118,500
		Warbler, Kirtland's	<i>Setophaga kirtlandii</i> (= <i>Dendroica kirtlandii</i>)	Entire	\$59,900	\$0	\$59,900
		Woodpecker, red- cockaded	<i>Picoides borealis</i>	Entire	\$11,910	\$0	\$11,910
	Birds subtotal				\$3,304,204	\$0	\$3,304,204
	Reptiles	Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$134,282	\$0	\$134,282
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	Entire	\$9,000	\$0	\$9,000
		Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>	Entire	\$23,800	\$0	\$23,800
		Lizard, Island night	<i>Xantusia riversiana</i>	Entire	\$56,850	\$0	\$56,850
		Sea turtle, green	<i>Chelonia mydas</i>	Except where endangered	\$42,212	\$0	\$42,212
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$92,625	\$0	\$92,625
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$77,943	\$0	\$77,943
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$407,858	\$0	\$407,858
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$13,000	\$0	\$13,000
		Sea turtle, loggerhead	<i>Caretta caretta</i>	Northwest Atlantic Ocean DPS	\$282,848	\$0	\$282,848
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Except where endangered	\$4,200	\$0	\$4,200
		Snake, giant garter	<i>Thamnophis gigas</i>	Entire	\$136,200	\$0	\$136,200
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$663,850	\$0	\$663,850

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$2,080	\$0	\$2,080
		Turtle, ringed map	<i>Graptemys oculifera</i>	Entire	\$1,780	\$0	\$1,780
		Turtle, yellow- blotched map	<i>Graptemys flavimaculata</i>	Entire	\$1,780	\$0	\$1,780
	Reptiles subtotal				\$1,950,308	\$0	\$1,950,308
	Amphibians	Frog, California red- legged	<i>Rana draytonii</i>	Entire	\$88,900	\$0	\$88,900
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	Entire	\$105,325	\$0	\$105,325
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$87,800	\$0	\$87,800
		Salamander, Barton Springs	<i>Eurycea sosorum</i>	Entire	\$5,875	\$0	\$5,875
		Salamander, Red Hills	<i>Phaeognathus hubrichti</i>	Entire	\$10,000	\$0	\$10,000
		Salamander, Shenandoah	<i>Plethodon shenandoah</i>	Entire	\$900	\$0	\$900
		Toad, arroyo (arroyo southwestern)	<i>Anaxyrus californicus</i>	Entire	\$10,000	\$0	\$10,000
	Amphibians subtotal				\$308,800	\$0	\$308,800
	Fishes	Chub, humpback	<i>Gila cypha</i>	Entire	\$80,000	\$0	\$80,000
		Chub, Pahranagat roundtail	<i>Gila robusta jordani</i>	Entire	\$7,500	\$0	\$7,500
		Chub, slender	<i>Erimystax cahni</i>	Entire	\$87,169	\$0	\$87,169
		Chub, Yaqui	<i>Gila purpurea</i>	Entire	\$10,000	\$0	\$10,000
		Cui-ui	<i>Chasmistes cujus</i>	Entire	\$69,260	\$0	\$69,260
		Dace, Ash Meadows speckled	<i>Rhinichthys osculus</i> <i>nevadensis</i>	Entire	\$7,500	\$0	\$7,500
		Dace, blackside	<i>Phoxinus cumberlandensis</i>	Entire	\$135,000	\$0	\$135,000
		Dace, Foskett speckled	<i>Rhinichthys osculus ssp.</i>	Entire	\$2,000	\$0	\$2,000
		Dace, Moapa	<i>Moapa coriacea</i>	Entire	\$17,500	\$0	\$17,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Darter, boulder	<i>Etheostoma wapiti</i>	Entire	\$10,000	\$0	\$10,000
		Darter, Niangua	<i>Etheostoma nianguae</i>	Entire	\$5,000	\$0	\$5,000
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>	Entire	\$49,285	\$0	\$49,285
		Darter, yellowcheek	<i>Etheostoma moorei</i>	Entire	\$5,000	\$0	\$5,000
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$20,000	\$0	\$20,000
		Logperch, Roanoke	<i>Percina rex</i>	Entire	\$20,000	\$0	\$20,000
		Madtom, Neosho	<i>Noturus placidus</i>	Entire	\$20,000	\$0	\$20,000
		Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis</i> <i>mionectes</i>	Entire	\$7,500	\$0	\$7,500
		Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	Entire	\$10,000	\$0	\$10,000
		Pupfish, Warm Springs	<i>Cyprinodon nevadensis</i> <i>pectoralis</i>	Entire	\$7,500	\$0	\$7,500
		Rockfish, canary	<i>Sebastodes pinniger</i>	Puget Sound - Georgia Basin DPS	\$10,000	\$0	\$10,000
		Rockfish, yelloweye	<i>Sebastodes ruberrimus</i>	Puget Sound - Georgia Basin DPS	\$10,000	\$0	\$10,000
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine DPS	\$380,836	\$0	\$380,836
		Salmon, Chinook	<i>Oncorhynchus (=Salmo)</i> <i>tshawytscha</i>	California Coastal ESU	\$45,000	\$0	\$45,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo)</i> <i>tshawytscha</i>	Central Valley spring-run ESU	\$25,000	\$0	\$25,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo)</i> <i>tshawytscha</i>	Lower Columbia River ESU	\$95,000	\$0	\$95,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo)</i> <i>tshawytscha</i>	Puget Sound ESU	\$101,098	\$0	\$101,098
		Salmon, Chinook	<i>Oncorhynchus (=Salmo)</i> <i>tshawytscha</i>	Sacramento River winter-run ESU	\$335,270	\$0	\$335,270
		Salmon, Chinook	<i>Oncorhynchus (=Salmo)</i> <i>tshawytscha</i>	Snake River fall- run ESU	\$25,000	\$0	\$25,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo)</i> <i>tshawytscha</i>	Snake River spring/summer- run ESU	\$25,000	\$0	\$25,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$25,000	\$0	\$25,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$35,000	\$0	\$35,000
		Salmon, chum	<i>Oncorhynchus keta</i>	Columbia River ESU	\$10,000	\$0	\$10,000
		Salmon, chum	<i>Oncorhynchus keta</i>	Hood Canal summer-run ESU	\$10,000	\$0	\$10,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Central California Coast ESU	\$10,000	\$0	\$10,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$10,000	\$0	\$10,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Oregon Coast ESU	\$53,981	\$0	\$53,981
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	So. OR/ No. CA Coast ESU	\$73,610	\$0	\$73,610
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Ozette Lake ESU	\$15,000	\$0	\$15,000
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River ESU	\$15,000	\$0	\$15,000
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$15,000	\$0	\$15,000
		Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	Entire	\$26,410	\$0	\$26,410
		Smelt, delta	<i>Hypomesus transpacificus</i>	Entire	\$315,270	\$0	\$315,270
		Springfish, White River	<i>Crenichthys baileyi baileyi</i>	Entire	\$7,500	\$0	\$7,500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	California Central Valley DPS	\$315,270	\$0	\$315,270
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central California Coast DPS	\$5,000	\$0	\$5,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Lower Columbia River DPS	\$25,000	\$0	\$25,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Middle Columbia River DPS	\$40,148	\$0	\$40,148

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Northern California DPS	\$25,000	\$0	\$25,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$12,698	\$0	\$12,698
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake River Basin DPS	\$50,000	\$0	\$50,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	South-Central CA Coast DPS	\$5,000	\$0	\$5,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Southern CA DPS	\$5,000	\$0	\$5,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Columbia River DPS	\$50,000	\$0	\$50,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Willamette River DPS	\$10,000	\$0	\$10,000
		Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>	Entire	\$20,000	\$0	\$20,000
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus</i>	Entire	\$256,557	\$0	\$256,557
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>	Gulf of Maine DPS	\$25,000	\$0	\$25,000
		Sturgeon, green	<i>Acipenser medirostris</i>	Southern DPS	\$10,000	\$0	\$10,000
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$339,544	\$0	\$339,544
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$40,000	\$0	\$40,000
		Sturgeon, Shovelnose	<i>Scaphirhynchus platorynchus</i>	Entire	\$69,500	\$0	\$69,500
		Sturgeon, white	<i>Acipenser transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$96,879	\$0	\$96,879
		Sucker, Lost River	<i>Deltistes luxatus</i>	Entire	\$74,000	\$0	\$74,000
		Sucker, Santa Ana	<i>Catostomus santaanae</i>	3 CA river basins	\$23,700	\$0	\$23,700
		Sucker, shortnose	<i>Chasmistes brevirostris</i>	Entire	\$74,000	\$0	\$74,000
		Trout, Apache	<i>Oncorhynchus apache</i>	Entire	\$27,800	\$0	\$27,800
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$210,993	\$0	\$210,993
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii henshawi</i>	Entire	\$46,103	\$0	\$46,103

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
	Fishes subtotal				\$4,101,381	\$0	\$4,101,381
	Clams	Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Except where EXPN	\$4,630	\$0	\$4,630
		Monkeyface, Cumberland (pearlymussel)	<i>Quadrula intermedia</i>	Except where EXPN	\$4,630	\$0	\$4,630
		Pearlymussel, birdwing	<i>Lemiox rimosus</i>	Except where EXPN	\$4,630	\$0	\$4,630
		Pigtoe, fuzzy	<i>Pleurobema strodeanum</i>		\$19,615	\$0	\$19,615
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$19,615	\$0	\$19,615
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	Entire	\$49,000	\$0	\$49,000
	Clams subtotal				\$102,120	\$0	\$102,120
	Snails	Abalone, Black	<i>Haliotis cracherodii</i>		\$39,200	\$0	\$39,200
		Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	Entire	\$9,950	\$0	\$9,950
		Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>	Entire	\$2,000	\$0	\$2,000
		Snail, Pecos assiminea	<i>Assiminea pecos</i>		\$45,100	\$0	\$45,100
	Snails subtotal				\$96,250	\$0	\$96,250
	Insects	Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>		\$10,867	\$0	\$10,867
		Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>		\$10,867	\$0	\$10,867
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	Entire	\$93,000	\$0	\$93,000
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	Entire	\$21,668	\$0	\$21,668
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (= <i>E. e. wrighti</i>)	Entire	\$42,318	\$0	\$42,318
		Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>	Entire	\$21,668	\$0	\$21,668
	Insects subtotal				\$200,388	\$0	\$200,388
	Crustaceans	Amphipod, Peck's cave	<i>Stygobromus</i> (= <i>Stygonectes</i>) <i>pecki</i>		\$10,867	\$0	\$10,867

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Fairy shrimp, vernal pool	<i>Branchinecta lynchii</i>	Entire	\$30,000	\$0	\$30,000
		Isopod, Madison Cave	<i>Antrolana lira</i>	Entire	\$1,500	\$0	\$1,500
	Crustaceans subtotal				\$42,367	\$0	\$42,367
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$53,909	\$0	\$53,909
		Coral, staghorn	<i>Acropora cervicornis</i>		\$34,970	\$0	\$34,970
	Corals subtotal				\$88,879	\$0	\$88,879
	Flowering Plants	Alani	<i>Melicope adscendens</i>		\$295	\$0	\$295
		Alani	<i>Melicope balloui</i>		\$295	\$0	\$295
		Alani	<i>Melicope christophersenii</i>		\$8,254	\$0	\$8,254
		Alani	<i>Melicope degeneri</i>		\$295	\$0	\$295
		Alani	<i>Melicope haupuensis</i>		\$8,254	\$0	\$8,254
		Alani	<i>Melicope hiiakae</i>		\$295	\$0	\$295
		Alani	<i>Melicope knudsenii</i>		\$295	\$0	\$295
		Alani	<i>Melicope lydgatei</i>		\$295	\$0	\$295
		Alani	<i>Melicope makahae</i>		\$295	\$0	\$295
		Alani	<i>Melicope mucronulata</i>		\$295	\$0	\$295
		Alani	<i>Melicope munroi</i>		\$295	\$0	\$295
		Alani	<i>Melicope ovalis</i>		\$295	\$0	\$295
		Alani	<i>Melicope pallida</i>		\$295	\$0	\$295
		Alani	<i>Melicope paniculata</i>		\$295	\$0	\$295
		Alani	<i>Melicope puberula</i>		\$296	\$0	\$296
		Alani	<i>Melicope quadrangularis</i>		\$297	\$0	\$297
		Alani	<i>Melicope reflexa</i>		\$298	\$0	\$298
		Alani	<i>Melicope saint-johnii</i>		\$299	\$0	\$299
		Alani	<i>Melicope zahlbruckneri</i>		\$300	\$0	\$300
	Aupaka		<i>Isodendrion hosakae</i>		\$295	\$0	\$295
		Aupaka	<i>Isodendrion laurifolium</i>		\$295	\$0	\$295
		Aupaka	<i>Isodendrion longifolium</i>		\$295	\$0	\$295
		Awiwi	<i>Centaurium sebaeoides</i>		\$295	\$0	\$295

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Awiwi	<i>Hedyotis cookiana</i>		\$296	\$0	\$296
		A`e	<i>Zanthoxylum dipetalum</i> <i>var. tomentosum</i>		\$295	\$0	\$295
		A`e	<i>Zanthoxylum hawaiiense</i>		\$8,254	\$0	\$8,254
		A`e	<i>Zanthoxylum oahuense</i>		\$295	\$0	\$295
		Bluegrass, Hawaiian	<i>Poa sandvicensis</i>		\$295	\$0	\$295
		Bluegrass, Mann's	<i>Poa mannii</i>		\$295	\$0	\$295
		Cactus, Winkler	<i>Pediocactus winkleri</i>		\$41,250	\$0	\$41,250
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$41,250	\$0	\$41,250
		Chaff-flower, round-leaved	<i>Achyranthes splendens</i> <i>var. rotundata</i>		\$295	\$0	\$295
		Gardenia (=Na`u), Hawaiian	<i>Gardenia brighamii</i>		\$295	\$0	\$295
		Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>		\$2,297	\$0	\$2,297
		Haha	<i>Cyanea acuminata</i>		\$295	\$0	\$295
		Haha	<i>Cyanea asarifolia</i>		\$295	\$0	\$295
		Haha	<i>Cyanea asplenifolia</i>		\$295	\$0	\$295
		Haha	<i>Cyanea calycina</i>		\$295	\$0	\$295
		Haha	<i>Cyanea copelandii</i> ssp. <i>copelandii</i>		\$295	\$0	\$295
		Haha	<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>		\$295	\$0	\$295
		Haha	<i>Cyanea dolichopoda</i>		\$295	\$0	\$295
		Haha	<i>Cyanea dunbarii</i>		\$295	\$0	\$295
		Haha	<i>Cyanea duvalliorum</i>		\$295	\$0	\$295
		Haha	<i>Cyanea elealeensis</i>		\$295	\$0	\$295
		Haha	<i>Cyanea glabra</i>		\$295	\$0	\$295
		Haha	<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>		\$295	\$0	\$295
		Haha	<i>Cyanea grimesiana</i> ssp. <i>obatae</i>		\$295	\$0	\$295

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Haha	<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>		\$295	\$0	\$295
		Haha	<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>		\$295	\$0	\$295
		Haha	<i>Cyanea humboldtiana</i>		\$295	\$0	\$295
		Haha	<i>Cyanea kolekoleensis</i>		\$295	\$0	\$295
		Haha	<i>Cyanea koolauensis</i>		\$295	\$0	\$295
		Haha	<i>Cyanea kuhihewa</i>		\$295	\$0	\$295
		Haha	<i>Cyanea kunthiana</i>		\$295	\$0	\$295
		Haha	<i>Cyanea lanceolata</i>		\$295	\$0	\$295
		Haha	<i>Cyanea lobata</i>		\$295	\$0	\$295
		Haha	<i>Cyanea longiflora</i>		\$295	\$0	\$295
		Haha	<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>		\$295	\$0	\$295
		Haha	<i>Cyanea magnicalyx</i>		\$295	\$0	\$295
		Haha	<i>Cyanea mannii</i>		\$295	\$0	\$295
		Haha	<i>Cyanea maritae</i>		\$295	\$0	\$295
		Haha	<i>Cyanea mauiensis</i>		\$295	\$0	\$295
		Haha	<i>Cyanea mceldowneyi</i>		\$295	\$0	\$295
		Haha	<i>Cyanea munroi</i>		\$295	\$0	\$295
		Haha	<i>Cyanea obtusa</i>		\$295	\$0	\$295
		Haha	<i>Cyanea pinnatifida</i>		\$295	\$0	\$295
		Haha	<i>Cyanea platiphylla</i>		\$295	\$0	\$295
		Haha	<i>Cyanea procera</i>		\$295	\$0	\$295
		Haha	<i>Cyanea recta</i>		\$295	\$0	\$295
		Haha	<i>Cyanea remyi</i>		\$295	\$0	\$295
		Haha	<i>Cyanea shipmanii</i>		\$295	\$0	\$295
		Haha	<i>Cyanea st.-johnii</i>		\$295	\$0	\$295
		Haha	<i>Cyanea stictophylla</i>		\$295	\$0	\$295
		Haha	<i>Cyanea superba</i>		\$295	\$0	\$295
		Haha	<i>Cyanea truncata</i>		\$295	\$0	\$295
		Haha	<i>Cyanea undulata</i>		\$295	\$0	\$295
		Haiwale	<i>Cyrtandra ferripilosa</i>		\$295	\$0	\$295

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Haiwale	<i>Cyrtandra paliku</i>		\$295	\$0	\$295
		Hala pepe	<i>Pleomele fernaldii</i>		\$295	\$0	\$295
		Hala pepe	<i>Pleomele forbesii</i>		\$295	\$0	\$295
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$295	\$0	\$295
		Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>		\$295	\$0	\$295
		Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>		\$295	\$0	\$295
		Hau kuahiwi	<i>Hibiscadelphus woodii</i>		\$295	\$0	\$295
		Ha`iwale	<i>Cyrtandra crenata</i>		\$295	\$0	\$295
		Ha`iwale	<i>Cyrtandra dentata</i>		\$295	\$0	\$295
		Ha`iwale	<i>Cyrtandra filipes</i>		\$295	\$0	\$295
		Ha`iwale	<i>Cyrtandra giffardii</i>		\$295	\$0	\$295
		Ha`iwale	<i>Cyrtandra kaulantha</i>		\$295	\$0	\$295
		Ha`iwale	<i>Cyrtandra limahuliensis</i>		\$295	\$0	\$295
		Ha`iwale	<i>Cyrtandra munroi</i>		\$295	\$0	\$295
		Ha`iwale	<i>Cyrtandra oenobarba</i>		\$295	\$0	\$295
		Ha`iwale	<i>Cyrtandra oxybapha</i>		\$295	\$0	\$295
		Ha`iwale	<i>Cyrtandra polyantha</i>		\$295	\$0	\$295
		Ha`iwale	<i>Cyrtandra sessilis</i>		\$295	\$0	\$295
		Ha`iwale	<i>Cyrtandra subumbellata</i>		\$295	\$0	\$295
		Ha`iwale	<i>Cyrtandra tintinnabula</i>		\$295	\$0	\$295
		Ha`iwale	<i>Cyrtandra viridiflora</i>		\$295	\$0	\$295
		Heau	<i>Exocarpos luteolus</i>		\$295	\$0	\$295
		Hedyotis, Na Pali beach	<i>Hedyotis st.-johnii</i>		\$295	\$0	\$295
		Hibiscus, Clay's	<i>Hibiscus clayi</i>		\$295	\$0	\$295
		Higuero de sierra	<i>Crescentia portoricensis</i>		\$295	\$0	\$295
		Holei	<i>Ochrosia kilaeaensis</i>		\$295	\$0	\$295
		Honohono	<i>Haplostachys haplostachya</i>		\$295	\$0	\$295
		Ho`awa	<i>Pittosporum napaliense</i>		\$295	\$0	\$295
		Iliau, dwarf	<i>Wilkesia hobdyi</i>		\$295	\$0	\$295

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Ischaemum, Hilo	<i>Ischaemum byrone</i>		\$295	\$0	\$295
		Kamakahala	<i>Labordia cyrtandrae</i>		\$295	\$0	\$295
		Kamakahala	<i>Labordia helleri</i>		\$295	\$0	\$295
		Kamakahala	<i>Labordia lydgatei</i>		\$295	\$0	\$295
		Kamakahala	<i>Labordia pumila</i>		\$295	\$0	\$295
		Kamakahala	<i>Labordia tinifolia var. lanaiensis</i>		\$295	\$0	\$295
		Kamakahala	<i>Labordia tinifolia var. wahiaensis</i>		\$295	\$0	\$295
		Kamakahala	<i>Labordia triflora</i>		\$295	\$0	\$295
		Kamanomano	<i>Cenchrus agrimonoides</i>		\$8,254	\$0	\$8,254
		Kauai hau kuahiwi	<i>Hibiscadelphus distans</i>		\$295	\$0	\$295
		Kauila	<i>Colubrina oppositifolia</i>		\$295	\$0	\$295
		Kaulu	<i>Pteralyxia kauaiensis</i>		\$295	\$0	\$295
		Kaulu	<i>Pteralyxia macrocarpa</i>		\$295	\$0	\$295
		Kio`ele	<i>Kadua coriacea</i>		\$295	\$0	\$295
		Kiponapona	<i>Phyllostegia racemosa</i>		\$295	\$0	\$295
		Kohe malama malama o kanaloa	<i>Kanaloa kahoolawensis</i>		\$295	\$0	\$295
		Koki`o	<i>Kokia drynarioides</i>		\$295	\$0	\$295
		Koki`o	<i>Kokia kauaiensis</i>		\$295	\$0	\$295
		Koki`o ke`oke`o	<i>Hibiscus arnottianus ssp. immaculatus</i>		\$295	\$0	\$295
		Koki`o ke`oke`o	<i>Hibiscus waimeae ssp. hannerae</i>		\$295	\$0	\$295
		Koki`o, Cooke's	<i>Kokia cookei</i>		\$295	\$0	\$295
		Kolea	<i>Myrsine juddii</i>		\$295	\$0	\$295
		Kolea	<i>Myrsine knudsenii</i>		\$295	\$0	\$295
		Kolea	<i>Myrsine linearifolia</i>		\$295	\$0	\$295
		Kolea	<i>Myrsine mezii</i>		\$295	\$0	\$295
		Kolea	<i>Myrsine vaccinoides</i>		\$295	\$0	\$295
		Kopa	<i>Hedyotis schlechtendahliana var. remyi</i>		\$295	\$0	\$295

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Kopiko	<i>Psychotria grandiflora</i>		\$295	\$0	\$295
		Kopiko	<i>Psychotria hobdyi</i>		\$295	\$0	\$295
		Ko`oko`olau	<i>Bidens amplexens</i>		\$295	\$0	\$295
		Ko`oko`olau	<i>Bidens campylotheca pentamera</i>		\$295	\$0	\$295
		Ko`oko`olau	<i>Bidens campylotheca waihoiensis</i>		\$295	\$0	\$295
		Ko`oko`olau	<i>Bidens conjuncta</i>		\$295	\$0	\$295
		Ko`oko`olau	<i>Bidens micrantha ssp. kalealaha</i>		\$10,256	\$0	\$10,256
		Ko`oko`olau	<i>Bidens wiebkei</i>		\$295	\$0	\$295
		Ko`oloa`ula	<i>Abutilon menziesii</i>		\$8,254	\$0	\$8,254
		Kuahiwi laukahi	<i>Plantago hawaiiensis</i>		\$295	\$0	\$295
		Kuahiwi laukahi	<i>Plantago princeps</i>		\$295	\$0	\$295
		Kuawawaenohu	<i>Alsinidendron lychnoides</i>		\$295	\$0	\$295
		Kula wahine noho	<i>Isodendrion pyrifolium</i>		\$295	\$0	\$295
		Kulu`i	<i>Nototrichium humile</i>		\$295	\$0	\$295
		Lau `ehu	<i>Panicum niihauense</i>		\$295	\$0	\$295
		Laulihilihi	<i>Schiedea stellaroides</i>		\$295	\$0	\$295
		Lehua makanoe	<i>Lysimachia daphnoides</i>		\$295	\$0	\$295
		Liliwai	<i>Acaena exigua</i>		\$295	\$0	\$295
		Love grass, Fosberg's	<i>Eragrostis fosbergii</i>		\$295	\$0	\$295
		Lo`ulu	<i>Pritchardia affinis</i>		\$295	\$0	\$295
		Lo`ulu	<i>Pritchardia kaalae</i>		\$295	\$0	\$295
		Lo`ulu	<i>Pritchardia munroi</i>		\$295	\$0	\$295
		Lo`ulu	<i>Pritchardia napaliensis</i>		\$295	\$0	\$295
		Lo`ulu	<i>Pritchardia remota</i>		\$295	\$0	\$295
		Lo`ulu	<i>Pritchardia schattaueri</i>		\$295	\$0	\$295
		Lo`ulu	<i>Pritchardia viscosa</i>		\$295	\$0	\$295
		Lo`ulu, (=Na`ena`e)	<i>Pritchardia hardyi</i>		\$295	\$0	\$295
		Lupine, Kincaid's	<i>Lupinus sulphureus ssp. kincaidii</i>		\$7,995	\$0	\$7,995
		Mahoe	<i>Alectryon macrococcus</i>		\$8,254	\$0	\$8,254

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Makou	<i>Peucedanum sandwicense</i>		\$295	\$0	\$295
		Mapele	<i>Cyrtandra cyaneoides</i>		\$295	\$0	\$295
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$8,254	\$0	\$8,254
		Ma`oli`oli	<i>Schiedea apokremnos</i>		\$295	\$0	\$295
		Ma`oli`oli	<i>Schiedea kealiae</i>		\$295	\$0	\$295
		Mehamehame	<i>Flueggea neowawraea</i>		\$8,254	\$0	\$8,254
		Naenae	<i>Dubautia kalalauensis</i>		\$295	\$0	\$295
		Naenae	<i>Dubautia kenwoodii</i>		\$295	\$0	\$295
		Nani wai`ale`ale	<i>Viola kauaiensis var. wahiawaensis</i>		\$295	\$0	\$295
		Nanu	<i>Gardenia mannii</i>		\$295	\$0	\$295
		Naupaka, dwarf	<i>Scaevola coriacea</i>		\$295	\$0	\$295
		Na`ena`e	<i>Dubautia herbstobatae</i>		\$295	\$0	\$295
		Na`ena`e	<i>Dubautia imbricata imbricata</i>		\$295	\$0	\$295
		Na`ena`e	<i>Dubautia latifolia</i>		\$295	\$0	\$295
		Na`ena`e	<i>Dubautia pauciflorula</i>		\$295	\$0	\$295
		Na`ena`e	<i>Dubautia plantaginea magnifolia</i>		\$295	\$0	\$295
		Na`ena`e	<i>Dubautia plantaginea ssp. humilis</i>		\$295	\$0	\$295
		Na`ena`e	<i>Dubautia waialealae</i>		\$295	\$0	\$295
		Nehe	<i>Lipochaeta fauriei</i>		\$295	\$0	\$295
		Nehe	<i>Lipochaeta kamolensis</i>		\$8,254	\$0	\$8,254
		Nehe	<i>Lipochaeta lobata var. leptophylla</i>		\$295	\$0	\$295
		Nehe	<i>Lipochaeta micrantha</i>		\$295	\$0	\$295
		Nehe	<i>Lipochaeta waimeaensis</i>		\$295	\$0	\$295
		Nehe	<i>Melanthera tenuifolia</i>		\$295	\$0	\$295
		Nioi	<i>Eugenia koolauensis</i>		\$295	\$0	\$295
		No common name	<i>Abutilon eremitopetalum</i>		\$295	\$0	\$295
		No common name	<i>Abutilon sandwicense</i>		\$295	\$0	\$295

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Achyranthes mutica</i>		\$295	\$0	\$295
		No common name	<i>Alsinidendron viscosum</i>		\$295	\$0	\$295
		No common name	<i>Amaranthus brownii</i>		\$295	\$0	\$295
		No common name	<i>Bonamia menziesii</i>		\$8,254	\$0	\$8,254
		No common name	<i>Chamaesyce halemanui</i>		\$295	\$0	\$295
		No common name	<i>Cyanea (=Rollandia) crispa</i>		\$295	\$0	\$295
		No common name	<i>Delissea rhytidosperma</i>		\$295	\$0	\$295
		No common name	<i>Delissea undulata</i>		\$295	\$0	\$295
		No common name	<i>Gahnia lanaiensis</i>		\$295	\$0	\$295
		No common name	<i>Gouania hillebrandii</i>		\$295	\$0	\$295
		No common name	<i>Gouania meyenii</i>		\$295	\$0	\$295
		No common name	<i>Gouania vitifolia</i>		\$295	\$0	\$295
		No common name	<i>Hesperomannia arborescens</i>		\$295	\$0	\$295
		No common name	<i>Hesperomannia arbuscula</i>		\$295	\$0	\$295
		No common name	<i>Hesperomannia lydgatei</i>		\$295	\$0	\$295
		No common name	<i>Keysseria (=Lagenifera) erici</i>		\$295	\$0	\$295
		No common name	<i>Keysseria (=Lagenifera) heleneae</i>		\$295	\$0	\$295
		No common name	<i>Lipochaeta venosa</i>		\$295	\$0	\$295
		No common name	<i>Lobelia gaudichaudii ssp. koolauensis</i>		\$295	\$0	\$295
		No common name	<i>Lobelia monostachya</i>		\$295	\$0	\$295
		No common name	<i>Lobelia niihauensis</i>		\$295	\$0	\$295
		No common name	<i>Lobelia oahuensis</i>		\$295	\$0	\$295
		No common name	<i>Lysimachia filifolia</i>		\$295	\$0	\$295
		No common name	<i>Lysimachia iniki</i>		\$295	\$0	\$295
		No common name	<i>Lysimachia lydgatei</i>		\$295	\$0	\$295
		No common name	<i>Lysimachia maxima</i>		\$295	\$0	\$295
		No common name	<i>Lysimachia pendens</i>		\$295	\$0	\$295
		No common name	<i>Lysimachia scopolensis</i>		\$295	\$0	\$295

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Lysimachia venosa</i>		\$295	\$0	\$295
		No common name	<i>Mariscus fauriei</i>		\$295	\$0	\$295
		No common name	<i>Munroidendron racemosum</i>		\$295	\$0	\$295
		No common name	<i>Neraudia angulata</i>		\$295	\$0	\$295
		No common name	<i>Neraudia ovata</i>		\$295	\$0	\$295
		No common name	<i>Neraudia sericea</i>		\$2,297	\$0	\$2,297
		No common name	<i>Phyllostegia bracteata</i>		\$295	\$0	\$295
		No common name	<i>Phyllostegia glabra var. lanaiensis</i>		\$295	\$0	\$295
		No common name	<i>Phyllostegia haliakalae</i>		\$295	\$0	\$295
		No common name	<i>Phyllostegia hirsuta</i>		\$295	\$0	\$295
		No common name	<i>Phyllostegia hispida</i>		\$295	\$0	\$295
		No common name	<i>Phyllostegia kaalaensis</i>		\$295	\$0	\$295
		No common name	<i>Phyllostegia knudsenii</i>		\$295	\$0	\$295
		No common name	<i>Phyllostegia manni</i>		\$295	\$0	\$295
		No common name	<i>Phyllostegia mollis</i>		\$295	\$0	\$295
		No common name	<i>Phyllostegia parviflora</i>		\$295	\$0	\$295
		No common name	<i>Phyllostegia pilosa</i>		\$295	\$0	\$295
		No common name	<i>Phyllostegia renovans</i>		\$295	\$0	\$295
		No common name	<i>Phyllostegia velutina</i>		\$295	\$0	\$295
		No common name	<i>Phyllostegia waimeae</i>		\$295	\$0	\$295
		No common name	<i>Phyllostegia warshaueri</i>		\$295	\$0	\$295
		No common name	<i>Phyllostegia wawrana</i>		\$295	\$0	\$295
		No common name	<i>Pittosporum halophilum</i>		\$295	\$0	\$295
		No common name	<i>Platanthera holochila</i>		\$295	\$0	\$295
		No common name	<i>Platydesma cornuta cornuta</i>		\$295	\$0	\$295
		No common name	<i>Platydesma cornuta decurrens</i>		\$295	\$0	\$295
		No common name	<i>Poa siphonoglossa</i>		\$295	\$0	\$295
		No common name	<i>Remya kauaiensis</i>		\$295	\$0	\$295
		No common name	<i>Remya montgomeryi</i>		\$295	\$0	\$295

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Sanicula mariversa</i>		\$295	\$0	\$295
		No common name	<i>Sanicula purpurea</i>		\$295	\$0	\$295
		No common name	<i>Schiedea attenuata</i>		\$295	\$0	\$295
		No common name	<i>Schiedea haleakalensis</i>		\$295	\$0	\$295
		No common name	<i>Schiedea helleri</i>		\$295	\$0	\$295
		No common name	<i>Schiedea hookeri</i>		\$295	\$0	\$295
		No common name	<i>Schiedea jacobii</i>		\$295	\$0	\$295
		No common name	<i>Schiedea kaalae</i>		\$295	\$0	\$295
		No common name	<i>Schiedea kauaiensis</i>		\$295	\$0	\$295
		No common name	<i>Schiedea laui</i>		\$295	\$0	\$295
		No common name	<i>Schiedea lydgatei</i>		\$295	\$0	\$295
		No common name	<i>Schiedea membranacea</i>		\$295	\$0	\$295
		No common name	<i>Schiedea nuttallii</i>		\$295	\$0	\$295
		No common name	<i>Schiedea obovata</i>		\$295	\$0	\$295
		No common name	<i>Schiedea salicaria</i>		\$295	\$0	\$295
		No common name	<i>Schiedea sarmentosa</i>		\$295	\$0	\$295
		No common name	<i>Schiedea spergulina var. <i>leiopoda</i></i>		\$295	\$0	\$295
		No common name	<i>Schiedea spergulina var. <i>spergulina</i></i>		\$295	\$0	\$295
		No common name	<i>Schiedea trinervis</i>		\$295	\$0	\$295
		No common name	<i>Schiedea verticillata</i>		\$295	\$0	\$295
		No common name	<i>Silene alexandri</i>		\$295	\$0	\$295
		No common name	<i>Silene hawaiensis</i>		\$295	\$0	\$295
		No common name	<i>Silene lanceolata</i>		\$295	\$0	\$295
		No common name	<i>Silene perlmanii</i>		\$295	\$0	\$295
		No common name	<i>Spermolepis hawaiensis</i>		\$8,254	\$0	\$8,254
		No common name	<i>Stenogyne angustifolia</i> <i>angustifolia</i>		\$295	\$0	\$295
		No common name	<i>Stenogyne bifida</i>		\$295	\$0	\$295
		No common name	<i>Stenogyne campanulata</i>		\$295	\$0	\$295
		No common name	<i>Stenogyne kanehoana</i>		\$295	\$0	\$295
		No common name	<i>Stenogyne kauaulaensis</i>		\$295	\$0	\$295

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		No common name	<i>Stenogyne kealiae</i>		\$295	\$0	\$295
		No common name	<i>Tetramolopium arenarium</i>		\$295	\$0	\$295
		No common name	<i>Tetramolopium filiforme</i>		\$295	\$0	\$295
		No common name	<i>Tetramolopium lepido-tum</i> <i>ssp. lepidotum</i>		\$295	\$0	\$295
		No common name	<i>Tetramolopium remyi</i>		\$295	\$0	\$295
		No common name	<i>Tetramolopium rockii</i>		\$295	\$0	\$295
		No common name	<i>Tetraplasandra bisattenuata</i>		\$295	\$0	\$295
		No common name	<i>Tetraplasandra flynnii</i>		\$295	\$0	\$295
		No common name	<i>Tetraplasandra lydgatei</i>		\$295	\$0	\$295
		No common name	<i>Trematolobelia singularis</i>		\$295	\$0	\$295
		No common name	<i>Vigna o-wahuensis</i>		\$8,254	\$0	\$8,254
		No common name	<i>Viola helenae</i>		\$295	\$0	\$295
		No common name	<i>Viola lanaiensis</i>		\$295	\$0	\$295
		No common name	<i>Viola oahuensis</i>		\$295	\$0	\$295
		No common name	<i>Wikstroemia villosa</i>		\$295	\$0	\$295
		No common name	<i>Xylosma crenatum</i>		\$295	\$0	\$295
	Nohoanu		<i>Geranium hanaense</i>		\$2,297	\$0	\$2,297
	Nohoanu		<i>Geranium hillebrandii</i>		\$295	\$0	\$295
	Nohoanu		<i>Geranium kauaiense</i>		\$295	\$0	\$295
	Nohoanu		<i>Geranium multiflorum</i>		\$295	\$0	\$295
	Nui, haha		<i>Cyanea horrida</i>		\$295	\$0	\$295
	Oha		<i>Delissea rivularis</i>		\$295	\$0	\$295
	Oha		<i>Delissea subcordata</i>		\$295	\$0	\$295
	Ohai		<i>Sesbania tomentosa</i>		\$8,254	\$0	\$8,254
	Olulu		<i>Brighamia insignis</i>		\$295	\$0	\$295
	Opuhe		<i>Urera kaalae</i>		\$295	\$0	\$295
	Pamakani		<i>Tetramolopium capillare</i>		\$295	\$0	\$295
	Pamakani		<i>Viola chamissoniana ssp.</i> <i>chamissoniana</i>		\$295	\$0	\$295
	Panicgrass, Carter's		<i>Panicum fauriei var.</i> <i>carteri</i>		\$295	\$0	\$295

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Papala	<i>Charpentiera densiflora</i>		\$295	\$0	\$295
		Pa`iniu	<i>Astelia waialealae</i>		\$295	\$0	\$295
		Pilo	<i>Hedyotis manni</i>		\$295	\$0	\$295
		Pilo kea lau li`i	<i>Platydesma rostrata</i>		\$295	\$0	\$295
		Popolo	<i>Cyanea solanacea</i>		\$295	\$0	\$295
		Popolo ku mai	<i>Solanum incompletum</i>		\$8,254	\$0	\$8,254
		Po`e	<i>Portulaca sclerocarpa</i>		\$295	\$0	\$295
		Pua `ala	<i>Brighamia rockii</i>		\$295	\$0	\$295
		Pu`uka`a	<i>Cyperus trachysanthos</i>		\$295	\$0	\$295
		Remya, Maui	<i>Remya mauiensis</i>		\$295	\$0	\$295
		Sandalwood, Lanai (=iliahī)	<i>Santalum freycineti- anum</i> <i>var. lanaiense</i>		\$295	\$0	\$295
		Schiedea, Diamond Head	<i>Schiedea adamantis</i>		\$295	\$0	\$295
		Skullcap, Florida	<i>Scutellaria floridana</i>		\$295	\$0	\$295
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$45,000	\$0	\$45,000
		Uhiuhi	<i>Caesalpinia kavaiense</i>		\$295	\$0	\$295
		Vetch, Hawaiian	<i>Vicia menziesii</i>		\$295	\$0	\$295
		Wahane	<i>Pritchardia aylmer- robinsonii</i>		\$295	\$0	\$295
		ˋAhinahina	<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>		\$295	\$0	\$295
		ˋAhinahina	<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>		\$295	\$0	\$295
		ˋAiaakeakua, popolo	<i>Solanum sandwicense</i>		\$295	\$0	\$295
		ˋAiea	<i>Nothocestrum breviflorum</i>		\$295	\$0	\$295
		ˋAiea	<i>Nothocestrum peltatum</i>		\$295	\$0	\$295
		ˋAkoko	<i>Chamaesyce celastroides</i> <i>var. kaenana</i>		\$295	\$0	\$295
		ˋAkoko	<i>Chamaesyce deppeana</i>		\$295	\$0	\$295
		ˋAkoko	<i>Chamaesyce eleanoriae</i>		\$295	\$0	\$295
		ˋAkoko	<i>Chamaesyce herbstii</i>		\$295	\$0	\$295

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		`Akoko	<i>Chamaesyce kuwaleana</i>		\$295	\$0	\$295
		`Akoko	<i>Chamaesyce remyi var. kauaiensis</i>		\$295	\$0	\$295
		`Akoko	<i>Chamaesyce remyi var. remyi</i>		\$295	\$0	\$295
		`Akoko	<i>Chamaesyce rockii</i>		\$295	\$0	\$295
		`Akoko	<i>Euphorbia haeleeleana</i>		\$295	\$0	\$295
		`Akoko, Ewa Plains	<i>Chamaesyce skottsbergii var. skottsbergii</i>		\$8,254	\$0	\$8,254
		`Ala `ala wai nui	<i>Peperomia subpetiolata</i>		\$295	\$0	\$295
		`Anaunau	<i>Lepidium arbuscula</i>		\$295	\$0	\$295
		`Anunu	<i>Sicyos alba</i>		\$295	\$0	\$295
		Awikiwiki	<i>Canavalia molokaiensis</i>		\$295	\$0	\$295
		Awikiwiki	<i>Canavalia napaliensis</i>		\$295	\$0	\$295
		Awikiwiki	<i>Canavalia pubescens</i>		\$295	\$0	\$295
		`Oha wai	<i>Clermontia drepanomorpha</i>		\$295	\$0	\$295
		`Oha wai	<i>Clermontia lindseyana</i>		\$295	\$0	\$295
		`Oha wai	<i>Clermontia oblongifolia ssp. brevipes</i>		\$295	\$0	\$295
		`Oha wai	<i>Clermontia oblongifolia ssp. mauiensis</i>		\$295	\$0	\$295
		`Oha wai	<i>Clermontia peleiana</i>		\$295	\$0	\$295
		`Oha wai	<i>Clermontia pyrularia</i>		\$295	\$0	\$295
		`Oha wai	<i>Clermontia samuelii</i>		\$295	\$0	\$295
		`Ohe `ohe	<i>Tetraplasandra gymnocarpa</i>		\$295	\$0	\$295
	Flowering Plants subtotal				\$373,228	\$0	\$373,228
	Ferns and Allies	Aumakua, Palapalai	<i>Dryopteris crinalis var. podosorus</i>		\$295	\$0	\$295
		Diellia, asplenium-leaved	<i>Diellia erecta</i>		\$295	\$0	\$295
		Fern, pendant kihi	<i>Adenophorus periens</i>		\$295	\$0	\$295

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Ihi`ihi	<i>Marsilea villosa</i>		\$295	\$0	\$295
		No common name	<i>Asplenium fragile insulare</i>		\$295	\$0	\$295
		No common name	<i>Diellia falcata</i>		\$2,297	\$0	\$2,297
		No common name	<i>Diellia mannii</i>		\$295	\$0	\$295
		No common name	<i>Diellia pallida</i>		\$295	\$0	\$295
		No common name	<i>Diellia unisora</i>		\$295	\$0	\$295
		No common name	<i>Diplazium molokaiense</i>		\$2,297	\$0	\$2,297
		No common name	<i>Doryopteris angelica</i>		\$295	\$0	\$295
		No common name	<i>Pteris lidgatei</i>		\$295	\$0	\$295
		Pauoa	<i>Ctenitis squamigera</i>		\$295	\$0	\$295
		Wawae`iole	<i>Huperzia mannii</i>		\$2,297	\$0	\$2,297
		Wawae`iole	<i>Huperzia nutans</i>		\$295	\$0	\$295
	Ferns and Allies subtotal				\$10,431	\$0	\$10,431
Domestic subtotal					\$16,729,178	\$0	\$16,729,178
Foriegn	Birds	Crane, black-necked	<i>Grus nigricollis</i>	Entire	\$40	\$0	\$40
		Crane, Japanese	<i>Grus japonensis</i>	Entire	\$40	\$0	\$40
		Crane, Siberian white	<i>Grus leucogeranus</i>	Entire	\$20	\$0	\$20
		Crane, white-naped	<i>Grus vipio</i>	Entire	\$80	\$0	\$80
	Reptiles	Iguana, Fiji banded	<i>Brachylophus fasciatus</i>	Entire	\$9,000	\$0	\$9,000
		Iguana, Fiji crested	<i>Brachylophus vitiensis</i>	Entire	\$9,000	\$0	\$9,000
		Sea turtle, loggerhead	<i>Caretta caretta</i>	South Pacific Ocean DPS	\$300	\$0	\$300
		Tortoise, Galapagos	<i>Geochelone nigra</i> (<i>elephantopus</i>)	Entire	\$9,995	\$0	\$9,995
Foriegn subtotal					\$28,475	\$0	\$28,475
Domestic	Multi-Species				\$800,331	\$0	\$800,331
Grand Total					\$17,557,984	\$0	\$17,557,984

DOT Federal Aviation Administration -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$20,625	\$0	\$20,625
		Bear, polar	<i>Ursus maritimus</i>	Entire	\$7,000	\$0	\$7,000
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	TX; Mexico	\$234	\$0	\$234
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	AZ, TX to Central and South America	\$234	\$0	\$234
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	SW Alaska DPS	\$13,450	\$0	\$13,450
		Prairie dog, Utah	<i>Cynomys parvidens</i>	UT	\$30,000	\$0	\$30,000
		Sea lion, Steller	<i>Eumetopias jubatus</i>	Western DPS	\$13,451	\$0	\$13,451
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$118	\$0	\$118
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$118	\$0	\$118
		Whale, North Pacific Right	<i>Eubalaena japonica</i>	Entire	\$118	\$0	\$118
	Mammals subtotal				\$85,348	\$0	\$85,348
	Birds	Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>	Entire	\$118	\$0	\$118
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, western WY	\$236	\$0	\$236
		Eider, spectacled	<i>Somateria fischeri</i>	Entire	\$4,000	\$0	\$4,000
		Eider, Steller's	<i>Polyicta stelleri</i>	AK breeding pop.	\$17,451	\$0	\$17,451
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Except where EXPN	\$470	\$0	\$470
		Plover, piping	<i>Charadrius melanotos</i>	Great Lakes watershed	\$234	\$0	\$234
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>	Entire	\$670,000	\$0	\$670,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$236	\$0	\$236
		Vireo, black-capped	<i>Vireo atricapilla</i>	Entire	\$236	\$0	\$236
	Birds subtotal				\$692,981	\$0	\$692,981
	Reptiles	Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$234	\$0	\$234

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$234	\$0	\$234
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$234	\$0	\$234
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$234	\$0	\$234
		Sea turtle, loggerhead	<i>Caretta caretta</i>	NW Atlantic DPS	\$234	\$0	\$234
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$137,298	\$0	\$137,298
	Reptiles subtotal				\$138,468	\$0	\$138,468
	Amphibians	Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara County	\$3,584,500	\$0	\$3,584,500
	Fishes	Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	Entire	\$5,400	\$0	\$5,400
	Insects	Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	Entire	\$36,500	\$0	\$36,500
	Flowering Plants	Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$15,000	\$0	\$15,000
		Goldfields, Burke's	<i>Lasthenia burkei</i>		\$3,775,500	\$0	\$3,775,500
		Lily, Western	<i>Lilium occidentale</i>		\$9,200	\$0	\$9,200
		Milk-vetch, Applegate's	<i>Astragalus applegatei</i>		\$40,000	\$0	\$40,000
	Flowering Plants subtotal				\$3,839,700	\$0	\$3,839,700
Domestic subtotal					\$8,382,897	\$0	\$8,382,897
Grand Total					\$8,382,897	\$0	\$8,382,897

DOT Federal Highway Administration -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$328,700	\$0	\$328,700
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	Entire	\$1,500	\$0	\$1,500
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$8,127,935	\$5,776,000	\$13,903,935
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	Entire	\$6,000	\$0	\$6,000
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	Entire	\$341,000	\$0	\$341,000
		Bear, American black	<i>Ursus americanus</i>	County range of LA black bear	\$2,295	\$0	\$2,295
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$117,253	\$0	\$117,253
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$8,459	\$0	\$8,459
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$12,673	\$0	\$12,673
		Ferret, black-footed	<i>Mustela nigripes</i>	Except where EXPN	\$34,150	\$0	\$34,150
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	CA	\$165,960	\$632,583	\$798,543
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	TX; Mexico	\$32,700	\$0	\$32,700
		Kangaroo rat, giant	<i>Dipodomys ingens</i>	Entire	\$99,320	\$482,633	\$581,953
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$92,453	\$0	\$92,453
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$77,900	\$0	\$77,900
		Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	Entire	\$2,500	\$0	\$2,500
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	Entire	\$450	\$0	\$450
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	Entire	\$12,000	\$0	\$12,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$1,436,850	\$0	\$1,436,850
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	AZ, TX to Central and South America	\$32,700	\$0	\$32,700
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$87,130	\$0	\$87,130
		Prairie dog, Utah	<i>Cynomys parvidens</i>	UT	\$110,000	\$0	\$110,000
		Rabbit, Pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$16,444	\$0	\$16,444
		Sea lion, Steller	<i>Eumetopias jubatus</i>	Western DPS	\$19,740	\$0	\$19,740
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	Entire	\$1,500	\$0	\$1,500
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	Entire	\$1,500	\$0	\$1,500
		Squirrel, Virginia northern flying	<i>Glaucomys sabrinus fuscus</i>	Entire	\$500,000	\$0	\$500,000
		Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>	Entire	\$1,000	\$0	\$1,000
		Whale, beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$56,000	\$0	\$56,000
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$10,000	\$0	\$10,000
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Entire	\$2,000	\$0	\$2,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$70,942	\$0	\$70,942
		Wolf, red	<i>Canis rufus</i>	portions of NC and TN	\$31,000	\$0	\$31,000
	Mammals subtotal				\$11,840,054	\$6,891,216	\$18,731,270
	Birds	Albatross, short-tailed	<i>Phoebastria (=Diomedea) albaturus</i>	Entire	\$2,459	\$0	\$2,459
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$268,140	\$0	\$268,140
		Condor, California	<i>Gymnogyps californianus</i>	portions of AZ, NV, UT	\$24,100	\$0	\$24,100
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, western WY	\$1,000	\$0	\$1,000
		Crane, whooping	<i>Grus americana</i>	Except where EXPN	\$45,200	\$0	\$45,200
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Except where EXPN	\$95,970	\$0	\$95,970
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$147,150	\$0	\$147,150
		Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	Entire	\$33,325,000	\$167,875,000	\$201,200,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Hawk, Hawaiian ('lo)	<i>Buteo solitarius</i>	Entire	\$1,500	\$0	\$1,500
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$39,890	\$0	\$39,890
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$119,515	\$0	\$119,515
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$2,700	\$0	\$2,700
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$119,510	\$0	\$119,510
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	Entire	\$1,500	\$0	\$1,500
		Plover, piping	<i>Charadrius melanotos</i>	Great Lakes watershed	\$15,794	\$0	\$15,794
		Plover, piping	<i>Charadrius melanotos</i>	except Great Lakes watershed	\$96,140	\$0	\$96,140
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$9,469	\$0	\$9,469
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>	Entire	\$74,600	\$0	\$74,600
		Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Entire	\$75,840	\$0	\$75,840
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>	Entire	\$10,000	\$0	\$10,000
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	Entire	\$18,650	\$0	\$18,650
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, MS, NC, SC	\$542,955	\$0	\$542,955
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$262,645	\$0	\$262,645
		Vireo, black-capped	<i>Vireo atricapilla</i>	Entire	\$17,695	\$0	\$17,695
		Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>	Entire	\$2,000	\$0	\$2,000
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	Entire	\$136,200	\$0	\$136,200
		Warbler, Kirtland's	<i>Setophaga kirtlandii</i> (= <i>Dendroica kirtlandii</i>)	Entire	\$1,000	\$0	\$1,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Warbler, nightingale reed (old world warbler)	<i>Acrocephalus luscinia</i>	Entire	\$46,500	\$0	\$46,500
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$305,735	\$0	\$305,735
	Birds subtotal				\$35,808,857	\$167,875,000	\$203,683,857
	Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	Entire	\$1,690	\$0	\$1,690
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$841,920	\$0	\$841,920
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	Entire	\$99,320	\$441,833	\$541,153
		Sea turtle, green	<i>Chelonia mydas</i>	Except where endangered	\$8,200	\$0	\$8,200
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$9,075	\$0	\$9,075
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$9,000	\$0	\$9,000
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$16,775	\$0	\$16,775
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$21,075	\$0	\$21,075
		Sea turtle, loggerhead	<i>Caretta caretta</i>	NW Atlantic DPS	\$109,675	\$0	\$109,675
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>	Entire	\$103,850	\$0	\$103,850
		Skink, sand	<i>Neoseps reynoldsi</i>	Entire	\$148,950	\$0	\$148,950
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	IN, MI, OH	\$1,000	\$0	\$1,000
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$309,060	\$0	\$309,060
		Snake, giant garter	<i>Thamnophis gigas</i>	Entire	\$5,000	\$0	\$5,000
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	Entire	\$37,300	\$0	\$37,300
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$2,186,714	\$7,000,000	\$9,186,714
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/Tombigbee Rs.	\$104,500	\$0	\$104,500
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$814,213	\$0	\$814,213

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$2,500	\$0	\$2,500
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>	Entire	\$80,100	\$0	\$80,100
	Reptiles subtotal				\$4,909,917	\$7,441,833	\$12,351,750
	Amphibians	Frog, California red- legged	<i>Rana draytonii</i>	Entire	\$1,458,680	\$576,920	\$2,035,600
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	Entire	\$300	\$0	\$300
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$10,000	\$0	\$10,000
		Salamander, Barton Springs	<i>Eurycea sosorum</i>	Entire	\$36,800	\$0	\$36,800
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara County	\$22,600	\$72,560	\$95,160
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Sonoma County	\$22,600	\$42,560	\$65,160
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$22,600	\$42,560	\$65,160
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	Entire	\$6,000	\$0	\$6,000
		Salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>	Entire	\$18,270	\$0	\$18,270
		Toad, arroyo (=arroyo southwestern)	<i>Anaxyrus californicus</i>	Entire	\$150,000	\$875,000	\$1,025,000
		Toad, Houston	<i>Bufo houstonensis</i>	Entire	\$136,400	\$0	\$136,400
	Amphibians subtotal				\$1,884,250	\$1,609,600	\$3,493,850
	Fishes	Chub, bonytail	<i>Gila elegans</i>	Entire	\$300	\$0	\$300
		Chub, humpback	<i>Gila cypha</i>	Entire	\$300	\$0	\$300
		Chub, Oregon	<i>Oregonichthys crameri</i>	Entire	\$11,190	\$0	\$11,190
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$4,000	\$0	\$4,000
		Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	Entire	\$82,100	\$0	\$82,100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Darter, amber	<i>Percina antesella</i>	Entire	\$25,000	\$0	\$25,000
		Darter, Cherokee	<i>Etheostoma scotti</i>	Entire	\$25,000	\$0	\$25,000
		Darter, Etowah	<i>Etheostoma etowahae</i>	Entire	\$25,000	\$0	\$25,000
		Darter, fountain	<i>Etheostoma fonticola</i>	Entire	\$10,200	\$0	\$10,200
		Darter, goldline	<i>Percina aurolineata</i>	Entire	\$2,000	\$0	\$2,000
		Darter, leopard	<i>Percina pantherina</i>	Entire	\$2,500	\$0	\$2,500
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>	Entire	\$300	\$0	\$300
		Darter, snail	<i>Percina tanasi</i>	Entire	\$2,000	\$0	\$2,000
		Eulachon	<i>Thaleichthys pacificus</i>	Southern DPS	\$32,841	\$0	\$32,841
		Logperch, Conasauga	<i>Percina jenkinsi</i>	Entire	\$2,000	\$0	\$2,000
		Logperch, Roanoke	<i>Percina rex</i>	Entire	\$13,955	\$0	\$13,955
		Madtom, Neosho	<i>Noturus placidus</i>	Entire	\$5,500	\$0	\$5,500
		Madtom, pygmy	<i>Noturus stanauli</i>	Entire	\$3,650	\$0	\$3,650
		Madtom, yellowfin	<i>Noturus flavipinnis</i>	Except where EXPN	\$2,000	\$0	\$2,000
		Minnow, loach	<i>Tiaroga cobitis</i>	Entire	\$17,300	\$0	\$17,300
		Pikeminnow (squawfish), Colorado	<i>Ptychocheilus lucius</i>	Except where EXPN	\$1,300	\$0	\$1,300
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine DPS	\$1,321,945	\$0	\$1,321,945
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall-run ESU	\$86,000	\$0	\$86,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/ summer-run ESU	\$88,000	\$0	\$88,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	So. OR/ No. CA Coast ESU	\$0	\$5,000	\$5,000
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River ESU	\$43,000	\$0	\$43,000
		Sawfish, smalltooth	<i>Pristis pectinata</i>	United States DPS	\$28,600	\$0	\$28,600
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$181,500	\$0	\$181,500
		Shiner, blue	<i>Cyprinella caerulea</i>	Entire	\$5,000	\$0	\$5,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Shiner, Cape Fear	<i>Notropis mekistocholas</i>	Entire	\$2,000	\$0	\$2,000
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	Entire	\$2,000	\$0	\$2,000
		Spikedace	<i>Meda fulgida</i>	Entire	\$2,100	\$0	\$2,100
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Northern California DPS	\$300,000	\$0	\$300,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake River Basin DPS	\$53,000	\$0	\$53,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Southern California DPS	\$120,000	\$0	\$120,000
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus</i>	Entire	\$26,760	\$0	\$26,760
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>	Gulf of Maine DPS	\$32,900	\$0	\$32,900
		Sturgeon, green	<i>Acipenser medirostris</i>	Southern DPS	\$66,004	\$0	\$66,004
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$28,671	\$0	\$28,671
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$66,345	\$0	\$66,345
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$1,300	\$0	\$1,300
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$265,118	\$0	\$265,118
		Trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>	Entire	\$600	\$0	\$600
		Woundfin	<i>Plagopterus argentissimus</i>	Except where EXPN	\$80,000	\$0	\$80,000
		Woundfin	<i>Plagopterus argentissimus</i>	Gila R. drainage, AZ, NM	\$2,100	\$0	\$2,100
	Fishes subtotal				\$3,071,379	\$5,000	\$3,076,379
	Clams	Acornshell, southern	<i>Epioblasma othcaloogensis</i>		\$36,223	\$0	\$36,223
		Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>		\$18,100	\$0	\$18,100
		Bean, Choctaw	<i>Villosa choctawensis</i>		\$100	\$0	\$100
		Bean, rayed	<i>Villosa fabalis</i>		\$17,975	\$0	\$17,975
		Clubshell	<i>Pleurobema clava</i>	Except where EXPN	\$114,689	\$0	\$114,689
		Clubshell, ovate	<i>Pleurobema perovatum</i>		\$757	\$0	\$757

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Clubshell, southern	<i>Pleurobema decisum</i>		\$23,788	\$0	\$23,788
		Combshell, upland	<i>Epioblasma metastriata</i>		\$18,223	\$0	\$18,223
		Ebonyshell, round	<i>Fusconaia rotulata</i>		\$100	\$0	\$100
		Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	Entire	\$1,600	\$0	\$1,600
		Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>	Entire	\$160	\$0	\$160
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>	Entire	\$103,000	\$0	\$103,000
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	Entire	\$60,317	\$0	\$60,317
		Kidneyshell, southern	<i>Ptychobranchus jonesi</i>		\$100	\$0	\$100
		Kidneyshell, triangular	<i>Ptychobranchus greenii</i>		\$1,434	\$0	\$1,434
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Except where EXPN	\$12,500	\$0	\$12,500
		Moccasinshell, Alabama	<i>Medionidus acutissimus</i>		\$18,000	\$0	\$18,000
		Moccasinshell, Coosa	<i>Medionidus parvulus</i>		\$20,004	\$0	\$20,004
		Moccasinshell, Gulf	<i>Medionidus penicillatus</i>		\$18,100	\$0	\$18,100
		Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>		\$18,100	\$0	\$18,100
		Mucket, orangenacre	<i>Lampsilis perovalis</i>		\$1,430	\$0	\$1,430
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Entire	\$46,200	\$0	\$46,200
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$13,792	\$0	\$13,792
		Mussel, sheepnose	<i>Plethobasus cyphyus</i>		\$13,465	\$0	\$13,465
		Mussel, snuffbox	<i>Epioblasma triquetra</i>		\$515,253	\$0	\$515,253
		Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	Entire	\$390	\$0	\$390
		Pearlymussel, littlewing	<i>Pegias fabula</i>	Entire	\$8,707	\$0	\$8,707
		Pigtoe, Cumberland	<i>Pleurobema gibberum</i>	Entire	\$500	\$0	\$500
		Pigtoe, fuzzy	<i>Pleurobema strodeanum</i>		\$100	\$0	\$100
		Pigtoe, narrow	<i>Fusconaia escambia</i>		\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$43,670	\$0	\$43,670
		Pigtoe, southern	<i>Pleurobema georgianum</i>		\$18,232	\$0	\$18,232
		Pigtoe, tapered	<i>Fusconaia burkei</i>		\$100	\$0	\$100
		Pocketbook, finelined	<i>Lampsilis altilis</i>		\$21,464	\$0	\$21,464
		Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	Entire	\$12,500	\$0	\$12,500
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$100	\$0	\$100
		Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>		\$1,890	\$0	\$1,890
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	Entire	\$49,689	\$0	\$49,689
		Riffleshell, tan	<i>Epioblasma florentina walkeri (=E. walkeri)</i>	Entire	\$500	\$0	\$500
		Slabshell, Chipola	<i>Elliptio chipolaensis</i>		\$100	\$0	\$100
		Spectaclecase (mussel)	<i>Cumberlandia monodonta</i>		\$656	\$0	\$656
		Spiny mussel, Altamaha	<i>Elliptio spinosa</i>	Entire	\$18,000	\$0	\$18,000
		Spiny mussel, James	<i>Pleurobema collina</i>	Entire	\$7,626	\$0	\$7,626
		Spiny mussel, Tar River	<i>Elliptio steinstansana</i>	Entire	\$12,000	\$0	\$12,000
		Threeridge, fat (mussel)	<i>Ambloema neislerii</i>		\$18,100	\$0	\$18,100
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	Entire	\$560,000	\$0	\$560,000
	Clams subtotal				\$1,847,834	\$0	\$1,847,834
	Snails	Ambersnail, Kanab	<i>Oxylooma haydeni kanabensis</i>	Entire	\$20,000	\$0	\$20,000
		Limpet, Banbury Springs	<i>Lanx sp.</i>	Entire	\$1,500	\$0	\$1,500
		Rocksnail, interrupted (=Georgia)	<i>Leptoxis foremani</i>		\$2,000	\$0	\$2,000
		Snail, Bliss Rapids	<i>Taylorconcha serpentiscola</i>	Entire	\$2,000	\$0	\$2,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>	Entire	\$226	\$0	\$226
		Snail, Snake River physa	<i>Physa natricina</i>	Entire	\$42,000	\$0	\$42,000
		Snail, Virginia fringed mountain	<i>Polygyriscus virginianus</i>	Entire	\$19,492	\$0	\$19,492
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	Entire	\$2,000	\$0	\$2,000
	Snails subtotal				\$89,218	\$0	\$89,218
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$186,700	\$0	\$186,700
		Beetle, Coffin Cave mold	<i>Batrisodes texanus</i>	Entire	\$1,280,000	\$0	\$1,280,000
		Beetle, Hungerford's crawling water	<i>Brychius hungerfordi</i>	Entire	\$1,000	\$0	\$1,000
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Entire	\$2,000	\$439,500	\$441,500
		Beetle, [no common name]	<i>Rhadine infernalis</i>		\$17,000	\$0	\$17,000
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$9,280	\$0	\$9,280
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	Entire	\$1,800	\$0	\$1,800
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	Entire	\$4,500	\$0	\$4,500
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	Entire	\$5,640	\$0	\$5,640
		Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	Entire	\$1,500	\$0	\$1,500
		Butterfly, Uncompahgre fritillary	<i>Boloria acrocnema</i>	Entire	\$400	\$0	\$400
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$12,500	\$0	\$12,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>	Entire	\$200	\$0	\$200
	Insects subtotal				\$1,522,520	\$439,500	\$1,962,020
	Arachnids	Harvestman, Bone Cave	<i>Texella reyesi</i>	Entire	\$1,280,000	\$0	\$1,280,000
		Spider, spruce-fir moss	<i>Microhexura montivaga</i>		\$500	\$0	\$500
	Arachnids subtotal				\$1,280,500	\$0	\$1,280,500
	Crustaceans	Crayfish, Nashville	<i>Orconectes shoupi</i>	Entire	\$1,500	\$0	\$1,500
		Fairy shrimp, vernal pool	<i>Branchinecta lynchii</i>	Entire	\$43,250	\$0	\$43,250
	Crustaceans subtotal				\$44,750	\$0	\$44,750
	Flowering Plants	Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$3,294	\$0	\$3,294
		Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>		\$5,160	\$0	\$5,160
		Amphianthus, little	<i>Amphianthus pusillus</i>		\$2,000	\$0	\$2,000
		Arrowhead, bunched	<i>Sagittaria fasciculata</i>		\$500	\$0	\$500
		Aster, decurrent false	<i>Boltonia decurrens</i>		\$1,890	\$0	\$1,890
		Bear-poppy, Dwarf	<i>Arctomecon humilis</i>		\$40,000	\$0	\$40,000
		Beargrass, Britton's	<i>Nolina brittoniana</i>		\$400	\$0	\$400
		Beauty, Harper's	<i>Harperocallis flava</i>		\$1,100	\$0	\$1,100
		Birds-in-a-nest, white	<i>Macbridea alba</i>		\$3,300	\$0	\$3,300
		Bittercress, small-anthered	<i>Cardamine micranthera</i>		\$1,000	\$0	\$1,000
		Bladderpod, Zapata	<i>Lesquerella thamnophila</i>		\$1,155	\$0	\$1,155
		Blazingstar, Heller's	<i>Liatris helleri</i>		\$1,000	\$0	\$1,000
		Blazingstar, scrub	<i>Liatris ohlingerae</i>		\$600	\$0	\$600
		Bluet, Roan Mountain	<i>Hedyotis purpurea var. <i>montana</i></i>		\$1,000	\$0	\$1,000
		Bonamia, Florida	<i>Bonamia grandiflora</i>		\$400	\$0	\$400

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>		\$29,500	\$0	\$29,500
		Bush-clover, prairie	<i>Lespedeza leptostachya</i>		\$1,260	\$0	\$1,260
		Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>		\$6,500	\$0	\$6,500
		Butterwort, Godfrey's	<i>Pinguicula ionantha</i>		\$3,330	\$0	\$3,330
		Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus var. arizonicus</i>		\$13,100	\$0	\$13,100
		Cactus, Knowlton's	<i>Pediocactus knowltonii</i>		\$400	\$0	\$400
		Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri var. kuenzleri</i>		\$15,500	\$0	\$15,500
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$43,600	\$0	\$43,600
		Campion, fringed	<i>Silene polypetala</i>		\$10,000	\$0	\$10,000
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$5,430	\$0	\$5,430
		Chaffseed, American	<i>Schwalbea americana</i>		\$2,500	\$0	\$2,500
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$12,070	\$0	\$12,070
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$128,000	\$0	\$128,000
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$18,388	\$0	\$18,388
		Daisy, Lakeside	<i>Hymenoxys herbacea</i>		\$1,315	\$0	\$1,315
		Daisy, Willamette	<i>Erigeron decumbens var. decumbens</i>		\$3,020	\$0	\$3,020
		Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>		\$1,600	\$0	\$1,600
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$2,140	\$0	\$2,140
		Dogweed, ashy	<i>Thymophylla tephroleuca</i>		\$43,053	\$0	\$43,053
		Dropwort, Canby's	<i>Oxypolis canbyi</i>		\$2,500	\$0	\$2,500
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$1,280	\$0	\$1,280
		Fringe-tree, pygmy	<i>Chionanthus pygmaeus</i>		\$400	\$0	\$400
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$2,890	\$0	\$2,890

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Goldenrod, Houghton's	<i>Solidago houghtonii</i>		\$3,000	\$0	\$3,000
		Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>		\$5,100	\$0	\$5,100
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$1,500	\$0	\$1,500
		Harebells, Avon Park	<i>Crotalaria avonensis</i>		\$400	\$0	\$400
		Harperella	<i>Ptilimnium nodosum</i>		\$2,500	\$0	\$2,500
		Heartleaf, dwarf- flowered	<i>Hexastylis naniflora</i>		\$115,000	\$0	\$115,000
		Howellia, water	<i>Howellia aquatilis</i>		\$2,000	\$0	\$2,000
		Hypericum, highlands scrub	<i>Hypericum cumulicola</i>		\$500	\$0	\$500
		Iris, dwarf lake	<i>Iris lacustris</i>		\$1,500	\$0	\$1,500
		Irisette, white	<i>Sisyrinchium dichotomum</i>		\$1,000	\$0	\$1,000
		Joint-vetch, Sensitive	<i>Aeschynomene virginica</i>		\$9,511	\$0	\$9,511
		Ladies'-tresses, Navasota	<i>Spiranthes parksi</i>		\$28,070	\$0	\$28,070
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$443,450	\$0	\$443,450
		Leather flower, Alabama	<i>Clematis socialis</i>		\$2,000	\$0	\$2,000
		Lily, Western	<i>Lilium occidentale</i>		\$1,460	\$0	\$1,460
		Lomatium, Cook's	<i>Lomatium cookii</i>		\$8,360	\$0	\$8,360
		Loosestrife, rough- leaved	<i>Lysimachia asperulaefolia</i>		\$1,000	\$0	\$1,000
		Lupine, Kincaid's	<i>Lupinus sulphureus ssp. kincaidii</i>		\$9,740	\$0	\$9,740
		Lupine, scrub	<i>Lupinus aridorum</i>		\$500	\$0	\$500
		Meadowfoam, large- flowered woolly	<i>Limnanthes floccosa ssp. grandiflora</i>		\$9,920	\$0	\$9,920
		Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>		\$2,500	\$0	\$2,500
		Milk-vetch, Applegate's	<i>Astragalus applegatei</i>		\$8,360	\$0	\$8,360
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>		\$55,000	\$0	\$55,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Milk-vetch, Mancos	<i>Astragalus humillimus</i>		\$2,200	\$0	\$2,200
		Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>		\$8,000	\$0	\$8,000
		Milkvetch, Osterhout	<i>Astragalus osterhoutii</i>		\$550	\$0	\$550
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$7,260	\$0	\$7,260
		Mint, Lakela's	<i>Dicerandra immaculata</i>		\$3,320	\$0	\$3,320
		Mint, scrub	<i>Dicerandra frutescens</i>		\$400	\$0	\$400
		Monkey-flower, Michigan	<i>Mimulus michiganensis</i>		\$1,000	\$0	\$1,000
		Mustard, Carter's	<i>Warea carteri</i>		\$400	\$0	\$400
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$26,370	\$0	\$26,370
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$5,800	\$0	\$5,800
		Pawpaw, beautiful	<i>Deeringothamnus pulchellus</i>		\$1,100	\$0	\$1,100
		Pawpaw, four-petal	<i>Asimina tetramera</i>		\$1,000	\$0	\$1,000
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$500	\$0	\$500
		Phacelia, North Park	<i>Phacelia formosula</i>		\$50	\$0	\$50
		Pigeon wings	<i>Clitoria fragrans</i>		\$500	\$0	\$500
		Pink, swamp	<i>Helonias bullata</i>		\$11,914	\$0	\$11,914
		Pinkroot, gentian	<i>Spigelia gentianoides</i>		\$500	\$0	\$500
		Pitcher-plant, green	<i>Sarracenia oreophila</i>		\$2,000	\$0	\$2,000
		Plum, scrub	<i>Prunus geniculata</i>		\$500	\$0	\$500
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$533,500	\$0	\$533,500
		Polygala, Lewton's	<i>Polygala lewtonii</i>		\$400	\$0	\$400
		Polygala, tiny	<i>Polygala smallii</i>		\$1,000	\$0	\$1,000
		Pondberry	<i>Lindera melissifolia</i>		\$2,500	\$0	\$2,500
		popcornflower, rough	<i>Plagiobothrys hirtus</i>		\$3,700	\$0	\$3,700
		Potato-bean, Price's	<i>Apios priceana</i>		\$500	\$0	\$500
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$315	\$0	\$315
		Rattleweed, hairy	<i>Baptisia arachnifera</i>		\$2,000	\$0	\$2,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Rock cress, Shale barren	<i>Arabis serotina</i>		\$10,000	\$0	\$10,000
		Rock-cress, Braun's	<i>Arabis perstellata</i>		\$300	\$0	\$300
		Rosemary, Cumberland	<i>Conradina verticillata</i>		\$900	\$0	\$900
		Rosemary, short-leaved	<i>Conradina brevifolia</i>		\$400	\$0	\$400
		Rush-pea, slender	<i>Hoffmannseggia tenella</i>		\$5,160	\$0	\$5,160
		Sandlace	<i>Polygonella myriophylla</i>		\$400	\$0	\$400
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$267,160	\$0	\$267,160
		Sedge, golden	<i>Carex lutea</i>		\$500	\$0	\$500
		Skullcap, Florida	<i>Scutellaria floridana</i>		\$1,330	\$0	\$1,330
		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$200	\$0	\$200
		Skyrocket, Pagosa	<i>Ipomopsis polyantha</i>		\$15,550	\$0	\$15,550
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$12,000	\$0	\$12,000
		Spurge, deltoid	<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>		\$1,000	\$0	\$1,000
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$8,000	\$0	\$8,000
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$800	\$0	\$800
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$5,000	\$0	\$5,000
		Thelypody, Howell's spectacular	<i>Thelypodium howellii</i> <i>spectabilis</i>		\$680	\$0	\$680
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$2,000	\$0	\$2,000
		Trillium, persistent	<i>Trillium persistens</i>		\$2,000	\$0	\$2,000
		Trillium, relict	<i>Trillium reliquum</i>		\$17,000	\$0	\$17,000
		Uhiuhi	<i>Caesalpinia kavaiense</i>		\$1,500	\$0	\$1,500
		Warea, wide-leaf	<i>Warea amplexifolia</i>		\$500	\$0	\$500
		Water-plantain, Kral's	<i>Sagittaria secundifolia</i>		\$5,000	\$0	\$5,000
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>		\$91,000	\$0	\$91,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Whitlow-wort, papery	<i>Paronychia chartacea</i>		\$500	\$0	\$500
		Wire-lettuce, Malheur	<i>Stephanomeria malheurensis</i>		\$2,240	\$0	\$2,240
		Wireweed	<i>Polygonella basiramia</i>		\$1,400	\$0	\$1,400
		Ziziphus, Florida	<i>Ziziphus celata</i>		\$400	\$0	\$400
		‘Aiea	<i>Nothocestrum breviflorum</i>		\$1,500	\$0	\$1,500
	Flowering Plants subtotal				\$2,194,645	\$0	\$2,194,645
	Ferns and Allies	Fern, American hart's-tongue	<i>Asplenium scolopendrium</i> <i>var. americanum</i>		\$1,226	\$0	\$1,226
		Quillwort, black spored	<i>Isoetes melanospora</i>		\$2,000	\$0	\$2,000
		Quillwort, mat- forming	<i>Isoetes tegetiformans</i>		\$2,000	\$0	\$2,000
	Ferns and Allies subtotal				\$5,226	\$0	\$5,226
	Lichens	Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$3,940	\$0	\$3,940
		Lichen, rock gnome	<i>Gymnoderma lineare</i>		\$2,500	\$0	\$2,500
	Lichens subtotal				\$6,440	\$0	\$6,440
	Multi-Species				\$7,207,079	\$2,566,569	\$9,773,648
Domestic subtotal					\$71,712,669	\$186,828,718	\$258,541,387
Grand Total					\$71,712,669	\$186,828,718	\$258,541,387

Environmental Protection Agency -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$270	\$0	\$270
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$2,255	\$0	\$2,255
		Bear, grizzly	<i>Ursus arctos horribilis</i>	portions of ID, MT	\$1,500	\$0	\$1,500
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$1,500	\$0	\$1,500
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$1,500	\$0	\$1,500
		Ferret, black-footed	<i>Mustela nigripes</i>	except where EXPN	\$1,500	\$0	\$1,500
		Jaguar	<i>Panthera onca</i>	AZ,CA,LA,NM,T X; Mexico; Central and South America	\$3,000	\$0	\$3,000
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	TX; Mexico	\$3,000	\$0	\$3,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$3,000	\$0	\$3,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$3,000	\$0	\$3,000
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	AZ, TX to Central and South America	\$3,000	\$0	\$3,000
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$211	\$0	\$211
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$211	\$0	\$211
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Entire	\$181	\$0	\$181
		Whale, Sei	<i>Balaenoptera borealis</i>	Entire	\$117	\$0	\$117
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	Entire	\$117	\$0	\$117

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$1,500	\$0	\$1,500
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$1,824	\$0	\$1,824
	Mammals subtotal				\$27,686	\$0	\$27,686
	Birds	Crane, whooping	<i>Grus americana</i>	SW LA	\$750	\$0	\$750
		Crane, whooping	<i>Grus americana</i>	CO, ID, FL, NM, UT, western WY	\$750	\$0	\$750
		Crane, whooping	<i>Grus americana</i>	AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	\$1,477	\$0	\$1,477
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$750	\$0	\$750
		Curlew, Eskimo	<i>Numenius borealis</i>	Entire	\$3,000	\$0	\$3,000
		Falcon, northern aplomado	<i>Falco femoralis</i> <i>septentrionalis</i>	Except where listed as EXPN	\$1,500	\$0	\$1,500
		Falcon, northern aplomado	<i>Falco femoralis</i> <i>septentrionalis</i>	AZ, NM	\$1,500	\$0	\$1,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$3,000	\$0	\$3,000
		Plover, piping	<i>Charadrius melanotos</i>	Great Lakes watershed	\$5,090	\$0	\$5,090
		Plover, piping	<i>Charadrius melanotos</i>	except Great Lakes watershed	\$2,227	\$0	\$2,227
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>	Entire	\$67,300	\$0	\$67,300
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$997	\$0	\$997
		Vireo, black-capped	<i>Vireo atricapilla</i>	Entire	\$3,000	\$0	\$3,000
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	Entire	\$3,000	\$0	\$3,000
		Warbler, Kirtland's	<i>Setophaga kirtlandii</i> (= <i>Dendroica kirtlandii</i>)	Entire	\$216	\$0	\$216
	Birds subtotal				\$94,557	\$0	\$94,557
	Reptiles	Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	Entire	\$3,000	\$0	\$3,000
		Sea turtle, green	<i>Chelonia mydas</i>	Except where endangered	\$1,719	\$0	\$1,719
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$1,538	\$0	\$1,538
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$181	\$0	\$181
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$1,719	\$0	\$1,719
		Sea turtle, loggerhead	<i>Caretta caretta</i>	NW Atlantic DPS	\$1,719	\$0	\$1,719
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	IN, MI, OH	\$3,564	\$0	\$3,564
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	Entire	\$67,300	\$0	\$67,300
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$281	\$0	\$281
	Reptiles subtotal				\$81,021	\$0	\$81,021
	Amphibians	Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	Entire	\$3,000	\$0	\$3,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Santa Barbara County	\$22,400	\$0	\$22,400
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Sonoma County	\$22,400	\$0	\$22,400
		Salamander, California tiger	<i>Ambystoma californiense</i>	Central CA DPS	\$22,400	\$0	\$22,400
	Amphibians subtotal				\$70,200	\$0	\$70,200
	Fishes	Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$67,300	\$0	\$67,300
		Madtom, Scioto	<i>Noturus trautmani</i>	Entire	\$108	\$0	\$108
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine DPS	\$348	\$0	\$348
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	California Coastal ESU	\$500	\$0	\$500
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Central Valley spring-run ESU	\$500	\$0	\$500
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Lower Columbia River ESU	\$500	\$0	\$500
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound ESU	\$500	\$0	\$500
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Sacramento River winter-run ESU	\$500	\$0	\$500
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River fall- run ESU	\$500	\$0	\$500
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Snake River spring/ summer- run ESU	\$500	\$0	\$500
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$500	\$0	\$500
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Willamette River ESU	\$500	\$0	\$500
		Salmon, chum	<i>Oncorhynchus keta</i>	Columbia River ESU	\$500	\$0	\$500
		Salmon, chum	<i>Oncorhynchus keta</i>	Hood Canal summer-run ESU	\$500	\$0	\$500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Central California Coast ESU	\$500	\$0	\$500
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River ESU	\$500	\$0	\$500
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Oregon Coast ESU	\$500	\$0	\$500
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	So. OR/ No. CA Coast ESU	\$500	\$0	\$500
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Ozette Lake ESU	\$500	\$0	\$500
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River ESU	\$500	\$0	\$500
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$260	\$0	\$260
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	Entire	\$108	\$0	\$108
		Smelt, delta	<i>Hypomesus transpacificus</i>	Entire	\$67,300	\$0	\$67,300
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	California Central Valley DPS	\$500	\$0	\$500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central California Coast DPS	\$500	\$0	\$500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Lower Columbia River DPS	\$500	\$0	\$500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Middle Columbia River DPS	\$500	\$0	\$500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Northern California DPS	\$500	\$0	\$500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$500	\$0	\$500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake River Basin DPS	\$500	\$0	\$500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	South-Central California Coast DPS	\$500	\$0	\$500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Southern California DPS	\$500	\$0	\$500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Columbia River DPS	\$500	\$0	\$500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Willamette River DPS	\$500	\$0	\$500
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>	Gulf of Maine DPS	\$3,724	\$0	\$3,724
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$908	\$0	\$908
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$8,012	\$0	\$8,012
	Fishes subtotal				\$162,068	\$0	\$162,068
	Clams	Bean, rayed	<i>Villosa fabalis</i>		\$4,374	\$0	\$4,374
		Catspaw, white (pearlymussel)	<i>Epioblasma obliquata perobliqua</i>	Entire	\$2,754	\$0	\$2,754
		Clubshell	<i>Pleurobema clava</i>	Except where EXPN	\$3,540	\$0	\$3,540
		Fanshell	<i>Cyprogenia stegaria</i>		\$6,318	\$0	\$6,318
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	Entire	\$4,158	\$0	\$4,158
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Except where EXPN	\$3,078	\$0	\$3,078
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Entire	\$6,318	\$0	\$6,318
		Mussel, sheepnose	<i>Plethobasus cyphyus</i>		\$8,640	\$0	\$8,640
		Pigtoe, rough	<i>Pleurobema plenum</i>		\$918	\$0	\$918
		Pimpleback, orange-foot (pearlymussel)	<i>Plethobasus cooperianus</i>		\$1,350	\$0	\$1,350
		Pocketbook, fat	<i>Potamilus capax</i>	Entire	\$1,350	\$0	\$1,350
		Purple cat's paw (=purple cat's paw pearlymussel)	<i>Epioblasma obliquata obliquata</i>	Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Co., AL	\$3,888	\$0	\$3,888
		Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>		\$432	\$0	\$432

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	Entire	\$4,212	\$0	\$4,212
		Spectaclecase (mussel)	<i>Cumberlandia monodonta</i>		\$3,618	\$0	\$3,618
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	Entire	\$402	\$0	\$402
	Clams subtotal				\$55,350	\$0	\$55,350
	Snails	Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	Entire	\$108	\$0	\$108
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$3,000	\$0	\$3,000
		Beetle, Hungerford's crawling water	<i>Brychius hungerfordi</i>	Entire	\$108	\$0	\$108
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Entire	\$52,300	\$0	\$52,300
		Butterfly, bay checkerspot	<i>Euphydryas editha bayensis</i>	Entire	\$146,300	\$0	\$146,300
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	Entire	\$432	\$0	\$432
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	Entire	\$216	\$0	\$216
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$1,496	\$0	\$1,496
	Insects subtotal				\$203,852	\$0	\$203,852
	Crustaceans	Amphipod, Illinois cave	<i>Gammarus acherondytes</i>	Entire	\$108	\$0	\$108
		Shrimp, California freshwater	<i>Syncaris pacifica</i>	Entire	\$67,300	\$0	\$67,300
	Crustaceans subtotal				\$67,408	\$0	\$67,408
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$2,041	\$0	\$2,041
		Coral, staghorn	<i>Acropora cervicornis</i>		\$2,041	\$0	\$2,041
	Corals subtotal				\$4,082	\$0	\$4,082
	Flowering Plants	Aster, decurrent false	<i>Boltonia decurrens</i>		\$3,186	\$0	\$3,186

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Goldenrod, Houghton's	<i>Solidago houghtonii</i>		\$108	\$0	\$108
		Iris, dwarf lake	<i>Iris lacustris</i>		\$216	\$0	\$216
		Lily, Minnesota dwarf trout	<i>Erythronium propullans</i>		\$108	\$0	\$108
		Locoweed, Fassett's	<i>Oxytropis campestris var. chartacea</i>		\$378	\$0	\$378
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$216	\$0	\$216
		Monkey-flower, Michigan	<i>Mimulus michiganensis</i>		\$108	\$0	\$108
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$810	\$0	\$810
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$108	\$0	\$108
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$108	\$0	\$108
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$216	\$0	\$216
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$486	\$0	\$486
	Flowering Plants subtotal				\$6,048	\$0	\$6,048
	Multi-Species				\$3,676,824	\$0	\$3,676,824
Domestic subtotal					\$4,449,204	\$0	\$4,449,204
Grand Total					\$4,449,204	\$0	\$4,449,204

Federal Energy Regulatory Commission -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$500	\$0	\$500
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$25,000	\$0	\$25,000
		Bat, lesser long-nosed	<i>Leptonycteris curasoae</i> <i>yerbabuenae</i>	Entire	\$200	\$0	\$200
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$200	\$0	\$200
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>	Entire	\$700	\$0	\$700
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$500	\$0	\$500
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$300	\$0	\$300
		Jaguar	<i>Panthera onca</i>	AZ, CA, LA, NM, TX; Mexico; Central and South America	\$500	\$0	\$500
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	TX; Mexico	\$200	\$0	\$200
		Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>	Entire	\$300	\$0	\$300
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$300	\$0	\$300
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$700	\$0	\$700
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	CO, WY	\$300	\$0	\$300
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	AZ, TX to Central and South America	\$200	\$0	\$200
		Sea lion, Steller	<i>Eumetopias jubatus</i>	Eastern DPS	\$800	\$0	\$800
		Sea lion, Steller	<i>Eumetopias jubatus</i>	Western DPS	\$1,500	\$0	\$1,500
		Whale, beluga	<i>Delphinapterus leucas</i>	Cook Inlet DPS	\$900	\$0	\$900

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Whale, blue	<i>Balaenoptera musculus</i>	Entire	\$600	\$0	\$600
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$600	\$0	\$600
		Whale, gray	<i>Eschrichtius robustus</i>	Western North Pacific DPS	\$1,400	\$0	\$1,400
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$2,000	\$0	\$2,000
		Whale, killer	<i>Orcinus orca</i>	So. Resident DPS	\$2,400	\$0	\$2,400
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Entire	\$600	\$0	\$600
		Whale, North Pacific Right	<i>Eubalaena japonica</i>	Entire	\$500	\$0	\$500
		Whale, sperm	<i>Physeter catodon</i> <i>(=macrocephalus)</i>	Entire	\$500	\$0	\$500
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$300	\$0	\$300
	Mammals subtotal				\$42,000	\$0	\$42,000
	Birds	Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	Entire	\$500	\$0	\$500
		Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	Entire	\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Crane, whooping	<i>Grus americana</i>	AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	\$11,000	\$0	\$11,000
		Crane, whooping	<i>Grus americana</i>	Except where EXPN	\$1,200	\$0	\$1,200
		Curlew, Eskimo	<i>Numenius borealis</i>	Entire	\$200	\$0	\$200
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Except where EXPN	\$200	\$0	\$200
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Entire	\$300	\$0	\$300
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$1,200	\$0	\$1,200
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	Entire	\$300	\$0	\$300
		Owl, northern spotted	<i>Strix occidentalis caurina</i>	Entire	\$5,500	\$0	\$5,500
		Plover, piping	<i>Charadrius melanotos</i>	Great Lakes watershed	\$500	\$0	\$500
		Plover, piping	<i>Charadrius melanotos</i>	except Great Lakes watershed	\$13,500	\$0	\$13,500
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$100	\$0	\$100
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$14,500	\$0	\$14,500
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>	Entire	\$300	\$0	\$300
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$1,300	\$0	\$1,300
	Birds subtotal				\$50,800	\$0	\$50,800
	Reptiles	Sea turtle, green	<i>Chelonia mydas</i>	Except where endangered	\$900	\$0	\$900
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$600	\$0	\$600
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$900	\$0	\$900
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$1,200	\$0	\$1,200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Sea turtle, loggerhead	<i>Caretta caretta</i>	NW Atlantic DPS	\$900	\$0	\$900
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	IN, MI, OH	\$200	\$0	\$200
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$300	\$0	\$300
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/Tombigbee Rs.	\$2,500	\$0	\$2,500
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$3,000	\$0	\$3,000
		Turtle, flattened musk	<i>Sternotherus depressus</i>		\$2,500	\$0	\$2,500
	Reptiles subtotal				\$13,000	\$0	\$13,000
	Amphibians	Frog, California red-legged	<i>Rana draytonii</i>	Entire	\$2,500	\$0	\$2,500
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	Entire	\$500	\$0	\$500
		Frog, dusky gopher	<i>Rana sevosa</i>	Entire	\$300	\$0	\$300
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	So. CA DPS	\$500	\$0	\$500
		Salamander, California tiger	<i>Ambystoma californiense</i>	CA - Sonoma County	\$500	\$0	\$500
		Toad, arroyo (=arroyo southwestern)	<i>Anaxyrus californicus</i>	Entire	\$500	\$0	\$500
	Amphibians subtotal				\$4,800	\$0	\$4,800
	Fishes	Chub, humpback	<i>Gila cypha</i>	Entire	\$200	\$0	\$200
		Darter, amber	<i>Percina antesella</i>	Entire	\$100	\$0	\$100
		Darter, bayou	<i>Etheostoma rubrum</i>	Entire	\$100	\$0	\$100
		Darter, yellowcheek	<i>Etheostoma moorei</i>	Entire	\$200	\$0	\$200
		Eulachon	<i>Thaleichthys pacificus</i>	Southern DPS	\$100	\$0	\$100
		Logperch, Roanoke	<i>Percina rex</i>	Entire	\$600	\$0	\$600

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Except EXPN	\$200	\$0	\$200
		Pupfish, Warm Springs	<i>Cyprinodon nevadensis</i> <i>pectoralis</i>	Entire	\$300	\$0	\$300
		Rockfish, canary	<i>Sebastodes pinniger</i>	Puget Sound - Georgia Basin DPS	\$400	\$0	\$400
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine DPS	\$15,000	\$0	\$15,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo)</i> <i>tshawytscha</i>	California Coastal ESU	\$300	\$0	\$300
		Salmon, Chinook	<i>Oncorhynchus (=Salmo)</i> <i>tshawytscha</i>	Central Valley spring-run ESU	\$6,000	\$0	\$6,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo)</i> <i>tshawytscha</i>	Lower Columbia River ESU	\$8,000	\$0	\$8,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo)</i> <i>tshawytscha</i>	Puget Sound ESU	\$3,000	\$0	\$3,000
		Salmon, Chinook	<i>Oncorhynchus (=Salmo)</i> <i>tshawytscha</i>	Sacramento River winter-run ESU	\$1,200	\$0	\$1,200
		Salmon, Chinook	<i>Oncorhynchus (=Salmo)</i> <i>tshawytscha</i>	Snake River fall- run ESU	\$400	\$0	\$400
		Salmon, Chinook	<i>Oncorhynchus (=Salmo)</i> <i>tshawytscha</i>	Snake River spring/ summer- run ESU	\$900	\$0	\$900
		Salmon, Chinook	<i>Oncorhynchus (=Salmo)</i> <i>tshawytscha</i>	Upper Columbia spring-run ESU	\$900	\$0	\$900
		Salmon, Chinook	<i>Oncorhynchus (=Salmo)</i> <i>tshawytscha</i>	Upper Willamette River ESU	\$1,900	\$0	\$1,900
		Salmon, chum	<i>Oncorhynchus keta</i>	Columbia River ESU	\$300	\$0	\$300
		Salmon, coho	<i>Oncorhynchus (=Salmo)</i> <i>kisutch</i>	Lower Columbia River ESU	\$2,500	\$0	\$2,500
		Salmon, coho	<i>Oncorhynchus (=Salmo)</i> <i>kisutch</i>	Oregon Coast ESU	\$400	\$0	\$400

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	Snake River ESU	\$100	\$0	\$100
		Sawfish, smalltooth	<i>Pristis pectinata</i>	United States DPS	\$200	\$0	\$200
		Shiner, blue	<i>Cyprinella caerulea</i>	Entire	\$600	\$0	\$600
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	California Central Valley DPS	\$7,000	\$0	\$7,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Lower Columbia River DPS	\$9,000	\$0	\$9,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Middle Columbia River DPS	\$1,700	\$0	\$1,700
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Northern California DPS	\$300	\$0	\$300
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$3,100	\$0	\$3,100
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake River Basin DPS	\$600	\$0	\$600
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Southern California DPS	\$6,000	\$0	\$6,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Upper Columbia River DPS	\$2,000	\$0	\$2,000
		Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>		\$300	\$0	\$300
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus</i>	Entire	\$1,000	\$0	\$1,000
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>	Gulf of Maine DPS	\$2,500	\$0	\$2,500
		Sturgeon, green	<i>Acipenser medirostris</i>	Southern DPS	\$400	\$0	\$400
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$15,500	\$0	\$15,500
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$3,500	\$0	\$3,500
		Sturgeon, Shovelnose	<i>Scaphirhynchus platorynchus</i>	Entire	\$5,000	\$0	\$5,000
		Sturgeon, white	<i>Acipenser transmontanus</i>	ID, MT, Canada (B.C.), Kootenai R. system	\$1,800	\$0	\$1,800
		Sucker, razorback	<i>Xyrauchen texanus</i>	Entire	\$200	\$0	\$200
		Trout, Apache	<i>Oncorhynchus apache</i>	Entire	\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$19,000	\$0	\$19,000
		Trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>	Entire	\$400	\$0	\$400
	Fishes subtotal				\$123,400	\$0	\$123,400
	Clams	Acornshell, southern	<i>Epioblasma othcaloogensis</i>		\$200	\$0	\$200
		Bean, purple	<i>Villosa perpurpurea</i>		\$200	\$0	\$200
		Bean, rayed	<i>Villosa fabalis</i>		\$500	\$0	\$500
		Clubshell	<i>Pleurobema clava</i>	Free-Flowing Reach of the Tennessee River below Wilson Dam, Colbert and Lauderdale Co., AL	\$600	\$0	\$600
		Clubshell, black	<i>Pleurobema curtum</i>	Entire	\$100	\$0	\$100
		Clubshell, ovate	<i>Pleurobema perovatum</i>		\$100	\$0	\$100
		Combshell, southern	<i>Epioblasma penita</i>	Entire	\$300	\$0	\$300
		Fanshell	<i>Cyprogenia stegaria</i>		\$1,800	\$0	\$1,800
		Fatmucket, Arkansas	<i>Lampsilis powellii</i>	Entire	\$100	\$0	\$100
		Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>	Entire	\$500	\$0	\$500
		Kidneyshell, southern	<i>Ptychobranchus jonesi</i>		\$100	\$0	\$100
		Kidneyshell, triangular	<i>Ptychobranchus greenii</i>		\$100	\$0	\$100
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Free-Flowing Reach of the Tennessee River below Wilson Dam, Colbert and Lauderdale Co., AL	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Moccasinshell, Alabama	<i>Medionidus acutissimus</i>		\$200	\$0	\$200
		Moccasinshell, Coosa	<i>Medionidus parvulus</i>		\$100	\$0	\$100
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Entire	\$700	\$0	\$700
		Mussel, sheepnose	<i>Plethobasus cyphyus</i>		\$1,200	\$0	\$1,200
		Mussel, snuffbox	<i>Epioblasma triquetra</i>		\$1,100	\$0	\$1,100
		Pearlymussel, littlewing	<i>Pegias fabula</i>	Entire	\$200	\$0	\$200
		Pigtoe, flat	<i>Pleurobema marshalli</i>	Entire	\$100	\$0	\$100
		Pigtoe, fuzzy	<i>Pleurobema strodeanum</i>		\$100	\$0	\$100
		Pigtoe, Georgia	<i>Pleurobema hanleyianum</i>		\$100	\$0	\$100
		Pigtoe, heavy	<i>Pleurobema taitianum</i>	Entire	\$100	\$0	\$100
		Pigtoe, rough	<i>Pleurobema plenum</i>		\$600	\$0	\$600
		Pigtoe, southern	<i>Pleurobema georgianum</i>		\$100	\$0	\$100
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	TN - portions of the French Broad and Holston Rivers	\$100	\$0	\$100
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>		\$500	\$500	\$1,000
		Pocketbook, fat	<i>Potamilus capax</i>	Entire	\$300	\$0	\$300
		Pocketbook, finelined	<i>Lampsilis altilis</i>		\$400	\$0	\$400
		Purple cat's paw (=purple cat's paw pearlymussel)	<i>Epioblasma obliquata</i> <i>obliquata</i>	Free-Flowing Reach of the Tennessee River below Wilson Dam, Colbert and Lauderdale Co., AL	\$100	\$0	\$100

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Purple Cat's paw (=Purple Cat's paw pearlymussel)	<i>Epioblasma obliquata</i> <i>obliquata</i>	Except where EXPN	\$700	\$0	\$700
		Riffleshell, northern	<i>Epioblasma torulosa</i> <i>rangiana</i>	Entire	\$700	\$0	\$700
		Riffleshell, tan	<i>Epioblasma florentina</i> <i>walkeri</i> (= <i>E. walkeri</i>)	Entire	\$200	\$0	\$200
		Ring pink (mussel)	<i>Obovaria retusa</i>		\$200	\$0	\$200
		Spectaclecase (mussel)	<i>Cumberlandia monodonta</i>		\$700	\$0	\$700
		Spiny mussel, James	<i>Pleurobema collina</i>	Entire	\$100	\$0	\$100
		Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>	TN - portions of the French Broad and Holston Rivers	\$700	\$0	\$700
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	Entire	\$1,000	\$0	\$1,000
	Clams subtotal				\$15,000	\$500	\$15,500
	Snails	Elimia, lacy (snail)	<i>Elimia crenatella</i>	Entire	\$100	\$0	\$100
		Hornsnail, rough	<i>Pleurocera foremani</i>	Entire	\$300	\$0	\$300
		Limpet, Banbury Springs	<i>Lanx sp.</i>	Entire	\$200	\$0	\$200
		Rocksnail, interrupted (=Georgia)	<i>Leptoxis foremani</i>		\$400	\$0	\$400
		Rocksnail, painted	<i>Leptoxis taeniata</i>	Entire	\$300	\$0	\$300
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	Entire	\$800	\$0	\$800
		Snail, Snake River physa	<i>Physa natricina</i>	Entire	\$1,300	\$0	\$1,300
		Snail, tulotoma	<i>Tulotoma magnifica</i>	Entire	\$300	\$0	\$300
	Snails subtotal				\$3,700	\$0	\$3,700
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$300	\$0	\$300
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus</i> <i>dimorphus</i>	Entire	\$2,500	\$0	\$2,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	Entire	\$200	\$0	\$200
		Tiger beetle, Puritan	<i>Cicindela puritana</i>	Entire	\$300	\$0	\$300
	Insects subtotal				\$3,300	\$0	\$3,300
	Crustaceans	Crayfish, Shasta	<i>Pacifastacus fortis</i>	Entire	\$1,900	\$0	\$1,900
	Flowering Plants	Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>		\$100	\$0	\$100
		Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>		\$300	\$0	\$300
		Butterweed, Layne's	<i>Senecio layneae</i>		\$300	\$0	\$300
		Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>		\$700	\$0	\$700
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$300	\$0	\$300
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$300	\$0	\$300
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$200	\$0	\$200
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$300	\$0	\$300
		Harperella	<i>Ptilimnium nodosum</i>		\$300	\$0	\$300
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$300	\$0	\$300
		Howellia, water	<i>Howellia aquatilis</i>		\$400	\$0	\$400
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$1,000	\$0	\$1,000
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$200	\$0	\$200
		Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>		\$300	\$0	\$300
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$200	\$0	\$200
		Orchid, western prairie fringed	<i>Platanthera praecalaria</i>		\$1,600	\$0	\$1,600
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$300	\$0	\$300
		Pink, swamp	<i>Helonias bullata</i>		\$200	\$0	\$200

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$300	\$0	\$300
		Rush-pea, slender	<i>Hoffmannseggia tenella</i>		\$100	\$0	\$100
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$300	\$0	\$300
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$200	\$0	\$200
	Flowering Plants subtotal				\$8,200	\$0	\$8,200
	Ferns and Allies	Quillwort, Louisiana	<i>Isoetes louisianensis</i>		\$200	\$0	\$200
Domestic subtotal					\$266,300	\$500	\$266,800
Grand Total					\$266,300	\$500	\$266,800

Nuclear Regulatory Commission -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$800	\$0	\$800
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$17,750	\$0	\$17,750
		Bear, American black	<i>Ursus americanus</i>	County range of LA black bear	\$400	\$0	\$400
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>	Entire	\$2,000	\$0	\$2,000
		Ferret, black-footed	<i>Mustela nigripes</i>	portions of AZ, CO, MT, SD, UT, WY	\$1,675	\$0	\$1,675
		Manatee, West Indian	<i>Trichechus manatus</i>	Entire	\$3,750	\$0	\$3,750
		Ocelot	<i>Leopardus (=Felis) pardalis</i>	AZ, TX to Central and South America	\$1,600	\$0	\$1,600
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$1,400	\$0	\$1,400
		Whale, blue	<i>Balaenoptera musculus</i>	Entire	\$1,500	\$0	\$1,500
		Whale, finback	<i>Balaenoptera physalus</i>	Entire	\$2,800	\$0	\$2,800
		Whale, humpback	<i>Megaptera novaeangliae</i>	Entire	\$2,800	\$0	\$2,800
		Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	Entire	\$2,500	\$0	\$2,500
		Whale, Sei	<i>Balaenoptera borealis</i>	Entire	\$2,600	\$0	\$2,600
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	Entire	\$2,600	\$0	\$2,600

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Wolf, gray	<i>Canis lupus</i>	AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	\$232	\$0	\$232
		Wolf, red	<i>Canis rufus</i>	Except where EXPN	\$1,500	\$0	\$1,500
	Mammals subtotal				\$45,907	\$0	\$45,907
	Birds	Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$1,250	\$0	\$1,250
		Crane, whooping	<i>Grus americana</i>	Except where EXPN	\$2,312	\$0	\$2,312
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	Except where EXPN	\$1,677	\$0	\$1,677
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$1,400	\$0	\$1,400
		Plover, piping	<i>Charadrius melanotos</i>	Great Lakes watershed	\$3,900	\$0	\$3,900
		Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Entire	\$1,250	\$0	\$1,250
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	Entire	\$1,400	\$0	\$1,400
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	Entire	\$1,250	\$0	\$1,250
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, MS, NC, SC	\$1,800	\$0	\$1,800
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$400	\$0	\$400

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$150	\$0	\$150
		Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>	Entire	\$1,250	\$0	\$1,250
		Warbler, Kirtland's	<i>Setophaga kirtlandii</i> (= <i>Dendroica kirtlandii</i>)	Entire	\$1,250	\$0	\$1,250
		Woodpecker, ivory- billed	<i>Campephilus principalis</i>	Entire	\$1,250	\$0	\$1,250
		Woodpecker, red- cockaded	<i>Picoides borealis</i>	Entire	\$1,650	\$0	\$1,650
	Birds subtotal				\$22,189	\$0	\$22,189
	Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	Entire	\$2,900	\$0	\$2,900
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$4,250	\$0	\$4,250
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$8,400	\$0	\$8,400
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Entire	\$3,250	\$0	\$3,250
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Entire	\$9,650	\$0	\$9,650
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Entire	\$5,850	\$0	\$5,850
		Sea turtle, loggerhead	<i>Caretta caretta</i>	NW Atlantic DPS	\$7,150	\$0	\$7,150
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>	Entire	\$1,700	\$0	\$1,700
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of Mobile/ Tombigbee Rs.	\$300	\$0	\$300
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$4,650	\$0	\$4,650
	Reptiles subtotal				\$48,100	\$0	\$48,100
	Fishes	Dace, Laurel	<i>Chrosomus saylori</i>	Entire	\$2,500	\$0	\$2,500
		Darter, bayou	<i>Etheostoma rubrum</i>	Entire	\$400	\$0	\$400
		Darter, Niangua	<i>Etheostoma nianguae</i>	Entire	\$200	\$0	\$200
		Darter, snail	<i>Percina tanasi</i>	Entire	\$2,500	\$0	\$2,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Salmon, Chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Upper Columbia spring-run ESU	\$400	\$0	\$400
		Sawfish, smalltooth	<i>Pristis pectinata</i>	United States DPS	\$400	\$0	\$400
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	Entire	\$2,500	\$0	\$2,500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	California Central Valley DPS	\$400	\$0	\$400
		Sturgeon, Atlantic	<i>Acipenser oxyrinchus oxyrinchus</i>	Gulf of Maine DPS	\$13,600	\$0	\$13,600
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Entire	\$4,000	\$0	\$4,000
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Entire	\$10,100	\$0	\$10,100
		Trout, bull	<i>Salvelinus confluentus</i>	conterminous, lower 48 states	\$707	\$0	\$707
	Fishes subtotal				\$37,707	\$0	\$37,707
	Clams	Fanshell	<i>Cyprogenia stegaria</i>		\$200	\$0	\$200
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>	Entire	\$1,400	\$0	\$1,400
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	Entire	\$243	\$0	\$243
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Entire	\$3,000	\$0	\$3,000
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$200	\$0	\$200
		Mussel, sheepnose	<i>Plethobasus cyphyus</i>		\$3,500	\$0	\$3,500
		Mussel, snuffbox	<i>Epioblasma triquetra</i>		\$200	\$0	\$200
		Pearlymussel, dromedary	<i>Dromus dromas</i>	Except where EXPN	\$2,500	\$0	\$2,500
		Pigtoe, rough	<i>Pleurobema plenum</i>		\$2,500	\$0	\$2,500
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>		\$2,500	\$0	\$2,500
		Pocketbook, fat	<i>Potamilus capax</i>	Entire	\$400	\$0	\$400
		Spectaclecase (mussel)	<i>Cumberlandia monodonta</i>		\$1,600	\$0	\$1,600
		Spiny mussel, Altamaha	<i>Elliptio spinosa</i>	Entire	\$4,500	\$0	\$4,500
		Spiny mussel, James	<i>Pleurobema collina</i>	Entire	\$1,500	\$0	\$1,500

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	Entire	\$2,200	\$0	\$2,200
	Clams subtotal				\$26,443	\$0	\$26,443
	Snails	Snail, Snake River physa	<i>Physa natricina</i>	Entire	\$307	\$0	\$307
		Snail, Stock Island tree	<i>Orthalicus reses (not incl. nesodryas)</i>	Entire	\$1,250	\$0	\$1,250
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	Entire	\$307	\$0	\$307
	Snails subtotal				\$1,864	\$0	\$1,864
	Insects	Butterfly, Miami Blue	<i>Cyclargus (=Hemiargus) thomasi bethunebakeri</i>		\$75	\$0	\$75
		Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>	Entire	\$1,325	\$0	\$1,325
	Insects subtotal				\$1,400	\$0	\$1,400
	Flowering Plants	Amphianthus, little	<i>Amphianthus pusillus</i>		\$75	\$0	\$75
		Bush-clover, prairie	<i>Lespedeza leptostachya</i>		\$1,030	\$0	\$1,030
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$600	\$0	\$600
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$150	\$0	\$150
		Daisy, Lakeside	<i>Hymenoxys herbacea</i>		\$1,000	\$0	\$1,000
		Gourd, Okeechobee	<i>Cucurbita okeechobeensis ssp. okeechobeensis</i>		\$1,325	\$0	\$1,325
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$150	\$0	\$150
		Jacquemontia, beach	<i>Jacquemontia reclinata</i>		\$1,325	\$0	\$1,325
		Joint-vetch, Sensitive	<i>Aeschynomene virginica</i>		\$3,700	\$0	\$3,700
		Lead-plant, Crenulate	<i>Amorpha crenulata</i>		\$1,325	\$0	\$1,325
		Lily, Minnesota dwarf trout	<i>Erythronium propullans</i>		\$30	\$0	\$30
		Milkpea, Small's	<i>Galactia smallii</i>		\$1,325	\$0	\$1,325
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$2,000	\$0	\$2,000
		Pink, swamp	<i>Helonias bullata</i>		\$1,300	\$0	\$1,300

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$7,775	\$0	\$7,775
		Polygala, tiny	<i>Polygala smallii</i>		\$1,325	\$0	\$1,325
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$1,000	\$0	\$1,000
		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$1,800	\$0	\$1,800
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$1,800	\$0	\$1,800
		Spurge, deltoid	<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>		\$1,325	\$0	\$1,325
		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$1,325	\$0	\$1,325
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$150	\$0	\$150
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$150	\$0	\$150
	Flowering Plants subtotal				\$31,985	\$0	\$31,985
Domestic subtotal					\$215,595	\$0	\$215,595
Foreign	Mammals	Manatee, West African	<i>Trichechus senegalensis</i>	Entire	\$200	\$0	\$200
Domestic	Multi-Species				\$13,000	\$0	\$13,000
Grand Total					\$228,795	\$0	\$228,795

Smithsonian Institution -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Ferret, black-footed	<i>Mustela nigripes</i>	Except where EXPN	\$114,840	\$0	\$114,840
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	CA	\$84,000	\$0	\$84,000
		Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>	CA	\$28,000	\$0	\$28,000
		Otter, southern sea	<i>Enhydra lutris nereis</i>		\$28,000	\$0	\$28,000
		Shrew, Buena Vista Lake ornate	<i>Sorex ornatus relicus</i>	Entire	\$7,000	\$0	\$7,000
	Mammals subtotal				\$261,840	\$0	\$261,840
	Birds	Condor, California	<i>Gymnogyps californianus</i>	Except where EXPN	\$14,000	\$0	\$14,000
		Crane, whooping	<i>Grus americana</i>	Except where EXPN	\$13,400	\$0	\$13,400
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>	Entire	\$5,780	\$0	\$5,780
		Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>	Entire	\$26,700	\$0	\$26,700
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	Entire	\$30,300	\$0	\$30,300
		Rail, Guam	<i>Rallus owstoni</i>	except Rota	\$11,300	\$0	\$11,300
	Birds subtotal				\$101,480	\$0	\$101,480
	Reptiles	Tortoise, desert	<i>Gopherus agassizii</i>	except in Sonoran Desert	\$7,000	\$0	\$7,000
	Reptiles subtotal				\$7,000	\$0	\$7,000
	Amphibians	Coqui, golden	<i>Eleutherodactylus jasperi</i>	Entire	\$17,500	\$0	\$17,500
	Amphibians subtotal				\$17,500	\$0	\$17,500
	Corals	Coral, elkhorn	<i>Acropora palmata</i>		\$9,720	\$0	\$9,720
	Corals subtotal				\$9,720	\$0	\$9,720
Domestic subtotal					\$397,540	\$0	\$397,540

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Foriegn	Mammals	Addax	<i>Addax nasomaculatus</i>	Entire	\$7,000	\$0	\$7,000
		Ass, Asian wild	<i>Equus hemionus</i>	Entire	\$12,500	\$0	\$12,500
		Cheetah	<i>Acinonyx jubatus</i>	Entire	\$55,900	\$0	\$55,900
		Deer, Eld's brow-antlered	<i>Cervus eldi</i>		\$46,800	\$0	\$46,800
		Elephant, African	<i>Loxodonta africana</i>	Entire	\$4,200	\$0	\$4,200
		Elephant, Asian	<i>Elephas maximus</i>	Entire	\$191,700	\$0	\$191,700
		Gazelle, dama	<i>Gazella dama</i>	North Africa	\$24,000	\$0	\$24,000
		Gazelle, Moroccan	<i>Gazella dorcas massaesyla</i>	Morocco, Algeria, Tunisia	\$7,000	\$0	\$7,000
		Horse, Przewalski's	<i>Equus przewalskii</i>	Mongolia, China	\$20,900	\$0	\$20,900
		Leopard, clouded	<i>Neofelis nebulosa</i>	SE and South-Central Asia; Taiwan	\$57,600	\$0	\$57,600
		Oryx, scimitar-horned	<i>Oryx dammah</i>	North Africa	\$17,100	\$0	\$17,100
		Panda, giant	<i>Ailuropoda melanoleuca</i>	China	\$58,800	\$0	\$58,800
		Tamarin, golden-rumped	<i>Leontopithecus spp.</i>	Entire	\$1,400	\$0	\$1,400
		Tiger	<i>Panthera tigris</i>	Entire	\$63,000	\$0	\$63,000
		Wolf, maned	<i>Chrysocyon brachyurus</i>	Entire	\$90,500	\$0	\$90,500
	Mammals subtotal				\$658,400	\$0	\$658,400
	Birds	Siskin, red	<i>Carduelis cucullata</i>	Entire	\$22,000	\$0	\$22,000
	Amphibians	Frog, Panamanian golden	<i>Atelopus varius zeteki</i>	Entire	\$31,500	\$0	\$31,500
Foreign subtotal					\$711,900	\$0	\$711,900
Domestic	Multi-Species				\$53,990	\$0	\$53,990
Grand Total					\$1,163,430	\$0	\$1,163,430

Tennessee Valley Authority -- FY13

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic	Mammals	Bat, gray	<i>Myotis grisescens</i>	Entire	\$40,000	\$0	\$40,000
		Bat, Indiana	<i>Myotis sodalis</i>	Entire	\$169,500	\$0	\$169,500
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>	Entire	\$100	\$0	\$100
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	Entire	\$500	\$0	\$500
		Squirrel, Virginia northern flying	<i>Glaucomys sabrinus fuscus</i>	Entire	\$200	\$0	\$200
	Mammals subtotal				\$210,300	\$0	\$210,300
	Birds	Plover, piping	<i>Charadrius melanotos</i>	except Great Lakes watershed	\$300	\$0	\$300
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$1,300	\$0	\$1,300
		Woodpecker, red-cockaded	<i>Picoides borealis</i>	Entire	\$1,000	\$0	\$1,000
	Birds subtotal				\$2,600	\$0	\$2,600
	Reptiles	Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$100	\$0	\$100
		Turtle, flattened musk	<i>Sternotherus depressus</i>		\$100	\$0	\$100
		Turtle, ringed map	<i>Graptemys oculifera</i>	Entire	\$100	\$0	\$100
	Reptiles subtotal				\$300	\$0	\$300
	Fishes	Darter, bluemask (=jewel)	<i>Etheostoma sp.</i>	Entire	\$13,000	\$0	\$13,000
		Darter, boulder	<i>Etheostoma wapiti</i>	Entire	\$481,000	\$0	\$481,000
	Fishes subtotal				\$494,000	\$0	\$494,000
	Clams	Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Except where EXPN	\$40,000	\$0	\$40,000
		Lampmussel, Alabama	<i>Lampsilis virescens</i>	Except where EXPN	\$514,500	\$0	\$514,500
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Entire	\$111,000	\$0	\$111,000

Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
		Pearlymussel, cracking	<i>Hemistena lata</i>	Except where EXPN	\$481,100	\$0	\$481,100
	Clams subtotal				\$1,146,600	\$0	\$1,146,600
	Snails	Snail, painted snake coiled forest	<i>Anguispira picta</i>	Entire	\$200	\$0	\$200
	Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	Entire	\$100	\$0	\$100
	Arachnids	Spider, spruce-fir moss	<i>Microhexura montivaga</i>		\$100	\$0	\$100
	Flowering Plants	Aster, Ruth's golden	<i>Pityopsis ruthii</i>		\$15,500	\$0	\$15,500
		Pitcher-plant, green	<i>Sarracenia oreophila</i>		\$3,100	\$0	\$3,100
		Potato-bean, Price's	<i>Apios priceana</i>		\$2,500	\$0	\$2,500
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$3,000	\$0	\$3,000
		Rock-cress, Braun's	<i>Arabis perstellata</i>		\$1,500	\$0	\$1,500
		Skullcap, large- flowered	<i>Scutellaria montana</i>		\$22,500	\$0	\$22,500
	Flowering Plants subtotal				\$48,100	\$0	\$48,100
Domestic subtotal					\$1,902,300	\$0	\$1,902,300
Grand Total					\$1,902,300	\$0	\$1,902,300

Appendix C. Expenditures Reported by the States for FY2013

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals	Bat, gray	<i>Myotis grisescens</i>	\$168,149	\$0
	Bat, Indiana	<i>Myotis sodalis</i>	\$302,331	\$0
	Bat, lesser long-nosed	<i>Leptonycteris curasoae</i> <i>yerbabuenae</i>	\$30,572	\$0
	Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$1,500	\$0
	Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus)</i> <i>townsendii ingens</i>	\$10,900	\$0
	Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus)</i> <i>townsendii virginianus</i>	\$100,700	\$0
	Bear, grizzly -- lower 48 States, except where EXPN or delisted	<i>Ursus arctos horribilis</i>	\$2,220,610	\$4,400,000
	Bear, grizzly -- portions of ID and MT	<i>Ursus arctos horribilis</i>	\$138,242	\$0
	Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$20,935	\$0
	Caribou, woodland -- Selkirk Mts. pop.	<i>Rangifer tarandus caribou</i>	\$15,870	\$0
	Deer, Columbian white-tailed -- Columbia River DPS	<i>Odocoileus virginianus</i> <i>leucurus</i>	\$14,000	\$0
	Ferret, black-footed -- except where EXPN	<i>Mustela nigripes</i>	\$9,100	\$0
	Ferret, black-footed -- portions of AZ, CO, MT, SD, UT, and WY	<i>Mustela nigripes</i>	\$311,045	\$0
	Jaguar -- AZ, CA, LA, NM, TX; , Mexico; Central and South America	<i>Panthera onca</i>	\$29,480	\$0
	Jaguarundi, Sinaloan	<i>Herpailurus (=Felis)</i> <i>yagouaroundi tolteca</i>	\$2,480	\$0
	Lynx, Canada -- Contiguous U.S. DPS	<i>Lynx canadensis</i>	\$237,017	\$0
	Manatee, West Indian	<i>Trichechus manatus</i>	\$4,575,327	\$0
	Mouse, Choctawhatchee beach	<i>Peromyscus polionotus</i> <i>allophrys</i>	\$11,302	\$0
	Mouse, Perdido Key beach	<i>Peromyscus polionotus</i> <i>trissyllepsis</i>	\$18,837	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Mouse, Preble's meadow jumping -- CO, WY	<i>Zapus hudsonius preblei</i>	\$84,140	\$0
	Mouse, St. Andrew beach -- FL	<i>Peromyscus polionotus peninsularis</i>	\$7,535	\$0
	Ocelot -- AZ, TX to Central and South America	<i>Leopardus (=Felis) pardalis</i>	\$12,280	\$0
	Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$1,075,274	\$0
	Prairie dog, Utah -- UT	<i>Cynomys parvidens</i>	\$205,400	\$0
	Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$87,404	\$0
	Pronghorn, Sonoran -- AZ, Mexico	<i>Antilocapra americana sonoriensis</i>	\$67,241	\$0
	Puma (=cougar), eastern	<i>Puma (=Felis) concolor couguar</i>	\$2,200	\$0
	Rabbit, Pygmy -- Columbia Basin DPS	<i>Brachylagus idahoensis</i>	\$61,000	\$0
	Sea-lion, Steller -- eastern pop.	<i>Eumetopias jubatus</i>	\$2,000	\$0
	Sea-lion, Steller -- western pop.	<i>Eumetopias jubatus</i>	\$21,000	\$0
	Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	\$7,425	\$0
	Squirrel, Delmarva Peninsula fox -- except Sussex Co., DE	<i>Sciurus niger cinereus</i>	\$1,000	\$0
	Squirrel, Delmarva Peninsula fox -- DE, Sussex Co.	<i>Sciurus niger cinereus</i>	\$6,349	\$0
	Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	\$24,215	\$0
	Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$6,032	\$0
	Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>	\$2,830	\$0
	Whale, blue	<i>Balaenoptera musculus</i>	\$8,393	\$0
	Whale, finback	<i>Balaenoptera physalus</i>	\$44,593	\$0
	Whale, humpback	<i>Megaptera novaeangliae</i>	\$20,393	\$0
	Whale, killer – So. Resident DPS	<i>Orcinus orca</i>	\$18,000	\$0
	Whale, North Atlantic Right	<i>Eubalaena glacialis</i>	\$78,893	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Whale, Sei	<i>Balaenoptera borealis</i>	\$8,393	\$0
	Whale, Southern Right	<i>Eubalaena australis</i>	\$517	\$0
	Whale, sperm	<i>Physeter catodon</i> <i>(=macrocephalus)</i>	\$8,393	\$0
	Wolf, gray -- AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	<i>Canis lupus</i>	\$573,247	\$4,400,000
	Wolf, gray -- Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$347,635	\$0
	Wolf, red -- portions of NC and TN	<i>Canis rufus</i>	\$44,125	\$0
Mammals subtotal			\$11,044,304	\$8,800,000
Birds	Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	\$3,060	\$0
	Condor, California -- portions of AZ, NV, UT	<i>Gymnogyps californianus</i>	\$190,153	\$0
	Crane, whooping -- except where EXPN	<i>Grus americana</i>	\$20,700	\$0
	Crane, whooping -- CO, ID, FL, NM, UT, western WY	<i>Grus americana</i>	\$101,806	\$0
	Crane, whooping -- AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	<i>Grus americana</i>	\$300	\$0
	Falcon, northern aplomado -- except where EXPN	<i>Falco femoralis</i> <i>septentrionalis</i>	\$4,000	\$0
	Falcon, northern aplomado -- AZ, NM	<i>Falco femoralis</i> <i>septentrionalis</i>	\$3,280	\$0
	Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$93,154	\$53,055
	Kite, Everglade snail -- FL pop.	<i>Rostrhamus sociabilis</i> <i>plumbeus</i>	\$12,008	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Murrelet, marbled -- CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$102,000	\$0
	Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$26,863	\$0
	Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$157,000	\$0
	Plover, piping -- Great Lakes watershed	<i>Charadrius melanotos</i>	\$33,500	\$0
	Plover, piping -- except Great Lakes watershed	<i>Charadrius melanotos</i>	\$350,567	\$0
	Plover, western snowy -- Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$45,000	\$0
	Rail, Yuma clapper -- U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$15,380	\$0
	Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	\$104,190	\$0
	Stork, wood -- AL, FL, GA, SC	<i>Mycteria americana</i>	\$9,606	\$0
	Tern, California least	<i>Sterna antillarum browni</i>	\$2,780	\$0
	Tern, least -- interior pop.	<i>Sterna antillarum</i>	\$120,025	\$0
	Tern, roseate -- northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$56,160	\$0
	Vireo, black-capped	<i>Vireo atricapilla</i>	\$6,300	\$613,542
	Warbler, Kirtland's	<i>Setophaga kirtlandii (= Dendroica kirtlandii)</i>	\$400,000	\$0
	Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	\$5,750	\$613,542
	Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$1,688,199	\$42,000
Birds subtotal			\$3,551,781	\$1,322,139
Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	\$1,352,370	\$0
	Crocodile, American -- FL pop.	<i>Crocodylus acutus</i>	\$33,980	\$0
	Plymouth Red-Bellied Turtle	<i>Pseudemys rubriventris bangsi</i>	\$13,641	\$500,000
	Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	\$3,480	\$0
	Sea turtle, green -- FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$217,390	\$0
	Sea turtle, green -- except where endangered	<i>Chelonia mydas</i>	\$202,533	\$0
	Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$196,082	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$254,664	\$0
	Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$239,774	\$0
	Sea turtle, loggerhead -- NW Atlantic DPS	<i>Caretta caretta</i>	\$952,457	\$0
	Snake, copperbelly water -- IN, MI, OH	<i>Nerodia erythrogaster neglecta</i>	\$500	\$0
	Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$37,782	\$0
	Tortoise, desert -- U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$256,755	\$0
	Tortoise, gopher -- W of Mobile/ Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$7,988	\$0
	Turtle, Alabama red-belly	<i>Pseudemys alabamensis</i>	\$8,000	\$0
	Turtle, bog (=Muhlenberg) -- northern	<i>Clemmys muhlenbergii</i>	\$185,617	\$0
	Turtle, bog (=Muhlenberg) -- southern	<i>Clemmys muhlenbergii</i>	\$16,300	\$0
	Turtle, flattened musk	<i>Sternotherus depressus</i>	\$8,000	\$0
	Turtle, ringed map	<i>Graptemys oculifera</i>	\$7,488	\$0
Reptiles subtotal			\$3,994,801	\$500,000
Amphibians	Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$305,280	\$0
	Frog, dusky gopher	<i>Rana sevosa</i>	\$3,609	\$0
	Hellbender, Ozark	<i>Cryptobranchus alleganiensis bishopi</i>	\$21,700	\$0
	Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	\$12,312	\$0
	Salamander, Reticulated flatwoods	<i>Ambystoma bishopi</i>	\$12,313	\$0
	Salamander, San Marcos	<i>Eurycea nana</i>	\$0	\$613,542
	Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	\$10,788	\$0
	Salamander, Texas blind	<i>Typhlomolge rathbuni</i>	\$0	\$613,542
	Toad, Houston	<i>Bufo houstonensis</i>	\$40,591	\$0
	Toad, Wyoming	<i>Anaxyrus baxteri</i>	\$13,371	\$0
Amphibians subtotal			\$419,964	\$1,227,084
Fishes	Bocaccio -- Puget Sound--Georgia Basin DPS	<i>Sebastodes paucispinis</i>	\$186,000	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Catfish, Yaqui	<i>Ictalurus pricei</i>	\$2,280	\$0
	Cavefish, Ozark	<i>Amblyopsis rosae</i>	\$400	\$0
	Chub, bonytail	<i>Gila elegans</i>	\$409,432	\$0
	Chub, Borax Lake	<i>Gila boraxobius</i>	\$2,500	\$0
	Chub, Chihuahua	<i>Gila nigrescens</i>	\$500	\$0
	Chub, Gila	<i>Gila intermedia</i>	\$135,280	\$0
	Chub, humpback	<i>Gila cypha</i>	\$366,472	\$0
	Chub, Hutton tui	<i>Gila bicolor ssp.</i>	\$300	\$0
	Chub, Oregon	<i>Oregonichthys crameri</i>	\$1,200	\$0
	Chub, Pahranagat roundtail	<i>Gila robusta jordani</i>	\$9,000	\$0
	Chub, Sonora	<i>Gila ditaenia</i>	\$3,280	\$0
	Chub, spotfin	<i>Erimonax monachus</i>	\$8,775	\$0
	Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	\$332,399	\$0
	Chub, Yaqui	<i>Gila purpurea</i>	\$2,280	\$0
	Cui-ui	<i>Chasmistes cujus</i>	\$200	\$0
	Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	\$900	\$0
	Dace, Clover Valley speckled	<i>Rhinichthys osculus oligoporus</i>	\$1,100	\$0
	Dace, desert	<i>Eremichthys acros</i>	\$400	\$0
	Dace, Foskett speckled	<i>Rhinichthys osculus ssp.</i>	\$1,900	\$0
	Dace, Independence Valley speckled	<i>Rhinichthys osculus lethoporus</i>	\$100	\$0
	Dace, Moapa	<i>Moapa coriacea</i>	\$8,400	\$0
	Darter, amber	<i>Percina antesella</i>	\$7,500	\$0
	Darter, Cherokee	<i>Etheostoma scotti</i>	\$7,500	\$0
	Darter, Cumberland	<i>Etheostoma susanae</i>	\$1,000	\$0
	Darter, diamond	<i>Crystallaria cincotta</i>	\$1,000	\$0
	Darter, Etowah	<i>Etheostoma etowahae</i>	\$7,500	\$0
	Darter, fountain	<i>Etheostoma fonticola</i>	\$0	\$613,542
	Darter, goldline	<i>Percina aurolineata</i>	\$12,500	\$0
	Darter, leopard	<i>Percina pantherina</i>	\$4,500	\$0
	Darter, relict	<i>Etheostoma chienense</i>	\$100	\$0
	Darter, slackwater	<i>Etheostoma boschungi</i>	\$17,500	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Darter, snail	<i>Percina tanasi</i>	\$4,500	\$0
	Darter, yellowcheek	<i>Etheostoma moorei</i>	\$700	\$0
	Eulachon, Pacific -- Southern DPS	<i>Thaleichthys pacificus</i>	\$37,800	\$0
	Gambusia, Pecos	<i>Gambusia nobilis</i>	\$12,402	\$0
	Gambusia, San Marcos	<i>Gambusia georgei</i>	\$0	\$613,542
	Logperch, Conasauga	<i>Percina jenkinsi</i>	\$4,500	\$0
	Logperch, Roanoke	<i>Percina rex</i>	\$6,600	\$0
	Madtom, Neosho	<i>Noturus placidus</i>	\$800	\$0
	Minnow, loach	<i>Tiaroga cobitis</i>	\$259,748	\$0
	Minnow, Rio Grande silvery -- except where EXPN	<i>Hybognathus amarus</i>	\$64,200	\$0
	Minnow, Rio Grande silvery -- Rio Grande, from Little Box Canyon to Amistad Dam	<i>Hybognathus amarus</i>	\$4,456	\$0
	Pikeminnow (=squawfish), Colorado -- except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$551,066	\$0
	Pikeminnow (=squawfish), Colorado -- Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$4,650	\$0
	Poolfish, Pahrump	<i>Empetrichthys latos</i>	\$3,100	\$0
	Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis</i> <i>mionectes</i>	\$1,000	\$0
	Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	\$11,902	\$0
	Pupfish, desert	<i>Cyprinodon macularius</i>	\$203,380	\$0
	Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	\$2,600	\$0
	Pupfish, Warm Springs	<i>Cyprinodon nevadensis</i> <i>pectoralis</i>	\$700	\$0
	Rockfish, Canary -- Puget Sound-- Georgia Basin DPS	<i>Sebastodes pinniger</i>	\$193,000	\$0
	Rockfish, Yelloweye -- Puget Sound--Georgia Basin DPS	<i>Sebastodes ruberrimus</i>	\$196,000	\$0
	Salmon, Atlantic -- Gulf of ME DPS	<i>Salmo salar</i>	\$322,000	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Salmon, chinook -- Snake River fall-run ESU	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$377,000	\$0
	Salmon, chinook -- Snake River spring/summer-run ESU	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$581,000	\$0
	Salmon, chinook -- Puget Sound ESU	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$7,589,000	\$0
	Salmon, chinook -- Lower Columbia River ESU	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,603,000	\$0
	Salmon, chinook -- Upper Willamette River ESU	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$227,000	\$0
	Salmon, chinook -- Upper Columbia spring-run ESU	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,062,000	\$0
	Salmon, chum -- Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$564,000	\$0
	Salmon, chum -- summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$606,000	\$0
	Salmon, coho – So. OR/No. CA Coast ESU	<i>Oncorhynchus (=Salmo) kisutch</i>	\$15,000	\$0
	Salmon, coho -- Oregon Coast ESU	<i>Oncorhynchus (=Salmo) kisutch</i>	\$1,140,200	\$527,150
	Salmon, coho -- Lower Columbia River ESU	<i>Oncorhynchus (=Salmo) kisutch</i>	\$1,386,500	\$0
	Salmon, sockeye -- Snake River, ID stock	<i>Oncorhynchus (=Salmo) nerka</i>	\$205,385	\$0
	Salmon, sockeye -- Ozette Lake, WA	<i>Oncorhynchus (=Salmo) nerka</i>	\$203,000	\$0
	Sawfish, smalltooth -- TX, FL	<i>Pristis pectinata</i>	\$23,407	\$0
	Sculpin, pygmy	<i>Cottus paulus (=pygmaeus)</i>	\$3,500	\$0
	Shiner, Arkansas River -- Arkansas R. Basin	<i>Notropis girardi</i>	\$10,256	\$0
	Shiner, beautiful	<i>Cyprinella formosa</i>	\$2,780	\$0
	Shiner, blue	<i>Cyprinella caerulea</i>	\$4,500	\$0
	Shiner, Cape Fear	<i>Notropis mekistocholas</i>	\$23,550	\$0
	Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$59,400	\$0
	Silverside, Waccamaw	<i>Menidia extensa</i>	\$3,650	\$0
	Spikedace	<i>Meda fulgida</i>	\$251,748	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Spinedace, Big Spring	<i>Lepidomeda mollispinis</i> <i>pratensis</i>	\$1,100	\$0
	Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	\$13,280	\$0
	Spinedace, White River	<i>Lepidomeda albivallis</i>	\$4,200	\$0
	Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	\$2,800	\$0
	Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	\$13,400	\$0
	Springfish, White River	<i>Crenichthys baileyi baileyi</i>	\$1,600	\$0
	Steelhead -- Snake R. Basin	<i>Oncorhynchus (=Salmo)</i> <i>mykiss</i>	\$792,189	\$0
	Steelhead -- lower Columbia R.	<i>Oncorhynchus (=Salmo)</i> <i>mykiss</i>	\$835,000	\$527,000
	Steelhead -- upper Columbia R. Basin	<i>Oncorhynchus (=Salmo)</i> <i>mykiss</i>	\$328,000	\$217,000
	Steelhead -- upper Willamette R.	<i>Oncorhynchus (=Salmo)</i> <i>mykiss</i>	\$224,000	\$0
	Steelhead -- middle Columbia R.	<i>Oncorhynchus (=Salmo)</i> <i>mykiss</i>	\$530,000	\$2,356,000
	Steelhead -- Puget Sound DPS	<i>Oncorhynchus (=Salmo)</i> <i>mykiss</i>	\$1,256,000	\$0
	Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>	\$4,500	\$0
	Sturgeon, Atlantic -- Gulf of ME	<i>Acipenser oxyrinchus</i> <i>oxyrinchus</i>	\$164,912	\$0
	Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$6,500	\$0
	Sturgeon, North American green - CA Southern DPS	<i>Acipenser medirostris</i>	\$42,800	\$0
	Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$137,000	\$0
	Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$238,686	\$0
	Sturgeon, white -- ID, MT, Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$876	\$0
	Sucker, June	<i>Chasmistes liorus</i>	\$526,702	\$0
	Sucker, Lost River	<i>Deltistes luxatus</i>	\$3,900	\$0
	Sucker, Modoc	<i>Catostomus microps</i>	\$3,500	\$0
	Sucker, razorback	<i>Xyrauchen texanus</i>	\$541,726	\$0
	Sucker, shortnose	<i>Chasmistes brevirostris</i>	\$3,900	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Sucker, Warner	<i>Catostomus warnerensis</i>	\$2,100	\$0
	Topminnow, Gila (incl. Yaqui) -- U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$305,280	\$0
	Trout, Apache	<i>Oncorhynchus apache</i>	\$232,255	\$0
	Trout, bull -- conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$1,215,863	\$1,900,000
	Trout, Gila	<i>Oncorhynchus gilae</i>	\$165,110	\$0
	Trout, Greenback Cutthroat	<i>Oncorhynchus clarki stomias</i>	\$69,000	\$0
	Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii henshawi</i>	\$97,200	\$0
	Woundfin -- except Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$471,713	\$0
Fishes subtotal			\$27,594,270	\$6,754,234
Clams	Bankclimber, purple (mussel)	<i>Elliptioideus sloatianus</i>	\$3,000	\$0
	Bean, Cumberland (pearlymussel) -- Except where EXPN	<i>Villosa trabalis</i>	\$10,000	\$0
	Bean, rayed	<i>Villosa fabalis</i>	\$12,392	\$0
	Clubshell -- Except where EXPN	<i>Pleurobema clava</i>	\$31,550	\$0
	Clubshell, ovate	<i>Pleurobema perovatum</i>	\$2,500	\$0
	Clubshell, southern	<i>Pleurobema decisum</i>	\$4,500	\$0
	Combshell, Cumberlandian -- Except where EXPN	<i>Epioblasma brevidens</i>	\$8,000	\$0
	Combshell, southern	<i>Epioblasma penita</i>	\$1,000	\$0
	Combshell, upland	<i>Epioblasma metastriata</i>	\$1,000	\$0
	Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	\$20,875	\$0
	Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	\$10,000	\$0
	Fanshell	<i>Cyprogenia stegaria</i>	\$4,000	\$0
	Fatmucket, Arkansas	<i>Lampsilis powellii</i>	\$500	\$0
	Heelsplitter, Carolina	<i>Lasmigona decorata</i>	\$6,750	\$0
	Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	\$19,500	\$0
	Kidneyshell, triangular	<i>Ptychobranchus greenii</i>	\$4,500	\$0
	Lampmussel, Alabama -- Except EXPN	<i>Lampsilis virescens</i>	\$3,500	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Lampmussel, Alabama -- Free-Flowing Reach of the Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Lampsilis virescens</i>	\$500	\$0
	Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>	\$3,500	\$0
	Mapleleaf, winged -- Except where EXPN	<i>Quadrula fragosa</i>	\$6,800	\$0
	Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	\$4,500	\$0
	Moccasinshell, Coosa	<i>Medionidus parvulus</i>	\$3,500	\$0
	Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	\$5,500	\$0
	Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	\$5,500	\$0
	Mucket, orangenacre	<i>Lampsilis perovalis</i>	\$3,500	\$0
	Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$22,500	\$0
	Mussel, scaleshell	<i>Leptodea leptodon</i>	\$1,900	\$0
	Mussel, sheepnose	<i>Plethobasus cyphyus</i>	\$5,192	\$0
	Mussel, snuffbox	<i>Epioblasma triquetra</i>	\$6,133	\$0
	Pearlshell, Alabama	<i>Margaritifera marrianae</i>	\$3,500	\$0
	Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	\$3,609	\$0
	Pearlymussel, dromedary -- Except EXPN	<i>Dromus dromas</i>	\$4,000	\$0
	Pearlymussel, littlewing	<i>Pegias fabula</i>	\$7,125	\$0
	Pigtoe, Georgia	<i>Pleurobema hanleyianum</i>	\$3,600	\$0
	Pigtoe, oval	<i>Pleurobema pyriforme</i>	\$3,500	\$0
	Pigtoe, rough	<i>Pleurobema plenum</i>	\$4,000	\$0
	Pigtoe, southern	<i>Pleurobema georgianum</i>	\$3,500	\$0
	Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	\$1,000	\$0
	Pocketbook, fat	<i>Potamilus capax</i>	\$10,000	\$0
	Pocketbook, finlined	<i>Lampsilis altilis</i>	\$7,500	\$0
	Pocketbook, Ouachita rock	<i>Arkansas wheeleri</i>	\$3,200	\$0
	Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	\$4,000	\$0
	Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>	\$2,392	\$0
	Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	\$36,567	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Riffleshell, tan	<i>Epioblasma florentina</i> <i>walkeri</i> (= <i>E. walkeri</i>)	\$6,000	\$0
	Ring pink (mussel)	<i>Obovaria retusa</i>	\$2,200	\$0
	Spectaclecase (mussel)	<i>Cumberlandia monodonta</i>	\$10,000	\$0
	Spiny mussel, Altamaha	<i>Elliptio spinosa</i>	\$4,500	\$0
	Spiny mussel, James	<i>Pleurobema collina</i>	\$3,025	\$0
	Spiny mussel, Tar River	<i>Elliptio steinbansana</i>	\$17,950	\$0
	Three-ridge, fat (mussel)	<i>Amblema neislerii</i>	\$1,000	\$0
	Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$56,394	\$0
Clams subtotal			\$411,154	\$0
Snails	Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$24,075	\$0
	Campeloma, slender	<i>Campeloma decampi</i>	\$500	\$0
	Hornsnail, rough	<i>Pleurocera foremani</i>	\$3,000	\$0
	Lioplax, cylindrical (snail)	<i>Lioplax cyclostomaformis</i>	\$1,500	\$0
	Riversnail, Anthony's	<i>Atheasternia anthonyi</i>	\$1,500	\$0
	Rocksnail, interrupted (=Georgia)	<i>Leptoxis foremani</i>	\$5,000	\$0
	Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>	\$1,800	\$0
	Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	\$1,500	\$0
	Snail, Pecos assiminea	<i>Assiminea pecos</i>	\$1,300	\$0
	Springsnail, Alamosa	<i>Tryonia alamosae</i>	\$1,300	\$0
	Springsnail, Koster's	<i>Juturnia kosteri</i>	\$1,000	\$0
	Springsnail, Roswell	<i>Pyrgulopsis roswellensis</i>	\$1,100	\$0
	Springsnail, San Bernardino	<i>Pyrgulopsis bernardina</i>	\$3,280	\$0
	Springsnail, Socorro	<i>Pyrgulopsis neomexicana</i>	\$1,300	\$0
	Springsnail, Three Forks	<i>Pyrgulopsis trivialis</i>	\$36,280	\$0
Snails subtotal			\$84,435	\$0
Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	\$33,711	\$0
	Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>	\$0	\$613,542
	Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>	\$0	\$613,542
	Beetle, Helotes mold	<i>Batrisodes venyivi</i>	\$0	\$613,542
	Beetle	<i>Rhadine exilis</i>	\$0	\$613,542
	Beetle	<i>Rhadine infernalis</i>	\$0	\$613,542
	Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$209,566	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Butterfly, Miami Blue	<i>Cyclargus (=Hemiargus) thomasi bethunebakeri</i>	\$3,088	\$0
	Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	\$25,000	\$0
	Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$9,000	\$0
	Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	\$1,500	\$0
	Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$3,200	\$0
	Tiger beetle, Northeastern beach	<i>Cicindela dorsalis dorsalis</i>	\$1,000	\$0
	Tiger beetle, Puritan	<i>Cicindela puritana</i>	\$5,000	\$0
	Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>	\$15,000	\$375,000
Insects subtotal			\$306,065	\$3,442,710
Arachnids	Harvestman, Cokendolpher Cave	<i>Texella cokendolpheri</i>	\$0	\$613,542
	Meshweaver, Government Canyon Bat Cave	<i>Cicurina vespera</i>	\$0	\$613,542
	Meshweaver, Madla's Cave	<i>Cicurina madla</i>	\$0	\$613,542
	Spider, spruce-fir moss	<i>Microhexura montivaga</i>	\$525	\$0
Arachnids subtotal			\$525	\$1,840,626
Crustaceans	Amphipod, Noel's	<i>Gammarus desperatus</i>	\$3,500	\$0
	Amphipod, Peck's cave	<i>Stygobromus (=Stygonectes) pecki</i>	\$0	\$613,542
	Crayfish, cave	<i>Cambarus zophonastes</i>	\$1,850	\$0
	Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	\$3,500	\$0
Crustaceans subtotal			\$8,850	\$613,542
Flowering Plants	A`e	<i>Zanthoxylum dipetalum var. tomentosum</i>	\$665	\$0
	A`e	<i>Zanthoxylum hawaiiense</i>	\$665	\$0
	A`e	<i>Zanthoxylum oahuense</i>	\$665	\$0
	`Ahinahina	<i>Argyroxiphium sandwicense ssp. macrocephalum</i>	\$665	\$0
	`Ahinahina	<i>Argyroxiphium sandwicense ssp. sandwicense</i>	\$665	\$0
	`Aiakeakua, popolo	<i>Solanum sandwicense</i>	\$665	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	`Aiea	<i>Nothocestrum breviflorum</i>	\$665	\$0
	`Aiea	<i>Nothocestrum peltatum</i>	\$665	\$0
	`Akoko	<i>Euphorbia haeleeleana</i>	\$665	\$0
	`Ala `ala wai nui	<i>Peperomia subpetiolata</i>	\$665	\$0
	Alani	<i>Melicope adscendens</i>	\$665	\$0
	Alani	<i>Melicope christophersenii</i>	\$665	\$0
	Alani	<i>Melicope degeneri</i>	\$665	\$0
	Alani	<i>Melicope haupuensis</i>	\$665	\$0
	Alani	<i>Melicope hiiakae</i>	\$665	\$0
	Alani	<i>Melicope knudsenii</i>	\$665	\$0
	Alani	<i>Melicope lydgatei</i>	\$665	\$0
	Alani	<i>Melicope makahae</i>	\$665	\$0
	Alani	<i>Melicope mucronulata</i>	\$665	\$0
	Alani	<i>Melicope munroi</i>	\$665	\$0
	Alani	<i>Melicope ovalis</i>	\$665	\$0
	Alani	<i>Melicope pallida</i>	\$665	\$0
	Alani	<i>Melicope paniculata</i>	\$665	\$0
	Alani	<i>Melicope puberula</i>	\$665	\$0
	Alani	<i>Melicope quadrangularis</i>	\$665	\$0
	Alani	<i>Melicope reflexa</i>	\$665	\$0
	Alani	<i>Melicope saint-johnii</i>	\$665	\$0
	Alani	<i>Melicope zahlbruckneri</i>	\$665	\$0
	Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$5,288	\$0
	Amphianthus, little	<i>Amphianthus pusillus</i>	\$2,500	\$0
	`Anaunau	<i>Lepidium arbuscula</i>	\$665	\$0
	`Anunu	<i>Sicyos alba</i>	\$665	\$0
	Arrowhead, bunched	<i>Sagittaria fasciculata</i>	\$1,021	\$0
	Aster, decurrent false	<i>Boltonia decurrens</i>	\$3,000	\$0
	Aster, Florida golden	<i>Chrysopsis floridana</i>	\$16,000	\$0
	Aupaka	<i>Isodendrion hosakae</i>	\$665	\$0
	Aupaka	<i>Isodendrion laurifolium</i>	\$665	\$0
	Aupaka	<i>Isodendrion longifolium</i>	\$665	\$0
	Avens, spreading	<i>Geum radiatum</i>	\$1,575	\$0
	`Awikiwiki	<i>Canavalia molokaiensis</i>	\$665	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	`Awikiwiki	<i>Canavalia napaliensis</i>	\$665	\$0
	`Awikiwiki	<i>Canavalia pubescens</i>	\$665	\$0
	Beaked-rush, Kniestkern's	<i>Rhynchospora knieskernii</i>	\$246	\$0
	Bean, sea	<i>Mucuna sloanei persericea</i>	\$665	\$0
	Beargrass, Britton's	<i>Nolina brittoniana</i>	\$3,500	\$0
	Beauty, Harper's	<i>Harperocallis flava</i>	\$500	\$0
	Bellflower, Brooksville	<i>Campanula robinsiae</i>	\$15,000	\$0
	Birds-in-a-nest, white	<i>Macbridea alba</i>	\$700	\$0
	Bittercress, small-anthered	<i>Cardamine micranthera</i>	\$1,000	\$0
	Blazingstar, scrub	<i>Liatris ohlingerae</i>	\$5,000	\$0
	Bluegrass, Hawaiian	<i>Poa sandvicensis</i>	\$665	\$0
	Bluegrass, Mann's	<i>Poa mannii</i>	\$665	\$0
	Blue-star, Kearney's	<i>Amsonia kearneyana</i>	\$1,000	\$0
	Bluet, Roan Mountain	<i>Hedyotis purpurea var. montana</i>	\$1,550	\$0
	Bonamia, Florida	<i>Bonamia grandiflora</i>	\$3,500	\$0
	Buckwheat, scrub	<i>Eriogonum longifolium var. gnaphalifolium</i>	\$4,000	\$0
	Buckwheat, steamboat	<i>Eriogonum ovalifolium var. williamsiae</i>	\$900	\$0
	Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	\$3,292	\$0
	Bush-clover, prairie	<i>Lespedeza leptostachya</i>	\$1,400	\$0
	Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>	\$400	\$0
	Butterwort, Godfrey's	<i>Pinguicula ionantha</i>	\$1,500	\$0
	Button, Mohr's Barbara	<i>Marshallia mohrii</i>	\$3,500	\$0
	Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>	\$3,000	\$0
	Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	\$3,000	\$0
	Cactus, Cochise pincushion	<i>Coryphantha robbinsiorum</i>	\$1,000	\$0
	Cactus, Key tree	<i>Pilosocereus robinii</i>	\$16,500	\$0
	Cactus, Nichol's Turk's head	<i>Echinocactus</i> <i>horizonthalonius</i> var. <i>nicholii</i>	\$4,000	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> <i>var. peeblesianus</i>	\$4,000	\$0
	Cactus, Pima pineapple	<i>Coryphantha scheeri var.</i> <i>robustispina</i>	\$6,000	\$0
	Cactus, Siler pincushion	<i>Pediocactus</i> (= <i>Echinocactus</i> ,= <i>Utahia</i>) <i>sileri</i>	\$1,000	\$0
	Campion, fringed	<i>Silene polypetala</i>	\$4,500	\$0
	Catchfly, Spalding's	<i>Silene spaldingii</i>	\$423	\$0
	Chaff-flower, round-leaved	<i>Achyranthes splendens var.</i> <i>rotundata</i>	\$1,190	\$0
	Chaffseed, American	<i>Schwalbea americana</i>	\$16,246	\$0
	Cliff-rose, Arizona	<i>Purshia</i> (= <i>Cowania</i>) <i>subintegra</i>	\$1,000	\$0
	Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$200	\$0
	Coneflower, smooth	<i>Echinacea laevigata</i>	\$22,575	\$0
	Cycladenia, Jones	<i>Cycladenia humilis var.</i> <i>jonesii</i>	\$1,000	\$0
	Dropwort, Canby's	<i>Oxypolis canbyi</i>	\$10,246	\$0
	Fleabane, Zuni	<i>Erigeron rhizomatus</i>	\$1,000	\$0
	Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>	\$167	\$0
	Fringe-tree, pygmy	<i>Chionanthus pygmaeus</i>	\$3,000	\$0
	Gardenia (=Na`u), Hawaiian	<i>Gardenia brighamii</i>	\$665	\$0
	Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>	\$665	\$0
	Gerardia, sandplain	<i>Agalinis acuta</i>	\$12,167	\$0
	Goldenrod, Blue Ridge	<i>Solidago spithamea</i>	\$350	\$0
	Goldenrod, Houghton's	<i>Solidago houghtonii</i>	\$500	\$0
	Goldenrod, Short's	<i>Solidago shortii</i>	\$300	\$0
	Gooseberry, Miccosukee	<i>Ribes echinellum</i>	\$1,000	\$0
	Gourd, Okeechobee	<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>	\$2,500	\$0
	Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	\$5,000	\$0
	Haha	<i>Cyanea acuminata</i>	\$665	\$0
	Haha	<i>Cyanea asarifolia</i>	\$665	\$0
	Haha	<i>Cyanea asplenifolia</i>	\$665	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Haha	<i>Cyanea calycina</i>	\$665	\$0
	Haha	<i>Cyanea copelandii ssp. copelandii</i>	\$665	\$0
	Haha	<i>Cyanea copelandii ssp. haleakalaensis</i>	\$665	\$0
	Haha	<i>Cyanea dolichopoda</i>	\$665	\$0
	Haha	<i>Cyanea dunbarii</i>	\$665	\$0
	Haha	<i>Cyanea duvalliorum</i>	\$665	\$0
	Haha	<i>Cyanea elealeensis</i>	\$665	\$0
	Haha	<i>Cyanea glabra</i>	\$665	\$0
	Haha	<i>Cyanea grimesiana ssp. grimesiana</i>	\$665	\$0
	Haha	<i>Cyanea grimesiana ssp. obatae</i>	\$665	\$0
	Haha	<i>Cyanea hamatiflora ssp. carlsonii</i>	\$665	\$0
	Haha	<i>Cyanea hamatiflora ssp. hamatiflora</i>	\$665	\$0
	Haha	<i>Cyanea humboldtiana</i>	\$665	\$0
	Haha	<i>Cyanea kolekoleensis</i>	\$665	\$0
	Haha	<i>Cyanea koolauensis</i>	\$665	\$0
	Haha	<i>Cyanea kuhihewa</i>	\$665	\$0
	Haha	<i>Cyanea kunthiana</i>	\$665	\$0
	Haha	<i>Cyanea lanceolata</i>	\$665	\$0
	Haha	<i>Cyanea lobata</i>	\$1,330	\$0
	Haha	<i>Cyanea longiflora</i>	\$665	\$0
	Haha	<i>Cyanea macrostegia ssp. gibsonii</i>	\$665	\$0
	Haha	<i>Cyanea magnicalyx</i>	\$665	\$0
	Haha	<i>Cyanea mannii</i>	\$665	\$0
	Haha	<i>Cyanea maritae</i>	\$665	\$0
	Haha	<i>Cyanea mauiensis</i>	\$665	\$0
	Haha	<i>Cyanea mceldowneyi</i>	\$665	\$0
	Haha	<i>Cyanea munroi</i>	\$665	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Haha	<i>Cyanea obtusa</i>	\$665	\$0
	Haha	<i>Cyanea pinnatifida</i>	\$665	\$0
	Haha	<i>Cyanea platyphylla</i>	\$665	\$0
	Haha	<i>Cyanea procera</i>	\$665	\$0
	Haha	<i>Cyanea recta</i>	\$665	\$0
	Haha	<i>Cyanea remyi</i>	\$665	\$0
	Haha	<i>Cyanea shipmanii</i>	\$665	\$0
	Haha	<i>Cyanea stictophylla</i>	\$665	\$0
	Haha	<i>Cyanea st.-johnii</i>	\$665	\$0
	Haha	<i>Cyanea superba</i>	\$1,330	\$0
	Haha	<i>Cyanea truncata</i>	\$665	\$0
	Haha	<i>Cyanea undulata</i>	\$665	\$0
	Haiwale	<i>Cyrtandra ferripilosa</i>	\$665	\$0
	Haiwale	<i>Cyrtandra paliku</i>	\$665	\$0
	Ha`iwale	<i>Cyrtandra crenata</i>	\$665	\$0
	Ha`iwale	<i>Cyrtandra dentata</i>	\$665	\$0
	Ha`iwale	<i>Cyrtandra filipes</i>	\$665	\$0
	Ha`iwale	<i>Cyrtandra giffardii</i>	\$665	\$0
	Ha`iwale	<i>Cyrtandra kaulantha</i>	\$665	\$0
	Ha`iwale	<i>Cyrtandra munroi</i>	\$665	\$0
	Ha`iwale	<i>Cyrtandra oenobarba</i>	\$665	\$0
	Ha`iwale	<i>Cyrtandra oxybapha</i>	\$665	\$0
	Ha`iwale	<i>Cyrtandra polyantha</i>	\$665	\$0
	Ha`iwale	<i>Cyrtandra sessilis</i>	\$665	\$0
	Ha`iwale	<i>Cyrtandra subumbellata</i>	\$665	\$0
	Ha`iwale	<i>Cyrtandra tintinnabula</i>	\$665	\$0
	Ha`iwale	<i>Cyrtandra viridiflora</i>	\$665	\$0
	Hala pepe	<i>Pleomele fernaldii</i>	\$665	\$0
	Hala pepe	<i>Pleomele forbesii</i>	\$665	\$0
	Hala pepe	<i>Pleomele hawaiiensis</i>	\$665	\$0
	Harebells, Avon Park	<i>Crotalaria avonensis</i>	\$9,000	\$0
	Harperella	<i>Ptilimnium nodosum</i>	\$7,208	\$0
	Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>	\$665	\$0
	Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>	\$665	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Hau kuahiwi	<i>Hibiscadelphus woodii</i>	\$665	\$0
	Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	\$115,050	\$0
	Heau	<i>Exocarpos luteolus</i>	\$665	\$0
	Hibiscus, Clay's	<i>Hibiscus clayi</i>	\$665	\$0
	Ho` awa	<i>Pittosporum napaliense</i>	\$665	\$0
	Holei	<i>Ochrosia kilaueaensis</i>	\$665	\$0
	Honohono	<i>Haplostachys haplostachya</i>	\$665	\$0
	Howellia, water	<i>Howellia aquatilis</i>	\$316	\$0
	Hulumoa	<i>Korthalsella degeneri</i>	\$665	\$0
	Hypericum, highlands scrub	<i>Hypericum cumulicola</i>	\$5,500	\$0
	Iliau, dwarf	<i>Wilkesia hobdyi</i>	\$665	\$0
	Iris, dwarf lake	<i>Iris lacustris</i>	\$500	\$0
	Irisette, white	<i>Sisyrinchium dichotomum</i>	\$1,850	\$0
	Ischaemum, Hilo	<i>Ischaemum byrone</i>	\$665	\$0
	Jacquemontia, beach	<i>Jacquemontia reclinata</i>	\$10,500	\$0
	Joint-vetch, Sensitive	<i>Aeschynomene virginica</i>	\$1,784	\$0
	Kamakahala	<i>Labordia cyrtandrae</i>	\$665	\$0
	Kamakahala	<i>Labordia helleri</i>	\$1,948	\$0
	Kamakahala	<i>Labordia lydgatei</i>	\$665	\$0
	Kamakahala	<i>Labordia pumila</i>	\$665	\$0
	Kamakahala	<i>Labordia tinifolia var. lanaiensis</i>	\$665	\$0
	Kamakahala	<i>Labordia tinifolia var. wahiawaensis</i>	\$665	\$0
	Kamakahala	<i>Labordia triflora</i>	\$665	\$0
	Kamanomano	<i>Cenchrus agrimonoides</i>	\$1,330	\$0
	Kauai hau kuahiwi	<i>Hibiscadelphus distans</i>	\$665	\$0
	Kauila	<i>Colubrina oppositifolia</i>	\$665	\$0
	Kaulu	<i>Pteralyxia kauaiensis</i>	\$665	\$0
	Kaulu	<i>Pteralyxia macrocarpa</i>	\$665	\$0
	Kio`ele	<i>Kadua coriacea</i>	\$665	\$0
	Kiponapona	<i>Phyllostegia racemosa</i>	\$665	\$0
	Kohe malama malama o kanaloa	<i>Kanaloa kahoolawensis</i>	\$665	\$0
	Koki`o	<i>Kokia drynarioides</i>	\$665	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Koki`o	<i>Kokia kauaiensis</i>	\$665	\$0
	Koki`o, Cooke's	<i>Kokia cookei</i>	\$665	\$0
	Koki`o ke`oke`o	<i>Hibiscus arnottianus ssp. immaculatus</i>	\$665	\$0
	Koki`o ke`oke`o	<i>Hibiscus waimeae ssp. hannerae</i>	\$665	\$0
	Kolea	<i>Myrsine juddii</i>	\$665	\$0
	Kolea	<i>Myrsine knudsenii</i>	\$665	\$0
	Kolea	<i>Myrsine linearifolia</i>	\$665	\$0
	Kolea	<i>Myrsine mezii</i>	\$665	\$0
	Kolea	<i>Myrsine vaccinoides</i>	\$665	\$0
	Ko`oko`olau	<i>Bidens amplectens</i>	\$665	\$0
	Ko`oko`olau	<i>Bidens campylotheca pentamera</i>	\$665	\$0
	Ko`oko`olau	<i>Bidens campylotheca waihoiensis</i>	\$665	\$0
	Ko`oko`olau	<i>Bidens conjuncta</i>	\$665	\$0
	Ko`oko`olau	<i>Bidens micrantha ssp. kalealaha</i>	\$665	\$0
	Ko`oko`olau	<i>Bidens wiebkei</i>	\$665	\$0
	Ko`oloa`ula	<i>Abutilon menziesii</i>	\$665	\$0
	Kopiko	<i>Psychotria grandiflora</i>	\$665	\$0
	Kopiko	<i>Psychotria hobdyi</i>	\$665	\$0
	Kuahiwi laukahi	<i>Plantago hawaiensis</i>	\$665	\$0
	Kuahiwi laukahi	<i>Plantago princeps</i>	\$2,660	\$0
	Kula wahine noho	<i>Isodendrion pyrifolium</i>	\$665	\$0
	Kulu`i	<i>Nototrichium humile</i>	\$665	\$0
	Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	\$3,000	\$0
	Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$676	\$0
	Lau `ehu	<i>Panicum niihauense</i>	\$665	\$0
	Laulihilihi	<i>Schiedea stellaroides</i>	\$665	\$0
	Lead-plant, Crenulate	<i>Amorpha crenulata</i>	\$10,500	\$0
	Leather flower, Alabama	<i>Clematis socialis</i>	\$3,000	\$0
	Lehua makanoe	<i>Lysimachia daphnoides</i>	\$665	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Liliwai	<i>Acaena exigua</i>	\$665	\$0
	Lily, Minnesota dwarf trout	<i>Erythronium propullans</i>	\$3,500	\$0
	Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	\$5,619	\$147,605
	Lo`ulu	<i>Pritchardia kaalae</i>	\$665	\$0
	Lo`ulu	<i>Pritchardia munroi</i>	\$665	\$0
	Lo`ulu	<i>Pritchardia napaliensis</i>	\$665	\$0
	Lo`ulu	<i>Pritchardia remota</i>	\$665	\$0
	Lo`ulu	<i>Pritchardia schattaueri</i>	\$665	\$0
	Lo`ulu	<i>Pritchardia viscosa</i>	\$665	\$0
	Lo`ulu, (=Na`ena`e)	<i>Pritchardia hardyi</i>	\$665	\$0
	Lousewort, Furbish	<i>Pedicularis furbishiae</i>	\$3,000	\$0
	Love grass, Fosberg's	<i>Eragrostis fosbergii</i>	\$665	\$0
	Lupine, scrub	<i>Lupinus aridorum</i>	\$15,500	\$0
	Mahoe	<i>Alectryon macrococcus</i>	\$1,330	\$0
	Makou	<i>Peucedanum sandwicense</i>	\$665	\$0
	Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	\$1,995	\$0
	Ma`oli`oli	<i>Schiedea apokremnos</i>	\$665	\$0
	Ma`oli`oli	<i>Schiedea kealiae</i>	\$665	\$0
	Mapele	<i>Cyrtandra cyaneoides</i>	\$665	\$0
	Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>	\$5,575	\$0
	Mehamehame	<i>Flueggea neowawraea</i>	\$665	\$0
	Milkpea, Small's	<i>Galactia smallii</i>	\$800	\$0
	Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	\$1,000	\$0
	Milk-vetch, Jesup's	<i>Astragalus Robbinsii var. jesupi</i>	\$1,000	\$0
	Milk-vetch, Sentry	<i>Astragalus cremnophylax var. cremnophylax</i>	\$1,000	\$0
	Milkweed, Mead's	<i>Asclepias meadii</i>	\$400	\$0
	Milkweed, Welsh's	<i>Asclepias welshii</i>	\$2,000	\$0
	Mint, Garrett's	<i>Dicerandra christmanii</i>	\$5,500	\$0
	Mint, Lakela's	<i>Dicerandra immaculata</i>	\$18,000	\$0
	Mint, longspurred	<i>Dicerandra cornutissima</i>	\$300	\$0
	Mint, scrub	<i>Dicerandra frutescens</i>	\$3,500	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Monkey-flower, Michigan	<i>Mimulus michiganensis</i>	\$1,000	\$0
	Monkshood, northern wild	<i>Aconitum noveboracense</i>	\$800	\$0
	Mustard, Carter's	<i>Warea carteri</i>	\$1,500	\$0
	Naenae	<i>Dubautia kalalauensis</i>	\$665	\$0
	Naenae	<i>Dubautia kenwoodii</i>	\$665	\$0
	Na`ena`e	<i>Dubautia herbstobatae</i>	\$665	\$0
	Na`ena`e	<i>Dubautia imbricata imbricata</i>	\$665	\$0
	Na`ena`e	<i>Dubautia latifolia</i>	\$665	\$0
	Na`ena`e	<i>Dubautia pauciflorula</i>	\$665	\$0
	Na`ena`e	<i>Dubautia plantaginea magnifolia</i>	\$665	\$0
	Na`ena`e	<i>Dubautia plantaginea ssp. humilis</i>	\$665	\$0
	Na`ena`e	<i>Dubautia waialealae</i>	\$665	\$0
	Nani wai`ale`ale	<i>Viola kauaiensis var. wahiaensis</i>	\$665	\$0
	Nanu	<i>Gardenia manni</i>	\$665	\$0
	Naupaka, dwarf	<i>Scaevola coriacea</i>	\$665	\$0
	Nehe	<i>Lipochaeta lobata var. leptophylla</i>	\$665	\$0
	Nehe	<i>Melanthera tenuifolia</i>	\$665	\$0
	Nioi	<i>Eugenia koolauensis</i>	\$665	\$0
	No common name	<i>Abutilon eremitopetalum</i>	\$665	\$0
	No common name	<i>Abutilon sandwicense</i>	\$665	\$0
	No common name	<i>Achyranthes mutica</i>	\$665	\$0
	No common name	<i>Amaranthus brownii</i>	\$665	\$0
	No common name	<i>Bonamia menziesii</i>	\$665	\$0
	No common name --	<i>Cyanea profuga</i>	\$665	\$0
	No common name	<i>Cyanea purpurellifolia</i>	\$665	\$0
	No common name	<i>Cyperus pannatiformis</i>	\$1,330	\$0
	No common name	<i>Cyrtandra gracilis</i>	\$665	\$0
	No common name	<i>Cyrtandra waiolani</i>	\$665	\$0
	No common name	<i>Delissea rhytidosperma</i>	\$665	\$0
	No common name	<i>Festuca molokaiensis</i>	\$665	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	No common name	<i>Geocarpon minimum</i>	\$1,800	\$0
	No common name	<i>Gouania hillebrandii</i>	\$665	\$0
	No common name	<i>Gouania meyenii</i>	\$665	\$0
	No common name	<i>Gouania vitifolia</i>	\$665	\$0
	No common name	<i>Hesperomannia arborescens</i>	\$665	\$0
	No common name	<i>Hesperomannia arbuscula</i>	\$665	\$0
	No common name	<i>Hesperomannia lydgatei</i>	\$665	\$0
	No common name	<i>Kadua degeneri</i>	\$1,330	\$0
	No common name	<i>Kadua parvula</i>	\$665	\$0
	No common name	<i>Keysseria (=Lagenifera) erici</i>	\$665	\$0
	No common name	<i>Keysseria (=Lagenifera) helena</i>	\$665	\$0
	No common name	<i>Lobelia gaudichaudii ssp. koolauensis</i>	\$665	\$0
	No common name	<i>Lobelia monostachya</i>	\$665	\$0
	No common name	<i>Lobelia niihauensis</i>	\$665	\$0
	No common name	<i>Lobelia oahuensis</i>	\$665	\$0
	No common name	<i>Lysimachia filifolia</i>	\$665	\$0
	No common name	<i>Lysimachia iniki</i>	\$665	\$0
	No common name	<i>Lysimachia lydgatei</i>	\$665	\$0
	No common name	<i>Lysimachia maxima</i>	\$665	\$0
	No common name	<i>Lysimachia pendens</i>	\$665	\$0
	No common name	<i>Lysimachia scopulensis</i>	\$665	\$0
	No common name	<i>Lysimachia venosa</i>	\$665	\$0
	No common name	<i>Neraudia angulata</i>	\$1,330	\$0
	No common name	<i>Neraudia ovata</i>	\$665	\$0
	No common name	<i>Neraudia sericea</i>	\$665	\$0
	No common name	<i>Phyllostegia bracteata</i>	\$665	\$0
	No common name	<i>Phyllostegia glabra var. lanaiensis</i>	\$665	\$0
	No common name	<i>Phyllostegia haliakalae</i>	\$665	\$0
	No common name	<i>Phyllostegia hirsuta</i>	\$665	\$0
	No common name	<i>Phyllostegia hispida</i>	\$665	\$0
	No common name	<i>Phyllostegia kaalaensis</i>	\$665	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	No common name	<i>Phyllostegia knudsenii</i>	\$665	\$0
	No common name	<i>Phyllostegia manpii</i>	\$665	\$0
	No common name	<i>Phyllostegia mollis</i>	\$665	\$0
	No common name	<i>Phyllostegia parviflora</i>	\$1,995	\$0
	No common name	<i>Phyllostegia pilosa</i>	\$665	\$0
	No common name	<i>Phyllostegia renovans</i>	\$665	\$0
	No common name	<i>Phyllostegia velutina</i>	\$665	\$0
	No common name	<i>Phyllostegia waimeae</i>	\$665	\$0
	No common name	<i>Phyllostegia warshaweri</i>	\$665	\$0
	No common name	<i>Phyllostegia wawrana</i>	\$665	\$0
	No common name --	<i>Pittosporum halophilum</i>	\$665	\$0
	No common name	<i>Platanthera holochila</i>	\$665	\$0
	No common name	<i>Platydesma cornuta cornuta</i>	\$665	\$0
	No common name	<i>Platydesma cornuta</i> <i>decurrens</i>	\$665	\$0
	No common name	<i>Poa siphonoglossa</i>	\$665	\$0
	No common name	<i>Remya kauaiensis</i>	\$665	\$0
	No common name	<i>Remya montgomeryi</i>	\$665	\$0
	No common name	<i>Sanicula mariversa</i>	\$665	\$0
	No common name	<i>Sanicula purpurea</i>	\$665	\$0
	No common name	<i>Schiedea attenuata</i>	\$665	\$0
	No common name	<i>Schiedea haleakalensis</i>	\$665	\$0
	No common name	<i>Schiedea helleri</i>	\$665	\$0
	No common name	<i>Schiedea hookeri</i>	\$665	\$0
	No common name	<i>Schiedea jacobii</i>	\$665	\$0
	No common name	<i>Schiedea kaalae</i>	\$665	\$0
	No common name	<i>Schiedea kauaiensis</i>	\$665	\$0
	No common name	<i>Schiedea laui</i>	\$665	\$0
	No common name	<i>Schiedea lydgatei</i>	\$665	\$0
	No common name	<i>Schiedea membranacea</i>	\$665	\$0
	No common name	<i>Schiedea nuttallii</i>	\$665	\$0
	No common name	<i>Schiedea obovata</i>	\$665	\$0
	No common name	<i>Schiedea salicaria</i>	\$665	\$0
	No common name	<i>Schiedea sarmentosa</i>	\$665	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	No common name	<i>Schiedea spergulina</i> var. <i>leiopoda</i>	\$665	\$0
	No common name	<i>Schiedea spergulina</i> var. <i>spergulina</i>	\$665	\$0
	No common name	<i>Schiedea trinervis</i>	\$665	\$0
	No common name	<i>Schiedea verticillata</i>	\$665	\$0
	No common name	<i>Silene alexandri</i>	\$665	\$0
	No common name	<i>Silene hawaiiensis</i>	\$665	\$0
	No common name	<i>Silene lanceolata</i>	\$665	\$0
	No common name	<i>Silene perlmanii</i>	\$665	\$0
	No common name	<i>Spermolepis hawaiiensis</i>	\$665	\$0
	No common name	<i>Stenogyne angustifolia</i> <i>angustifolia</i>	\$665	\$0
	No common name	<i>Stenogyne bifida</i>	\$665	\$0
	No common name	<i>Stenogyne campanulata</i>	\$665	\$0
	No common name	<i>Stenogyne kanehoana</i>	\$665	\$0
	No common name	<i>Stenogyne kauaulaensis</i>	\$665	\$0
	No common name	<i>Stenogyne kealiae</i>	\$665	\$0
	No common name	<i>Tetramolopium arenarium</i>	\$1,995	\$0
	No common name	<i>Tetramolopium filiforme</i>	\$1,330	\$0
	No common name	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>	\$665	\$0
	No common name	<i>Tetramolopium remyi</i>	\$665	\$0
	No common name	<i>Tetramolopium rockii</i>	\$1,330	\$0
	No common name	<i>Trematolobelia singularis</i>	\$665	\$0
	No common name	<i>Vigna o-wahuensis</i>	\$665	\$0
	No common name	<i>Viola helenae</i>	\$665	\$0
	No common name	<i>Viola lanaiensis</i>	\$665	\$0
	No common name	<i>Viola oahuensis</i>	\$665	\$0
	No common name	<i>Wikstroemia villosa</i>	\$665	\$0
	No common name	<i>Xylosma crenatum</i>	\$665	\$0
	Nohoanu	<i>Geranium hanaense</i>	\$665	\$0
	Nohoanu	<i>Geranium hillebrandii</i>	\$665	\$0
	Nohoanu	<i>Geranium kauaiense</i>	\$665	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Nohoanu	<i>Geranium multiflorum</i>	\$665	\$0
	Nui, haha	<i>Cyanea horrida</i>	\$665	\$0
	Oha	<i>Delissea subcordata</i>	\$1,330	\$0
	Ohai	<i>Sesbania tomentosa</i>	\$665	\$0
	‘Oha wai	<i>Clermontia drepanomorpha</i>	\$665	\$0
	‘Oha wai	<i>Clermontia lindseyana</i>	\$665	\$0
	‘Oha wai	<i>Clermontia oblongifolia ssp. brevipes</i>	\$665	\$0
	‘Oha wai	<i>Clermontia oblongifolia ssp. mauiensis</i>	\$665	\$0
	‘Oha wai	<i>Clermontia peleana</i>	\$1,330	\$0
	‘Oha wai	<i>Clermontia pyrularia</i>	\$665	\$0
	‘Oha wai	<i>Clermontia samuelii</i>	\$1,330	\$0
	Olulu	<i>Brighamia insignis</i>	\$665	\$0
	Opuhe	<i>Urera kaalae</i>	\$665	\$0
	Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$3,350	\$0
	Orchid, western prairie fringed	<i>Platanthera praecox</i>	\$30,334	\$60,000
	Pa`iniu	<i>Astelia waialealae</i>	\$665	\$0
	Pamakani	<i>Tetramolopium capillare</i>	\$665	\$0
	Pamakani	<i>Viola chamissoniana ssp. chamissoniana</i>	\$665	\$0
	Panicgrass, Carter's	<i>Panicum fauriei var. carteri</i>	\$665	\$0
	Papala	<i>Charpentiera densiflora</i>	\$665	\$0
	Pawpaw, beautiful	<i>Deeringothamnus pulchellus</i>	\$300	\$0
	Pawpaw, four-petal	<i>Asimina tetramera</i>	\$500	\$0
	Pawpaw, Rugel's	<i>Deeringothamnus rugelii</i>	\$300	\$0
	Penstemon, blowout	<i>Penstemon haydenii</i>	\$1,000	\$0
	Pigeon wings	<i>Clitoria fragrans</i>	\$3,000	\$0
	Pilo kea lau li`i	<i>Platydesma rostrata</i>	\$665	\$0
	Pinkroot, gentian	<i>Spigelia gentianoides</i>	\$1,500	\$0
	Pink, swamp	<i>Helonias bullata</i>	\$11,063	\$0
	Pitcher-plant, green	<i>Sarracenia oreophila</i>	\$2,050	\$0
	Pitcher-plant, mountain sweet	<i>Sarracenia rubra ssp. jonesii</i>	\$2,345	\$0
	Plum, scrub	<i>Prunus geniculata</i>	\$3,500	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Po`e	<i>Portulaca sclerocarpa</i>	\$665	\$0
	Pogonia, small whorled	<i>Isotria medeoloides</i>	\$11,755	\$0
	Polygala, Lewton's	<i>Polygala lewtonii</i>	\$11,000	\$0
	Polygala, tiny	<i>Polygala smallii</i>	\$300	\$0
	Pondberry	<i>Lindera melissifolia</i>	\$15,981	\$0
	Popolo	<i>Cyanea solanacea</i>	\$665	\$0
	Popolo ku mai	<i>Solanum incompletum</i>	\$665	\$0
	Prickly-apple, fragrant	<i>Cereus eriophorus var. fragrans</i>	\$1,500	\$0
	Pua `ala	<i>Brighamia rockii</i>	\$665	\$0
	Pu`uka`a	<i>Cyperus trachysanthos</i>	\$665	\$0
	Ragwort, San Francisco Peaks	<i>Packera franciscana</i>	\$1,000	\$0
	Rattleweed, hairy	<i>Baptisia arachnifera</i>	\$11,500	\$0
	Reedgrass, Hillebrand's	<i>Calamagrostis hillebrandii</i>	\$665	\$0
	Remya, Maui	<i>Remya mauiensis</i>	\$665	\$0
	Rhododendron, Chapman	<i>Rhododendron chapmanii</i>	\$800	\$0
	Rosemary, Apalachicola	<i>Conradina glabra</i>	\$300	\$0
	Rosemary, Etonia	<i>Conradina etonia</i>	\$12,000	\$0
	Rosemary, short-leaved	<i>Conradina brevifolia</i>	\$1,500	\$0
	Sandalwood, Lanai (=`iliahī)	<i>Santalum freycinetianum var. lanaiense</i>	\$665	\$0
	Sandlace	<i>Polygonella myriophylla</i>	\$3,000	\$0
	Schiedea, Diamond Head	<i>Schiedea adamantis</i>	\$665	\$0
	Sedge, golden	<i>Carex lutea</i>	\$1,013	\$0
	Sedge, Navajo	<i>Carex specuicola</i>	\$1,000	\$0
	Silversword, Mauna Loa (=Ka'u)	<i>Argyroxiphium kauense</i>	\$665	\$0
	Skullcap, Florida	<i>Scutellaria floridana</i>	\$1,200	\$0
	Skullcap, large-flowered	<i>Scutellaria montana</i>	\$3,500	\$0
	Snakeroot	<i>Eryngium cuneifolium</i>	\$3,500	\$0
	Spiraea, Virginia	<i>Spiraea virginiana</i>	\$1,700	\$0
	Spurge, deltoid	<i>Chamaesyce deltoidea ssp. deltoidea</i>	\$2,000	\$0
	Spurge, Garber's	<i>Chamaesyce garberi</i>	\$800	\$0
	Spurge, telephus	<i>Euphorbia telephoides</i>	\$800	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Sumac, Michaux's	<i>Rhus michauxii</i>	\$13,319	\$0
	Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	\$7,714	\$0
	Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$1,950	\$0
	Trillium, persistent	<i>Trillium persistens</i>	\$7,500	\$0
	Trillium, relict	<i>Trillium reliquum</i>	\$4,500	\$0
	Vetch, Hawaiian	<i>Vicia menziesii</i>	\$665	\$0
	Warea, wide-leaf	<i>Warea amplexifolia</i>	\$20,000	\$0
	Water-plantain, Kral's	<i>Sagittaria secundifolia</i>	\$1,500	\$0
	Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>	\$2,000	\$0
	Water-willow, Cooley's	<i>Justicia cooleyi</i>	\$2,500	\$0
	Whitlow-wort, papery	<i>Paronychia chartacea</i>	\$2,800	\$0
	Wild coffee, Oahu (=kopiko)	<i>Psychotria hexandra ssp. oahuensis</i>	\$665	\$0
	Wild-rice, Texas	<i>Zizania texana</i>	\$0	\$613,542
	Wireweed	<i>Polygonella basiramia</i>	\$3,000	\$0
	Ziziphus, Florida	<i>Ziziphus celata</i>	\$16,500	\$0
Flowering Plants subtotal			\$895,636	\$821,147
Conifers and Cycads	Torreya, Florida	<i>Torreya taxifolia</i>	\$10,000	\$0
Conifers and Cycads subtotal			\$10,000	\$0
Ferns and Allies	Aumakua, Palapalai	<i>Dryopteris crinalis var. podosorus</i>	\$665	\$0
	Fern, pendant kihi	<i>Adenophorus periens</i>	\$665	\$0
	Ihi'ihi	<i>Marsilea villosa</i>	\$665	\$0
	No common name	<i>Diplazium molokaiense</i>	\$665	\$0
	No common name	<i>Doryopteris angelica</i>	\$665	\$0
	No common name	<i>Doryopteris takeuchii</i>	\$665	\$0
	No common name	<i>Pteris lidgatei</i>	\$665	\$0
	Pauoa	<i>Ctenitis squamigera</i>	\$665	\$0
	Quillwort, black spored	<i>Isoetes melanospora</i>	\$2,500	\$0
	Quillwort, mat-forming	<i>Isoetes tegetiformans</i>	\$2,500	\$0
	Wawa'e'iole	<i>Huperzia mannii</i>	\$665	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Wawa'e'iole	<i>Huperzia nutans</i>	\$665	\$0
Ferns and Allies subtotal			\$11,650	\$0
Lichens	Cladonia, Florida perforate	<i>Cladonia perforata</i>	\$7,000	\$0
	Lichen, rock gnome	<i>Gymnoderma lineare</i>	\$1,500	\$0
Lichens subtotal			\$8,500	\$0
Multi-Species Expenditures			\$2,621,288	\$0
State Totals			\$50,963,223	\$25,321,482
State Governments				
Grand Total				\$76,284,705