

2015 SITE ENVIRONMENTAL REPORT




TABLE OF CONTENTS

1.0	EXECUTIVE SUMMARY	1
2.0	INTRODUCTION	5
2.1.	SITE LOCATION	5
2.2.	SITE HISTORY	5
2.3.	ENVIRONMENTAL SETTING.....	6
2.4.	SITE MISSION.....	6
	2.4.1. PRIMARY OPERATIONS AND ACTIVITIES AT THE SITE:	7
	Center for Advanced Studies of Accelerators (CASA).....	8
	2.4.2. RELEVANT DEMOGRAPHIC INFORMATION	8
3.0	COMPLIANCE SUMMARY	9
3.1.	ENVIRONMENTAL RESTORATION AND WASTE MANAGEMENT.....	9
	3.1.1. Emergency Planning & Community Right to Know Act (EPCRA)	9
	3.1.2. Resource Conservation and Recovery Act (RCRA)	9
	3.1.3. Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA)	10
	3.1.4. National Environmental Policy Act (NEPA).....	10
	3.1.5. Other Wastes.....	10
3.2.	RADIATION PROTECTION	11
3.3.	AIR QUALITY AND PROTECTION.....	11
	3.3.1. Stratospheric Ozone-Depleting Substances (ODS).....	11
	3.3.2. Greenhouse Gas (GHG) Emissions.....	11
3.4.	WATER QUALITY AND PROTECTION	11
	3.4.1. Conformance with Energy Independence and Security Act (EISA) Section 438	14
	3.4.2. Future Strategies for EISA Section 438 Conformance	14
3.5.	DEPARTMENT OF ENERGY EXECUTIVE ORDERS	15
	3.5.1. DOE Order 436.1 Departmental Sustainability	15
	3.5.2. Reductions in the Generation and/or Toxicity of Hazardous Waste through Pollution Prevention	20
	3.5.3. Reduction or Elimination of Acquisition of Toxic and Hazardous Chemicals and Materials	21
	3.5.4. Environmentally Preferable Purchasing	21
	3.5.5. Electronic Stewardship	21
	3.5.6. Recycling Practices.....	21
3.6.	OTHER ENVIRONMENTAL STATUTES	21
	3.6.1. Oil Pollution Control	21

3.7.	UNPLANNED RELEASES	22
3.8.	SUMMARY OF PERMITS	24
3.9.	ENVIRONMENTAL OVERSIGHT.....	24
4.0	ENVIRONMENTAL MANAGEMENT SYSTEM.....	25
4.1.	ENVIRONMENTAL PERFORMANCE MEASUREMENT	26
5.0	ENVIRONMENTAL RADIOLOGICAL PROTECTION PROGRAM AND DOSE ASSESSMENT ...	27
5.1.	ENVIRONMENTAL RADIOLOGICAL MONITORING	27
	5.1.1. Radiation in the Environment.....	27
	5.1.2. Radiation Exposure Pathways at Jefferson Lab.....	28
	5.1.3. Monitoring of Potentially Activated Wastewater	29
	5.1.4. Airborne Radionuclides	31
	5.1.5. Direct Radiation Monitoring.....	32
	5.1.6. Groundwater Monitoring	34
	5.1.7. Other Environmental Surveillance	34
5.2.	POTENTIAL DOSE TO THE PUBLIC	34
	5.2.1. Dose Via Unrestricted Release of Materials and Equipment	36
	5.2.2. Dose to Local Biota	39
5.3.	UNPLANNED RADIOLOGICAL RELEASES.....	40
6.0	GROUNDWATER PROTECTION PROGRAM.....	41
7.0	QUALITY ASSURANCE (QA)	44
8.0	ACRONYM LIST.....	46
9.0	FIGURES	49

1.0 EXECUTIVE SUMMARY

This Annual Site Environmental Report documents the U.S. Department of Energy's (DOE) Thomas Jefferson National Accelerator Facility's (Jefferson Lab) environmental protection program and its performance in 2015. This report presents results from environmental compliance and monitoring programs that are within the scope of Jefferson Lab's existing environmental permits, applicable regulations and the Environmental Management System (EMS). This report also provides the DOE and the public with information regarding the impact of radioactive and non-radioactive pollutants, if any, resulting from Jefferson Lab operations.

Jefferson Science Associates, LLC (JSA), has managed and operated Jefferson Lab for the U.S. Department of Energy since 2006. JSA is a Southeastern Universities Research Association /Pacific Architects and Engineers Limited Liability Company which brings the science and technology focus of more than 60 universities in the Southeast together with the corporate management focus that has successfully managed the infrastructure and business operations at three DOE sites.

"Jefferson Lab, a forefront U.S. Department of Energy Nuclear Physics research facility, provides world-class, unique research capabilities and innovative technologies to serve an international scientific user community. Specifically, the laboratory's mission is to:

- *Deliver discovery-caliber research by exploring the atomic nucleus and its fundamental constituents, including precise tests of their interactions;*
- *Apply advanced particle accelerator and detector technologies to address challenges of modern society;*
- *Advance knowledge of science and technology through education and public outreach, and;*
- *Provide responsible and effective stewardship of resources."*

At the Continuous Electron Beam Accelerator Facility (CEBAF), the electron beam begins its first pass at the injector and proceeds through the underground racetrack-shaped accelerator tunnel at nearly the speed of light. The accelerator uses superconducting radio-frequency (SRF) technology to drive electrons to higher and higher energies. The accelerator's electron beam can be split for simultaneous use by four experimental halls, which are circular, partially buried domed chambers. Special equipment in each experimental hall records the interactions between incoming electrons and the target materials. A continuous electron beam is necessary to accumulate data at an efficient rate, yet ensures that each interaction is separate enough for precise measurements.

In 2015, work continued for the Utility Infrastructure Modernization (UIM) project, which included the replacement and upgrade of electrical distribution feeders for the CEBAF, replacement of cooling towers serving CEBAF operations, providing additional cooling and uninterrupted power for the



computer center, upgrading the Cryogenics Test Facility (CTF) to support cryomodule development, and improving site communications infrastructure.



An overhead view of Jefferson Lab, facing towards the north. To the south is the racetrack outline of the lab's accelerator; while to the eastern and western ends of the accelerator are the lab's experimental halls.

Low Energy Recirculator Facility (LERF)

Jefferson Lab's Low Energy Recirculator Facility, formerly known as the Free-Electron Laser (FEL), was developed using the lab's expertise in superconducting radiofrequency (SRF) accelerators. As an FEL, the facility was the world's highest-power tunable infrared laser and also provided ultraviolet laser light, including vacuum ultraviolet light, and Terahertz light. Currently, the lab is using the term Low Energy Recirculator Facility, or LERF, to refer to this facility, as future missions with potentially broader scope are under development. The LERF did not conduct any experiments or operate a program during 2015.

Research Areas

Staff and visiting scientists continued using the Center for Advanced Studies of Accelerators (CASA), the Institute for SRF Science and Technology, and the Lattice Quantum Chromodynamics Computing Project to perform research and development programs to lead the world in SRF. This research provides technology and associated experience for the construction of new accelerators for DOE Office of Science research projects at other laboratories in nuclear physics, basic energy sciences, and high-energy physics.

Integrated Safety Management (ISM) System

Through ISM, Jefferson Lab incorporates environment, safety, and health (ES&H) requirements into all work procedures. The primary objective of ISM is to make safety, health and environmental protection a part of routine work.

Environmental Management System (EMS)

Jefferson Lab's EMS is established and maintained to conform to the ISO 14001 Standard for Environmental Management Systems and DOE Order requirements. Its principles continually improve the practices of environmental stewardship. The EMS is integrated into the ISM System.

Requirements Identification Process

Requirements are comprised of the laws, regulations, and standards necessary and sufficient to ensure worker and public health and safety, and to protect the environment. Jefferson Lab continually identifies new and changing requirements for inclusion into its programs. Subject matter experts follow the development of new requirements, evaluating the applicability to existing laboratory operations.

Implementation of the National Environmental Policy Act (NEPA)

Most construction activities and all accelerator upgrades are subject to review under the NEPA. The initial construction, two upgrades to CEBAF, and several new buildings have been screened for compliance with NEPA regulations through the preparation of four Environmental Assessments (EAs). An EA published in January 2007 focused on both the planned 12 GeV Upgrade and other activities identified in the lab's Ten-Year Master Plan. Site-specific NEPA Categorical Exclusions cover routine activities and special projects which do not have individual or cumulative significant environmental impacts and do not require the preparation of an EA or Environmental Impact Statement. All approved NEPA reviews and associated documentation are posted on DOE's Public Reading Room.

Radiological and non-radiological releases to the public from site operations

In 2015, there were no unplanned radiological or non-radiological releases to the environment due to accelerator operations. Releases from normal operations were within permit and regulatory limits and had negligible impact to the public and no health or safety implications.

Environmental Performance Measures

Jefferson Lab measures its environmental performance in several ways. In 2015, the DOE gave JSA an B+ for its ability to "Sustain Excellence and Enhance Effectiveness of Integrated Safety, Health, and



Environmental Protection.” Additionally, Jefferson Lab reports annually to the Office of the Federal Environmental Executive and tracks numerous internal performance metrics – all of which indicated success in 2015.

Inspection

Jefferson Lab’s inspection programs demonstrate its commitment to protect the environment, public health and safety. To ensure operations and activities are performed effectively staff and external agencies, including the DOE Site Office, State of Virginia, and the local sanitation district, conduct inspections. This report provides independent inspection results, including detailed comments on Jefferson Lab’s record of compliance with applicable laws and regulations.

General Compliance

Jefferson Lab’s ES&H Manual facilitates integration of general environmental compliance initiatives into site operations. This report presents Jefferson Lab’s environmental compliance activity performance, particularly those dealing with water resources and public health. Only one significant compliance issue arose during 2015 which included the discovery of elevated zinc levels within sanitary sewer wastewater discharges to the Hampton Roads Sanitation District (HRSD). The HRSD calendar day maximum for zinc is 5 mg/L. During the HRSD monitoring conducted on 11/23/15, a zinc level of 9.2 mg/L was observed and a verbal notification was provided to the Thomas Jefferson Site Office (TJSO) on 12/17/15. The Lab responded immediately by conducting sampling of the affected sanitary sewer discharge line on 12/17/15 and no elevated levels were observed. An investigation of the contamination source is ongoing. During 2015, compliance requirements were met for all other environmental permits and programs that exist at the lab.


Awards and Recognitions

In 2015, HRSD awarded Jefferson Lab with a 2014 HRSD Platinum Achievement Award for performance from 2010-2015. Qualifying for this award requires maintaining an exemplary compliance record for over five consecutive years, and demonstrating a commitment to environmental excellence. Other criteria for Platinum Achievement status requires an organization be subject to HRSD compliance requirements, is not found in significant non-compliance, and is not subject to any civil penalty during the period.

2.0 INTRODUCTION

2.1. SITE LOCATION

Jefferson Lab is located in the Oyster Point Business Park within the City of Newport News, Virginia. *Figure 1 – Regional and Site Map of Jefferson Lab*, depicts the facility’s location and buildings.



2.2. SITE HISTORY

Prior to the construction of Jefferson Lab, there were several users of this general area of Newport News. The U.S. Department of Defense (DOD) acquired most of the Oyster Point area, including the land presently used by Jefferson Lab. The U.S. Air Force later acquired the land and installed a Boeing and Michigan Aerospace Research Center (BOMARC) missile site on a portion of the property. After

closure of BOMARC, the DOD started disposing of the property and conveyed some land to the Commonwealth of Virginia, the National Aeronautics and Space Administration (NASA), and others. Ownership of the NASA property, including 100 acres of undeveloped land, was conveyed to the DOE in 1987. An additional 52 acres of land was also transferred to the DOE from other sources. The total DOE-owned parcel, upon which Jefferson Lab is built, is 169 acres.

2.3. ENVIRONMENTAL SETTING

The most comprehensive reviews of the site's environmental constraints are the four EAs completed under the NEPA. Each evaluated the potential impact of the site (or of proposed changes to the site) on cultural resources, air quality, water quality, noise, wetlands, endangered and threatened species, and a host of other subjects.

A 1987 EA yielded a "Finding of No Significant Impact (FONSI)" associated with the initial construction of the CEBAF. EAs performed in 1997 for a CEBAF upgrade; 2002 for the LERF upgrade and five building construction projects; and 2007 for the 12GeV upgrade project, also yielded FONSI. As a result, proposed projects have been completed with the assurance that no harm would come to the environment and therefore there was no need to prepare Environmental Impact Statements.

2.4. SITE MISSION

Jefferson Lab, a forefront U.S. Department of Energy nuclear physics research facility, provides world-class, unique research capabilities and innovative technologies to serve an international scientific user community.

Specifically, the laboratory's mission is to:

- Deliver discovery-caliber research by exploring the atomic nucleus and its fundamental constituents, including precise tests of their interactions;
- Apply advanced particle accelerator, detector and other technologies to develop new basic research capabilities and to address the challenges of modern society;
- Advance knowledge of science and technology through education and public outreach, and;
- Provide responsible and effective stewardship of resources.

2.4.1. PRIMARY OPERATIONS AND ACTIVITIES AT THE SITE:

Continuous Electron Beam Accelerator Facility (CEBAF)

- The CEBAF accelerator provides continuous wave electron beams with energies of 0.5 to 12 GeV. Throughout 2015, the machine resumed beam operations up to 12 GeV power.

End Stations

- The Experimental Hall End Stations have complementary experimental equipment to support their primary functions.
 - **Hall A** has a pair of superconducting, high-resolution magnetic spectrometers optimized for precision electron-scattering, coincidence experiments.
 - **Hall B** houses the CEBAF Large Acceptance Spectrometer for the 12 GeV Upgrade (CLAS12). CLAS12 supports studies of both electron- and photon-induced reactions with forward-focused reaction products at increased luminosities.
 - **Hall C** contains two spectrometers, the High Momentum Spectrometer and a new system, currently under construction, the Super High Momentum Spectrometer, which will enable measurements of particles scattered at up to full beam momentum in the 12 GeV era (central momentum up to 11 GeV/c).
 - **Hall D** supports studies of photon-induced reactions using a solenoidal-based detector with high acceptance for charged particles and photons.

Institute for Superconducting Radio Frequency (SRF) Science and Technology

- Jefferson Lab's primary research and development facility provides improvements to the CEBAF and the LERF. Work includes:
 - Support of the operation, improvement and upgrade of the CEBAF.
 - Exploration of techniques for producing improved-performance SRF systems.

Center for Advanced Studies of Accelerators (CASA)

- CASA supports the site accelerators and evaluates future opportunities. Its primary mission is to generate, investigate deeply, and distribute forefront knowledge about advanced accelerator and beam physics, especially the results generated through the work performed at Jefferson Lab. A secondary goal for the organization is to archive information generated by Jefferson Lab's Accelerator Division activities and make it available to guide future projects.

Low Energy Recirculator Facility (LERF)

- Designed and built with Jefferson Lab's expertise in SRF accelerator technology. Formerly known as the Free-Electron Laser (FEL), the facility was the world's highest-power tunable infrared laser and also provided ultraviolet laser light, including vacuum ultraviolet light, and Terahertz light. Currently, the lab is using the term Low Energy Recirculator Facility, or LERF, to refer to this facility, as future missions with potentially broader scope are under development. The LERF did not conduct any experiments or operate a program during 2015.

2.4.2. RELEVANT DEMOGRAPHIC INFORMATION

Jefferson Lab is a world-class research institution. It attracts resident, visiting physicists, and other scientists from around the world. In 2015, approximately 756 full-time physicists, engineers, technicians, and support staff worked at Jefferson Lab and more than 1,500 academic and industrial researchers, from across the United States and approximately 29 countries and 233 institutions, participated in scientific collaborations.

Each year, research conducted at Jefferson Lab produces more than one-third of all Nuclear Physics PhDs awarded in the United States. 2015 research at Jefferson Lab also produced seven patents.

3.0 COMPLIANCE SUMMARY

The following sections summarize Jefferson Lab’s 2015 compliance status related to local, state, Federal, and DOE requirements.

3.1. ENVIRONMENTAL RESTORATION AND WASTE MANAGEMENT

Waste streams at Jefferson Lab include Resource Conservation and Recovery Act (RCRA) hazardous waste, non-hazardous solid waste, universal waste, used oil, non-RCRA low-level radioactive waste, and medical wastes. In 2015, Jefferson Lab conducted waste management activities in accordance with applicable standards and requirements. No environmental restoration activities were required under the Comprehensive Environmental Response, Compensation, and Liability Act.

3.1.1. EMERGENCY PLANNING & COMMUNITY RIGHT TO KNOW ACT (EPCRA)

Under EPCRA, as aligned with the Superfund Amendments and Reauthorization Act (SARA), Jefferson Lab provides hazardous material data (characteristics, quantities, and storage locations) to local entities for planning purposes so they are prepared to provide adequate chemical and other emergency response services.

Jefferson Lab meets applicable reporting requirements, such as toxic chemical usage and environmental releases, as required. See *Figure 2 – Status of EPCRA Reporting in 2015*.

Figure 2 – Status of EPCRA Reporting in 2015

EPCRA Section	Description of Reporting	Status
EPCRA § 302-303	Planning Notification	Completed
EPCRA § 304	EHS Release Notification	Not Required
EPCRA § 311-312	Material Safety Data Sheets/Chemical Inventory	Completed
EPCRA § 313	Toxic Release Inventory Reporting	Not Required

3.1.2. RESOURCE CONSERVATION AND RECOVERY ACT (RCRA)

RCRA promotes the protection of health, the environment, and conservation of valuable material and energy resources. As a “Small Quantity Generator (SQG),” Jefferson Lab generates less than 1000 kilograms (kg) of hazardous waste per month (but more than 100 kg). In 2015, approximately 2,076.16 kg of RCRA hazardous waste was generated. Jefferson Lab does not store (outside of SQG allowed quantities/time limits), treat, transport, or

dispose of RCRA-regulated waste on site. All RCRA wastes are disposed through licensed waste-handling transport and disposal facilities.

The two largest-volume hazardous wastes generated in 2015 were acid mixtures, used for niobium cavity and component processing; and refrigerant oil containing halogens.

3.1.3. FEDERAL INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT (FIFRA)

FIFRA applies to the storage and use of herbicides and pesticides. Use of these substances has environmental implications, especially where water quality is concerned. Consequently, only subcontractors who have completed the certification program administered by the Virginia Commonwealth perform the application of herbicides and pesticides at Jefferson Lab.

In order to minimize the chances of herbicides and pesticides washing into local stormwater channels, Jefferson Lab requires that there be no outdoor application of these compounds when rain is expected; no industrial-strength herbicides or pesticides are stored or disposed of on Jefferson Lab property; and only small amounts are allowed to be mixed on site.

3.1.4. NATIONAL ENVIRONMENTAL POLICY ACT (NEPA)

NEPA requires that Federal agencies evaluate projects for the potential to have significant environmental impacts. All projects occurring at Jefferson Lab were evaluated through the preparation of EAs or Categorical Exclusions, and no Environmental Impact Statement was necessary. Two activities that required NEPA evaluation during 2015 included the Environmental, Safety, Health, and Quality (ESH&Q) Building and the Upgrade Injector Test Facility (UITF) projects that were authorized through approved Categorical Exclusions.

3.1.5. OTHER WASTES

Other wastes generated at Jefferson Lab include wastewater discharges to sanitary sewer, non-hazardous solid; radioactive; and medical. The vast majority of this waste is non-hazardous solid, consisting of routine office trash and construction debris. Jefferson Lab has an extensive recycling program that resulted in the recycling of over 88% of the solid waste generated on site (781.5 tons of material) in 2015. Jefferson Lab also recycled close to 100% of its used oil and computer equipment.

Radioactive waste is managed in accordance with DOE Order and Manual 435.1-1, Radioactive Waste Management. In 2015, approximately 53,553 pounds (51 yd³) of low-level radioactive waste was transferred for off-site disposal. Jefferson Lab utilized an



intermodal transport container to enable the disposal of large pieces of construction debris resulting from work in the experimental halls.

Only a minor amount of medical waste was generated by Jefferson Lab's on-site clinic in 2015. Its disposal was in accordance with all applicable regulations.

3.2. RADIATION PROTECTION

All Jefferson Lab activities in 2015 were in full compliance with applicable limits for radiation protection. See Section 5.0 – [Environmental Radiological Protection Program and Dose Assessment](#) below.

3.3. AIR QUALITY AND PROTECTION

Jefferson Lab currently has no process, or associated emissions, that exceed the threshold levels that require air permitting. Internal calculations are routinely conducted to confirm this status. All emissions remained well below reportable thresholds in 2015. Newport News has remained within Environmental Protection Agency (EPA) and state designated pollutant limits since 2008.

3.3.1. STRATOSPHERIC OZONE-DEPLETING SUBSTANCES (ODS)

Jefferson Lab minimizes the use of ODSs by using safe, cost-effective, environmentally preferable alternatives where possible.

To reduce the potential for emissions of ODSs, and comply with Section 608 of the Clean Air Act's Refrigerant Recycling Rule, Jefferson Lab utilizes EPA certified subcontractors and staff to perform all work involving ODS-containing refrigeration and air conditioning equipment on site. There is one ODS recovery machine on-site. The one remaining chlorofluorocarbon based chiller receives preventive and corrective maintenance by a qualified mechanical subcontractor to ensure optimal performance with minimal loss.

3.3.2. GREENHOUSE GAS (GHG) EMISSIONS

During 2015, Jefferson Lab and DOE continued to assess GHG emissions. Efforts to understand these various emissions allowed for the development of ways to minimize them. See "Department of Energy Executive Orders" section below.

3.4. WATER QUALITY AND PROTECTION

Jefferson Lab complies with all water quality protection requirements and performs monitoring in compliance with applicable water quality permits. Combinations of engineering and administrative

controls are utilized to maintain groundwater quality during operations. Discharges to surface water are permitted under Jefferson Lab's Department of Environmental Quality (DEQ) Virginia Pollutant Discharge Elimination System (VPDES) Permit No. VA0089320. Outfall 001 consists of groundwater extracted from beneath Halls A, B and C; Outfall 002 consists of discharges from one of the site's cooling towers; Outfall 004 consists of uncontaminated stormwater discharges to the East retention pond. Discharged wastewater flows to permit-authorized outfalls included in Jefferson Lab's environmental monitoring program.

Groundwater monitoring wells are sampled regularly under VPDES Permit VA0089320 to ensure that site operations do not degrade groundwater quality.

All stormwater discharges are managed through structural and non-structural Best Management Practices (BMPs) in compliance with Jefferson Lab's Municipal Separate Storm Sewer System (MS4) permit and the Virginia Stormwater Management Program regulations. Operational control measures include proper storage and minimizing the use of products that could pollute ground and surface water. Applicable site personnel have received training from the Virginia Department of Environmental Quality in the areas of Stormwater Management and Erosion & Sediment Control in order to properly conduct plan reviews (Stormwater Pollution Prevention Plans and Erosion & Sediment Control Plans) and site inspections of all regulated land disturbances. During 2015, Jefferson Lab received approval from the DEQ for the preparation of a Chesapeake Bay Total Maximum Daily Load (TMDL) Action Plan as part of Permit No. VAR040079 to meet the newly established requirements of the Virginia Stormwater Management Program (VSMP) set forth on July 1, 2014.

Jefferson Lab held four active water permits in 2015 (see *Figure 3 – Jefferson Lab's Active Water Permits 2014*). All water quality programs were compliant with the exception of one isolated event that occurred on November 23, 2015 within the HRSD 'EF-line' in which the Calendar Day Maximum of 5 mg/L was breached (elevation of 9.2 mg/L observed during routine monitoring). No other compliance issues were encountered during 2015 for the lab's existing permits

Figure 3 – Jefferson Lab’s Active Water Permits 2014

PERMIT TYPE	# OF OUTFALLS	PARAMETER	# OF PERMIT EXCEEDANCES	# OF SAMPLES TAKEN	# OF COMPLIANT SAMPLES	PERCENT COMPLIANCE
Industrial Wastewater Discharge to Surface and Groundwater Quality (VPDES Permit VA0089320)	3 Outfalls (001,002, and 004) 13 wells*	Outfall 001 (pH, flow, temperature, Tritium, Sodium 22, Beryllium 7, Manganese 54), Outfall 002 (pH, flow, temperature, Ammonia, Chlorine, Copper, Zinc, Phosphorus), Outfall 004 (none required) A-ring/B-ring wells (groundwater elevation, pH, conductivity, total dissolved solids, Tritium, Sodium 22, Beryllium 7, Manganese 54, Manmade Radioactivity), GW-15a background well/C-ring wells (groundwater elevation, pH, conductivity, total dissolved solids, Tritium, Sodium 22, Beryllium 7, Manganese 54)	0	Outfall 001 (1); Outfall 002 (4); Outfall 004 (0); A-ring wells (6); B-ring wells (10); C-ring wells (4); GW-15a background well (1)	Outfalls (5); Wells (21)	100 100
Municipal Separate Storm Sewer System Permit (VAR-0400790)	3	NA	0	**NA	NA	100
Industrial Wastewater Discharge to Sewer (HRSD Permit 0117)	4	Radionuclides, pH Flow Temperature	0	24	24	***100
Groundwater Withdrawal (Virginia DEQ GW0047200)	1	Volume of dewatering	0	12	12	100

*Jefferson Lab’s VPDES permit includes three outfalls and the collection and reporting of radionuclide monitoring data from 13 groundwater monitoring wells located throughout the site.
 **The MS4 program requires Jefferson Lab to implement a wide variety of BMPs to prevent contamination from entering the stormwater system and leaving the site. No sampling, analysis, and reporting of chemical constituents are currently required.
 ***During HRSD routine monitoring of the ‘EF-line’ in November of 2015, an elevated zinc level was observed during one isolated event.



3.4.1. Conformance with Energy Independence and Security Act (EISA) Section 438

During 2015, Jefferson Lab conducted a conformance assessment of the current stormwater management program as related to EISA Section 438 requirements. Applicable projects were reviewed to determine conformance status and strategies were developed for future projects.

3.4.2. FUTURE STRATEGIES FOR EISA SECTION 438 CONFORMANCE

In December of 2009, the EPA released the “Technical Guidance on Implementing the Stormwater Runoff Requirements for Federal Projects under Section 438 of the Energy Independence and Security Act”. According to this guidance, conformance for future development, or redevelopment projects of >5,000 SqFt, is satisfied by implementing planning, design, construction, and maintenance strategies that achieve Option 1 - Retain the 95th percentile rainfall event to the Maximum Extent Technically Feasible (METF) from a sitewide perspective. This is accomplished through review of project design criteria to assure the following strategies have been considered:

- Apply ‘runoff reduction’ as the central stormwater management tool during planning stages of future development by incorporating the use of LID/GI for stormwater management to the METF as mentioned above;
- Reduce clearing by preserving remaining natural areas as much as possible;
- Reduce regrading by preserving natural drainage patterns on a development site, where feasible;
- Minimize amount of imperviousness for planned development, where feasible;
- Promote runoff across natural features to reduce runoff volumes and pollutant loads.

During the conformance assessment conducted by Jefferson Lab in 2015, it was determined that applicable projects occurring at Jefferson Lab can conform the technical requirements by:

- Calculate stormwater treatment requirements on a facility-wide basis, as opposed to a project/site specific level;
- Two project having existing site specific BMPs that meet the requirements for water quality/quantity treatment were removed from further review;
- The two stormwater retention ponds located on the facility have treatment storage capacity available to accommodate conformance with requirements for the remaining projects that qualify;
- Conformance for future projects may require the intentional routing of stormwater flows into the existing retention ponds for treatment.

3.5. DEPARTMENT OF ENERGY EXECUTIVE ORDERS

3.5.1. DOE ORDER 436.1 DEPARTMENTAL SUSTAINABILITY



The purpose of DOE Order 436.1 is to “...Provide requirements and responsibilities for managing sustainability within the DOE to 1) ensure the [DOE] carries out its missions in a sustainable manner that addresses national energy security and global environmental challenges, and advances sustainable, efficient and reliable energy for the future, 2) institute wholesale cultural change to factor sustainability and GHG reductions into all DOE corporate management decisions, and 3) ensure DOE achieves the sustainability goals established in its Strategic Sustainability Performance Plan pursuant to applicable laws, regulations and Executive Orders, related performance scorecards, and sustainability initiatives.”

Jefferson Lab satisfies this Order’s requirements through the implementation of its EMS (see Section 4 – Environmental Management System below) and Site Sustainability Plan, summarized in *Figure 4 – Jefferson Lab’s Sustainability Goal Performance*.

In 2015, Jefferson Lab updated its Site Sustainability Plan. This plan addressed each specific goal in the DOE O 436.1, assesses performance status, and laid out planned actions and schedules for meeting them. *Figure 4 – Jefferson Lab’s Sustainability Goal Performance* summarizes major 2015 activities associated with the plan.

Figure 4 – Jefferson Lab’s Sustainability Goal Performance

SSPP Goal #	DOE Goal	Performance Status	Planned Actions & Contribution	Risk of Non-attainment (L-Low, M-Medium, H-High)
GOAL 1: Greenhouse Gas Reduction				
1.1	50% Scope 1 & 2 GHG reduction by Fiscal Year (FY)'25 from a FY'08 baseline (2015 target: -19%).	Scope 1 & 2 GHG levels decreased (3.1%) compared to the FY '08 baseline as new HEMSF accelerator and related operations were initiated in FY 14.	Scope 1 maintain successful fugitive emission reduction practices Scope 2 requires multiple lower GHG content electric supply strategies, and increase of <u>REC purchases</u> to maintain interim goals.	M
1.2	25% Scope 3 GHG reduction by FY 2025 from a FY 2008 baseline (2015 target: 6%)	Scope 3 GHG decrease (5.6%) vs. FY '08 primarily from reduced business air travel and increased REC purchases	Implement commuting emissions reduction program (alternative work schedule) to reduce controllable Scope 3 GHG emissions.	M
GOAL 2: Sustainable Buildings				
2.1	25% energy intensity (Btu per gross square foot) reduction in goal-subject buildings, achieving 2.5% reductions annually, by FY 2025 from a FY 2015 baseline	<u>Achieved 30% EUI reduction goal</u> vs FY '03 baseline in FY '15, establishing new baseline (89,722 BTUs / GSF) in goal subject buildings	Implement Utility Energy Service Contract (UESC) funded energy reduction strategies in all goal subject buildings to continue BTU / GSF reduction towards new 25% vs FY'15 baseline goal	L
2.2	EISA Section 432 energy and water evaluations.	Approximately 70% of required energy and water evaluations completed in the current EISA audit cycle	Continue annual energy and water audits and benchmarking to complete <u>100%</u> by June 2016	L
2.3	Meter all individual buildings for electricity, natural gas, steam and water, where cost-effective and appropriate	<u>Completed</u> installation of Advanced Metering System for all individual building level and processes for electric, gas & water.	<u>Metering goal achieved.</u> Additional metering to be installed for new construction and future renovation projects as appropriate.	L

SSPP Goal #	DOE Goal	Performance Status	Planned Actions & Contribution	Risk of Non-attainment (L-Low, M-Medium, H-High)
2.4	At least 15% (by building count or gross square feet) of existing buildings greater than 5K (GSF) to be compliant with the <i>revised</i> Guiding Principles for HPSB by FY 2025, with progress to 100% thereafter	Current HPSB compliance = 23% (<i>by GSF</i>), including two major LEED Gold certified facilities	UESC funded projects under development targeted to increase HPSB compliance in additional buildings.	L
2.5	Efforts to increase regional and local planning coordination and involvement	Jefferson Lab is engaged with a regional alternative energy generation initiative designed to provide a resilient and sustainable source of electric energy and industrial water supply	As a stakeholder, continue participation with local authorities and the project development firm as described in narrative section 2.5	L
2.6	Net Zero Buildings: Percentage of the site's new and / or existing buildings above 5,000 gross square feet intended to be energy, waste, or water net-zero buildings by FY 2025.	No applicable existing buildings currently planned to achieve net-zero by FY 25, or new construction projects currently planned to begin the design process to achieve net zero in FY 20 and thereafter.	Identify future applicable projects as appropriate	L
2.7	Data Center Efficiency. Establish a power usage effectiveness target in the range of 1.2-1.4 for new data centers and less than 1.5 for existing data centers.	ECMs included in a Utility Infrastructure Modernization plan designed to achieve PUE of 1.4 for existing data center.	Currently, no additional / new data centers planned	L
GOAL 3: Clean & Renewable Energy				
3.1	"Clean Energy" requires that the percentage of an agency's total electric and thermal energy accounted for by renewable and alternative energy shall be not less than: 10% in FY 2016-2017, working towards 25% by FY 25.	Multiple geothermal heat pump systems annually produce and consume on site approximately 6,550 MBTUs of thermal energy.	Develop on-site clean energy generation projects (primarily SolarPV) through UESC and / or PPA funding.	M

SSPP Goal #	DOE Goal	Performance Status	Planned Actions & Contribution	Risk of Non-attainment (L-Low, M-Medium, H-High)
3.2	“Renewable Electric Energy” requires that renewable electric energy account for not less than 10% of a total agency <u>electric</u> consumption in FY16-17, working towards 30% of total agency <u>electric</u> consumption by FY 2025.	Purchased Renewable Energy Credits equivalent to 10% of total MW hrs of electric energy consumed in FY ‘15	Increase Renewable Energy Credit purchase to, at a minimum, maintain interim annual goal percentage, working towards the 30% goal by FY 25.	L
GOAL 4: Water Use Efficiency and Management				
4.1	36% potable water intensity (Gal per gross square foot) reduction by FY 2025 from a FY 2007 baseline. (2015 target: 16%)	<u>Achieved</u> interim FY 15 target (16% reduction from FY 07 baseline)	Identify, develop significant potable water reduction strategies and /or alternative sources, and implement as cost effective.	H
4.2	30% water consumption (Gal) reduction of industrial, landscaping, and agricultural (ILA) water by FY 2025 from a FY 2010 baseline.	<u>Achieved</u> interim FY 15 target (16% reduction from FY 07 baseline)	Identify, develop significant potable water reduction strategies and /or alternative sources, and implement as cost effective.	H
GOAL 5: Fleet Management				
5.1	20% reduction in annual petroleum consumption by FY 2015 relative to a FY 2005 baseline; maintain 20% reduction thereafter. (2015 target: 20%)	Fleet annual petroleum consumption decreased to 2,410 gallons in FY ‘15, approximately <u>56%</u> below the FY 2005 baseline, <u>exceeding the 2% annual reduction goal.</u>	Jefferson Lab has <u>exceeded</u> the FY 2015 goal, and will maintain a 20% (minimum) annual reduction target	L
5.2	10% increase in annual alternative fuel consumption by FY 2015 relative to a FY 2005 baseline; maintain 10% increase thereafter. (2015 target: 10%)	Fleet annual alternative fuel consumption (E85) increased 3,224 gallons in FY ‘15, approximately 430% above the FY 2005 baseline, exceeding the 10% annual goal.	Jefferson Lab has exceeded the FY 2015 goal, and will maintain a 10% (minimum) annual reduction target	L
5.3	30% reduction in fleet-wide per-mile greenhouse gas emissions reduction by FY 2025 from a FY 2014 baseline. (2015 target: N/A; 2017 target: 4%)	N/A	Establish FY 14 baseline as developed for each site by the SPO. Determine strategies to achieve the 30% reduction by FY 25, and interim goals.	L



SSPP Goal #	DOE Goal	Performance Status	Planned Actions & Contribution	Risk of Non-attainment (L-Low, M-Medium, H-High)
5.4	75% of light duty vehicle acquisitions must consist of alternative fuel vehicles (AFV). (2015 target: 75%)	<u>100%</u> of light duty vehicle fleet are AFVs, exceeding the FY 15 target of 75%	<u>100%</u> of light duty vehicle replacements are scheduled to be AFVs	L
5.5	50% of passenger vehicle acquisitions consist of zero emission or plug-in hybrid electric vehicles by FY 2025. (2015 target: N/A)	N/A	Limited passenger vehicle fleet (4) vehicles. Replace existing vehicles with zero emission &/or plug-in hybrids as vehicles are scheduled for replacement and available to achieve 50% goal.	L
GOAL 6: Sustainable Acquisition				
6.1	Promote sustainable acquisition and procurement to the maximum extent practicable, ensuring BioPreferred and biobased provisions are 95% of applicable contracts	FAR clauses regarding sustainability included in all appropriate acquisition contracts	Continue current best practices that achieve 95% goal. Implement measure procedures in FY '16 to assure	L
GOAL 7: Pollution Prevention & Waste Reduction				
7.1	Divert at least 50% of non-hazardous solid waste, excluding construction and demolition debris.	Annual non-hazardous solid waste diverted from landfill / recycled = <u>73.4%</u>	Continue current best practices that contribute to exceeding the 50% goal.	L
7.2	Divert at least 50% of construction and demolition materials and debris.	Annual construction materials diverted from landfill / recycled = <u>97.2%</u>	Continue current best practices that contribute to exceeding the 50% goal.	L
GOAL 8: Energy Performance Contracts				
8.1	Annual targets for performance contracting to be implemented in FY 2017 and annually thereafter as part of the planning of section 14 of E.O. 13693.	In FY 15 Jefferson Lab advanced a UESC program from preliminary to feasibility study stage.	Scheduled to initiate initial UESC contract award / task order in Qtr 2 FY '16	L
GOAL 9: Electronic Stewardship				

SSPP Goal #	DOE Goal	Performance Status	Planned Actions & Contribution	Risk of Non-attainment (L-Low, M-Medium, H-High)
9.1	Purchases – 95% of eligible acquisitions each year are Electronic Product Environmental Assessment Tool (EPEAT)-registered products.	<u>98%</u> of eligible products purchased in FY '15 were compliant with EPEAT (bronze, silver or gold) registration	Continue EPEAT product registered procurement at level exceeding the 95% target.	L

3.5.2. REDUCTIONS IN THE GENERATION AND/OR TOXICITY OF HAZARDOUS WASTE THROUGH POLLUTION PREVENTION

In 2015 Jefferson Lab made significant upgrades to utility infrastructure through the Utility Infrastructure Modernization (UIM) project and initiated the construction of the ESH&Q Building located in the central portion of the facility. The planning of these activities incorporated waste minimization and pollution prevention evaluations. Opportunities to reduce waste generation were identified and implemented across the lab, notable activities include:

- Donating over \$60K worth of materials and supplies to local schools.
- Recycling over seven tons of Automatic Data Processing equipment with an R2 (Responsible Recycling standard) certified vendor.
- Recycling over 140 tons of scrap metals.
- Re-use of on-site concrete construction debris.
- Re-utilizing over \$40k equipment that was in excess of other needs.



3.5.3. REDUCTION OR ELIMINATION OF ACQUISITION OF TOXIC AND HAZARDOUS CHEMICALS AND MATERIALS

Purchase requests for hazardous materials are approved by Jefferson Lab's ESH&Q staff to ensure that the most environmentally preferable products are acquired and used.

3.5.4. ENVIRONMENTALLY PREFERABLE PURCHASING

Jefferson Lab promotes the purchasing of DOE-Priority Products through the Greenbuy Program and provides ready access to recycled content/remanufactured products. Facilities Management and Logistics explores opportunities to find vendors that recycle items no longer needed for operations.

3.5.5. ELECTRONIC STEWARDSHIP

Jefferson Lab utilizes the EPA's Electronic Product Environmental Assessment Tool (EPEAT) when selecting energy efficient desktop and laptop computers and computer monitors. The laboratory tracks the purchase of this type of equipment. Energy savings, based on the rated efficiencies of the equipment, can then be calculated and reported.

3.5.6. RECYCLING PRACTICES

Recycling is standard practice for Jefferson Lab. Recycling containers are featured in every office, conference, and break room. Jefferson Lab staff, users, and subcontractors also utilize lab-wide office product recycling centers. These collect: aluminum cans, small batteries, cardboard, printer cartridges, paper wastes, telephone books, and plastic and glass bottles.

In 2015, with construction debris, scrap metal, and automatic data processing equipment included, approximately 781.5 tons of material was recycled. The overall percentage of material diverted from landfills in 2015 was 88.1%.

3.6. OTHER ENVIRONMENTAL STATUTES

3.6.1. OIL POLLUTION CONTROL

Jefferson Lab has a current Spill Prevention, Control, and Countermeasure (SPCC) Plan, which complies with the requirements of 40 CFR Part 112 for Oil Pollution Prevention. The SPCC Plan describes methods to prevent, control, and/or mitigate releases of oil and other petroleum substances to the environment. The Plan also describes the proper handling, use and transport of petroleum products on-site along with proper spill containment, clean-up,



and disposal of the spilled material. To ensure proper handling and spill response, all staff, working with oil, receives annual SPCC training. On-site oil inventory comprises numerous oil-containing transformers, generators, compressors, above-ground storage tanks, and mechanical equipment. Jefferson Lab's estimated volume of oil is approximately 40,000 gallons; this includes utility-owned electrical equipment.

3.7. UNPLANNED RELEASES

During 2015, Jefferson Lab ES&H staff continued to provide environmental guidance on spill prevention strategies to incorporate during activities occurring at the facility. Environmental guidance was provided to project managers during the initial planning phases of projects in order to identify potential contaminant sources along with providing strategies for pollution prevention during activities. Oil worker training and chemical safety training was also provided to applicable staff in order to update knowledge of spill prevention and the control of releases that may occur onsite.

The following list summarizes the unplanned releases that occurred onsite during 2015:

January 19, 2015

ES&H staff responded to a report from Cryogenics Department staff of a small hydraulic fluid release (approximately 1 gallon) adjacent to Central Helium Liquefier (CHL) building located in the southeastern portion of the site. The release was associated with a failed hydraulic hose on a liquid nitrogen delivery truck that had arrived onsite. Absorbent materials were placed on the spilled materials and no contaminants migrated from the immediate area to downstream stormwater conveyances or sanitary sewer system drains.

February 8, 2015

ES&H staff responded to a report from Cryogenics Department staff of a small hydraulic fluid release (approximately 1 pint) adjacent to the CHL building located in the southeastern portion of the site. The release was associated with a failed hydraulic hose on a liquid nitrogen delivery truck that had arrived onsite. All containment and clean-up efforts were accomplished by the truck driver that was trained in spill response and utilized a spill kit that was in the delivery truck. Absorbent materials were placed on the spilled materials and no contaminants migrated from the immediate area to downstream receiving stormwater conveyances or sanitary sewer drains.

February 24, 2015

ES&H and Facilities Management & Logistics (FML) staff responded to a report from a research student of a small gasoline leak (approximately ½ gallon) associated with a personal vehicle located in the CEBAF Center parking located in the northwestern portion of the site. The leak appeared to be associated with the fuel line in the rear of the car. FML fire protection specialist assisted with the clean-up and contacted the owner to arrange for the vehicle to be removed from the site. Absorbent materials were placed on the spill materials and no contaminants migrated from the immediate area to downstream receiving stormwater conveyances or sanitary sewer drains.

March 25, 2015

ES&H and FML staff responded to a report of a small leak associated with a cooling located adjacent to Building 92 in the southwestern portion of the site. The leak was occurring along the base of the tower and draining into the existing concrete basin. FML immediately installed a sump pump and associated containment trench to prevent materials from migrating from the area until the cooling tower could be decommissioned from service. A temporary cooling tower was installed and FML subcontractors have started the installation of a new permanent tower that is planned for final completion by the end of summer 2015. No contaminants migrated from the immediate area to downstream receiving stormwater conveyances or sanitary sewer drains.

November 4, 2015

ES&H staff responded to a report from FML staff that a release of slurry from drilling operations had occurred to the east of the Guard Shack (Building 51) and to the south of the Radiation Control (Radcon) trailer (Building 52C) located in the central portion of the site. The release was caused by an overflow of slurry materials being discharged into a containment tank. Approximately 30 gallons of slurry discharged to the surrounding ground surface, with approximately 10 gallons discharging to a nearby downgradient stormwater channel before being contained to prevent further migration. The site subcontractor installed a temporary dam within the receiving stormwater channel and immediately called an environmental remediation company onsite to remove the spilled materials with a vacuum truck. There were no materials that migrated from the immediate area and slurry was removed via vacuum truck for proper offsite disposal.

As mentioned previously, environmental education and outreach on illicit discharges to sanitary sewer and stormwater conveyances appeared to be effective in 2015 due to increased spill response

efficiency, increases in preventive measures, and overall improvements of awareness of the consequences of illicit discharges that could occur at Jefferson Lab.

3.8. SUMMARY OF PERMITS

Jefferson Lab held four active environmental permits in 2015:

Figure 5 – Environmental Permits in 2015

Permit Number	Permit Type
GW0047200	Groundwater withdrawal
VA0089320	Industrial Wastewater to Surface – Groundwater Quality
VAR040079	Municipal Separate Storm-Sewer System
HRSD 0117	Industrial Wastewater to Sanitary Sewer

3.9. ENVIRONMENTAL OVERSIGHT

Jefferson Lab’s exemplary environmental performance is due to the constant attention it receives from all parties involved in laboratory operations. The DOE Site Office, JSA, subcontractors, and various Commonwealth and local authorities provide continuous oversight of the lab’s environmental program. This includes routine inspections of construction projects, the MS4 System, effluent discharge locations for the sanitary sewer system, and waste storage.

Self-assessments, inspections, and work observations measure program effectiveness.

4.0 ENVIRONMENTAL MANAGEMENT SYSTEM

Jefferson Lab's EMS is designed to:

- Identify lab activities with the potential for environmental impacts.
- Mitigate and otherwise manage the impacts of these activities.
- Maintain compliance with applicable environmental protection requirements.
- Promote the long-term stewardship of the Lab's and our neighbors' natural resources.
- Encourage understanding and promote dialogue with interested parties.
- Assess performance, implement corrective actions where needed, and ensure continual improvement.

Jefferson Lab has invested in a multi-dimensional process to assure that its staff and contractors understand the potential impacts (both positive and negative) of their work on the environment and have the tools and training necessary to minimize the negative ones and maximize the positive ones.

As our compliance history and awards demonstrate, that on-going process has been successful.

Because EMS is about continuous improvement, a cross-cutting team of scientists, engineers, and other professionals are assembled, at least annually, to review progress, identify issues, and brainstorm possible solutions to better the system. This group reviews the previous year's EMS performance, discusses changes to lab operations, how these would affect the environment, and determines where the lab should focus its improvement activities. This analysis, reviewed by (among others) the Laboratory Director, identifies major focus areas (Objectives) as well as specific projects to support each focus area (Targets).

In May of 2015, ES&H staff contracted a qualified outside party to conduct a formal audit of the EMS. No non-conformances were identified during the audit. An audit report and plan to maintain conformance were provided by the auditor to provide Jefferson Lab with strategies for continuous improvement of the EMS.

Figure 6 – 2015 EMS Objectives and Target Summary below summarizes the Objectives and Targets for 2015.

Figure 6 – 2015 EMS Objectives and Target Summary

EMS Objective	Annual Targets	Status
OBJECTIVE 1 USE ELECTRICITY AND WATER MORE EFFICIENTLY	Track Emergency generator usage and report to management when 250 annual hours is being approached	Completed
	Develop stormwater management standards to be applied during infrastructure design, construction and maintenance	Completed
	Label all floor drains and drop inlets to improve compliance awareness	Ongoing
OBJECTIVE 2 REDUCE IMPACTS FROM THE USE OF HAZARDOUS MATERIALS AND OTHER CHEMICALS	Research less hazardous chemistry for cavity production	Completed
	Review grounds maintenance contract to assess current level of purchase of priority products and opportunities for improvement	Completed
	Review and recommend changes to specifications for waste management and environmental controls	Completed
OBJECTIVE 3 AFFECT POSITIVE ENVIRONMENTAL OUTCOMES FROM GENERAL LABORATORY OPERATIONS	Communications to increase office materials recycling	Completed
	Assure cafeteria subcontract contains requirements for priority purchases	Completed
	Participate in Earth Day	Completed

*Excerpts taken from the CY2015 Environmental Management System Target Implementation Plan.

4.1. ENVIRONMENTAL PERFORMANCE MEASUREMENT

In May 2015, the HRSD recognized Jefferson Lab for its environmental stewardship with a 2014 HRSD Platinum Achievement Award. Qualifying for this award requires maintaining an exemplary compliance record for over five consecutive years (the Platinum Award, for five-years perfect permit compliance, was awarded previously), and demonstrating a commitment to environmental excellence. Other criteria for Platinum Achievement status requires an organization to be subject to HRSD compliance requirements, is not found in significant non-compliance, and is not subject to any civil penalty during the period.

An existing program on www.FedCenter.gov allows Federal agencies to measure EMS performance using metrics developed to gauge the maturity and health of environmental programs, based on the requirements of the ISO 14001 standard. In 2015, Jefferson Lab’s EMS received a perfect score.



5.0 ENVIRONMENTAL RADIOLOGICAL PROTECTION PROGRAM AND DOSE ASSESSMENT

5.1. ENVIRONMENTAL RADIOLOGICAL MONITORING

Ionizing radiation and a variety of radioactive materials are by-products of research activities at Jefferson Lab. Any potential impacts have been significantly reduced by adhering to the philosophy of “as low as reasonably achievable” (ALARA) in dealing with potential sources of radiation. The potential dose to members of the public from various pathways, such as inhalation, ingestion, and skin absorption, is evaluated by the ESH&Q Division to demonstrate compliance with regulatory limits (as required by DOE Order 458.1, “Radiation Protection of the Public and the Environment”).

5.1.1. RADIATION IN THE ENVIRONMENT


People are exposed to radiation constantly:

- Cosmic radiation from extraterrestrial sources;
- Terrestrial radiation from naturally-occurring elements in the earth’s crust; and
- Man-made sources of radiation, notably from medical procedures.

Radiation exposure or “dose” is quantified in units of *rems*, and may be expressed as an individual dose or average amounts among groups or populations. Usually the millirem (mrem) is used to express the small doses associated with occupational and environmental exposure (1 mrem is 1/1000 of a rem). The SI unit in which dose is expressed is the *sievert* or millisievert (mSv). A sievert is equal to 100 rems, so 1 mSv is equal to 100 mrem.

Figure 7 – Comparison of Sources of Radiation Exposure shows the relative significance of various sources of radiation exposure to the average member of the public. According to the National Council on Radiation Protection and Measurements, as of 2006, the average individual radiation exposure in the U.S. from all sources now totals 620 mrem per year, up from an estimated 360 mrem in the early 1980’s. The increase can be attributed to medical uses of radiation.

Figure 7 – Comparison of Sources of Radiation Exposure



The DOE limits the potential dose to the public that is attributable to DOE facility operations to 100 mrem per year. Jefferson Lab has established an Alert Level of 10 mrem, either measured or estimated, for protection of the general public.

5.1.2. RADIATION EXPOSURE PATHWAYS AT JEFFERSON LAB

Two broadly-defined sources of potential radiation exposure exist at the Lab: *direct radiation* and *induced radioactivity*. Both types are produced during accelerator operations, but direct radiation has a potential impact only within close proximity to an operating accelerator on the site. Accelerator operation (i.e., running an electron beam) produces significant levels of direct radiation within the accelerator enclosure. This radiation is produced within the beam enclosure and its production stops when an accelerator is turned off. Almost all direct radiation is absorbed by extensive shielding, which is an integral part of accelerator design. Any possible exposure to this radiation decreases rapidly with distance from the accelerators, and is extremely small at the site boundary.

Jefferson Lab has an extensive monitoring network in and around the accelerator. There are approximately 50 active, real-time radiation monitors and a series of passive integrating detectors deployed around the accelerator site. Seven site boundary monitoring stations also collected direct radiation data in 2015. These monitoring stations are equipped with specialized detection devices, optimized for measuring radiation at close to background levels.

In addition to prompt radiation, the interaction of the accelerator beam with matter can cause the formation of radioactive materials through activation of matter (*induced radioactivity*). The beam lines, magnets, beam line components, targets, detectors, other experimental area equipment, and the energy dissipating devices (beam dumps) used to contain the beam's energy, may become activated. Cooling water, lubricants, and air in the beam enclosure may also become activated. Strict controls limit possible radiation exposure from these activated items and materials.

All materials exposed to the beam or to potential sources of transferable contamination are monitored for radioactivity prior to being released from local control. Jefferson Lab adheres to the DOE release limits for surface contamination, and follows DOE guidance for ensuring that materials being released contain no detectable induced radioactivity.


Controls are in place to minimize exposure from both direct and induced radiation to lab personnel, the environment, and the public. Access to the accelerator site and to areas containing radioactive material is strictly limited. Fencing, safety interlocks, signs, training, and other engineered and administrative controls prevent inadvertent or unnecessary exposures to direct radiation and induced radioactivity.

5.1.3. MONITORING OF POTENTIALLY ACTIVATED WASTEWATER

Water that could potentially become activated is sampled, analyzed, and discharged under HRSD Permit No. 0117 and VPDES Permit No. VA0089320. These wastewaters can include:


- CEBAF accelerator enclosure and experimental hall floor drainage¹
- Beam dump and target cooling water
- Environmental samples, once analyzed
- Groundwater extracted from beneath Halls A, B, and C

¹ The floor drain system is routed to a common sump. The system accumulates water from A/C condensate drains, spills and leaks from cooling water systems, cleaning activities, and minor in-leakage from surface/ground water.



The potential radiological constituents of Jefferson Lab’s wastewater discharge to HRSD in 2015 (see Figure 8 – Radioactive Discharges to HRSD, 2015) totaled 0.005335 curies (Ci) of tritium (versus a limit of 5 Ci) and 0.000497 Ci of total gamma-emitters (limit = 1 Ci). These potential releases are overestimates, as they use both measured levels of activity and Minimum Detectable Activity (MDA) values (e.g., detection limits) where activity cannot be measured.

Figure 8 – Radioactive Discharges to HRSD, 2015




** Almost all gamma emitter activity calculated from average MDA values

DOE regulates wastewater effluents under DOE Order 458.1. The Order requires wastewater treatment to reduce radioactivity content using the best available technology (BAT) at specified concentration thresholds, in keeping with the ALARA principle. Average discharge concentrations in 2015 remained a small fraction of the BAT treatment threshold.

5.1.4. AIRBORNE RADIONUCLIDES

Essentially all airborne radionuclide emissions from the Lab are the result of the release of air from accelerator enclosure vaults containing activation products resulting from beam interactions with the air. The interaction of the beam with air produces short-lived radionuclides such as Oxygen-15, Nitrogen-13, and Carbon-11, and smaller amounts of the longer-lived Hydrogen-3 (tritium). Airborne radionuclide production (and emission) typically occurs almost exclusively in the CEBAF accelerator at experimental Halls A and C and the beam switchyard portion of the accelerator. Other areas of CEBAF and the LERF contribute only a very small amount to the total emissions. See Figure 9 – Atmospheric Discharges of Radionuclides, 2015 below for a summary of estimated atmospheric releases from Jefferson Lab in 2015.

Figure 9 – Atmospheric Discharges of Radionuclides, 2015



Compliance with EPA regulations (40CFR61) requires Jefferson Lab to determine the potential for the maximum exposure to this radioactivity by a member of the public. Annual calculations using an EPA-approved computer model (CAP-88 PC, Ver. 4), show that Jefferson Lab’s operational emissions remain several orders of magnitude lower than the EPA’s 10 mrem/year dose limit for a member of the general public. The calculated 2015 dose to the Maximum Exposed Individual (MEI) among members of the public was 0.0062 mrem/year due to airborne releases. The location of the MEI was approximately 275 meters due south of the accelerator, in the Oyster Point office park. This MEI dose



represents a very conservative estimate, as the population in the office park would be expected to occupy their location for only 40 hours/week. CAP-88 does not distinguish between commercial or residential (up to 24 hour/day) presence.

5.1.5. DIRECT RADIATION MONITORING

Figure 10 – Direct Radiation Dose at Site Boundary, 2015 displays the radiation doses in mrem at the detectors that saw the largest dose from accelerator operations in 2015. This dose represents prompt, or direct, radiation exposure that would be experienced at the actual on-site boundary monitor location during accelerator operations. Note that the boundary dose shown is the total cumulative dose for the year. This does not, however, represent an estimate of the potential dose to a member of the public; under any credible scenario, that dose would be a small fraction of this amount.


Figure 10 – Direct Radiation Dose at Site Boundary, 2015

DIRECT RADIATION DOSE AT SITE BOUNDARY, 2014			
Period	Neutron (mrem)	Gamma (mrem)	Total (mrem)
Jan-June (RBM-2)	0.038	0.0095	0.0475
July-Dec (RBM-3)	0.003	0.00075	0.00375
TOTAL	0.041	0.01	0.051
Note: Gamma dose equivalent rates are estimated based on best known statistical correlation techniques.			

The dose was approximately 200 times less than the Lab’s design goal of 10 mrem/year (which is one-tenth of the DOE dose limit). See [Potential Dose to the Public and to Biota](#) for estimates of potential doses to the public.

Active (real-time) radiation measurement devices installed along the accelerator site boundary continued to be used to measure dose from direct radiation attributable to lab operations. Figure 11 shows the approximate locations of the Radiation Boundary Monitors (RBMs) that measure and log radiological information, along with the groundwater monitoring well network.

Figure 11 – Radiation Boundary Monitors and Groundwater Monitoring Wells



5.1.6. GROUNDWATER MONITORING

The underground CEBAF and associated experimental end stations lie in the Yorktown Formation. Groundwater occurs site-wide at a depth of approximately 3 to 25 feet below ground surface.

Under VPDES Permit No.VA0089320, Jefferson Lab monitors groundwater that is pumped from around the experimental halls and is discharged through Outfall 001 to the surface. The vast majority of the surface water leaving the site flows to the Big Bethel Reservoir via Brick Kiln Creek; with a smaller amount going to the lower James River.

In 2015, thirteen of the site's 34 wells (*See Figure 11 – Radiation Boundary Monitors and Groundwater Monitoring Wells*) were routinely monitored for radioactivity, using EPA or other approved sampling and analysis protocols. Wells are designated as A-ring, B-ring, C-ring, Hall D, or background. A-ring wells, located closest to the accelerator, are most likely to show the effects of soil and groundwater activation. B-ring wells are located further from potential sources of activation. Both A-ring and B-ring wells are sampled semi-annually. C-ring wells, positioned to represent conditions near the property boundaries, are sampled annually, along with the background well. Preoperational monitoring of Hall D wells was conducted on a quarterly basis. Hall D wells will most likely be incorporated into the next revision of Jefferson Lab's VPDES Permit in 2016.

Groundwater samples are analyzed for H-3 (tritium), Be-7 (beryllium), Mn-54 (manganese), and Na-22 (sodium). The VPDES permit specifies limits for radioactivity in the wells based on their location with respect to the accelerators. No accelerator-related radionuclides were detected in the groundwater in 2015.

5.1.7. OTHER ENVIRONMENTAL SURVEILLANCE

Jefferson Lab routinely collects environmental samples not required by any regulation or permit. Sediments from storm drainage channels and soils in areas that could potentially be affected (by contaminated runoff or storage and handling of radioactive materials) are sampled at a variety of locations on a location-specific frequency. Results of sampling continue to show that no significant radioactivity is being released to the environment through these pathways.

5.2. POTENTIAL DOSE TO THE PUBLIC

Controls are in place to minimize exposure from both direct radiation and radiation from activated materials to lab personnel, the environment, and the public. Access to the Accelerator Site and to



areas housing radioactive material is strictly limited. Fencing, safety interlocks, signage, training, and other engineered and administrative controls prevent inadvertent exposures to direct and induced radiation.

The direct dose and air emissions are the only sources for which any plausible contribution to public dose exists. In *Figure 12 – Jefferson Lab Radiological Dose Summary for 2015* - the maximum possible dose to the public assumes a 24-hour a day, 365-days-a-year exposure to the highest levels measured at the site boundary. However, it is not credible under any plausible conditions for a member of the public to actually receive this dose. The southern and western boundaries of the site, where the monitors are located, are heavily wooded and either undeveloped (to the south) or adjacent to a major roadway (Jefferson Avenue, to the west). All site boundaries are also posted with “U.S. Government – No Trespassing” signs.

Figure 12 - Jefferson Lab Radiological Dose Summary for 2015

JEFFERSON LAB RADIOLOGICAL DOSE SUMMARY FOR 2014				
Pathway	Dose to Maximally Exposed Individual, mrem	% of 100 mrem/yr DOE Limit	Estimated Population Dose, person-rem	Population within 80 km
Air*	0.0062	0.0062	0.0034	1,849,866
Water**	~0	~0	~0	
Release of materials**	<1	<1	~0	
Direct radiation***	0.051	0.051	~0	
Total, all pathways	0.057	0.057	0.0034	1,849,866
Plausible scenario †	0.009	0.009		
*From 2015 atmospheric modeling results for National Emission Standards for Hazardous Air Pollutants (NESHAP) reporting ** See text below and in section 5.2.1 *** From Boundary Radiation Monitors, before applying realistic exposure scenario (see text) † Total effective dose using a conservative, reasonable exposure scenario (see text)				

One can construct an exposure scenario in which a more realistic estimate of the maximum potential dose to a member of the public is obtained. A reasonably conservative scenario might involve exposure at the boundary in which an individual spent two hours per day walking along the site boundary or waiting for a Jefferson Avenue bus, and did so for 250 days of the year. Under this scenario, we can assign the average dose rate from monitoring to the individual for the entire occupancy duration. This hypothetical case represents a reasonably conservative scenario for the MEI for this source. Given these conditions, the MEI for this exposure path would have received 0.0029 mrem in 2015 from direct radiation, 0.0029% of the DOE limit of 100 mrem. The potential dose from air releases is modeled using appropriate exposure conditions. If we combine the dose from the scenario described with the dose to the MEI from air emissions, the maximum postulated dose from all

pathways to a member of the public from Jefferson Lab operations in 2015 is approximately 0.009 mrem.

There is no public or private use of the shallow aquifer in the vicinity of Jefferson Lab; thus, there is no exposure to the public via contact with or ingestion of groundwater. No accelerator-produced radioactivity was detected in any of the samples from the End Station Sump or in surface water. Considering the extremely small quantities of radioactivity that are potentially present in this effluent, the potential dose to a member of the public or biota from this pathway is insignificant. A 2013 RESRAD-based evaluation found that the total dose from pathways such as ingestion of plants, fish, meat, and milk, as well as all pathways related to surface water, was in the range of 10^{-8} mrem/year.

The total “potentially exposed population” reported herein is defined by DOE as those living within 80 km (50 miles) of the site. Population data from the 2010 Census uses an outer radius of 70 km. Population dose estimates in this report are based entirely on the NESHAP dose calculation. Dose beyond the site’s boundary is so low it cannot be reliably measured.


5.2.1. DOSE VIA UNRESTRICTED RELEASE OF MATERIALS AND EQUIPMENT

Jefferson Lab does not release any residual radioactive material, such as contaminated concrete or soil, so there are no resulting dose impacts to the public. The lab has developed a process to determine if potentially radioactive materials are to be managed as material containing residual radioactivity or as non-radioactive. All potentially activated or contaminated material and equipment is monitored prior to release from control. The program involves many hundreds of radiological surveys annually.

Jefferson Lab adheres to DOE limits for radioactive surface contamination (although little material with surface contamination is generated here). DOE Order 458.1 does not prescribe a specific limit for release of volumetrically-activated materials; therefore, the Lab has adopted methods and procedures that ensure equipment and materials being released contain no radioactivity distinguishable from background. Materials with potential for internal contamination or volumetric radioactivity that cannot be reliably assessed are treated as radioactive materials and are not released to the public.

Figure 13 – General Process for Materials Classification - summarizes Jefferson Lab’s process. This process is consistent with the approach recommended upon by a multi-agency task group regarding defining impacted areas and classifications of material.

Figure 13 – General Process for Materials Classification



The application of process knowledge comprises the first step in the characterization of materials for possible release. The approach at Jefferson Lab has historically been a conservative one: if materials were in the accelerator enclosure during beam operations, it is assumed that they may be activated, and they are subject to further analysis. Surveys and sampling and analysis are conducted by trained technicians using written procedures. Results of the surveys or other analyses are documented appropriately.

In 2015, the estimated volume of materials released through the process described above was about 9.5 tons of solid waste and an estimated 24.3 tons of scrap metals for recycling.

Potential doses to the public from undetected radioactivity in released materials have been assessed and documented as prescribed in various national and international standards. These standards and DOE guidance apply a benchmark value of 1 mrem/year for determining the significance of potential dose to the public. The measurement sensitivity of the Lab's procedures was evaluated against this benchmark as part of its technical basis, confirming that potential dose to a member of the public through this pathway is insignificant.

Independent review of Jefferson Lab's process for releasing materials from radiological control is conducted by DOE or a designated third party. These reviews are scheduled on a fiscal year basis; the 2015 review found no significant deficiencies in Jefferson Lab's program for clearance of material.

Jefferson Lab sought no Authorized Limits for the release of material containing residual radioactivity in 2015. All materials that exhibit radiation above background levels were managed as Radioactive Material, saved for beneficial reuse, or disposed. The only radioactive waste Jefferson Lab generated was Low-Level Radioactive Wastes (LLW). There were no high level wastes or any that would be categorized as special nuclear materials. Approximately 53,553 pounds of radioactive waste was transferred for off-site disposal as LLW in 2015. Materials were sent via two intermodal containers totaling 51 yd³.

The following documents provide further detail on the criteria for release of materials and management of waste:

- [Technical Basis for the Characterization, Management, and Disposal of Radioactive Waste Generated at Jefferson Lab](#) (January 2010)
- [Technical Basis for the Release of Solid Material From Radiological Control When Residual Radioactivity Levels are Indistinguishable From Background](#) (March 2009)

5.2.2. DOSE TO LOCAL BIOTA

Jefferson Lab can only estimate absorbed dose to local biota (aquatic or terrestrial). The DOE has provided guidance on evaluating dose that may be received by biota. DOE-Standard-1153-2002 provides screening values for both terrestrial and aquatic organisms. The internationally recommended dose limit for terrestrial biota, 0.1 rad/day, is the lowest limit for any biota. The rad is a dose unit similar to the rem, but it does not contain any of the risk factors associated with exposure to humans. Therefore, all criteria are met if doses do not exceed 0.1 rad/day.

The best indicators of dose to biota are the passive dosimeters placed at various locations around the property. These are the same types of dosimeters used to monitor worker exposure. In 2015, 36 locations were monitored by this method.



Earthen domes over Halls A, B, and C

During 2015, the site provided habitat for deer, foxes, raccoons, squirrels, groundhogs and other small mammals, reptiles, aquatic macroinvertebrates, and a wide variety of birds. The birds and some of the mammals roam the site, but others (like the groundhogs) live in an established burrow. The biota expected to receive the maximum dose would be ground-dwelling animals living in the earthen domes over the experimental halls.

Figure 14 – Distribution of 2015 Dose Reflected by Environmental Dosimeters - shows the frequency distribution of annual (2015) doses from the network of dosimeters. The maximum recorded dose was 51 mrem, measured at the east side of the Hall B dome. Dividing this value by 365 days yields a daily dose of 0.14 mrem/day, or less than 0.0002

rad/day, far below the most stringent criteria. *Figure 15 – Environmental Radiation vs. Limit* - illustrates these data.

Figure 14 –Distribution of 2015 Dose Reflected by Environmental Dosimeters





Figure 15 – Environmental Radiation Dose vs. Limit



5.3. UNPLANNED RADIOLOGICAL RELEASES

Jefferson Lab had no unplanned radiological releases in 2015.



6.0 GROUNDWATER PROTECTION PROGRAM

Figure 16 – Typical Cross Section of Boring at Jefferson Lab Site, compiled from several on-site boring logs, depicts a typical cross section. The CEBAF tunnel and experimental end stations are located underground within the Yorktown Formation. Activation of the groundwater and soil are potential source of groundwater contamination. Groundwater occurs site-wide at a depth of approximately 3 to 25 feet below grade. Groundwater quality in the soil surrounding the accelerator complex is the Commonwealth’s greatest concern with site operations.

Figure 16 – Typical Cross Section of Boring at Jefferson Lab Site

<i>Depth, ft.</i>	<i>Description</i>	
0	Loose to stiff, gray, sandy CLAY	
5	Loose, orange-brown clayey fine SAND	
7	Loose gray silty fine SAND	
12	Loose to firm, gray fine to medium SAND	
22	Very stiff, gray, shelly, sandy SILT	
27	Firm, white, cemented shells	
32	Firm, gray, very silty, fine SAND with shell fragments	
37	Very stiff, very sandy SILT with shell fragments	
40	Boring Terminated	

The monitoring of VPDES-permitted wells for groundwater quality continued in 2015, and provided much of the basis for the Groundwater Protection Program. Through a combination of engineered controls (e.g. shielding) designed into the CEBAF and LERF facilities, and adherence to operational limits, no measurable groundwater activation was produced on or offsite.

Many other programs at Jefferson Lab contribute to groundwater protection: spill prevention and control, pollution prevention and waste minimization, materials storage, and waste management are a few.

Relatively recent information places Jefferson Lab in a unique geologic position. Approximately 35 million years ago, a giant bolide² blasted a huge crater into the continental shelf. A bolide of this magnitude creates a complex crater with inner and outer rims.


As *Figure 17 – Delineation of Inner and Outer Craters* indicates, the outer rim of the crater lies across Newport News. The inner and outer rims have complex, characteristic stratigraphic features, as shown in *Figure 18 – Location of Jefferson Lab Relative to the Outer Rim of the Chesapeake Bay Bolide Crater*.

Figure 17 – Delineation of Inner and Outer Craters



² There is no consensus on the definition of a bolide. It is used here to mean an extraterrestrial body in the 1-10-km size range, which impacts the earth at velocities of literally faster than a speeding bullet (20-70 km/sec = Mach 75), explodes upon impact, and creates a large crater. "*Bolide*" is a generic term, used to imply that we do not know the precise nature of the impacting body . . . whether it is a rocky or metallic asteroid, or an icy comet, for example.

Figure 18 – Location of Jefferson Lab Relative to the Outer Rim of the Chesapeake Bay Bolide Crater



The red arrow (*Figure 18 – Location of Jefferson Lab Relative to the Outer Rim of the Chesapeake Bay Bolide Crater*) indicates the approximate location of Jefferson Lab relative to the Chesapeake Bay bolide crater. Site geology could be more complex than once thought. Notably, in this area, the Yorktown-Eastover aquifer is greatly diminished. Extensive studies of the groundwater characteristics within the outer rim show that even deeper aquifers were affected by the bolide, which evaporated water more than a mile deep. That water was replaced by saline water, which remains present to this day in the Potomac aquifer and other, deeper groundwater sources.

Jefferson Lab activities to date have involved only the Yorktown-Eastover aquifer; that aquifer is the focus of our Groundwater Protection Program. The Yorktown-Eastover aquifer is represented in the above figure by the blue layer between the orange-tan (Yorktown) and dark gray (Eastover) formations.

Preoperational monitoring of wells, installed around the Hall D complex, was conducted quarterly in 2015. This monitoring will continue in order to establish groundwater quality prior to Hall D operations. Thus far, groundwater data from wells around Hall D is consistent in quality with the remainder of the Jefferson Lab site.

7.0 QUALITY ASSURANCE (QA)

Extensive QA activities ensure that Jefferson Lab's environmental monitoring program continually performs in accordance with the principles of the QA Program and the requirements of DOE Order 458.1. The QA Program includes:

- Qualification of the laboratories that provide analytical services.
- Verification of certification to perform analytical work.
- Review of performance test results.
- Assessment of the adequacy of each subcontractor's internal quality control (QC) practices, recordkeeping, chain of custody, etc.

In addition to the internal QA performed by Jefferson Lab's Radiation Control Department, independent assessments are performed by the Quality Assurance & Continuous Improvement Department, the DOE Site Office, regulatory agencies such as the EPA and Virginia Department of Environmental Quality, and oversight groups within DOE. No QA concerns regarding environmental sampling protocols or results were noted in 2015.

An independent laboratory (James R. Reed & Associates) collected most of 2015's VPDES and HRSD permit-required water samples. Other samples that involve radiochemicals, including some required by the HRSD permit, are collected by the ESH&Q Division and analyzed in Jefferson Lab's radiological analysis lab (RAL). Eberline Services performed all subcontracted radiological analyses. Audits of Reed's collection procedures were performed, and the field efforts were found to be in accordance with protocol.

Samples collected by external analytical laboratories are analyzed for radiological (and non-radiological) attributes using standard EPA-approved analytical procedures. Both external facilities and Jefferson Lab have a continuing program of analytical laboratory QC. Participation in inter-laboratory crosschecks, analysis of various blanks, and replicate sampling and analysis verify data quality. ESH&Q Division staff and other responsible Jefferson Lab personnel review all analytical data for the samples analyzed under their subcontracts. The analytical results are reviewed relative to the accompanying QA/QC results and compared with regulatory limits for acceptability. These reviews include inspection of chain-of-custodies, sample stewardship, sample handling and transport, and sampling protocols. When applicable to the analysis requested, analytical labs must be appropriately certified.

On-going precision and accuracy are monitored by analysis of the following with each batch of samples taken under Permit VA0089320: laboratory standards, duplicate determinations, matrix spikes, and matrix spike duplicates. These data are used to calculate the relative standard deviation on all applicable parameters. The quality of the data is then evaluated and compared to regulatory limits to


determine acceptability. Satisfactory results from the vendors enable Jefferson Lab to validate compliance with the QA requirements in the permit.

Jefferson Lab and Eberline participated in the Mixed Analytic Performance Evaluation Program (MAPEP) conducted by DOE's Radiological and Environmental Services Laboratory, which is available to all DOE subcontractors. This program tests the quality of environmental radiological and non-radiological measurements and provides DOE with complex-wide comparability of measurement performance. In the two rounds of MAPEP QA testing in 2015, all relevant analyses by both Jefferson Lab and Eberline were acceptable. Results of the MAPEP testing can be found at:

<http://www.id.energy.gov/resl/mapep/mapepreports.html>.

Jefferson Lab also participates in an annual quality test for analysis of tritium. *Figure 19 – ERA Quality Control Program for Tritium Analysis* - demonstrates the agreement between the control samples and the values reported by our radioanalytical laboratory over time.

Figure 19 – ERA Quality Control Program for Tritium Analysis



8.0 ACRONYM LIST

	Definition
ALARA	As Low As Reasonably Achievable
AFV	Alternative Fuel Vehicles
BAT	Best Available Technology
Be-7	Beryllium-7
BMP	Best Management Practices
BOMARC	Boeing and Michigan Aerospace Research Center
BTU	British Thermal Unit
CASA	Center for Advanced Studies of Accelerators
CD	Critical Decision
CEBAF	Continuous Electron Beam Accelerator Facility
CHL	Central Helium Liquifier
Ci	Currie
CLAS12	CEBAF Large Acceptance Spectrometer for 12 GeV Upgrade
CMSA	Central Material Storage Area
CTF	Chiller Treatment Facility
DEQ	Department of Environmental Quality
DOD	Department of Defense
DOE	Department of Energy
EA	Environmental Assessment
ECM	Energy Conservation Measures
EEL	Experimental Equipment Lab
EISA	Energy Independence and Security Act
EIU	Energy Intensity Utilization
EMS	Environmental Management System
EPA	Environmental Protection Agency
EPCRA	Emergency Planning and Community Right-to-Know Act of 1986
EPEAT	Electronic Product Environmental Assessment Tool
ES&H	Environment, Safety and Health
ESH&Q	Environment, Safety, Health and Quality
FIFRA	Federal Insecticide, Fungicide, and Rodenticide Act
FML	Facilities Management & Logistics
FONSI	Finding of No Significant Impact
FY	Fiscal Year
GeV	Billion (Giga)-electron Volts
GHG	Greenhouse gas

	Definition
GP	Guiding Principles
GSF	Gross Square Foot
HEMSF	High Energy Mission Specific Facility
HPSB	High Performance and Sustainable Building
HRSD	Hampton Roads Sanitation District
ILA	Industrial, Landscaping, and Agricultural
ISM	Integrated Safety Management
Jefferson Lab	Thomas Jefferson National Accelerator Facility
JSA	Jefferson Science Associates, LLC
kg	Kilogram
kW	Kilowatt
LEEDS	Leadership in Energy and Environmental Design
LERF	Low Energy Recirculator Facility
LID/GI	Low Impact Development/Green Infrastructure
LLW	Low Level Radioactive Waste
Mn-54	Manganese-54
MAPEP	Mixed Analytic Performance Evaluation Program
MDA	Minimum Detectable Activity
MEI	Maximum Exposed Individual
METF	Maximum Extent Technically Feasible
mrem	millirem
mSv	millisievert
MS4	Municipal Separate Storm Sewer Systems
Na-22	Sodium-22
NASA	National Aeronautics and Space Administration
NEPA	National Environmental Policy Act
NESHAP	National Emission Standards for Hazardous Air Pollutants
ODS	Ozone-Depleting Substance
QA	Quality Assurance
QC	Quality Control
PUE	Power Utilization Effectiveness
Radcon	Radiation Control
RAL	Radiological Analysis Laboratory
RBM	Radiation Boundary Monitor
RCRA	Resource Conservation and Recovery Act
REC	Renewable Energy Credit
REM	Roentgen equivalent man

	Definition
SARA	Superfund Amendments and Reauthorization Act
SPCC	Spill Prevention, Control, and Countermeasure
SqFt	Square Feet
SQG	Small Quantity Generator
SRF	Superconducting Radiofrequency
SARA	Superfund Amendments and Reauthorization Act
TEDF	Technology Engineering and Development Facility
TMDL	Total Maximum Daily Load
UESC	Utility Energy Service Contract
UIM	Utility Infrastructure Modernization
UITF	Upgrade Injector Test Facility
VPDES	Virginia Pollutant Discharge Elimination System
VSMP	Virginia Stormwater Management Program
W	Watt

9.0 FIGURES

Figure 1 – Regional and Site Map of Jefferson Lab.....	5
Figure 2 – Status of EPCRA Reporting in 2015.....	9
Figure 3 – Jefferson Lab’s Active Water Permits 2014.....	13
Figure 4 – Jefferson Lab’s Sustainability Goal Performance.....	16
Figure 5 – Environmental Permits in 2015.....	24
Figure 6 – 2015 EMS Objectives and Target Summary.....	26
Figure 7 – Comparison of Sources of Radiation Exposure.....	28
Figure 8 – Radioactive Discharges to HRSD, 2015.....	30
Figure 9 – Atmospheric Discharges of Radionuclides, 2015.....	31
Figure 10 – Direct Radiation Dose at Site Boundary, 2015.....	32
Figure 11 – Radiation Boundary Monitors and Groundwater Monitoring Wells.....	33
Figure 12 - Jefferson Lab Radiological Dose Summary for 2015.....	35
Figure 13 – General Process for Materials Classification.....	37
Figure 14 –Distribution of 2015 Dose Reflected by Environmental Dosimeters.....	40
Figure 15 – Environmental Radiation Dose vs. Limit.....	40
Figure 16 – Typical Cross Section of Boring at Jefferson Lab Site.....	41
Figure 17 – Delineation of Inner and Outer Craters.....	42
Figure 18 – Location of Jefferson Lab Relative to the Outer Rim of the Chesapeake Bay Bolide Crater.....	43
Figure 19 – ERA Quality Control Program for Tritium Analysis.....	43