



EARTH SYSTEM SCIENCE

Data and Services

LAND Data Set Reference Sheet

December 2017

Physical Properties	Data Center	Selected Data Sets and Data Collections <i>Complete data set listings available through each individual data center. For more information about NASA's Earth Observing System Data and Information System (EOSDIS) data centers, see: https://earthdata.nasa.gov</i>
Fire Occurrence Extent, thermal anomalies	ASF DAAC http://www.asf.alaska.edu	<ul style="list-style-type: none"> ASF Data Pool of processed SAR data and images (Sentinel-1A, Sentinel-1B, SMAP, Seasat, ALOS PALSAR, JERS-1, RADARSAT-1, ERS-1, ERS-2, UAVSAR, AIRSAR) UAVSAR Repeat Pass Interferometric products
	GES DISC http://disc.sci.gsfc.nasa.gov	<ul style="list-style-type: none"> TRMM/TSDIS Fire Products (Daily Hot Spot Image and Monthly Composite Map of Fire Counts)
	LP DAAC https://lpdaac.usgs.gov	<ul style="list-style-type: none"> ASTER L1B Registered Radiance at the Sensor ASTER Level 1 Precision Terrain Corrected Registered At-Sensor Radiance ASTER Level 2 Surface Emissivity ASTER Level 2 Surface Kinetic Temperature ASTER Level 2 Surface Radiance ASTER Level 2 Surface Radiance SWIR Crosstalk MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity 5-Min L2 Swath 1 km MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity 8-Day L3 Global 0.05 Deg CMG MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity 8-Day L3 Global 1 km SIN Grid MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity Daily L3 Global 0.05 Deg CMG MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity Daily L3 Global 1 km SIN Grid MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity Daily L3 Global 5600 m SIN Grid MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity Monthly L3 Global 0.05 Deg CMG MODIS/Terra and MODIS/Aqua Surface Reflectance 8-Day L3 Global 250 m SIN Grid MODIS/Terra and MODIS/Aqua Surface Reflectance 8-Day L3 Global 500 m SIN Grid MODIS/Terra and MODIS/Aqua Surface Reflectance Daily L2G Global 1 km and 500 m SIN Grid MODIS/Terra and MODIS/Aqua Surface Reflectance Daily L2G Global 250 m SIN Grid MODIS/Terra and MODIS/Aqua Surface Reflectance Daily L3 Global 0.05 Deg CMG MODIS/Terra and MODIS/Aqua Thermal Anomalies/Fire 5-Min L2 Swath 1 km MODIS/Terra and MODIS/Aqua Thermal Anomalies/Fire 8-Day L3 1 km SIN Grid MODIS/Terra and MODIS/Aqua Thermal Anomalies/Fire Daily L3 1 km SIN Grid MODIS/Terra and MODIS/Aqua Thermal Anomalies/Fire Monthly L3 Global 500 m SIN Grid VIIRS/NPP Surface Reflectance Daily L2G Global 1 km and 500 m SIN Grid VIIRS/NPP Surface Reflectance Daily L3 Global 0.05 Deg CMG VIIRS/NPP Surface Reflectance 8-Day L3 Global 500 m SIN Grid VIIRS/NPP Surface Reflectance 8-Day L3 Global 1 km SIN Grid VIIRS/NPP Thermal Anomalies/Fire 6-Min L2 Swath 750 m
	ORNL DAAC http://daac.ornl.gov	<ul style="list-style-type: none"> CARVE: Alaskan Fire Emissions Database (AKFED), 2001-2013 Fire Intensity and Burn Severity Metrics for Circumpolar Boreal Forests, 2001-2013 Global Fire Emissions Database LBA-ECO LC-23 ASTER and MODIS Fire Data Comparison for Brazil: 2003-2004 LBA: Characterization of Vegetation Fire Dynamics for Brazil 2001-2003, and Forest Structure Measurements for GLAS Validation: Santarem 2004 NACP Peatland Landcover Type and Wildfire Burn Severity Maps, Alberta, Canada SAFARI 2000 Data Sets: ASTER and MODIS Fire Data Comparison; Emissions and MODIS Burned Areas
Gravity Gravity Field Models, Measurements	CDDIS https://cddis.nasa.gov	<ul style="list-style-type: none"> Ground Network/Satellite Measurements: Daily, hourly, and sub-hourly code and phase observations from GNSS ground network; Daily and hourly files of round trip time of flight from satellite laser ranging (SL ground network; Time-tagged range-rate measurements from DORIS ground network Daily and weekly precision satellite orbits derived from GNSS, SLR, and DORIS ground network observations. Note: Precise satellite orbits are required for higher level products. Station positions and velocities from GNSS, SLR, VLBI and DORIS ground networks

Gravity Gravity Field Models, Measurements (continued)	PO.DAAC http://podaac.jpl.nasa.gov	<ul style="list-style-type: none"> • GRACE Level 2 Monthly Gravity Field Estimates • Surface Mass Density Changes from GRACE (monthly mass grids of water equivalent thickness)
Land Cover & Land Use Change	ASDC https://eosweb.larc.nasa.gov	<ul style="list-style-type: none"> • Biomass Burning data set • Multi-angle Imaging SpectroRadiometer (MISR) Level 1B2 Terrain Data, Level 2 Surface Parameters, and Level 3 Component Global Land (daily, monthly, quarterly, and yearly) Products
	ASF DAAC http://www.asf.alaska.edu	<ul style="list-style-type: none"> • ASF Data Pool of processed SAR data and images (Sentinel-1A, Sentinel-1B, SMAP, Seasat, ALOS PALSAR, JERS-1, RADARSAT-1, ERS-1, ERS-2, UAVSAR, AIRSAR) • Global Boreal Forest Mapping Project, JERS-1 SAR image mosaics of Boreal North America, Winter 1997-98 and Summer 1998 • Global Rainforest Mapping Project, JERS-1 SAR image mosaics of rain forests in 1) the Amazon region, 2) Central American and South American Pantanal regions, 3) Africa, and 4) Southeast Asia • MEaSURES Wetlands Extent and Inundated Wetlands Time Series • SAR Data for Terrestrial Ecologists • UAVSAR Repeat Pass Interferometric products
	GES DISC http://disc.sci.gsfc.nasa.gov	<ul style="list-style-type: none"> • MODIS Normalized Difference Vegetation Index, MAIRS Monthly, 8-Day, and Monthly High Resolution, through Giovanni tool
	LP DAAC https://lpdaac.usgs.gov	<ul style="list-style-type: none"> • ASTER Global Digital Elevation Model (GDEM) 1 Arc-Second • ASTER L1B Registered Radiance at the Sensor • ASTER Level 1 Precision Terrain Corrected Registered At-Sensor Radiance • ASTER Level 2 Surface Radiance • ASTER Level 2 Surface Radiance SWIR Crosstalk-Corrected • ASTER Level 2 Surface Reflectance • ASTER Level 2 Surface Reflectance SWIR Crosstalk-Corrected • ASTER Level 3 Digital Elevation Model • ASTER Level 3 Orthorectified Images • MEaSURES Global Food Security Analysis-Support Data (GFSAD) at 30 m • MEaSURES Web-Enabled Landsat Data • MODIS/Terra 250 m Land Water Mask • MODIS/Terra and MODIS/Aqua Land Cover Dynamics Yearly L3 Global 500 m SIN Grid • MODIS/Terra and MODIS/Aqua Land Cover Type Yearly L3 Global 0.05Deg CMG • MODIS/Terra and MODIS/Aqua Land Cover Type Yearly L3 Global 500 m SIN Grid • MODIS/Terra and MODIS/Aqua Surface Reflectance 8-Day L3 Global 250 m SIN Grid • MODIS/Terra and MODIS/Aqua Surface Reflectance 8-Day L3 Global 500 m SIN Grid • MODIS/Terra and MODIS/Aqua Surface Reflectance Daily L2G Global 1 km and 500 m SIN Grid • MODIS/Terra and MODIS/Aqua Surface Reflectance Daily L2G Global 250 m SIN Grid • MODIS/Terra and MODIS/Aqua Surface Reflectance Daily L3 Global 0.05Deg CMG • MODIS/Terra and MODIS/Aqua Vegetation Indices 16-Day L3 Global 0.05Deg CMG • MODIS/Terra and MODIS/Aqua Vegetation Indices 16-Day L3 Global 1 km SIN Grid • MODIS/Terra and MODIS/Aqua Vegetation Indices 16-Day L3 Global 250 m SIN Grid • MODIS/Terra and MODIS/Aqua Vegetation Indices 16-Day L3 Global 500 m SIN Grid • MODIS/Terra and MODIS/Aqua Vegetation Indices Monthly L3 Global 0.05Deg CMG • MODIS/Terra and MODIS/Aqua Vegetation Indices Monthly L3 Global 1 km SIN Grid • MODIS/Terra Vegetation Continuous Fields Yearly L3 Global 250m SIN Grid • VIIRS/NPP Surface Reflectance Daily L2G Global 1 km and 500 m SIN Grid • VIIRS/NPP Surface Reflectance Daily L3 Global 0.05Deg CMG • VIIRS/NPP Surface Reflectance 8-Day L3 Global 500 m SIN Grid • VIIRS/NPP Surface Reflectance 8-Day L3 Global 1 km SIN Grid • VIIRS/NPP Thermal Anomalies/Fire 6-Min L2 Swath 750 m
	NSIDC DAAC https://nsidc.org/daac	<ul style="list-style-type: none"> • CLASIC07 Land Cover Classification Map • EASE-Grid and EASE-Grid 2.0 Land Cover Classifications Derived from Boston University MODIS/Terra Land Cover Data • Soil Moisture Experiment (SMEX) Data • SMAPVEX08 and SMAPVEX12 Land Cover Classification Map
ORNL DAAC http://daac.ornl.gov	<ul style="list-style-type: none"> • BOREAS Data Sets: BOREAS AFM-12 1 km AVHRR Seasonal Land Cover Classification; BOREAS TE-18 Landsat TM Physical Classification Image of the NSA • Characteristics of African Savanna Biomes for Determining Woody Cover • CMS: Land Cover Projections (5.6-km) from GCAM v3.1 for Conterminous USA, 2005-2095 • Decadal Land Use and Land Cover Classifications across India, 1985, 1995, 2005 	

Land Cover & Land Use Change (continued)	ORNL DAAC http://daac.ornl.gov (continued)	<ul style="list-style-type: none"> • Harmonized Global Land Use for Years 1500 -2100, V1 • LBA: Landsat TM and orthorectified ETM+ for legal Amazonia, and Land Use/Land Cover time series Ji-Parana Basin, Brazil 1986-2001, and Forest Structure Measurements for GLAS Validation: Santarem 2004 • MODIS Collection 5 Fixed Sites Subsetting and Visualization Tool • MODIS Collection 5 Land Product Subsets Web Service • MODIS Collection 6 Global Subsetting and Visualization Tool • MODIS Collection 6 Land Products Global Subsetting and Visualization Tool • NACP Aboveground Biomass and Carbon Baseline Data, U.S.A., 2000 • NACP MsTMIP: Global and North American Driver Data for Multi-Model Intercomparison • NACP North American Forest Dynamics Project • SAFARI 2000: MODIS L3 albedo and land cover data, Southern Africa
	SEDAC http://sedac.ciesin.columbia.edu	<ul style="list-style-type: none"> • Global Human Built-up And Settlement Extent (HBASE) Dataset From Landsat, v1 (2010) • Global Mangrove Forests Distribution, v1 • Global Man-made Impervious Surface (GMIS) Dataset From Landsat, v1 (2010) • India Annual Winter Cropped Area, v1 (2001–2016)
Soil Moisture	ASF DAAC http://www.asf.alaska.edu	<ul style="list-style-type: none"> • ASF Data Pool of processed SAR data and images (Sentinel-1A, Sentinel-1B, SMAP, Seasat, ALOS PALSAR, JERS-1, RADARSAT-1, ERS-1, ERS-2, UAVSAR, AIRSAR) • MEaSURES Wetlands Extent and Inundated Wetlands Time Series • SMAP L1A Raw Data (Half Orbit) • SMAP L1B RADAR Sigma-0 (Time Ordered) • SMAP L1C RADAR Sigma-0 (Half Orbit) • UAVSAR Repeat Pass Interferometric products
	GES DISC http://disc.sci.gsfc.nasa.gov	<ul style="list-style-type: none"> • A Multi-year Global Analysis Employing the Goddard EOS (GEOS) Data Assimilation System • Four-dimensional Assimilated Dataset for the TOGA COARE Intensive Observing Period (IOP) • Global Land Data Assimilation System (GLDAS) Model Products • North American Land Data Assimilation System Hourly Data Products
	GHRC DAAC http://ghrc.nsstc.nasa.gov	<ul style="list-style-type: none"> • GPM Ground Validation Environment Canada (EC) Passive Microwave Radiometer and Soil Moisture-Temperature Data GCPEX • GPM Ground Validation USDA ARS Soil Moisture IFloodS • NRT AMSR2 Unified L2B Half-Orbit 25 km EASE-Grid Surface Soil Moisture
	NSIDC DAAC https://nsidc.org/daac	<ul style="list-style-type: none"> • AMSR-E/Aqua Daily L3 Surface Soil Moisture, Interpretive Parameters, & QC EASE-Grids • AMSR-E/Aqua L2B Surface Soil Moisture, Ancillary Parameters, & QC EASE-Grids • Aquarius L2 Swath Single Orbit Soil Moisture • Aquarius L3 Gridded 1-Degree Annual Soil Moisture • Aquarius L3 Gridded 1-Degree Daily, Weekly, & Monthly Soil Moisture • Aquarius L3 Gridded 1-Degree Monthly Soil Moisture Climatology • Aquarius L3 Gridded 1-Degree Seasonal Soil Moisture • Aquarius L3 Gridded 1-Degree Seasonal Soil Moisture Climatology • CLASIC07 Data • Daily Global Land Surface Parameters Derived from AMSR-E • SMAP L2 Radar Half-Orbit 3 km EASE-Grid Soil Moisture • SMAP L2 Radar/Radiometer Half-Orbit 9 km EASE-Grid Soil Moisture • SMAP L2 Radiometer Half-Orbit 36 km EASE-Grid Soil Moisture • SMAP L3 Radar Global Daily 3 km EASE-Grid Soil Moisture • SMAP L3 Radar Northern Hemisphere Daily 3 km EASE-Grid Freeze/Thaw State • SMAP L3 Radar/Radiometer Global Daily 9 km EASE-Grid Soil Moisture • SMAP L3 Radiometer Global Daily 36 km EASE-Grid Soil Moisture • SMAP L4 Global 3-hourly 9 km Surface and Rootzone Soil Moisture Analysis Update • SMAP L4 Global 3-hourly 9 km Surface and Rootzone Soil Moisture Geophysical Data • SMAP L4 Global 9 km Surface and Rootzone Soil Moisture Land Model Constants • SMAP L4 Global Daily 9 km Carbon Net Ecosystem Exchange • SMAPVEX08 and SMAPVEX12 Data • Soil Moisture Experiment (SMEX) Data
	ORNL DAAC http://daac.ornl.gov	<ul style="list-style-type: none"> • AirMOSS: L4 Modeled Volumetric Root Zone Soil Moisture, 2012-2015 • BOREAS Data Set: BOREAS HYD-06 Ground Gravimetric Soil Moisture • FIFE Data Set: Soil Moisture Gravimetric Data • Soil Moisture Profiles and Temperature Data from SoilSCAPE • Soil Moisture Visualizer

Soils	NSIDC DAAC https://nsidc.org/daac	<ul style="list-style-type: none"> • AMSR-E/Aqua Daily L3 Surface Soil Moisture, Interpretive Parameters, & QC EASE-Grids • AMSR-E/Aqua L2B Surface Soil Moisture, Ancillary Parameters, & QC EASE-Grids • Aquarius L2 Swath Single Orbit Soil Moisture • Aquarius L3 Gridded 1-Degree Daily, Weekly, & Monthly Soil Moisture • Aquarius L3 Gridded 1-Degree Seasonal Soil Moisture • CLASIC07 Data • Cold Land Process Field Experiment (CLPX) Data • SMAPVEX08 and SMAPVEX12 Data • Soil Moisture Experiment (SMEX) Data
	ORNL DAAC http://daac.ornl.gov	<ul style="list-style-type: none"> • A Compilation of Global Soil Microbial Biomass Carbon, Nitrogen, and Phosphorus Data • AirMOSS: L2 Hourly In-Ground Soil Moisture at AirMOSS Sites, 2011-2015 • AirMOSS: L2/3 Volumetric Soil Moisture Profiles Derived From Radar, 2012-2015 • AirMOSS: L4 Modeled Volumetric Root Zone Soil Moisture, 2012-2015 • NACP MsTMIP: Global and North American Driver Data for Multi-Model Intercomparison • NACP MsTMIP: Unified North American Soil Map • RegridDED Harmonized World Soil Database v1.2 • Soil Collection Data Sets: Global Gridded Surfaces of Selected Soil Characteristics (IGBP-DIS); Global Data Set of Derived Soil Properties, 0.5-Degree Grid (ISRIC-WISE) • Soil Moisture Profiles and Temperature Data from SoilSCAPE Sites, USA • Soil Moisture Visualizer
Solid Earth Earth Orientation Parameters (EOP), Crustal Dynamics, Geodesy	ASF DAAC http://www.asf.alaska.edu	<ul style="list-style-type: none"> • ASF Data Pool of processed SAR data and images (Sentinel-1A, Sentinel-1B, SMAP, Seasat, ALOS PALSAR, JERS-1, RADARSAT-1, ERS-1, ERS-2, UAVSAR, AIRSAR) • UAVSAR Repeat Pass Interferometric products
	CDDIS https://cddis.nasa.gov	<ul style="list-style-type: none"> • Daily and weekly Earth Orientation Parameters (EOP) - polar motion and rates, length-of-day values, nutation) derived from GNSS, SLR, VLBI, and DORIS ground network measurements • Daily and hourly files of round trip time of flight from satellite laser ranging (SLR) ground network • GNSS data from National Geospatial-Intelligence Agency (NGA) sites • Ground Network/Satellite Measurements: Daily, hourly, and sub-hourly code and phase observations from GNSS ground network • Station positions and velocities from GNSS, SLR, VLBI and DORIS ground networks • Time-tagged range-rate measurements from DORIS ground network
Surface Temperature	ASDC https://eosweb.larc.nasa.gov	<ul style="list-style-type: none"> • Clouds and the Earth's Radiant Energy System (CERES) TOA/Surface Fluxes, Clouds, and Aerosols (SSF1deg), Single Scanner Footprint TOA/Surface Fluxes and Clouds (SSF), SYN1deg Products [from TRMM, Terra, and Aqua] • International Satellite Cloud Climatology Project (ISCCP) D1 and D2 data products • Surface Radiation Budget (SRB) data sets (monthly)
	GES DISC http://disc.sci.gsfc.nasa.gov	<ul style="list-style-type: none"> • A Multi-year Global Analysis Employing the Goddard EOS (GEOS) Data Assimilation System • Goddard DAAC Climatology Interdisciplinary Data Collection • MODIS Land Surface Temperature, MAIRS Monthly, 8-day, and Monthly High Resolution, through Giovanni tool • TOVS Pathfinder Path A Atmospheric and Surface Parameters
	LP DAAC https://lpdaac.usgs.gov	<ul style="list-style-type: none"> • ASTER Global Emissivity Dataset (GED), 2000-2008, 100 m and 1 km • ASTER Global Emissivity Dataset (GED), Monthly, 0.05 degree • ASTER Level 2 Surface Emissivity • ASTER Level 2 Surface Kinetic Temperature • ASTER Level 3 Orthorectified Images • MODIS/Terra and MODIS/Aqua Land Surface Temperature /3-Band Emissivity 5-Min L2 Swath 1 km • MODIS/Terra and MODIS/Aqua Land Surface Temperature /3-Band Emissivity 8-Day L3 Global 1 km SIN Grid • MODIS/Terra and MODIS/Aqua Land Surface Temperature /3-Band Emissivity Daily L3 Global 1 km SIN Grid Day • MODIS/Terra and MODIS/Aqua Land Surface Temperature /3-Band Emissivity Daily L3 Global 1 km SIN Grid Night • MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity 5-Min L2 Swath 1 km • MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity 8-Day L3 Global 0.05Deg CMG • MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity 8-Day L3 Global 1 km SIN Grid • MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity Daily L3 Global 0.05Deg CMG • MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity Daily L3 Global 1 km SIN Grid • MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity Daily L3 Global 5600 m SIN Grid • MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity Monthly L3 Global 0.05Deg CMG • MODIS/Terra and MODIS/Aqua Thermal Anomalies/Fire 5-Min L2 Swath 1 km • MODIS/Terra and MODIS/Aqua Thermal Anomalies/Fire 8-Day L3 1 km SIN Grid

Surface Temperature (continued)	LP DAAC https://lpdaac.usgs.gov (continued)	<ul style="list-style-type: none"> • MODIS/Terra and MODIS/Aqua Thermal Anomalies/Fire Daily L3 1 km SIN Grid • VIIRS/NPP Land Surface Temperature and Emissivity 6-Min L2 Swath 750 m • VIIRS/NPP Thermal Anomalies/Fire 6-Min L2 Swath 750 m
	NSIDC DAAC https://nsidc.org/daac	<ul style="list-style-type: none"> • Daily Global Land Surface Parameters Derived from AMSR-E • IceBridge KT19 IR Surface Temperature • IceBridge NSERC L1B Geolocated Meteorologic and Surface Temperature Data
	ORNL DAAC http://daac.ornl.gov	<ul style="list-style-type: none"> • BOREAS Data Set: BOREAS TE-11 Surface Meteorological Data • Daymet: Daily Surface Weather Data on a 1 km Grid for North America, Version 3 • SAFARI 2000 TOVS Surface and Atmospheric Data
	SEDAC http://sedac.ciesin.columbia.edu	<ul style="list-style-type: none"> • Global Urban Heat Island (UHI) - average summer daytime max/nighttime min land surface temperatures within urban areas and surrounding rural areas, as well as the temperature difference between urban and rural areas.
Surface Topography Elevation, slope, DEMs	ASF DAAC http://www.asf.alaska.edu	<ul style="list-style-type: none"> • ASF Data Pool of processed SAR data and images (Sentinel-1A, Sentinel-1B, SMAP, Seasat, ALOS PALSAR, JERS-1, RADARSAT-1, ERS-1, ERS-2, UAVSAR, AIRSAR) • SAR Data for Terrestrial Ecologists (PALSAR GeoTIFF subsets of 42 flux tower locations) • UAVSAR Repeat Pass Interferometric products
	CDDIS https://cddis.nasa.gov	<ul style="list-style-type: none"> • Ground Network/Satellite Measurements: Daily, hourly, and sub-hourly code and phase observations from GNSS ground network; Daily and sub-daily GNSS satellite orbits and clocks; Daily and hourly files of round trip time of flight from satellite laser ranging (SLR) ground network; Time-tagged range-rate measurements from DORIS ground network • Station positions and velocities from GNSS, SLR, VLBI and DORIS ground networks
	LP DAAC https://lpdaac.usgs.gov	<ul style="list-style-type: none"> • ASTER Global Digital Elevation Model (GDEM) 1 Arc-Second • ASTER Level 3 Digital Elevation Model • NASA Shuttle Radar Topography Mission (SRTM) Digital Elevation Model Global 1 Arc-Second
	NSIDC DAAC https://nsidc.org/daac	<ul style="list-style-type: none"> • Antarctic 5-km Digital Elevation Model from ERS-1 Altimetry • GLAS/ICESat 1 km Laser Altimetry Digital Elevation Model of Greenland • GLAS/ICESat 500 m Laser Altimetry Digital Elevation Model of Antarctica • GLAS/ICESat L1B Global Elevation Data • GLAS/ICESat L2 Global Land Surface Altimetry Data • Greenland 5 km DEM, Ice Thickness, and Bedrock Elevation Grids • IceBridge Aircraft Data Sets (a large collection of data sets bridging the ICESat-1 and ICESat-2 missions) • IceBridge Level-4 ATM Surface Elevation Rate of Change • IceBridge LVIS L2 Geolocated Surface Elevation Product • IceBridge MCoRDS L3 Gridded Ice Thickness, Surface, and Bottom • MEaSURES Greenland Ice Mapping Project (GIMP) Digital Elevation Model • Radarsat Antarctic Mapping Project Digital Elevation Model Version 2 • RAMP AMM-1 SAR Image Mosaic of Antarctica
	ORNL DAAC http://daac.ornl.gov	<ul style="list-style-type: none"> • FLUXNET, MODIS ASCII Subset, and Net Primary Productivity (NPP) site elevation and other topographic feature extraction with WebGIS • Pre-ABOVE: Active Layer Thickness data suite
Vegetation Dynamics	ASDC https://eosweb.larc.nasa.gov	<ul style="list-style-type: none"> • Clouds and the Earth's Radiant Energy System (CERES) Synoptic Radiative Fluxes and Clouds (SYN1deg), Monthly Regional Radiative Fluxes and Clouds (SYN1deg), and Monthly Zonal and Global Radiative Fluxes and Clouds (SYN1deg) Products [from Terra and Aqua] • MISR Level 2 Surface Parameters and Level 3 Component Global Land (daily, monthly, quarterly, and yearly) Products
	ASF DAAC http://www.asf.alaska.edu	<ul style="list-style-type: none"> • ASF Data Pool of processed SAR data and images (Sentinel-1A, Sentinel-1B, SMAP, Seasat, ALOS PALSAR, JERS-1, RADARSAT-1, ERS-1, ERS-2, UAVSAR, AIRSAR) • Global Boreal Forest Mapping Project, JERS-1 SAR image mosaics of Boreal North America, Winter 1997-98 and Summer 1998 • Global Rainforest Mapping Project, JERS-1 SAR image mosaics of rain forests in 1) the Amazon region, 2) Central American and South American Pantanal regions, 3) Africa, and 4) Southeast Asia • MEaSURES Wetlands Extent and Inundated Wetlands Time Series • SAR Data for Terrestrial Ecologists (PALSAR GeoTIFF subsets of 42 flux tower locations)
	LP DAAC https://lpdaac.usgs.gov	<ul style="list-style-type: none"> • ASTER Global Emissivity Dataset (GED), 2000-2008, 100 m and 1 km • ASTER Global Emissivity Dataset (GED), Monthly, 0.05 degree • ASTER L1B Registered Radiance at the Sensor • ASTER Level 1 Precision Terrain Corrected Registered At-Sensor Radiance • ASTER Level 2 Surface Radiance

Vegetation Dynamics (continued)	LP DAAC https://lpdaac.usgs.gov (continued)	<ul style="list-style-type: none"> • ASTER Level 2 Surface Radiance SWIR Crosstalk-Corrected • ASTER Level 2 Surface Reflectance • ASTER Level 2 Surface Reflectance SWIR Crosstalk-Corrected • ASTER Level 3 Orthorectified Registered Radiance at the Sensor • MEaSURES Vegetation Index and Phenology (VIP) Vegetation Indices Daily Global 0.05 Deg CMG • MEaSURES Vegetation Index and Phenology (VIP) Vegetation Indices 7-Day Global 0.05 Deg CMG • MEaSURES Vegetation Index and Phenology (VIP) Vegetation Indices 15-Day Global 0.05 Deg CMG • MEaSURES Vegetation Index and Phenology (VIP) Vegetation Indices Monthly Global 0.05 Deg CMG • MEaSURES Vegetation Index and Phenology (VIP) Phenology EVI2 Yearly Global 0.05 Deg CMG • MEaSURES Vegetation Index and Phenology (VIP) Phenology NDVI Yearly Global 0.05 Deg CMG • MODIS/Aqua Ocean Reflectance Daily L2G-Lite Global 1 km SIN Grid • MODIS/Terra and MODIS/Aqua Gross Primary Productivity 8-day L4 Global 500m SIN Grid • MODIS/Terra and MODIS/Aqua Land Cover Dynamics Yearly L3 Global 500 m SIN Grid • MODIS/Terra and MODIS/Aqua Leaf Area Index/FPAR 4-Day L4 Global 500 m SIN Grid • MODIS/Terra and MODIS/Aqua Leaf Area Index/FPAR 8-Day L4 Global 500 m SIN Grid • MODIS/Terra and MODIS/Aqua Vegetation Indices 16-Day L3 Global 0.05 Deg CMG • MODIS/Terra and MODIS/Aqua Vegetation Indices 16-Day L3 Global 1 km SIN Grid • MODIS/Terra and MODIS/Aqua Vegetation Indices 16-Day L3 Global 250 m SIN Grid • MODIS/Terra and MODIS/Aqua Vegetation Indices 16-Day L3 Global 500 m SIN Grid • MODIS/Terra and MODIS/Aqua Vegetation Indices Monthly L3 Global 0.05 Deg CMG • MODIS/Terra and MODIS/Aqua Vegetation Indices Monthly L3 Global 1 km SIN Grid • MODIS/Terra Net Primary Productivity Yearly L4 Global 500 m SIN Grid • MODIS/Terra Vegetation Continuous Fields Yearly L3 Global 250 m SIN Grid
	NSIDC DAAC https://nsidc.org/daac	<ul style="list-style-type: none"> • AMSR-E/Aqua Daily L3 Surface Soil Moisture, Interpretive Parameters, & QC EASE-Grids • CLASIC07 Data • SMAPVEX08 and SMAPVEX12 Data • Soil Moisture Experiment (SMEX) Data
	ORNL DAAC http://daac.ornl.gov	<ul style="list-style-type: none"> • BigFoot Field Data for North American Sites, 1999-2003 • Field Campaign Vegetation Indices and Biology Data Sets: Photosynthesis, Biomass, Leaf Chlorophyll, and Leaf Area Index • Harmonized Global Land Use for Years 1500 -2100, V1 • LiDAR and DTM Data from Forested Land Near Manaus, Amazonas, Brazil, 2008 • LiDAR and DTM Data from Tapajos National Forest in Para, Brazil, 2008 • Model Archive: Archive of Biogeochemical Models [latest addition: MAPSS (Mapped Atmosphere-Plant-Soil System Model) Version 1.0] • MODIS Collection 5 Fixed Sites Subsetting and Visualization Tool • MODIS Collection 5 Land Product Subsets Web Service • MODIS Collection 6 Global Subsetting and Visualization Tool • MODIS Collection 6 Land Products Global Subsetting and Visualization Tool • NACP North American Forest Dynamics Project • NACP Site Synthesis: Terrestrial Biosphere Model and Flux Tower Data (three data sets within this category) • Phenoregions For Monitoring Vegetation Responses to Climate Change • Vegetation Collection: Net Primary Productivity data sets: Biomass Allocation and Growth Data of Seeded Plants and Leaf Area Index Maps
Volcanic Effects Frequency of occurrence, thermal anomalies, impact	ASDC https://eosweb.larc.nasa.gov	<ul style="list-style-type: none"> • Cloud-Aerosol Lidar and Infrared Pathfinder Satellite Observations (CALIPSO) Lidar Level 2 aerosol layer data (5 km) and aerosol profile data (5 km), Lidar Level 2 Vertical Feature Mask data • MISR Level 2 Aerosol Parameters, Level 2 TOA/Cloud Stereo Parameters, and Level 3 Component Global Aerosol Daily Product • MISR Plume • SAGE III Level 2 Solar Event Species Profiles • Stratospheric Aerosol and Gas Experiment (SAGE) II data set
	ASF DAAC http://www.asf.alaska.edu	<ul style="list-style-type: none"> • ASF Data Pool of processed SAR data and images (Sentinel-1A, Sentinel-1B, SMAP, Seasat, ALOS PALSAR, JERS-1, RADARSAT-1, ERS-1, ERS-2, UAVSAR, AIRSAR) • UAVSAR Repeat Pass Interferometric products
	LP DAAC https://lpdaac.usgs.gov	<ul style="list-style-type: none"> • ASTER L1B Registered Radiance at the Sensor • ASTER Level 1 Precision Terrain Corrected Registered At-Sensor Radiance • ASTER Level 2 Surface Emissivity • ASTER Level 2 Surface Kinetic Temperature • ASTER Level 2 Surface Radiance • ASTER Level 2 Surface Radiance SWIR Crosstalk-Corrected • ASTER Level 3 Digital Elevation Model

<p>Volcanic Effects Frequency of occurrence, thermal anomalies, impact (continued)</p>	<p>LP DAAC https://lpdaac.usgs.gov (continued)</p>	<ul style="list-style-type: none"> • ASTER Level 3 Global Digital Elevation Model (GDEM) 1 Arc-Second • MODIS/Terra and MODIS/Aqua Land Surface Temperature /3-Band Emissivity 5-Min L2 Swath 1 km • MODIS/Terra and MODIS/Aqua Land Surface Temperature /3-Band Emissivity 8-Day L3 Global 1 km SIN Grid • MODIS/Terra and MODIS/Aqua Land Surface Temperature /3-Band Emissivity Daily L3 Global 1 km SIN Grid Day • MODIS/Terra and MODIS/Aqua Land Surface Temperature /3-Band Emissivity Daily L3 Global 1 km SIN Grid Night • MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity 5-Min L2 Swath 1 km • MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity 8-Day L3 Global 0.05 Deg CMG • MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity 8-Day L3 Global 1 km SIN Grid • MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity Daily L3 Global 0.05 Deg CMG • MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity Daily L3 Global 1 km SIN Grid • MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity Daily L3 Global 5600 m SIN Grid • MODIS/Terra and MODIS/Aqua Land Surface Temperature/Emissivity Monthly L3 Global 0.05 Deg CMG • MODIS/Terra and MODIS/Aqua Surface Reflectance 8-Day L3 Global 250 m SIN Grid • MODIS/Terra and MODIS/Aqua Surface Reflectance 8-Day L3 Global 500 m SIN Grid • MODIS/Terra and MODIS/Aqua Surface Reflectance Daily L2G Global 1 km and 500 m SIN Grid • MODIS/Terra and MODIS/Aqua Surface Reflectance Daily L2G Global 250 m SIN Grid • MODIS/Terra and MODIS/Aqua Surface Reflectance Daily L3 Global 0.05 Deg CMG • MODIS/Terra and MODIS/Aqua Thermal Anomalies/Fire 5-Min L2 Swath 1 km • MODIS/Terra and MODIS/Aqua Thermal Anomalies/Fire 8-Day L3 1 km SIN Grid • MODIS/Terra and MODIS/Aqua Thermal Anomalies/Fire Daily L3 1 km SIN Grid • VIIRS/NPP Land Surface Temperature and Emissivity 6-Min L2 Swath 750 m • VIIRS/NPP Surface Reflectance 8-Day L3 Global 1 km SIN Grid • VIIRS/NPP Surface Reflectance 8-Day L3 Global 500 m SIN Grid • VIIRS/NPP Surface Reflectance Daily L2G Global 1 km and 500 m SIN Grid • VIIRS/NPP Surface Reflectance Daily L3 Global 0.05 Deg CMG • VIIRS/NPP Thermal Anomalies/Fire 6-Min L2 Swath 750 m
---	---	--

ASDC Atmospheric Science Data Center (ASDC)

ASF DAAC Alaska Satellite Facility DAAC

CDDIS Crustal Dynamics Data Information System

GES DISC Goddard Earth Sciences Data and Information Services Center

GHRC DAAC Global Hydrology Resource Center DAAC

LP DAAC Land Processes DAAC

NSIDC DAAC National Snow and Ice Data Center DAAC

ORNL DAAC Oak Ridge National Laboratory DAAC

PO.DAAC Physical Oceanography DAAC

SEDAC Socioeconomic Data and Applications Center

Produced by:
Earth Science Data and Information System (ESDIS) Project
Code 423
Goddard Space Flight Center
Greenbelt, MD 20771

For more information, please contact eosdis-outreach@lists.nasa.gov