

DCTD Standard Operating Procedures (SOP)

Title:	Tumor Frozen Needle Biopsy Specimen Collection and Handling			Page 1 of 11
Doc. #:	SOP340507	Revision:	D	Effective Date: 1/8/2013

National Clinical Target Validation Laboratory (NCTVL)

Applied Developmental Directorate

SAIC-Frederick, Inc.

Frederick National Laboratory for Cancer Research

Technical Reviewer:	<u>Yvonne A. Evrard</u>	Date:	<u>Jan 8, 2013</u>
NCTVL Reviewer:	<u>Jiuping Ji</u>	Date:	<u>1-10-13</u>
IQC Approval:	<u>Katherine V. Ferry-Galow</u>	Date:	<u>1-11-13</u>
LHTP Approval:	<u>Ralph E. Parchment</u>	Date:	<u>Jan 14, 2013</u>
DCTD OD Approval:	<u>Joseph E. Tomaszewski</u>	Date:	<u>                    </u>

Change History

Revision	Approval Date	Description	Originator	Approval
--	8/25/2006	New Document	YZ	JJ
A	10/13/2006	Revision with New Shipping Address	YZ	JJ
B	7/24/2009	Updated SOP format and prepared for publication to the DCTD Biomarkers Web site	YAE	JJ
C	12/29/2010	Update sample snap freeze to dry ice/ethanol bath or liquid nitrogen.	YAE	JJ
D	1/8/2013	Update handling in surgical suite including details on halving of biopsy. Record total time elapsed from biopsy collection to freezing.	YAE, MM	JJ

**Please check for revision status of the SOP at**

<http://dctd.cancer.gov/ResearchResources/ResearchResources-biomarkers.htm>

**and be sure to use the current version.**



Frederick



DCTD Standard Operating Procedures (SOP)

Title:	Tumor Frozen Needle Biopsy Specimen Collection and Handling			Page 2 of 11
Doc. #:	SOP340507	Revision:	D	Effective Date:
				1/8/2013

**TABLE OF CONTENTS**

1.0 PURPOSE .....3

2.0 SCOPE .....3

3.0 ABBREVIATIONS .....3

4.0 INTRODUCTION .....3

5.0 ROLES AND RESPONSIBILITIES .....4

6.0 MATERIALS AND EQUIPMENT REQUIRED .....5

7.0 OPERATING PROCEDURES .....6

8.0 SHIP TO NCTVL FOR ANALYSIS (OPTIONAL) .....8

APPENDIX 1: BATCH RECORD .....9

APPENDIX 2: PD SAMPLE SHIPPING MANIFEST .....11

## DCTD Standard Operating Procedures (SOP)

Title:	Tumor Frozen Needle Biopsy Specimen Collection and Handling			Page 3 of 11
Doc. #:	SOP340507	Revision:	D	Effective Date: 1/8/2013

### 1.0 PURPOSE

Standardize the method for collecting and handling frozen needle tumor biopsies to enable specimen use for measurement of pharmacodynamic (PD) markers following treatment with anticancer agents.

### 2.0 SCOPE

This procedure applies to all personnel involved in the collection and handling of frozen needle tumor biopsies for use in PD marker assays during clinical trials. The goal of this SOP and associated training is to ensure consistency in tumor needle biopsy collection and handling between clinical sites.

### 3.0 ABBREVIATIONS

DCTD	=	Division of Cancer Treatment and Diagnosis
ELISA	=	Enzyme-Linked ImmunoSorbent Assay
ID	=	Identification / Identifier
IQC	=	Internal Quality Control
LHTP	=	Laboratory of Human Toxicology and Pharmacology
NCTVL	=	National Clinical Target Validation Laboratory
PADIS	=	Pharmacodynamics Assay Development & Implementation Section
PD	=	Pharmacodynamic
SOP	=	Standard Operating Procedure

### 4.0 INTRODUCTION

Specimen handling, shipping, and storage procedures (pre-analytical variables) can have a significant impact on the reliability of biomarker measurements in the laboratory. Following detailed steps for sample collection and handling procedures and recording any deviations from this procedure allows retrospective identification of artifactual changes in biomarker readout and increases the reliability of the data and validity of the analytical results.

DCTD Standard Operating Procedures (SOP)

Title:	Tumor Frozen Needle Biopsy Specimen Collection and Handling			Page 4 of 11
Doc. #:	SOP340507	Revision:	D	Effective Date: 1/8/2013

**5.0 ROLES AND RESPONSIBILITIES**

**Laboratory Director/Supervisor** The Laboratory Director/Supervisor, directs laboratory operations, supervises technical personnel and reporting of findings, and is responsible for the proper performance of all laboratory procedures. The Laboratory Director/Supervisor oversees the personnel who follow the SOPs in the laboratory and is responsible for ensuring the personnel are certified and have sufficient experience to handle clinical samples.

**Certified Assay Operator and/or PK/PD Support Lab Personnel**

A Certified Assay Operator and/or PK/PD Support Lab personnel may be a Laboratory Technician/ Technologist, Research Associate, or Laboratory Scientist who has been certified through DCTD training on this SOP. The Certified Assay Operator and/or PK/PD Support Lab personnel works under the guidance of the Laboratory Director/Supervisor. This person performs laboratory procedures and examinations in accordance with the current SOP(s), as well as any other procedures conducted by a laboratory, including maintaining equipment and records and performing quality assurance activities related to performance.

- 5.1** It is the responsibility of the Laboratory Director/Supervisor to ensure that all personnel have documented training and qualification on this SOP prior to the actual handling and processing of samples from clinical trial patients. The Laboratory Director/Supervisor is responsible for ensuring the Certified Assay Operator running the SOP has sufficient experience to handle and analyze clinical samples.
- 5.2** It is the responsibility of the Certified Assay Operator and/or PK/PD Support Lab personnel to confirm scheduled specimen collection time points, pre-print all labels and data collection sheets in advance, check documentation for accuracy, and verify that the required collection tubes, supplies, and equipment are available for successful collection and handling of biopsy samples.
- 5.3** The Certified Assay Operator and/or PK/PD Support Lab personnel responsible for conducting the assay is to follow this SOP and complete the required tasks and associated documentation. The Batch Record ([Appendix 1](#)) must be completed in *real-time* for each experimental run, with each page *dated and initialed*, and placed with the clinical sample information.
- 5.4** The responsible personnel are to check the DCTD Biomarkers Web site (<http://dctd.cancer.gov/ResearchResources/ResearchResources-biomarkers.htm>) to verify that the latest SOP version is being followed.

DCTD Standard Operating Procedures (SOP)

Title:	Tumor Frozen Needle Biopsy Specimen Collection and Handling			Page 5 of 11
Doc. #:	SOP340507	Revision:	D	Effective Date: 1/8/2013

**6.0 MATERIALS AND EQUIPMENT REQUIRED**

- 6.1** Stop watch, total time in minutes and seconds required
- 6.2** Disposable fine-tipped tweezers (e.g., VWR, Cat#: 83009-010). Tweezer tips need to easily fit to bottom of a 2-mL Sarstedt tube
- 6.3** Printable microcentrifuge tube labels or BSI labeling system
- 6.4** 81-place freezer boxes (e.g., Fisher Scientific, Cat#: 12-565-182)
- 6.5** 2-mL Sarstedt o-ring screw cap, skirted tubes (Fisher Scientific, Cat#: 72.694.006)
- 6.6** Thermoflask cooler or polystyrene foam container
- 6.7** Ice bucket
- 6.8** Liquid nitrogen or dry ice/ethanol bath
- 6.9** Wet ice
- 6.10** -80°C freezer (or lower)

\*If materials and equipment differ from those specified above, the Laboratory processing the clinical specimens must prove their comparability or equivalence to those recommended using the manufacturer’s specifications and experimental validation data.

Title:	Tumor Frozen Needle Biopsy Specimen Collection and Handling			Page 6 of 11
Doc. #:	SOP340507	Revision:	D	Effective Date: 1/8/2013

## 7.0 OPERATING PROCEDURES


**7.1** Record the name and certification number of the Certified Assay Operator and/or PK/PD Support Lab personnel performing the SOP, the facility/clinic collecting the specimens, the Patient/Sample ID, and the clinical protocol number in the Batch Record (Appendix 1).

- The Batch Record for this SOP is sufficient for collection of a **single** patient's biopsy samples; if collecting biopsy samples for more than one patient, prepare a separate Batch Record for each patient.

**7.2** Prepare enough pre-printed specimen labels for each biopsy sample (or half biopsy) to be collected as defined in the Pharmacodynamic/Correlative Study section of the Clinical Protocol; be sure to coordinate with the clinical center if they prepare the labels for sample collection.

If two passes are collected from one tumor, the labels would be identical except that the specimen ID would be followed by a lower case a/b to designate pass number. The specimen ID includes the CTEP protocol number followed by a unique patient identifier and a specimen series ID.

NCI tumor biopsies for PD sampling are series 500 with consecutive numbers identifying the collection time point as defined in the Clinical Protocol. Sample pre-printed label:



**7.3** Of the pre-printed labels prepared for each sample, one label will go on each 2-mL Sarstedt tube, one on the Batch Record (Appendix 1), and the last will be given to the research nurse to place into the patient record sheet.

### 7.4 Tumor Needle Biopsy Collection and Handling

**7.4.1** The research nurse is to notify the laboratory of scheduled PD sample collections, preferably giving at least 24-h notice. Arrive at the biopsy collection site early enough to allow sufficient time to set up laboratory supplies, collect relevant clinical information, and ensure rapid transport of specimens to the laboratory for placement at -80°C (or lower) after collection.

**7.4.2** Bring all necessary lab supplies including: disposable tweezers, two 2-mL Sarstedt tubes (one for each possible biopsy or halved biopsy collected) pre-cooled on dry ice in an insulated bucket, and one pre-printed specimen label to give to the research nurse for the patient record.

**7.4.3** Record all available biopsy collection information into the Batch Record (Appendix 1, Section 1.A.a. and 1.B.a.). Some information may not be available until a later time from the clinical staff.

DCTD Standard Operating Procedures (SOP)

Title:	Tumor Frozen Needle Biopsy Specimen Collection and Handling			Page 7 of 11
Doc. #:	SOP340507	Revision:	D	Effective Date: 1/8/2013

**7.4.4** The total time elapsed between biopsy collection and placement into the pre-chilled tube is of **key importance** to sample collection; generally biopsies should be frozen within 5 min of collection. The interventional radiologist will eject the biopsy onto a sterile slide. Start a stop watch (or note the time) at this point (Appendix 1, Section 1.A.b. and 1.B.b.) and immediately walk the slide to the sample preparation table.

**Note:** The preferred method of collection, when whole biopsies are collected, is for the interventional radiologist to eject the biopsy directly into the pre-chilled tube. This minimizes the time between collection and fixation of analytes.

**7.4.5** Uncap an empty, prechilled 2-mL Sarstedt tube and using disposable tweezers, pick up the freshly collected needle biopsy with the tweezers at one end, and touch the opposite end of the biopsy to the inner surface of the prechilled 2-mL Sarstedt tube. This should attach the tissue to the tube, allowing it to be dropped into the tube while releasing the tissue from the tweezers without sticking. Dispose of the tweezers in the appropriate biohazardous waste container(s).

- Indicate if a full or half biopsy is collected in the Batch Record (Appendix 1, Section 1.A.a. and 1.B.a.).
- If half biopsy collection is indicated in the Clinical Protocol for analysis: use 1-2 disposable tweezers and cut/shear the biopsy in half cross-wise while it is on the slide (do not pull or stretch the biopsy longitudinally). Use the tweezers to transfer the half biopsies to sterile pre-chilled tubes as indicated above.

**7.4.6** Snap freeze the biopsy by placing the tube in liquid nitrogen or a dry ice/ethanol bath and record the time of freezing in the Batch Record (Appendix 1, Sections 1.A.b. and 1.B.b.).

**7.4.7** Calculate the total time elapsed from biopsy collection to biopsy freezing and record the total number of minutes and seconds elapsed in the Batch Record (Appendix 1, Sections 1.A.b. and 1.B.b.).

**7.5** Return to the sample processing laboratory and transfer the frozen biopsy specimen(s) to -80°C (or lower) for storage until shipment to the PD processing laboratory. Record the date and time specimens are placed at -80°C (or lower; Appendix 1, Section 2).

**7.6** Review and finalize the Batch Record and document **ANY** and **ALL** deviations from this SOP in the Batch Record (Appendix 1, Section 4).

**7.7** The Laboratory Director/Supervisor should review the Batch Record and sign to affirm the data contained within are correct (Appendix 1, Section 5).

DCTD Standard Operating Procedures (SOP)

Title:	Tumor Frozen Needle Biopsy Specimen Collection and Handling			Page 8 of 11
Doc. #:	SOP340507	Revision:	D	Effective Date: 1/8/2013

**8.0 SHIP TO NCTVL FOR ANALYSIS (OPTIONAL)**

If shipping to a location other than NCTVL, use the following steps as a guide.

- 8.1** Once a tumor biopsy has been collected from a patient and placed at -80°C (or lower), NCTVL should be notified that it can be picked up for PD analysis.
- 8.2** Send an e-mail to NCTVL ([NCINCTVL@mail.NIH.gov](mailto:NCINCTVL@mail.NIH.gov)) to advise that biopsy samples are being prepared for shipment. State “*Protocol Name* PD Specimens Ready for Pick Up” in the subject line. Request a confirmation e-mail from NCTVL that personnel will be available on the expected delivery date and time. If needed, Dr. Jay Ji can be contacted directly at 301-443-2149 (office).
- 8.3** Use the PD Sample Shipping Manifest template in [Appendix 2](#) to generate a shipping list containing pertinent sample information and NCTVL’s shipping address.

Attn: Jay Ji, PhD  
 National Clinical Target Validation Laboratory (NCTVL)  
 DTP, DCTD, National Cancer Institute  
 37 Convent Drive  
 Building 37, Room 1048A  
 Bethesda, MD 20892  
 Phone: 301-443-2149  
 E-mail: [NCINCTVL@mail.NIH.gov](mailto:NCINCTVL@mail.NIH.gov)

- 8.4** Make a copy of the Shipping Manifest and specimen Batch Records so one copy can be sent to NCTVL with the biopsies and one can be maintained at the collection site for internal records.

**8.5 Day of Shipment**

- 8.5.1** Just prior to shipment, place specimen tubes into an 81-place freezer box and then in a shipping container with sufficient dry ice to maintain the samples at -20°C for at least 72 h. All weekly processing specimens are recommended to ship out via FedEx on the following Monday afternoon for delivery by 10 AM Tuesday (FedEx First Overnight).
- 8.5.2** **Verify** the contents of the package match the Shipping Manifest and sign and date the bottom of both copies of the Shipping Manifest. Place one copy of the Shipping Manifest inside the shipping box along with copies of the completed Batch Records for all specimens.
- 8.5.3** Seal the box and print and attach the shipping address onto the outside of the shipping container; be sure the container is labeled as containing biohazardous specimens.
- 8.5.4** Record the shipping date, time, tracking number, and shipping information in the Batch Record (Appendix 1, Section 3).
- 8.5.5** E-mail NCTVL ([NCINCTVL@mail.NIH.gov](mailto:NCINCTVL@mail.NIH.gov)) a shipment notification. State “*Protocol Name* PD Specimen Shipment” in the subject line and reference the tracking number in the e-mail.
- 8.5.6** Once specimens arrive at the processing laboratory, they should be immediately placed at -80°C (or lower) pending protein extraction.




Title:	Tumor Frozen Needle Biopsy Specimen Collection and Handling			Page 9 of 11
Doc. #:	SOP340507	Revision:	D	Effective Date: 1/8/2013

## APPENDIX 1: BATCH RECORD

A **separate** Batch Record should be started for each patient sample.

**Note:** A pre-dose and post-dose sample from the same patient would have the same Patient ID, but different Specimen ID numbers.

NOTE: Record times using **military time** (24-h designation); for example, specify 16:15 to indicate 4:15 PM.



Certified Assay Operator: \_\_\_\_\_

Certification Number: \_\_\_\_\_

Check here if PK/PD Support Lab Personnel

Facility/Clinic Collecting Specimens: \_\_\_\_\_

Clinical Protocol Number: \_\_\_\_\_

Patient ID: \_\_\_\_\_

### 1. Biopsy Collection (1<sup>st</sup> biopsy)

#### A. 1<sup>st</sup> Pass Biopsy Collection

##### a. Patient and Biopsy Collection Information

Specimen ID \_\_\_\_\_

Time local anesthesia administered \_\_\_\_\_ : \_\_\_\_\_ Dose of local anesthetic \_\_\_\_\_ mg

Name of local anesthetic used (from Research Nurse) \_\_\_\_\_

Time of skin incision \_\_\_\_\_ : \_\_\_\_\_ Needle Type \_\_\_\_\_

Time guide needle introduced \_\_\_\_\_ : \_\_\_\_\_ Needle diameter \_\_\_\_\_ gauge

Time guide needle placement confirmed \_\_\_\_\_ : \_\_\_\_\_ Needle Length \_\_\_\_\_ cm

Time biopsy needle introduced \_\_\_\_\_ :

##### b. Biopsy Collection

Biopsy size collected:  Full  Half

Time biopsy collected	:	(opt)
Time biopsy placed in tube	:	(opt)
Time elapsed from collection to placement in tube	min	sec <b>Required</b>
Time placed in liquid nitrogen or a dry ice/ethanol bath	:	

DCTD Standard Operating Procedures (SOP)

Title:	Tumor Frozen Needle Biopsy Specimen Collection and Handling			Page 10 of 11
Doc. #:	SOP340507	Revision:	D	Effective Date: 1/8/2013

B. 2<sup>nd</sup> Pass Biopsy Collection (if available)

a. Patient and Biopsy Collection Information

Specimen ID \_\_\_\_\_

Time 2<sup>nd</sup> biopsy needle placement confirmed \_\_\_\_\_ :

Same or different biopsy site :  Same  Different

b. Biopsy Collection

Biopsy size collected:  Full  Half

Time biopsy collected \_\_\_\_\_ : \_\_\_\_\_ (opt)

Time biopsy placed in tube \_\_\_\_\_ : \_\_\_\_\_ (opt)

Time elapsed from collection to placement in tube \_\_\_\_\_ min \_\_\_\_\_ sec **Required**

Time placed in liquid nitrogen or a dry ice/ethanol bath \_\_\_\_\_ :

**2. Biopsy Storage**

Date/time biopsy specimen(s) placed at -80°C (or lower) \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_ : \_\_\_\_\_ °C

**3. Shipping to NCTVL (optional)**

Date and time samples shipped \_\_\_\_\_ : \_\_\_\_\_

Tracking information \_\_\_\_\_

**\*\*Attach copy of Shipping Manifest**

**4. Notes, including any deviations from the SOP:**

**5. Laboratory Director/Supervisor Review of Batch Record**

Laboratory Director/Supervisor: \_\_\_\_\_ (PRINT)

\_\_\_\_\_ (SIGN)

Date: \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_

DCTD Standard Operating Procedures (SOP)

Title:	Tumor Frozen Needle Biopsy Specimen Collection and Handling			Page 11 of 11
Doc. #:	SOP340507	Revision:	D	Effective Date: 1/8/2013

**APPENDIX 2: PD SAMPLE SHIPPING MANIFEST**

<b>From:</b>		<b>PD Sample Shipping Manifest</b>			Attn: Jay Ji, PhD National Clinical Target Validation Laboratory (NCTVL) DTP, DCTD, National Cancer Institute 37 Convent Drive Building 37, Room 1048A Bethesda, MD 20892 <b>Phone:</b> 301-443-2149 <b>E-mail:</b> NCINCTVL@mail.NIH.gov		
<b>Phone:</b>							
<b>E-mail:</b>							
In Package	Item No	Patient/Specimen ID	Clinical Protocol	Description	Time Point Scheduled	Collection Date	Collection Time
	<i>Example</i>	<i>1234-1023-500</i>	<i>12-C-0000</i>	<i>Full biopsy</i>	<i>Pre-dose D1</i>	<i>06/12/12</i>	<i>08:50</i>
	<i>Example</i>	<i>1234-1023-501</i>	<i>12-C-0000</i>	<i>Half biopsy</i>	<i>Cycle 1, D8</i>	<i>06/20/12</i>	<i>16:05</i>
<input type="checkbox"/>	1					/ /	
<input type="checkbox"/>	2					/ /	
<input type="checkbox"/>	3					/ /	
<input type="checkbox"/>	4					/ /	
<input type="checkbox"/>	5					/ /	
<input type="checkbox"/>	6					/ /	
<input type="checkbox"/>	7					/ /	
<input type="checkbox"/>	8					/ /	
<input type="checkbox"/>	9					/ /	
<input type="checkbox"/>	10					/ /	

Verification of Contents	Signature	Date
Contents Verified Collection Laboratory	_____	/ /
Contents Verified NCTVL	_____	/ /



Frederick

