



# Daily Spot Cotton Quotations

Volume 91, No. 35

19-Sep-08

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 26.5 to 28.4 grams per tex and uniformity 80.5 to 81.4.

American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS			
	Basis N.Y. Futures	Color 41 Leaf 4 Staple 34	Color 31 Leaf 3 Staple 35	Usable sales provided to Cotton Program	Today	Season		
	<i>Points</i>	<i>Cents per pound</i>		<i>Bales</i>	<i>Bales</i>			
Southeast	-400 Dec-08	58.52	59.52	0	8,624			
North Delta	-525 Dec-08	57.27	58.52	0	4,450			
South Delta	-525 Dec-08	57.27	58.52	0	2,780			
East TX-OK	-427 Dec-08	58.25	60.25	0	35,423			
West Texas	-527 Dec-08	57.25	60.25	1,320	76,823			
Desert SW	-900 Dec-08	53.52	59.02	0	0			
SJ Valley	-750 Dec-08	55.02	63.77	0	1,025			
Average	-579 Dec-08	56.73	59.98	Upland Total				
Previous day	-579 Dec-08	54.97	58.22	<b>1,320</b>	<b>129,125</b>			
<b>AMERICAN PIMA SPOT PRICE QUOTATIONS</b>								
American Pima	<b>Color 02, Leaf 2 - Staple 46</b>	<b>Color 03, Leaf 3 - Staple 44</b>	<b>Color 03, Leaf 3 - Staple 46</b>	AP Total				
	126.50	99.00	104.00	<b>375</b>	<b>4,017</b>			
<b>ICE FUTURES US - CONTRACT NO. 2 1/</b>				<b>7-MARKET</b>		<b>Sep 19 - Sep 25</b>		
<b>COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER</b>				<b>BASE QUOTATIONS</b>		<b>ADJ. WORLD PRICE</b>		
Month	<i>Cents per pound</i>			<b>FOR UPLAND COTTON</b>		55.79		
	Today	Previous	Change			<b>CC ADJUSTMENT</b>		
Oct-08	59.80	58.75	1.05	<b>Season high</b>		0.00		
Dec-08	62.52	60.76	1.76	8/1/2008	62.69	<b>LOAN DEFICIENCY PMT.</b>		
Mar-09	67.01	65.34	1.67			0.00		
May-09	68.89	67.52	1.37	<b>Season low</b>		<b>Pima Competitiveness</b>		
Jul-09	70.81	69.58	1.23	9/16/2008	53.66	<b>Payment</b>		
Oct-09	73.56	72.52	1.04			0.00		
Dec-09	74.99	73.48	1.51					
Mar-10	77.99	76.48	1.51					
May-10	79.24	77.73	1.51					
Jul-10	79.99	78.73	1.26					
<b>PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/</b>								
Staple 33	Color							
	11	21	31	41	51	12	22	32
Leaf 1 & 2	13	13	-8	-135	-280	-75	-75	-165
3	8	8	-18	-145	-293	-90	-90	-180
4	-95	-95	-135	-215	-323	NOT TENDERABLE		
5	-213	-213	-230	-285	-443	NOT TENDERABLE		
Staple 34								
Leaf 1 & 2	205	205	155	60	-160	85	85	-13
3	170	170	130	45	-188	70	70	-38
4	120	120	75	0	-243	NOT TENDERABLE		
5	-53	-53	-98	-188	-343	NOT TENDERABLE		
Staple 35								
Leaf 1 & 2	340	340	285	158	-110	193	193	55
3	285	285	255	133	-133	165	165	23
4	228	228	190	93	-188	NOT TENDERABLE		
5	130	130	90	-90	-298	NOT TENDERABLE		

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.

Color	Leaf	Staple					Color	Leaf	Staple					
		32	33	34	35	36 & 37			32	33	34	35	36 & 37	
11 & 21	1 & 2	-225	-100	50	100	150	43	1 & 2	-550	-450	-400	-375	-350	
	3	-225	-100	50	100	150		3	-550	-450	-400	-375	-350	
	4	-225	-125	50	75	175		4	-575	-500	-450	-400	-375	
	5	-375	-225	-150	50	125		5	-600	-550	-500	-500	-500	
	6	-500	-350	-325	-250	-225		6	-775	-750	-700	-700	-700	
	7	-800	-650	-650	-600	-575		7	-925	-850	-800	-800	-800	
	31	1 & 2	-225	-100	25	100		125	53	1 & 2	-600	-500	-400	-400
3		-225	-100	25	100	100	3	-600		-500	-400	-400	-400	
4		-225	-150	0	50	100	4	-650		-550	-450	-450	-450	
5		-375	-225	-150	25	75	5	-675		-625	-525	-525	-525	
6		-500	-350	-325	-300	-275	6	-875		-825	-725	-725	-725	
7		-800	-650	-650	-650	-625	7	-975		-925	-825	-825	-825	
41		1 & 2	-275	-125	25	100	100	63		1 & 2	-925	-825	-725	-725
	3	-275	-125	25	75	75	3		-925	-825	-725	-725	-725	
	4	-275	-150	58.52	50	75	4		-975	-875	-775	-775	-775	
	5	-450	-225	-225	-25	0	5		-1025	-975	-875	-875	-875	
	6	-575	-475	-475	-450	-425	6		-1250	-1200	-1100	-1100	-1100	
	7	-850	-750	-750	-750	-725								
	51	1 & 2	-400	-175	-75	-75	-75		<b>Mike</b>					
3		-475	-200	-150	-125	-100	<b>Range</b>							
4		-500	-200	-175	-175	-175	<b>Diff.</b>							
5		-600	-425	-350	-300	-275	25-26							
6		-675	-500	-500	-500	-475	-825							
7		-925	-800	-800	-800	-775	27-29							
							-425							
61	1 & 2	-575	-400	-350	-325	-325	30-32							
	3	-625	-475	-450	-425	-400	-275							
	4	-675	-525	-500	-475	-450	33-34							
	5	-725	-625	-550	-550	-550	-150							
	6	-900	-825	-775	-775	-775	Base 35-36							
	7	-1025	-900	-850	-850	-850	0							
							37-42							
71	1 & 2	-875	-750	-700	-700	-700	0							
	3	-875	-750	-700	-700	-700	Base 43-49							
	4	-875	-750	-700	-700	-700	0							
	5	-925	-875	-850	-850	-850	50-52							
	6	-1050	-975	-925	-925	-925	-200							
	7	-1050	-975	-925	-925	-925	53 & Above							
							-300							
12 & 22	1 & 2	-275	-150	50	100	125	<b>Strength</b>							
	3	-275	-150	50	100	125	(Grams per Tex)							
	4	-375	-150	-50	0	50	<b>Range</b>							
	5	-425	-325	-250	-250	-175	<b>Diff.</b>							
	6	-550	-425	-425	-425	-425	20.5-21.4							
	7	-825	-725	-725	-725	-700	-425							
							21.5-22.4							
32	1 & 2	-325	-175	-25	-25	25	-350							
	3	-350	-200	-50	-25	0	22.5-23.4							
	4	-450	-200	-150	-125	-75	-300							
	5	-525	-350	-300	-300	-275	23.5-24.4							
	6	-600	-450	-450	-450	-425	-250							
	7	-875	-750	-750	-750	-725	24.5-25.4							
							-200							
42	1 & 2	-350	-175	-75	-75	-50	25.5-26.4							
	3	-425	-200	-100	-75	-50	0							
	4	-500	-200	-150	-150	-125	Base 26.5-28.4							
	5	-600	-375	-350	-325	-300	0							
	6	-675	-525	-500	-500	-475	28.5-29.4							
	7	-925	-800	-800	-800	-775	0							
							29.5-30.4							
52	1 & 2	-450	-250	-175	-175	-175	25							
	3	-475	-250	-200	-175	-175	-50							
	4	-500	-300	-275	-250	-250	Base 26.5-28.4							
	5	-600	-500	-425	-425	-425	0							
	6	-775	-750	-700	-700	-700	28.5-29.4							
	7	-925	-850	-800	-800	-800	0							
							29.5-30.4							
62	1 & 2	-575	-400	-350	-350	-350	30.5-32.4							
	3	-625	-475	-450	-425	-400	50							
	4	-675	-525	-500	-475	-450	32.5 & Above							
	5	-775	-700	-650	-650	-650	50							
	6	-1125	-1050	-1000	-1000	-1000	50							
							<b>Extraneous Matter</b>							
							<b>Level</b>							
						<b>Diff.</b>								
						Prep								
						1								
						-100								
						2								
						-800								
						Other								
						1								
						-375								
						2								
						-800								
						<b>Uniformity</b>								
						<b>Unit</b>								
						<b>Points</b>								
						77.4 & below								
						-125								
						77.5-78.4								
						-110								
						78.5-79.4								
						-100								
						79.5-80.4								
						-25								
						Base 80.5-81.4								
						0								
						81.5-82.4								
						0								
						82.5-83.4								
						20								
						83.5-84.4								
						30								
						84.5-85.4								
						40								
						85.5 & Above								
						50								

Color	Leaf	Staple					Color	Leaf	Staple				
		32	33	34	35	36 & 37			32	33	34	35	36 & 37
11 & 21	1 & 2	-250	-175	75	200	275	43	1 & 2	-775	-575	-400	-375	-375
	3	-250	-175	50	150	175		3	-775	-575	-400	-375	-375
	4	-275	-200	50	100	175		4	-800	-600	-425	-400	-400
	5	-450	-325	0	75	100		5	-850	-750	-675	-650	-650
	6	-500	-475	-350	-325	-325		6	-950	-850	-775	-750	-750
	7	-600	-575	-450	-425	-425		7	-1100	-1000	-925	-900	-900
	31	1 & 2	-250	-175	50	150		200	53	1 & 2	-875	-775	-700
3		-250	-175	25	125	150	3	-875		-775	-700	-675	-675
4		-275	-250	0	75	125	4	-900		-800	-725	-700	-700
5		-450	-325	-50	75	100	5	-950		-900	-825	-800	-800
6		-500	-475	-350	-325	-325	6	-1150		-1000	-925	-900	-900
7		-600	-575	-450	-425	-425	7	-1175		-1125	-1025	-1000	-1000
41		1 & 2	-350	-250	25	75	75	63		1 & 2	-1050	-950	-875
	3	-350	-250	0	50	50	3		-1050	-950	-875	-850	-850
	4	-375	-275	57.27	25	25	4		-1075	-975	-900	-875	-875
	5	-525	-400	-225	-200	-175	5		-1125	-1075	-1000	-975	-975
	6	-575	-500	-400	-375	-375	6		-1175	-1125	-1000	-975	-975
	7	-700	-675	-550	-525	-525							
	51	1 & 2	-575	-325	-250	-150	-150						
3		-600	-350	-325	-225	-225							
4		-625	-375	-350	-275	-275							
5		-700	-600	-425	-375	-375							
6		-800	-725	-600	-575	-575							
7		-850	-850	-675	-625	-625							
61		1 & 2	-675	-450	-350	-325	-325						
	3	-675	-450	-375	-350	-350							
	4	-700	-475	-400	-375	-375							
	5	-750	-675	-650	-575	-575							
	6	-875	-775	-775	-750	-750							
	7	-1025	-925	-875	-850	-850							
	71	1 & 2	-1100	-1000	-850	-800	-800						
3		-1100	-1000	-850	-800	-800							
4		-1150	-1050	-900	-850	-850							
5		-1175	-1125	-975	-925	-925							
6		-1225	-1175	-1025	-975	-975							
7		-1275	-1225	-1075	-1025	-1025							
12 & 22		1 & 2	-275	-125	50	100	150						
	3	-275	-125	25	100	125							
	4	-300	-200	-25	25	75							
	5	-500	-375	-125	-150	-125							
	6	-575	-500	-375	-375	-375							
	7	-675	-650	-525	-500	-500							
	32	1 & 2	-375	-250	-100	-25	0						
3		-375	-250	-100	-50	0							
4		-400	-275	-200	-100	-75							
5		-525	-375	-250	-225	-200							
6		-625	-600	-475	-450	-425							
7		-725	-700	-575	-550	-550							
42		1 & 2	-375	-300	-225	-125	-100						
	3	-400	-325	-275	-150	-125							
	4	-425	-350	-300	-200	-175							
	5	-550	-425	-350	-300	-275							
	6	-775	-675	-525	-475	-450							
	7	-875	-775	-625	-600	-600							
	52	1 & 2	-625	-400	-325	-300	-300						
3		-625	-450	-400	-375	-375							
4		-650	-475	-425	-400	-400							
5		-675	-575	-550	-500	-500							
6		-825	-775	-700	-675	-675							
7		-900	-875	-800	-775	-775							
62		1 & 2	-750	-650	-550	-525	-525						
	3	-750	-650	-600	-575	-575							
	4	-775	-675	-625	-600	-600							
	5	-875	-825	-750	-725	-725							
	6	-1025	-975	-850	-825	-825							

  

Mike	
Range	Diff.
25-26	-1000
27-29	-650
30-32	-325
33-34	-125
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-150
53 & Above	-275

  

Strength	
(Grams per Tex)	
Range	Diff.
20.5-21.4	-300
21.5-22.4	-250
22.5-23.4	-200
23.5-24.4	-175
24.5-25.4	-150
25.5-26.4	-25
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

  

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-375
2	-785

  

Uniformity	
Unit	Points
77.4 & below	-90
77.5-78.4	-80
78.5-79.4	-70
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	30
83.5-84.4	40
84.5-85.4	50
85.5 & Above	60

Color	Leaf	Staple					Color	Leaf	Staple					
		32	33	34	35	36 & 37			32	33	34	35	36 & 37	
11 & 21	1 & 2	-250	-150	75	200	275	43	1 & 2	-800	-500	-375	-350	-350	
	3	-250	-150	50	150	175		3	-800	-500	-375	-350	-350	
	4	-300	-200	50	75	175		4	-825	-525	-400	-375	-375	
	5	-375	-300	25	75	100		5	-850	-675	-625	-600	-600	
	6	-475	-475	-350	-325	-325		6	-900	-775	-725	-700	-700	
	7	-575	-575	-450	-425	-425		7	-1050	-925	-875	-850	-850	
	31	1 & 2	-250	-150	50	150		200	53	1 & 2	-875	-700	-650	-625
3		-250	-150	25	125	150	3	-875		-700	-650	-625	-625	
4		-300	-250	0	75	125	4	-900		-725	-675	-650	-650	
5		-375	-325	-25	75	100	5	-975		-875	-775	-750	-750	
6		-475	-475	-350	-325	-325	6	-1150		-975	-900	-875	-875	
7		-575	-575	-450	-425	-425	7	-1175		-1050	-975	-950	-950	
41		1 & 2	-325	-250	25	50	75	63		1 & 2	-1000	-875	-825	-800
	3	-325	-250	0	25	50	3		-1000	-875	-825	-800	-800	
	4	-350	-275	57.27	0	25	4		-1025	-900	-850	-825	-825	
	5	-525	-400	-200	-150	-150	5		-1075	-1000	-950	-925	-925	
	6	-550	-500	-400	-375	-375	6		-1175	-1050	-950	-925	-925	
	7	-675	-625	-500	-475	-475								
	51	1 & 2	-575	-325	-250	-150	-150							
3		-625	-375	-300	-200	-200								
4		-650	-400	-325	-250	-250								
5		-725	-625	-450	-400	-400								
6		-850	-750	-600	-575	-575								
7		-900	-875	-725	-675	-675								
61		1 & 2	-675	-450	-350	-325	-325							
	3	-725	-500	-400	-375	-375								
	4	-750	-525	-425	-400	-400								
	5	-800	-675	-650	-575	-575								
	6	-925	-825	-775	-750	-750								
	7	-1025	-925	-875	-850	-850								
	71	1 & 2	-1100	-1000	-900	-850	-850							
3		-1100	-1000	-900	-850	-850								
4		-1150	-1050	-950	-900	-900								
5		-1175	-1125	-1025	-975	-975								
6		-1225	-1175	-1075	-1025	-1025								
7		-1275	-1225	-1125	-1075	-1075								
12 & 22		1 & 2	-275	-125	50	125	150							
	3	-275	-125	25	100	125								
	4	-300	-250	-75	50	100								
	5	-500	-350	-175	-125	-125								
	6	-575	-500	-375	-350	-350								
	7	-625	-575	-475	-450	-450								
	32	1 & 2	-400	-250	-75	0	25							
3		-400	-250	-75	-25	25								
4		-425	-275	-175	-75	-50								
5		-600	-425	-200	-175	-125								
6		-700	-650	-475	-450	-425								
7		-800	-750	-575	-550	-550								
42		1 & 2	-425	-300	-225	-125	-125							
	3	-475	-350	-275	-175	-175								
	4	-500	-375	-300	-225	-225								
	5	-650	-500	-375	-350	-325								
	6	-850	-750	-525	-450	-425								
	7	-900	-800	-625	-600	-600								
	52	1 & 2	-625	-400	-325	-300	-300							
3		-625	-450	-375	-350	-350								
4		-650	-475	-400	-375	-375								
5		-725	-625	-550	-500	-500								
6		-875	-775	-650	-625	-625								
7		-900	-875	-750	-725	-725								
62		1 & 2	-750	-625	-525	-500	-500							
	3	-800	-675	-575	-550	-550								
	4	-825	-700	-600	-575	-575								
	5	-925	-825	-700	-675	-675								
	6	-1075	-925	-800	-775	-775								

  

Mike	
Range	Diff.
25-26	-1100
27-29	-750
30-32	-325
33-34	-125
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-150
53 & Above	-275

  

Strength	
(Grams per Tex)	
Range	Diff.
20.5-21.4	-275
21.5-22.4	-225
22.5-23.4	-175
23.5-24.4	-125
24.5-25.4	-100
25.5-26.4	-25
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

  

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-375
2	-785

  

Uniformity	
Unit	Points
77.4 & below	-90
77.5-78.4	-80
78.5-79.4	-70
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	30
83.5-84.4	40
84.5-85.4	50
85.5 & Above	60

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-225	-150	-100	-25	175	325	350	475	475
	3	-275	-175	-100	-75	150	225	225	325	325
	4	-350	-275	-175	-100	100	200	200	300	300
	5	-400	-325	-225	-200	-100	-25	125	200	200
	6	-575	-475	-375	-325	-275	-275	-275	-200	-200
	7	-650	-550	-450	-425	-375	-350	-350	-275	-275
31	1 & 2	-275	-200	-150	-75	150	225	275	400	400
	3	-325	-225	-175	-100	125	175	200	275	275
	4	-375	-325	-200	-175	50	150	175	200	200
	5	-450	-375	-250	-225	-125	-75	50	100	100
	6	-600	-500	-400	-350	-300	-300	-300	-250	-250
	7	-675	-575	-475	-450	-400	-375	-375	-325	-325
41	1 & 2	-350	-300	-200	-125	100	100	225	325	325
	3	-375	-325	-225	-150	75	100	175	200	200
	4	-450	-375	-250	-225	-75	58.25	125	175	175
	5	-500	-450	-350	-275	-175	-125	-50	50	50
	6	-675	-600	-500	-400	-375	-325	-325	-275	-275
	7	-750	-700	-625	-500	-475	-425	-400	-400	-400
51	1 & 2	-500	-450	-400	-300	-200	-100	-100	-50	-50
	3	-500	-450	-400	-325	-200	-100	-100	-50	-50
	4	-550	-500	-450	-350	-225	-175	-150	-100	-100
	5	-575	-550	-475	-375	-250	-200	-200	-200	-200
	6	-750	-675	-650	-450	-450	-400	-400	-400	-400
	7	-825	-775	-750	-550	-550	-500	-500	-500	-500
61	1 & 2	-550	-500	-450	-350	-275	-200	-200	-200	-200
	3	-550	-500	-450	-350	-275	-200	-200	-200	-200
	4	-600	-525	-475	-375	-300	-250	-250	-250	-250
	5	-625	-575	-525	-425	-375	-275	-275	-275	-275
	6	-775	-700	-675	-550	-525	-450	-425	-425	-425
	7	-850	-800	-775	-650	-625	-550	-525	-525	-525
71	1 & 2	-625	-550	-475	-400	-325	-275	-275	-275	-275
	3	-625	-550	-475	-400	-325	-275	-275	-275	-275
	4	-650	-575	-550	-475	-400	-350	-350	-350	-350
	5	-675	-600	-575	-500	-475	-375	-375	-375	-375
	6	-850	-775	-750	-675	-625	-525	-525	-525	-525
	7	-925	-875	-825	-725	-700	-600	-600	-600	-600
12 & 22	1 & 2	-325	-275	-200	-75	100	175	225	325	325
	3	-375	-300	-225	-125	50	150	175	250	250
	4	-400	-350	-250	-150	25	100	125	250	250
	5	-475	-425	-375	-325	-275	-200	-75	100	100
	6	-675	-600	-525	-425	-425	-350	-325	-300	-300
	7	-775	-700	-625	-525	-500	-425	-400	-375	-375
32	1 & 2	-350	-300	-275	-225	-50	100	150	250	250
	3	-400	-325	-300	-225	-75	50	75	200	200
	4	-425	-375	-325	-250	-150	-25	0	50	50
	5	-525	-475	-425	-375	-350	-225	-150	25	25
	6	-700	-650	-550	-475	-475	-400	-400	-375	-375
	7	-850	-775	-675	-575	-575	-475	-475	-450	-450
42	1 & 2	-425	-325	-300	-250	-175	-25	50	125	125
	3	-425	-350	-350	-275	-200	-25	0	75	75
	4	-475	-400	-400	-300	-225	-50	-25	25	25
	5	-575	-550	-500	-425	-375	-275	-225	-225	-225
	6	-825	-775	-650	-525	-500	-425	-425	-425	-425
	7	-925	-875	-775	-625	-600	-525	-500	-500	-500
52	1 & 2	-550	-475	-450	-375	-300	-275	-275	-275	-275
	3	-550	-475	-450	-375	-300	-275	-275	-275	-275
	4	-600	-550	-500	-400	-325	-300	-300	-300	-300
	5	-675	-625	-600	-500	-400	-350	-350	-350	-350
	6	-900	-850	-800	-700	-625	-500	-500	-500	-500
	7	-975	-925	-900	-800	-725	-600	-600	-600	-600
62	1 & 2	-600	-525	-500	-425	-400	-325	-325	-325	-325
	3	-600	-525	-500	-425	-400	-325	-325	-325	-325
	4	-650	-600	-525	-450	-425	-350	-350	-350	-350
	5	-750	-675	-650	-575	-550	-425	-425	-425	-425
	6	-925	-875	-825	-750	-725	-600	-600	-600	-600

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-525	-425	-375	-300	-225	-150	-100	-50	-50
	3	-525	-450	-400	-325	-250	-175	-125	-75	-75
	4	-600	-500	-475	-400	-300	-225	-175	-125	-125
	5	-725	-625	-600	-500	-425	-350	-300	-250	-250
	6	-825	-750	-650	-575	-475	-400	-400	-350	-350
	7	-900	-825	-725	-650	-575	-500	-500	-450	-450
33	1 & 2	-600	-525	-475	-375	-300	-200	-150	-100	-100
	3	-600	-525	-475	-375	-300	-200	-150	-100	-100
	4	-650	-600	-525	-450	-350	-250	-200	-150	-150
	5	-750	-750	-650	-550	-450	-375	-325	-275	-275
	6	-875	-825	-725	-625	-550	-450	-450	-400	-400
	7	-1000	-900	-825	-725	-625	-550	-550	-500	-500
43	1 & 2	-650	-575	-525	-450	-350	-250	-200	-150	-150
	3	-650	-575	-525	-450	-350	-250	-200	-150	-150
	4	-700	-650	-575	-525	-400	-275	-225	-175	-175
	5	-775	-775	-675	-625	-500	-400	-350	-300	-300
	6	-925	-875	-750	-700	-600	-500	-500	-450	-450
	7	-1025	-950	-850	-775	-675	-575	-575	-525	-525
53	1 & 2	-750	-650	-625	-525	-500	-375	-350	-325	-325
	3	-750	-650	-625	-550	-525	-400	-375	-350	-350
	4	-800	-700	-675	-625	-525	-450	-425	-400	-400
	5	-875	-800	-750	-700	-625	-525	-500	-475	-475
	6	-975	-900	-875	-800	-725	-625	-625	-600	-600
	7	-1050	-975	-950	-875	-825	-700	-700	-675	-675
63	1 & 2	-850	-750	-725	-625	-550	-425	-375	-350	-350
	3	-850	-750	-725	-625	-550	-425	-375	-350	-350
	4	-900	-800	-775	-675	-625	-500	-450	-425	-425
	5	-1000	-900	-875	-775	-675	-575	-525	-500	-500
	6	-1050	-975	-975	-875	-750	-650	-650	-625	-625
	7	-1050	-975	-975	-875	-750	-650	-650	-625	-625
34	1 & 2	-700	-600	-550	-500	-450	-375	-375	-375	-375
	3	-700	-600	-550	-500	-450	-375	-375	-375	-375
	4	-825	-725	-675	-625	-550	-475	-475	-475	-475
	5	-925	-825	-775	-725	-675	-600	-600	-600	-600
	6	-1050	-975	-925	-875	-825	-750	-750	-750	-750
	7	-1050	-975	-925	-875	-825	-750	-750	-750	-750
44	1 & 2	-775	-675	-625	-550	-500	-425	-425	-425	-425
	3	-800	-700	-650	-600	-550	-475	-475	-475	-475
	4	-850	-775	-700	-700	-600	-525	-525	-525	-525
	5	-950	-850	-825	-775	-700	-625	-625	-625	-625
	6	-1075	-1000	-950	-900	-850	-775	-775	-775	-775
	7	-1075	-1000	-950	-900	-850	-775	-775	-775	-775
54	1 & 2	-850	-750	-700	-650	-575	-500	-500	-500	-500
	3	-850	-750	-700	-650	-575	-500	-500	-500	-500
	4	-900	-800	-775	-725	-675	-600	-600	-600	-600
	5	-975	-875	-850	-800	-725	-650	-650	-650	-650
	6	-975	-875	-850	-800	-725	-650	-650	-650	-650

Mike	
Range	Diff.
24 & Below	-875
25-26	-825
27-29	-575
30-32	-300
33-34	-150
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Uniformity	
Unit	Points
77.4 & below	-90
77.5-78.4	-75
78.5-79.4	-60
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	10
83.5-84.4	10
84.5-85.4	20
85.5 & Above	30

Extraneous Matter	
Level	Diff.
Prep	
1	-150
2	-400
Bark	
1	-225
2	-450
Other	
1	-375
2	-525

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-175	-100	-50	-50	200	350	400	450	475
	3	-225	-125	-75	-75	200	325	375	425	450
	4	-275	-200	-125	-100	25	225	375	425	425
	5	-400	-325	-225	-175	-75	50	325	375	375
	6	-625	-525	-425	-425	-325	-200	-175	-175	-175
	7	-700	-600	-500	-475	-400	-275	-250	-250	-250
31	1 & 2	-225	-150	-100	-75	200	300	300	425	425
	3	-275	-200	-125	-100	175	275	300	400	400
	4	-350	-275	-175	-175	0	175	275	375	375
	5	-450	-375	-250	-250	-100	-50	275	350	350
	6	-675	-575	-475	-475	-325	-225	-225	-200	-200
	7	-750	-675	-550	-525	-400	-275	-275	-250	-250
41	1 & 2	-400	-350	-275	-250	-50	125	175	200	200
	3	-425	-375	-300	-275	-75	75	150	200	200
	4	-500	-425	-325	-300	-175	57.25	100	150	150
	5	-525	-450	-325	-325	-200	-75	25	150	150
	6	-725	-625	-550	-525	-425	-275	-250	-225	-225
	7	-800	-750	-675	-625	-525	-375	-325	-300	-300
51	1 & 2	-525	-475	-450	-350	-250	-100	-50	-25	-25
	3	-525	-475	-450	-350	-250	-100	-50	-25	-25
	4	-575	-525	-500	-375	-325	-175	-100	-75	-75
	5	-600	-575	-500	-400	-350	-200	-150	-100	-100
	6	-825	-750	-725	-575	-525	-425	-375	-325	-325
	7	-900	-850	-825	-650	-600	-500	-450	-425	-425
61	1 & 2	-550	-500	-475	-375	-275	-175	-175	-175	-175
	3	-550	-500	-475	-375	-275	-175	-175	-175	-175
	4	-600	-550	-525	-400	-350	-250	-225	-225	-225
	5	-625	-600	-525	-425	-375	-275	-250	-250	-250
	6	-850	-775	-750	-600	-550	-500	-475	-425	-425
	7	-925	-875	-850	-700	-650	-575	-550	-525	-525
71	1 & 2	-675	-600	-525	-450	-325	-250	-250	-250	-250
	3	-675	-600	-525	-450	-325	-250	-250	-250	-250
	4	-700	-625	-600	-525	-400	-325	-325	-325	-325
	5	-725	-650	-625	-550	-475	-350	-350	-350	-350
	6	-900	-825	-800	-725	-650	-525	-525	-525	-525
	7	-975	-925	-875	-775	-725	-600	-600	-600	-600
12 & 22	1 & 2	-300	-250	-150	-125	75	100	225	350	350
	3	-350	-300	-175	-175	50	75	175	300	300
	4	-400	-325	-225	-225	-125	-25	125	250	250
	5	-500	-450	-400	-350	-350	-225	-100	-100	-100
	6	-700	-625	-550	-500	-500	-400	-350	-350	-350
	7	-775	-700	-625	-600	-575	-475	-425	-425	-425
32	1 & 2	-350	-300	-275	-175	25	50	50	125	125
	3	-400	-350	-300	-225	0	0	0	125	125
	4	-500	-400	-400	-275	-175	-75	0	100	100
	5	-550	-525	-475	-475	-425	-275	-200	-200	-200
	6	-750	-700	-600	-575	-550	-425	-400	-400	-400
	7	-875	-800	-700	-675	-600	-525	-475	-475	-475
42	1 & 2	-450	-400	-350	-275	-225	-100	-25	100	100
	3	-475	-425	-400	-300	-250	-100	-50	100	100
	4	-550	-475	-475	-375	-275	-125	-50	75	75
	5	-600	-575	-525	-525	-450	-300	-225	-225	-225
	6	-850	-800	-675	-600	-575	-450	-425	-425	-425
	7	-925	-875	-775	-750	-675	-575	-500	-500	-500
52	1 & 2	-625	-550	-525	-475	-425	-350	-300	-300	-300
	3	-625	-550	-525	-475	-425	-350	-300	-300	-300
	4	-675	-625	-575	-475	-450	-375	-325	-325	-325
	5	-750	-700	-675	-575	-525	-425	-375	-375	-375
	6	-975	-925	-875	-775	-725	-575	-525	-525	-525
	7	-1050	-1000	-975	-875	-825	-675	-625	-625	-625
62	1 & 2	-675	-600	-575	-550	-500	-400	-375	-375	-375
	3	-675	-600	-575	-550	-500	-400	-375	-375	-375
	4	-725	-675	-600	-575	-525	-450	-425	-425	-425
	5	-825	-750	-725	-650	-625	-525	-500	-500	-500
	6	-1000	-950	-900	-825	-800	-700	-675	-675	-675

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-450	-350	-300	-225	-175	-125	-100	-100	-100
	3	-450	-400	-325	-250	-200	-150	-125	-125	-125
	4	-525	-425	-400	-325	-275	-200	-175	-175	-175
	5	-650	-550	-525	-425	-400	-325	-300	-300	-300
	6	-750	-675	-575	-525	-500	-425	-375	-375	-375
	7	-825	-750	-650	-625	-575	-475	-475	-475	-475
33	1 & 2	-550	-475	-425	-300	-250	-175	-175	-175	-175
	3	-550	-475	-425	-300	-250	-175	-175	-175	-175
	4	-600	-550	-475	-375	-325	-225	-225	-225	-225
	5	-700	-700	-600	-500	-450	-375	-350	-350	-350
	6	-825	-775	-675	-600	-600	-450	-450	-450	-450
	7	-950	-850	-775	-700	-650	-575	-550	-550	-550
43	1 & 2	-600	-525	-475	-400	-350	-250	-250	-250	-250
	3	-600	-525	-475	-400	-350	-250	-250	-250	-250
	4	-650	-600	-525	-475	-400	-275	-250	-250	-250
	5	-725	-725	-625	-575	-500	-400	-375	-375	-375
	6	-875	-825	-700	-675	-625	-525	-525	-525	-525
	7	-975	-900	-800	-775	-700	-600	-600	-600	-600
53	1 & 2	-775	-675	-650	-550	-525	-425	-400	-400	-400
	3	-775	-675	-650	-575	-525	-450	-425	-425	-425
	4	-825	-725	-700	-675	-600	-475	-450	-450	-450
	5	-900	-825	-775	-725	-675	-575	-550	-550	-550
	6	-1000	-950	-900	-825	-775	-675	-675	-675	-675
	7	-1075	-1025	-1000	-900	-875	-750	-750	-750	-750
63	1 & 2	-900	-800	-775	-675	-625	-475	-425	-425	-425
	3	-900	-800	-775	-675	-625	-475	-450	-450	-450
	4	-950	-850	-825	-725	-650	-550	-500	-500	-500
	5	-1050	-950	-925	-825	-750	-625	-575	-575	-575
	6	-1100	-1025	-1025	-925	-825	-725	-700	-700	-700
	34	1 & 2	-675	-575	-525	-450	-400	-325	-325	-325
3		-675	-575	-525	-450	-400	-325	-325	-325	-325
4		-800	-700	-650	-575	-500	-425	-425	-425	-425
5		-900	-800	-750	-675	-625	-550	-550	-550	-550
6		-1025	-950	-900	-825	-775	-700	-700	-700	-700
44		1 & 2	-775	-675	-625	-525	-475	-400	-400	-400
	3	-800	-700	-650	-575	-525	-450	-450	-450	-450
	4	-875	-775	-725	-675	-575	-500	-500	-500	-500
	5	-975	-875	-825	-750	-675	-600	-600	-600	-600
	6	-1100	-1025	-975	-900	-850	-775	-775	-775	-775
	54	1 & 2	-850	-750	-700	-625	-550	-475	-475	-475
3		-850	-750	-700	-625	-550	-475	-475	-475	-475
4		-900	-800	-775	-700	-650	-575	-575	-575	-575
5		-1000	-900	-850	-775	-700	-625	-625	-625	-625

Mike	
Range	Diff.
24 & Below	-875
25-26	-825
27-29	-550
30-32	-325
33-34	-175
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	25
32.5 & Above	25

Uniformity	
Unit	Points
77.4 & below	-90
77.5-78.4	-75
78.5-79.4	-60
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	0
83.5-84.4	10
84.5-85.4	20
85.5 & Above	30

Extraneous Matter	
Level	Diff.
Prep	
1	-150
2	-400
Bark	
1	-225
2	-450
Other	
1	-375
2	-500



Color	Leaf	Staple					Color	Leaf	Staple																																																			
		33	34	35	36	37			33	34	35	36	37																																															
11 & 21	1 & 2	-50	225	650	710	745	43	1 & 2	-725	-650	-550	-475	-475																																															
	3	-50	200	575	685	720		3	-725	-650	-550	-475	-475																																															
	4	-275	75	400	435	470		4	-825	-750	-600	-550	-550																																															
	5	-350	-150	75	150	235		5	-925	-825	-625	-600	-600																																															
	6	-450	-350	-100	-85	-30		6	-1025	-925	-875	-875	-875																																															
	7	-650	-375	-175	-140	-100	7	-1100	-1050	-1000	-1000	-1000																																																
31	1 & 2	-125	175	600	685	720	53	1 & 2	-875	-775	-675	-675	-675																																															
	3	-125	150	550	635	670		3	-875	-775	-675	-675	-675																																															
	4	-325	50	375	410	445		4	-975	-875	-775	-775	-775																																															
	5	-375	-175	25	50	120		5	-1025	-925	-825	-825	-825																																															
	6	-475	-375	-110	-95	-40		6	-1125	-1025	-925	-925	-925																																															
	7	-675	-400	-200	-170	-115	7	-1375	-1275	-1250	-1250	-1250																																																
41	1 & 2	-350	25	225	310	320	<table border="1"> <thead> <tr> <th colspan="2">Mike</th> <th colspan="2">Uniformity</th> </tr> <tr> <th>Range</th> <th>Diff.</th> <th>Unit</th> <th>Points</th> </tr> </thead> <tbody> <tr> <td>24 &amp; Below</td> <td>-1200</td> <td>77.4 &amp; below</td> <td>-100</td> </tr> <tr> <td>25-26</td> <td>-1000</td> <td>77.5-78.4</td> <td>-90</td> </tr> <tr> <td>27-29</td> <td>-900</td> <td>78.5-79.4</td> <td>-80</td> </tr> <tr> <td>30-32</td> <td>-425</td> <td>79.5-80.4</td> <td>0</td> </tr> <tr> <td>33-34</td> <td>-275</td> <td>Base 80.5-81.4</td> <td>0</td> </tr> <tr> <td>Base 35-36</td> <td>0</td> <td>81.5-82.4</td> <td>0</td> </tr> <tr> <td>37-42</td> <td>25</td> <td>82.5-83.4</td> <td>30</td> </tr> <tr> <td>Base 43-49</td> <td>0</td> <td>83.5-84.4</td> <td>40</td> </tr> <tr> <td>50-52</td> <td>-275</td> <td>84.5-85.4</td> <td>50</td> </tr> <tr> <td>53 &amp; Above</td> <td>-475</td> <td>85.5 &amp; Above</td> <td>60</td> </tr> </tbody> </table>						Mike		Uniformity		Range	Diff.	Unit	Points	24 & Below	-1200	77.4 & below	-100	25-26	-1000	77.5-78.4	-90	27-29	-900	78.5-79.4	-80	30-32	-425	79.5-80.4	0	33-34	-275	Base 80.5-81.4	0	Base 35-36	0	81.5-82.4	0	37-42	25	82.5-83.4	30	Base 43-49	0	83.5-84.4	40	50-52	-275	84.5-85.4	50	53 & Above	-475	85.5 & Above	60
	Mike		Uniformity																																																									
	Range	Diff.	Unit	Points																																																								
	24 & Below	-1200	77.4 & below	-100																																																								
	25-26	-1000	77.5-78.4	-90																																																								
27-29	-900	78.5-79.4	-80																																																									
30-32	-425	79.5-80.4	0																																																									
33-34	-275	Base 80.5-81.4	0																																																									
Base 35-36	0	81.5-82.4	0																																																									
37-42	25	82.5-83.4	30																																																									
Base 43-49	0	83.5-84.4	40																																																									
50-52	-275	84.5-85.4	50																																																									
53 & Above	-475	85.5 & Above	60																																																									
3	-350	25	225	310	320																																																							
4	-400	53.52	175	260	270																																																							
5	-425	-300	-225	-215	-205																																																							
6	-600	-475	-350	-340	-340																																																							
7	-750	-625	-600	-595	-585																																																							
51	1 & 2	-450	-275	-175	-140	-130																																																						
	3	-450	-275	-175	-140	-130																																																						
	4	-475	-350	-250	-200	-190																																																						
	5	-575	-525	-450	-425	-425																																																						
	6	-750	-650	-550	-550	-550																																																						
	7	-950	-850	-825	-825	-825																																																						
12 & 22	1 & 2	-275	50	300	360	420																																																						
	3	-275	50	275	335	395																																																						
	4	-375	25	250	310	370																																																						
	5	-400	-225	-100	-100	-50																																																						
	6	-550	-425	-300	-300	-250																																																						
	7	-725	-600	-550	-550	-500																																																						
32	1 & 2	-375	-100	125	210	220																																																						
	3	-375	-100	125	210	220																																																						
	4	-425	-225	0	85	95																																																						
	5	-475	-475	-375	-375	-375																																																						
	6	-675	-600	-500	-500	-500																																																						
	7	-825	-775	-750	-750	-750																																																						
42	1 & 2	-425	-250	-150	-100	-100																																																						
	3	-425	-250	-150	-100	-100																																																						
	4	-450	-325	-225	-175	-175																																																						
	5	-525	-500	-400	-400	-400																																																						
	6	-700	-625	-525	-525	-525																																																						
	7	-900	-800	-775	-775	-775																																																						
52	1 & 2	-475	-400	-325	-275	-275																																																						
	3	-475	-400	-325	-275	-275																																																						
	4	-650	-525	-450	-400	-400																																																						
	5	-700	-600	-550	-550	-550																																																						
	6	-800	-700	-650	-650	-650																																																						
	7	-1050	-950	-950	-925	-925																																																						

Strength	
(Grams per Tex)	
Range	Diff.
20.5-21.4	-450
21.5-22.4	-300
22.5-23.4	-150
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-350
2	-800

Color	Leaf	Staple				Color	Leaf	Staple																																																																																		
		34	35	36	37			34	35	36	37																																																																															
11 & 21	1 & 2	750	950	1240	1315	33	1 & 2	-500	-500	-500	-500																																																																															
	3	685	885	1040	1150		3	-500	-500	-500	-500																																																																															
	4	125	475	505	625		4	-600	-600	-600	-600																																																																															
	5	-125	75	130	190		5	-800	-800	-800	-800																																																																															
	6	-400	-200	-150	-100		6	-1075	-1075	-1075	-1075																																																																															
31	7	-625	-525	-475	-425	7	-1225	-1225	-1225	-1225																																																																																
	1 & 2	700	925	980	1090	43	1 & 2	-875	-875	-875	-875																																																																															
	3	675	875	880	990		3	-875	-875	-875	-875																																																																															
	4	100	450	480	560		4	-925	-925	-925	-925																																																																															
	5	-200	0	55	115		5	-1075	-1075	-1075	-1075																																																																															
6	-500	-325	-275	-225	6		-1225	-1225	-1225	-1225																																																																																
41	7	-675	-575	-525	-475	7	-1425	-1425	-1425	-1425																																																																																
	1 & 2	200	650	730	740	<table border="1"> <thead> <tr> <th colspan="2">Mike</th> </tr> <tr> <th>Range</th> <th>Diff.</th> </tr> </thead> <tbody> <tr> <td>27-29</td> <td>-1250</td> </tr> <tr> <td>30-32</td> <td>-550</td> </tr> <tr> <td>33-34</td> <td>-350</td> </tr> <tr> <td>Base 35-36</td> <td>0</td> </tr> <tr> <td>37-42</td> <td>25</td> </tr> <tr> <td>Base 43-49</td> <td>0</td> </tr> <tr> <td>50-52</td> <td>-450</td> </tr> <tr> <th colspan="2">Strength</th> </tr> <tr> <th colspan="2">(Grams per Tex)</th> </tr> <tr> <th>Range</th> <th>Diff.</th> </tr> <tr> <td>23.5-24.4</td> <td>-100</td> </tr> <tr> <td>24.5-25.4</td> <td>-100</td> </tr> <tr> <td>25.5-26.4</td> <td>-50</td> </tr> <tr> <td>Base 26.5-28.4</td> <td>0</td> </tr> <tr> <td>28.5-29.4</td> <td>0</td> </tr> <tr> <td>29.5-30.4</td> <td>25</td> </tr> <tr> <td>30.5-32.4</td> <td>50</td> </tr> <tr> <td>32.5 &amp; Above</td> <td>50</td> </tr> <tr> <th colspan="2">Uniformity</th> </tr> <tr> <th>Unit</th> <th>Points</th> </tr> <tr> <td>77.4 &amp; below</td> <td>-60</td> </tr> <tr> <td>77.5-78.4</td> <td>-50</td> </tr> <tr> <td>78.5-79.4</td> <td>-40</td> </tr> <tr> <td>79.5-80.4</td> <td>0</td> </tr> <tr> <td>Base 80.5-81.4</td> <td>0</td> </tr> <tr> <td>81.5-82.4</td> <td>0</td> </tr> <tr> <td>82.5-83.4</td> <td>30</td> </tr> <tr> <td>83.5-84.4</td> <td>40</td> </tr> <tr> <td>84.5-85.4</td> <td>50</td> </tr> <tr> <td>85.5 &amp; Above</td> <td>60</td> </tr> <tr> <th colspan="2">Extraneous Matter</th> </tr> <tr> <th>Level</th> <th>Diff.</th> </tr> <tr> <td>Prep</td> <td></td> </tr> <tr> <td>1</td> <td>-50</td> </tr> <tr> <td>2</td> <td>-800</td> </tr> <tr> <td>Other</td> <td></td> </tr> <tr> <td>1</td> <td>-350</td> </tr> <tr> <td>2</td> <td>-925</td> </tr> </tbody> </table>					Mike		Range	Diff.	27-29	-1250	30-32	-550	33-34	-350	Base 35-36	0	37-42	25	Base 43-49	0	50-52	-450	Strength		(Grams per Tex)		Range	Diff.	23.5-24.4	-100	24.5-25.4	-100	25.5-26.4	-50	Base 26.5-28.4	0	28.5-29.4	0	29.5-30.4	25	30.5-32.4	50	32.5 & Above	50	Uniformity		Unit	Points	77.4 & below	-60	77.5-78.4	-50	78.5-79.4	-40	79.5-80.4	0	Base 80.5-81.4	0	81.5-82.4	0	82.5-83.4	30	83.5-84.4	40	84.5-85.4	50	85.5 & Above	60	Extraneous Matter		Level	Diff.	Prep		1	-50	2	-800	Other		1	-350	2	-925
	Mike																																																																																									
	Range	Diff.																																																																																								
	27-29	-1250																																																																																								
30-32	-550																																																																																									
33-34	-350																																																																																									
Base 35-36	0																																																																																									
37-42	25																																																																																									
Base 43-49	0																																																																																									
50-52	-450																																																																																									
Strength																																																																																										
(Grams per Tex)																																																																																										
Range	Diff.																																																																																									
23.5-24.4	-100																																																																																									
24.5-25.4	-100																																																																																									
25.5-26.4	-50																																																																																									
Base 26.5-28.4	0																																																																																									
28.5-29.4	0																																																																																									
29.5-30.4	25																																																																																									
30.5-32.4	50																																																																																									
32.5 & Above	50																																																																																									
Uniformity																																																																																										
Unit	Points																																																																																									
77.4 & below	-60																																																																																									
77.5-78.4	-50																																																																																									
78.5-79.4	-40																																																																																									
79.5-80.4	0																																																																																									
Base 80.5-81.4	0																																																																																									
81.5-82.4	0																																																																																									
82.5-83.4	30																																																																																									
83.5-84.4	40																																																																																									
84.5-85.4	50																																																																																									
85.5 & Above	60																																																																																									
Extraneous Matter																																																																																										
Level	Diff.																																																																																									
Prep																																																																																										
1	-50																																																																																									
2	-800																																																																																									
Other																																																																																										
1	-350																																																																																									
2	-925																																																																																									
51	1 & 2	-575	-125	-75	-75																																																																																					
	3	-600	-150	-100	-100																																																																																					
	4	-650	-200	-175	-175																																																																																					
	5	-750	-375	-325	-325																																																																																					
	6	-900	-800	-800	-800																																																																																					
7	-1050	-1000	-1000	-1000																																																																																						
12 & 22	1 & 2	225	675	930	990																																																																																					
	3	150	600	880	940																																																																																					
	4	25	425	475	540																																																																																					
	5	-250	-50	0	50																																																																																					
	6	-525	-400	-350	-300																																																																																					
32	7	-775	-700	-650	-600																																																																																					
	1 & 2	100	350	375	375																																																																																					
	3	50	300	325	325																																																																																					
	4	-100	200	200	200																																																																																					
	5	-525	-275	-275	-275																																																																																					
42	6	-675	-475	-475	-475																																																																																					
	7	-850	-750	-750	-750																																																																																					
	1 & 2	-400	-50	-25	-25																																																																																					
	3	-450	-100	-75	-75																																																																																					
	4	-500	-175	-150	-150																																																																																					
52	5	-675	-350	-300	-300																																																																																					
	6	-800	-775	-775	-775																																																																																					
	7	-1000	-950	-950	-950																																																																																					
	1 & 2	-725	-675	-675	-675																																																																																					
	3	-725	-675	-675	-675																																																																																					
	4	-825	-775	-775	-775																																																																																					
	5	-875	-825	-825	-825																																																																																					
	6	-1025	-1025	-1025	-1025																																																																																					
	7	-1225	-1225	-1225	-1225																																																																																					

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse.

1/

**AMERICAN PIMA SPOT QUOTATIONS**

Color	Leaf	Staple		
		44	46	48
1	1	122.50	127.50	127.75
	2	122.25	127.25	127.75
	3	108.25	113.25	113.50
	4			
	5			
	6			
2	1	122.00	127.00	127.75
	2	121.50	126.50	127.25
	3	107.00	112.00	112.25
	4	89.75	94.75	95.50
	5			
	6			
3	1	115.50	120.50	121.25
	2	113.50	118.50	119.75
	3	99.00	104.00	106.00
	4	80.75	85.75	86.75
	5	75.25	76.25	77.50
	6			
4	1	80.50	85.50	86.50
	2	80.25	85.25	85.75
	3	80.00	85.00	85.00
	4	72.50	78.00	78.00
	5	68.50	72.75	72.75
	6			
5	1			
	2	62.50	69.75	69.75
	3	62.50	69.25	69.75
	4	62.50	63.75	63.75
	5	62.25	63.50	63.50
	6			
6	1			
	2	51.75	52.00	52.00
	3	51.75	52.00	52.00
	4	51.75	52.00	52.00
	5	51.50	51.75	51.75
	6	51.00	51.25	51.25

Mike	
Range	Diff.
26 & Below	-1350
27-29	-945
30-32	-550
33-34	-395
35 & Above	0

Strength	
(Grams per Tex)	
Range	Diff.
35.4 and Below	-1050
35.5-36.4	-800
36.5-37.4	-550
37.5 and Above	0

Extraneous Matter	
Level	Diff.
Prep	
1	-610
2	-895
Other	
1	-515
2	-835

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-200	-125	-75	-160	-17	264	407	511	530
	3	-250	-150	-88	-175	-21	226	351	425	449
	4	-313	-238	-150	-200	-113	111	243	313	335
	5	-400	-325	-225	-315	-229	-54	114	169	189
	6	-600	-500	-400	-445	-392	-321	-236	-212	-197
	7	-675	-575	-475	-575	-538	-454	-393	-366	-354
31	1 & 2	-250	-175	-125	-175	-33	218	357	431	451
	3	-300	-213	-150	-185	-42	193	325	370	391
	4	-363	-300	-188	-230	-154	68	211	259	276
	5	-450	-375	-250	-335	-246	-104	75	119	137
	6	-638	-538	-438	-460	-400	-346	-273	-249	-234
	7	-713	-625	-513	-590	-546	-468	-418	-392	-377
41	1 & 2	-375	-325	-238	-265	-154	75	214	259	262
	3	-400	-350	-263	-275	-163	54	179	216	219
	4	-475	-400	-288	-305	-225	56.73	118	163	166
	5	-513	-450	-338	-420	-304	-225	-118	-76	-74
	6	-700	-613	-525	-525	-479	-425	-368	-352	-352
	7	-775	-725	-650	-670	-633	-579	-543	-535	-534
51	1 & 2	-513	-463	-425	-440	-288	-232	-118	-95	-94
	3	-513	-463	-425	-475	-304	-264	-146	-120	-119
	4	-563	-513	-475	-500	-333	-314	-200	-179	-177
	5	-588	-563	-488	-560	-471	-414	-321	-300	-300
	6	-788	-713	-688	-670	-617	-582	-539	-529	-529
	7	-863	-813	-788	-775	-771	-729	-696	-689	-689
61	1 & 2	-550	-500	-463	-530	-370	-285	-270	-270	-270
	3	-550	-500	-463	-550	-395	-320	-305	-300	-300
	4	-600	-538	-500	-580	-435	-365	-345	-340	-340
	5	-625	-588	-525	-625	-545	-480	-445	-445	-445
	6	-813	-738	-713	-770	-700	-655	-635	-625	-625
	7	-888	-838	-813	-885	-805	-745	-725	-720	-720
71	1 & 2	-650	-575	-500	-785	-680	-595	-575	-575	-575
	3	-650	-575	-500	-785	-680	-595	-575	-575	-575
	4	-675	-600	-575	-835	-730	-645	-625	-625	-625
	5	-700	-625	-600	-865	-815	-715	-695	-695	-695
	6	-875	-800	-775	-980	-920	-815	-795	-795	-795
	7	-950	-900	-850	-1020	-970	-865	-845	-845	-845
12 & 22	1 & 2	-313	-263	-175	-205	-83	100	250	341	359
	3	-363	-300	-200	-225	-96	75	218	306	323
	4	-400	-338	-238	-270	-179	-4	143	216	234
	5	-488	-438	-388	-420	-346	-207	-121	-75	-61
	6	-688	-613	-538	-525	-483	-411	-361	-350	-336
	7	-775	-700	-625	-650	-625	-571	-536	-521	-507
32	1 & 2	-350	-300	-275	-300	-179	-7	89	144	146
	3	-400	-338	-300	-315	-192	-32	57	126	128
	4	-463	-388	-363	-360	-250	-136	-14	34	35
	5	-538	-500	-450	-500	-400	-321	-243	-204	-204
	6	-725	-675	-575	-595	-567	-500	-446	-432	-432
	7	-863	-788	-688	-730	-700	-646	-614	-607	-607
42	1 & 2	-438	-363	-325	-335	-267	-186	-71	-25	-25
	3	-450	-388	-375	-375	-292	-211	-100	-50	-50
	4	-513	-438	-438	-420	-313	-250	-150	-107	-107
	5	-588	-563	-513	-550	-442	-404	-311	-293	-293
	6	-838	-788	-663	-685	-621	-550	-511	-500	-500
	7	-925	-875	-775	-815	-758	-707	-675	-671	-671
52	1 & 2	-588	-513	-488	-510	-375	-368	-336	-329	-329
	3	-588	-513	-488	-515	-392	-389	-354	-346	-346
	4	-638	-588	-538	-535	-446	-446	-411	-404	-404
	5	-713	-663	-638	-615	-554	-539	-504	-504	-504
	6	-938	-888	-838	-790	-742	-693	-671	-671	-671
	7	-1013	-963	-938	-880	-867	-829	-814	-811	-811
62	1 & 2	-638	-563	-538	-610	-515	-430	-415	-415	-415
	3	-638	-563	-538	-630	-540	-470	-450	-445	-445
	4	-688	-638	-563	-660	-570	-505	-485	-480	-480
	5	-788	-713	-688	-760	-705	-610	-595	-595	-595
	6	-963	-913	-863	-960	-895	-790	-775	-775	-775

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-488	-388	-338	-263	-200	-138	-100	-75	-75
	3	-488	-425	-363	-288	-225	-163	-125	-100	-100
	4	-563	-463	-438	-363	-288	-213	-175	-150	-150
	5	-688	-588	-563	-463	-413	-338	-300	-275	-275
	6	-788	-713	-613	-550	-488	-413	-388	-363	-363
	7	-863	-788	-688	-638	-575	-488	-488	-463	-463
33	1 & 2	-575	-500	-450	-338	-275	-292	-275	-258	-258
	3	-575	-500	-450	-338	-275	-292	-275	-258	-258
	4	-625	-575	-500	-413	-338	-358	-342	-325	-325
	5	-725	-725	-625	-525	-450	-517	-492	-475	-475
	6	-850	-800	-700	-613	-575	-658	-658	-642	-642
	7	-975	-875	-800	-713	-638	-783	-775	-758	-758
43	1 & 2	-625	-550	-500	-595	-492	-457	-425	-404	-404
	3	-625	-550	-500	-595	-492	-457	-425	-404	-404
	4	-675	-625	-550	-640	-542	-500	-454	-436	-436
	5	-750	-750	-650	-700	-650	-643	-596	-586	-586
	6	-900	-850	-725	-800	-771	-768	-754	-746	-746
	7	-1000	-925	-825	-925	-875	-893	-879	-871	-871
53	1 & 2	-763	-663	-638	-685	-646	-554	-521	-517	-517
	3	-763	-663	-638	-695	-650	-563	-529	-525	-525
	4	-813	-713	-688	-750	-696	-608	-575	-571	-571
	5	-888	-813	-763	-805	-788	-692	-658	-654	-654
	6	-988	-925	-888	-960	-904	-813	-788	-783	-783
	7	-1063	-1000	-975	-1020	-1029	-925	-913	-908	-908
63	1 & 2	-875	-775	-750	-855	-765	-665	-635	-630	-630
	3	-875	-775	-750	-855	-765	-665	-640	-635	-635
	4	-925	-825	-800	-895	-805	-715	-685	-680	-680
	5	-1025	-925	-900	-965	-895	-805	-775	-770	-770
	6	-1075	-1000	-1000	-1080	-990	-885	-870	-865	-865
	34	1 & 2	-688	-588	-538	-475	-425	-350	-350	-350
3		-688	-588	-538	-475	-425	-350	-350	-350	-350
4		-813	-713	-663	-600	-525	-450	-450	-450	-450
5		-913	-813	-763	-700	-650	-575	-575	-575	-575
6		-1038	-963	-913	-850	-800	-725	-725	-725	-725
44		1 & 2	-775	-675	-625	-538	-488	-413	-413	-413
	3	-800	-700	-650	-588	-538	-463	-463	-463	-463
	4	-863	-775	-713	-688	-588	-513	-513	-513	-513
	5	-963	-863	-825	-763	-688	-613	-613	-613	-613
	6	-1088	-1013	-963	-900	-850	-775	-775	-775	-775
	54	1 & 2	-850	-750	-700	-638	-563	-488	-488	-488
3		-850	-750	-700	-638	-563	-488	-488	-488	-488
4		-900	-800	-775	-713	-663	-588	-588	-588	-588
5		-988	-888	-850	-788	-713	-638	-638	-638	-638

Mike	
Range	Diff.
24 & Below	-983
25-26	-929
27-29	-729
30-32	-361
33-34	-193
Base 35-36	0
37-42	19
Base 43-49	0
50-52	-244
53 & Above	-346

Strength	
(Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-292
21.5-22.4	-229
22.5-23.4	-171
23.5-24.4	-136
24.5-25.4	-121
25.5-26.4	-43
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	46
32.5 & Above	46

Uniformity	
Unit	Points
77.4 & below	-92
77.5-78.4	-80
78.5-79.4	-69
79.5-80.4	-4
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	21
83.5-84.4	30
84.5-85.4	40
85.5 & Above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-86
2	-686
Other (ET-OK and WT not included)	
1	-368
2	-731
Bark - (ET-OK and WT only)	
1	-225
2	-450