

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service
Cotton and Tobacco Program
Memphis, Tennessee

UNITED STATES ***Cotton Quality Report***



Classings Through December 27, 2012

Vol. 86, No. 05

December 28, 2012

mp_cn821

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through December 27, 2012

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	27	108	621	4,139	19,542	70,208	162,463	305,677	562,785
	3	4	51	299	1,729	6,785	23,475	65,169	150,989	248,501
	4	-	5	21	86	373	1,361	4,387	11,663	17,896
	5	-	-	3	2	22	58	130	397	612
	6	-	-	-	-	3	5	3	10	21
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		31	164	944	5,956	26,725	95,107	232,152	468,736
31	1-2	-	23	143	955	5,514	18,897	46,650	103,593	175,775
	3	1	22	286	1,459	6,712	25,292	78,100	215,924	327,796
	4	-	11	105	456	2,037	7,682	24,326	70,383	105,000
	5	-	-	16	67	251	975	2,830	7,435	11,574
	6	-	-	1	17	45	99	169	501	832
	7	-	-	-	-	3	10	10	46	69
	TOTAL----		1	56	551	2,954	14,562	52,955	152,085	397,882
41	1-2	-	-	7	132	461	2,471	10,718	30,425	44,214
	3	-	14	54	286	1,104	6,636	35,405	159,622	203,121
	4	-	2	18	87	648	3,724	20,565	126,774	151,818
	5	-	-	3	22	220	1,467	5,739	30,806	38,257
	6	-	-	1	9	42	357	975	4,182	5,566
	7	-	-	1	1	13	61	184	482	742
	TOTAL----		-	16	84	537	2,488	14,716	73,586	352,291
51	1-2	-	-	-	10	54	137	448	1,022	1,671
	3	-	-	-	24	78	326	1,414	5,278	7,120
	4	-	-	1	24	100	200	1,086	6,657	8,068
	5	-	-	1	6	29	160	752	3,690	4,638
	6	-	-	-	-	2	61	198	906	1,167
	7	-	-	-	1	7	26	70	253	357
	TOTAL----		-	-	2	65	270	910	3,968	17,806
61	1-2	-	-	-	-	1	6	-	6	13
	3	-	-	-	-	-	1	3	17	21
	4	-	-	-	-	-	1	11	9	21
	5	-	-	-	-	1	1	11	9	22
	6	-	-	-	-	-	-	5	5	10
	7	-	-	-	-	-	-	-	15	15
	TOTAL----		-	-	-	-	2	9	30	61
71	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	1	-	1
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	1	-
12 & 22	1-2	18	134	689	2,524	10,727	27,542	35,158	36,756	113,548
	3	10	52	324	1,477	5,369	16,864	29,202	31,386	84,684
	4	2	9	64	202	914	3,206	6,836	6,721	17,954
	5	-	-	2	20	53	287	596	669	1,627
	6	-	-	-	-	1	12	14	27	54
	7	-	-	-	-	-	-	-	1	1
	TOTAL----		30	195	1,079	4,223	17,064	47,911	71,806	75,560
32	1-2	-	25	220	1,081	3,795	7,367	8,229	7,166	27,883
	3	3	58	299	1,803	6,226	15,381	23,734	22,946	70,450
	4	-	9	109	627	2,773	8,002	15,299	15,409	42,228
	5	-	1	15	135	713	2,310	4,513	4,105	11,792
	6	-	-	2	32	106	394	778	627	1,939
	7	-	-	-	1	30	41	83	91	246
	TOTAL----		3	93	645	3,679	13,643	33,495	52,636	50,344
42	1-2	-	2	12	162	552	907	1,240	1,840	4,715
	3	-	9	73	634	1,907	4,274	7,921	16,334	31,152
	4	-	2	29	384	1,660	4,396	9,283	20,400	36,154
	5	-	-	18	113	585	1,895	4,621	7,870	15,102
	6	-	2	2	54	195	659	1,425	1,760	4,097
	7	-	-	1	7	56	253	402	327	1,046
	TOTAL----		-	15	135	1,354	4,955	12,384	24,892	48,531
52	1-2	-	-	1	2	6	32	208	144	393
	3	-	-	12	39	81	132	666	1,963	2,893
	4	-	-	1	15	53	164	846	3,989	5,068
	5	-	-	-	3	78	246	769	2,764	3,860
	6	-	-	-	1	17	90	268	811	1,187
	7	-	-	-	1	-	14	78	200	293
	TOTAL----		-	-	14	61	235	678	2,835	9,871

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through December 27, 2012

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	-	-	-	-	1	1	2
	3	-	-	-	-	-	1	2	14	17
	4	-	-	-	-	-	1	20	80	101
	5	-	-	-	-	-	1	22	68	91
	6	-	-	-	-	-	-	8	5	13
	7	-	-	-	-	-	1	3	-	4
	TOTAL----		-	-	-	-	-	4	56	168
13 & 23	1-2	-	17	91	309	976	2,404	3,332	3,978	11,107
	3	-	1	24	138	700	1,683	2,555	3,191	8,292
	4	-	-	8	32	173	454	821	752	2,240
	5	-	-	1	5	25	102	166	97	396
	6	-	-	-	1	1	7	6	4	19
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	18	124	485	1,875	4,650	6,880	8,022
33	1-2	3	14	105	231	468	726	929	959	3,435
	3	3	8	79	299	957	1,775	2,192	2,297	7,610
	4	-	1	33	158	618	1,256	1,665	1,261	4,992
	5	-	4	6	33	174	470	585	568	1,840
	6	-	1	-	7	22	85	148	137	400
	7	-	-	1	2	6	7	21	27	64
	TOTAL----		6	28	224	730	2,245	4,319	5,540	5,249
43	1-2	-	2	31	83	149	88	99	101	553
	3	-	3	64	277	385	548	620	832	2,729
	4	-	4	52	212	450	907	998	1,317	3,940
	5	-	2	20	45	162	466	691	905	2,291
	6	-	3	3	7	19	220	241	339	832
	7	-	1	3	8	11	79	70	109	281
	TOTAL----		-	15	173	632	1,176	2,308	2,719	3,603
53	1-2	-	-	-	2	2	7	9	18	38
	3	-	-	4	9	9	34	192	314	562
	4	-	-	1	-	12	59	288	694	1,054
	5	-	-	-	-	23	122	293	651	1,089
	6	-	-	-	2	7	35	174	256	474
	7	-	-	-	1	3	12	69	88	173
	TOTAL----		-	-	5	14	56	269	1,025	2,021
63	1-2	-	-	-	-	-	-	1	-	1
	3	-	-	-	-	-	4	5	8	17
	4	-	-	-	-	1	30	29	40	100
	5	-	-	-	-	3	10	56	74	143
	6	-	-	-	-	1	4	16	21	42
	7	-	-	-	-	-	2	2	3	7
	TOTAL----		-	-	-	-	5	50	109	146
24-54	1-7	1	5	33	95	308	597	1,022	1,358	3,419
25-35	1-7	-	-	-	-	2	9	4	4	19
81-85 1/	1-7	-	-	-	4	7	25	48	74	158
All Colors	8 2/	-	-	12	9	70	232	468	406	1,197
TOTAL, ALL----		72	605	4,025	20,798	85,655	270,611	631,860	1,442,131	2,455,757

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through December 27, 2012

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 &+	35 to 40+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	479,234	551,963	458,287	143,925	64,502	23,762	1,721,673	2,284,458
	3	279,599	343,711	308,028	84,688	27,664	8,416	1,052,106	1,300,607
	4	27,038	39,213	38,881	10,398	2,707	444	118,681	136,577
	5	1,059	1,777	2,095	642	173	23	5,769	6,381
	6	35	41	54	30	8	1	169	190
	7	-	3	4	-	-	-	7	7
	TOTAL----		786,965	936,708	807,349	239,683	95,054	32,646	2,898,405
31	1-2	219,871	316,570	188,145	18,627	7,186	2,647	753,046	928,821
	3	526,427	795,072	558,267	75,381	16,147	6,515	1,977,809	2,305,605
	4	188,063	301,714	240,881	38,840	8,595	1,840	779,933	884,933
	5	19,475	32,228	31,874	6,222	1,482	323	91,604	103,178
	6	1,319	2,211	2,342	662	169	66	6,769	7,601
	7	126	163	230	77	25	37	658	727
	TOTAL----		955,281	1,447,958	1,021,739	139,809	33,604	11,428	3,609,819
41	1-2	68,082	73,599	29,951	1,839	204	69	173,744	217,958
	3	499,422	691,628	374,058	40,274	6,317	1,351	1,613,050	1,816,171
	4	479,449	815,927	612,829	75,635	13,636	1,519	1,998,995	2,150,813
	5	126,897	263,801	237,221	32,372	5,113	486	665,890	704,147
	6	17,280	41,652	42,884	5,884	877	63	108,640	114,206
	7	2,031	5,098	6,324	826	172	12	14,463	15,205
	TOTAL----		1,193,161	1,891,705	1,303,267	156,830	26,319	3,500	4,574,782
51	1-2	1,006	398	84	6	2	-	1,496	3,167
	3	11,075	8,774	2,428	128	14	3	22,422	29,542
	4	18,916	22,650	12,220	1,040	103	5	54,934	63,002
	5	12,547	20,850	15,223	1,515	248	11	50,394	55,032
	6	3,891	8,693	7,634	916	198	8	21,340	22,507
	7	975	2,250	2,238	342	89	-	5,894	6,251
	TOTAL----		48,410	63,615	39,827	3,947	654	27	156,480
61	1-2	14	3	-	-	1	-	18	31
	3	18	10	5	-	-	-	33	54
	4	5	5	8	1	-	-	19	40
	5	16	9	1	-	-	-	26	48
	6	3	10	1	-	-	-	14	24
	7	15	6	2	-	-	-	23	38
	TOTAL----		71	43	17	1	1	-	133
71	1-2	-	-	2	-	-	-	2	2
	3	-	4	1	-	-	-	5	5
	4	1	-	-	-	-	-	1	2
	5	1	-	-	-	-	-	1	1
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
	TOTAL----		2	4	3	-	-	-	9
12 & 22	1-2	34,133	24,374	15,295	2,831	755	286	77,674	191,222
	3	35,184	31,769	17,515	2,637	796	288	88,189	172,873
	4	6,815	7,554	5,946	852	160	28	21,355	39,309
	5	696	646	601	98	22	4	2,067	3,694
	6	45	33	30	4	-	-	112	166
	7	-	1	1	4	-	-	6	7
	TOTAL----		76,873	64,377	39,388	6,426	1,733	606	189,403
32	1-2	6,435	3,624	1,428	397	362	231	12,477	40,360
	3	23,771	19,567	8,950	1,460	890	697	55,335	125,785
	4	16,228	15,789	9,212	1,277	378	123	43,007	85,235
	5	3,709	3,439	2,683	477	125	22	10,455	22,247
	6	606	486	399	87	19	4	1,601	3,540
	7	116	72	44	9	3	-	244	490
	TOTAL----		50,865	42,977	22,716	3,707	1,777	1,077	123,119
42	1-2	2,622	1,649	595	35	16	23	4,940	9,655
	3	29,810	24,763	9,004	452	78	127	64,234	95,386
	4	41,183	43,936	22,668	1,723	181	30	109,721	145,875
	5	13,744	17,887	13,626	1,612	181	18	47,068	62,170
	6	2,286	2,897	2,259	287	63	3	7,795	11,892
	7	316	319	263	48	11	1	958	2,004
	TOTAL----		89,961	91,451	48,415	4,157	530	202	234,716
52	1-2	259	147	25	1	-	-	432	825
	3	4,729	3,078	561	13	4	1	8,386	11,279
	4	9,796	7,305	2,073	88	21	1	19,284	24,352
	5	6,021	5,610	2,547	233	55	1	14,467	18,327
	6	1,563	1,701	991	230	70	1	4,556	5,743
	7	374	282	177	54	26	-	913	1,206
	TOTAL----		22,742	18,123	6,374	619	176	4	48,038

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through December 27, 2012

QUALITY	LEAF	STAPLE							TOTAL	
		35	36	37	38	39	40 &+	35 to 40+		
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	
62	1-2	1	1	2	-	-	-	4	6	
	3	26	9	6	-	-	-	41	58	
	4	47	7	3	-	-	-	57	158	
	5	21	5	5	-	-	-	31	122	
	6	4	5	2	1	-	-	12	25	
	7	3	12	-	-	-	-	15	19	
TOTAL----		102	39	18	1	-	-	160	388	
13 & 23	1-2	3,909	2,588	1,526	332	97	9	8,461	19,568	
	3	3,744	3,241	1,842	337	54	11	9,229	17,521	
	4	821	903	787	101	23	1	2,636	4,876	
	5	85	114	116	11	1	-	327	723	
	6	2	7	3	1	1	-	14	33	
	7	1	-	-	2	-	-	3	3	
TOTAL----		8,562	6,853	4,274	784	176	21	20,670	42,724	
33	1-2	892	507	200	22	8	4	1,633	5,068	
	3	2,545	2,193	1,254	136	47	18	6,193	13,803	
	4	1,651	1,850	1,632	204	38	5	5,380	10,372	
	5	532	545	629	110	27	3	1,846	3,686	
	6	110	85	100	29	5	1	330	730	
	7	10	10	7	-	-	-	27	91	
TOTAL----		5,740	5,190	3,822	501	125	31	15,409	33,750	
43	1-2	115	72	18	4	1	-	210	763	
	3	1,385	1,113	523	30	5	2	3,058	5,787	
	4	2,562	2,312	1,376	114	13	1	6,378	10,318	
	5	1,266	1,322	823	176	14	1	3,602	5,893	
	6	305	320	200	111	3	-	939	1,771	
	7	108	78	32	10	-	-	228	509	
TOTAL----		5,741	5,217	2,972	445	36	4	14,415	25,041	
53	1-2	7	1	-	-	-	-	8	46	
	3	258	166	22	-	-	1	447	1,009	
	4	1,113	675	138	21	-	1	1,948	3,002	
	5	1,246	813	267	42	-	-	2,368	3,457	
	6	436	311	143	48	-	-	938	1,412	
	7	109	75	29	9	-	-	222	395	
TOTAL----		3,169	2,041	599	120	-	2	5,931	9,321	
63	1-2	2	-	-	-	-	-	2	3	
	3	10	3	1	-	-	-	14	31	
	4	10	4	2	-	-	-	16	116	
	5	27	8	10	-	-	-	45	188	
	6	21	7	5	1	-	-	34	76	
	7	6	4	-	-	-	-	10	17	
TOTAL----		76	26	18	1	-	-	121	431	
24-54	1-7	1,468	1,036	654	221	28	-	3,407	6,826	
25-35	1-7	6	7	-	-	-	-	13	32	
81-85 1/	1-7	76	39	10	1	1	-	127	285	
All Colors	8 2/	644	910	1,227	291	48	29	3,149	4,346	
TOTAL, ALL----		3,249,914	4,578,324	3,302,693	557,545	160,262	42,468	11,898,315	14,354,072	
EXTRANEIOUS MATTER									Average Staple -----	35.7
Bark - Level 1		1,563,749							Percent Tenderable -----	60.7
Bark - Level 2		162								
Grass - Level 1		41,613								
Grass - Level 2		29								
Prep - Level 1		45,875								
Prep - Level 2		11								
Other - Level 1		305								
Other - Level 2		5								

14,354,072 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE															
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	*	*	*	*	0.1	0.5	1.1	2.1	3.3	3.8	3.2	1.0	0.4	0.2	15.9	
	3	*	*	*	*	*	0.2	0.5	1.1	1.9	2.4	2.1	0.6	0.2	0.1	9.1	
	4	-	-	*	*	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	1.0	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		*	*	*	*	0.2	0.7	1.6	3.3	5.5	6.5	5.6	1.7	0.7	0.2	26.0
	31	1-2	-	*	*	*	*	0.1	0.3	0.7	1.5	2.2	1.3	0.1	0.1	*	6.5
3		*	*	*	*	*	0.2	0.5	1.5	3.7	5.5	3.9	0.5	0.1	*	16.1	
4		-	*	*	*	*	0.1	0.2	0.5	1.3	2.1	1.7	0.3	0.1	*	6.2	
5		-	-	*	*	*	*	*	0.1	0.1	0.2	0.2	*	*	*	0.7	
6		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL----			*	*	*	*	0.1	0.4	1.1	2.8	6.7	10.1	7.1	1.0	0.2	0.1	29.5
41		1-2	-	-	*	*	*	*	0.1	0.2	0.5	0.5	0.2	*	*	*	1.5
	3	-	*	*	*	*	*	0.2	1.1	3.5	4.8	2.6	0.3	*	*	12.7	
	4	-	*	*	*	*	*	0.1	0.9	3.3	5.7	4.3	0.5	0.1	*	15.0	
	5	-	-	*	*	*	*	*	0.2	0.9	1.8	1.7	0.2	*	*	4.9	
	6	-	-	*	*	*	*	*	*	0.1	0.3	0.3	*	*	*	0.8	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	TOTAL----		-	*	*	*	*	0.1	0.5	2.5	8.3	13.2	9.1	1.1	0.2	*	35.0
	51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
3		-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.2	
4		-	-	*	*	*	*	*	*	0.1	0.2	0.1	*	*	*	0.4	
5		-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4	
6		-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2	
7		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
TOTAL----			-	-	*	*	*	*	*	0.1	0.3	0.4	0.3	*	*	*	1.3
61		1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
3		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
4		-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
5		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	*	-	*	*	*	-	-	-	
12 & 22		1-2	*	*	*	*	0.1	0.2	0.2	0.3	0.2	0.2	0.1	*	*	*	1.3
	3	*	*	*	*	*	0.1	0.2	0.2	0.2	0.2	0.1	*	*	*	1.2	
	4	*	*	*	*	*	*	*	*	*	0.1	*	*	*	*	0.3	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL----		*	*	*	*	0.1	0.3	0.5	0.5	0.5	0.4	0.3	*	*	*	2.8
	32	1-2	-	-	-	-	*	0.1	0.1	*	*	*	*	*	*	*	0.3
3		*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	0.1	*	*	*	0.9	
4		-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6	
5		-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
6		-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
7		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
TOTAL----			*	*	*	*	0.1	0.2	0.4	0.4	0.4	0.3	0.2	*	*	*	1.9
42		1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.7	
	4	-	*	*	*	*	*	0.1	0.1	0.3	0.3	0.2	*	*	*	1.0	
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	*	*	*	*	0.1	0.2	0.3	0.6	0.6	0.3	*	*	*	2.3
	52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
3		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
4		-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.2	
5		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
6		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
7		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL----			-	-	*	*	*	*	*	0.1	0.2	0.1	*	*	*	*	0.4

* Less than 0.05 percent.

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
33	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
43	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
53	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*
24-54	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*		
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*		
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*		
TOTAL, ALL----		*	*	*	0.1	0.6	1.9	4.4	10.0	22.6	31.9	23.0	3.9	1.1	0.3	100.0
EXTRANEOUS MATTER															Average Staple	35.7
Bark - Level 1		10.9													Percent Tenderable	60.7
Bark - Level 2		*														
Grass - Level 1		0.3														
Grass - Level 2		*														
Prep - Level 1		0.3														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

14,354,072 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	*	*	0.1	0.4	1.2	0.8	0.1	*	-	2.6	
	3	-	-	-	-	-	*	*	*	0.2	0.5	0.5	0.1	*	-	1.3	
	4	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.2	
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	*	0.1	0.7	1.8	1.4	0.1	*	-	4.1
	31	1-2	-	-	-	-	-	*	*	0.1	0.7	3.4	6.6	4.3	0.3	*	15.4
3		-	-	-	-	-	*	*	0.2	1.5	5.6	10.7	8.8	0.7	*	27.6	
4		-	-	-	-	*	*	*	0.1	0.4	1.6	3.1	2.8	0.3	*	8.3	
5		-	-	-	-	-	-	*	*	*	0.1	0.3	0.3	*	*	0.7	
6		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
7		-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
TOTAL----			-	-	-	-	*	*	0.4	2.6	10.7	20.6	16.2	1.4	0.1	*	52.0
41		1-2	-	-	-	-	-	*	*	0.2	1.0	1.5	0.6	*	*	-	3.4
	3	-	-	-	-	*	*	*	0.1	1.1	4.5	6.7	3.4	0.2	*	16.1	
	4	-	-	-	-	*	*	*	0.2	1.0	3.3	5.0	2.7	0.2	*	12.3	
	5	-	-	-	-	*	*	*	0.1	0.3	0.6	1.1	0.8	0.1	*	2.9	
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.4	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	TOTAL----		-	-	-	-	*	*	0.4	2.6	9.5	14.5	7.5	0.5	*	*	35.1
	51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
3		-	-	-	-	*	*	*	*	0.2	0.2	*	*	*	-	0.5	
4		-	-	-	-	*	*	*	*	0.2	0.2	0.1	*	*	-	0.5	
5		-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.2	
6		-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
7		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
TOTAL----			-	-	-	-	*	*	0.1	0.6	0.4	0.1	*	*	*	-	1.3
61		1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
12 & 22		1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	32	1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.1
3		-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4	
4		-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2	
5		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
6		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
7		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
TOTAL----			-	-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	*	*	0.8
42		1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	3	-	-	-	-	*	*	*	0.1	0.3	0.7	0.6	0.1	*	*	1.8	
	4	-	-	-	-	*	*	*	*	0.2	0.5	0.5	0.1	*	*	1.4	
	5	-	-	-	-	*	*	*	*	0.1	0.2	*	*	*	*	0.4	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	0.1	0.6	1.4	1.3	0.3	*	*	*	3.9
	52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
3		-	-	-	-	*	*	*	0.1	0.3	0.1	*	*	*	-	0.5	
4		-	-	-	-	*	*	*	0.2	0.4	0.2	*	*	*	-	0.8	
5		-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.4	
6		-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
7		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
TOTAL----			-	-	-	-	*	*	0.1	0.4	0.9	0.4	0.1	*	*	*	1.9

* Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	-	
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	
	3	-	-	-	-	*	-	*	*	*	*	*	*	-	-	
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	*	-	*	*	*	*	*	*	-	
43	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	TOTAL----		-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	
53	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	TOTAL----		-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	-	-	
63	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	
24-54	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL----		*	*	*	*	*	0.1	1.2	6.8	24.4	39.5	25.8	2.1	0.1	*	
EXTRANEIOUS MATTER															Average Staple	35.9
															Percent Tenderable	72.1
Bark - Level 1		6.7														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

631,053 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL		
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
11 & 21	1-2	-	-	-	-	*	*	0.4	3.2	13.0	20.2	13.7	2.7	0.5	*	*	53.7	
	3	-	-	-	-	-	*	*	0.6	3.5	5.6	4.4	1.1	0.3	*	*	15.6	
	4	-	-	-	-	-	-	-	*	0.2	0.4	0.3	0.1	0.1	*	*	1.1	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	*	*	0.4	3.8	16.7	26.2	18.3	3.9	0.9	0.1	0.1	70.4
31	1-2	-	-	-	-	*	*	0.1	0.5	1.9	2.9	1.6	0.2	*	*	*	7.2	
	3	-	-	-	-	-	*	*	0.5	2.5	4.5	3.2	0.5	0.1	*	*	11.3	
	4	-	-	-	-	-	-	*	0.1	0.5	1.2	0.9	0.2	0.1	*	*	3.1	
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.4	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	0.1	1.2	5.0	8.7	5.9	0.9	0.3	0.1	0.1	22.1
41	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.3	
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.2	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	0.8
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.5	0.4	0.1	*	*	*	*	1.1	
	3	-	-	-	-	-	-	*	0.1	0.7	0.7	0.2	*	*	*	*	1.7	
	4	-	-	-	-	-	-	*	0.1	0.1	0.2	0.1	*	*	*	*	0.4	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	*	0.3	1.3	1.4	0.3	*	*	*	*	3.3
32	1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.2	
	3	-	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	*	*	*	0.7	
	4	-	-	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	*	*	0.9	
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	0.1	0.4	0.7	0.6	0.3	*	*	*	*	2.1
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2	
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	*	0.2	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	*	0.6
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	*		
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
33	1-2	-	-	-	-	-	-	-	*	-	*	-	*	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1		
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1		
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	0.2	
43	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1		
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1		
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	*		
	TOTAL----		-	-	-	-	*	0.1	*	*	*	*	*	*	-	0.2	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	5	-	-	-	-	-	*	-	*	*	*	*	*	-	*		
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	-	*		
25-35	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1		
TOTAL, ALL----		*	*	*	*	*	0.1	0.7	6.1	24.1	37.4	25.1	5.0	1.1	0.2	100.0	
EXTRANEOUS MATTER															Average Staple	36.0	
															Percent Tenderable	78.8	
Bark - Level 1		1.3															
Bark - Level 2		*															
Grass - Level 1		0.2															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

364,860 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL		
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	*	*	0.1	*	*	*	*	*	*	0.2
	31	1-2	-	-	-	-	*	*	*	0.1	0.3	0.3	0.2	*	*	*	*	1.0
3		-	-	-	-	*	*	0.1	0.5	2.1	3.2	2.3	0.6	0.1	*	*	8.9	
4		-	-	-	-	*	*	*	0.1	0.7	1.6	1.7	0.3	0.1	*	*	4.5	
5		-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3	
6		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
7		-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
TOTAL----			-	-	-	-	*	*	0.1	0.7	3.1	5.2	4.4	1.0	0.2	*	*	14.7
41		1-2	-	-	-	-	*	*	0.1	0.2	0.5	0.4	0.2	*	*	*	*	1.4
	3	-	-	-	-	*	*	0.2	1.5	6.3	9.4	6.0	1.0	0.2	*	*	24.7	
	4	-	-	-	-	*	*	*	0.7	6.2	14.1	15.0	1.8	0.3	*	*	38.2	
	5	-	-	-	-	*	*	*	0.1	1.3	3.9	5.5	0.8	0.1	*	*	11.7	
	6	-	-	-	-	-	-	-	*	0.1	0.4	0.7	0.1	*	*	*	1.4	
	7	-	-	-	-	-	-	-	-	-	-	0.1	*	*	*	*	0.1	
	TOTAL----		-	-	-	-	*	*	0.3	2.6	14.4	28.4	27.5	3.8	0.6	*	*	77.6
	51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
3		-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	*	0.5	
4		-	-	-	-	*	*	*	0.1	0.4	0.5	0.4	*	*	*	*	1.4	
5		-	-	-	-	*	*	*	*	0.2	0.5	0.5	*	*	*	*	1.4	
6		-	-	-	-	-	-	-	*	*	0.2	0.2	*	*	*	*	0.5	
7		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1	
TOTAL----			-	-	-	-	*	*	0.2	0.9	1.4	1.2	0.1	*	*	*	3.9	
61		1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
3		-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL----			-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
12 & 22		1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
3		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
4		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
5		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
6		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
7		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
TOTAL----			-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	0.3	
42		1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.6	
	4	-	-	-	-	*	*	*	0.1	0.4	0.6	0.4	*	*	*	*	1.5	
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.2	*	*	*	*	0.6	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	0.1	0.2	0.7	0.9	0.7	0.1	*	*	2.7	
	52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
3		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
4		-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	0.2	
5		-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	*	0.2	
6		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
7		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
TOTAL----			-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.4	

* Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	*	-	*	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	*	*	-	*	*	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-		
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-		
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-		
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	*	
43	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-		
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-		
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	0.1	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-		
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-		
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
25-35	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
TOTAL, ALL----		*	*	*	*	*	0.1	0.5	3.8	19.4	36.3	34.1	4.9	0.8	0.1	100.0	
EXTRANEOUS MATTER																Average Staple	36.2
																Percent Tenderable	40.5
Bark - Level 1		4.4															
Bark - Level 2		-															
Grass - Level 1		0.2															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

1,244,553 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE															
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	*	0.1	0.8	4.0	13.1	16.8	12.7	10.8	5.1	63.3	
	3	-	-	-	-	-	*	*	0.1	0.7	5.2	6.8	2.2	2.5	1.5	19.1	
	4	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	0.5	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	0.1	0.9	4.7	18.4	23.8	15.0	13.3	6.6	82.8
	31	1-2	-	-	-	-	-	*	*	0.1	0.2	0.9	2.0	1.0	1.3	0.6	6.1
3		-	-	-	-	-	-	*	0.1	0.2	1.2	2.0	0.9	1.2	1.2	6.8	
4		-	-	-	-	-	-	*	*	0.1	0.3	0.5	0.1	0.1	0.1	1.2	
5		-	-	-	-	-	-	-	-	*	0.1	*	*	*	*	0.2	
6		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
7		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
TOTAL----			-	-	-	-	-	*	*	0.1	0.5	2.5	4.7	2.0	2.7	1.9	14.3
41		1-2	-	-	-	-	-	-	-	-	-	0.1	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1	0.2	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	-	-	*	*	0.1	0.2	*	*	*	0.1	0.4
	51	1-2	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
3		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
4		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	*	*	*	*	*	*	
61		1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22		1-2	-	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	0.1	0.7
	3	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	0.5	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	*	*	0.2	0.2	0.3	0.3	0.1	1.2	
	32	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.3
3		-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.2	0.2	0.6	
4		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	
5		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
6		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
7		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
TOTAL----			-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.3	0.2	1.0	
42		1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	
	52	1-2	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
3		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
4		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
5		-	-	-	-	-	-	-	-	-	-	-	*	*	*	*	
6		-	-	-	-	-	-	-	-	-	-	-	*	*	*	*	
7		-	-	-	-	-	-	-	-	-	-	-	-	*	*	*	
TOTAL----			-	-	-	-	-	-	-	-	-	-	*	*	*	*	

* Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	*	*
53	1-2	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
25-35	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL----		*	*	*	*	*	*	0.1	1.0	5.3	21.3	29.1	17.6	16.5	9.0	100.0
EXTRANEOUS MATTER																
Bark - Level 1	0.6															
Bark - Level 2	-															
Grass - Level 1	0.3															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

427,208 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	-	*	0.2	0.3	0.7	0.7	0.1	*	-	2.1	
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.4	0.1	*	-	0.8	
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	0.3	0.4	0.9	1.1	0.2	*	-	-	2.9
	31	1-2	-	-	-	-	-	*	0.1	0.9	4.2	8.9	7.0	0.4	*	-	21.5
3		-	-	-	-	-	*	0.1	0.5	3.2	8.0	8.8	1.1	0.1	-	21.7	
4		-	-	-	-	-	-	-	0.1	0.6	2.1	2.0	0.3	*	-	5.0	
5		-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	-	0.4	
6		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	*	0.1	1.5	8.0	19.0	18.0	1.8	0.1	-	-	48.6
41		1-2	-	-	-	-	-	*	0.1	0.9	2.0	1.1	0.1	-	-	-	4.3
	3	-	-	-	-	-	*	*	0.3	2.8	8.4	6.9	0.6	*	-	19.0	
	4	-	-	-	-	-	-	*	0.2	1.4	4.8	4.1	0.3	*	-	10.9	
	5	-	-	-	-	-	-	-	*	0.2	0.8	0.9	0.1	*	-	2.0	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	*	0.1	0.6	5.4	16.1	13.1	1.1	*	-	-	36.3
	51	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
3		-	-	-	-	-	*	*	0.3	0.7	0.2	*	-	-	-	1.2	
4		-	-	-	-	-	-	*	0.3	0.6	0.3	*	-	-	-	1.2	
5		-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.1	
6		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
7		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
TOTAL----			-	-	-	-	*	0.1	0.6	1.4	0.5	*	-	-	-	-	2.6
61		1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22		1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	32	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-
3		-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	0.2	
4		-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1	
5		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	0.3
42		1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-
	3	-	-	-	-	-	-	*	0.1	0.5	0.7	0.4	*	-	-	0.1	
	4	-	-	-	-	-	-	-	0.1	0.6	0.8	0.3	*	-	-	1.9	
	5	-	-	-	-	-	-	-	*	0.2	0.2	0.1	*	*	-	0.5	
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	0.3	1.3	1.8	0.8	*	*	-	-	4.3
	52	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-
3		-	-	-	-	-	-	*	*	0.3	0.5	0.2	*	-	-	1.1	
4		-	-	-	-	-	-	*	0.1	0.6	0.9	0.3	*	-	-	1.9	
5		-	-	-	-	-	-	*	0.1	0.3	0.4	0.1	*	-	-	0.9	
6		-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1	
7		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
TOTAL----			-	-	-	-	-	*	0.2	1.3	1.9	0.6	*	*	-	-	4.0

* Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-		
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-		
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	*	*	*	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-		
33	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-		
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-		
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-		
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-		
43	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-		
	3	-	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-		
	4	-	-	-	-	-	*	-	*	*	0.1	*	*	-	-		
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-		
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	-	*	0.1	0.1	0.1	*	-		
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-		
	4	-	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-		
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-		
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	0.1	0.2	0.2	*	*	-	-		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-		
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-		
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-		
24-54	1-7	-	-	-	-	-	-	-	*	*	*	-	-	-			
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-			
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*			
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*			
TOTAL, ALL-----									0.3	3.1	17.3	41.6	34.4	3.1	0.1		
EXTRANEIOUS MATTER																Average Staple	36.2
																Percent Tenderable	69.4
Bark - Level 1		9.1															
Bark - Level 2		-															
Grass - Level 1		0.2															
Grass - Level 2		-															
Prep - Level 1		0.3															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

107,394 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	6	-	-	-	-	-	-	-	*	*	-	*	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-		
	3	-	-	-	-	-	-	*	-	*	*	*	-	-		
	4	-	-	-	-	-	-	-	*	*	*	*	-	-		
	5	-	-	-	-	-	-	-	*	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	
33	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-		
	3	-	-	-	-	*	*	*	*	*	*	*	-	-		
	4	-	-	-	-	*	*	*	*	*	*	*	-	-		
	5	-	-	-	-	-	-	-	*	*	*	*	*	-		
	6	-	-	-	-	-	-	-	*	*	*	*	*	-		
	7	-	-	-	-	-	-	-	-	-	*	-	-	-		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	
43	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-		
	3	-	-	-	*	*	*	*	*	*	*	*	*	-		
	4	-	-	-	-	*	*	*	*	*	*	*	*	-		
	5	-	-	-	-	*	*	*	*	*	*	*	*	-		
	6	-	-	-	-	*	*	*	*	*	*	*	*	-		
	7	-	-	-	-	-	-	-	*	*	-	*	-	-		
	TOTAL----		-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	*	*	*	*	*	*	*	-	-		
	4	-	-	-	-	*	*	*	*	*	*	*	-	-		
	5	-	-	-	-	*	*	*	*	*	*	*	-	-		
	6	-	-	-	*	*	*	*	*	*	*	*	-	-		
	7	-	-	-	-	*	*	*	*	*	*	*	-	-		
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	0.1	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	*	*	-	-	-	-	-	-		
	4	-	-	-	-	-	*	*	-	*	-	-	-	-		
	5	-	-	-	-	*	*	*	*	*	*	*	-	-		
	6	-	-	-	-	*	*	*	*	*	-	*	-	-		
	7	-	-	-	-	-	*	*	-	*	-	-	-	-		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	*	
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*		
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*		
TOTAL, ALL----		*	*	*	*	*	0.2	1.1	5.6	20.9	39.6	27.9	3.7	0.9	0.1	100.0
EXTRANEEOUS MATTER															Average Staple	36.0
															Percent Tenderable	72.9
Bark - Level 1		8.3														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		-														
Other - Level 1		-														

2,204,555 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-		
13 & 23	1-2	-	-	-	-	*	-	*	0.1	-	-	-	-	-	0.1		
	3	-	-	-	-	0.1	*	*	*	*	-	-	-	-	0.2		
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	0.1	0.1	0.1	*	0.1	-	-	-	-	0.3	
33	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1		
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3		
	4	-	-	-	-	*	0.1	0.1	*	*	*	0.1	-	-	0.4		
	5	-	-	-	-	*	0.1	*	*	*	-	*	-	-	0.1		
	6	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	0.2	0.2	0.2	0.1	*	0.1	-	-	0.9	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	*		
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1		
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1		
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1		
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	*		
	TOTAL----		-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	*		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7	-	-	-	-	*	-	*	-	*	-	0.1	-	-	0.1		
25-35	1-7	*	*	*	*	*	-	*	-	*	-	*	-	*	-		
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
All Colors	8 2/	*	*	*	*	*	*	*	0.1	*	0.2	*	*	*	0.4		
TOTAL, ALL----		*	*	0.1	0.5	3.1	9.5	14.7	19.3	27.1	18.8	6.5	0.4	*	*	100	
EXTRANEIOUS MATTER															Average Staple	34.4	
Bark - Level 1		25.9														Percent Tenderable	47
Bark - Level 2		-															
Grass - Level 1		*															
Grass - Level 2		-															
Prep - Level 1		-															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

55,678 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	*	-	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
43	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	4	-	-	-	-	-	-	*	*	0.1	*	*	*	-	-	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	TOTAL----		-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	0.3
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	TOTAL----		-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL----		*	*	*	*	*	0.1	1.6	14.1	38.4	34.2	11.1	0.4	*	*	100.0
EXTRANEOUS MATTER															Average Staple	35.4
Bark - Level 1		2.4													Percent Tenderable	55.5
Bark - Level 2		-														
Grass - Level 1		0.4														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

475,167 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-		
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-		
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-		
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-		
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	*	*	*	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-		
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	-	*	
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	*		
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	*	
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	TOTAL----		-	-	-	-	-	-	*	*	*	*	0.1	*	*	0.2	
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	*		
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	0.1	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1		
TOTAL, ALL----		*	*	*	*	*	*	0.7	5.5	21.3	37.0	31.4	3.5	0.3	0.1	100.0	
EXTRANEOUS MATTER															Average Staple	36.1	
Bark - Level 1		6.8														Percent Tenderable	54.5
Bark - Level 2		-															
Grass - Level 1		0.3															
Grass - Level 2		*															
Prep - Level 1		0.1															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

905,365 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	-	-	-	0.1	0.1	0.1	*	*	*	0.4	
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.2
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*
31	1-2	-	-	-	-	-	*	0.1	0.5	1.4	1.8	1.0	0.2	*	*	*	5.0
	3	-	-	-	-	-	*	0.1	0.8	3.5	6.3	4.5	0.7	0.1	0.1	0.1	16.2
	4	-	-	-	-	-	-	-	0.1	0.5	1.9	2.3	0.5	0.1	*	*	5.4
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	TOTAL----		-	-	-	-	-	*	0.2	1.4	5.4	10.1	8.0	1.5	0.3	0.1	0.1
41	1-2	-	-	-	-	*	*	0.2	0.6	1.6	1.3	0.5	0.1	*	*	*	4.3
	3	-	-	-	-	*	*	0.4	2.1	8.0	12.5	8.2	1.0	0.2	0.1	0.1	32.3
	4	-	-	-	-	-	*	0.1	0.6	3.4	10.2	11.8	1.6	0.2	*	*	27.9
	5	-	-	-	-	-	*	*	0.2	1.0	2.1	0.6	0.1	*	*	*	4.0
	6	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	0.3
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	TOTAL----		-	-	-	-	*	*	0.6	3.2	13.1	25.2	22.9	3.3	0.5	0.1	0.1
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.5
	4	-	-	-	-	-	*	*	0.1	0.2	0.5	0.3	*	*	*	*	1.1
	5	-	-	-	-	-	-	-	*	0.1	0.2	0.3	*	*	*	*	0.6
	6	-	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	-	*	*	0.2	0.5	0.9	0.7	0.1	*	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	-	-	*	*	0.1	*	*	*	*	*	*	*
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	*	*	
33	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	
43	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
	5	-	-	-	-	-	-	-	*	-	*	*	*	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	*	
53	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	*		
	3	-	-	-	-	-	*	*	-	*	*	-	-	-	*		
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	*		
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25-35	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
TOTAL, ALL----		*	*	*	*	*	*	0.9	5.1	19.5	36.5	31.9	4.9	0.8	0.2	100.0	
EXTRANEIOUS MATTER																Average Staple	36.1
Bark - Level 1		4.2														Percent Tenderable	45.0
Bark - Level 2		*															
Grass - Level 1		0.1															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

739,389 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE															
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	0.1	0.6	4.3	11.9	24.3	30.1	4.5	0.6	0.1	76.4	
	3	-	-	-	-	-	-	*	0.5	1.1	2.2	4.8	1.2	0.1	0.3	10.2	
	4	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	0.2	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	0.1	0.6	4.8	13.1	26.5	35.0	5.7	0.6	0.4	86.8
	31	1-2	-	-	-	-	-	-	0.1	0.4	0.9	1.5	1.5	0.1	*	-	4.5
3		-	-	-	-	-	-	*	0.5	1.4	1.1	1.1	0.4	*	*	4.6	
4		-	-	-	-	-	-	-	*	0.2	0.3	0.3	0.2	*	*	1.0	
5		-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	0.1	0.9	2.6	3.0	2.9	0.6	0.1	*	-	10.1
41		1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	*	0.1	*	0.1	*	*	*	-	0.3
	51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
61		1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22		1-2	-	-	-	-	-	-	*	0.4	0.3	*	*	*	-	-	0.8
	3	-	-	-	-	-	-	*	0.2	0.1	0.1	*	-	-	-	0.4	
	4	-	-	-	-	-	-	-	-	*	0.1	*	-	-	-	0.1	
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	0.4	0.5	0.1	0.2	0.1	-	-	-	1.3
	32	1-2	-	-	-	-	-	-	-	-	0.1	*	*	-	-	-	0.1
3		-	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	0.2	
4		-	-	-	-	-	-	-	-	*	*	*	-	*	-	*	
5		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	0.1	0.2	0.1	*	*	-	*	-	0.3
42		1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-		
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1		
	3	-	-	-	-	-	-	-	-	0.1	*	0.1	-	-	0.2		
	4	-	-	-	-	-	-	-	*	-	-	0.1	-	-	0.2		
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	*	0.2	*	0.2	-	-	0.5	
33	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1		
	3	-	-	-	-	-	-	-	-	0.1	*	-	-	-	0.1		
	4	-	-	-	-	-	-	-	*	*	0.1	-	-	-	0.1		
	5	-	-	-	-	-	-	-	-	*	-	0.1	-	-	0.1		
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	*	0.1	*	0.2	-	-	0.4	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	*	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7	-	-	-	-	-	-	-	*	0.1	0.1	-	-	-	0.2		
25-35	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
TOTAL, ALL----		*	*	*	*	*	0.1	0.7	6.2	16.9	29.9	38.6	6.4	0.7	0.4	100.0	
EXTRANEOUS MATTER																	
Bark - Level 1		1.4														Average Staple	36.2
Bark - Level 2		-														Percent Tenderable	77.9
Grass - Level 1		0.3															
Grass - Level 2		-															
Prep - Level 1		-															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

34,960 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	-	-	-	0.1	0.2	0.1	*	-	-	0.4	
	3	-	-	-	-	-	-	*	*	*	0.2	0.2	*	*	-	0.4	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	*	*	0.1	0.4	0.3	*	*	-	0.8
31	1-2	-	-	-	-	-	-	*	*	0.4	2.2	3.0	0.8	*	*	-	6.5
	3	-	-	-	-	-	-	*	0.1	0.8	4.5	8.6	4.3	0.4	*	-	18.7
	4	-	-	-	-	-	-	*	0.2	1.2	2.8	1.9	0.2	*	*	-	6.4
	5	-	-	-	-	-	-	*	*	0.1	0.3	0.3	*	*	*	-	0.8
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	-	-	*	0.1	1.4	8.1	14.8	7.3	0.7	0.1	-	-
41	1-2	-	-	-	-	-	-	*	*	0.2	0.8	0.8	0.2	*	*	-	2.1
	3	-	-	-	-	-	-	*	0.1	1.4	6.6	8.6	3.3	0.2	*	-	20.3
	4	-	-	-	-	-	-	*	0.1	1.2	6.8	12.0	5.2	0.4	0.1	-	25.8
	5	-	-	-	-	-	-	*	0.3	2.1	5.2	2.9	0.2	*	*	-	10.8
	6	-	-	-	-	-	-	*	*	0.4	1.0	0.7	*	*	*	-	2.2
	7	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	0.3
	TOTAL----		-	-	-	-	-	*	0.3	3.3	16.7	27.8	12.4	0.9	0.1	-	-
51	1-2	-	-	-	-	-	-	*	*	-	-	-	-	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	*	*	0.2	0.2	0.1	*	*	*	-	0.5
	5	-	-	-	-	-	-	*	*	0.2	0.4	0.2	*	*	*	-	0.8
	6	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	0.4
	7	-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	-	0.1
	TOTAL----		-	-	-	-	-	*	*	0.1	0.5	0.9	0.4	*	*	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	-
32	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	0.3
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.2	*	-	-	-	-
42	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	-	-	0.8
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	-	0.8
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----		-	-	-	-	-	*	*	0.2	0.6	0.8	0.4	*	*	-	-
52	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----		-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-

* Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	*	*	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	*	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
43	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1	
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	
	TOTAL----		-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
53	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	*	*	*	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
TOTAL, ALL----		*	*	*	*	*	*	0.4	5.1	26.4	45.1	21.1	1.7	0.2	*	100.0
EXTRANEOUS MATTER															Average Staple	35.9
															Percent Tenderable	78.6
Bark - Level 1		7.0														
Bark - Level 2		-														
Grass - Level 1		0.6														
Grass - Level 2		-														
Prep - Level 1		3.2														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

1,081,238 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
11 & 21	1-2	-	-	*	0.1	0.3	1.8	4.1	7.7	10.0	8.8	4.8	1.0	0.2	*	38.8	
	3	-	-	-	*	0.1	0.3	0.5	1.6	2.1	2.0	2.5	0.5	0.1	*	9.7	
	4	-	-	-	-	-	-	-	0.1	0.1	*	0.1	*	*	*	0.3	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	*	0.1	0.4	2.0	4.7	9.4	12.2	10.9	7.3	1.5	0.4	*	48.8
	31	1-2	-	-	*	*	*	0.4	1.2	1.2	1.1	0.7	0.5	0.1	*	*	5.3
3		-	-	*	*	0.1	0.3	0.9	2.0	3.5	2.9	1.9	0.6	0.2	*	12.6	
4		-	-	*	*	*	0.1	0.2	0.6	1.4	1.3	1.1	0.4	0.1	*	5.3	
5		-	-	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.5	
6		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
7		-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
TOTAL----			-	-	*	0.1	0.2	0.8	2.3	3.9	6.0	5.1	3.7	1.2	0.4	0.1	23.7
41		1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	0.9	
	4	-	-	*	*	*	*	0.1	0.3	0.6	0.3	0.1	*	*	*	1.5	
	5	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	0.2	0.6	1.1	0.6	0.3	0.1	*	*	*	3.0
	51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
3		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
4		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	*	*	*	*	*	*	*	*	
61		1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22		1-2	-	-	*	0.1	0.3	0.6	1.2	1.8	1.5	0.8	0.5	0.1	*	-	6.8
	3	-	-	*	*	0.1	0.1	0.4	0.5	0.7	0.5	0.3	*	*	-	2.6	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	*	0.1	0.3	0.8	1.6	2.4	2.1	1.3	0.8	0.1	*	9.5	
	32	1-2	-	*	*	*	0.1	0.2	0.3	0.2	0.2	0.1	*	*	*	-	1.2
3		-	*	*	*	0.1	0.2	0.4	1.0	1.1	1.0	0.7	0.2	*	*	4.6	
4		-	*	*	*	0.1	0.2	0.3	0.6	0.5	0.3	0.3	*	*	-	2.2	
5		-	-	-	*	*	0.1	0.1	0.1	*	*	0.1	*	*	-	0.4	
6		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
7		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
TOTAL----			-	*	*	0.1	0.3	0.8	1.7	1.9	1.7	1.1	0.6	0.1	*	8.4	
42		1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	0.1	0.1	0.2	0.3	0.2	0.1	*	-	-	-	1.0	
	4	-	*	*	*	0.1	0.1	0.2	0.4	0.3	0.2	0.1	*	-	-	1.5	
	5	-	-	-	*	*	*	0.1	0.2	0.1	0.1	0.1	*	-	-	0.6	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL----		-	*	*	0.1	0.2	0.3	0.6	0.9	0.7	0.3	0.2	*	-	3.3	
	52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
3		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
4		-	-	-	*	*	*	*	0.1	*	*	-	-	-	-	0.1	
5		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
6		-	-	-	-	-	*	*	-	-	*	-	-	-	-	*	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	*	*	*	0.1	*	*	-	-	-	-	0.2	

* Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	*	*	*	*	0.1	0.3	0.3	0.2	*	*	-	1.1		
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4		
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	*		
	5	-	-	-	-	-	*	*	-	-	*	*	*	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	*	*	*	0.1	0.2	0.4	0.4	0.2	0.1	*	-	1.5	
33	1-2	-	*	*	-	*	*	*	*	0.1	*	*	-	-	0.2		
	3	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.5		
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2		
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1		
	6	-	-	-	-	-	*	-	-	*	*	*	*	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	*	*	*	*	0.1	0.2	0.1	0.2	0.2	0.1	*	-	1.0	
43	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1		
	4	-	*	*	*	*	*	0.1	*	*	*	*	*	-	0.2		
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1		
	6	-	*	*	*	*	*	*	*	*	*	*	*	-	*		
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	*		
	TOTAL----		-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5	
53	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	*		
	4	-	-	*	-	*	*	-	-	*	*	*	*	-	*		
	5	-	-	-	-	-	-	*	-	*	*	*	*	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	-	-	-	-	-	-	*		
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1		
25-35	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
TOTAL, ALL----		*	*	0.1	0.6	1.6	5.1	11.6	19.7	24.5	19.8	13.1	3.0	0.8	0.1	100.0	
EXTRANEOUS MATTER															Average Staple	34.9	
															Percent Tenderable	55.5	
Bark - Level 1		25.7															
Bark - Level 2		-															
Grass - Level 1		0.1															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

102,202 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-		
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	*		
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	*	*	*	-	-	*	
33	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	*		
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	0.1	
43	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	0.1	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
25-35	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1		
TOTAL, ALL----		*	*	*	*	*	*	0.3	3.4	17.7	39.7	35.7	3.0	0.2	*	100.0	
EXTRANEEOUS MATTER															Average Staple	36.2	
															Percent Tenderable	81.1	
Bark - Level 1		7.1															
Bark - Level 2		-															
Grass - Level 1		0.5															
Grass - Level 2		-															
Prep - Level 1		0.9															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

359,873 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	*	0.1
43	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	*	
	TOTAL----		-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	-	*	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL----		*	*	*	*	*	1.0	7.0	21.4	32.5	25.8	11.1	1.0	0.1	*	100.0
EXTRANEOUS MATTER		Average Staple														35.1
		Percent Tenderable														46.9
Bark - Level 1		1.9														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

731,279 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4	
	3	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	TOTAL----		-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	*	0.9
33	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
43	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*
24-54	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL----		*	*	0.1	0.4	1.7	5.2	10.4	16.6	22.8	21.8	16.2	4.0	0.9	0.1	100.0
EXTRANEOUS MATTER															Average Staple	35.1
Bark - Level 1		21.0													Percent Tenderable	54.2
Bark - Level 2		*														
Grass - Level 1		0.4														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

4,730,305 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
December 27, 2012

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
43	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	*	*	0.1	*	-	-	0.1	
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	0.1	
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	TOTAL----		-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
25-35	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL----		*	*	*	*	*	*	0.2	3.0	20.5	47.3	26.3	2.5	0.2	*	100.0
EXTRANEOUS MATTER														Average Staple		36.0
														Percent Tenderable		77.5
	Bark - Level 1	6.7														
	Bark - Level 2	-														
	Grass - Level 1	0.4														
	Grass - Level 2	-														
	Prep - Level 1	1.2														
	Prep - Level 2	-														
	Other - Level 1	*														
	Other - Level 1	-														

158,993 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through December 27, 2012

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
MIKE 24 & below	*	*	*	*	-	*	0.5	*	*
25	*	*	-	*	-	*	0.5	-	*
26	*	*	*	*	-	*	0.2	*	*
27	*	*	*	*	-	*	0.4	*	*
28	*	0.1	-	*	-	*	0.8	*	*
29	*	0.1	*	*	*	*	1.0	*	*
30	*	0.1	*	*	*	*	1.1	*	*
31	0.1	0.2	*	0.1	*	*	1.8	*	*
32	0.1	0.2	*	0.2	*	*	1.8	*	*
33	0.1	0.3	*	0.3	0.1	0.1	1.8	*	*
34	0.2	0.4	*	0.4	0.1	0.1	2.6	*	*
35	0.3	0.5	*	0.8	0.1	0.2	2.9	*	*
36	0.6	0.8	0.1	1.3	0.2	0.2	3.1	*	0.1
37	0.8	1.3	0.1	2.3	0.4	0.4	4.1	*	0.1
38	1.1	1.7	0.1	3.5	0.4	0.5	3.8	0.1	0.2
39	1.5	2.1	0.2	4.9	0.6	0.9	3.8	0.1	0.3
40	2.0	2.8	0.3	7.6	1.0	1.3	4.7	0.3	0.5
41	2.8	3.8	0.6	9.0	1.5	2.1	6.2	0.5	0.8
42	3.9	4.8	1.0	11.4	2.1	3.2	5.9	1.0	1.3
43	5.2	5.8	1.8	12.9	3.3	5.0	5.5	1.7	2.2
44	7.2	7.4	2.7	12.7	5.7	7.4	6.2	3.0	3.8
45	9.2	9.0	3.9	11.4	8.5	10.4	6.3	4.7	6.4
46	10.8	10.4	5.7	8.6	12.6	13.3	5.4	7.5	9.2
47	11.9	11.4	7.5	5.8	14.8	14.4	5.2	10.4	12.0
48	12.2	10.9	9.6	3.5	14.2	13.0	5.8	14.6	14.2
49	10.8	9.6	11.6	2.0	13.0	10.4	4.6	17.5	14.4
50	8.2	7.6	13.3	0.9	9.7	7.3	4.6	15.5	12.8
51	5.5	4.7	13.2	0.3	6.1	4.6	3.6	11.0	9.8
52	3.2	2.5	11.6	0.1	3.4	2.7	2.8	6.6	6.3
53	1.6	1.1	8.9	*	1.4	1.4	1.5	3.4	3.4
54	0.5	0.4	5.3	*	0.5	0.7	1.2	1.3	1.5
55	0.1	0.1	2.2	*	0.2	0.3	0.4	0.4	0.5
56	*	*	0.3	-	*	*	0.2	0.2	0.1
57	*	*	*	-	*	*	-	*	*
58	*	-	*	-	*	*	-	-	*
59	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-
Average mike	46	46	50	43	47	47	42	49	48
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	*	-	-
20	-	-	-	-	-	-	-	-	-
21	*	*	-	-	-	-	-	-	-
22	*	*	-	-	-	-	0.1	-	*
23	*	*	-	-	-	*	0.7	-	*
24	0.1	0.1	*	*	0.1	0.2	1.7	*	*
25	0.7	0.2	*	*	1.0	1.5	3.5	0.5	0.1
26	4.1	1.1	0.1	*	5.1	6.3	6.2	3.0	0.8
27	13.4	4.9	0.6	0.2	15.2	15.1	11.9	11.5	3.6
28	22.2	13.1	2.9	1.2	24.8	19.8	17.1	19.9	9.8
29	21.7	20.6	9.3	2.7	22.1	17.0	19.5	19.7	18.3
30	17.4	22.7	18.4	5.5	14.8	15.4	15.2	17.6	21.5
31	11.6	18.0	24.4	8.0	9.1	12.4	12.2	14.3	18.5
32	6.0	11.1	23.3	7.5	4.7	7.3	8.6	8.6	14.3
33	2.2	5.2	13.8	14.9	2.0	3.3	2.4	3.5	8.5
34	0.6	2.0	5.4	25.8	0.7	1.2	0.8	1.1	3.3
35	0.2	0.7	1.5	21.6	0.2	0.4	0.2	0.3	1.1
36 & above	*	0.4	0.4	12.6	*	0.1	*	*	0.2
Average strength	29	30	31	34	29	29	29	29	30

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through December 27, 2012

MIKE AND FIBER STRENGTH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE 24 & below	*	0.1	-	*	-	*	0.3	-	0.1
25	*	0.2	*	0.1	*	*	0.3	-	0.1
26	*	0.4	*	0.1	*	*	0.5	-	0.2
27	*	0.5	*	0.4	*	*	0.7	*	0.2
28	*	0.7	*	0.5	*	*	0.9	*	0.3
29	*	0.6	*	0.8	*	*	1.1	-	0.4
30	*	0.6	*	1.0	*	*	1.4	*	0.5
31	*	1.4	*	1.3	*	*	1.8	*	0.6
32	*	1.4	*	1.7	*	*	2.1	*	0.8
33	0.1	2.4	0.1	2.2	0.1	*	2.5	*	0.9
34	0.1	3.1	0.1	2.5	0.1	*	2.8	0.1	1.0
35	0.1	2.4	0.2	2.8	0.2	0.1	3.2	0.2	1.2
36	0.1	4.1	0.3	3.0	0.3	0.2	3.6	0.3	1.4
37	0.2	3.9	0.6	3.9	0.5	0.2	4.0	0.4	1.7
38	0.3	4.0	1.0	5.0	0.9	0.3	4.4	0.7	2.0
39	0.3	4.6	1.7	5.5	1.5	0.4	5.0	1.2	2.4
40	0.4	5.7	2.7	5.7	2.4	0.6	5.4	2.1	2.8
41	0.7	6.6	4.5	5.6	3.8	0.9	5.7	3.9	3.4
42	1.1	6.6	6.7	6.8	5.8	1.3	6.0	6.4	4.2
43	1.7	6.2	9.4	7.8	8.4	2.0	6.3	8.4	5.3
44	2.6	6.6	12.2	8.6	11.2	2.9	6.4	10.4	6.4
45	3.9	6.4	13.6	8.7	12.9	4.4	6.3	12.3	7.6
46	5.9	6.2	13.5	7.8	13.5	6.3	6.0	12.2	8.6
47	8.1	5.6	11.7	5.9	12.1	8.2	5.3	11.9	9.0
48	10.4	5.6	8.7	4.3	9.9	10.2	4.7	9.8	8.9
49	12.1	4.6	5.8	3.1	7.0	12.2	3.9	7.9	8.2
50	12.9	3.5	3.5	2.1	4.3	13.4	3.1	5.6	7.1
51	13.3	3.1	2.1	1.5	2.5	12.6	2.4	3.3	5.7
52	11.0	1.6	1.1	0.6	1.3	9.9	1.8	1.7	4.1
53	7.5	0.7	0.4	0.4	0.6	6.7	1.1	0.9	2.6
54	4.3	0.5	0.2	0.2	0.2	4.2	0.6	0.3	1.4
55	1.9	0.1	0.1	0.1	0.1	2.2	0.3	0.1	0.6
56	0.6	*	*	*	*	0.7	0.1	*	0.1
57	0.1	-	*	-	*	0.1	*	*	*
58	*	-	*	-	*	*	*	*	*
59	-	-	-	-	-	-	*	-	*
60 & above	-	-	-	-	-	-	*	-	*
Average mike	49	42	45	42	45	49	42	46	45
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	*	-	-	*	-	*
19	-	-	-	*	-	-	*	-	*
20	-	-	-	*	-	-	*	-	*
21	-	-	-	*	-	-	*	-	*
22	-	-	-	0.1	-	-	*	-	*
23	-	-	*	0.2	*	*	0.1	-	0.1
24	*	*	*	0.3	*	*	0.4	*	0.2
25	*	0.1	0.2	1.0	0.2	0.1	1.2	*	0.7
26	0.1	0.6	3.2	2.3	3.0	0.5	3.2	1.2	2.8
27	0.5	5.5	11.7	5.1	10.5	2.9	7.1	6.7	7.6
28	2.2	17.5	20.9	9.8	18.1	10.9	12.7	17.0	13.4
29	7.4	26.8	23.2	15.4	19.8	22.8	17.9	24.0	17.1
30	18.1	23.4	20.6	19.6	19.9	25.8	19.1	23.7	18.6
31	26.0	19.3	12.8	19.3	16.7	18.5	16.6	15.7	16.5
32	22.4	5.5	5.3	13.4	8.6	10.8	11.6	8.0	11.5
33	14.3	0.9	1.7	7.2	2.7	5.1	6.3	2.9	6.4
34	6.2	0.1	0.4	3.4	0.6	1.9	2.6	0.7	3.1
35	2.0	*	*	1.8	*	0.6	0.9	0.1	1.4
36 & above	0.8	*	-	1.1	-	0.2	0.3	-	0.6
Average strength	31.3	29.5	29.1	30.2	29.4	30.1	29.8	29.6	29.9

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through December 27, 2012

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	-	-	-
72.5-73.4	-	*	-	-	-	-	-	-	-
73.5-74.4	*	*	-	-	-	-	*	-	-
74.5-75.4	*	*	*	-	-	-	0.1	-	*
75.5-76.4	*	0.1	*	*	*	*	0.2	-	*
76.5-77.4	0.1	0.2	*	*	*	0.1	1.3	0.1	*
77.5-78.4	0.6	1.0	0.2	*	0.1	0.6	5.2	0.8	0.4
78.5-79.4	3.0	5.1	1.5	0.6	1.1	3.1	19.6	5.7	2.6
79.5-80.4	11.4	20.7	10.3	4.9	6.1	11.9	32.2	21.5	12.4
80.5-81.4	29.0	40.1	35.2	19.8	20.1	28.7	29.0	33.9	30.9
81.5-82.4	36.4	26.0	38.6	38.1	36.5	33.6	11.8	26.8	34.5
82.5-83.4	16.4	6.3	12.5	25.8	26.8	17.5	0.5	9.8	16.2
83.5-84.4	2.9	0.5	1.6	10.0	8.3	4.2	-	1.5	3.0
84.5-85.4	0.2	*	*	0.7	0.9	0.4	*	0.1	0.1
85.5-86.4	*	-	*	0.1	*	*	-	-	*
86.5-87.4	-	-	-	-	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.5	81.0	81.5	82.1	82.1	81.6	80.1	81.1	81.5
TRASH 2/									
0.0	-	*	-	*	-	-	*	-	-
0.1	3.8	34.4	0.2	33.3	4.9	2.6	7.0	0.7	1.1
0.2	23.2	40.8	4.1	47.7	26.7	20.1	22.9	8.2	10.1
0.3	28.8	15.7	15.2	14.7	25.8	28.2	22.9	20.6	16.7
0.4	21.8	5.3	24.4	3.2	19.5	22.4	17.3	27.1	18.7
0.5	12.0	2.0	23.3	0.8	11.9	13.7	11.2	21.6	17.8
0.6	5.7	0.9	16.2	0.2	6.2	7.2	7.0	12.4	13.9
0.7	2.5	0.4	9.0	0.1	3.1	3.3	4.3	5.8	9.3
0.8	1.1	0.2	4.4	*	1.3	1.4	2.7	2.4	5.7
0.9	0.5	0.1	1.9	*	0.5	0.6	1.8	0.9	3.2
1.0	0.3	0.1	0.8	*	0.2	0.2	1.3	0.3	1.7
1.1	0.1	0.1	0.3	*	*	0.1	0.8	0.1	0.9
1.2	0.1	*	0.1	*	*	*	0.4	*	0.4
1.3	*	*	*	*	*	*	0.2	*	0.2
1.4	*	*	*	*	*	*	0.1	*	0.1
1.5	*	*	*	-	*	*	*	*	*
1.6	*	*	*	-	-	*	*	-	*
1.7	*	*	*	-	-	*	*	-	*
1.8 & above	*	*	*	-	-	*	*	-	*
Average trash	0.36	0.21	0.49	0.19	0.35	0.37	0.39	0.44	0.50

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through December 27, 2012

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	*	-	*
72.5-73.4	-	-	-	*	-	-	*	-	*
73.5-74.4	*	-	-	*	-	-	*	-	*
74.5-75.4	*	-	-	0.2	-	*	0.1	-	*
75.5-76.4	*	*	-	0.8	-	*	0.6	-	0.2
76.5-77.4	*	*	*	2.8	-	0.1	2.6	-	0.9
77.5-78.4	0.3	0.4	*	8.6	*	0.7	8.6	*	3.2
78.5-79.4	1.7	4.4	1.1	19.9	1.2	4.4	19.4	0.3	8.3
79.5-80.4	8.7	17.0	6.8	32.7	7.1	17.3	26.8	2.6	16.7
80.5-81.4	27.4	42.5	25.0	27.8	23.8	34.8	22.6	13.6	27.3
81.5-82.4	40.5	31.7	40.4	6.5	39.2	30.6	12.9	40.3	27.8
82.5-83.4	18.6	4.0	22.4	0.6	24.1	10.6	5.2	33.9	12.8
83.5-84.4	2.7	*	4.3	*	4.5	1.5	1.0	9.1	2.6
84.5-85.4	0.1	*	*	-	0.1	*	0.1	0.2	0.1
85.5-86.4	*	-	-	-	-	*	*	-	*
86.5-87.4	-	-	-	-	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.7	81.1	81.8	79.9	81.9	81.2	80.2	82.3	81.1
TRASH 2/									
0.0	-	0.1	-	*	-	-	*	-	*
0.1	1.2	53.3	1.0	25.9	4.7	3.0	16.3	0.3	8.7
0.2	10.4	35.2	11.8	33.0	21.5	18.8	36.2	6.9	23.4
0.3	22.2	8.1	22.3	18.1	23.9	25.9	23.4	20.0	22.6
0.4	25.5	2.1	22.7	10.6	19.1	21.8	12.1	25.7	18.0
0.5	19.7	0.7	17.5	6.2	13.4	14.0	6.1	21.1	12.4
0.6	11.6	0.3	11.2	3.3	8.4	8.0	3.0	13.0	7.4
0.7	5.5	0.1	6.6	1.6	4.6	4.2	1.4	6.7	3.9
0.8	2.4	*	3.5	0.7	2.3	2.1	0.7	3.4	1.9
0.9	0.9	*	1.8	0.3	1.1	1.1	0.3	1.6	0.9
1.0	0.4	*	0.9	0.1	0.5	0.6	0.2	0.7	0.4
1.1	0.2	-	0.4	0.1	0.2	0.3	0.1	0.3	0.2
1.2	0.1	-	0.2	*	0.1	0.1	0.1	0.1	0.1
1.3	*	-	0.1	*	*	0.1	*	*	*
1.4	*	-	*	*	*	*	*	*	*
1.5	*	-	*	*	*	*	*	*	*
1.6	*	-	*	*	*	*	*	*	*
1.7	*	-	*	*	*	*	*	*	*
1.8 & above	*	-	*	*	*	*	*	*	*
Average trash	0.43	0.16	0.44	0.26	0.38	0.39	0.28	0.46	0.36

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through December 27, 2012

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	43.8	24.4	-	22.8	24.6
	2	29.1	30.7	-	10.6	30.2
	3	2.6	1.4	-	0.4	1.4
	4	*	*	-	-	*
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		75.5	56.4	-	33.7	56.2
02	1	9.2	4.9	-	30.9	5.6
	2	12.8	25.6	-	27.9	25.4
	3	1.9	8.6	-	4.0	8.4
	4	0.1	0.4	-	0.1	0.4
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	-	-	-	-
Total -----		23.9	39.5	-	62.9	39.8
03	1	0.1	*	-	0.2	*
	2	0.2	0.9	-	2.0	0.9
	3	*	2.2	-	0.9	2.2
	4	*	0.6	-	0.1	0.5
	5	*	*	-	-	*
	6	*	*	-	-	*
	7	-	-	-	-	-
Total -----		0.4	3.8	-	3.2	3.7
04	1	-	*	-	-	*
	2	*	*	-	0.1	*
	3	-	0.1	-	0.1	0.1
	4	*	0.1	-	*	0.1
	5	-	*	-	*	*
	6	-	*	-	-	*
	7	-	*	-	-	*
Total -----		*	0.3	-	0.2	0.2
05	1	-	*	-	-	*
	2	*	*	-	-	*
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	*	*	-	-	*
Total -----		*	0.1	-	-	0.1
06	1	-	*	-	-	*
	2	-	*	-	-	*
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	*	*	-	-	*
Total -----		*	*	-	-	*
07	1	-	-	-	-	-
	2	-	-	-	-	-
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	-	-	-	-
Total -----		-	*	-	-	*
STAPLE						
40 & shorter		-	-	-	-	-
42		-	*	-	*	*
44		1.9	3.1	-	8.3	3.2
46		25.4	27.4	-	58.4	28.0
48 & longer		72.7	69.5	-	33.3	68.7
Average		47.7	47.5	-	46.6	47.5
UNIFORMITY						
72.4 & below		-	-	-	-	-
72.5-73.4		-	-	-	-	-
73.5-74.4		-	-	-	-	-
74.5-75.4		-	-	-	-	-
75.5-76.4		-	-	-	-	-
76.5-77.4		-	-	-	-	-
77.5-78.4		-	-	-	-	-
78.5-79.4		-	-	-	-	-
79.5-80.4		-	*	-	-	*
80.5-81.4		*	*	-	*	*
81.5-82.4		0.1	0.2	-	0.1	0.2
82.5-83.4		0.5	1.6	-	0.3	1.5
83.5-84.4		3.6	10.0	-	1.8	9.7
84.5-85.4		18.6	37.0	-	10.6	36.0
85.5-86.4		54.3	42.1	-	63.6	42.8
86.5-87.4		20.1	8.5	-	23.3	9.1
87.5-88.4		2.6	0.6	-	0.3	0.6
88.5-89.4		0.1	*	-	*	*
89.5 & above		-	-	-	-	-
Average		85.9	85.4	-	86.0	85.4
BALES CLASSED		7,207	529,569	0	11,542	552,072

* Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through December 27, 2012

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	*	-	-	*
25 - 26	-	*	-	-	*
27 - 29	0.1	0.4	-	0.3	0.4
30 - 32	0.1	1.3	-	0.6	1.3
33 - 34	0.5	1.4	-	0.9	1.4
35 - 36	7.3	3.8	-	3.5	3.9
37 - 42	82.7	76.2	-	30.4	75.1
43 - 49	9.4	16.7	-	64.2	17.8
50 - 52	-	0.2	-	*	0.2
53 & above	-	*	-	-	*
Average	40	40	-	43	40
ALL MIKE					
24 & below	-	*	-	-	*
25	-	*	-	-	*
26	-	*	-	-	*
27	-	*	-	-	*
28	-	0.1	-	0.1	0.1
29	0.1	0.2	-	0.2	0.2
30	-	0.4	-	0.2	0.4
31	-	0.5	-	0.3	0.5
32	0.1	0.5	-	0.2	0.5
33	0.1	0.6	-	0.5	0.6
34	0.4	0.8	-	0.4	0.8
35	1.2	1.3	-	1.3	1.4
36	6.1	2.5	-	2.1	2.5
37	9.7	5.1	-	2.4	5.1
38	16.4	9.3	-	4.0	9.3
39	20.8	13.8	-	4.2	13.7
40	15.2	17.4	-	4.2	17.0
41	12.3	17.6	-	7.4	17.3
42	8.3	13.0	-	8.2	12.8
43	4.5	7.8	-	14.3	8.0
44	1.7	4.1	-	17.8	4.4
45	1.0	1.9	-	15.4	2.2
46	1.7	1.2	-	9.9	1.5
47	0.4	0.9	-	5.2	1.0
48	*	0.5	-	1.4	0.5
49	*	0.2	-	0.1	0.2
50	-	0.1	-	*	0.1
51	-	*	-	-	*
52	-	*	-	-	*
53	-	*	-	-	*
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
Average	40	40	-	43	40
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	-	-	-	-
30	-	-	-	-	-
31	-	-	-	-	-
32	-	*	-	-	*
33	-	*	-	-	*
34	0.2	0.1	-	0.1	0.1
35	0.4	0.5	-	*	0.5
36	1.2	1.6	-	0.2	1.5
37	2.6	1.9	-	0.8	1.9
38	5.0	2.1	-	1.6	2.1
39	9.4	3.9	-	4.1	4.0
40	10.7	5.9	-	10.7	6.1
41	12.5	8.4	-	23.5	8.9
42	15.5	12.5	-	28.3	13.0
43	18.7	17.7	-	17.2	17.7
44	16.0	19.1	-	6.0	18.7
45 & above	7.9	26.2	-	7.5	25.5
Average	41.7	42.8	-	41.8	42.8
EXTRANEIOUS MATTER					
Bark	0.3	0.1	-	0.9	0.1
Grass	-	0.2	-	0.1	0.2
Spindle Twist	-	*	-	-	*
Preparation	0.5	1.3	-	1.1	1.2

* Less than 0.05 percent.