



U. S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
COTTON PROGRAM, MARKET NEWS BRANCH
3275 APPLING ROAD, MEMPHIS, TENNESSEE 38133
Telephone 901-384-3016



QUALITY OF COTTON CLASSED

Volume 10, No. 5

19-Sep-08

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY STATE,
WEEK AND SEASON ENDED September 18, 2008

State	Week	Season
UPLAND		
Alabama	-	-
Arizona *	-	-
Arkansas	1,347	1,347
California *	-	-
Florida	-	-
Georgia	1,600	1,600
Kansas	-	-
Louisiana	3,306	5,041
Mississippi *	-	-
Missouri *	-	-
New Mexico *	-	-
North Carolina *	-	-
Oklahoma *	-	-
South Carolina	-	-
Tennessee	-	-
Texas	58,644	467,758
Virginia	-	-
United States	64,897	475,746
Percent tenderable	51.1	57.9
AMERICAN PIMA		
Arizona	-	-
California *	-	-
New Mexico	-	-
Texas *	-	-
United States	0	0
United States all cotton	64,897	475,746

* Data Withheld--less than 500 bales classed.

MP_CN106

THIS REPORT CAN BE OBTAINED VIA THE WORLD WIDE WEB: <http://www.ams.usda.gov/cnmnreports>

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED September 18, 2008**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	3	-	-	0.4	0.4	-	-	-	-	-	-	0.1	0.1	
	4	-	-	9.1	9.1	-	-	-	-	-	-	0.1	0.1	
	5	-	-	0.9	0.9	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	10.3	10.3	-	-	-	-	-	-	0.2	0.2
	31	1-2	-	-	0.2	0.2	-	-	-	-	-	-	8.3	8.3
3		-	-	42.8	42.8	-	-	-	-	-	-	57.5	57.5	
4		-	-	38.8	38.8	-	-	-	-	-	-	1.3	1.3	
5		-	-	3.6	3.6	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	85.5	85.5	-	-	-	-	-	-	67.1	67.1
41		1-2	-	-	-	-	-	-	-	-	-	-	1.8	1.8
	3	-	-	0.4	0.4	-	-	-	-	-	-	22.9	22.9	
	4	-	-	0.4	0.4	-	-	-	-	-	-	1.7	1.7	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	0.8	0.8	-	-	-	-	-	-	26.4	26.4
	51	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	-	-	-	-	-	-	-	-	-	
61		1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	-	-	-	-	-	-	-	-	-	
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	-	-	-	-	-	-	-	-	-	
12 & 22		1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	-	-	-	-	-	-	-	-	-	
	32	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	0.5	0.5	-	-	-	-	-	-	0.8	0.8	
4		-	-	2.4	2.4	-	-	-	-	-	-	-	-	
5		-	-	0.1	0.1	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	3.0	3.0	-	-	-	-	-	-	0.8	0.8
42		1-2	-	-	-	-	-	-	-	-	-	-	0.1	0.1
	3	-	-	0.1	0.1	-	-	-	-	-	-	4.2	4.2	
	4	-	-	-	-	-	-	-	-	-	-	1.3	1.3	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	0.1	0.1	-	-	-	-	-	-	5.6	5.6
	52	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	0.1	0.1	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	0.1	0.1	-	-	-	-	-	-	-	

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED September 18, 2008**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	0.1	0.1	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	0.1	0.1	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1-7	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEOUS MATTER													
Bark - Level 1		-	-	-	-	-	-	-	-	-	-	0.8	0.8
Bark - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1		-	-	-	-	-	-	-	-	-	-	0.3	0.3
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1		-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	0.6	0.6
31		-	-	-	-	-	-	-	-	-	-	3.6	3.6
32		-	-	-	-	-	-	-	-	-	-	20.0	20.0
33		-	-	2.5	2.5	-	-	-	-	-	-	46.8	46.8
34		-	-	40.9	40.9	-	-	-	-	-	-	23.4	23.4
35		-	-	49.8	49.8	-	-	-	-	-	-	4.8	4.8
36		-	-	6.8	6.8	-	-	-	-	-	-	0.8	0.8
37		-	-	-	-	-	-	-	-	-	-	0.1	0.1
38 & longer		-	-	-	-	-	-	-	-	-	-	-	-
Average staple		-	-	34.6	34.6	-	-	-	-	-	-	33.1	33.1

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED September 18, 2008**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	-	-	*	*	-	-	-	-	-	-	-	-	
	3	-	-	0.1	0.1	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	0.2	0.1	-	-	-	-	-	-	-	-
	31	1-2	-	-	1.9	1.4	-	-	-	-	-	-	-	-
3		-	-	14.7	19.7	-	-	-	-	-	-	-	-	
4		-	-	3.8	3.1	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	20.3	24.1	-	-	-	-	-	-	-	-
41		1-2	-	-	3.9	2.8	-	-	-	-	-	-	-	-
	3	-	-	26.9	37.9	-	-	-	-	-	-	-	-	
	4	-	-	2.1	2.7	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	32.8	43.4	-	-	-	-	-	-	-	-
	51	1-2	-	-	0.6	0.4	-	-	-	-	-	-	-	-
3		-	-	12.6	8.5	-	-	-	-	-	-	-	-	
4		-	-	0.8	0.7	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	14.0	9.5	-	-	-	-	-	-	-	-
61		1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	-	-	-	-	-	-	-	-	-	
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	-	-	-	-	-	-	-	-	-	
12 & 22		1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	-	-	-	-	-	-	-	-	-	
	32	1-2	-	-	0.2	0.1	-	-	-	-	-	-	-	-
3		-	-	1.8	1.2	-	-	-	-	-	-	-	-	
4		-	-	1.1	0.7	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	3.1	2.0	-	-	-	-	-	-	-	
42		1-2	-	-	0.5	0.3	-	-	-	-	-	-	-	-
	3	-	-	2.8	2.4	-	-	-	-	-	-	-	-	
	4	-	-	0.3	0.7	-	-	-	-	-	-	-	-	
	5	-	-	*	*	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	3.6	3.4	-	-	-	-	-	-	-	
	52	1-2	-	-	1.2	0.8	-	-	-	-	-	-	-	-
3		-	-	18.5	12.2	-	-	-	-	-	-	-	-	
4		-	-	4.0	2.7	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	23.7	15.8	-	-	-	-	-	-	-	

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED September 18, 2008**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	-	-	-	-	-	-	-	-	-	-
	13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	-	-	-	-	-	-	-	-	-	-
33		1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	0.1	*	-	-	-	-	-	-	-	-	
	4	-	-	0.1	0.1	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	0.2	0.1	-	-	-	-	-	-	-	-
	43	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	0.2	0.2	-	-	-	-	-	-	-	-	
4		-	-	0.1	0.1	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	0.3	0.3	-	-	-	-	-	-	-	-
53		1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	1.1	0.7	-	-	-	-	-	-	-	-	
	4	-	-	0.8	0.5	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	1.9	1.3	-	-	-	-	-	-	-	-
	63	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54		1-7	-	-	*	*	-	-	-	-	-	-	-	-
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	
81 - 85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	
EXTRANEIOUS MATTER														
Bark - Level 1		-	-	-	0.1	-	-	-	-	-	-	-	-	
Bark - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	
Grass - Level 1		-	-	-	*	-	-	-	-	-	-	-	-	
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	
Prep - Level 1		-	-	-	-	-	-	-	-	-	-	-	-	
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	
Other - Level 1		-	-	0.1	0.1	-	-	-	-	-	-	-	-	
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	
STAPLE														
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-	
29		-	-	-	-	-	-	-	-	-	-	-	-	
30		-	-	0.1	*	-	-	-	-	-	-	-	-	
31		-	-	4.3	9.4	-	-	-	-	-	-	-	-	
32		-	-	31.9	37.8	-	-	-	-	-	-	-	-	
33		-	-	20.3	20.6	-	-	-	-	-	-	-	-	
34		-	-	26.0	19.0	-	-	-	-	-	-	-	-	
35		-	-	17.0	12.5	-	-	-	-	-	-	-	-	
36		-	-	0.4	0.7	-	-	-	-	-	-	-	-	
37		-	-	-	-	-	-	-	-	-	-	-	-	
38 & longer		-	-	-	-	-	-	-	-	-	-	-	-	
Average staple		-	-	33.2	32.9	-	-	-	-	-	-	-	-	

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED September 18, 2008**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	-	-	-	-	-	-	0.4	1.7	-	-	
	3	-	-	-	-	-	-	1.8	3.5	-	-	
	4	-	-	-	-	-	-	0.2	0.4	-	-	
	5	-	-	-	-	-	-	*	*	-	-	
	6	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	----	-	-	-	-	-	-	2.5	5.6	-	-
	31	1-2	-	-	-	-	-	-	1.8	2.9	-	-
3		-	-	-	-	-	-	12.6	22.5	-	-	
4		-	-	-	-	-	-	4.3	8.1	-	-	
5		-	-	-	-	-	-	0.6	0.5	-	-	
6		-	-	-	-	-	-	*	*	-	-	
7		-	-	-	-	-	-	-	-	-	-	
Total		----	-	-	-	-	-	-	19.2	34.1	-	-
41		1-2	-	-	-	-	-	-	0.8	0.9	-	-
	3	-	-	-	-	-	-	17.2	18.9	-	-	
	4	-	-	-	-	-	-	19.8	14.1	-	-	
	5	-	-	-	-	-	-	5.7	2.7	-	-	
	6	-	-	-	-	-	-	0.5	0.3	-	-	
	7	-	-	-	-	-	-	*	*	-	-	
	Total	----	-	-	-	-	-	-	44.1	36.8	-	-
	51	1-2	-	-	-	-	-	-	*	0.1	-	-
3		-	-	-	-	-	-	2.2	3.2	-	-	
4		-	-	-	-	-	-	5.5	3.9	-	-	
5		-	-	-	-	-	-	3.4	1.2	-	-	
6		-	-	-	-	-	-	0.5	0.2	-	-	
7		-	-	-	-	-	-	0.1	*	-	-	
Total		----	-	-	-	-	-	-	11.7	8.6	-	-
61		1-2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	*	*	-	-	
	4	-	-	-	-	-	-	0.1	0.1	-	-	
	5	-	-	-	-	-	-	0.1	*	-	-	
	6	-	-	-	-	-	-	*	*	-	-	
	7	-	-	-	-	-	-	*	*	-	-	
	Total	----	-	-	-	-	-	-	0.2	0.2	-	-
	71	1-2	-	-	-	-	-	-	*	*	-	-
3		-	-	-	-	-	-	*	*	-	-	
4		-	-	-	-	-	-	*	*	-	-	
5		-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	
Total		----	-	-	-	-	-	-	*	*	-	-
12 & 22		1-2	-	-	-	-	-	-	*	0.3	-	-
	3	-	-	-	-	-	-	0.5	0.5	-	-	
	4	-	-	-	-	-	-	0.2	0.2	-	-	
	5	-	-	-	-	-	-	*	*	-	-	
	6	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	----	-	-	-	-	-	-	0.8	1.0	-	-
	32	1-2	-	-	-	-	-	-	0.1	0.1	-	-
3		-	-	-	-	-	-	1.5	1.2	-	-	
4		-	-	-	-	-	-	1.6	1.4	-	-	
5		-	-	-	-	-	-	0.6	0.3	-	-	
6		-	-	-	-	-	-	*	*	-	-	
7		-	-	-	-	-	-	-	-	-	-	
Total		----	-	-	-	-	-	-	3.7	3.0	-	-
42		1-2	-	-	-	-	-	-	0.1	0.1	-	-
	3	-	-	-	-	-	-	1.4	1.8	-	-	
	4	-	-	-	-	-	-	4.3	2.6	-	-	
	5	-	-	-	-	-	-	2.4	1.3	-	-	
	6	-	-	-	-	-	-	0.3	0.2	-	-	
	7	-	-	-	-	-	-	*	*	-	-	
	Total	----	-	-	-	-	-	-	8.5	6.1	-	-
	52	1-2	-	-	-	-	-	-	-	*	-	-
3		-	-	-	-	-	-	0.5	0.6	-	-	
4		-	-	-	-	-	-	3.1	1.5	-	-	
5		-	-	-	-	-	-	2.7	1.0	-	-	
6		-	-	-	-	-	-	0.5	0.2	-	-	
7		-	-	-	-	-	-	0.2	*	-	-	
Total		----	-	-	-	-	-	-	7.1	3.4	-	-

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED September 18, 2008**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	-	-
	3	-	-	-	-	-	-	0.1	0.1	-	-
	4	-	-	-	-	-	-	0.2	0.2	-	-
	5	-	-	-	-	-	-	0.2	0.1	-	-
	6	-	-	-	-	-	-	0.2	0.1	-	-
	7	-	-	-	-	-	-	*	*	-	-
	Total	-----	-	-	-	-	-	-	0.7	0.4	-
13 & 23	1-2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	-	-	-	-	*	*	-
33	1-2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	0.1	*	-	-
	4	-	-	-	-	-	-	0.1	0.1	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	-	-	-	-	0.2	0.1	-
43	1-2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	0.1	*	-	-
	4	-	-	-	-	-	-	0.2	0.1	-	-
	5	-	-	-	-	-	-	0.1	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	-	-	-	-	0.4	0.2	-
53	1-2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	0.1	*	-	-
	4	-	-	-	-	-	-	0.1	0.1	-	-
	5	-	-	-	-	-	-	0.2	0.1	-	-
	6	-	-	-	-	-	-	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	Total	-----	-	-	-	-	-	-	0.5	0.3	-
63	1-2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	Total	-----	-	-	-	-	-	-	0.1	0.1	-
24 - 54	1-7	-	-	-	-	-	-	*	*	-	-
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	-	-	-	-	-	-	*	*	-	-
All Colors	8 2/	-	-	-	-	-	-	0.1	*	-	-
EXTRANEIOUS MATTER											
Bark - Level 1		-	-	-	-	-	-	6.0	4.0	-	-
Bark - Level 2		-	-	-	-	-	-	*	*	-	-
Grass - Level 1		-	-	-	-	-	-	3.7	2.7	-	-
Grass - Level 2		-	-	-	-	-	-	0.1	0.1	-	-
Prep - Level 1		-	-	-	-	-	-	0.1	*	-	-
Prep - Level 2		-	-	-	-	-	-	-	*	-	-
Other - Level 1		-	-	-	-	-	-	*	0.1	-	-
Other - Level 2		-	-	-	-	-	-	-	*	-	-
STAPLE											
28 & shorter		-	-	-	-	-	-	-	*	-	-
29		-	-	-	-	-	-	*	*	-	-
30		-	-	-	-	-	-	0.6	0.4	-	-
31		-	-	-	-	-	-	3.3	2.0	-	-
32		-	-	-	-	-	-	8.4	6.3	-	-
33		-	-	-	-	-	-	13.4	14.1	-	-
34		-	-	-	-	-	-	14.7	22.5	-	-
35		-	-	-	-	-	-	15.0	24.9	-	-
36		-	-	-	-	-	-	19.9	18.8	-	-
37		-	-	-	-	-	-	18.8	9.4	-	-
38 & longer		-	-	-	-	-	-	5.9	1.6	-	-
Average staple		-	-	-	-	-	-	34.9	34.6	-	-

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED September 18, 2008**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	0.4	0.4
24	-	-	-	-	-	-	-	-	-	-	2.9	2.9
25	-	-	-	-	-	-	-	-	-	-	4.4	4.4
26	-	-	-	-	-	-	-	-	-	-	14.3	14.3
27	-	-	-	-	-	-	-	-	-	-	30.0	30.0
28	-	-	2.4	2.4	-	-	-	-	-	-	27.6	27.6
29	-	-	5.6	5.6	-	-	-	-	-	-	14.9	14.9
30	-	-	31.6	31.6	-	-	-	-	-	-	4.3	4.3
31	-	-	36.1	36.1	-	-	-	-	-	-	0.9	0.9
32	-	-	21.8	21.8	-	-	-	-	-	-	0.3	0.3
33	-	-	2.7	2.7	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-	-	-	-	-
35	-	-	-	-	-	-	-	-	-	-	-	-
36 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	30.8	30.8	-	-	-	-	-	-	27.4	27.4
MIKE												
24 & below	-	-	-	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-	-	-	-	-
32	-	-	-	-	-	-	-	-	-	-	-	-
33	-	-	-	-	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-	-	-	-	-
35	-	-	-	-	-	-	-	-	-	-	-	-
36	-	-	-	-	-	-	-	-	-	-	-	-
37	-	-	-	-	-	-	-	-	-	-	-	-
38	-	-	-	-	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-
41	-	-	-	-	-	-	-	-	-	-	-	-
42	-	-	-	-	-	-	-	-	-	-	0.3	0.3
43	-	-	-	-	-	-	-	-	-	-	1.6	1.6
44	-	-	-	-	-	-	-	-	-	-	1.8	1.8
45	-	-	-	-	-	-	-	-	-	-	3.9	3.9
46	-	-	1.0	1.0	-	-	-	-	-	-	12.6	12.6
47	-	-	6.1	6.1	-	-	-	-	-	-	15.4	15.4
48	-	-	22.1	22.1	-	-	-	-	-	-	20.2	20.2
49	-	-	35.6	35.6	-	-	-	-	-	-	20.7	20.7
50	-	-	18.6	18.6	-	-	-	-	-	-	14.5	14.5
51	-	-	13.0	13.0	-	-	-	-	-	-	6.8	6.8
52	-	-	3.6	3.6	-	-	-	-	-	-	1.9	1.9
53	-	-	-	-	-	-	-	-	-	-	0.4	0.4
54	-	-	-	-	-	-	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-	-	-	-	-
56	-	-	-	-	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	49	49	-	-	-	-	-	-	48	48

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED September 18, 2008**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	0.1	-	-	-	-	-	-	-	-
22	-	-	0.3	0.9	-	-	-	-	-	-	-	-
23	-	-	9.3	9.3	-	-	-	-	-	-	-	-
24	-	-	18.1	23.3	-	-	-	-	-	-	-	-
25	-	-	22.1	24.2	-	-	-	-	-	-	-	-
26	-	-	18.5	16.7	-	-	-	-	-	-	-	-
27	-	-	12.0	8.8	-	-	-	-	-	-	-	-
28	-	-	9.3	7.3	-	-	-	-	-	-	-	-
29	-	-	5.5	5.2	-	-	-	-	-	-	-	-
30	-	-	3.6	3.3	-	-	-	-	-	-	-	-
31	-	-	1.2	0.9	-	-	-	-	-	-	-	-
32	-	-	-	*	-	-	-	-	-	-	-	-
33	-	-	-	-	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-	-	-	-	-
35	-	-	-	-	-	-	-	-	-	-	-	-
36 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	25.8	25.5	-	-	-	-	-	-	-	-
MIKE												
24 & below	-	-	-	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-	-	-	-	-
32	-	-	-	-	-	-	-	-	-	-	-	-
33	-	-	-	-	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-	-	-	-	-
35	-	-	-	-	-	-	-	-	-	-	-	-
36	-	-	-	-	-	-	-	-	-	-	-	-
37	-	-	-	-	-	-	-	-	-	-	-	-
38	-	-	-	*	-	-	-	-	-	-	-	-
39	-	-	0.4	0.3	-	-	-	-	-	-	-	-
40	-	-	0.6	0.4	-	-	-	-	-	-	-	-
41	-	-	0.7	0.5	-	-	-	-	-	-	-	-
42	-	-	1.1	0.9	-	-	-	-	-	-	-	-
43	-	-	1.8	2.7	-	-	-	-	-	-	-	-
44	-	-	3.9	7.7	-	-	-	-	-	-	-	-
45	-	-	4.1	7.4	-	-	-	-	-	-	-	-
46	-	-	5.0	9.4	-	-	-	-	-	-	-	-
47	-	-	16.0	16.7	-	-	-	-	-	-	-	-
48	-	-	26.3	23.1	-	-	-	-	-	-	-	-
49	-	-	18.4	15.3	-	-	-	-	-	-	-	-
50	-	-	11.8	8.6	-	-	-	-	-	-	-	-
51	-	-	7.6	5.3	-	-	-	-	-	-	-	-
52	-	-	2.3	1.7	-	-	-	-	-	-	-	-
53	-	-	-	*	-	-	-	-	-	-	-	-
54	-	-	-	-	-	-	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-	-	-	-	-
56	-	-	-	*	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	48	47	-	-	-	-	-	-	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED September 18, 2008**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
18	-	-	-	-	-	-	-	-	-	-	
19	-	-	-	-	-	-	-	-	-	-	
20	-	-	-	-	-	-	*	*	-	-	
21	-	-	-	-	-	-	*	*	-	-	
22	-	-	-	-	-	-	0.2	0.1	-	-	
23	-	-	-	-	-	-	1.0	0.5	-	-	
24	-	-	-	-	-	-	2.6	1.2	-	-	
25	-	-	-	-	-	-	4.7	2.5	-	-	
26	-	-	-	-	-	-	7.2	4.3	-	-	
27	-	-	-	-	-	-	9.8	7.1	-	-	
28	-	-	-	-	-	-	13.5	11.1	-	-	
29	-	-	-	-	-	-	18.8	15.5	-	-	
30	-	-	-	-	-	-	21.3	18.6	-	-	
31	-	-	-	-	-	-	14.7	18.4	-	-	
32	-	-	-	-	-	-	4.9	12.0	-	-	
33	-	-	-	-	-	-	1.1	6.0	-	-	
34	-	-	-	-	-	-	0.2	1.9	-	-	
35	-	-	-	-	-	-	0.1	0.5	-	-	
36 & above	-	-	-	-	-	-	*	0.1	-	-	
Average	-	-	-	-	-	-	28.8	29.7	-	-	
MIKE											
24 & below	-	-	-	-	-	-	-	-	-	-	
25	-	-	-	-	-	-	-	-	-	-	
26	-	-	-	-	-	-	-	*	-	-	
27	-	-	-	-	-	-	-	*	-	-	
28	-	-	-	-	-	-	-	*	-	-	
29	-	-	-	-	-	-	-	*	-	-	
30	-	-	-	-	-	-	-	*	-	-	
31	-	-	-	-	-	-	-	*	-	-	
32	-	-	-	-	-	-	-	*	-	-	
33	-	-	-	-	-	-	*	*	-	-	
34	-	-	-	-	-	-	*	0.1	-	-	
35	-	-	-	-	-	-	0.1	0.1	-	-	
36	-	-	-	-	-	-	0.1	0.2	-	-	
37	-	-	-	-	-	-	0.4	0.4	-	-	
38	-	-	-	-	-	-	0.8	0.7	-	-	
39	-	-	-	-	-	-	1.3	1.1	-	-	
40	-	-	-	-	-	-	2.3	1.7	-	-	
41	-	-	-	-	-	-	3.2	2.8	-	-	
42	-	-	-	-	-	-	5.0	4.1	-	-	
43	-	-	-	-	-	-	6.2	5.3	-	-	
44	-	-	-	-	-	-	7.1	7.3	-	-	
45	-	-	-	-	-	-	7.5	9.2	-	-	
46	-	-	-	-	-	-	8.1	10.2	-	-	
47	-	-	-	-	-	-	10.8	11.1	-	-	
48	-	-	-	-	-	-	13.2	11.5	-	-	
49	-	-	-	-	-	-	12.6	10.9	-	-	
50	-	-	-	-	-	-	9.1	9.0	-	-	
51	-	-	-	-	-	-	5.7	6.3	-	-	
52	-	-	-	-	-	-	3.3	3.9	-	-	
53	-	-	-	-	-	-	2.0	2.3	-	-	
54	-	-	-	-	-	-	1.0	1.2	-	-	
55	-	-	-	-	-	-	0.1	0.4	-	-	
56	-	-	-	-	-	-	*	0.1	-	-	
57	-	-	-	-	-	-	*	*	-	-	
58	-	-	-	-	-	-	-	*	-	-	
59	-	-	-	-	-	-	-	*	-	-	
60 & above	-	-	-	-	-	-	-	-	-	-	
Average	-	-	-	-	-	-	47	47	-	-	

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED September 18, 2008**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	-	-	-	-	-	-	-	-	-	-	-
25 - 26	-	-	-	-	-	-	-	-	-	-	-	-
27 - 29	-	-	-	-	-	-	-	-	-	-	-	-
30 - 32	-	-	-	-	-	-	-	-	-	-	-	-
33 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 36	-	-	-	-	-	-	-	-	-	-	-	-
37 - 42	-	-	-	-	-	-	-	-	-	-	0.3	0.3
43 - 49	-	-	64.8	64.8	-	-	-	-	-	-	76.1	76.1
50 - 52	-	-	35.2	35.2	-	-	-	-	-	-	23.2	23.2
53 & above	-	-	-	-	-	-	-	-	-	-	0.4	0.4
Average	-	-	49	49	-	-	-	-	-	-	48	48
HVI TRASH 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	-	-	3.2	3.2	-	-	-	-	-	-	1.6	1.6
02	-	-	27.4	27.4	-	-	-	-	-	-	33.3	33.3
03	-	-	28.8	28.8	-	-	-	-	-	-	48.0	48.0
04	-	-	24.6	24.6	-	-	-	-	-	-	13.8	13.8
05	-	-	11.1	11.1	-	-	-	-	-	-	2.8	2.8
06	-	-	3.4	3.4	-	-	-	-	-	-	0.4	0.4
07	-	-	1.1	1.1	-	-	-	-	-	-	0.1	0.1
08	-	-	0.3	0.3	-	-	-	-	-	-	-	-
09	-	-	-	-	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-
18 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	0.33	0.33	-	-	-	-	-	-	0.28	0.28
UNIFORMITY 2/												
72.4 & below	-	-	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	-	-	-	-	-	-	-
74.5-75.4	-	-	-	-	-	-	-	-	-	-	-	-
75.5-76.4	-	-	-	-	-	-	-	-	-	-	0.1	0.1
76.5-77.4	-	-	-	-	-	-	-	-	-	-	3.6	3.6
77.5-78.4	-	-	-	-	-	-	-	-	-	-	9.6	9.6
78.5-79.4	-	-	-	-	-	-	-	-	-	-	29.0	29.0
79.5-80.4	-	-	-	-	-	-	-	-	-	-	40.6	40.6
80.5-81.4	-	-	1.6	1.6	-	-	-	-	-	-	14.5	14.5
81.5-82.4	-	-	66.1	66.1	-	-	-	-	-	-	2.4	2.4
82.5-83.4	-	-	32.4	32.4	-	-	-	-	-	-	0.1	0.1
83.5-84.4	-	-	-	-	-	-	-	-	-	-	-	-
84.5-85.4	-	-	-	-	-	-	-	-	-	-	-	-
85.5-86.4	-	-	-	-	-	-	-	-	-	-	-	-
86.5-87.4	-	-	-	-	-	-	-	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	82.3	82.3	-	-	-	-	-	-	79.6	79.6
Tenderable 3/	-	-	62.7	62.7	-	-	-	-	-	-	57.9	57.9
SAMPLES CLASSED												
WEEK	-	-	1,347		-		-		-		1,600	
SEASON		-		1,347		-		-		-		1,600

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED September 18, 2008**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	-	-	-	-	-	-	-	-	-	-	-
25 - 26	-	-	-	-	-	-	-	-	-	-	-	-
27 - 29	-	-	-	-	-	-	-	-	-	-	-	-
30 - 32	-	-	-	-	-	-	-	-	-	-	-	-
33 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 36	-	-	-	-	-	-	-	-	-	-	-	-
37 - 42	-	-	2.9	2.1	-	-	-	-	-	-	-	-
43 - 49	-	-	75.4	82.2	-	-	-	-	-	-	-	-
50 - 52	-	-	21.7	15.6	-	-	-	-	-	-	-	-
53 & above	-	-	-	*	-	-	-	-	-	-	-	-
Average	-	-	48	47	-	-	-	-	-	-	-	-
HVI TRASH 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	-	-	4.3	4.5	-	-	-	-	-	-	-	-
02	-	-	32.0	38.2	-	-	-	-	-	-	-	-
03	-	-	36.3	34.3	-	-	-	-	-	-	-	-
04	-	-	17.2	14.5	-	-	-	-	-	-	-	-
05	-	-	7.4	6.0	-	-	-	-	-	-	-	-
06	-	-	2.1	2.0	-	-	-	-	-	-	-	-
07	-	-	0.5	0.5	-	-	-	-	-	-	-	-
08	-	-	0.1	0.1	-	-	-	-	-	-	-	-
09	-	-	-	*	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-
18 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	0.30	0.29	-	-	-	-	-	-	-	-
UNIFORMITY 2/												
72.4 & below	-	-	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	-	-	-	-	-	-	-
74.5-75.4	-	-	-	-	-	-	-	-	-	-	-	-
75.5-76.4	-	-	-	-	-	-	-	-	-	-	-	-
76.5-77.4	-	-	2.0	3.4	-	-	-	-	-	-	-	-
77.5-78.4	-	-	17.6	22.2	-	-	-	-	-	-	-	-
78.5-79.4	-	-	29.9	31.6	-	-	-	-	-	-	-	-
79.5-80.4	-	-	23.7	20.5	-	-	-	-	-	-	-	-
80.5-81.4	-	-	15.3	12.4	-	-	-	-	-	-	-	-
81.5-82.4	-	-	10.4	8.7	-	-	-	-	-	-	-	-
82.5-83.4	-	-	0.8	1.1	-	-	-	-	-	-	-	-
83.5-84.4	-	-	0.2	0.2	-	-	-	-	-	-	-	-
84.5-85.4	-	-	-	-	-	-	-	-	-	-	-	-
85.5-86.4	-	-	-	-	-	-	-	-	-	-	-	-
86.5-87.4	-	-	-	-	-	-	-	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	79.7	79.5	-	-	-	-	-	-	-	-
Tenderable 3/	-	-	33.5	29.1	-	-	-	-	-	-	-	-
SAMPLES CLASSED												
WEEK	-	-	3,306		-	-	-	-	-	-	-	-
SEASON	-	-		5,041	-	-	-	-	-	-	-	-

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED September 18, 2008**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
24 & below	-	-	-	-	-	-	-	-	-	-	
25 - 26	-	-	-	-	-	-	-	*	-	-	
27 - 29	-	-	-	-	-	-	-	*	-	-	
30 - 32	-	-	-	-	-	-	-	*	-	-	
33 - 34	-	-	-	-	-	-	*	0.1	-	-	
35 - 36	-	-	-	-	-	-	0.2	0.4	-	-	
37 - 42	-	-	-	-	-	-	13.0	10.8	-	-	
43 - 49	-	-	-	-	-	-	65.5	65.4	-	-	
50 - 52	-	-	-	-	-	-	18.1	19.2	-	-	
53 & above	-	-	-	-	-	-	3.2	4.1	-	-	
Average	-	-	-	-	-	-	47	47	-	-	
HVI TRASH 1/											
00	-	-	-	-	-	-	*	*	-	-	
01	-	-	-	-	-	-	2.7	5.6	-	-	
02	-	-	-	-	-	-	14.2	23.6	-	-	
03	-	-	-	-	-	-	19.9	26.6	-	-	
04	-	-	-	-	-	-	17.8	18.2	-	-	
05	-	-	-	-	-	-	14.3	10.8	-	-	
06	-	-	-	-	-	-	10.5	6.3	-	-	
07	-	-	-	-	-	-	7.3	3.7	-	-	
08	-	-	-	-	-	-	5.0	2.2	-	-	
09	-	-	-	-	-	-	3.1	1.2	-	-	
10	-	-	-	-	-	-	2.0	0.7	-	-	
11	-	-	-	-	-	-	1.1	0.4	-	-	
12	-	-	-	-	-	-	0.7	0.3	-	-	
13	-	-	-	-	-	-	0.4	0.1	-	-	
14	-	-	-	-	-	-	0.3	0.1	-	-	
15	-	-	-	-	-	-	0.2	0.1	-	-	
16	-	-	-	-	-	-	0.1	*	-	-	
17	-	-	-	-	-	-	0.1	*	-	-	
18 & above	-	-	-	-	-	-	0.3	0.1	-	-	
Average	-	-	-	-	-	-	0.48	0.37	-	-	
UNIFORMITY 2/											
72.4 & below	-	-	-	-	-	-	-	-	-	-	
72.5-73.4	-	-	-	-	-	-	-	-	-	-	
73.5-74.4	-	-	-	-	-	-	*	*	-	-	
74.5-75.4	-	-	-	-	-	-	*	*	-	-	
75.5-76.4	-	-	-	-	-	-	0.4	0.2	-	-	
76.5-77.4	-	-	-	-	-	-	1.8	0.9	-	-	
77.5-78.4	-	-	-	-	-	-	5.4	3.0	-	-	
78.5-79.4	-	-	-	-	-	-	11.0	7.1	-	-	
79.5-80.4	-	-	-	-	-	-	16.1	12.9	-	-	
80.5-81.4	-	-	-	-	-	-	23.1	21.7	-	-	
81.5-82.4	-	-	-	-	-	-	28.0	31.0	-	-	
82.5-83.4	-	-	-	-	-	-	12.7	19.4	-	-	
83.5-84.4	-	-	-	-	-	-	1.3	3.6	-	-	
84.5-85.4	-	-	-	-	-	-	0.1	0.2	-	-	
85.5-86.4	-	-	-	-	-	-	*	*	-	-	
86.5-87.4	-	-	-	-	-	-	-	-	-	-	
87.5-88.4	-	-	-	-	-	-	-	-	-	-	
88.5-89.4	-	-	-	-	-	-	-	-	-	-	
89.5 & above	-	-	-	-	-	-	-	-	-	-	
Average	-	-	-	-	-	-	80.9	81.4	-	-	
Tenderable 3/	-	-	-	-	-	-	51.0	58.2	-	-	
SAMPLES CLASSED											
WEEK	-	-	-	-	-	-	58,644		-	-	
SEASON	-	-	-	-	-	-		467,758	-	-	

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,
WEEK AND SEASON ENDED September 18, 2008**

Quality Designation	Leaf	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
02	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
03	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
04	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
STAPLE		-	-	-	-	-	-	-	-
40 & shorter		-	-	-	-	-	-	-	-
42		-	-	-	-	-	-	-	-
44		-	-	-	-	-	-	-	-
46		-	-	-	-	-	-	-	-
48 & longer		-	-	-	-	-	-	-	-
Average		-	-	-	-	-	-	-	-
UNIFORMITY		-	-	-	-	-	-	-	-
72 & below		-	-	-	-	-	-	-	-
73		-	-	-	-	-	-	-	-
74		-	-	-	-	-	-	-	-
75		-	-	-	-	-	-	-	-
76		-	-	-	-	-	-	-	-
77		-	-	-	-	-	-	-	-
78		-	-	-	-	-	-	-	-
79		-	-	-	-	-	-	-	-
80		-	-	-	-	-	-	-	-
81		-	-	-	-	-	-	-	-
82		-	-	-	-	-	-	-	-
83		-	-	-	-	-	-	-	-
84		-	-	-	-	-	-	-	-
85		-	-	-	-	-	-	-	-
86		-	-	-	-	-	-	-	-
87		-	-	-	-	-	-	-	-
88		-	-	-	-	-	-	-	-
89		-	-	-	-	-	-	-	-
90 & above		-	-	-	-	-	-	-	-
Average		-	-	-	-	-	-	-	-
SAMPLES CLASSED		-	-	-	-	-	-	-	-
WEEK		-	-	-	-	-	-	-	-
SEASON		-	-	-	-	-	-	-	-

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,
WEEK AND SEASON ENDED September 18, 2008**

Quality Designation	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	-	-	-	-	-	-	-	-
24 & below	-	-	-	-	-	-	-	-
25 - 26	-	-	-	-	-	-	-	-
27 - 29	-	-	-	-	-	-	-	-
30 - 32	-	-	-	-	-	-	-	-
33 - 34	-	-	-	-	-	-	-	-
35 - 36	-	-	-	-	-	-	-	-
37 - 42	-	-	-	-	-	-	-	-
43 - 49	-	-	-	-	-	-	-	-
50 - 52	-	-	-	-	-	-	-	-
53 & above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
ALL RANGE MIKE	-	-	-	-	-	-	-	-
24 & below	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-
32	-	-	-	-	-	-	-	-
33	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-
35	-	-	-	-	-	-	-	-
36	-	-	-	-	-	-	-	-
37	-	-	-	-	-	-	-	-
38	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-
41	-	-	-	-	-	-	-	-
42	-	-	-	-	-	-	-	-
43	-	-	-	-	-	-	-	-
44	-	-	-	-	-	-	-	-
45	-	-	-	-	-	-	-	-
46	-	-	-	-	-	-	-	-
47	-	-	-	-	-	-	-	-
48	-	-	-	-	-	-	-	-
49	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-
51	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-
53	-	-	-	-	-	-	-	-
54	-	-	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-
56	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
Strength	-	-	-	-	-	-	-	-
17 & below	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-
32	-	-	-	-	-	-	-	-
33	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-
35	-	-	-	-	-	-	-	-
36	-	-	-	-	-	-	-	-
37	-	-	-	-	-	-	-	-
38	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-
41	-	-	-	-	-	-	-	-
42	-	-	-	-	-	-	-	-
43	-	-	-	-	-	-	-	-
44	-	-	-	-	-	-	-	-
45 & above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
EXTRANEIOUS MATTER	-	-	-	-	-	-	-	-
Bark	-	-	-	-	-	-	-	-
Grass	-	-	-	-	-	-	-	-
Spindle Twist	-	-	-	-	-	-	-	-
Preparation	-	-	-	-	-	-	-	-

* Less than 0.05 percent.