EC02TV-OH(RV)

# **2002 Economic Census** Vehicle Inventory and Use Survey Geographic Area Series



Helping You Make Informed Decisions

U.S. Department of Commerce Economics and Statistics Administration U.S. CENSUS BUREAU



#### ACKNOWLEDGMENTS

Many persons participated in the various activities of the 2002 Economic Census, Vehicle Inventory and Use Survey.

This report was prepared in the Service Sector Statistics Division under the direction of **Thomas E. Zabelsky**, Assistant Division Chief for Current Service and Transportation Programs. Planning, implementation, and compiling of this report were directed by **John P. Miller**, Chief, Transportation Characteristics Branch, assisted by **Joy P. Pierson**, **Donald F. Cheza**, **William J. Marshall**, **Erika McDonald**, **Vernetta N. Southerland**, **Kathleen R. Walsh** and **William C. Jones**.

Sample design and statistical methodology were provided under the direction of **Ruth E. Detlefsen**, Assistant Division Chief for Research and Methodology. Sample design and estimation methods were developed under the supervision of **Jock Black**, Chief, Program Research and Development Branch, assisted by **William C. Davie Jr., M. Cristina Cruz**, and **Brett Moore**. The imputation procedures were developed under the supervision of **Carol S. King**, Chief, Statistical Methods Branch, assisted by **James N. Burton** and **Tameka Johnson**.

Systems and procedures for mailout, quality control, and check-in operations were developed in the Economic Planning and Coordination Division, **Bernard J. Fitzpatrick**, Assistant Division Chief for Collection Activities. Mailout and check-in procedures were developed under the supervision of **Sheila Proudfoot**, Chief, Mailout and Data Capture Branch, assisted by **Christopher Berbert**, **Betty McKay**, and **Bernadette Gray**.

Systems and procedures for data entry and quality control were developed and implemented in the Decennial Systems and Contracts Management Office under the direction of **Dennis Stoudt**, Assistant Division Chief for Processing Systems. The Data Conversion Systems Branch, **Warren McKay**, Chief, was responsible for the development and implementation of the automated tracking and image management system. The Processing Coordination and Requirements Branch, **Derrell Matthews**, Chief, coordinated the technical requirements for the image system.

The processing system and computer programs were developed and implemented in the Economic Statistical Methods and Programming Division, under the direction of **Barry F. Sessamen**, Assistant Division Chief for Post Collection. Computer programming and implementation were provided by **Steven G. McCraith**, Chief, Census Related Surveys Branch, assisted by **Barbara Love Lambert**, **Evelyn Cabrera**, **Preet Toor**, and **Eric M. Weiss**.

The Systems Support Division provided the table composition system. **Robert Joseph Brown**, Table Image Processing System (TIPS) Senior Software Engineer, was responsible for the design and development of the TIPS, under the supervision of **Robert J. Bateman**, Assistant Division Chief, Information Systems.

**Margaret A. Smith** of the Administrative and Customer Services Division, **Walter C. Odom,** Chief, provided publications and printing management, graphics design and composition, and editorial review for print and electronic media. General direction and production management were provided by **James R. Clark,** Assistant Chief, and **Susan L. Rappa,** Chief, Publications Services Branch.

The staff of the National Processing Center, **Judith N. Petty**, Chief, performed mailout preparation and receipt operations, clerical and analytical review activities, telephone operations, and data entry assisted by **Carlene Bottorff, Karen S. Blessett, Sandra Hurst,** and **Debbie Woods.** 

Special acknowledgment is also due to the many respondents whose cooperation contributed to the publication of these data.

Please direct inquiries concerning this report to **John P. Miller,** U.S. Census Bureau, 4700 Silver Hill Road, Mail Stop 6500, Washington, DC 20233-6500. Call 301-763-2797 or 301-457-2278 (fax).

EC02TV-OH(RV)

#### **2002 Economic Census**

Vehicle Inventory and Use Survey Geographic Area Series





#### **U.S. Department of Commerce** Donald L. Evans,

Secretary

Theodore W. Kassinger, **Deputy Secretary** 

#### **Economics and Statistics Administration** Kathleen B. Cooper,

**Under Secretary for** Economic Affairs

**U.S. CENSUS BUREAU** Charles Louis Kincannon, Director



Economics and Statistics Administration Kathleen B. Cooper, Under Secretary for Economic Affairs



## U.S. CENSUS BUREAU Charles Louis Kincannon, Director

**Hermann Habermann,**Deputy Director and
Chief Operating Officer

#### Vacant,

Principal Associate Director for Programs

**Frederick T. Knickerbocker,** Associate Director for Economic Programs

**Thomas L. Mesenbourg,** Assistant Director for Economic Programs

Mark E. Wallace, Chief, Service Sector Statistics Division

#### CONTENTS

Vehic	cle Inventory and Use Survey	1
Table	es	
1a. 1b.	Trucks—Comparative Summary: 2002 and Earlier Years  Trucks—Comparative Summary for Trucks, Excluding Pickups, Minivans, Other Light Vans, and Sport Utilities: 2002 and	11
2a.	1997Trucks, Truck Miles, and Average Annual Miles for All Trucks:	11
	2002 and 1997	12
2b.	Trucks, Truck Miles, and Average Annual Miles for All Trucks— Measures of Sampling Variability: 2002 and 1997	18
3a.	Trucks, Truck Miles, and Average Annual Miles for Trucks, Excluding Pickups, Minivans, Other Light Vans, and Sport	24
3b.	Utilities: 2002 and 1997  Trucks, Truck Miles, and Average Annual Miles for Trucks, Excluding Pickups, Minivans, Other Light Vans, and Sport	
4.	Utilities—Measures of Sampling Variability: 2002 and 1997  Trucks by Vehicle Size: 2002	30 36
5.	Trucks by Truck Type: 2002	41
<u>6</u> .	Truck Miles by Vehicle Size: 2002	46
7. 8.	Truck Miles by Truck Type: 2002  Truck Miles Distribution by Operational Characteristics: 2002	51 56
Арре	endix	
Appr	oximating Unpublished Relative Standard Errors	A-1

#### Vehicle Inventory and Use Survey

The Vehicle Inventory and Use Survey (VIUS) provides data on the physical and operational characteristics of the nation's truck population. This survey is conducted every 5 years as part of the economic census. Its primary goal is to produce national and state-level estimates of the total number of trucks.

The 2002 VIUS is a probability sample of private and commercial trucks registered (or licensed) in the United States as of July 1, 2002.1 A sample of about 136,000 trucks was surveyed to measure the characteristics of nearly 89 million trucks registered in the United States. The VIUS excludes vehicles owned by federal, state, and local governments; ambulances; buses; motor homes; farm tractors; unpowered trailer units; and trucks reported to have been disposed of prior to January 1. 2002.

Registration practices for commercial vehicles differ greatly among the states. Some states register a truck-tractor semitrailer combination as a single unit; others register the tractor and the semitrailer separately. For either method of registration, only truck-tractors are included in the registered truck counts. In addition, some states allow pickups, small vans, and sport utility vehicles to be registered as either cars or trucks. Therefore, passenger car files were searched and any such vehicles were included in the sampling frame. Some vehicles, such as "off-highway" trucks used exclusively on private property, are not required to be registered. These vehicles were not included in the sampling frame and had no chance of being selected for the survey.

#### **PURPOSE AND USE OF DATA**

The economic census is the major source of facts about the structure and functioning of the nation's economy. It provides the framework for such composite measures as the gross domestic product, input/output measures, production and price indexes, and other statistical series that measure short-term changes in economic conditions.

VIUS data are of considerable value to government, business, academia, and the general public. Data on the number and types of vehicles and how they are used are important in studying the future growth of transportation and are needed in calculating fees and cost allocations among highway users. The data also are important in evaluating safety risks to highway travelers and in assessing the energy efficiency and environmental impact of the nation's truck fleet. Businesses and others make use of these data in conducting market studies and evaluating market strategies; assessing the utility and cost of certain types of equipment; calculating the longevity of products; determining fuel demands; and linking to, and better utilizing, other data sets representing limited segments of the truck population.

#### **COMPARABILITY WITH PREVIOUS SURVEYS**

The results of the 2002 VIUS are comparable, in most instances, to the results of the 1997 VIUS and prior Truck Inventory and Use Surveys (TIUS). Specific changes are as follows:

Due to difficulty in obtaining up-to-date vehicle registration records for New Hampshire, the sample was drawn as of September 1, 2001, for this state.

1. Business (formerly Major Use).

Changed—

• The kind of business was converted from a Standard Industrial Classification (SIC) basis to a North American Industry Classification System (NAICS) basis. Even though category headings may appear similar, differences in the classification systems should be taken into account for comparability purposes.

#### 2. Body Type.

New-

• Categories that were added are: armored; concrete pumper; curtainside; mobile home toter; street sweeper; vacuum; and van, other.

Changed—

- The station wagon category was collapsed into the sport utility category.
- The grain body category was collapsed into the open top van category.
- The platform with added devices category was collapsed into the flatbed, stake, or platform category.
- The category "Winch or crane" was changed to "Crane" (winch was added as a category to the equipment type section).

Deleted-

- The oilfield truck and yard tractor categories were dropped.
- 3. **Primary Jurisdiction** (formerly Base of Operation).

Changed—

- Estimates were previously calculated for the percentage of miles traveled outside the base-of-operation state. For 2002 estimates are calculated based on jurisdictions in which the vehicle traveled. Estimates of miles traveled in Canada, Mexico, and states other than the home base state are also provided.
- 4. **Months Operated** (formerly Weeks Operated).

New-

• The "Vehicle not used" category was added.

Changed—

• Categories for time operated were changed from weekly intervals to monthly intervals.

#### 5. Average Weight (Pounds).

Changed—

• The category "6,001 to 10,000" was split into "6,001 to 8,500" and "8,501 to 10,000."

#### 6. Total Length (Feet).

New-

• Categories representing lengths of 45 feet up to 80 feet or more were added.

#### 7. Vehicle Acquisition.

Deleted-

• The categories "Leased from someone else" and "Other" were dropped.

#### 8. Lease Characteristics.

New-

- Categories for the length of the leasing agreement were added.
- The category "Fuel contract" was added to the provisions of lease section.

Changed—

- The leased section includes a breakout between lessee and lessor.
- The categories "Leased with driver other than owner-operator" and "Leased with owneroperator" were collapsed into the category "Vehicle with driver."

Deleted-

■ The categories "Maintenance on specific parts" and "Other" were dropped from the provisions of lease section.

#### 9. Primary Operator Classification.

New-

· A section for source of hauls was added.

Changed—

 There is limited comparability for this section due to significant changes in the categories and definitions.

Deleted-

- The section "For-hire jurisdiction" was dropped.
- The category "Exempt" was dropped from the type of carrier section.

#### 10. Hazardous Materials Carried.

Deleted-

 All detailed hazardous material data lines were dropped except in Table 8 where distributed mileage appears.

#### 11. Equipment Type.

New-

- Categories added to the equipment type section are: aerial work platform/bucket, air compressor, air springs, collision warning system, computerized drive train control unit, crane, hoist, idle-reducing technology, internet access, lift gate, mounting bar for snowplow, power take-off, toolbox, and winch.
- A section for transmission type was added.

Changed—

- The trip recorder or on-board computer category was broken out into categories distinguishing with or without communication capabilities.
- Categories for radial tires and road speed governor were moved from the fuel conservation equipment section to the equipment type section.
- The front-wheel drive category was moved from the driving wheels section to the equipment type section.

Deleted-

• Categories for power steering and electronic vehicle management system were dropped.

#### 12. **Fuel Type and Engine Size** (formerly Engine Type and Size).

New-

 Respondents were permitted to report fuel combinations if used most often during the year.

Changed—

• The "Liquefied gas or other" category has been broken out into categories for natural gas, propane, alcohol fuels, electricity, and combination.

#### 13. Refueling Location.

Changed—

 Response categories were changed significantly. No comparable 1997 data are available for this section.

#### 14. Maintenance.

Deleted-

 The category for component distributorship was dropped from the general maintenance section.

#### 15. Truck Type and Axle Arrangement.

New-

- The category "4 axles or more" for single-unit trucks and truck tractors without trailer was broken out into "4 axles" and "5 axles or more."
- Sections for total liftable axles and locations and total liftable axles and number of braking axles were added.

Changed—

- A truck-tractor, if not in operation, was grouped with the single-unit trucks.
- The subgroupings for single-unit truck with trailer and single-unit truck with utility trailer were combined.
- The category "7 axles or more" for truck-tractors with double trailers was broken out into "7 axles" and "8 axles or more."
- The category "8 axles or more" for truck-tractors with triple trailers was broken out into "8 axles," "9 axles," and "10 axles or more."

Deleted-

• The category for trailer not specified was dropped.

#### 16. Cab Type.

New-

• Categories for conventional cab or cab over engine with or without a sleeper were added.

Deleted—

• The category "Other" was dropped.

#### 17. Additional Changes.

**Not applicable.** This category was added to some sections to make the detail lines add to total.

**Primary products carried.** Truck count detail lines for products carried were dropped from all tables. Distributed mileage for products carried appears in Table 8. Product mileage does not sum to 100 percent because multiple products may be carried at the same time. Products carried, which somewhat followed the SIC system, are now based on the Standard Classification of Transported Goods (SCTG).

**Truck fleet size.** This section was dropped from all tables.

**Fuel conservation equipment.** This section was dropped from all tables.

The driving wheels section for pickups, panels, vans, sport utilities and station wagons (4-wheel drive and 2-wheel drive) was dropped.

**Table layout.** The table layout for the 2002 state publication has changed significantly from the table layout used for the 1997 state publication. Some of the changes include:

- 1. Table 2 is broken out into Tables 2a (trucks, truck miles, and average annual miles for all trucks), 3a (trucks, truck miles, and average annual miles for trucks, excluding pickups, minivans, other light vans, and sport utilities), 2b (measures of sampling variability for Table 2a), and 3b (measures of sampling variability for Table 3a).
- 2. Tables 4, 5, 6, 7, and 8 are new:
  - a. Table 4 contains estimates of the number of trucks by vehicle size.
  - b. Table 5 contains estimates of the number of trucks by truck type.
  - c. Table 6 contains estimates of the number of miles traveled by vehicle size.
  - d. Table 7 provides estimates of the number of miles traveled by truck type.
  - e. Table 8 shows estimates of the number of truck miles distribution by operational characteristics.

#### **EXPLANATION OF TERMS**

**Business.** This item is based on the business or the part of the business in which the vehicle was used. The 15 specific business use categories are self-explanatory and are roughly based on NAICS sectors. Responses in the "Other" category were recoded, if possible, to one of the 15 specific business categories.

**Body type.** This item describes the type of body that is permanently attached to the power unit (i.e., straight or single-unit truck). For truck-tractors, the body type is defined as the type of trailer most often pulled.

Minivans. This body type category includes minivans that are manufactured on either a truck or passenger car chassis.

Annual miles. This item represents the annual miles traveled. When a respondent had partialyear ownership of the vehicle, annual miles were adjusted to reflect miles traveled when not owned by the respondent.

Vehicle size. This item is determined by the average vehicle weight (empty vehicle weight plus cargo weight) during 2002. The four size classes are:

- 1. **Light.** The average vehicle weight is 10,000 pounds or less.
- 2. **Medium.** The average vehicle weight is 10,001 to 19,500 pounds.
- 3. **Light-heavy.** The average vehicle weight is 19,501 to 26,000 pounds.
- 4. **Heavy-heavy.** The average vehicle weight is 26,001 pounds or more.

**Primary operator classification.** This item is defined as follows:

- 1. **Personal transportation.** This is a vehicle operated for personal use, such as travel to work, carpooling, pleasure driving, etc.
- 2. **Rental.** This is a vehicle operated for daily or short-term rental.
- 3. **Private.** This is a vehicle operated to carry goods owned by the respondent, or for internal company business.
- 4. **Motor carrier.** This is a vehicle operated by a company and hired to carry other people's goods.
- 5. **Owner operator.** This is a vehicle operated by an independent trucker hired to carry other people's goods.

**Hazardous materials.** This item identifies those trucks that transport hazardous materials in quantities large enough to have a placard on the vehicle required by 49 CFR Part 172 Subpart F.

**Truck miles distribution.** Table 8 shows the distribution of annual miles by the actual percentage of use for selected activities of each truck. Mileage estimates presented in all other tables of this report represent 100 percent of the individual truck's mileage based on primary activity, regardless of any secondary operational activities.

#### **SAMPLE DESIGN**

The sampling frame was constructed from files of truck registrations identified as being active as of July 1, 2002. The frame was stratified by geography and truck characteristics. The 50 states and the District of Columbia made up the 51 geographic strata. Body type and gross vehicle weight (GVW) determined the following five truck strata: 1) pickups; 2) minivans, other light vans, and sport utilities; 3) light single-unit trucks (GVW < 26,000 lb); 4) heavy single-unit trucks (GVW  $\geq$  26,000 lb; and 5) truck-tractors. Therefore, the sampling frame was partitioned into 255 geographic-by-truck strata. Within each stratum, a simple random sample of truck registrations was selected without replacement. This produced a total sample of approximately 136,000 truck registrations.

The sample size for Ohio is 2,756 truck registrations.

#### **Estimation**

An estimate of the number of trucks for a particular state and truck characteristic was computed in the following manner. Weighted estimates of the number of trucks having the characteristic of interest were computed for each of the five truck strata. The weight for a given truck was the product of two factors—the reciprocal of the truck's probability of selection and a nonresponse adjustment factor. (See the **Nonsampling Error** section for a description of the nonresponse adjustment procedure.) The truck stratum estimates were summed to form a state-level estimate. Two types of truck miles estimates are provided. Distributed truck miles estimates, as shown in Table 8, were computed by apportioning each truck's annual miles into the appropriate category based on the percent of miles driven in the category as reported by the respondent. Truck miles estimates presented in all other tables were computed by attributing 100 percent of an individual truck's annual miles to the category with the greatest reported percentage. For example, say a particular truck was driven 50,000 miles in the survey year and the respondent indicated 80 percent of the trips were between 201 and 500 miles from the home base, while 20 percent of the trips were between 101 and 200 miles from the home base. In Table 8, 40,000 miles would be tabulated in the "201 to 500 miles" category and 10,000 miles would be tabulated in the "101 to 200 miles" category. In all other tables, 50,000 miles would be tabulated in the "201 to 500 miles" category. To compute an estimate of the average miles per truck, the total miles estimate was divided by the number of trucks estimate for the characteristic of interest.

<sup>&</sup>lt;sup>2</sup>The sampling frame included trucks registered as of September 1, 2001, for New Hampshire.

#### DATA COLLECTION

A questionnaire was mailed to the registered owner of each selected truck registration. This registrant was requested to provide data about the truck identified by the vehicle registration information imprinted on the questionnaire. The information provided by each respondent was subjected to extensive computer edits. Questionable responses were reviewed and corrected when necessary.

#### **RELIABILITY OF THE ESTIMATES**

The total error of an estimate based on a sample survey is the difference between the estimate and the population parameter that it estimates. This error may be considered to be comprised of sampling error and nonsampling error. Sampling error is the difference between the estimate and the result that would be obtained from a complete enumeration of the sampling frame conducted under the same survey conditions. This error occurs because characteristics differ among sampling units and because only a subset of the entire population is measured in a sample survey. Nonsampling error encompasses all other factors that contribute to the total error of a sample survey estimate. The accuracy of a survey result may be affected by these two types of errors.

Sampling and nonsampling errors are often measured by the quantities, bias and variance. The bias of an estimator of a population parameter is the difference, averaged over all possible samples of the same size and design, between the estimator and the population parameter being estimated. (The population parameter is usually unknown.) Any systematic error, or inaccuracy that affects all samples of a specified design in a similar way, may bias the resulting estimates. The variance of an estimator is the squared difference, averaged over all possible samples of the same size and design, between the estimator and its average value.

#### **Measures of Sampling Variability**

Because the estimates are based on a sample, exact agreement with the results that would be obtained from a complete enumeration of the truck registrations on the sampling frame is not expected. However, because each truck included on the sampling frame has a known probability of being selected into the sample, it is possible to estimate the sampling variability of the survey estimates.

The particular sample used in this survey is one of a large number of samples of the same size that could have been selected using the same design. If all possible samples had been surveyed under the same conditions, an estimate of the population parameter of interest could have been obtained from each sample. These samples give rise to a distribution of estimates for the population parameter. A statistical measure of the variability among these estimates is the standard error, which can be approximated from any one sample. The standard error is defined as the square root of the variance. The coefficient of variation (or relative standard error) of an estimator is the standard error of the estimator divided by the estimator. Note that measures of sampling variability, such as the standard error and coefficient of variation, are estimated from the sample and are also subject to sampling variability. (Technically, we should refer to the estimated standard error or the estimated coefficient of variation of an estimator. However, for the sake of brevity, we have omitted this detail.) It is important to note that the standard error and coefficient of variation only measure sampling variability. They do not measure any systematic biases in the estimates. The U.S. Census Bureau recommends that individuals using estimates contained in this report incorporate this information into their analyses, as sampling error could affect the conclusions drawn from these estimates.

An estimate from a particular sample and the standard error associated with the estimate can be used to construct a confidence interval. A confidence interval is a range about a given estimator that has a specified probability of containing the result of a complete enumeration of the sampling frame conducted under the same survey conditions. Associated with each interval is a percentage of confidence, which is interpreted as follows. If, for each possible sample, an estimate of a population parameter and its approximate standard error were obtained, then:

- 1. For approximately 90 percent of the possible samples, the interval from 1.645 standard errors below to 1.645 standard errors above the estimate would include the population parameter as obtained from a complete enumeration of the sampling frame conducted under the same survey conditions.
- 2. For approximately 95 percent of the possible samples, the interval from 1.96 standard errors below to 1.96 standard errors above the estimate would include the population parameter as obtained from a complete enumeration of the sampling frame conducted under the same survey conditions.

To illustrate the computation of a confidence interval for an estimate of the number of trucks, assume that an estimate of trucks is 3,377.8 thousand and the coefficient of variation for this estimate is 2.9 percent, or 0.029. First obtain the standard error of the estimate by multiplying the number of trucks estimate by its coefficient of variation. For this example, multiply 3,377.8 thousand by 0.029. This yields a standard error of 97.9562 thousand. The upper and lower bounds of the 90-percent confidence interval are computed as 3,377.8 thousand plus or minus 1.645 times 97.9562 thousand. Consequently, the 90-percent confidence interval is 3,216.7 thousand to 3,538.9 thousand. If corresponding confidence intervals were constructed for all possible samples of the same size and design, approximately 9 out of 10 (90 percent) of these intervals would contain the result obtained from a complete enumeration of all trucks on the sampling frame.

#### **Nonsampling Error**

Nonsampling error encompasses all other factors that contribute to the total error of a sample survey estimate and may also occur in censuses. It is often helpful to think of nonsampling error as arising from deficiencies or mistakes at some point in the survey process. Nonsampling error can be attributed to many sources: (1) inability to obtain information about all trucks in the sample, (2) response errors, (3) differences in the interpretation of the questions, (4) mistakes in coding or keying the data obtained, and (5) other errors of collection, response, coverage, and processing. Although no direct measurement of the potential biases due to nonsampling error has been obtained, precautionary steps were taken in all phases of the collection, processing, and tabulation of the data in an effort to minimize its influence.

A potential source of bias in the estimates is nonresponse. Nonresponse is defined as the failure to obtain all the intended measurements or responses about all the trucks in the sample. Two types of nonresponse are often distinguished. *Unit nonresponse* is used to describe the failure to obtain any of the substantive measurements about a sampled truck. In most cases of unit nonresponse, the questionnaire was never returned to the Census Bureau after several attempts to elicit a response. For Ohio, approximately 76.1 percent of the questionnaires were returned with substantive data. Item nonresponse occurs either when a question is unanswered or the response to the question fails computer or analyst edits. The procedures used to account for unit and item nonresponse are discussed below.

Unit nonresponse is handled in the estimation procedure by reweighting. To apply this method of nonresponse adjustment, we make the assumption that the population of trucks can be divided into a finite number of mutually exclusive adjustment cells so that within each cell, all the population elements possess similar characteristics and share a similar probability of responding, if selected into the sample. The adjustment cells for the 2002 VIUS are identical to the sampling strata. A nonresponse adjustment factor is computed for each adjustment cell and is equal to the ratio of the number of truck registrations selected into the sample to the number of responses received within each cell. In this sense, reweighting allocates characteristics to the nonrespondents in proportion to the characteristics observed for the respondents within each adjustment cell. The amount of bias introduced by this nonresponse adjustment procedure depends on the extent to which the nonrespondents differ, characteristically, from the respondents in each adjustment cell.

For item nonresponse, a missing value is replaced by a predicted value obtained from an appropriate model for nonresponse. This procedure is called imputation. To impute annual miles and lifetime miles, we divide the sample into a finite number of mutually exclusive cells based on state of registration, and related vehicle characteristics. For each cell, estimates of average annual miles and average lifetime miles are computed based on those trucks in the cell for which annual miles and lifetime miles have been reported. Missing values are then replaced with the appropriate average values. A slightly different imputation procedure is used to impute length and average weight (empty weight plus cargo weight). For these data items, we replace a missing value with data from a truck with similar characteristics for which length and average weight have been reported.

For all other data items, no imputation is performed. Instead, separate estimates are published in a "Not reported" category. For example, a respondent who did not indicate the type of business in which his/her truck was used would be included in the estimate for the "Not reported" category. Users of the estimates should exercise caution when allocating the estimate for the "Not reported" category to the estimates for the reported categories in the proportions observed for the reported categories. This is because the characteristics of the trucks for which we obtained information may differ significantly from those trucks for which we obtained no information.

#### **Unpublished Estimates**

Additional statistics not shown in the tables are obtainable by tabulating records on a CD-ROM containing the survey microdata. These additional estimates have not been included in this publication because of high sampling variability, poor response, or other factors that may make them potentially misleading. It should be noted that some unpublished estimates can be derived directly from this report by subtracting published estimates from their respective totals. However, the estimates obtained by such subtraction would be subject to the poor response rates or high sampling variability as previously described.

Individuals who use estimates in this report, or the CD-ROM microdata, to create estimates not published by the Census Bureau should cite the Census Bureau as the source of only the published estimates or the microdata used, and not as the source of the new estimates.

#### **CONFIDENTIALITY AND DISCLOSURE**

Title 13 of the United States Code authorizes the Census Bureau to conduct censuses and surveys. Section 9 of the same Title requires that any information collected from the public under the authority of Title 13 be maintained as confidential. Section 214 of Title 13 and Sections 3559 and 3571 of Title 18 of the United States Code provide for the imposition of penalties of up to five years in prison and up to \$250,000 in fines for wrongful disclosure of confidential census information. In accordance with Title 13, no estimates are published that would disclose the operations of an individual firm.

The Census Bureau's internal Disclosure Review Board sets the confidentiality rules for all data releases. A checklist approach is used to ensure that all potential risks to the confidentiality of the data are considered and addressed.

A disclosure of data occurs when an individual can use published statistical information to identify either an individual or firm that has provided information under a pledge of confidentiality. Disclosure limitation is the process used to protect the confidentiality of the survey data provided by an individual or firm. Using disclosure limitation procedures, the Census Bureau modifies or removes the characteristics that put confidential information at risk for disclosure. Although it may appear that a table shows information about a specific individual or business, the Census Bureau has taken steps to disquise or suppress the original data while making sure the results are still useful. The techniques used by the Census Bureau to protect confidentiality in tabulations vary, depending on the type of data.

#### **SYMBOLS**

The following symbols are used in this publication:

- Not available.
- S Estimate does not meet publication standards because of high sampling variability or poor response quality.
- Represents an estimate of less than 50 vehicles, 50,000 miles, or 0.05 percent.

This page is intentionally blank.

#### Trucks—Comparative Summary: 2002 and Earlier Years

[Estimates are shown as percents and are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys, and the 1992 and 1987 Truck Inventory and Use Surveys. Because of rounding, estimates may not be additive]

Vehicular and operational characteristics	2002	1997	1992	1987	Vehicular and operational characteristics	2002	1997	1992	1987
Total	100.0	100.0	100.0	100.0	MODEL YEAR				
BUSINESS <sup>1</sup>					1 to 2 years old	14.4	17.5	15.5	15.6
Agriculture, forestry, fishing, or hunting	1.9	3.3	4.9	7.4	1 to 2 years old	15.6	18.2	14.4	18.1
Mining	.1	S	.2	.7	Over 4 years old	70.1	64.4	70.2	66.3
Construction	5.8 .7	9.0 1.2	8.0 1.2	8.5 1.5	VEHICLE ACQUISITION				
Manufacturing	2.7	3.9	4.0	7.0	VEHICLE ACQUISITION				
					New	39.9	38.3	46.3	47.7
For-hire transportation or warehousing Utilities and all services	1.7 3.9	1.5 5.9	1.8 6.2	2.8 6.2	Used	55.7 4.4	48.9 12.9	49.4 4.3	50.0 2.3
Personal transportation	80.1	72.9	71.5	65.8	·	4.4	12.5	4.5	2.5
Other, not reported, and not applicable	3.1	1.8	2.3	.2	TRUCK TYPE				
BODY TYPE					Single-unit trucks <sup>5</sup>	96.9	96.4	96.5	95.2
Pickup, minivan, other light vans, and sport utility	92.4	91.6	89.8	87.7	2 axles	96.2	95.7	95.5	94.1
Flatbed, stake, platform, and low boy	1.6	2.0	2.9	3.7	3 axles or more	.7 V	.7	1.1	1.1 N
Van <sup>2</sup>	2.3	1.8	2.4	2.6	Trailer/axles not specified	V	N	N	IN
Service, utility	.2 .6	.1 1.4	.4 .8	.4 1.0					
			_		Combinations	3.1	3.6	3.5	4.8
Dump	1.6	1.2	1.3	2.0	3 axles 4 axles	.3 .8	.3 1.5	1.2	.9 1.3
Tank for liquids, gases, or dry bulk	.3 .9	.4 1.4	.6 1.8	.6 1.9	5 axles or more	1.8	1.8	1.9	2.5
• •	.0		1.0	1.0	Trailer/axles not specified	.2	V	V	V
VEHICLE SIZE					RANGE OF OPERATION				
Light Medium	93.6 1.8	93.2 2.4	92.8 1.9	91.3 2.1					
Light-heavy	1.0	1.1	1.3	2.0	50 miles or less	71.7 11.5	75.5 14.9	76.3 13.9	78.2 14.6
Heavy-heavy	3.4	3.4	4.0	4.6	201 miles or more	3.3	5.8	4.5	4.7
ANNUAL MILES					Off-the-road, not reported, and not applicable	13.5	3.9	5.4	2.6
Less than 5,000 <sup>3</sup>	19.1	17.5	22.5	25.5	FUEL TYPE				
5,000 to 9,999	20.6	17.0	19.3	23.0					
10,000 to 19,999	44.8	44.9	42.2	34.1	Gasoline	91.4	93.5	92.9	93.4
20,000 to 29,999	9.6 5.8	12.7 7.9	9.5 6.6	10.7 6.7	All other fuelsOther, not reported, and not applicable	7.2 1.4	6.4	6.9	6.6 V
00,000 01 11016	5.0	7.5	0.0	0.7	Other, not reported, and not applicable	1.4	- 1	.2	

S Estimate does not meet publication standards because of high sampling variability or poor response quality. V Represents an estimate of less than 50 vehicles, 50,000 N Not available. miles, or 0.05 percent.

Note: The Introduction gives information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/svsd/www/02vehinv.html.

#### Table 1b. Trucks—Comparative Summary for Trucks, Excluding Pickups, Minivans, Other Light Vans, and Sport Utilities: 2002 and 1997

[Estimates are shown as percents and are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Because of rounding, estimates may not be additive]

Vehicular and operational characteristics	2002	1997	Vehicular and operational characteristics	2002	1997
Total	100.0	100.0	MODEL YEAR		
BUSINESS <sup>1</sup>			1 to 2 years old	7.0	13.3
Agriculture, forestry, fishing, or hunting	12.3 .9	11.2 1.6	3 to 4 years old Over 4 years old	16.6 76.4	16.6 70.1
Construction	22.1 4.7	23.1 5.7	VEHICLE ACQUISITION		
Wholesale and retail trade	12.0	13.5	New. Used	44.3 52.1	43.0 45.5
For-hire transportation or warehousing	16.7 16.0	18.0 16.2	Not reported <sup>4</sup>	3.6	11.4
Personal transportation	V 15.2	2.9 8.0	TRUCK TYPE		
BODY TYPE			Single-unit trucks <sup>5</sup>	70.1 61.1	71.9 63.2
Flatbed, stake, platform, and low boy	21.4 30.0	23.7 21.7	3 axles or more	8.9 .1	8.7 N
Service, utility Van, step, walk-in, or multistop	3.0 7.8	1.7 17.2	Combinations	29.9	28.1
Dump	21.7 4.1	14.2	Combinations 3 axles	29.9 1.9 4.6	1.9 5.3
Other and not applicable	12.0	17.3	4 axles 5 axles or more	21.1	20.9 V
VEHICLE SIZE			Trailer/axles not specified	2.3	V
Light	19.0 20.9	25.5 21.2	RANGE OF OPERATION		
Light-heavy	15.4	12.7	50 miles or less	57.9 17.9	54.9 27.0
ANNUAL MILES	44.6	40.5	201 miles or more Off-the-road, not reported, and not applicable	10.3 13.9	14.1 4.0
Less than 5,000 <sup>3</sup>	28.1	22.8	FUEL TYPE	10.9	4.0
5,000 to 9,999	13.7 20.0	15.1 22.8	Gasoline	33.9	42.9
20,000 to 29,999	10.9	11.4	All other fuels	63.9	56.2 .9
20,000 to 29,999 30,000 or more					

N Not available. miles, or 0.05 percent. S Estimate does not meet publication standards because of high sampling variability or poor response quality. V Represents an estimate of less than 50 vehicles, 50,000

<sup>&</sup>lt;sup>1</sup>Comparability of estimates may vary across survey years due to changes in category definitions. 
<sup>2</sup>Includes open top trailers and all van except step, walk-in, or multistop. 
<sup>3</sup>Includes vehicles not in use. 
<sup>4</sup>For survey years prior to 2002, this includes vehicles leased from someone else. 
<sup>5</sup>Excludes truck-tractors not in use.

<sup>&</sup>lt;sup>1</sup>Comparability of estimates may vary across survey years due to changes in category definitions. <sup>2</sup>Includes open top trailers and all van except step, walk-in, or multistop. <sup>3</sup>Includes vehicles not in use. <sup>4</sup>For survey years prior to 2002, this includes vehicles leased from someone else. <sup>5</sup>Excludes truck-tractors not in use.

Note: The Introduction gives information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/svsd/www/02vehinv.html.

[Estimates are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Because of rounding, estimates may not be additive]

[Estimates are based on data from the 2002 and 13	757 VEHICLE IIIVEL	itory and ose ou	iveys. Decause	or rounding, eathr	iales may not be	additivej			
Vehicular and operational characteristics	2002 trucks (thousands)	1997 trucks (thousands)	Percent change	2002 truck miles (millions)	1997 truck miles (millions)	Percent change	2002 average miles per truck (thousands)	1997 average miles per truck (thousands)	Percent change
	А	В	С	D	Е	F	G	Н	ı
Total	3 499.3	2 985.1	17.2	45 649.0	41 899.5	8.9	13.0	14.0	-7.1
BUSINESS <sup>1</sup>									
For-hire transportation or warehousingVehicle leasing or rental	58.1	44.9	29.4	2 850.1	2 821.1	1.0	49.1	62.8	-21.9
	16.8	30.8	-45.5	1 013.6	741.8	36.7	60.4	24.1	150.8
	67.1	97.8	-31.4	645.7	1 153.7	-44.0	9.6	11.8	-18.4
	2.5	S	S	59.6	S	S	23.6	S	S
	28.4	27.3	3.9	467.9	484.8	-3.5	16.5	17.8	-7.2
Construction Manufacturing Wholesale trade Retail trade Information services	202.4	268.8	-24.7	3 259.4	4 342.1	-24.9	16.1	16.2	3
	26.1	37.3	-30.0	490.8	784.4	-37.4	18.8	21.1	-10.7
	42.0	54.3	-22.7	790.0	1 394.4	-43.3	18.8	25.7	-26.7
	51.0	63.3	-19.4	607.4	1 341.2	-54.7	11.9	21.2	-43.8
	S	N	N	S	N	N	S	N	N
Waste management, landscaping, or administrative/support services Arts, entertainment, or recreation services Accommodation or food services Other services Personal transportation Not reported Not applicable <sup>2</sup>	19.6 S S 48.0 2 802.7 45.3 47.6	N N N 2 176.7 V 22.9	N N N 28.8 N 107.8	297.5 S S 902.5 32 894.1 624.4 S	N N N 25 650.9 V S	N N N 28.2 N S	15.2 S S 18.8 11.7 13.8 S	N N N 11.8 V S	N N N N 4 N S
BODY TYPE									
Single-unit trucks Pickup. Minivan Other light vans Sport utility Armored	3 435.1 1 431.7 610.3 310.0 881.7	2 924.5 1 362.5 530.1 365.8 476.9 N	17.5 5.1 15.1 –15.3 84.9 N	41 845.8 16 581.4 8 365.2 2 646.8 11 253.3 V	38 073.4 15 693.8 7 929.9 4 294.5 7 336.5 N	9.9 5.7 5.5 –38.4 53.4 N	12.2 11.6 13.7 8.5 12.8 V	13.0 11.5 15.0 11.7 15.4 N	-6.4 .6 -8.4 -27.3 -17.0 N
Beverage Concrete mixer Concrete pumper Crane Curtainside	1.6	S	S	20.0	\$	S	12.7	\$	S
	2.8	2.6	4.8	38.2	34.3	11.2	13.8	13.0	6.1
	V	N	N	V	N	N	V	N	N
	.8	3.2	–75.8	S	37.9	S	S	12.0	S
	S	N	N	S	N	N	S	N	N
Dump Flatbed, stake, or platform Low boy Pole, logging, pulpwood, or pipe Service, utility	51.1	30.3	68.7	430.0	381.0	12.9	8.4	12.6	-33.1
	41.5	42.6	-2.7	389.7	523.5	-25.6	9.4	12.3	-23.5
	V	S	S	V	S	S	V	S	S
	S	.5	S	S	S	S	S	S	S
	8.0	4.1	94.3	96.5	35.4	172.8	12.0	8.6	40.4
Service, other Street sweeper Tank, dry bulk Tank, liquids or gases Tow/Wrecker	12.0	10.6	12.6	154.8	141.5	9.4	12.9	13.3	-2.8
	.8	N	N	S	N	N	S	N	N
	.6	.4	40.3	6.1	S	S	10.7	S	S
	5.1	5.5	-8.6	41.4	97.9	-57.7	8.2	17.7	-53.7
	6.2	6.8	-9.2	57.2	104.5	-45.3	9.3	15.4	-39.7
Trash, garbage, or recycling	4.2	3.0	43.0	96.0	88.4	8.6	22.7	29.9	-24.1
	.6	N	N	S	N	N	S	N	N
	32.5	19.6	66.0	1 053.2	460.8	128.6	32.4	23.6	37.7
	S	S	S	S	S	S	S	S	S
	3.3	3.0	9.0	94.5	92.7	1.9	29.0	31.1	-6.5
Van, open top Van, step, walk-in, or multistop Van, other Other	4.7	8.3	-43.7	S	17.7	S	S	2.1	S
	20.8	43.0	-51.6	369.8	694.4	-46.7	17.8	16.1	10.1
	4.6	N	N	94.3	N	N	20.3	N	N
	V	N	N	V	N	N	V	N	N
Truck-tractors Automobile carrier Beverage Curtainside Dump Flatbed, stake, or platform	64.2	60.6	6.0	3 803.2	3 826.1	6	59.2	63.2	-6.3
	S	S	S	S	S	S	S	S	S
	1.5	1.8	-19.0	21.6	38.7	-44.2	14.6	21.1	-31.1
	S	N	N	S	N	N	S	N	N
	6.6	5.3	23.5	256.5	328.4	-21.9	39.0	61.7	-36.7
	12.8	12.3	3.8	661.7	799.4	-17.2	51.6	64.7	-20.2
Livestock Low boy Mobile home toter Open top Pole, logging, pulpwood, or pipe	\$	S	S	\$	S	S	\$	S	\$
	2.5	3.2	-22.6	75.0	79.5	-5.7	30.1	24.7	21.8
	\$	N	N	\$	N	N	\$	N	N
	2.2	1.8	18.9	46.4	24.2	91.6	21.5	13.4	61.1
	\$	.4	S	\$	S	S	\$	S	S
Tank, dry bulk Tank, liquids or gases Van, basic enclosed Van, drop-frame Van, insulated nonrefrigerated	1.8 3.4 25.7 .6 S	1.2 3.3 23.0 .6 .6	50.3 2.3 11.8 –5.6 S	100.8 213.6 1 834.0 S	94.3 241.4 1 680.6 19.2 36.1	6.9 -11.5 9.1 S S	55.6 63.0 71.4 S	78.2 72.8 73.2 31.9 59.9	-28.9 -13.5 -2.4 S
Van, insulated refrigerated Other Not applicable <sup>3</sup>	5.7	5.4	4.3	473.0	404.9	16.8	83.7	74.7	12.0
	V	N	N	V	N	N	V	N	N
	S	N	N	V	N	N	S	N	N
ANNUAL MILES									
Less than 5,000	621.5	506.0	22.8	1 377.1	1 070.0	28.7	2.2	2.1	4.8
5,000 to 9,999	722.0	507.4	42.3	5 174.9	3 536.5	46.3	7.2	7.0	2.8
10,000 to 19,999	1 568.9	1 338.9	17.2	21 025.5	17 942.1	17.2	13.4	13.4	V
20,000 to 29,999	337.2	379.3	–11.1	7 545.3	8 451.5	–10.7	22.4	22.3	.4
30,000 to 49,999	132.6	187.6	–29.3	4 609.5	6 736.7	–31.6	34.8	35.9	-3.2
50,000 to 74,999	30.7	20.7	48.1	1 909.0	1 211.6	57.6	62.2	58.5	6.4
75,000 or more	38.8	28.7	35.4	3 969.5	2 951.0	34.5	102.2	102.9	6
Not applicable <sup>2</sup>	47.6	16.5	189.1	S	V	S	S	V	S

[Estimates are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 and 19	997 Verlicie iriveri	tory and USE Sur	veys. Decause o	or rounding, estin	iales may not be	auuilivej			
Vehicular and operational characteristics	2002 trucks (thousands)	1997 trucks (thousands)	Percent change	2002 truck miles (millions)	1997 truck miles (millions)	Percent change	2002 average miles per truck (thousands)	1997 average miles per truck (thousands)	Percent change
	А	В	С	D	Е	F	G	Н	1
PRIMARY RANGE OF OPERATION									
Off-the-road	14.1 2 508.4 322.5 80.1 38.1	98.7 2 253.8 365.1 79.3 87.1	-85.7 11.3 -11.7 1.0 -56.3	S 28 560.6 5 664.0 1 618.4 1 686.3	801.8 27 923.9 6 263.2 2 017.9 2 865.9	S 2.3 -9.6 -19.8 -41.2	S 11.4 17.6 20.2 44.3	8.1 12.4 17.2 25.4 32.9	S -8.1 2.4 -20.6 34.5
501 miles or more Not reported	78.0 410.4 47.6	84.5 16.5 N	-7.7 2 395.0 N	1 772.2 6 136.6 S	2 026.8 V N	-12.6 N N	22.7 15.0 S	24.0 V N	–5.2 N N
PRIMARY JURISDICTION									
Operated in Canada. Operated in Mexico Operated within the home base state. Operated in states other than the home base state State Not reported Not applicable <sup>2</sup>	S V 3 042.3 88.9 320.1 47.6	N N N N N	N N N N N N N N N N N N N N N N N N N	\$ V 38 652.2 2 442.1 4 486.8 \$	X	N N N N N	S V 12.7 27.5 14.0 S	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	N N N N N
MONTHS OPERATED									
12 7 to 11 2 to 6 1 or less Vehicle not used	2 320.8 548.3 510.8 71.8 47.6	Z Z Z Z Z	N N N N	34 267.5 6 728.5 4 495.8 119.2 S	N N N N N	X X X X X X X X X X X X X X X X X X X	14.8 12.3 8.8 1.7 S	2222	N N N N
VEHICLE SIZE									
Light	3 276.5 63.3 41.0 118.5	2 780.6 71.5 31.7 101.2	17.8 -11.5 29.2 17.0	39 758.0 718.5 563.1 4 609.4	35 642.1 1 142.1 544.2 4 571.1	11.5 -37.1 3.5 .8	12.1 11.4 13.7 38.9	12.8 16.0 17.2 45.2	-5.3 -28.9 -19.9 -13.8
AVERAGE WEIGHT (POUNDS)									
Less than 6,001 6,001 to 8,500 8,501 to 10,000 10,001 to 14,000 14,001 to 16,000	2 566.6 570.3 139.6 41.3 12.9	2 573.7 N N 40.0 14.4	3 N N 3.3 -10.8	30 346.4 7 273.8 2 137.9 461.7 147.4	32 735.3 N N 587.5 205.9	-7.3 N N -21.4 -28.4	11.8 12.8 15.3 11.2 11.4	12.7 N N 14.7 14.3	-7.0 N N -23.9 -19.8
16,001 to 19,500 19,501 to 26,000 26,001 to 33,000 33,001 to 40,000 40,001 to 50,000	9.1 41.0 23.4 10.3 11.5	17.1 31.7 13.5 10.8 15.8	-46.6 29.2 73.1 -4.8 -27.6	109.4 563.1 280.3 218.2 190.6	348.7 544.2 223.8 229.6 496.9	-68.6 3.5 25.2 -5.0 -61.6	12.0 13.7 12.0 21.2 16.6	20.4 17.2 16.5 21.2 31.4	-41.2 -19.9 -27.6 2 -47.0
50,001 to 60,000 60,001 to 80,000 80,001 to 100,000 100,001 to 130,000 130,001 or more	15.0 56.9 .7 .7 V	14.4 46.0 S S V	4.4 23.5 S S N	527.5 3 344.9 12.6 35.3 V	535.5 3 039.6 S S V	-1.5 10.0 S S N	35.1 58.8 18.5 52.4 V	37.2 66.0 S S V	-5.6 -10.9 S S N
TOTAL LENGTH (FEET)									
Less than 20.0 20.0 to 27.9 28.0 to 35.9 36.0 to 40.9 41.0 to 44.9	3 037.2 323.3 37.0 22.3 9.2	2 735.7 109.9 66.2 6.8 2.7	11.0 194.1 -44.1 228.9 246.2	36 462.2 4 428.9 552.4 338.5 203.5	35 489.6 1 443.0 930.5 97.5 50.4	2.7 206.9 -40.6 247.2 303.6	12.0 13.7 14.9 15.2 22.0	13.0 13.1 14.1 14.4 18.9	-7.5 4.4 6.2 5.6 16.6
45.0 to 49.9 50.0 to 54.9 55.0 to 59.9 60.0 to 64.9 65.0 to 69.9	6.3 S 9.9 17.7 14.6	1.8 10.5 15.6 19.6 10.4	241.0 S -36.2 -9.8 41.3	288.5 205.2 366.6 1 095.1 1 065.1	24.3 405.7 940.0 1 332.7 733.2	1 088.0 -49.4 -61.0 -17.8 45.3	45.8 S 36.9 61.9 72.8	13.2 38.6 60.3 68.0 70.8	248.4 S -38.9 -8.9 2.8
70.0 to 74.9 75.0 to 79.9 80.0 or more	6.2 1.9 S	4.0 N N	55.2 N N	457.1 173.5 S	311.3 N N	46.9 N N	73.2 90.4 S	77.4 N N	-5.4 N N
MILES PER GALLON									
Less than 5 5 to 6.9 7 to 8.9 9 to 10.9 11 to 12.9 13 to 14.9 15 or more 15 to 20.9 21 to 24.9 25 or more Not reported Not applicable <sup>2</sup>	24.6 82.1 43.4 194.9 248.5 282.5 1 988.3 1 579.6 272.1 136.7 587.5 47.6	23.0 82.0 79.2 188.3 298.0 310.6 1 988.5 1 531.7 371.6 85.3 15.5 N	6.8 .1 -45.2 3.5 -16.6 -9.0 V 3.1 -26.8 60.3 3 686.4 N	486.0 2 986.6 638.9 2 084.7 2 618.4 3 724.8 25 212.1 19 462.3 4 119.9 1 629.9 7 859.5 S	613.2 3 250.5 1 342.8 2 304.2 3 403.8 4 002.3 26 787.5 20 763.8 5 002.1 1 021.7 195.2 N	-20.8 -8.1 -52.4 -9.5 -23.1 -6.9 -5.9 -6.3 -17.6 59.5 3 926.8 N	19.8 36.4 14.7 10.7 10.5 13.2 12.7 12.3 15.1 11.9 13.4 S	26.6 39.6 17.0 12.2 11.4 12.9 13.5 13.6 13.5 12.0 12.6 N	-25.8 -8.2 -13.1 -12.6 -7.7 2.3 -5.9 -9.1 12.5 5 6.4 N

[Estimates are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 and 19	997 Vehicle Inven	tory and Use Sur	veys. Because	of rounding, estim	nates may not be	additive]			
Vehicular and operational characteristics	2002 trucks (thousands)	1997 trucks (thousands)	Percent change	2002 truck miles (millions)	1997 truck miles (millions)	Percent change	2002 average miles per truck (thousands)	1997 average miles per truck (thousands)	Percent change
	Α	В	С	D	E	F	G	Н	1
MODEL YEAR									
2003 2002 2001 2000 1999	\$ 189.9 312.2 273.9 270.8	2222	X X X X X	S 2 209.9 5 316.9 4 773.2 4 872.2	X X X X X X X X X X X X X X X X X X X	N N N N N N N	S 11.6 17.0 17.4 18.0	X X X X X X	N N N N
1998	300.5 248.7 168.8 258.0 193.9 181.1 1 101.1	\$ 260.1 251.2 312.0 230.1 188.0 1 733.1	S -4.4 -32.8 -17.3 -15.7 -3.7 -36.5	4 395.7 3 428.0 3 048.6 3 477.2 2 870.3 2 189.3 9 031.7	S 4 211.8 4 961.2 5 982.3 3 949.6 3 302.5 19 265.5	S -18.6 -38.6 -41.9 -27.3 -33.7 -53.1	14.6 13.8 18.1 13.5 14.8 12.1 8.2	\$ 16.2 19.8 19.2 17.2 17.6 11.1	\$ -14.9 -8.6 -29.7 -13.7 -31.2 -26.2
VEHICLE ACQUISITION									
New. Used Not reported	1 396.4 1 949.2 153.8	1 142.7 1 458.3 384.0	22.2 33.7 -60.0	20 510.4 23 235.9 1 902.7	17 652.5 17 403.3 6 843.7	16.2 33.5 –72.2	14.7 11.9 12.4	15.4 11.9 17.8	-4.9 1 -30.6
LEASE CHARACTERISTICS									
Leased Lessee Vehicle only Vehicle with driver Not reported Not applicable <sup>4</sup> Lessor. Vehicle only Vehicle with driver Not reported Not applicable <sup>4</sup> Not reported Not reported Not leased Not leased Not leased Not reported	242.4 207.2 15.9 S S 190.8 20.3 17.2 2.9 S V S S 1 895.8	2222222222	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4 802.4 3 507.6 752.4 \$ \$ 2 745.7 1 160.3 916.8 240.2 \$ \$ \$ \$ 24 659.1 16 187.5	N N N N N N N N N N N N N N N N N N N	N	19.8 16.9 47.4 \$ \$ 14.4 57.2 53.2 81.9 \$ V \$ \$ 13.0	N N N N N N N N N N N N N N N N N N N	N
Length of leasing agreement:									
Leased 1 to 11 months 12 months or more Not reported Not applicable <sup>4</sup>	242.4 2.7 34.1 S 204.7	Z Z Z Z	N N N N	4 802.4 145.6 1 804.1 S 2 830.2	N N N N	N N N N	19.8 53.3 52.9 S 13.8	N N N N	N N N N
Provisions of lease <sup>5</sup> : Financing only Full maintenance Payment of taxes Obtaining licenses and permits Recordkeeping Fuel contract	22.2 16.3 17.4 18.4 10.9 6.9	N N N N N N N N N N N N N N N N N N N	N N N N N N N N N N N N N N N N N N N	1 131.1 985.1 1 052.0 1 063.3 610.3 403.4	N N N N N	N N N N N	50.9 60.5 60.3 57.7 56.0 58.5	N N N N N	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
PRIMARY OPERATOR CLASSIFICATION									
Private Motor carrier Owner operator Rental Personal transportation Not applicable <sup>2</sup>	564.2 38.1 28.9 17.9 2 802.7 47.6	N	N N N N N	8 301.3 2 129.1 1 254.7 1 031.7 32 894.1 S	N N N N N	N N N N N	14.7 55.8 43.4 57.8 11.7 S	N N N N N	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
For-hire characteristics: Type of carrier: Contract Common Not reported Not applicable <sup>6</sup> Type of service:	31.3 21.4 7.5 3 439.1	2 2 2 2	N N N N	1 972.3 1 101.0 218.6 42 357.1	N N N	N N N N	63.0 51.4 29.0 12.3	N N N	N N N N
Truckload  Less-than truckload  Not reported  Not applicable <sup>6</sup> Source of hauls:	41.5 11.8 6.9 3 439.1	32.3 11.2 N N	28.3 5.9 N N	2 635.1 457.7 199.1 42 357.1	2 305.5 405.1 N	14.3 13.0 N N	63.5 38.7 28.8 12.3	71.3 36.3 N N	-10.9 6.6 N N
Solice of nations. Shippers or receivers. Brokers. Centralized markets or exchanges Other Not reported Not applicable <sup>6</sup> .	38.4 7.0 2.0 V 12.9 3 439.1	22222	2	2 380.6 437.2 72.5 V 401.5 42 357.1	Z Z Z Z	2	62.0 62.4 36.7 V 31.2 12.3	2	N N N N N N N N N N N N N N N N N N N
HAZARDOUS MATERIALS CARRIED <sup>7</sup>									
Carrying hazardous materials  Not carrying hazardous materials  Not reported  Not applicable <sup>8</sup>	11.3 204.6 26.3 3 257.2	11.4 204.7 79.4 N	-1.0 V -66.9 N	646.0 4 535.3 586.0 39 881.6	656.4 5 225.1 1 282.7 N	-1.6 -13.2 -54.3 N	57.1 22.2 22.3 12.2	57.4 25.5 16.2 N	6 -13.2 38.2 N
EQUIPMENT TYPE <sup>5 9</sup>									
Aerial work platform/bucket Air bag(s) (safety device only) Air compressor (except air brakes) Air-conditioning Air springs	\$ 1 907.3 16.5 2 699.6 33.3	N 929.7 N 1 986.7 N	N 105.1 N 35.9 N	27.8 28 236.2 678.0 39 024.2 2 043.1	N 15 661.0 N 31 211.8 N	N 80.3 N 25.0 N	\$ 14.8 41.1 14.5 61.4	N 16.8 N 15.7 N	N -12.1 N -8.0 N

[Estimates are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 and 19	997 venicie inver	tory and Use Sur	veys. Because	ot rounding, estin	nates may not be	additivej			
Vehicular and operational characteristics	2002 trucks (thousands)	1997 trucks (thousands)	Percent change	2002 truck miles (millions)	1997 truck miles (millions)	Percent change	2002 average miles per truck (thousands)	1997 average miles per truck (thousands)	Percent change
	А	В	С	D	E	F	G	Н	1
EQUIPMENT TYPE <sup>5 9</sup> —Con.									
Antilock brake system Collision warning system Computerized drive train control unit Crane Electronic vehicle identification device	2 017.5 3.1 462.5 5.2 3.0	1 281.3 N N N S.1	57.5 N N N –42.3	30 226.9 127.8 6 346.2 54.9 266.0	20 649.0 N N N 399.4	46.4 N N N -33.4	15.0 40.8 13.7 10.5 89.6	16.1 N N N 77.6	-7.0 N N N 15.5
Engine retarder/brake	43.6 1 316.8 41.5 5.9	35.5 639.5 N	22.9 105.9 N	2 558.1 17 348.5 363.5 299.5	2 111.5 8 998.9 N	21.2 92.8 N	58.6 13.2 8.8 51.0	59.4 14.1 N	-1.4 -6.4 N
Internet access Lift gate Mounting bar for snowplow Navigational system Power take-off Radial tires.	S 13.5 39.1 S 66.6 2 280.8	N N N 1.1 N 2 476.8	N N N S N -7.9	S 278.7 S S 1 128.8 30 870.5	N N 75.6 N 35 921.9	N N N S N -14.1	20.7 S S 16.9 13.5	N N N 68.4 N 14.5	N N N S N -6.7
Reflective material in addition to those required by law Road speed governor Toolbox Trip recorder or on-board computer with communication capabilities Trip recorder or on-board computer without communication capabilities	36.7 54.9 215.8 124.4 593.2	55.4 62.9 N N	-33.8 -12.8 N N	987.2 2 490.3 3 854.5 2 509.5 8 232.5	2 152.0 2 708.7 N N	–54.1 –8.1 N N	26.9 45.4 17.9 20.2	38.8 43.0 N N	-30.7 5.4 N N
Vehicle control aids for handicapped drivers Wheelchair lift	V S 30.3	SSN	S S N	V 232.3	SSN	S S N	V S S	SSS	S S N
Transmission type: Automatic. Manual Semiautomated manual Automated manual Not reported	2 686.7 719.8 2.8 S 76.3	Z Z Z Z Z	N N N N	33 264.5 11 100.9 140.2 S 1 007.6	N N N N	N N N N	12.4 15.4 49.8 S 13.2	Z Z Z Z	N N N N N
Braking system: Hydraulic (standard). Hydraulic with power assist Air Other Not reported Not applicable <sup>10</sup>	90.1 54.2 108.4 V 12.9 3 233.7	58.0 76.1 104.5 4.0 N N	55.4 -28.8 3.8 N N	1 514.6 588.1 4 257.5 V 442.1 38 846.7	726.3 1 094.6 4 597.1 47.0 N	108.5 -46.3 -7.4 N N	16.8 10.9 39.3 V 34.2 12.0	12.5 14.4 44.0 11.7 N	34.2 -24.5 -10.7 N N N
FUEL TYPE AND ENGINE SIZE									
Fuel type: Gasoline Diesel Natural gas Propane Alcohol fuels Electricity Combination	3 197.1 231.5 V 1.2 V	2 790.5 188.2 N N N N	14.6 23.0 N N N N	38 645.9 6 603.8 V S V	35 356.6 6 490.3 N N N	9.3 1.7 N N N	12.1 28.5 V S V V	12.7 34.5 N N N	-4.6 -17.3 N N N
Other Not reported Not applicable <sup>2</sup> Cylinders <sup>11</sup> :	1.0 47.6	N N N	N N N	9.2 S	N N N	N N N	8.9 S	N N N	N N N
4 cylinders 6 cylinders 8 cylinders Other	462.7 1 796.4 1 164.3 75.9	411.3 1 460.9 1 025.0 87.9	12.5 23.0 13.6 –13.6	5 450.6 26 843.5 12 668.5 686.3	4 889.4 24 200.4 11 804.9 1 004.8	11.5 10.9 7.3 –31.7	11.8 14.9 10.9 9.0	11.9 16.6 11.5 11.4	9 -9.8 -5.5 -20.9
Cubic inch displacement <sup>11</sup> :     Gasoline fuel     Less than 200     200 to 299     300 to 349     350 to 399     400 or more     Not available     Diesel fuel     Less than 400     400 to 599     600 to 799     800 or more     Not available Other fuel     Less than 400     400 or more     Not available Other fuel     Less than 400     400 or more     Not available Other fuel     Less than 400     400 or more     Not available Not reported Not applicable <sup>2</sup>	3 197.1 803.5 1 287.1 530.1 449.7 83.8 42.8 231.5 50.3 93.3 37.2 32.8 18.0 S S S S 1.0	2 790.5 805.9 776.3 545.0 488.7 86.6 87.9 188.2 51.6 51.8 33.5 30.6 20.8 2.1 N N	14.6 3 65.8 -2.7 -8.0 -3.3 -51.3 23.0 -2.6 79.9 11.0 7.3 -13.3 S S S N N	38 645.9 10 327.7 17 292.1 5 783.5 4 148.8 833.4 260.4 6 603.8 784.9 1 600.7 1 777.2 1 869.0 572.0 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	35 356.6 10 158.2 11 888.4 6 334.0 5 285.8 952.2 738.1 6 490.3 976.8 1 200.7 1 733.5 1 933.0 646.3 S S S S N N	9.3 1.7 45.5 -8.7 -21.5 -64.7 1.7 -19.7 33.3 2.5 -3.3 -11.5 S S S N N	12.1 12.9 13.4 10.9 9.2 9.9 6.1 28.5 15.6 17.2 47.8 57.0 31.8 S S S S	12.7 12.6 15.3 11.6 10.8 11.0 8.4 34.5 18.9 23.2 51.8 63.3 31.1 S S S N N	-4.6 2.0 -12.3 -6.1 -14.7 -9.5 -27.6 -17.3 -17.5 -25.9 -7.6 -9.9 2.1 S S S N N
REFUELING LOCATION									
Gas station Truck stop Own facility (including home, farm, ranch, onsite by mobile supplier, etc.) Other company's/contractor's facility not open to the public Other Not reported Not applicable <sup>2</sup>	3 128.0 78.9 101.0 S S 124.7 47.6	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	38 366.9 3 426.0 2 199.5 299.3 5 1 319.1 S	N N N N N N N N N N N N N N N N N N N	N N N N N N N N N N N N N N N N N N N	12.3 43.4 21.8 S S 10.6 S	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	N N N N N N N N N N N N N N N N N N N

[Estimates are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 and 19	97 Verlicie iriveri	tory and Use Sur	veys. Because	or rounding, estin	iales may not be	addilivej			
Vehicular and operational characteristics	2002 trucks (thousands)	1997 trucks (thousands)	Percent change	2002 truck miles (millions)	1997 truck miles (millions)	Percent change	2002 average miles per truck (thousands)	1997 average miles per truck (thousands)	Percent change
	А	В	С	D	Е	F	G	Н	1
MAINTENANCE <sup>5</sup>									
General maintenance performed by: None performed	100.8 312.3 1 334.4 773.2 3.2	23.6 176.7 1 038.5 655.2 16.8	327.4 76.7 28.5 18.0 –80.7	623.9 6 141.6 19 076.9 10 598.5 144.9	242.4 4 338.2 15 737.3 9 108.2 504.0	157.4 41.6 21.2 16.4 -71.2	6.2 19.7 14.3 13.7 44.7	10.3 24.5 15.2 13.9 30.0	-39.8 -19.9 -5.7 -1.4 48.8
Individual not employed/paid by any maintenance type facility Other Not reported Not applicable <sup>2</sup>	1 458.4 V 109.4 47.6	1 478.5 29.0 112.9 N	-1.4 N -3.1 N	16 768.6 V 1 145.2 S	18 704.8 578.7 1 613.7 N	-10.4 N -29.0 N	11.5 V 10.5 S	12.7 19.9 14.3 N	-9.1 N -26.8 N
Extensive repairs performed by: None performed Company-owned maintenance facility General repair business or private mechanic Dealership service department Leasing company	2 728.2 62.5 191.1 163.3 S	156.4 91.2 442.0 414.9 S	1 644.1 -31.5 -56.8 -60.6 S	35 132.4 824.1 3 289.4 2 550.8 S	1 853.2 2 078.6 6 976.2 7 195.7 166.8	1 795.7 -60.4 -52.8 -64.6 S	12.9 13.2 17.2 15.6 S	11.8 22.8 15.8 17.3 S	8.7 -42.1 9.1 -10.0 S
Component distributorship (engine, transmission, body, etc.). Individual not employed/paid by any repair type facility. Other Not reported Not applicable <sup>2</sup>	\$ 201.7 V 27.4 47.6	52.0 299.1 S 1 613.5 N	S -32.6 S -98.3 N	266.3 2 145.9 V S S	1 173.4 2 830.4 S 21 526.6 N	-77.3 -24.2 S S N	\$ 10.6 V S S	22.6 9.5 S 13.3 N	S 12.4 S S N
TRUCK TYPE AND AXLE ARRANGEMENT									
Single-unit trucks and truck-tractors without trailer 2 axles 3 axles 4 axles 5 axles or more	3 391.9 3 367.2 15.7 4.0 4.4 .7	2 877.4 2 855.7 13.7 8.0 N	17.9 17.9 14.4 –49.8 N N	41 491.1 41 002.5 241.9 107.6 133.1 6.1	37 599.2 37 108.6 248.7 241.9 V	10.4 10.5 -2.7 -55.5 N N	12.2 12.2 15.4 26.7 30.4 8.8	13.1 13.0 18.1 30.1 N	-6.4 -6.3 -15.0 -11.4 N
Combinations Single-unit trucks with trailer 3 axles 4 axles 5 axles or more Not reported Truck-tractors with single trailer 3 axles 4 axles 5 axles or more Not reported Truck-tractors with double trailers 5 axles 6 axles 7 axles 8 axles or more Not reported Truck-tractors with friple trailers 7 axles 8 axles or more Not reported Truck-tractors with triple trailers 7 axles 8 axles 9 axles 9 axles 10 axles or more Not reported	107.4 43.5 24.5 8 63.4 2.5 53.6 5.4 5.5 V S V V V V V V	107.7 47.1 9 37.3 3.7 N 59.5 3.1 47.9 N 1.0 S S N V V V V V V V N	3 -7.8 S -34.4 S N 6.5 -21.6 -76.5 11.9 N -55.1 S S S N N	4 157.8 354.6 S 174.3 12.3 S 3 784.8 48.6 61.9 3 349.7 324.7 S V S V V V V V V	4 300.3 474.2 5 339.7 66.1 N 3 789.6 70.4 439.8 3 279.4 N 36.5 S S S N V V V V V V N	-3.3 -25.2 S -48.7 -81.5 N -1.1 -31.0 -85.9 2.1 N S S S S S N N N N N N N N N N N N N N	38.7 8.2 S 7.1 S S 59.7 31.0 62.5 60.6 S V S V V V V V V V	39.9 10.1 8.0 9.1 18.0 N 63.6 22.4 51.7 68.5 N 35.9 S S V V S S S N V V V V V V V V V V V V	-3.0 -18.9 -21.8 S N -6.2 -12.0 -40.2 -8.7 N S S S S S S N N N N N N N N N N N N N
Driving axles:  1	2 093.3 1 404.1 1.2 .8	2 124.3 857.7 3.1 V	-1.5 63.7 -63.3 N	24 143.3 21 483.5 15.6 6.6	27 063.4 14 641.2 194.9 V	-10.8 46.7 -92.0 N	11.5 15.3 13.5 8.1	12.7 17.1 62.1 V	-9.5 -10.4 -78.2 N
Total liftable axles and locations <sup>12</sup> : None  1 Forward of the drive axle Below the chassis Beyond the chassis Not reported 2 or more Forward of the drive axle Below the chassis Beyond the chassis Not reported Ot reported Not reported Not applicable <sup>10</sup>	254.7 6.1 3.8 1.2 8 4.3 2.4 1.0 9 8 6 3 233.7	95.7 6.1 N N N N 2.7 N N N N N N N N N N N N N N N N N N N	166.1 9 N N N S 55.3 N N N N N N N N N N N N N N N N N N N	6 516.6 145.8 104.4 21.4 S 18.1 132.4 60.0 34.6 20.9 S 8	2 607.0 125.9 N N N 95.2 N N N N N N N	150.0 15.8 N N N N 39.1 N N N N N	25.6 24.1 27.4 17.4 5 22.6 31.1 24.8 33.3 22.7 S S 12.0	27.2 20.6 N N N N 34.7 N N N N N N N N N	-6.1 16.9 N N N -10.4 N N N N N N N N N N N N N N N N N N N
Total liftable axles and number of braking axles: None	254.7 6.1 1.2 4.7 \$ \$ 4.3 V 4.3 V 4.3 S 6 3 233.7	95.7 6.1 N N N 2.7 N N N N N	166.1 9 N N S55.3 N N N N N	6 516.6 145.8 S 129.4 S 132.4 V 132.4 V S 38 846.7	2 607.0 125.9 N N 95.2 N N N N N	150.0 15.8 N N S 39.1 N N N N N	25.6 24.1 S 27.4 S 31.1 V 31.1 V 31.1 V S 31.2 0	27.2 20.6 N N 34.7 N N N N N	-6.1 16.9 N N N -10.4 N N N N N

[Estimates are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Because of rounding, estimates may not be additive]

<u> </u>		•	•	-					
Vehicular and operational characteristics	2002 trucks (thousands)	1997 trucks (thousands)	Percent change	2002 truck miles (millions)	1997 truck miles (millions)	Percent change	2002 average miles per truck (thousands)	1997 average miles per truck (thousands)	Percent change
	А	В	С	D	Е	F	G	Н	1
CAB TYPE									
Conventional cab	242.6 33.0 207.9 1.7	200.1 N N N	21.2 N N N	6 321.5 2 534.9 3 667.9 118.7	5 609.2 N N N	12.7 N N	26.1 76.9 17.6 70.1	28.0 N N N	-7.0 N N
Cab over engine With sleeper Without sleeper. Not reported	22.3 3.5 18.5 S	27.1 N N N	-17.7 N N	472.9 119.2 322.5 S	598.2 N N N	-21.0 N N N	21.2 33.8 17.4 S	22.0 N N N	–3.9 N N N
Cab forward of engine	.7 V V 3 233.7	8.5 S N N	-91.9 S N N	S V V 38 846.7	190.0 S N N	S S N N	S V V 12.0	22.3 S N N	88 Z Z

N Not available. miles, or 0.05 percent. S Estimate does not meet publication standards because of high sampling variability or poor response quality. V Represents an estimate of less than 50 vehicles, 50,000

Note: Use caution when assessing the true increase or decrease in any particular data line. Large changes in the "not reported" or "not applicable" estimates should be taken into account.

Note: Table 2b provides estimated measures of sampling variability. The Introduction gives information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at <a href="https://www/02vehinv.html">www.census.gov/svsd/www/02vehinv.html</a>.

<sup>&</sup>lt;sup>1</sup>Comparability of estimates may vary across survey years due to changes in category definitions.

<sup>2</sup>Vehicles not in use. When the respondent had partial-year ownership of the vehicle, annual miles were adjusted to reflect miles traveled when not owned by the respondent. <sup>2</sup>Vehicles not in use. Whe <sup>3</sup>Truck-tractors not in use.

<sup>\*</sup>Lessees or lessors of pickups, minivans, other light vans, and sport utilities.

\*Lessees or lessors of pickups, minivans, other light vans, and sport utilities.

\*Detail lines do not add to total because items were not applicable or multiple responses were possible.

\*Includes pickups, minivans, other light vans, and sport utilities; all other vehicles that are private, rental, or used for personal transportation; and vehicles not in use.

\*Tolstributed miles data are available in Table 8.

<sup>\*</sup>Distributed miles data are available in Lable 8.

§Includes pickups, minivans, other light vans, and sport utilities; all other vehicles that are rental or used for personal transportation; and vehicles not in use.

§Pickups, minivans, other light vans, and sport utilities, in the Equipment Type section, were only required to report for aerial work platform/bucket, air bag(s), air-conditioning, antilock brake system, computerized drive train control unit, front-wheel drive, mounting bar for snowplow, radial tires, toolbox, trip recorder, vehicle control aids for handicapped drivers, wheelchair lift, and winch.

<sup>10</sup>Pickups, minivans, other light vans, and sport utilities.
11Data were derived from administrative records.
12Detail lines do not add to the subtotal line because items were not applicable or multiple responses were possible. When 2 or 3 liftable axles were indicated, respondents properly reported multiple responses, therefore detail lines will be significantly greater than the corresponding subtotal line.

[Estimates are shown as percents and are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Columns A, B, D, E, G, H show estimated coefficients of variation. Columns C, F, and I show estimated standard errors]

Vehicular and operational characteristics	2002 trucks	1997 trucks	Percent change	2002 truck miles	1997 truck miles	Percent change	2002 average miles per truck	1997 average miles per truck	Percent change
	А	В	С	D	E	F	G	Н	ı
Total	.6	.6	1.1	3.3	2.4	4.5	3.2	2.4	3.7
BUSINESS									
For-hire transportation or warehousing	17.1	5.5	23.2	6.4	5.2	8.3	14.2	3.8	11.5
	41.2	26.6	26.7	44.3	26.9	70.8	5.7	7.0	22.8
	23.0	17.8	19.9	30.2	22.4	21.1	15.8	13.0	16.7
	26.9	S	S	32.3	S	S	26.4	S	S
	41.8	34.3	56.3	49.0	49.5	67.2	23.9	27.3	33.7
Construction Manufacturing Wholesale trade Retail trade Information services	15.0	11.2	14.1	19.6	13.3	17.8	10.6	6.6	12.4
	37.4	28.0	32.7	30.9	26.5	25.5	18.6	16.0	21.9
	32.4	24.1	31.2	31.5	26.1	23.2	10.8	13.6	12.7
	30.0	23.1	30.5	28.1	25.5	17.2	13.9	16.0	11.9
	S	N	N	S	N	N	S	N	N
Waste management, landscaping, or administrative/support services Arts, entertainment, or recreation services Accommodation or food services Other services Personal transportation Not reported Not applicable 1	10.9 S S 34.7 1.9 30.3 34.9	N N N 2.2 N 40.8	N N N 3.8 N 111.6	13.1 S S 38.9 4.4 22.1 S	N N N 3.6 N S	N N N 7.3 N S	10.5 S S 15.2 4.0 19.5 S	N N N N 2.9 N S	N N N 1.9 N S
BODY TYPE									
Single-unit trucks Pickup. Minivan Other light vans Sport utility. Armored	.7	.6	1.1	3.6	2.7	4.9	3.5	2.6	4.1
	1.0	1.1	1.6	4.8	4.5	7.0	4.7	4.3	6.5
	8.6	7.3	13.0	12.1	8.8	15.8	8.5	4.9	9.0
	13.4	9.5	14.0	18.6	13.1	14.0	12.9	9.0	11.4
	6.4	7.9	18.8	10.0	9.8	21.4	7.7	5.7	7.9
	N	N	N	N	N	N	N	N	N
Beverage Concrete mixer Concrete pumper Crane Curtainside	40.8	S	\$	48.1	S	\$	32.9	S	S
	19.9	19.2	29.0	22.3	21.5	34.4	10.1	9.6	14.7
	N	N	N	N	N	N	N	N	N
	49.8	28.7	13.9	S	31.3	S	S	29.7	S
	S	N	N	S	N	N	S	N	N
Dump Flatbed, stake, or platform Low boy Pole, logging, pulpwood, or pipe Service, utility	6.3	9.5	19.3	9.5	10.7	16.2	8.0	9.3	8.2
	7.3	8.3	10.8	11.0	13.9	13.2	8.8	11.1	10.8
	N	S	S	N	S	S	N	S	S
	S	44.4	S	S	S	S	S	S	S
	18.9	30.1	69.1	23.5	32.2	108.9	13.9	14.5	28.2
Service, other Street sweeper Tank, dry bulk Tank, liquids or gases Tow/Wrecker	15.1	18.7	27.1	19.0	21.5	31.4	11.7	10.4	15.2
	49.8	N	N	S	N	N	S	N	N
	44.5	49.6	93.5	48.3	S	S	18.6	S	S
	22.2	22.6	28.9	27.6	25.6	15.9	17.6	15.8	11.0
	20.5	22.9	27.9	31.8	32.0	24.7	24.9	22.0	20.0
Trash, garbage, or recycling	19.8	21.9	42.2	20.8	25.5	35.7	10.8	16.5	15.0
	44.4	N	N	S	N	N	S	N	N
	22.2	12.9	42.6	42.7	18.7	106.6	21.9	13.5	35.4
	S	S	S	S	S	S	S	S	S
	28.0	34.5	48.4	33.6	39.6	53.0	19.3	22.4	27.6
Van, open top	24.1	19.3	17.4	S	39.1	S	S	34.3	S
Van, step, walk-in, or multistop	11.2	8.6	6.8	14.4	10.8	9.6	9.4	6.6	12.6
Van, other	24.8	N	N	38.0	N	N	29.9	N	N
Other	N	N	N	N	N	N	N	N	N
Truck-tractors Automobile carrier Beverage Curtainiside Dump Flatbed, stake, or platform	2.6	2.8	4.0	3.7	3.5	5.1	3.1	3.1	4.1
	S	S	S	S	S	S	S	S	S
	39.5	36.2	43.4	40.6	36.8	30.6	17.1	14.3	15.4
	S	N	N	S	N	N	S	N	N
	12.6	13.1	22.5	16.4	15.0	17.4	10.5	7.4	8.1
	9.1	8.2	12.7	11.1	9.4	12.0	6.9	4.8	6.7
Livestock Low boy Mobile home toter Open top Pole, logging, pulpwood, or pipe	\$	S	S	\$	S	\$	\$	\$	S
	21.0	17.3	21.0	33.9	28.6	41.8	26.7	22.9	42.9
	\$	N	N	\$	N	N	\$	N	N
	22.6	23.2	38.6	39.4	39.7	107.2	32.4	32.3	73.6
	\$	49.6	S	\$	S	S	\$	S	S
Tank, dry bulk Tank, liquids or gases Van, basic enclosed Van, drop-frame Van, insulated nonrefrigerated	24.7 17.8 5.7 44.5 S	28.5 16.9 7.1 40.4 40.5	56.7 25.1 10.2 56.7 S	30.1 20.5 6.8 S	30.5 19.9 7.6 47.4 43.8	45.8 25.3 11.1 S	16.9 10.3 4.1 S	10.9 10.5 5.3 24.7 16.4	14.3 12.7 6.5 S S
Van, insulated refrigerated	13.6	13.0	19.6	15.5	15.1	25.3	7.6	7.7	12.2
Other	N	N	N	N	N	N	N	N	N
Not applicable <sup>2</sup>	S	N	N	N	N	N	S	N	N
ANNUAL MILES									
Less than 5,000	9.0	8.2	14.9	11.1	10.2	19.4	6.2	5.9	8.9
5,000 to 9,999	8.4	8.3	16.8	8.7	8.6	17.8	2.1	2.0	3.0
10,000 to 19,999	4.7	4.2	7.4	4.9	4.3	7.7	1.3	1.1	1.7
20,000 to 29,999	12.9	9.8	14.4	13.0	9.9	14.5	1.6	1.2	2.0
30,000 to 49,999	20.2	14.2	17.5	20.1	14.3	16.9	2.6	2.3	3.4
50,000 to 74,999	31.6	23.1	57.9	31.8	21.8	60.8	1.5	1.6	2.3
75,000 or more	25.0	5.7	34.7	24.3	5.6	33.5	3.5	1.7	3.9
Not applicable <sup>1</sup>	34.9	48.9	173.9	S	N	S	S	N	S

[Estimates are shown as percents and are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Columns A, B, D, E, G, H show estimated coefficients of variation. Columns C, F, and I show estimated standard errors]

and i snow estimated standard errorsj				1					
Vehicular and operational characteristics	2002 trucks	1997 trucks	Percent change	2002 truck miles	1997 truck miles	Percent change	2002 average miles per truck	1997 average miles per truck	Percent change
	А	В	С	D	Е	F	G	Н	I
PRIMARY RANGE OF OPERATION									
Off-the-road	49.2 2.7 13.1 26.6 35.8	20.2 2.2 9.9 20.9 19.4	7.6 3.9 14.5 34.2 17.8	\$ 4.2 16.1 23.3 30.4	30.2 3.5 11.3 19.0 15.2	\$ 5.6 17.8 24.1 20.0	\$ 3.3 10.9 15.7 19.6	21.3 2.7 7.0 11.8 9.7	S 3.9 13.3 15.6 29.4
501 miles or more Not reported Not applicable 1	27.4 11.7 34.9	20.8 48.9 N	31.7 1 255.1 N	19.3 16.9 S	13.7 N N	20.7 N N	15.9 12.9 S	12.4 N N	19.1 N N
PRIMARY JURISDICTION									
Operated in Canada Operated in Mexico Operated within the home base state Operated in states other than the home base state State Not reported Not applicable¹	S N 1.7 24.0 13.3 34.9	X	222 222	\$ N 3.7 12.2 20.4 \$	N N N N N	N N N N N N N N N N N N N N N N N N N	S N 3.3 15.6 16.3 S	N N N N N N N N N N N N N N N N N N N	N N N N
MONTHS OPERATED									
12	3.1 9.7 10.2 26.7 34.9	N N N N	N N N N N N N N N N N N N N N N N N N	4.7 10.4 15.6 43.0 S	N N N N	N N N N	3.7 5.6 11.6 30.8 S	N N N N	N N N N
VEHICLE SIZE									
Light	.7 12.1 7.5 2.6	.8 14.0 10.1 3.0	1.2 16.3 16.3 4.7	3.8 8.7 14.1 3.2	2.8 17.0 15.6 3.1	5.3 12.0 21.8 4.5	3.7 12.2 11.9 3.3	2.7 6.6 11.8 3.3	4.3 9.9 13.4 4.1
AVERAGE WEIGHT (POUNDS)									
Less than 6,001 6,001 to 8,500 8,501 to 10,000 10,001 to 14,000 14,001 to 16,000	2.4 9.8 19.8 17.9 14.3	1.3 N N 21.4 15.8	2.7 N N 28.8 19.0	5.0 11.7 28.7 11.5 18.7	3.1 N N 26.6 24.0	5.4 N N 22.8 21.8	4.4 6.3 19.8 17.9 13.1	2.8 N N 8.5 18.3	4.8 N N 15.1 18.0
16,001 to 19,500 19,501 to 26,000 26,001 to 33,000 33,001 to 40,000 40,001 to 50,000	17.2 7.5 10.3 14.3 10.7	29.2 10.1 15.0 14.8 10.2	18.1 16.3 31.5 19.5 10.7	22.8 14.1 16.7 20.0 16.9	31.1 15.6 24.3 18.2 12.4	12.1 21.8 37.0 25.7 8.0	17.2 11.9 13.0 17.7 14.0	11.6 11.8 19.6 15.7 9.9	12.2 13.4 17.0 23.6 9.1
50,001 to 60,000 60,001 to 80,000 80,001 to 100,000 100,0001 to 130,000 130,001 or more	9.0 3.1 40.6 40.4 N	9.4 3.3 S S N	13.6 5.6 S S N	12.3 4.1 47.2 49.6 N	13.1 4.1 S S N	17.7 6.4 S S N	9.1 3.2 24.6 28.8 N	9.2 3.2 S S N	12.2 4.0 S S N
TOTAL LENGTH (FEET)									
Less than 20.0 20.0 to 27.9 28.0 to 35.9 36.0 to 40.9 41.0 to 44.9	1.5 12.5 19.7 31.9 15.7	.8 4.2 20.2 21.7 33.1	1.9 38.7 15.8 127.0 126.7	4.1 16.8 12.5 23.2 17.5	2.9 6.9 17.5 24.6 48.1	5.1 55.8 12.8 117.4 206.6	3.8 11.2 17.3 20.8 13.5	2.7 5.6 13.5 16.7 29.9	4.3 13.1 23.3 28.2 38.3
45.0 to 49.9 50.0 to 54.9 55.0 to 59.9 60.0 to 64.9 65.0 to 69.9	13.4 S 11.6 7.2 8.3	40.9 11.5 7.5 6.7 9.8	146.6 S 8.8 8.9 18.1	16.6 18.5 15.1 9.1 9.3	41.9 13.0 10.2 7.6 10.8	535.4 11.4 7.1 9.8 20.8	11.0 S 11.5 5.6 5.6	34.5 10.5 6.5 4.2 6.9	126.0 S 8.1 6.4 9.1
70.0 to 74.9	13.0 23.8 S	17.7 N N	34.1 N N	14.8 26.3 S	18.1 N N	34.4 N N	7.0 11.2 S	11.3 N N	12.5 N N
MILES PER GALLON									
Less than 5 5 to 6.9 7 to 8.9 9 to 10.9 11 to 12.9 13 to 14.9 15 or more 15 to 20.9 21 to 24.9 25 or more Not reported Not applicable	8.2 12.2 17.0 16.4 15.2 14.6 3.7 4.7 15.1 21.8 9.4 34.9	8.0 9.0 15.1 13.3 11.3 11.3 2.6 3.7 10.3 22.7 32.1 N	12.2 15.2 12.5 21.9 15.8 16.8 4.5 6.2 13.4 50.5 1 265.8 N	11.8 4.7 11.2 19.3 19.5 24.5 5.5 6.2 20.3 27.7 11.7	9.6 4.2 11.8 16.5 15.3 14.4 3.9 5.0 12.0 28.2 19.2 N	12.0 5.8 7.7 23.0 19.0 26.4 6.3 7.5 19.4 63.0 904.1 N	10.3 12.0 17.4 11.6 12.8 19.7 4.0 4.1 13.6 16.9 7.6 S	8.0 8.9 11.0 10.4 9.1 2.9 3.4 6.0 16.7 34.5 N	9.7 13.7 17.8 14.0 15.2 22.3 4.7 4.8 16.7 23.7 37.6 N

[Estimates are shown as percents and are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Columns A, B, D, E, G, H show estimated coefficients of variation. Columns C, F, and I show estimated standard errors]

·									
Vehicular and operational characteristics	2002 trucks	1997 trucks	Percent change	2002 truck miles	1997 truck miles	Percent change	2002 average miles per truck	1997 average miles per truck	Percent change
	А	В	С	D	Е	F	G	Н	1
MODEL YEAR									
2003 2002 2001 2000 1999	S 18.1 13.8 14.7 14.6	N N N N	X X X X X	S 18.6 13.9 14.7 15.6	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	N N N N	\$ 9.0 5.8 6.6 9.3	X X X X X X	N N N N
1998 1997 1996 1995 1994 1993	14.0 15.4 18.9 15.0 17.8 18.2 6.1	\$ 12.2 12.6 11.0 12.9 14.5 3.2	\$ 18.8 15.3 15.4 18.5 22.5 4.4	14.1 16.0 20.4 17.4 26.1 19.2 11.8	S 13.6 13.7 11.0 13.1 14.8 4.6	\$ 17.1 15.1 12.0 21.2 16.1 5.9	6.2 8.2 11.2 11.2 19.5 8.1 10.0	\$ 7.7 7.5 5.2 7.3 7.5 3.4	\$ 9.6 12.3 8.7 18.0 7.6 7.8
VEHICLE ACQUISITION									
New Used Not reported	5.2 3.8 19.9	4.8 3.9 9.8	8.7 7.3 8.9	5.9 6.6 21.1	5.6 5.3 10.1	9.5 11.3 6.5	3.7 5.4 10.4	3.7 3.8 5.1	5.0 6.6 8.1
LEASE CHARACTERISTICS									
Leased Lessee Vehicle only Vehicle with driver Not reported Not applicable <sup>3</sup> Lessor Vehicle only Vehicle only Vehicle with driver Not reported Not applicable <sup>3</sup> Not reported Not reported Not leased Not reported	14.9 16.8 10.8 S 18.2 9.0 10.2 19.1 S N S 4.0	222222222	N N N N N N N N N N N N N N N N N N N	11.4 15.3 12.00 S S 19.2 9.2 10.6 21.6 S N S S 9.2 6.4	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	N N N N N N N N N N N N N N N N N N N	6.3 5.7 9.2 S S 6.0 6.3 7.2 10.1 S N S 5.1	N N N N N N N N N N N N N N N N N N N	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z
Length of leasing agreement: Leased	14.9 25.4 6.9 S 17.6	N N N N N	2	11.4 26.9 7.3 S 18.8	2222	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	6.3 19.6 5.4 S 6.5	2	N N N N
Provisions of lease: Financing only. Full maintenance Payment of taxes Obtaining licenses and permits Recordkeeping Fuel contract	8.9 10.1 9.5 9.5 12.7 15.6	X	N N N N N N N N N N N N N N N N N N N	9.6 10.3 9.9 9.7 12.9 16.3	N N N N N	N N N N N	7.2 6.5 6.7 6.8 8.7 10.0	N N N N N N N N N N N N N N N N N N N	N N N N N
PRIMARY OPERATOR CLASSIFICATION									
Private	8.5 6.1 24.3 38.8 1.9 34.9	N N N N N N N N N N N N N N N N N N N	N N N N N	10.6 6.4 11.1 43.5 4.4 S	N N N N N	N N N N N	5.9 4.8 17.1 6.9 4.0 S	N N N N N	N N N N N N N N N N N N N N N N N N N
For-hire characteristics: Type of carrier: Contract Common Not reported Not applicable <sup>4</sup> Type of service: Truckload Less-than truckload Not reported Not applicable <sup>4</sup> Source of hauls:	6.6 8.3 16.7 .7 5.1 13.6 17.1	N N N N 5.5 16.3 N	N N N N 9.6 22.5 N N	7.1 8.7 18.7 3.5 5.6 15.1 19.1 3.5	N N N N 5.5 18.8 N N	N N N 8.9 27.3 N	4.9 6.2 13.4 3.5 4.0 10.7 13.5 3.5	N N N N 3.8 11.2 N N	N N N N 4.9 16.6 N N
Shippers or receivers Brokers Centralized markets or exchanges Other Not reported Not applicable <sup>4</sup>	5.9 12.8 29.5 N 12.4	2 2 2 2 2	N N N N N	6.1 14.3 37.1 N 15.2 3.5	N N N N N	X X X X X X X X X X X X X X X X X X X	4.4 7.7 22.7 N 11.5 3.5	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	N N N N N
HAZARDOUS MATERIALS CARRIED <sup>5</sup>									
Carrying hazardous materials Not carrying hazardous materials Not reported Not applicable <sup>6</sup>	12.0 1.8 9.2 .7	11.8 2.2 5.2 N	16.6 2.8 3.5 N	13.0 3.5 12.1 3.8	11.7 3.3 8.0 N	17.2 4.2 6.6 N	9.8 3.2 10.2 3.7	8.2 3.1 6.4 N	12.7 3.9 16.6 N

[Estimates are shown as percents and are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Columns A, B, D, E, G, H show estimated coefficients of variation. Columns C, F, and I show estimated standard errors]

and I show estimated standard errors]									
Vehicular and operational characteristics	2002 trucks	1997 trucks	Percent change	2002 truck miles	1997 truck miles	Percent change	2002 average miles per truck	1997 average miles per truck	Percent change
	Α	В	С	D	E	F	G	Н	I
EQUIPMENT TYPE 7									
Aerial work platform/bucket Air bag(s) (safety device only) Air compressor (except air brakes) Air-conditioning Air springs	\$ 3.8 10.1 2.2 5.5	N 5.6 N 2.6 N	N 13.9 N 4.6 N	31.8 5.2 11.8 4.0 6.6	N 6.4 N 3.4 N	N 15.0 N 6.6 N	S 3.6 9.8 3.5 4.1	N 3.7 N 2.5 N	N 4.6 N 3.9 N
Antilock brake system Collision warning system Computerized drive train control unit Crane Electronic vehicle identification device	3.6 28.9 11.0 21.2 19.3	4.4 N N N 18.1	9.0 N N N 15.3	4.6 29.5 13.9 22.8 21.9	5.3 N N N 16.4	10.3 N N N 18.2	3.2 21.8 9.0 14.5 10.4	3.3 N N N 12.9	4.2 N N N 19.2
Engine retarder/brake Front-wheel drive Hoist Idle-reducing technology (portable auxiliary pack, electrification, etc.) Internet access	4.1 5.5 7.2 15.9 S	5.5 7.2 N N	8.4 18.7 N N	5.3 8.0 11.1 17.5 S	5.7 8.8 N N	9.5 22.9 N N	3.8 5.7 9.7 11.9 S	4.0 5.3 N N	5.4 7.3 N N
Lift gate Mounting bar for snowplow. Navigational system Power take-off. Radial tires.	13.9 38.9 S 5.0 3.2	N N 29.8 N 1.8	N N S N 3.3	19.1 S S 6.9 4.8	N N 34.4 N 3.0	N N S N 4.8	13.2 S S 6.2 3.8	N N 17.2 N 2.5	N N S N 4.3
Reflective material in addition to those required by law. Road speed governor Toolbox Trip recorder or on-board computer with communication capabilities. Trip recorder or on-board computer without communication capabilities.	7.3 5.1 14.7 22.2 9.6	6.1 5.3 N N	6.3 6.5 N N	9.7 5.6 15.9 21.9	6.3 5.4 N N	5.3 7.2 N N	8.2 4.6 7.5 12.4 5.6	5.5 4.7 N N	6.8 7.0 N N
Vehicle control aids for handicapped drivers Wheelchair lift	N S 39.1	S S N	S S N	N S S	S S N	S S N	N S S	S S N	S S N
Transmission type: Automatic	2.2 7.4 26.3 S 26.6	Z Z Z Z	N N N N N	4.5 8.2 28.7 S 21.4	2222	N N N N N N N N N N N N N N N N N N N	4.0 6.1 25.9 S 12.5	X X X X X X	N N N N N
Braking system: Hydraulic (standard). Hydraulic with power assist Air. Other Not reported Not applicable <sup>8</sup>	8.6 6.2 2.7 N 13.2	6.9 5.7 3.2 30.8 N N	17.1 6.0 4.3 N N	29.8 9.0 3.7 N 13.5 3.7	11.4 8.5 3.4 35.2 N	66.5 6.6 4.7 N N	22.3 6.8 3.5 N 10.4 3.7	9.4 6.4 3.2 21.3 N N	32.5 7.1 4.3 N N
FUEL TYPE AND ENGINE SIZE									
Fuel type: Gasoline Diesel Natural gas Propane Alcohol fuels	1.1 8.9 N 49.8 N	.9 8.1 N N N	1.6 14.7 N N N	3.9 5.9 N S N	2.8 5.9 N N	5.3 8.5 N N	3.7 5.1 N S N	2.7 4.9 N N	4.4 5.8 N N
Electricity . Combination Other Not reported Not applicable <sup>1</sup>	N S N 33.0 34.9	Z Z Z Z Z	N N N N	N S N 41.6 S	N N N N	N N N N	N S N 25.4 S	N N N N	N N N N N
Cylinders <sup>9</sup> : 4 cylinders 6 cylinders 8 cylinders Other	11.1 3.9 5.7 20.3	9.7 3.8 5.2 13.1	16.6 6.6 8.8 20.9	13.6 5.6 8.0 25.8	11.8 4.4 7.1 17.0	20.0 7.9 11.5 21.1	8.0 4.5 5.6 12.1	6.8 3.0 4.9 10.5	10.4 4.9 7.1 12.7
Cubic inch displacement <sup>9</sup> :     Gasoline fuel     Less than 200     200 to 299     300 to 349     350 to 399     400 or more     Not available     Diesel fuel     Less than 400     400 to 599     600 to 799     800 or more     Not available     Other fuel     Less than 400     400 or more     Not available     Other fuel     Less than 400     400 or more     Not available     Other fuel     Less than 400     400 or more     Not available     Not reported     Not applicable 1	1.1 8.0 5.4 10.2 10.8 25.5 23.1 8.9 27.3 16.7 4.9 8.6 8 8 8 8 8 8 8 8 9	9 6.4 6.4 8.2 8.4 20.1 16.0 8.1 16.9 6.2 4.7 7.5 41.1 8 49.6 N	1.6 10.2 13.9 12.7 12.6 31.4 13.7 14.7 35.5 42.7 8.8 7.3 9.9 9 S S S N N	3.9 10.8 8.1 12.8 14.5 34.4 33.9 5.9 25.1 19.6 6.3 6.6 12.7 S S S 41.6 S	2.8 7.9 7.8 10.7 10.8 24.7 23.2 5.9 26.1 21.7 7.1 5.6 10.3 S S S S	5.3 13.6 16.4 15.2 14.2 37.1 14.5 8.5 29.1 39.0 9.7 8.4 14.5 S S S S S	3.7 7.3 6.00 7.7 9.7 23.2 20.9 5.1 11.4 8.8 4.6 4.6 11.1 S S S S S 25.4	2.7 4.8 4.6 6.9 6.8 15.1 4.9 14.8 5.6 3.7 8.7 8.7 8.7 8.7 8.7 8.7 8.7 8.7 8.7 8	4.4 8.9 6.6 9.7 10.1 25.5 18.7 5.8 15.4 9.8 6.7 5.3 14.4 S S S S N N

[Estimates are shown as percents and are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Columns A, B, D, E, G, H show estimated coefficients of variation. Columns C, F, and I show estimated standard errors]

Vehicular and operational characteristics	2002 trucks	1997 trucks	Percent change	2002 truck miles	1997 truck miles	Percent change	2002 average miles per truck	1997 average miles per truck	Percent change
·	А	В	С	D	Е	F	G	Н	ı
REFUELING LOCATION									
Gas station Truck stop Own facility (including home, farm, ranch, onsite by mobile supplier, etc.) Other company's/contractor's facility not open to the public Other Not reported Not applicable¹	1.4 19.4 12.2 \$ \$ 22.1 34.9	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	4.0 12.8 11.3 37.0 S 24.4 S	N N N N N N N N N N N N N N N N N N N	X X X X X X X X X X X X X X X X X X X	3.7 11.5 7.2 S S 10.9 S	X X X X X X X X X X X X X X X X X X X	N N N N N N N N N N N N N N N N N N N
MAINTENANCE									
General maintenance performed by: None performed Company-owned maintenance facility General repair business or private mechanic Dealership service department Leasing company	25.0 11.6 5.4 8.0 25.0	44.0 10.6 5.2 7.2 47.5	216.1 27.8 9.6 12.7 10.4	35.9 10.7 7.7 8.8 26.0	47.4 8.0 6.3 8.3 38.8	153.0 18.9 12.1 14.1 13.4	25.5 8.0 5.7 4.6 15.7	16.6 5.3 4.1 4.9 16.0	18.3 7.7 6.6 6.6 33.4
Individual not employed/paid by any maintenance type facility Other Not reported Not applicable <sup>1</sup>	5.0 N 23.7 34.9	3.7 38.6 17.2 N	6.1 N 28.4 N	6.9 N 26.6 S	5.2 37.8 15.5 N	7.8 N 21.9 N	4.9 N 11.8 S	3.7 7.8 12.3 N	5.6 N 12.5 N
Extensive repairs performed by: None performed Company-owned maintenance facility General repair business or private mechanic Dealership service department Leasing company	2.3 28.8 17.4 19.1 S	16.3 15.6 8.9 9.2 S	287.1 22.4 8.4 8.3 S	3.9 22.8 26.0 18.1 S	18.3 10.7 10.2 10.1 31.5	355.0 10.0 13.2 7.3 S	3.2 13.2 20.9 8.4 S	9.4 8.5 6.1 5.9 S	10.8 9.1 23.7 9.2 S
Component distributorship (engine, transmission, body, etc.). Individual not employed/paid by any repair type facility Other Not reported Not applicable <sup>1</sup>	S 17.4 N 49.5 34.9	25.2 11.3 S 3.5 N	\$ 14.0 \$ .8 N	43.1 20.4 N S S	15.3 14.1 S 4.8 N	10.4 18.8 S S N	S 12.4 N S S	15.4 8.9 S 3.4 N	\$ 17.2 \$ \$ N
TRUCK TYPE AND AXLE ARRANGEMENT									
Single-unit trucks and truck-tractors without trailer. 2 axles	.8 8.5 16.4 15.7 40.5	.8 .8 9.6 11.6 N	1.3 1.3 14.7 10.1 N	3.6 3.7 14.2 20.8 18.3 49.0	2.7 2.7 14.6 13.3 N	5.0 5.1 19.8 11.0 N	3.5 3.6 10.9 12.8 9.5 27.6	2.6 2.6 10.4 8.6 N	4.1 4.2 12.8 13.6 N
Combinations Single-unit trucks with trailer. 3 axles. 4 axles. 5 axles or more. Not reported Truck-tractors with single trailer. 3 axles. 4 axles. 5 axles or more. Not reported Truck-tractors with double trailers. 5 axles. 6 axles. 7 axles. 8 axles or more Not reported Truck-tractors with triple trailers. 7 axles. 8 axles or more Not reported Truck-tractors with triple trailers. 7 axles. 8 axles or more Not reported Truck-tractors with triple trailers. 7 axles. 8 axles. 9 axles. 10 axles or more. Not reported	12.9 31.5 40.0 \$ 2.6 28.9 26.4 25.5 49.7 N S N N N N N N	12.3 27.9 S 33.0 27.2 N 2.8 23.9 14.1 2.8 N S N S N N N N N N N N	17.8 38.9 S 34.0 S N 4.0 29.4 7.0 4.5 N 30.8 S S S S N N N 4.0 N N N 30.8 N N N N N N 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	5.0 42.1 S 34.3 39.9 S 3.8 30.7 34.7 4.2 18.6 S N N S N N N N N N N N N N N N N N N	4.5 30.1 S 39.8 28.2 N 3.5 24.7 17.0 3.8 N 47.2 S N N N N N N N N	6.5 38.7 S 27.0 9.1 1 27.2 5.4 5.8 S S S S S S N N N N N N N N N N S.1 N N N N N N N N N N N N N N N N N N N	10.9 29.4 8 18.55 S 3.11 22.4 27.9 3.1 12.11 S N S N N N N N N N N N N N N N N N N	10.1 18.3 S 24.1 123.9 N 3.1 20.1 10.7 3.0 S S N S S N N N N	14.4 28.1 S 23.7 S N 4.1 26.5 17.9 3.9 S S S S S N N N N N N N N N S S N N S N S N S N S
Driving axles: 1	3.5 5.2 31.3 37.4	2.4 5.9 21.1 N	4.2 12.9 13.8 N	5.7 6.5 40.2 46.1	3.8 6.3 23.2 N	6.1 13.2 3.7 N	4.5 4.7 25.2 26.8	3.0 4.2 18.2 N	4.8 5.6 6.8 N
Total liftable axles and locations:  None  1  Forward of the drive axle Below the chassis. Beyond the chassis Not reported 2 or more Forward of the drive axle Below the chassis. Beyond the chassis. Beyond the chassis. Not reported Not reported Not applicable <sup>8</sup>	2.9 15.6 20.3 36.2 5 15.9 21.4 33.0 35.0 8 44.4	4.5 18.2 N N N 23.0 N N N N N N N N N N N N N N N N N N N	14.2 23.7 N N N 43.4 N N N N N N N N N N N N N N N N N N N	7.3 21.8 27.9 47.8 S 45.1 18.4 24.8 39.7 38.3 S S	5.3 20.7 N N N 24.0 N N N N N N N N	22.5 34.9 N N N 42.0 N N N N N N N N N N N N N N N N N N N	4.8 15.3 18.4 39.8 S 25.1 9.3 12.6 22.2 15.5 S S	4.7 17.2 N N N 19.0 N N N N N N N N N N N N N N N N N N N	6.3 26.9 N N N 18.9 N N N N N N N N N N N N N N N N N N N

[Estimates are shown as percents and are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Columns A, B, D, E, G, H show estimated coefficients of variation. Columns C, F, and I show estimated standard errors]

Vehicular and operational characteristics	2002 trucks	1997 trucks	Percent change	2002 truck miles	1997 truck miles	Percent change	2002 average miles per truck	1997 average miles per truck	Percent change
	А	В	С	D	Е	F	G	Н	I
TRUCK TYPE AND AXLE ARRANGEMENT—Con.									
Total liftable axles and number of braking axles: None	2.9 15.6 36.3 17.7 5 15.9 N 15.9 N 44.4	4.5 18.2 N N 23.0 N N N N N N	14.2 23.7 N N 43.4 N N N N N N N	7.3 21.8 S 23.9 S 18.4 N 18.4 S 3.7	5.3 20.7 N N 24.0 N N N N N N N	22.5 34.9 N N 42.0 N N N N N N	4.8 15.3 S 15.4 S 9.3 N N 9.3 N S 3.3	4.7 17.2 N N 19.0 N N N N N N N	6.3 26.9 N N 18.9 N N N N N
CAB TYPE									
Conventional cab	3.0 4.6 3.6 25.4	2.2 N N	4.6 N N N	7.5 5.5 12.6 27.4	3.2 N N	9.2 N N N	4.9 3.0 9.4 10.3	3.0 N N N	5.4 N N N
Cab over engine With sleeper Without sleeper. Not reported	8.1 17.6 9.3 S	9.0 N N	10.0 N N N	11.6 29.5 12.1 S	10.6 N N N	12.5 N N N	9.6 23.9 9.4 S	8.5 N N	12.3 N N N
Cab forward of engine	40.5 N N .7	19.7 S N N	3.6 S N N	S N N 3.7	22.5 S N N	S S N N	S N N 3.7	10.3 S N N	S S N N

N Not available. S Estimate does not meet publication standards because of high sampling variability or poor response quality. V Represents an estimate of less than 50 vehicles, 50,000 miles, or 0.05 percent.

<sup>1</sup> Vehicles not in use. When the respondent had partial-year ownership of the vehicle, annual miles were adjusted to reflect miles traveled when not owned by the respondent.
2 Truck-tractors not in use.
3 Lessees or lessors of pickups, minivans, other light vans, and sport utilities.
4 Includes pickups, minivans, other light vans, and sport utilities; all other vehicles that are private, rental, or used for personal transportation; and vehicles not in use.
5 Distributed miles data are available in Table 8.
6 Includes pickups, minivans, other light vans, and sport utilities; all other vehicles that are rental or used for personal transportation; and vehicles not in use.
7 Pickups, minivans, other light vans, and sport utilities, in the Equipment Type section, were only required to report for aerial work platform/bucket, air bag(s), air-conditioning, antilock brake system, computerized drive train control unit, front-wheel drive, mounting bar for snowplow, radial tires, toolbox, trip recorder, vehicle control aids for handicapped drivers, wheelchair lift, and winch.
9 Data were derived from administrative records.

## Table 3a. Trucks, Truck Miles, and Average Annual Miles for Trucks, Excluding Pickups, Minivans, Other Light Vans, and Sport Utilities: 2002 and 1997

[Estimates are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Because of rounding, estimates may not be additive]

[LStimates are based on data from the 2002 and 13		itory and occou	rojo. Dodadoo i	or rounding, count	iatoo iiiay iiot bo	additive			
Vehicular and operational characteristics	2002 trucks (thousands)	1997 trucks (thousands)	Percent change	2002 truck miles (millions)	1997 truck miles (millions)	Percent change	2002 average miles per truck (thousands)	1997 average miles per truck (thousands)	Percent change
	А	В	С	D	Е	F	G	Н	1
Total	265.6	249.9	6.3	6 802.3	6 644.8	2.4	25.6	26.6	-3.7
BUSINESS <sup>1</sup>									
For-hire transportation or warehousing	44.5	44.9	9	2 730.9	2 821.1	-3.2	61.4	62.8	-2.3
	16.8	17.2	-2.5	1 013.6	417.3	142.9	60.4	24.3	149.0
	32.7	28.0	17.0	269.8	318.9	-15.4	8.2	11.4	-27.7
	2.5	3.9	-35.0	59.6	94.0	-36.6	23.6	24.2	-2.5
	7.9	8.2	-3.8	122.4	70.6	73.4	15.4	8.6	80.3
Construction Manufacturing Wholesale trade Retail trade Information services	58.8	57.7	2.0	696.7	810.5	-14.0	11.8	14.1	-15.7
	12.4	14.2	-12.9	307.5	408.2	-24.7	24.9	28.8	-13.5
	14.8	17.1	-13.1	323.2	511.0	-36.7	21.8	29.9	-27.2
	16.9	16.6	1.8	273.1	471.9	-42.1	16.1	28.4	-43.2
	2.8	N	N	38.8	N	N	13.9	N	N
Waste management, landscaping, or administrative/support services Arts, entertainment, or recreation services Accommodation or food services Other services Personal transportation Not reported Not applicable <sup>2</sup>	19.6 S 4.1 7.0 V 18.0 5.6	N N N N 7.2 V 2.8	N N N N N 103.2	297.5 S 136.7 106.3 V 420.5 S	N N N 57.0 V S	N N N N N N N N N N N N N N N N N N N	15.2 S 33.5 15.2 V 23.3 S	N N N 7.9 V S	2222
BODY TYPE									
Single-unit trucks Armored Beverage Concrete mixer Concrete pumper Crane	201.4	189.3	6.4	2 999.1	2 818.7	6.4	14.9	14.9	V
	V	N	N	V	N	N	V	N	N
	1.6	S	S	20.0	S	S	12.7	S	S
	2.8	2.6	4.8	38.2	34.3	11.2	13.8	13.0	6.1
	V	N	N	V	N	N	V	N	N
	.8	3.2	-75.8	S	37.9	S	S	12.0	S
Curtainside Dump Flatbed, stake, or platform Low boy Pole, logging, pulpwood, or pipe	\$ 51.1 41.5 V \$	N 30.3 42.6 S .5	N 68.7 -2.7 S S	\$ 430.0 389.7 V S	N 381.0 523.5 S	N 12.9 –25.6 S	\$ 8.4 9.4 V S	N 12.6 12.3 S S	N -33.1 -23.5 S S
Service, utility Service, other Street sweeper Tank, dry bulk Tank, liquids or gases	8.0	4.1	94.3	96.5	35.4	172.8	12.0	8.6	40.4
	12.0	10.6	12.6	154.8	141.5	9.4	12.9	13.3	-2.8
	.8	N	N	S	N	N	S	N	N
	.6	.4	40.3	6.1	S	S	10.7	S	S
	5.1	5.5	-8.6	41.4	97.9	–57.7	8.2	17.7	-53.7
Tow/Wrecker Trash, garbage, or recycling. Vacuum Van, basic enclosed Van, insulated nonrefrigerated.	6.2	6.8	-9.2	57.2	104.5	-45.3	9.3	15.4	-39.7
	4.2	3.0	43.0	96.0	88.4	8.6	22.7	29.9	-24.1
	.6	N	N	S	N	N	S	N	N
	32.5	19.6	66.0	1 053.2	460.8	128.6	32.4	23.6	37.7
	S	S	S	S	S	S	S	S	S
Van, insulated refrigerated	3.3 4.7 20.8 4.6 V	3.0 8.3 43.0 N N	9.0 -43.7 -51.6 N	94.5 S 369.8 94.3 V	92.7 17.7 694.4 N N	1.9 S -46.7 N N	29.0 S 17.8 20.3 V	31.1 2.1 16.1 N N	-6.5 S 10.1 N N
Truck-tractors Automobile carrier Beverage Curtainside Dump Flatbed, stake, or platform	64.2	60.6	6.0	3 803.2	3 826.1	6	59.2	63.2	-6.3
	S	S	S	S	S	S	S	S	S
	1.5	1.8	-19.0	21.6	38.7	-44.2	14.6	21.1	-31.1
	S	N	N	S	N	N	S	N	N
	6.6	5.3	23.5	256.5	328.4	-21.9	39.0	61.7	-36.7
	12.8	12.3	3.8	661.7	799.4	-17.2	51.6	64.7	-20.2
Livestock Low boy Mobile home toter Open top Pole, logging, pulpwood, or pipe	\$	S	S	\$	S	S	\$	\$	\$
	2.5	3.2	-22.6	75.0	79.5	-5.7	30.1	24.7	21.8
	\$	N	N	\$	N	N	\$	N	N
	2.2	1.8	18.9	46.4	24.2	91.6	21.5	13.4	61.1
	\$	.4	S	\$	S	S	\$	S	S
Tank, dry bulk Tank, liquids or gases Van, basic enclosed Van, drop-frame Van, insulated nonrefrigerated	1.8	1.2	50.3	100.8	94.3	6.9	55.6	78.2	-28.9
	3.4	3.3	2.3	213.6	241.4	-11.5	63.0	72.8	-13.5
	25.7	23.0	11.8	1 834.0	1 680.6	9.1	71.4	73.2	-2.4
	.6	.6	-5.6	S	19.2	S	S	31.9	S
	S	.6	S	S	36.1	S	S	59.9	S
Van, insulated refrigerated	5.7	5.4	4.3	473.0	404.9	16.8	83.7	74.7	12.0
	V	N	N	V	N	N	V	N	N
	S	N	N	V	N	N	S	N	N
ANNUAL MILES									
Less than 5,000	69.1	55.9	23.7	120.9	103.7	16.6	1.7	1.9	-5.7
5,000 to 9,999	36.3	37.8	-4.0	251.5	262.6	-4.2	6.9	6.9	3
10,000 to 19,999	53.1	57.1	-7.0	730.8	799.5	-8.6	13.8	14.0	-1.7
20,000 to 29,999	29.0	28.6	1.3	683.4	661.2	3.4	23.6	23.1	2.0
30,000 to 49,999	23.3	24.5	-4.8	872.5	904.7	-3.6	37.4	36.9	1.3
50,000 to 74,999	23.9	16.2	47.7	1 502.1	962.1	56.1	62.9	59.5	5.7
75,000 or more	25.3	28.7	-11.9	2 637.8	2 951.0	-10.6	104.4	102.9	1.5
Not applicable <sup>2</sup>	5.6	1.1	403.6	S	V	S	S	V	S

## Table 3a. Trucks, Truck Miles, and Average Annual Miles for Trucks, Excluding Pickups, Minivans, Other Light Vans, and Sport Utilities: 2002 and 1997—Con.

[Estimates are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 and 19	yeriicie iriver	itory and Ose Sur	veys. Decause	i rounding, estin	iales may not be	audilivej			
Vehicular and operational characteristics	2002 trucks (thousands)	1997 trucks (thousands)	Percent change	2002 truck miles (millions)	1997 truck miles (millions)	Percent change	2002 average miles per truck (thousands)	1997 average miles per truck (thousands)	Percent change
	Α	В	С	D	Е	F	G	Н	I
PRIMARY RANGE OF OPERATION									
Off-the-road	6.7 153.8 35.6 12.0 17.4	8.8 137.2 48.6 19.0 21.6	-24.5 12.1 -26.6 -36.8 -19.8	51.9 2 077.6 1 096.6 650.0 1 280.8	35.6 1 782.4 1 419.8 873.4 1 415.0	45.6 16.6 –22.8 –25.6 –9.5	7.8 13.5 30.8 54.2 73.8	4.0 13.0 29.2 46.0 65.4	92.9 4.0 5.3 17.8 12.9
501 miles or more Not reported Not applicable <sup>2</sup>	9.9 24.7 5.6	13.6 1.1 N	–27.0 2 107.5 N	887.0 755.3 S	1 118.6 V N	–20.7 N N	89.6 30.6 S	82.6 V N	8.6 N N
PRIMARY JURISDICTION									
Operated in Canada Operated in Mexico Operated within the home base state Operated in states other than the home base state Not reported	S V 216.1 20.5 23.0	N N N	N N N N N N N N N N N N N N N N N N N	S V 4 455.3 1 683.6 630.4	22 22	22 22	S V 20.6 82.2 27.5	N N N	N N N
Not applicable <sup>2</sup>	5.6	N	N	S	N	N	S	N	N
MONTHS OPERATED									
12	145.8 55.3 44.7 14.3 5.6	N N N N	N N N N	5 165.4 1 259.0 361.2 13.6 S	N N N N N N	N N N N N N	35.4 22.8 8.1 1.0 S	N N N N	N N N N N N
VEHICLE SIZE									
Light	50.6 55.6 41.0 118.5	63.8 53.1 31.7 101.2	-20.8 4.7 29.2 17.0	931.0 698.8 563.1 4 609.4	730.8 798.6 544.2 4 571.1	27.4 -12.5 3.5 .8	18.4 12.6 13.7 38.9	11.4 15.0 17.2 45.2	60.8 -16.4 -19.9 -13.8
AVERAGE WEIGHT (POUNDS)									
Less than 6,001 6,001 to 8,500 8,501 to 10,000 10,001 to 14,000 14,001 to 16,000	3.6 16.3 30.6 34.2 12.3	10.2 N N 26.1 14.4	-64.3 N N 31.0 -15.0	38.9 170.1 S 452.1 137.3	92.6 N N 334.6 205.9	-58.0 N N 35.1 -33.3	10.7 10.4 S 13.2 11.2	9.1 N N 12.8 14.3	17.5 N N 3.1 –21.5
16,001 to 19,500 19,501 to 26,000 26,001 to 33,000 33,001 to 40,000 40,001 to 50,000	9.1 41.0 23.4 10.3 11.5	12.6 31.7 13.5 10.8 15.8	-27.4 29.2 73.1 -4.8 -27.6	109.4 563.1 280.3 218.2 190.6	258.1 544.2 223.8 229.6 496.9	-57.6 3.5 25.2 -5.0 -61.6	12.0 13.7 12.0 21.2 16.6	20.5 17.2 16.5 21.2 31.4	-41.6 -19.9 -27.6 2 -47.0
50,001 to 60,000 60,001 to 80,000 80,001 to 100,000 100,001 to 130,000 130,001 or more	15.0 56.9 .7 .7 V	14.4 46.0 S S V	4.4 23.5 S S N	527.5 3 344.9 12.6 35.3 V	535.5 3 039.6 S S V	-1.5 10.0 S S N	35.1 58.8 18.5 52.4 V	37.2 66.0 S S V	-5.6 -10.9 S S N
TOTAL LENGTH (FEET)									
Less than 20.0 20.0 to 27.9 28.0 to 35.9 36.0 to 40.9 41.0 to 44.9	78.3 70.0 29.9 14.7 9.2	39.0 109.1 28.9 6.4 2.7	101.0 -35.9 3.2 131.5 246.2	819.5 1 310.0 525.7 283.4 203.5	567.8 1 434.7 609.6 93.8 50.4	44.3 -8.7 -13.8 202.3 303.6	10.5 18.7 17.6 19.2 22.0	14.6 13.2 21.1 14.7 18.9	-28.2 42.3 -16.4 30.6 16.6
45.0 to 49.9 50.0 to 54.9 55.0 to 59.9 60.0 to 64.9 65.0 to 69.9	6.3 6.4 9.9 17.7 14.6	1.8 10.5 15.6 19.6 10.4	241.0 -39.3 -36.2 -9.8 41.3	288.5 201.8 366.6 1 095.1 1 065.1	24.3 405.7 940.0 1 332.7 733.2	1 088.0 -50.3 -61.0 -17.8 45.3	45.8 31.7 36.9 61.9 72.8	13.2 38.6 60.3 68.0 70.8	248.4 -18.1 -38.9 -8.9 2.8
70.0 to 74.9	6.2 1.9 S	4.0 N N	55.2 N N	457.1 173.5 S	311.3 N N	46.9 N N	73.2 90.4 S	77.4 N N	-5.4 N N
MILES PER GALLON									
Less than 5 5 to 6.9 7 to 8.9 9 to 10.9 11 to 12.9 13 to 14.9 15 or more 15 to 20.9 21 to 24.9 25 or more Not reported Not applicable <sup>2</sup>	24.6 68.1 35.8 36.5 22.3 7.7 14.7 V V 50.3 5.6	22.8 72.4 50.7 44.7 21.5 7.5 21.3 20.9 S 8.9 N	7.8 -5.9 -29.4 -18.5 3.5 2.6 -30.8 -29.4 S S 465.6 N	486.0 2 960.0 631.9 504.3 335.1 140.5 190.7 V V 1 550.7 S	610.2 3 241.9 1 114.1 703.9 287.5 148.5 348.4 345.3 S S S 190.2	-20.4 -8.7 -43.3 -28.4 16.5 -5.4 -45.3 -44.8 S S S 715.4	19.8 43.4 17.7 13.8 15.0 18.2 12.9 V V 30.9 S	26.7 44.8 22.0 15.7 13.3 19.8 16.4 16.6 S S 21.4	-26.1 -3.0 -19.6 -12.1 12.5 -7.8 -21.0 -21.8 S S 44.2

Table 3a. Trucks, Truck Miles, and Average Annual Miles for Trucks, Excluding Pickups, Minivans, Other Light Vans, and Sport Utilities: 2002 and 1997—Con.

[Estimates are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Because of rounding, estimates may not be additive]

Latinates are based on data from the 2002 and 13	707 Verlicie iriver	itory and 036 ou	veys. Decause (	or rounding, eathr	iates may not be	additivej			
Vehicular and operational characteristics	2002 trucks (thousands)	1997 trucks (thousands)	Percent change	2002 truck miles (millions)	1997 truck miles (millions)	Percent change	2002 average miles per truck (thousands)	1997 average miles per truck (thousands)	Percent change
	А	В	С	D	E	F	G	Н	1
MODEL YEAR									
2003 2002 2001 2001 2000 1999	S 6.1 11.9 14.2 29.9	N N N N N N N N N N N N N N N N N N N	N N N N N	S 284.1 624.5 720.6 1 450.1	2222	N N N N N N N N N N N N N N N N N N N	\$ 46.8 52.5 50.6 48.5	N N N N	N N N N
1998 1997 1996 1995 1994 1994 1993 Pre-1993	13.9 16.4 11.5 19.4 9.7 9.9 122.1	\$ 19.2 12.5 23.2 18.3 14.8 160.3	S -14.4 -7.9 -16.5 -46.8 -33.3 -23.8	579.9 551.8 471.0 594.1 210.5 206.6 1 073.1	\$ 624.1 678.1 1 090.0 805.9 613.3 2 798.0	S -11.6 -30.5 -45.5 -73.9 -66.3 -61.6	41.7 33.6 40.8 30.7 21.6 20.9 8.8	S 32.5 54.1 47.0 44.1 41.4 17.4	S 3.3 -24.5 -34.7 -50.9 -49.5 -49.7
VEHICLE ACQUISITION									
New Used Not reported	117.7 138.3 9.6	107.6 113.7 28.6	9.4 21.6 -66.3	4 244.6 2 298.3 259.4	3 475.3 1 993.0 1 176.4	22.1 15.3 –77.9	36.1 16.6 26.9	32.3 17.5 41.1	11.6 -5.2 -34.5
LEASE CHARACTERISTICS									
Leased Lessee Vehicle only Vehicle with driver Not reported Lessor Vehicle only Vehicle only Vehicle with driver Not reported Not reported Not leased Not leased Not ported	37.7 16.4 15.9 S 20.3 17.2 2.9 S 1.0 151.2 76.7	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	N N N N N N N N N N N N N N N N N N N	1 972.1 761.8 752.4 8 8 1 160.3 916.8 240.2 50.1 3 427.2 1 402.9	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	N N N N N N N N N N N N N N N N N N N	52.3 46.4 47.4 5 5 57.2 53.2 81.9 50.7 22.7 18.3	N N N N N N N N N N N N N N N N N N N	N N N N N N N N N N N N N N N N N N N
Length of leasing agreement: Leased	37.7 2.7 34.1 S	N N N N	N N N	1 972.1 145.6 1 804.1 S	2 2 2	N N N N	52.3 53.3 52.9 S	N N N	N N N N
Provisions of lease <sup>4</sup> : Financing only . Full maintenance Payment of taxes Obtaining licenses and permits Recordkeeping Fuel contract	22.2 16.3 17.4 18.4 10.9 6.9	2	N N N N N N N N N N N N N N N N N N N	1 131.1 985.1 1 052.0 1 063.3 610.3 403.4	N N N N N N N N N N N N N N N N N N N	N N N N N	50.9 60.5 60.3 57.7 56.0 58.5	N N N N N	Z Z Z Z Z Z Z
PRIMARY OPERATOR CLASSIFICATION									
Private	181.9 38.1 22.1 17.9 V 5.6	N N N N N N N N N N N N N N N N N N N	N N N N N	2 475.5 2 129.1 1 162.8 1 031.7 V	N N N N N	N N N N N	13.6 55.8 52.6 57.8 V S	N N N N N	N N N N N N N N N N N N N N N N N N N
For-hire characteristics: Type of carrier: Contract Common Not reported Not applicable <sup>5</sup> Type of service:	31.3 21.4 7.5 205.4	N N N N	N N N N	1 972.3 1 101.0 218.6 3 510.4	N N N N	N N N	63.0 51.4 29.0 17.1	N N N N	N N N N
Truckload Less-than truckload Not reported Not applicable <sup>5</sup> Source of hauls:	41.5 11.8 6.9 205.4	32.3 11.2 N N	28.3 5.9 N N	2 635.1 457.7 199.1 3 510.4	2 305.5 405.1 N N	14.3 13.0 N N	63.5 38.7 28.8 17.1	71.3 36.3 N N	-10.9 6.6 N N
Shippers or receivers Brokers Centralized markets or exchanges Other Not reported Not applicable <sup>5</sup>	38.4 7.0 2.0 V 12.9 205.4	N N N N N N N N N N N N N N N N N N N	N N N N N	2 380.6 437.2 72.5 V 401.5 3 510.4	2222	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	62.0 62.4 36.7 V 31.2 17.1	N N N N N	N N N N N
HAZARDOUS MATERIALS CARRIED <sup>6</sup>									
Carrying hazardous materials	11.3 204.6 26.3 23.5	11.4 204.7 33.8 N	-1.0 V -22.3 N	646.0 4 535.3 586.0 1 034.9	656.4 5 225.1 763.2 N	-1.6 -13.2 -23.2 N	57.1 22.2 22.3 44.1	57.4 25.5 22.6 N	6 -13.2 -1.2 N
EQUIPMENT TYPE <sup>4</sup>									
Aerial work platform/bucket Air bag(s) (safety device only) Air compressor (except air brakes) Air-conditioning Air springs	4.2 37.3 16.5 125.9 33.3	N 20.3 N 100.3 N	N 83.8 N 25.6 N	24.4 1 579.0 678.0 5 475.6 2 043.1	N 1 137.1 N 4 578.4 N	N 38.9 N 19.6 N		N 56.0 N 45.7 N	N -24.5 N -4.8 N

See footnotes at end of table.

26 Ohio

U.S. Census Bureau, 2002 Economic Census Revised Dec. 1, 2004

## Table 3a. Trucks, Truck Miles, and Average Annual Miles for Trucks, Excluding Pickups, Minivans, Other Light Vans, and Sport Utilities: 2002 and 1997—Con.

[Estimates are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Because of rounding, estimates may not be additive]

[LStimates are based on data from the 2002 and 13	or vernole inven	itory and ooc ou	veys. Because (	or rouriding, court	lates may not be	additivej			
Vehicular and operational characteristics	2002 trucks (thousands)	1997 trucks (thousands)	Percent change	2002 truck miles (millions)	1997 truck miles (millions)	Percent change	2002 average miles per truck (thousands)	1997 average miles per truck (thousands)	Percent change
	А	В	С	D	Е	F	G	Н	I
EQUIPMENT TYPE <sup>4</sup> —Con.									
Antilock brake system Collision warning system Computerized drive train control unit Crane	77.2 3.1 6.8 5.2	37.9 N N N	103.8 N N N	3 702.1 127.8 306.5 54.9	1 439.7 N N	157.1 N N N	48.0 40.8 44.7 10.5	38.0 N N N	26.2 N N
Electronic vehicle identification device  Engine retarder/brake	3.0 43.6	5.1 35.5	-42.3 22.9	266.0 2 558.1	399.4 2 111.5	-33.4 21.2	89.6 58.6	77.6 59.4	15.5 –1.4
Front-wheel drive Hoist Idle-reducing technology (portable auxiliary pack, electrification, etc.)	V 41.5 5.9	V N	N N	363.5 299.5	V N	N N	V 8.8 51.0	V N	N N
Internet access	S	N	N	S	N	N	S	N	N 
Lift gate	13.5 4.4 S 66.6 152.7	N N 1.1 N 172.6	N N S N -11.6	278.7 40.0 S 1 128.8 4 647.4	N N 75.6 N 5 536.4	N N S N -16.1	20.7 9.1 S 16.9 30.4	N N 68.4 N 32.1	N N S N -5.1
Reflective material in addition to those required by law	36.7 54.9 57.2	55.4 62.9 N	−33.8 −12.8 N	987.2 2 490.3 1 161.7	2 152.0 2 708.7 N	-54.1 -8.1 N	26.9 45.4 20.3	38.8 43.0 N	-30.7 5.4 N
Trip recorder or on-board computer with communication capabilities	8.5	N	N	582.8	N	N	68.7	N	N
Trip recorder or on-board computer without communication capabilities	7.8	N	N	377.5	N	N	48.7	N	N
Vehicle control aids for handicapped drivers Wheelchair lift	V V 9.7	V V N	N N N	V V 133.4	V V N	N N N	V V 13.8	V V N	N N N
Transmission type: Automatic. Manual Semiautomated manual Automated manual Not reported	67.8 182.4 2.8 S 12.4	N N N N N	N N N N N	1 159.0 5 074.8 140.2 S 414.8	2 2 2 2	N N N N N N N N N N N N N N N N N N N	17.1 27.8 49.8 S 33.4	N N N N N N N N N N N N N N N N N N N	N N N N
Braking system: Hydraulic (standard). Hydraulic with power assist Air Other Not reported	90.1 54.2 108.4 V 12.9	58.0 76.1 104.5 4.0 N	55.4 -28.8 3.8 N N	1 514.6 588.1 4 257.5 V 442.1	726.3 1 094.6 4 597.1 47.0 N	108.5 -46.3 -7.4 N	16.8 10.9 39.3 V 34.2	12.5 14.4 44.0 11.7 N	34.2 -24.5 -10.7 N
FUEL TYPE AND ENGINE SIZE									
Fuel type: Gasoline Diesel Natural gas Propane Alcohol fuels	90.1 168.2 V 1.2 V	107.1 138.5 N N N	-16.0 21.4 N N	1 170.2 5 608.8 V S	1 089.7 5 523.2 N N N	7.4 1.5 N N	13.0 33.4 V S V	10.2 39.9 N N	27.8 -16.4 N N N
Electricity . Combination Other Not reported Not applicable <sup>2</sup>	V S V S 5.6	N N N N	N N N N	V S V S S	N N N N	N N N N	V S V S S	N N N N	N N N N N
Cylinders <sup>8</sup> : 4 cylinders 6 cylinders 8 cylinders Other	6.1 131.5 99.7 28.3	3.2 105.5 102.6 38.6	95.0 24.6 -2.8 -26.8	148.7 5 438.6 973.1 241.8	83.8 4 747.0 1 347.9 466.0	77.4 14.6 –27.8 –48.1	24.2 41.4 9.8 8.6	26.6 45.0 13.1 12.1	-9.0 -8.0 -25.8 -29.1
Cubic inch displacement <sup>8</sup> : Gasoline fuel Less than 200 200 to 299 300 to 349 350 to 399 400 or more Not available Diesel fuel Less than 400 400 to 599 600 to 799 800 or more Not available Other fuel Less than 400 400 or more Not available Other fuel Less than 400 400 or more Not available Not reported Not available Not reported Not available Not reported Not applicable <sup>2</sup>	90.1 S S 4.6 42.2 15.0 17.8 168.2 23.0 57.9 37.2 32.8 17.3 1.6 S S S S S	107.1 S 5.8 2.7 51.6 20.6 26.0 138.5 17.9 36.1 33.5 20.5 2.0 S S N N	-16.0 S S 71.6 -18.2 -27.5 -31.6 21.4 28.4 60.4 11.0 7.3 -15.4 -15.8 S S N	1 170.2 S S 62.4 376.9 151.3 83.0 5 608.8 433.1 965.9 1 777.2 1 869.0 563.4 S S S S	1 089.7 S 73.0 S 574.1 259.9 153.0 5 523.2 418.3 798.6 1 733.5 1 933.0 639.9 S S S N	7.4 \$ \$ \$ -34.4 -41.8 -45.8 1.5 3.6 21.0 2.5.3 -11.9 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	13.0 S S 13.6 8.9 10.1 4.7 33.4 18.8 16.7 47.8 57.0 32.6 S S S S	10.2 S 12.6 S 11.1 12.6 5.9 39.9 23.4 22.1 51.8 63.3 31.3 S S S N N	27.8 S S S -19.8 -19.7 -20.7 -16.4 -19.3 -24.6 -7.6 -9.9 -4.1 S S S N N
REFUELING LOCATION									
Gas station Truck stop Own facility (including home, farm, ranch, onsite by mobile supplier, etc.)	123.7 44.9 79.5	N N	N N	2 073.9 2 637.7 1 855.5	N N	N N	16.8 58.8 23.3	N N	N N
Other company's/contractor's facility not open to the public Other Not reported Not applicable <sup>2</sup>	5.2 S 6.4 5.6	N N N N	N N N	150.1 S 81.8 S	N N N N	N N N N	28.7 S 12.8	N N N	N N N N

## Table 3a. Trucks, Truck Miles, and Average Annual Miles for Trucks, Excluding Pickups, Minivans, Other Light Vans, and Sport Utilities: 2002 and 1997—Con.

[Estimates are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Because of rounding, estimates may not be additive]

				<u> </u>	lates may not be				
Vehicular and operational characteristics	2002 trucks (thousands)	1997 trucks (thousands)	Percent change	2002 truck miles (millions)	1997 truck miles (millions)	Percent change	2002 average miles per truck (thousands)	1997 average miles per truck (thousands)	Percent change
	Α	В	С	D	Е	F	G	Н	1
MAINTENANCE4									
General maintenance performed by: None performed	4.3 114.6 77.1 28.9 3.2	S 100.6 57.9 25.8 3.0	S 13.9 33.1 11.9 6.5	S 3 826.5 2 040.6 1 164.3 144.9	S 3 136.2 1 625.5 790.9 189.1	\$ 22.0 25.5 47.2 -23.3	S 33.4 26.5 40.3 44.7	S 31.2 28.1 30.6 62.0	S 7.1 -5.7 31.6 -28.0
Individual not employed/paid by any maintenance type facility. Other Not reported Not applicable <sup>2</sup>	65.0 V 4.8 5.6	82.3 1.4 23.4 N	–20.9 N –79.6 N	1 061.6 V 45.9 S	1 628.7 52.2 798.9 N	-34.8 N -94.3 N	16.3 V 9.6 S	19.8 36.5 34.1 N	-17.6 N -71.9 N
Extensive repairs performed by: None performed Company-owned maintenance facility General repair business or private mechanic Dealership service department Leasing company	195.3 14.9 20.1 13.3 S	7.0 47.9 51.9 38.6 2.0	2 708.0 -68.9 -61.3 -65.5 S	4 834.3 383.6 656.9 557.6 S	146.0 1 527.4 1 279.5 1 386.7 147.1	3 210.3 -74.9 -48.7 -59.8 S	24.7 25.7 32.7 41.9 S	21.0 31.9 24.7 36.0 72.5	17.9 -19.3 32.7 16.5 S
Component distributorship (engine, transmission, body, etc.). Individual not employed/paid by any repair type facility. Other Not reported Not applicable <sup>2</sup>	2.3 9.5 V S 5.6	15.0 17.6 .6 86.1 N	-84.5 -46.1 N S N	92.7 233.3 V S S	776.1 290.4 S 1 816.0 N	-88.1 -19.7 S S N	39.7 24.5 V S S	51.7 16.5 S 21.1 N	-23.1 49.2 S S N
TRUCK TYPE AND AXLE ARRANGEMENT									
Single-unit trucks and truck-tractors without trailer	186.6 162.3 15.7 4.0 4.4 S	179.8 158.0 13.7 8.0 N	3.8 2.7 14.4 –49.8 N S	2 866.2 2 381.9 241.9 107.6 133.1	2 669.0 2 178.4 248.7 241.9 N	7.4 9.3 –2.7 –55.5 N	15.4 14.7 15.4 26.7 30.4 S	14.8 13.8 18.1 30.1 N	3.5 6.5 -15.0 -11.4 N S
Combinations Single-unit trucks with trailer 3 axles 4 axles 5 axles or more Not reported Truck-tractors with single trailer 3 axles 5 axles 5 axles 5 axles 6 axles 7 axles 8 axles or more Not reported Truck-tractors with double trailers 5 axles 6 axles 7 axles 8 axles or more Not reported Truck-tractors with friple trailers 7 axles 8 axles or more Not reported Truck-tractors with triple trailers 7 axles 8 axles 9 axles 9 axles 10 axles or more Not reported	79.0 15.1 2.5 10.2 2.1 8 3.4 2.5 53.6 5.4 5.5 V S V V V V V V V V V V V V V V V V V V	70.1 9.5 1.7 4.6 3.3 N 59.5 3.1 8.5 47.9 N 1.0 S V V V V V V V N	12.7 58.5 48.5 120.2 -36.7 N 6.5 -21.6 -76.5 11.9 N -55.1 S S S S N N N N	3 936.1 132.9 19.7 93.0 8.9 S 3 784.8 48.6 61.9 3 349.7 324.7 S V S V V V V V	3 975.8 149.7 S 55.1 62.4 N 3 789.6 70.4 439.8 3 279.4 N 36.5 S V V V V V V V V	-1.0 -11.2 S 68.8 -85.8 N -1 -31.0 -85.9 2.1 N S S S S S N N N N N N N N N N N N N N	49.8 8.8 8.0 9.1 4.3 \$ 59.7 19.7 31.0 62.5 60.6 \$ V V S V V V V V V	56.7 15.7 S 11.9 19.1 N 63.6 22.4 51.7 68.5 N 35.9 S V V V V V V V N	-12.1 -44.0 S -23.3 -77.6 N -6.2 -12.0 -40.2 -8.7 N S S S S N N N N N N N N N
Driving axles: 1 2 3 or more Not reported	176.8 87.3 1.2 S	177.3 69.4 3.1 V	3 25.7 -63.3 S	2 649.6 4 134.9 15.6 S	2 910.7 3 539.1 194.9 V	-9.0 16.8 -92.0 S	15.0 47.4 13.5 S	51.0	-8.7 -7.0 -78.2 S
Total liftable axles and locations <sup>9</sup> : None.  1 Forward of the drive axle Below the chassis. Beyond the chassis Not reported 2 or more Forward of the drive axle Below the chassis. Beyond the chassis. Beyond the chassis Not reported Not reported	254.7 6.1 3.8 1.2 S .8 4.3 2.4 1.0 .9 S .6	87.0 5.7 N N N 2.3 N N N N	192.7 6.2 N N N 82.8 N N N N	6 516.6 145.8 104.4 21.4 \$ \$ 18.1 132.4 60.0 34.6 20.9 \$ \$	2 510.3 125.9 N N N 94.0 N N N N N	159.6 15.8 N N N N 40.9 N N N N	25.6 24.1 27.4 17.4 5 22.6 31.1 24.8 33.3 22.7 S	40.3	-11.3 9.0 N N N -22.9 N N N N
Not reported  Total liftable axles and number of braking axles: None  1 0 braking 1 braking Not reported 2 or more 0 braking 1 braking 1 braking 2 or more braking Not reported	254.7 6.1 1.2 4.7 S 4.3 V V 4.3 V			6 516.6 145.8 S 129.4 V V 132.4 V			25.6 24.1 S 27.4 S 31.1 V 31.1 V		

#### Trucks, Truck Miles, and Average Annual Miles for Trucks, Excluding Pickups, Minivans, Other Light Vans, and Sport Utilities: 2002 and 1997—Con.

[Estimates are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Because of rounding, estimates may not be additive]

Vehicular and operational characteristics	2002 trucks (thousands)	1997 trucks (thousands)	Percent change	2002 truck miles (millions)	1997 truck miles (millions)	Percent change	2002 average miles per truck (thousands)	1997 average miles per truck (thousands)	Percent change
	Α	В	С	D	Е	F	G	Н	1
CAB TYPE									
Conventional cab	242.6 33.0 207.9 1.7	200.1 N N N	21.2 N N N	6 321.5 2 534.9 3 667.9 118.7	5 609.2 N N N	12.7 N N N	26.1 76.9 17.6 70.1	28.0 N N N	-7.0 N N
Cab over engine With sleeper Without sleeper. Not reported	22.3 3.5 18.5 S	27.1 N N N	-17.7 N N N	472.9 119.2 322.5 S	598.2 N N N	–21.0 N N N	21.2 33.8 17.4 S	22.0 N N N	-3.9 N N N
Cab forward of engine Cab beside engine Not reported	.7 V V	8.5 S N	–91.9 S N	S V V	190.0 S N	S S N	S V V	22.3 S N	S S N

N Not available. miles, or 0.05 percent. S Estimate does not meet publication standards because of high sampling variability or poor response quality. V Represents an estimate of less than 50 vehicles, 50,000

Note: Use caution when assessing the true increase or decrease in any particular data line. Large changes in the "not reported" or "not applicable" estimates should be taken into account.

Note: Table 3b provides estimated measures of sampling variability. The Introduction gives information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at <a href="https://www/02vehinv.html">www.census.gov/svsd/www/02vehinv.html</a>.

<sup>&</sup>lt;sup>1</sup>Comparability of estimates may vary across survey years due to changes in category definitions.

<sup>2</sup>Vehicles not in use. When the respondent had partial-year ownership of the vehicle, annual miles were adjusted to reflect miles traveled when not owned by the respondent.

<sup>3</sup>Truck-tractors not in use.

<sup>&</sup>lt;sup>3</sup>Truck-tractors not in use.

<sup>4</sup>Detail lines do not add to total trucks because items were not applicable or multiple responses were possible.

<sup>5</sup>Vehicles that are private, rental, or used for personal transportation; and vehicles not in use.

<sup>6</sup>Distributed miles data are available in Table 8.

<sup>7</sup>Vehicles that are rental or used for personal transportation; and vehicles not in use.

<sup>9</sup>Data were derived from administrative records.

<sup>9</sup>Detail lines do not add to the subtotal line because items were not applicable or multiple responses were possible. When 2 or 3 liftable axles were indicated, respondents properly reported multiple responses, therefore detail lines will be significantly greater than the corresponding subtotal line.

# Table 3b. Trucks, Truck Miles, and Average Annual Miles for Trucks, Excluding Pickups, Minivans, Other Light Vans, and Sport Utilities—Measures of Sampling Variability: 2002 and 1997

[Estimates are shown as percents and are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Columns A, B, D, E, G, H show estimated coefficients of variation. Columns C, F, and I show estimated standard errors]

Vehicular and operational characteristics	2002 trucks	1997 trucks	Percent change	2002 truck miles	1997 truck miles	Percent change	2002 average miles per truck	1997 average miles per truck	Percent change
	А	В	С	D	Е	F	G	Н	I
Total	2.7	1.5	3.3	7.0	2.7	7.7	4.7	2.6	5.1
BUSINESS									
For-hire transportation or warehousingVehicle leasing or rental Agriculture, forestry, fishing, or hunting Mining Utilities	5.4	5.5	7.7	5.6	5.2	7.4	4.1	3.8	5.5
	41.2	14.3	42.5	44.3	15.7	114.1	5.7	10.7	30.3
	8.1	10.0	15.1	14.3	14.5	17.2	13.1	13.6	13.6
	26.9	24.4	23.6	32.3	27.6	26.9	26.4	25.4	35.7
	18.1	20.7	26.5	22.1	23.9	56.5	16.0	15.7	40.4
Construction Manufacturing Wholesale trade Retail trade Information services	5.7	6.6	8.9	7.5	9.5	10.4	5.6	7.7	8.0
	12.9	13.6	16.3	17.2	14.5	16.9	14.1	12.5	16.3
	12.7	12.6	15.6	15.7	14.0	13.3	11.4	10.3	11.2
	11.7	13.4	18.1	14.6	14.2	11.8	9.0	9.0	7.3
	31.6	N	N	36.1	N	N	21.6	N	N
Waste management, landscaping, or administrative/support services .  Arts, entertainment, or recreation services .  Accommodation or food services .  Other services .  Personal transportation .  Not reported .  Not applicable 1	10.9 S 24.9 19.1 N 11.2 21.7	N N N 20.7 N 34.5	N N N N N 82.8	13.1 S 30.0 26.4 N 15.1 S	N N N 33.7 N S	N N N N N N N N N N S S	10.5 S 21.6 18.5 N 12.8 S	N N N 25.5 N S	2 2 2 2 2 8
BODY TYPE									
Single-unit trucks Armored Beverage Concrete mixer Concrete pumper Crane	3.6	2.0	4.4	15.2	4.7	16.9	11.9	4.2	12.6
	N	N	N	N	N	N	N	N	N
	40.8	S	S	48.1	S	S	32.9	S	S
	19.9	19.2	29.0	22.3	21.5	34.4	10.1	9.6	14.7
	N	N	N	N	N	N	N	N	N
	49.8	28.7	13.9	S	31.3	S	S	29.7	S
Curtainside Dump Flatbed, stake, or platform Low boy Pole, logging, pulpwood, or pipe	\$	N	N	\$	N	N	\$	N	N
	6.3	9.5	19.3	9.5	10.7	16.2	8.0	9.3	8.2
	7.3	8.3	10.8	11.0	13.9	13.2	8.8	11.1	10.8
	N	S	S	N	S	S	N	S	S
	S	44.4	S	S	S	S	S	S	S
Service, utility Service, other Street sweeper Tank, dry bulk Tank, liquids or gases	18.9	30.1	69.1	23.5	32.2	108.9	13.9	14.5	28.2
	15.1	18.7	27.1	19.0	21.5	31.4	11.7	10.4	15.2
	49.8	N	N	S	N	N	S	N	N
	44.5	49.6	93.5	48.3	S	S	18.6	S	S
	22.2	22.6	28.9	27.6	25.6	15.9	17.6	15.8	11.0
Tow/Wrecker Trash, garbage, or recycling Vacuum Van, basic enclosed Van, insulated nonrefrigerated	20.5	22.9	27.9	31.8	32.0	24.7	24.9	22.0	20.0
	19.8	21.9	42.2	20.8	25.5	35.7	10.8	16.5	15.0
	44.4	N	N	S	N	N	S	N	N
	22.2	12.9	42.6	42.7	18.7	106.6	21.9	13.5	35.4
	S	S	S	S	S	S	S	S	S
Van, insulated refrigerated Van, open top Van, step, walk-in, or multistop Van, other Other	28.0 24.1 11.2 24.8 N	34.5 19.3 8.6 N N	48.4 17.4 6.8 N	33.6 S 14.4 38.0 N	39.6 39.1 10.8 N	53.0 S 9.6 N	19.3 S 9.4 29.9 N	22.4 34.3 6.6 N	27.6 S 12.6 N N
Truck-tractors Automobile carrier Beverage Curtainside Dump Flatbed, stake, or platform	2.6	2.8	4.0	3.7	3.5	5.1	3.1	3.1	4.1
	S	S	S	S	S	S	S	S	S
	39.5	36.2	43.4	40.6	36.8	30.6	17.1	14.3	15.4
	S	N	N	S	N	N	S	N	N
	12.6	13.1	22.5	16.4	15.0	17.4	10.5	7.4	8.1
	9.1	8.2	12.7	11.1	9.4	12.0	6.9	4.8	6.7
Livestock Low boy Mobile home toter Open top Pole, logging, pulpwood, or pipe	\$	\$	S	\$	S	\$	\$	\$	\$
	21.0	17.3	21.0	33.9	28.6	41.8	26.7	22.9	42.9
	\$	N	N	\$	N	N	\$	N	N
	22.6	23.2	38.6	39.4	39.7	107.2	32.4	32.3	73.6
	\$	49.6	S	\$	S	S	\$	S	S
Tank, dry bulk Tank, liquids or gases Van, basic enclosed Van, drop-frame Van, insulated nonrefrigerated	24.7 17.8 5.7 44.5 S	28.5 16.9 7.1 40.4 40.5	56.7 25.1 10.2 56.7 S	30.1 20.5 6.8 S	30.5 19.9 7.6 47.4 43.8	45.8 25.3 11.1 S	16.9 10.3 4.1 S S	10.9 10.5 5.3 24.7 16.4	14.3 12.7 6.5 S
Van, insulated refrigerated Other Not applicable <sup>2</sup>	13.6	13.0	19.6	15.5	15.1	25.3	7.6	7.7	12.2
	N	N	N	N	N	N	N	N	N
	S	N	N	N	N	N	S	N	N
ANNUAL MILES									
Less than 5,000	5.2	6.9	10.6	7.0	8.7	13.0	4.8	5.5	6.9
5,000 to 9,999	7.9	8.8	11.4	8.1	9.1	11.6	1.9	2.1	2.8
10,000 to 19,999	6.1	6.8	8.5	6.3	7.0	8.6	1.5	1.6	2.2
20,000 to 29,999	8.5	9.9	13.2	8.5	9.9	13.5	1.2	1.3	1.8
30,000 to 49,999	8.7	10.0	12.6	8.7	10.0	12.8	1.4	1.6	2.1
50,000 to 74,999	29.1	9.4	45.1	30.1	9.2	49.1	1.4	1.1	1.9
75,000 or more	6.1	5.7	7.3	6.3	5.6	7.5	1.7	1.7	2.4
Not applicable <sup>1</sup>	21.7	43.8	246.2	S	N	S	S	N	S

# Table 3b. Trucks, Truck Miles, and Average Annual Miles for Trucks, Excluding Pickups, Minivans, Other Light Vans, and Sport Utilities—Measures of Sampling Variability: 2002 and 1997—Con.

[Estimates are shown as percents and are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Columns A, B, D, E, G, H show estimated coefficients of variation. Columns C, F, and I show estimated standard errors]

and I show estimated standard errors]									
Vehicular and operational characteristics	2002 trucks	1997 trucks	Percent change	2002 truck miles	1997 truck miles	Percent change	2002 average miles per truck	1997 average miles per truck	Percent change
	Α	В	С	D	Е	F	G	Н	1
PRIMARY RANGE OF OPERATION									
Off-the-road	19.0 2.6 7.2 11.5 39.6	18.3 3.4 7.3 10.3 8.7	19.9 4.8 7.5 9.7 32.5	27.1 4.9 8.4 12.6 35.3	28.7 5.5 8.7 10.0 7.3	57.5 8.6 9.3 12.0 32.7	21.4 4.3 6.1 7.8 5.4	25.2 4.6 6.2 6.9 6.4	63.7 6.6 9.1 12.3 9.5
501 miles or more Not reported Not applicable	11.5 9.1 21.7	11.3 43.8 N	11.8 988.3 N	11.7 10.1 S	10.1 N N	12.2 N N	7.6 8.4 S	6.8 N N	11.1 N N
PRIMARY JURISDICTION									
Operated in Canada Operated in Mexico Operated within the home base state Operated in states other than the home base state State Not reported Not applicable <sup>1</sup>	S N 3.5 7.8 9.5 21.7	N N N N N N N N N N N N N N N N N N N	N N N N N	S N 10.4 8.0 10.7 S	N N N N N	N N N N N	S N 7.4 4.8 8.9 S	N N N N N	N N N N N
MONTHS OPERATED									
12 7 to 11 2 to 6 1 or less Vehicle not used	5.4 5.8 6.8 13.3 21.7	2222	N N N N	9.2 7.6 12.0 22.4 S	N N N N	N N N N	4.9 6.4 10.8 18.3 S	N N N N N N N N N N N N N N N N N N N	N N N N
VEHICLE SIZE									
Light Medium Light-heavy Heavy-heavy	14.8 6.1 7.5 2.6	6.5 7.3 10.1 3.0	12.8 10.0 16.3 4.7	47.9 8.9 14.1 3.2	9.2 11.4 15.6 3.1	62.1 12.6 21.8 4.5	34.5 6.7 11.9 3.3	6.5 8.7 11.8 3.3	56.5 9.2 13.4 4.1
AVERAGE WEIGHT (POUNDS)									
Less than 6,001 6,001 to 8,500 8,501 to 10,000 10,001 to 14,000 14,001 to 16,000	27.3 12.7 23.6 8.3 14.6	18.2 N N 11.3 15.8	11.7 N N 18.4 18.3	34.9 17.2 S 11.7 19.4	23.7 N N 16.2 24.0	17.7 N N 27.0 20.5	22.6 11.9 S 8.5 13.8	15.0 N N 11.7 18.3	31.8 N N 14.9 18.0
16,001 to 19,500 19,501 to 26,000 26,001 to 33,000 33,001 to 40,000 40,001 to 50,000	17.2 7.5 10.3 14.3 10.7	16.6 10.1 15.0 14.8 10.2	17.4 16.3 31.5 19.5 10.7	22.8 14.1 16.7 20.0 16.9	23.2 15.6 24.3 18.2 12.4	13.8 21.8 37.0 25.7 8.0	17.2 11.9 13.0 17.7 14.0	15.6 11.8 19.6 15.7 9.9	13.6 13.4 17.0 23.6 9.1
50,001 to 60,000 60,001 to 80,000 80,001 to 100,000 100,001 to 130,000 130,001 or more	9.0 3.1 40.6 40.4 N	9.4 3.3 S S N	13.6 5.6 S S N	12.3 4.1 47.2 49.6 N	13.1 4.1 S S N	17.7 6.4 S S N	9.1 3.2 24.6 28.8 N	9.2 3.2 S S N	12.2 4.0 S S N
TOTAL LENGTH (FEET)									
Less than 20.0 20.0 to 27.9 28.0 to 35.9 36.0 to 40.9 41.0 to 44.9	4.7 10.9 8.5 13.2 15.7	9.0 4.2 9.7 22.3 33.1	20.4 7.5 13.4 60.0 126.7	7.5 34.3 12.5 20.8 17.5	12.7 7.0 14.0 25.3 48.1	21.4 31.9 16.2 98.9 206.6	6.1 24.6 9.5 16.7 13.5	9.0 5.6 10.4 17.3 29.9	7.8 35.9 11.7 31.4 38.3
45.0 to 49.9 50.0 to 54.9 55.0 to 59.9 60.0 to 64.9 65.0 to 69.9	13.4 14.6 11.6 7.2 8.3	40.9 11.5 7.5 6.7 9.8	146.6 11.3 8.8 8.9 18.1	16.6 18.7 15.1 9.1 9.3	41.9 13.0 10.2 7.6 10.8	535.4 11.3 7.1 9.8 20.8	11.0 14.2 11.5 5.6 5.6	34.5 10.5 6.5 4.2 6.9	126.0 14.5 8.1 6.4 9.1
70.0 to 74.9	13.0 23.8 S	17.7 N N	34.1 N N	14.8 26.3 S	18.1 N N	34.4 N N	7.0 11.2 S	11.3 N N	12.5 N N
MILES PER GALLON									
Less than 5 5 to 6.9 7 to 8.9 9 to 10.9 11 to 12.9 13 to 14.9 15 or more 15 to 20.9 21 to 24.9 25 or more Not reported Not applicable <sup>1</sup>	8.2 4.1 7.8 8.0 10.6 18.5 13.3 13.3 N N 14.7 21.7	8.1 4.5 7.4 8.2 12.6 21.5 12.0 12.2 S 9 17.3 N	12.4 5.7 7.6 9.3 17.1 29.1 12.4 12.7 S S 128.6 N	11.8 4.7 11.3 14.2 16.6 22.8 16.9 16.9 N N 29.1	9.6 4.2 9.9 11.3 21.1 32.2 14.3 14.4 S S N	12.1 5.8 8.5 13.0 31.3 37.4 12.1 12.3 S S S 286.7 N	10.3 4.4 9.0 12.1 13.0 14.9 10.8 N N 15.9 S	8.1 4.5 7.7 8.0 17.0 24.2 10.4 10.5 S S 18.0 N	9.7 6.1 9.6 12.8 24.1 26.2 11.8 11.8 S S 34.6 N

Table 3b. Trucks, Truck Miles, and Average Annual Miles for Trucks, Excluding Pickups, Minivans, Other Light Vans, and Sport Utilities—Measures of Sampling Variability: 2002 and 1997—Con.

[Estimates are shown as percents and are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Columns A, B, D, E, G, H show estimated coefficients of variation. Columns C, F, and I show estimated standard errors]

and ronow commuted standard errors									
Vehicular and operational characteristics	2002 trucks	1997 trucks	Percent change	2002 truck miles	1997 truck miles	Percent change	2002 average miles per truck	1997 average miles per truck	Percent change
	Α	В	С	D	Е	F	G	н	1
MODEL YEAR									
2003 2002 2001 2000 1999	\$ 18.0 12.8 11.3 23.8	2222	N N N N N	\$ 18.3 13.5 12.6 31.3	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	S 12.7 9.5 9.8 9.6	X X X X X X X X X X X X X X X X X X X	N N N N
1998 1997 1996 1995 1994 1994 1993 Pre-1993	12.3 11.5 12.6 10.3 14.9 13.9 3.3	\$ 12.6 14.0 10.7 11.8 13.3 3.0	S 14.6 17.3 12.4 10.1 12.8 3.4	12.3 12.3 13.9 11.4 17.0 16.1 6.1	S 12.3 13.5 10.5 11.1 11.9 4.6	S 15.4 13.5 8.5 5.3 6.8 2.9	8.5 9.1 9.9 9.2 12.8 10.9 5.5	S 9.6 10.3 7.4 8.6 10.1 4.1	\$ 13.6 10.8 7.7 7.6 7.5 3.4
VEHICLE ACQUISITION									
New Used Not reported	6.7 2.9 15.6	4.2 4.0 9.4	8.6 6.1 6.1	11.2 5.0 19.4	4.8 5.8 9.0	14.8 8.8 4.7	5.7 4.6 16.5	4.0 5.3 6.8	7.8 6.6 11.7
LEASE CHARACTERISTICS									
Leased Lessee Vehicle only Vehicle with driver Not reported Lessor Vehicle only Vehicle with driver Not reported	6.5 10.6 10.8 S 9.0 10.2 19.1 5 41.8 5.2 4.8	222222222	N	6.9 11.9 12.0 S S 9.2 10.6 21.6 S 47.5 7.2	N N N N N N N N N N N N N N N N N N N	N N N N N N N N N N N N N N N N N N N	5.2 9.2 9.2 8.3 6.3 7.2 10.1 8 41.3 9.1 6.5	N N N N N N N N N N N N N N N N N N N	X
Length of leasing agreement: Leased	6.5 25.4 6.9 S	N N N N N N N N N N N N N N N N N N N	N N N N	6.9 26.9 7.3 S	N N N N	N N N	5.2 19.6 5.4 S	N N N	N N N N
Provisions of lease: Financing only. Full maintenance Payment of taxes Obtaining licenses and permits Recordkeeping Fuel contract	8.9 10.1 9.5 9.5 12.7 15.6	2	N N N N N	9.6 10.3 9.9 9.7 12.9 16.3	N N N N N N	N N N N N N N N N N N N N N N N N N N	7.2 6.5 6.7 6.8 8.7 10.0	N N N N N N N N N N N N N N N N N N N	N N N N N
PRIMARY OPERATOR CLASSIFICATION									
Private Motor carrier Owner operator Rental Personal transportation Not applicable !	2.0 6.1 8.2 38.8 N 21.7	N N N N N N N N N N N N N N N N N N N	N N N N N	4.5 6.4 9.0 43.5 N S	N N N N N	N N N N N	4.0 4.8 6.3 6.9 N	N N N N N	N N N N N
For-hire characteristics: Type of carrier: Contract Common Not reported Not applicable <sup>3</sup> Type of service: Truckload Less-than truckload Not reported Not applicable <sup>3</sup> Source of hauls: Shippers or receivers Brokers Centralized markets or exchanges Other Not reported Not reported Not reported Not poptions Brokers Centralized markets or exchanges Other Not reported Not applicable <sup>3</sup>	6.6 8.3 16.7 3.7 5.1 13.6 17.1 3.7 5.9 12.8 29.5 N 12.4 3.7	ZZZZ 553ZZ ZZZZZZ	N N N N N N N N N N N N N N N N N N N	7.1 8.7 18.7 13.1 5.6 15.1 19.1 13.1 6.1 14.3 37.1 N 15.2 13.1	N N N 5.5 18.8 N N N N N N N N N N N N	N N N 8.9 27.3 N N N N N N N N	4.9 6.2 13.4 9.9 4.0 10.7 13.5 9.9 4.4 7.7 22.7 N 11.5 9.9	N N N 3.8 11.2 N N N N N N N N N N	N N N 16.6 N N N N N N N N N N N N N N
HAZARDOUS MATERIALS CARRIED <sup>4</sup>									
Carrying hazardous materials  Not carrying hazardous materials  Not reported  Not applicable <sup>5</sup>	12.0 1.8 9.2 29.9	11.8 2.2 9.3 N	16.6 2.8 10.2 N	13.0 3.5 12.1 43.4	11.7 3.3 12.2 N	17.2 4.2 13.2 N	9.8 3.2 10.2 15.4	8.2 3.1 10.0 N	12.7 3.9 14.1 N

# Table 3b. Trucks, Truck Miles, and Average Annual Miles for Trucks, Excluding Pickups, Minivans, Other Light Vans, and Sport Utilities—Measures of Sampling Variability: 2002 and 1997—Con.

[Estimates are shown as percents and are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Columns A, B, D, E, G, H show estimated coefficients of variation. Columns C, F, and I show estimated standard errors]

and I snow estimated standard errorsj									
Vehicular and operational characteristics	2002 trucks	1997 trucks	Percent change	2002 truck miles	1997 truck miles	Percent change	2002 average miles per truck	1997 average miles per truck	Percent change
	А	В	С	D	Е	F	G	Н	1
EQUIPMENT TYPE									
Aerial work platform/bucket Air bag(s) (safety device only) Air compressor (except air brakes) Air-conditioning Air springs	26.2 19.4 10.1 6.1 5.5	N 8.5 N 3.9 N	N 38.9 N 9.1 N	33.4 28.8 11.8 8.7 6.6	N 8.1 N 3.6 N	N 41.6 N 11.2 N	21.5 11.2 9.8 3.9 4.1	N 6.4 N 3.2 N	N 9.8 N 4.8 N
Antilock brake system Collision warning system Computerized drive train control unit Crane Electronic vehicle identification device	9.8 28.9 15.3 21.2 19.3	8.4 N N N 18.1	26.3 N N N 15.3	12.7 29.5 16.4 22.8 21.9	8.3 N N N 16.4	39.1 N N N 18.2	4.7 21.8 11.5 14.5 10.4	6.9 N N 12.9	10.6 N N N 19.2
Engine retarder/brake Front-wheel drive Hoist Idle-reducing technology (portable auxiliary pack, electrification, etc.) Internet access	4.1 N 7.2 15.9 S	5.5 N N N	8.4 N N N	5.3 N 11.1 17.5 S	5.7 N N N	9.5 N N N	3.8 N 9.7 11.9 S	4.0 N N	5.4 N N N
Lift gate Mounting bar for snowplow Navigational system Power take-off Radial tires	13.9 25.8 S 5.0 2.6	N N 29.8 N 2.7	N N S N 3.3	19.1 34.1 S 6.9 3.6	N N 34.4 N 3.2	N N S N 4.0	13.2 24.2 S 6.2 3.2	N N 17.2 N 2.9	N N S N 4.1
Reflective material in addition to those required by law Road speed governor Toolbox Trip recorder or on-board computer with communication capabilities Trip recorder or on-board computer without communication capabilities	7.3 5.1 5.8 14.7	6.1 5.3 N N	6.3 6.5 N N	9.7 5.6 8.1 15.0 15.5	6.3 5.4 N N	5.3 7.2 N N	8.2 4.6 6.8 11.3	5.5 4.7 N N	6.8 7.0 N N
Vehicle control aids for handicapped drivers Wheelchair lift	N N 15.3	N N N	N N N	N N 19.8	N N N	N N N	N N 14.8	N N N	N N N
Transmission type: Automatic Manual. Semiautomated manual Automated manual Not reported	5.3 4.3 26.3 S 13.3	N N N N	Z Z Z Z Z	7.7 9.3 28.7 S 14.0	Z Z Z Z	N N N N	5.8 5.9 25.9 S 11.6	N N N N	N N N N
Braking system: Hydraulic (standard). Hydraulic with power assist Air Other Not reported	8.6 6.2 2.7 N 13.2	6.9 5.7 3.2 30.8 N	17.1 6.0 4.3 N N	29.8 9.0 3.7 N 13.5	11.4 8.5 3.4 35.2 N	66.5 6.6 4.7 N N	22.3 6.8 3.5 N 10.4	9.4 6.4 3.2 21.3 N	32.5 7.1 4.3 N N
FUEL TYPE AND ENGINE SIZE									
Fuel type: Gasoline Diesel Natural gas Propane Alcohol fuels	8.6 2.3 N 49.8 N	4.2 3.0 N N	8.0 4.6 N N N	38.2 3.0 N S N	7.2 3.2 N N	41.7 4.5 N N N	30.6 2.9 N S N	5.8 3.0 N N	39.8 3.5 N N
Electricity . Combination Other Not reported Not applicable <sup>1</sup>	N S N S 21.7	N N N N	N N N N N N N N N N N N N N N N N N N	N S N S S	N N N N	N N N N	N S N S S	N N N N	N N N N
Cylinders <sup>6</sup> : 4 cylinders 6 cylinders 8 cylinders 7 cylinders 8 cylinders Other	14.3 5.8 3.7 8.3	17.5 3.6 4.3 7.3	44.1 8.5 5.5 8.1	17.1 8.7 7.2 12.8	24.0 3.5 7.6 10.1	52.3 10.7 7.5 8.5	10.7 4.2 6.2 11.2	16.4 3.3 6.2 9.3	17.8 4.9 6.5 10.3
Cubic inch displacement <sup>6</sup> : Gasoline fuel Less than 200 200 to 299 300 to 349 350 to 399 400 or more Not available Diesel fuel Less than 400 400 to 599 600 to 799 800 or more Not available Other fuel Less than 400 400 or more Not available Other fuel Not available Not reported Not applicable Not applicable	8.6 S S 25.5 7.4 13.6 11.5 2.3 9.9 4.9 4.9 8.8 42.0 S S S S	4.2 S 26.3 37.9 7.6 13.2 10.7 3.0 13.3 9.2 6.2 4.7 7.6 43.0 S S S N N	8.0 S S 78.3 13.7 10.8 4.6 21.2 17.5 8.8 7.3 9.8 50.6 S S S N N	38.2 S S S S S S S S S S S S S S S S S S S	7.2 S 33.1 S 10.9 17.4 17.2 18.3 12.4 7.1 5.6 10.4 S S S N N	41.7 S S S 11.2 14.4 13.7 4.5 23.5 18.5 9.7 8.4 14.6 S S S S S S S S 11.2 14.4 15.7 16.7 17.7 17.7 18.7	30.6 S S 24.0 11.0 10.9 16.2 2.9 9.4 6.8 4.6 41.3 S S S S	5.8 S 20.2 \$ 7.8 11.5 13.7 3.0 12.7 8.2 5.6 3.7 8.8 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	39.8 S S S 10.8 12.7 16.8 3.5 12.8 8.0 6.7 5.3 14.9 S S S N N N N N N N N N N N N N N N N

Table 3b. Trucks, Truck Miles, and Average Annual Miles for Trucks, Excluding Pickups, Minivans, Other Light Vans, and Sport Utilities—Measures of Sampling Variability: 2002 and 1997—Con.

[Estimates are shown as percents and are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Columns A, B, D, E, G, H show estimated coefficients of variation. Columns C, F, and I show estimated standard errors]

Vehicular and operational characteristics	2002 trucks	1997 trucks	Percent change	2002 truck miles	1997 truck miles	Percent change	2002 average miles per truck	1997 average miles per truck	Percent change
	А	В	C	D	E	F	G	Н	I
REFUELING LOCATION									
Gas station Truck stop Own facility (including home, farm, ranch, onsite by mobile supplier, etc.) Other company's/contractor's facility not open to the public Other Not reported Not applicable¹	6.3 5.1 4.5 19.0 8 20.0 21.7	22 2 22 2	N N N N N N N N N N N N N N N N N N N	21.9 5.8 5.7 21.8 S 23.5 S	N N N N N N N N N N N N N N N N N N N	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	16.4 4.3 4.7 18.0 S 15.1	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	X
MAINTENANCE									
General maintenance performed by: None performed Company-owned maintenance facility General repair business or private mechanic Dealership service department Leasing company	23.8 6.8 4.7 8.3 25.0	\$ 4.3 6.4 10.5 27.1	S 9.1 10.6 15.0 39.3	\$ 12.2 6.1 9.6 26.0	S 4.8 7.6 10.4 28.1	\$ 16.0 12.3 20.9 29.4	\$ 6.6 5.3 7.0 15.7	\$ 4.2 6.6 8.3 10.2	S 8.4 7.9 14.3 13.5
Individual not employed/paid by any maintenance type facility. Other Not reported Not applicable <sup>1</sup>	5.3 N 23.7 21.7	5.2 44.2 11.0 N	5.9 N 5.3 N	8.2 N 28.1 S	7.2 40.3 10.9 N	7.1 N 1.7 N	7.6 N 17.6 S	6.7 23.2 8.8 N	8.3 N 5.5 N
Extensive repairs performed by: None performed Company-owned maintenance facility General repair business or private mechanic Dealership service department Leasing company	4.0 11.9 10.1 12.4 S	20.0 6.9 6.8 7.7 33.3	574.0 4.3 4.7 5.0 S	9.7 13.7 12.2 13.7 S	25.4 7.5 8.9 8.2 33.1	901.5 3.9 7.7 6.4 S	6.5 11.1 10.0 10.7 S	23.0 5.8 7.4 6.5 10.8	28.2 10.1 16.5 14.6 S
Component distributorship (engine, transmission, body, etc.). Individual not employed/paid by any repair type facility. Other Not reported Not applicable <sup>1</sup>	32.0 15.7 N S 21.7	11.1 13.2 40.5 5.1 N	5.3 11.0 N S N	33.2 20.3 N S S	11.1 19.7 S 6.3 N	4.2 22.7 S S N	26.8 18.1 N S S	7.7 16.9 S 5.6 N	21.5 37.0 S S N
TRUCK TYPE AND AXLE ARRANGEMENT									
Single-unit trucks and truck-tractors without trailer 2 axles 3 axles 4 axles 5 axles or more Not reported	4.0 4.6 8.5 16.4 15.7 S	2.3 2.5 9.6 11.6 N	4.8 5.4 14.7 10.1 N S	15.9 19.1 14.2 20.8 18.3 S	4.9 5.7 14.6 13.3 N N	17.9 21.8 19.8 11.0 N S	12.3 15.0 10.9 12.8 9.5 S	4.4 5.1 10.4 8.6 N	13.6 16.8 12.8 13.6 N S
Combinations  Single-unit trucks with trailer.  3 axles 4 axles. 5 axles or more Not reported  Truck-tractors with single trailer. 3 axles 4 axles. 5 axles or more Not reported  Truck-tractors with double trailers. 5 axles 6 axles. 7 axles 8 axles or more Not reported  Truck-tractors with driple trailers. 5 axles 9 axles 9 axles 10 axles or more Not reported Truck-tractors with triple trailers 7 axles 8 axles or more Not reported 1 axles 9 axles 10 axles or more Not reported	3.2 13.1 36.5 30.9 \$2.6 28.9 26.9 15.5 N N N N N N N	3.4 18.3 49.8 27.3 28.0 N 2.8 23.9 14.1 2.8 N 47.2 S N N N N N N N N N N N N N N N N N N	5.2 35.6 90.4 70.2 26.4 N 4.0 29.4 5 N 30.8 S S S S N N N N N N N N N N N N N N N	3.7 18.4 40.1 22.7 39.6 S 3.8 30.7 4.2 18.6 S N S N S N N N N N N N N N N N N N N	3.4 22.6 \$33.9 29.3 \$3.5 24.7 17.0 3.8 \$47.2 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	4.9 25.9 68.8 7.0 N 5.1 27.2 5.4 5.8 N S S S S N N N N N N N N	3.6 12.6 19.5 15.2 32.3 \$ 3.1 22.4 27.9 3.1 12.1 10.1 8 N N N N N N N	3.5 17.0 \$23.4 25.3 \$3.1 20.1 10.7 3.0 \$29.5 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	4.4 11.8 S 21.4 9.2 N 4.1 26.5 17.9 N S S S S S N N N N N N N N N N N N N
Driving axles: 1 2 3 or more Not reported	4.2 2.6 31.3 S	2.2 3.2 21.1 N	4.7 5.2 13.8 S	17.2 3.5 40.2 S	5.1 3.7 23.2 N	16.3 5.9 3.7 S	13.5 3.3 25.2 S	4.6 3.3 18.2 N	13.0 4.3 6.8 S
Total liftable axles and locations:  None	2.9 15.6 20.3 36.2 \$ 37.5 15.9 21.4 33.0 35.0 \$ \$	4.8 18.1 N N N 20.5 N N N N	16.4 25.4 N N N 47.4 N N N N N	7.3 21.8 27.9 47.8 \$ \$ 45.1 18.4 24.8 39.7 38.3 \$ \$	5.4 20.7 N N N 24.2 N N N N	23.6 34.9 N N N 42.9 N N N N	4.8 15.3 18.4 39.8 S 25.1 9.3 12.6 22.2 15.5 S	4.9 16.1 N N N 12.9 N N N N	6.1 24.2 N N N 12.3 N N N N N

#### Trucks, Truck Miles, and Average Annual Miles for Trucks, Excluding Pickups, Minivans, Other Light Vans, and Sport Utilities—Measures of Sampling Variability: 2002 and 1997-Con.

[Estimates are shown as percents and are based on data from the 2002 and 1997 Vehicle Inventory and Use Surveys. Columns A, B, D, E, G, H show estimated coefficients of variation. Columns C, F, and I show estimated standard errors]

Vehicular and operational characteristics	2002 trucks	1997 trucks	Percent change	2002 truck miles	1997 truck miles	Percent change	2002 average miles per truck	1997 average miles per truck	Percent change
	А	В	С	D	Е	F	G	Н	1
TRUCK TYPE AND AXLE ARRANGEMENT—Con.									
Total liftable axles and number of braking axles:  None	2.9 15.6 36.3 17.7 S 15.9 N N 15.9 N 44.4	4.8 18.1 N N 20.5 N N N N N	16.4 25.4 N N 47.4 N N N N N	7.3 21.8 S 23.9 S 18.4 N N 18.4 N	5.4 20.7 N N 24.2 N N N N N	23.6 34.9 N N 42.9 N N N N	4.8 15.3 S 15.4 S 9.3 N N 9.3 N S	4.9 16.1 N N 12.9 N N N N	6.1 24.2 N N 12.3 N N N N N
CAB TYPE									
Conventional cab	3.0 4.6 3.6 25.4	2.2 N N N	4.6 N N N	7.5 5.5 12.6 27.4	3.2 N N N	9.2 N N N	4.9 3.0 9.4 10.3	3.0 N N N	5.4 N N N
Cab over engine With sleeper Without sleeper. Not reported	8.1 17.6 9.3 S	9.0 N N N	10.0 N N N	11.6 29.5 12.1 S	10.6 N N N	12.5 N N N	9.6 23.9 9.4 S	8.5 N N N	12.3 N N N
Cab forward of engine	40.5 N N	19.7 S N	3.6 S N	S N N	22.5 S N	S S N	S N N	10.3 S N	S S N

N Not available. miles, or 0.05 percent. S Estimate does not meet publication standards because of high sampling variability or poor response quality. V Represents an estimate of less than 50 vehicles, 50,000

<sup>&</sup>lt;sup>1</sup>Vehicles not in use. When the respondent had partial-year ownership of the vehicle, annual miles were adjusted to reflect miles traveled when not owned by the respondent. 
<sup>2</sup>Truck-tractors not in use.
<sup>3</sup>Vehicles that are private, rental, or used for personal transportation; and vehicles not in use.
<sup>4</sup>Distributed miles data are available in Table 8.
<sup>5</sup>Vehicles that are rental or used for personal transportation; and vehicles not in use.
<sup>6</sup>Data were derived from administrative records.

## Table 4. Trucks by Vehicle Size: 2002

[Thousands. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

[Thousands: Estimates are based on data from the 2002 venicle inventory and ose ourvey	. Decade of feat	unig, commutee ma	Vehicle	e size		Coefficient of
Vehicular and operational characteristics	Total	Light	Medium	Light-heavy	Heavy-heavy	variation of total (percent)
Total	<b>3 499.3</b> .6	<b>3 276.5</b> .7	<b>63.3</b> 12.1	<b>41.0</b> 7.5	<b>118.5</b> 2.6	X
For-hire transportation or warehousing. Vehicle leasing or rental Agriculture, forestry, fishing, or hunting Mining. Utilities	58.1 16.8 67.1 2.5 28.4	\$ \$ 37.8 \$ \$	6.3 S 7.0 V 2.1	4.1 1.2 7.2 S 1.0	33.4 7.7 15.1 1.6 2.6	17.1 41.2 23.0 26.9 41.8
Construction Manufacturing Wholesale trade Retail trade Information services	202.4 26.1 42.0 51.0 S	157.6 S 29.8 40.4 S	12.6 1.4 4.4 3.7 1.6	10.6 2.9 2.7 2.0 S	21.6 7.3 5.1 4.9 V	15.0 37.4 32.4 30.0 S
Waste management, landscaping, or administrative/support services	19.6 S S 48.0 2 802.7 45.3 47.6	4.0 V S 42.9 2 801.8 23.7 43.8	4.8 S 1.2 3.1 S S	1.6 S V S V 4.0 1.5	9.2 S 1.5 1.0 V 5.9 1.2	10.9 S S 34.7 1.9 30.3 34.9
Single-unit trucks Pickup Minivan Other light vans Sport utility Armored	3 435.1 1 431.7 610.3 310.0 881.7	3 276.5 1 423.9 610.3 310.0 881.7	63.3 S V V V	41.0 V V V V	54.2 V V V V	.7 1.0 8.6 13.4 6.4 N
Beverage Concrete mixer Concrete pumper Crane Curtainside	1.6 2.8 V .8 S	S V V V	\$ V V S V	S V V S V	\$ 2.8 V \$ \$	40.8 19.9 N 49.8 S
Dump Flatbed, stake, or platform Low boy Pole, logging, pulpwood, or pipe Service, utility	51.1 41.5 V S 8.0	6.2 11.7 V V 1.6	14.9 10.7 V V 3.2	11.2 8.2 V V 2.6	18.7 10.9 V S S	6.3 7.3 N S 18.9
Service, other Street sweeper Tank, dry bulk Tank, liquids or gases Tow/Wrecker	12.0 .8 .6 5.1 6.2	4.9 V V V S	3.9 .8 V V 2.5	2.5 V V 1.5 1.5	S V .6 3.5 1.8	15.1 49.8 44.5 22.2 20.5
Trash, garbage, or recycling Vacuum Van, basic enclosed Van, insulated nonrefrigerated Van, insulated refrigerated	4.2 .6 32.5 S 3.3	V V S V S	S V 7.1 S S	V V 7.6 V 1.2	3.9 .6 4.6 V 1.4	19.8 44.4 22.2 S 28.0
Van, open top Van, step, walk-in, or multistop Van, other Other	4.7 20.8 4.6 V	S 10.5 1.6 V	S 8.8 1.8 V	1.3 1.5 1.2 V	2.7 V V V	24.1 11.2 24.8 N
Truck-tractors Automobile carrier Beverage Curtainside Dump Flatbed, stake, or platform	64.2 S 1.5 S 6.6 12.8	V V V V	V V V V	> > > > > > > > > > > > > > > > > > >	64.2 S 1.5 S 6.6 12.8	2.6 S 39.5 S 12.6 9.1
Livestock Low boy Mobile home toter Open top Pole, logging, pulpwood, or pipe	S 2.5 S 2.2 S	V V V	V V V V	V V V V	\$ 2.5 \$ 2.2 \$	\$ 21.0 \$ 22.6 \$
Tank, dry bulk Tank, liquids or gases Van, basic enclosed Van, drop-frame Van, insulated nonrefrigerated	1.8 3.4 25.7 .6 S	V V V	V V V V	V V V	1.8 3.4 25.7 .6 S	24.7 17.8 5.7 44.5 S
Van, insulated refrigerated Other Not applicable <sup>3</sup>	5.7 V S	V V	V V	V V V	5.7 V S	13.6 N S
ANNUAL MILES Less than 5,000 5,000 to 9,999 10,000 to 19,999 20,000 to 29,999 30,000 to 49,999	621.5 722.0 1 568.9 337.2 132.6	557.7 696.1 1 527.4 312.3 111.2	25.6 7.4 15.8 8.0 4.7	14.9 7.0 7.7 5.2 2.3	23.3 11.6 17.9 11.6 14.4	9.0 8.4 4.7 12.9 20.2
50,000 to 74,999 75,000 or more Not applicable <sup>2</sup> PRIMARY RANGE OF OPERATION	30.7 38.8 47.6	S S 43.8	999	1.5 S 1.5	14.6 23.7 1.2	31.6 25.0 34.9
Off-the-road	14.1 2 508.4 322.5 80.1 38.1	\$ 2 384.0 292.5 68.8 27.5	S 38.6 8.9 1.4 S	1.2 28.3 2.8 S S	2.6 57.4 18.3 8.9 9.4	49.2 2.7 13.1 26.6 35.8
501 miles or more Not reported Not applicable <sup>2</sup>	78.0 410.4 47.6	68.4 382.2 43.8	S S S	S 4.6 1.5	8.4 12.2 1.2	27.4 11.7 34.9

[Thousands. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

Thousands. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey	. Because of round	Coefficient of				
Vehicular and operational characteristics	Total	Light	Vehicl Medium	Light-heavy	Heavy-heavy	variation of total (percent)
PRIMARY JURISDICTION  Operated in Canada. Operated in Mexico Operated within the home base state. Operated in states other than the home base state Not reported Not applicable <sup>2</sup> MONTHS OPERATED	S V 3 042.3 88.9 320.1 47.6	V V 2 863.9 69.0 299.8 43.8	V V 58.1 S 3.4 S	S V 32.6 1.6 4.9 1.5	S V 87.7 17.5 11.9 1.2	S N 1.7 24.0 13.3 34.9
12 7 to 11 2 to 6 1 or less Vehicle not used AVERAGE WEIGHT (POUNDS)	2 320.8 548.3 510.8 71.8 47.6	2 204.9 501.7 471.1 55.0 43.8	31.3 8.7 11.8 S S	16.5 10.6 8.9 3.5 1.5	68.1 27.2 19.0 2.9 1.2	3.1 9.7 10.2 26.7 34.9
Less than 6,001 6,001 to 8,500 8,501 to 10,000 10,001 to 14,000 14,001 to 16,000	2 566.6 570.3 139.6 41.3 12.9	2 566.6 570.3 139.6 N	N N N 41.3 12.9	N N N N	N N N N	2.4 9.8 19.8 17.9 14.3
16,001 to 19,500 19,501 to 26,000 26,001 to 33,000 33,001 to 40,000 40,001 to 50,000	9.1 41.0 23.4 10.3 11.5	N N N N N	9.1 N N N	N 41.0 N N N	N N 23.4 10.3 11.5	17.2 7.5 10.3 14.3 10.7
50,001 to 60,000 60,001 to 80,000 80,001 to 100,000 100,001 to 130,000 130,001 or more TOTAL LENGTH (FEET)	15.0 56.9 .7 .7 V	N N N N	N N N N N	N N N N N	15.0 56.9 .7 .7 V	9.0 3.1 40.6 40.4 N
Less than 20.0 20.0 to 27.9 28.0 to 35.9 36.0 to 40.9 41.0 to 44.9	3 037.2 323.3 37.0 22.3 9.2	2 985.5 272.2 S S S	26.2 15.2 7.5 3.7 3.1	13.6 14.7 7.6 3.2 S	11.9 21.1 12.5 6.3 5.6	1.5 12.5 19.7 31.9 15.7
45.0 to 49.9 50.0 to 54.9 55.0 to 59.9 60.0 to 64.9 65.0 to 69.9	6.3 S 9.9 17.7 14.6	V V V V	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	>	6.1 6.1 8.7 17.7 14.0	13.4 S 11.6 7.2 8.3
70.0 to 74.9 75.0 to 79.9 80.0 or more	6.2 1.9 S	V V	V V	V V	6.2 1.9 S	13.0 23.8 S
MILES PER GALLON Less than 5 5 to 6.9 7 to 8.9 9 to 10.9 11 to 12.9 13 to 14.9 15 or more 15 to 20.9 21 to 24.9 25 or more Not reported Not applicable <sup>2</sup>	24.6 82.1 43.4 194.9 248.5 282.5 1 988.3 1 579.6 272.1 136.7 587.5 47.6	3.0 S S 167.6 226.9 277.8 1 978.1 1 569.3 272.1 136.7 549.4 43.8	1.5 5.7 7.1 14.9 15.2 3.0 4.9 V 10.0 S	3.2 7.0 8.3 6.4 3.2 1.2 3.6 V V 6.6 1.5	16.9 53.4 14.0 6.0 3.2 S 1.8 V V 21.5	8.2 12.2 17.0 16.4 15.2 14.6 3.7 4.7 15.1 21.8 9.4 34.9
MODEL YEAR 2003 2002 2001 2001 1999	\$ 189.9 312.2 273.9 270.8	V 184.2 300.9 260.7 249.9	V 1.3 3.6 2.4 6.3	V 1.2 1.8 2.5 2.5	S 3.2 5.8 8.3 12.1	S 18.1 13.8 14.7 14.6
1998 1997 1996 1995 1994 1993 Pre-1993 VEHICLE ACQUISITION	300.5 248.7 168.8 258.0 193.9 181.1 1 101.1	289.7 235.0 158.1 241.7 186.0 172.4 997.9	3.3 4.2 2.0 3.1 2.3 1.8 32.9	1.2 2.4 S 2.5 1.8 1.6 22.9	6.3 7.1 8.1 10.8 3.7 5.3 47.4	14.0 15.4 18.9 15.0 17.8 18.2 6.1
New	1 396.4 1 949.2 153.8	1 303.6 1 827.3 145.6	25.3 35.2 2.8	15.7 24.1 1.2	51.8 62.5 4.1	5.2 3.8 19.9
Leased Lessee Vehicle only Vehicle with driver Not reported Not applicable <sup>4</sup> Lessor Vehicle only Vehicle with driver Not reported Not applicable <sup>4</sup> Not conly Vehicle with driver Not reported Not applicable <sup>4</sup> Not reported Not reported Not reported Not reported Not reported	242.4 207.2 15.9 S 190.8 20.3 17.2 2.9 S V S 1 895.8 1 361.1	208.3 192.7 1.9 V 190.8 1.7 1.5 S V S 1 768.7 1 299.5	4.3 3.2 2.9 V S S V V S S V V S S 38.1 20.9	5.5 2.1 2.1 V V V 3.4 3.4 V V V V 23.9 11.6	24.3 9.2 9.0 S V V 14.4 11.6 2.8 V V 7, 65.2 29.0	14.9 16.8 10.8 S S 18.2 9.0 10.2 19.1 S N S 4.0

[Thousands. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

Total control consideration of the properties of	Inousands. Estimates are based on data from the 2002 Vehicle Inventory and Use Surve	y. Because of roun	iding, estimates ma		le size		Coefficient of
Length   Clearing agreement	Vehicular and operational characteristics	Total	Light	Medium	Light-heavy	Heavy-heavy	variation of total
Liesed:							
12 months or more	Leased			4.3	5.5	24.3	
No applicated	12 months or more	34.1	3.1	3.7	4.9	22.3	6.9
Franching only.				V		V	
Full principations		20.0			0.4	40.0	0.0
Common	Full maintenance	16.3	1.3	3.2 S	2.8	11.9	10.1
Full contribution	Obtaining licenses and permits	18.4	1.4	1.0	2.8	13.3	9.5
Problem   SP-02	Fuel contract			S			
Moor carrier							
September   17.9	Motor carrier	38.1	.9	6.3	2.6	28.4	6.1
For-time characteristics:	Rental	17.9	S	2.6 S	1.2	8.4	38.8
Type of clarifier    11.5	Personal transportation			S S			
Contracts	For-hire characteristics:						
Most page   Most	Contract						
Type of services	Not reported	7.5	.6	1.8	1.5	3.6	16.7
Less shart buckload	Type of service:						
Not applicately   3 days   3 d	Less-than truckload	11.8		4.6	1.2	5.2	13.6
Shippers or receivers	Not applicable <sup>6</sup>		.7 3 274.3				
Brokers   7,0   S   S   6,4   12,8   Chief   12,9	Shippers or receivers		1.3	5.7	1.5		
Not reported   12.9   8   8   2.5   2.5   7.1   12.4	Centralized markets or exchanges		V	S S	S S	1.2	29.5
Not applicable	Other	V 12.9	.8	V 2.5			
Carrying hazardous materials	Not applicable <sup>6</sup>	3 439.1	3 274.3	54.4	36.5	73.9	.7
Not carrying hazardous materials   204.6   35.1   46.8   32.5   90.1   1.8   Not rappicable   3.8   3.6   6.1   5.1   8.6   9.2   Not applicable   3.8   3.25   3.25   3.25   3.25   3.25   Not applicable   3.8   3.25   3.25   3.25   3.25   Not applicable   3.8   3.25   3.25   3.25   3.25   Not applicable   3.8   3.25   3.25   3.25   3.25   Not applicable   3.8   3.25   3.25   3.25   3.25   Not applicable   3.25   3.25   3.25   3.25   3.25   Not applicable   3.25   3.25   3.25   3.25   3.25   3.25   Not applicable   3.25   3.25   3.25   3.25   3.25   3.25   Not applicable   3.25   3.25   3.25   3.25   3.25   3.25   3.25   Not applicable   3.25	HAZARDOUS MATERIALS CARRIED <sup>7</sup>						
Not reported			V 25.1				
EQUIPMENT TYPE'S	Not reported	26.3	6.4	6.1	5.1	8.6	9.2
April work platform/bucket   S   S   12   1.6   1.2   S   S   Abril agoly (aller) (which gold) (which agoly (aller) (which agoly (aller) (al		3 257.2	3 235.0	5	2.8	9.6	.7
Air compressor (except air briskes)	Aerial work platform/bucket	S	S		1.6	1.2	
Air springs 33.3 S S 2.3 30.8 5.5  Antilock brake system 2017.5 1956.1 14.9 7.5 39.0 3.6  Computerized drive train control unit 32.1 S 1.8 S 7.2 28.9  Computerized drive train control unit 46.2 45.9 1.8 S 7.2 28.9  Computerized drive train control unit 52.2 45.9 1.8 S 7.2 28.9  Computerized drive train control unit 52.2 45.9 1.8 S 7.2 28.9  Computerized drive train control unit 52.2 45.9 1.8 S 7.2 28.9  Computerized drive train control unit 52.2 45.9 1.8 S 7.2 28.9  Engline retarder/brake 1.1 S 8.2 4.2 1.1 S 8.2 1.1 S 8.	Air compressor (except air brakes)	16.5	1.2	2.0	2.4	10.9	10.1
Collision warning system	Air-conditioning		2 584.2 S				2.2 5.5
Computerized drive train control unit		2 017.5	1 956.1			39.0	
Electronic vehicle identification device	Computerized drive train control unit			1.8		4.9	11.0
Front-wheel drive			S V	S V			
Front-wheel drive	Engine retarder/brake	43.6	1.8	1.1	s	40.2	4.1
Idle-reducing technology (portable auxiliary pack, electrification, etc.)   5.9		1 316.8 41.5		V 9.7	V 9.6	V	
Mounting bar for snowplow.   39.1   35.6   1.8   S   S   38.9				S S	S V		15.9 S
Mounting bar for snowplow.   39.1   35.6   1.8   S   S   38.9	Lift gate	13.5	2.8	3.9	4.7	2.1	13.9
Power take-off.	Mounting bar for snowplow	39.1	35.6	1.8	S	S	38.9
Reflective material in addition to those required by law	Power take-off	66.6	3.9 2 149.7			41.7	5.0
Road speed governor							
Trip recorder or on-board computer with communication capabilities.         124.4         116.4         2.1         S         5.0         22.2           Trip recorder or on-board computer without communication capabilities.         593.2         585.8         1.5         V         5.8         9.6           Vehicle control aids for handicapped drivers.         V         S         S         V         V         V         V         S         S         9.0         1.1         3.0         3.9         3.9.1         1.0         10.0         10.0         10.0         10.0         10.0         12.0         2.2         4.0         4.0         4.0         4.0         4.0         4.0         4.0         4.0         4.0         4.0         4.0         4.0         4.0	Road speed governor	54.9	1.9	6.1	7.3	39.6	5.1
Vehicle control aids for handicapped drivers         V         S         S         2.1         3.9         39.1           Transmission type:         Automatic         2         686.7         2         634.3         32.5         10.0         10.0         2.2           Manual         719.8         562.1         28.7         27.9         101.1         7.4           Semiautomated manual         2.8         V         S         S         S         2.1         26.8           Not reported         76.3         66.7         2.0         2.6         5.1         26.6           Braking system:         Hydraulic (sta	Trip recorder or on-board computer with communication capabilities	124.4	116.4	2.1	S	5.0	22.2
Wheelchair lift         S         S         V         V         V         V         S         S         S         V         V         V         V         V         V         S         S         39.1           Transmission type:           Automatic         2 686.7         2 634.3         32.5         10.0         10.0         2.2           Manual         719.8         562.1         28.7         27.9         101.1         7.4           Semiautomated manual         2.8         V         S         S         2.1         26.3           Not reported         76.3         66.7         2.0         2.6         5.1         26.6           Braking system:         Hydraulic (standard)         90.1         30.3         31.9         16.0         12.0         8.6           Hydraulic with power assist         90.1         30.3         31.9         16.0         12.0         8.6           Hydraulic with power assist         54.2         16.7         18.2         11.9         7.3         6.2           Other         0         0         0         0         0         0         0         0         0         0         0         0					-		
Transmission type: Automatic	Wheelchair lift	S	Ś	V	V	V	S
Automatic     2 686.7     2 634.3     32.5     10.0     10.0     2.2       Manual     719.8     562.1     28.7     27.9     101.1     7.4       Semiautomated manual     2.8     V     S     S     2.1     26.3       Automated manual     S     S     V     V     S     S       Not reported     76.3     66.7     2.0     2.6     5.1     26.6       Braking system:       Hydraulic (standard)     90.1     30.3     31.9     16.0     12.0     8.6       Hydraulic with power assist     54.2     16.7     18.2     11.9     7.3     6.2       Air     108.4     .8     3.1     10.7     93.8     2.7       Other     V		30.3		2.9	2.1	3.9	3 <del>3</del> . I
Semiautomated manual   2.8	Automatic						
Not reported         76.3         66.7         2.0         2.6         5.1         26.6           Braking system:         Hydraulic (standard)         90.1         30.3         31.9         16.0         12.0         8.6           Hydraulic with power assist         54.2         16.7         18.2         11.9         7.3         6.2           Air         108.4         .8         3.1         10.7         93.8         2.7           Other         V         V         V         V         V         V         V         V         V         Not reported         12.9         2.8         2.4         2.5         5.3         13.2	Semiautomated manual	2.8	V		S	2.1	26.3
Hydraulic (standard)     90.1     30.3     31.9     16.0     12.0     8.6       Hydraulic with power assist     54.2     16.7     18.2     11.9     7.3     6.2       Air     108.4     .8     3.1     10.7     93.8     2.7       Other     V     V     V     V     V     V     V     V     V     V     N     13.2       Not reported     12.9     2.8     2.4     2.5     5.3     13.2	Not reported						26.6
Hydraulic with power assist     54.2     16.7     18.2     11.9     7.3     6.2       Air     108.4     .8     3.1     10.7     93.8     2.7       Other     V     V     V     V     V     V     V     V     V     V     N     13.2     13.2       Not reported     12.9     2.8     2.4     2.5     5.3     13.2		20.1	20.0	04.0	10.0	40.0	0.0
Other         V         V         V         V         V         V         V         N           Not reported         12.9         2.8         2.4         2.5         5.3         13.2	Hydraulic with power assist	54.2	16.7	18.2	11.9	7.3	6.2
Not reported 12.9 2.8 2.4 2.5 5.3 13.2 Not applicable 10 3 233.7 3 225.9 S V V 7.	Other	V	V	V	V	V	N
	Not applicable <sup>10</sup>		3 225.9	2.4   S	2.5 V	5.3 V	

[Thousands. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

[I nousands. Estimates are based on data from the 2002 Vehicle Inventory and Use Surve	y. Because of rour	iding, estimates ma		le size		Coefficient of
Vehicular and operational characteristics	Total	Light	Medium	Light-heavy	Heavy-heavy	variation of total (percent)
FUEL TYPE AND ENGINE SIZE						
Fuel type: Gasoline Diesel Natural gas Propane Alcohol fuels	3 197.1 231.5 V 1.2 V	3 136.6 74.4 V V V	36.5 25.8 V V	14.4 24.5 V S V	9.7 106.8 V S V	1.1 8.9 N 49.8 N
Electricity . Combination Other Not reported Not applicable <sup>2</sup>	V S V 1.0 47.6	V S V .9 43.8	V V V V S	V V V V 1.5	V V V S 1.2	N S N 33.0 34.9
Cylinders <sup>11</sup> : 4 cylinders 6 cylinders 8 cylinders Uther Cubic inch displacement <sup>11</sup> :	462.7 1 796.4 1 164.3 75.9	458.5 1 678.5 1 088.0 51.5	2.8 8.0 45.8 6.8	S 16.9 18.0 5.3	.7 92.9 12.6 12.3	11.1 3.9 5.7 20.3
Gasoline fuel Less than 200 200 to 299 300 to 349 350 to 399 400 or more Not available Diesel fuel Less than 400 400 to 599 600 to 799 800 or more Not available Other fuel Less than 400 400 or more Not available Other fuel Not available Other fuel Less than 400 400 or more Not available Not reported Not applicable² REFUELING LOCATION	3 197.1 803.5 1 287.1 530.1 449.7 83.8 42.8 231.5 50.3 93.3 37.2 32.8 18.0 S S S S	3 136.6 802.9 1 286.5 527.7 426.4 65.7 27.4 33.1 39.7 V V V 1.5 S S V S 9.9	36.5 V S 1.8 13.0 15.5 5.6 225.8 9.2 15.8 S V V V V V S	14.4 S V S 5.5.5 1.8 5.8 24.5 5.3 16.7 S S S V V V V V 1.5	9.7 V V 4.9 S, 4.0 106.8 2.6 21.0 36.0 32.6 14.7 S V S S	1.1 8.0 5.4 10.2 10.8 25.5 23.1 8.9 27.3 16.7 4.9 4.9 8.6 8.5 8.5 8.5 8.5 8.5 8.9
Gas station Truck stop Own facility (including home, farm, ranch, onsite by mobile supplier, etc.) Other company's/contractor's facility not open to the public. Other Not reported Not applicable <sup>2</sup> MAINTENANCE <sup>5</sup>	3 128.0 78.9 101.0 S S 124.7 47.6	3 040.5 36.0 29.3 S V 112.5 43.8	39.1 1.8 12.5 S V S S	17.8 3.4 15.2 S S 2.1 1.5	30.6 37.6 44.0 3.0 V 2.0 1.2	1.4 19.4 12.2 S S S 22.1 34.9
General maintenance performed by:  None performed Company-owned maintenance facility General repair business or private mechanic Dealership service department Leasing company  Individual not employed/paid by any maintenance type facility Other Not reported Not applicable <sup>2</sup>	100.8 312.3 1 334.4 773.2 3.2 1 458.4 V 109.4 47.6	98.5 216.2 1 274.3 748.1 S 1 404.7 V 98.5 43.8	1.2 21.2 15.5 6.4 S 16.1 V S	\$ 13.2 11.3 5.0 \$ 12.2 V 1.5 1.5	.8 61.8 33.3 13.6 2.0 25.4 V 1.3 1.2	25.0 11.6 5.4 8.0 25.0 5.0 N 23.7 34.9
Extensive repairs performed by: None performed Company-owned maintenance facility General repair business or private mechanic Dealership service department Leasing company.	2 728.2 62.5 191.1 163.3 S	2 563.4 49.1 175.8 150.6 V	49.2 3.4 3.1 3.7 S	27.7 2.6 2.5 2.5 V	88.0 7.4 9.8 6.5 S	2.3 28.8 17.4 19.1 S
Component distributorship (engine, transmission, body, etc.) Individual not employed/paid by any repair type facility. Other Not reported Not applicable <sup>2</sup>	S 201.7 V 27.4 47.6	\$ 194.2 V 27.3 43.8	\$ 1.6 V V S	S 1.5 V V 1.5	.8 4.4 V S 1.2	S 17.4 N 49.5 34.9
TRUCK TYPE AND AXLE ARRANGEMENT Single-unit trucks and truck-tractors without trailer 2 axles 3 axles 4 axles 5 axles or more Not reported	3 391.9 3 367.2 15.7 4.0 4.4	3 253.2 3 252.6 S V V .5	50.6 50.0 S V V S	38.8 37.8 1.0 V V	49.4 26.9 14.0 4.0 4.4 S	.8 .8 8.5 16.4 15.7 40.5
Combinations Single-unit trucks with trailer 3 axles 4 axles 5 axles or more Not reported Truck-tractors with single trailer 3 axles 4 axles 5 axles or more Not reported Truck-tractors with double trailers 5 axles or more Not reported Truck-tractors with double trailers 5 axles 6 axles 7 axles 8 axles or more Not reported Truck-tractors with double trailers 7 axles 8 axles 9 axles 10 axles 10 axles or more Not reported	107.4 43.5 S 24.5 S S 63.4 2.5 2.0 53.6 5.4 .5 V V V V V V	8888	\$ \$ \$ 4.2 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2.3 2.3 2.3 2.3 2.3 2.3 2.3 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4	69.0 5.2 8 3.2 1.0 V 63.4 2.5 2.0 53.6 5.4 .5 V V V V V V V	12.9 31.5 40.0 \$ 2.6.9 26.4 2.9 15.5 49.7 N S N N N N N N

[Thousands. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

Vehicular and operational characteristics			Vehic	e size		Coefficient of
veniculai and operational characteristics	Total	Light	Medium	Light-heavy	Heavy-heavy	variation of total (percent)
TRUCK TYPE AND AXLE ARRANGEMENT—Con. Driving axles:						
1 2 2 3 or more Not reported	2 093.3 1 404.1 1.2 .8	1 956.7 1 319.4 V .5	59.2 4.0 V S	39.0 2.0 V V	38.4 78.6 1.2 S	3.5 5.2 31.3 37.4
Total liftable axles and locations <sup>12</sup> :  None  1  Forward of the drive axle Below the chassis. Beyond the chassis Not reported 2 or more Forward of the drive axle Below the chassis. Beyond the drive axle Below the chassis. Not reported Not reported Not applicable <sup>10</sup>	254.7 6.1 3.8 1.2 \$ 8 4.3 2.4 1.0 9 \$ 6.6 3 233.7	50.6 V V V V V V V V V V V V V V V V V V V	55.2 S V V V V V V V V V S S	40.7 S S V V V V V V V V V	108.2 5.4 3.5 .9 S .8 4.3 2.4 1.0 .9 S C	2.9 15.6 20.3 36.2 S 37.5 15.9 21.4 33.0 S S 44.4
Total liftable axles and number of braking axles:  None	254.7 6.1 1.2 4.7 \$ 4.3 V V 4.3 V 6.6 3 233.7	50.6 V V V V V V V V V V V V V V V V V V V	55.2 S V V V V V V V V S S	40.7 S V S V V V V V V	108.2 5.4 1.2 4.1 \$ 4.3 V V 4.3 V 0.6 V	2.9 15.6 36.3 17.7 5 15.9 N N 15.9 N 44.4
CAB TIPE Convenional cab With sleeper Without sleeper Not reported	242.6 33.0 207.9 1.7	47.4 V 47.4 V	47.8 V 47.8 V	38.0 V 38.0 V	109.4 33.0 74.8 1.7	3.0 4.6 3.6 25.4
Cab over engine With sleeper Without sleeper. Not reported	22.3 3.5 18.5 S	3.2 V 3.2 V	7.8 V 7.8 V	3.0 V 3.0 V	8.4 3.5 4.5 S	8.1 17.6 9.3 S
Cab forward of engine Cab beside engine Not reported Not applicable <sup>10</sup>	.7 V V 3 233.7	V V V 3 225.9	V V V S	V V V	.7 V V	40.5 N N .7

N Not available. miles, or 0.05 percent. S Estimate does not meet publication standards because of high sampling variability or poor response quality. V Represents an estimate of less than 50 vehicles, 50,000

Note: Use caution when assessing the true increase or decrease in any particular data line. Large changes in the "not reported" or "not applicable" estimates should be taken into account.

Note: The Appendix provides instructions for approximating unpublished coefficients of variation (CVs). CVs estimated from sample data are available on request. The Introduction gives information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/svsd/www/02vehinv.html.

<sup>1.</sup> Comparability of estimates may vary across survey years due to changes in category definitions.
2. Vehicles not in use.
3. Truck-tractors not in use.
3. Truck-tractors not in use.
4. Lessees or lessors of pickups, minivans, other light vans, and sport utilities.
5. Detail lines do not add to total trucks because items were not applicable or multiple responses were possible.
6. Includes pickups, minivans, other light vans, and sport utilities; all other vehicles that are private, rental, or used for personal transportation; and vehicles not in use.
7. Distributed miles data are available in Table 8.
8. Includes pickups, minivans, other light vans, and sport utilities; all other vehicles that are rental or used for personal transportation; and vehicles not in use.
9. Pickups, minivans, other light vans, and sport utilities, in the Equipment Type section, were only required to report for aerial work platform/bucket, air bag(s), air-conditioning, antilock brake system, computerized drive train control unit, front-wheel drive, mounting bar for snowplow, radial tires, toolbox, trip recorder, vehicle control aids for handicapped drivers, wheelchair lift, and winch.
10. Pickups, minivans, other light vans, and sport utilities.
11. Data were derived from administrative records.
12. Detail lines do not add to the subtotal line because items were not applicable or multiple responses were possible. When 2 or 3 liftable axles were indicated, respondents properly reported multiple responses, therefore detail lines will be significantly greater than the corresponding subtotal line.

## Table 5. Trucks by Truck Type: 2002

[Thousands. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

[Thousands. Estimates are based on data from the 2002 Vehicle Inventory	and Use Sun	vey. Because of for	unding, estimati	Truck	*			
					Combination			
Vehicular and operational characteristics	Total	Single-unit trucks and truck-tractors without trailer	Total	Single-unit truck with trailer	Truck-tractor with single trailer	Truck-tractor with double trailers	Truck-tractor with triple trailers	Coefficient of variation of total (percent)
Total	<b>3 499.3</b> .6	<b>3 391.9</b> .8	<b>107.4</b> 12.9	<b>43.5</b> 31.5	<b>63.4</b> 2.6	<b>.5</b> 49.7	N N	X X
BUSINESS <sup>1</sup>								
For-hire transportation or warehousing Vehicle leasing or rental Agriculture, forestry, fishing, or hunting Mining Utilities	58.1 16.8 67.1 2.5 28.4	27.9 S 51.7 2.1 25.9	30.1 6.4 15.3 .5 2.4	V V S V 1.6	29.7 6.4 6.1 .5 .8	.5 V V V	>> >> >>	17.1 41.2 23.0 26.9 41.8
Construction Manufacturing Wholesale trade Retail trade Information services	202.4 26.1 42.0 51.0 S	185.0 22.1 38.8 41.2 S	17.4 4.0 3.2 S V	\$ \$ \$ \$ V	5.0 3.7 2.8 1.7 V	V V V V	V V V	15.0 37.4 32.4 30.0 S
Waste management, landscaping, or administrative/support services . Arts, entertainment, or recreation services. Accommodation or food services. Other services. Personal transportation Not reported. Not applicable <sup>2</sup>	19.6 S S 48.0 2 802.7 45.3 47.6	16.0 S S 47.5 2 802.0 33.7 47.6	3.6 8 1.2 8 8 8 V	2.5 V S S S V	1.1 S 1.2 S V 4.0 V	V V V V V	V V V V	10.9 S S 34.7 1.9 30.3 34.9
BODY TYPE								
Single-unit trucks. Pickup Minivan Other light vans Sport utility Armored	3 435.1 1 431.7 610.3 310.0 881.7 V	3 391.6 1 403.6 610.3 309.7 881.7	43.5 28.0 V S V	43.5 28.0 V S V V	Z Z Z Z Z Z	N N N N N N	22222	.7 1.0 8.6 13.4 6.4 N
Beverage Concrete mixer Concrete pumper Crane Curtainside	1.6 2.8 V .8 S	1.6 2.8 V .8 S	V V V	V V V V	Z Z Z Z	N N N N	2	40.8 19.9 N 49.8 S
Dump. Flatbed, stake, or platform Low boy Pole, logging, pulpwood, or pipe Service, utility.	51.1 41.5 V S 8.0	43.9 37.6 V S 6.8	7.2 3.9 V V 1.2	7.2 3.9 V V 1.2	N N N N N N N N N N N N N N N N N N N	N N N N	X X X X X X	6.3 7.3 N S 18.9
Service, other Street sweeper Tank, dry bulk Tank, liquids or gases Tow/Wrecker	12.0 .8 .6 5.1 6.2	10.7 .8 .5 5.1 5.6	1.2 V S V S	1.2 V S V S	N N N N N	N N N N	N N N N N N N N N N N N N N N N N N N	15.1 49.8 44.5 22.2 20.5
Trash, garbage, or recycling Vacuum Van, basic enclosed Van, insulated nonrefrigerated Van, insulated refrigerated	4.2 .6 32.5 S 3.3	4.2 .5 32.5 S 3.1	V S V S	V S V V S	X X X X X X X X X X X X X X X X X X X	N N N N	Z Z Z Z Z	19.8 44.4 22.2 S 28.0
Van, open top Van, step, walk-in, or multistop. Van, other Other	4.7 20.8 4.6 V	4.1 20.8 4.6 V	S V V V	S V V V	N N N N	N N N N	N N N N	24.1 11.2 24.8 N
Truck-tractors. Automobile carrier. Beverage Curtainside Dump. Flatbed, stake, or platform	64.2 S 1.5 S 6.6 12.8	8 2 2 2 2	63.9 S 1.5 S 6.6 12.8	N N N N N N N N N N N N N N N N N N N	63.4 S 1.5 S 6.6 12.6	.5 V V V S	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	2.6 S 39.5 S 12.6 9.1
Livestock. Low boy Mobile home toter Open top. Pole, logging, pulpwood, or pipe	\$ 2.5 \$ 2.2 \$	N N N N	\$ 2.5 \$ 2.2 \$	N N N N	\$ 2.5 \$ 2.2 \$	V V V V	V V V V	\$ 21.0 \$ 22.6 \$
Tank, dry bulk Tank, liquids or gases Van, basic enclosed Van, drop-frame Van, drop-frame Van, insulated nonrefrigerated	1.8 3.4 25.7 .6 S	N N N N	1.8 3.4 25.7 .6 S	N N N N	1.8 3.4 25.6 .5 S	V V S S V	V V V V	24.7 17.8 5.7 44.5 S
Van, insulated refrigerated Other Not applicable <sup>3</sup>	5.7 V S	N N S	5.7 V V	N N N	5.7 V V	V V V	V V V	13.6 N S
ANNUAL MILES								
Less than 5,000 5,000 to 9,999 10,000 to 19,999 20,000 to 29,999 30,000 to 49,999	621.5 722.0 1 568.9 337.2 132.6	596.7 708.6 1 557.4 323.9 124.1	24.8 S 11.5 S 8.5	\$ \$ 5.4 \$ \$	5.4 3.1 6.1 5.2 7.8	V V V S S	> > > > > > > > > > > > > > > > > > >	9.0 8.4 4.7 12.9 20.2
50,000 to 74,999 75,000 or more Not applicable <sup>2</sup>	30.7 38.8 47.6	S S 47.6	12.4 23.5 V	V V	12.4 23.3 V	V S V	V V	31.6 25.0 34.9

[Thousands. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

I nousands. Estimates are based on data from the 2002 vehicle invento	ory and ose sur	Truck type							
Vehicular and operational characteristics		Single-unit			Combination			Coefficient of	
	Total	trucks and truck-tractors without trailer	Total	Single-unit truck with trailer	Truck-tractor with single trailer	Truck-tractor with double trailers	Truck-tractor with triple trailers	variation of total (percent)	
PRIMARY RANGE OF OPERATION									
Off-the-road 50 miles or less 51 to 100 miles 101 to 200 miles 201 to 500 miles	14.1 2 508.4 322.5 80.1 38.1	\$ 2 465.0 307.5 72.1 28.2	.8 43.4 15.0 8.0 9.9	V 24.3 2.7 S S	.8 18.9 12.2 7.0 9.2	> % % % % % % % % % % % % % % % % % % %	> > > >	49.2 2.7 13.1 26.6 35.8	
501 miles or more	78.0 410.4 47.6	62.9 395.3 47.6	15.1 15.1 V	S S V	8.2 7.0 V	V V	V V	27.4 11.7 34.9	
PRIMARY JURISDICTION									
Operated in Canada Operated in Mexico Operated within the home base state Operated in states other than the home base state Not reported Not applicable <sup>2</sup>	\$ V 3 042.3 88.9 320.1 47.6	S V 2 966.2 72.1 305.7 47.6	S V 76.1 16.7 14.4 V	V V 34.8 S S V	\$ V 41.1 16.3 5.9 V	>>	V V V V	S N 1.7 24.0 13.3 34.9	
MONTHS OPERATED									
12. 7 to 11. 2 to 6. 1 or less Vehicle not used	2 320.8 548.3 510.8 71.8 47.6	2 259.2 528.6 494.2 62.3 47.6	61.5 19.7 16.7 S V	8.5 6.9 8 V	43.3 13.1 6.0 1.0 V	S S S V	> > > > > > > > > > > > > > > > > > >	3.1 9.7 10.2 26.7 34.9	
VEHICLE SIZE									
Light Medium Light-heavy Heavy-heavy	3 276.5 63.3 41.0 118.5	3 253.2 50.6 38.8 49.4	S S 2.3 69.0	S S 2.3 5.2	V V V 63.4	V V V .5	V V V	.7 12.1 7.5 2.6	
AVERAGE WEIGHT (POUNDS)									
Less than 6,001 6,001 to 8,500 8,501 to 10,000 10,001 to 14,000 14,001 to 16,000	2 566.6 570.3 139.6 41.3 12.9	2 552.7 561.8 138.7 29.9 12.2	99999	99999	V V V V	V V V V	V V V V	2.4 9.8 19.8 17.9 14.3	
16,001 to 19,500 19,501 to 26,000 26,001 to 33,000 33,001 to 40,000 40,001 to 50,000	9.1 41.0 23.4 10.3 11.5	8.5 38.8 21.1 6.0 6.8	\$ 2.3 2.4 4.3 4.7	\$ 2.3 2.3 1.6 .7	V V S 2.8 4.0	V V V V	> > > >	17.2 7.5 10.3 14.3 10.7	
50,001 to 60,000	15.0 56.9 .7 .7 V	8.3 7.3 V V	6.7 49.6 .7 .7 V	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	6.6 48.6 .7 .7 V	V .5 V V	> > > > > > > > > > > > > > > > > > >	9.0 3.1 40.6 40.4 N	
TOTAL LENGTH (FEET)									
Less than 20.0 20.0 to 27.9 28.0 to 35.9 36.0 to 40.9 41.0 to 44.9	3 037.2 323.3 37.0 22.3 9.2	3 037.2 316.3 25.6 8.0 4.8	V S S 14.3 4.4	V S S S 2.0	V V V 2.2 2.4	V V V V	V V V	1.5 12.5 19.7 31.9 15.7	
45.0 to 49.9 50.0 to 54.9 55.0 to 59.9 60.0 to 64.9 65.0 to 69.9	6.3 S 9.9 17.7 14.6	V V V V	6.3 S 9.9 17.7 14.6	S S 1.9 S S	6.0 5.1 8.1 17.6 14.0	V V V V	> > > >	13.4 S 11.6 7.2 8.3	
70.0 to 74.9 75.0 to 79.9 80.0 or more	6.2 1.9 S	V	6.2 1.9 S	V V	6.2 1.7 S	V S S	V V	13.0 23.8 S	
MILES PER GALLON									
Less than 5 5 to 6.9. 7 to 8.9. 9 to 10.9 11 to 12.9 13 to 14.9 15 or more 15 to 20.9 21 to 24.9 25 or more Not reported Not applicable <sup>2</sup>	24.6 82.1 43.4 194.9 248.5 282.5 1 988.3 1 579.6 272.1 136.7 587.5 47.6	15.9 41.1 35.6 183.8 233.0 273.8 1 987.1 1 578.3 272.1 136.7 574.0 47.6	8.7 40.9 7.7 \$ \$ \$ 1.2 1.2 V V V 13.5 V	\$ 2.3 2.1 \$ 8 \$ 1.2 1.2 1.2 3.3 V	7.8 38.3 5.6 1.0 S S V V V V 10.1 V	>0>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	>>>>>>>>>>	8.2 12.2 17.0 16.4 15.2 14.6 3.7 4.7 15.1 21.8 9.4 34.9	

[Thousands. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

[Inousands. Estimates are based on data from the 2002 Venicle Invento	ds. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]  Truck type							
Vehicular and operational characteristics		Cingle unit			Combination			Coefficient of
venicular and operational characteristics	Total	Single-unit trucks and truck-tractors without trailer	Total	Single-unit truck with trailer	Truck-tractor with single trailer	Truck-tractor with double trailers	Truck-tractor with triple trailers	Coefficient of variation of total (percent)
MODEL YEAR								
2003 2002 2001 2001 2000 1999	\$ 189.9 312.2 273.9 270.8	\$ 187.3 307.2 267.7 255.9	S 2.6 5.0 6.2 14.9	V S S S S	\$ 2.3 4.4 5.5 7.0	V V V S	V V V V	S 18.1 13.8 14.7 14.6
1998 1997 1996 1995 1994 1993 Pre-1993	300.5 248.7 168.8 258.0 193.9 181.1 1 101.1	295.0 243.0 162.5 249.9 190.7 177.2 1 055.1	5.5 5.7 6.4 8.1 3.2 3.9 45.9	\$ 1.5 \$ \$ \$ \$ \$ 29.0	4.8 4.2 5.5 7.1 2.3 3.3 17.0	S > S S > > >	V V V V	14.0 15.4 18.9 15.0 17.8 18.2 6.1
VEHICLE ACQUISITION								
New Used Not reported	1 396.4 1 949.2 153.8	1 347.9 1 893.3 150.8	48.5 55.9 3.0	\$ 24.0 \$	29.4 31.6 2.4	S S V	V V	5.2 3.8 19.9
LEASE CHARACTERISTICS								
Leased Lessee Vehicle only Vehicle with driver Not reported Not applicable <sup>4</sup> Lessor	242.4 207.2 15.9 S S 190.8 20.3	223.6 200.9 9.8 V S 190.8 8.4	18.8 6.3 6.1 S V V 11.9	S S S V V V V	18.4 5.9 5.8 S V V 11.9	\$ \$ \times \time	V V V V V	14.9 16.8 10.8 S S 18.2 9.0
Vehicle only Vehicle with driver Not reported Not applicable <sup>4</sup> Not reported Not leased	17.2 2.9 S V S 1 895.8	8.2 S S V S 1 848.7	9.1 2.8 V V V .6 47.1	V V V V V 16.0	9.1 2.8 V V .6 30.9	V V V V S	V V V V	10.2 19.1 S N S 4.0
Not reported	1 361.1	1 319.6	41.4	27.2	14.1	Š	v	5.4
Length of leasing agreement: Leased	242.4 2.7 34.1 S 204.7	223.6 1.2 17.0 S 204.7	18.8 1.6 17.1 S V	S V S V	18.4 1.6 16.7 S V	S V S V	> > > > > > > > > > > > > > > > > > >	14.9 25.4 6.9 S 17.6
Provisions of lease <sup>5</sup> : Financing only Full maintenance Payment of taxes Obtaining licenses and permits Recordkeeping Fuel contract	22.2 16.3 17.4 18.4 10.9 6.9	12.6 6.5 6.8 7.9 5.2 2.9	9.6 9.8 10.7 10.5 5.6 4.0	S V V V V	9.3 9.8 10.5 10.5 5.6 4.0	V V S V V	V V V V	8.9 10.1 9.5 9.5 12.7 15.6
PRIMARY OPERATOR CLASSIFICATION								
Private  Motor carrier Owner operator Rental Personal transportation Not applicable <sup>2</sup>	564.2 38.1 28.9 17.9 2 802.7 47.6	500.1 15.1 15.7 \$ 2 802.0 47.6	64.1 23.0 13.2 6.4 S	42.5 V S V S V	21.6 22.7 12.8 6.4 V	V S S V V	V V V V	8.5 6.1 24.3 38.8 1.9 34.9
For-hire characteristics: Type of carrier: Contract Common Not reported Not applicable <sup>6</sup> Type of service:	31.3 21.4 7.5 3 439.1 41.5	10.2 8.4 5.5 3 367.9	21.2 13.0 2.0 71.2 31.1	V V S 43.2	20.9 12.8 1.7 28.0	S S V V	V V V	6.6 8.3 16.7 .7 5.1
Truckload Less-than truckload Not reported Not applicable <sup>6</sup> Source of hauls: Shippers or receivers	11.8 6.9 3 439.1 38.4	8.3 5.3 3 367.9	31.1 3.5 1.6 71.2 26.7	V V 43.2	3.4 1.6 28.0 26.5	S S V V	V V V	13.6 17.1 .7
Brokers Centralized markets or exchanges Other Not reported Not applicable <sup>6</sup>	7.0 2.0 V 12.9 3 439.1	1.9 1.3 V 9.2 3 367.9	5.1 .7 V 3.7 71.2	V V V S 43.2	4.9 .7 V 3.4 28.0	S S V V V	> > > > >	12.8 29.5 N 12.4
HAZARDOUS MATERIALS CARRIED <sup>7</sup>								
Carrying hazardous materials Not carrying hazardous materials Not reported Not applicable <sup>8</sup>	11.3 204.6 26.3 3 257.2	4.4 145.2 19.9 3 222.5	6.9 59.4 6.4 34.7	V 14.1 S 28.4	6.9 44.8 5.3 6.4	V .5 V	V V V	12.0 1.8 9.2 .7
EQUIPMENT TYPE <sup>5 9</sup>								
Aerial work platform/bucket Air bag(s) (safety device only) Air compressor (except air brakes) Air-conditioning Air springs	S 1 907.3 16.5 2 699.6 33.3	S 1 889.9 8.1 2 617.3 6.8	\$ 17.4 8.4 82.3 26.5	S S S 26.8 V	V 8.0 7.8 55.1 26.3	V S S .5 S	V V V V	S 3.8 10.1 2.2 5.5

[Thousands. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

[Inousands. Estimates are based on data from the 2002 Vehicle Inventor	vey. Because of fo	unuing, estimat	Truck	type				
Vehicular and operational characteristics	<del>.</del>	Single-unit trucks and truck-tractors		Single-unit truck with	Combination  Truck-tractor with single	Truck-tractor with double	Truck-tractor with triple	Coefficient of variation of total
EQUIPMENT TYPE <sup>5 9</sup> —Con.	Total	without trailer	Total	trailer	trailer	trailers	trailers	(percent)
Antilock brake system Collision warning system Computerized drive train control unit Crane Electronic vehicle identification device	2 017.5 3.1 462.5 5.2 3.0	1 976.9 2.1 451.7 4.7 S	40.6 1.0 S S S 2.7	\$ \$ \$ \$ \$ \$ \$ \$	29.2 .7 3.3 S 2.7	S V S V	V V V	3.6 28.9 11.0 21.2 19.3
Engine retarder/brake Front-wheel drive Hoist Idle-reducing technology (portable auxiliary pack, electrification, etc.) Internet access	43.6 1 316.8 41.5 5.9 S	10.3 1 309.7 37.1 1.8 S	33.3 S 4.4 4.1 S	.5 S 4.4 V	32.6 V V 3.9 S	S V V S V	V V V V	4.1 5.5 7.2 15.9 S
Lift gate Mounting bar for snowplow Navigational system Power take-off Radial tires	13.5 39.1 S 66.6 2 280.8	12.9 37.2 S 51.4 2 203.1	S 1.8 S 15.2 77.7	S 1.8 V 3.4 29.5	V V S 11.7 47.9	V V V S S	V V V V	13.9 38.9 S 5.0 3.2
Reflective material in addition to those required by law	36.7 54.9 215.8 124.4	25.1 26.3 199.0 112.4	11.6 28.6 16.9 S	2.3 1.9 7.2 S	9.1 26.4 9.5 4.8	\$ \$ \$	V V V	7.3 5.1 14.7 22.2
capabilities  Vehicle control aids for handicapped drivers  Wheelchair lift  Winch	593.2 V S 30.3	581.5 V S 29.7	S V V S	\$ V V S	4.8 V V S	V V V	V V V	9.6 N S 39.1
Transmission type: Automatic Manual Semiautomated manual Automated manual Not reported	2 686.7 719.8 2.8 S 76.3	2 659.4 645.3 1.6 S 72.1	27.3 74.5 1.2 S 4.2	25.9 16.9 V V S	1.4 57.1 1.2 S 3.6	V .5 V V	V V V	2.2 7.4 26.3 S 26.6
Braking system: Hydraulic (standard) Hydraulic with power assist Air Other Not reported Not applicable 10	90.1 54.2 108.4 V 12.9 3 233.7	81.9 49.3 46.4 V 9.0 3 205.3	8.2 4.9 62.0 V 3.9 28.4	6.5 4.5 3.8 V S 28.4	1.7 S 57.7 V 3.6 V	V V .5 V V	V V V V	8.6 6.2 2.7 N 13.2
FUEL TYPE AND ENGINE SIZE								
Fuel type: Gasoline Diesel Natural gas Propane Alcohol fuels	3 197.1 231.5 V 1.2 V	3 162.1 159.2 V 1.2 V	35.1 72.3 V V V	34.8 8.7 V V	S 63.1 V V V	V .5 V V	V V V V	1.1 8.9 N 49.8 N
Electricity Combination Other Not reported Not applicable <sup>2</sup>	V S V 1.0 47.6	V S V 1.0 47.6	V V V	V V V V	V V V	V V V V	V V V V	N S N 33.0 34.9
Cylinders <sup>11</sup> : 4 cylinders 6 cylinders 8 cylinders Other	462.7 1 796.4 1 164.3 75.9	462.3 1 724.6 1 133.4 71.6	\$ 71.7 30.9 4.4	\$ \$ 29.9 1.7	\$ 59.6 1.0 2.6	V .5 V	V V V	11.1 3.9 5.7 20.3
Cubic inch displacement <sup>11</sup> :     Gasoline fuel     Less than 200     200 to 299     300 to 349     350 to 399     400 or more     Not available     Diesel fuel     Less than 400     400 to 599     600 to 799     800 or more     Not available     Other fuel     Less than 400     400 available     Other fuel     Not available     Other fuel     Less than 400     400 or more     Not available     Other fuel     Less than 400     400 or more     Not available     Not reported     Not applicable <sup>2</sup>	3 197.1 803.5 1 287.1 530.1 449.7 83.8 42.8 231.5 50.3 37.2 32.8 18.0 \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$	3 162.1 803.5 1 280.3 529.8 438.3 68.3 41.8 159.2 48.7 85.2 13.1 3.3 8.9 S S S S	35.1 V V S S S S 1.0 72.3 1.6 8.1 24.0 29.5 V V V V	34.8 V V S S S S S S 7 8.7 1.2 5.9 S 5.5 1.0 V V V V V V V V V V V V V V V V V V V	S V V V V V V V S 63.1 S 22.2 23.8 28.6 8 1 V V V V V V V V V V V V V V V V V V	V V V V V V V V V V V V V V V V V V V	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	1.1 8.0 5.4 10.8 25.5 23.1 8.9 27.3 16.7 4.9 4.9 8.6 S S S S 33.0 34.9
REFUELING LOCATION								
Gas station Truck stop Own facility (including home, farm, ranch, onsite by mobile supplier, etc.) Other company's/contractor's facility not open to the public Other Not reported Not applicable <sup>2</sup>	3 128.0 78.9 101.0 S S 124.7 47.6	3 095.9 47.4 73.8 S S 110.3 47.6	32.1 31.5 27.3 2.1 V S V	23.2 S 5.5 S V S V	8.8 30.7 21.7 1.7 V .5 V	\$\$ V\$V V	V V V V	1.4 19.4 12.2 S S S 22.1 34.9

[Thousands. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

	-	•	<u> </u>	Truck	type			
					Combination			
Vehicular and operational characteristics	Total	Single-unit trucks and truck-tractors without trailer	Total	Single-unit truck with trailer	Truck-tractor with single trailer	Truck-tractor with double trailers	Truck-tractor with triple trailers	Coefficient of variation of total (percent)
MAINTENANCE <sup>5</sup>								
General maintenance performed by: None performed Company-owned maintenance facility. General repair business or private mechanic. Dealership service department Leasing company	100.8 312.3 1 334.4 773.2 3.2	100.0 268.4 1 312.1 763.8 2.0	.8 43.8 22.3 9.4 1.3	\$ 6.0 4.0 1.3 V	S 37.7 18.2 8.0 1.1	\ \ \ \ \ \ \ \ \ \ \ \	> > > > > > > > > > > > > > > > > > >	25.0 11.6 5.4 8.0 25.0
Individual not employed/paid by any maintenance type facility Other Not reported	1 458.4 V 109.4 47.6	1 419.4 V 101.7 47.6	39.0 V S V	26.6 V S V	12.3 V S V	S V V	V V V	5.0 N 23.7 34.9
Extensive repairs performed by: None performed Company-owned maintenance facility. General repair business or private mechanic. Dealership service department Leasing company	2 728.2 62.5 191.1 163.3 S	2 643.3 57.0 184.3 157.6 S	84.9 5.5 6.8 5.7 S	38.3 1.9 S 1.5 V	46.3 3.6 6.0 4.2 S	S S V V	> > > >	2.3 28.8 17.4 19.1 S
Component distributorship (engine, transmission, body, etc.) Individual not employed/paid by any repair type facility Other Not reported Not applicable <sup>2</sup>	\$ 201.7 V 27.4 47.6	S 198.5 V 27.3 47.6	.9 3.2 V S V	S 1.2 V V	.6 2.0 V S V	V V V V	V V V V	S 17.4 N 49.5 34.9
AXLE ARRANGEMENT								
Driving axles: 1	2 093.3 1 404.1 1.2 .8	2 053.7 1 336.4 1.2 .7	39.5 67.7 V S	32.4 S V V	7.1 56.2 V S	V .5 V	V V V	3.5 5.2 31.3 37.4
Total liftable axles and locations <sup>12</sup> :  None  1  Forward of the drive axle Below the chassis Beyond the chassis Not reported 2 or more Forward of the drive axle Below the chassis Beyond the chassis Not reported Not reported Not applicable <sup>10</sup>	254.7 6.1 3.8 1.2 S .8 4.3 2.4 1.0 9 S 6 3 233.7	176.4 5.5 3.6 1.0 8 .7 4.3 2.4 1.0 9 8 5 3 205.3	78.3 .6 .6 .5 .5 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7	14.8 S S S V V V V V V V 28.4	63.1	.5 V V V V V V V V V V V V V V V V V V V	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	2.9 15.6 20.3 36.2 8 37.5 15.9 21.4 33.0 8 44.4
Total liftable axles and number of braking axles:  None  1  0 braking 1 braking Not reported 2 or more 0 braking 1 braking 1 braking 1 braking Not reported Not reported Not reported Not popted Not poptided Not pop	254.7 6.1 1.2 4.7 8 4.3 V 4.3 V 4.3 V 6.3 233.7	176.4 5.5 1.0 4.5 V 4.3 V 4.3 V 5.5 3 205.3	78.3 .6 .6 .5 .5 .5 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7	14.8 S S S V V V V V V V 28.4	63.1	.5 V V V V V V	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	2.9 15.6 36.3 17.7 S 15.9 N N 15.9 N 44.4
CAB TYPE								
Conventional cab With sleeper Without sleeper Not reported	242.6 33.0 207.9 1.7	168.7 V 168.7 V	73.8 33.0 39.2 1.7	14.6 V 14.6 V	58.8 32.5 24.6 1.7	.5 .5 V V	V V V	3.0 4.6 3.6 25.4
Cab over engine With sleeper Without sleeper Not reported	22.3 3.5 18.5 S	17.2 S 16.8 V	5.2 3.2 1.7 S	S V S V	4.6 3.2 1.1 S	V V V	V V V	8.1 17.6 9.3 S
Cab forward of engine Cab beside engine Not reported Not applicable <sup>10</sup>	.7 V V 3 233.7	.7 V V 3 205.3	V V V 28.4	V V V 28.4	V V V	V V V	V V V	40.5 N N .7

N Not available. miles, or 0.05 percent. S Estimate does not meet publication standards because of high sampling variability or poor response quality. V Represents an estimate of less than 50 vehicles, 50,000

Note: Use caution when assessing the true increase or decrease in any particular data line. Large changes in the "not reported" or "not applicable" estimates should be taken into account.

Note: The Appendix provides instructions for approximating unpublished coefficients of variation (CVs). CVs estimated from sample data are available on request. The Introduction gives information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/svsd/www/02vehinv.html.

<sup>&</sup>lt;sup>1</sup>Comparability of estimates may vary across survey years due to changes in category definitions.

<sup>2</sup>Vehicles not in use. When the respondent had partial-year ownership of the vehicle, annual miles were adjusted to reflect miles traveled when not owned by the respondent.

<sup>3</sup>Truck-tractors not in use.

<sup>4</sup>Lessees or lessors of pickups, minivans, other light vans, and sport utilities.

<sup>5</sup>Detail lines do not add to total trucks because items were not applicable or multiple responses were possible.

<sup>6</sup>Includes pickups, minivans, other light vans, and sport utilities; all other vehicles that are private, rental, or used for personal transportation; and vehicles not in use.

<sup>7</sup>Distributed miles data are available in Table 8.

<sup>&#</sup>x27;Distributed miles data are available in Table 8.

§Includes pickups, minivans, other light vans, and sport utilities; all other vehicles that are rental or used for personal transportation; and vehicles not in use.

§Pickups, minivans, other light vans, and sport utilities, in the Equipment Type section, were only required to report for aerial work platform/bucket, air bag(s), air-conditioning, antilock brake system, computerized drive train control unit, front-wheel drive, mounting bar for snowplow, radial tires, toolbox, trip recorder, vehicle control aids for handicapped drivers, wheelchair lift, and winch.

¹¹Pickups, minivans, other light vans, and sport utilities.

¹¹Data were derived from administrative records.

¹²Detail lines do not add to the subtotal line because items were not applicable or multiple responses were possible. When 2 or 3 liftable axles were indicated, respondents properly reported multiple responses, therefore detail lines will be significantly greater than the corresponding subtotal line.

## Table 6. Truck Miles by Vehicle Size: 2002

[Millions. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

[Millions. Estimates are based on data from the 2002 Venicle Inventory and Use Survey.	because of fouriding	g, estimates may n	Vehicl	e size		Coefficient of
Vehicular and operational characteristics	Total	Light	Medium	Light-heavy	Heavy-heavy	Coefficient of variation of total (percent)
Total	<b>45 649.0</b> 3.3	<b>39 758.0</b> 3.8	<b>718.5</b> 8.7	<b>563.1</b> 14.1	<b>4 609.4</b> 3.2	X
BUSINESS¹ For-hire transportation or warehousing. Vehicle leasing or rental Agriculture, forestry, fishing, or hunting Mining Utilities Utilities	2 850.1 1 013.6 645.7 59.6 467.9	\$ \$ 392.9 \$ \$	148.7 S 42.0 V 30.1	131.9 S 22.1 S S	2 437.0 511.2 188.8 52.6 59.1	6.4 44.3 30.2 32.3 49.0
Construction Manufacturing Wholesale trade Retail trade Information services	3 259.4 490.8 790.0 607.4 S	2 701.9 S 502.8 433.7 S	107.2 S 75.2 73.5 S	96.7 61.2 69.1 S	353.6 221.3 142.8 79.1 V	19.6 30.9 31.5 28.1 S
Waste management, landscaping, or administrative/support services Arts, entertainment, or recreation services Accommodation or food services Other services Personal transportation Not reported Not applicable <sup>2</sup> BODY TYPE	297.5 S S 902.5 32 894.1 624.4 S	26.9 V S 823.2 32 877.8 S S	55.4 S S 50.6 S 32.2 S	8.0 S V S V 87.0 S	207.2 S 70.6 S V 273.7 V	13.1 S S 38.9 4.4 22.1 S
Single-unit trucks Pickup. Minivan. Other light vans Sport utility. Armored.	41 845.8 16 581.4 8 365.2 2 646.8 11 253.3 V	39 758.0 16 561.6 8 365.2 2 646.8 11 253.3 V	718.5 S V V V V	563.1 V V V V	806.2 V V V V	3.6 4.8 12.1 18.6 10.0 N
Beverage . Concrete mixer . Concrete pumper . Crane . Curtainside	20.0 38.2 V S S	S V V V	S V V S V	S V V S V	S 38.2 V S S	48.1 22.3 N S S
Dump Flatbed, stake, or platform Low boy Pole, logging, pulpwood, or pipe Service, utility	430.0 389.7 V S 96.5	33.5 79.6 V V 23.1	81.5 126.0 V V 39.3	52.6 56.1 V V 27.3	262.3 128.0 V S S	9.5 11.0 N S 23.5
Service, other Street sweeper Tank, dry bulk Tank, liquids or gases Tow/Wrecker	154.8 S 6.1 41.4 57.2	61.8 V V V S	57.4 S V V 35.9	29.7 V V S S	S V 6.1 31.0 17.5	19.0 S 48.3 27.6 31.8
Trash, garbage, or recycling Vacuum Van, basic enclosed Van, insulated nonrefrigerated Van, insulated refrigerated	96.0 S 1 053.2 S 94.5	V V S V S	S V 133.1 S S	V V 250.5 V S	93.9 S 140.3 V 46.2	20.8 S 42.7 S 33.6
Van, open top Van, step, walk-in, or multistop Van, other Other	\$ 369.8 94.3 V	S 175.7 22.0 V	S 161.5 S V	S 32.6 S V	5.2 V V	S 14.4 38.0 N
Truck-tractors Automobile carrier Beverage Curtainside Dump Flatbed, stake, or platform	3 803.2 S 21.6 S 256.5 661.7	V V V V	> > > > > > > > > > > > > > > > > > >	V V V V	3 803.2 S 21.6 S 256.5 661.7	3.7 S 40.6 S 16.4 11.1
Livestock Low boy Mobile home toter Open top Pole, logging, pulpwood, or pipe	\$ 75.0 \$ 46.4 \$	V V V V	>> >> >>	V V V V	\$ 75.0 \$ 46.4 \$	\$ 33.9 \$ 39.4 \$
Tank, dry bulk Tank, liquids or gases Van, basic enclosed Van, drop-frame Van, drop-frame Van, insulated nonrefrigerated	100.8 213.6 1 834.0 S S	V V V V	>> >> >>	V V V V	100.8 213.6 1 834.0 S S	30.1 20.5 6.8 S
Van, insulated refrigerated Other Not applicable <sup>3</sup> ANNUAL MILES	473.0 V V	V V V	V V	V V V	473.0 V V	15.5 N N
ANNOAL MILES Less than 5,000 5,000 to 9,999 10,000 to 19,999 20,000 to 29,999 30,000 to 49,999	1 377.1 5 174.9 21 025.5 7 545.3 4 609.5	1 271.3 4 997.4 20 454.6 6 956.0 3 801.1	40.6 53.2 211.3 188.4 167.9	18.6 43.6 103.9 124.6 88.9	46.7 80.7 255.7 276.2 551.6	11.1 8.7 4.9 13.0 20.1
50,000 to 74,999 75,000 or more Not applicable <sup>2</sup> PRIMARY RANGE OF OPERATION	1 909.0 3 969.5 S	\$ \$ \$	S S S	99.8 S S	905.2 2 493.3 V	31.8 24.3 S
Off-the-road	S 28 560.6 5 664.0 1 618.4 1 686.3	S 26 798.1 4 671.0 986.2 S	\$ 450.4 162.8 32.4 \$	\$ 270.0 90.5 \$ \$	33.0 1 042.1 739.7 546.2 766.9	S 4.2 16.1 23.3 30.4
501 miles or more Not reported Not applicable <sup>2</sup>	1 772.2 6 136.6 S	889.9 5 401.3 S	S 51.7 S	S 67.6 S	865.5 616.0 V	19.3 16.9 S

[Millions. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

[Millions. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. E	because of fouriding	g, estimates may no	0			
Vehicular and operational characteristics	Total	Light	Vehicle Medium	Light-heavy	Heavy-heavy	Coefficient of variation of total (percent)
PRIMARY JURISDICTION  Operated in Canada.  Operated in Mexico.  Operated within the home base state  Operated in states other than the home base state.  Not reported  Not applicable <sup>2</sup>	S V 38 652.2 2 442.1 4 486.8 S	V V 35 069.0 773.8 3 878.7 S	V V 663.7 S S 31.3 S	S V 405.2 S 63.5 S	S V 2 514.2 1 580.6 513.3 V	S N 3.7 12.2 20.4 S
MONTHS OPERATED  12.	34 267.5 6 728.5 4 495.8 119.2 S	29 889.7 5 560.0 4 162.9 109.0 S	509.0 130.2 73.1 S S	376.4 156.9 27.3 1.9 S	3 492.3 881.4 232.6 3.1 V	4.7 10.4 15.6 43.0 S
AVERAGE WEIGHT (POUNDS)  Less than 6,001 6,001 to 8,500 8,501 to 10,000 10,001 to 14,000 14,001 to 16,000	30 346.4 7 273.8 2 137.9 461.7 147.4	30 346.4 7 273.8 2 137.9 N	N N N 461.7 147.4	N N N N N N N N N N N N N N N N N N N	N N N N	5.0 11.7 28.7 11.5 18.7
16,001 to 19,500 19,501 to 26,000 26,001 to 33,000 33,001 to 40,000 40,001 to 50,000	109.4 563.1 280.3 218.2 190.6	N N N N N N	109.4 N N N N	N 563.1 N N N	N N 280.3 218.2 190.6	22.8 14.1 16.7 20.0 16.9
50,001 to 60,000 60,001 to 80,000 80,001 to 100,000 100,001 to 130,000 130,001 or more	527.5 3 344.9 12.6 35.3 V	N N N N N	N N N N N	N N N N N	527.5 3 344.9 12.6 35.3 V	12.3 4.1 47.2 49.6 N
TOTAL LENGTH (FEET) Less than 20.0 20.0 to 27.9 28.0 to 35.9 36.0 to 40.9 41.0 to 44.9	36 462.2 4 428.9 552.4 338.5 203.5	35 922.5 3 727.1 S S S	301.4 219.7 86.2 50.9 51.6	110.3 166.7 186.7 79.7 S	128.0 315.3 234.3 144.8 151.3	4.1 16.8 12.5 23.2 17.5
45.0 to 49.9 50.0 to 54.9 55.0 to 59.9 60.0 to 64.9 65.0 to 69.9	288.5 205.2 366.6 1 095.1 1 065.1	V V V V	S S S V V	V S S S V S	288.3 200.0 349.3 1 095.1 1 059.9	16.6 18.5 15.1 9.1 9.3
70.0 to 74.9	457.1 173.5 S	V V	V V	V V	457.1 173.5 S	14.8 26.3 S
Less than 5   5 to 6.9   7 to 8.9   9 to 10.9   11 to 12.9   13 to 14.9   15 to 20.9   21 to 24.9   25 or more   Not reported   Not applicable <sup>2</sup>   MODEL YEAR	486.0 2 986.6 638.9 2 084.7 2 618.4 3 724.8 25 212.1 19 462.3 4 119.9 1 629.9 7 859.5 S	21.5 41.3 66.0 1 711.2 2 358.9 3 625.4 25 100.8 19 351.1 4 119.9 1 629.9 6 796.4	\$ 40.9 94.5 170.2 111.6 81.5 66.3 V V 141.4 \$	S 56.9 120.6 122.0 90.8 S 31.6 31.6 V 100.6 S	429.5 2 847.4 357.8 81.3 57.0 \$ 13.4 V V 821.2 V	11.8 4.7 11.2 19.3 19.5 24.5 6.2 20.3 27.7 11.7 S
2003 2002 2001 2000 1999	\$ 2 209.9 5 316.9 4 773.2 4 872.2	V 1 935.8 4 709.4 4 070.8 3 901.0	V S 69.4 66.3 126.9	V S 81.3 70.5 104.3	\$ 209.0 456.8 565.5 740.0	S 18.6 13.9 14.7 15.6
1998 1997 1996 1995 1994 1993 Pre-1993	4 395.7 3 428.0 3 048.6 3 477.2 2 870.3 2 189.3 9 031.7	3 890.3 2 922.3 2 614.6 2 914.9 2 685.4 1 995.3 8 118.1	69.9 71.0 35.1 35.1 26.2 20.7 169.8	\$ 54.7 \$ 35.2 \$ 27.1 89.2	413.5 379.9 388.7 492.0 127.1 146.3 654.6	14.1 16.0 20.4 17.4 26.1 19.2 11.8
New	20 510.4 23 235.9 1 902.7	16 988.1 21 111.7 1 658.2	445.5 230.3 42.8	421.4 125.2 S	2 655.5 1 768.7 185.2	5.9 6.6 21.1
Leased Leasee Vehicle only Vehicle with driver Not reported Not applicable <sup>4</sup> Lessor. Vehicle only Vehicle with driver Not reported Not applicable <sup>4</sup> Not reported Not applicable <sup>4</sup> Not reported Not reported Not leased Not leased Not leased	4 802.4 3 507.6 752.4 S S S 2 745.7 1 160.3 916.8 240.2 S V S 24 659.1 16 187.5	2 884.8 2 774.1 28.4 V V 2 745.7 26.2 20.2 S S V S 21 967.5 14 905.6	89.0 74.3 72.8 V S S S S V V V V S 456.0	185.1 S S V V 107.0 107.0 V V V 273.6 104.3	1 643.5 581.0 573.0 S V V 1 012.7 775.3 237.4 V V 49.7 1 962.0 1 003.9	11.4 15.3 12.0 S S 19.2 10.6 21.6 S N S S

[Millions. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

[Millions. Estimates are based on data from the 2002 Venicle Inventory and Use Survey.		Vehicle size				
Vehicular and operational characteristics	Total	Light	Medium	Light-heavy	Heavy-heavy	Coefficient of variation of total (percent)
LEASE CHARACTERISTICS—Con.  Length of leasing agreement: Leased  1 to 11 months 12 months or more Not reported Not applicable <sup>4</sup>	4 802.4	2 884.8	89.0	185.1	1 643.5	11.4
	145.6	S	V	S	121.2	26.9
	1 804.1	46.4	82.5	169.0	1 506.3	7.3
	S	V	S	V	S	S
	2 830.2	2 830.2	V	V	V	18.8
Provisions of lease <sup>5</sup> : Financing only Full maintenance Payment of taxes Obtaining licenses and permits Recordkeeping Fuel contract	1 131.1 985.1 1 052.0 1 063.3 610.3 403.4	49.4 20.3 23.8 23.1 S	73.8 S S 14.4 S S	111.9 100.0 80.4 80.4 54.9	896.1 855.5 937.2 945.3 529.2 357.6	9.6 10.3 9.9 9.7 12.9 16.3
PRIMARY OPERATOR CLASSIFICATION  Private Motor carrier Owner operator Rental Personal transportation Not applicable <sup>2</sup>	8 301.3 2 129.1 1 254.7 1 031.7 32 894.1 S	6 256.6 S S S S 32 877.8 S	485.0 150.2 34.6 S S S	392.6 45.6 95.7 S V S	1 167.1 1 912.9 1 008.2 521.2 V	10.6 6.4 11.1 43.5 4.4 S
For-hire characteristics: Type of carrier: Contract Common Not reported Not applicable <sup>6</sup> Type of service: Truckload Less-than truckload Not reported Not applicable <sup>6</sup> Source of hauls: Shippers or receivers Brokers Centralized markets or exchanges Other Not applicable <sup>6</sup> Not applicable <sup>6</sup> Source of hauls: Shippers or receivers Brokers Centralized markets or exchanges Other Not reported Not applicable <sup>6</sup>	1 972.3 1 101.0 218.6 42 357.1 2 635.1 457.7 199.1 42 357.1 2 380.6 437.2 72.5 V 401.5 42 357.1	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	73.2 78.9 32.7 533.7 45.8 110.9 S 533.7 138.5 S S V V 33.7 533.7	107.1 S \$ 421.7 \$ \$ \$ \$ 421.7 \$ \$ \$ \$ \$ \$ \$ \$ 421.7	1 760.6 1 002.2 158.2 1 688.3 2 482.8 290.4 147.9 1 688.3 2 152.0 423.5 45.6 V 300.0 1 688.3	7.1 8.7 18.7 3.5 5.6 15.1 19.1 3.5 6.1 14.3 37.1 N 15.2 3.5
HAZARDOUS MATERIALS CARRIED <sup>7</sup> Carrying hazardous materials Not carrying hazardous materials Not reported Not applicable <sup>8</sup>	646.0	V	S	S	616.2	13.0
	4 535.3	402.5	597.3	430.2	3 105.3	3.5
	586.0	76.3	65.7	77.3	366.7	12.1
	39 881.6	39 279.1	52.1	29.1	521.2	3.8
EQUIPMENT TYPE <sup>5 9</sup> Aerial work platform/bucket  Air bag(s) (safety device only)  Air compressor (except air brakes)  Air-conditioning  Air springs	27.8	S	S	5.7	S	31.8
	28 236.2	27 244.5	199.6	77.6	714.4	5.2
	678.0	S	31.2	26.0	604.0	11.8
	39 024.2	34 184.1	358.0	364.1	4 118.0	4.0
	2 043.1	S	S	138.8	1 902.3	6.6
Antilock brake system Collision warning system Computerized drive train control unit Crane Electronic vehicle identification device	30 226.9	27 155.1	291.6	246.1	2 534.0	4.6
	127.8	S	45.1	S	73.4	29.5
	6 346.2	6 042.9	33.9	V	269.4	13.9
	54.9	S	S	12.3	37.5	22.8
	266.0	V	V	V	266.0	21.9
Engine retarder/brake Front-wheel drive Hoist Idle-reducing technology (portable auxiliary pack, electrification, etc.) Internet access	2 558.1 17 348.5 363.5 299.5 S	33.8 17 348.5 15.0 V	22.2 V 53.1 S S	S V 59.0 S V	2 496.4 V 236.3 274.9 S	5.3 8.0 11.1 17.5 S
Lift gate Mounting bar for snowplow Navigational system Power take-off Radial tires.	278.7	52.9	67.6	127.1	31.1	19.1
	S	S	S	S	S	S
	S	V	V	V	S	S
	1 128.8	18.9	77.0	62.5	970.4	6.9
	30 870.5	26 511.5	476.5	423.4	3 459.1	4.8
Reflective material in addition to those required by law	987.2	41.4	105.8	129.6	710.4	9.7
	2 490.3	26.2	87.5	172.8	2 203.9	5.6
	3 854.5	2 762.6	186.0	187.4	718.5	15.9
	2 509.5	1 934.4	37.9	S	501.5	21.9
	8 232.5	7 860.8	33.8	V	337.9	10.8
Vehicle control aids for handicapped drivers Wheelchair lift Winch	V	V	V	V	V	N
	S	S	V	V	V	S
	S	S	46.7	7.0	71.9	S
Transmission type: Automatic	33 264.5	32 433.3	446.4	142.8	242.0	4.5
	11 100.9	6 588.0	245.3	365.1	3 902.5	8.2
	140.2	V	S	S	136.4	28.7
	S	S	V	V	S	S
	1 007.6	614.6	S	52.0	314.9	21.4
Braking system: Hydraulic (standard). Hydraulic with power assist Air Other Not reported Not applicable 10	1 514.6	S	383.6	180.0	234.7	29.8
	588.1	183.2	229.2	109.6	66.1	9.0
	4 257.5	S	23.7	221.6	4 000.9	3.7
	V	V	V	V	V	N
	442.1	20.1	62.4	51.9	307.7	13.5
	38 846.7	38 826.9	S	V	V	3.7

[Millions. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

Makindan and an autimated the control of			Vehicle	size		Coefficient of
Vehicular and operational characteristics	Total	Light	Medium	Light-heavy	Heavy-heavy	variation of total (percent)
FUEL TYPE AND ENGINE SIZE						
Fuel type: Gasoline Diesel Natural gas Propane Alcohol fuels	38 645.9 6 603.8 V S V	38 227.4 1 149.0 V V	283.1 434.3 V V	81.9 472.5 V S V	53.5 4 548.1 V S V	3.9 5.9 N S N
Electricity Combination Other Not reported Not applicable <sup>2</sup>	V S V 9.2	V S V 6.9 S	V V V S	V V V S	V V V S V	N S N 41.6 S
Cylinders <sup>11</sup> : 4 cylinders 6 cylinders 8 cylinders Other	5 450.6 26 843.5 12 668.5 686.3	5 336.5 21 953.4 11 985.0 483.1	86.7 111.3 462.8 57.7	S 405.7 134.8 12.8	17.6 4 373.1 85.9 132.8	13.6 5.6 8.0 25.8
Cubic inch displacement <sup>11</sup> : Gasoline fuel Less than 200 200 to 299 300 to 349 350 to 399 400 or more Not available Diesel fuel Less than 400 400 to 599 600 to 799 800 or more Not available Other fuel Less than 400 400 or more Not available Other fuel Less than 400 400 or more Not available Other fuel Less than 400 400 or more Not available Not reported Not applicable <sup>2</sup> REFUELING LOCATION	38 645.9 10 327.7 17 292.1 5 783.5 4 148.8 833.4 260.4 6 603.8 784.9 1 600.7 1 777.2 1 869.0 572.0 S S S S	38 227.4 10 319.3 17 283.6 5 753.7 3 957.4 712.8 200.7 1 149.0 436.2 697.2 V 15.6 S S V S 6.9 S	283.1 V S S S 115.0 101.7 30.4 434.3 196.2 234.7 S V V V V V V V S	81.9 S V V S 42.5 14.3 472.5 112.5 322.3 S S S V V V V S	53.5 V V V 33.9 S 15.0 4 548.1 39.9 346.6 1 744.6 1 867.5 549.4 S V S V	3.9 10.8 8.1 12.8 14.5 34.4 33.9 5.9 25.1 19.6 6.3 6.3 6.3 6.3 8 12.7 8 8 8 8 8
Gas station Truck stop Own facility (including home, farm, ranch, onsite by mobile supplier, etc.) Other company's/contractor's facility not open to the public. Other Not reported Not applicable <sup>2</sup> MAINTENANCE <sup>5</sup>	38 366.9 3 426.0 2 199.5 299.3 S 1 319.1	37 078.6 S S S V 1 237.8 S	490.5 29.3 169.6 S V S S	189.7 158.8 182.0 S S 25.6	608.1 2 419.6 1 417.8 129.0 V 34.9 V	4.0 12.8 11.3 37.0 S 24.4 S
General maintenance performed by:  None performed  Company-owned maintenance facility  General repair business or private mechanic  Dealership service department  Leasing company	623.9 6 141.6 19 076.9 10 598.5 144.9	605.6 2 891.1 17 289.2 9 501.5 S	\$ 296.6 223.2 138.2 \$	S 179.9 129.5 216.5 S	S 2 774.1 1 435.0 742.3 98.7	35.9 10.7 7.7 8.8 26.0
Individual not employed/paid by any maintenance type facility Other Not reported Not applicable <sup>2</sup>	16 768.6 V 1 145.2 S	15 802.3 V 1 093.6 S	125.8 V S S	58.8 V S S	781.7 V 17.9 V	6.9 N 26.6 S
Extensive repairs performed by: None performed Company-owned maintenance facility General repair business or private mechanic Dealership service department Leasing company	35 132.4 824.1 3 289.4 2 550.8 S	31 070.9 461.5 2 712.3 1 997.8 V	524.2 39.3 53.1 59.6 S	341.4 22.5 25.1 73.2 V	3 196.0 300.8 498.8 420.2 S	3.9 22.8 26.0 18.1 S
Component distributorship (engine, transmission, body, etc.) Individual not employed/paid by any repair type facility. Other Not reported Not applicable <sup>2</sup>	266.3 2 145.9 V S S	S 1 931.6 V S S	S S V V S	\$ \$ V V \$	67.8 187.1 V S V	43.1 20.4 N S S
TRUCK TYPE AND AXLE ARRANGEMENT Single-unit trucks and truck-tractors without trailer. 2 axles 3 axles 4 axles 5 axles or more Not reported	41 491.1 41 002.5 241.9 107.6 133.1 6.1	39 529.0 39 524.2 S V V S	652.8 648.9 S V V S	540.3 515.0 S V V	769.1 314.4 214.0 107.6 133.1 V	3.6 3.7 14.2 20.8 18.3 49.0
Combinations Single-unit trucks with trailer 3 axles 4 axles 5 axles or more Not reported Truck-tractors with single trailer 3 axles 5 axles 5 axles or more Not reported Truck-tractors with double trailer 3 axles 5 axles or more Truck-tractors with double trailers 5 axles 6 axles 7 axles 8 axles or more Not reported Not reported Not reported Not reported Not reported	4 157.8 354.6 \$ 174.3 12.3 \$ 3 784.8 48.6 61.9 3 349.7 324.7 \$ V \$ V	S S S S S V V V V V V V V V V V V V V V	65.7 65.7 S 43.9 S S V V V V V V V V V V V V V V V V V V	S S V S S S V V V V V V V V V V V V V V	3 840.3 37.1 \$24.9 6.9 \$3 784.8 48.6 61.9 3 349.7 \$24.7 \$\text{S}\$\$\text{V}\$	5.0 42.1 8 34.3 39.9 8 30.7 34.7 4.2 18.6 8 N N S N N

[Millions. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

<u> </u>						
Vehicular and operational characteristics			Vehic	le size		Coefficient of
venicular and operational characteristics	Total	Light	Medium	Light-heavy	Heavy-heavy	variation of total (percent)
TRUCK TYPE AND AXLE ARRANGEMENT—Con.						
Combinations—Con. Truck-tractors with triple trailers	V V V V	V V V V	V V V V	V V V V	V V V V	N N N N N N N N N N N N N N N N N N N
Driving axles: 1 2 3 or more Not reported	24 143.3 21 483.5 15.6 6.6	22 373.5 17 380.1 V S	664.2 52.6 V S	546.4 16.7 V	559.2 4 034.1 15.6 S	5.7 6.5 40.2 46.1
Total liftable axles and locations 12: None  1 Forward of the drive axle Below the chassis Beyond the chassis Not reported 2 or more Forward of the drive axle Below the chassis Not reported Not reported Not reported Not reported Not applicable 10	6 516.6 145.8 104.4 21.4 S 18.1 132.4 60.0 34.6 20.9 S S 38 846.7	931.0 V V V V V V V V V V V V V V V V V V V	697.6 S V S V V V V V V V S S	541.6 S S V V V V V V V V V V V V V V V V V	4 346.3 123.2 82.9 S S 18.1 132.4 60.0 34.6 20.9 S V	7.3 21.8 27.9 47.8 S 45.1 18.4 24.8 39.7 38.3 S S 3.7
Total liftable axles and number of braking axles:  None  1  0 braking  1 braking  Not reported  2 or more  0 braking  1 braking  2 or more  Not reported  Not reported  Cap Type  CAB TYPE	6 516.6 145.8 S 129.4 S 132.4 V V 132.4 V S 38 846.7	931.0 V V V V V V V V V V V V V V V V V V V	697.6 S V S V V V V V V S S	541.6 S V S V V V V V V	4 346.3 123.2 S 106.7 S 132.4 V V 132.4 V S V	7.3 21.8 S 23.9 S 18.4 N N 18.4 S 3.7
Conventional cab With sleeper Without sleeper Not reported	6 321.5 2 534.9 3 667.9 118.7	S V S V	532.9 V 532.9 V	541.2 V 541.2 V	4 372.3 2 534.9 1 718.7 118.7	7.5 5.5 12.6 27.4
Cab over engine	472.9 119.2 322.5 S	55.9 V 55.9 V	165.9 V 165.9 V	21.9 V 21.9 V	229.1 119.2 78.7 S	11.6 29.5 12.1 S
Cab forward of engine Cab beside engine Not reported Not applicable 10	S V V 38 846.7	V V V 38 826.9	V V V S	V V V	S V V V	S N N 3.7

N Not available. miles, or 0.05 percent. S Estimate does not meet publication standards because of high sampling variability or poor response quality. V Represents an estimate of less than 50 vehicles, 50,000

Note: Use caution when assessing the true increase or decrease in any particular data line. Large changes in the "not reported" or "not applicable" estimates should be taken into account.

Note: The Appendix provides instructions for approximating unpublished coefficients of variation (CVs). CVs estimated from sample data are available on request. The Introduction gives information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/svsd/www/02vehinv.html.

<sup>&</sup>lt;sup>1</sup>Comparability of estimates may vary across survey years due to changes in category definitions.

<sup>2</sup>Vehicles not in use. When the respondent had partial-year ownership of the vehicle, annual miles were adjusted to reflect miles traveled when not owned by the respondent.

<sup>3</sup>Truck-tractors not in use.

<sup>4</sup>Lessees or lessors of pickups, minivans, other light vans, and sport utilities.

<sup>5</sup>Detail lines do not add to total trucks because items were not applicable or multiple responses were possible.

<sup>6</sup>Includes pickups, minivans, other light vans, and sport utilities; all other vehicles that are private, rental, or used for personal transportation; and vehicles not in use.

<sup>7</sup>Distributed miles data are available in Table 8.

<sup>8</sup>Includes pickups, minivans, other light vans, and sport utilities; all other vehicles that are rental or used for personal transportation; and vehicles not in use.

<sup>9</sup>Pickups, minivans, other light vans, and sport utilities, in the Equipment Type section, were only required to report for aerial work platform/bucket, air bag(s), air-conditioning, antilock brake system, computerized drive train control unit, front-wheel drive, mounting bar for snowplow, radial tires, toolbox, trip recorder, vehicle control aids for handicapped drivers, wheelchair lift, and winch.

<sup>10</sup>Pickups, minivans, other light vans, and sport utilities.

<sup>11</sup>Data were derived from administrative records.

<sup>12</sup>Detail lines do not add to the subtotal line because items were not applicable or multiple responses were possible. When 2 or 3 liftable axles were indicated, respondents properly reported multiple responses, therefore detail lines will be significantly greater than the corresponding subtotal line.

## Table 7. Truck Miles by Truck Type: 2002

[Millions. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

[Millions. Estimates are based on data from the 2002 Vehicle Inventory a	nd Use Survey.	Because of round	ding, estimates r	may not be addit Truck				
Vahiaulay and an austional above statistics					Combination			
Vehicular and operational characteristics	Total	Single-unit trucks and truck-tractors without trailer	Total	Single-unit truck with trailer	Truck-tractor with single trailer	Truck-tractor with double trailers	Truck-tractor with triple trailers	Coefficient of variation of total (percent)
Total	<b>45 649.0</b> 3.3	<b>41 491.1</b> 3.6	<b>4 157.8</b> 5.0	<b>354.6</b> 42.1	<b>3 784.8</b> 3.8	<b>s</b> S	V N	X X
BUSINESS <sup>1</sup>								
For-hire transportation or warehousing	2 850.1 1 013.6 645.7 59.6 467.9	500.6 S 458.5 39.1 S	2 349.5 458.1 187.2 S 57.4	V V S V S	2 331.1 458.1 153.0 S 39.8	S V V V	V V V	6.4 44.3 30.2 32.3 49.0
Construction . Manufacturing . Wholesale trade . Retail trade . Information services .	3 259.4 490.8 790.0 607.4 S	2 965.4 304.9 688.8 508.5 S	294.0 185.9 101.3 S V	\$ \$ \$ \$ \$ \$ \$ \$ \$	106.7 173.6 98.5 36.3 V	V V V V	V V V V	19.6 30.9 31.5 28.1 S
Waste management, landscaping, or administrative/support services . Arts, entertainment, or recreation services . Accommodation or food services . Other services . Personal transportation . Not reported . Not applicable <sup>2</sup>	297.5 S S 902.5 32 894.1 624.4 S	209.8 S S 897.2 32 890.9 380.4 S	87.7 S 64.4 S S S 244.0 V	24.9 S V S S S V	62.8 S 64.4 S V 237.7 V	V V V V V	V V V V	13.1 S S 38.9 4.4 22.1 S
BODY TYPE								
Single-unit trucks. Pickup Minivan Other light vans Sport utility Armored	41 845.8 16 581.4 8 365.2 2 646.8 11 253.3 V	41 491.1 16 360.0 8 365.2 2 646.5 11 253.3 V	354.6 S V S V V	354.6 S V S V	22222	N N N N N N	22222	3.6 4.8 12.1 18.6 10.0 N
Beverage Concrete mixer Concrete pumper Crane Curtainside	20.0 38.2 V S S	20.0 38.2 V S S	V V V V	V V V	Z Z Z Z Z	N N N N	Z Z Z Z Z	48.1 22.3 N S S
Dump. Flatbed, stake, or platform. Low boy Pole, logging, pulpwood, or pipe Service, utility.	430.0 389.7 V S 96.5	369.5 361.4 V S 88.8	60.5 28.3 V V S	60.5 28.3 V V S	2222	N N N N N	2222	9.5 11.0 N S 23.5
Service, other Street sweeper Tank, dry bulk Tank, liquids or gases Tow/Wrecker	154.8 S 6.1 41.4 57.2	139.7 S S 41.4 57.1	S V S V S	S > S > S	2	N N N N	2	19.0 S 48.3 27.6 31.8
Trash, garbage, or recycling	96.0 S 1 053.2 S 94.5	96.0 S 1 053.2 S 92.3	V S V V S	>	2	N N N N	2	20.8 S 42.7 S 33.6
Van, open top Van, step, walk-in, or multistop Van, other Other	S 369.8 94.3 V	5.9 369.8 94.3 V	S V V	S V V	N N N N	N N N N	N N N N	S 14.4 38.0 N
Truck-tractors Automobile carrier Beverage Curtainside Dump Flatbed, stake, or platform	3 803.2 S 21.6 S 256.5 661.7	V N N N N	3 803.2 S 21.6 S 256.5 661.7	N N N N N N N N N N N N N N N N N N N	3 784.8 S 21.6 S 256.5 649.0	S V V V S	>> >> >>	3.7 S 40.6 S 16.4 11.1
Livestock. Low boy Mobile home toter Open top Pole, logging, pulpwood, or pipe	\$ 75.0 \$ 46.4 \$	N N N N	\$ 75.0 \$ 46.4 \$	N N N N	\$ 75.0 \$ 46.4 \$	V V V V	V V V	\$ 33.9 \$ 39.4 \$
Tank, dry bulk Tank, liquids or gases Van, basic enclosed Van, drop-frame Van, drop-frame Van, insulated nonrefrigerated	100.8 213.6 1 834.0 S S	N N N N	100.8 213.6 1 834.0 S S	N N N N	100.8 213.6 1 830.6 S S	V V S S V	V V V V	30.1 20.5 6.8 S S
Van, insulated refrigerated Other Not applicable <sup>3</sup>	473.0 V V	N N V	473.0 V V	N N N	473.0 V V	V V V	V V	15.5 N N
ANNUAL MILES								
Less than 5,000 5,000 to 9,999 10,000 to 19,999 20,000 to 29,999 30,000 to 49,999	1 377.1 5 174.9 21 025.5 7 545.3 4 609.5	1 331.9 5 080.5 20 870.6 7 257.2 4 283.2	45.3 S 154.9 288.1 326.3	S S 66.1 S S	11.7 19.7 88.8 123.6 300.8	V V V S S	> > > > > > > > > > > > > > > > > > >	11.1 8.7 4.9 13.0 20.1
50,000 to 74,999	1 909.0 3 969.5 S	S S S	773.7 2 475.1 V	V V	773.7 2 466.4 V	V S V	V V V	31.8 24.3 S

[Millions. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

[Millions. Estimates are based on data from the 2002 Vehicle Inventory a	na ose oarvey.	Decause of four						
Vehicular and operational characteristics		Single-unit			Combination			Coefficient of
	Total	trucks and truck-tractors without trailer	Total	Single-unit truck with trailer	Truck-tractor with single trailer	Truck-tractor with double trailers	Truck-tractor with triple trailers	variation of total (percent)
PRIMARY RANGE OF OPERATION								
Off-the-road	\$ 28 560.6 5 664.0 1 618.4 1 686.3	S 27 743.4 5 040.6 1 115.4 S	\$ 817.2 623.5 503.0 778.5	V S 29.5 S S	\$ 546.7 585.4 489.2 762.6	>	V V V V	\$ 4.2 16.1 23.3 30.4
501 miles or more Not reported Not applicable <sup>2</sup>	1 772.2 6 136.6 S	889.0 5 592.5 S	883.3 544.1 V	S 14.1 V	862.8 529.9 V	V V	V V	19.3 16.9 S
PRIMARY JURISDICTION								
Operated in Canada	S V 38 652.2 2 442.1 4 486.8 S	S V 36 505.6 884.9 4 034.0 S	S V 2 146.6 1 557.2 452.8 V	V V 316.5 S S V	S V 1 823.7 1 543.7 416.1 V	>> % % % % >>	V V V V	S N 3.7 12.2 20.4 S
MONTHS OPERATED								
12. 7 to 11. 2 to 6. 1 or less	34 267.5 6 728.5 4 495.8 119.2 S	31 062.9 5 973.6 4 303.6 113.0 S	3 204.6 754.8 192.2 S V	\$ 70.8 \$ \$ V	2 952.9 684.0 146.8 1.2 V	S S S V	V V V V	4.7 10.4 15.6 43.0 S
VEHICLE SIZE								
Light. Medium Light-heavy Heavy-heavy	39 758.0 718.5 563.1 4 609.4	39 529.0 652.8 540.3 769.1	S 65.7 S 3 840.3	S 65.7 S 37.1	V V V 3 784.8	V V V S	V V V	3.8 8.7 14.1 3.2
AVERAGE WEIGHT (POUNDS)								
Less than 6,001 6,001 to 8,500 8,501 to 10,000 10,001 to 14,000 14,001 to 16,000	30 346.4 7 273.8 2 137.9 461.7 147.4	30 157.6 7 236.0 2 135.4 407.6 139.1	\$ \$ \$ 54.0 \$	\$ \$ \$ 54.0 \$	V V V V	V V V V	V V V V	5.0 11.7 28.7 11.5 18.7
16,001 to 19,500 19,501 to 26,000 26,001 to 33,000 33,001 to 40,000 40,001 to 50,000	109.4 563.1 280.3 218.2 190.6	106.0 540.3 265.6 53.4 79.2	S S 14.7 164.8 111.4	S S 13.5 13.5 S	V V S 151.2 106.0	V V V V	V V V V	22.8 14.1 16.7 20.0 16.9
50,001 to 60,000 60,001 to 80,000 80,001 to 100,000 100,001 to 130,000 130,001 or more	527.5 3 344.9 12.6 35.3 V	166.3 204.6 V V V	361.2 3 140.3 12.6 35.3 V	S S V V	360.3 3 118.2 12.6 35.3 V	V S V V	V V V	12.3 4.1 47.2 49.6 N
TOTAL LENGTH (FEET)								
Less than 20.0	36 462.2 4 428.9 552.4 338.5 203.5	36 462.2 4 290.1 482.2 175.7 80.9	V S 70.1 162.8 122.6	V S 70.1 S S	V V V 72.2 113.1	V V V V	V V V V	4.1 16.8 12.5 23.2 17.5
45.0 to 49.9 50.0 to 54.9 55.0 to 59.9 60.0 to 64.9 65.0 to 69.9	288.5 205.2 366.6 1 095.1 1 065.1	V V V V	288.5 205.2 366.6 1 095.1 1 065.1	S 15.1 S S S	287.1 190.1 343.9 1 093.9 1 059.9	V V V V	V V V V	16.6 18.5 15.1 9.1 9.3
70.0 to 74.9 75.0 to 79.9 80.0 or more	457.1 173.5 S	V V	457.1 173.5 S	V V V	457.1 167.2 S	V S S	V V	14.8 26.3 S
MILES PER GALLON								
Less than 5 5 to 6.9. 7 to 8.9. 9 to 10.9 11 to 12.9 13 to 14.9 15 or more 15 to 20.9 21 to 24.9 25 or more Not reported Not applicable <sup>2</sup>	486.0 2 986.6 638.9 2 084.7 2 618.4 3 724.8 25 212.1 19 462.3 4 119.9 1 629.9 7 859.5 S	177.3 377.4 411.0 2 006.8 2 536.0 3 559.2 25 200.7 19 451.0 4 119.9 1 629.9 7 184.6 S	308.7 2 609.2 227.9 77.9 \$ \$ \$ \$ \$ V V	\$\$ 6.1 6.9 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9	305.9 2 566.5 221.8 S S S V V V V V G40.3	> 0 > > > > > > 0 >	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	11.8 4.7 11.2 19.3 19.5 24.5 6.2 20.3 27.7 11.7

[Millions, Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

[Millions. Estimates are based on data from the 2002 Vehicle Inventory	and Use Survey.	Because of rour	ding, estimates	may not be addit	-			
					Combination			
Vehicular and operational characteristics	Total	Single-unit trucks and truck-tractors without trailer	Total	Single-unit truck with trailer	Truck-tractor with single trailer	Truck-tractor with double trailers	Truck-tractor with triple trailers	Coefficient of variation of total (percent)
MODEL YEAR								
2003	\$ 2 209.9 5 316.9 4 773.2 4 872.2	\$ 2 019.2 4 892.9 4 253.0 4 078.2	\$ 190.7 424.0 520.2 794.0	> % % % % % % %	\$ 185.8 417.9 509.2 634.8	V V V S	V V V	\$ 18.6 13.9 14.7 15.6
1998 1997 1996 1995 1995 1994 1993 Pre-1993	4 395.7 3 428.0 3 048.6 3 477.2 2 870.3 2 189.3 9 031.7	4 020.5 3 109.2 2 713.8 3 034.7 2 760.7 2 072.4 8 505.8	375.3 318.7 334.9 442.5 109.6 116.9 525.9	\$ \$ \$ \$ \$ \$ \$ 119.6	357.2 300.2 323.0 431.7 100.0 113.7 406.4	\$ V \$ \$ \$ V \$ V \$ V	> > > > > >	14.1 16.0 20.4 17.4 26.1 19.2 11.8
VEHICLE ACQUISITION								
New	20 510.4 23 235.9 1 902.7	18 078.8 21 680.4 1 731.9	2 431.6 1 555.5 170.8	\$ 87.9 \$	2 159.8 1 461.3 163.8	S S V	V V	5.9 6.6 21.1
LEASE CHARACTERISTICS								
Leased Lessee Vehicle only Vehicle with driver Not reported	4 802.4 3 507.6 752.4 S	3 334.4 3 005.2 258.0 V	1 468.0 502.4 494.4 S	\$ \$ \$ \$ > >	1 461.5 495.9 491.3 S V	S S V S	V V V V	11.4 15.3 12.0 S
Not applicable <sup>4</sup> Lessor: Vehicle only Vehicle with driver Not reported. Not applicable <sup>4</sup>	2 745.7 1 160.3 916.8 240.2 S V	2 745.7 242.1 236.1 S S V	V 918.1 680.7 237.4 V V	> > > >	V 918.1 680.7 237.4 V V	V V V V	V V V V	19.2 9.2 10.6 21.6 S N
Not reported Not leased Not reported	S 24 659.1 16 187.5	S 23 069.4 15 087.3	47.4 1 589.7 1 100.1	V 75.5 S	47.4 1 503.2 820.1	V S S	V V V	S 6.4 6.9
Length of leasing agreement: Leased 1 to 11 months 12 months or more Not reported. Not applicable <sup>4</sup>	4 802.4 145.6 1 804.1 S 2 830.2	3 334.4 S 471.0 S 2 830.2	1 468.0 121.2 1 333.1 S	\$ V \$ V V	1 461.5 121.2 1 326.7 S V	S V S V	V V V V	11.4 26.9 7.3 S 18.8
Provisions of lease <sup>5</sup> : Financing only Full maintenance Payment of taxes Obtaining licenses and permits. Recordkeeping Fuel contract	1 131.1 985.1 1 052.0 1 063.3 610.3 403.4	333.7 223.2 203.5 221.5 147.7 94.8	797.5 762.0 848.5 841.8 462.6 308.6	\$ V V V	794.4 762.0 845.1 841.8 462.6 308.6	V V S V V	V V V V	9.6 10.3 9.9 9.7 12.9 16.3
PRIMARY OPERATOR CLASSIFICATION								
Private Motor carrier Owner operator Rental Personal transportation Not applicable <sup>2</sup>	8 301.3 2 129.1 1 254.7 1 031.7 32 894.1 S	7 318.5 340.5 329.7 S 32 890.9 S	982.8 1 788.6 925.0 458.1 S	346.8 V S V S V	636.0 1 774.3 916.4 458.1 V	V S S V V	V V V V	10.6 6.4 11.1 43.5 4.4 S
For-hire characteristics: Type of carrier: Contract Common Not reported Not applicable <sup>6</sup> Type of service:	1 972.3 1 101.0 218.6 42 357.1	301.3 176.7 100.3 40 912.9	1 671.0 924.3 118.3 1 444.2	V V S 350.0	1 665.3 911.6 113.7 1 094.2	\$ \$ V	V V V	7.1 8.7 18.7 3.5
Truckload . Less-than truckload . Not reported . Not applicable <sup>6</sup> . Source of hauls:	2 635.1 457.7 199.1 42 357.1	284.6 197.9 95.8 40 912.9	2 350.5 259.7 103.3 1 444.2	S V V 350.0	2 329.9 257.4 103.3 1 094.2	s s v	V V V	5.6 15.1 19.1 3.5
Shippers or receivers Brokers Centralized markets or exchanges Other Not reported	2 380.6 437.2 72.5 V 401.5	304.0 53.2 S V 180.0	2 076.7 384.0 31.4 V 221.6	>>>>	2 064.6 377.6 31.4 V 217.0	S S V V	V V V V	6.1 14.3 37.1 N 15.2
Not applicable <sup>6</sup>	42 357.1	40 912.9	1 444.2	350.0	1 094.2	V	V	3.5
HAZARDOUS MATERIALS CARRIED <sup>7</sup> Carrying hazardous materials	646.0	82.6	563.5	V	563.5	v	v	13.0
Not carrying hazardous materials Not reported Not applicable <sup>8</sup>	4 535.3 586.0 39 881.6	1 958.8 248.0 39 201.7	2 576.6 338.0 679.8	131.0 S S	2 427.2 336.0 458.1	S V V	v V V	3.5 12.1 3.8
EQUIPMENT TYPE <sup>5 9</sup>								
Aerial work platform/bucket . Air bag(s) (safety device only) Air compressor (except air brakes) Air-conditioning Air springs	27.8 28 236.2 678.0 39 024.2 2 043.1	24.5 27 439.2 117.9 35 154.5 244.2	\$ 797.0 560.2 3 869.7 1 798.9	S S S S V	V 616.8 552.3 3 601.9 1 788.0	V S S S	V V V V	31.8 5.2 11.8 4.0 6.6

[Millions. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

[Millions. Estimates are based on data from the 2002 Vehicle Inventory	and Use Survey.	Survey. Because of rounding, estimates may not be additive]  Truck type						
					Combination			
Vehicular and operational characteristics	Total	Single-unit trucks and truck-tractors without trailer	Total	Single-unit truck with trailer	Truck-tractor with single trailer	Truck-tractor with double trailers	Truck-tractor with triple trailers	Coefficient of variation of total (percent)
EQUIPMENT TYPE <sup>5 9</sup> —Con.								
Antilock brake system Collision warning system Computerized drive train control unit Crane Electronic vehicle identification device	30 226.9 127.8 6 346.2 54.9 266.0	27 732.9 49.8 5 971.4 46.2 S	2 494.0 78.0 374.7 S 261.6	\$ \$ \$ \$ V	2 280.1 73.4 218.5 S 261.6	S V S V	V V V	4.6 29.5 13.9 22.8 21.9
Engine retarder/brake Front-wheel drive Hoist Idle-reducing technology (portable auxiliary pack, electrification, etc.) Internet access	2 558.1 17 348.5 363.5 299.5 S	234.5 17 293.8 329.8 40.1 S	2 323.6 S 33.8 259.4 S	\$ \$ 33.8 V V	2 312.8 V V 257.1 S	S V V S V	V V V V	5.3 8.0 11.1 17.5 S
Lift gate . Mounting bar for snowplow . Navigational system . Power take-off . Radial tires .	278.7 S S 1 128.8 30 870.5	269.5 S S 572.1 27 627.8	\$ 26.6 \$ 556.7 3 242.7	\$ 26.6 V 22.1 303.8	V V S 532.3 2 923.8	V V V S S	V V V V	19.1 S S 6.9 4.8
Reflective material in addition to those required by law	987.2 2 490.3 3 854.5 2 509.5	410.0 545.3 3 257.1 1 870.9	577.2 1 945.0 597.4 638.6	\$ 7.5 72.3 \$	543.3 1 926.5 522.8 495.5	\$\$\$\$\$\$	> > > > > > > > > > > > > > > > > > >	9.7 5.6 15.9 21.9
capabilities  Vehicle control aids for handicapped drivers  Wheelchair lift  Winch	8 232.5 V S S	7 864.6 V S S	368.0 V V S	S V V S	314.9 V V S	V V V	V V V	10.8 N S S
Transmission type: Automatic Manual Semiautomated manual Automated manual Not reported	33 264.5 11 100.9 140.2 S 1 007.6	32 924.1 7 717.1 S S 716.6	340.4 3 383.9 128.8 S 291.1	\$ 121.5 V V S	108.5 3 244.0 128.8 S 289.9	V 8 V V	>> >> >>	4.5 8.2 28.7 S 21.4
Braking system: Hydraulic (standard) Hydraulic with power assist Air Other Not reported Not applicable <sup>10</sup> .	1 514.6 588.1 4 257.5 V 442.1 38 846.7	1 350.7 546.9 808.9 V 159.7 38 625.0	163.9 41.2 3 448.6 V 282.4 S	81.1 27.0 24.0 V S S	82.9 S 3 406.3 V 281.5 V	V V S V V	V V V V	29.8 9.0 3.7 N 13.5 3.7
FUEL TYPE AND ENGINE SIZE								
Fuel type: Gasoline Diesel Natural gas Propane Alcohol fuels	38 645.9 6 603.8 V S V	38 382.6 2 709.3 V S V	S 3 894.5 V V V	\$ 91.6 V V	S 3 784.6 V V V	V S V V	V V V V	3.9 5.9 N S N
Electricity Combination Other Not reported Not applicable <sup>2</sup>	V S V 9.2 S	V S V 9.2 S	V V V V	V V V V	V V V V	V V V V	V V V V	N S N 41.6 S
Cylinders <sup>11</sup> : 4 cylinders 6 cylinders 8 cylinders Other	5 450.6 26 843.5 12 668.5 686.3	5 439.9 22 945.7 12 497.0 608.5	\$ 3 897.8 171.5 77.8	\$ \$ 161.1 11.0	\$ 3 699.1 \$ 66.8	V S V V	V V V	13.6 5.6 8.0 25.8
Cubic inch displacement <sup>11</sup> :     Gasoline fuel     Less than 200     200 to 299     300 to 349     350 to 399     400 or more     Not available     Diesel fuel     Less than 400     400 to 599     600 to 799     800 or more     Not available     Other fuel     Less than 400     400 to 790     800 or more     Not available     Other fuel     Less than 400     400 or more     Not available     Not reported     Not applicable <sup>2</sup>	38 645.9 10 327.7 17 292.1 5 783.5 4 148.8 833.4 260.4 6 603.8 784.9 1 600.7 1 777.2 1 869.0 572.0 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38 382.6 10 327.7 17 155.5 5 783.5 4 069.2 788.7 258.0 2 709.3 768.8 1 479.3 330.2 58.9 72.0 S S S S	S V S S S S S S S S S S S S S S S S S S	S > S S S S S S S S S S S S S S S S S S	S V V V V S 3 784.6 S 53.3 1 445.1 1 789.5 494.3 V V V V V V	V V V V V V V V V V V V V V V V V V V	>>>>>>>>>>>>	3.9 10.8 8.1 12.8 14.5 34.4 33.9 5.9 25.1 19.6 6.3 6.6 12.7 S S S S
REFUELING LOCATION								
Gas station Truck stop Own facility (including home, farm, ranch, onsite by mobile supplier, etc.) Other company's/contractor's facility not open to the public Other Not reported Not applicable <sup>2</sup>	38 366.9 3 426.0 2 199.5 299.3 S 1 319.1	37 771.7 1 136.7 1 105.5 S S 1 243.1	595.2 2 289.3 1 094.1 103.2 V S V	50.0 S V S V	352.3 2 271.5 1 044.1 99.3 V S V	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	V V V V V	4.0 12.8 11.3 37.0 S 24.4 S

[Millions. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

INIMIONS. ESUMAtes are based on data norm the 2002 vehicle inventory of			3,	Truck				
					Combination			
Vehicular and operational characteristics	Total	Single-unit trucks and truck-tractors without trailer	Total	Single-unit truck with trailer	Truck-tractor with single trailer	Truck-tractor with double trailers	Truck-tractor with triple trailers	Coefficient of variation of total (percent)
MAINTENANCE <sup>5</sup>								
General maintenance performed by: None performed Company-owned maintenance facility. General repair business or private mechanic Dealership service department Leasing company	623.9 6 141.6 19 076.9 10 598.5 144.9	608.2 3 749.4 17 857.3 9 931.5 61.3	S 2 392.2 1 219.6 667.0 83.6	\$ 60.4 33.2 \$ V	\$ 2 323.1 1 184.2 633.6 80.2	V	V V V V	35.9 10.7 7.7 8.8 26.0
Individual not employed/paid by any maintenance type facility Other	16 768.6 V 1 145.2 S	15 838.9 V 1 134.0 S	929.7 V S V	S V S V	674.2 V S V	S V V	V V V	6.9 N 26.6 S
Extensive repairs performed by: None performed Company-owned maintenance facility. General repair business or private mechanic Dealership service department Leasing company	35 132.4 824.1 3 289.4 2 550.8 S	32 226.7 577.1 2 859.2 2 157.3 S	2 905.7 247.0 430.2 393.5 S	301.9 18.0 S 22.2 V	2 591.8 229.0 417.8 371.3 S	S V S V	> > > >	3.9 22.8 26.0 18.1 S
Component distributorship (engine, transmission, body, etc.) Individual not employed/paid by any repair type facility Other Not reported Not applicable <sup>2</sup>	266.3 2 145.9 V S S	S 1 983.5 V S S	63.5 162.3 V S V	S S V V	60.2 154.0 V S V	V V V V	V V V	43.1 20.4 N S S
AXLE ARRANGEMENT								
Driving axles:  1	24 143.3 21 483.5 15.6 6.6	23 687.3 17 782.1 15.6 6.1	456.0 3 701.4 V S	S S V V	209.9 3 574.5 V S	V S V V	V V V	5.7 6.5 40.2 46.1
Total liftable axles and locations 12: None  1  Forward of the drive axle Below the chassis Beyond the chassis Not reported 2 or more Forward of the drive axle Below the chassis Beyond the chassis Not reported Of the drive axle Below the chassis Not reported Not reported Not applicable 10 Not applicable 10	6 516.6 145.8 104.4 21.4 \$ 18.1 132.4 60.0 34.6 20.9 \$ \$ 38 846.7	2 588.6 138.1 103.2 \$ \$ \$ 132.4 60.0 34.6 20.9 \$ \$ \$	3 928.0 S S S V V V V V V V S S	130.6 S S S V V V V V V S	3 778.9 S V S V S V V V V V V V V V	S V V V V V V V V V V V V V V V V V V V	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	7.3 21.8 27.9 47.8 S 45.1 18.4 24.8 39.7 38.3 S S
Total liftable axles and number of braking axles: None  1  0 braking 1 braking Not reported 2 or more 0 braking 1 braking 2 or more braking Not reported Not reported Not applicable 10 Not applicable 10	6 516.6 145.8 S 129.4 V V 132.4 V 132.4 V S 38 846.7	2 588.6 138.1 S 126.5 V 132.4 V 132.4 V S 38 625.0	3 928.0 S S S S V V V V V S S	130.6 S S S V V V V V S	3 778.9 S V S S V V V V V V V V V V V S V	S V V V V V V V V V V V V V V V V V V V	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	7.3 21.8 S 23.9 S 18.4 N 18.4 N 5 3.7
CAB TYPE								
Conventional cab With sleeper	6 321.5 2 534.9 3 667.9 118.7	2 583.8 V 2 583.8 V	3 737.7 2 534.9 1 084.1 118.7	130.1 V 130.1 V	3 589.2 2 516.6 954.0 118.7	S S V V	V V V	7.5 5.5 12.6 27.4
Cab over engine With sleeper Without sleeper Not reported	472.9 119.2 322.5 S	274.5 V 274.5 V	198.4 119.2 48.0 S	S V S V	195.6 119.2 45.2 S	V V V	> > >	11.6 29.5 12.1 S
Cab forward of engine	S V V 38 846.7	S V V 38 625.0	V V V S	V V V S	V V V	V V V	V V V	S N N 3.7

N Not available. miles, or 0.05 percent. S Estimate does not meet publication standards because of high sampling variability or poor response quality. V Represents an estimate of less than 50 vehicles, 50,000

Note: Use caution when assessing the true increase or decrease in any particular data line. Large changes in the "not reported" or "not applicable" estimates should be taken into account.

Note: The Appendix provides instructions for approximating unpublished coefficients of variation (CVs). CVs estimated from sample data are available on request. The Introduction gives information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/svsd/www/02vehinv.html.

<sup>&</sup>lt;sup>1</sup>Comparability of estimates may vary across survey years due to changes in category definitions.

<sup>2</sup>Vehicles not in use. When the respondent had partial-year ownership of the vehicle, annual miles were adjusted to reflect miles traveled when not owned by the respondent.

<sup>3</sup>Truck-tractors not in use.

<sup>4</sup>Lessees or lessors of pickups, minivans, other light vans, and sport utilities.

<sup>5</sup>Detail lines do not add to total trucks because items were not applicable or multiple responses were possible.

<sup>6</sup>Includes pickups, minivans, other light vans, and sport utilities; all other vehicles that are private, rental, or used for personal transportation; and vehicles not in use.

<sup>7</sup>Distributed miles data are available in Table 8.

<sup>&#</sup>x27;Distributed miles data are available in Table 8.

§Includes pickups, minivans, other light vans, and sport utilities; all other vehicles that are rental or used for personal transportation; and vehicles not in use.

§Pickups, minivans, other light vans, and sport utilities, in the Equipment Type section, were only required to report for aerial work platform/bucket, air bag(s), air-conditioning, antilock brake system, computerized drive train control unit, front-wheel drive, mounting bar for snowplow, radial tires, toolbox, trip recorder, vehicle control aids for handicapped drivers, wheelchair lift, and winch.

¹¹Pickups, minivans, other light vans, and sport utilities.

¹¹Data were derived from administrative records.

¹²Detail lines do not add to the subtotal line because items were not applicable or multiple responses were possible. When 2 or 3 liftable axles were indicated, respondents properly reported multiple responses, therefore detail lines will be significantly greater than the corresponding subtotal line.

#### Table 8. Truck Miles Distribution by Operational Characteristics: 2002

[Millions. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

Vehicular and operational characteristics	Truck miles distribution for all trucks	Truck miles distribution excluding pickups, minivans, other light vans, and sport utilities	Coefficient of variation (percent)	
	А	В	А	В
Total	45 649.0	6 802.3	3.3	7.0
TRAILER CONFIGURATION				
No trailer pulled . Single trailer pulled . Double trailers pulled . Triple trailers pulled . Not applicable¹	40 806.7 4 777.3 26.9 V S	2 924.4 3 847.8 26.9 V S	3.6 4.4 33.2 N S	15.6 3.7 33.2 N S
RANGE OF OPERATION				
Off-the-road 50 miles or less 51 to 100 miles 101 to 200 miles 201 to 500 miles 501 miles or more	336.2 25 331.0 7 099.4 2 635.8 1 982.7 2 089.2	61.4 1 997.4 1 226.1 896.7 1 021.3 841.0	28.5 3.9 11.6 13.7 12.0	20.3 6.9 10.8 14.1 12.9
Not reported	6 136.6 S	755.3 S	16.9 S	10.1 S
JURISDICTION				
Operated in Canada Operated in Mexico Operated within the home base state Operated in states other than the home base state Not reported Not applicable <sup>1</sup>	128.8 S 37 479.8 3 515.4 4 486.8 S	S S 4 548.9 1 595.9 630.4 S	39.5 S 3.6 7.6 20.4 S	S S 10.1 6.5 10.7 S
OPERATOR CLASSIFICATION				
Private Motor carrier Owner operator Rental Personal transportation Not applicable <sup>1</sup>	8 148.0 2 122.7 1 252.0 1 058.0 33 030.3 S	2 471.7 2 122.7 1 160.1 1 030.7 13.9 S	9.9 6.4 11.1 42.5 4.4 S	4.5 6.4 9.0 43.6 29.4 S
For-hire characteristics: Type of carrier: Contract Common Not reported Not applicable <sup>2 3</sup> Type of service: Truckload Less-than truckload Not applicable <sup>2 3</sup> Not applicable <sup>2 3</sup>	1 870.0 1 203.3 218.6 42 357.1 556.3 2 536.5 199.1 42 357.1	1 870.0 1 203.3 218.6 3 510.4 556.3 2 536.5 199.1 3 510.4	7.1 7.9 18.7 3.5 12.5 5.5 19.1 3.5	7.1 7.9 18.7 13.1 12.5 5.5 19.1 13.1
PRODUCTS CARRIED <sup>4</sup>				
Animals and fish, live . Animal feed and products of animal origin Grains, cereal All other agricultural products Basic chemicals .  Fertilizers and fertilizer materials Pharmaceutical products All other chemical products and preparations Alcoholic beverages	\$ \$ 143.7 38.3 17.4 25.5 \$ 22.5	26.0 58.0 40.4 75.6 38.3 12.9 25.5 48.4 22.5	S S S 46.0 38.1 27.3 39.4 S 42.1	45.3 34.9 20.0 20.8 38.1 27.3 39.4 32.0 42.1
Alcoholic beverages	184.4	180.5 124.6	17.2 37.9	17.5 23.0
Tobacco products All other prepared foodstuffs Logs and other wood in the rough Paper or paperboard articles	\$ 432.2 49.8	S 343.2 49.8 69.1	37.3 23.0 37.4 27.6	\$ 15.0 37.5 27.3
Printed products Pulp, newsprint, paper, and paperboard Wood products Articles of base metal Base metal in primary or semifinished forms	128.4 17.6 273.7 748.6 430.8	43.0 17.6 209.1 237.9 296.3	48.1 41.9 18.8 39.8 22.2	31.1 41.9 15.2 14.0 13.3
Nonmetallic mineral products Tools, nonpowered Tools, powered Electronic and other electrical equipment Furniture, mattresses, lamps, etc.	156.3 2 450.2 1 780.4 432.6 93.0	156.3 394.5 315.7 91.7 72.8	19.1 20.7 23.8 48.9 31.9	19.1 10.4 12.6 32.7 32.0
Machinery	243.5 189.9 257.1 S 304.1	144.4 96.9 36.4 32.8 257.4	32.4 37.0 45.9 S 19.2	17.8 21.1 46.3 36.9 17.1
All other transportation equipment	\$ 49.5 \$ 123.8	\$ 49.5 \$ 123.8 \$	\$ 36.0 \$ 12.5 \$	\$ 36.0 \$ 12.5 \$
Monumental or building stone Natural sands All other nonmetallic minerals Fuel oils Gasoline and aviation turbine fuel	28.8 32.5 53.4 S	28.8 32.5 53.4 38.4 31.8	29.6 21.1 26.3 S 36.2	29.6 21.1 26.3 31.2 36.2

#### Table 8. Truck Miles Distribution by Operational Characteristics: 2002-Con.

[Millions. Estimates are based on data from the 2002 Vehicle Inventory and Use Survey. Because of rounding, estimates may not be additive]

Vehicular and operational characteristics	Truck miles distribution for all trucks	Truck miles distribution excluding pickups, minivans, other light vans, and sport utilities	Coefficient of variation (percent)	
	А	В	А	В
PRODUCTS CARRIED <sup>4</sup> —Con.				
Plastics and rubber All other coal and refined petroleum products Hazardous waste (EPA manifest) All other waste and scrap (non-EPA manifest) Recyclable products	75.0 38.3 S 131.3 54.9	75.0 38.3 S 130.7 54.9	24.8 27.3 S 14.7 26.1	24.8 27.3 S 14.8 26.1
Mail and courier parcels.  Empty shipping containers  Passengers  Mixed freight  Products, equipment, or materials not elsewhere classified  Products not specified  Not applicable <sup>1</sup>	160.8 57.0 S 296.5 8.8 1 059.3 S	117.8 57.0 S 296.5 8.8 440.8 S	32.3 25.5 S 18.8 48.4 29.9 S	25.5 25.5 S 18.8 48.4 14.0 S
HAZARDOUS MATERIALS CARRIED <sup>4</sup>				
Division 1.1, Explosives Division 1.2, Explosives Division 1.3, Explosives Division 1.4, Explosives Division 1.5, Explosives	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ 9 8 9 8 9 8 9 8 9 8 9 8 9 8 9 8 9 8 9	88888	88888
Division 1.6, Explosives Division 2.1, Flammable gas Division 2.2, Nonflammable gas Division 2.3, Poison gas Class 3, Flammable	\$ 44.9 \$ \$ \$ 32.2	\$ 44.9 \$ \$ 32.2	S 31.6 S S 33.8	S 31.6 S S 33.8
Combustible liquid . Oxygen 2, Oxygen Division 4.1, Flammable solid Division 4.2, Spontaneously combustible Division 4.3, Dangerous when wet	21.4 \$ \$ \$ \$ 3.7	21.4 S S S 3.7	36.7 S S S 48.1	36.7 S S S 48.1
Division 5.1, Oxidizer Division 5.2, Organic peroxide Division 6.1, Poison inhalation hazard. Division 6.1, Poison Class 7, Radioactive	11.3 S S S S	11.3 S S S S	33.9 S S S S	33.9 S S S S
Class 8, Corrosive Class 9 Hazardous materials not specified Not applicable¹	33.0 6.0 4.9 S	33.0 6.0 4.9 S	26.3 43.2 32.2 S	26.3 43.2 32.2 S

N Not available. miles, or 0.05 percent. S Estimate does not meet publication standards because of high sampling variability or poor response quality. V Represents an estimate of less than 50 vehicles, 50,000

<sup>&</sup>lt;sup>1</sup>Vehicles not in use. When the respondent had partial-year ownership of the vehicle, annual miles were adjusted to reflect miles traveled when not owned by the respondent. 
<sup>2</sup>Column A includes: pickups, minivans, other light vans, and sport utilities; all other vehicles that are private, rental, or used for personal transportation; and vehicles not in use. 
<sup>3</sup>Column B includes: all other vehicles that are private, rental, used for personal transportation, or not in use. 
<sup>4</sup>Detail lines may not add to total because multiple products/hazardous materials may be carried at the same time.

Note: The Appendix provides instructions for approximating unpublished coefficients of variation (CVs). CVs estimated from sample data are available on request. The Introduction gives information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/svsd/www/02vehinv.html.

## Appendix.

# Approximating Unpublished Coefficients of Variation

Estimated coefficients of variation (CVs) are presented for only the row and column totals for Tables 4 through 7.

The coefficient of variation for an individual cell in a particular table can be approximated by using the procedure below. CVs for each cell, estimated from the sample data, are available on request.

#### Tables 4 and 5

The CV (expressed as a percentage) for a cell in a particular table can be calculated as follows:

$$CV(C) = CV(S) * \sqrt{\frac{S (STATE - C)}{C (STATE - S)}}$$

where:

S = the smaller number between the row and column truck totals for the row and column containing the cell

C = the number of trucks in the cell

STATE = the number of trucks in the state

CV(S) = the coefficient of variation corresponding to S

#### Tables 6 and 7

For Tables 6 and 7, follow the above procedure but replace "trucks" with "truck miles."

#### Example

Suppose, in Table 4, there are an estimated 40.0 thousand trucks in the cell for retail light-sized trucks, for which an approximation of the CV is needed. The following information must be extracted from the table: (1) 2222.2 thousand trucks in the state, (2) 46.0 thousand trucks and an estimated CV of 27.6 percent for the "Retail Trade" row, and (3) 2034.0 thousand trucks and an estimated CV of 1.1 percent for the "Light-sized trucks" column. Since the row total of 46.0 thousand is less than the column total of 2034.0 thousand, use the row figure to approximate the CV:

CV (retail light-sized trucks)=

$$= 27.6 * \sqrt{\frac{46.0 * (2222.2 - 40.0)}{40.0 * (2222.2 - 46.0)}}$$

Some exceptions from this procedure will yield better approximations of the coefficients of variation in particular cells. Certain rows and columns in the tables are composed predominantly of "large trucks" (trucks excluding pickups, minivans, other light vans, and sport utilities). Because of the sample design, one obtains a better approximation of the coefficient of variation for a cell when the value of S is equal to the truck total associated with the "large trucks" even though this truck (row or column) total may not be the smaller of the two truck totals. For example, if the column containing the cell is composed of "large trucks," then S is equal to the column total. When both totals consist of "large trucks," use the smaller of the row and column totals.

Columns of predominately "large trucks:"

Tables 4 and 6—Light-heavy and Heavy-heavy

Tables 5 and 7—Single-unit truck with trailer and all Truck-tractor trailer columns

Rows of predominately "large-trucks:"

Body Type—All except pickup, minivan, other light vans, and sport utility

Annual Miles-75,000 miles or more

Vehicle Size—Light-heavy and Heavy-heavy

Average Weight-19,501 pounds or more

Total Length-50.0 or more

Miles per Gallon—Less than 5 and 5 to 6.9

Primary Operator Classification— Motor carrier, Owner operator

Primary Operator Classification, For-hire characteristics—Type of carrier, Type of service

Hazardous Materials Carried—Carrying hazardous materials

Equipment Type—Electronic vehicle identification device, Engine retarder/brake, Navigational system, and Reflective material in addition to those required by law

Equipment Type, Braking system—All rows except Not applicable

Fuel Type and Engine Size, Cubic inch displacement, Diesel fuel—600 or more and Not available

Truck Type and Axle Arrangement, Single-unit trucks and truck-tractors without trailer—3 axles or more

Truck Type and Axle Arrangement, Combinations—All Truck-tractor rows Cab Type—All rows except Not applicable