


Trends in HIV Infection

Stage 3 (AIDS)

2018

(Updated)


Stage 3 (AIDS) Classifications, Deaths, and Persons Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), 1985–2018—United States and 6 Dependent Areas



Note. Deaths of persons with HIV infection, stage 3 (AIDS) may be due to any cause.




Stage 3 (AIDS) Classifications and Deaths of Persons with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS) among Adults and Adolescents 1985–2018—United States and 6 Dependent Areas



Note. Deaths of persons with HIV infection, stage 3 (AIDS) may be due to any cause.




Stage 3 (AIDS) Classifications and Deaths of Persons with Stage 3 (AIDS) among Male Adults and Adolescents with Diagnosed HIV Infection Attributed to Male-to-Male Sexual Contact 1985–2018—United States and 6 Dependent Areas



Note. Deaths of persons with HIV infection, stage 3 (AIDS) may be due to any cause. Data have been statistically adjusted to account for missing transmission category. Data do not include males with HIV infection attributed to male-to-male sexual contact and injection drug use.




Stage 3 (AIDS) Classifications and Deaths of Persons with Stage 3 (AIDS) among Adults and Adolescents with Diagnosed HIV Infection Attributed to Injection Drug Use, 1985–2018—United States and 6 Dependent Areas



Note. Deaths of persons with HIV infection, stage 3 (AIDS) may be due to any cause. Data have been statistically adjusted to account for missing transmission category. Data do not include males with HIV infection attributed to male-to-male sexual contact *and* injection drug use.




Stage 3 (AIDS) Classifications and Deaths of Persons with Stage 3 (AIDS) among Male Adults and Adolescents with Diagnosed HIV Infection Attributed to Male-to-Male Sexual Contact and Injection Drug Use, 1985–2018—United States and 6 Dependent Areas



Note. Deaths of persons with HIV infection, stage 3 (AIDS) may be due to any cause. Data have been statistically adjusted to account for missing transmission category.



Stage 3 (AIDS) Classifications and Deaths of Persons with Stage 3 (AIDS) among Adults and Adolescents with Diagnosed HIV Infection Attributed to Heterosexual Contact^a, 1985–2018—United States and 6 Dependent Areas




Note. Deaths of persons with HIV infection, stage 3 (AIDS) may be due to any cause. Data have been statistically adjusted to account for missing transmission category.


^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.




Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection, by Age and Year of Classification, 1985–2018 United States and 6 Dependent Areas




Stage 3 (AIDS) Classifications among Adolescents Aged 13–19 Years with Diagnosed HIV Infection, by Sex at Birth and Year of Classification, 1985–2018—United States and 6 Dependent Areas



Stage 3 (AIDS) Classifications among Young Adults Aged 20–24 Years with Diagnosed HIV Infection, by Sex at Birth and Year of Classification, 1985–2018—United States and 6 Dependent Areas




Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection, by Race/Ethnicity and Year of Classification, 1985–2018—United States and 6 Dependent Areas



^a Hispanics/Latinos can be of any race.



Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection, by Race/Ethnicity and Year of Classification, 1985–2018—United States and 6 Dependent Areas




^a Includes Asian/Pacific Islander legacy cases.



Stage 3 (AIDS) Classifications among Female Adults and Adolescents with Diagnosed HIV Infection, by Race/Ethnicity and Year of Classification


1985–2018—United States and 6 Dependent Areas



^aHispanics/Latinos can be of any race.




Stage 3 (AIDS) Classifications among Female Adults and Adolescents with Diagnosed HIV Infection, by Race/Ethnicity and Year of Classification 1985–2018—United States and 6 Dependent Areas



^a Includes Asian/Pacific Islander legacy cases.




Stage 3 (AIDS) Classifications among Male Adults and Adolescents with Diagnosed HIV Infection, by Race/Ethnicity and Year of Classification 1985–2018—United States and 6 Dependent Areas



^aHispanics/Latinos can be of any race.



Stage 3 (AIDS) Classifications among Male Adults and Adolescents with Diagnosed HIV Infection, by Race/Ethnicity and Year of Classification 1985–2018—United States and 6 Dependent Areas




^a Includes Asian/Pacific Islander legacy cases.



Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection, by Transmission Category and Year of Classification, 1985–2018

United States and 6 Dependent Areas



Note. Data have been statistically adjusted to account for missing transmission category.


^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.



Stage 3 (AIDS) Classifications among Male Adults and Adolescents with Diagnosed HIV Infection Attributed to Male-to-Male Sexual Contact, 1985–2018


United States and 6 Dependent Areas



Note. Data have been statistically adjusted to account for missing transmission category. Data on males with diagnosed HIV infection attributed to male-to-male sexual contact do not include males with infection attributed to male-to-male sexual contact *and* injection drug use.




Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection Attributed to Injection Drug Use, 1985–2018—United States and 6 Dependent Areas



Note. Data have been statistically adjusted to account for missing transmission category. Data on diagnosed HIV infection attributed to injection drug use do not include males with infection attributed to male-to-male sexual contact *and* injection drug use.



Stage 3 (AIDS) Classifications among Male Adults and Adolescents with Diagnosed HIV Infection Attributed to Male-to-Male Sexual Contact, by Race/Ethnicity and Year of Classification, 1985–2018—United States and 6 Dependent Areas




Note. Data have been statistically adjusted to account for missing transmission category. Data do not include males with HIV infection attributed to male-to-male sexual contact *and* injection drug use.

^a Hispanics/Latinos can be of any race.



Stage 3 (AIDS) Classifications among Male Adults and Adolescents with Diagnosed HIV Infection Attributed to Male-to-Male Sexual Contact, by Race/Ethnicity and Year of Classification, 1985–2018—United States and 6 Dependent Areas




Note. Data have been statistically adjusted to account for missing transmission category. Data do not include males with HIV infection attributed to male-to-male sexual contact and injection drug use.

^a Includes Asian/Pacific Islander legacy cases.



Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection Attributed to Injection Drug Use, by Race/Ethnicity and Year of Classification, 1985–2018—United States and 6 Dependent Areas




Note. Data have been statistically adjusted to account for missing transmission category. Data do not include males with HIV infection attributed to male-to-male sexual contact *and* injection drug use..

^a Hispanics/Latinos can be of any race.



Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection Attributed to Injection Drug Use, by Race/Ethnicity and Year of Classification, 1985–2018—United States and 6 Dependent Areas




Note. Data have been statistically adjusted to account for missing transmission category. Data do not include males with HIV infection attributed to male-to-male sexual contact *and* injection drug use.

^a Includes Asian/Pacific Islander legacy cases.




Stage 3 (AIDS) Classifications among Female Adults and Adolescents with Diagnosed HIV Infection Attributed to Heterosexual Contact^a, by Race/Ethnicity and Year of Classification, 1985–2018 United States and 6 Dependent Areas



Note. Data have been statistically adjusted to account for missing transmission category.
^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.
^b Hispanics/Latinos can be of any race.



Stage 3 (AIDS) Classifications among Female Adults and Adolescents with Diagnosed HIV Infection Attributed to Heterosexual Contact^a, by Race/Ethnicity and Year of Classification, 1985–2018—United States and 6 Dependent Areas




Note. Data have been statistically adjusted to account for missing transmission category.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection

^b Includes Asian/Pacific Islander legacy cases.



Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection, by Population of Area of Residence and Year of Classification 1985–2018—United States




Note. Data exclude persons whose county of residence is unknown.



Deaths of Adults and Adolescents with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Race/Ethnicity and Year of Classification, 1985–2018

United States and 6 Dependent Areas




Note. Deaths of persons with diagnosed HIV may be due to any cause.
^a Hispanics/Latinos can be of any race.



Deaths of Adults and Adolescents with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Race/Ethnicity and Year of Classification, 1985–2018

United States and 6 Dependent Areas




Note. Deaths of persons with diagnosed HIV may be due to any cause.

^a Includes Asian/Pacific Islander legacy cases.



Deaths of Female Adults and Adolescents with Stage 3 (AIDS), among Females Diagnosed with HIV Infection Attributed to Heterosexual Contact^a, by Race/Ethnicity and Year of Classification, 1985–2018—United States and 6 Dependent Areas




Note. Deaths of persons with diagnosed HIV may be due to any cause. Data have been statistically adjusted to account for missing transmission category.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection

^b Hispanics/Latinos can be of any race.



Deaths of Persons with Stage 3 (AIDS) among Female Adults and Adolescents with Diagnosed HIV Infection Attributed to Heterosexual Contact^a, by Race/Ethnicity and Year of Classification, 1985–2018—United States and 6 Dependent Areas



Note. Deaths of persons with diagnosed HIV may be due to any cause. Data have been statistically adjusted to account for missing transmission category.


^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes Asian/Pacific Islander legacy cases.




Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Sex at Birth and Year of Classification, 1985–2018

United States and 6 Dependent Areas



Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Race/Ethnicity and Year of Classification, 1985–2018

United States and 6 Dependent Areas




Note Unknown race/ethnicity is not displayed because it comprises less than 1% of cases.

^aHispanics/Latinos can be of any race.



Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Race/Ethnicity and Year of Classification, 1985–2018

United States and 6 Dependent Areas




Note Unknown race/ethnicity is not displayed because it comprises less than 1% of cases.

^a Includes Asian/Pacific Islander legacy cases.



Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Transmission Category and Year of Classification 1985–2018—United States and 6 Dependent Areas




Note. Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises 1% or less of cases.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



Male Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Transmission Category and Year of Classification, 1985–2018

United States and 6 Dependent Areas




Note. Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises 1% or less of cases.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



Female Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Transmission Category and Year of Classification, 1985–2018

United States and 6 Dependent Areas




Note. Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises 1% or less of cases.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



Stage 3 (AIDS) Classifications among Children Aged <13 Years with Diagnosed HIV Infection, by Race/Ethnicity and Year of Classification, 1985–2018

United States and 6 Dependent Areas




^a Hispanics/Latinos can be of any race.



Stage 3 (AIDS) Classifications among Children Aged <13 Years with Diagnosed HIV Infection, by Race/Ethnicity and Year of Classification, 1985–2018

United States and 6 Dependent Areas



^b Includes Asian/Pacific Islander legacy cases.



Stage 3 (AIDS) Classifications among Persons with Perinatally Acquired HIV Infection 1985–2018—United States and 6 Dependent Areas

