



# Diagnoses of HIV Infection among Adults and Adolescents in Metropolitan Statistical Areas United States and Puerto Rico, 2017

# Rates of Diagnoses of HIV Infection among Adults and Adolescents, by Metropolitan Statistical Area of Residence—United States and Puerto Rico, 2017

<u>Rank</u>	<u>MSA</u>	<u>Rate</u>
1	Miami-Fort Lauderdale-West Palm Beach, FL	40.1
2	Atlanta-Sandy Springs-Roswell, GA	33.3
3	Orlando-Kissimmee-Sanford, FL	31.5
4	Baton Rouge, LA	31.4
5	New Orleans-Metairie, LA	31.1
6	Jackson, MS	29.0
7	Jacksonville, FL	26.8
8	Memphis, TN-MS-AR	26.4
9	Las Vegas-Henderson-Paradise, NV	24.1
10	Houston-The Woodlands-Sugar Land, TX	24.0

*Note.* Data are based on residence at HIV diagnosis. Data exclude persons whose county of residence is unknown. Rates are per 100,000 population.



# Rates of Diagnoses of HIV infection among Adults and Adolescents, by Metropolitan Statistical Area and Sex—United States and Puerto Rico, 2017

<u>Male</u>		
<u>Rank</u>	<u>MSA</u>	<u>Rate</u>
1	Miami-Fort Lauderdale-West Palm Beach, FL	65.5
2	Atlanta-Sandy Springs-Roswell, GA	56.9
3	Orlando-Kissimmee-Sanford, FL	52.2
4	New Orleans-Metairie, LA	48.9
5	Baton Rouge, LA	47.0

<u>Female</u>		
<u>Rank</u>	<u>MSA</u>	<u>Rate</u>
1	Jackson, MS	17.0
2	Baton Rouge, LA	16.6
3	Miami-Fort Lauderdale-West Palm Beach, FL	16.4
4	New Orleans-Metairie, LA	14.9
5	Jacksonville, FL	14.4

*Note.* Data are based on residence at HIV diagnosis. Data exclude persons whose county of residence is unknown. Rates are per 100,000 population.



# Rates of Diagnoses of HIV Infection among Adults and Adolescents, by Metropolitan Statistical Area, Sex, and Age—United States and Puerto Rico, 2017

<u>Age group</u>	<u>Rank</u>	<u>Male</u>		<u>Female</u>	
		<u>MSA*</u>	<u>Rate</u>	<u>MSA*</u>	<u>Rate</u>
13–24	1	Memphis, TN-MS-AR	77.2	New Orleans-Metairie, LA	14.4
25–34	1	Miami-Fort Lauderdale-West Palm Beach, FL	142.4	Baton Rouge, LA	35.1
35–44	1	Miami-Fort Lauderdale-West Palm Beach, FL	92.8	Miami-Fort Lauderdale-West Palm Beach, FL	24.8
45–54	1	Miami-Fort Lauderdale-West Palm Beach, FL	58.6	Baton Rouge, LA	30.7
≥55	1	Miami-Fort Lauderdale-West Palm Beach, FL	22.3	Miami-Fort Lauderdale-West Palm Beach, FL	9.1

*Note* Data are based on residence at HIV diagnosis. Data exclude persons whose county of residence is unknown. Rates are per 100,000 population.

\*Ranks number 1 for the specified age group.



# Rates of Diagnoses of HIV Infection among Black/African American Adults and Adolescents, by Metropolitan Statistical Area and Sex, United States and Puerto Rico, 2017

<u>Male</u>			<u>Female</u>		
<u>Rank</u>	<u>MSA</u>	<u>Rate</u>	<u>Rank</u>	<u>MSA</u>	<u>Rate</u>
1	Atlanta-Sandy Springs-Roswell, GA	127.7	1	Miami-Fort Lauderdale-West Palm Beach, FL	56.7
2	Jacksonville, FL	124.2	2	Seattle-Tacoma-Bellevue, WA	52.1
3	Tampa-St. Petersburg-Clearwater, FL	122.1	3	Orlando-Kissimmee-Sanford, FL	45.5
4	Las Vegas-Henderson-Paradise, NV	118.4	4	Jacksonville, FL	43.9
5	Baton Rouge, LA	115.3	5	Baton Rouge, LA	41.7

Note Data are based on residence at HIV diagnosis. Data exclude persons whose county of residence is unknown. Rates are per 100,000 population.



# Rates of Diagnoses of HIV Infection among Hispanic/Latino<sup>a</sup> Adults and Adolescents, by Metropolitan Statistical Area and Sex—United States and Puerto Rico, 2017

<u>Male</u>		
<u>Rank</u>	<u>MSA</u>	<u>Rate</u>
1	Little Rock-North Little Rock-Conway, AR	79.9
2	Miami-Fort Lauderdale-West Palm Beach, FL	73.4
3	Orlando-Kissimmee-Sanford, FL	68.5
4	Greenville-Anderson-Mauldin, SC	68.1
5	New Orleans-Metairie, LA	67.8

<u>Female</u>		
<u>Rank</u>	<u>MSA</u>	<u>Rate</u>
1	Philadelphia-Camden-Wilmington, PA-NJ-DE-MD	13.1
2	Boston-Cambridge-Newton, MA-NH	9.0
3	New York-Newark-Jersey City, NY-NJ-PA	8.8
4	Orlando-Kissimmee-Sanford, FL	8.8
5	Atlanta-Sandy Springs-Roswell, GA	7.7

Note. Data are based on residence at HIV diagnosis. Data exclude persons whose county of residence is unknown. Rates are per 100,000 population.

<sup>a</sup> Hispanics/Latinos can be of any race.



# Rates of Diagnoses of HIV Infection among White Adults and Adolescents, by Metropolitan Statistical Area and Sex—United States and Puerto Rico, 2017

<u>Male</u>		
<u>Rank</u>	<u>MSA</u>	<u>Rate</u>
1	Miami-Fort Lauderdale-West Palm Beach, FL	32.6
2	Las Vegas-Henderson-Paradise, NV	29.9
3	Orlando-Kissimmee-Sanford, FL	27.7
4	Los Angeles-Long Beach-Anaheim, CA	23.5
5	Fresno, CA	21.9

<u>Female</u>		
<u>Rank</u>	<u>MSA</u>	<u>Rate</u>
1	Jacksonville, FL	6.7
2	Cincinnati, OH-KY-IN	5.2
3	Orlando-Kissimmee-Sanford, FL	4.7
4	Louisville/Jefferson County, KY-IN	4.1
5	New Orleans-Metairie, LA	4.1

*Note.* Data are based on residence at HIV diagnosis. Data exclude persons whose county of residence is unknown. Rates are per 100,000 population.



# Rates of Adults and Adolescents Living with Diagnosed HIV Infection, by Metropolitan Statistical Area of Residence—United States and Puerto Rico, Year-end 2016

<u>Rank</u>	<u>MSA</u>	<u>Rate</u>
1	Miami-Fort Lauderdale-West Palm Beach, FL	1,017.4
2	New York-Newark-Jersey City, NY-NJ-PA	805.6
3	Baton Rouge, LA	731.2
4	Baltimore-Columbia-Towson, MD	718.0
5	New Orleans-Metairie, LA	716.2
6	Atlanta-Sandy Springs-Roswell, GA	670.3
7	Memphis, TN-MS-AR	624.5
8	Jackson, MS	601.3
9	San Francisco-Oakland-Hayward, CA	572.5
10	Columbia, SC	559.9

*Note.* Data are based on residence at the end of the specified year (i.e., most recent known address). Data exclude persons whose county of residence is unknown. Rates are per 100,000 population.





# Rates of Adults and Adolescents Living with Diagnosed HIV Infection, by Metropolitan Statistical Area and Sex—United States and Puerto Rico, Year-end 2016

## Male

<u>Rank</u>	<u>MSA</u>	<u>Rate</u>
1	Miami-Fort Lauderdale-West Palm Beach, FL	1,519.2
2	New York-Newark-Jersey City, NY-NJ-PA	1,179.3
3	Atlanta-Sandy Springs-Roswell, GA	1,110.3
4	New Orleans-Metairie, LA	1,109.1
5	San Francisco-Oakland-Hayward, CA	1,044.3

## Female

<u>Rank</u>	<u>MSA</u>	<u>Rate</u>
1	Miami-Fort Lauderdale-West Palm Beach, FL	550.8
2	Baton Rouge, LA	513.8
3	Baltimore-Columbia-Towson, MD	477.1
4	New York-Newark-Jersey City, NY-NJ-PA	462.6
5	Memphis, TN-MS-AR	371.5

*Note* Data are based on residence at the end of the specified year (i.e., most recent known address). Data exclude persons whose county of residence is unknown. Rates are per 100,000 population.



# Rates of Adults and Adolescents Living with Diagnosed HIV Infection, by Metropolitan Statistical Area, Sex, and Age—United States and Puerto Rico, Year-end 2016

<u>Age group</u>	<u>Rank</u>	<u>Male</u>		<u>Female</u>	
		<u>MSA</u>	<u>Rate</u>	<u>MSA</u>	<u>Rate</u>
13–24	1	New Orleans-Metairie, LA	324.5	Miami-Fort Lauderdale-West Palm Beach, FL	103.0
25–34	1	Atlanta-Sandy Springs-Roswell, GA	1,491.7	Baton Rouge, LA	629.4
35–44	1	Miami-Fort Lauderdale-West Palm Beach, FL	1,610.3	Baton Rouge, LA	1,130.8
45–54	1	Miami-Fort Lauderdale-West Palm Beach, FL	2,898.6	Baltimore-Columbia-Towson, MD	1,013.2
≥ 55	1	Miami-Fort Lauderdale-West Palm Beach, FL	1,648.1	New York-Newark-Jersey City, NY-NJ-PA	521.1

*Note.* Data are based on residence at the end of the specified year (i.e., most recent known address). Data exclude persons whose county of residence is unknown. Rates are per 100,000 population.



# Rates of Black/African American Adults and Adolescents Living with Diagnosed HIV Infection, by Metropolitan Statistical Area and Sex—United States and Puerto Rico

## Year-end 2016

Male			Female		
Rank	MSA	Rate	Rank	MSA	Rate
1	Miami-Fort Lauderdale-West Palm Beach, FL	2,944.3	1	Portland-South Portland, ME	2,948.2
2	New York-Newark-Jersey City, NY-NJ-PA	2,711.6	2	Miami-Fort Lauderdale-West Palm Beach, FL	2,051.6
3	Baltimore-Columbia-Towson, MD	2,648.3	3	Worcester, MA-CT	1,893.0
4	San Francisco-Oakland-Hayward, CA	2,533.6	4	Salt lake City, UT	1,605.2
5	Atlanta-Sandy Springs-Roswell, GA	2,315.1	5	Cape Coral-Fort Myers, FL	1,557.8

*Note.* Data are based on residence at the end of the specified year (i.e., most recent known address). Data exclude persons whose county of residence is unknown. Rates are per 100,000 population.



# Rates of Hispanic/Latino Adults<sup>a</sup> and Adolescents Living with Diagnosed HIV Infection, by Metropolitan Statistical Area and Sex—United States and Puerto Rico, Year-end 2016

<u>Male</u>			<u>Female</u>		
<u>Rank</u>	<u>MSA</u>	<u>Rate</u>	<u>Rank</u>	<u>MSA</u>	<u>Rate</u>
1	New York-Newark-Jersey City, NY-NJ-PA	1,817.0	1	Albany-Schenectady-Troy, NY	937.5
2	Buffalo-Cheektowaga- Niagara Falls, NY	1,570.5	2	Springfield, MA	896.8
3	Springfield, MA	1,508.9	3	Rochester, NY	835.2
4	Albany-Schenectady-Troy, NY	1,500.0	4	Hartford-West Hartford- East Hartford, CT	704.3
5	Syracuse, NY	1,401.2	5	New York-Newark-Jersey City, NY-NJ-PA	675.2

*Note.* Data are based on residence at the end of the specified year (i.e., most recent known address). Data exclude persons whose county of residence is unknown. Rates are per 100,000 population.

<sup>a</sup> Hispanics/Latinos can be of any race.



# Rates of White Adults and Adolescents Living with Diagnosed HIV Infection, by Metropolitan Statistical Area and Sex—United States and Puerto Rico, Year-end 2016

<u>Male</u>			<u>Female</u>		
<u>Rank</u>	<u>MSA</u>	<u>Rate</u>	<u>Rank</u>	<u>MSA</u>	<u>Rate</u>
1	San Francisco-Oakland-Hayward, CA	1,199.4	1	Miami-Fort Lauderdale-West Palm Beach, FL	128.6
2	Miami-Fort Lauderdale-West Palm Beach, FL	1,118.6	2	Lakeland-Winter Haven, FL	95.8
3	Los Angeles-Long Beach-Anaheim, CA	835.1	3	New Haven-Milford, CT	90.8
4	Riverside-San Bernardino-Ontario, CA	810.0	4	Jacksonville, FL	89.4
5	San Diego-Carlsbad, CA	769.4	5	Palm Bay-Melbourne-Titusville, FL	88.3

*Note.* Data are based on residence at the end of the specified year (i.e., most recent known address). Data exclude persons whose county of residence is unknown. Rates are per 100,000 population.



# Rates of Deaths among Adults and Adolescents with Diagnosed HIV Infection, by Metropolitan Statistical Area and Sex—United States and Puerto Rico, 2016

<u>Male</u>			<u>Female</u>		
<u>Rank</u>	<u>MSA</u>	<u>Rate</u>	<u>Rank</u>	<u>MSA</u>	<u>Rate</u>
1	Miami-Fort Lauderdale-West Palm Beach, FL	23.4	1	Baton Rouge, LA	11.8
2	New Orleans-Metairie, LA	21.0	2	Miami-Fort Lauderdale-West Palm Beach, FL	11.1
3	Baton Rouge, LA	20.5	3	Lakeland-Winter Haven, FL	8.0
4	Lakeland-Winter Haven, FL	17.6	4	New York-Newark-Jersey City, NY-NJ-PA	7.3
5	New York-Newark-Jersey City, NY-NJ-PA	17.3	5	Memphis, TN-MS-AR	7.2

*Note.* Deaths of persons with diagnosed HIV infection may be due to any cause. Data are based on residence at death. Rates are per 100,000 population.

