




# Maps Based on Data from 2018 HIV Surveillance Report (preliminary)



# Rates of Adults and Adolescents Living with Diagnosed HIV Infection, by Area of Residence, Year-end 2017—United States and 6 Dependent Areas

N = 1,018,346


Total Rate: 369.4



Note. Data are based on address of residence as of December 31, 2017 (i.e., most recent known address).



# Rates of American Indian/Alaska Native Adults and Adolescents Living with Diagnosed HIV Infection, by Area of Residence, Year-end 2017—United States



Note: Data are based on address of residence as of December 31, 2017 (i.e., most recent known address).






# Rates of Asian Adults and Adolescents Living with Diagnosed HIV Infection, by Area of Residence, Year-end 2017—United States

N = 14,135

Total Rate: 90.5



Note. Data are based on address of residence as of December 31, 2017 (i.e., most recent known address). The Asian category includes Asian/Pacific Islander legacy cases.






# Rates of Black/African American Adults and Adolescents Living with Diagnosed HIV Infection, by Area of Residence, Year-end 2017—United States

N = 413,471

Total Rate: 1,240.2




Note. Data are based on address of residence as of December 31, 2017 (i.e., most recent known address).






# Rates of Hispanic/Latino Adults and Adolescents Living with Diagnosed HIV Infection by Area of Residence, Year-end 2017—United States



Note. Data are based on address of residence as of December 31, 2017 (i.e., most recent known address). Hispanics/Latinos can be of any race.



# Rates of Adults and Adolescents of Multiple Races Living with Diagnosed HIV Infection, by Area of Residence, Year-end 2017—United States




Note. Data are based on address of residence as of December 31, 2017 (i.e., most recent known address).





# Rates of Native Hawaiian/Other Pacific Islander Adults and Adolescents Living with Diagnosed HIV Infection, by Area of Residence, Year-end 2017—United States




Note.. Data are based on address of residence as of December 31, 2017 (i.e., most recent known address).





# Rates of White Adults and Adolescents Living with Diagnosed HIV Infection, by Area of Residence, Year-end 2017—United States




Note. Data are based on address of residence as of December 31, 2017 (i.e., most recent known address).



# Rates of Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence, Year-end 2017—United States and 6 Dependent Areas

N = 533,556

Total Rate: 193.6



American Samoa	5.2
Guam	30.0
Northern Mariana Islands	22.3
Puerto Rico	297.6
Republic of Palau	27.8
U.S. Virgin Islands	334.9

Note. Data are based on address of residence as of December 31, 2017 (i.e., most recent known address).






# Rates of American Indian/Alaska Native Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence

## Year-end 2017—United States

N = 1,472

Total Rate: 75.2



Note. Data are based on address of residence as of December 31, 2017 (i.e., most recent known address).






# Rates of Asian Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence, Year-end 2017—United States

N = 6,433

Total Rate: 41.2



Note. Data are based on address of residence as of December 31, 2017 (i.e., most recent known address). The Asian category includes Asian/Pacific Islander legacy cases.






# Rates of Black/African American Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence

## Year-end 2017—United States

N = 215,134

Total Rate: 645.3



Note. Data are based on address of residence as of December 31, 2017 (i.e., most recent known address).






# Rates of Hispanic/Latino Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence, Year-end 2017—United States

N = 120,780

Total Rate: 267.7



**Rates per 100,000 Hispanics/Latinos**

- 62.1 - 123.9
- 124.0 - 188.8
- 188.9 - 272.0
- 272.1 - 953.4


Data classified using quartiles

Note. Data are based on address of residence as of December 31, 2017 (i.e., most recent known address). Hispanics/Latinos can be of any race.



# Rates of Adults and Adolescent Persons of Multiple Races Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence

## Year-end 2017—United States




Note. Data are based on address of residence as of December 31, 2017 (i.e., most recent known address).





# Rates of Native Hawaiian/Other Pacific Islander Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence

## Year-end 2017—United States



Note. Data are based on address of residence as of December 31, 2017 (i.e., most recent known address).








# Rates of White Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence, Year-end 2017—United States

N = 153,293      Total Rate: 89.4



Note. Data are based on address of residence as of December 31, 2017 (i.e., most recent known address).






# Rates of Diagnoses of HIV Infection among Adults and Adolescents 2018—United States and 6 Dependent Areas

N = 37,741

Total Rate = 13.6




- American Samoa 0.0
- Guam 5.5
- Northern Mariana Islands 2.5
- Puerto Rico 15.7
- Republic of Palau 0.0
- U.S. Virgin Islands 10.2



Note. Data for the year 2018 are considered preliminary and based on 6 months reporting delay.

# Rates of Diagnoses of HIV Infection among Children, by Area of Residence 2018—United States and 6 Dependent Areas

N = 91      Total Rate: 0.2




Note: Data for the year 2018 are considered preliminary and based on 6 months reporting delay.






# Rates of Diagnosed HIV Infection Classified as Stage 3 (AIDS) among Adults and Adolescents, by Area of Residence, 2018—United States and 6 Dependent Areas






# Rates of Diagnosed HIV Infection Classified as Stage 3 (AIDS) among Children, by Area of Residence, 2018—United States and 6 Dependent Areas






# Stage 3 (AIDS) Classifications among Adults and Adolescents with HIV Infection, by Area of Residence, Cumulative through 2018—United States and 6 Dependent Areas

N = 1,290,902



- American Samoa 1
- Guam 116
- Northern Mariana Islands 12
- Puerto Rico 35,361
- Republic of Palau 7
- U.S. Virgin Islands 829



Note. Data for the year 2018 are considered preliminary and based on 6 months reporting delay.