




HIV Surveillance by Race/Ethnicity 2018 (preliminary)




Diagnoses of HIV Infection among Adults and Adolescents, by Race/Ethnicity 2010–2017—United States and 6 Dependent Areas



^a Hispanics/Latinos can be of any race.



Rates of Diagnoses of HIV Infection among Adults and Adolescents, by Race/Ethnicity 2010–2017—United States




^a Hispanics/Latinos can be of any race.





Diagnoses of HIV Infection among Black/African American Adults and Adolescents by Sex and Transmission Category, 2010–2017—United States




Note. Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises less than 1% of cases.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.





Diagnoses of HIV Infection among Hispanic/Latino Adults and Adolescents, by Sex and Transmission Category, 2010–2017—United States




Note. Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises less than 1% of cases.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.





Diagnoses of HIV Infection among White Adults and Adolescents by Sex and Transmission Category, 2010–2017—United States




Note. Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises less than 1% of cases.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.





Rates of Deaths for Persons with Diagnosed HIV Infection, by Race/Ethnicity 2010–2017—United States



Note. Deaths of persons with diagnosed HIV may be due to any cause. Unknown race/ethnicity is not displayed because it comprises less than 1% of cases.

^a Hispanics/Latinos can be of any race.

^b Includes Asian/Pacific Islander legacy cases.



Deaths of Persons with Diagnosed HIV Infection by Race/Ethnicity, 2017—United States

Race/ethnicity	No.	Rate	%
American Indian/Alaska Native	39	1.6	0.2
Asian ^a	84	0.5	0.5
Black/African American	7,049	17.4	44.1
Hispanic/Latino ^b	2,606	4.4	16.3
Native Hawaiian/other Pacific Islander	8	1.4	<1
White	5,123	2.6	32.1
Multiple races	1,061	15.3	6.6
Total^c	15,971	4.9	100

Note. Deaths of persons with diagnosed HIV infection may be due to any cause. Rates are per 100,000 population.

^a Includes Asian/Pacific Islander legacy cases.

^b Hispanics/Latinos can be of any race.

^c Includes one person whose race/ethnicity is unknown.





Adults and Adolescents Living with Diagnosed HIV Infection by Race/Ethnicity

Year-end 2017—United States

Race/Ethnicity	No.	Rate	%
American Indian/Alaska Native	3,032	126.2	0.3
Asian ^a	14,244	78.1	1.4
Black/African American	414,747	1,022.0	41.3
Hispanic/Latino ^b	222,662	379.3	22.2
Native Hawaiian/other Pacific Islander	839	145.6	0.1
White	300,619	152.1	29.9
Multiple races	46,857	675.9	4.7
Total^c	1,003,782	308.7	100

Note. Rates are per 100,000 population.

^a Includes Asian/Pacific Islander legacy cases.


^b Hispanics/Latinos can be of any race.

^c Includes persons 897 whose race/ethnicity is unknown.





Diagnosed HIV Infections Classified as Stage 3 (AIDS) among Racial/Ethnic Minorities, 1985–2017—United States and 6 Dependent Areas




Note. Includes American Indians/Alaska Natives, Asians, blacks/African Americans, Hispanics/Latinos, and Native Hawaiians/other Pacific Islanders. Hispanics/Latinos can be of any race.





Percentages of Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection, by Race/Ethnicity and Year of Classification 1985–2017—United States and 6 Dependent Areas



Note. Unknown race/ethnicity is not displayed because it comprises less than 1% of cases.


^a Hispanics/Latinos can be of any race.

^b Includes Asian/Pacific Islander legacy cases.





Rates of Diagnosed HIV Infection Classified as Stage 3 (AIDS) among Adults and Adolescents, by Race/Ethnicity, 2000–2017—United States




^a Hispanics/Latinos can be of any race.
^b Includes Asian/Pacific Islander legacy cases.





Survival after Classification of Stage 3 (AIDS) during 2000—2013, by Months Survived and Race/Ethnicity—United States and 6 Dependent Areas



Note. Data exclude persons whose month of diagnosis or month of death is unknown.


^a Includes Asian/Pacific Islander legacy cases.

^b Hispanics/Latinos can be of any race.





Rates of Deaths for Persons with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Race/Ethnicity, 2010–2017—United States



Note. Deaths of persons with diagnosed HIV may be due to any cause.
^a Hispanics/Latinos can be of any race.
^b Includes Asian/Pacific Islander legacy cases.





Deaths of Persons with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS) by Race/Ethnicity, 2017—United States

Race/Ethnicity	No.	Rate	%
American Indian/Alaska Native	33	1.4	0.3
Asian ^a	65	0.4	0.5
Black/African American	5,557	13.7	44.2
Hispanic/Latino ^b	2,183	3.7	17.4
Native Hawaiian/other Pacific Islander	7	1.2	0.1
White	3,848	1.9	30.6
Multiple races	887	12.8	7.1
Total	12,580	3.9	100

Note. Deaths of persons with diagnosed HIV may be due to any cause. Rates are per 100,000 population.

^a Includes Asian/Pacific Islander legacy cases.

^b Hispanics/Latinos can be of any race.





Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Race/Ethnicity, Year-end 2017—United States

Race/Ethnicity	No.	Rate	%
American Indian/Alaska Native	1,472	75.2	0.3
Asian ^a	6,433	41.2	1.2
Black/African American	215,134	645.3	41.0
Hispanic/Latino ^b	120,780	267.7	23.0
Native Hawaiian/other Pacific Islander	405	86.1	0.1
White	153,293	89.4	29.2
Multiple races	27,065	595.5	5.2
Total^c	524,622	192.5	100

Note. Rates are per 100,000 population.


^a Includes Asian/Pacific Islander legacy cases.

^b Hispanics/Latinos can be of any race.

^c Includes 40 persons whose race/ethnicity is unknown.



Diagnoses of HIV Infection and Population by Race/Ethnicity 2018—United States




Note. Data for the year 2018 are considered preliminary and based on 6 months reporting delay.

^a Hispanics/Latinos can be of any race.



Diagnoses of HIV Infection and Population among Male Adults and Adolescents, by Race/Ethnicity, 2018—United States



Note. Data for the year 2018 are considered preliminary and based on 6 months reporting delay.

^a Hispanics/Latinos can be of any race.



Diagnoses of HIV Infection among Male Adults and Adolescents by Race/Ethnicity, 2018—United States

Race/ethnicity	No.	Rate	%
American Indian/Alaska Native	157	16.3	0.5
Asian	766	10.1	2.5
Black/African American	11,894	74.8	39.5
Hispanic/Latino ^a	8,481	36.4	28.1
Native Hawaiian/other Pacific Islander	64	26.6	0.2
White	8,080	9.6	26.8
Multiple races	705	30.9	2.3
Total	30,147	22.5	100

Note. Data for the year 2018 are considered preliminary and based on 6 months reporting delay. Rates are per 100,000 population.

^a Hispanics/Latinos can be of any race.





Diagnoses of HIV Infection among Female Adults and Adolescents by Race/Ethnicity, 2018—United States


Race/ethnicity	No.	Rate	%
American Indian/Alaska Native	32	3.2	0.4
Asian	103	1.2	1.4
Black/African American	4,114	23.1	57.6
Hispanic/Latino ^a	1,183	5.2	16.6
Native Hawaiian/other Pacific Islander	5	2.1	0.1
White	1,526	1.7	21.4
Multiple races	176	7.3	2.5
Total	7,139	5.1	100

Note. Data for the year 2018 are considered preliminary and based on 6 months reporting delay. Rates are per 100,000 population.

^a Hispanics/Latinos can be of any race.



Diagnoses of HIV Infection among Black/African American Adults and Adolescents by Sex and Transmission Category, 2018—United States and 6 Dependent Areas




Note. Data for the year 2018 are considered preliminary and based on 6 months reporting delay. Data have been statistically adjusted to account for missing transmission category. "Other" transmission category not displayed as it comprises 1% or less of cases.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.





Diagnoses of HIV Infection among Hispanic/Latino^a Adults and Adolescents, by Sex and Transmission Category, 2018—United States and 6 Dependent Areas



Note. Data for the year 2018 are considered preliminary and based on 6 months reporting delay. Data have been statistically adjusted to account for missing transmission category. "Other" transmission category not displayed as it comprises 1% or less of cases.

^a Hispanics/Latinos can be of any race.

^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.






Diagnoses of HIV Infection among White Adults and Adolescents, by Sex and Transmission Category, 2018—United States and 6 Dependent Areas

Male
N = 8,086

Female
N = 1,526




Note. Data for the year 2018 are considered preliminary and based on 6 months reporting delay. Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises 1% or less of cases.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.





Diagnoses of HIV Infection among Adults and Adolescents by Region and Race/Ethnicity, 2018—United States




Note. Data for the year 2018 are considered preliminary and based on 6 months reporting delay.

^a Hispanics/Latinos can be of any race.



Diagnoses of HIV Infection among Hispanic/Latino^a Adults and Adolescents, by Sex and Place of Birth, 2018—United States and 6 Dependent Areas




Note. Data for the year 2018 are considered preliminary and based on 6 months reporting delay.
^aHispanics/Latinos can be of any race.



Rates of Diagnoses of HIV Infection among Black/African American Adults and Adolescents, 2018—United States

N = 16,008 Total Rate = 47.5




Note. Data for the year 2018 are considered preliminary and based on 6 months reporting delay.



Rates of Diagnoses of HIV Infection among Hispanic/Latino^a Adults and Adolescents, 2018—United States

N = 9,664 Total Rate = 20.9




Note. Data for the year 2018 are considered preliminary and based on 6 months reporting delay.
^a Hispanics/Latinos can be of any race.



Rates of Diagnoses of HIV Infection among White Adults and Adolescents, 2018—United States


N = 9,606 Total Rate = 5.6



Note. Data for the year 2018 are considered preliminary and based on 6 months reporting delay.



Stage 3 (AIDS) Classifications and Population by Race/Ethnicity 2018—United States




Note. Data for the year 2018 are considered preliminary and based on 6 months reporting delay.

^a Hispanics/Latinos can be of any race.



Rates of Diagnosed HIV Infections Classified as Stage 3 (AIDS) among Black/African American Adults and Adolescents, 2018—United States




Note. Data for the year 2018 are considered preliminary and based on 6 months reporting delay.



Rates of Diagnosed HIV Infections Classified as Stage 3 (AIDS) among Hispanic/Latino^a Adults and Adolescents, 2018—United States

N = 3,881 Total Rate = 8.4




Note. Data for the year 2018 are considered preliminary and based on 6 months reporting delay.
^a Hispanics/Latinos can be of any race.



Rates of Diagnosed HIV Infections Classified as Stage 3 (AIDS) among White Adults and Adolescents, 2018—United States

N = 4,016 Total Rate = 2.3



Note. Data for the year 2018 are considered preliminary and based on 6 months reporting delay.

