Radiologic Interpretation

U.S. DEPARTMENT OF LABOR

OFFICE OF WORKERS' COMPENSATION PROGRAMS DIVISION OF COAL MINE WORKERS' COMPENSATION



Note: This report is authorized by law (30 USC 901 et. seq. and 20 CFR 718.102). The results of this interpretation will aid in determining the claimant's eligibility for black lung benefits. This method of collecting information complies with the Freedom of Information Act, the Privacy Act of 1974, and OMB Circular No. 108.

OMB No. 1240-0023 Expires 08-31-2020

Please record your interpretation of a single image by placing "X" in the appropriate boxes on the form and return it promptly to the office that requested the interpretation. The form must be completed as per instructions: signed by a physician, and contain the miner's name and DOL's Case ID Number. The Department of Labor will pay only for images of acceptable quality (1, 2 and 3). Images of inferior quality (U/R) must be retaken without cost to the Department. 1B. DOL's Case ID Number 1C. Image Quality (if not Grade 1. Miner's Name (Print) 1A. Date of X-Ray 1. Give Reason): 3 U/R 2 1D. Is Image Completely Negative? 2A. Any Parenchymal Abnormalities Consistent with Pneumoconiosis? YES Proceed to Section 5 NO Complete Section 2A YES Complete 2B and 2C NO Proceed to Section 3 2B. Small Opacities Consistent With Pneumoconiosis 2C. Large Opacities Consistent With Pneumoconiosis c. PROFUSION a. SHAPE/SIZE PRIMARY SECONDARY b. ZONES 0/-0/1 1/0 1/1 1/2 р s p Proceed to 2/1 2/2 2/3 0 Α В С q q SIZE Section 3 3/2 3/3 3/+ 3A. ANY PLEURAL ABNORMALITIES Proceed to Complete Sections CONSISTENT WITH PNEUMOCONIOSIS? YES NO 3B, 3C Section 4A 3B. PLEURAL PLAQUES Extent (chest wall; combined for Width (in profile only) (mark site, calcification, extent and width) (3mm minimum width required) in profile and face on) Chest Wall Calcification Up to 1/4 of lateral chest wall = 1 3 to 5 mm = aSite 0 R 0 In Profile R 1/4 to 1/2 of lateral chest wall = 2 5 to 10 mm = bL L Face On 0 R L 0 R L > 1/2 of lateral chest wall = 3 > 10 mm = cDiaphragm 0 R L 0 R L 0 R 0 L 0 R 0 L 0 R 0 R L 1 2 2 3 Other site(s) 3 а b С а b С Proceed to Proceed to 3C. COSTOPHRENIC ANGLE OBLITERATION R L NO Section 3D Section 4A 3D. DIFFUSE PLEURAL THICKENING (mark site, calcification, extent, and width) Extent (chest wall, combined for Width (in profile only) in profile and face on) (3mm minimum width required) Up to 1/4 of lateral chest wall = 1 3 to 5 mm = a1/4 to 1/2 of lateral chest wall = 2 5 to 10 mm = bChest wall Site Calcification $> 10 \ mm = c$ > 1/2 of lateral chest wall = 3 In Profile 0 R L 0 R L 0 R 0 L 0 R 0 0 R 0 R 2 3 2 3 b b Face On а С 4A. ANY OTHER ABNORMALITIES? Complete Proceed to YES NO 4B and 4C Section 5 4B. OTHER SYMBOLS (OBLIGATORY ih kΙ aa at ax bu ca cg cn CO ср CV di ef em es fr hi ho id me pa pb pi рх ra rp tb REPORT ITEMS WHICH MAY BE OF PRESENT (Specify od.) Date Personal Physician notified? OD M M D D CLINICAL SIGNIFICANCE IN THIS SECTION OTHER COMMENTS SHOULD WORKER SEE PERSONAL PHYSICIAN BECAUSE OF COMMENTS IN SECTION 4C? YES NO Proceed to Section 5 FACILITY PROVIDING RADIOLOGIC EXAMINATION: DOL Medical Provider Number (if applicable): Was image taken by a registered radiographer/radiographic technologist? □ No ☐ Yes State Name Registration No. 5B. Physician Interpreting Image (Print Name): Are you: Board-certified radiologist? ☐ Yes ☐ No Board-eligible radiologist? ☐ Yes ☐ No B-reader? ☐ Yes ☐ No Date Current B-reader Certification Expires: 5C. I certify that this image has been interpreted in accordance with the instructions provided on Form CM-954a and/or 20 CFR 718, Subpart B, 718.102 and Appendix A. I also certify that the information furnished is correct and am aware that my signature attests to the accuracy of the results reported. I am aware that any person who willfully makes any false or misleading statement or representation in support of an application for benefits shall be guilty of a misdemeanor under 30 USC 941 and, on conviction, subject to a fine of up to \$1,000, or to imprisonment for up to one year, or both. PHYSICIAN'S SIGNATURE DATE OF READING_ (Mo., Day, Yr.)

PUBLIC BURDEN STATEMENT

We estimate that it will take an average of 5 minutes to complete this information collection, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the information. If you have any comments regarding these estimates or any other aspect of this information collection, including suggestions for reducing this burden, send them to the Division of Coal Mine Workers' Compensation, U. S. Department of Labor, Room N-3464, 200 Constitution Avenue, N.W., Washington, D.C. 20210. **DO NOT SEND THE COMPLETED FORM TO THIS OFFICE.**

PRIVACY ACT NOTICE

The following information is provided in accordance with the Privacy Act of 1974, 5 USC 552a. (1) Submission of this information is required under the Black Lung Benefits Act. (2) The information will be used to determine eligibility for benefits and the amount of benefits payable under the Act. (3) The information may be used by other agencies or persons in handling matters relating, directly or indirectly, to the subject matter of the claim, including potentially liable coal mine operators and their insurance carriers; medical professionals in obtaining medical services or evaluations; contractors providing automated data processing services to the Department of Labor; representatives of the parties to the claim; and federal, state or local agencies in obtaining information about eligibility for benefits. (4) Furnishing all requested information will facilitate the claims adjudication process; not providing all or any part of the requested information may delay the process, or result in an unfavorable decision or a reduced level of benefits. (5) This information is included in a System of Records, DOL/OWCP-2, published at 81 Federal Register 25765, 25858 (April 29, 2016), or as updated and republished.

NOTICE

If you have a substantially limiting physical or mental impairment, Federal disability nondiscrimination law gives you the right to receive help from OWCP in the form of communication assistance, accommodation and modification to aid you in the claims process. For example, we will provide you with copies of documents in alternate formats, communication services such as sign language interpretation, or other kinds of adjustments or changes to account for the limitations of your disability. Please contact our office or the claims examiner to ask about this assistance.

NOTE: Persons are not required to respond to this collection of information unless it displays a currently valid OMB control number

EEATI IDEO			ON OF RADIOGRAPHS OF THE PNEUMOCONIOSES
Technical Quality FEATURES	<u> </u>	CODES 1	DEFINITIONS Good
		2	Acceptable, with no technical defect likely to impair classification of the radiograph for pneumoconiosis. Acceptable, with some technical defect but still acceptable for classification
Parenchymal		3	I DUIDOSES.
Abnormálities Small Opacities		U/R	Unacceptable for classification purposes. The category of profusion is based on the assessment of concentration
	Profusion	0/- 0/0 0/1 1/0 1/1 1/2	of opacities by comparison with the standard radiographs.
		2/1 2/2 2/3	Category 0 – small opacities absent or less profuse than the lower limit of Category 1.
		3/2 3/3 3/+	Categories 1,2 and 3 – represent increasing profusion of small opacities as defined by the corresponding standard radiographs.
	Zones	RU RM RL	The zones in which the opacities are seen are recorded. The right (R) and
			left (L) thorax are both divided into three zones – upper (U), middle (M)
		LU LM LL	and lower (L).
			The category of profusion is determined by considering the profusion as a whole over the affected zones of the lung and by comparing this with the standard radiographs.
	Shape and Size rounded	nin ala rir	The letters p, q, and r denote the presence of small rounded opacities. Three sizes are defined by the appearances on standard radiographs.
	rounded	p/p q/q r/r	p = diameter up to about 1.5 mm.
			q = diameter exceeding about 1.5 mm and up to about 3 mm.
	irregular	s/s t/t u/u	r = diameter exceeding about 3 mm and up to about 10 mm.
		-11111-	The letters s, t and u denote the presence of small irregular opacities. Three sizes are defined by the appearance on standard radiographs.
	mixed	p/s p/t p/u p/q p/r q/s q/t q/u q/p q/r r/s r/t r/u r/p r/q s/p s/q s/r s/t s/u t/p t/q t/r t/s t/u u/p u/q u/r u/s u/t	s = width up to about 1.5 mm.
		r/s r/t r/u r/p r/q s/p s/q s/r s/t s/u	t = width exceeding about 1.5 mm and up to about 3 mm. u = width exceeding 3 mm and up to about 10 mm.
		u/p u/q u/r u/s u/t	For mixed shapes (or sizes) of small opacities the predominant shape
			And size is recorded first. The presence of a significant number or another shape and size is
Large Opacities		ABC	recorded after the oblique stroke. The categories are defined in terms of dimensions of the opacities.
zaige opasitios		7.50	· ·
			Category A – an opacity having a greatest diameter exceeding about 10 mm and up to and including 50 mm, or several opacities each greater than about 10 mm, the sum of whose greatest diameters does not
			exceed 50 mm.
			Category B – one or more opacities larger or more numerous
			Category B – one or more opacities larger or more numerous than those in category A whose combined area does not exceed the equivalent of the right upper zone.
Pleural Abnormalities			
Pleural Thickening	Туре		Category C – one or more opacities whose combined area exceed the equivalent of the right upper zone.
Pleural Thickening Chest Wall	Site		Two types of pleural thickening of the chest wall are recognized: circumscribed (plaques) and diffuse. Both types may occur together.
		R L	circumscribed (plaques) and diffuse. Both types may occur together. Pleural thickening of the chest wall is recorded separately for the
		K L	right (R) and left (L) thorax.
	Width	ABC	For pleural thickening seen along the lateral chest wall the measurement of maximum width is made from the inner line of the chest wall to the inner margin of the shadow seen most sharply at the parenchymal-pleural boundary. The maximum width usually occurs at the inner margin of the rib shadow at its outermost point.
			chest wall to the inner margin of the shadow seen most sharply at the parenchymal-pleural boundary. The maximum width usually occurs at
			a = maximum width up to about 5 mm. b = maximum width over about 5 mm and up to about 10 mm. c = maximum width over about 10 mm.
	Face On	Y N	c = maximum width over about 10 mm. The presence of pleural thickening seen face-on is recorded even if it
	1 400 011		can be seen also in profile. If pleural thickening is seen face-on only, width can not usually be measured.
	Extent	1 2 3	The presence of pleural thickening seen face-on is recorded even if it can be seen also in profile. If pleural thickening is seen face-on only, width can not usually be measured. Extent of pleural thickening is defined in terms of the maximum length of pleural involvement, or as the sum of maximum lengths, whether seen in profile or face-on.
			1 = total length equivalent up to one quarter of the projection of the lateral chest wall.
			2 = total length exceed one quarter but not one half of the projection of the lateral chest wall. 3 = total length, exceeding one half of the projection of the lateral chest
			3 = total length exceeding one half of the projection of the lateral chest lateral chest wall
Diaphragm	Presence	Y N	A plaque involving the diaphragmatic pleura is recorded as present (Y) or absent (N) separately for the right (R) or left (L) thorax.
Costophrenic Angle	Site	R L	The presence (Y) or absence (N) costophrenic angle obliteration is
	Presence	Y N	The presence (Y) or absence (N) costophrenic angle obliteration is recorded separately from thickening over other areas for the right (R) and left (L) thorax. The lower limit for the obliteration is defined by a standard radiograph showing profusion subcategory 1/1 t/t.
Pleural Calcification	Site	R L	standard radiograph showing profusion subcategory 1/1 ft. If the thickening extends up the chest wall then both costophrenic angle obliteration and pleural thickening should be recorded.
	Site		
	chest wall diaphragm	R L R L	The site and extent of pleural calcification are recorded separately for the two lungs, and the extent defined in terms of dimensions.
	other	RL	"Other" includes calcification of the mediastinal and pericardial pleura.
	extent	1 2 3	1 = an area of calcified pleura with greatest diameter up to about 20 mm or a number of such areas the sum of whose greatest diameters
			does not exceed about 20 mm.
			2 = an area of calcified pleura with greatest diameter exceeding about 20 mm and up to about 100 mm, or a number of such areas the sum of whose greatest diameters exceed about 20 mm but dies not
			sum of whose greatest diameters exceed about 20 mm but dies not exceed about 100 mm.
			3 = an area of calcified pleura with greatest diameter exceeding about
Symbols			100 mm or a number of such area whose sum of greatest diameters exceeds about 100 mm.
->			It is to be taken that the definition of such of the Symbols is preceded
			by an appropriate word or phrase such as "suspect", "pneumoconiotic
			changes suggestive of", or "opacities suggestive of ", etc.
			hi - enlargement of non-calcified hilar or mediastinal lymph nodes
ax - coalescence of small opacities id			ho - honeycomb lung id - ill-defined diaphragm border
bu - bulla(e) ih ca - cancer: thoracic malignancies excluding mesothelioma kl			ih - ill-defined heart border
- calcified non-pneumoconiotic nodules (e.g. granuloma) or			24 27 27
cg nodes construct notices (e.g. grandonia) or me calcification in small pneumoconiotic opacities pa			
co - abnormality of cardiac size or shape pb			
cp - cor pulmonale pi cv - cavity px			
cv - cavity px di - marked distortion of an intrathoracic structure ra			
ef - pleural effusion rp			rp - rheumatoid pneumoconiosis
es - eggshell calcification of hilar or mediastinal lymph nodes od			tb - tuberculosis od - other disease or significant abnormality
fr - fractured rib(s) (acute or heale			·
Comments	Presence	Y N	Comments should be recorded pertaining to the classification of the radiograph particularly if some other cause is thought to be responsible for a shadow.
			3 CM-933 (Rev. August 2017)