

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Total of all cities of 100,000 or more								
Number								
Low birthweight	103,407	55,049	41,254	615	6,489	26,171	29,279	40,295
Care beginning in first trimester	950,601	656,772	218,293	5,694	69,842	288,848	371,904	210,280
Late or no care	59,578	34,261	21,478	657	3,182	23,469	11,252	20,710
Percent								
Low birthweight	8.3	6.6	13.2	7.4	7.3	6.5	6.7	13.4
Care beginning in first trimester	79.7	81.8	73.3	71.1	82.1	74.9	88.0	73.3
Late or no care	5.0	4.3	7.2	8.2	3.7	6.1	2.7	7.2
Abilene, Texas								
Number								
Low birthweight	140	111	28	1	-	42	70	27
Care beginning in first trimester	1,526	1,366	115	4	41	352	1,018	113
Late or no care	61	53	7	1	-	29	25	7
Percent								
Low birthweight	7.4	6.7	17.2	*	*	8.3	6.0	16.8
Care beginning in first trimester	81.1	82.0	70.6	*	87.2	69.3	87.5	70.2
Late or no care	3.2	3.2	*	*	*	5.7	2.1	*
Akron, Ohio								
Number								
Low birthweight	316	168	142	-	6	4	163	142
Care beginning in first trimester	2,964	2,036	862	5	61	26	2,008	861
Late or no care	107	50	54	-	3	3	47	54
Percent								
Low birthweight	9.2	7.4	13.1	*	*	*	7.3	13.1
Care beginning in first trimester	86.5	89.8	80.0	*	81.3	81.3	90.0	79.9
Late or no care	3.1	2.2	5.0	*	*	*	2.1	5.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Albany, New York								
Number								
Low birthweight	119	56	61	-	2	11	25	59
Care beginning in first trimester	917	526	352	3	36	67	228	344
Late or no care	72	28	40	-	4	8	14	37
Percent								
Low birthweight	9.7	8.5	11.9	*	*	*	8.6	11.8
Care beginning in first trimester	75.1	80.9	68.9	*	63.2	69.1	78.9	68.9
Late or no care	5.9	4.3	7.8	*	*	*	*	7.4
Albuquerque, New Mexico								
Number								
Low birthweight	617	552	31	20	14	340	214	31
Care beginning in first trimester	5,227	4,706	138	244	139	2,650	2,073	133
Late or no care	744	663	26	43	12	436	230	24
Percent								
Low birthweight	7.8	7.7	13.5	5.2	*	7.9	7.5	14.0
Care beginning in first trimester	69.8	70.0	65.4	65.6	76.0	66.0	75.9	65.5
Late or no care	9.9	9.9	12.3	11.6	*	10.9	8.4	11.8
Alexandria city, Virginia								
Number								
Low birthweight	227	114	96	-	17	31	84	96
Care beginning in first trimester	1,925	1,324	480	2	119	360	969	478
Late or no care	210	105	94	-	11	69	37	94
Percent								
Low birthweight	8.9	6.8	13.4	*	*	5.7	7.3	13.4
Care beginning in first trimester	76.9	81.1	67.4	*	75.8	65.9	88.3	67.4
Late or no care	8.4	6.4	13.2	*	*	12.6	3.4	13.3

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Allentown, Pennsylvania								
Number								
Low birthweight	161	133	23	2	3	67	64	21
Care beginning in first trimester	1,169	1,016	93	19	41	385	628	82
Late or no care	55	44	8	2	1	26	19	8
Percent								
Low birthweight	9.6	9.2	14.3	*	*	11.1	7.7	14.8
Care beginning in first trimester	81.9	82.8	69.9	*	87.2	76.2	87.2	71.3
Late or no care	3.9	3.6	*	*	*	5.1	*	*
Amarillo, Texas								
Number								
Low birthweight	259	221	30	1	7	89	134	28
Care beginning in first trimester	2,489	2,285	131	12	61	762	1,526	126
Late or no care	129	108	19	1	1	60	48	19
Percent								
Low birthweight	8.4	7.9	14.4	*	*	8.5	7.7	13.8
Care beginning in first trimester	80.8	81.8	63.3	*	89.7	72.6	87.4	62.4
Late or no care	4.2	3.9	*	*	*	5.7	2.7	*
Anaheim, California								
Number								
Low birthweight	378	314	13	-	51	238	77	12
Care beginning in first trimester	5,855	5,026	139	15	675	3,737	1,297	133
Late or no care	174	155	6	-	13	122	33	6
Percent								
Low birthweight	5.4	5.2	*	*	6.5	5.2	5.3	*
Care beginning in first trimester	84.6	84.2	87.4	*	87.2	82.3	90.1	86.9
Late or no care	2.5	2.6	*	*	*	2.7	2.3	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Anchorage, coext. with Anchorage city, Alaska								
Number								
Low birthweight	250	129	41	47	33	20	112	32
Care beginning in first trimester	3,435	2,430	242	474	289	292	2,181	202
Late or no care	104	48	8	21	27	12	39	7
Percent								
Low birthweight	6.1	4.6	13.7	7.8	8.0	5.4	4.5	13.0
Care beginning in first trimester	85.9	88.9	84.3	78.9	76.7	83.2	89.5	85.6
Late or no care	2.6	1.8	*	3.5	7.2	*	1.6	*
Ann Arbor, Michigan								
Number								
Low birthweight	88	59	22	-	7	5	53	21
Care beginning in first trimester	1,060	809	103	3	145	45	731	98
Late or no care	27	14	6	-	7	2	12	6
Percent								
Low birthweight	6.6	6.0	13.9	*	*	*	6.1	13.9
Care beginning in first trimester	91.5	92.7	82.4	*	92.4	80.4	93.7	81.7
Late or no care	2.3	*	*	*	*	*	*	*
Arlington, Texas								
Number								
Low birthweight	369	243	97	-	29	88	154	97
Care beginning in first trimester	4,627	3,560	728	14	325	1,084	2,478	724
Late or no care	365	287	55	4	19	171	115	55
Percent								
Low birthweight	6.1	5.2	10.0	*	6.7	5.1	5.3	10.1
Care beginning in first trimester	77.8	77.8	76.9	*	80.0	63.7	86.1	77.3
Late or no care	6.1	6.3	5.8	*	*	10.0	4.0	5.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Arlington, Virginia								
Number								
Low birthweight	181	128	24	-	29	51	77	24
Care beginning in first trimester	2,119	1,698	196	-	225	528	1,171	191
Late or no care	140	94	33	-	13	70	24	33
Percent								
Low birthweight	6.7	6.0	8.6	*	10.0	6.4	5.7	8.7
Care beginning in first trimester	80.5	81.8	71.8	*	79.8	66.1	91.6	71.3
Late or no care	5.3	4.5	12.1	*	*	8.8	1.9	12.3
Atlanta, Georgia								
Number								
Low birthweight	1,005	234	756	1	14	83	140	744
Care beginning in first trimester	7,209	2,939	4,039	10	221	1,005	1,790	3,959
Late or no care	398	130	264	-	4	107	19	261
Percent								
Low birthweight	10.6	6.6	13.4	*	*	5.5	7.4	13.4
Care beginning in first trimester	80.7	86.3	76.7	*	90.6	71.7	96.2	76.5
Late or no care	4.5	3.8	5.0	*	*	7.6	*	5.0
Aurora, Colorado								
Number								
Low birthweight	459	315	114	5	25	126	194	111
Care beginning in first trimester	4,138	3,321	586	30	201	1,068	2,283	574
Late or no care	289	226	44	3	16	169	59	42
Percent								
Low birthweight	8.4	7.3	14.4	*	9.1	7.2	7.4	14.4
Care beginning in first trimester	77.4	77.8	76.1	73.2	75.0	62.0	88.4	76.4
Late or no care	5.4	5.3	5.7	*	*	9.8	2.3	5.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Austin, Texas								
Number								
Low birthweight	883	667	175	2	39	381	289	172
Care beginning in first trimester	9,808	8,227	949	21	611	3,715	4,538	924
Late or no care	745	658	66	1	20	569	91	64
Percent								
Low birthweight	6.9	6.2	13.6	*	5.6	6.6	5.8	13.7
Care beginning in first trimester	78.4	77.7	77.2	84.0	91.3	65.0	92.6	76.9
Late or no care	6.0	6.2	5.4	*	3.0	10.0	1.9	5.3
Bakersfield, California								
Number								
Low birthweight	501	390	86	6	19	217	174	86
Care beginning in first trimester	5,427	4,781	430	38	178	2,552	2,218	422
Late or no care	165	145	13	1	6	95	49	13
Percent								
Low birthweight	6.9	6.2	14.8	*	*	6.0	6.4	15.1
Care beginning in first trimester	82.7	82.9	81.1	74.5	84.4	80.2	86.0	81.0
Late or no care	2.5	2.5	*	*	*	3.0	1.9	*
Baltimore city, Maryland								
Number								
Low birthweight	1,377	245	1,120	3	9	16	230	1,115
Care beginning in first trimester	7,462	2,472	4,874	12	104	130	2,343	4,851
Late or no care	628	100	523	2	3	15	85	515
Percent								
Low birthweight	13.5	8.3	15.7	*	*	*	8.4	15.7
Care beginning in first trimester	75.8	86.1	71.4	*	85.2	63.4	88.0	71.4
Late or no care	6.4	3.5	7.7	*	*	*	3.2	7.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Baton Rouge, Louisiana								
Number								
Low birthweight	537	125	393	-	19	2	123	392
Care beginning in first trimester	3,906	1,700	2,061	9	136	83	1,618	2,060
Late or no care	175	23	148	-	4	1	22	148
Percent								
Low birthweight	10.9	6.7	13.5	*	*	*	7.0	13.5
Care beginning in first trimester	79.4	92.0	71.0	*	86.1	88.3	92.2	71.0
Late or no care	3.6	1.2	5.1	*	*	*	1.3	5.1
Beaumont, Texas								
Number								
Low birthweight	176	47	122	-	7	13	34	122
Care beginning in first trimester	1,488	738	705	3	42	192	543	703
Late or no care	70	27	39	-	4	9	15	39
Percent								
Low birthweight	9.8	5.5	13.8	*	*	*	5.6	13.8
Care beginning in first trimester	84.1	87.8	80.6	*	84.0	82.4	90.2	80.8
Late or no care	4.0	3.2	4.5	*	*	*	*	4.5
Berkeley, California								
Number								
Low birthweight	55	25	24	-	6	8	17	24
Care beginning in first trimester	897	627	140	-	130	149	481	138
Late or no care	7	3	3	-	1	-	3	3
Percent								
Low birthweight	5.8	3.8	15.2	*	*	*	*	15.5
Care beginning in first trimester	95.2	96.8	90.3	*	93.5	93.7	97.6	90.8
Late or no care	*	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Birmingham, Alabama								
Number								
Low birthweight	560	92	464	-	4	6	86	464
Care beginning in first trimester	3,497	1,050	2,402	5	40	91	962	2,401
Late or no care	254	53	200	-	1	16	37	199
Percent								
Low birthweight	12.3	7.4	14.2	*	*	*	7.8	14.2
Care beginning in first trimester	77.1	85.2	73.7	*	93.0	68.9	87.2	73.7
Late or no care	5.6	4.3	6.1	*	*	*	3.4	6.1
Boise City, Idaho								
Number								
Low birthweight	215	203	1	1	10	11	193	1
Care beginning in first trimester	2,708	2,604	17	10	77	147	2,449	17
Late or no care	102	93	2	1	6	16	76	2
Percent								
Low birthweight	6.6	6.5	*	*	*	*	6.7	*
Care beginning in first trimester	83.4	83.7	*	*	80.2	67.1	84.9	*
Late or no care	3.1	3.0	*	*	*	*	2.6	*
Boston, Massachusetts								
Number								
Low birthweight	724	299	375	3	47	138	193	342
Care beginning in first trimester	6,922	3,745	2,585	12	580	1,488	2,655	2,162
Late or no care	241	95	133	-	13	52	53	123
Percent								
Low birthweight	9.0	7.1	11.9	*	6.9	7.9	6.7	12.8
Care beginning in first trimester	86.4	89.3	82.9	*	85.3	85.3	92.2	81.3
Late or no care	3.0	2.3	4.3	*	*	3.0	1.8	4.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Bridgeport, Connecticut								
Number								
Low birthweight	241	114	113	1	13	86	30	110
Care beginning in first trimester	1,554	949	510	3	92	594	361	502
Late or no care	85	32	45	2	6	24	9	45
Percent								
Low birthweight	10.3	8.4	13.3	*	*	10.0	6.0	13.2
Care beginning in first trimester	78.2	81.6	72.5	*	80.0	78.9	86.2	72.8
Late or no care	4.3	2.8	6.4	*	*	3.2	*	6.5
Bronx borough, Bronx county, New York								
Number								
Low birthweight	2,077	963	1,046	1	67	1,028	124	847
Care beginning in first trimester	15,663	8,071	7,025	6	561	8,493	1,418	5,132
Late or no care	1,253	529	682	-	42	640	76	489
Percent								
Low birthweight	9.1	8.4	10.0	*	8.1	8.4	6.7	11.0
Care beginning in first trimester	75.2	76.8	73.4	*	74.6	74.9	81.6	74.1
Late or no care	6.0	5.0	7.1	*	5.6	5.6	4.4	7.1
Brooklyn borough, Kings county, New York								
Number								
Low birthweight	3,331	1,270	1,812	3	246	682	671	1,703
Care beginning in first trimester	25,638	13,107	10,117	8	2,406	6,364	7,528	9,173
Late or no care	2,103	798	1,114	1	190	487	383	1,026
Percent								
Low birthweight	8.3	6.2	11.5	*	6.6	7.3	5.5	11.9
Care beginning in first trimester	73.8	76.8	70.4	*	73.4	74.4	78.6	70.1
Late or no care	6.1	4.7	7.8	*	5.8	5.7	4.0	7.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Buffalo, New York								
Number								
Low birthweight	490	197	283	4	6	41	120	280
Care beginning in first trimester	3,058	1,875	1,093	28	62	279	1,159	1,082
Late or no care	519	210	295	7	7	80	121	294
Percent								
Low birthweight	10.7	8.0	14.2	*	*	9.4	7.9	14.2
Care beginning in first trimester	71.2	78.9	61.2	66.7	69.7	65.3	79.5	61.1
Late or no care	12.1	8.8	16.5	*	*	18.7	8.3	16.6
Cedar Rapids, Iowa								
Number								
Low birthweight	100	86	8	-	6	2	83	8
Care beginning in first trimester	1,580	1,459	64	8	49	37	1,420	63
Late or no care	35	27	6	-	2	2	25	6
Percent								
Low birthweight	5.5	5.2	*	*	*	*	5.2	*
Care beginning in first trimester	90.0	90.8	78.0	*	86.0	84.1	91.0	77.8
Late or no care	2.0	1.7	*	*	*	*	1.6	*
Charlotte, North Carolina								
Number								
Low birthweight	968	455	462	2	49	94	364	459
Care beginning in first trimester	9,326	5,980	2,927	19	400	1,106	4,886	2,912
Late or no care	288	137	135	1	15	70	67	134
Percent								
Low birthweight	9.1	6.9	13.0	*	10.2	6.6	7.0	13.0
Care beginning in first trimester	87.8	90.8	82.8	*	84.0	77.9	94.3	82.8
Late or no care	2.7	2.1	3.8	*	*	4.9	1.3	3.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Chattanooga, Tennessee								
Number								
Low birthweight	316	130	180	1	5	12	117	180
Care beginning in first trimester	1,985	1,203	739	5	38	67	1,137	738
Late or no care	112	48	63	-	1	17	31	63
Percent								
Low birthweight	12.7	9.2	17.8	*	*	*	9.0	17.8
Care beginning in first trimester	81.5	86.6	74.5	*	82.6	60.4	88.9	74.5
Late or no care	4.6	3.5	6.4	*	*	*	2.4	6.4
Chesapeake city, Virginia								
Number								
Low birthweight	252	115	130	2	5	3	113	129
Care beginning in first trimester	2,477	1,718	698	4	57	44	1,670	695
Late or no care	73	33	40	-	-	3	30	40
Percent								
Low birthweight	8.9	6.1	14.7	*	*	*	6.2	14.6
Care beginning in first trimester	87.6	91.9	78.5	*	90.5	84.6	92.1	78.5
Late or no care	2.6	1.8	4.5	*	*	*	1.7	4.5
Chicago, Illinois								
Number								
Low birthweight	4,932	1,873	2,873	8	178	1,174	710	2,860
Care beginning in first trimester	36,926	21,947	13,409	43	1,527	13,181	8,843	13,327
Late or no care	3,184	1,395	1,671	8	110	1,049	356	1,660
Percent								
Low birthweight	9.7	6.4	14.7	*	8.4	6.3	6.7	14.7
Care beginning in first trimester	74.6	77.4	70.4	67.2	75.2	72.6	85.9	70.4
Late or no care	6.4	4.9	8.8	*	5.4	5.8	3.5	8.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Chula Vista, California								
Number								
Low birthweight	215	167	19	2	27	124	45	18
Care beginning in first trimester	2,889	2,398	127	14	350	1,831	593	116
Late or no care	120	109	4	1	6	93	16	4
Percent								
Low birthweight	6.3	5.8	*	*	7.1	5.4	7.0	*
Care beginning in first trimester	84.7	83.5	89.4	*	92.1	81.1	92.4	88.5
Late or no care	3.5	3.8	*	*	*	4.1	*	*
Cincinnati, Ohio								
Number								
Low birthweight	621	197	412	1	11	5	195	410
Care beginning in first trimester	4,654	2,554	1,984	9	107	61	2,499	1,978
Late or no care	1,097	284	789	1	23	31	255	788
Percent								
Low birthweight	10.1	6.6	13.6	*	*	*	6.7	13.6
Care beginning in first trimester	75.9	85.6	66.1	*	79.9	58.7	86.5	66.0
Late or no care	17.9	9.5	26.3	*	17.2	29.8	8.8	26.3
Cleveland, Ohio								
Number								
Low birthweight	981	305	657	1	18	60	247	653
Care beginning in first trimester	6,299	2,920	3,276	8	95	512	2,411	3,268
Late or no care	552	186	358	3	5	50	136	355
Percent								
Low birthweight	11.4	8.3	13.7	*	*	8.3	8.4	13.7
Care beginning in first trimester	77.4	80.5	75.0	*	76.6	71.6	82.6	75.0
Late or no care	6.8	5.1	8.2	*	*	7.0	4.7	8.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Colorado Springs, Colorado								
Number								
Low birthweight	614	488	84	11	31	125	374	82
Care beginning in first trimester	5,719	4,925	468	65	261	916	4,103	440
Late or no care	267	219	32	4	12	83	143	27
Percent								
Low birthweight	8.8	8.2	13.6	*	10.0	9.9	7.8	14.1
Care beginning in first trimester	82.3	82.9	75.5	76.5	84.2	72.4	85.7	75.7
Late or no care	3.8	3.7	5.2	*	*	6.6	3.0	4.6
Columbus, Georgia								
Number								
Low birthweight	309	85	220	-	4	6	79	219
Care beginning in first trimester	2,019	958	1,006	4	51	71	897	996
Late or no care	125	34	88	1	2	7	29	87
Percent								
Low birthweight	11.0	6.8	14.8	*	*	*	6.9	14.9
Care beginning in first trimester	75.9	80.9	71.4	*	83.6	62.8	82.7	71.4
Late or no care	4.7	2.9	6.3	*	*	*	2.7	6.2
Columbus, Ohio								
Number								
Low birthweight	1,023	535	447	4	37	26	508	434
Care beginning in first trimester	8,232	5,341	2,490	30	371	265	5,080	2,438
Late or no care	680	347	311	1	21	37	311	294
Percent								
Low birthweight	9.6	8.1	12.3	*	8.0	6.4	8.2	12.3
Care beginning in first trimester	83.4	86.7	76.5	96.8	86.9	72.8	87.6	76.7
Late or no care	6.9	5.6	9.6	*	4.9	10.2	5.4	9.3

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Concord, California								
Number								
Low birthweight	108	87	4	-	17	41	46	4
Care beginning in first trimester	1,566	1,298	54	4	210	502	797	50
Late or no care	72	61	3	-	8	39	21	3
Percent								
Low birthweight	5.9	5.7	*	*	*	6.2	5.2	*
Care beginning in first trimester	85.0	84.4	84.4	*	89.7	75.6	90.8	84.7
Late or no care	3.9	4.0	*	*	*	5.9	2.4	*
Corpus Christi, Texas								
Number								
Low birthweight	387	363	21	-	3	264	99	21
Care beginning in first trimester	3,818	3,590	157	4	67	2,462	1,137	148
Late or no care	192	179	6	1	6	140	39	6
Percent								
Low birthweight	8.2	8.2	11.0	*	*	8.5	7.6	11.5
Care beginning in first trimester	82.2	82.1	84.4	*	83.8	79.8	87.7	83.6
Late or no care	4.1	4.1	*	*	*	4.5	3.0	*
Dallas, Texas								
Number								
Low birthweight	2,011	1,211	729	5	66	824	382	706
Care beginning in first trimester	16,168	12,057	3,539	35	537	7,844	4,189	3,410
Late or no care	1,428	1,020	373	10	25	851	167	355
Percent								
Low birthweight	8.2	6.7	13.1	*	9.6	6.3	7.5	13.1
Care beginning in first trimester	71.7	71.6	71.0	66.0	83.0	65.8	85.7	71.0
Late or no care	6.3	6.1	7.5	*	3.9	7.1	3.4	7.4

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Dayton, Ohio								
Number								
Low birthweight	376	149	220	1	6	5	144	220
Care beginning in first trimester	2,724	1,540	1,136	9	39	48	1,496	1,132
Late or no care	150	42	107	-	1	2	40	107
Percent								
Low birthweight	11.3	8.5	14.5	*	*	*	8.4	14.6
Care beginning in first trimester	81.9	87.5	75.0	*	92.9	82.8	87.6	75.0
Late or no care	4.5	2.4	7.1	*	*	*	2.3	7.1
Denver, coext. with Denver city, Colorado								
Number								
Low birthweight	1,034	766	199	20	49	445	327	197
Care beginning in first trimester	7,790	6,560	840	73	317	3,287	3,338	812
Late or no care	832	695	94	19	24	612	88	92
Percent								
Low birthweight	9.4	8.3	16.9	15.5	12.4	8.0	8.6	17.3
Care beginning in first trimester	72.4	72.1	73.4	59.3	82.1	60.0	89.9	73.3
Late or no care	7.7	7.6	8.2	*	6.2	11.2	2.4	8.3
Des Moines, Iowa								
Number								
Low birthweight	245	196	33	2	14	15	180	31
Care beginning in first trimester	2,975	2,558	267	16	134	296	2,242	258
Late or no care	108	83	17	-	8	21	61	17
Percent								
Low birthweight	7.0	6.6	9.4	*	*	*	7.1	9.0
Care beginning in first trimester	86.2	87.5	77.8	*	80.2	76.1	89.3	77.2
Late or no care	3.1	2.8	*	*	*	5.4	2.4	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Detroit, Michigan								
Number								
Low birthweight	2,193	238	1,931	3	21	72	127	1,918
Care beginning in first trimester	9,410	1,652	7,626	9	123	540	988	7,579
Late or no care	1,277	194	1,066	-	17	86	57	1,058
Percent								
Low birthweight	13.8	8.5	15.0	*	10.0	6.2	9.4	15.0
Care beginning in first trimester	67.1	68.9	66.6	*	68.3	58.0	81.1	66.6
Late or no care	9.1	8.1	9.3	*	*	9.2	4.7	9.3
District of Columbia								
Number								
Low birthweight	908	172	720	-	16	73	99	716
Care beginning in first trimester	4,785	1,716	2,948	3	118	535	1,192	2,927
Late or no care	484	76	402	1	5	40	39	399
Percent								
Low birthweight	11.9	7.4	14.0	*	*	8.3	6.8	14.0
Care beginning in first trimester	75.3	85.5	70.2	*	80.3	76.0	90.4	70.3
Late or no care	7.6	3.8	9.6	*	*	5.7	3.0	9.6
Durham, North Carolina								
Number								
Low birthweight	353	104	241	-	8	29	73	241
Care beginning in first trimester	3,014	1,596	1,250	4	164	490	1,107	1,248
Late or no care	107	26	80	-	1	18	8	80
Percent								
Low birthweight	10.2	6.0	15.6	*	*	5.0	6.3	15.7
Care beginning in first trimester	89.0	94.4	82.5	*	94.3	90.6	96.2	82.4
Late or no care	3.2	1.5	5.3	*	*	*	*	5.3

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
El Monte, California								
Number								
Low birthweight	193	161	4	-	28	153	8	4
Care beginning in first trimester	2,437	2,110	16	2	309	2,054	58	14
Late or no care	78	73	-	-	5	72	1	-
Percent								
Low birthweight	6.8	6.5	*	*	8.4	6.4	*	*
Care beginning in first trimester	86.8	85.9	*	*	93.4	86.0	82.9	*
Late or no care	2.8	3.0	*	*	*	3.0	*	*
El Paso, Texas								
Number								
Low birthweight	922	873	35	3	11	789	83	34
Care beginning in first trimester	7,574	7,271	192	21	90	6,350	935	180
Late or no care	1,715	1,687	16	3	9	1,640	50	14
Percent								
Low birthweight	7.1	7.0	12.9	*	*	7.0	6.7	13.5
Care beginning in first trimester	62.4	62.0	74.4	63.6	75.0	60.0	80.0	74.7
Late or no care	14.1	14.4	*	*	*	15.5	4.3	*
Elizabeth, New Jersey								
Number								
Low birthweight	179	108	68	1	2	90	22	65
Care beginning in first trimester	1,248	948	261	2	37	735	236	238
Late or no care	189	119	70	-	-	94	25	69
Percent								
Low birthweight	8.1	6.6	12.9	*	*	6.8	6.2	13.2
Care beginning in first trimester	63.6	65.5	56.3	*	78.7	64.0	71.3	55.2
Late or no care	9.6	8.2	15.1	*	*	8.2	7.6	16.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Erie, Pennsylvania								
Number								
Low birthweight	120	76	44	-	-	7	69	44
Care beginning in first trimester	1,231	1,006	214	4	7	59	938	213
Late or no care	89	54	34	-	1	4	47	34
Percent								
Low birthweight	7.3	6.0	12.5	*	*	*	5.9	12.6
Care beginning in first trimester	77.4	81.6	62.6	*	*	72.8	82.5	62.6
Late or no care	5.6	4.4	9.9	*	*	*	4.1	10.0
Escondido, California								
Number								
Low birthweight	134	125	3	-	6	78	47	3
Care beginning in first trimester	2,078	1,914	33	14	117	992	929	32
Late or no care	199	189	2	-	8	157	32	2
Percent								
Low birthweight	4.7	4.7	*	*	*	4.9	4.4	*
Care beginning in first trimester	74.3	73.6	75.0	*	86.0	63.9	87.8	78.0
Late or no care	7.1	7.3	*	*	*	10.1	3.0	*
Eugene, Oregon								
Number								
Low birthweight	109	96	3	1	9	11	84	3
Care beginning in first trimester	1,484	1,391	23	11	59	110	1,277	22
Late or no care	100	92	4	-	4	6	86	4
Percent								
Low birthweight	5.8	5.4	*	*	*	*	5.2	*
Care beginning in first trimester	78.6	78.5	74.2	*	79.7	72.8	79.1	73.3
Late or no care	5.3	5.2	*	*	*	*	5.3	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Evansville, Indiana								
Number								
Low birthweight	132	98	34	-	-	5	94	33
Care beginning in first trimester	1,595	1,354	207	3	31	24	1,335	205
Late or no care	56	40	15	1	-	-	40	15
Percent								
Low birthweight	6.9	6.2	12.1	*	*	*	6.0	11.8
Care beginning in first trimester	83.9	85.5	73.7	*	93.9	80.0	85.6	73.7
Late or no care	2.9	2.5	*	*	*	*	2.6	*
Fayette, coext. with Lexington-Fayette, Kentucky								
Number								
Low birthweight	267	182	81	-	4	8	174	81
Care beginning in first trimester	3,132	2,601	442	4	85	104	2,496	441
Late or no care	124	97	26	-	1	35	62	26
Percent								
Low birthweight	7.2	6.0	14.0	*	*	*	6.2	14.0
Care beginning in first trimester	87.0	88.3	78.9	*	93.4	52.0	90.9	78.9
Late or no care	3.4	3.3	4.6	*	*	17.5	2.3	4.7
Flint, Michigan								
Number								
Low birthweight	343	101	235	4	3	1	100	235
Care beginning in first trimester	2,199	1,136	1,036	5	22	36	1,098	1,034
Late or no care	150	35	115	-	-	2	33	115
Percent								
Low birthweight	11.8	7.5	15.3	*	*	*	7.7	15.3
Care beginning in first trimester	76.4	85.4	68.2	*	88.0	85.7	85.6	68.1
Late or no care	5.2	2.6	7.6	*	*	*	2.6	7.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Fort Lauderdale, Florida								
Number								
Low birthweight	327	110	214	-	3	36	77	211
Care beginning in first trimester	2,458	1,265	1,147	2	44	368	916	1,128
Late or no care	219	54	163	-	2	28	26	163
Percent								
Low birthweight	9.7	7.2	11.9	*	*	7.0	7.4	11.9
Care beginning in first trimester	74.0	84.0	65.1	*	86.3	73.0	89.0	65.0
Late or no care	6.6	3.6	9.2	*	*	5.6	2.5	9.4
Fort Wayne, Indiana								
Number								
Low birthweight	336	234	91	-	11	22	213	91
Care beginning in first trimester	2,924	2,371	474	10	69	224	2,151	473
Late or no care	193	133	58	-	2	25	107	58
Percent								
Low birthweight	8.8	7.8	12.4	*	*	6.5	8.0	12.4
Care beginning in first trimester	76.4	79.3	64.7	*	75.0	66.9	80.9	64.9
Late or no care	5.0	4.4	7.9	*	*	7.5	4.0	8.0
Fort Worth, Texas								
Number								
Low birthweight	916	575	313	6	22	325	250	312
Care beginning in first trimester	8,196	6,326	1,557	21	292	3,127	3,207	1,546
Late or no care	890	626	238	5	21	469	158	237
Percent								
Low birthweight	8.4	6.9	14.6	*	6.3	7.1	6.7	14.6
Care beginning in first trimester	76.0	76.4	73.1	61.8	84.4	68.2	86.7	73.1
Late or no care	8.2	7.6	11.2	*	6.1	10.2	4.3	11.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Fremont, California								
Number								
Low birthweight	200	72	13	1	114	28	45	13
Care beginning in first trimester	3,032	1,384	83	11	1,554	411	958	80
Late or no care	76	31	4	-	41	13	18	4
Percent								
Low birthweight	5.8	4.6	*	*	6.4	5.8	4.3	*
Care beginning in first trimester	88.8	89.8	89.2	*	87.9	86.0	91.3	88.9
Late or no care	2.2	2.0	*	*	2.3	*	*	*
Fresno, California								
Number								
Low birthweight	635	453	99	4	79	318	139	97
Care beginning in first trimester	7,676	6,142	641	77	816	4,066	2,115	617
Late or no care	244	189	26	3	26	141	50	25
Percent								
Low birthweight	7.0	6.3	12.5	*	7.4	6.5	5.9	12.7
Care beginning in first trimester	84.8	86.2	82.6	81.9	77.6	83.8	91.1	82.4
Late or no care	2.7	2.7	3.4	*	2.5	2.9	2.2	3.3
Fullerton, California								
Number								
Low birthweight	101	74	4	2	21	40	34	4
Care beginning in first trimester	1,668	1,379	31	10	248	802	580	28
Late or no care	45	33	1	1	10	26	7	1
Percent								
Low birthweight	5.3	4.7	*	*	7.4	4.2	5.4	*
Care beginning in first trimester	88.3	88.6	79.5	*	88.3	85.7	92.8	80.0
Late or no care	2.4	2.1	*	*	*	2.8	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Garden Grove, California								
Number								
Low birthweight	171	90	3	1	77	62	29	3
Care beginning in first trimester	2,576	1,670	29	7	870	1,178	492	28
Late or no care	64	47	1	1	15	31	17	1
Percent								
Low birthweight	5.7	4.6	*	*	7.9	4.4	5.2	*
Care beginning in first trimester	86.8	85.3	85.3	*	90.0	84.4	87.5	84.8
Late or no care	2.2	2.4	*	*	*	2.2	*	*
Garland, Texas								
Number								
Low birthweight	256	181	56	-	19	106	75	54
Care beginning in first trimester	2,612	2,039	348	6	219	971	1,063	339
Late or no care	200	163	29	1	7	118	45	26
Percent								
Low birthweight	6.9	6.1	11.8	*	*	6.5	5.7	11.7
Care beginning in first trimester	74.2	73.0	76.7	*	82.6	64.2	83.2	77.0
Late or no care	5.7	5.8	6.4	*	*	7.8	3.5	5.9
Gary, Indiana								
Number								
Low birthweight	229	27	200	2	-	8	19	200
Care beginning in first trimester	1,246	196	1,046	2	2	55	145	1,042
Late or no care	139	22	117	-	-	6	16	117
Percent								
Low birthweight	12.4	9.1	13.0	*	*	*	*	13.0
Care beginning in first trimester	68.0	67.4	68.1	*	*	64.0	68.7	68.1
Late or no care	7.6	7.6	7.6	*	*	*	*	7.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Glendale, Arizona								
Number								
Low birthweight	359	306	29	7	17	101	207	28
Care beginning in first trimester	3,911	3,492	195	69	155	1,139	2,350	185
Late or no care	183	163	8	9	3	114	52	7
Percent								
Low birthweight	7.5	7.1	11.8	*	*	6.3	7.8	12.1
Care beginning in first trimester	83.3	83.3	81.6	75.8	90.1	72.5	89.5	82.6
Late or no care	3.9	3.9	*	*	*	7.3	2.0	*
Glendale, California								
Number								
Low birthweight	143	117	4	-	22	41	74	4
Care beginning in first trimester	1,989	1,566	35	-	388	615	954	34
Late or no care	39	29	1	-	9	16	13	1
Percent								
Low birthweight	6.5	6.7	*	*	5.2	5.7	7.1	*
Care beginning in first trimester	90.0	89.6	89.7	*	91.7	86.0	92.2	89.5
Late or no care	1.8	1.7	*	*	*	*	*	*
Grand Rapids, Michigan								
Number								
Low birthweight	368	192	163	2	11	60	125	161
Care beginning in first trimester	2,631	2,054	489	9	79	425	1,523	482
Late or no care	188	110	72	1	5	36	65	71
Percent								
Low birthweight	8.9	6.3	17.0	*	*	7.7	6.1	17.0
Care beginning in first trimester	70.0	73.5	57.7	*	76.7	60.9	79.9	57.5
Late or no care	5.0	3.9	8.5	*	*	5.2	3.4	8.5

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Greensboro, North Carolina								
Number								
Low birthweight	315	110	191	1	13	17	93	191
Care beginning in first trimester	2,992	1,609	1,240	23	120	240	1,376	1,234
Late or no care	95	36	54	4	1	16	21	54
Percent								
Low birthweight	9.2	6.2	12.8	*	*	*	6.3	12.9
Care beginning in first trimester	87.0	90.5	83.0	76.7	87.0	75.0	93.8	82.9
Late or no care	2.8	2.0	3.6	*	*	*	1.4	3.6
Hampton city, Virginia								
Number								
Low birthweight	194	62	127	-	5	5	58	126
Care beginning in first trimester	1,627	861	712	2	52	47	813	709
Late or no care	94	18	70	-	6	5	17	67
Percent								
Low birthweight	9.6	6.3	13.2	*	*	*	6.3	13.2
Care beginning in first trimester	80.8	87.5	74.0	*	78.8	68.1	88.4	74.3
Late or no care	4.7	*	7.3	*	*	*	*	7.0
Hartford, Connecticut								
Number								
Low birthweight	229	121	106	1	1	100	21	103
Care beginning in first trimester	1,745	951	760	2	32	790	161	756
Late or no care	69	50	17	-	2	36	14	17
Percent								
Low birthweight	10.5	9.5	12.3	*	*	9.6	9.4	12.0
Care beginning in first trimester	84.4	79.8	91.1	*	80.0	80.6	77.4	91.3
Late or no care	3.3	4.2	*	*	*	3.7	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Hayward, California								
Number								
Low birthweight	194	117	29	-	48	86	31	28
Care beginning in first trimester	2,502	1,663	270	11	558	1,178	500	264
Late or no care	86	64	6	2	14	43	19	6
Percent								
Low birthweight	6.5	5.8	9.5	*	7.4	5.9	5.2	9.4
Care beginning in first trimester	84.1	82.6	89.4	*	86.5	81.7	85.0	89.5
Late or no care	2.9	3.2	*	*	*	3.0	*	*
Hialeah, Florida								
Number								
Low birthweight	210	200	7	2	1	165	40	3
Care beginning in first trimester	2,374	2,229	114	14	17	1,917	380	59
Late or no care	48	46	1	1	-	37	10	1
Percent								
Low birthweight	7.7	7.9	*	*	*	7.5	9.3	*
Care beginning in first trimester	87.4	87.8	83.8	*	*	87.8	88.0	79.7
Late or no care	1.8	1.8	*	*	*	1.7	*	*
Hollywood, Florida								
Number								
Low birthweight	188	103	71	5	9	40	65	69
Care beginning in first trimester	1,729	1,203	458	29	39	472	758	432
Late or no care	129	72	51	4	2	37	37	48
Percent								
Low birthweight	9.0	7.3	11.9	*	*	7.0	7.5	12.3
Care beginning in first trimester	83.4	85.7	77.5	82.9	86.7	83.0	87.3	77.4
Late or no care	6.2	5.1	8.6	*	*	6.5	4.3	8.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Honolulu, Hawaii								
Number								
Low birthweight	367	38	11	1	317	26	25	10
Care beginning in first trimester	4,044	828	120	33	3,063	322	706	114
Late or no care	100	14	2	1	83	4	12	2
Percent								
Low birthweight	7.9	4.3	*	*	8.8	7.1	3.3	*
Care beginning in first trimester	89.4	94.2	88.9	94.3	88.2	90.2	94.6	90.5
Late or no care	2.2	*	*	*	2.4	*	*	*
Houston, Texas								
Number								
Low birthweight	3,449	2,032	1,223	5	189	1,488	545	1,218
Care beginning in first trimester	33,747	24,075	7,326	31	2,315	17,018	7,079	7,274
Late or no care	1,757	1,250	459	4	44	1,083	166	458
Percent								
Low birthweight	7.7	6.3	12.3	*	7.2	6.2	6.6	12.3
Care beginning in first trimester	80.4	79.9	78.8	67.4	91.2	76.4	90.0	78.7
Late or no care	4.2	4.2	4.9	*	1.7	4.9	2.1	5.0
Huntington Beach, California								
Number								
Low birthweight	141	120	1	1	19	37	83	1
Care beginning in first trimester	2,244	1,977	16	8	243	560	1,400	15
Late or no care	24	21	-	-	3	12	9	-
Percent								
Low birthweight	5.8	5.5	*	*	*	5.5	5.6	*
Care beginning in first trimester	91.6	91.2	*	*	94.6	83.7	94.7	*
Late or no care	1.0	1.0	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Huntsville, Alabama								
Number								
Low birthweight	217	79	137	-	1	3	76	137
Care beginning in first trimester	1,687	992	645	8	42	44	949	644
Late or no care	79	23	56	-	-	6	17	56
Percent								
Low birthweight	10.6	7.2	15.4	*	*	*	7.3	15.4
Care beginning in first trimester	82.7	90.3	72.6	*	97.7	71.0	91.4	72.5
Late or no care	3.9	2.1	6.3	*	*	*	*	6.3
Independence, Missouri								
Number								
Low birthweight	105	90	9	3	3	4	86	9
Care beginning in first trimester	1,283	1,191	56	16	20	47	1,145	55
Late or no care	32	27	1	1	3	2	25	1
Percent								
Low birthweight	7.0	6.5	*	*	*	*	6.5	*
Care beginning in first trimester	86.5	87.1	86.2	*	60.6	75.8	87.7	85.9
Late or no care	2.2	2.0	*	*	*	*	1.9	*
Indianapolis, Indiana								
Number								
Low birthweight	1,196	669	515	-	12	53	615	514
Care beginning in first trimester	11,016	8,084	2,727	17	188	575	7,521	2,712
Late or no care	563	299	248	2	14	115	184	246
Percent								
Low birthweight	8.4	6.8	12.9	*	*	4.8	7.0	12.9
Care beginning in first trimester	78.8	82.3	69.8	*	79.0	54.6	85.6	69.8
Late or no care	4.0	3.0	6.3	*	*	10.9	2.1	6.3

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Inglewood, California								
Number								
Low birthweight	206	108	97	-	1	105	5	94
Care beginning in first trimester	2,374	1,655	680	4	35	1,619	49	664
Late or no care	61	43	15	-	3	40	1	15
Percent								
Low birthweight	7.3	5.5	12.2	*	*	5.5	*	12.2
Care beginning in first trimester	86.8	86.9	87.2	*	76.1	86.8	92.5	87.3
Late or no care	2.2	2.3	*	*	*	2.1	*	*
Irvine, California								
Number								
Low birthweight	87	47	1	1	38	6	41	1
Care beginning in first trimester	1,599	1,005	15	3	576	136	856	13
Late or no care	8	5	1	-	2	2	3	1
Percent								
Low birthweight	5.2	4.5	*	*	6.3	*	4.6	*
Care beginning in first trimester	95.8	96.2	*	*	95.5	93.2	96.5	*
Late or no care	*	*	*	*	*	*	*	*
Irving, Texas								
Number								
Low birthweight	297	211	51	2	33	134	74	49
Care beginning in first trimester	2,809	2,176	285	9	339	1,218	954	280
Late or no care	193	166	22	-	5	124	43	19
Percent								
Low birthweight	7.7	6.9	12.8	*	8.6	7.1	6.4	12.8
Care beginning in first trimester	76.7	74.8	77.4	*	91.1	68.5	84.5	78.9
Late or no care	5.3	5.7	6.0	*	*	7.0	3.8	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Jackson, Mississippi								
Number								
Low birthweight	430	40	388	-	2	-	40	388
Care beginning in first trimester	2,354	493	1,840	1	20	7	485	1,839
Late or no care	141	12	127	-	2	1	11	127
Percent								
Low birthweight	13.9	7.3	15.3	*	*	*	7.5	15.3
Care beginning in first trimester	76.5	91.0	73.2	*	90.9	*	91.2	73.2
Late or no care	4.6	*	5.1	*	*	*	*	5.1
Jacksonville, Florida								
Number								
Low birthweight	1,083	463	577	1	42	30	435	574
Care beginning in first trimester	9,250	6,011	2,852	27	360	441	5,585	2,839
Late or no care	382	136	237	-	9	12	124	235
Percent								
Low birthweight	9.5	6.8	14.0	*	9.6	5.9	6.9	14.0
Care beginning in first trimester	84.5	90.2	74.3	93.1	86.7	89.1	90.3	74.2
Late or no care	3.5	2.0	6.2	*	*	*	2.0	6.1
Jersey City, New Jersey								
Number								
Low birthweight	417	147	201	-	69	107	43	190
Care beginning in first trimester	2,753	1,238	930	6	579	825	463	869
Late or no care	299	118	141	-	40	67	55	127
Percent								
Low birthweight	10.5	8.5	14.1	*	8.7	9.2	6.7	14.3
Care beginning in first trimester	71.4	73.6	66.6	*	75.3	73.1	74.2	66.7
Late or no care	7.8	7.0	10.1	*	5.2	5.9	8.8	9.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Kansas City, Kansas								
Number								
Low birthweight	228	123	95	2	8	34	87	95
Care beginning in first trimester	2,037	1,374	611	10	42	488	883	609
Late or no care	150	96	47	2	5	53	44	47
Percent								
Low birthweight	8.7	7.2	11.4	*	*	5.2	8.3	11.5
Care beginning in first trimester	78.2	80.7	74.1	*	64.6	74.1	84.7	74.3
Late or no care	5.8	5.6	5.7	*	*	8.0	4.2	5.7
Kansas City, Missouri								
Number								
Low birthweight	643	295	322	5	21	57	240	320
Care beginning in first trimester	5,989	3,856	1,925	31	177	670	3,186	1,912
Late or no care	239	93	128	6	12	20	72	128
Percent								
Low birthweight	8.8	6.7	12.1	*	8.8	6.9	6.7	12.1
Care beginning in first trimester	86.2	90.1	79.8	64.6	83.5	85.6	91.1	79.8
Late or no care	3.4	2.2	5.3	*	*	2.6	2.1	5.3
Knoxville, Tennessee								
Number								
Low birthweight	280	213	62	1	4	7	206	62
Care beginning in first trimester	2,378	1,982	327	7	62	44	1,937	327
Late or no care	115	70	40	1	4	8	63	39
Percent								
Low birthweight	9.8	9.2	13.8	*	*	*	9.1	13.8
Care beginning in first trimester	83.9	86.0	73.2	*	82.7	60.3	86.7	73.5
Late or no care	4.1	3.0	8.9	*	*	*	2.8	8.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Lakewood, Colorado								
Number								
Low birthweight	149	132	4	-	13	34	100	4
Care beginning in first trimester	1,453	1,347	27	14	65	281	1,069	27
Late or no care	47	42	1	2	2	20	23	1
Percent								
Low birthweight	8.8	8.4	*	*	*	9.2	8.3	*
Care beginning in first trimester	87.2	87.4	81.8	*	87.8	78.3	90.1	81.8
Late or no care	2.8	2.7	*	*	*	5.6	1.9	*
Lansing, Michigan								
Number								
Low birthweight	211	113	87	1	10	13	100	86
Care beginning in first trimester	2,115	1,476	552	9	78	211	1,245	549
Late or no care	44	28	15	-	1	5	22	15
Percent								
Low birthweight	9.2	7.1	14.5	*	*	*	7.5	14.4
Care beginning in first trimester	93.4	93.8	92.8	*	90.7	90.9	94.5	92.9
Late or no care	1.9	1.8	*	*	*	*	1.7	*
Laredo, Texas								
Number								
Low birthweight	383	382	-	-	1	380	2	-
Care beginning in first trimester	3,974	3,963	1	-	10	3,905	58	1
Late or no care	429	429	-	-	-	425	4	-
Percent								
Low birthweight	6.9	6.9	*	*	*	6.9	*	*
Care beginning in first trimester	71.7	71.7	*	*	*	71.5	86.6	*
Late or no care	7.7	7.8	*	*	*	7.8	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Las Vegas, Nevada								
Number								
Low birthweight	991	714	196	10	71	278	430	185
Care beginning in first trimester	9,968	8,058	987	76	847	2,863	5,183	942
Late or no care	970	784	125	8	53	558	225	120
Percent								
Low birthweight	7.2	6.5	12.9	*	6.3	5.9	6.9	12.7
Care beginning in first trimester	76.8	77.3	70.7	68.5	81.6	65.0	86.4	70.3
Late or no care	7.5	7.5	9.0	*	5.1	12.7	3.8	9.0
Lincoln, Nebraska								
Number								
Low birthweight	241	209	14	3	15	10	199	14
Care beginning in first trimester	3,057	2,787	88	29	153	146	2,614	85
Late or no care	73	60	9	1	3	5	55	9
Percent								
Low birthweight	6.9	6.6	*	*	*	*	6.7	*
Care beginning in first trimester	86.9	88.2	73.3	69.0	78.9	81.1	88.6	72.6
Late or no care	2.1	1.9	*	*	*	*	1.9	*
Little Rock, Arkansas								
Number								
Low birthweight	307	93	207	-	7	8	85	207
Care beginning in first trimester	2,572	1,326	1,185	3	58	91	1,235	1,184
Late or no care	128	39	89	-	-	8	30	89
Percent								
Low birthweight	9.9	6.4	13.3	*	*	*	6.4	13.3
Care beginning in first trimester	83.4	90.8	76.2	*	92.1	72.2	92.5	76.2
Late or no care	4.2	2.7	5.7	*	*	*	2.2	5.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Livonia, Michigan								
Number								
Low birthweight	52	49	2	-	1	1	46	-
Care beginning in first trimester	1,015	959	22	2	32	25	887	12
Late or no care	9	9	-	-	-	-	8	-
Percent								
Low birthweight	4.8	4.8	*	*	*	*	4.9	*
Care beginning in first trimester	95.8	96.1	84.6	*	97.0	100.0	96.0	*
Late or no care	*	*	*	*	*	*	*	*
Long Beach, California								
Number								
Low birthweight	606	357	163	1	85	240	116	161
Care beginning in first trimester	7,023	4,979	1,110	24	910	3,578	1,429	1,090
Late or no care	302	208	48	1	45	187	22	47
Percent								
Low birthweight	7.2	6.0	12.0	*	7.6	5.4	7.5	12.0
Care beginning in first trimester	84.5	85.3	82.7	80.0	83.1	82.5	93.0	82.6
Late or no care	3.6	3.6	3.6	*	4.1	4.3	1.4	3.6
Los Angeles, California								
Number								
Low birthweight	4,296	3,148	789	12	347	2,463	700	765
Care beginning in first trimester	55,852	46,026	5,471	97	4,258	36,538	9,614	5,272
Late or no care	1,537	1,247	195	8	87	1,138	116	189
Percent								
Low birthweight	6.6	5.8	11.9	*	7.3	5.6	6.8	12.0
Care beginning in first trimester	86.6	86.6	84.4	76.4	90.0	84.8	94.0	84.4
Late or no care	2.4	2.3	3.0	*	1.8	2.6	1.1	3.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Louisville, Kentucky								
Number								
Low birthweight	668	344	305	2	17	8	337	304
Care beginning in first trimester	6,305	4,257	1,862	18	168	103	4,156	1,856
Late or no care	150	78	69	-	3	9	69	69
Percent								
Low birthweight	9.4	7.4	13.6	*	*	*	7.4	13.6
Care beginning in first trimester	88.8	91.3	83.2	*	93.9	77.4	91.7	83.1
Late or no care	2.1	1.7	3.1	*	*	*	1.5	3.1
Lowell, Massachusetts								
Number								
Low birthweight	132	70	15	-	47	24	49	11
Care beginning in first trimester	1,389	974	96	2	317	252	744	71
Late or no care	68	26	10	-	32	9	18	9
Percent								
Low birthweight	7.6	6.1	*	*	9.9	7.6	5.7	*
Care beginning in first trimester	81.1	86.8	80.0	*	67.6	81.0	88.8	78.9
Late or no care	4.0	2.3	*	*	6.8	*	*	*
Lubbock, Texas								
Number								
Low birthweight	304	255	44	-	5	132	123	44
Care beginning in first trimester	2,466	2,187	214	4	61	855	1,330	213
Late or no care	206	168	35	1	2	114	53	34
Percent								
Low birthweight	9.2	8.8	13.2	*	*	10.0	7.8	13.3
Care beginning in first trimester	75.1	76.2	65.0	*	79.2	65.5	85.2	65.3
Late or no care	6.3	5.9	10.6	*	*	8.7	3.4	10.4

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Macon, Georgia								
Number								
Low birthweight	266	56	206	-	4	-	56	206
Care beginning in first trimester	1,688	567	1,103	-	18	26	542	1,099
Late or no care	47	7	40	-	-	-	7	40
Percent								
Low birthweight	12.8	8.4	14.8	*	*	*	8.9	14.8
Care beginning in first trimester	82.4	87.0	80.2	*	*	89.7	86.9	80.2
Late or no care	2.3	*	2.9	*	*	*	*	2.9
Madison, Wisconsin								
Number								
Low birthweight	169	113	41	3	12	16	98	41
Care beginning in first trimester	2,506	2,026	238	30	212	241	1,796	232
Late or no care	69	48	15	-	6	19	29	15
Percent								
Low birthweight	5.8	4.9	12.5	*	*	*	5.0	12.8
Care beginning in first trimester	85.8	88.3	72.8	90.9	79.1	73.3	90.8	72.3
Late or no care	2.4	2.1	*	*	*	*	1.5	*
Manhattan borough, New York county, New York								
Number								
Low birthweight	1,568	949	472	1	146	494	509	398
Care beginning in first trimester	15,325	10,229	3,270	7	1,819	4,853	6,345	2,204
Late or no care	971	427	445	-	99	453	113	303
Percent								
Low birthweight	7.8	7.5	9.7	*	5.6	7.1	7.1	12.1
Care beginning in first trimester	79.7	84.3	69.8	*	75.8	72.7	91.9	70.5
Late or no care	5.1	3.5	9.5	*	4.1	6.8	1.6	9.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Memphis, Tennessee								
Number								
Low birthweight	1,457	224	1,211	-	22	35	189	1,211
Care beginning in first trimester	7,976	2,348	5,450	5	173	229	2,120	5,448
Late or no care	1,141	273	847	-	21	179	95	847
Percent								
Low birthweight	12.8	7.4	14.9	*	9.6	6.4	7.6	15.0
Care beginning in first trimester	70.5	77.9	67.5	*	78.3	42.8	85.4	67.5
Late or no care	10.1	9.1	10.5	*	9.5	33.5	3.8	10.5
Mesa, Arizona								
Number								
Low birthweight	469	420	23	11	15	144	275	21
Care beginning in first trimester	6,285	5,836	149	158	142	1,607	4,209	136
Late or no care	305	281	6	14	4	186	92	4
Percent								
Low birthweight	6.0	5.8	12.1	*	*	6.0	5.8	12.1
Care beginning in first trimester	82.0	82.2	79.3	73.1	89.3	68.9	88.9	79.1
Late or no care	4.0	4.0	*	*	*	8.0	1.9	*
Mesquite, Texas								
Number								
Low birthweight	147	104	35	1	7	38	65	35
Care beginning in first trimester	1,489	1,220	209	5	55	334	880	206
Late or no care	86	75	9	-	2	32	43	8
Percent								
Low birthweight	7.6	6.6	12.3	*	*	7.7	6.1	12.5
Care beginning in first trimester	80.2	80.2	80.1	*	82.1	71.5	83.9	80.5
Late or no care	4.6	4.9	*	*	*	6.9	4.1	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Miami, Florida								
Number								
Low birthweight	1,214	433	744	10	27	404	65	716
Care beginning in first trimester	11,228	6,050	4,864	148	166	5,557	922	4,592
Late or no care	398	153	230	9	6	144	27	221
Percent								
Low birthweight	8.9	6.2	11.8	*	14.1	6.3	6.1	12.0
Care beginning in first trimester	82.4	86.7	77.5	79.1	86.9	86.2	86.7	77.2
Late or no care	2.9	2.2	3.7	*	*	2.2	2.5	3.7
Milwaukee, Wisconsin								
Number								
Low birthweight	1,132	383	705	10	34	128	262	698
Care beginning in first trimester	8,355	4,392	3,574	71	318	1,215	3,207	3,556
Late or no care	688	227	420	6	35	137	92	418
Percent								
Low birthweight	10.2	7.1	13.7	*	7.1	7.2	7.1	13.6
Care beginning in first trimester	75.0	81.4	69.3	67.6	66.3	68.3	87.5	69.4
Late or no care	6.2	4.2	8.1	*	7.3	7.7	2.5	8.2
Minneapolis, Minnesota								
Number								
Low birthweight	531	255	212	24	40	50	193	210
Care beginning in first trimester	4,346	2,907	1,065	113	261	504	2,152	1,054
Late or no care	350	147	138	27	38	79	63	137
Percent								
Low birthweight	8.0	6.4	11.3	9.4	7.3	5.1	7.2	11.3
Care beginning in first trimester	73.5	80.2	65.9	53.1	57.1	56.0	87.5	65.8
Late or no care	5.9	4.1	8.5	12.7	8.3	8.8	2.6	8.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Mobile, Alabama								
Number								
Low birthweight	366	120	241	-	5	4	116	240
Care beginning in first trimester	2,815	1,423	1,340	3	49	46	1,383	1,339
Late or no care	144	37	107	-	-	4	33	107
Percent								
Low birthweight	10.4	7.5	12.9	*	*	*	7.5	12.9
Care beginning in first trimester	79.9	89.2	71.7	*	94.2	78.0	89.6	71.6
Late or no care	4.1	2.3	5.7	*	*	*	2.1	5.7
Modesto, California								
Number								
Low birthweight	232	195	18	-	19	104	90	18
Care beginning in first trimester	3,164	2,824	120	16	204	1,358	1,480	111
Late or no care	120	106	4	1	9	67	40	3
Percent								
Low birthweight	6.0	5.7	*	*	*	5.9	5.3	*
Care beginning in first trimester	83.0	83.2	80.5	*	81.0	78.8	87.6	81.0
Late or no care	3.1	3.1	*	*	*	3.9	2.4	*
Montgomery, Alabama								
Number								
Low birthweight	385	98	285	1	1	4	94	285
Care beginning in first trimester	2,780	1,190	1,544	6	40	39	1,154	1,544
Late or no care	107	14	93	-	-	1	13	93
Percent								
Low birthweight	11.3	7.6	13.7	*	*	*	7.6	13.7
Care beginning in first trimester	81.2	92.0	74.3	*	88.9	76.5	92.7	74.3
Late or no care	3.1	*	4.5	*	*	*	*	4.5

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Moreno Valley, California								
Number								
Low birthweight	160	98	56	-	6	61	37	56
Care beginning in first trimester	2,041	1,494	412	9	126	1,022	491	396
Late or no care	88	62	20	1	5	42	21	20
Percent								
Low birthweight	6.5	5.4	11.2	*	*	4.8	6.5	11.6
Care beginning in first trimester	83.6	83.6	82.7	*	88.1	82.0	87.1	82.5
Late or no care	3.6	3.5	4.0	*	*	3.4	3.7	4.2
Nashville-Davidson, Tennessee								
Number								
Low birthweight	810	388	396	2	24	53	335	396
Care beginning in first trimester	7,410	4,849	2,255	15	291	455	4,401	2,248
Late or no care	340	176	151	1	12	60	117	151
Percent								
Low birthweight	9.2	6.8	14.4	*	7.1	6.5	6.9	14.5
Care beginning in first trimester	84.9	85.9	82.8	*	86.9	56.5	90.7	82.8
Late or no care	3.9	3.1	5.5	*	*	7.4	2.4	5.6
New Haven, Connecticut								
Number								
Low birthweight	160	61	94	-	5	43	18	80
Care beginning in first trimester	1,371	721	574	6	70	396	307	495
Late or no care	58	29	29	-	-	19	9	25
Percent								
Low birthweight	8.7	6.6	11.5	*	*	8.0	*	11.3
Care beginning in first trimester	82.1	84.0	79.2	*	90.9	79.5	90.8	80.9
Late or no care	3.5	3.4	4.0	*	*	*	*	4.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
New York, New York								
Number								
Low birthweight	9,925	4,616	4,287	9	1,013	2,944	2,036	3,850
Care beginning in first trimester	82,773	46,811	26,051	46	9,865	26,602	24,041	21,642
Late or no care	6,352	2,720	2,845	3	784	2,307	839	2,390
Percent								
Low birthweight	8.2	7.0	10.8	*	6.7	7.4	6.4	11.6
Care beginning in first trimester	75.7	78.9	71.5	69.7	73.2	72.9	85.1	71.4
Late or no care	5.8	4.6	7.8	*	5.8	6.3	3.0	7.9
Newark, New Jersey								
Number								
Low birthweight	652	172	468	3	9	148	34	449
Care beginning in first trimester	2,495	1,130	1,305	7	53	866	307	1,254
Late or no care	695	182	503	-	10	156	31	484
Percent								
Low birthweight	13.3	8.7	16.6	*	*	9.2	7.5	16.6
Care beginning in first trimester	56.1	64.3	50.3	*	65.4	62.0	70.6	50.3
Late or no care	15.6	10.4	19.4	*	*	11.2	7.1	19.4
Newport News city, Virginia								
Number								
Low birthweight	289	109	173	-	7	9	101	173
Care beginning in first trimester	2,607	1,370	1,154	7	76	95	1,279	1,150
Late or no care	91	27	62	1	1	2	25	62
Percent								
Low birthweight	9.2	7.1	11.5	*	*	*	7.0	11.5
Care beginning in first trimester	82.9	88.7	76.6	*	89.4	83.3	89.1	76.6
Late or no care	2.9	1.7	4.1	*	*	*	1.7	4.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Norfolk city, Virginia								
Number								
Low birthweight	384	128	249	1	6	11	117	249
Care beginning in first trimester	3,206	1,583	1,523	5	95	149	1,428	1,506
Late or no care	168	45	113	1	9	5	40	113
Percent								
Low birthweight	9.6	7.0	12.2	*	*	*	7.1	12.3
Care beginning in first trimester	80.2	86.8	74.4	*	79.2	85.6	86.9	74.3
Late or no care	4.2	2.5	5.5	*	*	*	2.4	5.6
Oakland, California								
Number								
Low birthweight	478	141	269	2	66	95	46	268
Care beginning in first trimester	5,963	3,093	1,941	23	906	2,016	1,101	1,916
Late or no care	138	61	54	-	23	51	10	54
Percent								
Low birthweight	7.1	4.0	12.1	*	6.6	4.0	4.0	12.2
Care beginning in first trimester	90.6	91.4	89.1	85.2	91.6	89.2	95.6	89.0
Late or no care	2.1	1.8	2.5	*	2.3	2.3	*	2.5
Oceanside, California								
Number								
Low birthweight	221	167	26	-	28	76	93	25
Care beginning in first trimester	2,455	2,106	143	11	195	981	1,134	139
Late or no care	177	146	19	1	11	111	37	17
Percent								
Low birthweight	6.2	5.5	10.2	*	10.4	5.2	5.9	10.3
Care beginning in first trimester	76.6	77.1	65.6	*	81.3	71.7	82.1	67.1
Late or no care	5.5	5.3	*	*	*	8.1	2.7	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Oklahoma City, Oklahoma								
Number								
Low birthweight	672	416	194	28	34	101	313	194
Care beginning in first trimester	4,800	3,468	897	210	225	455	2,975	878
Late or no care	317	221	60	27	9	82	137	56
Percent								
Low birthweight	8.7	7.5	12.8	7.4	11.1	7.1	7.7	13.1
Care beginning in first trimester	78.4	79.9	74.8	67.7	83.3	63.4	83.2	75.1
Late or no care	5.2	5.1	5.0	8.7	*	11.4	3.8	4.8
Omaha, Nebraska								
Number								
Low birthweight	511	351	146	6	8	58	292	143
Care beginning in first trimester	5,040	4,124	728	47	141	529	3,582	716
Late or no care	293	181	96	11	5	73	107	94
Percent								
Low birthweight	8.0	7.0	13.3	*	*	6.9	7.0	13.2
Care beginning in first trimester	78.8	81.8	66.4	61.0	77.9	62.9	85.6	66.4
Late or no care	4.6	3.6	8.8	*	*	8.7	2.6	8.7
Ontario, California								
Number								
Low birthweight	187	164	11	1	11	142	23	11
Care beginning in first trimester	2,446	2,228	121	4	93	1,804	427	118
Late or no care	142	124	8	2	8	111	14	7
Percent								
Low birthweight	5.8	5.6	*	*	*	5.8	4.4	*
Care beginning in first trimester	75.5	75.7	73.8	*	77.5	74.3	81.6	74.7
Late or no care	4.4	4.2	*	*	*	4.6	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Orange, California								
Number								
Low birthweight	130	116	3	-	11	65	51	3
Care beginning in first trimester	2,024	1,780	18	7	219	973	805	17
Late or no care	41	39	2	-	-	28	11	2
Percent								
Low birthweight	5.6	5.7	*	*	*	5.5	5.9	*
Care beginning in first trimester	87.9	87.4	*	*	93.6	82.7	93.6	*
Late or no care	1.8	1.9	*	*	*	2.4	*	*
Orlando, Florida								
Number								
Low birthweight	751	373	323	-	55	173	205	321
Care beginning in first trimester	6,590	4,434	1,785	18	353	1,799	2,658	1,767
Late or no care	311	160	136	2	13	85	77	134
Percent								
Low birthweight	9.4	7.2	13.2	*	13.9	7.9	6.8	13.3
Care beginning in first trimester	83.4	87.0	74.8	*	89.1	83.3	89.5	74.9
Late or no care	3.9	3.1	5.7	*	*	3.9	2.6	5.7
Orleans, coext. with New Orleans city, Louisiana								
Number								
Low birthweight	959	96	851	-	12	13	82	850
Care beginning in first trimester	6,034	1,229	4,660	8	137	137	1,104	4,650
Late or no care	319	29	286	1	3	12	17	286
Percent								
Low birthweight	12.6	7.2	14.0	*	*	*	7.0	14.0
Care beginning in first trimester	79.7	92.8	76.7	*	82.5	81.1	94.4	76.7
Late or no care	4.2	2.2	4.7	*	*	*	*	4.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Overland Park, Kansas								
Number								
Low birthweight	123	108	6	2	7	3	103	6
Care beginning in first trimester	2,035	1,837	50	16	132	101	1,711	49
Late or no care	18	16	1	-	1	7	9	1
Percent								
Low birthweight	5.7	5.6	*	*	*	*	5.8	*
Care beginning in first trimester	95.5	95.7	90.9	*	94.3	80.8	96.7	90.7
Late or no care	*	*	*	*	*	*	*	*
Oxnard, California								
Number								
Low birthweight	234	204	9	3	18	170	17	9
Care beginning in first trimester	3,282	3,002	78	20	182	2,465	346	70
Late or no care	97	95	1	-	1	89	3	1
Percent								
Low birthweight	6.1	5.8	*	*	*	5.8	*	*
Care beginning in first trimester	85.1	84.9	84.8	83.3	89.2	84.2	93.8	85.4
Late or no care	2.5	2.7	*	*	*	3.0	*	*
Pasadena, California								
Number								
Low birthweight	183	133	32	-	18	78	55	31
Care beginning in first trimester	2,003	1,510	219	5	269	838	675	209
Late or no care	45	38	5	-	2	29	8	5
Percent								
Low birthweight	7.9	7.6	11.9	*	*	7.5	7.6	12.0
Care beginning in first trimester	89.0	88.7	85.5	*	93.7	84.0	95.5	85.3
Late or no care	2.0	2.2	*	*	*	2.9	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Pasadena, Texas								
Number								
Low birthweight	207	199	5	-	3	115	82	5
Care beginning in first trimester	2,146	2,087	29	4	26	1,480	606	28
Late or no care	100	99	1	-	-	68	31	1
Percent								
Low birthweight	7.5	7.4	*	*	*	6.1	10.6	*
Care beginning in first trimester	80.5	80.4	80.6	*	89.7	79.8	81.8	80.0
Late or no care	3.8	3.8	*	*	*	3.7	4.2	*
Paterson, New Jersey								
Number								
Low birthweight	290	125	153	1	11	136	29	112
Care beginning in first trimester	1,845	1,073	698	4	70	1,031	237	502
Late or no care	315	147	160	1	7	152	36	118
Percent								
Low birthweight	9.6	7.4	12.4	*	*	8.1	8.1	12.7
Care beginning in first trimester	62.6	65.5	58.4	*	68.6	63.3	68.3	58.6
Late or no care	10.7	9.0	13.4	*	*	9.3	10.4	13.8
Peoria, Illinois								
Number								
Low birthweight	165	70	89	-	6	4	66	89
Care beginning in first trimester	1,608	1,060	489	5	54	57	1,005	487
Late or no care	69	25	42	-	2	3	22	42
Percent								
Low birthweight	8.5	5.8	13.0	*	*	*	5.8	13.1
Care beginning in first trimester	82.7	88.6	71.8	*	90.0	81.4	89.0	71.7
Late or no care	3.5	2.1	6.2	*	*	*	1.9	6.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Philadelphia, coext. with Phila. city, Pennsylvania								
Number								
Low birthweight	2,358	713	1,556	11	78	240	477	1,532
Care beginning in first trimester	15,420	7,148	7,369	52	851	1,792	5,431	7,209
Late or no care	1,374	366	937	4	67	130	246	920
Percent								
Low birthweight	10.8	7.8	13.7	*	6.1	9.4	7.1	13.8
Care beginning in first trimester	75.1	81.6	70.0	74.3	73.1	72.8	84.8	70.0
Late or no care	6.7	4.2	8.9	*	5.8	5.3	3.8	8.9
Phoenix, Arizona								
Number								
Low birthweight	1,774	1,529	159	52	34	930	599	151
Care beginning in first trimester	17,419	15,705	835	445	434	8,343	7,332	783
Late or no care	2,056	1,878	83	84	11	1,665	212	82
Percent								
Low birthweight	7.1	6.8	12.8	7.2	6.5	6.6	7.1	12.9
Care beginning in first trimester	71.6	71.6	71.1	62.5	85.4	61.5	88.2	70.7
Late or no care	8.5	8.6	7.1	11.8	*	12.3	2.5	7.4
Pittsburgh, Pennsylvania								
Number								
Low birthweight	402	172	220	1	9	1	171	212
Care beginning in first trimester	3,280	1,946	1,200	9	125	43	1,907	1,188
Late or no care	128	38	87	-	3	1	37	87
Percent								
Low birthweight	10.3	7.9	14.0	*	*	*	8.0	13.7
Care beginning in first trimester	86.9	91.0	80.4	*	94.0	86.0	91.1	80.3
Late or no care	3.4	1.8	5.8	*	*	*	1.8	5.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Plano, Texas								
Number								
Low birthweight	269	211	18	-	40	30	179	18
Care beginning in first trimester	3,118	2,514	128	5	471	355	2,142	127
Late or no care	112	91	14	1	6	55	36	13
Percent								
Low birthweight	7.5	7.3	*	*	7.8	5.5	7.7	*
Care beginning in first trimester	89.8	89.5	80.5	*	94.8	68.8	94.2	80.9
Late or no care	3.2	3.2	*	*	*	10.7	1.6	*
Pomona, California								
Number								
Low birthweight	175	136	26	-	13	115	21	26
Care beginning in first trimester	2,564	2,248	152	5	159	2,039	215	150
Late or no care	85	71	10	-	4	67	5	10
Percent								
Low birthweight	5.6	5.0	13.4	*	*	4.6	8.4	13.6
Care beginning in first trimester	82.1	82.1	78.8	*	85.0	81.7	86.3	78.9
Late or no care	2.7	2.6	*	*	*	2.7	*	*
Portland, Oregon								
Number								
Low birthweight	533	377	89	8	59	81	302	87
Care beginning in first trimester	6,280	5,062	543	62	613	691	4,378	535
Late or no care	320	250	33	11	26	72	177	33
Percent								
Low birthweight	6.8	6.0	12.6	*	7.3	7.7	5.8	12.5
Care beginning in first trimester	80.1	81.1	77.5	63.9	76.4	65.9	84.2	77.3
Late or no care	4.1	4.0	4.7	*	3.2	6.9	3.4	4.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Portsmouth city, Virginia								
Number								
Low birthweight	174	50	124	-	-	1	49	124
Care beginning in first trimester	1,184	541	626	1	16	14	527	623
Late or no care	82	17	62	-	3	2	17	62
Percent								
Low birthweight	11.3	8.0	13.8	*	*	*	8.1	13.8
Care beginning in first trimester	76.5	87.0	69.3	*	*	*	86.8	69.2
Late or no care	5.3	*	6.9	*	*	*	*	6.9
Providence, Rhode Island								
Number								
Low birthweight	238	150	68	7	13	91	52	67
Care beginning in first trimester	2,371	1,738	427	58	148	1,130	592	380
Late or no care	43	26	13	1	3	17	8	12
Percent								
Low birthweight	8.6	7.5	13.3	*	*	6.9	8.1	14.7
Care beginning in first trimester	87.5	88.6	85.1	86.6	81.8	87.3	92.1	84.6
Late or no care	1.6	1.3	*	*	*	*	*	*
Queens borough, Queens county, New York								
Number								
Low birthweight	2,441	1,054	855	3	529	649	438	807
Care beginning in first trimester	21,671	11,676	5,136	19	4,840	6,181	5,726	4,654
Late or no care	1,749	814	505	-	430	653	183	480
Percent								
Low birthweight	7.6	6.2	11.1	*	7.0	6.3	6.2	11.5
Care beginning in first trimester	74.5	76.6	72.6	*	71.7	69.2	86.2	72.2
Late or no care	6.0	5.3	7.1	*	6.4	7.3	2.8	7.4

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Raleigh, North Carolina								
Number								
Low birthweight	465	227	221	1	16	49	176	221
Care beginning in first trimester	4,011	2,693	1,117	11	190	415	2,279	1,114
Late or no care	256	118	130	1	7	73	45	130
Percent								
Low birthweight	9.3	7.0	14.2	*	*	6.4	7.2	14.2
Care beginning in first trimester	80.4	84.0	72.1	*	88.0	54.5	93.2	72.1
Late or no care	5.1	3.7	8.4	*	*	9.6	1.8	8.4
Rancho Cucamonga, California								
Number								
Low birthweight	62	45	11	-	6	22	22	11
Care beginning in first trimester	851	715	60	3	73	319	396	59
Late or no care	40	32	4	-	4	22	8	4
Percent								
Low birthweight	5.9	5.2	*	*	*	5.2	4.9	*
Care beginning in first trimester	81.4	81.8	75.9	*	81.1	75.4	88.0	75.6
Late or no care	3.8	3.7	*	*	*	5.2	*	*
Reno, Nevada								
Number								
Low birthweight	217	183	7	8	19	60	123	6
Care beginning in first trimester	2,507	2,253	45	39	170	749	1,510	42
Late or no care	88	74	2	5	7	30	44	2
Percent								
Low birthweight	7.2	6.8	*	*	*	6.0	7.2	*
Care beginning in first trimester	85.4	85.7	86.5	75.0	84.2	79.0	89.6	85.7
Late or no care	3.0	2.8	*	*	*	3.2	2.6	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Richmond city, Virginia								
Number								
Low birthweight	392	79	311	-	2	5	74	309
Care beginning in first trimester	2,259	855	1,377	4	23	60	797	1,371
Late or no care	181	35	146	-	-	18	18	145
Percent								
Low birthweight	12.8	7.9	15.5	*	*	*	8.3	15.4
Care beginning in first trimester	74.0	85.0	68.4	*	76.7	52.6	89.0	68.3
Late or no care	5.9	3.5	7.2	*	*	*	*	7.2
Riverside, California								
Number								
Low birthweight	389	330	45	2	12	205	127	44
Care beginning in first trimester	4,815	4,270	319	23	203	2,636	1,647	307
Late or no care	201	180	9	3	9	125	55	8
Percent								
Low birthweight	6.7	6.4	11.6	*	*	6.3	6.7	11.8
Care beginning in first trimester	83.3	83.5	82.9	71.9	82.5	81.2	87.4	82.5
Late or no care	3.5	3.5	*	*	*	3.8	2.9	*
Rochester, New York								
Number								
Low birthweight	424	136	273	2	13	45	80	273
Care beginning in first trimester	2,464	1,383	1,003	8	70	365	952	986
Late or no care	331	129	192	3	7	49	79	191
Percent								
Low birthweight	10.7	6.9	14.7	*	*	7.3	6.3	15.0
Care beginning in first trimester	72.4	78.8	65.3	*	70.7	70.3	82.0	65.2
Late or no care	9.7	7.4	12.5	*	*	9.4	6.8	12.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Rockford, Illinois								
Number								
Low birthweight	258	155	96	1	6	29	126	96
Care beginning in first trimester	2,182	1,711	385	2	84	352	1,364	380
Late or no care	126	68	51	1	6	28	40	51
Percent								
Low birthweight	9.1	7.3	16.0	*	*	5.8	7.7	16.1
Care beginning in first trimester	78.1	81.5	65.4	*	82.4	71.7	84.5	65.1
Late or no care	4.5	3.2	8.7	*	*	5.7	2.5	8.7
Sacramento, California								
Number								
Low birthweight	782	431	219	7	125	187	250	214
Care beginning in first trimester	8,195	5,448	1,380	80	1,287	2,163	3,368	1,323
Late or no care	474	295	93	6	80	143	158	90
Percent								
Low birthweight	7.2	6.1	11.7	*	6.6	6.3	6.0	11.9
Care beginning in first trimester	76.3	78.7	75.5	71.4	68.8	73.6	82.2	75.6
Late or no care	4.4	4.3	5.1	*	4.3	4.9	3.9	5.1
Salem, Oregon								
Number								
Low birthweight	142	132	1	1	8	36	94	1
Care beginning in first trimester	2,076	1,957	17	28	74	496	1,438	16
Late or no care	149	126	-	7	16	72	51	-
Percent								
Low birthweight	5.1	5.1	*	*	*	4.5	5.3	*
Care beginning in first trimester	75.0	75.7	*	53.8	67.9	62.5	81.7	*
Late or no care	5.4	4.9	*	*	*	9.1	2.9	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Salinas, California								
Number								
Low birthweight	206	184	6	-	16	148	33	6
Care beginning in first trimester	2,587	2,414	39	9	125	1,942	473	37
Late or no care	176	169	2	-	5	157	13	2
Percent								
Low birthweight	6.0	5.7	*	*	*	5.5	6.1	*
Care beginning in first trimester	75.1	74.9	79.6	*	75.3	72.1	88.1	78.7
Late or no care	5.1	5.2	*	*	*	5.8	*	*
Salt Lake City, Utah								
Number								
Low birthweight	435	392	13	6	24	128	262	13
Care beginning in first trimester	4,352	4,030	55	56	211	768	3,251	54
Late or no care	394	329	17	11	37	171	155	17
Percent								
Low birthweight	7.0	7.0	*	*	6.8	8.7	6.4	*
Care beginning in first trimester	74.2	75.6	49.5	57.7	63.9	54.8	83.1	49.1
Late or no care	6.7	6.2	*	*	11.2	12.2	4.0	*
San Antonio, Texas								
Number								
Low birthweight	1,694	1,483	175	5	31	1,132	352	170
Care beginning in first trimester	18,574	17,159	1,071	24	320	12,102	5,012	1,041
Late or no care	623	567	48	1	7	490	73	46
Percent								
Low birthweight	7.7	7.3	12.9	*	8.7	7.6	6.4	12.9
Care beginning in first trimester	85.1	85.3	81.3	75.0	92.0	82.6	92.5	81.2
Late or no care	2.9	2.8	3.6	*	*	3.3	1.3	3.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
San Bernardino, California								
Number								
Low birthweight	320	195	111	-	14	155	40	109
Care beginning in first trimester	3,328	2,551	628	20	129	1,888	684	610
Late or no care	230	183	38	2	7	142	42	38
Percent								
Low birthweight	7.0	5.6	12.8	*	*	5.9	4.5	12.9
Care beginning in first trimester	76.0	76.1	74.9	64.5	82.7	74.9	79.5	74.8
Late or no care	5.3	5.5	4.5	*	*	5.6	4.9	4.7
San Diego, California								
Number								
Low birthweight	1,193	790	177	4	222	434	363	170
Care beginning in first trimester	15,809	11,861	1,285	44	2,619	6,163	5,763	1,230
Late or no care	740	564	71	5	100	496	69	70
Percent								
Low birthweight	6.3	5.6	10.9	*	7.3	5.4	5.9	10.9
Care beginning in first trimester	84.4	84.4	80.5	69.8	87.0	77.1	94.0	80.2
Late or no care	4.0	4.0	4.4	*	3.3	6.2	1.1	4.6
San Francisco, coext. with San Fran. city, Califor								
Number								
Low birthweight	561	255	98	3	205	99	158	96
Care beginning in first trimester	7,474	4,168	548	13	2,745	1,444	2,744	544
Late or no care	234	120	60	4	50	98	24	59
Percent								
Low birthweight	6.5	5.3	12.7	*	6.7	5.2	5.4	12.6
Care beginning in first trimester	87.0	87.5	72.8	*	89.8	77.9	93.6	73.1
Late or no care	2.7	2.5	8.0	*	1.6	5.3	0.8	7.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
San Jose, California								
Number								
Low birthweight	990	640	28	2	320	399	230	26
Care beginning in first trimester	14,207	9,328	360	39	4,480	5,575	3,668	338
Late or no care	561	388	14	2	157	338	52	12
Percent								
Low birthweight	5.9	5.7	6.4	*	6.1	5.6	5.8	6.4
Care beginning in first trimester	84.5	83.8	83.1	75.0	86.3	78.5	92.9	83.3
Late or no care	3.3	3.5	*	*	3.0	4.8	1.3	*
Santa Ana, California								
Number								
Low birthweight	483	441	7	3	32	417	25	6
Care beginning in first trimester	7,298	6,781	45	10	462	6,278	502	43
Late or no care	246	236	2	1	7	227	8	2
Percent								
Low birthweight	5.6	5.4	*	*	6.2	5.5	4.5	*
Care beginning in first trimester	84.3	84.0	81.8	*	89.5	83.5	91.4	81.1
Late or no care	2.8	2.9	*	*	*	3.0	*	*
Santa Clarita, California								
Number								
Low birthweight	13	11	1	-	1	-	11	1
Care beginning in first trimester	183	161	4	2	16	31	129	4
Late or no care	1	1	-	-	-	-	1	-
Percent								
Low birthweight	*	*	*	*	*	*	*	*
Care beginning in first trimester	96.8	96.4	*	*	*	91.2	97.7	*
Late or no care	*	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Santa Rosa, California								
Number								
Low birthweight	148	133	3	1	11	66	68	3
Care beginning in first trimester	2,169	1,966	46	32	125	744	1,227	46
Late or no care	52	45	2	2	3	30	16	2
Percent								
Low birthweight	5.7	5.6	*	*	*	6.6	4.9	*
Care beginning in first trimester	86.8	86.7	86.8	82.1	89.3	79.8	91.4	86.8
Late or no care	2.1	2.0	*	*	*	3.2	*	*
Savannah, Georgia								
Number								
Low birthweight	254	59	193	-	2	-	59	193
Care beginning in first trimester	1,707	678	986	6	37	49	632	983
Late or no care	100	24	74	-	2	4	20	74
Percent								
Low birthweight	10.2	6.8	12.4	*	*	*	7.3	12.4
Care beginning in first trimester	74.6	82.4	69.8	*	80.4	79.0	82.8	69.9
Late or no care	4.4	2.9	5.2	*	*	*	2.6	5.3
Scottsdale, Arizona								
Number								
Low birthweight	166	157	1	4	4	21	133	1
Care beginning in first trimester	2,485	2,252	21	107	105	272	1,962	20
Late or no care	81	66	-	14	1	38	26	-
Percent								
Low birthweight	6.0	6.3	*	*	*	5.4	6.4	*
Care beginning in first trimester	90.6	91.5	100.0	73.3	92.1	70.8	95.4	100.0
Late or no care	3.0	2.7	*	*	*	9.9	1.3	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Seattle, Washington								
Number								
Low birthweight	457	256	105	5	91	43	204	99
Care beginning in first trimester	5,361	3,799	539	82	941	481	3,251	524
Late or no care	173	76	44	7	46	33	43	41
Percent								
Low birthweight	6.3	5.3	10.9	*	6.4	5.9	5.3	10.8
Care beginning in first trimester	84.8	89.1	71.5	82.8	78.2	76.2	91.4	71.9
Late or no care	2.7	1.8	5.8	*	3.8	5.2	1.2	5.6
Shreveport, Louisiana								
Number								
Low birthweight	410	106	300	-	4	2	104	300
Care beginning in first trimester	2,514	1,079	1,390	10	35	36	1,045	1,388
Late or no care	203	22	181	-	-	2	20	181
Percent								
Low birthweight	12.5	9.0	14.5	*	*	*	9.1	14.6
Care beginning in first trimester	76.6	91.7	67.6	*	92.1	83.7	92.0	67.5
Late or no care	6.2	1.9	8.8	*	*	*	1.8	8.8
Simi Valley, California								
Number								
Low birthweight	108	91	1	1	15	27	55	-
Care beginning in first trimester	1,607	1,459	20	6	122	309	967	12
Late or no care	28	27	-	-	1	8	12	-
Percent								
Low birthweight	6.2	5.8	*	*	*	7.7	5.4	*
Care beginning in first trimester	93.2	93.2	87.0	*	94.6	88.5	95.2	*
Late or no care	1.6	1.7	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Sioux Falls, South Dakota								
Number								
Low birthweight	119	105	7	2	5	4	102	6
Care beginning in first trimester	1,677	1,543	43	48	43	46	1,501	42
Late or no care	47	39	3	4	1	9	30	3
Percent								
Low birthweight	5.9	5.8	*	*	*	*	5.9	*
Care beginning in first trimester	83.7	85.2	70.5	62.3	76.8	61.3	86.4	70.0
Late or no care	2.3	2.2	*	*	*	*	1.7	*
South Bend, Indiana								
Number								
Low birthweight	176	103	69	-	4	16	87	69
Care beginning in first trimester	1,568	1,180	358	3	27	221	961	354
Late or no care	136	70	66	-	-	24	46	66
Percent								
Low birthweight	8.5	7.1	12.1	*	*	*	7.5	12.2
Care beginning in first trimester	76.7	81.5	64.5	*	71.1	72.7	83.7	64.4
Late or no care	6.7	4.8	11.9	*	*	7.9	4.0	12.0
Spokane, Washington								
Number								
Low birthweight	219	197	7	10	5	10	181	7
Care beginning in first trimester	2,934	2,692	68	101	73	122	2,572	66
Late or no care	78	59	4	9	6	2	55	4
Percent								
Low birthweight	6.4	6.4	*	*	*	*	6.2	*
Care beginning in first trimester	88.1	89.1	84.0	77.7	73.7	91.7	89.1	83.5
Late or no care	2.3	2.0	*	*	*	*	1.9	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Springfield, Illinois								
Number								
Low birthweight	173	115	56	-	2	3	112	56
Care beginning in first trimester	1,674	1,356	287	4	27	25	1,331	286
Late or no care	62	38	23	-	1	2	36	23
Percent								
Low birthweight	8.7	7.6	13.2	*	*	*	7.5	13.3
Care beginning in first trimester	85.6	90.2	69.5	*	79.4	78.1	90.4	69.6
Late or no care	3.2	2.5	5.6	*	*	*	2.4	5.6
Springfield, Massachusetts								
Number								
Low birthweight	228	147	80	-	1	97	55	74
Care beginning in first trimester	1,810	1,383	376	3	48	737	661	361
Late or no care	108	75	29	2	2	57	22	25
Percent								
Low birthweight	9.1	7.9	14.3	*	*	9.2	6.6	13.8
Care beginning in first trimester	76.2	78.0	70.5	*	77.4	73.8	82.6	71.1
Late or no care	4.5	4.2	5.4	*	*	5.7	2.8	4.9
Springfield, Missouri								
Number								
Low birthweight	157	144	7	3	3	7	137	7
Care beginning in first trimester	1,731	1,613	65	10	43	42	1,572	64
Late or no care	41	37	3	-	1	3	34	3
Percent								
Low birthweight	7.9	7.8	*	*	*	*	7.7	*
Care beginning in first trimester	87.7	88.0	81.3	*	89.6	84.0	88.2	81.0
Late or no care	2.1	2.0	*	*	*	*	1.9	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
St. Louis city, Missouri								
Number								
Low birthweight	630	132	489	3	6	8	124	489
Care beginning in first trimester	4,274	1,664	2,495	8	107	131	1,536	2,492
Late or no care	257	23	231	2	1	1	22	231
Percent								
Low birthweight	11.6	7.0	14.3	*	*	*	7.2	14.3
Care beginning in first trimester	82.0	91.4	76.4	*	93.9	91.0	91.5	76.4
Late or no care	4.9	1.3	7.1	*	*	*	1.3	7.1
St. Paul, Minnesota								
Number								
Low birthweight	379	185	112	9	73	54	131	111
Care beginning in first trimester	3,400	2,305	551	44	500	362	1,911	544
Late or no care	252	86	72	16	78	36	51	71
Percent								
Low birthweight	7.4	6.1	11.6	*	6.8	8.7	5.6	11.7
Care beginning in first trimester	73.4	83.0	65.8	55.0	53.5	68.2	86.4	65.8
Late or no care	5.4	3.1	8.6	*	8.3	6.8	2.3	8.6
St. Petersburg, Florida								
Number								
Low birthweight	300	127	158	-	15	9	118	158
Care beginning in first trimester	2,855	1,869	836	12	138	134	1,738	833
Late or no care	105	50	54	1	-	4	46	54
Percent								
Low birthweight	8.7	5.9	13.9	*	*	*	6.0	13.9
Care beginning in first trimester	82.7	87.6	73.5	*	83.6	81.2	88.1	73.5
Late or no care	3.0	2.3	4.7	*	*	*	2.3	4.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Stamford, Connecticut								
Number								
Low birthweight	149	96	35	-	18	29	67	35
Care beginning in first trimester	1,574	1,204	234	-	136	338	860	234
Late or no care	32	21	9	-	2	15	6	9
Percent								
Low birthweight	8.2	7.0	11.6	*	*	6.7	7.2	11.7
Care beginning in first trimester	88.9	89.9	81.8	*	93.8	79.9	94.6	82.1
Late or no care	1.8	1.6	*	*	*	*	*	*
Staten Island borough, Richmond county, New York								
Number								
Low birthweight	508	380	102	1	25	91	294	95
Care beginning in first trimester	4,476	3,728	503	6	239	711	3,024	479
Late or no care	276	152	99	2	23	74	84	92
Percent								
Low birthweight	8.5	8.0	12.2	*	7.4	8.2	8.0	12.0
Care beginning in first trimester	82.3	85.4	67.2	*	76.8	70.7	89.4	67.6
Late or no care	5.1	3.5	13.2	*	7.4	7.4	2.5	13.0
Sterling Heights, Michigan								
Number								
Low birthweight	97	86	5	-	6	1	82	4
Care beginning in first trimester	1,292	1,163	27	1	101	20	1,102	24
Late or no care	24	24	-	-	-	-	22	-
Percent								
Low birthweight	6.4	6.3	*	*	*	*	6.5	*
Care beginning in first trimester	93.0	93.0	93.1	*	94.4	87.0	93.2	96.0
Late or no care	1.7	1.9	*	*	*	*	1.9	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Stockton, California								
Number								
Low birthweight	389	215	84	2	88	134	81	83
Care beginning in first trimester	3,715	2,639	416	41	619	1,638	1,034	409
Late or no care	469	305	73	2	89	216	95	69
Percent								
Low birthweight	6.8	5.5	12.3	*	8.3	5.2	5.8	12.4
Care beginning in first trimester	66.6	69.1	63.5	74.5	59.1	65.4	76.0	63.8
Late or no care	8.4	8.0	11.1	*	8.5	8.6	7.0	10.8
Sunnyvale, California								
Number								
Low birthweight	155	67	3	-	85	14	46	2
Care beginning in first trimester	1,973	977	32	1	963	310	577	27
Late or no care	20	9	-	-	11	5	3	-
Percent								
Low birthweight	7.3	6.3	*	*	8.3	*	7.5	*
Care beginning in first trimester	92.7	91.2	86.5	*	94.6	87.3	93.5	84.4
Late or no care	0.9	*	*	*	*	*	*	*
Syracuse, New York								
Number								
Low birthweight	252	129	112	7	4	20	102	111
Care beginning in first trimester	1,753	1,051	597	26	79	110	875	585
Late or no care	152	63	79	4	6	20	36	77
Percent								
Low birthweight	10.5	9.5	12.4	*	*	11.5	9.3	12.6
Care beginning in first trimester	74.3	79.0	67.9	65.0	73.1	65.1	81.0	68.2
Late or no care	6.4	4.7	9.0	*	*	11.8	3.3	9.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Tacoma, Washington								
Number								
Low birthweight	240	141	57	8	34	25	113	56
Care beginning in first trimester	2,590	1,912	331	64	283	303	1,587	309
Late or no care	178	117	29	12	20	27	90	27
Percent								
Low birthweight	6.1	5.1	10.4	*	7.2	5.4	4.9	10.8
Care beginning in first trimester	73.7	76.1	68.5	64.0	68.0	70.6	77.2	68.4
Late or no care	5.1	4.7	6.0	*	4.8	6.3	4.4	6.0
Tallahassee, Florida								
Number								
Low birthweight	199	63	130	-	6	10	53	130
Care beginning in first trimester	1,921	1,043	791	4	83	60	981	789
Late or no care	46	9	37	-	-	-	9	37
Percent								
Low birthweight	9.2	5.6	13.5	*	*	*	5.1	13.5
Care beginning in first trimester	88.7	93.7	82.1	*	98.8	83.3	94.4	82.0
Late or no care	2.1	*	3.8	*	*	*	*	3.8
Tampa, Florida								
Number								
Low birthweight	769	427	320	-	22	176	258	312
Care beginning in first trimester	7,147	4,984	1,868	20	275	1,719	3,292	1,834
Late or no care	203	112	85	-	6	57	55	85
Percent								
Low birthweight	9.1	7.5	13.0	*	7.1	8.6	7.1	12.9
Care beginning in first trimester	85.5	88.9	77.2	74.1	90.5	84.6	91.1	77.3
Late or no care	2.4	2.0	3.5	*	*	2.8	1.5	3.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Tempe, Arizona								
Number								
Low birthweight	161	134	11	7	9	53	83	11
Care beginning in first trimester	1,789	1,490	78	97	124	507	990	74
Late or no care	112	89	5	7	11	67	22	4
Percent								
Low birthweight	7.2	7.2	*	*	*	7.2	7.5	*
Care beginning in first trimester	81.4	81.7	83.0	72.9	84.9	69.8	90.1	83.1
Late or no care	5.1	4.9	*	*	*	9.2	2.0	*
Thousand Oaks, California								
Number								
Low birthweight	67	59	1	-	7	16	43	1
Care beginning in first trimester	1,016	887	5	5	119	216	658	5
Late or no care	2	2	-	-	-	2	-	-
Percent								
Low birthweight	6.2	6.2	*	*	*	*	6.3	*
Care beginning in first trimester	94.5	94.0	*	*	98.3	87.4	96.2	*
Late or no care	*	*	*	*	*	*	*	*
Toledo, Ohio								
Number								
Low birthweight	436	261	170	2	3	29	233	168
Care beginning in first trimester	4,526	3,318	1,111	16	81	303	3,023	1,100
Late or no care	140	63	76	-	1	24	40	75
Percent								
Low birthweight	8.4	7.1	11.9	*	*	7.5	7.1	11.8
Care beginning in first trimester	87.4	91.1	77.7	*	95.3	79.9	92.2	77.8
Late or no care	2.7	1.7	5.3	*	*	6.3	1.2	5.3

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Topeka, Kansas								
Number								
Low birthweight	180	132	45	1	2	16	116	44
Care beginning in first trimester	1,870	1,531	269	42	28	227	1,304	257
Late or no care	58	39	16	3	-	13	26	16
Percent								
Low birthweight	8.6	7.8	14.3	*	*	*	8.1	14.6
Care beginning in first trimester	89.5	90.4	85.7	85.7	87.5	82.5	91.8	85.7
Late or no care	2.8	2.3	*	*	*	*	1.8	*
Torrance, California								
Number								
Low birthweight	119	66	11	-	42	30	36	11
Care beginning in first trimester	1,926	1,235	96	4	591	600	633	94
Late or no care	36	22	2	-	12	12	10	2
Percent								
Low birthweight	5.6	4.9	*	*	6.4	4.5	5.3	*
Care beginning in first trimester	91.8	92.2	91.4	*	90.9	89.6	94.8	91.3
Late or no care	1.7	1.6	*	*	*	*	*	*
Tucson, Arizona								
Number								
Low birthweight	962	839	78	24	21	444	390	75
Care beginning in first trimester	8,438	7,678	280	257	223	3,712	3,942	263
Late or no care	954	859	38	42	15	587	253	36
Percent								
Low birthweight	8.2	7.9	18.1	6.0	7.2	8.0	7.7	18.4
Care beginning in first trimester	72.0	72.4	66.0	64.9	76.6	67.4	78.1	65.8
Late or no care	8.1	8.1	9.0	10.6	*	10.7	5.0	9.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Tulsa, Oklahoma								
Number								
Low birthweight	561	332	199	21	9	38	290	197
Care beginning in first trimester	4,656	3,451	815	265	125	500	2,938	810
Late or no care	444	251	140	47	6	73	175	138
Percent								
Low birthweight	8.4	7.1	14.5	5.0	*	4.5	7.6	14.5
Care beginning in first trimester	71.7	75.0	61.7	64.8	78.1	60.3	78.3	61.8
Late or no care	6.8	5.5	10.6	11.5	*	8.8	4.7	10.5
Vallejo, California								
Number								
Low birthweight	145	53	56	2	34	18	34	56
Care beginning in first trimester	1,110	544	290	7	269	280	279	284
Late or no care	107	54	28	1	24	27	29	26
Percent								
Low birthweight	7.8	5.8	11.4	*	7.6	*	7.5	11.6
Care beginning in first trimester	73.5	72.9	72.9	*	75.8	69.7	75.6	73.2
Late or no care	7.1	7.2	7.0	*	6.8	6.7	7.9	6.7
Virginia Beach city, Virginia								
Number								
Low birthweight	459	253	177	1	28	36	220	171
Care beginning in first trimester	5,678	4,141	1,222	8	307	299	3,860	1,192
Late or no care	130	73	50	-	7	5	69	49
Percent								
Low birthweight	7.1	5.5	11.9	*	7.9	9.9	5.2	11.7
Care beginning in first trimester	88.0	90.1	82.0	*	86.2	81.9	90.7	81.9
Late or no care	2.0	1.6	3.4	*	*	*	1.6	3.4

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Waco, Texas								
Number								
Low birthweight	192	116	75	-	1	54	61	75
Care beginning in first trimester	1,459	1,137	305	1	16	426	712	301
Late or no care	243	162	81	-	-	104	58	81
Percent								
Low birthweight	7.9	6.4	12.6	*	*	6.6	6.2	12.8
Care beginning in first trimester	61.0	63.7	51.9	*	*	52.0	73.4	52.0
Late or no care	10.2	9.1	13.8	*	*	12.7	6.0	14.0
Warren, Michigan								
Number								
Low birthweight	127	110	9	-	8	4	98	9
Care beginning in first trimester	1,471	1,338	44	2	87	28	1,235	41
Late or no care	41	36	4	-	1	1	34	4
Percent								
Low birthweight	7.2	7.0	*	*	*	*	6.8	*
Care beginning in first trimester	87.9	89.6	65.7	*	79.1	87.5	89.4	65.1
Late or no care	2.5	2.4	*	*	*	*	2.5	*
Waterbury, Connecticut								
Number								
Low birthweight	147	88	56	-	3	50	43	48
Care beginning in first trimester	1,278	958	277	6	37	421	571	240
Late or no care	66	55	10	1	-	30	27	8
Percent								
Low birthweight	9.1	7.3	15.6	*	*	9.1	6.2	15.4
Care beginning in first trimester	81.7	82.2	79.6	*	82.2	79.7	84.3	78.9
Late or no care	4.2	4.7	*	*	*	5.7	4.0	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Wichita, Kansas								
Number								
Low birthweight	529	389	115	5	20	62	327	115
Care beginning in first trimester	5,794	4,745	701	56	292	674	4,068	696
Late or no care	148	90	44	5	9	29	61	44
Percent								
Low birthweight	7.9	7.1	13.2	*	5.8	6.5	7.3	13.3
Care beginning in first trimester	87.6	88.6	81.6	75.7	88.2	75.1	91.4	81.6
Late or no care	2.2	1.7	5.1	*	*	3.2	1.4	5.2
Winston-Salem, North Carolina								
Number								
Low birthweight	332	137	193	-	2	51	85	193
Care beginning in first trimester	2,795	1,800	955	1	39	551	1,248	955
Late or no care	93	52	41	-	-	36	16	41
Percent								
Low birthweight	10.5	6.8	17.1	*	*	7.3	6.5	17.2
Care beginning in first trimester	88.2	89.9	84.9	*	95.1	79.3	95.6	85.0
Late or no care	2.9	2.6	3.6	*	*	5.2	*	3.6
Worcester, Massachusetts								
Number								
Low birthweight	220	168	38	-	14	56	118	32
Care beginning in first trimester	2,142	1,710	257	7	168	472	1,275	221
Late or no care	74	46	21	-	7	19	29	19
Percent								
Low birthweight	8.7	8.6	11.0	*	*	9.4	8.3	11.0
Care beginning in first trimester	84.8	87.2	74.3	*	80.0	78.9	89.9	75.7
Late or no care	2.9	2.3	6.1	*	*	*	2.0	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2000

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Yonkers, New York								
Number								
Low birthweight	258	140	98	1	19	77	70	91
Care beginning in first trimester	1,946	1,399	409	1	137	636	788	375
Late or no care	347	228	108	-	11	173	57	104
Percent								
Low birthweight	9.0	6.9	14.6	*	*	7.2	7.2	14.5
Care beginning in first trimester	70.1	71.4	63.6	*	78.3	60.7	83.6	62.5
Late or no care	12.5	11.6	16.8	*	*	16.5	6.0	17.3

- Quantity zero.

* Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

(1) Data not shown for non-Hispanic births of other races and births with origin not stated.

(2) Includes Aleuts and Eskimos.