DEPARTMENT OF COMMERCE AND LABOR

BUREAU OF THE CENSUS

E. DANA DURAND, DIRECTOR

MORTALITY STATISTICS

1909

TENTH ANNUAL REPORT

WITH

REVISED RATES FOR THE INTERCENSAL YEARS 1901 TO 1909
BASED UPON THE CENSUS OF 1910

WASHINGTON
GOVERNMENT PRINTING OFFICE,
1912

CONTENTS.

	Page.
INTRODUCTION	7–9
Ten-year period 1900 to 1909	7
Annual estimates of population	8
General death rates	9
Scope of this report	9
SUMMARY OF RESULTS	9–20
Deaths, by sex and age	10
Deaths, by color and nativity	12
Death rates in groups of registration areas	12
Comparison with foreign countries	13
Death rates in registration states	14
Urban and rural mortality	18
Death rates of the larger cities	18
CAUSES OF DEATH	21–30
Increase or decrease in death rates from each class of causes	21
Increase or decrease in death rates from principal causes	22
Average and median ages at death from various causes	26
Average death rates (stated as annual rates) for the decade 1900 to 1909, by principal causes	29

SUMMARY AND RATE TABLES.

Table I.—Population of each registration area: 1900 to 1909	32
Table II.—Death rates per 1,000 population in each registration area: 1900 to 1909	68
Table III.—Deaths (exclusive of stillbirths), with death rates per 100,000 population in the registration area, from each cause and class of causes: 1900 to 1909	86
Table IV.—Death rates per 100,000 population in each registration area, from certain causes and classes of causes: 1900 to 1909	92
Table V.—Deaths (exclusive of stillbirths), with death rates per 100,000 population in the registration area and its main subdivisions, from each cause and class of causes: 1900 to 1909	306
Table VI.—Death rates per 100,000 population in cities and rural districts of each registration state, from each cause and class of causes: 1900 to 1909	330
Table VII.—Death rates per 1,000 population, average ages at death, and per cent distribution of deaths at certain age periods, for the registration area, its main subdivisions, the registration states, and cities of 100,000 population and over in 1900, for each of the years 1900 to 1909	380
Table VIII.—Males—Per cent distribution, by important causes, of deaths of males at least 10 years of age engaged in certain specified occupations, classified by age, for the registration area: 1909	388
Table IX.—Females—Per cent distribution, by important causes, of deaths of females at least 10 years of age engaged in certain specified occupations, classified by age, for the registration area: 1909	410
Table X.—Per cent distribution of deaths from each cause and class of causes of death, by age, for the registration area: 1909	416
Table XI.—Per cent distribution of deaths at each age, from each cause and class of causes of death, for the registration area: 1909	420
Table XII.—Standard million—Distribution of the population of the United States, the registration area, its main subdivisions, and the registration states as constituted in 1900 (calendar year), by sex, age periods, color, nativity, and parent nativity, per 1,000,000 persons of all ages as given by the census of 1900	426

GENERAL TABLES.

Table 1.—Deaths (exclusive of stillbirths) in each registration area, by color, general nativity, parent nativity, and month of occurrence: 1909	436
Table 2.—Deaths (exclusive of stillbirths) in each registration area, by age: 1909	472
Table 3.—Deaths (exclusive of stillbirths) in each registration area, from certain causes and classes of causes: 1909	510
Table 4.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions, and registration states, by age, and by sex, color, general nativity, and parent nativity: 1909	550
Table 5.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions, and registration states, from each cause and class of causes: 1909	576
Table 6.—Deaths (exclusive of stillbirths) in the registration area, from each cause and class of causes, by sex and age: 1909	588
Table 7.—Deaths (exclusive of stillbirths) in the registration area, total registration states, and each registration state, from each cause and class of causes, by age: 1909	596
Table 8.—Deaths (exclusive of stillbirths) in each city having 100,000 population or over in 1900, from certain causes and classes of causes, by age: 1909	640
Table 9.—Males—Deaths of males aged 10 years and over, engaged in each of 140 groups of occupations, by color and age, for the registration area: 1909	722
Table 10.—Females—Deaths of females aged 10 years and over, engaged in each of 140 groups of occupations, by color and age, for the registration area: 1909	724
Table 11.—Males—Deaths of males aged 10 years and over, engaged in each of 140 groups of occupations, from certain causes, for the registration area: 1909	726
Table 12.—Females—Deaths of females aged 10 years and over, engaged in each of 140 groups of occupations, from certain causes, for the registration area: 1909	768
Table 13.—Deaths (exclusive of stillbirths), by sex, and by color, nativity, and parent nativity, by single years of age at last birthday, for the registration states: 1906 to 1909	780

LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE AND LABOR,
BUREAU OF THE CENSUS,
Washington, D. C., July 26, 1911.

SIR:

I have the honor to transmit the tenth annual report on mortality statistics, embracing returns from the registration area of the United States for the calendar year 1909. Revised death rates for the preceding years of the decade 1900 to 1909 also are presented, based on the growth of population as indicated by the Thirteenth Census.

While deaths are not recorded, or are recorded only very imperfectly, in many parts of the United States, the percentage of total population represented by annual returns of deaths is so large (56.1 per cent) that reasonable inferences may be drawn as to the health of the country as a whole. The death rate for the registration area in 1909 was only 14.4 per 1,000 estimated midyear population, the lowest on record and undoubtedly the lowest that has occurred in the history of the United States. The rate for the preceding year was 14.8 and the annual average for the decade 1900 to 1909 was 15.8. If for the United States as a whole the reduction was the same as that shown for the registration area from 1900 to 1909, then nearly 300,000 fewer deaths occurred in the country than would have occurred had the death rate for 1900 (17.6 per 1,000) prevailed. The tables presented show in detail what causes of death have decreased or increased in prevalence.

The report was prepared under the direction of Dr. Cressy L. Wilbur, chief statistician for vital statistics of this bureau.

Very respectfully,

E Dana Durand

Director.

Hon. CHARLES NAGEL,
Secretary of Commerce and Labor.

MORTALITY STATISTICS

1909

WITH REVISED RATES FOR THE INTERCENSAL YEARS 1901 TO 1909
BASED UPON THE CENSUS OF 1910

MORTALITY STATISTICS.

INTRODUCTION.

The present report is the tenth annual compilation of deaths in the registration area of the United States, and relates primarily to the deaths that occurred in that area during the calendar year 1909. The first report of the series was that for the calendar year 1900, contained in the volume on Mortality Statistics, 1900 to 1904, with summary tables and text relating to the five-year period. Since 1904 the annual volumes have been published separately as soon after the close of the year as the return of the transcripts and the work of compilation permitted, and in addition, beginning with the statistics for 1908, advance bulletins have been published so that the most important data would be available for early use.

Prior to the establishment, under the permanent Bureau of the Census, of this series of annual reports on vital statistics, the compilations of vital statistics related mainly to the years in which the decennial censuses of population were taken. The series of decennial reports commenced with that for the Seventh Census (1850) and terminated with that for the Twelfth Census (1900), the report for which relates to the census year June 1, 1899, to May 31, 1900, and is entirely distinct from the first annual report for the calendar year 1900. These annual reports have enabled the course of mortality to be followed year by year, thus affording much more valuable information than could be found in the statistics for single years presented only at decennial intervals. The early decennial mortality reports were, moreover, based on the data collected by the enumerators of population, a very unsatisfactory method, but beginning with the census year 1879–1880, the registration records obtained by state and city authorities were utilized to an increasing extent.

The "registration area" for deaths, as defined by the Census Bureau, consists of the states or cities that secure returns possessing at least a fair degree of completeness with respect to the total number of deaths. Some other states and cities have a registration system which is too incomplete to justify including them with the registration area. The next table shows the growth of the registration area for deaths.

The registration area has increased until it now embraces considerably more than one-half (56.1 per cent) of the total population of the country. During recent years the growth of the area has been rapid, owing to the active cooperation of sanitary and medical organizations and of the state health authorities with the Bureau of the Census. Further growth is expected, as legislation on this subject is either pending or is to be introduced at the next sessions of the legislatures of certain states.

YEAR.	Population of continental United States.	POPULATION OF REGISTRATION AREA.	
		Number.	Per cent.
Census year 1879–1880	[1] 50,155,783	[1] 8,538,366	17.0
Census year 1889–1890	[1] 62,622,250	[1] 19,659,440	31.4
Census year 1899–1900	[1] 75,994,575	[1] 28,807,269	37.9
Calendar year 1900		[1] 30,765,618	40.5
Calendar year 1901	[2] 77,747,402	[3] 31,370,952	40.3
Calendar year 1902	[2] 79,365,396	[3] 32,029,815	40.4
Calendar year 1903	[2] 80,983,390	[3] 32,701,083	40.4
Calendar year 1904	[2] 82,601,384	[3] 33,345,163	40.4
Calendar year 1905	[2] 84,219,378	[3] 34,052,201	40.4
Calendar year 1906	[2] 85,837,372	[2] 41,983,419	48.9
Calendar year 1907	[2] 87,455,366	[2] 43,016,990	49.2
Calendar year 1908	[2] 89,073,360	[2] 46,789,913	52.5
Calendar year 1909	[2] 90,691,354	[2] 50,870,518	56.1

[1] As of June 1.
[2] Estimated as of July 1.
[3] Enumerated or estimated as of June 1 for states taking an interdecennial census and estimated as of July 1 for the remainder of the registration area.

The registration area for 1909 consisted of 18 registration states, the District of Columbia, which is coextensive with the city of Washington, and 54 cities in nonregistration states. The list of states is as follows, those that have been added during the decade being indicated by stating in parentheses the year in which they were first included, while the states not thus indicated have formed part of the registration area since 1900:

California (1906).	Massachusetts.	Pennsylvania (1906).
Colorado (1906).	Michigan.	Rhode Island.
Connecticut.	New Hampshire.	South Dakota (1906).
Indiana.	New Jersey.	Vermont.
Maine.	New York.	Washington (1908).
Maryland (1906).	Ohio (1909).	Wisconsin (1908).

The present report is of special importance because it completes the first 10 years for which annual returns have been received and permits the data for individual years to be compared with the aggregate mortality of the decade.

TEN-YEAR PERIOD 1900 TO 1909.

In previous reports the quinquennial period 1901 to 1905 has been used as a general basis of comparison by which to measure the results of the more recent individual years. For the purposes of the present report, however, it seemed desirable to present an average for the 10-year period ending with 1909, and accordingly in all the summary tables in which such an average is useful the rates are given for the decade. As the rates thus given are those obtained on the basis of the revised population figures, the average for the

period will remain as a permanent basis of comparison for future years, although it may be practicable in the report for 1910 to group the years into two quinquennial periods, 1901 to 1905 and 1906 to 1910, the five-year period being the one usually taken as a basis in comparative international statistics. The use of the decennial period as a basis of comparison for the present report has a further advantage in that the classification of causes of death remained unchanged throughout the 10 years. For 1910 the second revised International List of Causes of Death went into effect, so that there will be some differences requiring adjustment between the rates for the year 1910 and those for the previous years. Consequently the 10-year period 1900 to 1909 summarizes the results obtained under the first revision of the International Classification, or International List, as it is preferably called, and on this account will be valuable for permanent reference.

ANNUAL ESTIMATES OF POPULATION.

It should be remembered that all methods of estimating population at periods between actual census enumerations, except those based on differences in the number of births and of deaths and on the increase or decrease from migration—methods not generally available in the United States—are more or less arbitrary and may occasion some minor fluctuations of death rates that are only apparent. Such fluctuations are especially likely to occur when the estimates extend over a long period of time, for example, nearly a full decade, and are less likely to occur when regular enumerations of population are made at comparatively short intervals. By means of local enumerations, provided that, even if not complete in all respects, they are conducted according to substantially the same methods in successive years, valuable evidence may be afforded as to whether the increment gained by a given area during the 5-year or 10-year interval between regular Federal or state censuses was gained regularly, either at about the same percentage each year or at about the same absolute number each year, or whether there were sudden changes in the rate or amount of growth. The death rates in the census reports are based on the assumption of equal annual amounts of growth (the arithmetical method). If, for example, the population of a given area grew very rapidly during the first few years of the period, and then experienced a marked decrease in the rate of growth, it is evident that the death rates thus computed for the earlier intercensal years would be too high. For an area in which the chief increase occurred during the last years of a decade, the rates would usually be too low. A table of death rates shows, therefore, only general indications based on the assumption of fairly uniform growth.

The difficulty of a postcensal estimation of population in countries taking only a decennial census increases in a ratio proportionate to the length of time between the estimate and the last preceding enumeration. Consequently, at the time of the publication of the bulletin for 1909 (Census Bulletin 108) it was believed that any attempt at such estimation would fall too wide of the mark to be acceptable as a statistical statement, and death rates were therefore published only for the registration area as a whole and for the few states and cities for which preliminary announcements of the population in 1910 had been received. With the publication of the population returns for 1910 it became possible to substitute for these rates derived from postcensal estimates of population, new rates based on revised estimates derived from a comparison of the census of 1910 with the last preceding state or Federal census. The arithmetical method of estimating population, explained in full in Bulletin 108, page 9 (Method V), was used in determining these rates, which are denominated intercensal (based upon two censuses, one of which is subsequent to the year for which the rate is computed) as distinguished from postcensal (based upon two censuses both of which are prior to the year in question).

The importance of the present revision of the death rates may be appreciated by comparing the rates for the several areas as computed according to the original population estimates for the year 1908 with the rates as subsequently computed according to the revised estimates. In large areas the difference between the two rates is usually comparatively slight, but in small ones it may be greater.

The following table shows the death rates for the registration area and its main subdivisions as computed on intercensal estimates of population derived from the censuses of 1900 and 1910 and as computed on the postcensal estimates derived from the censuses of 1890 and 1900 or from those of 1900 and 1905. It will be seen that for the large group of areas taken together the revised rates are lower than the originally computed rates, because the actual increase in population was greater than had been estimated by the postcensal method.

AREA.	DEATH RATES FROM ALL CAUSES[1] PER 1,000 POPULATION: 1908.		Increase (+) or decrease (−) of revised as compared with provisional rates.
	As computed on intercensal estimates of population.	As computed on provisional postcensal estimates of population.	
The registration area	14.8	15.4	−0.6
All registration cities	15.7	16.2	−0.5
Registration states	14.7	15.3	−0.6
Cities in registration states	15.9	16.5	−0.6
Rural part of registration states	13.3	14.0	−0.7
Registration cities in other states	15.4	15.5	−0.1

[1] Exclusive of stillbirths.

GENERAL DEATH RATES.

The ordinary expression employed for measuring the mortality of a country, state, city, or other unit of area is the death rate, or, as it is sometimes more particularly called, the general or crude death rate. This is merely the ratio of deaths to population, the deaths being those that occurred during a unit of time, preferably the calendar year, and the population being the enumerated or estimated population corresponding to the middle of the unit of time chosen. As a matter of convenience the death rate, at least for all causes combined, is usually expressed as a ratio per 1,000 population. As contrasted with general death rates, specific death rates deal with the number of deaths that occur in a given class of population, as, for example, the ratio of deaths of children under 5 years of age to the population under 5 years of age. Specific rates are far more reliable for purposes of comparing the mortality of different areas or that of the same area at considerable intervals of time, but it is evident that a general idea of the incidence of mortality can not be obtained by a detailed and minute analysis of the constituent specific death rates unless at great expenditure of time. There is a demand for a single expression that will represent the degree of healthfulness, or at least the liability to death, of one locality as compared with that of another. Although crude or general death rates, therefore, are liable to misuse or misinterpretation, they may at least be taken as the first step in comparing sanitary conditions.

SCOPE OF THIS REPORT.

The greater part of this report is devoted to the primary or general tables (numbered 1 to 13, pp. 436 to 794) presenting the mortality statistics in detail for the year 1909 and the summary and rate tables (numbered I to XII, pp. 32 to 434), in which, for the most part, series of consecutive death rates are given for each year of the decade 1900 to 1909. The populations used as the bases of the rates are presented in Table I. Certain tables contain percentages of deaths by occupation, age, and cause (Table VIII, males; Table IX, females), or by ages in relation to cause (Tables X and XI). Table VII shows the percentages of deaths, chiefly at decennial periods of age, and also the average ages at death for certain areas, while Table XII exhibits the distribution of the population of the United States, the registration area, its main subdivisions, and the group of registration states as constituted in 1900, according to the census of 1900, per "standard million." This table will be of service in the study of "corrected rates," based upon the age and sex distribution of population, a subject which will be taken up in subsequent reports. The last general table (Table 13) continues the statement of deaths of males and females in the original group of registration states (namely, those which were included in 1900) by single years of age, for the years 1906 to 1909, so that now, taking the reports for 1908 and 1909 together, the data include 10 consecutive years (1900 to 1909).

The text of this report has been somewhat curtailed in view of the fact that an entirely satisfactory analysis of the data can not be made until the full details of the enumeration of population in 1910 are available. The comparisons of death rates from individual diseases for the registration states, cities of 100,000 population and over, and minor cities, as given in the reports for recent years with special emphasis upon rates of a markedly higher character, have been omitted. All these rates, however, may be found in Table IV, and a special table (p. 30) compares the annual average rates of the more important causes for the 10-year period. No discussion is given of occupational mortality, although several tables on this subject may be found among the summary and general tables. The true incidence of mortality upon occupations can not be known until the occupational data of the census of population are available, hence the study is necessarily deferred until a later report.

SUMMARY OF RESULTS.

The table on the next page shows the population of the registration area for each year from 1900 to 1909, the number of deaths, and the general death rate per 1,000 of population. In comparing the different years, however, it should be borne in mind that the registration area has changed from year to year by the addition of new states and cities. The number of cities outside of registration states which have been added is, however, comparatively small. The states which have been added to the registration area during the decade are, in general, states where the death rates are relatively low, so that these additions would tend to reduce the death rate for the combined area from year to year even in the absence of any actual change in the death rate in any individual state or city. Death rates are generally lower in rural than in urban communities, and the states recently added to the registration area have in most cases a larger proportion of rural population than the states constituting the area 10 years ago. In order to show clearly the effect of the changes in the registration area upon the death rate and to give information regarding changes in death rates upon a strictly comparable basis, the population, deaths, and death rates for the original registration states—that is, the states which composed the area in 1900—are also given for each year in the table. These states are Connecticut, the District of Columbia, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont.

YEAR.	REGISTRATION AREA.			ORIGINAL REGISTRATION STATES.		
	Population.	Deaths.		Population.	Deaths.	
		Number.	Rate per 1,000 population.		Number.	Rate per 1,000 population.
Annual average, 1900 to 1909	37,692,567	595,734	15.8	21,670,506	344,237	15.9
1900	30,765,618	539,939	17.6	19,960,742	343,217	17.2
1901	31,370,952	518,207	16.5	20,307,043	332,203	16.4
1902	32,029,315	508,640	15.9	20,648,941	318,636	15.4
1903	32,701,033	524,415	16.0	20,990,841	327,295	15.6
1904	33,345,163	551,354	16.5	21,332,741	349,855	16.4
1905	34,052,201	545,533	16.0	21,699,043	345,863	15.9
1906	41,983,419	658,105	15.7	22,218,713	353,906	15.9
1907	43,016,990	687,034	16.0	22,700,521	366,658	16.2
1908	46,789,913	691,574	14.8	23,182,330	351,163	15.1
1909	50,870,518	732,538	14.4	23,664,144	353,576	14.9

The total number of deaths reported to the Bureau of the Census from the registration area for the period 1900–1909 was 5,957,339, or an average of nearly 600,000 for each year. The number of deaths reported in 1909, 732,538, much exceeds the number reported in 1900, 539,939, but this increase is due to the extension of the registration area, the death rate having decreased from 17.6 per 1,000 population for 1900 to 14.4 for 1909. If the rate for 1909 had been the same as for 1900 the number of deaths returned for the later year would have been 895,321, or 162,783 more than were actually reported. For the original registration states, the returns of which are not affected by changes in the area, the death rate declined a little less markedly during the decade than for the entire registration area. It fell, however, from 17.2 in 1900 to 14.9 in 1909. The largest number of deaths returned for the original registration states was 366,658, in 1907, and the smallest 318,636, in 1902. The death rate for 1909 was lower than for any other year of the decade.

Although the registration area was considerably larger in 1909 than in the preceding year, owing chiefly to the addition of Ohio as a registration state, the total number of deaths returned in 1909 (732,538) exceeded by only 40,964 the number returned in 1908 (691,574). The death rate for the registration area in 1909 was thus appreciably lower than in 1908, 14.4 as compared with 14.8; for the original registration states, however, there was somewhat less difference, the figure for 1909 being 14.9 and that for 1908, 15.1.

Taking all things into consideration, it is probable that the mortality for the year 1909 was the lowest that has ever been reached in the history of the United States. As the returns for the registration area as a whole represent not only states in the North and the West, but also the large cities of the South, it is likely that if complete returns for the entire country were obtained the conclusions afforded by the available returns would be little altered.

DEATHS, BY SEX AND AGE.

The next table shows, for the registration area, the number of deaths of males and females and the distribution of the total number of deaths, by years of age under 5 and by quinquennial periods of age up to 100 years, for each of the 10 years 1900 to 1909, with the corresponding proportions per 1,000 deaths and average for the 10-year period.

During the year 1909 there were 398,597 deaths of males and 333,941 deaths of females. The few deaths reported without distinction of sex were apportioned by estimate in the same ratio as those for which sex was reported. The number of deaths of males per 1,000 decedents of both sexes was 544.1, or somewhat higher than the ratio for the 10-year period, which was 539.5. The excess of the deaths of males is closely related to the excess of male children born and the high mortality of infants under 1 year of age.

Of the total number of deaths that occurred during 1909 (732,538), no less than 196,534, or 26.8 per cent, were of children under 5 years of age, and 140,057, or 19.1 per cent, were of infants under 1 year of age. The proportion of deaths of children under 5 years of age to the total number of deaths that occurred during the year is far greater than that for any other five-year age group, a fact which does not indicate necessarily that the actual mortality or death rate per 1,000 persons of corresponding age living is higher at that period than at certain other periods, especially at the more advanced ages. A consideration of the deaths in the early years of life, however, is of special importance, not only because of the large number of deaths that occur during these years, but also because the number of deaths that are largely or entirely preventable is probably greater proportionally for this period than for any other period of life, and the causes which produce them are now being more and more successfully combated. Great progress has been made in the reduction of infant mortality in England and other countries during recent years, and an organization known as the American Association for Study and Prevention of Infant Mortality has been formed lately in this country for the purpose of coordinating all of the sanitary agencies available with a view to reducing the number of preventable deaths of infants. It is extremely desirable that for such an important purpose reliable statistics of infant mortality should be available for the entire registration area, and as soon as possible for the entire United States, with which the registration area for deaths will ultimately be coextensive. The correct statement of *infantile mortality*, which term, used technically, denotes the number of deaths of infants under 1 year of age per 1,000 living births, depends on the accurate registration of births, which is scarcely to be found in the United States.

SEX AND AGE.	DEATHS FROM ALL CAUSES.[1]										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
	NUMBER.										
Aggregate	539,939	518,207	508,640	524,415	551,354	545,533	658,105	687,034	691,574	732,538	595,734
Sex:											
Male	285,999	276,020	273,585	281,041	296,252	292,912	358,286	375,990	375,497	398,597	321,418
Female	253,940	242,187	235,055	243,374	255,102	252,621	299,819	311,044	316,077	333,941	274,316
Age:											
Under 1 year	111,687	97,477	98,575	96,857	102,880	105,553	133,105	131,110	136,432	140,057	115,373
1 year	26,722	22,461	22,978	21,956	22,268	21,960	28,860	27,565	27,833	30,279	25,288
2 years	12,129	10,031	10,525	10,079	9,750	9,638	12,188	12,019	12,415	12,659	11,143
3 years	7,812	6,605	6,475	6,429	6,323	5,916	7,450	7,634	7,739	7,853	7,024
4 years	5,787	5,104	4,962	4,619	4,681	4,317	5,375	5,446	5,446	5,686	5,142
Under 5 years	164,137	141,678	143,515	139,940	145,902	147,384	186,978	183,774	189,865	196,534	163,971
5 to 9 years	15,678	13,932	13,790	14,047	13,774	12,851	15,317	15,287	15,822	16,142	14,664
10 to 14 years	9,144	8,416	8,163	8,733	9,368	8,835	10,443	10,513	10,588	10,761	9,496
15 to 19 years	14,498	13,969	13,709	14,541	15,496	14,941	17,928	18,359	18,145	18,138	15,972
20 to 24 years	22,260	21,809	21,390	22,227	23,206	22,600	26,805	27,876	27,137	27,303	24,261
25 to 29 years	24,573	24,239	23,542	24,639	25,336	24,438	28,633	29,415	28,635	29,733	26,318
30 to 34 years	23,727	23,665	23,382	24,053	25,237	24,506	28,502	30,174	29,056	29,905	26,221
35 to 39 years	24,606	24,456	24,146	25,314	26,449	26,296	30,790	32,844	31,188	32,965	27,905
40 to 44 years	23,364	24,317	23,797	24,672	25,787	25,143	29,101	31,233	30,566	32,115	27,010
45 to 49 years	22,521	22,802	22,419	23,686	25,487	25,948	30,703	32,652	32,717	34,646	27,358
50 to 54 years	24,283	24,804	24,340	25,534	27,182	26,671	31,166	33,610	34,128	36,428	28,815
55 to 59 years	25,024	25,308	24,654	26,030	27,359	27,054	31,989	34,360	34,738	37,007	29,352
60 to 64 years	27,633	28,491	27,359	29,042	31,453	31,026	36,109	39,297	39,417	42,475	33,230
65 to 69 years	29,123	29,422	28,427	30,335	31,688	32,037	38,040	41,499	41,506	46,649	34,873
70 to 74 years	29,025	29,161	28,196	29,736	32,183	31,343	37,627	41,265	41,306	45,610	34,545
75 to 79 years	25,447	25,732	24,474	26,298	27,666	27,928	33,501	36,429	37,419	41,989	30,688
80 to 84 years	18,843	19,494	18,147	19,222	20,476	19,889	24,025	26,778	27,219	29,680	22,377
85 to 89 years	9,646	9,669	8,946	9,735	10,621	10,841	13,071	14,352	14,787	16,533	11,820
90 to 94 years	3,367	3,483	3,263	3,447	3,814	3,601	4,179	4,697	4,932	5,486	4,027
95 to 99 years	1,113	1,108	1,072	1,124	1,127	1,158	1,393	1,380	1,502	1,321	1,262
100 years and over										324	
Unknown	1,927	2,252	1,909	2,060	1,743	1,043	1,805	1,240	901	794	1,567
	DISTRIBUTION PER 1,000 DEATHS.										
Aggregate	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
Sex:											
Male	529.7	532.6	537.9	535.9	537.3	536.9	544.4	547.3	543.0	544.1	539.5
Female	470.3	467.4	462.1	464.1	462.7	463.1	455.6	452.7	457.0	455.9	460.5
Age:											
Under 1 year	206.9	188.1	193.8	184.7	186.6	193.5	202.3	190.8	197.3	191.2	193.7
1 year	49.5	43.3	45.2	41.9	40.4	40.3	43.9	40.1	40.2	41.3	42.4
2 years	22.5	19.4	20.7	19.2	17.7	17.7	18.5	17.5	18.0	17.3	18.7
3 years	14.5	12.7	12.7	12.3	11.5	10.8	11.3	11.1	11.2	10.7	11.8
4 years	10.7	9.8	9.8	8.8	8.5	7.9	8.2	7.9	7.9	7.8	8.6
Under 5 years	304.0	273.4	282.2	266.8	264.6	270.2	284.1	267.5	274.5	268.3	275.2
5 to 9 years	29.0	26.9	27.1	26.8	25.0	23.5	23.3	22.3	22.9	22.0	24.6
10 to 14 years	16.9	16.2	16.0	16.7	17.0	16.2	15.9	15.3	15.3	14.7	15.9
15 to 19 years	26.9	27.0	27.0	27.7	28.1	27.4	27.2	26.7	26.2	24.8	26.8
20 to 24 years	41.2	42.1	42.1	42.4	42.1	41.4	40.7	40.6	39.2	37.3	40.7
25 to 29 years	45.5	46.8	46.3	47.0	46.0	44.8	43.5	42.8	41.4	40.6	44.2
30 to 34 years	43.9	45.7	46.0	45.9	45.8	44.9	43.3	43.9	42.0	40.8	44.0
35 to 39 years	45.6	47.2	47.5	48.3	48.0	48.2	46.8	47.8	45.1	45.0	46.8
40 to 44 years	43.3	46.9	46.8	47.0	46.8	46.1	44.2	45.5	44.2	43.8	45.3
45 to 49 years	41.7	44.0	44.1	45.2	46.2	47.6	46.7	47.5	47.3	47.3	45.9
50 to 54 years	45.0	47.9	47.9	48.7	49.3	48.9	47.4	48.9	49.3	49.7	48.4
55 to 59 years	46.3	48.8	48.5	49.6	49.6	49.6	48.6	50.0	50.2	50.5	49.3
60 to 64 years	51.2	55.0	53.8	55.4	57.0	56.9	54.9	57.2	57.0	58.0	55.8
65 to 69 years	53.9	56.8	55.9	57.8	57.5	58.7	57.8	60.4	60.0	63.7	58.5
70 to 74 years	53.8	56.3	55.4	56.7	58.4	57.5	57.2	60.1	59.7	62.3	58.0
75 to 79 years	47.1	49.7	48.1	50.1	50.2	51.2	50.9	53.0	54.1	57.3	51.5
80 to 84 years	34.9	37.6	35.7	36.7	37.1	36.5	36.5	39.0	39.4	40.5	37.6
85 to 89 years	17.9	18.7	17.6	18.6	19.3	19.9	19.9	20.9	21.4	22.6	19.8
90 to 94 years	6.2	6.7	6.4	6.6	6.9	6.6	6.4	6.8	7.1	7.5	6.8
95 to 99 years	2.1	2.1	2.1	2.1	2.0	2.1	2.1	2.0	2.2	1.8	2.2
100 years and over										0.4	
Unknown	3.6	4.3	3.8	3.9	3.2	1.9	2.7	1.8	1.3	1.1	2.6

[1] Exclusive of stillbirths.

Since the proper statement of the rate of infant mortality is lacking, recourse may be had to the ratio between the number of deaths of infants under 1 year of age and the population under 1 year, although this ratio is unsatisfactory for many reasons, and the population under 1 year is not at present available except as estimated.

A very crude means of judging of the conditions as regards the general mortality among infants and children is to compare the total number of deaths of infants under 1 year and of children under 5 years of age with the total number of deaths registered. Other things being equal—that is to say, with substantially the same age distribution of the population and in the

absence of epidemic diseases prevailing at higher age periods—comparisons between different areas or between different periods of time with reference to the relative proportions of deaths of infants and of children to the total number of deaths should show approximately the relative prevalence of infantile diseases and the importance of reducing the general mortality by efforts directed toward the prevention of infant mortality. Such comparisons may be made for the registration area, its main subdivisions, the registration states, and the cities of 100,000 population and over in 1900, for the years 1900 to 1909, by means of Table VII (p. 380), which shows also the general death rates and the average ages at death. The very different age distribution of decedents that sometimes exists between areas for which the general death rates are substantially identical indicates the unsatisfactory nature of statements of relative "healthfulness" based solely on comparisons of the general rates.

DEATHS, BY COLOR AND NATIVITY.

The following table shows the distribution of deaths in the registration area, by color, nativity, and parent nativity, for the 10 years 1900 to 1909:

COLOR, NATIVITY, AND PARENT NATIVITY.	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
	DEATHS FROM ALL CAUSES.[1]										
	NUMBER.										
Aggregate	539,939	518,207	508,640	524,415	551,354	545,533	658,105	687,034	691,574	732,538	595,734
White	503,569	483,842	473,645	488,237	513,016	507,715	614,069	640,971	645,562	686,230	555,686
Native	363,702	341,247	335,704	343,354	361,212	358,247	441,096	456,194	464,085	497,537	396,238
Both parents native	157,789	147,366	145,056	158,000	172,761	172,220	217,798	227,301	231,745	252,268	188,230
One or both parents foreign born	110,971	104,720	106,062	114,542	127,407	131,677	160,502	164,956	171,637	180,626	137,310
Parentage unknown	35,979	44,440	43,119	46,911	54,304	49,969	58,439	59,569	56,683	61,058	51,047
Parentage not stated	58,963	44,721	41,467	23,901	6,740	4,381	4,357	4,368	4,020	3,585	19,650
Foreign born	130,111	131,780	126,590	135,204	141,937	140,951	162,364	174,270	171,834	178,788	149,383
Unknown	9,756	10,815	11,351	9,679	9,867	8,517	10,609	10,507	9,643	9,905	10,065
Colored	36,370	34,365	34,995	36,178	38,338	37,818	44,036	46,063	46,012	46,308	40,048
Negro	34,995	33,035	33,695	34,916	37,065	36,501	41,508	43,302	43,113	43,240	38,137
Indian	311	262	211	255	276	299	1,118	1,120	1,306	1,435	659
Chinese and Japanese	1,064	1,068	1,089	1,007	997	1,018	[2] 1,410	[3] 1,641	[4] 1,593	[5] 1,633	1,252
	DISTRIBUTION PER 1,000 DEATHS.										
Aggregate	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
White	932.6	933.7	931.2	931.0	930.5	930.7	933.1	933.0	933.5	936.8	932.8
Native	673.6	658.5	660.0	654.7	655.1	656.7	670.3	664.0	671.1	679.2	665.1
Both parents native	292.2	284.4	285.2	301.3	313.3	315.7	330.9	330.8	335.1	344.4	316.0
One or both parents foreign born	205.5	202.1	208.5	218.4	231.1	241.4	243.9	240.1	248.2	246.6	230.5
Parentage unknown	66.6	85.8	84.8	89.5	98.5	91.6	88.8	86.7	82.0	83.4	85.7
Parentage not stated	109.2	86.3	81.5	45.6	12.2	8.0	6.6	6.4	5.8	4.9	33.0
Foreign born	241.0	254.3	248.9	257.8	257.4	258.4	246.7	253.7	248.5	244.1	250.8
Unknown	18.1	20.9	22.3	18.5	17.9	15.6	16.1	15.3	13.9	13.5	16.9
Colored	67.4	66.3	68.8	69.0	69.5	69.3	66.9	67.0	66.5	63.2	67.2
Negro	64.8	63.7	66.2	66.6	67.2	66.9	63.1	63.0	62.3	59.0	64.0
Indian	0.6	0.6	0.4	0.5	0.5	0.5	1.7	1.6	1.9	2.0	1.1
Chinese and Japanese	2.0	2.1	2.1	1.9	1.8	1.9	[2] 2.1	[3] 2.4	[4] 2.3	[5] 2.2	2.1

[1] Exclusive of stillbirths.
[2] Includes 917 Chinese, 478 Japanese, 5 Hawaiians, 3 Koreans, 3 Filipinos, 2 East Indians, 1 Tahitian, and 1 Hindoo.
[3] Includes 958 Chinese and 683 Japanese.
[4] Includes 984 Chinese and 609 Japanese.
[5] Includes 997 Chinese and 636 Japanese.

Of the total number of deaths returned for 1909 (732,538), 686,230, or 936.8 per 1,000, were of white persons and 46,308, or 63.2 per 1,000, were of colored. The latter group consists mainly of negroes, the term including all degrees of negro blood. The proportions of deaths of Indians and of Chinese and Japanese were insignificant (2 and 2.2 per 1,000, respectively). In the completeness of the returns for nativity of parents much improvement is shown, namely, a diminution in the proportion of deaths returned with "parentage not stated," a classification which applies only to those offices in which the certificates in use do not provide for the statement of this item.

DEATH RATES IN GROUPS OF REGISTRATION AREAS.

The revised general death rates of the main subdivisions of the registration area are shown in the next table for the years 1900 to 1909.

The rates presented in the table, together with those in all other tables for the registration area or any of its main subdivisions for the 10 years 1900 to 1909 and for the 10-year period as a whole, are based on the revised estimates of population for the intercensal years as shown in Table I, and differ in some instances from the rates presented in previous reports on the basis of provisional estimates.

AREA.	NUMBER OF DEATHS FROM ALL CAUSES [1] PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
The registration area	17.6	16.5	15.9	16.0	16.5	16.0	15.7	16.0	14.8	14.4	15.8
All registration cities	18.6	17.3	16.9	17.0	17.3	16.6	16.9	17.1	15.7	15.4	16.8
Registration states	17.2	16.4	15.4	15.6	16.4	15.9	15.7	15.9	14.7	14.2	15.5
Cities in registration states	18.9	17.8	17.0	17.1	17.9	17.1	17.4	17.5	15.9	15.4	17.0
Rural part of registration states	15.2	14.6	13.4	13.7	14.5	14.4	13.7	14.0	13.3	13.0	13.8
Registration cities in other states	18.2	16.8	16.7	16.8	16.8	16.2	15.6	16.3	15.4	15.6	16.5

[1] Exclusive of stillbirths.

The rates given in the above table should be regarded chiefly as furnishing a basis for comparisons among certain general groups during each individual year, since the changes that have occurred in the registration area during the decade affect the relations of its principal subdivisions to such an extent that no precise comparisons between one year and another can be made. For example, the proportion of population of the total registration area included in the group of registration cities declined from 69.8 per cent in 1900 to 58.3 per cent in 1909. Moreover, certain cities were changed from one group to another in accordance with the general change in the organization of the registration area; thus, Cincinnati, Cleveland, Columbus, Toledo, and other Ohio cities [1] were included for the years 1900 to 1908 in the group of registration cities in nonregistration states, but for 1909, in consequence of the addition of Ohio to the registration area, they were transferred to the group of cities in registration states.

During the decade there was a general reduction in mortality for all the main subdivisions of the registration area. This is indicated roughly by the rates in the above table, in which changes in the constitution of the registration area are disregarded, and more accurately by the rates for the registration area and its main subdivisions as constituted in 1900. Disregarding changes in the registration area, it will be seen that the mortality in 1900, which would have been considered very moderate a few years ago, was higher in the registration area as a whole and in each main subdivision than that for any subsequent year shown in the table. The death rate in the registration area fell from 17.6 per 1,000 population in 1900 to 14.4 per 1,000 in 1909, a reduction of nearly one-fifth (18.2 per cent); that of the cities in the registration states decreased somewhat more rapidly (18.5 per cent); and those of all registration cities and the registration states, a little less rapidly (17.2 per cent and 17.4 per cent, respectively). The rural part of the registration states and the registration cities in nonregistration states show considerably smaller relative decreases in their death rates (14.5 per cent and 14.3 per cent, respectively).

[1] See Table I for detailed statement.

For the group of registration states as constituted in 1900 the death rate shows a decrease from 17.2 per 1,000 population in 1900 to 14.9 per 1,000 population in 1909, or 13.4 per cent, as contrasted with 17.4 per cent, the decrease shown for the registration states when no allowance is made for changes in its composition. It is evident that for exact measurements it is preferable to deal with individual states or cities or with aggregates made up of the same units of area from year to year. It is exceedingly unfortunate that the growth of the registration area and the extension of better methods of collecting vital statistics (highly advantageous though they are) render it necessary to deal with transitional groups of population—a necessity which would not arise if registration covered the entire United States.

The year 1908 was one of remarkably low mortality in the United States, both for the registration area as a whole (14.8 per 1,000 population) and for each of the main subdivisions. The year 1909 was even more favorable, however, for the registration area and for each of the main subdivisions except the group of registration cities in nonregistration states, for which the rate increased slightly, being 15.4 in 1908 and 15.6 in 1909.

COMPARISON WITH FOREIGN COUNTRIES.

The significance of the death rates shown for the registration area of the United States during the years 1900 to 1909 can best be appreciated by comparison with the rates for foreign countries in the same years as far as the data are available. Such rates are presented in the next table, derived from the international statistics contributed by the various governments and published in the last annual report of the Registrar-General of England and Wales.

The crude death rates of the registration area of the United States compare favorably with those of most European countries. The annual average for the decade (15.8 per 1,000) is precisely the same as that of England and Wales and is lower than the annual average of any other European country except Denmark (14.6), the Netherlands (15.6), Norway (14.4), and Sweden (15.2). The general tendency toward diminished rates in all countries is indicated by the

fact that the mortality for the last year shown in the table is usually lower than the average for the 10-year period; exceptions to this tendency are Bulgaria, Ceylon, Chile, Japan, Ontario, Roumania, and Servia, and these exceptions, in some cases, may be apparent rather than real, being due to improvements in registration.

COUNTRY.	NUMBER OF DEATHS FROM ALL CAUSES [1] PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
United States (registration area)	17.6	16.5	15.9	16.0	16.5	16.0	15.7	16.0	14.8	14.4	15.8
Australasia	11.4	11 8	12.1	11.8	10.8	10.5	10.6	10.9	10.7	10.0	11.0
Australian Commonwealth	11.8	12.2	12.4	12.1	11 0	10.8	10.8	10.8	10.9	10.2	11.3
New South Wales	11.2	11.7	11.9	11.6	10.6	10.1	9.9	10.6	10.1	9.8	10 7
Queensland	11.7	11.9	12.1	12.4	10.1	10.5	9.6	10.3	10.2	9.7	10.8
South Australia	10.7	11.1	11.8	10.7	10.2	10.1	10.3	9.7	9.7	9.3	10.3
Tasmania	11.0	10.4	10.8	11.9	11.0	10.1	11.2	11.2	11.7	10.0	10.9
Victoria	12.7	13 2	13.3	12.9	11.9	12.1	12.4	11.7	12.5	11.2	12.4
Western Australia	12.7	13.4	13 7	12.6	11.9	10.8	11.9	11.1	10.7	9.8	11.7
New Zealand	9.4	9.8	10 5	10.4	9.6	9.3	9.3	11.0	9.6	9.2	9.8
Austria	25.4	24.0	24.7	23.8	23.7	25.0	22.4	22.6	[2] 22.3	[3]	[4] 23.8
Belgium	19.3	17.2	17.3	17.0	16.9	16.5	16.4	15.8	16.5	[3]	[4] 16.9
Bulgaria	22.5	23.1	23.8	22.7	21.2	21.8	22.3	22.3	24.3	[3]	[4] 22.7
Ceylon	28.7	27.6	27.5	25.9	24.9	27.7	34.3	30.1	29.4	30.3	28.7
Chile	33.3	34.4	27.1	26.9	28.8	32.3	32.9	29.6	31.6	31.5	30.9
Denmark	16.8	15.8	14.6	14.7	14.1	15.0	13.6	14.2	14.5	13.1	14.6
Finland	21.5	20.6	18.5	17.9	17.7	18.4	17.5	17.9	18.5	16.7	18.5
France	21.9	20.1	19.5	19.3	19.4	19.6	19.9	[2] 20.2	[2] 19.0	[2] 19.3	19.8
Germany	22.1	20.7	19.5	20.0	19.6	19.8	18.2	18.0	18.1	[3]	[4] 19.5
Prussia	21.8	20.5	19.2	19.7	19.2	19.6	17.9	17.8	17.9	17.0	19.0
Hungary	26.9	25.4	27.0	26.1	24.8	27.8	24.8	25.2	24.8	25.1	25.8
Italy	23.8	22.0	22.1	22.4	21.1	21.9	20.8	20.7	[5] 22.6	21.4	21.9
Jamaica	21.6	21.9	19.8	24.6	24.7	21.9	26.2	28.4	22.4	21.8	23.4
Japan	20.4	20.4	20.8	20.0	21.2	21.9	19.8	20.9	21.0	[3]	[4] 20.7
Netherlands	17.8	17.2	16.3	15.6	15.9	15.3	14.8	14.6	15.0	13.7	15.6
Norway	15.9	14.9	13.8	14.8	14.3	14.8	13.6	14.2	14.3	[2] 13.5	14.4
Ontario (Canada)	12.3	13.0	12.1	12.9	13.4	13.5	14.1	14.3	13.9	[3]	[4] 13.3
Roumania	24.2	26.2	27.7	24.8	24.4	25.0	23.9	26.3	27.4	27.4	25.7
Servia	23.3	21.0	22.3	23.5	21.1	24.4	24.1	22.4	23.7	29.3	23.5
Spain	28.9	27.7	26.1	25.0	25.4	25.4	25.6	[2] 24.0	[2] 23.3	[2] 23.4	25.4
Sweden	16.8	16.1	15.4	15.1	15.3	15.6	14.4	14.6	14.9	[2] 13.7	15.2
Switzerland	19.3	18.0	17.2	17.6	17.8	17.9	17.0	16.8	16.2	[3]	[4] 17.5
United Kingdom	18.4	17.1	16.5	15.8	16.5	15.5	15.6	15.4	15.2	[2] 14.8	16.1
England and Wales	18.2	16.9	16.2	15.4	16.2	15.2	15.4	15.0	14.7	14.5	15.8
Scotland	18.5	17.9	17.2	16.6	16.9	15.9	16.0	16.2	16.1	[2] 15.3	16.6
Ireland	19.6	17.8	17.5	17.5	18.1	17.1	17.0	17.7	17.6	17.2	17.7

[1] Exclusive of stillbirths. [2] Rate based on provisional figures. [3] No figures available. [4] Annual average 1900 to 1908.
[5] Including 77,283 deaths in the earthquake at Messina and Reggio (Dec. 28, 1908); excluding these deaths the death rate was 20.3.

DEATH RATES IN REGISTRATION STATES.

The table on the next page presents the death rates of the individual registration states for the 10 years 1900 to 1909, with the average for the decennial period.

Two summaries are given in this table, one for the changing group of registration states as constituted from year to year, and one for the original group as constituted in the calendar year 1900. The District of Columbia is included as a "registration state" in each total, but the death rates for the District, which is coextensive with the city of Washington, are not shown in comparison with the rates of the states. They may be found in a subsequent table which gives the death rates of the urban and rural population of the registration states and also in the table showing death rates for cities which in 1900 had 100,000 population or over.

There were no additions to the list of registration states during the period 1900 to 1905, so that for the first six years the rates for the two groups are identical. The new group of registration states formed in 1906, in which year California, Colorado, Maryland, Pennsylvania, and South Dakota were added, showed in 1906 a death rate of 15.7 per 1,000 or only two-tenths of 1 per 1,000 less than the rate for the original group (15.9). The difference for the following year was only slightly greater, the rates being 15.9 for the current and 16.2 for the original group. With the inclusion of Washington and Wisconsin in 1908, the difference increased, but only to a total of four-tenths of 1 per 1,000; and the further addition of Ohio in 1909 was attended with the maximum difference in the two series of rates, namely, seven-tenths of 1 per 1,000.

This comparison of the mortality of the new states added to the group of registration states with that of the states originally in the group shows that a part, but only a small part, of the decline in the average mortality for the combined group of all registration states is due to the change in the composition of that group. The extent to which the addition of these new registration states has affected the comparability of the average death rates for the entire registration area (states and cities in nonregistration states) can not be answered precisely. The problem is com-

plicated by the fact that considerable urban population embraced in the new registration states was already included in the registration area, under the heading of "registration cities in other states," prior to the addition of the new states as a whole. Thus Baltimore and certain smaller cities of Maryland were a part of the registration area before the returns for the entire state were obtained for the first time. The additions to the registration states have not materially altered the proportions of rural and urban population for the group of registration states (only from 46.5 per cent in 1900 to 47.9 per cent in 1909), but they have affected much more the proportion of rural population in the registration area as a whole, which rose from 30.2 per cent in 1900 to 41.7 per cent in 1909.

It is likely that the difference between the average mortality of the original registration states and that of those added since 1900, as shown in the table, is due partly to the favorable age distribution of the population of some of the states added. This favorable age distribution is indicated by a very rapid growth in population between 1900 and 1910 (California, 60.1 per cent; Colorado, 48 per cent; South Dakota, 45.4 per cent; and Washington, 120.4 per cent). Such growth is usually due, at least in part, to a large proportion of recent immigration from other states and countries of persons at the most favorable periods of life. This tendency favorable to a low death rate has, however, been counterbalanced to some extent by the addition of the rural population of Maryland and Pennsylvania. In the annual report on Mortality Statistics for 1906 it was estimated that the addition of the new registration states for that year would correspond, on the basis of more favorable age distribution alone, to a reduction of the death rate from 17.2 per 1,000, as observed for the original group of registration states for 1900, to 17 per 1,000, or two-tenths of 1 per 1,000 less.

It is difficult to determine to what extent the rates may have been affected by relatively incomplete registration in some of the newly added registration states. The crude death rates for some of these, as for example, South Dakota, Washington, and Wisconsin, are exceedingly low as compared with the rates in other states and with the rates in foreign countries, as given in the table showing international statistics, excepting only the rates shown for the Australasian states.

REGISTRATION STATE.	NUMBER OF DEATHS FROM ALL CAUSES [1] PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
Total [2]	17.2	16.4	15.4	15.6	16.4	15.9	15.7	15.9	14.7	14.2	15.5
California	(3)	(3)	(3)	(3)	(3)	(3)	14.1	14.6	14.1	13.4	(4)
Colorado	(3)	(3)	(3)	(3)	(3)	(3)	14.0	15.3	14.5	14.2	(4)
Connecticut	18.0	16.0	15.1	15.9	15.6	16.1	16.2	16.5	14.8	15.0	15.9
Indiana	14.2	13.8	12.9	12.4	13.8	13.2	12.8	13.0	12.8	12.9	13.2
Maine	17.1	16.0	15.3	15.8	16.3	16.0	16.0	16.4	15.7	15.6	16.0
Maryland	(3)	(3)	(3)	(3)	(3)	(3)	16.0	16.4	15.8	15.5	(4)
Massachusetts	18.3	16.9	16.5	16.7	16.3	16.8	16.3	17.0	15.9	15.4	16.6
Michigan	14.0	13.4	12.7	13.2	13.6	13.4	14.0	13.6	13.4	13.1	13.4
New Hampshire	18.5	16.8	16.0	16.7	16.2	17.3	17.7	17.6	16.8	16.9	17.0
New Jersey	17.8	16.4	15.8	15.7	16.9	15.8	15.9	16.1	14.8	14.7	15.9
New York	18.2	17.7	16.4	16.5	18.0	17.0	16.9	17.3	15.9	15.7	16.9
Ohio	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	12.9	(4)
Pennsylvania	(3)	(3)	(3)	(3)	(3)	(3)	16.0	15.9	15.1	14.7	(4)
Rhode Island	20.5	18.1	17.7	18.8	17.2	17.1	17.4	17.8	15.9	15.6	17.5
South Dakota	(3)	(3)	(3)	(3)	(3)	(3)	8.5	9.1	9.2	8.5	(4)
Vermont	16.6	16.6	15.0	16.2	16.0	17.0	16.7	16.2	15.9	15.7	16.2
Washington	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	9.3	9.8	(4)
Wisconsin	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	11.7	11.8	(4)
Total for registration states as constituted in 1900 [2]	17.2	16.4	15.4	15.6	16.4	15.9	15.9	16.2	15.1	14.9	15.9

[1] Exclusive of stillbirths. [2] Includes District of Columbia [3] Nonregistration state. [4] Not shown for less than 10 years.

In sparsely settled states the enforcement of registration laws is very difficult. The burial or removal permit is an essential requirement for the thorough and complete registration of deaths, and in the remote rural districts, with only a few persons, on an average, to the square mile, it may be practically impossible either to provide local registrars or to enforce the provision of law that the certificate of death must be filed with the registrar and a permit issued before interment or other disposition of the body. No undertakers may be available, and the relatives or friends of the decedent may be unfamiliar with the law. Residence at a long distance from the registrar's office may, moreover, prevent compliance with the provisions of law even if known, and if the death is not registered before interment there are usually no means of securing the return. A regular and effective system of state inspection is not feasible, as a rule, because no funds are provided for this purpose; and it is very difficult in many cases to obtain evidence of violation of the law or to enforce the penalty provided therefor. The conditions are entirely different from those that attend the administration of registration laws in the more densely settled states of the East, where, moreover, the people have been accustomed for many years to the registration of vital statistics. It is therefore a matter of surprise that registration laws should be enforced as thoroughly as they have

been in certain states, rather than that the results should seem to show, either for the state as a whole or for certain counties, a condition of registration that is imperfect or below the ordinary standard.

The average density of population of continental United States according to the census of 1910 was 30.9 persons per square mile. The average density in the group of older registration states taken as a whole is very much higher than this. The lowest densities of population of the older registration states were those of Maine, 24.8; Vermont, 39; and New Hampshire, 47.7. The densities of the states added since 1906 were in 1910 as follows: South Dakota, 7.6; Colorado, 7.7; California, 15.2; Washington, 17.1; Wisconsin, 42.2; Ohio, 117; Maryland, 130.3; and Pennsylvania, 171. Only for the first four should there be special difficulty on account of sparsely settled population, and local concentration in cities and villages may overcome this difficulty to some extent in Colorado, California, and Washington, in which states, for 1910, the percentages of the populations living in incorporated places were, respectively, 62.8, 68.2, and 63.6. The corresponding percentage for South Dakota was only 33.2, and this state would seem to present a peculiarly difficult problem so far as obtaining complete returns of deaths is concerned.

In Table II, page 68, and also in Table IV, page 92, attention is called, by means of a dagger (†) following the name of the city or county, to those areas that have shown a remarkably low death rate—under 7 per 1,000 population—for one or more of the years presented. There is no absolute limit below which it can be said that a rate is worthless, as not representing the actual number of deaths that occurred. With very small populations, perhaps amounting to only a few hundreds or thousands, as in some of the counties of California, Colorado, South Dakota, and Washington, it is quite possible that no deaths should occur for a year, or so few that the rate would be extremely low. As a rule, however, rates under 7 per 1,000, especially when they continue for several years and relate to counties with several thousand inhabitants, unless the population is composed almost exclusively of young adults, may safely be taken as indicating deficiency in the registration of deaths. At all events in deriving inferences as to relative healthfulness they should not be compared with ordinary rates based upon a fairly normal age distribution.

No rates as low as 7 per 1,000 occur for any of the cities included in the registration area for the years given in Table II except Owosso, Mich., in 1904 (6.6). Rates below this limit for St. Joseph, Mo., given in previous reports were based upon estimates of population far above the probable truth. No such rates are found for the rural population of any county (exclusive of cities of 8,000 population or over which may be located therein) in the states of Connecticut, Indiana, Maine, Maryland (except Garrett and St. Marys Counties), Massachusetts, Michigan (except Gladwin, Oscoda, and Roscommon Counties), New Hampshire, New Jersey, New York, Ohio, Pennsylvania, Rhode Island, Vermont, and Wisconsin (except Douglas, Florence, Price, and Vilas Counties). On the other hand 13 counties in California, 21 counties in Colorado, and 35 counties in South Dakota had rates below this limit for one or more of the four years 1906 to 1909, and Washington had 13 counties in this class for one or both of the years 1908 and 1909. Such a comparison calls attention to rates that require explanation or arouse doubt in the mind of the student of statistics; yet some of the cases may be readily explained on other grounds than that of imperfect registration. Thus for Alpine County, Cal., the death rate for 1909 was zero, no deaths whatever having been returned. But the population of this county consisted of only 327 persons, and it is possible that among so small a number no deaths actually took place. No deaths were returned in 1908 for Costilla County, Colo., which had a population of 5,341. The presumption in this case is different; the law is evidently ineffective for this part of the state. The extremely low rates in the two Maryland counties named above, as well as the comparatively low rates in other counties of rural Maryland, are admittedly due to failure to enforce the state law, but better results may be secured under the recent reorganization of the sanitary service and appointment of a state registrar of vital statistics. The low Michigan rates were for very sparsely settled counties and were all for years prior to 1905.

The next table gives a list of the counties for which, exclusive of any incorporated places of 8,000 population or over that they may contain, the death rates for 1909 were less than 7 per 1,000.

The death rates shown in the table are based on the estimated midyear population for 1909 and the deaths returned by the authorities of the several states. In some instances reports of deaths have been received by the state offices after the transcripts for the year were completed. Such delayed returns would probably affect only to a slight degree the general results, and may properly be omitted in measuring the efficiency of a state registration service.

The table shows, in connection with the death rate for each state as a whole, an additional rate based upon the population and number of deaths outside of counties (or the rural parts of counties) with reported death rates less than 7 per 1,000, for which, at least when taken as a group, the registration may be presumed to be extremely defective. By the exclusion of these counties or parts of counties the death rate for California would be increased from 13.4 to 13.6; that for Colorado, from 14.2 to 14.8; that for Maryland, from 15.5 to 15.8; that for South Dakota, from 8.5 to 10.2; and that for Washington, from 9.8 to 10.2. The rate for Wisconsin would show no change. The rates thus calculated may be regarded as approximations to the actual death rates of the states in question, but are probably still somewhat below the truth. Registration

is doubtless far from complete in many other counties of these states besides those for which the rates happen to fall below the arbitrary test limit of 7 per 1,000. As long as a state registration law fails to be enforced in all parts of a state, more or less doubt will attach to the correctness of the data for any part of the state or for the state as a whole.

STATE AND COUNTY.	Estimated midyear population, 1909.	Deaths (exclusive of stillbirths), 1909.	Death rate per 1,000 population, 1909.
California (total)	2,305,998	30,964	13.4
California (exclusive of rural parts of following counties)	*2,249,528*	*30,672*	*13.6*
Alpine County	327	.....	.....
Glenn County	7,009	28	4.0
Imperial County [1]	([2])	40	([3])
Inyo County	6,766	36	5.3
Modoc County	6,102	32	5.2
Mono County	2,054	7	3.4
San Diego County	[4] 34,212	149	[4] 5.5
Colorado (total)	778,234	11,040	14.2
Colorado (exclusive of rural parts of following counties)	*725,954*	*10,775*	*14.8*
Baca County	2,376	5	2.2
Cheyenne County	3,432	10	2.9
Costilla County	5,429	7	1.3
Elbert County	5,153	23	4.5
Hinsdale County	724	9	1.2
Kiowa County	2,723	17	6.2
Kit Carson County	7,010	43	6.1
Lincoln County	5,516	32	5.8
Mineral County	1,294	5	3.9
Montezuma County	4,870	30	6.2
Washington County	5,682	31	5.5
Yuma County	8,071	53	6.6
Maryland (total)	1,286,744	19,931	15.5
Maryland (exclusive of rural parts of following counties)	*1,249,790*	*19,776*	*15.8*
Garrett County	19,911	99	5.0
St. Marys County	17,043	56	3.3
South Dakota (total)	563,678	4,814	8.5
South Dakota (exclusive of rural parts of following counties)	*359,428*	*3,679*	*10.2*
Aurora County	5,895	35	5.9
Beadle County	14,880	[4] 72	4.8
Brookings County	14,153	94	6.6
Butte County	[5] 17,902	46	[5] 2.7
Clark County	10,555	61	5.8
Clay County	8,754	56	6.4
Custer County	4,213	24	5.7
Day County	14,280	93	6.5
Douglas County	6,333	43	6.8
Edmunds County	7,283	41	5 6
Faulk County	6,283	38	6.0
Gregory County	12,113	73	6.0
Hand County	7,430	31	4.2
Hanson County	6,148	38	6.2
Harding County [6]	([7])	.....	([8])
Hyde County	3,074	15	4.9
Jerauld County	4,877	32	6.6
Lyman County [9]	9,895	63	6.4
Meade County	11,504	59	5.1
Perkins County [6]	([7])	2	([8])
Potter County	4,231	18	4.3
Spink County	15,251	90	5.9
Stanley County	13,039	75	5.8
Walworth County	6,097	36	5.9
Washington (total)	1,091,973	10,706	9.8
Washington (exclusive of rural parts of following counties)	*1,015,572*	*10,311*	*10.2*
Asotin County	5,634	37	6.6
Cowlitz County	12,185	75	6.2
Douglas County	16,883	34	3.3
Ferry County [10]	4,781	32	6.7
Franklin County	4,779	33	6.9
Island County	4,477	26	5.8
Okanogan County [10]	12,229	70	5.7
Wahkiakum County	3,247	13	4.0
Walla Walla County	12,186	75	6.2
Wisconsin (total)	2,316,822	27,294	11.8
Wisconsin (exclusive of rural parts of following counties)	*2,293,935*	*27,162*	*11.8*
Florence County	3,404	23	6.8
Price County	13,560	80	5.9
Vilas County	5,923	29	4.9

[1] Formed from part of San Diego County, August 15, 1907.
[2] No estimate; included in San Diego County.
[3] Included in San Diego County.
[4] Including Imperial County.
[5] Including Harding and Perkins Counties.
[6] Formed from part of Butte County, November 5, 1908.
[7] No estimate; included in Butte County.
[8] Included in Butte County.
[9] Including Lower Brule Indian Reservation.
[10] Including part of Colville Indian Reservation.

As an example, reference may be made to the rates for the rural portions of the counties of Maryland, as shown for each of the four years 1906 to 1909 in Table II. It is there seen that while only Garrett and St. Marys Counties have fallen below the rate of 7 per 1,000 population—these counties having been below that limit for each year of the period, and farthest below in the latest years, probably indicating decreasing efficiency of registration—several other counties have shown death rates nearly as low, or at least much lower than would be expected from the character of the population.

Maryland is one of the oldest settled states, with comparatively little immigration in the rural portions and with the usual proportions of children and elderly persons. It is, besides, the only registration state having a considerable colored population—in 1900 amounting to nearly one-fourth (23.6 per cent) of the total population in the rural districts. The colored death rate is usually higher than the white death rate, and the fact that it is more difficult to secure complete registration of the deaths of colored persons than of white persons accounts for a considerable percentage of omissions. Considering the death rates for 1909 in connection with a test of the completeness of registration made by means of an investigation of newspaper notices of deaths in the state, undertaken in cooperation with the state board of health, it would seem likely not only that the returns from Garrett and St. Marys Counties were far below the actual number of deaths, but also that those from Allegany, Frederick, Montgomery, Somerset, Wicomico, and Worcester Counties were deficient—just how deficient can not be estimated until the thorough enforcement of the state law affords a basis of comparison. In Garrett County the work of registration was taken over by the state board of health for the months of February, March, and April, 1910, under the provisions of the Maryland law authorizing such action in case of deficient registration, and a letter from the secretary of the board states that as compared with the corresponding months of 1909 an increase of over 200 per cent was shown in the number of births and deaths registered.[1]

It is unfortunate that it is necessary to discuss defective registration in states of the present accepted registration area, and the attention of state registration officials is earnestly called to the need of a thorough enforcement of the state law in all parts of the state alike, because to permit constant violation of the law in any part of a state casts discredit upon the administration for the state as a whole, and also, to some extent, upon the value of the rates for the registration area. The population represented by the aggregate returns is so large, however, that the omission from the totals of counties or even of entire states

[1] The Maryland law has since been amended (1912), so as to be in closer conformity with the model law.

with defective registration would not appreciably affect the average rates. The death rate for the present group of registration states (1909) is 14.2 per 1,000 population, and the two states showing the maximum departure from this average are South Dakota and Washington. If South Dakota were excluded the rate would be raised by only one-tenth (to 14.3), and if both South Dakota and Washington were excluded the rate would be only two-tenths higher (14.4).

URBAN AND RURAL MORTALITY.

In the following table the death rates of the urban and rural population of the registration states are given for the 10 years 1900 to 1909, together with the average for the decade:

NUMBER OF DEATHS FROM ALL CAUSES [1] PER 1,000 POPULATION.

REGISTRATION STATE.	1900		1901		1902		1903		1904		1905		1906		1907		1908		1909		Annual average: 1900 to 1909	
	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Total	18.9	15.2	17.8	14.6	17.0	13.4	17.1	13.7	17.9	14.5	17.1	14.4	17.4	13.7	17.5	14.0	15.9	13.3	15.4	13.0	17.0	13.8
California	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	17.5	11.3	16.9	12.7	15.2	13.2	14.6	12.4	(3)	(3)
Colorado	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	18.0	11.6	18.9	13.1	17.6	12.7	16.6	12.8	(3)	(3)
Connecticut	18.0	18.1	16.2	15.4	15.5	14.3	16.5	14.9	15.7	15.4	16.4	15.3	16.7	15.1	16.9	15.7	15.1	14.2	15.3	14.4	16.2	15.2
District of Columbia (Washington)	22.3	.....	21.3	.....	20.0	.....	20.1	.....	20.7	.....	20.3	.....	20.3	.....	20.1	.....	19.1	.....	19.0	.....	20.3	.....
Indiana	16.9	13.7	15.2	13.4	14.7	12.3	14.8	11.5	16.0	13.0	14.2	12.8	14.5	12.2	14.4	12.4	14.1	12.2	13.9	12.4	14.7	12.6
Maine	20.1	16.5	18.4	15.5	18.4	14.7	18.5	15.2	19.7	15.7	18.1	15.6	18.2	15.3	19.0	15.5	17.4	15.1	17.7	14.9	18.5	15.4
Maryland	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	19.8	12.6	20.6	12.7	19.0	12.9	18.6	12.6	(3)	(3)
Massachusetts	18.5	17.5	17.2	16.2	16.9	15.2	16.9	15.9	16.4	16.1	16.9	16.4	16.5	15.7	17.2	16.6	16.0	15.5	15.5	15.2	16.8	16.0
Michigan	15.4	13.5	14.5	12.9	14.6	11.9	14.9	12.5	14.3	13.3	14.2	13.0	15.1	13.5	14.6	13.1	13.9	13.1	13.7	12.7	14.5	12.9
New Hampshire	19.4	18.0	17.2	16.5	16.9	15.4	17.0	16.5	16.3	16.2	18.3	16.6	18.4	17.2	17.9	17.3	16.8	16.7	18.0	16.1	17.6	16.7
New Jersey	19.4	15.5	18.1	14.2	17.7	13.3	17.4	13.3	19.0	14.1	17.5	13.6	17.7	13.1	17.7	13.5	16.0	13.0	15.8	12.9	17.5	13.6
New York	19.5	15.5	18.8	15.3	17.6	13.9	17.4	14.4	19.2	15.2	17.8	15.2	17.8	14.8	17.9	15.7	16.2	15.3	15.9	15.1	17.7	15.0
Ohio	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.9	12.1	(3)	(3)
Pennsylvania	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	18.0	14.3	17.7	14.4	16.5	14.0	15.8	13.8	(3)	(3)
Rhode Island	20.4	20.7	18.1	18.1	18.1	16.9	18.9	18.7	17.2	17.3	17.1	17.1	16.8	19.8	18.2	15.9	16.1	15.0	15.9	14.1	17.5	17.6
South Dakota	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.4	8.4	11.8	9.0	12.6	9.1	10.7	8.5	(3)	(3)
Vermont	17.6	16.4	16.7	16.5	15.7	14.9	18.3	15.9	17.6	15.7	19.0	16.6	18.8	16.4	17.4	15.9	17.0	15.8	17.1	15.5	17.5	16.0
Washington	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.8	8.4	10.9	9.1	(3)	(3)
Wisconsin	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.9	11.2	13.4	11.0	(3)	(3)
Total for registration states as constituted in 1900	18.9	15.2	17.8	14.6	17.0	13.4	17.1	13.7	17.9	14.5	17.1	14.4	17.2	14.1	17.3	14.4	15.9	14.0	15.6	13.9	17.1	14.2

[1] Exclusive of stillbirths. [2] Nonregistration state. [3] Average not shown for less than 10 years.

By urban population is understood, for the mortality statistics,[1] the population of cities or municipalities (including New England "Towns") that had 8,000 or more inhabitants in 1900, while the population of the remainder of a state is considered as rural. The District of Columbia (city of Washington) is entirely urban, and the percentages of urban population (municipalities of 8,000 population or over) in 1900 were very high for Rhode Island (81.2), Massachusetts (76), New York (68.5), and New Jersey (61.2); while the lowest percentages, for the states included in the registration area, were those of South Dakota (2.6) and Vermont (11.2). It is probable that registration in rural districts is not, on the whole, as complete as in the cities, which would account for some part of the differences found in the rates. For each year the urban death rate is the greater, the average difference for the 10 years for the entire group of registration states being 3.2 per 1,000. For the years 1908 and 1909, which were years of remarkably low mortality, this difference was less than the average. Comparison is made also for the original group of registration states as constituted in 1900, so that the disturbing influence due to the addition of new registration territory, with relatively defective rural registration in certain counties, may be eliminated. For this group the average urban death rate was 17.1 and the average rural rate 14.2. The data for individual states show that in only a very few states, for occasional years, have the urban rates been as low as the rural, save only that in Rhode Island this was the case in a majority of the years.

[1] The population statistics of the Thirteenth Census class as urban places having a population of 2,500 and over.

DEATH RATES OF THE LARGER CITIES.

The next table shows the crude death rates for the cities of 100,000 population and over in 1900 for each of the years 1900 to 1909 and the average for the decade.

The cities are arranged, as in all the tables of this report, in the alphabetical order of the states in which they are situated, thus permitting ready comparison of the rates shown for the cities of the same states. Of the 38 cities of this class in 1900, rates are available for each year of the decennial period for only 36, Allegheny and Pittsburgh having been consolidated as Pittsburgh since 1907 and no satisfactory basis of estimated population being available for St. Joseph. The latter city, for which the population was returned as 52,324 in 1890, 102,979 in 1900, and only 77,403 in 1910, is no longer in the group of cities of at least 100,000 population, and is omitted from tables show-

ing the death rates for cities of this class. On the basis of estimated population formerly employed the death rate of St. Joseph for 1909 would have been only 8.5 per 1,000, but computed upon the actual population of April 15, 1910, as a base, which would give a somewhat lower rate than would the midyear estimate of population for 1909, the rate was 13.7. This is a low rate, but not remarkably so, and probably represents more nearly the actual condition of mortality than any rates presented for St. Joseph for some years past. It does not appear feasible to attempt to estimate the population of the city for the intercensal years.

REGISTRATION CITY.	NUMBER OF DEATHS FROM ALL CAUSES [1] PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average, 1900 to 1909.
Los Angeles, Cal.	18.8	16.2	16.3	18.5	14.8	16.2	16.8	16.5	13.8	13.7	15.8
San Francisco, Cal.	20.6	20.4	21.2	20.7	20.0	19.2	18.3	16.6	15.5	15.0	18.6
Denver, Colo.	19.0	19.1	17.6	16.4	17.0	16.1	17.2	18.7	18.3	17.0	17.6
New Haven, Conn.	18.2	17.8	16.5	16.7	17.0	18.4	18.8	18.1	16.4	16.9	17.5
Washington, D. C.	22.3	21.3	20.0	20.1	20.7	20.3	20.3	20.1	19.1	19.0	20.3
Chicago, Ill.	15.3	14.0	14.7	15.5	14.1	14.1	14.5	15.7	14.5	14.6	14.7
Indianapolis, Ind.	17.1	15.4	14.1	16.0	16.7	14.6	15.1	15.8	14.2	14.3	15.3
Louisville, Ky.	18.9	18.5	18.2	19.0	20.4	18.7	19.0	19.0	17.0	15.5	18.4
New Orleans, La.	26.5	22.2	22.1	22.1	22.1	23.4	21.4	23.5	22.3	20.2	22.5
Baltimore, Md.	21.4	20.4	19.7	19.3	20.4	20.0	19.9	20.5	19.0	18.7	19.9
Boston, Mass.	20.4	19.9	19.1	18.3	18.3	18.5	18.6	18.6	18.3	16.8	18.6
Fall River, Mass.	21.8	18.8	21.0	22.2	19.6	19.9	19.2	21.3	20.5	19.1	20.3
Worcester, Mass.	18.4	17.1	15.8	17.0	16.2	17.7	17.5	19.1	16.7	15.5	17.1
Detroit, Mich.	16.3	15.3	15.6	15.8	14.9	13.8	15.7	14.9	13.7	14.0	14.9
Minneapolis, Minn.	11.4	11.7	10.0	10.4	9.6	9.4	10.4	10.6	10.7	10.7	10.5
St. Paul, Minn.	10.0	10.4	10.0	9.7	10.0	10.0	10.5	10.9	10.5	11.4	10.4
Kansas City, Mo.	16.3	15.6	14.9	16.1	17.8	15.0	13.3	15.3	14.1	14.4	15.2
St. Louis, Mo.	17.9	18.0	17.3	18.2	18.9	17.0	15.7	15.9	14.7	15.8	16.9
Omaha, Nebr.	11.8	11.8	12.2	10.0	12.1	11.4	12.2	13.5	13.2	14.7	12.3
Jersey City, N. J.	20.7	19.2	18.7	18.7	20.8	19.0	19.3	19.1	17.4	16.8	18.9
Newark, N. J.	20.2	19.2	18.9	18.4	19.5	17.7	18.7	18.5	16.2	16.5	18.3
Paterson, N. J.	18.0	17.6	16.6	16.0	18.0	16.6	17.4	15.6	15.5	15.3	16.6
Buffalo, N. Y.	14.6	15.4	14.7	16.0	16.0	15.6	16.4	16.7	15.3	15.2	15.6
New York, N. Y.	20.6	19.9	18.6	18.0	20.1	18.4	18.3	18.3	16.3	16.0	18.3
Bronx Borough	18.7	22.0	21.6	19.4	21.5	20.3	20.4	18.7	17.0	15.9	19.2
Brooklyn Borough	20.1	19.3	18.1	17.3	18.8	17.6	17.7	17.6	15.6	15.4	17.6
Manhattan Borough	21.3	20.2	18.7	18.5	21.2	18.8	18.5	18.7	16.8	16.6	18.9
Queens Borough	18.1	17.3	16.3	14.8	16.1	16.1	16.5	16.4	14.1	14.2	15.8
Richmond Borough	20.6	19.8	18.5	17.1	20.4	19.2	19.5	20.4	18.4	18.1	19.2
Rochester, N. Y.	14.4	14.4	13.5	14.7	15.0	15.3	15.1	15.5	13.7	14.4	14.6
Syracuse, N. Y.	15.2	14.1	13.3	14.3	15.2	15.5	15.2	15.3	15.7	14.5	14.9
Cincinnati, Ohio	18.2	19.5	17.9	18.6	20.6	18.9	20.4	18.1	18.0	16.5	18.7
Cleveland, Ohio	17.6	15.0	15.4	16.1	14.7	13.5	14.9	15.2	13.3	12.9	14.7
Columbus, Ohio	15.8	14.1	15.5	16.3	16.1	14.9	15.3	15.5	15.2	14.0	15.3
Toledo, Ohio	15.8	14.1	14.5	15.0	14.0	14.1	15.2	15.3	14.6	14.6	14.7
Philadelphia, Pa.	20.9	18.0	17.5	18.7	18.7	17.6	19.1	18.6	17.3	16.4	18.2
Pittsburgh, Pa.[2]	19.5	18.8	20.9	20.8	19.2	19.9	19.9	19.3	17.3	15.8	19.1
Allegheny, Pa.	18.3	17.6	19.7	20.1	19.1	20.5	19.8	19.4	[3]	[3]	[4]
Pittsburgh, Pa.	20.0	19.3	21.3	21.1	19.3	19.7	19.9	19.3	[3]	[3]	[4]
Scranton, Pa.	20.4	16.2	13.9	14.8	17.8	18.1	16.4	15.7	16.4	16.3	16.6
Providence, R. I.	20.8	19.1	18.4	20.6	18.5	17.5	18.6	19.1	16.6	16.1	18.4
Memphis, Tenn.	22.5	18.8	18.8	18.9	21.0	19.6	19.7	21.5	20.1	20.1	20.1
Milwaukee, Wis.	15.2	13.2	12.6	13.5	13.6	13.0	14.2	13.8	12.7	13.7	13.5

[1] Exclusive of stillbirths. [2] City as now constituted. [3] Included in Pittsburgh as now constituted. [4] Average not shown for less than 10 years.

It will be recalled that death rates are based on the assumption that the population increases by equal annual amounts, and that in cases where marked changes in the rate of growth of population occur within the period covered by the estimates, minor fluctuations in the death rates may be occasioned that are only apparent. The table shows, therefore, only general indications based on the assumption of a fairly uniform growth.

The consideration that all the death rates shown in this and the following table are merely "crude," "general," "gross," or "uncorrected" rates, as they are variously called, is very important. While useful for certain purposes and necessary for comparisons of the net effect of mortality relative to total population, inferences in regard to the superior healthfulness of one city as compared with another should not be formed on the basis of general death rates alone. The principal reason for this is the fact that the number of deaths in a given community depends very largely upon the age distribution of the population. Other factors are concerned, but age distribution is of the first importance, at least for comparisons not affected by color or race. Hence, until it is known, for example, that the age distribution of the population is substantially the same in two given cities, comparison of the total or crude death rates has little significance and may be actually misleading.

Other qualifications and conditions should be borne in mind before deciding as to the true significance of the rates shown for various cities. The rates of mortality in all large cities are more or less affected by the number of deaths that occur in hospitals, to which nonresidents, sometimes from a very wide

extent of country, are taken for the purpose of treatment or operation. Some cities are health resorts, and are thus subject to very high rates of general mortality from the deaths of persons suffering from tuberculosis or other diseases contracted elsewhere. Large state institutions, especially those for the insane, may unfavorably affect the general death rate. On the other hand, certain classes of institutions, for example, industrial schools for children and prisons, may have death rates lower than the average on account of the favorable age distribution of their inmates and hence tend to lower the rates in the areas in which they are situated. It is impracticable, however, either to eliminate from the report for any area the deaths in institutions and of nonresidents, or to include in such a report the deaths of residents that occurred outside of the place of residence. For certain minor areas reference is made in Tables II and IV to the presence of state institutions for the insane as possibly contributing to the existence of high mortality rates, but for the cities of 100,000 and over no special reference is made to the presence of such institutions because the effect upon the general death rate is usually small.

The presence of a large colored population may be taken as an important factor in a high general mortality, disregarding the question whether this fact is due to a normally higher death rate for colored persons than for white or is merely an index of more unfavorable sanitary conditions than those under which the average person of the white race lives. As estimates of population by color and race are not available for the present report, the comparative death rates of the white and colored population can not be given. Cities in the preceding table with large proportions of colored population are Washington, Louisville, New Orleans, Baltimore, and Memphis, and in each of these cities except Louisville the annual average death rate for the decade exceeded 19, while Fall River and Pittsburgh are the only other cities with a rate exceeding that figure.

The most useful function of such a table of general rates is to measure the improvement in individual cities during the 10-year period. The extremely favorable character of the year 1909 is indicated by the fact that of the 36 cities for which comparisons with the preceding years are available, the death rate for 1909 was lower than that for 1908 in 22 cities, equal in 3, and higher in 11; 31 of these cities showed lower rates for 1909 than the average for the decade, and for 17 cities the rates for 1909 were lower than for any preceding year shown in the table. The latter statement is practically equivalent to saying that the death rates in the large American cities were lower in 1909 than ever before, because throughout the world during the past 30 years there has been a very marked decrease in the general death rates of cities from which registration returns are available. In the United States, as in foreign countries, the general status of urban mortality represents a condition of public health that even a few years ago would have been considered quite unattainable.

Comparison of the movement of the death rates of the large cities of the world may be made by means of the following table taken from the international statistics published in the Annual Summary of the Registrar-General of England and Wales:

CITY.	ANNUAL CRUDE DEATH RATES PER 1,000 PERSONS LIVING.									Decrease per cent between 1881 to 1885 and 1901 to 1905
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906	1907	1908	1909	
London	20.9	19.7	19.8	18.5	16.1	15.1	14.6	13.8	14.0	23.0
Edinburgh	19.6	19.7	19.7	19.0	17.3	16.0	16.2	15.2	15.3	11.7
Glasgow	26.0	23.1	22.8	21.2	19.5	17.8	18.5	17.7	17.5	25.0
Dublin (city)	30.6	29.5	28.8	28.9	24.9	24.1	24.7	23.0	22.4	18.6
Belfast	24.7	24.4	25.1	23.4	20.8	20.1	21.3	19.5	18.2	15.8
Melbourne	20.1	21.0	16.7	15.5	14.0	13.6	12.8	13.8	12.5	30.3
Sydney	20.8	17.9	14.3	12.1	11.5	10.5	11.0	10.3	10.3	44.7
Montreal	31.0	26.7	25.3	23.1	23.3	22.9	22.6	23.0	22.0	24.8
Toronto	20.7	20.1	15.2	14.6	16.3	17.2	20.2	20.1	22.3	21.3
Paris	24.4	23.0	21.2	19.2	18.0	17.6	18.5	17.5	17.4	26.2
Brussels	23.4	21.2	20.2	17.2	15.2	14.6	13.7	14.5	13.9	35.0
Amsterdam	25.1	22.4	19.2	16.7	14.7	13.7	13.4	13.0	13.1	41.4
Rotterdam	24.2	22.0	20.8	18.0	15.6	13.9	14.3	13.7	12.6	35.5
The Hague	23.3	20.8	18.7	16.2	14.4	14.0	13.4	13.8	12.7	38.2
Copenhagen	22.3	22.3	20.2	17.6	16.1	15.4	15.2	16.4	14.5	27.8
Stockholm	24.3	21.2	20.0	18.2	16.1	14.6	14.3	15.9	14.3	33.7
Christiania	19.9	22.3	19.0	17 5	15.3	13.3	13.1	14.0	12.7	23.1
St. Petersburg	32.8	26.8	25.3	24.6	23.5	25.0	24.7	28.6	24.6	28.4
Moscow	33.3	33.6	29.2	28.7	26.6	25.7	27.5	28.0	29.6	20.1
Berlin	26.5	22.4	20.5	18.1	17.0	15.8	15.4	15.4	15.1	35.8
Hamburg	25.2	25.3	24.2	17.3	16.3	15.3	14.8	15.3	14.6	35.3
Dresden	25.0	22.1	20.6	19.0	17.6	15.4	14.9	15.3	14.0	29.6
Breslau	31.3	28.8	27.4	25.0	23.7	21.3	22.3	20.5	20.3	24.3
Munich	30.4	28.3	25.8	23.9	21.0	18.0	18.1	17.9	17.6	30.9
Vienna	28.2	25.1	24.1	21.1	19.1	17.5	17.3	17.6	16.8	32.3
Prague	32.7	29.6	27.1	24.4	22.6	19.3	19.8	20.1	19.1	30.9
Budapest	31.5	30.8	25.5	21.6	19.8	19.1	20.2	19.3	19.2	37.1
Trieste	31.1	30.4	29.8	27.5	26.3	25.7	25.4	24.2	24.6	15.4
Rome	[1]26.8	25.9	21.4	18.1	[1]19.8	18.7	18.2	18.5	19.3	26.1
Milan	30.3	30.4	27.4	23.2	22.1	21.6	20.3	18.4	20.3	27.1
Turin	27.2	23.5	21.6	19.8	19.6	19.2	19.3	18.7	15.4	27.9
Venice	[1]28.3	28.0	25.1	22.8	22.2	(?)	19.7	22.0	22.1	21.6
Bucharest	(?)	(?)	(?)	24.6	23.3	22.4	25.1	23.9	26.4	?
New York	27.5	25.8	24.6	20.3	18.9	18.3	18.5	16.5	16.2	31.3
Chicago	21.5	19.5	20.6	15.2	14.2	14.2	15.3	14.1	14.1	34.0
Philadelphia	22.3	20.6	21.1	19.2	18.1	18.6	18.3	17.2	15.9	18.8
Boston	24.9	23.5	23.6	20.9	18.8	18.9	19.2	19.1	17.7	24.5
Rio de Janeiro	30.5	33.1	38.2	29.2	27.9	22.3	20.8	31.8	19.5	8.5

[1] Average for four years.

CAUSES OF DEATH.

The study of individual causes of death constitutes a very important part of a report on mortality statistics. The exact meaning of the expression "individual cause of death" can only be known by careful examination of the terms included under the titles of the International List of Causes of Death. This statistical list is presented in Table III, in which the number of deaths and the death rates per 100,000 population are given for each of the years 1900 to 1909, together with the annual average for the 10-year period, according to the returns from the entire registration area. In this table will also be found totals for certain groups or classes of diseases, such as "General diseases," "Diseases of the nervous system," etc. The statistics for these classes are of less importance than those for the individual causes included under them, and the tendency among vital statisticians at present is to do away with them as far as possible and direct attention particularly to the more definite individual causes.

It should be noted that many of the terms used in the International List themselves represent in a sense groups of causes of death rather than precise single causes.

There is no question as to the precise medical significance of the term "typhoid fever," for example, and there should be little less exactness in the meaning of the corresponding International title. Unfortunately, however, all deaths from typhoid fever are not reported by physicians by means of this exact term. "Enteric fever" is a recognized synonym, and in England, indeed, is the more usual term. It has been found in the United States in at least one instance that a physician who reported a considerable number of deaths from "enteric fever" supposed that the expression was equivalent to enteritis, which was in fact the cause of death. Other terms of indefinite character, for example, "continued fever," "mountain fever," "typhomalarial fever," as well as paratyphoid fever, which is a distinct disease, are compiled under the International title "Typhoid fever." It follows that the statistical content of the title is somewhat broader and less exact than the precise medical significance.

The same principle applies to all titles of the International List as to typhoid fever, and in many of them the definiteness of the terms included is much less than for typhoid fever, which is a comparatively well marked disease. It would be impracticable to compile separately each term reported by physicians and all statistical classifications necessarily involve much condensation of the terms reported, with some corresponding loss of precision. The exact inclusions of each statistical title may be learned from examination of the Census Manual of the International Classification of Causes of Death (1902) for the years 1900 to 1909, and of the Manual of the International List of Causes of Death (1911) for the decade beginning with 1910. The latter is based on the Second Decennial Revision (Paris, 1909) and a similar publication has been prepared by the Registrar-General of England and Wales. Satisfactory statistics of causes of death depend upon the precise reporting of such causes by physicians by means of definite terms, and it is therefore necessary to provide an authoritative guide or nomenclature of diseases and conditions for their use. A booklet entitled the "Physicians' Pocket Reference to the International List of Causes of Death" has been distributed by the Census Bureau to all the physicians of the United States, and the bureau is cooperating with the American Medical Association's Committee on the Nomenclature and Classification of Diseases with the ultimate purpose of providing a sound basis for the statistics of causes of death. In the meantime, however, all statistics of individual diseases must be viewed with a certain amount of allowance for indefinite reports.

Causes of death include not only diseases, but also various forms of external violence, under which phrase are included accidental causes as well as homicide and suicide. For some purposes the exact nature of the injury in cases of disability or death from violence should be stated. This is especially important for hospital statistics and for the medical statistics of the Army, Navy, and Public Health and Marine-Hospital Service. But for general morbidity and mortality statistics the exact nature of the injury is of little consequence, because the principles of classification are (1) the character of the violence, as accidental, suicidal, homicidal, judicial (legal execution), or in battle; and (2) the means of injury, by which is meant the machine, weapon, vehicle, or instrument which caused the injury. Much uncertainty has resulted in the statistics of deaths from violence by the failure to give complete information, and as a result of efforts to secure greater precision of statement, certain causes of death, for example, the various means of suicide, have shown an apparent increase that was not warranted by the actual facts. A death reported from "gunshot" or "drowning" is compiled under accidental violence and not under suicide unless the fact of suicide is stated upon the certificate. Coroners, especially, should be urged to report more precisely in this respect, as it will not be possible to present reliable statistics until the statements of causes of death from violence have reached a fairly stable level of uniformity and completeness.

INCREASE OR DECREASE IN DEATH RATES FROM EACH CLASS OF CAUSES.

While little stress should be laid upon "classifications" of causes of death, it is of some interest to consider the changes that have occurred in the general classes of causes during the decade 1900 to 1909.

During this period the classes remained unchanged in their constitution, while beginning with 1910 the introduction of the revised International List has caused some differences that will preclude comparison unless they are fully taken into account. In the following table, which relates to the entire registration area, the death rates of the various classes for each of the years 1901 to 1909 are compared with the corresponding rates for the year 1900, which are taken as the bases (100 per cent) for the percentages shown. The comparability of the statistics for the several years in this table and the next is somewhat affected by the change in the constitution of the registration area from year to year. (See p. 7.)

CLASS OF CAUSES OF DEATH (ENTIRE REGISTRATION AREA).	Death rate per 100,000 population, 1900	PERCENTAGE WHICH DEATH RATE IN SPECIFIED YEAR REPRESENTS OF THAT IN 1900.								
		1901	1902	1903	1904	1905	1906	1907	1908	1909
All causes[1]	1,755.0	94.1	90.5	91.4	94.2	91.3	89.3	91.0	84.2	82.1
I. General diseases	478.6	96.9	90.4	93.3	93.7	89.1	86.9	88.1	83.2	79.2
Epidemic diseases	166.2	93.7	82.7	86.3	77.7	69.1	72.0	73.9	68.4	59.1
Other general diseases	312.4	98.7	94.4	97.1	102.2	99.8	94.9	95.6	91.1	89.9
II. Diseases of nervous system	208.8	92.2	88.7	85.4	87.0	86.6	80.2	81.6	72.7	70.3
III. Diseases of circulatory system	147.2	100.1	104.4	108.6	116.6	116.7	114.3	123.8	117.1	120.8
IV. Diseases of respiratory system	256.2	89.7	86.6	84.7	90.1	79.6	76.4	81.0	68.2	69.7
V. Diseases of digestive system	226.2	88.7	84.4	82.8	87.7	89.5	90.8	87.1	84.7	79.9
VI. Diseases of genito-urinary system	105.9	100.8	102.0	109.7	114.5	114.7	108.0	113.0	104.3	105.9
VII. Childbirth	13.3	103.0	97.7	105.3	115.0	112.0	113.5	117.3	118.0	115.0
VIII. Diseases of skin	8.0	90.3	88.8	95.0	90.0	88.8	82.5	80.0	75.0	73.8
IX. Diseases of locomotor system	2.2	118.2	122.7	136.4	136.4	136.4	131.8	131.8	136.4	131.8
X. Malformations	11.5	95.7	93.0	107.0	113.9	117.4	128.7	130.4	128.7	132.2
XI. Diseases of early infancy	76.9	86.0	88.6	89.5	93.6	90.2	92.1	92.6	89.7	85.0
XII. Diseases of old age	50.4	93.3	88.1	77.6	77.0	71.6	66.5	63.1	58.5	52.6
XIII. Violence	96.0	110.6	101.3	113 2	114.5	115.5	122.9	127.3	116.7	113.8
XIV. Ill-defined causes	73.8	76.4	71.3	60.8	56.9	54.3	51.6	45.5	39.2	33.2

[1] Exclusive of stillbirths.

The general death rate from all causes combined showed a fairly constant decline from year to year, the decrease between 1900 and 1909 amounting to nearly one-fifth of the death rate for the year 1900. The percentages for both 1908 (84.2) and 1909 (82.1) are very low, and the relative decrease in those years as compared with 1900 for the various classes of diseases may be observed roughly by the range above or below the percentages for deaths from all causes. Thus for epidemic diseases the percentages which the death rates during 1908 and 1909 formed of the death rate in 1900 (68.4 and 59.1, respectively) were much below the percentages for deaths from all causes during 1908 and 1909. The percentages for diseases of the circulatory system (117.1 and 120.8) were on the other hand considerably above the percentages for deaths from all causes, and the increase in this class of diseases has been fairly constant from year to year, although the percentage for 1907 was the maximum of the series. No great weight should be given to the percentages based on the initial death rates from diseases of the locomotor system, since the total number of deaths from these causes is small at all times.

INCREASE OR DECREASE IN DEATH RATES FROM PRINCIPAL CAUSES.

A comparison for some important individual causes of death, similar to that presented in the preceding table for the general classes, is made in the table on the following page, in which are shown the percentages which the death rates for each year from 1901 to 1909 represent of the death rates in 1900. Those causes for which the number of deaths is too small to afford a satisfactory basis for comparison are not included in the table.

The percentage which the death rate from all causes in any of the years given forms of the corresponding figure for 1900 furnishes a basis with which to compare the variations shown for individual causes. Thus for tuberculosis of the lungs the death rate in 1909 was only 76.3 per cent of that in 1900, a comparison of which with the somewhat higher percentage shown for the general death rate (82.1) indicates a relative decrease in the mortality from tuberculosis of the lungs somewhat greater than the average decrease.

CAUSE OF DEATH (ENTIRE REGISTRATION AREA).	Death rate per 100,000 population, 1900	PERCENTAGE WHICH DEATH RATE IN SPECIFIED YEAR REPRESENTS OF THAT IN 1900.								
		1901	1902	1903	1904	1905	1906	1907	1908	1909
All causes[1]	1,755.0	94.1	90.5	91.4	94.2	91.3	89.3	91.0	84.2	82.1
Typhoid fever	35.9	90.0	95.5	95.0	88.3	77.4	87.2	82.2	67.7	58.8
Measles	12.5	58.4	76.0	78.4	88.0	60.0	96.8	80.0	79.2	76.8
Scarlet fever	10.2	128.4	123.5	119.6	105.9	65.7	75.5	98.0	116.7	111.8
Whooping cough	12.1	80.2	99.2	130.6	53.7	87.6	124.8	93.4	87.6	79.3
Diphtheria and croup	43.3	78.5	71.1	73.2	65.4	54.5	59.4	54.5	49.7	47.1
Dysentery	11.3	93.8	88.5	64.6	68.1	67.3	70.8	57.5	55.8	49.6
Tuberculosis (all forms)	201.2	97.6	91.5	93.4	99.6	95.4	89.4	88.6	83.2	79.8
Tuberculosis of lungs	180.5	96.7	90.1	91.4	97.6	92.4	86.2	85.5	79.8	76.3
Other forms of tuberculosis	20.7	105.8	103.4	111.6	116.4	121.7	117.4	115.5	112.6	110.6
Cancer	63.0	102.1	103.3	108.4	111.4	113.3	109.7	112.5	113.5	117.1
Rheumatism	9.5	100.0	87.4	89.5	101.1	87.4	83.2	84.2	80.0	74.7
Diabetes	9.7	105.2	106.2	116.5	132.0	133.0	130.9	139.2	138.1	142.3
Meningitis	40.9	81.2	76.3	68.9	77.3	83.6	61.1	63.1	46.5	37.7
Apoplexy	67.5	101.0	101.2	101.0	105.9	106.1	103.9	108.4	102.8	106.2
Paralysis	25.9	88.8	80.3	78.0	74.5	68.0	63.7	73.0	62.2	58.3
"Convulsions" (under 5 years)	30.6	84.3	77.8	64.7	63.7	60.8	55.2	51.3	43.1	34.3
Endocarditis	11.9	88.2	96.6	82.4	97.5	105.0	105.9	116.8	107.6	114.3
Heart disease	111.2	102.0	105.5	112.0	120.0	118.1	114.7	123.7	115.4	116.6
Angina pectoris	6.4	98.4	101.6	104.7	101.6	104.7	103.1	106.3	100.0	106.3
Diseases of arteries	6.1	111.5	134.4	145.9	172.1	200.0	213.1	255.7	278.7	327.9
Bronchitis	45.7	86.9	86.0	79.2	78.3	72.6	64.8	65.6	56.7	52.1
Acute bronchitis	26.4	84.8	89.8	79.2	78.4	73.5	66.7	64.8	57.6	51.5
Chronic bronchitis	19.3	89.6	80.8	79.3	78.2	71.5	61.7	66.8	56.0	52.8
Pneumonia (all forms)	180.5	89.4	86.3	85.9	95.0	82.4	80.6	86.7	72.5	76.3
Bronchopneumonia	21.9	129.7	144.7	153.0	167.1	155.7	170.3	179.0	163.5	188.6
Pneumonia (lobar and unqualified)	158.6	83.9	78.2	76.7	85.0	72.3	68.2	74.0	60.0	60.7
Diarrhea and enteritis (all ages)	133.2	85.2	78.8	75.8	83.0	86.9	90.1	85.1	83.8	77.5
Diarrhea and enteritis (under 2 years)	108.8	83.5	77.2	75.0	83.5	89.2	93.2	88.8	87.5	80.7
Diarrhea and enteritis (2 years and over)	24.4	92.2	86.1	79.5	80.3	76.6	76.2	68.4	67.2	63.5
Cirrhosis of liver	12.9	105.4	107.8	112.4	117.1	114.0	112.4	119.4	110.9	107.0
Peritonitis	15.1	86.1	78.8	67.5	66.2	60.3	53.0	48.3	42.4	33.8
Appendicitis	9.7	103.1	103.1	113.4	121.6	122.7	114.4	112.4	116.5	116.5
Bright's disease	81.5	99.8	100.1	107.5	113.7	114.0	107.9	112.8	102.8	104.7
Premature birth	33.1	83.1	85.8	93.7	103.0	98.5	102.4	106.9	106.0	108.5
Suicide	11.5	106.1	110.4	120.0	127.8	139.1	120.9	136.5	154.8	143.5
Violence (suicide excluded)	84.5	111.2	100.0	112.3	112.7	112.3	123.2	126.0	111.5	109.7

[1] Exclusive of stillbirths.

In the preceding tables, as well as in Table III upon which they are based, the rates are for the registration area as a whole as constituted for each year of the period 1900 to 1909. Since important changes have taken place in the constitution of that area during this time which would affect to some extent the death rates from all causes and from individual causes, no exact comparisons of the variations in the individual death rates can be made. In order that the necessity of making allowance for changes in the registration area may be avoided, rates are presented in the table on the following page, which relate to the same area throughout, namely, the original group of registration states as constituted for the years 1900 to 1905.

This table presents the data for the largest unchanged area for which figures fairly representative of population embracing both urban and rural elements are available for the past decade, and shows, probably better than the table for the registration area as a whole, the true tendencies of causes of death as indicated by the death rates per 100,000 population. That the general tendency is toward a slightly higher death rate, from all causes combined, in the urban population than in the rural has already been shown, although, as before stated, allowance must be made for the possibility of somewhat more imperfect registration in the rural districts. As a rule, the death rate from each individual disease is slightly higher for the cities, but some exceptions occur in the limited list of causes presented in the table, among which those of chief importance, as represented by the death rates for the 10-year period, are typhoid fever, influenza, apoplexy and paralysis, and heart disease. In the case of tuberculosis of the lungs the annual average death rate for the cities was markedly higher than that for the rural districts, a condition shown also for diseases of the respiratory system, including bronchopneumonia and pneumonia (lobar and unqualified), for diarrhea and enteritis, and for Bright's disease.

CAUSE OF DEATH.	NUMBER OF DEATHS PER 100,000 POPULATION IN REGISTRATION STATES OF 1900.																	
	1900			1901			1902			1903			1904			1905		
	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.
All causes[1]	1,719.5	1,893.4	1,519.7	1,635.9	1,782.2	1,456.4	1,543.1	1,704.7	1,340.9	1,559.2	1,706.7	1,371.6	1,640.0	1,788.8	1,447.7	1,593.9	1,713.0	1,436.9
Typhoid fever	31.3	28.5	34.6	27.5	26.4	28.8	26.3	25.8	26.9	24.6	24.6	24.6	23.9	24.0	23.7	22.4	22.0	23.1
Malarial fever	6 3	5.4	7.2	5.0	4 9	5.0	4.0	3.7	4.4	3.0	2.5	3.7	2.9	2.6	3.3	2.5	1.8	3.5
Smallpox	0.3	0.3	0.3	3.6	5.5	1.3	6.5	9.0	3.4	1.5	1.8	1.2	0.8	0.6	1.1	0.6	0.6	0.5
Measles	13 4	16.4	9.8	7.4	7.7	6.9	9.3	12.1	5.7	8.8	10.6	6.4	11.3	12.9	9.3	7.4	9.1	5.3
Scarlet fever	9.6	11.9	6.8	13.5	18.4	7.5	11.9	16.5	6.1	12.3	16.2	7.3	11.6	15.1	7.1	6.8	8.4	4.6
Whooping cough	12.3	14.4	9.8	8.7	9.3	7.9	12.4	14.6	9.6	14.3	16.0	12.2	5.8	5.9	5.7	9.0	9.8	7.9
Diphtheria and croup	40.4	52.4	26.5	33.4	43.1	21.6	29.7	39.8	17.0	31.1	41.5	17.7	29.3	38.4	17.6	23.6	30.1	15.0
Influenza	26.7	24.2	29.6	36.3	26.8	48.0	10.4	7.0	14.6	19.2	14.7	24.8	21.8	15.7	29.6	20.5	13.7	29.5
Dysentery	12.1	9.4	15.1	11.0	10.2	12.1	10.1	9.5	10.8	7.3	6.8	7.9	8.1	7.1	9.3	8.3	6.4	10.8
Tuberculosis of lungs	173.3	204.1	138.0	167.3	194.7	133.7	152.3	177.3	121.0	153.8	179.6	121.1	164.2	189.4	131.6	156.0	178.1	126.7
Venereal diseases	2.7	3.9	1.4	3.0	4.2	1.5	3.0	4.3	1.5	3.5	4.7	1.9	3.6	5.0	2.0	3.4	4.8	1.7
Cancer	63.9	66.3	61.5	66.1	68.9	62.7	66.1	68.3	63.4	69.9	72.4	66.5	71.4	73.9	68.4	73.5	75.6	71.2
Rheumatism	10.1	10.1	10.0	9.6	9.8	9.3	8.5	7.8	9.4	8.4	8.5	8.3	9.6	9.6	9.7	8.5	8.0	9.2
Diabetes	11.0	11.1	10.8	11.5	12.1	10.8	11.7	11.8	11.5	12.6	13.0	12.1	14.2	14.9	13.3	14.1	14.8	13.3
Alcoholism	5.3	7.1	3.3	5.0	6.6	3.1	5.2	6.8	3.3	6.1	7.9	4.0	5.3	6.7	3.4	6.0	7.6	3.8
Diseases of nervous system	205.9	206.4	205.2	194.8	192.0	198.2	185.3	185.1	185.5	181.8	177.6	187.0	190.8	188.7	193.5	192.1	193.9	189.7
Meningitis	40.6	48.4	31.6	32.8	38 6	25.8	29.7	36.1	21.7	27.9	32.8	21.6	34.1	43.3	22.3	39.0	51.0	23.3
Apoplexy and paralysis	98.7	90.9	107.6	98.4	89.6	109.2	95.7	88.3	105.2	96.6	86.2	109.8	100.4	89.7	114.1	98.9	90.1	110.5
Diseases of circulatory system	151.4	155.6	146.6	153.2	156 0	149.7	160.0	164.6	154.3	167.6	167.2	168.2	181.4	180.1	183.0	181.7	181.8	181.7
Heart disease	116.0	114.4	117.9	120.2	118.0	122.9	124.5	123.2	126.2	132.8	128.2	138.6	144.0	138.8	150.8	141.9	136.7	148.7
Diseases of respiratory system	248.2	302.6	185.7	227.1	264.4	181.4	213.7	260.8	154.7	209.4	253.3	153.4	228.2	275.9	166.5	202.6	235.7	159.0
Bronchitis	45.2	57.2	31.6	40.2	48.3	30.3	39.3	49.3	26.7	35.7	42.0	27.9	35.5	41.9	27.2	32.8	36.9	27.4
Bronchopneumonia	22.8	29.4	15.2	30.7	41.0	18.1	34.2	48.8	16.0	36.5	50.6	18.7	40.0	54.4	21.5	36.7	49.3	20.1
Pneumonia (lobar and unqualified)	152.7	186.5	113.9	129.5	146.4	108.7	116.2	136.6	90.8	113.2	134.3	86.3	130.3	155.6	97.7	112.6	127.4	93.1
Diseases of digestive system	229.5	261.5	192.7	199.6	232.9	158.6	184.1	214.8	145.8	181.4	208.6	146.7	194.2	225.8	153.3	200.9	226.8	166.7
Diarrhea and enteritis (all ages)	139.9	168.9	106.6	116.3	145.6	80.4	103.2	129.6	70.1	98.9	122.5	68.8	110.3	138.2	74.3	117.4	140.8	86.5
Cirrhosis of liver	12.6	15.9	8.7	13.0	16.5	8.8	12.9	15.9	9.2	13.5	16.3	9.9	13.9	16.5	10.4	14.0	16.9	10.2
Peritonitis	13.9	14.3	13.4	11.8	11.8	11.8	10.3	10.4	10.1	9.4	9.8	9.0	9.3	8.8	10.1	8.7	7.7	9.9
Appendicitis	8.8	10.9	6.5	8.8	10.9	6.3	8.8	10.8	6.4	9.7	12.0	6.8	10.4	12.8	7.3	10.4	13.0	7.0
Diseases of genito-urinary system	106.2	127.6	81.5	106.6	126.4	82.4	107.3	126.2	83.5	113.8	132.9	89.4	120.1	140.6	93.8	118.9	137.9	94.0
Bright's disease and nephritis	88 7	110.2	63.9	89 6	108.9	65.8	90.3	108.3	67.7	96.1	114.1	73.0	102.5	122.0	77.1	101.5	119.1	78.4
Violence	87.5	97.1	76.6	99.3	111.5	84.3	88.6	96.5	78.7	99.5	107.0	90.0	105.3	115.4	92.3	104.1	110.8	95.2

CAUSE OF DEATH	NUMBER OF DEATHS PER 100,000 POPULATION IN REGISTRATION STATES OF 1900—continued.												Annual average: 1900 to 1909		
	1906			1907			1908			1909					
	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.	Total.	Cities.	Rural districts.
All causes[1]	1,592.8	1,716.9	1,413.2	1,615.2	1,733.2	1,440.4	1,514.8	1,588.6	1,403.0	1,494.1	1,563.4	1,387.0	1,588.5	1,712.0	1,421.8
Typhoid fever	22.0	21.3	23.1	20.5	20.9	19.9	19.6	18.9	20.7	17.2	16.5	18.3	23.3	22.6	24.4
Malarial fever	2.5	2.2	3.0	2.0	1.7	2.4	1.5	1.1	2.1	1.5	1.1	2.1	3.0	2.6	3.7
Smallpox	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	1.3	1.7	0.8
Measles	11.8	15 1	6.9	8.9	11.1	5.7	10.2	13.3	5.7	11.0	13.4	7.2	9.9	12.2	6.9
Scarlet fever	7.3	9.6	4.1	9.8	13.4	4.3	12.9	18.3	4.8	10.8	14.2	5.7	10.6	14.2	5.8
Whooping cough	14.5	15.7	12.8	9.5	9.9	8.9	9.4	9.5	9.3	9.9	9.7	10.1	10.5	11.4	9.4
Diphtheria and croup	25.8	32.6	16.1	24.0	29.9	15 2	21.6	27.6	12.6	21.1	26.4	12.8	27.7	35.5	17.2
Influenza	10.1	7.3	14.1	27.0	19.4	38.3	20.5	14.2	29.9	12.9	8.3	20.1	20.4	14.8	27.8
Dysentery	8.4	6.3	11.3	6.1	5.0	7.8	6.6	5.0	9.1	5.5	4.1	7.6	8.2	6.8	10.2
Tuberculosis of lungs	152.8	174.7	121.0	150.6	171.3	120.0	143.7	162.1	116.0	138.3	155.0	112.4	154.7	177.4	124.1
Venereal diseases	4.1	5.4	2.2	5.0	6.8	2.2	5.1	6.5	2.9	5.4	7.0	2.9	3.9	5.4	2.0
Cancer	73.9	76.6	70.1	76.3	77.8	74.1	77.2	77.4	76.8	79.6	80.2	78.6	72.1	74.1	69.3
Rheumatism	8.0	7.9	8.1	8.1	8.2	7.9	7.5	7.5	7.4	7.1	7.1	7.0	8.5	8.4	8.6
Diabetes	14.8	15.2	14.3	15.7	16.3	14.7	15.2	15.2	15.2	16.0	16.6	15.1	13.8	14.3	13.1
Alcoholism	6 4	8.0	4.0	7.5	9.5	4.5	5.1	6.1	3.7	5.5	6.6	3.8	5.8	7.3	3.7
Diseases of nervous system	177.8	172.7	185.2	177.7	169.9	189.2	160.7	147.8	180.3	156.8	142.9	178.2	181.6	176.0	189.2
Meningitis	27 4	32 9	19 3	25.8	30.7	18.6	19.1	21.0	16.1	16.6	18.0	14.3	29.0	34.6	21.5
Apoplexy and paralysis	96.5	87.1	110.0	102.7	91.3	119.7	96.3	83.3	116.1	97.1	84.2	117.0	98.1	87.9	111.9
Diseases of circulatory system	186 0	185.1	187.3	203.0	198.7	209.2	194.5	187.6	204.8	199.4	192.2	210.7	178.8	178.1	179.6
Heart disease	142 3	136 7	150 4	154 7	146.8	166.4	144.8	135.5	159.0	145.3	135.6	160.3	137.2	132.1	144.2
Diseases of respiratory system	203.5	242.3	147.4	214.1	249.3	161.9	179.7	206.7	138.8	192.8	220.9	149.4	211.1	249.1	159.8
Bronchitis	31.0	35.6	24.3	31.2	35.1	25.4	26.3	28.6	22.7	26.9	28.1	25.1	34.1	39.5	26.9
Bronchopneumonia	41.8	58.1	18.3	45.1	60.9	21.7	41.4	54.3	21.9	49.1	63.6	26.5	38.2	51.8	19.8
Pneumonia (lobar and unqualified)	110.8	127.6	86.5	118.2	132.8	96.4	95.0	105.9	78.4	100.4	112.0	82.5	117.2	134.8	93.4
Diseases of digestive system	204.4	228.0	170.2	194.6	225.0	149.5	192.6	210.9	164.9	181.4	200.0	152.7	195.9	222.4	160.1
Diarrhea and enteritis (all ages)	119.8	140.2	90.4	113.4	140.7	73.0	115.4	132.5	89.5	105.1	122.0	79.0	113.8	137.4	81.9
Cirrhosis of liver	14.6	17.5	10.5	15.6	18.1	11.8	14.1	16.1	11.0	14.2	16.0	11.3	13.9	16.6	10.2
Peritonitis	7.6	6.9	8.7	6.6	5.9	7.7	5.9	5.3	6.8	4.9	4.2	6.0	8.7	8.2	9.3
Appendicitis	10.4	12.9	6.9	10.2	12.7	6.6	10.3	12.3	7.3	10.8	13.1	7.2	9.9	12.2	6.8
Diseases of genito-urinary system	120.0	137.5	94.8	124.8	141.5	100.1	116.0	127.6	98.3	120.1	131.1	103.2	115.6	133.1	92.1
Bright's disease and nephritis	103.0	119.3	79.3	107.3	123.2	83.9	99.2	110.1	82.7	103.2	113.6	87.0	98.4	115.1	75.9
Violence	106.1	113.9	94.9	109.5	117.3	98.0	104.2	107.3	99.4	101.4	104.8	96.3	100.8	108.4	90.6

[1] Exclusive of stillbirths.

In order that the changes in the rates for some of the important causes of death may be more readily compared, the following table is presented, which shows for the group of registration states as constituted in 1900 the percentage which the death rate for each year of the decade forms of the rate for 1900:

CAUSE OF DEATH (REGISTRATION STATES AS CONSTITUTED IN 1900).	Death rate per 100,000 population, 1900	PERCENTAGE WHICH DEATH RATE IN SPECIFIED YEAR REPRESENTS OF THAT IN 1900.								
		1901	1902	1903	1904	1905	1906	1907	1908	1909
All causes [1]	1,719.5	95.1	89.7	90.7	95.4	92.7	92.6	93.9	88.1	86.9
Typhoid fever	31.3	87.9	84.0	78.6	76.4	71.6	70.3	65.5	62.6	55.0
Malarial fever	6.3	79.4	63.5	47.6	46.0	39.7	39.7	31.7	23.8	23.8
Measles	13.4	55.2	69.4	65.7	84.3	55.2	88.1	66.4	76.1	82.1
Scarlet fever	9.6	140.6	124.0	128.1	120.8	70.8	76.0	102.1	134.4	112.5
Whooping cough	12.3	70.7	100.8	116.3	47.2	73.2	117.9	77.2	76.4	80.5
Diphtheria and croup	40.4	82.7	73.5	77.0	72.5	58.4	63.9	59.4	53.5	52.2
Influenza	26.7	136.0	39.0	71.9	81.6	76.8	37.8	101.1	76.8	48.3
Dysentery	12.1	90.9	83.5	60.3	66.9	68.6	69.4	50.4	54.5	45.5
Tuberculosis of lungs	173.3	96.5	87.9	88.7	94.7	90.0	88.2	86.9	82.9	79.8
Cancer	63.9	103.4	103.4	109.4	111.7	115.0	115.6	119.4	120.8	124.6
Rheumatism	10.1	95.0	84.2	83.2	95.0	84.2	79.2	80.2	74.3	70.3
Diabetes	11.0	104.5	106.4	114.5	129.1	128.2	134.5	142.7	138.2	145.5
Diseases of nervous system	205.9	94.6	90.0	88.3	92.7	93.3	86.4	86.3	78.0	76.2
Meningitis	40.6	80.8	73.2	68.7	84.0	96.1	67.5	63.5	47.0	40.9
Apoplexy and paralysis	98.7	99.7	97.0	97.9	101.7	100.2	97.8	104.1	97.6	98.4
Diseases of the circulatory system	151.4	101.2	105.7	110.7	119.8	120.0	122.9	134.1	128.5	131.7
Heart disease	116.0	103.6	107.3	114.5	124.1	122.3	122.7	133.4	124.8	125.3
Diseases of respiratory system	248.2	91.5	86.1	84.4	91.9	81.6	82.0	86.3	72.4	77.7
Bronchitis	45.2	88.9	86.9	79.0	78.5	72.6	68.6	69.0	58.2	59.5
Broncho-pneumonia	22.8	134.6	150.0	160.1	175.4	161.0	183.3	197.8	181.6	215.4
Pneumonia (lobar and unqualified)	152.7	84.8	76.1	74.1	85.3	73.7	72.6	77.4	62.2	65.7
Diseases of digestive system	229.5	87.0	80.2	79.0	84.6	87.5	89.1	84.8	83.9	79.0
Diarrhea and enteritis (all ages)	139.9	83.1	73.8	70.7	78.8	83.9	85.6	81.1	82.5	75.1
Cirrhosis of liver	12.6	103.2	102.4	107.1	110.3	111.1	115.9	123.8	111.9	112.7
Peritonitis	13.9	84.9	74.1	67.6	66.9	62.6	54.7	47.5	42.4	35.3
Appendicitis	8.8	100.0	100.0	110.2	118.2	118.2	118.2	115.9	117.0	122.7
Diseases of genito-urinary system	106.2	100.4	101.0	107.2	113.1	112.0	113.0	117.5	109.2	113.1
Bright's disease and nephritis	88.7	101.0	101.8	108.3	115.6	114.4	116.1	121.0	111.8	116.3
Violence	87.5	113.5	101.3	113.7	120.3	119.0	121.3	125.1	119.1	115.9

[1] Exclusive of stillbirths.

The figures in the above table are particularly trustworthy because they relate to the same territory. The death rate from typhoid fever in 1909 was only 55 per cent of that in 1900. As the percentage for each year of the series was lower than that for the preceding year, it is clear that a constant decrease occurred in the mortality from this disease in the states (chiefly those of New England and the East) that constituted the group of registration states in 1900. The decrease was somewhat greater than the corresponding decrease shown for the registration area as a whole as modified from time to time since 1900. All the epidemic diseases given in the table showed a decrease except scarlet fever. For the latter disease the percentages for the later years were usually above that of 1900, and the fluctuations varied greatly in degree. The death rates from cancer for every year but one were higher than for the year preceding and the rate in 1909 was nearly one-fourth (24.6 per cent) greater than in 1900. The relative increase in the death rate from diabetes (45.5 per cent) was considerably greater than that in the death rate from cancer, but the total number of deaths from this cause was much smaller, and therefore the increase is of less importance numerically.

The comparison of death rates from important causes with the corresponding rates for 1900 is extended to the urban and rural districts of the old group of registration states by means of the percentages in the table on the following page.

On the whole the original registration states of 1900 show a considerably greater diminution of urban than of rural mortality during the decade, although in 1909 the urban death rate (15.6 per 1,000) remained somewhat higher than the rural death rate (13.9 per 1,000). Typhoid fever decreased more in the country than in the city, while the contrary was true for tuberculosis of the lungs. Degenerative diseases of advanced life, among them cancer, apoplexy and paralysis, organic heart disease, cirrhosis of the liver, and Bright's disease, increased in greater degree for 1909 as compared with 1900 in the rural than in the urban districts. Some part of this difference may be due to a progressively more favorable age distribution of urban population, but the considerable amount of difference in some instances would seem to cast some doubt upon the generally accepted belief as to the more unfavorable influence of city life in contributing to degenerative diseases. The general tendency of the percentages shown is of course more important than the differences for single years, and more thorough comparisons will be made as soon as the data for 1910 are available so that averages for consecutive quinquennial periods may be computed.

CAUSE OF DEATH (REGISTRATION STATES AS CONSTITUTED IN 1900).	Death rate per 100,000 population, 1900		PERCENTAGE WHICH DEATH RATE IN SPECIFIED YEAR REPRESENTS OF THAT IN 1900.							
			1901		1902		1903		1904	
	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
All causes[1]	1,893.4	1,519.7	94.1	95.8	90.0	88.2	90.1	90.3	94.5	95.3
Typhoid fever	28.5	34.6	92.6	83.2	90.5	77.7	86.3	71.1	84.2	68.5
Malarial fever	5.4	7.2	90.7	69.4	68.5	61.1	46.3	51.4	48.1	45.8
Measles	16.4	9.8	47.0	70.4	73.8	58.2	64.6	65.3	78.7	94.9
Scarlet fever	11.9	6.8	154.6	110.3	138.7	89.7	136.1	107.4	126.9	104.4
Whooping cough	14.4	9.8	64.6	80.6	101.4	98.0	111.1	124.5	41.0	58.2
Diphtheria and croup	52.4	26.5	82.3	81.5	76.0	64.2	79.2	66.8	73.3	66.4
Influenza	24.2	29.6	110.7	162.2	28.9	49.3	60.7	83.8	64.9	100.0
Dysentery	9.4	15.1	108.5	80.1	101.1	71.5	72.3	52.3	75.5	61.6
Tuberculosis of lungs	204.1	138.0	95.4	96.9	86.9	87.7	88.0	87.8	92.8	95.4
Cancer	66.3	61.5	103.9	102.0	103.0	103.1	109.2	108.1	111.5	111.2
Rheumatism	10.1	10.0	97.0	93.0	77.2	94.0	84.2	83.0	95.0	97.0
Diabetes	11.1	10.8	109.0	100.0	106.3	106.5	117.1	112.0	134.2	123.1
Diseases of nervous system	206.4	205.2	93.0	96.6	89.7	90.4	86.0	91.1	91.4	94.3
Meningitis	48.4	31.6	79.8	81.6	74.6	68.7	67.8	68.4	89.5	70.6
Apoplexy and paralysis	90.9	107.6	98.6	101.5	97.1	97.8	94.8	102.0	98.7	106.0
Diseases of circulatory system	155.6	146.6	100.3	102.1	105.8	105.3	107.5	114.7	115.7	124.8
Heart disease	114.4	117.9	103.1	104.2	107.7	107.0	112.1	117.6	121.3	127.9
Diseases of respiratory system	302.6	185.7	87.4	97.7	86.2	83.3	83.7	82.6	91.2	89.7
Bronchitis	57.2	31.6	84.4	95.9	86.2	84.5	73.4	88.3	73.3	86.1
Bronchopneumonia	29.4	15.2	139.5	119.1	166.0	105.3	172.1	123.0	185.0	141.4
Pneumonia (lobar and unqualified)	186.5	113.9	78.5	95.4	73.2	79.7	72.0	75.8	83.4	85.8
Diseases of digestive system	261.5	192.7	89.1	82.3	82.1	75.7	79.8	76.1	86.3	79.6
Diarrhea and enteritis (all ages)	168.9	106.6	86.2	75.4	76.7	65.8	72.5	64.5	81.8	69.7
Cirrhosis of liver	15.9	8.7	103.8	101.1	100.0	105.7	102.5	113.8	103.8	119.5
Peritonitis	14.3	13.4	82.5	88.1	72.7	75.4	68.5	67.2	61.5	75.4
Appendicitis	10.9	6.5	100.0	96.9	99.1	98.5	110.1	104.6	117.4	112.3
Diseases of genito-urinary system	127.6	81.5	99.1	101.1	98.9	102.5	104.2	109.7	110.2	115.1
Bright's disease and nephritis	110.2	63.9	98.8	103.0	98.3	105.9	103.5	114.2	110.7	120.7
Violence	97.1	76.6	114.8	110.1	99.4	102.7	110.2	117.5	118.8	120.5

CAUSE OF DEATH (REGISTRATION STATES AS CONSTITUTED IN 1900).	PERCENTAGE WHICH DEATH RATE IN SPECIFIED YEAR REPRESENTS OF THAT IN 1900—continued.									
	1905		1906		1907		1908		1909	
	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
All causes[1]	90.5	94.6	90.7	93.0	91.5	94.8	83.9	92.3	82.6	91.3
Typhoid fever	77.2	66.8	74.7	66.8	73.3	57.5	66.3	59.8	57.9	52.9
Malarial fever	33.3	48.6	40.7	41.7	31.5	33.3	20.4	29.2	20.4	29.2
Measles	55.5	54.1	92.1	70.4	67.7	58.2	81.1	58.2	81.7	73.5
Scarlet fever	70.6	67.6	80.7	60.3	112.6	63.2	153.8	70.6	119.3	83.8
Whooping cough	68.1	80.6	109.0	130.6	68.8	90.8	66.0	94.9	67.4	103.1
Diphtheria and croup	57.4	56.6	62.2	60.8	57.1	57.4	52.7	47.5	50.4	48.3
Influenza	56.6	99.7	30.2	47.6	80.2	129.4	58.7	101.0	34.3	67.9
Dysentery	68.1	71.5	67.0	74.8	53.2	51.7	53.2	60.3	43.6	50.3
Tuberculosis of lungs	87.3	91.8	85.6	87.7	83.9	87.0	79.4	84.1	75.9	81.4
Cancer	114.0	115.8	115.5	114.0	117.3	120.5	116.7	124.9	121.0	127.8
Rheumatism	79.2	92.0	78.2	81.0	81.2	79.0	74.3	74.0	70.3	70.0
Diabetes	133.3	123.1	136.9	132.4	146.8	136.1	136.9	140.7	149.5	139.8
Diseases of nervous system	93.9	92.4	83.7	90.3	82.3	92.2	71.6	87.9	69.2	86.8
Meningitis	105.4	73.7	68.0	61.1	63.4	58.9	43.4	50.9	37.2	45.3
Apoplexy and paralysis	99.1	102.7	95.8	102.2	100.4	111.2	91.6	107.9	92.6	108.7
Diseases of circulatory system	116.8	123.9	119.0	127.8	127.7	142.7	120.6	139.7	123.5	143.7
Heart disease	119.5	126.1	119.5	127.6	128.3	141.1	118.4	134.9	118.5	136.0
Diseases of respiratory system	77.9	85.6	80.1	79.4	82.4	87.2	68.3	74.7	73.0	80.5
Bronchitis	64.5	86.7	62.2	76.9	61.4	80.4	50.0	71.8	49.1	79.4
Bronchopneumonia	167.7	132.2	197.6	120.4	207.1	142.8	184.7	144.1	216.3	174.3
Pneumonia (lobar and unqualified)	68.3	81.7	68.4	75.9	71.2	84.6	56.8	68.8	60.1	72.4
Diseases of digestive system	86.7	86.5	87.2	88.3	86.0	77.6	80.7	85.6	76.5	79.2
Diarrhea and enteritis (all ages)	83.4	81.1	83.0	84.8	83.3	68.5	78.4	84.0	72.2	74.1
Cirrhosis of liver	106.3	117.2	110.1	120.7	113.8	135.6	101.3	126.4	100.6	129.9
Peritonitis	53.8	73.9	48.3	64.9	41.3	57.5	37.1	50.7	29.4	44.8
Appendicitis	119.3	107.7	118.3	106.2	116.5	101.5	112.8	112.3	120.2	110.8
Diseases of genito-urinary system	108.1	115.3	107.8	116.3	110.9	122.8	100.0	120.6	102.7	126.6
Bright's disease and nephritis	108.1	122.7	108.3	124.1	111.8	131.3	99.9	129.4	103.1	136.2
Violence	114.1	124.3	117.3	123.9	120.8	127.9	110.5	129.8	107.9	125.7

[1] Exclusive of stillbirths.

AVERAGE AND MEDIAN AGES AT DEATH FROM VARIOUS CAUSES.

In this connection it may be of interest to present some data showing the average and median ages at death from all causes and from various diseases and external causes. The average age at death is the result obtained by multiplying the number of persons dying at each age by that age and dividing the sum of the products by the total number of persons who died; and the median age is the age which represents the middle point at which the decedents are equally divided, one-half being below and one-half above this age. The table on the following page shows for each cause of death of the detailed International List the average and median ages at death, by sex, of persons dying in the registration area during 1908 and 1909.

CAUSE OF DEATH.	AVERAGE AGE AT DEATH IN YEARS.						MEDIAN AGE AT DEATH IN YEARS.					
	Total.		Male.		Female.		Total.		Male.		Female.	
	1909	1908	1909	1908	1909	1908	1909	1908	1909	1908	1909	1908
All causes [1]	38.8	37.9	38.1	37.3	39.5	38.7	40.7	39.2	40.4	38.9	41.1	39.6
I.—General diseases	36.8	36.6	36.3	36.1	37.4	37.1	36.2	35.8	36.1	35.7	36.4	35.9
Typhoid fever	29.0	28.8	29.8	29.5	27.7	27.8	26.2	26.2	27.6	27.3	24.0	24.2
Malarial fever	36.0	34.1	36.0	35.4	36.0	32.7	33.8	32.0	34.3	35.2	32.9	27.9
Small pox	28.1	28.0	29.6	31.7	25.4	20.4	26.1	26.7	30.0	30.8	24.2	7.5
Measles	3.8	4.2	3.5	3.6	4.3	4.9	1.7	1.8	1.6	1.7	1.7	1.8
Scarlet fever	6.7	6.7	6.3	6.4	7.2	7.1	4.4	4.5	4.2	4.3	4.7	4.7
Whooping cough	1.6	1.5	1.6	1.4	1.6	1.6	(2)	(2)	(2)	(2)	(2)	(2)
Diphtheria	6.2	6.5	5.8	6.4	6.7	6.6	4.0	4.1	3.8	3.9	4.3	4.2
Croup	3.8	3.6	3.7	3.5	3.9	3.8	2.8	2.7	2.9	2.7	2.7	2.8
Influenza	55.5	57.1	52.0	54.4	58.3	59.2	66.2	66.5	62.4	64.2	68.5	67.8
Cholera nostras	43.3	42.5	41.8	37.8	44.8	46.3	52.3	50.8	50.5	42.7	56.1	59.5
Dysentery	43.4	40.5	38.9	36.0	47.6	44.4	55.2	48.6	43.2	35.7	62.3	58.3
Erysipelas	37.3	36.8	39.0	38.5	35.3	34.4	41.9	41.5	45.2	43.8	35.6	36.4
Other epidemic diseases	10.2	12.0	12.4	14.2	6.7	9.0	2.4	2.7	2.8	3.8	1.7	1.3
Septicemia	36.4	35.4	37.7	37.6	34.6	33.0	36.3	34.5	39.2	39.1	33.7	29.7
Tuberculosis (all forms)	34.2	34.1	35.7	35.7	32.3	32.0	32.6	32.5	34.7	34.8	29.9	29.6
Tuberculosis of lungs	36.1	35.9	37.6	37.6	34.1	33.6	33.8	33.7	35.9	36.0	31.0	30.6
Tuberculosis of larynx	39.7	40.1	41.5	41.9	36.2	36.5	37.8	38.4	39.9	41.1	34.7	34.6
Tuberculous meningitis	9.0	9.0	9.5	9.6	8.4	8.2	2.7	2.7	2.8	2.8	2.7	2.6
Abdominal tuberculosis	31.3	31.7	31.0	31.2	31.5	32.1	29.2	30.0	29.3	29.9	29.1	30.1
Pott's disease	30.4	28.9	30.6	27.2	30.0	31.1	26.3	24.7	26.3	22.9	26.1	27.8
Tuberculous abscess	28.3	27.1	30.9	25.8	24.7	28.5	23.1	24.1	23.8	24.2	22.5	24.0
White swelling	29.3	30.4	28.9	32.1	29.9	27.5	23.6	24.6	23.8	26.6	23.3	21.4
Tuberculosis of other organs	35.5	34.5	36.1	35.6	34.5	33.0	34.4	34.3	35.9	36.5	32.5	32.3
General tuberculosis	29.2	29.2	28.7	29.6	29.8	28.6	27.6	27.8	27.6	28.7	27.7	26.4
Scrofula	10.2	10.6	5.6	11.5	16.9	9.3	(2)	(2)	(2)	(2)	2.6	1.1
Venereal diseases	17.5	17.8	20.0	20.5	14.1	13.9	(2)	(2)	1.2	1.9	(2)	(2)
Cancer (all forms)	59.0	58.7	60.4	60.0	58.2	57.8	60.1	59.6	62.0	61.4	58.6	58.3
Cancer of mouth	62.8	62.1	62.4	62.2	64.8	61.3	64.2	62.9	63.6	62.9	68.1	63.0
Cancer of stomach and liver	60.9	60.6	60.9	60.5	59.6	60.8	61.8	61.5	61.9	61.2	61.8	61.8
Cancer of intestines	59.0	58.6	58.3	58.6	59.5	58.7	60.5	60.1	60.4	60.7	60.6	59.6
Cancer of female genital organs	53.6	53.7	.....	.....	53.6	53.7	53.0	53.1	.....	.....	53.0	53.1
Cancer of breast	58.5	58.1	.....	.....	58.5	58.1	58.0	57.3	.....	.....	58.0	57.3
Cancer of skin	68.1	68.3	66.9	67.5	70.5	69.6	70.1	70.7	68.5	69.7	73.1	72.7
Cancer of other or unspecified organs	56.6	56.4	57.6	57.1	55.3	55.7	59.2	58.7	60.7	59.9	57.0	57.2
Tumor	53.4	54.4	49.7	51.5	54.9	55.4	58.6	58.0	57.1	58.0	59.4	58.0
Rheumatism	44.9	43.0	43.8	41.9	45.9	44.0	47.4	44.2	45.5	42.5	48.9	46.0
Diabetes	54.5	53.9	53.0	53.2	55.8	54.5	59.1	58.6	57.4	57.7	60.2	59.3
Anemia, leukemia	44.2	43.6	43.5	42.9	44.8	44.1	48.7	47.9	48.7	47.7	48.7	48.1
Alcoholism	46.0	45.3	46.4	45.6	43.2	42.5	44.7	44.0	45.1	44.4	41.3	40.8
Chronic poisonings	50.6	46.9	49.5	46.0	52.5	48.7	50.6	46.0	50.4	44.7	51.0	48.2
Other general diseases	38.3	37.8	33.7	33.6	40.6	40.3	39.6	40.3	35.2	36.7	41.1	41.8
II.—Diseases of nervous system	50.3	48.2	48.8	46.9	52.1	49.8	59.9	57.8	57.8	55.9	61.9	60.0
Encephalitis	24.3	21.6	20.8	21.4	27.8	21.7	9.3	6.1	3.8	5.1	20.0	7.0
Meningitis	11.7	11.5	12.2	12.0	11.2	10.9	2.5	2.7	2.5	2.7	2.5	2.7
Locomotor ataxia	56.7	56.5	56.8	56.8	56.0	55.4	56.8	57.0	56.7	57.3	57.1	55.9
Other diseases of spinal cord	45.7	49.1	44.5	48.8	47.1	49.5	54.2	55.9	52.9	55.5	55.7	56.6
Apoplexy	65.2	64.7	64.6	63.9	65.9	65.5	67.9	67.4	67.4	66.7	68.5	68.1
Softening of brain	69.3	69.9	68.4	68.7	70.3	71.2	72.1	72.4	71.4	71.8	72.8	73.3
Paralysis	67.9	67.5	67.0	66.8	68.9	68.3	71.1	70.8	70.4	70.3	71.7	71.3
General paralysis of insane	50.9	51.2	49.7	49.7	54.6	55.6	48.2	48.5	47.3	47.3	51.9	54.1
Other forms of mental disease	56.0	56.7	56.5	57.5	55.5	56.0	57.3	58.5	58.6	59.7	56.3	57.1
Other diseases of brain	38.2	38.3	37.0	38.0	39.8	38.8	39.1	39.1	37.6	38.6	41.3	39.6
Epilepsy	36.1	36.4	35.8	37.0	36.6	35.7	33.7	33.9	33.4	34.7	34.1	33.1
"Convulsions"	1.5	1.7	1.1	1.2	1.9	2.2	(2)	(2)	(2)	(2)	(2)	(2)
Tetanus	17.7	17.3	18.4	18.1	15.6	15.4	11.6	9.3	12.7	11.2	5.3	4.1
Other diseases of nervous system	35.2	35.7	32.6	33.7	37.6	37.6	35.0	35.9	30.1	32.8	37.6	38.2
III.—Diseases of circulatory system	60.3	59.5	60.4	59.8	60.2	59.2	65.1	64.3	64.8	64.2	65.5	64.4
Pericarditis	50.5	48.9	48.8	50.2	52.7	47.4	56.1	53.5	54.1	56.1	58.5	49.5
Endocarditis	53.2	53.3	53.2	53.2	53.2	53.4	58.2	58.0	57.7	57.5	58.9	58.6
Heart disease	59.9	59.3	60.0	59.6	59.8	59.0	64.4	63.8	64.1	63.7	64.8	63.8
Angina pectoris	63.1	62.6	63.3	62.7	62.7	62.5	65.3	64.9	64.9	64.4	65.8	65.7
Diseases of arteries	72.2	71.2	70.6	69.7	74.5	73.6	74.3	73.5	72.9	72.1	76.0	75.5
Embolism and thrombosis	56.2	54.9	57.5	56.6	55.1	53.6	59.9	58.6	61.5	60.9	57.7	56.6
Diseases of veins	54.3	53.2	53.6	54.0	54.9	52.6	57.6	53.7	58.2	54.3	56.7	53.3
Diseases of lymphatics	14.5	17.2	12.0	12.7	17.7	23.7	1.5	1.5	(2)	1.1	2.0	2.0
Other diseases of circulatory system	21.6	21.1	20.1	20.0	23.4	22.4	2.6	3.1	1.5	2.1	4.4	4.0
IV.—Diseases of respiratory system	33.5	33.4	31.9	31.6	35.4	35.5	30.9	30.6	29.7	28.8	32.9	33.1
Laryngitis	17.1	14.8	17.4	14.3	16.7	15.6	3.4	3.4	3.1	3.5	3.7	3.2
Other diseases of larynx	11.5	10.5	10.6	10.4	12.7	10.7	2.7	2.2	2.7	2.2	2.6	2.1
Diseases of thyroid body	44.3	41.4	36.4	32.7	46.3	43.8	48.2	42.5	35.0	22.5	48.6	44.3
Acute bronchitis	15.1	13.2	11.8	9.4	18.5	17.3	(2)	(2)	(2)	(2)	(2)	(2)
Chronic bronchitis	66.3	65.8	64.0	64.3	68.2	66.9	72.7	71.8	71.0	70.9	73.8	72.4
Bronchopneumonia	18.2	18.4	15.7	15.7	20.9	21.5	1.4	1.5	1.2	1.2	1.6	1.7
Pneumonia (lobar and unqualified)	37.4	36.7	36.2	35.6	39.0	38.0	40.0	38.7	38.8	37.9	42.4	40.0
Pleurisy	40.7	39.5	41.3	38.3	39.9	41.2	42.8	40.2	43.8	39.5	41.4	41.9
Congestion of lungs	43.4	45.3	40.7	42.8	46.2	47.8	52.1	56.8	46.9	49.8	60.0	62.7
Gangrene of lungs	45.1	47.8	47.1	49.7	39.9	43.0	46.7	48.3	48.8	50.9	38.3	41.3
Asthma and emphysema	60.7	61.1	59.4	60.4	62.3	61.9	65.1	64.8	63.8	63.7	66.6	66.3
Hemorrhage of lungs	45.7	45.6	44.9	43.7	46.8	49.0	45.7	46.3	44.7	44.1	47.9	55.0
Other diseases of respiratory system	42.1	42.2	43.5	43.6	39.6	39.7	47.2	46.5	49.7	48.9	39.5	38.0

[1] Exclusive of stillbirths.

[2] Under 1 year.

CAUSE OF DEATH.	AVERAGE AGE AT DEATH IN YEARS.						MEDIAN AGE AT DEATH IN YEARS.					
	Total.		Male.		Female.		Total.		Male.		Female.	
	1909	1908	1909	1908	1909	1908	1909	1908	1909	1908	1909	1908
V.—Disease of digestive system	22.0	21.2	21.1	20.2	23.0	22.4	1.5	1.4	1.4	1.2	1.7	1.6
Diseases of mouth	12.7	10.3	10.5	8.2	15.2	12.1	(1)	(1)	(1)	(1)	(1)	(1)
Tonsilitis	17.1	16.4	18.7	15.2	15.5	17.8	9.2	7.3	9.3	5.3	9.0	8.2
Other diseases of pharynx	37.2	38.5	37.2	39.9	37.2	36.2	37.3	41.0	39.1	46.0	33.5	30.0
Ulcer of stomach	50.6	49.9	51.2	51.5	49.8	47.9	51.3	50.3	51.8	51.8	50.6	47.7
Gastritis	42.7	42.2	39.1	39.6	46.1	44.6	51.4	50.2	45.0	45.7	55.9	54.0
Other diseases of stomach	32.4	31.5	30.9	28.5	34.0	34.8	21.7	14.5	8.5	2.6	26.9	31.2
Dentition	0.9	0.9	0.8	0.9	1.0	0.8	(1)	(1)	(1)	(1)	1.0	(1)
Diarrhea and enteritis	6.9	6.6	5.9	5.4	8.0	7.9	(1)	(1)	(1)	(1)	(1)	(1)
Hernia	54.0	54.5	50.1	51.5	58.1	57.6	59.2	58.4	57.2	58.3	60.7	58.4
Obstruction of intestines	39.3	39.5	35.4	35.4	43.2	43.5	41.9	42.6	36.4	35.2	45.9	46.8
Other diseases of intestines	38.5	37.3	33.8	34.9	39.3	39.6	40.3	37.8	40.5	35.5	40.2	40.1
Acute yellow atrophy of liver	43.8	45.1	46.7	43.7	41.3	45.9	44.4	45.9	50.5	47.5	37.7	44.6
Hydatid tumors of liver	40.8	49.8	41.3	55.5	40.5	46.3	47.5	52.5	30.0	52.5	50.8	47.5
Cirrhosis of liver	55.7	54.9	55.2	54.7	56.7	55.2	56.1	55.1	55.4	54.9	57.8	55.8
Biliary calculi	57.5	56.8	58.3	58.9	57.2	55.9	58.6	57.0	60.0	58.8	57.9	56.2
Other diseases of liver	50.8	50.2	48.6	47.5	52.8	52.8	54.0	54.2	51.6	50.6	56.6	56.9
Diseases of spleen	39.5	42.7	37.9	39.7	41.0	46.7	41.6	46.7	40.8	42.5	42.0	51.7
Peritonitis	33.3	33.0	33.5	33.4	33.1	32.8	31.1	30.3	30.8	30.7	31.2	30.2
Appendicitis	28.7	29.2	29.1	30.1	28.0	28.0	24.8	25.3	25.6	26.6	23.7	23.4
Other diseases of digestive system	43.7	43.5	45.0	42.9	42.2	44.4	44.7	45.0	45.6	44.9	43.5	45.4
VI.—Diseases of genito-urinary system	56.2	55.4	58.4	57.6	53.5	52.7	59.9	58.8	62.2	61.3	56.0	54.9
Acute nephritis	39.3	38.3	39.7	39.1	38.9	37.4	40.0	38.8	41.8	40.8	38.2	36.4
Bright's disease	58.5	57.7	59.0	58.3	57.8	57.0	61.5	60.7	61.8	61.0	61.0	60.2
Other diseases of kidneys	49.8	49.5	52.8	51.8	45.6	46.2	54.0	54.0	59.5	58.0	47.6	48.5
Calculi of urinary tract	54.7	56.4	55.7	57.5	51.7	54.1	58.0	59.9	60.3	61.3	52.9	56.8
Diseases of bladder	70.1	69.3	71.2	70.3	63.4	64.3	75.2	74.6	75.6	75.1	71.5	71.1
Uterine tumor	47.4	47.5	.....	.....	47.4	47.5	45.7	45.9	.....	.....	45.7	45.9
Other diseases of uterus	38.1	37.7	.....	.....	38.1	37.7	36.3	35.6	.....	.....	36.3	35.6
Ovarian tumor	49.1	47.9	.....	.....	49.1	47.9	47.8	45.2	.....	.....	47.8	45.2
Diseases of tubes	31.9	31.8	.....	.....	31.9	31.8	30.7	31.2	.....	.....	30.7	31.2
Other diseases of genito-urinary system	67.6	67.4	70.0	69.9	34.0	35.2	71.8	72 1	72.8	73.0	33.0	32.7
VII.—Childbirth	29.9	29.7	.....	.....	29.9	29.7	29.6	29.4	.....	.....	29.6	29.4
Puerperal septicemia	29.0	28.9	.....	.....	29.0	28.9	28.4	28.3	.....	.....	28.4	28.3
Puerperal convulsions	29.1	29.0	.....	.....	29.1	29.0	28.5	28 5	.....	.....	28.5	28.5
Other causes incident to childbirth	31.7	31.4	.....	.....	31.7	31.4	31.9	31.4	.....	.....	31.9	31.4
VIII.—Diseases of skin	54.0	52.1	54.6	51.6	53.2	52.7	66.0	63.6	66.7	63.3	65.1	63.8
Gangrene	70.2	69.3	71.3	69.2	68.9	69.3	75.2	74.8	75.8	75.0	74.2	74.5
Carbuncle	45.0	44.0	48.2	47.6	38.5	36.8	51.6	50.9	54.1	52.4	45.0	43.3
Abscess	30.4	33.1	30.9	32.4	29.6	33.9	28.9	31.5	30.0	30.3	24.6	32.8
Other diseases of skin	29.0	23.5	26.9	19.3	21.2	28.4	1.3	(1)	(1)	(1)	7.5	1.4
IX.—Diseases of locomotor system	23.4	22.5	23.7	22.4	22.8	22.7	12.6	11.0	13.8	12.4	10.6	9.6
Diseases of bones	21.1	20.0	21.6	19.9	20.4	20.1	9.8	8.1	10.9	9.0	8.6	7.3
Diseases of joints	44.3	44.1	43.7	43.5	45.3	44.8	49.2	50.3	49.2	50.6	49.2	50.0
Other diseases of locomotor system	49.3	60.1	44.0	60.2	62.6	59.9	60.0	66.3	45.0	67.5	73.0	62.5
X.—Malformations	0.7	0.6	0.7	0.6	0.7	0.6	(1)	(1)	(1)	(1)	(1)	(1)
Hydrocephalus	1.7	1.2	1.7	1.4	1.6	0.9	(1)	(1)	(1)	(1)	(1)	(1)
Congenital malformation of heart (cyanosis)	0.6	0.5	0.6	0.5	0.7	0.6	(1)	(1)	(1)	(1)	(1)	(1)
Other congenital malformations	0.5	0.5	0.5	0 4	0.5	0.5	(1)	(1)	(1)	(1)	(1)	(1)
XI.—Diseases of early infancy	0.1	0.1	0.1	0.1	0.1	0.1	(2)	(2)	(2)	(2)	(2)	(2)
Premature birth	0.1	0.1	0.1	0.1	0.1	0.1	(2)	(2)	(2)	(2)	(2)	(2)
Congenital debility	0.1	0.1	0.1	0.1	0.1	0.1	(2)	(2)	(2)	(2)	(2)	(2)
XII.—Old age	82.7	82.5	82.4	82.3	82.9	82.7	82.9	82.8	82.6	82.5	83.1	83.0
XIII.—Violence	35 3	34.6	35.3	34.9	35.1	33.9	34.0	33.2	34.6	34.0	29.9	28.9
Suicide	43.6	43.2	45.3	44.7	38.0	38.0	42 8	42.2	44.7	44.2	34.8	35.2
Fractures and dislocations	58.0	59.1	49.3	50.1	73.8	73.6	61.0	65.6	47.2	48.8	79.2	78.6
Burns and scalds	22.6	22.1	19.0	19.0	25.1	24.4	8.3	8.5	4.6	4.6	10.7	12.0
Heat and sunstroke	41.1	41.8	41.1	40.8	41.3	43.7	43.4	45.5	42.3	43.9	48.5	54.2
Cold and freezing	49.1	48.6	49.5	47.6	46.3	57.5	50.3	48.4	50.0	47.4	57.5	62.5
Lightning	34.1	31.0	34.9	31.3	27.1	29.5	31.2	28.3	32.1	28.5	25.0	27.5
Drowning	28.5	26.7	29.0	27.7	23.7	24.1	25 0	23.6	25.7	23.9	19.2	19.7
Inhalation of poisonous gases (including conflagration)	40.8	38 0	41. 1	39.0	40.1	36.0	39 5	36.3	39.9	38.2	38.2	32.2
Other accidental poisonings	24.6	24.6	25.9	25.9	23 0	22.7	20.5	19.3	23.9	22.4	16.3	16.4
Accidental gunshot wounds	25.5	25.1	25.7	25.5	24.0	22.2	21.0	21.2	21.1	21.6	19.6	17.7
Injuries by machinery	34.3	35.0	34.4	35.1	31 6	33.9	32.0	32.9	32.1	32.9	26.3	27.5
Injuries in mines and quarries	34.0	33.6	34.0	33.6	40.8	27.5	31.9	31.3	31.9	31.3	41.3	17.5
Railroad accidents and injuries	37.5	37.3	37.4	37.1	39.4	39.0	35.6	35.1	35.4	35.0	39.7	37.9
Street-car accidents	37.9	37.4	38.7	38.2	34.2	33.8	38.5	37.7	39.2	38.1	33.3	34.1
Injuries by vehicles and horses	37.3	38.0	38.5	39.3	28.7	29.1	37.7	39.6	38.7	40.9	14.4	17.9
Automobile accidents	35.3	35.5	35.7	36.2	33.8	33.0	33.4	34.7	33.9	35.9	31.4	30.9
Suffocation	11.9	10.5	15.9	13.8	5 0	4.2	(1)	(1)	(1)	(1)	(1)	(1)
Other accidental injuries	48.3	45.9	42.8	41.5	62.0	58.0	47.7	45.0	41.1	40.1	73.4	69.6
Injuries at birth	0.1	0.1	0.1	0.1	0.1	0.1	(1)	(1)	(1)	(1)	(1)	(1)
Homicide	32.3	31.9	33.3	33.3	28.7	27.0	30.8	30.6	31.9	31.7	27.2	26.5
XIV.—Ill-defined causes	23.9	23.7	23.4	23.1	24.5	24.4	(1)	(1)	(1)	(1)	(1)	(1)
"Dropsy"	61.8	60.7	61.2	59.7	62.3	61.5	67.8	65.8	66 8	65.1	68.9	66.3
"Heart failure"	51.8	51.6	52.2	51.6	51.2	51.6	59.4	58.0	59.0	57.4	59.9	59.1
Other ill-defined causes	15.7	15.9	14.1	14.9	17.4	17.0	(1)	(1)	(1)	(1)	(1)	(1)
Unknown causes	20.1	21.5	22.3	22.4	17.4	20.1	1.4	(1)	1.7	1.1	1.1	(1)

[1] Under 1 year.

[2] Under 3 months.

As will be seen in the preceding table, the average age corresponds approximately with the median age for the total of all causes and for many individual causes. Thus, for 1909, the average age at death was 38.8 years, while the median age was only slightly higher (40.7 years). In 1909 the average and median ages of persons dying from general diseases were very nearly the same (36.8 years and 36.2 years, respectively); for persons dying from typhoid fever the average age at death was 29 years and the median age 26.2 years; for those dying from tuberculosis of the lungs the average and median ages were 36.1 years and 33.8 years, respectively; and for those dying from cancer of all forms the average age was 59 years and the median age 60.1 years. When the deaths are distributed with considerable uniformity among the different periods of life, the median and average ages usually correspond very closely. When, however, the deaths occur chiefly at early or late periods of life there may be a very great difference between the two ages; for example, the average age at death of persons dying from acute bronchitis was 15.1, but the median age was less than 1 year, owing to the fact that the great majority of these deaths are of infants less than 1 year of age. Similarly for bronchopneumonia the average age shown is 18.2 years and the median age 1.4 years, a fact which is suggestive of the very marked difference in character between this disease and pneumonia (lobar and unqualified) for which the average age at death in 1909 (37.4 years) and the median age (40 years) closely correspond. The figures for average and median ages given in the table must be used with caution, but considered together they form a very useful clue to the age incidence of the various causes of death and may serve to distinguish diseases which, though closely associated on account of similarity in their medical definition, in reality have very different relations to the public health.

AVERAGE DEATH RATES (STATED AS ANNUAL RATES) FOR THE DECADE 1900 TO 1909, BY PRINCIPAL CAUSES.

The table on page 30 presents for the decade 1900 to 1909 the average death rates per year per 100,000 population from some of the most important causes of death for the registration area and its main subdivisions, as constituted from year to year, for the original registration states individually and cities that had 100,000 population or over in 1900.

In the table only those states are shown for which the registration returns were available for each year of the decade. The annual average rates may serve as a convenient basis of comparison in the study of the rates for the individual years that are presented in Table IV. It should be constantly borne in mind during the examination of such rates that they are not corrected for sex, age, color, or other elements of the distribution of population, and furthermore that certain areas include many more deaths of nonresidents in proportion to the total mortality than do others. It is not practicable as yet to present death rates based solely upon resident population; there is no definite agreement among registration officials as to the exact line of demarcation between deaths of "residents" and "nonresidents," and the tendency is quite marked, in the absence of specific rules, to understate the resident mortality. Nor is it customary at present to prepare tables of death rates for individual causes of death with corrections for peculiarities of population. The latter procedure is a refinement of statistical presentation which will soon become necessary, however, now that the fundamental basis of a uniform list of causes of death has come into general international use, and future reports will devote especial attention to this subject. In the meantime, however, the crude rates presented in the tables of the present report may be used with caution, provided that positive conclusions are avoided until the bases of population are known to be fairly comparable in their constitution.

AVERAGE DEATH RATE PER YEAR PER 100,000 POPULATION FOR CERTAIN CAUSES: 1900 TO 1909.

AREA.	Typhoid fever.	Malarial fever.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis (all forms).	Tuberculosis of lungs.	Cancer.	Diabetes.	Meningitis.	Pneumonia (lobar and unqualified).	Diarrhea and enteritis.
The registration area	29.5	4.0	9.9	10.6	11.3	27.3	18.7	182.6	159.4	69.2	12.3	27.3	117.6	112.3
All registration cities	31.7	4.5	11.1	12.6	11.7	32.0	15.4	204.9	179.0	71.4	12.2	31.1	131.4	125.8
Registration states	25.5	2.7	10.2	10.5	11.2	26.6	19.6	174.0	150.9	70.2	13.3	26.4	111.8	112.5
Cities in registration states	25.7	2.3	12.3	13.7	11.7	33.7	14.7	204.0	176.3	74.7	14.0	32.0	129.9	135.2
Rural part of registration states	25.3	3.1	7.7	6.7	10.6	18.0	25.3	138.4	120.7	65.0	12.4	19.7	90.4	85.6
Registration cities in other states	40.5	7.7	9.3	11.0	11.7	29.5	16.4	206.3	183.0	66.5	9.5	29.6	133.6	111.8
Original registration states	23.3	3.0	9.9	10.6	10.5	27.7	20.4	178.4	154.7	72.1	13.8	29.0	117.2	113.8
Connecticut	21.3	6.1	10.7	9.0	13.0	25.3	33.9	164.2	144.0	73.4	16.1	34.3	109.0	121.8
Indiana	40.7	6.6	6.8	5.6	10.6	16.9	21.4	176.7	154.0	54.6	10.1	22.7	83.1	83.0
Maine	24.4	1.5	5.8	2.4	9.2	17.2	28.5	162.7	134.3	88.4	14.6	32.0	121.0	88.6
Massachusetts	16.8	1.7	10.0	10.0	13.2	29.2	19.3	185.9	160.2	85.0	15.3	34.6	123.3	124.2
Michigan	25.8	2.8	7.7	8.7	9.4	18.7	20.8	102.1	86.4	65.3	12.4	17.1	78.6	91.7
New Hampshire	18.4	1.5	6.1	3.6	11.0	23.0	31.1	149.9	131.3	86.0	17.1	44.1	122.7	106.9
New Jersey	17.6	2.6	7.8	13.2	11.6	34.2	11.4	190.3	166.4	61.0	11.2	36.3	126.2	121.9
New York	20.7	2.3	12.6	14.2	9.0	34.0	18.1	197.6	172.7	74.2	14.8	29.3	134.2	124.2
Rhode Island	17.1	4.1	14.8	11.2	13.5	32.1	28.1	208.3	173.9	81.0	15.7	28.8	133.7	160.9
Vermont	22.4	1.3	7.9	4.2	8.8	14.0	38.7	137.5	117.1	86.5	17.0	28.5	130.5	76.9
Registration cities of 100,000 population or over in 1900:														
Los Angeles, Cal	26.0	1.0	4.9	4.9	6.4	19.8	12.1	318.1	287.1	87.8	13.0	33.4	93.6	53.7
San Francisco, Cal	28.2	2.0	8.6	3.4	11.1	24.8	8.4	272.9	233.5	115.6	17.2	26.8	110.9	68.3
Denver, Colo	42.4	0.8	8.8	22.5	9.8	26.8	11.1	400.7	369.8	69.8	11.7	34.5	157.8	63.1
New Haven, Conn	39.4	8.5	13.0	6.4	17.8	20.0	24.7	196.5	170.6	86 2	17.1	44.6	137.2	119.7
Washington, D. C	51.6	7.4	6.7	3.4	19.8	18.0	31.3	294.6	258.3	79 4	12.3	23.0	131.3	140.3
Chicago, Ill	22.7	0.8	9.7	17.9	11.4	30.1	11.2	184.3	161.0	68 9	10.4	24.9	155.2	134.4
Indianapolis, Ind	38 8	4.1	5.2	5 5	9.0	16.1	17.1	219.3	188.5	65.0	11.3	27.6	96.9	82.9
Louisville, Ky	58.0	4.9	3.1	4.0	9.8	23.9	15 4	231.7	209.6	59.8	8.9	42.7	159.1	67.3
New Orleans, La	39 7	24.0	5.8	7 0	7.2	13.1	28.0	327.2	297.4	78.1	7.0	35.2	143.6	163.6
Baltimore, Md	35.5	4.7	8.0	9.3	13.3	24.1	21.3	207.5	234.7	80.4	11.6	28.6	149.2	149.3
Boston, Mass	20.3	0.7	16.6	16.6	16.5	40.0	13.8	237.5	201.2	96.0	16.3	36.0	152.6	120.9
Fall River, Mass	17.5	0.8	16.0	11.1	13.7	27.0	13 7	178.4	160.1	62.8	12.5	49.0	157.7	348.4
Worcester, Mass	14.5	3.7	10.0	12.1	14.6	25.8	10.8	191.6	163.2	81.5	16.9	34.2	132.9	122.7
Detroit, Mich	21.5	1 7	11.0	16.7	12.2	31.2	8.9	120.4	103.5	67.0	12.3	30.2	101.8	116.3
Minneapolis, Minn	32.2	0.2	4.6	8.2	7.2	34.2	5.6	133.5	110.0	62.3	10.2	22.4	75.2	56.5
St. Paul, Minn	15.4	0.1	3.8	11.1	7.0	29.3	5.8	134.0	107.6	61.4	8.9	22.8	65.6	58.6
Kansas City, Mo	40.3	4.7	6.1	7.5	6.5	21.7	14.4	182.0	168 3	60.2	7.3	30.0	159.1	62.4
St. Louis, Mo	28.1	9.8	8.7	9.7	7.7	30.3	16.2	213.5	191.5	70.5	9.6	19.2	133.4	89.5
Omaha, Nebr	24.5	1.5	7.8	8.3	11.7	17.0	15.5	120.4	102.8	68.3	9.0	19.9	92.8	58.8
Jersey City, N. J	16.2	2.2	7.1	22.6	12.1	46.1	7.8	245.6	220.0	56.5	9.7	57.4	170.5	157.7
Newark, N. J	17.5	2.5	10.3	21.6	14.1	38.2	10.3	266.2	230.5	72.3	13.4	46.3	138.7	130.3
Paterson, N. J	15.9	2.5	7.1	9.1	9.9	33.9	6.0	198.9	175.7	68.0	11.2	55.3	145.6	133.4
Buffalo, N. Y	26.2	0.6	13.0	12.4	10.4	25.6	10.3	148.2	125.0	75.3	16.4	27.6	90.7	141.7
New York, N. Y	16.5	2.4	17.3	20.8	8.6	47.2	10.5	242.3	211.1	71.4	15.3	32.6	167.8	160.6
Bronx Borough	13.9	5.7	32.2	36.7	9.0	54.3	7.7	485 3	456.2	70.2	16 4	28.4	135.0	122.1
Brooklyn Borough	19.1	2.8	19.7	22.6	9.5	50.3	12.2	211.7	183.2	66.0	13.5	24.6	162.9	171.1
Manhattan Borough	15.1	1.3	15.0	18.4	7.9	45.0	9.8	238.1	203.7	76.5	16.6	39.5	179.2	155.7
Queens Borough	16.7	5.9	7.0	13.2	9.3	41.6	9.2	156.5	136.2	53.8	12.9	23.3	138.1	176.0
Richmond Borough	16.4	3.8	9.7	11.9	10.7	38.4	13.5	225.1	197.2	83.3	16.0	24.1	142.4	211.7
Rochester, N. Y	13.8	0.5	8.2	9.5	6.1	33.9	10.7	155.9	135.3	85.0	16.8	31.5	87.3	82.0
Syracuse, N. Y	15.8	0.9	6.1	10.5	10.4	18 9	11 3	150.6	129 3	79.7	14 8	29.4	87.2	100.0
Cincinnati, Ohio	46.2	1.7	13.0	9.2	6.7	19.1	25.7	209.4	237.5	83.4	10.3	45.1	121.4	110.8
Cleveland, Ohio	34.0	0.9	7.6	10.1	7.6	31.8	8.2	133.6	120.1	60.7	8.4	27.3	112.1	126.5
Columbus, Ohio	58.9	1.4	5.9	5.8	8.0	11.7	13.0	216.3	190.2	70.9	8.8	32.9	108.4	61.1
Toledo, Ohio	39.4	3.8	6.2	6.7	6.7	39.9	18.4	161.4	142.3	64.4	10.6	24.9	76.5	96.4
Philadelphia, Pa	48.8	1.0	15.5	11.1	15.6	42.2	14.7	239.4	211.2	75.8	11.8	19.2	126.3	129.8
Pittsburgh, Pa.[1]	107.9	0.9	27.6	19.8	25.1	35.9	17.5	159.8	131.5	55.6	6.4	29.4	189.6	193.9
Scranton, Pa	29.9	1.7	9.8	29 0	8.9	40.8	19.4	97.6	88.4	45.9	10.6	29.8	140.0	166.1
Providence, R. I	17.8	4.5	20.6	16 4	14.5	36.2	25.6	225.7	182.5	91.8	16.2	27.2	143.9	150.8
Memphis, Tenn	45.4	131.1	8.4	7.2	21.2	14.8	36.0	244.9	227.9	45.2	5.6	34.8	158.5	115.8
Milwaukee, Wis	20.3	0.2	10.2	13.3	10.0	25.0	11.0	141.0	122.7	67.8	11.3	24.6	91.0	121.3

[1] Includes Allegheny.

SUMMARY AND RATE TABLES

TABLE I.—POPULATION OF EACH

REGISTRATION AREA.	ENUMERATED POPULATION.			ESTIMATED MIDYEAR POPULATION.		
	Federal census, June 1, 1900.	State census, June 1, 1905.	Federal census, Apr. 15, 1910.	1900	1901	1902
TOTAL.						
The registration area	[1] 30,765,618		[2] 51,815,630	[3] 30,794,273	[4] 31,370,952	[4] 32,029,815
Registration cities	[1] 21,477,112		[2] 30,469,152	[3] 21,504,735	[4] 22,252,010	[4] 22,858,803
Registration states	[1] 19,960,742		[2] 45,009,469	[3] 19,965,149	[4] 20,307,043	[4] 20,648,941
Cities in registration states	[1] 10,672,236		[2] 23,662,991	[3] 10,675,611	[4] 11,188,101	[4] 11,477,929
Rural part of registration states	[1] 9,288,506		[2] 21,346,478	[3] 9,289,538	[4] 9,118,942	[4] 9,171,012
Registration cities in other states	[1] 10,804,876		[2] 6,806.161	[3] 10,829,124	[4] 11,063,909	[4] 11,380,874
REGISTRATION STATES.						
California	1,485,053		2,377,549	([5])	([5])	([5])
Colorado	539,700		799,024	([5])	([5])	([5])
Connecticut	908,420		1,114,756	[6] 910,161	931,055	951,949
Indiana	2,516,462		2,700,876	[6] 2,518,018	2,536,692	2,555,367
Maine	694,466		742,371	[6] 694,870	699,721	704,572
Maryland	1,188,044		1,295,346	([5])	([5])	([5])
Massachusetts	2,805,346	[7] 3,003,680	3,366,416	[8] 2,805,346	[8] 2,845,012	[8] 2,884,679
Michigan	2,420,982	[10] 2,530,016	2,810,173	[8] 2,420,982	[8] 2,448,240	[8] 2,475,498
New Hampshire	411,588		430,572	[6] 411,748	413,670	415,592
New Jersey	1,883,669	2,144,143	2,537,167	[8] 1,883,669	[8] 1,935,763	[8] 1,987,858
New York	7,268,894	8,067,308	9,113,614	[8] 7,268,894	[8] 7,428,576	[8] 7,588,259
Ohio	4,157,545		4,767,121	([5])	([5])	([5])
Pennsylvania	6,302,115		7,665,111	([5])	([5])	([5])
Rhode Island	428,556	480,082	542,610	[6] 428,556	[8] 438,861	[8] 449,166
South Dakota	401,570	[11] 455,185	583,888	([5])	([5])	([5])
Vermont	343,641		355,956	[6] 343,745	344,992	346,239
Washington	518.103		1,141,990	([5])	([5])	([5])
Wisconsin	2,069,042	2,228,949	2,333,860	([5])	([5])	([5])
REGISTRATION CITIES.						
ALABAMA.[12]						
Birmingham	38,415		132,685	([5])	([5])	([5])
Mobile	38,469		51,521	[6] 38,494	38,803	39,112
Montgomery	30,346		38,136	([5])	([5])	([5])
CALIFORNIA.						
Alameda	16,464		23,383	[6] 16,522	17,222	17,922
Berkeley	13,214		40,434	([5])	([5])	([5])
Fresno	12,470		24,892	[6] 12,547	13,470	14,393
Los Angeles	102,479		319,198	[6] 104,177	124,553	144,929
Oakland	66,960		150,174	[6] 67,409	72,797	78,185
Pasadena	9,117		30,291	([5])	([5])	([5])
Sacramento	29,282		44,696	[6] 29,412	30,972	32,533
San Diego	17,700		39,578	[6] 17,884	20,099	22,314
San Francisco	342,782		416,912	[6] 343,407	350,913	358,420
San Jose	21,500		28,946	[6] 21,563	22,317	23,071
Stockton	17,506		23,253	([5])	([5])	([5])
COLORADO.						
Colorado Springs	21,085		29,078	([5])	([5])	([5])
Denver	133,859		213,381	[6] 134,456	141,814	148,979
Leadville	12,455		7,508	[6] 12,414	11,913	11,412
Pueblo	28,157		44,395	[6] 28,289	29,882	31,475
CONNECTICUT.						
Ansonia	12,681		15,152	[6] 12,702	12,952	13,202
Bridgeport	70,996		102,054	[6] 71,258	74,403	77,548
Bristol town	9,643		13,502	[6] 9,676	10,066	10,456
Danbury town	19,474		23,502	[6] 19,508	19,915	20,323
Greenwich town	12,172		16,463	[6] 12,208	12,642	13,076
Hartford	79,850		98,915	[6] 80,011	81,941	83,871
Manchester town	10,601		13,641	[6] 10,627	10,934	11,241
Meriden town	28,695		32,066	[6] 28,723	29,064	29,405
Middletown town	17,486		20,749	[6] 17,514	17,844	18,174
Naugatuck	10,541		12,722	[6] 10,559	10,779	11,000
New Britain	28,202		43,916	[6] 28,335	29,926	31,517
New Haven	108,027		133,605	[6] 108,243	110,833	113,423
New London	17,548		19,659	[6] 17,566	17,779	17,992
Norwalk town	19,932		24,211	[6] 19,968	20,401	20,834
Norwich town	24,637		28,219	[6] 24,652	24,832	25,012
Stamford town	18,839		28,836	[6] 18,923	19,935	20,947
Stonington town	8,540		9,154	[6] 8,545	8,607	8,669
Torrington town	12,453		16,840	[6] 12,490	12,934	13,378
Vernon town	8,483		9,087	[6] 8,488	8,549	8,610
Wallingford town	9,001		11,155	[6] 9,019	9,237	9,455
Waterbury	51,139		73,141	[6] 51,325	53,553	55,781
Windham town	10,137		12,604	[6] 10,158	10,407	10,656
DELAWARE.[12]						
Wilmington	76,508		87,411	[6] 76,600	77,704	78,808
DISTRICT OF COLUMBIA.						
Washington	278,718		331,069	[6] 279,160	284,461	289,762

[1] As constituted in the calendar year 1900.
[2] As constituted in the calendar year 1909.
[3] Population by census, June 1, not midyear population, used as basis of rates. Consolidation of estimates of population as of June 1 and of July 1.
[4] Consolidation of estimates of population as of June 1 and of July 1.
[5] Nonregistration.
[6] Population by census, June 1, not midyear population, used as basis of rates.

REGISTRATION AREA: 1900 TO 1909.

REGISTRATION AREA.	ESTIMATED MIDYEAR POPULATION—continued.						
	1903	1904	1905	1906	1907	1908	1909
TOTAL.							
The registration area	[4] 32,701,083	[4] 33,349,137	34,094,605	41,983,419	43,016,990	46,789,913	50,870,518
Registration cities	[4] 23,465,153	[4] 24,041,724	24,729,925	26,342,431	27,145,619	28,501,322	29,655,238
Registration states	[4] 20,990,841	[4] 21,336,715	21,736,908	33,836,029	34,608,896	38,705,861	44,281,685
Cities in registration states	[4] 11,754,911	[4] 12,029,302	12,372,228	18,195,041	18,737,525	20,417,270	23,066,405
Rural part of registration states	[4] 9,235,930	[4] 9,307,413	9,364,680	15,640,988	15,871,371	18,288,591	21,215,280
Registration cities in other states	[4] 11,710,242	[4] 12,012,422	12,357,697	8,147,390	8,408,094	8,084,052	6,588,833
REGISTRATION STATES.							
California	([5])	([5])	([5])	2,034,859	2,125,238	2,215,618	2,305,998
Colorado	([5])	([5])	([5])	699,451	725,712	751,973	778,234
Connecticut	972,844	993,739	1,014,634	1,035,529	1,056,424	1,077,319	1,098,214
Indiana	2,574,042	2,592,717	2,611,392	2,630,067	2,648,742	2,667,417	2,686,092
Maine	709,423	714,274	719,125	723,976	728,827	733,678	738,530
Maryland	([5])	([5])	([5])	1,254,146	1,265,012	1,275,878	1,286,744
Massachusetts	[8] 2,924,346	[8] 2,964,013	[9] 3,015,873	3,089,029	3,162,186	3,235,343	3,308,500
Michigan	[8] 2,502,757	[6] 2,533,990	2,581,676	2,629,362	2,677,048	2,724,734	2,772,421
New Hampshire	417,514	419,436	421,358	423,280	425,203	427,126	429,049
New Jersey	[8] 2,039,953	[8] 2,092,048	[6] 2,150,861	2,231,481	2,312,101	2,392,721	2,473,342
New York	[8] 7,747,942	[8] 7,907,625	[6] 8,085,194	8,299,820	8,514,447	8,729,074	8,943,701
Ohio	([5])	([5])	([5])	([5])	([5])	([5])	4,718,251
Pennsylvania	([5])	([5])	([5])	7,141,766	7,279,791	7,417,816	7,555,841
Rhode Island	[8] 459,471	[8] 469,776	[6] 481,150	493,976	506,802	519,628	532,455
South Dakota	([5])	([5])	([5])	487,094	512,622	538,150	563,678
Vermont	347,486	348,733	349,980	351,227	352,474	353,721	354,968
Washington	([5])	([5])	([5])	([5])	([5])	1,028,794	1,091,973
Wisconsin	([5])	([5])	([5])	([5])	([5])	2,295,302	2,316,822
REGISTRATION CITIES.							
ALABAMA.[12]							
Birmingham	([5])	([5])	([5])	([5])	([5])	62,392	70,346
Mobile	39,421	39,730	40,039	40,348	40,657	50,966	51,276
Montgomery	([5])	([5])	([5])	([5])	([5])	37,629	37,912
CALIFORNIA.							
Alameda	18,622	19,323	20,024	20,725	21,426	22,127	22,828
Berkeley	([5])	([5])	([5])	29,879	32,619	35,359	38,264
Fresno	15,316	16,240	17,164	18,088	19,012	19,936	20,860
Los Angeles	165,305	185,681	206,058	226,435	251,812	272,189	292,566
Oakland	83,574	88,963	94,352	99,741	105,130	110,519	115,908
Pasadena	([5])	([5])	([5])	21,949	25,548	27,247	28,946
Sacramento	34,094	35,655	37,216	38,777	40,338	41,999	43,460
San Diego	24,529	26,744	28,960	31,176	33,392	35,608	37,824
San Francisco	365,927	373,434	380,941	388,448	395,955	403,462	410,969
San Jose	23,825	24,579	25,333	26,087	26,841	27,595	28,349
Stockton	([5])	([5])	([5])	21,046	21,628	22,210	22,792
COLORADO.							
Colorado Springs	([5])	([5])	([5])	26,699	27,326	27,953	28,580
Denver	164,719	171,884	179,049	186,214	193,379	200,544	207,709
Leadville	10,911	10,410	9,909	9,408	8,907	8,406	7,905
Pueblo	33,069	34,663	36,757	38,351	39,945	41,539	43,133
CONNECTICUT.							
Ansonia	13,452	13,702	13,952	14,202	14,452	14,702	14,953
Bridgeport	80,693	83,838	86,983	90,128	93,273	96,418	99,563
Bristol town	10,847	11,238	11,629	12,020	12,411	12,802	13,193
Danbury town	20,731	21,139	21,547	21,955	22,363	22,771	23,179
Greenwich town	13,510	13,944	14,379	14,814	15,249	15,684	16,119
Hartford	85,801	87,731	89,662	91,593	93,524	95,455	97,386
Manchester town	11,549	11,857	12,165	12,473	12,781	13,089	13,397
Meriden town	29,746	30,087	30,428	30,769	31,111	31,453	31,795
Middletown town	18,504	18,834	19,164	19,494	19,825	20,156	20,487
Naugatuck	11,221	11,442	11,663	11,884	12,105	12,326	12,547
New Britain	33,108	34,699	36,290	37,881	39,472	41,064	42,656
New Haven	116,013	118,603	121,193	123,783	126,373	128,963	131,554
New London	18,206	18,420	18,634	18,848	19,062	19,276	19,490
Norwalk town	21,267	21,700	22,133	22,566	22,999	23,433	23,867
Norwich town	26,992	27,172	27,352	27,532	27,713	27,894	28,075
Stamford town	21,959	22,971	23,983	24,995	26,008	27,021	28,034
Stonington town	8,731	8,793	8,855	8,917	8,979	9,041	9,104
Torrington town	13,822	14,266	14,710	15,154	15,598	16,043	16,488
Vernon town	8,671	8,732	8,793	8,854	8,915	8,976	9,038
Wallingford town	9,673	9,891	10,109	10,327	10,545	10,763	10,981
Waterbury	58,009	60,237	62,465	64,693	66,921	69,149	71,377
Windham town	10,906	11,156	11,406	11,656	11,906	12,156	12,406
DELAWARE.[12]							
Wilmington	79,912	81,016	82,120	83,224	84,328	85,432	86,536
DISTRICT OF COLUMBIA.							
Washington	295,063	300,364	305,665	310,966	316,267	321,569	326,872

[7] As of May 1.
[8] As of June 1.
[9] Population by census, May 1, not midyear population, used as basis of rates.
[10] As of June 1, 1904.
[11] As of Apr. 1.
[12] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE I.—POPULATION OF EACH

REGISTRATION AREA.	ENUMERATED POPULATION.			ESTIMATED MIDYEAR POPULATION.		
	Federal census, June 1, 1900.	State census, June 1, 1905.	Federal census, Apr. 15, 1910.	1900	1901	1902
REGISTRATION CITIES—Continued.						
FLORIDA.[1]						
Jacksonville	28,429	[2] 35,301	57,699	[3] 28,429	[3] 29,803	[3] 31,177
Key West	17,114	[2] 20,498	19,945	[3] 17,114	[3] 17,790	[3] 18,467
GEORGIA.[1]						
Atlanta	89,872	.....	154,839	[4] 90,246	94,728	99,210
Savannah	54,244	.....	65,064	[4] 54,276	54,662	62,048
ILLINOIS.[1]						
Aurora	24,147	.....	29,807	[4] 24,194	24,767	25,340
Belleville	17,484	.....	21,122	[4] 17,484	17,487	17,490
Chicago	1,698,575	.....	2,185,283	[4] 1,702,682	1,751,968	1,801,255
Danville	16,354	.....	27,871	[4] 16,395	[5]	[5]
Decatur	20,754	.....	31,140	[4] 20,822	21,638	22,579
Evanston	19,259	.....	24,978	[5]	[5]	[5]
Jacksonville	15,078	.....	15,326	[4] 15,080	15,105	15,130
Ottawa	10,588	.....	9,535	[4] 10,580	10,474	10,368
Quincy	36,252	.....	36,587	[4] 36,254	36,288	36,322
Springfield	34,159	.....	51,678	[4] 34,269	35,597	36,925
INDIANA.						
Anderson	20,178	.....	22,476	[5]	20,429	20,661
Columbus	8,130	.....	8,813	[4] 8,135	8,204	8,273
Elkhart	15,184	.....	19,282	[5]	15,633	16,048
Elwood	12,950	.....	11,028	[5]	12,740	12,546
Evansville	59,007	.....	69,647	[4] 59,092	60,118	61,144
Fort Wayne	45,115	.....	63,933	[5]	46,981	48,704
Hammond	12,376	.....	20,925	[5]	13,251	14,059
Huntington	9,491	.....	10,272	[5]	9,543	9,591
Indianapolis	169,164	.....	233,650	[4] 169,607	174,928	189,249
Jeffersonville	10,774	.....	10,412	[4] 10,771	10,735	10,699
Kokomo	10,609	.....	17,010	[5]	11,228	11,800
Lafayette	18,116	.....	20,081	[4] 18,132	18,331	18,530
Logansport	16,204	.....	19,050	[5]	16,516	16,804
Marion	17,337	.....	19,359	[5]	17,426	17,509
Michigan City	14,850	.....	19,027	[4] 14,882	15,274	15,666
Muncie	20,942	.....	24,005	[4] 20,960	21,279	21,598
New Albany	20,628	.....	20,629	[5]	20,628	20,628
Peru	8,463	.....	10,910	[4] 8,465	10,498	10,531
Richmond	18,226	.....	22,324	[4] 18,257	18,631	19,005
South Bend	35,999	.....	53,684	[5]	37,851	39,636
Terre Haute	36,673	.....	58,157	[4] 36,753	37,713	38,673
Vincennes	10,249	.....	14,895	[4] 10,284	10,708	11,132
Wabash	8,618	.....	8,687	[5]	8,625	8,632
Washington	8,551	.....	7,854	[5]	8,476	8,406
IOWA.[1]						
Burlington	23,201	[7] 25,318	24,324	[3] 23,201	[3] 23,624	[3] 24,047
Davenport	35,254	[7] 39,797	43,028	[3] 35,254	[3] 36,162	[2] 37,070
Muscatine	14,073	[7] 15,087	16,178	[3] 14,073	[3] 14,275	[3] 14,478
Oskaloosa	9,212	[7] 10,203	9,466	[3] 9,212	[5]	[5]
Ottumwa	18,197	[7] 20,181	22,012	[3] 18,197	[3] 18,563	[3] 18,930
Sioux City	33,111	[7] 40,952	47,828	[3] 33,111	[3] 34,679	[3] 36,247
KANSAS.[1]						
Kansas City	51,418	[9] 67,614	82,331	[5]	[5]	[5]
Lawrence	10,862	[9] 11,708	12,374	[3] 10,862	[5]	[5]
Leavenworth	20,735	[9] 20,934	19,363	[3] 20,735	[3] 22,392	[3] 22,441
Wichita	24,671	[9] 31,110	52,450	[2] 24,671	[2] 24,472	[3] 28,163
KENTUCKY.[1]						
Covington	42,938	.....	53,270	[4] 42,956	43,176	43,397
Louisville	204,731	.....	223,928	[4] 204,886	207,154	209,222
Newport	28,301	.....	30,309	[4] 28,317	28,520	28,723
Paducah	19,446	.....	22,760	[4] 19,473	19,808	20,143
LOUISIANA.[1]						
New Orleans	287,104	.....	339,075	[4] 287,542	292,804	298,067
MAINE.						
Auburn	12,951	.....	15,064	[5]	[5]	[5]
Augusta	11,683	.....	13,211	[4] 11,695	11,849	12,003
Bangor	21,850	.....	24,803	[4] 21,874	22,173	22,472
Bath	10,477	.....	9,396	[4] 10,468	10,359	10,250
Biddeford	16,145	.....	17,079	[4] 16,152	16,246	16,340
Lewiston	23,761	.....	26,247	[5]	[5]	[5]
Portland	50,145	.....	58,571	[4] 50,216	51,069	51,922
Rockland	8,150	.....	8,174	[4] 8,150	8,152	8,154
Waterville	9,477	.....	11,458	[5]	[5]	[5]

[1] Nonregistration state; cities shown below only those with effective local ordinances.
[2] As of July 1.
[3] As of June 1.
[4] Population by census, June 1, not midyear population, used as basis of rates.
[5] Nonregistration.

REGISTRATION AREA: 1900 TO 1909—Continued.

REGISTRATION AREA.	ESTIMATED MIDYEAR POPULATION—continued.						
	1903	1904	1905	1906	1907	1908	1909
REGISTRATION CITIES—Continued.							
FLORIDA.[1]							
Jacksonville	[3] 32,551	[3] 33,926	35,301	39,975	44,649	49,323	53,998
Key West	[3] 19,144	[3] 19,821	20,498	20,383	20,268	20,153	20,037
GEORGIA.[1]							
Atlanta	103,692	108,175	114,358	118,841	123,324	127,807	136,290
Savannah	62,435	62,822	63,209	63,596	63,983	64,370	64,757
ILLINOIS.[1]							
Aurora	25,913	26,486	27,059	27,632	28,206	28,780	29,354
Belleville	17,494	17,498	17,502	17,506	21,110	21,114	21,119
Chicago	1,850,542	1,899,829	1,949,116	1,998,403	2,047,690	2,096,977	2,146,264
Danville	[6]	[6]	[6]	[6]	[6]	[6]	[6]
Decatur	23,395	24,211	27,027	27,843	28,659	29,476	30,493
Evanston	[6]	[6]	[6]	[6]	[6]	23,939	24,518
Jacksonville	15,155	15,180	15,205	15,230	15,255	15,280	15,305
Ottawa	10,262	10,155	10,048	9,941	9,834	9,727	9,620
Quincy	36,356	36,390	36,424	36,458	36,492	36,526	36,560
Springfield	38,253	40,181	41,549	42,878	46,007	47,581	50,610
INDIANA.							
Anderson	20,893	21,126	21,359	21,592	21,825	22,058	22,291
Columbus	8,342	8,411	8,480	8,549	8,618	8,688	8,758
Elkhart	16,463	16,878	17,293	17,708	18,123	18,538	18,953
Elwood	12,352	12,158	11,963	11,768	11,573	11,378	11,183
Evansville	62,171	63,198	64,225	65,252	66,779	67,806	68,833
Fort Wayne	50,427	52,150	53,873	55,596	57,620	59,344	62,568
Hammond	14,867	15,675	16,483	17,741	18,669	19,477	20,285
Huntington	9,639	9,688	10,037	10,086	10,135	10,184	10,233
Indianapolis	194,870	200,191	206,013	211,335	218,246	223,813	229,135
Jeffersonville	10,663	10,627	10,590	10,553	10,516	10,479	10,442
Kokomo	12,372	12,944	13,516	14,088	14,660	15,233	16,556
Lafayette	18,729	18,928	19,127	19,326	19,525	19,724	19,923
Logansport	17,092	17,380	17,668	17,956	18,244	18,532	18,821
Marion	18,792	18,875	18,958	19,041	19,124	19,208	19,292
Michigan City	16,058	16,450	16,843	17,236	17,629	18,322	18,715
Muncie	22,117	22,336	22,555	22,774	22,993	23,212	23,831
New Albany	20,628	20,628	20,628	20,628	20,628	20,628	20,628
Peru	10,564	10,597	10,630	10,780	10,814	10,848	10,882
Richmond	19,379	19,753	20,527	20,902	21,277	21,652	22,027
South Bend	41,346	43,181	44,891	46,601	48,312	50,518	52,229
Terre Haute	39,633	40,593	53,553	54,513	55,474	56,435	57,396
Vincennes	11,756	12,180	12,604	13,123	13,708	14,133	14,558
Wabash	8,639	8,646	8,653	8,660	8,667	8,674	8,681
Washington	8,336	8,266	8,195	8,124	8,053	7,982	7,911
IOWA.[1]							
Burlington	[3] 24,470	[3] 24,894	[8] 25,225	[6]	[6]	[6]	[6]
Davenport	[3] 37,979	[3] 38,888	[8] 40,109	[6]	[6]	[6]	[6]
Muscatine	[3] 14,681	[3] 14,884	[8] 15,190	[6]	[6]	[6]	[6]
Oscaloosa	[6]	[6]	[6]	[6]	[6]	[6]	[6]
Ottumwa	[3] 19,447	[6]	[6]	[6]	[6]	[6]	[6]
Sioux City	[3] 37,815	[3] 39,383	[8] 41,601	[6]	[6]	[6]	[6]
KANSAS.[1]							
Kansas City	[6]	[6]	[6]	[6]	[6]	73,248	74,939
Lawrence	[6]	[6]	[6]	[6]	[6]	[6]	[6]
Leavenworth	[3] 22,991	[3] 22,791	[10] 20,832	20,526	20,220	19,914	19,607
Witchita	[3] 31,549	[3] 31,857	[10] 32,497	36,661	40,825	44,989	49,153
KENTUCKY.[1]							
Covington	43,768	43,989	44,210	44,431	47,682	47,873	48,094
Louisville	211,090	212,958	214,826	216,694	218,562	220,430	222,449
Newport	28,926	29,129	29,332	29,535	29,739	29,943	30,147
Paducah	20,478	20,813	21,149	21,485	21,821	22,157	22,493
LOUISIANA.[1]							
New Orleans	303,330	308,593	313,856	319,119	324,382	329,645	334,909
MAINE.							
Auburn	[6]	[6]	[6]	14,252	14,466	14,680	14,894
Augusta	12,158	12,313	12,468	12,623	12,778	12,933	13,088
Bangor	22,771	23,070	23,369	23,668	23,967	24,266	24,565
Bath	10,141	10,032	9,923	9,814	9,704	9,594	9,484
Biddeford	16,434	16,528	16,623	16,718	16,813	16,908	17,003
Lewiston	[6]	[6]	[6]	25,291	25,543	25,795	26,047
Portland	52,775	53,628	54,481	55,334	56,187	57,041	57,895
Rockland	8,156	8,158	8,160	8,162	8,165	8,168	8,171
Waterville	[6]	[6]	[6]	10,695	10,896	11,097	11,298

[6] Included in rural.
[7] As of Jan. 1.
[8] Population by census, Jan. 1, not midyear population, used as basis of rates.
[9] As of Mar. 1.
[10] Population by census, Mar. 1, not midyear population, used as basis of rates.

TABLE I.—POPULATION OF EACH

REGISTRATION AREA.	ENUMERATED POPULATION.			ESTIMATED MIDYEAR POPULATION.		
	Federal census, June 1, 1900.	State census, June 1, 1905.	Federal census, Apr. 15, 1910.	1900	1901	1902
REGISTRATION CITIES—Continued.						
MARYLAND.						
Annapolis	8,525	.....	8,609	[1] 8,525	8,533	8,541
Baltimore	508,957	.....	558,485	[1] 509,374	514,389	519,404
Cumberland	17,128	.....	21,839	[2]	[2]	[2]
Frederick	9,296	.....	10,411	[1] 9,305	9,417	9,530
Hagerstown	13,591	.....	16,507	[2]	[2]	[2]
MASSACHUSETTS.						
Adams town	11,134	[3] 12,486	13,026	[4] 11,134	[4] 11,404	[4] 11,674
Amesbury town	9,473	[3] 8,840	9,894	[4] 9,473	[4] 9,347	[4] 9,221
Arlington town	8,603	[3] 9,668	11,187	[4] 8,603	[4] 8,816	[4] 9,029
Attleborough town	11,335	[3] 12,702	16,215	[4] 11,335	[4] 11,608	[4] 11,881
Beverly	13,884	[3] 15,223	18,650	[4] 13,884	[4] 14,151	[4] 14,419
Boston	560,892	[3] 595,380	670,585	[4] 560,892	[4] 567,789	[4] 574,686
Brockton	40,063	[3] 47,794	56,878	[4] 40,063	[4] 41,609	[4] 43,155
Brookline town	19,935	[3] 23,436	27,792	[4] 19,935	[4] 20,635	[4] 21,335
Cambridge	91,886	[3] 97,434	104,839	[4] 91,886	[4] 92,995	[4] 94,104
Chelsea [6]	34,072	[3] 37,289	32,452	[4] 34,072	[4] 34,715	[4] 35,358
Chicopee	19,167	[3] 20,191	25,401	[4] 19,167	[4] 19,371	[4] 19,576
Clinton town	13,667	[3] 13,105	13,075	[4] 13,667	[4] 13,555	[4] 13,443
Danvers town	8,542	[3] 9,063	9,407	[4] 8,542	[4] 8,646	[4] 8,750
Everett	24,336	[3] 29,111	33,484	[4] 24,336	[4] 25,291	[4] 26,246
Fall River	104,863	[3] 105,762	119,295	[4] 104,863	[4] 105,042	[4] 105,222
Fitchburg	31,531	[3] 33,021	37,826	[4] 31,531	[4] 31,829	[4] 32,127
Framingham town	11,302	[3] 11,548	12,948	[4] 11,302	[4] 11,351	[4] 11,400
Gardner town	10,813	[3] 12,012	14,699	[4] 10,813	[4] 11,052	[4] 11,292
Gloucester	26,121	[3] 26,011	24,398	[4] 26,121	[4] 26,099	[4] 26,077
Haverhill	37,175	[3] 37,830	44,115	[4] 37,175	[4] 37,306	[4] 37,437
Holyoke	45,712	[3] 49,934	57,730	[4] 45,712	[4] 46,556	[4] 47,400
Hyde Park town	13,244	[3] 14,510	15,507	[4] 13,244	[4] 13,497	[4] 13,750
Lawrence	62,559	[3] 70,050	85,892	[4] 62,559	[4] 64,057	[4] 65,555
Leominster town	12,392	[3] 14,297	17,580	[4] 12,392	[4] 12,773	[4] 13,154
Lowell	94,969	[3] 94,889	106,294	[4] 94,969	[4] 94,953	[4] 94,937
Lynn	68,513	[3] 77,042	89,336	[4] 68,513	[4] 70,218	[4] 71,924
Malden	33,664	[3] 38,037	44,404	[4] 33,664	[4] 34,538	[4] 35,412
Marlborough	13,609	[3] 14,073	14,579	[4] 13,609	[4] 13,701	[4] 13,794
Medford	18,244	[3] 19,686	23,150	[4] 18,244	[4] 18,532	[4] 18,820
Melrose	12,962	[3] 14,295	15,715	[4] 12,962	[4] 13,228	[4] 13,494
Milford town	11,376	[3] 12,105	13,055	[4] 11,376	[4] 11,521	[4] 11,667
Natick town	9,488	[3] 9,609	9,866	[4] 9,488	[4] 9,512	[4] 9,536
New Bedford	62,442	[3] 74,362	96,652	[4] 62,442	[4] 64,826	[4] 67,210
Newburyport	14,478	[3] 14,675	14,949	[4] 14,478	[4] 14,517	[4] 14,556
Newton	33,587	[3] 36,827	39,806	[4] 33,587	[4] 34,235	[4] 34,883
North Adams	24,200	[3] 22,150	22,019	[4] 24,200	[4] 23,790	[4] 23,380
Northampton	18,643	[3] 19,957	19,431	[4] 18,643	[4] 18,905	[4] 19,168
Peabody town	11,523	[3] 13,098	15,721	[4] 11,523	[4] 11,838	[4] 12,153
Pittsfield	21,766	[3] 25,001	32,121	[4] 21,766	[4] 22,413	[4] 23,060
Plymouth town	9,592	[3] 11,119	12,141	[4] 9,592	[4] 9,897	[4] 10,202
Quincy	23,899	[3] 28,076	32,642	[4] 23,899	[4] 24,734	[4] 25,569
Revere town	10,395	[3] 12,659	18,219	[4] 10,395	[4] 10,847	[4] 11,300
Salem	35,956	[3] 37,627	43,697	[4] 35,956	[4] 36,290	[4] 36,624
Somerville	61,643	[3] 69,272	77,236	[4] 61,643	[4] 63,168	[4] 64,694
Southbridge town	10,025	[3] 11,000	12,592	[4] 10,025	[4] 10,220	[4] 10,415
Springfield	62,059	[3] 73,540	88,926	[4] 62,059	[4] 64,355	[4] 66,651
Taunton	31,036	[3] 30,967	34,259	[4] 31,036	[4] 31,023	[4] 31,009
Wakefield town	9,290	[3] 10,268	11,404	[4] 9,290	[4] 9,485	[4] 9,680
Waltham	23,481	[3] 26,282	27,834	[4] 23,481	[4] 24,041	[4] 24,601
Ware town	8,263	[3] 8,594	8,774	[4] 8,263	[4] 8,329	[4] 8,395
Watertown town	9,706	[3] 11,258	12,875	[4] 9,706	[4] 10,016	[4] 10,326
Webster town	8,804	[3] 10,018	11,509	[4] 8,804	[4] 9,046	[4] 9,289
Westfield town	12,310	[3] 13,611	16,044	[4] 12,310	[4] 12,570	[4] 12,830
Weymouth town	11,324	[3] 11,585	12,895	[4] 11,324	[4] 11,376	[4] 11,428
Woburn	14,254	[3] 14,402	15,308	[4] 14,254	[4] 14,283	[5] 14,312
Worcester	118,421	[3] 128,135	145,986	[4] 118,421	[4] 120,363	[4] 122,306
MICHIGAN.						
Adrian	9,654	[7] 10,680	10,763	[8]	[8]	[8]
Alpena	11,802	[7] 12,400	12,706	[8]	[8]	[8]
Ann Arbor	14,509	[7] 14,599	14,817	[4] 14,509	[4] 14,531	[4] 14,553
Battle Creek	18,563	[7] 22,213	25,267	[4] 18,563	[4] 19,475	[4] 20,387
Bay City	27,628	[7] 27,644	[9] 45,166	[4] 27,628	[4] 27,632	[4] 27,636
Detroit	285,704	[7] 317,591	465,766	[4] 285,704	[4] 293,675	[4] 301,647
Escanaba	9,549	[7] 11,098	13,194	[4] 9,549	[4] 9,936	[4] 10,323
Flint	13,103	[7] 14,884	38,550	[4] 13,103	[4] 13,848	[4] 14,193
Grand Rapids	87,565	[7] 95,718	112,571	[4] 87,565	[4] 89,603	[4] 91,641
Iron Mountain	9,242	[7] 8,585	9,216	[4] 9,242	[4] 9,078	[4] 8,914

[1] Population by census, June 1, not midyear population, used as basis of rates.
[2] Nonregistration.
[3] As of May 1.
[4] As of June 1.
[5] Population by census, May 1, not midyear population, used as basis of rates.

REGISTRATION AREA: 1900 TO 1909—Continued.

REGISTRATION AREA.	ESTIMATED MIDYEAR POPULATION—continued.						
	1903	1904	1905	1906	1907	1908	1909
REGISTRATION CITIES—Continued.							
MARYLAND.							
Annapolis	8,549	8,557	8,565	8,574	8,583	8,592	8,601
Baltimore	524,419	529,434	534,449	539,465	544,481	549,497	554,513
Cumberland	(2)	(2)	(2)	20,029	20,506	20,983	21,461
Frederick	9,643	9,756	9,869	9,982	10,095	10,208	10,321
Hagerstown	(2)	(2)	(2)	15,385	15,680	15,976	16,272
MASSACHUSETTS.							
Adams town	[4] 11,944	[4] 12,215	[5] 12,504	12,613	12,722	12,831	12,940
Amesbury town	[4] 9,094	[4] 8,967	[6] 8,875	9,087	9,299	9,512	9,725
Arlington town	[4] 9,242	[4] 9,455	[5] 9,719	10,025	10,331	10,637	10,944
Attleborough town	[4] 12,154	[4] 12,428	[5] 12,820	13,528	14,236	14,945	15,654
Beverly	[4] 14,687	[4] 14,955	[5] 15,338	16,029	16,720	17,411	18,102
Boston	[4] 581,584	[4] 588,482	[5] 597,908	613,075	628,242	643,409	658,576
Brockton	[4] 44,701	[4] 46,247	[5] 48,100	49,932	51,764	53,596	55,428
Brookline town	[4] 22,035	[4] 22,735	[5] 23,582	24,460	25,338	26,217	27,096
Cambridge	[4] 95,214	[4] 96,324	[5] 97,683	99,176	100,669	102,162	103,656
Chelsea [6]	[4] 36,001	[4] 36,645	[5] 37,127	36,152	35,177	34,201	33,225
Chicopee	[4] 19,781	[4] 19,986	[5] 20,366	21,416	22,467	23,518	24,569
Clinton town	[4] 13,331	[4] 13,218	[5] 13,104	13,098	13,092	13,086	13,080
Danvers town	[4] 8,854	[4] 8,958	[5] 9,075	9,144	9,213	9,282	9,352
Everett	[4] 27,201	[4] 28,156	[5] 29,257	30,139	31,021	31,903	32,785
Fall River	[4] 105,402	[4] 105,582	[5] 106,217	108,946	111,675	114,404	117,134
Fitchburg	[4] 32,425	[4] 32,723	[5] 33,183	34,152	35,121	36,090	37,059
Framingham town	[4] 11,449	[4] 11,498	[5] 11,595	11,877	12,159	12,441	12,724
Gardner town	[4] 11,532	[4] 11,772	[5] 12,102	12,644	13,186	13,728	14,270
Gloucester	[4] 26,055	[4] 26,033	[6] 25,957	25,632	25,307	24,982	24,657
Haverhill	[4] 37,568	[4] 37,699	[5] 38,041	39,308	40,575	41,843	43,111
Holyoke	[4] 48,244	[4] 49,089	[5] 50,192	51,738	53,284	54,830	56,506
Hyde Park town	[4] 14,003	[4] 14,256	[6] 14,544	14,745	14,946	15,147	15,348
Lawrence	[4] 67,053	[4] 68,551	[5] 70,582	73,777	76,972	80,167	83,362
Leominster town	[4] 13,535	[4] 13,916	[5] 14,407	15,069	15,731	16,393	17,055
Lowell	[4] 94,921	[4] 94,905	[6] 95,261	97,801	100,041	102,281	104,521
Lynn	[4] 73,630	[4] 75,336	[5] 77,455	79,934	82,413	84,893	87,373
Malden	[4] 36,287	[4] 37,162	[5] 38,251	39,535	40,819	42,103	43,387
Marlborough	[4] 13,887	[4] 13,980	[5] 14,090	14,192	14,294	14,396	14,498
Medford	[4] 19,108	[4] 19,397	[5] 19,802	20,500	21,198	21,897	22,596
Melrose	[4] 13,761	[4] 14,028	[5] 14,343	14,629	14,915	15,201	15,488
Milford town	[4] 11,813	[4] 11,959	[5] 12,136	12,327	12,519	12,711	12,903
Natick town	[4] 9,560	[4] 9,584	[6] 9,618	9,669	9,721	9,773	9,825
New Bedford	[4] 69,594	[4] 71,978	[5] 75,112	79,607	84,102	88,597	93,093
Newburyport	[4] 14,595	[4] 14,635	[5] 14,684	14,739	14,794	14,849	14,905
Newton	[4] 35,531	[4] 36,179	[6] 36,927	37,527	38,128	38,729	39,330
North Adams	[4] 22,970	[4] 22,560	[5] 22,146	22,120	22,094	22,068	22,041
Northampton	[4] 19,431	[4] 19,694	[5] 19,944	19,864	19,783	19,702	19,496
Peabody town	[4] 12,468	[4] 12,783	[5] 13,186	13,715	14,244	14,773	15,302
Pittsfield	[4] 23,707	[4] 24,354	[5] 25,240	26,676	28,112	29,548	30,984
Plymouth town	[4] 10,507	[4] 10,813	[5] 11,153	11,359	11,565	11,771	11,977
Quincy	[4] 26,404	[4] 27,240	[5] 28,229	29,150	30,071	30,992	31,913
Revere town	[4] 11,753	[4] 12,206	[6] 12,845	13,966	15,087	16,208	17,330
Salem	[4] 36,958	[4] 37,292	[5] 37,831	39,055	40,279	41,503	42,728
Somerville	[4] 66,220	[4] 67,746	[6] 69,539	71,145	72,751	74,358	75,964
Southbridge town	[4] 10,610	[4] 10,805	[5] 11,053	11,374	11,695	12,016	12,337
Springfield	[4] 68,947	[4] 71,243	[5] 74,056	77,159	80,262	83,365	86,468
Taunton	[4] 30,995	[4] 30,981	[5] 31,077	31,741	32,405	33,069	33,733
Wakefield town	[4] 9,876	[4] 10,072	[5] 10,306	10,535	10,764	10,993	11,222
Waltham	[4] 25,161	[4] 25,721	[5] 26,334	26,647	26,960	27,273	27,586
Ware town	[4] 8,461	[4] 8,527	[5] 8,600	8,636	8,672	8,708	8,745
Watertown town	[4] 10,636	[4] 10,947	[5] 11,312	11,638	11,964	12,290	12,616
Webster town	[4] 9,532	[4] 9,775	[5] 10,068	10,368	10,669	10,970	11,271
Westfield town	[4] 13,090	[4] 13,350	[5] 13,693	14,183	14,673	15,164	15,655
Weymouth town	[4] 11,480	[4] 11,532	[5] 11,629	11,893	12,157	12,421	12,685
Woburn	[4] 14,342	[4] 14,372	[5] 14,432	14,614	14,797	14,980	15,163
Worcester	[4] 124,249	[4] 126,192	[5] 128,735	132,335	135,935	139,535	143,135
MICHIGAN.							
Adrian	(8)	(8)	(8)	10,709	10,723	10,737	10,751
Alpena	(8)	(8)	(8)	12,508	12,560	12,612	12,664
Ann Arbor	[4] 14,576	[1] 14,602	14,639	14,676	14,713	14,750	14,787
Battle Creek	[4] 21,300	[1] 22,256	22,776	23,296	23,816	24,336	24,856
Bay City	[4] 27,640	[1] 27,685	[9] 41,474	[9] 42,243	[9] 43,013	[9] 43,783	[9] 44,554
Detroit	[4] 309,619	[1] 319,332	340,224	381,116	407,439	428,332	449,225
Escanaba	[4] 10,710	[1] 11,127	11,483	11,840	12,197	12,554	12,911
Flint	[4] 14,538	[1] 15,219	19,247	23,275	27,303	31,331	35,360
Grand Rapids	[4] 93,679	[1] 95,957	98,825	101,693	104,561	107,430	110,299
Iron Mountain	[4] 8,750	[1] 8,593	8,700	8,807	8,914	9,022	9,130

[6] Corrected midyear estimates of population for the years 1905 to 1909, on account of fire in 1908, are: 1905, 37,398; 1906, 38,052; 1907, 38,706; 1908, 32,452; 1909, 32,452. The estimates for 1905, 1906, and 1907 are based on the Federal census of 1900 and the state census of 1905. The figures for 1908 and 1909 are the Federal census figures for 1910.

[7] As of June 1, 1904.

[8] Included in rural.

[9] Including West Bay City.

TABLE I.—POPULATION OF EACH

REGISTRATION AREA.	ENUMERATED POPULATION.			ESTIMATED MIDYEAR POPULATION.		
	Federal census, June 1, 1900.	State census, June 1, 1905.	Federal census, Apr. 15, 1910.	1900	1901	1902
REGISTRATION CITIES—Continued.						
MICHIGAN—continued.						
Ironwood	9,705	[1] 10,019	12,821	[2] 9,705	[2] 9,783	[2] 9,861
Ishpeming	13,255	[1] 11,623	12,448	[2] 13,255	[2] 12,847	[2] 12,439
Jackson	25,180	[1] 25,300	31,433	[2] 25,180	[2] 25,210	[2] 25,240
Kalamazoo	24,404	[1] 29,782	39,437	[2] 24,404	[2] 25,748	[2] 27,092
Lansing	16,485	[1] 20,276	31,229	[2] 16,485	[2] 17,432	[2] 18,380
Manistee	14,260	[1] 12,708	12,381	(4)	(4)	(4)
Marquette	10,058	[1] 10,665	11,503	[2] 10,058	[2] 10,209	[2] 10,361
Menominee	12,818	[1] 11,096	10,507	[2] 12,818	[2] 12,388	[2] 11,958
Muskegon	20,818	[1] 20,897	24,062	[2] 20,818	[2] 20,837	[2] 20,857
Owosso	8,696	[1] 9,145	9,639	[2] 8,696	[2] 8,808	[2] 8,920
Pontiac	9,769	[1] 10,884	14,532	[2] 9,769	[2] 10,047	[2] 10,326
Port Huron	19,158	[1] 20,028	18,863	[2] 19,158	[2] 19,375	[2] 19,592
Saginaw	42,345	[1] 46,610	50,510	[2] 42,345	[2] 43,411	[2] 44,477
Sault Ste. Marie	10,538	[1] 11,442	12,615	[2] 10,538	[2] 10,764	[2] 10,990
Traverse City	9,407	[1] 11,237	12,115	[2] 9,407	[2] 9,864	[2] 10,321
West Bay City	13,119	[1] 12,997	(5)	[2] 13,119	[2] 13,089	[2] 13,059
MINNESOTA.[6]						
Duluth	52,969	64,942	78,466	[2] 52,969	[2] 55,363	[2] 57,757
Mankato	10,599	10,996	10,365	[2] 10,599	[2] 10,678	[2] 10,757
Minneapolis	202,718	261,974	301,408	[2] 202,718	[2] 214,569	[2] 226,420
St. Paul	163,065	197,023	214,744	[2] 163,065	[2] 169,856	[2] 176,647
Winona	19,714	20,334	18,583	[2] 19,714	[2] 19,838	[2] 19,962
MISSOURI.[6]						
Kansas City	163,752	.....	248,381	[3] 164,381	171,938	179,495
St. Joseph	102,979	.....	77,403	(7)	(7)	(7)
St. Louis	575,238	.....	687,029	[3] 576,181	587,501	598,821
MONTANA.[6]						
Helena	10,770	.....	12,515	[3] 10,784	(8)	(8)
NEBRASKA.[6]						
Lincoln	40,169	.....	43,973	[3] 40,201	40,586	40,971
Omaha	102,555	.....	124,096	[3] 102,736	104,917	107,098
NEW HAMPSHIRE.						
Berlin	8,886	.....	11,780	[3] 8,910	9,203	9,496
Concord	19,632	.....	21,497	[3] 19,647	19,835	20,024
Dover	13,207	.....	13,247	[3] 13,207	13,211	13,215
Keene	9,165	.....	10,068	[3] 9,172	9,263	9,354
Laconia	8,042	.....	10,183	[3] 8,060	8,276	8,492
Manchester	56,987	.....	70,063	[3] 57,097	58,421	59,745
Nashua	23,898	.....	26,005	[3] 23,915	24,128	24,341
Portsmouth	10,637	.....	11,269	[3] 10,642	10,706	10,770
Rochester	8,466	.....	8,868	[3] 8,469	8,509	8,549
NEW JERSEY.						
Atlantic City	27,838	37,593	46,150	[2] 27,838	[2] 29,789	[2] 31,740
Bayonne	32,722	42,262	55,545	[2] 32,722	[2] 34,630	[2] 36,538
Bloomfield	9,668	11,668	15,070	(4)	(4)	(4)
Bridgeton	13,913	13,624	14,209	[2] 13,913	[2] 13,856	[2] 13,798
Camden	75,935	83,363	94,538	[2] 75,935	[2] 77,420	[2] 78,905
East Orange	21,506	25,175	34,371	(4)	(4)	(4)
Elizabeth	52,130	60,509	73,409	[2] 52,130	[2] 53,805	[2] 55,481
Hackensack	9,443	11,098	14,050	(4)	(4)	(4)
Harrison	10,596	12,823	14,498	[2] 10,596	[2] 11,041	[2] 11,486
Hoboken	59,364	65,468	70,324	[2] 59,364	[2] 60,584	[2] 61,805
Jersey City	206,433	232,699	267,779	[2] 206,433	[2] 211,686	[2] 216,939
Kearny	10,896	13,601	18,659	(4)	(4)	(4)
Long Branch	8,872	12,183	13,298	(4)	(4)	(4)
Millville	10,583	11,884	12,451	[2] 10,583	[2] 10,843	[2] 11,103
Montclair	13,962	16,370	21,550	[2] 13,962	[2] 14,443	[2] 14,924
Morristown	11,267	12,146	12,507	[2] 11,267	[2] 11,442	[2] 11,618
New Brunswick	20,006	23,133	23,388	[2] 20,006	[2] 20,631	[2] 21,256
Newark	246,070	283,289	347,469	[2] 246,070	[2] 252,415	[2] 260,260
Orange	24,141	26,101	29,630	[2] 24,141	[2] 24,533	[2] 24,925
Passaic	27,777	37,837	54,773	[2] 27,777	[2] 29,989	[2] 31,951
Paterson	105,171	111,529	125,600	[2] 105,171	[2] 106,442	[2] 107,713
Perth Amboy	17,699	25,895	32,121	[2] 17,699	[2] 19,338	[2] 20,977
Phillipsburg	10,052	13,352	13,903	[2] 10,052	[2] 10,412	[2] 10,772
Plainfield	15,369	18,468	20,550	[2] 15,369	[2] 15,988	[2] 16,608
Trenton	73,307	84,180	96,815	[2] 73,307	[2] 75,481	[2] 77,655
Union	15,187	17,005	21,023	[2] 15,187	[2] 15,550	[2] 15,913
West Hoboken	23,094	29,082	35,403	(4)	(4)	(4)

[1] As of June 1, 1904.
[2] As of June 1.
[3] Population by census, June 1, not midyear population, used as basis of rates.
[4] Included in rural.
[5] Included in Bay City.

REGISTRATION AREA: 1900 TO 1909—Continued.

REGISTRATION AREA.	ESTIMATED MIDYEAR POPULATION—continued.						
	1903	1904	1905	1906	1907	1908	1909
REGISTRATION CITIES—Continued.							
MICHIGAN—continued.							
Ironwood	[2] 9,940	[3] 10,058	10,535	11,012	11,489	11,966	12,443
Ishpeming	[2] 12,031	[3] 11,634	11,774	11,914	12,054	12,195	12,336
Jackson	[2] 25,270	[3] 25,387	26,431	27,475	28,519	29,563	30,607
Kalamazoo	[2] 28,437	[3] 29,918	31,561	33,204	34,848	36,492	38,136
Lansing	[2] 19,328	[2] 20,431	22,295	24,159	26,023	27,887	29,752
Manistee	(4)	(4)	(4)	12,594	12,538	12,482	12,426
Marquette	[2] 10,513	[3] 10,676	10,818	10,960	11,103	11,246	11,389
Menominee	[2] 11,527	[3] 11,088	10,988	10,888	10,788	10,688	10,588
Muskegon	[2] 20,877	[3] 20,941	21,479	22,018	22,557	23,096	23,635
Owosso	[2] 9,032	[3] 9,152	9,236	9,320	9,404	9,488	9,572
Pontiac	[2] 10,605	[3] 10,928	11,963	12,499	13,035	13,571	14,107
Port Huron	[2] 19,810	[3] 20,012	19,814	19,616	19,418	19,220	19,021
Saginaw	[2] 45,543	[3] 46,665	47,328	47,992	48,656	49,320	49,984
Sault Ste. Marie	[2] 11,216	[3] 11,458	11,657	11,856	12,056	12,256	12,456
Traverse City	[2] 10,779	[3] 11,249	11,398	11,547	11,696	11,846	11,996
West Bay City	[2] 13,028	[3] 13,020	(5)	(5)	(5)	(5)	(5)
MINNESOTA. [6]							
Duluth	[2] 60,152	[2] 62,547	[3] 65,173	67,947	70,721	73,495	76,269
Mankato	[2] 10,836	[2] 10,916	[3] 10,986	10,857	10,728	10,599	10,469
Minneapolis	[2] 238,271	[2] 250,122	[3] 262,648	270,737	278,826	286,915	295,004
St. Paul	[2] 183,439	[2] 190,231	[3] 197,326	200,961	204,596	208,231	211,866
Winona	[2] 20,086	[2] 20,210	[3] 20,305	19,946	19,587	19,228	18,869
MISSOURI. [6]							
Kansas City	187,052	194,609	202,166	209,723	217,281	224,839	242,397
St. Joseph	(7)	(7)	(7)	(7)	(7)	(7)	(7)
St. Louis	610,141	621,461	632,782	644,103	655,424	666,745	678,066
MONTANA. [6]							
Helena	(8)	(8)	(8)	(8)	(8)	(8)	(8)
NEBRASKA. [6]							
Lincoln	41,356	41,741	42,126	42,511	42,896	43,281	43,667
Omaha	109,279	111,460	113,641	115,823	118,005	120,187	122,369
NEW HAMPSHIRE.							
Berlin	9,789	10,082	10,375	10,668	10,961	11,254	11,547
Concord	20,213	20,402	20,591	20,780	20,969	21,158	21,347
Dover	13,219	13,223	13,227	13,231	13,235	13,239	13,243
Keene	9,445	9,536	9,627	9,719	9,811	9,903	9,995
Laconia	8,709	8,926	9,143	9,360	9,577	9,794	10,011
Manchester	61,069	62,393	63,717	65,041	66,365	67,689	69,014
Nashua	24,554	24,767	24,980	25,194	25,408	25,622	25,836
Portsmouth	10,334	10,898	10,962	11,026	11,090	11,154	11,218
Rochester	8,589	8,630	8,671	8,712	8,753	8,794	8,835
NEW JERSEY.							
Atlantic City	[2] 33,691	[2] 35,642	[3] 37,739	39,494	41,249	43,004	44,759
Bayonne	[2] 38,446	[2] 40,354	[3] 42,489	45,213	47,937	50,662	53,387
Bloomfield	(4)	(4)	(4)	12,423	13,121	13,819	14,517
Bridgeton	[2] 13,740	[2] 13,682	[3] 13,634	13,754	13,874	13,994	14,114
Camden	[2] 80,391	[2] 81,877	[3] 83,554	85,846	88,138	90,430	92,722
East Orange	(4)	(4)	(4)	27,218	29,104	30,991	32,878
Elizabeth	[2] 57,157	[2] 58,833	[3] 60,725	63,319	65,914	68,759	71,354
Hackensack	(4)	(4)	(4)	11,753	12,358	12,964	13,570
Harrison	[2] 11,931	[2] 12,377	[3] 12,851	13,194	13,537	13,881	14,225
Hoboken	[2] 63,026	[2] 64,247	[3] 65,551	66,547	67,543	68,539	69,535
Jersey City	[2] 222,192	[2] 227,445	[3] 233,298	240,494	247,690	254,886	262,082
Kearny	(4)	(4)	(4)	14,724	15,761	16,799	17,837
Long Branch	(4)	(4)	(4)	12,430	12,658	12,887	13,116
Millville	[2] 11,363	[2] 11,623	[3] 11,893	12,009	12,125	12,241	12,358
Montclair	[2] 15,406	[2] 15,888	[3] 16,458	17,520	18,582	19,645	20,708
Morristown	[2] 11,794	[2] 11,970	[3] 12,152	12,226	12,300	12,374	12,448
New Brunswick	[2] 21,881	[2] 22,507	[3] 23,137	23,189	23,241	23,293	23,346
Newark	[2] 266,605	[2] 272,950	[3] 284,386	297,551	310,716	323,881	337,046
Orange	[2] 25,317	[2] 25,709	[3] 26,161	26,884	27,608	28,332	29,056
Passaic	[2] 33,913	[2] 35,875	[3] 38,126	41,600	45,074	48,548	52,023
Paterson	[2] 108,985	[2] 110,257	[3] 111,769	114,655	117,541	120,428	123,315
Perth Amboy	[2] 22,616	[2] 24,255	[3] 26,001	27,278	28,555	29,832	31,109
Phillipsburg	[2] 12,632	[2] 12,992	[3] 13,361	13,474	13,587	13,700	13,813
Plainfield	[2] 17,228	[2] 17,848	[2] 18,503	18,930	19,357	19,784	20,211
Trenton	[2] 79,830	[2] 82,005	[3] 84,396	86,987	89,579	92,171	94,763
Union	[2] 16,277	[2] 16,641	[3] 17,073	17,897	18,721	19,545	20,369
West Hoboken	(4)	(4)	(4)	30,486	31,782	33,079	34,376

[6] Nonregistration state; cities shown below only those with effective local ordinances.
[7] No estimate.
[8] Nonregistration.

TABLE I.—POPULATION OF EACH

REGISTRATION AREA.	ENUMERATED POPULATION.			ESTIMATED MIDYEAR POPULATION.		
	Federal census, June 1, 1900.	State census, June 1, 1905.	Federal census, Apr. 15, 1910.	1900	1901	1902
REGISTRATION CITIES—Continued.						
NEW YORK.						
Albany	94,151	97,806	100,253	[1] 94,151	[1] 94,882	[1] 95,613
Amsterdam	20,929	23,807	31,267	[1] 20,929	[1] 22,346	[1] 22,711
Auburn	30,345	32,527	34,668	[1] 30,345	[1] 30,781	[1] 31,217
Batavia	9,180	10,214	11,613	[3]	[3]	[3]
Binghamton	39,647	43,096	48,443	[1] 39,647	[1] 40,336	[1] 41,026
Buffalo	352,387	376,914	423,715	[1] 352,387	[1] 357,292	[1] 362,197
Cohoes	23,910	24,063	24,709	[1] 23,910	[1] 23,940	[1] 23,970
Corning	11,061	13,438	13,730	[1] 11,061	[1] 11,536	[1] 12,011
Cortland	9,014	11,194	11,504	[1] 9,014	[1] 9,350	[1] 9,686
Dunkirk	11,616	15,197	17,221	[1] 11,616	[1] 12,332	[1] 13,048
Elmira	35,672	35,724	37,176	[1] 35,672	[1] 35,682	[1] 35,692
Geneva	10,433	12,161	12,446	[1] 10,433	[1] 10,778	[1] 11,123
Glens Falls	12,613	14,650	15,243	[1] 12,613	[1] 13,020	[1] 13,427
Gloversville	18,349	18,578	20,642	[1] 18,349	[1] 18,394	[1] 18,440
Hornell	11,918	13,145	13,617	[3]	[3]	[3]
Hudson	9,528	10,364	11,417	[1] 9,528	[1] 9,695	[1] 9,862
Ithaca	13,136	14,496	14,802	[1] 13,136	[1] 13,408	[1] 13,680
Jamestown	22,892	26,005	31,297	[1] 22,892	[1] 23,514	[1] 24,136
Johnstown	10,130	9,765	10,447	[1] 10,130	[1] 10,057	[1] 9,984
Kingston	24,535	25,410	25,908	[1] 24,535	[1] 24,710	[1] 24,885
Lansingburg	12,595	[4]	[4]	[1] 12,595	[4]	[4]
Little Falls	10,381	11,038	12,273	[3]	[3]	[3]
Lockport	16,581	17,428	17,970	[1] 16,581	[1] 16,750	[1] 16,919
Middletown	14,522	15,682	15,313	[1] 14,522	[1] 14,754	[1] 14,986
Mount Vernon	21,228	24,930	30,919	[1] 21,228	[1] 21,968	[1] 22,708
New Rochelle	14,720	20,387	28,867	[1] 14,720	[1] 15,853	[1] 16,986
New York	3,437,202	4,000,403	4,766,883	[1] 3,437,202	[1] 3,549,840	[1] 3,662,480
Bronx Borough	200,507	271,592	430,980	[1] 200,507	[1] 214,724	[1] 228,941
Brooklyn Borough	1,166,582	1,355,106	1,634,351	[1] 1,166,582	[1] 1,204,286	[1] 1,241,991
Manhattan Borough	1,850,093	2,102,928	2,331,542	[1] 1,850,093	[1] 1,900,660	[1] 1,951,227
Queens Borough	152,999	197,838	284,041	[1] 152,999	[1] 161,966	[1] 170,934
Richmond Borough	67,021	72,939	85,969	[1] 67,021	[1] 68,204	[1] 69,387
Newburgh	24,943	26,318	27,805	[1] 24,943	[1] 25,218	[1] 25,493
Niagara Falls	19,457	26,432	30,445	[1] 19,457	[1] 20,852	[1] 22,247
North Tonawanda	9,069	10,135	11,955	[3]	[3]	[3]
Ogdensburg	12,633	14,815	15,933	[1] 12,633	[1] 14,708	[1] 14,734
Olean	9,462	10,079	14,743	[1] 9,462	[1] 9,585	[1] 9,708
Oswego	22,199	22,382	23,368	[3]	[3]	[3]
Peekskill	10,358	13,200	15,245	[1] 10,358	[1] 10,926	[1] 11,494
Plattsburg	8,434	10,110	11,138	[3]	[3]	[3]
Port Jervis	9,385	9,695	9,564	[1] 9,385	[1] 9,447	[1] 9,509
Poughkeepsie	24,029	25,146	27,936	[1] 24,029	[1] 24,252	[1] 24,475
Rochester	162,608	182,022	218,149	[1] 162,608	[1] 166,261	[1] 169,915
Rome	15,343	17,329	20,497	[1] 15,343	[1] 15,740	[1] 16,137
Saratoga Springs	12,409	12,999	12,693	[1] 12,409	[1] 12,527	[1] 12,645
Schenectady	31,682	58,213	72,826	[1] 31,682	[1] 35,388	[1] 47,094
Syracuse	108,374	117,129	137,249	[1] 108,374	[1] 110,125	[1] 111,876
Troy[5]	60,651	76,271	76,813	[1] 60,651	[1] 75,299	[1] 75,542
Utica	56,383	63,647	74,419	[1] 56,383	[1] 57,835	[1] 59,288
Watertown	21,696	25,276	26,730	[1] 21,696	[1] 22,412	[1] 23,128
Watervliet	14,321	14,481	15,074	[1] 14,321	[1] 14,353	[1] 14,385
Yonkers	47,931	61,414	79,803	[1] 47,931	[1] 50,627	[1] 53,323
NORTH CAROLINA.[6]						
Raleigh	13,643	.....	19,218	[2] 13,641	13,615	13,589
Wilmington	20,976	.....	25,748	[2] 21,016	21,499	21,982
OHIO.						
Akron	42,728	.....	69,067	[7]	[7]	[7]
Alliance	8,974	.....	15,083	[7]	[7]	[7]
Ashtabula	12,949	.....	18,266	[2] 12,989	13,476	13,963
Bellaire	9,912	.....	12,946	[2] 9,929	10,134	10,340
Cambridge	8,241	.....	11,327	[7]	[7]	[7]
Canton	30,667	.....	50,217	[2] 30,789	32,262	33,735
Chillicothe	12,976	.....	14,508	[2] 12,988	13,143	13,298
Cincinnati	325,902	.....	363,591	[2] 326,143	329,042	331,941
Cleveland	381,768	.....	560,663	[2] 383,034	398,220	413,406
Columbus	125,560	.....	181,511	[2] 125,956	130,710	135,464
Dayton	85,333	.....	116,577	[2] 85,451	86,878	88,305
East Liverpool	16,485	.....	20,387	[7]	[7]	[7]
Elyria	8,791	.....	14,825	[7]	[7]	[7]
Findlay	17,613	.....	14,858	[2] 17,590	17,311	17,032
Fremont	8,439	.....	9,939	[7]	[7]	[7]
Hamilton	23,914	.....	35,279	[2] 24,009	25,160	26,311
Ironton	11,868	.....	13,147	[2] 11,878	12,007	12,136
Lancaster	8,991	.....	13,093	[7]	[7]	[7]
Lima	21,723	.....	30,508	[2] 21,778	22,441	25,104
Lorain	16,028	.....	28,883	[7]	[7]	[7]

[1] As of June 1.
[2] Population by census, June 1, not midyear population, used as basis of rates.
[3] Included in rural.
[4] Included in Troy.

REGISTRATION AREA: 1900 TO 1909—Continued.

REGISTRATION AREA.	ESTIMATED MIDYEAR POPULATION—continued.						
	1903	1904	1905	1906	1907	1908	1909
REGISTRATION CITIES—Continued.							
NEW YORK.							
Albany	[1] 96,344	[1] 97,075	[2] 97,848	98,350	98,852	99,354	99,856
Amsterdam	[1] 23,076	[1] 23,441	[2] 23,935	25,465	26,995	28,525	30,055
Auburn	[1] 31,653	[1] 32,090	[2] 32,564	33,003	33,442	33,881	34,320
Batavia	[3]	[3]	[3]	10,525	10,812	11,099	11,386
Binghamton	[1] 41,716	[1] 42,406	[2] 43,187	44,283	45,380	46,477	47,574
Buffalo	[1] 367,102	[1] 372,008	[2] 377,714	387,314	396,914	406,514	416,114
Cohoes	[1] 24,001	[1] 24,032	[2] 24,074	24,206	24,338	24,471	24,604
Corning	[1] 12,486	[1] 12,962	[2] 13,443	13,502	13,562	13,622	13,682
Cortland	[1] 10,522	[1] 10,858	[2] 11,199	11,262	11,325	11,389	11,453
Dunkirk	[1] 13,764	[1] 14,480	[2] 15,232	15,647	16,062	16,477	16,892
Elmira	[1] 35,702	[1] 35,713	[2] 35,749	36,046	36,344	36,642	36,940
Geneva	[1] 11,469	[1] 11,815	[2] 12,166	12,224	12,282	12,340	12,399
Glens Falls	[1] 13,834	[1] 14,242	[2] 14,660	14,781	14,902	15,024	15,146
Gloversville	[1] 18,486	[1] 18,532	[2] 18,613	19,036	19,459	19,882	20,306
Hornell	[3]	[3]	[3]	13,249	13,346	13,443	13,540
Hudson	[1] 10,029	[1] 10,196	[2] 10,382	10,598	10,814	11,030	11,246
Ithaca	[1] 13,952	[1] 14,224	[2] 14,501	14,563	14,626	14,689	14,752
Jamestown	[1] 24,759	[1] 25,382	[2] 26,095	27,180	28,265	29,351	30,437
Johnstown	[1] 9,911	[1] 9,838	[2] 9,777	9,916	10,056	10,196	10,336
Kingston	[1] 25,060	[1] 25,235	[2] 25,419	25,521	25,623	25,725	25,827
Lansingburg	[4]	[4]	[4]	[4]	[4]	[4]	[4]
Little Falls	[3]	[3]	[3]	11,312	11,565	11,818	12,072
Lockport	[1] 17,088	[1] 17,258	[2] 17,437	17,548	17,659	17,770	17,881
Middletown	[1] 15,218	[1] 15,450	[2] 15,676	15,601	15,525	15,449	15,373
Mount Vernon	[1] 23,448	[1] 24,189	[2] 25,032	26,260	27,488	28,717	29,946
New Rochelle	[1] 18,119	[1] 19,253	[2] 20,532	22,271	24,010	25,749	27,489
New York	[1] 3,775,121	[1] 3,887,762	[2] 4,013,505	4,170,731	4,327,958	4,485,185	4,642,412
Bronx Borough	[1] 243,158	[1] 257,375	[2] 274,316	307,011	339,706	372,401	405,096
Brooklyn Borough	[1] 1,279,696	[1] 1,317,401	[2] 1,359,879	1,417,161	1,474,442	1,531,723	1,589,004
Manhattan Borough	[1] 2,001,794	[1] 2,052,361	[2] 2,106,836	2,153,731	2,200,626	2,247,521	2,294,416
Queens Borough	[1] 179,902	[1] 188,870	[2] 199,312	216,994	234,677	252,360	270,043
Richmond Borough	[1] 70,571	[1] 71,755	[2] 73,162	75,834	78,507	81,180	83,853
Newburgh	[1] 25,768	[1] 26,043	[2] 26,343	26,648	26,953	27,258	27,563
Niagara Falls	[1] 23,642	[1] 25,037	[2] 26,501	27,324	28,147	28,970	29,793
North Tonawanda	[3]	[3]	[3]	10,539	10,912	11,285	11,659
Ogdensburg	[1] 14,761	[1] 14,788	[2] 14,834	15,063	15,292	15,521	15,751
Olean	[1] 9,831	[1] 9,955	[2] 10,107	10,448	10,789	11,130	14,472
Oswego	[3]	[3]	[3]	22,601	22,803	23,005	23,207
Peekskill	[1] 12,062	[1] 12,631	[2] 13,235	13,654	14,073	14,492	14,912
Plattsburg	[3]	[3]	[3]	10,338	10,549	10,760	10,971
Port Jervis	[1] 9,571	[1] 9,633	[2] 9,693	9,667	9,640	9,613	9,586
Poughkeepsie	[1] 24,698	[1] 24,922	[2] 25,194	25,766	26,338	26,910	27,482
Rochester	[1] 173,569	[1] 177,223	[2] 182,640	190,050	197,460	204,871	212,282
Rome	[1] 16,534	[1] 16,931	[2] 17,383	18,032	18,682	19,332	19,982
Saratoga Springs	[1] 12,763	[1] 12,881	[2] 12,994	12,932	12,869	12,806	12,743
Schenectady	[1] 50,800	[1] 54,506	[2] 58,463	61,460	64,457	67,454	70,452
Syracuse	[1] 113,627	[1] 115,378	[2] 117,464	121,487	125,510	129,909	134,063
Troy[5]	[1] 75,785	[1] 76,028	[2] 76,280	76,391	76,502	76,613	76,724
Utica	[1] 60,741	[1] 62,194	[2] 63,831	66,040	68,249	70,459	72,669
Watertown	[1] 23,844	[1] 24,560	[2] 25,301	25,599	25,897	26,195	26,493
Watervliet	[1] 14,417	[1] 14,449	[2] 14,491	14,612	14,733	14,855	14,977
Yonkers	[1] 56,020	[1] 58,717	[2] 61,728	65,500	69,272	73,044	76,816
NORTH CAROLINA.[6]							
Raleigh	13,563	13,537	13,511	13,484	13,457	19,267	19,240
Wilmington	22,465	22,948	23,431	23,914	24,397	24,880	25,364
OHIO.							
Akron	[7]	[7]	[7]	[7]	[7]	[7]	66,955
Alliance	[7]	[7]	[7]	[7]	[7]	[7]	14,592
Ashtabula	14,451	14,939	15,427	15,915	16,403	16,891	17,379
Bellaire	10,546	10,752	10,958	11,164	12,370	12,576	12,782
Cambridge	[7]	[7]	[7]	[7]	[7]	[7]	11,079
Canton	35,208	36,681	43,154	44,628	46,102	47,576	49,050
Chillicothe	13,453	13,608	13,763	13,918	14,073	14,228	14,384
Cincinnati	336,340	345,896	348,795	351,695	354,595	357,795	360,695
Cleveland	429,878	445,064	476,050	494,079	509,266	524,453	539,640
Columbus	140,218	144,972	149,726	154,481	159,236	163,991	168,746
Dayton	89,882	91,309	93,536	94,963	96,890	99,018	100,446
East Liverpool	[7]	[7]	[7]	[7]	[7]	[7]	20,113
Elyria	[7]	[7]	[7]	[7]	[7]	[7]	14,340
Findlay	16,753	16,474	16,195	15,916	15,637	15,358	15,079
Fremont	[7]	[7]	[7]	[7]	[7]	[7]	9,818
Hamilton	27,462	28,613	29,764	30,915	32,066	33,217	34,368
Ironton	12,265	12,394	12,523	12,653	12,783	12,913	13,043
Lancaster	[7]	[7]	[7]	[7]	[7]	[7]	12,763
Lima	25,998	26,662	27,326	27,990	28,654	29,318	29,982
Lorain	[7]	[7]	[7]	[7]	[7]	[7]	27,852

[5] Including Lansingburg from 1901.
[6] Nonregistration state; cities shown below only those with effective local ordinances.
[7] Nonregistration.

TABLE I.—POPULATION OF EACH

REGISTRATION AREA.	ENUMERATED POPULATION.			ESTIMATED MIDYEAR POPULATION.		
	Federal census, June 1, 1900.	State census, June 1, 1905.	Federal census, Apr. 15, 1910.	1900	1901	1902
REGISTRATION CITIES—Continued.						
OHIO—continued.						
Mansfield	17,640		20,768	(1)	(1)	(1)
Marietta	13,348		12,923	[2] 13,345	13,302	13,259
Marion	11,862		18,232	(1)	(1)	(1)
Massillon	11,944		13,879	[2] 11,960	12,155	12,351
Middletown	9,215		13,152	[2] 9,248	9,646	10,044
Newark	18,157		25,404	[2] 18,211	18,863	19,516
Piqua	12,172		13,388	(1)	(1)	(1)
Portsmouth	17,870		23,481	[2] 17,917	18,485	19,053
Sandusky	19,664		19,989	(1)	(1)	(1)
Springfield	38,253		46,921	(1)	(1)	(1)
Steubenville	14,349		22,391	(1)	(1)	(1)
Tiffin	10,989		11,894	[2] 10,996	11,087	11,178
Toledo	131,822		168,497	[2] 132,131	135,844	139,558
Warren	8,529		11,081	[2] 8,548	(1)	(1)
Wellston	8,045		6,875	(1)	(1)	(1)
Xenia	8,696		8,706	(1)	(1)	(1)
Youngstown	44,885		79,066	[2] 45,153	48,376	52,099
Zanesville	23,538		28,026	(1)	(1)	(1)
OREGON.[3]						
Portland	90,426	(4)	207,214	[5] 91,301	[6] 101,811	[6] 112,321
PENNSYLVANIA.						
Allegheny	129,896		(7)	[2] 129,916	130,157	130,398
Allentown	35,416		51,913	[2] 35,536	36,976	38,416
Altoona	38,973		52,127	[2] 39,053	40,012	40,972
Beaver Falls	10,054		12,191	(1)	(1)	(1)
Braddock	15,654		19,357	(1)	(1)	(1)
Bradford	15,029		14,544	(1)	(1)	(1)
Butler	10,853		20,728	(1)	(1)	(1)
Carbondale	13,536		17,040	[2] 13,565	13,919	14,273
Carlisle	9,626		10,303	[2] 9,631	9,699	9,767
Chambersburg	8,864		11,800	(1)	(1)	(1)
Chester	33,988		38,537	(1)	(1)	(1)
Columbia	12,316		11,454	[2] 12,309	12,215	12,120
Danville	8,042		7,517	(1)	(1)	(1)
Dubois	9,375		12,623	[2] 9,402	9,730	10,059
Dunmore	12,583		17,615	(1)	(1)	(1)
Duquesne	9,036		15,727	(1)	(1)	(1)
Easton	25,238		28,523	[2] 25,264	(1)	(1)
Erie	52,733		66,525	[2] 52,849	54,245	55,641
Harrisburg	50,167		64,186	[2] 50,268	51,480	52,692
Hazleton	14,230		25,452	[2] 14,256	14,685	14,999
Homestead	12,554		18,713	(1)	(1)	(1)
Johnstown	35,936		55,482	[2] 36,901	38,785	40,670
Lancaster	41,459		47,227	[2] 41,507	42,091	42,675
Lebanon	17,628		19,240	[2] 17,641	(1)	(1)
McKeesport	34,227		42,694	[2] 34,290	35,046	35,802
Mahanoy City	13,504		15,936	[2] 13,524	13,770	14,016
Meadville	10,291		12,780	[2] 10,303	10,453	10,603
Mount Carmel	13,179		17,532	[2] 13,215	13,655	14,095
Nanticoke	12,116		18,877	(1)	(1)	(1)
New Castle	28,339		36,280	[2] 28,401	29,154	29,907
Norristown	22,265		27,875	[2] 22,312	22,880	23,448
Oil City	13,264		15,657	[2] 13,284	(1)	(1)
Philadelphia	1,293,697		1,549,008	[2] 1,295,851	1,321,705	1,347,559
Phoenixville	9,196		10,743	[2] 9,209	(1)	(1)
Pittsburgh	321,616		[8] 533,905	[2] 334,491	341,347	348,203
Pittston	12,556		16,267	(1)	(1)	(1)
Plymouth	13,649		16,996	[2] 13,677	14,015	14,354
Pottstown	13,696		15,599	[2] 13,712	13,904	14,096
Pottsville	15,710		20,236	[2] 15,748	16,206	16,664
Reading	78,961		96,071	[2] 79,105	80,837	82,569
Scranton	102,026		129,867	[2] 102,250	104,947	107,645
Shamokin	18,202		19,588	(1)	(1)	(1)
Sharon	8,916		15,270	(1)	(1)	(1)
Shenandoah	20,321		25,774	(1)	(1)	(1)
South Bethlehem	13,241		19,973	[2] 13,297	13,978	14,659
Steelton	12,086		14,246	[2] 12,103	12,311	12,519
Sunbury	9,810		13,770	(1)	(1)	(1)
Titusville	8,244		8,533	(1)	(1)	(1)
Warren	8,043		11,080	(1)	(1)	(1)
West Chester	9,524		11,767	(1)	(1)	(1)
Wilkes-Barre	51,721		67,105	(1)	(1)	(1)
Wilkinsburg	11,886		18,924	(1)	(1)	(1)
Williamsport	28,757		31,860	[2] 28,783	29,097	29,411
York	33,708		44,750	(1)	(1)	(1)

[1] Nonregistration.
[2] Population by census, June 1, not midyear population, used as basis of rates.
[3] Nonregistration state; cities shown below only those with effective local ordinances.
[4] Returns incomplete, data not used for estimating population.

REGISTRATION AREA: 1900 TO 1909—Continued.

REGISTRATION AREA.	ESTIMATED MIDYEAR POPULATION—continued.						
	1903	1904	1905	1906	1907	1908	1909
REGISTRATION CITIES—Continued.							
OHIO—continued.							
Mansfield	(1)	(1)	(1)	(1)	(1)	(1)	20,517
Marietta	13,216	13,173	13,130	13,087	13,044	13,001	12,958
Marion	(1)	(1)	(1)	(1)	(1)	(1)	17,720
Massillon	12,547	12,743	12,939	13,135	13,331	13,527	13,723
Middletown	10,442	10,841	11,240	11,639	12,038	12,437	12,836
Newark	20,169	20,822	21,475	22,128	23,581	24,234	24,887
Piqua	(1)	(1)	(1)	(1)	(1)	(1)	13,289
Portsmouth	19,621	20,189	20,757	21,325	21,893	22,461	23,030
Sandusky	(1)	(1)	(1)	(1)	(1)	(1)	19,962
Springfield	(1)	(1)	(1)	(1)	(1)	(1)	44,748
Steubenville	(1)	(1)	(1)	(1)	(1)	(1)	21,745
Tiffin	11,269	11,361	11,453	11,545	11,637	11,729	11,821
Toledo	143,272	146,986	150,700	154,414	158,128	161,842	165,556
Warren	(1)	(1)	(1)	(1)	(1)	(1)	10,900
Wellston	(1)	(1)	(1)	(1)	(1)	(1)	6,971
Xenia	(1)	(1)	(1)	(1)	(1)	(1)	8,705
Youngstown	55,322	58,545	62,018	65,241	68,965	73,189	76,514
Zanesville	(1)	(1)	(1)	(1)	(1)	(1)	27,489
OREGON.[3]							
Portland	[6] 122,831	[6] 133,341	[6] 146,851	[6] 157,361	[6] 168,871	[6] 179,382	[6] 190,893
PENNSYLVANIA.							
Allegheny	130,639	130,880	131,121	131,362	131,603	(7)	(7)
Allentown	39,856	41,346	42,786	44,226	45,716	49,331	50,772
Altoona	42,182	43,142	46,102	48,487	49,447	50,407	51,367
Beaver Falls	(1)	(1)	(1)	11,368	11,585	11,802	12,019
Braddock	(1)	(1)	(1)	17,935	18,310	18,685	19,060
Bradford	(1)	(1)	(1)	14,731	14,682	14,633	14,584
Butler	(1)	(1)	(1)	16,936	17,936	18,936	19,936
Carbondale	14,628	14,983	15,338	15,693	16,048	16,403	16,758
Carlisle	9,835	9,903	9,972	10,041	10,110	10,179	10,248
Chambersburg	(1)	(1)	(1)	9,511	9,587	11,663	11,739
Chester	(1)	(1)	(1)	36,789	37,250	37,711	38,172
Columbia	12,025	12,005	11,910	11,815	11,720	11,625	11,530
Danville	(1)	(1)	(1)	7,720	7,667	7,614	7,560
Dubois	10,388	10,717	11,046	11,375	11,704	12,033	12,362
Dunmore	(1)	(1)	(1)	15,681	16,191	16,701	17,211
Duquesne	(1)	(1)	(1)	13,156	13,834	14,512	15,190
Easton	(1)	(1)	(1)	27,198	27,521	27,844	28,167
Erie	57,037	58,433	59,830	61,227	62,624	64,021	65,418
Harrisburg	53,904	55,116	56,328	57,540	58,752	59,964	61,176
Hazleton	15,313	15,627	15,942	16,257	16,572	16,887	25,202
Homestead	(1)	(1)	(1)	16,254	16,943	17,657	18,246
Johnstown	42,555	44,440	46,325	48,210	50,095	52,105	53,990
Lancaster	43,259	43,843	44,427	45,011	45,595	46,179	46,763
Lebanon	(1)	(1)	(1)	18,619	18,782	18,946	19,110
McKeesport	36,558	38,114	39,070	39,826	40,582	41,338	42,095
Mahanoy City	14,262	14,508	14,754	15,000	15,246	15,493	15,740
Meadville	10,754	11,905	12,056	12,207	12,358	12,509	12,660
Mount Carmel	14,536	14,977	15,418	15,859	16,300	16,741	17,182
Nanticoke	(1)	(1)	(1)	16,279	16,964	17,649	18,334
New Castle	30,660	31,413	32,167	32,921	33,875	34,929	35,683
Norristown	24,016	24,584	25,152	25,720	26,288	26,856	27,424
Oil City	(1)	(1)	(1)	14,736	14,978	15,221	15,464
Philadelphia	1,373,413	1,399,267	1,425,121	1,450,975	1,476,830	1,502,685	1,528,540
Phoenixville	(1)	(1)	(1)	10,147	10,304	10,461	10,618
Pittsburgh	355,059	361,915	368,771	375,627	382,484	[8] 521,187	[8] 528,286
Pittston	(1)	(1)	(1)	14,841	15,217	15,593	15,969
Plymouth	14,693	15,032	15,371	15,710	16,049	16,388	16,727
Pottstown	14,288	14,481	14,674	14,867	15,060	15,253	15,446
Pottsville	17,122	17,580	18,038	18,496	18,954	19,413	19,872
Reading	84,301	86,034	87,767	89,500	91,233	92,966	94,699
Scranton	110,343	113,041	116,939	119,637	122,335	125,033	127,731
Shamokin	(1)	(1)	(1)	19,053	19,194	19,335	19,476
Sharon	(1)	(1)	(1)	13,597	14,038	14,479	14,920
Shenandoah	(1)	(1)	(1)	23,679	24,231	24,783	25,336
South Bethlehem	15,341	16,023	16,705	17,387	18,069	18,751	19,433
Steelton	12,827	13,035	13,244	13,453	13,662	13,871	14,080
Sunbury	(1)	(1)	(1)	12,249	12,650	13,051	13,452
Titusville	(1)	(1)	(1)	8,420	8,449	8,479	8,509
Warren	(1)	(1)	(1)	10,028	10,305	10,582	10,859
West Chester	(1)	(1)	(1)	10,904	11,131	11,358	11,586
Wilkes-Barre	(1)	(1)	(1)	61,198	62,756	64,314	65,872
Wilkinsburg	(1)	(1)	(1)	16,073	16,780	17,837	18,444
Williamsport	29,725	30,039	30,353	30,667	30,981	31,295	31,610
York	(1)	(1)	(1)	40,462	41,573	42,684	43,870

[5] Population by census, June 1, not midyear population, used as basis of rates; estimate based on Federal censuses of 1900 and 1910.
[6] Based on Federal censuses of 1900 and 1910.
[7] Included in Pittsburgh.
[8] Including Allegheny.

TABLE I.—POPULATION OF EACH

REGISTRATION AREA.	ENUMERATED POPULATION.			ESTIMATED MIDYEAR POPULATION.		
	Federal census, June 1, 1900.	State census, June 1, 1905.	Federal census, Apr. 15, 1910.	1900	1901	1902
REGISTRATION CITIES—Continued.						
RHODE ISLAND.						
Central Falls	18,167	19,446	22,754	[1] 18,167	[1] 18,422	[1] 18,678
Cranston town	13,343	17,570	21,107	[3]	[3]	[3]
Cumberland town	8,925	9,378	10,107	[3]	[3]	[3]
East Providence town	12,138	13,750	15,808	[3]	[3]	[3]
Lincoln town	8,937	9,222	9,825	[3]	[3]	[3]
Newport	[4] 22,441	25,039	27,149	[1] 22,441	[1] 22,960	[1] 23,479
Pawtucket	39,231	43,381	51,622	[1] 39,231	[1] 40,061	[1] 40,891
Providence	175,597	198,635	224,326	[1] 175,597	[1] 180,204	[1] 184,811
Warwick town	21,316	24,773	26,629	[3]	[3]	[3]
Woonsocket	28,204	32,196	38,125	[1] 28,204	[1] 29,002	[1] 29,800
SOUTH CAROLINA.[5]						
Charleston	55,807	.....	58,833	[2] 55,832	56,138	56,444
SOUTH DAKOTA.						
Sioux Falls	10,266	[6] 12,283	14,094	[7]	[7]	[7]
TENNESSEE.[5]						
Knoxville	32,637	.....	36,346	[7]	[7]	[7]
Memphis	102,320	.....	131,105	[2] 102,453	104,051	105,649
Nashville	80,865	.....	110,364	[2] 80,935	81,785	82,635
TEXAS.[5]						
Galveston	37,789	.....	36,981	[7]	[7]	[7]
San Antonio	53,321	.....	96,614	[2] 53,686	58,070	62,454
UTAH.[5]						
Ogden	16,313	.....	25,580	[7]	[7]	[7]
Salt Lake City	53,531	.....	92,777	[2] 53,816	57,240	60,664
VERMONT.						
Barre	8,448	.....	10,734	[2] 8,467	8,698	8,929
Bennington town	8,033	.....	8,698	[2] 8,039	8,106	8,173
Burlington	18,640	.....	20,468	[2] 18,655	18,840	19,025
Rutland	11,499	.....	13,546	[2] 11,516	11,723	11,930
VIRGINIA.[5]						
Alexandria	14,528	.....	15,329	[2] 14,534	14,615	14,696
Danville	16,520	.....	19,020	[7]	[7]	[7]
Lynchburg	18,891	.....	29,494	[2] 18,925	20,840	21,255
Manchester	9,715	.....	[9]	[7]	[7]	[7]
Norfolk	46,624	.....	67,452	[2] 56,703	57,800	58,897
Petersburg	21,810	.....	24,127	[2] 21,829	22,063	22,297
Richmond	85,050	.....	[10] 127,628	[2] 85,164	86,540	87,916
WASHINGTON.						
Seattle	80,671	.....	237,194	[2] 81,671	93,673	105,675
Spokane	36,848	.....	104,402	[7]	43,600	49,833
Tacoma	37,714	.....	83,743	[2] 38,039	41,940	45,841
Walla Walla	10,049	.....	19,364	[7]	[7]	[7]
WEST VIRGINIA.[5]						
Wheeling	38,878	.....	41,641	[2] 38,901	39,180	39,459
WISCONSIN.						
Appleton	15,085	17,000	16,773	[1] 15,085	[1] 15,468	[1] 15,851
Ashland	13,074	14,519	11,594	[7]	[7]	[7]
Beloit	10,436	12,855	15,125	[1] 10,436	[1] 10,919	[1] 11,403
Chippewa Falls	8,094	9,009	8,893	[1] 8,094	[1] 8,277	[7]
Eau Claire	17,517	18,737	18,310	[1] 17,517	[1] 17,761	[1] 18,005
Fond du Lac	15,110	17,284	18,797	[7]	[7]	[7]
Green Bay	18,684	22,854	25,236	[1] 18,684	[1] 19,518	[1] 20,352
Janesville	13,185	13,770	13,894	[7]	[7]	[7]
Kenosha	11,606	16,235	21,371	[7]	[7]	[7]
La Crosse	28,895	29,078	30,417	[7]	[7]	[7]
Madison	19,164	24,301	25,531	[1] 19,164	[1] 19,991	[1] 20,818
Manitowoc	11,786	12,733	13,027	[1] 11,786	[1] 11,975	[1] 12,164
Marinette	16,195	15,354	14,610	[1] 16,195	[1] 16,027	[1] 15,859
Merrill	8,537	9,197	8,689	[7]	[7]	[7]
Milwaukee	285,315	312,948	373,857	[1] 285,315	[1] 293,528	[1] 298,633
Oshkosh	28,284	30,575	33,062	[7]	[7]	[7]
Racine	29,102	32,290	38,002	[7]	[7]	[7]
Sheboygan	22,962	24,026	26,398	[7]	[7]	[7]
Stevens Point	9,524	9,022	8,692	[7]	[7]	[7]
Superior	31,091	36,551	40,384	[1] 31,091	[1] 32,183	[1] 33,275
Watertown	8,437	8,622	8,829	[7]	[7]	[7]
Wausau	12,354	14,458	16,560	[7]	[7]	[7]

[1] As of June 1.
[2] Population by census, June 1, not midyear population, used as basis of rates.
[3] Included in rural.
[4] Corrected figures.
[5] Nonregistration state; cities shown below only those with effective local ordinances.

REGISTRATION AREA: 1900 TO 1909—Continued.

REGISTRATION AREA.	ESTIMATED MIDYEAR POPULATION—continued.						
	1903	1904	1905	1906	1907	1908	1909
REGISTRATION CITIES—Continued.							
RHODE ISLAND.							
Central Falls	[1] 18,934	[1] 19,190	[2] 19,503	20,181	20,859	21,537	22,216
Cranston town	(3)	(3)	(3)	18,355	19,080	19,806	20,532
Cumberland town	(3)	(3)	(3)	9,539	9,688	9,838	9,988
East Providence town	(3)	(3)	(3)	14,207	14,629	15,051	15,473
Lincoln town	(3)	(3)	(3)	9,355	9,479	9,603	9,727
Newport	[1] 23,999	[1] 24,519	[2] 25,075	25,507	25,940	26,373	26,806
Pawtucket	[1] 41,721	[1] 42,551	[2] 43,522	45,212	46,902	48,592	50,283
Providence	[1] 189,419	[1] 194,027	[2] 199,074	204,344	209,614	214,884	220,154
Warwick town	(3)	(3)	(3)	25,185	25,565	25,946	26,327
Woonsocket	[1] 30,598	[1] 31,397	[2] 32,297	33,513	34,729	35,945	37,161
SOUTH CAROLINA.[5]							
Charleston	56,750	57,056	57,362	57,668	57,975	58,282	58,590
SOUTH DAKOTA.							
Sioux Falls	(7)	(7)	(7)	12,731	13,090	13,449	13,808
TENNESSEE.[5]							
Knoxville	(7)	(7)	(7)	(7)	(7)	35,672	36,048
Memphis	107,247	108,845	110,443	112,042	113,641	115,240	116,839
Nashville	84,485	85,335	86,186	87,037	107,988	108,839	109,690
TEXAS.[5]							
Galveston	(7)	(7)	(7)	(8)	(8)	(8)	(8)
San Antonio	66,838	71,222	75,606	79,990	84,374	88,758	93,143
UTAH.[5]							
Ogden	(7)	(7)	(7)	(7)	(7)	23,897	24,836
Salt Lake City	65,088	68,512	71,936	76,760	80,285	84,190	87,615
VERMONT.							
Barre	9,160	9,391	9,622	9,854	10,086	10,318	10,550
Bennington town	8,240	8,307	8,374	8,441	8,508	8,576	8,644
Burlington	19,210	19,395	19,580	19,765	19,950	20,135	20,320
Rutland	12,137	12,344	12,551	12,758	12,965	13,173	13,381
VIRGINIA.[5]							
Alexandria	14,777	14,858	14,939	15,020	15,101	15,182	15,263
Danville	(7)	(7)	(7)	(7)	(7)	18,747	18,899
Lynchburg	21,670	22,085	22,501	22,917	23,333	28,749	29,165
Manchester	(7)	(7)	(7)	(7)	(7)	10,249	10,316
Norfolk	59,994	61,092	62,190	63,288	64,386	65,484	66,582
Petersburg	22,531	22,765	23,000	23,235	23,470	23,705	23,940
Richmond	89,292	90,668	92,044	93,421	113,413	114,790	116,167
WASHINGTON.							
Seattle	117,677	129,679	141,681	154,483	188,485	210,488	222,491
Spokane	56,066	62,299	68,532	74,765	80,998	93,232	99,466
Tacoma	49,742	53,644	57,546	61,448	65,350	70,752	76,654
Walla Walla	(7)	(7)	(7)	(7)	(7)	17,506	18,682
WEST VIRGINIA.[5]							
Wheeling	39,739	40,019	40,299	40,579	40,859	41,139	41,419
WISCONSIN.							
Appleton	[1] 16,234	[1] 16,617	[2] 16,997	16,951	(7)	16,858	16,811
Ashland	(7)	(7)	(7)	(7)	(7)	12,669	12,069
Beloit	[1] 11,887	[1] 12,371	[2] 12,893	13,358	13,824	14,290	14,756
Chippewa Falls	(7)	(7)	(7)	(7)	(7)	8,937	8,913
Eau Claire	[1] 18,249	[1] 18,493	[2] 18,730	18,643	18,556	18,468	18,380
Fond du Lac	(7)	(7)	(7)	(7)	(7)	18,239	18,550
Green Bay	[1] 21,186	[1] 22,020	[2] 22,894	23,382	23,871	24,360	24,849
Janesville	(7)	(7)	(7)	(7)	(7)	13,847	13,873
Kenosha	(7)	(7)	(7)	(7)	(7)	19,547	20,565
La Crosse	(7)	(7)	(7)	(7)	(7)	29,924	30,199
Madison	[1] 21,645	[1] 23,473	[2] 24,322	24,574	24,826	25,078	25,331
Manitowoc	[1] 12,353	[1] 12,543	[2] 12,738	(7)	(7)	12,918	12,978
Marinette	[1] 15,691	[1] 15,523	[2] 15,342	15,190	15,038	14,885	14,732
Merrill	(7)	(7)	(7)	(7)	(7)	8,877	8,773
Milwaukee	[1] 303,238	[1] 308,343	[2] 313,885	325,488	336,741	348,744	359,997
Oshkosh	(7)	(7)	(7)	(7)	(7)	32,148	32,658
Racine	(7)	(7)	(7)	(7)	(7)	35,902	37,074
Sheboygan	(7)	(7)	(7)	(7)	(7)	25,526	26,013
Stevens Point	(7)	(7)	(7)	(7)	(7)	8,814	8,746
Superior	[1] 34,367	[1] 35,459	[2] 36,616	37,402	38,188	38,974	39,761
Watertown	(7)	(7)	(7)	(7)	(7)	8,751	8,794
Wausau	(7)	(7)	(7)	(7)	(7)	15,786	16,217

[5] As of Apr. 1.
[7] Nonregistration.
[8] No estimate.
[9] Included in Richmond.
[10] Including Manchester.

TABLE I.—POPULATION OF EACH

REGISTRATION AREA.	ENUMERATED POPULATION.			ESTIMATED MIDYEAR POPULATION.		
	Federal census, June 1, 1900.	State census, June 1, 1905.	Federal census, Apr. 15, 1910.	1900	1901	1902
CALIFORNIA RURAL.[1]						
Alameda County	33,559	.....	32,140	(2)	(2)	(2)
Alpine County	509	.....	309	(2)	(2)	(2)
Amador County	11,116	.....	9,086	(2)	(2)	(2)
Butte County	17,117	.....	27,301	(2)	(2)	(2)
Calaveras County	11,200	.....	9,171	(2)	(2)	(2)
Colusa County	7,364	.....	7,732	(2)	(2)	(2)
Contra Costa County	18,046	.....	31,674	(2)	(2)	(2)
Del Norte County	2,408	.....	2,417	(2)	(2)	(2)
Eldorado County	8,986	.....	7,492	(2)	(2)	(2)
Fresno County	25,392	.....	50,765	(2)	(2)	(2)
Glenn County	5,150	.....	7,172	(2)	(2)	(2)
Humboldt County	27,104	.....	33,857	(2)	(2)	(2)
Imperial County [3]	(4)	.....	13,591	(2)	(2)	(2)
Inyo County	4,377	.....	6,974	(2)	(2)	(2)
Kern County	16,480	.....	37,715	(2)	(2)	(2)
Kings County	9,871	.....	16,230	(2)	(2)	(2)
Lake County	6,017	.....	5,526	(2)	(2)	(2)
Lassen County	4,511	.....	4,802	(2)	(2)	(2)
Los Angeles County	58,702	.....	154,642	(2)	(2)	(2)
Madera County	6,368	.....	8,368	(2)	(2)	(2)
Marin County	15,702	.....	25,114	(2)	(2)	(2)
Mariposa County	4,720	.....	3,956	(2)	(2)	(2)
Mendocino County	20,465	.....	23,929	(2)	(2)	(2)
Merced County	9,215	.....	15,148	(2)	(2)	(2)
Modoc County	5,076	.....	6,191	(2)	(2)	(2)
Mono County	2,167	.....	2,042	(2)	(2)	(2)
Monterey County	19,380	.....	24,146	(2)	(2)	(2)
Napa County	16,451	.....	19,800	(2)	(2)	(2)
Nevada County	17,789	.....	14,955	(2)	(2)	(2)
Orange County	19,696	.....	34,436	(2)	(2)	(2)
Placer County	15,786	.....	18,237	(2)	(2)	(2)
Plumas County	4,657	.....	5,259	(2)	(2)	(2)
Riverside County	17,897	.....	34,696	(2)	(2)	(2)
Sacramento County	16,633	.....	23,110	(2)	(2)	(2)
San Benito County	6,633	.....	8,041	(2)	(2)	(2)
San Bernardino County	27,929	.....	56,706	(2)	(2)	(2)
San Diego County	17,390	.....	22,087	(2)	(2)	(2)
San Joaquin County	17,946	.....	27,478	(2)	(2)	(2)
San Luis Obispo County	16,637	.....	19,383	(2)	(2)	(2)
San Mateo County	12,094	.....	26,585	(2)	(2)	(2)
Santa Barbara County	18,934	.....	27,738	(2)	(2)	(2)
Santa Clara County	38,716	.....	54,593	(2)	(2)	(2)
Santa Cruz County	21,512	.....	26,140	(2)	(2)	(2)
Shasta County	17,318	.....	18,920	(2)	(2)	(2)
Sierra County	4,017	.....	4,098	(2)	(2)	(2)
Siskiyou County	16,962	.....	18,801	(2)	(2)	(2)
Solano County	24,143	.....	27,559	(2)	(2)	(2)
Sonoma County	38,480	.....	48,394	(2)	(2)	(2)
Stanislaus County	9,550	.....	22,522	(2)	(2)	(2)
Sutter County	5,886	.....	6,328	(2)	(2)	(2)
Tehama County	10,996	.....	11,401	(2)	(2)	(2)
Trinity County	4,383	.....	3,301	(2)	(2)	(2)
Tulare County	18,375	.....	35,440	(2)	(2)	(2)
Tuolumne County	11,166	.....	9,979	(2)	(2)	(2)
Ventura County	14,367	.....	18,347	(2)	(2)	(2)
Yolo County	13,618	.....	13,926	(2)	(2)	(2)
Yuba County	8,620	.....	10,042	(2)	(2)	(2)
COLORADO RURAL.[1]						
Adams County	(4)	.....	8,892	(2)	(2)	(2)
Arapahoe County	153,017	.....	10,263	(2)	(2)	(2)
Archuleta County	2,117	.....	3,302	(2)	(2)	(2)
Baca County	759	.....	2,516	(2)	(2)	(2)
Bent County	3,049	.....	5,043	(2)	(2)	(2)
Boulder County	21,544	.....	30,330	(2)	(2)	(2)
Chaffee County	7,085	.....	7,622	(2)	(2)	(2)
Cheyenne County	501	.....	3,687	(2)	(2)	(2)
Clear Creek County	7,082	.....	5,001	(2)	(2)	(2)
Conejos County	8,794	.....	11,285	(2)	(2)	(2)
Costilla County	4,632	.....	5,498	(2)	(2)	(2)
Custer County	2,937	.....	1,947	(2)	(2)	(2)
Delta County	5,487	.....	13,688	(2)	(2)	(2)
Dolores County	1,134	.....	642	(2)	(2)	(2)
Douglas County	3,120	.....	3,192	(2)	(2)	(2)
Eagle County	3,008	.....	2,985	(2)	(2)	(2)
El Paso County	10,517	.....	14,243	(2)	(2)	(2)
Elbert County	3,101	.....	5,331	(2)	(2)	(2)
Fremont County	15,636	.....	18,181	(2)	(2)	(2)
Garfield County	5,835	.....	10,144	(2)	(2)	(2)

[1] Exclusive of cities having a population of 8,000 or over in 1900.
[2] Nonregistration.
[3] Formed from part of San Diego County, Aug. 15, 1907.

REGISTRATION AREA: 1900 TO 1909—Continued.

REGISTRATION AREA.	ESTIMATED MIDYEAR POPULATION—continued.						
	1903	1904	1905	1906	1907	1908	1909
CALIFORNIA RURAL.[1]							
Alameda County	(2)	(2)	(2)	51,271	54,181	57,091	59,836
Alpine County	(2)	(2)	(2)	389	369	348	327
Amador County	(2)	(2)	(2)	9,869	9,663	9,457	9,251
Butte County	(2)	(2)	(2)	23,389	24,420	25,452	26,484
Calaveras County	(2)	(2)	(2)	9,954	9,748	9,542	9,336
Colusa County	(2)	(2)	(2)	7,590	7,627	7,664	7,702
Contra Costa County	(2)	(2)	(2)	26,442	27,822	29,202	30,582
Del Norte County	(2)	(2)	(2)	2,414	2,415	2,416	2,417
Eldorado County	(2)	(2)	(2)	8,069	7,918	7,766	7,614
Fresno County	(2)	(2)	(2)	43,055	45,959	48,863	51,767
Glenn County	(2)	(2)	(2)	6,394	6,599	6,804	7,009
Humboldt County	(2)	(2)	(2)	31,264	31,948	32,632	33,316
Imperial County [3]	(2)	(2)	(2)	(4)	(4)	(5)	(5)
Inyo County	(2)	(2)	(2)	5,977	6,240	6,503	6,766
Kern County	(2)	(2)	(2)	29,560	31,711	33,862	36,013
Kings County	(2)	(2)	(2)	13,789	14,433	15,077	15,721
Lake County	(2)	(2)	(2)	5,717	5,667	5,617	5,567
Lassen County	(2)	(2)	(2)	4,689	4,719	4,749	4,779
Los Angeles County	(2)	(2)	(2)	127,566	132,396	144,126	155,856
Madera County	(2)	(2)	(2)	7,599	7,802	8,005	8,208
Marin County	(2)	(2)	(2)	21,500	22,453	23,406	24,359
Mariposa County	(2)	(2)	(2)	4,253	4,175	4,097	4,019
Mendocino County	(2)	(2)	(2)	22,599	22,950	23,301	23,652
Merced County	(2)	(2)	(2)	12,870	13,471	14,072	14,673
Modoc County	(2)	(2)	(2)	5,763	5,876	5,989	6,102
Mono County	(2)	(2)	(2)	2,093	2,080	2,067	2,054
Monterey County	(2)	(2)	(2)	22,315	22,798	23,281	23,764
Napa County	(2)	(2)	(2)	18,514	18,853	19,192	19,531
Nevada County	(2)	(2)	(2)	16,045	15,758	15,471	15,184
Orange County	(2)	(2)	(2)	28,775	30,268	31,761	33,253
Placer County	(2)	(2)	(2)	17,295	17,543	17,791	18,039
Plumas County	(2)	(2)	(2)	5,028	5,089	5,150	5,210
Riverside County	(2)	(2)	(2)	28,245	29,946	31,647	33,348
Sacramento County	(2)	(2)	(2)	20,623	21,279	21,835	22,591
San Benito County	(2)	(2)	(2)	7,499	7,642	7,785	7,927
San Bernardino County	(2)	(2)	(2)	45,656	48,570	51,484	54,398
San Diego County	(2)	(2)	(2)	28,656	30,508	[6] 32,360	[6] 34,212
San Joaquin County	(2)	(2)	(2)	23,817	24,782	25,748	26,714
San Luis Obispo County	(2)	(2)	(2)	18,329	18,607	18,885	19,162
San Mateo County	(2)	(2)	(2)	21,019	22,487	23,955	25,422
Santa Barbara County	(2)	(2)	(2)	24,356	25,248	26,139	27,031
Santa Clara County	(2)	(2)	(2)	48,497	50,105	51,713	53,321
Santa Cruz County	(2)	(2)	(2)	24,362	24,831	25,299	25,768
Shasta County	(2)	(2)	(2)	18,304	18,465	18,627	18,790
Sierra County	(2)	(2)	(2)	4,066	4,073	4,081	4,090
Siskiyou County	(2)	(2)	(2)	18,094	18,279	18,465	18,652
Solano County	(2)	(2)	(2)	26,248	26,594	26,940	27,285
Sonoma County	(2)	(2)	(2)	44,587	45,591	46,595	47,599
Stanislaus County	(2)	(2)	(2)	17,539	18,853	20,167	21,481
Sutter County	(2)	(2)	(2)	6,157	6,202	6,247	6,292
Tehama County	(2)	(2)	(2)	11,245	11,286	11,327	11,368
Trinity County	(2)	(2)	(2)	3,719	3,609	3,499	3,389
Tulare County	(2)	(2)	(2)	28,887	30,615	32,343	34,071
Tuolumne County	(2)	(2)	(2)	10,436	10,316	10,196	10,075
Ventura County	(2)	(2)	(2)	16,818	17,221	17,624	18,027
Yolo County	(2)	(2)	(2)	13,806	13,837	13,868	13,900
Yuba County	(2)	(2)	(2)	9,496	9,640	9,784	9,928
COLORADO RURAL.[1]							
Adams County	(2)	(2)	(2)	6,989	7,491	7,992	8,494
Arapahoe County	(2)	(2)	(2)	7,944	8,555	9,167	9,778
Archuleta County	(2)	(2)	(2)	2,848	2,968	3,088	3,208
Baca County	(2)	(2)	(2)	1,842	2,020	2,198	2,376
Bent County	(2)	(2)	(2)	4,278	4,480	4,682	4,884
Boulder County	(2)	(2)	(2)	26,956	27,846	28,736	29,626
Chaffee County	(2)	(2)	(2)	7,414	7,469	7,524	7,579
Cheyenne County	(2)	(2)	(2)	2,463	2,786	3,109	3,432
Clear Creek County	(2)	(2)	(2)	5,802	5,591	5,380	5,169
Conejos County	(2)	(2)	(2)	10,328	10,580	10,832	11,085
Costilla County	(2)	(2)	(2)	5,165	5,253	5,341	5,429
Custer County	(2)	(2)	(2)	2,329	2,229	2,129	2,028
Delta County	(2)	(2)	(2)	10,538	11,369	12,200	13,031
Dolores County	(2)	(2)	(2)	832	782	732	682
Douglas County	(2)	(2)	(2)	3,163	3,170	3,178	3,186
Eagle County	(2)	(2)	(2)	2,996	2,994	2,991	2,988
El Paso County	(2)	(2)	(2)	12,122	12,682	13,242	13,802
Elbert County	(2)	(2)	(2)	4,475	4,701	4,927	5,153
Fremont County	(2)	(2)	(2)	17,203	17,461	17,719	17,977
Garfield County	(2)	(2)	(2)	8,488	8,924	9,361	9,798

[4] Not organized.
[5] No estimate; included in San Diego County.
[6] Including Imperial County.

TABLE I.—POPULATION OF EACH

REGISTRATION AREA.	ENUMERATED POPULATION.			ESTIMATED MIDYEAR POPULATION.		
	Federal census, June 1, 1900.	State census, June 1, 1905.	Federal census, Apr. 15, 1910.	1900	1901	1902
COLORADO RURAL[1]—Continued.						
Gilpin County	6,690		4,131	(2)	(2)	(2)
Grand County	741		1,862	(2)	(2)	(2)
Gunnison County	5,331		5,897	(2)	(2)	(2)
Hinsdale County	1,609		646	(2)	(2)	(2)
Huerfano County	8,395		13,320	(2)	(2)	(2)
Jackson County[3]	(4)		1,013	(2)	(2)	(2)
Jefferson County	9,306		14,231	(2)	(2)	(2)
Kiowa County	701		2,899	(2)	(2)	(2)
Kit Carson County	1,580		7,483	(2)	(2)	(2)
La Plata County	7,016		10,812	(2)	(2)	(2)
Lake County	5,599		3,092	(2)	(2)	(2)
Larimer County	12,168		25,270	(2)	(2)	(2)
Las Animas County	21,842		33,643	(2)	(2)	(2)
Lincoln County	926		5,917	(2)	(2)	(2)
Logan County	3,292		9,549	(2)	(2)	(2)
Mesa County	9,267		22,197	(2)	(2)	(2)
Mineral County	1,913		1,239	(2)	(2)	(2)
Montezuma County	3,058		5,029	(2)	(2)	(2)
Montrose County	4,535		10,291	(2)	(2)	(2)
Morgan County	3,268		9,577	(2)	(2)	(2)
Otero County	11,522		20,201	(2)	(2)	(2)
Ouray County	4,731		3,514	(2)	(2)	(2)
Park County	2,998		2,492	(2)	(2)	(2)
Phillips County	1,583		3,179	(2)	(2)	(2)
Pitkin County	7,020		4,566	(2)	(2)	(2)
Prowers County	3,766		9,520	(2)	(2)	(2)
Pueblo County	6,291		7,828	(2)	(2)	(2)
Rio Blanco County	1,690		2,332	(2)	(2)	(2)
Rio Grande County	4,080		6,563	(2)	(2)	(2)
Routt County	3,661		7,561	(2)	(2)	(2)
Saguache County	3,853		4,160	(2)	(2)	(2)
San Juan County	2,342		3,063	(2)	(2)	(2)
San Miguel County	5,379		4,700	(2)	(2)	(2)
Sedgwick County	971		3,061	(2)	(2)	(2)
Summit County	2,744		2,003	(2)	(2)	(2)
Teller County	29,002		14,351	(2)	(2)	(2)
Washington County	1,241		6,002	(2)	(2)	(2)
Weld County	16,808		39,177	(2)	(2)	(2)
Yuma County	1,729		8,499	(2)	(2)	(2)
CONNECTICUT RURAL.[1]						
Fairfield County	42,790		50,256	[7] 42,854	43,612	44,369
Hartford County	67,184		80,208	[7] 67,293	68,614	69,935
Litchfield County	51,219		53,420	[7] 51,238	51,461	51,685
Middlesex County	24,274		24,888	[7] 24,278	24,341	24,403
New Haven County	49,079		59,441	[7] 49,167	50,218	51,268
New London County	32,033		34,221	[7] 32,067	32,472	32,877
Tolland County	16,040		17,372	[7] 16,050	16,186	16,321
Windham County	36,724		35,757	[7] 36,716	36,618	36,521
INDIANA RURAL.[1]						
Adams County	22,232		21,840	[7] 22,229	22,190	22,151
Allen County	[6] 77,270		29,453	[7,8] 77,405	32,056	31,964
Bartholomew County	16,464		16,000	[7] 16,459	16,412	16,365
Benton County	13,123		12,688	[7] 13,120	13,076	13,032
Blackford County	17,213		15,820	[7] 17,202	17,061	16,920
Boone County	26,321		24,673	[7] 26,308	26,142	25,975
Brown County	9,727		7,975	[7] 9,713	9,536	9,359
Carroll County	19,953		17,970	[7] 19,937	19,737	19,537
Cass County	[9] 34,545		17,318	[7,9] 34,559	18,227	18,123
Clark County	21,061		19,848	[7] 21,050	20,927	20,804
Clay County	34,285		32,535	[7] 34,271	34,094	33,917
Clinton County	28,202		26,674	[7] 28,190	28,036	27,882
Crawford County	13,476		12,057	[7] 13,464	13,321	13,178
Daviess County	[10] 29,914		19,893	[7,10] 29,895	21,200	21,051
Dearborn County	22,194		21,396	[7] 22,188	22,108	22,028
Decatur County	19,518		18,793	[7] 19,512	19,439	19,366
Dekalb County	25,711		25,054	[7] 25,706	25,640	25,574
Delaware County	28,682		27,409	[7] 28,678	28,540	28,402
Dubois County	20,357		19,843	[7] 20,353	20,301	20,249
Elkhart County	[11] 45,052		29,726	[7,11] 45,084	29,851	29,836
Fayette County	13,495		14,415	[7] 13,502	13,595	13,688
Floyd County	[12] 30,118		9,664	[7,12] 30,118	9,507	9,524
Fountain County	21,446		20,439	[7] 21,438	21,336	21,234
Franklin County	16,388		15,335	[7] 16,380	16,274	16,168
Fulton County	17,453		16,879	[7] 17,449	17,391	17,333
Gibson County	30,099		30,137	[7] 30,099	30,102	30,105
Grant County	[13] 54,693		32,067	[7,13] 54,665	36,909	36,496
Greene County	28,530		36,873	[7] 28,600	29,444	30,289
Hamilton County	29,914		27,026	[7] 29,890	29,598	29,306
Hancock County	19,189		19,030	[7] 19,188	19,172	19,156

[1] Exclusive of cities having a population of 8,000 or over in 1900.
[2] Nonregistration.
[3] Formed from part of Larimer County, May 5, 1909.
[4] Not organized.
[5] No estimate; included in Larimer County.
[6] Including Jackson County.
[7] Population by census, June 1, not midyear population, used as basis of rates.

REGISTRATION AREA: 1900 TO 1909—Continued.

REGISTRATION AREA.	ESTIMATED MIDYEAR POPULATION—continued.						
	1903	1904	1905	1906	1907	1908	1909
COLORADO RURAL[1]—Continued.							
Gilpin County	(2)	(2)	(2)	5,115	4,856	4,597	4,338
Grand County	(2)	(2)	(2)	1,430	1,544	1,658	1,772
Gunnison County	(2)	(2)	(2)	5,678	5,735	5,793	5,851
Hinsdale County	(2)	(2)	(2)	1,018	920	822	724
Huerfano County	(2)	(2)	(2)	11,428	11,927	12,426	12,925
Jackson County [3]	(2)	(2)	(2)	(4)	(4)	(4)	(5)
Jefferson County	(2)	(2)	(2)	12,339	12,838	13,337	13,836
Kiowa County	(2)	(2)	(2)	2,054	2,277	2,500	2,723
Kit Carson County	(2)	(2)	(2)	5,216	5,814	6,412	7,010
La Plata County	(2)	(2)	(2)	9,353	9,738	10,123	10,507
Lake County	(2)	(2)	(2)	4,055	3,801	3,547	3,293
Larimer County	(2)	(2)	(2)	20,861	22,290	23,720	[6] 25,150
Las Animas County	(2)	(2)	(2)	29,112	30,307	31,502	32,696
Lincoln County	(2)	(2)	(2)	3,999	4,505	5,011	5,516
Logan County	(2)	(2)	(2)	7,146	7,780	8,414	9,047
Mesa County	(2)	(2)	(2)	17,231	18,540	19,850	21,159
Mineral County	(2)	(2)	(2)	1,500	1,432	1,363	1,294
Montezuma County	(2)	(2)	(2)	4,271	4,471	4,671	4,870
Montrose County	(2)	(2)	(2)	8,081	8,664	9,247	9,829
Morgan County	(2)	(2)	(2)	7,155	7,794	8,433	9,071
Otero County	(2)	(2)	(2)	16,869	17,748	18,626	19,505
Ouray County	(2)	(2)	(2)	3,983	3,860	3,737	3,613
Park County	(2)	(2)	(2)	2,688	2,637	2,586	2,534
Phillips County	(2)	(2)	(2)	2,565	2,727	2,888	3,050
Pitkin County	(2)	(2)	(2)	5,511	5,262	5,013	4,764
Prowers County	(2)	(2)	(2)	7,310	7,893	8,475	9,058
Pueblo County	(2)	(2)	(2)	7,048	7,254	7,459	7,665
Rio Blanco County	(2)	(2)	(2)	2,086	2,151	2,215	2,280
Rio Grande County	(2)	(2)	(2)	5,608	5,860	6,111	6,363
Routt County	(2)	(2)	(2)	6,064	6,459	6,853	7,248
Saguache County	(2)	(2)	(2)	4,043	4,073	4,103	4,134
San Juan County	(2)	(2)	(2)	2,788	2,860	2,932	3,005
San Miguel County	(2)	(2)	(2)	4,962	4,893	4,824	4,755
Sedgwick County	(2)	(2)	(2)	2,258	2,469	2,681	2,893
Summit County	(2)	(2)	(2)	2,288	2,213	2,138	2,063
Teller County	(2)	(2)	(2)	19,978	18,494	17,010	15,526
Washington County	(2)	(2)	(2)	4,474	4,876	5,279	5,682
Weld County	(2)	(2)	(2)	30,587	32,851	35,116	37,382
Yuma County	(2)	(2)	(2)	6,452	6,991	7,531	8,071
CONNECTICUT RURAL.[1]							
Fairfield County	45,127	45,884	46,640	47,396	48,151	48,905	49,660
Hartford County	71,254	72,574	73,892	75,210	76,529	77,847	79,165
Litchfield County	51,908	52,131	52,354	52,577	52,800	53,022	53,244
Middlesex County	24,465	24,527	24,590	24,653	24,715	24,777	24,839
New Haven County	52,319	53,369	54,419	55,469	56,518	57,567	58,614
New London County	31,481	31,885	32,290	32,694	33,097	33,500	33,902
Tolland County	16,456	16,591	16,726	16,862	16,997	17,132	17,265
Windham County	36,423	36,326	36,228	36,130	36,032	35,934	35,836
INDIANA RURAL.[1]							
Adams County	22,112	22,072	22,032	21,992	21,952	21,912	21,872
Allen County	31,873	31,782	31,691	31,600	31,209	31,117	29,525
Bartholomew County	16,317	16,270	16,223	16,176	16,130	16,082	16,035
Benton County	12,988	12,944	12,900	12,856	12,812	12,768	12,724
Blackford County	16,779	16,638	16,497	16,356	16,215	16,074	15,933
Boone County	25,808	25,641	25,474	25,307	25,140	24,973	24,806
Brown County	9,182	9,005	8,828	8,651	8,473	8,295	8,117
Carroll County	19,336	19,135	18,934	18,733	18,532	18,331	18,130
Cass County	18,018	17,914	17,811	17,708	17,596	17,503	17,389
Clark County	20,681	20,557	20,435	20,312	20,190	20,067	19,944
Clay County	33,740	33,563	33,386	33,209	33,032	32,855	32,677
Clinton County	27,727	27,572	27,417	27,262	27,107	26,952	26,797
Crawford County	13,035	12,892	12,748	12,604	12,460	12,316	12,172
Daviess County	20,902	20,752	20,604	20,456	20,308	20,159	20,010
Dearborn County	21,947	21,866	21,785	21,704	21,623	21,542	21,461
Decatur County	19,293	19,220	19,147	19,074	19,000	18,926	18,852
Dekalb County	25,508	25,442	25,376	25,309	25,242	25,175	25,108
Delaware County	28,064	28,026	27,987	27,949	27,912	27,874	27,437
Dubois County	20,197	20,145	20,093	20,041	19,989	19,937	19,885
Elkhart County	29,821	29,806	29,791	29,777	29,764	29,750	29,736
Fayette County	13,781	13,874	13,967	14,060	14,153	14,246	14,340
Floyd County	9,541	9,559	9,577	9,594	9,613	9,631	9,649
Fountain County	21,132	21,030	20,928	20,826	20,724	20,622	20,520
Franklin County	16,062	15,955	15,848	15,741	15,634	15,527	15,420
Fulton County	17,275	17,217	17,159	17,101	17,043	16,985	16,926
Gibson County	30,109	30,113	30,117	30,121	30,125	30,129	30,133
Grant County	34,882	34,468	34,054	33,640	33,226	32,811	32,397
Greene County	31,134	31,979	32,824	33,669	34,514	35,359	36,204
Hamilton County	29,014	28,722	28,430	28,138	27,845	27,552	27,259
Hancock County	19,140	19,124	19,108	19,092	19,076	19,060	19,044

[8] Including Fort Wayne.
[9] Including Logansport.
[10] Including Washington.
[11] Including Elkhart.
[12] Including New Albany.
[13] Including Marion.

TABLE I.—POPULATION OF EACH

REGISTRATION AREA.	ENUMERATED POPULATION.			ESTIMATED MIDYEAR POPULATION.		
	Federal census, June 1, 1900.	State census, June 1, 1905.	Federal census, Apr. 15, 1910.	1900	1901	1902
INDIANA RURAL [1]—Continued.						
Harrison County	21,702		20,232	[2] 21,690	21,542	21,393
Hendricks County	21,292		20,840	[2] 21,289	21,244	21,199
Henry County	25,088		29,758	[2] 25,127	25,599	26,072
Howard County	[3] 28,575		16,167	[2,3] 28,612	17,850	17,744
Huntington County	[4] 28,901		18,710	[2,4] 28,901	19,365	19,325
Jackson County	26,633		24,727	[2] 26,617	26,424	26,231
Jasper County	14,292		13,044	[2] 14,282	14,156	14,030
Jay County	26,818		24,961	[2] 26,803	26,615	26,427
Jefferson County	22,913		20,483	[2] 22,893	22,647	22,401
Jennings County	15,757		14,203	[2] 15,744	15,587	15,430
Johnson County	20,223		20,394	[2] 20,224	20,241	20,258
Knox County	22,497		24,288	[2] 22,516	22,742	22,969
Kosciusko County	29,109		27,936	[2] 29,100	28,982	28,864
Lagrange County	15,284		15,148	[2] 15,283	15,270	15,257
Lake County	[5] 37,892		61,939	[2,5] 38,271	29,573	33,319
Laporte County	23,536		26,770	[2] 23,566	23,923	24,281
Lawrence County	25,729		30,625	[2] 25,770	26,265	26,760
Madison County	[6] 70,470		31,720	[2,6] 70,426	36,725	36,156
Marion County	28,063		30,011	[2] 28,180	29,585	21,991
Marshall County	25,119		24,175	[2] 25,111	25,016	24,921
Martin County	14,711		12,950	[2] 14,697	14,519	14,341
Miami County	19,881		18,440	[2] 19,887	17,954	18,023
Monroe County	20,873		23,426	[2] 20,894	21,152	21,410
Montgomery County	29,388		29,296	[2] 29,388	29,379	29,370
Morgan County	20,457		21,182	[2] 20,463	20,536	20,609
Newton County	10,448		10,504	[2] 10,448	10,453	10,458
Noble County	23,533		24,009	[2] 23,537	23,585	23,633
Ohio County	4,724		4,329	[2] 4,721	4,681	4,641
Orange County	16,854		17,192	[2] 16,856	16,890	16,924
Owen County	15,149		14,053	[2] 15,140	15,029	14,918
Parke County	23,000		22,214	[2] 22,994	22,915	22,836
Perry County	18,778		18,078	[2] 18,773	18,703	18,632
Pike County	20,486		19,684	[2] 20,480	20,399	20,318
Porter County	19,175		20,540	[2] 19,186	19,324	19,462
Posey County	22,333		21,670	[2] 22,328	22,261	22,194
Pulaski County	14,033		13,312	[2] 14,027	13,954	13,881
Putnam County	21,478		20,520	[2] 21,470	21,373	21,276
Randolph County	28,653		29,013	[2] 28,656	28,692	28,728
Ripley County	19,881		19,452	[2] 19,878	19,835	19,792
Rush County	20,148		19,349	[2] 20,142	20,062	19,981
St. Joseph County	[7] 58,881		30,628	[2,7] 59,095	23,818	24,608
Scott County	8,307		8,323	[2] 8,307	8,308	8,309
Shelby County	26,491		26,802	[2] 26,493	26,524	26,555
Spencer County	22,407		20,676	[2] 22,393	22,218	22,043
Starke County	10,431		10,567	[2] 10,432	10,445	10,458
Steuben County	15,219		14,274	[2] 15,211	15,116	15,021
Sullivan County	26,005		32,439	[2] 26,059	26,710	27,361
Switzerland County	11,840		9,914	[2] 11,824	11,629	11,434
Tippecanoe County	20,543		19,982	[2] 20,538	20,481	20,423
Tipton County	19,116		17,459	[2] 19,102	18,935	18,768
Union County	6,748		6,260	[2] 6,744	6,695	6,646
Vanderburg County	12,762		7,791	[2] 12,724	12,272	11,819
Vermilion County	15,252		18,865	[2] 15,282	15,647	16,013
Vigo County	25,362		29,773	[2] 25,500	27,162	28,823
Wabash County	[8] 28,235		18,239	[2,8] 28,224	19,467	19,327
Warren County	11,371		10,899	[2] 11,367	11,320	11,273
Warrick County	22,329		21,911	[2] 22,326	22,284	22,242
Washington County	19,409		17,445	[2] 19,393	19,195	18,996
Wayne County	20,744		21,433	[2] 20,753	20,863	20,972
Wells County	23,449		22,418	[2] 23,441	23,337	23,233
White County	19,138		17,602	[2] 19,125	18,970	18,815
Whitley County	17,328		16,892	[2] 17,325	17,281	17,237
MAINE RURAL.[1]						
Androscoggin County	[9] 54,242		18,511	[2,9] 54,290	[9] 54,855	[9] 55,420
Aroostook County	60,744		74,664	[2] 60,861	62,270	63,679
Cumberland County	50,544		53,443	[2] 50,569	50,862	51,155
Franklin County	18,444		19,119	[2] 18,449	18,517	18,585
Hancock County	37,241		35,575	[2] 37,227	37,059	36,891
Kennebec County	[10] 47,434		38,194	[2,10] 47,454	[10] 47,679	[10] 47,904
Knox County	22,256		20,807	[2] 22,244	22,099	21,953
Lincoln County	19,669		18,216	[2] 19,657	19,510	19,363
Oxford County	32,238		36,256	[2] 32,271	32,677	33,084
Penobscot County	54,396		60,482	[2] 54,448	55,065	55,681
Piscataquis County	16,949		19,887	[2] 16,973	17,270	17,567
Sagadahoc County	9,853		9,178	[2] 9,848	9,780	9,712
Somerset County	33,849		36,301	[2] 33,869	34,117	34,365
Waldo County	24,185		23,383	[2] 24,179	24,098	24,017
Washington County	45,232		42,905	[2] 45,213	44,978	44,743
York County	48,740		51,447	[2] 48,763	49,037	49,312

[1] Exclusive of cities having a population of 8,000 or over in 1900.
[2] Population by census, June 1, not midyear population, used as basis of rates.
[3] Including Kokomo.
[4] Including Huntington.
[5] Including Hammond.

REGISTRATION AREA: 1900 TO 1909—Continued.

REGISTRATION AREA.	ESTIMATED MIDYEAR POPULATION—continued.						
	1903	1904	1905	1906	1907	1908	1909
INDIANA RURAL[1]—Continued.							
Harrison County	21,244	21,095	20,946	20,797	20,648	20,499	20,350
Hendricks County	21,153	21,107	21,061	21,015	20,969	20,923	20,877
Henry County	26,545	27,018	27,491	27,964	28,437	28,910	29,383
Howard County	17,638	17,532	17,426	17,320	17,214	16,907	16,251
Huntington County	19,285	19,244	18,903	18,862	18,821	18,780	18,741
Jackson County	26,038	25,845	25,652	25,459	25,266	25,073	24,880
Jasper County	13,904	13,778	13,652	13,526	13,399	13,272	13,145
Jay County	26,239	26,051	25,863	25,675	25,487	25,299	25,111
Jefferson County	22,155	21,909	21,663	21,417	21,171	20,925	20,679
Jennings County	15,273	15,116	14,959	14,802	14,645	14,487	14,329
Johnson County	20,275	20,292	20,309	20,326	20,343	20,361	20,379
Knox County	22,997	23,225	23,453	23,586	23,653	23,880	24,108
Kosciusko County	28,745	28,626	28,507	28,388	28,269	28,150	28,031
Lagrange County	15,244	15,230	15,216	15,202	15,188	15,174	15,160
Lake County	37,065	40,811	44,557	47,853	51,479	55,225	58,972
Laporte County	24,639	24,997	25,354	25,712	26,070	26,128	26,487
Lawrence County	27,256	27,752	28,248	28,744	29,240	29,736	30,232
Madison County	35,587	35,017	34,448	33,879	33,310	32,741	32,172
Marion County	23,097	24,503	25,408	26,814	26,631	27,792	29,199
Marshall County	24,826	24,731	24,636	24,540	24,444	24,348	24,252
Martin County	14,163	13,985	13,807	13,629	13,450	13,271	13,092
Miami County	18,092	18,161	18,230	18,182	18,251	18,318	18,387
Monroe County	21,668	21,926	22,184	22,443	22,702	22,961	23,220
Montgomery County	29,361	29,352	29,343	29,334	29,325	29,315	29,305
Morgan County	20,682	20,755	20,828	20,901	20,975	21,049	21,123
Newton County	10,463	10,469	10,475	10,481	10,487	10,493	10,499
Noble County	23,681	23,729	23,777	23,825	23,873	23,921	23,970
Ohio County	4,601	4,561	4,521	4,481	4,441	4,401	4,361
Orange County	16,958	16,992	17,026	17,060	17,094	17,129	17,164
Owen County	14,807	14,696	14,585	14,474	14,363	14,252	14,141
Parke County	22,757	22,678	22,598	22,518	22,438	22,358	22,278
Perry County	18,561	18,490	18,419	18,348	18,277	18,206	18,135
Pike County	20,237	20,156	20,075	19,994	19,913	19,832	19,750
Porter County	19,600	19,738	19,876	20,014	20,152	20,290	20,429
Posey County	22,127	22,060	21,993	21,926	21,859	21,792	21,725
Pulaski County	13,808	13,735	13,662	13,589	13,516	13,443	13,370
Putnam County	21,179	21,082	20,985	20,888	20,791	20,694	20,597
Randolph County	28,764	28,800	28,836	28,872	28,909	28,946	28,983
Ripley County	19,749	19,706	19,663	19,619	19,575	19,531	19,487
Rush County	19,900	19,819	19,738	19,657	19,576	19,495	19,414
St. Joseph County	25,473	26,213	27,078	27,943	28,808	29,177	30,043
Scott County	8,310	8,311	8,313	8,315	8,317	8,319	8,321
Shelby County	26,586	26,617	26,648	26,680	26,712	26,744	26,776
Spencer County	21,868	21,693	21,518	21,343	21,168	20,992	20,816
Starke County	10,471	10,485	10,499	10,513	10,527	10,541	10,555
Steuben County	14,926	14,831	14,735	14,639	14,543	14,447	14,351
Sullivan County	28,012	28,663	29,314	29,966	30,618	31,270	31,922
Switzerland County	11,239	11,044	10,849	10,654	10,459	10,264	10,069
Tippecanoe County	20,366	20,309	20,252	20,195	20,139	20,081	20,026
Tipton County	18,600	18,432	18,264	18,096	17,928	17,760	17,592
Union County	6,597	6,548	6,499	6,450	6,400	6,350	6,300
Vanderburg County	11,366	10,913	10,460	10,007	9,055	8,601	8,149
Vermilion County	16,379	16,745	17,111	17,477	17,843	18,209	18,575
Vigo County	30,485	32,147	21,809	23,471	25,133	26,794	28,457
Wabash County	19,188	19,049	18,910	18,770	18,631	18,491	18,351
Warren County	11,225	11,177	11,129	11,081	11,033	10,985	10,937
Warrick County	22,200	22,158	22,116	22,074	22,032	21,989	21,946
Washington County	18,797	18,598	18,399	18,200	18,001	17,802	17,603
Wayne County	21,083	21,194	20,905	21,015	21,126	21,236	21,346
Wells County	23,129	23,025	22,921	22,817	22,712	22,607	22,502
White County	18,660	18,505	18,350	18,194	18,038	17,882	17,726
Whitley County	17,193	17,149	17,105	17,061	17,017	16,973	16,928
MAINE RURAL.[1]							
Androscoggin County	[9] 55,986	[9] 56,551	[9] 57,116	18,138	18,237	18,335	18,434
Aroostook County	65,088	66,497	67,907	69,317	70,727	72,137	73,547
Cumberland County	51,449	51,744	52,038	52,332	52,626	52,918	53,211
Franklin County	18,653	18,721	18,789	18,857	18,926	18,995	19,064
Hancock County	36,723	36,554	36,385	36,216	36,047	35,878	35,709
Kennebec County	[10] 48,128	[10] 48,353	[10] 48,577	38,106	38,129	38,153	38,177
Knox County	21,807	21,661	21,516	21,370	21,222	21,074	20,926
Lincoln County	19,216	19,069	18,922	18,775	18,628	18,481	18,334
Oxford County	33,491	33,898	34,305	34,712	35,119	35,526	35,933
Penobscot County	56,297	56,913	57,529	58,145	58,761	59,378	59,995
Piscataquis County	17,864	18,161	18,458	18,756	19,054	19,352	19,650
Sagadahoc County	9,643	9,574	9,505	9,436	9,368	9,300	9,231
Somerset County	34,613	34,861	35,109	35,357	35,605	35,854	36,103
Waldo County	23,936	23,855	23,774	23,693	23,612	23,531	23,449
Washington County	44,508	44,272	44,036	43,800	43,564	43,328	43,092
York County	49,586	49,861	50,135	50,409	50,683	50,956	51,230

[6] Including Anderson and Elwood.
[7] Including South Bend.
[8] Including Wabash.
[9] Including Auburn and Lewiston.
[10] Including Waterville.

TABLE I.—POPULATION OF EACH

REGISTRATION AREA.	ENUMERATED POPULATION.			ESTIMATED MIDYEAR POPULATION.		
	Federal census, June 1, 1900.	State census, June 1, 1905.	Federal census, Apr. 15, 1910.	1900	1901	1902
MARYLAND RURAL.[1]						
Allegany County	36,566		40,572	(2)	(2)	(2)
Anne Arundel County	31,095		30,944	(2)	(2)	(2)
Baltimore County	90,755		122,399	(2)	(2)	(2)
Calvert County	10,223		10,325	(2)	(2)	(2)
Caroline County	16,248		19,216	(2)	(2)	(2)
Carroll County	33,860		33,934	(2)	(2)	(2)
Cecil County	24,662		23,759	(2)	(2)	(2)
Charles County	17,662		16,386	(2)	(2)	(2)
Dorchester County	27,962		28,669	(2)	(2)	(2)
Frederick County	42,624		42,262	(2)	(2)	(2)
Garrett County	17,701		20,105	(2)	(2)	(2)
Harford County	28,269		27,965	(2)	(2)	(2)
Howard County	16,715		16,106	(2)	(2)	(2)
Kent County	18,786		16,957	(2)	(2)	(2)
Montgomery County	30,451		32,089	(2)	(2)	(2)
Prince Georges County	29,898		36,147	(2)	(2)	(2)
Queen Annes County	18,364		16,839	(2)	(2)	(2)
St. Marys County	17,182		17,030	(2)	(2)	(2)
Somerset County	25,923		26,455	(2)	(2)	(2)
Talbot County	20,342		19,620	(2)	(2)	(2)
Washington County	31,542		33,060	(2)	(2)	(2)
Wicomico County	22,852		26,815	(2)	(2)	(2)
Worcester County	20,865		21,841	(2)	(2)	(2)
MASSACHUSETTS RURAL.[1]						
Barnstable County	27,826	[3] 26,831	27,542	[4] 27,826	[4] 27,627	[4] 27,428
Berkshire County	38,567	[3] 38,693	38,093	[4] 38,567	[4] 38,592	[4] 38,617
Bristol County	42,353	[3] 45,464	52,152	[4] 42,353	[4] 42,975	[4] 43,597
Dukes County	4,561	[3] 4,551	4,504	[4] 4,561	[4] 4,559	[4] 4,557
Essex County	68,806	[3] 71,722	80,418	[4] 68,806	[4] 69,392	[4] 69,976
Franklin County	41,209	[3] 43,362	43,600	[4] 41,209	[4] 41,639	[4] 42,069
Hampden County	36,355	[3] 38,737	43,268	[4] 36,355	[4] 36,833	[4] 37,310
Hampshire County	31,914	[3] 33,676	35,122	[4] 31,914	[4] 32,267	[4] 32,619
Middlesex County	94,672	[3] 101,840	108,986	[4] 94,672	[4] 96,112	[4] 97,550
Nantucket County	3,006	[3] 2,930	2,962	[4] 3,006	[4] 2,991	[4] 2,976
Norfolk County	83,137	[3] 89,930	98,670	[4] 83,137	[4] 84,496	[4] 85,855
Plymouth County	64,330	[3] 69,019	75,318	[4] 64,330	[4] 65,268	[4] 66,206
Suffolk County	6,058	[3] 7,034	10,132	[4] 6,058	[4] 6,256	[4] 6,453
Worcester County	129,929	[3] 128,975	133,335	[4] 129,929	[4] 129,741	[4] 129,550
MICHIGAN RURAL.[1]						
Alcona County	5,691	[6] 5,684	5,703	[4] 5,691	[4] 5,690	[4] 5,688
Alger County	5,868	[6] 6,535	7,675	[4] 5,868	[4] 6,034	[4] 6,201
Allegan County	38,812	[6] 38,948	39,819	[4] 38,812	[4] 38,846	[4] 38,881
Alpena County	[5] 18,254	[6,8] 19,748	7,259	[4,8] 18,254	[4,8] 18,627	[4,8] 19,000
Antrim County	16,568	[6] 15,655	15,692	[4] 16,568	[4] 16,340	[4] 16,112
Arenac County	9,821	[6] 10,184	9,640	[4] 9,821	[4] 9,911	[4] 10,002
Baraga County	4,320	[6] 5,104	6,127	[4] 4,320	[4] 4,516	[4] 4,712
Barry County	22,514	[6] 22,025	22,633	[4] 22,514	[4] 22,392	[4] 22,270
Bay County	21,631	[6] 22,807	23,072	[4] 21,631	[4] 21,925	[4] 22,218
Benzie County	9,685	[6] 10,790	10,638	[4] 9,685	[4] 9,961	[4] 10,237
Berrien County	49,165	[6] 49,390	53,622	[4] 49,165	[4] 49,222	[4] 49,278
Branch County	27,811	[6] 26,397	25,605	[4] 27,811	[4] 27,458	[4] 27,105
Calhoun County	30,752	[6] 30,750	31,371	[4] 30,752	[4] 30,753	[4] 30,753
Cass County	20,876	[6] 20,030	20,624	[4] 20,876	[4] 20,665	[4] 20,454
Charlevoix County	13,956	[6] 16,278	19,157	[4] 13,956	[4] 14,536	[4] 15,116
Cheboygan County	15,516	[6] 17,256	17,872	[4] 15,516	[4] 15,951	[4] 16,386
Chippewa County	10,800	[6] 10,683	11,357	[4] 10,800	[4] 10,770	[4] 10,741
Clare County	8,360	[6] 9,189	9,240	[4] 8,360	[4] 8,567	[4] 8,774
Clinton County	25,136	[6] 25,208	23,129	[4] 25,136	[4] 25,154	[4] 25,172
Crawford County	2,943	[6] 3,854	3,934	[4] 2,943	[4] 3,170	[4] 3,398
Delta County	14,332	[6] 15,936	16,914	[4] 14,332	[4] 14,733	[4] 15,134
Dickinson County	8,648	[6] 10,351	11,308	[4] 8,648	[4] 9,073	[4] 9,498
Eaton County	31,668	[6] 30,706	30,499	[4] 31,668	[4] 31,428	[4] 31,188
Emmet County	15,931	[6] 17,892	18,561	[4] 15,931	[4] 16,421	[4] 16,911
Genesee County	28,701	[6] 27,869	26,005	[4] 28,701	[4] 28,194	[4] 28,086
Gladwin County	6,564	[6] 8,601	8,413	[4] 6,564	[4] 7,073	[4] 7,582
Gogebic County	7,033	[6] 7,278	10,512	[4] 7,033	[4] 7,094	[4] 7,156
Grand Traverse County	11,072	[6] 11,965	11,669	[4] 11,072	[4] 11,295	[4] 11,519
Gratiot County	29,889	[6] 30,536	28,820	[4] 29,889	[4] 30,050	[4] 30,212
Hillsdale County	29,865	[6] 29,837	29,673	[4] 29,865	[4] 29,858	[4] 29,851
Houghton County	66,063	[6] 70,625	88,098	[4] 66,063	[4] 67,204	[4] 68,344
Huron County	34,162	[6] 34,945	34,758	[4] 34,162	[4] 34,357	[4] 34,554
Ingham County	23,333	[6] 23,331	22,081	[4] 23,333	[4] 23,334	[4] 23,333
Ionia County	34,329	[6] 34,627	33,550	[4] 34,329	[4] 34,403	[4] 34,477
Iosco County	10,246	[6] 10,540	9,753	[4] 10,246	[4] 10,319	[4] 10,392
Iron County	8,990	[6] 8,925	15,164	[4] 8,990	[4] 8,974	[4] 8,958
Isabella County	22,784	[6] 24,106	23,029	[4] 22,784	[4] 23,114	[4] 23,444
Jackson County	23,042	[6] 21,822	21,993	[4] 23,042	[4] 22,738	[4] 22,433
Kalamazoo County	19,906	[6] 19,980	20,990	[4] 19,906	[4] 19,926	[4] 19,945
Kalkaska County	7,133	[6] 7,608	8,097	[4] 7,133	[4] 7,251	[4] 7,370

[1] Exclusive of cities having a population of 8,000 or over in 1900.
[2] Nonregistration.
[3] As of May 1.
[4] As of June 1.

REGISTRATION AREA: 1900 TO 1909—Continued.

REGISTRATION AREA.	ESTIMATED MIDYEAR POPULATION—continued.						
	1903	1904	1905	1906	1907	1908	1909
MARYLAND RURAL.[1]							
Allegany County	(2)	(2)	(2)	39,034	39,440	39,846	40,251
Anne Arundel County	(2)	(2)	(2)	31,007	30,991	30,975	30,959
Baltimore County	(2)	(2)	(2)	110,247	113,452	116,657	119,862
Calvert County	(2)	(2)	(2)	10,284	10,295	10,306	10,317
Caroline County	(2)	(2)	(2)	18,075	18,376	18,677	18,978
Carroll County	(2)	(2)	(2)	33,904	33,912	33,920	33,927
Cecil County	(2)	(2)	(2)	24,108	24,016	23,924	23,832
Charles County	(2)	(2)	(2)	16,878	16,749	16,620	16,490
Dorchester County	(2)	(2)	(2)	28,396	28,468	28,540	28,611
Frederick County	(2)	(2)	(2)	42,401	42,364	42,327	42,291
Garrett County	(2)	(2)	(2)	19,180	19,424	19,667	19,911
Harford County	(2)	(2)	(2)	28,083	28,052	28,021	27,990
Howard County	(2)	(2)	(2)	16,342	16,280	16,218	16,156
Kent County	(2)	(2)	(2)	17,661	17,476	17,291	17,105
Montgomery County	(2)	(2)	(2)	31,460	31,626	31,791	31,957
Prince Georges County	(2)	(2)	(2)	33,747	34,389	35,012	35,645
Queen Annes County	(2)	(2)	(2)	17,427	17,272	17,117	16,962
St. Marys County	(2)	(2)	(2)	17,091	17,075	17,059	17,043
Somerset County	(2)	(2)	(2)	26,251	26,304	26,358	26,412
Talbot County	(2)	(2)	(2)	19,898	19,825	19,752	19,679
Washington County	(2)	(2)	(2)	32,480	32,634	32,787	32,940
Wicomico County	(2)	(2)	(2)	25,292	25,692	26,094	26,496
Worcester County	(2)	(2)	(2)	21,465	21,564	21,663	21,762
MASSACHUSETTS RURAL.[1]							
Barnstable County	[4] 27,229	[4] 27,030	[5] 26,854	26,997	27,140	27,283	27,427
Berkshire County	[4] 38,644	[4] 38,669	[5] 38,673	38,551	38,429	38,308	38,188
Bristol County	[4] 44,221	[4] 44,843	[5] 45,688	47,039	48,389	49,738	51,085
Dukes County	[4] 4,555	[4] 4,553	[5] 4,550	4,541	4,532	4,523	4,513
Essex County	[4] 70,559	[4] 71,142	[5] 72,016	73,773	75,529	77,282	79,032
Franklin County	[4] 42,501	[4] 42,931	[5] 43,370	43,418	43,466	43,514	43,562
Hampden County	[4] 37,787	[4] 38,263	[5] 38,894	39,835	40,776	41,716	42,525
Hampshire County	[4] 32,972	[4] 33,324	[5] 33,719	33,984	34,252	34,519	34,909
Middlesex County	[4] 98,982	[4] 100,412	[5] 102,095	103,301	104,804	106,305	107,804
Nantucket County	[4] 2,961	[4] 2,946	[5] 2,931	2,937	2,943	2,949	2,956
Norfolk County	[4] 87,215	[4] 88,574	[5] 90,225	91,988	93,751	95,513	97,276
Plymouth County	[4] 67,144	[4] 68,082	[5] 69,231	70,502	71,772	73,043	74,314
Suffolk County	[4] 6,646	[4] 6,840	[5] 7,138	7,763	8,389	9,015	9,639
Worcester County	[4] 129,357	[4] 129,166	[5] 129,124	130,005	130,884	131,763	132,642
MICHIGAN RURAL.[1]							
Alcona County	[4] 5,686	[7] 5,684	5,687	5,690	5,693	5,696	5,699
Alger County	[4] 6,368	[7] 6,551	6,745	6,939	7,133	7,327	7,521
Allegan County	[4] 38,915	[7] 38,960	39,108	39,256	39,404	39,552	39,700
Alpena County	[4,8] 19,374	[7,8] 19,752	[8] 19,788	7,317	7,302	7,287	7,272
Antrim County	[4] 15,884	[7] 15,655	15,661	15,667	15,673	15,679	15,686
Arenac County	[4] 10,093	[7] 10,177	10,085	9,993	9,900	9,807	9,714
Baraga County	[4] 4,908	[7] 5,118	5,292	5,466	5,640	5,814	5,988
Barry County	[4] 22,148	[7] 22,033	22,136	22,239	22,342	22,446	22,550
Bay County	[4] 22,512	[7] 22,811	22,857	22,903	22,948	22,993	23,038
Benzie County	[4] 10,513	[7] 10,788	10,763	10,737	10,711	10,685	10,659
Berrien County	[4] 49,334	[7] 49,450	50,170	50,890	51,610	52,330	53,051
Branch County	[4] 26,751	[7] 26,386	26,252	26,117	25,982	25,847	25,712
Calhoun County	[4] 30,751	[7] 30,760	30,865	30,970	31,075	31,181	31,287
Cass County	[4] 20,242	[7] 20,038	20,139	20,240	20,341	20,442	20,543
Charlevoix County	[4] 15,697	[7] 16,318	16,808	17,298	17,788	18,278	18,768
Cheboygan County	[4] 16,821	[7] 17,264	17,368	17,473	17,578	17,683	17,788
Chippewa County	[4] 10,712	[7] 10,701	10,901	11,101	11,300	11,500	11,700
Clare County	[4] 8,981	[7] 9,189	9,197	9,205	9,214	9,223	9,232
Clinton County	[4] 25,190	[7] 25,179	24,826	24,472	24,118	23,764	23,410
Crawford County	[4] 3,626	[7] 3,855	3,868	3,881	3,894	3,908	3,922
Delta County	[4] 15,535	[7] 15,950	16,118	16,284	16,450	16,616	16,783
Dickinson County	[4] 9,924	[7] 10,365	10,529	10,692	10,855	11,017	11,180
Eaton County	[4] 30,947	[7] 30,704	30,669	30,634	30,599	30,564	30,528
Emmet County	[4] 17,401	[7] 17,901	18,014	18,128	18,242	18,356	18,470
Genesee County	[4] 27,977	[7] 27,843	27,527	27,210	26,893	26,576	26,258
Gladwin County	[4] 8,091	[7] 8,599	8,567	8,535	8,503	8,471	8,439
Gogebic County	[4] 7,217	[7] 7,324	7,875	8,425	8,975	9,526	10,077
Grand Traverse County	[4] 11,742	[7] 11,961	11,911	11,862	11,812	11,761	11,710
Gratiot County	[4] 30,374	[7] 30,512	30,220	29,928	29,636	29,344	29,052
Hillsdale County	[4] 29,844	[7] 29,835	29,808	29,780	29,752	29,724	29,696
Houghton County	[4] 69,485	[7] 70,872	73,846	76,820	79,794	82,768	85,742
Huron County	[4] 34,750	[7] 34,943	34,912	34,880	34,848	34,816	34,784
Ingham County	[4] 23,331	[7] 23,313	23,100	22,888	22,676	22,464	22,251
Ionia County	[4] 34,553	[7] 34,612	34,429	34,246	34,063	33,880	33,696
Iosco County	[4] 10,466	[7] 10,529	10,396	10,262	10,128	9,994	9,860
Iron County	[4] 8,942	[7] 9,013	10,075	11,137	12,199	13,261	14,323
Isabella County	[4] 23,775	[7] 24,091	23,908	23,725	23,542	23,359	23,175
Jackson County	[4] 22,127	[7] 21,824	21,853	21,883	21,912	21,941	21,970
Kalamazoo County	[4] 19,962	[7] 19,995	20,167	20,340	20,511	20,682	20,854
Kalkaska County	[4] 7,489	[7] 7,614	7,697	7,780	7,863	7,946	8,030

[5] Population by census, May 1, not midyear population, used as basis of rates.
[6] As of June 1, 1904.
[7] Population by census, June 1, not midyear population, used as basis of rates.
[8] Including Alpena.

TABLE I.—POPULATION OF EACH

REGISTRATION AREA.	ENUMERATED POPULATION.			ESTIMATED MIDYEAR POPULATION.		
	Federal census, June 1, 1900.	State census, June 1, 1905.	Federal census, Apr. 15, 1910.	1900	1901	1902
MICHIGAN RURAL[1]—Continued.						
Kent County	42,149	[2] 42,770	46,574	[3] 42,149	[3] 42,305	[3] 42,460
Keweenaw County	3,217	[2] 4,546	7,156	[3] 3,217	[3] 3,549	[3] 3,881
Lake County	4,957	[2] 4,999	4,939	[3] 4,957	[3] 4,967	[3] 4,977
Lapeer County	27,641	[2] 27,050	26,033	[3] 27,641	[3] 27,494	[3] 27,346
Leelanau County	10,556	[2] 10,826	10,608	[3] 10,556	[3] 10,623	[3] 10,690
Lenawee County	[5] 48,406	[2,5] 49,097	37,144	[3,5] 48,406	[3,5] 48,579	[3,5] 48,752
Livingston County	19,664	[2] 18,649	17,736	[3] 19,664	[3] 19,411	[3] 19,157
Luce County	2,983	[2] 3,882	4,004	[3] 2,983	[3] 3,207	[3] 3,432
Mackinac County	7,703	[2] 8,247	9,249	[3] 7,703	[3] 7,839	[3] 7,975
Macomb County	33,244	[2] 33,095	32,606	[3] 33,244	[3] 33,207	[3] 33,170
Manistee County	[6] 27,856	[2,6] 27,173	14,307	[3,6] 27,856	[3,6] 27,686	[3,6] 27,515
Marquette County	17,926	[2] 17,722	22,788	[3] 17,926	[3] 17,877	[3] 17,826
Mason County	18,885	[2] 19,608	21,832	[3] 18,885	[3] 19,065	[3] 19,246
Mecosta County	20,693	[2] 20,216	19,466	[3] 20,693	[3] 20,574	[3] 20,455
Menominee County	14,228	[2] 15,369	15,141	[3] 14,228	[3] 14,513	[3] 14,798
Midland County	14,439	[2] 14,636	14,005	[3] 14,439	[3] 14,488	[3] 14,537
Missaukee County	9,308	[2] 10,266	10,606	[3] 9,308	[3] 9,547	[3] 9,786
Monroe County	32,754	[2] 32,921	32,917	[3] 32,754	[3] 32,795	[3] 32,837
Montcalm County	32,754	[2] 33,260	32,069	[3] 32,754	[3] 32,880	[3] 33,006
Montmorency County	3,234	[2] 3,515	3,755	[3] 3,234	[3] 3,304	[3] 3,374
Muskegon County	16,218	[2] 16,476	16,515	[3] 16,218	[3] 16,283	[3] 16,348
Newaygo County	17,673	[2] 18,421	19,220	[3] 17,673	[3] 17,860	[3] 18,047
Oakland County	35,023	[2] 34,862	35,044	[3] 35,023	[3] 34,984	[3] 34,943
Oceana County	16,644	[2] 17,717	18,379	[3] 16,644	[3] 16,912	[3] 17,180
Ogemaw County	7,765	[2] 9,121	8,907	[3] 7,765	[3] 8,104	[3] 8,443
Ontonagon County	6,197	[2] 7,166	8,650	[3] 6,197	[3] 6,439	[3] 6,681
Osceola County	17,859	[2] 18,633	17,889	[3] 17,859	[3] 18,052	[3] 18,245
Oscoda County	1,468	[2] 1,888	2,027	[3] 1,468	[3] 1,573	[3] 1,678
Otsego County	6,175	[2] 7,239	6,552	[3] 6,175	[3] 6,441	[3] 6,707
Ottawa County	39,667	[2] 42,199	45,301	[3] 39,667	[3] 40,301	[3] 40,934
Presque Isle County	8,821	[2] 10,872	11,249	[3] 8,821	[3] 9,333	[3] 9,846
Roscommon County	1,787	[2] 1,731	2,274	[3] 1,787	[3] 1,773	[3] 1,759
Saginaw County	38,877	[2] 39,061	38,780	[3] 38,877	[3] 38,924	[3] 38,970
St. Clair County	36,070	[2] 35,609	33,478	[3] 36,070	[3] 35,956	[3] 35,841
St. Joseph County	23,889	[2] 23,229	25,499	[3] 23,889	[3] 23,724	[3] 23,559
Sanilac County	35,055	[2] 34,867	33,930	[3] 35,055	[3] 35,008	[3] 34,962
Schoolcraft County	7,889	[2] 8,628	8,681	[3] 7,889	[3] 8,073	[3] 8,258
Shiawassee County	25,170	[2] 24,566	23,607	[3] 25,170	[3] 25,020	[3] 24,869
Tuscola County	35,890	[2] 35,961	34,913	[3] 35,890	[3] 35,907	[3] 35,926
Van Buren County	33,274	[2] 34,965	33,185	[3] 33,274	[3] 33,696	[3] 34,119
Washtenaw County	33,252	[2] 32,177	29,897	[3] 33,252	[3] 32,985	[3] 32,717
Wayne County	63,089	[2] 69,236	65,825	[3] 63,089	[3] 64,627	[3] 66,163
Wexford County	16,845	[2] 19,217	20,769	[3] 16,845	[3] 17,438	[3] 18,031
NEW HAMPSHIRE RURAL.[1]						
Belknap County	11,484	.....	11,126	[4] 11,481	11,446	11,410
Carroll County	16,895	.....	16,316	[4] 16,891	16,833	16,775
Cheshire County	22,156	.....	20,591	[4] 22,144	21,987	21,829
Coos County	20,582	.....	18,973	[4] 20,569	20,406	20,244
Grafton County	40,844	.....	41,652	[4] 40,850	40,931	41,013
Hillsborough County	31,755	.....	30,004	[4] 31,741	31,564	31,387
Merrimack County	32,798	.....	31,838	[4] 32,790	32,693	32,595
Rockingham County	40,481	.....	40,919	[4] 40,485	40,529	40,573
Strafford County	17,664	.....	16,836	[4] 17,658	17,575	17,492
Sullivan County	18,009	.....	19,337	[4] 18,020	18,154	18,288
NEW JERSEY RURAL.[1]						
Atlantic County	18,564	22,269	25,744	[3] 18,564	[3] 19,305	[3] 20,046
Bergen County	[7] 78,441	[7] 100,003	123,952	[3,7] 78,441	[3,7] 82,753	[3,7] 87,065
Burlington County	58,241	62,042	66,565	[3] 58,241	[3] 59,001	[3] 59,761
Camden County	31,708	38,192	47,491	[3] 31,708	[3] 33,006	[3]34,304
Cape May County	13,201	17,390	19,745	[3] 13,201	[3] 14,038	[3] 14,876
Cumberland County	26,697	26,602	28,493	[3] 26,697	[3] 26,677	[3] 26,658
Essex County	[8] 74,880	[8] 84,168	64,796	[3,8] 74,880	[3,8] 77,838	[3,8] 70,296
Gloucester County	31,905	34,477	37,368	[3] 31,905	[3] 32,419	[3] 32,933
Hudson County	[9] 61,746	[9] 79,622	54,000	[3,9] 61,746	[3,9] 65,324	[3,9] 68,901
Hunterdon County	34,507	33,258	33,569	[3] 34,507	[3] 34,258	[3] 34,008
Mercer County	22,058	26,336	28,842	[3] 22,058	[3] 22,914	[3] 23,771
Middlesex County	42,057	48,008	58,917	[3] 42,057	[3] 43,247	[3] 44,438
Monmouth County	[10] 82,057	[10] 87,919	81,436	[3,10] 82,057	[3,10] 83,229	[3,10] 84,401
Morris County	53,889	55,788	62,197	[3] 53,889	[3] 54,269	[3] 54,648
Ocean County	19,747	20,880	21,318	[3] 19,747	[3] 19,973	[3] 20,199
Passaic County	22,254	26,492	35,529	[3] 22,254	[3] 22,903	[3] 23,802
Salem County	25,530	26,287	26,999	[3] 25,530	[3] 25,681	[3] 25,832
Somerset County	32,948	36,270	38,820	[3] 32,948	[3] 33,612	[3] 34,276
Sussex County	24,134	23,325	26,781	[3] 24,134	[3] 23,973	[3] 23,811
Union County	31,854	38,234	46,238	[3] 31,854	[3] 33,132	[3] 34,408
Warren County	27,729	27,051	29,284	[3] 27,729	[3] 27,893	[3] 28,057

[1] Exclusive of cities having a population of 8,000 or over in 1900.
[2] As of June 1, 1904.
[3] As of June 1.
[4] Population by census, June 1, not midyear population, used as basis of rates.
[5] Including Adrian.

REGISTRATION AREA: 1900 TO 1909—Continued.

REGISTRATION AREA.	ESTIMATED MIDYEAR POPULATION—continued.						
	1903	1904	1905	1906	1907	1908	1909
MICHIGAN RURAL[1]—Continued.							
Kent County	[3] 42,616	[4] 42,824	43,472	44,121	44,769	45,416	46,063
Keweenaw County	[3] 4,213	[4] 4,583	5,027	5,471	5,915	6,359	6,803
Lake County	[3] 4,988	[4] 4,999	4,989	4,979	4,969	4,959	4,948
Lapeer County	[3] 27,198	[4] 27,036	26,863	26,690	26,517	26,344	26,171
Leelanau County	[3] 10,758	[4] 10,823	10,786	10,749	10,712	10,675	10,638
Lenawee County	[3,5] 48,925	[4,5] 49,081	[5] 48,879	37,968	37,751	37,534	37,317
Livingston County	[3] 18,903	[4] 18,637	18,482	18,327	18,172	18,016	17,860
Luce County	[3] 3,657	[4] 3,883	3,903	3,924	3,945	3,966	3,987
Mackinac County	[3] 8,111	[4] 8,261	8,431	8,601	8,771	8,942	9,113
Macomb County	[3] 33,133	[4] 33,089	33,006	32,923	32,840	32,757	32,673
Manistee County	[3,6] 27,344	[4,6] 27,167	[6] 27,085	14,409	14,383	14,356	14,329
Marquette County	[3] 17,774	[4] 17,795	18,658	19,521	20,384	21,245	22,107
Mason County	[3] 19,427	[4] 19,639	20,017	20,395	20,773	21,152	21,531
Mecosta County	[3] 20,336	[4] 20,206	20,079	19,952	19,824	19,696	19,568
Menominee County	[3] 15,084	[4] 15,366	15,327	15,288	15,250	15,211	15,172
Midland County	[3] 14,586	[4] 14,628	14,521	14,414	14,307	14,199	14,091
Missaukee County	[3] 10,026	[4] 10,270	10,328	10,386	10,444	10,502	10,560
Monroe County	[3] 32,879	[4] 32,921	32,921	32,921	32,920	32,919	32,918
Montcalm County	[3] 33,133	[4] 33,244	33,042	32,839	32,636	32,433	32,230
Montmorency County	[3] 3,444	[4] 3,518	3,558	3,599	3,640	3,681	3,722
Muskegon County	[3] 16,411	[4] 16,477	16,484	16,490	16,497	16,503	16,510
Newaygo County	[3] 18,234	[4] 18,432	18,568	18,704	18,840	18,976	19,112
Oakland County	[3] 34,903	[4] 34,872	34,488	34,604	34,721	34,837	34,952
Oceana County	[3] 17,448	[4] 17,726	17,838	17,950	18,063	18,176	18,289
Ogemaw County	[3] 8,782	[4] 9,118	9,082	9,046	9,010	8,974	8,937
Ontonagon County	[3] 6,923	[4] 7,187	7,439	7,691	7,943	8,196	8,449
Osceola County	[3] 18,439	[4] 18,623	18,497	18,371	18,244	18,117	17,990
Oscoda County	[3] 1,783	[4] 1,889	1,912	1,935	1,959	1,983	2,007
Otsego County	[3] 6,973	[4] 7,230	7,113	6,996	6,879	6,762	6,645
Ottawa County	[3] 41,567	[4] 42,243	42,771	43,299	43,827	44,355	44,883
Presque Isle County	[3] 10,359	[4] 10,877	10,941	11,005	11,069	11,133	11,197
Roscommon County	[3] 1,745	[4] 1,738	1,830	1,922	2,014	2,107	2,200
Saginaw County	[3] 39,016	[4] 39,057	39,010	38,962	38,914	38,867	38,818
St. Clair County	[3] 35,725	[4] 35,579	35,216	34,853	34,490	34,127	33,765
St. Joseph County	[3] 23,394	[4] 23,261	23,647	24,033	24,419	24,805	25,192
Sanilac County	[3] 34,915	[4] 34,854	34,695	34,536	34,377	34,217	34,057
Schoolcraft County	[3] 8,443	[4] 8,628	8,637	8,646	8,655	8,664	8,673
Shiawassee County	[3] 24,718	[4] 24,553	24,390	24,227	24,064	23,901	23,738
Tuscola County	[3] 35,944	[4] 35,947	35,769	35,591	35,413	35,234	35,055
Van Buren County	[3] 34,543	[4] 34,940	34,637	34,334	34,031	33,728	33,425
Washtenaw County	[3] 32,447	[4] 32,145	31,757	31,369	30,981	30,593	30,205
Wayne County	[3] 67,700	[4] 69,548	73,296	57,044	55,363	59,111	62,859
Wexford County	[3] 18,624	[4] 19,239	19,503	19,767	20,031	20,295	20,559
NEW HAMPSHIRE RURAL.[1]							
Belknap County	11,373	11,336	11,299	11,263	11,227	11,191	11,155
Carroll County	16,717	16,658	16,599	16,540	16,481	16,422	16,363
Cheshire County	21,671	21,513	21,355	21,196	21,037	20,878	20,719
Coos County	20,081	19,918	19,755	19,592	19,429	19,266	19,102
Grafton County	41,095	41,177	41,259	41,341	41,423	41,505	41,587
Hillsborough County	31,211	31,034	30,857	30,679	30,501	30,323	30,144
Merrimack County	32,497	32,401	32,304	32,207	32,110	32,012	31,915
Rockingham County	40,617	40,661	40,706	40,749	40,793	40,838	40,883
Strafford County	17,409	17,325	17,241	17,157	17,073	16,989	16,905
Sullivan County	18,422	18,556	18,690	18,825	18,960	19,095	19,230
NEW JERSEY RURAL.[1]							
Atlantic County	[3] 20,787	[3] 21,528	[4] 22,329	23,043	23,756	24,469	25,182
Bergen County	[3,7] 91,378	[3,7] 95,691	[4,7] 100,653	96,695	103,884	111,073	118,262
Burlington County	[3] 60,521	[3] 61,281	[4] 62,119	63,046	63,974	64,902	65,830
Camden County	[3] 35,599	[3] 36,896	[4] 38,352	40,260	42,168	44,076	45,983
Cape May County	[3] 15,715	[3] 16,553	[4] 17,430	17,913	18,396	18,879	19,362
Cumberland County	[3] 26,640	[3] 26,622	[4] 26,636	27,024	27,413	27,800	28,187
Essex County	[3,8] 82,250	[3,8] 85,206	[4,8] 84,683	51,211	54,795	58,378	61,961
Gloucester County	[3] 33,448	[3] 33,963	[4] 34,526	35,119	35,712	36,305	36,898
Hudson County	[3,9] 72,474	[3,9] 76,048	[4,9] 80,111	40,736	44,238	47,736	51,235
Hunterdon County	[3] 33,759	[3] 33,509	[4] 33,263	33,326	33,390	33,454	33,518
Mercer County	[3] 24,625	[3] 25,480	[4] 26,379	26,894	27,408	27,922	28,436
Middlesex County	[3] 45,630	[3] 46,820	[4] 48,196	50,434	52,672	54,910	57,147
Monmouth County	[3,10] 85,574	[3,10] 86,747	[4,10] 88,036	77,004	78,174	79,343	80,512
Morris County	[3] 55,029	[3] 55,409	[4] 55,897	57,212	58,527	59,842	61,157
Ocean County	[3] 20,427	[3] 20,653	[4] 20,887	20,976	21,066	21,156	21,246
Passaic County	[3] 24,697	[3] 25,594	[4] 26,647	28,502	30,356	32,209	34,061
Salem County	[3] 25,984	[3] 26,135	[4] 26,299	26,445	26,591	26,737	26,883
Somerset County	[3] 34,941	[3] 35,605	[4] 36,313	36,836	37,359	37,882	38,405
Sussex County	[3] 23,650	[3] 23,487	[4] 23,384	24,092	24,801	25,510	26,219
Union County	[3] 35,683	[3] 36,958	[4] 38,375	40,070	41,763	43,206	44,899
Warren County	[3] 26,721	[3] 26,886	[4] 27,089	27,548	28,006	28,464	28,922

[6] Including Manistee.
[7] Including Hackensack.
[8] Including Bloomfield and East Orange.
[9] Including Kearny and West Hoboken.
[10] Including Long Branch.

TABLE I.—POPULATION OF EACH

REGISTRATION AREA.	ENUMERATED POPULATION.			ESTIMATED MIDYEAR POPULATION.		
	Federal census, June 1, 1900.	State census, June 1, 1905.	Federal census, Apr. 15, 1910.	1900	1901	1902
NEW YORK RURAL.[1]						
Albany County	33,189	34,259	33,630	[2] 33,189	[2] 33,403	[2] 33,617
Allegany County	41,501	43,089	41,412	[2] 41,501	[2] 41,818	[2] 42,135
Broome County	29,502	30,220	30,366	[2] 29,502	[2] 29,647	[2] 29,790
Cattaraugus County	56,181	55,860	51,176	[2] 56,181	[2] 56,118	[2] 56,054
Cayuga County	35,889	33,819	32,438	[2] 35,889	[2] 35,476	[2] 35,062
Chautauqua County	53,806	55,328	56,608	[2] 53,806	[2] 54,112	[2] 54,417
Chemung County	18,391	16,860	17,486	[2] 18,391	[2] 18,086	[2] 17,780
Chenango County	36,568	36,796	35,575	[2] 36,568	[2] 36,613	[2] 36,658
Clinton County	[4] 47,430	[4] 48,447	37,092	[2,4] 47,430	[2,4] 47,634	[2,4] 47,837
Columbia County	33,683	32,487	32,241	[2] 33,683	[2] 33,444	[2] 33,205
Cortland County	18,562	18,177	17,745	[2] 18,562	[2] 18,585	[2] 18,608
Delaware County	46,413	46,598	45,575	[2] 46,413	[2] 46,450	[2] 46,487
Dutchess County	57,641	58,890	59,725	[2] 57,641	[2] 57,892	[2] 58,142
Erie County	81,299	97,016	105,270	[2] 81,299	[2] 84,442	[2] 87,586
Essex County	30,707	32,456	33,458	[2] 30,707	[2] 31,056	[2] 31,406
Franklin County	42,853	46,870	45,717	[2] 42,853	[2] 43,657	[2] 44,460
Fulton County	14,363	13,799	13,445	[2] 14,363	[2] 14,251	[2] 14,138
Genesee County	[5] 34,561	[5] 35,853	26,002	[2,5] 34,561	[2,5] 34,820	[2,5] 35,078
Greene County	31,478	30,999	30,214	[2] 31,478	[2] 31,383	[2] 31,287
Hamilton County	4,947	4,908	4,373	[2] 4,947	[2] 4,940	[2] 4,932
Herkimer County	[5] 51,049	[5] 53,638	44,083	[2,5] 51,049	[2,5] 51,566	[2,5] 52,084
Jefferson County	55,052	54,861	53,652	[2] 55,052	[2] 55,013	[2] 54,975
Lewis County	27,427	26,543	24,849	[2] 27,427	[2] 27,251	[2] 27,074
Livingston County	37,059	37,310	38,037	[2] 37,059	[2] 37,110	[2] 37,160
Madison County	40,545	39,482	39,289	[2] 40,545	[2] 40,333	[2] 40,121
Monroe County	55,246	57,499	65,063	[2] 55,246	[2] 55,927	[2] 56,606
Montgomery County	26,559	25,904	26,300	[2] 26,559	[2] 25,586	[2] 25,665
Nassau County	55,448	69,331	83,930	[2] 55,448	[2] 58,224	[2] 61,000
Niagara County	[7] 38,923	[7] 40,537	31,666	[2,7] 38,923	[2,7] 39,247	[2,7] 39,570
Oneida County	61,074	59,491	59,241	[2] 61,074	[2] 60,759	[2] 60,442
Onondaga County	60,361	61,060	63,049	[2] 60,361	[2] 60,500	[2] 60,640
Ontario County	39,172	40,239	39,840	[2] 39,172	[2] 39,386	[2] 39,600
Orange County	55,009	57,243	63,319	[2] 55,009	[2] 55,455	[2] 55,902
Orleans County	30,164	31,400	32,000	[2] 30,164	[2] 30,412	[2] 30,659
Oswego County	[8] 70,881	[8] 69,779	48,296	[2,8] 70,881	[2,8] 70,662	[2,8] 70,442
Otsego County	48,939	48,019	47,216	[2] 48,939	[2] 48,755	[2] 48,571
Putnam County	13,787	14,101	14,665	[2] 13,787	[2] 13,849	[2] 13,912
Rensselaer County	48,451	45,527	45,463	[2] 48,451	[2] 46,418	[2] 46,196
Rockland County	38,298	44,905	46,873	[2] 38,298	[2] 39,619	[2] 40,941
St. Lawrence County	76,450	76,598	73,072	[2] 76,450	[2] 74,841	[2] 75,281
Saratoga County	48,680	49,331	49,224	[2] 48,680	[2] 48,810	[2] 48,941
Schenectady County	15,170	12,910	15,409	[2] 15,170	[2] 16,318	[2] 9,467
Schoharie County	26,854	25,207	23,855	[2] 26,854	[2] 26,525	[2] 26,197
Schuyler County	15,811	15,025	14,004	[2] 15,811	[2] 15,654	[2] 15,498
Seneca County	28,114	27,454	26,972	[2] 28,114	[2] 27,982	[2] 27,850
Steuben County	[9] 71,761	[9] 69,432	56,015	[2,9] 71,761	[2,9] 71,295	[2,9] 70,829
Suffolk County	77,582	87,926	96,138	[2] 77,582	[2] 79,650	[2] 81,719
Sullivan County	32,306	34,645	33,808	[2] 32,306	[2] 32,773	[2] 33,241
Tioga County	27,951	26,770	25,624	[2] 27,951	[2] 27,715	[2] 27,480
Tompkins County	20,694	19,475	18,845	[2] 20,694	[2] 20,450	[2] 20,207
Ulster County	63,887	61,221	65,861	[2] 63,887	[2] 63,354	[2] 62,821
Warren County	17,330	17,155	16,980	[2] 17,330	[2] 17,295	[2] 17,260
Washington County	45,624	47,207	47,778	[2] 45,624	[2] 45,940	[2] 46,256
Wayne County	48,660	48,918	50,179	[2] 48,660	[2] 48,711	[2] 48,762
Westchester County	90,020	109,397	128,221	[2] 90,020	[2] 93,897	[2] 97,774
Wyoming County	30,413	31,248	31,880	[2] 30,413	[2] 30,580	[2] 30,747
Yates County	20,318	19,298	18,642	[2] 20,318	[2] 20,114	[2] 19,910
OHIO RURAL.[1]						
Adams County	26,328	.....	24,755	(10)	(10)	(10)
Allen County	26,253	.....	26,072	(10)	(10)	(10)
Ashland County	21,184	.....	22,975	(10)	(10)	(10)
Ashtabula County	38,499	.....	41,281	(10)	(10)	(10)
Athens County	38,730	.....	47,798	(10)	(10)	(10)
Auglaize County	31,192	.....	31,246	(10)	(10)	(10)
Belmont County	50,963	.....	63,910	(10)	(10)	(10)
Brown County	28,237	.....	24,832	(10)	(10)	(10)
Butler County	23,741	.....	21,840	(10)	(10)	(10)
Carroll County	16,811	.....	15,761	(10)	(10)	(10)
Champaign County	26,642	.....	26,351	(10)	(10)	(10)
Clark County	20,686	.....	19,514	(10)	(10)	(10)
Clermont County	31,610	.....	29,551	(10)	(10)	(10)
Clinton County	24,202	.....	23,680	(10)	(10)	(10)
Columbiana County	52,105	.....	56,232	(10)	(10)	(10)
Coshocton County	29,337	.....	30,121	(10)	(10)	(10)
Crawford County	33,915	.....	34,036	(10)	(10)	(10)
Cuyahoga County	57,352	.....	76,762	(10)	(10)	(10)
Darke County	42,532	.....	42,933	(10)	(10)	(10)
Defiance County	26,387	.....	24,498	(10)	(10)	(10)

[1] Exclusive of cities having a population of 8,000 or over in 1900.
[2] As of June 1.
[3] Population by census, June 1, not midyear population, used as basis of rates.
[4] Including Plattsburg.
[5] Including Batavia.

REGISTRATION AREA: 1900 TO 1909—Continued.

REGISTRATION AREA.	ESTIMATED MIDYEAR POPULATION—continued.						
	1903	1904	1905	1906	1907	1908	1909
NEW YORK RURAL.[1]							
Albany County	[2] 33,831	[2] 34,045	[3] 34,248	34,120	33,992	33,862	33,732
Allegany County	[2] 42,453	[2] 42,771	[3] 43,061	42,717	42,373	42,029	41,685
Broome County	[2] 29,933	[2] 30,077	[3] 30,222	30,252	30,282	30,312	30,342
Cattaraugus County	[2] 55,990	[2] 55,925	[3] 55,832	55,487	55,142	54,797	51,451
Cayuga County	[2] 34,648	[2] 34,234	[3] 33,796	33,512	33,229	32,945	32,662
Chautauqua County	[2] 54,721	[2] 55,025	[3] 55,349	55,612	55,875	56,137	56,400
Chemung County	[2] 17,474	[2] 17,167	[3] 16,871	17,000	17,127	17,255	17,384
Chenango County	[2] 36,704	[2] 36,750	[3] 36,775	36,525	36,275	36,025	35,774
Clinton County	[2,4] 48,040	[2,4] 48,244	[3,4] 48,444	38,062	37,807	37,551	37,295
Columbia County	[2] 32,966	[2] 32,727	[3] 32,483	32,432	32,381	32,331	32,281
Cortland County	[2] 18,131	[2] 18,154	[3] 18,170	18,082	17,994	17,905	17,816
Delaware County	[2] 46,524	[2] 46,561	[3] 46,581	46,372	46,162	45,952	45,742
Dutchess County	[2] 58,392	[2] 58,641	[3] 58,904	59,075	59,246	59,418	59,590
Erie County	[2] 90,730	[2] 93,873	[3] 97,157	98,851	100,543	102,236	103,930
Essex County	[2] 31,756	[2] 32,106	[3] 32,473	32,678	32,883	33,089	33,295
Franklin County	[2] 45,263	[2] 46,067	[3] 46,850	46,614	46,378	46,142	45,905
Fulton County	[2] 14,025	[2] 13,912	[3] 13,792	13,720	13,648	13,576	13,503
Genesee County	[2,5] 35,336	[2,5] 35,595	[3,5] 35,884	25,720	25,794	25,868	25,942
Greene County	[2] 31,191	[2] 31,095	[3] 30,986	30,825	30,664	30,503	30,342
Hamilton County	[2] 4,924	[2] 4,916	[3] 4,899	4,790	4,680	4,570	4,460
Herkimer County	[2,6] 52,602	[2,6] 53,120	[3,6] 53,685	42,930	43,234	43,538	43,842
Jefferson County	[2] 54,937	[2] 54,899	[3] 54,840	54,592	54,344	54,096	53,848
Lewis County	[2] 26,897	[2] 26,720	[3] 26,514	26,167	25,820	25,473	25,125
Livingston County	[2] 37,210	[2] 37,260	[3] 37,322	37,471	37,620	37,769	37,918
Madison County	[2] 39,908	[2] 39,695	[3] 39,479	39,440	39,401	39,361	39,321
Monroe County	[2] 57,285	[2] 57,965	[3] 57,628	59,180	60,732	62,283	63,835
Montgomery County	[2] 25,745	[2] 25,825	[3] 25,910	25,991	26,072	26,154	26,236
Nassau County	[2] 63,777	[2] 66,554	[3] 69,580	72,574	75,569	78,564	81,559
Niagara County	[2,7] 39,893	[2,7] 40,215	[3,7] 40,590	30,684	30,943	31,203	31,462
Oneida County	[2] 60,125	[2] 59,809	[3] 59,487	59,437	59,386	59,334	59,282
Onondaga County	[2] 60,780	[2] 60,920	[3] 61,103	61,615	62,127	62,262	62,644
Ontario County	[2] 39,813	[2] 40,026	[3] 40,232	40,151	40,070	39,989	39,906
Orange County	[2] 56,349	[2] 56,796	[3] 57,346	58,591	59,838	61,085	62,332
Orleans County	[2] 30,906	[2] 31,153	[3] 31,410	31,533	31,656	31,779	31,902
Oswego County	[2,8] 70,222	[2,8] 70,001	[3,8] 69,812	47,597	47,782	47,966	48,151
Otsego County	[2] 48,387	[2] 48,203	[3] 48,006	47,842	47,677	47,512	47,347
Putnam County	[2] 13,975	[2] 14,038	[3] 14,110	14,225	14,341	14,457	14,573
Rensselaer County	[2] 45,973	[2] 45,750	[3] 45,526	45,513	45,500	45,487	45,474
Rockland County	[2] 42,262	[2] 43,583	[3] 44,938	45,341	45,745	46,149	46,553
St. Lawrence County	[2] 75,720	[2] 76,159	[2] 76,539	75,817	75,094	74,371	73,646
Saratoga County	[2] 49,071	[2] 49,200	[3] 49,329	49,307	49,286	49,264	49,242
Schenectady County	[2] 10,615	[2] 11,762	[3] 12,953	13,466	13,979	14,492	15,003
Schoharie County	[2] 25,868	[2] 25,537	[3] 25,184	24,907	24,630	24,353	24,075
Schuyler County	[2] 15,341	[2] 15,183	[3] 15,008	14,799	14,590	14,381	14,171
Seneca County	[2] 27,718	[2] 27,586	[3] 27,446	27,348	27,249	27,150	27,051
Steuben County	[2,9] 70,364	[2,9] 69,898	[3,9] 69,435	56,228	56,172	56,116	56,060
Suffolk County	[2] 83,788	[2] 85,857	[3] 88,066	89,750	91,434	93,119	94,804
Sullivan County	[2] 33,709	[2] 34,177	[3] 34,631	34,460	34,289	34,117	33,945
Tioga County	[2] 27,244	[2] 27,007	[3] 26,751	26,516	26,281	26,046	25,811
Tompkins County	[2] 19,963	[2] 19,718	[3] 19,465	19,337	19,208	19,079	18,949
Ulster County	[2] 62,288	[2] 61,755	[3] 61,299	62,252	63,204	64,156	65,108
Warren County	[2] 17,225	[2] 17,190	[3] 17,152	17,116	17,081	17,045	17,009
Washington County	[2] 46,573	[2] 46,890	[3] 47,216	47,333	47,450	47,567	47,684
Wayne County	[2] 48,814	[2] 48,866	[3] 48,939	49,197	49,456	49,715	49,974
Westchester County	[2] 101,650	[2] 105,523	[3] 109,719	113,582	117,445	121,307	125,167
Wyoming County	[2] 30,914	[2] 31,081	[3] 31,258	31,387	31,517	31,647	31,777
Yates County	[2] 19,706	[2] 19,502	[3] 19,287	19,153	19,019	18,884	18,749
OHIO RURAL.[1]							
Adams County	[10]	[10]	[10]	[10]	[10]	[10]	24,882
Allen County	[10]	[10]	[10]	[10]	[10]	[10]	25,908
Ashland County	[10]	[10]	[10]	[10]	[10]	[10]	22,830
Ashtabula County	[10]	[10]	[10]	[10]	[10]	[10]	41,518
Athens County	[10]	[10]	[10]	[10]	[10]	[10]	47,070
Auglaize County	[10]	[10]	[10]	[10]	[10]	[10]	31,241
Belmont County	[10]	[10]	[10]	[10]	[10]	[10]	62,793
Brown County	[10]	[10]	[10]	[10]	[10]	[10]	25,106
Butler County	[10]	[10]	[10]	[10]	[10]	[10]	21,993
Carroll County	[10]	[10]	[10]	[10]	[10]	[10]	15,846
Champaign County	[10]	[10]	[10]	[10]	[10]	[10]	26,375
Clark County	[10]	[10]	[10]	[10]	[10]	[10]	21,086
Clermont County	[10]	[10]	[10]	[10]	[10]	[10]	29,717
Clinton County	[10]	[10]	[10]	[10]	[10]	[10]	23,722
Columbiana County	[10]	[10]	[10]	[10]	[10]	[10]	55,862
Coshocton County	[10]	[10]	[10]	[10]	[10]	[10]	30,057
Crawford County	[10]	[10]	[10]	[10]	[10]	[10]	34,025
Cuyahoga County	[10]	[10]	[10]	[10]	[10]	[10]	81,887
Darke County	[10]	[10]	[10]	[10]	[10]	[10]	42,900
Defiance County	[10]	[10]	[10]	[10]	[10]	[10]	24,651

[6] Including Little Falls.
[7] Including North Tonawanda.
[8] Including Oswego.
[9] Including Hornell.
[10] Nonregistration.

TABLE I.—POPULATION OF EACH

REGISTRATION AREA.	ENUMERATED POPULATION.			ESTIMATED MIDYEAR POPULATION.		
	Federal census, June 1, 1900.	State census, June 1, 1905.	Federal census, Apr. 15, 1910.	1900	1901	1902
OHIO RURAL[1]—Continued.						
Delaware County	26,401		27,182	(2)	(2)	(2)
Erie County	17,986		18,338	(2)	(2)	(2)
Fairfield County	25,268		26,108	(2)	(2)	(2)
Fayette County	21,725		21,744	(2)	(2)	(2)
Franklin County	38,900		40,056	(2)	(2)	(2)
Fulton County	22,801		23,914	(2)	(2)	(2)
Gallia County	27,918		25,745	(2)	(2)	(2)
Geauga County	14,744		14,670	(2)	(2)	(2)
Greene County	22,917		21,027	(2)	(2)	(2)
Guernsey County	26,184		31,389	(2)	(2)	(2)
Hamilton County	83,577		97,141	(2)	(2)	(2)
Hancock County	24,380		23,002	(2)	(2)	(2)
Hardin County	31,187		30,407	(2)	(2)	(2)
Harrison County	20,486		19,076	(2)	(2)	(2)
Henry County	27,282		25,119	(2)	(2)	(2)
Highland County	30,982		28,711	(2)	(2)	(2)
Hocking County	24,398		23,650	(2)	(2)	(2)
Holmes County	19,511		17,909	(2)	(2)	(2)
Huron County	32,330		34,206	(2)	(2)	(2)
Jackson County	26,203		23,916	(2)	(2)	(2)
Jefferson County	30,008		43,032	(2)	(2)	(2)
Knox County	27,768		30,181	(2)	(2)	(2)
Lake County	21,680		22,927	(2)	(2)	(2)
Lawrence County	27,666		26,341	(2)	(2)	(2)
Licking County	28,913		30,186	(2)	(2)	(2)
Logan County	30,420		30,084	(2)	(2)	(2)
Lorain County	30,038		32,329	(2)	(2)	(2)
Lucas County	21,737		24,231	(2)	(2)	(2)
Madison County	20,590		19,902	(2)	(2)	(2)
Mahoning County	25,249		37,085	(2)	(2)	(2)
Marion County	16,816		15,739	(2)	(2)	(2)
Medina County	21,958		23,598	(2)	(2)	(2)
Meigs County	28,620		25,594	(2)	(2)	(2)
Mercer County	28,021		27,536	(2)	(2)	(2)
Miami County	30,933		31,659	(2)	(2)	(2)
Monroe County	27,031		24,244	(2)	(2)	(2)
Montgomery County	44,813		47,186	(2)	(2)	(2)
Morgan County	17,905		16,097	(2)	(2)	(2)
Morrow County	17,879		16,815	(2)	(2)	(2)
Muskingum County	29,647		29,462	(2)	(2)	(2)
Noble County	19,466		18,601	(2)	(2)	(2)
Ottawa County	22,213		22,360	(2)	(2)	(2)
Paulding County	27,528		22,730	(2)	(2)	(2)
Perry County	31,841		35,396	(2)	(2)	(2)
Pickaway County	27,016		26,158	(2)	(2)	(2)
Pike County	18,172		15,723	(2)	(2)	(2)
Portage County	29,246		30,307	(2)	(2)	(2)
Preble County	23,713		23,834	(2)	(2)	(2)
Putnam County	32,525		29,972	(2)	(2)	(2)
Richland County	26,649		26,899	(2)	(2)	(2)
Ross County	27,964		25,561	(2)	(2)	(2)
Sandusky County	25,872		25,232	(2)	(2)	(2)
Scioto County	23,111		24,982	(2)	(2)	(2)
Seneca County	30,174		30,527	(2)	(2)	(2)
Shelby County	24,625		24,663	(2)	(2)	(2)
Stark County	43,162		43,808	(2)	(2)	(2)
Summit County	28,987		39,186	(2)	(2)	(2)
Trumbull County	38,062		41,685	(2)	(2)	(2)
Tuscarawas County	53,751		57,035	(2)	(2)	(2)
Union County	22,342		21,871	(2)	(2)	(2)
Van Wert County	30,394		29,119	(2)	(2)	(2)
Vinton County	15,330		13,096	(2)	(2)	(2)
Warren County	25,584		24,497	(2)	(2)	(2)
Washington County	34,897		32,499	(2)	(2)	(2)
Wayne County	37,870		38,058	(2)	(2)	(2)
Williams County	24,953		25,198	(2)	(2)	(2)
Wood County	51,555		46,330	(2)	(2)	(2)
Wyandot County	21,125		20,760	(2)	(2)	(2)
PENNSYLVANIA RURAL.[1]						
Adams County	34,496		34,319	(2)	(2)	(2)
Allegheny County	240,189		369,143	(2)	(2)	(2)
Armstrong County	52,551		67,880	(2)	(2)	(2)
Beaver County	46,378		66,162	(2)	(2)	(2)
Bedford County	39,468		38,879	(2)	(2)	(2)
Berks County	80,654		87,151	(2)	(2)	(2)
Blair County	46,126		56,731	(2)	(2)	(2)
Bradford County	59,403		54,526	(2)	(2)	(2)
Bucks County	71,190		76,530	(2)	(2)	(2)
Butler County	46,109		51,961	(2)	(2)	(2)

[1] Exclusive of cities having a population of 8,000 or over in 1900.

REGISTRATION AREA: 1900 TO 1909—Continued.

REGISTRATION AREA.	ESTIMATED MIDYEAR POPULATION—continued.						
	1903	1904	1905	1906	1907	1908	1909
OHIO RURAL[1]—Continued.							
Delaware County	(2)	(2)	(2)	(2)	(2)	(2)	27,118
Erie County	(2)	(2)	(2)	(2)	(2)	(2)	18,311
Fairfield County	(2)	(2)	(2)	(2)	(2)	(2)	26,042
Fayette County	(2)	(2)	(2)	(2)	(2)	(2)	21,742
Franklin County	(2)	(2)	(2)	(2)	(2)	(2)	48,243
Fulton County	(2)	(2)	(2)	(2)	(2)	(2)	23,824
Gallia County	(2)	(2)	(2)	(2)	(2)	(2)	25,920
Geauga County	(2)	(2)	(2)	(2)	(2)	(2)	14,677
Greene County	(2)	(2)	(2)	(2)	(2)	(2)	21,181
Guernsey County	(2)	(2)	(2)	(2)	(2)	(2)	30,972
Hamilton County	(2)	(2)	(2)	(2)	(2)	(2)	95,927
Hancock County	(2)	(2)	(2)	(2)	(2)	(2)	23,113
Hardin County	(2)	(2)	(2)	(2)	(2)	(2)	30,470
Harrison County	(2)	(2)	(2)	(2)	(2)	(2)	19,190
Henry County	(2)	(2)	(2)	(2)	(2)	(2)	25,293
Highland County	(2)	(2)	(2)	(2)	(2)	(2)	28,894
Hocking County	(2)	(2)	(2)	(2)	(2)	(2)	23,711
Holmes County	(2)	(2)	(2)	(2)	(2)	(2)	18,039
Huron County	(2)	(2)	(2)	(2)	(2)	(2)	34,055
Jackson County	(2)	(2)	(2)	(2)	(2)	(2)	24,098
Jefferson County	(2)	(2)	(2)	(2)	(2)	(2)	41,988
Knox County	(2)	(2)	(2)	(2)	(2)	(2)	29,986
Lake County	(2)	(2)	(2)	(2)	(2)	(2)	22,826
Lawrence County	(2)	(2)	(2)	(2)	(2)	(2)	26,449
Licking County	(2)	(2)	(2)	(2)	(2)	(2)	30,019
Logan County	(2)	(2)	(2)	(2)	(2)	(2)	30,112
Lorain County	(2)	(2)	(2)	(2)	(2)	(2)	32,146
Lucas County	(2)	(2)	(2)	(2)	(2)	(2)	24,031
Madison County	(2)	(2)	(2)	(2)	(2)	(2)	19,958
Mahoning County	(2)	(2)	(2)	(2)	(2)	(2)	35,947
Marion County	(2)	(2)	(2)	(2)	(2)	(2)	15,826
Medina County	(2)	(2)	(2)	(2)	(2)	(2)	23,465
Meigs County	(2)	(2)	(2)	(2)	(2)	(2)	25,838
Mercer County	(2)	(2)	(2)	(2)	(2)	(2)	27,576
Miami County	(2)	(2)	(2)	(2)	(2)	(2)	31,601
Monroe County	(2)	(2)	(2)	(2)	(2)	(2)	24,468
Montgomery County	(2)	(2)	(2)	(2)	(2)	(2)	60,621
Morgan County	(2)	(2)	(2)	(2)	(2)	(2)	16,243
Morrow County	(2)	(2)	(2)	(2)	(2)	(2)	16,901
Muskingum County	(2)	(2)	(2)	(2)	(2)	(2)	29,653
Noble County	(2)	(2)	(2)	(2)	(2)	(2)	18,671
Ottawa County	(2)	(2)	(2)	(2)	(2)	(2)	22,348
Paulding County	(2)	(2)	(2)	(2)	(2)	(2)	23,115
Perry County	(2)	(2)	(2)	(2)	(2)	(2)	35,111
Pickaway County	(2)	(2)	(2)	(2)	(2)	(2)	26,227
Pike County	(2)	(2)	(2)	(2)	(2)	(2)	15,920
Portage County	(2)	(2)	(2)	(2)	(2)	(2)	30,221
Preble County	(2)	(2)	(2)	(2)	(2)	(2)	23,823
Putnam County	(2)	(2)	(2)	(2)	(2)	(2)	30,178
Richland County	(2)	(2)	(2)	(2)	(2)	(2)	26,878
Ross County	(2)	(2)	(2)	(2)	(2)	(2)	25,756
Sandusky County	(2)	(2)	(2)	(2)	(2)	(2)	25,283
Scioto County	(2)	(2)	(2)	(2)	(2)	(2)	24,832
Seneca County	(2)	(2)	(2)	(2)	(2)	(2)	30,498
Shelby County	(2)	(2)	(2)	(2)	(2)	(2)	24,659
Stark County	(2)	(2)	(2)	(2)	(2)	(2)	43,357
Summit County	(2)	(2)	(2)	(2)	(2)	(2)	38,368
Trumbull County	(2)	(2)	(2)	(2)	(2)	(2)	41,370
Tuscarawas County	(2)	(2)	(2)	(2)	(2)	(2)	56,771
Union County	(2)	(2)	(2)	(2)	(2)	(2)	21,910
Van Wert County	(2)	(2)	(2)	(2)	(2)	(2)	29,223
Vinton County	(2)	(2)	(2)	(2)	(2)	(2)	13,276
Warren County	(2)	(2)	(2)	(2)	(2)	(2)	24,585
Washington County	(2)	(2)	(2)	(2)	(2)	(2)	32,691
Wayne County	(2)	(2)	(2)	(2)	(2)	(2)	38,042
Williams County	(2)	(2)	(2)	(2)	(2)	(2)	25,178
Wood County	(2)	(2)	(2)	(2)	(2)	(2)	46,750
Wyandot County	(2)	(2)	(2)	(2)	(2)	(2)	20,790
PENNSYLVANIA RURAL.[1]					[1]		
Adams County	(2)	(2)	(2)	34,388	34,370	34,352	34,334
Allegheny County	(2)	(2)	(2)	314,770	329,116	343,085	357,629
Armstrong County	(2)	(2)	(2)	61,993	63,545	65,098	66,651
Beaver County	(2)	(2)	(2)	58,568	60,571	62,574	64,577
Bedford County	(2)	(2)	(2)	39,107	39,047	38,987	38,927
Berks County	(2)	(2)	(2)	84,657	85,315	85,973	86,631
Blair County	(2)	(2)	(2)	51,249	52,695	54,141	55,587
Bradford County	(2)	(2)	(2)	56,400	55,906	55,412	54,918
Bucks County	(2)	(2)	(2)	74,479	75,020	75,561	76,102
Butler County	(2)	(2)	(2)	49,713	50,306	50,899	51,492

[2] Nonregistration.

TABLE I.—POPULATION OF EACH

REGISTRATION AREA.	ENUMERATED POPULATION.			ESTIMATED MIDYEAR POPULATION.		
	Federal census, June 1, 1900.	State census, June 1, 1905.	Federal census, Apr. 15, 1910.	1900	1901	1902
PENNSYLVANIA RURAL [1]—Continued.						
Cambria County	68,901	.....	110,649	(2)	(2)	(2)
Cameron County	7,048	.....	7,644	(2)	(2)	(2)
Carbon County	44,510	.....	52,846	(2)	(2)	(2)
Center County	42,894	.....	43,424	(2)	(2)	(2)
Chester County	76,975	.....	86,703	(2)	(2)	(2)
Clarion County	34,283	.....	36,638	(2)	(2)	(2)
Clearfield County	71,239	.....	81,145	(2)	(2)	(2)
Clinton County	29,197	.....	31,545	(2)	(2)	(2)
Columbia County	39,896	.....	48,467	(2)	(2)	(2)
Crawford County	45,108	.....	40,252	(2)	(2)	(2)
Cumberland County	40,718	.....	44,176	(2)	(2)	(2)
Dauphin County	52,190	.....	57,720	(2)	(2)	(2)
Delaware County	60,774	.....	79,369	(2)	(2)	(2)
Elk County	32,903	.....	35,871	(2)	(2)	(2)
Erie County	45,740	.....	48,992	(2)	(2)	(2)
Fayette County	110,412	.....	167,449	(2)	(2)	(2)
Forest County	11,039	.....	9,435	(2)	(2)	(2)
Franklin County	46,038	.....	47,975	(2)	(2)	(2)
Fulton County	9,924	.....	9,703	(2)	(2)	(2)
Greene County	28,281	.....	28,882	(2)	(2)	(2)
Huntingdon County	34,650	.....	38,304	(2)	(2)	(2)
Indiana County	42,556	.....	66,210	(2)	(2)	(2)
Jefferson County	59,113	.....	63,090	(2)	(2)	(2)
Juniata County	16,054	.....	15,013	(2)	(2)	(2)
Lackawanna County	65,086	.....	95,048	(2)	(2)	(2)
Lancaster County	105,466	.....	108,348	(2)	(2)	(2)
Lawrence County	28,703	.....	33,752	(2)	(2)	(2)
Lebanon County	36,199	.....	40,325	(2)	(2)	(2)
Lehigh County	58,477	.....	66,919	(2)	(2)	(2)
Luzerne County	152,849	.....	198,489	(2)	(2)	(2)
Lycoming County	46,906	.....	48,953	(2)	(2)	(2)
McKean County	36,314	.....	33,324	(2)	(2)	(2)
Mercer County	48,471	.....	62,429	(2)	(2)	(2)
Mifflin County	23,160	.....	27,785	(2)	(2)	(2)
Monroe County	21,161	.....	22,941	(2)	(2)	(2)
Montgomery County	103,034	.....	126,116	(2)	(2)	(2)
Montour County	7,484	.....	7,351	(2)	(2)	(2)
Northampton County	61,208	.....	79,171	(2)	(2)	(2)
Northumberland County	49,720	.....	60,530	(2)	(2)	(2)
Perry County	26,263	.....	24,136	(2)	(2)	(2)
Pike County	8,766	.....	8,033	(2)	(2)	(2)
Potter County	30,621	.....	29,729	(2)	(2)	(2)
Schuylkill County	123,392	.....	145,948	(2)	(2)	(2)
Snyder County	17,304	.....	16,800	(2)	(2)	(2)
Somerset County	49,461	.....	67,717	(2)	(2)	(2)
Sullivan County	12,134	.....	11,293	(2)	(2)	(2)
Susquehanna County	40,043	.....	37,746	(2)	(2)	(2)
Tioga County	49,086	.....	42,829	(2)	(2)	(2)
Union County	17,592	.....	16,249	(2)	(2)	(2)
Venango County	36,384	.....	40,702	(2)	(2)	(2)
Warren County	30,903	.....	28,493	(2)	(2)	(2)
Washington County	92,131	.....	143,680	(2)	(2)	(2)
Wayne County	30,171	.....	29,236	(2)	(2)	(2)
Westmoreland County	160,175	.....	231,304	(2)	(2)	(2)
Wyoming County	17,152	.....	15,509	(2)	(2)	(2)
York County	82,705	.....	91,655	(2)	(2)	(2)
RHODE ISLAND RURAL.[1]						
Bristol County	13,144	15,048	17,602	[3] 13,144	[3] 13,524	[3] 13,905
Kent County	[5] 29,976	[5] 34,163	9,749	[3,5] 29,976	[3,5] 30,814	[3,5] 31,651
Newport County	[6] 10,158	11,034	12,186	[3] 10,158	[3] 10,334	[3] 10,510
Providence County	[7] 67,484	[7] 76,398	30,679	[3,7] 67,484	[3,7] 69,269	[3,7] 71,052
Washington County	24,154	24,742	24,942	[3] 24,154	[3] 24,271	[3] 24,389
SOUTH DAKOTA RURAL.[1]						
Armstrong County [8]	(9)	(9)	647	(2)	(2)	(2)
Aurora County	4,011	4,562	6,113	(2)	(2)	(2)
Beadle County	8,081	10,064	15,776	(2)	(2)	(2)
Bonhomme County	10,379	11,135	11,061	(2)	(2)	(2)
Brookings County	12,561	14,019	14,178	(2)	(2)	(2)
Brown County	15,286	17,794	25,867	(2)	(2)	(2)
Brule County	5,401	5,237	6,451	(2)	(2)	(2)
Buffalo County [10]	1,790	1,714	1,589	(2)	(2)	(2)
Butte County [11]	2,907	3,975	4,993	(2)	(2)	(2)
Campbell County	4,527	4,587	5,244	(2)	(2)	(2)

[1] Exclusive of cities having a population of 8,000 or over in 1900.
[2] Nonregistration.
[3] As of June 1.
[4] Population by census, June 1, not midyear population, used as basis of rates.
[5] Including Warwick town.
[6] Corrected figures.

REGISTRATION AREA: 1900 TO 1909—Continued.

REGISTRATION AREA.	ESTIMATED MIDYEAR POPULATION—continued.						
	1903	1904	1905	1906	1907	1908	1909
PENNSYLVANIA RURAL[1]—Continued.							
Cambria County	(2)	(2)	(2)	94,387	98,709	102,906	107,228
Cameron County	(2)	(2)	(2)	7,414	7,473	7,534	7,595
Carbon County	(2)	(2)	(2)	49,645	50,489	51,333	52,177
Center County	(2)	(2)	(2)	43,220	43,274	43,328	43,382
Chester County	(2)	(2)	(2)	82,972	83,957	84,942	85,926
Clarion County	(2)	(2)	(2)	35,732	35,971	36,210	36,449
Clearfield County	(2)	(2)	(2)	77,343	78,346	79,349	80,352
Clinton County	(2)	(2)	(2)	30,643	30,881	31,119	31,357
Columbia County	(2)	(2)	(2)	45,176	46,044	46,912	47,780
Crawford County	(2)	(2)	(2)	41,740	41,349	40,957	40,565
Cumberland County	(2)	(2)	(2)	42,850	43,200	43,550	43,900
Dauphin County	(2)	(2)	(2)	56,822	57,600	58,378	59,156
Delaware County	(2)	(2)	(2)	72,230	74,113	75,996	77,879
Elk County	(2)	(2)	(2)	34,730	35,031	35,332	35,633
Erie County	(2)	(2)	(2)	47,746	48,075	48,404	48,732
Fayette County	(2)	(2)	(2)	145,548	151,324	157,100	162,876
Forest County	(2)	(2)	(2)	10,054	9,891	9,728	9,565
Franklin County	(2)	(2)	(2)	48,391	48,809	47,227	47,644
Fulton County	(2)	(2)	(2)	9,791	9,768	9,745	9,722
Greene County	(2)	(2)	(2)	28,650	28,711	28,772	28,833
Huntingdon County	(2)	(2)	(2)	36,900	37,270	37,640	38,010
Indiana County	(2)	(2)	(2)	57,125	59,521	61,917	64,313
Jefferson County	(2)	(2)	(2)	61,561	61,964	62,367	62,770
Juniata County	(2)	(2)	(2)	15,416	15,310	15,204	15,098
Lackawanna County	(2)	(2)	(2)	83,317	86,411	89,505	92,598
Lancaster County	(2)	(2)	(2)	107,212	107,512	107,812	108,111
Lawrence County	(2)	(2)	(2)	32,122	32,484	32,746	33,307
Lebanon County	(2)	(2)	(2)	38,743	39,161	39,578	39,994
Lehigh County	(2)	(2)	(2)	65,029	66,065	64,976	66,060
Luzerne County	(2)	(2)	(2)	185,853	191,296	196,739	194,181
Lycoming County	(2)	(2)	(2)	48,167	48,375	48,582	48,789
McKean County	(2)	(2)	(2)	34,473	34,170	33,866	33,563
Mercer County	(2)	(2)	(2)	56,303	57,919	59,534	61,150
Mifflin County	(2)	(2)	(2)	26,007	26,475	26,944	27,413
Monroe County	(2)	(2)	(2)	22,256	22,436	22,616	22,797
Montgomery County	(2)	(2)	(2)	117,255	119,592	121,928	124,266
Montour County	(2)	(2)	(2)	7,404	7,390	7,375	7,362
Northampton County	(2)	(2)	(2)	72,337	74,166	75,994	77,823
Northumberland County	(2)	(2)	(2)	56,384	57,478	58,571	59,665
Perry County	(2)	(2)	(2)	24,956	24,740	24,524	24,308
Pike County	(2)	(2)	(2)	8,316	8,242	8,168	8,093
Potter County	(2)	(2)	(2)	30,074	29,984	29,893	29,802
Schuylkill County	(2)	(2)	(2)	137,293	139,577	141,860	144,142
Snyder County	(2)	(2)	(2)	16,994	16,943	16,892	16,841
Somerset County	(2)	(2)	(2)	60,706	62,555	64,404	66,253
Sullivan County	(2)	(2)	(2)	11,617	11,532	11,447	11,362
Susquehanna County	(2)	(2)	(2)	38,630	38,397	38,164	37,931
Tioga County	(2)	(2)	(2)	45,233	44,599	43,965	43,331
Union County	(2)	(2)	(2)	16,765	16,629	16,493	16,357
Venango County	(2)	(2)	(2)	39,045	39,482	39,919	40,356
Warren County	(2)	(2)	(2)	29,303	29,089	28,876	28,663
Washington County	(2)	(2)	(2)	123,905	129,120	134,335	139,550
Wayne County	(2)	(2)	(2)	29,597	29,502	29,407	29,312
Westmoreland County	(2)	(2)	(2)	203,992	211,195	218,398	225,601
Wyoming County	(2)	(2)	(2)	16,143	15,976	15,809	15,642
York County	(2)	(2)	(2)	88,265	89,178	90,092	90,931
RHODE ISLAND RURAL.[1]							
Bristol County	[3] 14,287	[3] 14,668	[4] 15,092	15,615	16,139	16,663	17,187
Kent County	[3,5] 32,488	[3,5] 33,325	[4,5] 34,201	9,471	9,545	9,618	9,692
Newport County	[3] 10,685	[3] 10,859	[4] 11,054	11,291	11,527	11,763	11,999
Providence County	[3,7] 72,834	[3,7] 74,616	[4,7] 76,587	27,415	28,279	29,141	30,001
Washington County	[3] 24,506	[3] 24,624	[4] 24,745	24,786	24,827	24,868	24,909
SOUTH DAKOTA RURAL.[1]							
Armstrong County [8]	(2)	(2)	(2)	(9)	(9)	(9)	(9)
Aurora County	(2)	(2)	(2)	4,954	5,267	5,581	5,895
Beadle County	(2)	(2)	(2)	11,481	12,614	13,747	14,880
Bonhomme County	(2)	(2)	(2)	11,118	11,103	11,088	11,073
Brookings County	(2)	(2)	(2)	14,058	14,089	14,121	14,153
Brown County	(2)	(2)	(2)	19,796	21,397	22,998	24,599
Brule County	(2)	(2)	(2)	5,538	5,779	6,020	6,261
Buffalo County [10]	(2)	(2)	(2)	1,684	1,659	1,634	1,609
Butte County [11]	(2)	(2)	(2)	8,088	11,379	14,670	17,962
Campbell County	(2)	(2)	(2)	4,750	4,880	5,010	5,141

[7] Including the towns of Cranston, Cumberland, East Providence, and Lincoln.
[8] Formed from part of Cheyenne River Indian Reservation, July, 1909.
[9] Not organized.
[10] Including Crow Creek Indian Reservation.
[11] Part of formed into Harding and Perkins Counties, Nov. 5, 1908, for which the population is not estimated separately.

TABLE I.—POPULATION OF EACH

REGISTRATION AREA.	ENUMERATED POPULATION.			ESTIMATED MIDYEAR POPULATION.		
	Federal census, June 1, 1900.	State census, June 1, 1905.	Federal census, Apr. 15, 1910.	1900	1901	1902
SOUTH DAKOTA RURAL[1]—Continued.						
Charles Mix County	8,498	11,212	14,899	(2)	(2)	(2)
Clark County	6,942	8,701	10,901	(2)	(2)	(2)
Clay County	9,316	8,981	8,711	(2)	(2)	(2)
Codington County	8,770	11,295	14,092	(2)	(2)	(2)
Corson County[3]	(4)	(4)	2,929	(2)	(2)	(2)
Custer County	2,728	2,899	4,458	(2)	(2)	(2)
Davison County	7,483	10,057	11,625	(2)	(2)	(2)
Day County	12,254	13,785	14,372	(2)	(2)	(2)
Deuel County	6,656	7,477	7,768	(2)	(2)	(2)
Dewey County[5]	(4)	(4)	1,145	(2)	(2)	(2)
Douglas County	5,012	5,974	6,400	(2)	(2)	(2)
Edmunds County	4,916	5,293	7,654	(2)	(2)	(2)
Fall River County	3,541	4,222	7,763	(2)	(2)	(2)
Faulk County	3,547	3,962	6,716	(2)	(2)	(2)
Grant County	9,103	9,600	10,303	(2)	(2)	(2)
Gregory County	2,211	7,024	13,061	(2)	(2)	(2)
Hamlin County	5,945	6,962	7,475	(2)	(2)	(2)
Hand County	4,525	5,071	7,870	(2)	(2)	(2)
Hanson County	4,947	5,669	6,237	(2)	(2)	(2)
Harding County[6]	(4)	(4)	4,228	(2)	(2)	(2)
Hughes County	3,684	3,902	6,271	(2)	(2)	(2)
Hutchinson County	11,897	12,231	12,319	(2)	(2)	(2)
Hyde County	1,492	1,822	3,307	(2)	(2)	(2)
Jerauld County	2,798	3,576	5,120	(2)	(2)	(2)
Kingsbury County	9,866	11,199	12,560	(2)	(2)	(2)
Lake County	9,137	9,888	10,711	(2)	(2)	(2)
Lawrence County	17,897	21,060	19,694	(2)	(2)	(2)
Lincoln County	12,161	12,742	12,712	(2)	(2)	(2)
Lyman County[8]	2,632	4,775	10,848	(2)	(2)	(2)
McCook County	8,689	9,037	9,589	(2)	(2)	(2)
McPherson County	6,327	5,727	6,791	(2)	(2)	(2)
Marshall County	5,942	7,101	8,021	(2)	(2)	(2)
Meade County	4,907	5,405	12,640	(2)	(2)	(2)
Miner County	5,864	6,271	7,661	(2)	(2)	(2)
Minnehaha County	13,660	14,999	15,537	(2)	(2)	(2)
Moody County	8,326	8,893	8,695	(2)	(2)	(2)
Pennington County	5,610	6,078	12,453	(2)	(2)	(2)
Perkins County[6]	(4)	(4)	11,348	(2)	(2)	(2)
Potter County	2,988	2,978	4,466	(2)	(2)	(2)
Roberts County	12,216	13,905	14,897	(2)	(2)	(2)
Sanborn County	4,464	5,387	6,607	(2)	(2)	(2)
Schnasse County[5]	(4)	(4)	292	(2)	(2)	(2)
Spink County	9,487	11,334	15,981	(2)	(2)	(2)
Stanley County	1,341	2,649	14,975	(2)	(2)	(2)
Sterling County[6]	(4)	(4)	252	(2)	(2)	(2)
Sully County	1,715	1,479	2,462	(2)	(2)	(2)
Tripp County[9]	(4)	(4)	8,323	(2)	(2)	(2)
Turner County	13,175	13,895	13,840	(2)	(2)	(2)
Union County	11,153	11,212	10,676	(2)	(2)	(2)
Walworth County	3,839	4,005	6,488	(2)	(2)	(2)
Yankton County	12,649	13,126	13,135	(2)	(2)	(2)
Cheyenne River Indian Reservation[10]	2,365	2,633	.....	(2)	(2)	(2)
Pine Ridge Indian Reservation	6,827	7,476	6,607	(2)	(2)	(2)
Rosebud Indian Reservation[11]	5,201	5,141	3,960	(2)	(2)	(2)
Standing Rock Indian Reservation (part of)[12]	1,658	1,705	.....	(2)	(2)	(2)
VERMONT RURAL.[1]						
Addison County	21,912	.....	20,610	[13] 21,896	21,704	21,512
Bennington County	13,672	.....	12,680	[13] 13,663	13,563	13,462
Caledonia County	24,381	.....	26,031	[13] 24,395	24,562	24,729
Chittenden County	20,960	.....	21,979	[13] 20,969	21,072	21,175
Essex County	8,056	.....	7,384	[13] 8,050	7,982	7,914
Franklin County	30,198	.....	29,866	[13] 30,195	30,162	30,129
Grand Isle County	4,462	.....	3,761	4,456	4,386	4,315
Lamoille County	12,289	.....	12,585	[13] 12,291	12,321	12,351
Orange County	19,313	.....	18,703	[13] 19,308	19,247	19,186
Orleans County	22,024	.....	23,337	[13] 22,035	22,168	22,301
Rutland County	32,710	.....	34,593	[13] 32,727	32,917	33,108
Washington County	28,159	.....	30,968	[13] 28,184	28,468	28,753
Windham County	26,660	.....	26,932	[13] 26,662	26,689	26,716
Windsor County	32,225	.....	33,681	[13] 32,237	32,384	32,531
WASHINGTON RURAL.[1]						
Adams County	4,840	.....	10,920	(2)	(2)	(2)
Asotin County	3,366	.....	5,831	(2)	(2)	(2)
Benton County[14]	(7)	.....	7,937	(2)	(2)	(2)
Chehalis County	15,124	.....	35,590	(2)	(2)	(2)
Chelan County	3,931	.....	15,104	(2)	(2)	(2)

[1] Exclusive of cities having a population of 8,000 or over in 1900.
[2] Nonregistration.
[3] Formed from part of Standing Rock Indian Reservation, July, 1909.
[4] Not organized.
[5] Formed from part of Cheyenne River Indian Reservation, July, 1909.
[6] Formed from part of Butte County, Nov. 5, 1908.
[7] Not estimated separately.

REGISTRATION AREA: 1900 TO 1909—Continued.

REGISTRATION AREA.	ESTIMATED MIDYEAR POPULATION—continued.						
	1903	1904	1905	1906	1907	1908	1909
SOUTH DAKOTA RURAL[1]—Continued.							
Charles Mix County	(2)	(2)	(2)	12,126	12,857	13,588	14,320
Clark County	(2)	(2)	(2)	9,247	9,683	10,119	10,555
Clay County	(2)	(2)	(2)	8,915	8,862	8,808	8,754
Codington County	(2)	(2)	(2)	11,988	12,543	13,098	13,653
Corson County[3]	(2)	(2)	(2)	(4)	(4)	(4)	(4)
Custer County	(2)	(2)	(2)	3,286	3,595	3,904	4,213
Davison County	(2)	(2)	(2)	10,446	10,757	11,068	11,379
Day County	(2)	(2)	(2)	13,931	14,047	14,163	14,280
Deuel County	(2)	(2)	(2)	7,549	7,607	7,665	7,723
Dewey County[5]	(2)	(2)	(2)	(4)	(4)	(4)	(4)
Douglas County	(2)	(2)	(2)	6,080	6,164	6,248	6,333
Edmunds County	(2)	(2)	(2)	5,879	6,347	6,815	7,283
Fall River County	(2)	(2)	(2)	5,100	5,802	6,504	7,207
Faulk County	(2)	(2)	(2)	4,645	5,191	5,737	6,283
Grant County	(2)	(2)	(2)	9,774	9,913	10,053	10,193
Gregory County	(2)	(2)	(2)	8,521	9,718	10,915	12,113
Hamlin County	(2)	(2)	(2)	7,089	7,191	7,293	7,395
Hand County	(2)	(2)	(2)	5,765	6,320	6,875	7,430
Hanson County	(2)	(2)	(2)	5,810	5,922	6,035	6,148
Harding County[6]	(2)	(2)	(2)	(4)	(4)	(4)	(7)
Hughes County	(2)	(2)	(2)	4,489	4,959	5,429	5,899
Hutchinson County	(2)	(2)	(2)	12,253	12,270	12,287	12,305
Hyde County	(2)	(2)	(2)	2,190	2,484	2,779	3,074
Jerauld County	(2)	(2)	(2)	3,959	4,265	4,571	4,877
Kingsbury County	(2)	(2)	(2)	11,537	11,807	12,077	12,347
Lake County	(2)	(2)	(2)	10,092	10,255	10,418	10,582
Lawrence County	(2)	(2)	(2)	20,722	20,451	20,180	19,909
Lincoln County	(2)	(2)	(2)	12,735	12,729	12,723	12,717
Lyman County[8]	(2)	(2)	(2)	6,281	7,485	8,690	9,895
McCook County	(2)	(2)	(2)	9,174	9,283	9,392	9,502
McPherson County	(2)	(2)	(2)	5,991	6,202	6,413	6,624
Marshall County	(2)	(2)	(2)	7,329	7,511	7,694	7,877
Meade County	(2)	(2)	(2)	7,199	8,634	10,069	11,504
Miner County	(2)	(2)	(2)	6,614	6,891	7,167	7,443
Minnehaha County	(2)	(2)	(2)	15,133	15,241	15,348	15,454
Moody County	(2)	(2)	(2)	8,845	8,806	8,767	8,727
Pennington County	(2)	(2)	(2)	7,658	8,923	10,187	11,451
Perkins County[6]	(2)	(2)	(2)	(4)	(4)	(4)	(7)
Potter County	(2)	(2)	(2)	3,346	3,642	3,937	4,231
Roberts County	(2)	(2)	(2)	14,150	14,348	14,545	14,741
Sanborn County	(2)	(2)	(2)	5,689	5,932	6,174	6,415
Schnasse County[5]	(2)	(2)	(2)	(4)	(4)	(4)	(4)
Spink County	(2)	(2)	(2)	12,485	13,408	14,330	15,251
Stanley County	(2)	(2)	(2)	5,704	8,150	10,595	13,039
Sterling County[5]	(2)	(2)	(2)	(4)	(4)	(4)	(4)
Sully County	(2)	(2)	(2)	1,722	1,917	2,113	2,307
Tripp County[9]	(2)	(2)	(2)	(4)	(4)	(4)	(4)
Turner County	(2)	(2)	(2)	13,882	13,871	13,860	13,849
Union County	(2)	(2)	(2)	11,080	10,974	10,868	10,761
Walworth County	(2)	(2)	(2)	4,620	5,112	5,604	6,097
Yankton County	(2)	(2)	(2)	13,127	13,129	13,131	13,133
Cheyenne River Indian Reservation[10]	(2)	(2)	(2)	2,560	2,501	2,442	2,383
Pine Ridge Indian Reservation	(2)	(2)	(2)	7,261	7,089	6,917	6,744
Rosebud Indian Reservation[11]	(2)	(2)	(2)	6,911	8,327	9,744	11,161
Standing Rock Indian Reservation (part of)[12]	(2)	(2)	(2)	2,007	2,250	2,493	2,736
VERMONT RURAL.[1]							
Addison County	21,320	21,128	20,935	20,742	20,549	20,356	20,163
Bennington County	13,362	13,262	13,162	13,062	12,962	12,861	12,759
Caledonia County	24,896	25,063	25,230	25,397	25,564	25,731	25,898
Chittenden County	21,277	21,380	21,484	21,587	21,690	21,793	21,897
Essex County	7,846	7,778	7,710	7,642	7,574	7,506	7,438
Franklin County	30,096	30,063	30,029	29,995	29,961	29,927	29,893
Grand Isle County	4,244	4,173	4,102	4,031	3,960	3,889	3,818
Lamoille County	12,381	12,411	12,441	12,471	12,501	12,531	12,561
Orange County	19,125	19,063	19,001	18,939	18,877	18,815	18,753
Orleans County	22,434	22,567	22,700	22,833	22,966	23,099	23,232
Rutland County	33,299	33,490	33,681	33,872	34,063	34,253	34,443
Washington County	29,038	29,323	29,608	29,892	30,176	30,460	30,744
Windham County	26,743	26,770	26,798	26,826	26,854	26,882	26,910
Windsor County	32,678	32,825	32,972	33,120	33,268	33,416	33,564
WASHINGTON RURAL.[1]							
Adams County	(2)	(2)	(2)	(2)	(2)	9,818	10,433
Asotin County	(2)	(2)	(2)	(2)	(2)	5,385	5,634
Benton County[14]	(2)	(2)	(2)	(2)	(2)	6,682	7,382
Chehalis County	(2)	(2)	(2)	(2)	(2)	31,877	33,949
Chelan County	(2)	(2)	(2)	(2)	(2)	13,077	14,208

[8] Including Lower Brule Indian Reservation.
[9] Formed from part of Rosebud Indian Reservation in 1909.
[10] Formed into Armstrong, Dewey, Schnasse, and Sterling Counties, July, 1909.
[11] Part of formed into Tripp County in 1909.
[12] Formed into Corson County, July, 1909.
[13] Population by census, June 1, not midyear population, used as basis of rates.
[14] Formed from parts of Klickitat and Yakima Counties in 1905.

TABLE I.—POPULATION OF EACH

REGISTRATION AREA.	ENUMERATED POPULATION.			ESTIMATED MIDYEAR POPULATION.		
	Federal census, June 1, 1900.	State census, June 1, 1905.	Federal census, Apr. 15, 1910.	1900	1901	1902
WASHINGTON RURAL[1]—Continued.						
Clallam County	5,603	.....	6,755	(2)	(2)	(2)
Clarke County	13,419	.....	26,115	(2)	(2)	(2)
Columbia County	7,128	.....	7,042	(2)	(2)	(2)
Cowlitz County	7,877	.....	12,561	(2)	(2)	(2)
Douglas County [3]	4,926	.....	9,227	(2)	(2)	(2)
Ferry County	4,562	.....	4,800	(2)	(2)	(2)
Franklin County	486	.....	5,153	(2)	(2)	(2)
Garfield County	3,918	.....	4,199	(2)	(2)	(2)
Grant County [4]	(5)	.....	8,698	(2)	(2)	(2)
Island County	1,870	.....	4,704	(2)	(2)	(2)
Jefferson County	5,712	.....	8,337	(2)	(2)	(2)
King County	29,382	.....	47,444	(2)	(2)	(2)
Kitsap County	6,767	.....	17,647	(2)	(2)	(2)
Kittitas County	9,704	.....	18,561	(2)	(2)	(2)
Klickitat County	6,407	.....	10,180	(2)	(2)	(2)
Lewis County	15,157	.....	32,127	(2)	(2)	(2)
Lincoln County	11,969	.....	17,539	(2)	(2)	(2)
Mason County	3,810	.....	5,156	(2)	(2)	(2)
Okanogan County	4,689	.....	12,887	(2)	(2)	(2)
Pacific County	5,983	.....	12,532	(2)	(2)	(2)
Pierce County	17,801	.....	37,069	(2)	(2)	(2)
San Juan County	2,928	.....	3,603	(2)	(2)	(2)
Skagit County	14,272	.....	29,241	(2)	(2)	(2)
Skamania County	1,688	.....	2,887	(2)	(2)	(2)
Snohomish County	23,950	.....	59,209	(2)	(2)	(2)
Spokane County	20,694	.....	35,002	(2)	(2)	(2)
Stevens County	10,543	.....	25,297	(2)	(2)	(2)
Thurston County	9,927	.....	17,581	(2)	(2)	(2)
Wahkiakum County	2,819	.....	3,285	(2)	(2)	(2)
Walla Walla County	8,631	.....	12,567	(2)	(2)	(2)
Whatcom County	24,116	.....	49,511	(2)	(2)	(2)
Whitman County	25,360	.....	33,280	(2)	(2)	(2)
Yakima County	13,462	.....	41,709	(2)	(2)	(2)
WISCONSIN RURAL.[1]						
Adams County	9,141	9,062	8,604	(2)	(2)	(2)
Ashland County	7,102	9,416	10,371	(2)	(2)	(2)
Barron County	23,677	28,376	29,114	(2)	(2)	(2)
Bayfield County	14,392	15,904	15,987	(2)	(2)	(2)
Brown County	27,675	29,172	28,862	(2)	(2)	(2)
Buffalo County	16,765	16,523	16,006	(2)	(2)	(2)
Burnett County	7,478	9,261	9,026	(2)	(2)	(2)
Calumet County	17,078	16,889	16,701	(2)	(2)	(2)
Chippewa County	24,943	22,991	23,210	(2)	(2)	(2)
Clark County	25,848	29,344	30,074	(2)	(2)	(2)
Columbia County	31,121	31,192	31,129	(2)	(2)	(2)
Crawford County	17,286	16,926	16,288	(2)	(2)	(2)
Dane County	50,271	51,156	51,904	(2)	(2)	(2)
Dodge County	44,461	43,551	45,131	(2)	(2)	(2)
Door County	17,583	19,631	18,711	(2)	(2)	(2)
Douglas County	5,244	6,948	7,038	(2)	(2)	(2)
Dunn County	25,043	26,074	25,260	(2)	(2)	(2)
Eau Claire County	14,175	14,782	14,411	(2)	(2)	(2)
Florence County	3,197	3,522	3,381	(2)	(2)	(2)
Fond du Lac County	32,479	33,541	32,813	(2)	(2)	(2)
Forest County	1,396	5,968	6,782	(2)	(2)	(2)
Grant County	38,881	39,629	39,007	(2)	(2)	(2)
Green County	22,719	22,390	21,641	(2)	(2)	(2)
Green Lake County	15,797	15,838	15,491	(2)	(2)	(2)
Iowa County	23,114	22,971	22,497	(2)	(2)	(2)
Iron County	6,616	6,559	8,306	(2)	(2)	(2)
Jackson County	17,466	17,579	17,075	(2)	(2)	(2)
Jefferson County	28,522	27,893	27,782	(2)	(2)	(2)
Juneau County	20,629	20,759	19,569	(2)	(2)	(2)
Kenosha County	10,101	11,141	11,558	(2)	(2)	(2)
Kewaunee County	17,212	17,003	16,784	(2)	(2)	(2)
La Crosse County	14,102	13,772	13,579	(2)	(2)	(2)
Lafayette County	20,959	20,277	20,075	(2)	(2)	(2)
Langlade County	12,553	15,738	17,062	(2)	(2)	(2)
Lincoln County	7,732	9,928	10,375	(2)	(2)	(2)
Manitowoc County	30,475	32,003	31,951	(2)	(2)	(2)
Marathon County	30,902	35,791	38,494	(2)	(2)	(2)
Marinette County	14,627	18,376	19,202	(2)	(2)	(2)
Marquette County	10,509	10,974	10,741	(2)	(2)	(2)
Milwaukee County	44,702	50,773	59,330	(2)	(2)	(2)
Monroe County	28,103	29,263	28,881	(2)	(2)	(2)
Oconto County	20,874	24,580	25,657	(2)	(2)	(2)
Oneida County	8,875	11,234	11,433	(2)	(2)	(2)
Outagamie County	31,162	32,015	32,329	(2)	(2)	(2)
Ozaukee County	16,363	17,476	17,123	(2)	(2)	(2)

[1] Exclusive of cities having a population of 8,000 or over in 1900.
[2] Nonregistration.
[3] Part of formed into Grant County, Feb. 24, 1909.

REGISTRATION AREA: 1900 TO 1909—Continued.

REGISTRATION AREA.	ESTIMATED MIDYEAR POPULATION—continued.						
	1903	1904	1905	1906	1907	1908	1909
WASHINGTON RURAL[1]—Continued.							
Clallam County	(2)	(2)	(2)	(2)	(2)	6,547	6,663
Clarke County	(2)	(2)	(2)	(2)	(2)	23,812	25,097
Columbia County	(2)	(2)	(2)	(2)	(2)	7,061	7,051
Cowlitz County	(2)	(2)	(2)	(2)	(2)	11,710	12,185
Douglas County [3]	(2)	(2)	(2)	(2)	(2)	15,566	16,883
Ferry County	(2)	(2)	(2)	(2)	(2)	4,757	4,781
Franklin County	(2)	(2)	(2)	(2)	(2)	4,306	4,779
Garfield County	(2)	(2)	(2)	(2)	(2)	4,147	4,176
Grant County [4]	(2)	(2)	(2)	(2)	(2)	(5)	(5)
Island County	(2)	(2)	(2)	(2)	(2)	4,190	4,477
Jefferson County	(2)	(2)	(2)	(2)	(2)	7,861	8,127
King County	(2)	(2)	(2)	(2)	(2)	42,474	48,151
Kitsap County	(2)	(2)	(2)	(2)	(2)	15,673	16,775
Kittitas County	(2)	(2)	(2)	(2)	(2)	16,954	17,851
Klickitat County	(2)	(2)	(2)	(2)	(2)	9,482	9,872
Lewis County	(2)	(2)	(2)	(2)	(2)	29,048	30,767
Lincoln County	(2)	(2)	(2)	(2)	(2)	16,529	17,093
Mason County	(2)	(2)	(2)	(2)	(2)	4,911	5,048
Okanogan County	(2)	(2)	(2)	(2)	(2)	11,399	12,229
Pacific County	(2)	(2)	(2)	(2)	(2)	11,343	12,007
Pierce County	(2)	(2)	(2)	(2)	(2)	38,212	38,923
San Juan County	(2)	(2)	(2)	(2)	(2)	3,480	3,549
Skagit County	(2)	(2)	(2)	(2)	(2)	26,525	28,041
Skamania County	(2)	(2)	(2)	(2)	(2)	2,669	2,791
Snohomish County	(2)	(2)	(2)	(2)	(2)	52,811	56,382
Spokane County	(2)	(2)	(2)	(2)	(2)	31,320	33,376
Stevens County	(2)	(2)	(2)	(2)	(2)	22,620	24,114
Thurston County	(2)	(2)	(2)	(2)	(2)	16,192	16,967
Wahkiakum County	(2)	(2)	(2)	(2)	(2)	3,199	3,247
Walla Walla County	(2)	(2)	(2)	(2)	(2)	12,021	12,186
Whatcom County	(2)	(2)	(2)	(2)	(2)	44,903	47,474
Whitman County	(2)	(2)	(2)	(2)	(2)	31,843	32,644
Yakima County	(2)	(2)	(2)	(2)	(2)	36,412	39,368
WISCONSIN RURAL.[1]							
Adams County	(2)	(2)	(2)	(2)	(2)	8,773	8,679
Ashland County	(2)	(2)	(2)	(2)	(2)	10,021	10,217
Barron County	(2)	(2)	(2)	(2)	(2)	28,841	28,993
Bayfield County	(2)	(2)	(2)	(2)	(2)	15,956	15,973
Brown County	(2)	(2)	(2)	(2)	(2)	28,977	28,913
Buffalo County	(2)	(2)	(2)	(2)	(2)	16,197	16,091
Burnett County	(2)	(2)	(2)	(2)	(2)	9,113	9,065
Calumet County	(2)	(2)	(2)	(2)	(2)	16,771	16,732
Chippewa County	(2)	(2)	(2)	(2)	(2)	23,128	23,173
Clark County	(2)	(2)	(2)	(2)	(2)	29,805	29,955
Columbia County	(2)	(2)	(2)	(2)	(2)	31,153	31,140
Crawford County	(2)	(2)	(2)	(2)	(2)	16,523	16,392
Dane County	(2)	(2)	(2)	(2)	(2)	51,630	51,783
Dodge County	(2)	(2)	(2)	(2)	(2)	44,550	44,874
Door County	(2)	(2)	(2)	(2)	(2)	19,050	18,861
Douglas County	(2)	(2)	(2)	(2)	(2)	7,006	7,024
Dunn County	(2)	(2)	(2)	(2)	(2)	25,560	25,393
Eau Claire County	(2)	(2)	(2)	(2)	(2)	14,547	14,471
Florence County	(2)	(2)	(2)	(2)	(2)	3,433	3,404
Fond du Lac County	(2)	(2)	(2)	(2)	(2)	33,083	32,933
Forest County	(2)	(2)	(2)	(2)	(2)	6,482	6,649
Grant County	(2)	(2)	(2)	(2)	(2)	39,237	39,109
Green County	(2)	(2)	(2)	(2)	(2)	21,917	21,763
Green Lake County	(2)	(2)	(2)	(2)	(2)	15,620	15,549
Iowa County	(2)	(2)	(2)	(2)	(2)	22,672	22,575
Iron County	(2)	(2)	(2)	(2)	(2)	7,662	8,021
Jackson County	(2)	(2)	(2)	(2)	(2)	17,262	17,158
Jefferson County	(2)	(2)	(2)	(2)	(2)	27,824	27,801
Juneau County	(2)	(2)	(2)	(2)	(2)	20,007	19,763
Kenosha County	(2)	(2)	(2)	(2)	(2)	11,341	11,462
Kewaunee County	(2)	(2)	(2)	(2)	(2)	16,865	16,820
La Crosse County	(2)	(2)	(2)	(2)	(2)	13,650	13,611
Lafayette County	(2)	(2)	(2)	(2)	(2)	20,151	20,109
Langlade County	(2)	(2)	(2)	(2)	(2)	16,574	16,846
Lincoln County	(2)	(2)	(2)	(2)	(2)	10,211	10,302
Manitowoc County	(2)	(2)	(2)	(2)	(2)	31,992	31,970
Marathon County	(2)	(2)	(2)	(2)	(2)	37,501	38,056
Marinette County	(2)	(2)	(2)	(2)	(2)	18,896	19,066
Marquette County	(2)	(2)	(2)	(2)	(2)	10,828	10,780
Milwaukee County	(2)	(2)	(2)	(2)	(2)	58,911	61,908
Monroe County	(2)	(2)	(2)	(2)	(2)	29,023	28,944
Oconto County	(2)	(2)	(2)	(2)	(2)	25,261	25,482
Oneida County	(2)	(2)	(2)	(2)	(2)	11,359	11,400
Outagamie County	(2)	(2)	(2)	(2)	(2)	32,211	32,276
Ozaukee County	(2)	(2)	(2)	(2)	(2)	17,254	17,181

[4] Formed from part of Douglas County, Feb. 24, 1909.
[5] Not organized.

TABLE I.—POPULATION OF EACH

REGISTRATION AREA.	ENUMERATED POPULATION			ESTIMATED MIDYEAR POPULATION.		
	Federal census, June 1, 1900.	State census, June 1, 1905.	Federal census, Apr. 15, 1910.	1900	1901	1902
WISCONSIN RURAL[1]—Continued.						
Pepin County	7,905	7,569	7,577	(2)	(2)	(2)
Pierce County	23,943	23,433	22,079	(2)	(2)	(2)
Polk County	17,801	20,885	21,367	(2)	(2)	(2)
Portage County	19,959	21,839	22,253	(2)	(2)	(2)
Price County	9,106	12,353	13,795	(2)	(2)	(2)
Racine County	16,542	17,938	19,422	(2)	(2)	(2)
Richland County	19,483	19,345	18,809	(2)	(2)	(2)
Rock County	27,582	27,016	26,519	(2)	(2)	(2)
Rusk County[3]	(4)	9,748	11,160	(2)	(2)	(2)
St. Croix County	26,830	26,716	25,910	(2)	(2)	(2)
Sauk County	33,006	32,825	32,869	(2)	(2)	(2)
Sawyer County	3,593	5,044	6,227	(2)	(2)	(2)
Shawano County	27,475	31,037	31,884	(2)	(2)	(2)
Sheboygan County	27,383	28,044	28,490	(2)	(2)	(2)
Taylor County	11,262	12,481	13,641	(2)	(2)	(2)
Trempealeau County	23,114	23,857	22,928	(2)	(2)	(2)
Vernon County	28,351	29,161	28,116	(2)	(2)	(2)
Vilas County	4,929	5,436	6,019	(2)	(2)	(2)
Walworth County	29,259	30,557	29,614	(2)	(2)	(2)
Washburn County	5,521	7,483	8,196	(2)	(2)	(2)
Washington County	23,589	23,476	23,784	(2)	(2)	(2)
Waukesha County	35,229	35,822	37,100	(2)	(2)	(2)
Waupaca County	31,615	33,467	32,782	(2)	(2)	(2)
Waushara County	15,972	17,643	18,886	(2)	(2)	(2)
Winnebago County	29,941	29,725	29,054	(2)	(2)	(2)
Wood County	25,865	30,380	30,583	(2)	(2)	(2)

[1] Exclusive of cities having a population of 8,000 or over in 1900.

[2] Nonregistration.

REGISTRATION AREA: 1900 TO 1909—Continued.

REGISTRATION AREA.	ESTIMATED MIDYEAR POPULATION—continued.						
	1903	1904	1905	1906	1907	1908	1909
WISCONSIN RURAL [1]—Continued.							
Pepin County	(2)	(2)	(2)	(2)	(2)	7,573	7,575
Pierce County	(2)	(2)	(2)	(2)	(2)	22,577	22,299
Polk County	(2)	(2)	(2)	(2)	(2)	21,189	21,288
Portage County	(2)	(2)	(2)	(2)	(2)	22,099	22,184
Price County	(2)	(2)	(2)	(2)	(2)	13,264	13,560
Racine County	(2)	(2)	(2)	(2)	(2)	18,877	19,181
Richland County	(2)	(2)	(2)	(2)	(2)	19,007	18,897
Rock County	(2)	(2)	(2)	(2)	(2)	26,703	26,600
Rusk County [3]	(2)	(2)	(2)	(2)	(2)	10,640	10,930
St. Croix County	(2)	(2)	(2)	(2)	(2)	26,208	26,042
Sauk County	(2)	(2)	(2)	(2)	(2)	32,852	32,861
Sawyer County	(2)	(2)	(2)	(2)	(2)	5,791	6,034
Shawano County	(2)	(2)	(2)	(2)	(2)	31,572	31,746
Sheboygan County	(2)	(2)	(2)	(2)	(2)	28,326	28,417
Taylor County	(2)	(2)	(2)	(2)	(2)	13,214	13,452
Trempealeau County	(2)	(2)	(2)	(2)	(2)	23,271	23,080
Vernon County	(2)	(2)	(2)	(2)	(2)	28,502	28,287
Vilas County	(2)	(2)	(2)	(2)	(2)	5,803	5,923
Walworth County	(2)	(2)	(2)	(2)	(2)	29,962	29,768
Washburn County	(2)	(2)	(2)	(2)	(2)	7,933	8,079
Washington County	(2)	(2)	(2)	(2)	(2)	23,670	23,733
Waukesha County	(2)	(2)	(2)	(2)	(2)	36,629	36,891
Waupaca County	(2)	(2)	(2)	(2)	(2)	33,035	32,894
Waushara County	(2)	(2)	(2)	(2)	(2)	18,429	18,684
Winnebago County	(2)	(2)	(2)	(2)	(2)	29,299	29,162
Wood County	(2)	(2)	(2)	(2)	(2)	30,507	30,549

[3] Organized as Gates from part of Chippewa in 1901; name changed in 1905.

[4] Not organized.

TABLE II.—DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION AREA: 1900 TO 1909.

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

REGISTRATION AREA.	NUMBER OF DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
TOTAL.											
The registration area	17.6	16.5	15.9	16.0	16.5	16.0	15.7	16.0	14.8	14.4	15.8
Registration cities	18.6	17.3	16.9	17.0	17.3	16.6	16.9	17.1	15.7	15.4	16.8
Registration states	17.2	16.4	15.4	15.6	16.4	15.9	15.7	15.9	14.7	14.2	15.5
Cities in registration states	18.9	17.8	17.0	17.1	17.9	17.1	17.4	17.5	15.9	15.4	17.0
Rural part of registration states	15.2	14.6	13.4	13.7	14.5	14.4	13.7	14.0	13.3	13.0	13.8
Registration cities in other states	18.2	16.8	16.7	16.8	16.8	16.2	15.6	16.3	15.4	15.6	16.5
REGISTRATION STATES.											
California	(1)	(1)	(1)	(1)	(1)	(1)	14.1	14.6	14.1	13.4	(2)
Colorado	(1)	(1)	(1)	(1)	(1)	(1)	14.0	15.3	14.5	14.2	(2)
Connecticut	18.0	16.0	15.1	15.9	15.6	16.1	16.2	16.5	14.8	15.0	15.9
Indiana	14.2	13.8	12.9	12.4	13.8	13.2	12.8	13.0	12.8	12.9	13.2
Maine	17.1	16.0	15.3	15.8	16.3	16.0	16.0	16.4	15.7	15.6	16.0
Maryland	(1)	(1)	(1)	(1)	(1)	(1)	16.0	16.4	15.8	15.5	(2)
Massachusetts	18.3	16.9	16.5	16.7	16.3	16.8	16.3	17.0	15.9	15.4	16.6
Michigan	14.0	13.4	12.7	13.2	13.6	13.4	14.0	13.6	13.4	13.1	13.4
New Hampshire	18.5	16.8	16.0	16.7	16.2	17.3	17.7	17.6	16.8	16.9	17.0
New Jersey	17.8	16.4	15.8	15.7	16.9	15.8	15.9	16.1	14.8	14.7	15.9
New York	18.2	17.7	16.4	16.5	18.0	17.0	16.9	17.3	15.9	15.7	16.9
Ohio	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	12.9	(2)
Pennsylvania	(1)	(1)	(1)	(1)	(1)	(1)	16.0	15.9	15.1	14.7	(2)
Rhode Island	20.5	18.1	17.7	18.8	17.2	17.1	17.4	17.8	15.9	15.6	17.5
South Dakota	(1)	(1)	(1)	(1)	(1)	(1)	8.5	9.1	9.2	8.5	(2)
Vermont	16.6	16.6	15.0	16.2	16.0	17.0	16.7	16.2	15.9	15.7	16.2
Washington	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	9.3	9.8	(2)
Wisconsin	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	11.7	11.8	(2)
REGISTRATION CITIES.											
ALABAMA.[3]											
Birmingham	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	17.8	18.2	(2)
Mobile	27.2	24.1	23.0	23.9	26.5	26.5	27.7	26.1	22.4	20.1	24.6
Montgomery	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	21 2	21.7	(2)
CALIFORNIA.											
Alameda	14.3	17.2	17.6	9.6	10.2	12.3	15.7	17.2	15.5	13.5	14.3
Berkeley	(1)	(1)	(1)	(1)	(1)	(1)	12.6	12.0	12.7	10.7	(2)
Fresno	19.3	19.1	16.1	18.1	15.5	16.2	17.0	17.5	18.5	15.2	17.1
Los Angeles	18.8	16.2	16.3	18.5	14.8	16.2	16.8	16.5	13.8	13.7	15.8
Oakland	15.9	15.1	14.7	13.2	12.1	12.1	13.3	13.6	14.9	14.2	15.0
Pasadena	(1)	(1)	(1)	(1)	(1)	(1)	16.4	14.1	13.6	14.2	(2)
Sacramento	21.6	19.7	18.1	16.5	17.2	18.8	14.6	17.7	18.0	16.3	17.7
San Diego	19.5	18.9	17.0	15.6	17.5	15.8	18.6	19.9	19.6	15.9	17.8
San Francisco	20.6	20.4	21.2	20.7	20.0	19.2	18.3	16.6	15.5	15.0	18.6
San Jose	14.7	15.5	15.1	14.2	16.8	14.4	15.2	15.1	14.1	15.3	15.1
Stockton*	(1)	(1)	(1)	(1)	(1)	(1)	22.1	23.3	21.7	22.6	(2)
COLORADO.											
Colorado Springs	(1)	(1)	(1)	(1)	(1)	(1)	19.0	18.8	16.9	17.7	(2)
Denver	19.0	19.1	17.6	16.4	17.0	16.1	17.2	18.7	18.3	17.0	17.6
Leadville	27.9	22.0	19.8	17.9	24.5	21.3	24.8	29.0	18.2	20.5	22.6
Pueblo	23.0	21.3	31.7	24.1	20.4	19.4	19.5	18.0	14.6	13.4	20.0
CONNECTICUT.											
Ansonia	20.6	14.2	13.9	15.5	12.6	14.3	15.5	18.0	14.4	14.3	15.3
Bridgeport	17.7	16.5	15.8	16.4	15.7	15.6	16.3	17.2	14.5	14.4	15.9
Bristol town	15.8	12.0	13.9	15.6	16.0	14.4	14.1	10.9	12.7	11.8	13.6
Danbury town	17.6	15.0	16.6	16.4	14.3	15.6	15.9	17.4	14.9	14.9	15.8
Greenwich town	18.1	13.6	16.3	14.9	15.3	15.8	16.9	17.2	17.7	15.6	16.2
Hartford	18.1	16.7	15.5	16.6	17.1	17.0	17.3	17.7	15.3	16.3	16.8
Manchester town	13.8	12.5	10.1	10.7	10.8	15.0	13.8	10.7	8.6	10.2	11.6
Meriden town	15.2	14.2	12.9	14.2	13.8	13.2	15.2	14.6	13.9	13.2	14.1
Middletown town*	18.4	20.8	19.8	25.1	[4] 11.0	23.4	21.4	22.8	21.6	21.9	20.7
Naugatuck	17.3	12.6	17.6	14.5	15.5	12.7	12.9	13.3	9.9	13.9	13.9
New Britain	20.3	13.7	13.1	16.4	14.0	14.7	15.5	15.0	13.3	12.3	14.7
New Haven	18.2	17.8	16.5	16.7	17.0	18.4	18.8	18.1	16.4	16.9	17.5
New London	20.0	18.5	19.8	19.7	21.9	18.7	19.5	22.1	16.4	16.2	19.3
Norwalk town	16.8	14.4	14.1	15.3	14.6	15.9	15.7	16.4	15.6	15.3	15.4
Norwich town	19.7	19.0	15.2	18.3	15.3	16.8	17.1	17.2	16.0	15.7	17.0
Stamford town	18.0	18.3	16.4	17.2	18.7	18.9	17.1	19.0	16.2	18.3	17.8
Stonington town	17.0	15.8	15.3	16.5	20.5	18 0	15.6	16.3	14.8	16.1	16.6
Torrington town	15.6	13.3	9.9	12.3	10.9	14.0	11.9	12.5	11.3	11.5	12.3
Vernon town	16.9	11.9	14.3	14.8	13.9	13.3	14.6	14.4	13.1	11.9	13.9
Wallingford town	14.2	12.6	12.1	15.0	14.4	11.7	13.6	12.8	13.5	12.4	13.1
Waterbury	18.8	16.7	16.8	16.2	14.8	15.3	16.2	16.6	15.3	14.8	16.1
Windham town	21.3	16.1	15.0	15.9	17.9	18.9	16.6	14.9	17.3	19.6	17.4
DELAWARE.[3]											
Wilmington	20.2	17.3	17.4	16.8	17.8	15.9	18.3	17.6	15.8	15.8	17.2

[1] Nonregistration.
[2] Average not shown for less than 10 years.
[3] Nonregistration state; cities shown below only those with effective local ordinances.
[4] Represents deaths from Jan. 1 to June 30 only.

TABLE II.—DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION AREA: 1900 TO 1909—Continued.

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

REGISTRATION AREA.	NUMBER OF DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
REGISTRATION CITIES—Continued.											
DISTRICT OF COLUMBIA.											
Washington	22.3	21.3	20.0	20.1	20.7	20.3	20.3	20.1	19.1	19.0	20.3
FLORIDA.[1]											
Jacksonville	30.1	26.7	28.2	27.0	26.6	28.7	23.0	23.9	22.1	21.8	25.3
Key West	24.4	23.1	22.3	20.9	21.0	21.4	24.3	23.8	20.2	18.9	22.0
GEORGIA.[1]											
Atlanta	22.1	21.3	21.2	19.7	21.8	21.7	22.2	21.4	18.1	17.2	20.5
Savannah	31.0	30.0	26.7	24.5	27.3	27.3	25.1	26.4	23.2	22.3	26.3
ILLINOIS.[1]											
Aurora	15.9	14.9	12.6	12.4	13.3	11.5	13.3	14.5	13.2	14.4	13.6
Belleville	15.3	15.4	16.2	18.2	21.5	16.9	19.5	15.8	15.8	12.9	16.6
Chicago	15.3	14.0	14.7	15.5	14.1	14.1	14.5	15.7	14.5	14.6	14.7
Danville	17.9	[2]	[2]	[2]	[2]	[2]	[2]	[2]	[2]	[2]	[3]
Decatur	16.9	14.0	14.7	12.0	13.3	10.8	10.8	12.0	11.7	10.7	12.5
Evanston	[2]	[2]	[2]	[2]	[2]	[2]	[2]	[2]	10.1	10.6	[3]
Jacksonville*	17.8	23.2	24.1	24.5	22.3	19.5	19.0	21.0	21.5	20.8	21.4
Ottawa	14.3	16.1	13.6	13.5	12.2	13.6	15.5	15.6	14.8	18.5	14.7
Quincy	15.7	14.9	15.4	15.2	16.1	15.6	13.9	16.5	15.8	13.6	15.3
Springfield	17.7	18.9	17.3	15.6	19.9	15.5	17.5	18.1	16.1	16.8	17.3
INDIANA.											
Anderson	[4]	16.9	16.1	12.8	15.7	12.4	13.7	11.0	11.2	14.5	[3]
Columbus	21.3	17.1	15.7	14.4	17.7	15.4	15.8	13.3	14.8	16.6	16.2
Elkhart	[4]	12.2	11.4	12.7	13.3	12.4	13.0	13.2	12.6	12.6	[3]
Elwood	[4]	14.0	13.9	13.0	13.0	13.1	12.3	11.3	11.2	12.2	[3]
Evansville	15.8	12.9	11.9	12.7	14.7	13.3	13.4	12.5	13.3	13.1	13.3
Fort Wayne	[4]	14.2	13.1	14.8	13.1	12.7	13.8	13.8	13.7	11.6	[3]
Hammond	[4]	14.5	15.1	15.5	12.2	13.0	13.0	14.9	14.8	13.2	[3]
Huntington	[4]	13.4	12.4	15.8	17.8	10.7	7.7	11.2	11.1	14.0	[3]
Indianapolis	17.1	15.4	14.1	16.0	16.7	14.6	15.1	15.8	14.2	14.3	15.3
Jeffersonville	19.2	23.1	20.6	20.1	18.8	17.1	19.4	16.8	13.6	16.1	18.5
Kokomo	[4]	14.3	13.5	15.5	15.5	13.5	14.6	13.3	15.6	12.6	[3]
Lafayette	18.4	16.4	18.6	17.1	18.3	18.0	17.4	15.4	17.4	17.8	17.5
Logansport	[4]	17.9	17.7	15.4	17.9	18.3	16.8	14.7	16.6	15.5	[3]
Marion	[4]	14.7	14.5	14.2	17.3	13.7	14.2	13.9	11.3	12.9	[3]
Michigan City	13.1	12.8	12.0	16.3	12.9	11.0	13.8	14.4	13.4	11.3	13.1
Muncie	17.3	14.2	16.1	17.5	17.7	17.7	15.5	13.8	14.8	13.8	15.8
New Albany	[4]	18.1	17.0	17.0	17.7	16.7	14.5	16.9	17.0	15.3	[3]
Peru	16.5	12.9	14.2	9.7	13.5	11.2	9.4	10.9	10.7	14.4	12.2
Richmond	17.0	16.4	20.7	14.9	15.8	12.4	13.8	13.3	13.5	13.3	15.0
South Bend	[4]	13.2	12.5	11.7	13.5	14.6	13.8	13.4	13.0	13.6	[3]
Terre Haute	16.3	18.3	19.2	15.2	20.4	14.5	15.7	16.1	14.9	15.3	16.4
Vincennes	20.6	18.0	15.5	11.2	19.0	16.7	16.1	14.5	18.4	14.4	16.3
Wabash	[4]	12.6	14.6	10.1	14.1	11.4	8.3	13.6	14.5	13.9	[3]
Washington	[4]	17.0	16.7	13.4	14.8	15.9	17.0	13.4	15.7	13.0	[3]
IOWA.[1]											
Burlington	14.8	14.8	14.2	12.3	14.7	12.1	[2]	[2]	[2]	[2]	[3]
Davenport	14.6	15.6	13.8	14.6	13.4	14.2	[2]	[2]	[2]	[2]	[3]
Muscatine	16.3	13.6	11.5	12.3	13.9	13.9	[2]	[2]	[2]	[2]	[3]
Oskaloosa	15.3	[2]	[2]	[2]	[2]	[2]	[2]	[2]	[2]	[2]	[3]
Ottumwa	14.5	11.4	11.1	13.2	[2]	[2]	[2]	[2]	[2]	[2]	[3]
Sioux City	12.7	11.5	13.0	11.4	12.4	12.7	[2]	[2]	[2]	[2]	[3]
KANSAS.[1]											
Kansas City	[2]	[2]	[2]	[2]	[2]	[2]	[2]	[2]	13.6	15.8	[3]
Lawrence	16.3	[2]	[2]	[2]	[2]	[2]	[2]	[2]	[2]	[2]	[3]
Leavenworth	17.7	13.4	14.8	14.7	15.2	15.8	15.2	17.1	15.6	17.0	15.6
Wichita	15.7	16.8	14.7	14.1	15.5	16.1	14.6	12.8	12.2	11.4	14.0
KENTUCKY.[1]											
Covington	19.2	22.1	18.1	15.5	19.2	18.2	17.5	16.5	15.8	14.8	17.6
Louisville	18.9	18.5	18.2	19.0	20.4	18.7	19.0	19.0	17.0	15.5	18.4
Newport	21.7	17.4	13.8	13.3	16.0	19.7	17.3	15.1	16.3	14.8	16.5
Paducah	28.1	24.8	23.3	21.3	21.4	20.2	17.0	17.9	17.0	16.4	20.6
LOUISIANA.[1]											
New Orleans	26.5	22.2	22.1	22.1	22.1	23.4	21.4	23.5	22.3	20.2	22.5
MAINE.											
Auburn	[4]	[4]	[4]	[4]	[4]	[4]	15.9	16.1	13.1	14.3	[3]
Augusta*	23.5	22.7	23.2	23.5	24.9	23.1	20.0	25.1	21.3	23.2	23.0
Bangor*	15.9	17.9	17.0	16.6	19.4	18.0	17.6	18.7	15.3	18.8	17.5
Bath	17.2	14.4	15.7	17.7	17.0	16.5	15.9	15.5	16.2	14.1	16.0
Biddeford	22.7	20.1	20.8	18.6	20.0	17.1	19.9	20.5	18.0	19.6	19.7

[1] Nonregistration state; cities shown below only those with effective local ordinances.
[2] Nonregistration.
[3] Average not shown for less than 10 years.
[4] Included in rural.

TABLE II.—DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION AREA: 1900 TO 1909—Continued.

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

REGISTRATION AREA.	NUMBER OF DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
REGISTRATION CITIES—Continued.											
MAINE—continued.											
Lewiston	(1)	(1)	(1)	(1)	(1)	(1)	21.9	19.0	18.8	17.3	(2)
Portland	20.8	17.7	18.1	18.1	18.9	17.4	17.1	19.3	18.0	17.8	18.3
Rockland	20.5	19.6	15.8	19.9	20.3	18.9	19.4	17.8	16.3	17.3	18.6
Waterville	(1)	(1)	(1)	(1)	(1)	(1)	16.3	17.0	17.7	14.1	(2)
MARYLAND.											
Annapolis	27.7	20.5	20.7	18.8	25.4	22.3	21.9	24.4	25.6	19.0	22.6
Baltimore	21.4	20.4	19.7	19.3	20.4	20.0	19.9	20.5	19.0	18.7	19.9
Cumberland	(3)	(3)	(3)	(3)	(3)	(3)	17.6	19.1	20.0	16.5	(2)
Frederick	19.6	22.2	24.3	23.6	19.3	20.5	18.5	24.7	16.9	20.7	21.0
Hagerstown	(3)	(3)	(3)	(3)	(3)	(3)	17.0	18.9	17.7	16.5	(2)
MASSACHUSETTS.											
Adams town	17.1	15.5	18.4	15.3	16.4	17.9	14.2	15.4	15.1	13.1	15.8
Amesbury town	15.5	17.4	15.5	15.6	17.8	15.5	15.7	17.7	14.4	14.7	16.0
Arlington town	16.0	12.8	11.3	12.1	12.2	11.9	12.3	12.8	12.0	10.9	12.4
Attleborough town	15.3	11.5	12.7	14.5	14.2	13.7	13.2	13.5	11.2	12.1	13.1
Beverly	14.6	13.1	13.5	14.8	14.1	16.4	15.0	13.6	12.6	14.3	14.2
Boston	20.4	19.9	19.1	18.3	18.3	18.5	18.6	18.6	18.3	16.8	18.6
Brockton	14.1	12.9	11.2	11.2	12.4	13.0	11.8	13.1	11.3	11.4	12.2
Brookline town	12.7	11.0	11.2	10.4	10.6	11.1	12.0	10.7	11.4	11.3	11.3
Cambridge	17.1	16.5	14.8	15.0	14.5	14.8	14.7	15.1	16.0	14.7	15.3
Chelsea	19.1	16.8	18.6	17.7	18.7	18.7	18.5	17.5	15.2	16.1	17.9
Chicopee	21.1	17.6	20.3	20.4	17.0	17.6	15.9	18.5	15.8	16.0	17.9
Clinton town	15.4	16.5	17.0	16.4	13.4	16.4	12.4	16.0	15.7	14.6	15.4
Danvers town *	22.1	25.8	22.7	27.1	31.8	28.5	30.7	30.9	36.7	35.0	29.3
Everett	15.8	15.2	14.6	11.8	12.3	13.9	11.6	13.2	12.4	12.0	13.2
Fall River	21.8	18.8	21.0	22.2	19.6	19.9	19.2	21.3	20.5	19.1	20.3
Fitchburg	15.7	15.0	14.1	14.1	12.9	13.7	15.0	14.3	13.7	12.5	14.1
Framingham town	17.2	14.5	13.9	14.7	13.3	17.3	16.3	16.7	13.9	16.6	15.5
Gardner town	17.2	14.5	13.9	17.1	15.2	14 3	14.4	15.6	13.5	14.4	15.0
Gloucester	16.3	16.4	18.6	19.2	17.9	15.2	14.3	14.5	13.8	13.2	16.0
Haverhill	15.8	14.9	15.9	15.6	14.7	16.0	16.1	15.9	14.1	14.6	15.3
Holyoke	21.7	18.8	16.2	17.7	16.9	16.5	17.5	19.6	16.7	17.6	17.9
Hyde Park town	14.1	13.3	11.9	12.5	14.3	13.6	13 9	12.2	11.7	11.2	12.8
Lawrence	20.6	17.6	17.8	17.1	16.7	19.8	18.2	18.8	16.5	17.2	18.0
Leominster town	14.7	12.3	11.8	13.2	12.6	14.3	13.0	13.2	10.1	12.6	12.7
Lowell	19.5	21.5	20.5	20.5	18.3	20.0	19.6	20.6	19.2	18.0	19.7
Lynn	16.1	14.5	14.1	14.7	15.0	16.4	14.4	15 4	13.9	13.7	14.8
Malden	15.1	14.1	13.9	14.3	13.2	13.3	13.6	13.4	13.3	12.1	13.6
Marlborough	15.5	15.7	14.2	14.0	12.9	14.9	13.2	13.4	14.1	15.2	14.3
Medford	13.8	13.5	11.6	11.9	11.9	13.5	12.7	12 8	10.4	11.9	12.4
Melrose	15.3	12.5	13.3	10.9	13.4	13.4	11.3	13.0	12.0	12.1	12.7
Milford town	16.7	15.5	15.6	13.5	14.0	15.1	17.8	18.2	15.8	14.6	15.7
Natick town	13.1	15.8	16.0	13.5	12.8	15.5	13.4	14.5	18.1	14.4	14.7
New Bedford	21.2	19.3	20.3	23.0	19.0	17.4	17.2	18.4	17.8	17.1	18.9
Newburyport	21.7	19.1	19.9	18.0	18.9	19.4	15.9	16.5	19.0	17.0	18.5
Newton	15.0	12.8	12.6	12.6	11.4	13.2	11.9	12.2	11.0	11.3	12.4
North Adams	14.4	15.9	14.9	16.6	16.4	14.2	13.4	16.2	13.1	16.6	15.2
Northampton *	18.7	17.2	13.8	14.5	17.6	16.6	17.9	20.6	18.2	17.2	17.2
Peabody town	18.4	16.5	13.4	15.2	12.3	13.1	14.7	13.9	14.0	13.6	14.4
Pittsfield	16.8	15.7	15.1	15.2	16.3	16.5	13.8	16.4	14.3	14.5	15.4
Plymouth town	16.1	15.9	13.3	13.0	14.2	14.6	12.3	15.0	13.4	13.5	14.1
Quincy	14.8	13.1	16.0	13.6	12.8	13.1	13.2	12.8	12.1	12.0	13.3
Revere town	14.6	12.7	13.3	12.3	12.7	11.8	12.7	12.5	9.8	11.3	12.2
Salem	20.3	17.5	17.9	20.1	18.9	19.7	19.5	17.8	17.6	16.1	18.5
Somerville	16.2	13.2	13.8	14.4	14.2	13.9	14.1	13.7	12.1	13.0	13.8
Southbridge town	22.9	15.6	15.9	16.3	17.4	17.8	12.9	16.4	13.7	13.2	16.1
Springfield	18.4	14.6	15.2	16.0	16.2	15 3	14.8	16.4	14.6	15.2	15.6
Taunton *	20.7	18.2	18.4	20.9	20.3	21.8	19.9	22.4	19.9	21.3	20.4
Wakefield town	12.8	13.7	14.7	11.5	11.9	13.9	12.5	11.8	13.4	10.4	12.6
Waltham	15.4	14.5	13.3	13.9	13.0	13.8	13.4	14.4	11.5	14.2	13.7
Ware town	21.1	17.0	17.5	12.5	14.7	14.8	19.9	17.8	16.3	13.4	16.5
Watertown town	15.1	12.3	12.7	11.5	12.7	12.1	10.4	12.3	10.3	12.5	12.1
Webster town	17.0	14.4	17.0	16.1	14.9	15.2	13.5	13.3	13.4	12.1	14.6
Westfield town	19.2	17.9	16.3	17.1	15.2	15.6	15 5	15.5	15.3	15.8	16.3
Weymouth town	16.3	14.2	13.8	16.7	14.2	15 0	15.3	17.7	14.3	13.1	15.1
Woburn	18.7	14.9	16.0	16.0	13.6	15.2	16.8	16.7	12.8	14.0	15.5
Worcester	18.4	17.1	15.8	17.0	16.2	17.7	17.5	19.1	16.7	15.5	17.1
MICHIGAN.											
Adrian	(1)	(1)	(1)	(1)	(1)	(1)	16.4	13.5	16.1	13.2	(2)
Alpena	(1)	(1)	(1)	(1)	(1)	(1)	15.0	14.6	17.4	17.5	(2)
Ann Arbor	13.9	15.1	16.2	13.7	14.5	17.1	17.9	16.6	19.1	19.5	16.4
Battle Creek	14.6	15.9	16.6	18.1	14.4	15.0	14.7	16.7	14.3	14.6	15.5
Bay City	13.5	12.7	12.4	13.8	14.1	[4] 12.3	[4] 13.7	[4] 15.9	[4] 13.1	[4] 11.7	[5] 13.3

[1] Included in rural.
[2] Average not shown for less than 10 years.
[3] Nonregistration.
[4] Including West Bay City.
[5] Including West Bay City from 1905 to 1909.

TABLE II.—DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION AREA: 1900 TO 1909—Continued.

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

REGISTRATION AREA.	NUMBER OF DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
REGISTRATION CITIES—Continued.											
MICHIGAN—continued.											
Detroit	16.3	15.3	15.6	15.8	14.9	13.8	15.7	14.9	13.7	14.0	14.9
Escanaba	24.0	16.2	17.4	16.0	21.6	21.9	19.4	17.4	18.2	16.5	18.8
Flint	11.6	14.0	13.7	14.4	13.0	11.9	10.5	9.4	8.5	11.2	11.3
Grand Rapids	13.8	12.9	12.3	13.4	14.8	14.1	14.3	13.1	12.7	11.9	13.3
Iron Mountain	14.8	14.5	12.7	15.0	12.8	17.4	15.0	13.8	12.3	12.2	14.0
Ironwood	16.2	14.8	18.6	16.9	7.2	13.2	10.4	13.8	12.2	16.6	14.0
Ishpeming	13.2	12.0	15.1	14.3	11.4	14.4	12.8	15.4	17.8	12.2	13.8
Jackson	12.9	13.7	14.1	13.3	14.7	15.7	14.6	15.3	14.9	12.5	14.2
Kalamazoo *	18.7	18.1	14.8	17.4	16.6	17.4	19.0	17.4	17.3	16.9	17.4
Lansing	14.5	13.0	12.6	11.0	11.5	12.0	12.3	10.4	10.6	10.4	11.6
Manistee	(1)	(1)	(1)	(1)	(1)	(1)	11.1	11.4	12.9	11.9	(2)
Marquette	19.0	12.5	12.9	18.0	15.8	16.5	16.6	17.9	15.6	15.2	16.0
Menominee	13.7	12.7	11.8	15.6	11.5	13.0	15.7	14.3	14.1	14.0	13.6
Muskegon	13.7	12.1	11.9	12.5	13.3	12.5	14.3	14.3	12.5	11.6	12.9
Owosso †	12.8	12.1	11.7	7.2	6.6	11.4	13.2	13.8	13.1	12.2	11.4
Pontiac *	16.2	16.5	16.6	20.4	16.4	16.3	17.5	17.1	17.2	18.7	17.3
Port Huron	14.3	13.8	13.3	11.5	11.4	14.0	14.1	13.2	14.2	12.8	13.3
Saginaw	14.5	13.9	13.0	12.6	13.0	12.8	13.5	13.4	13.7	14.5	13.5
Sault Ste. Marie	20.8	18.7	21.0	19.4	14.3	16.5	15.6	15.3	14.2	13.2	16.8
Traverse City *	15.6	18.9	17.5	17.6	19.5	18.3	19.1	20.0	24.1	19.6	19.1
West Bay City	16.3	12.7	14.6	12.5	12.2	(3)	(3)	(3)	(3)	(3)	(2)
MINNESOTA.[4]											
Duluth	15.1	13.3	13.1	14.4	11.6	12.9	13.9	13.2	12.0	13.0	13.2
Mankato	12.5	13.7	13.6	13.3	12.8	15.2	12.4	13.2	15.9	15.2	13.8
Minneapolis	11.4	11.7	10.0	10.4	9.6	9.4	10.4	10.6	10.7	10.7	10.5
St. Paul	10.0	10.4	10.0	9.7	10.0	10.0	10.5	10.9	10.5	11.4	10.4
Winona	13.7	12.8	10.3	11.8	14.2	12.7	10.8	13.0	12.0	13.8	12.5
MISSOURI.[4]											
Kansas City	16.3	15.6	14.9	16.1	17.8	15.0	13.3	15.3	14.1	14.4	15.2
St. Joseph [5]	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(2)
St. Louis	17.9	18.0	17.3	18.2	18.9	17.0	15.7	15.9	14.7	15.8	16.9
MONTANA.[4]											
Helena	15.5	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(2)
NEBRASKA.[4]											
Lincoln	11.2	12.7	9.9	9.5	10.9	9.8	12.1	12.6	12.3	12.1	11.3
Omaha	11.8	11.8	12.2	10.0	12.1	11.4	12.2	13.5	13.2	14.7	12.3
NEW HAMPSHIRE.											
Berlin	22.8	13.4	12.0	17.4	18.2	16.3	17.4	14.2	16.7	12.0	15.9
Concord *	17.4	14.0	17.5	17.9	18.5	18.1	19.1	19.8	19.4	21.6	18.4
Dover	19.0	17.6	15.1	16.1	18.2	19.9	18.7	19.9	18.3	18.3	18.1
Keene	14.2	18.2	12.8	13.9	15.7	17.5	16.9	18.3	16.1	14.5	15.8
Laconia	17.7	18.0	16.0	18.8	15.9	16.7	21.0	17.3	14.8	16.8	17.3
Manchester	20.3	18.4	17.7	17.4	15.7	20.3	19.3	18.6	16.5	19.7	18.4
Nashua	19.6	17.5	18.4	15.6	15.0	15.0	17.8	17.2	16.2	16.8	16.9
Portsmouth	19.4	20.0	20.1	18.9	14.5	16.7	16.5	17.5	18.0	15.7	17.7
Rochester	22.2	14.0	14.6	16.5	17.4	17.9	14.0	13.5	14.2	14.5	15.9
NEW JERSEY.											
Atlantic City	17.3	18.5	16.5	15.1	14.8	16.7	18.0	16.9	15.1	15.3	16.3
Bayonne	17.0	16.8	15.9	17.7	17.6	15.9	16.8	16.0	14.2	12.7	15.9
Bloomfield	(1)	(1)	(1)	(1)	(1)	(1)	13.8	11.0	11.7	10.3	(2)
Bridgeton	16.1	13.1	14.1	14.8	17.3	14.0	14.0	17.0	12.6	15.0	14.8
Camden	18.0	18.1	17.4	15.9	19.0	16.2	18.2	17.1	16.3	16.0	17.2
East Orange	(1)	(1)	(1)	(1)	(1)	(1)	10.0	10.3	8.9	9.5	(2)
Elizabeth	19.3	17.9	15.2	16.4	18.6	15.6	17.2	18.0	15.7	16.0	16.9
Hackensack	(1)	(1)	(1)	(1)	(1)	(1)	15.7	17.6	13.0	14.1	(2)
Harrison	23.2	20.8	18.6	17.5	15.7	18.4	17.6	19.7	16.1	12.8	17.9
Hoboken	23.5	18.8	18.7	18.2	22.2	20.7	21.6	23.0	18.4	17.8	20.3
Jersey City	20.7	19.2	18.7	18.7	20.8	19.0	19.3	19.1	17.4	16.8	18.9
Kearny	(1)	(1)	(1)	(1)	(1)	(1)	16.6	13.6	14.0	11.5	(2)
Long Branch	(1)	(1)	(1)	(1)	(1)	(1)	18.1	22.9	17.6	20.0	(2)
Millville	14.3	14.5	15.6	13.3	15.2	13.6	13.6	14.3	15.4	12.2	14.2
Montclair	17.3	16.8	15.9	17.7	19.6	17.7	14.8	15.7	12.0	13.3	15.9
Morristown	18.1	18.2	16.7	18.0	19.4	20.1	21.6	23.3	21.5	20.6	19.8
New Brunswick	21.1	17.9	18.9	17.0	19.8	18.6	18.3	20.1	19.4	20.7	19.2
Newark	20.2	19.2	18.9	18.4	19.5	17.7	18.7	18.5	16.2	16.5	18.3
Orange	18.7	17.4	20.0	20.7	21.4	21.2	20.2	18.8	18.5	15.8	19.2

[1] Included in rural.
[2] Average not shown for less than 10 years.
[3] Included in Bay City
[4] Nonregistration state; cities shown below only those with effective local ordinances.
[5] No rates computed. Population June 1, 1900, 102,979; Apr. 15, 1910, 77,403.
[6] Nonregistration.

TABLE II.—DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION AREA: 1900 TO 1909—Continued.

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

REGISTRATION AREA.	NUMBER OF DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
REGISTRATION CITIES—Continued.											
NEW JERSEY—continued.											
Passaic	23.8	18.0	17.7	19.2	18.4	18.2	15.7	17.9	15.6	15.2	17.6
Paterson	18.0	17.6	16.6	16.0	18.0	16.6	17.4	15.6	15.5	15.3	16.6
Perth Amboy	16.7	16.0	13.8	11.4	12.1	12.1	13.1	13.9	13.2	13.8	13.5
Phillipsburg	16.8	15.1	14.5	13.1	12.9	10.1	10.8	15.7	10.9	11.2	12.9
Plainfield	18.9	16.5	15.5	15.6	16.4	16.0	16.2	19.1	16.9	14.7	16.5
Trenton *	17.3	15.6	17.1	17.6	18.1	16.8	17.1	17.7	17.6	17.5	17.3
Union	14.6	16.7	16.4	15.2	17.2	17.8	16.3	15.4	15.0	13.6	15.8
West Hoboken	(1)	(1)	(1)	(1)	(1)	(1)	12.4	11.5	12.2	12.3	(2)
NEW YORK.											
Albany	19.1	18.8	17.1	18.8	19.0	18.5	18.0	19.2	18.6	17.6	18.5
Amsterdam	14.8	14.3	15.3	17.2	15.1	15.3	16.3	15.4	14.4	13.9	15.2
Auburn	17.5	13.5	15.2	16.9	15.5	15.9	16.7	16.0	14.5	15.0	15.7
Batavia	(1)	(1)	(1)	(1)	(1)	(1)	13.8	14.3	16.2	14.6	(2)
Binghamton *	18.6	16.4	17.4	15.0	18.7	18.3	17.4	17.4	19.0	18.3	17.7
Buffalo	14.6	15.4	14.7	16.0	16.0	15.6	16.4	16.7	15.3	15.2	15.6
Cohoes	19.8	19.6	18.1	19.4	19.1	21.5	19.2	20.7	17.6	19.8	19.5
Corning	19.0	15.5	11.7	13.8	15.7	15.9	13.5	20.0	17.1	15.5	15.8
Cortland	14.0	14.7	9.6	14.4	13.3	9.9	14.1	13.4	15.7	14.3	13.4
Dunkirk	15.8	12.6	16.4	17.2	18.9	14.9	16.2	16.2	14.7	11.8	15.4
Elmira	15.8	15.8	13.6	14.7	15 5	15.5	14.3	15.7	15.0	15.0	15.1
Geneva	15.8	13.9	13.8	13.7	15.2	13.9	16.6	14.1	12.3	14.1	14.3
Glens Falls	20.1	21.4	14.2	12.5	14 1	14.7	18.3	14.7	14.1	14.5	15.8
Gloversville	12.9	14.8	12.7	15.3	14 0	12.6	14.5	15.8	17.3	14.7	14.5
Hornell	(1)	(1)	(1)	(1)	(1)	(1)	14.3	13.7	15.4	14.0	(2)
Hudson	21.6	19.3	18.3	17.5	19.8	19.6	19.1	18.6	15.0	15.3	18.3
Ithaca	17.1	14.5	14.3	19.3	15.4	14.4	14.5	16.7	17.0	14.3	15.7
Jamestown	12.7	12.5	10.3	12.3	12.6	12.2	10.1	10.9	10.6	11.2	11.5
Johnstown	11.4	11.3	12.2	15.7	12.8	14.6	12.0	15.6	12.0	15.3	13.3
Kingston	19.7	19.0	15.5	17.0	17.6	18.9	18.5	18.8	17.3	20.0	18.2
Lansingburg	17.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(2)
Little Falls	(1)	(1)	(1)	(1)	(1)	(1)	13.3	15.1	11.7	14.7	(2)
Lockport	15.8	17.1	12.8	16.5	16.5	14.9	13.5	15.4	14.0	15.3	15.2
Middletown *	19.0	19.5	19.5	16.8	22.1	18.4	20.4	18.8	23.0	22.2	20.0
Mount Vernon	18.7	17.8	14.8	11.6	14.4	13.0	15.3	14.7	13.5	13.1	14.6
New Rochelle	17.7	17.2	13.0	11.1	13.9	13.0	15.4	14.0	12.7	11.7	13.7
New York	20.6	19.9	18.6	18.0	20.1	18.4	18.3	18.3	16.3	16.0	18.3
Bronx Borough	18.7	22.0	21.6	19.4	21.5	20.3	20.4	18.7	17.0	15.9	19.2
Brooklyn Borough	20.1	19.3	18.1	17.3	18.8	17.6	17.7	17.6	15.6	15.4	17.6
Manhattan Borough	21.3	20.2	18.7	18.5	21.2	18.8	18.5	18.7	16.8	16.6	18.9
Queens Borough	18.1	17.3	16.3	14.8	16.1	16.1	16.5	16.4	14.1	14.2	15.8
Richmond Borough	20.6	19.8	18.5	17.1	20.4	19.2	19 5	20.4	18.4	18.1	19.2
Newburgh	22.3	17.4	18.6	18.3	20.1	19.0	19.6	19.4	16.0	17.3	18.8
Niagara Falls	16.2	16.1	16.9	15.6	16.6	16.0	15 7	18.9	15.6	15.6	16.3
North Tonawanda	(1)	(1)	(1)	(1)	(1)	(1)	13.0	12.5	13.2	13.8	(2)
Ogdensburg *	16.2	21.1	22.3	23.4	24.9	24.7	28.5	28.1	25.7	26.2	24.3
Olean	14.5	11.8	10.1	10.4	13.5	11.7	13.4	13.0	12.6	14.4	12.6
Oswego	(1)	(1)	(1)	(1)	(1)	(1)	16.7	15.7	16 3	14.4	(2)
Peekskill	19.6	20.8	22.5	15.3	15.4	15.5	18.1	17.1	17.5	15.4	17.6
Plattsburg	(1)	(1)	(1)	(1)	(1)	(1)	11.9	11.8	11.2	18.0	(2)
Port Jervis	16.3	18.1	16.3	17.3	18.9	16.0	17.8	18.7	17.2	19.1	17.7
Poughkeepsie	22.6	17.5	17.3	18.2	20.9	17.3	17.5	20.4	18.8	18.6	18.9
Rochester	14.4	14.4	13.5	14.7	15.0	15.3	15.1	15.5	13.7	14.4	14.6
Rome	17.3	18.6	15.9	16.9	17.2	18.3	19.5	20.4	20.1	17.4	18.2
Saratoga Springs	21.5	24.2	22.2	19.3	21.5	20.5	21.7	23.2	20.0	18.8	21.3
Schenectady	17.7	18.0	13.8	15.7	14.4	13.6	14.7	16.0	13.7	12.1	14.6
Syracuse	15.2	14.1	13.3	14.3	15.2	15.5	15.2	15.3	15.7	14.5	14.9
Troy	25.6	4 21.3	4 18.7	4 19.3	4 21.6	4 21.5	4 20.3	4 21.3	4 20.1	4 19.3	4 20.8
Utica *	20.1	15.9	17.7	17.4	20.0	18.1	20.0	19.8	19.8	17.4	18.7
Watertown	18.4	15.4	12.7	14.4	16.7	15.1	18.1	19.3	15.7	16.0	16.2
Watervliet	19.0	17.2	14.7	16.4	15.8	19.5	17.0	17.2	16.8	15.2	16.9
Yonkers	17.0	16.4	16.2	15.0	17.1	16.6	16.6	15.4	14.7	14.5	15.9
NORTH CAROLINA.[5]											
Raleigh *	30.1	29.3	26.7	19.7	23.3	26.0	26.3	6 33.7	23.6	24.3	26.1
Wilmington	30.8	26.5	27.4	25.2	26.1	22.8	25.3	23.2	23.4	21.3	25.1
OHIO.											
Akron	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	9.7	(2)
Alliance	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	12.5	(2)
Ashtabula	17.1	15.9	15.2	13.7	16.1	13.6	19.9	15.2	13.9	13.2	15.3
Bellaire	18.0	19.1	21.0	14.7	21.4	16.3	13.9	19.1	15.1	16.2	17.4
Cambridge	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	10.6	(2)

[1] Included in rural.
[2] Average not shown for less than 10 years.
[3] Included in Troy.
[4] Including Lansingburg.
[5] Nonregistration state: cities shown below only those with effective local ordinances.
[6] Probably including deaths in added territory prior to the date of annexation.
[7] Nonregistration.

TABLE II.—DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION AREA: 1900 TO 1909—Continued.

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

REGISTRATION AREA.	NUMBER OF DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
REGISTRATION CITIES—Continued.											
OHIO—continued.											
Canton	11.7	11.1	10.5	10.4	10.0	9.6	9.1	10.5	9.3	10.0	10.1
Chillicothe	20.2	18.6	17.1	15.4	13.6	13.4	15.1	13.9	15.3	18.6	16.1
Cincinnati	18.2	19.5	17.9	18.6	20.6	18.9	20.4	18.1	18.0	16.5	18.7
Cleveland	17.6	15.0	15.4	16.1	14.7	13.5	14.9	15.2	13.3	12.9	14.7
Columbus	15.8	14.1	15.5	16.3	16.1	14.9	15.3	15.5	15.2	14.0	15.3
Dayton	15.6	16.3	14.8	14.2	15.2	15.2	15.8	17.1	14.8	15.4	15.5
East Liverpool	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	12.7	(2)
Elyria	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	12.9	(2)
Findlay	16.6	12.2	11.6	11.7	15.1	13.9	13.1	13.4	11.2	14.2	13.4
Fremont	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	12.9	(2)
Hamilton	15.4	14.2	14.7	13.2	14.4	11.1	14.1	14.2	14.3	13.0	13.8
Ironton	15.6	19.2	19.4	13.9	13.1	16.4	18.2	17.6	11.1	14.5	15.9
Lancaster	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	10.3	(2)
Lima	19.3	18.4	13.3	13.3	13.5	11.9	11.2	11.3	11.3	12.8	13.4
Lorain	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	15.1	(2)
Mansfield	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	14.1	(2)
Marietta	15.7	18.9	13.5	14.7	13.5	14.5	10.5	13.6	12.1	13.4	14.1
Marion	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	11.5	(2)
Massillon	15.7	15.6	11.3	10.0	12.2	10.7	12.2	10.9	10.3	11.6	12.0
Middletown	13.3	12.0	14.5	11.1	10.1	9.5	10.6	13.3	10.9	13.0	11.8
Newark	15.6	12.8	12.8	11.1	16.3	16.4	12.6	12.2	12.7	10.9	13.3
Piqua	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	12.6	(2)
Portsmouth	18.1	14.9	15.4	16.9	14.6	13.6	17.4	15.6	14.1	12.2	15.2
Sandusky	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	11.6	(2)
Springfield	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	12.6	(2)
Steubenville	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	18.2	(2)
Tiffin	13.5	13.0	15.0	12.2	13.3	12.3	10.2	11.2	11.0	12.9	12.4
Toledo	15.8	14.1	14.5	15.0	14.0	14.1	15.2	15.3	14.6	14.6	14.7
Warren	16.6	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	9.4	(2)
Wellston	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	13.3	(2)
Xenia	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	15.6	(2)
Youngstown	14.6	15.6	16.8	17.2	14.1	16.0	14.2	15.4	13.1	14.9	15.1
Zanesville	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	12.9	(2)
OREGON.[3]											
Portland	10.2	11.3	10.0	10.2	10.3	9.7	9.4	11.0	9.9	9.8	10.1
PENNSYLVANIA.											
Allegheny	18.3	17.6	19.7	20.1	19.1	20.5	19.8	19.4	(4)	(4)	(2)
Allentown	18.0	14.1	18.1	13.8	18.2	16.2	15.4	16.6	15.9	14.8	16.1
Altoona	17.7	15.4	14.7	18.5	16.7	17.7	14.7	13.9	13.3	11.8	15.3
Beaver Falls	(1)	(1)	(1)	(1)	(1)	(1)	13.3	13.2	13.3	11.5	(2)
Braddock	(1)	(1)	(1)	(1)	(1)	(1)	24.7	25.6	21.9	21.6	(2)
Bradford	(1)	(1)	(1)	(1)	(1)	(1)	14.0	12.5	12.7	14.2	(2)
Butler	(1)	(1)	(1)	(1)	(1)	(1)	15.9	15.9	13.1	12.9	(2)
Carbondale	20.2	16.2	18.6	15.9	17.2	18.3	18.9	16.6	15.9	16.0	17.3
Carlisle	21.2	18.8	13.6	17.1	17.0	15.1	13.8	17.0	15.7	15.7	16.5
Chambersburg	(1)	(1)	(1)	(1)	(1)	(1)	17.9	14.9	16.3	16.9	(2)
Chester	(1)	(1)	(1)	(1)	(1)	(1)	16.1	15.8	16.0	15.8	(2)
Columbia	20.0	17.8	15.9	14.6	15.8	12.9	13.2	13.7	13.2	13.0	15.1
Danville	(1)	(1)	(1)	(1)	(1)	(1)	14.9	18.3	14.7	16.0	(2)
Dubois	22.0	16.2	16.0	14.5	14.2	11.3	13.6	13.0	11.1	8.8	13.8
Dunmore	(1)	(1)	(1)	(1)	(1)	(1)	16.5	13.5	15.3	17.1	(2)
Duquesne	(1)	(1)	(1)	(1)	(1)	(1)	20.3	16.7	14.0	16.3	(2)
Easton	17.4	(1)	(1)	(1)	(1)	(1)	16.4	17.2	14.1	15.3	(2)
Erie	15.6	15.4	14.9	13.1	14.9	15.5	14.2	15.6	15.6	15.5	15.0
Harrisburg	18.0	17.9	16.0	14.8	14.9	14.4	14.4	14.8	13.9	14.6	15.3
Hazleton	16.0	12.9	14.7	13.5	15.4	14.9	13.2	11.7	10.6	14.6	13.7
Homestead	(1)	(1)	(1)	(1)	(1)	(1)	18.3	18.1	14.4	14.6	(2)
Johnstown	21.1	16.7	16.7	16.8	13.6	13.5	15.1	14.3	14.0	15.8	15.6
Lancaster	17.2	16.3	13.5	13.9	15.4	13.9	15.4	13.4	15.1	13.8	14.8
Lebanon	17.2	(1)	(1)	(1)	(1)	(1)	16.4	14.7	14.4	16.6	(2)
McKeesport	18.6	18.5	20.9	18.4	19.5	19.6	21.7	21.8	18.1	16.8	19.4
Mahanoy City	29.7	24.8	17.9	22.2	23.0	20.9	20.1	15.4	18.1	16.8	20.7
Meadville	16.5	16.7	13.6	14.3	12.6	13.3	12.8	17.5	15.2	16.4	14.9
Mount Carmel	27.9	21.6	22.8	14.0	18.0	14.7	13.1	15.4	13.8	14.0	17.2
Nanticoke	(1)	(1)	(1)	(1)	(1)	(1)	15.4	13.3	16.3	15.1	(2)
New Castle	15.8	13.1	16.6	14.4	13.9	16.4	15.5	16.6	14.1	14.3	15.1
Norristown *	19.3	26.1	24.1	23.6	23.0	20.8	23.7	23.9	22.0	21.8	22.8
Oil City	12.9	(1)	(1)	(1)	(1)	(1)	11.9	11.5	12.7	12.9	(2)
Philadelphia	20.9	18.0	17.5	18.7	18.7	17.6	19.1	18.6	17.3	16.4	18.2
Phoenixville	22.5	(1)	(1)	(1)	(1)	(1)	18.8	19.0	17.3	15.4	(2)
Pittsburgh	20.0	19.3	21.3	21.1	19.3	19.7	19.9	19.3	[5] 17.3	[5] 15.8	[6] 19.0

[1] Nonregistration.
[2] Average not shown for less than 10 years.
[3] Nonregistration state; cities shown below only those with effective local ordinances.
[4] Included in Pittsburgh.
[5] Including Allegheny.
[6] Including Allegheny for 1908 and 1909.

TABLE II.—DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION AREA: 1900 TO 1909—Continued.

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

REGISTRATION AREA.	NUMBER OF DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
REGISTRATION CITIES—Continued.											
PENNSYLVANIA—continued.											
Pittston	(1)	(1)	(1)	(1)	(1)	(1)	19.3	17.5	20.3	20.2	(2)
Plymouth	20.1	17.6	11.8	19.7	15.9	12.9	15.9	15.5	15.9	14.1	15.9
Pottstown	17.3	14.7	14.3	14.5	15.2	14.7	15.3	16.5	13.8	13.5	15.0
Pottsville	16.7	17.7	15.0	15.0	18.4	18.3	17.1	19.2	18.6	17.6	17.4
Reading	19.3	17.4	15.9	15.2	15.9	15.1	14.8	15.6	14.7	13.8	15.7
Scranton	20.4	16.2	13.9	14.8	17.8	18.1	16.4	15.7	16.4	16.3	16.6
Shamokin	(1)	(1)	(1)	(1)	(1)	(1)	15.2	13.0	13.6	12.8	(2)
Sharon	(1)	(1)	(1)	(1)	(1)	(1)	16.3	21.4	14.6	13.9	(2)
Shenandoah	(1)	(1)	(1)	(1)	(1)	(1)	23.6	19.1	19.3	18.0	(2)
South Bethlehem	19.0	18.5	13.2	16.5	15.0	9.9	16.5	16.2	13.9	16.2	15.4
Steelton	15.6	12 9	19.8	20.6	14.8	17.5	18.7	19.3	13.9	13.0	16.6
Sunbury	(1)	(1)	(1)	(1)	(1)	(1)	13.6	12 1	11.9	11.9	(2)
Titusville	(1)	(1)	(1)	(1)	(1)	(1)	13.5	14.7	14.6	15.0	(2)
Warren	(1)	(1)	(1)	(1)	(1)	(1)	12.2	10 6	11.2	13.1	(2)
West Chester	(1)	(1)	(1)	(1)	(1)	(1)	20.1	22.3	20.8	17.1	(2)
Wilkes-Barre	(1)	(1)	(1)	(1)	(1)	(1)	14.7	16.7	15.5	15.5	(2)
Wilkinsburg	(1)	(1)	(1)	(1)	(1)	(1)	15.1	13.7	13.6	13.7	(2)
Williamsport	12.4	11.9	13.6	13.1	14.6	15.9	15.9	18.3	16.3	15.8	14.8
York	(1)	(1)	(1)	(1)	(1)	(1)	14.4	15.5	13.8	13.2	(2)
RHODE ISLAND.											
Central Falls	19.8	16.3	15.4	17.9	14.6	18.7	16.1	17.0	15.3	16.7	16.7
Cranston town *	(3)	(3)	(3)	(3)	(3)	(3)	[4] 12.3	33.8	27.0	25.8	(2)
Cumberland town	(3)	(3)	(3)	(3)	(3)	(3)	15.4	15.6	10.2	13.4	(2)
East Providence town	(3)	(3)	(3)	(3)	(3)	(3)	15.4	15.5	14.2	13.5	(2)
Lincoln town	(3)	(3)	(3)	(3)	(3)	(3)	14.5	12.1	13.6	12.2	(2)
Newport	18.6	16.8	18.1	15.0	13.9	16.0	13.1	14.5	13.0	14.4	15.2
Pawtucket	19.8	16.6	18.0	15.9	16.0	16.7	15.9	17.9	15.0	15.1	16.6
Providence	20.8	19.1	18.4	20.6	18.5	17.5	18.6	19.1	16.6	16.1	18.4
Warwick town	(3)	(3)	(3)	(3)	(3)	(3)	15.6	16.3	16.9	16.4	(2)
Woonsocket	19.6	16.5	18.3	16.0	14.8	15.2	15.8	12.8	14.0	13.2	15.5
SOUTH CAROLINA.[5]											
Charleston	35.0	31.4	30.8	28.5	29.6	28.4	29.3	26.5	26.4	25.7	29.1
SOUTH DAKOTA.											
Sioux Falls	(1)	(1)	(1)	(1)	(1)	(1)	9 4	11.8	12.6	10.7	(2)
TENNESSEE.[5]											
Knoxville	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	18.3	17.9	(2)
Memphis	22.5	18.8	18.8	18.9	21.0	19.6	19.7	21.5	20.1	20.1	20.1
Nashville	23.8	20.1	21.9	20.5	23.4	21.4	20.9	19.6	19.4	18.1	20.8
TEXAS.[5]											
Galveston	(1)	(1)	(1)	(1)	(1)	(1)	(6)	(6)	(6)	(6)	(2)
San Antonio	22.8	23.3	24.1	19.5	21.1	19.8	19.3	21.9	19.8	20.3	21.0
UTAH.[5]											
Ogden	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	12.1	11.8	(2)
Salt Lake City	16.2	15.1	17.5	17.0	15.5	15.0	13.3	16.1	13.7	14.4	15.3
VERMONT.											
Barre	20.6	13.8	14.7	16.7	13.7	17.0	12.6	13.2	14.2	12.5	14.8
Bennington town	15.3	16.9	11.9	14.2	17.2	19.6	18.4	17.4	14.7	12.7	15.8
Burlington	17.7	17.6	16.7	19.9	18.8	22.2	22.9	20.9	19.8	22.1	19.9
Rutland	17.0	17.5	17.4	19.9	19.0	15.2	17.7	15.3	16.2	15.7	17.1
VIRGINIA.[5]											
Alexandria	25.1	23.7	20.8	21.6	22.7	20.6	21.4	24.2	18.7	21.2	22.0
Danville	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	23.7	17.8	(2)
Lynchburg	27.3	18.8	19.9	19.2	21.6	21.7	22.3	21.3	15.3	14.2	19.8
Manchester	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	17.1	16.5	(2)
Norfolk	27.2	18.3	20.2	18.6	19.4	19.6	24.9	25.9	21.9	21.4	21.7
Petersburg	30.2	26.2	24.8	24 4	29.2	23.1	28.5	27.6	26.4	26.1	26.6
Richmond	29.0	24.2	24.9	24.5	22.9	20.9	21.5	23.4	21.7	20.7	23.2
WASHINGTON.											
Seattle	11.1	9.7	10.2	9.5	9.3	8.1	8.5	10.8	9.3	10.0	9.6
Spokane	(1)	10 9	11.2	13.3	11.1	10.2	11.2	13.3	13.4	12.6	(2)
Tacoma	13.3	12.0	13.2	10.0	10.1	9.8	10.7	13.2	11.4	11.1	11.4
Walla Walla	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	13.7	12.0	(2)
WEST VIRGINIA.[5]											
Wheeling	15.4	17.5	16.2	15.8	17.7	15.6	16.8	20.2	16.4	16.6	16.8

[1] Nonregistration.
[2] Average not shown for less than 10 years.
[3] Included in rural.
[4] Not including deaths in state institutions located in Cranston town.
[5] Nonregistration state; cities shown below only those with effective local ordinances.
[6] No rates computed. Population June 1, 1900, 37,789; Apr. 15, 1910, 36,981.

TABLE II.—DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION AREA: 1900 TO 1909—Continued.

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

REGISTRATION AREA.	NUMBER OF DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
REGISTRATION CITIES—Continued.											
WISCONSIN.											
Appleton	13.0	9.3	11.2	12.7	12.5	11.6	13.6	(1)	14.4	12.4	(2)
Ashland	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	16.0	20.7	(2)
Beloit	14.2	13.5	13.2	14.9	11.3	13.5	11.7	10.7	10.7	11.8	12.4
Chippewa Falls	14.6	11.2	(1)	(1)	(1)	(1)	(1)	(1)	16.4	17.1	(2)
Eau Claire	11.8	12.7	11.4	10.0	12.5	10.1	11.7	12.0	13.9	14.4	12.0
Fond du Lac	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	13.9	14.5	(2)
Green Bay	16.0	13.8	11.5	13.8	14.8	15.0	16.4	16.9	18.6	19.3	15.8
Janesville	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	14.2	15.7	(2)
Kenosha	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	12.0	12.3	(2)
La Crosse	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	12.9	12.0	(2)
Madison	10.5	11.9	8.7	11.0	12.1	9.5	10.8	11.2	10.2	11.4	10.7
Manitowoc	17.7	14.3	13.6	11.3	13.3	13.4	(1)	(1)	13.2	13.0	(2)
Marinette	14.0	10.8	12.7	12.2	9.5	13.2	10.5	11.4	11.6	11.9	11.8
Merrill	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	13.3	12.3	(2)
Milwaukee	15.2	13.2	12.6	13.5	13.6	13.0	14.2	13.8	12.7	13.7	13.5
Oshkosh	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	13.8	12.2	(2)
Racine	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	11.1	11.8	(2)
Sheboygan	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	12.1	12.0	(2)
Stevens Point	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	18.6	15.4	(2)
Superior	14.0	11.6	11.5	12.0	9.0	9.0	11.2	11.2	9.8	10.1	10.9
Watertown	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	11.8	11.1	(2)
Wausau	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	12.7	12.5	(2)
CALIFORNIA RURAL.[3]											
Alameda County	(1)	(1)	(1)	(1)	(1)	(1)	14.6	16.5	15.2	14.2	(2)
Alpine County †	(1)	(1)	(1)	(1)	(1)	(1)	7.7	10.8	11.5	.....	(2)
Amador County	(1)	(1)	(1)	(1)	(1)	(1)	7.4	7.0	10.8	12.5	(2)
Butte County	(1)	(1)	(1)	(1)	(1)	(1)	17.4	21.5	18.6	16.4	(2)
Calaveras County	(1)	(1)	(1)	(1)	(1)	(1)	13.0	13.4	14.1	13.6	(2)
Colusa County †	(1)	(1)	(1)	(1)	(1)	(1)	6.2	10.1	10.7	10.4	(2)
Contra Costa County	(1)	(1)	(1)	(1)	(1)	(1)	8.2	12.5	13.6	10.9	(2)
Del Norte County	(1)	(1)	(1)	(1)	(1)	(1)	13.7	7.0	15.7	12.8	(2)
Eldorado County	(1)	(1)	(1)	(1)	(1)	(1)	14.5	21.2	17.0	16.4	(2)
Fresno County	(1)	(1)	(1)	(1)	(1)	(1)	9.7	11.0	12.3	9.4	(2)
Glenn County †	(1)	(1)	(1)	(1)	(1)	(1)	6.3	7.9	7.3	4.0	(2)
Humboldt County †	(1)	(1)	(1)	(1)	(1)	(1)	3.3	7.4	11.1	10.0	(2)
Imperial County [4]	(1)	(1)	(1)	(1)	(1)	(1)	(5)	(5)	(6)	(6)	(2)
Inyo County †	(1)	(1)	(1)	(1)	(1)	(1)	1.2	1.6	6.5	5.3	(2)
Kern County	(1)	(1)	(1)	(1)	(1)	(1)	8.4	9.4	10.8	10.6	(2)
Kings County	(1)	(1)	(1)	(1)	(1)	(1)	7.5	9.9	11.9	10.2	(2)
Lake County	(1)	(1)	(1)	(1)	(1)	(1)	14.3	12.4	13.0	12.8	(2)
Lassen County †	(1)	(1)	(1)	(1)	(1)	(1)	6.2	5.7	5.9	8.8	(2)
Los Angeles County	(1)	(1)	(1)	(1)	(1)	(1)	9.8	13.9	13.1	12.6	(2)
Madera County †	(1)	(1)	(1)	(1)	(1)	(1)	6.8	10.5	7.4	8.9	(2)
Marin County	(1)	(1)	(1)	(1)	(1)	(1)	8.2	10.6	11.8	12.6	(2)
Mariposa County	(1)	(1)	(1)	(1)	(1)	(1)	13.9	10.8	10.0	11.9	(2)
Mendocino County *	(1)	(1)	(1)	(1)	(1)	(1)	12.3	11.3	12.1	13.4	(2)
Merced County	(1)	(1)	(1)	(1)	(1)	(1)	9.4	10.0	9.5	8.0	(2)
Modoc County †	(1)	(1)	(1)	(1)	(1)	(1)	6.2	7.0	8.3	5.2	(2)
Mono County †	(1)	(1)	(1)	(1)	(1)	(1)	1.4	1.9	3.4	3.4	(2)
Monterey County	(1)	(1)	(1)	(1)	(1)	(1)	8.6	11.3	12.6	13.3	(2)
Napa County *	(1)	(1)	(1)	(1)	(1)	(1)	23.9	25.4	25.5	25.8	(2)
Nevada County	(1)	(1)	(1)	(1)	(1)	(1)	15.5	17.8	16.5	15.0	(2)
Orange County	(1)	(1)	(1)	(1)	(1)	(1)	10.5	11.1	10.3	10.7	(2)
Placer County †	(1)	(1)	(1)	(1)	(1)	(1)	3.5	5.6	9.7	10.1	(2)
Plumas County	(1)	(1)	(1)	(1)	(1)	(1)	10.5	19.8	20.4	15.2	(2)
Riverside County	(1)	(1)	(1)	(1)	(1)	(1)	11.9	10.4	11.6	13.0	(2)
Sacramento County	(1)	(1)	(1)	(1)	(1)	(1)	18.5	19.9	18.2	17.3	(2)
San Benito County	(1)	(1)	(1)	(1)	(1)	(1)	9.6	10.2	12.2	9.7	(2)
San Bernardino County *	(1)	(1)	(1)	(1)	(1)	(1)	15.9	15.9	16.3	16.6	(2)
San Diego County †	(1)	(1)	(1)	(1)	(1)	(1)	4.7	3.5	[7] 6.9	[7] 5.5	(2)
San Joaquin County	(1)	(1)	(1)	(1)	(1)	(1)	17.7	16.2	17.7	14.8	(2)
San Luis Obispo County	(1)	(1)	(1)	(1)	(1)	(1)	13.7	11.2	9.7	10.5	(2)
San Mateo County	(1)	(1)	(1)	(1)	(1)	(1)	7.9	10.1	11.9	10.1	(2)
Santa Barbara County	(1)	(1)	(1)	(1)	(1)	(1)	12.2	13.7	12.3	12.9	(2)
Santa Clara County *	(1)	(1)	(1)	(1)	(1)	(1)	17.7	15.8	15.9	14.2	(2)
Santa Cruz County	(1)	(1)	(1)	(1)	(1)	(1)	14.4	15.7	13.6	14.9	(2)
Shasta County	(1)	(1)	(1)	(1)	(1)	(1)	12.6	17.4	17.9	16.4	(2)
Sierra County	(1)	(1)	(1)	(1)	(1)	(1)	16.7	14.2	13.7	7.3	(2)
Siskiyou County	(1)	(1)	(1)	(1)	(1)	(1)	10.3	11.2	10.6	10.2	(2)
Solano County	(1)	(1)	(1)	(1)	(1)	(1)	10.8	13.3	13.6	12.8	(2)
Sonoma County	(1)	(1)	(1)	(1)	(1)	(1)	13.1	14.3	13.9	12.8	(2)
Stanislaus County	(1)	(1)	(1)	(1)	(1)	(1)	8.2	7.1	10.7	9.1	(2)

[1] Nonregistration.
[2] Average not shown for less than 10 years.
[3] Exclusive of cities having a population of 8,000 or over in 1900.
[4] Formed from part of San Diego County, Aug. 15, 1907.
[5] Not organized.
[6] Included in San Diego County.
[7] Including Imperial County, which was organized Aug. 15, 1907.

TABLE II.—DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION AREA: 1900 TO 1909—Continued.

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

REGISTRATION AREA.	NUMBER OF DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
CALIFORNIA RURAL[1]—Continued.											
Sutter County	(2)	(2)	(2)	(2)	(2)	(2)	8.9	9.5	11.8	8.4	(3)
Tehama County	(2)	(2)	(2)	(2)	(2)	(2)	13.8	13.6	13.7	16.5	(3)
Trinity County	(2)	(2)	(2)	(2)	(2)	(2)	9.1	14.4	13.4	9.4	(3)
Tulare County †	(2)	(2)	(2)	(2)	(2)	(2)	6.2	7.4	9.8	8.5	(3)
Tuolumne County †	(2)	(2)	(2)	(2)	(2)	(2)	2.9	8.3	13.5	13.2	(3)
Ventura County	(2)	(2)	(2)	(2)	(2)	(2)	11.4	11.2	11.7	12.1	(3)
Yolo County	(2)	(2)	(2)	(2)	(2)	(2)	13.1	11.9	12.9	14.0	(3)
Yuba County	(2)	(2)	(2)	(2)	(2)	(2)	18.3	19.0	17.3	14.9	(3)
COLORADO RURAL.[1]											
Adams County	(2)	(2)	(2)	(2)	(2)	(2)	12.4	12.0	13.9	13.1	(3)
Arapahoe County †	(2)	(2)	(2)	(2)	(2)	(2)	6.7	9.0	10.6	11.9	(3)
Archuleta County	(2)	(2)	(2)	(2)	(2)	(2)	10.2	10.8	8.4	11.2	(3)
Baca County †	(2)	(2)	(2)	(2)	(2)	(2)	1.6	1.0	6.4	2.2	(3)
Bent County	(2)	(2)	(2)	(2)	(2)	(2)	9.6	22.8	18.8	14.9	(3)
Boulder County	(2)	(2)	(2)	(2)	(2)	(2)	13.8	17.2	17.2	14.3	(3)
Chaffee County	(2)	(2)	(2)	(2)	(2)	(2)	19.4	19.7	15.3	21.9	(3)
Cheyenne County †	(2)	(2)	(2)	(2)	(2)	(2)	1.6	6.1	3.5	2.9	(3)
Clear Creek County	(2)	(2)	(2)	(2)	(2)	(2)	17.6	15.2	12.5	19.2	(3)
Conejos County †	(2)	(2)	(2)	(2)	(2)	(2)	3.9	3.4	6.0	7.3	(3)
Costilla County †	(2)	(2)	(2)	(2)	(2)	(2)	0.8	1.1	.....	1.3	(3)
Custer County	(2)	(2)	(2)	(2)	(2)	(2)	8.6	17.9	13.6	14.3	(3)
Delta County	(2)	(2)	(2)	(2)	(2)	(2)	7.8	10 7	8.0	8.6	(3)
Dolores County †	(2)	(2)	(2)	(2)	(2)	(2)	2.4	2.6	10.9	13.2	(3)
Douglas County	(2)	(2)	(2)	(2)	(2)	(2)	9.2	10.1	8.5	7.2	(3)
Eagle County	(2)	(2)	(2)	(2)	(2)	(2)	12.7	15.7	10.0	20.1	(3)
El Paso County	(2)	(2)	(2)	(2)	(2)	(2)	16 0	18.6	16.6	18.3	(3)
Elbert County †	(2)	(2)	(2)	(2)	(2)	(2)	2.2	4.3	5.1	4.5	(3)
Fremont County	(2)	(2)	(2)	(2)	(2)	(2)	15.9	16.0	14.2	12.4	(3)
Garfield County	(2)	(2)	(2)	(2)	(2)	(2)	10.4	13.9	15.4	17.2	(3)
Gilpin County	(2)	(2)	(2)	(2)	(2)	(2)	13.5	12.4	13.1	12.2	(3)
Grand County	(2)	(2)	(2)	(2)	(2)	(2)	11.2	8.4	9.7	9.6	(3)
Gunnison County	(2)	(2)	(2)	(2)	(2)	(2)	10.2	11.7	8.8	12.0	(3)
Hinsdale County †	(2)	(2)	(2)	(2)	(2)	(2)	14.7	13.0	7.3	1.2	(3)
Huerfano County	(2)	(2)	(2)	(2)	(2)	(2)	16.2	15.0	20.4	15.7	(3)
Jefferson County	(2)	(2)	(2)	(2)	(2)	(2)	11.4	17.4	19.2	20.2	(3)
Kiowa County †	(2)	(2)	(2)	(2)	(2)	(2)	1.5	2.6	4.4	6.2	(3)
Kit Carson County †	(2)	(2)	(2)	(2)	(2)	(2)	3.6	3.8	5.9	6.1	(3)
La Plata County	(2)	(2)	(2)	(2)	(2)	(2)	14.2	12.3	10.3	12.9	(3)
Lake County	(2)	(2)	(2)	(2)	(2)	(2)	7.6	11.3	11.3	22.8	(3)
Larimer County	(2)	(2)	(2)	(2)	(2)	(2)	12.1	14.4	14.8	13.0	(3)
Las Animas County	(2)	(2)	(2)	(2)	(2)	(2)	17.4	19.3	15.8	18.4	(3)
Lincoln County †	(2)	(2)	(2)	(2)	(2)	(2)	0.5	3.6	7.2	5.8	(3)
Logan County †	(2)	(2)	(2)	(2)	(2)	(2)	4.9	7.3	9.4	8.0	(3)
Mesa County	(2)	(2)	(2)	(2)	(2)	(2)	9.6	10.2	10.9	11.8	(3)
Mineral County †	(2)	(2)	(2)	(2)	(2)	(2)	19.0	13.3	7.3	3.9	(3)
Montezuma County †	(2)	(2)	(2)	(2)	(2)	(2)	5.9	5.4	4.9	6.2	(3)
Montrose County	(2)	(2)	(2)	(2)	(2)	(2)	14.7	9.8	9.7	8.8	(3)
Morgan County	(2)	(2)	(2)	(2)	(2)	(2)	7.4	10.3	11.4	8.5	(3)
Otero County	(2)	(2)	(2)	(2)	(2)	(2)	18.3	21.7	18.2	13.8	(3)
Ouray County	(2)	(2)	(2)	(2)	(2)	(2)	16.8	14.0	15.8	17.7	(3)
Park County †	(2)	(2)	(2)	(2)	(2)	(2)	7.4	10.2	5.4	9.1	(3)
Phillips County	(2)	(2)	(2)	(2)	(2)	(2)	7.4	7.3	10.4	7.2	(3)
Pitkin County	(2)	(2)	(2)	(2)	(2)	(2)	12.3	15.4	9.4	10.5	(3)
Prowers County	(2)	(2)	(2)	(2)	(2)	(2)	14.2	15.1	15.0	11.5	(3)
Pueblo County*	(2)	(2)	(2)	(2)	(2)	(2)	11.4	29.2	29.1	37.6	(3)
Rio Blanco County †	(2)	(2)	(2)	(2)	(2)	(2)	7.2	5.1	7.2	8.3	(3)
Rio Grande County	(2)	(2)	(2)	(2)	(2)	(2)	9.6	17.2	12.4	14.3	(3)
Routt County †	(2)	(2)	(2)	(2)	(2)	(2)	6.6	3.9	5.3	7.3	(3)
Saguache County †	(2)	(2)	(2)	(2)	(2)	(2)	6.4	10.3	11.7	8.2	(3)
San Juan County	(2)	(2)	(2)	(2)	(2)	(2)	40.5	19.2	21.5	17.3	(3)
San Miguel County	(2)	(2)	(2)	(2)	(2)	(2)	17.3	17.4	18.4	17.7	(3)
Sedgwick County †	(2)	(2)	(2)	(2)	(2)	(2)	3.5	6.5	7.5	9.7	(3)
Summit County	(2)	(2)	(2)	(2)	(2)	(2)	16.2	7.7	8.9	12.1	(3)
Teller County	(2)	(2)	(2)	(2)	(2)	(2)	11.9	11.8	14.9	13.2	(3)
Washington County †	(2)	(2)	(2)	(2)	(2)	(2)	3.4	4.5	3.2	5.5	(3)
Weld County	(2)	(2)	(2)	(2)	(2)	(2)	10.4	11.1	10.1	9.7	(3)
Yuma County †.	(2)	(2)	(2)	(2)	(2)	(2)	1.9	3.1	5.6	6.6	(3)
CONNECTICUT RURAL.[1]											
Fairfield County	17.4	15.3	15.2	15.6	16.3	15.5	15.4	16.5	15.2	14.8	15.7
Hartford County	16.8	15.3	13.1	13.9	14.8	14.6	14.3	14.6	12.7	12.2	14.2
Litchfield County	19.1	16.0	14.5	14.3	14.9	15.8	15.8	16.4	14.3	15.7	15.7
Middlesex County	17.0	15.7	14.5	14.8	15.2	14.5	13.8	16.9	13.2	14.2	15.0
New Haven County	17.5	14.7	13.7	13.8	15.0	14.6	14.5	15.1	13.4	12.9	14.5
New London County*	19.2	15.2	14.3	15.8	15.8	15.8	15.6	16.7	17.0	17.0	16.2
Tolland County	19.8	16.7	14.9	19.0	15.9	15.1	14.6	14.5	15.2	15.7	16.1
Windham County	19.1	15.4	15.7	15.7	15.9	16.7	16.4	15.7	14.9	15.8	16.2

[1] Exclusive of cities having a population of 8,000 or over in 1900.

[2] Nonregistration.

[3] Not shown for less than 10 years.

TABLE II.—DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION AREA: 1900 TO 1909—Continued.

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

REGISTRATION AREA.	NUMBER OF DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
INDIANA RURAL.[1]											
Adams County	13.0	13.4	10.8	10.4	10.4	10.3	11.0	9.6	8.9	11.2	10.9
Allen County	13.1	9.9	9.9	8.1	9.5	9.2	10.0	9.0	9.5	9.0	10.1
Bartholomew County	16.6	13.8	11.9	11.0	12.4	11.5	12.2	13.9	11.0	10.7	12.5
Benton County	9.8	11.5	8.1	8.2	9.6	10.2	9.6	10.3	8.5	7.5	9.3
Blackford County	12.1	13.9	12.9	11.6	13.1	13.9	8.7	12.6	10.0	11.9	12.1
Boone County	13.2	12.2	12.0	12.0	12.8	11.9	11.8	12.3	12.9	11.9	12.3
Brown County	16.9	13.8	13.4	13.2	12.9	9.9	11.7	15.1	9.2	11.5	12.8
Carroll County	13.7	9.7	10.1	12.2	9.9	12.6	12.2	10.9	13.3	12.9	11.7
Cass County*	15.7	8.9	8.9	13.2	16.0	12.8	13.2	11.5	15.1	15.1	13.3
Clark County	14.8	12.7	11.7	13.4	13.5	13.0	9.9	13.1	15.0	14.9	13.2
Clay County	12.5	12.3	12.2	9.9	12.1	11.9	11.4	12.5	13.1	12.1	12.0
Clinton County	14.0	12.9	13.8	13.5	13.4	15.5	12.8	13.0	14.1	13.1	13.6
Crawford County	14.8	16.1	12.3	12.4	13.3	12.7	11.5	13.3	12.3	13.6	13.3
Daviess County	14.9	13.5	12.0	11.6	14.6	13.7	10.0	11.0	9.8	10.9	12.4
Dearborn County	13.2	15.7	13.2	12.1	15.1	14.5	13.7	14.0	13.2	12.6	13.7
Decatur County	13.8	17.0	14.1	13.3	14.9	15.4	15.2	14.3	13.5	14.2	14.5
Dekalb County	11.4	12.8	11.8	10.7	9.5	11.9	11.3	11.6	12.0	11.6	11.5
Delaware County	11.9	13.0	11.1	9.8	11.0	10.8	8.9	11.1	11.1	9.3	10.8
Dubois County	12.6	14.2	13.1	9.9	12.1	13.3	11.3	11.7	10.3	11.6	12.0
Elkhart County	13.3	11.2	11.6	11.4	12.6	12.9	13.3	12.9	13.5	11.6	12.5
Fayette County	13.6	16.1	13.4	11.7	15.3	11.9	12.9	11.6	13.2	11.8	13.1
Floyd County	15.7	13.3	9.8	10.3	10.0	11.2	9.9	9.1	12.1	13.2	12.2
Fountain County	12.5	14.6	11.4	12.1	12.0	11.4	12.2	13.0	11.7	12.5	12.3
Franklin County	14.4	14.9	15.8	13.2	15.0	12.3	12.2	12.7	12.5	13.5	13.7
Fulton County	12.1	11.6	12.1	12.8	12.1	13.3	11.0	11.2	11.0	11.5	11.9
Gibson County	12.6	14.6	12.1	10.2	15.5	13.5	12.5	12.1	12.9	13.3	12.9
Grant County	15.3	14.4	16.3	14.4	17.2	16.2	15.6	15.6	15.5	14.5	15.5
Greene County	14.4	13.3	12.7	12.5	16.1	14.2	13.6	12.7	11.9	13.1	13.4
Hamilton County	14.2	13.6	12.4	11.2	12.4	13.1	11.1	12.1	11.6	12.2	12.4
Hancock County	12.1	12.0	13.9	13.0	15.0	15.3	13.5	15.5	14.1	13.6	13.8
Harrison County	13.6	13.8	11.4	10.8	13.7	12.6	12.3	11.8	11.0	13.3	12.4
Hendricks County	11.8	13.2	12.6	11.4	13.1	11.4	12.2	13.6	12.8	14.0	12.6
Henry County	15.4	16.1	14.3	12.1	13.7	11.9	11.1	12.2	11.4	13.5	13.1
Howard County	14.3	11.7	9.4	10.9	11.4	11.1	10.3	9.8	10.0	11.9	11.3
Huntington County	11.2	10.4	10.7	9.6	11.0	10.5	12.8	11.9	12.0	11.2	11.1
Jackson County	15.8	16.5	14.4	11.9	14.6	15.0	14.5	14.2	14.2	13.4	14.5
Jasper County	12.3	11.1	8.0	7.9	9.3	8.9	9.4	12.4	11.5	10.4	10.1
Jay County	13.1	13.1	12.6	10.7	12.2	14.0	12.2	12.4	12.1	12.3	12.5
Jefferson County	17.0	17.1	15.4	15.6	16.5	15.1	17.6	15.6	16.7	14.7	16.1
Jennings County	14.5	15.1	13.0	12.7	14.3	14.2	13.0	13.3	13.5	14.5	13.8
Johnson County	12.9	14.0	12.0	13.8	15.0	11.8	12.3	14.2	12.9	12.1	13.1
Knox County	17.8	13.2	11.5	8.7	11.7	12.5	11.4	10.8	12.5	10.6	12.1
Kosciusko County	10.7	11.6	11.5	11.6	11.2	12.1	11.0	11.5	11.8	11.5	11.4
Lagrange County	10.9	13.8	11.8	13.1	11.1	13.7	12.4	11.1	12.4	12.9	12.3
Lake County	11.7	11.4	10.1	9.4	10.2	8.5	10.1	11.9	12.3	13.0	11.0
Laporte County	12.4	12.2	12.2	14.0	12.8	14.5	11.3	13.9	12.2	13.7	12.9
Lawrence County	15.7	12.5	12.0	12.9	16.1	14.5	14.6	14.0	13.0	14.3	14.0
Madison County	14.8	12.8	12.8	11.1	10.8	11.4	11.0	12.7	10.1	11.2	12.2
Marion County*	11.3	17.5	19.9	9.7	11.7	18.7	17.3	11.6	13.3	13.8	14.5
Marshall County	13.2	11.5	11.6	12.7	11.9	10.4	10.7	11.3	11.1	11.9	11.6
Martin County	15.9	15.9	12.0	11.1	15.9	12.0	11.6	12.3	12.3	15.0	13.4
Miami County	12.2	13.8	12.2	13.0	11.5	12.1	14.7	12.2	12.9	11.9	12.6
Monroe County	15.2	13.6	13.3	10.8	12.5	14.0	13.4	12.1	13.3	12.8	13.1
Montgomery County	14.2	13.2	13.2	13.0	14.4	13.6	12.6	13.3	12.2	12.0	13.2
Morgan County	15.3	13.0	10.5	12.2	15.1	14.3	12.9	12.7	14.3	14.1	13.4
Newton County	11.5	12.4	10.5	11.7	9.9	10.3	9.0	9.1	9.1	9.0	10.2
Noble County	12.5	12.3	10.5	10.6	13.6	10.7	10.6	12.0	12.1	12.9	11.8
Ohio County	15.9	11.5	13.4	15.6	15.3	12.8	13.6	17.8	15.0	13.1	14.4
Orange County	14.8	14.6	10.8	10.8	15.5	11.8	13.7	12.5	12.8	12.8	13.0
Owen County	13.7	14.5	12.7	10.3	12.2	11.7	9.9	11.8	10.7	11.2	11.9
Parke County	11.3	12.1	12.2	11.4	14.8	13.2	12.7	12.9	11.8	13.4	12.6
Perry County	14.4	14.4	13.7	10.8	14.9	13.7	12.9	10.4	10.7	10.6	12.7
Pike County	15.9	17.5	16.8	13.1	17.8	14.8	15.0	12.1	13.5	15.1	15.2
Porter County	13.1	12.3	12.2	13.4	14.8	12.6	12.0	11.9	11.5	11.0	12.5
Posey County	17.4	19.3	16.0	11.3	13.5	13.8	13.0	13.3	12.8	12.4	14.3
Pulaski County	11.1	10.5	10.2	8.4	9.5	9.7	10.3	11.2	9.9	9.6	10.1
Putnam County	12.9	13.1	13.4	11.5	14.4	12.5	11.4	14.4	13.3	12.6	12.9
Randolph County	12.4	13.6	12.4	12.0	12.4	12.9	10.8	10.8	11.4	12.8	12.1
Ripley County	14.8	13.4	10.6	10.8	12.7	12.7	10.8	12.1	12.2	12.4	12.2
Rush County	14.2	13.5	12.5	11.7	13.0	11.2	11.2	12.4	12.6	10.0	12.2
St. Joseph County	14.6	11.4	9.6	18.0	14.8	13.0	12.6	12.6	10.4	11.2	13.0
Scott County	18.7	14.4	14.2	11.9	14.7	15.0	13.6	11.5	12.0	13.6	14.0
Shelby County	12.7	13.2	13.7	12.8	13.5	13.2	12.5	13.7	12.6	13.9	13.2
Spencer County	16.6	13.6	14.3	9.6	11.8	12.4	12.1	9.5	10.9	11.5	12.3
Starke County	11.9	14.1	12.1	12.5	11.3	13.0	11.7	12.1	11.1	12.7	12.2
Steuben County	11.4	11.2	11.1	11.7	11.9	13.6	14.9	12.5	12.7	12.5	12.4
Sullivan County	13.8	15.5	12.4	10.7	14.6	14.9	13.4	12.4	11.9	11.1	13.0
Switzerland County	14.8	13.1	13.7	11.3	14.5	12.7	16.3	13.7	17.5	14.4	14.2
Tippecanoe County	11.9	12.0	8.5	9.8	12.3	13.3	10.9	11.9	14.6	12.0	11.7
Tipton County	14.3	13.1	11.9	12.6	11.3	11.8	13.2	12.7	11.0	12.7	12.5

[1] Exclusive of cities having a population of 8,000 or over in 1900.

TABLE II.—DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION AREA: 1900 TO 1909—Continued.

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

REGISTRATION AREA.	NUMBER OF DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
INDIANA RURAL[1]—Continued.											
Union County	13.8	11.5	13.8	12.6	15.3	12.6	9.8	12.3	11.2	13.3	12.6
Vanderburg County*	17.0	19.0	16.6	14.2	18.0	22.6	23.1	28.9	29.5	24.2	20.7
Vermilion County	12.3	15.0	14.0	11.9	17.2	14.1	12.3	14.1	13.7	13.9	13.9
Vigo County	12.4	11.7	7.7	8.0	9.6	11.6	10.9	10.9	10.6	10.3	10.2
Wabash County	11.5	12.5	11.1	10.4	11.5	10.7	11.2	10.7	9.2	11.8	11.1
Warren County	11.3	9.5	8.7	9.9	10.6	11.2	10.2	11.5	11.5	10.2	10.5
Warrick County	19.3	14.3	13.0	9.9	12.8	13.1	12.9	12.2	12.0	11.8	13.1
Washington County	15.5	15.5	13.6	10.6	11.7	13.8	12.7	11.4	14.3	12.2	13.2
Wayne County*	16.0	18.4	13.7	11.6	15.2	14.4	14.1	16.2	12.5	17.9	15.0
Wells County	12.1	12.0	10.0	12.0	11.7	11.7	11.4	11.9	9.5	11.1	11.3
White County	10.7	10.9	10.9	9.4	11.0	12.0	10.4	8.6	10.2	10.3	10.4
Whitley County	12.1	12.2	10.8	11.2	12.6	10.4	12.2	10.2	10.5	10.5	11.3
MAINE RURAL.[1]											
Androscoggin County	18.7	15.5	14.7	13.4	15.0	16.0	15.9	17.1	14.0	13.2	15.4
Aroostook County	12.5	13.2	11.7	12.0	12.4	12.2	14.7	11.9	13.5	12.9	12.7
Cumberland County	17.2	16.8	15.1	15.5	16.4	16.1	15.1	16.0	14.3	15.1	15.7
Franklin County	17.4	14.9	14.0	15.1	16.4	15.5	16.0	17.0	17.3	14.5	15.8
Hancock County	14.4	13.8	12.9	14.8	14.1	14.8	13.0	15.4	15.2	15.1	14.3
Kennebec County	18.4	17.1	15.8	17.2	18.2	17.5	14.6	17.2	17.4	17.0	17.1
Knox County	16.8	15.3	14.6	14.9	15.8	15.3	14.5	16.7	15.9	15.6	15.6
Lincoln County	15.4	16.7	13.2	17.3	15.5	14.2	13.3	15.6	17.5	16.5	15.5
Oxford County	17.2	16.6	17.1	16.5	17.2	14.7	16.9	16.6	15.8	15.5	16.4
Penobscot County	15.6	15.7	15.4	16.5	16.9	15.8	17.5	16.6	14.3	14.6	15.9
Piscataquis County	14.9	14.7	12.5	12.1	14.0	14.8	12.4	11.5	12.4	14.0	13.3
Sagadahoc County	17.5	14.7	16.0	17.4	15.0	16.8	14.9	15.3	18.7	17.7	16.4
Somerset County	15.0	14.5	15.7	15.9	16.7	16.1	13.7	15.0	14.1	13.2	15.0
Waldo County	18.1	16.5	15.4	15.1	16.6	17.5	16.8	16.5	15.3	16.3	16.4
Washington County	16.3	14.5	13.2	14.2	13.3	15.5	15.3	14.1	14.6	14.8	14.6
York County	19.2	17.7	18.1	18.2	17.5	18.1	17.3	17.7	16.7	16.1	17.6
MARYLAND RURAL.[1]											
Allegany County	(2)	(2)	(2)	(2)	(2)	(2)	9.5	8.1	8.4	7.9	(3)
Anne Arundel County	(2)	(2)	(2)	(2)	(2)	(2)	9.9	8.1	12.9	16.4	(3)
Baltimore County*	(2)	(2)	(2)	(2)	(2)	(2)	15.0	15.2	14.8	13.8	(3)
Calvert County	(2)	(2)	(2)	(2)	(2)	(2)	13.0	15.3	14.3	15.0	(3)
Caroline County	(2)	(2)	(2)	(2)	(2)	(2)	8.3	13.7	14.8	15.2	(3)
Carroll County*	(2)	(2)	(2)	(2)	(2)	(2)	13.7	15.5	14.3	14.4	(3)
Cecil County	(2)	(2)	(2)	(2)	(2)	(2)	12.4	11.2	14.0	15.0	(3)
Charles County	(2)	(2)	(2)	(2)	(2)	(2)	14.9	15.9	14.4	15.5	(3)
Dorchester County	(2)	(2)	(2)	(2)	(2)	(2)	13.6	17.4	15.2	16.0	(3)
Frederick County	(2)	(2)	(2)	(2)	(2)	(2)	11.4	11.1	12.5	11.3	(3)
Garrett County†	(2)	(2)	(2)	(2)	(2)	(2)	6.6	6.8	5.0	5.0	(3)
Harford County	(2)	(2)	(2)	(2)	(2)	(2)	13.3	13.9	13.4	13.4	(3)
Howard County	(2)	(2)	(2)	(2)	(2)	(2)	13.2	15.8	14.6	14.2	(3)
Kent County	(2)	(2)	(2)	(2)	(2)	(2)	16.3	16.4	13.5	17.5	(3)
Montgomery County	(2)	(2)	(2)	(2)	(2)	(2)	11.9	11.7	10.2	10.0	(3)
Prince Georges County	(2)	(2)	(2)	(2)	(2)	(2)	15.0	13.8	15.4	12.8	(3)
Queen Annes County	(2)	(2)	(2)	(2)	(2)	(2)	15.5	13.7	16.5	14.6	(3)
St. Marys County †	(2)	(2)	(2)	(2)	(2)	(2)	6.5	6.3	4.2	3.3	(3)
Somerset County	(2)	(2)	(2)	(2)	(2)	(2)	9.1	8.5	11.1	10.1	(3)
Talbot County	(2)	(2)	(2)	(2)	(2)	(2)	15.9	16.7	16.8	15.2	(3)
Washington County	(2)	(2)	(2)	(2)	(2)	(2)	12.9	10.4	11.5	12.3	(3)
Wicomico County	(2)	(2)	(2)	(2)	(2)	(2)	12.2	11.3	13.0	11.1	(3)
Worcester County	(2)	(2)	(2)	(2)	(2)	(2)	11.8	13.7	11.9	10.8	(3)
MASSACHUSETTS RURAL.[1]											
Barnstable County	21.1	17.3	19.0	19.0	18.6	18.9	17.4	17.8	16.3	18.5	18.4
Berkshire County	15.7	14.5	13.7	14.6	15.3	14.8	15.3	15.8	14.2	13.7	14.7
Bristol County	17.3	15.2	14.2	15.2	15.5	15.3	15.5	15.9	15.8	15.0	15.5
Dukes County	18.2	18.6	16.7	20.0	20.4	19.3	18.7	20.3	17.5	17.3	18.7
Essex County	15.9	15.5	14.7	15.1	14.8	15.8	15.1	15.4	13.5	13.8	14.9
Franklin County	15.6	15.6	14.8	13.9	15.6	16.9	14.9	15.5	13.0	13.8	15.0
Hampden County	20.2	15.9	16.6	15.7	15.9	15.1	15.7	16.4	15.1	15.3	16.1
Hampshire County	17.7	15.3	12.6	13.7	15.4	14.1	13.5	15.1	15.4	13.4	14.6
Middlesex County*	19.7	18.5	18.0	18.9	19.1	20.8	18.6	20.7	19.8	18.0	19.2
Nantucket County	20.3	18.4	21.8	18.9	24.4	22.5	23.8	26.8	20.7	23.7	22.1
Norfolk County*	16.2	15.4	13.3	14.8	14.7	14.2	14.5	15.0	13.6	13.2	14.5
Plymouth County*	17.0	16.3	15.2	15.1	14.8	16.0	15.4	16.1	16.2	15.7	15.8
Suffolk County	7.4	10.6	11.3	10.7	9.8	13.9	11.9	11.9	11.2	12.4	11.2
Worcester County*	17.8	16.5	14.7	16.7	16.4	16.0	15.5	16.7	15.6	15.8	16.2
MICHIGAN RURAL.[1]											
Alcona County	9.3	11.1	7.9	9.8	10.6	10.6	12.7	10.7	12.3	12.3	10.7
Alger County	7.2	8.0	11.9	12.7	11.3	12.0	11.7	9.3	13.8	11.0	11.0
Allegan County	11.6	12.8	12.2	11.9	14.4	13.1	14.1	13.0	14.5	12.7	13.0
Alpena County	15.7	11.3	8.9	11.9	13.6	11.3	7.9	9.0	11.7	10.7	11.6
Antrim County	16.7	12.8	10.4	11.6	14.7	15.7	13.5	13.9	14.2	14.3	13.8

[1] Exclusive of cities having a population of 8,000 or over in 1900. [2] Nonregistration. [3] Not shown for less than 10 years.

TABLE II.—DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION AREA: 1900 TO 1909—Continued.

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

REGISTRATION AREA.	NUMBER OF DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
MICHIGAN RURAL[1]—Continued.											
Arenac County	12.3	12.1	7.9	8.8	12.1	9.4	11.8	10.0	12.5	11.0	10.8
Baraga County	8.8	13.3	8.5	11.0	8.6	14.9	16.5	12.1	12.6	12.7	12.0
Barry County	12.3	12.0	12.0	11.7	14.0	12.2	13.9	13.1	11.6	12.1	12.5
Bay County	12.3	12.1	9.5	10.4	10.5	11.1	11.0	12.3	9.8	10.3	10.9
Benzie County	12.9	13.8	10.6	13.5	13.0	12.5	13.3	12.1	14.0	12.7	12.8
Berrien County	12.3	13.6	11.2	12.2	12.8	12.4	13.3	13.9	14.2	12.8	12.9
Branch County	14.7	13.9	14.0	13.7	14.5	13.3	15.1	12.9	15.4	15.1	14.3
Calhoun County	13.2	13.9	13.7	12.7	13.9	13.7	12.7	15.1	12.9	13.4	13.5
Cass County	14.4	13.1	14.0	13.4	14.0	14.4	14.2	13.7	14.5	14.2	14.0
Charlevoix County	14.5	12.2	10.7	13.1	13.3	13.9	12.5	12.4	13.2	13.1	12.9
Cheboygan County	14.6	12.6	11.0	11.7	11.2	12.4	14.6	13.2	12.7	13.7	12.8
Chippewa County	8.6	10.6	10.0	11.4	10.1	10.5	10.1	9.1	8.9	10.3	9.9
Clare County	12.0	10.5	9.5	11.1	11.9	9.5	11.6	11.0	14.3	12.0	11.3
Clinton County	13.0	13.4	11.8	12.3	12.3	11.4	12.3	14.3	12.6	11.5	12.5
Crawford County	8.5	8.5	13.8	14.3	11.4	10.6	11.3	12.6	11.0	12.7	11.6
Delta County	12.0	9.0	9.4	8.9	10.7	11.5	10.7	10.4	12.4	10.5	10.6
Dickinson County	13.0	13.4	11.9	13.0	9.9	10.4	12.6	8.5	13.6	10.7	11.6
Eaton County	12.9	12.9	12.8	13.2	15.7	14.8	13.9	12.8	15.4	15.0	13.9
Emmet County	14.4	12.9	13.7	14.5	13.0	14.8	15.4	11.1	13.8	12.2	13.6
Genesee County	14.1	13.4	13.1	14.5	13.8	13.7	14.0	14.3	14.5	16.1	14.1
Gladwin County †	11.3	9.0	7.9	7.2	6.5	7.7	11.0	8.9	9.8	8.9	8.8
Gogebic County	13.4	15.9	17.0	16.4	19.2	19.0	17.7	14.7	14.8	15.2	16.3
Grand Traverse County	14.0	13.8	10.0	9.5	13.4	12.5	12.9	11.8	14.5	14.2	12.7
Gratiot County	13.6	12.0	11.6	11.4	12.6	12.0	12.5	12.4	13.0	11.7	12.3
Hillsdale County	13.8	14.2	12.6	13.3	14.1	12.1	13.6	14.4	13.6	12.9	13.5
Houghton County	14.6	13.3	13.7	12.2	13.0	14.2	14.9	11.1	12.4	11.3	13.0
Huron County	10.7	10.9	9.8	10.5	10.2	10.6	10.4	10.9	11.3	10.4	10.6
Ingham County	14.5	13.4	14.0	12.4	17.0	13.8	12.0	13.2	13.0	13.2	13.6
Ionia County *	14.8	13.5	12.4	12.0	14.4	13.1	14.6	14.2	13.7	12.5	13.5
Iosco County	11.6	13.1	9.5	11.7	10.8	10.4	12.5	12.4	12.1	11.0	11.5
Iron County	8.8	11.7	9.6	11.0	9.7	12.2	12.8	11.9	13.6	9.4	11.2
Isabella County	13.3	10.5	11.2	10.0	9.7	12.0	12.4	11.8	11.9	11.4	11.4
Jackson County	11.9	11.9	12.6	12.9	15.3	13.4	12.5	15.6	14.5	13.6	13.4
Kalamazoo County	14.1	13.4	11.8	13.7	15.0	12.8	13.9	13.4	13.2	11.4	13.2
Kalkaska County	15.0	12.1	10.4	15.4	12.8	14.0	16.2	12.8	16.7	12.7	13.8
Kent County	15.3	14.6	13.9	14.3	16.1	15.0	16.0	17.1	15.2	15.5	15.3
Keweenaw County	14.9	11.6	8.5	10.9	9.9	12.1	12.1	9.6	16.8	14.8	12.4
Lake County	12.5	11.7	9.4	10.2	12.0	11.8	13.5	12.5	11.7	9.5	11.5
Lapeer County	13.1	15.1	13.7	13.0	15.5	14.3	14.2	13.7	13.8	14.1	14.0
Leelanau County	15.0	11.5	10.9	12.1	13.3	13.1	15.4	15.3	13.2	14.2	13.4
Lenawee County	14.4	14.6	13.1	13.5	14.3	13.9	13.7	14.6	13.1	13.2	13.9
Livingston County	13.0	13.0	11.7	14.2	14.2	12.8	13.6	13.4	14.5	15.1	13.6
Luce County *	12.4	13.4	18.6	27.1	15.7	24.1	24.2	25.6	23.2	24.8	21.3
Mackinac County	11.3	10.5	10.4	8.5	12.0	11.4	11.9	11.7	12.7	11.5	11.2
Macomb County	15.6	14.6	14.0	12.6	15.4	12.6	15.0	15.7	13.1	14.2	14.3
Manistee County	13.7	11.2	11.3	11.9	11.5	14.1	13.7	10.3	12.3	11.6	12.2
Marquette County	14.2	12.5	10.7	12.8	11.0	12.2	12.2	12.6	11.0	9.9	11.9
Mason County	14.1	13.4	9.5	9.3	12.4	13.2	13.5	10.7	13.0	11.2	12.0
Mecosta County	13.0	13.4	10.9	12.1	13.7	13.8	17.0	14.2	13.9	11.7	13.4
Menominee County	9.7	9.4	8.6	10.5	10.7	8.4	8.5	9.6	9.8	9.7	9.5
Midland County	13.9	13.3	10.1	10.6	9.7	12.3	11.9	12.4	11.3	12.1	11.8
Missaukee County	11.0	9.1	8.7	13.3	10.6	12.7	10.9	13.0	11.8	10.6	11.2
Monroe County	14.2	12.9	11.2	12.3	12.8	12.8	12.5	13.6	12.4	12.9	12.8
Montcalm County	13.9	12.7	11.4	12.3	13.0	12.5	14.9	13.2	13.1	12.8	13.0
Montmorency County	8.7	9.7	13.0	8.4	15.9	11.0	13.3	15.7	11.7	13.2	12.1
Muskegon County	12.9	11.8	10.2	11.3	14.7	11.6	10.2	11.8	12.7	10.4	11.8
Newaygo County	12.6	11.6	11.2	12.7	13.4	10.8	13.1	11.6	12.4	13.4	12.3
Oakland County	14.2	14.3	11.6	12.8	13.3	14.0	14.8	15.0	14.5	13.4	13.8
Oceana County	13.0	12.5	9.4	13.0	13.8	13.0	13.0	12.9	12.5	13.4	12.7
Ogemaw County	13.0	12.2	9.4	9.5	10.6	12.7	14.2	14.3	11.8	12.9	12.1
Ontonagon County	9.4	13.0	13.9	12.9	13.7	13.7	15.5	13.1	13.4	9.0	12.8
Osceola County	14.4	10.2	11.4	12.1	12.0	13.2	12.2	11.6	10.6	9.8	11.8
Oscoda County †	8.9	3.8	6.0	6.2	5.8	7.3	12.9	12.8	10.6	8.0	8.4
Otsego County	13.4	12.9	11.2	15.1	11.6	12.7	13.0	11.5	12.3	15.2	12.9
Ottawa County	13.4	12.1	10.2	11.6	11.8	12.7	12.7	11.2	11.8	11.6	11.9
Presque Isle County	8.2	11.5	9.4	10.9	8.6	10.1	13.4	10.8	14.3	13.9	11.2
Roscommon County †	9.0	15.2	5.1	14.3	17.3	15.8	9.9	10.9	11.4	9.1	11.7
Saginaw County	11.8	12.4	10.6	10.2	12.2	12.0	11.0	10.9	10.9	11.2	11.3
St. Clair County	13.3	14.1	13.0	11.6	12.5	14.2	14.1	13.0	13.7	14.4	13.4
St. Joseph County	14.0	15.0	12.8	13.8	14.2	13.3	13.6	14.7	12.7	14.0	13.8
Sanilac County	12.2	9.9	10.7	12.0	11.3	12.6	11.3	11.5	10.8	9.8	11.2
Schoolcraft County	13.4	14.1	11.5	11.7	10.5	11.0	11.5	13.6	14.3	9.2	12.1
Shiawassee County	13.8	13.9	12.5	15.5	15.3	13.8	13.0	13.3	13.6	13.3	13.8
Tuscola County	13.5	14.2	11.6	11.8	11.8	11.7	12.3	11.0	12.1	11.6	12.2
Van Buren County	13.9	14.8	10.7	13.6	15.1	14.0	14.0	14.1	12.0	13.3	13.5
Washtenaw County	13.2	13.2	12.9	14.5	14.8	12.7	11.9	13.3	12.7	11.7	13.1
Wayne County	16.6	15.5	15.7	17.3	17.2	16.0	18.8	19.4	16.1	17.4	16.9
Wexford County	16.1	12.4	11.5	12.8	13.1	13.7	15.8	11.6	13.8	13.4	13.4

[1] Exclusive of cities having a population of 8,000 or over in 1900.

TABLE II.—DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION AREA: 1900 TO 1909—Continued.

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

REGISTRATION AREA.	NUMBER OF DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
NEW HAMPSHIRE RURAL.[1]											
Belknap County	19.8	17.0	17.7	18.7	15.7	17.8	18.8	17.2	18.3	16.8	17.8
Carroll County	18.1	12.6	15.6	16.6	14.5	16.7	16.3	16.6	15.6	15.5	15.8
Cheshire County	16.5	16.7	14.4	15.0	17.9	15.4	15.8	16.1	17.1	16.0	16.1
Coos County	11.2	12.5	12.3	13.8	13.5	12.3	13.2	16.6	14.7	13.2	13.3
Grafton County	17.6	16.6	14.9	16.5	15.4	14.7	17.9	17.0	16.4	16.6	16.4
Hillsborough County	17.9	19.3	17.0	16.9	18.5	19.6	19.5	18.1	17.6	16.9	18.2
Merrimack County	21.5	16.4	15.5	18.1	17.5	17.4	18.6	18.3	17.7	17.4	17.8
Rockingham County	18.7	17.1	16.3	16.1	16.2	18.1	17.0	18.0	16.4	15.8	17.0
Strafford County	19.5	17.1	15.6	16.1	15.5	16.8	17.6	16.6	16.3	15.8	16.7
Sullivan County	18.1	17.8	14.8	16.9	14.8	15.6	15.1	16.6	17.1	16.2	16.3
NEW JERSEY RURAL.[1]											
Atlantic County	15.1	14.3	12.1	14.8	12.6	15.5	13.9	14.1	13.7	15.9	14.2
Bergen County	16.1	15.3	13.4	13.2	12.9	12.7	11.9	12.0	11.3	11.3	12.8
Burlington County	17.5	16.1	13.8	15.5	15.9	14.2	15.3	15.9	17.1	14.9	15.6
Camden County	15.8	16.1	15.2	15.7	14.2	14.8	14.0	15.4	15.9	13.4	15.0
Cape May County	14.5	15.2	13.0	11.2	12.7	11.4	12.7	11.0	11.2	12.8	12.5
Cumberland County	14.0	11.4	12.5	13.2	14.2	14.1	11.5	12.7	13.6	13.3	13.0
Essex County	13.2	11.8	11.6	11.3	12.7	12.0	11.6	11.8	10.2	12.2	11.9
Gloucester County	14.8	12.3	11.9	11.7	14.3	12.6	13.0	12.6	12.2	14.0	12.9
Hudson County	20.0	18.0	18.0	15.4	18.4	17.2	16.7	17.7	16.1	15.4	17.4
Hunterdon County	15.1	15.0	13.4	14.2	13.7	13.0	14.6	15.8	13.0	13.3	14.1
Mercer County	14.2	12.7	9.6	10.9	11.1	9.7	12.2	10.5	12.8	9.8	11.3
Middlesex County	15.4	12.9	12.9	14.0	13.8	14.2	13.0	13.7	11.6	10.3	13.1
Monmouth County	16.3	15.8	14.1	13.6	15.1	14.3	12.9	13.6	12.7	13.4	14.2
Morris County *	15.1	13.8	14.7	14.8	15.1	14.5	14.3	15.6	14.2	15.9	14.8
Ocean County	13.5	17.1	13.5	10.0	13.2	11.7	12.6	12.4	13.7	13.8	13.1
Passaic County	13.8	10.2	10.9	11.1	12.8	10.8	10.3	9.2	9.6	9.1	10.6
Salem County	14.6	12.9	12.1	14.3	16.2	13.9	13.0	12.9	12.5	11.5	13.4
Somerset County	14.1	12.5	13.1	12.7	11.8	14.3	12.3	12.6	11.4	12.2	12.7
Sussex County	15.5	11.0	9.5	9.9	12.6	10.9	13.1	13.4	13.3	14.6	12.4
Union County	15.5	13.3	12.4	12.1	11.6	12.6	11.2	12.2	12.4	11.3	12.4
Warren County	14.8	13.3	13.1	14.1	15.3	14.7	13.1	15.1	14.1	14.0	14.2
NEW YORK RURAL.[1]											
Albany County	16.8	15.5	14.3	14.8	15.2	14.9	14.3	15.9	15.4	14.2	15.1
Allegany County	13.7	13.1	13.3	13.2	14.2	12.0	12.0	14.4	13.6	14.4	13.4
Broome County	16.3	16.5	13.2	13.9	17.3	15.9	15.5	16.0	17.2	15.7	15.8
Cattaraugus County	13.4	12.3	12.6	12.2	13.1	12.1	12.3	13.5	13.6	12.6	12.8
Cayuga County	15.5	15.6	14.8	14.7	16.4	16.1	16.1	17.1	16.1	16.3	15.8
Chautauqua County	14.0	12.7	13.3	13.6	14.4	13.6	14.2	14.3	13.8	14.6	13.9
Chemung County	14.5	16.7	15.1	14.4	16.7	15.1	15.3	16.3	16.2	17.2	15.7
Chenango County	18.4	17.8	14.3	14.9	17.4	16.3	15.4	18.4	17.1	17.9	16.8
Clinton County *	13.7	11.3	9.8	10.6	11.8	12.5	11.7	11.2	12.5	12.0	11.7
Columbia County	17.7	16.6	14.1	16.1	16.7	16.3	15.4	17.5	15.9	14.8	16.1
Cortland County	15.6	15.9	16.0	15.8	17.4	17.2	15.4	15.7	16.8	13.7	15.9
Delaware County	14.7	13.3	12.2	10.5	12.7	12.5	13.0	14.2	14.0	14.2	13.1
Dutchess County *	17.7	19.5	17.7	18.5	19.7	19.4	18.4	19.3	18.7	18.3	18.7
Erie County *	13.9	14.0	12.8	12.5	12.7	13.8	13.7	14.8	13.7	13.9	13.6
Essex County	14.5	15.1	13.7	13.5	14.0	15.1	14.3	15.2	15.8	15.9	14.7
Franklin County	14.5	15.7	15.3	14.2	16.0	16.1	15.1	14.0	15.4	15.9	15.2
Fulton County	15.5	16.8	15.5	13.9	14.2	14.8	14.7	16.5	14.4	16.1	15.2
Genesee County	16.5	15.3	12.3	13.5	14.4	15.9	14.7	13.7	12.3	14.3	14.4
Greene County	18.7	17.0	16.2	17.5	16.9	16.9	16.4	18.1	16.7	16.8	17.1
Hamilton County	13.5	10.9	8.9	10.0	10.6	8.6	11.3	9.6	8.8	9.2	10.2
Herkimer County	14.7	13.8	10.6	13.3	12.7	12.7	14.2	13.6	14.3	13.4	13.3
Jefferson County	15.5	14.6	12.0	13.2	14.7	13.7	14.2	15.1	13.8	13.8	14.1
Lewis County	14.5	14.2	12.1	13.9	14.2	13.6	13.5	13.4	15.1	14.6	13.9
Livingston County	13.2	14.1	13.4	15.6	14.8	15.2	14.7	16.5	15.1	15.4	14.8
Madison County	14.7	16.2	14.2	14.5	15.7	17.4	16.9	16.8	16.9	15.6	15.9
Monroe County	14.2	14.1	13.3	13.7	14.4	13.7	13.3	14.6	12.9	12.7	13.7
Montgomery County	12.9	13.1	13.2	14.2	14.5	13.8	13.8	16.5	15.4	13.3	14.1
Nassau County	13.9	14.8	13.4	13.5	14.0	13.3	13.8	13.7	13.4	13.6	13.7
Niagara County	14.2	12.9	12.4	14.1	14.0	14 4	13.8	14.8	18.9	13.6	13.7
Oneida County	15.7	14.7	13.0	13.6	15.4	15.1	14.4	14.7	15.6	15.7	14.8
Onondaga County	15.2	14.8	14.9	14.6	14.9	14.9	14.2	14.6	15.4	15.4	14.9
Ontario County	14.3	14.0	14.7	15.1	14.3	15.4	14.6	14.6	14.0	14.5	14.6
Orange County	15.7	15.1	13.4	15.0	14.4	16.5	14.1	15.2	15.3	14.3	14.9
Orleans County	15.0	15.0	13.1	14.5	14.5	12.9	13.1	14.5	14.2	13.8	14.1
Oswego County	18.9	16.0	13.9	15.6	16.1	16.6	15.3	16.1	16.6	16.1	16.1
Otsego County	15.6	17.3	13.5	15.6	17.5	17.6	15.6	16.4	17.1	15.4	16.2
Putnam County	17.8	15.9	15.2	14.2	17.4	16.6	14.7	16.9	16.2	18.6	16.4
Rensselaer County	16.4	17.1	14.8	15.8	15.7	15.5	14.2	15.9	16.0	15.8	15.7
Rockland County	15.2	14.5	13.8	13.1	14.8	13 8	13.7	13.8	14.0	14.1	14.1
St. Lawrence County	16.6	14.6	11.5	12.1	11.9	14.0	13.7	13.6	13.8	13.9	13.6
Saratoga County	16.0	18.5	15.2	15.6	15.2	16.2	15.3	16.3	15.8	14.1	15.8
Schenectady County	14.1	14.7	19.3	16.0	15.0	12.4	11.4	12.2	14.6	9.1	13.6
Schoharie County	16.8	16.4	15.3	17.2	16.5	14.9	16.5	15.8	15.9	16.4	16.2
Schuyler County	16.3	16.4	13.6	12.6	15.0	16.4	13.8	18.5	19.1	14.5	15.6
Seneca County *	17.1	20.6	18.3	19.0	19.8	19.6	20.5	20.7	20.3	19.6	19.5

[1] Exclusive of cities having a population of 8,000 or over in 1900.

TABLE II.—DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION AREA: 1900 TO 1909—Continued.

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

REGISTRATION AREA.	NUMBER OF DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
NEW YORK RURAL[1]—Continued.											
Steuben County	14.6	14.6	14.0	14.3	16.1	15.5	16.2	16.9	17.5	18.4	15.7
Suffolk County*	16.5	16.4	16.3	17.8	19.5	17.4	18.2	20.0	18.8	17.8	17.9
Sullivan County	17.8	16.0	14.8	15.1	18.3	18.8	17.5	18.3	17.9	17.9	17.3
Tioga County	17.1	16.8	14.2	16.3	17.1	16.6	16.5	17.4	19.2	17.6	16.9
Tompkins County	15.3	15.3	15.0	15.8	15.7	17.0	14.2	16.5	15.8	15.2	15.6
Ulster County	15.9	16.7	14.5	13.8	15.0	14.4	14.8	15.6	14.2	15.0	15.0
Warren County	15.7	15.3	11.7	15.6	14.3	12.9	14.4	15.2	15.8	16.2	14.7
Washington County	16.4	15.9	14.9	14.2	14.6	16.7	15.2	16.2	14.9	15.4	15.4
Wayne County	15.5	14.6	13.0	15.3	14.8	16.7	15.3	15.2	13.9	15.5	15.0
Westchester County	16.8	17.1	15.7	14.4	16.2	16.2	16.1	17.0	15.4	15.3	16.0
Wyoming County	13.6	15.4	14.0	13.3	14.6	14.2	14.2	14.0	12.8	13.0	13.9
Yates County	14.4	14.4	13.3	16.3	16.9	14.8	13.3	15.4	13.7	14.0	14.6
OHIO RURAL.[1]											
Adams County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.6	(3)
Allen County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.9	(3)
Ashland County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.6	(3)
Ashtabula County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.1	(3)
Athens County*	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.9	(3)
Auglaize County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.6	(3)
Belmont County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.7	(3)
Brown County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	14.0	(3)
Butler County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.3	(3)
Carroll County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.4	(3)
Champaign County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.6	(3)
Clark County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.8	(3)
Clermont County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	15.1	(3)
Clinton County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.7	(3)
Columbiana County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.9	(3)
Coshocton County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.7	(3)
Crawford County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.7	(3)
Cuyahoga County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.1	(3)
Darke County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.2	(3)
Defiance County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.1	(3)
Delaware County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.2	(3)
Erie County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	19.1	(3)
Fairfield County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.6	(3)
Fayette County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.3	(3)
Franklin County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.0	(3)
Fulton County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.3	(3)
Gallia County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	16.9	(3)
Geauga County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	14.2	(3)
Greene County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.4	(3)
Guernsey County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.8	(3)
Hamilton County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.1	(3)
Hancock County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.9	(3)
Hardin County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.2	(3)
Harrison County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	14.6	(3)
Henry County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.4	(3)
Highland County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.0	(3)
Hocking County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.1	(3)
Holmes County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.3	(3)
Huron County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.9	(3)
Jackson County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.7	(3)
Jefferson County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.3	(3)
Knox County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.0	(3)
Lake County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	14.5	(3)
Lawrence County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.0	(3)
Licking County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.9	(3)
Logan County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.2	(3)
Lorain County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.9	(3)
Lucas County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.7	(3)
Madison County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.7	(3)
Mahoning County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.9	(3)
Marion County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.8	(3)
Medina County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.2	(3)
Meigs County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	14.0	(3)
Mercer County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.6	(3)
Miami County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.2	(3)
Monroe County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.2	(3)
Montgomery County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.5	(3)
Morgan County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.8	(3)
Morrow County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.3	(3)
Muskingum County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.8	(3)
Noble County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.6	(3)
Ottawa County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.3	(3)
Paulding County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.8	(3)
Perry County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.2	(3)
Pickaway County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.2	(3)

[1] Exclusive of cities having a population of 8,000 or over in 1900. [2] Nonregistration. [3] Not shown for less than 10 years.

TABLE II.—DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION AREA: 1900 TO 1909—Continued.

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

REGISTRATION AREA.	NUMBER OF DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
OHIO RURAL [1]—Continued.											
Pike County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.1	(3)
Portage County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.3	(3)
Preble County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.9	(3)
Putnam County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.1	(3)
Richland County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.9	(3)
Ross County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	14.0	(3)
Sandusky County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.6	(3)
Scioto County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.8	(3)
Seneca County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.8	(3)
Shelby County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.7	(3)
Stark County *	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.8	(3)
Summit County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.7	(3)
Trumbull County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.5	(3)
Tuscarawas County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.5	(3)
Union County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.6	(3)
Van Wert County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.4	(3)
Vinton County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.2	(3)
Warren County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.7	(3)
Washington County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.0	(3)
Wayne County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.1	(3)
Williams County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.8	(3)
Wood County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.2	(3)
Wyandot County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.7	(3)
PENNSYLVANIA RURAL.[1]											
Adams County	(2)	(2)	(2)	(2)	(2)	(2)	13.1	12.8	12.5	12.5	(3)
Allegheny County	(2)	(2)	(2)	(2)	(2)	(2)	17.1	16.8	15.1	14.6	(3)
Armstrong County	(2)	(2)	(2)	(2)	(2)	(2)	12.6	12.8	13.0	12.0	(3)
Beaver County	(2)	(2)	(2)	(2)	(2)	(3)	13.5	15.2	13.2	12.6	(3)
Bedford County	(2)	(2)	(2)	(2)	(2)	(2)	12.8	14.1	12.3	13.5	(3)
Berks County *	(2)	(2)	(2)	(2)	(2)	(2)	14.7	14.3	16.2	14.1	(3)
Blair County	(2)	(2)	(2)	(2)	(2)	(2)	14.1	14.9	13.8	11.9	(3)
Bradford County	(2)	(2)	(2)	(2)	(2)	(2)	14.2	15.2	17.1	14.4	(3)
Bucks County	(2)	(2)	(2)	(2)	(2)	(2)	15.6	15.0	14.7	13.8	(3)
Butler County	(2)	(2)	(2)	(2)	(2)	(2)	11.1	12.2	11.0	10.8	(3)
Cambria County	(2)	(2)	(2)	(2)	(2)	(2)	14.8	14.0	12.8	14.8	(3)
Cameron County	(2)	(2)	(2)	(2)	(2)	(2)	12.9	16.6	11.8	13.6	(3)
Carbon County	(2)	(2)	(2)	(2)	(2)	(2)	14.9	15.2	15.0	15.3	(3)
Center County	(2)	(2)	(2)	(2)	(2)	(2)	13.2	13.0	13.7	14.1	(3)
Chester County	(2)	(2)	(2)	(2)	(2)	(2)	16.1	15.5	14.5	14.9	(3)
Clarion County	(2)	(2)	(2)	(2)	(2)	(2)	11.5	12.3	10.7	11.7	(3)
Clearfield County	(2)	(2)	(2)	(2)	(2)	(2)	13.0	12.3	12.4	10.5	(3)
Clinton County	(2)	(2)	(2)	(2)	(2)	(2)	14.3	12.9	13.8	12.5	(3)
Columbia County	(2)	(2)	(2)	(2)	(2)	(2)	12.6	12.9	13.0	12.3	(3)
Crawford County	(2)	(2)	(2)	(2)	(2)	(2)	13.9	15.1	13.9	13.1	(3)
Cumberland County	(2)	(2)	(2)	(2)	(2)	(2)	14.1	14.5	13.5	13.4	(3)
Dauphin County *	(2)	(2)	(2)	(2)	(2)	(2)	14.8	14.8	15.3	14.8	(3)
Delaware County	(2)	(2)	(2)	(2)	(2)	(2)	13.7	13.0	12.4	12.1	(3)
Elk County	(2)	(2)	(2)	(2)	(2)	(2)	13.1	12.7	10.9	11.2	(3)
Erie County	(2)	(2)	(2)	(2)	(2)	(2)	14.6	13.7	13.8	13.9	(3)
Fayette County	(2)	(2)	(2)	(2)	(2)	(2)	16.5	15.1	14.8	14.5	(3)
Forest County	(2)	(2)	(2)	(2)	(2)	(2)	7.8	8.4	9.4	11.8	(3)
Franklin County	(2)	(2)	(2)	(2)	(2)	(2)	13 4	14.2	13.6	15.2	(3)
Fulton County	(2)	(2)	(2)	(2)	(2)	(2)	13.4	13.2	11.9	14.8	(3)
Greene County	(2)	(2)	(2)	(2)	(2)	(2)	12.6	12.8	11.2	12.0	(3)
Huntingdon County	(2)	(2)	(2)	(2)	(2)	(2)	13.5	12.8	11.3	12.8	(3)
Indiana County	(2)	(2)	(2)	(2)	(2)	(2)	13.9	14.4	13.2	13.5	(3)
Jefferson County	(2)	(2)	(2)	(2)	(2)	(2)	13.8	12.7	13.1	12.0	(3)
Juniata County	(2)	(2)	(2)	(2)	(2)	(2)	13.7	13.6	14.4	14.4	(3)
Lackawanna County	(2)	(2)	(2)	(2)	(2)	(2)	16.4	16.2	18.1	18.6	(3)
Lancaster County	(2)	(2)	(2)	(2)	(2)	(2)	13.8	13.2	12.6	12.8	(3)
Lawrence County	(2)	(2)	(2)	(2)	(2)	(2)	11.1	12.5	12.0	11.6	(3)
Lebanon County	(2)	(2)	(2)	(2)	(2)	(2)	13.6	12.4	14.4	14.1	(3)
Lehigh County	(2)	(2)	(2)	(2)	(2)	(2)	16.7	16.6	16.2	15.8	(3)
Luzerne County	(2)	(2)	(2)	(2)	(2)	(2)	14.8	15.4	15.9	15.9	(3)
Lycoming County	(2)	(2)	(2)	(2)	(2)	(2)	11 2	11.1	11.3	10 3	(3)
McKean County	(2)	(2)	(2)	(2)	(2)	(2)	12.2	12.4	11.4	12.0	(3)
Mercer County	(2)	(2)	(2)	(2)	(2)	(2)	14.0	15.4	12.9	12.6	(3)
Mifflin County	(2)	(2)	(2)	(2)	(2)	(2)	15.7	16.2	13.1	13.6	(3)
Monroe County	(2)	(2)	(2)	(2)	(2)	(2)	11.1	14.2	13.8	13.7	(3)
Montgomery County	(2)	(2)	(2)	(2)	(2)	(2)	12.9	13.7	13.0	13.2	(3)
Montour County *	(2)	(2)	(2)	(2)	(2)	(2)	18.5	19.8	21.0	23.9	(3)
Northampton County	(2)	(2)	(2)	(2)	(2)	(2)	14.9	15.0	14.6	13.9	(3)
Northumberland County	(2)	(2)	(2)	(2)	(2)	(2)	12.5	13.2	12.4	12.2	(3)
Perry County	(2)	(2)	(2)	(2)	(2)	(2)	13.7	13.0	13.0	12.5	(3)
Pike County	(2)	(2)	(2)	(2)	(2)	(2)	14.9	17.0	12.7	16.8	(3)
Potter County	(2)	(2)	(2)	(2)	(2)	(2)	10.6	12.3	11.7	12.4	(3)
Schuylkill County	(2)	(2)	(2)	(2)	(2)	(2)	16.1	16.2	15.9	15.9	(3)
Snyder County	(2)	(2)	(2)	(2)	(2)	(2)	12.2	12.5	11.8	11.6	(3)

[1] Exclusive of cities having a population of 8,000 or over in 1900.

[2] Nonregistration.

[3] Not shown for less than 10 years.

TABLE II.—DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION AREA: 1900 TO 1909—Continued.

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

REGISTRATION AREA.	NUMBER OF DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
PENNSYLVANIA RURAL[1]—Continued.											
Somerset County	(2)	(2)	(2)	(2)	(2)	(2)	13.4	12.5	13.6	14.9	(3)
Sullivan County	(2)	(2)	(2)	(2)	(2)	(2)	10.1	12.8	9.1	11.0	(3)
Susquehanna County	(2)	(2)	(2)	(2)	(2)	(2)	14.5	15.1	15.3	15.0	(3)
Tioga County	(2)	(2)	(2)	(2)	(2)	(2)	13.3	13.8	13.4	13.3	(3)
Union County	(2)	(2)	(2)	(2)	(2)	(2)	13.5	13.8	12.5	14.2	(3)
Venango County	(2)	(2)	(2)	(2)	(2)	(2)	13.6	13.2	12.3	12.0	(3)
Warren County *	(2)	(2)	(2)	(2)	(2)	(2)	13.4	14.6	15.4	17.5	(3)
Washington County	(2)	(2)	(2)	(2)	(2)	(2)	14.7	15.3	16.5	14.7	(3)
Wayne County	(2)	(2)	(2)	(2)	(2)	(2)	12.8	14.0	13.7	13.7	(3)
Westmoreland County	(2)	(3)	(2)	(2)	(2)	(2)	15.4	15.6	13.9	13.3	(3)
Wyoming County	(2)	(2)	(2)	(2)	(2)	(2)	13.9	13.3	13.9	12.0	(3)
York County	(2)	(2)	(2)	(2)	(2)	(2)	11.4	11.6	11.3	11.3	(3)
RHODE ISLAND RURAL.[1]											
Bristol County	22.6	17.7	17.9	19.3	18.0	19.6	16.5	16.2	14.9	14.0	17.5
Kent County	23.7	19.1	17.2	17.5	17.8	16.6	18.2	17.1	15.0	15.9	18.2
Newport County	18.0	15.7	17.5	16.4	14.0	15.8	15.6	21.4	14.0	14.4	16.3
Providence County *	[4] 20.5	[4] 18.7	[4] 17.9	[4] 20.1	[4] 17.9	[4] 17.2	[4] 28.9	[4] 14.5	[4] 14.2	[4] 13.0	[4] 18.4
Washington County	17.8	16.2	12.8	16.7	15.9	16.5	14.5	14.3	16.3	14.9	15.6
SOUTH DAKOTA RURAL.[1]											
Aurora County †	(2)	(2)	(2)	(2)	(2)	(2)	6.7	7.0	7.2	5.9	(3)
Beadle County †	(2)	(2)	(2)	(2)	(2)	(2)	3.9	5.2	7.4	4.8	(3)
Bonhomme County †	(2)	(2)	(2)	(2)	(2)	(2)	7.6	9.1	6.4	7.2	(3)
Brookings County †	(2)	(2)	(2)	(2)	(2)	(2)	5.1	6.5	8.6	6.6	(3)
Brown County	(2)	(2)	(2)	(2)	(2)	(2)	8.1	9.7	9.7	9.5	(3)
Brule County †	(2)	(2)	(2)	(2)	(2)	(2)	7.6	6.9	8.1	9.4	(3)
Buffalo County [5]	(2)	(2)	(2)	(2)	(2)	(2)	16.0	19.3	39.2	31.7	(3)
Butte County †	(2)	(2)	(2)	(2)	(2)	(2)	3.0	4.1	3.0	[6] 2.7	(3)
Campbell County †	(2)	(2)	(2)	(2)	(2)	(2)	5.3	9.6	11.8	12.8	(3)
Charles Mix County	(2)	(2)	(2)	(2)	(2)	(2)	13.9	11.2	10.9	10.9	(3)
Clark County †	(2)	(2)	(2)	(2)	(2)	(2)	6.2	6.5	7.0	5.8	(3)
Clay County †	(2)	(2)	(2)	(2)	(2)	(2)	8.4	8.7	7.3	6.4	(3)
Codington County	(2)	(2)	(2)	(2)	(2)	(2)	8.3	10.5	8.5	8.4	(3)
Custer County †	(2)	(2)	(2)	(2)	(2)	(2)	7.9	7.8	4.9	5.7	(3)
Davison County	(2)	(2)	(2)	(2)	(2)	(2)	8.4	7.0	8.6	10.1	(3)
Day County †	(2)	(2)	(2)	(2)	(2)	(2)	7.5	6.8	6.6	6.5	(3)
Deuel County †	(2)	(2)	(2)	(2)	(2)	(2)	6.4	6.6	7.4	9.3	(3)
Douglas County †	(2)	(2)	(2)	(2)	(2)	(2)	6.7	9.9	8.6	6.8	(3)
Edmunds County †	(2)	(2)	(2)	(2)	(2)	(2)	8.5	8.2	6.2	5.6	(3)
Fall River County	(2)	(2)	(2)	(2)	(2)	(2)	14.9	10.2	17.8	13.6	(3)
Faulk County †	(2)	(2)	(2)	(2)	(2)	(2)	3.9	5.4	6.6	6.0	(3)
Grant County †	(2)	(2)	(2)	(2)	(2)	(2)	7.8	5.8	6.3	8.5	(3)
Gregory County †	(2)	(2)	(2)	(2)	(2)	(2)	6.2	5.4	4.9	6.0	(3)
Haulin County	(2)	(2)	(2)	(2)	(2)	(2)	7.3	8.1	8.8	7.3	(3)
Hand County †	(2)	(2)	(2)	(2)	(2)	(2)	5.6	8.5	7.9	4.2	(3)
Hanson County †	(2)	(2)	(2)	(2)	(2)	(2)	7.6	9.0	8.9	6.2	(3)
Harding County	(2)	(2)	(2)	(2)	(2)	(2)	[7]	[7]	[7]	[8]	(3)
Hughes County	(2)	(2)	(2)	(2)	(2)	(2)	7.4	9.9	11.6	10.2	(3)
Hutchinson County	(2)	(2)	(2)	(2)	(2)	(2)	7.8	8.6	9.4	8.8	(3)
Hyde County †	(2)	(2)	(2)	(2)	(2)	(2)	5.0	6.0	9.7	4.9	(3)
Jerauld County †	(2)	(2)	(2)	(2)	(2)	(2)	7.1	6.6	5.7	6.6	(3)
Kingsbury County †	(2)	(2)	(2)	(2)	(2)	(2)	8.3	8.0	6.8	7.0	(3)
Lake County	(2)	(2)	(2)	(2)	(2)	(2)	11.1	8.8	8.8	7.5	(3)
Lawrence County	(2)	(2)	(2)	(2)	(2)	(2)	10.5	8.9	12.5	12.5	(3)
Lincoln County	(2)	(2)	(2)	(2)	(2)	(2)	8.1	9.3	8.6	9.2	(3)
Lyman County [9] †	(2)	(2)	(2)	(2)	(2)	(2)	7.2	8.0	6.9	6.4	(3)
McCook County †	(2)	(2)	(2)	(2)	(2)	(2)	6.0	9.5	8.8	7.5	(3)
McPherson County	(2)	(2)	(2)	(2)	(2)	(2)	7.8	9.8	10.0	10.3	(3)
Marshall County	(2)	(2)	(2)	(2)	(2)	(2)	10.0	8.4	9.1	9.6	(3)
Meade County †	(2)	(2)	(2)	(2)	(2)	(2)	4.9	4.5	5.5	5.1	(3)
Miner County †	(2)	(2)	(2)	(2)	(2)	(2)	4.4	7.3	9.1	9.0	(3)
Minnehaha County †	(2)	(2)	(2)	(2)	(2)	(2)	6.9	8.9	8.6	8.5	(3)
Moody County †	(2)	(2)	(2)	(2)	(2)	(2)	6.3	9.0	10.7	7.4	(3)
Pennington County	(2)	(2)	(2)	(2)	(2)	(2)	10.1	9.9	9.0	8.0	(3)
Perkins County	(2)	(2)	(2)	(2)	(2)	(2)	[7]	[7]	[7]	[8]	(3)
Potter County †	(2)	(2)	(2)	(2)	(2)	(2)	6.9	6.3	7.6	4.3	(3)
Roberts County	(2)	(2)	(2)	(2)	(2)	(2)	9.6	8.3	10.4	8.8	(3)
Sanborn County †	(2)	(2)	(2)	(2)	(2)	(2)	10.5	7.9	6.3	8.4	(3)
Spink County †	(2)	(2)	(2)	(2)	(2)	(2)	7.9	6.0	8.6	5.9	(3)
Stanley County †	(2)	(2)	(2)	(2)	(2)	(2)	3.7	6.5	7.0	5.8	(3)

[1] Exclusive of cities having a population of 8,000 or over in 1900.
[2] Nonregistration.
[3] Not shown for less than 10 years.
[4] Including deaths in state institutions located in Cranston town from 1900 to 1906, but not for 1907 to 1909.
[5] Including Crow Creek Indian Reservation.
[6] Including Harding and Perkins Counties, organized Nov. 5, 1908.
[7] Not organized.
[8] Formed from part of Butte County, Nov. 5, 1908, and included therein.
[9] Including Lower Brule Indian Reservation.

TABLE II.—DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION AREA: 1900 TO 1909—Continued.

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

REGISTRATION AREA.	NUMBER OF DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
SOUTH DAKOTA RURAL[1]—Continued.											
Sully County †	(2)	(2)	(2)	(2)	(2)	(2)	1.7	4.2	7.1	7.8	(3)
Turner County †	(2)	(2)	(2)	(2)	(2)	(2)	6.7	7.6	7.0	8.1	(3)
Union County	(2)	(2)	(2)	(2)	(2)	(2)	7.3	7.4	7.9	10.9	(3)
Walworth County †	(2)	(2)	(2)	(2)	(2)	(2)	5.8	9.2	8.6	5.9	(3)
Yankton County *	(2)	(2)	(2)	(2)	(2)	(2)	10.6	11.7	10.9	12.6	(3)
Cheyenne River Indian Reservation	(2)	(2)	(2)	(2)	(2)	(2)	25.8	28.4	33.6	36.5	(3)
Pine Ridge Indian Reservation	(2)	(2)	(2)	(2)	(2)	(2)	37.3	40.8	40.2	35.6	(3)
Rosebud Indian Reservation	(2)	(2)	(2)	(2)	(2)	(2)	20.5	31.6	16.2	13.5	(3)
VERMONT RURAL.[1]											
Addison County	15.6	16.0	14.4	15.6	13.3	16.0	14.8	15.7	14.1	15.3	15.1
Bennington County	17.4	18.7	13.3	14.1	17.3	17.4	16.7	15.9	17.7	14.3	16.3
Caledonia County	16.9	16.7	15.2	17.2	14.7	16.6	17.0	16.7	15.4	15.2	16.2
Chittenden County	16.6	14.6	14.4	16.8	14.9	17.0	16.4	15.4	14.6	16.3	15.7
Essex County	14.9	15.0	14.3	12.5	14.3	14.3	16.6	17.2	15.3	14.5	14.9
Franklin County	15.3	14.7	13.6	15.8	17.1	15.3	16.7	13.8	15.3	14.4	15.2
Grand Isle County	14.1	13.2	9.0	13.2	8.6	17.1	12.7	16.4	12.1	12.3	12.9
Lamville County	14.5	15.3	13.4	12.4	13.1	13.7	14.0	15.9	16.4	15.0	14.3
Orange County	15.3	17.4	16.5	15.5	17.4	20.0	17.0	18.6	15.5	15.8	16.9
Orleans County	14.6	15.7	15.7	14.4	15.4	17.3	15.7	16.0	15.5	15.0	15.5
Rutland County	16.1	15.4	13.7	15.6	15.8	15.8	16.9	15.5	14.7	15.0	15.4
Washington County *	17.8	17.8	15.4	17.4	17.7	17.3	16.9	14.9	16.8	16.6	16.8
Windham County	19.0	17.9	16.5	17.3	15.7	18.1	18.2	17.4	18.0	17.7	17.6
Windsor County	17.3	19.2	16.9	16.4	16.4	16.3	15.1	16.2	16.6	15.4	16.6
WASHINGTON RURAL.[1]											
Adams County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	7.4	7.6	(3)
Asotin County †	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	7.6	6.6	(3)
Benton County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.9	10.3	(3)
Chehalis County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.2	8.6	(3)
Chelan County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.1	11.1	(3)
Clallam County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	7.8	[4] 11.3	(3)
Clarke County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	7.7	8.2	(3)
Columbia County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.3	8.5	(3)
Cowlitz County †	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	4.8	6.2	(3)
Douglas County †	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	4.0	[5] 3.3	(3)
Ferry County †	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	4.2	[6] 6.7	(3)
Franklin County †	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.5	6.9	(3)
Garfield County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.1	9.8	(3)
Island County †	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	6.2	5.8	(3)
Jefferson County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.9	10.6	(3)
King County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.2	10.1	(3)
Kitsap County †	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	5.7	7.2	(3)
Kittitas County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.5	9.1	(3)
Klickitat County †	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	4.9	7.5	(3)
Lewis County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	7.4	8.8	(3)
Lincoln County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.5	8.0	(3)
Mason County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	7.1	8.1	(3)
Okanogan County †	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	3.4	[6] 5.7	(3)
Pacific County †	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	3.4	8.8	(3)
Pierce County *	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.2	12.3	(3)
San Juan County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.3	7.6	(3)
Skagit County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	7.0	[7] 10.5	(3)
Skamania County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.6	7.5	(3)
Snohomish County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.1	9.9	(3)
Spokane County *	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.2	[8] 8.9	(3)
Stevens County †	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	6.0	[6] 8.2	(3)
Thurston County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.4	10.1	(3)
Wahkiakum County †	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	3.8	4.0	(3)
Walla Walla County †	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	6.2	6.2	(3)
Whatcom County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.0	9.7	(3)
Whitman County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.6	9.0	(3)
Yakima County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.8	[8] 10.9	(3)
WISCONSIN RURAL.[1]											
Adams County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.0	8.9	(3)
Ashland County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.4	12.5	(3)
Barron County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.6	10.0	(3)
Bayfield County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	7.6	8.1	(3)
Brown County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.8	11.2	(3)
Buffalo County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.4	9.3	(3)
Burnett County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.1	10.4	(3)
Calumet County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.5	10.6	(3)
Chippewa County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.3	12.3	(3)
Clark County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.6	9.1	(3)

[1] Exclusive of cities having a population of 8,000 or over in 1900.
[2] Nonregistration.
[3] Not shown for less than 10 years.
[4] Including Neah Bay Indian Reservation.
[5] Including Grant County, organized Feb. 24, 1909.
[6] Including part of Colville Indian Reservation.
[7] Including Swinomish Indian Reservation.
[8] Including Yakima Indian Reservation.

TABLE II.—DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION AREA: 1900 TO 1909—Continued.

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

REGISTRATION AREA.	NUMBER OF DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
WISCONSIN RURAL[1]—Continued.											
Columbia County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.9	11.7	(3)
Crawford County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.2	12.3	(3)
Dane County *	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.2	11.0	(3)
Dodge County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.0	9.6	(3)
Door County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.2	9.9	(3)
Douglas County †	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	6.4	7.4	(3)
Dunn County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.3	10.3	(3)
Eau Claire County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.2	7.4	(3)
Florence County †	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	6.1	6.8	(3)
Fond du Lac County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.6	10.9	(3)
Forest County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.9	8.6	(3)
Grant County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.7	11.1	(3)
Green County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.7	10.3	(3)
Green Lake County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.4	12.7	(3)
Iowa County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.6	10.9	(3)
Iron County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.5	13.5	(3)
Jackson County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.2	11.5	(3)
Jefferson County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.0	11.0	(3)
Juneau County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.8	11.9	(3)
Kenosha County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.3	8.1	(3)
Kewaunee County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.7	12.4	(3)
La Crosse County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.8	9.4	(3)
Lafayette County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.0	11.2	(3)
Langlade County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.2	8.1	(3)
Lincoln County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	7.8	11.6	(3)
Manitowoc County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.4	10.6	(3)
Marathon County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.5	9.5	(3)
Marinette County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.6	11.0	(3)
Marquette County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.0	11.5	(3)
Milwaukee County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	19.6	19.3	(3)
Monroe County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.7	10.3	(3)
Oconto County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.9	10.3	(3)
Oneida County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.3	11.0	(3)
Outagamie County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.7	9.8	(3)
Ozaukee County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.7	11.5	(3)
Pepin County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.1	8.7	(3)
Pierce County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.5	10.6	(3)
Polk County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.9	9.0	(3)
Portage County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.8	10.7	(3)
Price County †	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.9	5.9	(3)
Racine County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.1	11.6	(3)
Richland County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.0	11.7	(3)
Rock County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.8	11.1	(3)
Rusk County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.0	8.7	(3)
St. Croix County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.2	10.3	(3)
Sauk County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.5	12.1	(3)
Sawyer County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.4	10.9	(3)
Shawano County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.8	10.1	(3)
Sheboygan County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.9	10.5	(3)
Taylor County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.3	9.0	(3)
Trempealeau County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.8	10.5	(3)
Vernon County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.4	9.8	(3)
Vilas County †	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	7.8	4.9	(3)
Walworth County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.7	12.7	(3)
Washburn County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	9.6	9.5	(3)
Washington County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.3	10.5	(3)
Waukesha County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.2	13.1	(3)
Waupaca County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.0	12.3	(3)
Waushara County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.4	11.5	(3)
Winnebago County *	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.9	12.9	(3)
Wood County	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	10.7	10.6	(3)

[1] Exclusive of cities having a population of 8,000 or over in 1900.
[2] Nonregistration.
[3] Not shown for less than 10 years.

TABLE III.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION

CAUSE OF DEATH.	NUMBER OF DEATHS.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
All causes	539,939	518,207	508,640	524,415	551,354	545,533	658,105	687,034	691,574	732,538	595,734
I.—General diseases	147,236	145,527	138,514	146,082	149,549	145,263	174,702	181,351	186,264	192,788	160,728
A.—Epidemic diseases	51,120	48,832	44,029	46,925	43,033	39,089	50,250	52,879	53,164	49,988	47,931
Typhoid fever	11,044	10,127	10,980	11,149	10,557	9,479	13,160	12,670	11,375	10,722	11,126
Exanthematic typhus	5		7	1	2	3		2		3	2
Relapsing fever	2	4	2	1	3	1	4		1		2
Malarial fever	2,434	1,980	1,738	1,410	1,391	1,321	1,415	1,166	1,109	1,175	1,514
Smallpox	611	1,085	2,111	1,382	709	308	95	74	92	79	655
Measles	3,865	2,287	3,033	3,221	3,659	2,557	5,087	4,302	4,611	4,360	3,748
Scarlet fever	3,135	4,113	4,041	3,991	3,610	2,284	3,227	4,309	5,577	5,781	4,007
Whooping cough	3,719	3,051	3,854	5,171	2,183	3,599	6,324	4,856	4,969	4,906	4,263
Diphtheria and croup	13,314	10,667	9,859	10,363	9,444	8,039	10,793	10,154	10,052	10,358	10,304
Diphtheria	10,504	8,434	8,101	8,658	7,898	6,709	9,056	8,575	8,590	8,930	8,546
Croup	2,810	2,233	1,758	1,705	1,546	1,330	1,737	1,579	1,462	1,428	1,759
Influenza	7,031	10,093	3,225	6,064	6,724	6,426	4,320	10,066	9,989	6,649	7,059
Miliary fever			9	3	2				1		2
Asiatic cholera											
Cholera nostras	800	563	516	374	397	449	552	401	492	415	496
Dysentery	3,487	3,331	3,187	2,378	2,567	2,588	3,352	2,779	2,930	2,871	2,947
Plague	22	26	41	17	7			89	5	2	21
Yellow fever	1	2	1	17		438		1	2		46
Leprosy	4	6	5	4	4	8	3	7	11	9	6
Erysipelas	1,574	1,450	1,337	1,300	1,680	1,510	1,768	1,856	1,815	2,004	1,629
Other epidemic diseases	72	47	83	79	94	79	150	147	133	154	104
B.—Other general diseases	96,116	96,695	94,485	99,157	106,516	106,174	124,452	128,472	133,100	142,800	112,797
Septicemia	2,581	2,290	2,281	1,754	1,886	1,780	1,861	1,869	1,727	1,657	1,969
Glanders and farcy	3	2	7	12	3	3	8	8	3	8	6
Malignant pustule and charbon	31	32	16	22	25	20	22	23	22	14	23
Rabies	33	41	45	43	38	44	85	75	82	55	54
Actinomycosis, trichinosis, etc	10	6	18	12	18	15	21	21	35	38	19
Pellagra	2			2	1				23	116	14
Tuberculosis (all forms)	61,888	61,598	58,938	61,487	66,797	65,352	75,512	76,650	78,289	81,720	68,823
Tuberculosis of lungs	55,504	54,735	52,079	53,910	58,763	56,770	65,341	66,374	67,376	70,040	60,089
Tuberculosis of larynx	406	527	541	539	570	610	645	690	698	804	603
Tuberculous meningitis	2,673	2,656	2,674	2,905	3,025	3,264	3,938	4,062	4,218	4,575	3,399
Abdominal tuberculosis	1,635	1,767	1,817	1,854	2,098	2,193	2,663	2,629	2,723	3,041	2,242
Pott's disease	416	442	421	516	519	563	618	594	746	740	558
Tuberculous abscess	40	48	39	72	62	61	49	65	87	72	60
White swelling	207	206	237	224	241	261	315	269	356	379	270
Tuberculosis of other organs	339	393	391	465	545	539	685	713	785	885	574
General tuberculosis	668	825	739	1,002	974	1,091	1,258	1,254	1,300	1,184	1,030
Scrofula	208	168	145	153	124	126	136	109	120	115	140
Venereal diseases	1,045	1,161	1,163	1,393	1,569	1,596	2,076	2,322	2,543	2,999	1,787
Syphilis	1,029	1,137	1,131	1,368	1,507	1,534	2,006	2,235	2,432	2,858	1,724
Gonorrhea (5 years and over)	9	14	15	12	28	27	34	41	51	76	31
Gonorrhea (under 5 years)	7	10	17	13	34	35	36	46	60	65	32
Cancer	19,381	20,171	20,847	22,325	23,395	24,330	29,020	30,514	33,465	37,562	26,101
Cancer of mouth	495	612	583	661	737	792	941	968	1,148	1,427	836
Cancer of stomach and liver	6,918	7,095	7,483	8,193	8,744	8,939	10,946	11,596	13,044	14,915	9,787
Cancer of intestines	1,760	2,157	2,239	2,134	2,399	2,732	3,273	3,570	3,963	4,676	2,890
Cancer of female genital organs	2,696	2,919	3,033	3,289	3,436	3,637	4,090	4,388	5,250	5,714	3,845
Cancer of breast	1,433	1,647	1,750	1,787	2,030	2,010	2,421	2,590	3,023	3,585	2,228
Cancer of skin	602	683	688	752	758	818	984	1,121	1,282	1,492	918
Cancer of other or unspecified organs	5,477	5,058	5,071	5,509	5,291	5,402	6,365	6,281	5,755	5,753	5,596
Tumor	581	505	459	531	444	501	470	508	458	458	492
Rheumatism	2,931	2,985	2,661	2,785	3,187	2,827	3,336	3,439	3,541	3,633	3,133
Acute articular rheumatism	1,426	1,510	1,366	1,594	2,100	1,918	2,218	2,309	2,432	2,470	1,934
Chronic rheumatism and gout	1,505	1,475	1,295	1,191	1,087	909	1,118	1,130	1,109	1,163	1,198
Diabetes	2,996	3,212	3,312	3,681	4,259	4,397	5,331	5,801	6,274	7,024	4,629
Exophthalmic goiter	127	185	168	235	247	256	349	389	500	636	309
Addison's disease	138	149	149	156	148	141	191	156	199	234	166
Leukemia	307	324	371	396	400	480	599	658	689	832	506
Anemia, chlorosis	1,632	1,562	1,524	1,512	1,607	1,687	2,093	2,185	2,152	2,421	1,838
Alcoholism	1,962	1,870	1,943	2,163	1,927	2,106	2,707	3,130	2,348	2,578	2,273
Lead poisoning	61	71	94	100	81	87	97	92	95	86	86
Other occupational poisonings	4	3	1	11	3	8	6	6	4	5	5
Other chronic poisonings	96	147	157	189	170	169	228	195	220	262	183
Scurvy	41	48	44	55	50	44	62	60	59	84	55
Other general diseases	58	164	142	140	137	205	242	262	252	263	187
II.—Diseases of nervous system	64,232	60,431	59,313	58,319	60,581	61,556	70,322	73,298	71,090	74,656	65,380
Encephalitis	1,030	831	716	609	530	465	496	520	452	355	600
Meningitis	12,578	10,430	9,981	9,213	10,553	11,654	10,502	11,109	8,904	7,853	10,278
Meningitis (simple and unqualified)	10,793	8,643	8,259	7,295	7,269	6,540	7,244	7,365	6,304	5,662	7,537
Epidemic cerebrospinal meningitis	1,785	1,787	1,722	1,918	3,284	5,114	3,258	3,744	2,600	2,191	2,740
Locomotor ataxia	593	722	691	813	820	883	1,097	1,127	1,198	1,386	933
Other diseases of spinal cord	1,329	1,428	1,454	1,685	1,653	1,724	2,030	2,234	2,412	2,905	1,885
Apoplexy	20,772	21,390	21,862	22,311	23,828	24,390	29,434	31,500	32,467	36,463	26,442
Softening of brain	1,246	1,241	1,197	1,258	1,250	1,042	1,277	1,258	1,087	1,126	1,198
Paralysis	7,950	7,220	6,674	6,609	6,431	5,981	6,933	8,128	7,544	7,669	7,114
General paralysis of insane	1,955	2,069	2,238	2,152	2,263	2,450	2,909	2,116	2,387	2,584	2,312
Other forms of mental disease	1,325	1,232	1,207	1,232	1,139	1,039	1,736	1,658	1,723	1,717	1,401
Other diseases of brain	1,607	1,550	1,445	1,456	1,341	1,436	1,691	1,751	1,724	1,854	1,586
Epilepsy	1,337	1,417	1,483	1,512	1,481	1,367	1,863	1,863	1,824	2,066	1,621
"Convulsions" (all ages)	10,011	8,517	7,987	6,833	6,802	6,677	7,428	7,060	6,450	5,531	7,330
"Convulsions" (5 years and over)	585	438	367	357	310	346	314	304	273	191	349
"Convulsions" (under 5 years)	9,426	8,079	7,620	6,476	6,492	6,331	7,114	6,756	6,177	5,340	6,981
Tetanus	1,354	1,129	1,158	1,326	1,105	1,033	1,213	1,253	1,169	1,373	1,211
Chorea	82	96	85	88	80	87	88	84	102	117	91
Other diseases of nervous system	847	846	825	763	752	787	959	890	855	839	836
Diseases of eye and adnexa	20	20	15	22	28	26	23	31	27	29	24
Diseases of ear	196	293	295	437	525	515	643	716	765	789	517

[1] Less than one-tenth.

DEATHS AND DEATH RATES, BY CAUSES.

IN THE REGISTRATION AREA, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909.

CAUSE OF DEATH.	NUMBER OF DEATHS PER 100,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908.	1909	Annual average: 1900 to 1909
All causes	1,755.0	1,651.9	1,588.0	1,603.7	1,653.5	1,602.0	1,567.5	1,597.1	1,478.0	1,440.0	1,580.5
I.—General diseases	478.6	463.9	432.5	446.7	448.5	426.6	416.1	421.6	398.1	379.0	426.4
A.—Epidemic diseases	166.2	155.7	137.5	143.5	129.1	114.8	119.7	122.9	113.6	98.3	127.2
Typhoid fever	35.9	32.3	34.3	34.1	31.7	27.8	31.3	29.5	24.3	21.1	29.5
Exanthematic typhus	(1)		(1)	(1)	(1)	(1)		(1)		(1)	(1)
Relapsing fever	(1)	(1)	(1)	(1)	(1)	(1)	(1)		(1)		(1)
Malarial fever	7.9	6.3	5.4	4.3	4.2	3.9	3.4	2.7	2.4	2.3	4.0
Smallpox	1.9	3.5	6.6	4.2	2.1	0.9	0.2	0.2	0.2	0.2	1.7
Measles	12.5	7.3	9.5	9.8	11.0	7.5	12.1	10.0	9.9	9.6	9.9
Scarlet fever	10.2	13.1	12.6	12.2	10.8	6.7	7.7	10.0	11.9	11.4	10.6
Whooping cough	12.1	9.7	12.0	15.8	6.5	10.6	15.1	11.3	10.6	9.6	11.3
Diphtheria and croup	43.3	34.0	30.8	31.7	28.3	23.6	25.7	23.6	21.5	20.4	27.3
Diphtheria	34.2	26.9	25.3	26.5	23.7	19.7	21.6	19.9	18.4	17.6	22.7
Croup	9.1	7.1	5.5	5.2	4.6	3.9	4.1	3.7	3.1	2.8	4.7
Influenza	22.9	32.2	10.1	18.5	20.2	18.9	10.3	23.4	21.3	13.1	18.7
Miliary fever			(1)	(1)	(1)				(1)		(1)
Asiatic cholera											
Cholera nostras	2.6	1.8	1.6	1.1	1.2	1.3	1.3	0.9	1.1	0.8	1.3
Dysentery	11.3	10.6	10.0	7.3	7.7	7.6	8.0	6.5	6.3	5.6	7.8
Plague	0.1	0.1	0.1	0.1	(1)			0.2	(1)	(1)	0.1
Yellow fever	(1)	(1)	(1)	0.1		1.3		(1)	(1)		0.1
Leprosy	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)
Erysipelas	5.1	4.6	4.2	4.0	5.0	4.4	4.2	4.3	3.9	3.9	4.3
Other epidemic diseases	0.2	0.1	0.3	0.2	0.3	0.2	0.4	0.3	0.3	0.3	0.3
B.—Other general diseases	312.4	308.2	295.0	303.2	319.4	311.8	296.4	298.7	284.5	280.7	299.3
Septicemia	8.4	7.3	7.1	5.4	5.7	5.2	4.4	4.3	3.7	3.3	5.2
Glanders and farcy	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)
Malignant pustule and charbon	0.1	0.1	(1)	0.1	0.1	0.1	0.1	0.1	(1)	(1)	0.1
Rabies	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1
Actinomycosis, trichinosis, etc	(1)	(1)	0.1	(1)	0.1	(1)	0.1	(1)	0.1	0.1	0.1
Pellagra	(1)			(1)					(1)	0.2	(1)
Tuberculosis (all forms)	201.2	196.4	184.0	188.0	200.3	191.9	179.9	178.2	167.3	160.6	182.6
Tuberculosis of lungs	180.5	174.5	162.6	164.9	176.2	166.7	155.6	154.3	144.0	137.7	159.4
Tuberculosis of larynx	1.3	1.7	1.7	1.6	1.7	1.8	1.5	1.6	1.5	1.6	1.6
Tuberculous meningitis	8.7	8.5	8.3	8.9	9.1	9.6	9.4	9.4	9.0	9.0	9.0
Abdominal tuberculosis	5.3	5.6	5.7	5.7	6.3	6.4	6.3	6.1	5.8	6.0	5.9
Pott's disease	1.3	1.4	1.3	1.6	1.6	1.7	1.5	1.4	1.6	1.5	1.5
Tuberculous abscess	0.1	0.2	0.1	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.2
White swelling	0.7	0.7	0.7	0.7	0.7	0.8	0.8	0.6	0.8	0.7	0.7
Tuberculosis of other organs	1.1	1.3	1.2	1.4	1.6	1.6	1.6	1.7	1.7	1.7	1.5
General tuberculosis	2.2	2.6	2.3	3.1	2.9	3.2	3.0	2.9	2.8	2.3	2.7
Scrofula	0.7	0.5	0.5	0.5	0.4	0.4	0.3	0.3	0.3	0.2	0.4
Venereal diseases	3.4	3.7	3.6	4.3	4.7	4.7	4.9	5.4	5.4	5.9	4.7
Syphilis	3.4	3.6	3.5	4.2	4.5	4.5	4.8	5.2	5.2	5.6	4.6
Gonorrhea (5 years and over)	(1)	(1)	(1)	(1)	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Gonorrhea (under 5 years)	(1)	(1)	0.1	(1)	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Cancer	63.0	64.3	65.1	68.3	70.2	71.4	69.1	70.9	71.5	73.8	69.2
Cancer of mouth	1.6	2.0	1.8	2.0	2.2	2.3	2.2	2.3	2.5	2.8	2.2
Cancer of stomach and liver	22.5	22.6	23.4	25.1	26.2	26.3	26.1	27.0	27.9	29.3	26.0
Cancer of intestines	5.7	6.9	7.0	6.5	7.2	8.0	7.8	8.3	8.5	9.2	7.7
Cancer of female genital organs	8.8	9.3	9.5	10.1	10.3	10.7	9.7	10.2	11.2	11.2	10.2
Cancer of breast	4.7	5.3	5.5	5.5	6.1	5.9	5.8	6.0	6.5	7.0	5.9
Cancer of skin	2.0	2.2	2.1	2.3	2.3	2.4	2.3	2.6	2.7	2.9	2.4
Cancer of other or unspecified organs	17.8	16.1	15.8	16.8	15.9	15.9	15.2	14.6	12.3	11.3	14.8
Tumor	1.9	1.6	1.4	1.6	1.3	1.5	1.1	1.2	1.0	0.9	1.3
Rheumatism	9.5	9.5	8.3	8.5	9.6	8.3	7.9	8.0	7.6	7.1	8.3
Acute articular rheumatism	4.6	4.8	4.3	4.9	6.3	5.6	5.3	5.4	5.2	4.9	5.1
Chronic rheumatism and gout	4.9	4.7	4.0	3.6	3.3	2.7	2.7	2.6	2.4	2.3	3.2
Diabetes	9.7	10.2	10.3	11.3	12.8	12.9	12.7	13.5	13.4	13.8	12.3
Exophthalmic goiter	0.4	0.6	0.5	0.7	0.7	0.8	0.8	0.9	1.1	1.3	0.8
Addison's disease	0.4	0.5	0.5	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.4
Leukemia	1.0	1.0	1.2	1.2	1.2	1.4	1.4	1.5	1.5	1.6	1.3
Anemia, chlorosis	5.3	5.0	4.8	4.6	4.8	5.0	5.0	5.1	4.6	4.8	4.9
Alcoholism	6.4	6.0	6.1	6.6	5.8	6.2	6.4	7.3	5.0	5.1	6.0
Lead poisoning	0.2	0.2	0.3	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.2
Other occupational poisonings	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)
Other chronic poisonings	0.3	0.5	0.5	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Scurvy	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1
Other general diseases	0.2	0.5	0.4	0.4	0.4	0.6	0.6	0.6	0.5	0.5	0.5
II.—Diseases of nervous system	208.8	192.6	185.2	178.3	181.7	180.8	167.5	170.4	151.9	146.8	173.5
Encephalitis	3.3	2.6	2.2	1.9	1.6	1.4	1.2	1.2	1.0	0.7	1.6
Meningitis	40.9	33.2	31.2	28.2	31.6	34.2	25.0	25.8	19.0	15.4	27.3
Meningitis (simple and unqualified)	35.1	27.6	25.8	22.3	21.8	19.2	17.3	17.1	13.5	11.1	20.0
Epidemic cerebrospinal meningitis	5.8	5.7	5.4	5.9	9.8	15.0	7.8	8.7	5.6	4.3	7.3
Locomotor ataxia	1.9	2.3	2.2	2.5	2.5	2.6	2.6	2.6	2.6	2.7	2.5
Other diseases of spinal cord	4.3	4.6	4.5	5.2	5.0	5.1	4.8	5.2	5.2	5.7	5.0
Apoplexy	67.5	68.2	68.3	68.2	71.5	71.6	70.1	73.2	69.4	71.7	70.2
Softening of brain	4.0	4.0	3.7	3.8	3.7	3.1	3.0	2.9	2.3	2.2	3.2
Paralysis	25.9	23.0	20.8	20.2	19.3	17.6	16.5	18.9	16.1	15.1	18.9
General paralysis of insane	6.4	6.6	7.0	6.6	6.8	7.2	6.9	4.9	5.1	5.1	6.1
Other forms of mental disease	4.3	3.9	3.8	3.8	3.4	3.1	4.1	3.9	3.7	3.4	3.7
Other diseases of brain	5.2	4.9	4.5	4.5	4.0	4.2	4.0	4.1	3.7	3.6	4.2
Epilepsy	4.4	4.5	4.6	4.6	4.4	4.0	4.4	4.3	3.9	4.1	4.3
"Convulsions" (all ages)	32.6	27.1	24.9	20.9	20.4	19.6	17.7	16.4	13.8	10.9	19.4
"Convulsions" (5 years and over)	1.9	1.4	1.1	1.1	0.9	1.0	0.7	0.7	0.6	0.4	0.9
"Convulsions" (under 5 years)	30.6	25.8	23.8	19.8	19.5	18.6	16.9	15.7	13.2	10.5	18.5
Tetanus	4.4	3.6	3.6	4.1	3.3	3.0	2.9	2.9	2.5	2.7	3.2
Chorea	0.3	0.3	0.3	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.2
Other diseases of nervous system	2.7	2.7	2.6	2.3	2.3	2.3	2.3	2.1	1.8	1.6	2.2
Diseases of eye and adnexa	0.1	0.1	(1)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Diseases of ear	0.6	0.9	0.9	1.3	1.6	1.5	1.5	1.7	1.6	1.6	1.4

TABLE III.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION

CAUSE OF DEATH.	NUMBER OF DEATHS.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
III.—Diseases of circulatory system	45,279	46,250	49,233	52,275	57,220	58,503	70,666	78,365	80,607	90,456	62,885
Pericarditis	809	748	753	664	624	594	659	634	585	660	673
Endocarditis	3,654	3,299	3,681	3,202	3,880	4,265	5,285	5,971	5,994	6,906	4,614
Heart disease	34,210	35,586	37,577	40,704	44,472	44,723	53,581	59,157	60,038	65,971	47,602
Angina pectoris	1,958	1,981	2,080	2,192	2,180	2,281	2,750	2,924	2,997	3,481	2,482
Diseases of arteries	1,876	2,132	2,629	2,908	3,516	4,145	5,478	6,727	7,935	10,174	4,752
Embolism and thrombosis	1,219	1,261	1,306	1,449	1,401	1,417	1,717	1,733	1,907	1,981	1,539
Diseases of veins	153	175	153	176	202	227	244	258	251	320	216
Diseases of lymphatics	76	57	53	58	83	73	92	92	126	154	86
Hemorrhages	1,300	959	945	862	826	719	823	836	750	769	879
Other diseases of circulatory system	24	52	56	60	36	59	37	33	24	40	42
IV.—Diseases of respiratory system	78,832	72,080	71,027	70,930	76,975	69,445	82,174	89,246	81,758	90,868	78,334
Diseases of nasal fossa	31	95	72	57	44	88	81	85	85	109	75
Diseases of larynx	925	838	837	787	710	610	819	801	770	770	787
Laryngitis	519	490	456	397	349	258	372	364	344	334	388
Other diseases of larynx	406	348	381	390	361	352	447	437	426	436	398
Diseases of thyroid body	67	90	93	93	97	110	147	165	185	194	124
Bronchitis	14,059	12,465	12,581	11,847	11,931	11,309	12,425	12,920	12,132	12,127	12,380
Acute bronchitis	8,135	7,040	7,588	6,842	6,910	6,598	7,410	7,363	7,089	6,939	7,191
Chronic bronchitis	5,924	5,425	4,993	5,005	5,021	4,711	5,015	5,557	5,043	5,188	5,188
Pneumonia (all forms)	55,513	50,609	49,868	50,728	57,176	50,676	61,077	67,320	61,259	70,033	57,426
Bronchopneumonia	6,733	8,894	10,153	10,964	12,219	11,608	15,646	16,881	16,758	21,026	13,088
Pneumonia (lobar and unqualified)	48,780	41,715	39,715	39,764	44,957	39,068	45,431	50,439	44,501	49,007	44,338
Pleurisy	1,448	1,469	1,442	1,463	1,598	1,627	1,796	1,898	1,848	2,082	1,667
Congestion of lungs	3,504	3,254	2,978	2,885	2,597	2,297	2,699	2,838	2,596	2,550	2,820
Gangrene of lungs	125	172	196	132	157	174	198	183	146	221	170
Asthma	1,359	1,259	1,264	1,262	1,207	1,109	1,340	1,402	1,313	1,419	1,293
Emphysema	255	268	257	247	189	176	167	202	175	137	207
Other diseases of respiratory system	1,546	1,561	1,439	1,429	1,269	1,269	1,425	1,432	1,249	1,226	1,385
Hemorrhage of lungs	871	844	773	753	675	707	761	684	634	601	730
Other diseases of respiratory system	675	717	666	676	594	562	664	748	615	625	654
V.—Diseases of digestive system	69,607	62,950	61,192	61,219	66,125	68,940	86,278	84,800	89,643	91,970	74,272
Diseases of mouth	270	256	229	235	256	232	335	305	324	356	280
Diseases of pharynx	545	469	461	439	520	477	641	710	690	792	574
Tonsilitis	351	285	258	258	290	270	376	445	386	434	335
Other diseases of pharynx	194	184	203	181	230	207	265	265	304	358	239
Diseases of esophagus	119	98	126	113	110	117	124	151	137	129	122
Ulcer of stomach	804	871	905	905	1,044	1,094	1,423	1,481	1,523	1,770	1,182
Other diseases of stomach	6,401	5,604	5,562	5,788	5,943	6,031	7,702	7,587	7,830	8,171	6,662
Gastritis	4,308	3,764	3,693	3,797	3,710	3,585	4,275	4,109	4,149	4,138	3,953
Other diseases of stomach	2,093	1,840	1,869	1,991	2,233	2,446	3,427	3,478	3,681	4,033	2,709
Dentition	699	342	321	210	173	209	168	202	130	107	256
Diarrhea and enteritis (all ages)	40,985	35,596	33,627	33,035	36,864	39,399	50,385	48,739	52,213	52,516	42,336
Diarrhea and enteritis (under 2 years)	33,479	28,523	26,903	26,697	30,315	33,032	42,581	41,563	44,521	44,648	35,226
Diarrhea and enteritis (2 years and over)	7,506	7,073	6,724	6,338	6,549	6,367	7,804	7,176	7,692	7,868	7,110
Intestinal parasites	32	41	35	29	37	48	66	58	65	62	47
Hernia	1,160	1,272	1,316	1,412	1,405	1,413	1,771	1,785	1,867	2,018	1,542
Obstruction of intestines	2,586	2,666	2,691	2,844	3,040	3,219	3,926	3,937	4,109	4,353	3,337
Other diseases of intestines	975	941	926	915	932	1,013	1,221	1,106	1,248	1,411	1,069
Acute yellow atrophy of liver	104	104	144	119	143	147	152	169	187	211	148
Hydatid tumors of liver	10	8	14	9	12	14	13	9	13	19	12
Cirrhosis of liver	3,970	4,265	4,460	4,731	5,020	4,994	6,079	6,604	6,709	7,045	5,388
Biliary calculi	459	500	668	795	832	883	1,134	1,110	1,275	1,486	914
Other diseases of liver	2,730	2,558	2,483	2,545	2,340	2,289	2,851	2,808	2,746	2,829	2,618
Diseases of spleen	89	82	89	88	76	90	101	89	94	97	90
Peritonitis	4,639	4,091	3,824	3,333	3,331	3,105	3,357	3,131	2,978	2,611	3,440
Appendicitis	2,987	3,131	3,216	3,589	3,946	4,062	4,673	4,671	5,289	5,768	4,133
Other diseases of digestive system	43	55	95	85	101	104	156	148	216	219	122
VI.—Diseases of genito-urinary system	32,567	33,489	34,608	38,013	40,450	41,361	48,038	51,472	51,717	57,070	42,879
Nephritis and Bright's disease	27,377	28,005	29,119	31,814	34,381	35,196	40,933	44,036	43,835	48,430	36,313
Acute nephritis	2,312	2,498	2,983	3,173	3,470	3,565	4,035	4,517	4,632	5,018	3,620
Bright's disease	25,065	25,507	26,136	28,641	30,911	31,631	36,898	39,519	39,203	43,412	32,692
Other diseases of kidneys	990	947	938	917	923	906	1,116	1,130	1,280	1,318	1,047
Calculi of urinary tract	116	126	150	151	154	193	227	229	250	292	189
Diseases of bladder	1,644	1,530	1,432	1,450	1,408	1,257	1,406	1,491	1,476	1,484	1,458
Diseases of urethra, urinary abscess, etc	121	119	122	140	146	152	173	186	190	234	158
Diseases of prostate	423	621	666	1,012	927	1,083	1,296	1,456	1,495	1,873	1,085
Nonvenereal diseases of male genital organs	21	27	32	47	39	31	44	36	39	49	37
Metritis	78	51	82	71	86	100	121	71	101	106	87
Uterine hemorrhage	104	107	84	87	79	86	76	69	90	79	86
Uterine tumor	403	529	536	608	620	611	731	813	845	862	656
Other diseases of uterus	452	462	440	545	489	496	602	625	616	653	538
Ovarian tumor	349	411	428	439	433	440	431	456	454	518	436
Other diseases of female genital organs	473	540	571	714	743	786	860	852	1,015	1,146	770
Diseases of tubes	351	407	460	583	654	692	750	755	921	1,024	660
Other diseases of female genital organs	122	133	111	131	89	94	110	97	94	122	110
Nonpuerperal diseases of breast (cancer excepted)	16	14	8	18	22	24	22	22	31	26	20
VII.—Childbirth	4,106	4,294	4,164	4,569	5,109	5,077	6,341	6,719	7,344	7,791	5,551
Accidents of pregnancy	526	526	585	570	579	537	762	757	772	834	640
Puerperal hemorrhage	210	287	284	341	360	413	454	465	425	357	360
Other accidents of labor	236	306	283	280	321	286	469	471	598	788	404
Puerperal septicemia	1,769	1,882	1,813	1,992	2,291	2,309	2,622	2,908	3,271	3,427	2,428
Puerperal convulsions	671	803	768	929	1,075	981	1,348	1,470	1,619	1,706	1,137
Puerperal phlegmasia alba dolens	5	1	2	5	3	7	32	8	13	23	10
Other puerperal accidents	689	488	478	452	479	542	654	638	643	650	571
Puerperal diseases of breast		1	1		1	2		2	3	6	2

[1] Less than one-tenth.

IN THE REGISTRATION AREA, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS PER 100,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
III.—Diseases of circulatory system	147.2	147.4	153.7	159.9	171.6	171.8	168.3	182.2	172.3	177.8	166.8
Pericarditis	2.6	2.4	2.4	2.0	1.9	1.7	1.6	1.5	1.3	1.3	1.8
Endocarditis	11.9	10.5	11.5	9.8	11.6	12.5	12.6	13.9	12.8	13.6	12.2
Heart disease	111.2	113.4	117.3	124.5	133.4	131.3	127.6	137.5	128.3	129.7	126.3
Angina pectoris	6.4	6.3	6.5	6.7	6.5	6.7	6.6	6.8	6.4	6.8	6.6
Diseases of arteries	6.1	6.8	8.2	8.9	10.5	12.2	13.0	15.6	17.0	20.0	12.6
Embolism and thrombosis	4.0	4.0	4.1	4.4	4.2	4.2	4.1	4.0	4.1	3.9	4.1
Diseases of veins	0.5	0.6	0.5	0.5	0.6	0.7	0.6	0.6	0.5	0.6	0.6
Diseases of lymphatics	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2
Hemorrhages	4.2	3.1	3.0	2.6	2.5	2.1	2.0	1.9	1.6	1.5	2.3
Other diseases of circulatory system	0.1	0.2	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1
IV.—Diseases of respiratory system	256.2	229.8	221.8	216.9	230.8	203.9	195.7	207.5	174.7	178.6	207.8
Diseases of nasal fossa	0.1	0.3	0.2	0.2	0.1	0.3	0.2	0.2	0.2	0.2	0.2
Diseases of larynx	3.0	2.7	2.6	2.4	2.1	1.8	2.0	1.9	1.6	1.5	2.1
Laryngitis	1.7	1.6	1.4	1.2	1.0	0.8	0.9	0.8	0.7	0.7	1.0
Other diseases of larynx	1.3	1.1	1.2	1.2	1.1	1.0	1.1	1.0	0.9	0.9	1.1
Diseases of thyroid body	0.2	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.4	0.3
Bronchitis	45.7	39.7	39.3	36.2	35.8	33.2	29.6	30.0	25.9	23.8	32.8
Acute bronchitis	26.4	22.4	23.7	20.9	20.7	19.4	17.6	17.1	15.2	13.6	19.1
Chronic bronchitis	19.3	17.3	15.6	15.3	15.1	13.8	11.9	12.9	10.8	10.2	13.8
Pneumonia (all forms)	180.5	161.3	155.7	155.1	171.5	148.8	145.5	156.5	130.9	137.7	152.4
Bronchopneumonia	21.9	28.4	31.7	33.5	36.6	34.1	37.3	39.2	35.8	41.3	34.7
Pneumonia (lobar and unqualified)	158.6	133.0	124.0	121.6	134.8	114.7	108.2	117.3	95.1	96.3	117.6
Pleurisy	4.7	4.7	4.5	4.5	4.8	4.8	4.3	4.4	3.9	4.1	4.4
Congestion of lungs	11.4	10.4	9.3	8.8	7.8	6.7	6.4	6.6	5.5	5.0	7.5
Gangrene of lungs	0.4	0.5	0.6	0.4	0.5	0.5	0.5	0.4	0.3	0.4	0.5
Asthma	4.4	4.0	3.9	3.9	3.6	3.3	3.2	3.3	2.8	2.8	3.4
Emphysema	0.8	0.9	0.8	0.8	0.6	0.5	0.4	0.5	0.4	0.3	0.5
Other diseases of respiratory system	5.0	5.0	4.5	4.4	3.8	3.7	3.4	3.3	2.7	2.4	3.7
Hemorrhage of lungs	2.8	2.7	2.4	2.3	2.0	2.1	1.8	1.6	1.4	1.2	1.9
Other diseases of respiratory system	2.2	2.3	2.1	2.1	1.8	1.7	1.6	1.7	1.3	1.2	1.7
V.—Diseases of digestive system	226.2	200.7	191.0	187.2	198.3	202.5	205.5	197.1	191.6	180.8	197.0
Diseases of mouth	0.9	0.8	0.7	0.7	0.8	0.7	0.8	0.7	0.7	0.7	0.7
Diseases of pharynx	1.7	1.5	1.4	1.3	1.6	1.4	1.5	1.7	1.5	1.6	1.5
Tonsilitis	1.1	0.9	0.8	0.8	0.9	0.8	0.9	1.0	0.8	0.9	0.9
Other diseases of pharynx	0.6	0.6	0.6	0.6	0.7	0.6	0.6	0.6	0.6	0.7	0.6
Diseases of esophagus	0.4	0.3	0.4	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Ulcer of stomach	2.6	2.8	2.8	2.8	3.1	3.2	3.4	3.4	3.3	3.5	3.1
Other diseases of stomach	20.8	17.9	17.4	17.7	17.8	17.7	18.3	17.6	16.7	16.1	17.7
Gastritis	14.0	12.0	11.5	11.6	11.1	10.5	10.2	9.6	8.9	8.1	10.5
Other diseases of stomach	6.8	5.9	5.8	6.1	6.7	7.2	8.2	8.1	7.9	7.9	7.2
Dentition	2.3	1.1	1.0	0.6	0.5	0.6	0.4	0.5	0.3	0.2	0.7
Diarrhea and enteritis (all ages)	133.2	113.5	105.0	101.0	110.6	115.7	120.0	113.3	111.6	103.2	112.3
Diarrhea and enteritis (under 2 years)	108.8	90.9	84.0	81.6	90.9	97.0	101.4	96.6	95.2	87.8	93.5
Diarrhea and enteritis (2 years and over)	24.4	22.5	21.0	19.4	19.6	18.7	18.6	16.7	16.4	15.5	18.9
Intestinal parasites	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1
Hernia	3.8	4.1	4.1	4.3	4.2	4.1	4.2	4.1	4.0	4.0	4.1
Obstruction of intestines	8.4	8.5	8.4	8.7	9.1	9.5	9.4	9.2	8.8	8.6	8.9
Other diseases of intestines	3.2	3.0	2.9	2.8	2.8	3.0	2.9	2.6	2.7	2.8	2.8
Acute yellow atrophy of liver	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Hydatid tumors of liver	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)
Cirrhosis of liver	12.9	13.6	13.9	14.5	15.1	14.7	14.5	15.4	14.3	13.8	14.3
Biliary calculi	1.5	1.6	2.1	2.4	2.5	2.6	2.7	2.6	2.7	2.9	2.4
Other diseases of liver	8.9	8.2	7.8	7.8	7.0	6.7	6.8	6.5	5.9	5.6	6.9
Diseases of spleen	0.3	0.3	0.3	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.2
Peritonitis	15.1	13.0	11.9	10.2	10.0	9.1	8.0	7.3	6.4	5.1	9.1
Appendicitis	9.7	10.0	10.0	11.0	11.8	11.9	11.1	10.9	11.3	11.3	11.0
Other diseases of digestive system	0.1	0.2	0.3	0.3	0.3	0.3	0.4	0.3	0.5	0.4	0.3
VI.—Diseases of genito-urinary system	105.9	106.8	108.0	116.2	121.3	121.5	114.4	119.7	110.5	112.2	113.8
Nephritis and Bright's disease	89.0	89.3	90.9	97.3	103.1	103.4	97.5	102.4	93.7	95.2	96.3
Acute nephritis	7.5	8.0	9.3	9.7	10.4	10.5	9.6	10.5	9.9	9.9	9.6
Bright's disease	81.5	81.3	81.6	87.6	92.7	92.9	87.9	91.9	83.8	85.3	86.7
Other diseases of kidneys	3.2	3.0	2.9	2.8	2.8	2.7	2.7	2.6	2.7	2.6	2.8
Calculi of urinary tract	0.4	0.4	0.5	0.5	0.5	0.6	0.5	0.5	0.5	0.6	0.4
Diseases of bladder	5.3	4.9	4.5	4.4	4.2	3.7	3.3	3.5	3.2	2.9	3.9
Diseases of urethra, urinary abscess, etc	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.4
Diseases of prostate	1.4	2.0	2.1	3.1	2.8	3.2	3.1	3.4	3.2	3.7	2.9
Nonvenereal diseases of male genital organs	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Metritis	0.3	0.2	0.3	0.2	0.3	0.3	0.3	0.2	0.2	0.2	0.2
Uterine hemorrhage	0.3	0.3	0.3	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.2
Uterine tumor	1.3	1.7	1.7	1.9	1.9	1.8	1.7	1.9	1.8	1.7	1.7
Other diseases of uterus	1.5	1.5	1.4	1.7	1.5	1.5	1.4	1.5	1.3	1.3	1.4
Ovarian tumor	1.1	1.3	1.3	1.3	1.3	1.3	1.0	1.1	1.0	1.0	1.2
Other diseases of female genital organs	1.5	1.7	1.8	2.2	2.2	2.3	2.0	2.0	2.2	2.3	2.0
Diseases of tubes	1.1	1.3	1.4	1.8	2.0	2.0	1.8	1.8	2.0	2.0	1.8
Other diseases of female genital organs	0.4	0.4	0.3	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.3
Nonpuerperal diseases of breast (cancer excepted)	0.1	(1)	(1)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
VII.—Childbirth	13.3	13.7	13.0	14.0	15.3	14.9	15.1	15.6	15.7	15.3	14.7
Accidents of pregnancy	1.7	1.7	1.7	1.7	1.7	1.6	1.8	1.8	1.6	1.6	1.7
Puerperal hemorrhage	0.7	0.9	0.9	1.0	1.1	1.2	1.1	1.1	0.9	0.7	1.0
Other accidents of labor	0.8	1.0	0.9	0.9	1.0	0.8	1.1	1.1	1.3	1.5	1.1
Puerperal septicemia	5.7	6.0	5.7	6.1	6.9	6.8	6.2	6.8	7.0	6.7	6.4
Puerperal convulsions	2.2	2.6	2.4	2.8	3.2	2.9	3.2	3.4	3.5	3.4	3.0
Puerperal phlegmasia alba dolens	(1)	(1)	(1)	(1)	(1)	(1)	0.1	(1)	(1)	(1)	(1)
Other puerperal accidents	2.2	1.6	1.5	1.4	1.4	1.6	1.6	1.5	1.4	1.3	1.5
Puerperal diseases of breast		(1)	(1)		(1)	(1)		(1)	(1)	(1)	(1)

TABLE III.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION

CAUSE OF DEATH.	NUMBER OF DEATHS.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
VIII.—Diseases of skin	2,461	2,419	2,269	2,470	2,397	2,406	2,778	2,759	2,817	2,985	2,576
Gangrene	1,345	1,460	1,327	1,482	1,500	1,518	1,592	1,688	1,562	1,691	1,517
Carbuncle	153	166	154	151	134	142	205	167	203	257	173
Abscess	599	464	448	547	476	432	522	485	514	534	502
Other diseases of skin	364	329	340	290	287	314	459	419	538	503	384
IX.—Diseases of locomotor system	677	807	849	980	990	1,036	1,235	1,252	1,418	1,455	1,070
Diseases of bones	558	642	715	829	861	929	1,069	1,115	1,296	1,325	934
Diseases of joints	47	79	57	93	82	66	91	106	81	88	79
Amputation	63	47	45	39	27	18	31	12	10	3	30
Other diseases of organs of locomotion	9	39	32	19	20	23	44	19	31	39	28
X.—Malformations	3,540	3,453	3,440	4,025	4,382	4,588	6,220	6,452	6,907	7,755	5,076
Hydrocephalus	635	571	490	533	541	499	695	622	681	664	593
Congenital malformation of heart (cyanosis)	1,871	1,794	1,875	2,141	2,434	2,706	3,659	3,937	4,179	4,766	2,936
Other congenital malformations	1,034	1,088	1,075	1,351	1,407	1,383	1,866	1,893	2,047	2,325	1,547
XI.—Diseases of early infancy	23,654	20,722	21,811	22,514	24,001	23,617	29,743	30,637	32,274	33,274	26,225
Premature birth	10,170	8,615	9,087	10,143	11,361	11,102	14,250	15,245	16,441	18,286	12,470
Congenital debility	7,543	6,563	6,931	6,942	6,862	10,626	14,024	14,102	14,449	13,484	10,153
Other diseases of early infancy	915	799	755	937	971	860	1,110	1,178	1,266	1,398	1,019
Lack of care	5,026	4,745	5,038	4,492	4,807	1,029	359	112	118	106	2,583
XII.—Old age	15,510	14,758	14,225	12,780	12,938	12,301	14,048	13,660	13,807	13,456	13,748
XIII.—Violence	29,529	33,330	31,135	35,542	36,644	37,778	49,552	52,548	52,421	55,537	41,402
Suicide	3,534	3,824	4,054	4,510	4,912	5,438	5,853	6,745	8,332	8,402	5,560
Suicide by poison	1,023	1,254	1,344	1,627	1,698	1,820	1,834	2,141	2,511	2,462	1,771
Suicide by asphyxia	180	245	280	368	414	516	509	609	878	989	499
Suicide by hanging or strangulation	607	608	620	625	772	794	835	938	1,171	1,215	819
Suicide by drowning	180	210	223	204	242	276	280	307	464	507	289
Suicide by firearms	835	913	953	1,052	1,185	1,435	1,714	2,027	2,468	2,395	1,498
Suicide by cutting instruments	171	209	221	297	273	306	356	418	507	536	329
Suicide by jumping from high places	31	41	45	69	66	54	84	108	157	156	81
Suicide by crushing	11	14	15	25	22	26	37	58	66	84	36
Other suicides	496	330	353	243	240	211	204	139	110	58	238
Fractures	2,673	2,648	2,718	2,944	2,867	2,489	3,069	1,903	722	350	2,238
Dislocations	52	49	58	59	41	50	47	23	12	7	40
Burns and scalds	2,573	2,685	2,575	2,667	2,745	2,846	3,585	3,918	3,688	3,992	3,127
Burning by corrosive substances	2	10	13	15	11	8	15	12	16	15	12
Heat and sunstroke	1,266	4,012	290	520	235	881	763	580	829	816	1,019
Cold and freezing	138	154	163	184	227	228	203	280	227	251	206
Lightning	95	127	108	92	81	80	169	133	161	150	120
Drowning	3,525	3,380	3,244	3,418	3,378	3,389	4,395	4,307	4,677	4,558	3,827
Inhalation of poisonous gases[2]	592	786	950	1,715	2,167	1,306	1,276	1,691	1,688	1,837	1,401
Other accidental poisonings	1,351	1,234	1,374	1,551	1,632	1,269	1,734	1,725	1,652	1,779	1,530
Accidental traumatisms	8,799	10,300	11,091	13,038	13,366	14,223	20,842	23,921	22,701	25,389	16,367
Accidental gunshot wounds	1,139	1,082	1,196	1,151	1,294	823	1,074	897	986	944	1,059
Injuries by machinery	123	196	281	280	320	348	565	1,071	901	1,174	526
Injuries in mines and quarries	162	274	199	305	329	491	1,523	2,130	1,917	1,997	933
Railroad accidents and injuries	[3] 3,644	[3] 4,102	[3] 4,485	[3] 5,484	[3] 5,084	[3] 5,731	7,090	7,676	6,080	6,659	[2] 6,282
Street-car accidents	([4])	([4])	([4])	([4])	([4])	([4])	1,488	1,880	1,696	1,723	([5])
Injuries by vehicles and horses	[6] 409	[6] 557	[6] 660	[6] 907	[6] 949	[6] 1,168	1,524	1,810	1,924	2,152	[6] 1,356
Automobile accidents	([4])	([4])	([4])	([4])	([4])	([4])	183	294	393	632	([5])
Other accidental traumatisms	3,322	4,089	4,270	4,911	5,390	5,662	7,395	8,163	8,804	10,108	6,211
Other external violence	4,900	4,081	4,459	4,793	4,952	5,549	[7] 7,559	7,283	7,682	7,954	[7] 5,921
Suffocations	538	551	439	504	555	548	719	707	708	804	6,607
Injuries at birth	1,050	1,134	1,304	1,669	1,899	2,166	2,543	2,804	3,110	3,508	2,119
Homicide	658	709	734	834	935	1,540	2,101	2,709	3,003	2,854	1,608
Other external violence	2,654	1,687	1,982	1,786	1,563	1,295	[7] 2,196	1,063	861	788	[7] 1,588
Starvation, privation, etc	29	40	38	36	30	22	42	27	34	37	34
XIV.—Ill-defined causes	22,709	17,697	16,860	14,697	13,993	13,662	16,008	14,475	13,507	12,477	15,609
"Dropsy"	2,204	1,580	1,609	1,221	1,144	1,002	1,084	927	852	725	1,235
"Heart failure"	3,146	2,141	2,087	2,189	2,167	1,924	2,122	1,909	1,682	1,760	2,113
Sudden death	77	109	139	118	96	152	201	216	202	273	158
Unspecified or ill-defined causes	1,762	1,739	1,536	1,410	1,105	1,202	1,327	1,427	1,246	1,013	1,377
Inanition (over 3 months of age)	2,415	2,176	2,196	1,892	1,873	2,117	2,501	2,228	2,122	2,211	2,173
Debility (over 3 months of age)	3,712	2,510	2,263	2,003	1,499	1,585	1,581	1,521	1,320	1,168	1,916
Marasmus (over 3 months of age)	5,934	5,113	5,008	4,163	4,298	4,290	4,763	4,481	4,677	3,922	4,665
Fever	435	288	269	230	218	156	217	172	119	92	220
Cause unknown	3,024	2,041	1,753	1,471	1,593	1,234	2,212	1,594	1,287	1,313	1,752

[1] Less than one-tenth. [2] Includes conflagration. [3] Including street-car accidents. [4] Not compiled separately.

IN THE REGISTRATION AREA, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS PER 100,000 POPULATION.										
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Annual average: 1900 to 1909
VIII.—Diseases of skin	8.0	7.7	7.1	7.6	7.2	7.1	6.6	6.4	6.0	5.9	6.8
Gangrene	4.4	4.7	4.1	4.5	4.5	4.5	3.8	3.9	3.3	3.3	4.0
Carbuncle	0.5	0.5	0.5	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.5
Abscess	1.9	1.5	1.4	1.7	1.4	1.3	1.2	1.1	1.1	1.0	1.3
Other diseases of skin	1.2	1.0	1.1	0.9	0.9	0.9	1.1	1.0	1.1	1.0	1.0
IX.—Diseases of locomotor system	2.2	2.6	2.7	3.0	3.0	3.0	2.9	2.9	3.0	2.9	2.8
Diseases of bones	1.8	2.0	2.2	2.5	2.6	2.7	2.5	2.6	2.8	2.6	2.5
Diseases of joints	0.2	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Amputation	0.2	0.1	0.1	0.1	0.1	0.1	0.1	(1)	(1)	(1)	0.1
Other diseases of organs of locomotion	(1)	0.1	0.1	0.1	0.1	0.1	0.1	(1)	0.1	0.1	0.1
X.—Malformations	11.5	11.0	10.7	12.3	13.1	13.5	14.8	15.0	14.8	15.2	13 5
Hydrocephalus	2.0	1.8	1.5	1.6	1.6	1.5	1.7	1.4	1.5	1.3	1.6
Congenital malformation of heart (cyanosis)	6.1	5.7	5.9	6.5	7.3	7.9	8.7	9.2	8.9	9.4	7.8
Other congenital malformations	3.4	3.5	3.4	4.1	4.2	4.1	4.4	4.4	4.4	4.6	4.1
XI.—Diseases of early infancy	76.9	66.1	68.1	68.8	72.0	69.4	70.8	71.2	69.0	65.4	69.6
Premature birth	33.1	27.5	28.4	31.0	34.1	32.6	33.9	35.4	35.1	35.9	33.1
Congenital debility	24.5	20.9	21.6	21.2	20.6	21.2	23.4	32.8	30.9	26.5	26.9
Other diseases of early infancy	3.0	2.5	2.4	2.9	2.9	2.5	2.6	2.7	2.7	2.7	2.7
Lack of care	16.3	15.1	15.7	13.7	14.4	3.0	0.9	0.3	0.3	0.2	6.9
XII.—Old age	50.4	47.0	44.4	39.1	38.8	36.1	33.5	31.8	29.5	26.5	36.5
XIII.—Violence	96.0	106.2	97.2	108.7	109.9	110.9	118.0	122.2	112.0	109.2	109.8
Suicide	11.5	12.2	12.7	13.8	14.7	16.0	13.9	15.7	17.8	16.5	14.8
Suicide by poison	3.3	4.0	4.2	5.0	5.1	5.3	4.4	5.0	5.4	4.8	4.7
Suicide by asphyxia	0.6	0.8	0.9	1.1	1.2	1.5	1.2	1.4	1.9	1.9	1.3
Suicide by hanging or strangulation	2.0	1.9	1.9	1.9	2.3	2.3	2.0	2.2	2.5	2.4	2.2
Suicide by drowning	0.6	0.7	0.7	0.6	0.7	0.8	0.7	0.7	1.0	1.0	0.8
Suicide by firearms	2.7	2.9	3.0	3.2	3.6	4.2	4.1	4.7	5.3	4.7	4.0
Suicide by cutting instruments	0.6	0.7	0.7	0.9	0.8	0.9	0.8	1.0	1.1	1.1	0.9
Suicide by jumping from high places	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.2
Suicide by crushing	(1)	(1)	(1)	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1
Other suicides	1.6	1.1	1.1	0.7	0.7	0.6	0.5	0.3	0.2	0.1	0.6
Fractures	8.7	8.4	8.5	9.0	8.6	7.3	7.3	4.4	1.5	0.7	5.9
Dislocations	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	(1)	(1)	0.1
Burns and scalds	8.4	8.6	8.0	8.2	8.2	8.4	8.5	9.1	7.9	7.8	8.3
Burning by corrosive substances	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)
Heat and sunstroke	4.1	12.8	0.9	1.6	0.7	2.6	1.8	1.3	1.8	1.6	2.7
Cold and freezing	0.4	0.5	0.5	0.6	0.7	0.7	0.5	0.7	0.5	0.5	0.5
Lightning	0.3	0.4	0.3	0.3	0.2	0.2	0.4	0.3	0.3	0.3	0.3
Drowning	11.5	10.8	10.1	10.5	10.1	10.0	10.5	10.0	10.0	9.0	10.2
Inhalation of poisonous gases [2]	1.9	2.5	3.0	5.2	6.5	3.8	3.0	3.9	3.6	3.6	3.7
Other accidental poisonings	4.4	3.9	4.3	4.7	4.9	3.7	4.1	4.0	3.5	3.5	4.1
Accidental traumatisms	28.6	32.8	34.6	39.9	40.1	41.8	49.6	55.6	48.5	49.9	43.4
Accidental gunshot wounds	3.7	3.4	3.7	3.5	3.9	2.4	2.6	2.1	2.1	1.9	2.8
Injuries by machinery	0.4	0.6	0.9	0.9	1.0	1.0	1.3	2.5	1.9	2.3	1.4
Injuries in mines and quarries	0.5	0.9	0.6	0.9	1.0	1.4	3.6	5.0	4.1	3.9	2.5
Railroad accidents and injuries	[3] 11.9	[3] 13.1	[3] 14.0	[3] 16.8	[3] 15.2	[3] 16.8	16.9	17.8	13.0	13.1	[3] 16.7
Street-car accidents	(4)	(4)	(4)	(4)	(4)	(4)	3.5	4.4	3.6	3.4	(5)
Injuries by vehicles and horses	[6] 1.3	[6] 1.8	[6] 2.1	[6] 2.8	[6] 2.8	[6] 3.4	3.6	4.2	4.1	4.2	[6] 3.6
Automobile accidents	(4)	(4)	(4)	(4)	(4)	(4)	0.4	0.7	0.8	1.2	(5)
Other accidental traumatisms	10.8	13.0	13.3	15.0	16.2	16.6	17.6	19.0	18.8	19.9	16.5
Other external violence	15.9	13.0	13.9	14.7	14.9	16.3	[7] 18.0	16.9	16.4	15.6	[7] 15.7
Suffocations	1.7	1.8	1.4	1.5	1.7	1.6	1.7	1.6	1.5	1.6	1.6
Injuries at birth	3.4	3.6	4.1	5.1	5.7	6.4	6.1	6.5	6.6	6.9	5.6
Homicide	2.1	2.3	2.3	2.6	2.8	4.5	5.0	6.3	6.4	5.6	4.3
Other external violence	8.7	5.4	6.2	5.5	4.7	3.8	[7] 5.2	2.5	1.8	1.5	[7] 4.2
Starvation, privation, etc.	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
XIV.—Ill-defined causes	73.8	56.4	52.6	44.9	42.0	40.1	38.1	33.6	28.9	24.5	41.4
"Dropsy"	7.2	5.0	5.0	3.7	3.4	2.9	2.6	2.2	1.8	1.4	3.3
"Heart failure"	10.2	6.8	6.5	6.7	6.5	5.7	5.1	4.4	3.6	3.5	5.6
Sudden death	0.3	0.3	0.4	0.4	0.3	0.4	0.5	0.5	0.4	0.5	0.4
Unspecified or ill-defined causes	5.7	5.5	4.8	4.3	3.3	3.5	3.2	3.3	2.7	2.0	3.7
Inanition (over 3 months of age)	7.8	6.9	6.9	5.8	5.6	6.2	6.0	5.2	4.5	4.3	5.8
Debility (over 3 months of age)	12.1	8.0	7.1	6.1	4.5	4.7	3.8	3.5	2.8	2.3	5.1
Marasmus (over 3 months of age)	19.3	16.3	15.6	12.7	12.9	12.6	11.3	10.4	10.0	7.7	12.4
Fever	1.4	0.9	0.8	0.7	0.7	0.5	0.5	0.4	0.3	0.2	0.6
Cause unknown	9.8	6.5	5.5	4.5	4.8	3.6	5.3	3.7	2.8	2.6	4.6

[5] Average not shown for less than 10 years. [6] Including automobile accidents. [7] Includes 687 deaths from earthquake in 1906.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
TOTAL.														
The registration area	1900	1,755.0	35.9	7.9	1.9	12.5	10.2	12.1	43.3	22.9	(2)	180.5	20.7	63.0
	1901	1,651.9	32.3	6.3	3.5	7.3	13.1	9.7	34.0	32.2	(2)	174.5	21.9	64.3
	1902	1,588.0	34.3	5.4	6.6	9.5	12.6	12.0	30.8	10.1	(2)	162.6	21.4	65.1
	1903	1,603.7	34.1	4.3	4.2	9.8	12.2	15.8	31.7	18.5	(2)	164.9	23.2	68.3
	1904	1,653.5	31.7	4.2	2.1	11.0	10.8	6.5	28.3	20.2	(2)	176.2	24.1	70.2
	1905	1,602.0	27.8	3.9	0.9	7.5	6.7	10.6	23.6	18.9	14.9	166.7	25.2	71.4
	1906	1,567.5	31.3	3.4	0.2	12.1	7.7	15.1	25.7	10.3	13.9	155.6	24.2	69.1
	1907	1,597.1	29.5	2.7	0.2	10.0	10.0	11.3	23.6	23.4	12.3	154.3	23.9	70.9
	1908	1,478.0	24.3	2.4	0.2	9.9	11.9	10.6	21.5	21.3	11.5	144.0	23.3	71.5
	1909	1,440.0	21.1	2.3	0.2	9.6	11.4	9.6	20.4	13.1	10.7	137.7	23.0	73.8
Registration cities	1900	1,856.8	36.5	8.2	2.7	13.8	11.6	13.1	50.5	19.9	(2)	198.8	23.0	63.7
	1901	1,732.0	33.7	6.8	4.3	7.4	15.4	10.5	39.1	25.7	(2)	191.2	24.3	64.9
	1902	1,687.2	37.2	5.9	7.9	11.0	15.2	13.0	36.3	8.3	(2)	179.3	23.8	65.8
	1903	1,695.0	37.8	4.5	5.4	11.2	14.1	17.2	37.2	16.1	(2)	182.1	25.6	68.9
	1904	1,733.2	34.7	4.5	2.5	11.6	12.3	6.9	32.5	16.5	(2)	193.5	26.6	70.9
	1905	1,664.6	29 6	4.0	1.0	8 4	7.5	11.6	26.9	14.8	14.2	181.9	27.5	71.6
	1906	1,686.6	33 5	3.8	0.3	13.7	9.2	15.0	29.3	8.7	12.9	177.7	27.9	74.0
	1907	1,711.8	32.0	3.1	0.2	11.3	12.5	11.0	26.8	18.3	12.1	174.5	27.3	75.1
	1908	1,572.3	25.0	2.8	0.2	11.2	14.6	10.2	24.7	18.0	10.8	164.6	26.5	75.8
	1909	1,541.7	21.2	2.7	0.2	11.1	13.6	9.3	24.2	9.8	10.2	157.6	26.1	78.7
Registration states	1900	1,719.5	31.3	6.3	0.3	13.4	9.6	12.3	40.4	26.7	(2)	173.3	21.2	68.5
	1901	1,635.9	27.5	5.0	3.6	7.4	13.5	8.7	33.4	36.3	(2)	167.3	22.0	66.2
	1902	1,543.1	26.3	4.0	6.5	9.3	11.9	12.4	29.7	10.4	(2)	152.3	21.4	66.1
	1903	1,559.2	24.6	3.0	1.5	8.8	12.3	14.3	31.0	19.2	(2)	153.8	22.9	69.8
	1904	1,640.0	23.9	2.9	0.8	11.3	11.6	5.8	29.3	21.8	(2)	164.2	23.9	71.5
	1905	1,593.9	22.4	2.5	0.6	7.4	6.8	9.0	23.6	20.5	14.7	156.0	24.5	73.7
	1906	1,569.3	30.8	2.3	0.2	12.9	7.3	16.1	26.3	10.2	14.1	151.5	24.0	69.2
	1907	1,589.9	28.2	1.8	0.1	9.6	9.3	11.3	24.2	24.9	12.1	150.2	23.7	71.3
	1908	1,465.5	23.4	1.3	0.1	10.5	12.4	10.6	21.9	21.1	11.4	138.3	23.5	71.4
	1909	1,422.8	20.1	1.4	0.1	10.0	11.1	10.0	19.9	13.3	10.4	133.2	22.9	73.9
Cities in registration states	1900	1,893.4	28.5	5.4	0.3	16.4	11.9	14.4	52.4	24.2	(2)	204.1	26.1	66.2
	1901	1,782.2	26.4	4.9	5.5	7.7	18.4	9.3	43.0	26.8	(2)	194.7	26.8	69.0
	1902	1,704.7	25.8	3.7	9.0	12.1	16.5	14.6	39.8	7.0	(2	177.3	26.1	68.3
	1903	1,706.7	24.6	2.5	1.8	10.6	16.2	16 0	41.5	14.7	(2)	179.6	27.6	72.3
	1904	1,788.8	24.0	2.6	0.6	12.9	15.1	5.9	38.4	15.7	(2)	189.4	28.8	73.9
	1905	1,713.0	22.0	1.8	0.6	9.1	8.4	9.8	30.1	13 7	13.1	178.1	28.6	75.5
	1906	1,743.3	33.4	2.0	0.2	15.8	9.1	16.9	32.0	7.8	12.8	179.8	29.2	76.2
	1907	1,749.9	30.8	1.6	0.1	11.1	12.3	10.9	29.3	18.8	11.5	176.0	28.5	77.6
	1908	1,585.8	23.5	1.0	0.1	13.0	16.7	10.0	26.7	16.1	10.2	162.1	28 0	77.2
	1909	1,537.8	19.4	1.0	0.1	12.4	13.7	9.9	24.4	9.2	9.4	154.6	26.9	80.1
Rural part of registration states	1900	1,519.7	34.6	7.2	0.3	9.8	6.8	9.8	26.5	29.6	(2)	138.0	15.5	61.5
	1901	1,456.4	28.8	5.0	1.3	6.9	7.5	7.9	21.6	48.0	(2)	133.7	16.0	62.7
	1902	1,340.9	26.9	4.4	3.4	5 7	6.1	9.6	17.0	14.6	(2)	121.0	15.4	63.3
	1903	1,371.6	24.6	3.7	1.2	6.4	7.3	12.2	17.7	24.8	(2)	121.1	17.0	66.6
	1904	1,447.7	23.7	3.3	1.1	9.3	7.1	5.7	17.6	29.6	(2)	131.6	17.7	68.3
	1905	1,436.9	23.1	3.5	0 5	5.3	4.6	7.9	15.0	29.5	16.7	126.7	19.2	71.2
	1906	1,367.0	27.8	2.6	0.2	9.5	5.1	15 1	19.7	12 9	15.6	118.5	18.0	60.9
	1907	1,401.0	25.1	2.0	0.1	7.7	5.9	11.8	18.1	32.1	12.7	119.8	18.1	63.8
	1908	1,331.2	23.2	1.6	0.2	7.8	7.6	11.3	16.5	26.6	12.7	111.8	18.4	64.9
	1909	1,297.9	20.9	1.8	0.1	7.3	8.2	10.1	15.0	17.7	11.5	109.9	18.6	67.1
Registration cities in other states	1900	1,820.7	44.4	11.0	5.1	11.1	11.4	11.8	48.7	15.7	(2)	193.5	20.0	61.2
	1901	1,681.2	41.1	8.7	3.2	7.2	12.4	11.7	35.1	24.5	(2)	187.7	21.7	60.9
	1902	1,669.5	48 8	8.1	6.7	9.8	13.9	11 4	32.8	9.5	(2)	181.3	21.5	63.2
	1903	1,683.3	51.1	6.6	9.1	11.8	12.1	18.5	32.9	17.5	(2)	184.6	23.6	65.5
	1904	1,677.4	45.5	6.4	4.4	10.3	9.5	7.8	26.5	17.3	(2)	197.6	24.4	67.8
	1905	1,616.3	37.3	6.3	1.4	7.6	6.6	13.4	23.6	16.0	15.3	185.6	26.3	67.6
	1906	1,560.0	33.5	7.8	0.3	8.9	9.4	10.9	23.3	10.8	13.1	172.8	25.1	69.0
	1907	1,626.9	34.7	6.6	0.3	11.8	12.9	11.2	21.3	17.2	13.2	171.2	24.5	69.6
	1908	1,538.0	28.8	7.4	0.4	6.6	9.5	10.6	19.5	22.6	12.3	171.1	22.6	72.3
	1909	1,555.4	27.4	8.3	0.4	6.6	13.2	7.4	23.4	11.7	12.9	168.1	23.4	73.4
REGISTRATION STATES.														
California	1906	1,410.5	32.0	3.7	1.8	8.2	2.6	4.8	11.6	9.2	11.3	187.5	28.8	74.6
	1907	1,462.8	25.6	2.4	0.3	8.6	3.5	6.6	17.6	11.2	13.2	192.4	27.4	75.6
	1908	1,411.1	24.1	3.3	0.4	4.0	4.8	6.0	17.2	13.8	8.3	180.7	27.7	80.1
	1909	1,342.8	19.4	4.4	0.2	4.9	3.1	8.5	10.6	8.5	6.7	176.7	26.9	86.0
Colorado	1906	1,399.4	49.3	0.3	0.1	3.0	14.3	13.4	13.3	8.3	14.3	222.6	21.7	45.2
	1907	1,526.6	55.1	0.7	0.6	26.6	31.6	6.8	18.6	18.9	13.8	231.8	18.7	47.7
	1908	1,452.6	40.4	0.4	0.4	14.0	24.1	19.0	24.2	19.3	9.7	238.0	18.2	53.5
	1909	1,418.6	31.0	0.5	.....	4 0	22.5	17.9	18.6	12.6	8.4	224.7	21.3	53.8
Connecticut	1900	1,801.6	32.0	11.6	.....	18.9	7.6	14.4	35.9	70.4	(2)	173.1	16.8	68.7
	1901	1,596.7	29.9	11.2	0.4	7.8	9.1	11.4	33.2	59.9	(2)	162.2	18.4	69.8
	1902	1,511.2	21.5	9.3	1.5	4.7	17.6	15.3	27.4	12.9	(2)	145.4	17.6	67.5
	1903	1,592.4	21.4	5.4	0.1	21.9	15.2	24.8	26.0	32.3	(2)	143.2	21.5	75.1
	1904	1,558.7	16.9	4.6	.....	8.1	8.1	6.4	21.7	35.6	(2)	141.1	20.4	67.4
	1905	1,605.4	21.1	6.5	.....	5.2	5 0	7.2	23.4	25.8	17.9	144.1	23.4	74.0
	1906	1,617.1	21.4	4.4	.....	14.9	5.6	20.3	26.7	18.1	16.7	132.6	22.1	78.3
	1907	1,654.4	19 8	3.8	.....	6.6	6.2	12.5	24.0	42.8	15.1	144.9	17.7	77.5
	1908	1,484.3	17 8	3.3	.....	7.8	5.8	7.8	18.6	31.5	12.8	129.6	21.4	73.3
	1909	1,500.5	13.9	2.8	.....	12.2	10.6	10.9	18.8	16.2	8.8	130.7	21.5	80.3

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
1.9	9.7	40.9	167.9	147.2	158.6	97.7	133.2	93.0	89.0	76.9	11.5	84.5	64.0	158.3	9.8
1.6	10.2	33.2	159.4	147.4	133.0	96.8	113.5	87.2	89.3	66.1	12.2	94.1	49.9	152.5	6.5
1.4	10.3	31.2	154.0	153.7	124.0	97.8	105.0	86.1	90.9	68.1	12.7	84.5	47.2	145.3	5.5
1.6	11.3	28.2	150.2	159.9	121.6	95.3	101.0	86.2	97.3	68.8	13.8	94.9	40.4	141.7	4.5
1.3	12.8	31.6	150.0	171.6	134.8	96.0	110.6	87.8	103.1	72.0	14.7	95.2	37.2	144.7	4.8
1.5	12.9	34.2	146.5	171.8	114.7	89.2	115.7	86.8	103.4	69.4	16.0	95.0	36.5	126.8	3.6
1.1	12.7	25.0	142.5	168.3	108.2	87.5	120.0	85.5	97.5	70.8	13.9	104.1	32.9	123.5	5.3
1.2	13.5	25.8	144.6	182.2	117.3	90.2	113.3	83.8	102.4	71.2	15.7	106.5	29.9	123.9	3.7
1.0	13.4	19.0	132.9	172.3	95.1	79.6	111.6	80.0	93.7	69.0	17.8	94.2	26.1	117.1	2.8
0.9	13.8	15.4	131.3	177.8	96.3	82.3	103.2	77.6	95.2	65.4	16.5	92.7	21.9	114.2	2.6
1.6	9.3	44.9	165.4	147.4	177.9	108.9	144.7	96.0	99.9	87.8	12.8	91.5	65.0	153.8	8.1
1.5	10.0	36.3	154.0	146.5	142.9	106.7	127.0	90.9	98.9	73.0	13.6	101.6	51.2	148.8	5.5
1.4	9.9	35.0	150.1	153.5	137.3	111.3	119.0	90.2	100.2	74.9	14.3	90.3	49.9	141.9	4.3
1.5	10.9	30.8	144.1	156.6	135.5	106.4	113.7	89.4	106.9	77.5	15.5	100.5	42.6	139.2	3.5
1.2	12.6	35.3	141.8	167.2	149.2	106.5	124.6	91.1	113.2	79.1	16.5	100.2	38.3	140.4	3.5
1.5	12.8	38.4	139.0	168.0	122.9	98.0	126.8	89.2	112.8	75.4	17.6	99.3	37.6	123.6	2.8
1.0	13.1	29.3	136.4	173.0	121.5	103.6	132.7	92.1	114.3	80.3	16.1	107.4	33.8	123.6	2.5
1.2	13.9	30.5	137.5	184.8	131.2	105.3	130.1	89.6	119.0	80.4	17.9	107.7	30.6	126.1	1.8
1.0	13.7	20.8	124.5	175.7	105.4	92.9	123.9	85.9	108.7	77.2	20.4	92.9	26.5	117.2	1.3
0.9	14.5	16.8	121.4	181.8	107.7	95.9	118.0	84.1	110.9	73.2	19.3	94.9	21.6	114.9	1.2
2.0	11.0	40.6	165.3	151.4	152.7	95.5	139.9	89.6	88.7	72.3	10.2	77.4	56.9	158.8	8.9
1.6	11.5	32.8	161.9	153.2	129.5	97.6	116.3	83.3	89.6	66.1	10.4	88.9	45.5	151.3	5.5
1.4	11.7	29.7	155.6	160.0	116.2	97.4	103.2	81.0	90.3	68.1	10.3	78.3	40.5	144.2	5.0
1.7	12.6	27.9	153.9	167.6	113.2	96.1	98.9	82.5	96.0	67.0	11.3	88.2	36.5	140.2	4.3
1.4	14.2	34.1	156.7	181.4	130.3	97.8	110.3	83.9	102.4	70.9	12.2	93.0	33.8	145.6	4.9
1.5	14.1	39.0	153.1	181.7	112.6	90.0	117.4	83.5	101.6	69.2	13.5	90.6	33.9	127.2	3.4
1.2	13.4	24.4	145.6	173.8	106.8	88.4	122.0	83.1	95.8	71.6	12.8	104.6	32.1	123.7	5.4
1.2	14.2	24.1	147.7	188.9	113.5	90.4	113.8	81.2	100.7	71.4	14.5	106.5	28.5	122.7	3.9
1.0	13.8	18.5	135.6	175.2	91.9	80.1	111.1	76.9	90.8	69.1	16.8	94.4	25.6	116.0	2.9
0.9	14.1	15.2	133.7	178.9	93.2	82.9	100.8	75.2	92.3	65.6	15.9	91.0	21.3	112.8	2.6
1.5	11.1	48.4	158.0	155.6	186.5	116.2	168.9	92.6	110.2	90.4	11.8	85.2	52.6	149.9	4.6
1.5	12.1	38.6	153.4	156.0	146.4	118.0	145.6	87.4	109.0	80.0	11.7	99.8	44.6	142.8	2.7
1.3	11.8	36.1	149.0	164.6	136.6	124.2	129.6	85.2	108.3	81.8	11.7	84.8	40.7	136.5	2.2
1.6	13.0	32.8	144.8	167.2	134.3	119.0	122.5	86.1	114.2	82.8	12.8	94.2	37.7	134.2	2.2
1.2	14.9	43.3	145.4	180.1	155.6	120.3	138.2	87.6	122.0	84.1	13.9	101.5	33.3	137.7	2.4
1.4	14.8	51.0	142.9	181.8	127.4	108.2	140.8	85.9	119.1	81.1	15.0	95.8	34.1	121.1	1.6
1.1	14.5	30.0	139.5	185.2	124.9	112.4	142.0	90.5	118.6	86.0	14.9	109.8	32.7	124.0	1.6
1.2	15.4	29.3	140.1	198.4	130.4	112.5	138.7	87.4	123.4	84.8	16.7	108.3	28.4	125.1	1.3
1.0	14.5	20.5	126.2	182.5	103.3	99.0	128.0	82.3	109.2	80.8	19.6	92.8	25.7	115.1	1.0
0.9	15.3	16.8	123.1	185.0	104.9	101.1	117.6	81.4	109.9	75.9	19.0	92.4	20.2	112.2	0.9
2.5	10.8	31.6	173.6	146.6	113.9	71.7	106.6	86.1	63.9	51.6	8.3	68.3	61.7	169.1	13.8
1.9	10.8	25.8	172.4	149.7	108.7	72.6	80.4	78.2	65.8	49.0	8.7	75.6	46.7	161.7	8.9
1.5	11.5	21.7	163.8	154.3	90.8	63.9	70.1	75.7	67.7	51.1	8.5	70.2	40.3	153.8	8.5
1.8	12.1	21.6	165.5	168.2	86.3	67.1	68.8	77.9	73.0	46.8	9.4	80.6	35.0	147.9	7.0
1.7	13.3	22.3	171.2	183.0	97.7	68.9	74.3	79.0	77.1	53.7	10.1	82.1	34.3	155.8	8.2
1.5	13.3	23.3	166.5	181.7	93.1	65.9	86.5	80.2	78.4	53.3	11.6	83.6	33.7	135.1	5.8
1.3	12.0	17.8	152.7	160.5	85.8	60.4	98.6	74.4	69.2	55.0	10.4	98.5	31.3	123.3	9.9
1.2	12.8	17.9	156.7	177.6	93.5	64.3	84.5	74.0	73.9	55.5	11.9	104.3	28.7	119.9	7.0
0.9	12.9	16.3	146.0	167.0	79.1	59.0	92.4	70.8	70.3	56.1	13.7	96.3	25.5	117.0	5.1
0.9	12.8	13.5	145.2	172.3	80.4	63.2	82.5	68.4	73.2	54.5	12.6	89.5	22.4	113.4	4.5
1.7	7.5	41.4	172.7	139.4	169.4	101.7	120.8	99.4	89.6	85.3	13.9	97.7	77.2	157.5	11.6
1.6	7.9	34.0	154.7	136.9	139.4	95.2	108.3	94.4	88.7	66.0	15.5	103.5	57.9	154.8	8.3
1.5	7.9	33.8	151.2	142.3	138.1	98.3	108.3	95.3	92.1	68.0	17.0	95.9	59.2	147.4	6.3
1.5	8.8	28.7	143.5	145.9	136.6	93.8	104.9	92.8	99.5	72.2	18.3	106.8	47.6	144.3	4.9
1.2	10.2	27.3	138.2	154.3	142.8	92.8	110.9	94.7	104.3	74.0	19.2	98.9	43.3	143.2	4.5
1.5	10.8	25.8	135.1	154.4	118.4	87.8	112.7	92.5	106.5	69.7	20.2	102.7	41.0	126.1	4.0
0.8	9.9	27.6	129.4	145.6	114.0	84.0	111.9	95.5	104.6	67.5	18.8	101.9	36.2	122.6	4.6
1.2	10.5	33.0	131.7	154.6	132.8	89.3	111.1	94.5	109.2	70.6	20.4	106.5	35.7	128.4	2.8
1.1	11.3	21.5	120.2	158.5	110.6	77.3	113.7	95.0	107.4	68.2	22.6	93.3	28.6	122.3	2.0
0.8	11.7	17.0	115.4	170.4	117.6	78.0	119.4	93.3	114.5	64.0	20.4	103.7	26.6	124.2	2.3
0.2	13.1	18.7	118.8	192.1	86.5	57.8	58.2	74.8	70.6	40.6	23.4	141.0	23.9	108.9	5.4
1.0	12.8	28.9	124.2	206.1	94.3	61.9	50.3	83.0	82.3	41.6	27.9	130.5	21.6	108.2	3.5
0.9	13.2	24.3	123.4	195.1	79.9	56.4	49.9	80.7	84.5	43.1	34.7	118.0	17.0	117.8	2.0
0.7	15.3	15.5	123.2	198.6	68.8	51.6	49.3	74.2	85.3	38.6	30.6	111.0	11.1	112.3	0.9
1.4	7.4	26.9	83.5	109.9	130.0	52.9	79.6	83.5	65.8	56.5	16.7	139.1	10.6	122.7	7.0
1.0	9.4	29.5	90.7	115.6	134.4	59.3	91.1	82.0	74.0	58.0	18.7	141.8	15.3	133.0	2.3
1.3	8.4	23.1	86.8	122.5	132.7	56.1	77.9	77.3	69.6	62.9	19.8	125.5	6.8	118.9	1.7
0.6	7.7	15.0	89.2	119.4	127.9	56.2	86.5	79.0	78.5	61.7	22.7	131.5	5.7	120.5	1.3
2.3	14.4	41.9	168.4	166.9	138.6	91.7	165.8	97.7	95.9	78.6	12.5	85.9	24.1	164.0	3.5
2.3	12.7	33.1	165.4	161.6	106.9	88.9	106.3	80.8	84.2	73.6	10.7	88.4	16.3	144.7	7.5
1.3	12.7	34.2	165.4	166.8	97.9	75.1	113.3	81.6	91.0	73.8	11.5	83.4	20.8	137.8	3.5
1.6	13.1	33.8	162.7	177.7	106.2	88.5	104.5	83.8	91.6	73.9	12.1	98.5	21.9	133.5	2.1
2.1	16.7	41.9	160.4	180.8	108.9	75.6	117.0	85.9	103.5	72.8	14.9	96.1	17.2	128.2	6.2
1.3	14.5	49.5	169.0	194.8	107.2	78.0	129.4	85.6	96.9	66.2	15.8	103.7	20.7	115.0	4.1
1.1	18.3	30.0	164.6	191.0	109.8	88.0	128.3	86.1	95.5	77.0	13.4	111.8	17.1	120.0	4.1
1.8	18.6	32.8	164.9	210.3	124.7	79.9	131.5	82.3	99.9	76.3	17.6	101.9	21.5	116.8	2.8
1.6	18.8	26.2	152.3	191.8	93.9	70.4	112.8	71.9	102.1	77.0	18.3	93.7	17.7	102.3	3.9
1.6	19.4	22.1	156.7	193.5	98.8	76.7	111.5	68.3	107.8	73.6	21.1	91.6	20.8	108.5	1.6

[2] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION STATES—Continued.														
Indiana	1900	1,419.1	51.1	14.5	0.9	4.7	5.5	12.4	35.0	18.6	(2)	173.2	14.7	42.8
	1901	1,384.9	47.0	9.4	0 8	8.1	6.1	9.7	20.9	39.4	(2)	164.1	19.5	44.3
	1902	1,289.3	49.5	7.5	3.1	4.5	6.1	9.2	16.0	12.5	(2)	153.9	18.7	48.4
	1903	1,237.2	41.3	6.0	7.6	6.5	7.3	10.8	17.8	16.2	(2)	153.6	20.4	50.1
	1904	1,380.8	41.6	5.7	3.7	19.0	8.4	6.1	12.2	21.1	(2)	172.9	22.5	51.5
	1905	1,317.0	38.3	5.2	1.3	0.5	5.6	11.1	14 0	25.4	20.1	152.3	22.2	56.8
	1906	1,283.5	37.0	5.5	0.2	2.9	4.2	12.4	15.4	10.3	18.8	145.6	24.9	55.4
	1907	1,295.0	35.8	4.1	0.3	8.5	3.7	6.1	13.2	25.5	17.1	145.2	26.1	59.2
	1908	1,275.7	34.1	4.0	0.3	7.7	3.6	15.6	12.1	29 5	16.8	142.2	27.3	67.3
	1909	1,285.1	32.8	4.7	0.1	5.4	5.9	12.8	13.2	16.0	18.4	138.6	30.6	69.1
Maine	1900	1,711.0	28.2	1.7	0.4	8.8	5.2	10.7	22.6	34.0	(2)	157.4	25.1	74.6
	1901	1,602.8	32.2	1.6	.....	4.1	2.9	4.3	18.2	42.6	(2)	155.1	26.3	82.2
	1902	1,535.0	24.4	3.0	1.6	4.3	1.8	7.2	16.0	17.3	(2)	138.8	28.1	86.3
	1903	1,581.0	32.3	1.6	1.0	5.6	2.7	15.2	16.1	26.6	(2)	128.3	24.4	84.4
	1904	1,634.9	35.0	1.5	0.4	3.2	1.3	7.7	22.5	23.4	(2)	146.2	25.1	85.5
	1905	1,604.3	22.1	1.8	.....	4.7	1.0	5.4	15.4	35.7	11.0	123.2	30.6	91.9
	1906	1,602.8	18.2	1.0	.....	15.6	0.7	13.4	16.0	14.2	13.8	130.1	25.8	85.1
	1907	1,637.2	17.4	1.4	.....	4.4	1.9	9.7	16.5	36.4	6.9	132.3	34.0	99.7
	1908	1,567.9	20.4	1.0	.....	3.0	2.3	10.1	13.9	30.8	9.0	119.7	32.2	94.7
	1909	1,557.1	14.6	0.9	.....	4.6	4.3	7.7	15.2	23.8	6.1	114.3	32.1	98.4
Maryland	1906	1,599.0	41.2	4.1	.....	5.7	6.1	30.7	26.2	11.2	14.0	183.7	24.4	61.2
	1907	1,644.4	41.1	3.0	.....	10.7	2.4	11.2	15.7	28.3	14.9	181.2	22.9	62.1
	1908	1,581.4	39.7	1.9	.....	6.1	7.6	10.6	14.0	29.1	15 0	177.8	23.8	64.3
	1909	1,548.9	32.6	2.1	.....	10.5	3.4	17.7	12.4	18.4	11.3	180.2	23.0	62.2
Massachusetts	1900	1,825.1	22.0	2.9	0.1	11.6	14.2	14.1	52.5	37.1	(2)	188.0	24.3	74.6
	1901	1,694.4	19.9	3.2	3.4	8.0	13.9	9.1	41.1	27.7	(2)	179.0	23.8	76.7
	1902	1,646.6	18.5	2.0	9.8	11.5	10.7	13.7	31.0	7.6	(2)	166.4	23.1	77.4
	1903	1,670.9	18.1	2 2	0.8	9.3	17.7	21.1	30.3	18.9	(2)	158.3	24.8	80.9
	1904	1,634.0	16.7	2 0	0.3	8.7	5.2	5.6	24.5	14.9	(2)	173.6	25.7	88.0
	1905	1,676.0	18.0	1.4	0.1	8.4	4.2	9.6	22.2	21.6	12.4	163.1	29.6	89.3
	1906	1,632.6	15.9	1 2	.....	10.9	4.7	22.8	25.1	9.6	10.9	153.3	27.7	89.0
	1907	1,703.6	12.6	1.2	0.2	8.5	9.8	10.8	24.3	25.7	10.5	153.6	25.2	91.2
	1908	1,592.5	16.1	0.5	0.1	15.0	12.0	12.7	23.4	18.2	11.7	140.4	25.8	90.5
	1909	1,544.4	11.8	0.7	(3)	7.8	8.6	12.0	21.6	12.9	11.9	134.0	26.7	89.8
Michigan	1900	1,403.3	36.5	6.5	0.4	13.2	11.2	7.8	22.1	15.5	(2)	90.2	16.6	61.2
	1901	1,341.9	26.3	4.6	1.1	3.1	12.4	6.6	20.8	43.4	(2)	88.4	15.1	60.0
	1902	1,266.9	24.5	4.0	1.6	9.4	10.7	10 6	19.8	12.3	(2)	84.1	14.0	59.6
	1903	1,323.3	24.1	2.6	1.2	6.9	8.0	15 2	27.3	18.0	(2)	85.3	16.1	67.5
	1904	1,359.0	25.2	2.6	1.1	7.5	8.3	5.7	19.8	25.0	(2)	91.3	16.6	67.4
	1905	1,338.0	23.9	2.3	2.9	4 0	4.5	4.4	18.1	22.3	12.9	87.6	16.3	63.6
	1906	1,403.4	27.3	1.9	0.2	9.7	8.9	17.5	17.8	9.9	15.9	88.6	16.0	66.5
	1907	1,359.8	22 2	1.2	0.3	9 2	6.4	8.0	15.5	29.4	9.6	86.5	14.4	65.0
	1908	1,339.8	25.1	1.4	0.3	4.4	7.1	10 6	12.7	19.7	12.8	82.3	17.0	70.6
	1909	1,307.9	23.7	1.0	0.1	9.6	10.3	7.6	14.5	13.2	9.6	80.7	14.5	70.4
New Hampshire	1900	1,854.8	22.1	2.2	0.2	5.8	6.1	9.7	24.1	44.7	(2)	151.1	19.2	71.9
	1901	1,681.5	18.9	1.7	1.2	1.5	12.8	6.8	20.8	34.6	(2)	147.0	18.9	88.0
	1902	1,599.9	18.3	0.5	1.7	4.8	0.5	7.5	37.8	12.3	(2)	135.5	16.1	81.8
	1903	1,668.9	24.7	1.9	.....	10.1	2.6	15.3	25.1	36.4	(2)	129.6	18.0	78.3
	1904	1,621.2	18.8	2.1	0.5	1.7	2.4	5.0	16.7	30.3	(2)	142.1	20.0	81.5
	1905	1,726.3	15.7	1.7	.....	14.7	0.9	8.5	19.0	39.4	14.5	137.4	16.9	85.2
	1906	1,709.8	21.5	2.1	.....	3.8	3.5	19.4	21.5	19.1	11.1	132 1	21.0	91.2
	1907	1,756.6	12.2	1.6	.....	4.7	2.1	15.5	22.8	43.0	8.9	114.1	19.8	98.3
	1908	1,675.6	19.4	0.9	.....	4.2	1.4	9.6	25.1	28.3	11.2	112.6	20.8	89.9
	1909	1,691.2	12.6	0.5	.....	10.0	4.2	12.1	17.7	23.5	9.8	112.8	16.1	93.5
New Jersey	1900	1,775.2	22.0	5.1	0.3	11.5	9.9	15.6	48.7	21.7	(2)	184.0	21.1	53.9
	1901	1,642.3	19.5	4.4	7.2	3.6	9.8	9.1	36.5	20.3	(2)	171.7	20.7	58.2
	1902	1,578.7	21.6	3.2	21.6	11.0	11.6	15.3	35.0	4.7	(2)	157.1	19.0	53.5
	1903	1,567.5	19.5	3.1	0.8	2.9	14.9	14.3	38.6	11.7	(2)	169.3	19.8	58.3
	1904	1,690.8	18.6	2.8	1.1	9.9	21.1	6.6	47.8	12.4	(2)	181.6	25.5	57.6
	1905	1,581.6	16.4	2.4	(3)	5.1	8.7	8.5	32.5	9.5	16.7	170.7	26.8	63.2
	1906	1,594.5	16.5	2.2	0.1	10.1	9.4	16.4	30.5	5.4	13.3	168.4	27.6	65.0
	1907	1,612.1	18.3	2.0	.....	6.4	13.5	10.3	30.0	13.8	12.6	165.9	25.0	63.6
	1908	1,484.8	14.3	1.2	(3)	7.8	17.8	9.9	22.5	9.8	10.4	154.1	25.7	64.9
	1909	1,468.1	11.2	0.9	0.1	9.5	14.6	10.9	25.3	7.0	8.1	148.5	25.4	68.0
New York	1900	1,820.8	27.6	4.5	0.2	16.1	9.9	11.4	45.4	19.7	(2)	191.1	23.1	66.7
	1901	1,709 7	24.9	3.8	5.9	10.0	19.8	8.5	40.3	35.6	(2)	186.8	24.2	69.8
	1902	1,642.8	23.2	3.1	5.8	11.4	16.5	11.9	37.7	9.4	(2)	166.8	23.9	68.9
	1903	1,646.9	22.2	2.1	0.5	8.5	14.5	10 1	38.1	17.4	(2)	170.7	25.2	71.7
	1904	1,795.9	21.3	2.3	0.2	14 4	15.9	5 4	38.1	22 1	(2)	179.7	25.0	73.8
	1905	1,701.0	19.9	1.7	0.1	11.2	9.7	9 5	27.9	15.8	14.0	173.7	24.2	76.1
	1906	1,694.3	19.2	2.2	0.1	15.2	9.1	9 8	32.4	9.0	14.2	173.8	25.1	75.6
	1907	1,725 1	20.0	1.7	0.1	11 4	12.7	9.0	30.0	25.9	11.0	169.0	26.5	77.7
	1908	1,591.0	16.1	1.0	(3)	13.3	20.1	5 9	27.7	17.1	10.8	164.3	26.3	77.9
	1909	1,566.2	14.9	1.1	(3)	14.6	13.8	8.7	25.8	10.6	9.4	156.4	25.0	81.2
Ohio	1909	1,285.9	27.0	1.6	0.1	5.3	4.3	6.3	12.5	16.0	12.2	124.4	23.2	73.5
Pennsylvania	1906	1,602.3	54.8	1.2	0.1	20 5	8 1	21.7	34.1	11.3	13.6	129.6	21.3	58.9
	1907	1,593.0	48.6	0.9	(3)	9.8	9.0	17.7	29.4	23.3	12.5	128.0	20.7	60.7
	1908	1,513.2	33.0	0.7	.....	16.4	16.4	17 0	26.6	25.1	11.5	117.3	20.3	60.9
	1909	1,469.9	22.7	0.7	.....	14.0	16.1	12.0	26.5	14.4	11.0	115.1	18.8	64.1

[1] Exclusive of stillbirths.

[2] Not computed separately.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
1.9	7.9	35.0	148.6	90.2	110.1	59.4	97.4	85.9	49.2	60.7	6.6	61.3	75.7	145.0	10.8
1.3	8.1	29.3	140.7	97.8	103.2	68.2	88.1	81.4	49.9	72.6	7.5	64.2	56.1	142.4	4.9
0.7	8.9	24.1	125.4	101.0	78.8	57.7	79.3	79.8	52.6	82.8	7.1	63.8	46.2	145.3	6.5
1.0	8.7	21.8	126.1	113.2	69.8	55.9	74.3	77.7	54.7	56.4	8.0	72.9	34.1	121.1	3.9
1.6	9.9	27.2	135.3	123.1	94.1	63.3	79.7	81.3	60.7	80.0	8.8	72.7	34.5	139.3	4.6
1.8	10.2	23.0	131.0	127.8	83.1	56.6	81.0	83.3	60.5	69.0	12.8	72.6	32.4	115.6	3.5
1.2	11.3	21.0	127.8	132.6	79.1	53.3	82.6	85.3	67.6	59.0	12.0	74.5	25.4	116.3	2.0
1.0	11.5	18.2	126.4	147.6	78.7	52.1	80.0	80.6	72.1	58.8	13.4	78.2	18.9	111.4	1.3
0.8	12.5	15.4	124.5	160.3	66.0	52.4	79.0	75.8	69.0	54.1	14.4	79.7	8.7	101.6	1.2
0.8	12.0	13.7	124.2	162.8	70.4	58.9	88.4	79.2	78.1	49.4	15.4	80.8	3.9	98.2	1.4
2.9	10.2	44.8	200.6	174.7	143.6	84.7	112.0	86.8	75.6	61.3	8.8	59.6	66.8	183.3	26.6
1.9	12.6	41.2	188.9	174.5	123.5	70.7	95.9	77.3	80.2	34.0	11.3	62.7	55.2	173.1	30.6
1.3	12.5	34.8	194.4	178.1	119.9	70.7	64.4	74.8	80.3	48.3	10.2	63.0	48.3	181.7	23.4
2.0	13.0	33.5	194.5	184.2	120.4	67.0	74.8	80.1	89.6	55.3	10.7	64.6	49.9	178.6	24.7
1.1	14.6	29.1	188.2	192.9	123.8	73.2	68.2	84.4	89.0	61.6	12.7	81.8	44.4	186.5	31.6
1.7	16.3	27.5	192.6	193.7	117.5	68.7	95.1	85.4	88.6	65.2	11.5	67.4	38.8	172.2	19.2
2.2	16.6	29.3	181.8	191.0	105.0	70.2	110.8	76.9	97.8	64.1	10.2	72.5	46.5	170.7	23.2
1.6	14.8	35.5	194.0	218.4	127.7	72.4	67.0	79.4	99.9	61.9	11.5	75.9	37.5	157.6	21.3
1.0	16.1	24.5	185.2	210.2	109.7	60.8	116.3	82.3	93.6	61.7	15.3	72.0	27.4	140.3	14.4
1.2	18.7	21.1	186.0	220.0	119.7	75.7	81.2	83.7	93.0	63.8	13.1	72.3	30.7	142.4	12.2
1.2	9.8	23.4	152.1	145.8	97.2	93.1	111.2	75.1	116.2	87.5	9.1	83.8	59.5	117.4	8.5
0.6	11.3	23.6	160.1	157.2	102.6	86.2	129.1	77.5	122.9	93.9	11.4	84.3	58.8	118.1	8.5
0.8	8.9	20.3	160.7	152.4	88.5	86.0	119.8	74.2	119.8	87.7	11.8	80.1	58.1	116.6	5.8
1.2	10.2	17.5	144.4	150.2	102.3	86.7	115.3	70.6	119.8	89.3	13.4	78.0	54.2	116.4	5.5
1.9	12.8	46.7	163.3	183.8	142.5	101.0	161.7	80.6	74.7	99.7	9.3	72.0	56.7	168.1	8.9
2.4	11.7	39.8	165.8	185.4	127.4	90.2	117.7	77.5	76.7	91.5	10.7	81.0	52.9	153.2	4.4
1.8	13.6	38.0	165.9	192.7	123.2	95.8	115.1	73.2	74.3	92.7	9.3	73.4	53.8	147.7	4.4
2.1	14.4	37.6	158.8	199.1	127.9	93.6	117.2	75.2	81.2	95.0	10.8	78.4	43.9	149.2	4.2
1.3	15.8	32.8	160.8	211.3	121.6	88.1	114.4	74.9	85.0	93.8	10.2	80.7	30.8	144.6	2.7
1.9	15.9	42.6	162.8	226.1	125.8	83.3	129.1	77.4	86.5	85.7	10.6	86.6	34.8	125.0	1.9
1.5	15.9	33.4	158.4	221.7	119.8	82.2	120.0	75.9	83.4	95.4	9.4	86.0	34.0	122.4	2.3
1.5	17.8	36.5	164.4	243.2	123.3	91.4	124.7	77.2	88.4	89.3	12.3	91.1	35.9	130.9	2.0
1.4	16.4	23.6	151.1	228.8	108.8	83.2	121.7	68.9	82.1	89.9	13.9	83.0	36.1	115.6	1.4
1.5	17.9	18.8	149.9	232.9	116.1	79.4	121.9	69.4	85.3	79.9	13.0	79.3	23.6	115.7	2.1
2.5	10.4	25.2	151.9	129.9	92.8	79.0	121.4	93.2	48.8	55.6	9.0	71.6	44.6	164.2	22.0
1.5	10.5	18.1	147.0	133.8	99.1	80.8	91.5	86.6	46.6	45.4	9.0	82.9	35.8	158.6	12.9
1.5	12.1	15.6	139.0	147.8	85.9	75.4	74.9	86.4	52.5	48.0	9.3	78.0	28.4	148.9	12.6
2.5	11.3	15.3	146.8	152.1	80.1	74.4	86.1	88.3	55.1	50.3	9.8	86.9	29.3	150.5	12.3
2.1	13.4	15.5	149.9	164.0	80.0	74.4	80.4	90.5	59.6	53.4	11.8	84.1	30.6	164.1	14.7
1.3	10.9	18.3	146.6	158.8	71.8	74.5	96.9	91.7	61.6	56.6	11.2	81.6	40.3	142.5	10.7
1.8	13.5	17.4	147.0	169.7	72.8	72.8	114.6	93.9	63.1	65.1	9.6	86.8	35.7	149.5	10.1
1.6	13.8	17.7	151.1	183.1	81.8	72.6	66.6	88.4	62.1	62.9	10.6	92.0	33.2	145.8	8.8
1.1	13.6	14.4	142.7	174.3	64.0	60.1	101.9	90.1	61.5	66.7	14.4	85.6	33.7	148.6	2.9
1.2	14.2	14.0	142.4	177.2	62.5	63.4	83.9	87.7	62.1	74.8	11.3	79.4	27.9	147.8	2.8
1.9	17.5	54.4	217.2	187.3	182.2	104.3	133.4	76.8	69.5	76.6	8.7	61.2	92.6	195.6	18.5
2.2	11.6	40.4	209.1	187.8	132.2	93.8	109.3	75.2	74.7	36.3	11.8	63.8	73.7	188.3	19.3
2.2	12.3	45.5	212.2	200.0	129.7	83.3	85.2	82.3	79.6	38.0	6.7	54.4	62.3	177.3	12.3
3.1	19.2	38.1	202.6	218.4	125.7	78.3	100.8	83.6	88.4	35.2	11.3	87.4	46.9	180.8	6.9
1.4	14.5	31.2	201.0	216.7	112.1	79.4	97.3	88.2	94.2	41.7	11.0	73.2	45.3	187.2	5.7
2.8	18.3	72.1	192.9	223.6	113.0	67.6	114.4	94.2	103.7	51.0	10.4	78.1	49.6	175.4	5.2
2.6	17.2	51.5	194.9	233.2	106.5	80.3	119.8	96.4	110.6	87.6	8.7	83.9	41.8	183.3	5.0
2.6	18.8	38.8	218.2	255.4	115.2	88.7	85.4	90.3	98.1	93.1	10.8	81.4	41.9	170.0	4.7
1.6	20.6	35.1	194.1	238.1	98.8	79.4	111.4	85.2	96.5	87.3	15.2	76.3	38.2	171.6	2.6
1.4	20.3	33.8	200.2	252.7	113.3	81.3	111.9	86.7	101.2	82.7	14.0	73.4	32.4	171.1	2.1
1.6	8.3	54.6	194.9	152.4	145.3	114.3	144.4	87.3	96.3	75.6	11.5	98.3	69.8	121.5	5.3
1.3	8.8	43.9	189.1	141.8	125.5	97.9	123.5	81.5	93.9	72.1	12.3	110.4	59.5	117.5	2.3
0.9	8.9	40.2	181.7	149.8	116.5	104.9	112.1	78.3	96.5	69.3	11.2	83.7	58.6	110.8	1.9
0.5	10.3	40.6	177.4	148.9	117.9	93.4	95.7	80.9	101.1	71.0	13.5	97.2	51.8	112.5	1.6
1.0	11.1	40.4	172.7	159.6	154.8	101.3	131.5	80.1	100.6	73.1	14.2	94.9	45.7	121.9	2.6
1.3	11.8	46.7	158.9	156.3	116.2	91.1	123.5	76.8	108.1	68.0	15.6	100.1	44.1	101.2	1.3
0.9	12.6	31.5	159.0	162.1	130.2	93.7	127.9	73.8	105.5	71.2	15.2	101.3	40.8	103.2	1.1
0.8	13.6	29.3	159.2	170.9	137.1	93.4	128.8	75.1	113.7	69.3	16.9	100.1	37.4	104.4	0.7
0.8	12.3	22.8	148.5	160.2	105.8	84.6	122.5	71.0	103.1	72.2	18.5	90.7	33.9	98.7	0.7
0.8	12.9	21.5	143.3	158.9	117.5	92.2	111.0	68.2	105.8	67.1	17.2	91.9	31.9	98.0	0.2
1.8	11.4	40.2	158.8	156.3	193.2	105.3	148.2	93.6	118.7	69.3	11.8	83.2	53.8	156.8	2.7
1.5	12.8	31.3	156.9	159.8	153.5	119.1	131.8	85.8	121.2	61.0	10.8	101.7	40.8	151.3	0.6
1.5	12.2	27.6	150.7	166.7	135.8	121.2	113.1	82.1	119.1	60.9	11.8	86.3	34.6	139.8	0.9
1.8	13.6	25.8	146.1	174.3	128.6	120.6	101.7	83.1	125.5	64.3	12.1	96.1	33.5	138.0	0.7
1.2	15.5	41.8	152.0	195.7	158.7	124.7	125.1	85.0	135.0	65.8	13.0	109.6	33.6	140.6	0.5
1.3	15.5	47.4	147.2	189.2	124.9	111.4	129.1	82.9	129.1	68.5	15.1	99.6	30.5	125.0	0.4
1.1	15.9	27.5	143.0	192.9	122.3	117.9	129.0	84.8	131.6	71.2	14.3	103.2	27.6	126.2	0.4
1.1	16.7	23.7	142.2	210.3	130.8	123.8	131.5	81.1	137.1	71.7	15.0	104.2	17.1	123.8	0.1
0.9	16.2	17.0	131.7	201.1	101.2	106.8	126.2	76.9	122.8	70.6	18.7	92.0	16.9	111.5	0.3
0.8	16.9	14.5	128.5	208.5	106.9	119.9	108.9	75.8	127.5	66.1	17.5	90.0	13.6	109.1	0.1
1.2	12.1	13.9	128.8	173.2	74.0	61.3	82.6	75.3	76.6	56.2	14.6	88.8	11.6	106.4	2.8
1.1	10.5	17.7	148.7	149.6	103.7	90.1	157.5	84.2	84.3	77.3	10.9	131.6	36.7	115.7	7.4
1.2	11.6	17.5	150.5	161.8	107.8	89.8	137.0	83.3	88.9	77.0	12.3	137.0	35.7	115.7	5.5
0.8	12.1	14.0	139.3	152.9	95.7	92.0	140.1	79.7	85.6	75.5	13.3	116.5	34.2	114.1	2.1
0.6	12.0	11.7	140.4	159.6	99.4	96.9	130.9	77.8	88.6	72.0	12.6	108.4	31.9	109.5	2.0

[3] Less than one-tenth.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION STATES—Continued.														
Rhode Island	1900	2,045.5	28.7	7.0	0.2	42.9	7.7	16.6	46.0	70.2	(2)	196.9	34.1	70.5
	1901	1,812.6	23.5	8.0	1.1	3.6	4.8	3.9	44.2	39.9	(2)	192.1	30.1	72.7
	1902	1,770.6	20.3	5.8	8.2	5.1	6.2	17.6	35.4	14.7	(2)	178.8	30.5	82.4
	1903	1,880.0	17.6	6.1	0.7	30.0	12.8	34.6	42.9	34.6	(2)	189.6	36.1	77.3
	1904	1,724.2	14.9	4.3	.....	3.4	14.9	1.7	30.9	23.2	(2)	170.5	38.7	86.6
	1905	1,709.7	17.1	3.3	.....	7.5	7.1	9.6	28.7	28.3	17.3	175.6	38.3	80.4
	1906	1,737.9	16.4	3.0	.....	24.7	16.2	18.8	25.5	10.7	18.4	165.0	35.8	77.7
	1907	1,777.6	10.9	1.4	.....	6.1	28.0	16.8	24.5	25.8	15.6	161.6	36.9	90.0
	1908	1,591.7	12.7	1.9	.....	15.6	6.9	6.2	29.1	26.0	11.7	167.8	35.2	82.2
	1909	1,556.6	12.0	1.5	.....	11.5	5.8	10.7	19.5	14.6	12.4	150.1	28.0	87.5
South Dakota	1906	845.8	20.1	.....	.....	5.3	4.5	18.5	11.7	3.3	9.9	80.3	13.1	33.9
	1907	906.9	18.1	.....	0.8	10.5	3.9	26.7	15.6	12.1	6.0	80.2	17.6	36.1
	1908	919.1	18.2	0.7	1.5	19.1	7.4	7.8	19.7	18.4	8.9	79.7	12.6	41.8
	1909	854.0	17.2	.....	0.4	4.4	14.9	10.5	14.7	8.2	10.8	74.5	11.9	30.5
Vermont	1900	1,656.4	33.8	1.7	.....	7.9	4.7	6.1	15.1	37.0	(2)	138.2	16.3	87.9
	1901	1,657.1	28.7	1.4	.....	9.3	11.3	11.0	14.8	44.1	(2)	133.9	17.7	70.4
	1902	1,503.3	19.1	1.2	0.6	6.4	9.0	9.8	11.0	21.1	(2)	119.6	16.8	69.0
	1903	1,619.9	24.7	1.4	0.9	8.3	1.4	4.3	16.4	34.2	(2)	114.8	19.9	93.5
	1904	1,598.9	29.8	1.7	.....	0.9	2.6	6.6	16.6	44.4	(2)	114.4	20.4	86.9
	1905	1,698.1	24 6	1.7	.....	10.9	2.9	11.4	16.3	51.4	10.3	122.0	18.9	84.0
	1906	1,671.0	19.4	1.1	.....	8.8	2.8	6.5	19.6	21.9	16.2	113.3	19.9	85.1
	1907	1,616.0	10.8	2.6	.....	2.6	2.3	14.8	10.5	51.4	10.2	106.7	24.1	98.7
	1908	1,594.2	19.2	0.3	0.3	2.5	2.3	13.0	11.3	43.5	15.3	108.3	24.0	91.9
	1909	1,571.7	14.9	0.3	.....	21.4	3.1	3.9	8.7	38.0	9.3	100.9	25.6	97.2
Washington	1908	929.8	27.8	0.6	0.3	2.1	3.5	2.5	22.3	9.0	8.1	84.7	20.5	45.3
	1909	980.4	28.0	0.3	0.8	4.0	16.6	3.1	17.3	9.0	7.1	85.2	22.3	51.2
Wisconsin	1908	1,174.6	14.0	0.3	0.4	4.2	5.8	8.4	18.2	23.7	8.7	93.9	15.4	65.9
	1909	1,178.1	14.5	0.5	0.7	7.3	16.1	9.7	18.0	13.0	8.9	94.2	15.7	71.0
REGISTRATION CITIES.														
ALABAMA.[3]														
Birmingham	1908	1,777.5	83.3	22.4	.....	.....	.....	4.8	20.8	14.4	19.2	211.6	38.5	65.7
	1909	1,819.6	59.7	21.3	.....	.....	1.4	27.0	7.1	10.0	15.6	237.4	46.9	51.2
Mobile	1900	2,716.5	83.2	75.4	2.6	2.6	31.2	41.6	5.2	10.4	(2)	431.5	23.4	88.4
	1901	2,409.6	69.6	56.7	7.7	.....	25.8	2.6	2.6	33.5	(2)	422.6	12.9	69.6
	1902	2,301.1	81.8	46.0	.....	.....	.....	12.8	35.8	7.7	(2)	342.6	20.5	66.5
	1903	2,389.6	53.3	53.3	.....	.....	.....	20.3	20.3	20.3	(2)	398.3	7.6	71.0
	1904	2,647.9	60.4	27.7	2.5	35.2	.....	12.6	25.2	10.1	(2)	410.3	27.7	57.9
	1905	2,652.4	112.4	35.0	.....	.....	2.5	7.5	7.5	62.4	52.4	432.1	25.0	92.4
	1906	2,770.9	37.2	32.2	.....	.....	.....	.....	17.3	17.3	34.7	428.8	12.4	74.4
	1907	2,614 6	46.7	29.5	.....	24.6	.....	17.2	12.3	17.2	46.7	396.0	36.9	59.0
	1908	2,236.8	41 2	45.1	.....	15.7	.....	9.8	3.9	58.9	33.4	345.3	15.7	80.4
	1909	2.006.8	60.5	42.9	.....	2.0	2.0	.....	2.0	25.4	21.5	345.2	21.5	52.7
Montgomery	1908	2.118.0	66.4	42.5	.....	2.7	.....	13.3	8.0	53.2	34.5	300.3	18.6	53.2
	1909	2,165.5	73.9	63.3	7.9	.....	.....	10.6	5.3	58.0	34.3	224.2	7.9	79.1
CALIFORNIA.														
Alameda	1900	1,433.4	24.3	.....	.....	.....	12.1	.....	36.4	6.1	(2)	176.1	30.4	91.1
	1901	1,724.5	17.4	5.8	.....	.....	5.8	11.6	46.5	.....	(2)	168.4	11.6	69.7
	1902	1,757.6	22.3	5.6	.....	.....	.....	.....	39.1	.....	(2)	139.5	39.1	106.0
	1903	961.2	32.2	5.4	.....	.....	5.4	5.4	21.5	5.4	(2)	59.1	21.5	59.1
	1904	1,024.7	.....	.....	.....	5.2	10.4	.....	10.4	.....	(2)	124.2	25.9	82.8
	1905	1,228.5	35.0	.....	.....	.....	.....	25.0	5.0	.....	5.0	124.9	35.0	69.9
	1906	1,568.2	33.8	.....	.....	.....	.....	19.3	9.7	4.8	4.8	106.2	24.1	91.7
	1907	1,717.5	37.3	4.7	.....	18.7	9.3	.....	23.3	14.0	9.3	154.0	28.0	88.7
	1908	1,554.7	40.7	9.0	.....	.....	.....	4.5	9.0	4.5	.....	94.9	40.7	108.5
	1909	1,353.6	4.4	.....	.....	.....	4.4	13.1	4.4	8.8	.....	118.3	26.3	127.0
Berkeley	1906	1,261.8	26.8	3.3	.....	3.3	3.3	.....	26.8	6.7	3.3	77.0	43.5	110.4
	1907	1,201.8	24.5	3.1	.....	.....	3.1	9.2	12.3	12.3	9.2	107.3	24.5	95.0
	1908	1,267.0	8.5	.....	.....	11.3	.....	.....	11.3	2.8	5.7	101.8	36.8	110.3
	1909	1,066.3	13.1	.....	.....	5.2	.....	20.9	5.2	2.6	.....	81.0	34.0	104.5
Fresno	1900	1,932.6	240.6	24.1	.....	8.0	8.0	.....	32.1	8.0	(2)	184.4	24.1	112.3
	1901	1,907.9	170.7	14.8	.....	14.8	.....	.....	44.5	14.8	(2)	304.4	22.3	44.5
	1902	1,611.9	104 2	34.7	.....	6.9	6.9	.....	62.5	.....	(2)	194.5	27.8	41.7
	1903	1,808.6	104.5	26.1	6.5	6.5	32.6	.....	19.6	19.6	(2)	195.9	13.1	91.4
	1904	1,545.6	49.3	18.5	.....	30.8	.....	36.9	.....	12.3	(2)	197.0	6.2	30.8
	1905	1,619.7	64.1	.....	.....	.....	11.7	5.8	35.0	17.5	17.5	186.4	35.0	46.6
	1906	1,702.8	127.2	16.6	.....	16.6	.....	.....	22.1	16.6	27.6	199.0	27.6	110.6
	1907	1,751.5	52.6	15.8	.....	31.6	21.0	21.0	31.6	10.5	31.6	189.4	68.4	68.4
	1908	1,850.9	95.3	5.0	.....	10.0	5.0	20.1	55.2	15.0	30.1	250.8	45.1	90.3
	1909	1,519.7	86.3	4.8	.....	.....	4.8	.....	43.1	14.4	19.2	148.6	38.4	86.3
Los Angeles	1900	1,881.4	38.1	2.9	.....	4.9	6.8	20.5	32.2	18.5	(2)	363.0	28.3	89.8
	1901	1,624.2	31.3	1.6	.....	0.8	4.0	3.2	16.1	36.9	(2)	321.1	36.9	89.1
	1902	1,626.3	32.4	1.4	.....	2.8	9.0	4.1	31.7	11.7	(2)	300.1	39.3	82.1
	1903	1,854.8	38.1	0.6	.....	6.0	13.9	6.7	29.0	9.1	(2)	361.8	25.4	88.3
	1904	1,482.1	32.3	2.2	.....	3.8	3.8	0.5	21.0	8.1	(2)	280.1	22.1	63.0
	1905	1,622.8	26.7	.....	.....	1.5	1.5	15.5	18.4	10.7	8.3	312.0	31.1	84.9
	1906	1,678.6	26.5	.....	.....	14.1	2.6	1.3	21.2	8.8	12.8	299.4	34.4	95.8
	1907	1,646.5	22.2	0.8	.....	3.2	3.2	5.6	18.3	11.1	9.5	288.3	36.5	88.6
	1908	1,377.7	17.3	1.1	0.4	2.2	4.0	4.4	17.6	14.7	5.9	230.7	30.5	90.0
	1909	1,372.0	16.1	1.0	0.3	6.8	4.4	7.9	8.5	5.5	6.8	226.3	26.7	97.8

[1] Exclusive of stillbirths.

[2] Not computed separately.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhœa and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
1.7	13.1	48.8	155.2	169.6	158.0	142.3	209.1	89.1	116.0	73.5	11.7	86.3	28.9	210.0	11.4
1.4	18.9	47.2	154.0	161.8	129.2	100.5	181.2	94.3	118.3	81.6	12.3	85.9	24.6	169.1	8.7
1.6	11.8	42.1	152.5	170.5	119.1	104.2	175.2	97.5	116.9	71.7	12.0	84.6	20.7	183.2	2.0
0.4	15.7	24.4	146.3	174.5	138.4	118.8	175.2	96.9	138.2	71.0	11.1	94.7	24.8	165.0	2.4
0.6	15.8	24.5	153.3	176.7	136.9	106.2	149.0	85.1	137.9	67.5	13.0	89.6	19.2	156.4	3.4
0.6	17.1	26.7	138.5	175.2	152.7	102.5	148.1	82.1	140.6	62.7	11.5	81.4	19.6	133.7	3.5
0.4	16.2	27.1	146.0	198.4	140.5	98.2	156.5	101.4	127.7	69.8	15.2	84.6	16.6	121.5	5.5
0.4	16.8	24.7	148.0	215.5	138.9	89.6	158.6	80.3	142.1	68.5	14.4	106.6	19.5	133.6	2.8
0.2	15.0	16.2	140.9	184.9	117.6	84.9	134.7	80.2	117.0	72.9	18.5	82.9	18.5	110.3	1.7
0.6	16.3	14.1	136.2	199.3	111.0	85.5	134.5	71.2	116.1	79.8	14.3	84.3	26.5	112.3	1.1
1.6	8.4	9.4	65.5	56.9	48.7	28.3	51.9	54.2	32.0	31.6	6.6	65.7	25.9	99.2	59.3
1.2	6.6	13.3	71.4	60.7	64.0	31.2	62.4	56.0	33.4	41.2	13.3	67.3	29.1	96.0	32.4
1.7	7.8	12.1	71.4	56.9	70.8	34.2	65.6	53.7	32.0	45.2	9.1	60.6	22.9	107.6	31.8
0.7	8.5	11.4	72.7	55.5	63.7	35.3	48.8	50.0	31.2	49.7	9.2	56.1	27.3	91.9	44.0
2.6	12.5	36.1	187.1	172.3	162.7	73.3	81.2	86.7	71.6	64.0	8.7	58.5	68.4	200.8	21.2
3.2	16.8	40.6	199.7	175.1	141.7	86.1	67.8	78.3	73.9	61.5	10.1	61.2	56.5	224.6	17.4
2.3	12.4	35.2	174.2	171.0	136.0	86.6	45.6	84.0	80.9	66.4	7.5	65.9	42.5	191.8	17.6
2.3	14.1	27.1	208.4	202.6	116.0	88.1	73.4	96.4	85.5	65.0	10.6	84.0	33.1	180.2	13.2
1.7	21.2	32.7	174.9	198.7	124.5	84.0	65.7	94.6	92.3	57.9	12.9	69.4	36.4	193.0	14.6
2.0	18.0	28.9	200.0	215.2	142.3	82.0	84.3	89.7	92.6	64.3	12.3	82.0	40.0	180.3	10.0
0.9	18.2	29.3	195.9	226.1	126.1	85.7	99.4	96.2	91.4	60.6	14.0	83.7	25.3	187.3	15.9
0.3	17.9	18.2	191.5	245.4	140.2	79.2	74.0	76.9	96.2	59.0	9.9	76.6	24.7	166.8	4.8
.....	18.1	21.2	170.2	248.2	112.8	68.1	93.3	84.0	108.6	55.7	14.4	91.3	9.6	163.1	3.7
.....	20.8	16.3	173.5	257.5	103.7	91.0	83.4	83.1	103.7	62.5	16.1	91.6	7.0	136.1	2.0
1.3	8.1	19.6	77.4	91.8	52.5	27.2	45.1	58.1	50.1	34.4	21.4	105.5	15.9	90.5	4.5
0.1	11.0	11.8	75.4	101.7	56.4	31.0	55.3	54.4	51.7	43.5	22.3	105.2	12.7	94.4	8.6
0.8	13.2	20.3	116.5	127.6	70.7	56.8	80.4	75.6	52.2	61.3	12.7	72.1	23.4	121.6	10.6
1.6	12.0	16.5	117.3	126.9	69.7	58.9	78.7	73.5	56.2	62.2	13.1	70.3	27.8	119.2	4.5
4.8	9.6	9.6	88.2	75.3	113.8	76.9	110.6	158.7	97.8	48.1	17.6	210.0	110.6	136.2	28.8
.....	4.3	12.8	105.2	95.2	129.4	56.9	119.4	132.2	89.6	82.4	15.6	260.1	46.9	154.9	37.0
5.2	5.2	31.2	369.1	221.0	140.4	78.0	109.2	85.8	213.2	156.0	5.2	122.2	106.6	257.1	15.6
.....	5.2	7.7	342.8	172.7	108.2	72.2	113.4	110.8	208.7	87.6	10.3	90.2	87.6	265.4	23.2
.....	10.2	23.0	255.7	163.6	153.4	71.6	94.6	122.7	204.5	89.5	12.8	130.4	99.7	240.3	15.3
2.5	7.6	27.9	312.0	177.6	119.2	106.5	86.2	106.5	225.8	106.5	10.1	126.8	83.7	233.4	12.7
.....	5.0	30.2	284.4	219.0	178.7	95.6	141.0	158.6	234.1	130.9	20.1	125.8	95.6	246.7	12.6
5.0	12.5	10.0	309.7	227.3	109.9	84.9	129.9	99.9	229.8	102.4	12.5	159.8	84.9	232.3	12.5
.....	7.4	66.9	287.5	252.8	84.3	116.5	163.6	146.2	304.8	128.9	19.8	193.3	62.0	265.2	17.3
.....	4.9	19.7	238.6	214.0	120.5	68.9	132.8	127.9	280.4	127.9	19.7	228.7	91.0	238.6	14.8
.....	3.9	9.8	209.9	204.1	74.6	39.2	153.0	121.6	261.0	104.0	11.8	162.9	43.2	180.5	7.8
.....	3.9	7.8	204.8	197.0	72.2	42.9	95.6	115.1	243.8	81.9	19.5	126.8	19.5	191.1	9.8
2.7	13.3	34.5	212.6	170.1	124.9	26.6	114.3	111.6	178.1	42.5	15.9	122.2	98.3	257.8	.....
.....	13.2	10.6	189.9	187.3	121.3	63.3	147.7	179.4	189.9	105.5	2.6	129.2	81.8	176.7	2.6
.....	6.1	24.3	72.9	182.2	91.1	54.7	48.6	127.6	139.7	30.4	.....	133.6	18.2	115.4	12.1
.....	29.0	81.3	156.8	238.1	133.5	63.9	52.3	139.4	139.4	52.3	5.8	104.5	46.5	133.5	11.6
.....	16.7	16.7	139.5	306.9	145.1	83.7	33.5	94.9	111.6	100.4	27.9	72.5	39.1	212.0	5.6
.....	5.4	21.5	118.1	107.4	69.8	64.4	16.1	91.3	48.3	32.2	.....	64.4	.....	96.7	10.7
.....	10.4	10.4	134.6	176.0	56.9	36.2	46.6	72.5	67.3	10.4	5.2	31.1	15.5	72.5	20.7
.....	15.0	25.0	109.9	194.8	99.9	64.9	40.0	64.9	104.9	49.9	20.0	49.9	5.0	84.9	.....
4.8	9.7	9.7	154.4	299.2	82.0	53.1	86.9	115.8	135.1	43.4	19.3	125.5	4.8	115.8	14.5
4.7	28.0	28.0	172.7	284.7	84.0	98.0	42.0	98.0	135.3	84.0	28.0	116.7	.....	121.3	4.7
.....	22.6	22.6	153.7	289.2	90.4	90.4	49.7	85.9	149.1	58.8	49.7	81.3	4.5	94.9	.....
.....	17.5	17.5	166.5	214.6	43.8	70.1	35.0	105.1	96.4	35.0	35.0	96.4	4.4	109.5	.....
.....	10.0	26.8	87.0	197.5	90.4	56.9	63.6	70.3	77.0	50.2	16.7	100.4	6.7	103.8	.....
.....	18.4	18.4	101.2	214.6	64.4	52.1	36.8	61.3	76.6	49.1	21.5	82.8	9.2	95.0	.....
.....	8.5	8.5	104.6	226.3	50.9	56.6	33.9	84.8	107.5	48.1	36.8	67.9	5.7	138.6	.....
2.6	28.7	7.8	101.9	196.0	49.7	26.1	49.7	60.1	65.3	47.0	7.8	54.9	5.2	94.1	2.6
.....	.....	80.2	120.3	56.1	96.2	96.2	64.2	88.2	24.0	32.1	48.1	96.2	32.1	176.4	280.7
7.4	7.4	22.3	118.8	81.7	155.9	81.7	111.4	103.9	29.7	14.8	37.1	111.4	259.8	126.2	7.4
.....	6.9	55.6	90.3	27.8	125.1	97.3	104.2	118.1	27.8	55.6	20.8	139.0	145.9	118.1	.....
.....	6.5	19.6	71.8	124.1	124.1	124.1	117.5	117.5	52.2	65.3	39.2	104.5	150.2	176.3	.....
.....	12.3	24.6	104.7	110.8	98.5	61.6	147.8	172.4	18.5	55.4	24.6	92.4	98.5	141.6	.....
.....	.....	40.8	69.9	116.5	104.9	87.4	116.5	110.7	52.4	58.3	29.1	169.0	145.7	99.0	.....
.....	33.2	38.7	105.0	143.7	77.4	55.3	105.0	132.7	110.6	71.9	22.1	105.0	27.6	105.0	5.5
5.2	15.8	57.9	94.7	163.1	99.9	84.2	152.5	136.8	52.6	47.3	15.8	105.2	36.8	142.0	.....
.....	15.0	70.2	85.3	130.4	95.3	70.2	155.5	150.5	25.1	80.3	40.1	130.4	15.0	165.5	.....
.....	4.8	38.4	52.7	158.2	115.1	100.7	86.3	91.1	43.1	86.3	33.6	158.2	.....	105.5	.....
1.0	11.7	42.0	161.0	166.9	115.1	92.7	67.3	120.0	95.6	78.1	16.6	93.7	49.8	160.0	4.9
2.4	7.2	29.7	146.9	149.3	122.8	72.3	40.1	95.5	118.0	31.3	16.1	84.3	26.5	139.7	0.8
1.4	15.2	39.3	133.2	148.3	122.8	89.0	64.9	84.2	89.7	51.1	31.0	91.8	20.0	129.0	0.7
1.8	13.9	50.8	139.7	196.0	127.0	74.4	62.3	98.0	109.5	49.6	36.3	118.6	52.6	145.2	.....
1.1	7.0	41.5	120.6	156.7	98.0	59.2	46.3	93.2	79.7	47.9	26.4	89.4	37.2	138.9	2.2
2.4	11.6	35.4	122.3	168.9	86.4	75.7	54.4	112.1	93.7	43.2	12.6	117.9	36.9	136.9	1.9
.....	17.7	23.0	125.9	211.5	95.8	56.5	55.6	101.1	102.0	65.4	35.3	117.5	19.0	134.7	0.4
1.6	13.1	43.7	120.3	201.3	96.5	56.8	55.2	106.0	102.9	62.0	31.0	136.2	9.9	122.3	0.4
0.4	11.4	24.2	120.1	168.6	66.9	55.1	48.1	79.4	86.3	46.7	33.8	86.3	12.9	118.7	.....
1.0	16.7	20.4	110.1	176.7	63.2	43.1	50.9	82.4	100.1	47.9	27.3	91.6	8.5	123.7	.....

[3] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued														
CALIFORNIA—continued.														
Oakland	1900	1,589.0	23.9	1.5	.....	3.0	7.5	3.0	16.4	14.9	(2)	194.1	32.9	98.6
	1901	1,513.8	11.0	5.5	.....	5.5	4.1	8.2	27.5	16.5	(2)	217.0	28.8	68.7
	1902	1,473.4	20.5	3.8	.....	1.3	6.4	1.3	48.6	6.4	(2)	171.4	28.1	95.9
	1903	1,316.2	17.9	.....	.....	13.2	3.6	9.6	58.6	16.8	(2)	140.0	33.5	79.0
	1904	1,206.1	34.8	3.4	.....	2.2	2.2	5.6	9.0	3.4	(2)	109.0	38.2	80.9
	1905	1,212.5	27.6	2.1	.....	.....	1.1	18.0	9.5	6.4	4.2	112.3	26.5	89.0
	1906	1,834.8	30.1	1.0	.....	21.1	3.0	7.0	27.1	6.0	10.0	175.5	49.1	117.3
	1907	1,855.8	41.9	1.9	.....	9.5	1.9	4.8	32.3	9.5	17.1	201.7	39.0	95.1
	1908	1,490.2	25.3	0.9	.....	1.8	0.9	3.6	11.8	2.7	7.2	144.8	33.5	108.6
	1909	1,417.5	11.2	1.7	.....	5.2	2.6	13.8	15.5	3.5	6 9	155.3	30.2	99.2
Pasadena	1906	1,644.7	9.1	4.6	.....	.....	.....	.....	4.6	9.1	9.1	510.3	36.4	104.8
	1907	1,409.1	3.9	.....	.....	.....	.....	3.9	.....	7.8	7.8	352.3	39.1	113.5
	1908	1,361.6	.....	.....	.....	3.7	.....	.....	3.7	7.3	3.7	381.7	29.4	102.8
	1909	1,416.4	13.8	.....	.....	.....	3.5	.....	.....	13.8	3.5	310.9	38.0	79.5
Sacramento	1900	2,158.3	75.1	3.4	.....	3.4	3.4	.....	13.7	20.5	(2)	314.2	23.9	92.2
	1901	1,969.5	80.7	12.9	.....	6.5	.....	6.5	25.8	12.9	(2)	342.2	6.5	77.5
	1902	1,810.5	33.8	9.2	.....	.....	.....	.....	43.0	12.3	(2)	227.5	18.4	61.5
	1903	1,654.3	44.0	11.7	.....	2.9	14.7	26.4	20.5	5.9	(2)	222.9	20.5	73.3
	1904	1,716.4	64.5	14.0	.....	5.6	.....	11.2	16.8	8 4	(2)	244.0	25.2	95.4
	1905	1,880.9	51.1	10.7	2 7	2.7	2.7	5.4	48.4	5 4	8.1	236.5	59.1	72.5
	1906	1,457.0	38.7	2.6	2.6	.....	.....	5 2	10.3	10.3	23.2	172.8	51.6	77.4
	1907	1,767.6	59.5	.....	.....	24.8	7.4	2 5	22.3	24.8	7.4	205.8	44.6	94.2
	1908	1,804.8	69.0	11.9	.....	2.4	9.5	7.1	31.0	23.8	11.9	185.7	35.7	107.1
	1909	1,631.4	48.3	13.8	.....	6.9	4.6	11.5	4.6	9.2	16.1	174.9	29.9	82.8
San Diego	1900	1,949.2	11.3	.....	.....	16.9	.....	16.9	5.6	22.6	(2)	254.3	90.4	84.8
	1901	1,890.6	34 8	10.0	.....	.....	.....	.....	.....	69.7	(2)	353.3	14.9	104.5
	1902	1,698.5	4.5	.....	.....	.....	.....	.....	4.5	35.9	(2)	363.0	35.9	112.0
	1903	1,561.4	8 2	4.1	.....	8.2	.....	.....	12.2	85.6	(2)	301.7	32.6	81.5
	1904	1,746.2	11.2	3.7	.....	.....	.....	.....	11.2	29.9	(2)	302.9	44.9	74.8
	1905	1,578.0	10.4	10.4	.....	.....	.....	10.4	3.5	44.9	3 5	297.0	17.3	72.5
	1906	1,863.6	22.5	.....	.....	6.4	.....	16.0	16.0	19.2	16.0	295.1	16.0	131.5
	1907	1,994.5	21.0	.....	.....	6.0	.....	.....	9.0	21.0	3.0	323.4	32.9	113.8
	1908	1,960.2	11.2	2.8	.....	11 2	.....	5.6	14.0	44 9	2 8	308.9	50.6	129.2
	1909	1,594.2	.....	.....	.....	2.6	.....	2.6	7.9	7.9	2.6	208.9	37.0	95.2
San Francisco	1900	2,057.6	30.3	4.4	1.4	3.8	3.2	8.8	23 9	9.6	(2)	284.1	46.1	117.0
	1901	2,038.1	24.8	1.4	0.3	14.0	3.7	13.7	37.0	16 0	(2)	289.5	41.3	114.0
	1902	2,118.5	29.0	2.5	.....	12.0	5.0	1.7	66.4	10.0	(2)	278.7	39.9	125.8
	1903	2,074.7	24.3	1.9	0.5	9.0	3.6	29.8	31.2	15.3	(2)	281.5	48.6	121.9
	1904	2,004.9	30.3	3.7	.....	6.7	2.4	13.9	18.2	4.6	(2)	265 1	43.1	129.6
	1905	1,924.7	22.8	1.1	0.3	0.8	1.1	11.3	15.5	7.9	11.6	264.1	44.4	119.7
	1906	1,829.1	57.9	1.3	5.4	14.7	4 1	5.9	11.8	5.1	14.7	176.3	33.0	94.5
	1907	1,660.5	30.1	0.8	1.0	13.6	2.0	9.1	18.4	6.8	24.8	175.5	31.1	110.4
	1908	1,551.6	19.3	1.5	0 5	5.0	4 2	5.9	19.6	4.5	6.7	179.7	32.5	104.3
	1909	1,496.7	13.9	1.7	.....	7.1	4.9	11.2	11.2	5.8	7.1	166.9	36.7	120.9
San Jose	1900	1,474.4	9.3	4.6	.....	4.6	.....	4.6	32.6	32.6	(2)	274.4	18.6	69.8
	1901	1,550 4	13.4	.....	.....	9.0	4.5	4.5	9.0	9.0	(2)	286.8	26.9	85.1
	1902	1,508.4	4.3	4.3	.....	.....	4.3	.....	52.0	26.0	(2)	268.7	21.7	86.7
	1903	1,418.7	29.4	.....	4.2	.....	.....	4.2	33.6	25.2	(2)	193 1	42.0	104.9
	1904	1,680.3	20.3	.....	.....	20 3	.....	48 8	28.5	16 3	(2)	260.4	40.7	77.3
	1905	1,436.9	11.8	.....	.....	3.9	.....	.....	15.8	19.7	11.8	232.9	51.3	86.8
	1906	1,517.5	18.6	.....	.....	.....	.....	.....	3.7	18.6	11.2	215.7	37.2	119.0
	1907	1,512.6	29.8	.....	.....	11.2	.....	11.2	14.9	18.6	11.2	190.0	33.5	78.2
	1908	1,409.7	32.6	3.6	.....	10.9	.....	.....	21.7	7.2	3 6	177.6	32.6	97.8
	1909	1,334.4	10.6	.....	.....	10.6	3.5	.....	7.1	17.6	7.1	165.8	56.4	116.4
Stockton *	1906	2,214.2	23.8	.....	.....	4.8	.....	.....	.....	4.8	9.5	346.9	14.3	66.5
	1907	2,325.7	23.1	.....	.....	.....	.....	9.2	23.1	.....	13.9	337.5	23.1	87.8
	1908	2,174.7	27.0	9.0	4.5	.....	9.0	4.5	22.5	4.5	18.0	342.2	27.0	40.5
	1909	2.264.0	8.8	4.4	.....	4.4	.....	4.4	.....	.....	8.8	329.1	39.5	131.6
COLORADO.														
Colorado Springs	1906	1,895.2	33.7	.....	.....	.....	.....	22.5	.....	11.2	3.7	655.5	52.4	56.2
	1907	1,877.3	25.6	.....	.....	11.0	14.6	.....	3.7	29.3	7.3	596.5	51 2	95.1
	1908	1,692.1	21.5	3.6	.....	10.7	25.0	10.7	10.7	21.5	3.6	579.5	46.5	68.0
	1909	1,770.5	28.0	.....	.....	7.0	24.5	21.0	7.0	21.0	.....	493.4	42.0	129.5
Denver	1900	1,896.8	40.3	1.5	.....	8.2	20.9	8.2	20.2	11.2	(2)	375 0	22 4	55 3
	1901	1,913 8	46.5	0.7	1.4	4.2	45.1	2.1	33.1	18.3	(2)	378.7	33.1	67.7
	1902	1,755.3	55.7	0.7	.....	14.1	22.2	10 7	47.0	7.4	(2)	373.9	28.2	60.4
	1903	1,642.8	49.8	0.6	.....	2.4	17.0	6.7	30.4	8 5	(2)	366 1	27.3	56.5
	1904	1,697.1	26.2	.....	.....	15.7	12.2	12.2	27.3	7.0	(2)	396.2	30.8	62.3
	1905	1,612.4	34.1	1.7	.....	2.2	10.1	20.7	13.4	7.3	5.6	386.5	25 1	72.6
	1906	1,720.1	55.8	.....	.....	2.7	22.6	3.8	11.3	5.9	18.3	370.5	38.7	77.3
	1907	1,868.9	83.3	1.0	.....	17.6	36.7	4.7	25.9	16.5	11.4	354.2	32.1	65.7
	1908	1,829.0	42 4	1.0	.....	15.5	18.9	16.5	35.4	18.0	11.5	365.5	30.4	85.3
	1909	1,697.6	24.1	0.5	.....	4.3	22 1	10.6	27.0	10.6	8.2	341.8	37.1	83.8
Leadville	1900	2,786.0	104.4	.....	.....	.....	48.2	96.3	24.1	8.0	(2)	56.2	.....	72.3
	1901	2,199.3	58.8	.....	.....	.....	92.3	8.4	8.4	42.0	(2)	33.6	.....	16.8
	1902	1,980.4	43.8	.....	.....	.....	17.5	8.8	8 8	26.3	(2)	17.5	.....	52.6
	1903	1,787.2	27.5	.....	.....	45.8	9.2	36.7	.....	27.5	(2)	18.3	.....	55.0
	1904	2,449.6	365.0	.....	.....	9.6	9.6	.....	9.6	38.4	(2)	28.8	9.6	38 4
	1905	2,129 4	20.2	.....	.....	.....	.....	20.2	10 1	30.3	20.2	30.3	.....	20 2
	1906	2,476.6	53.1	.....	.....	10 6	31.9	42.5	10.6	10.6	.....	42.5	10.6	74.4
	1907	2,896.6	22.5	.....	.....	11.2	370.5	.....	11.2	.....	11.2	67.4	11.2	67.4
	1908	1,820.1	23.8	.....	.....	.....	11.9	.....	.....	11 9	.....	35.7	.....	23.8
	1909	2,049.3	.....	.....	.....	50.6	12.7	101.2	12 7	25 3	12.7	12.7	12.7	38.0

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
1.5	16.4	52.3	158.3	237.5	135.9	103.0	34.3	89.6	85.1	38.8	9.0	95.6	25.4	106.0	4.5
.....	20.6	28.8	133.2	276.1	133.2	60.4	38.5	100.3	70.1	17.9	26.1	89.3	9.6	116.8	.....
.....	25.6	30.7	139.4	250.7	116.4	83.1	47.3	97.2	69.1	24.3	14.1	81.9	11.5	98.5	.....
1.2	12.0	26.3	123.2	209.4	83.8	59.8	39.5	89.7	56.2	21.5	32.3	77.8	16.8	94.5	.....
2.2	18.0	25.9	106.8	228.2	70.8	50.6	33.7	84.3	73.1	24.7	25.9	73.1	12.4	86.6	1.1
.....	11.7	29.7	107.0	205.6	81.6	54.1	47.7	74.2	86.9	15.9	23.3	80.5	7.4	90.1	.....
.....	16.0	35.1	125.3	288.7	136.4	77.2	95.2	92.2	129.3	54.1	27.1	157.4	23.1	124.3	6.0
.....	21.9	54.2	135.1	308.2	132.2	61.8	62.8	116.0	116.0	53.3	40.9	147.4	19.0	132.2	.....
2.7	14.5	19.0	119.4	260.6	76.0	65.1	65.1	91.4	104.1	57.0	47.1	111.3	11.8	104.1	.....
.....	13.8	20.7	121.6	256.2	75.1	50.9	53.5	83.7	113.9	36.2	37.1	107.8	5.2	96.6	.....
.....	13.7	36.4	154.9	214.1	50.1	54.7	36.4	82.0	41.0	54.7	4.6	68.3	9.1	136.7	.....
.....	27.4	15.7	117.4	203.5	70.5	39.1	35.2	62.6	117.4	43.1	11.7	66.5	3.9	66.5	.....
3.7	11.0	18.4	91.8	205.5	36.7	36.7	29.4	84.4	121.1	29.4	22.0	73.4	7.3	58.7	.....
3.5	20.7	13.8	172.7	207.3	69.1	44.9	20.7	86.4	103.6	44.9	.....	48.4	3.5	114.0	.....
.....	10.2	58.0	222.0	208.3	150.2	82.0	44.4	163.9	82.0	64.9	13.7	177.6	44.4	242.5	44.4
.....	9.7	32.3	164.7	193.7	164.7	106.5	67.8	103.3	80.7	22.6	9.7	145.3	77.5	216.3	3.2
.....	9.2	33.8	162.9	181.4	129.1	98.4	40.0	135.2	70.7	58.4	9.2	199.8	61.5	215.2	.....
.....	11.7	23.5	126.1	146.7	140.8	79.2	44.0	137.9	41.1	41.1	20.5	126.1	64.5	205.3	2.9
.....	11.2	25.2	148.6	176.7	106.6	78.5	19.6	140.2	53.3	47.7	14.0	129.0	39.3	238.4	2.8
2.7	18.8	32.2	139.7	206.9	137.0	69.9	59.1	112.9	80.6	53.7	53.7	147.8	69.9	182.7	8.1
.....	10.3	28.4	105.7	180.5	110.9	56.7	61.9	85.1	56.7	79.9	10.3	85.1	33.5	152.2	5.2
2.5	9.9	49.6	136.3	200.8	151.2	71.9	44.6	116.5	49.6	69.4	37.2	121.5	32.2	181.0	.....
2.4	7.1	50.0	123.8	197.6	131.0	66.7	71.4	157.1	85.7	64.3	52.4	111.9	33.3	154.8	.....
.....	16.1	27.6	101.2	179.5	110.4	75.9	69.0	133.5	110.4	55.2	50.6	110.4	16.1	172.6	.....
5.6	33.9	28.2	271.2	209.1	118.7	101.7	67.8	90.4	96.1	62.2	5.6	118.7	33.9	163.8	39.5
.....	24.9	49.8	169.2	204.0	94.5	89.6	34.8	114.4	94.5	44.8	19.9	114.4	69.7	179.1	.....
.....	9.0	17.9	233.0	251.0	58.3	76.2	49.3	76.2	85.1	17.9	22.4	53.8	44.8	147.9	.....
.....	12.2	20.4	163.1	134.5	69.3	77.5	57.1	89.7	61.2	28.5	57.1	61.2	36.7	146.8	12.2
.....	22.4	22.4	164.5	258.0	86.0	63.6	104.7	67.3	71.0	29.9	41.1	67.3	63.6	175.7	29.9
3.5	27.6	31.1	193.4	183.0	38.0	62.2	62.2	72.5	58.7	20.7	51.8	96.7	38.0	145.0	24.2
.....	25.7	25.7	224.5	266.2	96.2	41.7	44.9	70.6	131.5	51.3	28.9	121.9	54.5	121.9	19.2
6.0	21.0	35.9	227.6	308.5	92.8	77.9	59.9	77.9	146.7	44.9	47.9	113.8	32.9	170.7	.....
2.8	14.0	14.0	216.2	249.9	120.8	56.2	64.6	126.4	134.8	44.9	33.7	132.0	28.1	137.6	2.8
.....	13.2	13.2	169.2	269.7	119.0	42.3	50.2	95.2	89.9	34.4	37.0	121.6	15.9	156.0	2.6
0.6	14.3	42.3	128.1	273.1	121.4	183.5	80.5	128.1	105.9	66.8	23.0	117.3	42.3	196.9	0.9
0.3	18.0	36.2	130.8	259.0	118.8	139.4	81.5	140.8	98.6	63.8	45.0	102.0	20.2	227.4	0.6
0.6	16.5	33.5	142.6	276.2	105.2	142.3	75.3	154.3	100.4	73.4	56.4	127.2	17.9	224.6	1.1
0.3	18.0	23.0	137.5	285.6	120.8	124.1	71.6	125.7	124.9	80.3	54.7	125.7	12.3	202.8	.....
0.5	19.5	23.0	143.0	286.3	103.9	119.2	74.2	143.5	118.9	71.2	70.2	112.2	11.2	189.1	1.3
1.8	19.2	21.8	135.2	293.2	120.0	99.2	65.1	125.5	117.9	64.1	59.6	111.8	14.2	175.4	0.5
.....	17.0	21.6	117.1	275.5	127.2	109.7	81.1	95.5	97.3	53.5	37.8	226.8	16.2	127.4	0.5
0.8	16.2	32.8	105.1	262.4	122.7	89.2	59.9	101.0	103.3	51.3	36.6	126.3	17.7	110.9	1.0
.....	15.4	25.0	104.3	238.2	93.4	84.8	49.6	98.2	111.8	51.3	51.1	117.0	12.6	114.0	1.2
1.0	17.8	12.4	97.8	244.1	80.3	69.8	49.9	87.8	117.8	48.9	53.0	106.1	8.3	114.4	.....
.....	4.6	46.5	172.1	190.7	60.5	79.0	27.9	97.7	74.4	51.2	18.6	41.9	32.6	125.6	.....
.....	13.4	13.4	134.4	188.2	103.1	67.2	71.7	89.6	94.1	40.3	10.3	103.1	22.4	112.0	9.0
.....	21.7	13.0	134.4	173.4	95.4	82.4	86.7	69.4	95.4	30.3	30.3	56.3	13.0	138.7	.....
.....	25.2	25.2	100.7	230.8	50.4	75.6	54.6	58.8	71.4	29.4	21.0	100.7	37.8	100.7	.....
4.1	12.2	48.8	122.1	248.2	109.8	101.7	85.4	89.5	89.5	40.7	8.1	65.1	20.3	122.1	.....
.....	15.8	31.6	153.9	201.3	67.1	51.3	78.9	67.1	63.2	39.5	31.6	90.8	7.9	102.6	.....
.....	11.2	18.6	137.6	226.9	44.6	74.4	81.8	96.7	63.2	37.2	11.2	156.2	18.6	115.3	.....
.....	11.2	33.5	175.1	234.7	93.1	33.5	48.4	70.8	104.3	70.8	29.8	74.5	14.9	119.2	.....
3.6	18.1	47.1	141.3	271.8	68.9	36.2	39.9	54.4	105.1	29.0	39.9	76.1	3.6	87.0	.....
.....	14.1	35.3	130.5	285.7	60.0	81.1	67.0	81.1	130.5	31.7	28.2	84.7	7.1	102.3	.....
.....	19.0	61.8	408.6	408.6	142.5	85.5	118.8	66.5	90.3	33.3	19.0	118.8	9.5	156.8	4.8
.....	13.9	46.2	342.1	402.3	148.0	166.5	97.1	83.2	101.7	37.0	27.7	138.7	18.5	184.9	.....
.....	13.5	22.5	378.2	396.2	94.6	72.0	63.0	54.0	108.1	67.5	40.5	148.6	13.5	193.6	.....
.....	.....	39.5	438.8	377.3	105.3	136.0	87.8	87.8	114.1	17.6	30.7	118.5	4.4	175.5	.....
.....	7.5	22.5	97.4	153.6	138.6	97.4	48.7	89.9	108.6	48.7	15.0	59.9	3.7	168.5	.....
3.7	25.6	25.6	73.2	120.8	124.4	62.2	73.2	124.4	117.1	36.6	14.6	80.5	3.7	157.4	.....
.....	10.7	3.6	75.1	107.3	121.6	75.1	50.1	100.2	85.9	39.4	17.9	85.9	3.6	114.5	.....
.....	10.5	21.0	98.0	126.0	136.5	73.5	59.5	94.5	77.0	66.5	21.0	77.0	.....	136.5	.....
3.7	12.7	47.1	133.7	143.5	189.8	103.1	65.8	130.8	89.7	82.9	11.2	97.1	64.2	155.3	3.0
2.8	10.6	54.3	131.9	143.9	213.0	90.3	65.6	110.7	93.8	57.1	21.2	70.5	42.3	174.9	.....
0.7	12.8	28.2	105.4	147.0	148.3	58.4	71.2	114.8	94.0	63.1	23.5	77.9	18.1	171.8	.....
1.2	8.5	31.6	118.4	149.3	124.5	61.9	68.6	99.0	88.6	67.4	24.3	80.1	8.5	144.5	1.2
0.6	11.1	23.3	99.5	140.8	185.6	72.1	45.4	104.7	98.9	50.6	29.1	80.9	9.3	155.3	.....
3.9	12.3	21.8	84.9	151.9	123.4	60.3	53.6	102.2	102.2	53.1	28.5	91.6	5.6	138.0	.....
2.7	13.4	48.3	105.8	165.4	121.9	56.4	63.9	106.3	103.1	71.4	23.6	82.2	10.2	136.9	1.6
1.0	10.9	50.2	125.1	182.0	170.1	64.1	63.6	93.1	122.6	77.1	23.3	88.9	9.3	168.6	.....
2.5	9.5	28.4	127.2	177.5	176.0	54.9	74.3	94.7	105.7	65.3	28.9	88.3	6.0	149.1	0.5
1.9	14.9	18.8	108.3	163.7	142.5	52.5	60.2	104.0	107.4	63.6	36.6	93.4	3.9	156.0	.....
.....	.....	32.1	104.4	144.5	714.6	168.6	48.2	152.5	80.3	136.5	48.2	289.0	96.3	313.1	48.2
8.4	.....	25.2	100.7	184.7	663.1	134.3	83.9	176.3	75.5	92.3	16.8	176.3	8.4	184.7	8.4
.....	.....	26.3	140.2	149.0	499.5	105.2	149.0	122.7	96.4	113.9	26.3	201.5	26.3	149.0	.....
.....	18.3	9.2	73.3	91.7	394.1	91.7	82.5	100.8	73.3	174.1	27.5	192.5	.....	238.3	.....
.....	9.6	9.6	172.9	153.7	605.2	172.9	115.3	105.7	105.7	115.3	28.8	76.8	48.0	211.3	9.6
.....	10.1	20.2	121.1	201.8	545.0	181.7	100.9	141.3	121.1	100.9	.....	181.7	30.3	222.0	.....
.....	10.6	21.3	170.1	159.4	659.0	148.8	116.9	223.2	95.7	74.4	31.9	244.5	31.9	202.0	.....
.....	.....	56.1	123.5	146.0	639.9	146.0	146.0	224.5	123.5	179.6	44.9	146.0	22.5	325.6	.....
.....	23.8	11.9	154.7	202.2	333.1	83.3	71.4	142.8	130.9	154.7	47.6	178.4	.....	178.4	.....
.....	12.7	25.3	63.3	189.8	354.2	253.0	126.5	126.5	113.9	151.8	12.7	113.9	12.7	215.1	.....

[2] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
COLORADO—continued.														
Pueblo	1900	2,301.4	78.1	.....	.....	17.8	46.2	46.2	39.1	.....	(2)	348.0	14.2	39.1
	1901	2,131.7	97.0	.....	3.3	16.7	66.9	.....	40.2	36.8	(2)	304.5	16.7	50.2
	1902	3,170.8	285.9	.....	3.2	44.5	34.9	3.2	73.1	31.8	(2)	397.1	9.5	54.0
	1903	2,413.1	163.3	3.0	3.0	9.1	9.1	42.3	78.6	12.1	(2)	275.2	33.3	51.4
	1904	2,042.5	95.2	.....	.....	43.3	8.7	20.2	34.6	37.5	(2)	248.1	20.2	72.1
	1905	1,937.0	57.1	.....	.....	5.4	.....	49.0	10.9	13.6	5.4	280.2	19.0	59.9
	1906	1,945.2	91.3	.....	.....	.....	2.6	23.5	10.4	13.0	10.4	239.9	44.3	54.8
	1907	1,802.5	45.1	.....	.....	52.6	12.5	2.5	35.0	20.0	7.5	250.3	40.1	55.1
	1908	1,456.5	48.1	.....	2.4	.....	40.9	24.1	19.3	38.5	7.2	216.7	12.0	48.1
	1909	1,342.4	30.1	.....	.....	.....	13.9	2.3	13.9	23.2	11.6	190.1	23.2	48.7
CONNECTICUT.														
Ansonia	1900	2,058.2	23.7	.....	.....	55.2	15.8	55.2	23.7	55.2	(2)	197.1	39.4	31.5
	1901	1,420.6	15.4	7.7	.....	7.7	.....	15.4	38.6	30.9	(2)	154.4	30.9	38.6
	1902	1,393.7	7.6	15.1	.....	.....	15.1	37.9	75.7	7.6	(2)	174.2	22.7	30.3
	1903	1,553.7	44.6	7.4	.....	7.4	66.9	.....	37.2	59.5	(2)	171.0	22.3	52.0
	1904	1,255.3	7.3	.....	.....	.....	7.3	.....	.....	51.1	(2)	167.9	7.3	36.5
	1905	1,433.5	35.8	.....	.....	.....	.....	.....	28.7	21.5	7.2	100.3	14.3	57.3
	1906	1,549.1	.....	.....	.....	7.0	7.0	70.4	7.0	.....	.....	147.9	35.2	14.1
	1907	1,799.1	20.8	.....	.....	34.6	.....	.....	90.0	41.5	.....	179.9	13.8	41.5
	1908	1,435.2	6.8	.....	.....	.....	6.8	.....	20.4	34.0	13.6	95.2	20.4	27.2
	1909	1,431.2	.....	6.7	.....	6.7	140.4	6.7	.....	13.4	.....	140.4	6.7	86.9
Bridgeport	1900	1,770.5	19.7	9.9	.....	32.4	12.7	5.6	32.4	60.6	(2)	187.3	21.1	59.2
	1901	1,654.5	25.5	8.1	.....	2.7	22.8	18.8	24.2	41.7	(2)	225.8	17.5	69.9
	1902	1,579.7	23.2	6.4	.....	2.6	19.3	24.5	46.4	7.7	(2)	162.5	23.2	74.8
	1903	1,638.3	13.6	1.2	.....	24.8	13.6	33.5	33.5	7.4	(2)	164.8	27.3	83.0
	1904	1,572.1	16.7	4.8	.....	9.5	20.3	7.2	28.6	8.3	(2)	182.5	29.8	58.4
	1905	1,560.1	12.6	2.3	.....	9.2	8.0	6.9	26.4	12.6	11.5	192.0	32.2	42.5
	1906	1,626.6	11.1	2.2	.....	27.7	2.2	14.4	43.3	12.2	23.3	160.9	33.3	66.6
	1907	1,715.4	12.9	4.3	.....	19.3	21.4	19.3	33.2	21.4	9.6	175.8	25.7	62.2
	1908	1,448.9	16.6	1.0	.....	6.2	6.2	7.3	22.8	10.4	11.4	146.2	33.2	65.3
	1909	1,435.3	9.0	1.0	.....	9.0	18.1	6.0	16.1	4.0	10.0	141.6	34.1	72.3
Bristol town	1900	1,576.3	134.8	.....	.....	.....	.....	62.2	62.2	93.3	(2)	114.1	.....	31.1
	1901	1,202.1	39.7	.....	9.9	.....	.....	9.9	19.9	79.5	(2)	168.9	.....	59.6
	1902	1,386.8	19.1	28.7	.....	.....	.....	.....	.....	28.7	(2)	86.1	28.7	47.8
	1903	1,558.0	119.8	9.2	.....	36.9	27.7	27.7	18.4	92.2	(2)	83.0	.....	46.1
	1904	1,601.7	44.5	8.9	.....	.....	.....	8.9	35.6	44.5	(2)	80.1	17.8	44.5
	1905	1,436.1	17.2	.....	.....	.....	.....	8.6	8.6	43.0	34.4	120.4	43.0	43.0
	1906	1,406.0	25.0	.....	.....	33.3	25.0	25.0	25.0	8.3	16.6	74.9	33.3	74.9
	1907	1,087.7	32.2	8.1	.....	.....	.....	16.1	16.1	56.4	8.1	88.6	8.1	32.2
	1908	1,265.4	39.1	.....	.....	.....	.....	.....	15.6	31.2	7.8	101.5	15.6	31.2
	1909	1,182.4	7.6	.....	.....	37.9	7.6	15.2	7.6	30.3	7.6	60.6	7.6	75.8
Danbury town	1900	1,756.2	25.7	5.1	.....	10.3	10.3	.....	61.6	71.9	(2)	220.8	25.7	71.9
	1901	1,501.4	25.1	5.0	.....	10.0	10.0	.....	60.3	60.3	(2)	241.0	15.1	35.1
	1902	1,658.2	14.8	19.7	.....	4.9	24.6	29.5	64.0	14.8	(2)	157.5	14.8	73.8
	1903	1,635.2	43.4	4.8	.....	.....	9.6	.....	28.9	19.3	(2)	183.3	14.5	91.7
	1904	1,433.4	4.7	9.5	.....	9.5	.....	9.5	23.7	42.6	(2)	132.5	47.3	85.2
	1905	1,564.0	23.2	9.3	.....	.....	.....	9.3	65.0	13.9	18.6	162.4	9.3	92.8
	1906	1,585.1	9.1	4.6	.....	4.6	.....	31.9	13.7	9.1	4.6	136.6	18.2	95.7
	1907	1,744.0	35.8	4.5	.....	8.9	17.9	.....	17.9	49.2	17.9	214.6	13.4	76.0
	1908	1,493.1	13.2	4.4	.....	4.4	4.4	.....	13.2	26.3	17.6	162.5	22.0	61.5
	1909	1,488.4	30.2	4.3	.....	21.6	4.3	30.2	4.3	21.6	21.6	120.8	17.3	103.5
Greenwich town	1900	1,807.4	24.6	.....	.....	8.2	.....	.....	147.9	65.7	(2)	131.5	.....	73.9
	1901	1,360.5	7.9	23.7	.....	.....	.....	7.9	31.6	15.8	(2)	126.6	.....	47.5
	1902	1,628.9	22.9	22.9	.....	.....	45.9	22.9	53.5	.....	(2)	114.7	15.3	61.2
	1903	1,487.8	37.0	.....	.....	14.8	.....	7.4	14.8	22.2	(2)	81.4	7.4	66.6
	1904	1,527.5	14.3	.....	.....	14.3	.....	14.3	28.7	28.7	(2)	93.2	14.3	78.9
	1905	1,578.7	34.8	.....	.....	.....	.....	13.9	41.7	13.9	13.9	132.1	20.9	76.5
	1906	1,687.6	13.5	.....	.....	20.3	.....	33.8	6.8	13.5	13.5	94.5	27.0	67.5
	1907	1 724.7	6.6	13 1	.....	.....	13.1	.....	13.1	32.8	6.6	137.7	19.7	52.5
	1908	1,766.1	.....	19.1	.....	31.9	12.8	.....	51.0	70.1	25.5	108.4	12.8	82.9
	1909	1,557.2	6.2	.....	.....	12.4	37.2	6.2	18.6	12.4	6.2	111.7	31.0	37.2
Hartford	1900	1,814.7	52.6	5.0	.....	1.3	2.5	10.0	61.4	37.6	(2)	194.1	13.8	67.6
	1901	1,673.2	43.9	6.1	.....	8.5	12.2	1.2	56.1	36.6	(2)	181.8	20.7	94.0
	1902	1,552.4	16.7	6.0	2.4	10.7	39.3	13.1	19.1	9.5	(2)	134.7	10.7	69.2
	1903	1,664.3	22.1	1.2	.....	23.3	15.2	24.5	38.5	18.6	(2)	172.5	24.5	89.7
	1904	1,709.8	13.7	.....	.....	4.6	4.6	8.0	31.9	28.5	(2)	144.8	21.7	79.8
	1905	1,703.1	17.8	1.1	.....	5.6	2.2	3.3	72.5	16.7	14.5	172.9	24.5	92.6
	1906	1,733.8	32.8	.....	.....	5.5	5.5	28.4	19.7	8.7	19.7	143.0	28.4	80.8
	1907	1,771.7	19.2	1.1	.....	11.8	6.4	6.4	20.3	23.5	9.6	182.8	20.3	108.0
	1908	1,528.5	18.9	.....	.....	14.7	12.6	8.4	15.7	15.7	11.5	137.2	19.9	83.8
	1909	1,628.6	10.3	.....	.....	.....	4.1	13.3	16.4	6.2	8.2	185.9	24.6	102.7
Manchester town	1900	1,377.2	75.5	.....	.....	.....	.....	37.7	37.7	37.7	(2)	217.0	9.4	47.2
	1901	1,253.0	.....	18.3	.....	54.9	9.1	9.1	91.5	36.6	(2)	118.9	9.1	9.1
	1902	1,014.1	.....	8.9	.....	.....	8.9	8.9	62.3	.....	(2)	142.3	35.6	44.5
	1903	1,065.0	26.0	8.7	.....	.....	26.0	17.3	17.3	8.7	(2)	181.8	.....	60.6
	1904	1,079.5	25.3	.....	.....	.....	8.4	.....	59.0	25.3	(2)	126.5	16.9	33.7
	1905	1,496.1	32.9	8.2	.....	.....	.....	32.9	57.5	24.7	49.3	156.2	8.2	41.1
	1906	1,379.0	8.0	8.0	.....	.....	.....	16.0	8.0	16.0	24.1	128.3	24.1	40.1
	1907	1,071.9	23.5	.....	.....	.....	.....	.....	23.5	31.3	15.6	78.2	15.6	46.9
	1908	855.7	.....	.....	.....	.....	7.6	.....	.....	22.9	7.6	99.3	7.6	30.6
	1909	1,022.6	7.5	.....	.....	.....	.....	.....	7.5	7.5	29.9	104.5	.....	82.1

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	10.7	78.1	213.1	117.2	326.7	63.9	113.6	88.8	53.3	124.3	21.3	156.3	92.3	195.3	17.8
3.3	6.7	46.9	180.7	123.8	271.1	53.5	77.0	130.5	46.9	80.3	26.8	150.6	36.8	254.3	10.0
.....	15.9	47.7	212.9	168.4	384.4	98.5	225.6	187.5	104.8	165.2	22.2	254.2	41.3	276.4	28.6
.....	9.1	30.2	172.4	105.8	281.2	84.7	208.7	148.2	66.5	117.9	30.2	241.9	24.2	202.6	9.1
2.9	2.9	31.7	187.5	124.1	222.1	60.6	112.5	135.6	109.6	66.4	34.6	164.4	20.2	176.0	11.5
2.7	5.4	27.2	234.0	100.7	176.8	62.6	117.0	130.6	97.9	87.1	32.6	176.8	10.9	174.1	.....
5.2	10.4	20.9	187.7	138.2	169.5	83.4	104.3	122.6	75.6	114.7	15.6	216.4	10.4	179.9	.....
.....	5.0	22.5	122.7	90.1	170.2	67.6	137.7	157.7	70.1	90.1	27.5	127.7	17.5	175.2	.....
2.4	12.0	16.9	69.8	134.8	185.4	62.6	72.2	91.5	60.2	72.2	19.3	110.7	2.4	86.7	.....
.....	7.0	18.5	97.4	97.4	136.8	44.0	97.4	102.0	81.1	81.1	32.5	81.1	4.6	104.3	.....
7.9	7.9	134.1	134.1	118.3	189.2	134.1	323.3	86.7	78.9	39.4	.....	118.3	39.4	149.8	.....
.....	15.4	92.6	115.8	84.9	108.1	54.0	185.3	46.3	92.6	69.5	15.4	46.3	15.4	115.8	23.2
.....	.....	37.9	98.5	83.3	45.4	113.6	166.6	37.9	37.9	83.3	15.1	83.3	22.7	159.1	22.7
.....	.....	118.9	81.8	96.6	29.7	74.3	133.8	104.1	81.8	104.1	.....	89.2	14.9	133.8	22.3
.....	14.6	80.3	116.8	73.0	87.6	65.7	138.7	80.3	58.4	58.4	7.3	51.1	7.3	131.4	7.3
.....	21.5	93.2	114.7	114.7	71.7	107.5	186.4	86.0	71.7	43.0	7.2	64.5	71.7	78.8	35.8
.....	7.0	105.6	133.8	105.6	84.5	98.6	197.2	98.6	63.4	98.6	21.1	112.7	21.1	84.5	28.2
.....	13.8	131.5	138.4	173.0	117.6	110.7	325.2	103.8	62.3	55.4	13.8	48.4	13.8	55.4	13.8
.....	20.4	54.4	95.2	136.0	95.2	129.2	231.3	68.0	61.2	149.6	6.8	34.0	13.6	95.2	20.4
6.7	.....	80.3	80.3	53.5	66.9	107.0	167.2	53.5	107.0	133.8	13.4	53.5	26.8	73.6	.....
1.4	12.7	42.3	139.5	114.1	190.2	88.7	173.2	90.1	126.8	98.6	19.7	88.7	16.9	123.9	2.8
1.3	12.1	37.6	127.7	154.6	133.1	108.9	181.4	69.9	90.1	63.2	8.1	73.9	22.8	111.6	1.3
.....	9.0	32.2	143.1	144.4	119.9	82.5	159.9	81.2	136.7	89.0	5.2	70.9	16.8	96.7	1.3
2.5	14.9	37.2	138.8	164.8	105.3	123.9	115.3	69.4	120.2	86.7	14.9	101.6	18.6	119.0	2.5
.....	10.7	39.4	99.0	156.3	119.3	79.9	147.9	90.7	149.1	69.2	11.9	97.8	16.7	115.7	2.4
2.3	21.8	47.1	118.4	167.8	129.9	74.7	159.8	74.7	127.6	54.0	11.5	119.6	9.2	82.8	2.3
.....	17.8	31.1	102.1	178.6	146.6	84.3	116.5	73.2	140.9	85.4	15.5	123.2	14.4	98.7	1.1
.....	19.3	39.7	119.0	185.5	170.5	72.9	172.6	69.7	135.1	89.0	22.5	110.4	11.8	92.2	.....
2.1	17.6	33.2	86.1	170.1	106.8	68.5	133.8	69.5	141.1	90.2	15.6	98.6	16.6	72.6	.....
3.0	18.1	13.1	107.5	167.7	105.5	62.3	144.6	62.3	116.5	93.4	25.1	89.4	17.1	85.4	3.0
.....	20.8	62.2	134.8	124.4	134.8	62.2	93.3	83.0	83.0	83.0	10.4	41.5	20.8	124.4	.....
9.9	29.8	9.9	89.4	119.2	69.5	29.8	49.7	59.6	79.5	29.8	9.9	69.5	29.8	129.1	.....
.....	28.7	28.7	133.9	124.3	124.3	47.8	124.3	76.5	9.6	57.4	.....	86.1	38.3	267.8	.....
.....	9.2	27.7	175.2	138.3	165.9	64.5	129.1	73.8	55.3	55.3	9.2	83.0	.....	110.6	.....
.....	8.9	195.8	97.9	169.1	178.0	44.5	151.3	44.5	106.8	53.4	8.9	53.4	17.8	186.9	.....
.....	17.2	77.4	120.4	197.8	154.8	17.2	240.8	43.0	77.4	51.6	.....	68.8	.....	51.6	.....
8.3	8.3	16.6	149.8	149.8	141.4	58.2	141.4	66.6	83.2	58.2	16.6	49.9	8.3	108.2	.....
.....	.....	16.1	56.4	112.8	112.8	88.6	104.7	40.3	48.3	56.4	.....	88.6	.....	80.6	16.1
.....	.....	7.8	101.5	78.1	156.2	46.9	171.8	132.8	54.7	70.3	15.6	93.7	15.6	78.1	.....
.....	7.6	30.3	91.0	144.0	128.9	60.6	60.6	30.3	91.0	60.6	15.2	68.2	15.2	113.7	7.6
.....	15.4	61.6	184.9	246.5	138.6	35.9	71.9	102.7	82.2	77.0	10.3	66.8	5.1	148.9	5.1
.....	20.1	40.2	150.6	185.8	70.3	45.2	120.5	45.2	105.4	70.3	10.0	60.3	.....	115.5	.....
4.9	.....	54.1	177.1	221.4	127.9	73.8	59.0	118.1	88.6	73.8	19.7	98.4	24.6	98.4	.....
.....	19.3	38.6	183.3	246.0	96.5	115.8	57.9	91.7	101.3	77.2	4.8	96.5	9.6	101.3	.....
.....	28.4	23.7	189.2	175.0	94.6	52.0	104.1	75.7	85.2	89.9	28.4	33.1	.....	85.2	4.7
.....	13.9	41.8	236.7	227.4	65.0	55.7	88.2	78.9	88.2	65.0	23.2	60.3	18.6	92.8	4.6
.....	31.9	36.4	214.1	236.8	95.7	86.5	77.4	104.8	91.1	77.4	22.8	113.9	4.6	63.8	.....
.....	17.9	76.0	143.1	245.9	161.0	80.5	111.8	89.4	62.6	49.2	22.4	138.6	.....	89.4	.....
.....	13.2	35.1	131.7	215.2	123.0	74.7	109.8	70.3	123.0	26.3	26.3	109.8	4.4	101.0	.....
8.6	17.3	17.3	138.1	189.8	82.0	64.7	77.7	90.6	99.2	82.0	21.6	112.2	.....	107.9	.....
.....	8.2	24.6	246.5	73.9	180.8	106.8	106.8	90.4	115.0	115.0	8.2	73.9	16.5	189.0	.....
.....	.....	.....	150.3	102.8	118.7	126.6	142.4	71.2	126.6	47.5	7.9	87.0	15.8	102.8	.....
.....	.....	22.9	168.2	137.7	76.5	76.5	130.0	145.3	130.0	107.1	.....	76.5	22.9	175.9	.....
.....	14.8	14.8	177.6	170.2	96.2	133.2	51.8	96.2	125.8	44.4	22.2	133.2	.....	155.4	.....
.....	21.5	21.5	107.6	93.2	100.4	86.1	172.1	121.9	107.6	71.7	28.7	121.9	64.5	114.7	7.2
7.0	13.9	41.7	180.8	146.0	76.5	90.4	111.3	90.4	97.4	48.7	20.9	180.8	20.9	104.3	.....
.....	20.3	27.0	209.3	108.0	94.5	108.0	168.8	135.0	114.8	67.5	27.0	182.3	20.3	114.8	.....
.....	52.5	59.0	190.2	104.9	45.9	137.7	183.6	124.6	98.4	131.2	6.6	150.8	.....	144.3	.....
6.4	6.4	25.5	197.7	127.5	108.4	82.9	146.6	82.9	159.4	95.6	12.8	146.6	31.9	121.1	.....
6.2	.....	49.6	136.5	167.5	142.7	124.1	105.5	80.7	93.1	86.9	18.6	142.7	12.4	111.7	.....
2.5	7.5	61.4	159.0	126.5	137.8	91.4	134.0	110.2	121.5	86.4	5.0	91.4	51.3	180.4	2.5
.....	7.3	45.2	145.2	175.7	124.5	70.8	70.8	97.6	97.6	89.1	9.8	118.4	23.2	134.2	2.4
.....	10.7	38.2	162.2	184.8	133.5	78.7	66.8	88.2	130.0	57.2	8.3	81.1	25.0	156.2	.....
.....	9.3	33.8	144.5	183.0	114.2	67.6	64.1	106.1	101.4	92.1	12.8	103.7	18.6	180.6	2.3
6.8	17.1	103.7	126.5	192.6	122.0	75.2	110.6	100.3	119.7	92.3	16.0	111.7	13.7	163.0	1.1
2.2	17.8	41.3	131.6	191.8	122.7	70.3	100.4	103.7	97.0	81.4	13.4	116.0	14.5	172.9	2.2
.....	27.3	27.3	144.1	209.6	127.7	92.8	110.3	112.5	100.4	68.8	16.4	141.9	15.3	166.0	1.1
2.1	19.2	18.2	133.7	209.6	140.1	98.4	113.3	102.6	130.4	95.2	21.4	109.1	24.6	144.3	.....
2.1	14.7	17.8	151.9	187.5	123.6	77.5	72.3	74.4	128.9	80.7	25.1	104.8	14.7	113.1	1.0
1.0	25.7	18.5	145.8	214.6	123.2	63.7	103.7	76.0	133.5	56.5	24.6	103.7	16.4	149.9	.....
.....	9.4	56.6	122.6	84.9	84.9	56.6	66.0	103.8	66.0	47.2	18.9	75.5	37.7	84.9	.....
.....	18.3	54.9	100.6	155.5	64.0	73.2	82.3	27.4	27.4	73.2	.....	54.9	9.1	146.3	9.1
.....	8.9	26.7	115.6	142.3	71.2	35.6	35.6	44.5	44.5	62.3	.....	35.6	17.8	62.3	.....
.....	.....	26.0	77.9	147.2	52.0	60.6	34.6	77.9	26.0	86.6	.....	34.6	8.7	86.6	.....
.....	25.3	.....	126.5	101.2	42.2	42.2	118.1	33.7	33.7	84.3	8.4	42.2	16.9	109.6	.....
.....	16.4	32.9	131.5	131.5	90.4	82.2	156.2	41.1	57.5	90.4	41.1	90.4	16.4	98.6	8.2
8.0	16.0	64.1	168.4	152.3	104.2	48.1	64.1	72.2	40.1	88.2	32.1	80.2	24.1	144.3	.....
15.6	.....	23.5	78.2	140.8	117.4	62.6	109.5	39.1	54.8	86.1	15.6	39.1	.....	54.8	.....
.....	15.3	7.6	91.7	114.6	53.5	22.9	45.8	45.8	61.1	99.3	.....	45.8	7.6	68.8	.....
.....	14.9	7.5	112.0	126.9	22.4	67.2	44.8	52.3	44.8	74.6	22.4	74.6	22.4	97.0	.....

[1] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
CONNECTICUT—continued.														
Meriden town	1900	1,522.9	24.4	38.3	.....	.....	10.5	10.5	10.5	94.1	(2)	191.7	10.5	73.2
	1901	1,424.4	17.2	55.1	.....	.....	.....	13.8	24.1	68.8	(2)	175.5	13.8	68.8
	1902	1,288.9	6.8	40.8	.....	.....	10.2	10.2	20.4	44.2	(2)	163.2	13.6	54.4
	1903	1,418.7	33.6	40.3	.....	13.4	.....	57.2	13.4	53.8	(2)	158.0	40.3	90.8
	1904	1,382.7	6.6	19.9	.....	.....	.....	3.3	6.6	46.5	(2)	169.5	16.6	66.5
	1905	1,317.9	9.9	16.4	.....	6.6	3.3	26.3	13.1	59.2	9.9	141.3	26.3	88.7
	1906	1,524.3	19.5	26.0	.....	13.0	.....	16.3	48.8	19.5	6.5	159.3	26.0	91.0
	1907	1,459.3	22.5	9.6	.....	3.2	9.6	19.3	6.4	61.1	.....	135.0	19.3	96.4
	1908	1,392.6	15.9	15.9	.....	3.2	3.2	6.4	19.1	54.0	6.4	149.4	38.2	57.2
	1909	1,324.1	6.3	9.4	.....	12.6	.....	.....	59.8	25.2	.....	154.1	18.9	81.8
Middletown town *	1900	1,835.8	17.2	22.9	.....	5.7	5.7	51.5	28.6	51.5	(2)	148.7	5.7	62.9
	1901	2,079.1	39.2	22.4	.....	.....	.....	5.6	22.4	39.2	(2)	297.0	16.8	50.4
	1902	1,975.3	5.5	16.5	.....	.....	.....	11.0	16.5	.....	(2)	253.1	44.0	104.5
	1903	2,507.6	21.6	10.8	.....	43.2	16.2	48.6	16.2	48.6	(2)	275.6	27.0	118.9
	1904	[3] 1,099.1	5.3	.....	.....	.....	.....	.....	5.3	.....	(2)	132.7	15.9	37.2
	1905	2,342.9	.....	15.7	.....	10.4	5.2	10.4	5.2	5.2	52.2	292.2	41.7	67.8
	1906	2,144.2	30.8	.....	.....	.....	10.3	.....	10.3	5.1	20.5	261.6	41.0	128.2
	1907	2,285.0	20.2	5.0	.....	5.0	.....	10.1	10.1	20.2	25.2	247.2	25.2	75.7
	1908	2,163.1	24.8	9.9	.....	.....	.....	5.0	39.7	14.9	14.9	243.1	39.7	94.3
	1909	2,191.6	43.9	.....	.....	24.4	4.9	29.3	24.4	9.8	9.8	253.8	29.3	112.3
Naugatuck	1900	1,726.6	28.5	9.5	.....	.....	.....	9.5	9.5	56.9	(2)	123.3	28.5	66.4
	1901	1,261.7	18.6	18.6	.....	.....	55.7	46.4	18.6	27.8	(2)	111.3	9.3	27.8
	1902	1,763.6	27.3	.....	.....	.....	190.9	9.1	81.8	27.3	(2)	154.5	.....	63.6
	1903	1,452.6	17.8	8.9	.....	35.6	89.1	53.5	53.5	17.8	(2)	178.2	35.6	53.5
	1904	1,546.9	17.5	.....	.....	.....	.....	8.7	8.7	.....	(2)	218.5	52.4	35.0
	1905	1,269.0	8.6	.....	.....	.....	.....	8.6	8.6	34.3	.....	214.4	8.6	42.9
	1906	1,287.4	8.4	.....	.....	.....	8.4	16.8	.....	.....	8.4	185.1	16.8	75.7
	1907	1,330.0	8.3	.....	.....	.....	.....	.....	.....	16.5	8.3	198.3	16.5	57.8
	1908	989.8	8.1	.....	.....	8.1	.....	.....	8.1	16.2	8.1	97.4	16.2	48.7
	1909	1,394.8	8.0	.....	.....	15.9	8.0	8.0	47.8	8.0	.....	167.4	15.9	31.9
New Britain town	1900	2,031.8	14.2	7.1	.....	7.1	21.3	53.2	63.8	88.6	(2)	170.2	17.7	21.3
	1901	1,370.0	20.0	13.4	3.3	3.3	36.8	13.4	36.8	50.1	(2)	110.3	30.1	53.5
	1902	1,313.6	12.7	3.2	9.5	3.2	25.4	.....	34.9	6.3	(2)	114.2	12.7	25.4
	1903	1,640.1	18.1	3.0	.....	72.5	30.2	51.3	66.4	30.2	(2)	117.8	15.1	48.3
	1904	1,397.7	20.2	.....	.....	5.8	11.5	2.9	25.9	25.9	(2)	89.3	14.4	60.5
	1905	1,471.5	16.5	2.8	.....	5.5	5.5	2.8	8.3	11.0	5.5	121.2	22.0	55.1
	1906	1,546.9	13.2	5.3	.....	37.0	7.9	50.2	29.0	10.6	10.6	113.5	23.8	52.8
	1907	1,504.9	22.8	2.5	.....	17.7	.....	2.5	27.9	27.9	20.3	136.8	22.8	58.3
	1908	1,334.5	24.4	4.9	.....	2.4	.....	34.1	17.0	19.5	19.5	104.7	21.9	39.0
	1909	1,226.1	14.1	2.3	.....	.....	7.0	7.0	25.8	9.4	7.0	86.7	28.1	58.6
New Haven	1900	1,821.8	25.0	14.8	.....	7.4	6.5	21.3	17.6	44.4	(2)	187.9	25.0	69.4
	1901	1,783.8	93.8	12.6	.....	9.9	4.5	23.5	23.5	42.4	(2)	192.2	24.4	88.4
	1902	1,650.5	38.8	8.8	.....	6.2	7.1	29.1	8.8	6.2	(2)	186.0	29.1	82.0
	1903	1,674.8	36.2	5.2	.....	25.9	12.9	19.8	16.4	15.5	(2)	162.9	25.0	78.4
	1904	1,698.9	27.0	8.4	.....	14.3	5.1	11.0	14.3	35.4	(2)	161.0	27.8	70.8
	1905	1,840.0	42.1	10.7	.....	2.5	6.6	8.3	13.2	19.8	23.9	154.3	28.9	90.8
	1906	1,875.1	52.5	8.9	.....	28.3	0.8	27.5	37.2	9.7	16.2	160.0	17.8	81.6
	1907	1,812.1	29.3	6.3	.....	4.7	2.4	8.7	28.5	39.6	15.8	186.0	19.0	98.1
	1908	1,644.7	33.3	6.2	.....	6.2	2.3	10.9	26.4	25.6	10.9	145.0	26.4	100.8
	1909	1,685.2	20.5	4.6	.....	23.6	16.0	19.8	12.9	11.4	11.4	175.6	35.0	96.5
New London	1900	2,000.2	17.1	.....	.....	11.4	17.1	.....	68.4	5.7	(2)	193.7	.....	68.4
	1901	1,850.5	11.2	5.6	.....	.....	5.6	.....	90.0	67.5	(2)	208.1	16.9	56.2
	1902	1,978.7	38.9	.....	.....	11.1	11.1	72.3	22.2	.....	(2)	244.6	5.6	83.4
	1903	1,971.9	16.5	5.5	.....	33.0	5.5	11.0	27.5	43.9	(2)	186.8	.....	93.4
	1904	2,187.8	5.4	.....	.....	.....	5.4	10.9	38.0	59.7	(2)	222.6	10.9	114.0
	1905	1,867.6	32.2	.....	.....	.....	.....	.....	.....	37.6	21.5	161.0	32.2	107.3
	1906	1,952.5	21.2	.....	.....	21.2	.....	.....	21.2	31.8	.....	143.3	21.2	132.6
	1907	2,213.8	31.5	.....	.....	.....	15.7	42.0	5.2	31.5	21.0	199.3	26.2	110.2
	1908	1,644 5	10.4	.....	.....	5.2	20.8	.....	.....	51.9	.....	114.1	15.6	114.1
	1909	1,621.3	35.9	.....	.....	5.1	.....	15.4	10.3	20.5	.....	148.8	41.0	92.4
Norwalk town	1900	1,675.7	45 2	20.1	.....	10.0	10.0	.....	35.1	145.5	(2)	165.6	10.0	120.4
	1901	1,441.1	53 9	9.8	.....	.....	9.8	.....	24.5	44 1	(2)	137.2	.....	88.2
	1902	1,406.4	52.8	4.8	.....	.....	4.8	.....	19.2	38.4	(2)	148.8	9.6	48.0
	1903	1,528.2	23.5	4.7	.....	9.4	28.2	4.7	47.0	89.3	(2)	117.6	9.4	75.2
	1904	1,460.8	23.0	4.6	.....	18.4	9.2	4.6	13.8	27.6	(2)	179.7	.....	82.9
	1905	1,585.9	22.6	.....	.....	.....	4.5	9.0	18.1	22 6	18.1	153.6	18.1	90.4
	1906	1,573.2	26.6	.....	.....	.....	8.9	8.9	26.6	70 9	8.9	137.4	13.3	110.8
	1907	1,639.2	43.5	.....	.....	4.3	8.7	13.0	8.7	43.5	17.4	139.1	13.0	91.3
	1908	1,561.9	42.7	4.3	.....	.....	4.3	34.1	21.3	34.1	4 3	157.9	12.8	93.9
	1909	1,533.5	8.4	8.4	.....	16.8	.....	.....	8.4	46.1	8.4	83.8	.....	129.9
Norwich town	1900	1,968.6	28.4	.....	.....	.....	8.1	.....	77.1	24.4	(2)	211.1	4.0	73.1
	1901	1,904.8	12.1	32.2	.....	16.1	20.1	.....	52.4	56.4	(2)	173.2	40.3	108.7
	1902	1,515.3	20.0	4.0	4.0	4.0	4.0	16.0	4.0	12.0	(2)	171.9	20.0	104.0
	1903	1,830.2	14.8	11.1	.....	22.2	.....	44.5	22.2	29.6	(2)	177.8	37.0	85.2
	1904	1,527.3	7.4	.....	.....	.....	.....	.....	7.4	25.8	(2)	125.1	25.8	69.9
	1905	1,678.1	11.0	11.0	.....	3.7	3.7	.....	3.7	21.9	58.5	124.3	25.6	69.5
	1906	1,714.4	14.5	3.6	.....	18.2	3.6	14.5	7.3	29.1	18.2	119.9	36.3	65.4
	1907	1,724.8	10.8	.....	.....	.....	.....	21.7	18.0	36.1	21.7	104.6	28.9	86.6
	1908	1,598.9	17.9	3.6	.....	3.6	3 6	.....	3.6	43.0	25.1	136.2	28.7	82.5
	1909	1,567.2	10 7	7.1	.....	.....	3.6	.....	21.4	39.2	21.4	121.1	24.9	74.8

[1] Exclusive of stillbirths.

[2] Not computed separately.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	13.9	17.4	184.7	104.5	160.3	55.7	101.1	87.1	59.2	69.7	17.4	52.3	3.5	132.4	.....
.....	20.6	34.4	154.8	103.2	51.6	72.3	106.7	37.8	68.8	75.7	6.9	75.7	6.9	168.6	3.4
3.4	10.2	27.2	139.4	136.0	44.2	61.2	64.6	81.6	51.0	51.0	40.8	74.8	6.8	132.6	.....
.....	16.8	23.5	147.9	161.4	80.7	47.1	110.9	53.8	67.2	50.4	3.4	50.4	10.1	94.1	.....
3.3	10.0	26.6	132.9	103.0	119.7	103.0	96.4	53.2	83.1	86.4	26.6	46.5	16.6	139.6	.....
3.3	9.9	23.0	170.9	128.2	72.3	62.4	59.2	82.2	101.9	39.4	23.0	52.6	9.9	78.9	.....
6.5	6.5	74.8	159.3	146.3	91.0	65.0	110.5	94.3	58.5	61.8	26.0	104.0	9.8	84.5	.....
3.2	12.9	19.3	163.9	192.9	90.0	67.5	106.1	99.6	83.6	41.8	6.4	80.4	9.6	99.6	.....
.....	19.1	19.1	155.8	155.8	117.6	66.8	127.2	60.4	76.3	73.1	19.1	31.8	3.2	98.6	.....
3.1	22.0	15.7	144.7	135.2	94.4	47.2	75.5	56.6	103.8	47.2	37.7	66.0	18.9	88.1	.....
.....	34.3	22.9	125.8	257.4	143.0	102.9	194.4	125.8	74.3	51.5	5.7	51.5	40.0	200.2	5.7
.....	11.2	22.4	347.5	358.7	106.5	123.3	56.0	84.1	117.7	61.6	11.2	61.6	28.0	190.5	5.6
.....	11.0	27.5	368.7	253.1	126.6	99.0	110.0	115.5	71.5	66.0	.....	60.5	22.0	181.6	11.0
.....	21.6	27.0	329.7	399.9	156.7	227.0	167.5	102.7	75.7	81.1	16.2	64.9	16.2	194.6	.....
.....	10.6	10.6	185.8	244.2	138.0	90.3	26.5	37.2	31.9	31.9	5.3	26.5	.....	58.4	5.3
.....	.....	78.3	469.6	454.0	73.1	156.5	140.9	93.9	83.5	88.7	20.9	104.4	5.2	67.8	.....
.....	10.3	20.5	328.3	395.0	82.1	153.9	174.4	112.9	71.8	30.8	10.3	143.6	5.1	92.3	5.1
5.0	15.1	30.3	297.6	484.2	111.0	105.9	247.2	121.1	126.1	55.5	30.3	121.1	10.1	75.7	5.0
.....	24.8	19.8	367.1	550.7	64.5	84.3	148.8	74.4	104.2	44.7	9.9	94.3	.....	84.3	5.0
.....	19.5	24.4	332.0	507.6	83.0	92.7	185.5	97.6	97.6	48.8	34.2	87.9	4.9	34.2	.....
.....	19.0	75.9	56.9	113.8	208.7	37.9	294.1	132.8	66.4	85.4	.....	66.4	28.5	208.7	.....
.....	.....	64.9	37.1	64.9	92.8	64.9	120.6	111.3	27.8	64.9	.....	102.1	18.6	139.2	18.6
.....	.....	63.6	118.2	145.5	109.1	118.2	136.4	109.1	54.5	54.5	.....	118.2	.....	163.6	18.2
.....	.....	17.8	89.1	98.0	115.9	71.3	115.9	71.3	71.3	80.2	.....	98.0	17.8	62.4	.....
.....	17.5	17.5	113.6	104.9	61.2	96.1	279.7	61.2	122.4	96.1	.....	96.1	8.7	131.1	.....
.....	.....	25.7	137.2	94.3	94.3	68.6	205.8	17.1	85.7	42.9	8.6	51.4	8.6	94.3	8.6
.....	33.7	67.3	126.2	159.9	67.3	75.7	109.4	42.1	50.5	84.1	.....	84.1	16.8	50.5	.....
.....	8.3	41.3	148.7	107.4	41.3	132.2	148.7	74.3	66.1	82.6	8.3	115.7	.....	49.6	.....
.....	.....	48.7	97.4	89.2	64.9	56.8	97.4	32.5	48.7	89.2	.....	105.5	.....	48.7	.....
15.9	31.9	23.9	127.5	191.3	71.7	71.7	135.5	39.9	87.7	135.5	8.0	71.7	.....	63.8	8.0
.....	24.8	42.6	191.5	117.0	138.3	134.7	294.3	106.4	99.3	124.1	14.2	88.6	21.3	148.9	21.3
3.3	13.4	46.8	127.0	90.2	90.2	66.8	117.0	76.9	46.8	113.6	13.4	43.4	6.7	123.6	20.0
.....	6.3	63.5	107.9	66.6	85.7	73.0	206.2	95.2	50.8	85.7	25.4	82.5	9.5	104.7	3.2
.....	24.2	54.4	120.8	117.8	84.6	96.7	193.3	105.7	78.5	90.6	12.1	87.6	6.0	111.8	3.0
2.9	14.4	49.0	129.7	149.9	86.5	69.2	155.6	92.2	80.7	100.9	5.8	92.2	11.5	95.1	5.8
2.8	5.5	44.1	118.5	132.3	124.0	102.0	184.6	102.0	57.9	102.0	16.5	88.2	13.8	115.7	5.5
.....	7.9	23.8	121.4	129.4	89.8	84.5	264.0	73.9	63.4	89.8	2.6	116.2	21.1	92.4	13.2
2.5	5.1	27.9	101.3	136.8	106.4	86.1	192.5	86.1	53.2	106.4	15.2	106.4	32.9	93.7	12.7
.....	12.2	21.9	73.1	121.8	114.5	77.9	160.7	68.2	43.8	102.3	24.4	90.1	36.5	85.2	14.6
.....	16.4	16.4	110.2	100.8	65.6	77.4	121.9	68.0	53.9	128.9	14.1	86.7	32.8	84.4	2.3
1.9	17.6	30.5	165.7	172.2	162.9	122.2	141.6	99.1	88.9	103.7	18.5	92.6	25.0	160.1	.....
2.7	17.1	36.1	155.2	167.8	107.4	94.7	125.4	81.2	93.8	74.9	14.4	92.0	17.1	172.3	16.2
2.6	7.1	41.4	162.2	156.1	99.6	97.9	146.4	74.1	95.2	81.1	6.2	91.7	30.9	150.8	5.3
0.9	19.8	46.5	156.9	168.9	131.0	104.3	115.5	79.3	81.0	71.5	15.5	109.5	50.0	123.3	2.6
2.5	14.3	45.5	143.3	182.1	118.9	97.8	113.0	100.3	123.9	77.6	23.6	118.0	20.2	122.3	20.2
.....	17.3	117.2	155.1	217.0	145.2	91.6	133.7	98.2	106.4	76.7	20.6	94.1	36.3	123.8	5.8
1.6	18.6	45.2	151.1	200.4	176.9	116.3	130.1	85.6	110.7	96.9	13.7	117.9	33.9	128.5	7.3
2.4	13.5	33.2	148.0	251.6	177.3	67.3	91.0	86.3	108.4	79.1	19.8	106.0	52.2	132.9	4.7
3.1	17.8	31.0	131.0	214.0	114.8	80.6	109.3	64.4	122.5	83.7	22.5	89.9	32.6	126.4	7.0
1.5	26.6	20.5	133.0	200.7	134.5	107.2	98.8	69.2	137.6	75.3	25.8	71.5	38.8	116.3	0.8
17.1	17.1	34.2	193.7	239.3	131.1	108.3	222.2	102.6	108.3	62.7	34.2	85.5	39.9	210.8	11.4
.....	5.6	16.9	191.2	196.9	101.2	118.1	157.5	84.4	73.1	73.1	22.5	180.0	11.2	151.9	5.6
.....	16.7	66.7	172.3	211.2	83.4	105.6	155.6	94.5	83.4	116.7	16.7	161.2	22.2	183.4	.....
16.5	5.5	27.5	175.8	192.2	82.4	65.9	170.3	126.3	115.3	115.3	27.5	225.2	33.0	170.3	.....
.....	38.0	48.9	260.6	260.6	97.7	70.6	146.6	124.9	179.2	86.9	5.4	184.6	38.0	179.2	.....
5.4	26.8	21.5	198.6	252.2	118.1	64.4	134.2	91.2	107.3	59.0	21.5	182.5	32.2	150.3	10.7
.....	15.9	10.6	222.8	291.8	79.6	84.9	159.2	106.1	132.6	74.3	31.8	212.2	10.6	127.3	.....
5.2	36.7	47.2	220.3	262.3	94.4	152.1	236.1	120.7	110.2	83.9	31.5	141.6	47.2	131.2	10.5
5.2	15.6	20.8	207.5	243.8	67.4	36.3	150.4	57.1	93.4	72.6	41.5	155.6	10.4	129.7	5.2
5.1	51.3	10.3	189.8	256.5	56.4	61.6	112.9	56.4	118.0	51.3	10.3	112.9	20.5	133.4	5.1
5.0	20.1	25.1	220.8	110.4	85.3	45.2	125.4	95.3	120.4	40.1	10.0	95.3	15.1	95.3	5.0
.....	4.9	19.6	220.6	117.6	73.5	63.7	117.6	58.8	83.3	53.9	4.9	112.7	19.6	122.5	.....
.....	14.4	28.8	115.2	196.8	124.8	57.6	115.2	52.8	86.4	62.4	19.2	67.2	9.6	129.6	.....
.....	4.7	28.2	197.5	221.0	94.0	51.7	98.7	79.9	84.6	32.9	18.8	112.9	9.4	84.6	.....
.....	13.8	18.4	184.3	193.5	87.6	55.3	87.6	55.3	106.0	50.7	9.2	106.0	9.2	119.8	.....
.....	18.1	72.3	239.5	216.9	63.3	49.7	126.5	67.8	117.5	45.2	18.1	94.9	22.6	76.8	.....
.....	31.0	.....	230.4	164.0	110.8	31.0	115.2	53.2	93.1	53.2	8.9	119.6	17.7	132.9	.....
.....	34.8	17.4	217.4	239.1	91.3	52.2	121.7	65.2	139.1	78.3	8.7	95.7	4.3	91.3	.....
.....	17.1	21.3	243.2	187.8	98.2	64.0	102.4	68.3	119.5	68.3	4.3	64.0	.....	93.9	.....
.....	46.1	33.5	301.7	155.0	117.3	46.1	71.2	71.2	88.0	62.8	8.4	83.8	37.7	100.6	.....
12.2	24.4	20.3	215.1	239.5	113.6	117.7	186.7	89.3	97.4	69.0	12.2	89.3	20.3	235.4	.....
.....	.....	8.1	201.4	185.2	201.4	92.6	124.8	96.6	112.8	112.8	12.1	52.4	16.1	177.2	.....
.....	24.0	28.0	195.9	183.9	72.0	60.0	76.0	100.0	72.0	76.0	12.0	64.0	20.0	167.9	.....
3.7	25.9	25.9	177.8	237.1	81.5	81.5	114.8	92.6	122.3	63.0	3.7	85.2	11.1	259.3	.....
3.7	14.7	25.8	209.8	187.7	128.8	77.3	81.0	125.1	84.6	58.9	11.0	84.6	18.4	154.6	.....
3.7	21.9	43.9	171.8	226.7	120.6	109.7	117.0	102.4	73.1	73.1	18.3	102.4	21.9	138.9	.....
.....	29.1	29.1	178.0	228.8	138.0	98.1	116.2	105.3	127.1	58.1	10.9	101.7	18.2	145.3	.....
.....	25.3	32.5	166.0	241.8	108.3	111.9	129.9	122.7	101.0	57.7	18.0	115.5	18.0	147.9	.....
3.6	14.3	46.6	150.6	243.8	82.5	68.1	93.2	121.9	118.3	68.1	10.8	104.0	28.7	96.8	.....
.....	10.7	21.4	181.7	249.3	74.8	78.4	85.5	124.7	89.0	60.6	7.1	96.2	24.9	138.9	.....

* Represents deaths from Jan. 1 to June 30 only.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
CONNECTICUT—continued.														
Stamford town	1900	1,799.5	26.5	.....	.....	31.8	.....	.....	37.2	58.4	(2)	169.9	5.3	79.6
	1901	1,825.9	15.0	15.0	.....	.....	.....	40.1	20.1	75.2	(2)	190.6	10.0	60.2
	1902	1,642.2	57.3	.....	4.8	4.8	.....	14.3	57.3	9.5	(2)	128.9	23.9	57.3
	1903	1,721.4	45.5	.....	.....	.....	27.3	.....	54.6	59.2	(2)	104.7	22.8	59.2
	1904	1,867.6	26.1	.....	.....	21.8	21.8	.....	56.6	47.9	(2)	143.7	8.7	60.9
	1905	1,888.8	25.0	4.2	.....	8.3	4.2	29.2	20.8	41.7	12.5	141.8	33.4	87.6
	1906	1,708.3	12.0	4.0	.....	.....	16.0	24.0	24.0	24.0	16.0	120.0	12.0	80.0
	1907	1,903.3	26.9	3.8	.....	11.5	7.7	.....	19.2	50.0	11.5	107.7	15.4	76.9
	1908	1,621.0	11.1	3.7	.....	7.4	14.8	14.8	14.8	25.9	7.4	107.3	14.8	88.8
	1909	1,829.9	10.7	3.6	.....	60.6	42.8	10.7	35.7	7.1	3.6	142.7	35.7	74.9
Stonington town	1900	1,697.9	35.1	23.4	.....	.....	.....	.....	.....	105.4	(2)	234.2	.....	140.5
	1901	1,580.1	.....	.....	.....	.....	.....	.....	11.6	58.1	(2)	185.9	.....	92.9
	1902	1,534.2	.....	11.5	.....	.....	34.6	.....	57.7	.....	(2)	115.4	34.6	46.1
	1903	1,649.3	45.8	.....	.....	57.3	22.9	22.9	11.5	.....	(2)	137.4	.....	45.8
	1904	2,047.1	34.1	.....	.....	11.4	11.4	.....	22.7	.....	(2)	182.0	45.5	113.7
	1905	1,795.6	.....	.....	.....	.....	.....	22.6	22.6	56.5	11.3	146.8	33.9	90.3
	1906	1,558.8	11.2	.....	.....	11.2	.....	22.4	33.6	11.2	11.2	78.5	11.2	44.9
	1907	1,626.0	11.1	11.1	.....	.....	.....	22.3	11.1	11.1	22.3	155.9	.....	55.7
	1908	1,482.1	.....	.....	.....	22.1	11.1	.....	33.2	22.1	33.2	99.5	22.1	22.1
	1909	1,614.7	.....	22.0	.....	22.0	11.0	22.0	22.0	22.0	.....	164.8	.....	65.9
Torrington town	1900	1,557.9	8.0	.....	.....	88.3	.....	48.2	8.0	40.1	(2)	176.7	16.1	56.2
	1901	1,329.8	7.7	.....	.....	7.7	.....	.....	7.7	23.2	(2)	139.2	30.9	30.9
	1902	994.2	.....	.....	.....	.....	.....	.....	22.4	22.4	(2)	119.6	14.9	22.4
	1903	1,229.9	14.5	7.2	.....	.....	7.2	14.5	65.1	14.5	(2)	101.3	7.2	50.6
	1904	1,086.5	7.0	.....	.....	.....	14.0	.....	7.0	7.0	(2)	161.2	7.0	35.0
	1905	1,400.4	20.4	.....	.....	20.4	6.8	.....	34.0	20.4	.....	136.0	27.2	81.6
	1906	1,187.8	13.2	.....	.....	6.6	.....	13.2	26.4	13.2	6.6	99.0	39.6	39.6
	1907	1,250.2	32.1	.....	.....	12.8	.....	.....	6.4	51.3	6.4	128.2	.....	38.5
	1908	1,134.5	6.2	.....	.....	.....	6.2	.....	24.9	18.7	6.2	112.2	12.5	37.4
	1909	1,152.4	6.1	.....	.....	78.8	6.1	.....	6.1	6.1	24.3	84.9	6.1	60.7
Vernon town	1900	1,685.7	11.8	.....	.....	11.8	.....	.....	.....	129.7	(2)	153.2	.....	47.1
	1901	1,193.1	11.7	.....	.....	.....	11.7	.....	23.4	23.4	(2)	70.2	23.4	81.9
	1902	1,428.6	11.6	.....	.....	.....	.....	.....	58.1	11.6	(2)	127.8	.....	58.1
	1903	1,476.2	.....	.....	.....	.....	.....	34.6	.....	34.6	(2)	103.8	11.5	69.2
	1904	1,385.7	22.9	11.5	.....	.....	.....	22.9	.....	57.3	(2)	114.5	45.8	103.1
	1905	1,330.6	22.7	.....	.....	.....	.....	.....	.....	22.7	22.7	102.4	22.7	45.5
	1906	1,457.0	22.6	.....	.....	.....	.....	.....	11.3	33.9	11.3	124.2	.....	79.1
	1907	1,435.8	11.2	.....	.....	.....	56.1	56.1	11.2	89.7	22.4	78.5	.....	33.7
	1908	1,314.6	.....	.....	.....	.....	.....	.....	33.4	66.8	11.1	89.1	.....	55.7
	1909	1,195.0	22.1	.....	.....	.....	.....	.....	11.1	22.1	.....	132.8	.....	88.5
Wallingford town	1900	1,422.1	66.7	11.1	.....	.....	.....	.....	.....	66.7	(2)	177.8	.....	44.4
	1901	1,255.8	.....	10.8	.....	.....	10.8	10.8	43.3	54.1	(2)	97.4	.....	119.1
	1902	1,206.4	.....	23.7	.....	11.8	11.8	11.8	23.7	11.8	(2)	106.4	23.7	71.0
	1903	1,499.0	10.3	10.3	.....	20.7	72.4	20.7	41.4	31.0	(2)	113.7	.....	41.4
	1904	1,435.6	20.2	10.1	.....	.....	20.2	20.2	30.3	60.7	(2)	141.5	20.2	111.2
	1905	1,167.3	9.9	9.9	.....	.....	.....	.....	19.8	9.9	9.9	118.7	.....	49.5
	1906	1,355.7	.....	19.4	.....	19.4	.....	.....	19.4	9.7	9.7	184.0	9.7	67.8
	1907	1,280.2	9 5	.....	.....	.....	.....	56 9	.....	47.4	19.0	218.1	.....	47.4
	1908	1,347.2	.....	.....	.....	46.5	.....	.....	18.6	9.3	65.0	167.2	37.2	55.7
	1909	1,238.5	.....	.....	.....	.....	9.1	18 2	.....	9.1	9.1	118.4	9.1	18.2
Waterbury	1900	1,875.3	48.9	11.7	.....	45.0	13.7	5.9	29.3	31.3	(2)	207.3	31.3	45.0
	1901	1,671.2	31.7	9.3	.....	3.7	11.2	35.5	35.5	44.8	(2)	160.6	16.8	35.5
	1902	1,679.8	32.3	12.5	5.4	5.4	32.3	9.0	41.2	9 0	(2)	170.3	16.1	41.2
	1903	1,623.9	29.3	1.7	.....	50.0	20.7	32.8	41.4	10.3	(2)	136.2	19.0	56.9
	1904	1,484.1	19.9	6.6	.....	.....	19.9	10.0	41.5	13.3	(2)	149.4	24.9	48.1
	1905	1,532.1	30.4	1.6	.....	8.0	8.0	4.8	32.0	20.8	14.4	140.9	17.6	46.4
	1906	1,616.9	23.2	.....	.....	10.8	27.8	32.5	34.0	15.5	37.1	122.1	20.1	60.3
	1907	1,664.6	23.9	.....	.....	4.5	1.5	25 4	28.4	26.9	20.9	110.6	17.9	64.3
	1908	1,528.6	17.4	1.4	.....	26.0	7.2	10.1	31.8	27 5	11.6	147.5	21.7	53.5
	1909	1,479.5	15.4	2.8	.....	7.0	.....	1.4	23.8	9.8	7.0	119.1	18.2	56.0
Windham town	1900	2,130.8	49.3	29.6	.....	.....	9.9	39 5	19.7	138.1	(2)	256.5	.....	59.2
	1901	1,614.3	19.2	9.6	.....	28.8	9.6	.....	28.8	86.5	(2)	249.8	28.8	38.4
	1902	1,501.5	9.4	28.2	9.4	.....	.....	.....	.....	46.9	(2)	150.2	18.8	65.7
	1903	1,586.3	27.5	9.2	.....	9.2	.....	18.3	.....	82.5	(2)	165.0	64.2	64.2
	1904	1,792.8	17.9	17.9	.....	9.0	.....	.....	.....	44.8	(2)	233.1	17.9	53.8
	1905	1,893.7	26.3	.....	.....	.....	78.9	17.5	17.5	61.4	26.3	201.6	35.1	70.1
	1906	1,664.4	17.2	.....	.....	.....	.....	8.6	8.6	42.9	8 6	214.5	8.6	60.1
	1907	1,486.6	8.4	8.4	.....	.....	.....	16.8	25.2	25.2	8 4	176.4	16.8	67.2
	1908	1,727.5	16.5	8.2	.....	.....	.....	.....	16.5	115.2	8.2	181.0	41.1	65.8
	1909	1,958 7	16.1	.....	.....	8.1	8.1	40.3	32.2	16.1	.....	104.8	32.2	88.7
DELAWARE.[3]														
Wilmington	1900	2,020.7	52.3	5.2	1.3	5.2	2.6	6.5	98.0	18.3	(2)	237.9	2.6	60.1
	1901	1,728.4	41 2	2.6	.....	.....	3.9	12.9	43.8	24.5	(2)	175.0	6.4	25.7
	1902	1,735.9	60 9	2.5	.....	1 3	5.1	29.2	10.2	7.6	(2)	195.4	3.8	43.1
	1903	1,680.6	86.3	1.3	1.3	8.8	5.0	17.5	65.1	7.5	(2)	201.5	3.8	37.5
	1904	1,782.4	54.3	2.5	.....	2.5	3.7	7.4	51.8	9.9	(2)	202.4	11.1	56.8
	1905	1,591.6	34.1	.....	.....	1.2	2.4	20.7	30.4	8.5	4.9	181.4	19.5	48.7
	1906	1,830.0	44.5	.....	.....	1.2	2.4	10.8	51.7	9.6	8.4	205.5	6.0	45.7
	1907	1,755.1	40.3	1.2	.....	.....	1.2	16.6	20.2	14.2	13 0	149.4	14.2	37.9
	1908	1,576.7	24.6	1.2	.....	5.9	14.0	10.5	23.4	12.9	7.0	169.7	19.9	50.3
	1909	1,578.5	30.0	.....	.....	1.2	10.4	28.9	15.0	13.9	8.1	157.2	16.2	50.8

[1] Exclusive of stillbirths.

[2] Not computed separately.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	26.5	37.2	302.6	169.9	159.3	31.8	84.9	58.4	196.4	74.3	.....	74.3	42.5	132.7	.....
5.0	10.0	45.1	250.8	135.4	125.4	95.3	155.5	130.4	100.3	80.3	5.0	80.3	35.1	145.5	.....
4.8	19.1	43.0	210.1	224.4	105.0	62.1	66.8	71.6	76.4	124.1	4.8	81.2	43.0	148.0	.....
4.6	4.6	50.1	250.5	127.5	136.6	54.6	118.4	82.0	127.5	86.5	4.6	136.6	31.9	132.1	.....
4.4	13.1	43.5	235.1	182.8	187.2	69.7	148.0	121.9	117.5	65.3	4.4	91.4	52.2	143.7	.....
.....	12.5	58.4	275.2	154.3	125.1	120.9	112.6	91.7	191.8	50.0	20.8	108.4	45.9	112.6	.....
.....	24.0	16.0	232.0	192.0	116.0	100.0	108.0	88.0	132.0	88.0	16.0	120.0	20.0	124.0	.....
.....	15.4	57.7	219.2	199.9	161.5	96.1	142.3	107.7	92.3	92.3	26.9	142.3	57.7	161.5	.....
.....	3.7	25.9	188.7	210.9	144.3	62.9	114.7	103.6	122.1	81.4	3.7	96.2	48.1	103.6	.....
3.6	10.7	21.4	206.9	153.4	160.5	78.5	157.0	103.4	178.4	78.5	21.4	117.7	25.0	85.6	.....
.....	11.7	46.8	152.2	140.5	58.5	93.7	164.0	105.4	82.0	11.7	11.7	70.3	46.8	164.0	.....
.....	11.6	11.6	104.6	197.5	81.3	116.2	139.4	92.9	46.5	46.5	.....	104.6	23.2	244.0	11.6
.....	.....	11.5	150.0	242.2	46.1	80.7	219.2	34.6	69.2	57.7	11.5	69.2	57.7	184.6	.....
.....	11.5	45.8	171.8	263.4	91.6	68.7	114.5	91.6	45.8	68.7	.....	114.5	22.9	194.7	.....
11.4	22.7	56.9	113.7	272.9	147.8	56.9	136.5	125.1	125.1	113.7	22.7	79.6	56.9	284.3	.....
.....	.....	11.3	192.0	327.5	112.9	124.2	135.5	67.8	56.5	67.8	11.3	90.3	45.2	169.4	.....
.....	67.3	11.2	89.7	302.8	112.1	67.3	190.6	78.5	100.9	56.1	.....	100.9	22.4	123.4	.....
11.1	11.1	55.7	245.0	144.8	44.5	100.2	211.6	111.4	133.6	78.0	.....	11.1	11.1	155.9	.....
.....	22.1	11.1	154.8	243.3	88.5	44.2	154.8	44.2	88.5	88.5	.....	77.4	22.1	177.0	.....
.....	54.9	11.0	142.8	197.7	76.9	131.8	76.9	87.9	109.8	109.8	33.0	87.9	11.0	131.8	.....
.....	.....	24.1	136.5	64.2	128.5	72.3	160.6	104.4	80.3	120.5	.....	96.4	24.1	96.4	8.0
.....	.....	15.5	201.0	61.9	123.7	46.4	77.3	92.8	54.1	135.6	7.7	123.7	7.7	69.6	15.5
.....	.....	14.9	97.2	29.9	59.8	52.3	127.1	52.3	44.8	97.2	7.5	104.6	29.9	67.3	7.5
.....	7.2	36.2	115.8	65.1	123.0	50.6	166.4	36.2	57.9	57.9	7.2	86.8	21.7	108.5	7.2
.....	.....	14.0	119.2	77.1	91.1	49.1	105.1	49.1	70.1	70.1	14.0	63.1	21.0	84.1	21.0
.....	6.8	34.0	115.6	88.4	47.6	74.8	203.9	61.2	54.4	102.0	6.8	115.6	20.4	122.4	.....
.....	13.2	13.2	145.2	79.2	85.8	19.8	145.2	52.8	79.2	99.0	.....	79.2	39.6	72.6	6.6
.....	19.2	19.2	121.8	76.9	76.9	51.3	173.1	51.3	51.3	102.6	6.4	64.1	25.6	128.2	6.4
.....	18.7	31.2	118.4	93.5	112.2	24.9	106.0	62.3	62.3	112.2	12.5	43.6	18.7	93.5	.....
.....	12.1	24.3	103.1	127.4	48.5	36.4	175.9	36.4	30.3	84.9	24.3	66.7	18.2	84.9	.....
.....	.....	11.8	141.4	176.8	176.8	35.4	271.1	58.9	94.3	35.4	11.8	129.7	35.4	141.5	11.8
.....	11.7	81.9	128.7	175.5	58.5	23.4	35.1	70.2	58.5	46.8	46.8	58.5	11.7	128.7	11.7
.....	11.6	11.6	267.1	174.2	46.5	58.1	116.1	127.8	46.5	58.1	23.2	46.5	11.6	151.0	11.6
.....	11.5	.....	196.1	219.1	115.3	23.1	80.7	103.8	115.3	115.3	23.1	80.7	11.5	103.8	23.1
11.5	11.5	11.5	160.3	148.9	80.2	34.4	148.9	80.2	80.2	22.9	34.4	57.3	22.9	103.1	.....
.....	45.5	11.4	182.0	238.8	11.4	68.2	170.6	56.9	34.1	56.9	.....	56.9	45.5	102.4	11.4
.....	11.3	33.9	225.9	203.3	56.5	45.2	124.2	124.2	112.9	67.8	11.3	45.2	22.6	67.8	22.6
.....	22.4	56.1	134.6	190.7	78.5	56.1	134.6	101.0	67.3	89.7	.....	33.7	22.4	78.5	11.2
.....	33.4	.....	178.3	200.5	33.4	44.6	11.1	144.8	100.3	100.3	.....	55.7	78.0	66.8	11.1
.....	11.1	11.1	166.0	166.0	44.3	44.3	66.4	44.3	55.3	99.6	11.1	99.6	11.1	88.5	.....
.....	.....	55.5	100.0	88.9	77.8	55.5	155.6	55.5	55.5	66.7	33.3	122.2	11.1	177.8	.....
.....	21.7	21.7	119.1	151.6	43.3	54.1	108.3	75.8	65.0	65.0	10.8	10.8	21.7	140.7	.....
11.8	11.8	59.1	189.2	141.9	59.1	82.8	94.6	47.3	11.8	35.5	11.8	106.4	11.8	35.5	.....
.....	10.3	31.0	155.1	144.7	103.4	51.7	155.1	113.7	41.4	93.0	.....	72.4	10.3	155.1	.....
.....	20.2	40.4	91.0	111.2	50.6	30.3	151.7	40.4	60.7	121.3	20.2	141.5	10.1	111.2	.....
.....	9.9	29.7	108.8	59.4	128.6	29.7	98.9	79.1	69.2	118.7	9.9	79.1	9.9	98.9	9.9
.....	29.1	38.7	164.6	184.0	48.4	58.1	77.5	48.4	58.1	135.6	9.7	96.8	19.4	48.4	.....
9.5	19.0	56.9	170.7	123.3	47.4	56.9	56.9	19.0	94.8	28.4	19.0	123.3	19.0	37.9	.....
.....	27.9	65.0	111.5	111.5	46.5	27.9	102.2	46.5	74.3	83.6	46.5	120.8	27.9	55.7	.....
.....	18.2	27.3	154.8	127.5	100.2	63.7	154.8	9.1	82.0	72.9	54.6	72.9	.....	100.2	9.1
.....	5.9	45.0	127.1	111.4	172.1	127.1	260.1	93.8	78.2	105.6	7.8	103.6	21.5	146.7	.....
1.9	20.5	46.7	100.8	108.3	141.9	147.5	192.3	82.2	56.0	99.0	1.9	97.1	18.7	169.9	1.9
.....	7.2	46.6	114.7	141.6	118.3	82.5	220.5	84.3	91.4	102.2	7.2	111.1	28.7	143.4	5.4
1.7	6.9	32.8	136.2	120.7	118.9	112.1	155.1	87.9	75.9	112.1	13.8	124.1	13.8	112.1	1.7
.....	18.3	14.9	132.8	151.1	116.2	69.7	207.5	73.0	76.4	81.3	13.3	86.3	10.0	99.6	.....
3.2	9.6	44.8	120.1	120.1	120.1	86.4	224.1	83.2	80.0	76.8	12.8	112.1	14.4	97.7	1.6
.....	6.2	23.3	95.8	111.3	109.7	117.5	225.7	74.2	98.9	108.2	10.8	142.2	12.4	97.4	.....
1.5	16.4	23.9	118.0	140.5	133.0	103.1	207.7	76.2	91.2	104.6	22.4	134.5	23.9	143.5	.....
.....	14.5	36.2	98.3	133.0	94.0	101.2	173.5	86.8	95.4	108.5	17.4	115.7	14.5	81.0	2.9
.....	21.0	33.6	105.1	130.3	92.5	124.7	203.1	72.9	88.3	114.9	22.4	112.1	18.2	78.5	1.4
.....	39.5	78.9	197.3	108.5	59.2	108.5	276.2	118.4	98.6	29.6	29.6	128.2	69.1	187.4	.....
9.6	28.8	67.3	173.0	124.9	86.5	67.3	182.6	67.3	86.5	48.0	19.2	57.7	9.6	86.5	.....
.....	46.9	28.2	159.5	187.7	75.1	122.0	37.5	103.2	150.2	56.3	.....	122.0	9.4	75.1	.....
.....	27.5	45.8	128.4	146.7	82.5	64.2	174.2	64.2	64.2	64.2	9.2	64.2	27.5	133.4	.....
.....	9.0	26.9	206.2	224.1	80.7	134.5	134.5	107.6	107.6	80.7	.....	125.5	44.8	116.5	.....
.....	17.5	26.3	149.0	201.6	96.4	87.7	228.0	140.3	140.3	26.3	.....	96.4	17.5	131.5	.....
.....	42.9	42.9	111.5	163.0	60.1	180.2	197.3	85.8	94.4	77.2	.....	77.2	34.3	128.7	.....
.....	8.4	92.4	193.2	142.8	58.8	126.0	67.2	67.2	126.0	84.0	8.4	50.4	.....	109.2	.....
8.2	32.9	32.9	156.3	205.7	49.4	115.2	131.6	123.4	115.2	32.9	24.7	98.7	16.5	131.6	.....
.....	16.1	24.2	169.3	225.7	137.0	249.9	217.6	104.8	169.3	48.4	24.2	48.4	24.2	153.2	.....
3.9	6.5	74.5	248.4	160.8	200.0	60.1	133.3	62.8	74.5	105.9	9.2	112.4	116.3	139.9	22.2
6.4	2.6	66.9	203.3	172.4	150.6	75.9	103.0	87.5	70.8	96.5	2.6	126.1	95.2	130.0	2.6
5.1	5.1	81.2	195.4	157.3	166.2	63.4	97.7	63.4	77.4	93.9	5.1	134.5	116.7	110.4	3.8
5.0	5.0	53.8	191.5	138.9	175.2	91.4	86.3	83.8	80.1	73.8	5.0	80.1	77.6	96.4	1.3
1.2	6.2	66.7	208.6	169.1	170.3	90.1	104.9	88.9	90.1	76.5	2.5	87.6	102.4	113.6	1.2
2.4	9.7	60.9	171.7	136.4	120.6	69.4	86.5	75.5	99.9	85.2	12.2	86.5	97.4	123.0	2.4
1.2	9.6	46.9	177.8	173.0	213.9	94.9	121.4	115.4	102.1	73.3	6.0	81.7	111.7	109.3	6.0
1.2	21.3	80.6	214.6	177.9	173.1	73.5	125.7	115.0	93.7	100.8	4.7	85.4	84.2	94.9	.....
2.3	9.4	45.7	160.4	176.7	160.4	65.5	105.3	90.1	94.8	94.8	17.6	73.7	63.2	77.3	.....
1.2	9.2	40.4	167.6	164.1	172.2	90.1	105.2	99.4	87.8	80.9	10.4	77.4	69.3	71.6	.....

[a] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
DISTRICT OF COLUMBIA.														
Washington	1900	2,225.2	79.7	19.0	1.4	16.1	5.4	31.6	43.4	43.4	(2)	293.1	33.0	76.4
	1901	2,128.6	61.2	15.1	.....	3.9	3.9	22.1	36.6	58.4	(2)	295.3	33.7	70.0
	1902	1,995.4	78.7	11.0	0.3	5.2	2.1	42.1	17.3	20.7	(2)	245.0	34.5	74.5
	1903	2,014.8	48.5	7.5	0.7	15.3	0.7	24.1	8.5	28.8	(2)	264.7	37.3	74.9
	1904	2,067.8	46.6	4.0	0.3	1.3	3.7	13.0	17.3	33.6	(2)	277.3	37.3	75.9
	1905	2,028.7	47.8	3.6	2.9	2.6	3.6	23.2	16.0	28.1	7.9	272.2	43.2	75.2
	1906	2,030.8	51.8	7.1	1.3	9.0	3.2	16.1	13.5	11.9	13.8	251.5	37.0	81.7
	1907	2,005.6	35.1	2.8	.....	1.9	0.6	9.5	9.2	37.9	11.1	242.8	33.8	88.8
	1908	1,908.1	38.9	2.5	.....	0.6	3.1	11.5	8.4	39.8	9.3	221.4	39.2	86.8
	1909	1,901.7	34.3	3.4	.....	11.9	8.0	8.9	14.4	13.2	4.3	229.4	34.0	87.2
FLORIDA.[3]														
Jacksonville	1900	3,014.5	35.2	239.2	.....	.....	.....	17.6	10.5	49.2	(2)	415.1	17.6	31.6
	1901	2,667.5	53.7	278.5	.....	3.4	26.8	.....	20.1	16.8	(2)	328.8	10.1	36.9
	1902	2,816.2	128.3	150.8	.....	3.2	28.9	.....	3.2	9.6	(2)	426.6	38.5	48.1
	1903	2,697.3	61.4	147.5	.....	6.1	.....	58.4	9.2	18.4	(2)	285.7	9.2	67.6
	1904	2,664.6	85.5	59.0	.....	17.7	.....	23.6	11.8	2.9	(2)	406.8	11.8	53.1
	1905	2,869.6	93.5	90.6	.....	.....	.....	2.8	11.3	5.7	51.0	447.6	28.3	70.8
	1906	2,296.4	70.0	75.0	2.5	.....	2.5	5.0	12.5	5.0	35.0	340.2	12.5	42.5
	1907	2,389.8	132.1	67.2	.....	6.7	2.2	11.2	9.0	13.4	17.9	324.8	20.2	51.5
	1908	2,209.9	83.1	46.6	.....	6.1	.....	22.3	4.1	20.3	14.2	369.0	14.2	56.8
	1909	2,181.6	77.8	64.8	.....	3.7	.....	24.1	7.4	9.3	20.4	255.6	24.1	48.1
Key West	1900	2,442.4	52.6	40.9	.....	.....	.....	23.4	46.7	23.4	(2)	356.4	23.4	35.1
	1901	2,310.3	28.1	22.5	.....	.....	.....	16.9	11.2	11.2	(2)	337.3	22.5	33.7
	1902	2,231.0	43.3	21.7	.....	.....	59.6	.....	27.1	21.7	(2)	330.3	21.7	65.0
	1903	2,094.7	10.4	41.8	.....	.....	26.1	5.2	15.7	.....	(2)	224.6	15.7	52.2
	1904	2,098.8	85.8	35.3	.....	5.0	15.1	.....	10.1	.....	(2)	267.4	10.1	35.3
	1905	2,141.7	58.5	19.5	.....	4.9	14.6	.....	9.8	9.8	19.5	346.4	24.4	78.1
	1906	2,433.4	29.4	29.4	.....	78.5	.....	29.4	19.6	4.9	34.3	284.6	39.2	63.8
	1907	2,378.1	118.4	24.7	.....	.....	4.9	9.9	4.9	9.9	24.7	370.0	34.5	69.1
	1908	2,024.5	49.6	14.9	.....	.....	.....	.....	5.0	5.0	29.8	228.3	34.7	64.5
	1909	1,891.5	34.9	.....	.....	.....	15.0	.....	15.0	.....	25.0	214.6	44.9	49.9
GEORGIA.[3]														
Atlanta	1900	2,208.7	74.6	16.7	1.1	2.2	14.5	14.5	34.5	34.5	(2)	264.8	26.7	47.8
	1901	2,126.1	75.0	11.6	.....	32.7	23.2	19.0	27.4	45.4	(2)	244.9	14.8	38.0
	1902	2,118.7	65.5	6.0	4.0	7.1	10.1	22.2	20.2	20.2	(2)	269.1	12.1	55.4
	1903	1,968.3	61.7	11.6	5.8	11.6	2.9	12.5	22.2	42.4	(2)	214.1	6.8	49.2
	1904	2,180.7	55.5	6.5	8.3	6.5	3.7	33.3	28.7	48.1	(2)	239.4	19.4	47.1
	1905	2,168.6	63.0	6.1	.....	17.5	1.7	21.0	46.3	45.5	44.6	238.7	22.7	45.5
	1906	2,220.6	66.5	10.9	0.8	2.5	2.5	20.2	22.7	46.3	41.2	233.1	9.3	51.3
	1907	2,142.3	89.2	8.1	.....	39.7	3.2	25.1	13.0	30.0	38.1	167.0	20.3	64.1
	1908	1,808.2	58.7	10.2	.....	17.2	.....	20.3	17.2	54.8	32.1	175.3	18.8	61.0
	1909	1,717.7	50.6	5.9	.....	.....	3.7	16.1	19.1	19.1	33.0	162.9	18.3	57.2
Savannah	1900	3,100.8	40.6	169.6	1.8	.....	3.7	27.7	9.2	55.3	(2)	396.4	18.4	40.6
	1901	3,000.3	29.3	151.8	.....	3.7	22.0	.....	5.5	47.6	(2)	376.9	18.3	32.9
	1902	2,673.7	45.1	141.8	.....	4.8	9.7	1.6	12.9	9.7	(2)	332.0	16.1	53.2
	1903	2,445.7	56.1	96.1	.....	.....	1.6	32.0	3.2	30.4	(2)	331.5	12.8	36.8
	1904	2,734.7	82.8	109.8	.....	6.4	.....	15.9	4.8	46.2	(2)	362.9	28.7	63.7
	1905	2,725.9	42.7	164.5	.....	7.9	1.6	.....	11.1	68.0	14.2	299.9	30.1	61.7
	1906	2,512.7	44.0	108.5	1.6	1.6	.....	4.7	22.0	36.2	17.3	305.0	33.0	44.0
	1907	2,641.3	84.4	121.9	.....	3.1	.....	65.6	15.6	32.8	9.4	262.6	17.2	61.0
	1908	2,317.8	24.9	135.2	.....	23.3	.....	4.7	18.6	76.1	12.4	247.0	12.4	46.6
	1909	2,233.0	24.7	77.2	.....	.....	1.5	12.4	12.4	10.8	13.9	237.8	20.1	51.0
ILLINOIS.[3]														
Aurora	1900	1,590.3	70.4	4.1	.....	.....	4.1	.....	24.8	24.8	(2)	107.7	24.8	91.1
	1901	1,493.9	48.5	4.0	.....	12.1	24.2	20.2	20.2	20.2	(2)	153.4	16.2	88.8
	1902	1,258.9	39.5	.....	.....	.....	3.9	7.9	7.9	.....	(2)	98.7	11.8	63.1
	1903	1,242.6	15.4	3.9	.....	.....	.....	3.9	3.9	.....	(2)	92.6	19.3	73.3
	1904	1,332.8	45.3	.....	3.8	.....	.....	.....	49.1	7.6	(2)	117.0	15.1	90.6
	1905	1,145.6	7.4	.....	.....	.....	.....	14.8	14.8	7.4	11.1	88.7	37.0	73.9
	1906	1,331.8	14.5	.....	.....	3.6	14.5	3.6	14.5	7.2	14.5	94.1	32.6	115.8
	1907	1,453.6	17.7	.....	.....	.....	39.0	3.5	17.7	14.2	3.5	78.0	10.6	99.3
	1908	1,316.9	13.9	.....	.....	.....	.....	6.9	31.3	41.7	3.5	139.0	17.4	69.5
	1909	1,437.6	20.4	.....	.....	10.2	10.2	3.4	20.4	3.4	13.6	95.4	30.7	95.4
Belleville	1900	1,527.1	68.7	22.9	.....	.....	5.7	5.7	57.2	5.7	(2)	137.3	17.2	62.9
	1901	1,544.0	57.2	5.7	.....	5.7	11.4	.....	45.7	11.4	(2)	114.4	22.9	62.9
	1902	1,623.8	40.0	.....	.....	.....	28.6	5.7	57.2	22.9	(2)	171.5	5.7	85.8
	1903	1,817.8	80.0	17.1	34.3	45.7	22.9	5.7	11.4	11.4	(2)	137.2	28.6	131.5
	1904	2,154.5	51.4	11.4	262.9	5.7	.....	22.9	5.7	11 4	(2)	188.6	17.1	80.0
	1905	1,685.5	51.4	.....	11.4	.....	.....	5 7	28.6	11.4	11.4	108.6	17.1	108.6
	1906	1,953.6	28.6	11.4	.....	.....	.....	28.6	22.8	11.4	22.8	131.4	28.6	114.2
	1907	1,582.2	37.9	.....	.....	4.7	4 7	4.7	33.2	9.5	18.9	132.6	18.9	75.8
	1908	1,577.2	47.4	.....	.....	33.2	4.7	14.2	4.7	18.9	9.5	161.0	23.7	61.6
	1909	1,287.9	61.6	.....	.....	.....	.....	.....	14.2	9.5	9.5	146.8	9.5	108.9
Chicago	1900	1,534.3	21.1	1.9	0.2	12.7	14.1	16.9	49.6	10.4	(2)	165.8	18.8	60.4
	1901	1,397.2	29.9	1.2	0.2	10.3	11.1	12.7	28.6	15.9	(2)	147.9	20.6	63.9
	1902	1,470.4	45.5	0.9	0.3	8.2	26.6	13.4	34.7	8.5	(2)	148.2	18.8	65.2
	1903	1,554.0	32.5	1.0	2.5	15.6	16.5	13.9	34.2	14.2	(2)	160.1	24.4	65.2
	1904	1,405.2	20.5	0.5	1.6	2.8	7.9	7.3	21 4	11.1	(2)	166.8	21.3	65.1
	1905	1,413.4	16.9	0.9	3.1	13.0	4.2	18.7	22.3	10.2	9.4	166.2	23.4	67.0
	1906	1,451.8	18.8	0.5	.....	6.6	25.1	8.3	27.5	6.0	9.6	162.4	29.5	71.7
	1907	1,572.4	18.2	0.3	(4)	12.8	35.1	12.0	27.1	11.6	11.8	171.5	25.7	75.1
	1908	1,449.1	15.8	0.5	.....	8.1	19.6	6.4	26.5	15.9	9 8	163.0	23.6	74.9
	1909	1,458.2	12.6	0.4	.....	7.7	17.2	6.5	31.7	8.7	10.3	155.9	25.1	76.7

[1] Exclusive of stillbirths.

[2] Not computed separately.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
1.1	7.5	37.3	232.9	215.6	157.9	108.7	181.6	97.2	113.7	110.2	9.7	78.9	43.8	185.5	1.1
0.4	10.2	23.6	206.7	223.9	118.8	125.5	164.9	96.7	125.1	105.1	10.2	100.5	39.4	177.2	0.4
0.7	10.7	26.2	182.2	202.2	126.3	141.1	159.1	91.5	114.9	115.6	13.1	72.1	38.7	169.1	0.3
0.7	12.2	16.9	199.3	221.6	136.6	127.8	134.5	103.4	130.5	111.8	20.0	81.7	39.0	167.8	0.3.
0.7	12.3	22.6	205.1	220.7	145.2	119.9	138.5	104.2	146.2	106.9	21.0	96.2	37.3	180.1	0.7
1.0	15.4	19.0	182.9	223.1	137.7	110.9	140.3	105.7	157.7	98.5	19.6	104.7	31.4	154.4	.....
1.0	9.6	25.1	205.8	252.1	121.2	108.7	133.8	110.6	149.5	113.2	14.1	100.0	25.7	162.4	.....
1.6	17.1	30.0	183.7	272.2	128.4	118.6	130.0	105.0	138.5	107.5	22.8	87.0	35.1	154.6	.....
0.6	11.2	17.4	164.2	251.6	116.6	108.5	126.3	102.6	139.3	97.3	20.5	94.2	28.3	167.9	.....
0.6	15.6	13.5	181.7	250.9	127.6	112.0	103.7	100.0	140.7	107.7	29.1	88.4	29.7	151.4	0.3
.....	7.0	56.3	330.6	161.8	140.7	137.2	137.2	207.5	137.2	172.4	3.5	151.3	295.5	242.7	17.6
.....	3.4	40.3	278.5	157.7	130.9	97.3	117.4	114.1	140.9	120.8	.....	208.0	214.7	194.6	73.8
.....	.....	41.7	218.1	163.6	118.7	73.8	144.3	144.3	163.6	176.4	9.6	182.8	282.3	214.9	44.9
9.2	9.2	39.9	215.0	267.3	144.4	82.9	101.4	153.6	175.1	190.5	9.2	212.0	184.3	224.3	15.4
.....	11.8	29.5	235.8	135.6	200.4	112.0	150.3	126.7	194.5	188.6	8.8	159.2	179.8	224.0	35.4
2.8	5.7	22.7	257.8	164.3	130.3	113.3	124.6	218.1	209.6	164.3	11.3	198.3	187.0	221.0	36.8
.....	2.5	15.0	225.1	127.6	97.6	100.1	115.1	185.1	137.6	150.1	2.5	175.1	200.1	155.1	5.0
.....	4.5	40.3	221.7	152.3	120.9	73.9	127.7	190.4	163.5	85.1	15.7	190.4	125.4	119.5	2.2
4.1	6.1	18.2	188.6	109.5	139.9	93.3	123.7	146.0	156.1	83.1	10.1	139.9	154.1	188.6	12.2
.....	1.9	14.8	196.3	124.1	111.1	81.5	98.2	183.3	170.4	100.0	16.7	179.6	150.0	218.5	.....
.....	.....	99.3	391.5	122.7	81.8	105.2	292.2	122.7	40.9	163.6	5.8	64.3	140.2	204.5	5.8
.....	5.6	95.6	309.2	174.3	157.4	123.7	309.2	84.3	50.6	140.5	.....	39.3	151.8	185.5	.....
5.4	.....	97.5	205.8	124.5	70.4	37.9	395.3	75.8	81.2	151.6	.....	48.7	157.0	184.1	5.4
.....	.....	41.8	266.4	135.8	57.5	73.1	350.0	78.4	78.4	167.2	.....	73.1	198.5	177.6	5.2
.....	5.0	70.6	237.1	151.4	20.2	70.6	338.0	50.5	55.5	206.9	.....	65.6	211.9	146.3	5.0
.....	.....	39.0	307.3	126.8	34.1	82.9	336.6	78.1	68.3	92.7	9.8	29.3	200.0	151.2	.....
.....	9.8	127.6	284.6	137.4	44.2	142.3	412.1	68.7	83.4	107.9	.....	34.3	211.0	157.0	.....
.....	.....	78.9	246.7	108.5	29.6	49.3	439.1	113.5	113.5	88.8	9.9	83.9	177.6	167.8	.....
.....	14.9	59.5	258.0	114.1	54.6	84.4	322.5	99.2	109.2	153.8	9.9	44.7	163.7	104.2	.....
.....	5.0	39.9	169.7	184.7	49.9	59.9	294.5	69.9	94.8	69.9	15.0	169.7	114.8	149.7	5.0
4.5	12.2	25.6	208.1	134.6	176.9	82.3	181.4	143.5	87.9	135.8	4.5	134.6	103.5	208.0	33.4
.....	5.3	28.5	229.1	121.4	234.4	86.6	137.2	119.3	102.4	76.0	5.3	89.7	158.3	190.0	10.6
4.0	6.0	31.2	197.6	108.9	254.0	78.6	172.4	108.9	116.9	66.5	6.0	87.7	138.1	233.8	16.1
1.9	6.8	23.1	201.6	153.3	209.3	78.1	158.2	131.2	124.4	76.2	5.8	85.8	84.9	160.1	27.0
1.8	13.9	26.8	172.9	139.6	267.2	84.1	181.2	127.6	147.0	74.9	1.8	111.9	106.3	191.4	36.1
3.5	12.2	28.9	196.8	131.2	235.2	94.4	128.5	125.9	151.3	90.1	20.1	131.2	90.1	146.0	30.6
0.8	12.6	126.2	202.0	143.9	174.2	92.6	155.7	157.4	170.8	73.2	15.1	159.9	69.0	133.8	26.1
0.8	6.5	98.9	208.4	119.2	186.5	84.3	163.8	147.6	143.5	68.1	12.2	130.6	101.4	146.0	26.8
1.6	11.7	21.1	156.5	129.9	142.4	60.2	115.0	136.9	146.3	77.5	15.6	104.1	53.2	152.6	18.0
.....	7.3	20.5	171.7	108.6	154.8	63.8	112.3	135.7	154.8	68.2	19.1	106.4	53.6	140.9	13.9
1.8	5.5	18.4	331.8	154.9	213.9	162.2	182.5	130.9	116.1	184.4	9.2	197.3	208.3	272.8	147.5
3.7	1.8	12.8	303.7	155.5	161.0	172.0	146.4	128.1	166.5	239.7	12.8	150.0	208.6	301.9	148.2
.....	1.6	19.3	298.2	137.0	167.6	145.0	167.6	106.4	120.9	167.6	4.8	153.1	188.6	257.9	111.2
.....	4.8	12.8	275.5	153.6	152.2	134.5	129.7	128.1	124.9	57.7	9.6	110.5	157.0	253.1	136.1
1.6	12.7	19.1	318.4	227.6	164.0	146.4	109.8	149.6	154.4	143.3	9.6	109.8	203.7	230.8	12.7
.....	11.1	22.1	300.6	174.0	275.3	139.2	126.6	118.7	164.5	79.1	11.1	112.3	121.8	231.0	137.6
.....	6.3	9.4	323.9	207.6	117.9	133.7	116.4	138.4	152.5	86.5	6.3	147.8	94.3	226.4	127.4
.....	3.1	39.1	286.0	165.7	126.6	143.8	145.4	164.1	150.0	125.0	9.4	154.7	187.5	218.8	48.5
.....	3.1	21.7	265.7	177.1	155.4	116.5	144.5	152.2	118.1	104.1	20.2	101.0	113.4	219.0	4.7
.....	6.2	18.5	268.7	199.2	114.3	95.7	171.4	169.9	115.8	103.5	15.4	114.3	120.4	248.6	9.3
8.3	16.6	53.8	194.7	120.1	161.5	66.3	99.4	70.4	87.0	37.3	16.6	111.8	58.0	120.1	16.6
8.1	12.1	40.4	181.7	84.8	145.4	60.6	109.0	105.0	52.5	28.3	28.3	60.6	32.3	137.3	.....
.....	11.8	35.5	142.1	126.3	106.6	75.0	51.3	90.8	55.2	35.5	7.9	78.9	67.1	130.2	11.8
3.9	7.7	42.4	127.3	100.3	127.3	81.0	38.6	92.6	54.0	65.6	19.3	84.9	81.0	104.2	.....
3.8	22.7	56.6	162.3	71.7	109.5	41.5	45.3	98.2	68.0	45.3	18.9	60.4	71.7	120.8	7.6
.....	14.8	33.3	144.1	77.6	77.6	44.3	51.7	85.0	48.0	62.8	25.9	44.3	70.2	110.9	.....
.....	7.2	36.2	162.9	83.2	105.0	54.3	54.3	123.0	57.9	32.6	25.3	86.9	72.4	115.8	.....
.....	21.3	42.5	195.0	99.3	156.0	67.4	92.2	99.3	85.1	74.5	10.6	95.7	42.5	85.1	3.5
6.9	20.8	24.3	145.9	135.5	69.5	27.8	48.6	76.4	114.7	83.4	6.9	86.9	27.8	118.1	.....
.....	3.4	13.6	177.1	166.9	115.8	64.7	78.4	105.6	105.6	57.9	20.4	88.6	20.4	115.8	.....
.....	11.4	40.0	125.8	91.5	97.2	74.4	85.8	91.5	34.3	45.8	17.2	103.0	62.9	251.6	11.4
5.7	5.7	57.2	131.5	97.2	68.6	74.3	97.2	114.4	51.5	91.5	28.6	120.1	143.0	120.1	.....
5.7	5.7	40.0	148.7	131.5	91.5	68.6	91.5	102.9	68.6	80.0	22.9	91.5	97.2	142.9	17.2
5.7	5.7	17.1	165.8	91.5	137.2	74.3	102.9	108.6	62.9	97.2	17.1	171.5	68.6	160.1	5.7
.....	17.1	45.7	188.6	154.3	125.7	102.9	125.7	171.4	102.9	80.0	57.1	137.2	57.1	131.4	.....
.....	5.7	28.6	142.8	154.3	57.1	97.1	148.6	125.7	57.1	102.8	22.9	205.7	68.6	108.6	5.7
.....	17.1	34.3	182.8	188.5	85.7	114.2	142.8	131.4	85.7	137.1	34.3	188.5	62.8	148.5	.....
.....	14.2	28.4	156.3	127.9	71.1	132.6	71.1	146.8	52.1	90.0	33.2	127.9	66.3	123.2	.....
.....	4.7	23.7	156.3	184.7	90.0	66.3	85.3	104.2	61.6	94.7	23.7	85.3	37.9	180.0	.....
.....	.....	14.2	132.6	123.1	66.3	61.6	75.8	66.3	85.2	52.1	9.5	85.2	18.9	137.3	.....
1.0	6.7	39.4	123.5	127.6	209.2	89.4	127.4	74.7	74.2	50.9	21.4	82.8	16.4	116.0	1.8
0.8	8.2	31.6	110.4	122.3	139.6	85.6	125.4	76.8	71.8	44.2	22.6	82.9	14.7	117.8	0.3
0.6	8.4	33.0	108.0	126.5	144.9	109.0	121.5	81.9	86.1	37.7	24.3	85.7	14.8	117.3	0.5
0.6	9.3	30.7	110.1	127.8	182.7	106.3	120.7	77.2	100.4	41.4	25.3	117.8	12.0	111.2	0.3
0.7	10.2	24.6	99.9	129.3	157.3	91.8	113.4	75.5	101.6	52.3	21.5	90.4	9.6	100.2	0.6
0.6	11.4	23.9	91.9	125.2	126.2	95.0	131.7	76.7	113.7	48.3	22.2	95.9	10.1	85.2	0.1
0.2	10.0	21.5	91.5	128.4	141.9	95.3	133.9	78.7	120.2	52.3	19.8	99.5	8.5	84.3	.....
0.6	10.9	23.5	92.9	140.2	183.6	101.5	137.0	78.7	121.9	58.3	19.9	101.8	11.2	88.9	.....
0.2	13.1	14.6	77.4	154.7	127.9	87.4	162.2	81.2	102.0	53.3	23.6	94.5	5.2	87.8	.....
(4)	13.9	12.3	69.8	180.3	146.8	87.7	161.6	67.8	105.9	43.7	21.2	105.4	1.1	88.1	(4)

[3] Nonregistration state; cities shown below only those with effective local ordinances.

[4] Less than one-tenth.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
ILLINOIS[2]—continued.														
Danville	1900	1,791.6	61.2	18.3	.....	6.1	6.1	.....	42.8	.....	(3)	244.6	12.2	91.7
Decatur	1900	1,691.2	48.2	.....	.....	19.3	9.6	.....	43.4	24.1	(3)	163.8	28.9	86.7
	1901	1,400.3	41.6	9.2	.....	.....	23.1	32.4	4.6	37.0	(3)	147.9	4.6	27.7
	1902	1,466.0	13.3	.....	.....	8.9	48.7	8.9	44.3	8.9	(3)	141.7	22.1	75.3
	1903	1,196.8	17.1	.....	.....	34.2	.....	8.5	42.7	21.4	(3)	102.6	17.1	55.6
	1904	1,334.1	37.2	8.3	4.1	4.1	.....	20.7	4.1	12.4	(3)	157.0	20.7	90.9
	1905	1,076.7	18.5	.....	.....	.....	.....	11.1	11.1	29.6	7.4	99.9	11.1	48.1
	1906	1,077.5	10.8	3.6	.....	18.0	.....	18.0	25.1	14.4	10.8	111.3	21.5	75.4
	1907	1,200.3	10.5	.....	.....	.....	.....	3.5	27.9	14.0	17.4	97.7	7.0	69.8
	1908	1,170.4	10.2	.....	.....	.....	3.4	17.0	.....	10.2	13.6	71.2	23.7	84.8
	1909	1,072.4	23.0	.....	.....	3.3	6.6	.....	19.7	6.6	3.3	101.7	16.4	65.6
Evanston	1908	1,006.7	33.4	.....	.....	12.5	8.4	4.2	16.7	16.7	12.5	112.8	25.1	79.4
	1909	1,056.4	32.6	.....	.....	.....	.....	4.1	4.1	4.1	24.5	77.5	8.2	93.8
Jacksonville*	1900	1,777.4	26.5	6.6	.....	.....	6.6	.....	.....	46.4	(3)	179.1	33.2	53.1
	1901	2,317.1	33.1	.....	6.6	.....	.....	19.9	13.2	33.1	(3)	205.2	26.5	33.1
	1902	2,405.8	99.1	13.2	6.6	.....	13.2	6.6	.....	6.6	(3)	271.0	39.7	66.1
	1903	2,454.6	105.6	13.2	.....	46.2	.....	19.8	26.4	66.0	(3)	277.1	33.0	92.4
	1904	2,233.2	59.3	.....	.....	.....	.....	.....	6.6	19.8	(3)	230.6	52.7	72.5
	1905	1,946.7	32.9	.....	.....	6.6	.....	.....	.....	19.7	6.6	249.9	39.5	59.2
	1906	1,904.1	19.7	.....	.....	6.6	.....	26.3	.....	.....	19.7	295.5	19.7	65.7
	1907	2,104.2	32.8	.....	.....	.....	.....	.....	6.6	6.6	6.6	275.3	26.2	98.3
	1908	2,153.1	19.6	.....	.....	.....	.....	6.5	13.1	13.1	6.5	222.5	13.1	144.0
	1909	2,084.3	26.1	.....	.....	19.6	6.5	.....	26.1	6.5	19.6	163.3	32.7	176.4
Ottawa	1900	1,426.1	28.3	.....	.....	.....	.....	.....	28.3	.....	(3)	160.6	9.4	103.9
	1901	1,613.5	57.3	9.5	.....	.....	.....	9.5	.....	19.1	(3)	124.1	28.6	76.4
	1902	1,360.0	19.3	.....	.....	.....	.....	19.3	9.6	.....	(3)	144.7	9.6	67.5
	1903	1,354.5	9.7	.....	.....	.....	.....	.....	.....	.....	(3)	136.4	29.2	78.0
	1904	1,221.1	9.8	.....	.....	.....	.....	.....	9.8	29.5	(3)	157.6	19.7	59.1
	1905	1,363.5	19.9	.....	.....	.....	.....	.....	10.0	29.9	10.0	89.6	10.0	39.8
	1906	1,549.1	.....	.....	.....	70.4	.....	10.1	10.1	.....	.....	181.1	20.1	50.3
	1907	1,555.8	30.5	.....	.....	.....	.....	.....	61.0	.....	10.2	213.5	40.7	81.4
	1908	1,480.4	20.6	.....	.....	10.3	.....	.....	10.3	10.3	10.3	164.5	30.8	72.0
	1909	1,850.3	.....	.....	.....	.....	.....	.....	10.4	.....	.....	166.3	31.2	72.8
Quincy	1900	1,566.8	30.3	8.3	2.8	2.8	.....	2.8	27.6	2.8	(3)	179.3	8.3	38.6
	1901	1,493.6	41.3	.....	.....	.....	11.0	.....	2.8	27.6	(3)	162.6	41.3	49.6
	1902	1,544.5	57.8	2.8	5.5	5.5	16.5	.....	22.0	11.0	(3)	184.5	16.5	57.8
	1903	1,518.3	41.3	8.3	2.8	2.8	5.5	2.8	13.8	22.0	(3)	145.8	22.0	66.0
	1904	1,610.3	55.0	.....	.....	.....	.....	.....	8.2	13.7	(3)	195.1	22.0	66.0
	1905	1,559.4	27.5	2.7	5.5	5.5	8.2	11.0	13.7	19.2	16.5	159.2	46.7	65.9
	1906	1,385.2	35.7	8.2	.....	.....	2.7	.....	8.2	21.9	11.0	131.7	8.2	101.5
	1907	1,649.7	21.9	8.2	.....	13.7	.....	16.4	60.3	30.1	8.2	186.3	24.7	95.9
	1908	1,579.7	24.6	2.7	.....	.....	.....	13.7	19.2	32.9	8.2	186.2	19.2	117.7
	1909	1,356.7	38.3	2.7	.....	.....	.....	.....	24.6	10.9	5.5	155.9	13.7	62.9
Springfield	1900	1,771.1	35.1	.....	.....	.....	11.7	17.6	58.5	26.3	(3)	216.6	17.6	55.6
	1901	1,893.4	25.3	2.8	.....	16.9	8.4	28.1	73.0	30.9	(3)	280.9	19.7	64.6
	1902	1,733.2	29.8	.....	21.7	.....	2.7	8.1	51.5	16.2	(3)	230.2	29.8	67.7
	1903	1,563.3	47.1	.....	2.6	2.6	10.5	18.3	57.5	5.2	(3)	193.4	13.1	54.9
	1904	1,993.5	37.3	2.5	2.5	10.0	17.4	14.9	27.4	19.9	(3)	226.5	22.4	62.2
	1905	1,545.2	33.7	.....	2.4	2.4	4.8	4.8	26.5	12.0	14.4	182.9	21.7	62.6
	1906	1,749.1	37.3	2.3	.....	11.7	2.3	14.0	49.0	7.0	18.7	128.3	18.7	95.6
	1907	1,806.2	73.9	4.3	.....	28.3	10.9	6.5	45.6	19.6	17.4	193.4	28.3	78.2
	1908	1,605.7	35.7	.....	.....	6.3	23.1	8.4	12.6	14.7	10.5	147.1	25.2	71.5
	1909	1,681.5	33.6	5.9	.....	25.7	2.0	2.0	5.9	7.9	9.9	150.2	29.6	81.0
INDIANA.														
Anderson	1901	1,693.7	73.4	.....	.....	4.9	14.7	14.7	49.0	49.0	(3)	235.0	39.2	63.6
	1902	1,611.7	72.6	.....	.....	14.5	29.0	4.8	48.4	.....	(3)	164.6	48.4	53.2
	1903	1,282.7	28.7	.....	.....	.....	9.6	.....	23 9	14.4	(3)	181.9	43.1	38.3
	1904	1,566.8	42.6	9.5	.....	33.1	14.2	.....	37.9	.....	(3)	222.5	52.1	14.2
	1905	1,240.7	28.1	4.7	.....	.....	.....	.....	9.4	23.4	18.7	154.5	18.7	46.8
	1906	1,366.2	27.8	.....	.....	.....	4.6	9.3	23.2	4.6	18.5	152.8	18.5	88.0
	1907	1,104.2	18.3	.....	.....	.....	4.6	.....	9.2	18.3	4.6	155.8	18.3	36.7
	1908	1,119.8	36.3	9.1	.....	.....	.....	.....	9.1	4.5	18.1	145.1	36.3	58.9
	1909	1,449.0	31.4	4.5	.....	.....	4.5	26.9	49.3	22.4	22.4	148.0	53.8	89.7
Columbus	1900	2,127.9	123.0	12.3	.....	.....	12.3	.....	12.3	49.2	(3)	332.1	12.3	61.5
	1901	1,706.5	36.6	.....	.....	109.7	.....	.....	24.4	36.6	(3)	207.2	36.6	24.4
	1902	1,571.4	24.2	12.1	.....	.....	.....	12.1	60.4	12.1	(3)	181.3	36.3	84.6
	1903	1,438.5	36.0	.....	.....	12.0	.....	24.0	48.0	95.9	(3)	239.8	12.0	24.0
	1904	1,771.5	107.0	.....	.....	35.7	.....	11.9	47.6	35.7	(3)	297.2	35.7	47.6
	1905	1,544.8	47.2	.....	.....	.....	.....	23.6	.....	35.4	23.6	283.0	11.8	70.8
	1906	1,579.1	46.8	.....	.....	.....	23.4	35.1	11.7	.....	.....	152.1	46.8	128.7
	1907	1,334.4	69.6	.....	.....	23.2	.....	23.2	.....	23.2	23.2	174.1	34.8	69.6
	1908	1,484.8	57.6	11.5	.....	.....	.....	11.5	57.6	23.0	23.0	218.7	11.5	92.1
	1909	1,655.6	68.5	.....	.....	.....	11.4	11.4	.....	34.3	45.7	182.7	57.1	148.4
Elkhart	1901	1,215.4	32.0	.....	.....	.....	6.4	.....	.....	32.0	(3)	134.3	6.4	76.8
	1902	1,140.3	56.1	.....	.....	.....	.....	.....	6.2	.....	(3)	137.1	6.2	74.8
	1903	1,269.5	54.7	.....	.....	6.1	.....	12.1	6.1	12.1	(3)	139.7	30.4	66.8
	1904	1,327.2	47.4	5.9	.....	.....	5.9	.....	.....	11.8	(3)	171.8	11.8	65.2
	1905	1,237.5	52.0	.....	.....	.....	.....	23.1	17.3	17.3	11.6	127.2	34.7	69.4
	1906	1,304.5	11.3	11.3	.....	5.6	.....	5.6	33.9	5.6	11.3	141.2	28.2	39.5
	1907	1,319.5	5.5	.....	.....	.....	5.5	5.5	5.5	38.6	11.0	77.3	22.1	110.4
	1908	1,256.9	5.4	.....	.....	.....	5.4	21.6	10.8	10.8	21.6	75.5	16.2	70.1
	1909	1,261.0	63.3	.....	.....	10.6	.....	.....	10.6	5.3	.....	126.6	10.6	73.9

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	6.1	36.7	177.3	110.1	61.2	73.4	91.7	104.0	85.6	73.4	6.1	189.5	110.1	165.1	18.3
.....	14.4	67.4	178.3	125.3	134.9	48.2	72.3	86.7	96.4	72.3	4.8	139.7	53.0	154.2	19.3
4.6	18.5	4.6	184.9	101.7	106.3	64.7	83.2	50.8	97.1	60.1	18.5	97.1	41.6	138.6	.....
4.4	.....	17.7	128.4	101.9	93.0	39.9	97.4	93.0	110.7	101.9	22.1	93.0	57.6	128.4	4.4
4.3	8.5	8.5	132.5	106.9	55.6	59.8	42.7	85.5	64.1	51.3	12.8	98.3	29.9	132.5	4.3
4.1	12.4	24.8	132.2	123.9	74.3	45.4	74.3	78.5	95.0	78.5	24.8	74.3	24.8	107.4	.....
.....	11.1	18.5	122.1	114.7	74.0	22.2	51.8	70.3	114.7	40.7	7.4	59.2	29.6	99.9	3.7
.....	14.4	3.6	86.2	86.2	71.8	35.9	43.1	61.1	97.0	50.3	14.4	75.4	28.7	97.0	3.6
7.0	7.0	24.4	94.2	125.6	80.3	20.9	45.4	83.7	97.7	41.9	41.9	118.6	20.9	132.6	10.5
6.8	6.8	17.0	149.3	98.4	78.0	40.7	44.1	101.8	118.7	37.3	6.8	81.4	33.9	108.6	6.8
.....	9.8	13.1	108.2	85.3	49.2	55.8	45.9	101.7	111.5	42.6	6.6	59.0	19.7	82.0	36.1
.....	8.4	4.2	91.9	125.3	75.2	8.4	29.2	62.7	37.6	41.8	25.1	83.5	20.9	71.0	.....
4.1	8.2	12.2	93.8	203.9	44.9	44.9	57.1	36.7	44.9	61.2	8.2	85.7	12.2	89.7	.....
.....	6.6	46.4	271.9	199.0	92.9	66.3	53.1	99.5	86.2	53.1	6.6	72.9	59.7	291.8	19.9
.....	6.6	26.5	582.6	278.1	125.8	92.7	33.1	185.4	59.6	86.1	13.2	59.6	66.2	278.1	53.0
.....	13.2	26.4	621.3	251.2	165.2	79.3	59.5	79.3	92.5	85.9	.....	99.1	72.7	237.9	.....
6.6	13.2	6.6	428.9	224.3	112.2	79.2	112.2	112.2	99.0	39.6	33.0	105.6	39.6	362.9	.....
.....	13.2	26.4	382.1	243.7	204.2	59.3	52.7	118.6	138.3	72.5	19.8	131.8	39.5	289.9	.....
.....	.....	32.9	355.1	348.6	151.3	92.1	46.0	111.8	52.6	52.6	6.6	98.7	13.5	171.0	.....
.....	19.7	19.7	367.7	269.2	98.5	39.4	59.1	118.2	105.1	46.0	46.0	91.9	13.1	157.6	.....
6.6	13.1	13.1	386.8	295.0	124.5	150.8	39.3	118.0	144.2	59.0	45.9	98.3	6.6	150.8	.....
.....	26.2	6.5	412.3	373.0	124.3	58.9	58.9	144.0	196.3	45.8	19.6	117.8	19.6	111.3	.....
6.5	19.6	13.1	313.6	379.0	156.8	52.3	78.4	150.3	150.3	45.7	32.7	52.3	26.1	130.7	.....
.....	.....	37.8	217.3	94.4	151.1	28.3	37.8	103.9	94.4	56.7	9.4	66.1	56.7	122.8	18.9
.....	28.6	38.2	124.1	200.5	238.7	38.2	76.4	114.6	66.8	9.5	9.5	85.9	85.9	143.2	28.6
9.6	.....	28.9	173.6	115.7	135.0	86.8	48.2	135.0	48.2	57.9	.....	96.5	19.3	135.0	.....
.....	.....	39.0	107.2	78.0	87.7	97.4	58.5	165.7	116.9	39.0	.....	126.7	19.5	155.9	9.7
.....	9.8	19.7	49.2	147.7	118.2	98.5	39.4	88.6	49.2	49.2	59.1	88.6	19.7	68.9	29.5
.....	10.0	19.9	139.3	169.2	129.4	139.3	29.9	129.4	109.5	.....	.....	79.6	69.7	119.4	10.0
.....	.....	40.2	160.9	160.9	110.7	30.2	60.4	181.1	100.6	10.1	30.2	120.7	70.4	130.8	.....
.....	10.2	.....	223.7	132.2	81.4	30.5	40.7	132.2	132.2	40.7	.....	142.4	20.3	132.2	.....
.....	20.6	10.3	215.9	164.5	164.5	82.2	72.0	133.6	113.1	51.4	.....	72.0	.....	51.4	.....
10.4	41.6	41.6	197.5	249.5	197.5	31.2	83.2	124.7	176.7	52.0	41.6	145.5	62.4	114.3	.....
.....	2.8	46.9	190.3	126.9	124.1	99.3	55.2	96.5	91.0	74.4	13.8	104.8	55.2	171.0	11.0
2.8	2.8	33.1	187.4	148.8	79.9	77.2	44.1	96.5	77.2	27.6	13.8	93.7	66.1	201.2	5.5
.....	5.5	41.3	159.7	156.9	112.9	99.1	57.8	71.6	74.3	68.8	22.0	41.3	77.1	176.2	.....
2.8	8.3	13.8	162.3	143.0	101.8	101.8	71.5	90.8	66.0	82.5	8.3	82.5	85.3	154.0	11.0
.....	11.0	8.2	206.1	137.4	167.6	126.4	66.0	85.2	66.0	63.2	8.2	76.9	30.2	186.9	11.0
8.2	11.0	35.7	126.3	183.9	107.1	107.1	120.8	120.8	30.2	30.2	22.0	74.1	41.2	159.2	.....
2.7	27.4	5.5	142.6	205.7	52.1	123.4	52.1	93.3	54.9	38.4	8.2	76.8	8.2	161.8	2.7
.....	21.9	11.0	158.9	205.5	76.7	120.6	120.6	84.9	98.7	57.5	16.4	43.8	11.0	153.5	2.7
2.7	16.4	24.6	147.8	221.8	87.6	71.2	21.9	142.4	76.7	54.8	16.4	93.1	16.4	158.8	2.7
.....	13.7	13.7	155.9	172.3	101.2	43.8	57.4	112.1	76.6	46.5	13.7	76.6	13.7	145.0	.....
.....	5.9	52.7	172.7	140.5	99.5	55.6	84.9	134.7	99.5	67.3	8.8	143.5	90.8	166.9	8.8
.....	16.9	19.7	132.0	146.1	115.2	101.1	67.4	132.0	123.6	33.7	14.0	154.5	59.0	227.5	.....
2.7	2.7	10.8	165.2	165.2	100.2	81.2	94.8	159.8	108.3	21.7	35.2	111.0	62.3	154.4	.....
.....	15.7	44.4	109.8	117.6	120.3	91.5	44.4	96.7	135.9	36.6	23.5	99.3	78.4	138.6	5.2
5.0	19.9	32.4	117.0	141.9	194.1	92.1	107.0	146.8	131.9	82.1	27.4	171.7	54.8	221.5	5.0
.....	2.4	26.5	125.2	98.7	103.5	72.2	62.6	130.0	108.3	74.6	16.8	103.5	67.4	175.7	9.6
2.3	14.0	35.0	109.6	130.6	114.3	77.0	107.3	179.6	125.9	58.3	21.0	116.2	107.3	158.6	7.0
2.2	17.4	52.2	121.7	115.2	121.7	73.9	86.9	165.2	136.9	47.8	28.3	102.2	32.6	191.3	4.3
2.1	18.9	44.1	178.6	105.1	94.6	48.3	69.4	149.2	121.9	52.5	35.7	128.2	42.0	149.2	10.5
.....	15.8	27.7	128.4	136.3	124.5	63.2	94.8	162.0	114.6	39.5	47.4	136.3	33.6	203.5	.....
4.9	4.9	68.5	161.5	68.5	117.5	78.3	137.1	83.2	58.7	73.4	34.3	83.2	68.5	107.7	.....
.....	14.5	62.9	101.6	101.6	116.2	53.2	62.9	106.5	53.2	159.7	9.7	116.2	67.8	145.2	4.8
.....	4.8	33.5	90.9	105.3	43.1	86.2	90.9	76.6	62.2	47.9	9.6	100.5	38.3	148.4	4.8
.....	4.7	42.6	123.1	170.4	80.5	61.5	80.5	85.2	75.7	61.5	23.7	108.9	56.8	160.9	4.7
4.7	9.4	42.1	103.0	126.4	65.5	70.2	56.2	84.3	32.8	74.9	18.7	93.6	46.8	107.7	.....
9.3	18.5	18.5	120.4	111.2	101.9	50.9	88.0	92.6	69.5	50.9	9.3	88.0	37.1	148.2	4.6
.....	9.2	9.2	73.3	105.4	82.5	32.1	68.7	73.3	87.1	59.6	18.3	55.0	18.3	146.6	.....
4.5	4.5	31.7	113.3	86.1	63.5	22.7	58.9	86.1	45.3	40.8	31.7	86.1	9.1	117.9	.....
4.5	4.5	31.4	76.3	148.0	94.2	49.3	112.2	107.7	62.8	49.3	26.9	89.7	13.5	121.1	4.5
.....	.....	86.1	159.9	73.8	270.6	147.6	98.4	147.6	110.7	98.4	12.3	123.0	49.2	110.7	24.6
.....	.....	60.9	207.2	97.5	146.3	109.7	109.7	60.9	73.1	73.1	12.2	73.1	36.6	170.6	.....
24.2	12.1	60.4	120.9	181.3	84.6	48.4	84.6	108.8	48.4	72.5	.....	48.4	36.3	205.5	12.1
.....	36.0	48.0	143.9	71.9	119.9	83.9	59.9	48.0	.....	48.0	12.0	107.9	24.0	143.9	.....
.....	23.8	59.4	95.1	83.2	130.8	47.6	95.1	47.6	35.7	95.1	11.9	154.6	35.7	237.8	.....
.....	11.8	70.8	117.9	70.8	106.1	35.4	94.3	94.3	70.8	141.5	.....	82.5	35.4	94.3	23.6
.....	.....	11.7	210.5	140.4	128.7	46.8	152.1	70.2	58.5	70.2	23.4	46.8	23.4	152.1	.....
.....	34.8	46.4	92.8	150.8	92.8	58.0	81.2	81.2	46.4	23.2	.....	34.8	11.6	127.6	11.6
.....	23.0	57.6	92.1	184.2	34.5	115.1	46.0	115.1	34.5	57.6	23.0	69.1	.....	126.6	.....
11.4	22.8	79.9	148.4	239.8	45.7	125.6	.....	114.2	68.5	11.4	11.4	57.1	11.4	137.0	11.4
12.8	6.4	19.2	134.3	153.5	57.6	51.2	44.8	89.6	64.0	32.0	12.8	57.6	44.8	134.3	12.8
6.2	12.5	24.9	124.6	105.9	62.3	62.3	12.5	99.7	56.1	68.5	12.5	37.4	49.9	118.4	6.2
6.1	.....	12.1	115.4	194.4	91.1	36.4	72.9	54.7	60.7	60.7	6.1	54.7	48.6	127.6	.....
.....	17.8	17.8	136.3	177.7	53.3	59.2	41.5	94.8	71.1	47.4	5.9	124.4	29.6	124.4	5.9
.....	23.1	5.8	190.8	156.1	57.8	52.0	46.3	34.7	28.9	69.4	28.9	75.2	23.1	92.5	.....
5.6	5.6	28.2	175.1	197.7	79.1	16.9	45.2	84.7	96.0	45.2	.....	79.1	11.3	141.2	.....
.....	22.1	16.6	143.5	171.2	121.5	33.1	44.2	66.3	71.8	55.2	33.1	71.8	22.1	165.6	.....
.....	16.2	16.2	129.5	242.7	64.7	43.2	97.1	75.5	70.1	37.8	21.6	91.7	16.2	97.1	.....
.....	26.4	10.6	158.3	147.7	89.7	36.9	42.2	110.8	79.1	68.6	21.1	89.7	.....	79.1	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
INDIANA—continued.														
Elwood	1901	1,397.2	62.8	39.2	.....	7.8	47.1	7.8	47.1	7.8	(2)	141.3	31.4	47.1
	1902	1,386 9	71.7	15.9	.....	15.9	.....	15 9	.....	.....	(2)	175.4	15.9	63.8
	1903	1,295.3	64.8	16.2	.....	.....	.....	.....	72.9	8 1	(2)	121.4	40.5	40.5
	1904	1,299.6	57.6	8.2	.....	16.5	.....	.....	16.5	8.2	(2)	164.5	8.2	24.7
	1905	1,312.4	75.2	.....	.....	.....	.....	16.7	25 1	8.4	41.8	100.3	25.1	33.4
	1906	1,232.2	76.5	8.5	.....	.....	.....	34.0	17.0	.....	34.0	161.5	.....	34.0
	1907	1,131.9	60.5	.....	.....	.....	17.3	.....	17.3	25.9	25.9	86.4	25.9	17.3
	1908	1,116.2	43.9	8.8	8.8	.....	.....	.....	17.6	.....	52.7	96.7	26.4	17.6
	1909	1,216.1	17.9	.....	.....	8.9	80.5	89.4	.....	.....	35.8	152.0	53.7	26.8
Evansville	1900	1,577.8	49.2	30.5	.....	13.5	1.7	13.5	11.9	8.5	(2)	227.1	13.5	44.1
	1901	1,290.8	26.6	11.6	.....	.....	.....	5.0	13.3	20.0	(2)	193.0	20.0	63.2
	1902	1,187.4	42.5	1.6	.....	.....	1.6	4.9	8.2	8.2	(2)	175.0	18.0	42.5
	1903	1,272.3	27.3	14.5	1.6	.....	6.4	.....	6 4	6.4	(2)	238.1	27.3	46.6
	1904	1,470.0	39.6	7.9	1.6	4.7	7.9	9.5	42.7	19.0	(2)	169.3	19.0	55.4
	1905	1,332.8	42.0	6.2	1.6	.....	3.1	4.7	42.0	17.1	14.0	174.4	28.0	60.7
	1906	1,337.9	38.3	13.8	.....	.....	.....	12.3	21.5	9.2	15.3	133.3	33.7	55.2
	1907	1,247.4	34.4	4.5	.....	16.5	1.5	.....	3.0	19.5	6.0	134.8	29.9	68.9
	1908	1,333.2	33.9	5.9	.....	5 9	7.4	42.8	11.8	17.7	17.7	143.1	16.2	70.8
	1909	1,314.8	39.2	14.5	.....	.....	8.7	4.4	23.2	7.3	16.0	149.6	24.7	90.1
Fort Wayne	1901	1,415.5	36 2	.....	2.1	4 3	14.9	4.3	21.3	17.0	(2)	157.5	14.9	61.7
	1902	1,305.8	26.7	6.2	.....	.....	6.2	6.2	34.9	4.1	(2)	147.8	26.7	78.0
	1903	1,479.4	37.7	.....	4.0	2 0	9.9	4.0	17.8	21.8	(2)	162.6	27.8	73.4
	1904	1,307.8	28.8	7.7	.....	1.9	.....	1.9	11.5	7.7	(2)	134.2	30.7	55.6
	1905	1,267.8	14.8	1.9	1 9	.....	1.9	1.9	7.4	7.4	3.7	126.2	18.6	76.1
	1906	1,377.8	27.0	.....	.....	23.4	3.6	10.8	19.8	.....	19.8	154.7	23.4	77.3
	1907	1,384 9	29.5	3.5	.....	3.5	.....	3.5	24.3	10.4	13.9	151.0	36.4	85.0
	1908	1,373 3	18.5	.....	.....	3.4	5.1	25.3	15.2	18.5	16.9	109.5	38.8	85.9
	1909	1,158.7	16.0	.....	1.6	3.2	8.0	.....	8.0	6.4	9.6	139.0	22.4	84.7
Hammond	1901	1,448.9	90.6	.....	.....	.....	.....	7.5	60.4	15.1	(2)	98.1	7.5	22.6
	1902	1,507.9	64.0	.....	.....	14.2	28.5	.....	28.5	7.1	(2)	170.7	7.1	28.5
	1903	1,547.1	121.1	.....	13.5	6.7	.....	6.7	60.5	13.5	(2)	94.2	13.5	67.3
	1904	1,224.9	38.3	.....	.....	6 4	31.9	31.9	6.4	6.4	(2)	89.3	44.7	63.8
	1905	1,304.4	60.7	.....	.....	.....	.....	48.5	24.3	12.1	18.2	72.8	30.3	60.7
	1906	1,296.4	56.4	.....	.....	.....	22.5	.....	50.7	.....	11.3	90.2	28.2	16.9
	1907	1,489.1	80.3	.....	.....	5.4	.....	.....	21.4	.....	5.4	128.6	26.8	48.2
	1908	1,478.7	154.0	.....	.....	.....	15.4	5.1	10.3	15.4	15.4	118.1	35.9	61.6
	1909	1,321.2	39.4	.....	.....	9.9	.....	4.9	9.9	.....	19.7	93.7	14.8	44.4
Huntington	1901	1,341.3	83.8	21.0	.....	.....	.....	.....	10.5	10.5	(2)	241.0	.....	52.4
	1902	1,240.7	20.9	.....	.....	.....	.....	.....	.....	.....	(2)	166.8	41.7	41.7
	1903	1,576.9	51.9	20.7	.....	20.7	.....	72.6	.....	.....	(2)	176.4	31.1	103.7
	1904	1,775.4	41.3	.....	.....	20.6	.....	.....	10.3	20.6	(2)	175.5	20.6	144.5
	1905	1,066.1	49.8	.....	.....	.....	.....	.....	.....	10.0	.....	109.6	.....	59.8
	1906	773.3	9.9	9.9	.....	.....	9 9	19.8	.....	.....	29.7	69.4	19.8	9.9
	1907	1,124.8	9.9	.....	.....	.....	.....	.....	29 6	9.9	.....	98.7	19.7	59.2
	1908	1,109.6	49.1	.....	.....	.....	.....	.....	39.3	39.3	.....	108.0	.....	68.7
	1909	1,397.4	29.3	.....	.....	.....	39.1	.....	.....	9.8	48.9	127.0	.....	117.3
Indianapolis	1900	1,706.0	41.4	10.0	.....	1.2	10.6	9.5	31.3	28.4	(2)	221.1	11.8	60.9
	1901	1,541.8	33.2	2.9	1.1	2.9	5.7	2.9	20.6	35.4	(2)	180.1	24.6	50.9
	1902	1,413.0	43.9	6.9	9.0	.....	3.7	9.0	15.9	10.6	(2)	165.4	18.0	60.2
	1903	1,599.5	51.8	3.6	52.9	7.2	5.1	11.8	18.0	11.3	(2)	188.3	23.6	56.4
	1904	1,671.4	60.9	4.5	.....	8.5	1.0	1.0	9.5	13.5	(2)	210.8	29.5	60.9
	1905	1,455.2	31.1	2.4	0.5	0.5	4.4	5.3	10.2	16.0	10.2	170.4	25.2	52.9
	1906	1,512.8	40.7	2.8	0.9	1.9	6.6	22.7	12.8	9.0	15.1	172.7	34.1	58.7
	1907	1,581.2	30.7	3.7	0.9	21.5	9.6	1.8	12.4	18.3	11.9	203.4	47.7	67.8
	1908	1,416.8	27.7	3.1	0.9	1.3	3.1	16.1	21.9	21.0	11.6	193.9	39.8	78.6
	1909	1,434.5	22.3	2.2	.....	4.8	5.2	8.3	11.8	11.8	14.4	182.0	45.0	94.7
Jeffersonville	1900	1,921.3	55.7	18.6	.....	18.6	.....	18.6	.....	.....	(2)	306.2	120.7	37.1
	1901	2,310.2	111.8	27.9	.....	.....	.....	.....	18.6	65.2	(2)	298.1	83.8	74.5
	1902	2,056.3	37.4	28.0	.....	.....	.....	.....	.....	9.3	(2)	355.2	37.4	74.8
	1903	2,006.9	65.6	18.8	.....	.....	.....	46.9	9.4	37.5	(2)	234.5	56.3	75.0
	1904	1,882.0	47.0	37.6	.....	.....	.....	9.4	18.8	28.2	(2)	188.2	56.5	131.7
	1905	1,709.2	28.3	.....	.....	.....	18.9	18.9	18.9	37.8	9.4	217.2	94.4	103.9
	1906	1,942.6	56.9	.....	.....	.....	.....	37.9	19.0	28.4	9.5	189.5	56.9	75.8
	1907	1,683.1	95.1	.....	.....	28.5	28.5	28.5	.....	19.0	19.0	161.7	57.1	66.6
	1908	1,355.1	85.9	9.5	9.5	.....	.....	.....	19.1	38.2	9.5	209.9	9.5	47.7
	1909	1,608.9	38.3	.....	.....	9.6	9.6	.....	57.5	9.6	9.6	172.4	57.5	114.9
Kokomo	1901	1,433.9	35.6	.....	.....	.....	.....	.....	.....	.....	17.8	(2)	231.6	8.9	124.7
	1902	1,347.5	42.4	8.5	.....	.....	.....	.....	.....	.....	8.5	(2)	178.0	8.5	59.3
	1903	1,551.9	16.2	.....	.....	40.4	8.1	.....	32.3	16.2	(2)	153.6	32.3	64.7
	1904	1,552.8	7.7	.....	.....	.....	.....	.....	15.5	38.6	(2)	216.3	7.7	77.3
	1905	1,354.0	22.2	.....	.....	.....	.....	22.2	7.4	22.2	14.8	148.0	14.8	81.4
	1906	1,462.2	42.6	.....	.....	.....	.....	28.4	.....	14.2	42.6	142.0	14.2	63.9
	1907	1,330.2	27.3	6.8	6.8	.....	.....	.....	27.3	27.3	13.6	191.0	20.5	75.0
	1908	1,555.1	77.8	25.9	.....	.....	6.5	32.4	6.5	45.4	25.9	220.3	19.4	64.8
	1909	1,256.3	18.1	12.1	.....	6.0	6.0	.....	24.2	30.2	30.2	126.8	18.1	84.6
Lafayette	1900	1,838.2	16.6	27 6	.....	5.5	.....	5.5	66.2	33.1	(2)	226.3	16.6	33.1
	1901	1,636.6	43.6	38.2	.....	.....	.....	16.4	16.4	27.3	(2)	185.5	38.2	49.1
	1902	1,856.4	80.9	10 8	.....	5.4	.....	.....	5.4	16.2	(2)	188.9	43.2	102.5
	1903	1,708.6	26.7	10 7	5.3	.....	5.3	5.3	.....	26.7	(2)	229.6	26.7	69.4
	1904	1,833.3	37.0	5.3	.....	.....	5.3	.....	15.8	26.4	(2)	243.0	31.7	37.0
	1905	1,803.7	68.0	5.2	.....	.....	.....	15.7	15.7	26.1	26.1	193.4	15.7	73.2
	1906	1,743.8	41.4	10.3	.....	.....	.....	5.2	5.2	25 9	10.3	186.3	10.3	93.1
	1907	1,536.5	15.4	10.2	.....	25.6	.....	5.1	10.2	30.7	10.2	143.4	30.7	107.6
	1908	1,744.1	45.6	.....	5.1	5.1	.....	20.3	25.3	35.5	35.5	218.0	20.3	106.5
	1909	1,781.9	55.2	.....	.....	.....	10.0	5.0	.....	10.0	30.1	175.7	25.1	120.5

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	7.8	39.2	157.0	70.6	47.1	47.1	149.1	78.5	23.5	86.3	15.7	54.9	78.5	102.0	.....
.....	8.0	23.9	79.7	63.8	87.7	79.7	159.4	31.9	31.9	135.5	.....	71.7	47.8	191.3	.....
.....	.....	32.4	129.5	56.7	64.8	56.7	113.3	81.0	48.6	72.9	.....	64.8	40.5	170.0	.....
8.2	8.2	16.5	106.9	41.1	98.7	65.8	156.3	115.2	32.9	65.8	8.2	74.0	49.4	148.1	.....
.....	16.7	33.4	108.7	58.5	92.0	75.2	133.7	92.0	25.1	125.4	16.7	75.2	58.5	66.9	8.4
.....	17.0	17.0	136.0	34.0	42.5	42.5	136.0	76.5	59.5	85.0	8.5	34.0	51.0	127.5	.....
.....	8.6	17.3	121.0	77.8	77.8	34.6	51.8	95.0	77.8	86.4	8.6	51.8	51.8	95.0	.....
.....	.....	17.6	105.5	52.7	114.3	70.3	87.9	105.5	52.7	70.3	8.8	17.6	26.4	114.3	.....
.....	.....	26.8	98.4	98.4	8.9	26.8	107.3	116.2	53.7	53.7	26.8	44.7	.....	89.4	.....
1.7	5.1	32.1	166.1	93.2	133.9	94.9	137.3	89.8	64.4	94.9	8.5	66.1	69.5	105.1	1.7
.....	1.7	13.3	121.4	86.5	99.8	71.5	98.1	93.1	59.9	68.2	13.3	74.9	29.9	104.8	1.7
.....	4.9	13.1	117.8	80.1	73.6	60.5	67.1	86.7	80.1	114.5	16.4	54.0	26.2	90.0	.....
1.6	1.6	8.0	115.8	138.3	65.9	74.0	101.3	82.0	65.9	70.8	17.7	59.5	20.9	72.4	1.6
1.6	9.5	36.4	207.3	132.9	82.3	87.0	87.0	93.4	87.0	69.6	20.6	52.2	23.7	99.7	3.2
1.6	12.5	32.7	101.2	129.2	60.7	68.5	81.0	98.1	49.8	101.2	18.7	59.2	35.8	88.8	.....
1.5	3.1	26.1	131.8	142.5	102.7	79.7	78.2	105.7	62.8	85.8	15.3	38.3	29.1	102.7	.....
.....	4.5	16.5	98.8	136.3	82.4	101.8	86.9	73.4	70.4	56.9	7.5	76.4	7.5	109.3	.....
1.5	14.7	22.1	103.2	168.1	84.1	75.2	70.8	88.5	67.8	53.1	14.7	85.5	13.3	97.3	.....
.....	8.7	10.2	107.5	154.0	55.2	78.5	63.9	101.7	85.7	52.3	29.1	95.9	2.9	91.5	.....
4.3	14.9	19.2	174.5	76.6	85.1	106.4	59.6	78.8	89.4	57.5	2.1	106.4	66.0	138.4	2.1
.....	16.4	10.3	129.4	80.1	65.7	90.3	69.8	86.2	67.8	92.4	16.4	63.6	43.1	137.6	.....
.....	19.8	27.8	172.5	109.1	71.4	95.2	61.5	132.9	107.1	57.5	21.8	107.1	29.7	103.1	2.0
3.8	19.2	23.0	172.6	95.9	103.5	90.1	65.2	95.9	86.3	63.3	11.5	88.2	23.1	80.5	5.8
5.6	13.0	16.7	154.1	91.0	66.8	78.0	52.0	111.4	113.2	53.8	16.7	98.4	27.8	107.7	.....
1.8	7.2	21.6	124.1	127.7	98.9	68.4	77.3	91.7	91.7	73.7	10.8	80.9	21.6	118.7	1.8
.....	19.1	8.7	109.3	142.3	76.4	76.4	62.5	125.0	119.7	64.2	17.4	92.0	13.9	97.2	.....
.....	16.9	21.9	124.7	131.4	62.3	65.7	74.1	106.2	92.7	62.3	15.2	121.3	8.4	133.1	.....
.....	8.0	14.4	119.9	102.3	75.1	44.8	49.5	99.1	89.5	41.6	17.6	100.7	1.6	95.9	.....
.....	7.5	30.2	120.7	90.6	120.7	67.9	45.3	135.8	30.2	135.8	15.1	37.7	45.3	264.1	.....
.....	7.1	14.2	99.6	92.5	128.0	56.9	42.7	142.3	64.0	142.3	7.1	106.7	71.1	184.9	.....
.....	6.7	60.5	94.2	80.7	67.3	60.5	174.9	161.4	33.6	87.4	6.7	114.3	20.2	181.6	.....
.....	.....	19.1	63.8	51.0	121.2	31.9	102.1	102.1	51.0	70.2	19.1	127.6	38.3	108.5	.....
.....	6.1	12.1	109.2	66.7	84.9	18.2	109.2	103.1	48.5	36.4	18.2	157.7	30.3	175.9	.....
.....	11.3	16.9	90.2	56.4	84.5	84.5	107.1	135.3	73.3	50.7	16.9	180.4	5.6	107.1	.....
.....	10.7	5.4	69.6	75.0	166.1	37.5	166.1	96.4	91.1	80.3	21.4	230.3	5.4	112.5	5.4
.....	.....	15.4	46.2	56.5	97.6	46.2	272.1	71.9	35.9	51.3	10.3	184.8	5.1	154.0	.....
.....	4.9	19.7	64.1	78.9	44.4	54.2	226.8	83.8	49.3	64.1	24.6	236.6	.....	133.1	.....
.....	.....	31.4	209.6	83.8	83.8	21.0	73.4	62.9	62.9	21.0	.....	52.4	62.9	157.2	.....
.....	.....	31.3	166.8	62.6	62.6	52.1	73.0	83.4	31.3	93.8	.....	41.7	41.7	219.0	10.4
.....	.....	10.4	197.1	114.1	114.1	31.1	41.5	134.9	166.0	31.1	.....	124.5	10.4	114.1	10.4
10.3	31.0	51.6	144.5	144.5	92.9	41.3	92.9	237.4	113.5	51.6	20.6	113.5	10.3	165.2	20.6
.....	10.0	49.8	129.5	89.7	69.7	39.9	89.7	69.7	89.7	29.9	10.0	109.6	10.0	39.9	.....
.....	.....	9.9	59.5	59.5	39.7	19.8	89.2	128.9	59.5	19.8	.....	49.6	9.9	49.6	.....
.....	9.9	39.5	157.9	138.1	78.9	59.2	29.6	78.9	128.3	29.6	19.7	49.3	.....	78.9	.....
.....	9.8	19.6	147.3	127.7	49.1	19.6	49.1	58.9	88.4	19.6	39.3	88.4	19.6	68.7	.....
.....	9.8	9.8	215.0	224.8	78.2	88.0	68.4	48.9	88.0	29.3	.....	78.2	.....	88.0	.....
1.8	11.8	50.2	189.2	99.9	141.9	68.0	105.2	92.2	71.5	92.2	10.0	69.2	109.4	165.5	1.8
1.1	9.7	40.6	143.5	141.2	117.2	81.7	69.7	93.8	56.6	125.8	6.3	73.2	66.9	153.2	1.1
.....	6.9	25.4	135.8	122.1	82.4	70.8	74.0	83.5	54.4	113.1	9.0	78.2	54.4	158.5	2.1
0.5	10.8	32.8	145.7	139.1	101.1	79.5	91.3	89.8	64.1	96.5	12.3	85.7	49.8	169.3	1.0
2.0	9.0	43.5	160.8	152.9	128.9	80.4	80.9	100.4	78.4	104.4	18.0	92.9	51.0	158.8	.....
1.5	11.6	34.5	132.0	156.3	105.8	75.2	62.6	87.4	68.4	91.7	20.9	74.3	53.4	149.5	1.0
1.9	14.7	18.0	116.9	177.0	85.6	86.1	98.9	97.9	82.8	71.0	18.0	105.0	16.1	144.8	.....
1.4	12.4	15.1	133.3	194.3	90.3	87.1	104.5	96.7	87.1	70.6	27.0	95.8	8.7	127.4	.....
0.4	13.0	15.2	129.1	199.3	54.5	70.6	72.4	98.3	82.7	53.6	25.0	72.8	0.4	109.9	0.4
1.3	12.2	11.3	124.8	203.4	69.8	70.3	72.0	89.5	87.7	57.2	32.3	89.9	1.3	109.1	.....
.....	18.6	46.4	232.0	120.7	176.3	111.4	102.1	83.5	111.4	92.8	9.3	46.4	46.4	148.5	.....
.....	9.3	37.3	195.6	121.1	214.3	177.0	111.8	195.6	93.2	130.4	18.6	65.2	102.5	149.0	9.3
.....	.....	84.1	168.2	140.2	84.1	84.1	93.5	196.3	130.9	149.5	9.3	84.1	102.8	186.9	.....
9.4	9.4	28.1	168.8	103.2	150.1	93.8	121.9	112.5	215.7	187.6	.....	84.4	28.1	150.1	.....
.....	18.8	47.0	188.2	160.0	103.5	103.5	141.1	169.4	150.6	65.9	.....	47.0	37.6	131.7	.....
.....	9.4	37.8	103.9	122.8	103.9	75.5	66.1	113.3	170.0	85.0	.....	132.2	37.8	103.9	.....
.....	.....	28.4	189.5	132.7	113.7	75.8	151.6	113.7	199.0	142.1	47.4	28.4	75.8	170.6	.....
.....	9.5	28.5	180.7	95.1	123.6	47.5	66.6	142.6	142.6	57.1	28.5	57.1	114.1	85.6	.....
.....	9.5	.....	85.9	143.1	47.7	85.9	57.3	66.8	133.6	47.7	19.1	38.2	19.1	162.2	.....
.....	19.2	38.3	229.8	182.0	47.9	67.0	124.5	95.8	143.7	67.0	.....	57.5	.....	57.5	.....
.....	8.9	44.5	160.3	124.7	53.4	44.5	53.4	133.6	35.6	71.3	.....	80.2	35.6	169.2	.....
.....	33.9	8.5	84.7	93.2	101.7	42.4	118.6	110.2	50.8	76.3	.....	118.6	25.4	178.0	.....
.....	16.2	48.5	121.2	121.2	113.2	88.9	153.6	105.1	32.3	32.3	16.2	137.4	40.4	161.7	.....
23.2	15.5	15.5	108.2	131.3	139.1	77.3	54.1	131.3	15.5	146.8	15.5	85.0	46.4	185.4	.....
.....	.....	22.2	125.8	162.8	88.8	88.8	44.4	88.8	74.0	66.6	51.8	96.2	29.6	81.4	.....
.....	7.1	28.4	120.7	163.3	120.7	71.0	71.0	142.0	21.3	99.4	14.2	71.0	28.4	156.2	.....
.....	.....	13.6	150.1	88.7	68.2	75.0	47.7	61.4	75.0	109.1	13.6	75.0	6.8	143.2	6.8
.....	6.5	45.4	155.5	136.1	142.6	58.3	51.8	129.6	32.4	25.9	19.4	103.7	13.0	110.2	.....
.....	6.0	18.1	126.8	169.1	90.6	54.4	72.5	78.5	96.6	54.4	30.2	66.4	.....	36.2	.....
11.0	.....	60.7	160.1	176.7	138.0	71.8	104.9	149.1	38.6	60.7	5.5	132.5	110.4	154.6	33.1
5.5	16.4	27.3	147.3	180.0	125.5	65.5	81.8	109.1	32.7	54.6	5.5	103.6	76.4	180.0	10.9
.....	21.6	27.0	194.3	221.3	59.4	86.3	48.6	161.9	64.8	91.7	5.4	145.7	43.2	226.7	5.4
.....	5.3	32.0	261.6	229.6	112.1	69.4	32.0	85.4	80.1	26.7	.....	122.8	58.7	186.9	.....
15.8	10.6	26.4	211.3	285.3	126.8	58.1	79.2	105.7	79.2	79.2	.....	89.8	58.1	200.8	5.3
.....	5.2	20.9	203.9	167.3	78.4	52.3	41.8	141.2	130.7	78.4	31.4	94.1	78.4	230.0	10.5
.....	10.3	25.9	201.8	212.1	82.8	67.3	72.4	124.2	82.8	77.6	25.9	129.4	62.1	181.1	.....
.....	5.1	20.5	184.4	210.0	71.7	46.1	46.1	92.2	66.6	51.2	20.5	102.4	46.1	184.4	.....
.....	10.1	5.1	172.4	299.1	91.3	60.8	45.6	152.1	81.1	50.7	25.3	86.2	30.4	116.6	.....
.....	25.1	25.1	205.8	256.0	125.5	45.2	55.2	150.6	75.3	40.2	30.1	135.5	5.0	175.7	.....

[2] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
INDIANA—continued.														
Logansport	1901	1,786.1	48.4	12.1	.....	6.1	.....	.....	18.2	42.4	(2)	248.2	12.1	24.2
	1902	1,773.4	29.8	.....	.....	.....	.....	29.8	6.0	17.9	(2)	226.1	11.9	59.5
	1903	1,538.7	52.7	17.6	11.7	.....	.....	.....	23.4	23.4	(2)	134.6	11.7	76.1
	1904	1,789.4	51.8	.....	.....	.....	5.8	11.5	28.8	34.5	(2)	207.1	46.0	109.3
	1905	1,833.8	73.6	.....	.....	5.7	.....	17.0	5.7	45.3	73.6	130.2	34.0	90.6
	1906	1,681.9	61.3	.....	.....	.....	.....	16.7	16.7	16.7	33.4	167.1	33.4	105.8
	1907	1,474.5	16.4	5.5	.....	5.5	.....	5.5	38.4	27.4	11.0	153.5	16.4	54.8
	1908	1,662.0	37.8	.....	.....	.....	16.2	32.4	.....	59.4	10.8	183.5	37.8	107.9
	1909	1,546.1	31.9	5.3	.....	15.9	5.3	10.6	63.8	31.9	21.3	164.7	31.9	111.6
Marion	1901	1,474.8	86.1	5.7	.....	.....	5.7	5.7	11.5	11.5	(2)	177.9	11.5	51.6
	1902	1,450.7	85.7	5.7	.....	28.6	11.4	.....	5.7	5.7	(2)	154.2	.....	51.4
	1903	1,415.5	26.6	.....	.....	.....	26.6	.....	47.9	21.3	(2)	180.9	21.3	63.9
	1904	1,732.5	74.2	.....	.....	26.5	90.1	.....	15.9	.....	(2)	201.3	15.9	58.3
	1905	1,366.2	58.0	.....	.....	.....	.....	.....	5.3	26.4	47.5	179.3	15.8	36.9
	1906	1,418.0	31.5	.....	.....	.....	.....	5.3	89.3	5.3	36.8	141.8	26.3	73.5
	1907	1,385.7	36.6	.....	.....	15.7	.....	5.2	57.5	10.5	20.9	203.9	5.2	52.3
	1908	1,134.9	10.4	.....	.....	.....	.....	31.2	.....	10.4	26.0	151.0	20.8	83.3
	1909	1,285.5	31.1	.....	.....	.....	.....	.....	5.2	5.2	25.9	119.2	10.4	57.0
Michigan City	1900	1,306.4	33.7	6.7	.....	6.7	20.2	.....	20.2	.....	(2)	87.5	.....	53.9
	1901	1,283.2	13.1	.....	13.1	.....	6.5	13.1	6.5	.....	(2)	104.8	26.2	26.2
	1902	1,200.1	31.9	.....	6.4	.....	6.4	.....	12.8	6.4	(2)	121.3	25.5	51.1
	1903	1,631.6	68.5	.....	6.2	68.5	.....	18.7	56.0	.....	(2)	124.5	12.5	43.6
	1904	1,294.8	54.7	.....	.....	.....	.....	.....	18.2	12.2	(2)	145.9	18.2	72.9
	1905	1,098.4	35.6	5.9	.....	.....	.....	.....	47.5	5.9	11.9	118.7	23.7	65.3
	1906	1,375.0	34.8	5.8	.....	11.6	.....	.....	11.6	.....	17.4	150.8	29.0	87.0
	1907	1,435.1	51.1	.....	.....	11.3	5.7	11.3	5.7	5.7	17.0	181.5	34.0	73.7
	1908	1,337.2	49.1	.....	.....	.....	5.5	5.5	.....	5.5	10.9	131.0	16.4	87.3
	1909	1,132.8	26.7	.....	.....	.....	5.3	5.3	26.7	.....	.....	138.9	42.7	53.4
Muncie	1900	1,733.4	76.4	.....	.....	43.0	.....	19.1	81.2	4.8	(2)	205.3	23.9	23.9
	1901	1,419.2	89.3	9.4	.....	23.5	.....	9.4	18.8	18.8	(2)	141.0	37.6	23.5
	1902	1,611.3	101.9	4.6	4.6	.....	4.6	23.2	27.8	13.9	(2)	138.9	9.3	46.3
	1903	1,745.3	18.1	4.5	.....	4.5	13.6	9.0	31.6	22.6	(2)	162.8	45.2	40.7
	1904	1,768.4	71.6	9.0	4.5	4.5	.....	13.4	13.4	22.4	(2)	228.3	31.3	80.5
	1905	1,768.8	88.7	4.4	4.4	.....	.....	4.4	44.3	35.5	22.2	217.2	31.0	39.9
	1906	1,545.6	39.5	8.8	.....	.....	.....	22.0	48.3	.....	13.2	153.7	57.1	61.5
	1907	1,383.0	21.7	8.7	.....	26.1	.....	4.3	17.4	13.0	34.8	152.2	47.8	30.4
	1908	1,477.7	25.8	4.3	.....	.....	4.3	25.8	8.6	17.2	12.9	159.4	64.6	68.9
	1909	1,384.8	58.7	8.4	.....	.....	.....	4.2	12.6	12.6	21.0	138.5	54.6	79.7
New Albany	1901	1,813.1	33.9	19.4	.....	.....	4.8	.....	106.7	33.9	(2)	276.3	33.9	29.1
	1902	1,701.6	29.1	33.9	.....	.....	4.8	19.4	48.5	4.8	(2)	218.1	4.8	92.1
	1903	1,696.7	87.3	4.8	.....	.....	.....	19.4	77.6	24.2	(2)	227.8	29.1	48.5
	1904	1,774.3	14.5	4.8	.....	14.5	4.8	.....	19.4	33.9	(2)	237.5	.....	43.6
	1905	1,672.5	67.9	9.7	.....	.....	19.4	4.8	19.4	24.2	14.5	213.3	24.2	63.0
	1906	1,449.5	33.9	14.5	.....	.....	14.5	.....	43.6	14.5	9.7	155.1	38.8	43.6
	1907	1,687.0	135.7	9.7	.....	9.7	4.8	14.5	19.4	43.6	19.4	140.6	29.1	82.4
	1908	1,701.6	33.9	9.7	.....	.....	.....	14.5	19.4	72.7	19.4	232.7	53.3	111.5
	1909	1,527.1	58.2	9.7	.....	.....	.....	4.8	24.2	9.7	4.8	247.2	14.5	72.7
Peru	1900	1,654.3	130.0	11.8	.....	.....	11.8	47.3	23.6	23.6	(2)	177.3	.....	35.4
	1901	1,286.0	76.2	.....	.....	9.5	.....	.....	47.6	38.1	(2)	104.8	9.5	19.1
	1902	1,424.4	57.0	.....	.....	9.5	.....	.....	9.5	19.0	(2)	132.9	9.5	76.0
	1903	965 5	75.7	.....	.....	.....	.....	9.5	9.5	.....	(2)	94.7	18.9	47.3
	1904	1,349.4	56.6	.....	.....	18.9	.....	.....	9.4	18.9	(2)	188.7	47.2	28.3
	1905	1,119.5	37.6	.....	.....	.....	9.4	.....	9.4	18.8	9.4	94.1	9.4	56.4
	1906	936.9	18.6	.....	.....	9.3	.....	.....	9.3	9.3	9.3	74.2	27.8	27.8
	1907	1,091.2	37.0	.....	9.2	.....	.....	9.2	55.5	9.2	.....	157.2	37.0	55.5
	1908	1,069.3	18.4	.....	.....	.....	.....	27.7	27.7	55.3	.....	83.0	36.9	64.5
	1909	1,442.7	36.8	.....	.....	9.2	.....	27.6	9.2	9.2	9.2	147.0	18.4	64.3
Richmond	1900	1,695.4	32.9	.....	.....	.....	5.5	5.5	43.9	16.5	(2)	230.4	11.0	76.8
	1901	1,642.4	26.8	.....	.....	5.4	.....	.....	26.8	69.8	(2)	144.9	48.3	69.8
	1902	2,067.9	57.9	5.3	.....	.....	5.3	.....	152.6	10.5	(2)	215.7	42.1	68.4
	1903	1,491.3	25.8	.....	.....	.....	.....	15.5	5.2	5.2	(2)	206.4	46.4	92.9
	1904	1,584.6	25.3	.....	.....	.....	.....	5.1	30.4	15.2	(2)	156.9	55.7	65.8
	1905	1,242.3	4.9	4.9	.....	.....	.....	.....	.....	24.4	9.7	126.7	34.1	53.6
	1906	1,382.6	23.9	.....	.....	9.6	.....	4.8	4.8	19.1	9.6	210.5	43.1	67.0
	1907	1,325.4	23.5	.....	.....	.....	9 4	.....	4.7	18.8	4.7	178.6	23.5	84.6
	1908	1,348.6	23.1	.....	.....	.....	9 2	23.1	4.6	23.1	23.1	203.2	27.7	69.3
	1909	1,325.6	22.7	.....	9.1	.....	9.1	.....	.....	31.8	13.6	136.2	22.7	72.6
South Bend	1901	1,318.3	29.1	.....	.....	.....	2.6	10.6	26.4	23.8	(2)	134.7	5.3	39.6
	1902	1,246.3	27.8	.....	5.0	7.6	10.1	17.7	32.8	2.5	(2)	143.8	20.2	30.3
	1903	1,165.8	14.5	2.4	.....	29.0	12.1	14.5	55.6	9.7	(2)	159.6	29.0	38.7
	1904	1,345.5	16.2	.....	2.3	4.6	16.2	20.8	18.5	9.3	(2)	115 8	30.1	46.3
	1905	1,459.1	26.7	.....	13.4	.....	13.4	11.1	17.8	13.4	11.1	149.2	15.6	51.2
	1906	1,375.5	17.2	2.1	.....	8.6	6.4	.....	38.6	.....	4.3	145.9	19.3	55.8
	1907	1,335.1	18.6	.....	2.1	4.1	12.4	.....	24.8	12.4	10.3	171.8	24.8	76.6
	1908	1,304.5	21.8	.....	.....	.....	25.7	25.7	9.9	13.9	5.9	110.9	37.6	71.3
	1909	1,361.3	34.5	.....	.....	21.1	15.3	1.9	7.7	5.7	3.8	141.7	30.6	49.8
Terre Haute	1900	1,627.9	65.5	10.9	.....	5.5	2.7	19.1	32.7	19.1	(2)	180.0	13.6	57.3
	1901	1,827.0	74.2	10.6	.....	8.0	29.2	23.9	42.4	53.0	(2)	175.0	31.8	71.6
	1902	1,918.7	44.0	10.3	.....	2.6	12.9	5.2	46.5	15.5	(2)	175.8	28.4	87.9
	1903	1,518.9	55.5	7.6	.....	2.5	5.0	12.6	40.4	17.7	(2)	151.4	20.2	60.6
	1904	2,037.3	59.1	4.9	49.3	29.6	9.9	7.4	22.2	32.0	(2)	202.0	41.9	69.0
	1905	1,450.9	46.7	3.7	.....	.....	.....	29.9	33.6	13.1	22.4	138.2	14.9	54.2
	1906	1,570.3	45.9	5.5	.....	.....	3.7	14.7	20.2	14.7	12.8	157.8	34.9	53.2
	1907	1,613.4	46.9	.....	.....	7.2	5.4	18.0	14.4	14.4	19.8	146.0	27.0	61.3
	1908	1,492.0	35.4	1.8	.....	12.4	1.8	3.5	14.2	24.8	21.3	140.0	28.4	70.9
	1909	1,529.7	62.7	3.5	.....	1.7	.....	27.9	20.9	3.5	7.0	179.5	47.0	76.7

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	6.1	36.3	260.4	127.1	163.5	66.6	66.6	121.1	66.6	78.7	24.2	145.3	48.4	151.4	12.1
.....	17.9	53.6	303.5	142.8	65.5	59.5	77.4	89.3	125.0	101.2	11.9	95.2	29.8	220.2	.....
.....	11.7	17.6	181.4	76.1	76.1	64.4	41.0	87.8	128.7	105.3	23.4	122.9	64.4	187.2	.....
.....	11.5	51.8	166.9	86.3	92.1	57.5	120.8	161.1	92.1	103.6	11.5	126.6	23.0	189.9	.....
5.7	5.7	11.3	198.1	164.1	90.6	67.9	118.9	96.2	107.5	45.3	5.7	169.8	39.6	232.1	.....
.....	5.6	27.8	189.4	144.8	133.7	50.1	83.5	111.4	128.1	44.6	16.7	100.2	27.8	167.1	.....
.....	16.4	21.9	169.9	115.1	71.3	32.9	60.3	87.7	186.4	71.3	5.5	148.0	32.9	120.6	.....
5.4	16.2	5.4	178.1	134.9	75.5	75.5	70.1	113.3	140.3	54.0	16.2	151.1	5.4	134.9	.....
.....	10.6	15.9	201.9	95.6	58.4	63.8	127.5	95.6	138.1	31.9	21.3	106.3	.....	85.0	.....
5.7	5.7	11.5	154.9	97.6	160.7	68.9	103.3	63.1	34.4	74.6	11.5	57.4	103.3	154.9	.....
.....	.....	22.8	131.4	131.4	57.1	80.0	40.0	85.7	57.1	125.6	17.1	108.5	45.7	194.2	5.7
5.3	10.6	16.0	154.3	106.4	95.8	58.5	69.2	106.4	58.5	26.6	21.3	90.5	42.6	159.6	5.3
.....	5.3	15.9	148.3	116.6	111.3	53.0	90.1	111.3	53.0	201.3	26.5	90.1	42.4	169.5	15.9
5.3	5.3	31.6	105.5	110.8	110.8	21.6	79.1	116.0	94.9	73.8	15.8	52.7	52.7	100.2	10.5
.....	5.3	21.0	105.0	199.6	115.5	57.8	57.8	99.8	63.0	63.0	10.5	57.8	26.3	120.8	5.3
.....	10.5	20.9	183.0	167.3	99.4	47.1	47.1	115.0	15.7	78.4	5.2	62.7	10.5	115.0	.....
.....	31.2	15.6	177.0	130.2	104.1	26.0	26.0	93.7	41.6	46.9	.....	46.9	15.6	46.9	.....
.....	5.2	10.4	119.2	191.8	93.3	51.8	62.2	129.6	88.1	57.0	20.7	93.3	5.2	103.7	.....
.....	6.7	26.9	188.6	128.0	74.1	67.3	101.0	107.8	67.3	60.6	13.5	47.1	74.1	114.5	.....
.....	.....	39.3	163.7	91.7	52.4	52.4	104.8	85.1	104.8	78.6	19.6	85.1	52.4	144.0	.....
.....	.....	38.3	140.4	146.8	63.8	25.5	57.4	76.6	25.5	127.7	12.8	57.4	57.4	108.5	.....
.....	12.5	37.4	224.2	143.2	68.5	155.7	99.6	99.6	68.5	105.9	6.2	93.4	43.6	74.7	.....
6.1	6.1	30.4	139.8	139.8	79.0	42.6	103.3	60.8	97.3	72.9	6.1	60.8	18.2	109.4	.....
5.9	.....	47.5	130.6	142.5	47.5	35.6	112.8	35.6	59.4	17.8	5.9	65.3	53.4	23.7	.....
.....	23.2	63.8	168.3	139.2	58.0	11.6	87.0	81.2	63.8	58.0	.....	145.0	29.0	98.6	.....
.....	5.7	45.4	164.5	73.7	90.8	90.8	102.1	56.7	85.1	79.4	5.7	107.8	39.7	90.8	.....
5.5	.....	21.8	114.6	131.0	65.5	49.1	114.6	92.8	87.3	71.0	5.5	103.7	10.9	152.8	.....
5.3	16.0	26.7	90.8	144.3	53.4	53.4	90.8	42.7	80.1	58.8	.....	80.1	10.7	80.1	.....
4.8	.....	62.1	128.9	95.5	148.0	52.5	143.2	114.6	71.6	109.8	23.9	62.1	76.4	157.6	4.8
.....	4.7	37.6	155.1	56.4	117.5	65.8	51.7	122.2	47.0	112.8	18.8	56.4	14.1	188.0	.....
.....	13.9	32.4	171.3	138.9	88.0	64.8	88.0	111.1	74.1	97.2	27.8	78.7	46.3	203.7	.....
.....	4.5	27.1	153.7	144.7	131.1	54.3	99.5	117.6	90.4	162.8	22.6	122.1	40.7	221.5	.....
.....	.....	40.3	183.6	138.8	94.0	58.2	111.9	116.4	76.1	103.0	35.8	107.4	40.3	179.1	4.5
8.9	.....	17.7	128.6	159.6	137.4	66.5	119.7	110.8	88.7	128.6	31.0	97.5	17.7	159.6	4.4
.....	4.4	43.9	122.9	114.2	70.3	61.5	131.7	101.0	101.0	118.6	35.1	109.8	30.7	96.6	.....
4.3	8.7	30.4	165.3	78.3	78.3	52.2	117.4	95.7	69.6	87.0	13.0	100.0	13.0	108.7	4.3
.....	43.1	21.5	159.4	150.8	86.2	60.3	68.9	73.2	99.1	86.2	30.2	68.9	8.6	129.2	.....
.....	8.4	4.2	117.5	138.5	100.7	54.6	83.9	100.7	92.3	54.6	12.6	92.3	4.2	125.9	4.2
4.8	4.8	24.2	189.1	160.0	92.1	106.7	92.1	82.4	77.6	155.1	14.5	63.0	92.1	111.5	4.8
.....	4.8	29.1	184.2	145.4	63.0	145.4	106.7	92.1	82.4	87.3	.....	111.5	92.1	97.0	4.8
.....	.....	9.7	174.5	193.9	111.5	87.3	82.4	97.0	53.3	67.9	4.8	87.3	58.2	140.6	9.7
.....	14.5	24.2	232.7	101.8	179.4	121.2	77.6	121.2	63.0	87.3	4.8	116.3	24.2	227.8	4.8
.....	19.4	33.9	169.7	179.4	58.2	77.6	58.2	101.8	97.0	82.4	29.1	106.7	43.6	155.1	.....
4.8	9.7	4.8	140.6	140.6	67.9	53.3	63.0	87.3	106.7	97.0	19.4	111.5	24.2	150.3	.....
.....	9.7	14.5	174.5	155.1	82.4	82.4	121.2	135.7	58.2	77.6	14.5	97.0	9.7	145.4	.....
.....	4.8	29.1	145.4	169.7	121.2	106.7	58.2	106.7	97.0	48.5	29.1	77.6	14.5	126.0	.....
.....	19.4	29.1	130.9	184.2	33.9	101.8	58.2	126.0	82.4	58.2	19.4	116.3	4.8	116.3	.....
.....	11.8	47.3	94.5	118.2	70.9	118.2	189.1	82.7	47.3	35.4	.....	106.4	70.9	177.2	23.6
.....	9.5	47.6	171.5	76.2	66.7	114.3	38.1	95.3	47.6	57.2	.....	95.3	38.1	114.3	9.5
.....	9.5	85.5	132.9	170.9	85.5	38.0	38.0	76.0	76.0	47.5	.....	180.4	38.0	132.9	.....
.....	.....	.....	75.7	85.2	28.4	75.7	85.2	66.3	75.7	37.9	.....	94.7	18.9	66.3	.....
.....	28.3	.....	169.9	132.1	84.9	94.4	37.7	103.8	37.7	75.5	9.4	94.4	28.3	66.1	18.9
9.4	.....	47.0	112.9	122.3	65.9	65.9	75.3	84.7	56.4	75.3	.....	47.0	28.2	84.7	.....
.....	.....	37.1	83.5	148.4	37.1	83.5	55.7	64.9	18.6	37.1	27.8	83.5	9.3	64.9	.....
.....	9.2	.....	83.2	92.5	27.7	64.7	55.5	92.5	83.2	27.7	37.0	55.5	9.2	74.0	9.2
18.4	9.2	36.9	110.6	119.8	36.9	36.9	46.1	83.0	9.2	36.9	36.9	64.5	.....	110.6	.....
9.2	36.8	9.2	101.1	202.2	82.7	110.3	45.9	101.1	73.5	45.9	18.4	110.3	9.2	156.2	.....
.....	5.5	54.9	142.6	148.2	142.6	21.9	38.4	98.8	142.6	54.9	16.5	49.4	115.2	241.4	.....
.....	21.5	75.1	107.3	144.9	118.1	48.3	37.6	96.6	96.6	144.9	26.8	59.0	21.5	252.3	.....
.....	21.0	47.4	321.0	178.9	121.0	84.2	57.9	89.5	89.5	94.7	47.4	84.2	63.1	210.5	.....
5.2	10.3	31.0	263.2	154.8	108.4	31.0	67.1	98.0	98.0	25.8	.....	72.2	41.3	87.7	.....
.....	5.1	25.3	121.5	156.9	91.1	40.5	65.8	50.6	96.2	172.1	20.3	86.1	50.6	248.1	.....
4.9	9.7	34.1	87.7	185.1	53.6	43.8	73.1	92.6	97.4	53.6	29.2	73.1	14.6	131.5	.....
.....	9.6	19.1	210.5	191.4	43.1	28.7	43.1	105.3	76.5	71.8	19.1	52.6	9.6	110.0	.....
.....	18.8	32.9	112.8	230.3	70.5	47.0	42.3	70.5	61.1	42.3	32.9	61.1	23.5	131.6	.....
4.6	9.2	13.9	106.2	170.9	55.4	23.1	50.8	60.0	143.2	78.5	13.9	73.9	13.9	120.1	4.6
.....	13.6	4.5	127.1	222.5	95.3	18.2	95.3	40.9	149.8	13.6	18.2	54.5	4.5	145.3	4.5
.....	10.6	13.2	113.6	87.2	63.4	92.5	129.5	79.3	60.8	105.7	.....	52.8	100.4	126.8	10.6
.....	10.1	17.7	108.5	88.3	93.3	55.5	100.9	95.9	60.6	37.8	10.1	73.2	53.0	141.3	2.5
.....	12.1	16.9	111.3	89.5	55.6	36.3	75.0	67.7	48.4	41.1	7.3	48.4	77.4	113.7	.....
.....	13.9	30.1	104.2	101.9	64.8	37.1	111.2	92.6	64.8	208.4	2.3	62.5	64.8	99.6	6.9
.....	13.4	40.1	133.7	138.1	73.5	57.9	149.2	106.9	60.1	93.6	8.9	104.7	60.1	93.6	2.2
2.1	21.5	21.5	128.8	128.8	75.1	38.6	96.6	85.8	115.9	62.2	10.7	107.3	45.1	137.3	.....
.....	16.6	14.5	115.9	113.8	78.7	35.2	134.5	78.7	80.7	68.3	16.6	93.1	31.0	99.4	.....
.....	17.8	13.9	89.1	160.3	75.2	43.5	124.7	93.0	53.4	69.3	17.8	102.9	13.9	104.9	2.0
.....	9.6	19.1	114.9	147.4	59.4	74.7	162.7	82.3	76.6	61.3	24.9	86.2	5.7	113.0	11.5
2.7	5.5	40.9	133.4	100.9	150.0	103.6	109.1	114.5	62.7	106.4	5.5	51.8	70.9	163.6	.....
2.7	13.3	42.4	116.7	183.0	129.9	63.6	124.6	100.8	58.3	124.6	23.9	103.4	76.9	143.2	.....
2.6	2.6	33.6	168.1	212.0	152.6	80.2	147.4	124.1	75.0	103.4	36.2	108.6	69.8	170.7	2.6
.....	5.0	32.8	128.7	159.0	98.4	78.2	80.7	103.4	75.7	88.3	2.5	108.5	42.9	133.7	7.6
.....	12.3	51.7	138.0	187.2	128.1	101.0	108.4	150.3	91.1	93.6	19.7	162.6	78.8	187.2	.....
1.9	11.2	26.1	110.2	183.0	123.2	44.8	74.7	80.3	71.0	87.8	28.0	106.4	33.6	112.0	.....
.....	16.5	12.8	150.4	133.9	119.2	51.4	78.9	104.6	69.7	95.4	42.2	144.9	53.2	133.9	.....
1.8	9.0	25.2	119.0	165.8	110.0	59.5	95.5	99.1	91.9	100.9	43.3	155.0	39.7	137.0	.....
.....	14.2	12.4	124.0	161.2	90.4	65.6	108.1	72.6	111.6	69.1	33.7	143.5	23.0	108.1	.....
1.7	7.0	7.0	102.8	174.2	69.7	61.0	130.7	101.1	92.3	45.3	40.1	153.3	15.7	87.1	10.5

[2] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
INDIANA—continued.														
Vincennes	1900	2,058.7	48.8	68.3	.....	.....	29.3	.....	39.0	9.8	(2)	273.2	19.5	48.8
	1901	1,802.4	37.4	37.4	.....	.....	9.3	9.3	18.7	37.4	(2)	252.1	18.7	84.0
	1902	1,545.1	53.9	18.0	18.0	.....	.....	9.0	26.9	9.0	(2)	170.7	44.9	35.9
	1903	1,122.8	51.0	.....	.....	.....	.....	.....	34.0	8.5	(2)	110.6	17.0	17.0
	1904	1,896.6	106.7	8.2	.....	65.7	.....	8.2	8.2	.....	(2)	254.5	16.4	73.9
	1905	1,666.1	47.6	7.9	.....	7.9	7.9	63.5	.....	.....	55.5	174.5	23.8	63.5
	1906	1,607.9	15.2	7.6	.....	.....	.....	.....	.....	.....	22.9	160.0	30.5	68.6
	1907	1,451.7	51.1	14.6	.....	.....	7.3	7.3	7.3	58.4	7.3	153.2	7.3	65.7
	1908	1,839.7	14.2	14.2	.....	106.1	.....	42.5	14.2	56.6	14.2	198.1	35.4	99.1
	1909	1,442.5	27.5	13.7	.....	.....	.....	55.0	20.6	6.9	20.6	137.4	48.1	34.3
Wabash	1901	1,263.8	69.6	.....	.....	.....	.....	58.0	.....	46.4	(2)	139.1	23.2	34.8
	1902	1,459.7	81.1	.....	.....	.....	11.6	.....	.....	23.2	(2)	150.6	11.6	92.7
	1903	1,007.1	23.2	.....	.....	.....	11.6	34.7	.....	.....	(2)	115.8	23.2	46.3
	1904	1,411.1	23.1	.....	23.1	11.6	11.6	.....	11.6	11.6	(2)	231.3	.....	34.7
	1905	1,144.1	.....	.....	.....	.....	.....	.....	11.6	.....	.....	196.5	34.7	57.8
	1906	831.4	11.5	.....	.....	.....	.....	.....	46.2	23.1	.....	115.5	11.5	57.7
	1907	1,361.5	46.2	11.5	.....	.....	.....	.....	.....	23.1	23.1	161.5	11.5	69.2
	1908	1,452.6	23.1	.....	.....	11.5	.....	46.1	46.1	11.5	11.5	92.2	.....	92.2
	1909	1,393.8	34.6	.....	.....	.....	23.0	34.6	46.1	11.5	11.5	115.2	46.1	69.1
Washington	1901	1,698.9	129.8	23.6	.....	.....	11.8	.....	47.2	47.2	(2)	236.0	.....	70.8
	1902	1,665.5	23.8	11.9	.....	.....	11.9	23.8	11.9	.....	(2)	333.1	11.9	11.9
	1903	1,343.6	48.0	24.0	144.0	.....	24.0	.....	12.0	12.0	(2)	167.9	48.0	12.0
	1904	1,475.9	48.4	36.3	.....	.....	36.3	.....	.....	24.2	(2)	229.9	36.3	.....
	1905	1,586.3	85.4	.....	.....	.....	12.2	12.2	24.4	36.6	.....	231.8	36.6	61.0
	1906	1,698.7	98.5	49.2	.....	.....	.....	36.9	24.6	12.3	12.3	233.9	36.9	86.2
	1907	1,341.1	86.9	12.4	.....	.....	.....	.....	24.8	.....	.....	161.4	49.7	62.1
	1908	1,566.0	62.6	25.1	.....	87.7	.....	.....	.....	.....	25.1	137.8	12.5	50.1
	1909	1,302.0	25.3	.....	.....	.....	.....	37.9	12.6	12.6	.....	214.9	50.6	25.3
IOWA.[3]														
Burlington	1900	1,482.7	56.0	4.3	.....	.....	.....	12.9	34.5	.....	(2)	112.1	4.3	60.3
	1901	1,477.3	55.0	4.2	4.2	.....	.....	.....	12.7	12.7	(2)	173.6	8.5	88.9
	1902	1,422.2	45.7	.....	.....	.....	4.2	16.6	12.5	4.2	(2)	174.7	8.3	70.7
	1903	1,234.2	45.0	.....	.....	12.3	4.1	.....	32.7	16.3	(2)	114.4	4.1	85.8
	1904	1,466.2	56.2	4.0	.....	.....	40.2	.....	4.0	12.1	(2)	104.4	12.1	80.3
	1905	1,208.6	51.3	.....	.....	.....	19.7	3.9	3.9	3.9	7.9	114.5	11.8	98.7
Davenport	1900	1,458.0	53.9	2.8	.....	.....	2.8	.....	14.2	11.3	(2)	136.2	11.3	90.8
	1901	1,559.6	33.2	.....	2.8	13.8	2.8	2.8	13.8	44.2	(2)	168.7	8.3	80.2
	1902	1,383.9	29.7	.....	2.7	.....	27.0	5.4	13.5	13.5	(2)	137.6	16.2	110.6
	1903	1,456.1	31.6	7.9	.....	7.9	7.9	5.3	7.9	26.3	(2)	131.7	29.0	73.7
	1904	1,342.3	33.4	.....	.....	7.7	5.1	.....	2.6	5.1	(2)	128.6	15.4	102.9
	1905	1,422.2	15.1	.....	.....	7.5	.....	5.0	40.2	17.6	10.1	125.6	7.5	85.4
Muscatine	1900	1,634.3	120.8	14.2	.....	7.1	.....	7.1	7.1	28.4	(2)	85.3	.....	56.9
	1901	1,359.0	35.0	7.0	.....	.....	.....	7.0	14.0	56.0	(2)	84.1	14.0	70.1
	1902	1,153.5	41.4	.....	.....	.....	.....	20.7	6.9	6.9	(2)	62.2	6.9	55.3
	1903	1,232.9	88.5	6.8	13.6	6.8	6.8	13.6	34.1	13.6	(2)	88.5	6.8	34.1
	1904	1,397.8	100.8	.....	.....	.....	6.7	.....	6.7	60.5	(2)	73.9	33.6	94.1
	1905	1,391.9	59.7	.....	.....	6.6	.....	6.6	6.6	26.5	.....	99.4	19.9	46.4
Oskaloosa	1900	1,530.6	21.7	21.7	.....	10.9	.....	21.7	21.7	10.9	(2)	97.7	10.9	43.4
Ottumwa	1900	1,445.3	65.9	.....	.....	5.5	.....	44.0	5.5	5.5	(2)	192.3	22.0	71.4
	1901	1,142.1	59.3	5.4	.....	.....	.....	.....	16.2	26.9	(2)	188.5	16.2	53.9
	1902	1,114.6	47.5	5.3	.....	15.8	.....	10.6	5.3	5.3	(2)	110.9	21.1	58.1
	1903	1,316.4	36.0	5.1	.....	5.1	.....	15.5	25.7	5.1	(2)	118.3	15.5	51.4
Sioux City	1900	1,268.5	39.3	3.0	.....	3.0	3.0	.....	36.2	6.0	(2)	72.5	15.1	45.3
	1901	1,153.4	14.4	.....	.....	2.9	5.8	2.9	14.4	17.3	(2)	112.5	31.7	51.9
	1902	1,299.4	24.8	2.8	13.8	46.9	2.8	33.1	11.0	19.3	(2)	74.5	11.0	80.0
	1903	1,142.4	18.5	2.6	.....	.....	23.8	15.9	29.1	13.2	(2)	82.0	5.3	52.9
	1904	1,239.1	17.8	.....	.....	7.6	7.6	5.1	15.2	20.3	(2)	88.9	27.9	66.0
	1905	1,267.3	24.4	2.4	.....	4.9	17.1	19.5	26.9	17.1	7.3	75.7	17.1	83.0
KANSAS.[3]														
Kansas City	1908	1,359.5	53.2	6.8	.....	2.7	4.1	23.2	20.5	30.0	4.1	184.3	23.2	65.5
	1909	1,575.9	74.7	4.0	.....	8.0	9.3	12.0	32.0	16.0	13.3	174.8	25.4	66.7
Lawrence	1900	1,629.5	36.8	9.2	.....	.....	9.2	64.5	138.1	.....	(2)	184.1	9.2	73.7
Leavenworth	1900	1,774.8	28.9	24.1	.....	.....	4.8	28.9	19.3	9.7	(2)	178.5	4.8	53.1
	1901	1,335.3	58.1	8.9	8.9	.....	.....	.....	8.9	22.3	(2)	178.6	4.5	44.7
	1902	1,483.9	84.7	17.8	.....	4.4	62.4	13.4	4.4	13.4	(2)	138.1	.....	75.8
	1903	1,465.8	52.2	4.3	4.3	.....	4.3	.....	34.8	13.1	(2)	143.5	8.7	87.0
	1904	1,518.1	48.3	.....	4.4	4.4	4.4	17.5	39.5	8.8	(2)	144.8	8.8	48.3
	1905	1,581.2	33.4	9.6	.....	.....	.....	23.9	66.9	9.6	19.1	162.4	9.6	76.4
	1906	1,520.0	24.4	9.7	.....	.....	4.9	9.7	29.2	9.7	24.4	160.8	14.6	82.8
	1907	1,706.2	34.6	.....	.....	.....	.....	9.9	.....	.....	19.8	148.4	4.9	89.0
	1908	1,561.7	35.2	.....	.....	5.0	20.1	15.1	.....	30.1	15.1	85.4	5.0	90.4
	1909	1,698.4	56.1	.....	.....	.....	5.1	.....	5.1	25.5	25.5	147.9	20.4	112.2
Wichita	1900	1,572.7	40.5	12.2	20.3	.....	.....	4.0	68.9	8.1	(2)	154.0	4.0	73.0
	1901	1,675.4	114.4	8.2	4.1	.....	32.7	32.7	57.2	40.9	(2)	138.9	16.3	45.0
	1902	1,473.6	85.2	10.6	.....	.....	.....	10.6	7.1	17.8	(2)	149.1	17.8	74.6
	1903	1,413.7	44.4	.....	3.2	28.5	3.2	9.5	12.7	15.8	(2)	120.5	31.7	53.9
	1904	1,547.5	28.3	.....	.....	3.1	.....	15.7	53.4	43.9	(2)	157.0	15.7	75.3
	1905	1,613.6	38.6	.....	.....	.....	.....	.....	35.4	41.8	12.9	118.9	16.1	99.6
	1906	1,462.0	27.3	2.7	.....	.....	8.2	10.9	19.1	30.0	2.7	133.7	8.2	84.6
	1907	1,281.1	39.2	.....	4.9	.....	9.8	9.8	7.3	19.6	7.3	93.1	12.2	93.1
	1908	1,218.1	42.2	.....	.....	6.7	2.2	2.2	15.6	22.2	11.1	60.0	8.9	104.5
	1909	1,135.2	71.2	.....	.....	6.1	2.0	8.1	16.3	10.2	10.2	50.9	12.2	75.3

[1] Exclusive of stillbirths.

[2] Not computed separately.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	48.8	175.6	68.3	253.7	126.8	165.9	136.6	58.5	136.6	.....	107.3	87.8	156.1	.....
.....	.....	28.0	186.8	84.0	196.1	112.1	84.0	93.4	112.1	65.4	.....	84.0	112.1	140.1	.....
.....	.....	26.9	197.6	134.7	107.8	71.9	107.8	53.9	98.8	116.8	.....	53.9	62.9	125.8	.....
.....	17.0	34.0	119.1	93.6	59.5	51.0	59.5	76.6	76.6	110.6	.....	42.5	42.5	93.6	8.5
8.2	32.8	65.7	65.7	139.6	197.0	49.3	139.6	106.7	123.2	82.1	.....	82.1	49.3	205.3	8.2
7.9	7.9	47.6	95.2	158.7	103.1	111.1	79.3	150.7	119.0	119.0	7.9	95.2	15.9	87.3	7.9
.....	15.2	30.5	68.6	160.0	114.3	76.2	129.5	152.4	144.8	121.9	7.6	129.5	30.5	121.9	.....
.....	.....	36.5	87.5	167.8	80.2	36.5	73.0	87.5	80.2	43.8	65.7	116.7	43.8	145.9	7.3
.....	7.1	49.5	92.0	155.7	92.0	77.8	176.9	141.5	92.0	28.3	35.4	127.4	.....	169.8	.....
.....	20.6	55.0	34.3	164.9	82.4	96.2	158.0	96.2	96.2	34.3	13.7	75.6	6.9	144.3	.....
.....	11.6	46.4	150.7	104.3	58.0	58.0	92.8	92.8	34.8	23.2	11.6	23.2	46.4	139.1	.....
.....	46.3	115.8	92.7	115.8	115.8	115.8	69.5	46.3	104.3	23.2	23.2	57.9	11.6	150.6	.....
.....	.....	34.7	92.6	104.2	57.9	46.3	69.5	92.6	23.2	81.0	.....	69.5	11.6	69.5	.....
.....	11.6	46.3	104.1	254.5	115.7	34.7	46.3	46.3	34.7	150.4	.....	81.0	.....	127.2	.....
.....	.....	34.7	115.6	184.9	69.3	34.7	23.1	92.5	34.7	46.2	11.6	80.9	11.6	104.0	.....
.....	11.5	34.6	57.7	80.8	11.5	34.6	46.2	34.6	103.9	23.1	.....	11.5	.....	115.5	.....
.....	34.6	11.5	115.4	184.6	34.6	23.1	57.7	69.2	219.2	80.8	.....	69.2	34.6	80.8	.....
.....	.....	34.6	149.9	219.0	92.2	46.1	69.2	115.3	138.3	46.1	34.6	80.7	.....	92.2	.....
.....	23.0	11.5	126.7	195.8	80.6	57.6	149.8	115.2	57.6	23.0	11.5	57.6	.....	80.6	11.5
.....	11.8	59.0	118.0	82.6	47.2	118.0	129.8	82.6	47.2	106.2	.....	106.2	59.0	153.4	11.8
.....	.....	59.5	214.1	142.8	71.4	35.7	59.5	119.0	71.4	95.2	.....	47.6	59.5	249.8	.....
.....	.....	24.0	96.0	96.0	24.0	72.0	36.0	96.0	48.0	84.0	.....	72.0	72.0	132.0	.....
12.1	24.2	72.6	108.9	145.2	60.5	48.4	121.0	96.8	12.1	121.0	.....	72.6	24.2	145.2	.....
.....	.....	48.8	146.4	158.6	61.0	73.2	36.6	134.2	85.4	36.6	24.4	61.0	48.8	170.8	.....
12.3	12.3	49.2	110.8	172.3	110.8	73.9	98.5	49.2	110.8	49.2	12.3	49.2	49.2	147.7	.....
.....	12.4	24.8	124.2	223.5	37.3	12.4	124.2	37.3	37.3	111.8	.....	74.5	.....	124.2	.....
.....	12.5	.....	125.3	313.2	62.6	62.6	125.3	62.6	62.6	137.8	25.1	100.2	12.5	62.6	.....
.....	12.6	12.6	88.5	214.9	88.5	63.2	88.5	37.9	63.2	101.1	.....	101.1	.....	50.6	.....
4.3	8.6	43.1	159.5	103.5	129.3	43.1	34.5	112.1	86.2	43.1	21.6	90.5	86.2	232.7	.....
4.2	8.5	25.4	131.2	139.7	101.6	59.3	63.5	84.7	72.0	38.1	25.4	110.1	59.3	190.5	4.2
.....	12.5	16.6	170.5	104.0	91.5	29.1	79.0	91.5	66.5	33.3	20.8	54.1	49.9	241.2	25.0
4.1	8.2	.....	155.3	114.4	102.2	53.1	28.6	89.9	49.0	16.3	8.2	81.7	28.6	167.6	12.3
.....	20.1	12.1	160.7	128.5	116.5	36.2	44.2	84.4	52.2	52.2	4.0	124.5	68.3	237.0	12.1
.....	15.8	27.6	122.4	110.6	63.2	51.3	43.4	86.9	39.5	59.2	11.8	63.2	15.8	177.7	3.9
.....	.....	28.4	187.2	119.1	102.1	110.6	59.6	82.3	39.7	70.9	17.0	82.3	36.9	198.6	.....
.....	.....	16.6	237.8	143.8	74.7	85.7	83.0	66.4	44.2	33.2	24.9	105.1	52.5	221.2	.....
.....	.....	18.9	153.8	151.1	78.2	102.5	54.0	80.9	35.1	16.2	8.1	67.4	18.9	242.8	.....
.....	15.8	29.0	158.0	147.4	108.0	68.5	36.9	76.4	60.6	63.2	31.6	92.2	108.0	131.7	.....
.....	12.9	18.0	120.9	115.7	72.0	108.0	54.0	74.6	46.3	56.6	41.1	79.7	28.3	210.9	2.6
2.5	17.6	15.1	140.7	188.5	85.4	60.3	42.7	123.1	35.2	57.8	20.1	118.1	22.6	178.4	.....
7.1	28.4	42.6	99.5	113.7	220.3	49.7	71.1	106.6	85.3	49.7	21.3	49.7	85.3	277.1	.....
.....	.....	21.0	98.1	84.1	119.1	84.1	70.1	133.1	35.0	14.0	7.0	84.1	49.0	259.2	14.0
.....	.....	34.5	145.0	62.2	96.7	82.9	27.6	76.0	13.8	27.6	13.8	82.9	69.1	221.0	.....
.....	6.8	27.2	102.2	61.3	61.3	54.5	61.3	109.0	47.7	20.4	6.8	74.9	34.1	245.2	6.8
.....	.....	13.4	134.4	100.8	174.7	40.3	40.3	73.9	127.7	33.6	.....	47.0	26.9	188.1	13.4
.....	6.6	46.4	119.3	119.3	139.2	72.9	72.9	72.9	59.7	19.9	6.6	33.1	59.7	285.0	6.6
10.9	.....	21.7	173.7	130.3	130.3	43.4	76.0	65.1	65.1	65.1	.....	108.5	130.3	206.2	43.4
.....	11.0	60.4	126.4	76.9	170.4	87.9	38.5	82.4	33.0	16.5	11.0	126.4	38.5	142.9	11.0
.....	.....	10.8	91.6	107.7	86.2	26.9	37.7	64.6	16.2	32.3	16.2	75.4	59.3	145.5	5.4
5.3	.....	15.8	116.2	79.2	52.8	68.7	58.1	74.0	37.0	63.4	21.1	52.8	52.8	126.8	10.6
.....	10.3	25.7	164.5	138.9	77.1	41.1	87.4	66.8	41.1	30.9	5.1	108.0	66.8	164.5	10.3
.....	6.0	33.2	138.9	72.5	87.6	57.4	87.6	105.7	42.3	60.4	6.0	99.7	81.6	157.1	9.1
2.9	11.5	17.3	100.9	75.0	54.8	60.6	92.3	109.6	34.6	54.8	8.7	98.0	40.4	138.4	.....
5.5	13.8	41.4	82.8	113.1	110.4	55.2	85.5	80.0	46.9	77.2	2.8	82.8	27.6	154.5	.....
10.6	5.3	21.2	103.1	113.7	100.5	31.7	31.7	89.9	52.9	23.8	10.6	134.9	47.7	116.4	5.3
5.1	15.2	22.9	55.9	129.5	106.6	43.2	71.1	149.8	55.9	25.4	12.7	86.3	35.5	167.6	.....
.....	24.4	9.8	100.1	122.1	80.6	51.3	48.8	131.9	56.2	51.3	22.0	105.0	36.6	129.4	2.4
2.7	6.8	16.4	80.5	99.7	96.9	68.3	86.0	72.4	92.8	65.5	17.7	88.7	13.7	132.4	1.4
.....	14.7	30.7	93.4	129.4	106.8	54.7	114.8	110.8	108.1	90.7	14.7	130.8	14.7	125.4	.....
9.2	18.4	.....	138.1	128.9	119.7	36.8	18.4	138.1	46.0	18.4	9.2	73.7	36.8	165.7	147.3
.....	.....	38.6	149.5	82.0	323.1	106.1	48.2	110.9	28.9	91.7	14.5	130.2	82.0	192.9	24.1
4.5	8.9	40.2	129.5	84.9	93.8	102.7	49.1	49.1	62.5	44.7	22.3	98.2	71.5	134.0	4.5
.....	4.4	13.4	138.1	133.7	124.8	80.2	53.5	80.2	93.6	17.8	22.3	71.3	62.4	164.9	8.9
17.4	.....	47.9	152.2	147.9	130.5	52.2	39.2	100.0	73.9	47.9	21.7	65.3	39.2	178.3	.....
.....	13.2	21.9	166.7	131.6	215.0	79.0	43.8	92.1	61.4	52.6	8.8	118.5	48.3	109.7	26.3
4.8	.....	9.6	172.0	129.0	138.5	43.0	28.7	81.2	86.0	124.2	4.8	81.2	62.1	200.6	4.8
.....	4.9	48.7	185.1	190.0	92.6	14.6	48.7	92.6	63.3	77.9	24.4	87.7	29.2	190.0	.....
.....	.....	34.6	197.8	202.8	173.1	49.5	74.2	94.0	113.7	74.2	24.7	98.9	19.8	242.3	.....
5.0	15.1	20.1	190.8	175.8	180.8	40.2	15.1	90.4	120.5	55.2	15.1	125.5	50.2	150.6	10.0
.....	10.2	20.4	163.2	142.8	117.3	76.5	71.4	91.8	132.6	61.2	35.7	117.3	40.8	219.3	.....
.....	.....	8.1	141.9	64.8	101.3	60.8	73.0	113.5	60.8	44.6	8.1	133.8	158.1	174.3	44.6
4.1	4.1	16.3	102.2	114.4	57.2	40.9	114.4	138.9	77.6	53.1	16.3	130.8	118.5	188.0	8.2
7.1	3.5	42.6	103.0	99.4	71.0	32.0	74.6	92.3	74.6	60.4	.....	124.3	120.7	159.8	35.5
6.3	6.3	28.5	145.8	98.3	69.7	44.4	47.6	155.3	82.4	69.7	3.2	85.6	60.2	155.3	31.7
3.1	12.6	18.8	135.0	103.6	128.7	37.7	69.1	138.1	75.3	59.6	3.1	106.7	69.1	175.8	18.8
12.9	16.1	12.9	147.9	112.5	77.1	48.2	67.5	167.1	73.9	109.3	3.2	90.0	125.4	176.8	9.6
8.2	19.1	21.8	136.4	106.4	100.9	40.9	57.3	133.7	68.2	57.3	16.4	98.2	103.7	147.3	19.1
.....	14.7	19.6	105.3	80.8	63.7	31.8	56.3	144.5	73.5	63.7	12.2	80.8	73.5	156.8	7.3
2.2	15.6	22.2	82.2	135.6	60.0	37.8	26.7	137 8	55.6	64.5	17.8	60.0	71.1	142.3	11.1
.....	20.3	4.1	91.6	91.6	65.1	32.6	54.9	91.6	71.2	77.3	16.3	73.2	50.9	130.2	2.0

[3] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
KENTUCKY.[2]														
Covington	1900	1,919.0	44.2	.....	4.7	.....	7.0	14.0	34.9	7.0	(3)	207.3	11.6	55.9
	1901	2,211.9	27.8	9.3	.....	85.7	16.2	25.5	62.5	46.3	(3)	208.7	23.2	51.0
	1902	1,813.5	36.9	.....	.....	11.5	18.4	9.2	36.9	16.1	(3)	239.6	23.0	69.1
	1903	1,549.1	36.6	.....	2.3	16.0	13.7	6.9	18.3	41.1	(3)	203.3	22.8	66.3
	1904	1,920.9	40.9	.....	.....	36.4	6.8	36.4	25.0	45.5	(3)	241.0	30.8	63.7
	1905	1,823.1	47.5	.....	.....	.....	20.4	4.5	22.6	31.7	13.6	235.2	15.8	49.8
	1906	1,748.8	51.8	2.3	.....	15.8	6.8	18.0	33.8	15.8	18.0	252.1	29.3	54.0
	1907	1,651.6	56.7	2.1	.....	8.4	.....	16.8	12.6	29.4	21.0	249.7	25.2	50.4
	1908	1,583.4	35.5	.....	2.1	27.2	4.2	12.5	2.1	64.8	18.8	238.1	18.8	50.1
	1909	1,480.4	20.8	.....	.....	.....	6.2	6.2	14.6	18.7	16.6	255.7	29.1	60.3
Louisville	1900	1,891.3	64.0	4.4	0.5	7.8	2.0	21.5	21.5	10.8	(3)	207.1	20.5	64.0
	1901	1,850.3	46.3	7.2	1.0	1.0	2.4	3.4	52.1	26.6	(3)	198.4	21.2	55.0
	1902	1,823.4	61.2	5.3	1.4	2.4	2.4	7.6	41.6	3.8	(3)	185.9	27.2	63.1
	1903	1,904.9	61.1	2.4	8.1	.....	6.2	20.8	33.2	7.6	(3)	218.9	19.9	56.8
	1904	2,039.8	63.4	6.1	3.3	6.6	3.3	0.9	18.8	24.9	(3)	246.5	21.1	63.4
	1905	1,871.3	51.2	6.5	0.5	0.5	3.7	5.1	13.5	18.6	22.8	236.5	17.2	58.7
	1906	1,895.3	70.6	3.7	.....	1.4	4.2	12.9	22.2	10.2	17.5	210.0	28.6	59.5
	1907	1,896.9	71.4	5.9	.....	6.9	2.3	6.4	11.4	21.0	24.2	202.7	22.9	52.6
	1908	1,696.7	46.7	4.1	.....	1.8	4.1	15.4	13.2	19.1	18.1	194.2	23.1	66.7
	1909	1,553.6	45.0	3.6	.....	2.7	9.0	4.0	13.5	11.7	15.7	196.0	19.8	58.0
Newport	1900	2,173.1	60.1	3.5	.....	7.1	24.7	3.5	35.3	10.6	(3)	187.3	31.8	70.7
	1901	1,735.6	7.0	.....	.....	10.5	14.0	3.5	17.5	42.1	(3)	150.8	17.5	80.6
	1902	1,375.2	13.9	.....	3.5	13.9	17.4	10.4	13.9	7.0	(3)	163.6	13.9	45.3
	1903	1,331.0	31.1	.....	.....	13.8	6.9	.....	13.8	41.5	(3)	162.5	34.6	62.2
	1904	1,599.8	34.3	3.4	.....	3.4	3.4	10.3	54.9	27.5	(3)	219.7	34.3	34.3
	1905	1,970.5	34.1	.....	.....	.....	13.6	10.2	88.6	6.8	23.9	187.5	44.3	81.8
	1906	1,733.5	60.9	.....	3.4	10.2	6.8	27.1	13.5	10.2	13.5	213.3	37.2	81.3
	1907	1,506.4	77.3	.....	.....	.....	.....	10.1	13.5	6.7	6.7	178.2	13.5	57.2
	1908	1,633.1	50.1	.....	3.3	23.4	.....	16.7	26.7	20.0	10.0	213.7	16.7	50.1
	1909	1,482.7	29.9	.....	3.3	.....	.....	3.3	13.3	13.3	26.5	172.5	3.3	73.0
Paducah	1900	2,812.9	138.8	257.1	10.3	61.7	5.1	92.6	30.9	20.6	(3)	272.5	30.9	30.9
	1901	2,478.8	75.7	237.3	.....	.....	25.2	.....	5.0	50.5	(3)	318.1	20.2	30.3
	1902	2,333.3	94.3	148.9	.....	.....	5.0	9.9	14.9	29.8	(3)	377.3	29.8	39.7
	1903	2,129.1	43.9	122.1	4.9	4.9	.....	48.8	39.1	14.6	(3)	312.5	4.9	19.5
	1904	2,138.1	62.5	124.9	.....	76.9	4.8	4.8	14.4	28.8	(3)	317.1	4.8	19.2
	1905	2,019.0	94.6	122.9	4.7	.....	4.7	47.3	9.5	52.0	42.6	349.9	9.5	37.8
	1906	1,698.9	65.2	55.9	.....	.....	14.0	14.0	9.3	.....	46.5	307.2	18.6	27.9
	1907	1,787.3	87.1	55.0	.....	41.2	4.6	13.7	4.6	27.5	45.8	284.1	18.3	27.5
	1908	1,697.0	58.7	72.2	.....	4.5	.....	.....	54.2	4.5	18.1	243.7	18.1	31.6
	1909	1,645.0	35.6	106.7	.....	.....	.....	26.7	40.0	8.9	17.8	253.4	40.0	40.0
LOUISIANA.[2]														
New Orleans	1900	2,652.3	52.6	56.1	158.1	21.2	6.6	2.8	13.9	15.0	(3)	342.7	26.5	63.0
	1901	2,220.3	49.9	37.9	17.8	0.3	21.2	8.2	14.3	23.9	(3)	305.0	33.1	69.7
	1902	2,212.3	43.9	32.5	1.3	0.3	4.7	4.4	14.8	18.1	(3)	323.8	26.8	71.5
	1903	2,210.5	40.5	26.0	1.3	0.7	2.6	9.2	11.9	38.9	(3)	314.8	31.3	79.1
	1904	2,209.7	36.3	22.7	.....	10.4	0.6	3.6	15.2	37.6	(3)	335.1	30.8	82.0
	1905	2,335.1	32.2	15.9	1.9	.....	2.5	9.6	13.4	34.7	158.0	312.2	29.3	83.8
	1906	2,136.5	29.1	11.6	2.5	1.3	4.4	5.6	14.7	21.6	21.3	276.4	36.7	78.0
	1907	2,353.1	54.6	12.0	3.1	20.7	1.2	15.1	11.4	35.8	22.2	298.7	27.4	82.9
	1908	2,228.2	32.5	19.1	2.7	3.6	7.6	7.9	14.6	38.8	27.6	260.3	32.2	82.5
	1909	2,021.4	28.4	11.9	.....	0.6	18.5	4.8	7.5	14.3	21.5	219.2	24.2	85.4
MAINE.														
Auburn	1906	1,585.7	.....	.....	.....	70.2	7.0	14.0	28.1	21.0	14.0	98.2	21.0	91.2
	1907	1,610.7	.....	.....	.....	6.9	.....	20.7	41.5	62.2	.....	152.1	48.4	96.8
	1908	1,314.7	13.6	.....	.....	.....	.....	13.6	40.9	27.2	6.8	102.2	13.6	74.9
	1909	1,430.1	.....	.....	.....	.....	6.7	.....	13.4	33.6	6.7	134.3	20.1	94.0
Augusta *	1900	2,345.3	42.8	25.7	.....	.....	.....	17.1	.....	17.1	(3)	188.3	42.8	68.5
	1901	2,270.2	84.4	8.4	.....	.....	.....	.....	8.4	16.9	(3)	185.7	8.4	59.1
	1902	2,324.4	50.0	8.3	.....	16.7	.....	33.3	8.3	16.7	(3)	116.6	41.7	41.7
	1903	2,352.4	230.3	.....	8.2	8.2	82.3	16.5	.....	.....	(3)	123.4	32.9	65.8
	1904	2,485.2	48.7	.....	.....	.....	.....	.....	.....	8.1	(3)	219.3	8.1	56.9
	1905	2,309.9	48.1	8.0	.....	.....	.....	.....	24.1	32.1	8.0	152.4	16.0	80.2
	1906	2,004.3	55.5	7.9	.....	7.9	.....	15.8	7.9	.....	7.9	118.8	7.9	71.3
	1907	2,512.1	31.3	.....	.....	15.7	.....	23.5	31.3	47.0	7.8	148.7	7.8	86.1
	1908	2,126.3	38.7	.....	.....	15.5	.....	7.7	7.7	38.7	23.2	146.9	30.9	54.1
	1909	2,322.7	22.9	7.6	.....	.....	.....	7.6	15.3	38.2	.....	229.2	22.9	84.0
Bangor *	1900	1,588.1	22.9	4.6	.....	.....	4.6	.....	9.1	13.7	(3)	141.9	27.5	82.4
	1901	1,790.5	103.7	.....	.....	.....	4.5	.....	9.0	40.6	(3)	180.4	49.6	72.2
	1902	1,704.3	35.6	4.4	.....	.....	.....	.....	13.3	13.3	(3)	178.0	35.6	120.1
	1903	1,660.0	43.9	.....	.....	4.4	.....	13.2	.....	17.6	(3)	140.5	26.3	83.4
	1904	1,937.6	186.4	4.3	.....	.....	.....	13.0	13.0	8.7	(3)	203.7	43.3	104.0
	1905	1,801.5	77.0	8.6	.....	8.6	.....	.....	.....	38.5	8.6	162.6	51.4	132.7
	1906	1,757.6	42.3	.....	.....	12.7	.....	21.1	21.1	8.5	12.7	160.6	42.3	93.0
	1907	1,869.2	29.2	.....	.....	.....	.....	20.9	20.9	20.9	8.3	158.6	58.4	96.0
	1908	1,533.0	28.8	.....	.....	.....	.....	.....	4.1	16.5	.....	131.9	41.2	115.4
	1909	1,880.7	36.6	.....	.....	12.2	12.2	4.1	4.1	12.2	24.4	187.3	61.1	101.8
Bath	1900	1,718.0	9.6	.....	.....	.....	.....	47.7	19.1	28.6	(3)	190.9	19.1	47.7
	1901	1,438.4	9.7	.....	.....	.....	.....	.....	48.3	19.3	(3)	270.3	9.7	57.9
	1902	1,570.7	19.5	.....	.....	.....	.....	9.8	29.3	.....	(3)	126.8	39.0	58.5
	1903	1,775.0	9.9	.....	.....	.....	.....	.....	69.0	19.7	(3)	138.1	9.9	78.9
	1904	1,704.5	29.9	.....	.....	.....	.....	.....	139.6	19.9	(3)	109.6	39.9	69.8
	1905	1,652.7	10.1	.....	.....	10.1	.....	.....	40.3	10.1	20.2	191.5	10.1	100.8
	1906	1,589.6	.....	.....	.....	.....	.....	10.2	.....	.....	10.2	91.7	10.2	81.5
	1907	1,545.8	20.6	.....	.....	.....	.....	.....	20.6	10.3	.....	61.8	30.9	113.4
	1908	1,615.6	.....	.....	.....	.....	.....	41.7	.....	41.7	.....	125.1	20.8	93.8
	1909	1,412.9	.....	.....	.....	10.5	52.7	31.6	.....	10.5	.....	94.9	10.5	52.7

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
14.0	7 0	93.2	202.6	165.4	128.1	79.2	72 2	86.1	160.7	88.4	11.6	109.5	184.0	121.1	9.3
.....	2.3	92.6	159.8	164.4	180.7	97.3	101.9	113.5	180.7	53.3	25.5	120.4	67.2	231.6	4.6
.....	4.6	53.0	182.0	154.4	136.0	101.4	80.7	108.3	175.1	62.2	16.1	59.9	76.0	136.0	6.9
4.6	9.1	84.5	121.1	112.0	137.1	50.3	59.4	114.2	143.9	43.4	6.9	91.4	48.0	91.4	4.6
2.3	9.1	70.5	138.7	163.7	204.6	70.5	65.9	86.4	156.9	61.4	13.6	81.8	72.4	193.2	2.3
.....	4.5	79.2	151.5	181.0	158.3	58.8	90.5	106.3	147.0	76.9	18.1	97.3	72.4	140.2	.....
.....	15.8	72.0	126.0	168.8	110.3	65.3	83.3	99.0	155.3	69.8	4.5	94.5	47.3	139.5	.....
6.3	8.4	35.7	140.6	172.1	102.8	77.6	50.4	77.6	149.0	69.3	8.4	92.3	56.7	132.2	.....
2.1	8.4	43.9	135.8	177.6	121.2	73.1	50.1	98.2	131.6	58.5	4.2	62.7	52.2	89.8	.....
.....	10.4	31.2	87.3	153.9	116.4	70.7	52.0	101.9	147.6	60.3	14.6	74.9	20.8	110.2	.....
4.9	5.9	49.8	196.4	167.5	167.5	123.6	79.1	99.2	84.0	77.1	7.3	88.4	113.8	199.8	2.9
1.0	5.3	43.0	193.6	169.9	171.4	127.0	64.2	106.2	92.7	81.6	6.8	83.0	98.5	189.7	1.9
2.4	11.0	35.8	198.8	154.4	140.5	90.8	69.3	110.9	98.0	95.6	13.9	83.6	114.7	198.4	3.3
0.9	7.1	54.5	204.7	152.5	143.1	97.6	73.4	108.5	105.6	99.0	13.7	78.2	108.0	221.7	1.4
2.3	8.5	43.2	192.5	149.8	209.4	121.6	82.2	103.3	106.1	115.5	23.0	74.7	125.4	219.8	4.2
1.9	10.7	50.3	191.8	163.4	156.4	95.4	72.6	105.7	115.9	101.9	15.4	79.6	98.2	177.4	.....
2.8	8.3	35.1	168.4	160.1	163.4	96.0	78.5	119.5	110.8	108.0	26.3	96.4	94.6	186.4	.....
1.8	15.6	46.2	174.3	178.9	165.6	103.9	70.9	111.2	122.2	82.8	23.8	97.9	76.9	197.2	.....
3.2	10.4	40.4	152.0	188.7	144.3	103.4	44.5	112.5	109.8	72.6	21.3	73.5	48.1	165.6	.....
1.3	6.3	29.2	161.4	174.9	131.3	91.3	40.5	94.4	113.7	56.2	20.7	66.1	42.3	145.2	.....
.....	31.8	63.6	261.5	144.9	176.7	123.7	134.3	81.3	95.4	102.4	17.6	84.8	155.5	183.7	81.3
.....	3.5	77.1	164.8	161.3	168.3	157.8	87.7	84.2	66.6	105.2	.....	77.1	66.6	154.3	17.5
3.5	3.5	62.7	153.2	153.2	87.0	90.5	80.1	90.5	38.3	80.1	3.5	41.8	41.8	118.4	24.4
.....	10.4	44.9	121.0	83.0	100.3	76.1	72.6	69.1	51.9	34.6	6.9	58.8	72.6	145.2	17.3
3.4	10.3	34.3	161.4	103.0	151.1	116.7	106.4	65.2	51.5	82.4	.....	75.5	79.0	123.6	10.3
.....	6.8	61.4	245.5	163.6	122.7	112.5	88.6	119.3	68.2	98.9	13.6	112.5	122.7	139.8	3.4
3.4	3.4	33.9	149.0	108.3	118.5	121.9	81.3	101.6	118.5	60.9	30.5	88.0	111.7	118.5	6.8
.....	.....	63.9	198.4	131.1	100.9	70.6	74.0	70.6	84.1	50.4	13.5	57.2	94.2	134.5	.....
.....	16.7	50.1	170.3	140.3	150.3	63.5	86.8	70.1	63.5	103.5	30.1	83.5	50.1	123.6	.....
.....	13.3	36.5	155.9	155.9	116.1	86.2	46.4	102.8	76.3	76.3	29.9	92.9	43.1	112.8	.....
5.1	5.1	66.8	164.6	102.8	241.7	108.0	200.6	128.6	97.7	164.6	10.3	154.3	185.1	210.8	15.4
5.0	.....	65.6	196.9	146.4	186.8	65.6	186.8	126.2	55.5	55.5	15.1	232.2	136.3	217.1	25.2
.....	14.9	54.6	183.7	74.5	183.7	84.4	203.5	129.1	39.7	69.5	14.9	173.8	193.6	158.9	5.0
4.9	14.6	48.8	136.7	68.4	180.7	136.7	205.1	131.8	19.5	48.8	9.8	210.0	146.5	151.4	.....
4.8	4.8	43.2	163.4	120.1	264.3	96.1	144.1	105.7	38.4	48.0	4.8	144.1	139.3	148.9	9.6
4.7	4.7	52.0	99.3	56.7	222.2	89.8	80.4	113.5	28.4	47.3	23.6	137.1	156.0	108.8	18.9
4.7	4.7	18.6	107.1	83.8	190.8	88.4	93.1	83.8	27.9	60.5	14.0	130.3	144.3	88.4	.....
.....	.....	22.9	105.4	82.5	178.7	91.7	77.9	137.5	55.0	32.1	18.3	128.3	137.5	110.0	.....
.....	.....	31.6	139.9	67.7	130.9	72.2	81.2	158.0	90.3	49.6	22.6	76.7	130.9	130.9	9.0
4.4	4.4	35.6	142.3	93.4	97.8	66.7	84.5	133.4	66.7	62.2	4.4	111.1	80.0	80.0	8.9
1.0	3.5	52.9	235.8	204.5	187.4	144.1	183.9	119.5	191.6	92.0	14.3	116.7	120.9	222.2	3.5
1.0	8.2	39.3	218.6	221.3	146.5	80.6	144.8	104.5	162.9	72.4	12.0	114.1	76.5	236.0	0.3
1.0	5.7	40.6	220.4	229.5	147.6	89.9	153.7	113.7	167.4	87.2	15.8	116.1	64.8	216.4	0.3
1.0	5.9	28.0	208.0	219.6	134.5	88.0	156.3	117.0	212.6	69.6	12.5	119.7	61.3	219.6	0.3
0.6	7.5	36.3	197.3	224.9	164.3	93.3	153.9	112.4	194.4	73.6	13.6	122.8	52.2	188.3	.....
1.0	6.4	36.0	208.4	242.8	132.9	85.7	162.2	103.2	198.2	71.1	17.2	125.9	44.9	205.8	.....
.....	8.5	30.4	192.7	260.4	116.9	81.5	174.2	119.7	197.7	68.9	20.1	133.2	41.4	187.7	.....
0.9	7.7	39.8	200.4	261.1	154.4	111.6	187.7	124.9	207.2	78.3	16.6	137.8	49.9	189.6	.....
0.6	8.2	29.7	188.4	249.7	144.4	83.7	182.6	135.0	217.8	71.0	27.0	126.5	42.2	192.0	.....
1.8	8.1	21.8	184.5	248.4	113.5	90.5	136.5	118.2	217.7	72.0	15.8	115.9	44.8	195.9	.....
.....	14.0	63.1	224.5	196.5	140.3	105.2	98.2	42.1	98.2	35.1	14.0	35.1	28.1	119.3	7.0
.....	6.9	41.5	165.9	214.3	89.9	69.1	48.4	69.1	76.0	96.8	20.7	34.6	20.7	228.1	.....
.....	6.8	40.9	204.4	115.8	74.9	61.3	88.6	68.1	61.3	54.5	13.6	68.1	13.6	129.4	20.4
.....	6.7	26.9	208.1	181.3	87.3	67.1	100.7	100.7	80.6	33.6	26.9	26.9	20.1	154.4	.....
8.6	.....	42.8	796.0	188.3	145.5	77.0	179.8	59.9	77.0	8.6	8.6	34.2	119.8	145.5	51.4
.....	8.4	42.2	725.8	185.7	59.1	168.8	194.1	42.2	92.8	42.2	.....	59.1	84.4	185.7	8.4
.....	.....	33.3	749.8	208.3	175.0	100.0	133.3	91.6	83.3	66.7	8.3	83.3	91.6	158.3	8.3
8.2	.....	57.6	658.0	139.8	115.2	74.0	148.1	82.3	49.4	65.8	32.9	41.1	90.5	222.1	.....
.....	16.2	16.2	666.0	194.9	121.8	186.8	146.2	113.7	89.3	105.6	24.4	105.6	73.1	268.0	16.2
8.0	40.1	56.1	745.9	216.6	96.2	72.2	160.4	72.2	96.2	104.3	.....	88.2	72.2	104.3	8.0
.....	.....	15.8	546.6	174.3	103.0	55.5	134.7	39.6	126.8	87.1	15.8	71.3	79.2	245.6	7.9
.....	23.5	15.7	704.3	313.0	172.2	70.4	117.4	109.6	86.1	78.3	15.7	109.6	31.3	258.3	7.8
.....	.....	30.9	634.0	224.2	100.5	46.4	270.6	69.6	61.9	38.7	30.9	69.6	30.9	154.6	.....
15.3	22.9	7.6	603.6	290.3	198.7	76.4	160.5	91.7	99.3	53.5	22.9	107.0	30.6	114.6	.....
.....	9.1	64.1	210.5	155.6	100.7	73.2	73.2	109.8	54.9	45.8	4.6	87.0	77.8	201.4	13.7
.....	13.5	27.1	216.5	252.6	130.8	76.7	36.1	148.8	85.7	13.5	9.0	58.6	72.2	162.4	27.1
.....	17.8	40.0	129.0	231.4	160.2	89.0	26.7	66.7	102.3	22.2	22.2	102.3	75.6	209.1	8.9
.....	17.6	39.5	228.4	153.7	219.6	61.5	96.6	96.6	83.4	30.7	8.8	70.3	52.7	166.9	4.4
.....	8.7	17.3	151.7	229.7	212.4	65.0	52.0	99.7	78.0	69.4	13.0	130.0	21.7	160.4	52.0
4.3	17.1	17.1	218.2	201.1	136.9	89.9	68.5	94.1	102.7	30.0	12.8	119.8	25.7	171.2	4.3
.....	4.2	46.5	223.9	202.8	139.4	71.8	67.6	93.0	88.7	54.9	4.2	122.5	67.6	143.7	12.7
8.3	8.3	33.4	217.0	250.3	141.9	112.7	50.1	96.0	104.3	33.4	.....	146.0	54.2	179.4	20.9
.....	8.2	33.0	164.8	201.9	156.6	45.3	45.3	111.3	74.2	37.1	20.6	65.9	41.2	181.3	8.2
.....	12.2	24.4	175.0	305.3	162.8	85.5	44.8	166.9	85.5	52.9	4.1	97.7	61.1	122.1	24.4
.....	9.6	47.7	105.0	181.4	133.6	66.8	210.0	66.8	124.1	152.7	28.6	85.9	28.6	114.5	.....
9.7	19.3	38.6	173.8	154.5	77.2	115.8	29.0	38.6	115.8	38.6	9.7	29.0	29.0	135.1	9.7
9.8	39.0	29.3	87.8	224.4	107.3	117.1	48.8	58.5	146.3	87.8	9.8	97.6	29.3	195.1	.....
.....	29.6	49.3	177.5	246.5	187.4	98.6	88.7	78.9	138.1	108.5	19.7	88.7	9.9	118.3	9.9
.....	.....	29.9	219.3	219.3	139.6	99.7	29.9	99.7	139.6	29.9	10.0	139.6	10.0	129.6	.....
.....	10.1	10.1	251.9	241.9	171.3	90.7	70.5	50.4	100.8	40.3	20.2	30.2	.....	171.3	.....
.....	40.8	10.2	173.2	336.3	132.5	112.1	91.7	61.1	142.7	40.8	20.4	91.7	.....	132.5	.....
.....	10.3	20.6	216.4	257.6	123.7	51.5	134.0	41.2	154.6	51.5	10.3	30.9	30.9	154.6	.....
.....	41.7	10.4	145.9	354.4	83.4	145.9	104.2	83.4	83.4	41.7	10.4	62.5	10.4	114.7	.....
.....	21.1	.....	126.5	358.5	105.4	73.8	73.8	52.7	94.9	63.3	.....	31.6	21.1	126.5	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
MAINE—continued.														
Biddeford	1900	2,267.0	92.9	.....	.....	.....	6.2	12.4	61.9	31.0	(2)	167.2	18.6	61.9
	1901	2,012.8	117.0	6.2	.....	.....	.....	6.2	18.5	30.8	(2)	215.4	24.6	80.0
	1902	2,080.8	61.2	.....	.....	12.2	.....	.....	30.6	6.1	(2)	214.2	12.2	67.3
	1903	1,862.0	54.8	.....	.....	.....	.....	91.3	42.6	.....	(2)	188.6	36.5	66.9
	1904	1,996.6	66.6	.....	.....	.....	.....	12.1	36.3	6.1	(2)	199.7	18.2	42.4
	1905	1,708.5	78.2	.....	.....	.....	.....	6.0	54.1	6.0	12.0	120.3	54.1	24.1
	1906	1,985.9	17.9	.....	.....	23.9	.....	6.0	6.0	12.0	12.0	185.4	35.9	65.8
	1907	2,046.0	17.8	.....	.....	.....	.....	5.9	11.9	41.6	5.9	184.4	41.6	65.4
	1908	1,803.9	5.9	.....	.....	.....	.....	.....	11.8	11.8	5.9	218.8	71.0	112.4
	1909	1,958.5	23.5	.....	.....	.....	.....	58.8	88.2	5.9	.....	158.8	47.1	88.2
Lewiston	1906	2,194.5	31.6	4.0	.....	75.1	.....	4.0	7.9	4.0	19.8	177.9	23.7	102.8
	1907	1,902.7	23.5	3.9	.....	.....	.....	3.9	19.6	7.8	7.8	160.5	58.7	90.0
	1908	1,876.3	27.1	.....	.....	.....	.....	15.5	42.6	7.8	11.6	147.3	50.4	108.5
	1909	1,727.6	3.8	3.8	.....	.....	15.4	11.5	23.0	3.8	7.7	99.8	42.2	111.3
Portland	1900	2,076.0	41.9	.....	4.0	.....	.....	15.9	33.9	19.9	(2)	197.4	49.9	69.8
	1901	1,774.1	29.4	3.9	.....	3.9	.....	15.7	47.0	13.7	(2)	217.4	29.4	78.3
	1902	1,810.4	28.9	.....	13.5	.....	.....	1.9	28.9	3.9	(2)	165.6	67.4	100.1
	1903	1,813.4	32.2	.....	.....	5.7	.....	22.7	17.1	9.5	(2)	153.5	34.1	108.0
	1904	1,894.5	28.0	1.9	.....	9.3	1.9	20.5	33.6	7.5	(2)	154.7	37.3	104.4
	1905	1,741.9	25.7	.....	.....	.....	.....	9.2	18.4	27.5	9.2	141.3	40.4	112.0
	1906	1,711.4	16.3	.....	.....	5.4	.....	12.7	23.5	7.2	9.0	142.8	28.9	94.0
	1907	1,932.8	19.6	1.8	.....	8.9	1.8	19.6	12.5	8.9	10.7	142.4	46.3	126.4
	1908	1,802.2	38.6	1.8	.....	.....	7.0	12.3	19.3	21.0	14.0	124.5	61.4	128.0
	1909	1,777.4	24.2	1.7	.....	.....	5.2	6.9	24.2	8.6	1.7	133.0	50.1	119.2
Rockland	1900	2,049.1	.....	.....	12.3	12.3	.....	.....	.....	24.5	(2)	196.3	24.5	85.9
	1901	1,962.7	12.3	.....	.....	.....	.....	.....	12.3	24.5	(2)	196.3	24.5	208.5
	1902	1,582.0	12.3	.....	.....	.....	.....	24.5	12.3	.....	(2)	196.2	12.3	122.6
	1903	1,986.3	12.3	.....	.....	.....	.....	.....	.....	24.5	(2)	245.2	36.8	122.6
	1904	2,034.8	24.5	.....	.....	.....	.....	.....	.....	36.8	(2)	208.4	49.0	147.1
	1905	1,887.3	12.3	.....	.....	36.8	.....	.....	12.3	61.3	49.0	220.6	.....	110.3
	1906	1,935.8	36.8	.....	.....	.....	.....	.....	73.5	.....	12.3	122.5	24.5	122.5
	1907	1,775.9	24.5	.....	.....	.....	.....	24.5	73.5	.....	.....	183.7	24.5	98.0
	1908	1,628.3	.....	12.2	.....	.....	.....	.....	12.2	24.5	.....	122.4	36.7	73.5
	1909	1,725.6	49.0	.....	.....	24.5	.....	.....	36.7	12.2	.....	36.7	49.0	195.8
Waterville	1906	1,626.9	.....	.....	.....	.....	.....	.....	18.7	.....	18.7	149.6	18.7	46.8
	1907	1,697.9	18.4	.....	.....	.....	.....	9.2	64.2	9.2	9.2	174.4	55.1	110.1
	1908	1,766.2	18.0	.....	.....	36.0	.....	.....	36.0	9.0	9.0	108.1	27.0	108.1
	1909	1,407.3	8.9	.....	.....	8.9	.....	8.9	17.7	8.9	8.9	106.2	35.4	44.3
MARYLAND.														
Annapolis	1900	2,768.3	35.2	.....	.....	23.5	.....	11.7	35.2	93.8	(2)	410.5	.....	35.2
	1901	2,050.9	23.4	11.7	.....	.....	.....	.....	93.8	128.9	(2)	410.2	58.6	35.2
	1902	2,072.4	58.5	11.7	.....	.....	.....	81.9	35.1	35.1	(2)	374.7	35.1	93.7
	1903	1,883.3	35.1	23.4	.....	.....	.....	11.7	23.4	70.2	(2)	257.3	35.1	81.9
	1904	2,535.9	70.1	.....	.....	.....	11.7	.....	.....	46.7	(2)	362.3	11.7	81.8
	1905	2,230.0	81.7	.....	.....	.....	.....	.....	11.7	46.7	23.4	303.6	.....	23.4
	1906	2,192.7	35.0	11.7	.....	.....	.....	81.6	23.3	35.0	23.3	163.3	.....	58.3
	1907	2,435.0	11.7	.....	.....	.....	.....	11.7	11.7	46.6	11.7	139.8	46.6	35.0
	1908	2,560.5	81.5	.....	.....	.....	.....	.....	46.6	46.6	34.9	128.0	34.9	93.1
	1909	1,895.1	11.6	.....	.....	.....	.....	.....	23.3	23.3	23.3	127.9	.....	69.8
Baltimore	1900	2,141.4	38.9	10.2	.....	6.5	3.9	11.2	57.4	17.9	(2)	235.6	19.0	61.7
	1901	2,037.6	28.8	7.8	.....	1.4	2.3	12.6	33.2	50.7	(2)	238.5	33.4	76.8
	1902	1,974.4	42.4	6.2	1.3	8.3	7.1	16.6	24.3	10.8	(2)	222.2	32.5	78.6
	1903	1,934.0	35.5	4.2	0.4	15.8	16.4	13.3	29.4	20.4	(2)	225.6	35.5	74.0
	1904	2,042.7	38.2	4.9	0.8	1.7	27.4	4.9	21.2	24.4	(2)	255.6	32.9	88.0
	1905	2,001.7	36.5	3.4	.....	15.7	6.7	12.9	17.6	18.0	12.2	233.7	41.5	82.9
	1906	1,994.2	35.2	5.6	.....	2.8	9.3	28.9	20.8	9.8	13.2	241.9	36.1	86.6
	1907	2,053.7	42.6	1.8	.....	13.6	2.8	3.3	14.7	19.7	14.9	238.8	32.5	88.7
	1908	1,895.6	32.2	1.6	.....	3.3	13.1	7.5	12.0	27.1	14.6	226.9	31.7	82.6
	1909	1,873.2	24.9	2.2	.....	11.0	4.0	22.0	13.7	15.1	11.2	228.7	32.3	82.6
Cumberland	1906	1,762.4	119.8	.....	.....	.....	5.0	74.9	34.9	.....	15.0	159.8	44.9	64.9
	1907	1,911.6	146.3	.....	.....	24.4	.....	9.8	14.6	24.4	19.5	102.4	9.8	107.3
	1908	1,996.9	76.3	.....	.....	66.7	9.5	19.1	23.8	19.1	19.1	152.5	14.3	100.1
	1909	1,654.2	69.9	.....	.....	.....	4.7	18.6	14.0	9.3	4.7	153.8	9.3	83.9
Frederick	1900	1,957.8	32.3	21.5	.....	21.5	.....	.....	32.3	10.8	(2)	139.8	32.3	96.8
	1901	2,219.4	31.9	10.6	.....	.....	.....	21.2	31.9	42.5	(2)	212.4	53.1	95.6
	1902	2,434.4	63.0	10.5	.....	.....	21.0	73.5	83.9	.....	(2)	377.8	31.5	73.5
	1903	2,364.4	31.1	.....	.....	62.2	.....	10.4	72.6	31.1	(2)	280.0	31.1	93.3
	1904	1,927.0	61.5	.....	.....	.....	.....	.....	.....	61.5	(2)	287.0	.....	71.8
	1905	2,046.8	10.1	.....	.....	.....	20.3	30.4	10.1	.....	.....	192.5	.....	131.7
	1906	1,853.3	60.1	.....	.....	30.1	.....	.....	30.1	.....	.....	140.3	30.1	70.1
	1907	2,466.6	39.6	.....	.....	9.9	9.9	59.4	29.7	49.5	.....	198.1	19.8	29.7
	1908	1,694.7	88.2	.....	.....	.....	.....	.....	.....	29.4	19.6	127.4	19.6	127.4
	1909	2,073.4	67.8	.....	.....	9.7	.....	19.4	29.1	.....	9.7	155.0	29.1	106.6
Hagerstown	1906	1,696.5	39.0	.....	.....	6.5	6.5	.....	149.5	.....	6.5	175.5	13.0	58.5
	1907	1,894.1	51.0	.....	.....	6.4	12.8	19.1	63.8	19.1	19.1	165.8	19.1	63.8
	1908	1,771.4	18.8	.....	.....	.....	6.3	56.3	18.8	50.1	12.5	162.7	25.0	93.9
	1909	1,653.1	49.2	.....	.....	30.7	.....	24.6	12.3	12.3	6.1	110.6	12.3	43.0

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	6.2	105.3	185.8	167.2	223.0	111.5	272.5	99.1	92.9	229.2	6.2	37.2	111.5	142.5	24.8
.....	18.5	80.0	153.9	98.5	104.6	141.6	307.8	61.6	73.9	110.8	12.3	73.9	92.3	153.9	30.8
.....	30.6	134.6	208.1	110.2	208.1	140.8	269.3	61.2	55.1	159.1	12.2	61.2	104.0	110.2	12.2
.....	6.1	103.4	152.1	200.8	146.0	121.7	121.7	36.5	66.9	176.5	6.1	36.5	97.4	109.5	.....
.....	18.2	84.7	260.2	272.3	163.4	157.3	127.1	30.3	90.8	236.0	.....	24.2	36.3	108.9	6.1
.....	6.0	72.2	138.4	144.4	162.4	108.3	138.4	78.2	90.2	198.5	6.0	60.2	72.2	78.2	.....
.....	6.0	137.6	161.5	185.4	239.3	95.7	215.3	77.8	83.7	143.6	6.0	53.8	59.8	149.5	6.0
.....	5.9	243.9	220.1	136.8	196.3	65.4	130.9	89.2	124.9	136.8	17.8	113.0	71.4	113.0	5.9
.....	.....	124.2	130.1	171.5	94.6	59.1	248.4	82.8	47.3	177.4	11.8	71.0	41.4	106.5	.....
5.9	11.8	64.7	123.5	211.7	264.7	94.1	147.0	88.2	70.6	141.2	17.6	64.7	58.8	117.6	5.9
4.0	19.8	63.3	146.3	170.0	122.6	237.2	209.6	221.4	110.7	94.9	7.9	83.0	51.4	185.8	15.8
.....	11.7	137.0	187.9	160.5	101.8	109.6	231.0	117.4	97.9	94.0	3.9	82.2	23.5	164.4	3.9
.....	15.5	50.4	174.5	155.1	104.7	104.7	217.1	100.8	120.2	131.8	19.4	100.8	42.6	127.9	.....
.....	7.7	53.7	145.9	119.0	165.1	107.5	199.6	111.3	107.5	53.7	11.5	84.5	26.9	211.2	.....
2.0	12.0	79.8	245.3	187.5	169.5	97.7	153.6	93.7	127.6	101.7	13.9	111.7	75.8	163.5	8.0
2.0	11.8	70.5	209.5	225.2	123.4	60.7	49.0	72.5	141.0	49.0	5.9	84.2	49.0	174.3	7.8
.....	11.6	50.1	211.9	202.2	117.5	75.1	44.3	84.7	152.2	50.1	9.6	94.4	77.0	211.9	7.7
1.9	13.3	43.6	163.0	208.4	145.9	68.2	60.6	115.6	170.5	91.0	5.7	75.8	58.7	199.0	9.5
.....	24.2	63.4	193.9	223.8	132.4	65.3	55.9	108.2	160.4	69.0	20.5	121.2	50.3	201.4	5.6
3.7	18.4	47.7	201.9	225.8	101.0	56.9	77.1	93.6	143.2	55.1	16.5	82.6	34.9	192.7	7.3
.....	7.2	30.7	159.0	211.4	103.0	66.9	92.2	75.9	191.6	97.6	14.5	86.7	48.8	182.5	3.6
3.6	30.3	30.3	169.1	281.2	172.6	89.0	74.8	96.1	215.4	71.2	7.1	92.5	51.6	138.8	10.7
.....	24.5	33.3	205.1	234.9	133.2	66.6	85.9	94.7	159.5	66.6	21.0	70.1	31.6	143.8	3.5
3.5	20.7	29.4	226.3	266.0	131.3	93.3	76.0	103.6	139.9	88.1	6.9	81.2	27.6	103.6	5.2
.....	.....	12.3	257.7	454.0	110.4	73.6	85.9	98.1	73.6	61.4	24.5	49.1	85.9	306.8	.....
.....	12.3	36.8	282.1	220.8	110.4	61.3	61.3	134.9	110.4	36.8	12.3	61.3	49.1	269.9	24.5
.....	36.8	.....	257.5	134.9	122.6	61.3	49.1	73.6	159.4	36.8	.....	98.1	12.3	159.4	.....
12.3	.....	73.6	220.7	269.7	85.8	12.3	73.6	85.8	147.1	24.5	12.3	159.4	73.6	282.0	12.3
12.3	12.3	.....	232.9	281.9	61.3	24.5	24.5	134.8	245.2	61.3	12.3	36.8	49.0	367.7	12.3
.....	.....	36.8	122.5	208.3	98.0	24.5	134.8	98.0	134.8	61.3	24.5	85.8	12.3	318.6	24.5
12.3	.....	.....	232.8	281.8	134.8	.....	36.8	122.5	122.5	61.3	36.8	122.5	36.8	343.1	.....
.....	12.2	.....	183.7	306.2	134.7	12.2	49.0	98.0	85.7	49.0	24.5	110.2	49.0	220.5	12.2
.....	12.2	12.2	244.9	269.3	122.4	85.7	36.7	110.2	61.2	49.0	.....	36.7	36.7	269.3	.....
.....	49.0	.....	220.3	269.2	73.4	73.4	36.7	49.0	122.4	61.2	12.2	97.9	.....	257.0	.....
.....	9.4	84.2	177.7	149.6	149.6	37.4	177.7	56.1	93.5	56.1	.....	130.9	93.5	159.0	.....
.....	.....	64.2	192.7	146.8	101.0	82.6	110.1	101.0	91.8	110.1	.....	82.6	18.4	137.7	9.2
.....	18.0	63.1	153.2	144.2	108.1	117.1	243.3	45.1	117.1	72.1	27.0	90.1	45.1	162.2	9.0
.....	26.6	53.1	132.8	141.6	88.5	115.1	115.1	115.1	26.6	159.3	17.7	35.4	17.7	115.1	.....
11.7	.....	35.2	445.7	117.3	70.4	117.3	269.8	164.2	35.2	164.2	11.7	140.8	140.8	375.4	23.5
.....	11.7	.....	210.9	105.5	82.0	105.5	105.5	128.9	58.6	82.0	.....	140.6	58.6	164.1	35.2
.....	11.7	.....	222.5	58.5	93.7	93.7	257.6	58.5	117.1	105.4	.....	105.4	93.7	210.7	.....
.....	11.7	58.5	105.3	198.9	58.5	58.5	81.9	70.2	93.6	128.7	.....	128.7	140.4	140.4	.....
.....	.....	35.1	268.8	140.2	93.5	128.5	257.1	81.8	187.0	198.7	23.4	163.6	187.0	175.3	.....
11.7	11.7	46.7	233.5	140.1	58.4	163.5	140.1	70.1	221.8	81.7	23.4	163.5	233.5	140.1	.....
.....	.....	116.6	174.9	105.0	93.3	116.6	140.0	151.6	244.9	105.0	11.7	209.9	105.0	186.6	.....
.....	.....	.....	198.1	198.1	151.5	198.1	268.0	163.1	256.3	116.5	23.3	46.6	256.3	244.7	.....
.....	.....	46.6	267.7	151.3	116.4	197.9	314.2	104.7	244.4	116.4	.....	174.6	174.6	186.2	.....
.....	11.6	23.3	93.0	81.4	116.3	139.5	139.5	116.3	279.0	174.4	11.6	81.4	139.5	197.7	11.6
1.2	8.2	42.2	190.6	142.0	231.4	105.5	186.3	101.4	130.3	125.5	11.8	102.2	85.9	213.4	1.2
0.8	10.1	28.4	189.4	139.4	150.3	134.5	168.5	93.5	123.8	122.3	10.3	123.1	66.9	189.4	1.6
1.0	8.9	30.2	180.6	166.2	149.6	123.2	152.3	104.0	128.2	138.4	11.2	85.9	69.1	175.2	0.4
2.1	10.5	25.7	176.8	162.7	142.1	128.9	128.1	89.4	143.0	123.9	9.5	86.4	62.9	169.9	1.5
1.3	12.1	26.8	174.9	186.0	158.5	131.3	145.6	98.0	166.2	126.7	14.4	85.2	53.1	162.6	0.2
0.7	11.6	28.3	166.7	183.2	143.5	135.7	161.7	88.3	166.9	124.8	15.3	93.2	61.2	134.2	0.4
1.5	14.5	29.7	160.0	192.2	127.0	137.5	134.4	87.9	174.2	134.4	15.4	98.1	60.6	136.2	0.6
0.4	15.4	29.9	179.6	202.6	139.8	118.3	160.7	93.7	179.4	151.8	15.2	97.9	55.5	139.9	0.2
1.5	11.5	25.1	166.3	196.7	118.7	115.0	131.4	85.2	165.2	132.1	18.0	81.0	59.3	135.8	0.2
1.1	12.6	20.6	144.8	191.9	137.1	118.3	127.7	88.5	160.9	131.6	18.4	85.5	55.5	130.9	0.2
.....	10.0	34.9	174.7	84.9	89.9	69.9	94.9	59.9	44.9	139.8	5.0	194.7	59.9	164.8	15.0
.....	4.9	63.4	121.9	170.7	112.2	97.5	151.2	97.5	102.4	126.8	.....	199.9	39.0	156.1	9.8
.....	9.5	52.4	185.9	157.3	143.0	95.3	114.4	157.3	114.4	81.0	4.8	176.3	52.4	147.7	4.8
4.7	4.7	32.6	177.1	107.2	41.9	65.2	177.1	69.9	107.2	74.6	18.6	153.8	55.9	195.7	.....
.....	32.3	21.5	247.4	365.8	53.8	64.5	118.3	53.8	204.4	96.8	.....	43.0	75.3	172.1	21.5
.....	.....	16.	276.1	233.6	148.7	74.3	127.4	74.3	95.6	85.0	10.6	159.3	223.0	191.1	10.6
.....	31.5	10.5	367.3	262.3	83.9	157.4	73.5	115.4	146.9	52.5	.....	63.0	83.9	241.3	10.5
.....	.....	20.7	373.3	269.6	176.3	114.1	83.0	134.8	93.3	114.1	.....	114.1	41.5	217.8	.....
.....	10.3	30.8	215.3	174.3	30.8	51.3	51.3	112.8	174.3	133.3	10.3	112.8	30.8	297.3	10.3
.....	30.4	10.1	304.0	182.4	60.8	81.1	152.0	141.9	152.0	81.1	.....	81.1	192.5	182.4	.....
.....	10.0	.....	240.4	190.3	30.1	80.1	100.2	130.2	120.2	90.2	.....	120.2	210.4	170.3	.....
.....	39.6	9.9	267.5	326.9	158.5	109.0	128.8	118.9	148.6	59.4	29.7	128.8	267.5	227.8	.....
.....	39.2	39.2	117.6	186.1	39.2	49.0	39.2	146.9	176.3	68.6	9.8	68.6	146.9	156.7	.....
9.7	9.7	29.1	319.7	281.0	67.8	58.1	58.1	155.0	126.0	106.6	.....	126.0	48.4	251.9	.....
6.5	6.5	26.0	208.0	143.0	78.0	32.5	104.0	123.5	84.5	58.5	19.5	110.5	65.0	162.5	13.0
.....	19.1	19.1	191.3	236.0	63.8	82.9	44.6	172.2	127.6	108.4	19.1	146.7	38.3	178.6	6.4
.....	25.0	31.3	206.6	187.8	75.1	81.4	62.6	112.7	169.0	56.3	12.5	43.8	50.1	200.3	12.5
.....	12.3	12.3	184.4	215.1	129.1	79.9	86.0	110.6	86.0	98.3	36.9	104.5	55.3	141.3	.....

[1] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
MASSACHUSETTS.														
Adams town	1900	1,706.5	71.8	.....	.....	26.9	.....	.....	98.8	26.9	(2)	143.7	9.0	53.9
	1901	1,552.1	35.1	.....	.....	.....	35.1	.....	52.6	26.3	(2)	166.6	.....	61.4
	1902	1,841.7	42.8	.....	.....	.....	17.1	34.3	8.6	.....	(2)	145.6	17.1	51.4
	1903	1,532.2	25.1	.....	.....	.....	58.6	8.4	25.1	.....	(2)	150.7	8.4	67.0
	1904	1,637.3	32.7	.....	8.2	8.2	.....	.....	40.9	16.4	(2)	131.0	.....	65.5
	1905	1,786.0	80.1	.....	.....	40.0	16.0	80.1	24.0	48.1	8.0	240.3	24.0	40.0
	1906	1,419.2	31.7	7.9	.....	.....	23.8	7.9	39.6	.....	.....	158.6	15.9	47.6
	1907	1,540.6	55.0	.....	.....	.....	.....	.....	47.2	70.7	15 7	110.0	.....	62.9
	1908	1,512.0	.....	.....	.....	15.6	7.8	.....	15.6	70.1	7.8	202.6	7.8	109.1
	1909	1,313.8	7.7	.....	.....	7.7	30.9	23.2	30.9	30.9	7.7	162.3	15.5	38.6
Amesbury town	1900	1,551.8	52.8	.....	.....	10.6	.....	10.6	21.1	.....	(2)	232.2	10.6	116.1
	1901	1,743.9	10.7	.....	.....	.....	21.4	21.4	32.1	64.2	(2)	181.9	.....	64.2
	1902	1,550.8	21.7	.....	10.8	43.4	43.4	.....	10.8	32.5	(2)	216.9	.....	130.1
	1903	1,561.5	33.0	.....	.....	.....	33.0	11.0	.....	11.0	(2)	99.0	11.0	121.0
	1904	1,784.3	55.8	.....	.....	.....	.....	22.3	.....	11.2	(2)	189.6	11.2	133.8
	1905	1,549.8	45.2	.....	.....	.....	.....	.....	11.3	22.6	33.9	203.6	.....	33.9
	1906	1,573.7	44.0	.....	.....	.....	.....	22.0	22.0	11.0	11.0	99.0	.....	121.1
	1907	1,774.4	43.0	.....	.....	10.8	.....	.....	21.5	32.3	10.8	182.8	43.0	139.8
	1908	1,440.3	10.5	.....	.....	31.5	.....	.....	10.5	.....	.....	136.7	10.5	84.1
	1909	1,470.4	.....	.....	.....	.....	.....	10.3	20.6	.....	.....	113.1	10.3	154.2
Arlington town	1900	1,604.1	.....	11.6	.....	.....	23.2	23.2	34.9	.....	(2)	151.1	23.2	104.6
	1901	1,281.8	34.0	.....	.....	11.3	.....	.....	34.0	11.3	(2)	136.1	22.7	56.7
	1902	1,129.7	.....	.....	.....	.....	.....	11.1	11.1	.....	(2)	166.1	.....	110.8
	1903	1,211.9	.....	.....	.....	.....	10.8	21.6	21.6	10.8	(2)	97 4	32.5	54.1
	1904	1,216.3	.....	.....	.....	.....	10.6	.....	.....	.....	(2)	148.1	74.0	84.6
	1905	1,189.5	10.3	.....	.....	.....	10.3	.....	.....	20.7	.....	103.4	31.0	93.1
	1906	1,226.9	10.0	.....	.....	10.0	.....	10.0	39.9	10.0	10.0	119.7	29.9	49.9
	1907	1,277.7	9.7	.....	.....	.....	9.7	.....	.....	19.4	.....	87.1	29.0	67.8
	1908	1,203.3	28.2	.....	.....	.....	65.8	.....	18.8	18.8	.....	197.4	18.8	94.0
	1909	1,087.4	18.3	.....	.....	.....	.....	9.1	9.1	9.1	.....	127.9	45.7	64.0
Attleborough town	1900	1,526.2	8.8	.....	.....	17.6	.....	8.8	35.3	17.6	(2)	141.2	8.8	97.0
	1901	1,145.8	8.6	.....	.....	.....	.....	.....	25.8	25.8	(2)	146.5	8.6	60.3
	1902	1,270.9	8.4	.....	.....	.....	.....	8.4	25.3	.....	(2)	134.7	16.8	92.6
	1903	1,448.1	24.7	.....	.....	.....	8.2	24.7	.....	8.2	(2)	164.6	.....	115.2
	1904	1,424.2	8.0	8.0	.....	.....	.....	.....	24.1	8.0	(2)	136.8	32.2	96.6
	1905	1,309.9	7.9	.....	.....	7.9	7.9	7.9	23.6	7.9	7.9	149.6	23.6	63.0
	1906	1,315.8	14.8	.....	.....	7.4	7.4	14.8	.....	7.4	14.8	88.7	22.2	125.7
	1907	1,348.7	.....	7.0	.....	.....	.....	.....	.....	28.1	21.1	98.3	35.1	63.2
	1908	1,117.4	.....	.....	.....	.....	.....	.....	6.7	13.4	.....	53.5	13.4	73.6
	1909	1,207.4	6.4	.....	.....	.....	.....	6.4	19.2	19.2	.....	70.3	19.2	89.4
Beverly	1900	1,402.1	21.6	.....	.....	.....	14.4	.....	7.2	43.2	(2)	194.5	21.6	79.2
	1901	1,314.4	7.1	.....	.....	.....	42.4	.....	21.2	28.3	(2)	176.7	21.2	113.1
	1902	1,345.4	20.8	.....	.....	.....	.....	.....	6.9	.....	(2)	152.6	20.8	111.0
	1903	1,477.5	20.4	.....	.....	27.2	.....	20.4	27.2	34.0	(2)	129.4	68.1	61.3
	1904	1,410.9	13.4	6.7	.....	.....	.....	6.7	13.4	6.7	(2)	120.4	46.8	86.9
	1905	1,635.7	32.8	.....	.....	.....	6.6	6.6	46.0	13.1	13.1	111.7	13.1	111.7
	1906	1,497.3	6.2	.....	.....	.....	.....	37.4	18.7	6.2	6.2	106.1	31.2	156.0
	1907	1,363.6	29.9	.....	.....	.....	6.0	6.0	17.9	23.9	.....	101.7	29.9	125.6
	1908	1,257.8	34.5	.....	.....	5.7	.....	45.9	17.2	11.5	.....	51.7	5.7	91.9
	1909	1,430.8	5.5	.....	.....	5.5	.....	5.5	11.0	5.5	71.8	105.0	27.6	127.1
Boston	1900	2,041.4	24.1	1.6	.....	17.7	34.9	18.7	92.4	36.0	(2)	249.6	38.5	83.1
	1901	1,989.6	23.8	1.6	13.2	21.5	39.1	12.0	60.2	24.7	(2)	234.4	37.5	88.2
	1902	1,913.9	22.1	1.4	32.9	12.5	17.4	23.3	38.3	4.4	(2)	212.3	37.6	87.5
	1903	1,831.0	20.5	.....	2.2	10.5	12.4	26.1	38.2	13.4	(2)	205.1	34.6	93.2
	1904	1,827.2	23.6	0.5	.....	22.9	7.8	7.5	37.9	10.0	(2)	215.8	32.6	95.7
	1905	1,845.4	20.8	0.5	0.2	12.6	8.2	9.7	23.9	11.9	10.2	201.6	41.5	105.6
	1906	1,861.1	21.2	0.3	.....	19.9	7.3	31.3	27.4	7 5	11.7	195.6	37.7	98.4
	1907	1,863.0	10.2	1.3	.....	10.2	8.3	8.8	24.8	15.3	10.2	182.9	31.5	101.4
	1908	1,826.5	24.7	0.5	.....	27.7	18.8	16.8	33.9	9.2	11.3	169.6	40.3	99.5
	1909	1,678.8	13.8	.....	0.2	10.6	14.4	11.1	29.5	8.4	10.2	158.5	31.7	104.3
Brockton	1900	1,405.3	49.9	.....	.....	5.0	5.0	10.0	54.9	44.9	(2)	189.7	25.0	69.9
	1901	1,293.0	14.4	2.4	.....	2.4	26.4	2.4	31.2	26.4	(2)	158.6	24.0	60.1
	1902	1,121.5	13.9	2.3	.....	2.3	4.6	4.6	16.2	2.3	(2)	164.5	20.9	90.4
	1903	1,116.3	11.2	4.5	.....	.....	8.9	17.9	11 2	24.6	(2)	118.6	24.6	55.9
	1904	1,241.2	19.5	2.2	.....	32.4	2.2	.....	6.5	21.6	(2)	123.3	28.1	84.3
	1905	1,303.5	18.8	2.1	.....	.....	8.4	12.6	2.1	39.8	12.6	140.2	31.4	52.3
	1906	1,179.6	18.0	2.0	.....	.....	6.0	28.0	6.0	24.0	12.0	98.1	18.0	94.1
	1907	1,311.7	11.6	3.9	.....	.....	3.9	3.9	21.3	21.3	7.7	85.0	21.3	94.7
	1908	1,130.7	11.2	.....	.....	1.9	3.7	9.3	9.3	33.6	26.1	98.9	18.7	65.3
	1909	1,140.2	9.0	1.8	.....	21.6	10.8	19.8	7.2	14.4	23.5	83.0	25.3	86.6
Brookline town	1900	1,274.1	5.0	5.0	.....	15.1	.....	10.0	50.2	35.1	(2)	105.3	15.1	95.3
	1901	1,104.9	.....	.....	.....	9.7	9.7	.....	38.8	4.8	(2)	82.4	4.8	92.1
	1902	1,115.5	9.4	.....	4.7	.....	4.7	4 7	.....	9.4	(2)	107.8	18.7	89.1
	1903	1,043.8	4.5	9.1	.....	9.1	27.2	18.2	9 1	13.6	(2)	95.3	22.7	77.1
	1904	1,064.4	4.4	.....	.....	4.4	4.4	4.4	4.4	22.0	(2)	57.2	8.8	123.2
	1905	1,109.4	.....	.....	.....	.....	4.3	.....	12.8	12.8	.....	64.0	12.8	140.8
	1906	1,202.0	4.1	.....	.....	24.5	8.2	32 7	16.4	4.1	8.2	73.6	24.5	85.9
	1907	1,073.5	3.9	.....	.....	.....	7.9	11.8	7.9	31.6	7.9	82.9	11.8	146.0
	1908	1,144.3	7.6	.....	.....	3.8	.....	.....	3.8	.....	.....	42.0	15.3	167.8
	1909	1,129.3	11.1	.....	.....	3.7	3.7	.....	7.4	11.1	.....	48.0	22.1	143.9

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	27.0	161.7	161.7	80.8	71.8	341.3	53.9	44.9	152.7	9.0	9.0	107.8	53.9	.....
8.8	8.8	61.4	149.1	166.6	96.5	43.8	157.8	26.3	87.7	157.8	8.8	52.6	43.8	105.2	.....
.....	8.6	51.4	137.1	111.4	137.1	68.5	291.2	128.5	60.0	179.9	17.1	85.7	111.4	128.5	8.6
.....	.....	41.9	108.8	108.8	100.5	58.6	209.3	67.0	33.5	209.3	8.4	67.0	50.2	117.2	8.4
.....	.....	57.3	131.0	106.4	139.2	98.2	237.4	114.6	49.1	171.9	16.4	24.6	40.9	147.4	.....
.....	24.0	16.0	184.2	152.2	96.1	64.1	208.2	80.1	64.1	120.1	24.0	48.1	40.0	64.1	.....
.....	.....	15.9	150.6	142.7	95.1	55.5	222.0	79.3	31.7	95.1	.....	55.5	39.6	103.1	.....
.....	7.9	39.3	125.8	165.1	62.9	55.0	338.0	39.3	23.6	149.3	15.7	55.0	39.3	62.9	.....
.....	7.8	15.6	116.9	85.7	85.7	46.8	194.8	77.9	77.9	124.7	23.4	54.6	62.3	101.3	.....
.....	7.7	30.9	92.7	139.1	108.2	46.4	216.4	23.2	38.6	115.9	15.5	38.6	.....	85.0	.....
.....	.....	63.3	179.4	168.9	73.9	84.5	116.1	42.2	84.5	63.3	.....	52.8	63.3	105.6	.....
.....	10.7	74.9	117.7	267.5	310.3	53.5	74.9	10.7	128.4	74.9	.....	96.3	32.1	96.3	.....
10.8	.....	54.2	119.3	216.9	65.1	32.5	65.1	43.4	184.4	54.2	10.8	65.1	32.5	86.8	.....
.....	33.0	55.0	175.9	318.9	88.0	11.0	11.0	77.0	121.0	55.0	.....	33.0	88.0	175.9	.....
.....	22.3	44.6	200.7	267.6	223.0	33.5	100.4	44.6	89.2	122.7	.....	66.9	44.6	100.4	.....
.....	33.9	33.9	203.6	158.4	169.7	45.2	79.2	.....	135.7	113.1	.....	79.2	45.2	101.8	.....
11.0	44.0	33.0	253.1	209.1	154.1	33.0	66.0	.....	132.1	77.0	.....	88.0	22.0	121.1	.....
.....	21.5	21.5	215.1	258.1	161.3	43.0	53.8	64.5	139.8	64.5	10.8	139.8	.....	96.8	.....
.....	31.5	31.5	147.2	241.8	94.6	52.6	126.2	31.5	136.7	52.6	21.0	94.6	10.5	84.1	.....
10.3	10.3	.....	113.1	277.6	133.7	41.1	61.7	61.7	133.7	72.0	10.3	123.4	.....	113.1	.....
.....	11.6	34.9	197.6	209.3	116.3	69.8	127.9	46.5	58.1	46.5	.....	58.1	46.5	186.0	23.2
.....	.....	22.7	68.1	158.8	124.8	68.1	90.7	45.4	34.0	68.1	.....	90.7	56.7	136.1	11.3
.....	11.1	55.4	77.5	177.2	121.8	22.2	22.2	77.5	66.5	44.3	11.1	55.4	22.2	66.5	.....
10.8	32.5	43.3	140.7	194.8	108.0	21.6	10.8	97.4	86.6	32.5	.....	21.6	43.3	119.0	.....
10.6	10.6	21.2	74.0	222.1	63.5	21.2	74.0	84.6	31.7	63.5	31.7	42.3	31.7	105.8	10.6
.....	20.7	10.3	134.5	155.2	124.1	20.7	72.4	20.7	62.1	72.4	10.3	82.7	20.7	113.8	.....
.....	20.0	10.0	89.8	189.5	109.7	29.9	49.9	39.9	99.8	79.8	.....	39.9	29.9	149.6	.....
.....	19.4	9.7	174.2	203.3	87.1	77.4	38.7	67.8	116.2	58.1	.....	77.4	19.4	96.8	9.7
.....	18.8	9.4	65.8	197.4	47.0	47.0	65.8	47.0	56.4	47.0	9.4	56.4	9.4	84.6	.....
.....	9.1	9.1	73.1	292.4	45.7	109.6	36.5	36.5	54.8	9.1	9.1	36.5	9.1	73.1	.....
.....	8.8	61.8	158.8	141.2	105.9	79.4	176.4	114.7	52.9	105.9	26.5	17.6	35.3	105.9	.....
.....	17.2	25.8	86.1	94.8	86.1	86.1	51.7	43.1	68.9	86.1	8.6	68.9	25.8	120.6	.....
.....	16.8	58.9	117.8	67.3	109.4	58.9	92.6	50.5	67.3	67.3	16.8	75.8	25.3	159.9	.....
.....	24.7	65.8	106.9	164.6	139.9	65.8	106.9	49.4	74.0	65.8	.....	65.8	49.4	123.4	.....
.....	24.1	72.4	144.8	152.9	64.4	56.3	88.5	64.4	72.4	136.8	8.0	120.7	8.0	96.6	.....
.....	15.7	78.7	157.5	141.7	102.3	94.5	63.0	39.4	70.9	110.2	7.9	70.9	7.9	94.5	7.9
.....	7.4	22.2	118.3	125.7	88.7	37.0	96.1	103.5	88.7	88.7	7.4	29.6	37.0	162.6	.....
.....	14.0	21.1	133.5	182.6	63.2	70.2	126.4	63.2	70.2	105.4	7.0	35.1	42.1	161.6	.....
.....	26.8	6.7	127.1	200.7	60.2	40.1	73.6	26.8	107.1	93.7	13.4	26.8	53.5	100.4	.....
6.4	6.4	6.4	57.5	166.1	57.5	38.3	115.0	70.3	127.8	115.0	6.4	83.0	31.9	89.4	.....
.....	21.6	36.0	136.9	230.5	72.0	115.3	57.6	57.6	79.2	43.2	7.2	64.8	28.8	129.7	.....
.....	7.1	14.1	155.5	162.5	106.0	49.5	63.6	63.6	63.6	42.4	7.1	49.5	14.1	106.0	.....
.....	20.8	6.9	111.0	256.6	62.4	104.0	48.5	27.7	97.1	69.4	6.9	76.3	55.5	90.2	.....
.....	20.4	20.4	88.5	224.7	68.1	95.3	95.3	61.3	122.6	68.1	13.6	95.3	20.4	95.3	.....
.....	26.7	26.7	187.2	327.6	113.7	33.4	53.5	20.1	120.4	46.8	6.7	60.2	6.7	80.2	.....
.....	13.1	32.8	164.2	289.0	118.2	65.7	111.7	59.1	85.4	85.4	6.6	118.2	26.3	105.1	.....
6.2	12.5	12.5	156.0	212.1	99.8	81.1	56.1	93.6	56.1	87.3	18.7	137.3	12.5	87.3	.....
6.0	23.9	12.0	167.5	257.2	95.7	29.9	29.9	71.8	89.7	47.8	17.9	71.8	12.0	89.7	.....
5.7	23.0	17.2	137.8	247.0	126.4	34.5	45.9	40.2	51.7	45.9	.....	74.7	17.2	120.6	5.7
.....	11.0	16.6	93.9	276.2	110.5	38.7	165.7	77.3	77.3	44.2	5.5	38.7	11.0	99.4	.....
1.6	15.2	45.3	136.7	213.1	174.7	108.2	153.7	100.7	81.3	91.8	13.7	91.6	40.3	166.7	10.2
2.1	14.3	38.9	146.5	215.7	146.4	119.6	134.4	102.7	82.6	96.0	14.4	115.2	39.8	157.6	7.2
1.2	13.9	38.6	143.9	234.2	154.5	120.1	123.9	94.7	79.0	93.8	13.6	103.2	44.7	158.8	6.1
1.9	14.1	35.4	130.7	230.2	159.9	106.6	120.0	88.4	85.5	96.6	13.8	98.2	34.9	151.1	7.6
1.5	18.5	33.6	139.9	229.1	154.1	107.2	112.5	91.8	81.9	96.7	12.6	97.0	31.4	160.2	4.8
1.5	17.3	46.9	145.8	244.4	160.4	95.4	122.3	96.1	82.6	83.5	14.4	116.2	35.3	130.5	6.0
1.5	17.1	37.2	147.0	243.9	147.6	101.6	104.2	97.1	90.0	107.3	10.9	120.4	34.4	136.7	5.9
1.6	17.3	48.5	146.8	263.8	154.4	101.6	98.8	96.5	86.7	91.8	20.4	133.5	39.0	151.5	5.9
1.9	17.7	22.4	140.8	247.0	137.5	98.2	125.7	87.2	85.6	106.2	20.5	110.0	40.6	128.7	4.4
0.9	17.3	16.1	136.5	253.1	140.2	82.9	117.8	85.2	86.2	74.7	18.7	109.0	12.5	128.8	6.2
.....	17.5	39.9	129.8	127.3	94.9	69.9	82.4	39.9	64.9	74.9	5.0	49.9	44.9	102.3	7.5
2.4	9.6	48.1	91.3	149.0	120.2	60.1	76.9	48.1	36.0	86.5	19.2	50.5	40.9	105.7	.....
.....	4.6	32.4	111.2	127.4	51.0	53.3	46.3	46.3	62.6	55.6	4.6	39.4	30.1	127.4	7.0
.....	11.2	35.8	132.0	118.6	44.7	33.6	42.5	71.6	55.9	80.5	17.9	47.0	22.4	123.0	2.2
.....	8.6	25.9	121.1	155.7	69.2	58.4	62.7	75.7	45.4	62.7	10.8	51.9	25.9	142.7	4.3
.....	10.5	27.2	131.8	129.7	56.5	52.3	41.8	50.2	81.6	85.8	4.2	186.2	29.3	94.2	2.1
4.0	10.0	20.0	96.1	132.2	74.1	68.1	48.1	64.1	46.1	114.2	12.0	58.1	28.0	98.1	.....
1.9	11.6	30.9	121.7	166.1	79.2	54.1	63.8	94.7	56.0	94.7	19.3	77.3	32.8	133.3	.....
.....	5.6	28.0	87.7	162.3	67.2	50.4	52.2	44.8	56.0	82.1	9.3	69.0	26.1	111.9	.....
.....	9.0	16.2	88.4	104.6	50.5	66.8	57.7	74.0	74.0	95.6	16.2	57.7	12.6	113.7	.....
.....	10.0	15.1	100.3	215.7	80.3	60.2	45.1	40.1	65.2	60.2	.....	35.1	25.1	150.5	35.1
4.8	9.7	9.7	121.2	159.9	77.5	58.2	43.6	53.3	67.8	63.0	4.8	58.2	29.1	96.9	4.8
4.7	14.1	14.1	93.7	150.0	79.7	75.0	75.0	46.9	42.2	37.5	.....	32.8	28.1	168.7	4.7
.....	27.2	.....	131.6	186.1	59.0	45.4	54.5	22.7	31.8	27.2	9.1	27.2	27.2	104.4	4.5
.....	17.6	4.4	105.6	206.7	88.0	57.2	30.8	44.0	74.8	30.8	4.4	39.6	8.8	118.8	.....
4.3	34.1	25.6	68.3	251.7	55.5	64.0	42.7	29.9	76.8	51.2	4.3	38.4	17.1	98.1	.....
.....	24.5	4.1	110.4	298.4	61.3	61.3	16.4	77.7	65.4	53.1	.....	45.0	8.2	94.0	.....
.....	27.6	7.9	118.4	221.0	75.0	47.4	15.8	35.5	55.3	19.7	7.9	35.5	7.9	86.8	.....
.....	49.6	3.8	141.1	274.6	57.2	49.6	19.1	64.8	49.6	57.2	3.8	45.8	7.6	80.1	.....
.....	25.8	11.1	177.1	232.5	88.6	55.4	14.8	51.7	84.9	25.8	11.1	29.5	3.7	66.4	.....

[2] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
MASSACHUSETTS—continued.														
Cambridge	1900	1,711.9	17.4	1.1	.....	1.1	9.8	12.0	79.4	19.6	(2)	248.1	20.7	94.7
	1901	1,650.6	8.6	2.2	3.2	11.8	6.5	11.8	63.4	24.7	(2)	222.6	25.8	109.7
	1902	1,475.0	10.6	.....	34.0	5.3	6.4	9.6	37.2	3.2	(2)	198.7	28.7	87.1
	1903	1,498.7	10.5	.....	.....	4.2	9.5	14.7	29.4	11.6	(2)	174.3	27.3	84.0
	1904	1,445.1	15.6	3.1	.....	7.3	3.1	2.1	24.9	12.5	(2)	196.2	27.0	103.8
	1905	1,482.0	12.3	2.1	.....	5.1	5.1	14.4	28.7	7.2	11.3	180.6	25.7	91.3
	1906	1,473.1	11.1	.....	.....	4.0	2.0	43.4	26.2	4.0	4.0	169.4	31.3	85.7
	1907	1,508.9	7.9	1.0	.....	7.0	7.9	8.9	17.9	28.8	5.0	235.4	23.8	83.4
	1908	1,601.4	12.7	.....	.....	8.8	8.8	27.4	33.3	12.7	6.9	264.3	17.6	91.0
	1909	1,469.3	7.7	1.0	.....	4.8	5.8	17.4	18.3	4.8	10.6	271.1	26.0	66.6
Chelsea	1900	1,907.7	20.5	5.9	.....	2.9	.....	14.7	82.2	44.0	(2)	187.8	11.7	85.1
	1901	1,679.4	28.8	.....	.....	.....	5.8	2.9	46.1	23.0	(2)	172.8	11.5	69.1
	1902	1,863.8	31.1	.....	.....	25.5	5.7	25.5	31.1	2.8	(2)	175.3	17.0	87.7
	1903	1,772.2	13.9	5.6	.....	2.8	2.8	33.3	11.1	19.4	(2)	205.5	16.7	80.6
	1904	1,866.6	32.7	.....	.....	13.6	8.2	.....	40.9	32.7	(2)	223.8	8.2	81.9
	1905	1,866.5	24.1	2.7	.....	2.7	2.7	5.4	8.0	34.9	5.4	177.0	10.7	93.9
	1906	1,850.1	21.0	10.5	.....	15.8	2.6	49.9	13.1	5.3	10.5	165.6	18.4	97.2
	1907	1,754.2	7.8	.....	.....	12.9	7.8	10.3	33.6	18.1	5.2	147.3	10.3	98.2
	1908	1,519.2	9.2	.....	.....	40.1	9.2	33.9	30.8	21.6	6.2	135.6	15.4	80.1
	1909	1,611.6	18.5	3.1	.....	3.1	6.2	12.3	27.7	12.3	12.3	117.1	9.2	138.7
Chicopee	1900	2,113.0	31.3	.....	5.2	10.4	.....	5.2	20.9	36.5	(2)	213.9	31.3	26.1
	1901	1,755.2	25.8	.....	.....	.....	.....	46.5	51.6	31.0	(2)	139.4	25.8	46.5
	1902	2,033.1	10.2	10.2	.....	10.2	71.5	5.1	102.2	5.1	(2)	102.2	15.3	56.2
	1903	2,042.4	20.2	5.1	.....	15.2	217.4	25.3	45.5	5.1	(2)	161.8	10.1	30.3
	1904	1,696.2	10.0	.....	.....	5.0	20.0	5.0	40.0	20.0	(2)	190.1	25.0	70.0
	1905	1,763.2	9.9	5.0	.....	9.9	.....	5.0	54.5	29.7	19.8	178.3	29.7	49.5
	1906	1,587.6	4.7	.....	.....	4.7	32.7	42.0	9.3	4.7	.....	144.8	18.7	79.4
	1907	1,851.6	4.5	.....	.....	31.2	93.5	8.9	26.7	4.5	4.5	164.7	8.9	57.9
	1908	1,581.8	.....	4.3	.....	.....	59.5	4.3	29.8	4.3	21.3	114.8	12.8	55.3
	1909	1,599.6	4.1	.....	.....	4.1	8.1	16.3	36.6	16.3	24.4	138.4	12.2	52.9
Clinton town	1900	1,536.5	7.3	.....	.....	7.3	.....	65.9	29.3	.....	(2)	139.0	7.3	21.9
	1901	1,645.1	29.5	7.4	.....	7.4	.....	.....	22.1	14.8	(2)	132.8	.....	36.9
	1902	1,696.0	22.3	14.9	.....	22.3	.....	7.4	22.3	.....	(2)	133.9	22.3	44.6
	1903	1,642.8	22.5	7.5	.....	7.5	.....	.....	30.0	15.0	(2)	112.5	15.0	45.0
	1904	1,339.1	30.3	.....	.....	.....	.....	.....	.....	15.1	(2)	45.4	7.6	37.8
	1905	1,640.6	45.8	7.6	.....	15.3	.....	15.3	15.3	7.6	22.9	114.5	38.2	152.6
	1906	1,244.5	.....	.....	.....	.....	.....	30.5	7.6	15.3	.....	99.3	30.5	53.4
	1907	1,596.4	53.5	.....	.....	30.6	.....	15.3	7.6	30.6	15.3	99.3	22.9	91.7
	1908	1,566.6	15.3	.....	.....	7.6	.....	.....	7.6	22.9	15.3	137.6	.....	99.3
	1909	1,460.2	15.3	.....	.....	.....	.....	53.5	15.3	15.3	.....	99.4	22.9	99.4
Danvers town*	1900	2,212.6	11.7	.....	.....	.....	.....	.....	46.8	11.7	(2)	257.6	23.4	82.0
	1901	2,579.2	.....	46.3	.....	23.1	.....	.....	11.6	34.7	(2)	277.6	11.6	92.5
	1902	2,274.3	22.9	11.4	.....	.....	.....	.....	.....	.....	(2)	240.0	.....	114.3
	1903	2,710.6	11.3	.....	.....	.....	.....	.....	.....	11.3	(2)	271.1	33.9	135.5
	1904	3,181.5	33.5	.....	.....	.....	.....	.....	.....	.....	(2)	245.6	44.7	100.5
	1905	2,846.7	44.1	.....	.....	.....	.....	22.1	66.2	11.0	.....	386.2	22.1	110.3
	1906	3,073.1	43.7	.....	.....	.....	.....	21.9	10.9	.....	21.9	317.1	21.9	218.7
	1907	3,093.5	10.9	.....	.....	.....	.....	21.7	10.9	21.7	21.7	390.8	.....	130.3
	1908	3,673.8	32.3	.....	.....	21.5	.....	43.1	.....	64.6	226.2	323.2	10.8	129.3
	1909	3,496.6	21.4	.....	.....	.....	.....	.....	.....	32.1	235.2	256.6	32.1	278.0
Everett	1900	1,582.0	20.5	4.1	.....	4.1	20.5	20.5	78.1	49.3	(2)	152.1	12.3	49.3
	1901	1,522.3	7.9	4.0	.....	11.9	4.0	7.9	51.4	39.5	(2)	193.7	7.9	75.1
	1902	1,463.1	26.7	.....	26.7	3.8	3.8	19.1	22.9	15.2	(2)	163.8	15.2	102.9
	1903	1,180.1	7.4	.....	.....	.....	7.4	22.1	22.1	7.4	(2)	132.3	11.0	73.5
	1904	1,232.4	10.7	.....	.....	3.6	3.6	3.6	24.9	21.3	(2)	163.4	17.8	63.9
	1905	1,387.8	24.0	.....	3.4	3.4	3.4	3.4	58.4	30.9	13.7	161.5	44.7	106.5
	1906	1,164.6	19.9	.....	.....	6.6	.....	36.5	43.1	13.3	.....	112.8	6.6	73.0
	1907	1,318.5	9.7	.....	.....	3.2	12.9	16.1	29.0	48.4	6.4	103.2	29.0	64.5
	1908	1,238.1	12.5	.....	.....	31.3	9.4	21.9	37.6	18.8	3.1	84.6	15.7	97.2
	1909	1,198.7	.....	.....	.....	3.1	12.2	12.2	21.4	9.2	3.1	106.8	6.1	94.6
Fall River	1900	2,180.0	27.7	2.9	1.0	16.2	1.9	12.4	23.8	30.5	(2)	184.1	21.9	52.4
	1901	1,884.0	25.7	1.9	1.0	1.9	1.9	.....	23.8	9.5	(2)	154.2	10.5	69.5
	1902	2,096.5	11.4	1.0	1.9	21.9	35.2	22.8	47.5	7.6	(2)	173.9	12.4	51.3
	1903	2,222.0	22.8	.....	0.9	12.3	18.0	12.3	40.8	16.1	(2)	184.1	19.0	66.4
	1904	1,964.3	18.9	0.9	.....	6.6	3.8	1.9	27.5	10.4	(2)	212.2	11.4	63.5
	1905	1,994.1	11.3	1.9	.....	31.2	.....	24.6	26.5	15.1	12.3	147.5	22.7	69.0
	1906	1,917.5	7.3	.....	.....	11.0	4.6	19.3	25.7	7.3	14.7	134.9	17.4	56.9
	1907	2,134.8	17.0	.....	2.7	15.2	6.3	13.4	20.6	12.5	9.0	156.7	28.7	60.9
	1908	2,050.6	12.2	.....	1.7	42.0	34.1	21.0	19.2	21.9	7.0	131.1	19.2	62.9
	1909	1,908.1	21.3	.....	.....	0.9	4.3	9.4	17.1	6.8	10.2	129.8	18.8	74.3
Fitchburg	1900	1,569.9	31.7	.....	.....	6.3	9.5	15.9	44.4	6.3	(2)	98.3	9.5	60.3
	1901	1,495.5	22.0	3.1	6.3	.....	.....	9.4	40.8	12.6	(2)	122.5	6.3	84.8
	1902	1,410.0	12.5	6.2	.....	24.9	9.3	.....	31.1	3.1	(2)	108.9	12.5	68.5
	1903	1,412.5	3.1	.....	.....	24.7	.....	80.2	21.6	3.1	(2)	123.4	27.8	74.0
	1904	1,292.7	9.2	3.1	3.1	.....	.....	12.2	3.1	3.1	(2)	107.0	12.2	76.4
	1905	1,365.8	12.1	.....	.....	9.1	.....	6.1	15.1	9.1	9.1	87.8	15.1	48.5
	1906	1,502.1	2.9	2.9	.....	2.9	.....	23.4	17.6	2.9	11.7	120.1	11.7	55.6
	1907	1,426.5	14.2	.....	.....	8.5	.....	11.4	11.4	5.7	14.2	133.8	11.4	85.4
	1908	1,366.0	19.4	.....	.....	.....	2.8	22.2	24.9	5.5	8.3	99.8	2.8	52.6
	1909	1,249.4	8.1	.....	.....	24.3	10.8	10.8	29.7	8.1	10.8	62.1	18.9	83.7

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
3.2	8.7	30.5	134.9	143.7	126.2	107.8	157.8	65.3	67.5	103.4	6.5	68.6	66.4	107.7	9.8
1.1	9.7	39.8	143.0	179.6	135.5	97.9	98.9	53.8	52.7	92.5	7.5	71.0	63.4	112.9	1.1
2.1	15.9	31.9	123.3	172.1	137.1	87.1	91.4	48.9	53.1	83.9	5.3	41.4	48.9	110.5	1.1
4.2	5.3	30.5	148.1	161.7	144.9	99.8	107.1	56.7	70.4	98.7	11.6	47.3	55.7	90.3	1.1
1.0	13.5	32.2	113.2	208.7	110.0	74.7	110.0	54.0	63.3	88.2	4.2	42.6	26.0	106.9	1.0
2.1	5.1	36.9	132.4	193.0	131.4	77.0	110.8	75.9	65.7	75.9	10.3	51.3	39.0	90.3	1.0
.....	9.1	31.3	141.2	213.8	118.0	81.7	96.8	58.5	67.6	86.7	4.0	51.4	24.2	106.9	1.0
2.0	14.9	33.8	145.0	209.6	97.3	92.4	92.4	64.6	69.5	75.5	11.9	66.6	24.8	81.5	.....
1.0	13.7	27.4	115.5	226.1	110.6	87.1	111.6	51.9	79.3	84.2	14.7	73.4	39.2	81.2	1.0
.....	15.4	17.4	140.9	217.1	128.3	82.0	82.0	52.1	59.8	69.5	8.7	73.3	21.2	67.5	.....
2.9	23.5	55.8	243.6	173.2	132.1	96.9	129.1	64.6	61.6	135.0	17.6	76.3	85.1	155.6	.....
5.8	8.6	57.6	216.0	236.2	86.4	80.7	115.2	74.9	89.3	80.7	5.8	63.4	43.2	152.7	2.9
5.7	8.5	33.9	229.1	209.3	144.2	104.6	124.4	113.1	87.7	118.8	11.3	45.3	90.5	135.8	.....
2.8	16.7	22.2	188.9	227.8	91.7	75.0	105.6	77.8	133.3	127.8	8.3	69.4	36.1	197.2	.....
.....	13.6	46.4	251.1	229.2	120.1	92.8	133.7	73.7	150.1	68.2	16.4	87.3	19.1	122.8	.....
5.4	10.7	45.6	222.6	238.7	120.7	88.5	152.9	83.1	163.6	77.8	8.0	96.5	53.6	131.4	.....
5.3	2.6	36.8	184.0	307.5	165.6	71.0	107.7	73.6	131.4	99.9	2.6	89.4	23.7	139.3	.....
.....	15.5	51.7	175.7	294.5	98.2	64.6	149.8	59.4	116.3	90.4	10.3	121.4	41.3	113.7	.....
3.1	15.4	9.2	203.4	181.8	114.0	89.4	86.3	52.4	92.4	49.3	3.1	141.7	9.2	86.3	.....
.....	18.5	24.7	178.7	311.2	101.7	67.8	89.4	74.0	101.7	70.9	12.3	67.8	9.2	107.9	15.4
.....	.....	125.2	182.6	93.9	208.7	177.4	370.4	67.8	62.6	161.8	5.2	62.6	83.5	130.5	.....
.....	5.2	103.2	175.5	160.0	129.1	82.6	149.7	46.5	92.9	206.5	.....	77.4	41.3	118.7	.....
.....	5.1	127.7	158.4	117.5	127.7	112.4	275.8	56.2	97.1	194.1	5.1	71.5	143.0	153.2	.....
.....	20.2	80.9	136.5	111.2	156.7	126.4	217.4	70.8	85.9	171.9	.....	121.3	70.8	136.5	.....
.....	5.0	100.1	145.1	175.1	90.1	90.1	200.1	65.0	80.1	115.1	5.0	110.1	20.0	110.1	.....
.....	14.9	59.4	193.2	109.0	123.8	94.1	237.7	104.0	69.3	109.0	5.0	113.9	59.4	79.2	.....
4.7	4.7	88.7	130.7	98.1	130.7	93.4	238.1	37.4	56.0	149.4	.....	60.7	74.7	79.4	.....
.....	4.5	49.0	169.1	97.9	200.3	97.9	258.2	62.3	66.8	200.3	4.5	84.6	71.2	80.1	.....
.....	21.3	89.3	114.8	144.6	148.8	59.5	178.6	68.0	42.5	174.3	4.3	59.5	80.8	89.3	.....
.....	4.1	61.1	93.6	146.5	203.5	69.2	227.9	61.1	44.8	134.3	8.1	85.5	48.8	97.7	.....
7.3	7.3	36.6	80.5	102.4	95.1	95.1	153.7	109.8	36.6	175.6	7.3	87.8	73.2	146.3	43.9
.....	.....	29.5	110.7	206.6	95.9	66.4	118.0	118.0	66.4	118.0	22.1	81.2	147.5	206.6	7.4
.....	14.9	52.1	267.8	178.5	141.3	81.8	89.3	59.5	66.9	163.7	7.4	66.9	59.5	156.2	.....
7.5	7.5	30.0	150.0	127.5	240.0	30.0	157.5	82.5	37.5	112.5	15.0	135.0	45.0	202.5	7.5
.....	15.1	15.1	105.9	136.2	181.6	75.7	136.2	113.5	60.5	75.7	22.7	83.2	37.8	136.2	7.6
.....	.....	22.9	114.5	160.2	91.6	76.3	183.1	76.3	68.7	122.1	.....	83.9	22.9	183.1	.....
.....	.....	22.9	122.2	114.5	137.4	61.1	53.4	129.8	68.7	106.9	15.3	61.1	7.6	106.9	.....
.....	15.3	30.6	160.4	106.9	76.4	137.5	61.1	91.7	53.5	114.6	.....	106.9	61.1	213.9	.....
.....	15.3	7.6	244.5	114.6	137.6	68.8	91.7	122.3	61.1	99.3	.....	84.1	91.7	122.3	.....
.....	22.9	15.3	137.6	130.0	137.6	45.9	84.1	114.7	76.5	84.1	15.3	68.8	53.5	152.9	.....
.....	58.5	58.5	386.3	316.1	152.2	93.7	93.7	11.7	105.4	35.1	46.8	23.4	35.1	351.2	11.7
.....	.....	92.5	497.3	289.2	312.3	150.4	92.5	69.4	115.7	57.8	11.6	81.0	23.1	289.2	.....
.....	34.3	22.9	537.1	354.3	182.9	114.3	34.3	80.0	160.0	57.1	.....	45.7	22.9	240.0	.....
.....	33.9	33.9	463.1	417.9	361.4	180.7	124.2	56.5	158.1	67.8	56.5	56.5	11.3	225.9	.....
.....	.....	22.3	681.0	424.2	368.4	580.5	55.8	78.1	178.6	44.7	33.5	33.5	33.5	223.3	.....
.....	22.1	33.1	551.7	474.5	165.5	297.9	77.2	121.4	165.5	22.1	33.1	55.2	.....	154.5	11.0
.....	21.9	32.8	678.0	590.5	218.7	339.0	109.4	10.9	164.0	43.7	32.8	87.5	.....	87.5	.....
.....	65.1	54.3	683.8	445.0	162.8	390.8	86.8	54.3	184.5	86.8	.....	32.6	10.9	227.9	.....
.....	21.5	10.8	657.2	678.7	366.3	226.2	161.6	75.4	258.6	43.1	43.1	53.9	10.8	215.5	.....
.....	21.4	32.1	791.3	748.5	192.5	288.7	64.2	64.2	149.7	53.5	21.4	53.5	10.7	149.7	.....
.....	8.2	53.4	106.9	148.0	180.8	65.8	90.4	69.9	53.4	143.8	.....	57.5	78.1	106.8	8.2
.....	4.0	75.1	138.4	150.3	87.0	79.1	79.1	94.9	55.4	102.8	7.9	59.3	63.3	118.6	4.0
.....	3.8	61.0	118.1	163.8	87.6	80.0	91.4	53.3	83.8	72.4	11.4	61.0	83.8	91.4	.....
.....	7.4	36.8	128.7	132.3	77.2	66.2	77.2	58.8	44.1	91.9	7.4	40.4	25.7	102.9	.....
7.1	14.2	28.4	120.8	152.7	117.2	53.3	74.6	67.5	49.7	49.7	10.7	60.4	21.3	92.4	.....
.....	17.2	30.9	127.1	140.8	106.5	65.3	61.8	61.8	58.4	85.9	.....	41.2	34.4	103.1	.....
.....	.....	43.1	129.4	142.7	59.6	82.9	82.9	49.8	56.4	53.1	13.3	49.8	26.5	63.0	.....
.....	9.7	29.0	116.1	216.0	119.3	45.1	93.5	45.1	61.2	77.4	9.7	77.4	19.3	77.4	.....
3.1	12.5	9.4	112.8	178.7	84.6	65.8	87.8	59.6	75.2	69.0	6.3	34.5	40.7	65.8	.....
3.1	15.3	18.3	146.4	195.2	73.2	64.1	42.7	54.9	73.2	51.9	12.2	82.4	15.3	82.4	.....
1.0	7.6	64.8	189.8	150.7	155.4	186.0	345.2	92.5	71.5	222.2	5.7	55.3	108.7	148.8	.....
1.9	6.7	59.0	158.0	128.5	101.9	121.9	306.5	84.7	100.9	200.9	4.8	49.5	131.4	125.7	1.9
1.9	14.3	60.8	156.8	113.1	143.5	217.6	314.6	76.0	77.9	231.9	8.6	52.3	123.5	114.0	2.9
0.9	16.1	57.9	171.7	138.5	190.7	194.5	334.0	83.5	91.1	241.0	10.4	68.3	105.3	122.4	2.8
0.9	12.3	47.4	186.6	117.4	134.5	156.3	301.2	78.6	87.1	240.6	2.8	53.0	57.8	126.9	3.8
0.9	13.2	49.2	149.4	153.2	183.4	157.0	352.7	70.9	92.7	179.6	2.8	54.8	65.2	105.8	.....
1.8	17.4	46.8	154.2	157.9	145.0	134.0	334.1	93.6	96.4	178.1	4.6	63.3	78.9	112.0	.....
4.5	8.1	52.8	148.6	153.1	161.2	163.0	437.9	101.2	109.2	171.9	6.3	74.3	78.8	120.9	.....
0.9	12.2	34.1	150.3	121.5	188.8	174.8	353.1	83.9	108.4	145.1	14.9	83.0	99.6	107.5	.....
2.6	16.2	21.3	158.8	134.9	168.2	133.2	394.4	89.6	87.9	149.4	8.5	58.9	76.0	112.7	2.6
6.3	6.3	31.7	79.3	158.6	79.3	85.6	193.5	76.1	38.1	174.4	3.2	73.0	76.1	206.2	.....
6.3	9.4	31.4	97.4	194.8	103.7	66.0	125.7	44.0	31.4	169.7	6.3	78.5	59.7	163.4	.....
.....	9.3	40.5	84.0	193.0	115.2	87.2	108.9	49.8	31.1	174.3	.....	59.1	62 3	115.2	3.1
.....	18.5	55.5	101.8	185.0	80.2	114.1	83.3	61.7	21.6	117.2	9.3	80.2	55.5	70.9	.....
.....	15.3	12.2	107.0	186.4	79.5	91.7	113.1	79.5	30.6	103.9	12.2	91.7	42.8	97.8	.....
.....	18.1	45.4	133.2	242.3	75.7	72.7	124.2	51.5	27.3	121.1	24.2	87.8	27.3	103.0	.....
.....	11.7	11.7	102.5	187.4	105.4	105.4	222.5	61.5	35.1	128.8	14.6	114.2	20.5	128.8	.....
5.7	14.2	28.5	125.3	210.7	96.8	102.5	111.0	42.7	39.9	122.4	28.5	62.6	19.9	119.6	.....
2.8	13.9	27.7	113.6	221.7	80.4	72.0	160.7	41.6	69.3	108.1	19.4	69.3	22.2	105.3	.....
.....	24.3	27.0	91.7	213.2	54.0	86.3	110.6	43.2	56.7	83.7	18.9	56.7	16.2	99.8	.....

[2] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes. [1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
MASSACHUSETTS—continued.														
Framingham town	1900	1,716.5	17.7	8.8	.....	.....	.....	.....	8.8	70.8	(2)	132.7	79.6	53.1
	1901	1,453.6	.....	.....	.....	.....	.....	.....	8.8	35.2	(2)	132.1	17.6	79.3
	1902	1,386.0	35.1	8.8	.....	.....	.....	8.8	43.9	43.9	(2)	87.7	.....	70.2
	1903	1,467.4	8.7	17.5	.....	.....	.....	52.4	26.2	17.5	(2)	96.1	26.2	122.3
	1904	1,382.8	8.7	.....	.....	.....	8.7	.....	.....	26.1	(2)	121.8	17.4	95.7
	1905	1,731.9	26.0	.....	.....	.....	.....	17.3	8.7	34.6	8.7	69.3	26.0	69.3
	1906	1,633.4	.....	.....	.....	.....	.....	8.4	8.4	16.8	25.3	143.1	42.1	134.7
	1907	1,669.5	8.2	.....	.....	.....	16.4	8.2	8.2	41.1	.....	49.3	24.7	57.6
	1908	1,390.6	16.1	.....	.....	.....	.....	.....	.....	32.2	24.1	80.4	16.1	96.5
	1909	1,658.3	15.7	7.9	.....	55.0	7.9	7.9	15.7	31.4	.....	117.9	39.3	102.2
Gardner town	1900	1,720.2	9.2	.....	.....	18.5	18.5	18.5	64.7	74.0	(2)	148.0	18.5	37.0
	1901	1,447.7	54.3	.....	.....	.....	.....	.....	9.0	81.4	(2)	135.7	27.2	54.3
	1902	1,390.4	26.6	.....	.....	17.7	.....	.....	17.7	44.3	(2)	132.8	.....	44.3
	1903	1,708.3	8.7	.....	.....	8.7	.....	43.4	52.0	52.0	(2)	112.7	8.7	78.0
	1904	1,520.6	25.5	.....	.....	.....	.....	17.0	51.0	34.0	(2)	186.9	17.0	8.5
	1905	1,431.9	8.3	.....	.....	25.0	.....	8.3	8.3	50.0	8.3	66.6	25.0	25.0
	1906	1,439.4	15.8	.....	.....	7.9	7.9	15.8	31.6	31.6	7.9	126.5	.....	39.5
	1907	1,562.3	22.8	.....	.....	.....	212.3	22.8	15.2	15.2	.....	91.0	22.8	37.9
	1908	1,354.9	7.3	.....	.....	7.3	7.3	43.7	21.9	29.1	.....	123.8	36.4	72.8
	1909	1,436.6	21.0	.....	.....	7.0	7.0	.....	21.0	21.0	7.0	126.1	42.0	35.0
Gloucester	1900	1,627.0	3.8	.....	.....	.....	7.7	.....	38.3	61.3	(2)	157.0	15.3	68.9
	1901	1,636.1	19.2	3.8	.....	.....	7.7	11.5	26.8	23.0	(2)	95.8	19.2	80.5
	1902	1,859.9	15.3	.....	.....	15.3	.....	26.8	99.7	.....	(2)	161.1	11.5	65.2
	1903	1,919.0	26.9	.....	.....	.....	3.8	15.4	157.4	15.4	(2)	172.7	19.2	103.6
	1904	1,790.0	15.4	3.8	.....	7.7	11.5	.....	42.3	23.0	(2)	130.6	34.6	69.1
	1905	1,522.4	23.1	.....	.....	3.8	3.8	26.9	42.3	30.8	11.5	157.6	34.6	100.0
	1906	1,431.8	11.7	.....	.....	.....	.....	27.3	74.1	11.7	3.9	179.5	31.2	58.5
	1907	1,450.2	11.9	.....	.....	.....	.....	4.0	31.6	19.8	11.9	154.1	31.6	79.0
	1908	1,377.0	4.0	.....	.....	.....	8.0	20.0	4.0	20.0	.....	152.1	36.0	80.1
	1909	1,318.1	.....	.....	.....	12.2	.....	16.2	12.2	12.2	4.1	137.9	24.3	60.8
Haverhill	1900	1,576.3	16.1	8.1	.....	.....	2.7	5.4	29.6	37.6	(2)	182.9	32.3	72.6
	1901	1,490.4	24.1	5.4	.....	.....	5.4	2.7	37.5	40.2	(2)	238.6	21.4	77.7
	1902	1,586.7	26.7	5.3	.....	40.1	2.7	13.4	24.0	.....	(2)	157.6	34.7	88.1
	1903	1,562.5	13.3	2.7	2.7	.....	.....	21.3	16.0	13.3	(2)	165.0	18.6	79.9
	1904	1,474.8	13.3	.....	.....	18.6	.....	.....	5.3	5.3	(2)	164.5	26.5	92.8
	1905	1,599.3	21.1	.....	.....	5.3	.....	10.6	21.1	21.1	5.3	190.3	34.4	108.4
	1906	1,610.4	25.4	.....	.....	.....	15.3	7.6	45.8	10.2	7.6	142.5	40.7	129.7
	1907	1,592.1	22.2	2.5	.....	9.9	14.8	17.3	27.1	24.6	4.9	157.7	39.4	66.5
	1908	1,412.4	19.1	.....	.....	21.5	.....	4.8	7.2	14.3	9.6	136.2	19.1	88.4
	1909	1,461.3	9.3	.....	.....	2.3	2.3	7.0	32.5	9.3	7.0	122.9	23.2	74.2
Holyoke	1900	2,165.7	30.6	2.2	.....	50.3	15.3	4.4	172.8	28.4	(2)	199.1	21.9	52.5
	1901	1,875.2	15.0	4.3	.....	.....	8.6	40.8	85.9	36.5	(2)	180.4	17.2	62.3
	1902	1,622.4	16.9	.....	.....	6.3	4.2	.....	52.7	21.1	(2)	166.7	29.5	52.7
	1903	1,766.0	10.4	.....	.....	33.2	12.4	24.9	33.2	18.7	(2)	153.4	31.1	51.8
	1904	1,694.9	8.1	6.1	.....	.....	4.1	10.2	32.6	16.3	(2)	199.6	28.5	87.6
	1905	1,648.2	8.0	2.0	.....	16.0	4.0	10.0	46.1	18.0	18.0	162.2	22.0	68.1
	1906	1,753.1	9.7	1.9	.....	5.8	7.7	65.7	36.7	9.7	13.5	133.4	19.3	65.7
	1907	1,963.1	5.6	.....	.....	13.1	33.8	9.4	61.9	26.3	3.8	167.0	13.1	67.6
	1908	1,674.3	9.1	.....	.....	1.8	14.6	5.5	52.9	14.6	10.9	153.2	23.7	62.0
	1909	1,760.9	14.2	.....	.....	7.1	3.5	10.6	19.5	7.1	14.2	152.2	31.9	76.1
Hyde Park town	1900	1,412.0	7.5	.....	.....	.....	7.5	7.5	37.8	68.0	(2)	128.4	22.6	98.1
	1901	1,326.2	22.2	.....	7.4	.....	7.4	.....	44.5	14.8	(2)	177.8	29.6	44.5
	1902	1,185.5	14.5	7.3	7.3	7.3	.....	36.4	29.1	.....	(2)	138.2	7.3	50.9
	1903	1,249.7	14.3	7.1	.....	.....	35.7	28.6	.....	14.3	(2)	135.7	21.4	85.7
	1904	1,431.0	7.0	.....	.....	14.0	7.0	21.0	.....	35.1	(2)	196.4	56.1	70.1
	1905	1,357.7	13.8	20.7	.....	.....	.....	6.9	13.8	20.7	13.8	103.4	20.7	48.2
	1906	1,390.3	13.6	6.8	.....	.....	6.8	33.9	54.3	6.8	.....	128.9	27.1	74.6
	1907	1,217.7	6.7	.....	.....	.....	20.1	.....	20.1	20.1	13.4	107.1	40.1	66.9
	1908	1,168.5	19.8	.....	.....	19.8	6.6	.....	33.0	6.6	6.6	85.8	19.8	59.4
	1909	1,120.7	6.5	.....	.....	6.5	.....	13.0	6.5	26.1	.....	71.7	32.6	84.7
Lawrence	1900	2,062.1	19.2	1.6	.....	33.6	14.4	11.2	57.5	41.6	(2)	187.0	14.4	51.1
	1901	1,764.1	18.7	1.6	.....	1.6	.....	4.7	28.1	26.5	(2)	162.4	17.2	76.5
	1902	1,781.7	19.8	3.1	6.1	27.5	9.2	27.5	19.8	1.5	(2)	173.9	18.3	65.6
	1903	1,706.1	28.3	4.5	1.5	13.4	13.4	17.9	47.7	7.5	(2)	156.6	28.3	59.7
	1904	1,673.2	17.5	1.5	.....	1.5	4.4	8.8	17.5	8.8	(2)	167.8	21.9	59.8
	1905	1,975.7	22.8	1.4	.....	40.0	14.3	1.4	17.1	18.6	10.0	162.7	20.0	87.1
	1906	1,823.1	20.3	1.4	.....	14.9	2.7	44.7	23.0	2.7	16.3	147.7	20.3	52.9
	1907	1,883.8	29.9	1.3	.....	16.9	7.8	10.4	33.8	11.7	9.1	150.7	32.5	80.5
	1908	1,650.3	23.7	.....	1.2	8.7	2.5	13.7	24.9	7.5	12.5	132.2	27.4	68.6
	1909	1,716.6	21.6	.....	.....	30.0	7.2	8.4	38.4	4.8	10.8	157.1	30.0	57.6
Leominster town	1900	1,468.7	16.1	.....	.....	.....	16.1	.....	56.5	.....	(2)	129.1	8.1	72.6
	1901	1,229.2	15.7	7.8	.....	.....	.....	.....	62.6	15.7	(2)	86.1	15.7	39.1
	1902	1,178.3	7.6	.....	.....	.....	7.6	.....	22.8	.....	(2)	159.6	15.2	91.2
	1903	1,315.1	7.4	.....	.....	.....	7.4	7.4	14.8	7.4	(2)	118.2	14.8	88.7
	1904	1,264.7	7.2	.....	.....	.....	7.2	.....	.....	7.2	(2)	143.7	21.6	50.3
	1905	1,426.9	7.0	7.0	.....	.....	.....	.....	21.0	14.0	14.0	132.9	35.0	97.9
	1906	1,300.7	6.6	.....	.....	33.2	.....	.....	79.6	6.6	13.3	126.1	6.6	106.2
	1907	1,322.2	6.4	.....	.....	.....	6.4	19.1	57.2	12.7	6.4	95.4	44.5	114.4
	1908	1,006.5	12.2	.....	.....	36.6	6.1	.....	6.1	.....	6.1	42.7	12.2	67.1
	1909	1,260.6	5.9	.....	.....	5.9	5.9	17.6	17.6	11.7	17.6	70.4	5.9	76.2

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	35.4	35.4	168.2	159.3	230.1	70.8	70.8	79.6	70.8	79.6	.....	61.9	79.6	203.5	.....
.....	8.8	17.6	193.8	141.0	141.0	88.1	70.5	96.9	96.9	105.7	8.8	52.9	17.6	141.0	.....
.....	.....	26.3	210.5	210.5	70.2	43.9	61.4	52.6	52.6	17.5	17.5	87.7	26.3	201.8	8.8
.....	26.2	.....	131.0	174.7	192.2	61.1	43.7	69.9	61.1	61.1	.....	69.9	52.4	157.2	.....
.....	17.4	17.4	191.3	165.2	95.7	17.4	34.8	87.0	43.5	43.5	8.7	139.2	8.7	234.8	.....
.....	26.0	17.3	251.1	329.1	103.9	26.0	43.3	95.3	103.9	112.6	26.0	147.2	17.3	173.2	.....
.....	33.7	8.4	67.4	185.2	151.6	67.4	50.5	75.8	168.4	92.6	16.8	218.9	16.8	101.0	.....
8.2	24.7	49.3	131.6	255.0	90.5	65.8	180.9	65.8	139.8	74.0	8.2	148.0	74.0	139.8	.....
.....	16.1	8.0	120.6	176.8	128.6	40.2	48.2	96.5	88.4	48.2	.....	176.8	40.2	136.6	.....
7.9	23.6	7.9	149.3	220.1	165.0	55.0	47.2	102.2	86.5	110.0	7.9	62.9	39.3	172.9	.....
.....	9.2	194.2	138.7	129.5	83.3	83.3	166.5	18.5	55.5	92.5	9.2	55.5	64.7	203.5	9.2
.....	18.1	99.5	153.8	36.2	90.5	54.3	99.5	36.2	108.6	90.5	18.1	54.3	72.4	153.8	.....
.....	8.9	79.7	88.6	115.1	159.4	35.4	124.0	44.3	124.0	79.7	8.9	26.6	53.1	159.4	.....
.....	17.3	121.4	138.7	104.1	147.4	34.7	86.7	52.0	86.7	156.1	.....	95.4	52.0	251.5	.....
.....	8.5	93.4	118.9	144.4	93.4	93.4	68.0	25.5	84.9	135.9	8.5	76.5	25.5	203.9	.....
.....	16.7	108.2	141.5	116.6	133.2	41.6	74.9	74.9	74.9	174.8	25.0	25.0	8.3	191.5	.....
.....	15.8	94.9	150.3	150.3	134.5	39.5	102.8	39.5	71.2	87.0	7.9	79.1	23.7	150.3	7.9
.....	7.6	91.0	106.2	159.3	106.2	60.7	98.6	37.9	113.8	98.6	.....	68.3	7.6	166.8	.....
.....	14.6	29.1	138.4	153.0	102.0	29.1	87.4	80.1	58.3	72.8	14.6	65.6	29.1	131.1	.....
.....	35.0	7.0	126.1	224.2	105.1	42.0	91.1	112.1	98.1	105.1	7.0	91.1	7.0	98.1	.....
3.8	3.8	49.8	160.8	179.9	49.8	53.5	72.7	88.1	80.4	76.6	3.8	187.6	68.9	191.4	3.8
.....	7.7	57.5	107.3	176.3	99.6	65.1	23.0	72.8	72.8	84.3	15.3	352.5	61.3	153.3	.....
3.8	11.5	53.7	157.2	195.6	103.5	46.0	145.7	76.7	65.2	88.2	3.8	329.8	42.2	141.9	.....
3.8	15.4	57.6	168.9	176.5	72.9	61.4	72.9	65.2	80.6	72.9	15.4	349.3	38.4	153.5	.....
3.8	23.0	34.6	195.9	226.6	92.2	69.1	57.6	73.0	92.2	134.4	23.0	230.5	34.6	161.3	.....
3.8	7.7	53.8	123.0	192.2	69.2	57.7	115.3	61.5	76.9	84.6	7.7	76.9	38.4	119.2	.....
.....	15.6	42.9	117.0	171.7	54.6	46.8	93.6	70.2	85.8	66.3	.....	105.3	31.2	132.6	.....
.....	15.8	35.6	154.1	213.4	102.7	59.3	67.2	71.1	83.0	71.1	23.7	106.7	15.8	86.9	.....
4.0	16.0	12.0	128.1	192.1	104.1	68.0	116.1	56.0	88.1	76.1	16.0	64.0	36.0	76.1	.....
.....	20.3	12.2	146.0	210.9	64.9	48.7	125.7	64.9	64.9	68.9	4.1	52.7	12.2	141.9	.....
2.7	24.2	53.8	142.6	185.6	115.7	99.5	88.8	80.7	64.6	69.9	13.4	59.2	35.0	147.9	5.4
2.7	5.4	37.5	152.8	160.8	107.2	53.6	91.1	50.9	72.4	56.3	21.4	77.7	26.8	115.3	5.4
.....	21.4	16.0	189.7	192.3	141.6	77.5	96.2	42.7	77.5	77.5	24.0	64.1	21.4	146.9	5.3
2.7	18.6	18.6	133.1	247.6	143.7	79.9	79.9	77.2	93.2	77.2	24.0	87.8	13.3	127.8	5.3
2.7	21.2	37.1	143.2	260.0	100.8	53.1	53.1	50.4	79.6	82.2	15.9	111.4	13.3	122.0	2.7
2.6	10.6	31.7	153.3	261.7	116.3	50.2	95.2	52.9	92.5	76.7	5.3	81.9	34.4	116.3	.....
2.5	20.4	35.6	124.7	244.2	109.4	40.7	96.7	58.5	50.9	106.8	28.0	91.6	40.7	129.7	5.1
.....	29.6	29.6	135.6	293.3	140.5	76.4	44.4	96.1	61.6	51.8	29.6	98.6	22.2	96.1	.....
.....	14.3	7.2	129.1	239.0	81.3	43.0	117.1	78.9	76.5	52.6	11.9	90.8	16.7	129.1	4.8
.....	20.9	13.9	139.2	296.9	106.7	46.4	76.5	90.5	95.1	53.4	20.9	69.6	13.9	127.6	.....
.....	15.3	107.2	140.0	131.3	164.1	126.8	310.7	115.9	54.7	100.6	8.8	74.4	76.6	150.9	10.9
.....	19.3	98.8	109.5	131.0	120.3	109.5	214.8	92.4	55.8	124.6	12.9	116.0	68.7	148.2	2.1
.....	16.9	54.9	137.1	130.8	86.5	84.4	219.4	86.5	61.2	139.2	8.4	75.9	61.2	107.6	2.1
2.1	12.4	58.0	111.9	126.4	147.2	118.1	252.9	89.1	87.1	155.5	10.4	64.3	37.3	124.4	.....
.....	16.3	59.1	110.0	140.6	130.4	108.0	242.4	75.4	79.4	140.6	14.3	57.0	38.7	89.6	.....
2.0	6.0	100.1	76.1	142.2	134.2	122.1	166.2	78.1	68.1	122.2	10.0	80.1	56.1	110.1	.....
1.9	13.5	65.7	114.0	160.4	139.2	79.2	191.3	85.0	85.0	189.4	9.7	67.6	61.8	117.9	1.9
.....	9.4	80.7	129.5	189.5	135.1	191.4	189.5	76.9	92.0	176.4	7.5	90.1	65.7	127.6	.....
.....	14.6	38.3	107.6	116.7	120.4	100.3	191.5	67.5	80.2	213.4	10.9	78.4	71.1	114.9	.....
.....	23.0	42.5	79.6	152.2	115.0	109.7	284.9	72.6	118.6	184.1	17.7	84.9	33.6	106.2	.....
.....	22.6	30.2	113.3	105.7	158.6	60.4	113.3	52.9	75.5	68.0	.....	45.3	68.0	120.8	.....
.....	14.8	7.4	140.8	111.1	133.4	59.3	88.9	66.7	51.9	66.7	7.4	59.3	37.0	133.4	.....
7.3	21.8	21.8	116.4	160.0	50.9	65.5	130.9	29.1	50.9	72.7	.....	14.5	65.5	72.7	7.3
.....	14.3	7.1	71.4	114.3	114.3	42.8	28.6	64.3	57.1	78.6	7.1	64.3	57.1	185.7	.....
.....	14.0	14.0	119.2	133.3	112.2	63.1	140.3	56.1	63.1	49.1	28.1	77.2	21.0	133.3	.....
.....	27.6	41.4	151.6	117.2	130.9	27.6	172.3	41.4	48.2	75.8	13.8	117.2	20.7	110.3	.....
.....	27.1	20.3	128.9	169.5	88.2	94.9	81.4	54.3	40.7	74.6	.....	88.2	33.9	135.6	.....
13.4	20.1	20.1	87.0	220.8	113.7	40.1	46.8	13.4	66.9	73.6	6.7	93.7	20.1	87.0	.....
.....	13.2	26.4	125.4	204.7	118.8	19.8	46.2	46.2	66.0	59.4	.....	85.8	19.8	79.2	.....
.....	13.0	19.5	130.3	162.9	58.6	26.1	104.2	52.1	65.2	52.1	6.5	84.7	26.1	65.2	6.5
3.2	12.8	49.6	132.7	185.4	147.1	142.3	314.9	121.5	65.5	118.3	11.2	81.5	51.1	171.0	22.4
.....	7.8	74.9	179.5	148.3	140.5	129.6	234.2	81.2	65.6	99.9	18.7	64.0	89.0	93.7	.....
1.5	9.2	65.6	161.7	146.4	178.5	157.1	201.4	102.2	77.8	94.6	4.6	64.1	51.9	88.4	4.6
3.0	14.9	52.2	134.2	122.3	122.3	117.8	228.2	83.5	85.0	82.0	7.5	65.6	61.1	122.3	25.4
.....	14.6	49.6	128.4	137.1	159.0	128.4	201.3	91.9	106.5	87.5	14.6	62.7	52.5	128.4	1.5
.....	8.6	112.8	155.6	151.3	184.2	159.9	291.2	81.4	94.2	98.5	4.3	70.0	60.0	108.5	.....
1.4	20.3	80.0	150.5	181.6	154.5	143.7	258.9	77.3	70.5	105.7	8.1	88.1	39.3	80.0	16.3
2.6	16.9	53.3	153.3	192.3	126.0	127.3	257.2	107.8	101.3	88.3	22.1	93.5	70.2	87.0	.....
.....	7.5	32.4	137.2	172.1	132.2	86.1	237.0	86.1	83.6	94.8	8.7	79.8	58.6	111.0	.....
.....	6.0	31.2	124.8	153.5	161.9	126.0	256.7	76.8	68.4	90.0	13.2	86.4	55.2	100.8	.....
.....	16.1	32.3	145.3	96.9	72.6	129.1	129.1	56.5	56.5	96.9	.....	32.3	88.8	201.7	16.1
7.8	7.8	23.5	172.2	172.2	93.9	70.5	31.3	39.1	23.5	78.3	.....	47.0	62.6	156.6	.....
.....	22.8	7.6	136.8	136.8	68.4	30.4	68.4	38.0	53.2	83.6	7.6	22.8	53.2	144.4	.....
7.4	14.8	22.2	96.0	140.4	88.7	29.6	96.0	51.7	51.7	66.5	7.4	88.7	66.5	221.6	.....
.....	21.6	21.6	136.5	179.6	50.3	50.3	93.4	28.7	79.0	86.2	7.2	64.7	28.7	179.6	.....
.....	.....	14.0	132.9	202.8	83.9	21.0	69.9	97.9	90.9	97.9	.....	90.9	69.9	125.9	.....
.....	26.5	19.9	86.3	139.4	159.3	46.5	39.8	13.3	73.0	92.9	6.6	46.5	59.7	112.8	.....
.....	25.4	25.4	108.1	146.2	108.1	63.6	63.6	63.6	69.9	63.6	.....	50.9	38.1	133.5	.....
.....	6.1	30.5	97.6	134.2	103.7	36.6	54.9	24.4	97.6	85.4	6.1	36.6	42.7	61.0	.....
.....	29.3	5.9	170.0	158.3	123.1	35.2	111.4	29.3	76.2	123.1	17.6	58.6	23.5	64.5	.....

[2] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whooping cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
MASSACHUSETTS—continued.														
Lowell	1900	1,945.9	17.9	.....	1.1	1.1	.....	1.1	28.4	33.7	(2)	192.7	18.9	51.6
	1901	2,149.5	20.0	3.2	.....	23.2	2.1	15.8	121.1	27.4	(2)	166.4	16.9	65.3
	1902	2,046.6	17.9	2.1	4.2	9.5	4.2	8.4	79.0	9.5	(2)	164.3	14.7	60.0
	1903	2,047.0	32.7	1.1	.....	1.1	9.5	16.9	34.8	10.5	(2)	135.9	24.2	84.3
	1904	1,831.3	20.0	2.1	1.1	20.0	6.3	3.2	36.9	7.4	(2)	141.2	23.2	74.8
	1905	2,003.4	19.0	.....	.....	8.4	.....	17.9	21.1	16.9	6.3	153.9	34.8	72.7
	1906	1,962.1	7.2	.....	.....	20.4	4.1	10.2	40.9	6.1	8.2	153.4	20.4	77.7
	1907	2,061.2	11.0	3.0	.....	9.0	5.0	14.0	46.0	19.0	14.0	152.9	24.0	81.0
	1908	1,917.3	25.4	.....	.....	13.7	2.9	11.7	26.4	16.6	9.8	121.2	30.3	84.1
	1909	1,801.6	10.5	1.0	.....	4.8	9.6	8.6	34.4	7.7	16.3	119.6	42.1	76.5
Lynn	1900	1,609.9	19.0	2.9	.....	2.9	2.9	20.4	54.0	39.4	(2)	192.7	26.3	64.2
	1901	1,452.6	14.2	5.7	.....	.....	10.0	.....	54.1	21.4	(2)	146.7	31.3	85.4
	1902	1,408.4	12.5	2.8	.....	30.6	2.8	.....	37.5	2.8	(2)	136.3	30.6	65.3
	1903	1,472.2	17.7	4.1	2.7	.....	2.7	40.7	44.8	10.9	(2)	124.9	27.2	91.0
	1904	1,496.0	23.9	1.3	.....	1.3	.....	2.7	27.9	6.6	(2)	193.8	21.2	85.0
	1905	1,638.1	23.4	.....	.....	3.9	2.6	3.9	10.4	19.5	10.4	132.4	31.2	88.3
	1906	1,437.4	15.0	.....	.....	8.8	8.8	25.0	8.8	8.8	10.0	96.3	20.0	81.3
	1907	1,542.2	17.0	.....	.....	26.7	17.0	9.7	26.7	18.2	13.3	140.8	19.4	75.2
	1908	1,391.2	20.0	.....	.....	10.6	14.1	20.0	37.7	11.8	2.4	129.6	20.0	84.8
	1909	1,371.1	11.4	1.1	.....	1.1	11.4	6.9	28.6	12.6	4.6	109.9	27.5	87.0
Malden	1900	1,509.0	20.8	.....	.....	.....	14.8	8.9	53.5	38.6	(2)	175.3	5.9	92.1
	1901	1,407.2	29.0	.....	2.9	2.9	5.8	23.2	34.7	34.7	(2)	127.4	31.8	69.5
	1902	1,386.5	25.4	.....	5.6	25.4	8.5	5.6	36.7	5.6	(2)	158.1	22.6	79.1
	1903	1,433.0	19.3	2.8	.....	5.5	22.0	16.5	19.3	8.3	(2)	140.5	16.5	104.7
	1904	1,315.9	26.9	.....	.....	8.1	5.4	5.4	10.8	16.1	(2)	150.7	26.9	78.0
	1905	1,330.3	10.5	.....	.....	.....	.....	10.5	13.1	13.1	10.5	139.3	18.4	60.5
	1906	1,360.8	22.8	.....	.....	17.7	5.1	22.8	32.9	.....	.....	144.2	32.9	96.1
	1907	1,340.1	19.6	2.4	.....	.....	9.8	4.9	29.4	12.2	7.3	110.2	14.7	56.3
	1908	1,332.4	11.9	2.4	.....	14.3	16.6	.....	33.3	9.5	11.9	114.0	14.3	92.6
	1909	1,214.6	16.1	.....	.....	2.3	13.8	11.5	18.4	2.3	11.5	94.5	16.1	92.2
Marlborough	1900	1,550.4	.....	.....	.....	.....	.....	29.4	22.1	7.3	(2)	154.3	7.3	66.1
	1901	1,569.2	.....	.....	.....	.....	7.3	.....	94.9	.....	(2)	219.0	43.8	21.9
	1902	1,420.9	7.2	.....	.....	.....	7.2	.....	159.5	14.5	(2)	101.5	21.7	43.5
	1903	1,404.2	7.2	.....	.....	28.8	21.6	43.2	21.6	7.2	(2)	115.2	14.4	64.8
	1904	1,294.7	14.3	.....	.....	.....	14.3	.....	21.5	7.2	(2)	93.0	14.3	85.8
	1905	1,485.1	7.1	.....	.....	.....	.....	.....	.....	21.3	64.0	199.0	21.3	85.3
	1906	1,317.6	.....	.....	.....	21.1	7.0	14.1	7.0	7.0	14.1	162.1	14.1	84.6
	1907	1,336.2	.....	.....	.....	.....	.....	14.0	7.0	28 0	.....	111.9	21.0	42.0
	1908	1,410.1	6.9	.....	.....	.....	6.9	.....	13.9	13.9	6.9	132.0	27.8	76.4
	1909	1,524.3	20.7	.....	.....	.....	6.9	27.6	62.1	27.6	6.9	62.1	13.8	75.9
Medford	1900	1,381.3	27.4	.....	.....	11.0	.....	27.4	60.3	65.8	(2)	126.0	11.0	65.8
	1901	1,349.0	5.4	.....	.....	21.6	37.8	10.8	37.8	27.0	(2)	151.1	10.8	113.3
	1902	1,163.0	15.9	5.3	5.3	.....	.....	5.3	5.3	15.9	(2)	116.8	5.3	53.1
	1903	1,188.0	15.7	5.2	.....	.....	5.2	10.5	26.2	5.2	(2)	120.4	20.9	83.7
	1904	1,190.9	10.3	5.2	.....	.....	5.2	.....	10.3	10.3	(2)	108.3	36.1	98.0
	1905	1,351.2	15.2	5.1	.....	.....	10.2	5.1	10.2	25.4	.....	86.4	15.2	127.0
	1906	1,273.2	19.5	.....	.....	.....	.....	9.8	9.8	4.9	.....	102.4	43.9	131.7
	1907	1,283.1	9.4	.....	.....	.....	9.4	9.4	14.2	14.2	4.7	75.5	23.6	113.2
	1908	1,041.2	4.6	.....	.....	13.7	9.1	4.6	9.1	4.6	4.6	114.2	18.3	105.0
	1909	1,194.9	4.4	4.4	.....	.....	13.3	4.4	13.3	17.7	4.4	101.8	17.7	88.5
Melrose	1900	1,527.5	15.4	7.7	.....	15.4	30.9	15.4	30.9	54.0	(2)	138.9	23.1	77.2
	1901	1,247.4	30.2	7.6	.....	7.6	.....	.....	22.7	15.1	(2)	113.4	22.7	60.5
	1902	1,333.9	7.4	.....	29.6	.....	7.4	14.8	14.8	22.2	(2)	140.8	14.8	118.6
	1903	1,090.0	7.3	.....	.....	.....	.....	43.6	7.3	14.5	(2)	123.5	29.1	109.0
	1904	1,340.2	7.1	.....	.....	.....	.....	21.4	14.3	14.3	(2)	106.9	49.9	114.1
	1905	1,343.1	.....	.....	.....	28.0	7.0	.....	7.0	7.0	7.0	125.9	21.0	132.9
	1906	1,134.7	20.5	.....	.....	13.7	.....	6.8	20.5	.....	6.8	123.0	20.5	129.9
	1907	1,300.7	6.7	.....	.....	.....	6.7	13.4	20.1	33.5	13.4	114.0	13.4	93.9
	1908	1,197.3	13.2	.....	.....	6.6	.....	6.6	13.2	26.3	19.7	85.5	6.6	125.0
	1909	1,207.4	19.4	6.5	.....	6.5	6.5	.....	.....	25.8	12.9	96.8	32.3	83.9
Milford town	1900	1,670.2	17.6	17.6	.....	.....	8.8	8.8	44.0	52.7	(2)	193.4	8.8	61.5
	1901	1,553.7	8.7	34.7	.....	.....	.....	.....	104.2	.....	(2)	199.6	17.4	26.0
	1902	1,560.0	17.1	.....	.....	51.4	.....	25.7	17.1	17.1	(2)	120.0	8.6	51.4
	1903	1,354.4	8.5	8.5	.....	.....	.....	.....	50.8	33.9	(2)	110.0	25.4	33.9
	1904	1,404.8	8.4	8.4	.....	.....	.....	8.4	8.4	8.4	(2)	125.4	16.7	58.5
	1905	1,511.8	.....	.....	.....	8.3	8.3	.....	16.5	16.5	66.1	132.2	16.5	66.1
	1906	1,784.7	40.6	.....	.....	40.6	.....	8.1	16.2	.....	24.3	137.9	16.2	97.3
	1907	1,821.2	16.0	.....	.....	8.0	.....	32.0	16.0	32.0	24.0	191.7	8.0	79.9
	1908	1,581.3	7.9	.....	.....	23.6	.....	.....	.....	15.7	94.4	149.5	15.7	39.3
	1909	1,457.0	7.8	.....	.....	.....	31.0	7.8	15.5	.....	31.0	155.0	7.8	93.0
Natick town	1900	1,306.9	31.6	10.5	.....	.....	.....	31.6	31.6	31.6	(2)	105.4	21.1	63.2
	1901	1,577.0	10.5	.....	.....	.....	.....	31.5	10.5	31.5	(2)	189.2	10.5	115.6
	1902	1,604.4	41.9	.....	.....	.....	10.5	10.5	.....	52.4	(2)	178.3	.....	52.4
	1903	1,349.4	10.5	.....	.....	.....	.....	.....	52.3	31.4	(2)	115.1	.....	104.6
	1904	1,283.4	10.4	.....	.....	.....	.....	.....	10 4	20.9	(2)	166.9	52.2	114.8
	1905	1,550.6	.....	.....	.....	.....	.....	10.4	10.4	.....	10.4	135.3	.....	104.1
	1906	1,344.5	31.0	.....	.....	.....	.....	.....	20.7	10.3	10.3	103.4	10.3	103.4
	1907	1,450.5	.....	20.6	.....	.....	.....	.....	10.3	61.7	10.3	113.2	20.6	61.7
	1908	1,811.1	.....	.....	.....	.....	.....	.....	10.2	61.4	235.3	40.9	10.2	92.1
	1909	1,435.1	10.2	10.2	.....	10.2	10.2	.....	.....	30.5	10.2	122.1	20.4	71.2

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
4.2	9.5	66.3	194.8	205.3	170.6	161.1	234.8	83.2	69.5	130.5	9.5	53.7	69.5	135.8	1.1
2.1	6.3	73.7	190.6	215.9	208.5	145.3	219.1	95.8	82.1	158.0	9.5	65.3	75.8	140.1	.....
2.1	8.4	79.0	212.8	242.3	168.5	131.7	223.3	94.8	76.9	152.7	8.4	65.3	69.5	134.8	2.1
2.1	7.4	66.4	180.1	207.5	150.7	147.5	279.2	93.8	104.3	137.0	14.7	72.7	87.4	144.3	1.1
1.1	13.7	58.0	161.2	172.8	145.4	115.9	249.7	107.5	90.6	132.8	11.6	63.2	25.3	144.4	2.1
2.1	12.6	99.1	183.4	255.0	140.2	113.8	285.6	133.8	89.6	103.3	9.5	67.4	15.8	141.2	.....
2.0	8.2	70.6	166.7	231.1	180.0	149.3	265.8	103.3	107.4	111.5	8.2	80.8	16.4	112.5	.....
2.0	9.0	41.0	213.9	250.9	160.9	149.9	243.9	113.0	107.0	132.9	9.0	86.0	27.0	133.9	2.0
2.0	11.7	38.1	159.4	227.8	139.8	135.9	284.5	113.4	93.9	145.7	11.7	66.5	14.7	130.0	.....
1.0	13.4	27.7	140.6	241.1	133.0	131.1	211.4	103.3	90.9	134.9	18.2	72.7	20.1	130.1	1.0
4.4	8.7	33.6	134.3	181.0	99.3	59.8	124.1	75.9	80.3	97.8	5.8	68.6	23.4	179.5	8.7
.....	7.1	25.6	151.0	142.4	135.3	54.1	86.9	78.3	79.8	61.2	7.1	69.8	31.3	141.0	12.8
1.4	13.9	33.4	159.9	148.8	105.7	59.8	84.8	58.4	79.3	64.0	5.6	54.2	54.2	155.7	8.3
.....	6.8	31.2	126.3	169.8	96.4	69.3	58.4	92.4	93.7	80.1	4.1	81.5	32.6	146.7	16.3
2.7	14.6	34.5	143.4	142.0	110.2	50.4	90.3	50.4	95.6	108.8	8.0	96.9	31.9	142.0	10.6
.....	22.1	72.7	158.4	190.8	159.7	75.3	114.2	87.0	99.9	79.2	9.1	89.6	32.4	119.4	2.6
1.3	6.3	21.3	160.1	190.2	116.3	56.3	91.3	75.1	100.1	71.3	10.0	95.1	28.8	128.9	2.5
.....	26.7	34.0	127.4	188.1	129.8	59.5	94.6	71.6	91.0	69.2	13.3	83.7	31.5	154.1	3.6
.....	11.8	25.9	121.3	189.6	84.8	75.4	75.4	50.7	81.3	70.7	13.0	80.1	35.3	124.9	.....
2.3	18.3	16.0	148.8	198.0	98.4	53.8	83.5	60.7	92.7	59.5	9.2	68.7	25.2	133.9	.....
.....	11.9	29.7	154.5	166.3	86.1	62.4	142.6	65.4	71.3	80.2	8.9	50.5	41.6	118.8	8.9
.....	11.6	20.3	153.5	139.0	141.9	66.6	86.9	69.5	75.3	84.0	8.7	37.6	49.2	95.5	5.8
5.6	11.3	25.4	127.1	189.2	67.8	70.6	50.8	76.2	90.4	87.5	5.6	25.4	36.7	141.2	2.8
5.5	16.5	30.3	159.8	190.2	63.4	82.7	66.1	82.7	63.4	124.0	5.5	44.1	24.8	118.5	.....
.....	18.8	26.9	121.1	234.1	129.2	51.1	80.7	37.7	45.7	61.9	2.7	51.1	10.8	113.0	2.7
2.6	7.9	18.4	165.6	197.2	110.4	60.5	68.4	50.0	97.3	89.4	18.4	52.6	21.0	94.6	.....
.....	12.6	27.8	111.3	199.8	101.2	73.4	63.2	45.5	93.6	83.5	17.7	45.5	15.2	96.1	.....
.....	17.1	29.4	139.6	232.7	102.9	78.4	112.7	68.6	88.2	63.7	4.9	46.5	22.0	66.1	.....
2.4	14.3	19.0	121.1	254.1	49.9	59.4	64.1	71.3	92.6	66.5	11.9	42.8	35.6	106.9	.....
2.3	23.0	13.8	119.9	191.3	99.1	59.9	66.8	64.5	59.9	64.5	4.6	46.1	20.7	99.1	.....
.....	.....	95.5	73.5	169.0	147.0	95.5	191.1	88.2	58.8	80.8	7.3	14.7	14.7	213.1	14.7
.....	.....	58.4	153.3	219.0	124.1	94.9	29.2	124.1	73.0	65.7	14.6	58.4	14.6	153.3	.....
.....	7.2	72.5	123.2	297.2	116.0	43.5	58.0	43.5	36.2	72.5	.....	29.0	50.7	108.7	7.2
.....	7.2	79.2	136.8	194.4	129.6	36.0	93.6	93.6	64.8	21.6	.....	28.8	43.2	144.0	7.2
7.2	7.2	78.7	143.1	214.6	93.0	50.1	50.1	114.4	42.9	57.2	.....	42.9	21.5	121.6	.....
.....	7.1	28.4	85.3	270.0	127.9	64.0	56.8	78.2	99.5	56.8	.....	64.0	35.5	113.7	.....
.....	7.0	42.3	119.8	197.3	35.2	49.3	70.5	77.5	91.6	91.6	7.0	56.4	21.1	119.8	.....
.....	21.0	63.0	125.9	237.9	97.9	42.0	84.0	63.0	70.0	70.0	.....	63.0	35.0	132.9	7.0
6.9	6.9	41.7	194.5	264.0	69.5	34.7	20.8	118.1	69.5	55.6	13.9	69.5	13.9	145.9	.....
.....	27.6	27.6	158.6	269.0	117.3	89.7	110.4	110.4	69.0	55.2	13.8	41.4	13.8	117.3	.....
5.5	11.0	11.0	76.7	131.5	93.2	60.3	142.5	65.8	43.8	71.2	.....	49.3	11.0	202.8	11.0
.....	21.6	21.6	59.4	199.7	134.9	59.4	80.9	48.6	48.6	59.4	5.4	43.2	43.2	107.9	.....
.....	5.3	37.2	132.8	164.6	74.3	74.3	79.7	37.2	63.7	85.0	5.3	37.2	31.9	106.2	.....
.....	5.2	41.9	157.0	183.2	115.1	73.3	20.9	36.6	36.6	68.0	10.5	57.6	26.2	62.8	.....
.....	10.3	41.2	180.4	165.0	98.0	20.6	103.1	25.8	72.2	46.4	5.2	41.2	.....	98.0	.....
5.1	25.4	35.6	157.5	248.9	91.4	45.7	45.7	40.6	86.4	106.7	5.1	30.5	.....	127.0	.....
.....	14.6	4.9	161.0	282.9	82.9	58.5	39.0	48.8	78.0	48.8	.....	82.9	9.8	39.0	.....
.....	14.2	18.9	165.1	278.3	113.2	33.0	28.3	37.7	70.8	61.3	4.7	89.6	9.4	84.9	.....
.....	18.3	.....	91.3	242.0	95.9	18.3	41.1	50.2	63.9	36.5	13.7	36.5	4.6	41.1	.....
.....	22.1	8.9	146.0	274.4	84.1	48.7	39.8	31.0	70.8	48.7	13.3	53.1	4.4	79.7	.....
.....	.....	.....	138.9	254.6	92.6	69.4	54.0	100.3	69.4	69.4	.....	54.0	92.6	123.4	.....
.....	7.6	60.5	173.9	158.8	60.5	68.0	75.6	52.9	30.2	75.6	.....	30.2	30.2	143.6	.....
.....	7.4	14.8	177.9	252.0	96.3	59.3	59.3	66.7	44.5	44.5	7.4	44.5	7.4	81.5	.....
.....	14.5	.....	101.7	159.9	87.2	36.3	7.3	72.7	72.7	21.8	.....	50.9	14.5	116.3	.....
.....	14.3	21.4	128.3	185.3	121.2	85.5	28.5	85.5	57.0	64.2	14.3	99.8	28.5	78.4	.....
.....	14.0	21.0	111.9	272.8	49.0	49.0	49.0	56.0	90.9	70.0	.....	70.0	14.0	132.9	7.0
.....	13.7	13.7	157.2	136.7	88.9	13.7	41.0	88.9	68.4	41.0	.....	20.5	6.8	95.7	6.8
.....	13.4	6.7	147.5	268.2	114.0	40.2	67.0	67.0	67.0	53.6	13.4	46.9	6.7	67.0	6.7
.....	13.2	26.3	98.7	236.8	85.5	92.1	32.9	46.0	52.6	39.5	6.6	39.5	26.3	98.7	.....
.....	19.4	6.5	135.6	232.4	96.8	25.8	25.8	51.7	90.4	38.7	12.9	64.6	.....	109.8	6.5
.....	17.6	26.4	158.2	167.0	246.1	52.7	123.1	44.0	70.3	70.3	.....	87.9	17.6	158.2	17.6
17.4	17.4	52.1	138.9	164.9	208.3	78.1	78.1	34.7	78.1	52.1	.....	26.0	26.0	191.0	.....
.....	17.1	8.6	222.9	171.4	128.6	51.4	162.9	68.6	102.9	60.0	8.6	17.1	17.1	214.3	.....
.....	8.5	42.3	110.0	245.4	93.1	67.7	67.7	50.8	84.7	84.7	8.5	67.7	8.5	143.9	.....
.....	8.4	25.1	133.8	175.6	125.4	50.2	75.3	66.9	150.5	75.3	8.4	83.6	16.7	167.2	.....
.....	8.3	66.1	206.5	206.5	148.7	66.1	82.6	82.6	90.9	41.3	16.5	41.3	24.8	99.1	.....
.....	24.3	73.0	202.8	210.9	267.7	73.0	113.6	40.6	81.1	48.7	24.3	73.0	16.2	154.1	.....
.....	8.0	79.9	151.8	263.6	143.8	47.9	111.8	95.9	103.8	127.8	24.0	95.9	24.0	135.8	.....
7.9	7.9	31.5	306.8	157.3	133.7	55.1	94.4	70.8	86.5	94.4	7.9	78.7	15.7	86.5	.....
7.8	23.3	23.3	178.3	170.5	131.8	69.8	85.3	69.8	69.8	62.0	.....	85.3	7.8	124.0	.....
.....	21.1	.....	137.0	253.0	147.6	42.2	31.6	84.3	31.6	21.1	.....	73.8	.....	137.0	.....
.....	21.0	31.5	157.7	252.3	178.7	42.1	31.5	115.6	42.1	21.0	.....	31.5	52.6	189.2	10.5
10.5	41.9	10.5	188.8	167.8	199.2	41.9	41.9	52.4	94.4	104.9	.....	73.4	41.9	188.8	.....
.....	.....	20.9	251.0	177.8	125.5	52.3	20.9	52.3	73.2	41.8	.....	94.1	31.4	94.1	.....
.....	10.4	20.9	114.8	260.9	93.9	20.9	20.9	62.6	83.5	31.3	10.4	73.0	.....	104.3	.....
.....	31.2	.....	176.9	333.0	72.8	31.2	62.4	83.3	104.1	31.2	31.2	187.3	10.4	124.9	.....
10.3	10.3	.....	206.8	268.9	82.7	10.3	51.7	103.4	62.1	62.1	.....	62.1	41.4	82.7	.....
.....	.....	.....	123.4	329.2	82.3	61.7	51.4	102.9	82.3	123.4	10.3	82.3	10.3	82.3	10.3
.....	30.7	10.2	112.6	317.2	173.9	51.2	194.4	30.7	51.2	92.1	10.2	153.5	10.2	122.8	.....
10.2	20.4	10.2	234.1	315.5	112.0	50.9	50.9	40.7	50.9	81.4	10.2	71.2	.....	81.4	.....

[1] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
MASSACHUSETTS—continued.														
New Bedford	1900	2,122.0	40.0	.....	.....	22.4	22.4	22.4	8.0	19.2	(2)	169.8	19.2	81.7
	1901	1,926.7	30.9	.....	9.3	6.2	15.4	1.5	21.6	9.3	(2)	217.5	29.3	83.3
	1902	2,029.5	35.7	.....	.....	7.4	50.6	25.3	41.7	1.5	(2)	181.5	11.9	69.9
	1903	2,301.9	50.3	1.4	.....	15.8	214.1	24.4	47.4	10.1	(2)	181.1	24.4	74.7
	1904	1,897.8	20.8	1.4	.....	2.8	.....	13.9	12.5	9.7	(2)	209.8	22.2	80.6
	1905	1,744.2	8.1	.....	.....	1.3	2.7	13.4	37.7	9.4	5.4	158.7	29.6	71.3
	1906	1,717.2	10.0	.....	.....	6.3	3.8	13.8	33.9	8.8	6.3	163.3	35.2	76.6
	1907	1,843.0	13.1	.....	.....	5.9	.....	11.9	14.3	9.5	8.3	152.2	28.5	64.2
	1908	1,775.5	22.6	.....	.....	35.0	11.3	14.7	12.4	9.0	1.1	133.2	30.5	76.8
	1909	1,713.3	22.6	.....	.....	4.3	8.6	22.6	18.3	5.4	9.7	127.8	45.1	52.6
Newburyport	1900	2,168.8	41.4	6.9	.....	6.9	.....	13.8	6.9	76.0	(2)	200.3	34.5	96.7
	1901	1,908.1	41.3	.....	.....	.....	.....	13.8	.....	82.7	(2)	137.8	41.3	124.0
	1902	1,992.3	48.1	.....	6.9	20.6	13.7	.....	27.5	34.4	(2)	144.3	27.5	116.8
	1903	1,802.0	13.7	.....	.....	.....	.....	6.9	48.0	116.5	(2)	171.3	20.6	96.0
	1904	1,892.7	20.5	.....	.....	.....	.....	13.7	20.5	34.2	(2)	157.2	6.8	177.7
	1905	1,942.1	61.3	.....	.....	.....	.....	.....	6.8	54.5	6.8	149.9	34.1	61.3
	1906	1,594.4	54.3	.....	.....	6.8	13.6	13.6	13.6	27.1	13.6	203.5	20.4	122.1
	1907	1,649.3	27.0	.....	.....	.....	13.5	6.8	33.8	81.1	.....	128.4	13.5	162.2
	1908	1,899.1	80.8	.....	.....	.....	20.2	.....	13.5	40.4	6.7	114.5	13.5	101.0
	1909	1,704.1	13.4	.....	.....	.....	.....	.....	26.8	20.1	13.4	174.4	20.1	174.4
Newton	1900	1,500.6	26.8	.....	.....	.....	5.9	3.0	77.4	35.7	(2)	104.2	20.8	71.5
	1901	1,279.4	17.5	2.9	2.9	.....	2.9	2.9	32.1	2.9	(2)	105.2	32.1	64.3
	1902	1,258.5	5.7	.....	2.9	8.6	2.9	2.9	17.2	5.7	(2)	91.7	43.0	63.1
	1903	1,255.2	8.4	.....	.....	2.8	.....	14.1	16.9	33.8	(2)	70.4	25.3	67.5
	1904	1,138.8	8.3	5.5	.....	2.8	2.8	5.5	16.6	11.1	(2)	105.0	19.3	71.9
	1905	1,322.4	10.8	.....	.....	2.7	.....	24.4	27.2	19.0	2.7	84.2	27.2	97.8
	1906	1,188.5	13.3	2.7	.....	10.7	.....	13.3	13.3	13.3	13.3	64.0	16.0	61.3
	1907	1,224.8	5.2	.....	.....	.....	10.5	5.2	13.1	28.9	5.2	73.4	21.0	70.8
	1908	1,100.0	5.2	.....	.....	2.6	5.2	7.7	12.9	23.2	7.7	77.5	28.4	93.0
	1909	1,128.9	7.6	5.1	.....	7.6	7.6	.....	17.8	12.7	2.5	66.1	33.1	68.6
North Adams	1900	1,442.1	28.9	.....	.....	4.1	8.3	16.5	12.4	12.4	(2)	124.0	24.8	57.9
	1901	1,588.9	21.0	.....	.....	16.8	4.2	8.4	50.4	21.0	(2)	189.2	8.4	42.0
	1902	1,492.7	55.6	.....	.....	8.6	12.8	8.6	59.9	.....	(2)	166.8	.....	42.8
	1903	1,658.7	56.6	4.4	.....	.....	87.1	21.8	60.9	26.1	(2)	130.6	17.4	60.9
	1904	1,644.5	44.3	.....	22.2	4.4	17.7	4.4	84.2	17.7	(2)	128.5	35.5	70.9
	1905	1,422.1	13.5	.....	.....	.....	.....	.....	49.7	36.1	9.0	103.8	18.1	85.8
	1906	1,342.7	31.6	.....	.....	.....	9.0	4.5	18.1	.....	4.5	108.5	22.6	76.9
	1907	1,624.9	40.7	4.5	.....	4.5	4.5	27.2	22.6	22.6	36.2	131.3	36.2	81.5
	1908	1,309.6	27.2	.....	.....	22.7	.....	4.5	13.6	13.6	4.5	72.5	13.6	99.7
	1909	1,656.0	27.2	.....	.....	.....	4.5	13.6	4.5	27.2	9.1	131.6	22.7	77.1
Northampton *	1900	1,866.7	42.9	21.5	.....	5.4	21.5	16.1	32.2	37.5	(2)	177.0	16.1	85.8
	1901	1,719.1	21.2	5.3	.....	5.3	.....	.....	10.6	58.2	(2)	164.0	21.2	100.5
	1902	1,377.3	5.2	.....	.....	.....	.....	10.4	5.2	.....	(2)	130.4	26.1	52.2
	1903	1,446.1	10.3	.....	.....	.....	10.3	15.4	30.9	10.3	(2)	102.9	15.4	36.0
	1904	1,762.0	15.2	5.1	.....	15.2	.....	.....	5.1	10.2	(2)	142.2	20.3	86.3
	1905	1,658.6	20.0	.....	.....	.....	.....	10.0	30.1	10.0	25.1	105.2	25.1	120.3
	1906	1,792.2	20.1	5.0	.....	.....	10.1	.....	35.2	20.1	15.1	110.8	30.2	115.8
	1907	2,062.4	30.3	.....	.....	5.1	5.1	5.1	30.3	50.5	15.2	141.5	30.3	96.0
	1908	1,822.2	10.2	.....	.....	25.4	15.2	45.7	15.2	35.5	5.1	96.4	35.5	126.9
	1909	1,718.3	.....	.....	.....	10.3	.....	5.1	15.4	5.1	20.5	107.7	30.8	123.1
Peabody town	1900	1,839.8	17.4	8.7	.....	.....	8 7	.....	17.4	95.5	(2)	277.7	17.4	121.5
	1901	1,647.2	.....	.....	.....	16.9	50.1	8.4	50.7	42.2	(2)	126.7	.....	50.7
	1902	1,341.2	8.2	.....	.....	.....	.....	.....	16.5	.....	(2)	131.7	8.2	90.5
	1903	1,523.9	.....	.....	.....	8.0	8.0	40.1	16.0	8.0	(2)	184.5	32.1	56.1
	1904	1,228.2	15.6	.....	.....	.....	.....	.....	15.6	7.8	(2)	86.1	15.6	86.1
	1905	1,305.5	7.6	7 6	.....	.....	.....	.....	7.6	7.6	38.2	152.7	38.2	45.8
	1906	1,465.5	7.3	.....	.....	.....	7.3	14.6	29.2	7.3	36.5	145.8	7.3	65.6
	1907	1,390.1	7.0	.....	.....	.....	.....	.....	21.1	21.1	7.0	98.3	28.1	84.2
	1908	1,401.2	40.6	.....	.....	60.9	.....	6.8	20.3	27.1	20.3	94.8	6.8	88.0
	1909	1,359.3	19.6	.....	.....	.....	.....	19.6	26.1	.....	26.1	52.3	13.1	104.6
Pittsfield	1900	1,681.5	22.9	4.6	.....	13.8	9.2	13.8	50.5	9.2	(2)	128.6	13.8	91.9
	1901	1,570.5	31.2	.....	.....	.....	.....	40.2	66.9	35.7	(2)	120.5	8.9	62.5
	1902	1,509.1	21.7	.....	.....	.....	.....	.....	17.3	4.3	(2)	104.1	13.0	65.0
	1903	1,518.5	25.3	4.2	.....	21 1	.....	4.2	8.4	16.9	(2)	101.2	29.5	84.4
	1904	1,634.2	32 8	.....	.....	.....	.....	.....	24.6	8.2	(2)	156.0	41.1	94.4
	1905	1,651.9	40.0	.....	.....	.....	12.0	36.0	4.0	20.0	8.0	136.0	8.0	100.0
	1906	1,383.3	15.0	.....	.....	.....	.....	3.7	33.7	3.7	3.7	157.4	26.2	75.0
	1907	1,636.3	10 7	.....	3 6	14 2	7.1	24.9	7.1	24.9	7.1	110.3	24.9	92.5
	1908	1,428.2	16.9	.....	.....	16.9	10.2	.....	10.2	6.8	10.2	91.4	16.9	94.8
	1909	1,452.4	25.8	.....	.....	6.5	3.2	3.2	9.7	9.7	.....	113.0	19.4	77.5
Plymouth town	1900	1,605.5	.....	10.4	.....	.....	10.4	20.9	10.4	20.9	(2)	156.4	20.9	93.8
	1901	1,586.3	.....	10.1	10.1	.....	.....	.....	30.3	30.3	(2)	80.8	60.6	70.7
	1902	1,333.1	19.6	.....	.....	.....	.....	.....	19.6	9.8	(2)	156.8	68.6	117.6
	1903	1,303.9	.....	.....	.....	19.0	38.1	47.6	38.1	.....	(2)	142.8	19.0	95.2
	1904	1,415.0	55.5	.....	.....	9.2	.....	.....	18.5	9.2	(2)	74.0	37.0	129.5
	1905	1,457.0	18.0	.....	.....	9.0	.....	.....	18.0	.....	18.0	125.9	45.0	45.0
	1906	1,232.5	8.8	.....	.....	8.8	.....	17.6	.....	.....	.....	105.6	8.8	70.4
	1907	1,495.9	17.3	8.6	.....	25.9	.....	.....	60.5	25.9	.....	103.8	34.6	86.5
	1908	1,342.3	.....	.....	.....	.....	.....	.....	25.5	25.5	17.0	76.5	25.5	68.0
	1909	1,352.6	8.3	.....	.....	8.3	8.3	.....	25.0	.....	16.7	91.8	41.7	83.5

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
1.6	9.6	88.1	219.4	187.4	152.2	116.9	309.1	59.3	96.1	198.6	.....	52.8	64.1	145.7	16.0
.....	18.5	64.8	151.2	206.7	106.4	138.8	222.1	61.7	91.0	158.9	7.7	54.0	77.1	141.9	1.5
.....	10.4	69.9	169.6	163.7	141.3	165.2	264.8	61.0	98.2	181.5	4.5	74.4	74.4	123.5	1.5
1.4	15.8	71.8	152.3	191.1	158.1	183.9	278.8	57.4	113.5	159.5	7.2	54.6	70.4	142.3	.....
.....	18.1	44.5	157.0	211.2	112.5	120.9	252.9	72.2	111.1	158.4	5.6	70.9	58.4	127.8	2.8
1.3	8.1	33.6	166.8	211.1	110.3	103.5	212.5	71.3	98.2	164.1	5.4	57.8	57.8	103.5	1.3
.....	15.1	52.8	165.8	185.9	84.2	99.2	247.5	72.9	99.0	174.6	6.3	45.2	65.3	85.4	.....
.....	14.2	73.7	149.8	231.9	92.7	143.9	288.9	61.8	79.7	145.1	4.8	53.5	73.7	121.3	.....
2.3	14.7	57.6	142.2	230.3	98.2	145.6	238.2	56.4	68.9	124.2	12.4	65.5	57.6	115.1	.....
2.1	15.0	39.7	117.1	198.7	95.6	149.3	262.1	75.2	83.8	132.1	6.4	61.2	51.6	104.2	2.1
.....	13.8	34.5	214.1	158.9	297.0	124.3	145.1	41.4	48.4	76.0	.....	89.8	96.7	269.4	76.0
.....	20.7	13.8	199.8	213.5	124.0	89.6	137.8	62.0	110.2	48.2	.....	124.0	55.1	261.8	6.9
6.9	34.4	27.5	164.9	164.9	103.1	123.7	89.3	130.5	82.4	103.1	20.6	75.6	171.8	240.5	13.7
6.9	20.6	6.9	130.2	205.5	116.5	75.4	68.5	102.8	109.6	75.4	6.9	89.1	130.2	178.1	6.9
.....	.....	13.7	170.8	246.0	88.8	68.3	109.3	129.8	82.0	68.3	20.5	129.8	143.5	184.5	6.8
20.4	20.4	61.3	149.9	347.5	170.4	95.4	115.8	122.7	115.8	40.9	20.4	61.3	115.8	109.0	.....
6.8	.....	27.1	162.8	183.2	142.5	81.4	67.8	67.8	47.5	54.3	6.8	54.3	74.6	128.9	.....
.....	27.0	27.0	169.0	344.7	60.8	108.2	67.6	101.4	47.3	20.3	.....	67.6	13.5	128.4	.....
6.7	6.7	13.5	249.2	356.9	114.5	80.8	101.0	80.8	94.3	67.3	6.7	74.1	33.7	215.5	6.7
6.7	26.8	20.1	114.1	281.8	174.4	87.2	107.3	107.3	93.9	20.1	13.4	53.7	20.1	127.5	6.7
.....	3.0	47.6	131.0	187.6	116.1	92.3	110.1	71.5	62.5	71.5	3.0	68.5	38.7	148.9	3.0
.....	17.5	29.2	125.6	154.8	87.6	55.5	93.5	58.4	78.9	55.5	2.9	67.2	52.6	128.5	5.8
2.9	17.2	20.1	129.0	192.1	63.1	77.4	88.9	65.9	63.1	65.9	.....	91.7	31.5	106.1	.....
2.8	8.4	19.7	152.0	171.7	87.2	59.1	50.7	70.4	92.9	47.8	2.8	62.0	25.3	163.2	.....
2.8	13.8	33.2	110.6	168.6	88.4	58.0	47.0	63.6	71.9	58.0	.....	55.3	24.9	94.0	.....
5.4	16.3	21.7	149.3	230.8	65.2	62.5	84.2	48.9	67.9	40.7	.....	73.3	21.7	138.5	.....
2.7	16.0	16.0	125.2	175.9	85.3	58.6	64.0	56.0	77.3	61.3	2.7	61.3	32.0	133.2	.....
.....	7.9	23.6	118.0	222.9	97.0	39.3	60.3	55.1	65.6	73.4	2.6	68.2	49.8	107.5	.....
.....	15.5	18.1	93.0	173.0	62.0	25.8	49.1	72.3	72.3	51.6	5.2	56.8	62.0	80.0	.....
.....	22.9	15.3	119.5	178.0	94.1	66.1	40.7	55.9	38.1	63.6	5.1	61.0	12.7	127.1	.....
.....	4.1	49.6	169.4	152.9	119.8	78.5	140.5	86.8	74.4	82.6	8.3	53.7	53.7	74.4	4.1
8.4	4.2	58.8	142.9	142.9	134.5	63.1	159.7	63.1	54.6	96.7	8.4	84.1	46.2	155.5	4.2
4.3	4.3	42.8	158.3	132.6	128.3	68.4	154.0	85.5	77.0	81.3	4.3	81.3	55.6	59.9	.....
.....	21.8	26.1	113.1	135.0	82.7	108.8	126.3	152.4	95.8	78.3	13.1	56.6	43.5	139.4	.....
.....	4.4	17.7	164.0	137.4	159.6	70.9	141.8	84.2	57.6	84.2	8.9	115.2	13.3	155.1	.....
13.5	22.6	18.1	117.4	167.0	72.2	72.2	140.0	140.0	67.7	81.3	9.0	45.1	13.5	126.4	.....
.....	13.6	13.6	104.0	135.6	135.6	99.5	126.6	76.9	54.2	63.3	4.5	108.5	9.0	122.1	.....
.....	18.1	13.6	144.8	172.0	135.8	122.2	81.5	104.1	67.9	95.0	18.1	117.7	18.1	104.1	.....
4.5	18.1	9.1	167.7	176.7	68.0	77.0	99.7	77.0	72.5	49.8	4.5	117.8	13.6	81.6	.....
.....	.....	18.1	90.7	235.9	104.4	108.9	181.5	118.0	113.4	90.7	18.1	99.8	13.6	145.2	.....
.....	26.8	53.6	273.6	171.6	96.6	85.8	118.0	64.4	32.2	118.0	.....	101.9	26.8	219.9	21.5
.....	31.7	26.4	216.9	201.0	84.6	74.1	111.1	95.2	79.3	52.9	.....	127.0	21.2	201.0	10.6
.....	10.4	31.3	208.7	182.6	78.3	52.2	78.3	47.0	57.4	36.5	15.7	67.8	47.0	219.1	15.7
.....	10.3	30.9	231.6	200.7	56.6	82.3	72.0	51.5	51.5	87.5	20.6	92.6	25.7	200.7	.....
.....	10.2	55.9	238.7	238.7	101.6	91.4	142.2	86.3	86.3	86.3	10.2	101.6	10.2	203.1	.....
.....	30.1	20.0	215.5	195.4	105.2	85.2	75.2	70.2	135.3	65.1	10.0	90.2	10.0	200.4	5.0
.....	15.1	10.1	211.4	266.8	120.8	35.2	80.5	85.6	85.6	70.5	10.1	55.4	50.3	327.2	5.0
.....	30.3	25.3	333.6	267.9	106.2	85.9	55.6	91.0	111.2	80.9	15.2	106.2	30.3	308.3	5.1
.....	15.2	55.8	263.9	157.3	66.0	116.7	96.4	60.9	106.6	76.1	20.3	91.4	15.2	269.0	.....
5.1	15.4	56.4	271.9	287.2	82.1	51.3	61.6	71.8	92.3	76.9	20.5	82.1	20.5	205.2	.....
.....	.....	26.0	208.3	225.6	104.1	95.5	112.8	26.0	60.7	138.8	8.7	34.7	52.1	182.2	.....
.....	8.4	33.8	177.4	194.3	101.4	84.5	160.5	67.6	84.5	76.0	8.4	67.6	76.0	152.1	.....
.....	8.2	16.5	115.2	197.5	74.1	90.5	49.4	123.4	98.7	57.6	8.2	57.6	41.1	148.1	.....
.....	16.0	32.1	176.5	272.7	64.2	96.2	120.3	48.1	112.3	80.2	.....	16.0	40.1	96.2	.....
.....	7.8	7.8	101.7	281.6	62.6	78.2	140.8	23.5	62.6	93.9	.....	15.6	39.1	86.1	.....
.....	7.6	30.5	145.1	313.0	53.4	45.8	91.6	30.5	84.0	45.8	15.3	53.4	30.5	53.4	.....
.....	14.6	21.9	153.1	218.7	124.0	87.5	94.8	65.6	80.2	94.8	7.3	65.6	29.2	87.5	.....
.....	14.0	21.1	77.2	196.6	63.2	112.3	126.4	56.2	112.3	112.3	21.1	63.2	42.1	105.3	.....
6.8	13.5	33.8	148.9	209.8	60.9	108.3	74.5	33.8	60.9	108.3	6.8	40.6	47.4	81.2	.....
6.5	13.1	6.5	156.8	215.7	117.6	98.0	111.1	52.3	85.0	45.7	.....	85.0	19.6	85.0	.....
9.2	13.8	45.9	160.8	156.2	105.7	105.7	128.6	82.7	82.7	82.7	4.6	96.5	91.9	156.2	.....
17.8	17.8	35.7	182.9	174.0	98.2	62.5	71.4	120.5	80.3	66.9	8.9	66.9	58.0	138.3	4.5
4.3	17.3	34.7	216.8	199.5	151.8	99.7	60.7	91.1	99.7	43.4	8.7	143.1	30.4	82.4	.....
.....	25.3	29.5	227.8	122.3	126.5	80.1	97.0	118.1	59.1	59.1	12.7	92.8	21.1	151.9	.....
4.1	24.6	28.7	115.0	262.8	110.9	69.8	90.3	102.7	82.1	78.0	.....	110.9	32.8	164.2	.....
.....	12.0	36.0	156.0	276.0	72.0	60.0	76.0	76.0	88.0	64.0	12.0	152.0	32.0	176.0	.....
7.5	30.0	37.5	120.0	221.2	97.5	45.0	52.5	90.0	67.5	48.7	18.7	105.0	11.2	112.5	.....
.....	.....	49.8	163.6	209.9	103.2	71.1	71.1	128.1	99.6	60.5	7.1	163.6	32.0	149.4	.....
6.8	6.8	16.9	152.3	216.6	115.1	71.1	54.1	98.1	74.5	74.5	6.8	128.6	20.3	111.7	.....
.....	12.9	16.1	135.6	164.6	142.0	64.5	87.1	113.0	87.1	83.9	3.2	135.6	32.3	106.5	.....
.....	.....	31.3	156.4	208.5	166.8	52.1	10.4	73.0	93.8	62.5	20.9	62.5	73.0	250.2	.....
.....	10.1	20.2	141.5	262.7	111.1	70.7	60.6	80.8	80.8	80.8	10.1	80.8	101.0	181.9	.....
.....	9.8	9.8	147.0	264.7	19.6	49.0	88.2	58.8	58.8	58.8	.....	29.4	19.6	127.4	.....
.....	9.5	.....	95.2	161.8	9.5	57.1	76.1	85.7	66.6	104.7	38.1	28.6	28.6	142.8	.....
.....	.....	18.5	148.0	166.5	46.2	111.0	101.7	92.5	74.0	37.0	.....	129.5	27.7	129.5	.....
.....	18.0	54.0	98.9	251.8	36.0	54.0	89.9	89.9	63.0	98.9	18.0	71.9	36.0	197.9	.....
.....	8.8	.....	176.1	228.9	79.2	79.2	35.2	52.8	61.6	79.2	8.8	96.8	35.2	70.4	.....
.....	34.6	51.9	95.1	268.0	43.2	51.9	103.8	112.4	43.2	129.7	8.6	43.2	43.2	103.8	.....
.....	17.0	8.5	118.9	288.8	17.0	85.0	59.5	76.5	59.5	161.4	8.5	51.0	51.0	101.9	.....
8.3	8.3	25.0	167.0	208.7	91.8	83.5	66.8	91.8	33.4	66.8	16.7	50.1	33.4	116.9	.....

[1] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
MASSACHUSETTS—continued.														
Quincy	1900	1,481.2	16.7	.....	.....	4.2	.....	8.4	79.5	25.1	(2)	179.9	25.1	37.6
	1901	1,309.9	8.1	.....	.....	.....	.....	20.2	32.3	20.2	(2)	141.5	32.3	48.5
	1902	1,595.7	19.6	.....	15.6	7.8	3.9	3.9	54.8	.....	(2)	160.4	19.6	39.1
	1903	1,363.4	7.6	.....	.....	3.8	.....	34.1	41.7	30.3	(2)	113.6	22.7	94.7
	1904	1,281.2	3.7	.....	.....	11.0	7.3	3.7	36.7	7.3	(2)	143.2	47.7	73.4
	1905	1,307.2	10.7	.....	.....	.....	10.7	3.6	46.3	10.7	.....	149.6	24.9	74.8
	1906	1,320.8	3.4	.....	.....	10.3	.....	30.9	30.9	.....	13.7	164.7	13.7	75.5
	1907	1,280.3	.....	.....	.....	6.7	10.0	6.7	23.3	26.6	3.3	126.4	13.3	69.8
	1908	1,213.2	9.7	.....	.....	.....	.....	3.2	32.3	12.9	6.5	93.6	38.7	64.5
	1909	1,200.1	9.4	.....	.....	3.1	.....	12.5	6.3	.....	6.3	131.6	25.1	56.4
Revere town	1900	1,462.2	9.6	.....	.....	19.2	9.6	19.2	77.0	28.8	(2)	115.5	67.3	57.7
	1901	1,272.2	9.2	.....	.....	9.2	46.1	18.4	27.7	18.4	(2)	83.0	18.4	46.1
	1902	1,327.4	17.7	.....	26.5	8.8	8.8	26.5	17.7	.....	(2)	115.0	53.1	61.9
	1903	1,225.2	17.0	.....	.....	.....	.....	42.5	25.5	8.5	(2)	102.1	17.0	34.0
	1904	1,269.9	8.2	.....	.....	.....	.....	.....	24.6	24.6	(2)	114.7	24.6	73.7
	1905	1,177.0	15.8	.....	.....	7.9	.....	7.9	.....	23.7	15.8	118.5	31.6	86.9
	1906	1,267.4	28.6	.....	.....	.....	.....	35.8	7.2	.....	14.3	93.1	43.0	121.7
	1907	1,252.7	.....	.....	.....	.....	6.6	19.9	19.9	26.5	6.6	86.2	53.0	86.2
	1908	981.0	6.2	.....	.....	6.2	.....	18.5	18.5	.....	12.3	98.7	.....	37.0
	1909	1,125.2	11.5	.....	.....	28.9	.....	11.5	17.3	5.8	.....	46.2	34.6	46.2
Salem	1900	2,030.3	22.3	.....	.....	.....	13.9	47.3	69.5	55.6	(2)	172.4	36.2	97.4
	1901	1,747.0	24.8	2.8	.....	.....	44.1	2.8	38.6	38.6	(2)	151.6	30.3	79.9
	1902	1,793.9	24.6	2.7	5.5	10.9	.....	.....	54.6	.....	(2)	172.0	24.6	87.4
	1903	2,005.0	46.0	2.7	.....	5.4	.....	37.9	70.4	13.5	(2)	167.8	13.5	110.9
	1904	1,885.1	21.5	.....	.....	.....	.....	13.4	29.5	10.7	(2)	152.8	21.5	131.4
	1905	1,969.3	26.6	.....	.....	13.3	.....	.....	53.2	8.0	10.6	164.8	21.3	103.6
	1906	1,953.7	33.3	.....	.....	2.6	5.1	56.3	51.2	7.7	20.5	143.4	46.1	107.5
	1907	1,782.6	22.3	.....	.....	5.0	.....	14.9	22.3	14.9	7.4	149.0	37.2	91.9
	1908	1,756.5	12.0	.....	.....	19.3	2.4	14.5	19.3	2.4	12.0	120.5	31.3	113.2
	1909	1,610.2	2.3	.....	.....	2.3	2.3	9.4	11.7	14.0	23.4	86.6	23.4	98.3
Somerville	1900	1,623.9	16.2	.....	.....	1.6	13.0	27.6	77.9	42.2	(2)	168.7	26.0	61.6
	1901	1,321.9	19.0	.....	.....	7.9	9.5	25.3	44.3	20.6	(2)	145.6	20.6	69.7
	1902	1,383.4	7.7	.....	7.7	7.7	4.6	13.9	30.9	4.6	(2)	170.0	30.9	69.6
	1903	1,443.7	13.6	.....	.....	3.0	16.6	37.8	31.7	22.7	(2)	123.8	18.1	75.5
	1904	1,424.4	17.7	.....	.....	7.4	4.4	.....	25.1	11.8	(2)	138.8	26.6	73.8
	1905	1,385.8	13.0	.....	.....	.....	5.8	5.8	24.5	23.1	21.7	109.7	28.9	75.1
	1906	1,405.6	14.1	.....	.....	9.8	1.4	23.9	21.1	7.0	11.2	127.9	32.3	98.4
	1907	1,366.3	16.5	1.4	.....	4.1	16.5	9.6	12.4	27.5	11.0	118.2	19.2	94.8
	1908	1,211.7	12.1	.....	.....	4.0	5.4	16.1	18.8	13.4	6.7	99.5	13.4	99.5
	1909	1,298.0	9.2	.....	.....	13.2	13.2	13.2	39.5	10.5	5.3	100.0	22.4	98.7
Southbridge town	1900	2,294.3	.....	.....	.....	69.8	.....	20.0	59.9	.....	(2)	99.7	10.0	69.8
	1901	1,555.8	19.6	.....	.....	.....	.....	.....	39.1	.....	(2)	107.6	19.6	9.8
	1902	1,593.9	57.6	.....	.....	9.6	.....	9.6	19.2	.....	(2)	115.2	19.2	57.6
	1903	1,630.5	9.4	.....	.....	.....	.....	9.4	9.4	.....	(2)	75.4	9.4	84.8
	1904	1,739.9	.....	.....	.....	.....	.....	27.8	203.6	.....	(2)	194.4	37.0	46.3
	1905	1,781.8	36.4	.....	.....	.....	.....	.....	227.3	.....	36.4	190.9	27.3	27.3
	1906	1,292.4	35.2	.....	.....	.....	.....	.....	35.2	.....	.....	140.7	8.8	35.2
	1907	1,641.7	8.6	.....	.....	59.9	.....	68.4	25.7	.....	.....	188.1	17.1	94.1
	1908	1,373.2	16.6	.....	.....	.....	.....	8.3	16.6	25.0	16.6	149.8	8.3	83.2
	1909	1,321.2	40.5	.....	.....	32.4	.....	16.2	40.5	.....	8.1	113.5	8.1	97.3
Springfield	1900	1,841.8	27.4	6.4	.....	17.7	1.6	14.5	41.9	51.6	(2)	159.5	35.5	77.3
	1901	1,460.6	28.0	6.2	.....	1.6	3.1	10.9	20.2	18.6	(2)	166.3	24.9	66.8
	1902	1,521.4	19.5	.....	.....	.....	19.5	10.5	24.0	15.0	(2)	139.5	33.0	84.0
	1903	1,601.2	23.2	4.4	.....	24.7	24.7	36.3	31.9	27.6	(2)	143.6	18.9	89.9
	1904	1,619.8	15.4	1.4	.....	4.2	15.4	5.6	39.3	21.1	(2)	141.8	32.3	101.1
	1905	1,533.9	27.2	4.1	.....	2.7	1.4	2.7	36.7	21.8	6.8	119.7	47.6	104.7
	1906	1,482.7	20.7	6.5	.....	6.5	5.2	24.6	32.4	7.8	6.5	116.6	32.4	85.5
	1907	1,638.4	28.7	3.7	.....	21.2	12.5	10.0	24.9	38.6	7.5	114.6	26.2	84.7
	1908	1,463.4	28.8	1.2	.....	.....	9.6	6.0	31.2	27.6	6.0	92.4	21.6	104.4
	1909	1,523.1	13.9	2.3	.....	8.1	28.9	3.5	39.3	15.0	11.6	108.7	28.9	77.5
Taunton*	1900	2,071.8	25.8	9.7	.....	32.2	.....	6.4	16.1	29.0	(2)	219.1	12.9	58.0
	1901	1,821.2	29.0	6.4	.....	.....	12.9	.....	16.1	22.6	(2)	212.7	25.8	41.9
	1902	1,838.2	22.6	.....	.....	.....	3.2	22.6	25.8	12.9	(2)	212.8	19.3	77.4
	1903	2,090.7	19.4	9.7	.....	3.2	16.1	12.9	32.3	35.5	(2)	167.8	22.6	80.7
	1904	2,030.3	6.5	6.5	.....	.....	9.7	.....	16.1	29.1	(2)	196.9	22.6	67.8
	1905	2,183.0	9.7	6.5	.....	3.2	9.7	9.7	32.3	29.1	6.5	239.0	32.3	42.0
	1906	1,994.3	34.7	3.2	.....	22.1	.....	37.8	9.5	22.1	22.1	201.6	15.8	56.7
	1907	2,243.5	21.6	3.1	.....	3.1	6.2	12.3	12.3	52.5	24.7	166.6	24.7	64.8
	1908	1,992.8	21.2	.....	.....	9.1	27.2	15.1	3.0	42.3	21.2	208.7	21.2	66.5
	1909	2,131.4	35.6	.....	.....	11.9	11.9	32.6	8.9	23.7	20.8	163.0	35.6	80.0
Wakefield town	1900	1,280.9	32.3	.....	.....	.....	43.1	10.8	53.8	21.5	(2)	118.4	.....	75.3
	1901	1,370.6	21.1	.....	.....	.....	.....	.....	10.5	10.5	(2)	126.5	31.6	73.8
	1902	1,466.9	20.7	.....	.....	31.0	20.7	.....	.....	.....	(2)	237.6	10.3	103.3
	1903	1,154.3	10.1	.....	.....	.....	.....	30.4	.....	.....	(2)	192.3	10.1	50.6
	1904	1,191.4	.....	.....	.....	9.9	.....	.....	.....	.....	(2)	168.8	9.9	89.4
	1905	1,392.7	9.7	.....	.....	.....	.....	.....	9.7	9.7	19.5	185.0	19.5	97.4
	1906	1,253.0	.....	9.5	.....	9.5	9.5	9.5	19.0	.....	.....	142.4	47.5	94.9
	1907	1,179.8	18.6	.....	.....	.....	9.3	27.9	9.3	18.6	27.9	83.6	18.6	92.9
	1908	1,337.2	36.4	.....	.....	18.2	18.2	9.1	9.1	.....	18.2	127.4	36.4	91.0
	1909	1,042.6	8.9	.....	.....	.....	17.8	17.8	.....	17.8	.....	115.8	17.8	44.6

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	8.4	58.6	108.8	213.4	96.2	83.7	133.9	62.8	29.3	83.7	.....	58.6	37.6	117.2	12.5
.....	4.0	24.3	88.9	177.9	76.8	72.8	101.1	60.6	44.5	76.8	20.2	64.7	32.3	161.7	.....
.....	19.6	27.4	125.2	203.4	105.6	70.4	172.1	78.2	54.8	117.3	7.8	101.7	15.6	160.4	11.7
3.8	22.7	37.9	90.9	196.9	83.3	56.8	79.5	64.4	72.0	90.9	15.1	90.9	15.1	94.7	.....
.....	7.3	22.0	58.7	201.9	110.1	51.4	95.4	33.0	40.4	110.1	7.3	102.8	11.0	95.4	.....
3.6	3.6	49.9	67.7	220.8	106.9	46.3	110.4	28.5	39.2	92.6	10.7	96.2	14.2	85.5	.....
.....	17.2	20.6	78.9	175.0	92.6	82.3	99.5	44.6	44.6	92.6	6.9	92.6	13.7	116.6	.....
.....	6.7	20.0	99.8	182.9	86.5	46.6	159.6	59.9	73.2	66.5	10.0	79.8	13.3	89.8	.....
.....	22.6	19.4	93.6	235.5	41.9	54.9	116.2	45.2	51.6	74.2	9.7	100.0	9.7	77.4	.....
.....	21.9	12.5	109.7	231.9	75.2	34.5	84.6	65.8	43.9	90.9	6.3	109.7	12.5	50.1	.....
.....	19.2	19.2	125.1	105.8	115.5	86.6	115.5	48.1	38.5	67.3	.....	86.6	115.5	115.4	.....
.....	9.2	18.4	138.3	101.4	83.0	64.5	110.6	55.3	73.8	119.8	.....	83.0	36.9	101.4	.....
.....	8.8	8.8	132.7	141.6	123.9	53.1	123.9	35.4	97.3	70.8	8.8	79.6	35.4	70.8	.....
.....	8.5	25.5	127.6	136.1	93.6	85.1	110.6	85.1	51.1	51.1	17.0	51.1	17.0	119.1	.....
.....	16.4	49.2	81.9	155.7	73.7	73.7	106.5	122.9	65.5	49.2	.....	73.7	24.6	106.5	.....
.....	7.9	7.9	110.6	126.4	86.9	86.9	86.9	55.3	94.8	15.8	7.9	79.0	23.7	79.0	.....
.....	21.5	35.8	143.2	136.0	57.3	64.4	100.2	28.6	57.3	71.6	14.3	57.3	50.1	85.9	.....
.....	19.9	26.5	119.3	192.2	125.9	13.3	66.3	39.8	26.5	152.4	6.6	59.7	13.3	86.2	.....
.....	6.2	18.5	92.5	129.6	67.9	80.2	92.5	37.0	61.7	86.4	12.3	30.8	.....	67.9	.....
.....	5.8	28.9	155.8	196.2	63.5	63.5	86.6	57.7	63.5	40.4	11.5	51.9	17.3	80.8	.....
.....	13.9	44.5	208.6	208.6	114.0	130.7	178.0	58.4	75.1	172.4	2.8	61.2	75.1	172.4	.....
2.8	8.3	22.0	195.6	179.1	90.9	66.1	162.6	79.9	107.5	121.2	2.8	52.4	82.7	157.1	2.8
.....	13.7	35.5	210.2	243.0	98.3	111.9	111.9	46.4	101.0	122.9	8.2	57.3	117.4	133.8	.....
2.7	18.9	48.8	189.4	276.0	113.6	138.0	157.0	46.0	97.4	140.7	5.4	75.8	73.0	154.2	.....
5.4	18.8	29.5	177.0	273.5	96.5	83.1	195.8	80.4	99.2	158.2	16.1	85.8	59.0	126.0	.....
2.7	15.9	45.2	223.2	244.8	95.7	77.1	236.5	69.1	103.6	180.7	5.3	79.7	90.4	98.3	.....
.....	20.5	33.3	158.8	294.5	84.5	105.0	125.5	74.3	89.6	176.7	10.2	105.0	79.4	122.9	.....
.....	32.3	44.7	196.1	230.9	79.4	101.8	124.1	49.7	99.3	149.0	9.9	94.3	64.5	141.5	.....
2.4	16.9	38.6	187.9	262.6	118.1	125.3	118.1	57.8	98.8	161.4	7.2	65.1	57.8	91.6	.....
.....	28.1	11.7	133.4	262.1	135.7	81.9	152.1	70.2	100.6	93.6	18.7	84.3	32.8	128.7	2.3
.....	8.1	38.9	134.6	155.7	115.5	76.2	139.5	68.1	69.7	92.5	1.6	69.7	58.4	159.0	1.6
.....	11.1	28.5	110.8	150.0	80.7	80.7	69.7	71.2	80.7	64.9	7.9	45.9	26.9	129.8	.....
.....	13.9	30.9	126.8	182.4	146.8	77.3	72.6	72.6	80.4	58.7	4.6	43.3	26.3	98.9	.....
3.0	21.1	42.3	142.0	190.3	129.9	72.5	57.4	48.3	81.5	105.7	7.6	52.9	21.1	123.8	1.5
1.5	19.2	25.1	143.2	227.3	125.5	66.4	62.0	63.5	90.0	84.1	1.5	69.4	26.6	113.7	.....
.....	8.7	23.1	163.1	219.4	129.9	75.1	80.8	66.4	75.1	70.7	5.8	50.5	5.8	103.9	.....
2.8	22.5	23.9	140.6	213.6	127.9	47.8	94.2	66.1	68.9	75.9	1.4	63.3	14.1	95.6	.....
2.7	9.6	17.9	129.2	265.3	114.1	38.5	64.6	52.2	96.2	55.0	5.5	71.5	4.1	108.6	.....
.....	14.8	12.1	103.6	234.0	114.3	65.9	76.7	44.4	49.8	61.9	6.7	45.7	12.1	80.7	.....
1.3	19.7	7.9	122.4	268.5	101.4	50.0	71.1	47.4	90.8	36.9	7.9	56.6	5.3	85.6	.....
.....	20.0	79.8	159.6	79.8	289.3	169.6	249.4	139.6	149.6	259.3	.....	69.8	89.8	199.5	10.0
.....	19.6	78.3	97.8	127.2	156.6	58.7	137.0	58.7	127.2	58.7	9.8	39.1	117.4	274.0	.....
.....	9.6	38.4	144.0	86.4	144.0	134.4	153.6	38.4	57.6	153.6	9.6	48.0	86.4	201.6	.....
.....	9.4	37.7	141.4	94.3	113.1	94.3	188.5	75.4	56.6	169.7	.....	47.1	84.8	245.1	84.8
.....	.....	83.3	92.5	101.8	37.0	92.5	120.3	129.6	83.3	222.1	9.3	64.8	27.8	166.6	.....
.....	27.3	90.9	90.9	36.4	27.3	90.9	336.4	72.7	109.1	136.4	.....	45.5	72.7	100.0	.....
.....	.....	44.0	87.9	114.3	61.5	52.8	105.5	123.1	79.1	123.1	17.6	70.4	61.5	96.7	.....
.....	8.6	34.2	111.2	128.3	59.9	111.2	205.2	94.1	51.3	111.2	.....	42.8	68.4	153.9	.....
.....	33.3	25.0	74.9	83.2	108.2	108.2	83.2	66.6	66.6	166.4	.....	16.6	49.9	166.4	.....
.....	.....	48.6	97.3	137.8	73.0	121.6	129.7	24.3	81.1	113.5	8.1	24.3	40.5	64.8	.....
.....	14.5	58.0	140.2	161.1	133.8	99.9	154.7	83.8	157.9	111.2	9.7	69.3	45.1	169.2	.....
3.1	17.1	20.2	143.0	174.0	105.7	43.5	73.0	55.9	149.2	74.6	6.2	104.1	32.6	111.9	.....
.....	12.0	48.0	133.5	177.0	96.0	67.5	70.5	85.5	136.5	111.0	7.5	64.5	31.5	135.0	.....
1.5	16.0	37.7	145.0	152.3	129.1	78.3	79.8	65.3	121.8	75.4	10.2	103.0	26.1	132.0	2.9
1.4	14.0	23.9	151.6	245.6	71.6	63.2	94.0	77.2	143.2	91.2	7.0	108.1	11.2	139.0	.....
2.7	25.8	32.6	125.1	167.3	123.7	43.5	84.3	72.1	163.2	74.8	6.8	92.5	25.8	118.3	.....
2.6	15.6	29.8	137.4	163.3	95.9	58.3	90.7	76.5	134.8	76.5	15.6	112.8	15.6	112.8	.....
.....	26.2	27.4	138.3	193.1	119.6	74.8	81.0	86.0	157.0	87.2	15.0	109.6	33.6	117.1	.....
.....	19.2	16.8	124.8	176.3	103.2	54.0	81.6	93.6	148.7	75.6	19.2	102.0	14.4	105.6	.....
1.2	13.9	24.3	105.2	196.6	126.1	61.3	87.9	77.5	151.5	90.2	16.2	93.7	17.3	122.6	.....
9.7	12.9	48.3	254.5	174.0	161.1	128.9	283.5	83.8	77.3	80.6	9.7	45.1	80.6	209.4	3.2
22.6	3.2	22.6	338.5	157.9	112.8	99.9	132.2	87.0	67.7	99.9	19.3	54.8	29.0	206.3	.....
12.9	12.9	29.0	280.6	264.4	109.6	106.4	135.4	54.8	38.7	80.6	9.7	77.4	48.4	180.6	.....
3.2	22.6	54.8	367.8	177.4	171.0	164.5	148.4	80.7	109.7	90.3	12.9	54.8	61.3	171.0	.....
3.2	16.1	45.2	297.0	203.4	200.1	145.3	161.4	90.4	113.0	100.1	3.2	87.2	25.8	184.0	.....
3.2	22.6	64.6	332.6	232.5	180.8	129.2	206.7	129.2	90.4	106.6	3.2	74.3	54.9	132.4	.....
3.2	15.8	69.3	289.8	255.2	167.0	129.2	148.1	78.8	63.0	104.0	6.3	75.6	22.1	141.7	.....
6.2	33.9	49.4	265.4	327.1	212.9	132.7	234.5	92.6	108.0	101.8	12.3	117.3	18.5	138.9	.....
3.0	27.2	36.3	260.1	320.5	130.0	90.7	208.7	90.7	78.6	93.7	12.1	45.4	18.1	136.1	6.0
3.0	32.6	20.8	311.3	290.5	169.0	148.2	219.4	106.7	94.9	86.0	3.0	65.2	41.5	112.6	3.0
.....	.....	32.3	183.0	139.9	139.9	53.8	32.3	10.8	129.2	.....	10.8	53.8	.....	139.9	.....
.....	10.5	31.6	253.0	168.7	63.3	94.9	52.7	63.3	94.9	84.3	10.5	42.2	21.1	105.4	.....
10.3	10.3	31.0	186.0	216.9	103.3	103.3	10.3	31.0	93.0	41.3	.....	41.3	20.7	144.6	.....
.....	10.1	60.8	131.6	111.3	81.0	101.3	10.1	30.4	20.3	101.3	30.4	40.5	10.1	121.5	.....
.....	19.9	19.9	178.7	129.1	79.4	99.3	49.6	29.8	59.5	39.7	.....	49.6	29.8	129.1	.....
.....	9.7	68.2	175.3	194.8	126.6	87.7	87.7	29.2	39.0	48.7	.....	68.2	19.5	87.7	.....
.....	.....	.....	180.4	161.4	47.5	66.4	85.4	47.5	66.4	94.9	.....	38.0	.....	123.4	.....
.....	9.3	55.7	157.9	185.8	102.2	9.3	83.6	37.2	37.2	55.7	.....	65.0	9.3	65.0	.....
18.2	.....	54.6	172.8	154.6	54.6	18.2	100.1	91.0	18.2	63.7	9.1	81.9	9.1	127.4	.....
.....	.....	35.6	133.7	187.1	71.3	26.7	44.6	35.6	35.6	71.3	.....	26.7	8.9	124.8	.....

[2] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued														
MASSACHUSETTS—continued.														
Waltham	1900	1,541.7	21.3	4.2	.....	.....	.....	8.5	106.5	21.3	(2)	153.4	55.4	93.7
	1901	1,451.7	29.1	4.2	.....	4.2	4.2	8.3	29.1	29.1	(2)	224.6	25.0	58.2
	1902	1,329.2	40.6	4.1	.....	20.3	16.3	16.3	20.3	.....	(2)	134.1	36.6	105.7
	1903	1,387.1	31.8	4.0	.....	11.9	4.0	23.8	23.8	23.8	(2)	107.3	27.8	63.6
	1904	1,298.5	15.6	7.8	.....	.....	.....	.....	23.3	15.6	(2)	159.4	35.0	81.6
	1905	1,381.2	53.3	.....	.....	.....	3.8	7.6	15.2	60.9	.....	102.7	38.0	60.9
	1906	1,339.7	22.5	.....	.....	30.0	.....	7.5	41.3	7.5	7.5	116.3	37.5	78.8
	1907	1,435.5	33.4	.....	.....	.....	7.4	7.4	26.0	48.2	3.7	137.2	37.1	59.3
	1908	1,151.3	14.7	.....	.....	11.0	11.0	7.3	18.3	33.0	.....	110.0	47.7	91.7
	1909	1,421.0	21.8	.....	.....	18.1	25.4	3.6	21.8	29.0	7.3	105.1	47.1	61.6
Ware town	1900	2,105.8	.....	12.1	.....	121.0	.....	108.9	.....	48.4	(2)	181.6	24.2	72.6
	1901	1,704.9	12.0	.....	.....	60.0	.....	12.0	36.0	48.0	(2)	192.1	72.0	24.0
	1902	1,751.0	.....	.....	.....	.....	11.9	.....	.....	.....	(2)	250.1	23.8	59.6
	1903	1,252.8	.....	.....	.....	23.6	47.3	.....	23.6	35.5	(2)	118.2	23.6	35.5
	1904	1,465.9	.....	.....	.....	.....	.....	.....	11.7	35.2	(2)	187.6	35.2	58.6
	1905	1,477.8	.....	.....	.....	.....	.....	.....	23.3	23.3	.....	174.5	46.5	23.3
	1906	1,991.7	11.6	.....	.....	46.3	.....	34.7	92.6	11.6	23.2	139.0	46.3	81.1
	1907	1,775.8	11.5	.....	.....	57.7	.....	34.6	34.6	11.5	11.5	126.8	69.2	46.1
	1908	1,630.7	.....	.....	.....	11.5	.....	.....	34.5	23.0	23.0	172.3	34.5	45.9
	1909	1,337.9	.....	.....	.....	11.4	.....	11.4	.....	.....	22.9	114.4	34.3	45.7
Watertown town	1900	1,514.5	41.2	10.3	.....	.....	10.3	10.3	41.2	41.2	(2)	134.0	10.3	51.5
	1901	1,228.0	10.0	.....	.....	10.0	.....	.....	20.0	20.0	(2)	129.8	10.0	30.0
	1902	1,268.6	.....	.....	9.7	.....	29.1	.....	.....	.....	(2)	106.5	9.7	106.5
	1903	1,147.0	18.8	.....	.....	.....	.....	9.4	.....	28.2	(2)	103.4	9.4	47.0
	1904	1,269.8	.....	.....	.....	9.1	.....	9.1	.....	18.3	(2)	127.9	.....	54.8
	1905	1,208.0	.....	.....	.....	8.9	.....	.....	35.5	44.4	8.9	97.7	17.8	44.4
	1906	1,039.7	.....	.....	.....	8.6	.....	17.2	17.2	.....	.....	68.7	17.2	51.6
	1907	1,228.7	.....	.....	.....	.....	16.7	8.4	16.7	16.7	8.4	100.3	25.1	58.5
	1908	1,025.2	.....	.....	.....	8.1	8.1	8.1	.....	32.5	24.4	105.8	8.1	73.2
	1909	1,252.4	.....	.....	.....	7.9	.....	15.9	.....	23.8	7.9	71.3	39.6	55.5
Webster town	1900	1,703.8	11.4	11.4	.....	.....	11.4	.....	11.4	45.4	(2)	170.4	11.4	34.1
	1901	1,437.1	22.1	33.2	.....	22.1	11.1	11.1	33.2	44.2	(2)	66.3	.....	11.1
	1902	1,700.9	10.8	10.8	.....	10.8	140.0	32.3	86.1	10.8	(2)	118.4	21.5	21.5
	1903	1,605.1	.....	.....	.....	.....	.....	31.5	52.5	21.0	(2)	136.4	.....	62.9
	1904	1,493.6	10.2	.....	.....	.....	.....	10.2	20.5	10.2	(2)	163.7	20.5	40.9
	1905	1,517.3	20.0	.....	.....	29.9	.....	39.9	59.9	29.9	20.0	169.7	20.0	79.9
	1906	1,350.3	19.3	19.3	.....	28.9	.....	9.6	28.9	9.6	.....	106.1	9.6	19.3
	1907	1,331.0	.....	.....	.....	.....	.....	18.7	28.1	9.4	9.4	159.3	9.4	46.9
	1908	1,340.0	9.1	.....	.....	9.1	18.2	45.6	9.1	36.5	9.1	109.4	18.2	45.6
	1909	1,206.6	8.9	.....	.....	17.7	8.9	17.7	.....	26.6	26.6	124.2	26.6	71.0
Westfield town	1900	1,917.1	8.1	.....	.....	.....	8.1	24.4	73.1	16.2	(2)	178.7	24.4	56.9
	1901	1,790.0	.....	.....	.....	.....	.....	.....	143.2	55.7	(2)	143.2	8.0	95.5
	1902	1,629.0	23.4	.....	.....	.....	31.2	15.6	70.1	.....	(2)	124.7	39.0	62.4
	1903	1,711.2	30.6	7.6	.....	15.3	15.3	45.8	61.1	15.3	(2)	114.6	7.6	107.0
	1904	1,520.6	37.5	.....	.....	7.5	7.5	.....	37.5	.....	(2)	157.3	37.5	82.4
	1905	1,557.6	22.0	.....	.....	.....	14.7	.....	7.3	7.3	.....	176.3	22.0	66.1
	1906	1,551.2	35.3	.....	.....	7.1	14.1	.....	28.2	7.1	7.1	105.8	21.2	112.8
	1907	1,553.9	20.4	.....	.....	.....	13.6	6.8	27.3	61.3	27.3	102.2	20.4	122.7
	1908	1,529.9	26.4	.....	.....	13.2	19.8	.....	6.6	19.8	.....	118.7	33.0	65.9
	1909	1,584.2	19.2	.....	.....	.....	.....	38.3	12.8	25.6	6.4	89.4	19.2	70.3
Weymouth town	1900	1,633.7	35.3	.....	.....	.....	.....	.....	26.5	35.3	(2)	238.4	8.8	53.0
	1901	1,424.1	26.4	17.6	.....	8.8	17.6	.....	26.4	8.8	(2)	193.4	17.6	52.7
	1902	1,382.6	26.3	.....	17.5	.....	17.5	26.3	8.8	8.8	(2)	131.3	.....	96.3
	1903	1,672.5	8.7	.....	.....	.....	.....	17.4	26.1	8.7	(2)	130.7	17.4	78.4
	1904	1,422.1	8.7	.....	.....	.....	8.7	.....	26.0	17.3	(2)	164.8	26.0	52.0
	1905	1,501.9	.....	.....	.....	.....	.....	8.6	8.6	8.6	8.6	138.1	8.6	69.1
	1906	1,530.3	8.4	.....	.....	.....	.....	8.4	8.4	25.2	8.4	185.0	8.4	117.7
	1907	1,768.5	8.2	.....	.....	.....	8.2	8.2	8.2	41.1	32.9	164.5	8.2	139.8
	1908	1,433.1	8.1	.....	.....	.....	.....	8.1	40.3	40.3	8.1	120.8	32.2	112.7
	1909	1,308.6	7.9	.....	.....	7.9	7.9	39.4	31.5	7.9	.....	86.7	47.3	70.9
Woburn	1900	1,866.1	28.1	14.0	.....	.....	14.0	7.0	63.1	28.1	(2)	189.4	28.1	77.2
	1901	1,491.3	14.0	14.0	.....	14.0	.....	14.0	.....	7.0	(2)	210.0	21.0	63.0
	1902	1,600.1	.....	.....	7.0	.....	.....	7.0	7.0	7.0	(2)	237.6	21.0	56.9
	1903	1,603.7	.....	13.9	.....	.....	34.9	48.8	13.9	27.9	(2)	167.3	41.8	62.8
	1904	1,356.8	.....	.....	.....	7.0	7.0	.....	7.0	13.9	(2)	104.4	41.7	76.5
	1905	1,520.6	27.8	.....	.....	13.9	.....	.....	13.9	55.5	6.9	159.7	34.7	90.3
	1906	1,683.3	13.7	.....	.....	6.8	6.8	27.4	.....	6.8	13.7	219.0	47.9	75.3
	1907	1,669.3	13.5	.....	.....	.....	20.3	13.5	6.8	40.5	.....	128.4	27.0	87.9
	1908	1,281.7	6.7	.....	.....	.....	.....	6.7	26.7	6.7	13.4	86.8	20.0	46.7
	1909	1,398.1	19.8	.....	.....	.....	.....	.....	19.8	13.2	26.4	178.1	26.4	79.1
Worcester	1900	1,837.5	25.3	4.2	.....	26.2	31.2	24.5	47.3	21.9	(2)	206.0	24.5	62.5
	1901	1,707.3	21.6	6.6	3.3	2.5	10.8	13.3	15.0	28.2	(2)	191.9	29.9	64.0
	1902	1,582.9	13.9	5.7	0.8	7.4	13.1	21.3	7.4	6.5	(2)	165.2	23.7	64.6
	1903	1,696.6	15.3	8.9	.....	23.3	5.6	12.1	8.9	9.7	(2)	170.6	33.0	69.2
	1904	1,622.1	6.3	4.0	.....	2.4	2.4	11.1	7.1	2.4	(2)	168.0	30.1	101.4
	1905	1,768.4	21.1	3.1	.....	3.9	3.1	19.5	10.9	7.0	15.6	171.7	33.6	80.4
	1906	1,748.6	11.3	1.5	.....	9.8	0.8	6.0	36.3	5.3	6.8	154.2	32.5	87.7
	1907	1,908.3	14.0	2.9	.....	7.4	18.4	14.0	63.3	16.2	8.1	149.3	25.7	93.4
	1908	1,669.1	10.0	.....	.....	13.6	29.4	9.3	43.0	11.5	10.0	149.8	25.8	92.4
	1909	1,546.8	8.4	1.4	.....	4.9	6.3	16.8	15.4	2.1	12.6	118.1	25.8	92.9

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
4.2	4.2	59.6	102.2	187.4	123.5	72.4	55.4	55.4	72.4	63.9	4.2	85.2	29.8	136.3	21.3
.....	12.5	37.4	116.5	224.6	91.5	58.2	99.8	29.1	37.4	58.2	4.2	70.7	54.1	137.3	4.2
.....	28.5	24.4	150.4	146.3	113.8	44.7	36.6	81.3	48.8	44.7	4.1	65.0	24.4	117.9	4.1
.....	15.9	15.9	166.9	202.7	107.3	71.5	35.8	67.5	47.7	75.5	.....	83.5	35.8	139.1	.....
.....	15.6	15.6	140.0	194.4	136.1	35.0	66.1	62.2	38.9	66.1	.....	66.1	3.9	120.5	.....
.....	11.4	30.4	186.4	216.9	129.4	26.6	72.3	64.7	72.3	30.4	7.6	87.5	19.0	83.7	.....
3.8	7.5	15.0	168.9	146.4	150.1	37.5	52.5	63.8	56.3	37.5	3.8	78.8	56.3	112.6	.....
.....	26.0	14.8	140.9	207.7	111.3	55.6	74.2	70.5	51.9	59.3	.....	100.1	29.7	133.5	.....
.....	14.7	14.7	117.3	146.7	84.3	55.0	47.7	33.0	33.0	36.7	11.0	62.3	36.7	113.7	.....
3.6	18.1	7.3	177.6	210.3	170.4	32.6	39.9	58.0	97.9	61.6	7.3	101.5	25.4	61.6	7.3
.....	12.1	12.1	169.4	84.7	242.1	84.7	302.6	24.2	108.9	133.1	.....	72.6	48.4	217.9	24.2
.....	12.0	12.0	204.1	96.0	144.1	96.0	228.1	48.0	48.0	60.0	24.0	48.0	72.0	132.1	24.0
.....	23.8	47.6	142.9	154.9	95.3	119.1	381.2	59.6	35.7	71.5	.....	11.9	71.5	190.6	.....
.....	.....	23.6	118.2	70.9	82.8	59.1	94.6	23.6	59.1	106.4	23.6	82.8	59.1	118.2	23.6
.....	.....	23.5	129.0	164.2	129.0	58.6	152.5	82.1	11.7	140.7	.....	82.1	23.5	129.0	11.7
.....	.....	81.5	116.4	186.2	93.1	93.1	197.8	23.3	93.1	69.8	.....	104.7	46.5	81.5	.....
.....	.....	23.2	254.7	150.5	173.7	127.4	335.8	46.3	34.7	57.9	.....	57.9	69.5	172.7	.....
.....	11.5	11.5	230.6	115.3	242.2	126.8	207.6	46.1	80.7	149.9	.....	46.1	11.5	92.3	.....
11.5	11.5	23.0	172.3	206.7	91.9	137.8	137.8	45.9	34.5	114.8	11.5	68.9	23.0	195.2	.....
.....	45.7	34.3	102.9	91.5	80.0	102.9	228.7	80.0	80.0	80.0	.....	22.9	22.9	125.8	.....
.....	10.3	82.4	103.0	154.5	175.2	61.8	144.3	61.8	72.1	41.2	.....	72.1	20.6	123.7	41.2
10.0	20.0	20.0	99.8	119.8	119.8	79.9	69.9	30.0	79.9	49.9	.....	79.9	89.9	129.8	.....
.....	9.7	58.1	125.9	116.2	87.2	58.1	116.2	19.4	29.1	58.1	9.7	58.1	87.2	164.6	9.7
.....	9.4	37.6	141.0	131.6	37.6	56.4	56.4	28.2	47.0	75.2	.....	75.2	65.8	169.2	.....
.....	9.1	27.4	91.3	109.6	100.5	82.2	91.3	18.3	45.7	82.2	.....	127.9	82.2	182.7	.....
.....	35.5	35.5	79.9	213.2	79.9	44.4	71.1	71.1	17.8	88.8	.....	17.8	44.4	151.0	.....
.....	17.2	34.4	51.6	197.6	77.3	68.7	51.6	34.4	34.4	43.0	8.6	94.5	60.4	85.9	.....
.....	8.4	41.8	75.2	234.0	75.2	33.4	58.5	25.1	50.2	83.6	.....	150.5	41.8	100.3	.....
.....	8.1	16.3	97.6	81.4	81.4	32.5	73.2	8.1	24.4	89.5	8.1	16.3	97.6	122.1	.....
.....	15.9	23.8	87.2	237.8	190.2	39.6	39.6	7.9	95.1	79.3	23.8	47.6	31.7	103.0	7.9
.....	.....	.....	159.0	45.4	159.0	45.4	340.7	136.3	68.1	124.9	.....	56.8	147.6	102.3	11.4
.....	.....	44.2	154.8	77.4	99.5	66.3	165.8	88.4	22.1	121.6	.....	55.3	154.8	121.6	11.1
.....	10.8	43.1	215.3	53.8	193.8	86.1	183.0	107.7	21.5	53.8	.....	43.1	86.1	129.2	10.8
.....	.....	31.5	188.8	125.9	167.9	52.5	157.4	94.4	73.4	73.4	10.5	31.5	94.4	178.3	21.0
.....	10.2	20.5	122.8	61.4	214.8	30.7	143.2	92.1	71.6	71.6	20.5	20.5	61.4	194.4	81.8
10.0	10.0	50.0	129.8	69.9	109.8	89.8	149.7	39.9	20.0	99.8	.....	49.9	39.9	139.7	39.9
.....	.....	28.9	96.5	106.1	67.5	96.5	212.2	86.8	67.5	57.9	.....	57.9	135.0	77.2	9.6
9.4	9.4	9.4	37.5	140.6	140.6	65.6	103.1	56.2	75.0	121.8	9.4	46.9	84.4	131.2	9.4
.....	45.6	27.3	82.0	91.2	63.8	63.8	145.9	72.9	54.7	91.2	18.2	118.5	27.3	127.6	.....
.....	17.7	26.6	97.6	88.7	53.2	35.5	168.6	62.1	97.6	35.5	.....	53.2	44.4	88.7	8.9
.....	24.4	56.9	178.7	251.8	121.9	48.7	227.4	81.2	56.9	81.2	24.4	121.9	73.1	178.7	.....
.....	.....	39.8	183.0	206.8	159.1	103.4	71.6	87.5	87.5	71.6	8.0	95.5	39.8	190.9	.....
.....	23.4	23.4	218.2	163.7	116.9	70.1	54.6	124.7	101.3	116.9	7.8	54.6	70.1	116.9	.....
.....	7.6	38.2	213.9	183.3	107.0	61.1	206.3	68.8	76.4	99.3	.....	84.0	45.8	99.3	.....
7.5	30.0	22.5	157.3	202.2	74.9	37.5	112.4	67.4	74.9	67.4	7.5	119.9	30.0	142.3	.....
.....	14.7	36.7	146.9	213.1	146.9	36.7	73.5	80.8	80.8	146.9	7.3	58.8	44.1	154.3	.....
.....	14.1	21.2	176.3	211.5	98.7	14.1	98.7	98.7	112.8	84.6	14.1	70.5	56.4	141.0	.....
.....	13.6	13.6	149.9	136.3	109.0	102.2	122.7	61.3	115.9	81.8	.....	75.0	40.9	129.5	.....
.....	26.4	13.2	191.2	211.0	65.9	39.6	125.3	85.7	105.5	145.1	26.4	52.8	26.4	112.1	.....
6.4	12.8	6.4	159.7	191.6	166.1	70.3	127.8	44.7	102.2	140.5	6.4	102.2	70.3	95.8	.....
.....	17.7	35.3	194.3	291.4	114.8	79.5	97.1	44.2	70.7	70.7	.....	35.3	35.3	141.3	8.8
.....	8.8	.....	149.4	175.8	44.0	44.0	105.5	87.9	87.9	35.2	8.8	17.6	52.7	237.3	.....
8.8	17.5	17.5	166.3	253.8	78.8	43.8	52.5	35.0	78.8	61.3	8.8	61.3	26.3	140.0	.....
.....	34.8	26.1	148.1	322.3	217.8	61.0	104.5	104.5	61.0	104.5	.....	69.7	26.1	104.5	.....
.....	34.7	52.0	95.4	303.5	138.7	17.3	60.7	78.0	95.4	60.7	8.7	43.4	8.7	121.4	.....
8.6	25.9	25.9	207.2	310.7	69.1	95.0	103.6	60.4	86.3	60.4	.....	34.5	43.2	120.8	.....
.....	16.8	33.6	176.6	353.1	117.7	67.3	75.7	16.8	67.3	67.3	.....	42.0	50.4	75.7	.....
.....	8.2	24.7	213.9	353.7	181.0	74.0	131.6	65.8	82.3	41.1	.....	41.1	32.9	98.7	.....
.....	24.2	16 1	153.0	297.9	96.6	48.3	80.5	40.3	104.7	24.2	8.1	56.4	16.1	96.6	.....
.....	15.8	23.6	157.7	291.7	78.8	55.2	39.4	63.1	55.2	47.3	.....	55.2	7.9	102.5	7.9
.....	21.0	84.2	147.3	168.4	161.4	49.1	126.3	91.2	49.1	119.3	14.0	84.2	91.2	210.4	.....
.....	.....	28.0	161.0	133.0	140.0	49.0	70.0	56.0	154.0	77.0	.....	126.0	35.0	105.0	.....
.....	14.0	21.0	188.7	223.6	69.9	69.9	111.8	62.9	132.8	90.8	7.0	76.9	55.9	132.8	.....
.....	.....	13.9	167.3	237.1	132.5	55.8	104.6	20.9	111.6	76.7	7.0	55.8	27.9	181.3	.....
.....	7.0	13.9	180.9	153.1	90.5	76.5	111.3	69.6	104.4	48.7	13.9	62.6	13.9	153.1	.....
6.9	.....	20.8	145.8	277.7	118.0	104.2	41.7	48.6	104.2	34.7	6.9	69.4	27.8	111.1	.....
.....	.....	82.1	95.8	253.2	75.3	89.0	171.1	95.8	109.5	82.1	6.8	82.1	34.2	89.0	.....
.....	40.5	27.0	202.7	324.4	74.3	74.3	135.2	67.6	94.6	81.1	13.5	40.5	40.5	114.9	.....
.....	13.4	13.4	220.3	200.3	86.8	13.4	53.4	66.8	100.1	66.8	.....	73.4	33.4	126.8	.....
13.2	13.2	13.2	164.9	204.4	98.9	72.5	52.8	39.6	79.1	72.5	.....	72.5	39.6	98.9	.....
1.8	15.2	47.3	129.2	163.0	157.1	120.8	179.9	63.3	59.9	148.6	9.3	74.3	32.1	159.6	2.5
1.7	10.8	34.9	181.9	164.5	141.2	110.5	119.6	80.6	74.8	115.5	10.8	91.4	29.9	152.0	.....
3.3	9.0	36.8	168.4	183.1	125.1	116.9	94.8	58.9	60.5	123.5	12.3	92.4	30.3	134.1	4.1
4.8	10.5	46.7	168.2	178.7	146.5	103.0	126.4	103.0	67.6	129.6	7.2	86.1	25.8	136.0	.....
.....	19.8	20.6	165.6	207.6	131.5	114.9	77.7	71.3	78.5	128.4	11.9	95.1	22.2	140.3	1.6
3.1	14.8	35.9	187.3	234.1	131.1	85.1	131.9	85.1	74.1	133.5	19.5	86.6	32.8	143.6	.....
1.5	20.4	37.8	178.3	229.0	135.3	92.9	145.1	83.1	75.6	120.1	12.8	94.5	34.0	134.5	1.5
2.9	26.5	39.0	190.5	257.5	149.3	99.3	129.5	88.3	88.3	133.9	13.2	94.9	33.8	148.6	.....
0.7	20.1	25.8	166.3	258.7	100.3	86.0	113.2	72.4	81.0	106.1	13.6	87.4	21.5	120.4	0.7
0.7	19.6	20.3	180.9	264.1	117.4	83.1	111.8	72.0	64.3	92.9	7.0	72.7	25.8	109.7	.....

[2] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
MICHIGAN.														
Adrian	1906	1,643.5	46.7	.....	.....	.....	.....	.....	.....	46.7	9.3	37.4	28.0	168.1
	1907	1,352.2	37.3	.....	.....	.....	.....	.....	18.7	37.3	28.0	74.6	18.7	102.6
	1908	1,611.3	18.6	.....	.....	.....	18.6	9.3	9.3	37.3	9.3	93.1	46.6	93.1
	1909	1,320.8	37.2	.....	.....	.....	.....	.....	.....	9.3	9.3	102.3	9.3	148.8
Alpena	1906	1,563.0	56.0	.....	.....	24.0	.....	24.0	.....	16.0	24.0	72.0	24.0	48.0
	1907	1,457.0	23.9	.....	.....	.....	.....	8.0	8.0	15.9	8.0	47.8	8.0	31.8
	1908	1,744.4	71.4	.....	.....	7.9	.....	7.9	87.2	7.9	31.7	126.9	15.9	79.3
	1909	1,745.1	63.2	.....	.....	31.6	.....	.....	55.3	.....	15.8	118.4	23.7	86.9
Ann Arbor	1900	1,385.3	27.6	.....	.....	.....	.....	.....	6.9	.....	(2)	151.6	48.2	151.6
	1901	1,507.1	6.9	.....	.....	.....	.....	6.9	20.6	34.4	(2)	110.1	48.2	123.9
	1902	1,621.7	20.6	6.9	.....	.....	.....	6.9	13.7	13.7	(2)	89.3	48.1	164.9
	1903	1,365.3	6.9	.....	.....	.....	27.4	6.9	6.9	13.7	(2)	54.9	27.4	144.1
	1904	1,452.2	13.7	.....	.....	13.7	.....	.....	13.7	13.7	(2)	89.1	27.4	116.5
	1905	1,707.8	13.7	.....	.....	.....	.....	.....	.....	41.0	6.8	143.5	13.7	150.3
	1906	1,785.2	20.4	6.8	.....	.....	.....	.....	20.4	27.3	27.3	129.5	75.0	177.2
	1907	1,658.4	6.8	.....	.....	.....	.....	6.8	.....	13.6	6.8	142.7	40.8	190.3
	1908	1,911.9	13.6	.....	.....	.....	.....	.....	.....	6.8	.....	94.9	33.9	278.0
	1909	1,954.4	20.3	.....	.....	.....	.....	.....	13.5	6.8	.....	101.4	27.1	284.0
Battle Creek	1900	1,459.9	53.9	5.4	.....	.....	10.8	10.8	5.4	21.5	(2)	97.0	43.1	107.7
	1901	1,586.6	56.5	10.3	.....	5.1	.....	.....	10.3	35.9	(2)	102.7	20.5	118.1
	1902	1,662.8	14.7	9.8	.....	.....	.....	.....	147.2	14.7	(2)	98.1	19.6	98.1
	1903	1,812.2	42.3	4.7	.....	.....	4.7	32.9	42.3	37.6	(2)	122.1	14.1	126.7
	1904	1,440.6	22.5	4.5	.....	13.5	.....	4.5	36.0	4.5	(2)	112.6	13.5	94.5
	1905	1,497.2	39.5	4.4	4.4	.....	.....	13.2	13.2	22.0	4.4	149.3	17.6	74.6
	1906	1,468.1	34.3	.....	.....	4.3	.....	.....	4.3	12.9	.....	90.1	38.6	64.4
	1907	1,666.9	25.2	.....	.....	58.8	4.2	29.4	29.4	58.8	8.4	79.8	25.2	96.6
	1908	1,430.0	41.1	.....	.....	.....	.....	8.2	.....	32.9	8.2	98.6	20.5	90.4
	1909	1,456.4	36.2	4.0	.....	.....	4.0	4.0	8.0	20.1	4.0	68.4	20.1	96.6
Bay City	1900	1,350.1	43.4	3.6	.....	7.2	39.8	3.6	68.8	7.2	(2)	76.0	10.9	72.4
	1901	1,273.9	25.3	3.6	.....	.....	14.5	32.6	25.3	79.6	(2)	86.9	39.8	39.8
	1902	1,241.1	36.2	.....	.....	3.6	3.6	14.5	10.9	3.6	(2)	112.2	7.2	57.9
	1903	1,382.1	54.3	.....	.....	54.3	.....	14.5	28.9	3.6	(2)	97.7	14.5	65.1
	1904	1,407.2	43.4	3.6	7.2	21.7	3.6	.....	39.8	36.2	(2)	119.4	18.1	61.5
	1905	1,234.5	24.1	4.8	.....	7.2	4.8	2.4	16.9	2.4	12.1	96.4	14.5	67.5
	1906	1,365.9	47.3	.....	4.7	.....	2.4	35.5	9.5	7.1	7.1	80.5	7.1	54.4
	1907	1,585.6	39.5	2.3	.....	100.0	11.6	4.6	23.2	18.6	23.2	72.1	13.9	72.1
	1908	1,313.3	45.7	2.3	.....	.....	32.0	6.9	11.4	11.4	9.1	79.9	11.4	57.1
	1909	1,167.1	35.9	2.2	.....	.....	33.7	2.2	11.2	9.0	4.5	51.6	6.7	71.8
Detroit	1900	1,630.0	28.4	3.1	0.3	18.9	6.3	7.3	29.1	6.3	(2)	113.1	17.8	74.2
	1901	1,529.6	20.1	3.4	0.3	4.4	18.0	10.2	18.0	28.9	(2)	110.3	17.4	63.4
	1902	1,559.4	23.5	3.0	2.3	22.9	24.2	18.9	44.4	4.6	(2)	115.7	15.9	64.0
	1903	1,581.0	20.0	1.6	3.6	4.8	7.1	18.7	71.7	11.6	(2)	107.6	13.6	78.2
	1904	1,492.2	17.6	2.2	0.3	12.9	11.3	2.2	44.4	9.4	(2)	118.7	23.3	74.6
	1905	1,380.0	20.3	0.9	0.3	0.9	9.1	3.8	34.7	8.5	9.1	102.0	17.9	65.5
	1906	1,574.6	20.7	1.8	.....	18.4	28.1	25.2	22.6	3.9	12.3	107.3	18.9	71.1
	1907	1,487.8	25.5	0.7	0.2	4.4	17.7	8.3	19.6	9.3	8.1	97.4	14.2	58.7
	1908	1,373.2	19.6	1.4	.....	4.0	17.7	15.6	16.1	6.8	5.6	91.3	16.3	58.6
	1909	1,404.4	20.5	0.4	.....	18.9	22.3	10.2	24.3	4.2	6.7	86.1	14.9	66.8
Escanaba	1900	2,398.2	125.7	.....	.....	10.5	20.9	10.5	20.9	.....	(2)	136.1	.....	41.9
	1901	1,620.4	50.3	.....	.....	10.1	10.1	.....	10.1	.....	(2)	140.9	40.3	50.3
	1902	1,743.7	67.8	.....	19.4	.....	58.1	.....	29.1	.....	(2)	155.0	38.7	67.8
	1903	1,596.6	28.0	9.3	.....	.....	9.3	37.3	112.1	.....	(2)	140.1	18.7	84.0
	1904	2,162.6	351.4	.....	.....	.....	.....	36.0	18.0	36.0	(2)	198.3	54.1	63.1
	1905	2,185.8	182.9	.....	.....	8.7	.....	.....	.....	43.5	69.7	200.3	61.0	43.5
	1906	1,942.6	101.4	.....	.....	.....	8.4	42.2	8.4	.....	.....	152.0	8.4	67.6
	1907	1,738.1	221.4	.....	.....	.....	16.4	.....	24.6	24.6	.....	139.4	32.8	32.8
	1908	1,816.2	127.4	.....	.....	.....	8.0	8.0	55.8	15.9	8.0	119.5	39 8	47.8
	1909	1,649.8	232.4	.....	.....	23.2	.....	.....	15.5	.....	.....	92.9	15.5	108.4
Flint	1900	1,160.0	22.9	7.6	.....	.....	.....	15.3	15.3	22.9	(2)	68.7	7.6	38.1
	1901	1,400.9	36.1	7.2	7.2	.....	7.2	7.2	21.7	43.3	(2)	108.3	.....	36.1
	1902	1,366.9	49.3	.....	.....	7.0	.....	28.2	21.1	14.1	(2)	126.8	14.1	84.5
	1903	1,437.6	68.8	.....	.....	13.8	6.9	6.9	27.5	20.6	(2)	61.9	27.5	61.9
	1904	1,303.4	20.2	.....	6.7	.....	26.9	.....	13.4	.....	(2)	60.5	13.4	80.6
	1905	1,139.8	15.6	.....	.....	.....	.....	5.2	10.4	.....	5.2	83.1	5.2	72.7
	1906	1,052.6	25.8	.....	.....	.....	.....	12.9	51.6	.....	8.6	77.3	8.6	30.1
	1907	941.3	25.6	.....	.....	7.3	.....	3.7	.....	18.3	.....	62.3	.....	33.0
	1908	852.2	35.1	.....	.....	.....	.....	6.4	3.2	6.4	.....	31.9	19.2	35.1
	1909	1,122.7	59.4	.....	.....	19.8	2.8	2.8	2.8	8.5	22.6	50.9	5.7	42.4
Grand Rapids	1900	1,375.0	30.8	3.4	2.3	17.1	9.1	10.3	27.4	17.1	(2)	93.7	16.0	77.7
	1901	1,285.7	33.5	5.6	.....	1.1	11.2	4.5	25.7	40.2	(2)	96.0	22.3	79.2
	1902	1,225.4	51.3	2.2	.....	3.3	5.5	5.5	9.8	4.4	(2)	100.4	21.8	73.1
	1903	1,341.8	41.6	2.1	1.1	3.2	4.3	9.6	20.3	13.9	(2)	114.2	27.8	92.9
	1904	1,480.4	61.6	2.1	.....	4.2	6.3	12.5	12.5	20.9	(2)	121.2	27.2	70.0
	1905	1,414.6	48.6	.....	34.4	6.1	3.0	2.0	34.4	13.2	12.1	74.9	25.3	63.7
	1906	1,427.8	38.4	2.0	.....	4.9	9.8	9.8	54.1	2.0	10.8	82.6	15.7	83.6
	1907	1,312.2	31.6	3.8	.....	2.9	6.7	1.9	27.7	20.1	11.5	93.7	23.9	64.1
	1908	1,272.5	30.7	1.9	.....	8.4	7.4	3.7	11.2	12.1	8.4	76.3	24.2	81.0
	1909	1,188.6	17.2	0.9	0.9	1.8	17.2	3.6	8.2	3.6	5.4	86.1	19.0	64.4

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	28.0	18.7	205.4	326.8	84.0	56.0	140.1	121.4	74.7	28.0	9.3	84.0	9.3	102.7	18.7
.....	18.7	9.3	298.4	205.2	56.0	46.6	18.7	74.6	65.3	46.6	28.0	65.3	9.3	93.3	.....
.....	9.3	9.3	232.8	307.3	55.9	18.6	102.4	167.6	83.8	27.9	27.9	55.9	18.6	158.3	.....
.....	.....	9.3	232.5	167.4	93.0	37.2	37.2	93.0	93.0	46.5	.....	55.8	55.8	83.7	.....
.....	16.0	24.0	167.9	79.9	87.9	135.9	215.9	64.0	72.0	87.9	.....	64.0	40.0	135.9	24.0
8.0	.....	23.9	191.1	111.5	159.2	151.3	143.3	127.4	31.8	47.8	.....	103.5	47.8	159.2	.....
7.9	.....	7.9	190.3	182.4	63.4	103.1	166.5	126.9	39.6	71.4	.....	71.4	79.3	190.3	7.9
.....	23.7	15.8	118.4	157.9	55.3	118.4	308.0	86.9	31.6	86.9	23.7	126.3	31.6	157.9	7.9
6.9	20.7	20.7	124.1	117.2	68.9	82.7	48.2	89.6	75.8	34.4	13.8	89.6	41.4	165.4	.....
6.9	20.6	13.8	130.8	137.6	144.5	75.7	68.8	151.4	34.4	27.5	6.9	75.7	27.5	227.1	6.9
13.7	6.9	13.7	151.2	226.8	151.2	55.0	55.0	137.4	89.3	20.6	27.5	68.7	27.5	213.0	.....
6.9	6.9	13.7	157.8	192.1	75.5	68.6	68.6	130.4	41.2	27.4	27.4	48.0	27.4	185.2	.....
6.8	27.4	6.8	171.3	232.9	41.1	54.8	20.5	130.2	116.5	47.9	27.4	68.5	20.5	191.8	.....
6.8	6.8	13.7	184.4	259.6	102.5	75.1	27.3	191.3	88.8	27.3	20.5	47.8	82.0	198.1	6.8
6.8	20.4	27.3	170.3	197.6	81.8	20.4	54.5	231.7	109.0	13.6	34.1	88.6	20.4	224.9	.....
13.6	34.0	.....	169.9	237.9	27.2	47.6	34.0	197.1	81.6	13.6	20.4	61.2	34.0	278.7	.....
13.6	6.8	13.6	284.7	183.1	27.1	54.2	27.1	237.3	94.9	74.6	13.6	183.1	33.9	237.3	.....
.....	60.9	13.5	257.0	250.2	27.1	40.6	27.1	223.2	60.9	54.1	6.8	128.5	20.3	331.4	.....
.....	16.2	10.8	161.6	156.2	102.4	43.1	107.7	59.2	86.2	21.5	10.8	97.0	64.6	167.0	.....
10.3	10.3	5.1	215.7	169.4	66.8	56.5	51.3	118.1	77.0	25.7	30.8	87.3	61.6	236.2	5.1
4.9	4.9	19.6	161.9	161.9	117.7	83.4	63.8	137.4	73.5	73.5	9.8	122.6	54.0	166.8	4.9
4.7	28.2	18.8	192.5	187.8	112.7	79.8	108.0	93.8	98.5	65.7	14.1	145.5	61.0	173.7	.....
.....	31.5	4.5	144.1	162.1	126.1	40.5	49.5	126.1	85.5	58.5	18.0	72.0	54.0	162.1	.....
.....	30.7	.....	188.8	206.4	79.0	48.3	79.0	92.2	83.4	65.9	13.2	70.2	74.6	122.9	.....
4.3	12.9	17.2	193.2	218.9	60.1	68.7	68.7	197.5	51.5	38.6	30.0	73.0	47.2	137.4	.....
4.2	21.0	12.6	214.1	222.5	113.4	54.6	54.6	121.8	63.0	54.6	33.6	113.4	37.8	126.0	4.2
.....	20.5	16.4	156.1	213.7	74.0	32.9	82.2	115.1	78.1	57.5	16.4	135.6	.....	131.5	.....
4.0	36.2	12.1	177.0	233.3	72.4	72.4	60.3	112.6	44.3	68.4	28.2	104.6	20.1	144.8	.....
3.6	7.2	29.0	137.6	155.6	54.3	86.9	108.6	119.5	54.3	54.3	3.6	76.0	39.8	86.9	.....
.....	.....	18.1	90.5	112.2	133.9	72.4	97.7	119.4	65.1	29.0	.....	43.4	14.5	130.3	.....
.....	10.9	14.5	130.3	133.9	90.5	108.5	39.8	119.4	50.6	36.2	3.6	86.8	28.9	137.5	.....
3.6	10.9	14.5	119.4	130.2	72.4	76.0	101.3	119.4	39.8	68.7	10.9	108.5	21.7	148.3	3.6
7.2	7.2	7.2	97.7	184.5	57.9	90.4	72.4	112.2	79.6	47.0	18.1	65.1	25.3	180.9	.....
.....	9.6	9.6	132.6	115.7	50.6	79.6	103.7	86.8	36.2	77.2	21.7	91.6	9.6	156.7	.....
.....	7.1	11.8	118.4	125.5	75.8	78.1	116.0	106.5	73.4	82.9	9.5	101.8	63.9	137.3	2.4
4.6	11.6	16.3	188.3	186.0	104.6	104.6	69.7	116.2	53.5	67.4	4.6	118.6	53.5	97.6	7.0
.....	6.9	18.3	121.1	148.5	89.1	61.7	79.9	91.4	50.2	75.4	11.4	100.5	36.5	155.3	.....
.....	11.2	9.0	143.6	145.9	47.1	62.8	40.4	112.2	47.1	71.8	9.0	94.3	29.2	114.5	.....
1.0	9.4	39.2	162.8	116.9	113.4	123.9	165.9	99.8	61.3	112.0	11.5	66.9	45.9	185.5	9.8
1.7	12.6	31.3	139.3	116.5	112.4	134.5	135.5	97.0	57.5	81.0	8.5	79.7	47.7	176.4	3.4
1.6	11.9	26.9	120.7	142.2	106.4	140.6	116.7	111.7	65.6	84.5	10.3	69.0	35.5	173.7	2.7
1.9	10.3	26.5	132.7	138.6	109.8	121.4	122.4	106.6	75.3	92.7	11.0	78.5	37.8	174.7	2.3
0.6	11.7	27.1	132.3	134.1	94.8	102.7	113.0	98.6	69.3	94.2	14.8	58.9	40.3	168.4	14.5
0.6	10.6	26.7	124.6	127.6	79.4	101.1	100.5	91.4	73.2	97.9	10.9	58.2	45.0	157.2	2.1
2.1	13.6	39.4	125.7	135.1	106.3	111.0	138.3	98.9	68.0	102.1	11.5	86.9	54.8	148.8	1.8
1.0	14.2	43.4	126.4	143.1	109.5	97.4	104.6	82.0	68.0	108.7	14.2	91.8	47.9	166.7	4.7
0.9	12.8	19.6	121.6	133.5	92.2	76.8	95.5	82.9	65.1	108.8	16.6	74.7	48.3	167.9	2.8
0.9	14.0	23.8	107.1	134.0	99.1	84.1	93.7	92.8	63.2	121.1	15.4	69.0	43.2	165.6	2.0
.....	.....	52.4	157.1	83.8	125.7	178.1	282.8	125.7	20.9	136.1	20.9	345.6	146.6	251.3	104.7
.....	.....	40.3	181.2	50.3	50.3	140.9	140.9	70.4	50.3	60.4	.....	231.5	50.3	191.2	50.3
.....	9.7	58.1	126.0	126.0	77.5	116.2	174.4	48.4	58.1	96.9	.....	155.0	67.8	145.3	48.4
.....	.....	28.0	93.4	102.7	65.4	121.4	140.1	93.4	28.0	102.7	9.3	158.7	37.3	140.1	37.3
.....	.....	36.0	126.2	108.1	81.1	162.2	225.3	108.1	54.1	81.1	9.0	135.2	45.1	198.2	36.0
.....	17.4	34.8	87.1	87.1	104.5	113.2	418.0	130.6	43.5	121.9	.....	148.0	95.8	148.0	26.1
.....	8.4	16.9	101.4	109.8	92.9	109.8	261.8	143.6	76.0	135.1	16.9	185.8	16.9	228.0	50.7
.....	.....	41.0	114.8	155.8	106.6	73.8	131.2	57.4	41.0	57.4	.....	98.4	82.0	213.2	73.8
.....	.....	31.9	103.6	111.5	151.3	103.6	270.8	87.6	47.8	111.5	31.9	143.4	55.8	119.5	15.9
.....	15.5	15.5	116.2	154.9	31.0	69.7	92.9	69.7	62.0	193.6	7.7	154.9	23.2	154.9	.....
.....	.....	22.9	152.6	99.2	68.7	53.4	68.7	91.6	45.8	38.1	7.6	68.7	15.3	206.1	22.9
.....	.....	36.1	151.6	79.4	166.1	86.7	36.1	144.4	28.9	65.0	14.4	115.5	28.9	158.9	14.4
14.1	7.0	14.1	204.3	91.6	133.9	63.4	7.0	84.5	35.2	35.2	7.0	91.6	42.3	169.1	21.1
.....	41.3	13.8	116.9	192.6	68.8	103.2	61.9	116.9	41.3	68.8	.....	96.3	27.5	172.0	20.6
6.7	26.9	20.2	120.9	147.8	127.7	47.0	73.9	67.2	40.3	67.2	20.2	60.5	26.9	221.7	6.7
.....	15.6	31.2	114.3	109.1	93.5	72.7	52.0	88.3	72.7	62.3	10.4	36.4	62.3	161.1	10.4
.....	.....	12.9	137.5	124.6	55.9	60.2	30.1	60.2	43.0	55.9	8.6	55.9	43.0	146.1	4.3
3.7	7.3	3.7	95.2	113.5	80.6	36.6	91.6	65.9	65.9	51.3	3.7	58.6	25.6	87.9	.....
.....	9.6	6.4	70.2	111.7	47.9	47.9	79.8	41.5	44.7	51.1	3.2	63.8	35.1	102.1	.....
.....	22.6	8.5	84.8	99.0	62.2	45.2	124.4	67.9	73.5	62.2	8.5	70.7	22.6	152.7	.....
1.1	10.3	27.4	143.9	129.1	100.5	98.2	76.5	103.9	56.0	78.8	14.9	52.6	33.1	142.7	1.1
1.1	15.6	15.6	129.4	123.9	56.9	116.1	79.2	91.5	40.2	53.6	16.7	62.5	21.2	142.9	.....
1.1	7.6	16.4	99.3	185.5	68.7	99.3	51.3	93.8	36.0	40.4	12.0	60.0	30.5	146.2	.....
2.1	10.7	12.8	133.4	154.8	80.1	91.8	84.3	99.3	25.6	52.3	11.7	85.4	28.8	137.7	.....
1.0	16.7	18.8	111.8	180.7	107.6	98.2	104.5	110.8	55.4	56.4	20.9	67.9	38.7	151.5	1.0
2.0	11.1	23.3	117.4	174.0	71.8	73.9	109.3	110.3	58.7	61.7	18.2	54.6	48.6	161.9	.....
3.9	15.7	19.7	115.1	159.3	73.8	81.6	134.7	120.0	74.7	61.0	12.8	73.8	33.4	134.7	.....
.....	14.3	12.4	126.2	175.0	74.6	86.1	77.5	115.7	58.3	54.5	13.4	76.5	24.9	114.8	.....
1.9	14.0	16.8	116.4	174.1	62.4	60.5	81.0	112.6	65.2	59.6	21.4	66.1	30.7	123.8	0.9
1.8	19.9	13.6	101.5	167.7	52.6	47.1	87.0	98.8	61.7	81.6	16.3	54.4	28.1	127.8	.....

[2] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
MICHIGAN—continued.														
Iron Mountain	1900	1,482.4	.....	.....	.....	.....	43.3	.....	54.1	21.6	(2)	32.5	75.7	75.7
	1901	1,454.1	.....	.....	.....	33.1	11.0	.....	11.0	.....	(2)	110.2	66.1	11.0
	1902	1,267.7	.....	.....	.....	11.2	.....	22.4	.....	.....	(2)	134.7	22.4	11.2
	1903	1,497.1	11.4	.....	.....	22.9	34.3	57.1	.....	.....	(2)	57.1	22.9	22.9
	1904	1,281.3	11.6	.....	.....	.....	.....	.....	23.3	.....	(2)	93.2	.....	81.6
	1905	1,735.6	23.0	.....	.....	80.5	.....	.....	34.5	.....	11.5	137.9	11.5	57.5
	1906	1,498.8	11.4	.....	.....	11.4	22.7	45.4	11.4	.....	.....	159.0	11.4	102.2
	1907	1,379.9	11.2	.....	.....	.....	56.1	.....	11.2	22.4	11.2	44.9	11.2	89.7
	1908	1,230.3	11.1	.....	.....	.....	.....	22.2	44.3	.....	.....	55.4	33.3	66.5
	1909	1,215.8	.....	.....	.....	11.0	11.0	.....	131.4	.....	.....	109.5	21.9	32.9
Ironwood	1900	1,617.7	82.4	.....	.....	.....	41.2	41.2	51.5	10.3	(2)	51.5	41.2	20.6
	1901	1,482.2	30.7	.....	.....	30.7	92.0	20.4	51.1	.....	(2)	61.3	30.7	40.9
	1902	1,855.8	40.6	.....	.....	10.1	10.1	.....	121.7	10.1	(2)	71.0	20.3	20.3
	1903	1,690.1	.....	.....	.....	10.1	.....	20.1	150.9	10.1	(2)	120.7	30.2	30.2
	1904	718.6	39.9	.....	.....	.....	.....	.....	20.0	20.0	(2)	49.9	.....	10.0
	1905	1,319.4	57.0	.....	.....	9.5	.....	.....	38.0	38.0	9.5	75.9	.....	19.0
	1906	1,044.3	36.3	.....	.....	.....	9.1	.....	9.1	.....	.....	18.2	9.1	27.2
	1907	1,383.9	34.8	.....	.....	.....	8.7	34.8	69.6	.....	8.7	69.6	17.4	26.1
	1908	1,220.1	41.8	.....	.....	16.7	33.4	.....	66.9	.....	41.8	108.6	16.7	16.7
	1909	1,655.5	72.3	.....	.....	8.0	128.6	16.1	144.7	.....	8.0	88.4	16.1	32.1
Ishpeming	1900	1,320.3	83.0	.....	.....	45.3	30.2	30.2	52.8	.....	(2)	45.3	37.7	37.7
	1901	1,198.7	23.3	.....	.....	23.3	46.7	.....	7.8	.....	(2)	101.2	15.6	54.5
	1902	1,511.4	8.0	.....	.....	16.1	40.2	.....	104.5	8.0	(2)	128.6	56.3	48.2
	1903	1,429.6	33.2	.....	.....	.....	8.3	91.4	124.7	.....	(2)	99.7	24.9	41.6
	1904	1,135.7	.....	.....	.....	.....	8.6	43.0	43.0	.....	(2)	154.9	.....	60.2
	1905	1,435.4	8.5	.....	.....	25.5	.....	17.0	25.5	.....	17.0	161.4	17.0	67.9
	1906	1,275.8	16.8	.....	.....	8.4	8.4	25.2	.....	.....	8.4	67.1	16.8	33.6
	1907	1,543.1	49.8	.....	.....	8.3	24.9	8.3	41.5	.....	8.3	149.3	58.1	66.4
	1908	1,779.4	.....	.....	.....	123.0	16.4	8.2	131.2	16.4	41.0	90.2	32.8	65.6
	1909	1,216.5	8.1	.....	.....	.....	32.4	.....	81.1	.....	.....	81.1	16.2	8.1
Jackson	1900	1,286.7	67.5	7.9	.....	.....	.....	.....	7.9	11.9	(2)	91.3	11.9	75.5
	1901	1,368.5	55.5	7.9	.....	.....	.....	.....	4.0	79.3	(2)	83.3	19.8	63.5
	1902	1,414.4	55.5	7.9	.....	7.9	.....	27.7	11.9	.....	(2)	79.2	11.9	95.1
	1903	1,333.6	23.8	3.9	.....	7.9	.....	19.8	11.9	11.9	(2)	106.8	31.7	75.1
	1904	1,470.4	47.4	3.9	19.8	.....	.....	.....	19.8	23.7	(2)	98.9	11.9	79.0
	1905	1,570.1	60.5	3.8	41.6	.....	.....	7.6	45.4	11.4	18.9	132.4	15.1	71.9
	1906	1,459.5	21.8	.....	.....	.....	10.9	3.6	40.0	3.6	18.2	98.3	14.6	69.2
	1907	1,528.8	24.5	3.5	.....	7.0	3.5	17.5	17.5	45.6	7.0	98.2	14.0	91.2
	1908	1,491.7	16.9	3.4	.....	.....	6.8	3.4	6.8	50.7	6.7	98.1	10.1	94.7
	1909	1,248.1	19.6	.....	.....	.....	.....	3.3	9.8	9.8	19.6	78.4	6.5	75.1
Kalamazoo *	1900	1,868.5	36.9	12.3	.....	12.3	.....	20.5	8.2	12.3	(2)	102.4	24.6	81.9
	1901	1,809.8	27.2	.....	.....	.....	11.6	.....	.....	35.0	(2)	112.6	38.8	101.0
	1902	1,476.5	18.5	3.7	.....	11.1	.....	3.7	29.5	7.4	(2)	92.3	33.2	55.4
	1903	1,740.7	38.7	.....	.....	3.5	14.1	14.1	7.0	24.6	(2)	84.4	17.6	112.5
	1904	1,658.7	20.1	3.4	.....	6.7	10.1	3.4	16.8	30.2	(2)	114.2	20.1	87.3
	1905	1,742.7	19.0	.....	.....	6.3	3.2	12.7	12.7	12.7	12.7	120.4	22.2	88.7
	1906	1,903.4	42.2	3.0	.....	6.0	6.0	30.1	21.1	12.0	18.1	135.5	33.1	75.3
	1907	1,739.0	17.2	.....	.....	5.7	.....	.....	2.9	20.1	25.8	137.7	23.0	100.4
	1908	1,731.9	35.6	.....	.....	.....	2.7	11.0	2.7	13.7	38.4	98.7	16.4	74.0
	1909	1,688.7	7.9	.....	.....	2.6	5.2	13.1	5.2	15.7	13.1	118.0	18.4	89.2
Lansing	1900	1,449.8	72.8	6.1	.....	12.1	12.1	6.1	72.8	12.1	(2)	84.9	6.1	66.7
	1901	1,296.5	34.4	5.7	.....	.....	5.7	11.5	45.9	45.9	(2)	68.8	11.5	45.9
	1902	1,256.8	10.9	.....	.....	16.3	.....	16.3	5.4	27.2	(2)	38.1	5.4	76.2
	1903	1,096.9	62.1	.....	.....	5.2	5.2	5.2	36.2	20.7	(2)	77.6	31.0	36.2
	1904	1,154.1	44.4	.....	.....	4.9	.....	9.9	9.9	19.7	(2)	39.5	9.9	64.1
	1905	1,197.6	40.4	4.5	.....	.....	.....	.....	22.4	17.9	13.5	58.3	4.5	40.4
	1906	1,225.2	70.4	4.1	.....	4.1	.....	12.4	.....	24.8	.....	53.8	12.4	37.3
	1907	1,041.4	15.4	.....	.....	.....	.....	19.2	3.8	15.4	11.5	50.0	19.2	34.6
	1908	1,057.8	50.2	.....	.....	.....	3.6	3.6	21.5	3.6	10.8	71.7	14.3	64.5
	1909	1,041.9	13.4	3.4	.....	3.4	.....	3.4	16.8	13.4	3.4	47.1	13.4	47.1
Manistee	1906	1,111.6	7.9	.....	.....	.....	7.9	.....	7.9	.....	15.9	135.0	15.9	63.5
	1907	1,140.5	47.9	.....	.....	.....	.....	8.0	8.0	8.0	.....	159.5	16.0	111.7
	1908	1,289.9	40.1	.....	.....	.....	.....	24.0	.....	.....	8.0	144.2	32.0	120.2
	1909	1,191.1	32.2	.....	.....	.....	.....	.....	.....	.....	16.1	72.4	8.0	64.4
Marquette	1900	1,899.0	79.5	.....	9.9	9.9	49.7	.....	9.9	.....	(2)	188.9	9.9	79.5
	1901	1,253.8	19.6	.....	.....	.....	29.4	.....	.....	.....	(2)	156.7	19.6	68.6
	1902	1,293.3	57.9	.....	.....	.....	9.6	9.6	.....	9.6	(2)	144.8	29.0	38.6
	1903	1,797.8	28.5	.....	.....	.....	47.6	28.5	95.1	9.5	(2)	142.7	19.0	95.1
	1904	1,575.2	37.5	.....	.....	.....	9.4	28.1	9.4	9.4	(2)	93.8	28.1	46.9
	1905	1,654.6	27.0	.....	.....	.....	.....	.....	.....	.....	.....	175.6	18.5	83.2
	1906	1,660.6	36.5	.....	.....	9.1	.....	27.4	27.4	.....	9.1	109.5	27.4	127.7
	1907	1,792.3	72.1	.....	.....	9.0	.....	.....	36.0	9.0	.....	135.1	18.0	81.1
	1908	1,556.1	44.5	.....	.....	.....	8.9	8.9	8.9	8.9	26.7	124.5	44.5	124.5
	1909	1,519.0	52.7	.....	.....	.....	.....	8.8	17.6	.....	.....	122.9	8.8	61.5
Menominee	1900	1,373.1	54.6	.....	.....	.....	7.8	.....	7.8	.....	(2)	78.0	15.6	23.4
	1901	1,267.4	56.5	.....	.....	.....	24.2	40.4	24.2	8.1	(2)	88.8	32.3	56.5
	1902	1,179.1	25.1	.....	16.7	16.7	.....	8.4	25.1	.....	(2)	66.9	8.4	33.4
	1903	1,561.6	86.8	.....	.....	34.7	8.7	.....	34.7	8.7	(2)	156.2	52.0	60.7
	1904	1,153.6	117.2	.....	.....	.....	.....	9.0	.....	.....	(2)	63.1	9.0	63.1
	1905	1,301.4	45.5	.....	.....	.....	.....	.....	27.3	.....	9.1	72.8	45.5	109.2
	1906	1,570.5	73.5	.....	.....	.....	.....	27.6	.....	.....	18.4	73.5	9.2	73.5
	1907	1,427.5	83.4	.....	.....	9.3	.....	.....	9.3	46.3	18.5	46.3	55.6	83.4
	1908	1,412.8	56.1	.....	.....	18.7	.....	.....	18.7	37.4	28.1	93.6	46.8	74.9
	1909	1,397.8	56.7	.....	.....	.....	28.3	.....	.....	9.4	9.4	94.4	28.3	132.2

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	21.6	119.0	86.6	129.9	54.1	151.5	43.3	32.5	162.3	.....	184.0	21.6	108.2	64.9
.....	.....	22.0	66.1	143.2	110.2	121.2	88.1	88.1	11.0	132.2	11.0	242.3	33.1	143.2	.....
.....	.....	33.7	67.3	78.5	101.0	67.3	246.8	78.5	.....	67.3	.....	112.2	44.9	123.4	44.9
.....	.....	22.9	114.2	80.0	.....	125.7	137.1	114.2	22.9	194.3	22.9	228.5	22.9	160.0	22.9
11.6	.....	11.6	81.6	46.6	23.3	69.9	198.0	93.2	46.6	151.4	23.3	151.4	11.6	116.5	35.0
.....	11.5	34.5	160.9	92.0	46.0	126.4	390.8	11.5	46.0	126.4	.....	114.9	46.0	137.9	34.5
.....	.....	11.4	124.9	124.9	45.4	136.3	90.8	22.7	22.7	113.5	.....	272.5	68.1	34.1	56.8
.....	11.2	11.2	134.6	101.0	112.2	134.6	112.2	11.2	22.4	145.8	.....	123.4	56.1	89.7	56.1
.....	.....	22.2	66.5	77.6	33.3	44.3	210.6	99.8	22.2	121.9	11.1	99.8	66.5	121.9	.....
11.0	11.0	21.9	54.8	87.6	54.8	65.7	54.8	54.8	21.9	142.4	.....	142.4	32.9	131.4	11.0
.....	10.3	.....	61.8	41.2	103.1	103.1	247.3	61.8	41.2	82.4	.....	175.2	72.2	51.5	226.7
.....	.....	51.1	71.6	20.4	71.6	92.0	224.9	81.8	.....	81.8	20.4	204.4	.....	92.0	112.4
.....	.....	.....	91.3	71.0	142.0	142.0	172.4	111.5	.....	40.6	10.1	314.4	40.6	182.5	233.2
.....	.....	.....	90.5	60.4	181.1	90.5	201.2	30.2	20.1	80.5	10.1	211.2	30.2	100.6	211.2
.....	.....	.....	49.9	.....	29.9	79.9	49.9	39.9	.....	69.8	.....	79.9	29.9	59.9	89.8
.....	.....	9.5	113.9	19.0	57.0	75.9	123.4	75.9	28.5	38.0	.....	189.8	28.5	94.9	218.3
.....	.....	27.2	72.6	18.2	9.1	81.7	90.8	81.7	27.2	45.4	.....	163.5	45.4	90.8	181.6
.....	.....	8.7	43.5	34.8	34.8	87.0	130.6	113.2	34.8	60.9	17.4	226.3	43.5	104.4	174.1
.....	25.1	58.5	25.1	75.2	75.2	150.4	100.3	50.1	66.9	.....	125.4	58.5	58.5	8.4	
8.0	16.1	16.1	96.4	80.4	16.1	72.3	184.8	96.4	40.2	88.4	8.0	241.1	80.4	80.4	16.1
.....	.....	22.6	83.0	67.9	30.2	181.1	150.9	45.3	15.1	98.1	7.5	75.4	15.1	90.5	75.4
.....	23.3	38.9	109.0	31.1	77.9	85.6	155.7	46.7	7.8	23.3	.....	155.7	7.8	77.9	85.6
.....	24.1	40.2	80.4	40.2	72.4	160.8	136.7	72.4	16.1	88.4	.....	241.2	16.1	72.3	40.2
.....	8.3	8.3	58.2	74.8	108.1	91.4	241.1	49.9	16.6	66.5	8.3	174.6	8.3	58.2	33.2
.....	.....	60.2	51.6	77.5	51.6	94.7	137.7	51.6	43.0	77.5	.....	68.8	17.2	86.0	8.6
.....	17.0	51.0	118.9	101.9	51.0	186.9	135.9	34.0	59.5	17.0	8.5	144.4	25.5	127.4	17.0
.....	.....	42.0	75.5	134.3	58.8	125.9	134.3	42.0	50.4	117.5	.....	134.3	8.4	167.9	.....
.....	8.3	41.5	49.8	124.4	141.0	116.1	74.7	58.1	58.1	91.3	16.6	157.6	24.9	141.0	24.9
.....	32.8	57.4	73.8	123.0	131.2	114.8	270.6	106.6	32.8	41.0	8.2	131.2	41.0	90.2	.....
.....	16.2	16.2	121.7	73.0	73.0	121.7	137.9	89.2	48.7	73.0	.....	113.5	24.3	81.1	.....
4.0	7.9	23.8	158.9	174.8	71.5	55.6	79.4	95.3	47.7	27.8	19.9	87.4	35.7	119.1	4.0
.....	11.9	7.9	142.8	162.7	71.4	83.3	63.5	126.9	55.5	43.6	7.9	63.5	27.8	186.5	.....
4.0	15.8	11.9	142.6	210.0	99.1	95.1	43.6	79.2	59.4	43.6	11.9	71.3	27.7	193.1	4.0
3.9	23.8	19.8	142.5	174.1	95.0	35.6	63.3	67.3	55.4	59.4	11.9	91.0	31.7	162.2	3.9
7.9	11.9	11.9	173.9	193.7	102.8	75.1	47.4	79.0	79.0	67.2	19.8	75.1	47.4	173.9	.....
3.8	3.8	30.3	181.6	249.7	64.3	64.3	68.1	105.9	71.9	22.7	7.6	60.5	53.0	174.0	.....
3.6	14.6	10.9	152.9	229.3	61.9	83.7	61.9	105.6	105.6	47.3	29.1	72.8	47.3	145.6	7.3
7.0	21.0	28.1	112.2	182.3	105.2	91.2	56.1	115.7	98.2	45.6	21.0	119.2	28.1	168.3	.....
.....	20.3	6.8	175.9	209.7	64.3	64.3	74.4	135.3	77.8	47.4	23.7	128.5	16.9	145.5	3.4
3.3	6.5	26.1	169.9	176.4	58.8	42.5	35.9	78.4	62.1	65.3	9.8	84.9	26.1	176.4	3.3
.....	8.2	24.6	405.7	184.4	81.9	114.7	127.0	131.1	53.3	65.6	20.5	69.6	32.8	221.3	16.4
.....	23.3	3.9	403.9	178.7	73.8	85.4	143.7	93.2	58.3	31.1	27.2	89.3	35.0	225.2	11.6
.....	14.8	.....	287.9	203.0	77.5	66.4	70.1	114.4	70.1	44.3	14.8	88.6	11.1	158.7	.....
.....	17.6	21.1	397.4	253.2	84.4	105.5	49.2	98.5	63.3	28.1	10.5	98.5	7.0	186.4	3.5
3.4	6.7	16.8	369.3	261.9	70.5	70.5	63.8	80.6	57.1	36.9	3.4	107.4	6.7	188.0	3.4
.....	9.5	22.2	358.0	275.7	79.2	76.0	107.7	101.4	104.6	47.5	19.0	79.2	12.7	136.2	3.2
3.0	21.1	18.1	379.5	274.1	81.3	42.2	84.3	120.5	75.3	75.3	18.1	108.4	6.0	213.8	.....
8.6	8.6	5.7	381.7	287.0	111.9	66.0	91.8	83.2	66.0	48.8	2.9	91.8	14.3	137.7	.....
.....	16.4	2.7	345.3	317.9	54.8	63.0	131.5	134.3	76.7	76.7	13.7	74.0	11.0	120.6	.....
.....	15.7	15.7	317.3	356.6	62.9	57.7	94.4	102.3	78.7	76.0	15.7	76.0	7.9	123.2	.....
6.1	.....	48.5	163.8	194.1	66.7	60.7	121.3	91.0	66.7	42.5	12.1	60.7	24.3	121.3	18.2
.....	5.7	11.5	154.9	229.5	86.1	28.7	86.1	80.3	57.4	22.9	11.5	97.5	17.2	131.9	.....
.....	16.3	.....	92.5	272.1	65.3	43.5	92.5	114.3	76.2	49.0	16.3	59.8	10.9	152.3	.....
.....	10.3	5.2	88.0	155.3	113.8	31.0	51.7	67.3	46.6	51.7	5.2	51.7	20.7	113.8	5.2
14.8	4.9	14.8	123.3	202.2	59.2	29.6	83.8	88.8	44.4	9.9	4.9	143.0	4.9	103.6	19.7
.....	.....	9.0	161.5	224.3	89.7	80.7	62.8	94.2	40.4	31.4	9.0	58.3	22.4	103.2	9.0
.....	8.3	4.1	132.5	182.1	66.2	66.2	124.2	149.0	29.0	66.2	16.6	41.4	16.6	99.3	4.1
3.8	3.8	7.7	123.0	184.5	57.6	34.6	50.0	88.4	30.7	38.4	.....	92.2	7.7	146.0	3.8
.....	10.8	.....	121.9	147.0	50.2	17.9	104.0	93.2	53.8	32.3	3.6	50.2	14.3	114.7	.....
.....	20.2	13.4	131.1	201.7	33.6	23.5	73.9	77.3	57.1	40.3	16.8	80.7	10.1	94.1	3.4
.....	7.9	7.9	71.5	127.0	95.3	47.6	79.4	87.3	87.3	71.5	7.9	63.5	15.9	79.4	7.9
.....	16.0	16.0	103.7	95.7	55.8	16.0	39.9	103.7	47.9	63.8	8.0	79.8	23.9	111.7	.....
.....	32.0	16.0	72.1	136.2	88.1	32.0	48.1	96.1	48.1	72.1	32.0	80.1	8.0	160.2	.....
.....	24.1	8.0	112.7	120.7	96.6	16.1	48.3	120.7	40.2	104.6	8.0	104.6	24.1	169.0	.....
.....	19.9	39.8	89.5	109.4	59.7	198.9	149.2	79.5	99.4	188.9	.....	149.2	59.7	208.8	9.9
.....	29.4	19.6	68.6	78.4	97.9	117.5	107.7	88.1	58.8	49.0	.....	156.7	19.6	68.6	.....
.....	9.6	19.3	106.2	115.8	57.9	96.6	106.2	115.8	38.6	115.8	.....	125.5	19.3	67.6	.....
.....	9.5	28.5	123.7	161.7	133.2	190.3	76.1	104.6	57.1	142.7	.....	152.2	19.0	133.2	.....
.....	37.5	.....	187.5	159.4	112.5	103.1	112.5	112.5	131.3	84.4	9.4	140.6	9.4	112.5	.....
9.2	9.2	9.2	147.9	184.9	46.2	55.5	184.9	147.9	83.2	92.4	.....	129.4	27.7	203.4	9.2
9.1	9.1	9.1	118.6	146.0	54.7	82.1	173.4	127.7	91.2	100.4	.....	200.7	45.6	118.6	.....
.....	27.0	.....	117.1	189.1	72.1	135.1	99.1	108.1	126.1	144.1	9.0	189.1	63.0	153.1	.....
8.9	8.9	17.8	115.6	151.2	80.0	80.0	186.7	80.0	62.2	53.4	17.8	186.7	8.9	97.8	.....
.....	.....	17.6	166.8	201.9	35.1	52.7	158.0	96.6	70.2	61.5	35.1	166.8	.....	184.4	.....
7.8	7.8	70.2	171.7	46.8	85.8	117.0	195.1	148.3	31.2	39.0	23.4	62.4	31.2	140.4	7.8
.....	16.1	8.1	129.2	48.4	88.8	56.5	96.9	96.9	8.1	80.7	.....	145.3	40.4	104.9	16.1
.....	16.7	33.4	133.8	41.8	75.3	92.0	75.3	41.8	8.4	192.3	.....	108.7	25.1	100.4	33.4
.....	17.3	43.4	112.8	112.8	86.8	121.5	138.8	104.1	26.0	95.4	26.0	104.1	.....	112.8	17.3
.....	.....	27.0	81.1	108.2	99.1	63.1	72.1	63.1	18.0	81.1	36.1	99.1	27.0	117.2	.....
.....	18.2	18.2	100.1	100.1	63.7	72.8	100.1	109.2	72.8	54.6	27.3	91.0	27.3	136.5	.....
.....	.....	27.6	156.1	183.7	110.2	64.3	183.7	91.8	45.9	55.1	.....	147.0	18.4	211.2	.....
.....	.....	9.3	148.3	194.7	111.2	83.4	64.9	83.4	18.5	74.2	18.5	120.5	.....	148.3	.....
.....	.....	.....	149.7	84.2	84.2	112.3	121.6	102.9	56.1	93.6	9.4	56.1	9.4	159.1	.....
.....	9.4	.....	122.8	113.3	122.8	37.8	113.3	122.8	85.0	47.2	28.3	85.0	18.9	132.2	.....

[2] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
MICHIGAN—continued.														
Muskegon	1900	1,373.8	14.4	.....	.....	.....	.....	.....	14.4	14.4	(2)	105.7	24.0	33.6
	1901	1,214.2	19.2	4.8	.....	.....	.....	4.8	4.8	19.2	(2)	124.7	28.8	57.6
	1902	1,189.0	14.4	.....	.....	.....	.....	.....	28.8	.....	(2)	95.9	33.5	71.9
	1903	1,250.2	19.2	4.8	.....	43.1	4.8	14.4	4.8	19.2	(2)	76.6	14.4	71.8
	1904	1,330.3	28.7	4.8	.....	14.3	9.6	28.7	9.6	19.1	(2)	134.0	14.3	52.6
	1905	1,247.7	27.9	.....	4.7	.....	.....	4.7	18.6	32.6	.....	74.5	18.6	83.8
	1906	1,426.1	31.8	.....	.....	.....	4.5	4.5	22.7	4.5	22.7	118.1	13.6	54.5
	1907	1,431.9	13.3	.....	.....	17.7	8.9	.....	17.7	53.2	17.7	106.4	26.6	115.3
	1908	1,251.3	30.3	.....	.....	.....	13.0	39.0	13.0	8.7	17.3	125.6	13.0	77.9
	1909	1,159.3	.....	.....	.....	.....	12.7	.....	.....	4.2	4.2	97.3	25.4	93.1
Owosso †	1900	1,276.5	34.5	.....	.....	.....	.....	.....	57.5	57.5	(2)	103.5	.....	69.0
	1901	1,214.8	22.7	.....	.....	.....	.....	.....	34.1	90.8	(2)	79.5	22.7	56.8
	1902	1,165.9	44.8	.....	.....	22.4	11.2	.....	.....	11.2	(2)	134.6	11.2	56.1
	1903	719.7	.....	.....	.....	.....	11.1	22.1	33.2	22.1	(2)	77.5	.....	11.1
	1904	656.1	.....	10.9	.....	.....	.....	.....	.....	21.9	(2)	21.9	10.9	54.7
	1905	1,136.9	10.8	.....	.....	.....	.....	10.8	.....	43.3	43.3	97.4	10.8	32.5
	1906	1,319.7	10.7	.....	.....	.....	.....	.....	.....	42.9	42.9	96.6	.....	96.6
	1907	1,382.4	10.6	.....	.....	.....	.....	.....	.....	106.3	21.3	148.9	10.6	63.8
	1908	1,306.9	31.6	.....	.....	.....	.....	10.5	21.1	52.7	21.1	94.9	.....	84.3
	1909	1,222.3	31.3	.....	.....	.....	.....	31.3	31.3	10.4	.....	104.5	10.4	94.0
Pontiac *	1900	1,617.4	20.5	20.5	.....	.....	.....	.....	40.9	10.2	(2)	71.7	20.5	30.7
	1901	1,652.2	49.8	9.9	.....	.....	9.9	.....	9.9	69.7	(2)	39.8	19.9	79.6
	1902	1,656.0	9.7	.....	.....	.....	.....	19.4	19.4	19.4	(2)	106.5	29.0	67.8
	1903	2,036.8	9.4	.....	9.4	.....	.....	.....	56.6	9.4	(2)	103.7	.....	132.0
	1904	1,635.4	18.4	.....	.....	.....	.....	.....	18.4	27.6	(2)	91.9	27.6	82.7
	1905	1,630.0	25.1	8.4	.....	.....	.....	.....	8.4	16.7	16.7	66.9	8.4	150.5
	1906	1,752.1	24.0	.....	.....	.....	.....	.....	8.0	32.0	56.0	136.0	8.0	112.0
	1907	1,710.8	23.0	7.7	.....	.....	7.7	.....	23.0	30.7	76.7	99.7	7.7	76.7
	1908	1,716.9	7.4	.....	.....	.....	.....	.....	7.4	14.7	88.4	221.1	.....	103.2
	1909	1,871.4	14.2	7.1	.....	35.4	.....	.....	28.4	7.1	35.4	170.1	42.5	42.5
Port Huron	1900	1,430.2	47.0	15.7	.....	5.2	.....	5.2	20.9	5.2	(2)	114.9	31.3	62.6
	1901	1,378.1	41.3	10.3	.....	5.2	5.2	5.2	36.1	41.3	(2)	72.2	15.5	77.4
	1902	1,332.2	61.2	.....	.....	5.1	5.1	30.6	5.1	15.3	(2)	61.2	20.4	56.2
	1903	1,150.9	25.2	5.0	.....	.....	.....	5.0	25.2	20.2	(2)	40.4	15.2	116.1
	1904	1,138.4	34.9	.....	.....	5.0	.....	5.0	10.0	20.0	(2)	49.9	15.0	30.0
	1905	1,403.0	15.1	.....	.....	5.0	5.0	.....	60.6	15.1	15.1	55.5	5.0	75.7
	1906	1,412.1	56.1	5.1	.....	.....	10.2	25.5	61.2	15.3	15.3	76.5	15.3	86.7
	1907	1,318.4	46.3	.....	.....	5.1	15.4	20.6	5.1	10.3	15.4	77.2	5.1	82.4
	1908	1,415.2	20.8	.....	5.2	.....	.....	26.0	.....	5.2	10.4	78.0	10.4	41.6
	1909	1,282.8	57.8	.....	.....	.....	.....	.....	.....	21.0	.....	63.1	10.5	94.6
Saginaw	1900	1,452.4	28.3	11.8	.....	7.1	2.4	2.4	35.4	9.4	(2)	96.8	16.5	70.8
	1901	1,389.0	27.6	9.2	2.3	.....	4.6	4.6	43.8	25.3	(2)	103.7	18.4	66.8
	1902	1,304.0	9.0	22.5	.....	18.0	9.0	9.0	18.0	4.5	(2)	80.9	9.0	85.4
	1903	1,260.3	11.0	2 2	.....	4.4	2.2	4.4	13.2	11.0	(2)	85.6	19.8	92.2
	1904	1,298.0	49.3	4.3	2.1	.....	4.3	.....	12.9	21.4	(2)	113.7	10.7	81.5
	1905	1,278.3	25.4	.....	2.1	.....	2.1	.....	35.9	4.2	10.6	78.2	10.6	82.4
	1906	1,350.2	25.0	4.2	2.1	.....	.....	14.6	41.7	6.3	22.9	72.9	25.0	58.3
	1907	1,344.1	18.5	2.1	.....	14.4	2.1	14.4	18.5	12.3	20.6	76.0	18.5	65.8
	1908	1,366.6	28.4	4.1	.....	.....	2.0	.....	12.2	12 2	6.1	91.2	22.3	91.2
	1909	1,452.5	30.0	.....	.....	10.0	4.0	2.0	8.0	4.0	10.0	104.0	22.0	104.0
Sault Ste. Marie	1900	2,078.2	132.9	.....	.....	.....	.....	9.5	123.4	.....	(2)	132.9	9.5	56.9
	1901	1,867.3	92.9	.....	.....	.....	9.3	46.4	74.3	9.3	(2)	102.2	27.9	9.3
	1902	2,101.9	172.9	.....	18.2	36.4	18.2	9.1	36.4	.....	(2)	81.9	9.1	36.4
	1903	1,943.7	115.9	.....	.....	.....	8 9	53.5	35.7	.....	(2)	89.2	26.8	8.9
	1904	1,433.3	52.4	.....	.....	.....	17.5	.....	.....	17.5	(2)	104.9	17.5	26.2
	1905	1,647.1	68.6	.....	.....	34.3	8.6	.....	17.2	.....	25.7	111.5	25.7	25.7
	1906	1,560.4	59.0	.....	.....	.....	.....	.....	.....	.....	16.9	118.1	42.2	67.5
	1907	1,534.5	16.6	.....	.....	.....	.....	8.3	41.5	41.5	8.3	141.0	16.6	82.9
	1908	1,419.7	73.4	.....	.....	.....	.....	.....	32.6	24.5	24.5	81.6	24.5	32.6
	1909	1,324.7	56.2	.....	.....	24.1	.....	24.1	24.1	8.0	8.0	96.3	40.1	64.2
Traverse City *	1900	1,562.7	31.9	.....	.....	10.6	.....	.....	21.3	10.6	(2)	148.9	21.3	42.5
	1901	1,885.6	30.4	.....	.....	.....	20.3	10.1	10.1	30.4	(2)	172.4	10.1	81.1
	1902	1,753.7	19.4	.....	.....	.....	58.1	9.7	29.1	19.4	(2)	116.3	.....	58.1
	1903	1,762.7	.....	.....	.....	.....	18.6	9.3	.....	27.8	(2)	120.6	27.8	27.8
	1904	1,948.9	35.6	.....	.....	.....	17.8	.....	.....	8.9	(2)	186.9	35.6	26.7
	1905	1,833.7	26.3	.....	.....	.....	.....	.....	8.8	.....	26.3	219.3	.....	35.1
	1906	1,905.3	95.3	.....	.....	.....	.....	17.3	.....	.....	.....	225.2	34.6	34.6
	1907	2,000.7	25.6	.....	.....	17.1	.....	17.1	17.1	25.6	.....	282.1	8.5	68.4
	1908	2,414.3	59.1	.....	.....	.....	.....	25.3	.....	33.8	101.3	261.7	25.3	84.4
	1909	1,959.0	33.3	.....	.....	.....	8.3	8.3	.....	.....	75.0	183.4	33.3	66.7
West Bay City [3]	1900	1,631.2	38.1	.....	.....	30.5	61.0	.....	45.7	15.2	(2)	106.7	30.5	68.6
	1901	1,268.2	15.3	.....	.....	.....	15.3	7.6	45.8	61.1	(2)	68.8	15.3	53.5
	1902	1,462.6	15.3	30.6	.....	.....	15.3	45.9	7.7	.....	(2)	61.3	7.7	99.5
	1903	1,251.2	23.0	7.7	.....	38.4	.....	15.3	53.7	7.7	(2)	107.5	.....	30.7
	1904	1,215.7	53.9	.....	.....	23.1	.....	.....	38.5	23.1	(2)	46.2	15.4	23.1
MINNESOTA.[4]														
Duluth	1900	1,514.1	109.5	.....	1.9	18.9	5.7	11.3	30.2	1.9	(2)	100.1	41.5	56.6
	1901	1,325.8	74.1	.....	1.8	5.4	3.6	3.6	56.0	12.6	(2)	108.4	41.5	50.6
	1902	1,305.5	53.7	.....	.....	13.9	19.0	13.9	53.7	6.9	(2)	133.3	26.0	38.1
	1903	1,439.7	64.8	.....	.....	16.6	24.9	13.3	48.2	16.6	(2)	129.7	26.6	51.5
	1904	1,157.5	54.4	.....	.....	.....	14.4	.....	12.8	.....	(2)	147.1	20.8	65.6
	1905	1,285.8	44.7	.....	.....	.....	1.5	3.1	18.5	7.7	4.6	106.2	29.3	57.9
	1906	1,386.4	45.6	.....	.....	26.5	1.5	26.5	28.0	2.9	2.9	132.5	25.0	60.3
	1907	1,324.9	41.0	.....	.....	4.2	12.7	9.9	66.5	.....	2.8	142.8	8.5	56.6
	1908	1,202.8	55.8	.....	.....	5.4	5.4	5.4	59.9	6.8	2.7	122.5	24.5	43.5
	1909	1,298.0	51.1	.....	.....	5.2	27.5	7.9	44.6	2.6	6.6	114.1	22.3	64.2

[1] Exclusive of stillbirths.

[3] Not computed separately.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
4.8	14.4	14.4	192.2	105.7	129.7	81.7	158.5	62.4	52.8	86.5	.....	72.1	43.2	124.9	24.0
.....	28.8	4.8	168.0	86.4	81.5	72.0	86.4	72.0	43.2	28.8	4.8	62.4	33.6	163.2	14.4
.....	24.0	19.2	148.6	115.1	71.9	52.7	38.3	100.7	71.9	33.5	14.4	95.9	19.2	119.9	19.2
9.6	4.8	4.8	191.6	110.2	86.2	91.0	28.7	62.3	76.6	33.5	9.6	86.2	14.4	138.9	28.7
.....	14.3	9.6	138.8	153.1	71.8	57.4	62.2	38.3	105.3	33.5	4.8	119.7	9.6	148.3	47.9
.....	.....	14.0	195.5	107.1	116.4	46.6	33.8	97.8	88.5	46.6	4.7	37.2	18.6	116.4	9.3
.....	.....	13.6	159.0	190.8	109.0	40.9	136.3	113.5	81.8	54.5	.....	63.6	18.2	154.4	13.6
.....	13.3	13.3	119.7	195.1	88.7	44.3	62.1	84.2	66.5	88.7	26.6	84.2	13.3	137.4	17.7
.....	13.0	30.3	129.9	147.2	21.6	77.9	64.9	73.6	56.3	64.9	21.6	56.3	4.3	147.2	4.3
4.2	8.5	12.7	131.2	110.0	71.9	55.0	63.5	110.0	46.5	55.0	21.2	80.4	21.2	131.2	.....
.....	11.5	34.5	80.5	195.5	69.0	80.5	161.0	69.0	69.0	23.0	23.0	46.0	34.5	57.5	.....
.....	22.7	11.3	136.2	158.9	102.2	79.5	79.5	45.4	45.4	22.7	.....	68.1	34.1	102.2	.....
.....	44.8	11.2	100.9	168.2	78.5	100.9	67.3	33.6	11.2	44.8	.....	44.8	11.2	145.8	11.2
.....	11.1	.....	33.2	66.4	55.4	33.2	33.2	33.2	77.5	11.1	.....	66.4	11.1	110.8	.....
.....	21.9	.....	21.9	120.3	21.9	.....	98.3	10.9	32.8	43.8	.....	10.9	10.9	142.2	.....
.....	32.5	21.7	129.9	129.9	32.5	32.5	65.0	75.8	54.1	43.3	.....	54.1	21.7	184.1	10.8
.....	.....	10.7	75.1	193.1	53.6	75.1	182.4	75.1	64.4	10.7	.....	107.3	10.7	171.7	.....
.....	10.6	31.9	127.6	233.9	42.5	31.9	106.3	42.5	53.2	31.9	42.5	74.4	.....	191.4	.....
.....	10.5	10.5	137.0	221.3	42.2	42.2	31.6	147.6	31.6	52.7	10.5	126.5	31.6	94.9	.....
.....	20.9	.....	156.7	188.0	41.8	62.7	31.3	125.4	41.8	94.0	10.4	31.3	10.4	94.0	.....
10.2	10.2	30.7	276.4	133.1	163.8	30.7	112.6	92.1	30.7	61.4	51.2	20.5	71.7	286.6	20.5
.....	.....	29.9	348.4	129.4	179.2	69.7	59.7	79.6	29.9	19.9	.....	109.5	39.8	248.8	19.9
.....	9.7	29.0	552.0	184.0	77.5	87.1	58.1	67.8	58.1	48.4	19.4	38.7	9.7	145.3	.....
.....	37.7	9.4	660.1	207.5	94.3	47.2	75.4	94.3	150.9	37.7	18.9	103.7	.....	179.2	.....
.....	9.1	.....	532.9	156.2	128.6	55.1	27.6	91.9	73.5	27.6	27.6	36.7	9.1	192.9	.....
.....	16.7	8.4	418.0	150.5	158.8	66.9	66.9	92.0	50.2	25.1	25.1	75.2	25.1	150.5	.....
8.0	16.0	16.0	400.0	232.0	56.0	88.0	104.0	88.0	80.0	8.0	8.0	40.0	24.0	208.0	.....
.....	15.3	15.3	483.3	260.8	69.0	84.4	30.7	46.0	46.0	38.4	.....	138.1	23.0	107.4	.....
.....	22.1	7.4	383.2	368.4	58.9	66.3	44.2	66.3	36.8	22.1	22.1	44.2	14.7	117.9	.....
.....	14.2	21.3	432.4	311.9	113.4	42.5	106.3	78.0	63.8	56.7	7.1	70.9	21.3	148.9	.....
5.2	5.2	31.2	141.0	135.7	109.6	47.0	120.1	109.6	62.6	41.8	.....	94.0	52.2	156.6	10.4
5.2	5.2	25.8	129.0	103.2	139.3	41.3	103.2	67.1	82.6	41.3	5.2	77.4	25.8	216.8	.....
.....	5.1	.....	148.0	97.0	102.1	40.9	168.5	107.2	71.5	25.5	10.2	112.3	15.3	168.4	.....
.....	5.0	5.0	131.3	151.5	50.5	20.2	70.7	60.6	75.7	50.5	5.0	70.7	25.2	176.7	.....
5.0	15.0	10.0	134.8	164.7	54.9	34.9	64.9	74.9	79.9	84.9	5.0	84.9	15.0	134.8	5.0
.....	15.1	30.3	121.1	201.9	126.2	45.4	121.1	95.9	151.4	65.6	.....	60.6	5.0	111.0	.....
5.1	10.2	10.2	112.2	158.0	45.9	51.0	117.3	71.4	91.8	112.2	5.1	66.3	25.5	163.1	.....
.....	15.4	10.3	133.9	154.5	113.3	41.2	51.5	108.1	128.7	61.8	5.1	97.8	5.1	108.1	.....
.....	10.4	5.2	130.1	197.7	104.1	41.6	93.7	119.7	145.7	62.4	10.4	72.8	26.0	197.7	.....
5.3	15.8	10.5	126.2	178.7	52.6	63.1	84.1	115.7	84.1	84.1	.....	63.1	15.8	136.7	.....
4.7	9.4	23.6	163.0	132.3	129.9	89.8	85.0	99.2	44.9	75.6	2.4	77.9	54.3	165.3	14.2
4.6	9.2	13.8	138.2	156.7	117.5	87.5	64.5	133.6	34.6	53.0	11.5	87.5	34.6	135.9	.....
2.2	9.0	4.5	139.4	170.9	74.2	87.7	45.0	132.6	54.0	47.2	13.5	67.4	18.0	173.1	.....
4.4	13.2	13.2	147.1	140.5	79.0	65.9	74.6	96.6	37.3	52.7	24.1	74.6	19.8	169.1	2.2
4.3	15.0	12.9	139.5	163.1	66.5	68.7	38.6	122.3	47.2	49.3	19.3	94.4	17.2	139.5	.....
2.1	12.7	16.9	124.7	147.9	78.2	80.3	67.6	88.7	57.0	46.5	23.2	95.1	44.4	141.6	.....
.....	12.5	10.4	114.6	147.9	68.8	77.1	95.8	91.7	64.6	70.8	20.8	102.1	47.9	152.1	.....
2.1	20.6	12.3	160.3	143.9	106.9	71.9	37.0	113.0	63.7	61.7	20.6	82.2	39.0	143.9	2.1
2.0	10.1	32.4	160.2	150.0	85.2	68.9	64.9	109.5	75.0	71.0	14.2	73.0	42.6	137.9	.....
.....	10.0	36.0	150.0	198.1	72.0	62.0	66.0	120.0	52.0	88.0	18.0	86.0	32.0	164.1	.....
.....	9.5	28.5	142.3	113.9	161.3	189.8	208.8	142.3	56.9	66.4	.....	180.2	104.4	123.4	85.4
.....	9.3	.....	83.6	74.3	102.2	120.7	204.4	130.1	18.6	92.9	37.2	269.4	74.3	148.6	130.1
.....	9.1	27.3	154.7	109.2	182.0	45.5	263.8	100.1	54.6	118.3	36.4	191.0	36.4	282.1	72.8
.....	.....	62.4	178.3	178.3	115.9	53.5	222.9	124.8	89.2	62.4	17.8	231.8	44.6	187.2	35.7
.....	.....	.....	148.6	139.8	61.2	96.1	148.7	52.4	34.9	122.3	17.5	148.6	26.2	174.8	26.2
.....	8.6	42.9	102.9	111.5	120.1	85.8	205.9	102.9	111.5	68.8	25.7	120.1	51.5	145.8	25.7
.....	.....	8.4	118.1	151.8	67.5	84.3	109.6	135.0	50.6	101.2	.....	177.1	16.9	227.7	8.4
.....	16.6	16.6	66.4	116.1	107.8	82.9	149.3	66.4	66.4	132.7	.....	124.4	24.9	190.8	16.6
.....	8.2	32.6	122.4	65.3	32.6	114.2	204.0	114.2	32.6	106.1	.....	138.7	16.3	138.7	.....
.....	8.0	8.0	80.3	96.3	56.2	64.2	88.3	96.3	48.2	120.4	.....	168.6	16.1	128.5	.....
.....	10.6	21.3	414.6	170.1	106.3	42.5	85.0	116.9	53.2	63.8	.....	42.5	21.3	116.9	10.6
.....	30.4	10.1	486.6	253.5	101.4	111.5	91.3	81.1	60.8	50.7	30.4	20.3	30.4	152.1	10.1
.....	9.7	19.4	358.5	290.7	38.7	96.9	77.5	106.6	48.4	77.5	19.4	125.9	29.1	145.3	.....
.....	9.3	18.6	473.1	287.6	37.1	37.1	148.4	120.6	37.1	33.5	18.6	74.2	9.3	167.0	9.3
.....	17.8	44.5	329.2	302.6	44.5	89.0	195.8	89.0	106.8	44.5	17.8	97.9	35.6	222.4	.....
.....	.....	17.5	438.7	280.8	105.3	87.7	96.5	79.0	43.9	43.9	35.1	43.9	52.6	193.0	.....
.....	17.3	26.0	450.3	329.1	17.3	60.6	52.0	60.6	121.2	52.0	34.6	26.0	60.6	181.9	8.7
.....	25.6	42.7	504.4	290.7	59.8	85.5	34.2	111.1	119.7	25.6	17.1	42.7	8.5	171.0	.....
.....	25.3	8.4	565.6	346.1	92.9	42.2	202.6	59.1	67.5	59.1	.....	50.6	16.9	287.0	.....
.....	33.3	16.7	383.5	333.4	58.4	41.7	116.7	83.4	150.0	50.0	25.0	33.3	8.3	216.7	.....
.....	.....	45.7	152.5	76.2	99.1	137.2	190.6	99.1	53.4	91.5	15.2	106.7	45.7	122.0	.....
7.6	7.6	15.3	175.7	76.4	122.2	114.6	84.1	84.1	30.6	15.3	7.6	61.1	15.3	160.4	7.6
7.7	7.7	38.3	153.2	176.1	107.2	91.9	68.9	107.2	68.9	137.8	7.7	68.9	15.3	122.5	.....
15.3	.....	15.3	76.8	122.8	38.4	76.8	115.1	99.8	38.4	61.4	.....	168.9	46.1	92.1	.....
.....	15.4	15.4	130.8	138.5	100.0	69.2	84.6	76.9	30.8	61.5	7.7	53.9	15.4	192.3	.....
1.9	5.7	37.7	69.8	81.2	149.1	64.2	179.4	94.4	100.1	77.4	5.7	122.7	24.5	115.2	7.5
3.6	5.4	56.0	63.2	61.4	88.5	54.2	148.1	70.4	56.0	47.0	12.6	146.3	27.1	126.4	1.8
.....	5.2	27.7	72.7	84.8	79.6	60.6	105.6	65.8	65.8	53.7	19.0	136.8	12.1	154.1	3.5
1.7	6.6	38.2	79.8	134.7	116.4	51.5	96.4	99.7	69.8	68.2	16.6	121.4	24.9	114.7	6.6
.....	8.0	33.6	41.6	92.7	94.3	43.2	86.3	68.7	62.4	70.3	12.8	113.5	12.8	102.3	.....
.....	6.2	60.1	80.1	98.5	83.2	50.8	107.8	112.4	69.3	61.6	16.9	135.5	29.3	100.1	1.5
.....	7.4	48.6	73.6	110.4	101.5	78.0	122.2	101.5	70.6	61.8	16.2	123.6	22.1	95.7	1.5
.....	8.5	69.3	65.0	94.7	127.3	62.2	87.7	76.4	46.7	67.9	17.0	93.3	42.4	121.6	.....
4.1	13.6	24.5	70.8	117.0	63.9	47.6	107.5	58.5	38.1	63.9	25.9	98.0	17.7	119.7	.....
.....	9.2	17.0	72.1	99.6	99.6	49.8	123.2	65.6	69.5	77.4	15.7	123.2	7.9	120.6	1.3

[3] Annexed to Bay City, Apr. 1, 1905.

[4] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
MINNESOTA [2]—continued.														
Mankato	1900	1,254.8	28.3	.....	.....	.....	.....	.....	.....	.....	(3)	75.5	18.9	113.2
	1901	1,367.3	18.7	.....	.....	18.7	18.7	.....	56.2	37.5	(3)	187.3	9.4	46.8
	1902	1,357.3	9.3	.....	.....	102.3	27.9	55.8	46.5	.....	(3)	148.7	27.9	102.3
	1903	1,328.9	.....	.....	.....	.....	9.2	9.2	9.2	9.2	(3)	138.4	46.1	92.3
	1904	1,282.5	18.3	.....	.....	.....	9.2	.....	.....	18.3	(3)	100.8	27.5	82.4
	1905	1,518.7	36.4	.....	.....	.....	.....	.....	.....	63.7	72.8	118.2	9.1	109.1
	1906	1,243.4	.....	.....	.....	.....	.....	.....	9.2	27.6	18.4	156.6	27.6	82.9
	1907	1,323.6	37.3	.....	.....	.....	.....	.....	.....	.....	9.3	186.4	.....	111.9
	1908	1,585.1	292.5	.....	.....	9.4	9.4	.....	9.4	47.2	9.4	113.2	47.2	141.5
	1909	1,518.8	38.2	.....	.....	.....	.....	9.6	38.2	.....	19.1	105.1	19.1	181.5
Minneapolis	1900	1,138.5	41.4	1.0	4.4	1.5	7.9	3.9	61.2	6.4	(3)	128.3	29.1	56.2
	1901	1,172.6	58.7	.....	0.5	7.5	7.0	9.3	89.0	6.5	(3)	120.2	35.0	57.8
	1902	1,000.8	26.9	0.4	.....	1.3	14.1	9.7	32.7	2.6	(3)	106.4	21.6	52.6
	1903	1,042.1	41.1	.....	3.8	7.6	11.8	7.6	24.8	10.9	(3)	118.8	27.3	68.0
	1904	961.5	40.4	.....	6.8	0.8	13.2	6.8	23.2	4.0	(3)	103.5	26.4	57.6
	1905	942.5	24.4	0.8	0.4	0.8	3.4	1.1	21.0	5.0	7.3	93.1	19.1	62.6
	1906	1,041.6	33.2	.....	.....	17.0	4.4	11.5	25.1	3.0	11.1	101.6	23.3	61.7
	1907	1,061.2	26.5	.....	0.7	1.8	6.1	10.0	14.3	5.7	9.3	103.6	18.3	71.0
	1908	1,072.4	18.5	.....	0.7	7.3	4.9	4.9	31.4	8.0	9.1	107.0	19.2	65.5
	1909	1,066.8	21.0	0.3	.....	.....	10.5	6.8	35.6	4.1	9.8	123.0	20.3	65.4
St. Paul	1900	1,000.8	21.5	.....	0.6	1.2	4.9	7.4	37.4	3.7	(3)	120.8	29.4	60.7
	1901	1,035.0	13.5	.....	0.6	7.1	10.0	2.9	30.6	11.8	(3)	120.7	21.8	46.5
	1902	1,002.0	13.6	.....	.....	6.8	9.6	10.8	34.5	5.1	(3)	104.7	26.0	51.5
	1903	971.4	10.4	0.5	8.7	7.1	13.6	5.5	11.4	11.4	(3)	94.3	20.2	58.9
	1904	996.7	13.7	.....	1.1	1.6	4.2	7.9	26.3	5.3	(3)	105.7	26.3	60.5
	1905	1,000.4	10.7	.....	0.5	0.5	9.6	8.1	32.5	4.1	7.6	112.7	29.9	57.9
	1906	1,049.0	21.4	.....	0.5	8.5	1.5	5.0	25.4	0.5	10.9	100.0	28.4	61.2
	1907	1,093.9	17.6	.....	1.0	3.4	7.8	5.4	25.9	3.9	4.9	121.7	37.1	66.0
	1908	1,050.3	12.5	.....	1.9	1.9	8.2	11.5	25.0	7.2	5.3	92.7	24.0	77.3
	1909	1,138.9	18.9	.....	.....	0.5	38.2	5.2	43.9	6.1	7.6	106.2	19.8	68.9
Winona	1900	1,369.6	35.5	5.1	5.1	.....	30.4	.....	40.6	10.1	(3)	111.6	30.4	71.0
	1901	1,275.3	10.1	.....	5.0	.....	20.2	20 2	40.3	10.1	(3)	126.0	20.2	55.4
	1902	1,032.0	5.0	.....	.....	20.0	.....	25.0	25.0	15.0	(3)	95.2	15.0	75.1
	1903	1,179.9	14.9	.....	14.9	.....	.....	10.0	5.0	29.9	(3)	94.6	10.0	89.6
	1904	1,420.1	9.9	.....	.....	.....	34.6	14.8	84.1	39.6	(3)	103.9	19.8	89.1
	1905	1,268.8	9.8	.....	.....	.....	.....	9.8	113.1	34.4	4.9	113.1	4.9	118.0
	1906	1,077.9	.....	.....	.....	10.0	.....	5.0	35.1	15.0	5.0	90.2	25.1	105.3
	1907	1,301.9	10.2	.....	.....	5.1	5.1	30.6	5.1	20.4	10.2	158.3	20.4	66.4
	1908	1,201.4	15.6	.....	.....	10.4	5.2	.....	10.4	20.8	20.8	145.6	15.6	83.2
	1909	1,377.9	10.6	.....	.....	.....	15.9	15.9	10.6	5.3	21.2	116.6	.....	159.0
MISSOURI.[2]														
Kansas City	1900	1,633.0	35.4	6.1	5.5	6.7	6.7	4.3	47.6	9.2	(3)	196.7	8.5	39.7
	1901	1,563.4	44.2	7.6	3.5	.....	16.3	1.7	23.3	14.0	(3)	183.2	5.2	45.4
	1902	1,493.6	36.2	5.6	4.5	13.9	8.4	11.7	10.6	5.0	(3)	168.2	5.6	56.3
	1903	1,608.1	74.3	7.5	4.3	1.6	7.5	9.1	12.3	11.8	(3)	188.2	12.3	51.3
	1904	1,780.5	39.1	6.7	4.1	9.2	10.3	3.6	25.2	31.3	(3)	213.2	13.9	65.8
	1905	1,498.3	54.5	5.9	12.4	1.0	2.0	6.9	22.8	19.8	8.9	178.6	16.3	54.5
	1906	1,333.2	32.9	0.5	0.5	1.4	3.3	3.3	22.9	12.4	10.0	147.8	22.9	70.6
	1907	1,534.0	34.1	1.4	1.4	23.0	1.8	7.8	15.2	17.5	9.2	161.1	16.1	70.4
	1908	1,407.7	29.4	5.3	0.9	3.1	4.9	14.2	16.0	16.9	6.7	131.6	13.3	62.7
	1909	1,439.4	29.3	2.1	.....	0.8	14.4	2.1	25.2	5.8	8.7	136.6	18.2	73.8
St. Joseph [4]	1900 to 1909	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
St. Louis	1900	1,794.4	32.5	10.4	0.5	4.2	10.6	1.2	66.8	9.4	(3)	187.4	18.3	57.2
	1901	1,804.8	33.4	7.8	1.4	2.4	10.6	6.0	47.3	15.1	(3)	192.3	15.5	55.3
	1902	1,730.6	40.1	7.3	1.5	1.0	21.0	12.2	29.6	5.5	(3)	181.4	20.0	55.1
	1903	1,823.5	52.6	10.0	0.7	23.4	15.9	13.8	32.3	26.4	(3)	187.2	24.8	73.4
	1904	1,893.4	38.1	10.3	8.2	5.1	10.6	6.9	27.4	25.4	(3)	231.7	21.7	69.8
	1905	1,698.1	22.8	15.5	9.6	8.2	2.4	8.7	25.6	21.8	10.3	222.5	27.7	74.0
	1906	1,572.7	18.5	13.0	0.2	1.9	2.6	10.7	17.7	9.8	11.8	195.2	23.4	73.4
	1907	1,585.1	16.5	7.0	.....	15.3	4.0	7.8	17.4	20.3	10.2	172.4	25.0	72.9
	1908	1,467.3	15.4	7.9	0.1	1.6	6.3	4.9	19.0	16.9	8.1	170.2	20.1	82.3
	1909	1,583.8	16.2	8.7	.....	22.6	14.3	4.4	26.0	11.1	7.7	177.0	22.7	86.4
MONTANA.[2]														
Helena	1900	1,550.6	46.4	.....	.....	.....	27.9	.....	18.6	.....	(3)	167.1	18.6	120.7
NEBRASKA.[2]														
Lincoln	1900	1,120.3	9.9	5.0	.....	2.5	5.0	5.0	82.2	14.9	(3)	82.2	12.4	47.3
	1901	1,271.4	37.0	2.5	2.5	4.9	2.5	9.9	61.6	46.8	(3)	76.4	17.2	61.6
	1902	988.5	41.5	2.4	.....	17.1	.....	7.3	17.1	2.4	(3)	78.1	4.9	48.8
	1903	947.9	16.9	4.8	.....	14.5	.....	14.5	16.9	14.5	(3)	50.8	12.1	58.0
	1904	1,094.8	24.0	.....	.....	33.5	2.4	.....	9.6	7.2	(3)	79.1	9.6	55.1
	1905	975.6	26.1	.....	.....	4.7	2.4	4.7	54.6	7.1	4.7	64.1	28.5	42.7
	1906	1,206.7	21.2	2.4	2.4	11.8	4.7	9.4	63.5	11.8	4.7	80.0	23.5	68.2
	1907	1,263.5	37.3	.....	.....	14.0	.....	25.6	25.6	11.7	4.7	88.6	21.0	42.0
	1908	1,231.5	11.6	.....	.....	16.2	13.9	6.9	34.7	23.1	2.3	76.2	16.2	76.2
	1909	1,206.9	9.2	.....	.....	6.9	2.3	9.2	25.2	6.9	4.6	71.0	20.6	84.7

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	9.4	37.7	151.0	122.7	75.5	66.0	94.3	103.8	37.7	28.3	28.3	56.6	75.5	113.2	18.9
.....	.....	46.8	121.7	74.9	84.3	84.3	93.7	84.3	18.7	84.3	9.4	93.7	9.4	149.8	18.7
.....	.....	37.2	93.0	120.9	93.0	93.0	9.3	83.7	27.9	27.9	.....	111.6	37.2	102.3	.....
.....	.....	9.2	156.9	55.4	166.1	64.6	27.7	101.5	64.6	36.9	27.7	64.6	27.7	212.3	.....
.....	.....	18.3	82.4	109.9	128.3	100.8	27.5	82.4	119.1	119.1	9.2	36.6	82.4	100.8	9.2
.....	18.2	.....	127.3	136.4	100.0	54.6	36.4	145.5	90.9	63.7	27.3	100.0	45.5	145.5	18.2
.....	18.4	27.6	128.9	82.9	138.2	27.6	64.5	73.7	55.3	46.1	9.2	55.3	92.1	101.3	.....
.....	.....	9.3	167.8	186.4	139.8	65.2	37.3	83.9	65.2	.....	9.3	65.2	37.3	111.9	.....
.....	.....	18.9	122.7	122.7	75.5	56.6	28.3	84.9	113.2	37.7	.....	122.7	9.4	113.2	.....
.....	19.1	.....	171.9	124.2	57.3	47.8	66.9	105.1	66.9	86.0	.....	143.3	47.8	171.9	.....
2.0	6.4	35.5	101.1	76.0	78.9	50.8	67.1	63.2	58.7	49.8	9.4	43.9	37.0	114.9	2.5
0.5	10.3	23.3	78.3	99.3	77.4	58.3	69.9	72.7	54.5	35.4	7.9	64.3	11.7	117.4	.....
1.3	6.6	23.8	83.9	95.0	75.1	61.8	42.0	66.7	57.4	33.6	15.5	43.7	19.4	106.0	0.4
1.7	8.0	18.0	70.9	96.1	70.1	59.2	48.7	65.9	60.4	29.0	11.8	57.1	8.4	115.0	0.4
.....	8.8	17.2	71.2	91.6	58.0	45.2	45.2	60.8	61.6	18.4	17.6	69.6	10.8	103.1	.....
0.4	15.3	15.3	76.0	92.0	69.1	42.0	55.7	63.7	66.8	23.3	19.8	60.3	5.3	98.5	.....
1.1	8.9	20.7	77.2	97.9	67.6	51.0	68.7	75.3	68.3	32.1	12.9	70.5	4.8	92.7	.....
0.7	9.0	32.6	82.1	104.7	93.6	56.7	57.4	67.1	77.1	29.8	15.4	57.7	3.2	106.5	.....
0.3	13.9	24.0	84.7	114.7	88.9	51.6	60.3	69.4	74.2	28.6	18.8	60.6	5.2	100.7	.....
.....	12.9	15.9	78.6	108.8	71.9	56.6	51.9	72.9	78.0	39.0	21.7	60.0	5.8	95.6	0.3
1.8	9.2	31.9	99.4	76.7	74.2	42.9	66.8	62.6	64.4	39.9	1.8	12.9	29.4	97.5	1.8
.....	5.3	21.2	75.4	77.7	60.6	64.2	60.6	73.0	52.4	52.4	14.1	57.7	30.0	123.6	1.2
0.6	5.1	19.2	79.3	84.3	74.7	58.9	41.3	65.1	56.6	48.7	11.3	54.9	30.6	107.6	1.1
0.5	7.6	16.9	74.7	79.6	71.4	58.3	44.1	66.0	52.9	58.9	14.7	56.1	19.1	107.8	0.5
1.1	10.5	27.3	76.2	76.7	68.3	42.1	65.2	63.6	51.5	63.6	17.3	65.2	23.1	92.0	0.5
.....	10.7	17.8	76.1	95.9	58.9	42.1	52.3	57.9	52.8	62.4	18.8	58.9	18.8	102.5	0.5
1.0	11.4	27.4	76.6	102.5	57.2	44.8	69.7	70.7	56.7	55.2	13.9	60.7	22.4	115.4	.....
2.0	6.8	26.4	80.2	110.0	67.0	46.4	58.7	65.5	67.0	59.1	13.7	73.3	16.1	107.0	.....
.....	9.6	19.7	82.1	102.8	66.3	42.7	53.8	65.3	76.8	57.1	15.8	66.8	20.2	103.7	.....
0 9	11.8	20.8	102.9	116.1	60.4	46.3	71.3	68.9	58.5	57.1	12.3	71.7	13.7	110.0	0.9
.....	20.3	25.4	147.1	101.5	81.2	30.4	45.6	91.3	30.4	126.8	5.1	101.5	50.7	137.0	35.5
.....	10.1	40.3	131.1	110.9	70.6	95.8	65.5	95.8	35.3	20.2	10.1	55.4	30.2	161.3	35.3
.....	10.0	25.0	130.2	85.2	65.1	50.1	20.0	55.1	45.1	30.1	.....	65.1	15.0	135.2	25.0
.....	.....	24.9	114.5	154.3	54.8	59.7	64.7	104.6	64.7	29.9	5.0	39.8	19.9	154.3	19.9
.....	9.9	29.7	74.2	153.4	108.9	108.9	34.6	84.1	14.8	54.4	.....	89.1	29.7	202.9	29.7
.....	29.5	4.9	103.3	113.1	83.6	68.9	39.3	78.7	19.7	54.1	14.8	98.4	19.7	132.8	.....
.....	25.1	15.0	130.4	110.3	60.2	50.1	60.2	70.2	30.1	30.1	5.0	55.1	5.0	125.3	15.0
.....	30.6	40.8	132.7	102.1	91.9	76.6	56.2	86.8	10.2	51.1	15.3	66.4	10.2	183.8	15.3
.....	31.2	20.8	145.6	166.4	67.6	46.8	67.6	57.2	26.0	20.8	15.6	46.8	26.0	130.0	5.2
.....	21.2	10.6	159.0	217.3	68.9	21.2	31.8	84.8	42.4	79.5	5.3	132.5	10.6	137.8	.....
1.8	4.3	44.6	134.3	130.7	174.7	76.3	89.2	91.0	71.4	89.8	11.0	110.5	106.3	125.2	5.5
1.2	6.4	29.1	125.0	112.2	151.2	50.0	69.8	92.5	75.0	100.0	9.9	134.4	116.3	139.0	7.0
3.3	6.1	39.6	104.7	113.1	163.2	70.2	62.4	99.2	80.2	84.1	15.6	94.7	86.4	139.8	5.0
1.1	4.8	35.8	108.5	123.5	168.9	57.2	72.2	96.2	85.0	85.5	21.9	116.5	117.1	133.7	.....
2.6	9.2	30.8	93.5	153.6	291.4	68.3	55.5	107.4	91.5	77.1	17.5	145.9	60.6	151.1	2.1
3.0	8.9	26.2	108.3	148.4	152.4	49.5	58.9	91.0	75.2	68.8	22.3	110.8	61.3	127.1	3.0
1.0	9.1	23.8	103.9	131.1	118.7	50.5	49.1	86.8	68.2	67.7	24.3	110.1	43.9	113.5	2.9
3.2	6.0	27.2	127.9	154.2	147.7	68.1	60.8	102.2	92.5	77.3	29.9	108.2	46.0	122.4	1.4
0.4	8.9	24.0	104.1	150.8	121.4	50.7	52.9	91.6	99.2	84.9	35.1	104.5	38.2	133.9	1.8
1.7	8.3	25.2	108.5	158.8	122.9	49.1	61.9	82.9	98.2	82.9	24.3	109.7	59.4	122.1	6.6
1.7	5.7	28.9	155.3	120.5	183.9	111.3	94.8	110.7	119.1	91.6	22.4	90.9	72.1	184.0	3.0
1.4	7.1	31.0	156.4	127.1	158.6	131.2	93.4	108.1	111.1	89.4	22.8	116.6	73.7	187.7	1.9
1.3	4.7	24.5	160.8	120.4	161.0	119.9	85.8	94.9	117.6	100.2	21.9	81.8	77.7	180.5	2.8
0.5	7.7	23.6	150.8	143.1	139.8	134.1	98.5	100.6	112.1	99.8	27.4	98.5	48.2	176.7	1.8
1.0	8.7	20.1	135.6	170.9	173.1	132.3	87.5	111.2	124.2	95.6	34.8	121.8	37.5	181.8	1.9
1.6	10.4	19.0	124.2	160.4	131.8	115.7	81.9	101.3	115.2	86.8	29.4	97.7	29.2	142.2	2.4
0.6	9.3	14.0	114.3	168.3	97.3	101.7	90.4	105.6	117.2	83.2	34.6	98.0	28.3	131.0	0.8
1.1	11.1	14.0	111.4	164.6	112.3	110.3	92.2	98.7	124.2	76.6	32.7	108.6	23.8	133.7	1.1
1.5	15.3	11.2	100.9	146.2	90.9	90.6	83.7	102.1	129.6	89.2	32.1	73.2	22.9	123.9	0.6
1.5	14.7	9.1	112.5	183.5	100.3	97.0	88.3	101.3	136.7	72.6	29.6	91.6	18.6	128.9	0.4
.....	18.6	46.4	102.1	111.4	157.9	37.1	55.7	111.4	102.1	27.9	18.6	102.1	83.6	167.1	9.3
7.5	9.9	22.4	97.1	54.8	84.7	57.3	67.2	92.1	39.8	44.8	9.9	59.7	82.2	104.6	19.9
7.4	2.5	29.6	123.2	69.0	96.1	49.2	56.7	59.1	44.4	54.2	19.7	105.9	86.2	138.0	7.4
4.9	12.2	22.0	124.5	61.0	83.0	26.8	61.0	56.1	26.8	46.4	2.4	51.3	90.3	92.7	7.3
2.4	9.7	24.2	89.5	50.8	87.0	26.6	58.0	87.0	33.9	41.1	4.8	72.5	58.0	96.7	2.4
4.8	12.0	26.4	122.2	100.6	93.4	45.5	50.3	55.1	50.3	57.5	14.4	62.3	57.5	117.4	4.8
7.1	9.5	16.6	78.3	76.0	76.0	19.0	61.7	78.3	47.5	38.0	21.4	66.5	45.1	92.6	2.4
4.7	14.1	11.8	112.9	129.4	75.3	42.3	56.5	82.3	44.7	56.5	9.4	77.6	65.9	120.0	.....
2.3	7.0	18.6	109.6	111.9	116.6	25.6	79.3	76.9	60.6	79.3	18.6	86.3	72.3	123.6	4.7
2.3	13.9	16.2	87.8	136.3	101.7	32.3	76.2	120.1	64.7	67.0	23.1	80.9	32.3	97.0	2.3
4.6	13.7	20.6	91.6	132.8	100.8	55.0	55.0	121.4	71.0	75.6	6.9	80.2	41.2	96.2	.....

[3] Not computed separately.

[4] No rates computed. Population June 1, 1900, 102,979; Apr. 15, 1910, 77,403.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
NEBRASKA[2]—continued.														
Omaha	1900	1,179.9	23.4	2.9	.....	0.9	6.8	5.8	25.4	11.7	(3)	97.5	22.4	43.9
	1901	1,175.2	24.8	.....	2.9	.....	12.4	11.4	13.3	23.8	(3)	91.5	20.0	57.2
	1902	1,221.3	22.4	2.8	2.8	14.0	13.1	18.7	14.9	6.5	(3)	102.7	14.0	47.6
	1903	1,003.9	11.9	0.9	.....	4.6	11.9	3.7	9.2	15.6	(3)	122.6	9.2	49.4
	1904	1,205.8	17.9	2.7	0.9	9.0	7.2	10.8	15.3	13.5	(3)	111.3	17.9	65.5
	1905	1,144.0	26.4	1.8	.....	1.8	7.0	17.6	11.4	20.2	8.8	88.9	16.7	76.6
	1906	1,222.6	30.2	.....	.....	4.3	7.8	.....	25.0	13.0	8.6	93.2	19.0	80.3
	1907	1,345.7	25.4	0.8	.....	23.7	2.5	10.2	20.3	21.2	13.6	92.4	29.7	91.5
	1908	1,322.1	24.1	1.7	5.0	1.7	9.2	20.8	15.8	13.3	11.6	107.3	11.6	80.7
	1909	1,468.5	36.8	1.6	.....	16.3	5.7	17.2	18.8	15.5	12.3	119.3	15.5	82.5
NEW HAMPSHIRE.														
Berlin	1900	2,284.5	123.8	.....	.....	22.5	.....	.....	78.8	22.5	(3)	112.5	22.5	45.0
	1901	1,336.5	65.2	.....	21.7	.....	10.9	.....	.....	.....	(3)	152.1	10.9	43.5
	1902	1,200.5	21.1	.....	.....	42.1	.....	.....	21.1	.....	(3)	73.7	10.5	21.1
	1903	1,736.6	40.9	.....	.....	.....	.....	10.2	20.4	.....	(3)	81.7	10.2	10.2
	1904	1,815.1	59.5	.....	9.9	9.9	.....	59.5	29.8	.....	(3)	89.3	29.8	59.5
	1905	1,628.9	9.6	.....	.....	38.6	.....	.....	9.6	9.6	28.9	57.8	19.3	67.5
	1906	1,743.5	131.2	.....	.....	9.4	.....	.....	9.4	.....	9.4	93.7	18.7	28.1
	1907	1,423.2	9.1	.....	.....	.....	18.2	27.4	9.1	18.2	9.1	27.4	9.1	36.5
	1908	1,670.5	26.7	.....	.....	.....	.....	44.4	26.7	35.5	17.8	62.2	35.5	62.2
	1909	1,195.1	17.3	.....	.....	.....	.....	26.0	8.7	.....	8.7	69.3	8.7	34.6
Concord *	1900	1,742.1	5.1	.....	.....	5.1	.....	25.5	25.5	30.5	(3)	96.8	.....	71.3
	1901	1,401.6	10.1	.....	5.0	.....	.....	5.0	35.3	35.3	(3)	141.2	25.2	45.4
	1902	1,752.9	15.0	.....	.....	.....	.....	5.0	10.0	30.0	(3)	139.8	10.0	74.9
	1903	1,790.9	19.8	.....	.....	39.6	.....	14.8	19.8	24.7	(3)	123.7	19.8	74.2
	1904	1,847.9	9.8	.....	.....	.....	.....	4.9	19.6	34.3	(3)	142.1	9.8	93.1
	1905	1,806.6	9.7	.....	.....	9.7	.....	.....	4.9	34.0	29.1	179.7	29.1	121.4
	1906	1,910.5	14.4	9.6	.....	9.6	.....	24.1	14.4	28.9	19.2	134.7	9.6	72.2
	1907	1,979.1	.....	.....	.....	4.8	4.8	.....	9.5	52.5	9.5	133.5	14.3	90.6
	1908	1,937.8	9.5	.....	.....	.....	.....	.....	23.6	14.2	14.2	118.2	4.7	104.0
	1909	2,164.2	18.7	.....	.....	42.2	.....	14.1	28.1	4.7	4.7	187.4	4.7	103.1
Dover	1900	1,900.5	22.7	.....	.....	.....	.....	7.6	22.7	53.0	(3)	181.7	22.7	83.3
	1901	1,763.7	37.8	15.1	.....	22.7	.....	.....	37.8	68.1	(3)	174.1	.....	98.4
	1902	1,513.4	7.6	.....	.....	.....	.....	7.6	22.7	7.6	(3)	113.5	7.6	68.1
	1903	1,611.3	22.7	.....	.....	.....	.....	22.7	7.6	15.1	(3)	143.7	30.3	45.4
	1904	1,822.6	22.7	7.6	.....	.....	.....	.....	.....	15.1	(3)	242.0	37.8	83.2
	1905	1,988.4	45.4	.....	.....	22.7	.....	45.4	7.6	45.4	7.6	158.8	22.7	98.3
	1906	1,874.4	37.8	7.6	.....	7.6	.....	15.1	.....	7.6	15.1	158.7	60.5	90.7
	1907	1,987.2	45.3	.....	.....	7.6	.....	.....	.....	60.4	.....	136.0	15.1	113.3
	1908	1,827.9	52.9	.....	.....	.....	.....	7.6	.....	68.0	.....	196.4	45.3	128.4
	1909	1,834.9	15.1	.....	.....	.....	7.6	.....	.....	15.1	7.6	181.2	7.6	128.4
Keene	1900	1,418.4	.....	.....	.....	.....	10.9	10.9	10.9	32.7	(3)	141.9	21.8	87.3
	1901	1,824.5	21.6	.....	.....	.....	248.3	.....	21.6	54.0	(3)	194.3	.....	183.5
	1902	1,282.9	10.7	.....	.....	10.7	.....	.....	.....	32.1	(3)	53.5	10.7	85.5
	1903	1,387.0	10.6	.....	.....	.....	.....	21.2	10.6	74.1	(3)	84.7	.....	137.6
	1904	1,573.0	10.5	.....	.....	.....	.....	10.5	.....	125.8	(3)	136.3	.....	83.9
	1905	1,745.1	41.5	.....	.....	72.7	.....	.....	10.4	72.7	.....	166.2	51.9	124.6
	1906	1,687.4	20.6	.....	.....	.....	.....	.....	.....	10.3	10.3	92.6	30.9	144.0
	1907	1,834.7	10.2	.....	.....	.....	.....	.....	20.4	71.3	.....	101.9	10.2	112.1
	1908	1,605.6	.....	.....	.....	10.1	.....	10.1	20.2	10.1	.....	70.7	20.2	181.8
	1909	1,450.7	.....	.....	.....	.....	.....	.....	.....	60.0	10.0	120.1	.....	60.0
Laconia	1900	1,765.7	24.9	.....	.....	.....	12.4	.....	.....	24.9	(3)	223.9	24.9	24.9
	1901	1,800.4	24.2	.....	.....	.....	12.1	.....	.....	.....	(3)	193.3	24.2	108.7
	1902	1,601.5	23.6	.....	.....	.....	.....	.....	11.8	.....	(3)	153.1	.....	106.0
	1903	1,883.1	11.5	.....	.....	57.4	.....	23.0	.....	23.0	(3)	195.2	.....	91.9
	1904	1,590.9	11.2	11.2	.....	.....	.....	.....	11.2	.....	(3)	156.8	11.2	123.2
	1905	1,673.4	.....	.....	.....	.....	.....	.....	.....	43.7	10.9	87.5	10.9	120.3
	1906	2,104.7	10.7	.....	.....	10.7	.....	42.7	.....	.....	53.4	203.0	32.1	85.5
	1907	1,733.3	.....	.....	.....	.....	.....	.....	62.6	31.3	10.4	146.2	10.4	104.4
	1908	1,480.5	.....	.....	.....	10.2	.....	.....	10.2	10.2	20.4	204.2	20.4	51.1
	1909	1,678.2	10.0	.....	.....	20.0	.....	.....	10.0	20.0	10.0	159.8	40.0	129.9
Manchester	1900	2,025.0	15.8	1.7	1.7	.....	10.5	5.3	21.0	10.5	(3)	198.3	31.6	40.4
	1901	1,843.5	17.1	1.7	.....	.....	18.8	20.5	10.3	15.4	(3)	174.6	20.5	66.8
	1902	1,769.2	15.1	1.7	.....	8.4	1.7	10.0	53.6	1.7	(3)	120.5	31.8	48.5
	1903	1,743.9	18.0	.....	.....	1.6	3.3	29.5	57.3	18.0	(3)	126.1	36.0	60.6
	1904	1,565.9	20.8	3.2	1.6	.....	1.6	11.2	27.2	12.8	(3)	144.2	32.1	59.3
	1905	2,034.0	18.8	.....	.....	18.8	1.6	9.4	56.5	15.7	15.7	171.1	20.4	53.4
	1906	1,931.1	13.8	1.5	.....	.....	1.5	32.3	66.1	16.9	13.8	153.7	16.9	56.9
	1907	1,859.4	13.6	.....	.....	12.1	.....	37.7	43.7	9.0	7.5	116.0	33.1	76.8
	1908	1,648.7	29.5	1.5	.....	.....	.....	17.7	65.0	10.3	7.4	140.3	19.2	65.0
	1909	1,973.5	17.4	.....	.....	21.7	.....	29.0	50.7	8.7	8.7	142.0	21.7	72.4
Nashua	1900	1,958.3	4.2	12.6	.....	29.3	.....	8.4	62.8	41.8	(3)	175.7	20.9	62.8
	1901	1,749.0	8.3	8.3	.....	.....	.....	12.4	87.0	41.4	(3)	161.6	33.2	37.3
	1902	1,836.4	12.3	.....	12.3	4.1	4.1	12.3	168.4	4.1	(3)	197.2	20.5	115.0
	1903	1,559.8	16.3	4.1	.....	4.1	4.1	24.4	48.9	28.5	(3)	154.8	8.1	61.1
	1904	1,498.0	20.2	.....	.....	24.2	4.0	4.0	36.3	24.2	(3)	157.5	24.2	68.6
	1905	1,501.2	8.0	.....	.....	20.0	.....	.....	12.0	20.0	8.0	168.1	20.0	48.0
	1906	1,778.2	19.8	4.0	.....	7.9	.....	31.8	7.9	19.8	7.9	123.0	27.8	67.5
	1907	1,716.0	3.9	3.9	.....	11.8	.....	3.9	47.2	23.6	7.9	133.8	31.5	118.1
	1908	1,623.6	7.8	3.9	.....	31.2	.....	19.5	50.7	19.5	19.5	66.3	23.4	74.2
	1909	1,679.8	7.7	.....	.....	.....	38.7	15.5	19.4	7.7	11.6	77.4	34.8	61.9

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	4.9	28.3	110.2	78.0	125.8	60.5	63.4	85.8	33.2	70.2	15.6	80.9	41.0	134.6	6.8
3.8	8.6	39.1	119.1	68.6	98.2	68.6	46.7	99.1	43.8	47.7	13.3	75.3	35.3	144.9	5.7
8.4	3.7	23.3	145.7	85.9	87.8	71.9	70.0	93.4	54.2	41.1	15.9	71.9	49.5	129.8	9.3
1.8	6.4	15.6	94.3	94.3	83.3	43.0	27.5	69.5	43.0	55.8	11.9	75.0	22.9	119.9	0.9
1.8	8.1	14.4	113.9	106.8	89.7	57.4	61.0	112.1	67.3	37.7	16.1	79.0	24.2	143.5	0.9
5.3	7.9	7.9	103.0	127.6	69.5	47.5	37.0	101.2	56.3	43.1	20.2	92.4	16.7	128.5	2.6
1.7	9.5	15.5	91.5	120.0	78.6	44.0	44.0	121.7	63.0	64.8	20.7	84.6	13.0	165.8	2.6
0.8	8.5	22.0	90.7	157.6	93.2	47.5	78.8	122.9	79.7	62.7	24.6	79.7	5.9	139.8	.....
0.8	13.3	17.5	87.4	163.9	114.0	44.9	64.1	124.0	61.6	55.7	28.3	91.5	8.3	143.9	.....
.....	17.2	18.0	103.0	188.0	89.9	59.7	91.5	130.8	81.7	44.1	37.6	103.8	3.3	158.5	.....
.....	11.3	146.3	112.5	67.5	213.8	101.3	675.2	33.8	33.8	101.3	.....	78.8	112.5	101.3	67.5
.....	.....	97.8	43.5	43.5	141.3	54.3	293.4	32.6	54.3	97.8	.....	32.6	86.9	21.7	32.6
.....	.....	63.2	94.8	52.7	189.6	84.2	105.3	63.2	42.1	52.7	.....	73.7	63.2	94.8	31.6
.....	30.6	122.6	122.6	143.0	214.5	51.1	326.9	20.4	30.6	91.9	.....	224.7	81.7	102.2	.....
.....	19.8	119.0	59.5	89.3	208.3	89.3	248.0	69.4	19.8	109.1	.....	158.7	99.2	79.3	99.2
.....	.....	77.1	154.2	67.5	183.1	86.7	241.0	38.6	77.1	106.0	.....	144.6	67.5	86.7	57.8
.....	9.4	187.5	37.5	28.1	121.9	93.7	337.5	37.5	56.2	196.9	.....	84.4	103.1	112.5	37.5
.....	.....	155.1	91.2	45.6	118.6	155.1	191.6	82.1	27.4	136.8	.....	146.0	54.7	45.6	9.1
.....	.....	124.4	71.1	80.0	151.1	142.2	248.8	71.1	53.3	159.9	.....	53.3	115.5	62.2	26.7
.....	8.7	43.3	69.3	69.3	155.9	86.6	251.1	34.6	26.0	103.9	.....	34.6	26.0	103.9	8.7
.....	15.3	61.1	270.0	173.2	107.0	157.9	81.5	61.1	86.6	66.2	10.2	61.1	91.7	224.1	15.3
.....	25.2	30.2	221.8	176.5	100.8	75.6	30.2	45.4	45.4	30.2	15.1	65.5	60.5	171.4	5.0
.....	20.0	54.9	324.6	199.8	124.9	59.9	69.9	84.9	99.9	49.9	10.0	44.9	49.9	274.7	.....
4.9	34.6	49.5	291.9	217.7	79.2	89.1	59.4	54.4	74.2	39.6	24.7	118.7	34.6	267.2	14.8
.....	39.2	29.4	294.1	220.6	122.5	68.6	107.8	73.5	98.0	39.2	24.5	102.9	49.0	259.8	4.9
4.9	9.7	53.4	281.7	291.4	77.7	43.7	82.6	82.6	116.6	34.0	19.4	53.4	38.9	199.1	.....
.....	19.2	38.5	399.4	341.7	86.6	86.6	77.0	77.0	101.1	86.6	14.4	67.4	28.9	149.2	.....
4.8	4.8	33.4	414.9	333.8	128.8	47.7	38.2	95.4	95.4	90.6	9.5	114.5	19.1	224.1	4.8
.....	42.5	18.9	345.0	420.6	108.7	80.3	85.1	80.3	122.9	70.9	14.2	75.6	18.9	165.4	.....
.....	28.1	9.4	459.1	384.1	164.0	84.3	42.2	84.3	140.5	98.4	28.1	107.7	4.7	117.1	4.7
7.6	7.6	30.3	234.7	219.6	234.7	98.4	83.3	60.6	121.2	83.3	15.1	45.4	106.0	136.3	22.7
.....	22.7	30.3	227.1	189.2	98.4	45.4	196.8	60.6	83.3	7.6	.....	98.4	60.6	166.5	22.7
.....	15.1	15.1	211.9	264.9	143.8	22.7	113.5	75.7	105.9	15.1	7.6	90.8	83.2	60.5	53.0
.....	7.6	30.3	136.2	423.6	166.4	30.3	37.8	83.2	98.3	53.0	7.6	75.6	7.6	166.4	.....
.....	7.6	30.3	264.7	279.8	90.8	68.1	90.8	60.5	113.4	52.9	.....	75.6	60.5	211.8	7.6
.....	30.2	52.9	158.8	325.1	98.3	52.9	226.8	45.4	189.0	45.4	.....	105.8	75.6	121.0	7.6
.....	30.2	60.5	189.0	287.2	113.4	52.9	128.5	37.8	166.3	60.5	15.1	120.9	7.6	196.5	7.6
.....	30.2	45.3	219.1	347.6	105.8	105.8	120.9	120.9	151.1	90.7	30.2	68.0	15.1	151.1	7.6
.....	7.6	15.1	196.4	181.3	151.1	37.8	136.0	90.6	188.8	68.0	.....	75.5	60.4	120.9	.....
.....	30.2	7.6	151.0	309.6	166.1	60.4	98.2	37.8	151.0	75.5	37.8	75.5	37.8	226.5	7.6
10.9	10.9	54.6	98.2	163.7	130.9	65.5	21.8	109.1	32.7	32.7	10.9	76.4	109.1	174.6	.....
10.8	10.8	54.0	140.3	205.1	75.6	43.2	54.0	32.4	97.2	21.6	.....	43.2	108.0	205.1	.....
10.7	32.1	21.4	149.7	192.4	106.9	106.9	21.4	106.9	64.1	10.7	.....	32.1	10.7	213.8	.....
.....	10.6	31.8	201.2	180.0	105.9	42.4	21.2	52.9	42.4	.....	.....	95.3	31.8	232.9	.....
.....	21.0	10.5	188.8	283.1	104.9	73.4	73.4	41.9	73.4	21.0	.....	94.4	21.0	199.2	.....
.....	10.4	31.2	145.4	259.7	124.6	41.5	31.2	62.3	72.7	41.5	31.2	83.1	41.5	218.1	10.4
.....	10.3	82.3	154.3	349.8	61.7	41.2	102.9	92.6	51.4	82.3	10.3	92.6	10.3	216.1	20.6
10.2	40.8	.....	377.1	316.0	51.0	30.6	20.4	152.9	142.7	71.3	.....	91.7	.....	203.9	.....
.....	10.1	.....	181.8	242.3	90.9	70.7	60.6	151.5	30.3	90.9	10.1	70.7	10.1	242.3	20.2
.....	80.0	30.0	150.1	260.1	80.0	70.0	20.0	90.0	130.1	70.0	20.0	80.0	20.0	100.1	.....
.....	24.9	87.0	186.5	111.9	161.7	74.6	149.2	74.6	12.4	111.9	.....	149.2	87.0	186.5	12.4
.....	24.2	48.3	338.3	108.7	132.9	96.7	48.3	48.3	96.7	36.2	24.2	157.1	48.3	229.6	.....
.....	.....	11.8	270.8	188.4	106.0	82.4	82.4	94.2	82.4	23.6	.....	47.1	47.1	270.8	.....
.....	34.4	45.9	298.5	218.2	91.9	57.4	137.8	57.4	80.4	23.0	.....	137.8	34.4	241.1	23.0
.....	22.4	.....	280.1	134.4	134.4	100.8	67.2	112.0	78.4	22.4	11.2	89.6	44.8	168.0	.....
.....	10.9	21.9	229.7	196.9	153.1	76.6	87.5	142.2	65.6	32.8	.....	65.6	54.7	262.5	.....
10.7	.....	21.4	224.4	192.3	181.6	64.1	128.2	138.9	170.9	42.7	21.4	128.2	42.7	299.1	.....
.....	31.3	20.9	396.8	125.3	62.6	114.9	52.2	62.6	83.5	73.1	10.4	31.3	52.2	240.2	10.4
.....	20.4	40.8	194.0	132.7	71.5	30.6	81.7	122.5	112.3	61.3	.....	81.7	71.5	132.7	.....
.....	49.9	10.0	179.8	219.8	59.9	49.9	59.9	40.0	119.9	69.9	30.0	79.9	49.9	259.7	.....
.....	5.3	86.0	210.6	173.7	166.7	152.7	287.8	114.1	63.2	154.4	5.3	47.4	75.4	124.6	21.0
1.7	1.7	89.0	166.0	162.6	135.2	143.8	263.6	85.6	73.6	66.8	8.6	54.8	70.2	143.8	30.8
.....	5.0	85.4	189.1	142.3	177.4	159.0	219.3	90.4	46.9	73.6	6.7	46.9	80.3	133.9	20.1
3.3	9.8	52.4	181.8	155.6	147.4	114.6	247.3	83.5	90.1	68.8	13.1	68.8	50.8	103.2	3.3
.....	16.0	52.9	115.4	141.0	117.0	99.4	185.9	104.2	73.7	99.4	9.6	54.5	51.3	131.4	.....
.....	18.8	241.7	196.2	150.7	119.3	113.0	248.0	113.0	81.6	116.1	7.8	72.2	61.2	111.4	1.6
7.7	16.9	110.7	150.7	172.2	129.1	136.8	169.1	124.5	98.4	167.6	7.7	63.0	52.3	150.7	.....
.....	9.0	73.8	171.8	198.9	123.6	149.2	174.8	87.4	75.3	195.9	12.1	48.2	49.7	140.1	.....
1.5	13.3	62.0	140.3	186.1	75.3	88.6	196.5	70.9	68.0	134.4	14.8	56.1	51.7	131.5	1.5
.....	10.1	86.9	168.1	179.7	134.8	144.9	257.9	124.6	66.7	136.2	11.6	68.1	50.7	159.4	1.4
.....	25.1	58.6	175.7	167.4	192.5	125.5	217.5	58.6	46.0	175.7	8.4	71.1	87.9	117.2	12.6
.....	4.1	45.6	132.6	182.4	153.3	136.8	169.9	107.8	74.6	91.2	4.1	74.6	53.9	120.2	8.3
.....	16.4	61.6	135.6	172.5	131.5	106.8	110.9	65.7	73.9	82.2	8.2	37.0	94.5	172.5	16.4
8.1	12.2	65.2	134.4	126.3	89.6	97.7	171.1	77.4	57.0	73.3	8.1	81.5	69.2	134.4	.....
.....	4.0	52.5	145.4	157.5	84.8	105.0	169.6	92.9	32.3	64.6	.....	88.8	40.4	96.9	.....
.....	36.0	96.1	136.1	180.1	100.1	76.1	104.1	84.1	56.0	88.1	4.0	84.1	36.0	112.1	4.0
4.0	15.9	51.6	170.7	222.3	87.3	63.5	210.4	127.0	83.4	111.1	4.0	103.2	47.6	150.8	7.9
.....	19.7	31.5	133.8	271.6	94.5	98.4	145.6	74.8	70.8	114.1	3.9	90.5	70.8	102.3	7.9
.....	7.8	50.7	148.3	214.7	85.9	136.6	117.1	66.3	62.4	136.6	7.8	85.9	46.8	140.5	.....
.....	15.5	31.0	170.3	209.0	89.0	92.9	220.6	81.3	92.8	123.9	7.7	81.3	27.1	162.6	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
NEW HAMPSHIRE—continued.														
Portsmouth	1900	1,936.6	28.2	9.4	.....	.....	28.2	.....	28.2	9.4	(2)	188.0	18.8	178.6
	1901	1,998.9	18.7	.....	.....	9.3	.....	9.3	18.7	.....	(2)	168.1	9.3	140.1
	1902	2,005.6	55.7	.....	.....	18.6	.....	27.9	74.3	9.3	(2)	102.1	9.3	65.0
	1903	1,892.2	36.9	.....	.....	.....	.....	.....	.....	.....	(2)	166.1	18.5	129.2
	1904	1,449.8	9.2	.....	.....	.....	.....	.....	.....	.....	(2)	247.8	9.2	91.8
	1905	1,669.4	.....	9.1	.....	.....	.....	9.1	9.1	9.1	9.1	173.3	18.2	91.2
	1906	1,650.6	27.2	.....	.....	.....	18.1	9.1	9.1	.....	.....	154.2	45.3	127.0
	1907	1,749.3	9.0	.....	.....	9.0	.....	.....	18.0	9.0	9.0	171.3	36.1	135.3
	1908	1,802.0	26.9	.....	.....	.....	.....	17.9	53.8	17.9	9.0	170.3	35.9	107.6
	1909	1,568.9	17.8	.....	.....	.....	.....	.....	44.6	.....	26.7	115.9	9.8	107.0
Rochester	1900	2,220.6	11.8	.....	.....	11.8	.....	35.4	35.4	82.7	(2)	212.6	59.1	106.3
	1901	1,398.5	11.8	.....	.....	.....	.....	.....	.....	47.0	(2)	223.3	58.8	82.3
	1902	1,462.2	23.4	.....	.....	.....	.....	.....	46.8	23.4	(2)	304.1	11.7	70.2
	1903	1,653.3	34.9	.....	.....	.....	.....	46.6	34.9	46.6	(2)	186.3	58.2	46.6
	1904	1,738.1	23.2	.....	.....	.....	.....	23.2	34.8	69.5	(2)	220.2	23.2	81.1
	1905	1,787.6	23.1	.....	.....	11.5	.....	11.5	34.6	57.7	23.1	207.6	11.5	80.7
	1906	1,400.4	11.5	.....	.....	.....	.....	.....	.....	23.0	23.0	68.9	23.0	80.3
	1907	1,348.1	22.8	.....	.....	11.4	.....	45.7	.....	45.7	11.4	80.0	.....	80.0
	1908	1,421.4	.....	.....	.....	.....	.....	11.4	.....	34.1	11.4	125.1	22.7	193.3
	1909	1,448.8	22.6	.....	.....	.....	.....	11.3	.....	45.3	11.3	67.9	22.6	56.6
NEW JERSEY.														
Atlantic City	1900	1,727.9	25.1	.....	.....	10.8	7.2	3.6	43.1	39.5	(2)	132.9	35.9	35.9
	1901	1,846.3	23.5	3.4	.....	.....	3.4	33.6	26.9	23.5	(2)	151.1	33.6	50.4
	1902	1,647.8	15.8	3.2	.....	3.2	3.2	6.3	22.1	6.3	(2)	88.2	25.2	44.1
	1903	1,513.8	38.6	.....	.....	.....	3.0	35.6	23.7	.....	(2)	127.6	26.7	50.5
	1904	1,478.6	25.3	.....	.....	.....	2.8	.....	39.3	8.4	(2)	115.0	19.6	53.3
	1905	1,665.2	18.6	.....	.....	.....	5.3	10.6	16.0	8.0	10.6	122.4	31.9	69.2
	1906	1,802.8	15.2	.....	.....	2.5	.....	27.9	17.7	5.1	5.1	116.5	35.4	73.4
	1907	1,689.7	26.7	4.8	.....	9.7	.....	2.4	26.7	7.3	2.4	123.6	17.0	72.7
	1908	1,513.8	16.3	.....	.....	.....	2.3	4.7	7.0	14.0	4.7	102.3	41.9	74.4
	1909	1,526.0	13.4	.....	.....	2.2	11.2	2.2	24.6	4.5	11.2	109.5	17.9	60.3
Bayonne	1900	1,696.1	24.4	.....	.....	12.2	.....	85.6	52.0	18.3	(2)	131.4	18.3	52.0
	1901	1,677.7	11.6	.....	5.8	31.8	11.6	2.9	31.8	26.0	(2)	173.3	23.1	49.1
	1902	1,592.9	24.6	2.7	.....	19.2	10.9	10.9	73.9	5.5	(2)	156.0	16.4	43.8
	1903	1,768.7	20.8	2.6	.....	.....	39.0	15.6	83.2	.....	(2)	166.5	20.8	54.6
	1904	1,764.4	27.3	2.5	.....	22.3	29.7	19.8	59.5	.....	(2)	151.2	22.3	42.1
	1905	1,585.3	11.8	2.4	.....	2.4	4.7	11.8	33.1	2.4	35.5	151.4	28.4	37.9
	1906	1,680.9	6.6	8.8	.....	17.7	4.4	22.1	26.5	2.2	13.3	179.2	19.9	39.8
	1907	1,595.8	16.7	.....	.....	20.9	27.1	20.9	35.5	.....	18.8	162.7	20.9	27.1
	1908	1,421.2	5.9	.....	.....	15.8	11.8	15.8	27.6	3.9	13.8	132.2	15.8	49.3
	1909	1,271.8	3.7	.....	.....	5.6	9.4	5.6	22.5	1.9	5.6	106.8	28.1	33.7
Bloomfield	1906	1,384.5	16.1	.....	.....	.....	.....	8.0	16.1	8.0	8.0	169.0	32.2	64.4
	1907	1,097.5	7.6	.....	.....	.....	30.5	15.2	15.2	7.6	7.6	45.7	7.6	61.0
	1908	1,172.3	.....	.....	.....	.....	.....	.....	28.9	.....	7.2	108.5	14.5	108.5
	1909	1,026.4	.....	.....	.....	.....	6.9	.....	13.8	6.9	.....	82.7	.....	82.7
Bridgeton	1900	1,610.0	35.9	.....	.....	21.6	.....	7.1	21.6	.....	(2)	122.2	7.1	64.7
	1901	1,306.3	21.7	7.2	.....	.....	14.4	7.2	7.2	36.1	(2)	129.9	7.2	72.2
	1902	1,413.2	21.7	.....	.....	.....	.....	.....	.....	.....	(2)	130.5	14.5	43.5
	1903	1,477.4	21.8	.....	.....	.....	7.3	.....	43.7	7.3	(2)	152.8	.....	65.5
	1904	1,732.2	43.9	.....	.....	21.9	14.6	.....	14.6	7.3	(2)	277.7	21.9	43.9
	1905	1,401.9	29.4	7.3	.....	.....	.....	.....	7.3	14.7	22.0	110.1	22.0	66.1
	1906	1,396.0	.....	.....	.....	.....	7.3	14.5	72.7	.....	7.3	145.4	7.3	87.2
	1907	1,701.0	14.4	.....	.....	.....	.....	.....	50.5	.....	7.2	245.1	14.4	93.7
	1908	1,257.7	7.1	7.1	.....	21.4	.....	21.4	.....	14.3	.....	114.3	14.3	100.0
	1909	1,502.1	7.1	.....	.....	.....	.....	35.4	14.2	7.1	14.2	120.4	63.8	77.9
Camden	1900	1,801.5	13.2	2.6	.....	10.5	4.0	2.6	172.5	17.1	(2)	142.2	15.8	44.8
	1901	1,805.7	15.5	.....	2.6	.....	5.2	14.2	81.4	25.8	(2)	188.6	23.2	63.3
	1902	1,737.5	22.8	.....	24.1	3.8	5.1	19.0	36.8	15.2	(2)	157.2	33.0	62.1
	1903	1,592.2	13.7	.....	7.5	.....	10.0	12.4	31.1	10.0	(2)	185.3	22.4	63.4
	1904	1,896.7	20.8	1.2	8.5	15.9	17.1	3.7	87.9	8.5	(2)	200.3	30.5	66.0
	1905	1,624.2	18.0	3.6	.....	1.2	6.0	2.4	40.8	7.2	10.8	176.3	26.4	55.2
	1906	1,821.9	17.5	.....	.....	11.6	3.5	29.1	71.1	2.3	4.7	178.2	28.0	60.6
	1907	1,707.5	21.6	3.4	.....	.....	5.7	6.8	56.7	17.0	6.8	163.4	38.6	59.0
	1908	1,627.8	13.3	.....	.....	10.0	6.6	14.4	56.4	10.0	3.3	180.2	27.6	66.3
	1909	1,601.6	10.8	.....	.....	11.9	7.5	8.6	47.5	7.5	2.2	142.4	21.6	72.3
East Orange	1906	995.7	14.7	.....	.....	3.7	3.7	11.0	14.7	3.7	3.7	88.2	22.0	102.9
	1907	1,027.4	6.9	.....	.....	.....	6.9	6.9	10.3	6.9	.....	92.8	17.2	89.3
	1908	887.4	16.1	3.2	.....	.....	3.2	6.5	6.5	12.9	3.2	71.0	6.5	64.5
	1909	952.0	3.0	.....	.....	.....	18.2	3.0	21.3	15.2	3.0	76.0	15.2	76.0
Elizabeth	1900	1,931.7	11.5	1.9	.....	7.7	23.0	30.7	82.5	9.6	(2)	189.9	36.4	55.6
	1901	1,793.5	27.9	1.9	.....	1.9	7.4	1.9	39.0	11.2	(2)	202.6	42.7	40.9
	1902	1,517.6	27.0	.....	14.4	3.6	7.2	5.4	18.0	.....	(2)	106.3	28.8	37.9
	1903	1,644.5	21.0	.....	.....	3.5	50.7	24.5	26.2	14.0	(2)	145.2	22.7	54.2
	1904	1,861.2	18.7	.....	1.7	8.5	10.2	.....	81.6	8.5	(2)	156.4	45.9	47.6
	1905	1,556.8	8.3	.....	.....	8.3	18.2	8.3	56.2	5.0	3.3	152.0	39.7	51.2
	1906	1,724.6	17.4	.....	.....	12.6	17.4	26.8	60.0	3.2	19.0	192.7	33.2	64.8
	1907	1,800.8	13.7	1.5	.....	6.1	24.3	12.1	86.5	4.6	13.7	174.5	27.3	62.2
	1908	1,567.8	23.3	.....	.....	11.6	2.9	7.3	39.3	5.8	10.2	136.7	27.6	58.2
	1909	1,599.1	19.6	.....	.....	9.8	2.8	18.2	35.0	4.2	1.4	159.8	18.2	60.3

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
9.4	9.4	56.4	291.5	225.7	131.6	28.2	47.0	94.0	131.6	47.0	.....	75.2	47.0	244.4	9.4
13.7	9.3	28.0	280.2	289.6	242.9	130.8	74.7	140.1	93.4	46.7	.....	102.7	37.4	140.1	.....
9.3	.....	55.7	306.4	315.7	148.6	120.7	92.9	111.4	46.4	55.7	.....	120.7	92.9	157.8	9.3
9.2	9.2	27.7	258.4	249.2	138.5	36.9	27.7	212.3	129.2	36.9	36.9	120.0	36.9	193.8	18.5
.....	9.2	36.7	156.0	201.9	146.8	27.5	82 6	64.2	128.5	36.7	9.2	45.9	27.5	119.3	.....
.....	18.2	27.4	173.3	191.6	127.7	45.6	118.6	100.3	136.8	18.2	9.1	100.3	82.1	191.6	.....
18.1	.....	36.3	136.0	281.2	99.8	45.3	45.3	90.7	108.8	63.5	.....	108.8	45.3	172.3	9.1
.....	45.1	27.1	135.3	243.5	90.2	45.1	126.2	153.3	126.2	81.2	18.0	108.2	45.1	108.2	.....
.....	35.9	9.0	206.2	322.8	98.6	71.7	71.7	98.6	107.6	62.8	9.0	152.4	26.9	80.7	9.0
.....	44.6	17.8	124.8	258.5	80.2	62.4	89.1	53.5	151.5	89.1	17.8	115.9	26.7	115.9	.....
.....	11.8	129.9	141.8	129.9	378.0	70.9	118.1	106.3	94.5	106.3	23.6	82.7	94.5	177.2	.....
.....	11.8	23.5	129.3	129.3	105.8	70.5	82.3	70.5	47.0	35.3	47.0	11.8	35.3	176.3	.....
.....	23.4	23.4	81.9	140.4	70.2	128.7	46.8	58.5	81.9	11.7	11.7	105.3	23.4	175.5	.....
.....	23.3	46.6	69.9	197.9	116.4	58.2	69.9	128.1	116.4	11.6	11.6	69.9	69.9	197.9	11.6
.....	34.8	11.6	243.3	150.6	150.6	69.5	34.8	92.7	92.7	23.2	11.6	139.0	11.6	197.0	.....
.....	11.5	11.5	103.8	207.6	196.1	126.9	92.3	80.7	138.4	34.6	23.1	69.2	69.2	149.9	11.5
.....	11.5	114.8	80.3	137.7	34.4	80.3	137.7	34.4	91.8	68.9	.....	149.2	45.9	183.7	.....
11.4	.....	22.8	125.7	125.7	137.1	45.7	125.7	80.0	34.3	57.1	22.8	45.7	57.1	148.5	11.4
.....	34.1	34.1	181.9	159.2	34.1	136.5	68.2	22.7	113.7	68.2	34.1	45.5	.....	91.0	.....
11.3	22.6	34.0	169.8	169.8	124.5	22.6	181.1	79.2	90.5	101.9	22.6	34.0	34.0	113.2	.....
.....	7.2	43.1	190.4	118.6	93.4	150.9	125.7	115.0	107.8	79.0	.....	122.1	107.8	125.7	7.2
10.1	20.1	40.3	184.6	221.6	107.4	120.8	94.0	130.9	154.4	90.6	.....	117.5	83.9	117.5	3.4
.....	9.5	28.4	163.8	217.4	94.5	97.7	97.7	126.0	143.1	91.4	.....	113.4	94.5	144.9	3.2
.....	11.9	23.7	201.8	157.3	92.0	74.2	68.3	71.2	118.7	77.2	5.9	121.7	59.4	124.7	.....
.....	14.0	28.1	176.8	188.0	70.1	61.7	87.0	101.0	117.8	67.3	16.8	106.6	56.1	117.8	5.6
.....	13.3	16.0	135.7	223.4	119.7	85.1	66.5	111.7	178.2	114.4	16.0	101.1	58.5	130.3	2.7
.....	25.3	22.8	146.9	235.5	88.6	108.9	108.9	116.5	184.8	65.8	15.2	235.5	55.7	93.7	.....
2.4	12.1	24.2	106.7	210.9	126.1	97.0	123.6	116.4	174.5	75.2	24.2	104.2	48.5	150.3	.....
.....	16.3	16.3	120.9	202.3	118.6	48.8	79.1	116.3	179.1	67.4	23.3	83.7	34.9	137.2	2.3
.....	17.9	15.6	102.8	207.8	102.8	71.5	98.3	118.4	178.7	80.4	24.6	107.2	29.0	113.9	.....
.....	3.1	73.3	174.2	73.3	119.2	171.1	177.3	58.1	88.6	82.5	9.2	113.1	53.1	100.8	.....
.....	2.9	43.3	124.2	86.6	135.7	196.4	181.9	101.1	80.9	57.8	11.6	129.9	78.0	80.9	.....
.....	5.5	38.3	142.3	120.4	117.7	175.2	120.4	71.2	95.8	76.6	5.5	106.7	54.7	98.5	.....
.....	7.8	52.0	158.7	96.2	158.7	158.7	171.7	83.2	117.0	70.2	18.2	145.7	15.6	111.8	.....
.....	2.5	47.1	136.3	111.5	146.2	161.1	237.9	74.3	96.6	96.6	12.4	116.5	29.7	118.9	.....
.....	7.1	47.3	125.4	108.8	108.8	111.2	184.6	99.4	104.1	106.5	23.7	137.2	35.5	63.9	.....
.....	15.5	24.3	134.9	119.4	161.5	137.1	247.7	77.4	70.8	117.2	8.8	101.7	31.0	92.9	.....
.....	14.6	37.5	154.4	121.0	129.3	137.7	217.0	66.8	83.4	77.2	6.3	104.3	27.1	68.8	.....
.....	7.9	47.4	130.3	116.5	77.0	92.8	211.2	57.2	100.7	79.0	9.9	106.6	43.4	49.3	.....
.....	15.0	26.2	116.1	95.5	134.9	119.9	159.2	58.1	59.9	58.1	16.9	93.7	39.3	56.2	.....
.....	24.1	24.1	185.1	177.1	120.7	32.2	128.8	88.5	64.4	48.3	.....	56.3	48.3	64.4	.....
.....	7.6	15.2	182.9	114.3	76.2	61.0	114.3	61.0	91.5	83.8	.....	22.9	45.7	22.9	.....
.....	21.7	14.5	86.8	166.4	57.9	43.4	94.1	50.7	57.9	123.0	.....	28.9	36.2	94.1	.....
.....	20.7	20.7	89.6	158.4	75.8	48.2	55.1	34.4	82.7	75.8	27.6	13.8	34.4	96.4	.....
.....	7.1	21.6	251.6	208.5	79.1	79.1	179.7	71.9	115.0	86.3	.....	43.1	64.7	122.1	.....
.....	14.4	.....	245.4	122.7	79.4	28.9	57.7	108.3	129.9	72.2	.....	21.7	57.7	65.0	.....
.....	.....	58.0	181.2	137.7	137.7	94.2	144.9	43.5	188.4	14.5	.....	36.2	58.0	108.7	.....
.....	29.1	29.1	182.0	167.4	87.3	101.9	43.7	109.2	196.5	72.8	.....	58.2	43.7	58.2	.....
7.3	7.3	14.6	204.6	131.6	116.9	95.0	109.6	116.9	153.5	29.2	.....	73.1	80.4	131.6	14.6
.....	14.7	7.3	183.5	154.1	139.5	110.1	117.4	73.4	117.4	29.4	.....	51.4	44.0	80.7	.....
.....	7.3	7.3	152.7	174.5	160.0	50.9	43.6	101.8	109.1	36.4	7.3	58.2	29.1	109.1	7.3
.....	7.2	7.2	223.4	237.9	86.5	93.7	43.2	144.2	136.9	79.3	7.2	43.2	28.8	136.9	.....
.....	.....	14.3	185.8	150.1	71.5	57.2	71.5	92.9	85.8	50.0	7.1	50.0	14.3	107.2	.....
.....	14.2	7.1	212.6	177.1	70.9	77.9	49.6	127.5	134.6	35.4	.....	92.1	28.3	134.6	.....
1.3	4.0	72.4	197.5	151.5	144.9	71.1	117.2	90.9	117.2	111.9	1.3	84.3	100.1	104.0	6.6
3.9	6.5	60.7	211.8	170.5	142.1	78.8	96.9	90.4	121.4	81.4	5.2	122.7	87.8	105.9	.....
.....	7.6	44.4	195.2	172.4	153.3	92.5	78.6	91.2	131.8	106.5	5.1	119.1	59.6	101.4	.....
.....	1.2	39.8	195.3	160.5	109.5	65.9	90.8	73.4	109.5	103.2	6.2	103.2	78.4	99.5	.....
.....	7.3	40.3	166.1	184.4	164.9	92.8	136.8	94.0	162.4	92.8	6.1	109.9	56.2	122.1	.....
4.8	6.0	44.4	159.5	155.9	129.6	79.2	110.4	67.2	158.3	91.2	4.8	115.2	57.6	91.2	1.2
.....	5.8	45.4	175.9	157.3	161.9	97.8	118.8	93.2	132.8	81.5	15.1	135.1	72.2	122.3	.....
3.4	6.8	47.7	167.9	166.8	161.1	65.8	118.0	59.0	143.0	110.1	12.5	121.4	40.8	103.2	1.1
1.1	6.6	29.9	144.9	161.4	152.6	63.0	79.6	89.6	132.7	99.5	10.0	118.3	50.9	97.3	2.2
2.2	15.1	19.4	137.0	183.3	132.7	85.2	91.7	105.7	144.5	77.7	10.8	125.1	41.0	98.1	.....
.....	14.7	29.4	121.2	161.9	66.1	55.1	29.4	36.7	51.4	51.4	14.7	33.1	11.0	51.4	.....
.....	17.2	6.9	89.3	154.6	106.5	89.3	51.5	30.9	85.9	41.2	17.2	17.2	13.7	68.7	.....
.....	3.2	12.9	83.9	135.5	54.9	41.9	54.9	25.8	80.7	41.9	16.1	51.6	19.4	67.8	3.2
6.1	12.2	6.1	121.7	164.2	82.1	33.5	24.3	51.7	51.7	60.8	3.0	30.4	12.2	60.8	.....
.....	5.8	36.4	197.6	149.6	203.3	120.9	214.9	72.9	80.6	92.1	13.4	105.5	61.4	118.9	9.6
.....	13.0	33.5	165.4	189.6	139.4	115.2	189.6	61.3	100.4	89.2	11.2	129.4	57.6	107.8	3.7
.....	1.8	30.6	165.8	135.2	113.6	144.2	156.8	88.3	75.7	84.7	14.4	113.6	55.9	88.3	.....
.....	8.7	31.5	147.0	147.0	145.2	134.7	124.2	84.0	85.7	94.5	7.0	113.7	59.5	99.7	.....
3.4	22.1	30.6	153.0	158.1	198.9	107.1	221.0	76.5	103.7	93.5	15.3	139.4	51.0	105.4	3.4
.....	14.9	29.7	99.2	148.7	130.6	99.2	140.5	72.7	117.3	72.7	8.3	130.6	57.8	84.3	.....
1.6	9.5	25.3	124.8	140.6	148.5	85.3	203.7	64.8	116.9	90.0	9.5	109.0	41.1	105.8	1.6
.....	13.7	16.7	107.7	165.4	201.8	98.6	179.0	81.9	98.6	124.4	13.7	136.5	33.4	103.2	.....
.....	24.7	27.6	109.1	135.3	104.7	112.0	196.3	85.8	91.6	91.6	14.5	119.3	33.5	98.9	.....
.....	11.2	19.6	114.9	162.6	134.5	103.7	190.6	63.1	86.9	119.1	16.8	100.9	42.0	102.3	1.4

[2] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
NEW JERSEY—continued.														
Hackensack	1906	1,565.6	17.0	17.0	.....	17.0	.....	.....	8.5	.....	17.0	161.7	42.5	59.6
	1907	1,764.0	16.2	.....	.....	.....	.....	48.6	24.3	8.1	.....	113.3	56.6	105.2
	1908	1,295.9	.....	.....	.....	.....	.....	7.7	30.9	.....	15.4	84.9	15.4	77.1
	1909	1,407.5	22.1	.....	.....	.....	.....	.....	29.5	14.7	14.7	95.8	44.2	81.1
Harrison	1900	2,321.6	47.2	37.7	.....	9.4	18.9	28.3	28.3	66.1	(2)	151.0	75.5	47.2
	1901	2,083.1	9.1	36.2	18.1	.....	9.1	.....	135.9	36.2	(2)	163.0	36.2	63.4
	1902	1,863.1	34.8	17.4	8.7	34.8	8.7	8.7	130.6	.....	(2)	165.4	.....	34.8
	1903	1,751.7	25.1	33.5	.....	.....	33.5	8.4	25.1	33.5	(2)	184.4	25.1	25.1
	1904	1,567.4	8.1	40.4	.....	.....	24.2	.....	40.4	8.1	(2)	153.5	.....	32.3
	1905	1,840.4	.....	23.4	.....	15.6	7.8	.....	62.4	7.8	31.2	218.4	31.2	39.0
	1906	1,758.4	7.6	7.6	.....	.....	15.2	15.2	37.9	7.6	.....	204.6	7.6	37.9
	1907	1,972 4	14.8	.....	.....	.....	14.8	7.4	73.9	22.2	7.4	236.4	7.4	59.1
	1908	1,606.5	7.2	21.6	.....	.....	36.0	43.2	14.4	7.2	14.4	172.9	43.2	43.2
	1909	1,279 4	.....	.....	.....	21.1	21.1	7.0	28.1	.....	.....	161.7	14.1	56.2
Hoboken	1900	2,346.5	16.8	1.7	.....	23.6	5.1	13.5	52.2	11.8	(2)	249.3	33.7	53.9
	1901	1,875.1	26.4	1.7	3.3	6.6	14.9	.....	42.9	5.0	(2)	245.9	18.2	51.2
	1902	1,865.5	9.7	.....	6.5	9.7	27.5	21.0	69.6	.....	(2)	223.3	11.3	66.3
	1903	1,818.3	15.9	1.6	.....	11.1	3.2	15.9	80.9	1.6	(2)	241.2	27.0	57.1
	1904	2,221.1	20.2	1.6	.....	20.2	14.0	10.9	73.2	1.6	(2)	286.4	56.0	85.6
	1905	2,074.3	13.7	.....	.....	10.7	9.2	12.2	47.4	3.1	19.9	258.1	33.6	85.5
	1906	2,159.4	16.5	1.5	.....	54.1	27.0	7.5	33.1	1.5	12.0	250.9	37.6	108.2
	1907	2,296.3	26.6	1.5	.....	51.8	31.4	11.8	53.3	4.4	11.8	253.2	37.0	75.5
	1908	1,841.3	11.7	.....	.....	16.0	40.9	10.2	37.9	1.5	20.4	227.6	39.4	67.1
	1909	1,779.0	10.1	1.4	.....	23.0	31.6	11.5	40.3	.....	15.8	225.8	44.6	73.3
Jersey City	1900	2,070.4	22.8	4.8	.....	8.2	15.0	10.2	64.4	12.1	(2)	251.4	32.0	48.0
	1901	1,919.8	16.1	4.7	1.4	7.6	15.6	9.4	52.4	16.5	(2)	217.8	27.4	52.0
	1902	1,866.4	20.3	3.2	5.1	6.9	17.5	18.4	56.2	1.8	(2)	208.4	26.3	46.6
	1903	1,865.1	14.9	2.3	0.5	8.1	12.2	10.4	53.1	6.8	(2)	228.2	17.1	56.7
	1904	2,078.7	18.9	2.6	.....	4.8	40.4	12.8	67.3	11.0	(2)	259.4	23.7	54.1
	1905	1,902.5	19.8	1.3	.....	4.7	6.9	9.9	40.4	4.7	9.0	203.3	27.1	66.2
	1906	1,926.5	20.0	1.2	0.4	13.3	13.3	14.6	38.3	5.0	11.6	228.3	29.5	57.8
	1907	1,911.3	13.7	2.4	.....	6.9	23.0	9.7	37.5	9.3	10.9	234.6	22.2	65.4
	1908	1,738.0	9.4	0.4	.....	3.5	41.2	8.6	27.1	5.9	9.8	209.9	25.1	57.3
	1909	1,681.2	8.8	.....	.....	7.2	36.2	17.2	32.8	5.7	3.8	169.0	25.9	58.4
Kearny	1906	1,657.2	13.6	13.6	.....	.....	6.8	6.8	27.2	20.4	40.7	129.0	20.4	27.2
	1907	1,357.8	.....	6.3	.....	.....	.....	6.3	50.8	25.4	19.0	95.2	6.3	44.4
	1908	1,398.9	6.0	.....	.....	6.0	17.9	17.9	11.9	6.0	23.8	53.6	23.8	47.6
	1909	1,154.9	11.2	.....	.....	5.6	11.2	.....	28.0	28.0	.....	123.3	16.8	50.5
Long Branch	1906	1,810.1	48.3	8.0	.....	.....	.....	.....	32.2	8.0	8.0	185.0	8.0	120.7
	1907	2,291.0	71.1	.....	.....	7.9	.....	47.4	55.3	39.5	.....	189.6	15.8	79.0
	1908	1,761.5	62.1	.....	.....	.....	.....	23.3	23.3	38.8	15.5	147.4	31.0	93.1
	1909	1,997.6	61.0	38.1	.....	.....	22.9	7.6	7.6	30.5	.....	129.6	22.9	99.1
Millville	1900	1,426.8	28.3	.....	.....	9.4	.....	.....	104.0	.....	(2)	179.5	.....	75.6
	1901	1,447.9	27.7	.....	.....	.....	9.2	.....	9.2	18.4	(2)	110.7	18.4	73.8
	1902	1,558.1	45.0	.....	.....	9.0	36.0	27.0	.....	.....	(2)	162.1	9.0	99.1
	1903	1,328.9	35.2	.....	.....	.....	26.4	.....	26.4	.....	(2)	79.2	8.8	88.0
	1904	1,522.8	25.8	.....	.....	8.6	.....	17.2	68.8	17.2	(2)	146.3	25.8	86.0
	1905	1,363.1	16.8	.....	.....	.....	8.4	.....	58.9	16.8	8.4	176.7	.....	67.3
	1906	1,357.3	16.7	.....	.....	.....	.....	33.3	25.0	16.7	16.7	158.2	.....	41.6
	1907	1,426.8	33.0	.....	.....	.....	16.5	.....	.....	41.2	.....	148.5	41.2	66.0
	1908	1,535.8	.....	.....	.....	49.0	8.2	.....	24.5	32.7	8.2	155.2	16.3	98.0
	1909	1,221.9	16.2	.....	.....	.....	.....	.....	24.3	.....	8.1	178.0	16.2	40.5
Montclair	1900	1,733.3	28.6	7.2	.....	.....	7.2	.....	28.6	14.3	(2)	128.9	50.1	57.3
	1901	1,682.5	13.8	6.9	.....	.....	.....	20.8	20.8	48.5	(2)	131.6	34.6	90.0
	1902	1,588.0	13.4	6.7	20.1	26.8	.....	26.8	13.4	.....	(2)	80.4	40.2	60.3
	1903	1,765.5	19.5	.....	.....	6.5	13.0	32.4	38.9	26.0	(2)	129.8	19.5	38.9
	1904	1,963.7	44.1	.....	.....	25.2	6.3	.....	18.9	6.3	(2)	144.8	50.4	69.2
	1905	1,765.4	18.3	.....	.....	6.1	12.2	6.1	12.2	30.5	6.1	128.3	12.2	91.6
	1906	1,478.3	11.4	.....	.....	11.4	22.8	28.5	5.7	.....	28.5	154.1	17.1	74.2
	1907	1,566.0	10.8	.....	.....	5.4	5.4	37.7	.....	16.1	32.3	107.6	37.7	75.3
	1908	1,196.2	5.1	.....	.....	5.1	5.1	.....	.....	5.1	.....	96.7	25.5	86.5
	1909	1,332.8	14.5	.....	.....	.....	14.5	9.7	4.8	9.7	24.1	77.3	38.6	67.6
Morristown	1900	1,810.6	35.5	.....	8.9	.....	.....	26.6	8.9	26.6	(2)	257.4	8.9	97.6
	1901	1,817.9	35.0	.....	.....	.....	.....	17.5	17.5	26.2	(2)	244.7	26.2	69.9
	1902	1,669.8	34.4	.....	17.2	17.2	34.4	51.6	8.6	8.6	(2)	180.8	17.2	68.9
	1903	1,797.5	17.0	.....	.....	.....	.....	17.0	8.5	8.5	(2)	144.1	33.9	76.3
	1904	1,938.2	16.7	8.4	.....	.....	8.4	.....	58.5	8.4	(2)	192.1	41.8	108.6
	1905	2,008.9	90.6	.....	.....	16.5	.....	16.5	32.9	16.5	8.2	197.6	32.9	65.9
	1906	2,159.3	57.3	.....	.....	.....	8.2	.....	8.2	8.2	16.4	171.8	65.4	196.3
	1907	2,325.2	32.5	16.3	.....	.....	24.4	.....	40.7	40.7	8.1	187.0	81.3	73.2
	1908	2,149.7	24.2	.....	.....	.....	40.4	48.5	24.2	8.1	8.1	153.5	24.2	169.7
	1909	2,064.6	8.0	.....	.....	8.0	24.1	8.0	16.1	24.1	16.1	160.7	56.2	88.4
New Brunswick	1900	2,109.4	20.0	.....	.....	15.0	5.0	20.0	25.0	20.0	(2)	239.9	15.0	30.0
	1901	1,788.6	29.1	4.8	.....	.....	.....	19.4	19.4	33.9	(2)	198.7	14.5	77.6
	1902	1,891.2	14.1	.....	9.4	.....	.....	14.1	56.5	14.1	(2)	169.4	28.2	51.8
	1903	1,695.5	4.6	4.6	.....	.....	.....	4.6	141.7	13.7	(2)	155.4	4.6	50.3
	1904	1,981.6	35.5	.....	.....	13.3	44.4	.....	88.9	4.4	(2)	142.2	40.0	40.0
	1905	1,858.8	34.6	.....	.....	4.3	17.3	4.3	25.9	.....	8.6	164.3	38.9	47.6
	1906	1,832.8	4.3	.....	.....	.....	38.8	4.3	12.9	.....	21.6	194.1	21.6	60.4
	1907	2,005.1	25.8	.....	.....	8.6	8.6	.....	12.9	17.2	21.5	193.6	21.5	38.7
	1908	1,940.5	30.1	.....	.....	.....	.....	12.9	17.2	4.3	.....	249.0	42.9	77.3
	1909	2,073.2	21.4	.....	.....	8.6	4.3	17.1	34.3	.....	8.6	149.9	77.1	77.1

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	34.0	187.2	195.7	136.1	76.6	93.6	68.1	110.6	59.6	8.5	110.6	25.5	119.1	.....
8.1	8.1	56.6	242.8	186.1	121.4	72.8	186.1	105.2	64.7	89.0	16.2	72.8	56.6	105.2	.....
.....	.....	7.7	100.3	177.4	131.1	15.4	169.7	69.4	77.1	46.3	23.1	100.3	30.9	115.7	.....
.....	22.1	29.5	191.6	169.5	88.4	95.8	44.2	36.8	125.3	44.2	29.5	95.8	22.1	110.5	.....
.....	.....	160.4	235.9	151.0	151.0	122.7	179.3	66.1	94.4	141.6	9.4	122.7	122.7	235.9	18.9
.....	18.1	99.6	199.3	126.8	172.1	154.0	99.6	72.5	99.6	99.6	9.1	208.3	72.5	144.9	.....
.....	.....	52.2	304.7	130.6	174.1	174.1	139.3	52.2	34.8	69.7	17.4	95.8	69.7	104.5	.....
.....	16.8	109.0	125.7	159.2	117.3	134.1	100.6	109.0	75.4	109.0	16.8	117.3	67.1	67.1	33.5
.....	.....	72.7	113.1	153.5	210.1	64.6	80.8	56.6	113.1	97.0	.....	129.3	56.6	88.9	24.2
.....	7.8	148.2	179.4	109.2	85.8	124.8	109.2	78.0	93.6	132.6	23.4	62.4	78.0	163.8	7.8
.....	30.3	60.6	106.1	136.4	159.2	98.5	151.6	98.5	106.1	136.4	15.2	98.5	136.4	68.2	15.2
.....	44.3	44.3	133.0	118.2	221.6	140.4	177.3	133.0	96.0	110.8	.....	140.4	81.3	88.6	.....
.....	7.2	43.2	93.7	86.4	108.1	151.3	194.5	86.4	122.5	72.0	14.4	108.1	72.0	43.2	.....
.....	21.1	28.1	126.5	105.4	112.5	63.3	119.5	84.4	70.3	63.3	7.0	84.4	49.2	35.1	.....
.....	8.4	99.4	180.3	181.9	180.3	227.4	146.6	111.2	92.6	84.2	28.6	335.2	50.5	158.3	.....
.....	14.9	82.5	183.2	161.8	160.1	127.1	145.3	95.7	87.5	56.1	38.0	150.2	38.0	117.2	1.7
.....	12.9	82.5	207.1	179.6	144.0	137.5	87.4	82.5	137.5	61.5	37.2	92.2	48.5	110.0	.....
.....	15.9	84.1	160.3	155.5	158.7	100.0	103.1	90.4	141.2	53.9	27.0	112.7	31.7	128.5	.....
.....	15.6	88.7	168.1	193.0	249.0	133.9	133.9	99.6	143.2	82.5	40.5	119.8	60.7	121.4	1.6
1.5	12.2	122.2	145.1	195.5	209.3	139.0	135.9	108.4	142.1	70.3	30.5	134.4	45.8	88.6	.....
1.5	21.0	52.6	153.3	216.4	217.9	103.7	139.8	93.2	177.3	73.6	33.1	150.3	61.6	112.7	1.5
1.5	26.6	45.9	170.3	229.5	262.1	152.5	152.5	90.3	176.2	56.3	26.6	149.5	34.1	114.0	.....
1.5	14.6	43.8	141.5	167.8	162.0	108.0	169.2	94.8	110.9	64.2	37.9	105.0	27.7	118.2	1.5
.....	15.8	24.4	123.7	202.8	165.4	92.0	125.1	60.4	132.3	53.2	51.8	116.5	38.8	99.2	.....
2.9	6.3	82.8	201.0	176.3	189.4	155.5	154.1	119.7	115.8	76.5	17.9	110.9	62.0	122.6	7.8
0.5	7.6	61.9	202.2	140.8	154.5	132.3	167.7	105.8	104.9	76.5	15.1	146.4	45.4	133.2	4.3
0.5	7.4	70.5	196.4	155.8	157.6	129.1	144.3	101.0	110.6	77.0	14.3	100.5	54.9	134.6	1.4
.....	11.3	55.8	183.6	166.1	179.6	112.5	126.5	104.0	120.2	77.9	19.8	110.7	56.3	129.2	1.8
.....	8.8	74.7	173.6	202.7	222.5	123.1	160.0	104.6	117.4	68.6	19.3	118.3	53.7	132.3	4.0
1.7	9.9	92.4	156.0	170.2	147.0	125.5	155.6	96.7	133.2	82.9	20.2	137.9	50.3	129.8	.....
1.2	9.6	48.2	157.2	180.9	181.7	133.9	178.8	86.1	114.3	76.5	10.8	129.4	44.1	139.3	1.2
0.4	13.7	35.1	132.4	184.1	183.7	118.3	178.9	99.7	119.9	73.9	19.0	136.9	47.2	132.4	.....
1.2	10.6	34.1	135.0	172.6	142.0	99.7	160.1	89.5	118.5	87.5	21.2	110.2	34.5	122.4	0.8
0.4	10.7	29.8	133.5	162.2	152.2	119.0	148.0	73.3	121.0	72.9	23.3	112.9	40.4	116.0	0.4
.....	6.8	34.0	230.9	156.2	149.4	156.2	81.5	61.1	54.3	81.5	20.4	101.9	47.5	169.8	.....
.....	12.7	25.4	171.3	190.3	107.9	101.5	88.8	69.8	57.1	50.8	.....	63.4	31.7	133.2	.....
.....	23.8	29.8	267.9	208.3	65.5	77.4	71.4	83.3	101.2	41.7	.....	83.3	47.6	83.3	.....
.....	11.2	39.2	229.9	100.9	72.9	89.7	56.1	44.9	84.1	28.0	.....	22.4	28.0	72.9	.....
.....	32.2	48.3	177.0	136.8	104.6	64.4	80.5	160.9	185.0	48.3	8.0	152.9	40.2	144.8	8.0
7.9	23.7	71.1	244.9	165.9	173.8	79.0	126.4	134.3	181.7	110.6	31.6	213.3	47.4	165.9	7.9
.....	23.3	38.8	131.9	240.6	108.6	77.6	77.6	85.4	155.2	100.9	23.3	147.4	31.0	85.4	.....
.....	.....	30.5	175.4	228.7	137.2	99.1	122.0	114.4	198.2	45.7	.....	266.8	15.2	144.9	.....
.....	9.4	28.3	170.1	122.8	85.1	37.8	47.2	85.1	85.1	104.0	.....	28.3	66.2	160.6	.....
.....	.....	27.7	230.6	156.8	83.0	83.0	73.8	101.4	101.4	55.3	.....	36.9	83.0	147.6	.....
.....	.....	.....	153.1	117.1	117.1	117.1	117.1	126.1	72.1	108.1	.....	45.0	90.1	108.1	.....
.....	.....	17.6	211.2	149.6	26.4	114.4	70.4	96.8	26.4	44.0	.....	44.0	96.8	167.2	.....
.....	34.4	17.2	163.5	120.5	34.4	86.0	172.1	68.8	51.6	60.2	8.6	103.2	77.4	129.1	.....
.....	16.8	16.8	117.8	151.5	16.8	117.8	109.4	117.8	117.8	84.1	8.4	42.2	33.7	58.9	.....
.....	16.7	8.3	124.9	116.6	33.3	99.9	74.9	99.9	66.6	124.9	.....	83.3	58.3	141.6	.....
.....	.....	16.5	148.5	115.5	115.5	82.5	82.5	74.2	57.7	82.5	.....	82.5	66.0	156.7	.....
8.2	.....	.....	220.6	163.4	114.4	89.9	81.7	57.2	106.2	49.0	8.2	49.0	73.5	122.5	.....
.....	8.1	.....	97.1	121.4	72.8	80.9	137.6	97.1	56.6	89.0	8.1	40.5	48.6	80.9	.....
.....	.....	21.5	164.8	114.6	164.8	150.4	236.4	136.1	78.8	128.9	.....	50.1	50.1	114.6	.....
.....	6.9	48.5	159.2	76.2	103.9	69.2	173.1	103.9	83.1	69.2	.....	69.2	159.2	193.9	.....
.....	20.1	26.8	60.3	187.6	167.5	67.0	154.1	33.5	33.5	194.3	20.1	73.7	127.3	127.3	6.7
.....	.....	26.0	175.3	175.3	116.8	58.4	162.3	97.4	77.9	110.3	13.0	116.8	77.9	227.2	6.5
.....	12.6	31.5	182.5	144.8	169.9	151.1	251.8	88.1	81.8	107.0	25.2	75.5	18.9	258.1	.....
.....	24.4	24.4	146.6	140.5	134.4	55.0	317.7	85.5	73.3	97.7	18.3	122.2	36.7	164.9	.....
.....	11.4	11.4	119.9	171.2	119.9	68.5	119.9	79.9	102.7	85.6	17.1	74.2	28.5	114.2	.....
.....	16.1	10.8	91.5	177.6	166.8	80.7	150.7	75.3	75.3	75.3	21.5	123.8	37.7	134.5	.....
.....	10.2	5.1	132.3	152.7	122.2	76.4	61.1	76.4	61.1	96.7	5.1	86.5	10.2	71.3	.....
.....	14.5	4.8	115.9	183.5	77.3	62.8	120.7	96.6	106.2	62.8	19.3	62.8	24.1	120.7	.....
8.9	8.9	35.5	213.0	186.4	79.9	35.5	97.6	159.8	150.9	53.2	8.9	71.0	8.9	204.1	17.7
.....	35.0	69.9	270.9	201.0	157.3	78.7	43.7	78.7	69.9	52.4	8.7	104.9	52.4	157.3	.....
8.6	.....	17.2	180.8	206.6	129.1	86.1	43.0	86.1	103.3	60.3	.....	68.9	60.3	180.8	.....
.....	33.9	25.4	118.7	195.0	203.5	127.2	110.2	135.7	67.8	135.7	8.5	76.3	101.7	152.6	.....
.....	25.1	58.5	167.1	192.1	192.1	83.5	125.3	91.9	117.0	66.8	.....	133.7	50.1	192.1	.....
.....	8.2	16.5	238.8	205.8	82.3	65.9	321.1	115.3	107.0	41.2	8.2	115.3	65.9	140.0	.....
.....	8.2	40.9	179.9	155.4	106.3	90.0	327.2	114.5	90.0	139.0	.....	179.9	40.9	155.4	.....
.....	16.3	24.4	187.0	113.8	243.9	208.3	227.6	146.3	146.3	97.6	16.3	170.7	56.9	170.7	.....
8.1	16.2	24.2	153.5	226.3	72.7	88.9	323.3	113.1	113.1	113.1	24.2	145.5	72.7	145.5	8.1
.....	24.1	24.1	184.8	160.7	112.5	80.3	152.6	168.7	152.6	128.5	8.0	184.8	72.3	200.8	.....
5.0	5.0	65.0	289.9	284.9	159.9	60.0	155.0	80.0	95.0	85.0	20.0	105.0	134.9	159.9	15.0
.....	.....	29.1	237.5	184.2	150.3	77.6	101.8	53.3	116.3	87.2	.....	121.2	96.9	135.7	.....
.....	14.1	37.6	296.4	216.4	178.8	47.0	122.3	103.5	112.9	65.9	9.4	89.4	103.5	136.4	.....
.....	9.1	32.0	214.8	150.8	114.3	59.4	169.1	100.5	132.5	54.8	.....	96.0	59.4	123.4	.....
.....	13.3	62.2	302.1	111.1	146.6	93.3	191.1	97.7	97.7	120.0	4.4	93.3	75.5	155.5	8.9
4.3	25.9	56.2	242.1	185.9	185.9	47.6	190.2	77.8	134.0	51.9	4.3	125.4	69.2	103.7	8.6
.....	12.9	51.7	207.0	219.9	185.4	56.1	237.2	60.4	77.6	86.2	8.6	112.1	38.8	120.7	.....
4.3	17.2	38.7	202.2	271.1	197.9	60.2	206.5	120.5	94.7	116.2	12.9	99.0	43.0	167.8	4.3
.....	21.5	38.6	150.3	197.5	103.0	94.4	197.5	85.9	94.4	141.7	8.6	137.4	68.7	163.1	4.3
.....	8.6	21.4	167.1	179.9	162.8	81.4	282.7	111.4	141.4	162.8	25.7	124.2	64.3	141.4	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
NEW JERSEY—continued.														
Newark	1900	2,015.3	21.1	4.5	0.4	23.2	22.3	17.9	57.3	23.6	(2)	246.7	29.3	61.0
	1901	1,918.3	23.8	6.3	28.1	6.7	9.1	14.3	40.8	13.1	(2)	227.8	26.5	75.3
	1902	1,891.2	19.6	4.2	72.2	20.7	18.4	15.8	38.8	5.4	(2)	225.9	28.4	63.8
	1903	1,842.8	22.9	1.1	1.1	0.8	26.6	18.8	43.1	15.8	(2)	244.2	28.9	71.6
	1904	1,954.9	13.6	3.7	.....	13.9	44.7	4.8	54.2	11.4	(2)	248.0	33.0	70.3
	1905	1,765.0	14.1	1.4	.....	4.2	16.6	15.5	39.2	6.7	16.2	241.1	35.3	69.9
	1906	1,868.9	17.1	2.0	.....	11.8	12.1	26.2	33.9	4.7	19.8	247.7	42.3	74.9
	1907	1,853.5	22.9	3.2	.....	6.4	13.2	8.4	32.2	10.9	20.0	231.7	46.0	80.5
	1908	1,616.6	11.4	0.3	.....	7.4	28.1	12.7	19.5	7.1	15.1	208.7	40.8	70.7
	1909	1,652.9	11.9	.....	0.3	10.7	24.6	8.3	31.7	7.7	8.3	191.7	40.9	80.7
Orange	1900	1,872.3	33.1	8.3	.....	24.9	16.6	.....	29.0	8.3	(2)	290.0	33.1	62.1
	1901	1,736.4	12.2	4.1	8.2	4.1	4.1	.....	8.2	8.2	(2)	228.3	48.9	57.1
	1902	1,998.0	40.1	.....	28.1	56.2	8.0	12.0	28.1	4.0	(2)	292.9	12.0	64.2
	1903	2,069.8	19.7	4.0	.....	.....	4.0	27.6	19.7	4.0	(2)	308.1	35.5	47.4
	1904	2,139.3	19.4	.....	.....	7.8	27.2	11.7	50.6	19.4	(2)	287.8	31.1	112.8
	1905	2,118.7	23.0	.....	.....	7.7	11.5	11.5	46.0	3.8	7.7	329.5	57.5	92.0
	1906	2,023.5	29.8	.....	.....	7.4	44.6	18.6	67.0	3.7	14.9	238.1	37.2	89.3
	1907	1,876.3	14.5	.....	.....	3.6	10.9	3.6	18.1	10.9	7.2	268.0	61.6	94.2
	1908	1,849.5	14.1	3.5	.....	17.6	14.1	7.1	3.5	7.1	3.5	261.2	45.9	81.2
	1909	1,579.7	17.2	.....	.....	6.9	10.3	27.5	20.6	3.4	6.9	192.7	44.7	79.2
Passaic	1900	2,376.0	39.6	14.4	.....	61.2	7.2	46.8	25.2	25.2	(2)	183.6	32.4	46.8
	1901	1,800.7	16.7	6.7	3.3	3.3	3.3	6.7	56.7	3.3	(2)	136.7	13.3	50.0
	1902	1,768.3	9.4	.....	.....	53.2	15.6	15.6	40.7	.....	(2)	162.7	18.8	37.6
	1903	1,916.7	14.1	2.9	.....	5.9	88.5	32.4	50.1	2.9	(2)	156.3	35.4	53.1
	1904	1,842.5	16.7	2.8	.....	13.9	16.7	5.6	30.7	8.4	(2)	144.9	27.9	47.4
	1905	1,818.3	7.9	2.6	.....	34.4	13.2	2.6	34.4	5.3	7.9	161.2	60.8	50.2
	1906	1,572.1	38.5	.....	.....	14.4	4.8	7.2	9.6	2.4	16.8	165.9	26.4	40.9
	1907	1,794.8	15.5	.....	.....	24.4	31.1	13.3	28.8	15.5	13.3	148.6	26.6	46.6
	1908	1,555.2	10.3	.....	.....	.....	70.0	16.5	28.8	2.1	2.1	127.7	26.8	59.7
	1909	1,520.5	5.8	.....	.....	19.2	9.6	7.7	21.1	5.8	11.5	111.5	30.8	53.8
Paterson	1900	1,804.7	26.6	4.8	0.9	1.9	10.5	11.4	44.7	9.5	(2)	206.3	15.2	60.9
	1901	1,763.4	23.5	2.8	0.9	0.9	7.5	9.4	26.3	9.4	(2)	183.2	16.0	73.3
	1902	1,655.3	34.4	4.6	4.6	17.6	16.7	9.3	45.5	2.8	(2)	176.4	17.6	54.8
	1903	1,596.5	22.0	2.8	.....	0.9	1.8	16.5	46.8	2.8	(2)	169.7	19.3	64.2
	1904	1,802.2	7.3	2.7	.....	12.7	14.5	5.4	42.6	3.6	(2)	208.6	25.4	63.5
	1905	1,657.0	14.3	2.7	.....	2.7	2.7	2.7	36.8	9.0	18.8	176.6	32.3	73.5
	1906	1,744.4	4.4	1.7	.....	16.6	4.4	20.9	23.5	2.6	10.5	204.1	34.0	83.7
	1907	1,561.2	11.1	0.9	.....	2.6	8.5	4.3	28.9	7.7	12.8	152.3	16.2	54.4
	1908	1,553.6	9.1	1.7	.....	7.5	19.9	12.5	29.9	8.3	11.6	135.4	33.2	68.1
	1909	1,526.2	9.7	0.8	.....	7.3	4.1	6.5	17.8	4.9	6.5	153.3	21.1	81.9
Perth Amboy	1900	1,666.8	.....	.....	.....	11.3	5.6	.....	28.3	5.6	(2)	101.7	50.8	28.3
	1901	1,597.9	15.5	5.2	.....	.....	5.2	15.5	118.9	10.3	(2)	87.9	36.2	25.9
	1902	1,382.5	19.1	4.8	4.8	4.8	14.3	14.3	71.5	.....	(2)	81.0	38.1	23.8
	1903	1,136.4	8.8	.....	.....	8.8	17.7	.....	101.7	.....	(2)	75.2	13.3	26.5
	1904	1,212.1	28.9	4.1	.....	8.2	53.6	.....	66.0	12.4	(2)	90.7	20.6	45.4
	1905	1,208.8	15.4	.....	.....	7.7	15.4	19.3	73.4	3.9	7.7	50.2	15.4	50.2
	1906	1,305.1	14.7	.....	.....	22.0	11.0	11.0	47.7	.....	3.7	88.0	14.7	40.3
	1907	1,393.8	31.5	.....	.....	3.5	7.0	14.0	31.5	10.5	7.0	84.0	10.5	52.5
	1908	1,320.7	23.5	.....	.....	23.5	13.4	50.3	30.2	3.4	6.7	87.2	3.4	40.2
	1909	1,382.2	3.2	.....	.....	22.5	9.6	12.9	41.8	.....	3.2	102.9	19.3	54.6
Phillipsburg	1900	1,681.3	39.8	9.9	.....	.....	19.9	29.9	29.9	19.9	(2)	89.5	.....	49.8
	1901	1,507.9	28.8	9.6	.....	.....	.....	.....	48.0	9.6	(2)	163.3	9.6	76.8
	1902	1,448.2	102.1	9.3	.....	9.3	9.3	.....	46.4	.....	(2)	120.7	.....	46.4
	1903	1,306.2	7.9	.....	.....	.....	7.9	31.7	55.4	23.7	(2)	71.2	7.9	79.2
	1904	1,293.1	15.4	.....	.....	.....	.....	.....	30.8	.....	(2)	92.4	7.7	46.2
	1905	1,011.1	22.5	.....	.....	.....	.....	7.5	22.5	.....	15.0	89.9	15.0	52.4
	1906	1,076.1	.....	.....	.....	.....	52.0	.....	22.3	7.4	14.8	81.6	7.4	74.2
	1907	1,567.7	36.8	7.4	.....	22.1	7.4	14.7	73.6	36.8	29.4	103.0	7.4	44.2
	1908	1,087.6	7.3	.....	.....	7.3	14.6	14.6	14.6	14.6	7.3	58.4	7.3	29.2
	1909	1,122.1	7.2	.....	.....	.....	7.2	.....	14.5	29.0	.....	101.4	7.2	57.9
Plainfield	1900	1,886.9	19.5	.....	.....	13.0	13.0	26.0	6.5	26.0	(2)	169.2	13.0	84.6
	1901	1,645.0	43.8	6.3	.....	.....	6.3	.....	31.3	31.3	(2)	137.6	12.5	112.6
	1902	1,547.4	12.0	.....	24.1	.....	36.1	.....	30.1	.....	(2)	204.7	12.0	42.1
	1903	1,555.6	29.0	.....	.....	.....	5.8	17.4	29.0	11.6	(2)	174.1	40.6	58.0
	1904	1,636.0	50.4	.....	.....	.....	5.6	11.2	22.4	16.8	(2)	252.1	22.4	61.6
	1905	1,597.4	16.2	.....	.....	10.8	.....	16.2	5.4	5.4	92.1	178.7	16.2	81.2
	1906	1,621.8	10.6	5.3	.....	.....	5.3	5.3	10.6	21.1	42.3	126.8	15.8	89.8
	1907	1,906.3	5.2	.....	.....	5.2	.....	20.7	10.3	15.5	20.7	170.5	20.7	77.5
	1908	1,688.2	45.5	.....	.....	10.1	.....	10.1	20.2	5.1	5.1	197.1	25.3	136.5
	1909	1,469.5	14.8	.....	.....	4.9	4.9	4.9	9.9	14.8	14.8	128.6	19.8	89.1
Trenton *	1900	1,733.8	32.7	2.7	.....	10.9	6.8	28.6	30.0	38.2	(2)	184.2	15.0	58.7
	1901	1,555.4	18.5	1.3	1.3	2.6	.....	14.6	13.2	15.9	(2)	157.7	25.2	49.0
	1902	1,712.7	39.9	2.6	3.9	12.9	7.7	7.7	15.5	5.2	(2)	135.2	16.7	57.9
	1903	1,762.5	60.1	1.3	.....	.....	5.0	21.3	28.8	8.8	(2)	216.7	21.3	66.4
	1904	1,812.1	42.7	1.2	8.5	23.2	23.2	7.3	68.3	12.2	(2)	197.5	21.9	50.0
	1905	1,678.5	24.9	3.6	.....	5.9	8.3	13.1	28.5	7.1	14.3	210.3	32.1	65.3
	1906	1,710.6	34.5	.....	.....	10.3	14.9	20.7	24.1	4.6	9.2	180.5	34.5	97.7
	1907	1,768.3	79.3	1.1	.....	8.9	1.1	3.3	27.9	23.4	11.2	184.2	30.1	78.1
	1908	1,764.1	52.1	1.1	.....	28.2	1.1	15.2	14.1	18.4	17.4	181.2	21.7	68.4
	1909	1,746.5	31.7	1.1	1.1	16.9	.....	13.7	7.4	11.6	12.7	217.4	26.4	78.1

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
1.2	13.4	74.0	184.9	152.8	179.6	152.4	147.1	86.6	134.5	90.2	19.1	90.6	64.2	117.4	.....
0.4	8.7	61.4	175.1	148.6	142.2	123.2	141.0	89.1	132.3	84.8	28.9	129.9	59.4	121.2	.....
0.4	10.4	57.3	177.1	169.8	129.1	132.9	127.9	85.7	131.8	90.3	20.4	75.3	52.3	116.0	1.2
1.5	12.4	53.6	168.0	156.4	133.9	128.7	94.5	97.1	145.2	86.6	25.9	93.4	50.6	119.3	0.8
1.1	11.0	56.4	153.5	160.5	178.4	148.7	142.5	85.4	139.2	90.9	23.1	85.4	45.8	134.5	1.1
0.7	12.7	56.8	144.7	166.6	118.3	112.6	132.7	90.4	131.3	78.0	27.2	89.3	42.4	99.5	1.4
1.3	16.1	33.6	141.2	167.4	152.2	132.8	134.4	92.8	136.1	93.1	27.6	90.1	44.4	112.6	0.7
0.6	17.1	38.6	150.9	179.9	139.4	113.3	145.1	80.8	140.6	86.3	29.6	99.8	36.0	120.0	.....
.....	13.9	25.0	127.5	169.8	108.4	111.8	120.1	78.1	114.5	92.9	23.5	75.0	25.3	109.0	.....
0.3	16.0	22.0	127.3	167.3	119.0	127.6	121.1	73.3	131.4	82.5	19.3	89.9	27.9	111.3	.....
4.1	16.6	62.1	128.4	149.1	190.6	107.7	140.9	87.0	107.7	70.4	12.4	82.8	45.6	153.2	8.3
.....	4.1	48.9	154.9	122.3	183.4	126.4	142.7	81.5	134.5	110.1	20.4	89.7	40.8	93.8	.....
.....	16.0	68.2	176.5	132.4	180.5	108.3	172.5	100.3	140.4	92.3	4.0	92.3	48.1	120.4	.....
.....	11.8	71.1	229.1	158.0	165.9	110.6	126.4	110.6	177.7	94.8	39.5	94.8	51.4	158.0	.....
.....	7.8	42.8	178.9	190.6	241.2	97.2	217.8	140.0	120.6	89.5	27.2	101.1	19.4	97.2	.....
.....	23.0	61.3	180.1	226.0	137.9	122.6	180.1	126.4	92.0	107.3	11.5	107.3	46.0	107.3	.....
3.7	26.0	48.4	119.0	252.9	182.3	100.4	137.6	81.8	156.2	85.6	11.2	85.6	55.8	126.5	.....
.....	10.9	39.8	137.6	220.9	166.6	115.9	108.7	123.2	141.3	83.3	10.9	68.8	32.6	123.2	.....
.....	24.7	31.8	134.1	222.4	194.1	95.3	148.2	60.0	120.0	84.7	10.6	98.8	42.4	123.5	.....
3.4	20.6	13.8	110.1	151.4	130.8	89.5	120.5	89.5	130.8	92.9	20.6	65.4	34.4	96.4	.....
.....	3.6	54.0	198.0	126.0	230.4	205.2	352.8	140.4	32.4	230.4	21.6	100.8	72.0	122.4	3.6
3.3	10.0	53.4	180.1	93.4	160.1	150.1	206.7	86.7	66.7	170.1	13.3	106.7	96.7	100.0	3.3
3.1	6.3	56.3	137.7	68.9	134.6	216.0	241.0	78.2	75.1	144.0	3.1	87.6	56.3	106.4	.....
.....	20.6	61.9	121.9	115.0	115.0	206.4	203.5	97.3	67.8	159.2	8.8	97.3	59.0	138.5	2.9
.....	2.8	39.0	103.1	86.4	161.7	195.1	326.1	72.5	69.7	175.6	16.7	83.6	47.4	147.7	.....
5.3	7.9	50.2	121.6	103.1	150.6	169.1	224.6	84.6	58.1	153.3	7.9	142.7	55.5	100.4	2.6
.....	9.6	40.9	110.6	110.6	149.0	144.2	156.2	74.5	62.5	139.4	4.8	98.6	55.3	88.9	.....
.....	4.4	51.0	110.9	128.7	166.4	181.9	208.5	68.8	84.3	130.9	22.2	124.2	53.2	95.4	.....
4.1	4.1	20.6	105.1	94.8	100.9	171.0	185.4	59.7	94.8	113.3	10.3	117.4	24.7	105.1	.....
1.9	9.6	34.6	80.7	111.5	159.5	138.4	217.2	55.7	82.7	115.3	7.7	98.0	38.4	92.3	.....
0.9	6.7	73.2	178.8	136.9	142.6	114.1	166.4	93.2	107.5	95.1	9.5	94.1	59.0	131.2	2.8
0.9	12.2	71.4	156.9	173.8	148.4	126.9	133.4	96.8	65.8	111.8	4.7	114.6	64.8	126.8	1.9
.....	8.4	60.3	141.1	152.3	144.8	130.9	129.0	97.5	84.5	85.4	10.2	68.7	53.8	103.1	0.9
.....	7.3	63.3	156.0	170.7	149.6	93.6	100.0	93.6	82.6	83.5	13.8	92.7	53.2	89.0	0.9
.....	11.8	50.8	174.1	173.2	176.9	121.5	156.9	107.9	101.6	80.7	8.2	85.3	37.2	127.9	1.8
1.8	11.7	53.8	143.5	199.1	120.1	95.0	148.8	69.9	102.2	77.1	16.1	94.1	48.4	100.4	2.7
1.7	12.2	66.3	166.6	155.2	150.9	142.2	131.7	81.1	116.9	90.7	17.4	79.4	27.9	96.8	0.9
.....	12.8	50.2	150.6	161.6	138.7	98.7	125.9	80.0	149.7	69.8	19.6	74.9	34.0	95.3	.....
1.7	10.8	32.4	141.2	180.2	134.5	106.3	130.4	68.1	129.5	73.1	20.8	78.1	21.6	88.0	.....
.....	17.0	37.3	111.1	184.1	150.0	109.5	115.2	73.8	111.9	64.9	21.1	94.1	24.3	98.1	.....
.....	.....	67.8	163.9	84.7	141.3	113.0	243.0	67.8	67.8	101.7	16.9	113.0	90.4	163.9	.....
.....	5.2	36.2	134.5	93.1	93.1	144.8	263.7	77.6	77.6	56.9	15.5	134.5	56.9	82.7	5.2
.....	.....	19.1	66.7	95.3	119.2	109.6	214.5	71.5	85.8	95.3	4.8	42.9	66.7	109.6	4.8
.....	.....	17.7	101.7	66.3	88.4	57.5	168.0	53.1	53.1	48.6	8.8	115.0	31.0	75.2	.....
.....	4.1	28.9	45.4	45.4	94.8	45.4	148.4	74.2	24.7	78.3	4.1	148.4	57.7	74.2	8.2
3.9	3.9	46.3	42.5	30.9	115.9	85.0	220.1	42.5	88.8	54.1	3.9	100.4	50.2	54.1	7.7
.....	3.7	29.3	55.0	88.0	95.3	58.7	267.6	58.7	84.3	36.7	11.0	128.3	80.7	55.0	.....
.....	21.0	31.5	105.1	84.0	87.6	56.0	259.1	59.5	70.0	73.5	10.5	115.6	91.1	77.0	.....
.....	.....	23.5	77.1	57.0	107.3	46.9	214.5	73.7	67.0	77.1	6.7	107.3	87.2	90.5	3.4
.....	9.6	38.6	54.6	83.6	99.6	109.3	241.1	51.4	51.4	122.2	12.9	106.1	41.8	90.0	.....
.....	9.9	49.8	258.7	119.4	159.2	69.6	189.0	109.4	69.6	49.8	9.9	59.7	109.4	129.3	.....
9.6	9.6	28.8	259.3	124.9	76.8	28.8	76.8	86.4	67.2	28.8	19.2	153.7	76.8	115.3	.....
.....	.....	9.3	213.5	167.1	102.1	18.6	27.8	111.4	65.0	37.1	18.6	130.0	46.4	130.0	27.8
.....	.....	23.7	237.5	126.7	95.0	31.7	63.3	87.1	47.5	95.0	.....	87.1	31.7	87.1	7.9
7.7	15.4	30.8	215.5	123.2	115.5	53.9	77.0	123.2	53.9	30.8	.....	115.5	30.8	107.8	.....
.....	.....	7.5	164.8	82.4	104.9	59.9	59.9	59.9	44.9	44.9	7.5	74.9	30.0	44.9	.....
.....	.....	.....	96.5	89.1	111.3	37.1	74.2	81.6	74.2	44.5	.....	74.2	52.0	81.6	.....
7.4	44.2	29.4	117.8	161.9	139.8	36.8	161.9	117.8	117.8	44.2	.....	58.9	51.5	95.7	.....
.....	36.5	7.3	175.2	102.2	102.2	43.8	14.6	138.7	65.7	51.1	.....	73.0	43.8	58.4	.....
.....	29.0	.....	173.7	159.3	79.6	7.2	72.4	50.7	108.6	14.5	14.5	86 9	14.5	86.9	.....
.....	13.0	71.6	201.7	169.2	175.7	117.1	97.6	97.6	84.6	123.6	.....	123.6	71.6	169.2	.....
6.3	25.0	50.0	143.9	118.8	143.9	93.8	93.8	106.3	150.1	62.5	18.8	87.6	18.8	137.6	6.3
.....	.....	36.1	216.8	126.4	126.4	96.3	72.3	102.4	102.4	84.3	6.0	90.3	36.1	90.3	.....
5.8	11.6	40.6	174.1	133.5	63.8	58.0	162.5	92.9	75.5	87.1	17.4	121.9	17.4	127.7	.....
11.2	11.2	33.6	106.5	128.9	134.5	100.9	145.7	44.8	100.9	56.0	5.6	117.7	28.0	162.5	5.6
.....	37.9	54.1	113.7	157.0	97.5	70.4	140.8	119.1	97.5	54.1	16.2	102.9	16.2	97.5	.....
.....	31.7	10.6	147.9	163.8	89.8	89.8	158.5	79.2	126.8	100.4	5.3	79.2	31.7	169.0	5.3
.....	36.2	36.2	232.5	186.0	155.0	98.2	160.1	113.7	186.0	41.3	25.8	134.3	46.5	108.5	.....
.....	10.1	15.2	156.7	202.2	116.3	60.7	91.0	106.1	116.3	80.9	15.2	96.0	25.3	141.5	.....
4.9	39.6	14.8	133.6	133.6	108.9	44.5	84.1	74.2	123.7	64.3	19.8	108.9	34.6	173.2	.....
1.4	9.5	46.4	257.8	117.3	143.3	113.2	109.1	88.7	101.0	60.0	.....	75.0	85.9	111.9	5.5
2.6	2.6	34.4	223.9	139.1	124.5	75.5	121.9	79.5	74.2	76.8	2.6	103.3	80.8	111.3	2.6
2.6	9.0	41.2	285.9	148.1	118.5	105.6	140.4	85.0	83.7	63.1	5.2	91.4	104.3	122.3	1.3
2.5	13.8	25.1	254.2	126.5	136.5	82.6	125.3	99.0	78.9	80.2	3.8	100.2	71.4	131.5	1.3
3.7	14.6	29.3	235.4	129.3	178.0	101.2	107.3	96.3	93.9	76.8	6.1	81.7	56.1	145.1	1.2
1.2	7.1	29.7	242.3	105.7	136.6	83.2	123.5	79.6	92.7	70.1	9.5	83.2	61.8	135.4	3.6
1.1	14.9	31.0	225.3	139.1	98.9	89.7	148.3	64.4	106.9	80.5	13.8	111.5	24.1	127.6	2.3
.....	10.0	24.6	219.9	171.9	121.7	103.8	137.3	68.1	123.9	79.3	7.8	98.2	29.0	123.9	.....
.....	9.8	26.0	210.5	158.4	133.4	123.7	137.8	72.7	97.6	104.2	21.7	83.5	26.0	140.0	.....
1.1	11.6	25.3	181.5	180.4	162.5	106.6	133.0	70.7	112.9	81.4	10.6	112.9	32.7	105.5	.....

[2] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
NEW JERSEY—continued.														
Union	1900	1,461.8	6.6	.....	.....	13.2	6.6	.....	85.6	.....	(2)	144.9	.....	52.7
	1901	1,672.0	6.4	.....	.....	.....	57.9	6.4	96.5	.....	(2)	122.2	12.9	57.9
	1902	1,640.2	25.1	.....	6.3	6.3	6.3	6.3	25.1	.....	(2)	150.8	12.6	56.6
	1903	1,523.6	6.1	.....	.....	.....	.....	12.3	43.0	.....	(2)	147.4	12.3	55.3
	1904	1,724.7	12.0	.....	.....	6.0	18.0	6.0	30.0	6.0	(2)	168.3	12.0	42.1
	1905	1,775.9	17.6	.....	.....	.....	17.6	.....	29.4	5.9	5.9	182.3	29.4	76.4
	1906	1,631.6	16.8	.....	.....	11.2	.....	11.2	22.4	5.6	16.8	162.0	61.5	39.1
	1907	1,543.7	10.7	.....	.....	.....	26.7	5.3	21.4	.....	10.7	128.2	42.7	21.4
	1908	1,504.2	15.3	.....	.....	.....	51.2	.....	25.6	15.3	.....	138.1	40.9	112.6
	1909	1,359.9	4.9	.....	.....	4.9	4.9	.....	39.3	.....	.....	166.9	34.4	63.8
West Hoboken	1906	1,243.2	9.8	.....	.....	.....	9.8	3.3	55.8	3.3	.....	134.5	19.7	49.2
	1907	1,154.7	.....	3.1	.....	3.1	44.1	.....	28.3	9.4	12.6	132.2	22.0	28.3
	1908	1,215.3	3.0	3.0	.....	3.0	24.2	3.0	36.3	.....	9.1	151.2	15.1	51.4
	1909	1,227.6	2.9	.....	.....	2.9	17.5	11.6	55.3	.....	23.3	136.7	17.5	52.4
NEW YORK.														
Albany	1900	1,905.4	41.4	1.1	.....	18.1	3.2	2.1	57.4	24.4	(2)	233.7	13.8	85.0
	1901	1,875.0	21.1	1.1	.....	1.1	4.2	3.2	43.2	37.9	(2)	235.0	39.0	91.7
	1902	1,705.8	32.4	1.0	10.5	.....	3.1	7.3	27.2	20.9	(2)	199.8	17.8	89.9
	1903	1,881.8	19.7	1.0	2.1	10.4	21.8	21.8	15.6	38.4	(2)	209.7	27.0	98.6
	1904	1,902.7	17.5	3.1	.....	.....	9.3	4.1	10.3	34.0	(2)	223.5	25.8	109.2
	1905	1,851.6	19.4	1.0	.....	13.3	2.0	9.2	16.4	20.4	9.2	211.6	32.7	95.1
	1906	1,804.8	20.3	1.0	.....	2.0	2.0	10.2	37.6	16.3	10.2	207.4	28.5	112.9
	1907	1,922.1	21.2	.....	.....	3.0	8.1	14.2	47.5	33.4	8.1	180.1	40.5	110.3
	1908	1,857.0	12.1	1.0	.....	13.1	39.3	9.1	31.2	36.2	2.0	208.3	20.1	132.9
	1909	1,760.5	19.0	1.0	.....	9.0	4.0	9.0	19.0	7.0	6.0	168.2	32.0	116.2
Amsterdam	1900	1,481.2	14.3	4.8	.....	.....	4.8	4.8	52.6	28.7	(2)	152.9	19.1	62.1
	1901	1,432.0	22.4	.....	.....	9.0	.....	.....	17.9	31.3	(2)	156.6	9.0	80.6
	1902	1,532.3	17.6	.....	.....	.....	193.7	.....	13.2	4.4	(2)	136.5	17.6	35.2
	1903	1,716.1	47.7	.....	.....	8.7	112.7	21.7	21.7	13.0	(2)	151.7	17.3	65.0
	1904	1,514.4	12.8	4.3	.....	8.5	8.5	4.3	8.5	8.5	(2)	157.8	21.3	81.1
	1905	1,533.2	21.0	.....	.....	21.0	.....	.....	4.2	12.6	16.8	134.4	16.8	63.0
	1906	1,629.7	23.6	.....	.....	.....	7.9	19.6	51.1	.....	23.6	129.6	11.8	78.5
	1907	1,541.0	22.2	3.7	.....	14.8	7.4	3.7	11.1	14.8	22.2	100.0	40.7	85.2
	1908	1,437.3	.....	.....	.....	17.5	10.5	17.5	35.1	14.0	14.0	112.2	28.0	63.1
	1909	1,394.1	10.0	.....	.....	.....	6.7	.....	26.6	3.3	13.3	129.8	16.6	79.9
Auburn	1900	1,746.6	46.1	3.3	.....	33.0	.....	33.0	39.5	9.9	(2)	158.2	36.2	62.6
	1901	1,354.7	22.7	.....	.....	3.2	6.5	6.5	9.7	26.0	(2)	133.2	26.0	45.5
	1902	1,515.2	6.4	.....	16.0	.....	.....	16.0	19.2	9.6	(2)	92.9	16.0	108.9
	1903	1,687.0	25.3	.....	.....	3.2	6.3	.....	50.5	19.0	(2)	180.1	19.0	123.2
	1904	1,548.8	24.9	6.2	.....	3.1	3.1	.....	43.6	21.8	(2)	152.7	15.6	96.6
	1905	1,589.4	18.4	3.1	.....	27.7	6.1	9.2	24.6	30.7	9.2	119.9	40.0	77.9
	1906	1,669.5	12.1	.....	.....	3.0	6.1	12.1	15.2	.....	18.2	160.6	36.4	90.9
	1907	1,602.8	6.0	.....	.....	.....	.....	.....	44.9	17.9	.....	131.6	35.9	101.7
	1908	1,452.1	50.2	5.9	.....	.....	3.0	14.8	3.0	8.9	8.9	141.7	38.4	76.7
	1909	1,497.7	17.5	.....	.....	.....	.....	5.8	8.7	2.9	8.7	107.8	23.3	96.2
Batavia	1906	1,377.7	38.0	9.5	.....	.....	9.5	.....	28.5	9.5	47.5	76.0	.....	104.5
	1907	1,433.6	18.5	.....	.....	.....	.....	.....	.....	18.5	18.5	92.5	18.5	55.5
	1908	1,621.8	27.0	.....	.....	27.0	9.0	9.0	27.0	9.0	18.0	126.1	27.0	108.1
	1909	1,457.9	26.3	.....	.....	.....	17.6	17.6	17.6	35.1	8.8	79.0	79.0	43.9
Binghamton*	1900	1,856.4	40.4	7.6	.....	2.5	22.7	2.5	138.7	17.7	(2)	141.2	10.1	78.2
	1901	1,643.7	52.1	2.5	.....	5.0	7.4	12.4	42.1	57.0	(2)	131.4	9.9	81.8
	1902	1,740.4	29.2	9.7	7.3	.....	21.9	9.7	48.7	7.3	(2)	219.4	14.6	70.7
	1903	1,503.0	12.0	2.4	.....	2.4	2.4	7.2	19.2	19.2	(2)	141.4	14.4	83.9
	1904	1,870.0	9.4	4.7	.....	42.4	9.4	4.7	40.1	21.2	(2)	193.4	14.1	94.3
	1905	1,830.8	16.2	2.3	.....	2.3	27.8	2.3	11.6	13.9	20.9	164.7	18.6	90.5
	1906	1,738.8	11.3	4.5	.....	4.5	9.0	11.3	31.6	9.0	22.6	176.1	11.3	101.6
	1907	1,736.4	17.6	6.6	.....	.....	2.2	11.0	30.9	33.1	11.0	138.8	19.8	77.1
	1908	1,902.0	17.2	2.2	.....	38.7	8.6	2.2	15.1	25.8	15.1	159.2	36.6	83.9
	1909	1,832.9	14.7	2.1	.....	6.3	6.3	18.9	37.8	4.2	10.5	124.0	10.5	75.7
Buffalo	1900	1,462.9	23.5	1.1	.....	14.2	7.7	7.1	19.0	11.9	(2)	113.2	21.3	56.5
	1901	1,544.4	27.1	0.8	0.6	6.2	12.3	17.6	39.7	18.5	(2)	126.8	21.6	73.3
	1902	1,469.6	33.7	0.3	0.8	18.8	3.0	7.5	37.3	4.1	(2)	117.6	17.7	66.5
	1903	1,598.2	34.6	0.5	1.1	8.7	7.4	15.0	32.7	9.3	(2)	122.0	23.7	75.2
	1904	1,596.2	24.2	0.8	.....	9.9	4.3	3.0	30.1	7.5	(2)	135.7	23.7	72.3
	1905	1,560.6	24.4	.....	.....	17.5	4.2	16.7	16.7	6.6	10.6	130.0	29.2	88.1
	1906	1,641.3	23.2	1.0	.....	9.0	5.9	9.6	20.4	6.7	14.5	125.2	27.6	83.9
	1907	1,670.1	28.5	1.0	0.3	18.6	10.1	13.1	17.1	16.4	14.9	123.5	25.2	78.9
	1908	1,532.8	19.9	.....	.....	8.4	24.6	11.8	20.7	15.7	13.5	127.4	23.6	76.5
	1909	1,521.5	23.8	0.2	.....	18.5	40.4	2.9	24.8	6.5	9.4	127.4	18.5	79.1
Cohoes	1900	1,982.4	117.1	.....	.....	4.2	12.5	16.7	16.7	12.5	(2)	204.9	29.3	58.5
	1901	1,963.2	66.8	.....	.....	4.2	4.2	4.2	33.4	20.9	(2)	275.7	12.5	45.9
	1902	1,806.4	125.2	.....	.....	.....	4.2	50.1	12.5	8.3	(2)	191.9	12.5	54.2
	1903	1,941.6	95.8	4.2	.....	.....	54.2	33.3	8.3	16.7	(2)	220.8	20.9	87.5
	1904	1,905.8	104.0	.....	.....	.....	20.8	4.2	29.1	25.0	(2)	241.3	45.8	87.4
	1905	2,152.7	54.0	.....	.....	91.4	8.3	4.2	29.1	33.2	8.3	174.5	20.8	66.5
	1906	1,916.9	53.7	.....	4.1	.....	.....	20.7	28.9	8.3	12.4	247.9	28.9	62.0
	1907	2,070.8	86.3	.....	.....	57.5	.....	41.1	32.9	16.4	12.3	246.5	12.3	49.3
	1908	1,757.2	73.6	.....	.....	12.3	4.1	12.3	24.5	28.6	16.3	192.1	28.6	57.2
	1909	1,983.4	81.3	.....	4.1	69.1	.....	28.5	20.3	4.1	16.3	247.9	48.8	73.2

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	6.6	52.7	184.3	111.9	184.3	65.8	151.4	72.4	59.3	59.3	19.8	39.5	52.7	85.6	6.6
.....	12.9	51.4	167.2	122.2	109.3	96.5	141.5	64.3	135.0	57.9	25.7	83.6	70.7	173.6	.....
.....	25.1	25.1	132.0	106.8	144.5	194.8	106.8	100.5	100.5	75.4	37.7	119.4	44.0	132.0	.....
.....	12.3	30.7	116.7	147.4	184.3	86.0	110.6	49.1	110.6	73.7	24.6	159.7	55.3	73.7	12.3
.....	12.0	66.1	162.2	150.2	186.3	144.2	180.3	60.1	84.1	96.1	66.1	108.2	24.0	84.1	.....
.....	23.5	58.8	135.3	88.2	123.5	100.0	141.1	123.5	117.6	76.4	58.8	164.7	82.3	111.7	5.9
.....	33.5	44.7	117.3	167.6	139.7	106.2	83.8	78.2	95.0	72.6	27.9	139.7	44.7	134.1	.....
.....	10.7	48.1	181.6	144.2	144.2	85.5	154.9	101.5	106.8	42.7	37.4	133.5	21.4	64.1	.....
5.1	20.5	46.0	71.6	138.1	112.6	66.5	97.2	92.1	102.3	40.9	46.0	148.4	25.6	87.0	5.1
4.9	19.6	19.6	73.6	137.5	88.4	122.7	93.3	49.1	117.8	44.2	19.6	147.3	.....	103.1	.....
.....	13.1	29.5	111.5	144.3	98.4	105.0	131.2	65.6	65.6	45.9	26.2	32.8	19.7	68.9	.....
.....	9.4	34.6	103.8	75.5	119.6	100.7	103.8	47.2	88.1	31.5	18.9	25.2	18.9	94.4	.....
.....	12.1	6.0	93.7	120.9	93.7	60.5	102.8	57.4	117.9	48.4	27.2	51.4	39.3	81.6	3.0
2.9	2.9	29.1	101.8	128.0	122.2	113.5	98.9	61.1	81.5	37.8	20.4	26.2	26.2	55.3	.....
2.1	10.6	53.1	207.1	169.9	158.3	105.2	70.1	124.3	142.3	41.4	2.1	82.8	80.7	175.2	.....
2.1	2.1	36.9	220.3	246.6	103.3	130.7	66.4	118.0	156.0	30.6	4.2	84.2	58.0	137.0	1.1
2.1	15.7	31.4	187.2	210.2	122.4	103.5	59.6	114.0	154.8	27.2	.....	92.0	42.9	131.8	1.0
4.2	10.4	28.0	187.9	246.0	128.7	100.7	69.5	115.2	160.9	46.7	18.7	88.2	56.0	154.7	.....
4.1	17.5	33.0	177.2	258.6	127.7	95.8	90.7	122.6	201.9	34.0	11.3	91.7	42.2	157.6	.....
2.0	19.4	49.1	189.1	252.5	89.0	102.2	71.6	123.7	185.1	31.7	16.4	105.3	31.7	152.3	.....
.....	15.3	43.7	166.8	267.4	106.8	105.7	70.2	110.8	181.0	27.5	10.2	92.5	37.6	120.0	1.0
1.0	17.2	25.3	144.7	308.5	115.3	105.2	90.0	129.5	210.4	34.4	15.2	99.1	22.3	137.6	.....
2.0	11.1	22.1	168.1	302.0	100.7	93.6	78.5	100.7	176.1	54.4	18.1	102.7	22.1	99.6	.....
3.0	23.0	19.0	159.2	323.5	70.1	86.1	63.1	130.2	194.3	46.1	15.0	97.1	21.0	119.2	.....
.....	9.5	66.9	167.2	90.8	114.6	62.1	114.7	66.9	43.0	52.6	.....	114.7	100.3	114.7	19.1
.....	9.0	22.4	210.3	94.0	161.1	107.4	67.1	49.2	53.7	53.7	22.4	89.5	40.3	125.4	.....
.....	4.4	48.4	167.3	127.7	96.9	61.6	118.9	114.5	44.0	61.6	17.6	79.3	61.6	110.1	.....
.....	4.3	39.0	134.3	169.0	138.7	117.0	121.3	60.7	86.7	99.7	4.3	121.3	43.3	117.0	.....
4.3	12.8	64.0	166.4	157.8	85.3	89.6	110.9	102.4	85.3	68.3	4.3	68.3	59.7	119.4	.....
.....	.....	25.2	117.6	247.8	130.2	79.8	105.0	105.0	63.0	75.6	.....	121.8	63.0	105.0	4.2
.....	15.7	43.2	117.8	168.9	133.5	106.0	164.9	98.2	82.5	66.8	7.9	94.2	43.2	141.4	.....
.....	3.7	37.0	148.2	170.4	129.7	100.0	166.7	51.9	85.2	63.0	7.4	111.1	22.2	118.5	.....
.....	10.5	17.5	164.8	182.3	126.2	63.1	157.8	63.1	73.6	56.1	10.5	70.1	17.5	112.2	.....
.....	16.6	32.3	139.7	156.4	93.2	59.9	179.7	69.9	66.5	69.9	6.7	99.8	23.3	93.2	.....
.....	6.6	49.4	210.9	158.2	164.8	65.9	131.8	95.6	62.6	46.1	16.5	42.9	52.7	217.5	3.3
6.5	22.7	19.5	146.2	152.7	130.0	65.0	87.7	84.5	74.7	52.0	3.2	94.2	22.7	113.7	.....
3.2	12.8	25.6	157.0	240.3	137.7	60.9	124.9	108.9	57.7	38.4	12.8	57.7	19.2	173.0	.....
.....	6.3	6.3	180.1	214.8	151.6	53.7	94.8	97.9	44.2	63.2	15.8	85.3	53.7	192.7	.....
.....	12.5	43.6	124.6	202.6	124.6	56.1	90.4	71.7	84.1	71.7	18.7	96.6	9.3	174.5	.....
.....	15.4	36.9	206.0	199.8	147.6	46.1	132.2	61.5	70.7	40.0	21.5	52.3	24.6	169.1	.....
.....	12.1	21.2	163.6	200.0	175.7	60.6	160.6	84.8	97.0	81.8	21.2	69.7	9.1	157.6	.....
.....	23.9	50.8	155.5	224.3	110.6	65.8	110.6	74.8	122.6	38.9	20.9	107.6	.....	158.5	.....
3.0	11.8	44.3	135.8	174.1	94.4	32.5	103.3	85.6	97.4	88.5	32.5	64.9	14.8	115.1	3.0
.....	17.5	14.6	171.9	230.2	78.7	67.0	139.9	81.6	107.8	43.7	17.5	87.4	5.8	163.2	.....
.....	38.0	19.0	190.0	161.5	38.0	47.5	38.0	66.5	123.5	57.0	9.5	114.0	57.0	95.0	.....
9.2	9.2	18.5	120.2	157.2	101.7	18.5	46.2	148.0	120.2	46.2	64.7	138.7	18.5	194.2	.....
.....	18.0	18.0	153.2	171.2	153.2	54.1	63.1	99.1	162.2	27.0	9.0	189.2	.....	117.1	.....
.....	43.9	.....	123.0	131.7	123.0	70.3	52.7	79.0	123.0	105.4	17.6	114.2	43.9	105.4	.....
.....	15.1	45.4	204.3	151.3	158.9	118.5	75.7	98.4	103.4	80.7	10.1	68.1	53.0	211.9	.....
.....	17.4	19.8	151.2	111.6	153.7	91.7	62.0	114.0	86.8	91.7	9.9	79.3	54.5	198.3	.....
2.4	9.7	21.9	275.4	158.4	126.7	63.4	63.4	87.7	138.9	41.4	17.1	92.6	34.1	165.7	2.4
.....	24.0	14.4	189.4	167.8	107.9	69.5	62.3	81.5	83.9	55.1	19.2	86.3	24.0	213.4	.....
2.4	9.4	28.3	245.2	240.5	122.6	80.2	117.9	108.5	132.1	51.9	7.1	96.7	35.4	158.0	.....
2.3	11.6	39.4	234.4	255.2	129.9	55.7	127.6	104.4	109.1	81.2	13.9	106.7	23.2	164.7	.....
4.5	6.8	15.8	216.8	230.3	112.9	61.0	94.8	131.0	112.9	76.8	18.1	83.6	38.6	142.3	.....
2.2	11.0	24.2	222.6	310.7	110.2	79.3	59.5	110.2	158.7	72.7	2.2	81.5	17.6	125.6	.....
.....	21.5	49.5	206.6	305.5	118.3	83.9	118.3	99.0	129.1	77.5	21.5	99.0	21.5	146.3	.....
.....	16.8	16.8	229.1	290.1	130.3	121.9	88.3	111.4	157.6	84.1	27.3	126.1	8.4	113.5	.....
1.1	12.8	45.7	128.0	129.7	83.7	202.0	144.7	86.3	82.3	80.9	9.1	71.5	47.7	59.9	2.0
2.2	11.2	33.3	123.1	148.1	90.7	128.2	138.5	82.8	80.3	76.4	14.3	101.3	17.6	151.7	.....
1.7	13.3	33.7	127.8	156.8	83.9	129.2	116.2	88.3	78.1	69.0	9.9	93.0	19.3	141.9	.....
1.4	16.1	32.4	137.3	176.2	86.4	112.0	126.4	98.1	88.3	75.5	12.8	119.6	19.6	165.1	1.1
1.6	19.4	27.4	145.7	184.7	94.9	122.6	140.6	89.8	94.6	82.0	10.8	98.9	20.7	150.5	0.5
1.3	16.7	30.2	122.3	187.3	87.0	102.4	126.3	93.7	92.1	84.6	19.6	100.8	19.4	132.7	.....
1.0	19.1	27.9	125.5	203.2	96.6	104.8	157.5	106.1	87.8	84.7	16.5	121.9	17.6	143.8	0.3
1.5	18.9	22.4	129.2	214.2	102.5	101.5	162.5	102.0	99.3	77.9	11.8	125.7	12.6	140.6	.....
1.5	16.7	14.5	117.6	208.6	89.3	91.0	158.7	89.0	83.6	78.7	12.3	92.7	12.3	124.0	.....
0.5	19.2	13.2	114.2	189.4	90.8	98.0	141.3	95.2	95.9	72.8	13.7	93.7	9.9	122.3	.....
4.2	4.2	79.5	209.1	87.8	196.6	71.1	196.6	125.5	71.1	125.5	4.2	146.4	58.5	129.7	.....
.....	16.7	108.6	158.7	146.2	217.2	121.1	150.4	104.4	83.5	96.1	4.2	100.3	41.8	142.0	4.2
.....	8.3	66.8	154.4	125.2	150.2	112.6	108.5	108.5	79.3	112.6	12.5	108.5	62.6	137.7	.....
.....	.....	79.2	162.5	104.2	145.8	141.7	158.3	104.2	58.4	108.4	4.2	104.2	83.4	145.8	.....
.....	4.2	58.3	183.1	83.2	112.4	116.5	116.5	124.8	108.2	104.0	8.3	137.3	87.4	104.0	.....
.....	12.5	91.4	195.3	199.5	120.5	166.2	211.9	91.4	116.4	103.9	16.6	149.6	91.4	95.6	.....
.....	20.7	70.2	190.0	177.6	140.5	123.9	165.2	132.2	70.2	107.4	4.1	86.8	33.0	128.1	.....
.....	8.2	82.2	180.8	205.4	135.6	164.4	213.7	94.5	127.4	98.6	8.2	98.6	16.4	82.2	.....
4.1	4.1	81.7	126.7	179.8	89.9	143.0	143.0	106.2	89.9	98.1	.....	89.9	49.0	102.2	.....
.....	24.4	73.2	93.5	146.3	85.4	187.0	231.7	85.4	126.0	105.7	20.3	113.8	16.3	81.3	.....

* Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
NEW YORK—continued.														
Corning	1900	1,898.6	63.3	18.1	.....	.....	45.2	.....	135.6	18.1	(2)	135.6	18.1	81.4
	1901	1,551.7	34.7	.....	.....	17.3	8.7	.....	8.7	60.7	(2)	208.0	26.0	52.0
	1902	1,173.9	16.7	.....	.....	.....	8.3	.....	41.6	16.7	(2)	116.6	16.7	33.3
	1903	1,377.5	48.1	.....	.....	16.0	.....	16.0	8.0	.....	(2)	80.1	24.0	80.1
	1904	1,566.1	54.0	.....	.....	.....	7.7	7.7	77.1	23.1	(2)	108.0	15.4	92.6
	1905	1,592.5	29.8	.....	.....	.....	7.4	14.9	52.1	7.4	7.4	96.7	14.9	67.0
	1906	1,347.9	37.0	14.8	.....	.....	.....	.....	14.8	.....	22.2	118.5	14.8	14.8
	1907	1,998.2	73.7	.....	.....	51.6	.....	22.1	14.7	73.7	7.4	81.1	7.4	88.5
	1908	1,710.5	95.4	.....	.....	.....	.....	29.4	.....	7.3	14.7	117.5	.....	110.1
	1909	1,549.5	131.6	.....	.....	14.6	7.3	.....	.....	14.6	14.6	80.4	7.3	73.1
Cortland	1900	1,397.8	44.4	.....	.....	.....	22.2	.....	11.1	22.2	(2)	99.8	11.1	99.8
	1901	1,465.2	117.6	.....	.....	85.6	.....	.....	.....	53.5	(2)	32.1	42.8	64.2
	1902	960.1	10.3	.....	.....	.....	.....	.....	10.3	10.3	(2)	92.9	31.0	41.3
	1903	1,444.6	38.0	.....	.....	9.5	.....	.....	.....	19.0	(2)	85.5	28.5	123.6
	1904	1,326.2	9.2	.....	.....	18.4	.....	.....	.....	27.6	(2)	101.3	18.4	92.1
	1905	991.6	26.8	.....	.....	.....	8.9	.....	.....	8.9	35.7	53.6	17.9	80.4
	1906	1,411.8	8.9	.....	.....	.....	.....	44.4	17.8	8.9	62.2	106.6	35.5	71.0
	1907	1,342.2	26.5	.....	.....	.....	8.8	.....	17.7	17.7	17.7	97.1	35.3	88.3
	1908	1,571.7	8.8	.....	.....	.....	.....	35.1	8.8	26.3	8.8	87.8	35.1	96.6
	1909	1,431.9	26.2	.....	.....	.....	.....	.....	.....	8.7	17.5	52.4	26.2	87.3
Dunkirk	1900	1,584.0	34.4	8.6	.....	.....	17.2	34.4	8.6	34.4	(2)	111.9	8.6	43.0
	1901	1,256.9	24.3	.....	.....	16.2	.....	8.1	.....	64.9	(2)	32.4	24.3	64.9
	1902	1,640.1	76.6	.....	.....	46.0	7.7	.....	84.3	38.3	(2)	84.3	.....	38.3
	1903	1,721.9	50.9	.....	.....	.....	94.4	43.6	29.1	29.1	(2)	101.7	.....	72.7
	1904	1,885.4	41.4	.....	.....	6.9	269.3	6.9	27.6	34.5	(2)	89.8	13.8	55.2
	1905	1,487.1	46.1	.....	.....	.....	.....	.....	26.3	85.5	13.2	92.1	13.2	72.4
	1906	1,623.3	38.3	.....	.....	6.4	6.4	83.1	12.8	6.4	6.4	95.9	70.3	19.2
	1907	1,625.0	74.7	.....	.....	24.9	.....	.....	18.7	37.4	12.5	118.3	24.9	43.6
	1908	1,468.7	12.1	.....	.....	.....	.....	36.4	12.1	18.2	12.1	85.0	42.5	85.0
	1909	1,184.0	5.9	.....	.....	.....	5.9	.....	11.8	5.9	11.8	65.1	35.5	65.1
Elmira	1900	1,575.5	44.8	2.8	.....	5.6	2.8	2.8	2.8	33.6	(2)	129.0	11.2	78.5
	1901	1,575.0	28.0	.....	.....	2.8	2.8	36.4	53.2	56.1	(2)	120.5	22.4	72.9
	1902	1,361.6	36.4	.....	2.8	.....	.....	2.8	36.4	16.8	(2)	145.7	16.8	75.6
	1903	1,467.7	86.8	5.6	.....	16.8	.....	16.8	19.6	28.0	(2)	112.0	16.8	75.6
	1904	1,554.1	53.2	.....	.....	.....	5.6	.....	42.0	22.4	(2)	120.4	16.8	95.2
	1905	1,550.8	28.0	5.6	.....	.....	.....	.....	33.6	14.0	19.6	137.2	39.2	98.0
	1906	1,434.3	47.2	.....	.....	.....	5.5	5.5	36.1	13.9	22.2	133.2	13.9	77.7
	1907	1,565.6	30.3	.....	.....	5.5	30.3	8.3	30.3	46.8	5.5	132.1	19.3	79.8
	1908	1,501.0	30.0	.....	.....	16.4	5.5	13.6	16.4	35.5	10.9	92.8	24.6	81.9
	1909	1,499.7	32.5	.....	.....	10.8	16.2	10.8	5.4	18.9	13.5	102.9	18.9	70.4
Geneva	1900	1,581.5	9.6	.....	.....	.....	19.2	38.3	9.6	.....	(2)	115.0	.....	47.9
	1901	1,391.7	55.7	.....	.....	37.1	.....	27.8	.....	37.1	(2)	55.7	46.4	74.2
	1902	1,375.5	9.0	.....	.....	.....	.....	.....	.....	.....	(2)	89.9	45.0	27.0
	1903	1,368.9	43.6	.....	.....	17.4	.....	.....	.....	17.4	(2)	78.5	8.7	104.6
	1904	1,515.0	50.8	.....	.....	.....	.....	8.5	42.3	16.9	(2)	84.6	16.9	59.2
	1905	1,389.7	32.9	.....	.....	.....	.....	8.2	.....	32.9	32.9	106.9	41.1	90.5
	1906	1,660.7	40.9	.....	.....	24.5	.....	8.2	8.2	.....	.....	106.3	16.4	98.2
	1907	1,408.6	24.4	.....	.....	.....	32.6	32.6	8.1	32.6	16.3	138.4	32.6	81.4
	1908	1,231.8	32.4	.....	.....	.....	.....	.....	16.2	8.1	16.2	81.0	24.3	81.0
	1909	1,411.4	16.1	.....	.....	.....	.....	8.1	8.1	32.3	8.1	129.0	16.1	56.5
Glens Falls	1900	2,005.9	63.4	.....	.....	.....	63.4	47.6	31.7	39.7	(2)	229.9	15.9	63.4
	1901	2,135.2	84.5	.....	.....	23.0	61.4	15.4	15.4	61.4	(2)	169.0	7.7	69.1
	1902	1,422.5	14.9	22.3	.....	.....	14.9	.....	14.9	37.2	(2)	201.1	37.2	89.4
	1903	1,250.5	28.9	7.2	.....	.....	.....	.....	7.2	.....	(2)	94.0	21.7	72.3
	1904	1,411.3	49.2	.....	.....	.....	.....	.....	7.0	35.1	(2)	119.4	35.1	56.2
	1905	1,467.6	20.5	6.8	.....	6.8	.....	.....	13.7	20.5	6.8	122.9	27.3	81.9
	1906	1,826.7	54.1	6.8	.....	.....	.....	.....	20.3	6.8	6.8	142.1	20.3	128.5
	1907	1,469.6	33.6	.....	.....	.....	.....	13.4	6.7	26.8	20.1	127.5	13.4	87.2
	1908	1,411.1	39.9	.....	.....	.....	.....	6.7	.....	26.6	13.3	93.2	13.3	86.5
	1909	1,445.9	6.6	.....	.....	6.6	.....	.....	6.6	6.6	.....	151.9	13.2	112.2
Gloversville	1900	1,286.2	49.1	.....	5.4	5.4	5.4	.....	10.9	10.9	(2)	76.3	5.4	54.5
	1901	1,478.7	5.4	.....	16.3	5.4	.....	27.2	.....	38.1	(2)	174.0	.....	48.9
	1902	1,269.0	27.1	.....	.....	.....	10.8	.....	27.1	5.4	(2)	75.9	10.8	65.1
	1903	1,530.9	16.2	.....	.....	.....	.....	16.2	21.6	37.9	(2)	102.8	16.2	102.8
	1904	1,403.0	5.4	.....	.....	5.4	10.8	.....	27.0	21.6	(2)	97.1	27.0	64.8
	1905	1,259.6	21.5	5.4	.....	10.8	10.8	.....	10.8	.....	10.8	91.5	.....	80.7
	1906	1,449.9	5.3	.....	.....	.....	10.5	5.3	10.5	10.5	10.5	110.3	26.3	57.8
	1907	1,582.8	5.1	.....	.....	5.1	5.1	15.4	5.1	51.4	15.4	66.8	30.8	56.5
	1908	1,725.2	35.2	.....	.....	.....	10.1	.....	35.2	35.2	15.1	120.7	30.2	80.5
	1909	1,467.5	4.9	.....	.....	.....	4.9	4.9	44.3	4.9	4.9	113.3	14.8	103.4
Hornell	1906	1,426.5	7.5	.....	.....	.....	.....	30.2	.....	15.1	30.2	135.9	.....	113.2
	1907	1,371.2	7.5	.....	.....	7.5	.....	15.0	.....	37.5	22.5	104.9	37.5	82.4
	1908	1,539.8	14.9	.....	.....	.....	.....	22.3	.....	59.5	7.4	81.8	37.2	104.1
	1909	1,395.9	14.8	.....	.....	.....	.....	.....	.....	22.2	.....	81.2	29.5	73.9
Hudson	1900	2,162.0	63.0	10.5	.....	.....	.....	.....	42.0	52.5	(2)	241.4	21.0	73.4
	1901	1,928.8	61.9	.....	.....	10.3	10.3	20.6	10.3	41.3	(2)	278.5	10.3	72.2
	1902	1,825.2	71.0	.....	.....	.....	.....	20.3	20.3	.....	(2)	152.1	50.7	131.8
	1903	1,754.9	39.9	19.9	.....	29.9	.....	19.9	39.9	29.9	(2)	169.5	19.9	79.8
	1904	1,981.1	166.7	.....	.....	9.8	.....	.....	19.6	88.3	(2)	147.1	39.2	88.3
	1905	1,958.7	48.2	9.6	.....	.....	.....	9.6	.....	38.6	.....	173.7	9.6	57.9
	1906	1,906.0	37.7	9.4	.....	9.4	28.3	28.3	47.2	9.4	9.4	160.4	28.3	94.4
	1907	1,858.7	9.2	.....	.....	.....	.....	.....	37.0	18.5	37.0	212.7	37.0	55.5
	1908	1,505.0	18.1	9.1	.....	.....	.....	.....	.....	36.3	9.1	163.2	63.5	36.3
	1909	1,529.4	8.9	.....	.....	.....	.....	26.7	.....	.....	26.7	124.5	44.5	97.8

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	18.1	54.2	207.9	171.8	244.1	117.5	117.5	63.3	63.3	54.2	.....	81.4	45.2	135.6	9.1
.....	.....	43.3	156.0	173.4	121.4	52.0	78.0	104.0	52.0	26.0	17.3	138.7	8.7	164.7	.....
.....	16.7	33.3	91.6	174.8	124.9	33.3	41.6	99.9	58.3	16.7	.....	158.2	25.0	50.0	.....
.....	24.0	16.0	128.1	144.2	112.1	32.0	24.0	112.1	104.1	40.0	16.0	144.2	24.0	184.2	.....
.....	15.4	30.9	162.0	108.0	138.9	54.0	69.4	123.4	92.6	15.4	7.7	177.4	38.6	131.2	15.4
7.4	22.3	37.2	171.2	148.8	111.6	44.6	81.9	126.5	96.7	89.3	22.3	148.8	29.8	148.8	7.4
.....	22.2	22.2	192.6	140.7	88.9	37.0	118.5	74.1	81.5	59.3	14.8	155.5	14.8	88.9	.....
7.4	7.4	44.2	177.0	236.0	177.0	66.4	132.7	177.0	88.5	81.1	22.1	154.8	14.7	191.7	.....
.....	14.7	14.7	124.8	183.5	168.8	36.7	146.8	102.8	110.1	66.1	22.0	168.8	44.0	132.1	.....
7.3	7.3	.....	138.9	212.0	124.3	80.4	80.4	102.3	95.0	73.1	14.6	116.9	14.6	138.9	.....
.....	11.1	11.1	221.9	133.1	44.4	110.9	77.6	122.0	33.3	55.5	.....	55.5	11.1	199.7	.....
.....	21.4	32.1	160.4	139.0	74.9	64.2	74.9	64.2	53.5	107.0	.....	42.8	53.5	181.8	.....
.....	.....	.....	92.9	144.5	31.0	51.6	31.0	51.6	113.6	31.0	.....	61.9	31.0	123.9	.....
.....	28.5	19.0	123.6	247.1	171.1	76.0	47.5	57.0	66.5	28.5	.....	85.5	9.5	180.6	.....
.....	.....	27.6	119.7	184.2	110.5	64.5	36.8	82.9	110.5	55.3	9.2	73.7	46.0	138.1	.....
.....	17.9	17.9	116.1	125.1	53.6	26.8	53.6	35.7	71.5	53.6	8.9	53.6	17.9	107.2	.....
.....	8.9	17.8	168.7	204.2	62.2	44.4	71.0	26.6	115.4	62.2	35.5	62.2	17.8	159.8	.....
.....	35.3	.....	150.1	176.6	88.3	26.5	88.3	53.0	114.8	35.3	26.5	70.6	.....	167.8	.....
17.6	8.8	8.8	219.5	193.2	96.6	43.9	52.7	122.9	140.5	70.2	35.1	96.6	17.6	140.5	.....
.....	26.2	.....	131.0	235.7	96.0	34.9	26.2	61.1	183.4	96.0	26.2	165.9	.....	131.0	.....
.....	.....	25.8	137.8	111.9	77.5	172.2	68.9	137.8	172.2	43.0	.....	120.6	43.0	172.2	.....
8.1	8.1	16.2	73.0	146.0	48.7	73.0	154.1	105.4	40.5	64.9	.....	97.3	16.2	162.2	8.1
15.3	.....	30.7	145.6	138.0	115.0	23.0	138.0	183.9	46.0	130.3	7.7	115.0	15.3	160.9	.....
.....	14.5	14.5	87.2	159.8	145.3	36.3	196.2	123.5	58.1	101.7	14.5	159.8	21.8	167.1	.....
.....	6.9	6.9	117.4	131.2	179.6	89.8	103.6	200.3	55.2	89.8	20.7	145.0	34.5	158.8	.....
6.6	.....	26.3	79.0	111.9	144.8	46.1	92.1	131.6	59.2	79.0	13.2	204.0	6.6	138.2	.....
.....	6.4	44.7	95.9	121.4	147.0	44.7	204.5	159.8	32.0	76.7	12.8	127.8	57.5	147.0	.....
.....	6.2	12.5	105.8	168.1	199.2	43.6	149.4	168.1	68.5	87.2	6.2	137.0	12.5	105.8	.....
6.1	.....	12.1	85.0	212.4	127.5	42.5	97.1	157.8	60.7	66.8	18.2	121.4	6.1	151.7	.....
.....	17.8	5.9	71.0	177.6	82.9	65.1	71.0	100.6	47.4	82.9	11.8	118.4	17.8	106.6	.....
2.8	14.0	47.7	168.2	134.6	114.9	131.8	70.1	64.5	134.5	70.1	5.6	72.9	47.7	182.2	.....
5.6	19.6	33.6	140.1	140.1	154.1	64.5	58.9	100.9	109.3	84.1	5.6	112.1	8.4	142.9	.....
2.8	2.8	36.4	148.5	98.1	89.7	67.2	78.4	78.4	137.3	64.4	11.2	98.1	33.6	81.3	.....
2.8	2.8	14.0	117.6	182.1	78.4	75.6	67.2	81.2	151.3	53.2	2.8	78.4	28.0	154.1	.....
5.6	14.0	19.6	165.2	198.8	100.8	86.8	78.4	84.0	151.2	39.2	11.2	120.4	11.2	112.0	.....
.....	16.8	25.2	140.0	201.5	117.6	56.0	61.6	70.0	145.6	44.8	33.6	112.0	14.0	137.2	.....
.....	25.0	22.2	102.6	199.7	72.1	41.6	86.0	55.5	188.6	38.8	16.6	88.8	13.9	127.6	.....
.....	16.5	22.0	129.3	195.4	74.3	63.3	121.1	77.0	165.1	49.5	8.3	134.8	.....	121.1	.....
5.5	13.6	19.1	163.7	207.4	68.2	71.0	92.8	65.5	166.5	57.3	8.2	92.8	2.7	139.2	.....
.....	35.2	8.1	121.8	284.2	83.9	89.3	54.1	75.8	162.4	32.5	35.2	92.0	2.7	121.8	.....
9.6	9.6	9.6	210.9	258.8	95.8	57.5	172.5	86.3	95.8	28.8	9.6	86.3	47.9	162.9	.....
.....	27.8	9.3	185.6	167.0	83.5	102.1	83.5	83.5	92.8	46.4	.....	55.7	18.6	102.1	.....
9.0	9.0	18.0	233.7	170.8	71.9	89.9	45.0	107.9	53.9	62.9	.....	126.9	27.0	179.8	.....
.....	17.4	34.9	122.1	191.8	87.2	95.9	43.6	139.5	69.8	26.2	.....	113.3	.....	156.9	.....
.....	8.5	42.3	152.3	143.9	135.4	93.1	76.2	93.1	84.6	59.2	16.9	101.6	8.5	220.1	.....
.....	.....	8.2	115.1	180.9	57.6	49.3	98.7	115.1	65.8	24.7	16.4	106.9	41.1	164.5	.....
.....	32.7	24.5	180.0	270.0	98.2	73.6	122.7	81.8	155.4	40.9	8.2	147.3	8.2	114.5	.....
16.3	8.1	16.3	97.7	244.3	48.9	40.7	81.4	130.3	73.3	40.7	.....	105.8	.....	105.8	.....
.....	24.3	16.2	105.3	226.9	48.6	64.8	48.6	81.0	105.3	8.1	16.2	89.1	8.1	129.7	.....
.....	.....	8.1	112.9	282.3	145.2	56.5	56.5	64.5	72.6	48.4	24.2	137.1	40.3	88.7	.....
7.9	15.9	55.5	214.1	198.2	190.3	111.0	158.6	87.2	95.1	39.6	.....	71.4	31.7	174.4	.....
7.7	15.4	69.1	299.5	253.5	138.2	46.1	115.2	161.3	115.2	61.4	7.7	92.2	30.7	215.1	.....
7.4	7.4	67.0	134.1	201.1	59.6	52.1	7.4	96.8	74.5	14.9	7.4	119.2	.....	134.1	7.4
.....	28.9	21.7	151.8	151.8	57.8	43.4	86.7	94.0	50.6	43.4	.....	57.8	36.1	195.2	.....
7.0	7.0	14.0	196.6	154.5	63.2	42.1	77.2	126.4	98.3	91.3	.....	63.2	14.0	154.5	.....
.....	34.1	34.1	122.9	184.3	122.9	20.5	102.4	88.7	102.4	34.1	6.8	116.0	6.8	184.3	.....
6.8	13.5	33.8	203.0	243.6	175.9	67.7	108.2	115.0	108.2	81.2	6.8	101.5	13.5	162.4	.....
.....	13.4	6.7	208.0	241.6	73.8	60.4	53.7	80.5	73.8	73.8	6.7	114.1	.....	134.2	.....
.....	26.6	6.7	179.7	206.3	46.6	66.6	79.9	119.8	46.6	73.2	20.0	133.1	.....	126.5	.....
.....	33.0	19.8	165.1	217.9	46.2	46.2	66.0	151.9	66.0	59.4	.....	132.0	6.6	132.0	.....
.....	16.3	49.1	152.6	130.8	76.3	60.0	43.6	70.9	92.7	76.3	16.3	60.0	27.3	190.7	.....
10.9	21.7	27.2	168.5	130.5	108.7	87.0	48.9	70.7	119.6	38.1	21.7	97.9	32.6	179.4	.....
.....	10.8	70.5	168.1	157.3	103.0	38.0	43.4	65.1	65.1	38.0	.....	75.9	48.8	162.7	.....
.....	10.8	32.5	205.6	173.1	97.4	92.0	54.1	81.1	119.0	70.3	.....	59.5	21.6	200.2	.....
5.4	10.8	27.0	199.7	237.4	64.8	124.1	16.2	64.8	113.3	59.4	5.4	59.4	27.0	129.5	.....
10.8	16.1	10.8	140.0	183.0	64.6	80.7	75.4	75.4	107.7	86.1	10.8	53.8	10.8	91.5	.....
.....	26.3	36.8	215.4	225.9	63.0	47.3	52.5	89.3	126.1	47.3	36.8	31.5	42.0	162.8	.....
.....	15.4	20.6	215.8	231.3	97.6	123.3	92.5	82.2	82.2	102.8	5.1	128.5	10.3	118.2	.....
.....	30.2	30.2	236.4	201.2	130.8	85.5	65.4	85.5	125.7	65.4	10.1	45.3	15.1	236.4	.....
.....	14.8	9.8	172.4	241.3	78.8	68.9	19.7	103.4	157.6	44.3	29.5	103.4	9.8	113.3	.....
.....	.....	30.2	120.8	181.1	75.5	67.9	52.8	98.1	60.4	67.9	30.2	128.3	7.5	173.6	.....
7.5	7.5	.....	119.9	262.3	112.4	74.9	52.5	82.4	52.5	67.4	15.0	112.4	7.5	82.4	.....
.....	37.2	22.3	95.7	290.1	126.5	22.3	81.8	126.5	119.0	59.5	22.3	119.0	.....	89.3	.....
.....	7.4	22.2	169.9	310.2	59.1	29.5	22.2	66.5	73.9	59.1	36.9	110.8	14.8	192.0	.....
.....	31.5	31.5	335.8	220.4	251.9	84.0	136.4	136.4	73.5	63.0	10.5	63.0	73.4	146.9	.....
10.3	20.6	41.3	216.6	206.3	72.2	134.1	72.2	92.8	113.5	61.9	.....	103.1	41.3	226.9	.....
.....	10.1	20.3	314.3	243.4	71.0	101.4	60.8	111.5	50.7	91.3	20.3	91.3	20.3	172.4	.....
.....	19.9	29.9	149.6	209.4	29.9	109.7	59.8	139.6	119.7	69.8	.....	119.7	49.9	189.5	10.0
9.8	19.6	49.0	225.6	235.4	58.8	88.3	49.0	78.5	88.3	117.7	.....	127.5	78.5	196.2	.....
9.6	9.6	57.9	279.8	299.1	86.8	144.7	96.5	67.5	144.7	48.2	.....	173.7	38.6	154.4	.....
.....	37.7	18.9	264.2	254.8	94.4	75.5	84.9	84.9	132.1	113.2	18.9	94.4	56.6	113.2	.....
9.2	18.5	27.7	231.2	240.4	64.7	64.7	120.2	92.5	175.7	37.0	9.2	111.0	18.5	231.2	.....
.....	9.1	.....	145.1	199.5	117.9	45.3	126.9	72.5	199.5	63.5	.....	63.5	.....	126.9	.....
.....	26.7	17.8	142.3	204.5	97.8	26.7	160.1	97.8	133.4	53.4	8.9	106.7	.....	124.5	.....

[2] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
NEW YORK—continued.														
Ithaca	1900	1,705.2	45.7	.....	.....	22.8	7.6	.....	45.7	60.9	(2)	129.4	15.2	53.3
	1901	1,454.4	44.7	.....	.....	.....	.....	14.9	7.5	82.0	(2)	126.8	.....	52.2
	1902	1,425.4	7.3	.....	.....	.....	.....	7.3	21.9	29.2	(2)	197.4	14.6	87.7
	1903	1,928.0	336.9	.....	.....	.....	7.2	14.3	7.2	28.7	(2)	121.8	28.7	86.0
	1904	1,539.7	28.1	7.0	.....	28.1	7.0	.....	7.0	56.2	(2)	98.4	21.1	105.5
	1905	1,441.8	13 8	20.7	.....	.....	.....	.....	6.9	20.7	13.8	110.4	6.9	89.7
	1906	1,448.9	20.6	13.7	.....	.....	.....	.....	6.9	6.9	13.7	116.7	20.6	109.9
	1907	1,668.3	.....	.....	.....	.....	6.8	.....	54.7	20.5	20.5	136.7	47.9	116.2
	1908	1,695.1	6.8	.....	.....	13.6	13.6	.....	61.3	40.8	40.8	102.1	13.6	163.4
	1909	1,430.3	27.1	.....	.....	.....	13.	.....	40.7	13.6	6.8	94.9	27.1	94.9
Jamestown	1900	1,266.8	52.4	.....	.....	.....	.....	21.8	4.4	8.7	(2)	148.5	35.0	56.8
	1901	1,254.6	21.3	.....	.....	.....	4.3	12.8	21.3	17.0	(2)	131.8	25.5	72.3
	1902	1,027.5	4.1	.....	.....	.....	12.4	.....	33.1	4.1	(2)	120.2	16.6	37.3
	1903	1,231.9	24.2	.....	.....	4.0	4.0	8.1	48.5	24.2	(2)	101.0	16.2	80.8
	1904	1,264.7	39.4	.....	.....	.....	3.9	7.9	19.7	19.7	(2)	122.1	11.8	67.0
	1905	1,215.2	30.8	.....	.....	11.5	15.4	7.7	3.8	23.1	26.9	69.2	15.4	61.5
	1906	1,008.1	29.4	.....	.....	.....	.....	3.7	3.7	.....	3.7	80.9	3.7	88.3
	1907	1,093.2	14.2	.....	.....	.....	.....	.....	3.5	17.7	3.5	70.8	10.6	70.8
	1908	1,056.2	17.0	.....	.....	.....	.....	3.4	.....	23.8	3.4	81.8	30.7	71.5
	1909	1,123.6	16.4	3 3	.....	.....	3.3	3.3	39.4	9.9	16.4	59.1	9.9	92.0
Johnstown	1900	1,135.2	19.7	.....	.....	9.9	.....	.....	.....	19.7	(2)	108.6	9.9	49.4
	1901	1,133.5	.....	.....	.....	19.9	.....	.....	9.9	49 7	(2)	59.7	19.9	79.5
	1902	1,222.0	20.0	.....	.....	.....	10 0	.....	30.0	20.0	(2)	130.2	10.0	90.1
	1903	1,574.0	40 4	.....	.....	.....	10.1	30.3	10.1	20.2	(2)	111.0	10.1	111.0
	1904	1,280.7	.....	.....	.....	10.2	.....	.....	.....	20.3	(2)	122.0	10.2	81.3
	1905	1,464.4	10.2	.....	.....	.....	.....	.....	20.5	30.7	20.5	102.4	10.2	81.9
	1906	1,200.1	20.2	.....	.....	.....	10.1	.....	30.3	20.2	.....	131.1	20.2	80.7
	1907	1,561.3	.....	.....	.....	39.8	.....	.....	9.9	29.8	29.8	119.3	39.8	119.3
	1908	1,196.5	9.8	.....	.....	.....	29.4	.....	.....	39.2	9.8	68.7	19.6	107.9
	1909	1,528.6	.....	.....	.....	.....	.....	.....	19.3	19.3	.....	96.7	9.7	193.5
Kingston	1900	1,968.6	12.2	16 3	.....	48.9	40.8	28.5	32.6	40.8	(2)	183.4	8.1	65.2
	1901	1,898.0	12.1	16.2	.....	4.0	117.4	.....	52.6	24.3	(2)	194.3	28.3	89.0
	1902	1,551.1	16.1	8.0	.....	.....	4.0	8.0	32.1	16.1	(2)	176.8	24.1	68.3
	1903	1,699.9	27.9	16.0	.....	.....	71.8	16 0	20.0	27.9	(2)	171.6	31.9	71.8
	1904	1,759.5	19.8	4.0	.....	.....	4 0	27.7	35.7	27.7	(2)	190.2	19.8	91.1
	1905	1,885.1	31.5	7.9	.....	.....	3.9	35.4	35.4	27.5	7.9	220.4	31.5	66.9
	1906	1,853.4	11.8	7.8	.....	.....	.....	.....	23.5	7.8	62.7	192.0	47.0	129.3
	1907	1,877.2	31.2	3.9	.....	7.8	3.9	7.8	66.3	46.8	3.9	179.5	35.1	105.4
	1908	1,725.9	23.3	3.9	.....	7.8	7.8	.....	31.1	27.2	19.4	151.6	11.7	101.1
	1909	2,001.8	34.8	.....	.....	3.9	.....	.....	34.8	19.4	7.7	236.2	23.2	92.9
Lansingburg[3]	1900	1,762.6	127.0	.....	.....	.....	.....	.....	63.5	39.7	(2)	174.7	31.8	55.6
Little Falls	1906	1,334.9	44.2	.....	.....	.....	8.8	35.4	8.8	17.7	.....	132.6	17.7	44.2
	1907	1,513.2	17.3	.....	.....	.....	.....	.....	.....	60.5	.....	147.0	25.9	77.8
	1908	1,167.7	33.8	.....	.....	.....	8.5	8.5	16.9	.....	.....	135.4	25.4	16.9
	1909	1,466.2	8.3	.....	.....	.....	8.3	.....	24.9	16.6	.....	149.1	8.3	74.6
Lockport	1900	1,580.1	24.1	.....	.....	.....	.....	18.1	36.2	18.1	(2)	150.8	12.1	96.5
	1901	1,707.5	83.6	6.0	6.0	11.9	.....	6.0	41.8	29.9	(2)	185.1	11.9	71.6
	1902	1,282.6	29.6	5.9	.....	11.8	23.6	.....	17.7	17.7	(2)	76.8	11.8	70.9
	1903	1,650.3	52.7	.....	.....	11.7	17.6	11.7	87.8	17.6	(2)	122.9	11.7	41.0
	1904	1,651.4	40.6	.....	.....	.....	11.6	.....	92.7	17.4	(2)	156.4	23.2	46.4
	1905	1,486.1	63.1	.....	.....	23.0	.....	5.7	34.4	34.4	23.0	137.7	5.7	74.6
	1906	1,350.6	62.7	5.7	.....	.....	.....	.....	74.1	5.7	22.8	79.8	11.4	28.5
	1907	1,540.3	51.0	.....	.....	5.7	.....	45.3	11.3	28.3	11.3	135.9	17.0	51.0
	1908	1,395.6	56.3	.....	.....	5.6	5.6	5.6	11.3	33.8	11.3	157.6	33.8	39.4
	1909	1,526.8	55.9	.....	.....	5.6	22.4	5.6	22.4	44.7	16.8	134.2	11.2	83.9
Middletown[3]	1900	1,900.6	6.9	13.8	.....	20.7	.....	34.4	34.4	6.9	(2)	254.8	20.7	89.5
	1901	1,945.2	40.7	.....	.....	.....	.....	.....	13.6	54.2	(2)	189.8	13.6	67.8
	1902	1,948.5	53.4	6.7	.....	20.0	.....	6.7	6.7	6.7	(2)	166.8	60.1	80.1
	1903	1,682.2	19.7	.....	.....	.....	.....	13.1	13.1	19.7	(2)	177.4	13.1	92.0
	1904	2,207.1	6.5	.....	.....	25.9	.....	.....	25.9	25.9	(2)	265.4	19.4	84.1
	1905	1,842.9	38.3	.....	.....	12.8	.....	.....	38.3	44.6	19.1	165.8	6.4	44.6
	1906	2,038.3	25.6	6.4	.....	6.4	.....	32.0	12.8	.....	12.8	185.9	44.9	89.7
	1907	1,880.8	12.9	.....	.....	12.9	.....	6.4	6.4	12.9	19.3	199.7	38.6	96.6
	1908	2,304.4	45.3	.....	.....	.....	.....	.....	6.5	58.3	12.9	226.6	32.4	116.5
	1909	2,218.2	19.5	6.5	.....	.....	13.0	13.0	19.5	19.5	13.0	195.1	52.0	110.6
Mount Vernon	1900	1,874.9	4.7	4.7	.....	28.3	9.4	9.4	28.3	4.7	(2)	160.2	18.8	51.8
	1901	1,784.4	13.7	18.2	9.1	4.6	.....	4.6	27.3	.....	(2)	145.7	41.0	41.0
	1902	1,475.3	8.8	13.2	8.8	13.2	17.6	8.8	35.2	4.4	(2)	118.9	17.6	48.4
	1903	1,160.0	4.3	.....	.....	.....	4.3	8.5	8.5	8.5	(2)	102.4	17.1	46.9
	1904	1,438.7	24.8	.....	.....	8.3	24.8	8.3	41.3	4.1	(2)	111.6	20.7	49.6
	1905	1,303.7	24.1	.....	.....	4.0	8.0	.....	8.0	8.0	24.1	100.3	12.0	64.2
	1906	1,534.7	22.8	3.8	.....	22.8	7.6	7.6	19.0	3.8	15.2	118.1	30.5	41.9
	1907	1,469.7	36.4	.....	.....	.....	14 6	.....	18.2	14.6	3.6	116.4	25.5	76.4
	1908	1,347.6	7.0	3.5	.....	31.3	13.9	10.4	7.0	7.0	10.4	128.8	24.4	76.6
	1909	1,309.0	6.7	3.3	.....	13.4	.....	10.0	16.7	.....	6.7	110.2	10.0	73.5
New Rochelle	1900	1,766.3	6.8	34.0	.....	81.5	27.2	6.8	54.3	6.8	(2)	115.4	20.4	61.1
	1901	1,715.8	37.8	12.6	6.3	.....	6.3	6.3	31.5	31.5	(2)	126.2	12.6	75.7
	1902	1,301.1	23.5	.....	.....	11.8	5.9	41.2	23.5	11.8	(2)	58.9	17.7	29.4
	1903	1,109.3	22 1	5.5	.....	16.6	5.5	5.5	22.1	16.6	(2)	104.9	33.1	16.6
	1904	1,386.8	15.6	.....	.....	.....	5.2	5.2	31.2	15.6	(2)	93.5	5.2	46.7
	1905	1,299.8	19.6	4.9	.....	9.8	.....	14.7	29.4	4.9	.....	93.2	9.8	49.1
	1906	1,540.1	18.0	.....	.....	31.4	13.5	44.9	13.5	.....	9.0	130.2	22.5	13.5
	1907	1,403.6	20.8	.....	.....	8.3	.....	8.3	29.2	29.2	12.5	58.3	29.2	54.1
	1908	1,273.8	27.2	.....	.....	7.8	15.5	.....	27.2	7.8	3.9	97.1	35.0	69.9
	1909	1,167.7	18.2	3.6	.....	7.3	3.6	7.3	25.5	.....	14.6	87.3	29.1	50.9

[1] Exclusive of stillbirths.

[2] Not computed separately.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
7.6	.....	30.5	182.7	251.2	137.0	60.9	53.3	68.5	114.2	22.8	22.8	144.7	38.1	175.1	15.2
.....	14.9	29.8	149.2	201.4	89.5	29.8	97.0	82.0	104.4	29.8	7.5	67.1	29.8	193.9	.....
.....	21.9	14.6	204.7	212.0	73.1	29.2	58.5	58.5	117.0	58.5	14.6	73.1	29.2	95.0	.....
.....	21.5	21.5	193.5	207.9	100.3	93.2	71.7	93.2	121.8	50.2	7.2	78.8	28.7	207.9	.....
.....	21.1	14.1	140.6	196.9	161.7	84.4	56.2	70.3	175.8	28.1	7.0	98.4	14.1	112.5	.....
.....	27.6	.....	158.7	227.6	110.4	27.6	55.2	75.9	179.4	55.2	.....	62.1	13.8	165.6	.....
.....	27.5	34.3	116.7	206.0	75.5	54.9	82.4	75.5	144.2	13.7	13.7	164.8	27.5	103.0	.....
.....	13.7	47.9	184.6	266.6	47.9	54.7	68.4	95.7	129.9	54.7	6.8	95.7	13.7	177.8	6.8
.....	6.8	6.8	156.6	272.3	74.9	40.8	102.1	115.7	122.5	81.7	6.8	54.5	20.4	177.0	.....
.....	20.3	6.8	155.9	230.5	61.0	40.7	54.2	88.1	176.2	67.8	13.6	81.3	6.8	108.5	.....
.....	8.7	13.1	126.7	126.7	100.5	91.7	61.2	65.5	61.2	39.3	4.4	65.5	56.8	109.2	8.7
.....	12.8	34.0	136.1	102.1	76.6	85.1	38.3	93.6	131.8	42.5	.....	55.3	42.5	97.8	.....
8.3	12.4	20.7	120.2	78.7	37.3	41.4	41.4	82.9	66.3	45.6	.....	58.0	33.1	153.3	.....
4.0	12.1	12.1	105.0	157.5	56.5	56.5	32.3	60.6	48.5	52.5	4.0	109.1	64.6	141.4	4.0
3.9	11.8	27.6	130.0	193.1	55.2	51.2	35.5	82.7	90.6	59.1	7.9	67.0	31.5	126.1	.....
3.8	3.8	23.1	107.7	115.4	65.4	76.9	53.8	73.1	76.9	69.2	3.8	103.8	53.8	111.5	7.7
.....	11.0	11.0	103.0	136.1	55.2	40.5	36.8	73.6	40.5	44.2	14.7	58.9	36.8	132.5	.....
3.5	14.2	17.7	130.9	152.1	63.7	42.5	24.8	74.3	84.9	53.1	21.2	77.8	3.5	138.0	.....
.....	10.2	23.8	126.1	166.9	44.3	37.5	51.1	92.0	61.3	54.5	3.4	57.9	3.4	92.0	.....
.....	6.6	6.6	141.3	154.4	75.6	52.6	36.1	72.3	78.9	49.3	13.1	75.6	3.3	105.1	.....
.....	19.7	29.6	138.2	79.0	29.6	19.7	108.6	88.8	29.6	39.5	.....	39.5	69.1	187.6	39.5
.....	19.9	49.7	139.2	159.1	79.5	59.7	59.7	79.5	39.8	9.9	.....	29.8	9.9	149.1	9.9
.....	10.0	10.0	150.2	170.3	50.1	60.1	30.0	40.1	100.2	20.0	.....	50.1	50.1	170.3	.....
.....	30.3	40.4	282.5	201.8	50.4	60.5	70.6	50.4	90.8	70.6	.....	111.0	40.4	131.2	.....
.....	10.2	40.7	203.3	183.0	81.3	81.3	71.2	40.7	61.0	50.8	.....	50.8	50.8	111.8	.....
.....	20.5	51.2	235.5	194.6	122.9	61.4	71.7	81.9	51.2	81.9	20.5	51.2	51.2	92.2	.....
.....	10.1	30.3	151.3	221.9	60.5	30.3	50.4	80.7	30.3	70.6	.....	40.3	40.3	70.6	.....
9.9	49.7	9.9	218.8	328.2	29.8	79.6	29.8	119.3	79.6	49.7	9.9	69.6	9.9	79.6	.....
.....	19.6	29.4	78.5	225.6	68.7	137.3	98.1	39.2	39.2	19.6	.....	39.2	19.2	98.1	.....
.....	58.0	58.0	164.5	338.6	77.4	67.7	9.7	48.4	77.4	77.4	.....	48.4	29.0	135.4	.....
12.2	.....	65.2	187.5	232.3	89.7	126.4	101.9	130.4	93.7	81.5	.....	126.4	57.1	183.4	4.1
.....	4.0	32.4	222.6	238.8	97.1	60.7	60.7	125.5	97.1	68.8	.....	121.4	52.6	174.0	4.0
.....	12.1	32.1	196.9	176.8	136.6	84.4	76.4	88.4	80.4	48.2	.....	88.4	24.1	152.7	.....
.....	12.0	27.9	167.6	223.5	111.7	71.8	71.8	99.8	95.8	83.8	.....	107.7	31.9	139.7	.....
4.0	7.9	31.7	237.8	198.1	114.9	87.2	111.0	87.2	91.1	79.3	4.0	114.9	35.7	134.7	.....
.....	11.8	66.9	247.9	204.6	129.9	63.0	94.5	137.7	74.8	55.1	11.8	125.9	51.2	141.7	.....
.....	3.9	31.3	195.9	192.0	109.7	58.8	188.1	113.6	109.7	74.4	11.8	109.7	27.4	145.0	.....
3.9	3.9	46.8	269.3	234.2	121.0	82.0	82.0	70.2	140.5	66.3	11.7	105.4	19.5	128.8	.....
3.9	15.5	31.1	268.2	182.7	132.2	101.1	58.3	101.1	85.5	93.3	19.4	97.2	23.3	128.3	.....
3.9	11.6	34.8	267.2	302.0	143.3	73.6	65.8	127.8	108.4	92.9	27.1	127.8	31.0	131.6	.....
.....	.....	31.8	222.3	111.2	198.5	79.4	95.3	71.4	142.9	39.7	.....	47.6	103.2	127.0	.....
.....	.....	44.2	97.2	150.3	141.4	53.0	61.9	106.1	44.2	44.2	.....	114.9	61.9	106.1	.....
.....	25.9	17.3	129.7	216.2	69.2	60.5	95.1	69.2	138.3	34.6	17.3	112.4	43.2	155.6	.....
.....	8.5	50.8	110.0	160.8	59.2	50.8	33.8	50.8	84.6	33.8	16.9	126.9	42.3	93.1	.....
.....	33.1	41.4	99.4	174.0	99.4	82.8	116.0	91.1	82.8	49.7	16.6	140.8	24.9	124.3	.....
6.0	12.1	24.1	168.9	126.6	72.4	126.6	60.3	96.5	96.5	24.1	6.0	72.4	126.6	187.0	18.1
.....	11.9	17.9	209.0	155.2	59.7	131.3	125.4	77.6	59.7	77.6	6.0	59.7	53.7	209.0	.....
5.9	23.6	23.6	165.5	135.9	59.1	106.4	47.3	65.0	35.5	41.4	17.7	100.5	41.4	147.8	.....
.....	23.4	5.9	234.1	199.0	81.9	122.9	93.6	111.2	64.4	35.1	11.7	87.8	29.3	175.6	.....
5.8	29.0	29.0	104.3	318.7	63.7	98.5	75.3	121.7	69.5	57.9	5.8	75.3	57.9	150.7	.....
.....	17.2	23.0	189.4	183.6	80.3	63.1	57.4	68.9	97.5	63.1	34.4	51.6	28.7	126.2	.....
5.7	.....	17.1	176.7	182.4	68.4	96.9	91.2	57.0	91.2	39.9	22.8	68.4	22.8	119.7	.....
5.7	5.7	22.7	147.2	300.1	90.6	45.3	45.3	96.3	113.3	45.3	11.3	101.9	28.3	124.6	.....
5.6	11.3	5.6	135.1	247.6	95.7	45.0	50.6	67.5	39.4	67.5	22.5	123.8	28.1	90.0	.....
.....	16.8	11.2	167.8	162.2	100.7	72.7	44.7	72.7	72.7	67.1	11.2	162.2	33.6	128.6	.....
6.9	.....	34.4	351.2	179.0	165.3	41.3	82.6	82.6	110.2	103.3	.....	68.9	55.1	137.7	.....
6.8	6.8	27.1	528.7	155.9	81.3	81.3	115.2	67.8	128.8	67.8	13.6	142.3	40.7	101.7	.....
13.3	6.7	20.0	440.4	133.5	126.8	73.4	146.8	100.1	140.1	40.0	20.0	113.4	33.4	133.5	.....
.....	6.6	52.6	295.7	177.4	157.7	59.1	13.1	151.1	85.4	39.4	13.1	105.1	19.7	157.7	.....
.....	6.5	19.4	459.5	265.4	135.9	142.4	51.8	103.6	174.8	71.2	12.9	129.4	25.9	155.3	.....
.....	12.8	76.5	255.1	216.8	153.0	70.1	102.0	127.5	108.4	38.3	6.4	146.7	51.0	108.4	.....
.....	19.2	32.0	333.3	243.6	121.8	89.7	83.3	166.7	115.4	64.1	38.5	89.7	70.5	153.8	.....
6.4	6.4	6.4	264.1	277.0	109.5	103.1	77.3	103.1	161.0	32.2	38.6	135.3	6.4	148.1	.....
6.5	25.9	19.4	265.4	343.1	129.5	148.9	90.6	123.0	161.8	77.7	45.3	148.9	25.9	194.2	.....
6.5	26.0	39.0	292.7	318.7	143.1	84.6	52.0	169.1	195.1	65.0	32.5	182.1	19.5	130.1	.....
.....	4.7	28.3	169.6	103.6	188.4	273.2	197.9	75.4	141.3	66.0	.....	61.2	131.9	113.1	.....
.....	9.1	50.1	200.3	122.9	95.6	227.6	195.7	77.4	113.8	81.9	9.1	72.8	100.1	122.9	.....
.....	13.2	17.6	114.5	105.7	123.3	162.9	123.3	57.2	83.7	70.5	4.4	92.5	39.6	171.7	.....
.....	25.6	21.3	89.6	140.7	55.4	106.6	55.4	89.6	89.6	76.8	.....	68.2	25.6	115.1	.....
.....	8.3	33.1	86.8	161.2	95.1	74.4	107.5	95.1	132.3	66.1	8.3	91.0	62.0	124.0	.....
.....	.....	20.1	112.3	168.5	132.4	48.1	84.2	112.3	128.4	68.2	8.0	56.2	24.1	88.2	.....
.....	22.8	57.1	106.6	182.8	114.2	91.4	167.6	49.5	110.4	118.1	7.6	83.8	11.4	118.1	.....
3.6	10.9	58.2	83.7	145.5	116.4	83.7	160.1	83.7	131.0	76.4	21.8	94.6	10.9	83.7	.....
.....	10.4	24.4	97.5	177.6	83.6	66.2	153.2	76.6	80.1	52.2	34.8	94.0	20.9	55.7	.....
.....	10.0	13.4	123.6	153.6	80.1	80.1	136.9	80.1	130.2	60.1	13.4	76.8	13.4	86.8	.....
.....	13.6	54.3	149.5	203.8	176.6	142.7	149.5	81.5	61.1	47.6	.....	142.7	47.6	81.5	.....
.....	6.3	94.6	119.9	176.6	157.7	151.4	113.5	88.3	75.7	126.2	.....	107.2	31.5	113.5	6.3
.....	.....	35.3	123.6	123.6	94.2	129.5	64.8	64.8	53.0	94.2	17.7	123.6	53.0	100.1	.....
.....	5.5	33.1	82.8	115.9	66.2	71.7	55.1	77.3	66.2	88.3	5.5	88.3	38.6	66.2	.....
.....	26.0	31.2	145.4	140.2	88.3	77.9	93.5	103.9	77.9	77.9	15.6	114.3	46.7	129.8	.....
.....	.....	39.2	107.9	117.7	68.7	88.3	176.6	49.1	78.5	93.2	4.9	78.5	39.2	122.6	.....
4.5	9.0	49.4	143.7	148.2	112.3	76.3	125.7	49.4	130.2	116.7	9.0	161.6	35.9	71.8	.....
4.2	4.2	50.0	108.3	149.9	112.5	79.1	204.1	25.0	70.8	66.6	20.8	137.4	29.2	91.6	.....
3.9	23.3	15.5	101.0	108.7	73.8	97.1	108.7	46.6	66.0	89.3	27.2	116.5	27.2	77.7	.....
.....	10.9	18.2	72.8	109.1	87.3	109.1	94.6	87.3	101.9	54.6	7.3	87.3	18.2	61.8	.....

[3] Annexed to Troy Jan. 1, 1901.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
NEW YORK—continued.														
New York	1900	2,061.8	20.4	5.7	0.3	20.8	14.1	14.3	65.7	15.1	(2)	242.0	31.4	65.5
	1901	1,989.0	20.6	5.0	11.1	10.2	33.3	6.5	56.2	19.9	(2)	228.8	32.6	69.1
	1902	1,856.3	20.3	3.5	8.4	17.5	25.6	15.8	54.7	5.0	(2)	207.8	32.8	66.6
	1903	1,795.6	17.1	2.0	0.1	11.4	20.8	8.4	55.1	11.0	(2)	211.6	33.7	69.5
	1904	2,014.7	16.8	2.7	0.2	21.6	22.8	5.4	52.7	14.2	(2)	220.4	32.7	71.4
	1905	1,839.1	16.0	1.4	0.2	11.1	12.2	9.3	37.3	8.6	12.6	211.1	29.4	72.3
	1906	1,830.4	15.2	1.8	0.1	24.1	12.9	8.0	44.4	5.5	12.5	214.0	30.9	72.9
	1907	1,826.2	17.1	1.7	0.2	15.3	19.2	8.5	39.3	15.0	10.1	205.8	30.6	75.0
	1908	1,627.5	11.9	0.7	(3)	19.6	30.2	3.9	38.1	7.2	8.2	196.6	30.1	72.9
	1909	1,599.7	12.1	0.9	(3)	20.2	17.3	7.9	36.7	5.8	8.7	185.6	28.7	76.3
Bronx Borough	1900	1,870.3	14.0	18.9	3.0	30.9	14.0	15.5	68.8	6.5	(2)	262.8	21.4	60.3
	1901	2,200.5	16.3	21.9	145.3	17.2	44.2	3.3	47.5	20.0	(2)	526.7	30.3	61.9
	1902	2,155.6	15.7	10.0	88.2	57.7	82.1	18.3	52.0	3.1	(2)	506.7	31.9	58.5
	1903	1,944.8	14.8	5.8	1.2	11.1	70.7	7.8	62.9	6.2	(2)	528.9	35.8	67.0
	1904	2,150.9	12.0	6.2	0.4	43.9	68.8	5.1	57.1	9.7	(2)	549.0	35.4	61.0
	1905	2,030.6	14.4	2.6	.....	17.7	26.1	12.2	72.9	7.7	9.9	532.0	26.5	70.7
	1906	2,037.4	14.0	0.7	.....	50.5	14.7	9.8	81.4	6.2	9.1	468.4	29.6	75.9
	1907	1,867.5	14.1	1.8	.....	25.9	23.0	9.1	51.5	14.1	8.2	424.8	28.0	75.7
	1908	1,697.9	9.9	1.3	.....	51.8	36.5	4.6	42.2	5.1	5.9	402.5	29.0	80.3
	1909	1,592.5	15.3	0.7	.....	15.1	12.8	7.9	25.4	2.2	6.9	398.9	24.9	74.6
Brooklyn Borough	1900	2,011.9	25.0	5.1	.....	24.9	11.8	20.1	72.2	17.1	(2)	219.5	31.3	59.1
	1901	1,932.3	22.4	4.7	4.0	11.5	39.1	7.7	61.0	17.3	(2)	206.2	27.8	62.1
	1902	1,805.7	24.3	4.1	7.1	18.5	22.9	17.1	58.8	6.4	(2)	189.0	30.6	63.9
	1903	1,734.6	19.4	2.4	0.2	12.0	20.5	9.7	62.3	14.3	(2)	189.0	32.1	63.0
	1904	1,884.8	22.4	4.3	0.5	23.8	22.5	5.8	52.9	15.7	(2)	202.2	31.9	64.9
	1905	1,762.2	21.3	1.8	0.7	12.3	14.6	9.4	42.1	10.3	12.1	178.8	29.3	67.6
	1906	1,770.2	15.9	2.0	0.4	27.3	21.0	8.7	53.6	7.3	14.6	182.2	28.2	70.5
	1907	1,764.7	18.7	2.6	0.5	17.0	22.0	9.4	40.7	20.3	9.8	170.6	28.0	67.9
	1908	1,560.3	13.6	1.0	0.1	18.0	30.6	2.7	35.5	8.2	7.1	163.5	24.6	66.9
	1909	1,536.6	11.9	1.4	.....	29.3	20.8	6.9	34.9	7.1	7.4	149.5	23.5	70.5
Manhattan Borough	1900	2,134.8	17.9	2.8	0.3	17.8	15.9	10.7	61.4	15.0	(2)	259.6	33.3	70.9
	1901	2,023.8	19.9	2.6	1 7	9.0	30.6	6.4	55.2	21.2	(2)	215.3	37.0	75.8
	1902	1,873.7	18.5	2.1	0.9	13.7	22.2	14.2	53.6	4.7	(2)	191.8	35.3	71.0
	1903	1,847.7	15.9	1.1	.....	11.1	16.3	7.2	50.0	9.4	(2)	195.8	36.5	75.1
	1904	2,117.0	13.4	1.1	.....	19.7	18.3	5.2	53.5	13.3	(2)	200.6	33.8	78.3
	1905	1,882.7	12.7	0.8	(3)	10.3	9.4	8.5	30.2	7.5	13.3	197.4	30.2	77.7
	1906	1,854.5	15.0	1.6	.....	20.1	8.2	7.1	33.4	4.2	11.9	205.3	34.1	75.4
	1907	1,873.6	16.8	0.8	(3)	14.3	16.9	7.2	36.6	11.9	10.5	204.7	33.8	80.8
	1908	1,677.7	11.1	0.3	.....	17.1	31.0	4.4	40.2	6.9	9.7	194.1	35.7	77.1
	1909	1,657.5	11.3	0.3	0.1	16.2	16.1	8.8	41.5	5.7	10.4	181.3	34.5	81.0
Queens Borough	1900	1,809.2	24.2	28.1	.....	11.8	14.4	12.4	53.6	13.1	(2)	187.6	23.5	48.4
	1901	1,728.8	17.9	11.7	1.2	1.9	14.8	4.3	45.1	24.7	(2)	175.3	21.0	41.4
	1902	1,627.5	21.1	4.7	.....	5.9	7.6	15.8	52.1	1.8	(2)	135.7	25.2	47.4
	1903	1,480.3	16.1	3.9	.....	11.7	12.2	12 2	58.9	9.4	(2)	130.1	16.1	51.1
	1904	1,612.2	19.6	4.2	.....	1.1	10.1	5.3	39.2	16.4	(2)	141.9	21.2	47.7
	1905	1,611.9	17.7	3.5	.....	6.1	8.1	13.6	35.9	7.1	11.1	137.0	23.8	50.5
	1906	1,650.3	13.8	4.6	.....	10.1	6.9	9.2	43.8	5.5	10.6	136.4	21.7	59.0
	1907	1,637.6	15.3	3.4	.....	2.1	18.7	11.1	39.6	11.1	9.8	128.7	20.5	55.4
	1908	1,414.2	12.7	1.2	.....	7.5	19.4	4.4	34.5	5.2	5.5	111.7	16.2	60.6
	1909	1,424.2	14.1	2.6	.....	10.7	15.9	7.4	27.0	3.7	6.3	112.6	17.4	65.2
Richmond Borough	1900	2,063.5	19.3	6.0	.....	22.4	.....	13.4	89.5	14.9	(2)	208.9	26.9	77.6
	1901	1,976.4	26.4	8.8	.....	16.1	14.7	5.9	52.8	20.5	(2)	190.6	32.3	92.4
	1902	1,846.2	14.4	5.8	1.4	4.3	25.9	24.5	28.8	2.9	(2)	185.9	25.9	66.3
	1903	1,713.2	19.8	4.3	.....	5.7	4.3	8.5	34.0	18.4	(2)	188.5	19.8	83.6
	1904	2,043.1	20.9	2 8	.....	5.6	26.5	2.8	44.6	22.3	(2)	149.1	37.6	89.2
	1905	1,915.3	15.1	1.4	.....	2.7	8.2	11.0	24.7	16.5	15.1	212.5	34.3	67.2
	1906	1,952 9	13.2	2 6	.....	11.9	6.6	9.2	36.9	5.3	7.9	249.2	19.8	77.8
	1907	2,036.8	15.3	2.5	.....	7.6	15.3	19.1	33.1	17.8	8.9	183.4	30.6	101.9
	1908	1,842.8	8.6	2.5	.....	7.4	6.2	6.2	24.6	8.6	3.7	210.6	28.3	71.4
	1909	1,810.3	13.1	2.4	.....	14.3	11.9	7.2	23.9	9.5	2.4	190.8	23.9	102.6
Newburgh	1900	2,229.1	44.1	8.0	.....	4.0	.....	8.0	24.1	4.0	(2)	320.8	12.0	56.1
	1901	1,740.8	31.7	4.0	.....	4.0	35.7	.....	47.6	15.9	(2)	162.6	11.9	47.6
	1902	1,863.3	47.1	3.9	.....	.....	102.0	3.9	31.4	.....	(2)	219.7	35.3	62.8
	1903	1,827.8	38.8	.....	.....	.....	11.6	11.6	27.2	19.4	(2)	240.6	19.4	62.1
	1904	2,012.1	42.2	.....	.....	38.4	.....	7.7	73.0	11.5	(2)	238.1	19.2	92.2
	1905	1,896.0	41.8	3.8	.....	.....	.....	19.0	30.4	11.4	3.8	247.0	3.8	95.0
	1906	1,962 6	41.3	7 5	.....	3.8	.....	7.5	22.5	.....	26.3	217.7	18.8	93.8
	1907	1,940.4	37.1	3.7	.....	11.1	.....	18.6	29.7	22.3	14.8	233.7	29.7	96.5
	1908	1,603.2	40.4	3.7	3.7	.....	3.7	3.7	33.0	11.0	7.3	132.1	14.7	73.4
	1909	1,727.0	50.8	.....	.....	.....	7.3	10.9	10.9	10.9	3.6	159.6	25.4	72.6
Niagara Falls	1900	1,619.0	107.9	.....	.....	20.6	10.3	15.4	36.0	15.4	(2)	138.8	.....	46.3
	1901	1,606.6	143.9	.....	.....	.....	4.8	4.8	28.8	43.2	(2)	177.4	14.4	62.3
	1902	1,690.1	130.4	4.5	.....	22.5	71.9	22.5	40.5	4.5	(2)	89.9	13.5	18.0
	1903	1,556 6	126.9	.....	.....	.....	80.4	4.2	12.7	.....	(2)	88.8	16.9	71.9
	1904	1,661.5	139.8	.....	4.0	8.0	.....	24.0	47.9	24.0	(2)	87.9	24.0	71.9
	1905	1,600.3	181.6	3.8	.....	18.9	18.9	15.1	56.7	3.8	15.1	68.1	11.3	68.1
	1906	1,566.4	150.1	.....	.....	.....	3.7	47.6	29.3	3.7	3.7	102.5	18.3	40.3
	1907	1,886.5	131.5	.....	.....	21.3	17.8	28.4	42.6	17.8	7.1	95.9	14.2	63.9
	1908	1,556.8	103.6	.....	.....	20.7	6.9	6.9	41.4	13.8	13.8	86.3	24.2	48.3
	1909	1,557.4	87.3	.....	.....	10.1	16.8	.....	23.5	6.7	10.1	117.5	23.5	36.9

[1] Exclusive of stillbirths.

[2] Not computed separately.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
0.8	11.4	43.6	130.7	147.7	277.2	125.4	194.8	94.5	159.0	86.3	15.9	93.7	44.7	140.7	0.1
0.6	14.0	33.1	130.0	148.3	200.1	151.5	190.5	85.2	162.1	74.5	14.1	117.3	41.0	133.1	0.2
1.0	12.9	30.1	123.5	155.8	180.5	169.3	156.3	79.5	155.4	76.6	13.9	89.7	33.4	120.5	0.2
1.7	13.7	26.7	115.7	157.9	164.1	162.3	136.7	78.2	159.4	76.9	14.1	100.8	33.1	113.1	0.3
0.5	16.4	56.8	119.6	178.5	215.4	170.8	172.8	79.7	171.0	79.7	16.2	124.2	31.0	121.0	0.1
0.9	16.4	63.3	120.4	173.7	148.6	147.4	168.0	78.4	160.5	82.3	17.2	103.3	28.5	108.4	0.1
0.8	16.8	29.1	114.2	176.6	146.9	163.2	160.5	78.3	163.6	85.4	16.1	103.7	24.9	107.9	(3)
0.7	17.0	23.5	107.7	183.5	152.5	166.7	165.2	73.4	164.7	85.2	15.7	104.8	17.0	110.6	(3)
0.6	16.5	14.6	95.9	171.2	110.6	138.2	148.8	65.9	140.9	79.7	22.2	89.9	16.1	96.8	0.1
0.6	16.7	12.9	91.6	177.1	119.7	156.0	125.9	65.7	145.5	76.5	19.0	82.3	12.4	97.4	.....
.....	10.0	37.9	127.2	138.1	247.4	75.8	145.6	76.8	128.2	80.8	14.5	95.3	49.4	127.2	.....
.....	12.1	31.7	138.8	131.3	152.3	117.8	124.8	69.4	137.4	81.5	18.6	91.3	41.4	117.4	.....
1.3	13.1	32.8	114.9	142.0	156.8	136.3	148.5	63.8	132.8	65.1	14.4	83.4	29.7	95.7	0.9
2.5	15.6	26.7	111.9	123.8	128.7	112.7	100.8	67.4	129.1	63.7	21.4	93.8	21.4	111.9	1.2
0.4	22.9	52.5	106.1	158.9	168.2	113.5	133.3	59.8	160.9	75.0	17.9	104.5	22.5	106.1	.....
0.7	14.0	43.4	128.1	167.9	121.1	104.2	125.9	63.0	137.7	70.3	14.4	123.0	21.4	102.4	0.4
1.3	13.7	29.3	113.0	166.1	150.8	111.1	143.3	64.2	162.2	73.3	16.3	116.0	16.6	100.0	.....
0.3	22.1	22.4	106.9	170.1	118.0	104.5	127.5	66.8	142.8	70.1	14.1	107.4	17.1	101.3	.....
0.5	16.9	12.1	87.3	164.3	85.9	85.7	114.7	66.1	140.7	62.8	21.2	77.9	12.1	79.8	0.3
0.5	18.3	14.6	81.7	168.6	97.0	102.2	83.7	60.7	134.5	60.5	19.7	73.3	10.4	82.0	.....
1.0	9.7	45.1	137.7	158.2	259.8	113.6	216.2	98.6	149.5	69.7	3.2	80.2	43.3	139.8	0.2
0.6	10.5	30.3	135.0	152.3	203.2	128.1	216.1	88.2	155.5	66.3	1.2	103.1	41.4	136.3	0.2
0.9	12.0	20.6	126.1	161.4	175.4	165.5	165.5	77.8	152.1	63.5	2.5	80.5	33.0	125.8	0.3
1.6	12.3	18.6	123.5	133.2	150.7	151.4	136.8	76.8	144.3	63.4	0.1	99.0	32.4	115.7	0.2
0.2	13.8	36.0	122.6	198.8	193.0	154.3	180.7	74.9	151.7	58.3	2.1	93.3	32.6	125.1	0.2
0.5	15.3	44.8	127.9	194.7	148.8	137.6	175.3	73.6	145.1	58.4	13.5	87.7	28.5	110.3	0.1
0.5	14.6	20.8	121.4	189.8	145.4	161.7	167.0	75.2	154.3	60.8	12.6	91.5	19.8	103.0	0.1
0.3	15.1	15.7	116.0	200.9	152.8	169.5	179.9	74.8	160.7	58.7	12.7	86.7	3.9	109.3	.....
0.4	14.7	11.9	103.5	191.0	112.0	145.5	155.4	67.1	133.5	56.1	17.8	78.9	3.3	97.3	0.2
0.3	15.0	10.4	100.8	195.3	122.7	156.6	134.8	63.9	131.7	51.5	16.8	74.8	2.4	96.1	.....
0.9	13.0	44.3	124.6	144.3	297.6	142.4	186.0	94.8	172.0	97.6	23.3	100.7	42.9	144.7	0.1
0.8	16.7	36.1	123.3	147.8	208.6	172.9	179.6	86.2	171.8	80.6	21.1	129.4	40.6	133.5	0.1
1.0	13.9	35.4	121.4	153.2	188.0	183.1	149.2	82.0	163.5	86.4	20.2	94.7	31.7	122.1	(3)
1.8	14.4	32.5	111.2	147.3	182.0	182.5	138.5	80.3	177.1	89.0	22.1	101.2	34.7	114.3	0.2
0.8	17.8	74.7	116.3	169.4	241.4	196.2	169.4	86.4	187.4	94.9	24.4	146.9	30.8	123.0	(3)
1.2	17.6	81.5	112.7	159.0	154.1	165.7	164.3	84.5	175.9	101.2	19.1	108.4	29.6	109.6	0.1
0.8	18.9	35.4	109.0	170.7	150.2	177.7	151.8	83.4	172.4	104.6	17.8	104.7	28.4	112.1	.....
1.0	17.4	29.4	101.6	174.9	160.8	177.9	156.5	73.0	172.7	105.8	18.1	111.5	24.1	114.6	.....
0.7	17.3	16.6	91.6	160.9	115.9	147.0	146.2	64.3	145.4	99.3	24.7	96.8	23.4	99.8	.....
0.9	18.1	14.4	86.4	166.3	123.6	169.6	123.6	67.0	156.9	98.1	20.7	86.4	17.8	100.5	.....
.....	5.9	30.7	148.4	116.3	212.4	94.1	198.1	82.4	117.6	81.0	28.1	109.8	40.5	126.8	.....
.....	10.5	23.5	150.6	137.1	170.4	123.5	185.8	78.4	130.3	65.4	24.1	105.6	45.1	117.9	1.2
0.6	8.2	35.7	135.7	149.2	181.9	104.1	150.9	77.8	121.7	80.1	19.9	96.5	55.6	92.4	.....
0.6	11.1	25.0	118.3	139.0	131.2	102.3	144.0	79.5	111.2	63.4	13.9	98.4	34.5	85.6	0.6
.....	11.6	26.5	137.7	157.3	165.7	101.1	199.1	65.1	126.0	63.5	20.6	113.8	27.0	90.0	0.5
0.5	11.6	37.9	127.4	186.0	129.4	99.1	191.6	64.7	125.4	60.2	28.8	120.3	27.8	86.9	.....
0.9	16.6	18.4	115.2	157.1	128.6	121.2	202.3	68.2	143.8	67.3	22.1	141.5	24.9	100.5	.....
.....	18.3	20.0	106.5	167.5	125.7	147.4	187.1	67.8	135.5	81.8	14.5	134.2	25.1	90.3	.....
.....	16.6	16.2	98.7	147.0	91.1	103.0	161.3	67.4	128.8	69.3	24.6	103.0	19.8	88.4	.....
0.7	13.3	10.4	94.4	168.9	102.9	130.3	150.0	65.9	122.6	66.3	15.9	93.7	15.9	90.0	.....
.....	13.4	43.3	149.2	155.2	255.1	82.1	204.4	94.0	153.7	92.5	7.5	95.5	116.4	122.3	.....
.....	14.7	27.9	152.5	173.0	132.0	142.2	258.0	71.8	162.7	51.3	5.9	140.8	32.3	151.0	.....
1.4	10.1	28.8	132.6	191.7	132.6	118.2	227.7	96.6	141.2	64.9	23.1	119.6	43.2	128.2	.....
.....	19.8	11.3	107.7	164.4	103.4	110.5	189.9	77.9	163.0	60.9	18.4	154.4	38.3	104.9	1.4
.....	12.5	23.7	158.9	195.1	182.6	138.0	199.3	87.8	210.4	98.9	22.3	143.5	46.0	122.6	.....
.....	23.3	23.3	156.3	193.3	141.2	93.2	230.3	85.0	181.0	87.7	12.3	128.9	28.8	122.0	.....
2.6	10.5	34.3	129.2	193.8	120.0	110.8	234.7	80.4	151.6	98.9	15.8	142.4	55.4	131.9	.....
2.5	15.3	19.1	131.2	206.4	143.9	127.4	226.7	104.4	197.4	81.5	16.6	159.2	42.0	126.1	1.3
1.2	27.1	17.2	105.9	190.9	110.9	107.2	210.6	82.5	192.2	92.4	34.5	122.0	59.1	110.9	.....
.....	11.9	15.5	99.0	196.8	118.1	114.5	145.5	88.2	220.6	69.2	19.1	119.3	52.5	138.3	.....
.....	.....	96.2	220.5	236.5	292.7	84.2	152.4	100.2	144.3	80.2	.....	128.3	96.2	116.3	.....
4.0	11.9	87.2	174.5	198.3	146.7	63.4	146.7	43.6	134.8	87.2	7.9	107.1	43.6	122.9	.....
.....	7.8	35.3	196.1	133.4	153.0	94.1	94.1	86.3	156.9	66.7	3.9	117.7	39.2	168.7	3.9
.....	3.9	38.8	147.5	205.7	116.4	139.7	97.0	69.9	186.3	66.0	7.8	108.7	46.6	163.0	.....
.....	30.7	65.3	192.0	226.5	142.1	103.7	88.3	96.0	169.0	76.8	.....	145.9	34.6	119.0	.....
.....	22.8	53.2	171.0	212.8	140.6	76.0	212.8	83.6	133.0	38.0	26.6	91.2	45.6	133.0	.....
.....	7.5	56.3	176.4	202.6	168.9	93.8	123.8	135.1	165.1	75.1	7.5	86.3	41.3	133.9	.....
.....	29.7	59.4	181.8	189.2	115.0	107.6	141.0	74.2	200.3	66.8	18.6	115.0	29.7	115.0	.....
.....	11.0	51.4	172.4	187.1	102.7	58.7	91.7	77.0	179.8	62.4	7.3	157.8	11.0	106.4	.....
.....	3.6	47.2	166.9	254.0	137.9	68.9	68.9	98.0	181.4	79.8	25.4	79.8	29.0	134.2	.....
.....	.....	30.8	159.3	82.2	133.6	56.5	113.1	87.4	82.2	92.5	15.4	149.1	87.4	113.1	25.7
.....	9.6	48.0	143.9	48.0	105.5	81.5	139.1	76.7	71.9	71.9	4.8	191.8	52.8	71.9	9.6
.....	9.0	31.5	107.9	71.9	134.8	71.9	134.8	143.8	85.4	71.9	.....	193.3	103.4	103.4	9.0
4.2	12.7	38.1	93.1	84.6	93.1	71.9	169.2	59.2	76.1	101.5	8.5	101.5	93.1	131.1	16.9
.....	12.0	32.0	119.8	107.8	103.8	59.9	179.7	99.9	55.9	111.8	8.0	135.8	71.9	127.8	4.0
.....	7.6	49.2	87.0	75.7	162.7	41.6	158.9	109.7	56.7	60.5	11.3	132.4	75.7	105.9	3.8
.....	18.3	40.3	84.2	80.5	120.8	65.9	164.7	91.5	43.9	124.4	25.6	146.4	54.9	106.1	.....
3.6	7.1	60.4	110.1	149.2	149.2	78.2	230.9	106.6	71.1	113.7	14.2	181.2	35.5	135.0	.....
.....	10.4	44.9	79.4	151.9	124.3	82.8	151.9	75.9	51.8	110.5	38.0	107.0	27.6	134.6	.....
.....	10.1	30.2	100.7	151.0	124.2	87.3	147.7	57.1	73.8	104.1	33.6	147.7	26.9	130.9	.....

[3] Less than one-tenth.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
NEW YORK—continued.														
North Tonawanda	1906	1,299.9	28.5			47.4				9.5	9.5	56.9	28.5	85.4
	1907	1,246.3	45.8			27.5		27.5	18.3	9.2	9.2	82.5	9.2	45.8
	1908	1,320.3	53.2				8.9	17.7	8.9	8.9		88.6	17.7	44.3
	1909	1,380.9	51.5			8.6	25.7	8.6	60.0	8.6		68.6		94.3
Ogdensburg *	1900	1,622.7	55.4				39.6		31.7	7.9	(2)	166.2	39.6	47.5
	1901	2,114.5	20.4			13.6		13.6	6.8	20.4	(2)	258.4	47.6	81.6
	1902	2,232.9	95.0							20.4	(2)	278.3		108.6
	1903	2,344.0	54.2				20.3		6.8	33.9	(2)	284.5	20.3	121.9
	1904	2,488.5	60.9					13.5	13.5	6.8	(2)	324.6	40.6	148.8
	1905	2,470.5	40.5			27.0				27.0	31.0	310.5	33.7	148.5
	1906	2,848.0	86.3	6.6			6.6	13.3	13.3	13.3	39.8	378.4	73.0	106.2
	1907	2,811.9	39.2			13.1				19.6	45.8	248.5	19.6	85.0
	1908	2,570.7	32.2				6.4		12.9	45.1	32.2	186.8	32.2	83.8
	1909	2,615.7	25.4			25.4		6.3	19.0	12.7	31.7	285.7	38.1	152.4
Olean	1900	1,447.9	21.1							63.4	(2)	84.6		52.8
	1901	1,178.9	10.4				10.4	10.4		52.2	(2)	41.7	20.9	62.6
	1902	1,009.5	41.2	10.3		30.9	20.6	10.3	10.3	20.6	(2)	41.2	20.6	41.2
	1903	1,037.5	30.5				20.3		10.2	40.7	(2)	40.7	10.2	20.3
	1904	1,346.1	20.1							30.1	(2)	110.5		60.3
	1905	1,170.8					9.9	19.8	29.8	9.9	9.9	39.7		79.4
	1906	1,340.0	19.1			9.6			19.1		19.1	86.1	9.6	86.1
	1907	1,297.6	18.5						74.1	9.3		92.7	9.3	46.3
	1908	1,257.9	27.0						35.9	18.0	18.0	89.8		71.9
	1909	1,437.3	13.8				27.6	13.8	6.9	6.9	13.8	55.3	13.8	89.8
Oswego	1906	1,672.5	66.4				4.4	31.0	61.9	8.8	17.7	185.8	8.8	75.2
	1907	1,570.0	61.4						4.4	8.8	4.4	118.4	30.7	70.2
	1908	1,630.1	60.9						17.4	17.4	21.7	108.7	34.8	73.9
	1909	1,443.5	21.5					30.2		8.6	8.6	90.5	21.5	99.1
Peekskill	1900	1,959.8	9.7			67.6		19.3	86.9	38.6	(2)	125.5	38.6	106.2
	1901	2,077.6	18.3	18.3			9.2	9.2	54.9	64.1	(2)	183.0	18.3	54.9
	1902	2,253.3	26.1			34.8		43.5	52.2		(2)	243.6	69.6	139.2
	1903	1,533.7	41.5			24.9			16.6	8.3	(2)	140.9	41.5	74.6
	1904	1,535.9	7.9	15.8		15.8		7.9	23.8	15.8	(2)	126.7	23.8	55.4
	1905	1,545.5	15.2			113.6		53.0	53.0		7.6	151.5	30.3	98.5
	1906	1,809.0	14.6	29.3		29.3		22.0	7.3		22.0	175.8	51.3	87.9
	1907	1,712.5	14.2	7.1				56.8	42.6	14.2		177.6	28.4	64.0
	1908	1,752.7	207.0	6.9		27.6		55.2	34.5	13.8	6.9	213.9	27.6	69.0
	1909	1,542.4	13.4			13.4		13.4		6.7	13.4	107.3	40.2	80.5
Plattsburg	1906	1,189.8	19.3						29.0		19.3	77.4	19.3	29.0
	1907	1,175.5	28.4			9.5			9.5	9.5	9.5	104.3	37.9	37.9
	1908	1,124.5							18.6	46.5	9.3	74.3	9.3	65.1
	1909	1,795.6	36.5			18.2		27.3	18.2	9.1	36.5	155.0	36.5	118.5
Port Jervis	1900	1,630.3	32.0					32.0	21.3	32.0	(2)	117.2		32.0
	1901	1,810.1	31.8		10.6				42.3	180.0	(2)	264.6		63.5
	1902	1,630.0	52.6	10.5				10.5	63.1	31.5	(2)	147.2		63.1
	1903	1,734.4	62.7					20.9	52.2	62.7	(2)	177.6		83.6
	1904	1,889.3	83.0	20.8					176.5	62.3	(2)	186.9	10.4	31.1
	1905	1,598.8	92.8						41.3	51.6	30.9	92.8		72.2
	1906	1,779.2	41.4				10.3	51.7	20.7	31.0	31.0	93.1	20.7	62.1
	1907	1,867.2	41.5	10.4		10.4	10.4		20.7	83.0	20.7	93.4	20.7	62.2
	1908	1,716.4						20.8	20.8	31.2	10.4	156.0	10.4	31.2
	1909	1,909.0	20.9					20.9		41.7	10.4	104.3	10.4	83.5
Poughkeepsie	1900	2,263.9	45.7	25.0		16.6	4.2		12.5	12.5	(2)	212.2	4.2	83.2
	1901	1,752.4	45.4	12.4			16.5	4.1	49.5	37.1	(2)	160.8	8.2	78.3
	1902	1,728.3	24.5	12.3			4.1	12.3	61.3	16.3	(2)	179.8	4.1	110.3
	1903	1,822.0	44.5	12.1		8.1	20.2	4.0	20.2	24.3	(2)	149.8	12.1	113.4
	1904	2,094.5	64.2	8.0		44.1		8.0	8.0	28.1	(2)	188.6	32.1	96.3
	1905	1,733.9	47.7	4.0		4.0		23.9	19.9	11.9	8.0	127.3	8.0	107.4
	1906	1,746.5	42.7	11.6		3.9		15.5	38.8		11.6	128.1	34.9	128.1
	1907	2,042.7	113.9	11.4		19.0	11.4	3.8	11.4	41.8	3.8	110.1	22.8	117.7
	1908	1,876.6	33.4			3.7		14.9	22.3	3.7	7.4	163.5	11.1	118.9
	1909	1,863.0	21.8			10.9	7.3	25.5	25.5	7.3	7.3	123.7	21.8	138.3
Rochester	1900	1,437.2	17.2	0.6		6.1	6.8	9.2	28.9	6.8	(2)	143.9	17.2	61.5
	1901	1,441.7	17.4	0.6		9.0	2.4	4.2	13.2	24.7	(2)	149.2	18.0	86.0
	1902	1,350.7	11.8	0.6	45.3	0.6	7.7	4.7	8.2	6.5	(2)	110.6	17.7	88.9
	1903	1,465.7	12.1		13.8	15.0	6.9	4.6	64.5	9.2	(2)	125.6	19.0	78.9
	1904	1,503.8	15.8	2.8		0.6	19.7	0.6	52.5	15.8	(2)	140.5	19.7	86.9
	1905	1,528.4	11.5			15.9	13.7	10.4	54.4	8.8	13.2	147.8	20.9	93.9
	1906	1,513.3	16.8			2.1	10.5	2.1	48.9	8.4	8.9	142.1	20.5	91.6
	1907	1,552.2	15.7			2.5	8.1	8.6	34.9	10.1	13.2	125.6	23.3	84.6
	1908	1,372.6	11.2			8.3	9.3	2.9	26.4	13.7	9.8	132.8	24.4	85.4
	1909	1,443.4	9.4	0.5		20.3	9.0	12.7	9.4	4.7	5.7	135.7	23.1	88.6
Rome	1900	1,727.2	19.6	6.5		6.5	6.5		6.5	6.5	(2)	110.8	19.6	91.2
	1901	1,855.1	19.1		6.4		12.7		31.8	95.3	(2)	158.8	19.1	19.1
	1902	1,586.4	24.8						18.6	24.8	(2)	173.5	12.4	130.1
	1903	1,687.4	18.1	6.0			6.0	30.2	12.1	12.1	(2)	133.1	24.2	42.3
	1904	1,724.6	17.7				23.6		5.9	35.4	(2)	248.1	65.0	29.5
	1905	1,829.3	40.4			17.3	23.1		51.9	11.5	17.3	196.2	28.9	69.2
	1906	1,952.1	27.7				5.5	22.2	33.3	5.5	11.1	155.3	33.3	83.2
	1907	2,039.4	26.8			10.7	5.4	10.7	32.1	53.5	26.8	267.6	32.1	37.5
	1908	2,012.2	36.2			5.2	5.2	10.3	10.3	56.9	15.5	284.5	46.6	51.7
	1909	1,741.6	25.0			10.0	10.0	65.1	10.0	25.0	10.0	150.1	25.0	80.1

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	56.9	189.8	85.4	56.9	75.9	123.4	104.4	38.0	28.5	.....	132.8	28.5	113.9	.....
.....	.....	.....	165.0	146.6	36.7	73.3	110.0	82.5	36.7	100.8	.....	91.6	9.2	119.1	.....
8.9	17.7	17.7	88.6	150.6	150.6	79.8	106.3	88.6	53.2	70.9	17.7	106.3	17.7	97.5	.....
8.6	8.6	.....	154.4	120.1	154.4	94.3	120.1	68.6	77.2	25.7	25.7	128.7	17.2	51.5	.....
.....	.....	63.3	95.0	158.3	102.9	95.0	150.4	95.0	118.7	118.7	.....	87.1	15.8	134.6	.....
.....	6.8	27.2	278.8	197.2	170.0	88.4	156.4	74.8	115.6	61.2	13.6	95.2	47.6	319.6	.....
.....	27.1	40.7	366.5	251.1	122.2	115.4	115.4	81.4	203.6	13.6	6.8	95.0	33.9	257.9	.....
.....	27.1	40.6	264.2	298.1	237.1	67.7	108.4	121.9	230.3	47.4	6.8	74.5	81.3	189.7	6.8
.....	20.3	27.0	297.5	351.6	182.6	115.0	81.1	74.4	284.0	121.7	6.8	27.0	47.3	243.4	.....
.....	20.2	40.5	276.7	283.5	141.7	135.0	94.5	121.5	290.2	47.2	13.5	81.0	54.0	202.5	.....
.....	33.2	59.7	398.3	365.1	159.3	59.7	239.0	112.9	232.4	92.9	6.6	73.0	59.7	205.8	13.3
.....	6.5	58.9	510.1	457.8	261.6	150.4	235.4	143.9	215.8	45.8	.....	65.4	39.2	150.4	.....
.....	45.1	45.1	328.6	412.3	244.8	122.4	206.2	128.9	174.0	77.3	.....	109.5	58.0	186.8	.....
.....	12.7	38.1	323.8	450.8	241.3	228.6	190.5	88.9	95.2	69.8	6.3	101.6	38.1	133.3	.....
10.6	21.1	95.1	158.5	105.7	95.1	74.0	105.7	74.0	21.1	84.6	10.6	116.3	21.1	232.5	.....
.....	.....	52.2	146.1	146.1	31.3	52.2	41.7	62.6	.....	52.2	10.4	156.5	.....	219.1	.....
.....	10.3	51.5	144.2	92.7	72.1	51.5	72.1	10.3	10.3	.....	30.9	51.5	10.3	154.5	.....
.....	.....	20.3	91.5	172.9	50.9	50.9	61.0	81.3	20.3	20.3	.....	162.8	20.3	111.9	.....
.....	.....	60.3	120.5	110.5	90.4	80.4	40.2	90.4	80.4	70.3	10.0	160.7	30.1	180.8	.....
.....	.....	69.5	99.2	168.7	99.2	49.6	29.8	89.3	69.5	29.8	.....	138.9	9.9	119.1	.....
.....	9.6	57.4	134.0	124.4	76.6	9.6	114.9	114.9	76.6	47.9	9.6	181.9	.....	134.0	.....
.....	27.8	55.6	129.8	129.8	129.8	18.5	18.5	83.4	83.4	74.1	18.5	157.6	18.5	102.0	.....
.....	27.0	27.0	53.9	161.7	62.9	62.9	53.9	89.8	80.9	143.8	18.0	89.8	27.0	98.8	.....
.....	.....	69.1	158.9	145.1	103.6	48.4	110.6	103.6	76.0	89.8	34.5	117.5	13.8	124.4	.....
.....	22.1	17.7	168.1	194.7	57.5	39.8	92.9	141.6	70.8	110.6	22.1	97.3	22.1	154.9	.....
.....	26.3	8.8	201.7	254.4	78.9	39.5	96.5	118.4	100.9	87.7	4.4	96.5	30.7	127.2	.....
.....	13.0	21.7	221.7	269.5	104.3	39.1	104.3	86.9	95.6	104.3	4.3	100.0	17.4	113.0	.....
.....	17.2	17.2	168.1	206.8	68.9	30.2	94.8	112.0	120.7	86.2	8.6	103.4	25.9	103.4	.....
9.7	19.3	48.3	183.4	202.7	144.8	202.7	96.5	96.5	77.2	135.2	.....	86.9	29.0	135.2	.....
.....	.....	27.5	247.1	109.8	146.4	201.4	119.0	73.2	137.3	146.4	.....	109.8	173.9	155.6	.....
.....	26.1	17.4	243.6	191.4	139.2	165.3	234.9	95.7	121.8	113.1	8.7	121.8	43.5	121.8	.....
.....	.....	33.2	91.2	66.3	132.6	124.4	99.5	82.9	190.7	91.2	.....	91.2	49.7	132.6	.....
.....	7.9	31.7	142.5	158.3	150.4	134.6	205.8	31.7	79.2	79.2	.....	79.2	23.8	118.8	.....
.....	7.6	45.5	151.5	121.2	53.0	98.5	113.6	68.2	106.1	37.9	.....	121.2	30.3	68.2	.....
7.3	.....	29.3	197.7	124.5	146.5	65.9	161.1	80.6	168.4	51.3	.....	131.8	73.2	131.8	.....
.....	14.2	49.7	199.0	127.9	149.2	85.3	234.5	85.3	64.0	85.3	7.1	106.6	7.1	92.4	.....
.....	6.9	6.9	172.5	158.7	103.5	117.3	131.1	55.2	96.6	48.3	.....	110.4	6.9	75.9	.....
.....	20.1	26.8	134.1	154.2	87.2	80.5	174.4	73.8	160.9	134.1	.....	100.6	13.4	93.9	.....
.....	19.3	48.4	116.1	145.1	58.0	38.7	96.7	87.1	19.3	77.4	19.3	87.1	77.4	106.4	.....
9.5	28.4	56.9	104.3	170.6	37.9	47.4	170.6	75.8	9.5	19.0	.....	47.4	56.9	94.8	.....
.....	9.3	.....	120.8	176.6	37.2	18.6	111.5	65.1	18.6	130.1	9.3	92.9	18.6	92.9	.....
.....	9.1	27.3	227.9	218.8	82.0	109.4	164.1	63.8	72.9	145.8	9.1	109.4	27.3	72.9	.....
.....	21.3	53.3	159.8	170.5	74.6	63.9	117.2	138.5	74.6	53.3	10.6	63.9	138.5	223.8	.....
.....	21.2	10.6	190.5	232.9	74.1	52.9	42.3	84.7	52.9	31.8	21.2	190.5	42.3	169.4	.....
.....	10.5	31.5	199.8	157.7	105.2	63.1	52.6	84.1	84.1	84.1	10.5	136.7	31.5	199.8	.....
10.4	10.4	31.3	167.2	83.6	94.0	62.7	31.3	62.7	167.2	104.5	.....	209.0	52.2	188.1	.....
.....	20.8	62.3	93.4	186.9	135.0	124.6	83.0	145.3	51.9	51.9	10.4	114.2	103.8	135.0	.....
.....	10.3	30.9	103.1	175.3	92.8	30.9	144.4	175.3	113.5	92.8	20.6	61.9	61.9	103.1	.....
.....	.....	72.4	155.2	186.2	144.8	103.4	72.4	134.5	124.1	62.1	10.3	175.9	41.4	134.5	.....
.....	20.7	20.7	238.6	186.7	114.1	93.4	134.9	124.5	197.1	51.9	10.4	114.1	31.1	155.6	.....
.....	10.4	20.8	166.4	208.1	114.4	93.6	166.4	124.8	124.8	114.4	20.8	104.0	20.8	145.6	.....
.....	31.3	10.4	156.5	302.5	219.1	93.9	62.6	187.8	177.3	31.3	20.9	156.5	10.4	156.5	.....
.....	4.2	37.5	349.6	199.8	195.6	116.5	162.3	79.1	66.6	116.5	8.3	83.2	104.0	324.6	.....
8.2	8.2	8.2	263.9	115.5	177.3	140.2	49.5	99.0	70.1	57.7	4.1	82.5	66.0	189.7	.....
.....	8.2	8.2	253.3	204.3	114.4	114.4	85.8	89.9	49.0	44.9	20.4	102.1	53.1	155.3	.....
4.0	4.0	20.2	251.0	202.4	137.7	125.5	72.9	109.3	85.0	56.7	.....	129.6	40.5	174.1	.....
.....	12.0	24.1	284.9	196.6	148.5	132.4	104.3	160.5	120.4	68.2	4.0	96.3	48.2	216.7	.....
4.0	8.0	39.8	206.8	210.8	127.3	119.3	75.6	103.4	83.5	75.6	11.9	135.2	11.9	159.1	.....
.....	19.4	27.2	166.9	209.6	100.9	112.6	73.7	100.9	112.6	54.3	3.9	116.4	54.3	178.5	.....
.....	19.0	26.6	197.4	303.7	110.1	102.5	136.7	98.7	106.3	60.7	7.6	201.2	26.6	178.4	.....
.....	29.7	14.9	223.0	263.8	156.1	104.1	159.7	111.5	111.5	44.6	3.7	137.5	7.4	130.1	.....
.....	18.2	25.5	211.0	298.4	131.0	91.0	105.5	98.2	134.6	69.1	29.1	127.4	25.5	109.2	.....
2.5	13.5	50.4	162.4	149.4	108.9	100.9	83.0	90.4	91.0	26.5	19.7	44.9	48.6	145.1	1.8
3.0	12.6	45.1	166.0	140.7	104.1	99.8	67.4	105.3	68.0	22.9	6.6	75.2	33.7	166.6	.....
1.2	11.8	35.9	147.1	166.6	61.8	81.8	62.4	102.4	91.8	27.7	17.1	70.0	19.4	150.7	0.6
4.0	10.3	27.7	174.6	181.5	93.9	97.4	56.5	109.5	89.3	25.4	12.7	55.8	18.4	159.0	.....
.....	18.6	32.2	164.2	193.5	102.1	85.2	55.3	94.2	101.6	20.9	11.8	71.7	20.9	176.6	.....
2.7	25.3	30.2	139.0	169.8	96.1	98.9	94.5	99.4	101.1	26.4	12.1	73.1	26.4	142.3	0.5
1.1	16.3	41.0	155.2	184.2	68.4	85.2	96.3	106.8	118.4	31.0	14.7	73.7	27.9	141.0	.....
1.0	20.8	31.9	152.9	204.1	98.2	108.4	89.1	104.3	117.0	25.3	22.3	74.4	16.7	159.0	.....
0.5	17.6	14.2	123.0	189.9	67.8	83.0	100.6	95.2	106.9	28.3	20.0	68.8	14.6	118.1	.....
0.9	18.8	14.1	156.9	216.2	78.2	98.5	103.2	89.5	106.9	21.7	21.2	76.3	11.3	110.2	0.5
6.5	.....	58.7	221.6	273.8	110.8	136.9	143.4	104.3	39.1	26.1	6.5	91.2	78.2	149.9	6.5
6.4	.....	12.7	222.4	393.9	127.1	50.8	114.4	197.0	63.5	19.1	.....	101.7	31.8	146.1	6.4
.....	6.2	24.8	235.5	185.9	111.5	43.4	24.8	74.4	24.8	62.0	12.4	93.0	93.0	210.7	.....
.....	18.1	12.1	199.6	157.3	127.0	54.4	72.6	42.3	60.5	60.5	24.2	127.0	169.3	278.2	.....
.....	.....	23.6	236.3	118.1	112.2	53.2	88.6	112.2	82.7	29.5	11.8	88.6	129.9	212.6	.....
.....	.....	23.1	271.2	173.1	57.7	69.2	17.3	80.8	80.8	23.1	5.8	144.3	144.3	282.8	.....
.....	16.6	33.3	282.8	194.1	110.9	88.7	105.4	94.3	88.7	33.2	5.5	138.6	122.0	260.6	.....
.....	.....	21.4	240.9	358.6	80.3	85.6	107.1	107.1	107.1	53.5	32.1	123.1	26.8	192.7	.....
.....	31.0	15.5	181.0	253.5	170.7	56.9	103.5	160.4	134.5	41.4	15.5	129.3	25.9	170.7	.....
5.0	15.0	15.0	200.2	230.2	110.1	80.1	95.1	95.1	125.1	55.0	10.0	135.1	45.0	115.1	.....

= Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
NEW YORK—continued.														
Saratoga Springs	1900	2,151.7	40.3	.....	.....	.....	.....	.....	8.1	24.2	(2)	274.0	8.1	72.5
	1901	2,418.8	71.8	.....	.....	16.0	8.0	16.0	31.9	47.9	(2)	247.5	.....	31.9
	1902	2,222.2	23.7	.....	.....	.....	.....	7.9	7.9	15.8	(2)	205.6	.....	94.9
	1903	1,927.4	47.0	.....	.....	.....	.....	31.3	15.7	15.7	(2)	203.7	15.7	70.5
	1904	2,150.5	46.6	15.5	.....	7.8	.....	.....	31.1	54.3	(2)	201.8	15.5	124.2
	1905	2,054.0	38.5	.....	.....	.....	7.7	7.7	7.7	30.8	.....	200.0	15.4	100.0
	1906	2,172.9	46.4	.....	.....	.....	46.4	15.5	15.5	15.5	15.5	193.3	30.9	108.3
	1907	2,315.6	54.4	.....	.....	.....	.....	7.8	7.8	85.5	31.1	163.2	15.5	163.2
	1908	1,999.1	23.4	.....	.....	.....	7.8	7.8	23.4	15.6	15.6	218.6	23.4	93.7
	1909	1,883.4	.....	.....	.....	.....	.....	7.8	.....	39.2	.....	133.4	15.7	133.4
Schenectady	1900	1,770.7	41.0	.....	3.2	85.2	6.3	18.9	28.4	6.3	(2)	138.9	25.3	47.3
	1901	1,797.2	36.7	2.8	.....	8.5	8.5	5.7	84.8	11.3	(2)	178.0	19.8	53.7
	1902	1,376.0	19.1	.....	4.2	8.5	34.0	4.2	63.7	4.2	(2)	121.0	19.1	21.2
	1903	1,572.8	31.5	3.9	.....	25.5	19.7	17.7	43.3	3.9	(2)	163.4	13.8	43.3
	1904	1,438.4	22.0	.....	.....	1.8	5.5	16.5	31.2	20.2	(2)	124.8	5.5	62.4
	1905	1,358.8	6.9	.....	.....	13.7	15.5	3.4	18.9	6.9	6.9	127.1	13.7	46.4
	1906	1,470.9	21.2	.....	.....	6.5	9.8	13.0	29.3	.....	27.7	122.0	11.4	42.3
	1907	1,506.4	12.4	.....	.....	20.2	21.7	17.1	29.5	15.5	17.1	127.2	20.2	51.2
	1908	1,368.3	11.9	1.5	.....	5.9	56.3	11.9	29.6	11.9	4.4	99.3	17.8	51.9
	1909	1,210.8	12 8	.....	.....	2.8	28.4	8.5	11.4	4.3	7.1	122.1	24.1	46.8
Syracuse	1900	1,515.1	20.5	3.7	.....	11.1	0.9	11.1	19.4	10.2	(2)	157.8	26.7	80.3
	1901	1,411.1	19.1	1.8	.....	0.9	4.5	7.3	25.4	30.0	(2)	158.9	15.4	69.9
	1902	1,329.2	8.0	.....	.....	5.4	5.4	10.7	11.6	1.8	(2)	118.0	17.9	76.9
	1903	1,431.9	17.6	.....	.....	14.1	1.8	20.2	18.5	10.6	(2)	131.1	17.6	81.8
	1904	1,518.5	18.2	0.9	.....	4.3	26.0	0.9	19.1	12.1	(2)	146.5	24.3	69.3
	1905	1,553.8	17.1	.....	.....	5.1	35.0	4.3	16.2	8.5	13.7	120.4	17.9	81.1
	1906	1,520.3	9.9	.....	.....	6.6	14.0	15.6	16.5	6.6	7.4	120.2	23.0	94.7
	1907	1,529.0	15.1	0.8	.....	4.8	4.0	1.6	23.9	12.0	8.8	118.7	24.7	77.3
	1908	1,572.6	14.6	1 5	.....	9.2	1.5	7.7	19.2	14.6	7.7	119.3	26.9	73.9
	1909	1,452.3	11.2	0.7	.....	.....	11.9	23.9	19.4	7.5	6.0	111.1	17.2	89.5
Troy	1900	2,560.6	131.9	.....	.....	1.6	3.3	14.8	49.5	16.5	(2)	344.6	23.1	70.9
	1901	2,126.2	57.1	.....	.....	25.2	9.3	19.9	34.5	70.4	(2)	324.0	25.2	90.3
	1902	1,873.1	49.0	1.3	1.3	1.3	2.6	6.6	14.6	10.6	(2)	255.5	13.2	72.8
	1903	1,926.5	35.6	.....	.....	.....	5.3	9.2	31.7	27.7	(2)	271.8	31.7	77.9
	1904	2,163.7	50.0	.....	.....	9.2	2.6	9.2	15.8	36.8	(2)	288.1	26.3	90.8
	1905	2,151.5	51.1	2.6	.....	42.0	27.5	14.4	13.1	30.2	18.4	262.2	26.2	86.5
	1906	2,026.4	34.0	1.3	.....	1.3	6.5	11.8	7.9	14.4	11.8	285.4	30.1	81.2
	1907	2,125.4	27.5	.....	.....	2.6	6.5	18.3	30.1	39.2	15.7	287.6	34.0	103.3
	1908	2,011.4	35.2	.....	.....	15 7	3.9	2.6	19.6	49.6	26.1	255.8	31.3	94.0
	1909	1,934.2	22.2	.....	.....	1.3	7.8	13.0	6.5	13.0	18.2	238.5	20.9	127.7
Utica *	1900	2,014.8	16.0	.....	.....	24.8	5.3	35 5	69.2	24.8	(2)	196.9	12.4	101.1
	1901	1,587.3	15.6	.....	.....	3.5	3.5	20.7	45.0	32.9	(2)	191.9	17.3	57.1
	1902	1,772.7	16.9	1 7	.....	8.4	6.7	5.1	23.6	6.7	(2)	180.5	13.5	97.8
	1903	1,741.8	18.1	.....	1.6	.....	6.6	13.2	49.4	9.9	(2)	164.6	26.3	62.6
	1904	2,000.2	17.7	.....	.....	12.9	36.8	16.1	33.8	17.7	(2)	162.4	33.8	82.0
	1905	1,806.8	12.6	1.6	.....	.....	15.7	6.3	18.9	14.1	17.3	172.8	29.9	100.6
	1906	2,004.8	27.3	4.5	.....	12.1	24.2	25.7	42.4	12.1	6.1	151.4	37.9	74.2
	1907	1,983.9	19.0	1.5	.....	5.9	5.9	4.4	36.6	8.8	14.7	196.3	41.0	95.2
	1908	1,982.7	19.9	.....	.....	8.5	.....	25.5	11.4	11.4	17.0	193.0	42.6	96.5
	1909	1,744.9	15.1	.....	.....	17.9	11.0	8.3	9.6	5.5	15.1	169.3	38.5	79.8
Watertown	1900	1,843.7	106.0	4.6	.....	32.3	4.6	4.6	4.6	23.1	(2)	161.3	18.4	106.0
	1901	1,539.4	49.1	.....	4.5	22.3	.....	4.5	8.9	22.3	(2)	138.3	22.3	44.6
	1902	1,271.2	64.9	.....	.....	.....	.....	.....	17.3	.....	(2)	69.2	30.3	64.9
	1903	1,438.5	71.3	.....	.....	.....	4.2	.....	46.1	.....	(2)	117.4	46.1	83.9
	1904	1,665.3	211.7	.....	.....	.....	.....	12.2	32.6	48.9	(2)	73.3	44.8	61.1
	1905	1,507.4	23.7	.....	.....	27.7	.....	4.0	15.8	4.0	4.0	83.1	23.7	75.2
	1906	1,808.7	46.9	.....	.....	.....	3.9	19.5	43.0	3.9	3.9	105.5	27.3	97.7
	1907	1,934.6	46.3	.....	.....	7.7	3.9	7.7	69.5	27.0	15.4	127.4	38.6	139.0
	1908	1,565.2	45.8	.....	.....	.....	3.8	7.6	15.3	11.5	11.5	84.0	19.1	91.6
	1909	1,596.6	41.5	3.8	.....	.....	3.8	30.2	7.5	18.9	18.9	109.5	30.2	94.4
Watervliet	1900	1,899.3	69.8	.....	.....	7.0	.....	7.0	20.9	62.8	(2)	153.6	7.0	41.9
	1901	1,720.9	55.7	.....	.....	.....	.....	27.9	13.9	83.6	(2)	174.2	20.9	13.9
	1902	1,473.8	62.6	7.0	7.0	.....	.....	34.8	7.0	7.0	(2)	104.3	13.9	55.6
	1903	1,643.9	69.4	.....	.....	6.9	.....	27.7	27.7	20.8	(2)	194.2	20.8	97.1
	1904	1,578.0	48.4	.....	.....	13.8	.....	.....	41.5	27.7	(2)	193.8	.....	34.6
	1905	1,954.3	55.2	.....	.....	48.3	27.6	20.7	41.4	41.4	6.9	221.0	13.8	69.1
	1906	1,697.2	47.9	13.7	.....	6.8	13.7	.....	13.7	13.7	6.8	205.3	20.5	41.1
	1907	1,724.0	40.7	.....	.....	.....	6.8	.....	33.9	47.5	6.8	183.3	27.1	74.7
	1908	1,682.9	40.4	.....	.....	6.7	33.7	6.7	74.0	40.4	6.7	188.5	20.2	80.8
	1909	1,522.3	6.7	6.7	.....	6.7	.....	26.7	.....	33.4	26.7	187.0	26.7	46.7
Yonkers	1900	1,696.2	6.2	4.2	.....	10.4	2.1	6.2	20.9	16.7	(2)	173.2	39.6	48.0
	1901	1,635.5	19.8	5.9	17.8	11.9	2.0	2.0	29.6	25.7	(2)	201.5	35.6	51.4
	1902	1,620.3	11.3	3.8	3.8	11.3	20.6	35.6	45.0	3.8	(2)	161.3	31.9	43.1
	1903	1,503.0	14.3	3.6	.....	5.4	12.5	12.5	44.6	8.9	(2)	203.5	19.6	75.0
	1904	1,709.9	15.3	1.7	.....	8.5	11.9	6.8	39.2	13.6	(2)	195.9	40.9	66.4
	1905	1,662.5	4.9	3.3	.....	.....	11.4	27.7	34.2	11.4	3.3	175.9	42.3	65.1
	1906	1,662.6	10.7	6.1	.....	21.4	12.2	16.8	27.5	9.2	13.7	163.4	26.0	58.0
	1907	1,540.3	11.5	1.4	.....	5.8	11.5	10.1	17.3	23.1	2.9	131.4	46.2	53.4
	1908	1,469.0	9.6	1.4	.....	8.2	39.7	16.4	23.3	6.8	6.8	160.2	39.7	58.9
	1909	1,454.1	7.8	7.8	.....	11.7	32.5	6.5	23.4	3.9	7.8	140.6	33.8	67.7

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	40.3	193.4	274.0	169.2	153.1	88.6	128.9	201.5	96.7	8.1	88.6	104.8	177.3	.....
.....	39.9	47.9	311.3	167.6	183.6	175.6	95.8	183.6	367.2	23.9	.....	79.8	87.8	183.6	.....
.....	7.9	31.6	261.0	268.9	158.2	87.0	118.6	181.9	205.6	63.3	7.9	174.0	71.2	229.3	.....
.....	7.8	15.7	242.9	250.7	94.0	133.2	70.5	148.9	211.5	31.3	.....	117.5	15.7	188.0	.....
.....	31.1	23.3	139.7	209.6	124.2	147.5	77.6	170.8	279.5	77.6	.....	209.6	31.1	132.0	.....
.....	7.7	23.1	215.4	261.6	146.2	115.4	76.9	115.4	307.7	115.4	.....	100.0	30.8	130.8	.....
.....	7.7	30.9	247.4	332.5	185.6	100.5	61.9	123.7	239.7	38.7	.....	139.2	15.5	162.4	.....
15.5	31.1	7.8	194.3	380.8	225.3	108.8	62.2	147.6	256.4	69.9	.....	163.2	.....	124.3	.....
.....	23.4	7.8	203.0	304.5	85.9	124.9	101.5	117.1	257.7	54.7	15.6	132.8	7.8	132.8	.....
.....	31.4	23.5	251.1	368.8	78.5	109.9	47.1	117.7	235.4	31.4	15.7	125.6	7.8	109.9	.....
6.3	9.5	72.6	170.4	116.8	107.3	97.8	138.9	104.2	63.1	97.8	3.2	148.4	101.0	132.6	.....
.....	17.0	39.6	169.5	121.5	163.9	135.6	161.1	107.4	90.4	93.3	2.8	130.0	33.9	121.5	.....
.....	2.1	38.2	123.2	112.5	110.4	76.4	148.6	59.5	63.7	63.7	.....	127.4	29.7	121.0	.....
3.9	3.9	53.1	133.9	110.2	126.0	70.9	175.2	78.7	78.7	94.5	3.9	137.8	35.4	100.4	.....
.....	3.7	64.2	126.6	102.7	86.2	82.6	172.5	84.4	69.7	95.4	7.3	132.1	18.3	102.7	.....
3.4	6.9	68.7	87.6	111.7	135.7	82.5	149.5	70.4	75.6	84.2	6.9	85.9	30.9	99.6	.....
.....	6.5	29.3	115.5	107.4	135.0	86.3	172.5	97.6	55.3	92.7	19.5	107.4	43.9	118.8	.....
1.6	10.9	32.6	122.6	136.5	125.7	97.7	193.9	82.2	91.5	88.4	20.2	108.6	32.6	119.5	.....
.....	11.9	16.3	102.3	139.4	78.6	81.5	143.8	78.6	78.6	97.8	20.8	94.9	20.8	100.8	.....
.....	19.9	17.0	79.5	143.4	86.6	76.6	132.0	66.7	80.9	59.6	14.2	71.0	14.2	80.9	.....
2.8	10.2	48.9	152.2	145.8	94.1	90.4	107.0	89.5	109.8	77.5	2.8	66.4	35.1	131.9	.....
1.8	8.2	31.8	148.9	190.7	76.3	88.1	73.1	80.8	69.0	55.4	8.2	73.6	22.7	144.4	.....
4.5	15.2	39.3	137.7	194.9	63.5	69.7	82.2	85.8	79.6	59.9	13.4	52.7	22.3	152.0	0.9
0.9	14.1	27.3	132.0	169.9	104.7	65.1	80.1	83.6	99.4	69.5	23.8	72.2	18.5	157.5	.....
2.6	12.1	27.7	156.0	198.5	105.7	76.3	62.4	100.5	101.4	65.9	14.7	73.7	24.3	175.1	.....
4.3	15.4	35.0	151.1	228.0	101.6	79.4	100.7	80.3	100.7	64.9	10.2	88.8	26.5	147.7	.....
2.5	18.1	36.2	132.5	198.4	87.3	71.6	97.1	86.4	103.7	73.3	7.4	101.2	19.8	170.4	.....
4.0	24.7	27.9	131.5	217.5	82.9	74.1	119.5	87.6	99.6	95.6	13.5	90.8	14.3	153.8	.....
1.5	14.6	16.2	150.9	238.6	81.6	68.5	133.9	93.9	103.9	94.7	9.2	105.5	13.9	149.3	.....
.....	14.2	9.7	128.3	252.1	76.8	55.9	127.6	78.3	94.0	76.1	14.9	94.0	11.9	120.1	.....
1.6	16.5	64.3	204.5	252.3	245.7	136.9	239.1	125.3	146.8	92.3	1.6	69.2	102.2	206.1	.....
.....	15.9	41.2	213.8	188.6	209.8	111.6	128.8	99.6	123.5	59.8	5.3	70.4	46.5	154.1	1.3
2.6	18.5	50.3	190.6	209.2	207.8	119.1	101.9	95.3	100.6	83.4	9.3	71.5	46.3	136.3	1.3
.....	9.2	40.9	194.0	200.6	161.0	108.2	62.0	89.7	146.5	102.9	4.0	100.3	60.7	155.7	.....
.....	11.8	26.3	194.7	246.0	159.2	144.7	140.7	146.0	152.6	89.4	3.9	106.5	69.7	143.4	.....
1.3	13.1	53.8	200.6	233.4	145.5	142.9	118.0	139.0	140.3	91.8	7.9	93.1	66.9	129.8	.....
1.3	15.7	36.7	188.5	248.7	163.6	133.5	86.4	130.9	151.8	92.9	7.9	102.1	65.5	115.2	.....
1.3	7.8	34.0	176.5	305.9	151.6	94.1	87.6	109.8	139.9	133.3	9.2	105.9	62.7	141.2	.....
1.3	22.2	26.1	131.8	312.0	96.6	112.3	130.5	121.4	114.9	144.9	6.5	77.0	65.3	114.9	.....
2.6	15.6	37.8	202.0	308.9	127.7	75.6	87.3	117.3	131.6	78.2	9.1	104.3	50.8	116.0	.....
.....	14.2	60.3	186.2	152.5	188.0	111.7	157.9	122.4	108.2	86.9	3.5	74.5	72.7	188.0	1.8
5.2	6.9	53.6	147.0	105.5	183.3	79.5	60.5	89.9	77.8	91.6	6.9	69.2	67.4	155.6	.....
3.4	15.2	28.7	197.3	227.7	161.9	111.3	86.0	102.9	91.1	81.0	10.1	114.7	33.7	146.7	.....
1.6	19.8	42.8	209.1	181.1	154.8	107.0	98.8	84.0	107.0	95.5	8.2	107.0	31.3	141.6	.....
1.6	14.5	49.8	186.5	242.8	188.1	104.5	99.7	127.0	112.6	78.8	4.8	138.3	37.0	151.1	.....
1.6	22.0	44.0	198.0	223.1	149.3	84.8	99.0	97.4	119.4	100.6	9.4	114.7	29.9	122.6	1.6
1.5	18.2	43.9	222.6	255.9	121.1	81.8	151.4	116.6	160.5	83.3	18.2	124.2	27.3	160.5	.....
2.9	22.0	42.5	194.9	276.9	126.0	92.3	142.1	126.0	134.8	79.1	17.6	109.9	17.6	170.0	.....
1.4	18.5	48.3	180.2	272.5	144.8	93.7	164.6	130.6	133.4	97.9	17.0	93.7	28.4	132.0	.....
.....	17.9	28.9	163.8	224.3	107.3	90.8	158.3	114.2	119.7	81.2	12.4	104.6	8.3	143.1	.....
4.6	4.6	50.7	124.5	221.2	147.5	59.9	175.2	110.6	50.7	92.2	9.2	78.4	55.3	189.0	4.6
4.5	4.5	40.2	138.3	116.0	116.0	133.9	80.3	98.2	89.2	66.9	17.8	80.3	31.2	200.8	4.5
4.3	13.0	47.6	82.2	147.0	82.2	82.2	51.9	82.2	77.8	82.2	4.3	43.2	17.3	203.2	4.3
.....	12.6	46.1	121.6	197.1	71.3	58.7	117.4	79.7	46.1	88.1	12.6	46.1	16.7	155.2	.....
.....	24.4	44.8	122.1	207.7	89.6	97.7	48.9	109.9	36.6	150.7	16.3	52.9	16.3	158.8	4.1
7.9	23.7	31.7	146.4	178.0	79.1	91.0	130.6	134.5	67.3	79.1	11.9	98.9	23.7	142.4	.....
.....	7.8	31.3	211.0	250.0	203.1	66.4	89.9	117.2	93.8	78.1	15.6	113.3	11.7	168.0	.....
3.9	.....	30.9	150.6	212.4	158.3	65.6	158.3	139.0	81.1	127.4	27.0	108.1	27.0	162.2	.....
3.8	15.3	38.2	122.2	301.6	106.9	45.8	95.4	103.1	68.7	91.6	22.9	68.7	.....	190.9	.....
.....	7.5	11.3	158.5	245.3	64.2	83.0	98.1	135.9	56.6	49.1	22.6	124.6	22.6	158.5	.....
.....	.....	33.8	118.7	202.5	216.5	125.7	160.6	146.7	132.7	48.9	.....	83.8	27.9	181.5	.....
.....	7.0	27.9	167.2	118.4	188.1	139.3	76.6	104.5	118.4	48.8	.....	118.4	62.7	153.3	.....
.....	7.0	34.8	104.3	152.9	152.9	139.0	125.1	111.2	111.2	41.7	.....	27.8	48.7	118.2	.....
.....	.....	41.6	166.5	194.2	111.0	145.7	83.2	83.2	117.9	55.5	6.9	48.6	34.7	90.2	.....
.....	.....	34.6	173.0	110.7	166.1	117.7	96.9	103.8	90.0	27.7	6.9	69.2	41.5	179.9	.....
.....	13.8	34.5	186.5	234.8	193.4	145.0	110.5	89.8	96.7	55.2	.....	103.6	41.4	103.6	.....
.....	13.7	47.9	184.8	191.6	116.3	177.9	116.3	54.7	123.2	68.4	.....	89.0	34.2	95.8	.....
.....	20.4	20.4	203.6	156.1	183.3	156.1	142.5	74.7	95.0	40.7	6.8	67.9	13.6	122.2	.....
6.7	6.7	20.2	141.4	228.9	80.8	154.8	87.5	107.7	101.0	67.3	6.7	60.6	33.7	80.8	.....
.....	26.7	13.4	173.6	213.7	140.2	146.9	100.2	86.8	100.2	40.1	.....	73.4	.....	40.1	.....
2.1	18.8	58.4	131.5	162.7	139.8	118.9	204.5	106.4	85.5	100.1	4.2	102.2	37.6	96.0	.....
.....	5.9	67.2	124.4	193.6	122.5	124.4	104.7	79.0	77.0	77.0	2.0	108.6	31.6	112.6	2.0
.....	5.6	43.1	129.4	146.3	106.9	112.5	189.4	103.1	121.9	61.9	9.4	73.1	22.5	123.8	.....
.....	7.1	41.1	121.4	133.9	66.0	101.7	167.8	75.0	107.1	73.2	7.1	80.3	30.3	91.0	.....
.....	8.5	59.6	129.4	129.4	131.1	129.4	187.3	88.6	143.1	61.3	5.1	100.5	13.6	122.6	.....
1.6	14.7	169.3	97.7	148.2	86.3	84.7	223.1	76.5	112.4	57.0	1.6	96.1	6.5	105.8	1.6
1.5	13.7	35.1	113.0	178.6	108.4	114.5	172.5	100.8	119.1	79.4	12.2	137.4	4.6	106.9	.....
.....	18.8	39.0	102.5	150.1	89.5	92.4	218.0	89.5	124.1	60.6	18.8	114.0	13.0	95.3	.....
.....	1.4	23.3	79.4	135.5	90.4	76.7	214.9	78.0	110.9	68.5	13.7	110.9	1.4	93.1	.....
.....	6.5	16.9	74.2	139.3	118.5	122.4	205.7	74.2	101.5	65.1	11.7	98.9	1.3	74.2	.....

[2] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
NORTH CAROLINA.[2]														
Raleigh *	1900	3,005.2	95.3	36.6	.....	14.7	.....	29.3	14.7	51.3	(3)	271.2	.....	51.3
	1901	2,930.6	88.1	44.1	.....	.....	.....	58.8	22.0	73.4	(3)	308.5	36.7	14.7
	1902	2,671.3	66.2	44.2	.....	7.4	.....	.....	7.4	.....	(3)	367.9	51.5	80.9
	1903	1,968.6	73.7	22.1	.....	.....	.....	29.5	.....	.....	(3)	383.4	14.7	73.7
	1904	2,327.0	59.1	7.4	.....	.....	.....	36.9	29.5	29.5	(3)	362.0	59.1	110.8
	1905	2,597.9	44.4	22.2	.....	81.4	.....	29.6	51.8	14.8	59.2	340.5	44.4	81.4
	1906	2,632.8	74.2	29.7	.....	7.4	.....	59.3	14.8	7.4	29.7	267.0	29.7	44.5
	1907	[4] 3,366.3	141.2	37.2	.....	.....	.....	29.7	37.2	37.2	22.3	349.3	37.2	81.7
	1908	2,361.6	93.4	5.2	.....	.....	.....	10.4	10.4	62.3	26.0	337.4	62.3	83.0
	1909	2,432.4	26.0	46.8	.....	20.8	5.2	10.4	5.2	10.4	26.0	374.2	15.6	46.8
Wilmington	1900	3,079.7	100.1	262.2	.....	4.8	4.8	.....	14.3	81.0	(3)	224.1	57.2	38.1
	1901	2,646.6	88.4	241.9	.....	4.7	.....	4.7	37.2	74.4	(3)	246.5	41.9	37.2
	1902	2,738.6	86.4	254.8	.....	.....	.....	18.2	31.8	77.3	(3)	259.3	36.4	63.7
	1903	2,523.9	53.4	169.2	.....	.....	8.9	133.5	13.4	71.2	(3)	191.4	40.1	22.3
	1904	2,614.6	69.7	191.7	.....	21.8	4.4	4.4	21.8	113.3	(3)	239.7	17.4	13.1
	1905	2,283.3	72.6	106.7	4.3	.....	.....	8.5	34.1	81.1	21.3	175.0	46.9	51.2
	1906	2,534.1	83.6	117.1	.....	.....	.....	33.5	8.4	92.0	37.6	230.0	46.0	66.9
	1907	2,315.9	45.1	65.6	.....	8.2	.....	4.1	.....	98.4	20.5	286.9	41.0	45.1
	1908	2,339.2	56.3	56.3	.....	20.1	.....	4.0	8.0	100.5	32.2	265.3	8.0	72.3
	1909	2,125.1	78.9	31.5	.....	.....	3.9	.....	.....	27.6	23.7	240.5	19.7	51.3
OHIO.														
Akron	1909	973.8	29.9	.....	.....	1.5	13.4	1.5	20.9	22.4	6.0	62.7	16.4	53.8
Alliance	1909	1,254.1	41.1	.....	.....	13.7	.....	.....	13.7	27.4	20.6	150.8	20.6	27.4
Ashtabula	1900	1,714.4	7.7	.....	.....	7.7	7.7	7.7	23.2	15.4	(3)	169.9	7.7	38.6
	1901	1,588.0	44.5	.....	.....	59.4	.....	7.4	14.8	14.8	(3)	103.9	7.4	44.5
	1902	1,518.3	35.8	.....	.....	7.2	.....	21.5	28.6	.....	(3)	150.4	21.5	28.6
	1903	1,370.1	48.4	.....	6.9	6.9	.....	62.3	13.8	20.8	(3)	131.5	6.9	48.4
	1904	1,606.5	133.9	.....	.....	26.8	.....	13.4	.....	20.1	(3)	93.7	6.7	40.2
	1905	1,361.2	58.3	.....	.....	6.5	.....	.....	.....	6.5	.....	77.8	13.0	58.3
	1906	1,985.5	37.7	.....	.....	.....	.....	25.1	18.9	6.3	25.1	144.5	18.9	106.8
	1907	1,524.1	18.3	.....	.....	.....	.....	18.3	42.7	12.2	12.2	115.8	.....	18.3
	1908	1,391.3	82.9	.....	.....	11.8	17.8	.....	11.8	5.9	17.8	77.0	17.8	35.5
	1909	1,323.4	40.3	.....	5.8	5.8	.....	34.5	5.8	.....	.....	126.6	23.0	63.3
Bellaire	1900	1,795.8	60.5	.....	.....	.....	40.4	50.4	20.2	10.1	(3)	191.7	.....	30.3
	1901	1,914.3	19.7	.....	.....	.....	9.9	9.9	19.7	39.5	(3)	207.2	19.7	49.3
	1902	2,098.6	87.0	.....	9.7	.....	.....	.....	9.7	19.3	(3)	125.7	19.3	77.4
	1903	1,469.8	56.9	.....	85.3	.....	.....	.....	28.4	9.5	(3)	85.3	9.5	19.0
	1904	2,139.1	37.2	.....	.....	46.5	9.3	74.4	55.8	27.9	(3)	130.2	.....	46.5
	1905	1,633.5	18.3	.....	.....	.....	9.1	9.1	18.3	9.1	.....	182.5	27.4	45.6
	1906	1,388.4	80.6	.....	.....	.....	9.0	.....	35.8	9.0	9.0	116.4	26.9	44.8
	1907	1,907 8	56.6	.....	.....	24.3	8.1	40.4	24.3	40.4	32.3	105.1	16.2	97.0
	1908	1,510.8	23.9	.....	.....	8.0	.....	.....	55.7	8.0	8.0	238.5	.....	39.8
	1909	1,619.5	46.9	.....	.....	93.9	.....	39.1	101.7	15.6	7.8	187.8	39.1	23.5
Cambridge	1909	1,056.1	27.1	.....	.....	9.0	.....	.....	.....	.....	.....	144.4	54.2	81.2
Canton	1900	1,173.9	29.3	.....	.....	3.3	.....	16.3	45.6	9.8	(3)	94.6	9.8	45.6
	1901	1,106.6	15.5	.....	.....	.....	.....	6.2	18.6	15.5	(3)	124.0	9.3	46.5
	1902	1,052.3	11.9	.....	3.0	.....	.....	.....	8.9	3.0	(3)	86.0	11.9	29.6
	1903	1,042.4	19.9	.....	.....	.....	11.4	28.4	19.9	17.0	(3)	122.1	11.4	39.8
	1904	995.1	27.3	.....	.....	2.7	2.7	.....	16.4	8.2	(3)	87.2	16.4	51.8
	1905	964.0	11.6	.....	.....	.....	.....	4.6	27.8	18.5	9.3	64.9	2.3	25.5
	1906	907.5	20 2	.....	.....	9.0	.....	2.2	26.9	4.5	9.0	65.0	9.0	49.3
	1907	1,054.2	56 4	.....	.....	.....	21.7	4.3	13.0	8.7	4.3	93.3	4.3	49.9
	1908	933.2	16 8	.....	.....	8.4	8.4	10.5	8.4	12.6	2.1	79.9	14.7	63.1
	1909	999.0	20.4	.....	.....	4.1	24.5	4.1	18.3	2.0	.....	67.3	14.3	51.0
Chillicothe	1900	2,019 1	69.4	23.1	.....	.....	.....	23.1	15.4	38.5	(3)	323.7	.....	61.7
	1901	1,856.5	76.1	.....	.....	15.2	.....	.....	15.2	68.5	(3)	243.5	7.6	98.9
	1902	1,714.5	82.7	.....	.....	.....	.....	22.6	7.5	7.5	(3)	188.0	22.6	90.2
	1903	1,538.7	29.7	.....	.....	37.2	.....	7.4	7.4	22.3	(3)	148.7	22.3	81.8
	1904	1,359.5	95.5	.....	.....	.....	.....	29.4	22.0	44.1	(3)	213.1	.....	58.8
	1905	1,336.9	58.1	.....	.....	.....	.....	14.5	14.5	7.3	7.3	123.5	21.8	79.9
	1906	1,508 8	57.5	.....	.....	28.7	21.6	.....	21.6	21.6	7.2	136.5	7.2	35.9
	1907	1,392.7	71.1	.....	.....	.....	14.2	21.3	21.3	21.3	7.1	163.4	14.2	71.1
	1908	1,525.2	49.2	.....	.....	.....	.....	7.0	63.3	28.1	35.1	260.1	21.1	70.3
	1909	1,856.2	152.9	.....	.....	.....	.....	.....	41.7	34.8	20.9	243.3	20.9	76.5
Cincinnati	1900	1,818.3	39.0	1.2	2.5	1.2	8.3	5.5	27.9	15.0	(2)	202.2	21.8	70.6
	1901	1,945 3	54.7	4.6	0.3	18.2	7 9	5.8	21.6	41.3	(2)	235.5	29.5	77.5
	1902	1,793.7	61.5	4.2	1.8	17.2	17.8	6.6	23.2	14.2	(2)	205.5	28.0	77.4
	1903	1,858.5	42.2	1.2	4.2	9.8	11.0	6.8	18.4	31.5	(2)	235.5	30.3	82.7
	1904	2,057.8	79.2	0.9	3.5	22.8	6.9	2.0	13.3	34.1	(2)	265.4	36.4	78.9
	1905	1,894.8	40.4	0.6	0.6	2.9	21.5	16.3	22.6	21.8	17.2	248.0	37.8	72.5
	1906	2,041.3	70.2	1.7	0.3	33.0	4.0	5.4	22.5	24.7	18.8	266.1	35.5	87.9
	1907	1,811.4	45.4	0.6	.....	9.3	1.7	3.7	14.9	16.9	11.0	231.8	29.3	86.9
	1908	1,802.7	18.2	0.8	0.8	15.1	8.7	8.1	15.9	36.6	13.1	247.1	31.0	96.1
	1909	1,646.3	13.3	1.4	0.6	0.3	4.7	6.1	11.4	20.8	11.4	234.0	37.4	101.2
Cleveland	1900	1,763.1	56.8	1.8	5.0	2.3	9.7	5.5	56.8	7.1	(2)	127.3	5.5	53.2
	1901	1,498.7	34.4	1.8	5.0	4.0	10.0	2.8	43.2	15.6	(2)	106.5	13.8	58.5
	1902	1,543.3	34.6	0.7	56.4	4.4	9.9	9.0	51.3	4.4	(2)	114.4	11.4	53.0
	1903	1,605.1	111.0	0.7	5.4	2.8	4.2	12.6	46.8	7.4	(2)	127.2	12.1	60.0
	1904	1,470.8	47.4	1.1	1.3	11.7	0.9	2.2	31.9	4.9	(2)	137.5	12.1	58.4
	1905	1,348.4	13.7	1.1	.....	2.1	10.5	6.9	23.1	6.1	6.5	117.2	11.8	59.0
	1906	1,491.7	18.8	0.4	.....	20.2	15.2	12.3	33.8	4.3	9.9	118.8	15.4	61.9
	1907	1,515.3	17.7	0.4	.....	7.7	26.5	9.4	17.9	15.1	8.4	125.3	13.9	61.3
	1908	1,333.6	11.8	0.8	.....	8.0	6.9	6.7	16.4	10.5	5.7	119.0	14.5	67.3
	1909	1,292.5	13.3	0.4	.....	9.3	5.7	7.2	13.0	6.9	8.5	109.7	20.8	69.1

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	109.9	146.6	124.6	161.3	146.6	278.5	285.9	80.6	29.3	.....	95.3	366.5	241.9	373.8
7.3	7.3	95.5	352.6	183.6	168.9	146.9	220.3	117.5	154.2	80.8	7.3	73.4	161.6	154.2	352.6
.....	7.4	73.6	235.5	147.2	132.5	103.0	316.4	161.9	58.9	103.0	7.4	110.4	117.7	213.4	257.6
.....	7.4	36.9	132.7	103.2	110.6	95.8	95.8	147.5	95.8	36.9	14.7	125.3	51.6	132.7	184.3
7.4	.....	44.3	177.3	162.5	88.6	66.5	258.6	140.4	66.5	81.3	7.4	125.6	73.9	221.6	110.8
.....	.....	59.2	214.6	148.0	170.2	133.2	266.4	155.4	51.8	74.0	22.2	96.2	96.2	148.0	192.4
.....	.....	37.1	244.7	192.8	274.4	178.0	244.7	178.0	126.1	66.7	37.1	155.7	44.5	192.8	96.4
.....	14.9	29.7	371.6	349.3	237.8	111.5	349.3	170.9	170.9	156.1	7.4	170.9	52.0	282.4	118.9
.....	.....	20.8	238.8	207.6	124.6	77.9	202.4	160.9	129.8	88.2	5.2	103.8	41.5	186.8	83.0
10.4	15.6	26.0	291.1	218.3	187.1	67.6	187.1	145.5	109.1	114.3	15.6	88.4	93.6	218.3	57.2
.....	4.8	38.1	390.9	157.3	205.0	138.3	357.6	147.8	71.5	128.7	.....	90.6	319.4	171.6	71.5
.....	.....	41.9	279.1	209.3	144.2	139.5	209.3	83.7	79.1	116.3	.....	97.7	153.5	186.1	130.2
4.5	.....	18.2	323.0	222.9	186.5	91.0	227.5	122.8	54.6	127.4	4.5	136.5	159.2	177.4	54.6
.....	.....	26.7	284.9	293.8	124.6	57.9	164.7	178.1	97.9	66.8	4.5	160.2	84.6	195.9	80.1
.....	4.4	47.9	261.5	222.2	113.3	108.9	213.5	169.9	100.2	117.7	4.4	126.4	161.2	204.8	61.0
4.3	8.5	12.8	251.8	221.9	85.4	46.9	217.7	115.2	123.8	115.2	25.6	123.8	81.1	200.6	46.9
.....	4.2	25.1	225.8	213.3	154.7	71.1	217.4	129.6	133.8	79.5	.....	150.5	171.4	192.4	50.2
.....	4.1	36.9	233.6	286.9	98.4	45.1	221.3	139.4	151.7	49.2	16.4	176.3	65.6	151.7	24.6
.....	8.0	44.2	209.0	241.2	104.5	64.3	217.0	140.7	184.9	92.4	12.1	100.5	96.5	196.9	4.0
7.9	3.9	27.6	236.6	248.4	78.9	39.4	212.9	138.0	114.3	130.1	15.8	98.6	78.9	212.9	8.9
.....	3.0	6.0	67.2	118.0	64.2	50.8	59.7	68.7	55.3	62.7	19.4	94.1	.....	76.2	.....
.....	6.9	20.6	116.5	116.5	95.9	27.4	102.8	82.2	20.6	61.7	.....	123.4	13.7	137.1	13.7
.....	.....	15.4	185.4	85.0	131.3	54.1	123.6	115.8	15.4	85.0	15.4	254.9	146.7	177.6	23.2
7.4	7.4	14.8	126.2	141.0	178.1	14.8	111.3	126.2	44.5	81.6	14.8	192.9	37.1	185.5	7.4
7.2	7.2	7.2	200.5	143.2	214.9	28.6	35.8	100.3	50.1	114.6	28.6	136.1	57.3	85.9	7.2
.....	.....	6.9	103.8	83.0	173.0	27.7	117.6	41.5	6.9	55.4	6.9	166.1	48.4	173.0	13.8
6.7	6.7	26.8	160.7	53.6	307.9	26.8	113.8	20.1	6.7	87.0	26.8	180.7	107.1	140.6	.....
6.5	6.5	6.5	149.1	84.3	207.4	25.9	71.3	77.8	13.0	71.3	19.4	226.9	45.4	123.2	6.5
12.6	12.6	12.6	207.4	94.3	351.9	25.1	163.4	132.0	31.4	94.3	.....	219.9	88.0	157.1	.....
6.1	18.3	30.5	158.5	115.8	243.9	6.1	115.8	67.1	36.6	73.2	6.1	158.5	97.5	152.4	.....
.....	5.9	47.4	136.2	124.3	171.7	5.9	59.2	100.6	35.5	88.8	11.8	88.8	82.9	153.9	.....
.....	23.0	23.0	155.4	92.1	97.8	40.3	109.3	74.8	46.0	69.0	23.0	161.1	5.8	97.8	.....
.....	10.1	40.4	111.0	111.0	181.6	70.6	131.1	151.3	70.6	70.6	10.1	181.6	60.5	181.6	10.1
.....	.....	69.1	177.6	78.9	365.1	78.9	98.7	138.1	19.7	69.1	.....	128.3	177.6	128.3	9.9
.....	.....	96.7	174.1	116.1	261.1	77.4	212.8	193.4	58.0	77.4	.....	125.7	174.1	154.7	29.0
.....	9.5	37.9	170.7	94.8	113.8	75.9	104.3	56.9	47.4	56.9	19.0	180.2	56.9	151.7	.....
.....	9.3	93.0	158.1	213.9	241.8	55.8	241.8	186.0	139.5	46.5	18.6	111.6	65.1	130.2	.....
.....	9.1	54.8	91.3	109.5	237.3	63.9	91.3	91.3	100.4	73.0	18.3	173.4	118.6	82.1	.....
.....	9.0	44.8	125.4	116.4	143.3	53.7	44.8	80.6	26.9	89.6	9.0	134.4	62.7	116.4	.....
.....	8.1	64.7	137.4	129.3	282.9	64.7	64.7	105.1	32.3	40.4	24.3	315.3	80.8	113.2	.....
8.0	.....	23.9	111.3	135.2	143.1	47.7	87.5	71.6	23.9	47.7	63.6	143.1	103.4	119.3	.....
.....	.....	15.6	70.4	133.0	195.6	70.4	140.8	93.9	39.1	101.7	31.3	93.9	15.6	62.6	.....
9.0	.....	9.0	135.4	81.2	36.1	.....	81.2	117.3	54.2	27.1	.....	126.4	.....	63.2	.....
.....	9.8	22.8	212.0	55.4	94.6	35.9	61.9	65.2	52.2	42.4	9.8	55.4	52.2	123.9	26.1
3.1	6.2	18.6	167.4	89.9	114.7	34.1	40.3	77.5	31.0	15.5	3.1	83.7	80.6	102.3	3.1
.....	14.8	23.7	157.1	100.8	83.0	44.5	47.4	68.2	47.4	47.4	14.8	80.0	88.9	77.1	3.0
.....	11.4	19.9	122.1	119.3	59.6	34.1	42.6	51.1	34.1	65.3	8.5	68.2	34.1	96.6	5.7
5.5	13.6	24.5	111.8	87.2	87.2	49.1	21.8	68.2	35.4	46.3	8.2	62.7	57.3	92.7	10.9
2.3	7.0	30.1	102.0	104.3	78.8	37.1	62.6	83.4	30.1	53.3	11.6	71.8	18.5	97.3	9.3
.....	4.5	22.4	112.0	116.5	85.1	29.1	49.3	53.8	17.9	35.9	13.4	67.2	35.9	67.2	2.2
2.2	6.5	34.7	106.3	121.5	101.9	34.7	32.5	82.4	34.7	36.9	10.8	67.2	39.0	82.4	4.3
.....	18.9	18.9	111.4	132.4	63.1	27.3	52.5	42.0	23.1	39.9	21.0	50.4	29.4	77.8	.....
2.0	14.3	24.5	114.2	146.8	69.3	36.7	69.3	51.0	51.0	44.9	4.1	83.6	14.3	65.2	2.0
15.4	30.8	84.8	177.3	123.3	123.3	84.8	123.3	92.5	46.2	46.2	7.7	92.5	161.8	254.3	.....
7.6	.....	38.0	175.0	159.8	106.5	76.1	114.1	76.1	38.0	22.8	15.2	121.7	114.1	266.3	.....
.....	.....	52.6	157.9	195.5	105.3	60.2	60.2	45.1	60.2	52.6	30.1	75.2	105.3	285.8	7.5
.....	.....	44.6	133.8	237.9	74.3	52.0	52.0	89.2	37.2	66.9	14.9	104.1	104.1	171.0	.....
14.7	.....	29.4	73.5	102.9	102.9	66.1	44.1	73.5	44.1	80.8	22.0	80.8	51.4	110.2	.....
.....	.....	43.6	152.6	138.1	79.9	43.6	29.1	116.3	43.6	138.1	14.5	36.3	36.3	138.1	.....
.....	7.2	28.7	251.5	201.2	64.7	79.0	28.7	71.8	57.5	86.2	21.6	50.3	100.6	122.1	.....
.....	21.3	14.2	149.2	135.0	78.2	49.7	56.8	85.3	71.1	49.7	14.2	85.3	42.6	135.0	.....
7.0	14.1	14.1	147.6	154.6	63.3	49.2	42.2	84.3	91.4	35.1	21.1	91.4	35.1	140.6	.....
.....	7.0	7.0	201.6	243.3	118.2	13.9	83.4	104.3	104.3	118.2	13.9	83.4	20.9	146.0	.....
1.5	8.9	70.6	171.9	144.2	131.3	139.3	104.9	111.4	108.6	69.0	12.9	90.8	88.7	165.7	3.4
0.9	9.7	57.7	165.9	168.1	131.0	151.7	106.1	113.7	121.6	75.7	24.3	116.7	31.6	172.9	0.9
1.8	6.6	53.6	141.9	176.8	118.1	130.7	109.7	118.4	116.6	74.7	21.1	96.4	25.3	144.6	.....
1.8	8.9	43.7	165.0	163.2	118.9	141.8	103.2	107.0	122.8	70.2	24.1	114.2	40.7	159.4	.....
2.3	10.1	49.7	160.2	185.9	161.9	154.1	133.9	112.2	130.1	72.9	25.2	103.5	38.5	173.8	0.3
1.4	11.2	42.4	163.1	181.8	126.4	144.8	102.4	105.5	121.0	65.9	25.8	114.7	37.0	148.8	0.3
0.9	12.5	46.1	168.9	197.0	110.6	141.3	143.0	102.4	143.0	81.9	21.3	116.0	44.4	141.6	0.3
0.8	13.0	32.1	158.2	208.1	105.2	129.4	99.3	100.7	126.6	77.8	18.9	123.2	32.1	133.7	0.6
1.4	10.3	41.1	132.8	200.1	112.9	121.9	109.8	99.5	125.8	69.0	23.8	112.4	16.2	133.3	0.8
0.3	11.4	18.0	123.1	202.9	100.4	93.2	95.9	97.6	142.2	61.3	17.7	111.2	13.6	113.7	1.4
1.8	4.4	49.2	214.3	127.3	163.2	94.3	118.7	91.2	55.8	110.3	15.2	83.3	171.6	126.8	4.7
1.8	5.8	38.7	161.5	126.6	127.1	82.9	99.9	91.7	66.0	109.0	13.6	82.4	62.8	132.8	0.8
2.7	5.1	38.7	153.1	130.6	134.0	102.1	115.4	80.1	64.8	89.0	15.0	94.8	53.0	115.1	0.5
2.1	7.0	31.2	151.7	132.6	125.6	88.9	122.6	80.5	76.5	112.6	16.7	95.6	52.8	117.7	0.9
1.1	7.0	28.8	144.9	133.2	124.0	80.0	130.3	76.4	74.8	92.6	16.4	82.7	38.6	128.7	1.6
1.7	7.6	29.8	123.5	136.3	102.5	84.4	125.8	78.1	76.0	69.5	21.0	86.8	33.0	114.3	.....
1.0	8.3	23.9	143.3	138.2	120.8	100.2	132.4	83.4	85.2	78.7	14.4	92.7	34.4	123.7	.....
2.0	11.0	20.2	137.8	150.6	109.0	99.0	135.9	69.9	92.7	96.6	20.4	99.2	33.6	133.7	0.2
1.1	12.4	14.5	137.9	151.2	74.9	85.6	126.0	80.7	73.4	70.5	17.7	83.7	33.4	103.0	.....
1.1	12.2	10.4	97.3	156.2	67.3	90.2	147.3	74.7	86.4	62.3	22.4	94.9	3.3	101.4	0.7

[3] Not computed separately.

[4] Probably included deaths in added territory prior to the date of annexation.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
OHIO—continued.														
Columbus	1900	1,584.1	53.4	4.8	.....	7.2	8.8	13.5	22.3	22.3	(2)	209.5	19.9	67.7
	1901	1,414.6	47.4	5.4	.....	.....	14.5	3.8	6.9	23.7	(2)	203.5	19.1	50.5
	1902	1,550.2	36.2	.....	0.7	16.2	6.6	11.8	8.9	11.8	(2)	191.2	5.2	63.5
	1903	1,631.0	36.4	1.4	35.7	11.4	12.1	17.8	5.0	10.0	(2)	209.7	10.7	64.9
	1904	1,614.1	141.4	2.8	.....	7.6	9.7	1.4	16.6	12.4	(2)	204.9	41.4	69.7
	1905	1,485.4	80.8	.....	1.3	.....	2.0	9.4	23.4	14.7	10.7	189.0	30.1	69.5
	1906	1,528.3	35.0	.....	.....	4.5	5.2	4.5	12.9	2.6	11.7	198.7	29.1	65.4
	1907	1,551.2	35.8	.....	.....	0.6	1.3	7.5	9.4	11.3	11.3	181.5	35.8	64.1
	1908	1,517.8	102.4	0.6	.....	3.0	0.6	9.1	8.5	18.9	7.3	172.0	29.9	82.3
	1909	1,401.5	19.6	0.6	.....	9.5	1.2	3.0	5.3	5.3	10.1	155.3	33.2	102.5
Dayton	1900	1,564.5	35.2	3.5	.....	1.2	7.0	3.5	37.5	12.9	(2)	171.1	24.6	75.0
	1901	1,628.7	34.5	2.3	.....	4.6	4.6	5.8	28.8	32.2	(2)	193.4	38.0	73.7
	1902	1,483.5	45.3	7.9	.....	22.6	4.5	18.1	21.5	5.7	(2)	181.2	37.4	70.2
	1903	1,420.8	24.5	1.1	6.7	.....	1.1	7.8	11.1	14.5	(2)	183.6	20.0	81.2
	1904	1,521.2	28.5	2.2	25.2	6.6	4.4	7.7	6.6	12.0	(2)	190.6	39.4	87.6
	1905	1,518.1	23.5	3.2	.....	10.7	4.3	11.8	16.0	11.8	5.3	191.4	38.5	81.3
	1906	1,582.7	26.3	3.2	.....	1.1	1.1	26.3	34.8	10.5	16.8	204.3	14.7	81.1
	1907	1,513.3	35.1	3.1	.....	13.4	5.2	4.1	24.8	10.3	8.3	181.6	24.8	85.7
	1908	1,475.5	18.2	.....	.....	2.0	4.0	17.2	8.1	16.2	9.1	186.8	23.2	93.9
	1909	1,542.1	26.9	2.0	1.0	11.0	3.0	6.0	11.0	14.9	10.0	191.1	31.9	118.5
East Liverpool	1909	1,267.8	64.6	.....	.....	24.9	.....	14.9	14.9	5.0	5.0	149.2	9.9	19.9
Elyria	1909	1,290.1	27.9	7.0	.....	.....	.....	7.0	.....	.....	7.0	69.7	20.9	69.7
Findlay	1900	1,663.5	113.6	.....	.....	.....	5.7	5.7	68.1	17.0	(2)	221.4	17.0	45.4
	1901	1,218.9	34.7	11.6	11.6	28.9	.....	5.8	40.4	5.8	(2)	144.4	23.1	40.4
	1902	1,162.5	35.2	.....	.....	.....	.....	.....	.....	11.7	(2)	152.7	11.7	82.2
	1903	1,171.6	33.8	.....	5.6	.....	.....	11.3	.....	5.6	(2)	101.4	5.6	50.7
	1904	1,511.5	48.6	12.1	.....	12.1	6.1	.....	.....	18.2	(2)	163.9	24.3	42.5
	1905	1,389.3	43.2	.....	.....	.....	18.5	6.2	24.7	12.3	24.7	234.6	18.5	98.8
	1906	1,313.1	31.4	6.3	.....	.....	.....	12.6	.....	6.3	.....	175.9	12.6	94.2
	1907	1,343.0	38.4	.....	.....	.....	6.4	.....	25.6	19.2	38.4	121.5	12.8	89.5
	1908	1,119.9	.....	.....	.....	.....	6.5	26.0	.....	13.0	6.5	149.8	.....	97.7
	1909	1,419.2	46.4	.....	.....	.....	.....	.....	33.2	13.3	13.3	159.2	33.2	99.5
Fremont	1909	1,293.5	20.4	.....	.....	.....	.....	.....	30.6	10.2	.....	91.7	30.6	132.4
Hamilton	1900	1,538.8	25.1	4 2	.....	.....	12.5	8.4	16.7	20.9	(2)	175.6	29.3	46.0
	1901	1,418.9	23.8	.....	.....	15.9	27.8	7.9	15.9	27.8	(2)	170.9	23.8	47.7
	1902	1,474.7	41.8	.....	.....	11.4	3.8	15.2	49.4	7.6	(2)	152.0	26.6	49.4
	1903	1,321.8	40.1	.....	7.3	.....	10.9	.....	29.1	32.8	(2)	123.8	29.1	65.5
	1904	1,439.9	24.5	.....	.....	48.9	7.0	10.5	14.0	10.5	(2)	157.3	24.5	48.9
	1905	1,108.7	13.4	.....	.....	.....	3.4	23.5	20.2	3.4	13.4	100.8	30.2	50.4
	1906	1,410.3	48.5	3.2	.....	29.1	.....	22.6	12.9	3.2	6.5	119.7	35.6	71.2
	1907	1,418.5	28.1	.....	.....	18.7	6.2	.....	9.4	9.4	3.1	152.8	28.1	49.9
	1908	1,430.0	27.1	.....	.....	6.0	.....	18 1	15.1	18.1	12.0	171.6	18.1	75.3
	1909	1,297.7	26.2	.....	.....	.....	.....	2.9	11.6	8.7	2.9	130.9	29.1	52.4
Ironton	1900	1,558.8	92.7	.....	.....	33.7	.....	16.9	8.4	8.4	(2)	168.5	42.1	42.1
	1901	1,923.9	58.3	.....	.....	8.3	.....	50.0	16.7	16.7	(2)	291.5	8.3	75.0
	1902	1,936.4	65.9	.....	8.2	74.2	.....	.....	8.2	33.0	(2)	304.9	41.2	90.6
	1903	1,386.1	65.2	8.2	40.8	16.3	.....	24.5	16.3	8.2	(2)	220.1	.....	40.8
	1904	1,307.1	32.3	.....	48.4	8.1	8.1	.....	24.2	.....	(2)	145.2	16.1	32.3
	1905	1,637.0	63.9	8.0	.....	.....	31.9	55.9	47.9	8.0	39.9	247.5	16.0	47.9
	1906	1,817.8	86.9	.....	.....	31.6	7.9	15.8	31.6	.....	63.2	276.6	31.6	47.4
	1907	1,760.9	101.7	.....	.....	15.6	.....	86.1	7.8	.....	46.9	195.6	39.1	70.4
	1908	1,107.4	69.7	7.7	.....	.....	.....	7.7	7.7	7.7	.....	123.9	15.5	54.2
	1909	1.449.1	30.7	.....	.....	.....	.....	23.0	7.7	.....	30.7	161.0	30.7	69.0
Lancaster	1909	1,026.4	15.7	.....	.....	.....	.....	.....	.....	15.7	.....	109.7	15.7	78.4
Lima	1900	1,933.4	73.7	9.2	.....	9.2	9.2	9.2	23.0	23.0	(2)	165.7	13.8	46.0
	1901	1,844.8	57.9	.....	.....	.....	4.5	13.4	53.5	62.4	(2)	218.3	22.3	71.3
	1902	1,334.4	23.9	12 0	.....	.....	4.0	8.0	39.8	19.9	(2)	159.3	15.9	47.8
	1903	1,330.9	30.8	.....	.....	38.5	.....	19.2	11.5	11.5	(2)	161.6	15.4	46.2
	1904	1,346.5	33.8	7.5	.....	3.8	7.5	15.0	26.3	37.5	(2)	108.8	26.3	33.8
	1905	1,185.7	22.0	.....	.....	.....	7 3	.....	51 2	14.6	11.0	139.1	18.3	40.3
	1906	1,121.8	39.3	7.1	.....	.....	7.1	.....	28.6	14.3	3.6	125.0	25.0	50.0
	1907	1,130.7	31.4	.....	.....	17.4	3.5	7.0	38.4	20.9	17.4	94.2	24.4	52.3
	1908	1,129.0	13.6	.....	.....	3.4	6.8	13.6	6.8	17.1	17.1	126.2	6.8	54.6
	1909	1,280.8	20.0	3.3	.....	.....	3.3	10.0	.....	16.7	20.0	103.4	30.0	40.0
Lorain	1909	1,508.0	32.3	.....	.....	28.7	.....	18.0	89.8	7.2	21.5	75.4	21.5	64.6
Mansfield	1909	1,408.6	92.6	4.9	.....	4.9	14.6	9.7	.....	4.9	9.7	112.1	9.7	87.7
Marietta	1900	1,565.8	67.4	15.0	.....	7.5	45.0	15.0	37.4	30.0	(2)	157.3	.....	67.4
	1901	1,886.9	120.3	7.5	.....	.....	.....	22.6	45.1	30.1	(2)	195.5	30.1	60.1
	1902	1,350.0	98.0	15 1	.....	.....	7.5	7.5	7.5	.....	(2)	120.7	30.2	67.9
	1903	1,467.9	83.2	7.6	53.0	.....	.....	.....	60.5	.....	(2)	121.1	15.1	113.5
	1904	1,351.2	75.9	.....	.....	15.2	7.6	15.2	.....	15.2	(2)	75.9	7.6	75.9
	1905	1,447.1	38.1	7.6	.....	.....	.....	22.8	.....	22.8	30.5	129.5	22.8	76.2
	1906	1,054.5	22.9	.....	.....	.....	.....	7.6	7.6	.....	.....	84.1	.....	68.8
	1907	1,364.6	38.3	7.7	.....	7.7	.....	.....	30.7	23.0	15.3	176.3	7.7	69.0
	1908	1,207.6	69.2	7.7	.....	.....	.....	15.4	.....	23.1	.....	169.2	.....	53.8
	1909	1,342.8	23.2	15.4	.....	.....	.....	38.6	.....	.....	7.7	162.1	23.2	61.7
Marion	1909	1,145.6	11.3	5.6	.....	5.6	5.6	.....	5.6	28.2	5.6	79.0	22.6	50.8

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
2.4	6.4	47.8	166.4	130.6	132.2	62.9	71.7	96.4	67.7	56.5	13.5	79.6	41.4	165.7	13.5
0.8	3.8	37.5	167.5	110.9	96.4	44.4	54.3	86.5	60.4	31.4	13.8	81.1	79.6	156.1	15.3
3.7	9.6	48.0	206.7	135.8	115.2	44.3	65.7	97.4	62.7	38.4	15.5	92.3	104.1	152.1	6.6
3.6	9.3	34.9	169.0	131.2	145.5	49.9	64.2	105.5	74.2	81.3	15.0	108.4	47.1	174.0	2.9
1.4	9.7	33.1	161.4	168.3	113.8	62.1	77.3	90.4	51.7	35.9	10.3	111.7	28.3	146.9	4.1
2.0	10.0	30.7	150.3	177.0	122.9	54.1	58.8	94.2	60.8	32.7	18.0	88.8	30.7	123.6	.....
.....	10.4	36.9	166.4	147.6	115.9	64.7	61.5	104.2	75.1	65.4	9.1	99.0	65.4	135.9	1.3
1.3	10.0	27.6	155.1	165.8	100.5	83.5	62.2	103.0	95.5	67.2	30.8	104.9	57.1	128.1	.....
1.8	10.4	23.2	153.1	184.2	87.8	59.8	42.1	85.4	80.5	73.2	30.5	89.0	39.0	123.2	.....
.....	7.7	17.2	145.2	205.6	67.0	74.7	57.5	104.3	81.2	55.7	23.7	81.8	7.7	126.8	.....
3.5	8.2	48.0	146.5	171.1	71.5	65.6	104.3	84.4	77.3	85.6	2.3	85.6	57.4	180.5	1.2
1.2	10.4	40.3	147.3	177.3	94.4	77.1	81.7	76.0	87.5	65.6	4.6	103.6	24.2	218.7	1.2
.....	9.1	44.2	139.3	143.8	80.4	70.2	65.7	88.3	67.9	75.9	4.5	95.1	37.4	145.0	2.3
2.2	10.0	32.3	129.1	154.6	87.9	55.6	81.2	82.3	81.2	45.6	7.8	116.8	24.5	158.0	.....
1.1	8.8	39.4	136.9	128.1	88.7	54.8	79.9	104.0	96.4	62.4	3.3	90.9	47.1	168.7	.....
1.1	13.9	40.6	145.4	154.0	91.9	49.2	81.3	91.9	82.3	70.6	28.9	85.5	41.7	142.2	.....
1.1	10.5	39.0	128.5	168.5	75.8	51.6	74.8	106.4	99.0	91.6	16.8	95.8	47.4	155.8	.....
1.0	13.4	47.5	141.4	213.6	120.8	84.6	86.7	105.3	81.5	108.4	24.8	116.6	23.7	146.6	1.0
2.0	10.1	40.4	137.3	193.9	83.8	57.6	51.5	94.9	68.7	75.7	18.2	103.0	28.3	130.3	1.0
.....	11.9	22.9	114.5	182.2	74.7	85.6	84.6	105.5	89.6	65.7	27.9	113.5	7.0	129.4	.....
.....	9.9	29.8	94.5	74.6	109.4	49.7	99.4	99.4	79.6	99.4	9.9	79.6	19.9	104.4	.....
.....	20.9	34.9	111.6	146.4	97.6	69.7	111.6	69.7	69.7	76.7	27.9	132.5	7.0	97.6	7.0
.....	.....	51.1	176.0	124.9	130.6	96.5	90.9	130.6	39.7	39.7	11.4	73.8	62.5	119.2	22.7
11.6	17.3	34.7	156.0	138.6	40.4	17.3	57.8	80.9	40.4	17.3	17.3	86.7	28.9	127.1	.....
.....	11.7	23.5	140.9	123.3	47.0	58.7	82.2	47.0	52.8	35.2	23.5	88.1	29.4	99.8	5.9
.....	16.9	.....	112.7	135.2	95.8	28.2	67.6	90.1	95.8	45.1	11.3	84.5	62.0	107.0	5.6
6.1	18.2	36.4	194.2	176.0	60.7	72.8	109.3	91.1	36.4	78.9	30.4	103.2	18.2	151.8	.....
.....	12.3	18.5	203.8	135.8	43.2	49.4	49.4	55.6	61.7	55.6	12.3	105.0	18.5	86.4	.....
.....	12.6	31.4	113.1	175.9	94.2	75.4	31.4	138.2	37.7	31.4	12.6	88.0	37.7	94.2	.....
6.4	12.8	12.8	153.5	153.5	64.0	19.2	64.0	95.9	32.0	51.2	19.2	83.1	64.0	159.9	.....
13.0	19.5	13.0	91.2	136.7	71.6	19.5	78.1	117.2	26.0	65.1	6.5	65.1	19.5	78.1	.....
.....	26.5	13.3	152.5	265.3	26.5	92.8	46.4	79.6	66.3	92.8	.....	53.1	.....	106.1	.....
20.4	10.2	30.6	122.2	152.8	10.2	40.7	61.1	122.2	40.7	40.7	10.2	91.7	10.2	213.9	.....
.....	4.2	46.0	133.8	133.8	83.6	54.4	83.6	87.8	66.9	133.8	8.4	79.5	125.4	158.9	.....
.....	11.9	83.5	123.2	119.2	131.2	55.6	67.6	59.6	55.6	83.5	11.9	91.4	59.6	99.4	4.0
.....	7.6	38.0	125.4	136.8	144.4	79.8	57.0	72.2	91.2	79.8	15.2	72.2	45.6	140.6	11.4
.....	7.3	32.8	123.8	123.8	123.8	25.5	54.6	65.5	51.0	102.0	18.2	109.2	36.4	105.6	3.6
3.5	3.5	34.9	125.8	115.3	139.8	83.9	52.4	76.9	55.9	66.4	38.4	132.8	55.9	104.8	3.5
.....	6.7	33.6	110.9	80.6	100.8	53.8	53.8	100.8	70.6	67.2	16.8	53.8	30.2	70.6	.....
3.2	9.7	42.1	100.3	210.3	97.0	42.1	74.4	80.9	74.4	87.3	12.9	100.3	29.1	93.8	.....
.....	.....	90.4	124.7	143.5	87.3	65.5	49.9	71.7	90.4	106.0	24.9	96.7	40.5	121.6	.....
.....	6.0	63.2	123.4	159.6	114.4	63.2	39.1	72.3	93.3	78.3	39.1	99.3	12.0	105.4	.....
.....	2.9	26.2	148.4	136.8	78.6	66.9	43.6	75.7	84.4	98.9	34.9	104.7	29.1	101.8	.....
.....	8.4	8.4	134.8	50.6	84.3	160.1	176.9	92.7	25.3	25.3	.....	118.0	25.3	143.2	92.7
.....	.....	16.7	116.6	174.9	133.3	158.2	124.9	158.2	33.3	8.3	.....	141.6	41.6	224.9	66.6
.....	.....	16.5	156.6	74.2	140.1	115.4	164.8	74.2	33.0	41.2	.....	123.6	16.5	197.8	156.6
8.2	.....	24.5	114.1	114.1	106.0	73.4	89.7	89.7	8.2	16.3	.....	81.5	57.1	122.3	40.8
.....	8.1	8.1	64.5	137.2	88.8	56.5	80.7	80.7	80.7	64.5	16.1	96.8	40.3	169.4	.....
.....	.....	31.9	47.9	135.8	111.8	79.9	111.8	95.8	119.8	31.9	.....	95.8	71.9	135.8	.....
.....	.....	31.6	102.7	150.2	134.4	134.4	194.8	126.5	63.2	39.5	.....	142.3	71.1	134.4	.....
7.8	.....	46.9	156.5	117.3	117.3	86.1	86.1	109.5	86.1	86.1	.....	70.4	39.1	164.3	23.5
7.7	15.5	69.7	85.2	131.7	46.5	31.0	46.5	46.5	92.9	23.2	7.7	77.4	54.2	77.4	.....
.....	30.7	7.7	122.7	168.7	115.0	107.3	122.7	46.0	69.0	53.7	7.7	130.3	38.3	76.7	.....
.....	23.5	15.7	133.2	156.7	86.2	23.5	54.8	70.5	54.8	62.7	.....	39.2	.....	70.5	.....
.....	9.2	36.8	188.8	82.9	151.9	64.4	128.9	105.9	36.8	128.9	13.8	124.3	211.8	124.3	142.7
4.5	4.5	35.6	120.3	111.4	138.1	71.3	89.1	124.8	71.3	80.2	13.4	173.8	71.3	196.1	35.6
.....	8.0	19.9	115.5	99.6	99.6	43.8	71.7	67.7	87.6	75.7	4.0	111.5	43.8	115.5	39.8
.....	11.5	26.9	100.0	50.0	138.5	38.5	88.5	115.4	69.2	53.9	3.8	92.3	34.6	153.9	19.2
7.5	15.0	48.8	112.5	142.5	90.0	45.0	33.8	78.8	75.0	75.0	3.8	93.8	71.3	146.3	7.5
.....	.....	40.3	76.8	109.8	91.5	54.9	65.9	80.5	51.2	36.6	11.0	91.5	36.6	135.4	.....
.....	3.6	39.3	82.2	110.8	75.0	14.3	67.9	100.0	75.0	46.4	3.6	67.9	50.0	85.7	.....
3.5	3.5	7.0	132.6	73.3	76.8	41.9	80.3	76.8	55.8	31.4	10.5	80.3	24.4	125.6	.....
3.4	6.8	20.5	116.0	122.8	68.2	27.3	71.6	95.5	64.8	44.3	20.5	58.0	40.9	102.3	.....
.....	10.0	30.0	120.1	143.4	86.7	30.0	50.0	120.1	80.0	100.1	20.0	120.1	10.0	113.4	.....
.....	7.2	32.3	61.0	75.4	104.1	46.7	272.9	82.6	35.9	82.6	21.5	179.5	3.6	143.6	.....
9.7	29.2	14.6	126.7	190.1	82.9	73.1	92.6	68.2	87.7	39.0	34.1	102.4	4.9	97.5	4.9
7.5	15.0	30.0	224.8	112.4	97.4	67.4	45.0	59.9	52.4	59.9	30.0	37.4	52.4	217.3	15.0
15.0	.....	45.1	150.4	180.4	165.4	60.1	97.7	105.2	45.1	52.6	22.6	112.8	67.7	255.6	.....
7.5	7.5	45.3	158.4	173.5	120.7	37.7	52.8	60.3	52.8	67.9	22.6	22.6	30.2	135.8	.....
7.6	.....	15.1	143.8	196.7	30.3	68.1	113.5	60.5	37.8	60.5	.....	128.6	30.3	121.1	.....
.....	7.6	53.1	167.0	151.8	91.1	75.9	30.4	75.9	15.2	53.1	7.6	113.9	22.8	189.8	7.6
15.2	7.6	15.2	159.9	190.4	83.8	68.5	60.9	137.1	60.9	45.7	38.1	68.5	15.2	129.5	.....
.....	7.6	15.3	145.2	175.7	114.6	30.6	30.6	61.1	84.1	30.6	22.9	15.3	22.9	107.0	.....
7.7	15.3	15.3	168.7	61.3	122.7	30.7	53.7	38.3	84.3	53.7	15.3	76.7	53.7	191.7	.....
.....	15.4	53.8	161.5	115.4	38.5	38.5	30.8	69.2	69.2	23.1	15.4	76.9	30.8	130.8	.....
.....	23.2	23.2	115.8	223.8	15.4	30.9	69.5	77.2	77.2	115.8	30.9	77.2	7.7	123.5	.....
5.6	5.6	22.6	135.4	112.9	45.1	33.9	95.9	90.3	90.3	56.4	.....	107.2	11.3	112.9	.....

[2] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
OHIO—continued.														
Massillon	1900	1,565.6	100.5	.....	.....	.....	.....	.....	16.7	25.1	(2)	117.2	25.1	41.9
	1901	1,563.1	32.9	8.2	.....	.....	.....	.....	.....	16.5	(2)	123.4	.....	49.4
	1902	1,125.4	16.2	8.1	.....	.....	.....	.....	24.3	.....	(2)	97.2	8.1	40.5
	1903	1,004.2	15.9	.....	.....	.....	.....	8.0	63.8	31.9	(2)	55.8	.....	47.8
	1904	1,216.4	15.7	.....	.....	31.4	15.7	7.8	7.8	23.5	(2)	109.9	.....	78.5
	1905	1,066.5	46.4	.....	.....	.....	.....	15.5	23.2	15.5	7.7	61.8	7.7	46.4
	1906	1,218.1	15.2	15.2	.....	7.6	.....	7.6	22.8	22.8	7.6	137.0	15.2	83.7
	1907	1,087.7	.....	7.5	.....	.....	7.5	15.0	37.5	22.5	.....	90.0	45.0	75.0
	1908	1,035.0	14.8	.....	.....	7.4	.....	.....	7.4	44.4	14.8	110.9	14.8	14.8
	1909	1,158.6	14.6	.....	.....	.....	14.6	7.3	14.6	14.6	14.6	102.0	36.4	51.0
Middletown	1900	1,334.8	10.9	.....	.....	.....	.....	.....	32.6	.....	(2)	151.9	43.4	43.4
	1901	1,202.6	31.1	.....	.....	10.4	20.7	.....	10.4	41.5	(2)	176.2	20.7	93.3
	1902	1,453.6	10 0	.....	.....	29.9	.....	69.7	19.9	10.0	(2)	199.1	19.9	69.7
	1903	1,110.9	19.2	.....	9.6	.....	9.6	38.3	38.3	9.6	(2)	114.9	47.9	38.3
	1904	1,014.7	9.2	.....	.....	.....	.....	.....	.....	.....	(2)	166.0	9.2	27.7
	1905	952.0	.....	.....	.....	.....	8.9	.....	26.7	8.9	.....	97.9	26.7	89.0
	1906	1,056.8	8.6	.....	.....	43.0	.....	17.2	8.6	17.2	.....	77.3	51.6	43.0
	1907	1,329.1	8.3	.....	.....	.....	8.3	.....	16.6	41.5	8.3	141.2	74.8	99.7
	1908	1,085.5	16.1	.....	.....	.....	16.1	16.1	24.1	24.1	8.0	184.9	8.0	40.2
	1909	1,301.0	7.8	.....	.....	46.7	.....	15.6	23.4	31.2	15.6	85.7	70.1	62.3
Newark	1900	1,558.6	60.6	11.0	.....	11.0	16.5	11.0	11.0	11.0	(2)	159.6	27.6	60.6
	1901	1,282.9	26.5	21 2	.....	.....	15.9	5.3	47.7	47.7	(2)	74.2	10.6	42.4
	1902	1,281.0	46.1	20.5	.....	.....	15.4	10.2	30.7	15.4	(2)	138.3	5.1	61.5
	1903	1,110.6	24.8	.....	14.9	.....	.....	5.0	19.8	14.9	(2)	124.0	9.9	69.4
	1904	1,032.9	9.6	.....	4.8	33.6	.....	24.0	33.6	19.2	(2)	134.5	48.0	67.2
	1905	1,643.8	51 2	.....	.....	.....	4.7	9.3	9.3	18.6	23.3	195.6	41.9	74.5
	1906	1,256.3	27.1	4.5	.....	.....	.....	.....	22.6	4.5	4.5	131.1	27.1	63.3
	1907	1,221.3	17.0	.....	.....	.....	4.2	8.5	8.5	4.2	12.7	118.7	17.0	50.9
	1908	1,266.8	20.6	.....	.....	16.5	.....	12.4	20.6	33.0	12.4	132.0	20.6	66.0
	1909	1,092.9	24.1	4.0	.....	.....	.....	.....	8.0	28.1	4.0	124.6	32.1	92.4
Piqua	1909	1,256.7	22.6	7.5	.....	.....	.....	7.5	7.5	7.5	7.5	120.4	22.6	105.4
Portsmouth	1900	1,807.5	67.2	.....	.....	72.7	.....	28.0	11.2	11.2	(2)	235.0	28.0	39.2
	1901	1,493.1	59.5	.....	16.2	.....	10.8	.....	5.4	32.5	(2)	189.3	.....	64.9
	1902	1,537.8	68.2	.....	36.7	5.2	21.0	15.7	.....	10.5	(2)	188.9	5.2	47.2
	1903	1,692.1	86.6	.....	40.8	10 2	20.4	51.0	25.5	5.1	(2)	265.0	25.5	56.1
	1904	1,456.2	74.3	9.9	.....	5.0	14.9	.....	14.9	19.8	(2)	213.0	14.9	54.5
	1905	1,363.4	77.1	4.8	.....	.....	9.6	14.5	14.5	24.1	14.5	178.3	19.3	67.4
	1906	1,739.7	56.3	.....	.....	84.4	.....	28.1	32.8	32.8	18.8	220.4	9.4	93.8
	1907	1,562.1	86.8	4.6	.....	.....	.....	22.8	32.0	13.7	32.0	191.8	36.5	36.5
	1908	1,406.9	71.2	.....	.....	4.5	8.9	.....	35.6	22.3	8.9	258.2	17.8	71.2
	1909	1,224.5	47.8	8.7	.....	.....	.....	.....	13.0	13.0	21.7	234.5	21.7	52.1
Sandusky	1909	1,157.2	40.1	.....	.....	10.0	.....	5.0	.....	10.0	5.0	95.2	25.0	100.2
Springfield	1909	1,255.9	15.6	.....	.....	.....	.....	8.9	20.1	11.2	17.9	134.1	13.4	55.9
Steubenville	1909	1,816.5	69.0	.....	.....	23.0	.....	9.2	96.6	27.6	.....	110.4	4.6	46.0
Tiffin	1900	1,346.8	27.3	.....	.....	.....	27.3	9.1	72.8	9.1	(2)	154.7	9.1	63.7
	1901	1,298.8	9.0	.....	.....	.....	.....	.....	36.1	63.1	(2)	162.4	.....	72.2
	1902	1,503.0	17.9	.....	.....	.....	.....	26.8	44.7	.....	(2)	152.1	17.9	89.5
	1903	1,224.6	26.6	.....	.....	26.6	.....	8.9	71.0	8.9	(2)	106.5	17.7	71.0
	1904	1,329.1	52.8	.....	.....	.....	.....	17.6	17.6	44.0	(2)	176.0	17.6	52.8
	1905	1,231.1	17.5	.....	.....	.....	.....	.....	17.5	.....	.....	174.6	26.2	69.9
	1906	1,022.1	.....	.....	.....	.....	.....	.....	.....	34.6	8.7	95.3	8.7	52.0
	1907	1,117.1	17.2	.....	.....	17.2	.....	8.6	.....	34.4	8.6	137.5	8.6	60.2
	1908	1,099.8	8.5	.....	.....	.....	.....	.....	25.6	8.5	8.5	68.2	25.6	51.2
	1909	1,285.8	8.5	.....	.....	.....	16.9	8.5	.....	16.9	42.3	93.1	16.9	84.6
Toledo	1900	1,584.0	41.0	9 1	.....	5.3	19.0	7.6	86.5	26.5	(2)	127.4	21.2	51.6
	1901	1,410.4	32.4	2.9	.....	5.2	8.1	11.0	48.6	28.7	(2)	129.6	11.8	59.6
	1902	1,447.4	35.1	7.9	7 9	11.5	6.4	3.6	53.0	6.4	(2)	122.5	15.0	58.0
	1903	1,495.8	30.0	2.8	2.1	3.5	2.1	10.5	82.4	17.4	(2)	122.8	9.1	55.8
	1904	1,399.5	38.1	2.7	.....	8.8	0.7	.....	29.9	12.9	(2)	165.3	19.0	64.0
	1905	1,407.4	47.1	5.3	0.7	1.3	4.0	4.0	13.9	21.2	17.3	143.3	25.2	69.7
	1906	1,518.6	46.6	3.2	.....	9.1	6.5	7.1	36.9	9.1	16.2	137.9	20.1	63.5
	1907	1,532.9	37.9	2.5	.....	8.9	3.2	13.3	24.7	26.6	13.9	152.4	23.4	65.8
	1908	1,463.2	42.0	0.6	.....	1.2	9.3	5.6	17.9	27.2	11.7	137.2	26.0	64.3
	1909	1,458.1	41.7	1.8	.....	7.9	8.5	4.2	19.3	9.1	12.7	176.4	18.1	87.0
Warren[3]	1900	1,664.9	93.8	23.4	.....	.....	.....	.....	82.1	11.7	(2)	129.0	.....	46.9
	1909	945.0	45.9	.....	.....	9.2	.....	.....	.....	.....	9.2	82.6	9.2	73.4
Wellston	1909	1,334.1	71.7	.....	.....	.....	14.3	.....	28.7	28.7	43.0	172.1	43.0	28.7
Xenia	1909	1,562.3	46.0	.....	.....	23.0	.....	46.0	.....	57.4	.....	126.4	46.0	91.9
Youngstown	1900	1,461.5	82.4	.....	.....	2.2	2.2	6.7	13.4	4.4	(2)	127.0	4.4	26.7
	1901	1,556.6	130.2	8.3	.....	12.4	6.2	2.1	51.7	31.0	(2)	80.6	4.1	43.4
	1902	1,681.4	122.8	3.8	30.7	26.9	17.3	9.6	26.9	5.8	(2)	86.4	19.2	38.4
	1903	1,720.8	159.1	.....	3.6	10.8	1.8	19.9	23.5	14.5	(2)	112.1	27.1	47.0
	1904	1,409.2	76.9	3.4	5.1	15.4	5.1	.....	41.0	6.8	(2)	111.0	8.5	32.5
	1905	1,602.8	56.4	.....	.....	8 1	25.8	17.7	70.9	17.7	9.7	96.7	16.1	56.4
	1906	1,424.0	53.6	1.5	.....	13.8	6.1	12.3	46.0	1.5	15.3	92.0	12.3	46.0
	1907	1,535.6	36.3	.....	.....	46.4	.....	1.5	27.6	17.4	10.2	97.2	17.4	47.9
	1908	1,806.2	41.0	.....	.....	10.9	6.8	20.5	12.3	8.2	15.0	79.2	17.8	32.8
	1909	1,492.5	34.0	3.9	.....	41.8	13.1	30.1	20.9	6.5	10.5	86.3	11.8	53.6
Zanesville	1909	1,287.8	43.7	.....	.....	.....	.....	7.3	3.6	32.7	3.6	138.2	25.5	54.6

[1] Exclusive of stillbirths.

[2] Not computed separately.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
8.4	8.4	8.4	318.2	133.9	83.7	58.6	100.5	75.3	58.6	25.1	25.1	75.3	125.6	134.0	.....
.....	.....	.....	304.4	123.4	115.2	8.2	49.4	148.1	65.8	49.4	8.2	115.2	164.5	181.0	.....
8.1	24.3	8.1	170.0	121.4	64.8	48.6	40.5	81.0	16.2	56.7	8.1	121.4	89.1	72.9	.....
.....	8.0	23.9	159.4	47.8	39.9	39.9	47.8	23.9	55.8	55.8	23.9	127.5	23.9	95.6	8.0
.....	7.8	23.5	180.5	102.0	70.6	47.1	23.5	31.4	23.5	125.6	15.7	94.2	15.7	156.9	7.8
.....	7.7	23.2	139.1	154.6	15.5	54.1	46.4	77.3	54.1	38.6	7.7	100.5	15.5	108.2	.....
.....	7.6	22.8	304.5	76.1	60.9	.....	53.3	68.5	68.5	53.3	7.6	60.9	15.2	83.7	.....
.....	15.0	.....	90.0	150.0	60.0	45.0	52.5	52.5	67.5	15.0	7.5	90.0	7.5	135.0	.....
7.4	14.8	14.8	110.9	155.2	66.5	29.6	59.1	51.7	37.0	37.0	22.2	88.7	14.8	96.1	.....
.....	21.9	.....	182.2	87.4	65.6	58.3	14.6	116.6	29.1	94.7	21.9	80.2	.....	116.6	.....
21.7	.....	32.6	195.3	151.9	119.4	43.4	43.4	130.2	65.1	65.1	.....	86.8	10.9	86.8	.....
.....	.....	10.4	165.9	82.9	82.9	72.6	41.5	31.1	51.8	20.7	10.4	82.9	31.1	114.0	.....
.....	10.0	19.9	199.1	179.2	99.6	69.7	69.7	29.9	59.7	129.4	.....	79.6	.....	79.6	.....
.....	.....	57.5	86.2	76.6	19.2	47.9	57.5	38.3	76.6	86.2	9.6	105.3	9.6	105.3	9.6
.....	18.4	27.7	129.1	92.2	64.6	64.6	27.7	27.7	64.6	110.7	9.2	55.3	18.4	83.0	9.2
.....	8.9	44.5	71.2	115.7	17.8	44.5	35.6	71.2	62.3	44.5	8.9	71.2	8.9	89.0	.....
.....	8.6	.....	68.7	68.7	85.9	34.4	34.4	60.1	154.7	25.8	.....	77.3	43.0	128.9	.....
.....	16.6	24.9	132.9	141.2	91.4	33.2	49.8	41.5	116.3	33.2	8.3	58.1	49.8	132.9	.....
.....	16.1	16.1	80.4	104.5	72.4	24.1	72.4	8.0	104.5	40.2	.....	72.4	32.2	104.5	.....
.....	.....	23.4	132.4	85.7	101.3	31.2	31.2	77.9	140.2	77.9	7.8	109.1	15.6	109.1	.....
.....	11.0	27.6	148.7	132.2	49.6	38.6	132.2	154.2	55.1	93.6	5.5	93.6	71.6	154.2	11.0
5.3	15.9	5.3	148.4	148.4	84.8	31.8	37.1	42.4	79.5	47.7	31.8	106.0	42.4	153.7	10.6
.....	10.2	30.7	199.8	97.4	71.7	51.2	15.4	82.0	41.0	66.6	10.2	87.1	35.9	138.3	.....
.....	9.9	24.8	109.1	114.0	69.4	34.7	59.5	69.4	64.5	39.7	.....	84.3	5.0	143.8	.....
.....	14.4	57.6	148.9	182.5	91.2	62.4	129.7	134.5	43.2	62.4	14.4	158.5	9.6	148.9	.....
.....	9.3	18.6	158.3	158.3	93.1	79.2	111.8	111.8	37.3	46.6	32.6	176.9	37.3	139.7	4.7
4.5	4.5	36.2	144.6	76.8	72.3	49.7	67.8	63.3	94.9	54.2	4.5	90.4	31.6	176.2	.....
.....	21.2	17.0	152.7	144.2	110.3	17.0	46.6	80.6	84.8	29.7	4.2	89.1	67.9	110.3	4.3
.....	4.1	24.8	115.5	119.7	74.3	41.3	37.1	66.0	57.8	53.6	24.8	127.9	45.4	132.0	8.3
4.0	12.1	.....	88.4	128.6	56.3	56.3	44.2	72.3	56.3	52.2	8.0	76.3	.....	116.5	4.0
.....	30.1	7.5	180.6	188.1	52.7	30.1	30.1	90.3	105.4	67.7	7.5	60.2	7.5	82.8	7.5
.....	11.2	33.6	173.5	145.5	128.7	111.9	61.5	95.1	61.5	173.5	5.6	89.5	44.8	179.1	.....
10.8	5.4	21.6	162.3	140.7	140.7	70.3	75.7	43.3	32.5	108.2	.....	119.0	108.2	75.7	.....
5.2	5.2	68.2	126.0	136.5	105.0	78.7	105 0	84.0	26.2	89.2	.....	89.2	57.7	162.7	.....
.....	10.2	45.9	107.0	152.9	101.9	86.6	96.8	71.4	15.3	96.8	.....	81.5	66.3	168.2	5.1
.....	9.9	14.9	99.1	183.3	109.0	54.5	44.6	59.4	44.6	143.6	5.0	59.4	59.4	148.6	.....
4.8	19.3	14.5	91.5	130.1	110.8	28.9	81.9	72.3	33.7	110.8	14.5	72.3	24.1	130.1	.....
4.7	14.1	37.5	79.7	136.0	159.4	103.2	75.0	51.6	89.1	89.1	4.7	75.0	89.1	154.7	.....
4.6	4.6	27.4	146.2	118.8	109.6	68.5	68.5	54.8	36.5	187.3	13.7	73.1	68.5	123.3	.....
4.5	.....	22.3	124.7	97.9	80.1	53.4	53.4	62.3	40.1	129.1	4.5	40.1	57.9	138.0	.....
4.3	17.4	17.4	95.5	117.2	47.8	78.2	78.2	60.8	34.7	91.2	.....	91.2	8.7	69.5	.....
.....	20.0	10.0	105.2	170.3	20.0	55.1	40.1	100.2	55.1	30.1	25.0	105.2	5.0	125.2	.....
.....	13.4	31.3	138.6	183.2	64.8	29.1	42.5	98.3	114.0	46.9	2.2	60.3	29.1	118.4	6.7
.....	23.0	13.8	96.6	170.2	147.2	50.6	165.6	133.4	50.6	105.8	13.8	266.7	46.0	147.2	.....
.....	9.1	18.2	145.6	154.7	163.8	36.4	36.4	54.6	36.4	72.8	.....	45.5	72.8	118.3	9.1
.....	18.0	54.1	153.3	180.4	99.2	90.2	9.0	45.1	36.1	18.0	.....	54.1	54.1	144.3	.....
.....	17.9	35.8	214.7	161.0	98.4	26.8	143.1	71.6	8.9	98.4	8.9	89.5	89.5	89.5	.....
26.6	.....	17.7	115.4	186.4	97.6	44.4	26.6	106.5	26.6	17.7	26.6	71.0	.....	124.2	.....
8.8	.....	26.4	149.6	237.7	44.0	44.0	88.0	52.8	61.6	8.8	17.6	70.4	35.2	105.6	.....
.....	8.7	17.5	148.4	192.1	43.7	61.1	69.9	87.3	34.9	8.7	17.5	87.3	17.5	131.0	.....
17.3	.....	8.7	138.6	155.9	43.3	8.7	60.6	103.9	86.6	43.3	.....	43.3	26.0	86.6	.....
8.6	17.2	8.6	137.5	180.5	43.0	34.4	34.4	43.0	85.9	17.2	17.2	68.7	43.0	85.9	.....
.....	17.1	8.5	170.5	230.2	59.7	42.6	25.6	59.7	42.6	59.7	17.1	25.6	34.1	110.8	.....
.....	25.4	16.9	135.4	304.5	33.8	67.7	101.5	16.9	50.8	67.7	8.5	76.1	16.9	76.1	.....
2.3	10.6	34.1	174.5	99.4	99.4	73.6	128.2	93.3	44.8	97.9	5.3	93.3	51.6	176.7	3.8
3.7	11.0	29.4	173.7	116.3	78.8	77.3	100.1	95.0	55.2	30.9	10.3	100.9	38.3	146.5	5.2
2.9	11.5	26.5	192.0	101.0	81.0	73.1	104.6	89.6	58.0	44.4	15.8	97.5	33.7	187.0	1.4
1.4	9.8	30.0	204.5	122.8	75.4	91.4	99.1	99.8	57.9	53.0	21.6	88.6	35.6	166.1	.....
0.7	12.2	29.9	189.1	121.1	63.3	65.3	82.3	99.3	69.4	49.0	17.7	76.2	29.3	150.4	2.7
.....	7.3	24.6	185.1	131.4	71.0	65.7	103.5	94.2	65.0	31.2	14.6	102.2	27.2	130.7	0.7
1.3	10.4	21.4	163.8	147.0	75.1	75.8	106.2	111.4	66.1	64.8	16.2	117.2	34.3	149.0	2.6
1.9	8.2	31.0	179.6	154.3	86.0	80.9	85.4	96.8	64.5	68.3	17.1	93.6	29.7	158.1	5.1
0.6	14.8	13.0	174.9	175.5	70.4	56.2	69.2	114.3	72.3	81.6	21.6	98.2	19.8	137.8	.....
1.2	9.7	13.3	166.1	181.8	68.9	80.9	92.4	81.5	67.7	56.2	25.4	91.8	9.1	125.0	0.6
.....	.....	35.2	187.6	140.7	187.6	105.5	70.4	93.8	35.2	23.4	11.7	82.1	105.5	187.6	11.7
.....	9.2	9.2	91.7	110.1	45.9	45.9	.....	82.6	91.7	27.5	18.3	82.6	9.2	91.7	.....
.....	.....	43.0	157.8	143.5	100.4	28.7	129.1	43.0	28.7	57.4	.....	100.4	14.3	57.4	.....
11.5	.....	.....	126.4	264.2	103.4	68.9	103.4	114.9	57.4	34.5	23.0	68.9	.....	137.9	11.5
2.2	4.4	24.5	124.8	106.9	205.0	69.1	115.9	115.9	35.7	78.0	6.7	113.6	46.8	127.0	15.6
4.1	4.1	49.6	128.2	105.4	150.9	84.8	91.0	91.0	35.1	43.4	16.5	171.6	80.6	111.6	18.6
.....	3.8	30.7	128.6	88.3	142.0	72.9	94.1	80.6	48.0	107.5	15.4	255.3	86.4	122.8	17.3
.....	9.0	32.5	94.0	81.3	141.0	83.1	151.8	157.3	54.2	121.1	7.2	166.3	74.1	126.5	1.8
.....	3.4	23.9	116.1	100.8	145.2	73.4	131.5	102.5	39.3	49.5	10.2	148.6	41.0	114.4	3.4
3.2	9.7	32.2	156.4	90.3	170.9	82.2	151.6	87.1	59.7	95.1	4.8	125.8	54.8	98.4	4.8
.....	10.7	29.1	124.2	95.0	115.0	50.6	170.1	75.1	42.9	85.8	13.8	157.9	42.9	107.3	3.1
.....	7.3	26.1	142.1	97.2	172.6	71.1	162.4	60.9	46.4	71.1	8.7	166.8	50.8	149.4	1.5
1.4	12.3	19.1	113.4	90.2	133.9	60.1	139.4	75.1	50.6	84.7	13.7	112.0	36.9	117.5	1.4
2.6	7.8	20.9	81.0	118.9	104.6	117.6	203.9	81.0	52.3	68.0	10.5	175.1	1.3	126.8	7.8
.....	21.8	10.9	120.0	163.7	54.6	72.8	61.8	83.7	72.8	61.8	14.6	120.0	14.6	105.5	.....

[3] Nonregistration from 1901 to 1908.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
OREGON.[2]														
Portland	1900	1,018.5	35.4	2.2	.....	1.1	8.8	6.6	17.7	5.5	(3)	115.0	17.7	64.2
	1901	1,130.5	19.6	1.0	.....	6.9	2.9	.....	21.6	22.6	(3)	116.9	25.5	74.6
	1902	998.0	31.2	1.8	.....	0.9	6.2	.....	22.3	5.3	(3)	103.3	16.9	65.0
	1903	1,020.9	28.5	0.8	1.6	1.6	5.7	1.6	23.6	9.8	(3)	105.8	15.5	52.1
	1904	1,028.9	19.5	.....	0.7	1.5	3.0	2.2	17.2	4.5	(3)	102.0	8.2	93.0
	1905	970.4	24.5	.....	.....	1.4	1.4	2.0	11.6	7.5	8.2	89.2	23.2	63.3
	1906	939.9	28.6	0.6	0.6	5.7	1.3	2.5	15.9	5.7	7.0	80.7	24.8	65.5
	1907	1,101.4	21.9	.....	.....	3.0	1.8	9.5	18.4	16.0	5.9	91.8	31.4	71.1
	1908	994.0	23.4	1.7	.....	1.1	1.7	2.8	16.2	13.4	4.5	91.4	23.4	61.3
	1909	983.8	22.0	1.0	.....	4.2	10.5	1.6	10.5	5.2	11.5	81.7	21.5	66.0
PENNSYLVANIA.														
Allegheny	1900	1,828.4	93.9	1.5	0.8	9.2	13.1	14.6	26.9	15.4	(3)	155.5	27.7	39.3
	1901	1,763.3	76.8	1.5	0.8	27.7	30.7	41.5	38.4	22.3	(3)	134.5	26.9	49.2
	1902	1,973.2	126.5	1.5	6.1	39.9	21.5	19.9	33.7	17.6	(3)	154.1	26.1	51.4
	1903	2,007.1	108.7	.....	93.4	30.6	22.2	36.7	87.3	8.4	(3)	134.0	31.4	39.8
	1904	1,909.4	132.2	.....	13.0	16.8	17.6	26.7	55.0	9.9	(3)	157.4	28.3	48.1
	1905	2,046.2	138.0	0 8	.....	60.2	18.3	28.2	21.4	19.1	16.8	134.2	35.8	54.1
	1906	1,980.8	150.7	0.7	.....	22.1	14.5	13.7	34.3	9.1	8.4	176.6	33.5	50.2
	1907	1,939.2	108.7	3.0	.....	18.2	3.0	46.4	17.5	14.4	11.4	145.9	29.6	54.0
Allentown	1900	1,798.6	28.2	2.8	.....	8.5	14.1	8.5	70.6	11.3	(3)	163.8	5.6	73.4
	1901	1,406.3	46.0	2.7	.....	.....	.....	.....	32.5	16.2	(3)	148.7	8.1	40.6
	1902	1,811.7	184.8	.....	.....	5.2	23.4	13.0	49.5	2.6	(3)	166.6	18.2	62.5
	1903	1,380.0	32.6	.....	.....	.....	20 1	10.0	35.1	7.5	(3)	105.4	7.5	60.2
	1904	1,818.8	31.4	.....	.....	4.8	65.3	4.8	137.9	7.3	(3)	125.8	9.7	46.0
	1905	1,619.7	39.7	.....	.....	.....	.....	7.0	72.5	2.3	32.7	154.3	7.0	65.4
	1906	1,537.6	47.5	2.3	.....	.....	2.3	13.6	79.1	4.5	20.3	113.1	38.4	79.1
	1907	1,664.6	48.1	.....	.....	8.7	2.2	10.9	54.7	13.1	8.7	131.2	39.4	35.0
	1908	1,587 2	24 3	.....	.....	2.0	91.2	8.1	56.8	16.2	8.1	103.4	18.2	77.0
	1909	1,477.2	51.2	.....	.....	.....	37.4	2.0	47.3	9.8	7.9	122.1	21.7	72.9
Altoona	1900	1,767.9	43.6	.....	.....	7.7	23.1	15.4	151.4	5.1	(3)	133.4	7.7	38.5
	1901	1,544.5	32.5	.....	.....	7 5	22.5	5.0	50.0	12.5	(3)	107.5	10.0	52.5
	1902	1,471.7	24.4	.....	4.9	22.0	2.4	4.9	34.2	.....	(3)	109.8	22.0	41.5
	1903	1,851.5	40.3	.....	19.0	9.5	28.4	21.3	47.4	7.1	(3)	94.8	9.5	56.9
	1904	1,671.2	60.3	.....	.....	18.5	16.2	18.5	34.8	16.2	(3)	97.4	32.5	60.3
	1905	1,770.0	67.2	2.2	.....	10.8	15.2	34.7	34.7	4.3	8.7	115.0	30.4	52.1
	1906	1,468.4	68.1	2.1	.....	57.7	.....	4.1	20.6	.....	20.6	78.4	33.0	66.0
	1907	1,391.4	56.6	2.0	.....	2.0	8.1	6.1	42.5	6.1	8.1	60.7	26.3	54.6
	1908	1,333.1	55.5	2.0	.....	13.9	19.8	45.6	17.9	11.9	4.0	77.4	23.8	65.5
	1909	1,175.9	35.0	.....	.....	3.9	3.9	13.6	7.8	5.8	3.9	64.2	17.5	60.3
Beaver Falls	1906	1,328.3	105.6	.....	.....	17.6	.....	26.4	17.6	17.6	26.4	88.0	8.8	44.0
	1907	1,320.7	77.7	.....	.....	17.3	17.3	.....	8.6	34.5	17.3	181.3	34.5	17.3
	1908	1,330.3	25.4	.....	.....	16.9	.....	42.4	8.5	8.5	8.5	118.6	25.4	42.4
	1909	1,148.2	16.6	.....	.....	16.6	8.3	.....	16.6	16.6	8.3	116.5	16.6	49.9
Braddock	1906	2,470.0	128.2	.....	.....	94.8	16.7	44.6	66.9	5.6	11.2	145.0	5.6	33.5
	1907	2,556.0	158.4	5.5	.....	.....	.....	21.8	27.3	.....	32.8	152.9	38.2	38.2
	1908	2,194.3	107.0	.....	.....	96.3	.....	10.7	21.4	21.4	10.7	112.4	26.8	48.2
	1909	2,161.6	52.5	.....	.....	21.0	236.1	31.5	68.2	5.2	21.0	83.9	26.2	21.0
Bradford	1906	1,398.4	20.4	.....	.....	6.8	.....	27.2	27.2	.....	6.8	88.2	20.4	88.2
	1907	1,253.2	6.8	.....	.....	13.6	.....	6.8	40.9	20.4	13.6	61.3	20.4	88.5
	1908	1,271.1	27.3	6.8	.....	.....	6.8	13.7	6.8	27.3	.....	54.7	13.7	75.2
	1909	1,419.4	27.4	.....	.....	.....	13.7	27.4	41.1	20.6	6.9	75.4	.....	89.1
Butler	1906	1,594.2	70.9	.....	.....	47.2	5.9	5.9	17.7	.....	23.6	88.6	17.7	47.2
	1907	1,589.0	72.5	.....	.....	5.6	.....	11.2	16.7	16.7	11.2	94.8	27.9	72.5
	1908	1,315.0	37.0	.....	.....	21.1	.....	15.8	5.3	31.7	15.8	116.2	26.4	52.8
	1909	1,294.1	30.1	.....	.....	.....	35.1	25.1	10.0	.....	.....	85.3	35.1	45.1
Carbondale	1900	2,016.8	36.9	.....	.....	.....	29.6	36.9	147.8	59.1	(3)	36.9	29.6	73.9
	1901	1,623.7	14.4	.....	.....	7.2	7.2	.....	57.5	28.7	(3)	64.7	7.2	64.7
	1902	1,856.7	42.0	.....	.....	35.0	.....	77.1	35.0	35.0	(3)	98.1	28.0	42.0
	1903	1,586.0	61.5	6.8	.....	.....	.....	6.8	129.9	20.5	(3)	95.7	6.8	27.3
	1904	1,715.3	33.4	.....	.....	.....	.....	.....	60.1	46.7	(3)	86.8	26.7	33.4
	1905	1,832.1	65.2	.....	.....	13.0	26.1	6.5	91.3	26.1	19.6	71.7	6.5	52.2
	1906	1,892.6	51.0	.....	.....	19.1	76.5	19.1	57.4	51.0	19.1	70.1	12.7	38.2
	1907	1,657.5	6.2	.....	.....	.....	.....	18.7	31.2	12.5	24.9	105.9	12.5	74.8
	1908	1,591.2	42.7	6.1	.....	.....	6.1	6.1	73.2	36.6	24.4	79.3	12.2	54.9
	1909	1,599.2	29.8	.....	.....	11.9	23.9	11.9	41.8	17.9	17.9	77.6	6.0	41.8
Carlisle	1900	2,119.3	10.4	.....	.....	.....	.....	10.4	135.0	31.2	(3)	197.4	41.6	72.7
	1901	1,876.5	20.6	10.3	.....	.....	.....	20.6	61.9	61.9	(3)	237.1	20.6	41.2
	1902	1,361.7	10.2	41.0	.....	.....	.....	10.2	20.5	.....	(3)	153.6	30.7	61.4
	1903	1,708.2	50.8	.....	.....	61.0	.....	.....	.....	.....	(3)	203.4	10.2	71.2
	1904	1,696.5	.....	10.1	.....	.....	.....	10.1	10.1	20.2	(3)	212.1	20.2	101.0
	1905	1,514 2	20.1	10.0	.....	.....	.....	.....	.....	20.1	10.0	150.4	.....	70.2
	1906	1,384.3	10.0	.....	.....	.....	10.0	10.0	39.8	10.0	19.9	99.6	.....	69.7
	1907	1,701.3	39.6	9.9	.....	.....	.....	29.7	9.9	29.7	9.9	207.7	19.8	89.0
	1908	1,571.9	9.8	.....	.....	9.8	.....	39.3	9.8	88.4	9.8	167.0	9.8	49.1
	1909	1,571.0	.....	.....	.....	9.8	.....	.....	9.8	39.0	9.8	146.4	39.0	87.8
Chambersburg	1906	1,787.4	31.5	.....	.....	.....	.....	94.6	31.5	.....	21.0	157.7	21.0	105.1
	1907	1,491.6	20.9	.....	.....	.....	.....	31.3	52.2	10.4	10.4	93.9	31.3	20.9
	1908	1,629.1	34.3	.....	.....	68.6	.....	8.6	42.9	51.4	17.1	77.2	42.9	77.2
	1909	1,686.7	25.6	.....	.....	8.5	.....	8.5	34.1	.....	.....	127.8	34.1	93.7

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
3.3	8.8	39.8	104.0	110.6	43.1	36.5	36.5	91.8	40.9	17.7	15.5	76.3	27.7	88.5	3.3
1.0	6.9	26.5	84.5	113.0	113.9	32.4	39.3	91.3	37.3	18.7	14.7	86.4	52.1	116.9	3.9
2.7	9.8	31.2	82.8	116.6	55.2	41.8	31.2	71.2	49.0	18.7	16.0	81.9	42.7	91.7	2.7
2.4	8.1	45.6	79.0	109.9	84.7	32.6	32.6	69.2	43.1	25.2	13.8	80.6	31.8	106.7	9.0
0.7	14.2	36.0	92.2	128.2	61.5	31.5	45.0	73.5	51.7	35.2	2.2	85.5	35.2	80.2	3.7
.....	16.3	19.7	81.7	115.8	59.2	25.2	39.5	69.5	61.3	23.2	21.1	91.2	15.7	98.7	.....
.....	11.4	11.4	76.9	120.7	57.2	28.6	38.8	73.7	41.3	23.5	25.4	92.1	14.0	85.8	.....
0.6	17.2	48.0	79.9	135.6	54.5	45.6	45.6	71.7	55.1	37.9	25.5	99.5	11.8	101.3	1.2
.....	8.4	12.3	84.7	131.0	56.9	38.5	39.6	64.7	54.1	44.6	26.8	73.0	11.1	107.0	0.6
0.5	11.5	10.5	82.8	142.5	37.7	33.0	56.6	58.1	51.3	45.6	21.0	77.5	11.0	108.4	.....
2.3	6.2	53.1	155.5	85.5	231.0	127.0	171.7	102.4	40.8	102.4	15.4	100.1	77.0	154.7	5.4
0.8	2.3	43.0	142.9	106.8	225.9	139.8	129.1	106.0	46.9	67.6	17.7	131.4	35.3	116.8	0.8
1.5	3.8	33.7	154.9	109.7	287.6	143.4	171.8	116.6	50.6	77.5	12.3	125.0	59.8	125.0	1.5
0.8	7.7	42.1	147.0	107.9	240.4	114.1	160.7	113.3	47.5	77.3	15.3	133.2	76.5	127.1	3.8
0.8	7.6	41.3	162.7	124.5	194.8	103.9	220.0	97.8	55.0	87.9	14.5	96.3	72.6	124.5	.....
0.8	3.8	35.8	153.3	114.4	237.2	137.3	198.3	104.5	67.1	106.0	21.4	131.2	77.8	130.4	.....
.....	10.7	22.1	124.1	132.5	191.8	165.2	194.1	110.4	70.0	106.6	19.0	157.6	49.5	113.4	.....
.....	9.9	19.0	135.3	133.0	221.9	170.2	181.6	110.2	59.3	89.7	25.8	155.8	50.2	125.4	.....
.....	11.3	31.1	228.7	169.4	180.7	39.5	104.5	96.0	53.6	98.8	25.4	101.7	149.7	110.1	11.3
2.7	18.9	29.7	235.3	148.7	137.9	48.7	43.3	70.3	62.2	51.4	8.1	59.5	119.0	75.7	.....
2.6	18.2	52.1	171.8	153.6	119.7	31.2	88.5	72.9	78.1	80.7	7.8	75.5	179.6	151.0	2.6
.....	10.0	35.1	168.1	140.5	90.3	40.1	87.8	102.9	42.7	72.8	15.1	75.3	115.4	92.8	12.5
2.4	2.4	41.1	183.8	171.7	135.4	43.5	60.5	104.0	111.3	118.5	9.7	53.2	212.8	128.2	7.3
.....	16.4	25.7	187.0	126.2	147.2	58.4	109.8	65.4	93.5	81.8	4.7	98.2	109.8	114.5	.....
.....	18.1	13.6	185.4	126.6	79.1	56.5	133.4	58.8	63.3	74.6	2.3	149.2	47.5	126.6	2.3
.....	32.8	35.0	194.7	144.4	96.2	61.2	153.1	65.6	111.6	89.7	4.4	155.3	61.2	107.2	.....
.....	18.2	12.2	152.0	160.1	87.2	60.8	176.4	54.7	70.9	81.1	14.2	105.4	46.6	141.9	.....
.....	19.7	13.8	161.5	141.8	80.8	49.2	116.2	84.7	80.8	102.4	13.8	104.4	47.3	88.6	.....
2.6	5.1	20.5	238.6	100.1	177.1	51.3	89.8	84.7	33.4	110.3	2.6	143.7	112.9	148.8	20.5
5.0	15.0	32.5	189.9	75.0	172.4	70.0	87.5	90.0	55.0	77.5	10.0	117.5	120.0	125.0	2.5
.....	4.9	39.1	185.5	112.3	92.7	29.3	68.3	46.4	53.7	117.2	4.9	209.9	95.2	126.9	19.5
2.4	4.7	61.6	199.1	106.7	180.2	54.5	73.5	47.4	75.9	248.9	16.6	251.3	85.3	101.9	7.1
2.3	11.6	32.5	185.4	139.1	183.1	81.1	95.0	85.8	90.4	71.9	4.6	108.9	76.5	139.1	9.3
.....	13.0	39.0	184.4	110.6	141.0	82.4	88.9	82.4	84.6	75.9	19.5	266.8	65.1	138.8	2.2
2.1	12.4	26.8	150.6	109.3	115.5	41.2	90.7	80.4	63.9	101.1	6.2	152.6	47.4	111.4	6.2
.....	8.1	26.3	155.7	145.6	129.4	50.6	91.0	80.9	60.7	93.0	10.1	125.4	18.2	123.4	.....
.....	9.9	15.9	130.9	103.2	132.9	45.6	87.3	65.5	71.4	73.4	9.9	113.1	15.9	121.0	.....
.....	23.4	9.7	120.7	136.3	103.2	50.6	56.5	66.2	54.5	87.6	13.6	101.2	17.5	118.8	.....
.....	.....	8.8	140.7	167.1	79.2	88.0	70.4	70.4	26.4	35.2	8.8	105.6	26.4	149.5	.....
.....	.....	17.3	112.2	95.0	77.7	86.3	129.5	43.2	60.4	34.5	.....	103.6	51.8	103.6	.....
.....	16.9	8.5	169.5	127.1	101.7	33.9	118.6	84.7	67.8	25.4	16.9	135.6	50.8	76.3	.....
.....	.....	16.6	41.6	108.2	91.5	33.3	133.1	66.6	58.2	41.6	8.3	108.2	25.0	149.8	.....
.....	11.2	39.0	105.9	72.5	156.1	384.7	513.0	94.8	33.5	111.5	11.2	217.5	22.3	139.4	5.6
5.5	5.5	21.8	87.4	92.8	240.3	426.0	447.8	114.7	43.7	136.5	5.5	294.9	27.3	131.1	.....
.....	21.4	16.1	96.3	91.0	112.4	406.7	374.6	187.3	26.8	69.6	10.7	208.7	10.7	107.0	.....
.....	10.5	5.2	115.4	57.7	141.7	262.3	409.2	131.2	63.0	83.9	5.2	167.9	10.5	131.2	.....
6.8	20.4	13.6	95.0	285.1	67.9	47.5	81.5	81.5	40.7	61.1	27.2	101.8	20.4	142.6	20.4
.....	6.8	20.4	88.5	245.2	102.2	47.7	20.4	95.4	88.5	27.2	6.8	74.9	6.8	136.2	13.6
.....	20.5	41.0	136.7	157.2	123.0	41.0	47.8	95.7	82.0	41.0	6.8	116.2	20.5	95.7	13.7
.....	20.6	6.9	102.9	233.1	102.9	48.0	41.1	41.1	75.4	75.4	41.1	109.7	13.7	205.7	.....
5.9	.....	65.0	94.5	124.0	112.2	76.8	188.9	47.2	100.4	47.2	.....	271.6	53.1	76.8	5.9
.....	11.2	22.3	117.1	128.2	89.2	39.0	161.7	89.2	50.2	61.3	27.9	289.9	33.5	139.4	.....
.....	10.6	10.6	121.5	84.5	63.4	63.4	147.9	116.2	31.7	58.1	5.3	105.6	47.5	126.7	.....
5.0	5.0	5.0	150.5	90.3	120.4	45.1	140.4	65.2	60.2	65.2	20.1	100.3	55.2	100.3	.....
.....	14.8	59.1	214.2	118.2	169.9	140.4	96.0	133.0	51.7	81.3	.....	221.6	103.4	155.1	7.4
.....	7.2	50.3	179.6	143.7	158.1	136.5	100.6	107.8	79.0	57.5	7.2	143.7	86.2	107.8	7.2
.....	7.0	77.1	224.2	168.1	168.1	161.1	126.1	77.1	77.1	42.0	7.0	126.1	56.0	147.1	.....
.....	34.2	34.2	88.9	150.4	102.5	123.1	68.4	95.7	61.5	68.4	.....	177.7	75.2	150.4	.....
6.7	40.0	40.0	186.9	140.2	193.6	86.8	106.8	120.1	86.8	66.7	.....	220.2	46.7	86.8	.....
.....	32.6	65.2	150.0	163.0	150.0	150.0	163.0	136.9	19.6	26.1	6.5	182.6	71.7	117.4	19.6
.....	31.9	19.1	172.1	152.9	140.2	76.5	286.8	114.7	51.0	38.2	6.4	184.8	95.6	89.2	19.1
.....	12.5	18.7	124.6	149.6	124.6	130.9	118.4	87.2	130.9	87.2	.....	230.6	37.4	112.2	6.2
.....	24.4	18.3	85.3	158.5	97.5	79.3	109.7	109.7	79.3	79.3	6.1	225.6	85.3	91.4	.....
.....	6.0	11.9	131.3	196.9	173.1	71.6	119.3	65.6	71.6	113.4	.....	167.1	47.7	143.2	.....
.....	.....	83.1	280.5	218.2	155.8	51.9	72.7	145.4	114.3	93.5	.....	41.6	93.5	238.9	31.2
10.3	10.3	41.2	206.2	165.0	103.1	113.4	113.4	123.7	51.6	92.8	.....	51.6	82.5	226.8	10.3
.....	.....	.....	225.2	143.3	41.0	81.9	102.4	122.9	20.5	61.4	.....	41.0	41.0	143.3	10.2
.....	.....	40.7	264.4	213.5	71.2	81.3	50.8	101.7	30.5	101.7	.....	91.5	91.5	142.3	30.5
.....	10.1	20.2	222.2	161.6	151.5	80.8	40.4	101.0	60.6	80.8	.....	40.4	101.0	232.3	10.1
.....	20.1	20.1	170.5	270.8	60.2	80.2	90.3	140.4	90.3	40.1	30.1	50.1	80.2	80.2	10.0
.....	.....	19.9	159.3	239.0	79.7	49.8	109.6	119.5	29.9	69.7	.....	119.5	10.0	99.6	10.0
.....	.....	29.7	178.0	257.2	98.9	69.2	108.8	98.9	89.0	49.5	9.9	39.6	69.2	158.3	.....
.....	39.3	.....	206.3	255.4	58.9	39.3	68.8	68.8	88.4	68.8	.....	29.5	58.9	196.5	.....
.....	.....	19.5	146.4	322.0	126.9	58.5	68.3	97.6	87.8	58.5	9.8	58.5	19.5	156.1	.....
.....	21.0	10.5	157.7	210.3	115.7	94.6	115.7	126.2	94.6	73.6	.....	168.2	31.5	105.1	.....
.....	.....	10.4	239.9	260.8	125.2	52.2	52.2	83.4	73.0	83.4	31.3	52.2	41.7	114.7	.....
.....	25.7	8.6	274.4	120.0	60.0	77.2	77.2	94.3	94.3	77.2	34.3	51.4	25.7	188.6	.....
.....	8.5	17.0	187.4	187.4	110.7	68.1	93.7	127.8	170.4	8.5	34.1	136.3	51.1	153.3	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
PENNSYLVANIA—continued.														
Chester	1906	1,606.5	68.0	13.6	.....	16.3	2.7	35.3	51.6	16.3	8.2	187.6	24.5	40.8
	1907	1,575.8	43.0	5.4	.....	.....	.....	18.8	18.8	37.6	13.4	147.7	32.2	64.4
	1908	1,599.0	26.5	2.7	.....	18.6	.....	18.6	8.0	13.3	8.0	169.7	15.9	50.4
	1909	1,579.7	21.0	2.6	.....	7.9	2.6	5.2	15.7	7.9	7.9	159.8	13.1	55.0
Columbia	1900	1,997.4	81.2	.....	.....	.....	.....	.....	138.1	8.1	(2)	146.2	24.4	89.3
	1901	1,776.5	81.9	.....	.....	.....	.....	.....	57.3	8.2	(2)	131.0	24.6	57.3
	1902	1,592.4	82.5	.....	16.5	.....	16.5	.....	.....	.....	(2)	82.5	8.3	16.5
	1903	1,463.6	58.2	.....	.....	.....	49.9	8.3	.....	.....	(2)	124.7	16.6	41.6
	1904	1,582.7	133.3	.....	.....	25.0	.....	.....	.....	.....	(2)	100.0	.....	66.6
	1905	1,293.0	50.4	.....	.....	.....	8.4	.....	.....	33.6	8.4	84.0	.....	33.6
	1906	1,320.4	25.4	.....	.....	.....	.....	33.9	.....	.....	25.4	59.2	16.9	33.9
	1907	1,373.7	34.1	.....	.....	17.1	8.5	.....	.....	.....	17.1	76.8	25.6	34.1
	1908	1,316.1	17.2	.....	.....	.....	8.6	34.4	.....	.....	.....	86.0	.....	34.4
	1909	1,301.0	26.0	.....	.....	.....	.....	.....	43.4	.....	8.7	69.4	26.0	60.7
Danville	1906	1,489.6	64.8	13.0	.....	.....	.....	.....	103.6	.....	13.0	207.3	13.0	77.7
	1907	1,826.0	104.3	.....	.....	65.2	13.0	13.0	.....	.....	.....	182.6	26.1	143.5
	1908	1,471.0	39.4	.....	.....	.....	13.1	.....	26.3	.....	26.3	118.2	.....	91.9
	1909	1,600.5	52.9	13.2	.....	.....	26.5	.....	39.7	13.2	26.5	158.7	.....	132.3
Dubois	1900	2,197.3	53.3	21.3	.....	74.7	53.3	21.3	42.7	21.3	(2)	128.0	10.7	.....
	1901	1,623.8	20.6	.....	.....	.....	10.3	30.8	20.6	.....	(2)	82.2	10.3	10.3
	1902	1,600.6	59.6	.....	39.8	29.8	29.8	9.9	19.9	19.9	(2)	49.7	9.9	69.6
	1903	1,453.6	38.5	.....	.....	19.3	9.6	28.9	19.3	19.3	(2)	38.5	19.3	38.5
	1904	1,418.3	65.3	.....	18.7	28.0	.....	46.7	65.3	18.7	(2)	65.3	9.3	37.3
	1905	1,131.6	27.2	.....	.....	18.1	36.2	.....	18.1	18.1	.....	36.2	9.1	18.1
	1906	1,362.6	44.0	.....	.....	70.3	17.6	8.8	70.3	17.6	17.6	52.7	.....	26.4
	1907	1,298.7	76.9	.....	.....	.....	17.1	.....	25.6	8.5	8.5	59.8	42.7	51.3
	1908	1,105.3	16.6	.....	.....	16.6	8.3	33.2	.....	.....	.....	49.9	.....	8.3
	1909	881.7	32.4	.....	.....	8.1	.....	8.1	16.2	.....	8.1	64.7	16.2	24.3
Dunmore	1906	1,645.3	63.8	.....	.....	6.4	38.3	31.9	31.9	12.8	6.4	102.0	12.8	38.3
	1907	1,346.4	18.5	12.4	.....	.....	24.7	12.4	30.9	6.2	.....	86.5	.....	18.5
	1908	1,526.9	.....	.....	.....	47.9	18.0	.....	35.9	29.9	12.0	35.9	12.0	47.9
	1909	1,714.0	5.8	.....	.....	40.7	5.8	17.4	29.1	.....	.....	93.0	5.8	29.1
Duquesne	1906	2,029.5	98 8	.....	.....	106.4	129.2	.....	106.4	.....	.....	106.4	38.0	22.8
	1907	1,669.8	65.1	.....	.....	28.9	.....	50.6	72.3	7.2	7.2	57.8	14.5	36.1
	1908	1,398.8	.....	.....	.....	6.9	103.4	.....	89.6	27.6	.....	68 9	13.8	27.6
	1909	1,626.1	26.3	.....	.....	65.8	19.7	85.6	39.5	.....	6.6	72.4	26.3	32.9
Easton[3]	1900	1,743.4	19.8	.....	.....	.....	.....	7.9	39.6	11.9	(2)	150.6	19.8	71.3
	1906	1,639.8	47.8	.....	.....	.....	.....	14.7	29.4	11.0	7.4	143.4	22.1	110.3
	1907	1,722.3	43.6	.....	.....	21.8	3.6	29.1	47.2	10.9	10.9	112.6	14.5	76.3
	1908	1,407.8	21.5	3.6	.....	.....	.....	3.6	21.5	43.1	.....	129.3	10.8	71.8
	1909	1,526.6	32.0	.....	.....	.....	7.1	3.6	24.9	10.7	10.7	88.8	39.1	78.1
Erie	1900	1,558.8	37.9	.....	1 9	1.9	1.9	3.8	60.7	7.6	(2)	110.0	13.3	51.2
	1901	1,541.2	16.6	1.8	.....	62.7	5.5	40.6	18.4	1.8	(2)	112.5	18.4	53.5
	1902	1,491.7	25.2	1.8	.....	.....	3.6	1.8	34.1	7.2	(2)	115.0	23.4	50.3
	1903	1,313.2	33.3	3.5	7.0	.....	3.5	24.5	40.3	3.5	(2)	122.7	10.5	38.6
	1904	1,492.3	47.9	.....	.....	1.7	3.4	3.4	61.6	18.8	(2)	112.9	12.0	92.4
	1905	1,551.1	16.7	.....	.....	18.4	3.3	31.8	50.1	13.4	13.4	105.3	23.4	75.2
	1906	1,416.0	47.4	.....	.....	1.6	6.5	1.6	18.0	9.8	8 2	112.7	24.5	75.1
	1907	1,563.3	76.6	.....	.....	14.4	6.4	3.2	38.3	8.0	12.8	116.6	20.8	97.4
	1908	1,555.7	60.9	.....	.....	.....	14.1	9.4	23.4	18.7	4.7	100.0	25.0	73.4
	1909	1,545.4	29.0	1.5	.....	48.9	3.1	42.8	13.8	.....	6.1	87.1	18.3	71.8
Harrisburg	1900	1,802.0	49.8	17.9	.....	8.0	2.0	15.9	63.8	29.9	(2)	135.5	6.0	63.8
	1901	1,789.0	66.0	5.8	.....	5.8	3.9	7.8	31.1	35.0	(2)	174.8	17.5	68.0
	1902	1,596.1	62.6	3.8	.....	3.8	9.5	7.6	47.4	11.4	(2)	142.3	20.9	51.2
	1903	1,478.6	102.0	9.3	3 7	9.3	13.0	37.1	11.1	16.7	(2)	118.7	18.6	40.8
	1904	1,489.6	58.1	9.1	.....	9.1	5.4	1.8	20.0	34.5	(2)	123.4	16.3	49.0
	1905	1,443.3	67.5	3.6	.....	3.6	10.7	5.3	14.2	12.4	12.4	118.9	19.5	44.4
	1906	1,437.3	64.3	5.2	.....	15.6	10.4	40.0	13.9	20.9	7.0	99.1	19.1	53.9
	1907	1,479.1	47.7	.....	.....	5.1	.....	.....	5.1	17.0	5.1	108.9	11.9	68.1
	1908	1,385.8	50.0	1.7	.....	10.0	5.0	11.7	11.7	16.7	3.3	95.1	16.7	71.7
	1909	1,459.7	29.4	.....	.....	8.2	3.3	6.5	44.1	19.6	4.9	119.3	9.8	89.9
Hazleton	1900	1,595.2	28.1	.....	.....	28.1	28.1	7.0	35.1	.....	(2)	49.2	.....	84.3
	1901	1,287.0	27.2	.....	.....	.....	13.6	27.2	13.6	.....	(2)	109.0	13.6	34.0
	1902	1,473.4	20.0	.....	.....	13.3	60.0	20.0	33.3	.....	(2)	80.0	.....	20.0
	1903	1,345.3	19.6	.....	.....	6.5	6.5	19.6	39.2	6.5	(2)	52.2	6.5	13.1
	1904	1,542 2	12.8	.....	.....	6.4	19.2	.....	102.4	6.4	(2)	108.8	.....	44.8
	1905	1,492.9	31.4	.....	.....	6.3	12.5	18.8	50.2	.....	25.1	87.8	6.3	31.4
	1906	1,316.4	30.8	.....	.....	36.9	12.3	36.9	18.5	.....	6.2	36.9	18.5	55.4
	1907	1,170.6	12.1	.....	.....	.....	24.1	12.1	42.2	6.0	.....	78.4	.....	54.3
	1908	1,060.0	23.7	.....	.....	.....	.....	5.9	23.7	11.8	11.8	29.6	11.8	77.0
	1909	1,460.2	19.8	.....	.....	31.7	15.9	4.0	11.9	4.0	4.0	87.3	27.8	59.5
Homestead	1906	1,833.4	18.5	.....	.....	12.3	24.6	12.3	49.2	.....	12.3	135.4	18.5	36.9
	1907	1,806.1	35.4	.....	.....	47.2	.....	35.4	23.6	.....	29.5	153.5	29.5	35.4
	1908	1,438.5	11.3	.....	.....	34.0	5.7	11.3	11.3	17.0	.....	152.9	11.3	34.0
	1909	1,463.3	11.0	.....	.....	87.7	5.5	11.0	11.0	5.5	.....	115.1	16.4	38.4

[1] Exclusive of stillbirths.

[2] Not computed separately.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	16.3	27.2	122.3	163.1	127.8	108.7	87.0	95.1	81.5	70.7	5.4	116.9	40.8	78.8	.....
2.7	13.4	13.4	161.1	155.7	123.5	96.6	123.5	75.2	96.6	83.2	8.1	104.7	64.4	72.5	.....
5.3	8.0	8.0	164.4	177.7	129.9	84.9	143.2	119.3	76.9	98.1	8.0	98.1	47.7	95.5	2.7
2.6	13.1	21.0	146.7	157.2	110.0	120.5	191.2	104.8	110.0	76.0	10.5	86.5	39.3	91.7	.....
.....	.....	56.8	251.7	129.9	170.5	56.8	48.7	97.4	48.7	89.3	.....	203.0	162.4	186.8	8.1
.....	24.6	32.7	270.2	139.2	155.5	24.6	90.1	65.5	57.3	73.7	.....	106.4	106.4	270.2	.....
.....	.....	33.0	165.0	165.0	107.3	66.0	66.0	99.0	41.3	57.8	16.5	156.8	173.3	222.8	.....
.....	8.3	41.6	216.2	149.7	83.2	83.2	58.2	66.5	83.2	58.2	8.3	149.7	24.9	133.1	.....
.....	.....	8.3	208.2	199.9	83.3	75.0	141.6	41.6	124.9	116.6	.....	116.6	41.6	100.0	.....
.....	.....	8.4	151.1	109.2	92.4	125.9	84.0	58.8	75.6	42.0	16.8	142.7	25.2	142.7	.....
8.5	.....	16.9	135.4	160.8	33.9	42.3	110.0	84.6	59.2	152.3	.....	152.3	16.9	152.3	.....
8.5	8.5	.....	110.9	332.8	102.4	59.7	59.7	51.2	59.7	76.8	.....	93.9	42.7	153.6	.....
.....	25.8	25.8	146.2	206.5	86.0	43.0	43.0	103.2	43.0	129.0	8.6	111.8	25.8	137.6	.....
.....	8.7	34.7	147.4	234.2	60.7	17.3	60.7	60.7	69.4	60.7	.....	112.7	34.7	164.8	.....
25.9	38.9	13.0	103.6	220.2	64.8	64.8	51.8	51.8	77.7	77.7	.....	64.8	25.9	116.6	.....
.....	.....	.....	182.6	117.4	208.7	91.3	104.3	91.3	91.3	130.4	13.0	104.3	.....	130.4	13.0
.....	.....	.....	183.9	170.7	157.6	65.7	183.9	91.9	78.8	52.5	.....	52.5	13.1	105.1	.....
.....	.....	13.2	238.1	304.2	52.9	52.9	119.0	92.6	66.1	105.8	.....	39.7	39.7	13.2	.....
.....	.....	53.3	128.0	138.7	96.0	106.7	416.0	106.7	21.3	106.7	10.7	128.0	181.3	213.3	64.0
.....	.....	20.6	154.2	113.1	154.2	71.9	164.4	133.6	20.6	102.8	10.3	185.0	123.3	133.6	51.4
.....	9.9	19.9	159.1	79.5	69.6	89.5	169.0	49.7	19.9	178.9	.....	139.2	69.6	178.9	29.8
.....	.....	28.9	144.4	48.1	67.4	67.4	182.9	86.6	77.0	125.1	19.3	182.9	57.8	125.1	9.6
9.3	9.3	28.0	65.3	74.6	56.0	121.3	130.6	84.0	56.0	93.3	9.3	112.0	74.6	140.0	.....
.....	.....	18.1	54.3	117.7	45.3	45.3	81.5	18.1	72.4	117.7	.....	117.7	72.4	181.1	9.1
.....	8.8	8.8	87.9	105.5	26.4	123.1	70.3	96.7	52.7	131.9	17.6	131.9	17.6	149.5	8.8
.....	8.5	8.5	102.5	102.5	102.5	94.0	68.4	68.4	51.3	128.2	8.5	170.9	8.5	85.4	.....
.....	8.3	.....	83.1	124.7	49.9	83.1	182.8	66.5	74.8	58.2	8.3	124.7	24.9	83.1	.....
.....	8.1	8.1	113.3	80.9	8.1	72.8	56.6	32.4	72.8	72.8	16.2	72.8	24.3	56.6	8.1
.....	6.4	12.8	204.1	127.5	242.3	95.7	261.5	31.9	31.9	89.3	6.4	57.4	44.6	82.9	6.4
.....	12.4	30.9	197.6	129.7	117.3	55.6	135.9	43.2	49.4	105.0	6.2	135.9	37.1	80.3	.....
.....	12.0	18.0	263.5	41.9	173.6	101.8	257.5	59.9	47.9	83.8	.....	107.8	41.9	77.8	.....
.....	11.6	11.6	307.9	93.0	261.5	110.4	209.2	23.2	58.1	145.3	17.4	127.8	34.9	75.5	.....
.....	.....	15.2	121.6	68.4	190.0	152.0	387.7	38.0	30.4	136.8	7.6	167.2	53.2	53.2	.....
.....	7.2	43.4	72.3	43.4	144.6	94.0	397.6	65.1	14.5	101.2	.....	195.2	65.1	86.7	.....
.....	13.8	13.8	48.2	41.3	137.8	117.1	296.3	68.9	20.7	110.3	6.9	103.4	41.3	41.3	.....
.....	.....	13.2	59.2	59.2	171.2	98.7	283.1	65.8	19.7	177.7	26.3	158.0	52.7	65.8	.....
.....	4.0	27.7	289.3	158.5	170.4	39.6	110.9	47.5	59.4	79.2	15.9	118.9	162.5	138.7	.....
.....	18.4	11.0	242.7	150.7	102.9	55.2	95.6	80.9	80.9	102.9	7.4	165.5	25.7	106.6	7.4
7.3	25.4	3.6	218.0	199.8	112.6	54.5	98.1	101.7	87.2	54.5	25.4	181.7	36.3	119.9	25.4
3.6	21.5	21.5	193.9	172.4	75.4	32.3	64.6	79.0	100.6	43.1	25.1	158.0	21.5	89.8	.....
3.6	14.2	3.6	195.3	177.5	53.3	95.9	92.3	103.0	95.9	56.8	46.2	152.7	32.0	110.1	.....
.....	.....	26.5	183.9	176.4	127.1	77.7	125.2	81.5	89.1	73.9	7.6	66.4	55.0	174.5	3.8
.....	9.2	11.1	177.0	153.0	114.3	86.6	108.8	112.5	68.2	64.5	14.7	81.1	42.4	165.9	.....
.....	14.4	32.4	177.9	143.8	97.1	50.3	109.6	124.0	75.5	97.1	1.8	118.6	25.2	160.0	1.8
1.8	10.5	29.8	149.0	142.0	87.7	36.8	101.7	92.9	63.1	73.6	3.5	77.1	29.8	126.2	.....
1.7	17.1	25.7	128.4	131.8	89.0	73.6	95.8	116.4	109.5	89.0	12.0	87.3	15.4	143.8	1.7
5.0	8.4	23.4	128.7	170.5	102.0	56.8	118.7	133.7	88.6	81.9	5.0	128.7	15.0	133.7	.....
4.9	14.7	22.9	130.7	158.4	89.8	53.9	143.7	135.6	93.1	57.2	9.8	83.3	11.4	101.3	.....
1.6	3.2	1.6	156.5	204.4	94.2	59.1	103.8	156.5	97.4	70.3	14.4	78.2	3.2	124.6	.....
.....	21.9	14.1	121.8	212.4	90.6	71.9	109.3	129.6	120.3	82.8	15.6	121.8	3.1	109.3	1.6
.....	10.7	10.7	114.6	224.7	74.9	88.7	134.5	126.9	99.4	73.4	24.5	139.1	6.1	94.8	.....
.....	8.0	53.8	281.1	123.6	119.6	85.7	95.7	71.8	63.8	63.8	8.0	131.6	113.6	135.5	53.8
3.9	5.8	27.2	268.1	139.9	87.4	81.6	112.7	83.5	66.0	97.1	7.8	116.6	97.1	141.8	36.9
1.9	3.8	26.6	244.8	123.4	121.5	81.6	77.8	74.0	74.0	72.1	.....	129.1	98.7	102.5	3.8
5.6	7.4	22.3	244.9	126.1	87.2	53.8	72.4	55.7	70.5	46.4	7.4	103.9	90.9	103.9	.....
.....	12.7	20.0	176.0	110.7	123.4	65.3	63.5	78.0	74.4	81.6	3.6	112.5	78.0	163.3	.....
.....	7.1	16.0	175.8	117.2	99.4	53.3	42.6	87.0	76.3	81.7	12.4	174.0	81.7	101.2	5.3
1.7	8.7	15.6	144.2	130.3	81.7	73.0	73.0	85.2	73.0	48.7	13.9	159.9	74.7	99.1	5.2
.....	13.6	11.9	163.4	183.8	115.7	66.4	68.1	73.2	98.7	78.3	17.0	171.9	37.4	107.2	3.4
.....	6.7	3.3	173.4	141.8	85.1	56.7	68.4	78.4	126.7	60.0	28.4	96.7	40.0	126.7	.....
.....	13.1	14.7	148.8	174.9	93.2	88.3	65.4	73.6	96.4	73.6	24.5	106.3	29.4	121.0	1.6
.....	7.0	14.1	224.9	84.3	112.4	182.7	168.7	84.3	56.2	91.4	7.0	70.3	140.6	91.4	.....
.....	6.8	34.0	129.4	81.7	88.5	109.0	95.3	40.9	88.5	27.2	6.8	102.1	81.7	149.8	6.8
.....	13.3	66.7	206.7	106.7	66.7	133.3	153.3	86.7	73.3	46.7	13.3	80.0	80.0	86.7	13.3
.....	6.5	19.6	169.8	143.7	71.8	84.9	117.5	65.3	104.5	71.8	6.5	111.0	71.8	111.0	19.6
.....	19.2	70.4	153.6	76.8	108.8	115.2	115.2	83.2	83.2	96.0	.....	96.0	121.6	89.6	12.8
.....	12.5	31.4	125.5	100.4	94.1	131.7	125.5	75.3	100.4	106.6	.....	119.2	100.4	100.4	.....
.....	12.3	6.2	129.2	116.9	104.6	80.0	141.5	86.1	86.1	55.4	6.2	123.0	6.2	110.7	.....
6.0	6.0	18.1	114.7	187.1	72.4	96.5	90.5	48.3	102.6	48.3	24.1	54.3	12.1	54.3	6.0
.....	5.9	23.7	148.0	106.6	65.1	65.1	130.3	35.5	59.2	53.3	17.8	65.1	11.8	77.0	.....
.....	7.9	7.9	115.1	127.0	75.4	146.8	210.3	83.3	103.2	67.5	7.9	154.7	4.0	83.3	.....
.....	6.2	12.3	153.8	104.6	166.1	110.7	399.9	61.5	67.7	160.0	12.3	178.4	18.5	61.5	.....
.....	17.7	5.9	123.9	70.8	200.7	53.1	377.7	53.1	88.5	141.7	23.6	129.8	53.1	76.7	.....
.....	.....	34.0	68.0	56.6	209.5	107.6	283.2	101.9	85.0	73.6	11.3	39.6	11.3	68.0	.....
.....	.....	21.9	65.8	65.8	109.6	169.9	350.8	43.8	71.2	104.1	21.9	60.3	11.0	65.8	.....

[3] Nonregistration from 1901 to 1905.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
PENNSYLVANIA—continued.														
Johnstown	1900	2,109.3	130.8	.....	.....	25.0	16.7	39.0	75.1	13.9	(2)	114.1	16.7	44.5
	1901	1,665.6	113.4	.....	.....	2.6	20.6	.....	38.7	7.7	(2)	100.6	5.2	36.1
	1902	1,672.0	34.4	.....	56.6	7.4	108.2	2.5	51.6	4.9	(2)	125.4	9.8	29.5
	1903	1,677.8	21.1	.....	25.8	16.4	56.4	11.7	79.9	4.7	(2)	105.7	7.0	30.5
	1904	1,356.9	31.5	2.3	4.5	2.3	60.8	13.5	49.5	2.3	(2)	121.5	6.8	51.8
	1905	1,351.3	41.0	.....	.....	2.2	25.9	10.8	21.6	2.2	4.3	71.2	2.2	23.7
	1906	1,514.2	49.8	.....	.....	12.4	14.5	16.6	41.5	2.1	6.2	116.2	20.7	41.5
	1907	1,427.3	69.9	.....	.....	6.0	14.0	2.0	55.9	2.0	6.0	121.8	22.0	27.9
	1908	1,401.0	76.8	.....	.....	.....	13.4	24.9	30.7	11.5	11.5	99.8	17.3	49.9
	1909	1,579.9	51.9	.....	.....	14.8	70.4	11.1	38.9	3.7	11.1	113.0	24.1	44.5
Lancaster	1900	1,724.6	43.4	2.4	.....	4.8	9.6	26.5	69.9	41.0	(2)	127.8	33.8	60.3
	1901	1,634.6	21.4	2.4	.....	2.4	7.1	19.0	47.5	78.4	(2)	125.9	14.3	47.5
	1902	1,347.4	51.6	2.3	.....	.....	.....	16.4	9.4	18.7	(2)	142.9	16.4	60.9
	1903	1,391.6	53.2	.....	2.3	.....	6.9	20.8	27.7	13.9	(2)	138.7	20.8	67.0
	1904	1,541.9	82.1	.....	.....	36.5	2.3	.....	29.7	20.5	(2)	136.9	22.8	61.6
	1905	1,391.0	45.0	2.3	.....	.....	.....	9.0	27.0	20.3	18.0	135.1	45.0	65.3
	1906	1,539.6	82.2	.....	.....	.....	6.7	48.9	13.3	8.9	8.9	173.3	24.4	68.9
	1907	1,342.3	17.5	2.2	.....	4.4	8.8	2.2	11.0	17.5	.....	111.9	24.1	83.3
	1908	1,513.7	15.2	2.2	.....	4.3	2.2	30.3	13.0	28.2	2.2	132.1	21.7	80.1
	1909	1,383.6	25.7	.....	.....	2.1	2.1	10.7	10.7	10.7	8.6	109.1	32.1	79.1
Lebanon [3]	1900	1,718.9	34.0	5.7	.....	22.7	.....	.....	141.8	34.0	(2)	102.1	5.7	17.0
	1906	1,638.1	16.1	5.4	.....	10.7	5.4	21.5	43.0	5.4	5.4	75.2	26.9	37.6
	1907	1,474.8	10.6	.....	.....	5.3	.....	.....	53.2	21.3	21.3	63.9	21.3	47.9
	1908	1,435.7	26.4	.....	.....	26.4	.....	5.3	10.6	52.8	15.8	89.7	21.1	36.9
	1909	1,658.8	68.0	5.2	.....	.....	.....	.....	10.5	20.9	15.7	109.9	5.2	94.2
McKeesport	1900	1,855.3	70.1	5.8	2.9	14.6	26.3	20.5	55.5	8.8	(2)	99.3	8.8	55.5
	1901	1,846.1	82.7	.....	.....	2.9	39.9	2.9	31.4	2.9	(2)	105.6	2.9	57.1
	1902	2,086.5	83.8	.....	30.7	2.8	2.8	14.0	61.4	.....	(2)	92.2	5.6	33.5
	1903	1,840.9	84.8	.....	10.9	13.7	10.9	54.7	73.9	8.2	(2)	103.9	13.7	38.3
	1904	1,949.4	141.7	.....	.....	2.6	21.0	.....	68.2	10.5	(2)	139.1	26.2	39.4
	1905	1,955.5	92.1	.....	.....	7.7	10.2	5.1	56.3	10.2	7.7	117.7	15.4	38.4
	1906	2,171.9	155.7	.....	.....	20.1	2.5	7.5	57.8	2.5	22.6	153.2	15.1	37.7
	1907	2,178.3	106.0	2.5	.....	37.0	17.2	4.9	46.8	9.9	12.3	155.2	24.6	46.8
	1908	1,809.5	96.8	2 4	.....	19.4	4.8	12.1	38.7	12.1	14.5	101.6	24.2	55.6
	1909	1,679.5	42.8	.....	.....	.....	14.3	35.6	33.3	2.4	9.5	92.6	9.5	66.5
Mahanoy City	1900	2,969.5	.....	.....	.....	59.2	7.4	.....	162.9	29.6	(2)	111.1	.....	66.7
	1901	2,476.4	7.3	.....	.....	.....	7.3	29.0	101.7	7.3	(2)	43.6	.....	21.8
	1902	1,790.8	21.4	.....	.....	.....	21.4	.....	14.3	.....	(2)	57.1	.....	28.5
	1903	2,215.7	14.0	7.0	.....	.....	217.4	63.1	21.0	.....	(2)	42.1	7.0	14.0
	1904	2,295.3	13.8	.....	13.8	13.8	48.2	.....	89.6	.....	(2)	82.7	.....	41.4
	1905	2,087.6	33.9	.....	.....	.....	6.8	.....	128.8	6.8	6.8	54.2	.....	47.4
	1906	2,013.3	6.7	.....	.....	33.3	.....	60.0	86.7	.....	20.0	73.3	6.7	20.0
	1907	1,541.4	13.1	.....	.....	.....	13.1	.....	32.8	.....	6.6	45.9	6.6	45.9
	1908	1,813.7	6.5	.....	.....	.....	.....	12.9	58.1	12.9	25.8	77.5	6.5	51.6
	1909	1,677.3	6.4	.....	.....	12.7	.....	.....	38.1	.....	31.8	50.8	.....	12.7
Meadville	1900	1,651.9	68.0	9.7	.....	.....	.....	9.7	29.2	48.6	(2)	155.5	.....	68.0
	1901	1,674.2	86.1	9.6	.....	.....	.....	.....	9.6	57.4	(2)	57.4	19.1	28.7
	1902	1,358.1	103.7	.....	.....	.....	9.4	.....	9.4	18.9	(2)	75.5	9.4	56.6
	1903	1,432.0	46.5	9.3	.....	37.2	.....	27.9	9.3	37.2	(2)	111.6	.....	102.3
	1904	1,260.0	16.8	.....	.....	.....	.....	.....	.....	25.2	(2)	67.2	16.8	75.6
	1905	1,327.1	33.2	.....	.....	.....	.....	41.5	24.9	8.3	.....	74.7	8.3	91.2
	1906	1,278.0	32.8	.....	.....	8.2	.....	.....	8.2	24.6	.....	81.9	8.2	106.5
	1907	1,747.9	48.6	.....	.....	.....	.....	16.2	.....	72.8	16.2	121.4	16.2	137.6
	1908	1,518.9	40.0	.....	.....	.....	.....	8.0	8.0	40.0	24.0	64.0	32.0	127.9
	1909	1,635.1	31.6	.....	.....	7.9	7.9	7.9	7.9	15.8	7.9	86.9	7.9	118.5
Mount Carmel	1900	2,792.3	15.2	.....	.....	22.8	53.1	.....	83.4	7.6	(2)	83.5	.....	30.3
	1901	2,160.4	.....	.....	.....	7.3	95.2	22 0	80.6	.....	(2)	124.5	.....	29.3
	1902	2,284.5	7.1	.....	21.3	.....	21.3	42.6	85.1	.....	(2)	63.9	.....	35.5
	1903	1,396.5	.....	.....	.....	6.9	27.5	6.9	55.0	.....	(2)	89.4	6.9	13.8
	1904	1,802.8	6.7	.....	.....	13.4	146.9	6.7	93.5	.....	(2)	86.8	.....	26.7
	1905	1,472.3	.....	6.5	.....	6.5	51.9	.....	32.4	.....	13.0	45.4	.....	25.9
	1906	1,311.6	12.6	.....	.....	6.3	.....	37.8	44.1	6.3	.....	69.4	12.6	18.9
	1907	1,539.9	12.3	6.1	.....	128.8	30.7	12.3	36.8	18.4	67.5	49.1	12.3	18.4
	1908	1,379.8	.....	.....	.....	6.0	23.9	11.9	131.4	6.0	17.9	83.6	6.0	41.8
	1909	1,396.8	.....	.....	.....	46.6	.....	5.8	98.9	17.5	17.5	46.6	5.8	23.3
Nanticoke	1906	1,541.9	43.0	.....	.....	49.1	6.1	43.0	55.3	6.1	12.3	55.3	.....	30.7
	1907	1,332.2	5.9	.....	.....	.....	88.4	35.4	35.4	17.7	.....	17.7	.....	58.9
	1908	1,626.2	11.3	.....	.....	.....	96.3	17.0	164.3	5.7	11.3	51.0	5.7	45.3
	1909	1,505.4	5.5	.....	.....	60.0	27.3	.....	54.5	5.5	10.9	43.6	16.4	21.8
New Castle	1900	1,577.3	137.6	.....	.....	31.8	7.1	.....	17.6	28.2	(2)	67.0	7.1	45.9
	1901	1,313.7	58.3	3.4	.....	.....	6.9	17.2	20.6	44.6	(2)	102.9	3.4	48.0
	1902	1,655.1	200.6	3.3	.....	50.2	.....	20.1	30.1	23.4	(2)	107.0	20.1	23.4
	1903	1,444.9	130.5	.....	.....	6.5	13.0	35.9	22.8	13.0	(2)	97.8	6.5	29.4
	1904	1,391.1	70.0	.....	.....	3.2	6.4	.....	38.2	15.9	(2)	86.0	6.4	41.4
	1905	1,635.2	56.0	3.1	.....	15.5	9.3	9.3	21.8	40.4	9.3	77.7	21.8	43.5
	1906	1,549.2	36.5	.....	.....	18.2	3.0	15.2	33.4	12.2	36.5	97.2	12.2	33.4
	1907	1,662.0	82.7	.....	.....	8.9	5.9	23.6	17.7	35.4	14.8	64.9	20.7	35.4
	1908	1,414.3	77.3	.....	.....	25.8	.....	14.3	17.2	40.1	.....	85.9	5.7	77.3
	1909	1,432.1	39.2	.....	.....	11.2	.....	33.6	14.0	11.2	11.2	89.7	25.2	47.6

[1] Exclusive of stillbirths.

[2] Not computed separately.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	5.6	128.0	161.4	116.9	311.7	47.3	161.4	105.8	44.5	64.0	.....	175.3	128.0	105.7	77.9
2.6	5.2	49.0	167.6	72.2	172.7	61.9	149.5	92.8	49.0	64.5	10.3	188.2	113.4	100.6	41.3
2.5	12.3	44.3	172.1	66.4	184.4	44.3	103.3	66.4	61.5	61.5	2.5	206.5	132.8	66.4	14.8
.....	7.0	37.6	119.8	89.3	202.1	61.1	115.1	58.7	56.4	84.6	4.7	213.8	124.5	129.2	14.1
.....	9.0	11.3	123.8	60.8	126.0	31.5	83.3	81.0	33.8	45.0	9.0	146.3	153.0	81.0	15.8
.....	10.8	28.1	131.7	58.3	116.6	28.1	97.1	62.6	49.6	79.9	6.5	228.8	155.4	54.0	38.9
.....	2.1	20.7	93.3	56.0	190.8	41.5	120.3	78.8	64.3	70.5	16.6	232.3	107.9	78.8	18.7
2.0	12.0	24.0	111.8	65.9	111.8	39.9	109.8	73.9	67.9	105.8	10.0	211.6	57.9	79.8	16.0
1.9	9.6	26.9	115.2	67.2	142.0	44.1	138.2	72.9	61.4	76.8	3.8	147.8	48.0	99.8	9.6
.....	5.6	16.7	133.4	77.8	148.2	63.0	203.7	77.8	63.0	81.5	7.4	174.1	44.5	83.3	16.7
7.2	2.4	19.3	205.0	195.4	111.0	72.4	132.7	111.0	94.1	48.3	14.5	67.5	101.3	120.6	2.4
4.8	4.8	16.6	180.6	192.4	190.1	47.5	128.3	109.3	80.8	47.5	7.1	64.1	57.0	137.8	.....
4.7	4.7	7.0	192.1	147.6	70.3	46.9	112.5	72.6	96.1	42.2	7.0	56.2	44.5	124.2	.....
2.3	20.8	30.1	173.4	145.6	71.7	53.2	85.5	92.5	97.1	25.4	11.6	62.4	34.7	134.1	.....
.....	13.7	27.4	214.4	166.5	111.8	61.6	95.8	79.8	95.8	41.1	13.7	63.9	31.9	132.3	.....
.....	20.3	29.3	200.3	173.3	81.0	33.8	99.0	67.5	117.0	40.5	11.3	54.0	18.0	78.8	.....
2.2	11.1	8.9	151.1	200.0	97.8	46.7	115.5	102.2	117.7	33.3	11.1	86.6	22.2	97.8	.....
2.2	21.9	6.6	144.8	212.7	57.0	41.7	100.9	92.1	94.3	48.3	13.2	65.8	13.2	144.8	.....
.....	15.2	28.2	177.6	190.6	52.0	80.1	123.4	116.9	151.6	52.0	8.7	60.6	6.5	119.1	.....
.....	12.8	6.4	173.2	216.0	74.8	89.8	85.5	74.8	113.3	49.2	19.2	66.3	2.1	109.1	.....
.....	5.7	11.4	306.3	90.8	158.8	85.1	68.1	56.7	45.4	73.7	11.4	96.4	215.6	113.5	17.0
.....	21.5	32.2	284.7	123.5	118.2	48.3	102.0	118.2	64.5	75.2	5.4	155.8	96.7	139.6	.....
.....	5.3	5.3	197.0	154.4	106.5	42.6	133.1	53.2	111.8	53.2	.....	133.1	101.2	133.1	.....
15.8	5.3	10.6	269.2	89.7	63.3	47.5	73.9	63.3	68.6	84.5	10.6	84.5	63.3	200.6	.....
.....	26.2	5.2	256.4	104.7	130.8	94.2	99.4	120.4	52.3	89.0	20.9	109.9	115.1	104.7	.....
.....	8.8	43.8	210.4	76.0	251.3	84.7	210.4	93.5	38.0	108.1	2.9	140.2	96.4	116.9	5.8
5.7	2.9	45.7	182.6	79.9	254.0	77.0	174.1	137.0	34.2	99.9	17.1	216.9	105.6	82.7	2.9
.....	.....	67.0	243.0	103.3	251.4	106.1	159.2	89.4	47.5	142.5	16.8	276.5	108.9	148.0	.....
2.7	5.5	38.3	172.3	109.4	175.1	90.3	134.0	112.2	52.0	136.8	13.7	180.5	73.9	128.6	2.7
.....	10.5	36.7	149.6	115.4	178.4	89.2	194.2	89.2	73.5	125.9	10.5	238.8	65.6	120.7	2.6
.....	5.1	51.2	166.4	130.5	217.6	120.3	143.3	135.7	69.1	125.4	25.6	222.7	53.7	120.3	7.7
.....	.....	52.7	203.4	108.0	158.2	128.1	213.4	128.1	52.7	130.6	25.1	316.4	40.2	140.6	.....
4.9	.....	29.6	182.3	130.6	211.9	140.5	258.7	115.8	56.7	145.4	34.5	231.6	69.0	103.5	.....
2.4	4.8	29.0	99.2	113.7	183.9	116.1	229.8	133.0	29.0	135.5	19.4	176.6	48.4	106.4	.....
.....	4.8	23.8	95.0	116.4	125.9	123.5	220.9	125.9	66.5	92.6	30.9	206.7	40.4	99.8	.....
.....	.....	59.2	362.9	155.5	237.0	185.2	251.8	162.9	59.2	244.4	7.4	288.8	303.6	162.9	51.8
.....	.....	33.3	276.0	261.4	246.9	123.5	225.1	116.2	50.8	138.0	7.3	283.2	261.4	225.1	7.3
.....	.....	99.9	221.2	171.2	142.7	114.2	235.4	64.2	21.4	71.3	14.3	221.2	185.5	85.6	.....
.....	.....	56.1	217.4	91.2	217.4	210.3	217.4	119.2	70.1	119.2	7.0	210.3	168.3	119.2	7.0
.....	.....	75.8	289.5	131.0	144.7	117.2	337.7	89.6	62.0	89.6	6.9	261.9	213.7	158.5	13.8
.....	20.3	40.7	325.3	74.6	135.6	142.3	244.0	94.9	115.2	115.2	.....	223.7	108.4	135.6	27.1
.....	.....	6.7	300.0	126.7	146.7	200.0	300.0	160.0	66.7	86.7	.....	140.0	80.0	93.3	.....
.....	6.6	13.1	262.4	72.1	91.8	177.1	137.7	52.5	91.8	78.7	.....	124.6	111.5	157.4	.....
.....	12.9	6.5	193.6	83.9	174.3	154.9	245.3	129.1	96.8	77.5	.....	135.5	129.1	122.6	.....
.....	6.4	6.4	177.9	127.1	133.4	184.2	165.2	203.3	63.5	108.0	6.4	127.1	120.7	95.3	.....
19.4	29.2	19.4	233.2	87.5	77.7	48.6	68.0	116.6	97.2	38.9	.....	174.9	38.9	213.7	.....
.....	9.6	19.1	248.7	114.8	210.5	67.0	76.5	133.9	105.2	28.7	.....	76.5	133.9	172.2	9.6
9.4	.....	18.9	179.2	150.9	47.2	47.2	47.2	84.9	94.3	56.6	9.4	84.9	37.7	207.5	.....
.....	18.6	18.6	232.5	148.8	55.8	37.2	37.2	120.9	93.0	27.9	27.9	74.4	18.6	139.5	.....
8.4	8.4	16.8	226.8	168.0	75.6	16.8	58.8	75.6	134.4	58.8	8.4	142.8	16.8	42.0	.....
.....	16.6	8.3	157.6	215.7	91.2	58.1	49.8	74.7	91.2	82.9	24.9	82.9	8.3	82.9	.....
.....	32.8	24.6	163.8	155.6	41.0	65.5	49.2	65.5	98.3	32.8	8.2	106.5	24.6	139.3	.....
.....	16.2	16.2	161.8	283.2	64.7	48.6	72.8	89.0	113.3	64.7	24.3	161.8	32.4	169.9	.....
.....	8.0	56.0	135.9	239.8	64.0	16.0	71.9	151.9	87.9	56.0	16.0	111.9	.....	159.9	.....
.....	7.9	55.3	126.4	276.5	118.5	63.2	31.6	142.2	181.7	63.2	7.9	55.3	31.6	173.8	.....
7.6	.....	53.1	523.6	144.2	478.0	129.0	379.4	68.3	22.8	136.6	.....	242.8	212.4	68.3	30.3
.....	.....	51.3	219.7	102.5	183.1	205.1	227.0	95.2	51.3	212.4	29.3	146.5	190.4	80.6	7.3
.....	.....	70.9	340.5	63.9	298.0	113.5	312.2	127.7	35.5	127.7	.....	170.3	248.3	99.3	.....
.....	.....	34.4	137.6	75.7	165.1	75.7	199.5	61.9	55.0	68.8	.....	117.0	110.1	34.4	55.0
.....	6.7	33.4	240.4	40.1	207.0	160.2	160.2	26.7	40.1	100.2	6.7	120.2	146.9	126.9	6.7
.....	.....	19.5	194.6	129.7	103.8	90.8	149.2	77.8	64.9	97.3	6.5	162.1	110.3	84.3	.....
.....	18.9	18.9	82.0	107.2	69.4	82.0	252.2	75.7	37.8	94.6	.....	138.7	75.7	50.4	.....
.....	.....	12.3	128.8	67.5	128.8	85.9	239.3	67.5	55.2	67.5	.....	135.0	67.5	92.0	.....
.....	.....	17.9	89.6	83.6	119.5	113.5	191.1	53.8	29.9	53.8	6.0	71.7	119.5	101.5	.....
.....	11.6	23.3	98.9	81.5	110.6	87.3	261.9	40.7	40.7	110.6	5.8	104.8	34.9	122.2	.....
6.1	.....	.....	116.7	30.7	153.6	165.9	264.1	73.7	30.7	129.0	6.1	172.0	36.9	55.3	.....
.....	.....	5.9	100.2	47.2	229.9	76.6	194.5	29.5	70.7	82.5	5.9	153.3	64.8	11.8	.....
.....	.....	17.0	90.7	56.7	187.0	79.3	272.0	34.0	51.0	153.0	11.3	181.3	45.3	39.7	.....
.....	.....	5.5	103.6	54.5	158.2	114.5	316.4	49.1	38.2	136.4	5.5	196.4	5.5	76.4	.....
.....	10.6	42.3	109.4	67.0	88.2	81.2	158.8	105.9	42.3	45.9	14.1	144.7	67.0	197.6	60.0
3.4	3.4	30.9	106.3	54.9	123.5	30.9	92.6	78.9	30.9	44.6	3.4	150.9	37.7	161.2	54.9
3.3	3.3	20.1	103.7	97.0	107.0	60.2	103.7	133.7	60.2	33.4	.....	210.7	60.2	123.7	56.8
6.5	.....	22.8	94.6	104.4	65.2	68.5	156.6	97.8	52.2	62.0	3.3	156.6	42.4	123.9	32.6
6.4	6.4	28.7	105.1	70.0	101.9	76.4	60.5	127.3	70.0	63.7	6.4	187.8	50.9	108.2	54.1
18.7	9.3	12.4	121.2	96.4	149.2	80.8	121.2	158.5	49.7	62.2	9.3	214.5	43.5	136.8	43.5
3.0	6.1	36.5	109.4	97.2	88.1	51.6	145.8	154.9	57.7	115.4	6.1	170.1	39.5	148.8	21.3
.....	8.9	29.5	159.4	124.0	141.7	91.5	124.0	144.6	79.7	53.1	23.6	124.0	56.1	150.6	41.3
.....	11.5	22.9	83.0	77.3	74.4	54.4	123.1	74.4	63.0	80.2	22.9	126.0	60.1	148.9	48.7
2.8	8.4	5.6	86.9	81.3	123.3	89.7	106.5	123.3	67.3	78.5	14.0	137.3	30.8	140.1	53.2

[8] Nonregistration from 1901 to 1905.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
PENNSYLVANIA—continued.														
Norristown *	1900	1,931.3	44.9	.....	.....	9.0	4.5	9.0	58.4	40.4	(2)	206.6	22.5	80.8
	1901	2,609.3	69.9	.....	21.9	.....	.....	13.1	43.7	78.7	(2)	389.0	21.9	43.7
	1902	2,413.9	46.9	.....	17.1	.....	.....	4.3	34.1	17.1	(2)	319.9	8.5	59.7
	1903	2,360.9	50.0	8.3	.....	12 5	.....	8.3	41.6	20.8	(2)	237.3	8.3	33.3
	1904	2,302.3	73.2	4.1	.....	8.1	12.2	12.2	12.2	32.5	(2)	227.8	20.3	77.3
	1905	2,079.4	43.7	.....	.....	4.0	.....	.....	55.7	.....	15.9	159.0	27.8	55.7
	1906	2,367.8	66.1	.....	.....	11.7	3.9	.....	42.8	3.9	58.3	252.7	42.8	93.3
	1907	2,388.9	34.2	.....	.....	64.7	22.8	15.2	26.6	34.2	30.4	213.0	41.8	87.5
	1908	2,200.6	41.0	.....	.....	7.4	.....	3.7	3.7	52.1	14.9	223.4	33.5	81.9
	1909	2,184.2	36.5	.....	.....	10.9	3.6	.....	3.6	32.8	25.5	233.4	40.1	94.8
Oil City [3]	1900	1,289.2	52.8	.....	.....	.....	.....	7.5	.....	7.5	(2)	165.9	7.5	52.8
	1906	1,194.4	6.8	.....	.....	.....	6.8	20.4	13.6	6.8	.....	81.4	6.8	81.4
	1907	1,148.4	20.0	6.7	.....	6.7	.....	13.4	.....	6.7	13.4	60.1	6.7	33.4
	1908	1,274.6	46.0	.....	.....	.....	.....	.....	.....	52.6	.....	46.0	6.6	52.6
	1909	1,286.9	25.9	.....	.....	6.5	12 9	6.5	.....	.....	.....	84.1	6.5	58.2
Philadelphia	1900	2,085.1	37.2	0.9	.....	26.7	12.7	8.6	85.1	19.4	(2)	218.3	21.3	69.0
	1901	1,801.2	34.5	1.2	13.5	3.5	17.2	18.7	49.2	12.6	(2)	210.9	21.7	62.1
	1902	1,749.7	47.1	1.5	16.1	11.8	10.0	13.9	38.4	4.9	(2)	198.4	23.5	66.8
	1903	1,873.5	72.3	0.9	20.5	17.3	14.6	31.5	44.9	14.3	(2)	216.2	28.8	71.6
	1904	1,873.7	54.7	1.2	16.2	22.2	15.7	6.9	39.1	15.5	(2)	230.4	31.0	78.3
	1905	1,758.3	50.8	1.3	.....	6.6	4.7	11.8	32.7	17.8	7.6	203.4	32.7	76.6
	1906	1,913.7	74.3	0.7	.....	27.8	5.1	27.3	39.0	9.6	9.9	225.1	32.8	79.3
	1907	1,860.5	60.3	0.8	.....	6.7	8.1	14.5	33.5	20.8	8.9	220.8	30.9	80.8
	1908	1,725.3	35.2	0.7	.....	17.7	13.8	15.0	32.5	19.6	7.2	201.7	30.5	83.6
	1909	1,637.4	22.3	0.5	.....	15.1	9.6	8.0	33.4	12.0	8.4	189.0	26.6	86.7
Phoenixville [3]	1900	2,251.0	43.5	.....	.....	32.6	10.9	.....	97.9	54.4	(2)	97.9	10.9	43.5
	1906	1,882.3	78.8	9.9	.....	.....	.....	49.3	.....	9.9	9.9	167.5	9.9	29.6
	1907	1,902.2	126.2	.....	.....	29.1	.....	9.7	.....	.....	9.7	97.0	19.4	38.8
	1908	1,730.2	95.6	.....	.....	.....	.....	9.6	76.5	19.1	28.7	86.0	28.7	105.2
	1909	1,535.1	28.3	.....	.....	37.7	9.4	18.8	18.8	.....	9.4	65.9	.....	113.0
Pittsburgh	1900	2,002.7	144.3	2.5	.....	28.6	15.9	24.3	45.4	16.8	(2)	125.3	15.5	51.9
	1901	1,927.1	119.5	2.1	1.2	16.7	33.7	28.1	47.2	31.3	(2)	129.2	21.7	43.1
	1902	2,130.7	136.1	1.7	35.3	52.6	25.6	23.0	47.1	16.4	(2)	131.0	23.8	53.1
	1903	2,105.6	132.7	1.1	88.7	25.3	20.6	47.3	60.0	13.8	(2)	136.9	29.9	55.5
	1904	1,926.4	135.9	.....	5.5	23.8	11.3	19.1	45.0	10.2	(2)	149.5	27.6	49.5
	1905	1,970.9	106.6	1.1	.....	36.9	45.3	34.7	27.1	15.2	10.0	149.1	33.6	54.2
	1906	1,990.0	141.1	.....	1.3	24.8	16.5	18.1	35.4	6.7	8.8	126.2	33.5	65.0
	1907	1,929.0	131.2	0.8	.....	11.5	11.0	37.6	28.0	20.4	9.7	112.4	27.2	62.5
	[4] 1908	1,732.6	48.9	0.2	.....	47.4	16.1	9.2	18.8	35.5	12.7	114.2	32.0	62.0
	[4] 1909	1,579.3	24.6	.....	.....	8.3	13.3	12.9	15 5	12.9	8.3	109.0	29.0	69.5
Pittston	1906	1,933.8	20.2	6.7	.....	47.2	.....	47.2	13.5	27.0	6.7	87.6	6.7	27.0
	1907	1,754.6	.....	.....	.....	.....	6.6	13.1	92.0	13.1	.....	72.3	6.6	46.0
	1908	2,026.6	12.8	.....	.....	6.4	275.8	25.7	134.7	25.7	.....	38.5	6.4	25.7
	1909	2,022.7	6.3	.....	.....	.....	212.9	18.8	131.5	.....	12.5	75.1	12.5	18.8
Plymouth	1900	2,007.5	51.3	.....	.....	95.2	22.0	.....	117.2	44.0	(2)	65.9	22.0	14.7
	1901	1,762.4	35.7	14.3	99.9	.....	21.4	7.1	92.8	42.8	(2)	57.1	.....	35.7
	1902	1,184.3	27.9	.....	.....	7.0	7.0	7.0	55.7	.....	(2)	27.9	.....	13.9
	1903	1,966.9	13.6	6.8	.....	136.1	13.6	6.8	122.5	6.8	(2)	20.4	6.8	54.4
	1904	1,589.9	6.7	.....	.....	13.3	6.7	13.3	99.8	.....	(2)	46.6	.....	33.3
	1905	1,288.1	32.5	.....	.....	.....	.....	.....	39.0	.....	.....	.....	.....	13.0
	1906	1,591.3	19.1	.....	.....	6.4	31.8	50.9	57.3	19.1	19.1	50.9	25.5	31.8
	1907	1,551.5	6.2	.....	.....	31.2	105.9	.....	81.0	6.2	31.2	87.2	12.5	68.5
	1908	1,586.5	42.7	.....	.....	6.1	152.6	.....	48.8	12.2	24.4	79.3	12.2	54.9
	1909	1,410.9	.....	6.0	.....	23.9	35.9	12.0	47.8	6.0	35.9	17.9	12.0	47.8
Pottstown	1900	1,730.4	58.4	14.6	.....	65.7	21.9	29.2	36.5	21.9	(2)	153.3	21.9	51.1
	1901	1,474.3	28.8	7.2	.....	.....	.....	.....	28.8	50 3	(2)	136.6	21.6	64.7
	1902	1,425.9	42.6	.....	.....	.....	.....	7.1	28.4	14.2	(2)	120.6	.....	35.5
	1903	1,448.8	77.0	14.0	.....	.....	.....	21.0	14.0	14.0	(2)	147.0	21.0	63.0
	1904	1,519.2	82.9	6.9	20.7	27.6	.....	.....	69.1	20.7	(2)	165.7	27.6	27.6
	1905	1,472.0	54.5	.....	.....	.....	.....	.....	13.6	13.6	6.8	184.0	6.8	34.1
	1906	1,533.6	26.9	6.7	.....	6.7	.....	6.7	6.7	6.7	.....	154.7	33.6	47.1
	1907	1,653.4	59.8	13.3	.....	19.9	13.3	33.2	13.3	13.3	19.9	86.3	6.6	66.4
	1908	1,376.8	72.1	.....	.....	6.6	.....	13.1	6.6	13.1	.....	98.3	19.7	98.3
	1909	1,346.6	51.8	.....	.....	.....	6.5	.....	25.9	19.4	6.5	71.2	25.9	51.8
Pottsville	1900	1,667.7	44.5	.....	.....	6.4	6.4	.....	44.5	12.7	(2)	101.8	.....	89.1
	1901	1,770.9	12.3	.....	.....	43.2	43.2	.....	30.9	49.4	(2)	111.1	6.2	49.4
	1902	1,500.2	48.0	.....	.....	.....	42.0	18.0	66.0	6.0	(2)	48.0	12.0	42.0
	1903	1,501.0	35.0	.....	.....	.....	5.8	5.8	40.9	.....	(2)	93.4	.....	70.1
	1904	1,837.3	11.4	5.7	.....	22.8	17.1	5.7	91.0	11.4	(2)	142.2	22.8	51.2
	1905	1,829.5	49.9	.....	.....	.....	5.5	.....	16.6	11.1	11.1	105.3	.....	88.7
	1906	1,713.9	37.8	.....	.....	16.2	.....	27.0	10.8	16.2	5.4	86.5	21.6	91.9
	1907	1,920.4	42.2	5.3	.....	.....	5.3	.....	21.1	10.6	15.8	121.3	21.1	105.5
	1908	1,864.7	51.5	.....	.....	.....	5.2	15.5	10.3	10.3	10.3	82.4	30.9	82.4
	1909	1,756.2	20.1	.....	.....	.....	10.1	5.0	15.1	20.1	5.0	105.7	45.3	75.5
Reading	1900	1,932.6	48.1	.....	.....	35.5	25.3	6.3	102.6	21.5	(2)	152.0	19.0	58.3
	1901	1,740.5	53.2	1.2	.....	11.1	33.4	34.6	71.7	38.3	(2)	146.0	19.8	49.5
	1902	1,589.0	66.6	2 4	.....	3.6	17.0	8.5	46.0	13.3	(2)	118.7	25.4	53.3
	1903	1,521.9	32 0	.....	.....	2.4	35.6	19.0	70.0	21.4	(2)	125.7	14.2	61.7
	1904	1,585.4	33.7	4.6	.....	38.4	24.4	2.3	70.9	22.1	(2)	118.6	24.4	48.8
	1905	1,514.2	26.2	1.1	.....	1.1	4.6	18.2	26.2	17.1	13.7	106.0	16.0	54.7
	1906	1,481.6	40.2	1.1	.....	.....	5.6	12.3	29.1	8.9	10.1	97.2	19.0	57.0
	1907	1,564.1	47.1	.....	.....	23.0	7.7	7.7	38.4	17.5	14.2	104.1	9.9	64.7
	1908	1,474.7	53.8	2.2	.....	5.4	8.6	20.4	31.2	37.6	11.8	95.7	19.4	46.3
	1909	1,383.3	37.0	.....	.....	2.1	10.6	7.4	26.4	13.7	8.4	94.0	11.6	58.1

[1] Exclusive of stillbirths.

[2] Not computed separately.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
4.5	9.0	40.4	251.5	229.1	76.4	94.3	71.9	89.8	89.8	62.9	.....	130.2	80.8	211.1	13.5
4.4	.....	43.7	380.2	310.3	122.4	122.4	65.6	96.2	131.1	74.3	.....	153.0	187.9	236.0	.....
.....	4.3	29.9	481.9	268.7	145.0	136.5	72.5	106.6	136.5	46.9	.....	140.7	127.9	204.7	4.3
.....	.....	29.1	403.9	233.2	199.9	133.2	66.6	112.4	183.2	16.7	.....	270.7	154.1	133.2	4.2
.....	8.1	48.8	317.3	333.5	183.0	105.8	85.4	109.8	154.6	52.9	.....	150.5	44.7	227.8	.....
.....	8.0	39.8	353.8	334.0	178.9	95.4	91.4	67.6	131.2	43.7	19.9	147.1	51.7	155.1	.....
.....	7.8	15.6	361.6	443.2	89.4	136.1	143.9	97.2	136.1	93.3	3.9	124.4	7.8	132.2	.....
3.8	19.0	15.2	304.3	422.2	79.9	194.0	159.8	57.1	190.2	41.8	11.4	167.4	15.2	136.9	.....
.....	14.9	14.9	323.9	409.6	67.0	193.6	134.0	96.8	178.7	26.1	22.3	108.0	.....	148.9	.....
.....	14.6	10.9	258.9	393.8	80.2	171.4	127.6	87.5	211.5	65.6	7.3	120.3	7.3	142.2	3.6
.....	7.5	30.2	188.5	120.6	90.5	37.7	82.9	52.8	30.2	37.7	7.5	75.4	113.1	98.0	22.6
6.8	27.1	27.1	81.4	190.0	33.9	33.9	135.7	142.5	40.7	81.4	.....	40.7	13.6	115.4	.....
.....	20.0	86.8	140.2	146.9	33.4	40.1	53.4	66.8	60.1	60.1	20.0	140.2	13.4	100.1	.....
.....	13.1	59.1	157.7	197.1	65.7	65.7	72.3	52.6	72.3	78.8	26.3	111.7	26.3	72.3	.....
.....	32.3	77.6	45.3	181.1	97.0	32.3	122.9	77.6	122.9	84.1	19.4	90.5	19.4	84.1	.....
1.5	8.4	36.2	206.1	172.9	191.0	131.3	114.6	109.2	136.2	118.1	12.4	86.8	94.5	165.0	1.7
1.8	9.1	30.8	174.7	160.0	157.4	104.5	104.3	93.7	137.5	53.6	11.3	102.8	75.2	139.1	0.3
1.2	7.8	30.6	161.4	172.0	154.3	111.5	96.2	95.8	135.8	52.8	13.9	73.8	78.1	130.8	1.4
1.6	11.2	15.9	151.7	190.2	142.6	105.1	112.6	91.2	149.3	77.8	14.6	91.1	48.2	137.0	0.2
1.1	12.5	15.5	142.9	204.6	137.1	107.8	132.9	88.9	159.2	86.0	15.2	87.0	36.6	134.2	0.9
1.3	13.9	15.6	137.0	204.9	97.4	98.1	143.6	85.4	164.8	86.2	13.8	88.2	41.7	119.8	0.6
0.6	12.0	12.8	128.1	208.8	104.7	117.4	172.0	97.6	167.6	83.9	14.7	100.1	33.6	128.8	0.1
0.8	12.2	21.4	132.4	225.9	112.9	104.8	147.3	88.8	176.3	79.3	15.4	103.5	32.2	121.2	0.1
0.9	13.6	10.2	113.6	206.4	92.4	109.2	137.6	85.5	159.4	79.5	17.6	90.0	31.0	120.7	0.1
0.4	15.8	7.0	118.2	213.3	88.7	105.2	129.6	77.6	158.9	73.5	16.4	85.4	25.5	110.0	0.3
.....	32.6	32.6	206.6	141.4	217.5	184.8	174.0	217.5	65.2	97.9	10.9	152.2	184.8	141.4	.....
.....	19.7	69.0	118.3	69.0	177.4	78.8	226.7	88.7	69.0	128.1	9.9	216.8	69.0	177.4	.....
.....	.....	67.9	262.0	145.6	213.5	58.2	87.3	87.3	116.5	87.3	.....	213.5	38.8	194.1	.....
.....	9.6	9.6	191.2	162.5	86.0	57.4	95.6	86.0	105.2	181.6	19.1	105.2	86.0	86.0	.....
.....	.....	9.4	188.4	150.7	178.9	84.8	131.9	75.3	65.9	84.8	9.4	150.7	47.1	56.5	.....
1.5	4.7	51.6	158.3	101.4	202.4	134.9	214.5	110.1	53.2	91.7	11.2	179.1	64.7	143.3	9.6
2.3	3.5	33.1	131.5	108.7	190.1	127.4	210.1	106.1	54.5	87.3	13.2	195.7	40.4	147.4	2.1
0.9	6.0	33.9	137.0	106.5	247.0	149.9	221.4	107.4	63.8	84.1	15.8	197.0	68.9	143.6	1.7
2.0	3.9	34.9	124.8	113.2	220.8	116.6	192.6	101.7	57.2	105.6	16.1	206.2	62.2	135.5	0.6
0.8	4.7	34.3	140.1	122.4	190.1	129.6	198.4	102.5	54.2	106.7	19.1	159.7	48.1	137.3	1.1
0.5	5.4	30.6	133.7	137.2	208.8	111.7	191.2	109.6	59.7	101.7	15.5	174.9	47.5	128.8	0.3
.....	6.7	27.7	126.7	128.9	165.3	153.1	230.0	108.4	62.3	111.3	17.0	190.6	46.1	138.7	.....
1.0	9.9	19.1	116.6	139.9	140.7	195.8	209.2	106.4	72.4	115.8	22.2	164.7	27.5	135.4	.....
0.8	6.7	15.7	111.3	134.3	131.6	194.7	182.7	100.2	70.0	89.0	21.9	114.5	29.9	132.0	0.2
0.6	10.2	11.0	105.2	135.0	141.0	176.4	156.9	95.0	75.1	84.0	19.7	124.4	22.1	119.1	0.2
.....	6.7	6.7	188.7	121.3	141.5	155.0	235.8	148.2	53.9	87.6	6.7	336.9	27.0	114.5	13.5
.....	13.1	.....	177.4	92.0	157.7	203.7	190.6	98.6	32.9	72.3	.....	282.6	52.6	124.9	6.6
.....	19.2	.....	179.6	128.3	89.8	121.8	230.9	115.4	109.0	38.5	.....	288.6	77.0	77.0	.....
.....	18.8	6.3	144.0	150.3	187.9	181.6	162.8	119.0	87.7	43.8	6.3	219.2	68.9	137.8	.....
.....	.....	51.3	256.4	51.3	271.1	146.6	263.8	95.2	29.3	139.2	.....	95.2	51.3	124.5	.....
.....	7.1	14.3	164.1	57.1	206.9	92.8	185.5	64.2	78.5	171.2	7.1	171.2	78.5	57.1	.....
.....	.....	34.8	76.6	83.6	209.0	125.4	139.3	76.6	41.8	55.7	.....	55.7	90.6	48.8	.....
.....	.....	40.8	238.2	54.4	374.3	122.5	211.0	27.2	88.5	40.8	.....	115.7	190.6	74.9	.....
.....	.....	93.1	179.6	59.9	186.3	139.7	173.0	39.9	73.2	53.2	13.3	133.0	133.0	93.1	.....
6.5	.....	78.1	169.1	84.6	175.7	130.1	117.1	26.0	52.0	39.0	.....	97.6	143.1	78.1	6.5
.....	.....	12.7	114.6	63.7	101.8	114.6	369.2	63.7	70.0	76.4	6.4	127.3	76.4	70.0	12.7
.....	.....	18.7	87.2	99.7	143.3	118.4	162.0	43.6	74.8	49.8	.....	130.8	81.0	112.2	.....
.....	24.4	.....	122.0	61.0	67.1	85.4	292.9	85.4	85.4	97.6	6.1	103.7	30.5	91.5	.....
.....	.....	12.0	119.6	113.6	65.8	161.4	239.1	65.8	53.8	89.7	12.0	131.5	29.9	71.7	.....
.....	.....	14.6	248.3	182.6	109.5	36.5	73.0	73.0	94.9	58.4	.....	80.3	94.9	182.6	7.3
.....	.....	21.6	201.4	107.9	187.0	115.1	50.3	79.1	36.0	36.0	7.2	100.7	36.0	143.8	14.4
.....	7.1	.....	191.5	149.0	141.9	56.8	106.4	85.1	42.6	42.6	7.1	120.6	120.6	106.4	.....
.....	7.0	14.0	182.0	154.0	161.0	63.0	70.0	77.0	56.0	49.0	.....	98.0	77.0	70.0	.....
.....	13.8	6.9	193.4	103.6	186.5	41.4	117.4	69.1	82.9	20.7	20.7	82.9	41.4	76.0	13.8
.....	13.6	27.3	197.6	163.6	54.5	81.8	88.6	61.3	47.7	68.1	13.6	88.6	122.7	122.7	6.8
.....	20.2	33.6	195.1	154.7	94.2	94.2	121.1	107.6	60.5	67.3	13.5	161.4	40.4	74.0	.....
.....	.....	6.6	185.9	212.5	152.7	59.8	139.4	99.6	66.4	66.4	6.6	146.1	59.8	106.2	.....
.....	39.3	13.1	196.7	177.0	98.3	65.6	59.0	78.7	65.6	39.3	13.1	111.5	32.8	59.0	.....
.....	12.9	12.9	207.2	187.8	110.1	25.9	64.7	84.2	84.2	45.3	.....	142.4	32.4	77.7	.....
.....	19.1	63.7	248.3	95.5	152.8	63.7	63.7	120.9	50.9	70.0	19.1	108.2	108.2	178.2	.....
.....	12.3	61.7	246.8	172.8	141.9	160.4	49.4	123.4	30.9	80.2	6.2	92.6	61.7	172.8	12.3
.....	6.0	42.0	192.0	132.0	114.0	96.0	72.0	90.0	102.0	30.0	6.0	102.0	66.0	168.0	.....
.....	5.8	35.0	204.4	128.5	140.2	81.8	58.4	111.0	116.8	75.9	.....	146.0	46.7	99.3	.....
5.7	22.8	22.8	267.3	193.4	147.9	91.0	136.5	176.3	85.3	62.6	5.7	68.3	62.6	108.1	.....
.....	11.1	44.4	232.8	171.9	155.2	11.1	210.7	160.8	182.9	33.3	27.7	133.1	11.1	155.2	.....
.....	27.0	27.0	178.4	221.7	75.7	91.9	129.8	129.8	118.9	27.0	10.8	248.7	.....	113.5	.....
5.3	26.4	31.7	100.2	242.7	147.7	84.4	137.2	184.7	147.7	63.3	5.3	242.7	.....	153.0	.....
5.2	10.3	30.9	185.4	262.7	103.0	108.2	154.5	149.4	133.9	72.1	.....	247.3	.....	103.0	.....
.....	10.1	15.1	171.1	206.3	151.0	40.3	135.9	130.8	140.9	45.3	20.1	256.6	5.0	125.8	.....
1.3	15.2	50.6	290.0	167.2	131.7	54.5	135.5	87.4	63.3	160.8	8.9	69.7	87.4	138.0	2.5
2.5	3.7	26.0	222.7	149.7	116.3	55.7	106.4	81.6	68.0	92.8	13.6	108.9	71.7	162.1	.....
1.2	14.5	46.0	216.8	176.8	88.4	54.5	95.7	78.7	71.5	104.2	10.9	93.3	67.8	113.8	.....
1.2	9.5	19.0	194.5	117.4	79.5	62.9	87.8	85.4	61.7	99.6	10.7	86.6	77.1	147.1	.....
1.2	9.3	23.2	170.9	138.3	127.9	62.8	100.0	87.2	59.3	111.6	11.6	106.9	69.7	117.4	.....
1.1	11.4	22.8	222.2	152.7	86.6	50.1	117.4	77.5	77.5	104.8	11.4	104.8	44.4	144.7	.....
2.2	15.6	24.6	165.4	141.9	59.2	60.3	163.1	93.9	93.9	89.4	16.8	111.7	41.3	121.8	.....
1.1	16.4	16.4	222.5	180.9	62.5	65.8	121.7	92.1	111.8	63.6	18.6	114.0	31.8	110.7	.....
1.1	19.4	17.2	223.7	125.9	59.2	90.4	118.3	92.5	89.3	64.5	10.8	80.7	48.4	101.1	.....
2.1	18.0	19.0	179.5	158.4	68.6	87.6	73.9	100.3	103.5	48.6	18.0	84.5	34.8	117.2	.....

[3] Nonregistration from 1901 to 1905.

[4] Greater Pittsburgh.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
PENNSYLVANIA—continued.														
Scranton	1900	2,040.7	34.3	4.9	.....	4.9	96.1	2.0	136.2	9.8	(2)	99.0	7.8	36.3
	1901	1,623.7	34.3	1.0	.....	8.6	7.6	14.3	41.0	34.3	(2)	91.5	10.5	42.9
	1902	1,391.6	19.5	4.6	0.9	1.9	2.8	15.8	15.8	10.2	(2)	86.4	5.6	51.1
	1903	1,479.0	18.1	0.9	1.8	8.2	5.4	4.5	19.9	8.2	(2)	99.7	2.7	44.4
	1904	1,779.0	10.6	1.8	.....	5.3	2.7	6.2	17.7	33.6	(2)	103.5	.....	35.4
	1905	1,805.2	17.1	2.6	.....	17.1	14.5	6.8	31.6	11.1	14.5	89.8	.....	33.4
	1906	1,641.6	61.0	0.8	.....	22.6	15.0	14.2	41.8	23.4	11.7	71.9	11.7	49.3
	1907	1,574.4	75.2	0.8	.....	6.5	22.1	7.4	49.0	25.3	9.8	81.7	13.1	51.5
	1908	1,640.4	11.2	.....	.....	4.0	70.4	10.4	32.0	23.2	21.6	80.0	20.0	56.8
	1909	1,629.2	16.4	0.8	.....	17.2	50.9	7.0	32.1	14.1	18.0	84.6	18.0	54.8
Shamokin	1906	1,522.1	10.5	5.2	.....	5.2	5.2	10.5	36.7	10.5	15.7	105.0	10.5	42.0
	1907	1,297.3	15.6	.....	.....	15.6	.....	26.0	26.0	15.6	26.0	104.2	5.2	36.5
	1908	1,355.1	5.2	.....	.....	.....	5.2	5.2	41.4	25.9	15.5	67.2	10.3	41.4
	1909	1,283.6	15.4	.....	.....	87.3	35.9	.....	20.5	.....	30.8	118.1	.....	41.1
Sharon	1906	1,632.7	95.6	.....	.....	7.4	7.4	7.4	29.4	7.4	7.4	117.7	22.1	22.1
	1907	2,137.1	171.0	.....	.....	28.5	7.1	14.2	21.4	14.2	7.1	106.9	28.5	64.1
	1908	1,464.2	207.2	.....	.....	6.9	6.9	34.5	6.9	27.6	.....	103.6	20.7	27.6
	1909	1,387.4	33.5	.....	.....	6.7	60.3	.....	13.4	13.4	20.1	127.3	13.4	20.1
Shenandoah	1906	2,356.5	8.4	4.2	.....	33.8	4.2	76.0	168.9	8.4	21.1	63.3	.....	16.9
	1907	1,906.6	4.1	.....	.....	8.3	8.3	8.3	66.0	8.3	20.6	78.4	8.3	49.5
	1908	1,932.8	16.1	.....	.....	4.0	.....	32.3	56.5	8.1	36.3	56.5	4.0	4.0
	1909	1,795.9	.....	.....	.....	23.7	11.8	19.7	31.6	.....	23.7	75.0	.....	15.8
South Bethlehem	1900	1,903.2	45.3	.....	.....	.....	15.1	.....	120.8	7.6	(2)	120.8	7.6	30.2
	1901	1,852.9	28.6	.....	.....	.....	.....	7.2	50.1	28.6	(2)	200.3	14.3	28.6
	1902	1,316.6	54.6	.....	13.6	34.1	20.5	.....	13.6	.....	(2)	129.6	13.6	47.8
	1903	1,649.2	189.0	.....	.....	6.5	6.5	58.7	6.5	.....	(2)	97.8	.....	39.1
	1904	1,504.1	43.7	.....	.....	.....	18.7	.....	12.5	12.5	(2)	87.4	12.5	31.2
	1905	993.7	12.0	.....	.....	.....	.....	.....	41.9	6.0	12.0	119.7	6.0	18.0
	1906	1,650.7	17.3	.....	11.5	5.8	17.3	5.8	57.5	11.5	40.3	74.8	17.3	23.0
	1907	1,616.0	11.1	.....	.....	5.5	11.1	11.1	66.4	11.1	22.1	132.8	.....	38.7
	1908	1,386.6	21.3	.....	.....	.....	.....	.....	10.7	10.7	5.3	90.7	5.3	37.3
	1909	1,615.8	10.3	.....	.....	56.6	.....	41.2	10.3	5.1	20.6	108.1	15.4	30.9
Steelton	1900	1,555.5	33.1	8.3	.....	33.1	33.1	.....	24.8	24.8	(2)	115.8	.....	16.5
	1901	1,291.5	32.5	.....	.....	8.1	8.1	24.4	8.1	8.1	(2)	130.0	8.1	40.6
	1902	1,981.0	279.6	.....	.....	8.0	.....	8.0	32.0	.....	(2)	167.7	32.0	16.0
	1903	2,058.2	187.1	.....	.....	85.8	.....	7.8	46.8	15.6	(2)	202.7	15.6	54.6
	1904	1,480.6	53.7	.....	.....	.....	.....	7.7	15.3	15.3	(2)	191.8	15.3	15.3
	1905	1,751 7	52.9	.....	.....	.....	.....	7.6	52.9	.....	7.6	143.5	30.2	.....
	1906	1,865.8	126.4	.....	.....	22.3	.....	96.6	14.9	29.7	7.4	163.5	22.3	59.5
	1907	1,932.4	65.9	.....	.....	51.2	.....	7.3	36.6	43.9	14.6	175.7	14.6	51.2
	1908	1,391.4	72.1	.....	.....	.....	14.4	7.2	7.2	14.4	14.4	93.7	21.6	57.7
	1909	1,299.7	14.2	.....	.....	28.4	14.2	7.1	78.1	28.4	7.1	134.9	7.1	21.3
Sunbury	1906	1,355.2	40.8	8.2	.....	.....	8.2	8.2	8.2	.....	.....	114.3	32.7	57.1
	1907	1,209.5	63.2	7.9	.....	.....	7.9	7.9	23.7	7.9	15.8	39.5	23.7	39.5
	1908	1,187.6	7.7	.....	.....	.....	7.7	30.6	7.7	.....	15.3	69.0	15.3	53.6
	1909	1,189.4	66.9	7.4	.....	.....	.....	.....	37.2	14.9	7.4	74.3	14.9	44.6
Titusville	1906	1,353.9	35.6	23.8	.....	.....	.....	11.9	.....	.....	23.8	154.4	11.9	106.9
	1907	1,467.6	11.8	.....	.....	.....	.....	.....	.....	23.7	.....	71.0	11.8	59.2
	1908	1,462.4	11.8	.....	.....	11.8	11.8	.....	.....	47.2	35.4	94.4	.....	70.8
	1909	1,504.3	35.3	11.8	.....	.....	35.3	23.5	.....	.....	.....	94.0	.....	129.3
Warren	1906	1,216.6	39.9	10 0	.....	.....	.....	59.8	.....	19.9	.....	39.9	19.9	99.7
	1907	1,057.7	38.8	.....	.....	.....	.....	.....	.....	19.4	.....	67.9	.....	48.5
	1908	1,115.1	9.5	9.5	.....	.....	9.5	.....	9.5	37.8	9.5	66.2	18.9	104.0
	1909	1,307.7	27.6	.....	.....	.....	9.2	.....	.....	.....	18.4	101.3	.....	92.1
West Chester	1906	2,008.4	91.7	.....	.....	.....	.....	9.2	9.2	18.3	.....	137.6	45.9	82.5
	1907	2,228.0	116.8	.....	.....	.....	9.0	18.0	18.0	18.0	18.0	170.7	18.0	80.9
	1908	2,077.8	114.5	.....	.....	8.8	.....	.....	17.6	44.0	8.8	193.7	26.4	79.2
	1909	1,709.0	34.5	8.6	.....	.....	.....	8.6	34.5	43.2	8.6	198.5	60.4	86.3
Wilkes-Barre	1906	1,469.0	31.0	3 3	.....	24.5	6.5	19.6	22.9	8.2	13.1	70.3	19.6	70.3
	1907	1,671.6	44 6	3.2	.....	4.8	19.1	28.7	31.9	23.9	8.0	79.7	11.2	65.3
	1908	1,550.2	23.3	.....	.....	4.7	24.9	10.9	43.5	20.2	6.2	59.1	20.2	56.0
	1909	1,551.5	13.7	1.5	.....	18.2	13.7	9.1	31.9	6.1	3.0	89.6	19.7	82.0
Wilkinsburg	1906	1,511.9	199.1	.....	.....	18.7	.....	.....	24.9	12.4	18.7	136.9	12.4	56.0
	1907	1,370.7	47 7	.....	.....	6.0	17.9	17.9	11.9	41.7	11.9	83.4	11.9	83.4
	1908	1,356.7	44.9	.....	.....	5.6	5.6	16.8	11.2	67.3	11.2	72.9	33.6	89.7
	1909	1,371.7	38.0	.....	.....	.....	10.8	16.3	16.3	27.1	.....	48.8	16.3	92.2
Williamsport	1900	1,244.9	27.8	.....	.....	.....	3.5	13.9	13.9	24.3	(2)	132.2	13.9	38.3
	1901	1,185.7	17.2	.....	.....	6.9	10.3	.....	3.4	6.9	(2)	137.5	10.3	41.2
	1902	1,356.6	51.0	10.2	.....	.....	.....	23.8	30.6	6.8	(2)	112.2	6.8	61.2
	1903	1,312.0	30.3	.....	.....	.....	.....	10.1	16.8	13.5	(2)	134.6	23.5	47.1
	1904	1,461.4	39.9	.....	16.6	.....	3.3	3.3	16.6	16.6	(2)	96.5	16.6	66.6
	1905	1,588.0	69.2	3.3	.....	3.3	3.3	.....	9.9	42.8	16.5	92.2	13.2	65.9
	1906	1,594.5	45.7	.....	.....	22.8	3.3	3.3	9.8	9.8	3.3	114.1	13.0	88.0
	1907	1,833.4	67.8	.....	.....	.....	6.5	19.4	42.0	29.1	19.4	113.0	9.7	109.7
	1908	1,629.7	44.7	.....	.....	.....	22.4	.....	28.8	32.0	12.8	95.9	6.4	89.5
	1909	1,584.9	31.6	3.2	.....	3.2	3.2	15.8	15.8	3.2	15.8	132.9	19.0	101.2
York	1906	1,440.9	17.3	.....	.....	.....	.....	7.4	19.8	4.9	14.8	150.8	29.7	59.3
	1907	1,551.5	33.7	.....	.....	4.8	.....	24.1	31.3	14.4	19.2	125.1	28.9	86.6
	1908	1,384.6	11.7	.....	.....	21.1	9.4	16.4	25.8	21.1	14.1	135.9	42.2	70.3
	1909	1,315.2	13.7	.....	.....	4.6	.....	2.3	31.9	9.1	6.8	116.3	36.5	93.5

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
1.0	10.8	46.1	237.2	115.7	199.9	152.9	180.3	103.9	93.1	94.1	8.8	155.8	79.4	128.4	2.0
1.0	8.6	47.6	199.1	105.8	196.3	145.8	90.5	96.2	55.3	46.7	3.8	170.6	49.5	121.0	.....
0.9	9.3	48.3	194.2	106.8	126.3	123.6	109.6	80.8	57.6	39.0	.....	115.2	61.3	104.0	.....
2.7	8.2	33.5	202.1	109.7	135.9	103.3	122.3	62.5	72.5	56.2	18.1	144.1	104.2	87.0	2.7
1.8	9.7	39.8	206.1	87.6	186.7	100.0	161.9	82.3	83.2	108.8	7.1	160.1	213.2	111.5	2.7
0.9	10.3	22.2	230.0	80.4	159.1	121.4	166.8	71.0	83.8	133.4	10.3	170.2	207.8	98.3	0.9
2.5	10.0	20.1	153.8	113.7	117.0	141.3	185.6	104.5	75.2	61.0	6.7	188.9	30.1	106.2	1.7
0.8	7.4	24.5	152.0	123.4	103.0	106.3	183.9	77.7	64.6	65.4	6.5	183.9	18.0	113.6	0.8
.....	17.6	12.8	117.6	120.0	92.0	161.6	207.1	108.0	84.8	68.8	14.4	181.6	8.8	116.0	.....
.....	13.3	12.5	131.5	114.3	106.5	144.1	230.2	107.3	75.9	75.9	10.2	187.1	10.2	96.3	.....
.....	15.7	26.2	188.9	105.0	110.2	152.2	136.5	78.7	42.0	94.5	.....	120.7	94.5	99.7	.....
5.2	5.2	5.2	145.9	114.6	104.2	62.5	93.8	67.7	62.5	88.6	5.2	109.4	62.5	93.8	.....
.....	15.5	10.3	113.8	108.6	129.3	77.6	155.2	93.1	46.5	67.2	15.5	93.1	103.4	108.6	.....
.....	5.1	5.1	113.0	71.9	92.4	51.3	97.6	82.2	66.7	97.6	10.3	87.3	46.2	107.8	.....
.....	7.4	29.4	161.8	103.0	103.0	66.2	103.0	66.2	66.2	117.7	7.4	183.9	73.5	154.4	66.2
14.2	.....	7.1	192.3	149.6	156.7	114.0	192.3	85.5	78.4	149.6	35.6	277.8	57.0	128.2	35.6
.....	13.8	20.7	145.0	117.4	89.8	89.8	124.3	55.3	6.9	89.8	6.9	89.8	48.3	124.3	.....
6.7	13.4	.....	120.6	140.8	26.8	107.2	100.5	107.2	46.9	93.8	6.7	120.6	53.6	134.0	.....
8.4	8.4	29.6	84.5	59.1	206.9	135.1	654.6	92.9	50.7	147.8	.....	270.3	135.1	59.1	8.4
.....	8.3	20.6	127.9	74.3	169.2	127.9	433.3	86.7	45.4	111.4	4.1	222.9	111.4	99.0	4.1
.....	12.1	32.3	117.0	88.8	149.3	137.2	451.9	125.1	52.5	84.7	4.0	230.0	108.9	121.1	.....
.....	3.9	19.7	138.1	71.0	153.9	150.0	442.1	122.4	43.4	110.5	.....	142.1	90.8	106.6	.....
.....	7.6	52.9	279.4	173.7	181.3	37.8	219.0	75.5	75.5	90.6	.....	135.9	113.3	113.3	.....
.....	.....	57.2	221.8	93.0	143.1	71.5	171.7	71.5	78.7	64.4	.....	128.8	78.7	85.8	228.9
.....	.....	.....	170.5	88.7	150.1	40.9	156.9	34.1	13.6	54.6	20.5	122.8	54.6	75.0	6.8
.....	6.5	6.5	123.9	91.3	208.6	78.2	182.5	52.1	45.6	78.2	6.5	156.4	91.3	104.3	13.0
.....	6.2	6.2	199.7	62.4	218.4	37.4	230.9	56.2	68.7	99.9	.....	99.9	93.6	106.1	.....
.....	.....	6.0	77.8	47.9	173.6	35.9	65.8	35.9	53.9	12.0	.....	83.8	77.8	101.8	6.0
.....	11.5	23.0	149.5	126.5	166.8	115.0	195.5	69.0	69.0	138.0	5.8	120.8	51.8	126.5	.....
.....	16.6	11.1	132.8	105.2	149.4	110.7	249.0	71.9	44.3	99.6	5.5	160.5	60.9	77.5	11.1
.....	16.0	5.3	122.7	64.0	122.7	144.0	293.3	74.7	42.7	122.7	5.3	64.0	37.3	90.7	.....
.....	5.1	10.3	108.1	77.2	236.7	169.8	241.9	66.9	56.6	97.8	10.3	102.9	25.7	108.1	.....
.....	.....	49.6	157.2	74.5	173.8	115.9	157.2	82.7	66.2	82.7	.....	91.0	107.6	66.2	41.4
.....	.....	48.7	138.1	40.6	146.2	56.9	73.1	65.0	24.4	65.0	.....	130.0	162.5	40.6	32.5
.....	.....	39.9	143.8	71.9	111.8	55.9	207.7	47.9	55.9	159.8	.....	239.6	151.8	135.8	16.0
.....	15.6	54.6	163.7	93.6	109.1	70.2	218.3	70.2	39.0	140.3	7.8	163.7	202.7	78.0	15.6
.....	.....	38.4	168.8	99.7	184.1	76.7	130.4	30.7	15.3	145.8	.....	130.4	84.4	61.4	.....
.....	.....	113.3	151.0	113.3	158.6	37.8	234.1	68.0	52.9	143.5	7.6	105.7	211.4	60.4	.....
.....	7.4	74.3	74.3	81.8	230.4	52.0	223.0	96.6	37.2	74.3	.....	185.8	74.3	111.5	.....
.....	.....	22.0	175.7	73.2	139.1	102.5	270.8	109.8	58.6	139.1	14.6	139.1	43.9	133.0	.....
.....	7.2	14.4	72.1	137.0	108.1	43.3	230.7	72.1	28.8	100.9	.....	122.6	14.4	137.0	.....
.....	7.1	14.2	99.4	127.8	120.7	28.4	220.2	21.3	42.6	71.0	21.3	78.1	21.3	85.2	.....
.....	8.2	16.3	187.8	114.3	65.3	40.8	122.5	98.0	73.5	89.8	8.2	138.8	8.2	106.1	.....
.....	39.5	15.8	150.2	150.2	31.6	63.2	71.1	71.1	31.6	63.2	7.9	126.5	23.7	126.5	.....
.....	7.7	7.7	183.9	137.9	61.3	38.3	38.3	69.0	91.9	46.0	7.7	130.3	23.0	137.9	.....
.....	.....	14.9	126.4	171.0	44.6	52.0	44.6	81.8	52.0	59.5	7.4	111.5	22.3	133.8	.....
11.9	23.8	23.8	237.5	237.5	23.8	35.6	47.5	59.4	83.1	35.6	.....	23.8	59.4	71.3	11.9
.....	23.7	11.8	284.1	272.2	130.2	59.2	11.8	106.5	59.2	23.7	59.2	23.7	47.3	165.7	11.8
11.8	.....	23.6	212.3	176.9	11.8	47.2	94.4	165.1	59.0	129.7	.....	94.4	11.8	141.5	.....
.....	11.8	11.8	188.0	235.0	35.3	58.8	94.0	82.3	105.8	82.3	.....	82.3	.....	188.0	.....
10.0	10.0	19.9	89.7	139.6	19.9	39.9	39.9	129.6	39.9	69.8	10.0	139.6	10.0	149.6	10.0
.....	19.4	.....	58.2	174.7	48.5	48.5	38.8	135.9	38.8	29.1	9.7	67.9	19.4	184.4	9.7
.....	9.5	9.5	141.8	179.6	18.9	47.3	37.8	28.4	47.3	28.4	.....	94.5	28.4	170.1	.....
9.2	27.6	.....	128.9	175.0	101.3	82.9	27.6	128.9	82.9	46.0	9.2	73.7	.....	165.8	.....
9.2	18.3	18.3	275.1	339.3	73.4	27.5	137.6	82.5	201.8	82.5	9.2	146.7	64.2	128.4	.....
9.0	35.9	27.0	224.6	269.5	107.8	71.9	125.8	152.7	188.7	98.8	.....	188.7	80.9	170.7	9.0
.....	17.6	26.4	220.1	264.1	96.8	61.6	114.5	158.5	193.7	105.7	35.2	149.7	8.8	132.1	.....
.....	17.3	17.3	138.1	284.8	103.6	51.8	112.2	86.3	112.2	34.5	.....	138.1	8.6	120.8	.....
.....	16.3	9.8	127.5	111.1	96.4	102.9	114.4	122.6	71.9	57.2	13.1	220.6	22.9	88.2	4.9
.....	14.3	15.9	130.7	129.1	113.1	106.8	159.3	113.1	59.0	86.0	3.2	267.7	30.3	116.3	6.4
.....	14.0	6.2	119.7	146.2	108.8	105.7	158.6	79.3	71.5	82.4	9.3	225.5	43.5	105.7	4.7
.....	15.2	22.8	132.1	139.7	95.6	113.9	118.4	98.7	97.2	72.9	13.7	195.8	31.9	109.3	6.1
.....	6.2	31.1	124.4	143.1	136.9	68.4	161.8	56.0	87.1	43.6	6.2	49.8	24.9	93.3	.....
.....	11.9	23.8	113.2	160.9	125.1	77.5	41.7	119.2	65.6	71.5	6.0	65.6	17.9	137.1	.....
.....	5.6	5.6	84.1	157.0	112.1	89.7	95.3	106.5	50.5	84.1	5.6	72.9	11.2	117.7	.....
.....	16.3	16.3	103.0	141.0	92.2	146.4	92.2	124.7	86.7	70.5	21.7	70.5	5.4	119.3	.....
.....	13.9	48.7	139.1	121.7	86.9	69.6	62.6	73.0	62.6	41.7	7.0	45.2	41.7	163.4	.....
.....	6.9	17.2	134.0	130.6	130.6	65.3	61.9	65.3	55.0	24.1	10.3	27.5	85.9	134.0	3.4
.....	3.4	47.6	125.8	108.8	136.0	71.4	34.0	108.8	61.2	30.6	6.8	88.4	81.6	139.4	10.2
.....	13.5	13.5	131.2	154.8	97.6	60.6	47.1	67.3	97.6	30.3	.....	77.4	117.7	127.8	.....
3.3	.....	49.9	129.8	156.5	109.9	46.6	69.9	113.2	99.9	63.3	3.3	86.6	76.6	173.1	3.3
3.3	19.8	32.9	168.0	177.9	95.5	92.2	65.9	164.7	79.1	49.4	3.3	95.5	52.7	168.0	.....
.....	9.8	39.1	130.4	189.1	110.9	65.2	97.8	120.7	114.1	65.2	13.0	137.0	16.3	169.6	3.3
6.5	29.1	25.8	187.2	238.9	100.1	77.5	77.5	142.0	83.9	100.1	16.1	106.5	48.4	177.5	.....
3.2	25.6	12.8	159.8	166.2	60.7	57.5	79.9	124.6	140.6	92.7	12.8	118.2	35.1	207.7	.....
.....	15.8	15.8	183.5	224.6	113.9	72.8	63.3	117.1	72.8	69.6	12.7	113.9	19.0	145.5	.....
.....	14.8	2.5	180.4	180.4	71.7	84.0	140.9	84.0	76.6	81.6	7.4	86.5	4.9	121.1	.....
.....	7.2	2.4	197.2	194.8	86.6	77.0	149.1	89.0	89.0	77.0	16.8	103.4	4.8	89.0	.....
.....	7.0	18.7	149.9	166.3	75.0	105.4	152.3	82.0	77.3	35.1	14.1	56.2	2.3	75.0	.....
2.3	9.1	4.6	152.7	175.5	57.0	66.1	132.2	88.9	86.6	43.3	18.2	41.0	.....	123.1	.....

[2] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
RHODE ISLAND.														
Central Falls	1900	1,976.1	27.5	5.5	5.5	27.5	11.0	16.5	33.0	33.0	[2]	132.1	5.5	49.5
	1901	1,633.9	16.3	16.3	10.9	21.7	5.4	.....	43.4	38.0	[2]	211.7	27.1	38.0
	1902	1,536.6	32.1	16.1	.....	10.7	26.8	.....	32.1	10.7	[2]	107.1	32.1	32.1
	1903	1,785.1	10.6	5.3	5.3	5.3	31.7	47.5	26.4	26.4	[2]	163.7	15.8	37.0
	1904	1,464.3	10.4	.....	.....	.....	5.2	.....	20.8	31.3	[2]	109.4	41.7	62.5
	1905	1,866.7	10.3	5.1	.....	41.1	5.1	20.6	36.0	46.3	10.3	180.0	36.0	51.4
	1906	1,610.4	9.9	5.0	.....	9.9	.....	24.8	19.8	9.9	24.8	158.6	29.7	79.3
	1907	1,697.1	4.8	.....	.....	4.8	4.8	28.8	14.4	28.8	14.4	172.6	52.7	47.9
	1908	1,532.2	13.9	13.9	.....	18.6	18.6	.....	27.9	55.7	27.9	181.1	46.4	32.5
	1909	1,665.5	9.0	4.5	.....	49.5	27.0	4.5	36.0	13.5	18.0	112.5	18.0	40.5
Cranston town*	1906	[3] 1,231.3	27.2	21.8	.....	21.8	5.4	21.8	5.4	16.3	21.8	87.2	32.7	59.9
	1907	3,380.5	36.7	.....	.....	5.2	78.6	52.4	31.4	21.0	68.1	539.8	62.9	136.3
	1908	2,701.2	35.3	5.0	.....	15.1	.....	.....	40.4	20.2	15.1	525.1	30.3	151.5
	1909	2,576.5	29.2	4.9	.....	4.9	.....	9.7	4.9	24.4	19.5	462.7	43.8	102.3
Cumberland town	1906	1,541.0	.....	10.5	.....	.....	.....	.....	.....	10.5	31.4	10.5	94.3	62.9	62.9
	1907	1,558.6	51.6	.....	.....	.....	.....	10.3	.....	.....	61.9	.....	92.9	20.6	72.3
	1908	1,016.5	.....	.....	.....	.....	10.2	10.2	.....	.....	30.5	10.2	111.8	10.2	91.5
	1909	1,341.6	10.0	.....	.....	.....	10.0	20.0	.....	.....	70.1	40.0	90.1	20.0	120.1
East Providence town	1906	1,541.5	21.1	7.0	.....	14.1	14.1	49.3	7.0	7.0	28.2	84.5	42.2	98.5
	1907	1,551.7	13.7	.....	.....	.....	13.7	13.7	27.3	27.3	27.3	95.7	47.9	88.9
	1908	1,415.2	13.3	.....	.....	39.9	.....	6.6	26.6	19.9	6.6	119.6	39.9	106.3
	1909	1,350.7	6.5	.....	.....	.....	.....	12.9	.....	.....	12.9	155.1	25.9	96.9
Lincoln town	1906	1,453.8	10.7	.....	.....	21.4	10.7	.....	74.8	21.4	10.7	149.7	10.7	64.1
	1907	1,213.2	.....	.....	.....	.....	.....	21.1	21.1	42.2	.....	158.2	21.1	21.1
	1908	1,364.2	.....	.....	.....	.....	.....	10.4	41.7	10.4	10.4	83.3	41.7	31.2
	1909	1,223.4	10.3	.....	.....	10.3	10.3	.....	20.6	.....	.....	133.6	.....	113.1
Newport	1900	1,858.2	89.1	4.5	.....	.....	13.4	.....	62.4	49.0	[2]	187.2	17.8	44.6
	1901	1,681.2	39.2	4.4	4.4	.....	8.7	4.4	30.5	4.4	[2]	178.6	21.8	100.2
	1902	1,805.9	29.8	.....	4.3	.....	17.0	42.6	29.8	.....	[2]	140.6	51.1	76.7
	1903	1,495.9	16.7	.....	.....	.....	4.2	.....	54.2	.....	[2]	150.0	25.0	66.7
	1904	1,386.7	16.3	.....	.....	.....	.....	.....	.....	8.2	[2]	102.0	44.9	73.4
	1905	1,597.5	24.0	.....	.....	8.0	4.0	16.0	8.0	16.0	4.0	139.8	32.0	59.9
	1906	1,309.4	15.7	.....	.....	3.9	3.9	19.6	19.6	3.9	.....	101.9	11.8	82.3
	1907	1,445.6	3.9	.....	.....	7.7	7.7	.....	19.3	3.9	3.9	104.1	34.7	92.5
	1908	1,300.6	7.6	.....	.....	.....	.....	15.2	19.0	7.6	11.4	98.6	41.7	132.7
	1909	1,443.7	3.7	.....	.....	.....	22.4	11.2	3.7	.....	3.7	141.8	29.8	52.2
Pawtucket	1900	1,983.1	22.9	5.1	.....	33.1	10.2	10.2	53.5	181.0	[2]	158.1	35.7	51.0
	1901	1,657.2	12.5	7.5	.....	2.5	2.5	.....	57.4	52.4	[2]	167.2	17.5	57.4
	1902	1,802.4	24.5	7.3	2.4	9.8	4.9	22.0	31.8	36.7	[2]	163.9	19.6	83.1
	1903	1,586.7	19.2	7.2	.....	7.2	4.8	21.6	28.8	43.1	[2]	167.8	12.0	52.7
	1904	1,600.4	23.5	7.1	.....	2.4	18.8	.....	25.9	42.3	[2]	148.1	28.2	87.0
	1905	1,671.2	6.9	6.9	.....	9.2	11.5	13.8	23.1	78.4	4.6	172.9	25.4	89.9
	1906	1,588.1	8.8	.....	.....	11.1	.....	11.1	35.4	11.1	24.3	128.3	33.2	59.7
	1907	1,793.1	14.9	.....	.....	2.1	6.4	6.4	14.9	38.4	21.3	166.3	49.0	66.1
	1908	1,496.1	2.1	2.1	.....	4.1	4.1	2.1	16.5	37.0	6.2	150.2	30.9	57.6
	1909	1,505.5	9.9	.....	.....	6.0	9.9	19.9	15.9	19.9	11.9	115.3	27.8	65.6
Providence	1900	2,082.0	23.9	8.0	.....	56.4	5.1	22.8	31.3	66.1	[2]	236.4	42.7	76.9
	1901	1,911.2	25.0	8.3	1.1	1.7	5.0	7.2	47.7	41.1	[2]	217.5	42.2	82.1
	1902	1,836.5	21.1	8.1	4.3	3.8	4.3	14.1	39.0	16.8	[2]	213.2	37.9	87.7
	1903	2,057.9	19.5	5.3	.....	50.7	13.2	39.1	44.3	38.5	[2]	214.3	54.4	80.8
	1904	1,852.8	15.5	4.6	.....	3.1	22.2	1.0	45.9	18.0	[2]	187.6	44.8	96.9
	1905	1,749.4	20.1	3.5	.....	2.5	9.1	4.0	36.2	18.6	20.1	170.2	50.3	97.2
	1906	1,859.6	19.1	3.4	.....	41.1	35.7	23.5	25.0	10.8	12.2	163.4	40.6	93.0
	1907	1,911.1	8.1	2.4	.....	10.0	49.6	18.1	32.0	23.4	12.9	156.5	43.4	107.8
	1908	1,663.2	16.8	1.4	.....	20.5	11.2	5.6	36.8	20.5	9.3	151.7	43.3	89.8
	1909	1,605.7	11.4	1.4	.....	18.6	4.5	10.9	26.3	10.4	11.4	137.2	33.2	100.8
Warwick town	1906	1,564.4	7.9	.....	.....	23.8	.....	4.0	11.9	.....	23.8	266.0	39.7	31.8
	1907	1,631.1	.....	.....	.....	.....	3.9	15.6	19.6	15.6	7.8	258.2	23.5	82.1
	1908	1,688.1	11.6	.....	.....	3.9	3.9	7.7	23.1	27.0	7.7	335.3	15.4	34.7
	1909	1,637.1	26.6	3.8	.....	3.8	.....	7.6	15.2	7.6	11.4	376.0	19.0	72.2
Woonsocket	1900	1,964.3	28.4	3.5	.....	3.5	10.6	17.7	127.7	17.7	[2]	187.9	39.0	35.5
	1901	1,651.6	10.3	3.4	.....	10.3	.....	3.4	41.4	20.7	[2]	179.3	24.1	41.4
	1902	1,832.2	3.4	.....	83.9	3.4	.....	3.4	60.4	.....	[2]	214.8	30.2	50.3
	1903	1,598.1	3.3	.....	.....	.....	22.9	42.5	94.8	6.5	[2]	199.4	22.9	22.9
	1904	1,481.0	6.4	.....	.....	9.6	3.2	9.6	28.7	.....	[2]	197.5	31.9	63.7
	1905	1,518.8	12.4	.....	.....	18.6	3.1	9.3	43.5	12.4	18.6	177.0	55.9	24.8
	1906	1,581.5	9.0	3.0	.....	3.0	.....	11.9	53.7	6.0	14.9	179.0	44.8	47.7
	1907	1,278.5	8.6	.....	.....	.....	.....	11.5	23.0	11.5	25.9	92.1	31.7	49.0
	1908	1,396.6	13.9	.....	.....	27.8	.....	13.9	36.2	8.3	25.0	203.1	33.4	41.7
	1909	1,318.6	18.8	5.4	.....	8.1	2.7	.....	24.2	8.1	13.5	158.8	35.0	56.5
SOUTH CAROLINA.[4]														
Charleston	1900	3,501.4	132.6	69.9	.....	1.8	3.6	8.9	19.7	111.1	[2]	440.8	7.2	69.9
	1901	3,136.9	85.5	85.5	.....	.....	10.7	.....	17.8	74.8	[2]	372.2	26.7	58.8
	1902	3,082.7	79.7	65.6	3.5	5.3	5.3	1.8	14.2	30.1	[2]	379.1	33.7	51.4
	1903	2,849.3	63.4	45.8	15.9	1.8	1.8	33.5	3.5	30.0	[2]	382.4	37.0	52.9
	1904	2,956.7	57.8	45.6	5.3	.....	1.8	.....	8.8	31.5	[2]	357.5	17.5	49.1
	1905	2,843.3	52.3	41.8	1.7	13.9	3.5	59.3	5.2	33.1	20.9	346.9	22.7	59.3
	1906	2,928.8	81.5	34.7	.....	1.7	.....	20.8	5.2	12.1	46.8	322.5	34.7	45.1
	1907	2,647.7	50.0	24.1	.....	.....	.....	32.8	12.1	17.2	15.5	296.7	32.8	65.5
	1908	2,635.5	46.3	42.9	.....	.....	.....	12.0	1.7	25.7	17.2	305.4	39.5	44.6
	1909	2,573.8	56.3	11.9	.....	8.5	.....	15.4	8.5	1.7	8.5	273.1	13.7	49.5

[1] Exclusive of stillbirths. [2] Not computed separately. [3] Not including deaths in state institutions located in Cranston town.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	27.5	55.0	159.7	137.6	198.2	214.7	319.3	66.1	110.1	66.1	5.5	66.1	38.5	165.1	.....
.....	10.9	81.4	119.4	86.9	92.3	190.0	195.4	92.3	54.3	86.9	16.3	38.0	10.9	124.9	5.4
.....	.....	80.3	107.1	117.8	112.4	139.2	240.9	85.7	85.7	69.6	5.4	53.5	21.4	117.8	.....
5.3	.....	31.7	121.5	126.8	184.9	206.0	322.2	52.8	105.6	68.7	15.8	52.8	10.6	105.6	.....
.....	5.2	46.9	145.9	78.2	125.1	135.5	172.0	99.0	93.8	78.2	.....	67.7	10.4	125.1	.....
.....	5.1	66.9	123.4	92.6	185.1	205.7	282.8	92.6	97.7	92.6	.....	66.9	30.9	77.1	5.1
.....	.....	14.9	94.1	128.8	178.4	128.8	267.6	123.9	24.8	84.2	9.9	79.3	19.8	74.3	9.9
.....	4.8	57.5	139.0	148.6	91.1	182.2	239.7	57.5	105.5	62.3	14.4	81.5	19.2	110.3	9.6
.....	13.9	46.4	111.4	102.1	83.6	190.4	176.4	69.6	74.3	88.2	9.3	18.6	9.3	102.1	.....
.....	13.5	40.5	130.5	144.0	76.5	112.5	355.6	40.5	81.0	85.5	18.0	81.0	22.5	130.5	.....
.....	16.3	5.4	103.5	147.1	81.7	81.7	103.5	65.4	103.5	21.8	27.2	76.3	10.9	49.0	16.3
.....	21.0	26.2	476.9	655.1	173.0	83.9	193.9	52.4	393.1	26.2	15.7	99.6	15.7	115.3	.....
.....	15.1	15.1	388.8	479.7	171.7	60.6	156.5	55.5	232.3	65.6	25.2	85.8	5.0	101.0	5.0
.....	39.0	19.5	409.1	477.3	131.5	48.7	116.9	82.8	209.4	34.1	9.7	92.5	34.1	165.6	.....
.....	31.4	.....	125.8	199.2	136.3	94.3	146.8	125.8	125.8	41.9	10.5	94.3	21.0	73.4	31.4
10.3	31.0	10.3	154.8	144.5	175.5	92.9	82.6	113.5	123.9	51.6	20.6	123.9	31.0	72.3	10.3
.....	.....	10.2	61.0	152.5	40.7	71.2	132.1	40.7	71.2	40.7	30.5	71.2	.....	20.3	.....
.....	20.0	10.0	130.2	160.2	150.2	30.0	110.1	80.1	60.1	30.0	.....	60.1	40.0	80.1	.....
7.0	14.1	7.0	105.6	190.0	98.5	91.5	126.7	84.5	119.7	84.5	7.0	119.7	14.1	98.6	.....
.....	13.7	27.3	157.2	177.2	82.0	54.7	164.1	54.7	75.2	102.5	6.8	82.0	34.2	157.2	6.8
.....	19.9	.....	106.3	146.2	93.0	39.9	112.9	73.1	99.7	59.8	19.9	139.5	39.9	86.4	.....
.....	19.4	19.4	109.9	155.1	96.9	77.6	122.8	84.0	58.2	84.0	25.9	58.2	25.9	103.4	.....
.....	.....	21.4	139.0	139.0	160.3	106.9	224.5	74.8	21.4	32.1	10.7	85.5	21.4	42.8	.....
.....	10.5	10.5	94.9	137.1	105.5	31.6	200.4	84.4	63.3	52.7	.....	31.6	31.6	73.8	.....
.....	10.4	20.8	72.9	104.1	135.4	93.7	229.1	72.9	62.5	52.1	20.8	104.1	31.2	125.0	.....
.....	10.3	61.7	92.5	113.1	61.7	20.6	164.5	30.8	102.8	72.0	.....	102.8	41.1	51.4	.....
.....	8.9	89.1	178.2	209.4	93.6	98.0	182.7	57.9	71.3	93.6	17.8	31.2	31.2	213.9	13.4
.....	21.8	82.8	169.9	200.3	108.9	52.3	108.9	52.3	117.6	69.7	4.4	61.0	78.4	148.1	8.7
.....	21.3	76.7	157.6	200.2	123.5	76.7	132.0	46.9	98.0	102.2	25.6	85.2	21.3	242.8	4.3
.....	25.0	25.0	183.3	137.5	79.2	70.8	50.0	95.8	129.2	62.5	16.7	58.3	83.3	162.5	.....
.....	20.4	12.2	138.7	220.2	89.7	73.4	81.6	81.6	89.7	53.0	8.2	73.4	4.1	191.7	4.1
.....	20.0	51.9	151.8	183.7	115.8	79.9	123.8	55.9	131.8	71.9	24.0	79.9	28.0	167.7	.....
.....	27.4	62.7	90.2	184.3	113.7	43.1	47.0	47.0	98.0	43.1	15.7	78.4	11.8	180.3	3.9
3.9	19.3	15.4	192.8	250.6	104.1	69.4	57.8	50.1	111.8	54.0	11.6	46.3	.....	173.5	7.7
.....	19.0	22.8	113.8	204.8	98.6	56.9	79.6	49.3	113.8	45.5	7.6	53.1	11.4	83.4	7.6
7.5	14.9	3.7	179.1	235.0	82.1	74.6	89.5	59.7	97.0	82.1	7.5	70.9	26.1	141.8	3.7
2.5	12.7	61.2	135.1	173.4	124.9	142.8	201.4	107.1	96.9	68.8	28.0	58.6	22.9	173.3	12.7
.....	17.5	57.4	137.3	184.7	144.8	112.3	147.3	109.8	72.4	87.4	12.5	54.9	10.0	132.3	.....
4.9	14.7	75.8	154.1	190.8	110.0	107.6	156.5	139.4	112.5	41.6	4.9	61.1	24.5	198.1	.....
.....	7.2	52.7	117.4	151.0	98.3	117.4	179.8	86.3	129.4	59.9	9.6	74.3	12.0	119.9	7.2
.....	9.4	28.2	126.9	148.1	108.1	105.8	117.5	103.4	126.9	61.1	9.4	84.6	7.1	171.6	9.4
.....	20.7	18.4	129.1	200.5	166.0	108.3	154.4	83.0	103.7	73.8	.....	50.7	20.7	96.8	2.3
2.2	19.9	37.6	176.9	223.4	121.6	95.1	139.3	92.9	101.7	68.6	4.4	70.8	13.3	88.5	8.8
.....	17.1	14.9	198.3	191.9	140.7	91.7	162.0	106.6	157.8	61.8	10.7	130.1	17.1	104.5	2.1
.....	14.4	8.2	187.3	168.8	105.0	70.0	96.7	84.4	127.6	84.4	20.6	94.7	20.6	100.8	.....
.....	17.9	15.9	129.3	238.6	105.4	99.4	115.3	65.6	135.2	75.6	11.9	83.5	31.8	77.6	.....
2.3	13.1	37.0	131.0	173.1	167.4	167.4	164.6	99.1	123.6	74.0	8.5	102.5	37.6	201.5	9.7
2.2	21.1	38.8	133.7	160.9	121.5	114.9	190.3	113.8	122.6	81.6	7.8	105.4	25.0	186.5	6.1
2.7	10.8	32.5	124.5	182.9	126.1	109.8	165.0	110.4	126.1	82.8	10.8	97.9	24.3	179.1	0.5
0.5	18.5	22.7	120.9	183.7	156.3	138.3	182.1	119.8	151.0	87.6	11.1	106.6	22.2	174.3	2.1
0.5	18.0	20.6	137.6	181.9	144.8	116.5	152.6	96.9	152.0	77.8	16.0	103.6	27.3	163.4	3.6
1.0	14.6	28.7	128.4	179.2	158.6	98.2	118.8	98.7	148.0	61.4	14.6	94.1	22.7	148.5	2.0
.....	14.2	32.3	126.7	194.3	151.7	110.1	155.1	124.8	142.9	76.3	17.6	93.0	21.5	130.2	1.0
.....	19.1	34.3	125.0	220.9	164.6	102.1	154.1	89.7	156.5	82.1	20.0	101.6	22.9	151.2	2.9
0.5	15.4	17.2	135.4	188.5	125.2	88.9	129.4	88.9	118.2	84.7	25.1	93.1	21.9	121.5	2.8
.....	17.3	11.8	119.9	209.4	125.4	93.6	109.5	89.9	119.5	93.6	16.4	99.9	25.0	107.7	0.9
.....	7.9	23.8	123.1	131.0	123.1	99.3	154.9	75.4	95.3	51.6	11.9	95.3	11.9	146.9	4.0
.....	23.5	7.8	101.7	172.1	129.1	78.2	187.8	86.1	93.9	86.1	11.7	66.5	23.5	136.9	.....
.....	7.7	11.6	88.6	158.0	138.7	138.7	219.7	84.8	115.6	54.0	3.9	84.8	27.0	84.8	.....
.....	15.2	22.8	132.9	117.7	117.7	72.2	170.9	49.4	102.6	79.8	7.6	87.4	11.4	106.4	.....
.....	3.5	67.4	117.0	127.7	131.2	95.8	475.1	56.7	67.4	88.7	3.5	85.1	10.6	156.0	7.1
.....	10.3	58.6	137.9	106.9	96.5	86.2	317.2	82.8	62.1	144.8	17.2	48.3	34.5	113.8	.....
.....	3.4	47.0	147.7	97.3	144.3	120.8	271.8	67.1	97.3	117.4	10.1	60.4	20.1	177.9	.....
.....	13.1	19.6	114.4	107.9	143.8	120.9	202.6	62.1	81.7	88.2	6.5	65.4	36.0	120.9	.....
.....	15.9	44.6	117.8	127.4	191.1	73.3	149.7	63.7	98.7	79.6	12.7	35.0	15.9	105.1	.....
3.1	9.3	34.2	105.6	96.3	121.1	96.3	285.7	65.2	102.5	93.2	.....	43.5	12.4	71.4	3.1
.....	14.9	17.9	116.4	119.4	158.1	113.4	265.6	65.6	77.6	128.3	6.0	44.8	6.0	71.6	3.0
.....	11.5	11.5	95.0	115.2	112.3	49.0	244.8	72.0	92.1	69.1	17.3	63.3	17.3	54.7	.....
.....	13.9	8.3	80.7	75.1	136.3	69.6	247.6	75.1	86.2	61.2	8.3	41.7	19.5	69.6	.....
.....	5.4	2.7	83.4	72.7	102.3	118.4	239.4	37.7	91.5	64.6	13.5	56.5	48.4	48.4	2.7
10.7	7.2	30.5	406.7	224.0	175.6	120.0	336.9	152.3	408.6	207.9	5.4	123.6	127.2	292.1	7.2
3.6	.....	26.7	377.6	181.7	172.8	92.6	320.6	146.1	372.2	172.8	1.8	87.3	153.2	295.7	.....
8.9	8.9	30.1	365.0	209.1	196.7	76.2	377.4	150.6	336.6	155.9	8.9	109.8	129.3	248.0	1.8
5.3	1.8	17.6	340.1	158.6	125.1	81.1	301.3	121.6	343.6	93.4	5.3	82.8	109.3	393.0	1.8
3.5	1.8	22.8	327.7	303.2	122.7	77.1	371.6	108.7	387.3	101.7	1.8	94.6	117.4	334.8	5.3
15.7	.....	13.9	319.0	223.1	106.3	125.5	383.5	92.4	315.5	111.6	3.5	92.4	106.3	273.7	.....
.....	1.7	29.5	360.7	249.7	147.4	111.0	327.7	102.3	345.1	117.9	6.9	98.8	130.1	294.8	.....
1.7	6.9	15.5	279.4	263.9	127.6	72.4	250.1	119.0	358.8	94.9	5.2	72.4	112.1	320.8	.....
.....	5.1	15.4	241.9	310.6	108.1	46.3	339.7	102.9	382.6	171.6	6.9	78.9	108.1	181.9	.....
1.7	6.8	15.4	264.5	355.0	100.7	76.8	274.8	126.3	305.5	215.1	.....	99.0	85.3	199.7	.....

[4] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
SOUTH DAKOTA.														
Sioux Falls	1906	942.6	39.3	.....	.....	15.7	23.6	23.6	15.7	.....	.....	62.8	7.9	70.7
	1907	1,176.5	22.9	.....	.....	.....	.....	7.6	45.8	30.6	.....	76.4	15.3	45.8
	1908	1,264.0	37.2	.....	.....	7.4	14.9	7.4	37.2	22.3	22.3	66.9	.....	89.2
	1909	1,071.8	43.5	.....	.....	.....	21.7	.....	21.7	.....	7.2	72.4	29.0	50.7
TENNESSEE.[2]														
Knoxville	1908	1,827.8	50.5	2.8	.....	2.8	.....	44.9	11.2	56.1	30.8	266.3	44.9	81.3
	1909	1,786.5	74.9	.....	.....	13.9	.....	16.6	11.1	19.4	22.2	227.5	41.6	63.8
Memphis	1900	2,249.8	47.9	204.3	2.9	43.0	5.9	35.2	7.8	33.2	(3)	242.4	13.7	45.9
	1901	1,878.9	52.9	114.4	9.6	1.9	5.8	2.9	4.8	46.1	(3)	223.0	22.1	28.8
	1902	1,875.1	40.7	137.2	4.7	1.9	10.4	10.4	13.3	27.4	(3)	259.3	20.8	37.9
	1903	1,886.3	43.8	124.0	1.9	3.7	5.6	50.4	11.2	35.4	(3)	190.2	12.1	47.6
	1904	2,103.9	49.6	149.8	8.3	18.4	16.5	11.0	15.6	45.9	(3)	235.2	14.7	32.2
	1905	1,959.4	37.1	134.0	0.9	.....	2.7	14.5	13.6	34.4	30.8	251.7	15.4	38.0
	1906	1,967.1	47.3	132.1	0.9	.....	1.8	22.3	12.5	31.2	31.2	216.9	22.3	54.4
	1907	2,154.2	44.0	114.4	.....	11.4	8.8	37.8	17.6	38.7	29.9	206.8	19.4	52.8
	1908	2,013.2	42.5	111.1	.....	6.1	6.1	24.3	28.6	46.9	26.9	223.9	13.9	59.9
	1909	2,009.6	48.8	97.6	1.7	.....	8.6	3.4	20.5	21.4	18.0	231.9	15.4	51.4
Nashville	1900	2,375.6	49.5	27.2	.....	9.9	3.7	19.8	34.6	55.6	(3)	346.3	40.8	33.4
	1901	2,010.1	42.8	35.5	.....	.....	14.7	7.3	19.6	34.2	(3)	266.6	37.9	57.5
	1902	2,190.4	50.8	39.9	.....	1.2	23.0	1.2	10.9	35.1	(3)	311.0	41.1	42.4
	1903	2,050.1	68.7	17.8	.....	24.9	8.3	15.4	10.7	55.6	(3)	246.2	50.9	53.3
	1904	2,339.0	53.9	34.0	.....	42.2	9.4	19.9	9.4	69.1	(3)	346.9	75.0	57.4
	1905	2,144.2	69.6	34.8	.....	.....	.....	78.9	9.3	51.1	31.3	324.9	45.3	62.7
	1906	2,088.8	72.4	29.9	.....	1.1	3.4	4.6	8.0	42.5	23.0	283.8	60.9	68.9
	1907	1,957.6	80.6	15.7	.....	35.2	5.6	4.6	8.3	41.7	29.6	244.5	57.4	70.4
	1908	1,942.3	57.9	14.7	0.9	11.9	.....	65.2	15.6	52.4	38.6	212.2	49.6	73.5
	1909	1,811.5	52.0	21.0	.....	.....	6.4	8.2	11.9	31.9	21.9	193.3	43.8	65.6
TEXAS.[2]														
Galveston [4]	1906 to 1909	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
San Antonio	1900	2,276.8	46.9	82.5	1.9	20.6	22.5	15.0	35.6	28.1	(3)	512.0	45.0	58.1
	1901	2,329.9	58.5	62.0	.....	17.2	10.3	6.9	32.7	56.8	(3)	545.9	41.3	62.0
	1902	2,408.2	59.2	41.6	.....	.....	1.6	1.6	20.8	44.8	(3)	605.2	36.8	72.1
	1903	1,949.5	53.9	65.8	.....	20.9	.....	10.5	34.4	28.4	(3)	386.0	19.4	58.3
	1904	2,114.5	42.1	39.3	.....	18.3	1.4	4.2	49.1	40.7	(3)	518.1	26.7	57.6
	1905	1,977.4	35.7	9.3	.....	.....	.....	5.3	50.3	47.6	18.5	511.9	25.1	56.9
	1906	1,931.5	22.5	7.5	.....	.....	.....	2.5	21.3	40.0	6.3	445.1	17.5	62.5
	1907	2,193.8	51.0	26.1	.....	19.0	.....	2.4	11.9	55.7	37.9	464.6	17.8	66.4
	1908	1,976.2	32.7	18.0	1.1	9.0	.....	3.4	2.3	84.5	21.4	374.0	27.0	62.0
	1909	2,032.4	40.8	19.3	.....	1.1	.....	9.7	4.3	71.9	23.6	373.6	25.8	64.4
UTAH.[2]														
Ogden	1908	1,209.4	25.1	.....	.....	29.3	54.4	4.2	16.7	12.6	4.2	71.1	16.7	79.5
	1909	1,179.7	40.3	.....	.....	.....	16.1	4.0	4.0	24.2	4.0	48.3	4.0	52.3
Salt Lake City	1900	1,619.6	39.2	1.9	1.9	1.9	7.5	22.4	26.2	22.4	(3)	89.7	14.9	65.4
	1901	1,509.4	75.1	.....	7.0	1.7	36.7	3.5	85.6	28.0	(3)	97.8	7.0	47.2
	1902	1,745.7	65.9	1.6	1.6	8.2	65.9	1.6	74.2	3.3	(3)	94.0	9.9	75.8
	1903	1,699.2	53.8	.....	3.1	1.5	16.9	4.6	79.9	15.4	(3)	86.0	12.3	58.4
	1904	1,551.6	62.8	.....	1.5	.....	.....	42.3	39.4	8.8	(3)	97.8	10.2	65.7
	1905	1,501.3	83.4	.....	.....	38.9	2.8	4.2	62.6	18.1	8.3	70.9	8.3	52.8
	1906	1,330.1	53.4	.....	1.3	.....	5.2	6.5	27.4	1.3	11.7	58.6	11.7	74.3
	1907	1,605.5	72.2	1.2	.....	27.4	12.5	18.7	72.2	8.7	8.7	47.3	16.2	53.6
	1908	1,371.9	35.6	.....	.....	7.1	35.6	15.4	26.1	7.1	9.5	92.6	14.3	54.6
	1909	1,445.0	49.1	.....	3.4	1.1	52.5	19.4	27.4	4.6	8.0	67.3	9.1	75.3
VERMONT.														
Barre	1900	2,059.6	47.4	.....	.....	59.2	11.8	11.8	106.5	11.8	(3)	153.9	23.7	106.5
	1901	1,379.6	23.0	.....	.....	11.5	103.5	.....	34.5	.....	(3)	149.5	23.0	46.0
	1902	1,467.1	44.8	.....	.....	.....	112.0	.....	11.2	.....	(3)	268.8	.....	22.4
	1903	1,670.3	21.8	.....	.....	32.8	.....	.....	43.7	21.8	(3)	185.6	32.8	.....
	1904	1,373.7	.....	.....	.....	.....	31.9	42.6	10.6	21.3	(3)	213.0	31.9	21.3
	1905	1,704.4	41.6	.....	.....	10.4	20.8	.....	20.8	10.4	.....	270.2	31.2	31.2
	1906	1,258.4	20.3	10.1	.....	.....	.....	20.3	40.6	10.1	.....	182.7	.....	50.7
	1907	1,318.7	29.7	.....	.....	29.7	.....	49.6	.....	.....	9.9	188.4	59.5	69.4
	1908	1,424.7	29.1	.....	.....	.....	.....	.....	.....	.....	.....	281.1	29.1	19.4
	1909	1,251.2	28.4	.....	.....	66.4	9.5	.....	.....	19.0	19.0	180.1	56.9	47.4
Bennington town	1900	1,531.2	12.5	.....	.....	24.9	.....	24.9	.....	.....	(3)	136.9	.....	49.8
	1901	1,690.1	37.0	.....	.....	61.7	.....	24.7	24.7	12.3	(3)	98.7	12.3	61.7
	1902	1,186.8	12.2	.....	.....	.....	.....	.....	.....	12.2	(3)	97.9	12.2	85.6
	1903	1,419.9	36.4	.....	.....	.....	.....	.....	36.4	12.1	(3)	133.5	24.3	60.7
	1904	1,721.4	36.1	.....	.....	.....	.....	12.0	.....	60.2	(3)	180.6	48.2	84.3
	1905	1,958.4	71.7	.....	.....	35.8	23.9	.....	.....	59.7	11.9	179.1	47.8	95.5
	1906	1,836.3	.....	11.8	.....	.....	.....	23.7	11.8	23.7	35.5	71.1	11.8	118.5
	1907	1,739.5	23.5	.....	.....	.....	.....	58.8	11.8	82.3	23.5	188.1	47.0	82.3
	1908	1,469.2	23.3	.....	.....	.....	.....	.....	.....	58.3	11.7	116.6	70.0	93.3
	1909	1,272.6	.....	.....	.....	.....	.....	.....	.....	23.1	.....	92.5	46.3	81.0
Burlington	1900	1,770.4	37.6	5.4	.....	5.4	5.4	.....	10.7	26.8	(3)	155.6	26.8	75.1
	1901	1,756.9	21.2	10.6	.....	.....	.....	5.3	5.3	5.3	(3)	169.9	42.5	69.0
	1902	1,666.2	10.5	.....	.....	21.0	.....	.....	.....	.....	(3)	120.9	15.8	63.1
	1903	1,988.5	15.6	.....	.....	.....	.....	.....	10.4	10.4	(3)	135.3	26.0	78.1
	1904	1,876.8	30.9	5.2	.....	.....	5.2	5.2	25.8	10.3	(3)	118.6	25.8	51.6
	1905	2,216.5	20.4	.....	.....	10.2	.....	10.2	56.2	5.1	10.2	137.9	25.5	35.8
	1906	2,286.9	25.3	5.1	.....	.....	10.1	15.2	35.4	20.2	.....	151.8	35.4	75.9
	1907	2,085.2	10.0	.....	.....	.....	.....	35.1	40.1	25.1	10.0	130.3	45.1	130.3
	1908	1,981.6	9.9	.....	.....	.....	5.0	.....	24.8	24.8	.....	49.7	44.7	104.3
	1909	2,214.6	19.7	.....	.....	83.7	.....	4.9	9.8	9.8	9.8	137.8	59.1	108.3

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	31.4	23.6	102.1	78.5	62.8	15.7	.....	39.3	23.6	31.4	23.6	70.7	31.4	149.2	.....
.....	7.6	15.3	91.7	107.0	76.4	61.1	68.8	61.1	84.0	53.5	22.9	122.2	30.6	129.9	.....
7.4	29.7	7.4	133.8	126.4	74.4	29.7	52.0	74.4	52.0	148.7	7.4	96.7	7.4	111.5	.....
.....	.....	36.2	94.1	50.7	57.9	72.4	21.7	57.9	86.9	94.1	7.2	86.9	29.0	130.4	.....
.....	8.4	36.4	112.1	154.2	154.2	67.3	109.3	103.7	106.5	75.7	11.2	131.8	8.4	151.4	5.6
.....	8.3	38.8	111.0	135.9	133.2	66.6	113.7	147.0	97.1	97.1	19.4	172.0	13.9	133.2	8.3
2.9	5.9	37.1	136.8	100.6	295.1	91.9	91.9	131.9	104.6	44.0	1.9	152.4	81.1	214.0	75.2
1.0	2.9	31.7	101.9	84.6	113.4	78.8	130.7	98.0	115.3	44.2	12.5	168.2	79.8	184.5	119.2
.....	3.8	28.4	111.7	115.5	106.0	56.8	151.4	113.6	87.1	45.4	6.6	111.7	73.8	200.7	98.4
1.9	2.8	25.2	112.8	132.4	140.8	97.9	140.8	123.1	96.0	52.2	7.5	130.5	72.7	180.0	43.8
2.8	10.1	34.0	117.6	124.0	229.7	99.2	117.6	121.3	133.2	41.3	12.9	153.4	45.9	191.1	72.6
3.6	1.8	29.9	111.4	132.2	148.5	77.9	118.6	112.3	125.9	46.2	22.6	180.2	61.6	163.0	50.7
1.8	9.8	28.6	133.9	125.0	156.2	64.3	104.4	108.0	117.8	49.1	17.0	195.5	66.0	150.8	66.0
2.6	7.9	71.3	121.4	140.8	140.8	94.2	124.1	129.4	125.8	52.8	22.9	211.2	123.2	170.7	33.4
2.6	6.9	35.6	118.9	142.3	144.9	90.2	93.7	134.5	141.4	50.3	15.6	187.4	69.4	169.2	20.0
3.4	3.4	25.7	130.1	161.8	119.0	82.2	89.0	151.5	138.7	63.3	32.5	200.3	90.7	181.4	18.0
1.2	2.5	35.9	232.5	181.8	207.8	129.9	145.9	136.0	71.7	92.7	12.4	87.8	132.3	243.6	40.8
2.4	2.4	29.3	248.2	161.4	176.1	118.6	152.8	88.0	58.7	97.8	2.4	72.1	69.7	185.9	28.1
3.6	7.3	44.8	185.2	170.6	228.7	128.3	141.6	124.6	70.2	61.7	8.5	90.8	104.1	256.5	7.3
2.4	4.7	18.9	158.6	220.2	134.9	100.6	134.9	151.5	65.1	118.4	2.4	129.0	32.0	220.2	4.7
2.3	2.3	14.1	174.6	212.1	164.1	150.0	210.9	131.2	64.5	77.3	3.5	133.6	21.1	251.9	8.2
2.3	8.1	23.2	160.1	207.7	159.0	124.1	142.7	133.4	68.5	88.2	19.7	124.1	18.6	154.3	2.3
2.3	6.9	21.8	196.5	211.4	143.6	98.8	148.2	133.3	75.8	106.9	9.2	125.2	19.5	187.3	3.4
0.9	11.1	13.9	177.8	187.1	139.8	79.6	148.2	117.6	85.2	83.3	14.8	111.1	20.4	170.4	2.8
1.8	9.2	14.7	143.3	209.5	173.7	98.3	113.0	104.7	92.8	81.8	11.0	97.4	14.7	181.9	1.8
0.9	6.4	27.3	144.0	235.2	140.4	76.6	146.8	118.5	77.5	66.6	12.8	105.8	35.6	161.4	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1.9	3.8	31.9	161.3	121.9	69.4	88.1	213.8	91.9	91.9	71.3	20.6	125.7	76.9	191.3	46.9
.....	6.9	37.9	141.2	118.8	79.2	60.3	225.6	124.0	87.8	99.9	15.5	134.3	70.6	230.8	3.4
1.6	11.2	25.6	116.9	136.1	110.5	65.6	289.8	110.5	113.7	123.3	6.4	96.1	91.3	222.6	3.2
3.0	6.0	32.9	133.2	79.3	79.3	67.3	188.5	92.8	89.8	110.7	12.0	86.8	74.8	215.4	.....
2.8	5.6	35.1	153.0	84.2	109.5	80.0	198.0	103.9	68.8	103.9	21.1	89.9	66.0	192.4	2.8
4.0	2.6	27.8	160.0	72.7	83.3	76.7	178.6	105.8	67.5	116.4	30.4	60.8	67.5	160.0	2.6
5.0	15.0	28.8	171.3	85.0	106.3	70.0	207.5	117.5	110.0	127.5	21.3	62.5	38.8	137.5	2.5
3.6	8.3	32.0	190.8	116.1	119.7	87.7	243.0	105.5	90.1	104.3	21.3	74.7	81.8	155.3	7.1
1.1	16.9	37.2	120.6	102.5	89.0	77.7	274.9	99.1	92.4	111.5	33.8	78.9	53.0	151.0	1.1
2.1	15.0	30.1	143.9	124.5	66.5	67.6	249.1	123.5	89.1	134.2	16.1	92.3	64.4	178.2	1.1
.....	12.6	12.6	71.1	96.2	100.4	41.8	62.8	117.2	71.1	108.8	37.7	75.3	16.7	67.0	4.2
.....	16.1	8.1	116.8	140.9	80.5	52.3	92.6	80.5	48.3	104.7	28.2	80.5	44.3	88.6	.....
.....	11.2	33.6	136.4	119.6	143.8	102.7	97.1	110.2	87.8	104.6	7.5	102.7	87.8	175.6	5.6
.....	8.7	47.2	78.6	129.3	117.1	71.6	48.9	113.6	85.6	48.9	7.0	89.1	33.2	239.3	1.7
1.6	13.2	69.2	113.7	138.5	125.3	105.5	70.9	130.2	84.1	69.2	18.1	122.0	41.2	239.0	1.6
1.5	6.1	50.7	99.9	142.9	159.8	69.1	86.0	130.6	93.7	79.9	18.4	139.8	38.4	241.2	9.2
1.5	11.7	37.9	96.3	127.0	164.9	125.5	51.1	108.0	81.7	59.8	8.8	89.0	45.2	200.0	14.6
4.2	9.7	19.5	89.0	130.7	151.5	72.3	77.8	111.2	82.0	58.4	25.0	102.9	43.1	161.3	12.5
.....	11.7	43.0	84.7	113.3	88.6	86.0	54.7	104.2	73.0	73.0	9.1	115.9	79.5	136.8	5.2
.....	12.5	95.9	103.4	145.7	123.3	83.5	72.2	112.1	102.1	67.3	27.4	110.9	48.6	160.7	1.2
.....	14.3	23.8	83.1	140.2	112.8	85.5	47.5	103.3	92.6	85.5	27.3	98.6	41.6	117.6	.....
1.1	12.6	17.1	78.8	129.0	115.3	99.3	63.9	106.4	90.2	83.3	22.8	137.0	45.7	124.4	1.1
.....	11.8	106.5	94.7	118.4	272.3	142.1	165.7	35.5	47.4	130.2	.....	35.5	165.7	201.2	.....
.....	.....	115.0	92.0	57.5	57.5	69.0	80.5	103.5	46.0	115.0	11.5	46.0	23.0	161.0	11.5
.....	22.4	78.4	100.8	78.4	78.4	145.6	22.4	112.0	44.8	78.4	22.4	67.2	56.0	78.4	22.4
.....	10.9	87.3	131.0	131.0	120.1	185.6	120.1	109.2	43.7	109.2	10.9	65.5	21.8	163.8	21.8
10.6	10.6	85.2	117.1	63.9	149.1	127.8	63.9	95.8	31.9	42.6	.....	42.6	42.6	117.1	.....
.....	10.4	52.0	166.3	62.4	197.5	135.1	72.7	31.2	20.8	187.1	10.4	103.9	93.5	114.3	10.4
.....	10.1	20.3	152.2	71.0	40.6	50.7	101.5	71.0	81.2	30.4	20.3	81.2	40.6	152.2	.....
.....	9.9	29.7	99.1	128.9	148.7	59.5	19.8	79.3	59.5	89.2	9.9	39.7	19.8	89.2	.....
.....	9.7	19.4	87.2	174.5	87.2	106.6	126.0	126.0	58.2	67.8	9.7	67.8	.....	126.0	.....
.....	9.5	37.9	75.8	104.3	85.3	94.8	56.9	94.8	75.8	47.4	.....	56.9	.....	75.8	9.5
12.5	.....	37.4	174.3	161.8	211.6	62.2	62.2	62.2	161.8	87.1	12.5	99.6	.....	124.5	12.5
.....	.....	37.0	283.7	209.7	185.0	135.7	86.4	24.7	61.7	98.7	.....	86.4	37.0	111.0	.....
.....	.....	61.2	195.8	97.9	110.1	61.2	48.9	61.2	85.6	48.9	.....	73.4	61.2	61.2	.....
.....	24.3	.....	254.9	182.0	72.8	109.2	48.5	85.0	97.1	72.8	.....	12.1	24.3	133.5	.....
.....	12.0	12.0	168.5	276.9	72.2	48.2	84.3	84.3	204.6	48.2	36.1	24.1	12.0	204.6	12.0
.....	59.7	23.9	107.5	298.5	119.4	107.5	155.2	107.5	107.5	71.7	.....	71.7	35.8	167.2	.....
11.8	23.7	11.8	165.9	319.9	154.0	142.2	142.2	106.6	130.3	47.4	23.7	47.4	11.8	189.6	.....
.....	11.8	.....	235.1	246.8	117.5	82.3	82.3	47.0	129.3	47.0	.....	23.5	23.5	176.3	.....
.....	35.0	.....	151.6	244.9	139.9	46.6	104.9	46.6	128.3	58.3	11.7	46.6	.....	81.6	.....
.....	11.6	23.1	173.5	289.2	104.1	69.4	57.8	11.6	127.3	46.3	.....	11.6	.....	104.1	.....
5.4	10.7	48.3	182.4	123.4	166.3	96.6	182.4	80.5	53.6	144.8	10.7	48.3	69.7	187.8	10.7
.....	15.9	79.6	201.7	143.3	79.6	111.5	180.5	47.8	84.9	95.5	5.3	106.2	79.6	196.4	.....
.....	5.3	110.4	131.4	152.4	89.4	157.7	136.7	63.1	94.6	157.7	.....	52.6	63.1	220.8	.....
5.2	26.0	67.7	182.2	151.0	156.2	145.8	151.0	145.8	88.5	161.4	10.4	62.5	88.5	270.7	.....
.....	15.5	108.3	144.4	144.4	159.8	82.5	180.5	82.5	98.0	154.7	20.6	61.9	134.1	211.4	.....
.....	10.2	66.4	204.3	189.0	143.0	137.9	255.4	107.3	143.0	189.0	5.1	97.0	71.5	286.0	.....
.....	15.2	55.7	116.4	207.4	161.9	126.5	308.6	126.5	70.8	207.4	.....	91.1	151.8	273.2	.....
.....	20.1	70.2	130.3	190.5	195.5	80.2	245.6	115.3	90.2	120.3	5.0	65.2	65.2	265.7	.....
.....	14.9	29.8	94.4	243.5	119.2	99.3	357.6	124.2	89.4	84.4	9.9	124.2	19.9	307.9	.....
.....	14.8	29.5	182.1	201.8	128.0	182.1	324.8	123.0	78.7	147.6	19.7	98.4	4.9	236.2	.....

[3] Not computed separately.

[4] No rates computed. Population June 1, 1900, 37,789; Apr. 15, 1910, 36,981.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
VERMONT—continued.														
Rutland	1900	1,695.8	26.1	.....	.....	8.7	.....	17.4	34.8	34.8	(2)	121.7	26.1	113.1
	1901	1,748.7	8.5	.....	.....	.....	.....	8.5	8.5	51.2	(2)	196.2	25.6	102.4
	1902	1,743.5	16.8	.....	.....	33.5	.....	.....	.....	16.8	(2)	142.5	25.1	83.8
	1903	1,985.7	33.0	8.2	8.2	.....	.....	8.2	8.2	24.7	(2)	156.5	33.0	82.4
	1904	1,903.8	24.3	.....	.....	.....	.....	16.2	8.1	56.7	(2)	129.6	24.3	64.8
	1905	1,521.8	31.9	.....	.....	15.9	.....	15.9	15.9	15.9	.....	119.5	23.9	63.7
	1906	1,771.4	23.5	.....	.....	.....	.....	.....	31.4	.....	39.2	109.7	15.7	86.2
	1907	1,534.9	.....	.....	.....	.....	7.7	.....	.....	30.9	7.7	92.6	46.3	69.4
	1908	1,616.9	.....	.....	.....	7.6	.....	30.4	15.2	45.5	22.8	83.5	22.8	83.5
	1909	1,569.4	22.4	.....	.....	7.5	.....	.....	.....	29.9	14.9	119.6	.....	97.2
VIRGINIA.[3]														
Alexandria	1900	2,512.4	75.7	48.2	.....	6.9	.....	6.9	117.0	75.7	(2)	261.6	6.9	75.7
	1901	2,374.3	27.4	13.7	.....	.....	.....	6.8	68.4	82.1	(2)	342.1	6.8	68.4
	1902	2,075.4	68.0	13.6	.....	6.8	.....	20.4	13.6	27.2	(2)	245.0	6.8	34.0
	1903	2,158.8	60.9	6.8	.....	.....	6.8	27.1	33.8	20.3	(2)	203.0	13.5	27.1
	1904	2,274.9	101.0	.....	.....	.....	.....	6.7	40.4	40.4	(2)	316.3	13.5	53.8
	1905	2,055.0	40.2	.....	.....	.....	.....	6.7	40.2	20.1	6.7	174.0	26.8	46.9
	1906	2,143.8	39.9	13.3	.....	6.7	.....	13.3	39.9	.....	.....	226.4	13.3	93.2
	1907	2,423.7	66.2	.....	.....	.....	.....	33.1	13.2	13.2	13.2	211.9	19.9	59.6
	1908	1,870.6	39.5	.....	.....	.....	6.6	.....	13.2	6.6	6.6	151.5	19.8	85.6
	1909	2,116.2	52.4	.....	.....	6.6	13.	13.1	19.7	13.1	19.7	216.2	6.6	65.5
Danville	1908	2,368.4	69.3	16.0	.....	.....	.....	64.0	10.7	58.7	74.7	261.4	37.3	48.0
	1909	1,783.2	26.5	15.9	.....	47.6	.....	5.3	10.6	5.3	58.2	227.5	21.2	79.4
Lynchburg	1900	2,731.5	121.8	.....	.....	.....	5.3	.....	68.8	26.4	(2)	365.2	31.8	47.6
	1901	1,881.0	76.8	.....	.....	.....	.....	62.4	19.2	48.0	(2)	187.1	9.6	33.6
	1902	1,994.8	103.5	9.4	.....	9.4	4.7	.....	9.4	14.1	(2)	244.6	32.9	37.6
	1903	1,924.3	73.8	18.5	4.6	.....	.....	73.8	9.2	4.6	(2)	290.7	60.0	41.5
	1904	2,159.8	113.2	.....	4.5	9.1	.....	13.6	22.6	9.1	(2)	312.4	40.8	45.3
	1905	2,173.2	57.8	.....	.....	17.8	22.2	4.4	8.9	13.3	22.2	204.4	48.9	62.2
	1906	2,234.1	65.5	.....	.....	.....	4.4	34.9	17.5	8.7	26.2	322.9	30.5	56.7
	1907	2,130.0	102.9	4.3	.....	17.1	4.3	102.9	21.4	17.1	51.4	244.3	55.7	25.7
	1908	1,530.5	69.6	3.5	.....	10.4	.....	10.4	.....	10.4	13.9	191.3	20.9	41.7
	1909	1,422.9	34.3	3.4	.....	.....	3.4	6.9	10.3	6.9	10.3	216.0	27.4	51.4
Manchester	1908	1,707.5	19.5	.....	.....	.....	.....	29.3	9.8	48.8	9.8	243.9	39.0	39.0
	1909	1,647.9	87.2	.....	.....	.....	.....	29.1	29.1	9.7	9.7	213.3	19.4	58.2
Norfolk	1900	2,717.5	79.3	42.9	12.9	6.4	.....	102.9	4.3	51.5	(2)	315.3	30.0	51.5
	1901	1,828.7	27.7	36.3	.....	3.5	.....	5.2	13.8	31.1	(2)	233.6	24.2	45.0
	1902	2,015.4	47.5	42.4	1.7	1.7	.....	15.3	88.3	17.0	(2)	229.2	37.4	44.1
	1903	1,858.5	55.0	15.0	.....	1.7	1.7	40.0	25.0	31.7	(2)	266.7	35.0	75.0
	1904	1,943.0	54.0	16.4	.....	3.3	4.9	13.1	21.3	37.6	(2)	265.2	31.1	58.9
	1905	1,955.3	35.8	20.9	1.6	9.6	1.6	16.1	8.0	16.1	24.1	294.3	32.2	64.3
	1906	2,490.2	77.4	30.0	4.7	1.6	4.7	28.4	15.8	11.1	20.5	298.6	42.7	79.0
	1907	2,593.7	85.4	28.0	.....	23.3	3.1	38.8	3.1	29.5	26.4	278.0	32.6	77.7
	1908	2,189.8	67.2	21.4	.....	6.1	26.0	19.9	15.3	35.1	19.9	281.0	42.8	80.9
	1909	2,143.2	58.6	31.5	25.5	.....	18.0	6.0	12.0	16.5	18.0	297.4	33.0	75.1
Petersburg	1900	3,017.0	82.5	36.7	.....	4.6	4.6	18.3	9.2	45.9	(2)	298.0	27.5	55.0
	1901	2,619.8	81.6	27.2	.....	.....	4.5	158.6	.....	117.8	(2)	317.3	13.6	63.5
	1902	2,475.7	94.2	89.7	4.5	9.0	4.5	13.5	.....	53.8	(2)	305.0	31.4	17.9
	1903	2,441.1	93.2	44.4	.....	.....	.....	39.9	71.0	62.1	(2)	363.9	17.8	62.1
	1904	2,921.2	101.0	52.7	.....	43.9	.....	.....	22.0	70.3	(2)	443.7	22.0	57.1
	1905	2,313.0	60.9	52.2	.....	.....	.....	17.4	21.7	60.9	21.7	260.9	43.5	30.4
	1906	2,849.1	129.1	172.2	.....	8.6	.....	99.0	17.2	56.0	25.8	292.7	21.5	90.4
	1907	2,761.0	51.1	51.1	.....	12.8	4.3	21.3	29.8	85.2	38.3	311.0	25.6	38.3
	1908	2,640.8	46.4	29.5	8.4	.....	.....	75.9	12.7	122.3	8.4	282.6	16.9	71.7
	1909	2,606.5	71.0	66.8	.....	16.7	.....	75.2	4.2	66.8	45.9	259.0	41.8	75.2
Richmond	1900	2,898.3	104.6	28.2	1.2	3.5	3.5	36.4	11.8	43.5	(2)	308.1	28.2	65.8
	1901	2,424.3	50.8	17.3	.....	.....	.....	42.8	12.7	61.2	(2)	248.4	23.1	71.6
	1902	2,488.7	70.5	17.1	.....	4.5	2.3	23.9	43.2	17.1	(2)	253.6	31.8	40.9
	1903	2,450.4	70.6	20.2	1.1	24.6	4.5	84.0	49.3	50.4	(2)	259.8	33.6	65.0
	1904	2,286.4	51.8	18.7	.....	1.1	3.3	5.5	11.0	35.3	(2)	263.6	52.9	73.9
	1905	2,087.0	42.4	30.4	1.1	4.3	1.1	1.1	13.0	23.9	32.6	222.7	29.3	63.0
	1906	2,148.3	43.9	15.0	.....	1.1	3.2	59.9	10.7	22.5	18.2	266.5	34.3	84.6
	1907	2,337.5	40.6	28.2	.....	34.4	.....	1.8	15.0	51.1	27.3	238.9	33.5	74.1
	1908	2,165.7	49.7	6.1	.....	6.1	0.9	27.9	3.5	33.1	18.3	194.3	30.5	73.2
	1909	2,070.3	24.1	7.7	.....	0.9	0.9	11.2	7.7	12.9	20.7	209.2	43.0	79.2
WASHINGTON.														
Seattle	1900	1,114.4	34.7	1.2	.....	2.5	11.1	7.4	5 0	7.4	(2)	111.6	18.6	45.9
	1901	972.5	27.8	1.1	3.2	6.4	9.6	6.4	12.8	7.5	(2)	106.8	22.4	43.8
	1902	1,023.9	27.4	.....	.....	1.9	8.5	0.9	10.4	0.9	(2)	98.4	11.4	56.8
	1903	949.2	28.9	1.7	2.5	12.7	12.7	2.5	6.8	4.2	(2)	90.9	22.9	47.6
	1904	930.0	27.0	.....	.....	1.5	6.9	10.0	30.1	6.9	(2)	94.1	18.5	41.6
	1905	811.7	25.4	.....	.....	4.9	0 7	2.8	8.5	3.5	9.9	71.3	26.8	38.1
	1906	853.8	24.0	.....	.....	1.9	3.2	12.9	14.2	1.3	5.8	64.7	18.8	42.1
	1907	1,080.2	47.7	.....	.....	3.7	2.7	2.1	20.2	7.4	5.8	79.1	26.5	50.9
	1908	926.4	18.1	.....	.....	1.4	1.9	0.5	19.5	2.9	4.3	79.3	30.4	44.2
	1909	999.1	23.8	.....	.....	3.1	11.2	1.3	13.0	5.4	5.8	88.1	30.6	60.2
Spokane	1901	1,089.4	45.9	.....	4.6	2.3	11.5	9.2	11.5	20.6	(2)	119.3	9.2	68.8
	1902	1,119.7	38.1	.....	.....	.....	24.1	4.0	28.1	6 0	(2)	118.4	10.0	56.2
	1903	1,327 0	66.0	.....	12.5	7.1	8.9	.....	14.3	10.7	(2)	132.0	21.4	41.0
	1904	1,112.4	56.2	1.6	8.0	3.2	3.2	1.6	36.9	4.8	(2)	105.9	14.4	36.9
	1905	1,024.3	56.9	.....	.....	7.3	2.9	2.9	21.9	5.8	10.2	91.9	19.0	48.2
	1906	1,122.2	61.5	.....	.....	1.3	1.3	18.7	6.7	5.4	1.3	95.0	30.8	58.9
	1907	1,334.6	53.1	2.5	3.7	4.9	1.2	.....	43.2	2.5	11.1	92.6	33.3	37.0
	1908	1,337.6	50.4	1.1	2.1	2.1	1.1	7.5	37.5	12.9	15.0	103.0	21.5	68.7
	1909	1,255.7	43.2	1.0	.....	6.0	58.3	9.0	31.2	10.1	5.0	87.5	25.1	48.3

[1] Exclusive of stillbirths.

[2] Not computed separately.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	8.7	8.7	156.5	139.1	208.7	130.4	121.7	104.4	95.7	87.0	8.7	60.9	17.4	165.2	.....
8.5	8.5	25.6	196.2	196.2	187.7	110.9	51.2	93.8	128.0	59.7	.....	68.2	34.1	179.1	.....
.....	16.8	25.1	150.9	201.2	134.1	75.4	117.4	92.2	92.2	109.0	8.4	117.4	75.4	201.2	8.4
8.2	8.2	33.0	173.0	238.9	222.5	82.4	156.5	140.1	156.5	98.9	.....	107.1	33.0	164.8	.....
.....	24.3	64.8	218.7	275.4	145.8	48.6	72.9	170.1	162.0	40.5	.....	97.2	16.2	234.9	8.1
.....	31.9	31.9	103.6	175.3	127.5	55.8	63.7	159.3	167.3	8.0	8.0	95.6	23.9	151.4	15.9
.....	15.7	39.2	148.9	219.5	203.8	23.5	94.1	101.9	70.5	117.6	15.7	78.4	7.8	313.5	15.7
.....	15.4	7.7	162.0	208.3	146.5	30.9	69.4	92.6	100.3	61.7	23.1	84.8	15.4	254.5	7.7
.....	7.6	15.2	182.2	258.1	83.5	30.4	151.8	91.1	159.4	30.4	15.2	83.5	7.6	174.6	15.2
.....	29.9	14.9	97.2	269.0	156.9	44.8	104.6	134.5	104.6	59.8	22.4	59.8	7.5	164.4	7.5
6.9	6.9	48.2	199.6	144.6	234.0	75.7	172.1	34.4	179.0	75.7	.....	61.9	158.3	192.7	247.8
6.8	6.8	34.2	246.3	191.6	260.0	109.5	102.6	47.9	171.1	68.4	6.8	88.9	164.2	130.0	123.2
.....	.....	.....	190.5	122.5	210.9	88.5	190.5	54.4	176.9	88.5	13.6	95.3	142.9	95.3	170.1
.....	6.8	47.4	196.3	142.1	189.5	128.6	121.8	40.6	155.6	94.7	.....	155.6	142.1	175.9	162.4
.....	.....	20.2	188.5	154.8	201.9	67.3	181.7	87.5	154.8	80.8	.....	121.1	94.2	222.1	127.9
.....	13.4	46.9	261.1	147.3	187.4	100.4	80.3	87.0	187.4	107.1	20.1	133.9	80.3	154.0	87.0
.....	.....	20.0	226.4	219.7	139.8	86.6	153.1	66.6	219.7	39.9	13.3	99.9	79.9	233.0	99.9
6.6	13.2	39.7	251.6	284.7	185.4	112.6	119.2	112.6	178.8	79.5	26.5	158.9	112.6	238.4	72.8
.....	19.8	52.7	144.9	217.4	118.6	118.6	151.5	39.5	191.0	92.2	19.8	72.5	131.7	164.7	6.6
.....	.....	39.3	255.5	163.8	235.9	144.1	85.2	98.3	196.6	32.8	6.6	78.6	176.9	170.3	6.6
.....	5.3	80.0	266.7	181.4	277.4	101.3	144.0	117.4	106.7	165.4	5.3	58.7	58.7	138.7	21.3
.....	15.9	52.9	169.3	158.7	148.2	142.9	121.7	111.1	58.2	58.2	10.6	42.3	79.4	100.5	15.9
5.3	5.3	90.0	259.4	217.0	180.0	105.9	95.3	121.8	74.1	84.7	5.3	58.2	111.2	169.4	481.7
.....	4.8	19.2	191.9	182.3	86.4	72.0	72.0	91.2	33.6	14.4	.....	115.2	96.0	110.4	355.1
.....	9.4	23.5	211.7	221.1	84.7	28.2	108.2	127.0	65.9	23.5	.....	98.8	47.0	136.4	343.4
.....	4.6	9.2	189.2	166.1	83.1	78.4	69.2	92.3	23.1	27.7	.....	83.1	46.1	110.8	364.6
4.5	.....	18.1	194.7	240.0	149.4	72.4	140.4	86.0	45.3	22.6	.....	90.6	58.9	163.0	303.4
4.4	4.4	13.3	200.0	244.4	120.0	75.6	115.6	120.0	75.6	88.9	17.8	137.8	97.8	102.2	293.3
.....	13.1	21.8	226.9	274.9	96.0	109.1	104.7	139.6	43.6	96.0	4.4	126.5	96.0	109.1	205.1
.....	8.6	21.4	270.0	214.3	171.4	98.6	107.1	72.9	77.1	55.7	.....	81.4	85.7	150.0	68.6
.....	10.4	31.3	156.5	128.7	100.9	76.5	121.7	87.0	76.5	107.8	20.9	52.2	62.6	93.9	31.3
.....	3.4	3.4	192.0	106.3	113.1	61.7	168.0	65.1	61.7	58.3	.....	58.3	68.6	78.9	13.7
.....	.....	48.8	185.4	107.3	107.3	185.4	126.8	58.5	97.6	68.3	29.3	19.5	68.3	165.9	.....
.....	.....	.....	135.7	106.6	116.3	145.4	184.2	29.1	184.2	77.5	.....	77.5	48.5	77.5	9.7
.....	4.3	25.7	311.0	186.6	160.9	128.7	272.4	180.2	105.1	115.8	4.3	150.1	137.3	229.5	8.6
.....	6.9	17.3	233.6	98.6	134.9	102.1	169.5	102.1	124.6	103.8	1.7	79.6	79.6	154.0	.....
.....	3.4	28.9	215.6	142.6	142.6	84.9	193.6	120.5	103.6	112.1	8.5	91.7	66.2	176.6	.....
.....	5.0	15.0	188.4	151.7	113.3	68.3	146.7	95.0	133.3	86.7	3.3	100.0	46.7	158.3	.....
.....	3.3	16.4	207.9	175.1	140.8	76.9	158.8	112.9	100.0	91.7	4.9	109.7	32.7	196.4	1.6
.....	3.2	19.3	226.7	183.3	107.7	106.1	157.6	138.3	125.4	77.2	17.7	119.0	14.5	135.1	.....
1.6	7.9	93.2	205.4	244.9	146.9	134.3	178.5	178.5	148.5	129.6	11.1	142.2	37.9	214.9	.....
1.6	7.8	43.5	215.9	278.0	237.6	155.3	222.1	156.9	160.0	101.0	24.9	152.2	38.8	170.8	1.6
1.5	16.8	30.5	187.8	224.5	139.0	119.1	132.9	128.3	142.0	108.4	27.5	114.5	30.5	171.0	.....
.....	3.0	21.0	168.2	211.8	153.2	100.6	141.2	126.2	142.7	111.1	18.0	120.2	45.1	189.2	.....
4.6	.....	45.9	453.9	233.8	279.7	142.1	220.1	183.4	123.8	146.7	9.2	82.5	275.1	220.1	13.8
.....	9.1	58.9	335.4	217.6	108.8	108.8	231.2	113.3	158.6	104.2	4.5	99.7	99.7	167.7	18.1
.....	.....	22.4	305.0	197.3	80.7	107.6	282.5	157.0	157.0	76.2	9.0	76.2	161.5	210.3	9.0
.....	4.4	22.2	266.3	239.7	128.7	48.8	204.2	124.3	204.2	88.8	.....	66.6	71.0	177.5	39.9
.....	4.4	65.9	303.1	263.6	166.9	109.8	259.2	118.6	232.8	153.7	22.0	74.7	131.8	184.5	17.6
.....	8.7	34.8	265.2	260.9	100.0	73.9	200.0	104.3	234.8	95.7	4.3	87.0	121.7	139.1	13.0
.....	12.9	21.5	288.4	297.0	129.1	68.9	241.0	90.4	322.8	154.9	8.6	107.6	64.6	120.5	8.6
.....	8.5	46.9	336.6	230.1	144.9	85.2	204.5	106.5	332.2	179.0	21.3	123.6	119.3	153.4	.....
8.4	12.7	4.2	248.9	270.0	206.7	84.4	261.5	54.8	278.4	143.4	25.3	118.1	122.3	126.6	.....
.....	16.7	25.1	188.0	188.0	146.2	104.4	284.0	66.8	346.7	158.7	8.4	112.8	100.3	137.8	.....
3.5	5.9	75.2	350.4	190.5	214.0	232.8	205.8	154.0	94.1	128.2	7.1	129.3	209.3	198.7	64.7
1.2	4.6	41.6	290.0	141.0	179.1	199.9	155.9	137.5	112.1	91.3	3.5	113.2	135.2	234.6	55.5
8.0	4.5	36.4	282.1	200.2	161.5	186.5	200.2	167.2	108.1	122.8	9.1	93.3	120.6	248.0	35.3
1.1	9.0	48.2	271.0	178.1	135.5	216.1	148.9	133.3	112.0	98.6	6.7	112.0	96.3	199.3	21.3
1.1	9.9	30.9	221.7	174.3	163.2	146.7	176.5	146.7	146.7	97.1	7.7	99.3	113.6	204.0	29.8
1.1	8.7	23.9	248.8	179.3	143.4	152.1	169.5	116.2	126.0	83.7	16.3	83.7	88.0	171.7	9.8
.....	3.2	34.3	267.6	187.3	115.6	142.4	148.8	134.9	132.7	83.5	11.8	109.2	52.5	148.8	16.1
1.8	7.1	27.3	273.3	215.1	177.2	196.6	181.6	123.4	136.7	89.1	12.3	112.9	76.7	149.0	12.3
0.9	11.3	22.7	251.8	219.5	132.4	162.9	154.2	130.7	155.9	118.5	11.3	87.1	60.1	193.4	9.6
1.7	9.5	16.4	242.8	187.7	103.3	148.9	159.3	131.7	151.5	125.7	7.7	124.0	71.4	167.9	3.4
1.2	8.7	21.1	74.4	99.2	137.6	40.9	37.2	80.6	34.7	33.5	23.5	127.7	44.6	97.9	6.2
.....	5.3	22.4	70.5	88.6	92.9	25.6	44.8	76.9	40.6	39.5	13.9	83.3	31.0	89.7	.....
1.9	7.6	26.5	72.9	108.8	89.9	35.0	36.0	72.9	49.2	30.3	0.9	141.9	46.4	87.1	.....
1.7	3.4	17.0	62.9	120.7	53.5	28.0	29.7	57.8	50.1	31.4	22.1	108.8	17.0	111.3	.....
.....	10.8	12.3	47.0	114.9	39.3	33.2	44.0	64.0	45.5	50.1	28.5	89.5	13.1	100.2	0.8
0.7	7.8	12.7	55.8	91.8	47.3	20.5	48.0	43.1	44.5	43.8	21.2	89.6	13.4	79.8	.....
.....	12.3	13.6	69.3	96.5	39.5	30.4	46.0	64.1	43.4	37.5	24.6	82.2	18.1	86.7	0.6
.....	12.2	86.5	58.9	119.4	60.5	34.5	50.4	76.9	63.7	42.4	24.4	108.2	8.5	87.5	.....
1.4	10.5	22.3	63.2	115.2	42.3	25.2	39.9	68.4	58.4	34.7	32.8	100.7	6.7	100.2	1.4
0.4	13.9	10.3	64.7	128.1	53.5	32.4	44.5	49.0	61.6	46.3	40.0	98.9	9.0	103.4	0.4
.....	4.6	39.0	78.0	100.9	68.8	50.5	43.6	98.6	41.3	36.7	22.9	55.0	16.1	117.0	13.8
.....	12.0	30.1	104.3	90.3	100.3	38.1	44.1	104.3	50.2	32.1	26.1	70.2	28.1	100.3	4.0
3.6	16.1	23.2	78.5	89.2	101.7	33.9	101.7	123.1	62.4	57.1	32.1	99.9	41.0	148.0	1.8
3.2	12.8	20.9	64.2	96.3	67.4	28.9	70.6	117.2	57.8	44.9	32.1	78.7	20.9	118.8	4.8
.....	7.3	13.1	58.4	67.1	59.8	43.8	68.6	96.3	58.4	46.7	17.5	87.6	27.7	97.8	7.3
1.3	13.4	18.7	80.3	103.0	91.0	22.7	49.5	101.7	54.8	52.2	16.1	93.6	30.8	107.0	5.4
1.2	21.0	29.6	74.1	125.9	112.3	63.0	42.0	102.5	69.1	76.5	22.2	128.4	30.9	148.2	2.5
3.2	9.7	31.1	89.0	112.6	111.6	44.0	72.9	95.5	76.2	57.9	30.0	103.0	31.1	144.8	2.1
.....	13.1	22.1	80.4	119.6	103.6	35.2	66.4	95.5	79.4	57.3	16.1	102.5	14.1	125.7	.....

[3] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
WASHINGTON—continued.														
Tacoma	1900	1,325.8	29.2	2.7	5.3	.....	5.3	2.7	8.0	21.2	(2)	161.7	26.5	39.8
	1901	1,201.7	26.2	.....	.....	11.9	11.9	7.2	26.2	9.5	(2)	119.2	9.5	42.9
	1902	1,319.8	30.5	.....	2.2	.....	6.5	.....	43.6	2.2	(2)	113.4	10.9	58.9
	1903	995.1	54.3	.....	.....	2.0	12.1	2.0	22.1	4.0	(2)	132.7	8.0	52.3
	1904	1,008.5	55.9	.....	1.9	.....	3.7	13.0	14.9	1.9	(2)	134.2	14.9	50.3
	1905	983.6	20.9	.....	.....	.....	.....	1.7	24.3	7.0	7.0	99.1	26.1	50.4
	1906	1,070.8	35.8	.....	.....	3.3	1.6	6.5	4.9	1.6	16.3	109.0	22.8	70.0
	1907	1,320.6	42.8	.....	.....	3.1	1.5	18.4	24.5	9.2	12.2	101.0	38.3	88.8
	1908	1,144.8	28.3	.....	.....	2.8	4.2	7.1	17.0	5.7	7.1	100.3	32.5	89.0
	1909	1,107.6	24.8	.....	.....	1.3	27.4	3.9	13.0	6.5	6.5	114.8	27.4	86.1
Walla Walla	1908	1,365.2	45.7	.....	.....	.....	.....	.....	40.0	45.7	.....	102.8	34.3	28.6
	1909	1,199.0	80.3	.....	5 4	5.4	16.1	5.4	26.8	10.7	16.1	69.6	.....	123.1
WEST VIRGINIA.[3]														
Wheeling	1900	1,538.1	59.1	.....	.....	33.4	12.9	38.6	25.7	10.3	(2)	126.0	12.9	64.3
	1901	1,748.3	86.8	5.1	2.6	10.2	33.2	15.3	63.8	48.5	(2)	153.1	23.0	79.1
	1902	1,621.9	96.3	.....	5.1	.....	5.1	15.2	45.6	5.1	(2)	141.9	22.8	68.4
	1903	1,580.3	98.1	2.5	22.6	2.5	.....	2.5	32.7	7.5	(2)	151.0	25.2	73.0
	1904	1,771.7	80.0	.....	.....	17.5	2.5	35.0	30.0	5.0	(2)	109.9	12.5	75.0
	1905	1,560.8	86.9	.....	.....	.....	9.9	12.4	19.9	7.4	5.0	156.3	22.3	59.6
	1906	1,678.2	128.1	.....	.....	.....	14.8	2.5	49.3	9.9	9.9	157.7	7.4	86.3
	1907	2,016.7	107.7	.....	.....	17.1	2.4	9.8	34.3	22.0	7.3	200.7	29.4	68.5
	1908	1,638.3	68.1	.....	.....	.....	2.4	41.3	26.7	12.2	9.7	141.0	17.0	68.1
	1909	1,658.7	50.7	4.8	.....	21.7	.....	.....	26.6	2.4	7.2	156.9	36.2	86.9
WISCONSIN.														
Appleton [4]	1900	1,299.3	19.9	.....	.....	.....	13.3	6.6	19.9	13.3	(2)	125.9	19.9	33.1
	1901	931.0	19.4	.....	.....	6.5	.....	.....	19.4	12.9	(2)	155.2	6.5	38.8
	1902	1,116.6	18.9	.....	.....	25.2	6.3	.....	6.3	.....	(2)	69.4	.....	69.4
	1903	1,268.9	6.2	.....	6.2	.....	6.2	18.5	92.4	12.3	(2)	129.4	18.5	92.4
	1904	1,245.7	12.0	.....	.....	.....	6.0	12.0	30 1	6.0	(2)	126.4	24.1	66.2
	1905	1,164.7	17.6	.....	5.9	.....	.....	29.4	41.2	.....	11.8	100.0	11.8	58.8
	1906	1,362.8	35.4	.....	.....	.....	5 9	.....	5.9	5.9	.....	135.7	35.4	94.4
	1908	1,441.5	5.9	.....	.....	.....	35.6	.....	17.8	23.7	11.9	112.7	29.7	89.0
	1909	1,243.2	5.9	.....	.....	.....	.....	.....	11.9	.....	17.8	124.9	17.8	71.4
Ashland	1908	1,602.3	55.3	.....	.....	7.9	.....	23.7	39.5	7.9	.....	142.1	31.6	86.8
	1909	2,071.4	116.0	.....	.....	.....	16.6	16.6	16.6	8.3	24.9	198.9	24.9	99.4
Beloit	1900	1,418.2	9.6	.....	.....	.....	9.6	.....	9.6	57.5	(2)	134.1	9.6	67.1
	1901	1,346.3	9.2	9.2	.....	.....	18.3	27.5	.....	64.1	(2)	183.2	9.2	55.0
	1902	1,315.4	8.8	.....	.....	.....	17.5	8.8	8.8	.....	(2)	131.5	.....	52.6
	1903	1,489.0	16.8	.....	.....	50.5	16.8	8.4	8.4	58.9	(2)	159.8	25.2	58.9
	1904	1,131.7	8.1	.....	.....	.....	.....	.....	8.1	8.1	(2)	97.0	24.3	72.8
	1905	1,345.8	23.3	.....	.....	7.8	.....	7.8	23.3	7.8	7.8	147.8	15.6	54.5
	1906	1,167.8	44.9	.....	.....	.....	.....	.....	44.9	7.5	7.5	112.3	7.5	104.8
	1907	1,070.6	14.5	.....	.....	.....	.....	.....	28.9	.....	.....	94.0	50.6	79.6
	1908	1,070.7	.....	.....	.....	7.0	.....	.....	.....	28.0	21.0	70.0	42.0	105.0
	1909	1,179.2	13.6	.....	.....	.....	.....	20.3	13.6	33.9	20.3	81.3	13.6	101.7
Chippewa Falls [5]	1900	1,457.9	24.7	.....	.....	.....	12.4	12.4	.....	.....	(2)	185.3	12.4	61.8
	1901	1,123.6	12.1	12.1	.....	.....	24.2	.....	24.2	48.3	(2)	120.8	24.2	36.2
	1908	1,644.8	11.2	.....	.....	.....	22.4	.....	11.2	22.4	22.4	167.8	89.5	89.5
	1909	1,705.4	11.2	.....	11.2	.....	.....	56.1	.....	.....	22.4	269.3	33.7	78.5
Eau Claire	1900	1,181.7	22.8	.....	.....	.....	.....	28.5	5.7	5.7	(2)	102.8	17.1	85.6
	1901	1,266.8	5.6	.....	5.6	33.8	.....	33.8	16.9	22.5	(2)	118.2	5.6	33.8
	1902	1,138 6	16.7	5.6	.....	.....	.....	16.7	16.7	.....	(2)	111.1	33.3	38.9
	1903	997.3	11.0	5.5	.....	11.0	5.5	5.5	27.4	.....	(2)	109.6	5.5	71.2
	1904	1,254.5	5.4	.....	.....	.....	5.4	.....	59.5	.....	(2)	133.9	21.6	64.9
	1905	1,008.7	16.0	.....	.....	.....	.....	.....	16.0	.....	5.3	133.4	26.7	74.7
	1906	1,174.7	48.3	.....	.....	.....	.....	10.7	.....	10.7	.....	134.1	10.7	64.4
	1907	1,196.4	10.8	.....	.....	.....	5.4	.....	.....	21.6	5.4	102.4	10.8	53.9
	1908	1,386.2	54.1	.....	.....	5.4	.....	.....	5.4	32.5	5.4	108.3	16.2	75.8
	1909	1,436.3	38.1	.....	10.9	10.9	16.3	5.4	16.3	38.1	5.4	163.2	38.1	146.9
Fond du Lac	1908	1,392 6	11.0	.....	5.5	5.5	.....	11 0	5.5	16.4	5.5	104.2	16.4	98.7
	1909	1,450.1	10.8	.....	.....	.....	10.8	21.6	21.6	.....	10.8	113.2	10.8	102.4
Green Bay	1900	1,600.3	37.5	.....	.....	5 4	10.7	.....	21.4	10.7	(2)	96.3	10.7	53.5
	1901	1,378.2	41.0	.....	5.1	5 1	15.4	.....	30.7	30.7	(2)	107.6	15.4	92.2
	1902	1,154.7	19.7	.....	9.8	4.9	9.8	.....	4.9	9.8	(2)	122.8	14.7	122.8
	1903	1,383.0	9.4	.....	.....	.....	18.9	.....	9.4	9.4	(2)	132.2	4.7	80.2
	1904	1,480.5	36.3	.....	.....	4.5	4.5	27.2	18.2	.....	(2)	104.5	27.2	77.2
	1905	1,500.8	30.6	.....	.....	8 8	.....	4.4	.....	21.9	8.8	140.0	13.1	65.6
	1906	1,638.0	17.1	.....	.....	8.6	8.6	8.6	29.9	8.6	21.4	106.9	29.9	98.4
	1907	1,688.2	25.1	.....	.....	16 8	8.4	8.4	4.2	8.4	12.6	171.8	37.7	113.1
	1908	1,859.6	32.8	.....	.....	16.4	4.1	.....	49.3	4.1	12.3	102.6	32.8	102.6
	1909	1,927.6	24.1	.....	.....	.....	24.1	.....	56.3	4.0	20.1	181.1	40.2	100.6
Janesville	1908	1,422 7	14.4	.....	7.2	.....	28.9	.....	14.4	7.2	7.2	137.2	28.9	79.4
	1909	1,571.4	21.6	.....	.....	.....	.....	.....	.....	21.6	21.6	86.5	14.4	137.0
Kenosha	1908	1,202.2	56.3	.....	.....	.....	5.1	30.7	15.3	20.5	5.1	81.8	10.2	30.7
	1909	1,230.2	34.0	.....	.....	24.3	4.9	.....	9.7	19.5	14.6	82.7	4.9	48.6
La Crosse	1908	1,286.6	6.7	.....	3.3	.....	3.3	6.7	10.0	36 8	.....	147.0	16.7	110.3
	1909	1,202.0	16.6	.....	.....	.....	6.6	.....	3.3	.....	3.3	122.5	9.9	92.7

[1] Exclusive of stillbirths.

[2] Not computed separately.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	10.6	26.5	71.6	114.0	76.9	39.8	47.7	98.1	47.7	66.3	26.5	196.2	42.4	148.5	10.6
2.4	7.2	26.2	102.5	152.6	88.2	42.9	21.5	69.1	45.3	35.8	26.2	121.6	71.5	114.4	9.5
.....	4.4	56.7	89.4	163.6	76.4	30.5	43.6	111.3	98.2	28.4	26.2	74.2	58.9	178.9	10.9
.....	6.0	34.2	58.3	66.3	62.3	22.1	38.2	62.3	36.2	46.2	6.0	52.3	72.4	138.7	4.0
3.7	3.7	20.5	72.7	65.2	76.4	13.0	39.1	65.2	37.3	28.0	18.6	70.8	82.0	121.2	.....
.....	8.7	24.3	73.0	121.6	71.2	33.0	46.9	74.7	48.7	29.5	19.1	67.8	45.2	83.4	.....
.....	9.8	26.0	78.1	123.7	70.0	29.3	30.9	78.1	50.4	37.4	16.3	79.7	68.4	100.9	.....
4.6	9.2	125.5	90.3	133.1	71.9	36.7	45.9	67.3	59.7	50.5	15.3	110.2	42.8	117.8	.....
4.2	14.1	25.4	94.7	117.3	53.7	39.6	41.0	80.6	89.0	41.0	26.9	94.7	5.7	121.6	1.4
.....	11.7	14.4	57.4	133.1	71.8	33.9	48.3	78.3	77.0	67.8	20.9	82.2	9.1	90.0	.....
.....	22.8	40.0	131.4	114.2	91.4	68.5	102.8	125.7	62.8	45.7	11.4	68.5	28.6	154.2	.....
.....	21.4	42.8	96.3	107.1	32.1	16.1	53.5	101.7	58.9	80.3	5.4	85.6	16.1	123.1	.....
.....	7.7	43.7	110.6	123.5	133.8	92.6	128.6	90.0	54.0	61.7	10.3	82.3	12.9	195.5	7.7
5.1	7.7	38.3	120.0	125.1	130.2	104.6	89.3	137.8	66.4	45.9	10.2	120.0	51.0	176.1	.....
2.5	7.6	33.6	124.2	106.4	114.0	126.7	78.6	106.4	88.7	60.8	17.7	88.7	63.4	139.4	7.6
.....	7.5	62.9	140.9	93.1	115.8	73.0	93.1	85.6	70.5	70.5	25.2	125.8	67.9	123.3	7.5
.....	7.5	80.0	122.4	109.9	197.4	107.4	122.4	95.0	87.5	45.0	30.0	122.4	109.9	162.4	5.0
2.5	.....	62.0	146.4	104.2	109.2	91.8	99.3	114.1	79.4	42.2	12.4	94.3	64.5	153.8	5.0
4.9	9.9	49.3	145.4	125.7	138.0	69.0	78.9	98.6	86.3	49.3	19.7	142.9	59.1	135.5	.....
.....	9.8	44.1	146.8	139.5	154.2	93.0	107.7	151.7	90.6	112.6	14.7	183.6	53.8	215.4	.....
.....	4.9	26.7	133.7	136.1	128.8	70.5	87.5	136.1	109.4	58.3	24.3	131.3	17.0	187.2	.....
.....	7.2	38.6	101.4	149.7	128.0	74.8	96.6	130.4	94.2	96.6	14.5	130.4	12.1	188.3	2.4
6.6	19.9	46.4	79.5	86.2	79.5	46.4	132.6	46.4	66.3	59.7	13.3	59.7	106.1	172.3	26.5
.....	25.9	25.9	122.8	51.7	51.7	32.3	51.7	45.3	6.5	58.2	6.5	32.3	32.3	116.4	12.9
.....	18.9	18.9	82.0	88.3	94.6	44.2	56.8	75.7	44.2	75.7	.....	31.5	94.6	189.3	6.3
.....	12.3	43.1	160.2	80.1	61.6	30.8	49.3	80.1	67.8	43.1	.....	73.9	55.4	98.6	30.8
.....	12.0	30.1	156.5	90.3	66.2	48.1	30.1	72.2	36.1	90.3	6.0	66.2	60.2	180.5	18.1
.....	17.6	17.6	135.3	76.5	58.8	64.7	47.1	82.4	35.3	82.4	29.4	29.4	76.5	135.3	.....
5.9	23.6	11.8	112.1	100.3	94.4	70.8	88.5	64.9	35.4	100.3	5.9	94.4	47.2	182.9	5.9
.....	35.6	23.7	106.8	112.7	100.8	29.7	53.4	106.8	118.6	77.1	17.8	83.0	65.3	166.1	17.8
5.9	17.8	11.9	65.4	142.8	65.4	23.8	59.5	83.3	83.3	89.2	11.9	71.4	77.3	178.5	5.9
.....	31.6	39.5	102.6	134.2	134.2	55.3	63.1	118.4	7.9	118.4	31.6	221.0	31.6	118.4	.....
8.3	.....	66.3	232.0	157.4	116.0	33.1	66.3	165.7	82.9	107.7	49.7	240.3	33.1	182.3	8.3
.....	.....	86.2	153.3	76.7	76.7	67.1	57.5	124.6	28.7	105.4	9.6	86.2	86.2	153.3	9.6
.....	18.3	45.8	119.1	82.4	64.1	55.0	73.3	82.4	82.4	45.8	9.2	45.8	27.5	210.6	9.2
.....	.....	26.3	201.7	140.3	96.5	61.4	87.7	43.8	26.3	43.8	8.8	61.4	70.2	219.2	.....
.....	25.2	42.1	117.8	117.8	101.0	75.7	58.9	101.0	58.9	58.9	8.4	92.5	16.8	210.3	.....
.....	16.2	24.3	80.8	97.0	88.9	80.8	32.3	97.0	64.7	64.7	.....	56.6	32.3	169.8	8.1
.....	15.6	23.3	116.7	116.7	108.9	62.2	46.7	140.0	77.8	54.5	.....	101.1	15.6	171.1	.....
.....	44.9	37.4	127.3	97.3	82.3	59.9	22.5	52.4	29.9	44.9	7.5	104.8	15.0	97.3	15.0
.....	14.5	14.5	57.9	57.9	166.4	86.8	14.5	28.9	65.1	65.1	7.2	101.3	21.7	101.3	.....
.....	21.0	14.0	77.0	119.0	84.0	49.0	42.0	84.0	28.0	56.0	.....	63.0	7.0	154.0	.....
.....	6.8	20.3	142.3	115.2	94.9	27.1	54.2	94.9	88.1	54.2	.....	67.8	13.6	101.7	.....
12.4	.....	12.4	148.2	123.5	37.1	24.7	123.5	111.2	24.7	111.2	.....	86.5	148.2	185.3	.....
12.1	.....	12.1	132.9	60.4	60.4	72.5	12.1	60.4	36.2	36.2	.....	96.7	24.2	193.3	12.1
.....	11.2	55.9	111.9	190.2	123.1	33.6	78.3	190.2	33.6	111.9	22.4	89.5	22.4	100.7	33.6
.....	22.4	22.4	123.4	246.8	67.3	33.7	123.4	134.6	56.1	33.7	33.7	134.6	22.4	168.3	.....
.....	5.7	5.7	34.3	62.8	108.5	40.0	57.1	91.3	34.3	17.1	5.7	91.3	57.1	74.2	228.4
5.6	16.9	5.6	33.8	39.4	90.1	50.7	50.7	39.4	5.6	22.5	5.6	33.8	39.4	129.5	422.3
11.1	11.1	22.2	111.1	72.2	94.4	11.1	22.2	72.2	11.1	.....	22.2	83.3	66.6	111.1	177.7
.....	11.0	5.5	76.7	60.3	104.1	43.8	11.0	109.6	32.9	27.4	.....	54.8	71.2	104.1	32.9
10.8	16.2	.....	129.8	75.7	91.9	48.7	10.8	70.3	21.6	21.6	.....	70.3	108.1	232.5	5.4
5.3	32.0	10.7	106.7	69.4	53.4	42.7	42.7	69.4	48.0	37.4	10.7	21.3	58.7	128.1	.....
.....	10.7	10.7	112.6	118.0	59.0	42.9	75.1	123.4	32.2	16.1	10.7	69.7	53.6	160.9	.....
5.4	10.8	16.2	172.5	107.8	53.9	10.8	16.2	113.2	48.5	37.7	21.6	86.2	70.1	210.2	5.4
10.8	10.8	65.0	162.4	135.4	70.4	43.3	32.5	157.0	86.6	21.7	10.8	124.5	32.5	108.3	10.8
.....	32.6	5.4	97.9	114.3	92.5	38.1	54.4	97.9	97.9	21.8	10.9	92.5	49.0	141.5	.....
.....	5.5	21.9	137.1	148.0	93.2	82.2	82.2	131.6	21.9	65.8	27.4	76.8	38.4	159.0	21.9
16.2	5.4	16.2	188.7	161.7	80.9	70.1	107.8	97.0	70.1	75.5	5.4	64.7	64.7	124.0	.....
.....	.....	64.2	155.2	112.4	107.0	37.5	112.4	107.0	26.8	133.8	10.7	117.8	96.3	230.2	42.8
.....	.....	35.9	92.2	92.2	189.6	41.0	51.2	102.5	30.7	66.6	15.4	56.4	20.5	189.6	51.2
4.9	4.9	29.5	103.2	122.8	78.6	59.0	54.0	29.5	44.2	78.6	9.8	59.0	49.1	108.1	.....
.....	14.2	42.5	136.9	118.0	85.0	33.0	99.1	122.7	56.6	94.4	4.7	42.5	80.2	160.5	28.3
.....	13.6	27.2	122.6	90.8	131.7	77.2	99.9	122.6	72.7	104.5	4.5	40.9	13.6	254.3	4.5
4.4	8.8	56.9	87.5	78.8	118.1	56.9	78.8	91.9	87.5	100.6	8.8	91.9	96.3	231.9	8.8
.....	12.8	47.0	124.0	102.6	124.0	42.8	85.5	115.5	85.5	213.8	12.8	81.3	81.3	166.8	4.3
.....	16.8	46.1	159.2	83.8	134.1	58.6	25.1	88.0	117.3	129.9	12.6	92.2	100.5	217.8	.....
.....	4.1	41.1	192.9	123.2	156.0	49.3	143.7	147.8	102.6	135.5	8.2	106.7	45.2	246.3	.....
8.0	8.0	68.4	177.1	124.8	165.0	44.3	112.7	173.0	116.7	108.7	12.1	108.7	56.3	193.2	.....
7.2	21.7	.....	180.5	195.0	72.2	36.1	43.3	137.2	57.8	65.0	14.4	108.3	14.4	137.2	7.2
.....	.....	14.4	216.2	194.6	79.3	72.1	57.7	86.5	72.1	36.0	64.9	122.5	50.5	194.6	7.2
.....	.....	10.2	56.3	148.4	92.1	35.8	138.1	76.7	76.7	71.6	20.5	112.5	10.2	92.1	5.1
4.9	9.7	19.5	92.4	97.3	82.7	82.7	160.5	72.9	63.2	68.1	19.5	102.1	24.3	87.5	.....
.....	16.7	30.1	103.6	160.4	46.8	53.5	43.4	143.7	53.5	63.5	10.0	90.2	16.7	113.6	.....
.....	16.6	13.2	145.7	149.0	79.5	26.5	19.9	109.3	49.7	86.1	9.9	109.3	26.5	106.0	.....

[3] Nonregistration state; cities shown below only those with effective local ordinances. [4] Nonregistration in 1907. [5] Nonregistration from 1902 to 1907.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
REGISTRATION CITIES—Continued.														
WISCONSIN—continued.														
Madison	1900	1,054.1	5.2	.....	.....	.....	31.3	.....	26.1	.....	(2)	99.2	5.2	36.5
	1901	1,190.5	5.0	.....	.....	20.0	5.0	15.0	75.0	55.0	(2)	85.0	10.0	45.0
	1902	869.4	.....	.....	.....	4.8	.....	4.8	4.8	14.4	(2)	81.7	19.2	48.0
	1903	1,104.2	.....	.....	.....	.....	23.1	41.6	.....	23.1	(2)	120.1	4.6	64.7
	1904	1,205.6	.....	.....	.....	.....	.....	.....	8.5	34.1	(2)	132.1	29.8	80.9
	1905	950.6	4.1	.....	4.1	4.1	.....	.....	8.2	16.5	12.3	119.3	20.6	57.6
	1906	1,078.4	12.2	8.1	.....	.....	.....	20.3	12.2	12.2	4.1	77.3	24.4	61.0
	1907	1,115.8	8.1	.....	.....	4.0	4.0	4.0	12.1	16.1	8.1	72.5	28.2	84.6
	1908	1,020.8	19.9	.....	.....	.....	8.0	8.0	19.9	27.9	12.0	55.8	23.9	79.8
	1909	1,136.9	7.9	7.9	.....	3.9	.....	3.9	7.9	19.7	11.8	79.0	11.8	51.3
Manitowoc [3]	1900	1,773.3	8.5	.....	.....	.....	33.9	.....	67.9	.....	(2)	229.1	33.9	84.9
	1901	1,428.0	25.1	.....	.....	.....	.....	.....	50.1	16.7	(2)	233.8	16.7	41.8
	1902	1,364.7	.....	.....	8.2	.....	.....	8.2	8.2	8.2	(2)	148.0	16.4	57.5
	1903	1,125.2	8.1	.....	.....	.....	.....	8.1	.....	8.1	(2)	153.8	32.4	81.0
	1904	1,331.4	15.9	.....	.....	8.0	.....	.....	15.9	23.9	(2)	103.6	23.9	87.7
	1905	1,335.1	15.7	.....	.....	.....	.....	47.1	39.3	7.9	31.4	149.2	.....	47.1
	1908	1,316.0	23.2	.....	.....	.....	.....	.....	54.2	15.5	.....	116.1	7.7	54.2
	1909	1,302.2	15.4	.....	.....	15.4	15.4	15.4	15.4	15.4	.....	77.1	23.1	77.1
Marinette	1900	1,395.5	24.7	.....	.....	12.3	12.3	.....	18.5	.....	(2)	123.5	24.7	12.3
	1901	1,079.4	31.2	6.2	.....	.....	31.2	.....	37.4	12.5	(2)	68.6	31.2	37.4
	1902	1,273.7	31.5	.....	.....	6.3	31.5	12.6	12.6	.....	(2)	107.2	18.9	50.4
	1903	1,217.3	51.0	.....	.....	51.0	38.2	.....	25.5	.....	(2)	89.2	25.5	51.0
	1904	953.4	25.8	.....	.....	.....	.....	6.4	.....	25.8	(2)	122.4	.....	6.4
	1905	1,322.1	39.1	.....	.....	.....	.....	6.5	.....	19.5	13.0	136.8	45.6	84.7
	1906	1,053.3	26.3	.....	.....	6.6	.....	26.3	13.2	6.6	.....	118.5	39.5	72.4
	1907	1,137.1	39.9	.....	.....	6.6	6.6	.....	13.3	6.6	6.6	86.4	6.6	73.1
	1908	1,155.5	13.4	.....	.....	.....	.....	6.7	6.7	20.2	.....	94.1	40.3	87.3
	1909	1,187.9	27.2	.....	.....	.....	13.6	.....	27.2	.....	.....	81.5	27.2	81.5
Merrill	1908	1,329.3	22.5	.....	.....	.....	33.8	.....	45.1	11.3	22.5	157.7	22.5	67.6
	1909	1,231.0	68.4	.....	.....	.....	11.4	.....	68.4	.....	11.4	91.2	22.8	34.2
Milwaukee	1900	1,515.5	19.3	0.4	.....	6.3	24.5	7.7	42.8	1.8	(2)	138.5	12.6	64.8
	1901	1,315.4	22.1	.....	0.3	4.8	5.1	3.4	34.7	23.2	(2)	133.9	19.4	67.1
	1902	1,264.8	15.1	0.3	0.7	8.4	2.0	8.7	23.8	3.7	(2)	102.1	17.1	60.9
	1903	1,350.4	16.8	0.3	0.3	1.3	3.6	17.1	20.8	24.4	(2)	127.6	23.4	70.9
	1904	1,355.0	13.6	0.6	0.3	13.3	13.9	3.6	17.5	16.2	(2)	141.4	18.5	74.3
	1905	1,304.7	22.7	0.3	0.3	2.9	7.7	12.8	13.4	7.7	6.1	133.9	28.8	64.9
	1906	1,420.6	29.8	.....	.....	29.5	2.8	16.3	20.3	4.3	8.9	130.3	17.2	70.4
	1907	1,377.9	24.6	.....	0.3	2.1	6.8	7.7	25.5	8.3	4.5	114.3	18.1	68.3
	1908	1,274.9	16.3	.....	.....	8.3	6.0	13.5	20.6	15.5	4.3	110.7	15.2	63.9
	1909	1,371.7	21.4	0.3	0.3	22.8	55.6	8.1	31.9	6.1	5.6	100.6	13.6	71.9
Oshkosh	1908	1,384.2	37.3	.....	.....	6.2	.....	15.6	9.3	6.2	3.1	115.1	28.0	96.4
	1909	1,215.6	27.6	.....	.....	.....	.....	3.1	12.2	6.1	9.2	110.2	24.5	107.2
Racine	1908	1,114.1	19.5	2.8	.....	.....	11.1	5.6	8.4	36.2	2.8	119.8	16.7	55.7
	1909	1,178.7	27.0	.....	.....	32.4	5.4	.....	16.2	21.6	5.4	129.5	24.3	67.4
Sheboygan	1908	1,205.4	93.9	.....	.....	.....	19.6	11.7	11.7	15.7	11.7	86.1	27.4	105.7
	1909	1,203.2	23.1	.....	7.7	.....	7.7	.....	50.0	.....	11.5	103.8	42.3	88.4
Stevens Point	1908	1,860.7	11.3	.....	.....	.....	.....	.....	113.5	90.8	22.7	90.8	11.3	90.8
	1909	1,543.6	22.9	.....	.....	.....	11.4	45.7	.....	57.2	11.4	125.8	11.4	137.2
Superior	1900	1,399.1	115.8	.....	3.2	.....	.....	9.6	19.3	19.3	(2)	109.4	16.1	45.0
	1901	1,159.0	49.7	.....	.....	3.1	9.3	3.1	24.9	34.2	(2)	105.6	12.4	37.3
	1902	1,151.0	33.1	.....	.....	24.0	18.0	15.0	69.1	.....	(2)	93.2	9.0	24.0
	1903	1,201.7	49.5	.....	.....	5.8	113.5	17.5	32.0	2.9	(2)	107.7	11.6	37.8
	1904	899.6	33.8	.....	.....	.....	8.5	.....	14.1	2.8	(2)	98.7	8.5	25.4
	1905	900.1	30.1	.....	2.7	2.7	2.7	21.9	5.5	2.7	8.2	106.7	8.2	41.0
	1906	1,117.6	93.6	.....	.....	37.4	2.7	5.3	24.1	8.0	8.0	77.5	18.7	40.1
	1907	1,115.5	26.2	.....	.....	2.6	7.9	7.9	52.4	5.2	13.1	99.5	20.9	44.5
	1908	977.6	15.4	.....	.....	.....	2.6	.....	33.4	10.3	12.8	77.0	15.4	46.2
	1909	1,013.6	30.2	.....	.....	.....	55.3	27.7	22.6	.....	2.5	95.6	22.6	45.3
Watertown	1908	1,177.0	11.4	.....	.....	.....	.....	34.3	45.7	11.4	34.3	148.6	.....	91.4
	1909	1,114.4	11.4	.....	.....	.....	.....	.....	11.4	.....	11.4	136.5	.....	56.9
Wausau	1908	1,273.3	25.3	.....	.....	.....	12.7	6.3	12.7	12.7	12.7	88.7	.....	107.7
	1909	1,245.6	18.5	.....	.....	.....	49.3	6.2	6.2	6.2	12.3	98.7	30.8	92.5
CALIFORNIA RURAL.[4]														
Alameda County	1906	1,462.8	39.0	.....	9.8	2.0	2.0	7.8	7.8	3.9	13.7	230.1	21.5	78.0
	1907	1,653.7	38.8	1.8	1.8	5.5	9.2	12.9	35.1	11.1	9.2	256.5	36.9	79.4
	1908	1,518.6	29.8	.....	5.3	10.5	5.3	15.8	28.0	10.5	8.8	215.4	38.5	89.3
	1909	1,420.5	15.0	.....	.....	5.0	.....	13.4	13.4	8.4	11.7	202.2	30.1	105.3
Alpine County†	1906	771.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1907	1,084.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1908	1,149.4	.....	.....	.....	.....	.....	.....	.....	287.4	.....	.....	.....	287.4
	1909	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Amador County	1906	739.7	30.4	20.3	.....	.....	.....	.....	.....	20.3	10.1	91.2	10.1	30.4
	1907	703.7	31.0	.....	.....	.....	.....	.....	10.3	20.7	10.3	113.8	20.7	20.7
	1908	1,078.6	95.2	10.6	.....	.....	.....	10.6	21.1	63.4	.....	105.7	10.6	74.0
	1909	1,253.9	10.8	43.2	.....	.....	.....	.....	10.8	32.4	.....	162.1	21.6	32.4

[1] Exclusive of stillbirths.

[2] Not computed separately.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
5.2	.....	31.3	99.2	120.0	52.2	31.3	62.6	57.4	62.6	41.8	.....	26.1	125.2	109.6	26.1
5.0	5.0	5.0	105.0	105.0	90.0	35.0	75.0	85.0	60.0	15.0	.....	80.0	45.0	150.1	15.0
4.8	.....	9.6	100.9	76.9	81.7	62.4	33.6	48.0	14.4	43.2	9.6	62.4	52.8	86.5	4.8
4.6	18.5	9.2	138.6	97.0	23.1	73.9	32.3	87.8	64.7	41.6	9.2	78.5	27.7	120.1	.....
.....	12.8	17.0	110.8	132.1	98.0	72.4	29.8	106.5	63.9	34.1	4.3	89.5	21.3	119.3	8.5
.....	4.1	8.2	90.5	115.2	49.4	53.5	20.6	70.0	65.8	65.8	16.5	45.3	8.2	90.5	.....
.....	8.1	28.5	105.8	138.4	65.1	44.8	20.3	101.7	73.2	36.6	4.1	73.2	24.4	122.1	.....
.....	.....	12.1	76.5	137.0	108.8	64.4	24.2	80.6	68.5	60.4	4.0	80.6	48.3	100.7	8.1
.....	.....	16.0	75.8	139.6	43.9	19.9	35.9	103.7	39.9	63.8	4.0	71.8	27.9	123.6	.....
3.9	3.9	11.8	134.2	106.6	59.2	47.4	47.4	94.7	51.3	59.2	35.5	126.3	15.8	134.2	.....
.....	.....	33.9	152.7	144.2	110.3	118.8	110.3	50.9	50.9	76.4	.....	127.3	84.9	203.6	50.9
8.4	8.4	8.4	133.6	125.3	66.8	50.1	83.5	83.5	58.5	50.1	8.4	75.2	91.9	158.7	33.4
.....	8.2	41.1	139.8	139.8	148.0	57.5	41.1	74.0	65.8	49.3	8.2	41.1	82.2	205.5	8.2
.....	.....	24.3	129.5	81.0	64.8	81.0	24.3	40.5	56.7	64.8	8.1	48.6	89.0	105.2	16.2
.....	15.9	.....	127.6	111.6	55.8	159.5	47.8	71.8	47.8	63.8	23.9	55.8	23.9	231.2	15.9
.....	7.9	15.7	133.5	86.4	86.4	141.4	62.8	102.1	23.6	23.6	23.6	31.4	70.7	172.8	15.7
.....	15.5	46.4	108.4	209.0	31.0	15.5	54.2	100.6	61.9	116.1	15.5	100.6	69.7	100.6	.....
15.4	7.7	7.7	208.0	169.5	46.2	46.2	84.8	107.9	92.5	46.2	.....	46.2	46.2	100.2	7.7
.....	.....	12.3	92.7	61.8	117.4	105.0	172.9	98.8	55.6	148.2	18.5	86.5	74.1	111.1	12.3
.....	.....	43.7	81.1	74.9	63.6	68.6	93.6	43.7	43.7	81.1	.....	74.9	49.9	87.4	12.5
.....	.....	37.8	138.7	69.4	44.1	145.0	37.8	69.4	25.2	163.9	.....	82.0	69.4	113.5	6.3
.....	.....	19.1	63.7	89.3	44.6	121.1	76.5	121.1	31.9	57.4	12.7	57.4	51.0	133.8	6.4
.....	.....	19.3	70.9	83.7	77.3	51.5	58.0	77.3	38.7	83.7	6.4	77.3	25.8	96.6	.....
.....	13.0	19.5	123.7	58.6	65.1	117.2	91.2	110.7	6.5	117.2	26.1	45.6	52.1	123.7	6.5
.....	.....	6.6	85.6	85.6	52.7	65.8	151.4	52.7	13.2	65.8	6.6	32.9	32.9	92.2	.....
.....	.....	19.9	99.7	73.1	86.4	53.2	66.5	59.8	13.3	93.1	6.6	79.8	53.2	186.2	.....
.....	13.4	33.6	87.3	127.6	53.7	40.3	127.6	47.0	60.5	94.1	.....	40.3	40.3	107.5	13.4
.....	13.6	6.8	101.8	88.2	88.2	27.2	54.3	101.8	61.1	149.3	13.6	54.3	27.2	142.5	.....
.....	.....	45.1	67.6	101.4	112.7	45.1	56.3	146.4	78.9	56.3	.....	78.9	22.5	135.2	.....
.....	11.4	11.4	102.6	91.2	114.0	57.0	57.0	102.6	79.8	79.8	22.8	79.8	22.8	91.2	.....
1.1	7.0	30.8	146.5	104.8	136.7	108.3	130.3	87.6	40.7	124.4	21.4	64.1	66.6	121.6	4.9
1.7	9.2	29.6	120.9	81.8	90.3	107.0	106.6	73.9	49.1	76.7	20.1	60.6	44.6	125.7	3.4
1.3	9.4	28.8	110.5	95.8	89.7	129.9	98.1	73.3	46.9	77.7	21.4	66.6	62.3	107.5	2.7
1.3	10.6	26.4	108.8	121.4	98.6	114.1	106.5	85.4	55.4	92.0	23.4	76.2	14.2	109.2	0.3
1.0	11.4	20.4	112.5	121.6	103.1	105.1	115.1	94.7	61.0	81.7	23.4	68.8	12.0	109.0	1.0
1.3	12.8	22.7	106.4	133.2	63.9	92.3	114.7	107.0	61.4	63.9	23.3	71.3	19.2	109.6	0.3
0.3	11.1	25.5	110.6	134.6	95.5	116.1	142.2	89.1	58.4	80.5	21.5	77.4	19.7	107.5	0.9
0.6	11.9	23.8	116.1	133.9	95.0	101.6	114.9	98.0	60.0	99.8	26.7	92.1	19.3	103.6	.....
0.3	15.5	23.2	106.7	120.1	72.5	100.6	131.6	74.0	60.5	91.5	23.5	64.2	17.8	98.4	.....
0.6	12.5	16.7	100.8	133.1	72.8	89.4	146.1	93.6	66.9	93.3	19.2	68.6	20.6	97.8	1.7
6.2	18.7	24.9	121.3	224.0	112.0	46.7	99.5	96.4	37.3	71.5	6.2	52.9	40.4	108.9	.....
.....	9.2	3.1	122.5	153.1	85.7	39.8	98.0	91.9	55.1	55.1	9.2	76.6	33.7	82.7	.....
2.8	11.1	19.5	86.3	114.2	69.6	75.2	86.3	75.2	58.5	50.1	22.3	80.8	16.7	64.1	2.8
8.1	10.8	21.6	118.7	72.8	78.2	56.6	86.3	86.3	72.8	37.8	18.9	51.2	27.0	102.5	.....
.....	15.7	35.2	105.7	93.9	39.1	47.0	82.2	66.5	78.3	43.0	23.5	66.5	27.4	93.9	3.9
.....	15.4	30.8	142.2	142.2	23.1	73.0	50.0	73.0	42.3	15.4	15.4	61.5	38.4	146.1	.....
11.3	22.7	79.4	124.8	238.3	45.4	45.4	124.8	170.2	22.7	136.1	.....	79.4	34.0	238.3	56.7
11.4	.....	57.2	137.2	125.8	80.0	57.2	91.5	125.8	68.6	114.3	11.4	80.0	34.3	125.8	.....
.....	6.4	41.8	77.2	54.7	160.8	48.3	164.0	67.6	28.9	77.2	.....	138.3	67.6	99.7	28.9
3.1	3.1	37.3	65.3	49.7	96.3	28.0	133.6	49.7	24.9	37.3	6.2	127.4	65.3	118.1	34.2
3.0	6.0	45.1	90.2	69.1	126.2	39.1	87.2	48.1	39.1	63.1	9.0	114.2	63.1	57.1	6.0
.....	2.9	43.6	96.0	75.7	107.7	61.1	75.7	69.8	26.2	14.5	2.9	110.6	55.3	78.6	2.9
.....	8.5	33.8	39.5	53.6	67.7	39.5	81.8	84.6	45.1	28.2	11.3	112.8	36.7	64.9	.....
.....	8.2	24.6	46.5	52.0	87.5	27.4	104.0	35.6	41.0	19.2	21.9	82.1	35.6	82.1	.....
2.7	8.0	40.1	50.8	29.4	88.2	29.4	112.3	58.8	40.1	82.9	16.0	141.7	34.8	64.2	2.7
.....	5.2	28.8	57.6	110.0	112.6	23.6	34.0	60.2	55.0	75.9	13.1	159.7	23.6	75.9	.....
.....	5.1	33.4	56.4	48.8	74.4	18.0	79.5	53.9	43.6	79.5	10.3	141.1	20.5	94.9	5.1
.....	5.0	27.7	42.8	85.5	83.0	20.1	42.8	75.5	60.4	50.3	20.1	93.1	15.1	85.5	5.0
.....	22.9	11.4	148.6	80.0	68.6	91.4	22.9	45.7	57.1	68.6	11.4	34.3	34.3	102.8	.....
.....	11.4	.....	147.8	113.7	56.9	91.0	34.1	68.2	22.7	34.1	22.7	79.6	79.6	125.1	.....
.....	12.7	19.0	145.7	114.0	126.7	44.3	44.3	63.3	44.3	76.0	25.3	82.4	19.0	177.4	.....
12.3	30.8	6.2	172.7	111.0	98.7	80.2	18.5	37.0	74.0	80.2	.....	49.3	30.8	123.3	.....
.....	11.7	11.7	130.7	187.2	105.3	70.2	72.2	66.3	76.1	42.9	23.4	81.9	56.6	91.7	19.5
.....	5.5	31.4	145.8	280.5	118.1	73.8	83.1	73.8	79.4	46.1	25.8	97.8	20.3	72.0	1.8
.....	14.0	35.0	106.8	222.5	101.6	70.1	61.3	73.6	78.8	47.3	19.3	80.6	21.0	129.6	.....
1.7	13.4	23.4	93.6	284.1	80.2	70.2	60.2	50.1	90.2	43.5	28.4	71.9	15.0	88.6	1.7
.....	.....	.....	.....	.....	.....	.....	.....	.....	514.1	.....	.....	.....	.....	257.1	.....
.....	.....	.....	.....	271.0	.....	.....	.....	271.0	.....	.....	.....	271.0	271.0	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	287.4	.....	287.4	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	20.3	40.5	121.6	91.2	50.7	10.1	30.4	30.4	.....	.....	40.5	30.4	50.7	10.1
.....	.....	.....	41.4	103.5	10.3	31.0	10.3	51.7	103.5	.....	.....	31.0	10.3	62.1	20.7
10.6	31.7	.....	74.0	158.6	63.4	21.1	31.7	42.3	84.6	21.1	.....	42.3	.....	105.7	.....
.....	32.4	.....	118.9	205.4	43.2	54.0	32.4	108.1	86.5	10.8	21.6	97.3	32.4	86.5	10.8

[3] Nonregistration in 1906 and 1907.

Exclusive of cities having a population of 8,000 or over in 1900.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
CALIFORNIA RURAL[2]—Continued.														
Butte County	1906	1,735.9	25.7	64.1	4.3	4.3	.....	4.3	8.6	17.1	21.4	200.9	12.8	51.3
	1907	2,145.8	28.7	20.5	.....	24.6	4.1	.....	36.9	20.5	28.7	131.0	24.6	61.4
	1908	1,858.4	58.9	23.6	7.9	.....	7.9	.....	43.2	11.8	19.6	133.6	27.5	55.0
	1909	1,642.5	49.1	64.2	.....	.....	3.8	3.8	26.4	15.1	.....	147.3	18.9	86.8
Calaveras County	1906	1,296.0	30.1	10.0	.....	30.1	.....	.....	10.0	30.1	.....	150.7	20.1	60.3
	1907	1,343.9	20.5	.....	.....	.....	.....	30.8	.....	30.8	20.5	82.1	10.3	82.1
	1908	1,414.8	.....	10.5	.....	.....	10.5	.....	41.9	52.4	10.5	94.3	31.4	104.8
	1909	1,360.3	10.7	10.7	.....	.....	.....	.....	.....	21.4	.....	117.8	10.7	107.1
Colusa County †	1906	619.2	39.5	.....	.....	.....	.....	.....	13.2	39.5	13.2	26.4	13.2	13.2
	1907	1,009.6	13.1	13.1	.....	13.1	.....	.....	13.1	13.1	13.1	104.9	13.1	52.4
	1908	1,069.9	91.3	.....	.....	13.0	.....	.....	.....	78.3	.....	78.3	.....	39.1
	1909	1,038.7	51.9	.....	.....	.....	.....	.....	26.0	39.0	.....	51.9	26.0	39.0
Contra Costa County	1906	816.9	22.7	.....	.....	3.8	22.7	3.8	15.1	.....	3.8	79.4	7.6	26.5
	1907	1,250.8	21.6	.....	.....	7.2	.....	14.4	46.7	10.8	.....	71.9	21.6	28.8
	1908	1,359.5	24.0	6.8	.....	10.3	6.8	10.3	20.5	3.4	20.5	95.9	10.3	58.2
	1909	1,085.6	22.9	3.3	.....	16.3	6.5	29.4	6.5	13.1	.....	140.6	.....	39.2
Del Norte County	1906	1,367.0	.....	.....	.....	.....	.....	.....	207.1	.....	.....	124.3	41.4	41.4
	1907	703.9	.....	.....	.....	.....	.....	.....	.....	41.4	.....	82.8	.....	82.8
	1908	1,572.8	.....	.....	.....	.....	.....	82.8	.....	41.4	.....	124.2	.....	165.6
	1909	1,282.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	124.1	.....	165.5
Eldorado County	1906	1,450.0	24.8	24.8	.....	.....	.....	.....	24.8	12.4	37.2	37.2	12.4	123.9
	1907	2,121.7	25.3	50.5	.....	50.5	.....	12.6	37.9	.....	12.6	189.4	.....	37.9
	1908	1,699.7	12.9	38.6	.....	.....	.....	.....	.....	.....	.....	115.9	.....	90.1
	1909	1,641.7	.....	.....	.....	.....	.....	.....	.....	39.4	.....	183.9	26.3	131.3
Fresno County	1906	966.2	27.9	7.0	.....	9.3	9.3	.....	4.6	7.0	11.6	153.3	20.9	34.8
	1907	1,103.2	34.8	6.5	.....	17.4	26.1	2.2	21.8	13.1	13.1	137 1	10.9	47.9
	1908	1,230.0	32.7	2.0	.....	2.0	4.1	18.4	36.8	8.2	8.2	131.0	20.5	63.4
	1909	944.6	11.6	11.6	.....	.....	3.9	.....	13.5	13.5	11.6	110.1	19.3	50.2
Glenn County †	1906	625.6	15.6	15.6	.....	.....	.....	.....	.....	.....	31.3	31.3	.....	31.3
	1907	788.0	30.3	.....	.....	.....	15.2	15.2	15.2	15.2	.....	30.3	15.2	45.5
	1908	734.9	.....	58.8	.....	.....	14.7	.....	14.7	14.7	.....	44.1	29.4	29.4
	1909	399.5	14.3	.....	.....	.....	.....	.....	.....	14.3	.....	28.5	.....	14.3
Humboldt County †	1906	329.5	3.2	3.2	.....	.....	.....	.....	.....	6.4	6.4	25.6	9.6	32.0
	1907	741.8	3.1	.....	.....	3.1	3.1	6.3	.....	3.1	6.3	59.5	21.9	40.7
	1908	1,109.3	6.1	.....	.....	3.1	3.1	.....	9.2	6.1	3.1	91.9	33.7	79.7
	1909	1,002.5	3.0	.....	.....	3.0	.....	6.0	24.0	6.0	3.0	96.0	3.0	78.0
Imperial County [3]	1908 and 1909	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Inyo County †	1906	117.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1907	160.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1908	645.9	15.4	.....	.....	.....	.....	15.4	.....	15.4	15.4	107.6	.....	.....
	1909	532.1	14.8	.....	.....	.....	.....	.....	.....	.....	.....	29.6	.....	59.1
Kern County	1906	839.0	16.9	.....	.....	6.8	.....	.....	6.8	.....	13.5	111.6	37.2	20.3
	1907	942.9	6.3	.....	.....	.....	.....	.....	9.5	3.2	6.3	186.1	12.6	15.8
	1908	1,083.8	17.7	5 9	.....	3.0	.....	5.9	14.8	3.0	17.7	135.8	11.8	26.6
	1909	1,063.5	38.9	11.1	2.8	5.6	5.6	2.8	8.3	2.8	8.3	180.5	11.1	30.5
Kings County	1906	747.0	21.8	21.8	.....	.....	7.3	.....	.....	14.5	.....	108.8	21.8	29.0
	1907	990.8	13.9	6.9	.....	.....	.....	.....	20.8	20.8	6.9	103.9	13.9	76.2
	1908	1,187.2	19.9	19.9	.....	.....	.....	6.6	33.2	13.3	26.5	165.8	33.2	53.1
	1909	1,024.1	31.8	12.7	.....	12.7	12.7	.....	19.1	.....	12.7	108.1	25.4	57.2
Lake County	1906	1,434.3	.....	.....	.....	70.0	.....	.....	.....	17.5	35.0	244.9	35.0	35.0
	1907	1,235.2	.....	.....	.....	17.6	.....	70.6	52.9	.....	17.6	123.5	.....	35.3
	1908	1,299.6	53.4	.....	.....	17.8	.....	.....	.....	.....	.....	195.8	.....	71.2
	1909	1,275.4	71.9	.....	.....	.....	.....	53.9	.....	.....	.....	161.7	.....	53.9
Lassen County †	1906	618.5	.....	.....	.....	.....	.....	42.7	.....	42.7	42.7	.....	.....	.....
	1907	572.2	.....	.....	.....	.....	.....	.....	21.2	.....	.....	84.8	42.4	21.2
	1908	589.6	.....	.....	.....	.....	.....	.....	21.1	.....	21.1	21.1	.....	.....
	1909	878.8	62.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	41.8	20.9
Los Angeles County	1906	980.7	17.2	3.1	.....	7.1	.....	4.7	7.1	6.3	6.3	193.6	20.4	55.7
	1907	1,389 8	19.6	1.5	.....	3.0	1.5	8.3	21.9	14.4	9.8	260.6	23.4	69.5
	1908	1,308.6	22.2	1.4	.....	1.4	5.6	7.6	13 2	17.3	9.0	239.4	17.3	61.8
	1909	1,262.7	10.9	.....	0.6	3.2	1.3	6.4	7.7	9.0	2.6	245.7	25.0	84.1
Madera County †	1906	684.3	.....	.....	.....	.....	13.2	.....	.....	13.2	.....	118.4	13.2	26.3
	1907	1,051.0	89.7	.....	.....	.....	12.8	.....	12.8	12.8	12.8	153.8	12.8	25.6
	1908	737.0	25.0	.....	.....	.....	.....	.....	.....	.....	.....	37.5	12.5	50.0
	1909	889.4	24.4	.....	.....	.....	.....	.....	.....	24.4	.....	85.3	12.2	60.9
Marin County	1906	823.3	4.7	.....	.....	4.7	4.7	.....	14.0	4.7	.....	116.3	14.0	41.9
	1907	1,064.4	31.2	.....	.....	4.5	.....	.....	8.9	8.9	4.5	182.6	17.8	35.6
	1908	1,179.2	17.1	4.3	.....	4.3	.....	25.6	25.6	4.3	.....	153.8	21.4	51.3
	1909	1,264.4	4.1	.....	.....	.....	.....	12.3	8.2	.....	8.2	139.6	36.9	36.9
Mariposa County	1906	1,387.3	47.0	.....	.....	.....	.....	.....	.....	.....	.....	94.0	.....	47.0
	1907	1,077.8	71.9	.....	.....	.....	.....	.....	.....	24.0	.....	71.9	.....	24.0
	1908	1,000.7	24.4	.....	.....	.....	24.4	.....	24.4	.....	.....	146.4	24.4	24.4
	1909	1,194.3	24.9	.....	.....	.....	.....	.....	.....	.....	.....	74.6	.....	74.6

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	8.6	12.8	124.0	243.7	141.1	68.4	72.7	136.8	42.8	21.4	47.0	230.9	21.4	141.1	8.6
.....	28.7	36.9	163.8	237.5	274.4	110.6	65.5	106.5	81.9	41.0	45.0	286.7	45.0	217.0	24.6
.....	15.7	27.5	133.6	149.3	168.9	66.8	82.5	145.4	74.7	39.3	31.4	204.3	47.1	279.0	3.9
.....	34.0	22.7	128.4	166.1	105.7	37.8	41.5	109.5	75.5	45.3	18.9	245.4	22.7	173.7	.....
.....	10.0	.....	120.6	160.7	80.4	20.1	40.2	40.2	30.1	30.1	20.1	170.8	40.2	170.8	20.1
.....	.....	10.3	164.1	277.0	41.0	51.3	41.0	71.8	30.8	41.0	41.0	133.4	30.8	82.1	51.3
.....	.....	10.5	125.8	146.7	73.4	115.3	41.9	62.9	41.9	41.9	52.4	199.1	31.4	115.3	.....
.....	10.7	10.7	182.1	150.0	64.3	53.6	42.8	32.1	42.8	21.4	21.4	257.1	53.6	128.5	10.7
.....	.....	.....	39.5	65.9	65.9	26.4	39.5	26.4	26.4	.....	.....	26.4	52.7	79.1	13.2
.....	13.1	13.1	78.7	144.2	91.8	13.1	52.4	39.3	39.3	52.4	.....	91.8	13.1	118.0	.....
.....	39.1	.....	156.6	65.2	65.2	39.1	13.0	26.1	26.1	39.1	65.2	78.3	26.1	130.5	.....
.....	13.0	.....	90.9	142.8	26.0	51.9	26.0	90.9	39.0	39.0	39.0	129.8	13.0	103.9	.....
.....	7.6	15.1	49.2	64.3	71.9	56.7	60.5	64.3	37.8	18.9	11.3	75.6	18.9	71.9	7.6
.....	7.2	14.4	86.3	143.8	93.5	50.3	107.8	39.5	71.9	35.9	32.3	237.2	18.0	89.9	.....
.....	13.7	41.1	78.8	171.2	58.2	30.8	68.5	30.8	58.2	65.1	34.2	308.2	13.7	106.2	13.7
.....	16.3	9.8	88.3	124.3	65.4	26.2	68.7	39.2	42.5	36.0	19.6	206.0	3.3	58.9	3.3
.....	41.4	.....	82.9	41.4	41.4	82.9	82.9	82.9	41.4	41.4	41.4	165.7	41.4	165.7	.....
.....	.....	41.4	41.4	82.8	41.4	.....	.....	.....	82.8	.....	.....	41.4	41.4	124.2	.....
.....	.....	41.4	124.2	413.9	.....	41.4	82.8	.....	41.4	41.4	.....	165.6	.....	207.0	.....
.....	41.4	.....	41.4	331.0	.....	41.4	.....	124.1	82.7	.....	.....	206.9	.....	124 1	.....
.....	24.8	12.4	86.8	322.2	123.9	37.2	49.6	74.4	62.0	12.4	.....	173.5	24.8	99.1	49.6
.....	25.3	12.6	164.2	277.8	126.3	164.2	63.1	75.8	164.2	.....	50.5	227.3	50.5	290.5	12.6
.....	25.8	12.9	180.3	347.7	64.4	90.1	51.5	115.9	64.4	38.6	12.9	180.3	51.5	206.0	.....
.....	.....	.....	78.8	341.5	118.2	91.9	26.3	91.9	131.3	65.7	26.3	118.2	26.3	144.5	.....
.....	11.6	9.3	60.4	99.9	20.9	23.2	67.4	60.4	39.5	41.8	9.3	111.5	32.5	81.3	11.6
.....	6.5	13.1	80.5	113.1	67.5	60.9	67.5	50.0	37.0	41.3	15.2	91.4	26.1	91.4	10.9
.....	6.1	49.1	96.2	112.6	59.3	49.1	63.4	61.4	57.3	40.9	36.8	102.3	24.6	143.3	.....
1.9	11.6	21.2	61.8	123.6	50.2	32.8	63.7	59.9	56.0	30.9	17.4	65.7	7.7	94.7	.....
.....	.....	15.6	62.6	62.6	62.6	.....	15.6	.....	.....	.....	15.6	62.6	62.6	140.8	.....
.....	.....	.....	60.6	227.3	15.2	30.3	.....	15.2	30.3	.....	30.3	106.1	30.3	60.6	.....
.....	.....	14.7	44.1	191.1	58.8	29.4	29.4	44.1	.....	.....	14.7	58.8	.....	44.1	.....
.....	.....	.....	14.3	142.7	.....	.....	.....	28.5	28.5	28.5	14.3	42.8	.....	28.5	.....
3.2	9.6	3.2	38.4	41.6	16.0	9.6	9.6	22.4	22.4	9.6	.....	32.0	12.8	12.8	.....
.....	.....	25.0	97.0	112.7	37.6	31.3	6.3	37.6	31.3	9.4	18.8	75.1	34.4	72.0	6.3
.....	21.5	21.5	76.6	134.8	49.0	39.8	27.6	61.3	49.0	30.6	30.6	162.4	36.8	131.8	.....
.....	21.0	9.0	96.0	129.1	21.0	51.0	21.0	60.0	39.0	42.0	15.0	153.1	15.0	108.1	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	16.7	16.7	33.5	.....	.....	.....	16.7	.....	16.7	16.7	.....	.....
.....	.....	.....	.....	.....	16.0	.....	.....	.....	.....	.....	16.0	64.1	32.1	.....	32.1
.....	.....	.....	46.1	46.1	30.8	.....	15.4	46.1	30.8	.....	.....	123.0	.....	123.0	15.4
.....	.....	.....	59.1	73.9	14.8	14.8	.....	88.7	44.3	.....	.....	118.2	14.8	.....	.....
.....	6.8	.....	47.4	94.7	54.1	20.3	44.0	40.6	47.4	33.8	16.9	118.4	30.4	64.3	6.8
.....	6.3	6.3	75.7	63.1	91.5	18.9	12.6	56.8	34.7	31.5	18.9	145.1	18.9	104.1	18.9
.....	.....	32.5	85.6	59.1	94.5	41.3	56.1	59.1	38.4	38.4	11.8	150.6	20.7	115.2	38.4
.....	5.6	8.3	52.8	83.3	55.5	22.2	41.7	72.2	52.8	25.0	19.4	213.8	16.7	86.1	.....
.....	14.5	50.8	50.8	65.3	36.3	14.5	50.8	43.5	21.8	14.5	21.8	43.5	14.5	79.8	.....
.....	6.9	34.6	131.6	83.1	34.6	41.6	62.4	62.4	20.8	90.1	6.9	34.6	27.7	83.1	6.9
.....	6.6	59.7	86.2	126.0	66.3	33.2	92.9	19.9	53.1	39.8	33.2	105.1	19.9	73.0	.....
.....	6.4	19.1	70.0	127.2	38.2	25.4	44.5	76.3	25.4	50.9	19.1	95.4	25.4	108.1	.....
.....	.....	35.0	122.4	122.4	52.5	35.0	52.5	35.0	122.4	52.5	35.0	122.4	87.5	122.4	.....
.....	17.6	17.6	158.8	176.5	105.9	52.9	52.9	52.9	70.6	52.9	.....	88.2	17.6	52.9	.....
.....	17.8	53.4	142.4	160.2	53.4	17.8	17.8	106.8	89.0	35.6	17.8	142.4	.....	106.8	.....
.....	.....	.....	125.7	161.7	35.9	18.0	18.0	107.8	107.8	18.0	.....	161.7	.....	179.6	.....
.....	21.3	.....	106.6	.....	106.6	64.0	.....	42.7	.....	.....	21.3	21.3	21.3	85.3	.....
.....	.....	.....	84.8	63.6	84.8	21.2	.....	.....	42.4	.....	.....	84.8	21.2	.....	.....
.....	.....	.....	84.2	21.1	147.4	42.1	21.1	42.1	21.1	21.1	.....	42.1	21.1	63.2	.....
.....	.....	20.9	62.8	62.8	188.3	.....	41.8	104.6	62.8	20.9	.....	62.8	.....	125.5	.....
.....	12.5	12.5	82.3	119.9	51.7	36.8	44.7	46.3	46.3	30.6	14.9	77.6	9.4	72.9	0.8
0.8	12.1	24.9	115.6	223.6	60.4	45.3	57.4	72.5	80.8	34.0	21.9	95.9	15.9	93.7	1.5
2.1	10.4	17.3	110.3	199.8	59.7	58.3	45.8	70.8	85.3	29.8	20.8	92.3	7.6	100.6	1.4
1.9	21.2	12.2	123.8	191.8	53.3	42.3	47.5	61.0	79.6	32.7	18.6	85.3	7.1	86.6	1.3
.....	.....	.....	26.3	39.5	26.3	13.2	26.3	26.3	13.2	39.5	.....	92.1	13.2	171.1	13.2
.....	12.8	38.5	64.1	179.4	51.3	.....	38.5	38.5	25.6	38.5	.....	115.4	64.1	51.3	.....
.....	.....	.....	112.4	75.0	.....	25.0	37.5	25.0	25.0	12.5	25.0	137.4	25.0	112.4	.....
.....	.....	24.4	60.9	134.0	60.9	12.2	36.5	60.9	73.1	48.7	.....	85.3	12.2	73.1	.....
.....	4.7	4.7	23.3	158.1	51.2	51.2	41.9	32.6	37.2	37.2	18.6	60.5	9.3	55.8	32.6
.....	13.4	17.8	66.8	147.0	57.9	53.4	17.8	75.7	93.5	22.3	.....	115.8	17.8	62.4	8.9
.....	29.9	8.5	115.4	192.3	68.4	47.0	21.4	68.4	47.0	47.0	25.6	111.1	4.3	81.2	4.3
.....	20.5	32.8	98.5	229.9	61.6	61.6	36.9	82.1	57.5	49.3	36.9	123.2	.....	127.3	.....
.....	.....	.....	47.0	164.6	164.6	23.5	23.5	47.0	.....	.....	47.0	423.2	117.6	141.1	.....
24.0	24.0	24.0	47.9	119.8	24.0	24.0	.....	24.0	24.0	24.0	47.9	311.4	71.9	95.8	.....
.....	.....	.....	73.2	170.9	.....	48.8	.....	24.4	48.8	.....	48.8	170.9	24.4	122.0	.....
.....	.....	24.9	99.5	74.6	99.5	24.9	24.9	24.9	49.8	.....	.....	149.3	99.5	323.5	24.9

[2] Exclusive of cities having a population of 8,000 or over in 1900.

[3] Included in San Diego County.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
CALIFORNIA RURAL[2]—Continued.														
Mendocino County *	1906	1,225.7	17.7					22.1	8.8	4.4	13.3	190.3	13.3	61.9
	1907	1,128.5	8.7			4.4					17.4	191.7	4.4	26.1
	1908	1,214.5	21.5			4.3				8.6	4.3	133.0	17.2	60.1
	1909	1,340.3	12.7	4.2		8.5	4.2		4.2	16.9	12.7	135.3	16.9	50.7
Merced County	1906	940.2	23.3	7.8	15.5	7.8	7.8		23.3	15.5	7.8	62.2	7.8	62.2
	1907	1,002.2			7.4				22.3	7.4	14.8	155.9	7.4	52.0
	1908	952.2	21.3	21.3		7.1	14.2	14.2	7.1	7.1	7.1	71.1	7.1	42.6
	1909	797.4	6.8	6.8				6.8		6.8	6.8	109.0		54.5
Modoc County †	1906	624.7	17.4								17.4	69.4		17.4
	1907	697.8	51.1						51.1		17.0			68.1
	1908	834.9							16.7		66.8	83.5		50.1
	1909	524.4	32.8			16.4			32.8	16.4		16.4	16.4	
Mono County †	1906	143.3												
	1907	192.3									48.1			
	1908	338.7												
	1909	340.8												
Monterey County	1906	864.9	13.4				4.5	9.0			4.5	89.6		53.8
	1907	1,127.3	8.8			4.4			17.5	17.5		114.0	30.7	83.3
	1908	1,258.5	8.6			4.3			17.2		17.2	116.0	12.9	34.4
	1909	1,325.5	25.2					12.6		8.4	8.4	101.0	50.5	101.0
Napa County *	1906	2,392.8	43.2		5.4	16.2			10.8	21.6	16.2	270.1	97.2	102.6
	1907	2,540.7	21.2			21.2	10.6		37.1	21.2	15.9	201.6	106.1	100.8
	1908	2,553.1	20.8				10.4	10.4	15.6	10.4	26.1	177.2	62.5	135.5
	1909	2,580.5	15.4			5.1		5.1	5.1	10.2	10.2	235.5	15.4	107.5
Nevada County	1906	1,545.7	24.9	6.2		6.2			49.9			124.6	31.2	99.7
	1907	1,783.2	19.0	19.0		12.7	25.4		38.1	25.4	12.7	203.1	19.0	76.2
	1908	1,648.2	58.2	6.5		12.9			19.4	19.4	19.4	122.8	12.9	90.5
	1909	1,501.6	6.6				6.6		13.2	32.9	6.6	184.4		72.4
Orange County	1906	1,053.0	31.3	3.5		3.5	3.5	10.4	7.0	17.4	7.0	142.5	20.9	66.0
	1907	1,106.8	26.4			3.3		9.9	23.1	9.9	13.2	165.2	16.5	49.6
	1908	1,032.7	34.6			3.1	3.1		9.4	12.6	9.4	97.6	44.1	50.4
	1909	1,067.6	21.1			3.0	9.0	15.0	9.0	18.0	12.0	111.3	36.1	51.1
Placer County †	1906	346.9	17.3						5.8	11.6	5.8	69.4	5.8	17.3
	1907	558.6	5.7	5.7						5.7		57.0		22.8
	1908	966.8				5.6	5.6		5.6	16.9	5.6	89.9	11.2	33.7
	1909	1,014.5	5.5	22.2					11.1		5.5	122.0	11.1	55.4
Plumas County	1906	1,054.1								59.7		59.7		19.9
	1907	1,984.7	39.3						78.6	78.6	39.3	98.3	19.7	39.3
	1908	2,038.8	19.4						58.3	194.2		97.1	19.4	38.8
	1909	1,516.3	76.8			19.2				19.2		134.4		38.4
Riverside County	1906	1,189.6	21.2			3.5		7.1	21.2	7.1	7.1	297.4	67.3	38.9
	1907	1,041.9	10.0	3.3				13.4	3.3		6.7	257.1	23.4	33.4
	1908	1,156.5	15.8				3.2	3.2	12.6	19.0	3.2	237.0	53.7	25.3
	1909	1,301.4	36.0			12.0	3.0	42.0	18.0	3.0	6.0	287.9	48.0	57.0
Sacramento County	1906	1,847.5	116.4	9.7						9.7	19.4	305.5	87.3	126.1
	1907	1,992.6	42.3	14.1				9.4	14.1		14.1	277.3	42.3	47.0
	1908	1,822.8	64.1				9.2		18.3	9.2	13.7	306.8	32.1	77.9
	1909	1,730.8	57.5	13.3		4.4	4.4	8.9	4.4		8.9	270.0	26.6	110.7
San Benito County	1906	960.1					13.3					160.0	26.7	26.7
	1907	1,020.7	39.3								13.1	117.8		78.5
	1908	1,220.3	25.7			12.8	38.5	38.5	25.7			141.3	25.7	89.9
	1909	971.4	12.6	12.6	12.6				12.6			151.4	25.2	63.1
San Bernardino County *	1906	1,588.0	26.3	2.2			2.2		6.6	6.6	2.2	464.3	46.0	56.9
	1907	1,593.6	10.3				2.1	12.4	6.2	4.1	8.2	393.2	39.1	59.7
	1908	1,627.7	48.6			5.8	3.9	19.4	9.7	13.6	9.7	419.5	27.2	56.3
	1909	1,658.1	46.0			1.8	1.8	9.2	5.5	1.8	11.0	421.0	40.4	64.3
San Diego County †	1906	474.6	7.0					7.0	7.0	10.5	3.5	76.8	10.5	3.5
	1907	350.7	9.8			3.3			6.6	6.6		65.6	6.6	16.4
	[3] 1908	689.1	15.5			6.2		6.2	15.5	12.4	3.1	132.9	15.5	27.8
	[3] 1909	552.4	2.9				2.9		5.8	5.8	5.8	78.9	8.8	29.2
San Joaquin County	1906	1,767.6	58.8	8.4	4.2	4.2	4.2		8.4	4.2	12.6	193.1	33.6	92.4
	1907	1,618.1	44.4	4.0		12.1	4.0		16.1	8.1	12.1	189.7	16.1	88.8
	1908	1,774.9	23.3	7.8		3.9	15.5	3.9	27.2		3.9	194.2	35.0	104.9
	1909	1,478.6	56.2	26.2		7.5		3.7	22.5	3.7	11.2	168.5	7.5	116.0
San Luis Obispo County	1906	1,374.9	21.8	5.5		16.4		21.8	10.9	10.9	10.9	245.5	21.8	54.6
	1907	1,117.9	10.7						16.1	10.7	5.4	118.2	5.4	48.4
	1908	969.0	15.9	5.3					31.8	15.9	5.3	105.9	10.6	37.1
	1909	1,049.0	20.9	5.2				20.9	5.2	10.4	5.2	177.4	10.4	26.1
San Mateo County	1906	789.8	14.3			4.8		4.8		4.8	9.5	90.4	9.5	47.6
	1907	1,009.5	13.3	4.4		17.8	8.9	8.9			17.8	106.7	13.3	48.9
	1908	1,189.7	4.2			4.2		8.3	20.9	4.2	12.5	125.2	12.5	79.3
	1909	1,007.0	11.8	3.9				3.9	11.8		7.9	55.1	31.5	62.9
Santa Barbara County	1906	1,223.5	12.3			12.3			4.1	4.1		147.8	20.5	82.1
	1907	1,370.4	23.8				7.9		4.0	11.9	4.0	158.4	27.7	83.2
	1908	1,228.1	19.1					3.8	11.5	26.8	3.8	130.1	19.1	88.0
	1909	1,287.4	25.9	11.1			3.7	11.1	14.8	25.9	7.4	103.6	22.2	81.4

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	8.8	8.8	199.1	119.5	88.5	26.5	31.0	61.9	53.1	.....	26.5	141.6	31.0	92.9	4.4
.....	13.1	13.1	187.4	91.5	108.9	30.5	43.6	74.1	17.4	30.5	30.5	117.6	30.5	82.8	4.4
.....	4.3	8.6	253.2	107.3	103.0	38.6	42.9	85.8	47.2	38.6	25.7	73.0	30.0	98.7	8.6
.....	12.7	12.7	257.9	164.9	101.5	29.6	59.2	88.8	88.8	38.1	29.6	122.6	12.7	55.0	.....
.....	.....	.....	62.2	139.9	116.6	15.5	31.1	31.1	.....	54.4	23.3	132.1	15.5	69.9	7.8
.....	.....	44.5	44.5	81.7	126.2	14.8	66.8	29.7	22.3	37.1	29.7	133.6	22.3	59.4	22.3
.....	7.1	14.2	56.9	71.1	64.0	21.3	35.5	64.0	21.3	42.6	56.9	156.3	28.4	85.3	7.1
.....	.....	6.8	47.7	68.2	68.2	40.9	75.0	20.4	20.4	27.3	20.4	81.8	13.6	109.0	.....
.....	.....	17.4	52.1	86.8	86.8	17.4	.....	52.1	.....	17.4	.....	104.1	.....	52.1	17.4
.....	.....	17.0	17.0	119.1	34.0	51.1	.....	34.0	.....	17.0	68.1	119.1	.....	34.0	.....
.....	.....	50.1	66.8	100.2	200.4	16.7	.....	16.7	.....	33.4	.....	66.8	16.7	50.1	.....
.....	.....	.....	81.9	49.2	65.6	32.8	.....	49.2	.....	.....	16.4	32.8	32.8	32.8	.....
.....	.....	.....	47.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	47.8	47.8	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48.1	96.2	.....	.....
.....	.....	.....	.....	.....	48.4	.....	.....	145.1	48.4	.....	.....	.....	48.4	48.4	.....
.....	.....	.....	.....	48.7	.....	48.7	.....	97.4	48.7	.....	.....	97.4	.....	.....	.....
.....	22.4	9.0	89.6	112.0	31.4	22.4	40.3	58.3	35.9	17.9	26.9	80.7	9.0	134.4	.....
4.4	8.8	17.5	136.0	157.9	43.9	65.8	26.3	83.3	52.6	35.1	13.2	127.2	30.7	48.2	.....
.....	25.8	25.8	158.9	184.7	98.8	47.2	21.5	55.8	90.2	51.5	47.2	103.1	12.9	124.6	.....
.....	33.7	8.4	96.8	223.0	75.7	42.1	33.7	63.1	88.4	16.8	33.7	151.5	12.6	138.9	.....
.....	21.6	21.6	599.5	383.5	102.6	43.2	27.0	91.8	59.4	10.8	37.8	135.0	70.2	205.2	.....
.....	15.9	15.9	599.4	381.9	106.1	74.3	74.3	185.6	132.6	15.9	26.5	122.0	47.7	206.9	.....
.....	15.6	36.5	724.3	453.3	99.0	62.5	46.9	130.3	135.5	10.4	36.5	83.4	36.5	212.6	.....
.....	30.7	20.5	926.7	430.1	87.0	61.4	35.8	133.1	97.3	10.2	41.0	97.3	15.4	184.3	.....
.....	24.9	24.9	162.0	193.2	155.8	93.5	31.2	43.6	87.3	31.2	24.9	124.6	43.6	137.1	24.9
.....	12.7	.....	177.7	215.8	126.9	95.2	12.7	82.5	57.1	25.4	38.1	177.7	38.1	266.5	6.3
.....	12.9	6.5	116.3	265.0	84.0	84.0	.....	122.8	103.4	64.6	32.3	168.1	58.2	168.1	.....
.....	.....	.....	171.2	217.3	118.5	98.8	32.9	46.1	98.8	32.9	19.8	177.8	13.2	151.5	.....
3.5	3.5	34.8	86.9	100.8	62.6	41.7	41.7	59.1	31.3	59.1	3.5	73.0	45.2	93.8	.....
.....	6.6	23.1	69.4	138.8	72.7	49.6	29.7	76.0	42.9	46.3	16.5	82.6	9.9	122.2	3.3
3.1	9.4	25.2	85.0	157.4	50.4	40.9	59.8	56.7	53.5	34.6	12.6	69.3	18.9	91.3	.....
.....	18.0	27.1	93.2	132.3	57.1	36.1	48.1	42.1	63.2	63.2	21.1	69.2	3.0	105.3	3.0
.....	.....	.....	28.9	63.6	5.8	17.3	.....	28.9	11.6	.....	5.8	34.7	11.6	5.8	.....
.....	.....	11.4	34.2	79.8	34.2	17.1	5.7	22.8	34.2	5.7	51.3	131.1	22.8	5.7	5.7
.....	.....	11.2	50.6	168.6	45.0	33.7	39.3	28.1	61.8	5.6	33.7	163.0	22.5	112.4	16.9
.....	5.5	.....	88.7	160.8	44.3	33.3	33.3	49.9	55.4	27.7	27.7	171.8	11.1	72.1	.....
.....	.....	.....	79.6	218.8	79.6	19.9	.....	79.6	79.6	19.9	19.9	99.4	39.8	79.6	99.4
.....	.....	19.7	117.9	176.9	373.4	19.7	19.7	39.3	117.9	.....	19.7	373.4	98.3	196.5	19.7
.....	.....	.....	77.7	252.4	213.6	38.8	.....	38.8	155.3	19.4	38.8	563.1	58.3	97.1	58.3
.....	19.2	.....	153.6	191.9	96.0	19.2	19.2	57.6	96.0	.....	76.8	326.3	38.4	96.0	38.4
.....	3.5	14.2	63.7	74.3	49.6	46.0	63.7	56.6	74.3	38.9	14.2	106.2	10.6	102.7	.....
3.3	10.0	10.0	76.8	106.9	43.4	30.1	40.1	80.1	56.8	16.7	13.4	103.5	26.7	73.5	.....
3.2	6.3	19.0	69.5	98.0	60.0	47.4	41.1	41.1	56.9	37.9	15.8	170.6	15.8	91.6	9.5
.....	21.0	15.0	99.0	140.9	48.0	51.0	51.0	75.0	54.0	39.0	3.0	78.0	18.0	90.0	6.0
.....	14.5	24.2	92.1	237.6	111.5	19.4	82.4	72.7	38.8	29.1	29.1	261.8	14.5	135.8	9.7
.....	4.7	42.3	169.2	277.3	155.1	37.6	28.2	103.4	108.1	9.4	32.9	314.9	42.3	197.4	9.4
4.6	22.9	22.9	68.7	219.8	100.8	45.8	68.7	105.3	119.1	64.1	27.5	224.4	27.5	169.5	.....
.....	13.3	31.0	119.5	190.3	106.2	62.0	57.5	57.5	119.5	31.0	44.3	185.9	31.0	172.6	.....
.....	.....	.....	40.0	160.0	13.3	26.7	66.7	66.7	53.3	26.7	13.3	106.7	40.0	120.0	.....
.....	13.1	.....	65.4	157.0	130.9	26.2	26.2	65.4	91.6	13.1	26.2	78.5	.....	78.5	.....
.....	12.8	.....	51.4	167.0	51.4	51.4	12.8	64.2	102.8	38.5	12.8	115.6	12.8	128.5	.....
.....	25.2	.....	100.9	151.4	12.6	63.1	12.6	88.3	113.5	12.6	.....	75.7	.....	25.2	.....
.....	21.9	8.8	234.4	127.0	70.1	46.0	50.4	56.9	65.7	28.5	24.1	138.0	24.1	76.7	2.2
.....	14.4	12.4	226.5	177.1	67.9	45.3	45.3	45.3	67.9	45.3	32.9	197.7	20.6	55.6	4.1
.....	9.7	27.2	174.8	143.7	101.0	27.2	66.0	71.9	73.8	52.4	29.1	118.5	13.6	104.9	.....
.....	14.7	7.4	224.3	156.3	99.3	51.5	82.7	55.1	57.0	44.1	33.1	130.5	9.2	90.1	.....
.....	.....	3.5	41.9	52.3	14.0	27.9	14.0	24.4	20.9	10.5	3.5	94.2	3.5	34.9	3.5
.....	.....	6.6	26.2	49.2	16.4	22.9	3.3	16.4	9.8	.....	13.1	42.6	3.3	22.9	3.3
3.1	9.3	3.1	68.0	74.2	34.0	12.4	12.4	27.8	30.9	21.6	15.5	71.1	6.2	61.8	3.1
.....	2.9	.....	52.6	87.7	20.5	20.5	17.5	29.2	35.1	17.5	8.8	67.2	2.9	49.7	.....
4.2	4.2	37.8	180.5	230.9	105.0	37.8	67.2	96.6	71.4	25.2	42.0	193.1	67.2	163.7	16.8
.....	8.1	8.1	121.1	217.9	80.7	76.7	40.4	117.0	96.8	24.2	64.6	193.7	60.5	104.9	8.1
.....	3.9	11.7	190.3	190.3	108.7	58.3	54.4	147.6	124.3	31.1	46.6	182.5	54.4	151.5	.....
3.7	18.7	29.9	116.0	194.7	86.1	37.4	52.4	97.3	82.4	18.7	18.7	104.8	26.2	168.5	.....
.....	.....	10.9	120.0	229.1	76.4	16.4	60.0	98.2	27.3	32.7	21.8	130.9	21.8	87.3	21.8
.....	5.4	16.1	69.9	188.1	64.5	53.7	53.7	91.4	48.4	32.2	37.6	150.5	21.5	64.5	5.4
.....	.....	5.3	58.2	164.2	42.4	21.2	37.1	53.0	47.7	37.1	26.5	111.2	26.5	111.2	.....
.....	5.2	26.1	47.0	219.2	41.7	41.7	36.5	57.4	41.7	10.4	20.9	73.1	20.9	114.8	10.4
.....	9.5	.....	71.4	71.4	52.3	14.3	52.3	61.8	23.8	38.1	.....	71.4	38.1	66.6	33.3
.....	.....	31.1	57.8	164.5	57.8	53.4	44.5	13.3	35.6	8.9	17.8	169.0	13.3	88.9	13.3
.....	12.5	12.5	108.5	116.9	50.1	41.7	25.0	79.3	75.1	54.3	41.7	187.9	8.3	104.4	.....
.....	15.7	11.8	133.7	129.8	78.7	43.3	31.5	43.3	66.9	15.7	35.4	102.3	.....	110.1	.....
.....	8.2	16.4	147.8	193.0	37.0	49.3	82.1	65.7	65.7	45.2	8.2	82.1	24.6	110.9	4.1
7.9	11.9	19.8	150.5	166.3	71.3	51.5	51.5	71.3	59.4	51.5	11.9	209.9	27.7	87.1	.....
.....	15.3	49.7	153.0	179.8	38.3	23.0	68.9	103.3	53.6	72.7	26.8	65.0	15.3	61.2	.....
.....	7.4	18.5	140.6	173.9	29.6	48.1	33.3	77.7	62.9	44.4	33.3	125.8	22.2	162.8	.....

[3] Including Imperial County, which was organized Aug. 15, 1907.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
CALIFORNIA RURAL[2]—Continued.														
Santa Clara County *	1906	1,773.3	22.7	.....	.....	2.1	.....	.....	4.1	20.6	12.4	202.1	43.3	82.5
	1907	1,584.7	31.9	.....	.....	4.0	4.0	8.0	8.0	27.9	14.0	207.6	37.9	87.8
	1908	1,589.5	11.6	.....	.....	1.9	17.4	1.9	15.5	15.5	1.9	220.4	36.7	89.0
	1909	1,416.0	9.4	1.9	.....	1.9	.....	3.8	9.4	13.1	.....	187.5	31.9	95.6
Santa Cruz County	1906	1,444.9	32.8	4.1	.....	.....	4.1	4.1	.....	12.3	12.3	143.7	45.2	73.9
	1907	1,566.6	28.2	.....	.....	8.1	.....	.....	12.1	8.1	16.1	120.8	24.2	76.5
	1908	1,363.7	27.7	.....	.....	11.9	7.9	4.0	4.0	35.6	7.9	142.3	27.7	90.9
	1909	1,494.1	23.3	3.9	.....	3.9	15.5	7.8	7.8	19.4	15.5	143.6	34.9	104.8
Shasta County	1906	1,262.0	49.2	38.2	.....	5.5	.....	38.2	16.4	21.9	10.9	147.5	10.9	65.6
	1907	1,738.4	108.3	43.3	.....	10.8	.....	16.2	10.8	5.4	32.5	113.7	21.7	27.1
	1908	1,793.1	48.3	10.7	.....	.....	21.5	.....	26.8	112.7	16.1	112.7	21.5	32.2
	1909	1,639.2	37.3	26.6	5.3	.....	.....	.....	26.6	10.6	26.6	202.2	42.6	90.5
Sierra County	1906	1,672.4	73.8	.....	.....	.....	.....	98.4	.....	24.6	49.2	73.8	24.6	49.2
	1907	1,424.0	24.6	.....	.....	.....	49.1	.....	.....	.....	24.6	.....	24.6	24.6
	1908	1,372.2	49.0	.....	.....	.....	.....	24.5	24.5	122.5	.....	122.5	73.5	24.5
	1909	733.5	.....	.....	.....	24.4	.....	24.4	.....	48.9	24.4	.....	.....	24.4
Siskiyou County	1906	1,033.5	44.2	5.5	11.1	.....	11.1	5.5	5.5	16.6	33.2	71.8	11.1	38.7
	1907	1,121.5	27.4	.....	.....	5.5	21.9	10.9	5.5	16.4	27.4	136.8	10.9	38.3
	1908	1,061.5	32.5	.....	.....	.....	21.7	5.4	10.8	32.5	16.2	86.7	16.2	48.7
	1909	1,024.0	21.4	.....	.....	.....	.....	.....	16.1	16.1	5.4	80.4	10.7	16.1
Solano County	1906	1,082.0	15.2	.....	7.6	7.6	.....	.....	15.2	7.6	11.4	95.2	19.0	49.5
	1907	1,334.9	11.3	.....	.....	18.8	3.8	.....	18.8	11.3	.....	135.4	11.3	71.4
	1908	1,358.6	33.4	3.7	.....	7.4	11.1	3.7	.....	3.7	3.7	118.8	3.7	63.1
	1909	1,279.1	14.7	.....	.....	.....	7.3	3.7	22.0	3.7	3.7	142.9	11.0	47.6
Sonoma County	1906	1,309.8	20.2	2.2	.....	2.2	4.5	6.7	6.7	29.2	2.2	132.3	24.7	60.6
	1907	1,425.7	15.4	.....	.....	39.5	2.2	24.1	15.4	15.4	15.4	140.4	26.3	50.4
	1908	1,392.9	12.9	2.1	.....	.....	4.3	2.1	12.9	23.6	15.0	130.9	25.8	73.0
	1909	1,283.6	18.9	6.3	.....	18.9	2.1	10.5	4.2	4.2	6.3	147.1	21.0	65.1
Stanislaus County	1906	815.3	5.7	.....	.....	.....	.....	5.7	.....	11.4	5.7	74.1	5.7	34.2
	1907	705.5	10.6	.....	.....	.....	5.3	.....	5.3	.....	.....	63.7	.....	47.7
	1908	1,066.1	29.8	5.0	.....	.....	5.0	5.0	14.9	29.8	.....	133 9	9.9	34.7
	1909	912.4	27.9	9.3	.....	.....	.....	4.7	4.7	4.7	.....	135.0	23.3	27.9
Sutter County	1906	893.3	81.2	32.5	.....	.....	32.5	.....	.....	.....	16.2	81.2	16.2	32.5
	1907	951.3	.....	16.1	.....	.....	.....	.....	32.2	32.2	.....	112.9	.....	32.2
	1908	1,184.6	.....	32.0	.....	.....	.....	.....	16.0	16.0	16.0	96.0	16.0	32.0
	1909	842.3	.....	15.9	.....	.....	.....	.....	31.8	15.9	.....	79.5	.....	47.7
Tehama County	1906	1,378.4	26.7	17.8	.....	.....	.....	8.9	17.8	44.5	44.5	177.9	26.7	71.1
	1907	1,355.7	35.4	8 9	.....	8.9	.....	.....	8.9	53.2	.....	168.4	8.9	70.9
	1908	1,368.4	53.0	8.8	.....	44.1	35.3	.....	8.8	44.1	17.7	158.9	8.8	88.3
	1909	1,645.0	44.0	26.4	.....	.....	.....	.....	35.2	26.4	17.6	255.1	8.8	70.4
Trinity County	1906	914.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	107.6	.....	26.9
	1907	1,440.8	.....	.....	.....	83.1	.....	.....	.....	.....	.....	138.5	27.7	27.7
	1908	1,343.2	85.7	.....	.....	.....	57.2	.....	.....	57.2	.....	57.2	.....	.....
	1909	944.2	88.5	29.5	.....	.....	.....	.....	.....	.....	.....	88.5	29.5	29.5
Tulare County †	1906	623.1	20.8	10.4	.....	.....	.....	3.5	6.9	3.5	.....	100.4	17.3	38.1
	1907	744.7	16.3	3.3	.....	9.8	.....	.....	6.5	6.5	3.3	117.6	19.6	45.7
	1908	983.2	21.6	18.6	.....	3.1	.....	3.1	6.2	9.3	9.3	120.6	18.6	61.8
	1909	854.1	29.4	2.9	.....	5.9	2.9	.....	8.8	5.9	2.9	93.9	2.9	41.1
Tuolumne County †	1906	287.5	.....	.....	9.6	.....	.....	.....	9.6	9.6	.....	38.3	.....	9.6
	1907	833.7	19.4	9.7	.....	.....	.....	.....	.....	29.1	19.4	116.3	29.1	48.5
	1908	1,353.5	29.4	9.8	.....	.....	.....	.....	9.8	39.2	9.8	137.3	19.6	88.3
	1909	1,320.1	69.5	.....	.....	.....	.....	.....	9.9	49.6	9.9	89.3	.....	49.6
Ventura County	1906	1,141.6	.....	.....	.....	17.8	.....	5.9	11.9	17.8	5.9	190.3	17.8	89.2
	1907	1,120.7	23.2	.....	.....	5.8	.....	.....	17.4	5.8	11.6	133.6	17.4	40.6
	1908	1,174.5	5.7	.....	.....	5.7	5.7	22.7	5.7	11.3	17.0	113.5	34.0	45.4
	1909	1,214.8	27.7	.....	.....	5.5	.....	5.5	11.1	.....	11.1	177.5	22.2	72.1
Yolo County	1906	1,311.0	14.5	.....	.....	.....	.....	.....	7.2	14.5	7.2	173.8	7.2	50.7
	1907	1,192.5	.....	.....	.....	.....	.....	.....	21.7	36.1	7.2	108.4	.....	101.2
	1908	1,290.7	21.6	7.2	.....	.....	.....	.....	36.1	21.6	.....	122.6	7.2	72.1
	1909	1,395.7	14.4	21.6	.....	.....	.....	14.4	21.6	28.8	7.2	79.1	21.6	71.9
Yuba County	1906	1,832.4	31.6	63.2	.....	.....	.....	.....	.....	10.5	31.6	231.7	.....	105.3
	1907	1,898.3	10.4	10.4	.....	.....	.....	.....	10.4	20.7	.....	197.1	20.7	41.5
	1908	1,727.3	20.4	20.4	.....	.....	.....	.....	.....	10.2	.....	163.5	40.9	92.0
	1909	1,490.7	30.2	40.3	.....	.....	.....	.....	40.3	40.3	.....	211.5	20.1	70.5
COLORADO RURAL.[2]														
Adams County	1906	1,244.8	28.6	.....	.....	.....	.....	.....	.....	28.6	14.3	443.6	14.3	28.6
	1907	1,201.4	13.3	.....	13.3	.....	13.3	13.3	.....	.....	13.3	400.5	40.0	.....
	1908	1,388.9	.....	.....	12.5	.....	12.5	.....	25.0	.....	.....	300.3	25.0	62.6
	1909	1,306.8	35.3	.....	.....	.....	58.9	11.8	.....	.....	.....	211.9	35.3	23.5
Arapahoe County †	1906	667.2	25.2	.....	.....	.....	12.6	.....	37.8	.....	.....	188.8	.....	37.8
	1907	900.1	.....	.....	.....	11.7	46.8	.....	.....	.....	11.7	303.9	11.7	46.8
	1908	1,058.1	10.9	.....	.....	.....	21.8	10.9	10.9	10.9	10.9	360.0	.....	32.7
	1909	1,186.3	20.5	.....	.....	.....	.....	10.2	.....	.....	20.5	347.7	10.2	51.1
Archuleta County	1906	1,018.3	.....	.....	.....	.....	.....	70.2	.....	.....	35.1	140.4	.....	35.1
	1907	1,078.2	.....	.....	.....	168.5	.....	67.4	.....	33.7	.....	.....	.....	33.7
	1908	842.0	32.4	.....	.....	.....	97.2	32.4	.....	.....	.....	64.8	32.4	.....
	1909	1,122.2	.....	.....	.....	.....	436.4	.....	.....	.....	31.2	31.2	.....	.....

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	14.4	22.7	177.3	241.3	74.2	66.0	82.5	66.0	90.7	35.1	12.4	358.8	14.4	127.8	.....
2.0	12.0	23.9	151.7	265.4	73.8	71.8	63.9	97.8	113.8	43.9	14.0	93.8	20.0	103.8	2.0
1.9	25.1	30.9	154.7	263.0	71.5	61.9	69.6	96.7	110.2	34.8	34.8	119.9	11.6	90.9	.....
1.9	13.1	22.5	153.8	240.1	67.5	63.8	48.8	60.0	97.5	43.1	33.8	99.4	9.4	106.9	.....
4.1	16.4	20.5	168.3	225.8	86.2	36.9	36.9	102.6	57.5	28.7	23.7	151.9	16.4	131.4	.....
.....	24.2	36.2	169.1	253.7	40.3	44.3	56.4	124.8	96.7	40.3	24.2	201.4	24.2	132.9	4.0
.....	11.9	19.8	170.0	221.4	71.1	39.5	39.5	55.3	59.3	23.7	43.5	142.3	23.7	83.0	.....
.....	15.5	23.3	155.2	267.8	46.6	46.6	42.7	77.6	77.6	42.7	38.8	104.8	15.5	155.2	3.9
.....	10.9	19.9	125.7	147.5	49.2	16.4	32.8	43.7	65.6	10.9	5.5	163.9	43.7	131.1	.....
.....	10.8	5.4	75.8	178.7	195.0	86.7	27.1	86.7	81.2	10.8	27.1	303.3	59.6	189.5	10.8
.....	10.7	5.4	155.7	198.6	225.5	26.8	64.4	112.7	48.3	16.1	69.8	220.1	32.2	204.0	.....
.....	.....	.....	101.1	175.6	79.8	79.8	111.8	63.9	63.9	26.6	26.6	298.0	5.3	138.4	.....
.....	24.6	73.8	196.8	73.8	73.8	172.2	24.6	73.8	98.4	49.2	98.4	147.6	.....	172.2	.....
.....	49.1	73.7	122.8	171.9	122.8	122.8	.....	49.1	24.6	.....	.....	147.3	122.8	245.5	24.6
.....	.....	24.5	122.5	98.0	73.5	49.0	24.5	147.0	98.0	.....	24.5	73.5	.....	196.0	.....
.....	.....	.....	73.3	195.6	73.3	.....	24.4	.....	.....	.....	.....	73.3	24.4	122.2	.....
.....	11.1	5.5	77.4	138.2	49.7	38.7	11.1	66.3	66.3	27.6	11.1	138.2	33.2	94.0	11.1
.....	21.9	10.9	60.2	71.1	60.2	32.8	16.4	65.6	65.6	16.4	32.8	229.7	27.4	103.9	5.5
.....	.....	21.7	86.7	113.7	97.5	43.3	21.7	32.5	37.9	16.2	5.4	167.9	10.8	135.4	.....
.....	16.1	.....	75.1	193.0	75.1	32.2	53.6	42.9	53.6	32.2	42.9	91.1	10.7	134.0	5.4
.....	7.6	26.7	118.1	118.1	87.6	45.7	57.1	61.0	41.9	26.7	11.4	110.5	45.7	80.0	15.2
.....	7.5	41.4	176.7	176.7	79.0	67.7	33.8	63.9	82.7	41.4	22.6	169.2	30.1	56.4	3.8
.....	37.1	37.1	144.8	185.6	78.0	26.0	33.4	66.8	107.6	40.8	33.4	163.3	26.0	118.8	7.4
3.7	33.0	14.7	157.6	194.2	69.6	18.3	40.3	55.0	73.3	55.0	36.7	135.6	51.3	84.3	.....
.....	11.2	13.5	136.8	170.5	74.0	38.1	44.9	83.0	51.6	31.4	26.9	233.3	15.7	87.5	.....
4.4	15.4	28.5	177.7	175.5	89.9	85.5	30.7	76.8	85.5	30.7	28.5	103.1	35.1	114.1	.....
.....	12.9	25.8	145.9	246.8	81.6	73.0	36.5	90.1	68.7	27.9	27.9	77.3	19.3	156.7	.....
.....	10.5	12.6	184.9	193.3	65.1	75.6	33.6	73.5	56.7	29.4	25.2	77.7	8.4	132.4	.....
.....	11.4	22.8	119.7	131.1	68.4	17.1	17.1	57.0	11.4	5.7	5.7	74.1	17.1	102.6	11.4
.....	5.3	21.2	47.7	90.2	37.1	21.2	15.9	69.0	26.5	21.2	15.9	122.0	21.2	58.3	.....
.....	19.8	14.9	79.3	143.8	64.5	34.7	64.5	59.5	44.6	34.7	9.9	89.3	14.9	124.0	.....
.....	18.6	.....	55.9	162.9	46.6	23.3	32.6	55.9	32.6	27.9	23.3	97.8	18.6	79.1	.....
.....	16.2	.....	65.0	81.2	48.7	97.4	.....	16.2	32.5	48.7	.....	32.5	48.7	113.7	.....
.....	32.2	16.1	48.4	209.6	112.9	80.6	.....	16.1	32.2	16.1	.....	64.5	.....	80.6	16.1
.....	16.0	32.0	128.1	208.1	64.0	80.0	48.0	32.0	16.0	32.0	32.0	80.0	80.0	112.1	.....
.....	.....	.....	95.4	158.9	31.8	.....	31.8	47.7	31.8	15.9	15.9	95.4	.....	111.3	15.9
.....	8.9	8.9	151.2	204.5	71.1	26.7	.....	62.2	.....	44.5	17.8	88.9	62.2	186.7	8.9
.....	.....	44.3	141.8	186.1	35.4	70.9	17.7	44.3	70.9	44.3	26.6	141.8	26.6	124.0	17.7
.....	26.5	.....	88.3	194.2	70.6	17.7	17.7	79.5	53.0	26.5	26.5	176.6	8.8	114.8	.....
.....	.....	17.6	184.7	184.7	61.6	52.8	26.4	88.0	79.2	8.8	44.0	184.7	44.0	184.7	.....
.....	.....	.....	26.9	268.9	26.9	53.8	26.9	26.9	.....	.....	53.8	134.4	.....	107.6	53.8
.....	.....	.....	83.1	277.1	83.1	27.7	83.1	110.8	55.4	.....	83.1	194.0	55.4	83.1	27.7
.....	28.6	.....	114.3	171.5	85.7	.....	.....	57.2	142.9	114.3	.....	314.4	.....	57.2	.....
.....	.....	29.5	.....	147.5	.....	29.5	.....	59.0	147.5	.....	.....	147.5	.....	118.0	.....
.....	6.9	6.9	45.0	83.1	34.6	10.4	31.2	38.1	24.2	24.2	10.4	34.6	31.2	38.1	3.5
.....	6.5	16.3	58.8	55.5	55.5	29.4	55.5	49.0	35.9	22.9	16.3	55.5	16.3	39.2	3.3
.....	9.3	30.9	92.8	83.5	68.0	21.6	46.4	40.2	52.6	37.1	12.4	105.1	27.8	83.5	.....
.....	2.9	5.9	85.1	88.1	44.0	41.1	58.7	38.2	47.0	26.4	17.6	102.7	17.6	82.2	.....
.....	.....	.....	19.2	19.2	76.7	19.2	.....	9.6	9.6	.....	.....	38.3	.....	19.2	.....
.....	.....	9.7	116.3	67.9	77.5	19.4	19.4	19.4	48.5	.....	9.7	87.2	19.4	58.2	9.7
9.8	9.8	9.8	117.7	137.3	49.0	49.0	39.2	29.4	88.3	19.6	39.2	235.4	19.6	156.9	.....
.....	.....	9.9	119.1	178.7	89.3	69.5	89.3	39.7	39.7	.....	29.8	238.2	.....	139.0	.....
.....	5.9	17.8	53.5	118.9	65.4	35.7	53.5	95.1	95.1	11.9	17.8	77.3	47.6	71.4	17.8
5.8	17.4	17.4	87.1	127.8	46.5	40.6	40.6	87.1	110.3	40.6	5.8	92.9	17.4	121.9	5.8
5.7	17.0	34.0	96.5	153.2	130.5	45.4	34.0	56.7	73.8	34.0	39.7	130.5	5.7	51.1	.....
.....	5.5	11.1	99.9	138.7	55.5	22.2	110.9	44.4	77.7	27.7	27.7	166.4	11.1	77.7	5.5
.....	7.2	7.2	130.4	246.3	115.9	43.5	29.0	86.9	36.2	21.7	21.7	130.4	14.5	137.6	7.2
.....	.....	50.6	137.3	144.5	79.5	50.6	7.2	79.5	43.4	36.1	.....	151.8	7.2	130.1	.....
.....	14.4	14.4	151.4	187.5	50.5	50.5	86.5	79.3	28.8	36.1	14.4	129.8	7.2	137.0	14.4
.....	28.8	.....	179.9	201.4	57.6	57.6	7.2	93.5	79.1	7.2	14.4	237.4	14.4	136.7	.....
.....	10.5	21.1	136.9	294.9	73.7	73.7	52.7	94.8	42.1	21.1	21.1	158.0	189.6	158.0	10.5
.....	20.7	20.7	207.5	238.6	217.8	72.6	103.7	93.4	88.0	.....	20.7	197.1	72.6	228.2	10.4
.....	30.7	61.3	112.4	245.3	132.9	61.3	92.0	30.7	92.0	30.7	20.4	224.9	51.1	194.2	.....
.....	.....	.....	80.6	282.0	70.5	40.3	60.4	90.7	20.1	10.1	10.1	181.3	20.1	171.2	.....
.....	.....	.....	42.9	85.8	71.5	.....	42.9	14.3	71.5	42.9	14.3	42.9	.....	257.5	.....
.....	13.3	26.7	26.7	26.7	80.1	40.0	26.7	26.7	40.0	80.1	13.3	106.8	13.3	173.5	.....
.....	.....	12.5	125.1	100.1	125.1	12.5	75.1	62.6	75.1	50.1	25.0	62.6	12.5	200.2	12.5
.....	.....	.....	82.4	94.2	82.4	23.5	70.6	35.3	106.0	47.1	82.4	153.0	.....	153.0	.....
.....	.....	12.6	25.2	25.2	50.4	12.6	50.4	37.8	37.8	.....	12.6	37.8	.....	62.9	.....
.....	.....	.....	58.4	35.1	70.1	11.7	81.8	23.4	46.8	23.4	23.4	58.4	.....	35.1	.....
.....	.....	.....	21.8	130.9	76.4	43.6	98.2	21.8	32.7	21.8	.....	65.5	.....	76.4	.....
.....	.....	.....	51.1	143.2	112.5	30.7	92.0	30.7	51.1	51.1	10.2	81.8	.....	61.4	10.2
.....	35.1	.....	.....	35.1	105.3	35.1	280.9	105.3	.....	.....	.....	35.1	.....	70.2	35.1
.....	.....	.....	67.4	67.4	33.7	67.4	202.2	101.1	33.7	.....	.....	101.1	33.7	67.4	.....
.....	.....	.....	97.2	32.4	.....	.....	32.4	97.2	64.8	32.4	32.4	97.2	.....	97.2	.....
.....	.....	.....	31.2	.....	124.7	62.3	.....	93.5	31.2	31.2	31.2	93.5	31.2	93.5	.....

[2] Exclusive of cities having a population of 8,000 or over in 1900.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
COLORADO RURAL[2]—Continued.														
Baca County†	1906	162.9												
	1907	99.0												
	1908	636.9	91.0					45.5				91.0		
	1909	219.7							43.9			43.9		43.9
Bent County	1906	958.4	93.5					23.4				257.1		
	1907	2,276.8	312.5			178.6	111.6	22.3	44.6		22.3	133.9		
	1908	1,879.5	192.2			21.4	42.7	42.7		21.4	21.4	555.3	21.4	21.4
	1909	1,494.7	41.0				20.5	41.0		20.5		675.7	20.5	20.5
Boulder County	1906	1,380.0	37.1					26.0	29.7	3.7	22.3	259.7	11.1	59.4
	1907	1,716.6	68.2			39.5	28.7	3.6	21.5	18.0	18.0	319.6	7.2	53.9
	1908	1,715.6	52.2			31.3	10.4	34.8	24.4	17.4	10.4	243.6	7.0	59.2
	1909	1,431.2	40.5				10.1	13.5	20.3	13.5	10.1	270.0	27.0	57.4
Chaffee County	1906	1,942.3	54.0	13.5		13.5			27.0		27.0	107.9	13.5	80.9
	1907	1,968.1	66.9			40.2	53.6		13.4	40.2	13.4	66.9	13.4	120.5
	1908	1,528.4	39.9					39.9		13.3	13.3	66.5		53.2
	1909	2,190.3	13.2						92.4	13.2		79.2	13.2	171.5
Cheyenne County†	1906	162.4										81.2		40.6
	1907	610.2										179.5		
	1908	353.8	32.2					32.2	32.2			32.2		
	1909	291.4	29.1											
Clear Creek County	1906	1,758.0	86.2					34.5		17.2	34.5	241.3		51.7
	1907	1,520.3				71.5	35.8		17.9	17.9		71.5	17.9	53.7
	1908	1,245.4	18.6					18.6	37.2		37.2	74.3		55.8
	1909	1,915.3	19.3					96.7	19.3		19.3	116.1		96.7
Conejos County†	1906	387.3	19.4					9.7				9.7	9.7	
	1907	340.3	28.4			47.3		9.5				28.4	9.5	
	1908	600.1	18.5			18.5	18.5			9.2	9.2	27.7	9.2	18.5
	1909	730.7	9.0			9.0	90.2		9.0	9.0		63.1	36.1	
Costilla County†	1906	77.5						19.4						
	1907	114.2									19.0	19.0		
	1908													
	1909	128.9												
Custer County	1906	858.7	42.9							42.9				
	1907	1,794.5	44.9			44.9			179.5					89.7
	1908	1,362.1								140.9		47.0		93.9
	1909	1,430.0									49.3			147.9
Delta County	1906	778.1	47.4						9.5	28.5	9.5	94.9	9.5	9.5
	1907	1,073.1	44.0			17.6	8.8		44.0	35.2	8.8	114.3		52.8
	1908	803.3	16.4				8.2	8.2		32.8	16.4	57.4	16.4	24.6
	1909	859.5	38.4				7.7	46.0	7.7	23.0		99.8		46.0
Dolores County†	1906	240.4												
	1907	255.8												
	1908	1,092.9									136.6			
	1909	1,319.6											293.3	
Douglas County	1906	916.9	63.2						31.6	31.6		189.7		
	1907	1,009.5							31.5			189.3		63.1
	1908	849.6										157.3	31.5	125.9
	1909	721.9					31.4		31.4				31.4	31.4
Eagle County	1906	1,268.4	33.4						33.4	66.8	33.4	33.4		
	1907	1,569.8					33.4			33.4		33.4		
	1908	1,003.0						33.4	33.4	66.9		66.9	33.4	66.9
	1909	2,008.0							66.9	33.5		133.9		33.5
El Paso County	1906	1,600.4	24.7				8.2	8.2	16.5	8.2	8.2	453.7	24.7	74.2
	1907	1,860.9	71.0			15.8	7.9	15.8		55.2	15.8	552.0	15.8	31.5
	1908	1,661.4	7.6				15.1		22.7		7.6	536.2	22.7	75.5
	1909	1,825.8	29.0				21.7	7.2	21.7	14.5	7.2	557.9	43.5	36.2
Elbert County†	1906	223.5							22.3			67.0		
	1907	425.4	21.3							21.3		85.1		
	1908	507.4	60.9			60.9	20.3		20.3				20.3	
	1909	446.3	19.4										19.4	38.8
Fremont County	1906	1,586.9	63.9			5.8	11.6	52.3	34.9	11.6	17.4	127.9	17.4	52.3
	1906	1,603.6	68.7			5.7	11.5	5.7	22.9	17.2	17.2	234.8	11.5	51.5
	1908	1,422.2	33.9			22.6	39.5	11.3	11.3	33.9	5.6	191.9	28.2	62.1
	1909	1,240.5	27.8				5.6		11.1	5.6	16.7	216.9	11.1	44.5
Garfield County	1906	1,036.8	47.1								11 8	58.9	11.8	23.6
	1907	1,389.5	67.2			11.2	33.6		33.6	33.6	22.4	89.6		22.4
	1908	1,538.3	64.1				32.0		21.4	32.0	10.7	117.5	21.4	42.7
	1909	1,724.8	51.0			20.4	20.4		51.0		20.4	91.9		51.0
Gilpin County	1906	1,349.0	39.1						39.1			293.3	19.6	19.6
	1907	1,235.6	61.8			20.6			20.6		41.2	123.6		
	1908	1,305.2	43.5				21.8	21.8	43.5			152.3		65.3
	1909	1,221.8	23.1				46.1	23.1	23.1	23.1		46.1		
Grand County	1906	1,118.9					69.9							
	1907	842.0												
	1908	965.0							60.3	60.3		60.3	60.3	
	1909	959.4					56.4					56.4		

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
									54.3					108.6	
												49.5		49.5	
			45.5	182.0				45.5		45.5				91.0	
					43.9							43.9			
		23.4	23.4	23.4	70.1	23.4	93.5	23.4		23.4		163.6	23.4	93.5	
			67.0	133.9	133.9	67.0	223.2	133.9	22.3	133.9	22.3	290.2		223.2	
			42.7	85.4	106.8	42.7	149.5	106.8	64.1	64.1	21.4	149.5		106.8	
		20.5	41.0	81.9	102.4	20.5	102.4	81.9		81.9		20.5	20.5	61.4	20.5
3.7	14.8	51.9	92.7	111.3	92.7	33.4	77.9	85.3	70.5	51.9	33.4	107.6	11.1	92.7	
	21.5	32.3	89.8	186.7	143.6	75.4	100.6	86.2	68.2	64.6		154.4	7.2	107.7	
3.5	27.8	87.0	69.6	156.6	118.3	97.4	87.0	87.0	104.4	73.1	7.0	146.2	17.4	142.7	
		23.6	114.8	111.4	77.6	70.9	91.1	54.0	43.9	74.3	16.9	172.1		114.8	3.4
	13.5	27.0	94.4	161.9	215.8	67.4	107.9	121.4	161.9	107.9	27.0	283.2	40.5	175.3	
		53.6	93.7	174.1	133.9	66.9	107.1	107.1	120.5	107.1	40.2	334.7	13.4	160.7	26.8
	13.3	13.3	39.9	159.5	79.7	26.6	119.6	146.2	172.8	79.7	53.2	252.5	13.3	132.9	
		39.6	158.3	224.3	197.9	66.0	171.5	224.3	211.1	92.4	39.6	250.7		131.9	
					40.6										
			71.8	35.9	71.8	35.9						71.8		71.8	71.8
		32.2		32.2			32.2	32.2	64.3	32.2					
					29.1		29.1	29.1	58.3	29.1		87.4			
	17.2	68.9	86.2	86.2	103.4	51.7	120.6	68.9	86.2	137.9		361.9	51.7	51.7	
		17.9	89.4		268.3	214.6	71.5	89.4	53.7	125.2	17.9	125.2		161.0	
		74.3	74.3	55.8	92.9	92.9	55.8	18.6	92.9	111.5	18.6	204.5		92.9	18.6
			154.8	212.8	232.2	193.4	58.0	154.8	116.1	77.4	19.3	193.4	38.7	96.7	
			9.7	38.7	38.7	9.7	19.4		29.0	19.4		48.4	9.7	87.1	29.0
			9.5	18.9	47.3	28.4	9.5	18.9	37.8			28.4		18.9	
			18.5	55.4	129.2	36.9	55.4	9.2	27.7	64.6	9.2	9.2		55.4	
	9.0		27.1	27.1	72.2	54.1	63.1	54.1	27.1	27.1	9.0	36.1		99.2	
					19.4	19.4						19.4			
	19.0					19.0		19.0				19.0			
					36.8		36.8			18.4		36.8			
			42.9	128.8	85.9	85.9			128.8			128.8		171.7	
	44.9		89.7	89.7	269.2	44.9	89.7	89.7	44.9	134.6		134.6	89.7	224.3	89.7
			187.9	187.9	140.9	47.0		93.9		93.9		140.9		187.9	
	49.3		98.6	295.9	98.6				197.2	49.3		147.9		295.9	
	9.5	9.5	47.4	47.4	38.0	28.5	75.9	94.9	47.4	47.4		38.0	9.5	75.9	
	8.8	17.6	52.8	105.6	26.4	35.2	131.9	70.4	44.0	52.8	17.6	44.0	8.8	131.9	
		8.2	90.2	57.4	65.6	24.6	57.4	65.6	24.6	57.4	8.2	90.2		73.8	
			69.1	84.4	69.1	15.3	23.0	53.7	46.0	53.7		61.4	7.7	107.4	
												120.2		120.2	
						127.9		127.9							
					136.6	136.6			136.6			409.8	136.6		
			293.3		146.6	146.6						146.6		293.3	
	31.6		31.6	31.6		63.2		94.8	94.8	31.6	63.2	94.8		63.2	
	31.5		94.6	31.5	126.2	31.5	126.2	31.5	31.5	31.5	31.5	94.6		63.1	
			31.5	62.9	62.9	62.9	62.9		62.9			125.9		62.9	
				62.8	94.2	94.2	62.8		94.2			62.8		94.2	31.4
		33.4	100.1	100.1	166.9	33.4	33.4	33.4	100.1	66.8		267.0		100.1	33.4
		33.4	133.6	133.6	167.0	133.6	33.4	66.8	33.4		100.2	501.0	33.4	66.8	33.4
		33.4	33.4	100.3	66.9	33.4	33.4			33.4		133.7		133.7	100.3
			66.9	200.8	167.3	33.5		66.9		33.5		1,037.5		133.9	
8.2	8.2	8.2	41.2	115.5	123.7	57.7	49.5	107.2	74.2	24.7	24.7	198.0	24.7	107.2	
		15.8	102.5	134.0	78.9	71.0	55.2	110.4	71.0	63.1	39.4	197.1	23.7	118.3	
	7.6		60.4	98.2	83.1	60.4	90.6	60.4	83.1	52.9	22.7	158.6		196.3	
		21.7	94.2	94.2	101.4	50.7	166.6	65.2	115.9	36.2	21.7	188.4	14.5	115.9	
				67.0			22.3							44.7	
			21.3	21.3	21.3		21.3	21.3	42.5		21.3	42.5	21.3	63.8	
		20.3	20.3	40.6	40.6		20.3	20.3		20.3		81.2		60.9	
			19.4	77.6	58.2	19.4	19.4	19.4				135.8	19.4		
5.8		17.4	104.6	87.2	110.4	46.5	133.7	104.6	52.3	75.6	34.9	284.8	11.6	122.1	
5.7	5.7	57.3	103.1	183.3	85.9	45.8	126.0	51.5	40.1	63.0	22.9	217.6		148.9	
	5.6	22.6	101.6	158.0	107.2	22.6	56.4	67.7	79.0	79.0		163.7		118.5	
	16.7	22.3	50.1	133.5	116.8	33.4	89.0	89.0	50.1	44.5	16.7	144.6		83.4	11.1
		11.8	94.3	94.3	94.3	58.9	82.5	35.3	47.1	47.1	11.8	188.5		106.0	11.8
			78.4	123.3	78.4	33.6	56.0	100.9	78.4	56.0	33.6	235.3	22.4	179.3	
	32.0	21.4	85.5	117.5	203.0	53.4	85.5	42.7	85.5	21.4	10.7	277.7		138.9	21.4
		10.2	102.1	224.5	306.2	30.6	40.8	102.1	71.4	71.4	40.8	296.0	10.2	112.3	
			39.1	136.9	195.5	39.1	78.2	97.8	19.6	19.6		97.8		215.1	
			82.4	41.2	123.6	61.8	61.8	41.2	82.4	20.6	20.6	247.1		185.3	
			87.0	130.5	65.3	152.3	87.0	108.8	21.8	21.8	21.8	108.8	21.8	130.5	
			69.2	115.3	69.2	207.5	69.2	92.2	161.4	115.3	23.1	23.1		92.2	
			139.9	69.9	209.8				69.9			279.7		209.8	69.9
				129.5	194.3	64.8		64.8	64.8			194.3		129.5	
		60.3					60.3	60.3				361.9		180.9	
			56.4	56.4	225.7		56.4	56.4	112.9	56.4		112.9		112.9	

[2] Exclusive of cities having a population of 8,000 or over in 1900.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
COLORADO RURAL[2]—Continued.														
Gunnison County	1906	1,021.5	17.6						52.8		17.6	35.2		17.6
	1907	1,168.3					17.4			34.9	17.4	34.9		52.3
	1908	880.4				17.3	51.8			17.3		51.8	17.3	34.5
	1909	1,196.4					153.8			17.1		17.1		
Hinsdale County †	1906	1,473.5						98.2		98.2		98.2		
	1907	1,304.3						108.7						
	1908	729.9										121.7		
	1909	124.3												
Huerfano County	1906	1,618.8				17.5	26.3	78.8			8.8	52.5		17.5
	1907	1,500.8	8.4			33.5	50.3		8.4	25.2	16.8	117.4		8.4
	1908	2,044.1	24.1			80.5	32.2	185.1	48.3	64.4	8.0	104.6	16.1	32.2
	1909	1,570.6	30.9				30.9		38.7		7.7	92.8	23.2	7.7
Jefferson County	1906	1,142.7	32.4					8.1	16.2	24.3		364.7	8.1	16.2
	1907	1,737.0	38.9			38.9	23.4	7.8		7.8	7.8	732.2	7.8	38.9
	1908	1,919.5	15.0			22.5	37.5	7.5	37.5	7.5	15.0	989.7	7.5	37.5
	1909	2,016.5	14.5				7.2		7.2	28.9	14.5	1,048.0	14.5	86.7
Kiowa County †	1906	146.1												
	1907	203.5				43.9								
	1908	440.0								40.0		80.0		
	1909	624.3	36.7						36.7	36.7		36.7		
Kit Carson County †	1906	364.3					19.2		19.2			57.5		19.2
	1907	378.4				51.6	34.4			17.2		51.6		17.2
	1908	592.6	15.6				15.6		31.2			93.6	31.2	15.6
	1909	613.4	28.5				14.3	14.3			14.3	57.1	14.3	
La Plata County	1906	1,422.0	21.4					10.7				74.8	10.7	42.8
	1907	1,232.3	10.3	10.3						10.3		61.6		71.9
	1908	1,027.4	9.9									88.9		29.6
	1909	1,294.4	19.0				85.7		9.5			114.2		76.1
Lake County	1906	764.5				24.7		24.7						
	1907	1,131.3		26.3			78.9					26.3		
	1908	1,127.7								28.2	28.2	28.2		
	1909	2,277.6						304.4		30.4		30.4		
Larimer County	1906	1,208.0	33.6	4.8	4.8	4.8		14.4	9.6	14.4	47.9	177.4	14.4	28.8
	1907	1,440.1	49.3			31.4	22.4	17.9	17.9	17.9	17.9	161.5	26.9	67.3
	1908	1,479.8	46.4		4.2	33.7	16.9	16.9	25.3	25.3	8.4	134.9	8.4	33.7
	1909	1,296.2	51.7			8.0	8.0	4.0	11.9	8.0	15.9	190.9	19.9	55.7
Las Animas County	1906	1,741.5	51.5			3.4	89.3	27.5	41.2		13.7	103.1	13.7	34.4
	1907	1,933.5	56.1		6.6	112.2	29.7	3.3	16.5	23.1	29.7	145.2	3.3	36.3
	1908	1,584.0	60.3			12.7	22.2	12.7	19.0	22.2	12.7	104.8	9.5	57.1
	1909	1,841.2	39.8			9.2	61.2	39.8	39.8	12.2	18.4	107.0	6.1	12.2
Lincoln County †	1906	50.0										25.0		
	1907	355.2	22.2						22.2			66.6		
	1908	718.4					39.9		79.9			79.8		
	1909	580.1	54.4				18.1			18.1		72.5		
Logan County †	1906	489.8	14.0					14.0	14.0		14.0	42.0		
	1907	732.6	12.9			12.9	38.6	12.9	38.6			141.4	12.9	12.9
	1908	938.9	59.4			23.8	35.7	47.5		23.8	23.8	83.2	11.9	11.9
	1909	795.8	33.2	11.1			55.3					55.3	33.2	
Mesa County	1906	963.4	58.0						17.4	11.6	5.8	104.5	11.6	34.8
	1907	1,019.4	129.4	5.4		21.6	59.3	27.0	27.0	10.8	10.8	113.3	10.8	21.6
	1908	1,093.2	70.5				50.4		25.2	15.1		95.7	20.2	60.5
	1909	1,181.5	61.4				4.7	18.9	33.1	9.5		137.1	14.2	33.1
Mineral County †	1906	1,901.6	65.6								65.6	65.6		
	1907	1,326.8												
	1908	733.7	73.4				73.4							
	1909	386.4												77.3
Montezuma County †	1906	585.3	23.4					93.7			23.4			23.4
	1907	536.8	22.4								22.4	44.7		44.7
	1908	492.4	21.4									107.0		
	1909	616.0				20.5			20.5		20.5	20.5		61.6
Montrose County	1906	1,472.6	111.4			37.1			12.4		37.1	74.2	24.7	12.4
	1907	981.1	92.3			11.5	11.5		11.5			127.0	11.5	80.3
	1908	973.3	64.9					10.8	54.1	43.3		108.1	10.8	32.4
	1909	875.0	71.2	10.2			20.3	20.3		20.3		71.2		30.5
Morgan County	1906	740.7	55.9							14.0	14.0	153.7		14.0
	1907	1,026.4	38.5				51.3	38.5	12.8			205.3		25.7
	1908	1,138.4	35.6					47.4	47.4	35.6		237.2	11.9	47.4
	1909	848.9	66.1			11.0		22.0	11.0		11.0	121.3	33.1	11.0
Otero County	1906	1,825.8	183.8			17.8	47.4	17.8	23.7	17.8	53.4	278.6	65.2	29.6
	1907	2,169.3	281.7		5.6	84.5	5.6	28.2	33.8	50.7	62.0	236.6	73.2	62.0
	1908	1,820.0	150.3			16.1	43.0	43.0	48.3	26.8	26.8	349.0	32.2	37.6
	1909	1,379.1	82.0	5.1		5.1	5.1	10.3	10.3	30.8	20.5	230.7	30.8	30.8
Ouray County	1906	1,682.1	50.2									75.3		75.3
	1907	1,399.0	103.6			25.9				77.7	25.9	51.8		51.8
	1908	1,578.8	53.5						53.5			107.0		
	1909	1,771.4				27.7		27.7		27.7		83.0		55.4

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	.....	52.8	158.5	105.7	70.4	52.8	123.3	17.6	17.6	.....	105.7	.....	176.1	.....
.....	.....	17.4	52.3	104.6	139.5	34.9	122.1	69.7	69.7	69.7	34.9	156.9	.....	139.5	.....
.....	17.3	.....	34.5	120.8	86.3	34.5	34.5	34.5	51.8	51.8	.....	138.1	.....	86.3	.....
.....	17.1	.....	85.5	119.6	85.5	119.6	68.4	34.2	34.2	68.4	51.3	170.9	.....	153.8	.....
.....	.....	.....	98.2	98.2	98.2	.....	.....	196.5	.....	98.2	.....	491.2	.....	98.2	.....
.....	.....	.....	217.4	.....	108.7	108.7	.....	.....	108.7	.....	.....	217.4	217.4	217.4	.....
.....	.....	.....	.....	.....	.....	121.7	.....	.....	.....	.....	.....	365.0	.....	121.7	.....
.....	.....	.....	.....	13.8	.....	13.8	13.8	.....	13.8	.....	.....	27.6	.....	41.4	.....
.....	8.8	.....	52.5	43.8	78.8	105.0	210.0	61.3	26.3	35.0	26.3	402.5	17.5	122.5	227.5
8.4	8.4	33.5	8.4	67.1	50.3	58.7	192.8	58.7	67.1	67.1	.....	268.3	234.8	109.0	.....
.....	8.0	16.1	56.3	112.7	193.1	233.4	152.9	80.5	56.3	152.9	16.1	241.4	16.1	112.7	.....
.....	.....	15.5	69.6	77.4	123.8	123.8	348.2	54.2	23.2	131.5	15.5	224.4	7.7	123.8	.....
.....	8.1	8.1	81.0	81.0	64.8	48.6	16.2	64.8	56.7	48.6	.....	97.3	.....	89.1	8.1
.....	7.8	54.5	70.1	148.0	85.7	70.1	54.5	54.5	62.3	23.4	23.4	124.6	.....	54.5	.....
.....	7.5	37.5	45.0	172.5	60.0	45.0	52.5	30.0	22.5	37.5	22.5	105.0	15.0	90.0	.....
.....	7.2	21.7	86.7	94.0	94.0	50.6	86.7	43.4	43.4	50.6	21.7	94.0	.....	101.2	.....
.....	.....	.....	48.7	.....	.....	.....	97.4	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	87.8	43.9	.....	43.9	43.9	.....	.....	.....	.....	.....	.....	.....
.....	.....	80.0	.....	80.0	.....	.....	40.0	.....	.....	.....	.....	120.0	.....	.....	.....
.....	.....	36.7	110.2	.....	.....	.....	36.7	73.4	.....	36.7	36.7	146.9	.....	.....	.....
.....	.....	.....	19.2	19.2	76.7	19.2	.....	19.2	.....	.....	.....	76.7	19.2	.....	.....
.....	.....	.....	103.2	17.2	17.2	.....	.....	17.2	17.2	.....	.....	17.2	.....	17.2	.....
.....	15.6	.....	62.4	15.6	62.4	15.6	46.8	15.6	.....	78.0	.....	31.2	.....	46.8	.....
.....	.....	14.3	42.8	28.5	28.5	28.5	42.8	28.5	28.5	128.4	28.5	42.8	.....	28.5	.....
.....	10.7	42.8	106.9	160.4	203.1	42.8	.....	128.3	64.2	96.2	32.1	181.8	.....	192.5	.....
10.3	10.3	41.1	61.6	123.2	174.6	41.1	41.1	82.2	51.3	41.1	10.3	246.5	.....	133.5	.....
.....	.....	39.5	39.5	108.7	88.9	69.1	29.6	98.8	88.9	39.5	39.5	88.9	.....	167.9	.....
.....	.....	19.0	85.7	152.3	123.7	85.7	38.1	85.7	123.7	47.6	9.5	133.2	.....	85.7	.....
.....	.....	.....	.....	.....	271.3	49.3	.....	.....	49.3	24.7	.....	246.6	.....	74.0	.....
.....	.....	26.3	26.3	52.6	78.9	78.9	105.2	26.3	26.3	52.6	52.6	263.1	26.3	184.2	.....
.....	.....	.....	56.4	112.8	141.0	141.0	84.6	56.4	56.4	84.6	.....	225.5	.....	84.6	.....
.....	.....	.....	91.1	91.1	212.6	121.5	212.6	91.1	151.8	182.2	60.7	455.5	30.4	151.8	.....
.....	9.6	43.1	62.3	81.5	115.0	52.7	115.0	71.9	28.8	52.7	9.6	100.7	14.4	95.9	.....
.....	22.4	26.9	62.8	58.3	143.6	107.7	103.2	125.6	26.9	53.8	17.9	116.6	22.4	112.2	9.0
8.4	12.6	25.3	118.0	97.0	122.3	50.6	113.8	97.0	54.8	101.2	12.6	143.3	16.9	147.6	4.2
.....	15.9	27.8	87.5	119.3	99.4	59.6	59.6	43.7	51.7	71.6	8.0	119.3	23.9	135.2	.....
.....	3.4	17.2	51.5	85.9	158.0	85.9	254.2	68.7	51.5	65.3	13.7	340.1	30.9	137.4	.....
.....	9.9	13.2	56.1	108.9	148.5	85.8	283.8	42.9	72.6	36.3	9.9	409.1	26.4	165.0	3.3
.....	3.2	25.4	57.1	66.7	200.0	98.4	139.7	50.8	69.8	88.9	15.9	288.9	9.5	136.5	.....
3.1	3.1	18.4	52.0	79.5	253.9	97.9	238.6	73.4	97.9	61.2	18.4	357.8	12.2	128.5	.....
.....	.....	.....	.....	25.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	22.2	.....	44.4	22.2	44.4	22.2	.....	.....	66.6	.....	22.2	.....
.....	.....	.....	.....	59.9	99.8	.....	79.8	99.8	20.0	59.9	.....	59.9	.....	79.8	.....
.....	.....	.....	54.4	90.6	72.5	18.1	54.4	18.1	18.1	.....	36.3	54.4	.....	.....	.....
.....	.....	14.0	42.0	28.0	.....	28.0	42.0	28.0	.....	28.0	.....	112.0	.....	56.0	14.0
.....	12.9	51.4	64.3	64.3	25.7	.....	25.7	38.6	25.7	12.9	.....	51.4	.....	64.3	12.9
.....	.....	83.2	71.3	23.8	107.0	11.9	47.5	71.3	.....	59.4	.....	71.3	.....	71.3	.....
.....	.....	22.1	22.1	55.3	55.3	44.2	99.5	55.3	55.3	55.3	.....	55.3	.....	77.4	11.1
.....	.....	5.8	92.9	75.4	110.3	23.2	23.2	46.4	58.0	40.6	11.6	98.7	5.8	121.9	5.8
5.4	5.4	27.0	59.3	53.9	48.5	10.8	43.1	48.5	32.4	21.6	16.2	80.9	27.0	97.1	5.4
.....	10.1	20.2	65.5	85.6	80.6	40.3	70.5	65.5	40.3	50.4	20.2	115.9	5.0	80.6	5.0
.....	4.7	14.2	94.5	99.2	99.2	37.8	56.7	70.9	94.5	47.3	14.2	127.6	9.5	99.2	.....
.....	.....	.....	65.6	.....	524.6	131.1	131.1	.....	.....	196.7	.....	262.3	.....	393.4	.....
.....	.....	.....	139.7	.....	279.3	209.5	139.7	.....	.....	.....	.....	279.3	69.8	209.5	.....
.....	.....	.....	146.7	.....	73.4	.....	.....	220.1	.....	.....	.....	146.7	.....	.....	.....
.....	.....	.....	.....	.....	77.3	.....	77.3	.....	.....	.....	.....	154.6	.....	.....	.....
.....	.....	.....	46.8	.....	70.2	46.8	.....	23.4	46.8	.....	.....	23.4	23.4	140.5	.....
.....	22.4	.....	44.7	.....	67.1	.....	67.1	22.4	22.4	44.7	.....	67.1	.....	44.7	.....
.....	.....	.....	21.4	42.8	42.8	.....	.....	64.2	21.4	21.4	.....	85.6	21.4	42.8	.....
.....	20.5	.....	.....	20.5	61.6	20.5	41.1	82.1	.....	20.5	20.5	61.6	.....	123.2	.....
.....	.....	.....	99.0	148.5	198.0	86.6	37.1	123.7	12.4	24.7	24.7	173.2	12.4	222.7	.....
.....	.....	11.5	57.7	69.3	69.3	34.6	46.2	46.2	34.6	23.1	.....	80.8	23.1	138.5	.....
.....	10.8	10.8	54.1	129.8	54.1	32.4	10.8	119.0	43.3	10.8	.....	86.5	.....	75.7	10.8
.....	.....	10.2	91.6	81.4	81.4	40.7	81.4	40.7	20.3	10.2	10.2	81.4	.....	81.4	.....
.....	.....	14.0	69.9	41.9	55.9	.....	41.9	83.9	55.9	14.0	.....	55.9	.....	55.9	.....
.....	.....	12.8	51.3	64.2	102.6	51.3	128.3	51.3	38.5	12.8	.....	102.6	.....	38.5	.....
.....	.....	23.7	59.3	59.3	142.3	11.9	4.9	47.4	47.4	59.3	.....	47.4	11.9	71.1	.....
.....	.....	.....	88.2	88.2	33.1	22.0	77.2	11.0	22.0	44.1	11.0	44.1	11.0	110.2	.....
.....	5.9	47.4	83.0	65.2	100.8	35.6	154.1	130.4	53.4	88.9	11.9	154.1	17.8	124.5	17.8
.....	11.3	33.8	129.6	78.9	135.2	56.3	214.1	78.9	50.7	78.9	28.2	202.8	33.8	107.1	5.6
.....	5.4	53.7	53.7	102.0	102.0	64.4	128.9	75.2	80.5	96.6	26.8	139.6	37.6	80.5	.....
.....	5.1	10.3	46.1	107.7	82.0	41.0	128.2	56.4	87.2	117.9	5.1	117.9	.....	112.8	.....
.....	.....	.....	75.3	100.4	627.7	125.5	50.2	50.2	.....	.....	.....	251.1	.....	175.7	25.1
.....	.....	.....	103.6	129.5	207.3	77.7	25.9	103.6	.....	51.8	25.9	181.3	51.8	103.6	.....
26.8	26.8	80.3	53.5	107.0	107.0	53.5	26.8	214.1	26.8	80.3	53.5	321.1	.....	187.3	.....
.....	.....	.....	55.4	193.7	415.2	138.4	.....	138.4	27.7	55.4	55.4	359.8	.....	110.7	.....

[2] Exclusive of cities having a population of 8,000 or over in 1900.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
COLORADO RURAL[2]—Continued.														
Park County †	1906	744.0	37.2									37.2		
	1907	1,023.9				37.9				37.9				
	1908	541.4								77.3		38.7		
	1909	907.7	39.5							118.4				
Phillips County	1906	740.7										78.0		
	1907	733.4								36.7		73.3		36.7
	1908	1,038.8	34.6							34.6		34.6	34.6	34.6
	1909	721.3										131.1		
Pitkin County	1906	1,233.9						18.1				36.3	18.1	36.3
	1907	1,539.3	19.0				209.0		19.0	57.0	57.0	38.0		95.0
	1908	937.6	19.9			19.9	19.9				39.9	19.9		79.8
	1909	1,049.5				21.0		21.0	42.0			84.0	21.0	21.0
Prowers County	1906	1,422.7	205.2				13.7				27.4	177.8		13.7
	1907	1,507.7	291.4			25.3				12.7	63.3	63.3		25.3
	1908	1,498.5	82.6				11.8	23.6	35.4		[4]	200.6	23.6	59.0
	1909	1,148.2	88.3			22.1		22.1		33.1		187.7		22.1
Pueblo County *	1906	1,135.1	28.4						14.2			156.1		14.2
	1907	2,922.5	234.4			27.6				55.1	41.4	317.1	13.8	55.1
	1908	2,909.2	80.4			13.4		13.4	26.8	13.4	13.4	402.2		93.8
	1909	3,757.3	39.1				39.1		13.0	39.1	39.1	260.9		117.4
Rio Blanco County †	1906	719.1										143.8		
	1907	511.4	40.5									40.5		
	1908	722.3				45.1		45.1		90.3				
	1909	833.3										87.7		131.6
Rio Grande County	1906	962.9	17.8				17.8		35.7		17.8	124.8		
	1907	1,723.6	34.1			17.1		85.3			17.1	187.7		17.1
	1908	1,243.7	32.7			16.4	32.7	16.4			16.4	130.9		49.1
	1909	1,430.1	15.7				47.1		15.7			141.4		62.9
Routt County †	1906	659.6				16.5	82.5			33.0		33.0		33.0
	1907	387.1	15.5				15.5							
	1908	525.3	29.2			29.2			14.6	14.6				14.6
	1909	731.2	13.8									27.6		
Saguache County †	1906	643.1										74.2		49.5
	1907	1,031.2	24.6					49.1		24.6		24.6		24.6
	1908	1,169.9				48.7	48.7	24.4	24.4	24.4		48.7		48.7
	1909	822.4					48.4					24.2		
San Juan County	1906	4,053.1							35.9	35.9		179.3		35.9
	1907	1,923.1								35.0		69.9	35.0	
	1908	2,148.7					68.2					136.4		34.1
	1909	1,730.4					33.3		33.3	33.3		99.8		
San Miguel County	1906	1,733.2	20.2									60.5	20.2	20.2
	1907	1,737.2					61.3		20.4	40.9		102.2		20.4
	1908	1,844.9	20.7				103.6		82.9			82.9		41.5
	1909	1,766.6	21.0				42.1	168.2	21.0	21.0		84.1	21.0	42.1
Sedgwick County †	1906	354.3								44.3		44.3		
	1907	648.0					40.5				40.5	121.5		
	1908	746.0							37.3		37.3	37.3		
	1909	967.9						34.6						34.6
Summit County	1906	1,617.1	87.4											
	1907	768.2								45.2				
	1908	888.7								46.8				
	1909	1,211.8							96.9			48.5		
Teller County	1906	1,191.3	45.0				5.0	10.0	10.0	10.0		45.0	10.0	35.0
	1907	1,178.8	21.6				43.3	5.4	16.2	27.0		21.6		32.4
	1908	1,487.4	29.4			17.6	129.3	64.7	11.8	17.6	11.8	52.9	5.9	29.4
	1909	1,320.4	25.8					45.1	6.4	12.9	6.4	38.6	6.4	32.2
Washington County †	1906	335.3									22.4	44.7		44.7
	1907	451.2	20.5				20.5					82.0		20.5
	1908	322.0					18.9					56.8	18.9	
	1909	545.6	52.8					105.6		35.2			17.6	17.6
Weld County	1906	1,036.4	40.0			3.3	9.8	29.4	16.3	16.3	16.3	114.4	16.3	36.0
	1907	1,111.1	39.6			21.3	30.4	3.0	12.2	21.3	21.3	115.7	9.1	36.5
	1908	1,010.9	31.3			28.5	19.9	8.5	17.1	11.4	19.9	116.8	17.1	42.7
	1909	968.4	45.5			2.7	10.7	10.7	13.4	8.0	10.7	117.7	10.7	50.8
Yuma County †	1906	186.0										46.5		31.0
	1907	314.7							71.5			14.3		28.6
	1908	557.7	39.8				26.6		39.8			66.4		26.6
	1909	656.7	24.8					173.5				37.2		
CONNECTICUT RURAL.[2]														
Fairfield County	1900	1,738.7	28.1	7.0		21.0	2.3	4.7	28.1	105.2	[3]	137.9	14.0	70.1
	1901	1,531.7	13.8	11.5		2.3	6.9	4.6	22.9	73.4	[3]	116.9	16.1	66.5
	1902	1,523.6	9.0	4.5			9.0	4.5	40.6	20.3	[3]	139.7	18.0	58.6
	1903	1,562.3	4.4	4.4	2.2	13.3	15.5	8.9	15.5	33.2	[3]	139.6	11.1	104.2
	1904	1,630.2	17.4			10.9	8.7	4.4	30.5	41.4	[3]	106.8	8.7	80.6
	1905	1,550.2	17.2	19.3			4.3	2.1	32.2	32.2	21.4	111.5	17.2	68.6
	1906	1,540.2	12.7	2.1				2.1	16.9	23.2	23.2	118.2	16.9	69.6
	1907	1,646.9	12.5	2.1			2.1	6.2	18.7	70.6	16.6	128.8	20.8	66.5
	1908	1,519.3	6.1	4.1			4.1	12.3	12.3	26.6	8.2	118.6	14.3	90.0
	1909	1,480.1	12.1	4.0		4.0	8.1	4.0	14.1	12.1	10.1	116.8	16.1	80.5

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	.....	.....	74.4	111.6	.....	148.8	74.4	74.4	.....	37.2	74.4	.....	74.4	.....
.....	37.9	.....	37.9	151.7	189.6	75.8	37.9	75.8	37.9	.....	75.8	151.7	37.9	37.9	.....
.....	.....	.....	77.3	77.3	38.7	.....	.....	116.0	.....	.....	.....	116.0	.....	.....	.....
.....	.....	.....	39.5	118.4	157.9	.....	.....	39.5	39.5	39.5	.....	197.4	.....	118.4	.....
.....	.....	39.0	78.0	.....	194.9	39.0	39.0	117.0	.....	39.0	.....	39.0	.....	78.0	.....
.....	.....	73.3	73.3	36.7	.....	36.7	73.3	36.7	36.7	.....	.....	73.3	.....	146.7	.....
.....	34.6	.....	34.6	138.5	207.8	.....	69.3	34.6	34.6	103.9	34.6	138.5	.....	34.6	.....
.....	.....	.....	.....	65.6	.....	98.4	131.1	65.6	.....	32.8	.....	.....	.....	196.7	.....
.....	.....	18.1	90.7	18.1	163.3	108.9	217.7	90.7	18.1	72.6	18.1	145.2	72.6	72.6	18.1
.....	19.0	.....	76.0	114.0	76.0	114.0	95.0	38.0	114.0	76.0	19.0	114.0	.....	152.0	38.0
.....	19.9	39.9	79.8	139.6	19.9	39.9	99.7	39.9	79.8	39.9	.....	79.8	.....	59.8	.....
.....	.....	.....	63.0	125.9	105.0	84.0	.....	42.0	46.9	21.0	.....	146.9	.....	105.0	.....
.....	.....	.....	123.1	41.0	95.8	54.7	205.2	95.8	54.7	41.0	.....	150.5	13.7	82.1	27.4
.....	.....	12.7	38.0	76.0	88.7	63.3	215.4	76.0	25.3	88.7	12.7	177.4	38.0	114.0	.....
.....	11.8	.....	118.0	70.8	129.8	94.4	188.8	70.8	11.8	106.2	.....	129.8	11.8	118.0	.....
.....	11.0	.....	44.2	66.2	110.4	44.2	154.6	55.2	55.2	44.2	11.0	66.2	22.1	88.3	.....
.....	.....	14.2	241.2	56.8	141.9	28.4	113.5	70.9	14.2	14.2	.....	85.1	14.2	127.7	.....
.....	.....	13.8	523.8	124.1	206.8	68.9	124.1	110.3	179.2	41.4	13.8	441.1	13.8	317.1	.....
.....	40.2	.....	442.4	174.3	254.7	147.5	93.8	147.5	134.1	80.4	13.4	429.0	.....	294.9	.....
.....	13.0	52.2	991.5	247.9	221.8	78.3	208.7	169.6	195.7	143.5	52.2	534.9	13.0	274.0	13.0
.....	.....	47.9	.....	191.8	47.9	47.9	47.9	.....	47.9	.....	.....	47.9	.....	95.9	.....
.....	.....	.....	.....	232.5	46.5	.....	.....	.....	.....	.....	.....	93.0	.....	46.5	.....
.....	.....	.....	90.3	45.1	45.1	45.1	.....	.....	45.1	.....	45.1	45.1	.....	180.6	.....
.....	.....	.....	43.9	43.9	131.6	43.9	.....	43.9	43.9	43.9	43.9	87.7	.....	87.7	.....
.....	.....	17.8	107.0	214.0	35.7	35.7	17.8	71.3	89.2	.....	17.8	71.3	.....	71.3	.....
.....	51.2	.....	136.5	187.7	170.6	119.5	85.3	170.6	119.5	17.1	34.1	102.4	.....	153.6	17.1
.....	.....	16.4	81.8	180.0	81.8	163.6	49.1	81.8	130.9	16.4	.....	81.8	.....	65.5	.....
.....	15.7	.....	78.6	172.9	220.0	62.9	47.1	157.2	78.6	31.4	.....	62.9	15.7	204.3	.....
.....	.....	16.5	.....	49.5	.....	.....	.....	49.5	49.5	33.0	16.5	131.9	.....	82.5	33.0
.....	.....	.....	77.4	31.0	46.4	.....	.....	77.4	15.5	31.0	.....	77.4	.....	.....	.....
.....	.....	14.6	43.8	29.2	.....	.....	43.8	58.4	14.6	58.4	.....	87.6	.....	73.0	.....
.....	.....	.....	82.8	110.4	27.6	41.4	55.2	55.2	27.6	41.4	13.8	110.4	.....	110.4	13.8
.....	.....	24.7	74.2	74.2	74.2	24.7	24.7	24.7	49.5	24.7	.....	24.7	.....	98.9	.....
.....	.....	24.6	49.1	49.1	98.2	49.1	147.3	122.8	49.1	73.7	.....	122.8	.....	98.2	.....
.....	.....	.....	24.4	195.0	121.9	.....	146.2	97.5	73.1	48.7	24.4	73.1	24.4	73.1	.....
.....	24.2	.....	48.4	72.6	193.5	24.2	145.1	48.4	24.2	24.2	.....	24.2	.....	120.9	.....
.....	.....	179.3	71.7	215.2	1,147.8	35.9	71.7	71.7	35.9	107.6	143.5	1,255.4	.....	394.5	35.9
.....	.....	35.0	174.8	104.9	454.5	69.9	69.9	104.9	.....	104.9	104.9	454.5	.....	104.9	.....
.....	.....	.....	136.4	102.3	545.7	68.2	68.2	68.2	.....	.....	34.1	648.0	.....	204.6	34.1
.....	.....	33.3	66.6	66.6	266.2	66.6	99.8	166.4	199.7	33.3	.....	465.9	.....	66.6	.....
.....	.....	.....	20.2	161.2	443.4	141.1	60.5	141.1	60.5	.....	60.5	463.5	20.2	40.3	.....
.....	.....	.....	.....	122.6	470.1	20.4	40.9	20.4	20.4	163.5	20.4	470.1	20.4	102.2	20.4
.....	.....	41.5	62.2	186.6	331.7	41.5	41.5	103.6	.....	41.5	103.6	373.1	.....	186.6	.....
.....	.....	42.1	63.1	105.2	105.2	21.0	63.1	105.2	84.1	105.2	21.0	462.7	.....	147.2	21.0
.....	.....	.....	44.3	44.3	44.3	.....	.....	88.6	44.3	.....	.....	.....	.....	.....	.....
.....	40.5	.....	.....	40.5	40.5	.....	.....	121.5	.....	40.5	.....	121.5	.....	40.5	.....
.....	.....	.....	74.6	74.6	111.9	37.3	.....	37.3	.....	37.3	74.6	.....	37.3	111.9	37.3
.....	.....	34.6	34.6	172.8	34.6	69.1	69.1	69.1	.....	172.8	.....	34.6	.....	207.4	.....
.....	43.7	.....	.....	437.1	262.2	131.1	43.7	43.7	131.1	.....	.....	262.2	.....	174.8	.....
.....	.....	.....	180.8	135.6	90.4	.....	45.2	45.2	45.2	.....	.....	180.8	.....	.....	.....
.....	.....	.....	187.1	140.3	93.5	46.8	.....	.....	.....	46.8	46.8	140.3	.....	140.3	.....
.....	.....	.....	193.9	242.4	48.5	48.5	.....	96.9	145.4	48.5	.....	145.4	.....	96.9	.....
.....	5.0	15.0	60.1	90.1	185.2	45.0	25.0	60.1	55.1	90.1	25.0	250.3	.....	115.1	.....
.....	.....	32.4	70.3	97.3	194.7	70.3	32.4	59.5	70.3	37.9	16.2	227.1	5.4	97.3	.....
.....	5.9	17.6	99.9	64.7	141.1	64.7	105.8	82.3	35.3	76.4	47.0	229.3	.....	147.0	.....
.....	6.4	6.4	32.2	135.3	199.7	58.0	109.5	96.6	128.8	38.6	25.8	212.5	6.4	90.2	.....
.....	.....	.....	.....	.....	22.4	.....	.....	44.7	.....	.....	.....	111.8	.....	44.7	.....
.....	.....	.....	61.5	.....	20.5	.....	82.0	.....	41.0	.....	.....	41.0	.....	61.5	.....
.....	.....	18.9	37.9	56.8	.....	37.9	18.9	.....	.....	18.9	.....	.....	.....	37.9	.....
.....	.....	.....	35.2	17.6	17.6	35.2	52.8	17.6	17.6	35.2	17.6	52.8	.....	17.2	.....
.....	3.3	26.2	45.8	85.0	78.5	36.0	127.5	55.6	32.7	58.8	3.3	78.5	6.5	91.5	.....
.....	12.2	27.4	60.9	60.9	67.0	39.6	115.7	79.1	48.7	57.8	18.3	109.6	3.0	100.5	.....
.....	.....	2.8	57.0	88.3	68.3	22.8	119.6	62.6	34.2	51.3	14.2	94.0	11.4	71.2	.....
.....	5.4	8.0	40.1	69.6	88.3	40.1	109.7	58.9	34.8	42.8	8.0	96.3	10.7	74.9	.....
.....	.....	.....	.....	15.5	15.5	.....	31.0	15.5	15.5	.....	.....	15.5	.....	.....	.....
.....	.....	.....	42.9	14.3	.....	28.6	28.6	.....	.....	.....	.....	42.9	.....	42.9	.....
.....	.....	13.3	53.1	53.1	13.3	.....	26.6	26.6	53.1	13.3	26.6	13.3	.....	66.4	.....
.....	.....	12.4	49.6	49.6	74.3	12.4	.....	37.2	49.6	12.4	12.4	12.4	.....	99.1	.....
2.3	11.7	30.4	203.3	259.4	102.8	81.7	98.2	116.9	81.7	65.5	14.0	56.1	18.7	172.9	4.7
6.9	9.2	18.3	188.0	181.1	98.6	94.0	64.2	84.8	112.4	55.0	11.5	84.8	18.3	162.8	6.9
4.5	15.8	15.8	238.9	207.4	87.9	74.4	76.6	87.9	99.2	74.4	15.8	83.4	2.3	135.2	.....
.....	15.5	15.5	214.9	232.7	93.1	86.4	64.3	86.4	90.9	66.5	8.9	117.4	13.3	104.2	.....
.....	30.5	26.2	187.4	246.3	100.3	65.4	87.2	80.6	148.2	69.7	17.4	109.0	13.1	137.3	2.2
.....	27.9	21.4	190.8	289.5	81.5	72.9	70.8	68.6	117.9	51.5	17.2	100.8	30.0	83.6	.....
.....	19.0	19.0	225.8	251.1	86.5	69.6	65.4	63.3	116.0	61.2	4.2	111.8	2.1	156.1	4.2
.....	31.2	24.9	193.1	317.8	103.8	54.0	95.5	66.5	112.1	45.7	14.5	97.6	16.6	126.7	2.1
.....	36.8	20.4	196.3	255.6	98.1	63.4	90.0	63.4	98.1	49.1	18.4	108.4	12.3	110.4	2.0
.....	14.1	16.1	213.5	253.7	84.6	54.4	94.6	64.4	124.8	54.4	20.1	68.5	8.1	124.8	2.0

[8] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tuberculosis.	Cancer.
CONNECTICUT RURAL[2]—Continued.														
Hartford County	1900	1,683.4	34.2	7.4	.....	23.8	8.9	6.0	53.6	87.8	(3)	135.4	10.4	74.4
	1901	1,533.2	14.6	5.8	.....	20.4	4.4	5.8	42.3	71.4	(3)	126.8	7.3	67.0
	1902	1,309.8	21.4	12.9	1.4	1.4	17.2	5.7	18.6	8.6	(3)	105.8	7.1	58.6
	1903	1,389.4	7.0	2.8	.....	22.5	12.6	44.9	22.5	30.9	(3)	94.0	22.5	57.5
	1904	1,475.7	8.3	4.1	.....	1.4	6.9	5.5	15.2	48.2	(3)	124.0	23.4	73.0
	1905	1,456.2	10.8	2.7	.....	8.1	.....	1.4	13.5	31.1	17.6	97.4	17.6	73.1
	1906	1,433.3	9.3	8.0	.....	8.0	8.0	14.6	22.6	16.0	18.6	81.1	19.9	87.8
	1907	1,464.8	22.2	3.9	.....	6.5	2.6	17.0	23.5	56.2	18.3	107.1	17.0	66.6
	1908	1,267.9	14.1	.....	.....	9.0	9.0	3.9	16.7	43.7	18.0	91.2	12.8	71.9
	1909	1,221.5	6.3	2.5	.....	2.5	5.1	16.4	21.5	12.6	6.3	85.9	8.8	58.1
Litchfield County	1900	1,913.4	27.3	9.8	.....	35.1	9.8	27.3	35.1	68.3	(3)	150.3	29.3	107.4
	1901	1,603.2	15.5	5.8	.....	1.9	1.9	9.7	11.7	89.4	(3)	138.0	29.1	79.7
	1902	1,453.0	11.6	5.8	.....	.....	17.4	9.7	25.2	7.7	(3)	120.0	23.2	73.5
	1903	1,433.3	9.6	.....	.....	1.9	13.5	11.6	15.4	42.4	(3)	104.0	11.6	80.9
	1904	1,492.4	13.4	.....	.....	21.1	.....	3.8	11.5	49.9	(3)	136.2	19.2	61.4
	1905	1,583.5	22.9	3.8	.....	3.8	5.7	5.7	21.0	42.0	5.7	120.3	26.7	95.5
	1906	1,576.7	19.0	3.8	.....	15.2	5.7	22.8	39.9	36.1	9.5	100.8	19.0	91.3
	1907	1,640.2	5.7	1.9	.....	.....	3.8	7.6	49.2	60.6	17.0	128.8	9.5	70.1
	1908	1,429.6	22.6	1.9	.....	5.7	5.7	11.3	7.5	30.2	11.3	135.8	30.2	73.6
	1909	1,573.9	30.1	.....	.....	15.0	3.8	1.9	16.9	33.8	5.6	105.2	15.0	114.6
Middlesex County	1900	1,701.4	28.8	20.6	.....	28.8	8.2	16.5	61.8	127.7	(3)	94.8	20.6	57.7
	1901	1,569.4	8.2	.....	8.2	4.1	4.1	4.1	4.1	156.1	(3)	143.8	12.3	78.1
	1902	1,450.6	20.5	28.7	.....	.....	.....	8.2	8.2	12.3	(3)	94.3	20.5	90.2
	1903	1,479.7	8.2	4.1	.....	32.7	20.4	20.4	16.3	61.3	(3)	106.3	24.5	57.2
	1904	1,524.9	16.3	.....	.....	8.2	8.2	8.2	16.3	53.0	(3)	101.9	8.2	85.6
	1905	1,451.8	8.1	16.3	.....	4.1	4.1	4.1	20.3	16.3	4.1	138.3	24.4	69.1
	1906	1,375.1	16.2	4.1	.....	.....	.....	4.1	8.1	20.3	4.1	150.1	12.2	85.2
	1907	1,687.2	20.2	16.2	.....	4.0	4.0	8.1	.....	97.1	24.3	89.0	8.1	101.2
	1908	1,315.7	.....	8.1	.....	.....	.....	.....	20.2	16.1	20.2	76.7	16.1	92.8
	1909	1,421.2	4.0	4.0	.....	8.1	4.0	8.1	20.1	24.2	8.1	88.6	16.1	92.6
New Haven County	1900	1,752.3	26.5	38.7	.....	18.3	10.2	4.1	8.2	85.6	(3)	167.1	12.2	55.0
	1901	1,465.6	21.9	11.9	.....	.....	11.9	6.0	23.9	59.7	(3)	147.4	23.9	59.7
	1902	1,371.2	21.5	7.8	.....	21.5	15.6	29.3	13.7	23.4	(3)	101.4	17.6	80.0
	1903	1,383.8	7.6	13.4	.....	3.8	3.8	17.2	11.5	36.3	(3)	110.9	26.8	72.6
	1904	1,504.6	16.9	15.0	.....	16.9	15.0	5.6	15.0	39.3	(3)	99.3	16.9	56.2
	1905	1,460.9	16.5	20.2	.....	.....	1.8	3.7	3.7	27.6	22.1	115.8	12.9	69.8
	1906	1,453.1	30.6	9.0	.....	16.2	7.2	23.4	30.6	16.2	12.6	99.2	21.6	64.9
	1907	1,512.8	23.0	8.8	.....	7.1	5.3	1.8	31.8	31.8	15.9	120.3	23.0	70.8
	1908	1,344.5	13.9	5.2	.....	1.7	1.7	.....	8.7	46.9	10.4	111.2	8.7	59.1
	1909	1,291.5	17.1	5.1	.....	13.6	13.6	8.5	15.4	10.2	8.5	87.0	17.1	69.9
New London County*	1900	1,923.0	21.9	9.4	.....	31.2	9.4	3.1	37.5	90.5	(3)	140.5	25.0	93.6
	1901	1,524.4	6.2	12.3	.....	12.3	6.2	3.1	46.2	113.9	(3)	83.1	12.3	61.6
	1902	1,432.6	12.2	.....	.....	6.1	9.1	9.1	18.2	15.2	(3)	130.8	9.1	73.0
	1903	1,581.9	12.7	6.4	.....	6.4	6.4	15.9	9.5	54.0	(3)	152.5	25.4	98.5
	1904	1,577.5	9.4	3.1	.....	12.5	.....	3.1	15.7	59.6	(3)	97.2	22.0	94.1
	1905	1,576.3	21.7	6.2	.....	.....	3.1	12.4	6.2	24.8	15.5	111.5	24.8	74.3
	1906	1,559.9	6.1	6.1	.....	27.5	6.1	.....	30.6	27.5	21.4	137.6	15.3	97.9
	1907	1,667.8	9.1	3.0	.....	.....	3.0	15.1	21.1	54.4	9.1	129.9	18.1	84.6
	1908	1,698.5	11.9	.....	.....	11.9	11.9	.....	9.0	41.8	3.0	140.3	20.9	77.6
	1909	1,696.1	.....	.....	.....	2.9	.....	5.9	17.7	32.4	14.7	123.9	23.6	70.8
Tolland County	1900	1,976.3	18.7	.....	.....	24.9	.....	24.9	18.7	106.0	(3)	174.6	6.2	81.1
	1901	1,674.3	30.9	.....	.....	6.2	.....	.....	55.6	105.0	(3)	135.9	12.4	86.5
	1902	1,488.9	42.9	.....	6.1	.....	6.1	.....	55.1	24.5	(3)	122.5	12.3	67.4
	1903	1,902.0	12.2	.....	.....	36.5	12.2	24.3	6.1	97.2	(3)	127.6	12.2	66.8
	1904	1,691.2	24.1	.....	.....	6.0	.....	6.0	36.2	96.4	(3)	114.5	6.0	60.3
	1905	1,506.6	29.9	.....	.....	12.0	12.0	6.0	12.0	53.8	17.9	95.7	17.9	65.8
	1906	1,464.8	.....	.....	.....	5.9	.....	5.9	.....	35.6	17.8	77.1	5.9	118.6
	1907	1,453.2	5.9	.....	.....	.....	5.9	17.7	11.8	105.9	11.8	94.1	.....	82.4
	1908	1,523.5	29.2	5.8	.....	11.7	5.8	5.8	17.5	64.2	17.5	81.7	11.7	87.6
	1909	1,569.6	5.8	.....	.....	17.4	5.8	23.2	23.2	69.5	5.8	52.1	.....	75.3
Windham County	1900	1,914.3	40.9	8.2	.....	24.5	.....	19.1	5.4	117.1	(3)	168.8	19.1	79.0
	1901	1,543.0	8.2	8.2	.....	30.0	.....	5.5	32.8	76.5	(3)	117.4	21.8	84.7
	1902	1,571.7	8.2	.....	2.7	8.2	8.2	13.7	16.4	16.4	(3)	147.9	5.5	90.4
	1903	1,570.4	13.7	5.5	.....	11.0	.....	13.7	16.5	38.4	(3)	148.3	27.5	65.9
	1904	1,591.1	24.8	5.5	.....	2.8	8.3	5.5	11.0	55.1	(3)	129.4	2.8	46.8
	1905	1,670.0	16.6	5.5	.....	24.8	5.5	11.0	11.0	38.6	22.1	140.8	16.6	96.6
	1906	1,644.2	16.5	.....	.....	24.8	.....	19.3	27.5	24.8	19.3	129.4	22.0	90.9
	1907	1,570.8	8.3	.....	.....	.....	11.1	16.7	30.5	61.1	25.0	80.5	11.1	102.7
	1908	1,494.4	19.5	.....	.....	2.8	.....	8.3	16.7	58.4	16.7	122.4	13.9	75.1
	1909	1,576.6	25.1	2.8	.....	2.8	5.6	25.1	25.1	33.5	8.4	147.9	16.7	69.8
INDIANA RURAL.[2]														
Adams County	1900	1,304.4	63.0	4.5	.....	.....	9.0	18.0	13.5	13.5	(3)	170.9	9.0	36.0
	1901	1,338.4	67.6	4.5	.....	.....	4.5	13.5	13.5	27.0	(3)	139.7	27.0	67.6
	1902	1,079.0	58.7	22.6	.....	4.5	.....	4.5	4.5	4.5	(3)	126.4	27.1	31.6
	1903	1,035.6	36.2	4.5	4.5	9.0	.....	18.1	4.5	9.0	(3)	126.6	22.6	63.3
	1904	1,042.0	22.7	.....	.....	13.6	18.1	4.5	4.5	13.6	(3)	149.5	22.7	22.7
	1905	1,025.8	36.3	.....	.....	.....	9.1	.....	22.7	36.3	4.5	99.9	22.7	54.5
	1906	1,104.9	36.4	4.5	.....	.....	4.5	13.6	31.8	.....	9.1	150.1	36.4	50.0
	1907	961.2	45.6	.....	.....	.....	.....	.....	4.6	4.6	9.1	113.9	4.6	77.4
	1908	885.4	22.8	.....	.....	.....	9.1	9.1	9.1	13.7	4.6	132.3	36.5	73.0
	1909	1,121.8	41.2	4.6	.....	.....	9.2	4.6	.....	22.9	22.9	91.6	13.7	87.0

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
7.4	26.8	26.8	162.2	190.5	105.7	92.3	129.5	70.0	83.4	68.5	14.9	87.8	17.9	151.8	6.0
2.9	14.6	27.7	185.1	190.9	118.1	102.0	62.7	77.2	88.9	53.9	5.8	83.1	16.0	132.6	5.8
.....	17.2	14.3	143.0	151.6	98.7	60.1	87.2	65.8	91.5	87.2	15.7	77.2	27.2	108.7	5.7
1.4	7.0	25.3	154.4	171.2	91.2	84.2	98.2	63.2	70.2	46.3	14.0	77.2	25.3	141.7	1.4
4.1	24.8	56.5	161.2	198.4	111.6	60.6	90.9	81.3	73.0	52.4	16.5	90.9	20.7	117.1	5.5
.....	5.4	32.5	159.7	180.0	100.1	78.5	127.2	83.9	65.0	56.8	13.5	125.9	18.9	128.6	6.8
4.0	16.0	26.6	147.6	208.7	105.0	74.5	93.1	59.8	70.5	77.1	6.6	90.4	23.9	130.3	5.3
1.3	24.8	22.2	151.6	197.3	104.5	54.9	120.2	54.9	52.3	70.6	24.8	92.8	22.2	125.4	3.9
.....	27.0	20.6	160.6	167.0	57.8	59.1	88.6	71.9	60.4	62.9	14.1	70.7	16.7	89.9	10.3
.....	13.9	15.2	128.8	192.0	75.8	46.7	82.1	41.7	63.2	69.5	13.9	104.8	21.5	126.3	.....
2.0	9.8	52.7	177.7	218.7	123.0	85.9	150.3	121.1	99.6	70.3	11.7	105.4	17.6	164.0	3.9
3.9	11.7	21.4	184.6	180.7	122.4	101.0	58.3	95.2	91.3	64.1	9.7	93.3	13.6	153.5	15.5
1.9	25.2	36.8	195.4	174.1	114.2	48.4	77.4	85.1	104.5	56.1	19.3	56.1	25.2	135.4	3.9
7.7	15.4	28.9	183.0	177.2	98.3	80.9	50.1	84.8	96.3	57.8	13.5	84.8	11.6	148.3	3.9
.....	11.5	32.6	220.6	143.9	101.7	57.5	69.1	90.2	118.9	67.1	15.3	78.6	7.7	140.0	21.1
.....	15.3	22.9	212.0	191.0	84.0	55.4	93.6	91.7	110.8	59.2	21.0	122.2	17.2	128.0	5.7
.....	22.8	17.1	218.7	182.6	87.5	76.1	123.6	98.9	83.7	62.8	11.4	74.2	11.4	131.2	11.4
.....	20.8	30.3	236.7	208.3	140.2	70.1	75.8	79.5	130.7	51.1	15.2	81.4	15.2	128.8	1.9
1.9	24.5	17.0	175.4	173.5	67.9	67.9	66.0	79.2	98.1	71.7	22.6	86.8	5.7	130.1	5.7
.....	5.6	26.3	219.7	223.5	103.3	71.4	90.2	82.6	116.4	43.2	22.5	84.5	22.5	116.4	3.8
.....	8.2	28.8	152.4	197.8	111.3	70.0	148.3	119.5	82.4	49.4	8.2	53.6	33.0	164.8	8.2
.....	20.5	16.4	213.6	176.7	102.7	41.1	65.7	98.6	65.7	41.1	4.1	110.9	4.1	164.3	20.5
.....	8.2	12.3	163.9	221.3	69.7	41.0	61.5	127.0	118.8	53.3	8.2	61.5	20.5	200.8	.....
.....	8.2	20.4	212.5	192.1	110.4	89.9	49.0	69.5	81.7	40.9	16.3	69.5	32.7	134.9	.....
.....	12.2	20.4	175.3	244.6	61.2	81.5	48.9	93.8	134.5	44.8	8.2	126.4	16.3	150.9	.....
.....	8.1	36.6	203.3	191.1	109.8	44.7	69.1	81.3	105.7	48.8	8.1	81.3	20.3	130.1	4.1
4.1	16.2	16.2	182.5	182.5	64.9	52.7	52.7	117.6	69.0	52.7	16.2	73.0	.....	166.3	4.1
.....	24.3	20.2	246.8	246.8	117.3	93.1	97.1	89.0	101.2	52.6	16.2	80.9	8.1	121.4	.....
4.0	32.3	20.2	185.7	181.6	40.4	52.5	129.2	48.4	80.7	56.5	20.2	80.7	12.1	117.0	4.0
8.1	16.1	16.1	217.4	177.1	96.6	56.4	76.5	60.4	136.9	44.3	28.2	92.6	20.1	96.6	.....
2.0	4.1	44.8	185.4	152.8	130.4	79.5	177.3	99.8	91.7	63.2	12.2	97.8	16.3	165.0	4.1
4.0	10.0	19.9	197.1	143.4	63.7	73.7	61.7	73.7	89.6	87.6	23.9	109.5	15.9	123.5	2.0
2.0	13.7	25.4	165.8	136.5	81.9	66.3	87.8	72.2	60.5	64.4	13.7	89.7	11.7	140.4	7.8
.....	9.6	32.5	170.1	152.9	84.1	76.5	86.0	59.3	114.7	63.1	15.3	89.8	13.4	112.8	.....
.....	20.6	22.5	196.7	191.1	119.9	84.3	93.7	69.3	95.6	73.1	5.6	108.7	16.9	104.9	5.6
1.8	16.5	53.3	202.1	189.3	106.6	68.0	79.0	82.7	82.7	58.8	12.9	104.7	20.2	82.7	5.5
.....	18.0	21.6	198.3	158.6	48.7	77.5	113.6	88.3	79.3	64.9	16.2	110.0	18.0	106.4	1.8
1.8	12.4	28.3	189.3	191.1	111.5	58.4	125.6	74.3	81.4	70.8	8.8	115.0	14.2	88.5	1.8
1.7	22.6	31.3	151.1	189.3	71.2	60.8	106.0	45.2	79.9	66.0	24.3	121.6	15.6	86.9	3.5
.....	11.9	15.4	167.2	201.3	104.1	59.7	64.8	47.8	90.4	54.6	13.6	104.1	23.9	64.8	1.7
.....	25.0	37.5	171.7	262.2	96.8	74.9	184.2	115.5	115.5	59.3	3.1	87.4	3.1	221.6	3.1
3.1	12.3	27.7	184.8	187.9	101.6	86.2	64.7	83.1	73.9	61.6	12.3	80.1	15.4	163.2	9.2
3.0	27.4	36.5	176.4	249.4	103.4	51.7	66.9	42.6	73.0	42.6	6.1	100.4	12.2	152.1	6.1
3.2	19.1	19.1	142.9	187.4	108.0	85.8	88.9	104.8	130.2	63.5	9.5	92.1	19.1	117.5	3.2
6.3	12.5	34.5	213.3	260.3	65.9	75.3	91.0	62.7	72.1	81.5	22.0	91.0	3.1	163.1	6.3
.....	6.2	37.2	151.7	263.2	102.2	52.6	96.0	68.1	123.9	58.8	12.4	96.0	18.6	182.7	6.2
.....	12.2	33.6	174.3	247.8	88.7	79.5	110.1	70.3	82.6	67.3	21.4	76.5	9.2	104.0	6.1
6.0	21.1	30.2	241.7	271.9	81.6	84.6	102.7	81.6	117.8	57.4	18.1	81.6	15.1	99.7	9.1
6.0	26.9	29.9	280.6	226.9	95.5	83.6	92.5	59.7	161.2	44.8	23.9	101.5	11.9	119.4	6.0
2.9	17.7	44.2	241.9	318.6	59.0	91.4	94.4	79.6	141.6	44.2	20.6	109.1	11.8	120.9	5.9
.....	.....	43.7	193.3	218.2	187.0	149.6	193.3	62.3	62.3	68.6	12.5	74.8	18.7	236.9	.....
6.2	18.5	30.9	247.1	203.9	111.2	111.2	80.3	86.5	43.2	49.4	30.9	98.9	6.2	111.2	6.2
.....	18.4	24.5	196.1	171.6	73.5	85.8	49.0	91.9	134.8	55.1	18.4	67.4	18.4	140.9	6.1
.....	6.1	30.4	218.8	285.6	151.9	91.2	72.9	109.4	109.4	109.4	12.2	115.5	66.8	127.6	.....
.....	18.1	12.1	180.8	217.0	96.4	108.5	72.3	96.4	78.4	48.2	12.1	102.5	24.1	168.8	6.0
6.0	12.0	17.9	185.3	239.1	71.7	71.7	125.6	95.7	71.7	47.8	6.0	71.7	23.9	131.5	6.0
.....	5.9	23.7	201.6	177.9	106.7	94.9	94.9	106.7	83.0	41.5	11.9	77.1	23.7	148.3	.....
.....	23.5	35.3	147.1	170.6	117.7	88.3	47.1	82.4	105.9	53.0	29.4	47.1	5.9	164.7	.....
.....	11.7	11.7	163.4	268.5	70.0	64.2	122.6	75.9	87.6	75.9	17.5	81.7	5.8	128.4	.....
.....	46.3	23.2	185.3	185.3	69.5	63.7	86.9	115.8	121.6	46.3	23.2	110.0	17.4	191.1	5.8
.....	10.9	62.6	152.5	206.9	125.3	84.4	231.5	81.7	81.7	76.2	10.9	70.8	19.1	212.3	5.4
2.7	5.5	35.5	158.4	199.4	73.7	81.9	98.3	92.9	73.7	76.5	5.5	84.7	8.2	150.2	10.9
.....	16.4	46.5	205.4	199.9	76.7	93.1	150.6	84.9	76.7	57.5	8.2	87.6	11.0	139.6	.....
2.7	13.7	38.4	142.8	205.9	123.5	71.4	120.8	93.3	82.4	63.1	8.2	90.6	30.2	140.0	2.7
2.8	13.8	38.5	231.2	214.7	99.1	79.8	137.6	96.3	57.8	60.6	16.5	101.9	16.5	121.1	11.0
.....	5.5	38.6	187.7	226.3	85.6	85.6	124.2	96.6	93.8	93.8	24.8	102.1	5.5	107.7	2.8
2.8	8.3	22.0	168.0	223.1	88.1	96.4	137.7	112.9	82.6	77.1	13.8	96.4	2.8	132.2	5.5
2.8	13.9	19.4	216.5	255.3	108.2	55.5	88.8	77.7	86.0	80.5	5.6	91.6	8.3	111.0	2.8
.....	8.3	13.9	200.4	247.7	69.6	61.2	100.2	83.5	77.9	61.2	8.3	89.1	8.3	128.0	2.8
.....	16.7	33.5	167.4	189.8	97.7	67.0	120.0	64.2	100.5	80.9	11.2	97.7	14.0	150.7	2.8
.....	.....	36.0	148.4	45.0	112.4	54.0	99.0	99.0	54.0	54.0	.....	67.4	80.9	103.4	13.5
.....	4.5	31.5	166.7	85.6	67.6	67.6	67.6	108.2	54.1	108.2	.....	81.1	27.0	99.1	4.5
4.5	4.5	9.0	117.4	81.3	67.7	54.2	72.2	85.8	36.1	45.1	.....	54.2	27.1	135.4	.....
.....	.....	27.1	99.5	54.3	67.8	54.3	36.2	95.0	63.3	85.9	4.5	54.3	31.7	63.3	.....
.....	4.5	22.7	99.7	77.0	63.4	31.7	72.5	45.3	36.2	72.5	9.1	63.4	49.8	117.8	4.5
.....	9.1	27.2	118.0	40.8	40.8	72.6	49.9	49.9	54.5	77.2	13.6	54.5	36.3	90.8	4.5
.....	4.5	9.1	81.8	86.4	45.5	45.5	59.1	118.2	86.4	36.4	9.1	59.1	27.3	100.0	.....
.....	4.6	9.1	100.2	100.2	50.1	41.0	45.6	50.1	68.3	27.3	4.6	63.8	27.3	109.3	.....
.....	9.1	13.7	82.1	82.1	22.8	27.4	41.1	45.6	41.1	63.9	4.6	45.6	4.6	86.7	4.6
.....	18.3	22.9	91.6	96.2	64.1	77.8	77.8	64.1	68.7	54.9	.....	73.3	4.6	109.9	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
INDIANA RURAL[2]—Continued.														
Allen County	1900	1,312.3	35.0	7.8	1.3	5.2	6.5	5.2	33.6	2.6	(3)	134.6	19.4	53.1
	1901	985.8	62.4	9.4	6.2	.....	6.2	.....	25.0	25.0	(3)	87.3	12.5	31.2
	1902	994.9	21.9	.....	.....	6.3	12.5	6.3	9.4	12.5	(3)	122.0	3.1	28.2
	1903	812.6	25.1	.....	.....	.....	.....	9.4	15.7	6.3	(3)	91.0	18.8	15.7
	1904	947.1	44.1	.....	.....	6.3	3.1	3.1	3.1	12.6	(3)	75.5	6.3	62.9
	1905	915.1	15.8	.....	.....	.....	.....	9.5	6.3	6.3	9.5	72.6	15.8	63.1
	1906	1,000.0	19.0	.....	.....	9.5	.....	22.2	12.7	6.3	12.7	101.3	15.8	38.0
	1907	897.2	12.8	.....	.....	3.2	.....	.....	.....	12.8	6.4	76.9	12.8	44.9
	1908	948.0	16.1	.....	.....	.....	6.4	3.2	3.2	16.1	6.4	70.7	22.5	32.1
	1909	897.5	23.7	.....	.....	6.8	.....	3.4	10.2	3.4	3.4	88.1	13.5	74.5
Bartholomew County	1900	1,664.2	109.3	30.4	.....	6.1	12.1	24.3	60.7	36.4	(3)	206.5	6.1	42.5
	1901	1,377.0	36.6	.....	.....	.....	12.2	12.2	24.4	6.1	(3)	176.7	6.1	18.3
	1902	1,191.6	36.7	6.1	.....	.....	.....	6.1	.....	.....	(3)	171.1	18.3	67.2
	1903	1,103.1	42.9	6.1	12.3	.....	6.1	24.5	12.3	6.1	(3)	122.6	18.4	36.8
	1904	1,235.4	24.6	.....	.....	24.6	.....	18.4	24.6	18.4	(3)	165.9	6.1	43.0
	1905	1,152.7	30.8	12.3	.....	.....	.....	12.3	12.3	43.1	18.5	172.6	24.7	92.5
	1906	1,217.9	43.3	.....	.....	.....	12.4	.....	12.4	24.7	12.4	191.6	49.5	55.6
	1907	1,394.9	55.8	12.4	.....	12.4	.....	31.0	6.2	43.4	12.4	117.8	55.8	99.2
	1908	1,100.6	31.1	.....	.....	.....	.....	.....	.....	43.5	6.2	149.2	18.7	62.2
	1909	1,072.7	31.2	.....	.....	6.2	6.2	6.2	6.2	6.2	6.2	87.3	49.9	68.6
Benton County	1900	983.0	.....	7.6	.....	.....	7.6	.....	22.9	7.6	(3)	129.6	7.6	30.5
	1901	1,147.1	7.6	.....	.....	15.3	.....	7.6	22.9	.....	(3)	175.9	7.6	22.9
	1902	805.7	.....	.....	.....	7.7	.....	.....	7.7	15.3	(3)	53.7	7.7	46.0
	1903	816.1	46.2	7.7	.....	7.7	.....	23.1	.....	7.7	(3)	115.5	7.7	46.2
	1904	958.0	7.7	.....	7.7	7.7	.....	15.5	.....	15.5	(3)	123.6	7.7	46.4
	1905	1,015.5	23.3	15.5	.....	.....	.....	15.5	7.8	7.8	15.5	54.3	15.5	69.8
	1906	964.5	15.6	.....	.....	.....	.....	.....	.....	7.8	15.6	93.3	15.6	46.7
	1907	1,030.3	39.0	15.6	.....	15.6	.....	7.8	15.6	7.8	46.8	39.0	7.8	46.8
	1908	845.9	.....	.....	.....	7.8	.....	.....	15.7	31.3	.....	62.7	7.8	47.0
	1909	754 5	7.9	.....	.....	.....	.....	.....	.....	7.9	.....	102.2	23.6	31.4
Blackford County	1900	1,214.2	29.0	34.9	.....	.....	5.8	.....	29.0	5.8	(3)	168.5	5.8	46.5
	1901	1,389.1	41.0	11.7	.....	23.4	.....	5.9	29.3	46.9	(3)	175.8	17.6	35.2
	1902	1,288.4	35.5	5.9	.....	5.9	.....	29.6	5.9	5.9	(3)	124.1	17.7	47.3
	1903	1,156.2	41.7	11.9	.....	.....	29.8	6.0	41.7	35.8	(3)	160.9	35.8	47.7
	1904	1,310.3	36.1	6.0	6.0	24.0	6.0	.....	30.1	36.1	(3)	162.3	12.0	24.0
	1905	1,394.2	48.5	6.1	.....	.....	.....	6.1	48.5	12.1	6.1	145.5	48.5	36.4
	1906	874.3	18.3	12.2	.....	.....	.....	12.2	6.1	6.1	.....	79.5	.....	30.6
	1907	1,258.1	30.8	12.3	.....	.....	.....	24.7	6.2	12.3	12.3	166.5	43.2	80.2
	1908	1,001.6	.....	6.2	.....	.....	6.2	.....	.....	31 1	6.2	143.1	24.9	49.8
	1909	1,187.0	18.8	.....	.....	.....	6.3	37.7	6.3	.....	6.3	100.5	25.1	75.4
Boone County	1900	1,318.3	38.0	.....	.....	.....	7.6	.....	68.4	11.4	(3)	201.3	7.6	76.0
	1901	1,224.1	30.6	7.7	.....	.....	3.8	11.5	23.0	23.0	(3)	198.9	26.8	53.6
	1902	1,197.3	65.4	11.5	3.8	.....	3.8	.....	7.7	19.2	(3)	134.7	30.8	50.0
	1903	1,197.3	34.9	3.9	7.7	.....	7.7	11.6	3.9	11.6	(3)	158.9	27.1	50.4
	1904	1,275.3	66.3	3.9	.....	31.2	7.8	3.9	7.8	11.7	(3)	214.5	27.3	39.0
	1905	1,185.5	27.5	3.9	.....	.....	3.9	23.6	15.7	27.5	31.4	180.6	23.6	58.9
	1906	1,177.5	19.8	.....	.....	.....	.....	.....	7.9	.....	27.7	146.2	47.4	55.3
	1907	1,229.1	31.8	.....	.....	4.0	.....	.....	8.0	23.9	11.9	159.1	15.9	59.7
	1908	1,293.4	28.0	.....	.....	12.0	4.0	12.0	.....	32.0	28.0	124.1	32.0	72.1
	1909	1,185.2	12.1	.....	.....	4.0	.....	8.1	4.0	24.2	16.1	120.9	32.3	52.4
Brown County	1900	1,686.0	143.9	92.5	.....	10.3	.....	20.6	61.7	20.6	(3)	215.9	.....	30.8
	1901	1,384.2	94.4	21.0	.....	.....	21.0	41.9	.....	31.5	(3)	209.7	21.0	10.5
	1902	1,335.6	32.1	53.4	10.7	21.4	32.1	21.4	85.5	21.4	(3)	117.5	.....	32.1
	1903	1,317.8	54.5	.....	.....	.....	.....	.....	43.6	21.8	(3)	228.7	21.8	32.7
	1904	1,288.2	11.1	11.1	.....	11.1	.....	44.4	.....	33.3	(3)	299.8	22.2	55.5
	1905	985.5	.....	.....	.....	.....	.....	11.3	11.3	56.6	34.0	158.6	34.0	34.0
	1906	1,167.5	11.6	11.6	.....	.....	.....	11.6	80.9	11.6	11.6	138.7	46.2	46.2
	1907	1,510.7	47.2	.....	.....	11.8	.....	11.8	35.4	82.6	.....	129.8	47.2	106.2
	1908	916.2	12.1	.....	.....	.....	.....	.....	24.1	12.1	12.1	108.5	12.1	24.1
	1909	1,145.7	12.3	.....	.....	.....	.....	.....	12.3	49.3	12.3	172.5	12.3	61.6
Carroll County	1900	1,368.2	45.1	5.0	.....	.....	5.0	5.0	40.1	5.0	(3)	140.3	30.1	55.1
	1901	967.7	45.6	.....	.....	5.1	.....	.....	40.5	20.3	(3)	131.7	10.1	35.5
	1902	1,008.3	25.6	5.1	.....	5.1	.....	.....	5.1	20.5	(3)	117.7	15.4	10.2
	1903	1,220.5	46.5	5.2	.....	10.3	5.2	10.3	10.3	10.3	(3)	150.0	5.2	51.7
	1904	987.7	26.1	10.5	.....	.....	.....	.....	.....	20.9	(3)	94.1	5.2	36.6
	1905	1,257.0	63.4	.....	.....	.....	15.8	10.6	5.3	15.8	31.7	126.8	21.1	42.3
	1906	1,222.4	32.0	10.7	.....	.....	10.7	26.7	5.3	.....	10.7	122.8	21.4	69.4
	1907	1,090.0	32.4	16.2	.....	.....	10.8	5 4	.....	21.6	.....	80.9	16.2	75.5
	1908	1,331.1	32.7	5.5	5.5	10.9	5.5	10 9	5.5	21.8	10.9	158.2	32.7	103.6
	1909	1,285.2	11.0	5.5	.....	16.5	16.5	16.5	5.5	.....	11.0	132.4	16.5	71.7
Cass County *..	1900	1,574.8	37.6	8.7	2.9	2.9	5.8	8.7	34.7	26 0	(3)	211.3	28.9	49.2
	1901	888.8	38.4	.....	.....	.....	.....	11.0	11.0	32.9	(3)	109.7	16.5	21.9
	1902	888.4	22.1	5.5	5.5	.....	5.5	16.6	5.5	5 5	(3)	104.8	5.5	38.6
	1903	1,320.9	.....	11.1	.....	.....	.....	.....	38.9	22.2	(3)	111.0	11.1	38.9
	1904	1,602.1	11.2	.....	.....	11.2	5.6	.....	.....	16.7	(3)	122.8	33.5	55.8
	1905	1,280.1	28.1	.....	.....	.....	.....	5.6	5.6	5.6	61.8	89.8	11.2	16.8
	1906	1,315.8	22.6	5.6	.....	.....	5.6	28.2	5.6	5.6	56.5	112.9	5.6	45.2
	1907	1,148.0	22.7	5.7	.....	.....	5.7	.....	11.4	28.4	28.4	119.3	17.0	56.8
	1908	1,514.0	34.3	5.7	.....	5.7	.....	11.4	.....	34.3	11.4	142.8	11.4	57.1
	1909	1,512.5	17.3	11.5	.....	34.5	5.8	.....	11.5	28.8	46.0	149.5	28.8	92.0

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
2.6	6.5	40.1	177.3	80.2	86.7	72.5	88.0	80.2	53.1	58.2	11.6	46.6	64.7	131.9	7.8
.....	3.1	12.5	112.3	43.7	37.4	78.0	34.3	62.4	81.1	28.1	3.1	53.0	31.2	137.3	3.1
.....	.....	15.6	118.9	68.8	50.1	37.5	72.0	68.8	46.9	78.2	3.1	59.4	21.9	128.3	3.1
.....	9.4	9.4	97.3	53.3	43.9	59.6	43.9	37.6	62.7	69.0	3.1	37.6	12.5	84.7	6.3
.....	18.8	6.3	110.1	85.0	47.2	81.8	56.6	34.6	40.9	40.9	12.6	56.6	28.3	107.0	3.1
.....	6.3	6.3	145.2	53.6	50.5	56.8	78.9	69.4	41.0	25.2	6.3	60.0	18.9	94.7	3.2
.....	15.8	12.7	104.4	91.8	79.1	38.0	69.6	53.8	66.5	47.5	19.0	44.3	22.2	98.1	.....
.....	9.6	16.0	102.5	70.5	73.7	60.9	35.2	60.9	73.7	41.7	16.0	73.7	19.2	73.7	.....
.....	6.4	12.9	106.1	70.7	80.3	38.6	77.1	41.8	112.5	54.6	12.9	51.4	9.6	96.4	.....
.....	3.4	13.5	98.2	81.3	71.1	37.3	44.0	30.5	91.4	40.6	27.1	54.2	.....	77.9	.....
6.1	12.1	48.6	133.6	85.0	151.9	48.6	127.6	121.5	66.8	60.7	6.1	36.4	72.9	127.6	24.3
.....	12.2	30.5	176.7	152.3	134.0	91.4	109.7	67.0	54.8	24.4	12.2	18.3	67.0	134.0	.....
.....	18.3	18.3	97.8	103.9	97.8	36.7	103.9	85.5	85.5	73.3	.....	48.9	24.4	85.5	6.1
.....	6.1	18.4	116.4	110.3	61.3	79.7	67.4	104.2	30.6	30.6	.....	55.2	24.5	104.2	6.1
.....	.....	18.4	147.5	116.8	110.6	36.9	86.0	104.5	43.0	61.5	.....	49.2	24.6	110.6	.....
.....	6.2	18.5	61.6	141.8	104.8	43.1	86.3	24.7	43.1	61.6	6.2	24.7	12.3	98.6	.....
.....	.....	18.5	154.5	123.6	55.6	55.6	30.9	80.4	49.5	37.1	.....	86.5	30.9	92.7	.....
6.2	6.2	.....	117.8	173.6	111.6	37.2	49.6	86.8	68.2	80.6	6.2	68.2	12.4	124.0	.....
.....	12.4	31.1	99.5	155.5	24.9	37.3	74.6	62.2	49.7	80.8	6.2	49.7	.....	105.7	.....
.....	18.7	6.2	137.2	193.3	31.2	18.7	68.6	62.4	68.6	62.4	.....	56.1	6.2	68.6	.....
7.6	.....	15.2	91.5	68.6	22.9	53.3	45.7	99.1	53.3	38.1	7.6	53.3	68.6	129.6	15.2
.....	38.2	15.3	130.0	107.1	91.8	99.4	68.8	91.8	38.2	76.5	.....	38.2	.....	91.8	.....
.....	7.7	7.7	84.4	92.1	46.0	30.7	38.4	61.4	46.0	46.0	23.0	23.0	38.4	115.1	7.7
.....	.....	.....	84.7	100.1	38.5	61.6	30.8	23.1	7.7	38.5	15.4	61.6	15.4	77.0	.....
.....	30.9	.....	123.6	15.5	69.5	54.1	46.4	46.4	38.6	108.2	7.7	54.1	15.5	100.4	15.5
.....	15.5	7.8	85.3	93.0	54.3	85.3	69.8	46.5	23.3	85.3	7.8	85.3	23.3	100.8	7.8
.....	38.9	23.3	77.8	116.7	46.7	38.9	46.7	70.0	38.9	62.2	7.8	70.0	15.6	116.7	.....
7.8	23.4	15.6	62.4	148.3	39.0	54.6	62.4	54.6	23.4	70.2	15.6	117.1	7.8	78.1	7.8
.....	7.8	23.5	94.0	117.5	70.5	39.2	39.2	47.0	54.8	54.8	7.8	7.8	23.5	86.2	.....
.....	.....	.....	39.3	110.0	39.3	47.2	47.2	78.6	55.0	55.0	.....	39.3	.....	70.7	.....
.....	11.6	46.5	52.3	87.2	63.9	81.3	52.3	98.8	52.3	58.1	5.8	63.9	75.5	127.8	11.6
.....	.....	35.2	128.9	82.1	93.8	52.8	128.9	76.2	41.0	99.6	5.9	52.8	58.6	146.5	.....
.....	.....	29.6	82.7	106.4	47.3	47.3	112.3	53.2	47.3	177.3	.....	100.5	59.1	141.8	5.9
.....	23.8	11.9	77.5	77.5	71.5	35.8	65.6	101.3	29.8	77.5	.....	77.5	11.9	77.5	6.0
.....	12.0	24.0	108.2	132.2	108.2	48.1	66.1	48.1	54.1	120.2	12.0	108.2	48.0	108.2	.....
6.1	6.1	42.4	157.6	151.5	97.0	6.1	90.9	97.0	42.4	84.9	12.1	84.9	48.5	109.1	.....
.....	12.2	12.2	73.4	73.4	91.7	24.5	110.1	67.3	36.7	91.7	.....	36.7	18.3	61.1	.....
.....	30.8	6.2	80.2	172.7	86.3	12.3	117.2	74.0	67.8	30.8	12.3	80.2	30.8	67.8	.....
.....	31.1	6.2	68.4	118.2	49.8	49.8	74.7	49.8	68.4	68.4	12.4	49.8	.....	87.1	.....
.....	18.8	.....	100.5	138.2	87.9	62.8	81.6	69.1	87.9	87.9	25.1	62.8	6.3	81.6	.....
3.8	7.6	19.0	167.1	76.0	87.4	38.0	98.8	87.4	19.0	45.6	3.8	34.2	41.8	170.9	7.6
7.7	7.7	11.5	145.4	88.0	76.5	72.7	45.9	53.6	34.4	57.4	15.3	61.2	38.3	130.1	.....
.....	3.8	.....	134.7	69.3	57.7	53.9	26.9	84.7	30.8	77.0	3.8	65.4	53.9	200.2	7.7
3.9	19.4	7.7	162.7	127.9	46.5	42.6	81.4	50.4	42.6	38.7	.....	93.0	38.7	124.0	.....
.....	.....	15.6	167.7	97.5	42.9	39.0	50.7	78.0	42.9	46.8	.....	62.4	39.0	175.5	3.9
.....	7.9	31.4	137.4	94.2	62.8	43.2	55.0	74.6	51.0	35.3	11.8	39.3	27.5	109.9	7.9
4.0	11.9	15.8	138.3	162.0	31.6	31.6	63.2	43.5	59.3	71.1	11.9	75.1	27.7	126.4	.....
.....	15.9	27.8	115.4	179.0	55.7	31.8	55.7	63.6	87.5	67.6	11.9	59.7	15.9	127.3	.....
.....	8.0	20.0	132.1	232.3	76.1	64.1	64.1	52.1	76.1	44.0	24.0	28.0	.....	128.1	.....
.....	28.2	32.3	189.5	133.0	48.4	68.5	76.6	88.7	44.3	48.4	16.1	68.5	4.0	64.5	.....
.....	10.3	82.2	174.8	20.6	92.5	30.8	113.1	123.3	71.9	41.1	.....	20.6	113.1	174.8	20.6
.....	10.5	52.4	115.4	104.9	136.3	21.0	83.9	52.4	62.9	94.4	.....	21.0	41.9	136.3	.....
.....	10.7	10.7	74.8	138.9	64.1	85.5	42.7	64.1	64.1	138.9	.....	74.8	42.7	96.2	.....
.....	10.9	43.6	119.8	152.5	98.0	21.8	119.8	32.7	76.2	43.6	10.9	32.7	32.7	98.0	21.8
.....	.....	11.1	99.9	144.4	77.7	44.4	88.8	33.3	77.7	11.1	11.1	33.3	11.1	122.2	33.3
.....	11.3	.....	56.6	135.9	45.3	68.0	56.6	68.0	79.3	22.7	11.3	34.0	.....	56.6	.....
.....	57.8	23.1	57.8	161.8	80.9	46.2	34.7	46.2	57.8	46.2	.....	34.7	11.6	138.7	.....
.....	23.6	23.6	129.8	106.2	106.2	82.6	106.2	70.8	94.4	82.6	11.8	47.2	11.8	141.6	.....
.....	.....	.....	72.3	192.9	36.2	72.3	36.2	36.2	48.2	48.2	.....	84.4	.....	84.4	.....
.....	24.6	24.6	61.6	209.4	73.9	37.0	61.6	61.6	61.6	49.3	.....	86.2	.....	61.6	.....
.....	10.0	40.1	190.5	115.3	45.1	100.3	65.2	75.2	90.2	55.1	5.0	50.1	55.1	135.3	5.0
.....	20.3	5.1	81.1	60.8	96.3	45.6	70.9	70.9	60.8	55.7	10.1	20.3	10.1	70.9	.....
.....	10.2	10.2	153.6	76.8	20.5	25.6	71.7	87.0	122.8	51.2	.....	20.5	.....	153.6	.....
.....	15.5	31.0	134.5	93.1	56.9	56.9	41.4	87.9	98.3	46.5	.....	77.6	36.2	134.5	5.2
.....	5.2	15.7	109.7	120.2	41.8	52.3	57.5	57.5	52.3	57.5	5.2	57.5	20.9	141.1	.....
5.3	10.6	26.4	158.4	95.1	100.3	58.1	37.0	79.2	73.9	58.1	21.1	68.7	10.6	116.2	5.3
.....	5.3	26.7	144.1	138.8	80.1	48.0	58.7	74.7	74.7	53.4	10.7	53.4	10.7	133.5	.....
5.4	32.4	.....	183.5	75.5	43.2	48.6	64.8	80.9	80.9	43.2	10.8	32.4	16.2	113.3	.....
.....	.....	16.4	163.7	152.7	70.9	54.6	38.2	70.9	92.7	54.6	5.5	136.4	10.9	60.0	.....
.....	22.1	5.5	132.4	198.6	110.3	55.2	60.7	60.7	99.3	27.6	.....	49.6	5.5	154.4	.....
.....	8.7	23.2	231.6	121.6	75.3	55.0	98.4	95.5	72.4	49.2	11.6	72.4	72.4	159.2	11.6
.....	.....	49.4	126.2	32.9	27.4	54.9	49.4	38.4	49.4	43.9	5.5	76.8	16.5	76.8	.....
5.5	5.5	27.6	88.3	66.2	77.2	33.1	22.1	49.7	55.2	44.1	.....	60.7	38.6	93.8	5.5
.....	16.7	16.7	266.4	88.8	55.5	88.8	83.3	61.1	72.2	72.2	5.6	88.8	38.9	133.2	.....
.....	5.6	27.9	279.1	173.0	89.3	150.7	61.4	72.6	67.0	83.7	11.2	55.8	78.2	189.8	.....
.....	5.6	22.5	224.6	117.9	56.1	67.4	112.3	61.8	101.1	39.3	16.8	61.8	44.9	117.9	5.6
.....	11.3	33.9	259.8	84.7	28.2	90.4	56.5	90.4	118.6	39.5	.....	79.1	45.2	84.7	.....
.....	11.4	11.4	244.4	68.2	85.2	39.8	28.4	45.5	73.9	45.5	11.4	85.2	11.4	90.9	.....
.....	28.6	40.0	337.1	171.4	68.6	85.7	57.1	57.1	80.0	40.0	11.4	102.8	11.4	108.6	.....
.....	5.8	23.0	287.5	138.0	126.5	17.3	46.0	51.8	143.8	34.5	11.5	97.8	.....	103.5	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
INDIANA RURAL[2]—Continued.														
Clark County	1900	1,481.4	76.0	23.8	....	4.7	14.2	4.7	38.0	4 7	(3)	185.2	52.2	33.2
	1901	1,271.1	62.1	4.8	.....	.....	.....	9.6	14.3	33.4	(3)	143.4	14 3	43.0
	1902	1,172.9	86.5	19.2	.....	4.8	4.8	.....	9.6	.....	(3)	134.6	14.4	28.8
	1903	1,339.4	48.4	.....	4.8	43.5	19.3	29.0	19.3	19.3	(3)	241.8	53.2	58.0
	1904	1,352.3	34.1	.....	.....	19.5	.....	9.7	9.7	14.6	(3)	209.2	53.5	77.8
	1905	1,296.8	34.3	.....	4.9	.....	.....	19.6	19.6	34.3	19.6	132.1	29.4	34.3
	1906	989.6	49.2	.....	.....	.....	4.9	4.9	19.7	.....	14.8	98.5	39.4	49.2
	1907	1,307.6	79.2	.....	.....	5.0	14.9	14.9	14.9	14.9	34.7	148.6	19.8	69.3
	1908	1,495.0	104.6	10.0	.....	.....	5.0	5.0	14.9	34.9	14.9	114.6	54.8	74.7
	1909	1,494.2	70.2	15.0	.....	.....	15.0	5.0	30.1	55.2	35.1	205.6	20.1	80.2
Clay County	1900	1,254.2	61.2	17.5	14.6	2.9	.....	14.6	20.4	14.6	(3)	134.2	11.7	26.3
	1901	1,229.0	41.1	11.7	.....	8.8	.....	2.9	8.8	32.3	(3)	167.2	20.5	11.7
	1902	1,223.6	70.8	.....	.....	2.9	5.9	2.9	41.3	26.5	(3)	115.0	11.8	23.6
	1903	992.9	47.4	5.9	5.9	3.0	.....	32.6	26.7	23.7	(3)	103.7	5.9	14.8
	1904	1,206.7	32.8	14.9	14.9	38.7	6.0	17.9	14.9	14.9	(3)	131.1	3.0	32.8
	1905	1,189.1	30.0	9.0	3.0	.....	12.0	24.0	9.0	18.0	24.0	134.8	18.0	21.0
	1906	1,135.2	30.1	6.0	.....	.....	9.0	15.1	6.0	18.1	27.1	123.5	9.0	66.2
	1907	1,247.3	30.3	6.1	.....	15.1	3.0	3.0	12.1	18.2	60.5	112.0	15.1	30.3
	1908	1,308.8	42.6	6.1	.....	.....	.....	18.3	9.1	18.3	45.7	124.8	18.3	51.7
	1909	1,205.7	21.4	6.1	.....	.....	9.2	15.3	36.7	21.4	39.8	113.2	27.5	55.1
Clinton County	1900	1,397.1	49.6	7.1	.....	.....	3.5	7.1	92.2	17.7	(3)	148.9	28.4	39.0
	1901	1,294.8	53.5	3.6	3.6	3.6	.....	10.7	17.8	49.9	(2)	142.7	14.3	28.5
	1902	1,380.8	57.4	.....	25.1	.....	10.8	.....	7.2	17.9	(3)	121.9	14.3	50.2
	1903	1,348.9	75.7	.....	3.6	10.8	14.4	.....	.....	10.8	(c)	122.6	14.4	46.9
	1904	1,338.3	72.5	3.6	.....	10.9	3.6	7.3	18.1	54.4	(3)	137.8	25.4	32.6
	1905	1,550.1	40.1	.....	.....	.....	.....	29.2	3.6	43.8	25 5	244.4	18.2	65.7
	1906	1,280.2	47.7	.....	.....	3.7	3.7	3.7	22.0	14.7	25.7	154.1	36.7	40.3
	1907	1,298 6	48.0	.....	.....	3.7	.....	3.7	25.8	48.0	3.7	121.7	40.6	70.1
	1908	1,409.9	44.5	.....	.....	40.8	.....	37.1	22.3	44.5	18.6	159.5	26.0	89.0
	1909	1,306.1	22.4	.....	.....	7.5	.....	.....	.....	11.2	22.4	141.8	37.3	74.6
Crawford County	1900	1,484.1	22.3	22.3	.....	7.4	7.4	7.4	14.8	29.7	(3)	215.2	7.4	29.7
	1901	1,614.0	60.1	7.5	.....	30.0	7.5	.....	22.5	45.0	(3)	300.3	7.5	30.0
	1902	1,229.3	113.8	.....	.....	.....	.....	.....	.....	15.2	(3)	235.2	30.4	45.5
	1903	1,242.8	99.7	15.3	23.0	.....	.....	.....	.....	15.3	(3)	245.5	30 7	38.4
	1904	1,326.4	46.5	7.8	.....	.....	23.3	.....	.....	15.5	(3)	372.3	23.3	31.0
	1905	1,270.8	39.2	15.7	15.7	.....	15.7	.....	31.4	23.5	22.5	204.0	7.8	39.2
	1906	1,150.4	47.6	7.9	.....	.....	7.9	31.7	7.9	7.9	7.9	214.2	15.9	55.5
	1907	1,332.3	32.1	.....	.....	16.1	.....	8.0	.....	56 2	.....	337.1	16.1	24.1
	1908	1,234.2	73.1	8.1	.....	40.6	.....	.....	48.7	8.1	16.2	259.8	24 4	65.0
	1909	1,355.6	98 6	16.4	.....	8.2	.....	.....	32.9	41.1	.....	246.5	41.1	24.6
Daviess County	1900	1,494.3	73.6	36.8	.....	.....	6.7	43.5	80.2	33.4	(3)	203.9	26.7	20.1
	1901	1,353 8	99.1	28.3	18.9	14.2	.....	33.0	14.2	33.0	(3)	188.7	14.2	33.0
	1902	1,201.8	76.0	23.8	.....	.....	.....	23.8	4.8	52.3	(3)	152.0	9.5	38.0
	1903	1,162.6	62.2	14.4	47 8	4 8	4.8	4.8	38 3	28.7	(3)	153.1	19.1	23.9
	1904	1,460.1	110.8	19.3	.....	43.4	28.9	4.8	14.5	24.1	(c)	226.5	14.5	33.7
	1905	1,373.5	48.5	4 9	.....	.....	29.1	38 8	14.6	43.7	9.7	155.3	19.4	38.8
	1906	1,002.2	68.4	9.8	.....	.....	4.9	14.7	4.9	19.6	9.8	180 9	19.6	34.2
	1907	1,103.0	39.4	.....	.....	.....	.....	14.8	29.5	29 5	9.8	187.1	44.3	14.8
	1908	982.2	29.8	5.0	.....	34.7	.....	9.9	9.9	44.6	14.9	104.2	34.7	39.7
	1909	1,094 5	50.0	5.0	.....	.....	15.0	40 0	.....	50 0	10 0	144.9	20.0	40.0
Dearborn County	1900	1,324.7	45.1	4.5	.....	4.5	9 0	.....	22.5	4.5	(3)	130.7	13.5	54.1
	1901	1,565 0	27.1	9.0	.....	4 5	9.0	9 0	9.0	49 8	(3)	171.9	18.1	67.8
	1902	1,321.0	36.3	4.5	.....	4.5	9.1	4 5	13 6	13 6	(3)	172.5	9.1	68.1
	1903	1,207.5	50.1	4 6	.....	.....	.....	27.3	.....	9.1	(3)	150.4	9.1	54.7
	1904	1,509 2	68.6	9.1	9.1	9.1	4 6	4.6	.....	32.0	(3)	178.4	18.3	73.2
	1905	1,450.5	45.9	9.2	.....	.....	4 6	4 6	.....	18.4	18.4	211.2	32.1	55.1
	1906	1,373.0	36.9	.....	.....	4.6	27.6	23.0	4.6	13.8	.....	124 4	36.9	50.7
	1907	1,396.7	32.4	.....	.....	41.6	4.6	4.6	27.7	27.7	18.5	129.5	18.5	50.9
	1908	1,323.0	37.1	.....	.....	32.5	.....	.....	9 3	18 6	27.9	130.0	18.6	83.6
	1909	1,262.8	14.0	9.3	.....	.....	.....	4 7	9.3	9.3	23.3	163.1	4.7	74.6
Decatur County	1900	1,378.2	71.7	5.1	.....	5.1	.....	20.5	5 1	15.4	(3)	169.1	20.5	56.4
	1901	1,697.6	72.0	10.3	.....	5.1	10.3	20.6	10.3	46.3	(3)	164.6	10.3	56.6
	1902	1,409.7	46.5	10.3	.....	5.2	10.3	5.2	.....	15.5	(3)	191.1	20.7	36.1
	1903	1,326.9	57 0	15.5	....	15.5	5.2	.....	5 2	25.9	(3)	181.4	36.3	72.6
	1904	1,493.2	46 8	15.6	.....	5 2	.....	5.2	10 4	20.8	(3)	265.3	31.2	46.8
	1905	1,535.5	26.1	15.7	.....	.....	15.7	20 9	.....	57 5	41.8	188.0	20.9	83 6
	1906	1,515.2	15.7	26.2	.....	.....	36.7	10.5	5 2	21.0	26.2	162.5	5.2	94.4
	1907	1,426 3	31.6	.....	.....	5.3	5 3	15.8	5 3	73.7	26.3	152.6	21.1	47 4
	1908	1,347.4	47.6	.....	.....	.....	.....	52 8	5 3	52 8	21.1	163.8	10.6	63.4
	1909	1,416.3	26.5	5 3	.....	....	10.6	21.2	21.2	21.2	15.9	122.0	26 5	74.3
Dekalb County	1900	1,139.6	46.7	11.7	.....	3.9	3.9	7.8	7.8	11.7	(3)	132.2	.....	42.8
	1901	1,279.3	39 0	.....	3.9	7 8	27.3	7.8	11.7	50.7	(3)	140.4	19.5	50.7
	1902	1,180.9	54.7	.....	.....	3.9	7.8	15.6	19.6	15.6	(3)	140.8	11.7	50.8
	1903	1,066.3	35 3	11.8	.....	.....	11.8	11.8	.....	3.9	(3)	121.5	15.7	86.2
	1904	951 2	27.5	3.9	3.9	7.9	11.8	.....	11.8	23 6	(3)	102.2	7.9	43.2
	1905	1,186.2	39.1	... .	.....	.....	7.9	11.8	27.6	31.5	3 9	110.3	19.7	90.6
	1906	1,126.1	35 6	.....	.....	.....	.....	4.0	.....	11.9	11.9	106.7	19.8	51.4
	1907	1,164 7	51 5	.....	.....	.....	7 9	... .	.....	39.6	15.8	95.1	35.7	43.6
	1908	1,203 6	31 8	.....	.....	.....	.....	7 9	.....	19 9	11 9	79.4	35.7	79.4
	1909	1,155.0	39 8	.....	.....	4.0	4.0	8.0	15.9	15 9	8.0	79.7	19.9	83.6

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	9.5	33.2	128.2	118.7	133.0	52.2	114.0	99.8	61.7	23.8	4.7	80.7	76.0	95.0	14.2
.....	9.6	28.7	162.5	86.0	167.2	66.9	66.9	57.3	57.3	47.8	.....	28.7	62.1	95.6	9.6
4.8	4.8	9.6	81.7	110.6	76.9	38.5	81.7	67.3	72.1	76.9	.....	57.7	52.9	125.0	9.6
.....	4.8	24.2	130.6	96.7	48.4	48.4	77.4	58.0	48.4	53.2	9.7	106.4	19.3	77.4	.....
.....	9.7	14.6	141.1	102.2	136.2	77.8	58.4	68.1	53.5	43.8	4.9	77.8	24.3	111.9	.....
4.9	4.9	24.5	122.3	122.3	97.9	19.6	97.9	93.0	83.2	107.7	9.8	83.2	44.0	53.8	.....
.....	.....	14.8	113.2	113.2	64.0	54.2	49.2	54.2	73.8	59.1	9.8	24.6	4.9	73.8	.....
.....	14.9	9.9	104.0	143.6	74.3	64.4	89.2	69.3	89.2	54.5	5.0	49.5	29.7	94.1	.....
.....	5.0	19.9	149.5	159.5	104.6	39.9	34.9	74.7	139.5	44.8	14.9	94.7	14.9	164.4	.....
.....	5.0	20.1	120.3	140.4	45.1	55.2	130.4	85.2	120.3	30.1	15.0	70.2	.....	120.3	5.0
.....	5.8	58.3	93.3	87.5	87.5	78.8	46.7	70.0	29.2	93.3	.....	61.2	99.2	110.8	14.6
.....	5.9	35.2	82.1	61.6	134.9	52.8	79.2	55.7	41.1	117.3	2.9	82.1	58.7	105.6	8.8
2.9	11.8	29.5	91.4	56.0	117.9	82.6	64.9	70.8	38.3	117.9	8.8	61.9	67.8	85.5	14.7
.....	5.9	3.0	65.2	71.1	50.4	32.6	71.1	77.1	29.6	53.3	.....	88.9	53.3	118.6	3.0
.....	6.0	32.8	71.5	107.3	107.3	68.5	53.6	71.5	53.6	62.6	.....	80.4	59.6	110.2	.....
.....	.....	9.0	131.8	125.8	38.9	59.9	86.9	68.9	53.9	95.8	21.0	65.9	24.0	104.8	.....
.....	12.0	24.1	114.4	108.4	51.2	33.1	99.4	48.2	90.3	48.2	27.1	72.3	33.1	63.2	.....
.....	15.1	30.3	130.2	151.4	54.5	60.5	112.0	78.7	51.5	42.4	9.1	84.8	30.3	90.8	.....
.....	15.2	12.2	103.5	197.8	48.7	54.8	130.9	79.1	54.8	60.9	24.3	63.9	15.2	112.6	.....
.....	12.2	12.2	116.3	125.5	64.3	30.6	125.5	61.2	101.0	55.1	9.2	58.1	.....	88.7	.....
3.5	.....	31.9	138.3	70.9	163.1	67.4	70.9	88.7	60.3	35.5	7.1	60.3	85.1	106.4	14.2
3.6	.....	17.8	164.1	92.7	117.7	71.3	110.6	99.9	35.7	35.7	3.6	42.8	28.5	135.5	7.1
.....	14.3	28.7	132.7	71.7	86.1	46.6	147.0	89.7	64.6	78.9	3.6	71.7	78.9	150.6	10.8
.....	7.2	18.0	126.2	140.7	115.4	46.9	90.2	46.9	72.1	86.6	28.9	83.0	39.7	147.9	.....
.....	14.5	14.5	112.4	126.9	72.5	65.3	90.7	90.7	61.7	87.0	3.6	76.2	29.0	123.3	3.6
.....	14.6	18.2	124.0	178.7	102.1	40.1	69.3	91.2	69.3	124.0	18.2	69.3	36.5	124.0	.....
.....	7.3	22.0	132.1	146.7	80.7	58.7	69.7	84.4	73.4	44.0	14.7	44.0	22.0	128.4	.....
.....	11.1	36.9	154.9	154.9	103.3	40.6	44.3	81.2	73.8	44.3	14.8	48.0	14.8	110.7	.....
.....	11.1	7.4	126.1	174.4	74.2	22.3	92.8	77.9	40.8	59.4	22.3	77.9	7.4	133.6	.....
7.5	7.5	7.5	141.8	145.5	97.0	56.0	100.8	59.7	67.2	78.4	14.9	82.1	7.5	115.7	.....
.....	.....	37.1	185.5	59.4	207.7	22.3	133.6	51.9	29.7	51.9	.....	44.5	133.6	141.0	22.3
.....	.....	45.0	150.1	60.1	202.7	67.6	45.0	52.5	60.1	82.6	22.5	60.1	90.1	127.6	37.5
.....	.....	45.5	91.1	121.4	53.1	60.7	60.7	53.1	45.5	60.7	7.6	60.7	15.2	98.6	15.2
.....	7.7	23.0	76.7	107.4	38.4	38.4	61.4	84.4	30.7	61.4	.....	46.0	15.3	184.1	.....
7.8	.....	23.3	77.6	124.1	116.4	77.6	85.3	38.8	23.3	38.8	.....	38.8	38.8	108.6	7.8
.....	.....	15.7	78.4	109.8	54.9	31.4	109.8	86.3	23.5	62.8	7.8	78.4	62.8	117.7	15.7
7.9	7.9	7.9	134.9	79.3	87.3	39.7	87.3	23.8	31.7	7.9	.....	39.7	47.6	134.9	7.9
.....	.....	16.1	96.3	232.7	104.3	40.1	72.2	48.2	56.2	24.1	.....	56.2	16.1	80.3	.....
.....	.....	8.1	81.2	129.9	81.2	32.5	40.6	64.6	40.6	48.7	.....	56.8	8.1	97.4	.....
.....	8.2	16.4	98.6	147.9	73.9	41.1	41.1	139.7	98.6	41.1	.....	49.3	16.4	57.5	16.4
.....	.....	50.1	96.9	76.9	103.6	56.8	83.6	86.9	33.4	60.2	6.7	66.9	120.4	117.0	10.0
.....	.....	66.0	66.0	61.3	136.8	51.9	94.3	61.3	47.2	23.6	.....	70.8	47.2	141.5	9.4
.....	4.8	42.8	66.5	66.5	57.0	47.5	85.5	71.3	38.0	61.8	9.5	80.8	76.0	114.0	.....
.....	.....	33.5	90.9	81.3	33.5	71.8	100.5	86.1	19.1	52.6	9.6	67.0	43.1	71.8	.....
.....	4.8	81.9	72.3	115.7	106.0	77.1	101.2	67.5	53.0	67.5	.....	48.2	24.1	120.5	.....
.....	.....	34.0	126.2	116.5	87.4	67.9	116.5	58.2	29.1	97.1	4.9	87.4	29.1	111.6	4.9
.....	9.8	29.3	88.0	58.7	39.1	58.7	48.9	78.2	39.1	48.9	.....	48.9	14.7	73.3	.....
.....	4.9	39.4	88.6	118.2	68.9	24.6	68.9	44.3	44.3	73.9	9.8	44.3	14.8	88.6	.....
.....	5.0	14.9	59.5	114.1	44.6	49.6	84.3	74.4	5.0	34.7	.....	64.5	5.0	99.2	.....
.....	15.0	20.0	95.0	139.9	50.0	25.0	95.0	55.0	20.0	40.0	.....	80.0	5.0	80.0	.....
.....	4.5	27.0	193.7	103.7	130.7	40.6	54.1	85.6	27.0	13.5	9.0	81.1	58.6	193.7	13.5
.....	.....	27.1	149.3	162.8	149.3	104.0	85.9	81.4	49.8	36.2	4.5	95.0	81.4	162.8	.....
.....	4.5	4.5	104.4	131.7	104.4	40.9	72.6	86.3	59.0	36.3	4.5	77.2	59.0	136.1	13.6
.....	.....	9.1	145.8	127.6	59.2	95.7	41.0	50.1	54.7	31.9	.....	141.2	18.2	127.6	.....
.....	9.1	18.3	141.8	173.8	91.5	64.0	73.2	91.5	45.7	73.2	4.6	146.3	22.9	146.3	.....
4.6	23.0	23.0	128.5	188.2	119.3	59.7	50.5	73.4	73.4	55.1	4.6	128.5	9.2	110.2	.....
.....	18.4	13.8	119.8	207.3	92.1	55.3	59.9	124.4	46.1	36.9	18.4	92.1	9.2	147.4	9.2
.....	4.6	13.9	166.5	180.4	134.1	74.0	55.5	64.7	55.5	55.5	9.2	69.4	13.9	143.4	.....
.....	13.9	4.6	88.2	213.5	74.3	74.3	51.1	92.8	69.6	46.4	27.9	92.8	.....	116.1	.....
.....	14.0	4.7	111.8	265.6	111.8	55.9	55.9	55.9	60.6	28.0	4.7	116.5	4.7	60.6	.....
.....	10.2	10.2	112.7	92.2	87.1	35.9	112.7	76.9	61.5	20.5	15.4	66.6	107.6	189.6	10.2
.....	.....	30.9	185.2	128.6	133.8	72.0	123.5	82.3	46.3	61.7	15.4	77.2	66.9	262.4	5.1
.....	10.3	36.1	123.9	134.3	72.3	62.0	123.9	98.1	20.7	87.8	5.2	31.0	82.6	180.7	.....
.....	10.4	5.2	150.3	124.4	72.6	36.3	67.4	98.5	46.6	62.2	15.5	41.5	31.1	150.3	.....
5.2	10.4	15.6	182.1	135.3	78.0	62.4	72.8	78.0	52.0	31.2	26.0	78.0	62.4	156.1	.....
10.4	10.4	10.4	146.2	156.7	94.0	83.6	73.1	78.3	41.8	62.7	41.8	73.1	47.0	135.8	.....
.....	15.7	5.2	136.3	110.1	115.3	62.9	78.6	104.9	52.4	57.7	15.7	89.1	36.7	230.7	.....
.....	21.1	.....	142.1	178.9	73.7	68.4	78.9	110.5	36.8	47.4	.....	68.4	21.1	189.5	5.3
.....	.....	5.3	126.8	216.6	100.4	21.1	68.7	95.1	47.6	21.1	5.3	79.3	10.6	132.1	.....
.....	5.3	15.9	191.0	249.3	84.9	26.5	106.1	84.9	63.7	31.8	.....	74.3	5.3	132.6	.....
3.9	11.7	27.2	124.5	85.6	70.0	54.4	93.3	62.2	23.3	23.3	11.7	70.0	66.1	116.7	27.2
.....	7.8	27.3	109.2	89.7	66.3	58.5	85.8	97.5	46.8	74.1	7.8	74.1	50.7	117.0	7.8
.....	19.6	11.7	125.1	144.7	46.9	31.3	82.1	39.1	46.9	50.8	11.7	43.0	27.4	179.9	.....
3.9	.....	7.8	125.5	145.1	47.0	19.6	43.1	62.7	47.0	35.3	3.9	90.2	27.4	109.8	.....
.....	3.9	11.8	172.9	82.5	23.6	43.2	39.3	59.0	51.1	35.4	3.9	70.7	19.7	86.5	3.9
.....	19.7	15.8	78.8	130.0	55.2	47.3	39.4	90.6	31.5	67.0	.....	102.5	23.6	126.1	15.8
.....	11.9	7.9	126.4	126.4	71.1	31.6	55.3	94.8	75.1	47.4	11.9	83.0	7.9	126.4	7.9
.....	4.0	4.0	158.5	146.6	71.3	35.7	55.5	83.2	91.1	35.7	7.9	39.6	19.8	118.8	4.0
.....	11.9	11.9	147.0	170.8	23.8	19.9	47.7	115.2	91.4	51.6	7.9	87.4	19.9	131.1	.....
.....	19.9	11.9	167.3	183.2	35.8	19.9	51.8	83.6	75.7	43.8	4.0	83.6	.....	95.6	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
INDIANA RURAL[2]—Continued.														
Delaware County	1900	1,192.4	59.3	10.4	.....	17.4	7.0	13.9	20.9	27.9	(3)	111.6	10.4	7.0
	1901	1,303.4	49.1	7.0	.....	24.5	3.5	21.0	24.5	35.0	(3)	171.7	14.0	28.0
	1902	1,112.6	52.8	.....	.....	24.6	7.0	10.6	17.6	7.0	(3)	109.1	17.6	17.6
	1903	983.5	49.9	3.6	7.1	.....	14.3	3.6	7.1	7.1	(3)	131.8	24.9	28.5
	1904	1,102.5	60.7	3.6	.....	7.1	3.6	.....	32.1	28.5	(3)	82.1	21.4	39.2
	1905	1,082.6	35.7	3.6	.....	.....	.....	7.1	7.1	14.3	21.4	128.6	21.4	46.5
	1906	894.5	32.2	.....	.....	.....	.....	.....	7.2	.....	32.2	107.3	14.3	28.6
	1907	1,110.6	32.2	3.6	.....	21.5	.....	.....	21.5	21.5	21.5	96.7	10.7	21.5
	1908	1,105.0	39.5	3.6	3.6	.....	3.6	32.3	14.4	10.8	7.2	111.2	35.9	75.3
	1909	925.8	14.6	.....	.....	.....	14.6	3.6	7.3	7.3	14.6	80.2	32.8	32.8
Dubois County	1900	1,257.6	54.1	14.7	.....	.....	.....	.....	39.3	9.8	(3)	152.3	19.6	19.6
	1901	1,423.6	93.6	19.7	4.9	34.5	.....	9.9	44.3	34.5	(3)	147.8	4.9	4.9
	1902	1,313.6	88.9	19.8	.....	4.9	.....	39.5	34.6	14.8	(3)	187.7	.....	39.5
	1903	985.3	34.7	5.0	5.0	.....	.....	5.0	9.9	39.6	(3)	128.7	9.9	34.7
	1904	1,206.3	39.7	.....	29.8	9.9	5.0	9.9	.....	29.8	(3)	124.1	24.8	5.0
	1905	1,328.8	59.7	19.9	10.0	.....	.....	19.9	5.0	29.9	74.7	144.3	19.9	39.8
	1906	1,127.7	49.9	20.0	.....	.....	5.0	20.0	20.0	34.9	64.9	149.7	15.0	69.9
	1907	1,165.6	60.0	5.0	25.0	.....	.....	.....	20.0	20.0	45.0	130.1	20.0	50.0
	1908	1,028.2	20.1	5.0	.....	20.1	.....	.....	25.1	55.2	25.1	130.4	20.1	40.1
	1909	1,156.7	30.2	15.1	.....	.....	.....	15.1	5.0	20.1	40.2	155.9	30.2	40.2
Elkhart County	1900	1,325.1	57.7	6.7	.....	26.6	2.2	.....	20.0	13.3	(3)	119.9	15.6	55.5
	1901	1,122.2	43.5	.....	.....	.....	.....	.....	10.0	43.5	(3)	93.8	10.0	53.6
	1902	1,159.7	40.2	.....	3.4	.....	10.1	3.4	13.4	3.4	(3)	144.1	23.5	57.0
	1903	1,140.1	33.5	6.7	.....	10.1	.....	13.4	3.4	20.1	(3)	124.1	6.7	40.2
	1904	1,261.5	30.2	.....	6.7	.....	26.8	3.4	3.4	23.5	(3)	130.8	10.1	67.1
	1905	1,285.6	30.2	.....	3.4	3.4	.....	3.4	3.4	16.8	16.8	117.5	23.5	87.3
	1906	1,326.5	13.4	.....	.....	.....	3.4	6.7	10.1	6.7	20.1	114.2	23.5	60.4
	1907	1,286.8	23.5	10.1	.....	6.7	6.7	6.7	33.6	26.9	6.7	141.1	13.4	73.9
	1908	1,354.6	26.9	.....	.....	3.4	6.7	10.1	10.1	26.9	20.2	100.8	20.2	97.5
	1909	1,160.2	6.7	.....	.....	.....	10.1	13.5	.....	3.4	20.2	94.2	43.7	53.8
Fayette County	1900	1,363.5	14.8	.....	.....	.....	.....	14.8	96.4	7.4	(3)	118.6	37.1	81.5
	1901	1,610.9	36.8	.....	.....	.....	22.1	7.4	7.4	44.1	(3)	161.8	14.7	88.3
	1902	1,336.9	36.5	7.3	.....	7.3	29.2	.....	36.5	36.5	(3)	109.6	14.6	95.0
	1903	1,168.3	29.0	.....	.....	.....	7.3	36.3	43.5	14.5	(3)	101.6	14.5	79.8
	1904	1,528.0	28.8	.....	.....	21.6	7.2	7.2	7.2	21.6	(3)	129.7	14.4	36.0
	1905	1,188.5	14.3	.....	.....	.....	7.2	7.2	.....	43.0	14.3	200.5	28.6	50.1
	1906	1,294.5	21.3	.....	.....	.....	.....	.....	7.1	28.4	21.3	120.9	28.4	85.3
	1907	1,158.8	28.3	.....	.....	.....	.....	.....	.....	21.2	14.1	77.7	14.1	91.9
	1908	1,319.7	42.1	.....	.....	.....	.....	14.0	.....	28.1	21.1	126.4	35.1	77.2
	1909	1,178.5	13.9	.....	.....	.....	.....	13.9	.....	41.8	7.0	111.6	20.9	76.7
Floyd County	1900	1,570.5	86.3	10.0	.....	3.3	.....	6.6	46.5	26.6	(3)	202.5	3.3	63.1
	1901	1,325.3	84.1	.....	.....	10.5	.....	10.5	63.1	52.6	(3)	189.3	10.5	52.6
	1902	976.5	52.5	21.0	.....	.....	.....	.....	52.5	.....	(3)	105.0	10.5	42.0
	1903	1,027.1	10.5	10.5	.....	.....	.....	10.5	52.4	.....	(3)	146.7	.....	31.4
	1904	1,004.3	10.5	10.5	10.5	.....	10.5	.....	31.4	20.9	(3)	156.9	20.9	31.4
	1905	1,117.3	41.8	.....	.....	.....	20.9	.....	10.4	41.8	10.4	177.5	31.3	62.6
	1906	990.2	20.8	.....	.....	.....	.....	.....	20.8	10.4	20.8	93.8	20.8	41.7
	1907	905.0	41.6	.....	.....	.....	.....	20.8	.....	20.8	20.8	104.0	20.8	10.4
	1908	1,214.8	20.8	.....	.....	.....	.....	.....	31.1	72.7	20.8	124.6	10.4	62.3
	1909	1,316.2	82.9	.....	.....	.....	.....	.....	31.1	10.4	20.7	165.8	10.4	31.1
Fountain County	1900	1,254.3	23.3	14.0	.....	.....	9.3	.....	14.0	32.6	(3)	191.2	14.0	37.3
	1901	1,457.6	37.5	9.4	.....	.....	4.7	.....	28.1	89.1	(3)	150.0	28.1	9.4
	1902	1,139.7	14.1	.....	.....	9.4	.....	9.4	9.4	14.1	(3)	98.9	9.4	33.0
	1903	1,206.7	28.4	.....	.....	4.7	9.5	42.6	14.2	18.9	(3)	156.2	18.9	42.6
	1904	1,198.3	23.8	9.5	.....	9.5	19.0	4.8	4.8	33.3	(3)	218.7	9.5	52.3
	1905	1,137.2	33.4	14.3	.....	.....	19.1	9.6	4.8	62.1	38.2	114.7	14.3	33.4
	1906	1,224.4	28.8	.....	.....	.....	.....	28.8	14.4	14.4	9.6	168.1	24.0	57.6
	1907	1,302.8	48.3	.....	.....	9.7	.....	4.8	14.5	33.8	9.7	168.9	33.8	86.9
	1908	1,173.5	19.4	.....	.....	9.7	.....	4.8	4.8	48.5	.....	126.1	29.1	58.2
	1909	1,252.4	9.7	4.9	4.9	.....	.....	19.5	.....	43.9	29.2	117.0	53.6	73.1
Franklin County	1900	1,440.1	24.4	18.3	.....	.....	.....	30.5	42.7	61.0	(3)	195.3	.....	42.7
	1901	1,493.2	61.4	18.4	.....	12.3	.....	.....	18.4	49.2	(3)	116.8	36.9	24.6
	1902	1,583.4	43.3	18.6	.....	6.2	24.7	12.4	18.6	61.9	(3)	167.0	43.3	61.9
	1903	1,319.9	18.7	12.5	18.7	.....	.....	.....	24.9	43.6	(3)	236.6	18.7	31.1
	1904	1,498.0	75.2	.....	6.3	18.8	.....	.....	6.3	50.1	(3)	194.3	12.5	37.6
	1905	1,230.4	12.6	.....	.....	.....	6.3	12.6	.....	37.9	.....	176.7	18.9	50.5
	1906	1,219.7	19.1	.....	.....	6.4	6.4	12.7	19.1	31.8	.....	152.5	38.1	50.8
	1907	1,272.9	19.2	6.4	.....	.....	6.4	.....	.....	70.4	19.2	127.9	32.0	38.4
	1908	1,249.4	19.3	.....	.....	.....	12.9	19.3	6.4	77.3	25.8	135.2	51.5	90.2
	1909	1,348.9	32.4	13.0	.....	.....	.....	13.0	19.5	64.9	.....	97.3	25.9	116.7
Fulton County	1900	1,214.7	22.9	.....	.....	.....	5.7	17.2	51.6	11.5	(3)	131.8	11.5	45.8
	1901	1,155.8	40.3	5.8	.....	5.8	5.8	5.8	23.0	46.0	(3)	115.0	5.8	46.0
	1902	1,205.8	40.4	.....	.....	5.8	.....	5.8	.....	28.8	(3)	126.9	23.1	69.2
	1903	1,279.3	40.5	.....	.....	.....	.....	17.4	5.8	34.7	(3)	162.1	11.6	52.1
	1904	1,208.1	.....	5.8	.....	11.6	5.8	.....	11.6	17.4	(3)	104.5	5.8	52.3
	1905	1,334.6	35.0	5.8	.....	5.8	5.8	29.1	5.8	40.8	29.1	93.2	11.7	99.1
	1906	1,099.4	35.1	23.4	.....	.....	.....	.....	.....	5.8	11.7	169.6	17.5	40.9
	1907	1,120.7	5.9	.....	.....	.....	.....	11.7	5.9	52.8	23.5	88.0	11.7	52.8
	1908	1,101.0	11.8	.....	.....	5.9	.....	.....	5.9	70.7	17.7	141.3	17.7	41.2
	1909	1,146.2	35.4	.....	.....	.....	5.9	11.8	.....	17.7	17.7	94.5	5.9	65.0

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	17.4	38.4	115.1	80.2	80.2	62.8	69.7	62.8	41.8	111.6	7.4	52.3	55.8	97.6	3.5
.....	10.5	28.0	171.7	66.6	84.1	59.6	91.1	59.6	49.1	105.1	3.5	42.0	45.6	105.1	3.5
.....	7.0	21.1	102.1	95.1	56.3	49.3	77.5	84.5	56.3	63.4	3.5	63.4	38.7	119.7	10.6
.....	7.1	21.4	92.6	67.7	53.4	32.1	32.1	60.6	74.8	53.4	14.3	42.8	21.4	128.3	3.6
.....	10.7	14.3	124.9	78.5	50.0	57.1	71.4	57.1	64.2	82.1	7.1	60.7	39.2	103.5	3.6
.....	3.6	14.3	103.6	75.0	67.9	32.2	60.7	89.3	32.2	96.5	10.7	85.8	21.4	100.0	3.6
3.6	7.2	.....	103.8	125.2	53.7	35.8	46.5	64.4	32.2	64.4	3.6	35.8	7.2	82.3	7.2
.....	7.2	17.9	129.0	114.6	86.0	17.9	93.1	60.9	46.6	82.4	28.7	57.3	3.6	107.5	7.2
.....	14.4	21.5	71.8	89.7	39.5	39.5	71.8	96.9	61.0	68.2	10.8	50.2	7.2	125.6	.....
.....	7.3	14.6	105.7	109.3	58.3	36.4	47.4	54.7	83.8	29.2	7.3	40.1	.....	123.9	.....
4.9	4.9	14.7	108.1	14.7	142.5	73.7	88.4	93.4	49.1	59.0	9.8	59.0	78.6	142.5	4.9
.....	.....	29.6	103.4	44.3	211.8	14.8	93.6	69.0	49.3	118.2	4.9	49.3	39.4	197.0	.....
4.9	.....	19.8	84.0	44.4	158.0	79.0	84.0	88.9	44.4	49.4	.....	44.4	39.5	143.2	.....
.....	.....	5.0	84.2	54.5	79.2	74.3	54.5	64.4	19.8	39.6	5.0	74.3	39.6	108.9	9.9
.....	9.9	29.8	109.2	59.6	89.4	29.8	119.1	59.6	44.7	148.9	5.0	19.9	24.8	178.7	.....
5.0	10.0	29.9	79.6	74.7	134.4	49.8	89.6	59.7	69.7	69.7	19.9	74.7	29.9	109.5	.....
.....	5.0	5.0	89.8	54.9	79.8	29.9	104.8	54.9	39.9	44.9	5.0	69.9	10.0	79.8	5.0
.....	.....	10.0	70.0	110.1	85.0	45.0	90.0	70.0	60.0	55.0	5.0	80.0	10.0	100.1	.....
.....	20.1	10.0	75.2	100.3	75.2	60.2	70.2	60.2	25.1	50.2	5.0	55.2	.....	80.3	.....
.....	.....	5.0	105.6	140.8	100.6	45.3	120.7	60.3	40.2	65.4	.....	40.2	.....	80.5	.....
.....	6.7	24.4	195.3	135.4	68.8	48.8	77.7	82.1	37.7	26.6	6.7	48.8	55.5	173.1	20.0
3.3	10.0	13.4	150.7	127.3	63.6	56.9	50.2	83.7	56.9	30.1	10.0	56.9	30.1	123.9	.....
.....	3.4	13.4	167.6	117.3	46.9	33.5	50.3	83.8	43.6	40.2	20.1	60.3	43.6	124.0	13.4
.....	10.1	33.5	154.3	137.5	33.5	36.9	63.7	67.1	33.5	57.0	6.7	53.7	30.2	164.1	.....
.....	3.4	26.8	144.3	184.5	80.5	50.3	43.6	63.7	83.9	36.9	13.4	57.0	13.4	147.6	10.1
.....	10.1	30.2	147.7	208.1	67.1	36.9	63.8	90.6	50.4	47.0	16.8	26.9	43.6	141.0	.....
6.7	20.1	26.9	198.1	255.2	60.4	30.2	43.7	87.3	80.6	33.6	20.1	60.4	13.4	127.6	3.4
3.4	30.2	16.8	174.7	174.7	47.0	40.3	43.7	80.6	47.0	53.8	3.4	77.3	3.4	141.1	.....
3.4	30.3	23.5	168.1	184.9	57.1	33.6	84.0	87.4	57.1	60.5	16.8	87.4	3.4	134.5	.....
.....	16.8	23.5	151.3	195.0	57.2	57.2	30.3	80.7	94.2	37.0	3.4	67.3	3.4	97.5	.....
.....	7.4	22.2	103.7	111.2	155.6	44.5	74.1	103.7	51.9	51.9	.....	66.7	88.9	103.7	7.4
.....	22.1	29.4	139.8	88.3	213.3	132.4	139.8	110.3	36.8	36.8	7.4	73.6	36.8	161.8	.....
.....	21.9	21.9	131.5	102.3	95.0	51.1	73.1	73.1	65.8	95.0	29.2	80.4	29.2	95.0	.....
.....	14.5	14.5	87.1	145.1	94.3	65.3	87.1	72.6	43.5	7.3	14.5	72.6	21.8	101.6	.....
.....	14.4	28.8	144.2	108.1	115.3	86.5	72.1	158.6	93.7	115.3	.....	79.3	50.5	180.2	7.2
.....	7.2	21.5	114.6	114.6	100.2	57.3	57.3	93.1	28.6	64.4	7.2	35.8	7.2	114.6	.....
.....	7.1	21.3	128.0	163.6	149.4	71.1	42.7	99.6	35.6	42.7	14.2	78.2	21.3	106.7	.....
.....	7.1	14.1	113.1	141.3	84.8	56.5	70.7	120.1	21.2	28.3	28.3	98.9	7.1	120.1	.....
7.0	21.1	21.1	105.3	203.6	35.1	28.1	56.2	133.4	70.2	35.1	42.1	84.2	.....	133.4	.....
7.0	7.0	13.9	97.6	160.4	90.7	34.9	55.8	139.5	27.9	48.8	27.9	83.7	7.0	90.7	.....
.....	.....	13.3	212.5	169.3	49.8	93.0	79.7	79.7	29.9	59.8	3.3	46.5	83.0	202.5	.....
10.5	.....	10.5	147.3	94.7	115.7	94.7	42.1	63.1	10.5	52.6	10.5	73.6	52.6	73.6	.....
.....	.....	21.0	52.5	84.0	73.5	21.0	52.5	63.0	31.5	21.0	.....	126.0	42.0	94.5	10.5
.....	.....	10.5	41.9	136.3	167.7	62.9	62.9	52.4	31.4	31.4	.....	52.4	21.0	94.3	.....
.....	.....	10.5	146.5	136.0	115.1	31.4	31.4	10.5	.....	52.3	10.5	20.9	31.4	104.6	.....
.....	.....	31.3	114.9	125.3	41.8	62.6	41.8	31.3	52.2	62.6	10.4	10.4	20.9	114.9	.....
.....	20.8	31.3	145.9	104.2	31.3	62.5	20.8	52.1	41.7	52.1	10.4	41.7	20.8	125.1	.....
.....	10.4	.....	135.2	104.0	83.2	72.8	41.6	72.8	31.2	20.8	.....	10.4	10.4	72.8	.....
.....	.....	10.4	135.0	114.2	41.5	51.9	83.1	83.1	72.7	83.1	10.4	72.7	10.4	103.8	.....
.....	20.7	.....	176.2	176.2	41.5	62.2	114.0	103.6	10.4	10.4	.....	93.3	10.4	145.1	.....
4.7	9.3	14.0	135.2	111.9	125.9	55.9	42.0	83.9	55.9	51.3	4.7	60.6	42.0	102.6	18.7
.....	4.7	23.4	121.9	103.1	140.6	56.2	103.1	107.8	51.6	89.1	4.7	51.6	46.9	192.2	4.7
.....	14.1	47.1	146.0	98.9	51.8	75.4	65.9	70.6	51.8	65.9	9.4	47.1	70.6	122.4	4.7
.....	4.7	47.3	132.5	85.2	99.4	75.7	66.3	52.1	23.7	37.9	.....	52.1	47.3	137.2	9.5
.....	9.5	28.5	109.4	104.6	52.3	38.0	66.6	80.8	42.8	57.1	19.0	52.3	38.0	104.6	9.5
.....	28.7	28.7	148.1	47.8	38.2	38.2	52.6	38.2	71.7	47.8	19.1	66.9	28.7	133.8	4.8
.....	14.4	9.6	110.4	144.1	52.8	38.4	62.4	76.8	57.6	38.4	14.4	72.0	24.0	153.7	9.6
.....	14.5	24.1	125.5	173.7	72.4	57.9	53.1	101.3	82.0	38.6	4.8	29.0	4.8	111.0	.....
.....	9.7	9.7	106.7	198.8	29.1	58.2	72.7	101.8	48.5	53.3	19.4	101.8	4.8	58.2	.....
.....	.....	24.4	117.0	194.9	48.7	39.0	53.6	92.6	82.8	34.1	4.9	82.8	.....	121.8	.....
.....	12.2	30.5	140.4	140.4	85.4	73.2	54.9	140.4	54.9	54.9	12.2	67.1	48.8	103.8	6.1
.....	6.1	30.7	215.1	67.6	129.0	98.3	104.5	110.6	36.9	110.6	18.4	30.7	61.4	135.2	.....
.....	6.2	.....	216.5	167.0	99.0	43.3	92.8	105.1	68.0	68.0	18.6	68.0	18.6	136.1	18.6
.....	6.2	.....	161.9	149.4	80.9	49.8	74.7	130.7	43.6	37.4	18.7	74.7	.....	87.2	.....
6.3	.....	6.3	169.2	150.4	81.5	62.7	56.4	112.8	62.7	81.5	6.3	100.3	6.3	188.0	6.3
.....	6.3	6.3	164.1	107.3	75.7	44.2	113.6	75.7	82.0	69.4	6.3	44.2	6.3	107.3	6.3
.....	12.7	6.4	88.9	146.1	57.2	82.6	101.6	57.2	114.4	19.1	6.4	76.2	6.4	108.0	.....
.....	12.8	6.4	191.9	134.3	76.8	25.6	95.9	102.3	70.4	57.6	.....	44.8	6.4	127.9	.....
.....	6.4	12.9	122.4	96.6	96.6	32.2	64.4	51.5	70.8	45.1	19.3	96.6	12.9	83.7	.....
.....	6.5	13.0	188.1	149.2	84.3	77.8	77.8	58.4	103.8	45.4	19.5	45.4	.....	97.3	.....
5.7	5.7	34.4	137.5	114.6	103.2	34.4	114.6	68.8	51.6	28.6	.....	28.6	45.8	143.2	.....
.....	17.3	17.3	103.5	126.5	92.0	57.5	69.0	69.0	46.0	51.8	.....	5.8	46.0	149.5	5.8
.....	11.5	11.5	138.5	121.2	80.8	28.8	75.0	46.2	46.2	51.9	.....	51.9	51.9	178.8	11.5
.....	5.8	34.7	167.9	133.1	69.5	57.9	63.7	81.0	46.3	.....	.....	63.7	52.1	156.3	23.2
.....	11.6	11.6	110.4	69.7	98.7	87.1	92.9	52.3	69.7	58.1	5.8	81.3	29.0	209.1	5.8
.....	.....	35.0	128.2	128.2	81.6	35.0	58.3	116.6	81.6	46.6	.....	58.3	23.3	180.7	.....
.....	11.7	11.7	146.2	99.4	58.5	46.8	35.1	52.6	81.9	46.8	11.7	52.6	17.5	122.8	.....
.....	5.9	11.7	93.9	199.5	41.1	41.1	41.1	88.0	52.8	64.5	17.6	58.7	23.5	129.1	.....
.....	5.9	5.9	129.5	188.4	11.8	58.9	70.7	82.4	117.8	35.3	5.9	23.6	17.7	35.3	.....
.....	11.8	5.9	135.9	147.7	53.2	53.2	53.2	106.3	100.4	59.1	.....	82.7	.....	82.7	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
INDIANA RURAL [2]—Continued.														
Gibson County	1900	1,259.1	39.9	46.5	.....	.....	3.3	6.6	3 3	16.6	(3)	176.1	6.6	23.2
	1901	1,458.4	69.8	26.6	.....	.....	3 3	13.3	6.6	43.2	(3)	219.3	29.9	26.6
	1902	1,205.8	76.4	36.5	.....	.....	3.3	23.3	3 3	10.0	(3)	176.1	23.3	59.8
	1903	1,022.9	39.9	26.6	.....	.....	.....	6.6	10.0	26.6	(3)	152.8	26.6	53.1
	1904	1,550.8	69.7	23.2	3.3	39.8	3.3	6.6	13 3	46.5	(3)	179.3	33.2	36.5
	1905	1,348.1	43.2	23.2	.....	.....	.....	.....	39 8	36.5	33.2	176.0	10.0	33.2
	1906	1,254.9	59.8	29.9	.....	.....	.....	33.2	19.9	3.3	26.6	162.7	19.9	56.4
	1907	1,208.3	33.2	13.3	.....	.....	6.6	.....	13.3	33.2	33.2	152.7	16.6	63.1
	1908	1,291.1	49 8	26.6	.....	13.3	10.0	49.8	6.6	29.9	29.9	159.3	23.2	56.4
	1909	1,330.8	49.8	33.2	.....	.....	16 6	29.9	10.0	23.2	39.8	172.6	23.2	36.5
Grant County	1900	1,530.4	47.5	11.0	.....	5.5	5.5	9.1	40 2	21.9	(3)	190.2	11.0	34.7
	1901	1,436.0	65.0	2.7	.....	2.7	2.7	5.4	13.5	19.0	(3)	178.8	16.3	32.5
	1902	1,630.3	52.1	2.7	.....	19.2	.....	.....	21.9	13.7	(3)	145.2	24.7	52.1
	1903	1,439.1	45.9	8.6	8.6	2.9	11.5	8.6	37.3	2.9	(3)	123.3	22.9	54.5
	1904	1,720.4	31.9	2.9	2.9	34.8	20.3	2.9	11.6	14.5	(3)	171.2	11.6	34.8
	1905	1,618.0	38.2	8.8	.....	.....	8.8	26.4	11.7	38.2	41.1	170.3	20.6	47.0
	1906	1,563.6	47.6	3.0	.....	.....	.....	5.9	23.8	8.9	32.7	148.6	26.8	44.6
	1907	1,559.0	15.0	.....	.....	3.0	.....	.....	18.1	27.1	24.1	171.6	27.1	78.3
	1908	1,545.2	18.3	3.0	.....	.....	6.1	33.5	15.2	24.4	45.7	167.6	15.2	51.8
	1909	1,450.8	24.7	.....	.....	3.1	.....	9.3	.....	3.1	37.0	123.5	24.7	77.2
Greene County	1900	1,437.1	59.6	56.1	.....	10.5	3.5	21.0	21.0	28.0	(3)	206.8	14.0	42.1
	1901	1,331.3	54.3	34.0	.....	40.8	.....	13.6	17.0	40.8	(3)	193.6	17.0	37.4
	1902	1,274.4	52.8	39.6	.....	.....	3.3	6.6	3.3	13.2	(3)	142.0	9.9	36.3
	1903	1,252.6	77.1	6.4	9.6	16.1	12.8	12.8	25.7	3.2	(3)	173.4	9 6	38.5
	1904	1,613.6	56.3	15.6	34.4	81.3	31.3	15.6	25.0	21.9	(3)	206.4	15.6	46.9
	1905	1,422.7	57.9	24.4	6.1	3.0	18.3	33.5	21.3	21.3	27.4	167.6	18.3	36.6
	1906	1,363.3	32.7	5 9	.....	3.0	3.0	3.0	5.9	17.8	20.8	142.6	29.7	38.6
	1907	1,266.2	78.2	11.6	.....	2.9	.....	26.1	8.7	23 2	43.5	168.0	23.2	29.0
	1908	1,193.5	48.1	8.5	.....	11.3	5.7	22 6	11.3	19.8	22.6	172.5	25.5	56.6
	1909	1,309.2	47.0	8.3	.....	16.6	.....	13.8	27.6	19 3	16.6	163.0	24.9	52.5
Hamilton County	1900	1,417.4	36.8	3.3	.....	6.7	20.1	23.4	33.4	23.4	(3)	170.5	10.0	33.4
	1901	1,361.6	33.8	3.4	.....	.....	6.8	10.1	23.7	43.9	(3)	172.3	27.0	60.8
	1902	1,242.1	47.8	6.8	.....	.....	3.4	3.4	27.3	23.9	(3)	102.4	23.9	40.9
	1903	1,120.1	44.8	13.8	.....	.....	.....	.....	55.1	48.3	(3)	127.5	3.4	62.0
	1904	1,242.9	34.8	.....	.....	31.3	7.0	3.5	3.5	38 3	(3)	201.9	31.3	83.6
	1905	1,305.0	49.2	10.6	.....	.....	3.5	7.0	7.0	31 7	21.1	168.8	24.6	49.2
	1906	1,105.3	28 4	3.6	.....	7.1	.....	14.2	7.1	21 3	28.4	152.8	24.9	53.3
	1907	1,206.7	28.7	10.8	.....	7.2	3.6	.....	10.8	32.3	3.6	132.9	14.4	57.5
	1908	1,157.8	43.6	14.5	.....	3.6	.....	3.6	10.9	32.7	10.9	145.2	18.1	76.2
	1909	1,217.9	58.7	.....	.....	14.7	.....	7.3	7.3	36 7	22.0	135.7	36.7	66.0
Hancock County	1900	1,209.0	67.8	5.2	.....	.....	10.4	.....	5.2	10 4	(3)	161.6	20.8	20.8
	1901	1,199.7	31.3	.....	.....	.....	5.2	15 6	10.4	36.5	(3)	99.1	10.4	20.9
	1902	1,388.6	57.4	10.4	.....	5.2	5.2	10 4	5.2	5.2	(3)	130.5	10.4	52.2
	1903	1,295.7	41.8	.....	.....	.....	.....	41.8	5.2	36.6	(3)	182.9	15.7	41.8
	1904	1,500.7	31.4	..	.....	10.5	5.2	.....	20.9	73.2	(3)	203.9	20.9	36.6
	1905	1,528.2	31.4	.....	.....	.....	.....	5 2	15 7	31.4	47.1	167.5	26.2	52.3
	1906	1,346.1	36.7	.....	.....	.....	5.2	5 2	15.7	5.2	31.4	162.4	10.5	36.7
	1907	1,546.4	57.7	5.2	.....	.....	.....	5 2	21.0	15.7	36.7	188.7	26.2	78.6
	1908	1,406.1	52.5	.....	.....	5.2	.....	5.2	26.2	21 0	36.7	157.4	52.5	73.5
	1909	1,360.0	57.8	.....	.....	5.3	.....	5.3	10.5	10.5	15.8	162.8	47.3	68.3
Harrison County	1900	1,363.9	110.6	23.0	.....	23.0	.....	4.6	13.8	18.4	(3)	221.2	4.6	41.5
	1901	1,378.7	55.7	.....	.....	46.4	18.6	.....	23.2	55.7	(3)	185.7	23.2	32.5
	1902	1,135.9	112.2	23.4	.....	.....	.....	14 0	18.7	32 7	(3)	149.6	28.0	32.7
	1903	1,082.7	56.5	4.7	.....	.....	9.4	4 7	9.4	23.5	(3)	164.8	18.8	84.7
	1904	1,365.3	90.1	.....	4.7	.....	19.0	4.7	9.5	23.7	(3)	194.4	14.2	56.9
	1905	1,255.6	71.6	4.8	.....	.....	14.3	4 8	9.5	66 8	19 1	148.0	14.3	52.5
	1906	1,226.1	62.5	4.8	.....	.....	4.8	28.9	14.4	14 4	9.6	211.6	28.9	38.5
	1907	1,176.9	67.8	4.8	.....	14.5	.....	14 5	9.7	29 1	29.1	111.4	9.7	43.6
	1908	1,102.5	43.9	4.9	.....	.....	.....	4.9	4.9	73 2	34.1	126.8	24.4	39.0
	1909	1,326.8	98.3	9.8	.....	.....	.....	4 9	14.7	39.3	19.7	255.5	19.7	54.1
Hendricks County	1900	1,183.5	9.4	9.4	4.7	.....	9.4	18 8	18.8	18 8	(3)	145.6	14.1	47.0
	1901	1,318.0	42.4	23.5	.....	9.4	4.7	9 4	14.1	33 0	(3)	103.6	18.8	28.2
	1902	1,264.2	28.3	18.9	.....	.....	14.2	.....	28.3	9.4	(3)	165.1	28.3	28.3
	1903	1,139.3	23.6	.....	.....	9.5	9.5	4.7	4.7	18 9	(3)	122.9	9.5	42.5
	1904	1,312.4	14.2	19 0	.....	42.6	14.2	4.7	4 7	23.7	(3)	222.7	42.6	28.4
	1905	1,144.3	14.2	.....	.....	.....	.....	.....	4.7	28.5	9.5	170.9	9.5	42.7
	1906	1,222.9	19.0	.....	.....	.....	4.8	38.1	4.8	14.3	23.6	123.7	28.6	38.1
	1907	1,359.1	38.2	.....	.....	9.5	9.5	4.8	23.8	47.7	28.6	143.1	19.1	62.0
	1908	1,280.9	28.7	4.8	.....	4.8	9.6	.....	9 6	52.6	19.1	138.6	43.0	71.7
	1909	1,398.7	28.7	..	.....	.....	4.8	4 8	9.6	14.4	9.6	210.8	43.1	47.9
Henry County	1900	1,542.6	43 8	12 0	.....	15.9	31.9	23.9	31 9	43.8	(3)	131.5	12.0	47.8
	1901	1,605.5	66.4	3 9	.....	39.1	7.8	23.4	11 7	39.1	(3)	156.3	19.5	27.3
	1902	1,426 8	61 4	7.7	53.7	11.5	7.7	11.5	7.7	11.5	(3)	172.6	15.3	49.9
	1903	1,205.5	26 4	15 1	.....	.....	.....	15.1	7 5	11.3	(3)	124.3	26 4	64.0
	1904	1,373.2	33.3	.....	.....	18.5	.....	3.7	7 4	18.5	(3)	111.0	29.6	48.1
	1905	1,185.8	43 7	3.6	.....	3 6	3.6	.....	7 3	25.5	29.1	134.6	21.8	54.6
	1906	1,112 1	14 3	10.7	.....	.....	.....	.....	3.6	14 3	21.5	128.7	21.5	60.8
	1907	1,220 2	24.6	10.5	.....	31.6	.....	3.5	.....	10 5	35.2	116.0	21.1	66.8
	1908	1,144.9	34.6	3.5	..	.....	.....	10 4	3 5	24.2	17.3	134 9	27.7	34.6
	1909	1,351.1	34.0	.....	.....	6.8	6.8	6 8	6.8	13.6	27.2	105.5	30.6	91.9

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	6.6	73.1	116.3	43.2	109.6	26.6	113.0	73.1	16.6	93.0	.....	53.2	83.1	119.6	10.0
.....	.....	39.9	116.3	93.0	109.6	46.5	149.5	73.1	43.2	89.7	3.3	79.7	36.5	139.5	.....
.....	6.6	36.5	89.7	63.1	76.4	46.5	83.0	79.7	26.6	89.7	3.3	59.8	33.2	96.3	3.3
.....	6.6	23.2	69.7	63.1	73.1	56.5	76.4	29.9	36.5	63.1	3.3	69.7	23.2	83.0	3.3
3.3	6.6	33.2	86.3	89.7	129.5	89.7	116.2	83.0	59.8	162.7	3.3	86.3	19.9	126.2	.....
6.6	6.6	29.9	109.6	106.3	129.5	63.1	96.3	66.4	53.1	69.7	3.3	93.0	19.9	99.6	.....
.....	6.6	33.2	93.0	73.0	93.0	83.0	106.2	59.8	46.5	59.8	13.3	56.4	23.2	96.3	.....
.....	.....	26.6	116.2	129.5	109.5	19.9	66.4	92.9	33.2	73.0	16.6	43.2	19.9	96.3	.....
.....	16.6	13.3	79.7	136.1	63.1	23.2	116.2	73.0	63.1	59.7	3.3	79.7	10.0	99.6	.....
.....	13.3	19.9	92.9	119.5	63.1	96.2	92.9	76.3	86.3	56.4	6.6	73.0	.....	99.6	.....
3.6	3.6	34.7	190.2	107.9	122.5	51.2	113.4	86.0	32.9	69.5	3.6	49.4	107.9	164.6	12.8
2.7	.....	29.8	165.3	130.0	100.2	54.2	78.6	84.0	35.2	65.0	10.8	84.0	70.4	181.5	5.4
.....	5.5	21.9	180.8	145.2	87.7	60.3	142.5	137.0	46.6	84.9	8.2	54.8	74.0	243.9	5.5
.....	5.7	22.9	177.7	180.6	83.1	57.3	31.5	83.1	74.5	86.0	8.6	80.3	54.5	160.5	5.7
5.8	5.8	23.2	240.8	174.1	104.4	58.0	89.9	95.7	84.1	150.9	11.6	81.2	66.7	185.7	2.9
.....	11.7	29.4	243.7	187.9	126.3	76.3	67.5	85.2	41.1	73.4	8.8	55.8	47.0	146.8	5.9
.....	8.9	20.8	202.1	225.9	95.1	50.5	68.4	89.2	68.4	59.5	5.9	83.2	32.7	205.1	5.9
.....	18.1	12.0	204.7	273.9	84.3	57.2	51.2	78.3	72.2	93.3	6.0	72.2	18.1	153.5	.....
.....	9.1	18.3	176.8	326.1	64.0	64.0	57.9	73.1	70.1	61.0	21.3	94.5	9.1	118.9	.....
.....	15.4	18.5	175.9	327.2	64.8	43.2	43.2	86.4	111.1	61.7	3.1	74.1	.....	123.5	.....
.....	3.5	38.6	133.2	77.1	98.2	31.6	77.1	73.6	28.0	91.1	.....	63.1	91.1	143.7	24.6
.....	.....	47.5	67.9	50.9	95.1	67.9	78.1	84.9	47.5	98.5	.....	44.2	57.7	139.2	3.4
.....	6.6	42.9	109.0	89.1	102.3	59.4	82.5	66.0	29.7	69.3	6.6	46.2	52.8	194.8	9.9
.....	3.2	28.9	125.3	67.5	54.6	45.0	83.5	80.3	28.9	70.7	6.4	102.8	32.1	134.9	3.2
.....	3.1	21.9	115.7	71.9	134.5	87.6	128.2	75.0	46.9	109.4	6.3	75.0	68.8	112.6	6.3
3.0	12.2	21.3	124.9	73.1	79.2	76.2	97.5	85.3	54.8	79.2	15.2	103.6	45.7	112.7	3.0
.....	.....	17.8	118.8	98.0	101.0	56.4	127.7	86.1	35.6	98.0	14.9	115.8	38.6	145.5	5.9
.....	14.5	20.3	69.5	101.4	89.8	60.8	92.7	57.9	37.7	89.8	.....	98.5	20.3	98.5	.....
.....	5.7	17.0	101.8	76.4	59.4	62.2	130.1	50.9	33.9	56.6	11.3	87.7	8.5	87.7	.....
2.8	.....	16.6	102.2	88.4	60.8	82.9	157.4	77.3	35.9	85.6	.....	118.8	5.5	85.6	.....
3.3	6.7	20.1	157.1	63.5	93.6	60.2	90.3	83.6	30.1	76.9	.....	56.8	66.8	234.0	13.4
3.4	.....	6.8	145.3	101.4	98.0	57.4	87.8	91.2	37.2	98.0	.....	47.3	43.9	162.2	.....
3.4	13.6	3.4	143.3	102.4	61.4	58.0	75.1	81.9	37.5	95.5	6.8	47.8	44.4	187.7	.....
.....	.....	13.8	106.8	79.3	58.6	48.3	62.0	58.6	24.1	82.7	6.9	62.0	17.2	144.8	.....
.....	10.4	10.4	156.7	111.4	76.6	62.7	38.3	59.2	41.8	87.0	3.5	38.3	20.9	87.0	3.5
7.0	7.0	7.0	158.3	168.8	80.9	42.2	80.9	91.5	31.7	59.8	3.5	31.7	38.7	119.6	3.5
.....	7.1	17.8	117.3	106.6	46.2	46.2	60.4	85.3	39.1	74.6	3.6	60.4	3.6	92.4	3.6
.....	18.0	10.8	111.3	215.5	46.7	14.4	39.8	64.6	64.6	68.2	10.8	46.7	21.5	118.5	3.6
.....	14.5	18.1	141.6	137.9	50.8	54.4	39.9	65.3	58.1	43.6	14.5	50.8	.....	105.3	3.6
.....	18.3	3.7	117.4	157.7	51.4	44.0	73.4	77.0	33.0	73.4	18.3	62.4	.....	102.7	.....
.....	10.4	20.8	125.1	73.0	93.8	31.3	109.4	73.0	57.3	78.2	5.2	41.7	41.7	135.5	10.4
.....	5.2	31.3	219.1	73.0	67.8	31.3	83.5	93.9	57.4	67.8	.....	62.6	78.2	99.1	.....
.....	5.2	41.8	135.7	114.8	83.5	57.4	114.8	83.5	78.3	31.3	.....	94.0	78.3	172.3	5.2
.....	5.2	20.9	146.3	125.4	31.3	62.7	167.2	83.6	52.2	41.8	5.2	57.5	41.8	88.8	.....
5.2	20.9	62.7	172.6	115.0	83.7	68.0	73.2	83.7	83.7	62.7	.....	73.2	26.1	167.3	.....
.....	5.2	20.9	151.8	125.6	151.8	41.9	115.1	146.5	104.7	83.7	15.7	57.6	31.4	99.4	.....
.....	10.5	10.5	120.5	120.5	99.5	31.4	94.3	125.7	115.2	52.4	26.2	73.3	36.7	120.5	.....
10.5	10.5	21.0	146.8	157.3	83.9	62.9	99.6	115.3	115.3	83.9	.....	73.4	21.0	110.1	.....
5.2	21.0	21.0	110.2	141.7	63.0	47.2	83.9	89.2	68.2	73.5	36.7	115.4	10.5	89.2	.....
.....	21.0	26.3	141.8	183.8	68.3	68.3	84.0	78.8	78.8	31.5	15.8	68.3	10.5	94.5	5.3
.....	4.6	32.3	179.7	96.8	101.4	41.5	59.9	59.9	27.6	50.7	.....	50.7	59.9	133.6	4.6
4.6	.....	27.9	116.1	88.2	148.5	60.3	69.6	88.2	37.1	78.9	4.6	74.3	23.2	102.1	13.9
.....	.....	28.0	93.5	93.5	51.4	32.7	56.1	74.8	37.4	23.4	4.7	65.4	51.4	112.2	.....
.....	18.8	33.0	131.8	75.3	65.9	28.2	47.1	122.4	28.2	14.1	.....	51.8	28.2	56.5	4.7
.....	19.0	66.4	151.7	128.0	113.8	61.6	61.6	56.9	47.4	47.4	.....	52.1	23.7	113.8	4.7
.....	14.3	28.6	124.1	124.1	66.8	57.3	43.0	105.0	57.3	57.3	.....	66.8	19.1	76.4	9.5
4.8	9.6	43.3	96.2	96.2	81.7	76.9	86.6	86.6	38.5	28.9	4.8	38.5	48.1	67.3	.....
.....	4.8	29.1	121.1	130.8	82.3	29.1	87.2	53.3	58.1	67.8	.....	38.7	14.5	125.9	.....
4.9	19.5	9.8	87.8	151.2	29.3	48.8	43.9	87.8	48.8	53.7	9.8	68.3	4.9	73.2	4.9
.....	4.9	.....	117.9	142.5	83.5	63.9	93.4	54.1	88.5	24.6	9.8	49.1	.....	78.6	.....
14.1	14.1	42.2	126.8	56.4	79.8	32.9	84.5	103.3	42.2	42.2	4.7	23.5	65.8	150.3	4.7
4.7	.....	14.1	193.0	89.4	84.7	117.7	47.1	94.1	65.9	61.2	4.7	61.2	70.6	122.4	.....
4.7	.....	23.6	169.8	108.5	94.3	56.6	75.5	42.5	47.2	80.2	.....	80.2	33.0	127.4	.....
4.7	14.2	18.9	146.6	118.2	61.5	56.7	85.1	70.9	42.5	47.3	9.5	28.4	37.8	146.6	4.7
4.7	9.5	14.2	142.1	123.2	61.6	61.6	80.5	61.6	61.6	52.1	4.7	37.9	14.2	161.1	4.7
9.5	14.2	4.7	147.2	104.5	71.2	47.5	57.0	80.7	52.2	66.5	.....	57.0	23.7	118.7	9.5
.....	14.3	28.6	138.0	133.2	119.0	47.6	57.1	80.9	52.3	33.3	.....	61.9	33.3	123.7	.....
.....	28.6	9.5	166.9	195.5	71.5	52.5	76.3	66.8	76.3	28.6	9.5	57.2	14.3	114.5	4.8
.....	14.3	14.3	133.8	157.7	38.2	71.7	71.7	66.9	57.4	43.0	4.8	62.1	14.3	148.2	.....
.....	28.7	19.2	134.1	138.9	57.5	71.8	95.8	95.8	67.1	47.9	19.2	57.5	19.2	172.4	.....
8.0	12.0	35.9	143.5	83.7	99.6	63.8	99.6	155.5	55.8	55.8	4.0	67.8	67.8	183.3	12.0
7.8	3.9	23.4	148.4	121.1	89.8	78.1	70.3	113.3	62.5	136.7	11.7	39.1	70.3	234.4	.....
.....	.....	23.0	141.9	153.4	69.0	65.2	61.4	72.9	72.9	65.2	.....	53.7	42.2	180.3	15.3
3.8	3.8	15.1	184.6	113.0	64.0	56.5	67.8	101.7	52.7	49.0	3.8	52.7	33.9	105.5	7.5
7.4	7.4	33.3	144.3	133.2	96.2	40.7	55.5	99.9	48.1	162.9	3.7	55.5	22.2	192.5	.....
.....	21.8	36.4	145.5	76.4	40.0	43.7	50.9	101.9	43.7	80.0	14.6	47.3	36.4	116.4	3.6
.....	3.6	25.0	118.0	82.2	82.2	46.5	75.1	89.4	93.0	42.9	10.7	21.5	25.0	121.6	.....
.....	10.5	24.6	102.0	91.4	49.2	63.3	112.5	91.4	91.4	63.3	10.5	77.4	31.6	77.4	3.5
3.5	24.2	17.3	162.6	145.3	45.0	41.5	51.9	55.3	86.5	48.4	6.9	41.5	10.4	114.1	.....
3.4	6.8	6.8	149.7	170.2	57.9	51.0	88.5	112.3	78.3	71.5	23.8	81.7	3.4	115.7	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
INDIANA RURAL[2]—Continued.														
Howard County	1900	1,427.8	49.0	7.0	.....	.....	.....	38.5	63.0	24.5	(3)	199.5	14.0	80.5
	1901	1,165.3	33.6	.....	.....	28.0	.....	.....	5.6	22.4	(3)	128.9	22.4	61.6
	1902	941.2	22.5	.....	16.9	.....	.....	.....	11.3	11.3	(3)	107.1	22.5	45.1
	1903	1,088.6	34.0	.....	5.7	17.0	11.3	5.7	11.3	17.0	(3)	107.7	28.3	39.7
	1904	1,140.8	45.6	.....	.....	.....	5.7	17.1	28.5	34.2	(3)	108.4	17.1	57.0
	1905	1,107.5	17.2	.....	.....	.....	.....	.....	11.5	28.7	11.5	126.2	11.5	91.8
	1906	1,033.5	23.1	11.5	.....	.....	.....	23.1	23.1	.....	11.5	127.0	5.8	80.8
	1907	981.8	40.7	5.8	.....	.....	5.8	.....	17.4	23.2	5.8	98.8	34.9	40.7
	1908	999.6	17.7	.....	.....	5.9	.....	5.9	.....	17.7	11.8	136.0	17.7	59.1
	1909	1,187.6	18.5	.....	.....	6.2	.....	.....	12.3	24.6	24.6	92.3	67.7	104.6
Huntington County	1900	1,117.6	55.4	.....	.....	.....	.....	10.4	41.5	17.3	(3)	128.0	3.5	41.5
	1901	1,038.0	51.6	5.2	.....	.....	.....	5.2	20.7	41.3	(3)	118.8	25.8	56.8
	1902	1,066.0	51.7	5.2	.....	.....	.....	.....	.....	.....	(3)	77.6	10.3	36.2
	1903	964.5	31.1	.....	.....	10.4	.....	20.7	10.4	15.6	(3)	114.1	20.7	31.1
	1904	1,096.4	20.8	.....	.....	31.2	10.4	.....	15.6	26.0	(3)	166.3	5.2	36.4
	1905	1,052.7	47.6	.....	.....	.....	.....	.....	5.3	15.9	21.2	105.8	10.6	63.5
	1906	1,277.7	42.4	10.6	.....	.....	.....	5.3	26.5	15.9	10.6	143.1	15.9	53.0
	1907	1,190.2	31.9	.....	.....	.....	5.3	5.3	5.3	21.3	26.6	116.9	42.5	31.9
	1908	1,198.1	16.0	5.3	.....	.....	.....	.....	5.3	53.2	37.3	63.9	37.3	74.5
	1909	1,120.5	10.7	.....	.....	.....	5.3	5.3	5.3	21.3	26.7	117.4	32.0	58.7
Jackson County	1900	1,584.5	90.1	7.5	.....	.....	.....	37.5	63.8	22.5	(3)	232.8	11.3	52.6
	1901	1,650.0	87.0	15.1	.....	22.7	18.9	22.7	56.8	53.0	(3)	242.2	37.8	45.4
	1902	1,437.2	83.9	.....	.....	7.6	11.4	26.7	7.6	15.2	(3)	221.1	30.5	45.7
	1903	1,190.6	38.4	7.7	.....	3.8	19.2	3.8	11.5	23.0	(3)	211.2	11.5	15.4
	1904	1,462.6	58.0	.....	.....	27.1	11.6	7.7	3.9	15.5	(3)	251.5	50.3	27.1
	1905	1,497.0	58.5	7.8	.....	.....	15.6	7.8	3.9	39.0	31.2	226.1	50.7	42.9
	1906	1,453.3	74.6	3.9	.....	3.9	3.9	15.7	11.8	35.4	27.5	180.7	27.5	58.9
	1907	1,420.9	35.6	.....	.....	4.0	.....	27.7	4.0	43.5	19.8	233.5	23.7	47.5
	1908	1,415.9	51.8	8.0	.....	51.8	.....	.....	.....	23.9	27.9	183.5	19.9	91.7
	1909	1,338.4	28.1	.....	.....	.....	.....	8.0	28.1	28.1	36.2	201.0	36.2	40.2
Jasper County	1900	1,231.5	21.0	21.0	7.0	.....	7.0	35.0	35.0	14.0	(3)	125.9	28.0	21.0
	1901	1,109.1	21.2	14.1	.....	.....	.....	14.1	49.4	49.4	(3)	127.2	14.1	14.1
	1902	798.3	7.1	.....	.....	.....	.....	.....	.....	14.3	(3)	78.4	21.4	42.8
	1903	791.1	7.2	7.2	7.2	.....	.....	.....	7.2	.....	(3)	71.9	7.2	14.4
	1904	929.0	.....	.....	.....	7.3	14.5	.....	.....	21.8	(3)	152.4	7.3	58.1
	1905	886.3	.....	7.3	.....	.....	.....	.....	.....	22.0	58.6	87.9	7.3	58.6
	1906	938.9	29.6	7.4	.....	.....	.....	7.4	.....	.....	.....	66.5	22.2	88.7
	1907	1,238.9	29.9	.....	.....	22.4	14.9	.....	44.8	7.5	7.5	111.9	59.7	29.9
	1908	1,145.3	15.1	.....	.....	15.1	.....	7.5	.....	.....	7.5	158.2	22.6	90.4
	1909	1,042.2	22.8	.....	.....	.....	.....	45.6	.....	.....	22.8	91.3	7.6	98.9
Jay County	1900	1,312.6	67.1	26.1	.....	.....	3.7	7.5	41.0	22.4	(3)	164.1	18.6	26.1
	1901	1,311.3	45.1	.....	.....	30.1	3.8	.....	15.0	41.3	(3)	150.3	18.8	52.6
	1902	1,256.3	45.4	3.8	3.8	3.8	3.8	34.1	22.7	15.1	(3)	185.4	22.7	15.1
	1903	1,074.7	38.1	.....	.....	.....	7.6	15.2	7.6	34.3	(3)	129.6	15.2	30.5
	1904	1,216.8	46.1	.....	.....	19.2	.....	3.8	7.7	19.2	(3)	168.9	23.0	42.2
	1905	1,399.7	38.7	.....	.....	.....	.....	.....	.....	30.9	30.9	170.1	19.3	73.5
	1906	1,223.0	42.8	3.9	.....	15.6	7.8	11.7	23.4	3.9	19.5	155.8	31.2	42.8
	1907	1,239.8	27.5	.....	.....	27.5	.....	3.9	11.8	19.6	23.5	180.5	31.4	58.9
	1908	1,213.5	19.8	7.9	.....	.....	4.0	27.7	4.0	19.8	15.8	130.4	27.7	83.0
	1909	1,234.5	55.8	.....	.....	.....	8.0	.....	4.0	8.0	23.9	135.4	19.9	67.7
Jefferson County	1900	1,702.1	52.4	.....	4.4	8.7	.....	4.4	17.5	13.1	(3)	226.9	17.5	69.8
	1901	1,708.8	66.2	8.8	4.4	.....	.....	4.4	4.4	75.1	(3)	304.7	35.3	57.4
	1902	1,540.1	67.0	8.9	4.5	.....	8.9	.....	8.9	8.9	(3)	245.5	26.8	84.8
	1903	1,557.2	76.7	.....	.....	4.5	4.5	13.5	4.5	13.5	(3)	266.3	40.6	63.2
	1904	1,647.7	54.8	.....	.....	18.3	13.7	9.1	4.6	36.5	(3)	241.9	41.1	68.5
	1905	1,514.1	18.5	.....	.....	.....	9.2	.....	55.4	32.3	4.6	249.3	27.7	60.0
	1906	1,755.6	46.7	.....	18.7	.....	4.7	23.3	23.3	18.7	60.7	266.1	51.4	88.7
	1907	1,558.7	37.8	.....	.....	4.7	.....	9.4	14.2	37.8	9.4	292.9	18.9	75.6
	1908	1,667.9	43.0	9.6	.....	.....	.....	14.3	.....	76.5	14.3	234.2	19.1	105.1
	1909	1,474.9	24.2	9.7	.....	.....	4.8	.....	4.8	29.0	48.4	125.7	19.3	58.0
Jennings County	1900	1,447.0	95.2	6.3	.....	6.3	6.3	.....	38.1	6.3	(3)	209.5	12.7	57.1
	1901	1,514.1	12.8	.....	.....	.....	12.8	.....	.....	25.7	(3)	192.5	6.4	51.3
	1902	1,296.2	38.9	6.5	.....	.....	.....	19.4	6.5	13.0	(3)	181.5	.....	51.8
	1903	1,270.2	58.9	13.1	.....	.....	.....	6.5	13.1	13.1	(3)	235.7	6.5	45.8
	1904	1,428.9	59.5	13.2	.....	26.5	6.6	.....	26.5	.....	(3)	211.7	26.5	79.4
	1905	1,423.9	53.5	13.4	.....	.....	33.4	.....	13.4	46.8	20.1	260.7	13.4	93.6
	1906	1,297.1	40.5	13.5	.....	.....	6.8	13.5	27.0	13.5	47.3	222.9	27.0	60.8
	1907	1,331.5	34.1	6.8	.....	6.8	.....	41.0	20.5	27.3	27.3	204.8	34.1	61.5
	1908	1,352.9	48.3	6.9	.....	.....	.....	6.9	20.7	55.2	62.1	138.1	20.7	82.8
	1909	1,451.6	14.0	7.0	.....	.....	7.0	20.9	14.0	69.8	20.9	111.7	27.9	90.7
Johnson County	1900	1,285.7	64.3	14.8	.....	.....	4.9	4.9	9.9	29.7	(3)	192.9	19.8	54.4
	1901	1,403.1	34.6	4.9	.....	9.9	4.9	4.9	9.9	39.5	(3)	163.0	14.8	44.5
	1902	1,199.5	59.2	9.9	.....	4.9	14.8	4.9	19.7	.....	(3)	212.3	14.8	44.4
	1903	1,376.1	54.3	.....	.....	4.9	9.9	4.9	34.5	24.7	(3)	192.4	4.9	59.2
	1904	1,503.1	49.3	.....	.....	14.8	24.6	4.9	9.9	29.6	(3)	192.2	49.3	69.0
	1905	1,181.7	14.8	.....	.....	.....	.....	.....	4.9	19.7	14.8	182.2	34.5	39.4
	1906	1,225.0	14.8	.....	.....	.....	4.9	4.9	4.9	4.9	9.8	211.6	39.4	68.9
	1907	1,415.7	78.7	.....	.....	4.9	4.9	.....	9.8	24.6	9.8	181.9	29.5	73.7
	1908	1,286.8	14.7	9.8	.....	.....	24.6	14.7	4.9	29.5	4.9	162.1	34.4	54.0
	1909	1,207.1	19.6	.....	.....	.....	.....	29.4	.....	4.9	9.8	112.9	19.6	78.5

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
3.5	17.5	24.5	136.4	98.0	108.4	31.5	91.0	80.5	59.5	28.0	3.5	66.5	49.0	150.5	3.5
5.6	.....	28.0	89.6	134.5	67.2	50.4	72.8	89.6	44.8	50.4	5.6	72.8	33.6	117.6	.....
.....	.....	5.6	67.6	84.5	56.4	16.9	84.5	78.9	16.9	50.7	5.6	39.4	62.0	129.6	5.6
.....	5.7	22.7	124.7	96.4	79.4	56.7	102.1	62.4	17.0	17.0	17.0	45.4	11.3	147.4	5.7
.....	11.4	28.5	79.9	119.8	79.9	51.3	74.2	74.2	34.2	74.2	5.7	51.3	17.1	125.5	.....
11.5	5.7	11.5	97.6	114.8	109.0	23.0	68.9	63.1	34.4	63.1	11.5	68.9	28.7	91.8	5.7
.....	17.3	28.9	75.1	92.4	52.0	40.4	40.4	75.1	40.4	63.5	23.1	69.3	34.6	75.1	.....
.....	5.8	5.8	92.9	110.4	63.9	46.5	29.0	46.5	63.9	58.1	23.2	63.9	29.0	69.7	.....
5.9	5.9	17.7	130.1	153.8	59.1	47.3	35.5	35.5	23.7	41.4	17.7	76.9	.....	76.9	.....
.....	36.9	24.6	104.6	129.2	61.5	49.2	55.4	61.5	92.3	12.3	.....	92.3	.....	116.9	.....
.....	6.9	17.3	121.1	83.0	58.8	27.7	62.3	107.3	31.1	34.6	3.5	48.4	83.0	131.5	3.5
.....	5.2	15.5	129.1	103.3	25.8	20.7	67.1	62.0	25.8	46.5	.....	25.8	72.3	108.4	5.2
.....	.....	5.2	103.5	67.3	67.3	93.1	62.1	56.9	56.9	62.1	5.2	36.2	51.7	201.8	15.5
.....	20.7	15.6	140.0	51.9	62.2	46.7	36.3	62.2	51.9	51.9	.....	36.3	10.4	88.2	36.3
.....	.....	10.4	140.3	72.7	98.7	36.4	67.6	72.7	57.2	36.4	.....	31.2	20.8	135.1	5.2
.....	10.6	21.2	142.8	74.1	47.6	31.7	63.5	95.2	63.5	15.9	10.6	100.5	21.2	74.1	10.6
.....	5.3	15.9	148.4	137.8	63.6	58.3	42.4	95.4	127.2	47.7	.....	42.4	15.9	153.7	.....
.....	10.6	10.6	180.6	132.8	53.1	31.9	47.8	74.4	79.7	69.1	10.6	69.1	15.9	116.9	.....
.....	21.3	.....	111.8	165.1	101.2	31.9	47.9	90.5	127.8	42.6	5.3	53.2	5.3	101.2	.....
.....	10.7	5.3	149.4	181.4	74.7	32.0	37.4	69.4	58.7	37.4	10.7	85.4	.....	85.4	.....
.....	.....	41.3	131.4	78.9	138.9	48.8	157.7	101.4	22.5	71.3	3.8	63.8	52.6	127.7	26.3
3.8	11.4	37.8	121.1	75.7	143.8	71.9	136.2	98.4	45.4	34.1	15.1	45.4	75.7	113.5	18.9
.....	3.8	26.7	110.6	106.7	118.2	49.6	106.7	64.8	30.5	110.6	15.2	57.2	26.7	137.2	22.9
.....	7.7	19.2	65.3	96.0	46.1	46.1	130.6	69.1	34.6	57.6	3.8	69.1	34.6	157.5	7.7
.....	3.9	34.8	96.7	100.6	85.1	31.0	139.3	46.4	104.5	104.5	11.6	42.6	19.3	181.9	7.7
.....	7.8	19.5	105.3	140.3	124.7	50.7	97.5	74.1	39.0	120.8	15.6	93.6	31.2	89.7	3.9
.....	3.9	31.4	117.8	141.4	133.5	31.4	149.3	74.6	70.7	62.8	11.8	55.0	23.6	102.1	.....
.....	7.9	23.7	126.7	170.2	87.1	47.5	142.5	75.2	75.2	55.4	11.9	51.5	7.9	95.0	4.0
.....	12.0	4.0	103.7	191.4	75.8	59.8	131.6	59.8	39.9	111.7	.....	67.8	12.0	75.8	12.0
4.0	8.0	.....	140.7	100.5	100.5	32.2	108.5	84.4	80.4	72.3	16.1	92.4	4.0	84.4	4.0
.....	7.0	28.0	139.9	49.0	105.0	77.0	83.9	83.9	63.0	56.0	.....	28.0	49.0	132.9	14.0
.....	.....	7.1	84.8	63.6	56.5	84.8	127.2	63.6	70.6	35.3	.....	35.3	42.4	106.0	28.3
.....	14.3	21.4	85.5	64.1	78.4	28.5	99.8	21.4	21.4	78.4	.....	21.4	7.1	78.4	14.3
.....	14.4	7.2	100.7	43.2	36.0	50.3	64.7	64.7	21.6	57.5	.....	36.0	28.8	136.7	7.2
.....	7.3	21.8	58.1	65.3	43.5	72.6	65.3	43.5	87.1	21.8	7.3	43.5	29.0	87.1	14.5
7.3	7.3	14.6	87.9	36.6	102.5	36.6	43.9	51.3	73.2	51.3	7.3	43.9	22.0	51.3	7.3
.....	7.4	.....	88.7	37.0	81.3	59.1	59.1	37.0	118.3	59.1	.....	44.4	22.2	73.9	29.6
.....	14.9	.....	149.3	141.8	89.6	59.7	104.5	37.3	82.1	59.7	22.4	67.2	7.5	67.2	7.5
.....	.....	7.5	113.0	165.8	75.3	15.1	37.7	15.1	173.3	22.6	7.5	82.9	30.1	75.3	7.5
.....	15.2	15.2	114.1	98.9	68.5	53.3	53.3	30.4	53.3	68.5	7.6	76.1	15.2	68.5	15.2
.....	11.2	33.6	89.5	59.7	108.1	26.1	119.3	85.8	44.8	78.3	3.7	48.5	82.0	123.0	22.4
.....	3.8	18.8	146.5	41.3	97.7	67.6	75.1	146.5	37.6	78.9	11.3	60.1	56.4	109.0	3.8
.....	11.4	37.8	98.4	71.9	87.0	45.4	124.9	71.9	45.4	71.9	7.6	37.8	49.2	132.4	7.6
.....	11.4	26.7	137.2	83.8	106.7	57.2	114.3	49.5	41.9	61.0	.....	30.5	19.1	49.5	7.6
.....	11.5	7.7	119.0	115.2	96.0	34.5	103.6	80.6	57.6	57.6	7.7	57.6	26.9	111.3	.....
.....	7.7	27.1	119.9	108.3	61.9	88.9	197.2	112.1	38.7	69.6	.....	58.0	23.2	116.0	7.7
.....	11.7	50.6	97.4	77.9	70.1	70.1	116.8	97.4	50.6	62.3	3.9	50.6	15.6	89.6	.....
.....	11.8	39.2	113.8	109.9	54.9	31.4	160.9	62.8	47.1	43.2	7.8	62.8	7.8	98.1	3.9
.....	11.9	11.9	138.3	201.6	87.0	27.7	94.9	47.4	31.6	55.3	11.9	75.1	7.9	71.1	.....
.....	23.9	19.9	143.4	139.4	83.6	31.9	111.5	111.5	55.8	35.8	8.0	51.8	.....	91.6	4.0
.....	21.8	17.5	161.5	135.3	152.8	52.4	91.7	126.6	74.2	34.9	4.4	113.5	78.6	204.7	17.5
.....	8.8	13.2	167.8	88.3	123.6	61.8	136.9	110.4	53.0	75.1	.....	66.2	44.2	198.7	.....
.....	22.3	.....	116.1	192.0	75.9	80.4	98.2	80.4	49.1	53.6	13.4	62.5	31.2	196.4	4.5
.....	9.0	13.5	135.4	198.6	126.4	58.7	67.7	81.2	94.8	40.6	4.5	67.7	27.1	144.4	.....
.....	9.1	13.7	150.6	187.1	123.2	63.9	77.6	95.9	86.7	86.7	13.7	54.8	13.7	182.6	.....
.....	23.1	4.6	110.8	180.0	138.5	50.8	55.4	92.3	96.9	55.4	.....	50.8	27.7	161.6	9.2
.....	32.7	32.7	116.7	252.1	88.7	65.4	88.7	93.4	130.7	46.7	9.3	60.7	9.3	121.4	4.7
4.7	9.4	.....	146.4	188.9	85.0	56.7	94.5	75.6	113.4	18.9	52.0	85.0	18.9	108.6	.....
.....	33.5	9.6	124.3	272.4	100.4	57.3	95.6	71.7	105.1	52.6	19.1	81.2	4.8	124.3	.....
.....	19.3	9.7	135.4	207.9	82.2	87.0	125.7	72.5	164.4	43.5	19.3	82.2	.....	96.7	4.8
6.3	6.3	19.0	139.6	69.9	107.9	57.1	88.9	76.2	82.5	44.4	6.3	69.9	63.5	146.0	25.4
.....	12.8	19.2	186.1	134.7	109.1	51.3	115.5	70.6	38.5	70.6	.....	64.2	160.4	179.6	.....
.....	19.4	25.9	116.7	64.8	64.8	38.9	84.3	84.3	103.7	84.3	.....	77.8	25.9	187.9	.....
13.1	6.5	26.2	137.5	117.9	72.0	32.7	72.0	58.9	65.5	52.4	6.5	91.7	19.6	104.8	.....
.....	6.6	.....	158.8	112.5	92.6	86.0	52.9	79.4	19.8	125.7	.....	92.6	19.8	132.3	.....
.....	6.7	20.1	167.1	120.3	80.2	33.4	73.5	100.3	60.2	40.1	.....	53.5	.....	113.6	6.7
.....	6.8	40.5	87.8	114.8	60.8	13.5	101.3	74.3	94.6	20.3	6.8	60.8	6.8	135.1	.....
6.8	13.7	27.3	102.4	122.9	95.6	34.1	54.6	68.3	81.9	54.6	6.8	75.1	13.7	109.3	.....
.....	6.9	20.7	214.0	165.7	62.1	34.5	20.7	75.9	75.9	48.3	20.7	62.1	27.6	75.7	.....
.....	7.0	7.0	160.5	216.3	55.8	48.9	76.8	90.7	111.7	62.8	14.0	104.7	7.0	104.7	.....
.....	9.9	39.6	128.6	94.0	69.2	84.1	103.8	79.1	39.6	14.8	.....	29.7	24.7	168.1	4.9
.....	9.9	29.6	158.1	153.2	84.0	69.2	84.0	54.3	59.3	49.4	.....	34.6	133.4	153.2	.....
.....	24.7	24.7	113.5	69.1	59.2	44.4	64.2	34.6	88.9	113.5	4.9	24.7	29.6	118.5	.....
.....	19.7	4.9	167.7	128.2	59.2	78.9	69.1	88.8	93.7	64.1	4.9	74.0	34.5	88.8	9.9
.....	.....	34.5	123.2	133.1	113.3	44.4	69.0	108.4	108.4	98.6	.....	44.4	54.2	128.1	.....
.....	9.8	24.6	103.4	83.7	78.8	44.3	83.7	83.7	44.3	64.0	9.8	54.2	29.5	157.6	.....
4.9	24.6	14.8	108.2	177.1	54.1	34.4	54.1	64.0	64.0	54.1	4.9	68.9	39.4	93.5	.....
.....	19.7	9.8	127.8	206.5	68.8	49.2	44.2	93.4	118.0	49.2	9.8	68.8	29.5	103.2	.....
.....	29.5	4.9	157.2	127.7	83.5	54.0	108.0	58.9	103.1	44.2	9.8	58.9	.....	93.3	.....
.....	24.5	9.8	132.5	186.5	93.2	39.3	44.2	108.0	88.3	44.2	24.5	49.1	.....	88.3	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
INDIANA RURAL[2]—Continued.														
Knox County	1900	1,782.5	66.7	57.8	.....	8.9	.....	22.2	71.1	13.3	(3)	208.9	13.3	40.0
	1901	1,323.5	70.4	30.8	.....	8.8	8.8	44.0	22.0	48.4	(3)	96.7	.....	17.6
	1902	1,149.4	61.0	26.1	4.4	.....	.....	17.4	8.7	8.7	(3)	135.0	21.8	17.4
	1903	865.3	43.5	17.4	.....	4.3	8.7	4.3	26.1	13.0	(3)	82.6	4.3	34.8
	1904	1,171.2	51.7	17.2	.....	51.7	8.6	25.8	8.6	8.6	(3)	116.3	12.9	17.2
	1905	1,253.6	68.2	25.6	.....	.....	17.1	25.6	17.1	4.3	12.8	119.4	12.8	51.2
	1906	1,144.7	12.7	12.7	.....	.....	8.5	17.0	4.2	17.0	12.7	93.3	12.7	8.5
	1907	1,078.1	63.4	4.2	.....	4.2	4.2	12.7	8.5	29.6	25.4	122.6	8.5	12.7
	1908	1,252.1	25.1	4 2	.....	37.7	12.6	33.5	12.6	50.3	12.6	150.8	16.8	46.1
	1909	1,057.7	37.3	16.6	.....	8.3	4.1	62.2	16.6	8.3	8.3	70.5	16.6	16.6
Kosciusko County	1900	1,065.0	27.5	6.9	.....	.....	3.4	.....	13.7	6.9	(3)	130.5	10.3	17.2
	1901	1,155.9	48.3	.....	.....	.....	13.8	6.9	17.3	34.5	(3)	86.3	13.8	31.1
	1902	1,146.8	17.3	.....	6.9	.....	13.9	24.3	3.5	20.8	(3)	128.2	3.5	62.4
	1903	1,155.0	45.2	3.5	.....	31.3	7.0	24.4	10.4	24.4	(3)	121.8	3.5	55.7
	1904	1,124.9	14.0	14.0	.....	21.0	.....	3.5	.....	10.5	(3)	146.7	3.5	52.4
	1905	1,213.7	45.6	7.0	.....	.....	3.5	7.0	3.5	24.6	14.0	63.1	7.0	80.7
	1906	1,095 5	42.3	7.0	.....	10.6	.....	28.2	3.5	14.1	24.7	126.8	10.6	38.7
	1907	1,149.7	24.8	3 5	.....	10.6	3 5	.....	.....	17.7	17.7	123.8	14.1	56.6
	1908	1,182 9	35 5	3 6	.....	28.4	7 1	3.6	.....	7.1	17.8	113.7	10.7	74.6
	1909	1,145.2	28.5	.....	.....	.....	14.3	17.8	7.1	10.7	7.1	74.9	35.7	96.3
Lagrange County	1900	1,092.6	26.2	13.1	.....	.....	.....	6.5	39.3	.....	(3)	124.3	13.1	45.8
	1901	1,375.2	19 6	6.5	.....	6.5	.....	6.5	.....	58 9	(3)	104.8	19.6	72.0
	1902	1,179.8	32 8	.....	.....	.....	6.6	6.6	19 7	45.9	(3)	111.4	13.1	45.9
	1903	1,312.0	13.1	.....	.....	6 6	.....	13.1	19.7	26.2	(3)	144 3	26.2	59.0
	1904	1,109.7	32 8	6.6	.....	13.1	19.7	6.6	6.6	26.3	(3)	118.2	32.8	78.8
	1905	1,373.6	39 4	.....	.....	.....	13.1	6.6	13.1	46.0	19.7	105.2	19.7	59.1
	1906	1,236.7	26 3	.....	.....	.....	6.6	.....	19.7	26.3	13.2	105.2	19.7	78.9
	1907	1,112.7	19 8	6.6	.....	.....	.....	.....	6.6	52.7	.....	52.7	26.3	39.5
	1908	1,239.0	13 2	.....	.....	13 2	13.2	19.8	.....	52.7	26.4	85.7	19.8	79.1
	1909	1,292.9	6.6	.....	.....	26 4	6.6	13.2	6.6	13.2	13.2	105.5	26.4	52.8
Lake County	1900	1,171.3	21.1	5.3	.....	.....	5.3	21.1	60 7	7.9	(3)	81.8	5.3	42.2
	1901	1,136.2	13.5	13.5	.....	10.1	13.5	10.1	23.7	27.1	(3)	71.0	16.9	33.8
	1902	1,011.4	21 0	9.0	3.0	.....	27.0	.....	24.0	6.0	(3)	60.0	3.0	24.0
	1903	944.3	27.0	.....	.....	24.3	8.1	18.9	29.7	8.1	(3)	75.5	13.5	16.2
	1904	1,016.9	29.4	.....	2 5	2.5	14.7	14.7	14.7	9.8	(3)	66.2	9.8	36.8
	1905	850.6	18.0	2.2	2.2	.....	.....	13.5	26.9	11.2	4.5	26.9	2.2	26.9
	1906	1,007.3	23.0	8.4	.....	16.7	4.2	4.2	33.4	4.2	8.4	66.9	8.4	25.1
	1907	1,188.8	36.9	1.9	.....	27.2	11.7	7.8	11.7	11 7	13.6	66.0	11.7	27.2
	1908	1,234.9	54.3	.....	.....	12 7	10.9	9.1	19.9	10.9	14.5	83.3	18.1	39.8
	1909	1,297.2	23.7	.....	.....	15.3	22.0	13.6	18.7	.....	10.2	84.8	17.0	39.0
Laporte County	1900	1,244.9	34.0	4.2	.....	.....	12.7	.....	29.8	25 5	(3)	114.7	.....	59.5
	1901	1,216.4	12.5	12.5	.....	.....	12.5	.....	29.3	29.3	(3)	92.0	16.7	66.9
	1902	1,219.1	41.2	4.1	.....	.....	.....	8.2	.....	4.1	(3)	127.7	20.6	61.8
	1903	1,400.2	20.3	4.1	.....	28.4	20.3	8.1	4.1	8.1	(3)	117.7	12.2	60.9
	1904	1,276.2	12.0	.....	.....	4.0	4.0	.....	12.0	12.0	(3)	128.0	24.0	48.0
	1905	1,447.5	23.7	3.9	.....	.....	15.8	.....	7.9	.....	27.6	130.2	23.7	106.5
	1906	1,127.9	11 7	3.9	.....	.....	3.9	.....	7.8	7.8	3.9	89.5	27.2	46.7
	1907	1,392.4	11.5	3.8	.....	11.5	7.7	7.7	7.7	34 5	7.7	134.3	3.8	72.9
	1908	1,217.1	26.8	3.8	.....	7.7	.....	3 8	11.5	11.5	15.3	61.2	26.8	84.2
	1909	1,370.5	11.3	.....	.....	.....	3.8	11.3	22.7	7.6	11.3	143.5	26.4	128.4
Lawrence County	1900	1,566.3	70.0	19.4	7 8	27.2	.....	19.4	50.5	35.0	(3)	202.1	19.4	23.3
	1901	1,252.6	87.6	26.7	7.6	3.8	.....	15.2	15.2	22.8	(3)	129.4	15.2	15.2
	1902	1,199.6	52.3	26.2	.....	.....	7.5	26.2	18.7	7.5	(3)	153.2	29.9	41.1
	1903	1,287.8	44.0	14.7	.....	3.7	3.7	22.0	11.0	11.0	(3)	216.5	33.0	33.0
	1904	1,614.3	50.4	25.2	.....	79.3	.....	.....	.....	3.6	(3)	183 8	14.4	43.2
	1905	1,447.9	102.7	10.6	3.5	.....	.....	17.7	28.3	38.9	17.7	205 3	35.4	53.1
	1906	1,457.7	114.8	17.4	.....	.....	3.5	13.9	7.0	7.0	27.8	191.3	24.4	34.8
	1907	1,398.8	54.7	20.5	.....	6.8	.....	30.8	17.1	23.9	17.1	191 5	27.4	34.2
	1908	1,301.5	43.7	10.1	.....	.....	.....	20.2	3.4	47.1	26.9	181.6	37.0	50.4
	1909	1,425.6	56.2	19.8	.....	.....	3.3	39.7	6.6	26.5	39.7	178.6	56.2	59.5
Madison County	1900	1,480.1	55.3	15.6	2.8	9.9	9.9	19.9	41.2	11.4	(3)	177.4	18.4	44.0
	1901	1,282.5	38.1	8.2	2.7	2 7	21.8	10.9	21.8	19.1	(3)	160 7	10.9	40.8
	1902	1,277.8	44.3	5.5	.....	5.5	8.3	5.5	27.7	5.5	(3)	174.2	19.4	30.4
	1903	1,107.1	36.5	5.6	5.6	2.8	.....	16.9	11.2	5.6	(3)	123.6	22.5	45.0
	1904	1,076.6	22.8	.....	.....	20.0	11.4	.....	8.6	8.6	(3)	159.9	8.6	14.3
	1905	1,137.9	63.9	2.9	.....	.....	.....	5 8	8.7	17.4	20.3	104.5	20.3	58.1
	1906	1,095.1	50.2	3.0	.....	5.9	.....	20.7	8.9	5 9	35.4	100.4	14.8	41.3
	1907	1,266.9	21.0	6.0	.....	.....	.....	3.0	18 0	21 0	15.0	138.1	24.0	57.0
	1908	1,014.0	24.4	.....	.....	.....	3.1	12.2	15 3	12 2	18.3	94.7	30.5	73.3
	1909	1,119.0	24.9	6.2	.....	43.5	18.6	34.2	12.4	12.4	34.2	115.0	34.2	46.6
Marion County*	1900	1,129.6	28.5	.....	.....	.....	10.7	14.3	49 9	24.9	(3)	156.8	7.1	21.4
	1901	1,750 9	23.7	6.8	.....	.....	6.8	16.9	37 2	60.8	(3)	243.4	16.9	37.2
	1902	1,991.7	68.2	.....	4.5	.....	.....	13.6	13.6	13.6	(3)	304.7	36.4	59.1
	1903	969.8	34.6	.....	13.0	4.3	4.3	8.7	13.0	13.0	(3)	125.6	21.6	56.3
	1904	1,167.2	40.8	8 2	.....	20.4	4.1	.....	4.1	12.2	(3)	142.8	28.6	57.1
	1905	1,873.4	23.6	.....	.....	.....	.....	3.9	7.9	27.6	27.6	310.9	51.2	43.3
	1906	1,730.4	14.9	7 5	.....	.....	3 7	11.2	.....	.....	33.6	268.5	33.6	74.6
	1907	1,160.3	15.0	3 8	.....	.....	11.3	.....	3.8	18.8	11.3	142.7	22.5	48.8
	1908	1,331.3	54.0	3.6	.....	.....	.....	14 4	14 4	32 4	7.2	165.5	25.2	36.0
	1909	1,380.2	17.1	3.4	.....	6.8	3.4	10.3	6.8	13.7	34.2	164.4	34.2	34.2

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	13.3	35.6	168.9	57.8	137.8	80.0	146.7	97.8	44.5	111.1	.....	93.4	111.1	146.7	35.6
4.4	17.6	30.8	105.5	83.5	153.9	44.0	109.9	57.2	22.0	105.5	13.2	48.4	57.2	105.5	17.6
.....	17.4	26.1	78.4	56.6	104.5	65.3	74.0	52.2	39.2	61.0	.....	52.2	43.5	139.3	39.2
.....	4.3	8.7	87.0	52.2	47.8	34.8	56.5	43.5	43.5	56.5	8.7	52.2	21.7	104.4	4.3
4.3	.....	17.2	94.7	81.8	99.0	60.3	81.8	47.4	43.1	86.1	8.6	73.2	17.2	133.5	4.3
.....	.....	38.4	76.7	68.2	123.7	76.7	76.7	46.9	46.9	93.8	8.5	59.7	42.6	136.4	4.3
.....	12.7	25.4	118.7	106.0	123.0	55.1	101.8	72.1	8.5	63.6	8.5	63.6	46.6	135.7	4.2
.....	8.5	16.9	67.6	97.2	97.2	42.3	67.6	84.6	46.5	55.0	.....	76.1	42.3	76.1	4.2
.....	4.2	4.2	113.1	100.5	96.3	33.5	113.1	46.1	58.6	96.3	16.8	67.0	8.4	92.1	.....
.....	8.3	12.4	83.0	112.0	49.8	78.8	107.8	74.7	62.2	62.2	8.3	41.5	4.1	87.1	.....
.....	3.4	34.4	154.6	75.6	82.4	27.5	89.3	113.4	20.6	13.7	6.9	44.7	61.8	113.4	6.9
.....	6.9	55.2	138.0	96.6	89.7	51.8	41.4	69.0	69.0	62.1	13.8	44.9	55.2	107.0	3.5
.....	20.8	27.7	149.0	110.9	83.1	34.6	65.8	69.3	45.0	55.4	3.5	48.5	31.2	117.8	3.5
10.4	13.9	10.4	128.7	135.7	38.3	41.7	59.1	66.1	66.1	27.8	7.0	24.4	38.3	146.1	13.9
.....	10.5	17.5	209.6	115.3	76.9	66.4	34.9	73.4	21.0	21.0	10.5	62.9	27.9	90.8	21.0
3.5	17.5	17.5	164.9	157.9	59.6	59.6	87.7	94.7	49.1	49.1	14.0	52.6	17.5	98.2	14.0
.....	10.6	10.6	109.2	155.0	38.7	21.1	77.5	95.1	28.2	56.4	7.0	35.2	24.7	119.8	.....
3.5	7.1	17.7	130.9	226.4	42.4	35.4	56.6	53.1	67.2	63.7	7.1	60.1	10.6	92.0	3.5
.....	21.3	14.2	145.6	181.2	49.7	21.3	63.9	74.6	53.3	53.3	14.2	67.5	.....	117.2	3.6
3.6	17.8	7.1	103.5	228.3	42.8	74.9	74.9	42.8	50.0	28.5	7.1	60.6	7.1	103.5	.....
.....	6.5	13.1	130.8	111.2	65.4	39.3	85.0	45.8	45.8	39.3	.....	45.8	72.0	111.2	13.1
.....	13.1	19.6	157.2	203.0	85.1	91.7	39.3	85.1	52.4	39.3	6.5	78.6	85.1	117.9	6.5
.....	19.7	6.6	118.0	85.2	111.4	59.0	32.8	45.9	45.9	104.9	.....	45.9	52.4	163.9	6.6
.....	26.2	6.6	183.7	170.6	59.0	65.6	78.7	105.0	52.5	39.4	13.1	59.0	32.8	105.0	6.6
.....	6.6	13.1	118.2	72.2	78.8	46.0	52.5	85.4	46.0	19.7	6.6	39.4	39.4	137.9	6.6
.....	26.3	19.7	184.0	216.9	26.3	39.4	78.9	78.9	52.6	39.4	39.4	65.7	39.4	144.6	.....
.....	19.7	.....	223.7	131.6	85.5	6.6	111.8	98.7	26.3	26.3	6.6	72.4	19.7	92.1	19.7
.....	6.6	19.8	158.0	138.3	32.9	26.3	32.9	131.7	79.0	52.7	.....	52.7	13.2	164.6	.....
.....	6.6	19.8	105.4	243.8	33.0	72.5	46.1	105.4	59.3	59.3	19.8	26.4	19.8	98.9	.....
13.2	19.8	19.8	211.1	151.7	79.2	85.8	72.6	112.1	85.8	33.0	6.6	39.6	6.6	85.8	.....
.....	2.6	15.8	118.8	58.1	102.9	97.7	63.3	79.2	44.9	58.0	10.6	102.9	52.8	105.6	7.9
.....	13.5	10.1	118.4	87.9	57.5	77.8	142.0	84.5	30.4	37.2	16.9	50.7	30.4	145.4	.....
.....	.....	12.0	87.0	84.0	54.0	54.0	87.0	90.0	39.0	72.0	.....	126.1	36.0	87.0	6.0
.....	2.7	16.2	94.4	80.9	37.8	64.8	80.9	54.0	27.0	43.2	8.1	118.7	18.9	72.8	2.7
2.5	17.2	14.7	83.3	83.3	51.5	71.1	102.9	85.8	36.8	49.0	4.9	80.9	19.6	110.3	2.5
.....	4.5	13.5	60.6	60.6	69.6	74.1	107.7	35.9	38.2	38.2	13.5	105.5	9.0	83.0	2.2
2.1	12.5	10.4	64.8	71.1	56.4	64.8	154.6	104.5	50.2	25.1	4.2	112.8	10.4	60.6	.....
1.9	3.9	1.9	52.4	89.4	68.0	83.5	233.1	69.9	31.1	48.6	9.7	169.0	9.7	89.4	.....
.....	5.4	9.1	52.5	77.9	97.8	67.0	220.9	72.4	41.6	67.0	19.9	157.5	3.6	68.8	.....
.....	3.4	11.9	49.2	103.4	76.3	142.4	239.1	56.0	47.5	62.7	8.5	150.9	6.8	95.0	.....
4.2	8.5	42.5	140.2	114.7	63.8	85.0	85.0	59.5	51.0	46.7	21.3	42.5	38.2	152.9	8.5
.....	20.9	29.3	137.9	167.2	58.5	71.1	54.3	33.4	83.6	12.5	12.5	46.0	62.7	154.7	.....
.....	16.5	24.7	152.4	164.7	28.8	49.4	61.8	37.1	65.9	57.7	4.1	82.4	32.9	168.9	4.1
.....	12.2	12.2	125.8	231.3	44.6	73.1	69.0	125.8	89.3	48.7	4.1	105.5	28.4	146.1	.....
4.0	20.0	28.0	116.0	188.0	52.0	92.0	52.0	88.0	64.0	52.0	12.0	72.0	16.0	176.0	.....
3.9	7.9	39.4	165.7	149.9	55.2	71.0	67.1	78.9	98.6	90.7	11.8	94.7	23.7	149.9	.....
.....	15.6	23.3	112.8	190.6	54.4	85.6	23.3	70.0	97.2	54.4	11.7	70.0	7.8	108.9	.....
.....	3.8	38.4	180.2	230.1	72.9	53.7	15.3	88.2	157.3	42.2	11.5	95.9	19.2	80.6	.....
.....	11.5	19.1	114.8	214.3	45.9	45.9	53.6	42.1	88.0	26.8	11.5	176.1	3.8	111.0	.....
.....	11.3	11.3	109.5	185.0	68.0	79.3	41.5	101.9	124.6	34.0	15.1	101.9	.....	120.8	.....
3.9	3.9	27.2	108.8	54.4	163.2	101.1	159.4	70.0	23.3	62.2	.....	104.9	81.6	124.4	3.9
.....	7.6	38.1	80.0	102.8	121.8	26.7	133.3	68.5	30.5	41.9	3.8	110.4	60.9	80.0	7.6
.....	.....	22.4	63.5	85.9	82.2	63.5	115.8	74.7	37.4	74.7	11.2	56.1	37.4	112.1	.....
.....	7.3	18.3	99.1	117.4	95.4	47.7	69.7	66.0	18.3	55.0	3.7	95.4	51.4	143.1	7.3
.....	3.6	46.8	90.1	126.1	158.5	90.1	169.4	82.9	46.8	104.5	.....	100.9	32.4	162.2	.....
.....	.....	17.7	85.0	102.7	95.6	74.3	145.1	53.1	24.8	88.5	3.5	70.8	31.9	134.5	7.1
.....	7.0	31.3	107.8	83.5	114.8	48.7	167.0	87.0	27.8	90.5	3.5	90.5	20.9	121.8	13.9
3.4	.....	23.9	106.0	99.2	95.8	54.7	150.5	82.1	61.6	68.4	3.4	112.9	10.3	102.6	.....
.....	6.7	16.8	114.3	154.7	70.6	53.8	100.9	77.3	33.6	67.3	6.7	63.9	3.4	107.6	3.4
.....	3.3	13.2	95.9	155.5	76.1	66.2	145.5	62.8	76.1	46.3	9.9	72.8	9.9	105.8	.....
1.4	5.7	53.9	123.5	75.2	112.1	83.7	133.4	75.2	41.2	66.7	5.7	65.3	73.8	151.8	5.7
5.4	5.4	30.0	84.4	79.0	68.1	65.4	128.0	84.4	13.6	57.2	13.6	87.1	73.5	149.8	.....
.....	5.5	19.4	116.2	52.6	96.8	49.8	96.8	47.0	49.8	91.3	2.8	88.5	71.9	157.7	5.5
.....	19.7	16.9	87.1	104.0	50.6	50.6	56.2	81.5	42.2	45.0	2.8	56.2	30.9	179.8	8.4
2.9	2.9	20.0	117.1	82.8	102.8	57.1	68.5	51.4	31.4	62.8	2.9	60.0	45.7	114.2	.....
.....	14.5	34.8	69.7	90.0	26.1	43.5	98.7	101.6	84.2	78.4	11.6	43.5	43.5	92.9	2.9
.....	8.9	26.6	82.6	88.6	88.6	29.5	106.3	76.7	53.1	53.1	8.9	53.1	26.6	106.3	.....
.....	6.0	24.0	96.1	126.1	123.1	60.0	93.1	72.1	78.1	45.0	9.0	63.0	36.0	132.1	.....
.....	9.2	21.4	110.0	116.1	55.0	33.6	61.1	55.0	58.0	51.9	6.1	67.2	15.3	67.2	3.1
.....	6.2	28.0	83.9	87.0	68.4	49.7	55.9	90.1	43.5	59.1	.....	65.3	9.3	90.1	.....
.....	7.1	39.2	174.6	60.6	92.6	21.4	35.6	53.5	24.9	35.6	.....	32.1	60.6	174.6	3.6
.....	6.8	30.4	260.3	125.1	81.1	64.2	108.2	64.2	50.7	87.9	6.8	108.2	74.4	233.2	.....
.....	13.6	31.8	382.0	136.4	59.1	68.2	136.4	86.4	95.5	54.6	13.6	77.3	45.5	254.6	22.7
.....	4.3	17.3	95.3	108.2	52.0	43.3	69.3	43.3	26.0	39.0	17.3	52.0	21.6	82.3	4.3
4.1	.....	16.3	138.8	138.8	73.5	53.1	77.5	53.1	57.1	44.9	.....	65.3	28.6	97.9	.....
.....	19.7	15.7	362.1	141.7	94.5	47.2	106.3	82.7	118.1	70.8	11.8	122.0	35.4	149.6	.....
.....	14.9	29.8	331.9	205.1	119.3	63.4	67.1	115.6	55.9	48.5	18.6	74.6	29.8	108.2	.....
.....	7.5	7.5	221.5	123.9	63.8	37.6	52.6	67.6	52.6	26.3	18.8	78.9	15.0	108.9	.....
.....	21.6	21.6	208.7	226.7	72.0	46.8	72.0	72.0	64.8	28.8	14.4	82.8	3.6	43.2	.....
.....	6.8	20.5	212.3	181.5	58.2	71.9	106.2	51.4	78.8	30.8	20.5	106.2	3.4	102.7	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
INDIANA RURAL[2]—Continued.														
Marshall County	1900	1,321.7	39.8	15 9	.....	.....	4.0	8.0	31.9	15.9	(3)	127.4	15.9	59.7
	1901	1,151.3	16.0	12.0	.....	4.0	4.0	4.0	36.0	40.0	(3)	131.9	8.0	36.0
	1902	1,163.7	12.0	8.0	.....	.....	4.0	4.0	28.1	8.0	(3)	124.4	8.0	36.1
	1903	1,272.9	16.1	4.0	.....	12.1	20.1	12.1	16.1	16.1	(3)	88.6	12.1	72.5
	1904	1,192.8	36.4	16.2	4.0	4.0	8.1	.....	.....	36.4	(3)	141.5	20.2	80.9
	1905	1,035.1	40.6	12.2	.....	.....	8.1	.....	.....	20.3	16.2	73.1	8.1	85.2
	1906	1,067.6	8.1	.....	.....	16.3	.....	.....	4.1	8.1	16.3	89.6	16.3	57.0
	1907	1,125.0	8.2	4.1	.....	.....	.....	.....	.....	45.0	4.1	94.1	16.4	73.6
	1908	1,113.0	12.3	4.1	.....	4.1	.....	8.2	8.2	53.4	8.2	73.9	4.1	73.9
	1909	1,191.7	24.7	8.2	.....	28.9	.....	24.7	12.4	33.0	.....	99.0	16.5	82.5
Martin County	1900	1,590.6	122.3	20.4	.....	.....	.....	54.4	20.4	68.0	(3)	169.9	27.2	34.0
	1901	1,591.0	82.7	6.9	.....	13.8	6.9	68.9	41.3	48.2	(3)	234.2	6.9	27.6
	1902	1,199.4	62.8	13.9	7.0	.....	7.0	.....	41.8	27.9	(3)	174.3	.....	41.8
	1903	1,108.5	42.4	14.1	.....	.....	14.1	.....	14.1	14.1	(3)	155.3	14.1	21.2
	1904	1,587.4	57.2	35.8	7.2	85.8	28.6	57.2	21.5	28.6	(3)	214.5	14.3	57.2
	1905	1,195.0	79.7	7.2	.....	.....	14.5	7.2	14.5	43.5	29.0	231.8	43.5	65.2
	1906	1,159.3	66.0	7.3	.....	.....	.....	.....	14.7	36.7	44.0	146.7	.....	22.0
	1907	1,226.8	37.2	7.4	.....	.....	7.4	7.4	29.7	22.3	14.9	178.4	.....	81.8
	1908	1,228.2	120.6	.....	.....	22.6	.....	22.6	7.5	60.3	22.6	165.8	37.7	45.2
	1909	1,497.1	106.9	15.3	.....	.....	.....	15.3	7.6	30.6	22.9	275.0	53.5	22.9
Miami County	1900	1,222.3	20.1	5.0	.....	5.0	.....	20.1	25.1	35.2	(3)	100.6	5.0	30.2
	1901	1,375.7	39.0	5.6	.....	11.1	11.1	.....	22.3	50.1	(3)	139.2	27.8	39.0
	1902	1,220.7	55.5	.....	.....	.....	.....	16.6	5.5	16.6	(3)	111.0	22.2	66.6
	1903	1,298.9	66.3	5.5	.....	5.5	16.6	.....	22.1	5.5	(3)	132.7	11.1	66.3
	1904	1,150.8	5 5	.....	.....	38.5	33.0	.....	11.0	27.5	(3)	137.7	16.5	16.5
	1905	1,212.3	38.4	11.0	.....	.....	.....	11.0	.....	38.4	21.9	71.3	16.5	32.9
	1906	1,474.0	77.0	.....	.....	.....	.....	5.5	5.5	11.0	11.0	220.0	16.5	55.0
	1907	1,221.9	54.8	.....	5.5	5.5	5.5	.....	11.0	27.4	11.0	120.5	16.4	93.1
	1908	1,293.8	32 8	5.5	.....	.....	.....	32.8	.....	10.9	21.8	120.1	21.8	76.4
	1909	1,185.6	38.1	.....	.....	.....	.....	5.4	10.9	10.9	.....	92.5	43.5	54.4
Monroe County	1900	1,523.4	47.9	19.2	.....	4.8	.....	33.5	38.3	14.4	(3)	220.4	14.4	52.7
	1901	1,356.8	52.0	14.2	.....	4.7	4.7	37.8	23.6	52.0	(3)	165.5	23.6	42.5
	1902	1,331.2	65.4	9.3	.....	23.4	.....	18.7	14.0	4.7	(3)	219.5	46.7	23.4
	1903	1,075.3	55 4	.....	.....	.....	.....	.....	13.8	4.6	(3)	203.1	46.2	55.4
	1904	1,245.1	36.5	9.1	.....	18.2	4.6	.....	13.7	13.7	(3)	173.3	13.7	68.4
	1905	1,401.9	58.6	.....	.....	.....	31.6	22.5	22.5	18.0	18.0	148.8	31.6	40.6
	1906	1,336.7	26.7	4.5	.....	4.5	22.3	17.8	22.3	13.4	17.8	164.9	17.8	49.0
	1907	1,211.3	44.0	4.4	.....	.....	8.8	4.4	13.2	26.4	8.8	167.4	17.6	57.3
	1908	1,332.7	30.5	4.4	.....	.....	.....	8.7	30.5	26.1	.....	187.3	34.8	104.5
	1909	1,283.4	60.3	12.9	.....	.....	4.3	4.3	4.3	.....	25.8	189.5	30.1	81.8
Montgomery County	1900	1,415.5	44.2	3.4	.....	.....	3.4	.....	30.6	23.8	(3)	245.0	13.6	64.7
	1901	1,320.7	23.8	6.8	.....	13.6	17.0	3.4	3.4	71.5	(3)	149.8	34.0	47.7
	1902	1,321.1	47.7	.....	6.8	3.4	.....	3.4	3.4	13.6	(3)	177.1	13.6	61.3
	1903	1,304.5	17.0	3.4	.....	.....	10.2	.....	3.4	20.4	(3)	160.1	17.0	95.4
	1904	1,437.7	44.3	.....	.....	17.0	.....	3.4	.....	34.1	(3)	160.1	47.7	85.2
	1905	1,363.2	17.0	.....	.....	.....	.....	17.0	3.4	30.7	13.6	163.6	20.4	85.2
	1906	1,264.7	51.1	.....	.....	6.8	.....	6.8	17.0	13.6	27.3	133.0	13.6	64.8
	1907	1,326.5	6.8	6.8	.....	3.4	3.4	.....	6.8	37.5	37.5	184.1	37.5	58.0
	1908	1,221.2	23.9	.....	.....	17.1	.....	.....	3.4	23.9	13.6	139.9	27.3	88.7
	1909	1,197.7	30.7	10.2	.....	.....	.....	13.6	.....	10.2	10.2	150.1	47.8	81.9
Morgan County	1900	1,525.2	68.4	19.6	.....	.....	4.9	58.7	.....	19.6	(3)	190.6	24.4	68.4
	1901	1,300.2	58 4	.....	.....	.....	.....	19.5	4.9	73.0	(3)	180.2	24.3	29.2
	1902	1,052.9	63 1	.....	.....	.....	.....	.....	.....	4.9	(3)	198.9	19.4	48.5
	1903	1,223.3	72.5	4.8	4.8	24.2	.....	.....	4.8	4.8	(3)	193.4	24.2	53.2
	1904	1,512.9	33 7	.....	.....	19.3	.....	.....	4.8	38.5	(3)	187.9	24.1	62.6
	1905	1,430.8	4.8	4.8	.....	.....	.....	28.8	.....	57.6	.....	182.4	24.0	67.2
	1906	1,287.0	62.2	4.8	.....	.....	4.8	9.6	14.4	23.9	9.6	181.8	28.7	57.4
	1907	1,268.2	76 3	.....	.....	.....	4.8	.....	4.8	28.6	19.1	152.6	42.9	62.0
	1908	1,434.7	61.8	.....	.....	28.5	.....	4.8	4.8	9.5	23.8	194.8	33.3	71.3
	1909	1,406.1	66.3	4.7	.....	.....	.....	28.4	9.5	23.7	4.7	161.0	47.3	66.3
Newton County	1900	1,148.5	19.1	9.6	.....	.....	.....	19.1	19.1	38.3	(3)	95.7	28.7	38.3
	1901	1,243.7	9.6	9.6	.....	9.6	.....	.....	76.5	19.1	(3)	57.4	19.1	38.3
	1902	1,051.8	28.7	.....	.....	.....	.....	.....	9.6	.....	(3)	57.4	9.6	57.4
	1903	1,166.0	57.3	.....	.....	9.6	.....	9.6	19.1	19.1	(3)	105.1	9.6	47.8
	1904	993.4	9.6	.....	.....	.....	9.6	.....	9.6	19.1	(3)	66.9	9.6	28.7
	1905	1,031.0	28.6	.....	.....	.....	.....	.....	.....	9.5	.....	85.9	9.5	9.5
	1906	896.9	19.1	.....	.....	9.5	9.5	.....	9.5	.....	9.5	85.9	9.5	28.6
	1907	905.9	28.6	.....	.....	.....	.....	.....	28.6	19.1	.....	85.8	9.5	38.1
	1908	914.9	9.5	.....	.....	28.6	9.5	28.6	9.5	9.5	9.5	76.2	19.1	76.2
	1909	895.3	9.5	.....	.....	.....	.....	.....	.....	9.5	.....	57.1	9.5	38.1
Noble County	1900	1,249.3	46.8	12.7	.....	12.7	.....	.....	25.5	12.7	(3)	102.0	12.7	46.8
	1901	1,229.6	25.4	4.2	.....	.....	.....	8.5	12.7	59.4	(3)	131.4	12.7	59.4
	1902	1,049.4	21.2	.....	.....	8.5	.....	8.5	.....	8.5	(3)	84.6	12.7	33.9
	1903	1,059.9	16.9	8.4	.....	16.9	8.4	16.9	4.2	25.3	(3)	92.9	29.6	59.1
	1904	1,361.2	21.1	.....	.....	.....	12.6	.....	.....	25.3	(3)	168.6	25.3	50.6
	1905	1,068.3	21.0	8.4	.....	4.2	.....	.....	4.2	16.8	8.4	88.3	21.0	46.3
	1906	1,057.7	8.4	4.2	.....	.....	.....	4.2	4.2	12.6	16.8	67.2	12.6	79.7
	1907	1,198.0	12.6	.....	.....	.....	4.2	4.2	8.4	62.8	20.9	79.6	16.8	113.1
	1908	1,212.3	29.3	.....	.....	.....	4.2	12.5	8.4	12.5	8.4	41.8	20.9	96.1
	1909	1,293.3	12.5	4.2	.....	4.2	.....	16.7	8.3	20.9	4.2	108.5	25.0	96.0

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	8.0	19.9	147.3	159.2	71.7	35.8	99.5	71.7	47.8	51.7	.....	51.7	111.5	119.4	8.0
.....	.....	16.0	175.9	87.9	56.0	64.0	68.0	68.0	32.0	60.0	.....	40.0	48.0	135.9	8.0
.....	12.0	28.1	108.3	144.5	28.1	64.2	48.2	64.2	52.2	76.2	4.0	56.2	96.3	148.5	.....
.....	8.1	20.1	165.1	137.0	48.3	64.4	72.5	112.8	36.3	72.5	8.1	56.4	60.4	137.0	4.0
.....	40.4	8.1	149.6	97.0	72.8	60.7	36.4	72.8	56.6	56.6	.....	52.6	40.4	97.0	4.0
.....	16.2	12.2	146.1	117.7	48.7	64.9	48.7	64.9	56.8	20.3	12.2	32.5	16.2	113.7	.....
4.1	16.3	4.1	167.1	146.7	48.9	32.6	77.4	77.4	28.5	40.7	16.3	65.2	20.4	105.9	.....
.....	36.8	28.6	114.5	196.4	65.5	53.2	53.2	73.6	28.6	32.7	8.2	57.3	16.4	114.5	.....
.....	20.5	8.2	152.0	168.4	45.2	53.4	78.0	61.6	57.5	41.1	8.2	78.0	16.4	69.8	4.1
4.1	16.5	12.4	160.8	164.9	49.5	74.2	70.1	78.3	61.9	16.5	12.4	45.4	8.2	86.6	.....
.....	6.8	68.0	169.9	88.4	74.8	54.4	88.4	115.5	40.8	40.8	.....	81.6	115.5	115.5	13.6
6.9	13.8	55.1	144.6	55.1	96.4	89.5	110.2	124.0	27.6	55.1	.....	34.4	117.1	110.2	13.8
.....	.....	55.8	83.7	69.7	48.8	48.8	125.5	62.8	7.0	62.8	.....	76.7	48.8	132.5	.....
7.1	.....	120.0	56.5	42.4	91.8	56.5	77.7	91.8	21.2	7.1	14.1	120.0	21.2	70.6	21.2
.....	.....	28.6	85.8	71.5	93.0	93.0	85.8	85.8	35.8	135.9	.....	71.5	64.4	128.7	.....
.....	7.2	36.2	72.4	72.4	57.9	50.7	79.7	57.9	21.7	43.5	14.5	43.5	29.0	65.2	7.2
.....	.....	36.7	95.4	102.7	44.0	73.4	73.4	51.4	44.0	73.4	.....	29.3	51.4	146.7	.....
.....	22.3	14.9	89.2	111.5	52.0	66.9	89.2	104.1	44.6	59.5	.....	44.6	22.3	104.1	14.9
7.5	7.5	.....	98.0	113.0	15.1	60.3	98.0	45.2	30.1	105.5	7.5	45.2	7.5	82.9	.....
.....	15.3	30.6	129.9	206.2	38.2	68.7	76.4	145.1	22.9	61.1	7.6	61.1	.....	84.0	.....
.....	10.1	20.1	130.8	120.7	75.5	80.5	95.6	85.5	50.3	45.3	5.0	15.1	65.4	161.0	15.1
.....	11.1	39.0	117.0	105.8	78.0	83.5	111.4	78.0	39.0	39.0	.....	94.7	66.8	150.4	16.7
5.5	16.6	27.7	133.2	61.0	138.7	72.1	38.8	61.0	44.4	77.7	5.5	44.4	27.7	166.5	5.5
.....	44.2	22.1	143.7	110.5	60.8	71.9	94.0	88.4	60.8	38.7	5.5	60.8	27.6	132.7	5.5
.....	5.5	22.0	154.2	104.6	88.1	49.6	27.5	77.1	22.0	27.5	.....	82.6	22.0	176.2	5.5
.....	11.0	27.4	142.6	148.1	82.3	49.4	87.8	76.8	65.8	65.8	5.5	54.9	38.4	109.7	5.5
.....	11.0	11.0	165.0	253.0	88.0	33.0	66.0	93.5	82.5	27.5	22.0	77.0	11.0	132.0	.....
.....	16.4	16.4	180.8	147.9	76.7	38.4	32.9	65.7	71.2	32.9	16.4	43.8	16.4	115.1	.....
.....	10.9	21.8	174.7	141.9	60.1	54.6	43.7	114.6	60.1	27.3	16.4	92.8	16.4	136.5	.....
.....	16.3	32.6	168.6	206.7	43.5	76.1	59.8	48.9	81.6	21.8	5.4	76.1	.....	92.5	.....
9.6	9.6	38.3	186.8	81.4	148.5	62.3	153.3	76.6	43.1	43.1	19.2	24.0	43.1	138.9	.....
4.7	.....	23.6	108.7	47.3	85.1	75.6	108.7	66.2	23.6	56.7	.....	94.6	52.0	184.4	4.7
.....	14.0	42.0	98.1	84.1	107.4	60.7	98.1	84.1	14.0	121.4	.....	32.7	65.4	84.1	.....
.....	4.6	32.3	92.3	83.1	50.8	41.5	55.4	64.6	36.9	55.4	.....	41.5	23.1	106.1	9.2
.....	4.6	27.4	164.2	100.3	82.1	54.7	86.7	59.3	41.0	63.9	.....	63.9	22.8	114.0	9.1
.....	18.0	4.5	175.8	94.7	90.2	81.1	121.7	49.6	49.6	85.6	4.5	63.1	45.1	121.7	4.5
.....	22.3	31.2	133.7	111.4	124.8	49.0	57.9	93.6	44.6	98.0	8.9	102.5	31.2	66.8	.....
4.4	17.6	13.2	101.3	92.5	114.5	39.6	48.5	92.5	57.3	88.1	8.8	79.3	8.8	92.5	.....
.....	13.1	17.4	135.0	130.6	69.7	61.0	117.6	52.3	69.7	56.6	17.4	82.7	.....	82.7	.....
.....	8.6	17.2	129.2	142.1	64.6	43.1	120.6	68.9	56.0	17.2	17.2	90.4	4.3	90.4	.....
.....	10.2	40.8	163.3	88.5	68.1	51.0	68.1	88.5	51.0	51.0	17.0	61.3	71.5	149.7	6.8
3.4	10.2	54.5	132.7	98.7	81.7	57.9	64.7	81.7	20.4	34.0	10.2	54.5	37.4	200.8	6.8
3.4	13.6	23.8	143.0	112.4	68.1	30.6	78.3	95.3	37.5	78.3	.....	51.1	85.1	163.4	6.8
.....	6.8	34.1	160.1	136.2	47.7	40.9	88.6	64.7	85.1	51.1	10.2	64.7	30.7	153.3	3.4
.....	23.8	34.1	163.5	129.5	122.6	37.5	64.7	85.2	54.5	54.5	10.2	68.1	47.7	143.1	6.8
.....	23.9	17.0	160.2	173.8	85.2	34.1	88.6	98.8	54.5	47.7	6.8	44.3	37.5	136.3	3.4
.....	27.3	27.3	143.2	139.8	71.6	40.9	68.2	85.2	58.0	68.2	3.4	40.9	34.1	122.7	.....
3.4	20.5	27.3	92.1	156.9	75.0	23.9	71.6	102.3	105.7	44.3	6.8	68.2	30.7	112.5	3.4
.....	13.6	17.1	139.9	208.1	51.2	30.7	51.2	81.9	78.5	40.9	13.6	47.8	13.6	92.1	3.4
3.4	3.4	10.2	112.6	197.9	47.8	51.2	54.6	61.4	78.5	47.8	17.1	71.7	10.2	75.1	.....
.....	4.9	39.1	136.9	97.8	156.4	63.5	102.7	53.8	68.4	97.8	9.8	24.4	68.4	127.1	19.6
.....	14.6	19.5	107.1	126.6	116.9	48.7	97.4	82.8	58.4	63.3	.....	29.2	39.0	97.4	9.7
.....	4.9	9.7	106.7	87.3	48.5	29.1	101.9	34.0	67.9	53.4	.....	19.4	9.7	135.9	9.7
.....	.....	14.5	149.9	130.5	82.2	29.0	67.7	77.4	43.5	19.3	4.8	77.4	9.7	125.7	4.8
.....	24.1	38.5	110.8	159.0	149.4	62.6	86.7	86.7	86.7	62.6	14.5	86.7	43.4	125.3	4.8
.....	.....	14.4	158.4	177.6	105.6	91.2	86.4	67.2	57.6	86.4	9.6	43.2	24.0	129.6	9.6
.....	19.1	19.1	119.6	167.5	81.3	38.3	52.6	71.8	62.2	81.3	14.4	47.8	28.7	86.1	.....
.....	4.8	28.6	100.1	157.3	81.0	47.7	57.2	81.0	90.6	57.2	4.8	71.5	23.8	71.5	.....
.....	23.8	.....	137.8	133.0	118.8	57.0	104.5	52.3	99.8	52.3	4.8	66.5	14.3	137.8	.....
.....	18.9	4.7	184.6	203.6	113.6	47.3	89.9	47.3	56.8	80.5	18.9	56.8	.....	66.3	4.7
.....	28.7	19.1	181.9	47.9	76.6	67.0	57.4	86.2	76.6	67.0	9.6	19.1	19.1	124.4	.....
.....	19.1	38.3	76.5	67.0	105.2	86.1	191.3	67.0	57.4	28.7	.....	57.4	67.0	133.9	9.6
.....	28.7	9.6	86.1	86.1	66.9	38.2	114.7	86.1	86.1	105.2	.....	38.2	.....	143.4	.....
19.1	19.1	28.7	76.5	124.2	76.5	57.3	57.3	76.5	76.5	57.3	19.1	76.5	19.1	105.1	.....
9.6	66.9	38.2	133.7	86.0	28.7	38.2	95.5	47.8	9.6	28.7	9.6	95.5	19.1	124.2	9.6
.....	.....	28.6	143.2	152.7	57.3	66.8	95.5	66.8	28.6	85.9	9.5	66.8	19.1	66.8	.....
.....	28.6	19.1	66.8	66.8	76.3	38.2	105.0	85.9	38.2	38.2	.....	57.2	19.1	76.3	.....
.....	19.1	19.1	124.0	104.9	76.3	38.1	47.7	47.7	47.7	38.1	9.5	47.7	9.5	66.7	.....
.....	.....	19.1	162.0	85.8	57.2	66.7	28.6	57.2	28.6	28.6	.....	19.1	9.5	66.7	9.5
.....	.....	.....	104.8	161.9	66.7	47.6	85.7	28.6	57.1	9.5	.....	104.8	.....	104.8	.....
8.5	.....	21.2	123.3	127.5	59.5	51.0	76.5	85.0	38.2	38.2	.....	63.8	68.0	208.2	8.5
4.2	.....	29.7	110.2	148.4	55.1	50.9	33.9	67.8	67.8	63.6	8.5	89.0	25.4	156.9	4.2
.....	.....	25.4	131.2	126.9	25.4	46.5	59.2	76.2	38.1	50.8	.....	42.3	71.9	169.3	8.5
.....	8.4	12.7	130.9	173.1	33.8	33.8	71.8	54.9	38.0	21.1	4.2	54.9	25.3	118.2	.....
8.4	12.6	21.1	143.3	240.2	46.4	67.4	42.1	101.1	71.6	16.9	.....	54.8	21.1	210.7	.....
.....	8.4	4.2	143.0	172.4	54.7	16.8	58.9	67.3	67.3	46.3	.....	84.1	12.6	113.6	.....
.....	21.0	8.4	130.1	155.3	54.6	33.6	79.7	63.0	50.4	37.8	12.6	67.2	21.0	104.9	8.4
.....	12.6	8.4	150.8	129.9	62.8	54.5	50.3	92.2	46.1	58.6	4.2	50.3	8.4	146.6	.....
.....	16.7	20.9	175.6	209.0	50.2	37.6	75.2	75.2	92.0	50.2	12.5	75.2	12.5	75.2	.....
.....	25.0	20.9	141.8	225.3	41.7	41.7	50.1	108.5	70.9	54.2	12.5	104.3	.....	96.0	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL[2]—Continued.														
Ohio County	1900	1,587.6	63.5	21.2	.....	21.2	.....	.....	.....	21.2	(3)	190.5	.....	63.5
	1901	1,153.6	21.4	.....	.....	.....	.....	.....	.....	42.7	(3)	256.4	.....	64.1
	1902	1,335.9	64.6	.....	.....	21.5	.....	.....	.....	.....	(3)	172.4	43.1	.....
	1903	1,564.9	65.2	.....	.....	.....	.....	.....	.....	21.7	(3)	260.8	.....	65.2
	1904	1,534.8	21.9	.....	.....	.....	.....	21.9	21.9	.....	(3)	219.3	65.8	43.9
	1905	1,282.9	.....	.....	.....	.....	.....	22.1	22.1	22.1	.....	243.3	22.1	88.5
	1906	1,361.3	.....	.....	.....	.....	.....	.....	66.9	.....	66.9	312.4	.....	22.3
	1907	1,778.9	22.5	.....	.....	45.0	.....	.....	.....	67.6	22.5	225.2	67.6	90.1
	1908	1,499.7	90.9	.....	.....	.....	.....	.....	22.7	22.7	.....	204.5	22.7	45.4
	1909	1,307.0	114.7	.....	.....	.....	.....	.....	.....	.....	.....	137.6	.....	.....
Orange County	1900	1,477.4	53.4	23.7	.....	5.9	5.9	.....	35.6	29.7	(3)	243.3	11.9	29.7
	1901	1,456.5	71.0	23.7	.....	5.9	5.9	23.7	5.9	82.9	(3)	219.1	17.8	23.7
	1902	1,081.3	65.0	.....	.....	.....	5.9	5.9	17.7	41.4	(3)	212.7	29.5	29.5
	1903	1,079.1	70.8	5.9	.....	.....	5.9	5.9	35.4	23.6	(3)	218.2	17.7	29.5
	1904	1,547.8	47.1	5.9	11.8	64.7	.....	5.9	.....	17.7	(3)	306.0	29.4	41.2
	1905	1,180.5	64.6	5.9	.....	.....	17.6	17.6	17.6	17.6	29.4	246.7	23.5	47.0
	1906	1,371.6	58.6	5.9	.....	5.9	11.7	17.6	11.7	17.6	11.7	298.9	29.3	46.9
	1907	1,251.9	58.5	11.7	.....	5.9	.....	.....	5.9	17.6	23.4	175.5	35.1	41.0
	1908	1,278.5	35.0	.....	.....	17.5	.....	17.5	35.0	58.4	17.5	169.3	29.2	35.0
	1909	1,275.9	58.3	.....	.....	.....	.....	5.8	11.7	17.5	17.5	157.3	35.0	23.3
Owen County	1900	1,366.4	79.2	13.2	.....	6.6	.....	6.6	6.6	6.6	(3)	191.5	6.6	13.2
	1901	1,450.5	39.9	.....	.....	6.7	13.3	13.3	.....	33.3	(3)	272.8	20.0	53.2
	1902	1,266.9	100.5	6.7	.....	13.4	13.4	.....	6.7	40.2	(3)	181.0	6.7	60.3
	1903	1,033.3	47.3	.....	20.3	33.8	.....	.....	27.0	.....	(3)	162.1	27.0	33.8
	1904	1,218.0	27.2	6.8	.....	20.4	6.8	6.8	6.8	40.8	(3)	183.7	13.6	47.6
	1905	1,165.6	27.4	6.9	.....	.....	13.7	27.4	.....	13.7	6.9	185.1	34.3	54.9
	1906	994.9	41.5	13.8	.....	.....	.....	13.8	13.8	6.9	13.8	124.4	20.7	76.0
	1907	1,183.6	41.8	.....	.....	7.0	.....	7.0	7.0	13.9	20.9	174.1	20.9	48.7
	1908	1,066.5	21.0	.....	.....	14.0	.....	14.0	35.1	35.1	7.0	126.3	28.1	56.1
	1909	1,124.4	7.1	7.1	.....	21.2	.....	42.4	7.1	7.1	21.2	176.8	7.1	49.5
Parke County	1900	1,134.8	60.9	17.4	.....	.....	.....	17.4	13.0	8.7	(3)	178.3	4.3	30.4
	1901	1,208.8	61.1	8.7	.....	4.4	4.4	.....	17.5	52.4	(3)	170.2	13.1	34.9
	1902	1,221.8	30.7	13.1	.....	8.8	4.4	8.8	8.8	30.7	(3)	113.9	17.5	35.0
	1903	1,138.1	13.2	4.4	4.4	13.2	17.6	13.2	4.4	17.6	(3)	171.4	13.2	43.9
	1904	1,477.2	48.5	.....	.....	79.4	4.4	4.4	8 8	.....	(3)	141.1	22.0	61.7
	1905	1,318.7	48.7	13.3	.....	.....	13.3	13.3	17.7	26.6	31.0	154.9	35.4	62.0
	1906	1,270.1	26.6	4.4	.....	.....	4.4	31.1	8.9	8.9	17.8	133.2	22.2	66.6
	1907	1,288.0	57.9	4.5	.....	.....	.....	8.9	22.3	26.7	13.4	115.9	35.7	71.3
	1908	1,176.3	26.8	.....	.....	8.9	.....	4.5	13.4	58.1	22.4	143.1	17.9	35.8
	1909	1,342.1	76.3	13.5	.....	4.5	.....	9.0	18.0	18.0	18.0	125.7	58.4	58.4
Perry County	1900	1,443.2	69.2	16.0	.....	.....	5.3	32.0	21.3	5.3	(3)	170.4	.....	26.6
	1901	1,438.3	53.5	10.7	.....	.....	10.7	10.7	37.4	53.5	(3)	176.4	.....	42.8
	1902	1,374.0	42.9	10.7	10.7	.....	.....	5.4	21.5	10.7	(3)	209.3	16.1	48.3
	1903	1,077.5	53.9	10.8	16.2	.....	21.6	10.8	26.9	16 2	(3)	177.8	16.2	37.7
	1904	1,492.7	48.7	5.4	.....	43.3	5.4	10.8	43.3	27.0	(3)	210.9	27.0	27.0
	1905	1,373.6	38.0	5.4	.....	.....	.....	21.7	10.9	27.1	43.4	222.6	48.9	48.9
	1906	1,291.7	49.1	.....	.....	.....	5.5	.....	16.4	10.9	16.4	196.2	43.6	32.7
	1907	1,039.6	54.7	10.9	.....	10.9	5.5	5.5	10.9	32.8	16.4	136.8	32.8	21.9
	1908	1,065.6	43.9	11.0	.....	11.0	.....	5.5	27.5	71.4	22.0	170.3	38.4	33.0
	1909	1,064.2	27.6	11.0	.....	27.6	.....	16.5	66.2	.....	16.5	154.4	33.1	38.6
Pike County	1900	1,586.4	63.5	24.4	.....	.....	.....	.....	24.4	19.5	(3)	219.7	24.4	29.3
	1901	1,750.1	83.3	39.2	.....	9.8	.....	19.6	9.8	39.2	(3)	250.0	24.5	44.1
	1902	1,683.2	123.0	14.8	.....	24.6	4.9	54.1	29.5	.....	(3)	295.3	29.5	49.2
	1903	1,314.4	84.0	14.8	.....	.....	4.9	14.8	49.4	24.7	(3)	187.8	9.9	44.5
	1904	1,776.1	44.7	14.9	.....	34.7	14.9	19.8	9.9	19.8	(3)	312.6	39.7	29.8
	1905	1,479.5	49.8	19.9	5.0	.....	5.0	29.9	19.9	34.9	34.9	209.2	14.9	59.8
	1906	1,500.5	70.0	5.0	.....	.....	.....	15.0	10.0	5.0	35.0	220.1	50.0	45.0
	1907	1,205.2	115.5	.....	.....	5.0	.....	.....	5.0	5.0	25.1	236.0	55.2	50.2
	1908	1,351.4	85.7	5.0	.....	20.2	.....	45.4	35.3	45.4	5.0	191.6	20.2	50.4
	1909	1,508.9	81.0	10.1	.....	5.1	.....	15.2	20.3	40.5	35.4	202.5	70.9	35.4
Porter County	1900	1,309.0	20.9	10.4	5.2	.....	15.6	20.9	15.6	46.9	(3)	109.6	5.2	36.5
	1901	1,231.6	15.5	20.7	.....	10.3	5.2	5.2	46.6	51.7	(3)	67.3	15.5	56.9
	1902	1,217.8	25.7	.....	.....	.....	5.1	5.1	10.3	10.3	(3)	107.9	30.8	56.5
	1903	1,336.7	20.4	.....	.....	20.4	5.1	20.4	15.3	20.4	(3)	96.9	10.2	66.3
	1904	1,479.4	20.3	.....	.....	5.1	.....	.....	30.4	45.6	(3)	141.9	10.1	65.9
	1905	1,262.8	25.2	.....	.....	10.1	5.0	15.1	10.1	15.1	5.0	95.6	40.2	80.5
	1906	1,199.2	10.0	.....	.....	5.0	.....	10.0	40.0	20.0	10.0	94.9	.....	50.0
	1907	1,186.0	9.9	.....	.....	.....	5.0	.....	5.0	19.8	14.9	39.7	.....	69.5
	1908	1,148.3	19.7	.....	.....	.....	.....	19.7	4.9	19.7	19.7	64.1	.....	69.0
	1909	1,101.4	9.8	4.9	.....	19.6	19.6	.....	24.5	14.7	4.9	68.5	14.7	78.3
Posey County	1900	1,737.3	76.1	26.9	17.9	4.5	4.5	8.9	13.4	13.4	(3)	223.9	26.9	22.4
	1901	1,927.1	67.4	49.4	.....	22.5	22.5	40.4	27.0	76.4	(3)	197.7	27.0	49.4
	1902	1,604.0	103.6	18.0	.....	4.5	31.5	27.0	18.0	9.0	(3)	238.8	27.0	27.0
	1903	1,125.3	45.2	13.6	.....	.....	9.0	4.5	.....	22.6	(3)	158.2	13.6	45.2
	1904	1,346.3	54.4	4.5	.....	4.5	.....	4.5	18.1	18.1	(3)	204.0	27.2	63.5
	1905	1,377.7	22.7	36.4	.....	.....	.....	.....	27.3	36.4	27.3	186.4	40.9	63.7
	1906	1,299.8	36.5	27.4	.....	.....	27.4	.....	18.2	4.6	22.8	155.1	36.5	50.2
	1907	1,326.7	18.3	13.7	.....	13.7	.....	18.3	9 1	36.6	13.7	210.4	73.2	68.6
	1908	1,284.9	27.5	22.9	.....	9.2	9.2	32.1	27 5	50.5	13.8	215.7	27.5	41.3
	1909	1,242.8	36.8	13.8	.....	.....	9.2	4.6	13.8	41.4	9.2	170.3	27.6	50.6

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	63.5	105.8	127.0	148.2	21.2	211.6	21.2	84.7	42.3	.....	42.3	84.7	254.0	.....
.....	.....	21.4	106.8	85.5	42.7	.....	42.7	85.5	42.7	64.1	.....	64.1	42.7	170.9	.....
.....	.....	.....	215.5	172.4	43.1	43.1	21.5	150.8	129.3	.....	.....	21.5	107.7	129.3	.....
.....	.....	.....	130.4	217.3	217.3	86.9	21.7	43.5	86.9	43.5	21.7	173.9	21.7	86.9	.....
.....	.....	21.9	153.5	241.2	131.6	21.9	153.5	65.8	65.8	43.9	43.9	65.8	21.9	109.6	.....
.....	.....	22.1	199.1	66.4	88.5	44.2	66.4	132.7	22.1	.....	22.1	.....	22.1	177.0	.....
.....	.....	22.3	133.9	223.2	66.9	44.6	22.3	133.9	22.3	22.3	22.3	44.6	22.3	111.6	.....
.....	22.5	.....	135.1	382.8	180.1	22.5	112.6	135.1	45.0	.....	45.0	90.1	.....	67.6	.....
22.7	.....	.....	68.2	295.4	90.9	113.6	68.2	68.2	.....	.....	.....	159.1	45.4	159.1	.....
.....	45.9	.....	206.4	206.4	91.7	68.8	91.7	183.4	22.9	22.9	22.9	.....	.....	91.7	.....
.....	5.9	35.6	124.6	77.1	178.0	59.3	112.8	89.0	17.8	59.3	.....	29.7	53.4	154.3	41.5
.....	5.9	29.6	183.5	47.4	112.5	88.8	94.7	53.3	23.7	47.4	11.8	53.3	71.0	148.0	5.9
.....	.....	23.6	94.5	65.0	47.3	59.1	53.2	59.1	11.8	100.4	.....	17.7	35.5	106.4	.....
.....	11.8	11.8	88.5	76.7	70.8	53.1	53.1	70.8	41.3	70.8	5.9	47.2	23.6	41.3	.....
.....	5.9	17.7	100.0	100.0	111.8	76.5	141.2	70.6	41.2	105.9	.....	58.9	47.1	111.8	29.4
5.9	17.6	.....	70.5	94.0	88.1	58.7	52.9	47.0	52.9	47.0	.....	29.4	29.4	99.8	.....
5.9	11.7	23.4	105.5	146.5	87.9	35.2	105.5	70.3	87.9	23.4	5.9	70.3	11.7	58.6	5.9
5.9	5.9	29.3	111.2	175.5	93.6	17.6	99.5	87.8	58.5	58.5	11.7	29.3	5.9	87.8	.....
.....	5.8	5.8	81.7	186.8	122.6	64.2	58.4	87.6	23.4	58.4	5.8	75.9	5.8	81.7	.....
.....	11.7	5.8	116.5	174.8	145.7	17.5	99.0	58.3	87.4	35.0	40.8	69.9	.....	87.4	.....
.....	13.2	19.8	105.6	118.8	171.7	19.8	158.4	72.6	52.8	52.8	.....	46.2	72.6	132.0	.....
.....	20.0	13.3	126.4	46.6	93.2	73.2	119.8	73.2	73.2	99.8	6.7	59.9	39.9	146.4	6.7
.....	13.4	20.1	154.2	114.0	120.7	53.6	53.6	60.3	26.8	33.5	6.7	53.6	26.8	100.5	.....
6.8	6.8	20.3	135.1	94.5	81.0	13.5	33.8	60.8	81.0	27.0	6.8	40.5	13.5	60.8	.....
.....	6.8	13.6	122.5	136.1	156.5	68.0	61.2	54.4	40.8	20.4	20.4	54.4	13.6	81.7	6.8
.....	.....	20.6	75.4	219.4	102.8	20.6	61.7	82.3	20.6	34.3	.....	48.0	27.4	82.3	.....
.....	6.9	13.8	117.5	103.6	69.1	62.2	41.5	82.9	27.6	27.6	.....	55.3	13.8	48.4	.....
.....	20.9	.....	55.7	208.9	139.2	69.6	76.6	62.7	27.8	34.8	13.9	62.7	13.9	55.7	.....
.....	7.0	7.0	84.2	210.5	56.1	42.1	70.2	70.2	28.1	21.0	.....	63.1	21.0	49.1	.....
.....	7.1	.....	91.9	127.3	99.0	56.6	113.1	56.6	70.7	35.4	.....	42.4	.....	77.8	.....
.....	4.3	34.8	117.4	60.9	95.7	21.8	117.4	69.6	13.0	30.4	.....	47.8	95.7	91.3	4.3
.....	8.7	26.2	170.2	56.7	78.6	61.1	96.0	65.5	17.5	34.9	8.7	87.3	30.5	96.0	4.4
.....	13.1	13.1	127.0	92.0	109.5	48.2	100.7	70.1	26.3	122.6	8.8	87.6	26.3	100.7	4.4
4.4	4.4	22.0	92.3	105.5	87.9	26.4	74.7	79.1	26.4	30.8	22.0	118.6	48.3	74.7	4.4
.....	13.2	61.7	176.4	132.3	105.8	61.7	145.5	70.6	30.9	57.3	8.8	83.8	35.3	119.1	4.4
.....	8.9	4.4	128.3	137.2	132.8	39.8	101.8	57.5	44.3	39.8	.....	79.7	13.3	115.1	.....
.....	8.9	26.6	102.1	146.5	119.9	40.0	111.0	71.1	44.4	75.5	13.3	71.1	13.3	102.1	.....
.....	4.5	31.2	138.2	164.9	84.7	44.6	89.1	84.7	17.8	62.4	8.9	84.7	13.4	98.0	4.5
.....	22.4	8.9	174.4	143.1	53.7	67.1	98.4	44.7	44.7	44.7	.....	85.0	4.5	49.2	4.5
.....	.....	13.5	116.7	170.6	103.2	40.4	161.6	58.4	26.9	71.8	4.5	94.3	4.5	71.8	4.5
.....	.....	16.0	117.2	90.5	186.4	58.6	95.9	69.2	58.6	47.9	5.3	95.9	85.2	165.1	5.3
.....	5.3	26.7	192.5	74.9	149.7	53.5	96.2	69.5	21.4	85.5	.....	32.1	74.9	139.0	21.4
5.4	10.7	16.1	96.6	96.6	150.3	42.9	91.2	91.2	32.2	64.4	.....	69.8	53.7	171.7	5.4
.....	.....	16.2	75.4	53.9	43.1	53.9	48.5	107.8	37.7	53.9	.....	43.1	70.0	80.8	5.4
.....	10.8	32.4	91.9	86.5	113.6	81.1	81.1	64.9	43.3	124.4	.....	75.7	59.5	167.7	10.8
.....	.....	5.4	92.3	119.4	103.2	59.7	92.3	124.9	48.9	43.4	.....	54.3	32.6	124.9	5.4
5.5	5.5	21.8	109.0	70.9	81.8	60.0	70.9	125.4	109.0	54.5	5.5	54.5	38.2	103.6	5.5
5.5	5.5	5.5	65.7	104.0	76.6	16.4	60.2	76.6	49.2	43.8	5.5	54.7	16.4	114.9	.....
.....	5.5	11.0	93.4	93.4	76.9	43.9	60.4	27.5	33.0	71.4	.....	38.4	16.5	49.4	11.0
.....	11.0	11.0	66.2	126.8	38.6	55.1	60.7	71.7	55.1	49.6	5.5	38.6	.....	82.7	.....
.....	19.5	39.1	92.7	48.8	205.0	53.7	161.1	68.3	58.6	102.5	4.9	53.7	107.4	146.4	19.5
.....	.....	34.3	127.5	49.0	210.8	83.3	98.0	88.2	39.2	142.2	.....	83.3	142.2	132.4	.....
.....	.....	49.2	64.0	118.1	137.8	103.4	182.1	83.7	19.7	88.6	9.8	64.0	14.8	108.3	14.8
.....	4.9	59.3	84.0	133.4	69.2	24.7	88.9	54.4	49.4	69.2	.....	64.2	24.7	153.2	.....
.....	9.9	34.7	64.5	79.4	109.1	74.4	238.1	79.4	49.6	193.5	.....	79.4	29.8	188.5	5.0
10.0	19.9	39.9	49.8	84.7	119.6	79.7	114.6	104.6	49.8	84.7	10.0	84.7	29.9	104.6	10.0
5.0	.....	30.0	105.0	90.0	65.0	65.0	145.0	110.0	50.0	60.0	15.0	90.0	35.0	175.1	5.0
.....	.....	30.1	120.5	90.4	45.2	20.1	90.4	55.2	55.2	35.2	5.0	75.3	10.0	75.3	.....
.....	5.0	15.1	110.9	121.0	70.6	40.3	121.0	65.6	40.3	60.5	.....	95.8	.....	95.8	5.0
.....	10.1	15.2	136.7	146.8	81.0	55.7	167.1	81.0	50.6	70.9	.....	50.6	.....	126.6	.....
.....	.....	15.6	140.8	104.3	99.1	125.2	104.3	93.9	62.6	62.6	10.4	67.8	46.9	88.7	.....
.....	5.2	10.3	119.0	124.2	103.5	62.1	77.6	98.3	51.7	72.4	5.2	77.6	15.5	113.8	.....
.....	10.3	10.3	133.6	102.8	92.5	82.2	61.7	92.5	66.8	92.5	.....	87.3	25.7	97.6	10.3
.....	20.4	20.4	112.2	163.3	107.1	86.7	66.3	86.7	86.7	25.5	15.3	86.7	25.5	158.2	.....
.....	5.1	25.3	177.3	162.1	136.8	81.1	86.1	96.3	81.1	30.4	10.1	70.9	20.3	177.3	.....
5.0	5.0	.....	161.0	115.7	100.6	105.7	60.4	85.5	30.2	60.4	15.1	80.5	5.0	130.8	.....
.....	15.0	10.0	99.9	124.9	79.9	35.0	74.9	70.0	84.9	70.0	5.0	184.9	10.0	94.9	.....
.....	9.9	19.8	134.0	198.5	94.3	54.6	49.6	119.1	49.6	34.7	24.8	79.4	14.9	138.9	.....
.....	4.9	9.9	118.3	177.4	103.5	44.4	64.1	93.6	93.6	29.6	4.9	93.6	.....	88.7	.....
.....	9.8	4.9	73.4	142.0	34.3	49.0	68.5	78.3	102.8	49.0	9.8	107.7	.....	112.6	.....
4.5	4.5	80.6	116.4	85.1	161.2	94.0	165.7	89.5	67.2	103.0	13.4	71.6	67.2	152.2	22.4
.....	13.5	80.9	103.3	121.3	179.7	130.3	202.1	116.8	53.9	71.9	13.5	76.4	53.9	112.3	18.0
.....	18.0	31.5	94.6	49.6	117.1	67.6	171.2	103.6	63.1	94.6	.....	81.1	40.6	153.2	13.5
.....	.....	22.6	72.3	85.9	40.7	45.2	103.9	90.4	54.2	58.8	4.5	90.4	27.1	103.9	13.6
.....	9.1	22.7	108.8	95.2	90.7	77.1	136.0	99.7	54.4	40.8	9.1	40.8	22.7	136.0	4.5
.....	.....	45.5	86.4	54.6	118.2	63.7	113.7	90.9	50.0	104.6	13.6	68.2	18.2	90.9	18.2
4.6	.....	4.6	77.5	63.9	95.8	50.2	91.2	132.3	95.8	63.9	9.1	68.4	59.3	100.3	4.6
.....	4.6	18.3	68.6	118.9	91.5	68.6	109.8	68.6	36.6	54.9	27.4	59.5	9.1	100.6	13.7
.....	4.6	9.2	82.6	128.5	59.7	68.8	78.0	68.8	50.5	68.8	13.8	55.1	18.4	96.4	4.6
.....	4.6	9.2	92.1	115.1	69.0	50.6	161.1	73.6	50.6	59.8	13.8	78.3	9.2	69.0	9.2

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
INDIANA RURAL[2]—Continued.														
Pulaski County	1900	1,111.7	28.5	14 2	.....	.....	21.4	.....	28.5	14.2	(3)	78.4	7.1	7.1
	1901	1,053.5	28.7	43.0	.....	.....	.....	7.2	21.5	21.5	(3)	107.5	7.2	35.8
	1902	1,015.8	28.8	14.4	.....	14.4	.....	28.8	21.6	7.2	(3)	151.3	.....	14.4
	1903	840.1	21.7	7.2	.....	7.2	7.2	.....	14.5	21.7	(3)	72.4	.....	21.7
	1904	953.8	21.8	.....	.....	7.3	.....	.....	7.3	.....	(3)	87.4	21.8	14.6
	1905	973.5	43.9	.....	.....	.....	.....	7.3	14.6	14.6	14.6	109.8	.....	80.5
	1906	1,030.2	14.7	14.7	.....	.....	.....	7.4	7.4	14.7	29.4	103.0	22.1	44.2
	1907	1,124.6	7.4	14.8	7.4	.....	.....	22.2	.....	74.0	7.4	96.2	.....	22.2
	1908	989.4	22.3	7.4	.....	.....	14.9	.....	.....	37.2	29.8	89.3	7.4	29.8
	1909	957.4	22.4	7.5	.....	.....	.....	.....	.....	7.5	22.4	52.4	7.5	52.4
Putnam County	1900	1,289.7	32.6	14.0	.....	4.7	.....	4.7	41.9	18.6	(3)	195.5	18.6	27.9
	1901	1,310.1	42.1	.....	.....	9.4	.....	9.4	4.7	46.8	(3)	182.5	18.7	56.1
	1902	1,339.5	56.4	.....	.....	9.4	14.1	.....	9.4	14.1	(3)	183.3	.....	51.7
	1903	1,147.4	37.8	9.4	9.4	4.7	4.7	.....	4.7	28.3	(3)	174.7	14.2	70.8
	1904	1,437.2	23.7	14.2	.....	28.5	.....	14.2	19.0	19.0	(3)	232.4	33.2	52.2
	1905	1,253.3	33.4	4.8	.....	.....	.....	9.5	4.8	14.3	23.8	200.1	19.1	57.2
	1906	1,144.2	33.5	4.8	.....	.....	4.8	19.1	.....	23.9	19.1	134.0	14.4	86.2
	1907	1,438.1	28.9	.....	.....	.....	4.8	.....	4.8	24.0	33.7	187.6	33.7	62.5
	1908	1,328.9	53.2	.....	.....	4.8	.....	.....	9.7	38.7	29.0	178.8	33.8	82.1
	1909	1,257.5	19.4	.....	.....	.....	.....	29.1	4.9	4.9	53.4	155.4	48.6	53.4
Randolph County	1900	1,235.5	17.5	7 0	.....	.....	3.5	17.5	34.9	10.5	(3)	153.6	27.9	27.9
	1901	1,350.3	31.4	.....	.....	38.3	.....	.....	3.5	31.4	(3)	174.3	38.3	59.2
	1902	1,235.7	38.3	3 5	.....	3.5	7.0	3.5	3.5	10.4	(3)	163.6	24.4	38.3
	1903	1,195.9	24.3	7.0	24.3	.....	.....	7.0	3.5	13.9	(3)	139.1	24.3	55.6
	1904	1,239.6	38.2	.....	.....	17.4	6.9	.....	10.4	24.3	(3)	163.2	24.3	48.6
	1905	1,286.6	24.3	3.5	.....	.....	.....	.....	13.9	17.3	31.2	159.5	20.8	48.6
	1906	1,080.6	17.3	.....	.....	10.4	.....	27.7	.....	.....	6.9	110.8	38.1	52.0
	1907	1,079.2	20.8	.....	.....	13.8	.....	.....	27.7	6 9	3.5	117.6	31.1	72.6
	1908	1,143.5	38.0	3.5	.....	.....	.....	3.5	6.9	13.8	13.8	152.0	31.1	62.2
	1909	1,276.6	38.0	.....	.....	.....	.....	13.8	10.4	27.6	20.7	120.8	24.2	65.6
Ripley County	1900	1,483.8	50.3	10.1	.....	.....	5.0	.....	5.0	35.2	(3)	261.6	15.1	30.2
	1901	1,341.1	50.4	10.1	.....	.....	.....	10.1	.....	60.5	(3)	151.2	40.3	35.3
	1902	1,061.0	40.4	.....	.....	15.2	.....	.....	5.1	5 1	(3)	146.5	35.4	55.6
	1903	1,078.5	45.6	5.1	5.1	.....	.....	5.1	40.5	5.1	(3)	177.2	20.3	65.8
	1904	1,268.6	50.7	15.2	.....	25.4	10.1	.....	10.1	40.6	(3)	197.9	15.2	30.4
	1905	1,266.3	20.3	.....	.....	.....	15.3	.....	5.1	15.3	20.3	147.5	50.9	35.6
	1906	1,075.5	30.6	.....	.....	.....	.....	15.3	5.1	25.5	15.3	122.3	25.5	56.1
	1907	1,210.7	51.1	5.1	.....	.....	5.1	.....	5.1	61.3	20.4	168.6	20.4	71.5
	1908	1,218.6	15.4	.....	.....	.....	.....	5.1	10.2	128.0	15.4	163.8	46.1	66.6
	1909	1,236.7	35.9	.....	.....	.....	5.1	5.1	.....	30.8	15.4	159.1	30.8	82.1
Rush County	1900	1,424.5	74.5	14.9	.....	.....	.....	9.9	29.8	34.7	(3)	218.4	34.7	64.5
	1901	1,350.8	24.9	10.0	.....	10.0	5.0	5.0	5.0	44.9	(3)	164.5	29.9	54.8
	1902	1,251.2	55.1	.....	.....	.....	.....	5.0	.....	10.0	(3)	140.1	35.0	70.1
	1903	1,170.9	45.2	5.0	.....	.....	10 1	5.0	5.0	20.1	(3)	110.6	20.1	95.5
	1904	1,296.7	45.4	5.0	.....	10.1	20.2	15.1	.....	25.2	(3)	151.4	30.3	106.0
	1905	1,119.7	20.3	10 1	.....	.....	.....	20.3	10.1	40.5	15.2	101.3	35.5	60.8
	1906	1,124.3	35.6	5.1	.....	.....	.....	10.2	10.2	15.3	5.1	147.5	40.7	50.9
	1907	1,241.3	30.6	15.3	.....	.....	5.1	.....	.....	15.3	10.2	143.0	25.5	81.7
	1908	1,256.7	15.4	5 1	.....	5.1	.....	5.1	10.3	35 9	15.4	133.4	35.9	97.5
	1909	999.3	10.3	10 3	.....	.....	.....	.....	5.2	10.3	5.2	103.0	25.8	61.8
St. Joseph County	1900	1,464.0	42.4	6 8	.....	5.1	1.7	8.5	129.1	13.6	(3)	149.5	6.8	34.0
	1901	1,137.8	29.4	4.2	.....	.....	8.4	8.4	8.4	50.4	(3)	105.0	21.0	25.2
	1902	959.0	24.4	4.1	32.5	.....	.....	8.1	20.3	4.1	(3)	77.2	24.4	52.8
	1903	1,798.0	39.3	3.9	.....	27.5	31.4	3.9	31.4	15.7	(3)	192.4	31.4	70.7
	1904	1,480.2	19.1	.....	.....	7.6	30.5	15.3	7.6	22.9	(3)	156.4	22.9	91.6
	1905	1,296.3	36.9	.....	.....	.....	3.7	14.8	7.4	14.8	11.1	144.0	25.9	70.2
	1906	1,263.3	21.5	.....	.....	7.2	10.7	.....	3.6	3 6	7.2	78.8	21.5	68.0
	1907	1,260.1	10.4	.....	3.5	.....	3.5	13.9	10.4	20.8	6.9	125.0	17.4	62.5
	1908	1,038.5	24.0	.....	.....	6.9	3.4	10.3	.....	13.7	3.4	102.8	13.7	68.5
	1909	1,121.7	30.0	.....	.....	3.3	10.0	16.6	10.0	16.6	.....	106.5	30.0	73.2
Scott County	1900	1,865.9	60.2	.....	.....	.....	.....	24.1	36.1	36.1	(3)	325.0	12.0	72.2
	1901	1,444.4	36.1	.....	.....	.....	36 1	36.1	36.1	84.3	(3)	204.6	48.1	60.2
	1902	1,420.1	60.2	.....	.....	.....	.....	.....	.....	48.1	(3)	216.6	24.1	36.1
	1903	1,191.3	36.1	.....	.....	.....	.....	.....	12.0	24.1	(3)	216.6	12.0	72.2
	1904	1,467.9	48.1	12.0	.....	36.1	.....	12.0	.....	84.2	(3)	373.0	12.0	48.1
	1905	1,503.7	72.2	24.1	.....	.....	24.1	12.0	24.1	60.1	24.1	300.7	24.1	60.1
	1906	1,359.0	24.1	12.0	.....	.....	.....	.....	36.1	12.0	48 1	228.5	60.1	36.1
	1907	1,154.3	36.1	.....	.....	.....	.....	.....	.....	12.0	.....	204.4	48.1	48.1
	1908	1,202.1	36.1	.....	.....	.....	.....	.....	.....	60.1	12.0	228.4	.....	24.0
	1909	1,358.0	48.1	.....	.....	.....	.....	24.0	12.0	96.1	12.0	168.2	24.0	48.1
Shelby County	1900	1,268.4	37.7	7.5	.....	.....	7.5	18.9	11.3	18.9	(3)	196.3	11.3	45.3
	1901	1,315.8	56.6	7.5	.....	3.8	.....	.....	22.6	41.5	(3)	192.3	15.1	52.8
	1902	1,374.5	75.3	.....	3.8	22.6	22.6	3.8	7.5	15.1	(3)	131.8	7.5	56.5
	1903	1,275.1	52.7	.....	.....	.....	3.8	18.8	7.5	15.0	(3)	146.7	45.1	60.2
	1904	1,345.1	45.1	.....	.....	18.8	3.8	7 5	3.8	18 8	(3)	172.8	22.5	56.4
	1905	1,320.9	52.5	3.8	.....	.....	15 0	3.8	7.5	56.3	11.3	131.3	41.3	63.8
	1906	1,248.1	22 5	.....	.....	.....	3.7	18 7	.....	3.7	15.0	153.7	11.2	45.0
	1907	1,373.9	29.9	3.7	.....	3.7	.....	3.7	3.7	29.9	18.7	153.5	37.4	71.1
	1908	1,263.8	26.2	3.7	.....	.....	11.2	26.2	11.2	18.7	18.7	179.5	41.1	48.6
	1909	1,393.0	18.7	3.7	.....	7.5	.....	3.7	29.9	14.9	11.2	164.3	33.6	85.9

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	14.2	71.3	49.9	114.0	142.5	64.2	71.3	42.8	35.7	.....	85.5	85.5	57.0	78.4
.....	.....	.....	143.3	71.7	107.5	14.3	100.3	7.2	78.8	71.7	.....	21.5	28.7	121.8	14.3
.....	7.2	14.4	57.6	57.6	72.0	21.6	72.0	86.4	28.8	86.4	7.2	43.2	43.2	108.1	28.8
.....	.....	7.2	86.9	72.4	29.0	43.5	50.7	14.5	43.5	72.4	.....	57.9	57.9	115.9	14.5
.....	7.3	14.6	116.5	87.4	65.5	43.7	43.7	65.5	58.2	51.0	7.3	36.4	43.7	145.6	7.3
.....	.....	22.0	117.1	51.2	109.8	80.5	65.9	30.5	43.9	7.3	.....	36.6	36.6	36.6	.....
7.4	7.4	14.7	95.7	103.0	51.5	51.5	44.2	58.9	66.2	88.3	.....	66.2	36.8	80.9	.....
.....	7.4	22.2	185.0	140.6	44.4	29.6	44.4	74.0	66.6	81.4	.....	59.2	22.2	74.0	22.2
.....	14.9	22.3	111.6	126.5	52.1	29.8	44.6	52.1	89.3	59.5	7.4	59.5	7.4	74.4	.....
.....	37.4	.....	127.2	119.7	67.3	82.3	82.3	44.9	67.3	52.4	7.5	29.9	.....	59.8	7.5
.....	14.0	41.9	139.7	65.2	69.8	93.1	79.1	83.8	55.9	116.4	.....	41.9	41.9	74.5	14.0
4.7	14.0	4.7	145.0	112.3	84.2	84.2	60.8	74.9	65.5	70.2	9.4	79.5	18.7	112.3	.....
4.7	4.7	32.9	84.6	84.6	98.7	51.7	98.7	47.0	51.7	155.1	4.7	75.2	61.1	145.7	.....
.....	14.2	14.2	89.7	94.4	80.3	37.8	75.5	56.7	37.8	85.0	4.7	42.5	33.1	122.8	.....
.....	9.5	9.5	123.3	109.1	80.6	66.4	52.2	90.1	75.9	142.3	14.2	61.7	28.5	137.6	.....
.....	4.8	9.5	119.1	147.7	95.3	71.5	42.9	42.9	66.7	66.7	4.8	47.7	57.2	109.6	.....
.....	9.6	19.1	148.4	119.7	86.2	28.7	38.3	76.6	23.9	43.1	4.8	100.5	4.8	100.5	.....
.....	33.7	19.2	125.1	187.6	77.0	62.5	62.5	134.7	77.0	52.9	4.8	77.0	19.2	125.1	.....
.....	14.5	29.0	91.8	188.5	43.5	58.0	43.5	91.8	72.5	82.1	4.8	87.0	.....	91.8	.....
.....	9.7	19.4	135.9	218.5	77.7	58.3	48.6	58.3	106.8	24.3	9.7	43.7	4.9	68.0	4.9
.....	31.4	27.9	150.1	76.8	69.8	55.8	66.3	41.9	34.9	59.3	.....	62.8	66.3	164.0	27.9
.....	10.5	59.2	132.4	97.6	83.6	87.1	115.0	66.2	55.8	59.2	7.0	24.4	38.3	146.4	.....
3.5	17.4	27.8	132.3	111.4	45.3	76.6	45.3	83.5	38.3	94.0	7.0	24.4	38.3	184.5	10.4
.....	7.0	17.4	111.2	121.7	80.0	52.1	66.1	93.9	66.1	52.1	13.9	59.1	13.9	142.5	.....
.....	13.9	17.4	107.6	138.9	76.4	62.5	66.0	90.3	72.9	52.1	10.4	34.7	31.2	125.0	6.9
.....	13.9	20.8	183.8	156.1	79.8	45.1	83.2	79.8	48.6	62.4	6.9	45.1	17.3	121.4	3.5
6.9	3.5	31.2	159.3	114.3	45.0	58.9	79.7	69.3	52.0	20.8	6.9	58.9	10.4	93.5	6.9
10.4	6.9	24.2	114.2	128.0	38.1	41.5	72.6	51.9	45.0	72.6	3.5	55.3	13.8	103.8	3.5
.....	13.8	10.4	155.5	169.3	69.1	62.2	38.0	69.1	38.0	51.8	13.8	51.8	3.5	62.2	10.4
3.5	10.4	3.5	100.1	207.0	86.3	34.5	110.4	75.9	69.0	55.2	20.7	44.9	6.9	127.7	.....
5.0	10.1	35.2	171.0	75.4	95.6	55.3	60.4	110.7	25.1	60.4	10.1	90.5	75.4	186.1	5.0
5.0	15.1	50.4	100.8	55.5	110.9	95.8	50.4	75.6	40.3	65.5	20.2	70.6	50.4	166.4	10.1
.....	20.2	25.3	70.7	40.4	70.7	50.5	80.8	65.7	50.5	80.8	.....	25.3	35.4	136.4	5.1
.....	5.1	30.4	106.3	45.6	81.0	40.5	45.6	96.2	30.4	25.3	25.3	55.7	25.3	96.2	.....
5.1	5.1	20.3	131.9	71.0	111.6	55.8	81.2	91.3	35.5	60.9	.....	76.1	10.1	101.5	15.2
5.1	20.3	20.3	111.9	122.1	122.1	66.1	25.4	81.4	71.2	45.8	15.3	91.5	30.5	117.0	10.2
.....	10.2	10.2	168.2	81.6	66.3	76.5	25.5	51.0	56.1	25.5	15.3	61.2	20.4	112.1	.....
.....	5.1	15.3	86.8	214.6	76.6	40.9	30.7	40.9	81.7	15.3	10.2	46.0	25.5	112.4	.....
.....	5.1	20.5	133.1	128.0	61.4	66.6	66.6	46.1	20.5	41.0	20.5	61.4	5.1	92.2	.....
5.1	15.4	.....	112.9	174.5	46.2	51.3	87.2	51.3	82.1	41.1	30.8	82.1	5.1	82.1	5.1
.....	19.9	34.7	139.0	119.1	54.6	44.7	54.6	119.1	54.6	44.7	9.9	29.8	59.6	148.9	9.9
.....	34.9	24.9	179.4	69.8	109.7	69.8	69.8	99.7	44.9	64.8	5.0	29.9	59.8	129.6	5.0
.....	5.0	.....	160.2	105.1	100.1	70.1	30.0	65.1	55.1	95.1	.....	65.1	45.0	130.1	10.0
5.0	20.1	55.3	105.5	140.7	35.2	25.1	55.3	120.6	55.3	25.1	5.0	50.3	10.1	145.7	.....
5.0	20.2	30.3	141.3	100.9	45.4	45.4	80.7	70.6	45.4	75.7	5.0	80.7	15.1	121.1	5.0
.....	5.1	10.1	131.7	121.6	40.5	30.4	91.2	106.4	55.7	50.7	.....	50.7	10.1	101.3	.....
.....	.....	10.2	142.4	132.3	86.5	15.3	61.0	96.7	35.6	30.5	5.1	66.1	5.1	117.0	.....
.....	20.4	40.9	127.7	163.5	25.5	76.6	61.3	56.2	56.2	56.2	10.2	56.2	10.2	153.2	.....
5.1	25.6	20.5	118.0	143.6	35.9	15.4	92.3	61.6	56.4	46.2	15.4	112.8	5.1	143.6	.....
.....	20.6	5.2	92.7	149.4	51.5	51.5	56.7	67.0	51.5	41.2	20.6	51.5	5.2	103.0	.....
5.1	11.9	34.0	159.6	96.8	96.8	47.5	103.6	73.0	44.1	49.3	8.5	93.4	101.9	134.2	6.8
.....	12.6	21.0	117.6	88.2	71.4	63.0	63.0	88.2	58.8	58.8	8.4	63.0	46.2	117.6	.....
.....	8.1	16.3	97.5	117.8	73.1	44.7	44.7	61.0	69.1	32.5	.....	36.6	12.2	93.5	4.1
.....	11.8	31.4	200.2	168.8	141.3	66.7	149.2	98.1	86.4	58.9	19.6	70.7	90.3	133.5	23.6
.....	7.6	19.1	125.9	122.1	72.5	80.1	57.2	87.7	99.2	122.1	3.8	95.4	64.9	145.0	3.8
.....	22.2	11.1	96.0	118.2	99.7	59.1	114.5	66.5	62.8	88.6	11.1	70.2	40.6	107.1	.....
.....	14.3	21.5	118.1	103.8	89.5	53.7	82.3	71.6	93.0	53.7	14.3	118.1	50.1	157.5	.....
.....	3.5	24.3	90.3	184.0	118.0	66.0	55.5	72.9	93.7	76.4	10.4	52.1	24.3	114.6	.....
.....	13.7	6.9	85.7	140.5	44.6	48.0	92.5	48.0	92.5	51.4	10.3	51.4	6.9	99.4	.....
.....	13.3	13.3	103.2	129.8	63.2	79.9	56.6	46.6	96.5	30.0	20.0	69.9	3.3	99.9	.....
.....	.....	60.2	132.4	84.3	180.6	72.2	180.6	120.4	24.1	36.1	12.0	96.3	108.4	180.6	12.0
12.0	.....	36.1	48.1	96.3	96.3	84.3	48.1	72.2	60.2	.....	24.1	36.1	60.2	216.7	12.0
.....	24.1	24.1	108.3	108.3	144.4	84.2	48.1	72.2	48.1	48.1	12.0	36.1	60.2	216.6	.....
.....	24.1	.....	132.4	120.3	60.2	60.2	48.1	48.1	48.1	24.1	12.0	72.2	36.1	132.4	.....
.....	12.0	.....	96.3	108.3	108.3	24.1	48.1	36.1	72.2	96.3	.....	72.2	.....	168.5	.....
.....	12.0	.....	96.2	168.4	84.2	48.1	120.3	72.2	108.3	36.1	.....	48.1	36.1	48.1	.....
12.0	.....	24.1	96.2	120.3	96.2	60.1	60.1	60.1	72.2	36.1	12.0	72.2	48.1	132.3	.....
.....	.....	24.0	60.1	156.3	72.1	60.1	108.2	60.1	120.2	72.1	12.0	.....	12.0	48.1	.....
.....	.....	12.0	60.1	192.3	72.1	48.1	60.1	24.0	96.2	72.1	12.0	24.0	12.0	156.3	.....
.....	12.0	.....	60.1	168.2	72.1	60.1	84.1	96.1	84.1	96.1	12.0	120.2	12.0	48.1	.....
3.8	11.3	30.2	128.4	86.8	83.1	45.3	94.4	52.9	60.4	60.4	3.8	49.1	71.7	120.8	11.3
.....	11.3	22.6	98.0	94.3	90.5	56.6	94.3	71.6	56.6	86.7	.....	56.6	56.6	116.9	11.3
.....	15.1	26.4	128.0	79.1	86.6	64.0	60.3	116.7	49.0	150.6	.....	49.0	45.2	158.2	.....
3.8	11.3	7.5	112.8	101.6	75.2	60.2	97.8	75.2	82.8	71.5	15.0	52.7	18.8	139.2	.....
.....	3.8	22.5	154.0	120.2	78.9	67.6	48.8	67.6	67.6	56.4	11.3	93.9	18.8	180.3	3.8
.....	11.3	15.0	86.3	142.6	56.3	75.1	82.6	97.6	48.8	78.8	15.0	56.3	15.0	150.1	3.8
3.7	15.0	15.0	127.4	90.0	71.2	60.0	82.5	101.2	75.0	86.2	33.7	56.2	30.0	127.4	.....
.....	3.7	37.4	179.7	97.3	78.6	48.7	67.4	86.1	71.1	71.1	15.0	108.6	11.2	142.3	.....
.....	3.7	11.2	108.4	164.5	67.3	44.9	44.9	112.2	63.6	56.1	15.0	86.0	7.5	93.5	.....
.....	11.2	18.7	145.7	179.3	78.4	56.0	82.2	108.3	85.9	78.4	3.7	63.5	7 5	97.1	3.7

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
INDIANA RURAL[2]—Continued.														
Spencer County	1900	1,655.7	116.0	17.8	.....	.....	.....	8.9	31.2	8.9	(3)	183.0	13.4	49.1
	1901	1,363.8	63.0	18.0	4.5	22.5	9.0	31.5	22.5	31.5	(3)	229.5	22.5	31.5
	1902	1,433.6	72.6	9.1	.....	18.1	13.6	22.7	.....	22.7	(3)	208.7	4.5	40.8
	1903	964.9	50.3	.....	.....	.....	18.3	22.9	27.4	18.3	(3)	109.7	9.1	27.4
	1904	1,184.7	32.3	9.2	.....	.....	13.8	4.6	9.2	23.0	(3)	230.5	13.8	18.4
	1905	1,236.2	27.9	4.6	.....	9.3	.....	18.6	9.3	79.0	27.9	218.4	9.3	37.2
	1906	1,208.8	46.9	14.1	.....	.....	.....	.....	18.7	.....	.....	178.0	18.7	32.8
	1907	954.3	28.3	4.7	.....	.....	.....	.....	28.3	28.3	28.3	103.9	9.4	56.7
	1908	1,090.9	33.3	9.5	.....	33.3	.....	9.5	23.8	52.4	9.5	157.2	4.8	23.8
	1909	1,148.2	48.0	4.8	.....	4.8	4.8	19.2	14.4	24.0	38.4	139.3	19.2	43.2
Starke County	1900	1,188.8	57.5	38.3	.....	9.6	9.6	.....	38.3	9.6	(3)	86.3	9.6	19.2
	1901	1,407.4	38.3	28.7	.....	.....	.....	19.1	67.0	28.7	(3)	114.9	9.6	67.0
	1902	1,214.4	57.4	47.8	.....	.....	.....	19.1	.....	19.1	(3)	86.1	.....	76.5
	1903	1,251.1	57.3	28.7	.....	9.6	.....	19.1	.....	19.1	(3)	133.7	9.6	19.1
	1904	1,125.4	19.1	28.6	.....	.....	9.5	19.1	19.1	38.1	(3)	85.8	9.5	28.6
	1905	1,304.9	57.1	9.5	.....	.....	9.5	.....	28.6	47.6	9.5	142.9	.....	19.0
	1906	1,170.0	47.6	9.5	.....	.....	.....	9.5	28.5	.....	19.0	123.7	.....	66.6
	1907	1,206.4	9.5	.....	.....	.....	.....	9.5	.....	9.5	19.0	85.5	9.5	47.5
	1908	1,110.0	19.0	9.5	.....	.....	.....	9.5	9.5	37.9	9.5	66.4	.....	28.5
	1909	1,269.5	56.8	.....	.....	18.9	.....	28.4	9.5	.....	9.5	94.7	28.4	75.8
Steuben County	1900	1,143.3	52.6	6.6	.....	6.6	6.6	.....	.....	13.1	(3)	105.2	6.6	46.0
	1901	1,124.6	13.2	.....	.....	.....	13.2	.....	.....	79.4	(3)	86.0	6.6	26.5
	1902	1,105.1	20.0	6.7	.....	.....	20.0	.....	13.3	13.3	(3)	106.5	6.7	106.5
	1903	1,172.5	20.1	.....	.....	6.7	6.7	.....	20.1	46.9	(3)	100.5	20.1	67.0
	1904	1,193.4	13.5	6.7	.....	13.5	.....	20.2	6.7	20.2	(3)	60.7	13.5	67.4
	1905	1,364.1	20.4	.....	.....	.....	13.6	6.8	27.1	40.7	27.1	108.6	33.9	95.0
	1906	1,489.2	27.3	.....	.....	.....	.....	6.8	6.8	6.8	13.7	123.0	6.8	88.8
	1907	1,251.5	20.6	6.9	.....	.....	13.8	.....	.....	48.1	6.9	75 6	34.4	75.6
	1908	1,266.7	20.8	6.9	6.9	6.9	.....	6.9	.....	20.8	6.9	83.1	27.7	62.3
	1909	1,254.3	34.8	.....	.....	.....	.....	13.9	7 0	20.9	.....	83.6	20.9	97.6
Sullivan County	1900	1,384.3	65.4	23.1	.....	3.8	.....	11.5	46.1	11.5	(3)	173.1	7.7	42.3
	1901	1,550.0	37.4	11.2	.....	41.2	.....	26.2	33.7	41.2	(3)	217.1	11.2	44.9
	1902	1,242.6	69.4	11.0	3.7	3.7	.....	32.9	14.6	14.6	(3)	157.2	7.3	25.6
	1903	1,067.4	28.6	14 3	7.1	3.6	21.4	7.1	21.4	3.6	(3)	160.6	17.8	57.1
	1904	1,458.3	38.4	10.5	34.9	48.8	10 5	3.5	24.4	7.0	(3)	219.8	17.4	48.8
	1905	1,487.3	40.9	6.8	30.7	.....	10.2	40.9	37.5	13.6	23.9	153.5	20.5	44.3
	1906	1,344.9	56.7	10.0	.....	.....	3.3	13.3	30.0	.....	26.7	136.8	13.3	36.7
	1907	1,237.8	42.5	6.5	.....	3.3	.....	6.5	26.1	22.9	9.8	117.6	32.7	22.9
	1908	1,192.8	41.6	9.6	.....	3.2	.....	3.2	25.6	3.2	12.8	118.3	32.0	44.8
	1909	1,112.1	28.2	9.4	.....	3.1	3.1	18.8	18.8	21.9	18.8	87.7	25.1	31.3
Switzerland County	1900	1,478.0	50.7	.....	.....	8.4	.....	.....	.....	8.4	(3)	295.6	16.9	33.8
	1901	1,307.1	25.8	.....	.....	.....	.....	.....	17.2	25.8	(3)	215.0	17.2	86.0
	1902	1,373.1	35.0	.....	.....	.....	17.5	8.7	61 2	8.7	(3)	183.7	26.2	70.0
	1903	1,130.0	17.8	8.9	.....	.....	.....	35.6	.....	26.7	(3)	178.0	.....	71.2
	1904	1,448.8	54.3	9.1	.....	9.1	.....	.....	.....	9.1	(3)	280.7	9.1	90.5
	1905	1,272.0	18.4	.....	.....	.....	9.2	.....	9.2	55.3	18.4	212.0	18.4	110.6
	1906	1,633.2	46.9	.....	.....	9.4	.....	28.2	.....	9.4	28.2	234.7	.....	84.5
	1907	1,367.2	57.4	.....	.....	9.6	.....	.....	.....	28.7	38.2	229 5	57.4	172.1
	1908	1,753.7	39 0	.....	.....	.....	.....	68.2	9.7	126.7	29.2	214.3	29.2	97.4
	1909	1,440.1	79.5	.....	.....	.....	.....	.....	.....	19.9	29.8	218.5	49.7	69.5
Tippecanoe County	1900	1,192.6	43.8	.....	.....	.....	.....	.....	43.8	19.5	(3)	107.1	9.7	29.2
	1901	1,201.1	24.4	.....	.....	14.6	.....	14.6	9.8	34.2	(3)	141.6	24.4	53.7
	1902	852.0	34.3	9.8	.....	.....	4.9	.....	.....	9.8	(3)	102.8	9.8	29.4
	1903	982.0	19.6	.....	4.9	.....	.....	.....	4 9	24.6	(3)	152 2	19.6	44.2
	1904	1,226.1	9.8	14.8	.....	14.8	4.9	.....	19.7	34.5	(3)	147.7	9.8	39.4
	1905	1,328.3	34.6	.....	.....	.....	9.9	.....	9 9	9.9	19.8	158.0	.....	79.0
	1906	1,089.4	34.7	.....	.....	.....	5.0	5 0	.....	9.9	24.8	99.0	14.9	84.2
	1907	1,186.8	9.9	5.0	.....	5.0	.....	34.8	5.0	39.7	9.9	119.2	9.9	44.7
	1908	1,464.1	14.9	.....	5.0	.....	.....	10.0	5 0	24.9	34.9	149.4	44.8	99.6
	1909	1,203.4	20 0	.....	.....	5.0	15.0	5 0	10.0	5.0	10.0	119.8	15.0	64.9
Tipton County	1900	1,428 1	73.2	5.2	.....	.....	5.2	5.2	26.2	5.2	(2)	172.7	31.4	41.8
	1901	1,309.7	84.5	.....	.....	5.3	15.8	10 6	31.7	15.8	(3)	142.6	31.7	73.9
	1902	1,193.5	37 3	5.3	.....	5.3	.....	16.0	5.3	5.3	(3)	154.5	53.3	53.3
	1903	1,258.1	43.0	5.4	.....	.....	10.8	21.5	21 5	5.4	(3)	150.5	53.8	48.4
	1904	1,133 9	27.1	.....	.....	38 0	.....	10 9	10.9	5.4	(3)	130.2	10.9	43.4
	1905	1,177.2	38.3	.....	.....	5 5	.....	5.5	.....	27.4	16.4	142.4	11.0	87.6
	1906	1,320.7	44.2	5.5	.....	.....	.....	11.1	27.6	.....	55.3	127.1	33.2	71.8
	1907	1,271 8	33.5	.....	.....	5.6	5.6	.....	22.3	16.7	27.9	111.6	39.0	55.8
	1908	1,098.0	16.9	.....	.....	.....	5.6	11 3	11.3	.....	33.8	129.5	33.8	61.9
	1909	1,273.3	17.1	.....	.....	51.2	11.4	22 7	11.4	11.4	17.1	153.5	5.7	56.8
Union County	1900	1,378.2	29.6	14.8	.....	.....	.....	.....	44.5	29.6	(3)	148.2	29.6	.....
	1901	1,150.1	14.9	.....	.....	.....	.....	.....	.....	14.9	(3)	134.4	.....	.....
	1902	1,384.3	30 1	.....	.....	.....	30.1	.....	15.0	.....	(3)	150.5	45.1	90.3
	1903	1,258.1	15.2	15.2	.....	.....	.....	.....	45.5	.....	(3)	181.9	30.3	15.2
	1904	1,527.2	45.8	.....	.....	45.8	.....	15.3	15.3	15.3	(3)	168.0	76.4	45.8
	1905	1,261.7	46.2	.....	.....	.....	.....	46.2	.....	15.4	.....	123.1	.....	123.1
	1906	976.7	31.0	15.5	.....	.....	.....	.....	15.5	15.5	15.5	77.5	31.0	62.0
	1907	1,234.4	15 6	.....	.....	.....	.....	.....	.....	31.3	31.3	203.1	.....	15.6
	1908	1,118.1	15.7	.....	.....	.....	.....	.....	.....	31.5	15.7	157.5	63.0	94.5
	1909	1,333.3	15.9	.....	.....	.....	.....	31.7	.....	111.1	.....	174.6	15.9	63.5

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	40.2	156.2	89.3	120.5	40.2	183.0	93.7	40.2	22.3	.....	84.8	111.6	223.1	22.3
.....	4.5	22.5	144.0	31.5	76.5	63.0	112.5	67.5	45.0	49.5	.....	18.0	63.0	166.5	13.5
.....	9.1	18.1	136.1	68.0	81.7	36.3	113.4	136.1	40.8	108.9	9.1	81.7	40.8	136.1	4.5
.....	4.6	9.1	96.0	59.4	64.0	41.2	59.4	82.3	36.6	32.0	.....	54.9	36.6	105.2	.....
4.6	.....	9.2	96.8	83.0	96.8	32.3	115.2	41.5	27.7	78.4	4.6	50.7	36.9	152.1	.....
.....	4.6	37.2	130.1	65.1	51.1	37.2	97.6	65.1	32.5	65.1	4.6	51.1	46.5	106.9	.....
.....	4.7	18.7	65.6	121.8	93.7	60.9	173.4	46.9	70.3	46.9	4.7	42.2	37.5	112.4	.....
.....	4.7	9.4	66.1	56.7	42.5	61.4	85.0	61.4	56.7	70.9	4.7	33.1	18.9	89.8	[3] 4.7
.....	4.8	28.6	114.3	66.7	76.2	66.7	109.6	52.4	47.6	28.6	4.8	19.1	.....	114.3	.....
.....	19.2	24.0	81.7	110.5	57.6	62.5	91.3	62.5	43.2	72.1	9.6	43.2	.....	110.5	.....
.....	9.6	.....	95.9	47.9	76.7	38.3	153.4	105.5	19.2	47.9	.....	76.7	86.3	134.2	19.2
.....	9.6	9.6	143.6	86.2	124.5	67.0	153.2	114.9	9.6	28.7	9.6	57.4	76.6	114.9	28.7
.....	.....	19.1	'38.2	66.9	28.7	76.5	57.4	95.6	38.2	133.9	.....	105.2	86.1	162.6	.....
.....	.....	.....	143.3	124.2	28.7	38.2	152.8	114.6	38.2	38.2	19.1	105.1	47.8	95.5	9.6
.....	.....	9.5	85.8	152.6	28.6	85.8	76.3	66.8	9.5	66.8	19.1	85.8	.....	171.7	9.5
.....	28.6	19.0	76.2	95.2	57.1	114.3	95.2	114.3	47.6	19.0	9.5	95.2	57.1	142.9	9.5
.....	19.0	9.5	142.7	142.7	19.0	19.0	66.6	95.1	19.0	66.6	9.5	95.1	9.5	133.2	19.0
.....	19.0	9.5	114.0	152.0	114.0	85.5	47.5	123.5	38.0	57.0	9.5	66.5	28.5	152.0	.....
.....	19.0	19.0	85.4	161.3	75.9	37.9	123.3	47.4	85.4	47.4	37.9	113.8	.....	56.9	9.5
.....	18.9	9.5	161.1	94.7	85.3	37.9	94.7	151.6	56.8	66.3	9.5	66.3	.....	94.7	.....
.....	13.1	19.7	151.1	118.3	39.4	13.1	124.8	118.3	19.7	32.9	.....	39.4	65.7	124.8	19.7
.....	.....	26.5	138.9	152.2	92.6	26.5	33.1	52.9	13.2	39.7	6.6	66.2	52.9	198.5	.....
.....	6.7	26.6	106.5	153.1	86.5	39.9	59.9	79.9	20.0	20.0	6.7	33.3	53.3	113.2	6.7
.....	.....	13.4	154.1	147.4	20.1	46.9	60.3	80.4	53.6	40.2	6.7	60.3	40.2	154.1	6.7
.....	13.5	33.7	175.3	229.2	47.2	53.9	40.5	101.1	33.7	33.7	.....	47.2	20.2	141.6	.....
.....	20.4	13.6	176.5	122.2	13.6	27.1	81.4	142.5	27.1	47.5	6.8	88.2	33.9	190.0	.....
.....	6.8	13.7	266.4	211.8	68.3	47.8	82.0	123.0	54.6	34.2	6.8	61.5	47.8	177.6	6.8
6.9	20.6	6.9	185.7	185.7	41.3	48.1	48.1	55.0	82.5	34.4	.....	61.9	20.6	171.9	.....
.....	20.8	20.8	186.9	214.6	34.6	62.3	69.2	90.0	41.5	55.4	.....	55.4	13.8	152.3	.....
.....	7.0	13.9	118.5	285.7	20.9	27.9	55.7	90.6	55.7	41.8	13.9	83.6	.....	153.3	7.0
7.7	11.5	30.8	130.7	92.3	73.1	50.0	115.4	46.1	30.8	92.3	7.7	111.5	61.5	130.7	7.7
.....	11.2	41.2	131.0	78.6	112.3	71.1	119.8	108.6	30.0	71.1	3.7	48.7	52.4	202.2	3.7
3.7	3.7	51.2	102.3	65.8	69.4	62.1	98.7	98.7	47.5	43.9	11.0	51.2	36.5	146.2	11.0
.....	.....	28.6	96.4	75.0	39.3	25.0	100.0	53.5	39.3	21.4	7.1	85.7	39.3	103.5	10.7
.....	3.5	41.9	108.2	73.3	76.8	55.8	62.8	48.8	55.8	146.5	24.4	94.2	69.8	118.6	14.0
.....	10.2	30.7	116.0	136.5	68.2	58.0	116.0	85.3	68.2	88.7	6.8	105.8	47.8	119.4	6.8
.....	3.3	40.0	86.8	86.8	96.8	80.1	136.8	106.8	50.1	96.8	6.7	90.1	40.0	83.4	13.3
.....	16.3	32.7	84.9	111.0	52.3	55.5	137.2	84.9	62.1	68.6	6.5	114.3	22.9	98.0	.....
3.2	6.4	16.0	95.9	121.5	83.1	44.8	111.9	79.9	51.2	73.6	6.4	124.7	6.4	73.6	.....
.....	6.3	25.1	97.1	128.4	50.1	40.7	147.2	47.0	47.0	94.0	6.3	72.1	9.4	72.1	3.1
.....	.....	33.8	118.2	143.6	118.2	92.9	84.5	67.6	50.7	25.3	16.9	67.6	25.3	219.6	.....
.....	25.8	34.4	120.4	120.4	111.8	68.8	111.8	60.2	34.4	51.6	.....	25.8	34.4	120.4	.....
.....	26.2	8.7	148.7	139.9	78.7	43.7	122.4	43.7	35.0	131.2	.....	35.0	26.2	122.4	.....
.....	8.9	35.6	97.9	195.7	62.3	53.4	53.4	17.8	53.4	35.6	44.5	53.4	.....	80.1	.....
.....	.....	27.2	172.0	190.1	90.5	72.4	9.1	36.2	90.5	90.5	9.1	9.1	54.3	126.8	9.1
.....	.....	27.7	73.7	165.9	83.0	18.4	18.4	73.7	36.9	83.0	9.2	110.6	27.7	92.2	.....
.....	9.4	18.8	225.3	337.9	75.1	56.3	84.5	65.7	103.2	18.8	9.4	65.7	9.4	103.2	9.4
.....	19.1	66.9	124.3	200.8	38.2	.....	38.2	9.6	47.8	57.4	19.1	28.7	38.2	86.1	.....
.....	19.5	19.5	155.9	321.5	146.1	48.7	39.0	77.9	77.9	48.7	9.7	77.9	9.7	87.7	.....
.....	9.9	19.9	188.7	228.4	59.6	29.8	29.8	69.5	109.2	19.9	.....	109.2	.....	99.3	.....
4.9	4.9	24.3	141.1	107.1	107.1	48.8	63.3	68.1	43.8	53.5	4.9	63.2	43.9	150.9	9.7
.....	9.8	4.9	200.2	68.4	68.4	68.4	53.7	73.2	48.8	29.3	.....	43.9	63.5	151.4	.....
9.8	14.7	4.9	97.9	58.8	39.2	78.3	49.0	73.4	44.1	29.4	.....	34.3	19.6	88.1	9.8
.....	.....	14.7	132.6	137.5	34.4	44.2	29.5	73.7	24.6	34.4	.....	63.8	34.4	88.4	.....
.....	.....	9.8	137.9	167.4	73.9	78.8	39.4	73.9	59.1	54.2	.....	44.3	39.4	147.7	4.9
.....	19.8	14.8	108.6	182.7	83.9	59.3	59.3	83.9	44.4	69.1	24.7	79.0	49.4	128.4	.....
5.0	24.8	5.0	158.5	133.7	44.6	44.6	34.7	64.4	54.5	34.7	9.9	54.5	14.9	128.7	.....
.....	14.9	9.9	218.5	193.7	59.6	14.9	29.8	69.5	64.6	44.7	.....	69.5	14.9	99.3	.....
5.0	5.0	14.9	214.1	249.0	54.8	39.8	34.9	79.7	94.6	44.8	5.0	114.5	5.0	114.5	.....
.....	5.0	5.0	174.8	194.7	69.9	49.9	74.9	49.9	59.9	39.9	25.0	79.9	10.0	94.9	.....
5.2	.....	36.6	94.2	109.9	73.2	78.5	109.9	68.0	36.6	57.6	20.9	73.2	94.2	183.1	20.9
.....	15.8	21.1	84.5	84.5	58.1	42.2	116.2	79.2	58.1	68.7	10.6	47.5	68.7	142.6	.....
.....	5.3	10.7	63.9	58.6	63.9	63.9	79.9	63.9	21.3	122.5	5.3	53.3	53.3	186.5	5.3
.....	16.1	37.6	80.6	91.4	37.6	64.5	123.7	64.5	26.9	96.8	.....	80.6	48.4	129.0	.....
.....	10.9	27.1	103.1	108.5	54.3	70.5	48.8	76.0	48.8	65.1	10.9	59.7	38.0	135.6	.....
.....	27.4	5.5	125.9	82.1	38.3	43.8	120.5	87.6	54.8	60.2	16.4	43.8	21.9	115.0	.....
.....	16.6	16.6	138.2	55.3	49.7	77.4	116.0	77.4	77.4	49.7	5.5	71.8	44.2	149.2	.....
.....	16.7	22.3	161.8	100.4	66.9	33.5	72.5	117.1	78.1	50.2	.....	72.5	27.9	128.3	5.6
.....	11.3	39.4	78.8	123.9	67.6	39.4	50.7	73.2	61.9	39.4	11.3	78.8	11.3	101.4	5.6
.....	11.4	17.1	85.3	176.2	91.0	62.5	45.5	91.0	34.1	79.6	39.8	45.5	5.7	130.7	.....
.....	14.8	14.8	163.0	163.0	118.6	103.8	44.5	103.8	29.6	29.6	14.8	59.3	74.1	148.2	.....
.....	14.9	14.9	149.4	134.4	89.6	59.7	44.8	104.6	89.6	29.9	.....	29.9	104.6	104.6	14.9
.....	.....	45.1	210.7	75.2	90.3	15.0	60.2	75.2	75.2	60.2	15.0	90.3	150.5	60.2	.....
.....	15.2	60.6	166.7	121.3	121.3	15.2	60.6	60.6	91.0	30.3	.....	45.5	60.6	106.1	.....
.....	.....	30.5	229.1	183.3	122.2	45.8	30.5	45.8	91.6	61.1	30.5	15.3	45.8	168.0	.....
.....	.....	15.4	169.3	123.1	30.8	92.3	.....	61.5	153.9	.....	30.8	76.9	15.4	138.5	.....
.....	15.5	31.0	155.0	46.5	62.0	31.0	46.5	93.0	62.0	15.5	.....	62.0	.....	93.0	.....
.....	.....	31.3	187.5	140.6	31.3	31.3	62.5	78.1	93.8	62.5	15.6	62.5	31.3	109.4	.....
.....	15.7	15.7	126.0	157.5	.....	15.7	31.5	94.5	78.7	63.0	.....	47.2	31.5	47.2	15.7
.....	.....	15.9	127.0	269.8	31.7	63.5	31.7	47.6	79.4	111.1	31.7	31.7	.....	79.4	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
INDIANA RURAL[2]—Continued.														
Vanderburg County *	1900	1,700.4	39.2	23.5	7.8	.....	.....	.....	15.7	7.8	(3)	203.7	47.0	47.0
	1901	1,898.6	48.9	.....	.....	.....	8.1	.....	.....	40.7	(3)	236.3	8.1	48.9
	1902	1,658.3	33.8	.....	.....	.....	.....	.....	.....	8.5	(3)	169.2	42.3	67.7
	1903	1,416.5	44.0	26.4	17.6	.....	17.6	.....	.....	.....	(3)	237.6	.....	44.0
	1904	1,796.0	91.6	.....	.....	.....	18.3	9.2	18.3	36.7	(3)	256.6	45.8	36.7
	1905	2,256.2	9.6	19.1	.....	.....	.....	28.7	57.4	66.9	19.1	277.2	57.4	47.8
	1906	2,308.4	30.0	.....	.....	.....	10.0	30.0	20.0	30.0	30.0	299.8	30.0	109.9
	1907	2,893.4	33.1	.....	.....	11.0	11.0	11.0	77.3	55.2	55.2	408.6	.....	33.1
	1908	2,953.1	46.5	11.6	.....	11.6	11.6	104.6	34.9	46.5	46.5	360.4	58.1	151.1
	1909	2,417.5	.....	.....	.....	.....	73.6	.....	85.9	24.5	24.5	319.1	61.4	110.4
Vermilion County	1900	1,232.6	59.0	19.7	.....	.....	6.5	6.5	26.2	32.8	(3)	111.5	32.8	39.3
	1901	1,495.5	32.0	12.8	6.4	.....	.....	12.8	19.2	115.0	(3)	236.5	19.2	38.3
	1902	1,398.9	43.7	.....	.....	37.5	.....	.....	6.2	18.7	(3)	168.6	12.5	18.7
	1903	1,190.5	18.3	12.2	18.3	6.1	18.3	12.2	6.1	18.3	(3)	109.9	18.3	61.1
	1904	1,719.9	41.8	17.9	.....	47.8	11.9	.....	17.9	47.8	(3)	155.3	17.9	35.8
	1905	1,414.3	35.1	11.7	.....	5.8	17.5	11.7	5.8	23.4	35.1	163.6	23.4	58.4
	1906	1,230.2	57.2	.....	.....	5.7	.....	.....	17.2	5.7	17.2	74.4	17.2	40.1
	1907	1,406.7	33.6	5.6	.....	11.2	.....	33.6	28.0	39.2	5.6	100.9	22.4	33.6
	1908	1,372.9	33.0	5.5	.....	27.5	.....	11.0	16.5	33.0	5.5	120.8	11.0	54.9
	1909	1,389.0	21.5	5.4	.....	16.2	5.4	16.2	48.5	16.2	37.7	70.0	32.3	48.5
Vigo County	1900	1,238.1	59.2	23.7	.....	.....	7.9	7.9	27.6	23.7	(3)	114.4	3.9	23.7
	1901	1,167.1	40.5	22.1	.....	14.7	3.7	18.4	36.8	29.5	(3)	106.8	.....	14.7
	1902	770.2	41.6	3.5	.....	6.9	3.5	13.9	24.3	17.3	(3)	90.2	3.5	6.9
	1903	797.1	26.2	9.8	9.8	.....	13.1	9.8	13.1	16.4	(3)	121.4	9.8	29.5
	1904	958.1	40.4	3.1	62.2	43.5	12.4	9.3	3.1	9.3	(3)	124.4	9.3	28.0
	1905	1,155.5	27.5	22.9	13.8	.....	9.2	9.2	22.9	9.2	18.3	114.6	4.6	27.5
	1906	1,086.4	72.4	12.8	.....	.....	.....	8.5	21.3	21.3	21.3	115.0	25.6	25.6
	1907	1,090.2	31.8	4.0	.....	15.9	4.0	15.9	11.9	11.9	11.9	71.6	8.0	27.9
	1908	1,056.2	37.3	11.2	.....	11.2	.....	3.7	22.4	14.9	.....	145.6	11.2	41.1
	1909	1,026.1	35.1	17.6	.....	3.5	10.5	21.1	10.5	10.5	28.1	108.9	17.6	42.2
Wabash County	1900	1,147.5	49.6	3.5	.....	14.2	.....	7.1	17.7	17.7	(3)	77.9	7.1	39.0
	1901	1,253.4	20.5	.....	.....	.....	.....	.....	20.5	36.0	(3)	143.8	15.4	46.2
	1902	1,112.4	56.9	.....	.....	.....	5.2	.....	15.5	.....	(3)	72.4	10.3	51.7
	1903	1,042.3	26.1	5.2	.....	5.2	20.8	20.8	5.2	20.8	(3)	104.2	36.5	36.5
	1904	1,149.7	31.5	.....	5.2	15.7	.....	.....	21.0	31.5	(3)	152.2	5.2	63.0
	1905	1,073.5	26.4	.....	.....	.....	5.3	10.6	26.4	10.6	31.7	116.3	5.3	47.6
	1906	1,124.1	42.6	5.3	.....	5.3	5.3	5.3	10.7	5.3	21.3	101.2	16.0	79.9
	1907	1,068.1	32.2	.....	.....	.....	.....	5.4	5.4	21.5	21.5	102.0	26.8	53.7
	1908	924.8	32.4	.....	.....	.....	.....	5.4	5.4	27.0	5.4	54.1	10.8	37.9
	1909	1,177.0	32.7	.....	.....	.....	5.4	10.9	10.9	.....	16.3	70.8	27.2	92.6
Warren County	1900	1,134.5	.....	8.8	.....	.....	.....	.....	44.0	8.8	(3)	114.3	26.4	8.8
	1901	954.1	44.2	.....	.....	.....	8.8	.....	8.8	26.5	(3)	44.2	8.8	26.5
	1902	869.3	44.4	8.9	.....	.....	.....	.....	17.7	26.6	(3)	97.6	17.7	35.5
	1903	988.9	17.8	.....	8.9	.....	.....	.....	.....	17.8	(3)	178.2	8.9	53.5
	1904	1,055.7	17.9	8.9	8.9	8.9	.....	.....	.....	17.9	(3)	178.9	.....	26.8
	1905	1,123.2	62.9	.....	.....	.....	.....	27.0	9.0	35.9	9.0	80.9	9.0	53.9
	1906	1,019.8	27.1	.....	.....	.....	.....	18.0	.....	.....	.....	108.3	27.1	63.2
	1907	1,151.1	9.1	.....	.....	.....	.....	.....	18.1	.....	.....	126.9	9.1	45.3
	1908	1,147.0	36.4	9.1	.....	.....	.....	.....	.....	18.2	9.1	72.8	18.2	45.5
	1909	1,024.0	18.3	.....	.....	.....	.....	.....	.....	.....	.....	91.4	18.3	73.1
Warrick County	1900	1,925.7	85.1	94.0	.....	4.5	.....	71.7	62.7	31.3	(3)	156.7	26.9	49.3
	1901	1,427.0	103.2	44.9	.....	.....	.....	.....	53.9	58.3	(3)	139.1	35.9	58.3
	1902	1,303.8	62.9	9.0	13.5	13.5	.....	13.5	13.5	13 5	(3)	197.8	31.5	31.5
	1903	986.5	31.5	13.5	.....	.....	9.0	4.5	22.5	9.0	(3)	94.6	4.5	18.0
	1904	1,277.2	45.1	22.6	4.5	36.1	18.1	36.1	13.5	9.0	(3)	185.0	22.6	58.7
	1905	1,306.7	49.7	9.0	.....	.....	13.6	.....	9.0	45.2	22.6	140.2	22.6	18.1
	1906	1,291.1	54.4	18.1	.....	4.5	.....	9.1	36.2	18.1	4.5	117.8	22.7	22.7
	1907	1,216.4	81.7	18.2	.....	4.5	.....	4.5	31.8	27.2	22.7	136.2	18.2	45.4
	1908	1,196.1	68.2	4.5	.....	18.2	.....	45.5	9.1	22.7	18.2	136.4	27.3	40.9
	1909	1,180.2	50.1	27.3	.....	.....	.....	9.1	41.0	4.6	22.8	154.9	18.2	41.0
Washington County	1900	1,545.7	72.1	10.3	10.3	5.1	10.3	5.1	5.1	10.3	(3)	185.5	10.3	41.2
	1901	1,552.5	78.1	15.6	5.2	15.6	.....	20.8	10.4	41.7	(3)	171.9	26.0	78.1
	1902	1,363.4	84.2	5.3	.....	5.3	10.5	15.8	10.5	5.3	(3)	194.8	26.3	47.4
	1903	1,064.0	74.5	10.6	.....	.....	5.3	.....	10.6	21.3	(3)	122.4	26.6	69.2
	1904	1,166.8	26.9	.....	.....	16.1	5.4	5.4	5.4	26.9	(3)	166.7	37.6	59.1
	1905	1,380.5	54.4	.....	.....	.....	.....	16.3	27.2	48.9	32.6	212.0	10.9	27.2
	1906	1,269.2	60.4	.....	.....	.....	5.5	.....	.....	27.5	11.0	208.8	44.0	71.4
	1907	1,144.4	66.7	11.1	.....	.....	.....	.....	5.6	33.3	38.9	127.8	16.7	38.9
	1908	1,432.4	39.3	.....	.....	.....	.....	44.9	5.6	16.9	11.2	280.9	11.2	39.3
	1909	1,215.7	45.4	.....	.....	.....	.....	5.7	22.7	22.7	79.5	147.7	11.4	79.5
Wayne County *	1900	1,595.6	33.7	4.8	.....	4.8	14.5	.....	14.5	19.3	(3)	236.2	9.6	57.8
	1901	1,835.8	62.3	.....	.....	9.6	.....	.....	.....	52.7	(3)	230.1	19.2	47.9
	1902	1,373.3	47.7	4.8	.....	9.5	9.5	4.8	9.5	.....	(3)	133.5	23.8	81.1
	1903	1,157.3	23.7	.....	.....	.....	.....	.....	4.7	28 5	(3)	94.9	19.0	37.9
	1904	1,519.3	23.6	.....	.....	4.7	4.7	4.7	.....	23.6	(3)	99.1	14.2	103.8
	1905	1,444.6	23.9	.....	.....	.....	.....	4.8	9.6	19.1	4.8	157.9	19.1	67.0
	1906	1,413.3	47.6	.....	.....	9 5	.....	9.5	14.3	19.0	19.0	180.8	33.3	104.7
	1907	1,623.6	4.7	.....	.....	14.2	.....	4.7	9.5	75.7	56.8	198.8	14.2	71.0
	1908	1,252.6	33.0	.....	.....	.....	.....	14.1	.....	37.7	4.7	146.0	37.7	84.8
	1909	1,789.6	9.4	.....	.....	.....	.....	4.7	.....	4.7	37.5	135.9	46.8	145.2

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	47.0	399.6	148.9	109.7	78.4	109.7	78.4	31.3	39.2	7.8	39.2	62.7	141.1	15.7
.....	.....	48.9	334.1	130.4	97.8	89.6	89.6	57.0	48.9	81.5	32.6	114.1	89.6	293.4	.....
.....	.....	50.8	220.0	152.3	110.0	84.6	67.7	76.1	76.1	152.3	16.9	42.3	84.6	203.1	.....
8.8	8.8	.....	220.0	149.6	79.2	79.2	79.2	52.8	52.8	61.6	17.6	114.4	17.6	88.0	.....
.....	.....	36.7	219.9	174.1	119.1	73.3	128.3	91.6	82.5	82.5	.....	64.1	27.5	183.3	.....
.....	.....	47.8	420.6	210.3	114.7	57.4	181.6	76.5	66.9	191.2	9.6	143.4	9.6	143.4	.....
.....	.....	40.0	449.7	239.8	139.9	129.9	179.9	79.9	60.0	99.9	10.0	89.9	30.0	169.9	.....
.....	22.1	33.1	508.0	287.1	154.6	187.7	265.0	88.3	88.3	110.4	44.2	154.6	33.1	209.8	11.0
11.6	23.3	23.3	569.7	209.3	197.7	197.7	174.4	104.6	69.8	58.1	23.3	186.0	23.3	197.7	.....
.....	12.3	12.3	343.6	233.2	184.1	147.3	147.3	98.2	110.4	73.6	24.5	135.0	12.3	184.1	.....
.....	.....	6.5	98.4	45.9	124.6	52.5	65.6	78.7	45.9	32.8	.....	78.7	72.1	183.5	13.1
.....	6.4	44.7	127.8	63.9	127.8	89.5	70.3	57.5	19.2	95.9	6.4	95.9	70.3	102.3	25.6
.....	.....	31.2	112.4	50.0	137.4	93.7	93.7	93.7	74.9	74.9	12.5	106.2	18.7	162.4	31.2
6.1	6.1	6.1	158.7	103.8	85.5	61.1	91.6	61.1	12.2	61.1	18.3	103.8	61.1	42.7	12.2
.....	11.9	113.5	137.4	95.6	155.3	53.7	101.5	77.6	41.8	83.6	11.9	179.2	53.7	173.2	35.8
5.8	5.8	17.5	111.0	122.7	105.2	52.6	87.7	122.7	11.7	87.7	5.8	87.7	35.1	99.4	64.3
.....	5.7	28.6	91.5	103.0	57.2	40.1	91.5	80.1	40.1	108.7	11.4	85.3	103.0	131.6	17.2
5.6	11.2	22.4	100.9	106.5	112.1	22.4	128.9	67.3	39.2	100.9	11.2	156.9	67.3	140.1	.....
5.5	16.5	5.5	71.4	142.8	65.9	93.4	164.8	82.4	87.9	104.3	11.0	98.9	22.0	76.9	5.5
.....	10.8	26.9	48.5	177.7	96.9	123.8	145.4	75.4	96.9	48.5	10.8	129.2	5.4	75.4	.....
.....	7.9	27.6	122.2	47.3	106.5	31.5	102.5	90.7	31.5	86.7	11.8	86.7	78.9	94.6	19.7
.....	7.4	25.8	136.2	106.8	103.1	36.8	88.4	44.2	55.2	40.5	7.4	106.8	40.5	81.0	.....
.....	.....	31.2	86.7	41.6	52.0	31.2	59.0	45.1	13.9	34.7	.....	38.2	31.2	79.8	13.9
3.3	9.8	23.0	52.5	72.2	36.1	26.2	26.2	29.5	26.2	19.7	.....	75.4	29.5	101.7	6.6
.....	9.3	34.2	43.5	56.0	84.0	24.9	71.5	40.4	24.9	40.4	6.2	68.4	31.1	71.5	6.2
4.6	4.6	13.8	87.1	105.5	96.3	41.3	119.2	59.6	41.3	45.9	9.2	100.9	59.6	87.1	.....
.....	4.3	12.8	98.0	115.0	55.4	21.3	93.7	76.7	34.1	46.9	8.5	68.2	29.8	98.0	.....
.....	.....	23.9	63.7	71.6	87.5	23.9	75.6	51.7	59.7	55.7	8.0	210.9	35.8	107.4	.....
.....	7.5	7.5	89.6	97.0	56.0	26,1	70.9	56.0	52.3	48.5	3.7	104.5	7.5	130.6	.....
.....	3.5	3.5	73.8	73.8	59.7	38.7	116.0	63.3	80.8	28.1	14.1	80.8	14.1	70.3	.....
.....	10.6	28.3	152.3	92.1	106.3	53.1	74.4	99.2	42.5	21.2	7.1	31.9	60.2	113.3	21.2
.....	15.4	20.5	154.1	66.8	107.9	61.6	41.1	71.9	46.2	61.6	5.1	61.6	56.5	184.9	15.4
.....	15.5	20.7	144.9	82.8	41.4	62.1	88.0	72.4	51.7	56.9	5.2	62.1	15.5	155.2	25.9
.....	15.6	31.3	109.4	99.0	57.3	52.1	36.5	67.8	99.0	20.8	.....	41.7	31.3	99.0	.....
.....	10.5	26.2	89.2	99.7	105.0	47.2	31.5	89.2	78.7	42.0	5.2	57.7	10.5	126.0	5.2
5.3	21.2	37.0	132.2	116.3	42.3	31.7	42.3	100.5	42.3	52.9	5.3	74.0	15.9	74.0	.....
.....	.....	21.3	111.9	143.8	63.9	32.0	47.9	79.9	74.6	53.3	10.7	90.6	10.7	85.2	.....
.....	10.7	.....	128.8	155.7	64.4	48.3	26.8	96.6	107.3	37.6	.....	48.3	5.4	69.8	.....
.....	21.6	16.2	113.6	162.2	16.2	48.7	59.5	43.3	64.9	10.8	10.8	43.3	10.8	124.4	.....
.....	21.8	.....	185.3	196.2	70.8	76.3	21.8	65.4	70.8	43.6	5.4	54.5	.....	98.1	.....
.....	.....	17.6	131.9	52.8	123.1	44.0	123.1	61.6	26.4	35.2	.....	79.1	79.1	149.5	.....
.....	17.7	17.7	106.0	79.5	141.3	70.7	53.0	61.8	8.8	44.2	.....	61.8	17.7	97.2	8.8
.....	8.9	26.6	124.2	71.0	17.7	44.4	44.4	44.4	44.4	26.6	8.9	62.1	17.7	71.0	8.9
.....	8.9	.....	106.9	89.1	26.7	53.5	98.0	106.9	17.8	17.8	.....	44.5	35.6	98.0	.....
.....	8.9	26.8	80.5	125.3	53.7	71.6	71.6	62.6	62.6	53.7	.....	62.6	17.9	80.5	8.9
.....	9.0	9.0	98.8	161.7	44.9	35.9	116.8	89.9	80.9	18.0	9.0	62.9	27.0	71.9	.....
.....	.....	27.1	90.2	126.3	45.1	90.2	63.2	72.2	54.1	45.1	18.0	18.0	27.1	99.3	.....
.....	9.1	.....	108.8	136.0	108.8	63.4	72.5	63.4	72.5	27.2	27.2	81.6	18.1	154.1	.....
.....	9.1	.....	200.3	191.2	81.9	100.1	72.8	54.6	72.8	54.6	.....	45.5	.....	45.5	9.1
.....	18.3	.....	128.0	155.4	109.7	45.7	91.4	45.7	45.7	9.1	18.3	54.9	.....	100.6	.....
.....	17.9	58.2	188.1	67.2	215.0	53.7	116.4	129.9	53.7	85.1	9.0	85.1	76.1	174.7	13.4
.....	4.5	18.0	139.1	58.3	98.7	44.9	130.1	53.9	31.4	58.3	.....	67.3	44.9	175.0	9.0
.....	4.5	18.0	107.9	62.9	80.9	49.5	116.9	71.9	31.5	98.9	.....	80.9	36.0	134.9	9.0
.....	4.5	18.0	85.6	72.1	90.1	36.0	72.1	58.6	58.6	45.0	4.5	76.6	54.1	103.6	.....
.....	.....	4.5	76.7	72.2	99.3	58.7	112.8	103.8	18.1	63.2	4.5	36.1	31.6	139.9	4.5
.....	4.5	18.1	131.1	122.1	122.1	67.8	149.2	67.8	67.8	40.7	4.5	49.7	49.7	81.4	.....
.....	.....	31.7	90.6	140.4	135.9	58.9	86.1	113.3	49.8	95.1	9.1	77.0	31.7	63.4	.....
.....	4.5	13.6	77.2	90.8	77.2	45.4	118.0	72.6	81.7	49.9	.....	63.5	40.8	90.8	.....
4.5	4.5	9.1	118.2	91.0	63.7	45.5	109.1	59.1	100.0	40.9	.....	31.8	27.3	100.0	.....
.....	13.7	9.1	72.9	109.4	123.0	36.5	72.9	63.8	77.5	50.1	4.6	86.6	.....	86.6	4.6
5.1	10.3	15.5	180.4	67.0	216.4	51.5	82.5	87.6	56.7	92.8	10.3	30.9	113.4	154.6	5.1
.....	26.0	5.2	130.2	72.9	239.6	52.1	140.7	114.6	15.6	52.1	.....	93.8	36.5	104.2	5.2
.....	5.3	15.8	131.6	84.2	110.5	73.7	63.2	110.5	42.1	68.4	5.3	47.4	31.6	152.7	15.8
.....	5.3	10.6	106.4	90.4	63.8	37.2	85.1	69.2	69.2	31.9	.....	58.5	16.0	79.8	.....
5.4	10.8	10.8	75.3	145.2	107.5	26.9	91.4	69.9	80.7	32.3	.....	32.3	5.4	112.9	10.8
.....	5.4	10.9	103.3	157.6	184.8	32.6	87.0	70.7	48.9	48.9	16.3	32.6	21.7	119.6	10.9
.....	22.0	38.5	87.9	76.9	131.9	49.5	87.9	38.5	60.4	38.5	.....	65.9	22.0	115.4	5.5
.....	16.7	5.6	88.9	116.7	77.8	72.2	44.4	72.2	77.8	61.1	22.2	33.3	33.3	33.3	.....
.....	11.2	16.9	151.7	129.2	89.9	50.6	67.4	112.3	134.8	78.6	5.6	50.6	11.2	73.0	.....
.....	11.4	.....	119.3	96.6	79.5	56.8	45.4	62.5	102.3	28.4	34.1	73.9	.....	90.9	.....
.....	9.6	38.6	188.0	144.6	110.9	72.3	43.4	72.3	178.4	53.0	4.8	82.0	43.4	159.1	.....
.....	14.4	33.6	292.4	177.3	119.8	67.1	62.3	86.3	86.3	100.7	14.4	38.3	43.1	278.0	.....
.....	19.1	14.3	147.8	119.2	66.8	38.1	47.7	90.6	104.9	85.8	14.3	52.5	52.5	186.0	9.5
.....	4.7	14.2	189.7	109.1	75.9	52.2	66.4	90.1	66.4	28.5	9.5	42.7	14.2	180.2	4.7
4.7	4.7	14.2	287.8	212.3	75.5	28.3	80.2	89.6	99.1	84.9	18.9	42.5	18.9	174.6	4.7
.....	9.6	33.5	310.9	200.9	71.8	14.4	23.9	76.5	76.5	38.3	23.9	57.4	33.5	167.4	.....
.....	14.3	33.3	223.6	242.7	52.3	14.3	38.1	52.3	80.9	23.8	19.0	71.4	9.5	99.9	.....
4.7	9.5	23.7	288.7	222.5	89.9	18.9	42.6	80.5	99.4	52.1	18.9	61.5	14.2	146.7	.....
.....	9.4	18.8	226.0	183.7	65.9	47.1	42.4	37.7	61.2	14.1	14.1	65.9	.....	108.3	.....
.....	32.8	18.7	290.5	285.8	107.7	51.5	98.4	65.6	140.5	60.9	14.1	84.3	4.7	145.2	4.7

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes [1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
INDIANA RURAL [2]—Continued.														
Wells County	1900	1,206.9	51.2	4.3	.....	4.3	12 8	8.5	64.0	8.5	(3)	157.8	8.5	46.9
	1901	1,195.5	38.6	.....	.....	.....	.....	.....	17.1	25.7	(3)	145.7	8.6	51.4
	1902	1,002.9	30.1	.....	8.6	.....	12.9	.....	21.5	8.6	(3)	146.3	8.6	34.4
	1903	1,202.0	51.9	.....	.....	17.3	13.0	8.6	.....	4.3	(3)	155.6	21.6	64.9
	1904	1,172.6	30.4	.....	.....	17.4	.....	.....	13.0	13.0	(3)	186.8	8.7	39.1
	1905	1,169.2	34 9	.....	.....	.....	.....	4.4	8.7	13.1	8.7	126.5	13.1	52.4
	1906	1,143.9	35 1	.....	.....	.....	.....	13.1	8 8	4.4	4.4	122.7	17.5	35.1
	1907	1,188.8	26.4	.....	.....	26.4	.....	8.8	17.6	13.2	8.8	127.7	8.8	61.6
	1908	951.0	26.5	.....	.....	.....	.....	26.5	4.4	44.2	8.8	92.9	22.1	48.7
	1909	1,111.0	8.9	4.4	.....	8.9	8.9	48.9	.....	35.6	22.2	120.0	22.2	57.8
White County	1900	1,065.9	47.0	10.5	.....	.....	20.9	.....	52.3	15.7	(3)	67.9	5.2	36.6
	1901	1,085.9	21.1	.....	.....	21.1	5.3	10.5	10.5	47.4	(3)	89.6	15.8	63.3
	1902	1,094.9	31.9	10.6	.....	.....	.....	.....	.....	31.9	(3)	122.2	10.6	37.2
	1903	943.2	42.9	5.4	.....	.....	5.4	5.4	16.1	.....	(3)	182.2	10.7	37.5
	1904	1,097.0	21 6	.....	.....	10.8	5.4	5.4	16.2	27.0	(3)	108.1	10.8	64.8
	1905	1,198.9	70.8	.....	.....	.....	5.4	10.9	5.4	38.1	38.1	87.2	10.9	70.8
	1906	1,038.8	44.0	16.5	.....	.....	22.0	16.5	33.0	11.0	16.5	82.4	16.5	38.5
	1907	859.3	22.2	.....	.....	.....	.....	.....	.....	33.3	11.1	72.1	5.5	55.4
	1908	1,017.8	16.8	11.2	.....	16.8	.....	.....	22.4	39.1	16.8	55.9	11.2	89.5
	1909	1,032.4	16.9	.....	.....	.....	11.3	5.6	.....	11.3	39.5	101.5	11.3	67.7
Whitley County	1900	1,206.2	34.6	5.8	.....	11.6	.....	17.3	11.6	.....	(3)	132.7	11.6	34.6
	1901	1,221.0	40.5	5.8	.....	.....	11.6	.....	11.6	17.4	(3)	144.7	17.4	57.9
	1902	1,084.9	46.4	.....	.....	5.8	.....	11.6	.....	.....	(3)	81.2	11.6	63.8
	1903	1,116.7	23.3	.....	.....	11.6	29.1	17.4	5.8	17.4	(3)	116.3	.....	46.5
	1904	1,259.5	58.3	.....	.....	17.5	5.8	.....	.....	17.5	(3)	128.3	.....	35.0
	1905	1,040.6	58.5	.....	.....	.....	.....	.....	5.8	5.8	11.7	76.0	17.5	52.6
	1906	1,219.2	46.9	.....	.....	.....	.....	5 9	.....	.....	29.3	140.7	11.7	58.6
	1907	1,016.6	11.8	.....	.....	.....	.....	5.9	5.9	5.9	11.8	70.5	23.5	41.1
	1908	1,054.6	11.8	.....	.....	17.7	.....	11.8	.....	23.6	.....	106.1	35.4	76.6
	1909	1,045.6	35.4	5 9	.....	5.9	.....	5.9	5.9	5.9	5.9	100.4	41.4	70.9
MAINE RURAL. [2]														
Androscoggin County	1900	1,873.1	44.2	1.8	.....	5.5	11.1	9.2	59.0	33.2	(3)	160.4	14.7	66.4
	1901	1,549.5	29.2	.....	.....	.....	1.8	5.5	21.9	41.9	(3)	129.4	32.8	82.0
	1902	1,465.2	10.8	1.8	.....	14.4	1.8	1.8	1.8	10.8	(3)	140.7	25.3	75.8
	1903	1,339.6	8.9	1.8	10.7	1.8	3.6	14.3	19.6	21.4	(3)	98.2	26.8	76.8
	1904	1,499.5	23.0	.....	.....	.....	.....	5.3	19.5	21.2	(3)	120.2	30.1	79.6
	1905	1,600.3	22.8	1.8	.....	3.5	1.8	3.5	15.8	26.3	7.0	103.3	36.8	94.5
	1906	1,593.3	16.5	.....	.....	16.5	.....	.....	22.1	5.5	11.0	99.2	5.5	148.9
	1907	1,705.3	.....	.....	.....	5.5	.....	21.9	.....	65.8	.....	137.1	49.4	104.2
	1908	1,396.2	10.9	.....	.....	5.5	16.4	5.5	16.4	16.4	.....	136.4	10.9	92.7
	1909	1,318.2	.....	.....	.....	.....	.....	10.8	5.4	21.7	5.4	103.1	27.1	43.4
Aroostook County	1900	1,254.4	26.3	.....	.....	24.7	16.5	41.2	26.3	39.5	(3)	105.4	11.5	37.9
	1901	1,315.2	27.3	1.6	.....	.....	4.8	4.8	33.7	62.6	(3)	131.7	20.9	35.3
	1902	1,169.9	18.8	.....	.....	7.9	4.7	15.7	47.1	40.8	(3)	91.1	20.4	29.8
	1903	1,198.4	15.4	1.5	.....	16.9	4.6	3.1	36.9	50.7	(3)	66.1	13.8	35.3
	1904	1,237.6	45.1	.....	.....	1.5	1.5	15.0	27.1	36.1	(3)	106.8	24.1	43.6
	1905	1,223.7	20.6	.....	.....	.....	2.9	1.5	20.6	26.5	11.8	86.9	11.8	35.3
	1906	1,468.6	15.9	.....	.....	51.9	1.4	39.0	20.2	41.8	8.7	105.3	24.5	34.6
	1907	1,187.7	25.4	.....	.....	4.2	.....	2.8	21.2	49.5	7.1	111.7	21.2	42.4
	1908	1,348.8	27.7	.....	.....	1.4	2.8	9.7	15.2	41.6	1.4	115.1	20.8	36.0
	1909	1,287.6	16.3	.....	.....	4.1	2.7	.....	17.7	24.5	4.1	84.3	21.8	43.5
Cumberland County	1900	1,723.3	13.8	.....	.....	5.9	2.0	9.9	45.5	49.5	(3)	116.7	23.8	98.9
	1901	1,675.1	11.8	.....	.....	11.8	3.9	13.8	11.8	51.1	(3)	151.4	31.5	98.3
	1902	1,505.2	7.8	5.9	.....	7.8	.....	5.9	9.8	27.4	(3)	132.9	15.6	127.1
	1903	1,547.2	31.1	.....	.....	3.9	.....	11.7	23.3	27.2	(3)	112.7	21.4	112.7
	1904	1,636.9	17.4	.....	.....	9.7	1.9	5.8	34.8	29.0	(3)	143.0	21.3	100.5
	1905	1,606.5	15.4	.....	.....	1.9	1.9	11.5	9.6	48.0	7.7	98.0	42.3	117.2
	1906	1,507.7	9.6	1.9	.....	7.6	.....	19.1	13.4	7.6	9.6	122.3	24.8	105.1
	1907	1,600.0	.....	.....	.....	11.4	1.9	1.9	19.0	38.0	3.8	100.7	28.5	96.9
	1908	1,434.3	15.1	1.9	.....	.....	.....	3.8	15.1	24.6	9.4	98.3	15.1	69.9
	1909	1,505.3	3.8	.....	.....	5.6	1.9	9.4	9.4	26.3	5.6	99.6	26.3	127.8
Franklin County	1900	1,740.4	27.1	.....	.....	16.3	.....	10.8	21.7	43.4	(3)	130.1	27.1	97.6
	1901	1,485.1	10.8	.....	.....	.....	5.4	.....	5.4	54.0	(3)	102.6	21.6	91.8
	1902	1,399.0	5.4	.....	5.4	.....	.....	.....	5.4	5.4	(3)	107.6	10.8	123.8
	1903	1,511.8	16.1	.....	.....	.....	.....	16.1	10.7	21.4	(3)	117.9	10.7	101.9
	1904	1,639.9	10.7	.....	.....	.....	.....	21.4	5.3	.....	(3)	149.6	5.3	101.5
	1905	1,554.1	5.3	.....	.....	16.0	.....	5.3	.....	53.2	21.3	95.8	16.0	95.8
	1906	1,596.2	10 6	.....	.....	31.8	.....	10.6	15.9	31.8	21.2	79.5	15.9	84.8
	1907	1,696.1	10.6	5.3	.....	5.3	.....	10.6	.....	31.7	15.9	111.0	31.7	158.5
	1908	1,732.0	10.5	.....	.....	10.5	10.5	31.6	5.3	36.9	5.3	94.8	31.6	110.6
	1909	1,447.8	21.0	.....	.....	15.7	.....	.....	5.2	26.2	10.5	68.2	26.2	78.7
Hancock County	1900	1,436.6	26.9	.....	.....	8.0	.....	.....	16.1	21.5	(3)	182.6	24.2	80.5
	1901	1,384.3	13.5	5.4	.....	5.4	.....	10.8	10.8	10.8	(3)	156.5	10.8	86.3
	1902	1,287.6	29.8	.....	.....	.....	.....	5.4	5.4	5.4	(3)	124.7	10.8	86.7
	1903	1,475.9	16.3	2.7	.....	5.4	.....	.....	2.7	35.4	(3)	157.9	19.1	68.1
	1904	1,414.3	10.9	2.7	.....	10.9	.....	.....	13.7	16.4	(3)	125.8	2.7	76.6
	1905	1,478.6	13.7	.....	.....	8.2	.....	.....	5.5	33.0	5.5	104.4	33.0	68.7
	1906	1,303.3	8.3	.....	.....	.....	.....	13.8	8.3	16.6	11.0	124.3	16.6	93.9
	1907	1,536.9	8.3	.....	.....	5.5	5.5	8.3	5 5	38.8	8.3	133.2	44.4	124.8
	1908	1,521.8	11.1	.....	.....	.....	2.8	11.1	13.9	22.3	16.7	133.8	25.1	108.7
	1909	1,512.2	28.0	.....	.....	.....	.....	2.8	.....	28.0	11.2	128.8	39.2	89.6

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	4.3	12.8	153.5	89.6	55.4	38.4	51.2	55.4	55.4	59.7	8.5	38.4	81.0	132.2	4.3
.....	4.3	8.6	81.4	102.8	85.7	68.6	124.3	64.3	72.8	77.1	.....	68.6	60.0	90.0	.....
.....	4.3	8.6	116.2	56.0	56.0	56.0	34.4	56.0	64.6	77.5	4.3	38.7	60.3	90.4	8.6
.....	4.3	13.0	142.7	77.8	82.1	56.2	77.8	77.8	43.2	77.8	4.3	73.5	30.3	103.8	.....
.....	4.3	17.4	91.2	82.5	56.5	52.1	78.2	73.8	78.2	52.1	8.7	47.8	39.1	169.4	13.0
.....	13.1	4.4	135.2	82.9	104.7	43.6	117.8	74.2	78.5	48.0	21.8	82.9	8.7	82.9	8.7
.....	4.4	4.4	118.3	122.7	57.0	61.4	92.0	57.0	65.7	105.2	8.8	74.5	35.1	96.4	.....
.....	4.4	8.8	127.7	127.7	52.8	48.4	74.9	96.9	88.1	70.4	8.8	61.6	30.8	88.1	.....
.....	.....	8.8	101.7	132.7	35.4	35.4	35.4	31.0	75.2	57.5	8.8	53.1	4.4	88.5	8.8
.....	8.9	8.9	115.5	128.9	57.8	62.2	80.0	75.5	84.4	22.2	13.3	44.4	4.4	66.7	.....
15.7	5.2	26.1	94.1	31.4	146.3	36.6	114.9	78.4	26.1	67.9	5.2	41.8	26.1	78.3	15.7
.....	10.5	10.5	147.6	52.7	84.3	36.9	52.7	42.2	52.7	36.9	.....	63.3	63.3	137.1	10.5
.....	10.6	5.3	111.6	47.8	53.1	58.5	37.2	85.0	58.5	111.6	5.3	63.8	37.2	127.6	37.2
.....	5.4	26.8	64.3	91.1	48.2	58.9	48.2	53.6	48.2	48.2	.....	75.0	10.7	58.9	.....
.....	27.0	16.2	86.5	118.9	108.1	16.2	59.4	81.1	37.8	48.6	5.4	70.3	21.6	113.5	16.2
10.9	.....	.....	119.9	152.6	43.6	59.9	76.3	59.9	70.8	32.7	21.8	76.3	16.3	119.9	.....
5.5	16.5	33.0	104.4	104.4	55.0	66.0	66.0	38.5	55.0	27.5	16.5	16.5	38.5	98.9	.....
.....	5.5	11.1	127.5	94.2	55.4	16.6	22.2	55.4	77.6	22.2	11.1	38.8	27.7	94.2	.....
.....	5.6	11.2	95.1	173.4	44.7	55.9	50.3	78.3	39.1	50.3	5.6	39.1	5.6	83.9	.....
.....	11.3	5.6	158.0	129.8	62.1	33.8	50.8	112.8	95.9	22.6	5.6	45.1	.....	33.8	.....
.....	17.3	23.1	173.1	63.5	63.5	17.3	57.7	69.3	40.4	34.6	17.3	86.5	103.9	173.1	5.8
.....	.....	23.1	167.8	81.0	75.2	52.1	57.9	52.1	63.7	46.3	17.4	81.0	34.7	138.9	23.1
.....	5.8	29.0	127.6	93.6	75.4	34.8	34.8	93.6	23.2	58.0	17.4	52.2	29.0	168.2	11.6
5.8	40.7	5.8	110.5	145.4	58.2	29.1	64.0	81.4	69.8	81.4	5.8	52.3	5.8	81.4	11.6
5.8	23.3	11.7	163.3	209.9	93.3	70.0	46.6	70.0	46.6	52.5	5.8	70.0	.....	116.6	11.7
.....	11.7	11.7	146.2	122.8	46.8	29.2	35.1	99.4	81.8	64.3	5.8	58.5	11.7	87.7	.....
.....	29.3	17.6	158.3	158.3	41.0	17.6	87.9	93.8	93.8	41.0	.....	46.9	5.9	134.8	.....
.....	11.8	11.8	111.7	158.7	76.4	11.8	23.5	105.8	52.9	23.5	29.4	111.7	23.5	82.3	5.9
.....	17.7	.....	135.5	170.9	41.2	17.7	41.2	53.0	47.1	41.2	17.7	64.8	.....	117.8	5.9
.....	5.9	5.9	94.5	141.8	100.4	17.7	65.0	35.4	124.1	17.7	11.8	76.8	.....	65.0	.....
7.4	11.1	86.6	202.8	171.5	177.0	123.5	147.5	84.8	66.4	53.5	5.5	59.0	68.2	180.7	22.1
7.3	9.1	69.3	175.0	145.8	120.3	80.2	131.3	74.7	56.5	34.6	20.1	60.2	47.4	164.1	9.1
.....	7.2	54.1	187.7	184.0	110.1	84.8	77.6	70.4	74.0	52.3	16.2	46.9	32.5	162.4	19.8
5.4	14.3	42.9	162.5	137.5	96.5	71.4	51.8	83.9	83.9	44.7	17.9	41.1	37.5	148.3	16.1
1.8	17.7	53.0	189.2	178.6	95.5	56.5	76.0	81.3	76.0	67.2	12.4	74.3	53.0	152.1	15.9
1.8	26.3	29.8	171.6	161.1	152.3	78.8	145.3	115.6	75.3	56.0	10.5	73.5	24.5	147.1	14.0
5.5	27.6	11.0	204.0	204.0	115.8	132.3	88.2	66.2	88.2	49.6	5.5	44.1	44.1	176.4	5.5
.....	16.5	27.4	224.8	323.5	153.5	109.7	27.4	76.8	65.8	38.4	27.4	65.8	16.5	142.6	5.5
.....	21.8	10.9	196.3	196.3	81.8	54.5	87.3	54.5	65.4	81.8	27.3	65.4	27.3	114.5	.....
.....	10.8	5.4	168.2	233.3	92.2	38.0	65.1	103.1	81.4	48.8	.....	48.8	21.7	173.6	10.8
1.6	8.2	16.5	72.4	80.7	87.3	54.3	118.5	75.7	24.7	57.6	8.2	42.8	41.2	139.9	95.5
1.6	6.4	30.5	91.5	64.2	70.7	22.5	260.2	51.4	36.9	45.0	4.8	35.3	28.9	146.1	96.4
.....	3.1	29.8	84.8	76.9	70.7	36.1	161.7	48.7	34.5	45.5	1.6	44.0	28.3	152.3	75.4
3.1	9.2	23.0	73.4	76.8	79.9	50.7	179.8	72.2	27.7	35.3	1.5	38.4	24.6	124.4	129.1
3.0	10.5	16.5	79.7	73.7	63.2	39.1	185.0	45.1	37.6	46.4	4.5	57.1	31.6	142.9	100.8
2.9	11.8	19.1	82.5	70.7	85.4	47.1	195.9	61.8	45.7	88.4	4.4	57.4	36.8	107.5	88.4
4.3	11.5	20.2	83.7	82.2	122.6	36.1	305.8	57.7	26.0	43.3	2.9	73.6	40.4	101.0	114.0
1.4	5.7	29.7	90.5	73.5	123.0	36.8	90.5	43.8	46.7	56.6	2.8	56.6	35.3	114.5	94.7
1.4	4.2	22.2	90.1	95.7	112.3	48.5	250.9	69.3	38.8	63.8	4.2	44.4	31.9	117.8	81.8
.....	9.5	28.6	80.2	112.9	96.5	47.6	213.5	59.8	47.6	65.3	6.8	68.0	50.3	126.4	55.7
2.0	17.8	33.6	213.7	197.9	106.8	95.0	120.7	55.4	95.0	77.2	7.9	47.5	57.4	215.6	13.8
2.0	7.9	25.6	190.7	249.7	125.8	88.5	82.6	55.1	94.4	37.4	11.8	64.9	57.4	198.6	17.7
.....	17.6	31.3	191.6	197.4	117.3	84.1	43.0	50.8	86.0	66.5	5.9	66.5	43.0	156.4	7.8
.....	25.3	27.2	192.4	198.3	114.7	52.5	44.7	75.8	103.0	44.7	13.6	77.7	27.2	196.3	9.7
.....	11.6	19.3	195.2	222.2	121.8	81.2	59.9	92.8	75.4	67.6	9.7	69.6	32.9	189.4	25.1
1.9	17.3	23.1	209.5	236.4	82.6	63.4	65.3	71.1	109.5	59.6	13.5	63.4	28.8	197.9	9.6
1.9	15.3	21.0	183.4	200.6	91.7	70.7	68.8	72.6	108.9	61.1	9.6	45.9	30.6	194.9	9.6
1.9	26.6	15.2	210.9	241.3	140.6	79.8	57.0	64.6	123.5	62.7	9.5	68.4	26.6	159.6	9.5
1.9	20.8	7.6	204.1	226.8	107.7	47.2	85.0	64.3	113.4	79.4	13.2	62.4	20.8	124.7	1.9
.....	13.2	7.5	218.0	223.6	142.8	71.4	39.5	52.6	107.1	67.7	15.0	58.3	26.3	139.1	7.5
.....	5.4	27.1	206.0	189.8	119.3	119.3	59.6	119.3	119.3	32.5	.....	59.6	48.8	233.2	27.0
.....	.....	5.4	135.0	205.2	129.6	64.8	64.8	70.2	86.4	48.6	27.0	48.6	54.0	194.4	59.4
.....	21.5	32.3	215.2	166.8	118.4	69.9	21.5	69.9	86.1	43.0	.....	59.2	26.9	166.8	37.7
.....	16.1	26.8	117.9	155.5	144.7	69.7	48.2	69.7	85.8	59.0	21.4	48.2	85.8	230.5	37.5
.....	26.7	16.0	203.0	187.0	170.9	58.8	42.7	96.1	149.6	37.4	10.7	90.8	37.4	192.3	26.7
.....	26.6	37.3	170.3	170.3	95.8	69.2	58.5	111.8	117.1	69.2	26.6	117.1	31.9	122.4	21.3
.....	15.9	5.3	206.8	201.5	90.2	63.6	68.9	106.1	127.3	68.9	15.9	90.2	26.5	164.4	42.4
.....	10.6	26.4	179.6	190.2	158.5	52.8	31.7	116.2	121.5	100.4	5.3	89.8	31.7	179.6	21.1
.....	47.4	36.9	231.6	205.3	184.3	68.4	42.1	110.6	110.6	73.7	36.9	89.5	42.1	105.3	.....
.....	21.0	10.5	188.8	131.1	131.1	57.7	42.0	94.4	110.2	36.7	10.5	110.2	31.5	215.1	5.2
2.7	8.0	32.2	166.5	150.4	88.6	61.8	61.8	110.1	64.4	45.6	5.4	40.3	40.3	182.6	16.1
2.7	10.8	21.6	159.2	186.2	105.2	48.6	56.7	89.0	72.9	16.2	13.5	54.0	40.5	180.8	16.2
.....	16.3	24.4	127.4	165.4	119.3	37.9	40.7	62.3	86.7	40.7	8.1	40.7	46.1	181.6	21.7
.....	8.2	38.1	174.3	242.4	108.9	46.3	57.2	65.4	73.5	46.3	10.9	62.6	49.0	171.6	13.6
5.5	2.7	10.9	117.6	175.1	153.2	54.7	46.5	95.7	84.8	49.2	13.7	95.7	24.6	191.5	32.8
.....	13.7	22.0	156.7	186.9	145.7	85.2	90.7	93.4	79.7	57.7	8.2	35.7	44.0	159.4	27.5
2.8	22.1	24.9	160.2	160.2	80.1	46.9	60.7	33.1	99.4	63.5	11.0	58.0	46.9	129.8	11.0
2.8	11.1	11.1	163.7	246.9	135.9	55.5	30.5	63.8	108.2	44.4	11.1	55.5	33.3	172.0	8.3
2.8	22.3	25.1	144.9	231.3	89.2	47.4	78.0	108.7	139.4	33.4	8.4	94.8	22.3	119.9	8.4
.....	16.8	19.6	201.6	229.6	103.6	70.0	36.4	106.4	86.8	61.6	11.2	64.4	8.4	162.4	5.6

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
MAINE RURAL[2]—Continued.														
Kennebec County	1900	1,842.6	21.1	2.1	.....	10.6	2.1	19.0	29.5	25.3	(3)	191.9	33.7	69.6
	1901	1,709.3	37.8	2.1	.....	4.2	2.1	.....	18.9	73.4	(3)	142.6	27.3	104.9
	1902	1,578.2	35.5	4.2	4.2	.....	2.1	4.2	10.4	16.7	(3)	116.9	27.1	93.9
	1903	1,716.3	62.3	2.1	.....	.....	4.2	24.9	22.9	31.2	(3)	155.8	22.9	95.6
	1904	1,819.9	16.5	.....	.....	4.1	2.1	2.1	16.5	35.2	(3)	138.6	14.5	115.8
	1905	1,747.7	16.5	2.1	.....	4.1	.....	6.2	12.4	47.3	12.4	131.7	16.5	119.4
	1906	1,459.1	5.2	.....	.....	.....	2.6	.....	5.2	18.4	21.0	123.3	26.2	91.8
	1907	1,723.1	15.7	2.6	.....	.....	7.9	.....	23.6	49.8	5.2	136.4	28.8	133.8
	1908	1,740.4	5.2	.....	.....	10.5	2.6	15.7	5.2	26.2	13.1	149.4	26.2	149.4
	1909	1,697.4	7.9	.....	.....	2.6	.....	.....	13.1	36.7	10.5	131.0	31.4	125.7
Knox County	1900	1,680.4	18.0	.....	.....	.....	4.5	.....	18.0	53.9	(3)	188.7	18.0	85.4
	1901	1,529.5	27.2	4.5	.....	9.1	.....	.....	4.5	22.6	(3)	135.8	36.2	90.5
	1902	1,462.2	13.7	4.6	.....	9.1	4.6	4.6	.....	13.7	(3)	159.4	36.4	95.7
	1903	1,494.9	18.3	4.6	.....	.....	.....	4.6	.....	59.6	(3)	142.2	36.7	45.9
	1904	1,583.5	4.6	9.2	.....	4.6	.....	9.2	4.6	23.1	(3)	143.1	18.5	83.1
	1905	1,533.7	9.3	.....	.....	23.2	.....	4.6	4.6	18.6	4.6	134.8	41.8	106.9
	1906	1,450.6	4.7	.....	.....	4.7	.....	14.0	4.7	14.0	14.0	131.0	9.4	74.9
	1907	1,672.8	9.4	.....	.....	.....	.....	14.1	18.8	23.6	9.4	164.9	33.0	103.7
	1908	1,589.6	19.0	.....	.....	4.7	.....	9.5	4.7	56.9	19.0	104.4	33.2	104.4
	1909	1,557.9	19.1	.....	.....	9.6	28.7	4.8	9.6	14.3	.....	119.5	47.8	119.5
Lincoln County	1900	1,540.5	10.2	.....	.....	.....	.....	10.2	.....	30.5	(3)	122.0	30.5	81.3
	1901	1,670.9	25.6	.....	.....	.....	.....	.....	20.5	61.5	(3)	133.3	20.5	102.5
	1902	1,322.1	5.2	.....	.....	.....	.....	.....	20.7	10.3	(3)	180.8	15.5	77.5
	1903	1,732.9	20.8	5.2	.....	.....	5.2	10.4	15.6	31.2	(3)	156.1	5.2	130.1
	1904	1,547.0	21.0	.....	.....	.....	5.2	.....	15.7	15.7	(3)	146.8	10.5	68.2
	1905	1,421.6	5.3	.....	.....	.....	.....	.....	10.6	37.0	5.3	74.0	31.7	89.8
	1906	1,326.2	5.3	.....	.....	.....	.....	5.3	.....	10.7	5.3	74.6	26.6	79.9
	1907	1,562.2	.....	.....	.....	.....	5.4	5.4	.....	32.2	5.4	96.6	26.8	128.8
	1908	1,753.2	5.4	.....	.....	.....	.....	32.5	.....	48.7	5.4	140.7	32.5	151.5
	1909	1,647.2	5.5	.....	.....	16.4	.....	5.5	10.9	27.3	5.5	109.1	49.1	114.5
Oxford County	1900	1,718.5	40.3	6.2	.....	6.2	3.1	3.1	15.5	46.5	(3)	130.3	24.8	62.0
	1901	1,658.7	27.5	.....	.....	3.1	9.2	.....	18.4	64.3	(3)	113.2	18.4	79.6
	1902	1,707.8	21.2	9.1	.....	6.0	.....	15.1	18.1	51.4	(3)	151.1	39.3	90.7
	1903	1,651.2	26.9	3.0	.....	9.0	.....	3.0	6.0	50.8	(3)	110.5	20.9	77.6
	1904	1,716.9	35.4	8.9	.....	3.0	.....	.....	14.8	38.4	(3)	106.2	17.7	103.3
	1905	1,472.1	8.7	2.9	.....	.....	.....	.....	14.6	37.9	14.6	84.5	49.6	70.0
	1906	1,688.2	.....	.....	.....	23.0	.....	25.9	14.4	25.9	17.3	118.1	25.9	95.1
	1907	1,662.9	19.9	5.7	.....	8.5	2.8	14.2	25.6	45.6	17.1	94.0	39.9	94.0
	1908	1,576.3	16.9	.....	.....	14.1	.....	2.8	14.1	42.2	8.4	98.5	45.0	76.0
	1909	1,552.9	13.9	2.8	.....	2.8	2.8	16.7	16.7	39.0	13.9	72.4	11.1	122.4
Penobscot County	1900	1,560.8	36.8	3.7	.....	9.2	3.7	.....	5.5	20.2	(3)	163.6	42.3	82.7
	1901	1,570.9	63.6	.....	.....	5.4	5.4	1.8	20.0	47.2	(3)	150.7	30.9	85.4
	1902	1,535.5	32.3	1.8	.....	1.8	5.4	19.8	10.8	10.8	(3)	114.9	26.9	75.4
	1903	1,650.2	39.1	3.6	.....	8.9	.....	12.4	5.3	14.2	(3)	142.1	44.4	99.5
	1904	1,633.5	32.6	1.8	1.8	.....	.....	14.1	29.9	22.8	(3)	177.5	29.9	68.5
	1905	1,583.5	22.6	3.5	.....	1.7	.....	13.9	27.8	50.4	10.4	158.2	50.4	69.5
	1906	1,749.1	46.4	1.7	.....	5.2	.....	3.4	43.0	8.6	15.5	156.5	53.3	80.8
	1907	1,664.4	37.4	5.1	.....	.....	3.4	17.0	18.7	54.5	10.2	144.7	34.0	105.5
	1908	1,434.9	21.9	.....	.....	.....	.....	13.5	8.4	28.6	15.2	87.6	40.4	74.1
	1909	1,456.8	11.7	.....	.....	.....	3.3	15.0	11.7	13.3	6.7	118.3	30.0	100.0
Piscataquis County	1900	1,492.7	23.6	.....	.....	23.6	23.6	.....	5.9	47.2	(3)	123.9	17.7	41.3
	1901	1,470.8	11.6	.....	.....	.....	5.8	.....	5.8	63.7	(3)	115.8	29.0	46.3
	1902	1,246.7	34.2	.....	.....	.....	5.7	.....	5.7	5.7	(3)	148.0	28.5	45.5
	1903	1,214.7	28.0	5.6	.....	5.6	.....	.....	5.6	11.2	(3)	84.0	5.6	33.6
	1904	1,398.6	44.1	.....	.....	.....	.....	5.5	11.0	27.5	(3)	165.2	44.1	93.6
	1905	1,484.5	16.3	.....	.....	.....	.....	5.4	.....	32.5	21.7	108.4	16.3	102.9
	1906	1,242.3	26.7	.....	.....	.....	.....	5.3	10.7	10.7	16.0	122.6	26.7	53.3
	1907	1,154.6	5.2	.....	.....	.....	.....	5.2	5.2	26.2	5.2	115.5	15.7	47.2
	1908	1,235.0	31.0	.....	.....	.....	.....	.....	15.5	25.8	5.2	77.5	15.5	72.3
	1909	1,404.6	10.2	.....	.....	5.1	.....	15.3	15.3	20.4	5.1	122.1	35.6	112.0
Sagadahoc County	1900	1,745.7	40.6	.....	.....	20.3	20.3	30.4	10.1	20.3	(3)	142.1	30.4	121.8
	1901	1,472.4	20.4	.....	.....	.....	.....	.....	.....	20.4	(3)	163.6	10.2	122.7
	1902	1,596.0	10.3	10.3	.....	.....	.....	10.3	.....	.....	(3)	103.0	20.6	154.4
	1903	1,742.2	41.5	.....	.....	.....	.....	31.1	20.7	.....	(3)	134.8	31.1	83.0
	1904	1,504.1	31.3	10.4	.....	.....	.....	.....	31.3	.....	(3)	104.4	20.9	125.3
	1905	1,633.3	31.6	10.5	.....	.....	.....	10.5	21.0	42.1	10.5	84.2	10.5	189.4
	1906	1,494.3	31.8	10.6	.....	.....	.....	10.6	10.6	.....	.....	74.2	31.8	63.6
	1907	1,526.5	42.7	10.7	.....	.....	.....	10.7	.....	.....	.....	74.7	.....	117.4
	1908	1,871.0	.....	10.8	.....	.....	.....	.....	10.8	43.0	.....	161.3	10.8	96.8
	1909	1,765.8	.....	.....	.....	10.8	.....	10.8	10.8	32.5	.....	140.8	43.3	195.0
Somerset County	1900	1,500.8	11.8	.....	.....	38.4	.....	2.9	2.9	26.6	(3)	168.4	5.9	100.5
	1901	1,453.8	17.6	2.9	.....	5.9	2.9	2.9	14.7	41.0	(3)	134.8	26.4	90.9
	1902	1,571.4	5.8	8.7	.....	.....	.....	11.6	11.6	14.5	(3)	157.1	43.6	98.9
	1903	1,594.8	28.9	.....	.....	20.2	.....	8.7	31.8	11.6	(3)	138.7	14.4	66.4
	1904	1,669.5	11.5	.....	2.9	2.9	2.9	8.6	40.2	40.2	(3)	180.7	20.1	114.7
	1905	1,606.4	8.5	2.8	.....	11.4	.....	5.7	25.6	39.9	2.8	116.8	19.9	88.3
	1906	1,368.9	5.7	.....	.....	14.1	.....	17.0	17.0	17.0	31.1	164.0	19.8	70.7
	1907	1,502.6	11.2	.....	.....	.....	5.6	11.2	14.0	19.7	2.8	140.4	14.0	101.1
	1908	1,411.3	22.3	.....	.....	2.8	5.6	2.8	19.5	55.8	13.9	114.4	19.5	72.5
	1909	1,324.0	19.4	2.8	.....	16.6	.....	.....	8.3	24.9	.....	85.9	13.8	80.3

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
4.2	4.2	52.7	215.0	208.7	210.8	113.9	63.3	84.3	84.3	35.8	6.3	59.0	65.4	204.5	25.3
.....	16.8	52.4	190.9	165.7	190.9	79.7	75.5	75.5	75.5	18.9	10.5	83.9	71.3	157.3	31.5
2.1	12.5	39.7	223.4	175.4	139.9	83.5	58.5	98.1	50.1	41.8	8.4	56.4	62.6	196.2	14.6
2.1	4.2	31.2	280.5	193.2	89.3	108.0	39.5	95.6	83.1	51.9	8.3	58.2	62.3	168.3	18.7
.....	24.8	35.2	242.0	210.9	155.1	134.4	76.5	88.9	72.4	35.2	18.6	68.2	76.5	217.2	18.6
4.1	16.5	39.1	234.7	234.7	137.9	96.8	55.6	94.7	88.5	57.6	10.3	84.4	49.4	162.6	12.4
.....	28.9	13.1	188.9	238.8	52.5	63.0	52.5	60.4	76.1	31.5	13.1	68.2	49.9	196.8	31.5
.....	21.0	36.7	236.0	296.4	112.8	57.7	42.0	76.1	65.6	47.2	18.4	42.0	36.7	201.9	28.8
2.6	10.5	34.1	207.1	262.1	86.5	76.0	117.9	94.4	81.3	49.8	21.0	78.6	26.2	175.6	13.1
.....	26.2	18.3	209.5	282.9	73.3	128.3	44.5	94.3	76.0	70.7	18.3	76.0	26.2	183.4	10.5
.....	9.0	31.4	175.2	247.1	148.3	80.9	44.9	85.4	67.4	26.9	18.0	67.4	53.9	206.7	31.4
4.5	22.6	18.1	181.0	194.6	81.5	49.8	36.2	67.9	90.5	31.7	4.5	63.4	54.3	267.0	31.7
9.1	4.6	22.8	209.5	209.5	59.2	72.9	36.4	63.8	54.7	27.3	.....	68.3	27.3	255.1	.....
.....	13.8	18.3	229.3	220.1	96.3	55.0	36.7	68.8	91.7	27.5	13.8	73.4	36.7	197.2	4.6
.....	18.5	23.1	221.6	198.5	83.1	83.1	9.2	96.9	96.9	64.6	23.1	106.2	41.5	203.1	13.8
.....	13.9	.....	204.5	269.6	65.1	32.5	46.5	69.7	46.5	65.1	23.2	60.4	41.8	246.3	.....
.....	23.4	4.7	201.2	327.6	42.1	42.1	28.1	65.5	98.3	46.8	4.7	37.4	46.8	205.9	4.7
.....	37.7	18.8	245.0	263.9	99.0	66.0	28.3	66.0	56.5	61.3	23.6	75.4	37.7	202.6	14.1
.....	23.7	14.2	227.8	322.7	85.4	42.7	71.2	42.7	94.9	38.0	14.2	71.2	28.5	147.1	9.5
.....	33.5	19.1	253.3	305.8	76.5	38.2	19.1	57.3	66.9	33.5	9.6	71.7	33.5	162.5	4.8
.....	10.2	20.3	183.0	218.6	96.6	45.8	61.0	106.8	91.5	66.1	10.2	55.9	55.9	208.5	25.4
.....	5.1	5.1	179.4	240.9	184.5	107.6	25.6	56.4	112.8	25.6	15.4	56.4	56.4	199.9	35.9
.....	5.2	5.2	134.3	206.6	72.3	36.2	15.5	87.8	93.0	36.2	.....	36.2	36.2	160.1	87.8
.....	26.0	20.8	260.2	239.4	93.7	62.4	26.0	62.4	88.5	36.4	.....	109.3	46.8	260.2	20.8
.....	15.7	5.2	125.9	230.7	146.8	42.0	15.7	94.4	141.6	31.5	36.7	52.4	21.0	288.4	15.7
.....	15.9	21.1	163.8	216.7	42.3	63.4	42.3	84.6	116.3	26.4	10.6	47.6	52.8	243.1	21.1
.....	26.6	10.7	191.7	234.4	47.9	42.6	10.7	74.6	95.9	26.6	16.0	69.2	32.0	207.7	32.0
5.4	.....	5.4	230.8	214.7	102.0	69.8	26.8	107.4	91.3	42.9	.....	91.3	37.6	214.7	21.5
5.4	16.2	16.2	270.5	308.4	108.2	81.2	43.3	92.0	146.1	37.9	21.6	43.3	21.6	108.2	16.2
.....	43.6	27.3	272.7	272.7	98.2	87.3	27.3	76.4	158.2	43.6	5.5	49.1	21.8	114.5	5.5
.....	12.4	37.2	254.4	158.2	117.9	80.7	99.3	121.0	58.9	46.5	15.5	49.6	65.2	238.9	24.8
.....	24.5	55.1	192.8	156.1	171.4	82.6	64.3	91.8	67.3	36.7	3.1	94.9	82.6	174.4	27.5
3.0	6.0	30.2	211.6	190.4	148.1	78.6	39.3	114.9	57.4	69.5	12.1	63.5	36.3	235.8	9.1
.....	17.9	41.8	167.2	232.9	128.4	92.6	77.6	56.7	89.5	59.7	17.9	65.7	50.8	229.9	14.9
.....	5.9	29.5	206.5	227.2	103.3	82.6	53.1	94.4	94.4	64.9	11.8	112.1	50.2	212.4	41.3
2.9	14.6	23.3	177.8	215.7	84.5	67.0	78.7	78.7	81.6	55.4	14.6	64.1	49.6	172.0	8.7
11.5	31.7	11.5	141.2	213.2	126.8	95.1	95.1	97.9	77.8	103.7	8.6	57.6	54.7	207.4	8.6
.....	11.4	42.7	190.8	213.6	156.6	76.9	51.3	65.5	88.3	76.9	17.1	76.9	39.9	165.2	22.8
5.6	11.3	25.3	168.9	239.3	87.3	64.7	76.0	90.1	104.1	67.6	16.9	78.8	22.5	185.8	14.1
.....	16.7	11.1	172.5	231.0	139.1	75.1	41.7	72.4	114.1	94.6	19.5	80.7	33.4	125.2	11.1
* 1.8	3.7	31.3	156.3	154.4	132.4	79.0	95.6	82.7	53.3	51.5	7.3	66.2	90.1	167.3	20.2
1.8	7.3	40.0	185.2	130.8	105.3	74.5	96.2	92.6	52.7	41.8	7.3	65.4	70.8	163.4	25.4
1.8	7.2	34.1	163.4	202.9	127.5	68.2	77.2	62.9	75.4	39.5	12.6	64.7	55.7	208.3	34.1
3.6	3.6	35.5	159.9	177.6	140.3	72.8	94.1	81.7	69.3	71.1	10.7	88.8	60.4	190.1	21.3
.....	15.8	21.1	170.4	175.7	93.1	93.1	72.0	91.4	75.6	51.0	10.5	93.1	47.4	221.4	28.1
.....	13.9	27.8	154.7	158.2	113.0	83.4	123.4	66.1	67.8	64.3	7.0	71.3	34.8	173.8	15.6
1.7	13.8	37.8	165.1	147.9	123.8	65.4	135.9	96.3	80.8	75.7	13.8	113.5	48.2	190.9	24.1
.....	13.6	27.2	185.5	165.1	119.1	81.7	63.0	78.3	63.0	69.8	11.9	114.0	42.5	168.5	30.6
.....	15.2	13.5	121.3	186.9	121.3	72.4	106.1	85.9	65.7	62.3	10.1	80.8	30.3	168.4	5.1
1.7	18.3	10.0	155.0	203.3	106.7	85.0	81.7	76.7	61.7	63.3	11.7	88.3	36.7	140.0	6.7
5.9	17.7	41.3	147.5	118.0	177.0	35.4	76.7	53.1	64.9	47.2	11.8	70.8	100.3	200.6	17.7
.....	11.6	29.0	202.6	115.8	110.0	75.3	57.9	81.1	81.1	11.6	29.0	110.0	34.7	185.3	57.9
5.7	22.8	45.5	193.5	108.2	113.8	28.5	34.2	51.2	34.2	56.9	34.2	85.4	34.2	125.2	.....
5.6	5.6	22.4	235.1	117.6	100.8	33.6	39.2	84.0	84.0	33.6	5.6	78.4	39.2	128.8	22.4
.....	5.5	22.0	132.2	132.2	99.1	27.5	16.5	88.1	66.1	44.1	27.5	132.2	27.5	159.7	27.5
.....	43.3	48.8	140.9	146.3	97.5	92.1	48.8	113.8	48.8	65.0	21.7	65.0	43.3	205.9	.....
.....	21.3	26.7	122.6	144.0	48.0	32.0	85.3	42.7	96.0	26.7	16.0	69.3	80.0	133.3	26.7
.....	15.7	26.2	141.7	162.7	42.0	47.2	31.5	52.5	73.5	52.5	15.7	99.7	26.2	136.5	5.2
.....	15.5	20.7	124.0	134.4	129.2	46.5	51.7	46.5	67.2	36.2	25.8	103.3	10.3	175.7	5.2
.....	15.3	10.2	122.1	147.6	122.1	45.8	45.8	50.9	106.9	35.6	40.7	122.1	10.2	183.2	5.1
.....	20.3	20.3	131.9	162.4	233.5	50.8	121.8	60.9	60.9	40.6	10.1	71.1	101.5	182.7	40.6
.....	20.4	40.9	153.4	143.4	122.7	61.3	40.9	122.7	92.0	30.7	10.2	61.3	51.1	163.6	20.4
.....	30.9	.....	247.1	257.4	113.3	61.8	30.9	72.1	103.0	30.9	10.3	41.2	51.5	236.8	.....
.....	.....	20.7	207.4	300.7	62.2	62.2	51.9	83.0	176.3	31.1	41.5	41.5	72.6	238.5	10.4
.....	10.4	.....	261.1	146.2	146.2	73.1	20.9	104.4	83.6	41.8	.....	62.7	10.4	188.0	31.3
.....	42.1	.....	242.0	284.1	231.5	52.6	31.6	10.5	136.8	42.1	10.5	21.0	10.5	136.8	21.0
.....	.....	.....	233.1	190.8	116.6	95.4	74.2	74.2	127.2	42.4	.....	63.6	42.4	190.8	10.6
.....	.....	21.3	149.4	277.5	128.1	106.7	64.0	96.1	106.7	106.7	.....	96.1	21.3	96.1	.....
.....	.....	10.8	236.6	440.9	139.8	96.8	118.3	96.8	172.0	32.3	.....	86.0	.....	96.8	10.8
10.8	10.8	21.7	205.8	260.0	119.2	86.7	75.8	65.0	97.5	21.7	10.8	97.5	43.3	184.2	10.8
2.9	11.8	29.6	192.0	168.4	91.6	85.7	76.8	76.8	59.1	38.4	8.9	68.0	62.1	153.6	17.7
.....	26.4	52.8	167.1	167.1	96.7	70.3	46.9	99.7	44.0	8.8	11.7	44.0	67.4	184.7	26.4
.....	8.7	26.2	180.4	206.6	168.8	66.9	14.5	61.1	61.1	34.9	14.5	69.8	49.5	227.0	29.1
.....	26.0	5.8	216.7	184.9	161.8	28.9	80.9	101.1	75.1	34.7	5.8	72.2	43.3	208.0	28.9
2.9	5.7	31.6	146.3	177.8	175.0	51.6	60.2	94.7	66.0	48.8	8.6	88.9	63.1	189.3	34.4
2.8	11.4	25.6	199.4	179.4	136.7	31.3	85.4	108.2	74.1	71.2	11.4	79.8	37.0	213.6	17.1
2.8	8.5	25.5	178.2	149.9	79.2	25.5	79.2	87.7	62.2	65.1	.....	45.3	39.6	155.6	8.5
2.8	8.4	14.0	196.6	275.2	70.2	64.6	53.4	73.0	67.4	47.7	16.9	75.8	39.3	154.5	22.5
.....	8.4	11.2	206.4	192.4	94.8	47.4	75.3	72.5	75.3	39.0	19.5	78.1	25.1	125.5	11.2
5.5	8.3	19.4	152.3	191.1	102.5	83.1	52.6	105.3	66.5	47.1	13.8	63.7	33.2	110.8	16.6

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
MAINE RURAL[2]—Continued.														
Waldo County	1900	1,811.0	16.5	4.1	.....	4.1	4.1	4.1	.....	53.8	(3)	181.9	20.7	107.5
	1901	1,651.6	16.6	.....	.....	4.1	.....	.....	8.3	33.2	(3)	182.6	24.9	74.7
	1902	1,540.6	29.1	8.3	.....	4.2	4.2	.....	12.5	4.2	(3)	174.9	20.8	99.9
	1903	1,508.2	8.4	.....	.....	4.2	.....	4.2	.....	16.7	(3)	142.0	16.7	83.6
	1904	1,660.0	29.3	4.2	.....	.....	.....	4.2	4.2	29.3	(3)	159.3	33.5	50.3
	1905	1,749.8	16.8	.....	.....	4.2	.....	4.2	4.2	21.0	4.2	193.5	16.8	101.0
	1906	1,679.8	12.7	.....	.....	12.7	.....	16.9	8.4	12.7	12.7	118.2	42.2	80.2
	1907	1,651.7	8.5	.....	.....	4.2	.....	4.2	.....	55.1	.....	114.3	29.6	127.1
	1908	1,534.1	4.2	.....	.....	.....	.....	4.2	4.2	34.0	.....	80.7	42.5	85.0
	1909	1,633.3	4.3	4.3	.....	.....	.....	.....	4.3	21.3	4.3	102.3	25.6	106.6
Washington County	1900	1,633.8	24.3	.....	.....	.....	4.4	2.2	8.8	13.3	(3)	170.2	17.7	68.5
	1901	1,451.8	15.6	2.2	.....	15.6	4.4	2.2	6.7	28.9	(3)	169.0	24.5	71.1
	1902	1,320.9	11.2	2.2	.....	.....	2.2	4.5	6.7	31.3	(3)	156.4	24.6	62.6
	1903	1,420.0	27.0	.....	.....	4.5	.....	38.2	6.7	24.7	(3)	148.3	40.4	80.9
	1904	1,332.7	9.0	.....	2.3	6.8	.....	4.5	18.1	29.4	(3)	142.3	38.4	74.5
	1905	1,551.0	15.9	4.5	.....	4.5	.....	9.1	11.4	40.9	20.4	161.2	27.3	95.4
	1906	1,534.2	27.4	4.6	.....	.....	4.6	2.3	9.1	2.3	20.5	164.4	18.3	77.6
	1907	1,409.4	16.1	.....	.....	11.5	.....	9.2	9.2	29.8	.....	176.8	43.6	87.2
	1908	1,456.3	32.3	6.9	.....	.....	2.3	18.5	13.8	34.6	13.8	154.6	34.6	83.1
	1909	1,475.9	23.2	.....	.....	4.6	2.3	7.0	25.5	39.5	4.6	143.9	37.1	85.9
York County	1900	1,924.5	22.6	2.0	.....	2.0	6.2	4.1	24.6	69.8	(3)	153.9	24.6	71.8
	1901	1,768.1	32.6	.....	.....	2.0	2.0	2.0	10.2	44.9	(3)	163.1	30.6	93.8
	1902	1,810.9	58.8	2.0	2.0	6.1	2.0	2.0	28.4	16.2	(3)	125.7	24.3	109.5
	1903	1,815.0	42.4	2.0	.....	.....	2.0	20.2	10.1	40.3	(3)	104.9	16.1	125.0
	1904	1,750.9	28.1	.....	.....	.....	6.0	2.0	10.0	14.0	(3)	144.4	26.1	100.3
	1905	1,805.1	35.9	2.0	.....	8.0	6.0	4.0	14.0	37.9	12.0	113.7	23.9	115.7
	1906	1,729.8	23.8	.....	.....	7.9	.....	11.9	6.0	13.9	7.9	121.0	19.8	127.0
	1907	1,773.8	23.7	.....	.....	3.9	2.0	3.9	11.8	51.3	9.9	120.4	29.6	102.6
	1908	1,674.0	25.5	.....	.....	2.0	2.0	5.9	11.8	27.5	3.9	111.9	25.5	155.0
	1909	1,608.4	7.8	2.0	.....	2.0	5.9	3.9	11.7	39.0	5.9	107.4	27.3	105.4
MARYLAND RURAL.[2]														
Allegany County	1906	945.3	28.2	.....	.....	.....	10.2	58.9	64.0	15.4	10.2	33.3	7.7	38.4
	1907	806.3	20.3	.....	.....	.....	7.6	.....	25.4	17.7	15.2	35.5	2.5	33.0
	1908	838.2	25.1	.....	.....	30.1	7.5	10.0	20.1	22.6	15.1	40.2	12.5	52.7
	1909	787.6	22.4	.....	.....	.....	7.5	7.5	12.4	14.9	22.4	27.3	5.0	57.1
Anne Arundel County	1906	993.3	32.4	.....	.....	.....	.....	45.2	29.0	16.1	16.1	96.8	3.2	22.6
	1907	806.7	16.1	3.2	.....	.....	3.2	.....	12.9	12.9	6.5	74.2	6.5	9.7
	1908	1,294.6	58.1	6.5	.....	.....	.....	3.2	9.7	22.6	12.9	106.5	22.6	19.4
	1909	1,637.6	32.3	.....	.....	19.4	.....	51.7	3.2	19.4	9.7	174.4	22.6	35.5
Baltimore County*	1906	1,503.9	44.4	1.8	.....	3.6	10.0	32.7	31.7	12.7	19.0	165.1	13.6	59.9
	1907	1,524.0	33.5	0.9	.....	10.6	3.5	0.9	10.6	42.3	21.2	150.7	12.3	55.5
	1908	1,476.1	30.9	1.7	.....	2.6	6.0	4.3	13.7	30.9	12.9	147.4	23.1	54.0
	1909	1,383.3	29.2	1.7	.....	18.4	2.5	12.5	11.7	24.2	13.3	154.3	24.2	56.7
Calvert County	1906	1,303.0	48.6	9.7	.....	29.2	.....	48.6	.....	19.4	29.2	184.8	19.4	19.4
	1907	1,525.0	19.4	9.7	.....	.....	.....	9.7	.....	77.7	19.4	116.6	19.4	9.7
	1908	1,426.4	67.9	19.4	.....	.....	.....	38.8	9.7	29.1	38.8	116.4	19.4	29.1
	1909	1,502.4	38.8	.....	.....	.....	.....	48.5	9.7	19.4	.....	300.5	29.1	29.1
Caroline County	1906	829.9	55.3	.....	.....	16.6	5.5	22.1	44.3	.....	5.5	132.8	11.1	11.1
	1907	1,365.9	98.0	5.4	.....	.....	.....	38.1	43.5	16.3	21.8	146.9	16.3	27.2
	1908	1,477.8	112.4	.....	.....	5.4	.....	.....	16.1	42.8	26.8	144.6	16.1	64.3
	1909	1,517.5	73.8	.....	.....	31.6	5.3	21.1	26.3	31.6	15.8	231.8	10.5	36.9
Carroll County*	1906	1,371.5	35.4	.....	.....	2.9	2.9	29.5	23.6	17.7	26.5	76.7	14.7	53.1
	1907	1,548.1	35.4	2.9	.....	5.9	.....	29.5	32.4	67.8	11.8	129.7	23.6	56.0
	1908	1,426.9	32.4	.....	.....	2.9	2.9	23.6	2.9	29.5	26.5	100.2	2.9	56.0
	1909	1,441.3	29.5	.....	.....	.....	5.9	8.8	.....	56.0	8.8	88.4	8.8	50.1
Cecil County	1906	1,244.0	33.2	.....	.....	12.4	.....	16.6	12.4	8.3	.....	91.3	16.6	49.8
	1907	1,124.3	20.8	.....	.....	.....	.....	.....	8.3	20.8	12.5	108.3	29.1	20.8
	1908	1,404.4	25.1	.....	.....	.....	8.4	8.4	16.7	33.4	25.1	150.5	33.4	79.4
	1909	1,502.2	16.8	.....	.....	21.0	4.2	12.6	8.4	33.6	12.6	121.7	12.6	58.7
Charles County	1906	1,487.1	23.7	11.8	.....	17.8	.....	171.8	17.8	17.8	5.9	177.7	5.9	29.6
	1907	1,594.1	41.8	.....	.....	.....	.....	.....	11.9	41.8	.....	214.9	6.0	11.9
	1908	1,444.0	36.1	.....	.....	.....	.....	6.0	42.1	18.1	6.0	198.6	12.0	30.1
	1909	1,546.4	36.4	6.1	.....	12.1	.....	6.1	30.3	48.5	6.1	218.3	12.1	36.4
Dorchester County	1906	1,362.9	88.0	3.5	.....	24.7	.....	45.8	7.0	.....	21.1	151.4	38.7	35.2
	1907	1,738.8	84.3	10.5	.....	66.7	3.5	52.7	7.0	24.6	35.1	182.7	17.6	49.2
	1908	1,520.7	105.1	3.5	.....	3.5	.....	7.0	24.5	49.1	7.0	227.8	31.5	63.1
	1909	1,600.8	97.9	.....	.....	3.5	.....	.....	21.0	21.0	28.0	209.7	17.5	17.5
Frederick County	1906	1,143.8	33.0	.....	.....	4.7	7.1	11.8	33.0	2.4	14.2	70.8	11.8	56.6
	1907	1,114.2	23.6	.....	.....	14.2	2.4	23.6	7.1	33.0	7.1	118.0	7.1	40.1
	1908	1,254.5	28.4	2.4	.....	11.8	4.7	30.7	7.1	16.5	16.5	118.1	18.9	49.6
	1909	1,127.9	30.7	.....	.....	4.7	2.4	14.2	11.8	14.2	7.1	85.1	11.8	47.3
Garrett County †	1906	656.9	20.9	.....	.....	15.6	.....	10.4	26.1	10.4	15.6	46.9	5.2	20.9
	1907	684.7	15.4	.....	.....	5.1	5.1	.....	25.7	25.7	5.1	30.9	5.1	25.7
	1908	503.4	10.2	.....	.....	15.3	.....	.....	20.3	10.2	.....	25.4	5.1	15.3
	1909	497.2	30.1	.....	.....	.....	.....	15.1	5.0	10.0	10.0	40.2	5.0	35.2
Harford County	1906	1,328.2	14.2	3.6	.....	3.6	.....	14.2	32.0	7.1	21.4	138.9	3.6	53.4
	1907	1,390.3	28.5	7.1	.....	.....	.....	14.3	3.6	46.3	7.1	142.6	17.8	60.6
	1908	1,341.9	17.8	.....	.....	10.7	.....	10.7	3.6	14.3	3.6	142.8	7.1	53.5
	1909	1,336.2	7.1	.....	.....	7.1	.....	7.1	14.3	17.9	14.3	164.3	10.7	50.0

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	12.4	12.4	239.8	268.8	223.3	70.3	66.2	82.7	82.7	33.1	12.4	49.6	53.8	190.2	16.5
.....	12.4	20.7	219.9	265.6	153.5	45.6	33.2	66.4	87.1	16.6	33.2	66.4	53.9	207.5	24.9
.....	8.3	20.8	229.0	170.7	95.8	99.9	33.3	104.1	79.1	20.8	12.5	50.0	45.8	199.9	12.5
.....	16.7	16.7	208.9	242.3	104.4	41.8	41.8	62.7	112.8	33.4	12.5	58.5	41.8	221.4	16.7
.....	21.0	12.6	222.2	247.3	138.3	75.5	29.3	100.6	92.2	67.1	8.4	58.7	41.9	201.2	29.3
.....	8.4	16.8	231.3	273.4	134.6	71.5	29.4	117.8	96.7	58.9	8.4	42.1	46.3	235.6	12.6
8.4	16.9	16.9	253.2	312.3	84.4	59.1	29.5	80.2	101.3	50.6	12.7	50.6	54.9	215.3	16.9
4.2	21.2	12.7	207.5	279.5	105.9	114.3	42.4	59.3	114.3	42.4	33.9	67.8	33.9	165.2	4.2
.....	17.0	8.5	204.0	267.7	93.5	55.2	21.2	136.0	131.7	51.0	25.5	59.5	21.2	174.2	12.7
.....	42.6	12.8	230.3	311.3	102.3	93.8	12.8	81.0	162.1	25.6	34.1	42.6	34.1	170.6	4.3
4.4	11.1	61.9	143.7	185.7	132.7	88.4	165.8	79.6	66.3	79.6	4.4	53.1	50.9	174.7	22.1
.....	11.1	51.1	162.3	149.0	142.3	75.6	135.6	68.9	48.9	26.7	8.9	40.0	35.6	135.6	20.0
.....	8.9	31.3	196.7	127.4	136.3	40.2	53.6	69.3	67.0	49.2	4.5	51.4	35.8	120.7	26.8
.....	9.0	31.5	166.3	161.8	112.3	80.9	53.9	60.7	67.4	60.7	6.7	42.7	42.7	141.5	11.2
.....	2.3	31.6	133.3	173.9	115.2	49.7	42.9	45.2	52.0	70.0	4.5	56.5	47.4	146.8	36.1
.....	11.4	15.9	163.5	206.6	156.7	59.0	77.2	84.0	72.7	47.7	4.5	47.7	38.6	156.7	18.2
.....	11.4	34.2	168.9	207.8	100.5	70.8	132.4	43.4	73.1	70.8	6.8	70.8	57.1	141.6	13.7
2.3	20.7	34.4	156.1	183.6	140.0	57.4	59.7	45.9	64.3	41.3	2.3	43.6	45.9	124.0	4.6
.....	11.5	9.2	154.6	212.3	110.8	30.0	131.6	62.3	41.5	41.5	11.5	76.2	30.0	120.0	18.5
.....	7.0	25.5	167.1	232.1	104.4	62.7	90.5	53.4	55.7	41.8	9.3	69.6	39.5	130.0	13.9
8.2	16.4	47.2	281.1	149.8	197.0	88.2	135.4	102.6	108.7	65.7	6.2	49.2	90.3	176.4	20.5
4.1	16.3	34.7	238.6	224.3	142.7	57.1	53.0	89.7	144.8	38.7	8.2	67.3	79.5	155.0	32.6
4.1	22.3	22.3	265.7	239.3	107.5	89.2	56.8	119.6	123.7	36.5	20.3	73.0	60.8	178.5	14.2
4.0	16.1	32.3	266.2	219.8	145.2	78.7	80.7	92.8	125.0	68.6	10.1	72.6	72.6	163.4	4.0
2.0	28.1	32.1	258.7	250.7	140.4	78.2	52.1	72.2	120.3	68.2	14.0	60.2	56.2	160.4	26.1
.....	8.0	23.9	271.3	233.4	125.7	73.8	89.8	77.8	119.7	81.8	16.0	65.8	51.9	189.5	4.0
.....	27.8	39.7	255.9	196.4	119.0	89.3	57.5	87.3	146.8	57.5	17.9	77.4	33.7	176.6	7.9
2.0	7.9	35.5	223.0	252.5	128.2	82.9	73.0	148.0	167.7	47.4	15.8	55.2	39.5	130.2	5.9
.....	29.4	21.6	241.4	221.8	113.8	60.8	119.7	78.5	129.5	68.7	5.9	70.7	19.6	121.7	.....
.....	35.1	21.5	214.7	230.3	140.5	60.5	60.5	91.7	142.5	82.0	13.7	62.5	11.7	121.0	2.0
.....	5.1	17.9	82.0	46.1	46.1	66.6	64.0	41.0	48.7	61.5	5.1	69.2	28.2	84.5	12.8
.....	2.5	20.3	71.0	58.3	30.4	58.3	73.5	40.6	45.6	48.2	10.1	86.2	27.9	63.4	12.7
.....	7.5	17.6	105.4	42.7	57.7	67.8	67.8	35.1	37.6	40.2	2.5	45.2	12.5	60.2	2.5
.....	9.9	17.4	57.1	54.7	54.7	64.6	74.5	19.9	57.1	32.3	7.5	72.0	12.4	77.0	.....
3.2	6.5	25.8	119.3	48.4	48.4	58.1	109.7	58.1	35.5	25.8	6.5	90.3	32.4	54.8	9.7
.....	9.7	19.4	67.8	67.8	35.5	45.2	129.1	32.3	61.3	25.8	9.7	80.7	38.7	35.5	3.2
.....	3.2	16.1	155.0	67.8	80.7	74.3	196.9	42.0	67.8	45.2	6.5	164.6	61.3	48.4	3.2
.....	6.5	19.4	148.6	87.2	103.4	100.1	242.3	58.1	109.8	61.4	3.2	106.6	90.4	100.1	32.3
.....	8.2	20.0	192.3	138.8	80.7	78.0	110.7	71.7	78.9	60.8	9.1	104.3	46.3	106.1	3.6
0.9	7.9	26.4	216.8	134.9	89.0	73.2	148.1	70.5	85.5	57.3	17.6	114.6	44.1	91.7	3.5
0.9	6.9	28.3	183.4	138.0	72.0	72.0	152.6	66.9	93.4	59.1	17.1	102.0	54.0	100.3	1.7
0.8	10.0	20.9	151.0	131.0	76.8	70.9	116.8	70.9	97.6	66.7	18.4	85.1	26.7	88.4	2.5
.....	9.7	9.7	145.9	77.8	58.3	68.1	126.4	48.6	19.4	48.6	.....	58.3	53.3	126.4	38.9
.....	9.7	.....	145.7	87.4	106.8	97.1	194.3	38.9	58.3	116.6	.....	77.7	87.4	213.7	9.7
.....	.....	.....	126.1	77.6	48.5	145.5	155.2	97.0	48.5	77.6	.....	97.0	29.1	135.8	19.4
.....	.....	.....	193.9	96.9	29.1	87.2	135.7	38.8	48.5	96.9	.....	116.3	77.5	87.2	19.4
.....	5.5	16.6	71.9	49.8	94.1	38.7	38.7	11.1	77.5	22.1	.....	5.5	33.2	49.8	11.1
.....	5.4	21.8	125.2	125.2	70.7	54.4	141.8	81.6	119.7	43.5	.....	27.2	59.9	49.0	27.2
.....	10.7	5.4	128.5	171.3	69.6	37.5	112.4	26.8	123.1	91.0	.....	48.2	85.7	107.1	32.1
.....	.....	10.5	94.8	115.9	137.0	47.4	126.5	31.6	110.7	84.3	5.3	47.4	79.0	137.0	5.3
2.9	14.7	20.6	221.2	156.3	132.7	38.3	79.6	73.7	91.4	41.3	2.9	35.4	35.4	138.6	2.9
2.9	14.7	8.8	182.8	129.7	129.7	85.5	106.2	76.7	85.5	64.9	11.8	67.8	56.0	120.9	8.8
.....	5.9	2.9	294.8	173.9	85.5	70.8	73.7	53.1	88.4	59.0	2.9	73.7	41.3	117.9	2.9
.....	14.7	11.8	247.6	168.0	97.3	100.2	120.8	41.3	85.5	56.0	8.8	59.0	38.3	135.6	.....
.....	8.3	33.2	203.3	224.0	66.4	24.9	53.9	45.6	37.3	45.6	4.1	78.8	49.8	124.4	4.1
4.2	25.0	20.8	154.1	149.9	66.6	37.5	50.0	20.8	99.9	45.8	12.5	87.4	75.0	54.1	.....
.....	.....	41.8	188.1	221.5	79.4	25.1	46.0	33.4	96.1	46.0	16.7	100.3	37.6	92.0	.....
.....	12.6	16.8	239.2	239.2	100.7	58.7	79.7	50.4	100.7	50.4	8.4	109.1	50.4	83.9	.....
.....	5.9	.....	171.8	88.9	71.1	82.9	65.2	77.0	59.2	41.5	.....	65.2	106.6	142.2	29.6
.....	6.0	17.9	149.3	143.3	95.5	53.7	113.4	95.5	119.4	101.5	.....	83.6	71.6	167.2	47.8
.....	18.1	.....	114.3	114.3	114.3	66.2	102.3	78.2	108.3	66.2	6.0	78.2	48.1	126.4	54.2
.....	6.1	24.3	194.1	127.3	72.8	72.8	133.4	66.7	97.0	66.7	.....	18.2	78.8	151.6	24.3
.....	.....	14.1	102.1	102.1	81.0	42.3	133.8	74.0	95.1	42.3	.....	56.3	59.9	98.6	45.8
3.5	3.5	14.1	144.0	161.6	130.0	70.3	151.0	31.6	130.0	66.7	.....	87.8	70.3	84.3	56.2
.....	3.5	7.0	122.6	98.1	63.1	35.0	192.7	73.6	87.6	38.5	.....	70.1	52.6	108.6	45.6
3.5	10.5	10.5	125.8	104.9	80.4	62.9	171.3	62.9	157.3	66.4	7.0	62.9	45.4	143.3	69.9
.....	11.8	9.4	158.0	110.8	61.3	59.0	73.1	56.6	63.7	42.5	.....	73.1	77.8	96.7	4.7
.....	9.4	11.8	132.2	110.9	75.5	37.8	61.4	54.3	49.6	33.0	9.4	49.6	85.0	113.3	4.7
.....	14.2	11.8	203.2	104.0	54.3	42.5	73.2	80.3	78.0	47.3	4.7	61.4	85.1	89.8	.....
.....	11.8	7.1	156.1	137.1	73.3	59.1	73.3	47.3	94.6	37.8	.....	47.3	68.6	85.1	.....
.....	.....	10.4	57.4	36.5	46.9	10.4	83.4	15.6	15.6	41.7	.....	46.9	20.9	83.4	15.6
.....	.....	.....	36.0	77.2	25.7	5.1	41.2	36.0	30.9	46.3	.....	36.0	41.2	149.3	15.4
.....	.....	5.1	81.4	30.5	20.3	.....	35.6	30.5	25.4	30.5	5.1	25.4	30.5	71.2	10.2
.....	5.0	10.0	55.2	15.1	60.3	30.1	20.1	5.0	25.1	15.1	.....	25.1	5.0	55.2	20.1
.....	3.6	21.4	128.2	178.0	103.3	60.5	121.1	74.8	64.1	32.0	.....	67.7	42.7	135.3	3.6
.....	10.7	10.7	178.2	139.0	74.9	60.6	96.2	60.6	71.3	60.6	3.6	53.5	49.9	181.8	10.7
3.6	7.1	21.4	135.6	128.4	67.8	89.2	89.2	64.2	67.8	50.0	10.7	96.4	42.8	146.3	7.1
.....	17.9	17.9	150.1	164.3	85.7	75.0	57.2	64.3	75.0	25.0	14.3	78.6	60.7	146.5	10.7

[a] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
MARYLAND RURAL[2]—Continued.														
Howard County	1906	1,321.7	36.7	.....	.....	.....	.....	18.4	24.5	18.4	6.1	153.0	6.1	49.0
	1907	1,578.6	43.0	.....	.....	6.1	.....	18.4	6.1	36.9	6.1	172.0	36.9	18.4
	1908	1,455.2	18.5	.....	.....	24.7	.....	30.8	12.3	43.2	12.3	160.3	18.5	49.3
	1909	1,423.6	43.3	.....	.....	.....	.....	18.6	6.2	24.8	24.8	173.3	6.2	43.3
Kent County	1906	1,625.0	56.6	11.3	.....	5.7	5.7	17.0	17.0	11.3	17.0	186.9	22.6	62.3
	1907	1,642.3	34.3	.....	.....	.....	.....	34.3	22.9	28.6	22.9	228.9	17.2	34.3
	1908	1,353.3	46.3	5.8	.....	.....	.....	5.8	.....	11.6	11.6	185.1	5.8	40.5
	1909	1,748.0	35.1	.....	.....	5.8	5.8	52.6	11.7	35.1	11.7	204.6	58.5	70.2
Montgomery County	1906	1,192.0	50.9	.....	.....	22.3	.....	44.5	22.3	25.4	6.4	152.6	22.3	28.6
	1907	1,169.9	28.5	.....	.....	3.2	.....	15.8	9.5	50.6	9.5	180.2	28.5	37.9
	1908	1,022.3	15.7	.....	.....	.....	3.1	18.9	9.4	37.7	6.3	129.0	22.0	44.0
	1909	1,001.3	25.0	.....	.....	9.4	6.3	6.3	6.3	28.2	3.1	156.5	25.0	34.4
Prince Georges County	1906	1,502.4	53.3	11.9	.....	5.9	3.0	32.6	17.8	26.7	11.9	198.5	14.8	23.7
	1907	1,384.5	37.8	11.6	.....	.....	2.9	11.6	14.5	46.5	8.7	200.7	8.7	49.4
	1908	1,542.3	60.0	2.9	.....	17.1	.....	37.1	22.8	40.0	11.4	188.5	8.6	28.6
	1909	1,279.3	33.7	8.4	.....	19.6	8.4	19.6	11.2	11.2	8.4	137.5	14.0	36.5
Queen Annes County	1906	1,549.3	23.0	11.5	.....	17.2	5.7	17.2	57.4	11.5	17.2	264.0	17.2	34.4
	1907	1,366.4	69.5	11.6	.....	5.8	.....	34.7	5.8	34.7	34.7	139.0	11.6	28.9
	1908	1,653.3	75.9	.....	.....	.....	.....	.....	5.8	40.9	11.7	268.7	40.9	29.2
	1909	1,456.2	29.5	11.8	.....	.....	.....	17.7	11.8	11.8	11.8	194.6	17.7	35.4
St. Marys County †	1906	649.5	17.6	11.7	.....	11.7	5.9	23.4	5.9	11.7	5.9	134.6	.....	23.4
	1907	632.5	58.6	11.7	.....	.....	.....	.....	5.9	11.7	.....	99.6	23.4	5.9
	1908	422.1	17.6	5.9	.....	.....	.....	.....	11.7	17.6	5.9	58.6	5.9	23.4
	1909	328.6	17.6	11.7	.....	5.9	.....	5.9	.....	5.9	5.9	76.3	5.9	11.7
Somerset County	1906	914.3	41.9	.....	.....	3.8	.....	11.4	34.3	3.8	7.6	125.7	30.5	11.4
	1907	847.8	15.2	11.4	.....	19.0	.....	26.6	38.0	7.6	15.2	110.2	3.8	26.6
	1908	1,107.8	49.3	.....	.....	3.8	.....	.....	26.6	19.0	37.9	178.3	11.4	37.9
	1909	1,010.9	64.4	3.8	.....	.....	.....	11.4	18.9	11.4	3.8	166.6	7.6	37.9
Talbot County	1906	1,588.1	110.6	.....	.....	20.1	.....	60.3	10.1	5.0	10.1	185.9	25.1	20.1
	1907	1,669.6	65.6	15.1	.....	5.0	.....	.....	10.1	65.6	15.1	196.7	25.2	75.7
	1908	1,680.8	65.8	10.1	.....	5.1	.....	.....	40.5	75.9	30.4	217.7	25.3	45.6
	1909	1,519.4	50.8	5.1	.....	.....	5.1	25.4	20.3	25.4	.....	172.8	20.3	66.1
Washington County	1906	1,293.1	24.6	.....	.....	3.1	.....	.....	36.9	9.2	15.4	147.8	3.1	40.0
	1907	1,044.9	24.5	.....	.....	9.2	.....	12.3	15.3	30.6	3.1	91.9	15.3	30.6
	1908	1,146.8	21.3	.....	.....	6.1	9.1	24.4	12.2	21.3	3.0	82.3	12.2	54.9
	1909	1,232.5	51.6	.....	.....	30.4	3.0	3.0	3.0	9.1	6.1	106.3	9.1	42.5
Wicomico County	1906	1,217.8	98.8	11.9	.....	.....	4.0	7.9	19.8	27.7	27.7	162.1	15.8	35.6
	1907	1,132.6	38.9	3.9	.....	.....	.....	19.5	11.7	27.2	27.2	144.0	19.5	66.2
	1908	1,299.1	111.1	.....	.....	7.7	3.8	11.5	11.5	19.2	19.2	187.8	26.8	49.8
	1909	1,105.8	60.4	.....	.....	.....	3.8	3.8	11.3	11.3	18.9	196.3	18.9	41.5
Worcester County	1906	1,178.7	41.9	.....	.....	4.7	.....	14.0	4.7	14.0	14.0	205.0	37.3	51.2
	1907	1,372.7	60.3	13.9	.....	9.3	.....	111.3	27.8	32.5	27.8	194.8	32.5	32.5
	1908	1,186.4	73.9	9.2	.....	4.6	9.2	9.2	23.1	69.2	27.7	138.5	9.2	32.3
	1909	1,079.9	41.4	13.8	.....	.....	4.6	.....	4.6	18.4	13.8	137.9	13.8	27.6
MASSACHUSETTS RURAL.[2]														
Barnstable County	1900	2,105.9	7.2	3.6	.....	.....	.....	18.0	28.7	53.9	(3)	133.0	18.0	89.8
	1901	1,733.8	14.5	.....	.....	.....	3.6	7.2	10.9	14.5	(3)	170.1	14.5	86.9
	1902	1,895.9	18.2	3.6	.....	.....	.....	18.2	.....	40.1	(3)	185.9	10.9	116.7
	1903	1,895.0	3.7	.....	3.7	7.3	.....	14.7	29.4	36.7	(3)	139.6	33.1	157.9
	1904	1,864.6	25.9	3.7	.....	7.4	7.4	.....	14.8	18.5	(3)	125.8	18.5	111.0
	1905	1,889.6	14.9	.....	.....	26.1	.....	.....	29.8	44.7	.....	149.1	22.4	115.5
	1906	1,737.2	7.4	.....	.....	3.7	.....	14.8	11.1	22.2	22.2	118.5	33.3	96.3
	1907	1,783.3	3.7	.....	.....	7.4	3.7	25.8	22.1	36.8	14.7	154.8	18.4	129.0
	1908	1,627.4	7.3	.....	.....	.....	.....	7.3	3.7	33.0	11.0	117.3	33.0	142.9
	1909	1,848.5	10.9	.....	.....	7.3	.....	14.6	18.2	40.1	10.9	124.0	.....	156.8
Berkshire County	1900	1,571.3	15.5	2.6	.....	.....	10.4	10.4	13.0	25.9	(3)	127.0	13.0	70.0
	1901	1,445.9	23.3	.....	.....	.....	2.6	2.6	38.9	75.1	(3)	103.6	10.4	64.8
	1902	1,365.0	28.5	.....	.....	.....	.....	5.2	13.0	7.8	(3)	98.4	.....	69.9
	1903	1,459.5	10.4	.....	.....	12.9	20.7	12.9	12.9	25.9	(3)	93.2	12.9	69.9
	1904	1,530.9	7.8	.....	2.6	10.3	5.2	7.8	10.3	49.1	(3)	103.4	15.5	87.9
	1905	1,475.7	31.0	.....	.....	5.2	7.8	31.0	18.1	43.9	5.2	124.1	10.3	98.2
	1906	1,525.3	10.4	.....	.....	2.6	2.6	2.6	20.8	38.9	15.6	127.1	15.6	90.8
	1907	1,579.5	7.8	.....	5.2	.....	.....	36.4	20.8	67.7	5.2	93.7	10.4	83.3
	1908	1,422.7	20.9	.....	.....	18.3	7.8	.....	7.8	54.8	.....	91.4	13.1	88.8
	1909	1,366.9	7.9	.....	.....	10.5	2.6	5.2	2.6	23.6	5.2	70.7	13.1	73.3
Bristol County	1900	1,726.0	16.5	.....	.....	16.5	9.4	11.8	16.5	61.4	(3)	179.5	21.3	89.7
	1901	1,524.1	20.9	.....	.....	9.3	4.7	.....	23.3	39.6	(3)	179.2	18.6	100.1
	1902	1,424.4	6.9	2.3	.....	13.8	.....	11.5	11.5	13.8	(3)	114.7	13.8	89.5
	1903	1,519.6	18.1	2.3	.....	9.0	20.4	24.9	27.1	24.9	(3)	126.6	11.3	67.8
	1904	1,549.9	13.4	6.7	.....	4.5	4.5	4.5	26.8	22.3	(3)	149.4	20.1	87.0
	1905	1,526.5	22.0	.....	.....	.....	6.6	8.8	15.4	24.2	15.4	136.4	19.8	110.0
	1906	1,547.7	10.6	.....	.....	12.8	4.3	4.3	25.5	10.6	12.8	110.5	10.6	104.2
	1907	1,587.1	14.5	2.1	.....	.....	12.4	10.3	4.1	20.7	14.5	111.6	22.7	138.5
	1908	1,576.3	16.1	.....	.....	14.1	6.0	8.0	8.0	22.1	12.1	110.6	10.1	100.5
	1909	1,499.5	3.9	.....	.....	3.9	.....	25.4	15.7	13.7	13.7	97.9	17.6	101.8

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	6.1	18.4	97.9	134.6	140.7	55.1	67.3	85.7	61.2	49.0	6.1	97.9	55.1	116.3	18.4
6.1	24.6	12.3	172.0	172.0	110.6	110.6	116.7	73.7	55.3	61.4	18.4	55.3	73.7	172.0	.....
.....	.....	18.5	166.5	166.5	74.0	111.0	141.8	61.7	61.7	49.3	6.2	92.5	24.7	104.8	6.2
.....	12.4	18.6	148.6	154.7	74.3	86.7	86.7	49.5	80.5	92.8	18.6	86.7	68.1	105.2	.....
.....	.....	22.6	147.2	147.2	130.2	67.9	158.5	84.9	124.6	39.6	.....	56.6	118.9	96.3	17.0
.....	.....	22.9	251.8	148.8	125.9	103.0	74.4	103.0	57.2	51.5	.....	40.1	103.0	108.7	28.6
.....	5.8	5.8	115.7	98.3	75.2	63.6	138.8	69.4	115.7	75.2	5.8	63.6	127.2	75.2	5.8
11.7	11.7	23.4	163.7	140.3	105.2	76.0	93.5	52.6	181.2	58.5	5.8	76.0	134.5	116.9	5.8
.....	6.4	28.6	111.3	120.8	76.3	60.4	73.1	60.4	82.6	47.7	6.4	35.0	31.8	73.1	3.2
.....	3.2	22.1	107.5	101.2	66.4	44.3	85.4	44.3	75.9	56.9	.....	69.6	47.4	75.9	6.3
.....	9.4	12.6	135.3	72.3	56.6	44.0	56.6	59.8	97.5	44.0	3.1	50.3	9.4	84.9	.....
.....	3.1	21.9	97.0	115.8	53.2	31.3	65.7	43.8	81.4	53.2	6.3	53.2	12.5	62.6	.....
3.0	5.9	32.6	165.9	112.6	91.9	68.2	115.6	91.9	65.2	56.3	3.0	74.1	88.9	94.8	32.6
.....	.....	34.9	162.9	101.8	46.5	58.2	84.4	72.7	81.4	104.7	8.7	40.7	75.6	72.7	46.5
.....	2.9	11.4	148.5	128.5	65.7	68.5	145.7	68.5	85.7	57.1	8.6	74.3	102.8	114.2	42.8
.....	8.4	14.0	145.9	126.2	98.2	39.3	109.4	58.9	58.9	64.5	5.6	75.7	72.9	61.7	30.9
.....	17.2	11.5	160.7	91.8	74.6	51.6	137.7	57.4	97.5	103.3	5.7	34.4	103.3	97.5	28.7
.....	23.2	17.4	133.2	127.4	75.3	52.1	92.6	86.8	57.9	69.5	.....	63.7	81.1	98.4	11.6
.....	5.8	23.4	216.2	128.5	105.2	81.8	122.7	64.3	93.5	70.1	.....	64.3	93.5	99.3	11.7
5.9	5.9	17.7	135.6	135.6	70.7	47.2	153.3	106.1	82.5	47.2	5.9	100.2	59.0	123.8	17.7
5.9	5.9	.....	64.4	58.5	41.0	29.3	41.0	17.6	35.1	11.7	.....	17.6	5.9	58.5	5.9
.....	5.9	.....	134.7	29.3	29.3	29.3	29.3	11.7	29.3	5.9	.....	58.6	.....	52.7	.....
.....	.....	5.9	70.3	23.4	23.4	11.7	17.6	5.9	23.4	.....	.....	46.9	17.6	29.3	.....
.....	.....	5.9	29.3	23.5	11.7	5.9	29.3	.....	17.6	.....	5.9	17.6	5.9	29.3	.....
.....	.....	3.8	95.2	38.1	41.9	68.6	49.5	30.5	72.4	49.5	.....	41.9	41.9	95.2	15.2
.....	.....	15.2	72.2	57.0	19.0	34.2	95.0	49.4	72.2	7.6	3.8	30.4	38.0	57.0	22.8
.....	.....	3.8	98.6	110.0	30.4	75.9	83.5	41.7	72.1	37.9	3.8	49.3	56.9	75.9	3.8
.....	.....	3.8	113.6	56.8	60.6	18.9	64.4	45.4	68.2	56.8	3.8	49.2	60.6	79.5	3.8
.....	.....	15.1	165.8	170.9	90.5	95.5	80.4	95.5	140.7	60.3	10.1	35.2	75.4	90.5	15.1
.....	10.1	30.3	151.3	166.5	75.7	45.4	171.5	90.8	141.2	70.6	5.0	50.4	40.4	136.2	10.1
.....	5.1	5.1	167.1	172.1	55.7	65.8	146.8	86.1	131.6	45.6	15.2	81.0	65.8	116.4	5.1
.....	.....	10.2	208.3	106.7	61.0	71.1	86.4	86.4	142.3	61.0	15.2	76.2	55.9	147.4	.....
6.2	.....	12.3	163.2	126.2	52.3	86.2	89.3	77.0	67.7	67.7	6.2	73.9	104.7	80.0	.....
.....	6.1	6.1	131.8	141.0	39.8	58.2	64.3	55.2	55.2	49.0	12.3	46.0	55.2	82.7	9.2
.....	6.1	6.1	112.8	137.2	33.5	85.4	76.2	85.4	39.6	76.2	6.1	57.9	51.8	118.9	6.1
6.1	6.1	9.1	160.9	112.3	57.7	72.9	121.4	63.8	42.5	66.8	6.1	54.6	72.9	112.3	3.0
.....	7.9	4.0	67.2	79.1	27.7	15.8	122.6	75.1	83.0	31.6	.....	79.1	51.4	118.6	43.5
.....	3.9	19.5	81.7	89.5	66.2	38.9	93.4	89.5	50.6	50.6	3.9	35.0	62.3	66.2	23.4
.....	7.7	11.5	107.3	72.8	38.3	34.5	134.1	72.8	80.5	46.0	3.8	53.7	53.7	115.0	19.2
.....	7.5	3.8	83.0	71.7	86.8	34.0	101.9	49.1	45.3	37.7	15.1	41.5	64.2	94.4	3.8
.....	4.7	9.3	153.7	55.9	65.2	41.9	93.2	46.6	51.2	32.6	4.7	41.9	60.6	74.5	55.9
.....	4.6	13.9	74.2	83.5	51.0	60.3	78.8	55.6	78.8	60.3	4.6	46.4	102.0	69.6	46.4
.....	4.6	9.2	92.3	87.7	55.4	32.3	73.9	64.6	64.6	46.2	.....	69.2	78.4	87.7	13.8
.....	9.2	9.2	96.5	68.9	41.4	59.7	87.3	50.5	68.9	18.4	4.6	59.7	101.1	110.3	18.4
3.6	7.2	61.1	273.1	237.2	186.9	154.5	64.7	79.0	71.9	32.3	10.8	133.0	122.2	291.1	25.1
3.6	10.9	32.6	249.8	246.1	112.2	54.3	61.5	68.8	65.2	36.2	7.2	105.0	97.7	238.9	21.7
.....	7.3	29.2	288.0	258.9	94.8	65.6	62.0	87.5	62.0	43.8	7.3	87.5	98.4	302.6	7.3
.....	18.4	22.0	275.4	271.8	51.4	110.2	91.8	84.5	124.9	36.7	.....	66.1	95.5	220.4	.....
.....	25.9	29.6	229.4	292.3	85.1	125.8	96.2	125.8	99.9	66.6	3.7	122.1	37.0	192.4	.....
.....	22.4	22.4	268.3	268.3	85.7	78.3	93.2	130.4	104.4	48.5	14.9	70.8	37.3	238.5	3.7
11.1	25.9	14.8	237.1	351.9	81.5	66.7	74.1	122.2	96.3	55.6	7.4	81.5	14.8	163.0	3.7
3.7	7.4	7.4	224.8	287.4	73.7	106.9	70.0	77.4	125.3	55.3	14.7	77.4	36.8	199.0	.....
.....	29.3	7.3	205.3	282.2	66.0	88.0	80.6	69.6	132.0	44.0	.....	88.0	33.0	142.9	3.7
7.3	21.9	3.6	237.0	382.8	69.3	83.9	87.5	87.5	120.3	54.7	10.9	80.2	54.7	164.1	.....
7.8	18.2	20.7	178.9	171.1	116.7	108.9	83.0	75.2	88.1	67.4	7.8	83.0	62.2	191.9	2.6
5.2	10.4	20.7	189.2	194.3	121.8	62.2	44.1	114.0	59.6	49.2	10.4	70.0	31.1	137.3	5.2
2.6	13.0	31.1	160.6	191.7	147.6	85.5	36.3	93.2	57.0	33.7	7.8	80.3	57.0	142.5	2.6
.....	12.9	23.3	173.4	196.7	137.1	82.8	69.9	75.0	85.4	44.0	20.7	67.3	15.5	178.6	5.2
5.2	15.5	12.9	191.4	225.0	108.6	75.0	67.2	95.7	85.3	51.7	10.3	113.8	18.1	150.0	5.2
2.6	20.7	31.0	134.4	204.2	90.5	82.7	82.7	69.8	87.9	51.7	18.1	100.8	15.5	108.5	.....
2.6	18.2	10.4	173.8	280.1	96.0	57.1	80.4	72.6	96.0	57.1	23.3	96.0	10.4	121.9	2.6
2.6	15.6	10.4	221.2	278.4	111.9	70.3	78.1	70.3	101.5	39.0	15.6	96.3	10.4	127.5	.....
2.6	15.7	7.8	154.0	279.3	114.9	54.8	57.4	67.9	70.5	49.6	13.1	96.6	20.9	114.9	.....
2.6	20.9	20.9	136.2	267.1	115.2	65.5	86.4	62.8	110.0	39.3	10.5	91.7	23.6	96.9	2.6
.....	16.5	35.4	181.8	198.4	167.7	89.8	127.4	77.9	75.6	59.0	2.4	37.8	40.1	181.8	11.8
.....	11.6	14.0	169.9	197.8	97.7	69.8	55.8	58.2	67.5	72.1	16.3	46.5	37.2	204.8	9.3
2.3	13.8	34.4	197.3	169.7	57.3	64.2	87.2	66.5	87.2	68.8	11.5	61.9	52.8	169.7	2.3
2.3	29.4	15.8	160.6	201.3	108.5	58.8	108.5	70.1	99.5	61.1	9.0	67.8	56.5	137.9	.....
.....	20.1	11.2	180.6	240.8	111.5	78.1	91.4	37.9	131.6	66.9	17.8	58.0	40.1	124.9	.....
.....	26.4	26.4	140.8	193.6	114.4	74.8	72.6	66.0	110.0	52.8	11.0	72.6	46.2	158.4	2.2
.....	23.4	19.1	187.1	221.1	99.9	89.3	74.4	57.4	95.7	99.9	8.5	87.2	48.9	127.6	2.1
.....	24.8	18.6	165.3	272.8	86.8	97.1	128.1	80.6	76.5	53.7	8.3	62.0	31.0	128.1	2.1
.....	22.1	28.1	180.9	245.3	78.4	108.6	130.7	54.3	82.4	76.4	20.1	82.4	34.1	120.6	4.0
3.9	23.5	21.5	186.0	232.9	66.6	84.2	119.4	48.9	76.3	82.2	11.7	94.0	31.3	121.4	2.0

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
MASSACHUSETTS RURAL [2]—Contd.														
Dukes County	1900	1,819.8	43.8	.....	.....	.....	.....	.....	.....	43.8	(3)	153.5	21.9	65.8
	1901	1,864.4	.....	.....	.....	.....	.....	.....	.....	21.9	(3)	87.7	.....	131.6
	1902	1,667.8	21.9	.....	.....	.....	.....	.....	.....	.....	(3)	153.6	.....	131.7
	1903	1,997.8	.....	.....	.....	.....	.....	.....	.....	43.9	(3)	109.8	.....	43.9
	1904	2,042.6	43.9	.....	.....	.....	.....	.....	.....	22.0	(3)	43.9	.....	131.8
	1905	1,933.6	22.0	.....	.....	.....	.....	.....	22.0	22.0	.....	43.9	22.0	197.8
	1906	1,871.8	22.0	.....	.....	22.0	.....	.....	.....	22.0	.....	22.0	.....	132.1
	1907	2,030.0	.....	.....	.....	.....	.....	.....	.....	44.1	44.1	88.3	22.1	88.3
	1908	1,746.6	.....	.....	.....	.....	.....	22.1	.....	22.1	22.1	88.4	44.2	132.7
	1909	1,728.3	22.2	.....	.....	.....	.....	22.2	.....	44.3	22.2	22.2	.....	132.9
Essex County	1900	1,594.3	11.6	4.4	.....	1.4	4.4	5.8	34.9	49.4	(3)	114.8	23.2	82.8
	1901	1,546.3	21.6	8.6	1.4	.....	2.9	8.6	11.5	41.8	(3)	116.7	18.7	93.7
	1902	1,474.8	20.0	2.9	2.9	12.9	.....	7.1	12.9	8.6	(3)	125.8	14.3	111.5
	1903	1,510.8	15.6	4.3	1.4	7.1	1.4	14.2	39.7	29.8	(3)	131.8	21.3	106.3
	1904	1,477.3	8.4	.....	.....	7.0	8.4	1.4	26.7	18.3	(3)	129.3	16.9	104.0
	1905	1,579.7	19.5	1.4	.....	.....	1.4	1.4	19.5	36.3	11.2	138.0	34.9	96.2
	1906	1,507.3	14.9	1.4	.....	2.7	6.8	16.3	10.8	12.2	6.8	107.1	21.7	116.6
	1907	1,541.1	11.9	.....	.....	2.6	1.3	6.6	7.9	34.4	10.6	131.1	17.2	109.9
	1908	1,350.9	9.1	.....	.....	7.8	3.9	12.9	15.5	23.3	9.1	107.4	22.0	97.0
	1909	1,375.4	12.7	.....	.....	2.5	3.8	16.4	16.4	16.4	8.9	103.8	17.7	116.4
Franklin County	1900	1,557.9	24.3	2.4	.....	2.4	7.3	2.4	19.4	19.4	(3)	121.4	17.0	87.4
	1901	1,561.0	16.8	.....	.....	9.6	4.8	7.2	12.0	45.6	(3)	120.1	16.8	62.4
	1902	1,480.9	4.8	.....	.....	26.1	4.8	16.6	9.5	26.1	(3)	97.5	16.6	90.3
	1903	1,390.6	7.1	4.7	2.4	2.4	.....	4.7	16.5	23.5	(3)	89.4	11.8	103.5
	1904	1,560.6	16.3	11.6	.....	.....	4.7	.....	21.0	30.3	(3)	132.8	23.3	79.2
	1905	1,685.8	4.6	.....	.....	2.3	.....	.....	11.5	43.8	23.1	133.8	34.6	96.9
	1906	1,492.5	23.0	6.9	.....	.....	6.9	4.6	16.1	27.6	18.4	92.1	36.9	69.1
	1907	1,548.3	9.2	.....	.....	9.2	18.4	11.5	16.1	55.2	11.5	73.6	25.3	64.4
	1908	1,298.4	2.3	2.3	.....	4.6	4.6	2.3	9.2	29.9	2.3	59.8	11.5	128.7
	1909	1,379.6	2.3	.....	.....	2.3	6.9	.....	13.8	13.8	6.9	73.5	16.1	98.7
Hampden County	1900	2,019.0	33.0	2.8	.....	16.5	22.0	13.8	71.5	71.5	(3)	181.5	24.7	79.8
	1901	1,588.2	27.1	2.7	.....	.....	8.1	8.1	32.6	57.0	(3)	157.5	19.0	65.2
	1902	1,659.1	18.8	2.7	.....	5.4	8.0	2.7	26.8	18.8	(3)	128.7	24.1	53.6
	1903	1,566.7	21.2	5.3	.....	42.3	47.6	26.5	29.1	21.2	(3)	137.6	26.5	68.8
	1904	1,591.6	18.3	5.2	.....	2.6	5.2	23.5	36.6	31.4	(3)	125.4	26.1	81.0
	1905	1,505.0	10.3	.....	.....	2.6	.....	.....	5.2	31.0	7.7	147.1	23.2	62.0
	1906	1,566.5	10.0	2.5	.....	2.5	7.5	20.1	12.6	5.0	15.1	120.5	27.6	65.3
	1907	1,638.2	7.4	.....	.....	29.4	2.5	24.5	41.7	36.8	2.5	154.5	17.2	68.7
	1908	1,507.8	9.6	.....	.....	2.4	14.4	7.2	14.4	33.6	12.0	95.9	12.0	67.1
	1909	1,530.9	9.4	2.4	.....	4.7	9.4	11.8	30.6	18.8	16.5	103.5	28.2	58.8
Hampshire County	1900	1,767.2	21.9	6.3	.....	21.9	9.4	3.1	37.6	53.3	(3)	131.6	6.3	59.5
	1901	1,531.0	3.1	3.1	3.1	.....	6.2	3.1	31.0	43.4	(3)	148.8	15.5	111.6
	1902	1,263.1	12.3	.....	.....	9.2	6.1	15.3	15.3	18.4	(3)	92.0	18.4	67.4
	1903	1,370.9	15.2	9.1	.....	12.1	.....	12.1	12.1	24.3	(3)	118.3	21.2	30.3
	1904	1,536.4	6.0	6.0	.....	6.0	18.0	6.0	12.0	24.0	(3)	108.0	15.0	81.0
	1905	1,413.5	8.9	.....	.....	14.8	.....	3.0	14.8	44.5	17.8	95.0	14.8	77.2
	1906	1,347.7	14.7	.....	.....	8.8	.....	8.8	26.5	5.9	11.8	103.0	11.8	61.8
	1907	1,509.4	8.8	2.9	.....	14.6	20.4	11.7	29.2	40.9	8.8	116.8	14.6	93.4
	1908	1,541.2	11.6	5.8	.....	.....	11.6	17.4	26.1	60.8	17.4	84.0	8.7	66.6
	1909	1,340.6	5.7	2.9	.....	11.5	11.5	11.5	22.9	34.4	20.1	91.7	20.1	114.6
Middlesex County *	1900	1,972.1	16.9	1.1	.....	1.1	9.5	9.5	19.0	41.2	(3)	272.5	27.5	90.9
	1901	1,845.8	20.8	6.2	1.0	3.1	6.2	12.5	28.1	28.1	(3)	275.7	36.4	95.7
	1902	1,801.1	18.5	2.1	2.1	6.2	2.1	1.0	27.7	9.2	(3)	258.3	25.6	95.3
	1903	1,894.3	12.1	3.0	.....	9.1	18.2	6.1	14.1	38.4	(3)	273.8	39.4	112.1
	1904	1,907.1	8.0	1.0	.....	1.0	4.0	2.0	18.9	21.9	(3)	324.7	34.9	117.5
	1905	2,080.7	8.8	2.0	.....	4.9	2.9	2.0	11.8	35.3	20.6	347.6	42.2	124.7
	1906	1,858.6	5.8	.....	.....	11.6	2.9	20.3	19.4	22.3	13.6	337.8	34.8	114.2
	1907	2,065.8	6.7	1.0	.....	4.8	4.8	4.8	16.2	40.1	13.4	345.4	39.1	141.2
	1908	1,982.0	5.6	1.9	.....	8.5	2.8	13.2	15.1	27.3	24.5	369.7	52.7	127.9
	1909	1,795.9	1.9	0.9	.....	3.7	4.6	18.6	12.1	22.3	12.1	315.4	37.1	124.3
Nantucket County	1900	2,029.3	.....	.....	.....	.....	.....	.....	.....	133.1	(3)	33.3	.....	99.8
	1901	1,838.8	.....	.....	.....	.....	.....	.....	.....	.....	(3)	200.6	66.9	133.7
	1902	2,184.1	33.6	.....	.....	.....	.....	.....	33.6	.....	(3)	134.4	33.6	168.0
	1903	1,891.3	.....	.....	.....	.....	.....	.....	.....	67.5	(3)	67.5	33.8	67.5
	1904	2,444.0	.....	.....	.....	.....	.....	.....	.....	67.9	(3)	101.8	67.9	271.6
	1905	2,252.6	.....	.....	.....	.....	.....	.....	34.1	68.3	.....	136.5	.....	102.4
	1906	2,383.4	.....	.....	.....	.....	.....	.....	.....	34.0	.....	34.0	68.1	170.2
	1907	2,684.3	.....	.....	.....	101.9	.....	34.0	.....	34.0	34.0	101.9	34.0	135.9
	1908	2,068.5	.....	.....	.....	.....	.....	.....	.....	33.9	.....	33.9	67.8	305.2
	1909	2,368.1	.....	.....	.....	.....	33.8	.....	.....	169.1	.....	169.1	33.8	270.6
Norfolk County *	1900	1,617.8	14.4	4.8	.....	2.4	9.6	3.6	18.1	44.5	(3)	166.0	18.1	93.8
	1901	1,536.2	8.3	7.1	.....	1.2	3.6	3.6	20.1	21.3	(3)	140.8	13.0	79.3
	1902	1,334.8	15.1	4.7	2.3	4.7	1.2	9.3	22.1	4.7	(3)	146.8	12.8	64.1
	1903	1,484.8	14.9	1.1	1.1	1.1	10.3	10.3	20.6	26.4	(3)	127.3	22.9	76.8
	1904	1,474.5	11.3	2.3	.....	3.4	4.5	1.1	10.2	20.3	(3)	159.2	14.7	73.4
	1905	1,424.4	12.2	2.2	.....	4.4	3.3	1.1	10.0	26.7	22.2	141.2	18.9	74.5
	1906	1,448.0	8.7	2.2	.....	3.3	6.5	14.1	12.0	10.9	5.4	135.9	28.3	87.0
	1907	1,498.7	2.1	2.1	.....	1.1	7.5	6.4	16.0	32.0	14.9	136.5	12.8	97.1
	1908	1,361.1	4.2	.....	.....	4.2	3.1	6.3	17.8	19.9	13.6	122.5	24.1	77.5
	1909	1,317.9	8.2	3.1	.....	9.3	5.1	7.2	13.4	19.5	7.2	96.6	22.6	81.2

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	.....	263.1	197.3	65.8	87.7	241.2	65.8	65.8	87.7	.....	131.6	21.9	241.2	21.9
.....	21.9	21.9	197.4	285.2	87.7	175.5	43.9	153.5	87.7	65.8	.....	153.5	109.7	219.3	.....
21.9	.....	.....	219.4	395.0	87.8	131.7	21.9	43.9	43.9	43.9	.....	87.8	109.7	131.7	21.9
.....	22.0	65.9	351.3	439.1	65.9	109.8	43.9	65.9	87.8	.....	.....	65.9	87.8	373.2	22.0
.....	22.0	.....	285.5	329.5	109.8	131.8	65.9	131.8	87.9	43.9	22.0	175.7	43.9	329.5	22.0
.....	22.0	.....	373.5	395.5	43.9	43.9	43.9	175.8	131.8	22.0	22.0	109.9	22.0	197.8	.....
.....	110.1	.....	308.3	308.3	220.2	66.1	44.0	110.1	66.1	44.0	.....	154.2	66.1	154.2	.....
.....	22.1	44.1	242.7	397.2	110.3	66.2	66.2	44.1	176.5	110.3	22.1	110.3	88.3	242.7	.....
.....	44.2	22.1	243.2	353.7	22.1	44.2	22.1	110.5	110.5	44.2	.....	44.2	88.4	265.3	.....
.....	66.5	22.2	221.6	398.8	22.2	66.5	44.3	44.3	66.5	66.5	.....	155.1	44.3	243.7	.....
1.4	14.5	37.8	206.4	204.9	88.7	88.7	91.6	59.6	62.5	49.4	16.0	56.7	65.4	202.0	16.0
5.8	18.7	27.4	168.6	214.7	89.3	76.4	79.3	47.6	82.1	85.0	15.9	63.4	49.0	188.8	8.6
2.9	12.9	22.9	180.1	210.1	88.6	55.7	68.6	62.9	58.6	58.6	12.9	62.9	48.6	198.6	11.4
2.9	22.7	18.4	191.3	211.2	90.7	62.4	46.8	52.4	75.1	55.3	14.2	77.9	32.6	184.2	.....
.....	12.7	25.3	174.3	244.6	99.8	66.1	49.2	50.6	80.1	63.3	15.5	56.2	46.4	171.5	1.4
2.8	23.7	34.9	182.6	280.2	89.2	58.6	87.8	62.7	83.7	66.9	8.4	90.6	33.5	112.9	1.4
1.4	14.9	24.4	155.9	252.1	92.2	70.5	75.9	65.1	101.7	67.8	8.1	90.8	35.2	134.2	.....
1.3	15.9	17.2	177.4	262.2	90.0	72.8	70.2	49.0	94.0	59.6	10.6	90.0	45.0	152.3	.....
1.3	25.9	11.6	141.0	239.4	66.0	62.1	84.1	46.6	72.5	54.3	16.8	86.7	34.9	98.3	1.3
.....	21.5	6.3	162.0	260.7	89.8	67.1	88.6	34.2	64.5	55.7	17.7	64.5	20.2	106.3	1.3
2.4	9.7	36.4	167.5	145.6	118.9	82.5	84.9	80.1	67.9	77.7	12.1	87.4	65.5	213.5	2.4
2.4	16.8	33.6	192.1	199.3	144.1	103.3	62.4	91.3	57.6	52.8	16.8	81.7	69.6	136.9	4.8
.....	19.0	45.2	147.4	173.5	159.3	78.4	42.8	85.6	76.1	64.2	4.8	78.4	57.0	152.1	4.8
2.4	9.4	37.6	150.6	195.3	112.9	84.7	25.9	68.2	65.9	58.8	4.7	72.9	58.8	171.8	4.7
.....	7.0	34.9	184.0	212.0	135.1	65.2	79.2	62.9	104.8	53.6	9.3	88.5	37.3	156.0	11.6
.....	20.8	36.9	175.3	239.8	124.5	73.8	87.6	94.6	117.6	69.2	20.8	92.2	36.9	140.7	4.6
4.6	18.4	27.6	147.4	232.6	112.9	57.6	71.4	73.7	99.0	82.9	6.9	87.5	39.2	126.7	2.3
.....	25.3	25.3	142.6	234.7	135.7	75.9	75.9	110.4	85.1	64.4	6.9	87.4	50.6	131.1	2.3
4.6	16.1	27.6	103.4	202.2	68.9	78.1	64.3	78.1	85.0	50.6	13.8	96.5	50.6	98.8	2.3
.....	27.5	36.7	179.1	236.4	75.8	57.4	48.2	66.6	82.6	48.2	6.9	89.5	64.3	126.3	.....
.....	11.0	46.7	211.8	156.8	132.0	77.0	200.8	134.8	112.8	90.8	8.3	68.8	85.3	159.5	5.5
2.7	24.4	43.4	195.5	122.2	133.0	43.4	95.0	81.4	65.2	81.4	19.0	119.5	67.9	108.6	8.1
.....	5.4	37.5	206.4	147.4	158.1	69.7	91.1	72.4	93.8	96.5	16.1	91.1	64.3	214.4	5.4
2.6	21.2	55.6	148.2	132.3	100.6	90.0	76.7	63.5	87.3	74.1	13.2	87.3	21.2	166.7	.....
.....	7.8	39.2	172.5	219.5	125.4	83.6	112.4	62.7	99.3	88.9	5.2	68.0	23.5	128.1	.....
2.6	20.7	20.7	170.4	185.9	100.7	69.7	157.5	85.2	80.0	82.6	7.7	105.8	18.1	108.4	.....
.....	12.6	32.6	213.4	200.8	145.6	55.2	140.6	70.3	72.8	100.4	10.0	82.8	22.6	118.0	.....
.....	12.3	36.8	220.7	223.2	105.5	46.6	144.7	78.5	63.8	100.5	14.7	85.8	24.5	95.6	.....
2.4	12.0	21.6	227.7	175.0	105.5	55.1	139.0	52.7	93.5	119.9	21.6	93.5	19.2	100.7	.....
2.4	16.5	18.8	195.2	183.4	110.5	70.5	115.2	70.5	91.7	101.1	21.2	98.8	16.5	122.3	2.4
.....	15.7	50.1	260.1	194.3	134.7	112.8	90.9	78.3	65.8	50.1	15.7	65.8	87.7	175.5	18.8
9.3	12.4	21.7	216.9	164.3	111.6	93.0	55.8	62.0	37.2	68.2	6.2	52.7	43.4	189.0	18.6
.....	3.1	30.7	153.3	141.0	58.2	67.4	61.3	85.8	52.1	58.2	3.1	55.2	49.0	180.9	9.2
9.1	21.2	30.3	188.0	172.9	84.9	81.9	51.6	69.8	81.9	72.8	6.1	57.6	39.4	148.6	.....
3.0	18.0	51.0	201.1	168.0	120.0	60.0	117.0	69.0	78.0	66.0	9.0	75.0	21.0	195.1	3.0
8.9	17.8	29.7	193.0	237.6	101.0	74.2	68.3	59.4	65.3	59.4	20.8	56.4	20.8	109.9	.....
.....	.....	11.8	158.9	232.5	64.7	67.7	94.2	61.8	88.3	64.7	11.8	82.4	29.4	126.5	.....
.....	5.8	14.6	157.7	245.2	108.0	84.7	96.3	49.6	78.8	46.7	5.8	70.1	17.5	163.5	2.9
.....	8.7	8.7	150.6	257.8	89.8	69.5	113.0	101.4	98.5	78.2	8.7	84.0	34.8	121.7	5.8
.....	14.3	11.5	151.8	191.9	77.3	65.9	71.6	63.0	57.3	63.0	11.5	45.8	25.8	143.2	.....
4.2	15.8	33.8	231.3	251.4	146.9	79.2	112.0	96.1	79.2	71.8	11.6	67.6	60.2	214.4	7.4
1.0	13.5	25.0	232.0	225.8	132.1	74.9	94.7	57.2	69.7	61.4	9.4	68.7	47.9	218.5	.....
2.1	23.6	20.5	207.1	244.0	136.3	81.0	74.8	63.6	68.7	65.6	10.3	73.8	74.8	203.0	4.1
1.0	17.2	42.4	195.0	287.9	118.2	75.8	96.0	73.8	73.8	63.6	11.1	80.8	44.5	182.9	4.0
1.0	14.9	22.9	225.1	350.6	106.6	89.6	67.7	75.7	91.6	58.8	12.0	73.7	22.9	160.3	.....
2.0	23.6	22.6	220.0	387.9	136.5	82.5	85.4	64.8	95.2	51.1	8.8	111.9	27.5	158.1	.....
.....	14.5	28.1	219.7	295.3	111.3	55.2	75.5	64.9	74.5	74.5	11.6	72.6	31.9	146.2	.....
1.9	22.9	22.9	220.4	410.3	125.9	72.5	85.9	58.2	91.6	63.0	10.5	72.5	35.3	151.7	2.9
.....	17.9	19.8	206.0	348.1	119.5	63.0	74.3	56.4	85.6	53.6	18.8	80.9	35.7	153.3	.....
0.9	13.0	6.5	173.5	308.9	109.5	59.4	75.1	50.1	123.4	68.6	23.2	65.9	19.5	145.6	.....
.....	.....	.....	332.6	232.9	133.1	33.3	99.8	99.8	66.5	66.5	.....	266.1	133.1	299.4	.....
.....	.....	66.9	501.5	267.5	33.4	33.4	33.4	100.3	33.4	.....	.....	33.4	133.7	200.6	.....
.....	33.6	33.6	201.6	470.4	.....	100.8	100.8	100.8	67.2	67.2	.....	134.4	67.2	403.2	.....
.....	.....	67.5	337.7	472.8	67.5	.....	33.8	135.1	33.8	33.8	33.8	67.5	67.5	304.0	.....
.....	.....	33.9	271.6	509.2	67.9	135.8	101.8	169.7	135.8	67.9	.....	169.7	33.9	237.6	.....
.....	34.1	.....	273.0	546.1	136.5	102.4	68.3	136.5	204.8	34.1	.....	136.5	.....	238.9	.....
.....	34.0	.....	374.5	442.6	306.4	204.3	34.0	204.3	136.2	.....	34.0	68.1	34.0	204.3	.....
.....	34.0	.....	135.9	407.7	135.9	373.8	203.9	34.0	271.8	.....	.....	169.9	.....	441.7	.....
.....	.....	67.8	406.9	373.0	135.6	101.7	101.7	135.6	67.8	67.8	33.9	.....	.....	135.6	.....
.....	67.7	.....	304.5	338.3	33.8	169.1	33.8	33.8	236.8	67.7	33.8	169.1	.....	203.0	.....
3.6	20.4	40.9	164.8	197.3	126.3	74.6	104.7	68.6	67.4	55.3	15.6	49.3	55.3	186.4	12.0
2.4	9.5	37.9	227.2	195.3	117.2	59.2	63.9	73.4	93.5	61.5	10.7	62.7	52.1	165.7	5.9
2.3	18.6	19.8	195.7	186.4	82.7	55.9	46.6	72.2	62.9	61.7	8.2	52.4	41.9	135.1	4.7
4.6	10.3	16.1	207.5	248.8	108.9	78.0	66.5	42.4	57.3	58.5	8.0	59.6	39.0	165.1	1.1
3.4	13.5	15.8	223.5	226.9	98.2	63.2	50.8	67.7	81.3	63.2	9.0	70.0	39.5	144.5	3.4
1.1	18.9	16.7	177.9	246.9	102.3	62.3	76.7	53.4	83.4	55.6	5.6	77.8	26.7	101.2	1.1
1.1	18.5	13.0	210.9	246.8	98.9	39.1	58.7	48.9	88.1	81.5	10.9	88.1	20.7	106.5	2.2
4.3	24.5	26.7	214.4	244.3	93.9	75.7	83.2	55.5	78.9	55.5	4.3	58.7	23.5	123.7	3.2
1.0	18.8	10.5	167.5	278.5	96.3	59.7	59.7	42.9	70.1	48.2	10.5	73.3	24.1	106.8	.....
1.0	17.5	12.3	184.0	276.5	79.2	54.5	54.5	50.4	90.5	41.1	6.2	60.7	16.4	98.7	1.0

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
MASSACHUSETTS RURAL[2]—Contd.														
Plymouth County *	1900	1,700.6	14.0	.....	.....	1.6	.....	6.2	18.7	54.4	(3)	164.8	14.0	76.2
	1901	1,634.8	19.9	.....	.....	1.5	3.1	1.5	29.1	24.5	(3)	174.7	9.2	85.8
	1902	1,522.5	10.6	.....	3.0	9.1	.....	19.6	13.6	19.6	(3)	122.3	19.6	90.6
	1903	1,511.7	14.9	.....	.....	.....	7.4	1.5	6.0	32.8	(3)	143.0	22.3	76.0
	1904	1,483.5	8.8	2.9	.....	7.3	1.5	1.5	13.2	17.6	(3)	188.0	10.3	104.3
	1905	1,603.9	18.8	7.2	.....	2.9	5.8	1.4	14.5	37.7	14.5	150.7	23.2	115.9
	1906	1,543.2	12.8	5.7	.....	4.3	.....	24.1	14.2	14.2	21.3	166.0	19.9	93.6
	1907	1,614.8	4.2	1.4	.....	5.6	5.6	8.4	8.4	33.4	12.5	137.9	13.9	114.3
	1908	1,619.6	11.0	.....	.....	6.8	.....	5.5	11.0	34.2	15.1	113.6	21.9	91.7
	1909	1,574.4	8.1	2.7	.....	4.0	.....	8.1	13.5	30.9	13.5	142.6	20.2	92.8
Suffolk County	1900	742.8	.....	.....	.....	.....	.....	.....	16.5	33.0	(3)	16.5	.....	82.6
	1901	1,055.0	.....	.....	.....	.....	32.0	.....	.....	.....	(3)	127.9	32.0	79.9
	1902	1,131.3	.....	.....	.....	15.5	.....	.....	62.0	.....	(3)	93.0	.....	139.5
	1903	1,068.3	45.1	.....	.....	.....	.....	15.0	.....	.....	(3)	105.3	15.0	120.4
	1904	979.5	29.2	.....	.....	.....	.....	.....	.....	.....	(3)	43.9	.....	87.7
	1905	1,393.2	.....	14.2	.....	.....	.....	.....	.....	14.2	28.4	56.9	.....	71.1
	1906	1,185.1	25.8	.....	.....	.....	.....	.....	25.8	.....	.....	25.8	25.8	128.8
	1907	1,192.0	11.9	.....	.....	.....	.....	.....	11.9	47.7	.....	59.6	23.8	178.8
	1908	1,120.4	22.2	.....	.....	.....	.....	11.1	11.1	22.2	.....	88.7	11.1	133.1
	1909	1,244.9	10.4	.....	.....	10.4	10.4	.....	.....	20.7	31.1	41.5	20.7	176.4
Worcester County *	1900	1,784.8	21.6	7.6	.....	13.9	9.2	13.9	20.0	42.3	(3)	133.9	15.4	72.3
	1901	1,648.7	17.0	4.6	.....	6.9	11.6	5.4	26.2	45.5	(3)	154.2	15.4	64.0
	1902	1,468.2	16.2	6.9	4.6	17.0	0.8	6.9	17.0	6.2	(3)	148.2	13.1	62.5
	1903	1,667.5	12.4	2.3	.....	13.1	7.7	13.9	24.0	29.4	(3)	143.8	12.4	52.6
	1904	1,642.1	12.4	3.9	.....	.....	6.2	11.6	12.4	26.3	(3)	163.4	24.8	77.4
	1905	1,604.2	16.3	3.1	.....	13.2	.....	14.7	14.7	39.5	17.8	146.5	20.2	79.9
	1906	1,550.7	17.7	1.5	.....	13.1	1.5	13.8	20.0	15.4	17.7	143.1	28.5	91.5
	1907	1,669.4	8.4	.....	.....	3.1	4.6	7.6	21.4	42.8	21.4	167.3	24.4	90.2
	1908	1,564.9	12.9	3.0	.....	9.1	19.7	10.6	22.8	22.8	10.6	140.4	23.5	87.3
	1909	1,577.9	6.0	.....	.....	5.3	6.0	15.1	17.3	24.1	15.8	153.8	24.9	70.9
MICHIGAN RURAL.[2]														
Alcona County	1900	931.3	17.6	.....	.....	52.7	.....	.....	.....	35.1	(3)	70.3	17.6	17.6
	1901	1,107.2	17.6	.....	.....	.....	.....	.....	.....	35.1	(3)	87.8	17.6	35.1
	1902	791.1	.....	.....	.....	.....	.....	.....	.....	.....	(3)	52.7	.....	.....
	1903	984.9	35.2	.....	.....	.....	.....	17.6	35.2	17.6	(3)	105.5	17.6	35.2
	1904	1,055.6	35.2	.....	.....	.....	17.6	17.6	.....	.....	(3)	87.9	17.6	35.2
	1905	1,055.0	.....	.....	.....	17.6	52.8	.....	.....	52.8	17.6	87.9	.....	35.2
	1906	1,265.4	.....	.....	.....	52.7	.....	.....	52.7	.....	17.6	70.3	17.6	70.3
	1907	1,071.5	.....	.....	.....	.....	.....	.....	52.7	35.1	.....	52.7	17.6	35.1
	1908	1,228.9	.....	.....	.....	.....	.....	.....	105.3	35.1	.....	35.1	35.1	35.1
	1909	1,228.3	17.5	.....	.....	.....	.....	.....	17.5	17.5	.....	122.8	17.5	.....
Alger County	1900	715.7	.....	.....	.....	.....	.....	.....	17.0	.....	(3)	68.2	17.0	.....
	1901	795.5	16.6	.....	.....	.....	.....	.....	.....	.....	(3)	82.9	16.5	16.6
	1902	1,193.4	32.2	.....	.....	32.2	16.1	.....	32.2	.....	(3)	48.4	32.2	32.2
	1903	1,272.0	.....	.....	.....	15.7	.....	172.7	15.7	.....	(3)	125.7	15.77	15.7
	1904	1,132.4	15.3	.....	.....	.....	.....	15.3	.....	.....	(3)	76.5	30.6	30.6
	1905	1,200.9	.....	.....	.....	.....	.....	.....	.....	.....	14.8	59.3	.....	.....
	1906	1,167.3	14.4	.....	.....	.....	.....	.....	.....	.....	.....	43.2	14.4	43.2
	1907	925.3	28.0	.....	.....	70.1	.....	28.0	.....	.....	.....	42.1	14.0	56.1
	1908	1,378.5	13.6	.....	.....	.....	27.3	13.6	54.6	.....	13.6	40.9	13.6	27.3
	1909	1,103.6	.....	.....	.....	13.3	.....	39.9	26.6	.....	.....	39.9	26.6	26.6
Allegan County	1900	1,164.6	12.9	10.3	.....	.....	.....	10.3	10.3	18.0	(3)	110.8	18.0	54.1
	1901	1,281.9	12.9	10.3	.....	7.7	.....	.....	.....	64.4	(3)	103.0	15.4	64.4
	1902	1,216.5	7.7	10.3	.....	2.6	.....	.....	2.6	20.6	(3)	95.1	20.6	56.6
	1903	1,187.2	18.0	7.7	.....	12.8	2.6	15.4	10.3	10.3	(3)	59.1	18.0	59.1
	1904	1,440.4	12.8	2.6	.....	7.7	7.7	2.6	2.6	48.8	(3)	84.7	12.8	92.4
	1905	1,314.3	30.7	5.1	2.6	2.6	10.2	7.7	7.7	33.2	12.8	81.8	15.3	69.0
	1906	1,411.2	20.4	2.5	.....	12.7	5.1	10.2	10.2	20.4	25.5	68.8	20.4	91.7
	1907	1,296.8	15.2	.....	.....	7.6	.....	10.2	.....	25.4	10.2	73.6	17.8	55.8
	1908	1,453.8	15.2	.....	.....	.....	5.1	25.3	5.1	27.8	2.5	50.6	7.6	88.5
	1909	1,272.0	12.6	2.5	.....	5.0	2.5	5.0	5.0	5.0	10.1	70.5	5.0	52.9
Alpena County	1900	1,566.8	49.3	5.5	.....	16.4	5.5	5.5	60.3	11.0	(3)	87.6	5.5	38.3
	1901	1,127.4	5.4	.....	.....	.....	5.4	.....	21.5	5.4	(3)	85.9	10.7	37.6
	1902	894.7	5.3	.....	5.3	.....	5.3	.....	52.6	10.5	(3)	52.6	10.5	42.1
	1903	1,192.3	31.0	5.2	.....	.....	5.2	51.6	15.5	15.5	(3)	82.6	5.2	20.6
	1904	1,362.2	10.1	5.1	.....	5.1	116.5	30.4	106.3	30.4	(3)	65.8	15.2	60.8
	1905	1,132.0	20.2	.....	10.1	.....	15.2	.....	.....	15.2	20.2	60.6	5.1	60.6
	1906	792.7	13.7	.....	.....	13.7	.....	54.7	.....	.....	13.7	54.7	13.7	27.3
	1907	903.9	.....	.....	.....	13.7	.....	.....	13.7	27.4	.....	41.1	13.7	.....
	1908	1,166.5	13.7	.....	.....	.....	13.7	.....	13.7	13.7	.....	82.3	13.7	68.6
	1909	1,072.6	41.3	.....	.....	13.8	.....	.....	.....	.....	.....	68.8	13.8	82.5
Antrim County	1900	1,671.9	60.1	6.0	.....	42.3	42.3	24.1	6.0	24.1	(3)	84.5	24.1	48.3
	1901	1,279.1	30.6	6.1	.....	.....	12.2	6.1	24.5	61.2	(3)	61.2	12.2	42.9
	1902	1,042.7	49.7	6.2	6.2	.....	12.4	6.2	12.4	12.4	(3)	49.7	.....	12.4
	1903	1,158.4	50.4	.....	.....	18.9	.....	12.6	.....	25.2	(3)	62.9	6.3	31.5
	1904	1,469.2	31.9	.....	.....	12.8	19.2	19.2	19.2	31.9	(3)	57.5	12.8	44.7
	1905	1,570.8	38.3	.....	.....	.....	.....	.....	12.8	51.1	12.8	83.0	25.5	51.1
	1906	1,346.8	51.1	6.4	.....	6.4	.....	6.4	19.1	31.9	31.9	89.4	12.8	63.8
	1907	1,390.9	12.8	6.4	.....	19.1	.....	25.5	63.8	51.0	12.8	82.9	57.4	44.7
	1908	1,415.9	25.5	12.8	.....	.....	.....	12.8	6.4	44.6	6.4	44.6	25.5	38.3
	1909	1,434.4	25.5	.....	.....	31.9	19.1	6.4	12.8	19.1	6.4	70.1	6.4	51.0

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
3.1	12.4	32.6	209.8	213.0	139.9	69.9	110.4	76.2	90.2	59.1	12.4	63.7	60.6	181.9	15.5
.....	9.2	32.2	182.3	229.8	154.7	79.7	59.8	93.5	81.2	49.0	10.7	61.3	52.1	173.1	16.9
1.5	18.1	9.1	199.4	246.2	90.6	77.0	77.0	66.5	61.9	43.8	7.6	61.9	52.9	181.3	19.6
3.0	10.4	16.4	190.6	284.5	98.3	62.6	52.1	89.4	70.0	37.2	8.9	73.0	41.7	162.3	7.4
4.4	13.2	11.8	170.4	237.9	82.3	66.1	58.8	58.8	80.8	42.6	14.7	57.3	36.7	192.4	.....
2.9	14.5	17.4	175.3	268.0	88.4	72.4	82.6	69.5	91.3	44.9	14.5	79.7	39.1	149.2	1.4
.....	24.1	15.6	178.7	296.4	72.3	51.1	80.8	69.5	80.8	39.7	9.9	63.8	32.6	150.3	1.4
1.4	22.3	26.5	206.2	295.4	111.5	87.8	83.6	57.1	87.8	32.0	12.5	62.7	22.3	154.7	5.6
.....	17.8	21.9	231.4	364.2	93.1	71.2	69.8	46.5	89.0	68.5	19.2	72.6	34.2	106.8	2.7
4.0	29.6	20.2	209.9	317.6	99.6	79.4	64.6	51.1	90.2	33.6	13.5	75.4	25.6	123.8	.....
.....	.....	.....	82.6	99.0	82.6	33.0	66.0	33.0	49.5	33.0	.....	.....	33.0	66.0	16.5
.....	.....	16.0	159.8	127.9	95.9	16.0	32.0	32.0	48.0	32.0	16.0	63.9	48.0	95.9	.....
.....	.....	.....	170.5	155.0	139.5	46.5	31.0	15.5	31.0	.....	15.5	31.0	31.0	155.0	.....
.....	15.0	.....	120.4	180.6	15.0	60.2	30.1	30.1	90.3	45.1	.....	30.1	45.1	105.3	.....
.....	14.6	14.6	117.0	219.3	58.5	29.2	58.5	.....	102.3	58.5	29.2	73.1	.....	43.9	.....
.....	14.2	28.4	227.5	213.2	184.8	14.2	99.5	99.5	99.5	28.4	.....	56.9	28.4	113.7	.....
.....	38.6	12.9	128.8	219.0	103.1	38.6	38.6	51.5	128.8	25.8	.....	51.5	25.8	90.2	.....
.....	59.6	11.9	178.8	190.7	83.4	11.9	59.6	35.8	47.7	35.8	11.9	23.8	.....	107.3	.....
.....	22.2	11.1	188.6	133.1	55.5	22.2	44.4	55.5	44.4	22.2	11.1	99.8	11.1	99.8	.....
.....	31.1	10.4	176.4	186.7	93.4	51.9	51.9	41.5	62.2	51.9	31.1	51.9	.....	83.0	.....
.....	7.7	35.4	186.3	167.8	145.5	80.0	181.7	77.7	84.7	85.4	13.1	82.4	60.8	217.0	9.2
3.9	12.3	34.7	204.3	190.4	142.6	74.8	77.1	70.9	67.8	66.3	12.3	74.8	59.3	203.5	3.1
2.3	14.7	34.0	217.7	159.8	111.2	71.8	71.8	49.4	71.0	58.7	13.9	56.3	51.7	179.9	4.6
2.3	13.1	37.9	200.2	219.5	138.4	58.8	92.0	66.5	73.4	77.3	17.8	89.7	48.7	216.5	3.9
1.5	24.0	37.2	220.6	209.8	112.3	72.0	84.4	70.5	96.0	73.5	11.6	75.1	27.1	185.1	3.1
2.3	11.6	44.2	198.5	220.2	110.1	70.6	112.4	58.2	67.5	51.9	14.0	80.6	33.3	161.3	1.6
.....	20.8	23.8	180.8	232.3	92.3	69.2	115.4	66.9	85.4	56.2	8.5	70.8	28.5	133.8	2.3
1.5	16.8	25.2	217.0	252.1	105.4	77.2	96.3	60.4	101.6	61.9	6.9	84.0	29.8	139.8	2.3
2.3	12.9	22.0	191.3	245.1	94.1	75.9	91.1	55.4	73.6	69.8	12.1	86.5	31.9	137.4	0.8
3.0	13.8	14.3	187.0	240.5	122.1	70.9	102.5	46.0	85.9	85.9	11.3	83.7	18.1	147.8	0.8
.....	.....	.....	123.0	70.3	140.6	.....	87.8	35.1	35.1	17.6	.....	123.0	52.7	17.6	17.6
.....	.....	.....	105.5	175.8	175.8	70.3	17.6	35.1	52.7	52.7	.....	17.6	70.3	105.5	35.1
.....	17.6	.....	70.3	35.2	87.9	.....	17.6	17.6	35.2	52.7	.....	87.9	35.2	193.3	87.9
.....	17.6	17.6	70.4	35.2	105.5	52.7	17.6	35.2	52.7	52.7	.....	70.4	17.6	123.1	52.7
.....	.....	.....	105.5	70.4	52.8	35.2	35.2	70.4	70.4	35.2	.....	123.1	35.2	175.9	35.2
.....	35.2	17.6	52.8	140.7	70.3	.....	70.3	140.7	.....	35.2	.....	35.2	35.2	87.9	70.3
.....	.....	.....	105.4	158.2	105.4	17.6	158.2	105.4	17.6	70.3	.....	70.3	70.3	87.9	17.6
.....	17.6	.....	70.3	105.4	52.7	87.8	52.7	105.4	35.1	52.7	.....	52.7	175.7	52.7	17.6
.....	17.6	.....	122.9	35.1	70.2	.....	210.7	70.2	52.7	52.7	.....	17.6	70.2	245.8	17.6
.....	.....	.....	105.3	122.8	17.5	70.2	193.0	52.6	70.2	52.6	.....	87.7	17.5	193.0	52.6
.....	.....	51.1	51.1	17.0	51.1	.....	102.3	51.1	.....	34.1	.....	68.2	.....	34.1	153.4
.....	.....	.....	16.6	33.1	33.1	82.9	99.4	49.7	16.6	82.9	.....	33.1	66.3	99.4	49.7
.....	16.1	16.1	96.8	80.7	112.9	96.8	80.7	80.7	.....	64.5	.....	209.7	.....	16.1	96.8
.....	.....	15.7	109.9	31.4	62.8	109.9	141.4	15.7	31.4	78.5	.....	125.7	15.7	109.9	62.8
.....	.....	30.6	45.9	137.7	76.5	122.5	91.8	45.9	15.3	61.2	15.3	122.5	30.6	153.0	15.3
.....	.....	29.7	118.6	148.3	74.1	74.1	163.1	74.1	74.1	89.0	14.8	177.9	14.8	74.1	.....
.....	28.8	28.8	43.2	43.2	14.4	43.2	317.0	28.8	14.4	144.1	14.4	158.5	28.8	129.7	14.4
.....	.....	.....	42.1	42.1	112.2	42.1	98.1	70.1	42.1	84.1	28.0	42.1	42.1	42.1	.....
.....	13.6	13.6	13.6	68.2	68.2	95.5	436.7	54.6	40.9	81.9	13.6	136.5	109.2	27.3	.....
.....	.....	.....	26.6	93.1	13.3	146.3	93.1	39.9	26.6	133.0	13.3	93.1	66.5	186.1	.....
.....	2.6	12.9	144.3	136.6	46.4	64.4	51.5	92.8	30.9	20.6	15.5	64.4	56.7	159.7	20.6
.....	5.1	5.1	141.6	180.2	90.1	77.2	46.3	90.1	36.0	41.2	20.6	72.1	43.8	154.4	.....
.....	15.4	18.0	200.6	151.7	48.8	90.0	23.1	100.3	66.9	25.7	5.1	38.6	23.1	185.4	7.7
.....	15.4	7.7	156.8	154.2	43.7	74.5	48.8	110.5	54.0	25.7	12.8	79.7	23.1	159.3	7.7
.....	25.7	20.5	133.5	254.2	79.6	74.5	87.3	123.2	59.1	20.5	10.3	74.5	10.3	179.7	12.8
2.6	17.9	10.2	143.2	168.8	48.6	86.9	76.7	99.7	81.8	33.2	15.3	84.4	28.1	125.3	12.8
.....	28.0	20.4	152.8	249.6	17.8	94.3	76.4	94.3	45.9	66.2	5.1	81.5	22.9	165.6	2.5
.....	2.5	17.8	185.3	223.3	40.6	71.1	58.4	106.6	71.1	35.5	2.5	81.2	30.5	152.3	2.5
2.5	12.6	12.6	207.3	242.7	58.2	45.5	103.7	121.4	78.4	55.6	10.1	73.3	32.9	164.3	5.1
7.6	20.2	5.0	168.8	186.4	75.6	47.9	85.6	95.7	68.0	70.5	17.6	65.5	20.2	161.2	.....
.....	11.0	32.9	120.5	115.0	60.3	147.9	246.6	76.6	16.4	76.7	.....	109.6	38.3	153.4	76.7
.....	16.1	10.7	102.0	96.6	69.8	112.7	91.3	91.3	26.8	59.1	.....	64.4	37.6	128.8	48.3
5.3	.....	10.5	63.1	52.6	47.4	68.5	57.9	63.1	15.8	89.5	.....	63.1	26.3	100.0	47.4
.....	10.3	.....	113.6	87.7	98.1	118.7	77.4	77.4	56.8	61.9	10.3	92.9	41.3	92.9	20.6
.....	10.1	.....	91.1	76.0	45.6	121.5	60.8	76.0	40.5	65.8	10.1	101.3	30.4	151.9	35.4
.....	.....	5.1	171.8	85.9	55.6	40.4	131.4	96.0	15.2	70.7	5.1	55.6	50.5	126.3	15.2
.....	.....	.....	41.0	68.3	68.3	54.7	109.3	27.3	.....	27.3	.....	41.0	41.0	123.0	.....
.....	13.7	13.7	95.9	123.3	123.3	54.8	13.7	54.8	27.4	68.5	.....	41.1	54.8	95.9	13.7
.....	13.7	13.7	54.9	137.2	109.8	68.6	27.4	109.8	27.4	82.3	13.7	82.3	27.4	151.0	27.4
.....	.....	.....	68.8	96.3	55.0	13.8	123.8	82.5	68.8	27.5	.....	96.3	41.3	165.0	13.8
.....	6.0	60.4	120.7	84.5	114.7	169.0	235.4	72.4	30.2	54.3	6.0	108.7	30.2	175.0	42.3
.....	6.1	12.2	122.4	116.3	128.5	91.8	73.4	49.0	24.5	24.5	.....	140.8	30.6	183.6	18.4
.....	.....	24.8	86.9	86.9	68.3	80.7	86.9	55.9	18.6	18.6	6.2	43.4	24.8	235.9	37.2
.....	6.3	31.5	75.5	107.0	56.6	37.8	144.8	81.8	25.2	37.8	6.3	107.0	25.2	195.2	12.6
.....	6.4	25.5	108.6	153.3	102.2	140.5	127.8	121.4	25.5	38.3	12.8	70.3	31.9	223.6	31.9
6.4	6.4	95.8	83.0	166.0	57.5	108.5	185.2	83.0	44.7	83.0	12.8	153.2	38.3	153.2	19.2
.....	12.8	25.5	127.7	102.1	31.9	121.3	166.0	76.6	19.1	70.2	6.4	121.3	31.9	102.1	12.8
.....	6.4	6.4	127.6	216.9	70.2	108.5	51.0	38.3	38.3	25.5	12.8	95.7	38.3	172.3	6.4
.....	6.4	38.3	114.8	197.7	25.5	82.9	159.4	114.8	63.8	82.9	19.1	89.3	25.5	178.6	.....
.....	6.4	12.8	133.9	216.8	57.4	95.6	127.5	95.6	63.8	108.4	.....	89.3	19.1	153.0	6.4

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes[1].	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
MICHIGAN RURAL[2]—Continued.														
Arenac County	1900	1,232.1	10.2			30.5	10.2		20.4		(3)	50.9		20.4
	1901	1,210.8		10.1			60.6	10.1	60.6	50.4	(3)	20.2	10:1	50.4
	1902	789.9		10.0	10.0						(3)	60.0		20.0
	1903	881.7	9.9				9.9	29.7	9.9		(3)	49.5	9.9	39.6
	1904	1,207.8	9.8	9.8		9.8	9.8	9.8	39.3	19.6	(3)	88.4	19.6	49.1
	1905	942.0			9.9				9.9		9.9	29.7	9.9	29.7
	1906	1,180.8						10.0			10.0	70.0		100.1
	1907	1,000.0	10.1						50.5	20.2	10.1	30.3	10.1	40.4
	1908	1,254.2	10.2					20.4	61.2		10.2	51.0		30.6
	1909	1,101.5	10.3	10.3			20 6		10.3		10.3	82.4		30.9
Baraga County	1900	879.6									(3)	46.3		23.1
	1901	1,328.6				221.5			22.1		(3)	155.0		
	1902	848.9						63.7			(3)	84.9	21.2	21.2
	1903	1,100.2	20.4					20.4	20.4		(3)	101.8	20.4	20.4
	1904	862.1									(3)	137.2	19.6	19.6
	1905	1,492.8	18.9					18.9		18.9		170.1		
	1906	1,646.5						18.3	18.3	54.9	18.3	256.1		54.9
	1907	1,205.7				17.7		17.7	17.7			35.5		53.2
	1908	1,255.6							17.2		17.2	137.6	17.2	
	1909	1,269.2						16.7	33.4		16.7	100.2	33.4	
Barry County	1900	1,234.8	17.8	4.4		4.4		4.4	4.4	17.8	(3)	66.6	13.3	75.5
	1901	1,196.8	26.8			4.5	8.9	4.5	4.5	67.0	(3)	49.1		84.8
	1902	1,198.9	13.5			18.0		4.5		18.0	(3)	85.3	9.0	112.2
	1903	1,173.9	13.5	4.5			4.5	13.5	9.0	18.1	(3)	72.3	13.5	67.7
	1904	1,398.4	9.1			9.1		22.7	4.5	68.1	(3)	77.2	4.5	95.3
	1905	1,219.7	4.5	9.0				4.5	4.5	31.6	13.6	81.3	13.6	58.7
	1906	1,385.0	18.0			22.5	4.5	13.5	4.5	18.0	9.0	58.5	13.5	63.0
	1907	1,311.4	13.4							71.6	17.9	94.0	4.5	85.0
	1908	1,162.8	17.8	4.5					4.5	17.8	17.8	40.1	17.8	98.0
	1909	1,210.6						4.4		31.0		57.6	4.4	106.4
Bay County	1900	1,234.3	37.0			18.5	32.4	23.1	41.6		(3)	64.7	13.9	50.9
	1901	1,213.3	9.1		4.6		36.5	4.6	27.4	68.4	(3)	91.2	27.4	36.5
	1902	954.2	18.0		4.5		9.0		9.0		(3)	90.1	4.5	54.0
	1903	1,035.0	8.9	4.4		26.7		8.9	44.4	4.4	(3)	62.2	13.3	57.7
	1904	1,047.9	13.1	4.4	8.8	8.8		8.8	13.1	17.5	(3)	109.6	4.4	48.2
	1905	1,106.9	17.5			17.5	4.4	17.5	13.1	26.3	8.8	83.1	8.8	35.0
	1906	1,100.3	21.8			4.4		17.5	26.2		13.1	52.4	4.4	30.6
	1907	1,228.9	17.4			43.6		4.4	34.9	17.4	8.7	122.0		39.2
	1908	978.6	30.4	4.3				8.7	8.7	4.3	17.4	69.6	4.3	34.8
	1909	1,028.7	13.0				13.0	4.3	8.7	4.3	4.3	78.1	8.7	34.7
Benzie County	1900	1,290.7	20.7			20.7					(3)	62.0	41.3	31.0
	1901	1,375.4	10.0				50.2			20.1	(3)	150.6	10.0	30.1
	1902	1,055.0				9.8	9.8	9.8		9.8	(3)	97.7	19.5	29.3
	1903	1,350.7	47.6				19.0	19.0	28.5	9.5	(3)	142.7	19.0	28.5
	1904	1,297.5	9.2						37.1		(3)	83.4	27.8	64.9
	1905	1,245.0	27.9							18.6	9.3	102.2	18.6	65.0
	1906	1,331.8	27.9			9.3	9.3	27.9	9.3	9.3		130.4	18.6	102.4
	1907	1,213.7	28.0					28.0		9.3	9.3	121.4	9.3	28.0
	1908	1,403.8	46.8			56.2		9.4		18.7	9.4	65.5		46.8
	1909	1,266.5	28.1			9.4	9.4		9.4	9.4	9.4	122.0	28.1	9.4
Berrien County	1900	1,230.6	30.5	10.2		12.2	16.3	12.2	24.4	20.3	(3)	57.0	26.4	59.0
	1901	1,359.1	8.1	10.2		2.0	10.2	16.3	14.2	52.8	(3)	89.4	12.2	67.1
	1902	1,120.2	20.3			8.1	4.1	14.2		12.2	(3)	85.2	10.1	52.8
	1903	1,218.2	22.3	6.1		12.1	2.0	2.0	20.3	26.4	(3)	60.8	20.3	70.9
	1904	1,283.7	10.1	6.1		2.0	2.0	2.0	10.1	30.4	(3)	95.2	16.2	70.9
	1905	1,239.8	19.9	2.0		2.0		4.0	6.0	12.0	15.9	65.8	25.9	55.8
	1906	1,332.3	37.3	5.9		9.8	3.9	11.8	9.8	27.5	11.8	94.3	5.9	70.7
	1907	1,385.4	15.5			19.4	1.9	11.6	9.7	19.4	7.8	91.1	9.7	79.4
	1908	1,421.7	21.0	5.7		1.9	1.9	17.2	3.8	24.8	9.6	86.0	24.8	68.8
	1909	1,283.7	22.6				33.9	3.8	5.7	13.2	5.7	88.6	11.3	82.9
Branch County	1900	1,474.2	25.2	3.6		10.8	10.8	3.6	3.6	35.9	(3)	89.9	25.2	93.5
	1901	1,394.8	25.5		3.6	3.6		7.3	14.6	94.7	(3)	76.5	32.8	91.0
	1902	1,398.3	22.1			14.8		18.4	7.4	48.0	(3)	62.7	3.7	73.8
	1903	1,371.9	7.5	11.2	3.7	7.5		7.5	37.4	37.4	(3)	78.5	18.7	82.2
	1904	1,447.1	11.4	3.8		3.8					60.6	(3)	83.4	11.4	53.0
	1905	1,329.4	7.6				11.4	3.8			34.3	22.9	64.8	15.2	49.5
	1906	1,512.4	15.3	3.8		11.5	3.8		3.8		30.6	23.0	80.4	11.5	88.1
	1907	1,289.3		3.8		3.8	3.8		7.7		88.5	7.7	69.3	7.7	92.4
	1908	1,539.8	15.5			3.9		7.7			65.8	7.7	65.8	23.2	154.8
	1909	1,505.1	19.4			15.6	3.9	11.7	3.9		89.5	19.4	58.3	3.9	89.5
Calhoun County	1900	1,320.2	19.5	6.5		9.7		6.5	35.8	9.7	(3)	81.3	9.7	91.1
	1901	1,391.8	35.8	6.5			3.3	3.3	3.3	58.5	(3)	58.5	6.5	120.3
	1902	1,372.2	6.5			13.0	6.5	6.5	16.3	6.5	(3)	81.3	6.5	71.5
	1903	1,271.5	3.3	3.3			3.3	6.5	22.8	42.3	(3)	48.8	9.7	52.0
	1904	1,385.4	9.7		3.3	3.3	3.3	6.5	16.3	26.0	(3)	97.6		87.8
	1905	1,373.7	9.7	3.2				3.2		32.4	16.2	90.7	6.5	103.7
	1906	1,265.7	16.1			3.2		9.7	3.2	3.2	6.5	80.7	6.5	61.3
	1907	1,506.0	22.5	3.2		16.1		9.7	3.2	38.6	16.1	74.0	12.9	93.3
	1908	1,286.0	3.2					9.6		28.9	12.8	38.5	16.0	93.0
	1909	1,339.2	9.6				3.2		3.2	38.4	16.0	60.7	22.4	95.9

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	10.2	112.0	81.5	213.8	71.3	224.0	101.8	10.2	30.5	.....	81.5	10.2	101.8	40.7
.....	.....	.....	90.8	70.6	90.8	111.0	100.9	111.0	10.1	80.7	20.2	80.7	10.1	111.0	50.4
.....	.....	10.0	70.0	80.0	139.9	50.0	60.0	40.0	10.0	30.0	.....	70.0	30.0	70.0	30.0
.....	.....	.....	89.2	99.1	59.5	29.7	79.3	39.6	59.5	29.7	.....	49.5	29.7	118.9	39.6
.....	.....	.....	117.8	98.2	88.4	78.6	58.9	108.0	58.9	68.8	.....	39.3	.....	147.3	78.6
9.9	9.9	9.9	69.4	128.9	79.3	89.2	99.2	79.3	9.9	89.2	.....	69.4	29.7	69.4	.....
.....	.....	10.0	80.1	130.1	80.1	40.0	120.1	80.0	40.0	50.0	.....	70.0	40.0	210.1	40.0
.....	30.3	30.3	50.5	121.2	101.0	10.1	90.9	40.4	50.5	50.5	.....	80.8	20.2	111.1	40.4
.....	.....	.....	81.6	183.5	71.4	40.8	112.2	91.8	40.8	112.2	30.6	112.2	40.8	142.8	10.2
.....	.....	20.6	113.2	164.7	92.6	123.5	41.2	102.9	61.8	10.3	.....	30.9	.....	154.4	10.3
.....	.....	23.1	115.8	46.3	23.1	92.6	208.5	23.1	23.1	23.1	.....	115.8	46.3	46.3	23.1
.....	.....	22.1	66.4	.....	132.9	66.4	88.6	66.4	44.3	.....	.....	177.2	88.6	66.4	110.7
.....	.....	21.2	84.9	21.2	42.4	42.4	63.7	42.4	.....	42.4	.....	106.2	21.2	148.7	21.2
.....	20.4	20.4	40.7	61.1	61.1	40.7	142.6	20.4	20.4	61.1	20.4	81.5	20.4	244.5	40.7
.....	.....	.....	97.9	97.9	78.4	19.6	.....	19.6	.....	39.2	19.6	137.1	.....	117.6	58.8
.....	.....	.....	226.8	94.5	132.3	75.6	113.4	56.7	18.9	56.7	.....	207.9	18.9	132.3	132.3
.....	.....	.....	219.5	91.5	18.3	54.9	54.9	54.9	146.4	.....	.....	182.9	18.3	237.8	146.4
.....	.....	.....	106.4	70.9	70.9	53.2	88.7	106.4	35.5	17.7	17.7	159.6	17.7	141.8	177.3
.....	17.2	.....	120.4	17.2	51.6	34.4	326.8	51.6	51.6	17.2	17.2	120.4	103.2	103.2	34.4
.....	.....	16.7	100.2	83.5	66.8	50.1	167.0	50.1	16.7	66.8	.....	183.7	16.7	250.5	.....
.....	57.7	8.9	191.0	199.9	62.2	17.8	71.1	115.5	48.9	22.2	8.9	17.8	40.0	164.3	.....
.....	17.9	4.5	169.7	201.0	71.5	49.1	49.1	75.9	44.6	26.8	8.9	44.6	22.3	156.3	4.5
.....	18.0	13.5	161.6	202.0	71.8	53.9	62.9	58.4	71.8	22.4	13.5	44.9	18.0	125.7	.....
.....	31.6	18.1	158.1	207.7	63.2	54.2	45.2	90.3	40.6	18.1	4.5	63.2	13.5	144.5	4.5
.....	31.8	13.6	172.5	245.2	72.7	54.5	63.6	95.3	59.0	18.2	18.2	81.7	22.7	158.9	.....
4.5	22.6	18.1	180.7	243.9	40.7	63.2	58.7	72.3	54.2	27.1	13.6	85.8	.....	112.9	.....
.....	18.0	9.0	220.3	215.8	80.9	58.5	85.4	94.4	94.4	27.0	13.5	76.4	18.0	130.4	18.0
.....	17.9	13.4	170.1	219.3	111.9	44.8	35.8	39.5	31.3	40.3	26.9	76.1	9.0	138.8	.....
.....	26.7	8.9	151.5	253.9	13.4	44.6	57.9	111.4	57.9	8.9	13.4	80.2	4.5	111.4	.....
.....	26.6	.....	172.9	208.4	44.3	53.2	66.5	93.1	48.8	39.9	26.6	53.2	13.3	159.6	.....
.....	.....	18.5	83.2	60.1	69.3	46.2	217.3	46.2	64.7	64.7	.....	92.5	27.7	152.6	9.2
.....	4.6	13.7	73.0	104.9	100.3	59.3	136.8	73.0	36.5	27.4	9.1	68.4	45.6	123.1	31.9
9.0	.....	18.0	72.0	49.5	81.0	36.0	67.5	58.5	40.5	54.0	9.0	72.0	45.0	130.6	22.5
.....	8.9	8.9	80.0	111.1	66.6	48.9	97.7	31.1	35.5	22.2	.....	80.0	48.9	142.1	22.2
.....	4.4	13.1	122.8	109.6	48.2	65.8	70.2	57.0	35.1	61.4	4.4	70.2	30.7	105.2	13.1
.....	.....	26.3	105.0	87.5	43.8	43.8	126.9	74.4	39.4	70.0	21.9	78.8	26.3	122.5	8.8
.....	4.4	13.1	139.7	117.9	30.6	52.4	109.2	61.1	26.2	83.0	13.1	83.0	48.0	139.7	8.7
.....	8.7	26.1	143.8	122.0	74.1	100.2	108.9	87.2	13.1	47.9	4.4	52.3	30.5	117.7	4.4
.....	8.7	30.4	91.3	113.1	60.9	47.8	65.2	56.5	34.8	43.5	.....	69.6	30.4	143.5	.....
4.3	4.3	17.4	86.8	82.5	60.8	47.7	82.5	86.8	47.7	82.5	.....	69.5	47.7	138.9	.....
.....	.....	.....	103.3	134.2	82.6	41.3	289.1	51.6	51.6	10.3	10.3	82.6	31.0	175.5	51.6
.....	.....	10.0	140.6	80.3	160.7	100.4	210.9	60.2	30.1	50.2	.....	50.2	40.2	160.6	10.0
.....	19.5	19.5	39.1	78.1	97.7	87.9	58.6	48.8	58.6	48.8	9.8	166.1	29.3	97.7	9.8
.....	9.5	.....	85.6	171.2	66.6	47.6	104.7	114.2	47.6	66.6	38.0	85.6	38.0	161.7	.....
.....	9.2	9.2	83.4	213.2	83.4	55.6	139.1	83.4	37.1	92.7	.....	102.0	37.1	120.5	9.2
.....	18.6	18.6	102.2	120.8	74.3	83.6	148.7	46.5	46.5	46.5	9.3	130.1	37.2	120.8	.....
.....	27.9	.....	83.8	102.4	93.1	37.3	167.6	65.2	55.9	55.9	.....	65.2	18.6	195.6	18.6
.....	.....	28.0	56.0	130.7	121.4	84.0	102.7	93.4	37.3	65.4	18.7	65.4	28.0	130.7	18.7
.....	9.4	18.7	149.7	159.1	74.9	28.1	112.3	102.9	56.2	168.5	.....	84.2	28.1	159.1	.....
9.4	9.4	9.4	84.4	159.5	46.9	37.5	103.2	131.3	65.7	46.9	.....	84.4	18.8	225.2	.....
.....	12.2	12.2	152.6	154.6	54.9	50.8	65.1	105.8	50.8	40.7	10.2	69.2	32.5	140.3	10.2
2.0	16.3	16.3	201.1	188.9	58.9	52.8	79.2	95.5	50.6	36.6	8.1	75.2	36.6	148.3	10.2
.....	8.1	14.2	148.2	150.1	52.8	54.8	50.7	71.0	54.8	54.8	8.1	87.3	26.4	125.8	6.1
2.0	12.1	12.1	162.2	152.0	66.9	73.0	83.1	95.3	50.7	40.5	14.2	87.2	22.3	95.3	6.1
.....	8.1	10.1	170.1	180.2	54.7	46.6	56.7	74.9	64.8	52.7	10.1	125.5	12.1	149.8	22.3
2.0	17.9	14.0	153.5	165.4	45.8	61.8	59.8	87.7	81.7	57.8	17.9	97.7	37.9	127.6	2.0
2.0	11.8	3.9	169.0	182.7	41.3	68.8	78.6	78.6	47.2	70.7	2.0	110.0	37.3	135.6	3.9
5.8	13.6	7.8	166.6	236.4	52.3	63.9	62.0	116.3	63.9	77.5	13.6	75.6	32.9	125.9	5.8
.....	13.4	7.6	158.6	244.6	28.7	44.0	133.8	99.4	89.8	42.0	5.7	122.3	30.6	133.8	1.9
3.8	15.1	5.7	139.5	205.5	35.8	49.0	73.5	109.3	71.6	56.5	13.2	84.8	20.7	130.1	1.9
7.2	14.4	7.2	212.2	143.8	64.7	64.7	104.3	71.9	35.9	39.5	10.8	68.3	53.9	258.9	14.4
.....	14.6	18.2	222.2	214.9	47.3	36.4	61.9	98.3	54.6	43.7	7.3	58.3	7.3	160.2	.....
.....	18.4	7.4	225.0	250.9	70.1	62.7	48.0	99.6	55.3	29.5	7.4	84.9	7.4	173.4	7.4
.....	7.5	14.9	127.1	276.6	44.9	59.8	67.3	89.7	44.9	18.7	3.7	74.8	29.9	216.8	3.7
3.8	15.2	15.2	189.4	299.3	79.5	56.8	56.8	79.5	49.2	45.4	15.2	49.2	37.9	212.1	15.2
3.8	30.5	15.2	190.5	224.7	57.1	53.3	64.8	83.8	53.3	57.1	7.6	64.8	53.3	156.2	3.8
.....	30.6	7.7	191.4	279.5	53.6	49.8	76.6	122.5	65.1	38.3	15.3	88.1	19.1	199.1	3.8
.....	19.2	11.5	188.6	277.1	46.2	46.2	42.3	73.1	34.6	42.3	11.5	42.3	26.9	138.6	3.8
.....	15.5	7.7	205.1	270.8	34.8	69.6	38.7	131.5	50.3	42.6	31.0	96.7	11.6	189.6	.....
.....	23.3	3.9	213.9	326.7	38.9	77.8	42.8	77.8	46.7	58.3	.....	54.4	19.4	202.2	3.9
6.5	26.0	9.7	188.6	162.6	74.8	45.5	35.8	133.4	48.8	35.8	19.5	32.5	68.3	162.6	.....
.....	9.8	19.5	169.1	208.1	107.3	78.0	35.8	100.8	35.8	45.5	13.0	81.3	16.2	165.8	9.8
.....	13.0	9.8	204.9	263.4	87.8	55.3	58.5	94.3	65.0	45.5	6.5	58.5	42.3	149.6	3.2
.....	22.8	19.5	169.1	204.9	71.5	65.0	58.5	68.3	78.0	29.3	19.5	113.8	16.2	136.6	6.5
3.3	19.5	19.5	162.6	276.4	61.8	78.0	32.5	100.8	68.3	26.0	13.0	113.8	19.5	136.6	.....
3.2	6.5	9.	223.6	252.7	55.1	71.3	58.3	87.5	71.3	32.4	16.2	68.0	51.8	100.4	.....
3.2	6.5	6.5	180.8	277.7	67.8	45.2	32.3	106.6	61.3	42.0	12.9	61.3	25.8	142.1	3.2
.....	9.7	16.1	193.1	315.4	96.5	64.4	45.1	57.9	64.4	48.3	9.7	90.1	67.6	135.2	3.2
.....	12.8	6.4	147.5	269.4	60.9	38.5	57.7	96.2	80.2	51.3	9.6	83.4	48.1	121.9	.....
.....	6.4	6.4	185.4	265.3	38.4	67.1	41.6	79.5	70.3	38.4	9.6	99.1	19.2	153.4	.....

* Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
MICHIGAN RURAL[2]—Continued.														
Cass County	1900	1,437.1	33.5	4.8	.....	47.9	.....	9 6	23.9	9.6	(3)	76.6	19.2	86.2
	1901	1,311.4	29 0	9.7	.....	.....	.....	4.8	9.7	58.1	(3)	96.8	9.7	48.4
	1902	1,403.1	29.3	4.9	.....	4.9	4.9	14.7	4.9	14.7	(3)	102.7	14.7	97.8
	1903	1,338.8	24.7	.....	.....	.....	14.8	5.0	24.7	19.8	(3)	74.1	14.8	79.0
	1904	1,402.9	30.0	.....	.....	15.0	5.0	.....	15.0	25.0	(3)	99.8	15.0	104.8
	1905	1,440.0	9.9	5.0	.....	.....	.....	.....	9.9	39.7	5.0	89.4	14.9	84.4
	1906	1,422.9	9.9	.....	.....	.....	.....	14.8	9.9	.....	19.8	118.6	4.9	98.8
	1907	1,366.7	9.8	.....	.....	4.9	.....	4.9	4.9	9.8	.....	73.7	19.7	93.4
	1908	1,448.0	24.5	.....	.....	.....	.....	4.9	4.9	9.8	24.5	92.9	4.9	97.8
	1909	1,421.4	14.6	.....	4.9	4.9	4.9	4.9	14.6	14.6	4.9	82.8	14.6	63.3
Charlevoix County	1900	1,447.4	64.5	21.5	.....	7.2	7.2	14.3	.....	28.7	(3)	78.9	7.2	50.1
	1901	1,217.7	61.9	6.9	.....	.....	13.8	20.6	27.5	34.4	(3)	82.5	6.9	55.0
	1902	1,071.7	6.6	.....	.....	.....	6.6	6.6	26.5	13.2	(3)	105.9	.....	72.8
	1903	1,306.0	38.2	.....	.....	6.4	.....	12.7	19.1	.....	(3)	114.7	19.1	38.2
	1904	1,333.1	24.6	.....	.....	6.1	.....	.....	.....	18.4	(3)	116.8	12.3	67.6
	1905	1,386.2	11.9	.....	.....	5.9	.....	11.9	5.9	5.9	11.9	65.4	23.8	41.6
	1906	1,248.7	23.1	.....	.....	.....	.....	11.6	11.6	.....	34.7	92.5	34.7	28.9
	1907	1,242.4	16.9	.....	.....	5.6	.....	.....	50.6	5.6	.....	67.5	16.9	50.6
	1908	1,318.5	10.9	.....	.....	5.5	5.5	27.4	.....	16.4	27.4	82.1	27.4	82.1
	1909	1,305.4	32.0	.....	.....	16.0	5.3	32.0	10.7	10.7	.....	90.5	10.7	37.3
Cheboygan County	1900	1,463.0	32.2	19.3	.....	19.3	12.9	.....	32.2	6.4	(3)	45.1	19.3	32.2
	1901	1,260.1	18.8	6.3	.....	.....	31.3	25.1	37.6	31.3	(3)	81.5	6.3	43.9
	1902	1,098.5	6.1	12.2	12.2	.....	18.3	6.1	6.1	12.2	(3)	42.7	.....	30.5
	1903	1,165.2	5.9	.....	.....	.....	.....	11.9	47.6	5.9	(3)	77.3	11.9	41.6
	1904	1,124.3	11.6	5.8	.....	.....	.....	23.2	11.6	5.8	(3)	63.7	5.8	34.8
	1905	1,243.7	17.3	.....	.....	5 8	5.8	.....	5.8	5.8	17.3	97.9	23.0	34.5
	1906	1,459.4	22.9	.....	.....	22.9	.....	28.6	5.7	5.7	5.7	103.0	.....	11.4
	1907	1,319.8	11.4	11.4	.....	22.8	.....	5.7	5.7	17.1	11.4	79.6	.....	28.4
	1908	1,266.8	17.0	.....	.....	.....	22.6	17.0	28.3	17.0	11.3	56.6	11.3	50.9
	1909	1,371.7	16.9	.....	.....	11.2	11.2	.....	11.2	11.2	.....	73.1	5.6	33.7
Chippewa County	1900	861.1	18.5	.....	.....	.....	.....	9.3	18.5	9.3	(3)	55.6	9.3	.....
	1901	1,058.5	37.1	.....	9.3	9.3	55.7	27.8	18.6	9.3	(3)	74.3	9.3	46.4
	1902	996.2	65.2	.....	.....	.....	27.9	9.3	37.2	9.3	(3)	65.2	.....	27.9
	1903	1,138.9	65.4	.....	.....	.....	28.0	.....	9.3	.....	(3)	84.0	9.3	28.0
	1904	1,011.0	.....	.....	.....	9.4	.....	.....	18.7	.....	(3)	74.9	18.7	9.4
	1905	1,045.8	9.2	.....	.....	.....	9.2	.....	45.9	18.3	36.7	100.9	.....	27.5
	1906	1,008.9	.....	.....	.....	27.0	9.0	9.0	.....	.....	9.0	117.1	9.0	18.0
	1907	911.5	17.7	.....	.....	8.8	8.8	8.8	17.7	8.8	.....	44.2	.....	8.8
	1908	887.0	17.4	.....	.....	.....	.....	.....	.....	8.7	.....	87.0	17.4	26.1
	1909	1,025.6	17.1	.....	.....	8.5	.....	59.8	.....	17.1	25.6	85.5	17.1	17.1
Clare County	1900	1,196.2	47.8	23.9	.....	12.0	12.0	.....	12.0	23.9	(3)	83.8	.....	59.8
	1901	1,050.5	.....	.....	11.7	.....	.....	11.7	23.3	35.0	(3)	58.4	11.7	46.7
	1902	946.0	.....	11.4	.....	.....	11.4	11.4	22.8	11.4	(3)	57.0	.....	22.8
	1903	1,113.5	11.1	.....	.....	.....	.....	.....	11.1	11.1	(3)	100.3	11.1	33.4
	1904	1,186.2	43 5	.....	.....	43.5	43.5	10.9	10.9	.....	(3)	76.2	21.8	65.3
	1905	946.0	10.9	.....	.....	.....	.....	21.7	10.9	21.7	10.9	21.7	10.9	65.2
	1906	1,162.4	43.5	.....	.....	21.7	43.5	32.6	.....	.....	21.7	54.3	.....	54.3
	1907	1,096.2	.....	.....	.....	.....	.....	10.9	10.9	43.4	.....	76.0	.....	32.6
	1908	1,431.2	43.4	10.8	.....	.....	.....	10.8	.....	43.4	21.7	54.2	21.7	75.9
	1909	1,202.3	21.7	.....	.....	10.8	.....	10.8	10.8	10.8	10.8	75.8	.....	21.7
Clinton County	1900	1,304.9	43.8	8.0	.....	4.0	.....	4.0	11.9	8.0	(3)	103.4	.....	59.7
	1901	1,339.7	27.8	4.0	.....	4.0	15.9	8.0	35.8	79.5	(3)	63.6	19.9	55.7
	1902	1,183.9	35.8	4.0	.....	11.9	4.0	7.9	.....	19.9	(3)	63.6	19.9	91.4
	1903	1,230.6	15.9	4.0	7.9	.....	.....	11.9	7.9	43.7	(3)	71.4	4.0	83.4
	1904	1,229.8	27.7	4.0	.....	.....	7.9	11.9	.....	39.7	(3)	75.4	7.9	67.4
	1905	1,144.0	36.3	.....	.....	.....	4.0	.....	.....	20.1	8.1	80.6	12.1	104.7
	1906	1,225.9	12.3	.....	.....	4.1	.....	8.2	12.3	12.3	16.3	81.7	4.1	65.4
	1907	1,426.3	66.3	4.1	.....	4.1	8.3	16.6	4.1	45.6	8.3	99.5	4.1	82.9
	1908	1,258.2	4.2	4.2	.....	.....	.....	8.4	.....	29.5	21.0	46.3	8.4	92.6
	1909	1,149.1	17.1	.....	.....	.....	.....	4.3	.....	8.5	.....	47.0	8.5	98.2
Crawford County	1900	849.5	.....	.....	.....	.....	34.0	.....	.....	.....	(3)	34.0	.....	.....
	1901	851.8	126.2	.....	.....	.....	94.6	.....	.....	31.6	(3)	31.6	.....	.....
	1902	1,383.2	29.4	29.4	.....	.....	.....	.....	.....	.....	(3)	58.9	.....	117.7
	1903	1,434.1	55.2	.....	.....	55.2	.....	.....	.....	.....	(3)	27.6	27.6	27.6
	1904	1,141.7	26.0	.....	.....	26.0	.....	.....	.....	.....	(3)	77.8	.....	26.0
	1905	1,060.0	.....	.....	.....	.....	.....	.....	.....	25.9	.....	25.9	.....	.....
	1906	1,133.7	.....	.....	.....	.....	.....	25.8	.....	.....	25.8	25.8	.....	.....
	1907	1,258.3	.....	.....	.....	.....	.....	.....	.....	77.0	.....	77.0	.....	.....
	1908	1,100.3	25.6	.....	.....	.....	.....	.....	.....	25.6	25.6	25.6	.....	51.2
	1909	1,274.9	.....	.....	.....	.....	51.0	.....	25.5	25.5	.....	.....	51.0	.....
Delta County	1900	1,200.1	20.9	.....	.....	14.0	27.9	.....	69.8	20.9	(3)	69.8	7.0	14.0
	1901	902.7	33.9	.....	13.6	6.8	.....	.....	27.1	13.6	(3)	67.9	.....	13.6
	1902	938.2	13.2	.....	.....	39.7	6.6	6 6	13.2	.....	(3)	72.7	13.2	33.0
	1903	894.8	25.7	.....	6.4	.....	6.4	12.9	25.7	12.9	(3)	77.2	.....	6.4
	1904	1,066.8	25.1	.....	.....	.....	6.3	25.1	.....	12.6	(3)	50.2	.....	56.5
	1905	1,147.8	37.2	.....	.....	.....	.....	6.2	49.6	24.8	31.0	43.4	6.2	18.6
	1906	1,074.7	12.3	.....	6.1	24.6	6.1	24.6	24.6	.....	.....	92.1	.....	24.6
	1907	1,039.5	12.2	.....	.....	.....	.....	18.2	12.2	24.3	24.3	79.0	.....	18.2
	1908	1,239.8	24.1	.....	.....	24.1	6.0	6.0	18.1	60.2	.....	66.2	24.1	30.1
	1909	1,048.7	29.8	.....	.....	11.9	11.9	.....	6.0	29.8	6.0	113.2	17.9	41.7

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
4.8	28.7	14.4	210.8	186.9	52.7	57.5	67.1	86.2	57.5	47.9	4.8	52.7	33.5	196.4	23.9
4.8	19.4	19.4	188.7	193.5	72.6	48.4	53.2	101.6	72.6	19.4	9.7	48.4	14.5	174.2	4.8
.....	29.3	.....	180.9	259.1	83.1	48.9	48.9	88.0	78.2	24.4	4.9	63.5	34.2	166.2	.....
9.9	9.9	5.0	202.5	207.4	39.5	39.5	88.9	93.9	84.0	14.8	5.0	123.5	14.8	138.3	5.0
.....	10.0	30.0	159.8	229.6	49.9	44.9	64.9	84.9	99.8	44.9	10.0	59.9	39.9	154.8	10.0
.....	19.9	9.9	208.6	233.4	44.7	74.5	49.7	119.2	129.1	54.6	14.9	59.6	49.7	109.2	5.0
4.9	14.8	14.8	222.3	242.1	84.0	39.5	39.5	103.8	118.6	39.5	4.9	74.1	24.7	108.7	9.9
.....	39.3	4.9	172.1	285.1	68.8	39.3	44.2	34.4	103.2	19.7	14.7	118.0	49.2	137.7	14.7
.....	24.5	.....	190.8	200.6	58.7	78.3	107.6	102.7	102.7	24.5	19.6	92.9	34.2	141.9	4.9
.....	29.2	4.9	243.4	267.7	48.7	73.0	29.2	68.1	92.5	53.5	9.7	82.8	43.8	146.0	.....
.....	.....	57.3	93.1	50.1	121.8	121.8	186.3	93.1	28.7	28.7	7.2	93.1	21.5	222.1	43.0
.....	6.9	6.9	75.7	75.7	34.4	61.9	75.7	55.0	41.3	123.8	6.9	137.6	34.4	144.5	27.5
6.6	6.6	.....	105.9	99.3	59.5	86.0	52.9	72.8	59.5	26.5	.....	119.1	19.8	99.2	19.8
12.7	19.1	.....	102.0	127.4	82.8	127.4	152.9	38.2	51.0	19.1	6.4	133.8	25.5	152.9	6.4
.....	6.1	6.1	104.4	116.8	55.3	110.6	147.5	73.7	49.1	49.1	18.4	110.6	67.6	165.9	6.1
5.9	5.9	23.8	148.7	142.8	41.6	83.3	160.6	107.1	29.7	47.6	17.8	172.5	23.8	172.5	17.8
.....	5.8	5.8	109.8	109.8	28.9	57.8	156.1	80.9	57.8	52.0	.....	127.2	34.7	179.2	5.8
.....	16.9	.....	151.8	191.1	73.1	73.1	45.0	84.3	56.2	73.1	11.2	67.5	45.0	129.3	11.2
.....	16.4	10.9	125.8	147.7	60.2	76.6	235.3	49.2	49.2	43.8	10.9	82.1	10.9	114.9	.....
5.3	.....	10.7	154.5	143.9	58.6	106.6	133.2	63.9	37.3	48.0	5.3	122.5	42.6	127.9	.....
.....	6.4	70.9	141.8	122.5	51.6	186.9	193.4	51.6	70.9	135.4	6.4	70.9	64.5	38.7	32.2
.....	6.3	18.8	131.7	106.6	119.1	62.7	106.6	87.8	12.5	75.2	6.3	94.0	31.3	119.1	.....
6.1	12.2	30.5	97.7	116.0	97.7	116.0	73.2	73.2	.....	73.2	.....	48.8	48.8	146.5	12.2
.....	.....	29.7	77.3	154.6	53.5	71.3	142.7	53.5	53.5	59.5	5.9	59.5	29.7	142.7	29.7
5.8	29.0	46.4	52.1	104.3	81.1	75.3	133.3	46.4	46.4	75.3	11.6	110.1	11.6	110.1	23.2
5.8	17.3	23.0	57.6	120.9	74.9	46.1	143.9	74.9	69.1	109.4	5.8	120.9	40.3	92.1	28.8
.....	34.3	34.3	80.1	194.6	108.7	97.3	206.0	45.8	68.7	91.6	.....	103.0	22.9	143.1	22.9
11.4	.....	22.8	159.3	170.7	56.9	62.6	51.2	91.0	56.9	119.5	5.7	130.8	17.1	165.0	5.7
.....	22.6	28.3	107.4	141.4	79.2	62.2	135.7	33.9	79.2	50.9	.....	56.6	50.9	181.0	5.7
.....	28.1	16.9	129.3	219.2	56.2	61.8	168.7	89.9	28.1	101.2	16.9	112.4	16.9	140.5	11.2
.....	.....	27.8	64.8	83.3	129.6	55.6	55.6	37.0	27.8	37.0	.....	83.3	37.0	64.8	37.0
.....	.....	.....	92.9	55.7	92.9	65.0	74.3	46.4	37.1	37.1	9.3	55.7	37.1	139.3	18.6
.....	.....	18.6	83.8	55.9	74.5	27.9	111.8	46.6	18.6	18.6	.....	93.1	9.3	167.6	27.9
.....	.....	9.3	93.4	84.0	74.7	74.7	112.0	46.7	28.0	28.0	9.3	102.7	46.7	149.4	56.0
.....	9.4	.....	84.2	103.0	84.2	65.5	112.3	28.1	9.4	28.1	9.4	131.0	56.2	131.0	28.1
.....	9.2	18.3	73.4	55.0	110.1	64.2	119.3	64.2	55.0	27.5	.....	82.6	9.2	73.4	36.7
.....	9.0	9.0	99.1	63.1	81.1	45.0	108.1	63.1	9.0	72.1	9.0	90.1	9.0	99.1	45.0
8.8	.....	.....	44.2	132.7	70.8	35.4	53.1	70.8	17.7	35.4	8.8	106.2	70.8	115.0	17.7
.....	.....	17.4	43.5	78.3	87.0	43.5	147.8	52.2	26.1	87.0	8.7	78.3	17.4	43.5	.....
.....	.....	17.1	85.5	102.6	17.1	59.8	102.6	68.4	34.2	59.8	17.1	111.1	34.2	68.4	.....
.....	12.0	12.0	119.6	83.8	59.8	47.8	167.4	35.9	71.7	47.8	.....	83.8	35.9	119.6	23.9
.....	.....	35.0	93.4	93.4	70.0	70.0	46.7	58.4	70.0	70.0	11.7	70.0	11.7	116.7	35.0
.....	.....	11.4	182.3	68.4	34.2	68.4	34.2	68.4	22.8	22.8	11.4	34.2	11.4	170.9	57.0
.....	22.3	.....	133.6	100.3	44.5	22.3	160.3	66.8	22.3	33.4	.....	66.8	55.6	222.7	44.5
.....	21.8	21.8	87.1	32.6	54.4	65.3	43.5	119.7	87.1	54.4	10.9	97.9	32.6	119.7	21.8
.....	10.9	10.9	97.9	87.0	54.4	87.0	97.9	65.2	21.7	10.9	21.7	87.0	21.7	97.9	.....
.....	10.9	10.9	141.2	141.2	32.6	65.2	108.6	108.6	32.6	21.7	21.7	43.5	10.9	108.6	32.6
.....	32.6	32.6	65.1	151.9	21.7	97.7	76.0	119.4	65.1	21.7	10.9	54.3	65.1	108.5	.....
.....	21.7	.....	141.0	130.1	21.7	65.1	195.2	43.4	54.2	108.4	21.7	86.7	43.4	195.2	21.7
.....	21.7	10.8	119.1	86.7	54.2	97.5	54.2	75.8	97.5	130.0	.....	54.2	65.0	151.6	10.8
.....	8.0	27.8	155.1	183.0	75.6	55.7	119.4	83.5	47.7	35.8	4.0	51.7	35.8	167.1	11.9
.....	4.0	11.9	178.9	202.7	127.2	43.7	27.8	111.3	51.7	23.8	11.9	43.7	15.9	167.0	4.0
.....	27.8	11.9	127.1	198.6	95.3	39.7	55.6	71.5	47.7	19.9	7.9	55.6	27.8	135.1	4.0
.....	15.9	11.9	170.7	202.5	95.3	71.4	47.6	87.3	27.8	39.7	7.9	23.8	31.8	142.9	4.0
4.0	15.9	15.9	170.6	214.2	39.7	51.6	43.6	63.5	43.6	23.8	23.8	63.5	23.8	186.4	4.0
.....	12.1	12.1	149.0	161.1	52.4	48.3	40.3	116.8	68.5	4.0	8.1	48.3	36.3	112.8	8.1
8.2	28.6	12.3	122.6	237.0	61.3	28.6	69.5	114.4	65.4	36.8	16.3	69.5	40.9	98.1	.....
.....	20.7	.....	174.1	269.5	70.5	53.9	33.2	111.9	58.0	37.3	12.4	74.6	20.7	145.1	.....
.....	46.3	16.8	138.9	260.9	50.5	33.7	63.1	80.0	42.1	33.7	16.8	92.6	21.0	138.9	8.4
.....	21.4	12.8	132.4	243.5	47.0	29.9	59.8	64.1	55.5	76.9	12.8	81.2	8.5	119.6	.....
.....	.....	.....	101.9	34.0	101.9	34.0	34.0	34.0	.....	68.0	.....	135.9	101.9	135.9	.....
.....	.....	.....	94.6	63.1	63.1	94.6	94.6	.....	.....	31.6	.....	94.6	.....	.....	31.6
.....	.....	.....	29.4	88.3	147.2	206.0	88.3	.....	88.3	117.7	.....	206.0	29.4	147.2	.....
.....	.....	.....	82.7	110.1	110.3	27.6	110.3	82.7	27.6	82.7	27.6	248.2	27.6	303.3	.....
.....	.....	.....	129.7	77.8	51.9	77.8	77.8	51.9	51.9	51.9	.....	363.3	.....	51.9	.....
.....	25.9	25.9	155.1	51.7	129.3	51.7	51.7	155.1	25.9	25.9	25.9	77.6	51.7	155.1	.....
.....	25.8	.....	128.8	25.8	51.5	51.5	103.1	154.6	25.8	25.8	25.8	231.9	77.3	128.8	.....
.....	.....	.....	102.7	102.7	102.7	51.4	102.7	51.4	51.4	205.4	.....	128.4	25.7	179.8	.....
.....	.....	.....	102.4	153.5	51.2	25.6	153.5	76.8	25.6	102.4	25.6	51.2	.....	179.1	.....
.....	51.0	.....	102.0	153.0	.....	25.5	153.0	25.5	25.5	127.5	25.5	178.5	25.5	229.5	.....
.....	20.9	20.9	55.8	27.9	62.8	48.8	244.2	62.8	7.0	48.8	.....	69.8	34.9	111.6	139.6
.....	.....	6.8	54.3	74.6	67.9	54.3	81.5	61.1	27.1	47.5	.....	108.6	27.1	81.5	33.9
6.6	.....	13.2	39.7	26.4	39.7	33.0	138.8	72.7	26.4	33.0	6.6	118.9	26.4	99.1	59.5
.....	.....	12.9	45.1	32.2	64.4	45.1	96.5	57.9	12.9	70.8	12.9	45.1	45.1	115.9	64.4
.....	.....	6.3	62.7	50.2	106.6	62.7	87.9	62.7	18.8	50.2	6.3	131.8	18.8	138.1	87.9
.....	.....	12.4	130.3	93.1	49.6	74.5	142.7	86.9	18.6	43.4	.....	105.5	37.2	86.9	49.6
6.1	.....	12.3	79.8	86.0	79.8	73.7	110.5	73.7	36.8	55.3	12.3	67.6	24.6	49.1	92 1
.....	.....	18.2	79.0	97.3	72.9	54.7	85.1	66.9	12.2	66.9	12.2	103.3	30.4	103.3	48.6
.....	18.1	12.0	96.3	48.1	60.2	42.1	288.9	60.2	18.1	96.3	12.0	120.4	30.1	72.2	6.0
.....	6.0	.....	113.2	59.6	41.7	65.5	166.8	41.7	23.8	47.7	.....	89.4	35.8	83.4	6.0

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
MICHIGAN RURAL[2]—Continued.														
Dickinson County	1900	1,295.1	.....	.....	.....	.....	46.2	23.1	.....	11.6	(3)	115.7	34.7	46.2
	1901	1,344.6	33.1	.....	.....	33.1	.....	.....	22.0	11.0	(3)	88.2	11.0	44.1
	1902	1,189.7	10.5	.....	.....	21.1	10.5	.....	42.1	10.5	(3)	52.6	10.5	10.5
	1903	1,299.9	30.2	.....	.....	.....	20.1	.....	10.1	.....	(3)	60.5	30.2	20.1
	1904	985.4	.....	.....	.....	.....	.....	.....	29.0	.....	(3)	58.0	9.6	29.0
	1905	1,035.2	9.5	.....	.....	9.5	.....	28.5	28.5	28.5	.....	76.0	28.5	47.5
	1906	1,262.6	9.4	.....	.....	56.1	9.4	130.9	28.1	.....	9.4	84.2	.....	28.1
	1907	847.5	.....	.....	.....	.....	18.4	27.6	.....	9.2	.....	73.7	.....	46.1
	1908	1,361.5	18.2	.....	.....	9.1	.....	18.2	72.6	9.1	9.1	72.6	9.1	54.5
	1909	1,073.3	8.9	.....	.....	.....	8.9	8.9	26.8	.....	.....	116.3	17.9	44.7
Eaton County	1900	1,285.2	31.6	28.4	.....	9.5	6.3	.....	6.3	12.6	(3)	78.9	6.3	91.6
	1901	1,285.5	25.4	6.4	.....	3.2	3.2	3.2	22.3	63.6	(3)	57.3	15.9	66.8
	1902	1,282.5	35.3	3.2	.....	16.0	3.2	.....	16.0	22.5	(3)	67.4	16.0	60.9
	1903	1,321.6	29.1	3.2	.....	3.2	.....	6.5	6.5	48.5	(3)	80.8	12.9	87.2
	1904	1,569.7	22.8	.....	.....	16.3	.....	6.5	13.0	39.1	(3)	97.7	6.5	81.4
	1905	1,483.6	19.6	.....	.....	.....	.....	6.5	16.3	58.7	9.8	88.0	16.3	78.3
	1906	1,390.6	42.4	3.3	.....	13.1	.....	.....	3.3	.....	19.6	120.8	19.6	75.1
	1907	1,284.4	19.6	.....	.....	6.5	3.3	9.8	6.5	45.8	.....	88.2	3.3	88.2
	1908	1,537.8	16.4	9.8	3.3	.....	.....	3.3	6.5	26.2	36.0	91.6	16.4	137.4
	1909	1,503.5	6.6	3.3	.....	3.3	6.6	3.3	6.6	16.4	6.6	81.9	16.4	127.8
Emmet County	1900	1,443.7	31.4	12.5	6.3	6.3	.....	.....	.....	31.4	(3)	75.3	12.5	37.7
	1901	1,291.0	24.4	6.1	6.1	.....	6.1	.....	18.3	12.2	(3)	103.5	6.1	60.9
	1902	1,366.0	23.7	.....	.....	.....	.....	5.9	.....	23.7	(3)	106.4	5.9	53.2
	1903	1,453.9	40.2	5.7	.....	28.7	.....	46.0	5.7	23.0	(3)	91.9	17.2	69.0
	1904	1,296.7	16.8	.....	5.6	22.3	5.6	5.6	5.6	27.9	(3)	100.6	16.8	33.5
	1905	1,476.6	33.3	.....	.....	.....	.....	11.1	11.1	11.1	22.2	99.9	27.8	50.0
	1906	1,544.6	49.6	5.5	.....	27.6	.....	5.5	5.5	5.5	27.6	71.7	33.1	66.2
	1907	1,107.3	5.5	.....	.....	.....	.....	.....	11.0	27.4	11.0	54.8	5.5	43.9
	1908	1,383.7	38.1	.....	.....	5.4	5.4	16.3	5.4	27.2	5.4	114.4	10.9	98.1
	1909	1,223.6	54.1	.....	.....	.....	.....	27.1	10.8	5.4	.....	97.5	10.8	37.9
Genesee County	1900	1,407.6	17.4	.....	.....	.....	.....	7.0	13.9	13.9	(3)	55.7	10.5	62.7
	1901	1,344.3	10.6	7.1	.....	.....	7.1	3.5	14.2	60.3	(3)	60.3	21.3	63.8
	1902	1,306.7	32.0	.....	3.6	3.6	.....	3.6	7.1	7.1	(3)	106.8	3.6	57.0
	1903	1,447.6	17.9	7.1	.....	10.7	.....	14.3	25.0	10.7	(3)	89.4	10.7	85.8
	1904	1,381.5	17.9	3.6	.....	.....	7.2	.....	10.8	28.7	(3)	53.8	21.5	71.8
	1905	1,373.2	32.7	10.9	.....	3.6	.....	.....	21.8	21.8	.....	83.6	18.2	69.0
	1906	1,400.2	18.4	11.0	.....	3.7	.....	22.1	7.4	3.7	22.1	66.2	22.1	95.6
	1907	1,427.9	7.4	.....	.....	22.3	.....	14.9	14.9	37.2	7.4	59.5	7.4	70.7
	1908	1,448.7	7.5	.....	.....	.....	.....	.....	.....	30.1	18.8	75.3	26.3	116.6
	1909	1,614.7	49.5	.....	.....	3.8	3.8	3.8	11.4	15.2	19.0	57.1	22.9	95.2
Gladwin County †	1900	1,127.3	15.2	15.2	.....	15.2	15.2	.....	.....	.....	(3)	76.2	.....	15.2
	1901	904.8	14.1	.....	.....	.....	14.1	.....	.....	28.3	(3)	28.3	.....	14.1
	1902	791.4	13.2	.....	.....	.....	.....	26.4	13.2	.....	(3)	39.5	13.2	39.5
	1903	716.9	12.4	.....	.....	.....	.....	.....	12.4	.....	(3)	37.1	12.4	24.7
	1904	651.1	23.3	11.6	.....	11.6	23.3	.....	.....	.....	(3)	11.6	.....	11.6
	1905	770.4	11.7	.....	.....	.....	.....	11.7	11.7	11.7	.....	58.4	.....	11.7
	1906	1,101.3	.....	.....	.....	.....	.....	105.4	11.7	.....	11.7	117.2	23.4	.....
	1907	893.8	23.5	.....	.....	35.3	11.8	.....	11.8	.....	.....	70.6	.....	23.5
	1908	979.8	35.4	.....	.....	.....	.....	23.6	.....	23.6	.....	59.0	11.8	59.0
	1909	888.7	11.8	.....	.....	23.7	.....	11.8	23.7	11.8	.....	23.7	47.4	35.5
Gogebic County	1900	1,336.6	42.7	.....	.....	.....	14.2	.....	.....	.....	(3)	42.7	.....	.....
	1901	1,592.9	42.3	.....	.....	56.4	28.2	.....	56.4	.....	(3)	112.8	14.1	14.1
	1902	1,704.9	41.9	.....	.....	.....	14.0	14.0	111.8	14.0	(3)	41.9	14.0	97.8
	1903	1,635.0	.....	.....	.....	13.9	13.9	13.9	69.2	13.9	(3)	166.2	13.9	.....
	1904	1,923.6	27.5	.....	.....	.....	13.7	.....	68.7	.....	(3)	68.7	55.0	27.5
	1905	1,904.8	25.4	.....	.....	12.7	.....	.....	25.4	38.1	.....	38.1	12.7	63.5
	1906	1,768.5	11.9	.....	.....	.....	23.7	11.9	59.3	.....	.....	59.3	.....	47.5
	1907	1,470.8	.....	.....	.....	11.1	33.4	11.1	66.9	.....	22.3	100.3	.....	33.4
	1908	1,480.2	21.0	.....	10.5	.....	10.5	21.0	42.0	.....	52.5	94.5	.....	31.5
	1909	1,518.3	39.7	.....	.....	.....	39.7	49.6	89.3	.....	.....	99.2	9.9	9.9
Grand Travers County	1900	1,400.0	54.2	.....	.....	36.1	.....	27.1	.....	.....	(3)	117.4	.....	63.2
	1901	1,381.1	44.3	.....	17.7	.....	44.3	35.4	35.4	53.1	(3)	70.8	8.8	44.3
	1902	998.4	17.4	.....	.....	.....	17.4	17.4	26.0	.....	(3)	78.2	8.7	34.7
	1903	953.8	25.6	.....	.....	8.5	8.5	8.5	17.0	8.5	(3)	76.7	17.0	25.6
	1904	1,337.2	8.3	.....	8.3	.....	.....	25.1	8.3	25.1	(3)	100.3	.....	33.4
	1905	1,250.9	33.6	.....	.....	8.4	.....	.....	.....	25.2	25.2	50.4	.....	16.8
	1906	1,289.8	33.7	.....	.....	.....	.....	.....	8.4	.....	59.0	67.4	8.4	59.0
	1907	1,176.8	.....	.....	.....	.....	.....	16.9	16.9	42.3	25.4	76.2	16.9	42.3
	1908	1,454.0	34.0	.....	.....	.....	42.5	8.5	8.5	34.0	8.5	85.0	17.0	76.5
	1909	1,417.6	76.9	.....	.....	8.5	42.7	25.6	8.5	17.1	8.5	76.9	8.5	25.6
Gratiot County	1900	1,355.0	46.9	3.3	3.3	16.7	3.3	16.7	6.7	16.7	(3)	83.7	13.4	53.5
	1901	1,201.3	33.3	3.3	.....	.....	13.3	6.7	6.7	30.0	(3)	73.2	13.3	53.3
	1902	1,161.8	19.9	.....	3.3	9.9	.....	13.2	.....	23.2	(3)	69.5	16.5	69.5
	1903	1,142.4	26.3	.....	.....	3.3	3.3	9.9	3.3	26.3	(3)	118.5	9.9	62.6
	1904	1,264.1	29.5	.....	.....	13.1	6.5	3.3	9.8	55.7	(3)	75.3	13.1	68.8
	1905	1,204.5	19.9	.....	3.3	.....	.....	.....	.....	49.6	9.9	82.7	3.3	76.1
	1906	1,246.3	46.8	.....	.....	3.3	.....	6.7	3.3	20.0	13.4	83.5	23.4	60.1
	1907	1,241.7	3.4	.....	.....	3.4	.....	3.4	6.7	27.0	16.9	97.9	6.7	57.4
	1908	1,298.4	34.1	3.4	.....	.....	3.4	23.9	6.8	51.1	13.6	61.3	30.7	57.9
	1909	1,166.9	6.9	.....	.....	3.4	3.4	6.9	6.9	34.4	13.8	75.7	13.8	72.3

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	34.7	69.4	23.1	46.2	138.8	161.9	57.8	34.7	80.9	.....	196.6	11.6	127.2	34.7
.....	.....	11.0	99.2	99.2	88.2	77.2	253.5	22.0	55.1	55.1	22.0	209.4	.....	88.2	22.0
.....	.....	31.6	52.6	63.2	52.6	84.2	263.3	63.2	.....	94.8	.....	179.0	.....	94.8	42.1
.....	20.1	.....	60.5	80.6	50.4	60.5	292.3	30.2	40.3	100.8	10.1	201.6	20.1	131.0	30.2
.....	19.3	.....	67.7	86.9	29.0	77.3	193.2	67.7	9.6	67.7	9.6	144.9	9.6	58.0	19.3
.....	9.5	38.0	66.5	19.0	.....	104.5	161.5	38.0	47.5	19.0	.....	133.0	9.5	95.0	38.0
.....	9.4	9.4	74.8	56.1	28.1	84.2	130.9	74.8	56.1	112.2	.....	149.6	37.4	65.5	18.7
.....	.....	9.2	55.3	92.1	55.3	46.1	55.3	36.8	27.6	64.5	9.2	147.4	18.4	36.8	18.4
.....	.....	18.2	99.8	45.4	63.5	72.6	245.1	63.5	36.3	99.8	27.2	154.3	45.4	118.0	.....
.....	17.9	8.9	134.2	98.4	26.8	107.3	169.9	53.7	.....	53.7	.....	71.6	.....	80.5	17.9
3.2	18.9	6.3	151.6	186.3	63.2	28.4	94.7	85.3	31.6	15.8	.....	37.9	37.9	240.0	12.6
.....	9.5	15.9	194.1	197.3	108.2	31.8	38.2	95.5	63.6	22.3	6.4	73.2	12.7	149.5	.....
3.2	16.0	19.2	170.0	243.7	70.6	64.1	38.5	102.6	48.1	19.2	9.6	48.1	16.0	169.9	3.2
9.7	25.9	9.7	174.5	206.8	58.2	51.7	54.9	87.2	80.8	32.3	9.7	67.8	22.6	145.4	6.5
6.5	13.0	26.0	254.0	228.0	100.9	61.9	55.4	84.7	84.7	52.1	16.3	104.2	13.0	175.9	9.8
3.3	13.0	29.3	195.6	251.1	104.3	65.2	26.1	117.4	81.5	22.8	9.8	55.4	29.3	176.1	9.8
3.3	13.1	9.8	146.9	257.9	55.5	55.5	81.6	81.6	58.8	52.2	9.8	71.8	42.4	150.2	3.3
.....	16.3	13.1	140.5	287.6	78.4	45.8	32.7	58.8	62.1	42.5	9.8	62.1	16.3	140.5	6.5
6.5	9.8	3.3	206.1	287.9	39.3	32.7	78.5	104.7	85.1	39.3	29.4	55.6	29.4	180.0	3.3
3.3	29.5	9.8	203.1	288.3	62.2	52.4	72.1	114.6	72.1	72.1	9.8	68.8	3.3	163.8	.....
6.3	.....	37.7	175.7	81.6	125.5	37.7	213.4	94.2	18.8	37.7	.....	150.6	50.2	169.5	31.4
.....	18.3	30.4	91.3	97.4	127.9	36.5	127.9	91.3	30.4	60.9	6.1	85.2	24.4	194.9	24.4
5.9	11.8	47.3	147.8	130.1	82.8	53.2	94.6	76.9	71.0	88.7	5.9	147.8	23.7	136.0	23.7
.....	11.5	23.0	115.0	132.2	143.7	86.2	91.9	40.2	57.5	69.0	5.7	132.2	46.0	149.4	23.0
5.6	11.2	16.8	78.2	111.8	61.6	100.6	72.6	72.6	67.1	111.8	.....	128.5	16.8	184.4	16.8
.....	.....	27.8	127.7	172.1	44.4	105.5	166.5	94.4	50.0	94.4	.....	72.2	72.2	177.6	5.6
.....	5.5	16.5	132.4	132.4	82.7	49.6	242.7	82.7	44.1	49.6	.....	126.9	49.6	193.1	38.6
.....	5.5	11.0	98.7	131.6	93.2	38.4	76.7	71.3	65.8	54.8	11.0	87.7	16.4	169.9	16.4
.....	16.3	5.4	98.1	103.5	81.7	43.6	185.2	87.2	87.2	103.5	.....	98.1	49.0	98.1	.....
.....	16.2	.....	75.8	135.4	48.7	54.1	108.3	108.3	59.6	75.8	10.8	86.6	21.7	173.3	5.4
7.0	24.4	27.9	174.2	195.1	59.2	83.6	94.1	128.9	55.7	55.7	7.0	66.2	52.3	184.7	10.5
3.5	28.4	7.1	191.5	159.6	102.9	88.7	56.7	74.5	63.8	10.6	7.1	70.9	24.8	195.1	10.6
3.6	21.4	7.1	181.6	170.9	99.7	81.9	32.0	49.8	57.0	49.8	14.2	67.6	49.8	181.6	14.2
.....	10.7	7.1	139.4	250.2	150.1	50.0	25.0	100.1	96.5	10.7	21.4	85.8	39.3	182.3	7.1
3.6	10.8	3.6	143.5	258.4	107.7	64.6	46.6	82.5	89.7	21.5	7.2	78.9	46.6	197.4	3.6
.....	14.5	7.3	174.4	225.2	65.4	69.0	61.8	123.5	76.3	29.1	10.9	58.1	76.3	112.6	7.3
.....	22.1	7.4	147.0	238.9	77.2	80.9	36.8	88.2	73.5	33.1	11.0	102.9	40.4	169.1	.....
3.7	14.9	3.7	200.8	252.9	115.3	89.2	40.9	89.2	78.1	37.2	.....	59.5	44.6	152.5	3.7
.....	26.3	18.8	214.5	214.5	56.4	82.8	45.2	105.4	75.3	48.9	15.1	75.3	45.2	150.5	.....
.....	19.0	11.4	201.8	323.7	64.7	68.6	64.7	80.0	87.6	60.9	11.4	87.6	15.2	232.3	3.8
.....	.....	30.5	76.2	91.4	121.9	45.7	60.9	106.7	15.2	91.4	.....	76.2	30.5	167.6	60.9
.....	.....	28.3	56.6	.....	70.7	14.1	169.7	113.1	14.1	14.1	.....	113.1	14.1	127.3	70.7
.....	26.4	.....	39.5	52.8	79.1	26.4	105.5	52.8	13.2	26.4	.....	52.8	65.9	52.8	52.8
.....	.....	.....	61.8	74.1	49.4	12.4	74.1	86.5	.....	.....	.....	61.8	24.7	160.7	12.4
.....	11.6	11.6	81.4	34.9	46.5	58.2	46.5	23.3	11.6	23.3	.....	93.0	11.6	93.0	11.6
.....	11.7	23.3	116.7	81.7	70.0	58.4	46.7	35.0	.....	46.7	.....	58.4	23.3	46.7	35.0
.....	.....	11.7	46.9	152.3	46.9	58.6	152.3	46.9	23.4	82.0	11.7	93.7	23.4	58.6	23.4
.....	23.5	.....	23.5	82.3	70.6	70.6	47.0	82.3	70.6	35.3	.....	58.8	11.8	141.1	.....
.....	11.8	.....	118.0	82.6	47.2	47.2	94.4	59.0	11.8	82.6	11.8	47.2	11.8	141.7	.....
.....	11.8	.....	23.7	82.9	47.4	94.8	59.2	35.5	35.5	35.5	11.8	82.9	35.5	142.2	.....
.....	.....	28.4	128.0	28.4	113.7	85.3	241.7	42.7	28.4	71.1	14.2	199.1	71.1	128.0	56.9
.....	14.1	28.2	112.8	98.6	98.6	169.2	239.6	14.1	.....	141.0	.....	197.3	70.5	70.5	14.1
.....	27.9	14.0	83.8	41.9	139.8	209.6	223.6	55.9	27.9	223.6	.....	223.6	14.0	69.9	.....
.....	.....	13.9	83.1	13.9	27.7	83.1	193.9	110.8	13.9	152.4	13.9	374.1	97.0	124.7	27.7
.....	.....	68.7	274.8	82.4	96.2	123.7	137.4	96.2	13.7	206.1	27.5	192.3	68.7	178.6	96.2
.....	12.7	12.7	139.7	76.2	114.3	88.9	254.0	63.5	38.1	139.7	25.4	406.3	76.2	165.1	76.2
.....	.....	.....	189.9	35.6	95.0	95.0	261.1	59.3	23.7	118.7	23.7	427.3	71.2	95.0	59.3
.....	11.1	33.4	78.0	78.0	111.4	55.7	89.1	66.9	22.3	111.4	11.1	300.8	55.7	122.6	44.6
.....	10.5	31.5	84.0	42.0	73.5	52.5	283.4	63.0	10.5	105.0	.....	251.9	52.5	136.5	.....
.....	9.9	9.9	79.4	49.6	79.4	29.8	248.1	49.6	19.8	178.6	29.8	208.4	49.6	138.9	.....
.....	9.0	18.1	189.7	126.5	72.3	54.2	162.6	108.4	63.2	63.2	.....	63.2	.....	162.6	9.0
.....	8.8	17.7	97.4	132.8	53.1	44.3	141.6	97.4	79.7	26.6	.....	97.4	62.0	168.2	.....
.....	26.0	17.4	104.2	147.6	69.4	43.4	69.4	69.4	17.4	43.4	.....	17.4	26.0	130.2	17.4
.....	.....	8.5	102.2	85.2	76.7	25.6	59.6	42.6	68.1	59.6	17.0	68.1	17.0	119.2	8.5
.....	41.8	16.7	133.7	200.6	41.8	75.2	150.5	75.2	33.4	25.1	16.7	108.7	41.8	142.1	25.1
.....	.....	.....	151.1	142.7	58.8	84.0	151.1	92.4	50.4	25.2	8.4	58.8	33.6	235.1	.....
.....	8.4	25.3	151.7	151.7	59.0	59.0	143.3	109.6	16.9	50.6	.....	75.9	25.3	177.0	.....
.....	16.9	8.5	152.4	135.5	67.7	25.4	50.8	67.7	50.8	93.1	16.9	50.8	76.2	127.0	.....
.....	25.5	8.5	144.5	195.6	102.0	25.5	102.0	85.0	42.5	93.5	.....	102.0	25.5	178.6	8.5
.....	8.5	25.6	162.3	179.3	68.3	42.7	128.1	136.6	59.8	68.3	25.6	51.2	59.8	102.5	.....
.....	13.4	20.1	157.3	137.2	103.7	66.9	160.6	63.6	66.9	53.5	6.7	50.2	43.5	137.2	10.0
3.3	16.6	26.6	129.8	146.5	126.5	66.5	66.5	63.2	33.3	23.3	6.7	66.5	39.9	153.0	.....
3.3	23.2	16.5	165.5	162.2	56.3	39.7	59.6	79.5	33.1	43.0	16.5	53.0	23.2	158.9	3.3
3.3	9.9	26.3	141.6	131.7	79.0	49.4	36.2	88.9	49.4	32.9	3.3	49.4	23.0	154.7	.....
3.3	13.1	19.6	117.9	206.3	72.1	49.1	62.2	88.5	49.1	49.1	9.8	62.2	39.3	147.4	.....
.....	9.9	13.2	132.4	175.4	72.8	66.2	72.8	82.7	66.2	46.3	9.9	43.0	19.9	142.3	6.6
.....	16.7	10.0	163.7	180.4	76.9	56.8	96.9	76.9	40.1	46.8	3.3	40.1	13.4	163.7	.....
.....	37.1	16.9	141.7	189.0	81.0	30.4	40.5	91.1	57.4	57.4	13.5	67.5	30.4	165.3	.....
.....	23.9	34.1	136.3	197.7	57.9	68.2	51.1	71.6	57.9	57.9	.....	75.0	40.9	132.9	6.8
3.4	24.1	24.1	165.2	179.0	58.6	51.6	68.8	72.3	48.2	62.0	3.4	48.2	20.7	99.8	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state in sane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
MICHIGAN RURAL[2]—Continued.														
Hillsdale County	1900	1,376.2	30.2	6.7	.....	10.0	.....	.....	.....	40.2	(3)	97.1	6.7	83.7
	1901	1,416.7	26.8	6.7	.....	6.7	3.3	3.3	.....	70.4	(3)	73.7	16.7	97.1
	1902	1,256.2	43.5	6.7	.....	.....	3.3	.....	6.7	26.8	(3)	50.3	6.7	90.5
	1903	1,330.3	20.1	10.0	3.4	10.0	3.4	3.4	6.7	26.8	(3)	83.8	20.1	63.7
	1904	1,411.0	10.0	10.0	.....	16.7	3.4	3.4	13.4	36.9	(3)	100.5	20.1	77.1
	1905	1,211.1	20.1	.....	6.7	.....	3.4	.....	10.1	16.8	10.1	73.8	13.4	70.5
	1906	1,363.3	20.1	3.4	.....	.....	3.4	3.4	.....	20.1	6.7	83.9	3.4	77.2
	1907	1,441.9	10.1	.....	.....	3.4	.....	3.4	13.4	67.2	6.7	77.3	20.2	77.3
	1908	1,355.8	16.8	.....	.....	.....	.....	6.7	3.4	30.3	10.1	84.1	23.5	104.3
	1909	1,289.7	13.5	.....	.....	10.1	.....	20.2	13.5	47.1	20.2	57.2	3.4	84.2
Houghton County	1900	1,460.7	33.3	.....	1.5	1.5	71.2	12.1	9.1	3.0	(3)	90.8	30.3	48.4
	1901	1,328.8	43.2	1.5	.....	.....	25.3	10.4	17.9	7.4	(3)	92.3	20.8	44.6
	1902	1,373.9	16.1	.....	2.9	16.1	16.1	8.8	11.7	2.9	(3)	92.2	26.3	64.4
	1903	1,221.8	17.3	.....	1.4	5.8	21.6	31.7	28.8	8.6	(3)	102.2	30.2	46.1
	1904	1,299.8	2.8	.....	.....	8.5	46.7	34.0	18.4	7.1	(3)	109.0	45.3	62.3
	1905	1,424.6	16.2	.....	.....	19.0	24.4	2.7	25.7	4.1	5.4	109.7	44.7	56.9
	1906	1,485.3	20.8	.....	.....	13.0	36.4	52.1	18.2	2.6	13.0	139.3	28.6	32.5
	1907	1,106.6	26.3	.....	.....	3.8	18.8	8.8	3.8	10.0	6.3	85.2	21.3	32.6
	1908	1,244.4	13.3	.....	.....	29.0	13.3	.....	18.1	6.0	3.6	91.8	32.6	48.3
	1909	1,125.5	18.7	.....	.....	16.3	4.7	1.2	19.8	2.3	12.8	106.1	22.2	39.7
Huron County	1900	1,068.4	41.0	8.8	.....	8.8	14.6	2.9	17.5	11.7	(3)	52.7	8.8	26.3
	1901	1,094.4	14.5	.....	.....	.....	26.2	.....	11.6	46.6	(3)	78.6	11.6	43.7
	1902	975.3	20.2	.....	.....	2.9	11.6	31.8	11.6	.....	(3)	86.8	17.4	31.8
	1903	1,047.5	5.8	2.9	5.8	2.9	28.8	20.1	31.7	14.4	(3)	72.0	11.5	34.5
	1904	1,018.7	14.3	2.9	2.9	11.4	14.3	.....	25.8	8.6	(3)	68.7	11.4	45.8
	1905	1,056.9	14.3	.....	2.9	2.9	5.7	5 7	2.9	34.4	14.3	68.7	14.3	43.0
	1906	1,040.7	22.9	.....	.....	14.3	.....	2.9	17.2	5.7	14.3	71.7	8.6	31.5
	1907	1,093.3	11.5	.....	.....	5 7	11.5	2.9	17.2	37.3	5.7	71.7	.....	60.3
	1908	1,128.8	23.0	.....	.....	2.9	.....	17.2	17.2	11.5	14.4	89.0	20.1	43.1
	1909	1,043.6	11.5	.....	.....	2.9	.....	2.9	11.5	8.6	8.6	69.0	20.1	46.0
Ingham County	1900	1,452.9	81.4	12.8	.....	.....	12.8	4.3	17.2	42.9	(3)	85.7	25.7	72.9
	1901	1,337.2	47.1	8.6	.....	.....	.....	.....	12.9	72.9	(3)	90.0	17.1	51.4
	1902	1,401.5	30.0	8.6	.....	25.7	.....	4.3	4.3	38.6	(3)	47 1	12.9	60.0
	1903	1,238.7	42.9	8.6	.....	.....	4.3	8.6	4.3	17.1	(3)	85 7	12.9	85.7
	1904	1,697.3	25.7	.....	.....	8.6	4.3	8.6	34.3	55.7	(3)	72.9	21.4	85.7
	1905	1,376.6	13.0	.....	.....	.....	.....	4.3	21.6	21.6	8.7	64.9	17.3	95.2
	1906	1,201.5	13.1	4.4	.....	.....	.....	4.4	8.7	35.0	17.5	69.9	8.7	87.4
	1907	1,323.0	8.8	.....	.....	17.6	.....	.....	.....	52.9	22.0	52.9	4.4	79.4
	1908	1,295.4	26.7	.....	.....	.....	8.9	4.5	.....	31.2	.....	62.3	4.5	84.6
	1909	1,316.8	22.5	.....	.....	4.5	.....	4.5	.....	18.0	13.5	53.9	27.0	53.9
Ionia County *	1900	1,476.9	46.6	14.6	.....	20.4	.....	14.6	5.8	17.5	(3)	113.6	29.1	49.5
	1901	1,348.7	23.3	5.8	.....	.....	11.6	.....	34.9	40.7	(3)	98.8	11.6	55.2
	1902	1,241.4	23.2	11.6	2.9	2.9	8.7	.....	17.4	37.7	(3)	72.5	8.7	40.6
	1903	1,201.1	31.8	5.8	.....	2.9	2.9	8.7	5.8	14.5	(3)	60.8	23.2	81.0
	1904	1,435.3	31.8	5.8	.....	.....	8.7	2.9	2.9	17.3	(3)	86.6	14.4	121.3
	1905	1,307.0	26.1	17.4	.....	.....	2.9	2.9	2.9	31.9	29.0	98.8	5.8	81.3
	1906	1,457.1	29.2	14.6	.....	14.6	.....	8.8	5.8	14.6	5.8	96.4	26.3	84.7
	1907	1,415.0	23.5	5.9	2.9	8.8	.....	.....	2.9	52.8	14.7	76.3	29.4	93.9
	1908	1,372.5	11.8	5.9	.....	.....	5.9	5.9	5.9	38.4	17.7	59.0	20.7	67.9
	1909	1,252.4	5.9	.....	.....	3.0	3.0	14.8	8.9	5 9	5.9	86.1	20.8	89.0
Iosco County	1900	1,161.4	29.3	9.7	.....	.....	.....	.....	29.3	48.8	(3)	78.1	9.7	.....
	1901	1,308.3	19.4	.....	.....	.....	29.1	.....	135.7	19.4	(3)	58.1	9.7	77.5
	1902	952.7	9.6	28.9	9.6	.....	9.6	.....	28.9	19.3	(3)	86.6	.....	57.7
	1903	1,165.7	28.7	19.1	9.6	.....	19.1	28.7	9.6	19.1	(3)	114.6	9.6	57.3
	1904	1,081.6	19.0	9.5	.....	.....	19.0	9.5	9.5	19.0	(3)	104.4	28.4	47.4
	1905	1,038.9	.....	.....	.....	.....	48.1	.....	9.6	9.6	19.2	57.7	19.2	48.1
	1906	1,247.3	19.5	.....	.....	39.0	9.7	9.7	19.5	9.7	9.7	39.0	9.7	68.2
	1907	1,244.1	9 9	9.9	.....	.....	29.6	9.9	9.9	49.4	19.7	69.1	29.6	39.5
	1908	1,210.7	40.0	.....	.....	.....	.....	.....	.....	20.0	20.0	70.0	20.0	40.0
	1909	1,095.3	50.7	10.1	10.1	10.1	.....	10.1	20 3	20.3	.....	152.1	20.3	40.6
Iron County	1900	878.7	11.1	.....	.....	33.4	11.1	66.8	22.2	22.2	(3)	22.2	11.1	33.4
	1901	1,170.0	22.3	.....	.....	.....	22.3	.....	89.2	11.1	(3)	66.9	11.1	.....
	1902	960.0	11.2	.....	.....	.....	.....	.....	22.3	11.2	(3)	78.1	11.2	22.3
	1903	1,096.0	22.4	.....	.....	11.2	.....	.....	.....	11.2	(3)	11.2	11.2	33.5
	1904	974.8	11.2	.....	.....	.....	.....	.....	11.2	22.4	(3)	56.0	.....	89.7
	1905	1,220.8	29.8	.....	.....	.....	.....	99.3	19.9	.....	9.9	69.5	9.9	29.8
	1906	1,275.0	26.9	.....	.....	18.0	9.0	.....	26.9	.....	.....	98.8	26.9	26.9
	1907	1,188.6	16.4	.....	.....	.....	.....	.....	49.2	8.2	.....	41.0	24.6	41.0
	1908	1,364.9	15.1	.....	.....	.....	22.6	.....	37.7	7.5	7.5	113.1	.....	45.2
	1909	942.5	14.0	.....	.....	.....	20.9	.....	20.9	7.0	.....	41.9	7.0	20.9
Isabella County	1900	1,334.3	39.5	.....	.....	8.8	4.4	8.8	21.9	8.8	(3)	109.7	13.2	52.6
	1901	1,047.0	26 0	.....	8.7	.....	8.7	8.7	21.6	34.6	(3)	69.2	8.7	26.0
	1902	1,117.6	25.6	4.3	.....	12.8	12.8	21.3	17.1	8.5	(3)	76.8	12.8	29.9
	1903	996.8	29.4	4.2	.....	.....	4.2	4.2	16.8	8.4	(3)	50.5	21.0	50.5
	1904	970.7	16.6	4.1	.....	16.6	.....	4.1	8.3	8.3	(3)	58.1	24.9	58.1
	1905	1,204.6	25 1	.....	.....	.....	.....	4.2	20.9	8.4	8.4	79.5	20.9	25.1
	1906	1,235.0	21.1	.....	.....	.....	4.2	21.1	21.1	4.2	21.1	50.6	8.4	46.4
	1907	1,176.6	8.5	.....	.....	.....	.....	.....	17.0	25.5	8.5	85.0	8.5	59.5
	1908	1,185.8	17.1	.....	.....	.....	12.8	4.3	8.6	12.8	21.4	98.5	4.3	55.7
	1909	1,139.2	25.9	.....	.....	.....	.....	17.3	.....	8.6	12.9	94.9	25.9	51.8

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
3.3	26.8	20.1	207.6	194.2	97.1	40.2	77.0	90.4	60.3	13.4	3.3	67.0	33.5	167.4	.....
.....	16.7	26.8	231.1	217.7	107.2	46.9	53.6	87.1	70.3	10.0	10.0	43.6	23.5	167.5	.....
.....	23.4	6.7	157.5	237.9	60.3	36.8	43.5	93.8	83.8	23.4	13.4	83.8	26.8	130.6	.....
3.4	20.1	6.7	177.6	271.4	83.8	50.3	36.8	80.4	70.4	20.1	23.4	53.6	23.4	157.5	.....
3.4	36.9	10.0	207.8	241.3	70.4	53.6	36.9	107.2	63.7	20.1	3.4	63.7	30.2	164.2	6.7
3.4	16.8	13.4	161.0	238.2	33.5	30.2	50.3	97.3	47.0	53.7	6.7	50.3	40.3	134.2	10.1
3.4	26.9	6.7	178.0	251.8	87.3	63.8	53.7	100.7	63.8	23.5	3.4	67.2	33.6	171.3	6.7
3.4	13.4	10.1	208.4	272.2	77.3	47.1	43.7	104.2	60.5	40.3	16.8	70.6	13.4	178.1	3.4
3.4	23.5	16.8	168.2	279.2	63.9	33.6	33.6	70.6	47.1	47.1	16.8	70.6	13.5	185.0	3.4
6.7	16.8	6.7	191.9	239.1	43.8	33.7	53.9	74.1	80.8	23.6	10.1	47.1	16.8	171.7	3.4
.....	12.1	33.3	95.4	77.2	104.5	89.3	201.3	90.8	50.0	90.8	4.5	124.1	33.3	113.5	39.4
1.5	10.4	22.3	101.2	99.7	81.8	98.2	160.7	59.5	25.3	77.4	8.9	175.6	32.7	92.3	17.9
.....	13.2	16.1	99.5	67.3	93.7	98.0	178.5	71.7	38.0	99.5	5.9	158.0	35.1	120.0	21.9
.....	5.8	31.7	76.3	79.2	89.2	106.5	107.9	61.9	53.2	60.4	1.4	126.6	27.3	77.7	23.0
.....	4.2	18.4	90.6	86.4	94.9	110.5	99.1	46.7	53.8	69.4	4.2	148.7	17.0	103.4	18.4
.....	6.8	29.8	92.1	84.0	81.2	81.2	219.4	69.1	44.7	90.7	6.8	142.2	35.2	109.7	23.0
.....	6.5	28.6	101.5	91.1	92.4	91.1	186.1	89.8	45.6	104.1	9.1	125.0	33.8	101.5	22.1
1.3	12.5	18.8	100.3	76.4	60.2	48.9	91.5	68.9	36.3	76.4	6.3	156.7	37.6	84.0	13.8
.....	6.0	21.7	72.5	89.4	59.2	70.1	159.5	72.5	37.5	89.4	13.3	141.4	37.5	112.4	6.0
.....	5.8	12.8	91.0	99.1	38.5	60.6	138.8	61.8	40.8	80.5	7.0	147.0	16.3	79.3	2.3
.....	8.8	23.4	70.3	105.4	73.2	38.1	111.2	79.0	43.9	41.0	.....	46.8	29.3	146.4	58.5
2.9	11.6	5.8	101.9	55.3	78.6	81.5	69.9	84.4	43.7	34.9	8.7	49.5	17.5	154.3	61.1
.....	23.2	14.5	92.6	104.2	75.2	69.5	57.9	55.0	31.8	28.9	14.5	46.3	11.6	95.5	40.5
5.8	2.9	14.4	92.1	89.2	57.6	66.2	95.0	60.4	40.3	28.8	17.3	60.4	20.1	123.7	43.2
.....	2.9	11.4	80.1	134.5	42.9	42.9	57.2	100.2	54.4	57.2	2.9	60.1	5.7	125.9	34.3
.....	2.9	8.6	88.8	117.4	54.4	43.0	77.3	83.1	60.2	37.2	5.7	37.2	22.9	180.5	28.6
5.7	8.6	5.7	88.9	131.9	40.1	34.4	103.2	77.4	51.6	71.7	2.9	48.7	20.1	149.1	11.5
.....	8.6	5.7	100.4	146.3	89.0	66.0	40.2	68.9	48.8	54.5	.....	60.3	25.8	140.6	14.3
.....	14.4	14.4	112.0	117.8	66.1	51.7	106.3	80.4	57.4	74.7	5.7	25.9	17.2	146.5	.....
.....	2.9	20.1	94.9	135.1	51.7	54.6	83.4	77.6	51.7	69.0	2.9	63.2	20.1	129.4	5.7
.....	21.4	38.6	162.9	145.7	72.9	64.3	98.6	115.7	55.7	25.7	4.3	60.0	60.0	150.0	21.4
4.3	8.6	.....	205.7	235.7	94.3	47.1	25.7	107.2	60.0	8.6	.....	25.7	42.9	167.1	4.3
.....	17.1	30.0	188.6	252.9	107.1	47.1	68.6	68.6	68.6	30.0	17.1	34.3	25.7	210.0	4.3
8.6	17.1	8.6	154.3	171.4	81.4	72.9	34.3	94.3	60.0	21.4	.....	64.3	21.4	158.6	.....
4.3	60.0	12.9	210.0	222.9	120.0	64.3	42.9	141.4	90.0	30.0	25.7	85.7	17.1	252.9	.....
.....	17.3	26.0	199.1	229.4	39.0	77.9	51.9	116.9	51.9	30.3	17.3	77.9	39.0	151.5	4.3
4.4	21.8	4.4	166.0	196.6	56.8	30.6	104.9	78.6	65.5	35.0	4.4	43.7	26.2	109.2	4.4
.....	30.9	13.2	163.2	216.1	57.3	83.8	39.7	145.5	61.7	22.0	.....	61.7	17.6	167.6	4.4
4.5	13.4	17.8	155.8	289.4	31.2	53.4	71.2	80.1	49.0	40.1	22.3	62.3	22.3	160.3	.....
.....	13.5	4.5	220.2	274.1	58.4	13.5	62.9	125.8	53.9	36.0	9.0	71.9	9.0	166.3	.....
.....	14.6	34.9	221.4	180.6	78.7	64.1	101.9	84.5	49.5	37.9	14.6	46.6	64.1	168.9	2.9
5.8	14.5	8.7	197.7	206.4	72.7	75.6	55.2	75.6	43.6	40.7	20.3	61.0	23.3	162.8	2.9
.....	5.8	11.6	174.1	223.4	60.9	34.8	58.0	75.4	60.9	34.8	8.7	72.5	37.7	156.6	.....
2.9	11.6	8.7	188.1	196.8	52.1	57.9	52.1	107.1	60.8	28.9	.....	34.7	31.8	121.5	8.7
5.8	23.1	5.8	210.8	207.9	104.0	60.6	49.1	135.8	63.5	23.1	14.4	69.3	23.1	135.7	11.6
5.8	14.5	5.8	209.1	168.5	72.6	69.7	43.6	90.0	37.8	29.0	5.8	72.6	43.6	130.7	8.7
.....	20.4	17.5	195.6	262.8	58.4	70.1	78.8	102.2	52.6	43.8	8.8	49.6	29.2	157.7	8.8
.....	20.6	8.8	208.4	240.7	64.6	70.5	23.5	96.9	61.7	58.7	8.8	67.5	20.6	152.7	.....
3.0	14.8	26.6	218.4	218.4	44.3	44.3	50.2	118.1	59.0	50.2	11.8	47.2	41.3	180.0	5.9
3.0	14.8	5.9	198.8	252.3	77.2	53.4	41.5	68.3	56.4	47.5	5.9	44.5	14.8	124.6	.....
9.7	9.7	.....	68.3	78.1	87.9	29.3	175.7	97.6	19.5	97.6	.....	68.3	58.6	126.9	29.3
.....	29.1	29.1	116.3	38.8	106.6	87.2	48.4	87.2	48.4	19.4	9.7	155.0	19.4	145.4	19.4
.....	9.6	38.5	67.4	86.6	77.0	38.5	38.5	57.7	9.6	105.9	.....	57.7	9.6	105.9	.....
9.6	.....	9.6	95.5	57.3	76.4	57.3	86.0	124.2	47.8	38.2	38.2	76.4	47.8	86.0	.....
.....	.....	9.5	38.0	75.9	85.4	38.0	94.9	75.9	28.4	56.9	.....	75.9	28.4	189.7	19.0
.....	9.6	9.6	57.7	134.7	38.5	38.5	115.4	57.7	28.9	48.1	.....	86.6	67.3	134.7	.....
9.7	19.5	19.5	78.0	58.5	39.0	58.5	155.9	97.4	107.2	58.5	.....	165.7	39.0	97.4	9.7
19.7	.....	.....	108.6	177.7	108.6	59.2	69.1	69.1	39.5	69.1	9.9	69.1	29.6	138.2	.....
.....	.....	.....	80.0	150.1	80.0	70.0	170.1	120.1	50.0	50.0	.....	120.1	40.0	70.0	.....
.....	.....	.....	50.7	152.1	50.7	10.1	101.4	20.3	60.9	50.7	10.1	81.1	40.6	121.7	.....
.....	.....	11.1	11.1	33.4	66.8	66.8	66.8	33.4	11.1	44.4	11.1	144.6	33.4	66.8	44.4
.....	.....	11.1	33.4	22.3	55.7	66.9	133.7	89.2	11.1	55.7	22.3	256.3	55.7	122.6	11.1
.....	.....	.....	67.0	33.5	111.6	89.3	122.8	11.2	.....	55.8	.....	234.4	.....	44.6	33.5
.....	.....	.....	55.9	89.5	55.9	134.2	123.0	44.7	22.4	89.5	11.2	246.0	11.2	67.1	44.7
.....	.....	11.2	33.6	22.4	22.4	123.3	112.0	56.0	.....	89.7	22.4	190.5	22.4	56.0	22.4
.....	9.9	.....	59.6	29.8	49.6	99.3	99.3	79.4	.....	69.5	.....	277.9	39.7	79.4	59.6
.....	9.0	26.9	53.9	80.8	62.9	53.9	170.6	53.9	9.0	98.8	.....	287.3	18.0	62.9	53.9
.....	8.2	8.2	32.8	57.4	90.2	49.2	98.4	32.8	57.4	106.6	.....	262.3	41.0	82.0	82.0
.....	15.1	15.1	22.6	82.9	82.9	30.2	256.4	82.9	7.5	75.4	30.2	226.2	52.8	120.7	15.1
.....	7.0	7.0	41.9	76.8	55.9	55.9	111.7	34.9	14.0	97.7	20.9	174.5	41.9	69.8	.....
4.4	4.4	26.3	131.7	87.8	83.4	52.6	131.8	109.7	39.5	39.5	.....	79.0	52.6	175.6	48.3
.....	13.0	21.6	73.5	73.5	51.9	56.2	121.1	82.2	47.6	47.6	.....	30.3	13.0	164.4	38.9
.....	21.3	17.1	89.6	123.7	81.0	34.1	59.7	123.7	68.3	42.7	8.5	81.0	21.3	115.2	8.5
.....	4.2	12.6	109.4	92.5	50.5	63.1	46.3	84.1	63.1	33.7	16.8	46.3	21.0	151.4	12.6
.....	20.7	8.3	99.6	83.0	78.8	41.5	53.9	70.5	58.1	24.9	4.1	58.1	16.6	132.8	20.7
.....	4.2	8.4	112.9	158.9	75.3	54.4	71.1	108.8	108.8	50.2	12.5	75.3	29.3	125.5	16.7
.....	12.6	25.3	113.8	122.2	54.8	59.0	164.4	101.2	42.1	80.1	8.4	33.7	25.3	160.2	33.7
4.2	8.5	17.0	127.4	140.2	42.5	114.7	34.0	118.9	59.5	42.5	.....	59.5	38.2	144.4	12.7
.....	12.8	8.6	98.5	141.3	64.2	42.8	124.1	77.1	81.3	68.5	17.1	38.5	25.7	149.8	.....
4.3	12.9	21.6	120.8	164.0	73.4	69.0	86.3	82.0	73.4	51.8	.....	25.9	12.9	99.2	4.3

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
MICHIGAN RURAL [2]—Continued.														
Jackson County	1900	1,189.1	52.1	.....	.....	8.7	.....	.....	8.7	13.0	(3)	56.4	13.0	52.1
	1901	1,187.5	13.2	4.4	.....	.....	.....	.....	.....	52.8	(3)	70.4	4.4	74.7
	1902	1,257.1	22.3	.....	.....	4.5	.....	.....	4.5	35.7	(3)	58.0	8.9	80.2
	1903	1,292.5	18.1	4.5	.....	.....	.....	9.0	4.5	27.1	(3)	45.2	13.6	72.3
	1904	1,530.6	9.2	.....	4.6	9.2	4.6	.....	9.2	32.1	(3)	55.0	4.6	155.8
	1905	1,336.2	32.0	4.6	22.9	.....	4.6	9.2	4.6	41.2	22.9	73.2	.....	64.1
	1906	1,252.1	4.6	.....	.....	.....	.....	9.1	.....	22.8	13.7	41.1	9.1	54.8
	1907	1,556.2	4.6	.....	.....	18.3	13.7	27.4	.....	50.2	13.7	54.8	18.3	68.5
	1908	1,453.9	9.1	.....	.....	4.6	.....	4.6	.....	27.3	4.6	63.8	9.1	72.9
	1909	1,356.4	4.6	.....	.....	4.6	13.7	.....	.....	36.4	4.6	45.5	18.2	77.4
Kalamazoo County	1900	1,411.6	35.2	10.0	.....	.....	10.0	15.1	15.1	25.1	(3)	70.3	10.0	75.4
	1901	1,340.0	20.1	20.1	.....	35.1	10.0	.....	15.1	45.2	(3)	80.3	15.1	55.2
	1902	1,178.2	20.1	.....	.....	.....	5.0	.....	10.0	15.0	(3)	55.2	5.0	110.3
	1903	1,367.7	20.0	10.0	.....	5.0	.....	.....	.....	5.0	(3)	75.2	15.0	60.1
	1904	1,496.5	10.0	5.0	.....	15.0	.....	5.0	15.0	55.1	(3)	70.1	15.0	90.1
	1905	1,284.3	14.9	.....	.....	14.9	5.0	5.0	5.0	14.9	5.0	74.4	5.0	49.6
	1906	1,386.4	19.7	.....	.....	.....	.....	24.6	4.9	4.9	9.8	59.0	4.9	98.3
	1907	1,335.9	14.6	.....	.....	9.8	4.9	.....	4.9	63.4	9.8	63.4	19.5	63.4
	1908	1,315.2	9.7	4.8	.....	4.8	.....	4.8	.....	24.2	14.5	53.2	.....	91.9
	1909	1,136.5	.....	.....	.....	.....	.....	4.8	.....	24.0	19.2	48.0	4.8	86.3
Kalkaska County	1900	1,500.1	98.1	.....	.....	84.1	.....	.....	.....	14.0	(3)	42.1	.....	28.0
	1901	1,213.6	.....	13.8	.....	13.8	13.8	.....	96.5	69.0	(3)	110.3	27.6	13.8
	1902	1,044.7	13.6	13.6	.....	.....	27.1	.....	27.1	13.6	(3)	27.1	13.6	13.6
	1903	1,535.6	26.7	.....	.....	.....	.....	.....	40.1	13.3	(3)	80.1	40.1	66.8
	1904	1,275.0	.....	.....	13.1	13.1	13.1	13.1	26.3	13.1	(3)	52.6	26.3	65.7
	1905	1,403.1	13.0	13.0	.....	.....	13.0	13.0	.....	39.0	.....	129.9	13.0	26.0
	1906	1,619.5	64.3	.....	.....	25.7	38.6	.....	25.7	51.4	.....	128.5	.....	38.6
	1907	1,284.5	25.4	.....	.....	.....	12.7	.....	.....	50.9	12.7	38.2	12.7	38.2
	1908	1,673.8	50.3	.....	.....	.....	.....	50.3	12.6	12.6	25.2	75.5	12.6	62.9
	1909	1,270.2	37.4	12.5	.....	62.3	.....	.....	12.5	24.9	12.5	137.0	.....	112.1
Kent County	1900	1,527.9	30.8	.....	.....	11.9	14.2	4.7	26.1	16.6	(3)	99.7	21.4	121.0
	1901	1,458.5	21.3	2.4	.....	.....	.....	7.1	26.0	61.5	(3)	75.6	9.4	61.5
	1902	1,394.3	16.5	.....	4.7	.....	11.8	9.4	2.4	18.8	(3)	82.4	25.9	84.8
	1903	1,433.7	25.8	.....	.....	4.7	9.4	11.7	7.0	25.8	(3)	103.3	14.1	107.9
	1904	1,613.3	18.7	7.0	.....	.....	.....	4.7	9.4	21.0	(3)	60.8	18.7	81.8
	1905	1,499.8	29.9	.....	4.6	2.3	2.3	.....	32.2	13.8	27.6	92.0	18.4	92.0
	1906	1,604.7	27.2	4.5	.....	.....	4.5	4.5	20.4	24.9	13.6	92.9	13.6	83.9
	1907	1,708.8	20.1	2.2	.....	.....	2.2	.....	15.6	42.4	8.9	100.5	20.1	60.3
	1908	1,521.5	35.2	2.2	2.2	4.4	4.4	2.2	4.4	24.2	6.6	132.1	17.6	101.3
	1909	1,554.4	6.5	2.2	.....	4.3	10.9	6.5	2.2	21.7	8.7	89.0	19.5	121.6
Keweenaw County	1900	1,492.1	.....	.....	.....	.....	155.4	.....	.....	.....	(3)	124.4	.....	62.1
	1901	1,155.3	.....	.....	.....	.....	140.9	.....	.....	.....	(3)	28.2	28.2	28.2
	1902	850.3	.....	.....	.....	.....	.....	.....	.....	.....	(3)	51.5	.....	.....
	1903	1,091.9	.....	.....	.....	.....	.....	.....	.....	.....	(3)	47.5	.....	47.5
	1904	989.9	.....	.....	.....	.....	22.0	.....	.....	.....	(3)	153.9	.....	.....
	1905	1,213.4	19.9	.....	.....	19.9	.....	.....	19.9	.....	19.9	139.2	39.8	59.7
	1906	1,206.4	.....	.....	.....	.....	.....	36.6	36.6	.....	.....	91.4	.....	18.3
	1907	963.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	50.7	.....	16.9
	1908	1,682.7	15.7	.....	.....	125.8	.....	.....	31.5	.....	31.5	94.4	.....	47.2
	1909	1,484.6	.....	.....	.....	14.7	.....	.....	88.2	29.4	.....	58.8	.....	.....
Lake County	1900	1,250.8	100.9	20.2	.....	.....	.....	.....	.....	.....	(3)	80.7	20.2	60.5
	1901	1,167.7	40.3	.....	.....	.....	.....	.....	.....	40.3	(3)	80.5	.....	40.3
	1902	944.3	20.1	20.1	.....	.....	.....	.....	20.1	.....	(3)	80.3	.....	.....
	1903	1,022.4	.....	.....	.....	.....	.....	.....	.....	.....	(3)	60.2	.....	80.2
	1904	1,200.2	40.0	20.0	.....	.....	40.0	.....	20.0	60.0	(3)	100.0	.....	60.0
	1905	1,182.6	40.1	20.0	.....	120.3	.....	.....	20.0	.....	.....	20.0	.....	.....
	1906	1,345.7	.....	.....	.....	20.1	.....	.....	80.3	.....	.....	100.4	.....	20.1
	1907	1,247.7	.....	.....	.....	.....	.....	.....	60.4	.....	.....	100.6	.....	80.5
	1908	1,169.6	20.2	.....	.....	.....	.....	.....	.....	.....	.....	121.0	.....	80.7
	1909	949.9	.....	.....	.....	.....	.....	.....	.....	.....	20.2	101.1	.....	20.2
Lapeer County	1900	1,313.3	28.9	10.9	.....	14.5	14.5	3.6	28.9	18.1	(3)	83.2	21.7	47.0
	1901	1,513.1	40.0	.....	.....	.....	3.6	3.6	50.9	69.1	(3)	105.5	21.8	61.9
	1902	1,371.3	25.6	11.0	.....	18.3	11.0	14.6	25.6	29.2	(3)	43.9	11.0	65.8
	1903	1,297.9	25.7	.....	.....	.....	14.7	14.7	3.7	14.7	(3)	40.4	25.7	58.8
	1904	1,549.0	14.8	3.7	3.7	.....	7.4	.....	11.1	14.8	(3)	70.2	3.7	73.9
	1905	1,425.8	18.6	3.7	.....	7.4	3.7	.....	7.4	33.5	7.4	63.3	18.6	63.3
	1906	1,416.3	3.7	.....	.....	45.0	.....	7.5	11.2	7.5	22.5	56.2	15.0	89.9
	1907	1,368.9	15.1	.....	.....	3.8	.....	11.3	3.8	41.5	7.5	75.4	11.3	86.7
	1908	1,377.9	45.6	3.8	.....	.....	.....	3.8	11.4	3.8	30.4	79.7	11.4	64.5
	1909	1,413.8	22.9	.....	.....	3.8	.....	3.8	3.8	53.5	34.4	65.0	11.5	95.5
Leelanau County	1900	1,496.8	9.5	.....	.....	.....	18.9	18.9	9.5	47.4	(3)	85.3	18.9	66.3
	1901	1,148.5	9.4	.....	.....	.....	.....	18.8	9.4	28.2	(3)	56.5	.....	75.3
	1902	1,094.4	.....	.....	.....	.....	9.4	28.0	9.4	18.7	(3)	93.5	9.4	9.4
	1903	1,208.4	9.3	.....	.....	18.6	.....	9.3	9.3	18.6	(3)	102.2	.....	55.8
	1904	1,330.1	.....	.....	.....	.....	9.2	.....	.....	27.7	(3)	138.5	.....	64.7
	1905	1,307.3	9.3	.....	.....	.....	.....	.....	37.1	9.3	9.3	74.2	.....	37.1
	1906	1,544.3	46.5	.....	.....	.....	.....	27.9	.....	27.9	9.3	102.3	27.9	83.7
	1907	1,531.0	28.0	.....	.....	9.3	.....	9.3	46.7	18.7	9.3	102.7	9.3	56.0
	1908	1,320.8	28.1	.....	.....	.....	.....	9.4	.....	18.7	9.4	159.3	28.1	74.9
	1909	1,419.4	9.4	.....	.....	.....	.....	9.4	.....	.....	.....	122.2	9.4	28.2

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
13.0	13.0	8.7	143.2	156.2	65.1	65.1	47.7	73.8	82.5	30.4	17.4	26.0	65.1	173.6	4.3
8.8	13.2	17.6	158.3	158.3	79.2	61.6	44.0	66.0	74.7	22.0	13.2	57.2	30.8	158.3	4.4
4.5	8.9	17.8	147.1	173.8	66.9	53.5	26.7	102.5	71.3	40.1	8.9	89.2	31.2	196.1	4.5
.....	13.6	18.1	198.8	253.1	63.3	54.2	49.7	58.8	90.4	18.1	9.0	99.4	22.6	144.6	4.5
.....	18.3	4.6	256.6	229.1	114.6	91.6	32.1	96.2	64.1	36.7	13.7	82.5	27.5	165.0	13.7
.....	18.3	9.2	178.5	192.2	59.5	77.8	64.1	77.8	36.6	18.3	13.7	68.6	54.9	178.5	9.2
.....	32.0	13.7	123.4	219.3	77.7	45.7	73.1	77.7	86.8	36.6	9.1	82.3	59.4	155.4	4.6
.....	31.9	4.6	200.8	228.2	68.5	73.0	36.5	91.3	127.8	36.5	22.8	123.2	27.4	196.2	18.3
.....	18.2	.....	237.0	259.8	59.2	72.9	63.8	68.4	136.7	41.0	18.2	72.9	22.8	182.3	4.6
.....	18.2	13.7	191.2	236.7	68.3	59.2	54.6	63.7	81.9	45.5	.....	95.6	27.3	195.7	.....
.....	.....	10.0	226.1	195.9	120.6	40.2	55.3	150.7	40.2	25.1	15.1	45.2	45.2	170.8	5.0
.....	5.0	10.0	215.9	175.6	75.3	80.3	40.1	70.3	65.2	25.1	10.0	80.3	15.1	175.6	.....
5.0	5.0	5.0	165.5	205.6	50.1	45.1	50.1	85.2	55.2	15.0	10.0	100.3	15.0	145.4	.....
.....	5.0	25.1	195.4	245.5	95.2	100.2	35.1	125.3	60.1	25.1	20.0	60.1	5.0	160.3	20.0
.....	10.0	10.0	135.1	335.3	105.1	65.1	60.1	70.1	80.1	30.0	20.0	75.1	20.0	195.2	5.0
5.0	5.0	14.9	218.2	198.3	84.3	59.5	79.3	84.3	49.6	19.8	5.0	94.2	54.5	114.0	5.0
9.8	14.7	.....	206.5	280.2	98.3	49.2	49.2	83.6	88.5	19.7	9.8	88.5	9.8	142.6	9.8
.....	9.8	4.9	190.1	253.5	73.1	63.4	34.1	121.9	43.9	14.6	14.6	78.0	14.6	146.3	19.5
.....	4.8	9.7	183.7	261.1	58.0	67.7	72.5	96.7	58.0	72.5	9.7	67.7	4.8	140.2	.....
.....	14.4	.....	143.9	239.8	43.2	33.6	48.0	91.1	71.9	33.6	9.6	57.5	4.8	158.2	.....
14.0	.....	42.1	154.2	140.2	56.1	56.1	140.2	126.2	28.0	84.1	.....	112.2	84.1	196.3	.....
.....	.....	.....	124.1	69.0	82.7	96.5	110.3	110.3	13.8	27.6	13.8	55.2	55.2	82.7	13.8
.....	13.6	.....	108.5	81.4	67.8	108.5	67.8	54.3	40.7	54.3	40.7	67.8	13.6	176.4	.....
.....	.....	.....	120.2	160.2	66.8	120.2	213.6	40.1	80.1	53.4	.....	173.6	66.8	146.8	26.7
.....	.....	52.6	131.5	131.5	65.7	118.3	105.2	105.2	52.6	52.6	13.1	105.2	13.1	78.9	13.1
.....	13.0	39.0	116.9	116.9	78.0	65.0	129.9	52.0	103.9	65.0	.....	181.9	26.0	103.9	52.0
.....	25.7	12.9	154.2	64.3	102.8	115.7	128.5	77.1	179.9	115.7	.....	64.3	64.3	141.4	.....
.....	.....	12.7	152.6	101.7	25.4	152.6	76.3	101.7	63.6	25.4	12.7	139.9	50.9	178.0	.....
.....	12.6	12.6	226.5	125.8	37.8	151.0	188.8	113.3	12.6	151.0	37.8	62.9	37.8	201.4	.....
.....	12.5	24.9	149.4	137.0	62.3	124.5	49.8	62.3	37.4	49.8	.....	62.3	37.4	37.4	12.5
.....	7.1	26.1	159.0	204.0	87.8	80.7	73.6	92.5	83.0	40.3	9.5	61.7	54.6	187.4	14.2
.....	14.2	16.5	191.5	196.2	125.3	70.9	70.9	70.9	99.3	23.6	14.2	54.4	30.7	210.4	4.7
.....	14.1	21.2	207.3	193.1	73.0	58.9	65.9	70.7	73.0	37.7	7.1	82.4	33.0	195.5	4.7
9.4	4.7	14.1	192.4	258.1	42.2	89.2	49.3	89.2	61.0	18.8	.....	86.8	30.5	176.0	2.3
2.3	16.4	25.7	231.5	250.2	93.5	91.2	79.5	100.5	88.8	35.1	11.7	93.5	35.1	226.8	9.4
.....	23.0	25.3	144.9	204.7	78.2	78.2	78.2	101.2	96.6	46.0	20.7	46.0	43.7	195.5	2.3
2.3	22.7	15.9	188.1	274.2	83.9	70.3	106.5	115.6	72.5	40.8	11.3	104.3	13.6	190.4	2.3
4.5	15.6	22.3	277.0	299.3	89.3	84.9	49.1	105.0	87.1	35.7	8.9	69.2	42.4	236.8	8.9
2.2	13.2	8.8	160.7	268.6	57.2	66.1	79.3	92.5	81.5	33.0	24.2	92.5	26.4	176.1	2.2
4.3	19.5	6.5	175.8	321.3	43.4	67.3	65.1	106.4	86.9	49.9	8.7	106.4	23.9	173.7	2.2
.....	.....	31.0	155.4	62.1	124.4	155.4	124.4	155.4	.....	124.4	.....	93.3	.....	124.4	.....
.....	28.2	28.2	169.1	56.3	28.2	56.3	112.7	84.5	.....	.....	28.2	112.7	.....	197.2	28.2
.....	51.5	25.8	103.1	.....	51.5	128.8	154.6	25.8	25.8	.....	.....	103.1	.....	128.8	.....
.....	.....	23.7	118.7	71.2	47.5	166.1	237.4	71.2	.....	47.5	.....	94.9	.....	118.7	.....
.....	.....	22.0	88.0	44.0	88.0	44.0	176.0	22.0	44.0	44.0	.....	176.0	.....	44.0	22.0
.....	.....	19.9	99.5	39.8	59.7	39.8	218.8	79.6	.....	179.0	19.9	99.5	19.9	19.9	.....
.....	18.3	18.3	127.9	54.8	54.8	146.2	237.6	36.6	54.8	127.9	.....	91.4	18.3	36.6	.....
.....	.....	16.9	118.3	.....	67.6	50.7	118.3	33.8	16.9	152.2	33.8	118.3	16.9	152.2	.....
.....	.....	.....	235.9	15.7	31.5	173.0	204.4	62.9	47.2	173.0	31.5	235.9	15.7	110.1	.....
.....	29.4	14.7	235.2	29.4	14.7	117.6	323.4	44.1	14.7	132.3	.....	132.3	58.8	147.0	.....
.....	.....	.....	121.0	60.5	100.9	80.7	121.0	121.0	20.2	20.2	20.2	100.9	20.2	181.5	.....
.....	.....	20.1	100.7	140.9	100.7	80.5	60.4	80.5	.....	.....	.....	60.4	60.4	201.3	60.4
.....	40.2	.....	40.2	140.6	100.5	40.2	40.2	100.5	.....	40.2	.....	80.3	20.1	160.7	.....
.....	.....	20.0	160.4	100.2	20.0	40.1	40.1	100.2	.....	120.3	.....	60.2	60.2	140.3	20.0
20.0	.....	.....	180.1	60.0	.....	20.0	100.0	160.1	.....	20.0	.....	100.0	40.0	140.0	20.0
.....	.....	.....	100.2	120.3	80.2	100.2	120.3	40.1	40.1	20.0	.....	200.4	20.0	120.3	.....
.....	20.1	40.2	100.4	220.9	20.1	80.3	120.5	100.4	100.4	20.1	.....	20.1	20.1	220.9	40.2
.....	20.1	.....	80.5	140.9	80.5	60.4	60.4	181.1	80.5	40.2	.....	100.6	.....	161.0	.....
.....	.....	.....	161.3	141.2	40.3	100.8	40.3	60.5	40.3	40.3	20.2	100.8	20.2	161.3	20.2
.....	.....	.....	121.3	101.1	20.2	101.1	121.3	40.4	80.8	80.8	.....	40.4	.....	101.1	.....
.....	3.6	7.2	144.7	133.9	90.5	50.6	141.1	90.5	54.3	32.6	3.6	54.3	47.0	188.1	.....
.....	7.3	.....	251.0	152.8	101.9	87.3	98.2	76.4	43.6	47.3	14.5	58.2	50.9	163.7	3.6
.....	11.0	7.3	212.1	179.2	117.0	80.4	65.8	117.0	43.9	25.6	18.3	47.5	32.9	157.3	.....
3.7	18.4	7.4	194.9	198.6	69.9	29.4	36.8	139.7	51.5	40.4	7.4	58.8	47.8	183.8	11.0
3.7	33.3	14.8	240.3	162.7	107.2	103.5	77.6	103.5	62.8	44.4	3.7	59.1	55.5	262.5	11.1
3.7	26.1	11.2	197.3	163.8	89.3	74.5	115.4	111.7	44.7	52.1	3.7	67.0	40.9	197.3	.....
3.7	7.5	11.2	194.8	221.1	101.2	71.2	93.7	67.4	67.4	30.0	7.5	59.9	37.5	179.8	3.7
.....	3.8	11.3	211.2	237.6	67.9	64.1	64.1	64.1	75.4	41.5	7.5	49.0	18.9	196.1	.....
3.8	30.4	3.8	208.8	208.8	41.8	38.0	87.3	113.9	38.0	30.4	3.8	60.7	41.8	212.6	.....
.....	7.6	7.6	160.5	179.6	91.7	49.7	80.2	80.2	91.7	53.5	22.9	68.8	34.4	191.1	.....
.....	.....	28.4	161.1	180.0	66.3	85.3	151.6	66.3	37.9	37.9	.....	66.3	56.8	255.8	28.4
.....	18.8	9.4	160.1	113.0	47.1	28.2	122.4	65.9	47.1	37.7	9.4	37.7	28.2	225.9	.....
.....	.....	9.4	93.5	102.9	112.2	46.8	93.5	65.5	37.4	56.1	.....	56.1	18.7	149.7	74.8
.....	18.6	.....	139.4	92.9	102.2	37.2	92.9	120.9	46.5	27.9	.....	37.2	55.8	148.7	65.1
.....	.....	27.7	157.0	138.5	64.7	64.7	129.3	92.4	36.9	64.7	9.2	64.7	46.2	194.0	.....
.....	9.3	.....	102.0	120.5	92.7	74.2	204.0	83.4	37.1	83.4	.....	74.2	18.5	176.2	55.6
9.3	9.3	18.6	139.5	130.2	111.6	111.6	102.3	111.6	46.5	65.1	9.3	55.8	55.8	241.9	.....
.....	28.0	.....	121.4	214.7	93.4	177.4	9.3	140.0	65.3	56.0	9.3	112.0	.....	168.0	46.7
.....	18.7	9.4	93.7	56.2	65.6	65.6	93.7	112.4	37.5	84.3	9.4	84.3	65.6	196.7	.....
.....	47.0	28.2	159.8	159.8	28.2	56.4	75.2	112.8	122.2	65.8	9.4	84.6	28.2	263.2	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
MICHIGAN RURAL[2]—Continued.														
Lenawee County	1900	1,442.0	35.1	8.3	.....	6.2	10.3	.....	8.3	39.2	(3)	97.1	20.7	82.6
	1901	1,455.4	37.0	12.4	2.0	.....	6.2	4.1	10.3	76.2	(3)	98.8	10.3	100.9
	1902	1,306.6	32.8	10.2	.....	2.1	6.2	12.3	8.2	45.1	(3)	92.3	24.6	80.0
	1903	1,349.0	16.4	.....	.....	2.0	2.0	8.2	8.2	40.9	(3)	75.6	26.6	79.7
	1904	1,425.7	28.5	.....	.....	10.2	6.1	6.1	18.3	44.9	(3)	77.4	8.1	77.4
	1905	1,393.2	8.2	6.1	.....	.....	2.0	12.3	8.2	53.2	10.2	55.2	16.4	85.9
	1906	1,374.8	13.2	.....	.....	.....	5.3	5.3	2.6	21.1	26.3	84.3	10.5	121.2
	1907	1,464.9	18.5	2.6	.....	2.6	.....	2.6	5.3	84.8	5.3	90.1	29.1	100.7
	1908	1,313.5	24.0	.....	.....	.....	.....	10.7	8.0	63.9	16.0	58.6	13.3	74.6
	1909	1,321.1	26.8	.....	.....	2.7	2.7	.....	5.4	24.1	10.7	72.4	10.7	120.6
Livingston County	1900	1,296.8	10.2	10.2	.....	.....	.....	10.2	.....	10.2	(3)	111.9	10.2	55.9
	1901	1,303.4	41.2	5.2	.....	.....	.....	.....	10.3	72.1	(3)	87.6	15.4	82.4
	1902	1,174.5	5.2	.....	.....	.....	5.2	5.2	10.4	15.7	(3)	88.7	15.7	78.3
	1903	1,423.1	21.2	.....	.....	5.3	10.6	5.3	5.3	21.2	(3)	89.9	10.6	84.6
	1904	1,421.0	48.3	.....	.....	5.4	10.7	.....	16.1	37.5	(3)	59.0	16.1	91.2
	1905	1,282.3	43.3	5.4	.....	.....	5.4	.....	27.1	64.9	10.8	70.3	10.8	92.0
	1906	1,364.1	32.7	.....	.....	.....	.....	.....	5.5	21.8	16.4	60.0	10.9	141.9
	1907	1,342.7	16.5	.....	.....	16.5	.....	.....	.....	22.0	5.5	99.1	5.5	104.6
	1908	1,448.7	33.3	.....	.....	.....	.....	11.1	5.6	22.2	.....	83.3	16.7	99.9
	1909	1,511.8	44.8	.....	.....	.....	.....	5.6	11.2	44.8	16.8	72.8	28.0	67.2
Luce County *	1900	1,240.4	134.1	.....	.....	.....	.....	.....	.....	33.5	(3)	100.6	.....	.....
	1901	1,340.8	31.2	.....	.....	.....	.....	.....	.....	.....	(3)	62.3	.....	31.2
	1902	1,864.8	.....	29.1	.....	58.3	29.1	.....	.....	.....	(3)	145.7	.....	58.3
	1903	2,707.1	82.0	.....	.....	82.0	.....	27.3	.....	27.3	(3)	164.1	.....	54.7
	1904	1,571.4	77.3	.....	.....	25.7	.....	.....	.....	.....	(3)	77.3	.....	.....
	1905	2,408.4	25.6	.....	.....	.....	.....	.....	.....	76.9	25.6	102.5	25.6	25.6
	1906	2,421.0	76.5	.....	.....	.....	.....	25.5	51.0	.....	.....	203.9	25.5	76.5
	1907	2,560.2	25.3	.....	.....	.....	.....	25.3	.....	.....	.....	177.4	25.3	25.3
	1908	2,319.7	151.3	.....	.....	.....	25.2	.....	.....	25.2	25.2	151.3	50.4	.....
	1909	2,483.1	25.1	25.1	.....	.....	.....	.....	.....	.....	.....	175.6	25.1	75.2
Mackinac County	1900	1,129.5	.....	.....	.....	.....	13.0	.....	.....	.....	(3)	142.8	51.9	.....
	1901	1,046.1	25.5	.....	.....	.....	.....	.....	12.8	25.5	(3)	140.3	.....	12.8
	1902	1,040.7	.....	.....	.....	.....	12.5	.....	.....	.....	(3)	125.4	12.5	12.5
	1903	850.7	12.3	.....	12.3	.....	.....	.....	.....	24.7	(3)	123.3	24.7	37.0
	1904	1,200.4	24.3	.....	12.1	.....	.....	24.3	.....	12.1	(3)	121.2	.....	.....
	1905	1,138.7	23.7	.....	.....	.....	.....	.....	.....	11.9	.....	177.9	11.9	11.9
	1906	1,185.9	11.6	.....	.....	.....	46.5	.....	11.6	.....	23.3	104.6	11.6	58.1
	1907	1,174.3	.....	.....	.....	.....	.....	11.4	22.8	22.8	.....	136.8	11.4	34.2
	1908	1,274.9	11.2	.....	.....	.....	.....	.....	67.1	.....	44.7	111.8	11.2	100.6
	1909	1,152.2	11.0	.....	.....	21.9	.....	11.0	.....	21.9	43.9	153.6	.....	43.9
Macomb County	1900	1,561.2	87.2	9.0	.....	24.1	3.0	3.0	36.1	18.0	(3)	111.3	15.1	60.2
	1901	1,457.5	36.1	6.0	.....	3.0	27.1	9.0	21.1	45.2	(3)	108.4	3.0	60.2
	1902	1,404.8	21.1	9.0	6.0	18.1	45.2	12.1	18.1	9.0	(3)	99.5	9.0	69.3
	1903	1,261.6	3.0	.....	3.0	.....	30.2	18.1	33.2	15.1	(3)	54.3	6.0	102.6
	1904	1,535.0	18.1	6.0	.....	9.1	9.1	.....	27.1	18.1	(3)	108.8	30.2	75.5
	1905	1,263.4	33.3	6.1	.....	.....	6.1	.....	12.1	6.1	12.1	69.7	18.2	87.9
	1906	1,497.4	24.3	.....	.....	30.4	.....	33.4	45.6	18.2	24.3	75.9	21.3	69.9
	1907	1,571.3	24.4	3.0	3.0	12.2	.....	15.2	42.6	42.6	3.0	85.3	9.1	94.4
	1908	1,312.7	15.3	3.1	.....	.....	.....	6.1	.....	15.3	.....	97.7	9.2	61.1
	1909	1,420.1	30.6	3.1	.....	9.2	6.1	12.2	12.2	15.3	15.3	76.5	3.1	104.1
Manistee County	1900	1,371.3	46.7	3.6	.....	21.5	21.5	7.2	21.5	7.2	(3)	93.3	10.8	39.5
	1901	1,116.1	21.7	7.2	.....	.....	25.3	.....	14.4	25.3	(3)	57.8	7.2	65.0
	1902	1,133.9	25.4	.....	.....	.....	10.9	10.9	14.5	3.6	(3)	87.2	14.5	54.5
	1903	1,188.6	32.9	.....	.....	.....	11.0	11.0	18.3	11.0	(3)	76.8	11.0	91.4
	1904	1,148.2	33.1	3.7	.....	.....	7.4	.....	22.1	18.4	(3)	62.5	7.4	33.1
	1905	1,406.7	40.6	3.7	.....	3.7	3.7	.....	51.7	22.2	18.5	132.9	7.4	55.4
	1906	1,367.2	20.8	.....	.....	.....	.....	6.9	34.7	6.9	34.7	62.5	13.9	62.5
	1907	1,029.0	7.0	.....	.....	.....	.....	7.0	7.0	34.8	7.0	76.5	7.0	55.6
	1908	1,232.9	13.9	.....	.....	.....	.....	7.0	.....	34.8	13.9	27.9	20.9	55.7
	1909	1,158.5	7.0	.....	.....	7.0	7.0	27.9	7.0	7.0	20.9	76.8	14.0	55.8
Marquette County	1900	1,422.5	16.7	.....	.....	16.7	22.3	11.2	27.9	11.2	(3)	106.0	27.9	22.3
	1901	1,247.5	16.8	.....	5.6	5.6	5.6	.....	67.1	5.6	(3)	67.1	16.8	16.8
	1902	1,071.5	56.1	.....	.....	5.6	11.2	.....	61.7	11.2	(3)	67.3	28.1	39.3
	1903	1,282.7	28.1	.....	5.6	5.6	22.5	50.6	45.0	11.3	(3)	90.0	11.3	61.9
	1904	1,100.3	33.9	.....	.....	5.6	11.3	11.3	5.6	5.6	(3)	56.4	5.6	50.8
	1905	1,216.6	10.7	.....	5.4	5.4	5.4	32.2	.....	5.4	.....	96.5	21.4	48.2
	1906	1,224.3	20.5	.....	.....	66.6	20.5	20.5	5.1	5.1	5.1	97.3	25.6	30.7
	1907	1,255.9	14.7	4.9	.....	4.9	4.9	9.8	29.4	.....	.....	98.1	14.7	39.2
	1908	1,101.4	18.8	.....	.....	18.8	4.7	4.7	75.3	.....	18.8	70.6	37.7	47.1
	1909	990.6	9.0	.....	.....	4.5	22.6	.....	95.0	9.0	9.0	95.0	13.6	27.1
Mason County	1900	1,408.5	79.4	.....	5.3	21.2	.....	10.6	15.9	10.6	(3)	111.2	31.7	42.4
	1901	1,342.8	31.5	5.2	.....	.....	5.2	.....	.....	31.5	(3)	120.7	15.7	41.9
	1902	950.8	20.8	.....	5.2	5.2	20.8	20.8	5.2	10.4	(3)	72.7	26.0	36.4
	1903	926.5	15.4	5.1	.....	.....	5.1	15.4	.....	.....	(3)	72.1	5.1	41.2
	1904	1,244.4	10.2	.....	.....	.....	5.1	5.1	20.4	61.2	(3)	102.0	15.3	35.7
	1905	1,318.9	15.0	5.0	.....	5.0	5.0	.....	50.0	.....	25.0	84.9	5.0	40.0
	1906	1,348.4	24.5	.....	.....	4.9	.....	14.7	39.2	9.8	19.6	83.4	24.5	68.6
	1907	1,068.7	24.1	.....	.....	.....	.....	33.7	14.4	24.1	.....	67.4	9.6	57.8
	1908	1,295.4	23.6	.....	4.7	18.9	4.7	9.5	23.6	33.1	18.9	85.1	23.6	56.7
	1909	1,124.0	32.5	.....	.....	.....	.....	4.6	18.6	51.1	4.6	60.4	13.9	79.0

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
8.3	10.3	24.8	165.3	179.7	107.4	59.9	80.6	97.1	41.3	33.1	20.7	57.8	41.3	194.2	12.4
.....	14.4	6.2	156.4	156.4	96.7	76.2	61.8	90.6	30.9	28.8	12.4	119.4	28.8	214.1	4.1
2.1	26.7	4.1	184.6	199.0	51.3	73.8	63.6	73.8	45.1	32.8	12.3	73.8	26.7	121.0	2.1
4.1	10.2	4.1	188.0	206.4	59.3	55.2	75.6	106.3	42.9	45.0	14.3	89.9	22.5	165.6	.....
6.1	14.3	14.3	191.5	242.4	61.1	69.2	59.1	93.7	52.9	24.4	16.3	55.0	30.5	207.7	10.2
2.0	14.3	12.3	161.6	208.7	75.7	65.5	81.8	112.5	67.5	32.7	6.1	94.1	45.0	143.2	12.3
5.3	10.5	15.8	144.9	202.8	55.3	50.0	63.2	134.3	76.4	47.4	13.2	60.6	36.9	168.6	.....
2.6	18.5	10.6	190.7	246.4	74.2	84.8	26.5	90.1	53.0	34.4	13.2	74.2	45.0	158.9	.....
.....	13.3	2.7	157.2	253.1	48.0	61.3	32.0	74.6	77.3	34.6	26.6	50.6	26.6	186.5	.....
.....	24.1	10.7	163.5	217.1	59.0	45.6	24.1	115.2	59.0	61.6	8.0	42.9	37.5	174.2	2.7
5.1	20.3	5.1	213.6	147.5	116.9	76.3	55.9	76.3	40.7	5.1	15.2	35.6	35.6	213.6	15.2
5.2	5.2	5.2	200.9	170.0	118.5	30.9	51.5	87.6	72.1	25.7	5.2	56.7	25.7	128.8	.....
.....	10.4	20.9	151.4	261.0	67.9	36.6	26.1	78.3	88.7	26.1	5.2	31.3	20.9	109.6	15.7
5.3	10.6	15.9	169.3	343.8	84.6	58.2	21.2	58.2	74.0	.....	5.3	58.2	31.7	216.9	15.9
.....	16.1	21.4	176.9	321.7	48.3	59.0	32.2	101.9	32.2	42.9	5.4	80.4	21.4	155.5	21.4
5.4	.....	27.1	140.7	243.5	37.9	75.7	16.2	70.3	37.9	5.4	5.4	43.3	75.7	156.9	10.8
.....	.....	16.4	158.2	240.1	65.5	65.5	38.2	65.5	32.7	32.7	5.5	87.3	16.4	240.1	10.9
.....	16.5	5.5	192.6	269.6	60.5	49.5	33.0	77.0	60.5	33.0	11.0	60.5	38.5	159.6	5.5
.....	16.7	11.1	166.5	327.5	50.0	72.2	44.4	111.1	61.1	27.8	11.1	99.9	38.9	138.8	.....
.....	33.6	16.8	207.2	285.6	39.2	78.4	28.0	117.6	44.8	56.0	11.2	56.0	33.6	201.6	11.2
.....	.....	.....	167.6	33.5	67.0	167.6	67.1	100.6	33.5	33.5	.....	67.1	100.6	134.1	.....
.....	31.2	.....	218.3	62.3	93.6	31.2	218.3	93.6	.....	31.2	62.3	155.9	31.2	124.7	62.3
29.1	.....	29.1	641.0	116.6	58.3	.....	58.3	87.4	29.1	.....	58.3	116.6	87.4	233.1	.....
27.3	.....	54.7	711.0	109.4	82.0	82.0	191.4	191.4	.....	218.8	.....	218.8	136.8	246.1	.....
.....	.....	25.7	257.6	51.5	103.1	77.3	77.3	154.6	77.3	51.5	.....	128.8	154.6	231.8	.....
.....	25.6	.....	717.4	128.1	230.6	76.9	128.1	153.7	25.6	51.2	25.6	307.5	25.6	230.6	.....
.....	.....	25.5	713.6	152.9	101.9	101.9	305.8	25.5	101.9	51.0	25.5	254.8	25.5	76.5	.....
.....	.....	25.3	633.7	152.1	50.7	101.4	76.0	101.4	25.3	228.1	.....	608.4	101.4	152.1	25.3
.....	.....	25.2	781.6	252.1	151.3	50.4	201.7	151.3	.....	50.4	25.2	25.2	25.2	151.3	.....
.....	.....	.....	877.9	225.7	150.5	125.4	25.1	125.4	.....	200.7	50.2	75.2	.....	301.0	.....
.....	.....	26.0	64.9	90.9	90.9	116.8	90.9	64.9	26.0	26.0	13.0	38.9	64.9	181.7	26.0
.....	25.5	12.8	38.3	76.5	89.3	38.3	140.3	51.0	38.3	12.8	12.8	89.3	25.5	114.8	63.7
.....	.....	12.5	62.7	50.2	125.4	50.2	12.5	50.2	62.7	25.1	.....	163.0	50.2	150.4	62.7
.....	12.3	.....	61.6	86.3	86.3	24.7	61.6	74.0	12.3	24.7	.....	24.7	12.3	98.6	37.0
.....	.....	.....	145.5	84.9	48.5	36.4	24.3	109.1	60.0	36.4	12.1	97.0	48.5	254.6	48.5
.....	11.9	23.7	106.7	94.9	23.7	35.6	47.4	35.6	47.4	47.4	23.7	142.3	47.4	166.1	47.4
.....	.....	34.9	81.4	81.4	46.5	34.9	104.6	58.1	23.3	116.3	11.6	69.8	34.9	162.8	58.1
.....	11.4	.....	114.0	114.0	79.8	45.6	45.6	91.2	22.8	22.8	11.4	136.8	11.4	171.0	57.0
.....	.....	.....	55.9	178.9	33.5	11.2	190.1	67.1	22.4	78.3	33.5	100.6	22.4	111.8	22.4
.....	.....	21.9	54.9	120.7	21.9	43.9	54.9	65.8	32.9	21.9	11.0	153.6	11.0	142.7	87.8
.....	9.0	18.0	147.4	141.4	123.3	78.2	129.4	132.4	81.2	48.1	15.1	57.2	42.1	153.4	18.0
.....	6.0	12.0	177.7	174.7	84.3	69.3	90.4	108.4	60.2	42.2	15.1	51.2	48.2	195.7	3.0
.....	18.1	18.1	147.7	168.8	78.4	60.3	72.4	72.4	114.6	42.2	27.1	63.3	30.1	174.9	.....
3.0	15.1	18.1	193.2	135.8	60.4	48.3	84.5	99.6	51.3	48.3	12.1	60.4	12.1	144.9	9.0
6.0	21.1	9.1	232.7	190.4	63.5	42.3	60.4	108.8	99.7	42.3	15.1	66.5	51.4	217.6	12.1
.....	3.0	12.1	148.5	133.3	48.5	84.8	57.6	90.9	130.3	39.4	18.2	51.5	21.2	169.7	3.0
3.0	12.1	9.1	170.1	164.0	72.9	75.9	106.3	103.3	75.9	60.7	9.1	63.8	39.5	188.3	.....
.....	24.4	18.3	176.5	261.9	73.1	51.8	36.5	127.9	115.7	45.7	12.2	70.0	30.5	182.7	9.1
.....	15.3	6.1	201.5	161.8	30.5	58.0	58.0	109.9	88.5	61.1	24.4	70.2	45.8	174.0	.....
.....	12.2	6.1	208.1	162.2	61.2	45.9	70.4	101.0	107.1	73.5	9.2	76.5	12.2	186.7	.....
7.2	.....	14.4	161.5	53.8	150.8	53.8	118.5	82.6	25.1	53.8	7.2	82.6	35.9	183.1	68.2
.....	7.2	21.7	101.1	54.2	133.7	47.0	50.6	65.0	50.6	39.7	.....	101.1	43.3	144.5	32.5
.....	21.8	10.9	105.4	69.1	152.7	43.6	50.9	76.4	50.9	50.9	21.8	43.6	29.1	130.8	54.5
.....	14.6	14.6	142.6	113.4	58.5	36.6	95.1	95.1	47.5	43.9	14.6	84.1	18.3	113.4	32.9
.....	7.4	11.0	110.4	88.3	81.0	58.9	92.0	95.7	51.5	55.2	7.4	99.3	25.7	154.6	22.1
.....	7.4	7.4	99.7	121.8	84.9	81.2	88.6	132.9	73.8	84.9	11.1	96.0	33.2	129.2	14.8
6.9	20.8	.....	173.5	104.1	76.3	55.5	118.0	76.3	90.2	104.1	6.9	83.3	41.6	166.6	.....
.....	7.0	34.8	111.2	132.1	41.7	69.5	41.7	90.4	41.7	41.7	.....	69.5	13.9	111.2	20.9
.....	7.0	13.9	90.6	146.3	62.7	90.6	209.0	118.4	83.6	34.8	20.9	83.6	13.9	83.6	.....
.....	.....	14.0	90.7	153.5	48.9	69.8	76.8	97.7	20.9	104.7	14.0	69.8	14.0	146.6	7.0
.....	5.6	22.3	111.6	89.3	72.5	200.8	156.2	55.8	50.2	83.7	.....	172.9	27.9	94.8	16.7
.....	11.2	5.6	39.2	72.7	55.9	184.6	139.9	61.5	50.3	55.9	11.2	218.2	22.4	95.1	16.8
11.2	16.8	5.6	56.1	39.3	72.9	95.4	84.2	33.7	39.3	61.7	11.2	157.1	22.4	67.3	16.8
.....	16.9	5.6	84.4	50.6	45.0	106.9	95.6	67.5	50.6	101.3	16.9	185.7	16.9	78.8	28.1
.....	.....	11.3	73.4	67.7	39.5	135.4	101.6	73.4	50.8	45.1	16.9	174.9	33.9	73.4	16.9
.....	10.7	10.7	26.8	75.0	32.2	91.1	209.0	37.5	48.2	42.9	5.4	273.3	26.8	59.0	37.5
.....	10.2	15.4	76.8	71.7	35.9	117.8	189.5	35.9	56.3	35.9	10.2	112.7	51.2	76.8	30.7
.....	9.8	.....	58.9	107.9	44.2	73.6	137.4	63.8	34.3	93.2	9.8	274.7	39.2	68.7	19.6
.....	9.4	4.7	51.8	56.5	70.6	75.3	136.5	9.4	18.8	75.3	9.4	145.9	42.4	94.1	4.7
.....	.....	27.1	58.8	90.5	22.6	49.8	104.0	54.3	4.5	45.2	9.0	131.2	13.6	85.9	9.0
5.3	5.3	15.9	127.1	127.1	68.8	95.3	132.4	79.4	37.1	74.1	15.9	68.8	37.1	148.2	42.4
5.2	15.7	26.2	125.9	104.9	152.2	26.2	84.0	104.9	31.5	63.0	10.5	57.7	36.7	236.0	10.5
.....	5.2	20.8	62.4	88.3	51.9	46.8	98.7	72.7	51.9	26.0	10.4	77.9	15.6	93.5	5.2
.....	.....	5.1	149.3	108.1	66.9	41.2	92.7	61.8	61.8	20.6	5.1	41.2	10.3	82.4	20.6
15.3	5.1	5.1	127.5	147.9	86.7	96.9	81.6	117.3	51.0	40.8	15.3	71.4	5.1	122.4	.....
.....	15.0	5.0	84.9	164.9	84.9	89.9	174.9	104.9	89.9	15.0	.....	84.9	40.0	119.9	10.0
.....	24.5	4.9	78.5	225.5	34.3	63.7	137.3	122.6	73.5	68.6	.....	63.7	19.6	127.5	14.7
.....	4.8	24.1	110.7	139.6	86.7	43.3	33.7	67.4	62.6	53.0	14.4	96.3	14.4	81.8	4.8
.....	4.7	14.2	80.4	184.4	61.5	70.9	104.0	52.0	47.3	118.2	23.6	75.6	37.8	118.2	.....
4.6	18.6	32.5	79.0	153.3	74.3	60.4	79.0	83.6	65.0	60.4	4.6	55.7	13.9	74.3	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
MICHIGAN RURAL[2]—Continued.														
Mecosta County	1900	1,304.8	48.3	14.5	.....	4.8	.....	4.8	9.7	14.5	(3)	77.3	19.3	43.5
	1901	1,336.6	24.3	9.7	.....	.....	.....	9.7	4.9	72.9	(3)	63.2	19.4	34.0
	1902	1,090.2	29.3	4.9	4.9	.....	4.9	.....	14.6	19.6	(3)	78.2	14.7	44.0
	1903	1,209.7	14.8	9.8	.....	9.8	.....	4.9	9.8	14.8	(3)	93.5	14.8	73.8
	1904	1,370.2	44.5	4.9	.....	.....	9.9	.....	29.7	54.4	(3)	59.4	14.8	59.4
	1905	1,384.5	24.9	19.9	5.0	5.0	5.0	.....	24.9	34.9	10.0	64.7	19.9	64.7
	1906	1,699.1	65.2	.....	.....	15.0	.....	15.0	45.1	.....	35.1	70.2	20.0	55.1
	1907	1,417.5	20.2	.....	.....	10.1	.....	.....	15.1	50.4	10.1	80.7	20.2	70.6
	1908	1,386.1	25.4	.....	.....	.....	.....	10.2	10.2	40.6	15.2	86.3	.....	76.2
	1909	1,165.2	.....	10.2	.....	.....	.....	5.1	5.1	15.3	.....	56.2	10.2	86.9
Menominee County	1900	969.9	21.1	.....	.....	.....	.....	35.1	14.1	14.1	(3)	70.3	.....	35.1
	1901	944.0	13.8	.....	.....	.....	.....	13.8	27.6	27.6	(3)	27.6	13.8	41.3
	1902	858.2	6.8	.....	.....	13.5	6.8	.....	6.8	13.5	(3)	54.1	13.5	13.5
	1903	1,054.1	13.3	.....	.....	13.3	19.9	33.1	33.1	13.3	(3)	106.1	.....	26.5
	1904	1,067.1	13.0	.....	.....	.....	6.5	13.0	32.5	19.5	(3)	58.6	6.5	13.0
	1905	841.7	.....	.....	.....	.....	.....	.....	13.0	13.0	.....	78.3	.....	32.6
	1906	850.3	6.5	.....	.....	.....	.....	6.5	.....	6.5	13.1	52.3	19.6	39.2
	1907	957.4	6.6	.....	.....	6.6	6.6	13.1	19.7	13.1	.....	39.3	.....	52.5
	1908	979.6	26.3	.....	.....	6.6	13.1	6.6	13.1	19.7	13.1	52.6	.....	6.6
	1909	968.9	13.2	.....	.....	39.5	.....	.....	6.6	13.2	26.4	65.9	19.8	39.5
Midland County	1900	1,392.1	48.5	27.7	.....	6.9	27.7	20.8	13.9	.....	(3)	97.0	6.9	34.6
	1901	1,332.1	62.1	6.9	.....	.....	6.9	.....	41.4	41.4	(3)	75.9	13.8	41.4
	1902	1,011.2	20.6	6.9	.....	.....	.....	6.9	.....	13.7	(3)	55.0	6.9	34.4
	1903	1,055.8	13.7	.....	.....	13.7	13.7	6.9	13.7	6.9	(3)	34.3	.....	20.6
	1904	970.2	47.8	.....	.....	13.7	.....	6.8	6.8	13.7	(3)	47.8	13.7	61.5
	1905	1,225.8	20.7	.....	.....	.....	.....	6.9	13.8	41.3	.....	117.1	13.8	34.4
	1906	1,193.3	13.9	.....	.....	13.9	6.9	20.8	27.8	20.8	6.9	69.4	27.8	69.4
	1907	1,244.1	41.9	.....	.....	.....	7.0	7.0	.....	21.0	7.0	69.9	14.0	41.9
	1908	1,133.9	63.4	.....	.....	7.0	.....	7.0	7.0	14.1	7.0	35.2	14.1	70.4
	1909	1,206.4	71.0	.....	.....	7.1	.....	21.3	21.3	35.5	.....	78.1	28.4	113.5
Missaukee County	1900	1,095.8	96.7	10.7	.....	10.7	43.0	10.7	75.2	32.3	(3)	21.5	.....	10.7
	1901	911.3	31.4	.....	.....	.....	.....	.....	41.9	10.5	(3)	10.5	.....	20.9
	1902	868.6	10.2	.....	10.2	10.2	.....	.....	20.4	.....	(3)	61.3	.....	20.4
	1903	1,326.6	19.9	.....	.....	.....	19.9	39.9	10.0	29.9	(3)	69.8	19.9	39.9
	1904	1,061.8	19.5	.....	.....	29.2	.....	.....	19.5	19.5	(3)	68.2	9.7	19.5
	1905	1,268.4	19.4	.....	.....	.....	67.8	.....	9.7	38.7	29.0	77.5	9.7	67.8
	1906	1,088.0	19.3	.....	.....	19.3	57.8	19.3	9.6	38.5	.....	9.6	.....	28.9
	1907	1,302.2	9.6	.....	.....	28.7	28.7	.....	.....	86.2	.....	57.4	9.6	57.4
	1908	1,180.7	38.1	.....	.....	.....	19.0	66.7	.....	28.6	9.5	76.2	.....	66.7
	1909	1,060.6	9.5	.....	.....	18.9	.....	18.9	9.5	37.9	18.9	66.3	37.9	28.4
Monroe County	1900	1,422.7	42.7	12.2	.....	21.4	15.3	12.2	33.6	18.3	(3)	91.6	18.3	48.8
	1901	1,286.8	33.6	12.2	.....	.....	9.1	3.0	12.2	36.6	(3)	82.3	6.1	85.4
	1902	1,123.7	15.2	6.1	.....	15.2	9.1	24.4	15.2	6.1	(3)	67.0	6.1	60.9
	1903	1,234.8	18.2	12.2	.....	3.0	9.1	6.1	39.5	15.2	(3)	88.2	15.2	70.0
	1904	1,284.9	15.2	.....	.....	6.1	3.0	.....	45.6	18.2	(3)	88.1	42.5	82.0
	1905	1,281.9	15.2	.....	.....	.....	.....	.....	12.2	9.1	6 1	103.3	12.2	60.8
	1906	1,251.5	15.2	9.1	.....	15.2	.....	24.3	27.3	.....	15.2	85.1	6.1	60.8
	1907	1,360.9	12.2	3.0	3.0	9.1	6.1	6.1	21.3	42.5	9.1	91.1	12.2	66.8
	1908	1,239.4	15.2	.....	.....	.....	.....	27.3	6.1	12.2	12.2	82.0	24.3	60.8
	1909	1,285.0	18.2	3.0	.....	6.1	15.2	.....	15.2	6.1	12.2	51.6	9.1	72.9
Montcalm County	1900	1,392.2	33.6	15.3	.....	18.3	.....	21.4	6.1	18.3	(3)	91.6	9.1	64.1
	1901	1,271.3	6.1	.....	.....	18.2	9.1	27.4	.....	73.0	(3)	106.4	9.1	76.0
	1902	1,136.1	18.2	6.0	3.0	3.0	6.0	.....	6.0	33.3	(3)	78.8	3.0	45.5
	1903	1,231.4	24.1	3.0	.....	27.2	3.0	9.1	30.2	27.2	(3)	51.3	6.0	63.4
	1904	1,298.9	12.0	3.0	3.0	.....	6.0	.....	9.0	54.1	(3)	87.2	15.0	72.2
	1905	1,246.9	12.1	3.0	.....	.....	.....	9.1	12.1	66.6	21.2	42.4	12.1	51.4
	1906	1,492.1	48.7	3.0	.....	12.2	.....	18.3	12.2	33.5	24.4	94.4	3.0	79.2
	1907	1,323.7	21.4	.....	6.1	3.1	.....	.....	3.1	46.0	6.1	82.7	15.3	49.0
	1908	1,313.5	27.7	3.1	3.1	.....	.....	18.5	3.1	37.0	15.4	70.9	30.8	61.7
	1909	1,278.3	18.6	3.1	.....	6.2	6.2	18.6	.....	31.0	.....	62.1	12.4	99.3
Montmorency County	1900	865.8	.....	.....	.....	30.9	.....	.....	30.9	.....	(3)	.....	.....	.....
	1901	968.5	30.3	.....	.....	.....	.....	.....	.....	30.3	(3)	121.0	30.3	.....
	1902	1,304.0	29.6	29.6	.....	.....	.....	.....	29.6	.....	(3)	148.2	.....	.....
	1903	842.0	29.0	29.0	.....	.....	.....	.....	.....	29.0	(3)	116.2	.....	.....
	1904	1,593.2	56.9	.....	.....	113.8	.....	.....	170.7	.....	(3)	85.4	.....	28.4
	1905	1,096.1	28.1	.....	.....	.....	84.3	.....	.....	28.1	.....	112.4	28.1	28.1
	1906	1,333.7	27.8	.....	.....	55.6	.....	27.8	.....	.....	27.8	138.9	.....	.....
	1907	1,565.9	54.9	.....	.....	.....	.....	54.9	.....	137.4	.....	54.9	.....	27.5
	1908	1,168.2	.....	.....	.....	.....	.....	.....	27.2	.....	27.2	108.7	.....	54.3
	1909	1,316.5	.....	26.9	.....	107.5	.....	.....	.....	53.7	26.9	80.6	.....	.....
Muskegon County	1900	1,288.7	49.3	.....	.....	18.5	6.2	6.2	24.7	12.3	(3)	61.6	18.5	24.7
	1901	1,179.1	24.6	6.1	.....	.....	.....	6 1	18.4	43.0	(3)	73.7	18.4	61.4
	1902	1,015.5	18.4	6.1	.....	.....	.....	6.1	12.2	12.2	(3)	91.8	12.2	73.4
	1903	1,127.3	6.1	.....	.....	36.6	12.2	18.3	12.2	6.1	(3)	67.0	12.2	67.0
	1904	1,468.8	24 3	6.1	6.1	12.1	24.3	24.3	12.1	12.1	(3)	60.7	12.1	85.0
	1905	1,158.7	24.3	.....	.....	.....	.....	.....	.....	12.1	18.2	97.1	12.1	30.3
	1906	1,018.8	12.1	6 1	.....	.....	6.1	.....	12.1	.....	30.3	36.4	12.1	42.4
	1907	1,182.0	24.2	6.1	.....	.....	6.1	18 2	24.2	30.3	.....	60.6	12.1	97.0
	1908	1,272.5	12.1	.....	.....	12.1	.....	24.2	.....	12.1	12.1	48.5	12.1	103.0
	1909	1,041.8	12.1	.....	.....	6.1	.....	12.1	.....	6.1	18.2	109.0	18.2	48.5

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
9.7	4.8	33.8	82.2	145.0	91.8	72.5	140.2	106.3	29.0	53.2	.....	91.8	58.0	130.5	19.3
.....	4.9	29.2	136.1	160.4	150.7	82.6	77.8	102.1	58.3	29.2	9.7	72.9	53.4	121.5	9.7
.....	24.4	24.4	83.1	88.0	102.7	34.2	53.8	68.5	63.6	39.1	14.7	78.2	29.3	171.1	.....
.....	4.9	14.8	142.6	113.1	118.0	39.3	63.9	108.2	88.5	63.9	4.9	49.2	24.6	122.9	4.9
.....	4.9	19.8	128.6	183.0	69.3	44.5	79.2	113.8	103.9	29.7	14.8	89.0	29.7	173.1	9.9
.....	5.0	19.9	149.4	154.4	69.7	49.8	64.7	164.4	94.6	29.9	10.0	54.8	29.9	189.3	19.9
.....	35.1	30.1	165.4	260.6	85.2	60.1	135.3	105.3	135.3	90.2	15.0	55.1	35.1	150.4	20.0
.....	15.1	30.3	141.2	171.5	116.0	95.8	35.3	141.2	121.1	25.2	15.1	85.8	25.2	111.0	10.1
.....	20.3	25.4	157.4	172.6	55.8	71.1	86.3	96.5	106.6	71.1	25.4	50.8	25.4	152.3	5.1
.....	15.3	15.3	132.9	153.3	46.0	102.2	46.0	71.5	122.6	51.1	5.1	46.0	15.3	148.2	5.1
.....	7.0	7.0	49.2	56.2	98.4	42.2	147.6	77.3	28.2	35.1	.....	56.2	35.1	77.3	63.3
.....	.....	27.6	68.9	41.3	75.8	27.6	103.3	62.0	13.8	62.0	6.9	82.7	41.3	75.8	89.5
.....	6.8	13.5	27.0	54.1	128.3	40.5	81.1	54.1	60.8	47.3	.....	81.1	27.0	47.3	60.8
.....	.....	19.9	112.7	86.2	72.9	26.5	132.6	39.8	13.3	46.4	.....	99.4	13.3	99.4	33.1
.....	6.5	19.5	84.6	91.1	58.6	45.6	130.1	84.6	19.5	52.1	19.5	143.2	26.0	91.1	32.5
.....	6.5	19.6	58.7	58.7	52.2	71.8	91.3	32.6	19.6	71.8	13.0	78.3	19.6	78.3	32.6
.....	6.5	6.5	78.5	52.3	45.8	52.3	111.2	85.0	65.4	32.7	.....	65.4	19.6	58.9	26.2
.....	6.6	6.6	85.2	91.8	72.1	52.5	78.7	39.3	45.9	78.7	6.6	131.1	26.2	59.0	19.7
.....	19.7	6.6	72.3	78.9	78.9	59.2	197.2	46.0	6.6	85.5	13.1	39.4	39.4	65.7	13.1
.....	.....	.....	39.5	79.1	59.3	72.5	98.9	59.3	33.0	33.0	13.2	112.0	33.0	72.5	39.5
.....	13.9	20.8	103.9	145.4	103.9	48.5	166.2	117.7	33.1	34.6	6.9	90.0	27.7	97.0	48.5
6.9	.....	13.8	89.7	89.7	165.7	48.3	193.3	151.9	13.8	62.1	13.8	62.1	13.8	103.6	13.8
.....	6.9	13.7	137.6	158.2	82.6	41.3	48.2	82.6	34.4	13.7	6.9	75.7	13.7	130.7	20.6
6.9	13.7	20.6	116.5	96.0	41.1	75.4	82.3	137.1	41.1	41.1	.....	102.8	13.7	137.1	6.9
6.8	6.8	34.2	82.0	109.3	61.5	54.7	82.0	61.5	34.2	34.2	13.6	82.0	6.8	75.2	13.6
.....	.....	27.5	172.2	137.7	62.0	20.7	172.2	103.3	34.4	27.5	.....	75.8	34.4	110.2	.....
6.9	13.9	27.8	159.6	159.6	34.7	13.9	97.1	62.4	41.6	55.5	6.9	90.2	20.8	124.9	.....
.....	7.0	7.0	118.8	223.7	83.9	69.9	104.8	62.9	48.9	55.9	.....	48.9	14.0	181.7	7.0
.....	7.0	28.2	154.9	98.6	84.5	28.2	140.9	112.7	42.3	21.1	28.2	77.5	28.2	56.3	.....
.....	7.1	14.2	113.5	141.9	71.0	28.4	63.9	56.8	56.8	63.9	7.1	56.8	21.3	127.7	.....
.....	.....	21.5	96.7	32.3	128.9	53.7	75.2	86.0	21.5	21.5	10.7	75.2	21.5	128.9	10.7
.....	.....	41.9	41.9	52.4	178.1	83.8	62.8	83.8	31.4	31.4	10.5	31.4	10.5	104.8	31.4
10.2	.....	.....	51.1	81.8	143.1	30.7	51.1	61.3	10.2	71.6	.....	61.3	40.9	102.2	20.4
.....	19.9	10.0	109.7	79.8	99.8	119.7	139.6	89.8	49.9	39.9	.....	59.9	39.9	209.5	10.0
.....	9.7	19.5	68.2	58.5	87.7	29.2	194.9	77.9	48.7	29.2	.....	48.7	48.7	146.1	9.7
.....	.....	.....	77.5	125.9	145.2	58.1	125.9	87.1	19.4	38.7	9.7	87.1	48.4	116.2	9.7
.....	.....	9.6	96.3	105.9	48.1	77.0	115.5	77.0	38.5	19.3	.....	77.0	57.8	134.8	28.9
.....	9.6	.....	95.7	153.2	220.2	86.2	67.0	57.4	86.2	86.2	.....	28.7	9.6	124.5	.....
.....	19.0	38.1	66.7	76.2	104.7	66.7	161.9	19.0	38.1	85.7	.....	38.1	38.1	114.3	9.5
.....	9.5	.....	94.7	132.6	56.8	37.9	85.2	75.8	28.4	37.9	9.5	66.3	28.4	151.5	.....
3.1	18.3	18.3	183.2	161.8	85.5	33.6	100.8	94.6	51.9	48.8	.....	33.6	58.0	183.2	33.6
.....	.....	24.4	179.9	170.8	88.4	79.3	61.0	79.3	36.6	12.2	3.0	79.3	21.4	161.6	9.1
.....	3.0	30.5	146.2	130.9	73.1	60.9	60.9	70.0	45.7	24.4	6.1	54.8	30.5	152.3	9.1
.....	21.3	18.2	136.9	170.3	73.0	63.9	85.2	73.0	42.6	33.5	9.1	85.2	18.2	127.7	.....
3.0	12.2	12.2	167.1	139.7	100.2	60.7	63.8	112.4	39.5	45.6	.....	72.9	21.3	124.5	9.1
.....	15.2	21.3	142.8	173.1	91.1	88.1	63.8	103.3	45.6	48.6	9.1	72.9	45.6	139.7	3.0
.....	15.2	12.2	161.0	206.6	75.9	66.8	69.9	54.7	54.7	21.3	9.1	72.9	15.2	158.0	.....
.....	6.1	12.2	194.4	246.1	63.8	72.9	36.5	94.2	48.6	66.8	9.1	72.9	30.4	124.5	.....
.....	12.2	12.2	127.6	218.7	66.8	75.9	66.8	72.9	72.9	48.6	12.2	88.1	27.3	94.2	3.0
.....	15.2	12.2	151.9	255.2	57.7	66.8	85.1	69.9	63.8	42.5	3.0	82.0	24.3	145.8	.....
.....	15.3	27.5	186.3	113.0	88.5	58.0	79.4	119.1	48.8	48.8	9.1	91.6	45.8	167.9	15.3
.....	12.2	24.3	146.0	124.7	70.0	39.5	82.1	85.2	39.5	27.4	6.1	85.2	42.6	152.1	9.1
3.0	6.0	6.0	160.6	130.3	81.8	54.6	66.7	109.1	57.6	24.3	3.0	39.4	30.3	151.5	9.1
3.0	6.0	6.0	150.9	160.0	72.4	48.3	51.3	102.6	39.2	57.4	9.1	96.6	27.2	150.9	6.0
.....	15.0	6.0	168.4	150.4	69.2	54.1	84.2	99.2	60.2	36.1	9.0	48.1	39.1	192.4	6.0
.....	15.1	30.3	136.2	193.7	72.6	57.5	63.6	102.9	69.6	48.4	6.1	57.5	18.2	145.3	.....
.....	15.2	9.1	155.3	179.7	63.9	48.7	167.5	164.4	51.8	60.9	12.2	42.6	39.6	143.1	9.1
.....	18.4	9.2	165.5	235.9	82.7	82.7	33.7	110.3	55.2	27.6	9.2	64.3	3.1	180.8	12.3
3.1	9.2	15.4	135.7	169.6	52.4	58.6	58.6	135.7	55.5	52.4	18.5	83.2	15.4	175.7	3.1
.....	9.3	6.2	161.3	207.9	62.1	74.5	74.5	80.7	59.0	37.2	21.7	49.6	31.0	136.5	9.3
.....	.....	30.9	.....	123.7	92.8	30.9	123.7	92.8	.....	30.9	.....	61.9	30.9	185.5	.....
.....	.....	60.5	30.3	.....	121.0	90.8	90.8	30.3	60.5	30.3	.....	60.5	30.3	151.3	.....
.....	.....	29.6	88.9	177.9	148.2	.....	148.2	59.3	88.9	29.6	.....	59.3	88.9	88.9	59.3
.....	.....	29.0	116.2	58.1	58.1	58.1	87.1	.....	.....	58.1	.....	.....	.....	145.1	29.0
28.4	.....	28.4	85.4	142.2	85.4	85.4	170.7	85.4	28.4	85.4	28.4	56.9	56.9	113.8	56.9
.....	.....	.....	28.1	28.1	84.3	28.1	112.4	140.5	28.1	28.1	28.1	28.1	56.2	196.7	.....
.....	.....	.....	55.6	83.4	.....	55.6	166.7	83.4	55.6	111.1	27.8	138.9	27.8	222.3	27.8
.....	.....	82.4	109.9	27.5	109.9	247.3	27.5	82.4	137.4	54.9	.....	109.9	27.5	192.3	27.5
.....	.....	.....	163.0	27.2	54.3	.....	135.8	81.5	54.3	217.3	.....	27.2	.....	190.2	.....
.....	26.9	.....	161.2	80.6	26.9	80.6	134.3	107.5	.....	214.9	.....	26.9	53.7	107.5	.....
6.2	6.2	18.5	148.0	104.8	135.7	37.0	123.3	49.3	61.6	37.0	12.3	80.2	67.8	160.3	18.5
.....	6.1	30.7	92.1	159.7	123.0	49.1	49.1	79.9	36.9	30.7	.....	98.3	30.7	135.1	.....
.....	6.1	.....	97.9	97.9	85.6	42.8	42.8	61.2	55.1	18.4	6.1	97.9	30.6	128.5	12.2
.....	6.1	.....	121.8	121.8	30.5	60.9	79.2	97.5	30.5	30.5	6.1	79.2	30.5	188.9	6.1
.....	24.3	.....	145.7	218.5	60.7	48.5	85.0	85.0	36.4	91.0	12.1	66.8	54.6	248.9	12.1
.....	6.1	18.2	157.7	145.6	60.7	72.8	36.4	72.8	66.7	36.4	6.1	66.7	30.3	182.0	6.1
.....	12.1	6.1	109.2	145.5	72.8	24.3	91.0	84.9	48.5	30.3	12.1	78.8	36.4	97.0	12.1
.....	.....	18.2	139.4	206.1	97.0	48.5	48.5	78.8	54.6	24.2	.....	60.6	12.1	115.2	.....
6.1	18.2	12.1	127.2	242.4	60.6	42.4	84.8	84.8	60.6	36.4	12.1	90.9	36.4	90.9	30.3
.....	.....	12.1	151.4	151.4	96.9	24.2	36.3	60.6	48.5	24.2	12.1	42.4	12.1	133.3	6.1

Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
MICHIGAN RURAL [2]—Continued.														
Newaygo County	1900	1,261.8	50.9	11.3	.....	17.0	.....	11.3	11.3	34.0	(3)	62.2	11.3	84.9
	1901	1,164.6	44.8	.....	.....	.....	5.6	5.6	5.6	33.6	(3)	78.4	28.0	44.8
	1902	1,124.8	33.3	5.5	5.5	5.5	.....	5.5	22.2	16.6	(3)	72.0	.....	55.4
	1903	1,272.3	21.9	11.0	.....	5.5	.....	11.0	5.5	21.9	(3)	49.3	11.0	65.8
	1904	1,340.9	10.9	5.4	.....	.....	.....	.....	.....	65.1	(3)	81.4	10.9	70.6
	1905	1,082.5	5.4	10.8	.....	.....	.....	.....	10.8	64.6	26.9	91.6	16.2	26.9
	1906	1,309.9	37.4	5.3	.....	5.3	5.3	26.7	37.4	10.7	37.4	37.4	10.7	58.8
	1907	1,162.4	31.8	5.3	.....	10.6	.....	.....	10.6	53.1	10.6	63.7	5.3	42.5
	1908	1,243.7	15.8	5.3	.....	.....	15.8	10.5	10.5	42.2	5.3	73.8	15.8	68.5
	1909	1,339.5	31.4	.....	.....	41.9	10.5	31.4	5.2	15.7	15.7	57.6	.....	57.6
Oakland County	1900	1,421.9	25.7	5.7	.....	14.3	2.8	.....	11.4	28.6	(3)	119.9	5.7	85.7
	1901	1,429.2	8.6	2.8	.....	.....	5.7	.....	8.6	74.3	(3)	102.9	14.3	85.8
	1902	1,161.9	14.3	.....	.....	5.7	5.7	8.6	8.6	5.7	(3)	71.6	8.6	68.7
	1903	1,275.0	14.3	2.9	.....	.....	8.6	14.3	25.8	48.7	(3)	74.5	17.2	94.6
	1904	1,333.8	17.2	.....	.....	5.7	17.2	.....	2 9	40.2	(3)	74 6	8.6	68.8
	1905	1,397.6	23.2	2.9	.....	5.8	.....	.....	17.4	37.7	20.3	69.6	2.9	98.6
	1906	1,479.6	8.7	2.9	.....	2.9	8.7	11.6	.....	20.2	31.8	78.0	14.4	118.5
	1907	1,497.7	23.0	.....	5.8	5.8	.....	5.8	17.3	40.3	8.6	66.2	11.5	66.2
	1908	1,452.5	14.4	.....	.....	.....	11 5	11.5	8.6	54.5	17.2	80.4	23.0	103.3
	1909	1,344.7	25.7	.....	.....	17.2	5.7	2.9	5.7	28.6	8.6	65.8	8.6	97.3
Oceana County	1900	1,297.8	36.1	6.0	.....	.....	12.0	.....	.....	24.0	(3)	102.1	12.0	72.1
	1901	1,247.6	17.7	11.8	.....	.....	5.9	.....	23.7	71.0	(3)	59.1	.....	71.0
	1902	937.1	23.3	.....	.....	5.8	.....	5.8	17.5	17.5	(3)	69.8	.....	46.6
	1903	1,295.3	17.2	.....	.....	11.5	.....	17.2	11.5	57.3	(3)	74.5	5.7	34.4
	1904	1,377.2	22.6	5.6	.....	16.9	.....	.....	16 9	67.8	(3)	96.0	16.9	56.4
	1905	1,300.6	11.2	.....	.....	5.6	.....	11.2	16.8	67.3	22.4	84.1	5.6	50.5
	1906	1,303.6	22.3	.....	.....	.....	.....	5.6	55.7	27.9	22.3	55.7	5.6	44.6
	1907	1,289.9	5.5	.....	.....	11.1	.....	.....	44.3	66.4	11.1	77.5	16.6	99.7
	1908	1,254.4	16.5	.....	5.5	5.5	.....	11.0	5.5	27.5	11.0	71.5	16.5	66.0
	1909	1,339.6	16.4	.....	.....	.....	21.9	10.9	.....	16.4	10.9	87.5	10.9	82.0
Ogemaw County	1900	1,300.7	25.7	.....	.....	64.4	12.9	.....	25.7	12.9	(3)	128.8	12.9	25.7
	1901	1,221.6	49.4	12.3	.....	.....	.....	24.7	12.3	98.7	(3)	37.0	24.7	.....
	1902	935.7	11.8	.....	.....	.....	35.6	11.8	.....	11.8	(3)	47.4	.....	11.8
	1903	945.1	.....	.....	.....	22.8	11.4	.....	22.8	22.8	(3)	79.7	.....	.....
	1904	1,063.5	21.9	21.9	.....	.....	.....	.....	21.9	21.9	(3)	43.9	11.0	32.9
	1905	1,266.2	22.0	.....	11.0	.....	.....	.....	.....	11.0	22.0	33.0	22.0	44.0
	1906	1,415.0	66.3	.....	.....	.....	.....	33.2	.....	.....	33.2	77.4	11.1	44.2
	1907	1,431.7	11.1	.....	.....	.....	11.1	33.3	11.1	22.2	11.1	44.4	22.2	22.2
	1908	1,181.2	66.9	.....	.....	11.1	11.1	11.1	.....	22.3	.....	89.1	.....	33.4
	1909	1,286.8	11.2	.....	.....	44.8	.....	11.2	11.2	.....	11.2	89.5	11.2	67.1
Ontonagon County	1900	935.9	.....	.....	.....	16.1	.....	.....	16.1	32.3	(3)	32.3	16.1	16.1
	1901	1,304.6	31.1	.....	.....	15.5	31.1	.....	46.6	62.1	(3)	139.8	.....	46.6
	1902	1,392.0	74.8	.....	.....	15.0	29.9	15.0	59 9	15.0	(3)	29.9	29.9	44.9
	1903	1,285.6	.....	.....	.....	.....	14.4	.....	28.9	14.4	(3)	101.2	14.4	57.8
	1904	1,367.6	83.7	.....	.....	.....	.....	27.9	27.9	41.9	(3)	125.6	.....	41.9
	1905	1,371.2	13.4	.....	.....	.....	.....	.....	26.9	.....	13.4	107.5	13.4	26.9
	1906	1,547.3	39.0	.....	.....	13.0	104.0	26.0	52.0	.....	13.0	117.0	39.0	52.0
	1907	1,309.3	12.6	.....	.....	.....	62.9	12.6	75.5	.....	37.8	75.5	12.6	50.4
	1908	1,342.1	24.4	.....	.....	24.4	.....	.....	85.4	.....	.....	146.4	24.4	36.6
	1909	899.5	47.3	.....	.....	23.7	11.8	.....	35.5	.....	11.8	94.7	.....	23.7
Osceola County	1900	1,439.1	39.2	11.2	.....	11.2	5.6	11.2	16.8	11.2	(3)	78.4	11.2	67.2
	1901	1,019.3	22.2	.....	5.5	5.5	.....	5.5	5.5	16.6	(3)	88.6	11.1	27.7
	1902	1,140.0	27.4	.....	5.5	.....	.....	.....	5.5	16.4	(3)	65.8	.....	71.3
	1903	1,214.8	27.1	5.4	.....	.....	.....	10.8	10.8	10.8	(3)	92.2	10.8	48.8
	1904	1,202.2	32.2	5.4	5.4	.....	5.4	.....	5.4	32.2	(3)	123.5	10.7	26.8
	1905	1,324.5	43.3	5.4	.....	.....	.....	.....	10.8	10.8	5.4	54.1	10.8	81.1
	1906	1,224.8	27.2	5.4	.....	10.9	.....	21.8	43.5	5.4	38.1	65.3	.....	43.5
	1907	1,162.0	.....	.....	.....	5.5	.....	5.5	.....	16.4	5.5	32.9	16.4	54.8
	1908	1,059.8	27.6	.....	11.0	5.5	.....	.....	16.6	5.5	11.0	66.2	5.5	27.6
	1909	983.9	27.8	.....	.....	5.6	.....	.....	5.6	5.6	11.1	38.9	11.1	50.0
Oscoda County †	1900	885.5	.....	.....	.....	.....	136.2	.....	.....	.....	(3)	.....	.....	68.1
	1901	381.5	.....	.....	.....	.....	.....	.....	.....	63.6	(3)	63.6	.....	.....
	1902	595.9	59.6	.....	.....	.....	.....	.....	59.6	.....	(3)	.....	.....	.....
	1903	617.1	.....	.....	.....	.....	.....	.....	.....	.....	(3)	112.2	.....	.....
	1904	582.5	.....	.....	.....	.....	.....	.....	.....	.....	(3)	105.9	.....	.....
	1905	732.2	.....	.....	.....	.....	.....	.....	.....	.....	52.3	104.6	.....	.....
	1906	1,292.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1907	1,276.2	.....	.....	.....	.....	.....	.....	.....	51.0	.....	.....	.....	102.1
	1908	1,059.0	.....	.....	.....	.....	.....	.....	.....	.....	50.4	201.7	.....	100.9
	1909	797.2	.....	.....	49.8	.....	.....	.....	99.7	.....	.....	.....	.....	.....
Otsego County	1900	1,344.1	113.3	.....	.....	64.8	48.6	.....	16.2	.....	(3)	81.0	16.2	16.2
	1901	1,288.6	62.1	15.5	.....	.....	15.5	.....	15.5	15.5	(3)	46.6	15.5	31.1
	1902	1,118.2	74.5	14.9	.....	.....	14.9	14.9	29.8	.....	(3)	59.7	.....	.....
	1903	1,505.8	86.1	.....	.....	43.0	.....	71.7	86.1	14.3	(3)	71.7	.....	.....
	1904	1,160.4	69.1	.....	.....	.....	13.8	.....	.....	13.8	(3)	13.8	.....	82.9
	1905	1,265.3	42.2	.....	.....	14.1	.....	14.1	.....	42.2	14.1	28.1	14.1	14.1
	1906	1,300.7	42.9	.....	.....	.....	.....	42.9	.....	.....	.....	42.9	.....	28.6
	1907	1,148.4	43.6	.....	.....	43.6	.....	29.1	.....	29.1	29.1	29.1	.....	.....
	1908	1,227.4	29.6	.....	.....	.....	14.8	29.6	14.8	59.2	.....	88.7	.....	.....
	1909	1,519.9	60.2	15.0	.....	.....	.....	.....	.....	60.2	.....	75.2	.....	15.0

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	22.6	28.3	135.8	90.5	84.9	96.2	67.9	96.2	34.0	17.0	5.6	79.2	17.0	175.4	17.0
.....	5.6	5.6	89.6	89.6	95.2	67.2	106.3	100.8	44.8	33.6	.....	56.0	56.0	151.1	16.8
5.5	22.2	5.5	116.4	177.3	38.8	33.3	61.0	88.7	61.0	55.4	.....	49.9	5.5	166.2	16.6
5.5	21.9	16.4	104.2	230.3	115.2	76.8	38.4	104.2	21.9	43.9	5.5	71.3	43.9	164.5	5.5
.....	27.1	10.9	162.8	195.4	48.9	97.7	59.7	135.7	32.6	48.9	16.3	54.3	32.6	168.3	5.4
5.4	5.4	10.8	140.0	167.0	21.5	37.7	96.9	80.8	43.1	26.9	5.4	48.5	32.3	91.6	16.2
.....	16.0	5.3	144.4	149.7	96.2	80.2	155.0	69.5	53.5	64.2	5.3	69.5	37.4	90.9	.....
.....	5.3	10.6	122.1	169.9	42.5	63.7	37.2	132.7	74.3	31.8	5.3	53.1	31.8	138.0	10.6
5.3	5.3	5.3	110.7	210.8	47.4	52.7	58.0	105.4	36.9	52.7	10.5	84.3	5.3	189.7	.....
.....	15.7	10.5	115.1	214.5	57.6	99.4	83.7	120.3	73.3	62.8	15.7	57.6	5.2	136.0	5.2
5.7	5.7	11.4	159.9	185.6	108.5	65.7	65.7	114.2	48.5	22.8	5.7	71.4	54.3	185.6	11.4
.....	8.6	14.3	151.5	165.8	125.8	80.0	57.2	100.1	45.7	14.3	5.7	97.2	60.0	197.2	2.8
2.8	14.3	5.7	143.1	188.9	57.2	42.9	54.4	103.0	77.3	17.2	8.6	68.7	22.9	151.7	5.7
5.7	5.7	2.9	166.2	177.6	63.0	40.1	54.4	94.6	83.1	28.7	17.2	65.9	22.9	140.4	5.7
2.9	.....	5.7	209.4	195.1	63.1	48.8	34.4	88.9	88.9	28.7	17.2	74.6	34.4	192.2	14.3
.....	23.2	5.8	211.7	223.3	98.6	52.2	46.4	110.2	58.0	34.8	20.3	58.0	40.6	133.4	2.9
5.8	17.3	8.7	176.3	248.5	80.9	54.9	78.0	78.0	54.9	46.2	8.7	83.8	20.2	216.7	2.9
5.8	20.2	20.2	190.1	253.4	129.6	86.4	60.5	112.3	74.9	34.6	.....	51.8	46.1	149.8	11.5
.....	17.2	8.6	175.1	284.2	54.5	28.7	94.7	100.5	66.0	40.2	5.7	68.9	23.0	160.7	.....
.....	11.4	2.9	168.8	231.7	62.9	54.4	34.3	100.1	60.1	40.1	8.6	65.8	42.9	191.7	2.9
6.0	12.0	24.0	78.1	150.2	90.1	66.1	78.1	78.1	30.1	42.1	12.0	54.1	60.1	210.3	42.1
5.9	5.9	5.9	147.8	141.9	76.9	29.6	165.6	65.0	29.6	59.1	5.9	59.1	41.4	141.9	5.9
.....	.....	11.6	128.1	157.2	87.3	34.9	110.6	40.7	17.5	5.8	17.5	34.9	23.3	81.4	.....
.....	17.2	17.2	126.1	137.5	114.6	86.0	103.2	63.0	74.5	57.3	5.7	40.1	40.1	172.0	11.5
.....	16.9	11.3	146.8	169.3	107.3	56.4	73.4	107.3	33.9	39.5	5.6	73.4	39.5	191.9	5.6
5.6	.....	5.6	173.8	201.8	95.3	56.1	67.3	61.7	50.5	61.7	16.8	78.5	28.0	123.3	.....
.....	11.1	11.1	144.8	206.1	78.0	72.4	133.7	66.9	39.0	39.0	5.6	66.9	89.1	100.3	.....
.....	16.6	16.6	127.3	221.4	55.4	49.8	60.9	66.4	16.6	66.4	11.1	55.4	33.2	160.5	.....
.....	22.0	11.0	110.0	159.6	104.5	71.5	99.0	71.5	55.0	60.5	22.0	55.0	44.0	132.0	.....
.....	10.9	38.3	103.9	207.8	65.6	82.0	43.7	98.4	71.1	98.4	.....	54.7	65.6	142.2	.....
.....	.....	.....	128.8	115.9	51.5	90.2	128.8	128.8	38.7	38.7	12.9	51.5	25.7	154.5	25.7
.....	.....	12.3	86.4	98.7	148.1	98.7	37.0	61.7	111.1	98.7	.....	98.7	24.7	86.4	.....
.....	.....	.....	35.6	82.9	142.1	35.6	71.1	94.8	59.2	47.4	11.8	82.9	23.7	106.6	11.8
.....	11.4	22.8	79.7	125.2	34.2	45.5	125.2	68.3	34.2	45.5	.....	56.9	34.2	91.1	11.4
.....	.....	11.0	65.8	54.8	131.6	76.7	109.7	76.7	54.8	98.7	11.0	54.8	21.9	120.6	.....
.....	.....	.....	99.1	110.1	77.1	88.1	187.2	121.1	33.0	55.1	22.0	132.1	22.0	110.1	44.0
11.1	.....	.....	121.6	77.4	99.5	110.5	121.6	143.7	33.2	88.4	.....	88.4	44.2	176.9	33.2
.....	22.2	.....	122.1	133.2	122.1	155.4	99.9	144.3	66.6	55.5	.....	144.3	22.2	133.2	22.2
.....	11.1	.....	100.3	44.6	66.9	66.9	89.1	144.9	55.7	89.1	11.1	133.7	55.7	66.9	.....
.....	11.2	33.6	111.9	134.3	89.5	55.9	145.5	67.1	67.1	67.1	11.2	55.9	44.8	123.1	11.2
.....	.....	.....	32.3	16.1	129.1	96.8	145.3	48.4	48.4	16.1	32.3	64.6	16.1	113.0	48.4
.....	15.5	15.5	46.6	31.1	139.8	62.1	155.3	62.1	31.1	15.5	.....	108.7	108.7	124.3	15.5
.....	.....	29.9	29.9	59.9	119.8	134.7	194.6	74.8	15.0	104.8	.....	194.6	29.9	89.8	.....
.....	.....	14.4	86.7	86.7	101.1	101.1	130.0	57.8	28.9	43.3	.....	144.5	72.2	144.5	43.3
.....	.....	.....	27.9	111.7	55.8	125.6	125.6	55.8	69.8	97.7	13.9	209.4	13.9	97.7	13.9
.....	13.4	.....	80.7	94.1	53.8	107.5	228.5	53.8	40.3	94.1	.....	282.3	40.3	80.7	.....
.....	.....	.....	104.0	65.0	52.0	65.0	195.0	26.0	91.0	26.0	13.0	273.0	26.0	143.0	13.0
.....	.....	.....	138.5	100.7	25.2	88.1	138.5	100.7	50.4	50.4	.....	151.1	.....	125.9	.....
.....	12.2	24.4	48.8	61.0	48.8	122.0	146.4	97.6	24.4	97.6	12.2	170.8	.....	134.2	.....
.....	.....	11.8	47.3	23.7	.....	35.5	153.9	35.5	35.5	59.2	23.7	106.5	.....	118.4	.....
.....	5.6	16.8	156.8	84.0	134.4	78.4	128.7	89.6	50.4	67.2	11.2	56.0	50.4	207.2	39.2
.....	.....	38.8	116.3	94.2	77.6	60.9	66.5	44.3	5.5	22.2	.....	66.5	22.2	205.0	11.1
.....	5.5	21.9	98.6	65.8	98.6	60.3	93.2	76.7	27.4	60.3	16.4	87.7	5.5	191.8	38.4
.....	21.7	10.8	119.4	135.6	81.4	59.7	97.7	65.1	38.0	43.4	10.8	86.8	5.4	211.5	10.8
.....	10.7	5.4	128.8	75.1	64.4	59.0	102.0	91.2	75.1	26.8	.....	123.5	5.4	177.1	10.7
10.8	5.4	27.0	102.7	124.3	97.3	124.3	178.4	91.9	43.3	21.6	10.8	70.3	27.0	156.8	10.8
.....	.....	16.3	92.5	70.8	87.1	92.5	168.7	81.7	43.5	81.7	.....	76.2	.....	141.5	10.9
.....	5.5	16.4	126.1	137.0	54.8	71.3	76.7	98.7	93.2	82.2	.....	65.8	5.5	186.4	5.5
.....	22.1	11.0	71.8	132.5	22.1	49.7	104.9	93.8	93.8	49.7	.....	77.3	16.6	138.0	.....
.....	38.9	.....	88.9	116.7	55.6	77.8	50.0	94.5	77.8	44.5	11.1	50.0	11.1	105.6	5.6
.....	.....	.....	136.2	.....	.....	.....	.....	.....	204.4	.....	.....	.....	204.4	68.1	68.1
.....	.....	.....	.....	.....	63.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	190.7
.....	.....	.....	59.6	119.2	59.6	.....	.....	59.6	.....	.....	.....	.....	.....	178.7	.....
.....	.....	.....	112.2	.....	56.1	.....	.....	.....	.....	.....	.....	112.2	56.1	112.2	56.1
.....	.....	.....	.....	105.9	105.9	.....	.....	.....	.....	53.0	.....	105.9	.....	.....	105.9
.....	.....	.....	52.3	209.2	.....	52.3	.....	156.9	52.3	.....	.....	.....	.....	52.3	.....
.....	51.7	.....	103.4	310.1	103.4	51.7	.....	103.4	51.7	.....	51.7	155.0	.....	310.1	.....
.....	.....	.....	153.1	255.2	153.1	51.0	.....	.....	102.1	51.0	51.0	153.1	.....	153.1	.....
.....	.....	.....	.....	100.9	50.4	100.9	.....	50.4	151.3	100.9	.....	50.4	.....	100.9	.....
.....	.....	.....	99.7	99.7	49.8	.....	.....	99.7	99.7	.....	.....	99.7	.....	99.7	.....
.....	16.2	64.8	194.3	97.1	64.8	32.4	178.1	64.8	16.2	16.2	.....	32.4	32.4	81.0	97.1
.....	.....	15.5	124.2	93.1	124.2	77.6	155.3	46.6	31.1	15.5	15.5	155.3	31.1	170.8	15.5
.....	.....	.....	89.5	104.4	104.4	59.7	74.5	74.5	14.9	29.8	14.9	119.3	.....	193.8	29.8
.....	.....	28.7	143.4	172.1	86.1	86.1	71.7	86.0	100.3	43.0	.....	71.7	28.7	172.1	43.0
.....	.....	.....	96.7	41.4	138.1	82.9	110.5	55.3	13.8	55.3	13.8	124.4	55.3	138.1	41.4
.....	.....	.....	84.4	84.4	84.4	84.4	126.5	42.2	42.2	70.3	14.1	112.5	56.2	224.9	56.2
.....	.....	.....	128.6	128.6	42.9	128.6	157.2	85.8	71.5	71.5	28.6	85.8	42.9	157.2	14.3
.....	14.5	14.5	87.2	116.3	58.1	101.8	29.1	72.7	29.1	101.8	14.5	87.2	14.5	174.4	29.1
.....	.....	29.6	44.4	73.9	44.4	88.7	147.9	103.5	59.2	103.5	.....	103.5	29.6	147.9	14.8
.....	.....	45.1	150.5	210.7	15.0	90.3	165.5	60.2	90.3	105.3	.....	120.4	15.0	180.6	45.1

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
MICHIGAN RURAL [2]—Continued.														
Ottawa County	1900	1,341.2	25.2	7.6	.....	2.5	7.6	2.5	12.6	35.3	(3)	88.2	12.6	60.5
	1901	1,208.4	29.8	5.0	.....	5.0	2.5	5.0	27.3	39.7	(3)	76.9	19.8	62.0
	1902	1,018.7	19.6	4.9	.....	.....	7.3	9.8	2.4	14.7	(3)	80.6	17.1	53.8
	1903	1,162.0	24.1	4.8	2.4	16.8	9.6	9.6	7.2	26.5	(3)	69.8	21.7	65.0
	1904	1,175.4	23.7	2.4	.....	2.4	.....	9.5	4.7	37.9	(3)	92.4	4.7	75.9
	1905	1,267.2	14.0	4.7	7.0	16.4	2.3	7.0	7.0	28.1	4.7	88.8	16.4	81.8
	1906	1,267.9	25.4	2.3	.....	2.3	11.5	16.2	6.9	11.5	23.1	76.2	16.2	55.4
	1907	1,118.0	20.5	.....	.....	2.3	4.6	4.6	6.8	41.1	.....	84.4	11.4	50.2
	1908	1,179.1	13.5	.....	.....	.....	11.3	9.0	13.5	15.8	11.3	90.2	11.3	74.4
	1909	1,156.3	15.6	.....	.....	8.9	8.9	2.2	4.5	6.7	11.1	51.2	13.4	66.8
Presque Isle County	1900	816.2	.....	.....	.....	22.7	.....	.....	56.7	.....	(3)	56.7	11.3	.....
	1901	1,146.5	42.9	.....	.....	.....	.....	.....	96.4	10.7	(3)	53.6	.....	.....
	1902	944.5	20.3	.....	20.3	20.3	.....	10.2	101.6	.....	(3)	40.6	.....	20.3
	1903	1,090.8	77.2	.....	.....	.....	19.3	19.3	9.6	.....	(3)	29.0	9.6	.....
	1904	855.4	18.4	.....	.....	.....	18.4	.....	18.4	.....	(3)	27.6	.....	.....
	1905	1,014.5	9.1	.....	.....	.....	9.1	.....	.....	9.1	27.4	82.3	18.3	.....
	1906	1,344.8	27.3	.....	.....	27.3	.....	54.5	9.1	.....	18.2	81.8	18.2	18.2
	1907	1,075.1	45.2	.....	.....	9.0	.....	18.1	.....	18.1	.....	45.2	27.1	18.1
	1908	1,428.2	35.9	.....	.....	9.0	.....	.....	62.9	9.0	.....	44.9	9.0	35.9
	1909	1,393.2	62.5	.....	.....	.....	.....	35.7	89.3	.....	17.9	53.6	.....	26.8
Roscommon County †	1900	895.4	.....	.....	.....	56.0	.....	.....	.....	.....	(3)	111.9	.....	.....
	1901	1,522.8	.....	.....	.....	.....	.....	.....	.....	.....	(3)	225.6	.....	112.8
	1902	511.6	.....	.....	.....	.....	.....	.....	.....	.....	(3)	.....	.....	.....
	1903	1,432.7	57.3	57.3	.....	.....	.....	.....	114.6	.....	(3)	171.9	.....	57.3
	1904	1,733.1	.....	.....	.....	.....	.....	.....	173.3	.....	(3)	57.8	.....	.....
	1905	1,584.7	.....	.....	.....	.....	.....	.....	54.6	.....	.....	109.3	.....	.....
	1906	988.6	.....	.....	.....	.....	.....	52.0	.....	.....	.....	104.1	.....	.....
	1907	1,092.4	.....	.....	.....	99.3	.....	.....	.....	49.7	.....	.....	.....	.....
	1908	1,139.1	.....	.....	.....	.....	.....	142.4	.....	.....	47.5	47.5	.....	.....
	1909	909.1	.....	.....	.....	90.9	.....	.....	45.5	.....	.....	90.9	.....	.....
Saginaw County	1900	1,183.2	38.6	12.9	.....	10.3	5.1	7.7	38.6	15.4	(3)	84.9	12.9	41.2
	1901	1,243.4	20.6	5.1	7.7	2.6	10.3	2.6	48.8	43.7	(3)	71.9	7.7	51.4
	1902	1,059.8	12.8	2.5	2.5	10.3	25.7	15.4	5.1	12.8	(3)	77.0	10.3	33.4
	1903	1,015.0	5.1	.....	.....	.....	.....	7.7	7.7	20.5	(3)	71.8	25.6	51.3
	1904	1,216.0	12.8	.....	.....	2.6	2.6	.....	5.1	35.8	(3)	84.5	12.8	64.0
	1905	1,204.8	15.4	10.3	.....	2.6	2.6	.....	12.8	20.5	10.3	51.3	7.7	64.1
	1906	1,101.1	20.5	.....	.....	.....	7.7	5.1	10.3	12.8	10.3	35.9	5.1	66.7
	1907	1,089.6	2.6	2.6	.....	15.4	.....	2.6	12.8	36.0	7.7	51.4	7.7	64.2
	1908	1,093.5	20.6	5.1	.....	.....	7.7	10.3	2.6	15.4	18.0	54.0	15.4	61.7
	1909	1,115.5	15.5	.....	.....	12.9	.....	2.6	18.0	5.2	15.5	41.2	7.7	54.1
St. Clair County	1900	1,333.5	11.1	2.8	.....	2.8	5.5	.....	25.0	16.6	(3)	69.3	13.9	61.0
	1901	1,407.3	41.7	2.8	5.6	.....	5.6	.....	8.3	89.0	(3)	44.5	13.9	80.7
	1902	1,300.2	30.7	5.6	.....	36.3	8.4	22.3	25.1	19.5	(3)	67.0	13.9	64.2
	1903	1,161.7	19.6	.....	.....	.....	25.2	5.6	13.9	16.8	(3)	70.0	13.9	56.0
	1904	1,246.9	28.1	2.8	.....	5.6	8.4	2.8	22.5	30.9	(3)	50.6	8.4	87.1
	1905	1,417.0	28.4	2.8	.....	8.5	.....	.....	5.7	45.4	19.9	73.8	14.2	59.6
	1906	1,405.9	23.0	5.7	.....	8.6	11.5	17.2	11.5	11.5	5.7	40.2	17.2	80.3
	1907	1,301.8	26.1	5.8	.....	5.8	.....	31.9	20.3	34.8	23.2	116.0	11.6	78.3
	1908	1,365.5	52.7	.....	.....	.....	.....	.....	11.7	35.2	14.7	96.7	17.6	76.2
	1909	1,436.4	62.2	3.0	.....	5.9	17.8	14.8	20.7	11.8	3.0	59.2	17.8	65.2
St. Joseph County	1900	1,398.1	12.6	12.6	.....	12.6	.....	4.2	.....	29.3	(3)	79.5	16.7	58.6
	1901	1,496.4	16.9	.....	.....	.....	.....	.....	.....	46.4	(3)	113.8	16.9	59.0
	1902	1,281.9	34.0	4.2	.....	.....	4.2	4.2	4.2	21.2	(3)	97.7	12.7	55.2
	1903	1,376.4	12.8	4.3	.....	8.5	.....	8.5	12.8	25.7	(3)	77.0	12.8	81.2
	1904	1,416.3	4.3	4.3	8.6	4.3	4.3	4.3	8.6	38.7	(3)	99.0	17.2	94.7
	1905	1,332.1	16.9	.....	4.2	.....	.....	.....	4.2	33.8	12.7	101.5	25.4	93.0
	1906	1,360.6	8.3	4.2	.....	.....	.....	4.2	.....	16.6	16.6	58.3	8.3	58.3
	1907	1,470.2	4.1	.....	.....	12.3	.....	4.1	4.1	28.7	4.1	77.8	24.6	114.7
	1908	1,273.9	12.1	8.1	.....	.....	.....	.....	.....	12.1	20.2	60.5	4.0	125.9
	1909	1,397.3	7.9	4.0	.....	4.0	.....	4.0	19.8	39.7	11.9	71.5	15.9	99.2
Sanilac County	1900	1,215.2	51.3	14.3	.....	17.1	2.9	11.4	54.2	28.5	(3)	82.7	14.3	51.3
	1901	991.2	8.6	8.6	.....	.....	8.6	.....	14.3	34.3	(3)	57.1	8.6	31.4
	1902	1,072.6	8.6	11.4	2.9	5.7	11.4	14.3	11.4	2.9	(3)	88.7	17.2	37.2
	1903	1,200.1	20.0	.....	2.9	.....	25.8	28.7	17.2	20.0	(3)	77.3	14.3	37.2
	1904	1,127.1	14.3	8.6	.....	.....	5.7	.....	5.7	25.8	(3)	66.0	20.1	45.9
	1905	1,259.5	40.4	.....	.....	17.3	2.9	11.5	11.5	54.8	11.5	103.8	8.6	66.3
	1906	1,132.2	34.7	.....	2.9	8.7	5.8	5.8	2.9	8.7	26.1	69.5	20.3	60.8
	1907	1,146.1	11.6	.....	.....	23.3	.....	2.9	8.7	29.1	11.6	96.0	11.6	43.6
	1908	1,075.5	20.5	.....	.....	.....	5.8	.....	5.8	29.2	8.8	40.9	17.5	61.4
	1909	980.7	14.7	5.9	.....	8.8	.....	5.9	5.9	8.8	5.9	49.9	2.9	55.8
Schoolcraft County	1900	1,343.6	50.7	.....	.....	.....	63.4	.....	50.7	12.7	(3)	152.1	12.7	25.3
	1901	1,412.1	12.4	.....	.....	.....	61.9	.....	111.5	12.4	(3)	74.3	12.4	49.5
	1902	1,150.4	.....	12.1	.....	.....	24.2	.....	12.1	24.2	(3)	24.2	.....	24.2
	1903	1,172.6	11.9	.....	.....	.....	35.5	71.1	.....	.....	(3)	59.2	11.9	59.2
	1904	1,054.7	11.6	11.6	.....	11.6	.....	.....	11.6	11.6	(3)	57.9	.....	23.2
	1905	1,099.9	34.7	.....	.....	.....	.....	.....	.....	.....	11.6	46.3	34.7	34.7
	1906	1,145.0	11.6	.....	.....	.....	.....	23.1	11.6	.....	.....	104.1	23.1	.....
	1907	1,363.4	11.6	.....	.....	.....	.....	.....	46.2	57.8	.....	92.4	34.7	34.7
	1908	1,431.2	46.2	.....	.....	23.1	.....	.....	.....	23.1	23.1	69.3	.....	46.2
	1909	922.4	.....	.....	.....	.....	.....	11.5	11.5	11.5	.....	57.7	.....	.....

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
10.1	12.6	35.3	163.9	118.5	60.5	93.3	55.5	108.4	47.9	40.3	12.6	63.0	65.5	191.6	7.6
2.5	7.4	22.3	121.6	114.1	79.4	114.1	64.5	57.1	54.6	32.2	.....	54.6	42.2	161.3	7.5
.....	7.3	17.1	146.6	114.8	41.5	70.8	29.3	68.4	36.7	17.1	17.1	70.8	39.1	131.9	.....
4.8	7.2	7.2	161.2	129.9	62.5	79.4	69.8	69.8	62.5	33.7	9.6	45.7	36.1	115.5	9.6
2.4	4.7	16.6	123.2	139.8	54.5	68.7	59.3	92.4	68.7	30.8	2.4	54.5	35.6	163.5	4.7
2.3	14.0	4.7	145.0	159.0	49.1	91.2	65.5	95.9	60.8	51.4	11.7	60.8	42.1	126.3	9.4
.....	13.9	11.5	131.6	140.9	48.5	78.5	124.7	76.2	57.7	48.5	6.9	90.1	37.0	150.1	4.6
.....	22.8	20.5	123.2	136.9	50.2	91.3	27.4	66.2	57.0	50.2	11.4	89.0	20.5	125.5	.....
2.3	9.0	9.0	135.3	146.5	76.7	49.6	76.7	87.9	36.1	45.1	11.3	87.9	9.0	144.3	2.3
.....	13.4	6.7	118.1	169.3	55.7	82.4	62.4	78.0	75.8	71.3	6.7	51.2	8.9	164.9	2.2
.....	.....	11.3	68.0	22.6	102.1	11.3	22.6	68.0	11.3	.....	.....	11.3	45.4	102.1	192.8
.....	.....	32.1	75.0	96.4	107.2	42.9	32.1	64.3	.....	53.6	.....	75.0	10.7	75.0	278.6
.....	.....	.....	60.9	30.5	60.9	40.6	40.6	40.6	20.3	50.8	10.2	40.6	71.1	91.5	152.3
.....	.....	19.3	77.3	48.3	67.6	38.6	164.1	67.6	9.6	57.9	9.6	77.3	57.9	154.4	77.3
9.2	27.6	.....	101.1	18.4	46.0	36.8	73.6	55.2	27.6	18.4	.....	27.6	46.0	119.6	165.5
9.1	9.1	18.3	36.6	73.1	45.7	64.0	100.5	54.8	27.4	118.8	.....	128.0	27.4	128.0	18.3
.....	9.1	9.1	72.7	172.6	109.0	100.0	90.9	54.5	27.3	118.1	18.2	63.6	54.5	81.8	109.0
.....	.....	9.0	63.2	99.4	99.4	18.1	90.3	45.2	45.2	117.4	.....	72.3	81.3	72.3	81.3
.....	18.0	.....	116.8	80.8	18.0	53.9	179.6	89.8	35.9	44.9	.....	296.4	107.8	161.7	18.0
8.9	.....	8.9	71.4	125.0	44.7	44.7	196.5	80.4	53.6	160.8	8.9	80.4	53.6	142.9	26.8
.....	.....	.....	56.0	167.8	111.9	.....	167.8	56.0	.....	.....	56.0	.....	56.0	56.0	.....
.....	.....	.....	225.6	56.4	56.4	56.4	56.4	112.8	.....	56.4	.....	169.2	56.4	338.4	.....
.....	.....	.....	56.8	113.7	.....	.....	170.6	.....	.....	.....	.....	113.7	.....	56.8	.....
.....	.....	.....	114.6	343.9	.....	.....	.....	.....	57.3	57.3	.....	57.3	.....	114.6	229.3
.....	.....	57.8	231.1	115.5	346.6	.....	.....	173.3	.....	.....	57.8	173.3	57.8	115.5	173.3
.....	.....	54.6	54.6	382.5	163.9	109.3	163.9	54.6	.....	54.6	.....	273.2	54.6	54.6	.....
.....	.....	.....	.....	208.1	.....	.....	312.2	104.1	52.0	104.1	.....	.....	.....	52.0	.....
.....	.....	.....	49.7	99.3	49.7	99.3	99.3	49.7	.....	49.7	.....	99.3	.....	347.6	.....
.....	.....	.....	.....	142.4	142.4	47.5	47.5	47.5	47.5	.....	.....	189.8	47.5	189.8	.....
.....	.....	.....	.....	136.4	.....	45.5	90.9	.....	.....	.....	.....	227.3	90.9	90.9	.....
5.1	.....	20.6	97.8	113.2	87.5	51.4	113.2	84.9	69.4	25.7	15.4	54.0	36.0	128.5	12.9
.....	12.8	36.0	123.3	113.1	149.0	38.5	82.2	59.1	46.2	23.1	7.7	59.1	43.7	164.4	12.8
.....	5.1	10.3	123.2	97.5	84.7	53.9	56.5	74.4	59.0	30.8	7.7	59.0	23.1	154.0	12.8
.....	12.8	5.1	99.9	97.4	59.0	61.5	92.3	79.5	41.0	38.4	15.4	71.8	17.9	120.5	12.8
2.6	23.0	2.6	125.5	138.3	81.9	64.0	94.7	81.9	30.7	48.6	5.1	92.2	48.6	145.9	10.2
2.6	17.9	5.1	107.7	187.1	64.1	59.0	105.1	69.2	51.3	38.5	20.5	89.7	59.0	112.8	17.9
.....	18.0	15.4	120.6	138.6	35.9	59.0	97.5	71.9	46.2	74.4	5.1	74.4	25.7	136.0	7.7
.....	18.0	10.3	82.2	138.8	64.2	69.4	72.0	66.8	61.7	51.4	7.7	72.0	46.3	123.3	2.6
2.6	15.4	10.3	87.5	131.2	48.9	54.0	87.5	69.5	79.8	51.5	5.1	72.0	36.0	126.1	5.1
.....	7.7	10.3	123.7	175.2	46.4	46.4	77.3	87.6	77.3	61.8	5.2	59.3	38.6	118.5	7.7
8.3	.....	13.9	149.7	155.3	83.2	66.5	113.7	127.5	52.7	44.3	.....	97.0	49.9	158.0	5.5
5.6	8.3	13.9	186.4	114.0	91.8	86.2	86.2	102.9	69.5	27.8	5.6	58.4	55.6	194.7	8.3
.....	11.2	13.9	178.5	153.4	117.2	78.1	25.1	89.3	67.0	11.2	5.6	47.4	55.8	150.7	2.8
.....	22.4	28.0	156.8	114.8	75.6	42.0	58.8	78.4	33.6	44.8	2.8	89.6	39.2	140.0	13.9
.....	11.2	22.5	143.2	168.5	73.0	92.7	42.1	95.5	56.2	33.7	5.6	78.6	22.5	148.8	5.6
.....	.....	19.9	173.2	170.4	65.3	73.8	88.0	76.7	56.8	59.6	5.7	133.5	59.6	167.5	8.5
.....	5.7	8.6	166.4	223.8	68.9	37.3	94.7	114.8	74.6	60.3	2.9	97.6	54.5	160.7	2.9
2.9	11.6	8.7	142.1	205.9	40.6	43.5	29.0	60.9	69.6	37.7	8.7	92.8	17.4	174.0	2.9
.....	23.4	5.9	161.2	222.7	49.8	49.8	82.0	90.8	52.7	32.2	5.9	73.3	29.3	131.7	.....
.....	8.9	20.7	162.9	210.3	68.1	47.4	82.9	94.8	56.3	74.0	8.9	112.5	32.6	174.7	.....
.....	20.9	29.3	200.9	184.2	83.7	92.1	79.5	100.5	54.4	20.9	25.1	75.3	67.0	129.8	8.4
.....	16.9	12.6	210.8	227.6	134.9	67.5	37.9	134.9	33.7	37.9	8.4	88.5	46.4	177.0	8.4
.....	12.7	17.0	191.0	208.0	110.4	46.7	38.2	114.6	76.4	8.5	8.5	72.2	21.2	118.9	.....
12.8	8.5	12.8	200.9	230.8	85.5	34.2	59.9	85.5	72.7	17.1	4.3	85.5	21.4	192.4	8.5
.....	17.2	4.3	223.9	198.1	64.6	56.0	38.7	81.8	94.7	25.8	4.3	64.6	56.0	189.4	8.6
.....	8.5	16.9	228.4	164.9	42.3	71.9	38.1	97.3	46.5	33.8	12.7	71.9	71.9	131.1	4.2
4.2	4.2	20.8	237.2	199.7	49.9	54.1	70.7	149.8	87.4	54.1	16.6	66.6	20.8	145.6	4.2
.....	20.5	20.5	241.6	266.2	73.7	53.2	49.1	106.5	57.3	20.5	20.5	102.4	28.7	135.1	.....
.....	16.1	12.1	205.6	181.4	76.6	44.3	56.4	72.6	44.3	36.3	16.1	64.5	28.2	169.3	8.1
.....	19.8	.....	258.0	214.4	51.6	47.6	59.5	99.2	83.4	35.7	15.9	63.5	43.7	127.0	.....
2.9	20.0	20.0	114.1	94.1	91.3	45.6	102.7	54.2	39.9	25.7	2.9	48.5	20.0	154.0	51.3
5.7	2.9	5.7	114.3	102.8	91.4	54.3	45.7	57.1	51.4	45.7	5.7	51.4	42.8	137.1	5.7
.....	14.3	8.6	103.0	111.5	57.2	62.9	48.6	100.1	45.8	34.3	8.6	62.9	48.6	151.6	2.9
11.5	5.7	22.9	111.7	94.5	88.8	74.5	77.3	97.4	31.5	57.3	2.9	45.8	51.6	160.4	22.9
2.9	20.1	8.6	154.9	123.3	83.2	34.4	63.1	77.4	37.3	34.4	5.7	40.1	45.9	133.6	20.1
2.9	11.5	11.5	149.9	138.3	106.6	60.5	77.8	77.8	20.2	46.1	8.6	49.0	34.6	129.7	5.8
2.9	11.6	8.7	136.1	141.9	60.8	34.7	84.0	72.4	63.7	49.2	2.9	43.4	20.3	130.3	23.2
.....	11.6	8.7	130.9	154.2	40.7	43.6	49.5	84.4	49.5	69.8	2.9	46.5	55.3	154.2	5.8
2.9	5.8	11.7	108.1	181.2	46.8	43.8	70.1	52.6	32.1	55.5	8.8	64.3	46.8	152.0	2.9
2.9	5.9	5.9	126.3	149.7	44.0	47.0	64.6	55.8	55.8	76.3	5.9	29.4	23.5	123.3	.....
12.7	.....	38.0	152.1	50.7	139.4	76.6	190.1	12.7	38.0	50.7	.....	50.7	76.1	50.7	38.0
.....	.....	24.8	111.5	74.3	123.9	24.8	210.6	74.3	24.8	61.9	.....	136.2	49.5	123.9	37.2
.....	.....	12.1	96.9	72.7	157.4	12.1	109.0	72.7	12.1	72.7	.....	121.1	72.7	193.7	24.2
.....	.....	23.7	106.6	47.4	35.5	59.2	130.3	82.9	23.7	71.1	11.9	165.8	35.5	94.7	35.5
.....	.....	23.2	173.8	81.1	34.8	34.8	57.9	46.4	23.2	92.7	11.6	185.4	34.8	81.1	34.8
.....	23.2	34.7	127.4	81.0	69.5	57.9	127.4	46.3	46.3	69.5	.....	46.3	34.7	173.7	.....
.....	23.1	46.3	127.2	104.1	81.0	11.6	127.2	46.3	57.8	92.5	.....	81.0	23.1	127.2	23.1
.....	.....	.....	138.6	115.5	80.9	57.8	104.0	69.3	23.1	92.4	11.6	150.2	46.2	173.3	23.1
.....	11.5	34.6	127.0	92.3	46.2	92.3	242.4	69.3	34.6	92.3	.....	150.0	57.7	150.0	.....
.....	.....	.....	57.7	103.8	11.5	69.2	69.2	46.1	57.7	57.7	34.6	69.2	34.6	219.1	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
MICHIGAN RURAL[2]—Continued.														
Shiawassee County	1900	1,378.6	27.8	4.0	.....	.....	11.9	31.8	51.6	15.9	(3)	107.3	11.9	91.4
	1901	1,386.9	8.0	.....	4.0	.....	8.0	4.0	20.0	52.0	(3)	95.9	20.0	44.0
	1902	1,246.5	16.1	.....	.....	8.0	8.0	4.0	.....	28.1	(3)	64.3	20.1	48.3
	1903	1,549.5	32.4	.....	.....	4.0	4.0	8.1	12.1	32.4	(3)	80.9	8.1	85.0
	1904	1,534.6	32.6	4.1	.....	.....	4.1	.....	12.2	77.3	(3)	114.0	12.2	93.6
	1905	1,381.7	20.5	4.1	12.3	.....	.....	20.5	.....	4.1	8.2	90.2	.....	77.9
	1906	1,300.2	20.6	4.1	.....	4.1	.....	.....	8.3	8.3	33.0	103.2	4.1	74.3
	1907	1,325.6	24.9	.....	.....	8.3	.....	.....	4.2	33.2	16.6	70.6	16.2	66.5
	1908	1,364.0	8.4	4.2	.....	.....	4.2	8.4	4.2	25.1	16.7	41.8	4.2	71.1
	1909	1,327.0	21.1	.....	.....	.....	.....	.....	.....	12.6	.....	59.0	8.4	92.7
Tuscola County	1900	1,351.4	25.1	5.6	.....	13.9	19.5	2.8	22.3	11.1	(3)	78.0	13.9	69.7
	1901	1,417.5	16.7	19.5	.....	.....	61.3	.....	27.8	50.1	(3)	114.2	8.4	55.7
	1902	1,163.5	22.3	11.1	2.8	5.6	13.9	16.7	13.9	16.7	(3)	69.6	8.3	55.7
	1903	1,179.6	8.3	.....	.....	5.6	2.8	30.6	2.8	19.5	(3)	66.8	13.9	72.3
	1904	1,176.3	22.2	2.8	.....	8.3	2.8	.....	5.6	19.5	(3)	75.1	19.5	61.2
	1905	1,165.8	19.6	.....	.....	2.8	.....	2.8	2.8	16.8	11.2	69.9	22.4	61.5
	1906	1,225.0	33.7	2.8	.....	2.8	5.6	22.5	11.2	11.2	11.2	92.7	14.0	56.2
	1907	1,101.3	25.4	2.8	.....	16.9	2.8	5.6	5.6	45.2	2.8	53.7	25.4	53.7
	1908	1,206.2	14.2	.....	.....	.....	8.5	2.8	5.7	17.0	8.5	59.6	17.0	59.6
	1909	1,163.9	31.4	2.9	.....	2.9	.....	.....	11.4	.....	2.9	68.5	22.8	62.8
Van Buren County	1900	1,385.5	18.0	18.0	.....	15.0	9.0	12.0	18.0	39.1	(3)	84.2	18.0	87.2
	1901	1,480.8	11.9	5.9	5.9	3.0	.....	17.8	17.8	32.6	(3)	97.9	14.8	86.1
	1902	1,066.8	38.1	2.9	.....	5.9	.....	.....	5.9	2.9	(3)	44.0	14.6	73.3
	1903	1,357.7	37.6	2.9	.....	2.9	14.5	20.3	5.8	26.0	(3)	69.5	11.6	127.4
	1904	1,510.1	42.9	.....	.....	11.4	5.7	.....	11.4	31.5	(3)	85.8	25.7	88.7
	1905	1,397.3	20.2	5.8	.....	.....	.....	5.8	8.7	63.5	17.3	60.6	26.0	95.3
	1906	1,398.0	32.0	.....	.....	5.8	.....	8.7	.....	.....	2.9	78.6	26.2	67.0
	1907	1,410.5	32.3	.....	.....	2.9	.....	5.9	11.8	26.4	14.7	88.2	5.9	91.1
	1908	1,200.8	29.6	3.0	.....	.....	.....	38.5	.....	41.5	5.9	62.3	8.9	83.0
	1909	1,334.3	23.9	.....	.....	6.0	3.0	6.0	6.0	15.0	9.0	65.8	12.0	74.8
Washtenaw County	1900	1,320.2	18.0	3.0	.....	27.1	3.0	.....	6.0	.....	(3)	66.2	15.0	81.2
	1901	1,321.9	18.2	.....	.....	.....	24.3	.....	21.2	45.5	(3)	78.8	.....	66.7
	1902	1,292.9	12.2	3.1	.....	.....	12.2	.....	27.5	9.2	(3)	73.4	15.3	82.5
	1903	1,454.7	18.5	.....	.....	12.3	15.4	9.2	12.3	43.2	(3)	98.6	21.6	101.7
	1904	1,476.2	18.6	9.3	.....	18.6	3.1	3.1	3.1	49.7	(3)	108.8	21.8	87.0
	1905	1,265.9	18.9	6.3	.....	3.1	.....	.....	9.4	25.2	15.7	94.5	31.5	78.7
	1906	1,192.3	25.5	.....	.....	6.4	.....	9.6	6.4	22.3	12.8	63.8	15.9	89.3
	1907	1,333.1	6.5	.....	.....	.....	3.2	9.7	3.2	61.3	12.9	116.2	16.1	93.6
	1908	1,265.0	9.8	.....	.....	.....	.....	6.5	26.1	26.1	6.5	42.5	19.6	71.9
	1909	1,168.7	16.6	3.3	.....	9.9	9.9	.....	6.6	23.2	6.6	92.7	6.6	99.3
Wayne County	1900	1,656.4	60.2	6.3	1.6	23.8	11.1	9.5	23.8	17.4	(3)	98.3	17.4	60.2
	1901	1,547.4	29.4	1.5	.....	.....	6.2	10.8	20.1	48.0	(3)	105.2	7.7	57.3
	1902	1,570.4	27.2	3.0	.....	13.6	21.2	19.6	36.3	7.6	(3)	102.8	12.1	57.4
	1903	1,725.3	45.8	2.9	4.4	2.9	13.3	8.9	69.4	17.7	(3)	112.3	22.2	56.1
	1904	1,717.3	33.2	1.4	2.9	14.4	4.3	2.9	57.8	14.4	(3)	121.4	14.4	54.9
	1905	1,604.5	32.7	.....	.....	4.1	2.7	4.1	31.4	23.2	13.6	120.1	25.9	49.1
	1906	1,882.8	42.1	1.8	.....	12.3	3.5	36.8	21.0	1.8	28.0	164.8	26.3	54.3
	1907	1,938.1	63.2	1.8	.....	1.8	12.6	7.2	27.1	23.5	9.0	160.8	3.6	74.1
	1908	1,610.5	47.4	.....	.....	1.7	3.4	16.9	6.8	20.3	30.5	130.3	16.9	60.9
	1909	1,742.0	38.2	1.6	.....	22.3	11.1	9.5	9.5	9.5	28.6	159.1	17.5	71.6
Wexford County	1900	1,608.8	41.6	17.8	.....	41.6	23.7	5.9	5.9	11.9	(3)	83.1	17.8	29.7
	1901	1,238.7	74.5	5.7	5.7	.....	11.5	11.5	28.7	63.1	(3)	97.5	5.7	22.9
	1902	1,153.6	38.8	.....	.....	.....	11.1	.....	22.2	5.5	(3)	83.2	16.6	33.3
	1903	1,277.9	37.5	.....	.....	16.1	5.4	10.7	26.8	5.4	(3)	96.7	10.7	43.0
	1904	1,311.3	20.8	.....	.....	.....	.....	.....	15.6	26.0	(3)	72.9	10.4	31.2
	1905	1,369.0	25.6	5.1	.....	.....	20.5	.....	25.6	56.4	15.4	51.3	10.3	46.1
	1906	1,578.4	65.8	.....	.....	10.1	.....	15.2	55.6	15.2	25.3	75.9	20.2	45.5
	1907	1,163.2	5.0	5.0	.....	5.0	.....	.....	10.0	34.9	10.0	39.9	10.0	69.9
	1908	1,379.7	49.3	.....	.....	.....	14.8	9.9	.....	24.6	9.9	73.9	4.9	69.0
	1909	1,342.5	43.8	.....	.....	9.7	14.6	38.9	4.9	14.6	4.9	68.1	9.7	102.1
NEW HAMPSHIRE RURAL.[2]														
Belknap County	1900	1,976.6	8.7	.....	.....	.....	.....	8.7	17.4	69.7	(3)	182.9	.....	52.2
	1901	1,703.7	34.9	8.7	.....	.....	.....	17.5	8.7	17.5	(3)	104.8	.....	113.6
	1902	1,770.4	17.5	.....	.....	.....	.....	.....	8.8	8.8	(3)	140.2	8.8	61.3
	1903	1,872.9	17.6	.....	.....	.....	.....	.....	.....	79.1	(3)	140.7	8.8	87.9
	1904	1,570.2	8.8	.....	.....	.....	.....	.....	26.5	.....	(3)	70.6	8.8	44.1
	1905	1,778.9	26.6	8.9	.....	.....	.....	.....	17.7	35.4	8.9	97.4	17.7	53.1
	1906	1,882.3	.....	.....	.....	.....	.....	35.5	26.6	8.9	17.8	106.5	8.9	177.6
	1907	1,719.1	8.9	17.8	.....	8.9	.....	8.9	80.2	44.5	8.9	89.1	.....	62.3
	1908	1,831.8	.....	.....	.....	.....	8.9	.....	26.8	35.7	17.9	53.6	44.7	62.6
	1909	1,676.4	9.0	.....	.....	.....	.....	.....	9.0	26.9	.....	71.7	26.9	152.4
Carroll County	1900	1,811.2	23.7	.....	.....	11.8	.....	23.7	11.8	53.3	(3)	136.1	35.5	76.9
	1901	1,259.4	17.8	.....	.....	.....	.....	.....	.....	11.9	(3)	130.7	35.6	106.9
	1902	1,555.9	23.8	.....	6.0	.....	.....	.....	11.9	47.7	(3)	143.1	11.9	107.3
	1903	1,663.0	17.9	.....	.....	.....	.....	.....	17.9	77.8	(3)	95.7	23.9	95.7
	1904	1,452.8	12.9	.....	.....	.....	.....	6.0	6.0	6.0	(3)	138.1	36.0	108.1
	1905	1,668.8	6.0	.....	.....	18.1	6.0	.....	.....	114.5	12.0	156.6	24.1	120.5
	1906	1,626.4	18.1	12.1	.....	.....	.....	.....	6.0	12.1	.....	102.8	6.0	84.6
	1907	1,656.5	.....	.....	.....	6.1	.....	6.1	.....	84.9	6.1	72.8	24.3	176.0
	1908	1,558.9	.....	.....	.....	.....	.....	.....	6.1	85.3	12.2	121.8	24.4	97.4
	1909	1,552.3	6.1	.....	.....	.....	.....	6.1	.....	61.1	12.2	122.2	12.2	122.2

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
4.0	11.9	19.9	158.9	135.1	67.5	67.5	131.1	103.3	31.8	23.8	4.0	51.6	71.5	139.1	4.0
.....	4.0	4.0	179.8	163.9	79.9	71.9	83.9	123.9	67.9	52.0	.....	83.9	36.0	179.9	.....
.....	20.1	8.0	156.8	168.9	88.5	84.5	48.3	128.7	64.3	32.2	4.0	48.3	32.2	160.8	4.0
4.0	16.2	24.3	186.1	222.5	117.3	72.8	56.6	113.3	76.9	36.4	8.1	178.0	48.6	121.4	.....
.....	4.1	16.3	183.2	187.2	97.7	52.9	61.1	130.3	85.5	32.6	20.3	105.8	20.3	179.1	8.1
4.1	4.1	.....	196.8	209.1	77.9	32.8	36.9	118.9	94.3	36.9	8.2	86.1	24.6	205.0	8.2
.....	20.6	4.1	119.7	222.9	53.7	49.5	78.4	99.1	61.9	24.8	12.4	90.8	24.8	177.5	.....
4.2	16.6	4.2	170.4	203.6	54.0	33.2	66.5	116.4	87.3	45.7	12.5	103.9	12.5	153.8	.....
4.2	12.6	8.4	184.1	259.4	58.6	46.0	83.7	125.5	79.5	20.9	4.2	79.5	8.4	200.8	.....
.....	25.3	4.2	172.7	210.6	50.6	54.8	54.8	113.7	67.4	50.6	8.4	118.0	4.2	198.0	.....
.....	13.9	33.4	153.2	131.0	103.1	89.2	117.0	78.0	47.4	41.8	11.1	27.9	47.4	189.5	5.6
2.8	11.1	25.1	142.0	130.9	114.2	111.4	97.5	86.3	30.6	52.9	8.4	66.8	36.2	144.8	2.8
.....	11.1	5.6	155.9	122.5	105.8	64.0	58.4	89.1	33.4	25.0	2.8	69.6	13.9	158.7	11.1
.....	16.7	11.1	169.7	139.1	91.8	55.6	47.3	94.6	25.0	41.7	2.8	61.2	19.5	175.3	5.6
2.8	13.9	11.1	158.5	169.6	80.6	58.4	36.1	86.2	47.3	50.1	.....	75.1	25.0	141.8	2.8
.....	16.8	19.6	164.9	181.7	47.5	50.3	64.3	83.9	33.5	64.3	14.0	61.5	30.8	114.6	8.4
.....	11.2	11.2	151.7	134.9	73.1	56.2	75.9	78.7	56.2	50.6	16.9	45.0	22.5	174.2	2.8
2.8	8.5	11.3	146.8	166.6	62.1	56.5	33.9	84.7	28.2	56.5	11.3	42.4	28.2	113.0	8.5
2.8	8.5	11.4	141.9	210.0	34.1	68.1	82.3	65.3	65.3	42.6	14.2	51.1	28.4	178.8	8.5
.....	17.1	14.3	88.4	208.2	74.2	59.9	79.9	62.8	65.6	74.2	2.9	51.3	14.3	145.5	.....
3.0	21.0	24.1	156.3	213.4	78.2	108.2	75.1	75.1	27.1	39.1	21.0	39.1	51.1	117.2	18.0
5.9	14.8	11.9	172.1	252.2	112.8	65.3	95.0	77.2	50.5	32.6	5.9	74.2	50.5	154.3	11.9
5.9	20.5	11.7	126.0	237.4	55.7	52.7	32.2	58.6	46.9	17.6	.....	44.0	26.4	143.6	.....
.....	26.0	5.8	153.4	243.2	63.7	28.9	66.6	92.6	66.6	43.4	20.3	60.8	26.0	133.2	8.7
2.8	17.2	5.7	194.5	268.9	74.4	71.5	68.6	94.4	51.5	60.1	2.8	74.4	54.3	151.6	14.3
.....	11.5	8.7	129.9	216.5	69.3	57.7	46.2	103.9	80.8	63.5	5.8	92.4	43.3	155.9	8.7
2.9	26.2	8.7	201.0	265.0	58.3	40.8	64.1	81.6	75.7	46.6	.....	81.6	43.7	163.1	17.5
5.9	14.7	11.8	179.2	296.8	58.8	61.7	58.8	64.6	79.3	32.3	5.9	88.2	20.6	152.8	.....
5.9	20.8	.....	130.5	201.6	26.7	32.6	53.4	77.1	88.9	38.5	20.8	77.1	38.5	112.7	3.0
.....	15.0	20.9	179.5	299.2	44.9	62.8	41.9	56.8	101.7	50.9	12.0	71.8	26.9	128.6	.....
3.0	12.0	24.1	162.4	186.5	45.1	63.2	66.2	84.2	51.1	33.1	6.0	60.1	30.1	261.6	12.0
.....	12.1	21.2	166.8	181.9	84.9	54.6	63.7	84.9	57.6	33.3	21.2	72.8	66.7	142.5	3.0
.....	6.1	3.1	171.2	198.7	100.9	61.1	79.5	94.8	73.4	24.5	15.3	52.0	30.6	137.5	9.2
3.1	9.2	15.4	194.2	191.1	95.6	95.6	24.7	89.4	101.7	27.7	9.2	80.1	30.8	147.9	6.2
3.1	12.4	12.4	192.7	202.0	71.5	87.0	49.7	56.0	74.6	24.9	24.9	77.7	28.0	226.9	9.3
.....	6.3	6.3	135.4	185.8	66.1	75.6	28.3	81.9	78.7	37.8	12.6	66.1	40.9	154.3	6.3
.....	15.9	15.9	130.7	229.5	47.8	57.4	57.4	54.2	70.1	19.1	25.5	51.0	25.5	137.1	3.2
.....	19.4	12.9	122.7	232.4	93.6	61.3	19.4	77.5	83.9	22.6	16.1	87.2	25.8	132.3	3.2
.....	19.6	16.3	179.8	232.1	39.2	45.8	22.9	98.1	68.6	29.4	13.1	101.3	49.0	140.6	.....
3.3	6.6	9.9	155.6	188.7	19.9	56.3	36.4	62.9	56.3	9.9	16.6	99.3	33.1	139.0	.....
1.6	11.1	20.6	209.2	122.1	136.3	111.0	123.7	115.7	44.4	57.1	7.9	76.1	49.1	212.4	28.5
.....	3.1	20.1	157.9	131.5	120.7	111.4	139.3	82.0	55.7	63.5	9.3	105.8	52.6	199.6	7.7
1.5	3.0	18.1	226.7	179.9	116.4	105.8	98.3	93.7	58.9	54.4	6.0	86.2	21.2	182.9	16.6
1.5	4.4	11.8	208.3	169.9	118.2	99.0	127.0	90.1	78.3	47.3	8.9	113.7	44.3	237.8	8.9
1.4	10.1	14.4	228.2	148.8	117.0	95.4	117.0	96.8	75.1	53.5	14.4	96.8	39.0	251.3	36.1
.....	2.7	28.7	218.3	176.0	95.5	99.6	110.5	83.2	62.8	55.9	10.9	99.6	61.4	170.5	21.8
1.8	10.5	17.5	277.0	164.8	131.5	108.7	126.2	94.7	80.6	61.4	8.8	113.9	45.6	234.9	12.3
5.4	10.8	12.6	254.7	229.4	92.1	97.5	131.9	84.9	99.3	74.1	9.0	182.4	39.7	220.4	9.0
.....	10.2	20.3	228.4	187.8	74.4	52.4	118.4	82.9	69.4	69.4	16.9	113.3	49.1	182.7	.....
.....	6.4	19.1	254.5	176.6	97.0	93.9	122.5	89.1	71.6	85.9	15.9	98.6	49.3	181.4	1.6
5.9	5.9	35.6	100.9	172.2	95.0	100.9	219.7	100.9	17.8	89.1	11.9	106.9	29.7	213.7	23.7
.....	11.5	28.7	120.4	80.3	109.0	57.4	80.3	97.5	22.9	63.1	5.7	63.1	40.1	126.2	5.7
.....	11.1	22.2	127.6	110.9	122.0	22.2	66.6	94.3	27.7	49.9	5.5	83.2	22.2	166.4	11.1
5.4	5.4	10.7	145.0	75.2	64.4	80.5	128.9	123.5	43.0	48.3	5.4	96.7	32.2	134.2	26.8
.....	15.6	10.4	93.7	171.7	98.9	62.4	98.9	83.3	46.8	88.5	20.8	104.1	36.4	197.7	5.2
.....	15.4	25.6	92.3	128.2	117.9	46.1	153.8	87.2	30.8	51.3	5.1	112.8	76.9	169.2	.....
.....	15.2	10.1	151.8	126.5	35.4	80.9	207.4	126.5	50.6	86.0	.....	126.5	45.5	177.1	10.1
.....	15.0	15.0	99.8	134.8	44.9	20.0	64.9	94.9	59.9	89.9	5.0	99.8	49.9	174.7	5.0
.....	4.9	9.9	93.6	147.8	64.1	44.3	133.0	83.8	78.8	59.1	29.6	138.0	29.6	202.0	4.9
.....	19.5	4.9	170.2	141.1	43.8	73.0	77.8	102.1	77.8	87.6	.....	73.0	43.8	116.7	.....
.....	26.1	17.4	330.9	243.8	243.8	52.2	61.0	78.4	43.5	43.5	17.4	69.7	69.7	322.2	17.4
.....	17.5	*17.5	279.6	235.9	104.8	52.4	61.2	52.4	78.6	.....	8.7	26.2	96.1	349.5	17.5
.....	8.8	.....	385.6	210.3	122.7	87.6	17.5	113.9	96.4	35.1	17.5	52.6	70.1	289.2	17.5
.....	8.8	8.8	307.7	263.8	219.8	61.5	61.5	87.9	44.0	.....	17.6	114.3	26.4	307.7	8.8
17.6	17.6	26.5	361.7	291.1	88.2	97.0	44.1	79.4	79.4	8.8	.....	44.1	61.8	194.1	.....
8.9	35.4	53.1	247.8	371.7	88.5	62.0	62.0	88.5	79.7	44.3	8.9	79.7	53.1	230.1	.....
.....	26.6	35.5	230.8	257.5	62.2	53.3	53.3	79.9	142.1	97.7	8.9	53.3	88.8	310.8	.....
17.8	8.9	17.8	187.0	302.8	98.0	71.3	35.6	115.8	124.7	35.6	.....	80.2	53.4	240.5	.....
8.9	44.7	.....	250.2	303.8	178.7	80.4	35.7	80.4	62.6	44.7	8.9	80.4	53.6	348.5	.....
.....	26.9	9.0	233.1	322.7	89.6	44.8	9.0	71.7	107.6	35.9	17.9	44.8	35.9	331.7	.....
.....	29.6	29.6	201.3	278.2	183.5	47.4	88.8	100.6	53.3	41.4	5.9	59.2	76.9	195.3	47.4
5.9	17.8	23.8	136.6	172.3	71.3	83.2	29.7	29.7	101.0	5.9	35.6	17.8	65.3	142.6	17.8
11.9	6.0	29.8	208.6	274.2	113.3	65.6	23.8	41.7	47.7	17.9	17.9	47.7	53.7	226.5	17.9
.....	35.9	17.9	311.1	305.1	137.6	23.9	17.9	77.8	53.8	35.9	6.0	65.8	41.9	179.5	23.9
.....	6.0	12.0	174.1	240.1	132.1	36.0	24.0	90.0	96.0	12.0	12.0	84.0	60.0	150.1	12.0
12.0	18.1	18.1	186.8	216.9	114.5	90.4	42.2	120.5	78.3	30.1	12.0	72.3	24.1	156.6	18.1
6.0	18.1	24.2	193.5	253.9	169.3	30.2	78.6	78.6	181.4	36.3	.....	66.5	36.3	193.5	18.1
.....	18.2	6.1	200.2	303.4	127.4	48.5	12.1	84.9	103.1	78.9	.....	72.8	48.5	151.7	24.3
.....	6.1	18.3	121.8	292.3	158.3	48.7	60.9	60.9	73.1	48.7	18.3	85.3	42.6	176.6	.....
6.1	6.1	24.4	140.6	311.7	85.6	61.1	61.1	91.7	85.6	55.0	.....	103.9	18.3	152.8	6.1

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
NEW HAMPSHIRE PURAL[2]—Contd.														
Cheshire County	1900	1,651.9	9.0	4.5	.....	.....	.....	13.5	18.1	76.7	(3)	135.4	22.6	76.7
	1901	1,673.7	18.2	.....	.....	4.5	18.2	.....	13.6	77.3	(3)	131.9	9.1	131.9
	1902	1,443.0	13.7	.....	4.6	4.6	.....	.....	45.8	4.6	(3)	91.6	18.3	64.1
	1903	1,504.3	13.8	.....	.....	13.8	.....	.....	13.8	36.9	(3)	106.1	18.5	64.6
	1904	1,789.6	9.3	.....	.....	.....	.....	.....	27.9	55.8	(3)	134.8	9.3	88.3
	1905	1,540.6	.....	.....	.....	14.0	.....	14.0	51.5	28.1	14.0	107.7	9.4	121.8
	1906	1,575.8	14.2	4.7	.....	.....	4.7	28.3	28.3	33.0	14.2	127.4	28.3	117.9
	1907	1,606.7	.....	4.8	.....	.....	.....	23.8	33.3	61.8	9.5	80.8	9.5	57.0
	1908	1,705.1	14.4	.....	.....	4.8	14.4	.....	.....	38.3	28.7	110.2	14.4	76.6
	1909	1,597.6	.....	.....	.....	4.8	14.5	4.8	9.7	19.3	9.7	67.6	24.1	96.5
Coos County	1900	1,122.3	29.2	.....	.....	.....	.....	4.9	4.9	34.0	(3)	68.0	4.9	58.3
	1901	1,254.5	39.2	.....	.....	.....	4.9	.....	14.7	19.6	(3)	107.8	.....	73.5
	1902	1,230.0	24.7	.....	.....	4.9	.....	4.9	19.8	14.8	(3)	103.7	4.9	108.7
	1903	1,384.4	34.9	10.0	.....	10.0	.....	5.0	14.9	24.9	(3)	119.5	14.9	69.7
	1904	1,345.5	15.1	5.0	.....	.....	.....	.....	15.1	35.1	(3)	140.6	10.0	75.3
	1905	1,225.0	.....	.....	.....	.....	.....	.....	25.3	35.4	10.1	106.3	10.1	60.7
	1906	1,316.9	25.5	.....	.....	10.2	5.1	5.1	10.2	10.2	10.2	66.4	20.4	61.2
	1907	1,657.3	30.9	.....	.....	.....	.....	15.4	.....	20.6	20.6	82.4	5.1	108.1
	1908	1,468.9	15.6	.....	.....	.....	5.2	26.0	5.2	20.8	.....	77.9	15.6	119.4
	1909	1,324.5	20.9	.....	.....	.....	.....	.....	.....	20.9	5.2	104.7	26.2	83.8
Grafton County	1900	1,757.9	41.6	4.9	.....	2.4	7.3	9.8	14.7	53.9	(3)	144.5	7.3	75.9
	1901	1,661.3	19.5	.....	4.9	.....	4.9	4.9	22.0	53.7	(3)	95.3	19.5	97.7
	1902	1,489.8	21.9	2.4	.....	7.3	.....	4.9	29.3	26.8	(3)	131.7	17.1	109.7
	1903	1,649.8	58.4	.....	.....	9.7	.....	17.0	17.0	26.8	(3)	107.1	14.6	99.8
	1904	1,539.7	17.0	4.9	.....	.....	.....	2.4	19.4	53.4	(3)	102.0	21.9	87.4
	1905	1,468.8	17.0	7.3	.....	2.4	.....	2.4	2.4	48.5	7.3	104.2	9.7	109.1
	1906	1,794.8	33.9	.....	.....	4.8	4.8	14.5	24.2	16.9	9.7	94.3	16.9	120.9
	1907	1,704.4	14.5	.....	.....	2.4	.....	19.3	16.9	65.2	12.1	103.8	16.9	99.0
	1908	1,638.4	43.4	4.8	.....	2.4	.....	7.2	12.0	33.7	19.3	74.7	16.9	96.4
	1909	1,659.2	12.0	.....	.....	12.0	.....	7.2	2.4	26.5	2.4	67.3	16.8	108.2
Hillsborough County	1900	1,791.8	6.3	.....	.....	.....	28.3	9.4	15.8	40.9	(3)	141.7	15.8	53.5
	1901	1,932.6	28.5	.....	.....	.....	.....	3.2	6.3	25.3	(3)	202.8	19.0	107.7
	1902	1,704.5	9.6	.....	.....	.....	.....	6.4	19.1	9.6	(3)	105.1	25.5	95.6
	1903	1,694.9	28.8	.....	.....	9.6	.....	19.2	38.4	38.4	(3)	141.0	16.0	105.7
	1904	1,852.8	16.1	.....	.....	.....	.....	3.2	19.3	32.2	(3)	183 7	6.4	90.2
	1905	1,963.9	3.2	3.2	.....	25.9	.....	3.2	16.2	51.9	19.4	149.1	13.0	100.5
	1906	1,949.2	9.8	.....	.....	3.3	6.5	19.6	16.3	16.3	3.3	189.1	9.8	149.9
	1907	1,813.1	6.6	.....	.....	3.3	.....	6.6	26.2	78.7	6.6	104.9	13.1	108.2
	1908	1,757.7	26.4	.....	.....	3.3	.....	3.3	16.5	36.3	.....	98.9	19.8	85.7
	1909	1,688.6	3.3	.....	.....	3.3	.....	16.6	3.3	16.6	19.9	112.8	13.3	109.5
Merrimack County	1900	2,146.5	18.2	.....	.....	9.1	.....	21.4	42.7	51.9	(3)	128.1	18.2	82.3
	1901	1,636.4	9.2	.....	.....	.....	12.2	12.2	21.4	42.8	(3)	113.2	21.4	97.9
	1902	1,549.3	24.5	.....	.....	3.1	.....	3.1	12.3	15.3	(3)	159.5	18.4	76.7
	1903	1,806.3	27.7	6 2	.....	9.2	18.5	.....	15.4	61.5	(3)	144.6	9.2	73.9
	1904	1,749 9	33.9	3.1	.....	.....	6.2	.....	3.1	43.2	(3)	117.3	37.0	95.7
	1905	1,736.6	21.7	3.1	.....	18.6	6.2	3 1	3.1	43.3	12.4	151.7	9.3	65.0
	1906	1,859.8	12.4	.....	.....	9.3	9.3	18 6	21.7	27.9	12.4	114.9	12.4	93.1
	1907	1,828.1	12.5	3 1	.....	.....	15.6	6.2	9.3	56.1	9.3	133.9	31.1	109.0
	1908	1,774.3	.....	.....	.....	6.2	3.1	.....	18.7	46.9	12.5	115.6	21.9	62.5
	1909	1,735.9	21.9	.....	.....	25.1	6.3	15.7	18.8	43.9	12.5	141.0	18.8	90.9
Rockingham County	1900	1,872.5	32.1	.....	.....	2.5	4.9	.....	17.3	66 7	(3)	143.3	24.7	101.3
	1901	1,707.4	9.9	.....	.....	2.5	4.9	.....	24.7	39.5	(3)	128.3	19.7	86.4
	1902	1,634.1	17.3	.....	2.5	2.5	.....	12.3	49.3	4.9	(3)	162.7	14.8	91.2
	1903	1,605.2	19.7	2.5	.....	.....	4.9	22.2	19.7	44.3	(3)	125 6	9.8	66.5
	1904	1,618.3	9.8	2.5	.....	.....	.....	.....	7.4	19.7	(3)	142.6	12.3	91.0
	1905	1,810 5	22.1	.....	.....	4.9	.....	9.8	4.9	51.6	7.4	132 7	19.7	86.0
	1906	1,700.7	22.1	.....	.....	.....	2.5	9.8	14.7	31.9	2.5	139 9	24.5	98.2
	1907	1,804 2	9.8	.....	.....	2.5	2.5	9.8	12.3	44.1	4.9	149.5	22.1	105.4
	1908	1,640 6	24 5	.....	.....	4.9	.....	7.3	14.7	19.6	12.2	124.9	19.6	97.9
	1909	1,575.2	12.2	2.4	.....	4.9	4 9	7.3	7 3	24.5	7.3	122.3	4.9	117.4
Strafford County	1900	1,953.1	22.6	.....	.....	28.3	.....	5.7	39 6	62.3	(3)	158.5	17.0	73.6
	1901	1,707.0	5.7	.....	.....	.....	.....	11.4	34.2	17.1	(3)	159.3	28.4	51.2
	1902	1,555.0	22.9	.....	.....	.....	.....	34.3	22 9	5.7	(3)	171.5	.....	68.6
	1903	1,608.4	11.5	11.5	.....	51.7	.....	5.7	5 7	51.7	(3)	166.6	23.0	74.7
	1904	1,552.7	34.6	.....	.....	.....	34.6	.....	5.8	46.2	(3)	132.8	11.5	75.0
	1905	1,682.0	17.4	.....	.....	11.6	.....	52.2	11.6	63.8	40.6	46.4	11.6	110.2
	1906	1,760.2	17.5	5.8	.....	.....	11.7	29.1	.....	35.0	11.7	186.5	29.1	64.1
	1907	1,663.4	20.3	5.9	.....	.....	.....	29.3	23 4	23.4	17.6	123.0	17.6	76.1
	1908	1,630.5	11.8	.....	.....	.....	.....	11.8	17.7	23.5	5.9	111.8	35.3	82.4
	1909	1,579.4	5.9	.....	.....	.....	.....	.....	35.5	53.0	29.6	100.6	5.9	53.2
Sullivan County	1900	1,810.2	27.8	5.5	.....	5.5	.....	5.5	11.1	50.0	(3)	138.8	5.5	77.7
	1901	1,784.7	11.0	5.5	.....	.....	22.0	.....	11.0	60.6	(3)	143.2	11.0	93.6
	1902	1,476.4	10.9	.....	5.5	.....	.....	.....	5.5	5.5	(3)	120.3	5.5	93.0
	1903	1,693.6	5.4	.....	.....	16.3	.....	5.4	27.1	48.9	(3)	114.0	5.4	119.4
	1904	1,482.0	21.6	.....	.....	.....	.....	.....	5.4	21.6	(3)	97.0	16.2	75.4
	1905	1,557.0	32.1	.....	.....	16.1	.....	16.1	21.4	10.7	21.4	117.7	10.7	69.6
	1906	1,508 6	21.2	.....	.....	5.3	.....	15.9	5.3	15.9	10.6	138.1	26.6	58.4
	1907	1,661.4	15.8	5.3	.....	.....	.....	10.5	.....	42.2	10.5	105.5	10.5	116.0
	1908	1,712.5	10.5	.....	.....	5.2	.....	.....	15.7	20.9	5.2	115.2	.....	110.0
	1909	1,617.3	10.4	5.2	.....	.....	.....	15 6	15.6	41.6	.....	57.2	.....	98.8

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	31.6	45.1	212.2	139.9	171.5	76.7	94.8	63.2	36.1	76.7	4.5	54.2	90.3	198.6	.....
4.5	22.7	36.4	250.1	204.7	118.3	100.1	81.9	72.8	45.5	22.7	13.6	63.7	59.1	150.1	22.7
.....	18.3	22.9	229.1	219.9	73.3	50.4	77.9	73.3	41.2	41.2	9.2	50.4	82.5	201.6	4.6
9.2	9.2	27.7	216.9	267.6	69.2	83.1	64.6	55.4	101.5	23.1	23.1	110.7	23.1	147.7	4.6
.....	4.6	23.2	255.7	306.8	83.7	97.6	125.5	111.6	106.9	27.9	18.6	69.7	23.2	204.5	4.6
4.7	14.0	37.5	149.8	243.5	117.1	70.2	93.7	70.2	89.0	28.1	9.4	89.0	32.8	131.1	.....
.....	4.7	23.6	179.3	217.0	108.5	28.3	99.1	75.5	56.6	66.1	14.2	99.1	23.6	179.3	.....
14.3	23.8	23.8	161.6	290.0	109.3	76.1	76.1	47.5	80.8	95.1	4.8	114.1	33.3	171.1	4.8
4.8	38.3	19.2	215.5	282.6	91.0	62.3	115.0	67.1	105.4	110.2	14.4	100.6	9.6	167.6	.....
.....	43.4	29.0	207.5	202.7	168.9	72.4	125.5	115.8	96.5	48.3	14.5	62.7	29.0	130.3	.....
.....	9.7	53.4	150.6	131.2	82.6	48.6	53.4	53.4	34.0	48.6	.....	43.7	48.6	140.9	19.4
.....	4.9	39.2	132.3	102.9	88.2	73.5	49.0	68.6	93.1	4.9	24.5	53.9	29.4	191.1	39.2
.....	4.9	34.6	153.1	227.2	93.9	59.3	49.4	39.5	64.2	14.8	4.9	59.3	34.6	79.0	24.7
.....	10.0	39.8	144.4	144.4	104.6	24.9	84.7	89.6	99.6	29.9	5.0	114.5	24.9	164.3	.....
.....	10.0	25.1	190.8	175.7	80.3	45.2	35.1	40.2	130.5	25.1	.....	80.3	50.2	150.6	10.0
.....	25.3	15.2	146.8	131.6	121.5	30.4	70.9	45.6	86.1	15.2	5.1	96.2	30.4	141.7	15.2
.....	10.2	30.6	168.4	209.3	76.6	51.0	81.7	91.9	81.7	56.1	5.1	81.7	5.1	137.8	5.1
.....	5.1	25.7	252.2	226.5	190.4	72.1	41.2	92.6	87.5	66.9	15.4	77.2	25.7	169.8	25.7
.....	10.4	41.5	176.5	259.5	93.4	46.7	46.7	72.7	72.7	72.7	20.8	93.4	20.8	145.3	10.4
.....	10.5	26.2	151.8	240.8	83.8	52.4	36.6	73.3	94.2	47.1	5.2	41.9	47.1	151.8	.....
.....	22.0	31.8	181.2	213.0	156.7	102.9	63.7	68.6	88.1	22.0	4.9	71.0	124.9	227.7	17.1
.....	9.8	24.4	207.7	175.9	146.6	75.7	56.2	97.7	70.9	31.8	12.2	70.9	75.7	261.4	22.0
.....	12.2	43.9	202.4	153.6	143.9	85.3	34.1	87.8	102.4	21.9	12.2	43.9	48.8	143.9	2.4
2.4	31.6	21.9	202.0	206.8	148.4	46.2	58.4	92.5	114.4	17.0	4.9	94.9	46.2	204.4	7.3
.....	19.4	31.6	165.1	199.1	121.4	36.4	53.4	89.9	116.6	21.9	12.1	80.1	34.0	247.7	2.4
2.4	21.8	36.4	160.0	191.5	75.1	48.5	46.1	99.4	96.9	14.5	7.3	92.1	48.5	218.1	.....
.....	14.5	38.7	179.0	205.6	84.7	82.2	133.0	137.9	133.0	82.2	4.8	111.3	41.1	203.2	2.4
2.4	16.9	14.5	214.9	210.0	113.5	60.4	33.8	82.1	113.5	67.6	16.9	147.3	38.6	217.3	4.8
2.4	12.0	33.7	168.7	240.9	96.4	57.8	69.9	103.6	122.9	65.1	14.5	106.0	21.7	209.6	2.4
.....	24.0	21.6	197.2	252.5	98.6	76.9	50.5	96.2	144.3	64.9	9.6	103.4	31.3	230.8	2.4
3.1	12.6	44.1	292.9	176.4	135.4	110.2	59.8	59.8	103.9	56.7	15.8	72.4	88.2	236.2	12.6
3.2	6.3	25.3	288.3	263.0	114.1	114.1	50.7	82.4	91.9	38.0	12.7	53.9	117.2	256.6	22.2
.....	19.1	38.2	235.8	248.5	111.5	92.4	63.7	117.9	130.6	44.6	6.4	41.4	60.5	219.8	3.2
6.4	6.4	28.8	224.3	205.1	131.4	128.2	60.9	89.7	105.7	19.2	12.8	41.7	51.3	182.6	3.2
3.2	12.9	29.0	261.0	283.6	74.1	109.6	51.6	116.0	122.4	35.4	22.6	70.9	58.0	251.3	.....
9.7	13.0	51.9	301.4	256.0	119.9	71.3	48.6	126.4	175.0	58.3	29.2	68.1	25.9	220.4	3.2
.....	42.4	32.6	234.7	280.3	101.0	104.3	91.3	91.3	120.6	61.9	22.8	84.7	35.9	218.4	3.3
3.3	23.0	32.8	252.5	298.4	114.8	91.8	36.1	91.8	101.6	75.4	16.4	72.1	49.2	196.7	3.3
3.3	9.9	23.1	270.4	221.0	69.3	95.6	85.7	102.2	118.7	85.7	33.0	42.9	49.5	257.2	.....
3.3	16.6	33.2	268.7	272.0	79.6	82.9	66.3	56.4	79.6	82.9	16.6	66.3	39.8	222.3	3.3
6.1	12.1	58.0	250.0	274.4	292.7	115.9	109.8	91.5	58.0	64.0	12.1	45.7	109.8	253.1	21.4
.....	12.2	21.4	266.1	180.5	131.5	82.6	76.5	70.4	58.1	21.4	9.2	73.4	61.2	232.5	9.2
6.1	24.5	43.0	239.3	193.3	144.2	46.0	76.7	101.2	64.4	24.5	3.1	58.3	61.4	147.3	3.1
.....	33.8	33.8	200.0	233.9	144.6	89.2	86.2	110.8	67.7	24.6	15.4	89.2	46.2	258.5	6.2
3.1	6.2	15.4	268.5	240.7	132.7	61.7	89.5	77.2	154.3	27.8	6.2	64.8	61.7	200.6	.....
3.1	9.3	43.3	213.6	300.3	96.0	49.5	96.0	89.8	92.9	34.1	9.3	58.8	49.5	247.6	6.2
3.1	15.5	40.4	232.9	276.3	105.6	90.0	102.5	118.0	136.6	68.3	9.3	83.8	43.5	195.6	6.2
.....	31.1	46.7	218.0	283.4	124.6	81.0	68.5	109.0	109.0	62.3	12.5	59.2	46.7	190.0	.....
6.2	50.0	21.9	274.9	293.6	121.8	56.2	100.0	103.1	112.5	40.6	18.7	56.2	34.4	193.7	3.1
6.3	9.4	12.5	225.6	269.5	97.1	81.5	65.8	109.7	103.4	78.3	12.5	65.8	18.8	181.7	3.1
2.5	22.2	49.4	259.4	182.8	192.7	84.0	79.1	81.5	69.2	34.6	4.9	54.3	121.0	219.9	22.2
2.5	17.3	34.5	241.8	231.9	180.1	66.6	81.4	74.0	59.2	29.6	2.5	59.2	106.1	187.5	17.3
2.5	7.4	41.9	224.3	258.8	125.7	51.8	56.7	69.0	96.1	24.6	.....	59.2	44.4	204.6	9.9
.....	19.7	22.2	233.9	280.7	86.2	68.9	39.4	54.2	91.1	24.6	4.9	81.2	68.9	206.8	7.4
.....	14.8	14.8	245.9	270.5	108.2	81.2	66.4	91.0	81.2	29.5	9.8	68.9	27.1	216.4	7.4
4.9	19.7	34.4	194.1	285.0	152.3	44.2	98.3	108.1	117.9	36.8	.....	86.0	63.9	223.6	2.5
.....	17.2	29.4	255.2	282.2	132.5	61.4	63.8	71.2	83.4	46.6	12.3	63.8	44.2	186.5	4.9
.....	31.9	36.8	291.7	306.4	125.0	78.4	68.6	63.7	112.8	53.9	7.4	63.7	36.8	164.2	.....
.....	22.0	34.3	198.3	240.0	95.5	80.8	80.8	95.5	78.4	71.0	14.7	93.1	39.2	171.4	.....
.....	14.7	31.8	207.9	305.8	112.5	58.7	58.7	68.5	92.9	44.0	9.8	75.8	19.6	156.5	2.4
.....	39.6	28.3	169.8	135.9	215.1	181.2	181.2	62.3	90.6	90.6	11.3	56.6	73.6	198.1	11.3
.....	17.1	34.1	193.5	182.1	113.8	119.5	147.9	74.0	79.7	39.8	17.1	85.3	85.3	182.1	28.4
11.4	22.9	45.7	211.5	171.5	51.5	40.0	97.2	108.6	68.6	28.6	11.4	68.6	68.6	200.1	22.9
5.7	5.7	40.2	155.1	218.3	97.7	86.2	103.4	109.1	80.4	40.2	5.7	28.7	74.7	137.9	17.2
.....	.....	40.4	127.0	282.8	63.5	115.4	127.0	103.9	75.0	28.9	17.3	40.4	34.6	138.5	17.3
.....	11.6	34.8	191.4	220.4	75.4	69.6	191.4	121.8	104.4	52.2	11.6	40.6	63.8	121.8	5.8
.....	11.7	5.8	163.2	198.2	87.4	87.4	163.2	87.4	145.7	99.1	.....	58.3	69.9	186.5	5.8
.....	17.6	46.9	152.3	234.3	52.7	146.4	117.1	105.4	76.1	58.6	5.9	70.3	46.9	187.4	.....
.....	5.9	17.7	223.7	206.0	82.4	117.7	200.1	58.9	94.2	100.1	17.7	41.2	23.5	141.3	.....
.....	17.7	29.6	171.5	272.1	94.6	71.0	94.6	65.1	118.3	76.9	23.7	59.2	59.2	142.0	.....
5.5	16.7	22.2	205.5	222.1	188.8	77.7	100.0	38.9	88.9	50.0	27.8	61.1	94.4	261.0	22.2
5.5	11.0	22.0	242.4	231.4	176.3	77.1	60.6	77.1	121.2	11.0	16.5	88.1	82.6	181.8	22.0
.....	.....	38.3	185.9	224.2	158.6	54.7	10.9	38.3	142.2	10.9	.....	49.2	71.1	235.1	10.9
5.4	38.0	43.4	168.3	255.1	141.1	124.9	54.3	81.4	135.7	5.4	16.3	92.3	27.1	157.4	5.4
10.8	26.9	10.8	172.5	194.0	161.7	102.4	37.7	75.4	64.7	5.4	26.9	48.5	48.5	258.7	.....
.....	21.4	32.1	192.6	235.4	96.3	58.9	42.8	64.2	139.1	26.8	26.8	64.2	42.8	198.0	.....
.....	26.6	10.6	170.0	239.0	106.2	85.0	53.1	63.7	127.5	47.8	5.3	74.4	26.6	175.3	.....
5.3	10.5	21.1	184.6	316.5	121.3	36.9	42.2	110.8	158.2	52.7	10.5	73.8	26.4	174.1	.....
.....	36.7	36.7	141.4	220.0	120.5	68.1	104.7	99.5	162.3	78.6	15.7	83.8	31.4	230.4	.....
5.2	15.6	15.6	213.2	332.8	145.6	46.8	72.8	104.0	114.4	67.6	15.6	52.0	20.8	150.8	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
NEW JERSEY RURAL.[2]														
Atlantic County	1900	1,513.7	26.9	.....	.....	.....	5.4	.....	91.6	32.3	(3)	145.4	.....	32.3
	1901	1,429.7	20.7	.....	.....	5.2	15.5	5.2	67.3	41.4	(3)	82.9	5.2	36.3
	1902	1,207.2	20.0	5.0	.....	5.0	5.0	5.0	34.9	.....	(3)	99.8	15.0	54.9
	1903	1,481.7	19.2	.....	.....	.....	4.8	19.2	14.4	4.8	(3)	149.1	24.1	57.7
	1904	1,258.8	9.3	.....	.....	4.6	.....	.....	13.9	13.9	(3)	79.0	4.6	41.8
	1905	1,549.2	13.5	.....	.....	4.5	.....	13.5	44.9	18.0	9.0	148.2	35.9	26.9
	1906	1,388.7	13.0	.....	.....	13.0	4.3	26.0	13.0	4.3	30.4	95.5	21.7	56.4
	1907	1,414.4	8.4	.....	.....	.....	4.2	16.8	16.8	21.0	8.4	117.9	12.6	58.9
	1908	1,365.0	12.3	.....	.....	.....	.....	4.1	24.5	20.4	8.2	147.1	12.3	28.6
	1909	1,588.4	11.9	.....	.....	55.6	.....	15.9	15.9	11.9	4.0	150.9	19.9	75.5
Bergen County	1900	1,612.7	22.9	8.9	.....	5.1	3.8	16.6	37.0	26.8	(3)	136.4	12.7	47.2
	1901	1,527.4	12.1	8.5	1.2	2.4	14.5	13.3	29.0	14.5	(3)	126.9	9.7	50.8
	1902	1,335.8	10.3	5.7	2.3	23.0	3.4	27.6	28.7	6.9	(3)	124.0	10.3	52.8
	1903	1,322.0	9.8	5.5	1.1	2.2	19.7	12.0	35.0	12.0	(3)	114.9	13.1	38.3
	1904	1,285.4	11.5	2.1	.....	8.4	14.6	7.3	28.2	10.5	(3)	88.8	19.9	44.9
	1905	1,268.0	9.0	2.0	.....	2.0	7.0	7.0	20.0	3.0	11.0	111.0	19.0	56.0
6	1906	1,186.2	9.3	2.1	.....	4.1	9.3	8.3	13.4	4.1	6.2	101.3	15.5	47.6
	1907	1,195.6	11.6	.....	.....	8.7	5.8	11.6	18.3	17.3	8.7	91.4	8.7	52.9
	1908	1,133.5	8.1	1.8	.....	0.9	13.5	4.5	18.9	7.2	6.3	108.9	16.2	40.5
	1909	1,129.7	6.8	2.5	.....	6.8	10.1	10.1	16.9	8.5	9.3	98.9	22.8	64.3
Burlington County	1900	1,753.1	39.5	1.7	.....	.....	10.3	15.5	27.5	30.9	(3)	151.1	18.9	70.4
	1901	1,608.4	30.5	.....	1.7	.....	8.5	1.7	18.6	42.4	(3)	149.2	23.7	61.0
	1902	1,375 5	23.4	1.7	3.3	6.7	8.4	6.7	11.7	8.4	(3)	123.8	16.7	40.2
	1903	1,553.2	33.0	6.6	8.3	1.7	34.7	9.9	19.8	18.2	(3)	137.1	19.8	74.4
	1904	1,594.3	29.4	3.3	3.3	8.2	13.1	9.8	21.2	18.0	(3)	177.9	16.3	66.9
	1905	1,415.2	24.2	3.2	.....	.....	8.1	4.8	6.4	17.7	11.3	133.8	21.0	70.9
	1906	1,527.5	30.1	4.8	.....	1.6	3.2	15.9	20.6	9.5	4.8	106.3	34.9	71.4
	1907	1,594.4	37.5	.....	.....	1.6	1.6	3.1	31.3	14.1	15.6	143.8	29.7	67.2
	1908	1,707.2	33.9	1.5	.....	10.8	3.1	12.3	30.8	18.5	9.2	137.1	27.7	78.6
	1909	1,485.6	13.7	6.1	.....	12.2	1.5	1.5	24.3	4.6	12.2	136.7	19.7	68.4
Camden County	1900	1,576.9	37.8	.....	.....	6.3	3.2	3.2	34.7	31.5	(3)	170.3	9.5	44.2
	1901	1,608.8	42.4	3.0	33.3	.....	6.1	.....	21.2	27.3	(3)	190.9	15.1	39.4
	1902	1,515.9	32.1	.....	2.9	2.9	2.9	5.8	17.5	2.9	(3)	198.2	5.8	72.9
	1903	1,567.5	19.7	2.8	.....	5.6	8.4	16.9	28.1	5.6	(3)	179.8	16.9	44.9
	1904	1,417.5	27.1	.....	2.7	8.1	2.7	2.7	40.7	19.0	(3)	181.6	27.1	56.9
	1905	1,482.0	18.3	2.6	.....	.....	.....	5.2	20.9	18.3	5.2	204.2	18.3	39.3
	1906	1,400.9	37.3	.....	.....	2.5	7.5	22.4	39.7	2.5	12.4	146.5	29.8	39.7
	1907	1,539.1	26.1	2.4	.....	.....	2.4	14.2	26.1	7.1	16.6	201.6	14.2	61.7
	1908	1,590 4	25.0	.....	.....	6.8	6.8	4.5	27.2	13.6	9.1	174.7	4.5	65.8
	1909	1,344.0	13.0	.....	.....	.....	4.3	13.0	8.7	4.3	8.7	163.1	13.0	54.4
Cape May County	1900	1,454.4	22.7	7.6	.....	.....	15.1	.....	.....	22.7	(3)	121.2	7.6	30.3
	1901	1,524 4	21.4	14.2	.....	.....	21.4	.....	21.4	7.1	(3)	163.8	35.6	64.1
	1902	1,297.4	40.3	6.7	.....	.....	.....	20.2	33.6	6.7	(3)	127.7	6.7	73.9
	1903	1,119.9	6.4	.....	.....	12.7	6.4	.....	12.7	12.7	(3)	108.2	25.5	25.5
	1904	1,274.7	.....	.....	.....	.....	.....	6.0	24.2	12.1	(3)	78.5	6.0	84.6
	1905	1,138 6	17.3	.....	.....	.....	.....	.....	17.3	11.5	34.5	92.0	11.5	63.3
	1906	1,272.8	16.7	.....	.....	.....	.....	27.9	27.9	.....	5.6	78.2	27.9	39.1
	1907	1,098.1	27.2	.....	.....	.....	5.4	16.3	10.9	.....	5.4	92.4	10.9	48.9
	1908	1,117.6	5.3	.....	.....	10.6	.....	.....	.....	5.3	10.6	47.7	42.4	58.3
	1909	1,280.9	10.3	.....	.....	.....	5.2	5.2	51.6	.....	10.3	77.5	25.8	67.1
Cumberland County	1900	1,404.7	26.2	3.7	.....	11.2	.....	.....	7.5	7.5	(3)	127.4	7.5	67.4
	1901	1,135.8	22.5	3.7	.....	.....	22.5	15.0	7.5	37.5	(3)	142.4	15.0	45.0
	1902	1,249.2	11.3	3.8	.....	.....	.....	22.5	7.5	3.8	(3)	153.8	15.0	41.3
	1903	1,317.6	3.8	7.5	.....	.....	7.5	7.5	18.8	18.8	(3)	161.4	18.8	90.1
	1904	1,419.9	22.5	3.8	3.8	3.8	15.0	7.5	22.5	11.3	(3)	154.0	18.8	45.1
	1905	1,405.9	45.1	.....	.....	.....	.....	.....	11.3	30.1	26.3	131.6	11.3	60.1
	1906	1,150.8	7.4	.....	.....	7.4	3.7	18.5	37.0	3.7	18.5	107.3	7.4	74.0
	1907	1,269.5	14.6	.....	.....	.....	.....	.....	29.2	.....	10.9	138.6	29.2	73.0
	1908	1,356.1	25.2	.....	.....	3.6	3.6	.....	14.4	3.6	3.6	115.1	21.6	61.2
	1909	1,330.4	7.1	.....	.....	.....	10.6	10.6	10.6	10.6	14.2	156.1	24.8	74.5
Essex County	1900	1,324.8	9.3	2.7	.....	4.0	9.3	9.3	38.7	16.0	(3)	145.6	16.0	36.1
	1901	1,178.1	16.7	1.3	3.9	.....	15.4	2.6	34.7	18.0	(3)	107.9	12.8	63.0
	1902	1,156.4	22.7	3.8	13.9	2.5	6.3	15.1	34.0	3.8	(3)	126.1	13.9	51.7
	1903	1,133.1	14.6	4.9	.....	1.2	29.2	10.9	19.5	8.5	(3)	130.1	23.1	57.1
	1904	1,268.7	5.9	3.5	.....	7.0	12.9	5.9	36.4	8.2	(3)	137.3	28.2	57.5
	1905	1,203.5	9.5	.....	.....	1.2	10.7	9.5	38.0	5.9	9.5	137.8	28.5	57.0
	1906	1,163.8	9.8	5.9	2.0	7.8	3.9	7.8	37.1	7.8	3.9	158.2	29.3	44.9
	1907	1,184.4	3.6	.....	.....	1.8	5.5	12.8	25.5	14.6	9.1	135.0	25.5	67.5
	1908	1,019.2	3.4	3.4	.....	5.1	12.0	.....	29.1	10.3	5.1	116.5	27.4	58.2
	1909	1,216.9	8.1	1.6	.....	11.3	67.8	.....	54.9	3.2	1.6	150.1	21.0	53.3
Gloucester County	1900	1,479.4	28.2	9.4	.....	18.8	9.4	3.1	65.8	12.5	(3)	175.5	18.8	47.0
	1901	1,230.8	24.7	3.1	3.1	6.2	9.3	6.2	33.9	27.8	(3)	117.2	24.7	33.9
	1902	1,190.3	27.3	3.0	.....	.....	3 0	24.3	24.3	6.1	(3)	88.1	18.2	51.6
	1903	1,166.0	23.9	.....	.....	3.0	3 0	14.9	14.9	12.0	(3)	92.7	12.0	32.9
	1904	1,428.0	20.6	2.9	.....	2.9	11.8	5.9	14.7	11.8	(3)	141.3	35.3	70.7
	1905	1,258.8	8.7	.....	.....	.....	.....	.....	20.3	31.9	8.7	118.9	20.3	55.1
	1906	1,298.4	22.8	5.7	.....	17.1	5.7	8.5	11.4	5.7	17.1	128.1	17.1	54.1
	1907	1,260.1	11.2	2.8	.....	5.6	2.8	11.2	19.6	8.4	19.6	106.4	19.6	70.0
	1908	1,223.0	13.8	2.8	.....	16.5	2.8	.....	30.3	11.0	13.8	110.2	13.8	57.8
	1909	1,395.7	10.8	2.7	.....	.....	8.1	16.3	13.6	8.1	5.4	127.4	10.8	81.3

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	5.4	32.3	183.2	161.6	123.9	59.3	118.5	75.4	86.2	64.6	.....	43.1	59.3	167.0	.....
.....	5.2	25.9	202.0	150.2	57.0	88.1	119.1	51.8	77.7	72.5	.....	98.4	82.9	119.1	.....
.....	.....	15.0	149.7	134.7	54.9	54.9	79.8	64.9	94.8	59.9	.....	54.9	44.9	149.7	5.0
.....	9.6	28.9	168.4	187.6	105.8	72.2	77.0	48.1	77.0	77.0	.....	57.7	81.8	197.2	.....
9.3	9.3	13.9	120.8	153.3	102.2	92.9	185.8	60.4	79.0	27.9	4.6	55.7	69.7	102.2	4.6
.....	9.0	13.5	170.6	224.5	35.9	71.8	121.2	98.8	143.7	35.9	4.5	62.9	85.3	157.2	.....
.....	8.7	21.7	173.6	151.9	86.8	73.8	138.9	65.1	91.1	34.7	.....	108.5	43.4	112.8	.....
.....	16.8	21.0	185.2	130.5	92.6	84.2	117.9	63.1	126.3	46.3	21.0	122.1	16.8	105.2	.....
.....	8.2	8.2	179.8	139.0	57.2	81.7	126.7	61.3	102.2	61.3	8.2	102.2	16.3	155.3	.....
.....	7.9	35.7	178.7	174.7	79.4	75.5	123.1	87.4	107.2	59.6	11.9	71.5	35.7	178.7	.....
.....	7.6	52.3	187.4	146.6	135.2	84.1	163.2	70.1	71.4	66.3	14.0	105.8	77.8	108.4	5.1
.....	12.1	30.2	219.9	137.8	137.8	87.0	99.1	68.9	65.3	59.2	10.9	117.2	53.2	142.6	3.6
2.3	9.2	27.6	151.6	160.8	88.4	77.0	79.3	62.0	50.5	66.6	6.9	104.5	57.4	95.3	1.1
.....	14.2	32.8	181.7	146.6	91.9	58.0	90.8	60.2	62.4	63.5	4.4	98.5	51.4	101.8	.....
1.0	5.2	26.1	150.5	150.5	130.6	74.2	100.3	53.3	59.6	62.7	6.3	86.7	40.8	100.3	1.0
1.0	12.0	32.0	147.0	158.0	112.0	50.0	96.0	50.0	78.0	58.0	10.0	95.0	40.0	79.0	3.0
1.0	9.3	16.5	140.6	141.7	90.0	74.5	105.5	60.0	72.4	54.8	16.5	86.9	23.8	70.3	1.0
.....	11.6	25.0	127.1	166.5	92.4	76.0	101.1	54.9	48.1	45.2	20.2	84.7	36.6	70.3	1.0
.....	6.3	14.4	126.9	148.6	62.1	58.5	114.3	55.8	59.4	54.9	24.3	82.8	31.5	66.6	.....
.....	8.5	17.8	95.6	138.7	86.2	99.8	96.4	44.8	66.0	48.2	16.9	64.3	19.4	69.3	0.8
1.7	12.0	30.9	242.1	185.5	159.7	101.3	103.0	73.8	115.0	63.5	10.3	77.3	103.0	108.2	.....
.....	10.2	30.5	230.5	145.8	103.4	71.2	125.4	88.1	94.9	57.6	6.8	78.0	79.7	145.8	3.4
.....	11.7	18.4	200.8	162.3	95.4	53.5	100.4	65.3	90.4	56.9	11.7	77.0	78.6	102.1	.....
.....	8.3	46.3	163.6	166.9	104.1	85.9	79.3	74.4	102.4	81.0	8.3	56.2	76.0	133.9	3.3
1.6	9.8	24.5	189.3	181.1	119.1	70.2	97.9	70.2	111.0	58.7	6.5	99.5	66.9	117.5	3.3
1.6	11.3	27.4	164.4	190.2	80.6	70.9	91.9	53.2	114.4	54.8	4.8	101.5	46.7	96.7	3.2
1.6	14.3	19.0	204.6	193.5	119.0	66.6	106.3	58.7	109.4	61.9	14.3	90.4	66.6	96.8	1.6
1.6	15.6	18.8	211.0	206.3	109.4	75.0	96.9	70.3	101.7	51.6	21.9	100.0	64.1	104.7	.....
.....	10.8	15.4	220.3	171.0	120.2	81.7	149.5	78.6	137.1	75.5	12.3	89.4	75.5	106.3	.....
1.5	9.1	16.7	220.3	159.5	124.6	65.3	107.9	74.4	95.7	62.3	12.2	60.8	47.1	127.6	.....
.....	12.6	12.6	230.2	167.1	110.4	69.4	123.0	44.2	69.4	66.2	6.3	91.4	107.2	123.0	3.2
.....	9.1	27.3	239.4	151.5	121.2	60.6	100.0	87.9	81.8	63.6	3.0	97.0	78.8	109.0	.....
.....	2.9	14.6	244.9	157.4	125.3	72.9	107.9	64.1	81.6	49.6	8.7	52.5	67.0	116.6	5.8
.....	5.6	30.9	244.4	162.9	109.6	56.2	118.0	67.4	134.8	50.6	5.6	78.7	50.6	120.8	2.8
.....	2.7	21.7	176.2	173.5	108.4	89.4	84.0	59.6	78.6	48.8	19.0	37.9	48.8	97.6	2.7
.....	13.1	26.2	214.7	175.4	107.4	70.7	112.6	41.9	91.6	60.2	7.9	75.9	34.0	117.8	.....
.....	5.0	19.9	226.0	139.1	114.3	47.1	74.5	67.1	74.5	74.5	2.5	79.5	69.5	67.1	.....
2.4	4.7	11.9	213.4	203.9	118.6	37.9	125.7	59.3	99.6	68.8	4.7	61.7	71.1	83.0	.....
.....	13.6	15.9	245.0	163.4	104.4	79.4	97.6	68.1	120.2	83.9	11.3	86.2	38.6	122.5	2.3
.....	6.5	4.3	169.6	178.3	110.9	76.1	78.3	67.4	108.7	43.5	4.3	82.6	34.8	93.5	2.2
.....	7.6	30.3	242.4	128.8	136.4	30.3	143.9	98.5	53.0	37.9	.....	128.8	106.0	83.3	.....
.....	7.1	28.5	249.3	114.0	35.6	78.4	71.2	71.2	64.1	49.9	7.1	64.1	92.6	242.2	.....
.....	20.2	13.4	188.2	94.1	60.5	60.5	67.2	100.8	60.5	13.4	.....	67.2	114.3	114.3	6.7
.....	6.4	12.7	140.0	133.6	25.5	82.7	63.6	95.5	63.6	12.7	6.4	44.5	89.1	120.9	12.7
.....	12.1	18.1	199.4	132.9	30.2	78.5	114.8	60.4	90.6	42.3	18.1	90.6	84.6	90.6	.....
.....	.....	.....	212.8	92.0	46.0	109.3	69.0	69.0	74.8	23.0	5.8	74.8	57.5	57.5	.....
.....	5.6	.....	195.4	111.7	83.7	89.3	78.2	44.7	106.1	39.1	11.2	139.6	61.4	78.2	[a] 5.6
.....	16.3	5.4	168.5	76.1	70.7	65.2	48.9	92.4	92.4	65.2	.....	65.2	27.2	87.0	.....
.....	26.5	10.6	174.8	190.7	68.9	31.8	79.5	63.6	58.3	31.8	5.3	90.0	42.4	63.6	.....
.....	.....	.....	185.9	149.8	77.5	62.0	46.5	93.0	103.3	36.2	.....	144.6	56.8	72.3	.....
.....	3.7	45.0	198.6	149.9	116.1	41.2	86.2	63.7	82.4	18.7	3.7	67.4	108.6	142.4	18.7
3.7	15.0	26.2	168.7	108.7	82.5	45.0	26.2	41.2	75.0	33.7	.....	52.5	52.5	93.7	.....
.....	18.8	37.5	165.1	150.0	97.5	41.3	48.8	48.8	78.8	26.3	11.3	63.8	71.3	131.3	.....
.....	11.3	18.8	168.9	135.1	82.6	75.1	71.3	52.6	112.6	33.8	3.8	71.3	48.8	97.6	.....
.....	7.5	11.3	240.4	169.0	78.9	52.6	52.6	71.4	101.4	52.6	.....	67.6	52.6	150.3	3.8
3.8	18.8	22.6	229.3	135.3	127.8	60.1	63.9	75.2	94.0	52.6	15.0	67.7	33.8	90.2	.....
.....	3.7	18.5	144.3	177.6	92.5	40.7	55.5	66.6	81.4	29.6	11.1	55.5	29.6	59.2	.....
.....	10.9	.....	175.1	189.7	91.2	58.4	51.1	58.4	76.6	47.4	10.9	58.4	25.5	120.4	.....
3.6	10.8	18.0	237.4	136.7	93.5	46.8	89.9	79.1	82.7	46.8	7.2	64.7	36.0	151.1	.....
.....	10.6	17.7	227.1	163.2	85.1	74.5	53.2	67.4	78.1	63.9	.....	49.7	10.6	110.0	.....
1.3	6.7	36.1	137.6	145.6	101.5	81.5	120.2	69.4	82.8	53.4	4.0	60.1	36.1	93.5	8.0
3.9	6.4	27.0	127.2	118.2	89.9	69.4	83.5	66.8	69.4	65.5	9.0	68.1	37.3	60.4	.....
.....	3.8	20.2	141.2	119.8	79.4	69.4	89.5	54.2	79.4	50.4	12.6	42.9	35.3	64.3	.....
1.2	4.9	21.9	137.4	117.9	71.7	75.4	38.9	68.1	71.7	45.0	10.9	52.3	43.8	72.9	.....
.....	18.8	34.0	126.8	137.3	119.7	68.1	89.2	65.7	82.2	56.3	7.0	45.8	22.3	89.2	3.5
1.2	10.7	42.8	124.8	161.6	85.5	76.0	59.4	40.4	79.6	59.4	23.8	41.6	17.8	71.3	.....
.....	5.9	13.7	142.5	156.2	85.9	62.5	58.6	29.3	82.0	56.6	13.7	33.2	19.5	85.9	.....
.....	9.1	21.9	115.0	173.4	111.3	56.6	67.5	54.7	87.6	38.3	10.9	49.3	14.6	73.0	.....
.....	15.4	17.1	111.3	135.3	78.8	56.5	66.8	46.3	73.7	27.4	20.6	44.5	15.4	39.4	.....
.....	11.3	9.7	132.3	156.5	92.0	79.1	40.3	51.6	87.2	40.3	19.4	46.8	17.8	59.7	.....
.....	9.4	31.4	184.9	159.9	81.5	43.9	109.7	75.2	75.2	62.7	9.4	78.4	28.2	125.4	15.7
.....	.....	9.3	206.7	120.3	89.5	46.3	80.2	49.4	74.0	55.5	3.1	101.8	24.7	77.1	3.1
.....	3.0	15.2	191.3	185.2	75.9	39.5	60.7	48.6	69.8	27.3	12.1	88.1	48.6	75.9	3.0
.....	3.0	29.9	167.4	110.6	104.6	62.8	68.8	56.8	92.7	20.9	9.0	74.7	65.8	89.7	.....
2.9	2.9	23.6	212.0	144.3	117.8	67.7	85.4	79.5	64.8	64.8	2.9	94.2	41.2	106.0	.....
2.9	5.8	20.3	165.3	159.5	98.6	26.1	81.2	75.4	95.7	63.8	2.9	63.8	52.2	81.2	.....
.....	11.4	11.4	165.2	113.9	94.0	45.6	113.9	88.3	108.2	48.4	8.5	85.4	37.0	74.0	.....
2.8	5.6	28.0	137.2	120.4	114.8	50.4	78.4	78.4	100.8	64.4	11.2	70.0	33.6	86.8	.....
2.8	11.0	11.0	148.7	135.0	79.9	46.8	101.9	52.3	90.9	41.3	19.3	88.1	41.3	77.1	2.8
5.4	10.8	21.7	189.7	159.9	81.3	43.4	78.6	73.2	105.7	46.1	10.8	138.2	46.1	100.3	.....

[a] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
NEW JERSEY RURAL [2]—Continued.														
Hudson County	1900	1,996.9	14.6	12.9	1.6	9.7	14.6	29.2	74.5	14.6	(3)	223.5	21.1	56.7
	1901	1,804.8	27.6	7.7	35.2	1.5	15.3	4.6	45.9	9.2	(3)	191.4	16.8	58.2
	1902	1,801.1	13.1	4.4	184.3	8.7	20.3	2.9	53.7	2.9	(3)	169.8	18.9	52.2
	1903	1,537.1	15.2	9.7	1.4	4.1	6.9	2.8	46.9	5.5	(3)	179.4	16.6	69.0
	1904	1,842.3	14.5	3.9	1.3	9.2	28.9	14.5	69.7	5.3	(3)	209.1	14.5	53.9
	1905	1,715.6	13.8	5.0	1.3	5.0	16.3	3.8	50.2	5.0	33.9	162.0	21.4	54.0
	1906	1,669.3	12.3	.....	.....	2.5	.....	4.9	31.9	.....	9.8	159.6	17.2	58.9
	1907	1,774.5	11.3	2.3	.....	.....	36.2	4.5	27.1	4.5	15.8	187.6	9.0	33.9
	1908	1,608.8	10.5	.....	.....	4.2	35.6	10.5	39.8	4.2	6.3	222.1	16.8	41.9
	1909	1,538.0	2.0	2.0	.....	7.8	9.8	15.6	23.4	2.0	5.9	269.3	15.6	48.8
Hunterdon County	1900	1,512.7	5.8	2.9	.....	5.8	.....	31.9	17.4	60.8	(3)	124.6	14.5	52.2
	1901	1,497.5	20.4	14.6	.....	11.7	.....	.....	23.4	32.1	(3)	110.9	26 3	73.0
	1902	1,340.9	20.6	5.9	2.9	8.8	14.7	.....	23.5	11.8	(3)	100.0	23.5	61.8
	1903	1,424.8	14.8	3.0	.....	.....	3.0	3.0	35.5	35.5	(3)	74.1	20.7	80.0
	1904	1,372.8	14.9	3.0	.....	.....	3.0	.....	29.8	26.9	(3)	104.4	17.9	44.8
	1905	1,304.9	6.0	.....	.....	.....	.....	15.0	6.0	12.0	3.0	126.3	21.0	84.2
	1906	1,455.3	18.0	.....	.....	3.0	6.0	12.0	12.0	12.0	6.0	117.0	12.0	84.0
	1907	1,575.3	18.0	3.0	.....	.....	.....	.....	3.0	41.9	15.0	110.8	9.0	104.8
	1908	1,303.3	6.0	.....	.....	3.0	.....	6 0	.....	14.9	12.0	104.6	12.0	65.8
	1909	1,333.6	6.0	3.0	.....	9.0	6.0	6.0	14.9	17.9	9.0	104.4	11.9	113.4
Mercer County	1900	1,423.5	27.2	9.1	.....	4.5	4.5	4 5	13.6	22.7	(3)	176.8	9.1	45.3
	1901	1,270.0	13.1	.....	.....	.....	4.4	8.7	4.4	13.1	(3)	109.1	30.5	39.3
	1902	963.4	4.2	.....	8.4	4.2	12.6	16.8	4.2	4.2	(3)	84.1	.....	42.1
	1903	1,092.4	24.4	.....	.....	.....	.....	36.5	4.1	12.2	(3)	65.0	12.2	40.6
	1904	1,106.8	15.7	3.9	.....	3.9	7.8	3.9	23.5	15.7	(3)	90.3	3.9	54.9
	1905	972.1	15.2	.....	.....	3.8	.....	3.8	15.2	11.4	.....	144.3	3.8	53.2
	1906	1,215.9	3.7	11.2	.....	18.6	26.0	11.2	7.4	3.7	14.9	78.1	3.7	33.5
	1907	1,054.4	7.3	.....	.....	.....	.....	.....	7.3	14.6	.....	109.5	10.9	47.4
	1908	1,275.0	10.7	3.6	.....	17.9	3.6	3.6	.....	21.5	3.6	71.6	17.9	57.3
	1909	984.7	17.6	.....	.....	7.0	.....	10.5	7.0	10.5	.....	77.4	14.1	49.2
Middlesex County	1900	1,536.0	26.2	19.0	.....	16.6	4.8	11.9	26.2	30.9	(3)	145.0	16.6	45.2
	1901	1,294.9	6.9	9.2	9.2	.....	2.3	2.3	18.5	25.4	(3)	117.9	16.2	32.4
	1902	1,287.2	15.8	2.3	20.3	.....	4.5	29.3	15.8	.....	(3)	119.3	9.0	45.0
	1903	1,400.4	8.8	11.0	.....	6.6	19.7	8.8	50.4	17.5	(3)	111.8	8.8	61.4
	1904	1,381.9	17.1	6.4	.....	8 5	25.6	4.3	64.1	17.1	(3)	98.2	19.2	47.0
	1905	1,424.8	6.2	12.5	.....	22.9	37.5	2.1	50.0	18.7	33.3	118.7	8.3	50.0
	1906	1,304.7	2.0	7.9	.....	5 9	2.0	27.8	51.6	9.9	9.9	85.3	11.9	41.6
	1907	1,370.7	7.6	3.8	.....	3.8	11.4	19.0	41.8	11.4	15.2	106.3	11.4	43.7
	1908	1,158.3	5.5	7.3	.....	12.7	16.4	9.1	18.2	3.6	5.5	87.4	20.0	58.3
	1909	1,032.4	7.0	.....	.....	8.7	1.7	29.7	12.2	8.7	14.0	91.0	8.7	31.5
Monmouth County	1900	1,633.0	31.7	3.6	.....	9.7	3.6	4.9	37.8	18.3	(3)	153.6	23.2	62.2
	1901	1,578.8	19.2	3.6	3.6	3.6	10.8	18.0	26.4	25.2	(3)	179.0	15.6	74.5
	1902	1,408.8	21.3	4.7	1 2	5.9	7.1	10.7	30.8	5.9	(3)	107.8	17 8	62.8
	1903	1,364.9	17.5	3.5	.....	1.2	2.3	8.2	31.6	15.2	(3)	123.9	17.5	59.6
	1904	1,513.6	21.9	8 1	.....	8.1	1.2	6.9	17.3	30.0	(3)	145.2	28.8	49.6
	1905	1,434.3	26.2	6.8	.....	8.0	2.3	6.8	30.7	11.4	18.2	146.7	22.7	59.1
	1906	1,285.6	15.6	2.6	.....	.....	.....	15.6	19.5	10.4	7.8	113.0	13.0	51.9
	1907	1,358.5	9.0	5.1	.....	.....	1.3	23.0	14.1	33.3	12.8	107.5	15.4	46.1
	1908	1,270.4	15.1	3.8	.....	1.3	6.3	.....	13.9	15.1	10.1	116.0	21.4	74.4
	1909	1,335.2	14.9	2.5	.....	6.2	5.0	13.7	28.6	5.0	12.4	120.5	13.7	67.1
Morris County *	1900	1,506.8	9.3	11.1	1.9	9.3	9.3	13.0	26.0	31.5	(3)	144.8	11.1	64.9
	1901	1,380.2	9.2	.....	5 5	3.7	7.4	11.1	31.3	38.7	(3)	145.6	9.2	62.7
	1902	1,474.9	11.0	3.7	1.8	5.5	14.6	34.8	20.1	9.1	(3)	137.2	14.6	32.9
	1903	1,481.0	18.2	7.3	.....	7.3	7.3	12.7	23.6	27.3	(3)	112.7	14.5	40.0
	1904	1,514.2	7.2	.....	.....	5.4	10.8	3.6	43.3	28.9	(3)	167.8	18.0	50.5
	1905	1,450.1	5.4	1.8	.....	3.6	3.6	9.0	16.1	23.3	23.3	129.1	17.9	75.3
	1906	1,431.5	7.0	5.2	.....	1.7	3.5	12.2	24.5	12.2	21.0	146.8	22.7	57.7
	1907	1,558.3	6.8	5.1	.....	1.7	8.5	6.8	13.7	17.1	10.3	160.6	23.9	61.5
	1908	1,417.1	1 7	1.7	.....	5.0	5.0	8.4	13.4	25.0	15.0	133.7	11.7	71.9
	1909	1,594.3	6.5	1.6	.....	18.0	13.1	13.1	16.4	11.4	9.8	119.4	26.2	75.2
Ocean County	1900	1,352.1	10.1	.....	.....	10.1	.....	.....	30.4	30.4	(3)	86.1	10.1	50.6
	1901	1,707.3	10.0	5.0	.....	.....	5.0	40.1	10.0	45.1	(3)	175.2	15.0	70.1
	1902	1,346.6	29.7	.....	.....	.....	5.0	9.9	19.8	5.0	(3)	158.4	9.9	69.3
	1903	1,003.6	4.9	.....	.....	.....	.....	9.8	9.8	24.5	(3)	127.3	.....	53.9
	1904	1,317.0	14.5	4.8	.....	4.8	.....	.....	33.9	43.6	(3)	130.7	24.2	43.6
	1905	1,173.4	33.5	9.6	.....	4.8	4.8	.....	9.6	14.4	4.8	105.4	19.2	57.5
	1906	1,258.6	14.3	.....	.....	9.5	4.8	4.8	28.6	.....	9.5	133.5	14.3	62.0
	1907	1,239.0	14.2	.....	.....	4.7	.....	9.5	19.0	38.0	9.5	113.9	23.7	71.2
	1908	1,370.8	.....	.....	.....	.....	.....	4.7	14.2	23.6	18.9	156.0	23.6	80.4
	1909	1,379.1	9.4	.....	.....	4.7	9.4	4.7	18.8	14.1	4.7	145.9	14.1	84.7
Passaic County	1900	1,384.0	18.0	4.5	.....	.....	.....	13.5	40.4	.....	(3)	143.8	.....	53.9
	1901	1,021.7	13.1	4.4	.....	.....	26.2	13.1	30.6	8.7	(3)	83.0	8.7	17.5
	1902	1,088.1	8.4	4.2	.....	12.6	4.2	25.2	37.8	.....	(3)	50.4	16.8	50.4
	1903	1,113.5	20.2	.....	.....	4.0	4.0	8.1	16.2	8.1	(3)	129.6	8.1	44.5
	1904	1,277.6	.....	.....	.....	3.9	3.9	3.9	62.5	7.8	(3)	121.1	27.4	27.4
	1905	1,079.6	3.8	.....	.....	3.8	.....	.....	15.1	3.8	7.5	98.1	15.1	49.1
	1906	1,031.5	10.5	3.5	.....	7.0	3.5	14 0	24.6	10.5	7.0	66.7	24.6	42.1
	1907	919.1	3.3	.....	.....	6.6	13.2	.....	9.9	13.2	6.6	79.1	13.2	29.6
	1908	962.5	6.2	.....	.....	3.1	12.4	.....	12.4	3.1	21.7	99.4	12.4	55.9
	1909	913.1	8.8	2.9	.....	2.9	2.9	5.9	11.7	2.9	2.9	120.4	17.6	38.2

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	4.8	37.2	223.5	124.7	187.9	183.0	208.9	85.8	103.7	51.8	24.3	95.6	76.1	113.4	3.2
1.5	1.5	49.0	212.8	93.4	189.8	133.2	133.2	71.9	110.2	84.2	16.8	104.1	55.1	131.7	3.1
.....	4.4	49.3	190.1	100.1	132.1	168.4	107.4	65.3	104.5	59.5	23.2	74.0	72.6	116.1	2.9
1.4	8.3	51.1	201.5	126.9	104.9	118.7	91.1	81.4	80.0	48.3	19.3	95.2	31.7	117.3	2.8
.....	15.8	42.1	228.8	160.4	181.5	122.3	157.8	67.1	85.5	67.1	28.9	77.6	36.8	143.3	2.6
.....	28.9	57.8	192.2	133.1	149.5	109.3	138.1	74.1	119.3	55.3	20.1	105.5	41.4	119.3	.....
.....	22.1	31.9	193.9	152.2	184.1	122.7	162.0	76.1	85.9	54.0	17.2	125.2	36.8	108.0	.....
.....	18.1	52.0	235.1	149.2	167.3	149.2	171.8	70.1	126.6	45.2	27.1	94.9	29.4	104.0	2.3
.....	29.3	31.4	213.7	136.2	104.7	125.7	148.7	56.6	96.4	31.4	31.4	106.8	33.5	71.2	.....
2.0	5.9	33.2	204.9	142.5	121.0	124.9	113.2	41.0	85.9	42.9	31.2	97.6	11.7	78.1	.....
2.9	17.4	31.9	202.9	199.9	78.2	113.0	78.2	84.0	78.2	49.3	14.5	55.1	40.6	144.9	5.8
2.9	8.8	32.1	227.7	230.6	102.2	37.9	75.9	70.1	84.7	52.5	5.8	67.1	49.6	131.4	5.8
.....	14.7	17.6	258.8	185.3	58.8	82.3	52.9	82.3	58.8	35.3	.....	82.3	41.2	97.0	.....
.....	23.7	29.6	260.7	242.9	91.8	41.5	47.4	56.3	74.1	32.6	20.7	65.2	35.5	133.3	.....
3.0	14.9	14.9	238.7	208.9	86.5	65.7	47.7	77.6	86.5	56.7	11.9	68.6	29.8	113.4	3.0
3.0	3.0	15.0	213.5	195.4	30.1	72.2	66.1	48.1	102.2	39.1	9.0	84.2	42.1	108.2	.....
3.0	33.0	12.0	249.1	168.0	99.0	66.0	54.0	63.0	120.0	48.0	24.0	75.0	51.0	108.0	.....
.....	15.0	18.0	245.6	236.6	137.8	92.8	65.9	56.9	125.8	18.0	12.0	101.8	38.9	104.3	.....
.....	12.0	12.0	242.1	215.2	68.8	50.8	80.7	68.8	104.6	38.9	12.0	53.8	17.9	101.6	.....
.....	14.9	11.9	238.7	208.8	56.7	41.8	47.7	47.7	122.3	32.8	11.9	59.7	26.9	110.4	.....
4.5	9.1	31.7	204.0	136.0	99.7	77.1	68.0	45.3	77.1	49.9	9.1	104.3	45.3	140.6	4.5
.....	4.4	30.5	165.8	165.8	56.7	69.8	69.8	52.4	34.9	52.4	.....	144.0	39.3	161.5	.....
4.2	12.6	16.8	130.4	105.2	58.9	54.7	54.7	42.1	67.3	46.3	.....	46.3	54.7	88.3	.....
.....	8.1	20.3	146.2	129.9	85.3	48.7	20.3	56.9	44.7	32.5	4.1	138.1	48.7	109.6	4.1
.....	3.9	19.6	188.4	117.7	86.3	35.3	66.7	47.1	35.3	35.3	.....	137.4	27.5	82.4	.....
3.8	7.6	7.6	125.3	106.3	64.6	38.0	60.8	34.2	41.8	30.4	11.4	87.3	34.2	68.3	.....
3.7	11.2	3.7	178.5	178.5	48.3	78.1	81.8	44.6	93.0	63.2	11.2	100.4	14.9	93.0	.....
.....	10.9	10.9	164.2	145.9	65.7	40.1	62.0	58.4	76.6	47.4	3.6	62.0	54.7	54.7	.....
.....	10.7	14.3	171.9	200.6	96.7	60.9	93.1	39.4	71.6	35.8	21.5	96.7	43.0	107.4	.....
.....	17.6	3.5	137.1	123.1	80.9	45.7	38.7	31.6	66.8	49.2	10.5	59.8	38.7	87.9	.....
2.4	4.8	26.2	166.4	123.6	99.8	68.9	152.2	64.2	52.3	73.7	4.8	152.2	92.7	95.1	14.3
2.3	6.9	27.7	145.7	148.0	92.5	53.2	113.3	62.4	74.0	39.3	16.2	117.9	57.8	97.1	.....
2.3	9.0	29.3	175.5	92.3	83.3	85.5	121.5	67.5	67.5	38.3	6.8	108.0	51.8	87.8	.....
.....	8.8	26.3	175.3	133.7	89.9	72.3	94.2	87.7	76.7	52.6	17.5	157.8	26.3	74.5	2.2
4.3	2.1	32.0	134.6	132.4	121.7	91.8	117.5	64.1	51.3	38.4	6.4	123.9	36.3	115.3	2.1
2.1	10.4	31.2	141.6	83.3	116.6	79.2	125.0	52.1	83.3	50.0	10.4	147.9	43.7	87.5	.....
2.0	7.9	23.8	144.7	142.8	115.0	49.6	148.7	41.6	51.6	49.6	9.9	138.8	39.7	83.3	.....
.....	19.0	15.2	153.8	119.6	110.1	60.8	140.5	45.6	77.8	77.8	15.2	132.9	30.4	96.8	.....
.....	3.6	12.7	122.0	96.5	63.7	56.5	127.5	45.5	76.5	72.8	9.1	109.3	41.9	76.5	.....
1.7	7.0	10.5	108.5	96.2	75.2	59.5	113.7	56.0	71.7	61.2	7.0	82.2	26.2	42.0	.....
2.4	6.1	42.7	202.3	148.7	92.6	57.3	160.9	104.8	84.1	68.2	3.6	89.0	99.9	118.2	3.6
2.4	16.8	32.4	210.3	152.6	79.3	67.3	150.2	69.7	93.7	45.7	8.4	97.3	57.7	103.3	12.0
.....	15.4	16.6	169.4	163.5	84.1	68.7	113.7	71.1	91.2	42.7	2.4	75.8	77.0	133.9	7.1
1.2	12.9	17.5	175.3	172.9	79.5	71.3	87.6	76.0	81.8	43.2	10.5	88.8	56.1	109.8	.....
.....	13.8	28.8	193.7	156.8	102.6	69.2	108.4	83.0	91.1	72.6	13.8	84.2	63.4	113.0	2.3
1.1	5.7	28.4	187.7	182.0	73.9	54.6	94.4	80.8	85.3	48.9	4.5	96.7	46.6	104.6	.....
.....	11.7	28.6	174.0	179.2	77.9	41.6	88.3	77.9	85.7	45.5	11.7	84.4	37.7	88.3	3.9
.....	11.5	15.4	185.5	191.9	99.8	72.9	83.1	67.8	99.8	49.9	7.7	88.3	29.4	83.1	5.1
1.3	12.6	12.6	150.0	200.4	69.3	50.4	80.7	39.1	104.6	42.9	21.4	73.1	47.9	87.0	.....
2.5	13.7	24.8	193.8	155.3	73.3	54.7	79.5	63.3	100.6	41.0	17.4	84.5	47.2	94.4	.....
7.4	13.0	35.3	196.7	144.8	111.3	111.3	98.4	66.8	76.1	61.2	3.7	79.8	48.2	111.3	9.3
1.8	9.2	24.0	152.9	130.8	73.7	86.6	103.2	62.7	84.8	71.9	5.5	77.4	60.8	103.2	7.4
7.3	14.6	25.6	232.4	153.7	100.6	102.5	84.2	58.6	109.8	62.2	3.7	91.5	42.1	87.8	12.8
.....	7.3	38.2	219.9	139.9	96.3	87.2	69.1	49.1	143.6	81.8	5.5	110.9	29.1	127.2	5.5
.....	7.2	12.6	213.0	171.5	144.4	75.8	77.6	52.3	119.1	43.3	1.8	95.7	18.0	144.4	1.8
.....	12.5	28.7	186.4	177.5	86.0	116.5	78.9	64.5	102.2	41.2	5.4	96.8	19.7	123.7	1.8
1.7	8.7	26.2	199.3	171.3	101.4	80.4	83.9	40.2	125.8	54.2	5.2	85.6	28.0	101.4	3.5
1.7	10.3	8.5	237.5	215.3	112.8	94.0	78.6	53.0	131.6	64.9	13.7	114.5	22.2	80.3	3.4
.....	8.4	13.4	274.1	170.4	60.2	73.5	93.6	63.5	125.3	38.4	18.4	93.6	23.4	68.5	.....
1.6	14.7	24.5	305.8	181.5	106.3	78.5	107.9	70.3	106.3	36.0	13.1	114.5	31.1	91.6	.....
.....	.....	30.4	233.0	121.5	50.6	111.4	101.3	111.4	55.7	35.5	5.1	40.5	65.8	141.8	20.3
.....	20.0	45.1	245.3	135.2	145.2	85.1	100.1	85.1	60.1	70.1	10.0	105.1	90.1	135.2	.....
.....	29.7	19.8	163.4	163.4	34.7	94.1	94.1	84.2	89.1	19.8	5.0	74.3	69.3	99.0	.....
.....	4.9	19.6	107.7	122.4	63.6	63.6	39.2	73.4	68.5	44.1	.....	49.0	58.7	58.7	.....
4.8	4.8	19.4	217.9	125.9	111.4	58.1	92.0	62.9	62.9	43.6	.....	67.8	67.8	72.6	4.8
.....	14.4	19.2	134.1	114.9	105.4	67.0	67.0	86.2	91.0	33.5	14.4	33.5	19.2	105.4	4.8
.....	9.5	19.1	181.2	181.2	119.2	38.1	38.1	52.4	81.0	42.9	4.8	76.3	28.6	104.9	.....
.....	9.5	23.7	142.4	142.4	99.7	66.5	61.7	61.7	118.7	33.2	.....	57.0	38.0	80.7	.....
9.5	9.5	23.6	160.7	156.0	66.2	85.1	85.1	108.7	66.2	61.4	9.5	99.3	28.4	75.6	4.7
.....	9.4	14.1	155.3	150.6	89.4	56.5	37.7	70.6	169.4	61.2	18.8	61.2	61.2	113.0	.....
4.5	4.5	62.9	139.3	134.8	112.4	76.3	103.4	80.9	67.4	40.4	9.0	121.3	49.4	98.9	4.5
.....	.....	21.8	157.2	78.6	65.5	52.4	96.1	43.7	39.3	43.7	8.7	96.1	39.3	74.2	.....
.....	4.2	33.6	168.1	96.6	96.6	71.4	113.4	29.4	29.4	33.6	4.2	79.8	25.2	88.2	4.2
.....	4.0	20.2	113.4	129.6	85.0	44.5	64.8	20.2	52.6	85.0	20.2	85.0	52.6	93.1	.....
.....	27.4	11.7	89.9	148.5	109.4	86.0	121.1	15.6	46.9	101.6	15.6	136.8	27.4	82.1	.....
.....	3.8	37.7	113.2	117.0	79.3	67.9	113.2	41.5	83.0	37.7	18.9	83.0	18.9	67.9	.....
.....	7.0	17.5	98.2	91.2	91.2	52.6	126.3	28.1	52.6	59.6	10.5	91.2	38.6	52.6	.....
.....	3.3	26.4	72.5	102.1	72.5	39.5	108.7	49.4	69.2	52.7	13.2	69.2	16.5	49.4	.....
.....	3.1	9.3	59.0	121.1	86.9	52.8	90.0	27.9	65.2	62.1	12.4	93.1	18.6	34.2	.....
.....	17.6	20.6	76.3	85.1	70.5	73.4	64.6	41.1	41.1	32.3	17.6	76.3	14.7	64.6	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
NEW JERSEY RURAL[2]—Continued.														
Salem County	1900	1,464.9	7.8	7.8	.....	7.8	11.8	27.4	7.8	43.1	(3)	156.7	3.9	39.2
	1901	1,292.8	.....	.....	3.9	.....	7.8	3.9	3.9	50.6	(3)	155.8	3.9	46.7
	1902	1,207.8	19.4	.77	.....	.....	.....	11.6	11.6	7.7	(3)	96.8	3.9	42.6
	1903	1,427.8	34.6	.....	.....	.....	.....	15.4	30.8	30.8	(3)	200.1	15.4	73.1
	1904	1,618.5	42.1	.....	15.3	19.1	19.1	7.7	15.3	23.0	(3)	179.8	7.7	65.0
	1905	1,388.5	19.0	7.6	.....	3.8	.....	7.6	11.4	22.8	.....	117.9	19.0	57.1
	1906	1,304.6	22.7	.....	.....	3.8	7.6	7.6	37.8	.....	15.1	166.4	15.1	52.9
	1907	1,286.1	11.3	3.8	.....	.....	.....	22.6	18.8	11.3	3.8	146.7	18.8	71.5
	1908	1,249.2	26.2	7.5	.....	7.5	3.7	3.7	3.7	26.2	7.5	157.1	22.4	59.8
	1909	1,149.4	14.9	.....	.....	.....	.....	3.7	33.5	3.7	18.6	104.2	14.9	59.5
Somerset County	1900	1,408.3	15.2	6.1	.....	27.3	3.0	33.4	24.3	18.2	(3)	109.3	6.1	54.6
	1901	1,249.6	6.0	11.9	.....	3.0	14.9	.....	32.7	17.9	(3)	119.0	14.9	38.7
	1902	1,307.0	5.8	2.9	2.9	.....	2.9	32.1	32.1	5.8	(3)	113.8	32.1	58.3
	1903	1,267.9	11.4	14.3	.....	.....	2.9	20.0	25.8	8.6	(3)	108.8	11.4	57.2
	1904	1,179.6	8.4	.....	.....	8.4	2.8	5.6	25.3	8.4	(3)	81.4	16.9	61.8
	1905	1,433.7	16.5	5.5	.....	11.0	13.8	13.8	19.3	13.8	91.0	113.0	33.1	60.7
	1906	1,232.5	13.6	.....	.....	10.9	8.1	8.1	8.1	10.9	24.4	92.3	32.6	59.7
	1907	1,260.7	5.4	2.7	.....	5.4	13.4	29.4	10.7	16.1	8.0	125.8	5.4	66.9
	1908	1,143.0	23.8	.....	2.6	2.6	.....	18.5	13.2	10.6	15.8	68.8	15.8	73.9
	1909	1,221.2	20.8	.....	.....	5.2	5.2	10.4	10.4	2.6	10.4	104.2	18.2	91.1
Sussex County	1900	1,553.8	12.4	8.3	.....	.....	.....	4.1	8.3	53.9	(3)	103.6	12.4	53.9
	1901	1,101.2	16.7	8.3	.....	.....	4.2	.....	25.0	33 4	(3)	87.6	.....	58.4
	1902	949.1	12.6	4.2	.....	.....	4.2	12.6	25.2	4.2	(3)	8.82	.....	54.6
	1903	989.4	8.5	4.2	.....	8.5	4.2	.....	16.9	25.4	(3)	114.2	.....	38.1
	1904	1,256.0	21.3	.....	.....	8.5	21.3	4.3	21.3	12.8	(3)	76.6	21.3	42.6
	1905	1,089.0	4.3	.....	.....	12.9	.....	.....	12.9	.....	12.9	150.1	12.9	34.3
	1906	1,311.6	12.5	8.3	.....	12.5	4.2	16.6	29.1	16.6	33.2	120 4	37.4	78.9
	1907	1,342.7	8.1	4.0	.....	12.1	4.0	.....	8.1	20.2	12 1	80.6	32.3	72.6
	1908	1,325.0	31.4	.....	.....	7.8	3.9	.....	3.9	15.7	3.9	113.7	19.6	58.8
	1909	1,464.6	11.4	.....	.....	34.3	11.4	26.7	7.6	3.8	3.8	144.9	15.3	49.6
Union County	1900	1,547.7	22.0	3.1	.....	9.4	6.3	18.8	18.8	34.5	(3)	147.6	28.3	62.8
	1901	1,328.0	18.1	.....	.....	.....	3.0	3.0	54.3	24.1	(3)	138.8	12.1	57.3
	1902	1,238.1	32.0	.....	14.5	14.5	2.9	17.4	8.7	2.9	(3)	122.1	5.8	52.3
	1903	1,210.7	14.0	.....	.....	2.8	5.6	5.6	16.8	16.8	(3)	100 9	19.6	30.8
	1904	1,155.4	21.6	2.7	.....	5.4	8.1	2.7	13.5	16.2	(3)	113 6	32.5	46.0
	1905	1,263.3	18.3	5.2	.....	2.6	5.2	18.3	34.0	7.8	23.5	149 1	26.2	73.2
	1906	1,118.0	12.5	.....	.....	5.0	5.0	2.5	15.0	5.0	7.5	104.8	32.4	47.4
	1907	1,216.4	12.0	2.4	.....	.....	14.4	19.2	16 8	19.2	16.8	117.3	14.4	55.1
	1908	1,235.9	9.3	.....	.....	2.3	23.1	11.6	18.5	9.3	11.6	113.4	37.0	62.5
	1909	1,127.0	6.7	.....	.....	6.7	4.5	17.8	11 1	6.7	11.1	95.8	24.5	66.8
Warren County	1900	1,478.6	18.0	3.6	.....	.....	.....	18.0	32.5	36.1	(3)	97.4	10.8	68.5
	1901	1,330.1	14.3	3.6	3.6	.....	.....	.....	10.8	39.4	(3)	118.3	7.2	32.3
	1902	1,308.1	24.9	3.6	24.9	7.1	14.3	10.7	10.7	17.8	(3)	89.1	.....	60.6
	1903	1,414.6	15.0	.....	.....	3.7	3.7	18.7	26.2	22.5	(3)	112.3	22.5	63.6
	1904	1,525.0	26.0	3.7	.....	11.2	7.4	14.9	18.6	29.8	(3)	152.5	3.7	52.1
	1905	1,467.6	18.5	.....	.....	.....	.....	7.4	7.4	44.4	29.6	133.1	11.1	107.2
	1906	1,314.1	21.8	.....	.....	.....	.....	10.9	14.5	10.9	36.3	123.4	10.9	61.7
	1907	1,514.0	.....	.....	.....	3.6	3.6	17.9	14.3	35 7	14.3	150.0	10.7	71.4
	1908	1,408.8	10.5	.....	.....	21.1	3.5	14.1	3.5	24.6	21.1	140.5	17.6	52.7
	1909	1,403.8	10.4	.....	.....	20.7	3.5	3.5	3.5	20.7	20.7	114.1	20.7	107.2
NEW YORK RURAL.[2]														
Albany County	1900	1,678.3	39.2	.....	.....	6.0	15.1	6.0	54.2	42.2	(3)	135.6	15.1	78.3
	1901	1,550.8	74.8	.....	.....	15.0	3.0	3.0	29.9	44.9	(3)	104.8	6.0	65.9
	1902	1,430.8	29.7	.....	.....	.....	11.9	8.9	20.8	23.8	(3)	136.8	3.0	89.2
	1903	1,483.8	14.8	.....	.....	.....	17.7	26.6	14.8	50.2	(3)	100.5	17.7	65.0
	1904	1,524.5	35.2	.....	.....	.....	.....	2.9	8.8	44.1	(3)	149.8	17.6	58.7
	1905	1,485.7	32.1	.....	.....	17.5	11.7	14.6	17.5	11.7	5.8	125.5	11.7	61.3
	1906	1,433.2	35.2	5.9	.....	.....	2.9	20.5	17.6	11.7	11.7	96.7	14.7	38.1
	1907	1,588.6	23.5	.....	.....	8.8	20.6	2.9	41.2	41.2	5.9	103.0	17.7	53.0
	1908	1,538.6	23.6	.....	.....	3.0	3.0	20.7	14.8	20.7	11.8	129.9	20.7	106.3
	1909	1,420.0	5.9	.....	.....	.....	.....	5.9	20.8	11.9	3.0	74.1	20.8	86.0
Allegany County	1900	1,366.2	33.7	2.4	.....	9.6	2.4	2.4	7.2	33.7	(3)	74.7	12.0	69.9
	1901	1,310.4	31.1	2.4	.....	2.4	4.8	16.7	7.2	59.8	(3)	64.6	12.0	45.4
	1902	1,331.4	21.4	4.7	2.4	.....	9.5	.....	4.7	35.6	(3)	80.7	7.1	80.7
	1903	1,316.8	23.6	2.4	.....	2.4	.....	18.8	.....	49.5	(3)	56.5	4.7	68.3
	1904	1,416.8	9.4	2.3	.....	7.0	2.3	2.3	4.7	63.1	(3)	53.8	16.4	56.1
	1905	1,195.2	23.2	.....	.....	.....	2.3	11.6	7.0	55.7	34.8	41.8	9.3	71.9
	1906	1,196.2	28.1	.....	.....	2.3	2.3	4.7	16.4	18.7	14.0	56.2	9.4	53.8
	1907	1,442.0	9.4	4.7	.....	7.1	.....	.....	11.8	75.5	4.7	63.7	14.2	89.7
	1908	1,358.6	23.8	.....	.....	.....	2.4	14.3	2.4	40.4	7.1	52.3	9.5	88.0
	1909	1,441.8	31.2	2.4	.....	9.6	4.8	9.6	2.4	24.0	9.6	60.0	14.4	81.6
Broome County	1900	1,630.4	23.7	3.4	.....	6.8	6.8	.....	57.6	27.1	(3)	155.9	10.2	81.4
	1901	1,649.4	33.7	3.4	3.4	20.2	10.1	6.7	30.4	54.0	(3)	77.6	6.7	101.2
	1902	1,319.2	13.4	3.4	.....	.....	3.4	10.1	10.1	13.4	(3)	94.0	.....	63.8
	1903	1,386.4	10.0	3.3	.....	3.3	.....	6 7	6.7	43.4	(3)	90.2	13.4	86.9
	1904	1,732.2	6.6	3.3	.....	49.9	3.3	13.3	13.3	43.2	(3)	86.4	10.0	53.2
	1905	1,591.7	23.2	.....	.....	.....	6.6	.....	9.9	56.3	13.2	82.7	6.6	59.6
	1906	1,553.6	33.1	.....	.....	.....	3.3	16.5	23.1	36.4	3.3	72.7	9.9	79.3
	1907	1,601.6	13.2	3.3	.....	.....	13.2	16.5	16.5	62.7	13.2	72.7	9.9	115.6
	1908	1,718.8	13.2	.....	.....	9.9	13.2	.....	16.5	26.4	19.8	118.8	36.3	69.3
	1909	1,565.5	16.5	3.3	.....	.....	6.6	6.6	6.6	52.7	3.3	102.2	19.8	89.0

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
3.9	15.7	31.3	199.8	129.3	90.1	86.2	125.3	54.8	82.2	50.9	11.8	66.6	90.1	109.7	3.9
.....	.....	19.5	210.3	109.0	112.9	54.5	70.1	62.3	70.1	50.6	7.8	35.0	62.3	151.9	.....
3.9	19.4	7.7	224.5	108.4	89.0	38.7	104.5	58.1	73.6	65.8	.....	46.5	54.2	112.3	.....
.....	.....	19.2	242.5	111.6	84.7	69.3	65.4	38.5	92.4	80.8	.....	50.0	53.9	115.5	3.8
.....	15.3	15.3	199.0	137.7	122.4	65.0	91.8	88.0	88.0	88.0	7.7	76.5	49.7	172.2	7.7
.....	19.0	19.0	209.2	110.3	102.7	60.9	121.7	79.9	102.7	60.9	7.6	72.3	72.3	83.7	.....
.....	3.8	11.3	181.5	158.8	87.0	26.5	98.3	45.4	83.2	41.6	26.5	49.2	41.6	121.0	.....
3.8	3.8	7.5	214.4	161.7	101.5	26.3	94.0	63.9	90.3	41.4	.....	26.3	41.4	101.5	.....
.....	15.0	3.7	130.9	142.1	104.7	59.8	89.8	44.9	78.5	48.6	11.2	33.7	82.3	78.5	.....
.....	7.4	7.4	163.7	100.4	67.0	48.4	74.4	44.6	74.4	70.7	14.9	63.2	40.9	119.0	.....
3.0	12.1	24.3	154.8	203.4	91.0	81.9	127.5	42.5	63.7	42.5	21.2	66.8	66.8	103.2	6.1
3.0	6.0	8.9	208.3	136.9	59.5	62.5	53.6	68.4	74.4	50.6	11.9	101.2	44.6	101.2	.....
2.9	5.8	23.3	154.6	148.8	81.7	81.7	72.9	72.9	78.8	55.4	8.8	61.3	55.4	113.8	.....
.....	11.4	22.9	171.7	163.1	54.4	100.2	68.7	65.8	60.1	54.4	8.6	68.7	71.5	85.9	.....
.....	8.4	11.2	196.6	137.6	92.7	50.6	84.3	39.3	56.2	61.8	5.6	70.2	42.1	98.3	5.6
.....	11.0	24.8	190.2	118.6	77.2	66.2	143.4	71.7	80.0	49.6	13.8	66.2	13.8	113.0	2.8
.....	5.4	21.7	171.0	179.2	84.2	86.9	62.4	54.3	97.7	29.9	16.3	67.9	10.9	73.3	2.7
2.7	18.7	13.4	176.7	152.6	80.3	53.5	66.9	37.5	83.0	40.2	8.0	85.7	24.1	120.5	8.0
.....	18.5	5.3	168.9	121.4	73.9	63.4	76.6	42.2	66.0	34.3	15.8	76.6	18.5	113.5	2.6
.....	26.0	13.0	151.0	213.5	78.1	44.3	54.7	39.1	96.3	39.1	13.0	85.9	7.8	80.7	.....
4.1	8.3	16.6	165.8	211.3	232.0	99.5	107.8	66.3	78.7	37.3	4.1	58.0	49.7	145.0	12.4
.....	4.2	20.9	162.7	133.5	137.7	75.1	37.5	50.1	37.5	37.5	4.2	41.7	33.4	91.8	.....
4.2	.....	4.2	126.0	126.0	63.0	54.6	58.8	71.4	54.6	29.4	.....	58.8	21.0	71.4	.....
.....	4.2	12.7	160.7	126.8	80.3	33.8	21.1	59.2	42.3	25.4	12.7	76.1	8.5	105.7	.....
.....	12.8	8.5	170.3	136.2	166.0	55.3	29.8	85.2	46.8	34.1	25.5	85.2	29.8	132.0	8.5
.....	.....	21.4	141.5	132.9	115.8	85.7	60.0	60.0	47.2	25.7	17.1	68.6	25.7	47.2	.....
.....	8.3	24.9	141.1	128.7	107.9	45.7	83.0	66.4	58.1	54.0	20.8	112.1	16.6	74.7	.....
.....	12.1	8.1	129.0	209.7	145.2	72.6	60.5	56.4	68.5	36.3	8.1	112.9	32.3	133.1	4.0
3.9	19.6	23.5	160.7	176.4	125.4	62.7	58.8	58.8	86.2	23.5	19.6	117.6	15.7	113.7	.....
.....	3.8	11.4	167.8	194.5	206.0	64.8	64.8	72.5	38.1	99.2	7.6	106.8	15.3	103.0	.....
.....	.....	25.1	157.0	135.0	131.9	65.9	122.4	81.6	100.5	59.6	.....	103.6	65.9	141.3	6.3
.....	.....	21.1	163.0	81.5	123.7	60.4	87.5	60.4	102.6	63.4	3.0	108.7	27.2	111.7	3.0
.....	5.8	17.4	127.9	159.8	104.6	55.2	81.4	37.8	87.2	46.5	14.5	87.2	29.1	107.5	2.9
.....	16.8	19.6	145.7	103.7	89.7	89.7	53.2	42.0	134.5	47.6	11.2	162.5	14.0	67.3	.....
.....	16.2	24.4	148.8	135.3	108.2	43.3	54.1	27.1	83.9	46.0	13.5	100.1	24.4	62.2	5.4
.....	13.1	20.9	136.0	107.2	109.8	60.2	68.0	41.8	73.2	49.7	10.5	112.5	15.7	81.1	.....
.....	5.0	12.5	134.8	134.8	114.8	32.4	67.4	42.4	72.4	37.4	10.0	119.8	22.5	72.4	2.5
.....	9.6	4.8	141.3	155.6	117.3	67.0	50.3	45.5	93.4	28.7	14.4	98.2	16.8	81.4	4.8
.....	18.5	11.6	138.9	148.1	85.6	48.6	57.9	53.2	81.0	76.4	11.6	122.7	16.2	67.1	.....
.....	2.2	13.4	115.8	115.8	120.3	53.5	62.4	57.9	78.0	57.9	13.4	89.1	20.0	71.3	4.5
3.6	21.6	39.7	238.0	183.9	61.3	50.5	108.2	93.8	64.9	50.5	10.8	101.0	36.1	129.8	.....
.....	14.3	7.2	197.2	121.9	114.7	75.3	82.5	100.4	93.2	43.0	7.2	93.2	57.4	93.2	.....
.....	7.1	24.9	181.8	142.6	53.5	74.8	71.3	67.7	71.3	60.6	7.1	103.4	39.2	139.0	.....
.....	22.5	29.9	220.8	146.0	78.6	74.8	48.7	56.1	67.4	59.9	3.7	146.0	52.4	108.5	11.2
.....	18.6	14.9	193.4	200.8	107.9	81.8	89.3	66.9	85.5	59.5	18.6	107.9	29.8	130.2	.....
3.7	14.8	33.3	177.4	210.7	99.8	33.3	48.1	88.7	88.7	33.3	33.3	96.1	29.6	114.6	3.7
.....	18.2	21.8	181.5	221.4	72.6	39.9	69.0	76.2	58.1	29.0	25.4	101.6	14.5	94.4	.....
.....	3.6	14.3	232.1	175.0	78.6	57.1	89.3	67.8	132.1	64.3	21.4	146.4	35.7	75.0	.....
.....	14.1	10.5	182.7	228.4	70.3	73.8	105.4	66.8	66.8	52.7	28.1	80.8	17.6	101.9	.....
.....	20.7	10.4	186.7	176.3	121.0	44.9	58.8	48.4	100.3	83.0	24.2	93.4	31.1	79.5	.....
3.0	9.0	39.2	207.9	207.9	132.6	60.3	87.4	48.2	114.5	51.2	.....	72.3	75.3	177.8	.....
.....	9.0	26.9	155.7	173.6	113.8	92.8	74.8	77.8	107.8	41.9	3.0	98.8	29.9	197.6	.....
3.0	8.9	26.8	157.7	193.4	71.4	47.6	50.6	44.6	136.8	53.5	5.9	110.1	23.8	166.6	5.9
.....	14.8	38.4	147.8	147.8	88.7	103.5	68.0	82.8	141.9	23.6	8.9	136.0	38.4	136.0	.....
2.9	26.4	32.3	146.9	226.2	94.0	96.9	73.4	73.4	88.1	41.1	8.8	117.5	44.1	132.2	2.9
.....	17.5	37.9	157.6	178.1	128.4	81.7	61.3	67.1	96.3	64.2	2.9	99.2	64.2	119.7	.....
.....	17.6	35.2	167.1	205.2	87.9	49.8	76.2	82.1	108.4	41.0	2.9	134.8	41.0	129.0	.....
.....	2.9	35.3	232.4	229.5	108.8	73.5	88.3	76.5	132.4	41.2	17.7	117.7	14.7	100.0	.....
.....	8.9	17.7	189.0	218.5	109.3	70.9	85.6	50.2	121.1	56.1	23.6	94.5	29.5	109.3	.....
.....	17.8	17.8	145.3	255.0	97.8	65.2	50.4	47.4	112.7	53.4	14.8	154.2	20.8	139.3	.....
4.8	31.3	14.5	163.9	168.7	125.3	50.6	67.5	86.8	67.5	21.7	14.5	77.1	36.1	183.1	4.8
7.2	4.8	14.3	172.2	215.2	83.7	43.0	33.5	74.1	76.5	21.5	9.6	107.6	33.5	162.6	4.8
4.7	4.7	9.5	151.9	218.3	97.3	57.0	57.0	87.8	90.2	30.9	14.2	33.2	21.4	201.8	4.7
2.4	23.6	33.0	129.6	223.8	87.2	47.1	23.6	91.9	70.7	23.6	7.1	80.1	33.0	214.4	.....
.....	11.7	16.4	187.0	250.2	116.9	79.5	30.4	98.2	58.5	51.4	11.7	93.5	32.7	161.3	.....
.....	18.6	11.6	143.9	204.2	85.9	32.5	53.4	78.9	60.3	23.2	20.9	60.3	16.2	123.0	4.6
.....	16.4	7.0	161.5	241.1	56.2	51.5	46.8	77.3	70.2	28.1	7.0	63.2	14.0	147.5	2.3
2.4	9.4	23.6	144.0	309.2	115.6	59.0	47.2	85.0	73.2	42.5	14.2	87.3	2.4	146.3	.....
.....	7.1	14.3	154.7	287.9	57.1	50.0	61.9	95.2	83.3	40.4	14.3	85.7	14.3	152.3	.....
.....	12.0	7.2	167.9	340.6	81.6	64.8	50.4	103.2	103.2	26.4	9.6	81.6	12.0	131.9	.....
3.4	20.3	20.3	210.1	142.4	122.0	78.0	64.4	128.8	78.0	33.9	6.8	88.1	30.5	227.1	3.4
10.1	6.7	16.9	202.4	131.5	128.2	70.8	43.8	94.4	101.2	23.6	10.1	101.2	40.5	317.1	3.4
3.4	3.4	26.9	231.6	147.7	73.9	60.4	23.5	67.1	94.0	43.6	13.4	63.8	40.3	211.5	3.4
10.0	10.0	10.0	187.1	170.4	66.8	53.5	33.4	147.0	83.5	36.7	10.0	43.4	20.0	240.5	.....
13.3	26.6	10.0	196.2	262.7	99.7	66.5	43.2	106.4	123.0	43.2	10.0	116.4	43.2	285.9	3.3
6.6	16.5	13.2	182.0	218.4	112.5	82.7	46.3	99.3	115.8	46.3	16.5	142.3	46.3	188.6	.....
9.9	19.8	19.8	208.3	204.9	62.8	89.3	43.0	135.5	99.2	29.8	9.9	92.6	43.0	208.3	.....
3.3	23.1	33.0	227.9	260.9	59.4	76.0	46.2	85.9	122.2	29.7	19.8	82.6	6.6	188.2	.....
.....	26.4	36.3	237.5	283.7	56.1	66.0	69.3	99.0	132.0	39.6	3.3	148.5	19.8	178.1	.....
3.3	19.8	3.3	240.6	240.6	82.4	36.3	46.1	138.4	105.5	39.5	9.9	108.8	6.6	178.0	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
NEW YORK RURAL[2]—Continued.														
Cattaraugus County	1900	1,338.5	40.9	1.8	.....	8.9	1.8	7.1	7.1	48.1	(3)	78.3	8.9	78.3
	1901	1,234.9	19.6	.....	.....	3.6	3.6	1.8	7.1	49.9	(3)	67.7	8.9	51.7
	1902	1,264.9	19.6	1.8	.....	23.2	7.1	3.6	21.4	17.8	(3)	57.1	5.4	58.9
	1903	1,221.6	17.9	.....	.....	.....	5.4	16.1	8.9	25.0	(3)	44.7	12.5	58.9
	1904	1,305.3	21.5	.....	.....	3.6	.....	1.8	23.2	19.7	(3)	69.7	.....	64.4
	1905	1,213.7	7.2	1.8	.....	3.6	.....	23.3	19.7	16.1	16.1	73.4	5.4	71.6
	1906	1,227.3	21.6	1.8	.....	3.6	.....	10.8	14.4	12.6	27.0	82.9	3.6	70.3
	1907	1,345.6	12.7	.....	.....	9.1	.....	1.8	23.6	45.3	14.5	78.0	12.7	76.2
	1908	1,357.7	25.5	.....	.....	.....	5.5	9.1	32.8	27.4	7.3	80.3	16.4	91.2
	1909	1,263.3	21.4	1.9	.....	7.8	5.8	5.8	7.8	17.5	7.8	50.5	13.6	101.1
Cayuga County	1900	1,554.8	27.9	2.8	.....	11.1	11.1	2.8	36.2	52.9	(3)	125.4	25.1	75.2
	1901	1,564.4	19.7	2.8	.....	16.9	.....	8.5	11.3	118.4	(3)	118.4	19.7	90.2
	1902	1,477.4	11.4	5.7	.....	2.9	2.9	11.4	8.6	22.8	(3)	85.6	14.3	65.6
	1903	1,471.9	20.2	2.9	.....	5.8	.....	5.8	17.3	34.6	(3)	115.4	11.5	49.1
	1904	1,641.6	32.1	2.9	2.9	.....	2.9	.....	5.8	26.3	(3)	116.8	8.8	99.3
	1905	1,608.6	14.8	.....	.....	.....	5.9	11.8	11.8	38.4	26.6	100.5	17.7	68.0
	1906	1,605.4	32.8	3.0	.....	.....	.....	11.9	3.0	41.8	14.9	110.4	11.9	95.5
	1907	1,706.3	33.1	.....	.....	.....	3.0	.....	9.0	60.2	18.1	108.3	15.0	105.3
	1908	1,605.7	9.1	.....	.....	6.1	.....	6.1	3.0	42.5	18.2	82.0	27.3	127.5
	1909	1,625.7	9.2	.....	.....	3.1	3.1	6.1	.....	24 5	18.4	98.0	21.4	128.6
Chautauqua County	1900	1,397.6	31.6	1.9	.....	3.7	3.7	13.0	9.3	52.0	(3)	87.3	13.0	70.6
	1901	1,267.7	24.0	9.2	.....	7.4	5.5	12 9	11.1	85.0	(3)	101.6	20.3	46.2
	1902	1,334.1	22.1	1.8	.....	9.2	7.4	5.5	34.9	25.7	(3)	93.7	14.7	60.6
	1903	1,363.3	21.9	1.8	.....	.....	7.3	5.5	14.6	23 8	(3)	95.0	20.1	74.9
	1904	1,443.0	20.0	1.8	1.8	5.5	12.7	1.8	3.6	67.2	(3)	94.5	14.5	81.8
	1905	1,359.2	9.0	.....	.....	5.4	1.8	7.2	7.2	27.1	7.2	83.1	14.5	79.5
	1906	1,422.4	19.8	5.4	.....	.....	3.6	16.2	7.2	23.4	23.4	80.9	9.0	79.1
	1907	1,431.8	16.1	5.4	.....	16.1	7.2	3.6	16.1	51.9	8.9	73.4	14.3	73.4
	1908	1,382.3	12.5	1.8	.....	1.8	1.8	10.7	7.1	35.6	17.8	74.8	19.6	101.5
	1909	1,455.7	14.2	1.8	.....	1.8	.....	.....	35.5	39.0	10.6	60.3	16.0	92.2
Chemung County	1900	1,446.4	43.5	.....	.....	27.2	5.4	.....	5.4	21.7	(3)	103.3	5.4	38.1
	1901	1,669.8	44.2	5.5	.....	11.1	5.5	33.2	22.1	99.5	(3)	143.8	11.1	77.4
	1902	1,512.9	56.2	.....	.....	.....	.....	.....	50.6	22.5	(3)	118.1	39.4	50.6
	1903	1,442.1	40.1	.....	.....	5.7	5.7	22.9	17.2	11.4	(3)	80.1	5.7	68.7
	1904	1,666.0	17.5	11.7	.....	.....	.....	11.7	29.1	29.1	(3)	122.3	23.3	104.9
	1905	1,512.5	29.7	5.9	.....	.....	.....	.....	17.8	41.5	17.8	112.7	17.8	106.7
	1906	1,529.4	47.1	.....	.....	.....	5.9	.....	5.9	23.5	17.6	123.5	11.8	105.9
	1907	1,629.0	23.4	.....	.....	11.7	.....	11.7	5.8	46.7	23.4	99.3	29.2	116.8
	1908	1,622.7	17.4	.....	.....	17.4	.....	40.6	34.8	58.0	11.6	110.1	11.6	92.7
	1909	1,720.0	46.0	.....	.....	.....	.....	17.3	5.8	17.3	28.8	166.8	17.3	97.8
Chenango County	1900	1,843.1	24.6	5.5	.....	24.6	2.7	5.5	8.2	41.0	(3)	120.3	16.4	87.5
	1901	1,778 1	27 3	.....	2.7	16.4	21.9	10.9	8.2	92.9	(3)	153.0	13.7	128.4
	1902	1,432 2	27.3	2.7	.....	.....	2 7	.....	2.7	10.9	(3)	117.3	13.6	73.7
	1903	1,490 3	10.9	2.7	.....	8.2	2.7	8.2	10.9	27.2	(3)	81.7	8.2	92.6
	1904	1,741 5	16.3	.....	.....	2.7	5.4	.....	8.2	54.4	(3)	84.4	16.3	122.4
	1905	1,627.9	16.3	2.7	.....	5.4	10 9	2.7	8.2	43.5	16.3	111.4	16.3	70.7
	1906	1,544.1	11.0	2.7	.....	.....	.....	5.5	19.2	30.1	24.6	76.7	19.2	84.9
	1907	1,841 5	11.0	.....	.....	2.8	27.6	5.5	8.3	82.7	16.5	110.3	13.8	118.5
	1908	1,712.7	13.9	2.8	.....	19.4	2.8	19.4	11.1	36.1	19.4	80.5	13.9	105.5
	1909	1,794.6	22.4	.....	.....	.....	11.2	11.2	8.4	33.5	2.8	78.3	19.6	100.6
Clinton County *	1900	1,366.2	29.5	4 2	.....	2.1	2.1	19.0	29.5	25.3	(3)	134.9	14.8	42.2
	1901	1,131.5	14.7	.....	2.1	8.4	21.0	8.4	33.6	48.3	(3)	130.2	14.7	44.1
	1902	984.6	8.4	.....	2.1	8.4	6.3	12.5	20.9	25.1	(3)	121.2	8.4	41.8
	1903	1,063 7	12.5	.....	.....	10.4	29.1	2.1	8.3	39.6	(3)	110.3	12.5	25.0
	1904	1,183.6	10.4	2.1	2.1	.....	31.1	6.2	14.5	47.7	(3)	120.2	10.4	43.5
	1905	1,248.8	18.6	.....	.....	6.2	.....	12.4	14.4	45.4	8.3	125.9	12.4	41.3
	1906	1,174.4	21.0	2.6	.....	5.3	10.5	13.1	7 9	23.6	18.4	139.2	21.0	36.8
	1907	1,121.5	7 9	2.6	.....	2.6	.....	.....	18.5	63.5	7.9	89.9	18.5	37.0
	1908	1,246.3	10.7	2.7	.....	.....	5.3	8.0	16.0	82.6	13.3	159.8	26.6	47.9
	1909	1,203.9	2.7	.....	.....	8.0	2.7	16.1	5.4	48.3	10.7	134.1	21.5	56.3
Columbia County	1900	1,772.4	56.4	.....	.....	17.8	5.9	3.0	23.7	23.7	(3)	127.7	5.9	65.3
	1901	1,659.5	62.8	.....	.....	.....	.....	3.0	23.9	71.8	(3)	110.6	3.0	71.8
	1902	1,406.4	18.1	9.0	.....	3.0	.....	6.0	9.0	12.0	(3)	135.5	6.0	87.3
	1903	1,613.8	21 2	3.0	.....	9.1	9.1	3.0	21.2	39.4	(3)	112 2	12.1	78.9
	1904	1,674.5	21.4	3.1	.....	6.1	18.3	3.1	6.1	67.2	(3)	128.3	15.3	67.2
	1905	1,625.3	24.6	.....	.....	15.4	3.1	3.1	12.3	49.3	3.1	169.3	15.4	86.2
	1906	1,544.8	24.7	6.2	.....	6.2	.....	9.3	12.3	27.8	24.7	101.8	15.4	80.2
	1907	1,751.0	18.5	.....	.....	6.2	.....	12.4	12.4	43.2	6.2	132.8	21.6	114.3
	1908	1,592.9	21.7	.....	.....	.....	.....	3.1	9.3	30.9	15.5	123.7	21.7	77.3
	1909	1,477.6	18.6	.....	.....	.....	18.6	12.4	3.1	9.3	21.7	130.1	15.5	83.6
Cortland County	1900	1,562.3	48.5	.....	.....	.....	5.4	.....	10.8	21.5	(3)	134.7	10.8	118.5
	1901	1,587.3	86.1	5.4	.....	5.4	.....	5.4	5.4	43.0	(3)	118.4	5.4	91.5
	1902	1,601.5	16.1	.....	.....	.....	.....	5.4	21.5	48.4	(3)	75.2	5.4	118.2
	1903	1,582.9	22.1	.....	.....	5.5	.....	5.5	22.1	33.1	(3)	71.7	16.5	88.2
	1904	1,735.2	22.0	.....	.....	11.0	.....	.....	.....	55.1	(3)	49.6	16.5	126.7
	1905	1,722.0	11.0	.....	.....	.....	5.5	.....	11 0	27.5	16.5	93.5	16.5	93.5
	1906	1,537.4	27.7	.....	.....	.....	5.5	16.6	11.1	16.6	22.1	83.0	16.6	110.6
	1907	1,567.2	16.7	5.6	.....	.....	.....	.....	11.1	77.8	27.8	72.2	16.7	100.0
	1908	1,675.5	27.9	.....	.....	5.6	.....	16.8	.....	61.4	61.4	67.0	.....	128.5
	1909	1,369.6	16.8	.....	.....	.....	.....	5.6	.....	28.1	.....	61.7	11.2	101.0

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	14.2	17.8	137.1	147.7	81.9	78.3	90.8	90.8	53.4	44.5	5.3	55.2	62.3	160.2	17.8
.....	7.1	12.5	133.6	187.1	89.1	62.4	55.2	78.4	71.3	44.5	5.3	87.3	33.9	149.7	3.6
.....	16.1	10.7	165.9	185.5	98.1	69.6	53.5	82.1	37.5	35.7	10.7	76.7	39.2	165.9	1.8
1.8	14.3	16.1	157.2	191.1	83.9	50.0	41.1	62.5	42.9	42.9	16.1	96.4	25.0	191.1	.....
1.8	19.7	7.2	144.8	216.4	96.6	44.7	69.7	59.0	66.2	32.2	12.5	125.2	50.2	152.0	3.6
3.6	9.0	25.1	134.3	211.2	71.6	55.5	48.3	50.1	62.7	41.2	12.5	68.0	32.2	146.8	3.6
.....	14.4	21.6	153.2	189.2	68.5	43.3	77.5	75.7	59.5	27.0	9.0	66.7	25.2	146.0	1.8
1.8	14.5	18.1	141.5	224.9	92.5	67.1	50.8	63.5	72.5	43.5	14.5	79.8	18.1	166.8	1.8
1.8	21.9	16.4	151.5	209.9	94.9	58.4	67.5	83.9	80.3	40.1	10.9	76.6	18.2	129.6	.....
.....	15.5	23.3	155.5	246.8	64.1	64.1	36.9	85.5	64.1	48.6	15.5	60.3	21.4	120.5	.....
5.6	5.6	19.5	236.8	172.8	117.0	33.4	83.6	86.4	75.2	36.2	22.3	47.4	50.2	183.9	8.4
5.6	5.6	11.3	194.5	152.2	98.7	76.1	42.3	73.3	90.2	47.9	19.7	73.3	37.4	180.4	.....
2.9	11.4	20.0	262.4	228.2	74.2	45.6	48.5	77.0	82.7	39.9	8.6	94.1	37.1	214.0	.....
.....	23.1	23.1	248.2	204.9	89.5	66.4	31.7	83.7	69.3	37.5	28.9	75.0	37.5	187.6	2.9
2.9	23.4	8.8	251.2	327.2	105.2	61.3	23.4	90.6	93.5	46.7	14.6	87.6	26.3	181.1	.....
.....	23.7	8.9	251.3	254.3	103.5	50.3	71.0	82.8	100.5	29.6	17.7	82.8	32.5	204.0	.....
3.0	11.9	11.9	226.8	274.5	56.7	71.6	83.6	110.4	77.6	32.8	14.9	101.5	26.9	176.1	.....
.....	12.0	.....	234.7	325.0	117.4	75.2	66.2	105.3	108.3	54.2	30.1	96.3	18.1	111.3	.....
.....	15.2	15.2	200.3	333.9	69.8	57.7	66.8	91.1	121.4	21.2	9.1	115.3	9.1	157.8	.....
.....	6.1	3.1	241.9	306.2	55.1	73.5	52.0	110.2	110.2	27.6	27.6	98.0	12.2	189.8	.....
1.9	22.3	16.7	198.9	180.3	52.0	55.8	63.2	87.3	61.3	37.2	11.2	78.0	37.2	198.9	9.3
.....	12.9	18.5	205.1	140.4	51.7	38.8	35.1	64.7	62.8	38.8	7.4	53.6	25.9	186.6	1.8
5.5	7.4	9.2	165.4	187.4	88.2	47.8	49.6	82.7	80.9	25.7	9.2	62.5	57.0	174.6	5.5
3.7	18.3	18.3	179.1	182.7	76.8	58.5	56.7	102.3	71.3	29.2	7.3	84.1	31.1	179.1	.....
1.8	16.4	21.8	179.9	245.3	100.0	61.8	41.8	74.5	74.5	32.7	12.7	90.9	34.5	147.2	1.8
.....	9.0	21.7	162.7	204.2	84.9	70.5	48.8	99.4	77.7	28.9	7.2	106.6	28.9	166.3	.....
.....	18.0	25.2	140.3	215.8	71.9	52.1	73.7	91.7	102.5	73.7	12.6	75.5	48.6	152.8	.....
.....	16.1	14.3	191.5	252.3	109.2	66.2	41.2	69.8	75.2	59.1	7.2	84.1	10.7	148.5	.....
1.8	21.4	7.1	153.5	274.3	58.8	44.5	65.9	85.5	92.6	48.1	14.3	80.2	16.0	126.5	1.8
3.5	19.5	14.2	159.6	310.3	74.5	86.9	62.1	108.2	63.8	53.2	12.4	78.0	7.1	131.2	.....
5.4	16.3	16.3	195.8	190.4	65.3	65.3	103.3	70.7	59.8	43.5	5.4	65.3	43.5	250.1	.....
.....	22.1	22.1	254.3	182.5	110.6	71.9	66.3	105.1	49.8	27.6	16.6	94.0	11.1	182.5	.....
.....	16.9	11.2	202.5	213.7	90.0	61.9	28.1	101.2	101.2	33.7	5.6	56.2	22.5	225.0	5.6
.....	11.4	22.9	154.5	223.2	108.7	63.0	40.1	103.0	63.0	22.9	.....	148.8	17.2	206.0	.....
5.8	5.8	11.7	227.2	238.8	87.4	110.7	29.1	122.3	58.3	35.0	35.0	87.4	23.3	238.8	.....
.....	11.9	29.7	160.1	231.3	94.9	29.7	71.2	83.0	106.7	41.5	11.9	118.6	23.7	148.2	.....
.....	29.4	17.6	188.2	211.8	88.2	58.8	47.1	88.2	88.2	76.5	11.8	117.6	23.5	141.2	.....
.....	.....	5.8	227.7	327.0	75.9	17.5	52.5	105.1	122.6	52.5	11.7	116.8	17.5	128.5	.....
5.8	17.4	.....	202.8	284.0	92.7	40.6	81.1	52.2	98.5	29.0	17.4	127.5	11.6	162.3	5.8
5.8	23.0	.....	166.8	379.7	120.8	57.5	28.8	109.3	126.6	40.3	34.5	86.3	.....	143.8	.....
5.5	8.2	32.8	227.0	194.1	134.0	106.6	101.2	134.0	93.0	43.8	13.7	87.5	82.0	243.4	.....
5.5	10.9	35.5	226.7	224.0	103.8	106.5	41.0	95.6	76.5	41.0	21.9	92.9	35.5	185.7	.....
10.9	24.6	10.9	231.9	207.3	92.7	70.9	27.3	114.6	79.1	24.6	8.2	54.6	43.6	180.0	.....
.....	16.3	10.9	185.3	280.6	106.3	92.6	21.8	92.6	89.9	38.1	13.6	81.7	32.7	174.4	.....
2.7	27.2	27.2	217.7	332.0	114.3	70.7	29.9	92.5	103.4	32.7	21.8	98.0	32.7	228.6	.....
.....	32.6	16.3	225.6	255.5	141.3	62.5	70.7	81.5	125.0	40.8	19.0	70.7	19.0	163.1	.....
2.7	21.9	19.2	194.4	306.6	142.4	68.4	43.8	104.0	79.4	41.1	16.4	57.5	8.2	164.3	.....
.....	13.8	19.3	176.4	339.1	135.1	126.8	55.1	85.5	184.7	30.3	24.8	93.7	2.8	157.1	.....
5.6	13.9	16.7	252.6	283.1	72.2	91.6	77.7	91.6	180.4	44.4	38.9	69.4	11.1	138.8	.....
.....	33.5	14.0	282.3	366.2	120.2	97.8	47.5	86.7	134.2	58.7	14.0	75.5	14.0	162.1	.....
4.2	10.6	52.7	128.6	109.6	92.8	54.8	109.6	69.6	38.0	50.6	6.3	59.0	59.0	194.0	23.2
.....	14.7	37.8	92.4	117.6	44.1	60.9	73.5	58.8	39.9	44.1	4.2	48.3	25.2	142.8	2.1
2.1	4.2	18.8	104.5	106.6	52.3	37.6	37.6	48.1	46.0	41.8	10.5	56.4	33.4	129.6	.....
.....	2.1	31.2	102.0	139.5	58.3	58.3	58.3	64.5	18.7	33.3	6.2	62.4	52.0	120.7	6.2
2.1	6.2	31.1	107.8	147.2	74.6	47.7	45.6	66.3	35.2	62.2	8.3	56.0	37.3	161.7	6.2
.....	6.2	20.6	136.2	163.1	128.0	59.9	84.6	53.7	20.6	51.6	10.3	57.8	55.7	111.5	4.1
2.6	2.6	18.4	113.0	149.8	97.2	55.2	57.8	52.5	31.5	49.9	.....	92.0	28.9	123.5	.....
2.6	5.3	10.6	105.8	198.4	82.0	37.0	60.8	52.9	52.9	50.3	13.2	89.9	21.2	89.9	.....
.....	2.7	26.6	125.2	173.1	63.9	45.3	77.2	66.6	37.3	45.3	5.3	79.9	13.3	109.2	2.7
.....	8.0	29.5	67.0	179.6	107.3	77.8	61.7	77.8	45.6	34.9	.....	88.5	10.7	109.9	.....
3.0	5.9	32.6	204.9	163.3	136.6	118.8	83.1	86.1	136.6	44.5	11.9	71.3	106.9	231.6	5.9
.....	15.0	26.9	227.2	134.6	98.7	98.7	59.8	104.7	122.6	53.8	6.0	92.7	20.9	251.2	.....
.....	9.0	15.1	198.8	204.8	87.3	42.2	39.2	87.3	120.5	30.1	9.0	120.5	24.1	132.5	.....
3.0	21.2	12.1	224.5	203.2	88.0	121.3	39.4	94.0	130.4	54.6	6.1	106.2	27.3	166.8	6.1
.....	9.2	6.1	189.4	296.4	103.9	76.4	48.9	113.1	134.4	42.8	3.1	85.6	30.6	195.6	3.1
3.1	3.1	15.4	240.1	221.6	92.3	89.3	49.3	73.9	113.9	55.4	18.5	120.0	12.3	132.4	3.1
.....	3.1	9.3	181.9	197.3	123.3	77.1	58.6	83.3	148.0	40.1	9.3	117.2	24.7	163.4	.....
.....	21.6	9.3	172.9	327.4	95.7	105.0	83.4	67.9	139.0	74.1	6.2	114.3	15.4	151.3	.....
3.1	24.7	6.2	228.9	259.8	102.1	55.7	46.4	86.6	185.6	27.8	9.3	61.9	24.7	167.0	.....
.....	27.9	6.2	167.3	226.1	52.7	58.9	55.8	83.6	173.5	31.0	24.8	114.6	9.3	133.2	.....
10.8	16.2	16.2	172.4	156.2	102.3	43.1	80.8	91.6	48.5	48.5	26.9	43.1	64.6	285.5	5.4
.....	16.1	5.4	166.8	161.4	226.0	69.9	48.4	69.9	80.7	37.7	10.8	37.7	59.2	231.4	.....
.....	26.9	10.7	182.7	225.7	96.7	48.4	32.2	145.1	129.0	69.9	10.7	75.2	21.5	225.7	10.7
.....	11.0	5.5	253.7	330.9	159.9	66.2	38.6	55.2	104.8	38.6	5.5	55.2	11.0	176.5	5.5
.....	22.0	11.0	220.3	286.4	104.7	88.1	22.0	148.7	121.2	49.6	16.5	99.2	22.0	236.9	5.5
.....	38.5	5.5	302.6	258.6	115.5	110.0	60.5	60.5	154.0	22.0	11.0	82.5	11.0	209.1	5.5
5.5	22.1	11.1	193.6	287.6	44.2	77.4	71.9	55.3	116.1	66.4	44.2	66.4	27.7	138.3	.....
.....	33.3	5.6	177.8	316.8	66.7	116.7	27.8	83.4	144.5	38.9	22.2	55.6	.....	150.0	.....
.....	33.5	16.8	256.9	340.7	78.2	83.8	44.7	78.2	50.3	33.5	33.5	89.4	11.2	156.4	.....
.....	.....	5.6	263.8	291.9	78.6	56.1	50.5	84.2	84.2	33.7	28.1	73.0	5.6	89.8	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
NEW YORK RURAL[2]—Continued.														
Delaware County	1900	1,467.3	43.1	.....	.....	6.5	15.1	4.3	17.2	30.2	(3)	94.8	4.3	58.2
	1901	1,334.8	25.8	.....	.....	28.0	4.3	4.3	10.8	62.4	(3)	86.1	8.6	62.4
	1902	1,224.0	6.5	.....	.....	.....	2.2	8.6	15.1	17.2	(3)	60.2	15.1	81.7
	1903	1,051.1	12.9	.....	.....	.....	4.3	6.4	2.1	21.5	(3)	86.0	6.4	77.4
	1904	1,267.2	23.6	.....	.....	10.7	4.3	6.4	25.8	27.9	(3)	75.2	12.9	51.5
	1905	1,253.3	15.0	2.1	.....	15.0	.....	6.4	6.4	25.8	19.3	90.1	10.7	92.3
	1906	1,296.0	17.3	.....	.....	12.9	.....	4.3	.....	6.5	6.5	103.5	10.8	75.5
	1907	1,416.7	23.8	.....	.....	2.2	8.7	2.2	10.8	47.7	13.0	69.3	13.0	84.5
	1908	1,399.3	19.6	.....	.....	6.5	10.9	4.4	6.5	26.1	15.2	60.9	26.1	76.2
	1909	1,416.6	8.7	.....	.....	.....	6.6	15.3	8.7	24.0	10.9	80.9	17.5	89.6
Dutchess County*	1900	1,767.8	27.8	12.1	.....	12.1	8.7	13.9	29.5	34.7	(3)	190.8	10.4	48.6
	1901	1,946.7	29.4	12.1	.....	1.7	8.6	5.2	29.4	55.3	(3)	231.5	25.9	48.4
	1902	1,769.8	25.8	10.3	.....	1.7	1.7	10.3	22.4	20.6	(3)	156.5	12.0	75.7
	1903	1,854.7	30.8	5.1	.....	10.3	5.1	6.9	15.4	32.5	(3)	220.9	24.0	83.9
	1904	1,971.3	20.5	5.1	.....	13.6	.....	10.2	15.3	44.3	(3)	242.2	11.9	83.6
	1905	1,940.9	17.0	3.4	.....	3.4	3.4	11.9	22.1	28.9	8.5	207.2	22.1	86.6
	1906	1,838.3	8.5	8.5	.....	16.9	.....	13.5	32.2	15.2	6.8	189.6	15.2	60.9
	1907	1,927.6	15.2	3.4	.....	3.4	3.4	3.4	20.3	47.3	11.8	209.3	16.9	77.6
	1908	1,866.4	13.5	6.7	.....	3.4	5.0	3.4	20.2	23.6	13.5	176.7	16.8	77.4
	1909	1,834.2	10.1	1.7	.....	25.2	1.7	11.7	15.1	10.1	1.7	213.1	16.8	82.2
Erie County*	1900	1,389.9	29.5	3.7	.....	22.1	9.8	6.2	28.3	27.1	(3)	110.7	18.5	66.4
	1901	1,398.6	17.8	2.4	.....	2.4	3.6	14.2	21.3	43.8	(3)	100.7	13.0	63.9
	1902	1,277.6	18.3	.....	.....	6.9	5.7	11.4	26.3	11.4	(3)	86.8	12.6	66.2
	1903	1,246.6	26.5	.....	.....	1.1	3.3	11.0	18.7	20 9	(3)	77.2	8.8	44.1
	1904	1,268.7	12.8	1.1	.....	8.5	5.3	.....	12.8	21.3	(3)	90.5	9.6	52.2
	1905	1,375.0	13.4	.....	.....	6.2	8.2	13.4	16.5	36.1	9.3	84.5	8.2	73.2
	1906	1,365.7	25.3	2.0	.....	23.3	6.1	14.2	13.2	9.1	14.2	91.0	13.2	56.7
	1907	1,482.9	17.9	.....	.....	15.9	5.0	11.9	9.9	36.8	9.0	105.4	14.9	52.7
	1908	1,369.4	22.5	.....	.....	2.0	19.6	8.8	6.8	32.3	12.7	78.3	18.6	66.5
	1909	1,385.5	15.4	.....	.....	2.9	14.4	5.8	14.4	20.2	9.6	106.8	29.8	60.6
Essex County	1900	1,449.2	35.8	.....	.....	.....	6.5	9.8	13.0	9.8	(3)	143.3	.....	87.9
	1901	1,510.2	25.8	.....	.....	12.9	6.4	25.8	6.4	93.4	(3)	122.4	9.7	64.4
	1902	1,372.3	28.7	.....	6.4	6.4	3.2	3.2	9.6	12.7	(3)	175.1	28.7	57.3
	1903	1,347.8	25.2	3.1	.....	3.1	6.3	9.4	3.1	18.9	(3)	129.1	18.9	66.1
	1904	1,398.5	9.3	.....	.....	3.1	18.7	.....	18.7	18.7	(3)	196.2	12.5	56.1
	1905	1,506.7	18.5	3.1	.....	.....	3.1	21.6	9.2	46.2	12.3	191.0	18.5	49.3
	1906	1,432.2	15.3	.....	.....	.....	3.1	15.3	12.2	15.3	15.3	165.2	12.2	64.3
	1907	1,523.6	36.5	3.0	.....	3.0	9.1	6.1	12.2	57.8	12.2	167.3	15.2	76.0
	1908	1,580.6	12.1	.....	.....	3.0	9.1	6.0	15.1	42.3	12.1	232.7	18.1	45.3
	1909	1,588.8	18.0	.....	.....	51.1	.....	6.0	12.0	27.0	39.0	231.3	18.0	66.1
Franklin County	1900	1,453.8	23.3	.....	.....	2.3	2.3	2.3	53.7	16 3	(3)	233.4	18.7	23.3
	1901	1,571.3	9.2	2.3	.....	2.3	2.3	9.2	80.2	50.4	(3)	265.7	18.3	34.4
	1902	1,529.5	20 2	4.5	13.5	38.2	27.0	11.2	13.5	11.2	(3)	285.7	18.0	47.2
	1903	1,416.2	33.1	4.4	.....	2.2	8.8	4 4	13.3	30.9	(3)	265.1	19.9	39.8
	1904	1,602.0	13.0	.....	.....	.....	8.7	6.5	26.0	26.0	(3)	236.6	8.7	60.8
	1905	1,610.8	21.3	4.3	.....	27.7	6.4	53 3	14.9	23.5	14.9	296.6	34.1	55.5
	1906	1,512.4	10.7	.....	.....	27.9	.....	8 6	53.6	6.4	15.0	281.0	42.9	47.2
	1907	1,395.1	17.2	.....	.....	.....	4.3	23.7	17.2	41.0	15.1	228.6	15.1	43.1
	1908	1,543.1	28.2	.....	.....	6.5	2.2	.....	10.8	26 0	21.7	312.1	32.5	58.5
	1909	1,594.6	26.1	.....	.....	2.2	2.2	10.9	4.4	32.7	15.2	291.9	19.6	74.1
Fulton County	1900	1,545.6	.....	.....	.....	27.8	.....	.....	13.9	13.9	(3)	188.0	.....	48.7
	1901	1,677.1	21.1	.....	.....	28.1	.....	7.0	28.1	70.2	(3)	140.3	14.0	77.2
	1902	1,549.0	28.3	.....	.....	.....	7.1	.....	14.1	14.1	(3)	70.7	21.2	99.0
	1903	1,390.4	7.1	.....	.....	.....	14.3	21.4	14.3	21.4	(3)	92.7	7.1	78.4
	1904	1,416.0	.....	.....	.....	.....	7.2	.....	50.3	35.9	(3)	100.6	7.2	71.9
	1905	1,478.4	7.2	.....	.....	7.2	.....	.....	7.2	43.5	29.0	144.9	.....	58.0
	1906	1,465.0	14.6	.....	.....	.....	.....	21.9	7.3	29.2	7.3	138.5	7.3	87.5
	1907	1,648.6	7.3	.....	.....	7.3	7.3	22.0	14.7	65.9	29.3	146.5	.....	95.3
	1908	1,436.4	14.7	.....	.....	.....	7.4	14.7	7.4	44.2	22.1	88.4	.....	73.7
	1909	1,607.1	14.8	7.4	.....	.....	.....	.....	14.8	29.6	51.8	118.5	22.2	140.7
Genesee County	1900	1,652.2	31.8	.....	.....	2.9	.....	2.9	83.9	52.1	(3)	144.7	20.3	69.4
	1901	1,533.6	31.6	5.7	.....	5.7	8.6	28.7	23.0	71.8	(3)	97.6	14.4	89.0
	1902	1,234.4	28.5	2.9	.....	.....	.....	8.6	5.7	22.8	(3)	79.8	14.3	68.4
	1903	1,349.9	42.4	.....	.....	.....	.....	2.8	5.7	39.6	(3)	96.2	.....	73.6
	1904	1,441.2	22.5	2.8	.....	5.6	8.4	.....	19.7	53.4	(3)	89.9	11.2	89.9
	1905	1,592.6	19.5	2.8	.....	19.5	2.8	11.2	8.4	30.7	19.5	103.2	22.3	92.0
	1906	1,473.6	23.3	.....	.....	.....	.....	3.9	7.8	27.2	31.1	58.3	15.6	112.8
	1907	1,368.5	11.6	.....	.....	.....	19.4	3.9	15.5	65.9	.....	77.5	23.3	85.3
	1908	1,225.5	11.6	.....	.....	.....	.....	3.9	3.9	61.9	11.6	27.1	23.2	65.7
	1909	1,426.3	3.9	.....	.....	3.9	7 7	11.6	19.3	23.1	7.7	115.6	23.1	38.5
Greene County	1900	1,871.1	38.1	.....	.....	9.5	.....	12.7	22.2	31.8	(3)	162.0	22.2	111.2
	1901	1,704.7	54.2	.....	.....	19.1	15.9	.....	28.7	35.1	(3)	181.6	12.7	51.0
	1902	1,623.7	47.9	3.2	.....	.....	3.2	6.4	32.0	22.4	(3)	159.8	19.2	60.7
	1903	1,747.3	44.9	3.2	.....	.....	.....	9.6	12.8	19.2	(3)	128.2	22.4	83.4
	1904	1,685.2	48.2	.....	.....	.....	.....	9.6	12.9	51 5	(3)	138.3	22.5	99.7
	1905	1,690.4	35.5	3.2	.....	25.8	.....	6.5	6.5	29 0	16.1	177.4	12.9	106.5
	1906	1,641.5	29.2	3.2	.....	.....	.....	9.7	26.0	3.2	9.7	168.7	22.7	94.1
	1907	1,809.9	32.6	6.5	.....	13.0	3.3	3.3	16.3	48.9	9.8	198.9	22.8	75.0
	1908	1,668.7	9.8	6.6	.....	.....	9.8	16.4	6.6	52.5	29.5	170.5	19.7	98.4
	1909	1,677.5	26.4	6.6	.....	.....	6.6	6.6	9.9	9.9	6.6	187.9	36.3	98.9

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	8.6	28.0	193.9	159.4	135.7	49.6	118.5	103.4	62.5	43.1	6.5	34.5	32.3	206.8	10.8
4.3	15.1	15.1	208.8	236.8	96.9	43.1	49.5	64.6	71.0	21.5	2.2	62.4	21.5	122.7	6.5
.....	6.5	15.1	154.9	174.2	131.2	47.3	62.4	86.0	71.0	10.8	2.2	90.3	17.2	144.1	4.3
.....	8.6	8.6	133.3	135.4	77.4	45.1	36.5	79.5	70.9	27.9	4.3	58.0	8.6	139.7	.....
2.1	21.5	15.0	158.9	221.2	116.0	43.0	36.5	81.6	79.5	17.2	4.3	83.8	19.3	124.6	4.3
2.1	12.9	21.5	141.6	193.1	105.2	53.7	66.5	77.3	88.0	27.9	2.1	47.2	15.0	113.7	2.1
2.2	15.1	21.6	133.7	263.1	60.4	53.9	84.1	69.0	77.6	28.0	17.3	69.0	32.3	129.4	2.2
.....	30.3	10.8	153.8	305.4	86.7	47.7	49.8	73.7	97.5	30.3	6.5	95.3	17.3	136.5	.....
.....	21.8	28.3	178.4	230.7	76.2	52.2	97.9	74.0	106.6	26.1	10.9	78.3	17.4	148.0	.....
4.4	17.5	10.9	223.0	214.2	107.1	61.2	48.1	87.4	87.4	45.9	13.1	83.1	10.9	139.9	.....
1.7	6.9	43.4	241.1	183.9	178.7	79.8	86.7	105.8	45.2	72.9	5.2	59.0	116.2	152.7	.....
3.5	6.9	24.2	312.7	262.6	126.1	91.5	100.2	84.6	70.8	53.5	1.7	115.7	44.9	198.6	1.7
.....	8.6	22.4	314.7	276.9	106.6	77.4	84.3	84.3	98.0	29.2	8.6	94.6	46.4	178.9	1.7
.....	10.3	22.3	294.6	217.5	142.1	78.8	63.4	94.2	106.2	34.3	8.6	116.5	39.4	191.7	.....
1.7	18.8	35.8	330.8	278.0	134.7	81.9	76.7	87.0	112.5	46.0	10.2	97.2	18.8	194.4	.....
5.1	17.0	28.9	319.2	241.1	129.1	81.5	91.7	96.8	103.6	40.8	11.9	117.2	35.7	207.2	.....
.....	6.8	23.7	287.8	228.5	186.2	84.6	69.4	84.6	93.1	52.5	13.5	111.7	33.9	193.0	1.7
1.7	8.4	28.7	263.3	322.4	167.1	103.0	79.3	108.0	121.5	30.4	8.4	136.7	10.1	126.6	.....
.....	5.0	26.9	269.3	331.5	148.1	84.1	72.4	94.2	141.4	53.9	20.2	119.5	11.8	127.9	.....
.....	15.1	10.1	275.2	320.5	139.3	80.6	75.5	82.2	127.5	67.1	18.5	102.4	18.5	112.4	.....
.....	16.0	20.9	124.2	166.1	78.7	61.5	119.3	83.6	57.8	36.9	7.4	95.9	28.3	159.9	11.1
.....	16.6	30.8	174.1	177.6	77.0	68.7	87.6	81.7	71.1	50.9	14.2	106.6	27.2	130.3	1.2
.....	10.3	24.0	161.0	157.6	87.9	74.2	73.1	63.9	52.5	55.9	10.3	90.2	33.1	135.9	2.3
3.3	13.2	11.0	154.3	154.3	74.9	83.8	68.3	72.7	56.2	55.1	6.6	116.8	33.1	129.0	2.2
1.1	7.5	26.6	153.4	172.6	72.4	56.5	74.6	72.4	70.3	57.5	11.7	105.5	34.1	137.4	1.1
1.0	14.4	25.8	158.7	145.3	91.7	78.3	100.0	82.5	62.9	46.4	15.5	146.4	25.8	110.3	1.0
4.0	12.1	24.3	108.2	161.9	72.8	74.9	127.5	60.7	55.6	68.8	22.3	157.8	28.3	118.4	.....
1.0	18.9	19.9	142.2	204.9	122.3	80.6	131.3	81.6	67.6	54.7	9.0	160.1	8.0	101.4	.....
.....	8.8	16.6	157.5	186.8	79.2	89.0	114.4	70.4	56.7	77.3	12.7	131.1	19.6	79.2	2.0
.....	8.7	16.4	144.3	199.2	91.4	72.2	129.9	61.6	55.8	56.8	17.3	139.5	18.3	93.3	1.0
3.2	9.8	29.3	140.0	188.9	101.0	55.4	101.0	61.9	65.1	45.6	.....	78.1	97.7	159.6	6.5
3.2	22.5	25.8	144.9	99.8	157.8	41.9	51.5	74.1	109.5	61.2	3.2	54.7	77.3	215.7	.....
.....	19.1	22.3	168.8	168.8	82.8	66.9	50.9	66.9	66.9	25.5	12.7	60.5	25.5	200.6	3.2
.....	22.0	40.9	176.3	144.9	47.2	94.5	37.8	66.1	78.7	47.2	9.4	113.4	34.6	148.0	3.1
.....	18.7	21.8	190.0	202.5	49.8	68.5	43.6	84.1	68.5	52.9	3.1	90.3	28.0	137.0	6.2
.....	15.4	27.7	172.5	191.0	89.4	73.9	70.9	55.5	80.1	46.2	15.4	80.1	37.0	178.7	.....
.....	15.3	18.4	183.6	205.0	58.1	61.2	58.1	101.0	79.6	70.4	6.1	91.8	24.5	137.7	3.1
.....	12.2	27.4	130.8	194.6	149.0	69.9	57.8	76.0	94.3	60.8	9.1	88.2	15.2	139.9	.....
.....	30.2	6.0	133.0	256.9	99.7	48.4	90.7	96.7	93.7	42.3	12.1	111.8	15.1	148.1	.....
.....	12.0	12.0	144.2	189.2	84.1	78.1	99.1	78.1	99.1	69.1	15.0	90.1	9.0	141.2	.....
.....	9.3	49.0	119.0	77.0	121.4	93.4	105.0	67.7	56.0	44.3	2.3	53.7	72.4	175.0	32.7
2.3	11.5	43.5	109.9	112.2	155.8	82.5	80.2	68.7	55.0	93.9	.....	52.7	61.8	164.9	2.3
.....	11.2	24.7	117.0	128.2	121.5	72.0	72.0	67.5	36.0	54.0	2.2	76.5	85.5	164.2	6.7
6.6	2.2	24.3	101.6	84.0	101.6	59.7	88.4	68.5	37.6	75.1	.....	84.0	70.7	185.6	4.4
4.3	13.0	52.1	143.3	188.9	97.7	89.0	67.3	63.0	67.3	76.0	4.3	80.3	82.5	184.5	2.2
.....	4.3	19.2	121.6	138.7	106.7	68.3	98.1	64.0	72.5	78.9	6.4	78.9	49.1	151.5	.....
.....	8.6	45.1	120.1	154.5	98.7	49.3	68.6	60.1	72.9	51.5	10.7	79.4	36.5	160.9	2.1
2.2	15.1	21.6	116.4	166.0	81.9	84.1	69.0	62.5	58.2	84.1	6.5	64.7	19.4	138.0	.....
2.2	8.7	15.2	121.4	153.9	67.2	91.0	127.9	65.0	43.3	91.0	10.8	56.3	30.3	160.4	.....
.....	8.7	21.8	122.0	187.3	122.0	91.5	117.6	67.5	82.8	85.0	2.2	71.9	21.8	113.3	.....
.....	7.0	27.8	264.6	146.2	125.3	41.8	83.6	132.3	83.6	20.9	.....	34.8	62.6	215.8	7.0
.....	7.0	21.1	238.6	161.4	175.4	70.2	56.1	35.1	84.2	49.1	.....	77.2	112.3	203.5	.....
7.1	7.1	49.5	240.5	134.4	99.0	49.5	63.7	56.6	134.4	42.4	7.1	120.2	42.4	240.5	.....
7.1	21.4	7.1	192.5	178.3	156.9	71.3	28.5	85.6	128.3	14.3	.....	57.0	21.4	156.9	7.1
.....	.....	28.8	179.7	136.6	122.2	43.1	43.1	86.3	115.0	14.4	14.4	71.9	43.1	244.4	.....
7.2	21.7	36.2	173.9	268.1	87.0	21.7	29.0	144.9	130.4	43.5	14.5	36.2	36.2	130.4	.....
.....	7.3	21.9	204.1	255.1	72.9	7.3	58.3	72.9	138.5	58.3	.....	43.7	29.2	182.2	.....
.....	14.7	7.3	183.2	249.1	139.2	58.6	44.0	73.3	219.8	29.3	14.7	29.3	7.3	183.2	.....
.....	22.1	14.7	206.2	250.4	154.7	29.5	66.3	81.0	162.1	14.7	7.4	36.8	.....	117.9	.....
.....	29.6	7.4	148.1	296.2	81.5	44.4	29.6	59.2	200.0	66.7	44.4	51.8	14.8	133.3	.....
2.9	8.7	34.7	205.4	159.1	89.7	43.4	55.0	98.4	63.7	34.7	31.8	98.4	69.4	240.2	8.7
.....	11.5	17.2	189.5	126.4	155.1	63.2	43.1	51.7	74.7	20.1	17.2	77.5	129.2	180.9	.....
2.9	5.7	20.0	176.7	193.9	74.1	39.9	37.1	65.6	62.7	17.1	22.8	91.2	45.6	145.4	2.9
2.8	17.0	19.8	150.0	158.5	70.7	79.2	42.4	70.7	76.4	59.4	5.7	107.5	50.9	175.5	2.8
2.8	16.9	16.9	199.5	216.3	61.8	42.1	53.4	81.5	73.0	28.1	25.3	109.6	45.0	165.8	.....
5.6	19.5	19.5	212.0	248.2	72.5	61.4	61.4	89.3	86.5	47.4	27.9	97.6	53.0	159.0	.....
.....	7.8	38.9	190.5	217.7	62.2	50.5	105.0	112.8	54.4	38.9	31.1	108.9	23.3	151.6	.....
3.9	7.8	27.1	201.6	178.3	62.0	73.7	31.0	62.0	62.0	38.8	15.5	108.6	11.6	182.2	.....
.....	23.2	15.5	146.9	189.4	69.6	50.3	54.1	88.9	61.9	30.9	19.3	104.4	7.7	154.6	.....
.....	7.7	3.9	219.7	227.4	54.0	73.2	50.1	92.5	115.6	46.3	11.6	100.2	11.6	158.0	.....
6.4	3.2	44.5	317.7	171.5	146.1	98.5	120.7	92.1	66.7	31.8	6.4	95.3	63.5	193.8	3.2
6.4	12.7	15.9	213.5	251.7	121.1	51.0	73.3	95.6	111.5	35.1	12.7	114.7	15.9	175.3	.....
6.4	19.2	25.6	278.1	226.9	99.1	83.1	70.3	73.5	92.7	35.2	12.8	63.9	51.1	131.0	.....
12.8	12.8	38.5	230.8	240.5	163.5	105.8	67.3	86.6	99.4	32.1	6.4	99.4	44.9	182.7	.....
.....	9.6	32.2	221.9	238.0	138.3	61.1	67.5	80.4	128.6	32.2	16.1	86.8	38.6	151.1	.....
.....	25.8	19.4	241.9	225.8	106.5	58.1	71.0	71.0	135.5	41.9	6.5	106.5	35.5	125.8	.....
3.2	26.0	9.7	204.4	220.6	133.0	55.2	68.1	81.1	123.3	71.4	9.7	90.8	26.0	152.5	.....
.....	16.3	29.4	313.1	257.6	127.2	42.4	81.5	71.7	146.8	39.1	13.0	127.2	13.0	97.8	3.3
9.8	39.3	19.7	262.3	239.3	98.4	91.8	72.1	68.8	95.1	36.1	16.4	68.8	9.8	121.3	.....
6.6	16.5	9.9	224.1	293.3	59.3	72.5	46.1	108.8	154.9	49.4	23.1	79.1	16.5	121.9	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
NEW YORK RURAL[2]—Continued.														
Hamilton County	1900	1,354.3	20.2				40.4				(3)	80.9	20.2	80.9
	1901	1,093.1	40.5							81.0	(3)	161.9	40.5	60.7
	1902	892.1								20.3	(3)	60.8	60.8	40.6
	1903	995.1						20.3	40.6	40.6	(3)	20.3		20.3
	1904	1,057.8	20.3							20.3	(3)	101.7		20.3
	1905	855.7	20.4									61.1		81.5
	1906	1,127.3										125.3		41.8
	1907	961.5	42.7			21.4					21.4	85.5		64.1
	1908	875.3								21.9		131.3		21.9
	1909	919.3						22.4	22.4		22.4		22.4	112.1
Herkimer County	1900	1,469.2	54.9	1.9		7.8	3.9	7.8	27.4	15.7	(3)	129.3	21.5	78.4
	1901	1,378.8	15.5	3.9		15.5	13.6	5.8	50.4	42.7	(3)	122.2	5.8	75.6
	1902	1,061.7	13.4			5.8	7.7	3.8	30.7	3.8	(3)	74.9	11.5	57.6
	1903	1,325.0	15.2			1.9	1.9	24.7	26.6	15.2	(3)	116.0	7.6	72.2
	1904	1,270.7	15.1	1.8		1.8	7.5		30.1	15.1	(3)	107.3	18.8	65.9
	1905	1,265.9	3.7	1.9		1.9	11.2	3.7	9.3	13.1	20.5	104.4	9.3	57.8
	1906	1,420.9	14.0				23.3	21.0	9.3	7.0	7.0	135.1	21.0	65.2
	1907	1,355.4	9.3					4.6	25.4	37.0	2.3	108.7	20.8	76.3
	1908	1,426.3	11.5	2.3		6.9		2.3	6.9	23.0	18.4	82.7	11.5	73.5
	1909	1,388.9	11.4				4.6	6.8	4.6	4.6	11.4	77.6	25.1	75.3
Jefferson County	1900	1,549.4	32.7	7.2		32.7		3.6	5.4	30.9	(3)	132.6	14.5	56.3
	1901	1,461.5	25.4	1.8	1.8	30.9	3.6	1.8	5.5	74.5	(3)	125.4	16.4	54.5
	1902	1,282.4	23.6	1.8			1.8	3.6	5.5	29.1	(3)	85.5	14.6	60.0
	1903	1,323.3	18.2	1.8	1.8			5.5	16.4	18.2	(3)	100.1	20.0	69.2
	1904	1,468.2	21.9			1.8	3.6	9.1	27.3	32.8	(3)	105.6	10.9	65.6
	1905	1,370.7	20.1	3.6		1.8			9.1	9.1	14.6	93.0	23.7	76.6
	1906	1,416.0	29.3	5.5			1.8	1.8	14.7	23.8	20.1	98.9	14.7	65.9
	1907	1,507.1	27.6	3.7			1.8	3.7	14.7	60.7	9.2	90.2	23.9	90.2
	1908	1,377.2	11.1	1.8		7.4			7.4	38.8	11.1	85.0	22.2	77.6
	1909	1,379.8	20.4	5.6			1.9	18.6		31.6	7.4	78.0	16.7	79.9
Lewis County	1900	1,447.5	32.8	7.3		29.2	3.6	7.3	10.9	10.9	(3)	98.5	25.5	36.5
	1901	1,416.5	18.3	3.7		18.3		7.3	18.3	73.4	(3)	128.4	14.7	55.0
	1902	1,207.3	14.8	3.7			11.1			29.5	(3)	77.6	7.4	77.6
	1903	1,386.8	26.0	7.4				3.7	29.7	37.2	(3)	96.7	11.2	104.1
	1904	1,418.4	15.0				3.7	11.2	11.2	37.4	(3)	86.1	7.5	71.1
	1905	1,363.8	22.6			3.8		7.5	26.4	18.8	15.1	82.9	7.5	67.8
	1906	1,352.8	3.8					22.9	7.6	11.5	3.8	80.3	26.8	57.3
	1907	1,340.0	3.9			19.4		7.7	15.5	42.6	3.9	89.1	27.1	54.2
	1908	1,511.4	15.7			7.9			3.9	43.2	11.8	70.7	7.9	94.2
	1909	1,460.7	27.9			8.0	4.0	11.9	4.0	31.8	8.0	47.8	8.0	51.7
Livingston County	1900	1,324.9	35.1	2.7		2.7			13.5	27.0	(3)	110.6	27.0	62.1
	1901	1,406.6	13.5	8.1	2.7	2.7		18.9	2.7	40.4	(3)	140.1	5.4	78.1
	1902	1,337.5	5.4	2.7	2.7		5.4	2.7	16.1	24.2	(3)	99.6	10.8	70.0
	1903	1,564.1	8.1			18.8			13.4	43.0	(3)	104.8	13.4	91.4
	1904	1,484.2	18.8	5.4			2.7	2.7	21.5	45.6	(3)	80.5	8.1	75.1
	1905	1,519.7	21.4				5.4	2.7	8.0	24.1	16.1	85.8	13.4	101.8
	1906	1,470.5	10.7	2.7		18.7	2.7	16.0	5.3	21.3	16.0	88.1	8.0	90.7
	1907	1,653.4	10.6	5.3		5.3	5.3	10.6		47.8	5.3	101.0	18.6	90.4
	1908	1,506.5	13.2			2.6	7.9		10.6	34.4	7.9	113.8	13.2	108.6
	1909	1,540.2	7.9			2.6	5.3	2.6	2.6	18.5	10.5	168.8	21.1	81.8
Madison County	1900	1,467.5	22.2			17.3	4.9	7.4	7.4	22.2	(3)	115.9	14.8	98.6
	1901	1,616.5	34.7				2.5	5.0	9.9	76.9	(3)	136.4	29.8	104.1
	1902	1,415.7	24.9				2.5	15.0	12.5	29.9	(3)	92.2	24.9	77.3
	1903	1,448.3	12.5	2.5		5.0	5.0	2.5		10.0	(3)	90.2	17.5	87.7
	1904	1,574.5	22.7			2.5	2.5		7.6	30.2	(3)	110.8	15.1	73.1
	1905	1,735.0	7.6			2.5	10.1	2.5	10.1	25.3	20.3	124.1	12.7	101.3
	1906	1,693.7	22.8				7.6	17.7	10.1	27.9	22.8	91.3	17.7	109.0
	1907	1,680.2	10.2	2.5		2.5		2.5	5.1	73.6	10.2	101.5	20.3	111.7
	1908	1,686.9	22.9			2.5	2.5			20.3	38.1	94.0	25.4	124.5
	1909	1,561.5	2.5			2.5	5.1	5.1	2.5	17.8		76.3	17.8	96.6
Monroe County	1900	1,424.5	12.7			3.6	14.5	16.3	14.5	18.1	(3)	105.0	10.9	63.3
	1901	1,405.4	19.7			17.9		12.5	19.7	50.1	(3)	114.4	14.3	57.2
	1902	1,328.5	14.1		5.3	1.8	1.8	7.1	12.4	7.1	(3)	121.9	7.1	68.9
	1903	1,365.1	10.5			5.2	3.5	15.7	31.4	27.9	(3)	97.8	19.2	80.3
	1904	1,444.0	20.7			1.7	12.1	8.6	31.1	27.6	(3)	101.8	22.4	86.3
	1905	1,368.7	8.7			17.4	5.2	5.2	31.3	17.4	12.2	76.5	20.9	76.5
	1906	1,333.2	8.4				3.4	5.1	35.5	10.1	20.3	84.5	8.4	76.0
	1907	1,462.2	9.9			11.5	4.9	9.9	14.8	24.7	13.2	85.6	14.8	64.2
	1908	1,287.7	8.0	1.6		1.6	8.0	3.2	14.5	20.9	11.2	83.5	4.8	77.1
	1909	1,265.8	9.4			6.3	3.1	11.0	18.8	11.0	7.8	81.5	23.5	58.0
Montgomery County	1900	1,291.5	22.6				7.5		22.6	15.0	(3)	109.2		71.6
	1901	1,309.3	31.3						7.8	54.7	(3)	93.8	15.6	50.8
	1902	1,317.0	15.6	3.9			15.6	7.8	39.0	3.9	(3)	116.9		46.8
	1903	1,421.6	42.7	3.9			31.1	3.9	19.4	35.0	(3)	101.0	11.7	73.8
	1904	1,448.2	27.1					7.7	11.6	19.4	(3)	154.9	19.4	100.7
	1905	1,382.0	23.2			7.7	7.7			27.0	11.6	115.8	15.4	100.4
	1906	1,377.4	23.1					7.7	26.9	11.5	15.4	127.0	7.7	92.3
	1907	1,649.3	23.0			3.8	19.2	11.5	11.5	38.4	7.7	118.9	15.3	111.2
	1908	1,540.9	11.5	3.8	3.8	7.6		7.6	11.5	22.9	7.6	107.1	19.1	84.1
	1909	1,334.0	3.8	3.8						7.6	11.4	122.0	22.9	99.1

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	20.2	40.4	161.7	80.9	80.9	60.6	101.1	40.4	20.2	20.2	20.2	161.7	60.6	242.6	.....
.....	.....	.....	60.7	101.2	101.2	60.7	20.2	101.2	40.5	20.2	.....	20.2	20.2	161.9	.....
.....	20.3	60.8	81.1	60.8	.....	40.6	.....	60.8	40.6	40.6	.....	81.1	60.8	141.9	20.3
.....	20.3	.....	121.9	142.2	101.5	20.3	60.9	20.3	81.2	20.3	.....	101.5	40.6	121.9	.....
.....	.....	20.3	122.1	162.7	81.4	20.3	101.7	122.1	40.7	20.3	.....	101.7	20.3	81.4	.....
.....	.....	.....	122.2	61.1	61.1	.....	20.4	40.7	101.9	20.4	.....	142.6	40.7	81.5	.....
.....	.....	20.9	167.0	125.3	104.4	41.8	20.9	104.4	20.9	.....	.....	167.0	20.9	167.0	.....
.....	21.4	.....	106.8	21.4	192.3	42.7	42.7	42.7	106.8	21.4	.....	64.1	.....	64.1	.....
.....	.....	.....	109.4	218.8	65.6	21.9	.....	43.8	43.8	43.8	.....	65.6	.....	87.5	.....
.....	.....	.....	67.3	157.0	44.8	89.7	.....	89.7	67.3	22.4	22.4	67.3	.....	89.7	.....
5.9	7.8	41.1	152.8	125.4	119.5	74.4	103.8	86.2	68.6	45.1	5.9	78.4	45.1	133.2	27.4
.....	.....	34.9	137.7	147.4	98.9	46.5	65.9	67.9	91.1	38.8	.....	67.9	36.8	192.0	1.9
.....	7.7	28.8	105.6	149.8	78.7	40.3	44.2	49.9	59.5	51.8	13.4	67.2	21.1	132.5	1.9
.....	7.6	49.4	136.9	169.2	64.6	66.5	41.8	108.4	102.7	36.1	7.6	66.5	38.0	148.3	.....
.....	11.3	16.9	107.3	178.8	84.7	52.7	54.6	90.4	90.4	28.2	7.5	80.9	54.6	148.7	.....
.....	5.6	31.7	139.8	179.0	106.3	48.5	61.5	76.4	102.5	28.0	11.2	96.9	33.6	108.1	.....
.....	11.6	25.6	144.4	179.4	88.5	62.9	74.5	104.8	116.5	51.2	18.6	83.9	30.3	125.8	.....
.....	9.3	25.4	155.0	208.2	88.3	69.4	50.9	64.8	90.2	55.5	13.9	106.4	18.5	120.3	.....
.....	11.5	32.2	163.1	232.0	101.1	57.4	82.7	91.9	101.1	48.2	16.1	91.9	6.9	151.6	.....
.....	20.5	22.8	157.4	228.1	68.4	77.6	75.3	75.3	93.5	63.9	16.0	77.6	29.7	111.8	.....
1.8	21.8	14.5	214.4	207.1	99.9	45.4	105.4	85.4	36.3	49.1	14.5	78.1	63.6	192.6	3.6
5.5	12.7	16.4	180.0	236.3	81.8	69.1	43.6	70.9	50.9	36.4	9.1	54.5	23.6	227.2	1.8
.....	12.7	18.2	178.3	181.9	52.8	43.7	41.8	81.9	70.9	61.8	7.3	61.8	29.1	212.8	1.8
7.3	16.4	9.1	154.7	222.1	43.7	89.2	40.0	83.7	65.5	56.4	7.3	43.7	18.2	214.8	.....
1.8	9.1	23.7	184.0	271.4	65.6	52.8	25.5	92.9	71.0	52.8	10.9	94.7	27.3	202.2	3.6
.....	18.2	7.3	153.1	220.6	49.2	51.0	54.7	105.7	80.2	63.8	12.8	83.8	20.1	198.7	.....
1.8	14.7	11.0	181.3	208.8	73.3	51.3	67.8	91.6	55.0	55.0	9.2	76.9	38.5	203.3	.....
.....	25.8	9.2	171.1	222.7	84.6	53.4	66.2	121.4	90.2	71.8	14.7	79.1	14.7	156.4	.....
1.8	14.8	16.6	164.5	207.0	61.0	64.7	85.0	86.9	72.1	64.7	12.9	96.1	18.5	147.9	.....
.....	18.6	13.0	180.1	245.1	81.7	59.4	44.6	122.6	78.0	50.1	16.7	72.4	5.6	131.9	.....
3.6	10.9	47.4	138.6	149.5	76.6	72.9	102.1	87.5	36.5	32.8	10.9	98.5	72.9	229.7	14.6
3.7	14.7	36.7	168.8	187.1	58.7	106.4	36.7	102.7	58.7	25.7	14.7	36.7	47.7	172.5	7.3
.....	22.2	29.5	181.0	184.7	40.6	40.6	59.1	66.5	62.8	29.5	3.7	62.8	29.5	173.6	.....
.....	7.4	33.5	156.2	204.5	52.1	48.3	55.8	104.1	66.9	33.5	3.7	55.8	22.3	223.1	3.7
.....	22.5	7.5	168.4	209.6	82.3	71.1	71.1	59.9	67.4	29.9	15.0	93.6	22.5	250.7	3.7
3.8	7.5	15.1	135.6	222.3	79.1	79.1	75.3	101.7	64.0	41.4	11.3	67.8	26.4	180.8	.....
.....	7.6	30.6	168.2	233.1	91.7	68.8	65.0	95.5	87.9	42.0	3.8	80.3	11.5	149.0	3.8
.....	19.4	42.6	147.2	209.1	116.2	65.8	34.9	93.0	81.3	11.6	19.4	81.3	19.4	135.6	.....
.....	31.4	23.6	208.1	227.7	74.6	31.4	102.1	113.8	94.2	47.1	11.8	94.2	15.7	180.6	.....
.....	27.9	19.9	278.6	222.9	127.4	83.6	35.8	55.7	91.5	39.8	11.9	103.5	15.9	143.3	.....
8.1	10.8	18.9	180.8	242.8	62.1	21.6	48.6	80.9	72.8	13.5	8.1	70.1	45.9	156.5	2.7
2.7	2.7	10.8	223.7	183.2	75.5	62.0	21.6	94.3	97.0	40.4	8.1	91.6	26.9	153.6	.....
5.4	16.1	13.5	191.1	234.1	105.0	45.7	37.7	86.1	78.0	26.9	13.5	61.9	43.1	139.9	.....
5.4	18.8	5.4	239.2	228.4	110.2	67.2	37.6	96.7	91.4	48.4	16.1	86.0	34.9	185.4	.....
2.7	5.4	16.1	238.9	273.8	93.9	45.6	48.3	85.9	80.5	29.5	10.7	120.8	32.2	139.6	.....
.....	5.4	18.8	243.9	214.4	109.9	56.3	61.6	80.4	91.1	42.9	34.8	99.2	42.9	136.7	2.7
5.3	18.7	13.3	213.5	226.8	85.4	48.0	77.4	77.4	58.7	24.0	26.7	120.1	16.0	178.8	.....
2.7	26.6	21.3	300.4	265.8	119.6	61.1	93.0	79.7	71.8	45.2	10.6	87.7	23.9	143.5	.....
2.6	13.2	10.6	248.9	275.4	84.7	50.3	53.0	79.4	63.5	37.1	7.9	92.7	5.3	169.5	.....
.....	10.5	10.5	240.0	321.7	47.5	97.6	60.7	81.8	84.4	26.4	2.6	116.0	7.9	110.8	.....
2.5	17.3	34.5	187.4	172.6	66.6	56.7	74.0	91.3	64.1	39.5	9.9	66.6	59.2	214.6	.....
5.0	14.9	12.4	200.8	270.3	76.9	89.3	47.1	104.1	71.9	27.3	12.4	89.3	34.7	161.2	.....
2.5	10.0	10.0	196.9	199.4	79.8	74.8	39.9	92.2	69.8	29.9	17.4	89.7	34.9	189.4	.....
2.5	10.0	12.5	182.9	275.6	112.8	45.1	45.1	85.2	85.2	37.6	17.5	67.7	27.6	205.5	2.5
5.0	15.1	17.6	272.1	249.4	131.0	52.9	65.5	73.1	85.7	30.2	10.1	103.3	27.7	168.8	2.5
2.5	38.0	43.1	230.5	288.7	96.2	55.7	58.3	98.8	91.2	60.8	20.3	141.8	20.3	172.2	.....
.....	12.7	15.2	230.7	278.9	83.7	48.2	76.1	109.0	111.6	63.4	7.6	114.1	25.4	190.2	.....
.....	25.4	7.6	210.7	271.6	175.1	63.5	66.0	99.0	78.7	45.7	17.8	81.2	7.6	190.4	.....
5.1	20.3	12.7	236.3	312.5	127.0	55.9	94.0	99.1	86.4	48.3	30.5	81.3	17.8	127.0	2.5
.....	25.4	15.3	193.3	394.2	134.8	53.4	53.4	96.6	83.9	25.4	10.2	94.1	12.7	142.4	.....
1.8	10.9	29.0	206.3	130.3	119.4	72.4	77.8	79.6	65.2	41.6	12.7	90.5	47.1	179.2	1.8
1.8	12.5	23.2	164.5	128.7	112.6	94.8	46.5	62.6	82.3	44.7	12.5	73.3	66.2	171.7	1.8
.....	8.8	24.7	164.3	187.3	63.6	72.4	76.0	83.0	74.2	38.9	15.9	104.2	31.8	134.3	1.8
.....	10.5	12.2	169.3	202.5	69.8	78.6	50.6	75.1	82.0	52.4	8.7	83.8	20.9	157.1	.....
.....	12.1	17.3	172.5	231.2	98.3	82.8	72.5	70.7	67.3	39.7	17.3	100.1	17.3	132.8	.....
.....	26.1	24.3	161.7	191.3	93.9	53.9	87.0	52.2	85.2	48.7	24.3	106.1	26.1	116.5	.....
1.7	11.8	23.7	150.4	194.3	50.7	64.2	99.7	82.8	91.2	47.3	20.3	96.3	15.2	130.1	1.7
1.6	16.5	31.3	191.0	215.7	82.3	80.7	69.2	84.0	80.7	51.0	21.4	112.0	31.3	140.0	.....
.....	16.1	16.1	120.4	223.2	69.0	64.2	102.8	69.0	73.9	59.4	16.1	94.7	16.1	112.4	.....
.....	11.0	12.5	130.0	213.0	76.8	70.5	100.3	47.0	53.3	42.3	17.2	125.3	20.4	114.4	1.6
3.8	3.8	18.8	158.1	120.5	52.7	56.5	94.2	105.4	71.6	52.7	15.0	86.6	56.5	135.5	11.3
.....	11.7	11.7	191.5	129.0	82.1	62.5	31.3	97.7	46.9	15.6	11.7	105.5	62.5	195.4	.....
7.8	11.7	11.7	226.0	190.9	66.2	54.5	39.0	101.3	62.3	31.2	11.7	89.6	42.9	116.9	3.9
.....	27.2	19.4	202.0	244.7	62.1	31.1	27.2	81.6	69.9	19.4	23.3	81.6	38.8	167.0	3.9
.....	15.5	23.2	185.9	220.7	62.0	42.6	46.5	77.4	112.3	19.4	7.7	120.0	34.8	139.4	.....
3.9	.....	7.7	181.4	142.8	38.6	46.3	50.2	61.8	108.1	46.3	19.3	123.5	54.0	189.2	.....
.....	7.7	11.5[1]	169.3	223.2	65.4	53.9	30.8	88.5	123.1	57.7	11.5	76.9	30.8	111.6	3.8
.....	19.2	.....	203.3	253.1	149.6	34.5	38.4	65.2	138.1	49.9	3.8	149.6	38.4	145.8	.....
.....	15.3	26.8	217.9	275.3	68.8	49.7	45.9	76.5	91.8	45.9	19.1	130.0	42.1	149.1	.....
3.8	22.9	11.4	194.4	217.3	91.5	57.2	30.5	80.0	114.3	49.6	.....	53.4	11.4	125.8	.....

[1] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
NEW YORK RURAL [2]—Continued.													
Nassau County	1900	1,388.7	14.4	12.6	.....	7.2	1.8	5.4	43.3	23.5	(3)	124.5	19.8	52.3
	1901	1,482.2	13 7	3.4	3.4	13.7	12.0	6.9	18 9	20.6	(3)	125.4	10.3	94.5
	1902	1,339.3	19.7	6.6	.....	8.2	8.2	14.8	23.0	4.9	(3)	118.0	32.8	63.9
	1903	1,350.0	7.8	14.1	.....	4.7	7.8	7.8	28.2	25.1	(3)	120.7	18.8	64.3
	1904	1,400.4	15.0	6.0	.....	12.0	4.5	18.0	27.0	10.5	(3)	117.2	13.5	61.6
	1905	1,334.2	26.0	7.2	.....	2.9	4.3	7.2	31.7	14.4	14.4	108.2	11.5	63.5
	1906	1,377.9	9.6	2.8	.....	15.2	5.5	13.8	26.2	4.1	15.2	107.5	20.7	96.5
	1907	1,372.3	18.5	4.0	.....	2.6	15.9	23.8	22.5	22.5	6.6	117.8	27.8	60.9
	1908	1,337.8	15.3	5.1	.....	12.7	10.2	2.5	20.4	14.0	8.9	86.6	22.9	72.6
	1909	1,359.8	14.7	6.1	.....	8.6	6.1	12.3	30.7	8.6	7.4	103.0	22.1	61.3
Niagara County	1900	1,415.6	20.5	.....	.....	7.7	2.6	7.7	5.1	18.0	(3)	133.6	7.7	51.4
	1901	1,289.3	35.7	.....	.....	.....	7.6	10 2	17.8	63.7	(3)	84.1	10.2	81.5
	1902	1,238.3	37.9	7.6	.....	10.1	5.1	10.1	17.7	2.5	(3)	60.7	2.5	65.7
	1903	1,406.3	35 1	2.5	.....	.....	12.5	12.5	15.0	10.0	(3)	122.8	27.6	70.2
	1904	1,395.0	37 3	5.0	.....	.....	7.5	9.9	17.4	42.3	(3)	79.6	14.9	84.5
	1905	1,435.7	34.5	2.5	.....	12.3	7.4	.....	4.9	24.7	4.9	115.9	32.1	56.7
	1906	1,375 3	45.6	.....	.....	.....	.....	6.5	9.8	6.5	13.0	97.8	19.6	45.6
	1907	1,483.9	22.6	.....	.....	.....	3.2	22.6	3.2	45.3	3.2	129.3	12.9	74.4
	1908	1,891.2	33.0	.....	.....	18.9	4.7	4.7	4.7	56.6	18.9	117.9	18.9	94.3
	1909	1,360 4	19.1	.....	.....	.....	12.7	.....	6.4	15.9	3.2	111.2	6.4	69.9
Oneida County	1900	1,567.0	49.1	1.6	.....	6.5	1.6	3 3	21.3	18 0	(3)	129.4	9.8	80.2
	1901	1,474.7	18.1	1.6	1.6	11.5	3.3	9.9	14.8	54.3	(3)	107.0	11.5	90.5
	1902	1,302.1	19.9	.....	.....	.....	3.3	3.3	13.2	5 0	(3)	107.5	8.3	79.4
	1903	1,363.8	20.0	.....	1.7	.....	5.0	8.3	15.0	16.6	(3)	98.1	23.3	81.5
	1904	1,539.9	28.4	1.7	.....	3.3	16 7	6.7	23.4	33.4	(3)	108.7	1.7	61.9
	1905	1,509.5	18.5	3.4	.....	3.4	6.7	5.0	20.2	11.8	6.7	116.0	18.5	75.6
	1906	1,440.2	13.5	.....	1.7	1.7	6.7	1.7	21.9	10.1	23.6	111.0	11.8	74.0
	1907	1,468.4	18.5	.....	.....	6.7	5.1	3.4	5.1	42.1	10.1	109.5	15.2	92.6
	1908	1,564.0	27.0	1.7	.....	1.7	3 4	16.9	10.1	25.3	13.5	116.3	13.5	106.2
	1909	1,572.1	18.6	.....	.....	8.4	5 1	1.7	6.7	27.0	13.5	116.4	20.2	79.3
Onondaga County	1900	1,519.2	21.5	1.6	.....	6.6	5 0	14.9	13.3	14.9	(3)	127.6	19.9	63.0
	1901	1,477.7	31.4	1.7	1.7	11.6	8.3	8.3	18.2	57.9	(3)	128.9	13.2	71.1
	1902	1,494.1	26.4	1.6	.....	4.9	.....	9.9	13.2	11.5	(3)	153.4	24.7	70.9
	1903	1,464.3	26.3	.....	.....	18.1	3.3	23.0	8.2	39.5	(3)	113 5	18.1	69.1
	1904	1,490.5	26.3	1.6	.....	.....	13.1	.....	4 9	19.7	(3)	110.0	11.5	80.4
	1905	1,492.0	21.3	3.3	.....	1.6	16.4	6.6	8.2	13.1	9.8	142.5	6.6	68.8
	1906	1,423.4	11 4	.....	.....	1.6	4.9	14.6	8.1	17.9	9.7	113.6	13.0	56.8
	1907	1,455.1	20.9	1.6	.....	1.6	1.6	1.6	14.5	43.5	8.0	83.7	8.0	88.5
	1908	1,541.9	12.8	.....	.....	17.7	3.2	4.8	19.3	43.4	12.8	112.4	28.9	70.7
	1909	1,538.9	19.2	.....	.....	1.6	3.2	11.2	8.0	28.7	14.4	103.8	14.4	91.0
Ontario County	1900	1,434.7	38.3	.....	.....	2.6	15 3	7.7	2.6	28.1	(3)	109.8	7.7	89.3
	1901	1,401.5	20 3	5.1	.....	10.2	.....	5.1	.....	88.9	(3)	106.6	10.2	73.6
	1902	1,467.2	22.7	.....	2.5	.....	2 5	5.1	12 6	12.6	(3)	60.6	22.7	85.9
	1903	1,514.6	25.1	.....	.....	7.5	2.5	7.5	7 5	25.1	(3)	108.0	15.1	115.5
	1904	1,434.1	15.0	2.5	.....	.....	2.5	7.5	10.0	27.5	(3)	99.9	15.0	65.0
	1905	1,535.8	17.4	.....	.....	5.0	7.5	12.4	17.4	12.4	37.3	109.3	9.9	121.8
	1906	1,464.5	24.9	.....	.....	5.0	5 0	5.0	17.4	12.5	22.4	99.6	17.4	69.7
	1907	1,457.4	15.0	.....	.....	7.5	5.0	15.0	7.5	47.4	12.5	69.9	17.5	67.4
	1908	1,395.4	20 0	.....	.....	2.5	2.5	.....	10.0	30.0	7.5	65.0	25.0	107.5
	1909	1,448.4	12.5	2.5	.....	10.0	.....	5.0	7.5	20.0	5.0	65.2	10.0	112.8
Orange County	1900	1,568 8	32.7	7.3	.....	18.2	3.6	14.5	32 7	43.6	(3)	158.2	14.5	52.7
	1901	1,507.5	21.6	9.0	.....	1.8	5.4	7.2	30.7	57.7	(3)	120.8	10.8	55.9
	1902	1,336.3	17 9	10.7	.....	5.4	8.9	12.5	30.4	8.9	(3)	116.3	14.3	42.9
	1903	1,497.8	21.3	1.8	.....	.....	3.5	8.9	26.6	40.8	(3)	131.3	24.8	53.2
	1904	1,435.0	21.1	3.5	.....	8.8	5.3	14.1	35.2	37.0	(3)	144.4	12.3	58.1
	1905	1,652.6	26.2	8.7	.....	.....	1.7	7.0	28.0	24.5	22.7	172.9	14.0	75.1
	1906	1,413.2	20.5	5.1	.....	1.7	3.4	15.4	22.2	23.9	25.6	114.4	17.1	68.3
	1907	1,524.1	23.4	1.7	.....	3.3	3.3	8.4	16.7	38.4	16.7	120.3	21.7	93.6
	1908	1,533.9	13.1	1.6	.....	3.3	11.5	13.1	11.5	29.5	18.0	134.2	19.6	86.8
	1909	1,429.4	20.9	4.8	.....	3.2	11.2	4.8	19.3	17.6	1.6	133.2	20.9	49.7
Orleans County	1900	1,495.2	26.5	6.6	.....	3.3	13.3	.....	16.6	16.6	(3)	126.0	6.6	63.0
	1901	1,499.4	32.9	.....	.....	26.3	.....	29.6	6.6	59.2	(3)	148.0	16.4	82.2
	1902	1,314.5	45.7	.....	.....	.....	.....	6.5	16.3	16.3	(3)	117.4	13.0	48.9
	1903	1,452.8	29.1	6.5	.....	.....	9.7	3.2	12.9	25.9	(3)	90.6	12.9	51.8
	1904	1,454.1	3.2	3.2	.....	.....	9.6	.....	28.9	22.5	(3)	128.4	22.5	93.1
	1905	1,289.9	6.4	3.2	.....	9.6	6.4	.....	9.6	35.0	6.4	117.8	9.6	57.3
	1906	1,312.9	25.4	.....	.....	.....	6.3	.....	12.7	19.0	6.3	92.0	15.9	92.0
	1907	1,453.1	19.0	.....	.....	.....	.....	15 8	12.6	50.5	.....	123.2	25.3	56.9
	1908	1,422.3	25.2	.....	.....	.....	.....	6.3	37.8	22.0	3.1	100.7	12.6	81.8
	1909	1,382.4	6.3	.....	.....	3.1	12.5	3.1	3.1	18.8	15.7	134.8	9.4	87.8
Oswego County	1900	1,893.3	33.9	4.2	.....	24.0	.....	12.7	40.9	46.6	(3)	160.8	19.8	81.8
	1901	1,600.6	26.9	1.4	.....	1.4	.....	11.3	36.8	59.4	(3)	155.7	11.3	84.9
	1902	1,392.6	27.0	7.1	.....	1.4	.....	7.1	8.5	17.0	(3)	136.3	27.0	69.6
	1903	1,556.5	37.0	1.4	.....	8.5	4.3	17.1	27.1	21.4	(3)	104.0	10.0	71.2
	1904	1,608.5	30 0	.....	1.4	.....	2.9	1.4	22.9	42.9	(3)	127.1	8.6	80.0
	1905	1,663.8	40.1	1.4	.....	25.8	8.6	1.4	21 5	20.1	28.7	120.4	21.5	84.6
	1906	1,527 4	12.6	.....	.....	2.1	.....	18.9	16.8	6.3	8.4	88.2	18.9	88.2
	1907	1,611.5	14.6	2.1	.....	4.2	2.1	.....	23.0	67.0	16.7	92.1	12.6	71.2
	1908	1,661.6	22.9	.....	.....	4.2	2.1	.....	6.3	39.6	18.8	77.1	20.8	104.2
	1909	1,613.7	14.5	.....	.....	.....	4.2	14.5	4.2	39.5	8.3	83.1	20.8	68.5

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
1.8	1.8	14.4	155.1	142.5	115.4	68.5	115.4	83.0	79.4	68.5	5.4	74.0	18.0	138.9	1.8
1.7	8.6	32.6	176.9	146.0	109.9	96.2	103.1	73.9	94.5	46.4	8.6	111.6	39.5	109.9	.....
1.6	8.2	13.1	144.3	142.6	82.0	91.8	88.5	62.3	108.2	41.0	11.5	83.6	36.1	123.0	1.6
1.6	14.1	26.7	152.1	144.3	65.9	75.3	80.0	73.7	103.5	59.6	9.4	108.2	36.1	100.3	.....
3.0	12.0	18.0	136.7	166.8	111.2	81.1	115.7	73.6	81.1	51.1	3.0	90.2	42.1	129.2	.....
1.4	10.1	23.1	131.3	155.8	80.8	77.9	138.5	69.2	76.4	64.9	8.7	70.7	36.1	98.1	.....
1.4	8.3	17.9	168.1	165.3	79.9	66.1	77.2	78.5	88.2	51.0	13.8	113.0	23.4	108.9	.....
.....	19.8	17.2	135.0	160.1	71.5	72.8	119.1	62.2	108.5	60.9	13.2	92.6	17.2	99.2	.....
.....	14.0	21.6	129.8	169.3	73.8	54.7	145.1	87.8	87.8	52.2	10.2	106.9	21.6	91.6	.....
1.2	13.5	14.7	123.8	196.2	73.6	67.4	95.6	77.2	112.8	49.0	20.8	120.2	15.9	95.6	1.2
2.6	15.4	28.3	143.9	169.6	118.2	59.1	102.8	100.2	48.8	46.2	7.7	79.6	69.4	161.8	7.7
.....	10.2	20.4	107.0	135.0	89.2	68.8	91.7	61.2	45.9	43.3	5.1	91.7	15.3	193.6	.....
.....	15.2	7.6	166.8	179.4	75.8	58.1	65.7	93.5	40.4	50.5	12.6	88.5	30.3	128.9	5.1
.....	20.1	35.1	198.0	188.0	62.7	72.7	57.7	90.2	32.6	62.7	2.5	75.2	27.6	167.9	5.0
.....	9.9	39.8	124.3	194.0	97.0	47.2	72.1	94.5	54.7	52.2	5.0	111.9	47.2	146.7	.....
.....	14.8	24.7	157.9	229.4	86.3	54.3	83.9	86.3	39.5	71.5	7.4	106.1	59.2	115.9	2.5
.....	19.6	9.8	153.2	260.7	61.9	55.4	88.0	52.1	84.7	42.4	6.5	84.7	45.6	166.2	.....
3.2	12.9	9.7	190.7	248.9	74.4	51.7	71.1	113.1	71.1	42.0	29.1	87.3	6.5	155.2	.....
.....	18.9	9.4	193.4	292.4	113.2	66.0	108.5	136.8	103.8	70.7	37.7	141.5	33.0	193.4	.....
3.2	9.5	12.7	171.6	254.3	73.1	66.7	54.0	79.5	92.2	54.0	25.4	82.6	15.9	120.8	.....
1.6	9.8	29.5	201.4	186.7	134.3	70.4	81.9	70.4	67.1	45.9	8.2	72.1	60.6	191.6	14.7
.....	18.1	36.2	177.8	179.4	126.7	83.9	44.4	95.5	74.1	31.3	3.3	49.4	60.9	169.5	.....
3.3	3.3	9.9	172.1	183.6	92.7	39.7	41.4	102.6	96.0	39.7	.....	57.9	36.4	183.6	.....
1.7	15.0	28.3	148.0	158.0	106.4	66.5	38.3	78.2	73.2	49.9	10.0	74.8	63.2	183.0	.....
3.3	20.1	36.8	187.3	204.0	108.7	73.6	55.2	90.3	88.6	43.5	21.7	98.6	45.1	175.6	1.7
.....	11.8	31.9	178.2	223.6	117.7	85.7	80.7	90.8	67.2	43.7	8.4	80.7	55.5	147.9	.....
1.7	15.1	13.5	200.2	190.1	87.5	38.7	112.7	75.7	89.2	40.4	15.1	85.8	42.1	154.8	.....
3.4	21.9	15.2	186.9	242.5	94.3	57.3	70.7	75.8	111.1	42.1	13.5	67.4	25.3	133.0	.....
1.7	16.9	13.5	177.0	293.3	79.2	87.6	80.9	86.0	101.1	55.6	11.8	64.0	27.0	138.1	.....
1.7	32.1	18.6	187.2	295.2	119.8	70.8	59.0	77.6	114.7	42.2	15.2	77.6	23.6	140.0	.....
5.0	8.3	36.4	190.5	124.3	111.0	76.2	79.5	92.8	67.9	38.1	6.6	74.6	87.8	231.9	.....
5.0	14.9	23.1	185.1	173.6	86.0	105.8	57.9	82.6	69.4	26.4	8.3	67.8	39.7	180.2	.....
.....	11.5	28.0	222.6	183.0	95.6	72.6	49.5	82.5	67.6	49.5	19.8	69.3	42.9	183.0	.....
4.9	18.1	21.4	169.5	228.7	100.4	62.5	34.6	87.2	70.7	32.9	11.5	74.0	32.9	195.8	.....
3.3	9.8	31.2	203.5	226.5	110.0	68.9	41.0	52.5	90.3	41.0	19.7	73.9	46.0	205.2	.....
.....	11.5	27.8	183.4	248.9	78.6	63.9	52.4	93.4	85.2	45.9	13.1	104.8	22.9	162.1	.....
1.6	16.2	8.1	194.8	198.0	86.0	53.6	66.5	95.8	97.4	39.0	9.7	95.8	27.6	178.5	3.2
1.6	22.5	8.0	167.4	262.4	69.2	85.3	72.4	72.4	70.8	53.1	19.3	91.7	9.7	175.4	.....
1.6	11.2	17.7	186.3	289.1	80.3	61.0	65.9	80.3	75.5	46.6	22.5	104.4	12.8	159.0	1.6
3.2	25.5	6.4	159.6	309.7	94.2	78.2	67.0	63.9	91.0	54.3	19.2	114.9	9.6	146.9	.....
.....	10.2	17.9	188.9	183.8	84.2	74.0	79.1	94.5	56.2	35.7	10.2	84.2	58.7	150.6	5.1
2.5	17.8	17.8	226.0	209.2	91.4	63.5	40.6	71.1	68.6	50.8	5.1	45.7	81.2	190.4	.....
.....	20.2	17.7	214.6	209.6	108.6	78.3	55.6	98.5	90.9	35.4	7.6	70.7	37.9	191.9	2.5
.....	10.0	10.0	198.4	208.5	123.1	80.4	57.8	118.1	90.4	30.1	15.1	75.4	35.2	148.2	.....
.....	15.0	12.5	234.8	207.4	62.5	79.9	89.9	79.9	97.4	32.5	12.5	82.4	10.0	172.4	.....
2.5	24.9	24.9	208.8	206.3	94.4	59.6	49.7	77.0	82.0	59.6	14.9	92.0	22.4	161.5	5.0
.....	22.4	17.4	186.8	236.6	107.1	52.3	102.1	64.8	94.6	52.3	7.5	57.3	14.9	166.9	2.5
.....	10.0	15.0	232.1	227.1	102.3	74.9	52.4	69.9	84.9	39.9	10.0	97.3	10.0	167.2	.....
.....	32.5	2.5	197.6	210.1	65.0	47.5	50.0	60.0	112.5	45.0	32.5	95.0	10.0	165.0	.....
.....	10.0	5.0	205.5	235.6	102.7	67.7	47.6	100.2	100.2	60.1	22.6	82.7	15.0	142.8	.....
1.8	12.7	38.2	200.0	160.0	87.3	90.9	112.7	81.8	80.0	40.0	5.5	83.6	61.8	132.7	1.8
.....	10.8	23.4	192.9	171.3	97.4	108.2	95.6	72.1	59.5	46.9	16.2	106.4	34.3	151.5	.....
3.6	8.9	16.1	200.4	132.4	93.0	71.6	73.3	78.7	73.3	46.5	12.5	110.9	16.1	130.6	.....
.....	19.5	30.2	188.1	181.0	85.2	99.4	62.1	65.7	99.4	44.4	10.6	126.0	40.8	133.1	.....
3.5	10.6	28.2	163.7	163.7	86.3	58.1	91.6	75.7	89.8	45.8	3.5	89.8	37.0	146.1	1.8
.....	19.2	68.1	159.0	178.2	106.6	71.6	110.1	76.9	96.1	55.9	15.7	145.0	45.4	124.0	.....
.....	10.2	22.2	148.5	184.3	93.9	66.6	83.6	64.9	87.0	58.0	10.2	124.6	42.7	99.0	.....
1.7	8.4	18.4	173.8	210.6	98.6	76.9	93.6	73.5	93.6	68.5	15.0	120.3	28.4	95.3	.....
1.6	8.2	13.1	176.8	199.7	75.3	93.3	106.4	93.3	131.0	44.2	14.7	117.9	19.6	96.6	.....
.....	19.3	20.9	129.9	198.9	91.4	91.4	81.8	67.4	93.0	56.2	17.6	144.4	20.9	107.5	1.6
.....	.....	23.2	169.1	182.3	79.6	43.1	109.4	92.8	59.7	76.2	9.9	49.7	96.2	212.2	13.3
3.3	16.4	13.2	190.7	253.2	78.9	52.6	65.8	75.6	59.2	16.4	3.3	98.6	32.9	138.1	.....
.....	6.5	6.5	169.6	189.2	110.9	75.0	58.7	65.2	75.0	32.6	13.0	45.7	35.9	163.1	3.3
.....	16.2	19.4	190.9	200.6	93.8	74.4	51.8	74.4	103.5	35.6	6.5	61.5	38.8	242.7	.....
3.2	19.3	9.6	157.3	189.4	115.6	57.8	54.6	86.7	80.2	38.5	6.4	77.1	35.3	211.9	.....
.....	6.4	3.2	149.7	197.5	57.3	57.3	54.1	82.8	63.7	60.5	19.1	70.1	41.4	165.6	.....
.....	9.5	6.3	152.2	199.3	63.4	57.1	79.3	82.5	66.6	28.5	19.0	85.6	28.5	161.7	3.2
3.2	15.8	31.6	151.6	274.8	101.1	60.0	56.9	53.7	63.2	60.0	6.3	107.4	19.0	145.3	.....
3.1	9.4	15.7	182.5	229.7	100.7	59.8	69.2	78.7	72.4	40.9	9.4	88.1	15.7	157.3	.....
.....	15.7	15.7	156.7	241.4	72.1	75.2	69.0	69.0	90.9	34.5	9.4	94.0	6.3	137.9	.....
8.5	19.8	36.7	227.1	220.1	141.1	81.8	115.7	132.6	118.5	42.3	11.3	56.4	53.6	203.1	.....
1.4	18.4	18.4	229.3	239.2	94.8	69.3	70.8	110.4	69.3	35.4	1.4	73.6	19.8	159.9	.....
1.4	8.5	17.0	183.1	176.0	90.9	45.4	42.6	89.4	107.9	35.5	7.1	69.6	27.0	190.2	.....
2.8	11.4	14.2	230.7	264.9	101.1	62.7	49.8	91.1	96.8	39.9	8.5	96.8	22.8	160.9	.....
2.9	12.9	22.9	241.4	265.7	98.6	45.7	50.0	101.4	105.7	52.9	5.7	85.7	35.7	164.3	.....
2.9	10.0	17.2	225.0	273.7	96.0	51.6	106.0	96.0	100.3	73.1	5.7	60.2	31.5	140.4	.....
2.1	21.0	23.1	226.9	229.0	71.4	58.8	75.6	100.8	113.5	50.4	12.6	119.8	31.5	128.2	2.1
.....	20.9	14.6	257.4	270.0	56.5	79.5	77.4	127.7	104.6	48.1	8.4	69.1	12.6	157.0	2.1
.....	6.3	18.8	216.8	316.9	79.2	73.0	89.6	141.8	98.0	52.1	18.8	83.4	22.9	148.0	.....
.....	14.5	16.6	207.7	326.1	93.5	56.1	72.7	91.4	116.3	58.2	20.8	108.0	10.4	164.1	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
NEW YORK RURAL [2]—Continued.														
Otsego County	1900	1,557.0	26.6	.....	.....	8.2	.....	.....	12.3	10.2	(3)	106.3	20.4	98.1
	1901	1,729.1	24.6	2.1	.....	47.2	12.3	8.2	22.6	55.4	(3)	119.0	12.3	84.1
	1902	1,354.7	30.9	2.1	.....	.....	6.2	10.3	2.1	12.4	(3)	86.5	12.4	88.5
	1903	1,562 4	20.7	.....	.....	4.1	10.3	6.2	10.3	20.7	(3)	84.7	18.6	95.1
	1904	1,750.9	26.7	.....	.....	12.4	.....	8.3	8.3	60.2	(3)	105.8	20.7	114.1
	1905	1,755.6	14.6	2.1	.....	25.0	2.1	6.2	4.2	37.5	22.9	102.0	12.5	104.1
	1906	1,561.4	18.8	2.1	.....	2.1	6.3	20.9	8.4	29.3	25.1	66.9	16.7	98.2
	1907	1,644.4	39.9	.....	.....	2.1	2.1	4.2	4.2	98.6	2.1	58.7	12.6	83.9
	1908	1,706.9	23.2	.....	.....	4.2	2.1	2.1	4.2	23.2	14.7	77.9	33.7	111.6
	1909	1,539.7	27.5	.....	.....	2.1	4.2	4.2	8.4	29.6	4.2	71.8	14.8	118.3
Putnam County	1900	1,777.0	21.8	14.5	.....	.....	.....	7.2	43.5	21.8	(3)	181.3	7.2	65.3
	1901	1,588 6	21.7	7.2	.....	21.7	.....	7.2	21.7	28.9	(3)	173.3	14.4	86.6
	1902	1,523.9	7.2	7.2	.....	.....	.....	.....	43.1	14.4	(3)	129.4	14.4	79.1
	1903	1,416.8	.....	.....	.....	.....	.....	.....	.....	35.8	(3)	128.8	14.3	107.3
	1904	1,738.1	.....	.....	.....	.....	21.4	7.1	35.6	7.1	(3)	199.5	14.2	85.5
	1905	1,659.5	7.1	7.1	.....	7.1	.....	28.4	42.6	35.5	21.3	177.3	21.3	56.7
	1906	1,469.2	.....	35.1	.....	.....	.....	.....	28.1	.....	7.0	133.6	.....	91.4
	1907	1,694.4	7.0	7.0	.....	.....	.....	7.0	48.8	76.7	7.0	146.4	.....	139.5
	1908	1,618.6	13.8	20.8	.....	.....	13.8	13.8	13.8	13.8	20.8	138.3	20.8	76.1
	1909	1,859.6	.....	.....	.....	27.4	.....	.....	6.9	20.6	.....	185.3	13.7	109.8
Rensselaer County	1900	1,638.8	68.1	2.1	.....	12.4	2.1	4.1	20.6	45.4	(3)	183.7	10.3	88.8
	1901	1,708.4	62.5	.....	.....	23.7	2.2	6.5	34.5	68.9	(3)	155.1	12.9	90.5
	1902	1,476.3	39.0	.....	.....	8.7	2.2	15.2	13.0	19.5	(3)	103.9	15.2	90.9
	1903	1,577.0	26.1	2.2	.....	4.4	.....	26.1	10.9	32.6	(3)	121.8	13.1	84.8
	1904	1,569.4	35.0	2.2	2.2	6.6	8.7	6.6	10.9	56.8	(3)	135.5	8.7	65.6
	1905	1,552.9	35.1	.....	.....	28.6	22.0	4.4	8.8	24.2	22.0	164.7	11.0	74.7
	1906	1,421.6	33.0	4.4	.....	.....	.....	6.6	22.0	4.4	30.8	103.3	15.4	68.1
	1907	1,586.8	46.2	2.2	.....	.....	4.4	13.2	33.0	50.5	15.4	112.1	11.0	74.7
	1908	1,598.3	26.4	.....	.....	17.6	.....	13.2	11.0	66.0	28.6	142.9	19.8	76.9
	1909	1,576.7	28.6	.....	.....	2.2	6.6	17.6	4.4	26.4	8.8	145.1	19.8	85.8
Rockland County	1900	1,524.9	10.5	7.8	.....	7.8	2.6	10.5	65.3	20.9	(3)	141.0	7.8	33.9
	1901	1,453.8	15.1	10.1	2.5	.....	5.0	20.2	32.8	42.9	(3)	148.9	2.5	60.6
	1902	1,382.5	17.1	9.8	4.9	17.1	9.8	31.8	19.5	12.2	(3)	141.7	12.2	83.0
	1903	1,308.5	11.8	4.7	.....	16.6	2.4	11.8	23.7	26.0	(3)	146.7	14.2	47.3
	1904	1,479.9	22.9	6.9	.....	36.7	4.6	9.2	32.1	9.2	(3)	112.4	16.1	57.4
	1905	1,382.9	17.8	8.9	.....	6.7	17.8	11.1	24.5	24.5	15.6	106.9	8.9	57.9
	1906	1,374.0	4.4	17.6	.....	70.6	2.2	6.6	19.8	15.4	2.2	145.6	19.8	72.8
	1907	1,379.4	8.7	15.3	.....	2.2	15.3	13.1	17.5	39.3	15.3	139.9	8.7	50.3
	1908	1,404.1	10.8	13.0	.....	.....	6.5	4.3	23.8	15.2	6.5	125.7	26.0	65.0
	1909	1,407.0	8.6	12.9	.....	17.2	4.3	27.9	21.5	12.9	23.6	92.4	8.6	81.6
St. Lawrence County	1900	1,662.5	61.5	1.3	.....	24.9	5.2	.....	18.3	40.5	(3)	146.5	14.4	57.6
	1901	1,459.1	34.7	1.3	.....	30.7	6.7	6.7	25.4	53.4	(3)	139.0	30.7	61.5
	1902	1,150.4	31.9	.....	1.3	1.3	1.3	8.0	4.0	21.3	(3)	101.0	13.3	59.8
	1903	1,205.8	40.9	.....	.....	1.3	.....	6.6	17.2	23.8	(3)	85.8	6.6	59.4
	1904	1,192.2	26.3	.....	.....	.....	5.3	7.9	10.5	51.2	(3)	101.1	13.1	64.3
	1905	1,404.7	33.9	.....	.....	23.5	1.3	19.6	10.4	30.0	14.4	120.1	23.5	87.5
	1906	1,365.1	25.1	4.0	.....	9.2	2.6	7.9	7.9	15.8	11.9	116.1	13.2	67.3
	1907	1,359.6	25.3	.....	.....	.....	2.7	6.7	17.3	58.6	12.0	102.5	16.0	63.9
	1908	1,375.5	17.5	.....	.....	1.3	2.7	1.3	10.8	43.0	12.1	103.5	21.5	74.0
	1909	1,391.8	16.3	.....	.....	2.7	.....	14.9	12.2	9.5	10.9	88.3	17.7	86.9
Saratoga County	1900	1,600.2	26.7	.....	.....	.....	6.2	14.4	32.9	28.8	(3)	137.6	12.3	63.7
	1901	1,850.0	43.0	2.0	.....	16.4	8.2	8.2	22.5	110.6	(3)	157.8	10.2	82.0
	1902	1,522.2	20.4	2.0	.....	.....	4.1	.....	16.3	8.2	(3)	147.1	20.4	73.6
	1903	1,559.0	34.6	.....	.....	4.1	12.2	12.2	8.2	30.6	(3)	187.5	16.3	48.9
	1904	1,516.3	20.3	.....	.....	4.1	2.0	2.0	14.2	26.4	(3)	126.0	18.3	67.1
	1905	1,619.7	48 7	2.0	.....	6.1	.....	6.1	14.2	36.5	22.3	160.1	18.2	73.0
	1906	1,529.2	12.2	.....	.....	.....	4.1	12.2	10.1	22.3	36.5	95.3	12.2	66.9
	1907	1,633.3	20 3	.....	.....	12.2	6.1	20.3	10.1	34.5	24.3	131.9	26.4	64.9
	1908	1,581.3	22.3	2.0	.....	6.1	2.0	16.2	14.2	24.4	20.3	140.1	14.2	67.0
	1909	1,409.4	18.3	2.0	.....	2.0	4.1	8.1	10.2	18.3	14.2	111.7	14.2	93.4
Schenectady County	1900	1,410.7	32.9	.....	.....	26.4	19.8	6.6	65.9	19.8	(3)	125.2	19.8	72.5
	1901	1,470.8	49.0	.....	.....	6.1	6.1	6.1	98.1	6.1	(3)	128.7	12.3	42.9
	1902	1,933.1	21 1	.....	.....	.....	63.4	10.6	169.0	10.6	(3)	105.6	21.1	84.5
	1903	1,601.5	47.1	.....	.....	9.4	18.8	18.8	18.8	9.4	(3)	141.3	9.4	65.9
	1904	1,504.8	8 5	.....	.....	.....	.....	25.5	42.5	17.0	(3)	102.0	.....	68.0
	1905	1,239.3	31.0	.....	.....	7.7	23.2	.....	7.7	23.2	7.7	131.7	7.7	54.2
	1906	1,136.2	7.4	7.4	.....	.....	.....	.....	7.4	.....	7.4	81.7	7.4	52.0
	1907	1,216.1	14.3	.....	.....	7.2	21.5	7.2	35.8	14.3	.....	85.8	14.3	57.2
	1908	1,462.9	13.8	.....	.....	6.9	34.5	41.4	20.7	27.6	13.8	69.0	27.6	41.4
	1909	906.5	.....	.....	.....	.....	6.7	.....	.....	6.7	6.7	73.3	6.7	40.0
Schoharie County	1900	1,679.5	63.3	.....	.....	3.7	.....	3.7	11.1	11.1	(3)	182.5	.....	67.0
	1901	1,636.2	56.6	.....	.....	22.6	3.8	.....	.....	109.3	(3)	139.5	15.1	113.1
	1902	1,530.7	15.3	.....	.....	.....	.....	.....	11.5	42.0	(3)	137.4	15.3	80.2
	1903	1,720.3	34.8	.....	.....	3.9	.....	11.6	7.7	42.5	(3)	135.3	27.1	61.9
	1904	1,648.6	23.5	.....	.....	.....	11.7	7.8	23.5	82.2	(3)	125.3	11.7	117.5
	1905	1,487.7	19 8	.....	.....	19.8	.....	7.9	15.9	27.8	31.7	87.3	19.8	99.2
	1906	1,654.2	28 1	.....	.....	.....	.....	4.0	.....	24.1	20.1	120.4	8.0	80.3
	1907	1,579.4	40.6	.....	.....	16.2	4.1	4.1	12.2	28.4	8.1	117.7	32.5	97.4
	1908	1,585.0	12.3	.....	.....	4.1	.....	4.1	.....	41.1	16.4	123.2	16.4	123.2
	1909	1,640.7	20.8	4.2	.....	.....	20.8	4.2	4.2	16.6	24.9	91.4	33.2	145.4

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	18.4	24.5	194.1	163.5	157.3	53.1	77.6	116.5	102.2	28.6	10.2	53.1	47.0	226.8	2.0
.....	10.3	22.6	199.0	258.4	129.2	65.6	45.1	112.8	119.0	32.8	2.1	73.8	45.1	225.6	.....
2.1	28.8	10.3	177.1	189.4	67.9	39.1	47.4	90.6	131.8	30.9	8.2	47.4	30.9	201.8	.....
2.1	33.1	18.6	241.8	245.9	68.2	47.5	31.0	107.5	138.5	31.0	8.3	95.1	22.7	200.5	.....
4.1	24.9	18.7	211.6	280.1	116.2	56.0	47.7	91.3	132.8	60.2	10.4	93.4	37.3	209.5	.....
.....	16.7	10.4	227.0	324.9	154.1	37.5	35.4	108.3	131.2	58.3	18.7	91.6	22.9	185.3	.....
.....	18.8	10.5	211.1	250.8	110.8	41.8	43.9	104.5	140.0	25.1	14.6	121.2	6.3	167.2	.....
.....	21.0	16.8	226.5	350.0	111.2	41.9	31.5	90.2	127.9	44.0	18.9	113.3	8.4	134.2	.....
.....	16.8	8.4	244.1	326.2	94.7	42.1	61.0	136.8	109.4	69.5	25.3	96.8	16.8	160.0	2.1
4.2	46.5	14.8	175.3	318.9	101.4	44.4	35.9	92.9	118.3	61.2	12.7	71.8	14.8	141.5	.....
.....	14.5	21.8	174.1	174.1	87.0	166.8	94.3	58.0	94.3	94.3	.....	123.3	181.3	130.6	.....
.....	.....	7.2	274.4	151.6	137.2	86.6	57.8	86.6	50.5	43.3	.....	130.0	65.0	115.5	.....
7.2	7.2	7.2	179.7	201.3	93.4	93.4	86.3	122.2	79.1	28.8	14.4	50.3	86.3	165.3	7.2
.....	.....	35.8	136.0	171.7	85.9	78.7	57.2	50.1	85.9	57.2	14.3	128.8	57.2	171.7	.....
.....	14.2	21.4	206.6	185.2	92.6	114.0	64.1	78.4	106.9	64.1	.....	149.6	64.1	206.6	.....
.....	7.1	14.2	184.4	163.1	134.7	92.2	120.6	49.6	156.0	49.6	14.2	127.7	21.3	120.6	.....
.....	28.1	28.1	175.7	154.7	84.4	63.3	112.5	105.4	77.3	56.2	14.1	126.5	56.2	91.4	.....
.....	20.9	55.8	216.2	202.2	97.6	55.8	48.8	62.8	139.5	55.8	7.0	160.4	20.9	111.6	.....
.....	20.8	13.8	186.8	186.8	124.5	96.8	69.2	69.2	152.2	103.8	13.8	117.6	6.9	110.7	.....
.....	6.9	34.3	233.3	281.3	144.1	68.6	68.6	68.6	151.0	61.8	27.4	144.1	41.2	164.7	.....
.....	10.3	26.8	175.5	165.1	125.9	74.3	66.1	86.6	105.3	39.2	12.4	72.2	61.9	177.5	2.1
2.2	8.6	32.3	200.4	187.4	125.0	79.7	56.0	94.8	79.7	30.2	2.2	105.6	32.3	215.5	.....
2.2	13.0	30.3	197.0	203.5	134.2	77.9	47.6	80.1	95.2	34.6	8.7	77.9	39.0	127.7	.....
2.2	23.9	26.1	193.6	248.0	119.6	78.3	47.9	97.9	126.2	32.6	2.2	87.0	28.3	141.4	.....
2.2	6.6	28.4	196.7	220.8	155.2	69.9	52.5	78.7	102.7	39.3	6.6	87.4	41.5	142.1	.....
4.4	13.2	26.4	142.8	193.3	131.8	50.5	61.5	85.7	118.6	68.1	4.4	116.4	22.0	118.6	.....
.....	15.4	19.8	145.0	219.7	129.6	68.1	50.5	61.5	127.4	39.5	.....	79.1	37.4	140.6	.....
.....	24.2	26.4	200.0	239.6	112.1	52.7	46.2	83.5	125.3	44.0	11.0	94.5	26.4	138.5	.....
.....	22.0	26.4	189.1	224.2	123.1	46.2	79.1	72.5	129.7	48.4	24.2	92.3	19.8	96.7	2.2
.....	17.6	19.8	204.5	288.1	105.6	88.0	41.8	79.2	118.7	41.8	24.2	94.6	17.6	90.2	.....
5.2	5.2	73.1	180.2	156.7	91.4	75.7	156.7	47.0	91.4	73.1	7.8	60.1	78.3	101.8	13.1
2.5	7.6	40.4	181.7	121.2	103.5	63.1	101.0	68.1	80.8	53.0	5.0	88.3	42.9	151.4	2.5
7.3	4.9	24.4	180.7	119.7	61.1	73.3	100.1	44.0	102.6	63.5	2.4	80.6	44.0	112.4	2.4
.....	11.8	21.3	144.3	151.4	94.6	71.0	40.2	71.0	106.5	71.0	7.1	97.0	28.4	85.2	2.4
2.3	18.4	25.2	142.3	197.3	87.2	75.7	121.6	62.0	103.3	64.2	9.2	114.7	32.1	114.7	2.3
2.2	11.1	29.0	147.0	180.4	62.4	53.4	111.3	69.0	149.2	51.2	6.7	113.6	20.0	75.7	.....
.....	8.8	22.1	136.7	169.8	70.6	59.5	79.4	55.1	83.8	50.7	11.0	127.9	22.1	97.0	2.2
2.2	13.1	21.9	150.8	161.8	124.6	70.0	94.0	63.4	83.1	54.7	13.1	115.9	10.9	74.3	.....
.....	10.8	23.8	147.3	208.0	58.5	43.3	110.5	67.2	140.8	54.2	10.8	138.7	17.3	75.8	.....
4.3	17.2	15.0	143.9	232.0	120.3	70.9	66.6	75.2	116.0	45.1	6.4	111.7	6.4	64.4	.....
3.9	17.0	34.0	179.2	188.4	150.4	65.4	83.7	95.5	82.4	44.5	11.8	66.7	47.1	217.1	5.2
.....	16.0	22.7	139.0	149.7	108.2	66.8	56.1	80.2	44.1	38.7	8.0	69.5	37.4	231.1	1.3
1.3	12.0	14.6	152.8	130.2	65.1	67.7	58.4	57.1	47.8	37.2	1.3	54.5	33.2	171.4	2.7
1.3	11.9	11.9	145.3	151.9	88.5	47.5	70.0	70.0	47.5	42.3	7.9	66.0	25.1	177.0	.....
1.3	15.8	9.2	130.0	200.9	56.5	52.5	40.7	67.0	56.5	36.8	7.9	61.7	26.3	147.0	2.6
1.3	14.4	15.7	135.8	190.6	78.3	73.1	88.8	82.2	65.3	41.8	9.1	62.7	22.2	156.7	2.6
7.9	15.2	10.6	149.0	172.8	83.1	34.3	88.4	93.6	55.4	64.6	7.9	106.8	26.4	164.9	2.6
.....	5.3	20.0	150.5	189.1	99.9	42.6	61.3	66.6	62.6	55.9	14.6	81.2	22.6	182.4	.....
2.7	12.1	14.8	142.5	229.9	86.1	60.5	43.0	68.6	68.6	75.3	8.1	88.7	22.9	164.0	.....
.....	9.5	12.2	168.4	253.9	97.8	66.5	69.2	77.4	85.5	54.3	9.5	65.2	21.7	141.2	.....
.....	10.3	28.8	186.9	139.7	119.1	102.7	84.2	88.3	67.8	74.0	2.0	80.1	90.4	201.3	2.0
.....	6.1	28.7	157.8	157.8	168.0	100.4	75.8	86.0	98.3	51.2	2.0	108.6	118.8	229.5	.....
.....	10.2	28.6	196.2	141.0	120.6	89.9	55.2	71.5	104.2	53.1	2.0	114.4	45.0	198.2	.....
4.1	8.2	24.5	177.3	173.2	75.4	97.8	55.0	65.2	144.7	26.5	.....	106.0	38.7	203.7	4.1
.....	4.1	32.5	201.2	172.8	109.8	87.4	67.1	89.4	101.6	52.8	2.0	101.6	50.8	162.6	.....
2.0	12.2	40.5	172.3	202.7	127.7	113.5	68.9	77.0	109.5	34.5	4.1	85.1	44.6	135.8	2.0
4.1	12 2	22.3	204.8	196.7	135.9	85.2	93.3	56.8	99.4	60.8	4.1	97.3	54.8	129.8	.....
.....	4.1	22.3	237.4	200.9	156.2	73.0	73.0	75.1	121.7	52.8	12.2	95.4	12.2	146.1	.....
.....	4.1	34.5	194.9	215.2	123.8	77.1	87.3	56.8	156.3	52.8	4.1	95.4	22.3	125.9	2.0
2.0	14.2	18.3	170.6	237.6	79.2	73.1	81.2	67.0	127.9	38.6	6.1	67.0	10.2	115.8	4.1
.....	13.2	19.8	210.9	105.5	59.3	98.9	131.8	92.3	46.1	39.6	.....	72.5	39.6	92.3	.....
.....	6.1	24.5	153.2	128.7	91.9	128.7	140.9	42.9	73.5	36.8	6.1	134.8	61.3	85.8	.....
.....	.....	42.3	169.0	116.2	200.7	116.2	126.8	63.4	52.8	84.5	21.1	200.7	95.1	158.4	.....
28.3	9.4	28.3	141.3	197.8	94.2	103.6	103.6	94.2	94.2	65.9	.....	84.8	9.4	197.8	9.4
.....	.....	8.5	161.5	170.0	127.5	119.0	93.5	76.5	93.5	51.0	17.0	127.5	42.5	153.0	.....
.....	.....	38.7	170.4	139.4	93.0	62.0	38.7	38.7	77.5	31.0	7.7	123.9	38.7	85.2	.....
.....	.....	7.4	74.3	163.4	74.3	44.6	81.7	89.1	59.4	66.8	7.4	155.9	37.1	104.0	.....
.....	14.3	.....	128.8	128.8	121.6	42.9	50.1	35.8	100.2	71.5	14.3	150.2	28.6	71.5	.....
6.9	13.8	20.7	172.5	234.6	110.4	48.3	151.8	41.4	103.5	55.2	13.8	117.3	20.7	55.2	.....
.....	20.0	6.7	153.3	113.3	33.3	46.7	40.0	26.7	66.7	33.3	6.7	100.0	13.3	106.6	.....
.....	14.9	22.4	189.9	175.0	108.0	74.5	44.7	141.5	89.4	52.2	7.5	37.2	119.2	245.8	14.9
.....	11.3	18.9	192.3	177.2	135.7	64.1	41.5	90.5	105.6	18.9	11.3	64.1	37.7	199.8	7.5
.....	42.0	7.6	206.1	198.5	57.3	80.2	49.6	91.6	106.9	45.8	7.6	68.7	57.3	198.5	11.5
7.7	15.5	30.9	274.5	235.8	81.2	85.0	58.0	81.2	131.4	38.7	7.7	85.0	58.0	204.9	.....
.....	19.6	31.3	270.2	215.4	62.7	70.5	27.4	105.7	70.5	23.5	15.7	74.4	23.5	231.0	3.9
.....	15.9	23.8	210.3	190.4	75.4	35.7	59.5	79.3	107.1	43.6	11.9	59.5	47.6	190.4	7.9
.....	16.1	8.0	240.9	228.9	108.4	72.3	56.2	116.4	108.4	36.1	20.1	132.5	28.1	184.7	12.0
.....	24.4	12.2	219.2	255.8	121.8	85.3	32.5	73.1	129.9	44.7	4.1	85.3	8.1	121.8	.....
.....	20.5	12.3	188.9	291.5	94.4	65.7	61.6	90.3	106.8	24.6	16.4	82.1	28.7	160.1	.....
.....	24.9	12.5	199.4	328.1	91.4	58.2	62.3	74.8	128.8	49.8	8.3	103.8	12.5	120.5	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
NEW YORK RURAL[2]—Continued.														
Schuyler County	1900	1,625.5	19.0	6.3	.....	19.0	6.3	25.3	.....	19.0	(3)	94.9	.....	113.9
	1901	1,641.8	12.8	.....	.....	12.8	.....	12.8	19.2	51.1	(3)	83.0	12.8	89.4
	1902	1,361.5	19.4	.....	.....	.....	.....	.....	25.8	71.0	(3)	83.9	12.9	129.0
	1903	1,264.6	19.6	.....	.....	.....	.....	6.5	6.5	19.6	(3)	65.2	.....	65.2
	1904	1,501.7	19.8	.....	.....	13.2	.....	6.6	32.9	26.3	(3)	98.8	.....	92.2
	1905	1,643.9	20.0	.....	.....	6.7	6.7	.....	20.0	40.0	40.0	106.5	40.0	66.6
	1906	1,378.5	20.3	6.8	.....	.....	.....	.....	.....	13.5	13.5	60.8	13.5	67.6
	1907	1,850.6	34.3	.....	.....	6.9	.....	20.6	6.9	82.2	20.6	96.0	6.9	109.7
	1908	1,912.2	20.9	.....	.....	.....	.....	.....	7.0	69.5	13.9	62.6	34.8	90.4
	1909	1,446.6	21.2	.....	.....	.....	.....	7.1	.....	14.1	14.1	63.5	21.2	176.4
Seneca County*	1900	1,714.4	21.3	7.1	.....	.....	7.1	3.6	14.2	24.9	(3)	163.6	3.6	85.4
	1901	2,062.0	10.7	.....	.....	17.9	10.7	14.3	14.3	85.8	(3)	221.6	21.4	92.9
	1902	1,827.6	21.5	3.6	.....	.....	.....	3.6	10.8	18.0	(3)	219.0	18.0	114.9
	1903	1,904.9	18.0	.....	.....	3.6	.....	7.2	10.8	25.3	(3)	187.6	21.6	151.5
	1904	1,982.9	10.9	.....	.....	3.6	.....	3.6	7.3	50.8	(3)	221.1	18.1	68.9
	1905	1,959.6	25.5	.....	.....	7.3	.....	7.3	.....	61.9	21.9	211.3	14.6	72.8
	1906	2,047.7	18.3	7.3	.....	.....	7.3	3.7	11.0	14.6	21.9	336.4	11.0	95.1
	1907	2,073.5	29.4	.....	.....	3.7	3.7	11.0	18.3	40.4	7.3	245.9	18.3	124.8
	1908	2,025.8	11.0	3.7	.....	.....	14.7	11.0	7.4	77.3	22.1	309.4	36.8	121.5
	1909	1,955.6	14.8	3.7	.....	.....	.....	7.4	14.8	14.8	14.8	203.3	37.0	110.9
Steuben County	1900	1,456.2	23.7	2.8	.....	1.4	1.4	2.8	23.7	12.5	(3)	105.9	16.7	71.1
	1901	1,457.3	16.8	1.4	.....	14.0	5.6	15.4	14.0	44.9	(3)	101.0	5.6	75.7
	1902	1,403.4	22.6	.....	.....	2.8	1.4	2.8	12.7	8.5	(3)	84.7	7.1	73.4
	1903	1,429.7	18.5	.....	.....	4.3	1.4	9.9	24.2	37.0	(3)	92.4	14.2	71.1
	1904	1,613.8	24.3	1.4	.....	25.8	4.3	1.4	38.6	28.6	(3)	118.7	11.4	93.0
	1905	1,551.2	17.3	.....	.....	2.9	.....	4.3	20.2	17.3	18.7	135.4	23.0	96.5
	1906	1,620.2	39.1	1.8	.....	.....	1.8	3.6	1.8	10.7	14.2	87.1	5.3	96.0
	1907	1,693.0	10.7	.....	.....	10.7	.....	1.8	10.7	40.9	5.3	96.1	14.2	99.7
	1908	1,746.4	12.5	.....	.....	3.6	.....	7.1	1.8	30.3	14.3	103.4	.....	114.0
	1909	1,837.3	10.7	1.8	.....	12.5	1.8	1.8	3.6	23.2	14.3	87.4	12.5	139.1
Suffolk County*	1900	1,648.6	23.2	6.4	.....	.....	1.3	12.9	25.8	27.1	(3)	168.9	14.2	47.7
	1901	1,639.7	21.3	1.3	.....	1.3	1.3	15.1	11.3	33.9	(3)	195.9	16.3	69.1
	1902	1,634.9	17.1	8.6	4.9	8.6	8.6	13.5	17.1	3.7	(3)	181.1	9.8	50.2
	1903	1,783.1	11.9	7.2	.....	2.4	7.2	29.8	15.5	16.7	(3)	212.4	8.4	65.6
	1904	1,947.4	18.6	3.5	.....	12.8	4.7	7.0	15.1	24.5	(3)	205.0	8.2	80.4
	1905	1,740.1	20.5	5.7	.....	4.5	.....	1.1	20.5	17.1	23.9	169.5	17.1	73.9
	1906	1,819.5	8.9	3.3	.....	.....	2.2	8.9	12.3	13.4	17.8	199.4	14.5	70.2
	1907	2,004.7	10.9	4.4	.....	1.1	2.2	18.6	10.9	27.3	24.1	196.9	26.2	61.2
	1908	1,878.2	7.5	1.1	.....	1.1	4.3	6.4	17.2	31.1	18.3	183.6	16.1	78.4
	1909	1,781.6	11.6	.....	.....	1.1	5.3	4.2	16.9	16.9	5.3	174.0	19.0	83.3
Sullivan County	1900	1,776.8	37.1	9.3	.....	3.1	6.2	6.2	9.3	31.0	(3)	256.9	18.6	77.4
	1901	1,601.9	24.4	.....	.....	3.1	.....	9.2	15.3	67.1	(3)	344.8	30.5	51.9
	1902	1,483.1	33.1	6.0	.....	6.0	3.0	.....	9.0	12.0	(3)	294.8	18.0	57.2
	1903	1,507.0	17.8	5.9	.....	8.9	3.0	8.9	26.7	29.7	(3)	311.5	14.8	32.6
	1904	1,831.6	8.8	2.9	.....	14.6	2.9	5.9	26.3	67.3	(3)	494.5	8.8	76.1
	1905	1,884.8	40.4	5.8	.....	.....	.....	.....	5.8	28.9	11.5	467.6	23.1	49.1
	1906	1,752.8	23.2	.....	.....	2.9	.....	17.4	17.4	14.5	11.6	441.1	17.4	58.0
	1907	1,825.7	29.2	.....	.....	.....	2.9	2.9	14.6	64.2	14.6	504.5	23.3	52.5
	1908	1,793.8	23.4	.....	.....	.....	5.9	8.8	.....	23.4	8.8	448.5	32.2	67.4
	1909	1,794.1	23.6	.....	.....	5.9	8.8	23.6	2.9	23.6	23.6	477.2	29.5	58.9
Tioga County	1900	1,713.7	43.0	.....	.....	7.1	7.1	25.1	10.7	60.3	(3)	128.8	.....	96.6
	1901	1,677.8	32.5	3.6	.....	32.5	.....	10.8	7.2	72.2	(3)	126.3	3.6	79.4
	1902	1,422.9	21.8	.....	.....	.....	3.6	7.3	32.8	32.8	(3)	72.8	.....	80.1
	1903	1,626.0	25.7	7.3	.....	.....	11.0	3.7	22.0	36.7	(3)	77.1	14.7	95.4
	1904	1,714.4	14.8	.....	.....	14.8	3.7	7.4	11.1	59.2	(3)	92.6	14.8	111.1
	1905	1,658.6	29.9	.....	.....	3.7	.....	3.7	7.5	52.3	26.1	59.8	7.5	82.2
	1906	1,648.1	18.9	.....	.....	.....	7.5	3.8	11.3	11.3	18.9	86.7	3.8	98.1
	1907	1,735.1	41.9	.....	.....	.....	7.6	.....	22.8	64.7	7.6	72.3	26.6	106.5
	1908	1,919.7	19.2	.....	.....	11.5	11.5	19.2	19.2	65.3	7.7	80.6	11.5	99.8
	1909	1,762.8	11.6	.....	.....	.....	3.9	7.7	15.5	34.9	11.6	62.0	15.5	108.5
Tompkins County	1900	1,531.8	29.0	.....	.....	.....	9.7	.....	4.8	24.2	(3)	91.8	19.3	82.1
	1901	1,525.7	29.3	.....	.....	4.9	.....	9.8	14.7	44.0	(3)	92.9	14.7	83.1
	1902	1,504.4	24.7	.....	.....	4.9	.....	4.9	14.8	34.6	(3)	133.6	4.9	39.6
	1903	1,577.9	30.1	5.0	.....	.....	.....	20.0	15.0	70.1	(3)	85.2	5.0	95.2
	1904	1,567.1	30.4	.....	.....	5.1	.....	.....	5.1	91.3	(3)	81.1	10.1	71.0
	1905	1,699.6	30.8	.....	.....	.....	.....	.....	10.3	30.8	25.7	97.6	30.8	113.0
	1906	1,417.0	25.9	.....	.....	.....	.....	15.5	5.2	20.7	25.9	87.9	15.5	62.1
	1907	1,650.4	5.2	.....	.....	.....	.....	.....	10.4	83.3	26.0	104.1	20.8	109.3
	1908	1,577.7	15.7	.....	.....	.....	.....	.....	21.0	73.4	36.7	57.7	21.0	83.9
	1909	1,519.9	21.1	.....	.....	.....	5.3	5.3	5.3	47.5	15.8	116.1	42.2	158.3
Ulster County	1900	1,588.7	39.1	7.8	.....	32.9	14.1	23.5	31.3	21.9	(3)	142.4	12.5	68.9
	1901	1,671.6	26.8	14.2	6.3	1.6	26.8	3.2	50.5	52.1	(3)	170.5	15.8	71.0
	1902	1,453.3	44.6	8.0	.....	4.8	8.0	12.7	33.4	14.3	(3)	156.0	14.3	57.3
	1903	1,377.5	24.1	8.0	.....	1.6	16.1	17.7	16.1	41.7	(3)	158.9	8.0	72.2
	1904	1,504.3	40.5	8.1	.....	24.3	1.6	11.3	24.3	42.1	(3)	149.0	16.2	64.8
	1905	1,440.7	14.7	3.3	.....	1.6	.....	1.6	26.1	47.4	11.4	132.3	19.6	68.6
	1906	1,481.1	27.3	3.2	.....	1.6	.....	1.6	27.3	20.9	27.3	138.1	14.5	75.5
	1907	1,560.0	15.8	4.7	.....	11.1	3.2	15.8	31.6	55.4	12.7	145.6	20.6	60.1
	1908	1,416.9	14.0	6.2	.....	1.6	1.6	.....	17.1	23.4	20.3	160.5	14.0	76.4
	1909	1,497.5	7.7	3.1	.....	13.8	.....	16.9	12.3	29.2	4.6	110.6	15.4	82.9

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
12.6	.....	6.3	189.8	151.8	158.1	56.9	113.9	113.9	88.5	25.3	12.6	82.2	69.6	240.3	.....
.....	6.4	6.4	274.7	210.8	159.7	83.0	57.5	121.4	83.0	57.5	12.8	63.9	63.9	146.9	.....
.....	.....	25.8	161.3	167.8	116.1	38.7	25.8	109.7	103.2	45.2	12.9	58.1	19.4	129.0	6.5
6.5	19.6	6.5	208.6	234.7	39.1	52.1	26.1	117.3	52.1	19.6	6.5	97.8	26.1	163.0	6.5
6.6	32.9	.....	237.1	217.3	72.4	65.9	39.5	105.4	125.1	19.8	6.6	52.7	19.8	210.8	.....
.....	20.0	20.0	246.3	272.9	99.8	13.3	13.3	153.1	106.5	20.0	26.6	113.1	20.0	173.1	.....
6.8	.....	13.5	256.8	250.0	87.8	13.5	74.3	81.1	47.3	27.0	6.8	114.9	27.0	175.7	.....
.....	6.9	6.9	239.9	349.6	116.5	68.5	82.2	123.4	130.2	13.7	27.4	82.2	27.4	191.9	.....
7.0	13.9	41.7	215.6	389.4	69.5	69.5	118.2	118.2	159.9	13.9	27.8	55.6	48.7	264.2	.....
.....	14.1	.....	197.6	261.1	56.5	63.5	21.2	112.9	70.6	21.2	14.1	134.1	.....	155.2	7.1
14.2	14.2	17.8	259.7	256.1	135.2	46.2	92.5	99.6	106.7	39.1	17.8	71.1	49.8	163.6	.....
7.1	17.9	14.3	289.5	339.5	142.9	82.2	64.3	92.9	135.8	32.2	14.3	135.8	21.4	182.3	.....
3.6	18.0	10.8	237.0	333.9	132.9	57.5	61.0	93.4	132.9	18.0	18.0	89.8	7.2	201.1	3.6
.....	14.4	7.2	277.8	270.6	158.7	97.4	54.1	122.7	147.9	32.5	14.4	64.9	18.0	194.8	3.6
.....	25.4	10.9	351.6	416.9	141.4	54.4	58.0	90.6	134.1	25.4	14.5	101.5	14.5	159.5	.....
.....	10.9	18.2	342.4	295.0	112.9	76.5	83.8	102.0	138.4	40.1	14.6	94.7	25.2	182.1	.....
3.7	7.3	7.3	277.9	343.7	131.6	69.5	95.1	106.0	106.0	54.8	3.7	109.7	29.3	175.5	.....
.....	11.0	14.7	278.9	473.4	124.8	55.0	47.7	99.1	190.8	29.4	25.7	91.7	7.3	121.1	.....
.....	33.1	7.4	232.0	423.6	143.6	55.2	66.3	84.7	165.7	25.8	11.0	55.2	7.4	99.4	.....
.....	18.5	7.4	247.7	476.9	110.9	81.3	66.5	81.3	129.4	33.3	14.8	99.8	22.2	144.2	.....
2.8	9.7	37.6	196.5	200.6	101.7	66.9	92.0	80.8	65.5	25.1	4.2	59.9	41.8	202.1	7.0
1.4	8.4	23.8	176.7	154.3	148.7	94.0	22.4	72.9	68.7	40.7	5.6	67.3	46.3	231.4	.....
2.8	11.3	25.4	155.3	218.8	108.7	60.7	56.5	101.7	73.4	18.4	18.4	90.4	40.9	201.9	2.8
.....	14.2	25.6	170.5	267.2	89.5	66.8	39.8	75.3	83.8	39.8	11.4	65.4	38.4	169.1	.....
1.4	15.7	17.2	210.3	238.9	91.6	70.1	48.6	110.2	87.3	50.1	15.7	83.0	51.5	174.5	.....
.....	17.3	13.0	203.1	266.4	79.2	72.0	37.4	74.9	77.8	37.4	17.3	92.2	30.2	195.9	1.4
.....	5.3	16.0	247.2	282.8	88.9	92.5	72.9	83.6	124.5	30.2	10.7	76.5	19.6	204.5	3.6
.....	19.6	10.7	256.4	325.8	81.9	57.0	57.0	87.2	135.3	42.7	21.4	83.7	7.1	217.2	.....
.....	17.8	8.9	226.3	329.7	106.9	115.8	57.0	89.1	147.9	55.2	16.0	76.6	19.6	192.5	.....
.....	7.1	12.5	233.7	383.5	57.1	124.9	71.4	89.2	169.5	33.9	23.2	85.6	12.5	224.8	.....
.....	6.4	21.9	257.8	188.2	85.1	63.1	98.0	73.5	110.8	47.7	11.6	60.6	112.1	181.7	2.6
2.5	8.8	17.6	277.5	193.3	84.1	81.6	118.0	75.3	94.2	41.4	6.3	74.1	52.7	144.4	1.3
.....	12.2	15.9	286.3	217.8	71.0	73.4	101.6	93.0	121.1	37.9	6.1	86.9	44.1	140.7	3.7
1.2	14.3	26.3	321.0	233.9	95.5	83.5	58.5	93.1	127.7	58.5	10.7	95.5	45.4	138.4	2.4
1.2	15.1	26.8	347.1	302.8	113.0	79.2	95.5	89.7	135.1	31.4	10.5	87.4	64.1	168.9	.....
2.3	12.5	28.4	311.6	243.4	118.3	89.8	93.3	75.1	126.2	48.9	5.7	72.8	23.9	134.2	.....
.....	16.7	14.5	343.2	274.1	111.4	85.8	73.5	78.0	143.7	39.0	14.5	98.0	37.9	137.0	1.1
1.1	24.1	17.5	359.8	325.9	133.4	126.9	89.7	85.3	164.1	50.3	18.6	94.1	17.5	112.6	.....
2.1	14.0	8.6	401.6	307.1	96.7	119.2	110.6	97.7	111.7	50.5	12.9	66.6	12.9	98.8	2.1
1.1	15.8	11.6	385.0	303.8	72.8	129.7	80.2	69.6	145.6	34.8	13.7	81.2	7.4	89.7	2.1
.....	3.1	34.0	244.5	216.7	145.5	77.4	117.6	80.5	43.3	27.8	.....	74.3	92.9	157.9	6.2
3.1	12.2	24.4	134.3	186.1	94.6	88.5	79.3	100.7	67.1	6.1	9.2	51.9	42.7	155.6	.....
9.0	12.0	18.0	180.5	171.5	135.4	51.1	78.2	81.2	42.1	24.1	12.0	51.1	57.2	120.3	.....
5.9	5.9	14.8	160.2	192.8	103.8	71.2	53.4	86.0	68.2	44.5	8.9	77.1	44.5	106.8	3.0
2.9	14.6	17.6	163.9	201.9	90.7	64.4	41.0	70.2	108.3	23.4	11.7	90.7	79.0	140.4	2.9
.....	8.7	43.3	233.8	210.7	112.6	66.4	57.7	101.0	95.3	28.9	2.9	98.1	52.0	141.4	.....
2.9	8.7	29.0	211.8	197.3	87.1	78.4	49.3	75.4	78.4	49.3	2.9	78.4	52.2	148.0	.....
2.9	17.5	32.1	172.1	245.0	84.6	87.5	67.1	99.2	46.7	23.3	14.6	75.8	17.5	131.2	.....
2.9	29.3	41.0	190.5	231.6	85.0	70.3	58.6	123.1	87.9	32.2	14.7	76.2	26.4	105.5	.....
2.9	8.8	11.8	138.5	262.2	109.0	76.6	67.8	82.5	67.8	50.1	14.7	82.5	20.6	120.8	.....
7.1	7.1	21.5	254.0	182.5	146.7	78.7	82.3	96.6	107.4	28.6	10.7	68.0	50.1	193.2	.....
3.6	25.3	18.0	274.2	230.9	61.3	54.1	54.1	83.0	72.2	32.5	10.8	140.7	43.3	205.7	.....
.....	3.6	14.6	232.9	222.0	83.7	47.3	65.5	69.1	61.9	25.5	18.2	80.1	47.3	196.5	3.6
.....	14.7	11.0	242.3	242.3	62.4	106.4	62.4	69.7	91.8	73.4	7.3	99.1	51.4	198.2	.....
.....	7.4	25.9	262.9	281.4	92.6	55.5	44.4	92.6	96.3	55.5	7.4	100.0	48.1	214.8	.....
3.7	18.7	11.2	239.1	254.0	160.6	48.6	108.3	85.9	89.7	26.1	22.4	89.7	41.1	183.0	3.7
.....	26.4	.....	245.1	218.7	139.5	56.6	86.7	98.1	75.4	56.6	11.3	139.5	49.0	184.8	.....
.....	15.2	11.4	258.7	274.0	144.6	76.1	34.2	106.5	102.7	38.1	30.4	95.1	30.4	167.4	.....
.....	15.4	23.0	303.3	284.1	134.4	88.3	80.6	96.0	165.1	65.3	19.2	72.9	46.1	180.4	.....
3.9	31.0	19.4	317.7	220.8	73.6	73.6	54.2	139.5	143.3	54.2	15.5	143.3	31.0	170.5	.....
4.8	14.5	14.5	294.8	198.2	82.1	58.0	67.7	82.1	67.7	33.8	9.7	77.3	82.1	169.1	14.5
.....	14.7	14.7	249.4	171.1	97.8	73.3	97.8	83.1	92.9	24.4	4.9	63.6	53.8	190.7	.....
.....	14.8	19.8	207.8	277.1	103.9	39.6	34.6	74.2	74.2	39.6	14.8	49.5	74.2	212.8	4.9
.....	10.0	5.0	240.4	250.5	50.1	85.2	40.1	70.1	80.1	40.1	10.0	70.1	50.1	250.5	.....
.....	5.1	5.1	263.7	263.7	96.4	60.9	30.4	76.1	91.3	25.4	15.2	81.1	55.8	202.9	.....
.....	5.1	15.4	292.7	261.9	87.3	97.6	51.3	97.6	87.3	41.1	20.5	87.3	41.1	174.6	.....
.....	15.5	25.9	232.7	243.1	108.6	56.9	41.4	87.9	77.6	10.3	15.5	72.4	20.7	150.0	.....
5.2	10.4	20.8	260.3	255.1	88.5	72.9	36.4	93.7	114.5	10.4	36.4	83.3	31.2	171.8	.....
.....	31.4	10.5	277.8	251.6	57.7	36.7	73.4	115.3	110.1	52.4	10.5	83.9	10.5	146.8	.....
.....	.....	10.6	226.9	242.8	52.8	73.9	26.4	73.9	95.0	31.7	21.1	89.7	5.3	153.0	.....
.....	14.1	18.8	217.6	173.8	131.5	106.4	122.1	75.1	56.3	36.0	3.1	53.2	53.2	131.5	1.6
6.3	7.9	28.4	224.1	153.1	120.0	90.0	74.2	118.4	78.9	45.8	3.2	83.7	41.0	157.8	.....
1.6	17.5	25.5	206.9	170.3	109.8	82.8	49.3	74.8	70.0	23.9	3.2	76.4	46.2	141.7	.....
1.6	6.4	25.7	194.3	154.1	85.1	64.2	56.2	81.9	85.1	28.9	16.1	67.4	46.6	97.9	1.6
1.6	6.5	27.5	228.3	205.7	93.9	68.0	66.4	84.2	85.8	32.4	4.9	56.7	48.6	111.7	.....
.....	4.9	16.3	207.4	191.1	106.2	73.5	75.1	86.6	76.8	40.8	14.7	94.7	32.7	91.5	1.6
1.6	25.7	19.3	160.6	229.7	96.4	48.2	91.6	106.0	72.3	36.9	3.2	83.5	36.9	126.9	4.8
3.2	17.4	28.5	191.4	221.5	126.6	61.7	90.2	83.9	74.4	45.9	4.7	83.9	15.8	134.5	.....
3.1	12.5	9.4	218.2	176.1	95.1	65.5	87.3	87.3	79.5	54.6	6.2	87.3	21.8	76.4	1.6
1.5	16.9	20.0	185.8	225.8	144.4	70.7	67.6	78.3	106.0	41.5	18.4	106.0	10.8	107.5	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
NEW YORK RURAL[2]—Continued.														
Warren County	1900	1,569.5	34.6	.....	.....	.....	23.1	.....	17.3	23.1	(3)	144.2	5.8	86.5
	1901	1,532.2	17.3	.....	5.8	11.6	11.6	.....	5.8	69.4	(3)	115.6	17.3	52.0
	1902	1,170.3	46.3	5.8	.....	5.8	.....	.....	.....	40.6	(3)	63.7	.....	52.1
	1903	1,555.9	23.2	.....	5.8	11.6	.....	.....	.....	29.0	(3)	168.4	17.4	98.7
	1904	1,431.1	11.6	.....	.....	.....	.....	11.6	17.5	17.5	(3)	139.6	.....	75.6
	1905	1,288.3	40.8	.....	.....	.....	5.8	5.8	.....	23.3	11.7	58.3	5.8	52.5
	1906	1,443.1	29.2	.....	.....	.....	5.8	.....	11.7	5.8	35.1	134.4	.....	76.0
	1907	1,522.2	29.3	5.9	.....	11.7	.....	5.9	5.9	41.0	.....	146.4	29.3	64.4
	1908	1,584.0	46.9	.....	.....	5.9	.....	5.9	5.9	35.2	.....	129.1	23.5	52.8
	1909	1,616.8	23.5	.....	.....	.....	.....	.....	.....	11.8	5.9	111.7	.....	117.6
Washington County	1900	1,643.9	30.7	8.8	.....	4.4	2.2	4.4	30.7	19.7	(3)	140.3	8.8	89.9
	1901	1,591.2	26.1	.....	2.2	4.4	17.4	8.7	37.0	78.4	(3)	139.3	19.6	78.4
	1902	1,491.7	23.8	.....	.....	.....	21.6	2.2	34.6	17.3	(3)	138.4	19.5	82.2
	1903	1,415.0	10.7	.....	.....	.....	4.3	.....	2.1	19.3	(3)	96.6	21.5	68.7
	1904	1,456.6	21.3	2.1	.....	.....	.....	12.8	8.5	51.2	(3)	115.2	19.2	53.3
	1905	1,673.5	59.3	.....	.....	33.9	6.4	2.1	8.5	40.2	29.7	135.6	19.1	86.9
	1906	1,523.3	44.4	.....	.....	.....	4.2	10.6	8.5	31.7	19.0	133.1	14.8	80.3
	1907	1,618.5	27.4	.....	.....	2.1	.....	2.1	2.1	65.3	8.4	128.6	25.3	82.2
	1908	1,492.6	18.9	.....	.....	.....	.....	14.7	21.0	37.8	31.5	103.0	21.0	92.5
	1909	1,541.4	18.9	.....	.....	10.5	8.4	2.1	18.9	29.4	8.4	79.7	8.4	98.6
Wayne County	1900	1,547.5	10.3	2.1	2.1	4.1	8.2	.....	8.2	30.8	(3)	160.3	8.2	86.3
	1901	1,457.6	26.7	2.1	.....	6.2	6.2	2.1	12.3	69.8	(3)	112.9	8.2	71.9
	1902	1,304.3	39.0	.....	.....	.....	.....	.....	6.2	22.6	(3)	100.5	8.2	96.4
	1903	1,532.3	14.3	6.1	.....	16.4	14.3	.....	8.2	32.8	(3)	108.6	12.3	84.0
	1904	1,483.6	28.6	.....	.....	.....	4.1	2.0	22.5	30.7	(3)	108.5	22.5	88.0
	1905	1,670.1	28.6	4.1	.....	12.3	6.1	24.5	10.2	34.8	20.4	108.3	8.2	75.6
	1906	1,526.5	16.3	.....	.....	.....	10.2	4.1	12.2	10.2	10.2	113.8	24.4	79.3
	1907	1,524.6	22.2	.....	.....	.....	2.0	.....	14.2	38.4	14.2	95.0	22.2	99.1
	1908	1,391.9	14.1	.....	.....	.....	4.0	2.0	12.1	30.2	12.1	84.5	22.1	68.4
	1909	1,554.8	16.0	2.0	.....	4.0	.....	14.0	12.0	16.0	10.0	74.0	14.0	96.0
Westchester County	1900	1,675.2	17.8	14.4	.....	7.8	5.6	11.1	45.5	35.5	(3)	163.3	18.9	54.4
	1901	1,705.1	19.2	11.7	4.3	12.8	7.5	21.3	38.3	46.9	(3)	217.3	13.8	58.6
	1902	1,569.9	11.3	9.2	5.1	3.1	7.2	13.3	36.8	9.2	(3)	155.5	13.3	90.0
	1903	1,437.3	12.8	5.9	2.0	3.9	5.9	12.8	20.7	19.7	(3)	174.1	12.8	79.7
	1904	1,618.6	23.7	5.7	.....	14.2	7.6	2.8	23.7	18.0	(3)	159.2	22.7	77.7
	1905	1,616.1	19.2	8.2	.....	7.3	4.6	17.4	30.2	23.8	15.5	163.6	21.9	86.8
	1906	1,607.6	17.6	6.2	.....	15.0	7.9	22.0	24.7	15.0	14.1	140.0	18.5	88.9
	1907	1,702.9	19.6	9.4	.....	9.4	2.6	10.2	39.2	28.1	11.9	150.7	24.7	101.3
	1908	1,536.6	11.5	4.9	.....	12.4	12.4	.....	30.5	13.2	7.4	171.5	14.8	101.4
	1909	1,527.6	8.8	1.6	0.8	27.2	7.2	10.4	20.0	10.4	8.8	134.2	33.6	101.5
Wyoming County	1900	1,358.0	26.3	6.6	.....	19.7	3.3	3.3	9.9	26.3	(3)	88.8	3.3	49.3
	1901	1,540.2	13.1	.....	.....	3.3	.....	6.5	13.1	81.8	(3)	91.6	16.4	62.1
	1902	1,395.3	32.5	3.3	3.3	.....	.....	3.3	.....	22.8	(3)	94.3	13.0	81.3
	1903	1,329.5	19.4	.....	.....	.....	.....	.....	6.5	38.8	(3)	55.0	12.9	61.5
	1904	1,463.9	6.4	3.2	.....	.....	.....	6.4	9.7	35.4	(3)	67.6	32.2	90.1
	1905	1,417.7	9.6	.....	.....	.....	.....	9.6	3.2	57.6	22.4	73.6	19.2	102.4
	1906	1,424.2	19.1	.....	.....	.....	3.2	6.4	3.2	12.7	25.5	70.1	15.9	102.0
	1907	1,402.4	9.5	.....	.....	12.7	3.2	9.5	6.3	57.1	12.7	92.0	3.2	95.2
	1908	1,282.9	31.6	.....	.....	6.3	.....	3.2	9.5	37.9	6.3	82.2	22.1	72.7
	1909	1,302.8	9.4	.....	.....	6.3	6.3	6.3	.....	31.5	15.7	50.4	18.9	88.1
Yates County	1900	1,442.1	49.2	.....	.....	4.9	.....	.....	.....	19.7	(3)	78.8	14.8	68.9
	1901	1,436.8	24.9	5.0	.....	.....	19.9	9.9	5.0	89.5	(3)	104.4	5.0	54.7
	1902	1,331.0	20 1	.....	.....	.....	10.0	.....	10.0	35.2	(3)	120.5	10.0	85.4
	1903	1,628.9	20.3	.....	.....	5.1	.....	.....	10.1	40.6	(3)	137.0	20.3	71.0
	1904	1,692.1	35.9	.....	.....	5.1	.....	.....	20.5	71.8	(3)	102.6	15.4	66.7
	1905	1,476.8	10.4	.....	.....	.....	5.2	5.2	.....	51.8	20.7	98.5	20.7	88.1
	1906	1,326.3	10.4	.....	.....	.....	.....	.....	.....	26.1	.....	67.9	20.9	67.9
	1907	1,540.6	10.5	.....	.....	5.3	.....	15.8	5.3	42.1	10.5	115.7	31.5	68.4
	1908	1,371.5	10.6	.....	.....	.....	.....	.....	5.3	42.4	15.9	84.7	21.2	79.4
	1909	1,397.4	37.3	5.3	.....	.....	.....	.....	.....	21.3	5.3	96.0	16.0	48.0
OHIO RURAL.[2]														
Adams County	1909	960.5	56.3	4.0	.....	.....	.....	4.0	.....	32.2	8.0	144.7	28.1	44.2
Allen County	1909	1,185.0	23.2	.....	.....	.....	3.9	.....	7.7	23.2	23.2	146.7	57.9	69.5
Ashland County	1909	1,156.4	35.0	.....	.....	.....	4.4	.....	.....	39.4	8.8	65.7	35.0	70.1
Ashtabula County	1909	1,307.9	26.5	.....	.....	7.2	2 4	12.0	4.8	24.1	9.6	84.3	33.7	69.8
Athens County *	1909	1,389.4	38.2	.....	.....	2.1	.....	25.5	19.1	10.6	25.5	110.5	12.7	51.0
Auglaize County	1909	1,155.5	22.4	3.2	.....	.....	3.2	3.2	6.4	19.2	16.0	124.8	38.4	76.8
Belmont County	1909	1,266.1	30.3	.....	.....	22.3	11.1	8.0	14.3	11.1	12.7	101.9	22.3	63.7
Brown County	1909	1,402 1	27.9	.....	.....	.....	.....	11.9	11.9	15.9	11.9	175.3	43.8	87.6
Butler County	1909	1,232.2	36.4	.....	.....	.....	.....	4.5	18.2	36.4	22.7	127.3	13.6	36.4
Carroll County	1909	1,041.3	18.9	.....	.....	.....	.....	.....	6.3	37.9	6.3	50.5	12.6	94.7
Champaign County	1909	1,262.6	15.2	3.8	.....	3.8	.....	.....	7.6	19.0	11.4	121.3	22.7	106.2
Clark County	1909	981.7	14.2	.....	.....	.....	.....	.....	14.2	9.5	9.5	66.4	23.7	75.9
Clermont County	1009	1,507.6	43.7	.....	.....	.....	.....	3.4	3.4	6.7	10.1	212.0	26.9	101.0
Clinton County	1909	1,374.3	29.5	.....	.....	21.1	.....	8.4	8.4	50.6	29.5	126.5	42.2	80.1
Columbiana County	1909	1,186.9	55.5	.....	.....	1.8	3.6	1.8	7.2	19.7	17.9	68.0	16.1	60.9
Coshocton County	1909	1,174.4	33.3	.....	.....	.....	.....	3 3	36.6	13.3	6.7	76.5	16.6	83.2
Crawford County	1909	1,066.9	32.3	.....	.....	.....	8.8	2 9	2.9	14.7	.....	97.0	17.6	64.7
Cuyahoga County	1909	1,112.5	6.1	.....	.....	7.3	12.2	2 4	13.4	6.1	9.8	107.5	14.7	92.8
Darke County	1909	1,219.1	32.6	.....	.....	.....	.....	4.7	.....	25.6	23.3	125.9	35.0	79.3
Defiance County	1909	1,014.2	32.5	.....	.....	4.1	.....	.....	16.2	4.1	12.2	146.0	20.3	73.0

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
5.8	5.8	17.3	201.9	167.3	121.2	51.9	46.2	121.2	121.2	63.5	.....	40.4	63.5	173.1	34.6
11.6	.....	23.1	213.9	156.1	127.2	104.1	40.5	109.9	109.9	40.5	5.8	63.6	17.3	196.6	5.8
5.8	11.6	5.8	127.5	156.4	81.1	46.3	57.9	40.6	98.5	29.0	5.8	75.3	46.3	168.0	.....
11.6	11.6	5.8	150.9	203.2	104.5	40.6	40.6	92.9	139.3	11.6	5.8	162.6	17.4	203.2	.....
.....	23.3	17.5	116.3	238.5	64.0	58.2	93.1	69.8	128.0	46.5	5.8	110.5	23.3	157.1	5.8
.....	11.7	35.0	134.1	192.4	99.1	52.5	46.6	93.3	87.4	52.5	.....	81.6	23.3	174.9	.....
5.8	29.2	29.2	163.6	198.6	157.7	5.8	40.9	46.7	99.3	46.7	.....	87.6	35.1	198.6	.....
.....	23.4	17.6	187.3	263.5	140.5	64.4	70.3	64.4	70.3	41.0	11.7	70.3	.....	158.1	.....
.....	11.7	11.7	170.1	199.5	176.0	64.5	123.2	99.7	134.9	52.8	11.7	52.8	17.6	152.5	.....
.....	17.6	29.4	176.4	276.3	123.5	52.9	88.2	41.2	152.9	52.9	23.5	105.8	17.6	188.1	.....
2.2	6.6	21.9	192.9	170.9	151.2	70.1	81.1	63.6	114.0	52.6	2.2	74.5	94.2	201.6	4.4
.....	15.2	37.0	174.1	148.0	156.7	74.0	69.7	67.5	93.6	32.7	10.9	100.1	19.6	178.5	2.2
2.2	13.0	32.4	166.5	151.3	121.1	62.7	34.6	88.6	67.0	38.9	10.8	97.3	54.0	203.2	8.6
.....	15.0	17.2	182.5	206.1	111.7	66.6	53.7	77.3	137.4	36.5	6.4	88.0	32.2	158.9	2.1
2.1	14.9	25.6	183.4	183.4	130.1	72.5	55.4	83.2	132.2	38.4	8.5	89.6	10.7	138.6	4.3
2.1	8.5	29.7	171.6	197.0	131.3	74.1	82.6	82.6	114.4	42.4	6.4	86.9	40.2	182.2	.....
6.3	14.8	19.0	169.0	200.7	99.3	67.6	78.2	71.8	118.3	48.6	12.7	82.4	38.0	145.8	4.2
4.2	14.8	25.3	187.6	221.3	145.4	56.9	82.2	78.0	137.0	59.0	10.5	96.9	14.8	141.2	.....
2.1	10.5	14.7	155.6	233.4	96.7	69.4	105.1	65.2	124.0	56.8	12.6	84.1	4.2	115.6	2.1
.....	12.6	12.6	201.3	253.8	109.1	86.0	119.5	73.4	121.6	46.1	14.7	79.7	8.4	119.5	.....
12.3	14.4	32.9	232.2	164.4	86.3	67.8	78.1	111.0	53.5	47.3	12.3	76.1	34.9	195.2	8.2
2.1	26.7	24.6	190.9	158.1	82.1	73.9	41.1	78.0	71.9	57.5	10.3	102.6	51.3	168.3	.....
.....	8.2	14.4	190.7	194.8	51.3	36.9	34.9	94.3	65.6	34.9	10.3	82.0	20.5	192.8	.....
.....	10.2	22.5	237.6	204.9	51.2	90.1	43.0	96.3	77.8	45.1	41.0	108.6	22.5	182.3	2.0
4.1	20.5	16.4	229.2	204.6	75.7	51.2	49.1	90.0	100.3	51.2	14.3	65.5	38.9	163.7	2.0
2.0	22.5	30.7	226.9	257.6	87.9	61.3	69.5	102.2	112.4	45.0	12.3	85.9	34.8	186.0	.....
4.1	12.2	26.4	182.9	252.0	85.4	54.9	75.2	91.5	99.6	40.7	8.1	126.0	24.4	160.6	2.0
.....	22.2	14.2	202.2	281.1	78.9	74.8	30.3	82.9	70.8	44.5	12.1	131.4	16.2	155.7	.....
.....	20.1	30.2	193.1	225.3	48.3	44.3	56.3	76.4	94.5	53.3	20.1	120.7	8.0	142.8	4.0
2.0	22.0	16.0	202.1	254.1	106.1	82.0	56.0	76.0	110.1	53.0	20.0	126.1	16.0	148.1	2.0
.....	10.0	34.4	163.3	162.2	124.4	86.7	136.7	100.0	96.6	73.3	6.7	105.5	50.0	151.1	.....
2.1	11.7	34.1	147.0	140.6	129.9	118.2	98.0	72.4	133.1	52.2	8.5	132.1	39.4	134.2	.....
1.0	4.1	30.7	162.6	166.7	80.8	93.1	117.6	60.3	102.3	69.5	6.1	116.6	52.2	151.4	1.0
1.0	11.8	25.6	166.3	143.6	79.7	78.7	82.6	59.0	116.1	51.2	9.8	110.2	37.4	112.1	2.0
0.9	13.3	40.7	157.3	164.9	110.9	91.9	126.0	64.4	117.5	52.1	6.6	145.9	47.4	122.2	0.9
0.9	15.5	43.0	139.0	170.9	104.2	97.8	128.0	60.3	106.9	68.6	9.1	129.8	43.0	100.6	.....
2.6	10.6	33.5	143.5	196.3	112.7	81.0	133.8	85.4	107.4	54.6	8.8	140.9	28.2	98.6	.....
0.9	8.5	25.5	150.7	199.2	138.8	82.6	149.9	77.5	125.2	77.5	11.9	134.5	21.3	92.0	.....
.....	14.8	24.7	141.0	163.2	94.0	80.8	110.5	65.1	140.1	67.6	12.4	123.7	19.8	98.1	0.8
.....	18.4	22.4	132.6	174.2	90.3	84.7	123.0	71.1	132.6	55.9	20.0	122.2	16.0	99.9	.....
9.9	16.4	19.7	180.8	180.8	49.3	65.8	72.3	131.5	65.8	32.9	9.9	39.5	46.0	200.6	.....
3.3	13.1	22.9	245.3	255.1	62.1	81.8	49.1	101.4	65.4	22.9	16.4	101.4	39.2	170.0	3.3
9.8	16.3	9.8	182.1	214.7	100.8	52.0	48.8	91.1	65.0	32.5	13.0	74.8	55.3	175.6	.....
.....	9.7	9.7	194.1	249.1	84.1	74.4	25.9	122.9	42.1	51.8	19.4	74.4	6.5	171.4	.....
3.2	22.5	12.9	196.3	270.3	64.3	61.1	35.4	119.0	70.8	45.0	6.4	93.3	38.6	173.7	.....
9.6	12.8	16.0	169.6	243.2	57.6	67.2	57.6	76.8	86.4	28.8	32.0	80.0	25.6	153.6	3.2
.....	28.7	19.1	184.8	283.6	47.8	38.2	51.0	66.9	63.7	41.4	9.6	89.2	54.2	184.8	3.2
.....	3.2	19.0	203.1	310.9	76.1	57.1	34.9	76.1	82.5	31.7	15.9	63.5	22.2	104.7	.....
.....	19.0	9.5	148.5	208.5	85.3	44.2	66.4	120.1	60.0	31.6	12.6	69.5	.....	135.9	.....
.....	18.9	3.1	135.3	295.8	66.1	44.1	81.8	78.7	72.4	34.6	9.4	72.4	9.4	147.9	.....
4.9	.....	24.6	236.2	162.4	54.1	59.1	78.8	108.3	34.5	24.6	9.8	54.1	172.3	177.2	4.9
.....	14.9	24.9	243.6	169.0	54.7	54.7	29.8	99.4	59.7	29.8	9.9	59.7	54.7	213.8	.....
.....	10.0	10.0	200.9	165.7	40.2	85.4	40.2	65.3	55.2	40.2	20.1	80.4	20.1	200.9	5.0
.....	30.4	20.3	233.4	233.4	91.3	71.0	35.5	86.3	121.8	60.9	15.2	111.6	30.4	182.7	.....
.....	5.1	25.6	169.2	333.3	148.7	66.7	35.9	66.7	143.6	15.4	5.1	92.3	35.9	225.6	5.1
.....	10.4	20.7	191.7	300.5	51.8	36.3	67.4	88.1	57.0	31.1	36.3	77.7	10.4	196.9	.....
5.2	10.4	15.7	245.4	261.1	62.7	52.2	31.3	83.5	52.2	41.8	5.2	99.2	5.2	161.9	.....
.....	15.8	21.0	252.4	310.2	105.2	47.3	36.8	78.9	110.4	31.5	10.5	68.4	15.8	131.4	.....
.....	15.9	10.6	233.0	307.1	74.1	37.1	37.1	53.0	53.0	10.6	15.9	53.0	10.6	201.2	.....
.....	5.3	5.3	240.0	192.0	80.0	80.0	53.3	117.3	101.3	21.3	5.3	74.7	16.0	176.0	.....
.....	8.0	8.0	96.5	96.5	32.2	60.3	64.3	40.2	32.2	52.2	12.1	36.2	12.1	76.4	12.1
7.7	3.9	34.7	96.5	108.1	61.8	34.7	69.5	81.1	84.9	38.6	7.7	57.9	19.3	115.8	7.7
17.5	21.9	.....	140.2	184.0	56.9	35.0	61.3	96.4	35.0	35.0	8.8	43.8	21.9	140.2	.....
2.4	21.7	12.0	161.4	226.4	72.3	43.4	60.2	77.1	79.5	40.9	4.8	103.6	16.9	108.4	2.4
.....	8.5	10.6	167.8	148.7	99.9	53.1	108.3	46.7	74.4	104.1	8.5	93.5	17.0	142.3	10.6
.....	6.4	32.0	131.2	144.0	67.2	41.6	67.2	96.0	60.8	32.0	9.6	67.2	6.4	80.0	.....
.....	3.2	9.6	90.8	109.9	116.3	60.5	125.8	60.5	68.5	82.8	8.0	121.0	9.6	97.1	4.8
.....	19.9	19.9	151.4	274.8	59.7	51.8	55.8	75.7	55.8	39.8	11.9	79.7	11.9	107.5	.....
4.5	9.1	9.1	100.0	168.2	81.8	40.9	59.1	68.2	50.0	59.1	13.6	127.3	54.6	86.4	4.5
.....	6.3	31.6	138.8	113.6	69.4	37.9	63.1	63.1	94.7	18.9	.....	56.8	12.6	94.7	12.6
.....	7.6	3.8	136.5	227.5	37.9	22.7	75.8	98.6	94.8	45.5	11.4	64.5	11.4	110.0	3.8
.....	.....	.....	109.1	175.5	75.9	52.2	52.2	42.7	71.1	33.2	9.5	47.4	23.7	75.9	.....
.....	16.8	.....	208.6	238.9	74.0	37.0	74.0	90.9	80.8	30.3	6.7	74.0	13.5	151.4	3.4
4.2	12.6	21.1	168.6	193.9	54.8	42.2	63.2	105.4	50.6	54.8	16.9	63.2	16.9	109.6	.....
1.8	9.0	7.2	136.0	166.5	78.8	53.7	50.1	73.4	89.5	50.1	14.3	84.1	5.4	107.4	7.2
.....	20.0	16.6	129.8	159.7	86.5	46.6	46.6	66.5	59.9	49.9	6.7	69.9	26.6	106.5	13.3
.....	8.8	11.8	114.6	129.3	70.5	41.1	47.0	50.0	91.1	47.0	23.5	88.2	8.8	94.0	.....
.....	11.0	13.4	102.6	150.2	63.5	57.4	89.1	51.3	80.6	45.2	14.7	74.5	11.0	74.5	1.2
4.7	14.0	11.7	100.2	198.1	69.9	44.3	79.3	65.3	76.9	60.6	4.7	60.6	2.3	100.2	.....
4.1	4.1	28.4	113.6	129.8	52.7	44.6	40.6	36.5	40.6	48.7	.....	48.7	12.2	101.4	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
OHIO RURAL[2]—Continued.														
Delaware County	1909	1,216.9	51.6	.....	.....	7.4	.....	7.4	3.7	22.1	22.1	88.5	18.4	84.8
Erie County	1909	1,906.0	21.8	5.5	.....	16.4	.....	5.5	5.5	.....	16.4	131.1	10.9	147.5
Fairfield County	1909	1,059.8	15 4	.....	.....	.....	3.8	7.7	11.5	30.7	26.9	92.2	.....	46.1
Fayette County	1909	1,034.9	41.4	.....	.....	4.6	4.6	.....	.....	13.8	13.8	133.4	13.8	69.0
Franklin County	1909	1,196.0	20.7	4.1	.....	4.1	4.1	.....	10.4	12.4	10.4	153.4	31.1	64.3
Fulton County	1909	1,229.9	37.8	4.2	.....	.....	8.4	.....	4.2	4.2	8.4	71.4	21.0	58.8
Gallia County	1909	1,689.8	30.9	7.7	.....	.....	.....	19.3	19.3	34.7	7.7	204.5	27.0	61.7
Geauga County	1909	1,424.0	6.8	.....	.....	.....	34.1	.....	.....	20.4	13.6	129.5	40.9	54.5
Greene County	1909	1,241.7	23.6	.....	.....	.....	.....	9.4	.....	51.9	.....	118.0	18.9	75.5
Guernsey County	1909	1,175.3	32.3	.....	.....	.....	.....	12.9	16.1	3.2	6.5	74.3	6.5	83.9
Hamilton County	1909	1,106.0	18.8	6.3	.....	.....	6.3	8.3	6.3	29.2	19.8	110.5	27.1	60.5
Hancock County	1909	1,090.3	21.6	4.3	.....	.....	.....	.....	30.3	8.7	17.3	60.6	26.0	95.2
Hardin County	1909	1,220.9	23.0	6.6	.....	.....	.....	9.8	13.1	32.8	19.7	134.6	13.1	72.2
Harrison County	1909	1,459.1	31.3	10.4	.....	.....	.....	.....	5.2	5.2	10.4	114.6	10.4	73.0
Henry County	1909	1,043.8	27.7	.....	.....	4.0	4.0	11.9	11.9	11.9	11.9	75.1	15.8	67.2
Highland County	1909	1,297.8	38.1	.....	.....	.....	3.5	6.9	6.9	45.0	3.5	155.7	24.2	90.0
Hocking County	1909	1,307.4	25.3	.....	.....	.....	.....	.....	25.3	29.5	16.9	135.0	16.9	29.5
Holmes County	1909	1,130.9	16.6	5.5	.....	.....	.....	.....	5.5	11.1	16.6	77.6	16.6	99.8
Huron County	1909	1,292.0	29.4	2.9	.....	5.9	.....	8.8	.....	14.7	2.9	91.0	.....	85.2
Jackson County	1909	1,274.0	41.5	.....	.....	.....	.....	.....	12.4	20 7	24.9	153.5	24.9	53.9
Jefferson County	1909	1,226.5	9.5	.....	.....	14.3	19.1	9.5	35.7	19.1	7.1	69.1	16.7	28.6
Knox County	1909	1,203.9	30.0	.....	.....	.....	.....	.....	3.3	6.7	3.3	103.4	6.7	76.7
Lake County	1909	1,450.1	35.0	.....	.....	4.4	4.4	.....	.....	13.1	4.4	70.1	13.1	105.1
Lawrence County	1909	1,296.8	68.1	.....	.....	3.8	7.6	22.7	26.5	11.3	26.5	189 0	34.0	41.6
Licking County	1909	1,089.3	10.0	3.3	.....	.....	.....	3.3	3.3	16.7	16.7	93.3	20.0	70.0
Logan County	1909	1,218.8	39.9	.....	.....	.....	3.3	3.3	3.3	13.3	16.6	122.9	13.3	99.6
Lorain County	1909	1,294.1	37 3	.....	.....	.....	.....	6.2	3.1	12.4	3.1	105.8	18.7	77.8
Lucas County	1909	1,065.3	29.1	.....	.....	4.2	4.2	8.3	8.3	8.3	8 3	91.5	20.8	8.3
Madison County	1909	1,272.7	30.1	.....	.....	15.0	5.0	.....	5.0	20.0	5.0	145.3	30.1	80.2
Mahoning County	1909	1,193.4	13.9	2.8	.....	11.1	22.3	2.8	16.7	2.8	13.9	100.1	13.9	58.4
Marion County	1909	1,181.6	50.5	.....	.....	.....	6.3	6.3	6.3	25.3	37.9	88.5	25.3	69.5
Medina County	1909	1,223.1	17.0	.....	.....	.....	.....	.....	.....	4.3	8.5	55.4	4.3	115.1
Meigs County	1909	1,397.2	58.1	3.9	.....	.....	.....	.....	7.7	11.6	58.1	143.2	23.2	81.3
Mercer County	1909	1,055.3	32.6	.....	.....	.....	7.3	3.6	21.8	36.3	14.5	112.4	36.3	43.5
Miami County	1909	1,218.3	12.7	.....	.....	.....	.....	.....	9.5	9.5	15.8	107.6	15.8	104.4
Monroe County	1909	1,123.9	32.7	.....	.....	.....	4.1	8.2	16.3	53.1	4.1	98.1	20.4	49.0
Montgomery County	1909	1,148.1	13.2	1.6	1.6	.....	.....	1.6	1.6	18.1	11.5	99.0	21.4	61.0
Morgan County	1909	1,175.9	30.8	6.2	.....	6.2	6.2	.....	.....	18 5	12.3	110.8	18.5	55.4
Morrow County	1909	1,331.3	41.4	.....	.....	.....	.....	11.8	.....	11.8	.....	100.6	5.9	136.1
Muskingum County	1909	1,183.7	33.7	6.7	.....	.....	3.4	3.4	6.7	20.2	13.5	104.5	10.1	30.4
Noble County	1909	1,055.1	16.1	.....	.....	.....	.....	10.7	37.5	10.7	10.7	58.9	5.4	53.6
Ottawa County	1909	1,226.1	13.4	.....	.....	.....	.....	4.5	4.5	.....	26.8	107.4	22.4	85.0
Paulding County	1909	982.0	47.6	4.3	.....	4.3	.....	4.3	.....	21.6	13.0	129.8	21.6	69.2
Perry County	1909	1,216.1	25.6	2.8	.....	2.8	5.7	5.7	28.5	11.4	14.2	105.4	25.6	59.8
Pickaway County	1909	1,315.4	34.3	3.8	.....	.....	3.8	3.8	15.3	41.9	11.4	122.0	19.1	76.3
Pike County	1909	1,312.8	31.4	6.3	.....	.....	.....	.....	6.3	75.4	37.7	257.5	31.4	50.3
Portage County	1909	1,333.5	29.8	3.3	.....	.....	3.3	.....	26.5	16.5	9.9	76.1	29.8	109.2
Preble County	1909	1,288.7	29.4	.....	.....	.....	.....	.....	4.2	42.0	21.0	96.5	8.4	50.4
Putnam County	1909	907.9	23.2	.....	.....	.....	6.6	6.6	.....	6.6	13.3	99.4	16.6	66.3
Richland County	1909	1,291.0	29.8	3.7	.....	.....	11.2	3.7	7.4	11.2	3.7	130.2	29.8	81.9
Ross County	1909	1,397.7	27.2	.....	.....	.....	3.9	19.4	23.3	42.7	19.4	139.8	31.1	81.5
Sandusky County	1909	858.3	11.9	4.0	.....	.....	.....	4.0	.....	4.0	23.7	91.0	11.9	67.2
Scioto County	1909	1,276.6	40.3	.....	.....	.....	4.0	.....	28.2	16.1	12.1	128.9	32.2	44.3
Seneca County	1909	1,082.0	23.0	3.3	.....	.....	.....	6.6	3.3	13.1	6.6	78.7	13.1	55.7
Shelby County	1909	1,265.3	28.4	.....	.....	8.1	.....	4.1	36.5	20.3	28.4	77.1	32.4	68.9
Stark County *	1909	1,379.2	20.8	2.3	.....	4.6	4.6	2.3	6.9	11.5	20.8	101.5	16.1	60.0
Summit County	1909	1,172 9	28.7	2.6	.....	.....	.....	.....	10.4	13.0	13.0	78.2	15.6	70.4
Trumbull County	1909	1,353.6	45.9	.....	.....	12.1	12.1	2.4	24.2	14.5	4.8	60.4	24.2	103.9
Tuscarawas County	1909	1,146.7	29.9	.....	.....	1 8	3.5	1.8	8.8	22.9	5.3	70.5	22.9	72.2
Union County	1909	1,159.3	50.2	.....	.....	.....	.....	13.7	4.6	13.7	4.6	136.9	36.5	73.0
Van Wert County	1909	838.4	20.5	.....	.....	.....	.....	.....	3.4	6.8	20.5	85.5	13.7	44.5
Vinton County	1909	1,318.2	45.2	15.1	.....	.....	7.5	22.6	22.6	60.3	15.1	120.5	30.1	60.3
Warren County	1909	1,370.8	44.7	4.1	.....	.....	.....	20.3	23.5	40.7	24.4	146.4	24.4	61.0
Washington County	1909	1,202.2	39.8	6.1	.....	.....	.....	21.4	3.1	21.4	6.1	104.0	27.5	36.7
Wayne County	1909	1,209.2	26.3	2.6	.....	2.6	2.6	.....	2.6	15.8	18.4	81.5	23.7	94.6
Williams County	1909	1,175.6	7.9	7.9	.....	.....	.....	11.9	.....	31.8	7.9	91.3	35.7	55.6
Wood County	1909	1,022 5	32.1	2.1	2 1	6.4	2.1	.....	17.1	10.7	6.4	94.1	17.1	47.1
Wyandot County	1909	1,168.8	28.9	4.8	.....	.....	.....	.....	.....	14.4	14.4	115.4	19.2	52.9
PENNSYLVANIA RURAL[3]														
Adams County	1906	1,311.5	17.4	2.9	.....	2.9	.....	20.4	11.6	8.7	14.5	139.6	8.7	64.0
	1907	1,280.2	17.5	.....	2.9	8.7	2.9	.....	8.7	32.0	8.7	110.6	20.4	64.0
	1908	1,251.7	20.4	.....	.....	.....	.....	14.6	5.8	34.9	11.6	90.2	17.5	69.9
	1909	1,246.6	11.7	.....	.....	.....	2.9	5.8	17.5	11.7	14.6	122.3	14.6	55.3
Allegheny County	1906	1,714.6	75.6	0.3	.....	30.8	11.8	21.9	46.4	6.4	14.9	149.0	28.0	43.2
	1907	1,676.9	51.0	0.6	.....	9.1	8.8	31.0	25.8	13.4	16.1	160.4	32.2	43.4
	1908	1,511.3	24.2	0.9	.....	32.4	15.2	19.8	21.9	25.6	14.9	140.8	19.2	46.3
	1909	1,457.9	24.0	1.1	.....	14.5	19.3	25.7	24.0	7.3	10.1	133.7	17.9	48.9

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	14.8	7.4	169.6	188.1	73.8	36.9	66.4	62.7	55.3	47.9	3.7	95.9	.....	84.8	3.7
.....	21.8	5.5	251.2	458.7	38.2	71.0	65.5	98.3	98.5	54.6	32.8	191.1	5.5	152.9	.....
.....	15.4	19.2	161.3	180.5	61.4	30.7	38.4	76.8	30.7	26.9	.....	57.6	.....	126.7	.....
.....	23.0	.....	101.2	165.6	46.0	32.2	50.6	55.2	32.2	59.8	23.0	50.6	23.0	73.6	4.6
.....	12.4	16.6	107.8	151.3	62.2	58.0	56.0	56.0	74.6	41.5	12.4	109.9	6.2	116.1	.....
.....	29.4	4.2	155.3	151.1	75.6	42.0	67.2	79.8	75.6	67.2	8.4	96.5	8.4	138.5	12.6
.....	11.6	34.7	416.7	223.8	57.9	77.2	104.2	54.0	73.3	34.7	11.6	57.9	19.3	100.3	.....
.....	6.8	27.3	197.6	333.9	115.8	74.9	40.9	61.3	47.7	13.6	20.4	54.5	6.8	115.8	6.8
.....	4.7	28.3	146.4	240.8	61.4	42.5	70.8	66.1	37.8	61.4	14.2	66.1	4.7	94.4	4.7
3.2	16.1	19.4	113.0	145.3	106.5	45.2	122.7	64.6	38.7	48.4	6.5	77.5	22.6	106.5	3.2
.....	10.4	12.5	100.1	157.4	53.2	74.0	58.4	62.5	93.8	44.8	7.3	54.2	9.4	74.0	1.0
.....	26.0	8.7	121.1	138.4	64.9	26.0	47.6	47.6	82.2	51.9	8.7	90.9	4.3	99.5	8.7
.....	16.4	19.7	108.3	160.8	72.2	49.2	55.8	88.6	75.5	65.6	9.8	62.4	9.8	101.7	.....
.....	10.4	5.2	109.4	208.4	93.8	73.0	78.2	88.6	119.9	93.8	15.6	73.0	52.1	156.3	20.8
.....	15.8	7.9	98.8	158.1	55.4	39.5	90.9	55.4	55.4	19.8	4.0	90.9	7.9	94.9	7.9
3.5	13.8	27.7	145.4	197.3	107.3	69.2	51.9	55.4	83.1	45.0	13.8	48.5	6.9	55.4	.....
.....	16.9	33.7	63.3	168.7	88.6	88.6	113.9	59.0	67.5	75.9	4.2	84.3	25.3	139.2	.....
.....	11.1	.....	116.4	199.6	55.4	38.8	49.9	88.7	66.5	66.5	.....	72.1	38.8	77.6	.....
.....	14.7	11.7	158.6	223.2	64.6	29.4	85.2	88.1	73.4	35.2	20.6	70.5	2.9	167.4	5.9
.....	.....	4.1	107.9	224.1	62.2	83.0	95.4	53.9	37.3	78.8	.....	49.8	29.0	95.4	20.7
.....	4.8	19.1	95.3	114.3	123.8	90.5	121.5	69.1	40.5	64.3	4.8	111.9	28.6	97.6	11.9
3.3	10.0	10.0	193.4	260.1	43.4	46.7	50.0	56.7	60.0	40.0	6.7	63.4	13.3	113.4	3.3
4.4	13.1	8.8	192.8	219.0	175.2	35.0	39.4	61.3	74.5	39.4	4.4	179.6	17.5	122.7	13.1
.....	7.6	45.4	49.2	121.0	79.4	90.7	83.2	75.6	71.8	60.5	3.8	52.9	22.7	87.0	15.1
.....	6.7	6.7	153.2	183.2	53.3	53.3	43.3	40.0	66.6	46.6	10.0	73.3	10.0	103.3	3.3
.....	10.0	10.0	172.7	149.4	59.8	46.5	36.5	76.4	93.0	26.6	10.0	99.6	13.3	93.0	6.6
.....	15.6	6.2	136.9	211.5	74.7	46.7	84.0	68.4	84.0	56.0	6.2	102.7	3.1	130.7	3.1
4.2	4.2	8.3	99.9	199.7	54.1	79.1	29.1	62.4	62.4	62.4	8.3	74.9	16.6	104.0	4.2
5.0	10.0	25.1	90.2	185.4	100.2	55.1	40.1	100.2	80.2	50.1	40.1	45.1	10.0	100.2	.....
2.8	2.8	2.8	119.6	144.7	66.8	75.1	114.1	64.0	61.2	50.1	19.5	108.5	19.5	80.7	2.8
.....	6.3	6.3	120.1	126.4	75.8	37.9	126.4	94.8	82.1	19.0	6.3	63.2	19.0	82.1	.....
4.3	21.3	12.8	179.0	264.2	42.6	51.1	25.6	68.2	89.5	42.6	17.0	89.5	.....	110.8	.....
.....	7.7	3.9	189.6	209.0	85.1	54.2	69.7	77.4	54.2	42.6	11.6	54.2	11.6	139.3	.....
.....	10.9	3.6	101.5	90.7	65.3	39.9	76.2	61.6	65.3	79.8	10.9	32.6	25.4	79.8	3.6
.....	15.8	9.5	129.7	231.0	82.3	28.5	41.1	85.4	50.6	50.6	15.8	66.5	9.5	123.4	3.2
8.2	16.3	8.2	151.2	126.7	61.3	40.9	73.6	81.7	40.9	61.3	16.3	61.3	16.3	65.4	8.2
1.6	9.9	14.8	184.8	234.2	59.4	28.0	54.4	54.4	94.0	37.9	14.8	56.1	.....	72.6	.....
.....	12.3	18.5	166.2	227.8	61.6	43.1	49.3	86.2	55.4	6.2	12.3	61.6	.....	110.8	.....
.....	23.7	.....	236.7	260.3	76.9	29.6	47.3	65.1	65.1	17.8	.....	59.2	.....	142.0	.....
.....	16.9	27.0	121.4	205.7	50.6	54.0	50.6	74.2	54.0	50.6	6.7	104.5	13.5	118.0	3.4
.....	.....	5.4	112.5	139.3	80.3	32.1	58.9	85.7	58.9	69.6	10.7	75.0	21.4	96.4	5.4
.....	13.4	4.5	107.4	205.8	31.3	40.3	71.6	80.5	67.1	26.8	8.9	156.6	8.9	134.2	4.5
.....	8.7	13.0	73.5	77.9	82.2	13.0	51.9	56.2	86.5	43.3	8.7	30.3	4.3	116.8	.....
2.8	5.7	5.7	153.8	139.6	108.2	51.3	76.9	51.3	37.0	85.4	5.7	68.4	22.8	105.4	8.5
.....	15.3	26.7	122.0	171.6	95.3	30.5	57.2	61.0	64.8	68.6	19.1	118.2	11.4	114.4	7.6
.....	.....	6.3	87.9	138.2	75.4	44.0	75.4	56.5	69.1	37.7	6.3	56.5	18.8	138.2	6.3
.....	13.2	3.3	168.8	208.5	115.8	23.2	52.9	69.5	66.2	26.5	13.2	89.3	33.1	145.6	.....
.....	12.6	8.4	184.7	214.1	75.6	79.8	58.8	79.8	113.3	46.2	12.6	84.0	8.4	58.8	.....
.....	23.2	9.9	109.4	92.8	59.6	46.4	59.6	69.6	49.7	36.5	6.6	29.8	16.6	56.3	3.3
.....	22.3	3.7	182.3	208.3	59.5	52.1	67.0	59.5	70.7	37.2	7.4	70.7	22.3	111.6	3.7
.....	11.6	19.4	147.5	116.5	139.8	42.7	69.9	46.6	85.4	77.7	3.9	132.0	15.5	100.9	.....
.....	4.0	7.9	87.0	134.5	47.5	67.2	19.8	71.2	47.5	27.7	.....	43.5	4.0	79.1	.....
.....	12.1	8.1	84.6	132.9	84.6	76.5	108.7	84.6	52.4	68.5	12.1	84.6	32.2	124.8	4.0
.....	9.8	9.8	154.1	177.1	49.2	39.3	45.9	49.2	65.6	26.2	19.7	95.1	23.0	114.8	.....
.....	24.3	12.2	141.9	178.4	85.2	73.0	52.7	77.1	81.1	77.1	12.2	81.1	12.2	52.7	.....
2.3	13.8	9.2	226.0	251.4	76.1	46.1	46.1	76.1	76.1	57.7	23.1	99.2	6.9	115.3	2.3
.....	7.8	10.4	114.7	226.8	52.1	59.9	75.6	54.7	73.0	31.3	15.6	101.6	5.2	109.5	2.6
2.4	19.3	9.7	142.6	203.0	84.6	38.7	70.1	74.9	65.3	60.4	19.3	103.9	19.3	130.5	4.8
7.0	21.1	1.8	139.2	156.8	61.7	37.0	54.6	74.0	61.7	63.4	14.1	77.5	15.9	116.3	5.3
.....	27.4	.....	159.7	191.7	68.5	45.6	18.3	45.6	36.5	59.3	9.1	54.8	9.1	95.8	4.6
3.4	3.4	13.7	71.9	95.8	30.8	37.6	51.3	47.9	54.8	61.6	10.3	54.8	10.3	95.8	.....
.....	7.5	7.5	97.9	165.7	67.8	30.1	120.5	60.3	75.3	52.7	.....	97.9	15.1	97.9	22.6
4.1	8.1	4.1	183.0	227.8	65.1	24.4	56.9	81.4	113.9	32.5	24.4	48.8	8.1	93.6	.....
3.1	12.2	12.2	174.4	217.2	52.0	61.2	45.9	45.9	70.4	52.0	3.1	61.2	24.5	94.8	6.1
2.6	5.3	5.3	147.2	197.2	110.4	49.9	36.8	78.9	65.7	36.8	18.4	71.0	21.0	86.7	5.3
.....	23.8	4.0	194.6	178.7	31.8	23.8	59.6	39.7	71.5	67.5	7.9	75.5	7.9	139.0	.....
.....	29.9	19.3	128.3	126.2	51.3	40.6	42.8	81.3	59.9	40.6	12.8	62.0	6.4	81.3	2.1
.....	14.4	19.2	134.7	202.0	38.5	33.7	62.5	62.5	43.3	77.0	14.4	67.3	24.1	125.1	.....
.....	11.6	8.7	244.3	151.2	61.1	58.2	75.6	78.5	72.7	49.4	11.6	52.3	14.5	116.3	14.5
.....	17.5	11.6	209.5	192.0	61.1	64.0	66.9	75.6	49.5	55.3	8.7	58.2	17.5	107.7	8.7
.....	5.8	46.6	186.3	180.5	81.5	67.0	69.9	52.4	72.8	43.7	5.8	55.3	26.2	93.2	.....
.....	2.9	5.8	235.9	166.0	61.2	78.6	69.9	69.9	75.7	61.2	5.8	35.0	17.5	101.9	2.9
1.3	4.4	21.0	174.4	98.8	128.7	113.4	215.7	80.7	44.2	90.5	14.6	155.4	34.6	107.1	1.6
0.3	6.4	17.9	166.8	134.6	127.6	108.8	171.4	88.1	46.2	88.7	16.4	172.3	26.1	112.7	0.6
0.3	5.5	16.9	145.2	111.1	118.3	113.1	179.3	68.5	51.9	88.9	14.3	107.6	29.4	99.7	0.3
0.3	6.2	16.2	140.1	129.7	118.8	118.0	161.9	67.1	50.9	83.9	12.3	113.5	24.3	87.8	0.3

[1] Exclusive of cities having a population of 8,000 or over in 1900.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
PENNSYLVANIA RURAL[2]—Continued.														
Armstrong County	1906	1,261.4	43.6	.....	.....	17.7	4.8	24.2	16.1	8.1	8.1	87.1	12.9	32.3
	1907	1,276.3	62.9	.....	.....	9.4	7.9	20.5	14.2	22.0	14.2	83.4	14.2	34.6
	1908	1,304.2	24.6	.....	.....	20.0	6.1	24.6	23.0	33.8	9.2	93.7	10.8	38.4
	1909	1,197.3	33.0	.....	.....	9.0	21.0	13.5	12.0	15.0	4.5	81.0	10.5	42.0
Beaver County	1906	1,350.6	73.4	1.7	.....	8.5	1.7	17.1	35.9	15.4	13.7	109.3	18.8	46.1
	1907	1,518.9	72.6	.....	.....	1.7	5.0	28.1	23.1	28.1	23.1	84.2	18.2	61.1
	1908	1,320.0	40.0	1.6	.....	9.6	1.6	17.6	3.2	44.7	8.0	115.1	8.0	47.9
	1909	1,259.0	21.7	.....	.....	6.2	12.4	7.7	13.9	20.1	12.4	89.8	6.2	61.9
Bedford County	1906	1,276.0	38.4	2.6	.....	5.1	2.6	12.8	66.5	10.2	12.8	115.1	12.8	35.8
	1907	1,411.1	61.5	.....	.....	.....	7.7	43.5	20.5	43.5	10.2	115.2	10.2	43.5
	1908	1,228.6	28.2	.....	.....	12.8	5.1	33.3	38.5	20.5	5.1	74.4	15.4	30.8
	1909	1,353.8	46.2	.....	.....	28.3	.....	.....	15.4	25.7	15.4	82.2	30.8	43.7
Berks County *	1906	1,467.1	47.2	.....	.....	1.2	8.3	21.3	31.9	16.5	16.5	127.6	10.6	43.7
	1907	1,430.0	35.2	1.2	.....	15.2	7.0	2.3	37.5	28.1	10.5	97.3	8.2	64.5
	1908	1,620.3	30.2	1.2	.....	36.1	8.1	12.8	25.6	26.8	18.6	107.0	5.8	62.8
	1909	1,407.1	24.2	.....	.....	8.1	13.9	11.5	13.9	21.9	3.5	93.5	12.7	55.4
Blair County	1906	1,410.8	25.4	2.0	.....	33.2	5.9	7.8	33.2	7.8	21.5	87.8	13.7	52.7
	1907	1,493.5	20.9	.....	.....	3.8	20.9	9.5	30.4	19.0	13.3	96.8	11.4	60.7
	1908	1,381.6	25.9	.....	.....	3.7	22.2	40.6	7.4	33.2	18.5	97.9	20.3	51.7
	1909	1,192.7	19.8	.....	.....	3.6	1.8	7.2	9.0	19.8	18.0	79.2	16.2	52.2
Bradford County	1906	1,420.2	19.5	.....	.....	1.8	7.1	5.3	17.7	33.7	17.7	85.1	10.6	83.3
	1907	1,516.8	30.4	.....	.....	8.9	8.9	7.2	34.0	75.1	19.7	87.6	17.9	76.9
	1908	1,709.0	23.5	.....	.....	14.4	27.1	14.4	25.3	81.2	9.0	92.0	16.2	81.2
	1909	1,444.0	20.0	1.8	.....	.....	7.3	10.9	12.7	38.2	10.9	51.0	9.1	91.0
Bucks County	1906	1,558.8	32.2	2.7	.....	6.7	4.0	14.8	20.1	24.2	6.7	139.6	24.2	65.8
	1907	1,504.9	24.0	.....	.....	2.7	4.0	24.0	9.3	41.3	13.3	149.3	20.0	65.3
	1908	1,467.7	35.7	2.6	.....	10.6	6.6	10.6	13.2	41.0	7.9	117.8	23.8	68.8
	1909	1,379.7	21.0	.....	.....	6.6	7.9	7.9	15.8	23.7	11.8	130.1	15.8	74.9
Butler County	1906	1,110.4	38.2	.....	.....	6.0	4.0	6.0	16.1	2.0	24.1	66.4	10.1	66.4
	1907	1,218.5	21.9	.....	.....	2.0	2.0	4.0	6.0	27.8	19.9	73.5	13.9	75.5
	1908	1,104.1	21.6	.....	.....	11.8	.....	3.9	7.9	23.6	13.8	37.3	17.7	43.2
	1909	1,081.7	15.5	.....	.....	3.9	11.7	7.8	5.8	17.5	15.5	60.2	21.4	62.1
Cambria County	1906	1,482.2	27.5	.....	.....	30.7	13.0	45.6	91.1	8.5	23.3	74.2	22.2	31.8
	1907	1,400.1	36.5	1.0	.....	21.3	6.1	13.2	50.7	14.2	20.3	50.7	21.3	34.4
	1908	1,277.9	39.8	.....	.....	25.3	8.7	29.2	26.2	17.5	9.7	67.1	16.5	31.1
	1909	1,481.0	30.8	.....	.....	27.0	63.4	16.8	40.1	9.3	11.2	63.4	14.0	30.8
Cameron County	1906	1,294.8	27.0	.....	.....	.....	.....	80.9	67.4	.....	40.5	27.0	13.5	13.5
	1907	1,659.3	26.8	.....	.....	26.8	26.8	.....	26.8	26.8	.....	93.7	.....	40.1
	1908	1,181.3	79.6	.....	.....	.....	.....	.....	13.3	53.1	.....	92.9	26.5	13.3
	1909	1,356.2	79.0	.....	.....	13.2	.....	.....	.....	26.3	.....	92.2	.....	92.2
Carbon County	1906	1,492.6	48.3	.....	.....	8.1	18.1	18.1	54.4	24.2	24.2	102.7	26.2	42.3
	1907	1,519.1	7.9	.....	.....	13.9	21.8	29.7	19.8	31.7	17.8	105.0	7.9	65.4
	1908	1,498.1	23.4	1.9	.....	17.5	46.8	15.6	37.0	19.5	21.4	89.6	7.8	40.9
	1909	1,527.5	1.9	1.9	.....	15.3	9.6	23.0	13.4	28.7	17.2	97.7	9.6	47.9
Center County	1906	1,321.1	25.5	.....	.....	57.8	4.6	6.9	6.9	9.3	9.3	74.0	16.2	64.8
	1907	1,301.0	20.8	.....	.....	.....	6.9	13.9	9.2	27.7	6.9	73.9	16.2	62.4
	1908	1,370.9	13.8	.....	.....	13.8	2.3	39.2	27.7	13.8	2.3	80.8	9.2	48.5
	1909	1,406.1	16.1	.....	.....	2.3	.....	23.1	23.1	13.8	11.5	76.1	32.3	103.7
Chester County	1906	1,609.0	20.5	2.4	.....	18.1	2.4	25.3	12.1	33.7	19.3	126.5	32.5	78.3
	1907	1,553.2	33.4	.....	.....	6.0	.....	10.7	15.5	35.7	16.7	141.7	34.5	86.9
	1908	1,449.2	34.1	.....	.....	5.9	4.7	17.7	24.7	29.4	12.9	113.0	29.4	63.6
	1909	1,490.8	19.8	1.2	.....	2.3	3.5	11.6	30.3	38.4	16.3	126.9	12.8	81.5
Clarion County	1906	1,153.0	39.2	.....	.....	8.4	5.6	19.6	19.6	5.6	5.6	72.8	19.6	53.2
	1907	1,234.3	47.3	.....	.....	.....	.....	16.7	16.7	41.7	8.3	83.4	5.6	47.3
	1908	1,071.5	27.6	.....	.....	11.0	2.8	2.8	.....	19.3	5.5	69.0	19.3	69.0
	1909	1,166.0	27.4	.....	.....	11.0	2.7	38.4	8.2	19.2	2.7	74.1	21.9	52.1
Clearfield County	1906	1,295.5	31.0	.....	.....	20.7	14.2	38.8	23.3	7.8	18.1	56.9	14.2	41.4
	1907	1,231.7	33.2	.....	.....	6.4	7.7	38.3	24.3	11.5	11.5	84.2	14.0	34.5
	1908	1,243.9	26.5	.....	.....	25.2	17.6	31.5	17.6	23.9	10.1	60.5	15.1	45.4
	1909	1,051.6	23.6	.....	.....	2.5	2.5	10.0	12.4	12.4	12.4	36.1	21.2	47.3
Clinton County	1906	1,432.6	49.0	.....	.....	42.4	.....	39.2	22.8	3.3	19.6	104.4	26.1	65.3
	1907	1,285.6	42.1	.....	.....	6.5	3.2	3.2	9.7	32.4	.....	100.4	22.7	58.3
	1908	1,375.4	28.9	.....	.....	3.2	6.4	16.1	6.4	35.3	22.5	106.0	22.5	67.5
	1909	1,246.9	19.1	3.2	.....	3.2	3.2	6.4	6.4	19.1	19.1	89.3	28.7	47.8
Columbia County	1906	1,263.9	17.7	.....	.....	2.2	.....	8.9	33.2	22.1	15.5	70.8	11.1	68.6
	1907	1,287.9	45.6	.....	.....	28.2	.....	28.2	47.8	34.7	8.7	73.8	10.9	41.3
	1908	1,302.4	21.3	2.1	.....	6.4	6.4	12.8	49.0	32.0	12.8	66.1	14.9	49.0
	1909	1,226.5	10.5	2.1	.....	8.4	.....	25.1	14.7	37.7	8.4	64.9	12.6	56.5
Crawford County	1906	1,392.0	31.1	2.4	.....	16.8	4.8	9.6	2.4	14.4	7.2	88.6	19.2	67.1
	1907	1,509.1	16.9	.....	.....	7.3	.....	9.7	9.7	65.3	9.7	84.6	12.1	53.2
	1908	1,386.8	22.0	2.4	.....	.....	2.4	.....	12.2	61.0	17.1	68.4	12.2	73.2
	1909	1,306.5	17.3	.....	.....	.....	.....	2.5	4.9	22.2	12.3	71.5	2.5	83.8
Cumberland County	1906	1,409.6	23.3	.....	.....	2.3	14.0	7.0	4.7	9.3	32.7	133.0	16.3	63.0
	1907	1,446.8	13.9	2.3	.....	9.3	16.2	2.3	18.5	32.4	18.5	169.0	11.6	78.7
	1908	1,354.8	23.0	.....	.....	4.6	18.4	20.7	9.2	36.7	32.1	114.8	6.9	57.4
	1909	1,339.4	22.8	2.3	.....	15.9	11.4	9.1	15.9	29.6	20.5	127.6	27.3	68.3

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	6.5	35.5	121.0	124.2	62.9	77.4	96.8	72.6	41.9	50.0	6.5	143.6	35.5	116.1	16.1
4.7	12.6	15.7	100.7	110.2	70.8	85.0	119.6	42.5	55.1	55.1	11.0	124.3	51.9	124.3	9.4
1.5	6.1	16.9	127.5	119.8	84.5	95.2	109.1	75.3	49.2	67.6	4.6	106.0	41.5	113.7	1.5
.....	10.5	12.0	100.5	123.0	60.0	78.0	105.0	57.0	63.0	75.0	12.0	114.0	46.5	99.0	.....
.....	5.1	12.0	105.9	117.8	82.0	64.9	109.3	82.0	29.0	49.5	13.7	174.2	37.6	126.3	.....
1.7	5.0	13.2	128.8	153.3	100.7	84.2	102.4	69.3	47.9	84.2	6.6	241.0	13.2	117.2	5.0
.....	3.2	25.6	107.1	113.5	115.1	41.6	87.9	65.5	32.0	86.3	16.0	153.4	38.4	137.4	.....
.....	6.2	13.9	108.4	139.4	105.3	51.1	88.3	77.4	43.4	55.7	9.3	162.6	31.0	113.0	1.5
2.6	15.3	15.3	158.5	148.3	48.6	51.1	99.7	76.7	58.8	48.6	.....	61.4	38.4	115.1	23.0
.....	2.6	15.4	174.1	161.3	64.0	61.5	99.9	87.1	46.1	35.9	7.7	94.8	51.2	125.5	28.2
.....	5.1	15.4	123.1	197.5	64.1	38.5	71.8	79.5	46.2	59.0	12.8	79.5	33.3	133.4	5.1
.....	15.4	7.7	192.7	115.6	64.2	100.2	97.6	71.9	82.2	48.8	2.6	87.3	69.4	107.9	2.6
.....	5.9	5.9	213.8	168.9	69.7	75.6	114.6	67.3	72.1	73.2	15.4	74.4	55.5	129.9	.....
1.2	24.6	5.9	252.0	170.0	70.3	57.4	96.1	87.9	68.0	65.6	4.7	70.3	61.0	87.9	.....
1.2	14.0	5.8	212.9	168.7	53.5	82.6	102.4	72.1	62.8	75.6	16.3	271.0	46.5	100.0	.....
1.2	20.8	16.2	247.0	200.9	67.0	79.6	69.3	68.1	67.0	73.9	12.7	69.3	51.9	103.9	.....
.....	7.8	23.4	169.8	113.2	97.6	37.1	134.6	89.8	54.6	83.9	7.8	138.5	46.8	107.3	7.8
.....	11.4	15.2	182.2	153.7	85.4	55.0	115.8	91.1	75.9	98.7	7.6	132.8	47.4	125.2	9.5
.....	11.1	20.3	160.7	105.3	90.5	62.8	109.0	79.4	70.2	112.7	7.4	86.8	35.1	105.3	3.7
.....	10.8	12.6	133.1	151.1	113.3	43.2	93.5	59.4	84.6	66.6	1.8	79.2	21.6	93.5	1.8
1.8	10.6	23.0	166.7	202.1	72.6	47.9	83.3	102.8	79.8	62.1	12.4	113.5	26.6	131.2	1.8
1.8	12.5	12.5	171.7	230.7	91.2	68.0	62.6	69.8	84.1	37.6	12.5	110.9	39.4	137.7	7.2
1.8	21.7	16.2	218.4	283.3	88.4	65.0	102.9	111.9	72.2	54.1	10.8	108.3	27.1	142.6	.....
3.6	12.7	18.2	202.1	236.7	72.8	69.2	56.4	92.9	107.4	41.9	10.9	72.8	27.3	160.2	5.5
.....	10.7	9.4	221.5	214.8	128.9	67.1	99.4	65.8	124.9	48.3	8.1	98.0	20.1	99.4	1.3
.....	24.0	17.3	203.9	199.9	86.6	53.3	85.3	58.7	97.3	57.3	16.0	92.0	24.0	133.3	2.7
.....	15.9	11.9	207.8	195.9	80.7	50.3	101.9	74.1	108.5	67.5	7.9	78.1	30.4	97.9	.....
.....	17.1	11.8	210.2	173.5	73.6	73.6	84.1	65.7	106.4	40.7	11.8	80.2	22.3	93.3	.....
4.0	8.0	26.2	150.9	102.6	92.5	54.3	82.5	60.3	44.3	42.2	8.0	90.5	14.1	88.5	2.0
.....	8.0	23.9	119.3	147.1	93.4	55.7	91.4	69.6	67.6	41.7	8.0	101.4	29.8	107.3	8.0
5.9	15.7	23.6	143.4	104.1	98.2	58.9	88.4	82.5	55.0	41.3	11.9	74.7	23.6	88.4	7.9
.....	.....	9.7	108.8	130.1	69.9	64.1	101.0	62.1	56.3	36.9	7.8	75.7	31.1	101.0	5.8
.....	5.3	15.9	102.8	58.3	115.5	104.9	194.9	51.9	35.0	98.5	4.2	158.9	30.7	108.1	24.4
3.0	3.0	22.3	88.1	91.2	93.2	80.0	197.5	58.8	36.5	116.5	6.1	182.4	31.4	108.4	12.2
.....	5.8	24.3	90.4	70.9	96.2	77.7	171.0	42.8	36.0	88.4	4.9	161.3	27.2	101.1	8.7
.....	7.5	8.4	123.1	67.1	121.2	88.6	209.8	69.9	49.4	89.5	6.5	176.3	48.5	101.7	6.5
.....	13.5	.....	80.9	148.4	134.9	67.4	107.9	67.4	40.5	67.4	.....	134.9	27.0	134.9	.....
.....	.....	13.4	120.4	200.7	93.7	93.7	133.8	66.9	66.9	107.1	.....	347.9	40.1	107.1	.....
.....	.....	.....	106.1	199.1	53.1	13.3	106.2	39.8	79.6	92.9	13.3	106.2	13.3	66.4	13.3
.....	.....	.....	105.3	197.5	52.7	65.8	65.8	65.8	105.3	26.3	.....	197.5	13.2	158.0	.....
.....	8.1	28.2	139.0	124.9	94.7	86.6	175.2	72.5	70.5	80.6	6.0	108.8	24.2	96.7	10.1
7.9	11.9	7.9	156.5	110.9	95.1	75.3	174.3	85.2	75.3	83.2	11.9	158.4	37.6	99.0	7.9
.....	5.8	9.7	138.3	128.6	72.1	107.1	196.8	87.7	72.1	85.7	9.7	109.1	39.0	114.9	.....
.....	21.1	13.4	134.2	139.9	115.0	105.4	174.4	97.7	78.6	61.3	3.8	141.8	42.2	130.3	1.9
.....	20.8	13.9	155.0	164.3	48.6	76.4	83.3	76.4	55.5	64.8	4.6	104.1	23.1	134.2	20.8
.....	11.6	11.6	189.5	175.6	80.9	60.1	76.3	73.9	55.5	80.9	13.9	62.4	25.4	113.2	32.4
2.3	18.5	11.5	177.7	233.1	55.4	78.5	83.1	62.3	53.1	64.6	13.8	71.5	46.2	140.8	6.9
.....	11.5	11.5	168.3	189.0	78.4	69.2	119.9	57.6	69.2	59.9	11.5	80.7	43.8	129.1	4.6
3.6	12.1	18.1	177.2	184.4	85.6	60.3	143.4	62.7	109.7	74.7	12.1	120.5	31.3	136.2	6.0
2.4	13.1	10.7	154.8	202.5	69.1	72.7	110.8	47.6	98.9	70.3	14.3	135.8	36.9	131.0	1.2
.....	11.8	11.8	177.8	202.5	84.8	58.9	89.5	60.0	102.4	57.7	9.4	94.2	33.0	118.9	1.2
3.5	12.8	8.1	208.3	211.8	83.8	58.2	103.6	51.2	93.1	59.4	8.1	81.5	45.4	117.5	.....
.....	8.4	5.6	117.5	131.5	47.6	58.8	125.9	64.4	50.4	53.2	8.4	84.0	33.6	84.0	30.8
2.8	5.6	13.9	141.8	147.3	55.6	50.0	97.3	91.7	41.7	44.5	2.8	86.2	30.6	150.1	5.6
2.8	2.8	11.0	138.1	151.9	44.2	77.3	66.3	91.1	63.5	44.2	.....	46.9	11.0	88.4	5.5
.....	13.7	11.0	118.0	134.4	85.1	90.5	68.6	57.6	49.4	27.4	2.7	76.8	27.4	134.4	11.0
2.6	6.5	22.0	93.1	104.7	100.8	73.7	1 2.2	72.4	41.4	95.7	6.5	100.8	32.3	106.0	28.4
1.3	14.0	14.0	112.3	94.5	85.5	68.9	94.3	67.6	57.4	76.6	8.9	81.7	42.1	130.2	16.6
.....	6.3	7.6	97.0	108.4	90.7	74.4	139.9	45.4	52.9	81.9	13.9	102.1	44.1	99.6	6.3
.....	12.4	11.2	104.5	93.3	75.9	68.4	92.1	77.2	43.6	64.7	6.2	92.1	29.9	93.3	6.2
.....	.....	19.6	159.9	127.3	62.0	58.7	104.4	94.6	71.8	68.5	3.3	137.1	29.4	114.2	9.8
.....	19.4	13.0	152.2	145.7	55.0	32.4	113.3	51.8	74.5	71.2	9.7	106.9	55.0	100.4	6.5
.....	19.3	19.3	154.2	192.8	67.5	45.0	96.4	41.8	118.9	64.3	9.6	93.2	22.5	115.7	.....
.....	9.6	25.5	140.3	172.2	67.0	54.2	47.8	60.6	95.7	67.0	3.2	82.9	41.5	133.9	.....
2.2	6.6	11.1	174.9	166.0	97.4	44.3	126.2	55.3	62.0	55.3	2.2	90.8	17.7	97.4	4.4
.....	21.7	10.9	154.2	156.4	112.9	67.3	76.0	89.0	43.4	36.9	4.3	60.8	21.7	112.9	.....
.....	14.9	10.7	185.5	164.1	104.5	53.3	95.9	68.2	57.6	61.8	8.5	76.7	23.4	104.5	.....
.....	23.0	10.5	194.6	152.8	83.7	54.4	92.1	50.2	58.6	58.6	18.8	67.0	23.0	96.3	2.1
2.4	19.2	9.6	230.0	237.2	62.3	40.7	62.3	69.5	105.4	21.6	14.4	50.3	28.7	167.7	7.2
2.4	29.0	12.1	217.7	239.4	82.2	67.7	50.8	96.7	111.2	29.0	21.8	87.1	9.7	176.5	7.3
.....	31.7	9.8	195.3	207.5	65.9	51.3	53.7	87.9	100.1	31.7	17.1	85.5	22.0	151.4	4.9
2.5	17.3	12.3	170.1	236.7	88.7	51.8	34.5	103.5	120.8	39.4	7.4	61.6	29.6	113.4	.....
4.7	7.0	16.3	182.0	179.7	95.7	63.0	86.3	63.0	95.7	95.7	7.0	70.0	37.3	86.3	14.0
4.6	20.8	11.6	201.4	206.0	57.9	46.3	67.1	76.4	97.2	55.6	9.3	62.5	46.3	99.5	11.6
.....	9.2	6.9	197.5	167.6	80.4	57.4	71.2	87.3	87.3	59.7	2.3	55.1	34.4	112.5	2.3
.....	9.1	9.1	177.7	191.3	56.9	75.2	47.8	84.3	72.9	47.8	6.8	59.2	38.7	107.1	4.6

[2] Exclusive of cities having a population of 8,000 or over in 1900.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
PENNSYLVANIA RURAL[2]—Continued.														
Dauphin County *	1906	1,481.8	33.4	5.3	.....	12.3	10.6	24.6	26.4	12.3	14.1	135.5	8.8	49.3
	1907	1,484.4	22.6	3.5	.....	12.2	6.9	3.5	15.6	36.5	12.2	118.1	13.9	48.6
	1908	1,529.7	37.7	.....	.....	6.9	8.6	13.7	25.7	20.6	17.1	126.8	17.1	48.0
	1909	1,475.8	32.1	.....	.....	10.1	8.5	25.4	49.0	10.1	20.3	170.7	8.5	49.0
Delaware County	1906	1,369.2	23.5	1.4	.....	6.9	1.4	24.9	26.3	16.6	9.7	148.1	24.9	73.4
	1907	1,296.7	24.3	.....	.....	4.0	6.7	10.8	14.8	22.9	4.0	176.8	25.6	48.6
	1908	1,244.8	18.4	.....	.....	6.6	7.9	10.5	11.8	18.4	7.9	147.4	23.7	73.7
	1909	1,205.7	15.4	1.3	.....	10.3	2.6	10.3	19.3	14.1	5.1	152.8	12.8	57.8
Elk County	1906	1,310.1	51.8	2.9	.....	17.3	2.9	20.2	20.2	5.8	17.3	80.6	8.6	37.4
	1907	1,273.2	105.6	.....	.....	28.5	5.7	8.6	25.7	20.0	11.4	51.4	2.9	34.3
	1908	1,092.5	48.1	.....	.....	2.8	17.0	.....	22.6	22.6	17.0	56.6	2.8	34.0
	1909	1,116.9	28.1	.....	.....	11.2	5.6	16.8	16.8	30.9	5.6	50.5	8.4	58.9
Erie County	1906	1,461.9	25.1	2.1	.....	4.2	.....	6.3	16.8	46.1	16.8	108.9	2.1	71.2
	1907	1,372.9	12.5	4.2	.....	4.2	2.1	2.1	8.3	45.8	12.5	45.8	8.3	95.7
	1908	1,378.0	20.7	.....	.....	.....	8.3	.....	10.3	55.8	12.4	78.5	10.3	82.6
	1909	1,389.2	18.5	2.1	.....	14.4	2.1	6.2	12.3	32.8	16.4	63.6	16.4	71.8
Fayette County	1906	1,646.9	59.8	1.4	.....	38.5	8.2	28.9	39.2	5.5	11.0	83.1	14.4	41.2
	1907	1,506.7	66.1	0.7	.....	17.2	4.0	24.5	23.1	9.3	14.5	93.2	15.9	28.4
	1908	1,478.7	40.7	0.6	.....	29.9	4.5	49.6	17.8	17.8	6.4	84.0	17.8	26.7
	1909	1,449.0	47.3	.....	.....	19.0	23.9	14.7	18.4	15.3	10.4	76.1	19.0	40.5
Forest County	1906	775.8	9.9	.....	.....	19.9	.....	.....	9.9	.....	.....	39.8	9.9	39.8
	1907	839.1	10.1	10.1	.....	10.1	.....	10.1	.....	20.2	60.7	10.1	10.1	40.4
	1908	935.4	20.6	.....	.....	20.6	.....	10.3	10.3	41.1	.....	41.1	.....	10.3
	1909	1,181.4	.....	.....	.....	.....	31.4	.....	31.4	10.5	20.9	52.3	.....	73.2
Franklin County	1906	1,341.2	20.7	.....	.....	20.7	.....	14.5	14.5	4.1	26.9	152.9	37.2	55.8
	1907	1,415.7	26.6	.....	.....	10.2	4.1	12.3	12.3	22.5	22.5	168.0	22.5	59.4
	1908	1,363.6	12.7	2.1	.....	10.6	6.4	23.3	12.7	27.5	12.7	154.6	27.5	76.2
	1909	1,521.7	29.4	.....	.....	54.6	2.1	14.7	12.6	23.1	6.3	262.4	14.7	46.2
Fulton County	1906	1,338.0	71.5	.....	.....	.....	10.2	.....	40.9	30.6	10.2	91.9	.....	10.2
	1907	1,320.6	.....	.....	.....	.....	10.2	51.2	.....	41.0	10.2	133.1	.....	30.7
	1908	1,190.4	30.8	.....	.....	.....	.....	.....	.....	41.0	20.5	82.1	10.3	51.3
	1909	1,481.2	41.1	.....	.....	.....	.....	.....	.....	61.7	51.4	144.0	20.6	82.3
Greene County	1906	1,263.5	80.3	.....	.....	7.0	.....	17.5	7.0	34.9	7.0	146.6	14.0	59.3
	1907	1,278.3	24.4	.....	.....	.....	.....	10.4	7.0	62.7	7.0	121.9	27.9	45.3
	1908	1,115.7	48.7	.....	.....	10.4	10.4	7.0	10.4	34.8	10.4	118.2	20.9	59.1
	1909	1,203.5	17.3	.....	.....	20.8	.....	6.9	24.3	31.2	6.9	159.5	27.7	48.6
Huntingdon County	1906	1,352.3	48.8	.....	.....	2.7	24.4	.....	32.5	21.7	16.3	92.1	16.3	89.4
	1907	1,282.5	45.6	.....	.....	.....	8.0	8.0	34.9	34.9	18.8	107.3	21.5	72.4
	1908	1,126.5	42.5	.....	.....	2.7	5.3	29.2	15.9	15.9	13.3	79.7	2.7	50.5
	1909	1,278.6	13.2	.....	.....	15.8	.....	.....	34.2	28.9	18.4	94.7	7.9	73.7
Indiana County	1906	1,388.2	38.5	3.5	1.8	19.3	10.5	22.8	10.5	7.0	7.0	92.8	14.0	45.5
	1907	1,436.5	47.0	.....	.....	6.7	5.0	18.5	30.2	33.6	8.4	82.3	13.4	33.6
	1908	1,322.7	24.2	1.6	.....	24.2	8.1	9.7	24.2	27.5	14.5	66.2	12.9	40.4
	1909	1,348.1	15.5	1.6	.....	17.1	14.0	21.8	21.8	17.1	6.2	59.1	9.3	66.9
Jefferson County	1906	1,382.4	48.7	1.6	.....	6.5	17.9	22.7	34.1	11.4	13.0	69.8	9.7	55.2
	1907	1,274.9	38.7	.....	.....	6.5	4.8	25.8	25.8	33.9	9.7	66.2	19.4	62.9
	1908	1,310.0	41.7	.....	.....	12.8	3.2	9.6	17.6	17.6	9.6	70.6	30.5	59.3
	1909	1,196.4	15.9	.....	.....	19.1	1.6	8.0	17.5	11.2	15.9	60.5	14.3	49.4
Juniata County	1906	1,368.7	32.4	19.5	.....	.....	.....	6.5	6.5	6.5	38.9	103.8	6.5	45.4
	1907	1,358.6	13.1	.....	.....	6.5	6.5	6.5	6.5	13.1	13.1	163.3	26.1	52.3
	1908	1,440.4	39.5	6.6	.....	.....	.....	6.6	26.3	26.3	52.6	144.7	13.2	65.8
	1909	1,437.3	.....	.....	.....	26.5	.....	6.6	39.7	13.2	6.6	72.9	26.5	79.5
Lackawanna County	1906	1,640.7	9.6	.....	.....	55.2	51.6	10.8	39.6	10.8	14.4	70.8	9.6	34.8
	1907	1,619.0	13.9	.....	.....	16.2	17.4	22.0	33.6	16.2	9.3	75.2	13.9	31.2
	1908	1,814.4	12.3	.....	.....	13.4	118.4	12.3	74.9	14.5	13.4	61.4	19.0	38.0
	1909	1,858.6	5.4	.....	.....	44.3	112.3	36.7	54.0	13.0	19.4	71.3	7.6	29.2
Lancaster County	1906	1,384.2	32.6	4.7	.....	10.3	5.6	31.7	8.4	15.9	21.5	136.2	17.7	51.3
	1907	1,316.1	24.2	3.7	.....	13.0	2.8	2.8	5.6	32.6	9.3	115.3	16.7	59.5
	1908	1,258.7	16.7	0.9	.....	.....	3.7	22.3	6.5	35.2	13.9	77.9	13.9	73.3
	1909	1,282.0	17.6	1.8	.....	1.8	0.9	7.4	13.9	31.4	6.5	96.2	9.2	74.9
Lawrence County	1906	1,111.4	21.8	6.2	.....	12.5	.....	6.2	24.9	6.2	18.7	59.1	34.2	46.7
	1907	1,249.8	43.1	6.2	.....	6.2	3.1	18.5	12.3	24.6	.....	86.2	.....	36.9
	1908	1,197.1	21.4	.....	.....	6.1	.....	15.3	6.1	15.3	12.2	70.2	15.3	51.9
	1909	1,164.9	18.0	3.0	.....	6.0	.....	6.0	12.0	12.0	9.0	93.1	15.0	27.0
Lebanon County	1906	1,355.1	12.9	.....	.....	12.9	5.2	36.1	46.5	7.7	18.1	82.6	20.6	43.9
	1907	1,238.5	12.8	2.6	.....	10.2	2.6	15.3	56.2	15.3	12.8	91.9	10.2	30.6
	1908	1,440.2	45.5	2.5	.....	30.3	7.6	7.6	15.2	27.8	12.6	103.6	5.1	32.8
	1909	1,407.7	57.5	.....	.....	10.0	10.0	.....	12.5	22.5	17.5	102.5	20.0	50.0
Lehigh County	1906	1,671.6	55.4	1.5	.....	4.6	3.1	30.8	67.7	10.8	18.5	109.2	7.7	64.6
	1907	1,657.5	31.8	.....	.....	22.7	3.0	22.7	37.8	16.7	13.6	122.6	19.7	66.6
	1908	1,620.6	36.9	.....	.....	30.8	16.9	18.5	41.6	21.5	9.2	103.1	15.4	58.5
	1909	1,578.9	21.2	.....	.....	9.1	43.9	9.1	48.4	13.6	10.6	95.4	10.6	57.5
Luzerne County	1906	1,475.9	16.1	3.8	.....	28.5	14.5	25.3	35.0	10.8	17.2	71.6	8.1	37.7
	1907	1,541.6	12.5	0.5	.....	11.5	52.8	24.0	53.8	20.4	16.2	71.6	8.9	36.1
	1908	1,593.5	10.7	0.5	.....	14.7	78.8	11.7	61.0	17.8	15.8	80.3	8.1	40.7
	1909	1,591.3	5.7	2.6	.....	33.5	52.5	12.9	74.7	10.3	12.4	88.6	9.8	41.2

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
1.8	10.6	17.6	255.2	156.6	89.8	72.2	95.0	65.1	61.6	59.8	14.1	103.8	26.4	109.1	10.6
3.5	13.9	17.4	256.9	175.3	86.8	66.0	107.6	71.2	60.8	76.4	6.9	102.4	13.9	126.7	5.2
.....	13.7	20.6	234.7	181.6	82.2	46.3	118.2	63.4	82.2	71.9	18.8	90.8	30.8	152.5	.....
1.7	13.5	8.5	223.1	187.6	82.8	89.6	76.1	89.6	57.5	65.9	6.8	69.3	18.6	101.4	.....
1.4	4.2	18.0	152.3	153.7	81.7	83.1	105.2	52.6	96.9	38.8	11.1	87.2	20.8	99.7	5.5
.....	13.5	12.1	132.2	175.4	64.8	52.6	91.8	62.1	91.8	54.0	1.3	89.1	18.9	97.1	1.3
2.6	6.6	15.8	119.7	156.6	69.7	53.9	105.3	47.4	89.5	44.7	9.2	88.2	31.6	77.6	.....
.....	15.4	5.1	133.5	163.1	82.2	47.5	84.7	39.8	83.5	52.6	14.1	75.8	14.1	92.5	.....
.....	8.6	28.8	57.6	86.4	93.7	46.1	135.3	74.9	46.1	103.7	5.8	178.5	46.1	109.4	14.4
.....	17.1	37.1	111.3	82.8	125.6	28.5	91.3	82.8	45.7	82.8	11.4	125.6	25.7	97.1	14.3
.....	11.3	11.3	65.1	99.1	116.0	34.0	87.7	67.9	22.6	101.9	11.3	116.0	14.2	104.7	5.7
.....	11.2	28.1	87.0	126.3	67.4	36.5	95.4	36.5	33.7	101.0	.....	115.1	33.7	106.6	5.6
2.1	12.6	10.5	159.2	228.3	64.9	44.0	85.9	73.3	85.9	46.1	16.8	127.8	25.1	178.0	2.1
2.1	18.7	6.2	191.4	208.0	85.3	27.0	45.8	85.3	101.9	43.7	10.4	101.9	39.5	162.2	2.1
.....	16.5	4.1	202.5	229.3	70.2	47.5	51.6	84.7	70.2	28.9	14.5	99.2	26.9	148.7	4.1
.....	10.3	10.3	192.9	242.1	61.6	47.2	69.8	88.2	75.9	41.0	18.5	114.9	22.6	133.4	4.1
2.7	6.9	22.7	127.8	85.9	118.2	72.8	200.6	81.8	38.5	87.3	10.3	222.6	59.1	108.6	70.1
0.7	4.6	14.5	87.2	77.3	124.9	43.0	176.4	85.2	30.4	94.5	9.3	241.9	76.7	104.4	39.0
0.6	7.0	18.5	101.8	89.1	152.1	64.9	178.2	61.7	50.3	91.0	19.1	152.8	82.1	101.8	11.5
.....	5.5	18.4	87.2	80.4	171.9	58.9	164.5	57.7	39.3	100.1	9.2	173.1	79.2	113.6	4.9
.....	.....	9.9	109.4	49.7	49.7	19.9	49.7	29.8	39.8	.....	.....	69.6	29.8	129.3	59.7
.....	20.2	10.1	111.2	40.4	70.8	50.6	40.4	70.8	30.3	50.6	.....	50.6	40.4	50.6	20.2
.....	30.8	10.3	82.2	133.6	41.1	30.8	51.4	82.2	41.1	41.1	20.6	51.4	41.1	123.4	.....
.....	10.5	.....	104.5	104.5	94.1	135.9	83.6	83.6	31.4	83.6	20.9	104.5	20.9	83.6	.....
2.1	6.2	24.8	136.4	144.7	97.1	66.1	90.9	57.9	78.5	72.3	4.1	59.9	37.2	105.4	10.3
.....	8.2	12.3	202.8	178.2	53.3	63.5	112.7	79.9	69.7	59.4	12.3	73.8	18.4	104.5	6.1
.....	12.7	8.5	175.7	186.3	95.3	59.3	65.6	69.9	74.1	57.2	10.6	67.8	21.2	91.0	2.1
2.1	10.5	16.8	153.2	142.7	123.8	102.8	65.1	63.0	94.5	63.0	4.2	67.2	14.7	125.9	6.3
.....	10.2	10.2	163.4	255.3	81.7	81.7	81.7	51.1	71 5	51.1	.....	61.3	102.1	40.9	10.2
.....	.....	30.7	143.3	204.8	71.7	102.4	71.7	92.1	61.4	81.9	.....	51.2	30.7	102.4	.....
.....	20.5	30.8	184.7	123.1	20.5	92.4	92.4	71.8	41.0	61.6	10.3	41.0	41.0	123.1	.....
.....	.....	20.6	205.7	216.0	61.7	102.9	72.0	102.9	72.0	41.1	.....	61.7	51.4	72.0	.....
.....	17.5	24.4	150.1	160.6	87.3	34.9	62.8	76.8	41.9	34.9	7.0	45.4	31.4	97.7	17.5
.....	17.4	20.9	121.9	177.6	59.2	73.1	59.2	87.1	48.8	52.2	13.9	76.6	17.4	135.8	10.4
.....	7.0	10.4	107.7	111.2	69.5	31.3	90.4	52.1	41.7	52.1	10.4	86.9	13.9	93.8	7.0
.....	3.5	10.4	117.9	145.7	65.9	59.0	59.0	65.9	59.0	34.7	13.9	69.4	45.1	111.0	.....
.....	13.6	13.6	151.8	119.2	75.9	40.7	78.6	100.3	62.3	56.9	8.1	132.8	37.9	92.1	24.4
.....	13.4	8.0	112.7	142.2	85.9	40.2	77.8	61.7	48.3	53.7	5.4	123.4	34.9	102.0	21.5
.....	15.9	2.7	135.5	106.3	45.2	37.2	101.0	69.1	45.2	37.2	2.7	119.6	31.9	116.9	2.7
.....	7.9	13.2	160.5	118.4	63.1	63.1	110.5	65.8	68.4	68.4	5.3	97.3	50.0	100.0	.....
1.8	7.0	7.0	122.5	150.5	59.5	84.0	178.6	64.8	42.0	78.8	21.0	152.3	21.0	113.8	10.5
1.7	10.1	18.5	121.0	105.8	100.8	67.2	163.0	90.7	68.9	84.0	10.1	156.2	53.8	95.8	10.1
1.6	1.6	17.8	124.4	119.5	84.0	95.3	132.4	87.2	46.8	80.8	6.5	116.3	43.6	106.6	4.8
3.1	1.6	15.5	125.9	104.2	74.6	93.3	150.8	56.0	66.9	73.1	4.7	144.6	38.9	141.5	3.1
.....	8.1	17.9	110.5	102.3	76.3	86.1	131.6	97.5	56.9	84.5	13.0	139.7	30.9	117.0	19.5
.....	16.1	22.6	103.3	109.7	61.3	85.5	100.1	85.5	61.3	72.6	1.6	116.2	24.2	103.3	17.8
1.6	22.4	8.0	110.6	131.5	60.9	64.1	137.9	81.8	40.1	83.4	11.2	152.3	35.3	86.6	9.6
.....	9.6	4.8	95.6	113.1	49.4	103.6	140.2	76.5	57.4	68.5	3.2	124.3	30.3	102.0	4.8
.....	19.5	6.5	194.6	278.9	32.4	64.9	71.4	77.8	13.0	32.4	6.5	181.6	13.0	84.3	25.9
.....	19.6	19.6	189.4	209.0	65.3	52.3	45.7	65.3	26.1	58.8	.....	150.2	32.7	111.0	6.5
.....	13.2	26.3	210.5	236.8	32.9	39.5	85.5	52.6	46.0	39.5	6.6	72.3	65.8	131.5	.....
.....	33.1	33.1	198.7	245.1	125.8	13.2	39.7	72.9	26.5	92.7	6.6	99.4	33.1	145.7	.....
1.2	12.0	27.6	163.2	99.6	134.4	111.6	240.0	88.8	63.6	58.8	4.8	165.6	40.8	114.0	7.2
.....	8.1	37.0	189.8	114.6	138.9	136.6	195.6	68.3	62.5	83.3	2.3	194.4	35.9	96.1	6.9
1 1	8.9	24.6	165.4	131.8	139.7	121.8	251.4	87.1	73.7	90.5	7.8	202.2	31.3	96.1	3.4
1.1	8.6	23.8	160.9	112.3	156.6	182.5	281.9	85.3	74.5	89.6	7.6	137.2	35.6	106.9	1.1
.....	10.3	10.3	193.1	168.8	61.6	58.8	108.2	60.6	90.5	53.2	5.6	101.7	14.9	107.3	3.7
1.9	7.4	10.2	208.3	192.5	85.6	62.3	64.2	68.8	81.9	43.7	11.2	67.9	17.7	105.1	1.9
0.9	8.3	6.5	180.9	169.7	72.3	53.8	104.8	60.3	90.9	49.2	8.3	52.9	21.3	113.2	0.9
1.8	7.4	9.2	204.4	190.5	83.2	90.6	58.3	65.7	67.5	60.1	10.2	52.7	25.9	88.8	3.7
.....	3.1	12.5	130.8	90.3	68.5	84.1	74.7	43.6	46.7	28.0	3.1	140.1	40.5	102.7	6.2
3.1	12.3	6.2	126.2	113.9	92.4	64.6	110.8	86.2	67.7	61.6	12.3	95.4	21.5	104.7	33.9
.....	.....	6.1	116.0	140.5	64.1	76.3	73.3	100.8	70.2	64.1	12.2	103.8	24.4	85.5	45.8
.....	3.0	15.0	84.1	96.1	57.0	63.0	96.1	75.1	72.1	63.0	6.0	135.1	27.0	129.1	42.0
.....	10.3	5.2	188.4	134.2	67.1	67.1	87.8	82.6	59.4	59.4	18.1	87.8	103.2	92.9	5.2
.....	12.8	10.2	199.2	132.8	63.8	35.7	66.4	56.2	53.6	61.3	2.6	79.2	68.9	135.3	.....
.....	27.8	12.6	260.2	133.9	58.1	85.9	53.1	85.9	68.2	91.0	5.1	58.1	70.7	139.0	.....
2.5	20.0	15.0	212.5	127.5	52.5	87.5	80.0	82.5	60.0	65.0	.....	57.5	112.5	127.5	2.5
1.5	9.2	13.8	235.3	163.0	83.0	70.7	169.2	81.5	64.6	63.0	12.3	138.4	56.9	130.7	4.6
1.5	19.7	19.7	198.3	133.2	118.1	81.7	148.3	78.7	90.8	77.2	9.1	162.0	50.0	112.0	.....
.....	21.5	15.4	184.7	127.7	97.0	78.5	170.8	87.7	70.8	64.6	23.1	127.7	58.5	140.1	.....
1.5	15.1	13.6	215.0	134.7	121.1	98.4	130.2	53.0	72.7	57.5	12.1	142.3	54.5	137.8	.....
1.1	6.5	16.1	137.2	92.0	145.8	103.3	197.5	72.6	50.6	83.4	5.9	139.4	47.3	92.0	16.7
0.5	5.8	19.3	136.4	94.6	147.4	105.1	185.6	76.8	50.2	79.5	3.7	175.1	49.7	92.0	11.5
0.5	11.2	9.1	122.5	106.7	114.9	100.1	228.2	65.6	65.1	87.9	6.6	138.6	46.3	96.1	4.1
1.0	6.2	5.7	122.6	106.6	140.6	129.3	206.0	70.6	59.7	98.9	7.2	149.9	45.8	93.7	3.6

[2] Exclusive of cities having a population of 8,000 or over in 1900.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
PENNSYLVANIA RURAL[2]—Continued														
Lycoming County	1906	1,123.2	12 5	.....	.....	4 2	10.4	4 2	8 3	4.2	10.4	66.4	8.3	64.4
	1907	1,112.1	12.4	.....	.....	.....	6.2	22 7	10.3	72.4	16.5	51.7	2.1	62.0
	1908	1,130 0	16.5	2 1	.....	10.3	2.1	8 2	20 6	28.8	10.3	45.3	10.3	70.0
	1909	1,028.9	8.2	.....	.....	4.1	6.1	4 1	16.4	10.2	6.1	57.4	10.2	69.7
McKean County	1906	1,215.4	8 7	.....	.....	.....	8.7	31.9	17.4	23.2	2.9	72.5	5.8	69.6
	1907	1,235.0	23.4	.....	.....	8.8	2.9	5.9	20.5	29.3	2 9	70.2	11.7	55.6
	1908	1,136 8	26.6	.....	.....	3.0	17.7	20.7	8.9	29.5	5.9	94.5	17.7	41.3
	1909	1,200 7	8.9	.....	.....	8.9	23.8	17.8	8.9	17.9	3.0	74.5	11.9	62.6
Mercer County	1906	1,396.0	42 6	3 6	.....	7.1	3.6	5.3	32.0	16.0	17.8	74.6	32.0	65 7
	1907	1,540 1	53.5	1.7	.....	15.5	1.7	27.6	22.4	15 5	15.5	101.9	13.8	65.6
	1908	1,285 0	43 7	3 4	.....	6.7	.....	10.1	3.4	26.9	16.8	70.5	15.1	62.1
	1909	1,255 9	21.3	.....	.....	6 5	16.4	1.6	8.2	14.7	14.7	65.4	18.0	73.6
Mifflin County	1906	1,572.7	50 0	.....	.....	30.8	.....	3.8	65.4	11.5	23.1	146.1	15.4	46.1
	1907	1,620.4	49 1	3.8	.....	.....	3.8	11.3	60.4	26 4	26.4	188.9	30.2	60.4
	1908	1,313.8	37.1	.....	.....	.....	7.4	3.7	52.0	11 1	29.7	55.7	11.1	66.8
	1909	1,364.3	32.8	.....	.....	3.6	.....	14.6	29.2	7.3	25.5	91.2	10.9	51.1
Monroe County	1906	1,105 3	13 5	.....	.....	4.5	4.5	18.0	22 5	18.0	4.5	125.8	13.5	49.4
	1907	1,417.4	4 5	.....	.....	.....	.....	22.3	40.1	35.7	13.4	80.2	4.5	80.2
	1908	1,384 0	4 4	.....	.....	4.4	4.4	8 8	22.1	22.1	13.3	154.8	.....	61.9
	1909	1,373 0	13 2	.....	.....	4.4	8.8	30.7	8.8	13.2	13.2	149.1	8.8	96.5
Montgomery County	1906	1,289.5	29.8	0.9	.....	12 8	1.7	17.9	26.4	13.6	12.8	122.8	11.9	65.7
	1907	1,368.0	20.9	0 8	.....	6 7	3.3	19.2	25.9	33.4	10.0	131.3	23.4	50.2
	1908	1,301.6	29 5	.....	.....	9.0	5.7	12.3	18.9	17.2	11.5	104.2	20.5	55.8
	1909	1,316.5	12 9	1.6	.....	3.2	12.9	4.0	29.0	18.5	10.5	136.8	20.1	70.8
Montour County*	1906	1,850.4	27 0	.....	.....	.....	.....	.....	54.0	.....	40.5	81.0	13.5	81.0
	1907	1,975.6	27.1	.....	.....	.....	27 1	13 5	40.6	13.5	.....	203.0	13.5	162.4
	1908	2,101.7	13.6	.....	.....	.....	13.6	.....	13.6	27.1	13.6	244.1	.....	135.6
	1909	2,390.7	13.6	.....	.....	.....	.....	27.2	.....	13.6	40.7	95.1	27.2	149.4
Northampton County	1906	1,494.4	29.0	.....	.....	6.9	2.8	26.3	49.8	6.9	12.4	114.7	8.3	56.7
	1907	1,504.7	24 3	1.3	.....	13.5	4.0	20.2	32.4	13.5	12.1	122.7	20.2	64.7
	1908	1,456.7	22.4	.....	.....	19.7	19.7	21.1	30.3	9.2	15.8	135.5	19.7	72.4
	1909	1,389.0	9.0	.....	.....	6.4	25.7	5.1	64 2	7.7	11.6	83.5	14.1	61.7
Northumberland County	1906	1,250.4	19.5	1.8	.....	12.4	5.3	21.3	30.2	21.3	17.7	81.6	10.6	39.0
	1907	1,317.0	7 0	.....	.....	19.1	3.5	19.1	33.1	24.4	17.4	95.7	8.7	29.6
	1908	1,237.8	5.1	.....	.....	3 4	.....	12.0	27.3	23.9	12.0	80.2	5.1	34.1
	1909	1,216.8	25.1	1.7	.....	30.2	5.0	3.4	28.5	15.1	10.1	68.7	11.7	38.5
Perry County	1906	1,374.4	32.1	.....	.....	4.0	.....	16.0	28.0	4.0	8.0	100.2	8.0	56.1
	1907	1,301.5	24.3	4.0	.....	8.1	.....	.....	8.1	12.1	12.1	141.5	4.0	64.7
	1908	1,296.7	16.3	4.1	.....	8.2	4.1	20.4	4.1	32 6	32 6	65.2	12.2	69.3
	1909	1,254.7	8.2	.....	.....	4.1	.....	16.5	8.2	4.1	8.2	90.5	8.2	65.8
Pike County	1906	1,491.1	.....	.....	.....	.....	.....	.....	36.1	12 0	24.1	204.4	12.0	120.3
	1907	1,698.6	24.3	.....	.....	.....	.....	.....	24.3	121.3	24.3	145.6	12.1	36.4
	1908	1,273.3	24.5	.....	.....	12.2	12.2	12.2	.....	61.2	12.2	85.7	.....	24.5
	1909	1,680.5	37.1	.....	.....	.....	12.4	24.7	12.4	12.4	.....	173.0	37.1	86.5
Potter County	1906	1,060.7	36.6	.....	.....	.....	.....	23.3	10.0	13 3	6.7	29.9	16.6	56.5
	1907	1,234.0	30.0	.....	.....	23.3	.....	.....	3.3	63.4	.....	60.0	10.0	60.0
	1908	1,167.5	43.5	.....	.....	6.7	13.4	16.7	.....	36.8	6.7	90.3	20.1	50.2
	1909	1,241.5	30.2	.....	.....	.....	3.4	20.1	3.4	10.1	6.7	57.0	16.8	47.0
Schuylkill County	1906	1,606.1	13.1	2.2	.....	22.6	11.7	32.0	59.0	14.6	27 7	88.9	13.1	38.6
	1907	1,621.3	12.9	1.4	.....	7.2	14.3	8.6	50.2	17.9	23 6	94.6	14.3	53.0
	1908	1,593.1	15.5	1.4	.....	6.3	10.6	19.7	38.8	21.9	24.7	86.0	17.6	44.4
	1909	1,592.2	11.8	2 8	.....	11.1	18.0	18.7	35.4	13.9	17.3	90.9	11.8	49.3
Snyder County	1906	1,224.0	17.7	.....	.....	5.9	5.9	11.8	11.8	11.8	23.5	111.8	5.9	58.8
	1907	1,251.3	17.7	.....	.....	.....	.....	.....	11.8	11.8	23.6	88.5	23.6	76.7
	1908	1,178.1	71 0	.....	.....	.....	.....	5.9	17.8	.....	17.8	77.0	11.8	41.4
	1909	1,163.8	17 8	.....	.....	5 9	.....	11.9	5.9	.....	11.9	83.1	5.9	71.3
Somerset County	1906	1,339.2	41 2	1.6	.....	18.1	8.2	18.1	54.4	6.6	8.2	65.9	8.2	42.8
	1907	1,251.7	22.4	.....	.....	19.2	19.2	6.4	62.3	17.6	8.0	59.1	6.4	46.4
	1908	1,358.6	62.1	.....	.....	3 1	1 6	21.7	59.0	26.4	10.9	80.7	9.3	27.9
	1909	1,491.3	40.8	.....	.....	45.3	18.1	15 1	43.8	13.6	10.6	61.9	6.0	40.8
Sullivan County	1906	1,007.1	8.6	.....	.....	8.6	8.6	25 8	.....	8.6	17.2	60.3	.....	34.4
	1907	1,283.4	.....	8.7	.....	.....	.....	17 3	.....	34.7	8.7	69.4	.....	121.4
	1908	908.5	8.7	.....	.....	8.7	17.5	61.2	43 7	8.7	43.7	52.4	.....	26.2
	1909	1,100.2	8.8	.....	.....	17.6	26.4	35 2	35.2	.....	35.2	52.8	17.6	26.4
Susquehanna County	1906	1,447.1	12.9	.....	.....	10.4	2.6	10.4	33.7	23.3	10.4	106.1	15.5	36.2
	1907	1,513.1	26.0	.....	.....	.....	33.9	7.8	20.8	44.3	13.0	83.3	18.2	59.9
	1908	1,525.0	26 2	2.6	.....	18.3	21.0	2.6	23.6	41.9	18.3	68.1	7.9	73.4
	1909	1,502.7	10.5	.....	.....	7.9	13.2	15.8	.....	23.7	10.5	81.7	13.2	71.2
Tioga County	1906	1,333.1	33.2	2 2	.....	.....	.....	6.6	15.5	17.7	17.7	68.5	11.1	97.3
	1907	1,381.2	22.4	.....	.....	4.5	2.2	11.2	11.2	60.5	20.2	65.0	20.2	78.5
	1908	1,337.4	36.4	.....	.....	25.0	6.8	25.0	11.4	38.7	6.8	59.1	13.6	91.0
	1909	1,327.0	18.5	.....	.....	.....	.....	6.9	16.2	48.5	16.2	36.9	4.6	106.2
Union County	1906	1,354.0	29.8	.....	.....	.....	.....	11.9	6.0	6.0	17.9	107.4	.....	107.4
	1907	1,377.1	12.0	.....	.....	6.0	.....	6.0	.....	12.0	24.1	60.1	6.0	108.2
	1908	1,249.0	12.1	.....	.....	.....	6.1	24.3	6.1	.....	6.1	66.7	18.2	84.9
	1909	1,418.4	12.2	.....	.....	12.2	6.1	.....	12.2	.....	6.1	85.6	12.1	67.2

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
2.1	20.8	12.5	141.2	145.3	70.6	39.4	89.3	62.3	72.7	39.4	4.2	87.2	22.8	114.2	6.2
.....	4.1	12.4	142.6	140.6	91.0	51.7	68.2	45.5	66.1	59.9	4.1	62.0	24.8	80.6	2.1
.....	20.6	10.3	170.8	119.4	84.4	43.2	72.0	57.6	74.1	49.4	6.2	59.7	22.6	113.2	2.1
.....	12.3	12.3	139.4	131.2	71.7	49.2	61.5	63.5	94.3	49.2	4.1	55.3	6.1	86.1	.....
.....	5.8	11.6	72.5	156.6	87.0	55.1	89.9	107.3	78.3	37.7	2.9	95.7	14.5	150.8	8.7
2.9	20.5	8.8	108.3	169.7	137.5	43.9	73.2	52.7	46.8	64.4	14.6	102.4	20.5	128.8	8.8
.....	5.9	11.8	82.7	129.9	82.7	26.6	106.3	65.0	26.6	62.0	14.8	82.7	29.5	141.7	3.0
.....	14.9	14.9	119.2	146.0	50.7	68.5	77.5	74.5	56.6	53.6	20.9	113.2	11.9	137.1	3.0
1.8	17.8	12.4	143.9	159.8	87.0	49.7	147.4	78.1	69.3	51.5	10.7	106.6	23.1	111.9	24.9
.....	8.6	24.2	174.4	172.7	136.4	39.7	131.2	88.1	65.6	58.7	13.8	136.4	32.8	114.0	8.6
.....	20.2	18.5	154.5	181.4	99.1	52.1	94.1	85.7	57.1	42.0	8.4	85.7	28.6	94.1	5.0
.....	16.4	13.1	142.3	171.7	89.9	57.2	80.1	86.7	68.7	49.1	11.4	83.4	29.4	112.8	3.3
3.8	11.5	23.1	123.0	192.3	57.7	34.6	134.6	84.6	38.5	80.7	7.7	180.7	34.6	165.3	7.7
.....	7.6	7.6	151.1	207.7	71.8	49.1	94.4	79.3	68.0	86.9	7.6	162.4	18.9	143.5	3.8
.....	22.3	3.7	193.0	163.3	59.4	37.1	96.5	55.7	70.5	77.9	3.7	118.8	22.3	115.1	.....
3.6	29.2	10.9	160.5	175.1	73.0	47.4	145.9	58.4	62.0	91.2	3.6	69.3	14.6	153.2	.....
.....	18.0	9.0	170.7	148.3	53.9	44.9	80.9	71.9	27.0	22.5	18.0	85.4	13.5	67.4	.....
.....	22.3	8.9	222.9	115.9	57.9	62.4	89.1	142.6	75.8	44.6	13.4	98.1	40.1	120.3	22.3
.....	8.8	.....	190.1	172.4	101.7	66.3	92.9	61.9	75.2	48.6	13.3	128.2	13.3	110.5	4.4
.....	8.8	4.4	197.4	210.6	70.2	57.0	57.0	96.5	74.6	57.0	4.4	70.2	35.1	83.3	.....
0.9	14.5	13.6	174.0	156.1	72.5	43.5	108.3	46.1	64.0	54.6	11.9	95.5	18.8	98.1	0.9
0.8	12.5	17.6	162.2	145.5	74.4	71.1	105.4	65.2	71.9	64.4	17.6	95.3	25.1	112.0	1.7
.....	10.7	15.6	178.8	164.9	85.3	63.2	74.6	51.7	71.4	72.2	10.7	84.5	15.6	118.1	.....
1.6	14.5	16.1	155.3	184.3	79.7	56.3	95.8	53.9	63.6	70.0	11.3	66.0	17.7	110.2	.....
.....	13.5	.....	391.7	270.1	148.6	40.5	108.0	94.5	54.0	54.0	13.5	121.6	13.5	229.6	.....
.....	40.6	13.5	406.0	284.2	81.2	108.3	67.7	135.3	94.7	40.6	.....	67.7	.....	121.8	13.5
.....	13.6	13.6	474.6	488.1	27.1	81.4	40.7	67.8	94.9	81.4	27.1	81.4	.....	149.2	.....
.....	.....	.....	910.1	421.1	81.5	81.5	81.5	149.4	149.4	40.7	13.6	40.7	.....	54.3	.....
4.1	19.4	19.4	211.5	143.8	102.3	69.1	149.3	55.3	60.8	92.6	9.7	88.5	33.2	113.4	8.3
5.4	32.4	9.4	183.4	121.3	91.7	76.9	111.9	75.5	82.2	99.8	10.8	113.3	39.1	106.5	16.2
1.3	22.4	14.5	165.8	115.8	85.5	82.9	114.5	42.1	76.3	88.2	10.5	111.9	40.8	118.4	.....
.....	25.7	14.1	186.3	164.	70.7	82.2	93.8	55.3	96.4	77.1	18.0	75.8	38.5	101.5	.....
3.5	7.1	12.4	147.2	108.2	81.6	58.5	115.3	70.9	51.4	55.6	8.9	118.8	49.7	86.9	3.5
3.5	7.0	13.9	107.9	127.0	125.3	57.4	113.1	69.6	48.7	80.0	10.4	121.8	60.9	109.6	3.5
1.7	13.7	10.2	143.4	116.1	114.4	59.8	107.6	75.1	51.2	52.9	17.1	140.0	34.1	97.3	.....
3.4	8.4	11.7	150.8	105.6	93.9	62.0	120.7	95.5	46.9	53.6	5.0	112.3	26.8	82.1	.....
4.0	24.0	.....	228.4	212.4	68.1	40.1	76.1	72.1	64.1	52.1	4.0	100.2	28.0	112.2	32.1
.....	4.0	4.0	218.3	226.4	68.7	44.5	36.4	68.7	36.4	36.4	8.1	76.8	48.5	129.3	16.2
12.2	8.2	4.1	203.9	261.0	32.6	36.7	48.9	40.8	73.4	61.2	4.1	77.5	65.2	93.8	4.1
.....	8.2	4.1	172.8	271.5	61.7	53.5	65.8	82.3	65.8	61.7	.....	41.1	24.7	123.4	4.1
.....	24.1	36.1	132.3	180.4	84.2	72.2	24.1	144.3	144.3	36.1	12.0	72.2	24.1	84.2	12.0
.....	36.4	60.7	194.1	266.9	109.2	84.9	36.4	60.7	121.3	12.1	12.1	145.6	24.3	145.6	.....
.....	12.2	12.2	183.6	134.7	171.4	61.2	61.2	36.7	110.2	61.2	24.5	49.0	.....	110.2	.....
.....	.....	.....	160.6	210.1	247.1	74.1	86.5	49.4	210.1	49.4	12.4	98.9	.....	86.5	.....
.....	23.3	23.3	159.6	89.8	49.9	39.9	86.5	36.6	36.6	79.8	6.7	79.8	39.9	93.1	23.3
.....	16.7	33.4	120.1	136.7	73.4	33.4	66.7	100.1	46.7	43.4	10.0	96.7	13.3	176.8	16.7
.....	13.4	13.4	90.3	127.1	63.6	26.8	90.3	70.3	43.5	66.9	10.0	117.1	33.5	113.7	3.3
.....	16.8	30.2	107.4	187.9	87.2	50.3	104.0	107.4	67.1	43.6	16.8	77.2	33.6	114.1	3.4
0.7	8.7	18.9	182.1	107.1	116.5	100.5	201.8	75.8	55.4	90.3	5.8	158.8	43.0	109.3	8.0
1.4	8.6	9.3	156.2	116.8	132.5	131.1	192.0	73.1	65.9	89.6	8.6	202.0	48.0	85.3	2.9
1.4	13.4	10.6	129.7	114.2	114.2	139.6	215.0	75.4	64.1	90.2	10.6	187.5	41.6	96.6	2.1
.....	13.2	9.0	159.6	116.6	121.4	143.6	170.7	88.8	79.8	76.3	6.2	178.3	34.7	111.0	2.1
.....	17.7	.....	223.6	164.8	70.6	64.7	53.0	70.6	64.7	41.2	5.9	58.8	17.7	100.0	5.9
.....	11.8	.....	253.8	265.6	76.7	59.0	41.3	23.6	88.5	5.9	11.8	59.0	11.8	70.8	17.7
5.9	11.8	5.9	219.0	148.0	88.8	41.4	59.2	53.3	65.1	59.2	11.8	29.6	29.6	100.6	5.9
.....	5.9	.....	207.8	207.8	83.1	77.2	59.4	59.4	29.7	29.7	17.8	47.5	5.9	112.8	5.9
1.6	6.6	11.5	153.2	102.1	54.4	39.5	151.5	69.2	56.0	75.8	4.9	146.6	47.8	120.3	24.7
.....	8.0	16.0	135.9	108.7	46.4	40.0	132.7	68.7	46.4	76.7	11.2	132.7	38.4	105.5	17.6
.....	14.0	7.8	107.1	88.5	66.8	54.3	132.0	66.8	41.9	99.4	6.2	172.3	57.4	138.2	3.1
.....	7.5	15.1	107.2	126.8	117.7	75.5	173.6	83.0	61.9	72.4	3.0	163.0	48.3	131.3	9.1
.....	.....	43.0	154.9	86.1	25.8	60.3	94.7	77.5	51.6	51.6	8.6	103.3	.....	60.3	17.2
.....	8.7	17.3	121.4	147.4	86.7	104.1	34.7	69.4	69.4	60.7	8.7	104.1	43.4	147.4	.....
8.7	8.7	17.5	78.6	52.4	52.4	8.7	78.6	69.9	17.5	69.9	.....	61.2	8.7	104.8	.....
.....	17.6	8.8	114.4	176.0	79.2	70.4	44.0	70.4	44.0	52.8	.....	88.0	8.8	70.4	.....
.....	25.9	20.7	170.9	194.1	57.0	64.7	145.0	93.2	57.0	59.5	2.6	121.7	25.9	139.8	7.8
2.6	20.8	23.4	205.7	205.7	91.2	88.5	78.1	91.2	46.9	46.9	7.8	119.8	31.3	132.8	13.0
2.6	26.2	13.1	183.4	196.5	68.1	91.7	104.8	76.0	76.0	39.3	18.3	120.5	31.4	170.3	2.6
.....	13.2	13.2	192.5	210.9	94.9	108.1	68.5	113.4	89.6	50.1	7.9	108.1	42.2	137.1	5.3
.....	19.9	15.5	132.6	194.5	68.5	59.7	84.0	79.6	68.5	46.4	13.3	92.9	19.9	163.6	4.4
2.2	13.5	6.7	172.6	190.6	65.0	62.8	83.0	105.4	69.5	47.1	9.0	100.9	15.7	134.5	6.7
.....	27.3	13.6	150.1	186.5	70.5	66.0	50.0	104.6	75.1	66.0	15.9	63.7	27.3	104.6	2.3
.....	18.5	4.6	189.2	251.6	80.8	53.1	57.7	69.2	69.2	48.5	9.2	50.8	39.2	131.5	.....
.....	29.8	11.9	202.8	274.4	77.5	59.6	29.8	41.8	95.4	71.6	11.9	47.7	23.9	89.5	.....
.....	18.0	12.0	270.6	228.5	60.1	24.1	60.1	60.1	84.2	90.2	12.0	90.2	12.0	102.2	18.0
.....	12.1	18.2	169.8	200.1	66.7	30.3	78.8	90.9	103.1	78.8	.....	66.7	12.1	90.9	6.1
.....	18.3	6.1	201.7	220.1	110.0	36.7	79.5	97.8	91.7	42.8	18.3	91.7	48.9	134.5	6.1

[2] Exclusive of cities having a population of 8,000 or over in 1900.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tuberculosis.	Cancer.
PENNSYLVANIA RURAL[2]—Continued.														
Venango County	1906	1,357.4	25.6	5.1	.....	7.7	.....	.....	10.2	10.2	30.7	128.1	12.8	58.9
	1907	1,317.1	43.1	.....	.....	2.5	.....	15.2	7.6	27.9	12.7	81.0	15.2	63.3
	1908	1,225.0	30.1	.....	.....	5.0	2.5	2.5	5.0	17.5	5.0	105.2	30.1	72.6
	1909	1,201.8	9.9	.....	.....	.....	7.4	9.9	.....	9.9	14.9	91.7	22.3	49.6
Warren County*	1906	1,344.6	20.5	.....	.....	.....	3.4	17.1	6.8	17.1	3.4	146.7	17.1	47.8
	1907	1,464.5	34.4	.....	.....	20.6	3.4	10.3	13.8	41.3	3.4	161.6	24.1	72.2
	1908	1,537.6	17.3	.....	.....	6.9	10.4	.....	6.9	34.6	13.9	152.4	20.8	69.3
	1909	1,747.9	20.9	3.5	.....	7.0	20.9	3.5	3.5	48.8	24.4	150.0	24.4	59.3
Washington County	1906	1,471.3	54.9	.....	.....	40.4	8.1	8.9	25.8	8.9	9.7	93.6	27.4	48.4
	1907	1,527.3	55.8	.....	.....	10.1	5.4	30.2	25.6	30.2	9.3	90.6	19.4	51.1
	1908	1,652.6	57.3	0.7	.....	13.4	12.7	43.9	22.3	28.3	6.7	96.8	26.1	50.6
	1909	1,470.4	33.7	.....	.....	27.2	16.5	7.9	18.6	11.5	16.5	95.3	22.2	54.5
Wayne County	1906	1,277.2	27.0	.....	.....	20.3	6.8	6.8	54.1	13.5	13.5	138.5	10.1	30.4
	1907	1,403.3	33.9	.....	.....	3.4	10.2	16.9	40.7	61.0	10.2	81.4	13.6	61.0
	1908	1,373.8	27.2	3.4	.....	.....	13.6	13.6	23.8	27.2	6.8	64.6	.....	119.0
	1909	1,374.9	30.7	.....	.....	.....	13.6	17.1	17.1	30.7	10.2	109.2	10.2	64.8
Westmoreland County	1906	1,537.8	48.0	1.5	.....	37.3	5.9	35.3	34.3	11.3	20.6	68.6	12.7	46.1
	1907	1,564.4	41.7	0.5	.....	8.0	4.3	22.3	34.1	15.2	22.7	90.4	19.4	52.6
	1908	1,304.2	28.4	0.5	.....	18.3	7.3	40.3	29.8	24.3	12.4	82.0	13.7	38.5
	1909	1,327.6	17.7	.....	.....	13.7	14.2	13.3	27.5	11.1	19.5	68.3	16.4	38.1
Wyoming County	1906	1,387.6	37.2	.....	.....	6.2	.....	.....	6.2	6.2	18.6	80.5	18.6	80.5
	1907	1,333.2	.....	.....	.....	.....	.....	12.5	31.3	31.3	.....	81.4	18.8	50.1
	1908	1,391.6	31.6	.....	.....	6.3	19.0	19.0	25.3	38.0	12.7	113.9	19.0	94.9
	1909	1,195.5	12.8	.....	.....	.....	6.4	.....	19.2	6.4	.....	70.3	12.8	95.9
York County	1906	1,143.1	19.3	.....	.....	1.1	.....	12.5	11.3	13.6	5.7	82.7	14.7	55.5
	1907	1,162.8	25.8	1.1	.....	2.2	.....	21.3	19.1	22.4	9.0	95.3	9.0	59.4
	1908	1,134.4	15.5	.....	.....	5.5	3.3	10.0	12.2	17.8	8.9	94.3	12.2	59.9
	1909	1,134.9	11.0	2.2	.....	14.3	2.2	5.5	15.4	13.2	7.7	103.4	12.1	46.2
RHODE ISLAND RURAL.[2]														
Bristol County	1900	2,259.6	30.4	30.4	.....	22.8	.....	22.8	45.6	53.3	(3)	190.2	30.4	144.6
	1901	1,774.6	51.8	14.8	.....	.....	.....	.....	14.8	103.5	(3)	147.9	37.0	44.4
	1902	1,790.7	14.4	.....	7.2	7.2	.....	14.4	28.8	21.6	(3)	165.4	28.8	93.5
	1903	1,931.8	7.0	7.0	.....	14.0	42.0	42.0	35.0	70.0	(3)	175.0	14.0	77.0
	1904	1,799.8	20.5	.....	.....	6.8	20.5	6.8	34.1	13.6	(3)	115.9	13.6	61.4
	1905	1,960.4	.....	6.6	.....	19.9	.....	6.6	33.2	53.2	19.9	146.2	26.6	106.3
	1906	1,645.9	6.4	.....	.....	12.8	.....	38.4	44.8	19.2	32.0	172.9	38.4	102.5
	1907	1,617.2	12.4	6.2	.....	.....	18.6	6 2	6.2	92.9	.....	136.3	12.4	111.5
	1908	1,494.3	6.0	.....	.....	6.0	.....	6 0	54.0	78.0	24.0	108.0	18.0	102.0
	1909	1,396.4	11.6	.....	.....	.....	.....	40.7	17.5	29.1	.....	93.1	29.1	122.2
Kent County	1900	2,365.2	13.3	3.3	.....	83.4	3.3	16.7	73.4	50.0	(3)	133.4	23.4	70.1
	1901	1,914.7	13.0	6.5	.....	3.2	6.5	3.2	68.2	26.0	(3)	155.8	13.0	48.7
	1902	1,721.9	15.8	.....	.....	.....	15.8	22.1	31.6	9.5	(3)	123.2	19.0	66.3
	1903	1,751.4	30.8	6.2	3.1	49.2	18.5	40.0	52.3	18.5	(3)	120.0	24.6	64.6
	1904	1,782.4	18.0	12.0	.....	3.0	9.0	3.0	24.0	33.0	(3)	195.0	42.0	57.0
	1905	1,662.6	2.9	2.9	.....	5.9	14.6	17.6	32.2	14.6	14.6	219.5	20.5	70.3
	1906	1,816.1	10.6	.....	.....	31.7	.....	.....	21.1	21.1	63.4	147.8	10.6	52.8
	1907	1,707.7	31.4	.....	.....	.....	.....	21.0	21.0	31.4	41.9	83.8	.....	157.1
	1908	1,497.2	10.4	10.4	.....	10.4	.....	.....	31.2	.....	10.4	104.0	52.0	124.8
	1909	1,588.9	10.3	.....	.....	.....	.....	10.3	.....	10.3	20.6	61.9	20.6	72.2
Newport County	1900	1,801.5	29.5	9.8	.....	.....	29.5	19.7	9.8	98.4	(3)	78.8	29.5	68.9
	1901	1,567.6	38.7	.....	.....	9.7	.....	.....	29.0	19.4	(3)	77.4	9.7	125.8
	1902	1,750.7	38.1	.....	.....	9.5	9.5	57.1	57.1	9.5	(3)	76.1	19.0	114.2
	1903	1,637.8	9.4	9.4	.....	9.4	9.4	18.7	28.1	9.4	(3)	93.6	18.7	74.9
	1904	1,399.8	.....	.....	.....	.....	.....	.....	.....	9.2	(3)	92.1	27.6	101.3
	1905	1,576.9	9.1	.....	.....	.....	.....	54.4	18.1	18.1	9.1	90.6	9.1	90.6
	1906	1,558.8	26.6	.....	.....	.....	.....	44.3	.....	.....	.....	62.0	8.9	62.0
	1907	2,142.8	.....	.....	.....	8.7	17.4	17.4	.....	17.4	.....	112.8	8.7	43.4
	1908	1,402.7	8.5	.....	.....	.....	.....	25.5	.....	25.5	.....	93.5	17.0	59.5
	1909	1,441.8	.....	.....	.....	.....	.....	.....	16.7	.....	8.3	58.3	33.3	116.7
Providence County*	1900	[4] 2,049.4	26.7	7.4	.....	43.0	11.9	10.4	34.1	77.0	(3)	210.4	32.6	72.6
	1901	[4] 1,871.0	23.1	8.7	.....	2.9	8.7	1.4	41.9	41.9	(3)	199.2	23.1	70.7
	1902	[4] 1,794.5	15.5	7.0	1.4	9.9	4.2	23.9	31.0	12.7	(3)	188.6	25.3	83.0
	1903	[4] 2,007.3	15.1	12.4	1.4	19.2	6.9	39.8	33.0	49.4	(3)	229.3	37.1	107.1
	1904	[4] 1,790.5	9.4	4.0	.....	1.3	12.1	1.3	18.8	33.5	(3)	194.3	33.5	85.8
	1905	[4] 1,717.3	22.3	3.9	.....	7.9	1.3	9.2	17.0	32.7	23.6	213.4	30.1	64.1
	1906	[4] 2,885.3	25.5	.....	.....	29.2	7.3	10.9	32.8	25.5	47.4	386.6	47.4	87.5
	1907	[4] 1,446.3	17.7	3.5	.....	7.1	31.8	17.7	31.8	14.1	10.6	130.8	28.3	74.3
	1908	[4] 1,424.1	3.4	.....	.....	13.7	10.3	3.4	10.3	48.0	24.0	109.8	27.5	61.8
	1909	[4] 1,300.0	13.3	.....	.....	.....	3.3	.....	23.3	36.7	13.3	93.3	13.3	50.0
Washington County	1900	1,780.2	41.4	.....	.....	37.3	.....	8.3	53.8	33.1	(3)	136.6	20.7	91.1
	1901	1,619.2	28.8	8.2	.....	4.1	.....	.....	12.4	53.6	(3)	156.6	24.7	94.8
	1902	1,279.3	24.6	.....	.....	.....	.....	4.1	4.1	8.2	(3)	86.1	8.2	123.0
	1903	1,673.1	24.5	4.1	.....	20.4	.....	16.3	20.4	32.6	(3)	106.1	12.2	130.6
	1904	1,591.9	24 4	4.1	.....	12.2	8.1	.....	20.3	36.5	(3)	117.8	40.6	117.8
	1905	1,645.0	32.3	.....	.....	.....	8.1	4 0	8.1	32.3	20.2	133.4	20.2	88.9
	1906	1,452.4	24.2	.....	.....	8.1	.....	.....	4.0	.....	20.2	133.1	20.2	68.6
	1907	1,425.9	8.1	.....	.....	8.1	.....	20.1	20.1	28.2	12.1	124.9	8.1	80.6
	1908	1,628.6	12.1	4.0	.....	20.1	4.0	.....	12.1	32.2	.....	144.8	12.1	112.6
	1909	1,485.4	4.0	.....	.....	.....	.....	12.0	4.0	32.1	20.1	80.3	8.0	128.5

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
5.1	12.8	10.2	215.1	181.8	71.7	41.0	87.1	79.4	51.2	46.1	20.5	120.4	12.8	105.0	7.7
5.1	17.7	10.1	192.5	149.4	98.8	43.1	68.4	86.1	53.3	40.5	7.6	96.2	27.9	134.2	12.7
2.5	15.0	25.1	157.8	157.8	62.6	47.6	80.2	75.2	62.6	37.6	12.5	67.6	27.6	115.2	2.5
.....	19.8	22.3	156.1	205.7	57.0	49.6	52.0	84.2	76.8	37.2	5.0	79.3	22.3	118.9	.....
.....	6.8	6.8	225.2	153.6	71.7	78.5	75.1	51.2	88.7	27.3	10.2	109.2	20.5	129.7	10.2
.....	6.9	13.8	292.2	199.4	82.5	55.0	30.9	48.1	41.3	44.7	10.3	123.8	17.2	110.0	3.4
.....	24.2	13.9	294.4	228.6	72.7	34.6	76.2	103.9	51.9	45.0	17.3	90.0	31.2	117.7	3.5
.....	10.5	24.4	383.8	240.7	83.7	90.7	76.8	62.8	90.7	52.3	17.4	76.8	34.9	129.1	7.0
0.8	4.8	21.0	106.5	104.1	115.4	58.1	172.7	79.1	42.0	99.3	12.1	174.3	55.7	92.8	6.5
0.8	6.2	19.4	130.9	113.1	110.7	79.8	132.4	80.5	45.7	105.3	7.7	197.5	51.9	112.3	5.4
.....	6.0	15.6	112.4	110.9	124.3	69.2	173.4	75.9	45.4	91.6	7.4	300.7	38.7	122.1	.....
0.7	10.7	12.9	123.3	113.9	92.4	93.2	164.1	79.5	45.1	103.9	14.3	151.9	45.1	113.2	2.1
.....	20.3	3.4	114.9	182.5	87.8	47.3	71.0	54.1	77.7	33.8	6.8	84.5	20.3	138.5	13.5
6.8	20.3	6.8	142.4	230.5	98.3	67.8	78.0	78.0	91.5	37.3	13.6	40.7	27.1	125.4	6.8
.....	23.8	10.2	139.4	255.0	98.6	40.8	71.4	78.2	57.8	34.0	20.4	85.0	27.2	132.6	.....
3.4	17.1	13.6	177.4	228.6	85.3	44.4	30.7	68.2	95.5	40.9	13.6	78.5	13.6	150.1	10.2
0.5	5.4	19.1	109.3	87.3	98.0	83.8	211.3	74.5	40.7	87.3	8.8	223.5	47.1	109.3	10.3
0.5	5.7	18.0	115.1	90.4	95.6	67.7	178.5	75.8	45.9	81.4	12.3	314.4	45.0	98.0	9.0
0.5	6.0	18.8	103.9	88.4	89.7	71.9	196.9	75.1	34.3	85.2	13.3	158.4	44.0	109.0	3.7
.....	5.8	13.3	104.2	91.8	106.4	77.1	182.6	69.6	45.2	68.3	15.5	143.6	61.6	101.1	1.8
.....	31.0	6.2	198.2	198.2	123.9	37.2	61.9	43.4	49.6	80.5	12.4	105.3	18.6	154.9	12.4
.....	31.3	6.3	156.5	169.0	106.4	50.1	50.1	156.5	43.8	37.6	31.3	75.1	31.3	156.5	6.3
.....	6.3	12.7	158.1	164.5	94.9	88.6	75.9	120.2	44.3	19.0	.....	88.6	50.6	88.6	.....
.....	6.4	19.2	198.2	211.0	63.9	51.1	19.2	76.7	44.8	38.4	.....	108.7	32.0	102.3	.....
.....	14.7	19.3	157.5	133.7	91.8	53.2	99.7	51.0	48.7	72.5	5.7	58.9	17.0	99.7	3.4
.....	5.6	11.2	157.0	132.3	90.8	63.9	80.7	68.4	62.8	48.2	6.7	66.2	21.3	80.7	2.2
1.1	11.1	15.5	175.4	146.5	59.9	52.2	78.8	58.8	44.4	59.9	7.8	72.1	20.0	88.8	2.2
1.1	7.7	4.4	177.1	158.4	73.7	58.3	71.5	48.4	66.0	52.8	8.8	56.1	23.1	93.5	1.1
.....	7.6	15.2	175.0	167.4	159.8	106.5	304.4	68.5	106.5	91.3	7.6	121.7	60.9	289.1	7.6
7.4	.....	44.4	199.6	162.7	118.3	29.6	199.6	73.9	170.1	37.0	22.2	81.3	14.8	184.9	14.8
.....	7.2	21.6	194.2	172.6	122.3	100.7	194.2	71.9	194.2	43.1	28.8	71.9	7.2	172.6	7.2
.....	7.0	21.0	175.0	203.0	112.0	56.0	245.0	105.0	168.0	35.0	7.0	133.0	28.0	154.0	.....
.....	.....	.....	231.8	163.6	204.5	129.5	184.1	88.6	190.9	75.0	.....	102.3	13.6	122.7	.....
.....	26.6	19.9	179.4	206.0	132.9	166.1	219.3	86.4	139.6	99.7	13.3	86.4	26.6	132.9	6.6
.....	25.6	6.4	147.3	153.7	108.9	76.8	166.5	76.8	147.3	38.4	12.8	57.6	25.6	134.5	.....
.....	31.0	18.6	154.9	80.6	130.1	74.4	204.5	68.2	204.5	49.6	6.2	74.4	12.4	105.3	.....
.....	12.0	18.0	186.0	102.0	90.0	114.0	102.0	96.0	162.0	30.0	12.0	66.0	6.0	96.0	.....
.....	11.6	11.6	93.1	122.2	110.5	75.6	162.9	34.9	128.0	69.8	17.5	69.8	5.8	139.6	.....
.....	13.3	63.4	166.8	170.1	256.9	163.5	280.2	116.8	66.7	103.4	6.7	116.8	40.0	306.9	23.4
.....	13.0	68.2	181.7	159.0	207.7	84.4	214.2	110.3	110.3	100.6	26.0	74.6	22.7	198.0	.....
.....	22.1	44.2	180.1	135.9	104.3	97.9	274.9	66.3	110.6	60.0	9.5	66.3	25.3	218.0	3.2
.....	12.3	24.6	169.3	141.6	123.1	86.2	169.3	83.1	110.8	86.2	6.2	98.5	27.7	184.7	.....
3.0	15.0	27.0	195.0	168.0	126.0	117.0	246.1	39.0	99.0	60.0	12.0	84.0	21.0	174.0	.....
.....	8.8	32.2	143.4	131.7	120.0	105.4	152.2	84.9	131.7	61.5	11.7	90.7	20.5	149.3	2.9
.....	.....	31.7	200.6	253.4	116.1	73.9	147.8	105.6	158.4	84.5	10.6	126.7	21.1	116.1	10.6
.....	.....	21.0	136.2	324.8	146.7	41.9	167.6	83.8	104.8	41.9	.....	52.4	31.4	157.1	10.5
.....	10.4	31.2	208.0	208.0	166.4	62.4	114.4	62.4	83.2	20.8	10.4	20.8	10.4	135.2	.....
.....	10.3	31.0	227.0	278.6	82.5	31.0	165.1	72.2	113.5	113.5	20.6	41.3	20.6	175.4	.....
9.8	.....	29.5	246.1	147.7	118.1	88.6	196.9	68.9	78.8	59.1	29.5	59.1	9.8	265.8	19.7
.....	19.4	67.7	232.2	154.8	77.4	48.4	145.2	87.1	87.1	58.1	9.7	106.4	38.7	125.8	.....
.....	9.5	47.6	209.3	152.2	57.1	38.1	285.4	152.2	19.0	76.1	19.0	76.1	85.6	133.2	.....
.....	9.4	37.4	168.5	187.2	131.0	84.2	149.7	56.2	93.6	102.9	18.7	112.3	18.7	177.3	9.4
.....	.....	18.4	221.0	285.5	55.3	55.3	64.5	92.1	55.3	55.3	.....	128.9	.....	138.1	.....
.....	18.1	18.1	172.2	217.5	154.1	54.4	126.9	90.6	117.8	45.3	.....	117.8	18.1	126.9	.....
.....	35.4	8.9	150.6	265.7	124.0	62.0	88.6	88.6	88.6	97.4	26.6	79.7	26.6	186.0	26.6
.....	8.7	.....	138.8	303.6	43.4	95.4	130.1	60.7	112.8	43.4	.....	841.5	.....	138.8	.....
.....	25.5	.....	153.0	255 0	110.5	17.0	93.5	59.5	85.0	127.5	8.5	76.5	25.5	136.0	.....
.....	.....	.....	175.0	166.7	100.0	75.0	100.0	58.3	108.3	108.3	8.3	66.7	50.0	183.3	8.3
1.5	16.3	62.2	204.5	173.4	163.0	112.6	168.9	72.6	163.0	60.7	14.8	71.1	11.9	214.9	11.9
1.4	23.1	37.5	186.2	177.6	138.6	83.7	164.6	53.4	183.3	67.9	18.8	96.7	15.9	170.4	30.3
.....	11.3	35.2	215.3	171.7	122.4	99.9	146.4	83.0	137.9	52.1	11.3	98.5	7.0	192.8	7.0
.....	15.1	16.5	219.7	200.5	142.8	107.1	164.8	72.8	164.8	34.3	13.7	94.7	19.2	188.1	2.7
.....	18.8	33.5	187.6	180.9	144.7	105.9	151.4	61.6	175.6	50.9	14.7	85.8	18.8	160.8	5.4
.....	24.9	11.8	167.5	205.5	157.1	74.6	147.9	53.7	159.7	39.3	15.7	82.5	11.8	129.6	10.5
.....	25.5	32.8	419.5	419.5	204.3	91.2	211.6	105.8	313.7	51.1	32.8	73.0	3.6	182.4	18.2
.....	.....	24.8	134.4	145.0	127.3	74.3	113.2	67.2	106.1	49.5	10.6	70.7	10.6	145.0	.....
.....	17.2	24.0	123.5	175.0	99.5	65.2	106.4	75.5	96.1	58.3	10.3	96.1	10.3	154.4	.....
.....	8.3	6.7	130.0	176.7	126.7	66.7	100.0	56.7	113.3	56.7	10.0	60.0	10.0	136.7	.....
.....	16.6	20.7	182.1	173.9	82.8	99.3	153.2	103.5	144.9	41.4	8.3	78.6	12.4	223.6	16.6
.....	24.7	12.4	177.2	177.2	148.3	98.9	74.2	90.6	86.5	53.6	4.1	74.2	20.6	189.5	4.1
.....	16.4	16.4	131.2	192.7	86.1	86.1	53.3	98.4	65.6	41.0	20.5	69.7	.....	143.5	.....
.....	28.6	8.2	138.7	244.8	110.2	77.5	97.9	118.3	118.3	44.9	8.2	106.1	20.4	179.6	4.1
4.1	20.3	4.1	150.3	239.6	97.5	73.1	101.5	109.6	121.8	48.7	20.3	85.3	12.2	121.8	.....
.....	28.3	4.0	141.5	185.9	177.8	141.5	72.8	64.7	202.1	40.4	8.1	60.6	4.0	165.7	.....
.....	20.2	8.1	149.3	230.0	100.9	76.7	76.7	88.8	117.0	48.4	12.1	92.8	8.1	141.2	4.0
.....	20.1	4.0	108.8	245.7	108.8	80.6	92.6	60.4	84.6	48.3	4.0	72.5	20.1	165.1	.....
.....	20.1	8.0	132.7	281.5	96.5	76.4	68.4	96.5	152.8	76.4	16.1	100.5	8.0	140.7	.....
4.0	36.1	12.0	128.5	228.8	56.2	76.3	96.4	72.3	136.5	48.2	24.1	80.3	24.1	168.6	4.0

[3] Not computed separately.

[4] Includes deaths in state institutions located in Cranston town from 1900 to 1906, but not for 1907 to 1909.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
SOUTH DAKOTA RURAL.[2]														
Aurora County †	1906	666.1											40.4	80.7
	1907	702.5	19.0			19.0				19.0		57.0		38.0
	1908	716.7								53.8		53.8		53.8
	1909	593.7									17.0	17.0		50.9
Beadle County †	1906	392.0								8.7	17.4	8.7		34.8
	1907	523.2	23.8			15.9	7.9		15.9		7.9	15.9		15.9
	1908	742.0	14.5		21.8	21.8			7.3	14.5	21.8	29.1		21.8
	1909	483.9	13.4					13.4	20.2	13.4		33.6		40.3
Bonhomme County †	1906	755.5	9.0				9.0		9.0	18.0	9.0	54.0		18.0
	1907	909.7	18.0			9.0	9.0	45.0		9.0	18.0	54.0	18.0	36.0
	1908	640.3				27.1	9.0			9.0	9.0	9.0	9.0	45.1
	1909	722.5				18.1	27.1					27.1		27.1
Brookings County †	1906	505.1	7.1			21.3		7.1	14.2			42.7	7.1	7.1
	1907	653.0	7.1					21.3			7.1	56.8	21.3	56.8
	1908	856.9	7.1				42.5		21.2	21.2	7.1	56.7	7.1	28.3
	1909	664.2	7.1								7.1	70.7		14.1
Brown County	1906	808.2	55.6					15.2	5.1			65.7	20.2	20.2
	1907	972.1	28.0			14.0		23.4	9.3	18.7		79.5	18.7	46.7
	1908	969.6	43.5	4.3	8.7	17.4	8.7	17.4	65.2	8.7		52.2	13.0	34.8
	1909	951.3	48.8			4.1	36.6	12.2	16.3	24.4	20.3	36.6	8.1	32.5
Brule County †	1906	758.4	54.2										18.1	54.2
	1907	692.2	51.9					17.3		17.3		34.6		17.3
	1908	814.0	33.2							16.6		33.2		66.4
	1909	942.3	63.9						31.9			31.9		16.0
Buffalo County [3]	1906	1,603.3										415.7	59.4	
	1907	1,928.9						361.7				361.7	180.8	
	1908	3,916.8							61.2		61.2	795.6	61.2	
	1909	3,169.7									62.2	559.4		
Butte County [4] †	1906	296.7												12.4
	1907	413.0	8.8				8.8		17.6	8.8		43.9		8.8
	1908	299.9						6.8	13.6		6.8	20.4	6.8	6.8
	1909	267.2					5.6				5.6	11.1	5.6	11.1
Campbell County †	1906	526.3	42.1			21.1		21.1				42.1		
	1907	963.1	61.5				41.0	20.5	20.5			20.5	20.5	20.5
	1908	1,177.6	20.0					20.0		20.0	79.8	39.9		59.9
	1909	1,283.8	38.9			58.4	38.9	19.5	194.5					
Charles Mix County	1906	1,393.7	8.2			57.7		115.5	16.5		24.7	387.6	8.2	33.0
	1907	1,120.0	7.8			31.1	7.8	31.1	7.8	7.8	15.6	272.2	15.6	15.6
	1908	1,089.2				7.4		22.1	7.4	29.4	14.7	220.8	14.7	44.2
	1909	1,089.4	27.9		7.0	20.9		20.9	14.0		20.9	209.5	27.9	20.9
Clark County †	1906	616.4	10.8					54.1	10.8	10.8		64.9	10.8	54.1
	1907	650.6						10.3		20.7	10.3	31.0		20.7
	1908	701.7				19.8		9.9	29.6	19.8	9.9	29.6		39.5
	1909	577.9					9.5			18.9		28.4	9.5	9.5
Clay County †	1906	841.3	22.4				22.4	11.2				89.7		33.7
	1907	868.9	11.3					11.3	11.3	22.6		67.7		56.4
	1908	726.6	11.4				22.7	11.4		11.4		56.8		90.8
	1909	639.7	11.4							34.3		68.5		34.3
Codington County	1906	834.2	16.7				8.3	8.3			33.4	25.0	16.7	75.1
	1907	1,052.4	23.9					15.9	15.9	8.0	31.9	47.8	39.9	55.8
	1908	847.5				15.3	7.6		7.6	7.6	7.6	53.4	15.3	61.1
	1909	835.0	36.6				29.3	7.3	43.9			36.6	14.6	43.9
Custer County †	1906	791.2					60.9					30.4		91.3
	1907	778.9	55.6			27.8					27.8	27.8	27.8	
	1908	486.7									25.6	25.6	25.6	51.2
	1909	569.7	23.7				23.7		47.5					47.5
Davison County †	1906	842.4	19.1					47.9	9.6	9.6	9.6	28.7		28.7
	1907	697.2	9.3			9.3	9.3		27.9	9.3		65.1	9.3	37.2
	1908	858.3	36.1	9.0		18.1	9.0	9.0	18.1	9.0		54.2	18.1	45.2
	1909	1,010.6	43.9					17.6			35.2	61.5	17.6	43.9
Day County †	1906	746.5	35.9			7.2			14.4	7.2	21.5	35.9	14.4	14.4
	1907	676.3	7.1					7.1	14.2	14.2	7.1	35.6		57.0
	1908	656.6	7.1				7.1		7.1	7.1	14.1	56.5	7.1	7.1
	1909	651.3	21.0				14.0	14.0	28.0	14.0	7.0	49.0		14.0
Deuel County †	1906	635.8	26.5							13.2	13.2	92.7	26.5	26.5
	1907	657.3			13.1				13.1	13.1		92.0	39.4	13.1
	1908	743.6	26.1			26.1		13.0				26.1	13.0	52.2
	1909	932.3					90.6	12.9		38.8	25.9	116.5	12.9	51.8
Douglas County †	1906	674.3	16.4			16.4					32.9	32.9		65.8
	1907	989.6						64.9		64.9		16.2	16.2	16.2
	1908	864.3				16.0				16.0	48.0	32.0		80.0
	1909	679.0					31.6			15.8	31.6	63.2		
Edmunds County †	1906	850.5	68.0					68.0	34.0			34.0		34.0
	1907	819.3				31.5	15.8		31.5			15.8		110.3
	1908	616.3	58.7			58.7			44.0	29.3		44.0		14.7
	1909	563.0					41.2		13.7	27.5		13.7		27.5

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
		20.2	100.9	60.6	100.9			20.2	20.2			60.6		141.3	20.2
			57.0	57.0	94.9	38.0	19.0	57.0	19.0	19.0		38.0	19.0	132.9	
		35.8	35.8	71.7	71.7	17.9	17.9	53.8		53.8		71.7	35.8	89.6	
		17.0	33.9	33.9	33.9		67.9	33.9	50.9	67.9	33.9	33.9	33.9	67.9	
			34.8	8.7	61.0	8.7	34.8	17.4	8.7			69.7	8.7	69.7	
		7.9	39.6	47.6	31.7	39.6	23.8	55.5	7.9	39.6		31.7	7.9	87.2	
	7.3	14.5	36.4	72.7	65.5	7.3	72.7	29.1	29.1	14.5	29.1	87.3	21.8	101.8	
		6.7	26.9	47.0	33.6	6.7	60.5	33.6	20.2	40.3		26.9	6.7	40.3	
	9.0	9.0	45.0	116.9	27.0	18.0	27.0	54.0	27.0	80.9		54.0	45.0	89.9	27.0
9.0	18.0	27.0	126.1	99.1	72.1		63.0	90.1	54.0	18.0		18.0	18.0	81.1	
	9.0	18.0	126.3	72.2	18.0	18.0	27.1	36.1		63.1	18.0	18.0		99.2	
		18.1	54.2	54.2	18.1	27.1	54.2	36.1	27.1	126.4		81.3	27.1	99.3	
	28.5	21.3	64.0	64.0	14.2	14.2	7.1	42.7	42.7	14.2		7.1	21.3	56.9	
7.1	14.2	14.2	49.7	42.6	49.7	14.2	14.2	71.0	28.4	42.6		42.6		85.2	7.1
		14.2	49.6	92.1	77.9	42.5	49.6	77.9	21.2	42.5	14.2	28.3	7.1	148.7	
	21.2	21.2	63.6	84.8	63.6	42.4	14.1	56.5	7.1	28.3	14.1	49.5	21.2	77.7	
	10.1		40.4	35.4	30.3	15.2	65.7	101.0	10.1	25.3	5.1	75.8	60.6	126.3	25.3
	9.3	42.1	65.4	28.0	70.1	32.7	56.1	98.1	18.7	46.7	28.0	93.5	46.7	98.1	
	17.4	21.7	91.3	52.2	56.5	47.8	73.9	87.0	39.1	56.5		47.8	21.7	82.6	
	8.1	16.3	101.6	28.5	97.6	12.2	85.4	85.4	8.1	44.7	12.2	93.5	24.4	93.5	
			36.1	54.2	90.3	36.1	18.1	72.2	36.1	72.2		36.1	54.2	126.4	
			51.9	34.6	51.9	17.3	17.3	103.8	17.3		17.3	86.5	17.3	121.1	17.3
	16.6	33.2	49.8	49.8	33.2	16.6	33.2	116.3	33.1	16.6		33.1		132.9	
16.0		16.0	63.9	47.9	47.9	47.9	79.9	127.8	47.9	79.9		63.9	31.9	127.8	
			59.4	118.8	178.1	356.3	59.4		59.4	59.4		59.4		178.1	
			120.6	120.6	120.6	301.4	60.3			60.3				60.3	180.8
			306.0	244.8	367.2	612.0	61.2	122.4	61.2			122.4		367.2	673.2
			186.5		248.6	745.8	186.5	124.3	124.3	186.5		62.2	62.2	248.6	372.9
			37.1	37.1	12.4	12.4		12.4	24.7			61.8	49.5	37.1	
		8.8	43.9	26.4	17.6		8.8	8.8	35.2	26.4	17.6	70.3	8.8	43.9	
	6.8		40.9	27.3	20.4	6.8		6.8		13.6	6.8	54.5	13.6	40.9	
	5.6		39.0	22.3	16.7	16.7		11.1	22.3	16.7	5.6	39.0	16.7	16.7	
		21.1	126.3						21.1	42.1		42.1		84.2	63.2
			327.9	41.0	20.5	20.5	20.5	61.5		41.0		61.5	41.0	102.5	20.5
20.0			299.4	39.9	119.8	20.0	59.9	99.8	39.9	59.9		20.0	39.9	119.8	
			194.5	19.5	116.7	19.5	38.9			97.3		77.8	116.7	252.9	
		8.2	90.7	41.2	115.5	41.2	82.5	33.0	8.2	49.5		57.7	8.2	140.2	66.0
	7.8	23.3	46.7	62.2	116.7	93.3	54.4	54.4	23.3	62.2		54.4	23.3	85.6	
	22.1	22.1	51.5	44.2	176.6	36.8	51.5	14.7	22.1	44.2	36.8	73.6	81.0	51.5	
		20.9	76.8	69.8	146.6	48.9	48.9	34.9	41.9	48.9	14.0	48.9	20.9	97.8	
	10.8		21.6	32.4	43.3	21.6	43.3	43.3	32.4	32.4		21.6	21.6	54.1	21.6
	10.3	10.3	62.0	72.3	62.0	41.3	20.7	51.6	20.7	41.3	10.3	41.3	20.7	92.9	
	9.9		98.8	59.3	19.8	29.6	39.5	19.8	29.6	88.9	9.9	19.8	29.6	88.9	
	9.5		47.4	75.8	47.4	56.8	18.9	9.5	28.4	56.8		18.9	18.9	113.7	
11.2		44.9	123.4	78.5	11.2	33.7	11.2	56.1	22.4	11.2	11.2	22.4	56.1	157.0	11.2
	11.3		45.1	67.7	78.9	11.3	67.7	22.6	67.7	56.4		22.6	56.4	180.5	
	11.4	11.4	45.4	68.1	45.4		34.1	56.8	45.4	34.1		68.1	11.4	90.8	
			68.5	68.5	34.3		11.4	45.7	45.7	22.8	11.4	45.7	34.3	102.8	
		16.7	66.7	91.8	50.0	33.4	58.4	33.4	41.7	41.7	16.7	66.7	25.0	100.1	8.3
	15.9		47.8	79.7	55.8	39.9	95.7	71.8	55.8	71.8	23.9	95.7	47.8	111.6	
		22.9	45.8	68.7	61.1	68.7	91.6	106.9	7.6	30.5		38.2	22.9	106.9	
	7.3	7.3	73.2	87.9	36.6	22.0	73.2	80.6	7.3	65.9	29.3	51.3	14.6	65.9	
			91.3	152.2	60.9		60.9	30.4	60.9			91.3		60.9	
			55.6	27.8		55.6		55.6	27.8	27.8	83.4	166.9	55.6	55.6	
			76.8		25.6	25.6	25.6			25.6		51.2	51.2	76.8	
	23.7		47.5	23.7	71.2			47.5	23.7	94.9	47.5	47.5			
9.6	9.6	9.6	67.0	67.0	28.7	9.6	114.9	76.6	67.0			114.9	38.3	67.0	9.6
9.3			46.5	37.2	37.2	18.6	46.5	93.0		37.2		74.4	9.3	111.6	
		27.1	27.1	81.3	36.1	63.2	63.2	36.1	54.2	45.2		63.2	45.2	90.4	
	17.6	26.4	52.7	70.3	87.9	79.1	43.9	96.7	43.9	43.9	26.4	43.9	43.9	114.2	
	14.4	28.7	14.4	35.9	37.4	7.2	122.0	21.5	28.7	35.9		79.0	50.2	93.3	7.2
		7.1	64.1	85.4	42.7	28.5	99.7	14.2	42.7	28.5	14.2	35.6	21.4	49.8	
	7.1	7.1	14.1	35.3	70.6	21.2	98.8	21.2	28.2	49.4		63.5	28.2	98.8	
	7.0	35.0	21.0	35.0	42.0	21.0	56.0	49.0	21.0	49.0	21.0	7.0	35.0	63.0	28.0
	13.2		13.2	106.0		53.0	53.0	39.7		53.0		13.2	13.2	66.2	13.2
			39.4	39.4		26.3	13.1	26.3	52.6	105.2	13.1	39.4	26.3	92.0	
	13.0	26.1		104.4	78.3	52.2	39.1	52.2	26.1	26.1		26.1		143.5	
			51.8	64.7	90.6	38.8	38.8	38.8	25.9	38.8		51.8	12.9	116.5	12.9
	16.4	16.4	49.3	49.3		49.3	49.3	32.9	16.4	32.9		49.3	32.9	98.7	16.4
		48.7	48.7	146.0	16.2	48.7	162.2	16.2	32.4	97.3		64.9	32.4	81.1	16.2
			64.0	64.0	64.0	48.0	48.0	32.0	48.0	112.0	16.0	16.0	32.0	128.0	
		15.8	79.0	63.2	31.6	63.2	63.2	63.2		47.4		47.4	15.8	47.4	
	17.0		119.1	51.0	17.0	17.0		34.0		68.0	17.0	85.0	17.0	170.1	
		15.8	94.5	15.8	78.8	63.0	31.5	63.0	15.8	63.0		78.8	47.3	47.3	
		44.0	117.4		58.7	14.7		29.3	14.7	29.3			29.3	29.3	
			96.1	41.2	54.9	27.5	13.7	54.9	41.2	13.7		27.5	54.9	13.7	

[3] Including Crow Creek Indian Reservation.

[4] Including Harding and Perkins Counties, organized Nov. 5, 1908.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
SOUTH DAKOTA RURAL[2]—Continued.														
Fall River County	1906	1,490.2	39.2						19.6			196.1	19.6	176.5
	1907	1,016.9	51.7		17.2		17.2					17.2		51.7
	1908	1,783.5	92.3					15.4		46.1	15.4	92.3		246.0
	1909	1,359.8	41.6				55.5	13.9			55.5	97.1	27.8	152.6
Faulk County †	1906	387.5										43.1		
	1907	539.4				19.3				19.3		38.5		38.5
	1908	662.4				34.9			17.4	34.9				52.3
	1909	604.8							31.8				15.9	47.7
Grant County †	1906	777.6	30.7						51.2			40.9		51.2
	1907	575.0	10.1						10.1	10.1		50.4	10.1	20.2
	1908	626.7	19.9			9.9		9.9				49.7	9.9	39.8
	1909	853.5	9.8				9.8	78.5	29.4	9.8	9.8	58.9	9.8	19.6
Gregory County †	1906	622.0	23.5					11.7	35.2		11.7	46.9		23.5
	1907	535.1	20.5					10.3		10.3	20.6	41.2	10.3	10.3
	1908	485.6	18.3					9.2	9.2		18.3	27.5	9.2	18.3
	1909	602.7	33.0			16.5	8.3	33.0	8.3		8.3	49.5		16.5
Hamlin County	1906	733.5	14.1					42.3				28.2		56.4
	1907	806.6	13.9				13.9		55.6	13.9		41.7	69.5	
	1908	877.6	13.7	13.7		13.7	13.7		13.7	13.7		137.1	13.7	41.1
	1909	730.2	13.5					27.0	27.0		13.5	54.1		40.6
Hand County †	1906	555.1										17.3	17.3	34.7
	1907	854.4	47.5					15.8	15.8			15.8		15.8
	1908	785.5	14.5			14.5			14.5	43.6		14.5		58.2
	1909	417.2	13.5						26.9			13.5	13.5	
Hanson County †	1906	757.3	34.4								34.4	34.4		17.2
	1907	895.0						16.9	16.9	33.8		33.8	16.9	33.8
	1908	894.8	16.6									66.3		66.3
	1909	618.1	16.3									32.5		32.5
Harding County [3]	1909													
Hughes County	1906	735.1	22.3								22.3	111.4		22.3
	1907	988.1	80.7			20.2	20.2	20.2		20.2	40.3	20.2	20.2	60.5
	1908	1,160.4	73.7	18.4					18.4	92.1	18.4	73.7		92.1
	1909	1,017.1	50.9							67.8		50.9		33.9
Hutchinson County	1906	783.5	8.2					16.3	8.2	8.2	24.5	16.3		40.8
	1907	855.7	16.3			24.4	8.1		8.1	32.6	16.3	8.1	8.1	24.4
	1908	944.1	32.6			48.8	8.1	24.4	16.3	16.3	16.3	8.1		57.0
	1909	877.7				24.4	8.1	8.1	24.4	16.3	8.1	16.3		32.5
Hyde County †	1906	502.3												
	1907	603.9				40.3					40.3		40.3	40.3
	1908	971.6	36.0							143.9				72.0
	1909	488.0	32.5						32.5			65.1		32.5
Jerauld County †	1906	707.2	50.5					25.3	50.5			25.3		75.8
	1907	656.5							23.4	23.4		46.9		23.4
	1908	568.8	65.6							21.9				
	1909	656.1							20.5		20.5	41.0		41.0
Kingsbury County †	1906	832.1	8.7					52.0			26.0	60.7	17.3	52.0
	1907	804.6	8.5						8.5			25.4	8.5	33.9
	1908	679.0						8.3	24.8	16.6	8.3	33.1	24.8	33.1
	1909	704.6	16.2				8.1	8.1	24.3	8.1		40.5	8.1	40.5
Lake County	1906	1,109.8	29.7				9.9	69.4	79.3		19.8	99.1	9.9	29.7
	1907	877.6	9.8			9.8	19.5		48.8	19.5	9.8	58.5		48.8
	1908	883.1	9.6				38.4		76.8	9.6	19.2	28.8	19.2	19.2
	1909	746.6	18.9			9.5	9.5		37.8		18.9	37.8		18.9
Lawrence County	1906	1,052.0	19.3				14.5		4.8		9.7	101.3	4.8	24.1
	1907	894.8	29.3			9.8			9.8	4.9		83.1	9.8	44.0
	1908	1,253.7	19.8			5.0	59.5	24.8	9.9	29.7	5.0	109.0	9.9	49.6
	1909	1,250.7	15.1				80.4	10.0	5.0		5.0	95.5	10.0	55.3
Lincoln County	1906	808.8					15.7	23.6		7.9		62.8	7.9	55.0
	1907	927.0	7.9			7.9	23.6		7.9	7.9	7.9	31.4	7.9	62.8
	1908	856.7				7.9					7.9	86.5		31.4
	1909	920.0						7.9		15.7	7.9	86.5	7.9	23.6
Lyman County [4] †	1906	716.4	15.9			15.9	15.9		31.8		15.9	63.7		31.8
	1907	801.6	40.1			40.1		40.1				80.2	13.4	26.7
	1908	690.4	23.0			11.5		34.5				103.6	11.5	23.0
	1909	636.7	10.1					10.1			20.2	101.1	91.0	10.1
McCook County †	1906	599.5	10.9					10.9				76.3		10.9
	1907	948.0	21.5		10.8	43.1		21.5		10.8	10.8	75.4	10.8	64.6
	1908	883.7	31.9			21.3		21.3		10.6		42.6	10.6	10.6
	1909	747.2	10.5			10.5	21.0			21.0		21.0		52.6
McPherson County	1906	784.5				16.7		16.7				83.5		16.7
	1907	983.6	32.2			32.2		16.1	32.2		32.2	64.5	16.1	16.1
	1908	998.0										62.4		31.2
	1909	1,026.6	15.1			15.1	15.1				15.1	15.1		60.4

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
39.2	.....	.....	98.0	98.0	78.4	58.8	58.8	117.6	176.5	19.6	19.6	58.8	98.0	98.0	19.6
.....	.....	17.2	68.9	17.2	155.1	34.5	103.4	51.7	120.6	17.2	34.5	172.4	17.2	51.7	.....
15.4	.....	.....	261.4	123.0	169.1	46.1	107.6	61.5	138.4	15.4	.....	92.3	46.1	199.9	.....
.....	13.9	13.9	208.1	152.6	69.4	13.9	27.8	111.0	111.0	13.9	13.9	55.5	13.9	97.1	.....
.....	.....	.....	.....	43.1	.....	43.1	107.6	21.5	21.5	.....	.....	21.5	21.5	64.6	.....
.....	.....	19.3	19.3	38.5	38.5	19.3	19.3	57.8	19.3	57.8	19.3	38.5	38.5	38.5	.....
.....	.....	17.4	34.9	34.9	17.4	34.9	87.2	52.3	17.4	17.4	17.4	52.3	34.9	104.6	.....
.....	.....	.....	47.7	47.7	15.9	15.9	95.5	31.8	15.9	15.9	.....	95.5	63.7	63.7	.....
.....	20.5	.....	71.6	30.7	92.1	51.2	20.5	92.1	20.5	61.4	10.2	51.2	20.5	51.2	10.2
.....	10.1	10.1	20.2	80.7	40.4	40.4	40.4	50.4	20.2	20.2	20.2	70.6	10.1	30.3	.....
.....	39.8	.....	29.8	79.6	49.7	29.8	39.8	79.6	19.9	19.9	9.9	49.7	19.9	19.9	.....
.....	19.6	.....	78.5	29.4	58.9	78.5	78.5	58.9	29.4	39.2	.....	78.5	9.8	58.9	.....
.....	.....	11.7	58.7	23.5	70.4	.....	58.7	23.5	35.2	46.9	.....	105.6	.....	35.2	.....
.....	10.3	.....	10.3	20.6	20.6	41.2	61.7	30.9	.....	72.0	.....	72.0	20.6	51.5	.....
.....	.....	18.3	18.3	36.6	9.2	9.2	82.5	36.6	18.3	9.2	36.6	55.0	18.3	27.5	.....
.....	.....	8.3	24.8	16.5	74.3	33.0	90.8	16.5	.....	74.3	8.3	24.8	8.3	49.5	.....
.....	14.1	.....	56.4	84.6	28.2	70.5	14.1	42.3	42.3	42.3	.....	42.3	14.1	127.0	14.1
.....	.....	.....	83.4	97.3	69.5	41.7	13.9	55.6	27.8	83.4	.....	55.6	13.9	55.6	.....
.....	13.7	.....	54.8	41.1	27.4	41.1	150.8	27.4	41.1	27.4	.....	68.6	.....	109.7	.....
.....	13.5	.....	94.7	40.6	27.0	54.1	54.1	27.0	27.0	81.1	.....	54.1	13.5	67.6	.....
17.3	.....	.....	52.0	17.3	52.0	52.0	34.7	17.3	86.7	17.3	.....	86.7	34.7	17.3	.....
.....	.....	.....	63.3	62.3	79.1	47.5	63.3	.....	94.9	15.8	15.8	79.1	63.3	158.2	.....
.....	14.5	.....	29.1	87.3	72.7	43.6	87.3	29.1	101.8	58.2	.....	43.6	14.5	43.6	.....
.....	13.5	.....	40.4	67.3	67.3	.....	13.5	.....	67.3	13.5	.....	26.9	.....	40.4	.....
17.2	.....	.....	103.3	34.4	34.4	.....	34.4	86.1	68.8	34.4	.....	137.7	.....	68.8	17.2
.....	16.9	.....	118.2	84.4	16.9	33.8	84.4	135.1	33.8	16.9	16.9	84.4	50.7	50.7	.....
.....	16.6	16.6	99.4	49.7	99.4	.....	116.0	66.3	82.9	16.6	.....	33.1	16.6	132.6	.....
.....	.....	.....	32.5	16.3	81.3	32.5	16.3	65.1	32.5	81.3	16.3	32.5	32.5	97.6	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	22.3	22.3	111.4	66.8	.....	66.8	22.3	.....	.....	111.4	44.6	89.1	.....
.....	.....	121.0	40.3	100.8	40.3	20.2	40.3	40.3	40.3	.....	20.2	121.0	60.5	40.3	.....
.....	18.4	.....	36.8	55.3	147.4	18.4	18.4	55.3	110.5	55.3	.....	147.4	18.4	92.1	.....
.....	.....	17.0	50.9	135.6	50.9	17.0	84.8	67.8	67.8	50.9	.....	101.7	50.9	118.7	.....
.....	16.3	16.3	114.3	24.5	65.3	57.1	57.1	32.6	8.2	24.5	.....	16.3	49.0	130.6	49.0
8.1	8.1	24.4	114.1	40.7	65.2	40.7	114.1	48.9	.....	48.9	.....	73.3	24.4	97.8	.....
16.3	8.1	24.4	97.7	73.2	40.7	16.3	122.1	16.3	48.8	32.6	.....	81.4	24.4	113.9	.....
.....	16.3	8.1	154.4	73.1	97.5	24.4	48.8	40.6	32.5	65.0	8.1	32.5	56.9	81.3	.....
.....	.....	.....	.....	45.7	.....	45.7	91.3	45.7	.....	45.7	.....	45.7	.....	137.0	45.7
.....	.....	.....	40.3	80.5	40.3	.....	40.3	40.3	40.3	40.3	.....	120.8	.....	.....	.....
36.0	.....	36.0	72.0	.....	36.0	36.0	143.9	72.0	.....	72.0	.....	36.0	.....	179.9	.....
.....	.....	.....	.....	32.5	32.5	32.5	32.5	.....	.....	65.1	.....	97.6	.....	32.5	.....
.....	.....	25.3	.....	75.8	25.3	.....	25.3	75.8	50.5	50.5	.....	25.3	50.5	25.3	50.5
.....	.....	23.4	117.2	.....	70.3	46.9	70.3	70.3	.....	.....	.....	.....	.....	140.7	.....
21.9	.....	.....	43.8	65.6	131.3	21.9	21.9	.....	.....	65.6	21.9	21.9	21.9	43.8	.....
.....	41.0	20.5	20.5	20.5	41.0	61.5	61.5	20.5	.....	61.5	.....	82.0	20.5	82.0	.....
.....	26.0	.....	69.3	69.3	52.0	26.0	26.0	34.7	34.7	52.0	8.7	26.0	34.7	130.0	26.0
.....	8.5	8.5	59.3	76.2	42.3	50.8	76.2	76.2	8.5	42.3	33.9	67.8	59.3	101.6	8.5
.....	16.6	16.6	49.7	41.4	41.4	41.4	82.8	16.6	16.6	49.7	8.3	41.4	8.3	99.4	.....
.....	.....	16.2	48.6	24.3	121.5	24.3	24.3	48.6	24.3	48.6	8.1	40.5	16.2	105.3	.....
.....	9.9	29.7	59.5	89.2	89.2	19.8	69.4	89.2	29.7	29.7	.....	39.6	39.6	168.5	.....
.....	19.5	.....	78.0	78.0	9.8	29.3	19.5	68.3	9.8	68.3	9.8	97.5	58.5	107.3	.....
.....	9.6	28.8	57.6	67.2	67.2	38.4	48.0	57.6	19.2	76.8	.....	28.8	28.8	134.4	.....
9.5	9.5	28.4	66.2	37.8	28.4	37.8	18.9	85.1	28.4	56.7	18.9	37.8	37.8	94.5	.....
.....	14.5	19.3	43.4	72.4	77.2	48.3	43.4	91.7	53.1	43.4	14.5	188.2	43.4	111.0	9.7
.....	.....	4.9	39.1	107.6	78.2	53.8	34.2	44.0	48.9	19.6	39.1	88.0	14.7	132.0	.....
.....	5.0	5.0	44.6	84.2	128.8	64.4	74.3	99.1	39.6	69.4	24.8	133.8	14.9	143.7	.....
.....	15.1	10.0	80.4	90.4	140.6	35.2	65.3	90.4	35.2	85.4	30.1	155.7	35.2	105.5	.....
.....	.....	15.7	70.7	31.4	39.3	31.4	39.3	86.4	39.3	55.0	.....	78.5	7.9	133.5	7.9
.....	15.7	31.4	102.1	78.6	110.0	31.4	62.8	55.0	62.8	23.6	.....	55.0	39.3	86.4	7.9
15.7	15.7	15.7	62.9	47.2	70.7	23.6	47.2	62.9	39.3	55.0	7.9	47.2	31.4	180.8	.....
.....	31.5	15.7	78.6	110.1	55.0	31.5	47.2	31.5	23.6	47.2	.....	70.8	62.9	165.1	.....
.....	.....	.....	31.8	47.8	31.8	79.6	63.7	31.8	15.9	31.8	.....	63.7	.....	47.8	79.6
.....	.....	.....	66.8	40.1	40.1	.....	40.1	26.7	26.7	80.2	40.1	106.9	26.7	66.8	.....
.....	11.5	11.5	103.6	11.5	23.0	11.5	11.5	34.5	11.5	80.6	11.5	57.5	34.5	69.0	.....
10.1	10.1	.....	30.3	20.2	20.2	50.5	40.4	40.4	20.2	30.3	10.1	70.7	.....	40.4	.....
10.9	10.9	10.9	43.6	65.4	54.5	10.9	65.4	32.7	10.9	10.9	.....	98.1	10.9	54.5	.....
.....	10.8	10.8	97.0	75.4	75.4	.....	75.4	43.1	32.3	32.3	.....	32.3	43.1	150.8	.....
.....	.....	.....	85.2	53.2	138.4	31.9	106.5	74.5	10.6	42.6	10.6	63.9	10.6	106.5	.....
.....	10.5	.....	73.7	42.1	42.1	52.6	94.7	73.7	10.5	63.1	.....	63.1	31.6	52.6	.....
.....	.....	.....	116.8	33.4	50.1	33.4	50.1	50.1	16.7	50.1	16.7	33.4	50.1	116.8	33.4
.....	.....	16.1	96.7	.....	.....	32.2	161.2	16.1	16.1	80.6	16.1	16.1	129.0	129.0	32.2
.....	.....	15.6	233.9	.....	46.8	15.6	140.3	31.2	.....	78.0	.....	31.2	46.8	265.1	.....
.....	15.1	30.2	407.6	75.5	60.4	60.4	15.1	60.4	15.1	.....	.....	.....	60.4	90.6	.....

[3] Formed from part of Butte County, Nov. 5, 1908, and included therein.

[4] Including Lower Brule Indian Reservation.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
SOUTH DAKOTA RURAL[2]—Continued.														
Marshall County	1906	996.0	13.6					13.6	27.3	13.6	27.3	54.6		13.6
	1907	838.8	13.3			79.9			13.3	13.3	13.3	53.3	26.6	13.3
	1908	909.8	39.0			13.0			65.0	13.0	13.0	78.0		13.0
	1909	964.8	25.4					38.1		12.7		114.3	25.4	38.1
Meade County †	1906	486.2						27.8				27.8		27.8
	1907	451.7	34.7									11.6		46.3
	1908	546.2	9.9						9.9	19.9	9.9	29.8		29.8
	1909	512.9					8.7	8.7				43.5	17.4	8.7
Miner County †	1906	438.5							15.1		15.1			15.1
	1907	725.6	29.0			43.5						58.0		29.0
	1908	906.9	14.0					27.9		69.8	27.9	97.7	14.0	55.8
	1909	900.2	67.2				26.9	40.3	40.3	13.4	13.4	40.3	26.9	26.9
Minnehaha County †	1906	693.8	13.2					13.2	6.6	6.6		79.3	6.6	19.8
	1907	885.8	6.6				6.6	13.1	19.7	13.1		85.3	6.6	85.3
	1908	860.0					6.5		26.1	26.1	13.0	78.2	13.0	65.2
	1909	854.1				6.5			12.9	12.9	12.9	90.6	12.9	45.3
Moody County †	1906	633.1				11.3	22.6			11.3		67.8		
	1907	897.1	11.4				11.4			11.4		68.1	11.4	79.5
	1908	1,072.2				34.2	11.4	34.2	34.2	11.4		102.7	22.8	91.3
	1909	744.8	11.5						11.5			45.8	22.9	45.8
Pennington County	1906	1,005.5	65.3						52.2		13.1	65.3	13.1	39.2
	1907	986.2	22.4			33.6		11.2	22.4	11.2		67.2	11.2	11.2
	1908	903.1	88.3				29.4		9.8		19.6	39.3		68.7
	1909	803.4					87.3		17.5	8.7		17.5		43.7
Perkins County [3]	1909													
Potter County †	1906	687.4										29.9		59.8
	1907	631.5						27.5	27.5		27.5	27.5		27.5
	1908	762.0				50.8			50.8		25.4			50.8
	1909	425.4										23.6		
Roberts County	1906	961.1	14.1			7.1		14.1	28.3			141.3		42.4
	1907	829.4								7.0	7.0	160.3	7.0	34.8
	1908	1,038.2				55.0			6.9	6.9		68.8	13.8	6.9
	1909	875.1			6.8	6.8	13.6	20.4	13.6	6.8	6.8	81.4	6.8	13.6
Sanborn County †	1906	1,054.7										70.3		17.6
	1907	792.3	16.9					16.9		16.9		50.6	16.9	
	1908	631.7				32.4			16.2	16.2			16.2	16.2
	1909	841.8							31.2	15.6	31.2	46.8	31.2	31.2
Spink County †	1906	793.0	64.1			8.0		8.0	24.0		16.0	32.0	8.0	24.0
	1907	604.1	7.5			22.4		7.5	7.5	22.4		44.7	14.9	37.3
	1908	858.3	41.9							76.8	7.0	20.9	7.0	34.9
	1909	590.1	26.2				6.6	26.2	13.1		13.1	26.2	19.7	6.6
Stanley County †	1906	368.2	17.5				17.5							
	1907	650.3	36.8					12.3				12.3	12.3	
	1908	698.4	28.3								9.4	18.9	18.9	9.4
	1909	575.2	7.7						23.0			46.0	23.0	7.7
Sully County †	1906	174.2												58.1
	1907	417.3								52.2		104.3		
	1908	709.9				47.3			94.7	94.7		47.3	47.3	
	1909	780.2								43.3		43.3		86.7
Turner County †	1906	669.9	14.4				14.4				14.4	28.8	21.6	36.0
	1907	757.0	14.4			14.4		43.3	7.2	7.2		28.8	7.2	28.8
	1908	699.9	21.6			7.2			14.4	21.6		36.1	14.4	14.4
	1909	808.7	21.7			7.2			14.4	7.2		36.1	28.9	28.9
Union County	1906	731.0	9.0					63.2	18.1	9.0	9.0	54.2		45.1
	1907	738.1			9.1			9.1	18.2		9.1	54.7	27.3	63.8
	1908	791.3						9.2		18.4	18.4	73.6	9.2	36.8
	1909	1,087.3				18.6	9.3		9.3	18.6	9.3	92.9		46.5
Walworth County †	1906	584.4	64.9				21.6	43.3	21.6			21.6	21.6	43.3
	1907	919.4	39.1			19.6	19.6	19.6	39.1	19.6	19.6			
	1908	856.5	35.7			35.7			124.9		17.8			53.5
	1909	590.5	16.4					16.4	32.8			32.8		16.4
Yankton County *	1906	1,058.9	15.2					7.6		22.9	38.1	83.8	7.6	53.3
	1907	1,173.0	7.6					22.9		30.5	15.2	99.0	15.2	68.6
	1908	1,089.0	15.2			7.6	7.6		22.8	22.8		114.2	38.1	76.2
	1909	1,264.0	22.8			7.6		7.6	7.6	15.2	30.5	106.6		68.5
Cheyenne River Indian Reservation	1906	2,578.1							39.1			585.9	117.2	39.1
	1907	2,838.9										519.8		
	1908	3,357.9										1,064.7	81.9	41.0
	1909	3,650.9									42.0	1,175.0		
Pine Ridge Indian Reservation	1906	3,732.3	55.1			82.6		55.1	13.8		27.5	853.9	385.6	
	1907	4,076.7	28.2					282.1			14.1	705.3	409.1	
	1908	4,019.1			43.4	448.2			28.9	28.9		983.1	260.2	
	1909	3,558.7						14.8				533.8	118.6	
Rosebud Indian Reservation	1906	2,054.7						72.3				173.6		
	1907	3,158.4	84.1			24.0		648.5	264.2			636.5		
	1908	1,621.5				102.6		51.3	143.7			359.2		
	1909	1,352.9	53.8			17.9	9.0	53.8			80.6	456.9	9.0	

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	27.3	68.2	95.5	95.5	27.3	109.2	40.9	13.6	68.2	.....	95.5	27.3	95.5	68.2
.....	.....	39.9	53.3	39.9	26.6	39.9	79.9	79.9	26.6	26.6	13.3	79.9	.....	106.5	.....
.....	.....	13.0	117.0	13.0	91.0	39.0	117.0	13.0	26.0	39.0	13.0	39.0	52.0	104.0	.....
.....	.....	25.4	76.2	50.8	114.3	63.5	50.8	12.7	38.1	50.8	.....	50.8	50.8	101.6	25.4
.....	.....	.....	.....	41.7	27.8	27.8	13.9	125.0	13.9	13.9	13.9	27.8	13.9	83.3	.....
.....	.....	.....	23.2	34.7	46.3	11.6	11.6	34.7	11.6	11.6	.....	104.2	34.7	34.7	.....
.....	.....	19.9	49.7	29.8	49.7	19.9	9.9	49.7	19.9	29.8	9.9	79.5	9.9	59.6	.....
.....	17.4	.....	8.7	52.2	78.2	34.8	26.1	26.1	17.4	.....	8.7	60.8	43.5	52.2	.....
.....	.....	15.1	45.4	30.2	75.6	30.2	30.2	45.4	15.1	15.1	15.1	15.1	15.1	45.4	.....
.....	.....	.....	72.6	43.5	87.1	14.5	58.0	72.6	14.5	.....	14.5	58.0	14.5	116.1	.....
.....	.....	27.9	55.8	27.9	55.8	55.8	55.8	69.8	14.0	27.9	.....	83.7	.....	125.6	.....
.....	40.3	26.9	53.7	94.0	40.3	40.3	26.9	13.4	26.9	94.0	13.4	13.4	13.4	107.5	.....
.....	13.2	.....	92.5	52.9	13.2	26.4	13.2	39.6	66.1	19.8	19.8	66.1	26.4	85.9	13.2
.....	6.6	6.6	59.1	78.6	52.5	19.7	39.4	98.4	39.4	26.2	6.6	52.5	39.4	118.1	6.6
.....	.....	.....	58.6	84.7	65.2	19.5	32.6	65.2	58.6	45.6	.....	78.2	26.1	97.7	.....
.....	6.5	6.5	51.8	64.7	90.6	45.3	45.3	64.7	19.4	64.7	19.4	45.3	38.8	97.1	.....
.....	11.3	11.3	22.6	124.4	22.6	45.2	33.9	45.2	.....	.....	11.3	101.8	11.3	79.1	.....
.....	22.7	22.7	79.5	113.6	68.1	56.8	56.8	136.3	34.1	22.7	11.4	34.1	.....	45.4	.....
.....	.....	11.4	57.0	68.4	57.0	79.8	91.3	79.8	22.8	68.4	.....	45.6	11.4	136.9	.....
.....	.....	.....	34.4	68.8	57.3	34.4	34.4	68.8	22.9	11.5	22.9	91.7	22.9	137.5	.....
.....	13.1	.....	78.3	104.5	78.3	13.1	13.1	39.2	.....	13.1	26.1	222.0	.....	143.6	13.1
.....	11.2	22.4	78.4	56.0	112.1	.....	22.4	33.6	67.2	11.2	56.0	179.3	44.8	100.9	.....
.....	.....	.....	49.1	98.2	29.4	9.8	39.3	78.5	19.6	9.8	19.6	117.8	49.1	127.6	.....
.....	8.7	17.5	52.4	78.6	69.9	43.7	69.9	52.4	34.9	34.9	8.7	87.3	8.7	61.1	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	59.8	59.8	59.8	.....	59.8	59.8	89.7	.....	59.8	59.8	89.7	.....
.....	.....	.....	82.4	27.5	82.4	27.5	.....	54.9	27.5	54.9	.....	82.4	27.5	27.5	.....
.....	.....	.....	25.4	50.8	76.2	50.8	.....	76.2	25.4	.....	25.4	25.4	25.4	203.2	.....
.....	.....	.....	.....	23.6	118.2	.....	.....	23.6	47.3	47.3	.....	47.3	47.3	47.3	.....
.....	.....	.....	42.4	28.3	63.6	42.4	56.5	77.7	14.1	35.3	21.2	70.7	21.2	148.4	91.9
.....	.....	27.9	48.8	27.9	83.6	27.9	34.8	34.8	20.9	48.8	13.9	69.7	48.8	125.5	.....
.....	6.9	6.9	55.0	20.6	41.3	34.4	61.9	68.8	34.4	13.8	6.9	144.4	20.6	137.5	226.9
.....	6.8	13.6	33.9	20.4	74.6	81.4	54.3	33.9	6.8	40.7	.....	47.5	27.1	128.9	128.9
.....	17.6	.....	52.7	210.9	35.2	.....	52.7	140.6	52.7	52.7	.....	70.3	52.7	193.4	35.2
.....	16.9	.....	50.6	84.3	16.9	.....	50.6	67.4	16.9	67.4	.....	118.0	33.7	151.7	.....
.....	.....	16.2	32.4	97.2	145.8	.....	.....	64.8	32.4	16.2	.....	32.4	48.6	48.6	.....
.....	15.6	.....	124.7	109.1	62.4	15.6	62.4	15.6	62.4	46.8	.....	46.8	.....	93.5	.....
.....	8.0	16.0	88.1	32.0	80.1	32.0	72.1	56.1	56.1	48.1	8.0	48.1	.....	64.1	.....
.....	22.4	7.5	52.2	74.6	.....	22.4	22.4	22.4	7.5	59.7	7.5	29.8	37.3	74.6	.....
.....	.....	20.9	76.8	55.8	76.8	20.9	69.8	76.8	20.9	62.8	7.0	27.9	41.9	111.7	.....
.....	.....	.....	72.1	19.7	52.5	6.6	65.6	45.9	26.2	13.1	.....	65.6	13.1	59.0	13.1
.....	.....	.....	70.1	70.1	17.5	.....	35.1	17.5	.....	.....	.....	105.2	.....	17.5	.....
.....	12.3	.....	24.5	24.5	49.1	.....	73.6	24.5	24.5	61.3	49.1	159.5	24.5	49.1	.....
.....	9.4	18.9	37.8	9.4	66.1	18.9	113.3	37.8	18.9	28.3	9.4	151.0	9.4	84.9	.....
.....	7.7	.....	38.3	46.0	30.7	23.0	38.3	46.0	38.3	38.3	23.0	53.7	.....	84.4	.....
.....	.....	.....	.....	.....	.....	.....	.....	58.1	.....	.....	.....	.....	.....	58.1	.....
.....	.....	.....	156.5	52.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	52.2	.....
.....	.....	.....	47.3	.....	47.3	.....	.....	.....	.....	.....	94.7	47.3	94.7	47.3	.....
.....	.....	.....	43.3	43.3	43.3	43.3	43.3	.....	.....	86.7	.....	130.0	43.3	130.0	.....
7.2	7.2	14.4	64.8	43.2	28.8	21.6	28.8	79.2	14.4	36.0	.....	50.4	21.6	100.8	21.6
7.2	14.4	7.2	79.3	86.5	72.1	21.6	21.6	50.5	14.4	36.0	.....	28.8	.....	165.8	.....
.....	14.4	.....	36.1	57.7	28.9	28.9	28.9	57.7	21.6	64.9	7.2	36.1	43.3	144.3	.....
.....	14.4	14.4	36.1	36.1	36.1	28.9	43.3	93.9	57.8	101.1	.....	28.9	50.5	115.5	7.2
.....	9.0	.....	81.2	36.1	45.1	36.1	36.1	36.1	45.1	90.3	.....	27.1	9.0	72.2	.....
.....	.....	18.2	82.0	54.7	36.4	36.4	36.4	9.1	82.0	63.8	18.2	18.2	9.1	82.0	.....
.....	9.2	9.2	64.4	55.2	73.6	73.6	36.8	36.8	36.8	73.6	.....	18.4	9.2	128.8	.....
.....	18.6	18.6	92.9	158.0	74.3	27.9	.....	74.3	111.5	46.5	.....	83.6	65.0	111.5	.....
.....	.....	.....	108.2	.....	21.6	.....	21.6	.....	21.6	.....	21.6	21.6	21.6	108.2	.....
.....	.....	19.6	156.5	19.6	39.1	39.1	58.7	58.7	.....	58.7	.....	176.1	58.7	58.7	.....
.....	.....	.....	160.6	.....	71.4	89.2	53.5	35.7	17.8	71.4	.....	35.7	.....	53.5	.....
.....	.....	32.8	98.4	65.6	16.4	16.4	32.8	16.4	16.4	16.4	.....	82.0	16.4	65.6	.....
.....	7.6	7.6	198.1	60.9	91.4	.....	38.1	106.7	91.4	.....	15.2	76.2	22.9	91.4	22.9
7.6	7.6	7.6	266.6	53.3	99.0	22.9	53.3	68.6	99.0	38.1	15.2	22.9	15.2	137.1	.....
.....	15.2	7.6	190.4	91.4	22.8	15.2	38.1	91.4	53.3	30.5	30.5	60.9	7.6	129.5	.....
.....	7.6	15.2	342.6	76.1	60.9	15.2	76.1	76.1	83.8	22.8	22.8	30.5	15.2	152.3	.....
.....	.....	.....	.....	39.1	.....	.....	39.1	.....	.....	.....	.....	78.1	.....	.....	1,640.6
.....	.....	.....	80.0	40.0	.....	.....	.....	40.0	.....	.....	.....	40.0	.....	.....	2,119.2
.....	.....	.....	81.9	.....	163.8	81.9	.....	.....	.....	.....	.....	122.9	.....	163.8	1,556.1
.....	.....	.....	42.0	83.9	251.8	83.9	.....	42.0	.....	42.0	.....	83.9	83.9	83.9	1,636.6
.....	13.8	13.8	206.6	123.9	27.5	68.9	674.8	96.4	68.9	.....	27.5	41.3	.....	165.3	729.9
.....	.....	14.1	112.9	127.0	42.3	56.4	296.2	141.1	98.7	.....	14.1	42.3	84.6	183.4	1,424.7
.....	.....	.....	130.1	43.4	14.5	101.2	318.1	115.7	86.7	.....	.....	28.9	14.5	86.7	1,286.7
14.8	.....	.....	14.8	59.3	.....	29.7	103.8	44.5	.....	29.7	.....	14.8	14.8	74.1	2,491.1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	12.0	.....	.....	528.4	.....	612.5	72.1	.....	48.0	.....	60.0	.....	202.6	1,606.1
.....	.....	.....	51.3	20.5	379.7	.....	225.8	.....	20.5	30.8	10.3	41.1	.....	168.1	.....
.....	9.0	9.0	17.9	.....	35.8	9.0	116.5	9.0	17.9	53.8	.....	35.8	.....	184.7	.....
														304.6	53.8

[3] Formed from part of Butte County, Nov. 5, 1908, and included therein.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
VERMONT RURAL.[2]														
Addison County	1900	1,560.8	54.8	.....	.....	.....	4.6	4.6	13.7	41.1	(3)	114.1	18.2	123.2
	1901	1,598.8	59.9	.....	.....	.....	4.6	.....	4.6	69.1	(3)	115.2	13.8	64.5
	1902	1,436.4	41.8	.....	.....	9.3	.....	.....	9.3	37.2	(3)	139.5	4.6	83.7
	1903	1,561.9	37.5	9.4	.....	23.5	.....	.....	14.1	46.9	(3)	98.5	32.8	89.1
	1904	1,334.7	37.9	4.7	.....	.....	4.7	.....	.....	52.1	(3)	85.2	.....	80.5
	1905	1,595.4	66.9	.....	.....	19.1	.....	14.3	.....	109.9	9.6	62.1	9.6	100.3
	1906	1,475.3	19.3	.....	.....	9.6	.....	.....	9.6	14.5	24.1	82.0	14.5	110.9
	1907	1,571.9	4.9	4.9	.....	.....	4.9	4.9	4.9	48.7	9.7	111.9	29.2	73.0
	1908	1,405.0	39.3	.....	.....	.....	9.8	34.4	4.9	39.3	39.3	78.6	19.7	68.8
	1909	1,527.6	19.8	.....	.....	49.6	.....	.....	.....	39.7	24.8	99.2	19.8	119.0
Bennington County	1900	1,740.8	21.9	.....	.....	.....	.....	.....	7.3	43.9	(3)	139.0	.....	58.5
	1901	1,865.4	59.0	.....	.....	51.6	7.4	.....	36.9	29.5	(3)	147.5	22.1	51.6
	1902	1,329.7	22.3	.....	.....	.....	.....	37.1	7.4	7.4	(3)	74.3	7.4	89.1
	1903	1,414.5	29.9	.....	.....	.....	7.5	.....	44.9	29.9	(3)	97.3	.....	59.9
	1904	1,726.7	37.7	.....	.....	7.5	.....	.....	7.5	7.5	(3)	75.4	22.6	67.9
	1905	1,739.9	68.4	.....	.....	7.6	.....	30.4	7.6	38.0	30.4	98.8	45.6	76.0
	1906	1,669.0	30.6	.....	.....	.....	7.7	.....	15.3	.....	7.7	114.8	15.3	91.9
	1907	1,589.3	7.7	.....	.....	7.7	.....	7.7	15.4	38.6	15.4	100.3	.....	77.1
	1908	1,765.0	.....	.....	.....	7.8	.....	.....	7.8	38.9	23.3	171.1	38.9	54.4
	1909	1,434.3	.....	.....	.....	.....	7.8	.....	7.8	15.7	.....	86.2	23.5	39.2
Caledonia County	1900	1,693.9	61.5	4.1	.....	8.2	4.1	.....	20.5	36.9	(3)	131.3	20.5	77.9
	1901	1,669.2	16.3	.....	.....	28.5	16.3	28.5	32.6	20.4	(3)	150.6	28.5	85.5
	1902	1,524.5	48.5	.....	.....	.....	.....	8.1	24.3	32.4	(3)	105.1	44.5	28.3
	1903	1,715.1	28.1	.....	.....	36.2	4.0	8.0	8.0	32.1	(3)	132.6	36.2	104.4
	1904	1,472.3	35.9	.....	.....	.....	.....	.....	23.9	47.9	(3)	83.8	27.9	79.8
	1905	1,656.8	23.8	4.0	.....	11.9	.....	27.7	7.9	55.5	11.9	114.9	15.9	99.1
	1906	1,704.9	31.5	.....	.....	3.9	.....	11.8	15.7	23.6	19.7	114.2	23.6	82.7
	1907	1,670.3	43.0	.....	.....	3.9	.....	11.7	23.5	62.6	3.9	105.6	15.6	148.6
	1908	1,539.0	46.6	3.9	.....	.....	.....	7.8	11.7	73.8	3.9	104.9	23.3	81.6
	1909	1,517.5	23.2	.....	.....	38.6	19.3	7.7	7.7	42.5	.....	69.5	19.3	84.9
Chittenden County	1900	1,655.5	19.1	4.8	.....	.....	.....	.....	4.8	33.4	(3)	162.2	23.9	71.6
	1901	1,461.7	14.2	.....	.....	.....	4.7	4.7	.....	23.7	(3)	118.6	9.5	52.2
	1902	1,435.7	14.2	.....	.....	.....	.....	4.7	18.9	4.7	(3)	103.9	18.9	70.8
	1903	1,682.6	14.1	.....	.....	.....	.....	14.1	.....	56.4	(3)	103.4	9.4	103.4
	1904	1,487.4	23.4	4.7	.....	.....	.....	4.7	23.4	37.4	(3)	140.3	32.7	60.8
	1905	1,698.9	23.3	.....	.....	.....	.....	4.7	37.2	32.6	18.6	139.6	27.9	65.2
	1906	1,639.9	23.2	.....	.....	.....	.....	4.6	37.1	18.5	13.9	92.6	13.9	83.4
	1907	1,544.5	4.6	.....	.....	.....	4.6	27.7	18.4	50.7	4.6	92.2	27.7	106.0
	1908	1,459.2	13.8	.....	.....	.....	.....	.....	4.6	18.4	13.8	137.7	27.5	78.0
	1909	1,630.4	.....	.....	.....	27.4	.....	9.1	.....	13.7	9.1	109.6	18.3	82.2
Essex County	1900	1,489.6	62.1	.....	.....	12.4	.....	.....	.....	49.6	(3)	149.0	12.4	74.5
	1901	1,503.4	87.7	.....	.....	25.1	.....	.....	.....	37.6	(3)	62.6	.....	75.2
	1902	1,427.8	37.9	.....	12.6	12.6	25.3	25.3	37.9	25.3	(3)	75.8	25.3	25.3
	1903	1,249.0	25.5	.....	.....	.....	.....	.....	38.2	12.7	(3)	76.5	12.7	38.2
	1904	1,427.1	51.4	.....	.....	.....	.....	.....	64.3	77.1	(3)	64.3	12.9	141.4
	1905	1,426.7	.....	.....	.....	.....	.....	.....	38.9	13.0	13.0	116.7	25.9	64.9
	1906	1,661.9	13.1	.....	.....	13.1	26.2	.....	13.1	26.2	13.1	91.6	13.1	143.9
	1907	1,716.4	.....	.....	.....	.....	.....	13.2	13.2	66.0	.....	66.0	.....	66.0
	1908	1,532.1	53.3	.....	.....	.....	13.3	.....	.....	26.6	26.6	93.3	.....	40.0
	1909	1,452.0	26.9	.....	.....	.....	.....	.....	13.4	26.9	.....	40.3	.....	67.2
Franklin County	1900	1,533.2	26.5	.....	.....	9.9	.....	9.9	13.2	19.9	(3)	188.7	16.6	69.6
	1901	1,472.1	39.8	.....	.....	.....	33.2	16.6	6.6	23.2	(3)	172.4	6.6	86.2
	1902	1,357.5	13.3	.....	3.3	.....	23.2	3.3	13.3	6.6	(3)	116.2	10.0	63.1
	1903	1,581.6	39.9	.....	.....	16.6	.....	3.3	6.6	26.6	(3)	146.2	19.9	79.7
	1904	1,713.1	63.2	.....	.....	6.7	6.7	6.7	23.3	43.2	(3)	139.7	33.3	106.4
	1905	1,525.2	26.6	.....	.....	3.3	.....	6.7	23.3	59.9	3.3	109.9	3.3	79.9
	1906	1,666.9	30.0	.....	.....	30.0	.....	10.0	16.7	33.3	16.7	123.4	16.7	73.3
	1907	1,378.5	6.7	.....	.....	.....	.....	13.4	13.4	23.4	20.0	113.5	23.4	96.8
	1908	1,530.4	30.1	.....	.....	6.7	.....	43.4	13.4	23.4	6.7	117.0	13.4	83.5
	1909	1,441.8	36.8	.....	.....	13.4	.....	3.3	13.4	30.1	3.3	100.4	40.1	66.9
Grand Isle County	1900	1,411.9	44.8	.....	.....	.....	.....	.....	.....	.....	(3)	22.4	22.4	67.2
	1901	1,322.4	.....	.....	.....	.....	45.6	45.6	.....	22.8	(3)	68.4	22.8	22.8
	1902	903.8	.....	.....	.....	.....	23.2	.....	.....	.....	(3)	139.0	.....	46.3
	1903	1,319.5	94.3	.....	.....	.....	.....	.....	23.6	47.1	(3)	188.5	.....	70.7
	1904	862.7	24.0	.....	.....	.....	.....	.....	.....	.....	(3)	95.9	24.0	71.9
	1905	1,706.5	.....	.....	.....	.....	.....	.....	.....	48.8	48.8	219.4	.....	170.6
	1906	1,265.2	49.6	.....	.....	.....	.....	.....	.....	24.8	24.8	74.4	.....	99.2
	1907	1,641.4	.....	25.3	.....	.....	.....	25.3	25.3	25.3	.....	50.5	.....	75.8
	1908	1,208.5	25.7	.....	.....	.....	.....	25.7	.....	51.4	.....	51.4	25.7	154.3
	1909	1,231.0	.....	.....	.....	26.2	.....	26.2	26.2	.....	26.2	131.0	26.2	131.0
Lamoille County	1900	1,448.4	8.1	.....	.....	8.1	.....	16.3	8.1	73.2	(3)	122.1	.....	73.2
	1901	1,525.9	24.3	.....	.....	.....	.....	16.2	8.1	97.4	(3)	113.6	32.5	97.4
	1902	1,336.0	.....	16.2	.....	8.1	8.1	8.1	8.1	32.4	(3)	137.7	32.4	24.3
	1903	1,235.8	8.1	.....	.....	.....	.....	.....	8.1	24.2	(3)	56.5	8.1	88.8
	1904	1,305.3	.....	16.1	.....	.....	.....	.....	8.1	40.3	(3)	80.6	16.1	96.7
	1905	1,366.4	16.1	16.1	.....	.....	.....	16.1	.....	72.3	8.0	88.4	16.1	48.2
	1906	1,403.3	8.0	.....	.....	.....	.....	.....	16.0	24.1	32.1	104.2	8.0	96.2
	1907	1,591.9	.....	8.0	.....	.....	.....	8.0	.....	56.0	8.0	88.0	40.0	72.0
	1908	1,635.9	.....	.....	.....	.....	.....	23.9	16.0	87.8	23.9	111.7	23.9	127.7
	1909	1,496.7	15.9	.....	.....	15.9	.....	.....	8.0	39.8	8.0	47.8	23.9	63.7

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Menin-gitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
4.6	13.7	31.9	155.1	209.9	127.8	54.8	63.9	50.2	59.3	50.2	13.7	54.8	73.0	205.4	18.2
9.2	27.6	23.0	156.7	133.6	110.6	101.4	87.5	106.0	59.9	41.5	.....	59.9	55.3	281.1	13.8
9.3	37.2	23.2	139.5	130.2	190.6	69.7	46.5	97.6	83.7	23.2	13.9	55.8	9.3	167.3	13.9
4.7	9.4	18.8	248.6	197.0	112.6	75.0	32.8	84.4	61.0	61.0	18.8	84.4	14.1	173.5	14.1
.....	18.9	18.9	151.5	151.5	99.4	42.6	47.3	104.1	99.4	52.1	9.5	52.1	28.4	165.7	28.4
4.8	19.1	14.3	191.1	176.7	124.2	76.4	43.0	76.4	95.5	57.3	4.8	90.8	43.0	176.7	9.6
.....	33.7	14.5	168.7	245.9	77.1	24.1	72.3	110.9	96.4	38.6	9.6	77.1	14.5	192.8	14.5
4.9	24.3	14.6	238.5	296.9	170.3	38.9	29.2	63.3	136.3	58.4	9.7	58.4	14.6	116.8	.....
.....	24.6	19.7	117.9	196.5	63.9	88.4	59.0	93.3	117.9	78.6	24.6	63.9	4.9	117.9	.....
.....	19.8	.....	173.6	272.8	89.3	84.3	79.4	69.4	94.2	49.6	19.8	64.5	9.9	128.9	.....
.....	.....	51.2	146.3	219.4	234.1	58.5	109.7	139.0	117.0	36.6	7.3	80.5	51.2	197.5	21.9
.....	14.7	66.4	221.2	213.8	250.7	66.4	73.7	88.5	88.5	59.0	14.7	73.7	95.8	132.7	.....
.....	14.9	14.9	230.3	156.0	118.9	29.7	37.1	59.4	96.6	59.4	.....	52.0	14.9	200.6	.....
.....	37.4	44.9	224.5	149.7	82.3	59.9	29.9	37.4	74.8	67.4	7.5	104.8	52.4	172.1	.....
.....	15.1	30.2	248.8	218.7	211.1	37.7	67.9	90.5	128.2	75.4	15.1	98.0	67.9	188.5	7.5
.....	7.6	15.2	167.1	235.5	106.4	76.0	60.8	83.6	91.2	98.8	30.4	121.6	45.6	197.5	.....
.....	15.3	23.0	275.6	183.7	122.5	84.2	84.2	99.5	145.5	45.9	.....	61.2	45.9	183.7	15.3
.....	15.4	7.7	300.9	192.9	154.3	77.1	69.4	100.3	100.3	54.0	.....	92.6	77.1	69.4	7.7
.....	15.6	38.9	209.9	349.9	77.8	31.1	46.7	93.3	155.5	70.0	7.8	70.0	38.9	209.9	7.8
.....	31.4	7.8	156.8	321.3	101.9	54.9	54.9	70.5	125.4	54.9	15.7	86.2	7.8	156.8	7.8
.....	16.4	36.9	155.9	217.4	123.0	73.8	86.2	77.9	57.4	57.4	16.4	69.7	90.3	209.2	41.0
8.1	8.1	36.6	207.6	191.4	134.4	105.9	32.6	61.1	52.9	44.8	16.3	44.8	57.0	244.3	16.3
4.0	8.1	44.5	182.0	161.8	194.1	97.1	60.7	72.8	76.8	28.3	16.2	44.5	52.6	177.9	12.1
.....	8.0	28.1	245.0	188.8	136.6	92.4	76.3	112.5	68.3	36.2	.....	92.4	28.1	188.8	24.1
4.0	8.0	23.9	143.6	183.5	159.6	107.7	43.9	91.8	59.8	43.9	19.9	39.9	43.9	195.5	4.0
.....	23.8	35.7	178.4	245.7	138.7	51.5	79.3	75.3	63.4	87.2	7.9	83.2	67.4	138.7	7.9
.....	23.6	15.7	177.2	232.3	122.1	82.7	102.4	114.2	110.2	78.7	19.7	126.0	7.9	141.7	23.6
.....	15.6	23.5	183.9	238.6	179.9	74.3	50.9	86.1	82.1	46.9	15.6	70.4	46.9	129.1	7.8
.....	35.0	11.7	174.9	167.1	151.6	70.0	66.1	89.4	77.7	50.5	3.9	85.5	.....	194.3	3.9
.....	15.4	15.4	189.2	247.1	77.2	69.5	34.8	84.9	142.9	50.2	30.9	127.4	3.9	115.8	.....
.....	28.6	66.8	147.9	195.6	171.8	57.2	81.1	95.4	57.2	76.3	4.8	28.6	76.3	224.2	23.9
.....	19.0	47.5	161.4	113.9	99.7	52.2	90.2	94.9	109.1	104.4	4.7	47.5	61.7	199.3	28.5
.....	14.2	14.2	146.4	165.3	118.1	108.6	56.7	51.9	103.9	70.8	.....	94.5	47.2	203.1	4.7
.....	4.7	9.4	164.5	178.6	169.2	112.8	126.9	89.3	94.0	98.7	4.7	79.9	32.9	216.2	.....
.....	28.1	18.7	140.3	177.7	126.3	84.2	56.1	65.5	93.5	51.4	14.0	51.4	23.4	210.5	18.7
.....	27.9	23.3	181.5	214.1	204.8	79.1	107.1	65.2	116.4	65.2	4.7	55.9	27.9	176.9	.....
.....	13.9	69.5	129.7	199.2	125.1	101.9	115.8	106.5	106.5	64.9	27.8	74.1	18.5	176.0	23.2
.....	9.2	18.4	106.0	244.4	119.9	69.2	119.9	59.9	106.0	73.8	4.6	142.9	4.6	129.1	.....
.....	9.2	27.5	146.8	197.3	110.1	73.4	87.2	87.2	142.2	36.7	13.8	64.2	4.6	151.4	13.8
.....	27.4	22.8	150.7	242.0	150.7	95.9	123.3	77.6	123.3	68.5	22.8	100.5	9.1	146.1	.....
.....	.....	24.8	198.6	173.8	99.3	24.8	24.8	62.1	74.5	37.2	12.4	99.3	86.9	149.0	62.1
.....	12.5	12.5	162.9	125.3	112.8	37.6	62.6	50.1	87.7	75.2	12.5	75.2	62.6	288.1	37.6
.....	12.6	50.5	113.7	101.1	113.7	101.1	50.5	25.3	101.1	139.0	12.6	37.9	50.5	164.3	50.5
.....	12.7	38.2	178.4	178.4	102.0	12.7	38.2	89.2	114.7	38.2	12.7	76.5	63.7	89.2	.....
.....	12.9	12.9	154.3	205.7	90.0	90.0	38.6	90.0	38.6	12.9	.....	38.6	25.7	192.9	12.9
.....	13.0	38.9	129.7	129.7	155.6	90.8	103.8	90.8	38.9	25.9	13.0	64.9	51.9	181.6	25.9
.....	39.3	52.3	157.0	222.5	117.8	26.2	117.8	26.2	91.6	39.3	26.2	143.9	13.1	222.5	13.1
.....	66.0	13.2	224.5	224.5	184.8	66.0	92.4	66.0	118.8	39.6	.....	105.6	66.0	224.5	.....
.....	13.3	13.3	186.5	239.8	79.9	79.9	66.6	106.6	66.6	79.9	53.3	119.9	13.3	159.9	.....
.....	.....	13.4	201.7	309.2	121.0	53.8	40.3	94.1	80.7	67.2	13.4	121.0	13.4	147.9	.....
6.6	6.6	43.0	172.2	102.7	172.2	62.9	102.7	72.9	53.0	69.6	.....	43.0	59.6	175.5	36.4
.....	9.9	46.4	165.8	122.7	109.4	53.0	69.6	69.6	26.5	89.5	16.6	33.2	56.4	205.6	13.3
6.6	10.0	33.2	139.4	146.0	96.3	59.7	43.1	76.3	73.0	66.4	.....	66.4	53.1	212.4	23.2
.....	13.3	26.6	219.3	162.8	89.7	86.4	76.4	79.7	89.7	69.8	10.0	69.8	29.9	196.0	23.3
.....	16.6	29.9	159.7	156.3	109.8	93.1	76.5	103.1	63.2	99.8	6.7	86.5	53.2	202.9	26.6
3.3	13.3	30.0	166.5	146.5	153.2	53.3	123.2	59.9	33.3	46.6	10.0	96.6	36.6	223.1	13.3
.....	.....	30.0	183.4	213.4	146.7	106.7	100.0	100.0	76.7	53.3	6.7	66.7	33.3	190.0	10.0
.....	10.0	26.7	113.5	200.3	113.5	73.4	100.1	63.4	50.1	66.8	10.0	46.7	13.4	170.2	10.0
.....	16.7	10.0	157.0	220.5	83.5	80.2	127.0	66.8	90.2	46.8	13.4	127.0	3.3	147.0	3.3
.....	20.1	33.5	153.9	167.3	93.7	100.4	137.2	80.3	66.9	73.6	13.4	63.6	13.4	117.1	.....
.....	.....	156.9	112.1	179.3	224.1	67.2	22.4	67.2	89.7	67.2	.....	89.7	.....	156.9	22.4
.....	45.6	45.6	182.4	136.8	91.2	22.8	68.4	45.6	22.8	.....	22.8	114.0	45.6	205.2	45.6
.....	.....	.....	46.3	162.2	46.3	46.3	.....	69.5	92.7	23.2	.....	46.3	46.3	92.7	23.2
.....	23.6	23.6	117.8	235.6	117.8	23.6	23.6	94.3	47.1	23.6	.....	117.8	.....	47.1	.....
.....	24.0	.....	47.9	71.9	119.8	24.0	24.0	71.9	24.0	71.9	.....	47.9	24.0	95.9	.....
.....	.....	48.8	195.0	170.6	219.4	97.5	24.4	48.8	24.4	97.5	.....	97.5	.....	146.3	48.8
.....	49.6	.....	198.5	173.7	99.2	74.4	148.8	.....	74.4	24.8	.....	24.8	.....	124.0	.....
.....	.....	.....	151.5	328.3	126.3	75.8	101.0	101.0	75.8	75.8	.....	176.8	25.3	176.8	.....
.....	.....	.....	102.9	257.1	25.7	.....	51.4	128.6	77.1	51.4	.....	128.6	.....	51.4	.....
.....	.....	26.2	104.8	131.0	78.6	78.6	26.2	78.6	26.2	.....	26.2	78.6	.....	183.3	.....
.....	.....	16.3	195.3	170.9	97.7	73.2	40.7	113.9	81.4	48.8	.....	40.7	40.7	203.4	16.3
8.1	24.3	32.5	121.7	146.1	105.5	162.3	24.3	56.8	48.7	40.6	8.1	32.5	48.7	243.5	32.5
.....	16.2	32.4	145.7	161.9	97.2	56.7	24.3	105.3	56.7	56.7	8.1	56.7	40.5	178.1	24.3
.....	8.1	.....	169.6	258.5	129.2	64.6	48.5	64.6	56.5	32.3	.....	56.5	24.2	121.2	8.1
.....	24.2	8.1	185.3	145.0	104.7	112.8	8.1	48.3	112.8	40.3	8.1	48.3	8.1	185.3	8.1
.....	16.1	32.2	209.0	168.8	112.5	32.2	80.4	88.4	88.4	24.1	.....	56.3	32.2	128.6	16.1
.....	40.1	8.0	112.3	216.5	96.2	80.2	40.1	64.1	104.2	64.1	16.0	72.2	16.0	152.4	32.1
.....	16.0	8.0	224.0	224.0	104.0	96.0	48.0	80.0	120.0	64.0	.....	88.0	.....	240.0	.....
.....	47.9	8.0	151.6	231.4	159.6	55.9	23.9	79.8	175.6	55.9	23.9	47.9	16.0	135.7	8.0
.....	15.9	23.9	215.0	191.1	103.5	119.4	31.8	87.6	143.3	79.6	23.9	87.6	.....	151.3	.....

[3] Not computed separately.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
VERMONT RURAL[2]—Continued.														
Orange County	1900	1,527.5	25.9	5.2	.....	20.7	10.4	5.2	.....	20.7	(3)	150.1	20.7	51.8
	1901	1,735.3	15.6	.....	.....	5.2	5.2	10.4	.....	57.2	(3)	103.9	31.2	46.8
	1902	1,647.0	20.8	.....	.....	.....	15.6	5.2	26.1	20.8	(3)	109.5	10.4	114.7
	1903	1,552.9	36.6	.....	.....	.....	.....	10.5	15.7	47.1	(3)	109.8	10.5	104.6
	1904	1,736.3	5.2	.....	.....	.....	.....	5.2	10.5	78.7	(3)	94.4	15.7	131.1
	1905	1,999.9	21.1	.....	.....	5.3	.....	10.5	5.3	68.4	5.3	115.8	31.6	131.6
	1906	1,700.2	37.0	.....	.....	21.1	.....	5.3	21.1	21.1	.....	89.8	31.7	137.3
	1907	1,859.4	5.3	.....	.....	.....	10.6	10.6	5.3	100.7	5.3	143.0	15 9	164.2
	1908	1,546.6	10.6	.....	.....	5.3	5.3	10.6	.....	63.8	10.6	90.4	10.6	127.6
	1909	1,583.7	16.0	.....	.....	.....	.....	.....	32.0	64.0	26.7	90.7	32.0	90.7
Orleans County	1900	1,457.5	22.7	.....	.....	4.5	4.5	13.6	40.9	13.6	(3)	99.9	4.5	77.2
	1901	1,565.3	49.6	.....	.....	31.6	27.1	4.5	13.5	63.2	(3)	85.7	22.6	85.7
	1902	1,569.4	9.0	4 5	.....	.....	.....	40.4	13.5	35.9	(3)	139.0	9.0	98.7
	1903	1,435.3	22.3	.....	8.9	13.4	4.5	.....	26.7	31.2	(3)	120.4	13.4	89.2
	1904	1,542.1	75.3	4.4	.....	.....	.....	.....	26.6	75.3	(3)	97.5	26.6	88.6
	1905	1,726.9	8.8	8.8	.....	4.4	.....	13.2	22.0	61.7	13.2	123 3	22.0	96.9
	1906	1,567.9	21.9	.....	.....	21.9	8.8	.....	8.8	13.1	4.4	87.6	30.7	48.2
	1907	1,602.4	8.7	17.4	.....	.....	.....	30.5	.....	61.0	8.7	65.3	26.1	69.7
	1908	1,545.5	17.3	.....	.....	4.3	.....	13.0	21.6	21.6	8.7	77.9	17.3	90.9
	1909	1,502.2	17.2	.....	.....	43 0	.....	12.9	21.5	60.3	4.3	77.5	30.1	94.7
Rutland County	1900	1,605.0	39.7	3 1	.....	.....	6.1	9.2	12 2	21.4	(3)	149.8	6.1	64.2
	1901	1,537.2	24.3	.....	.....	3.0	.....	3.0	39 5	63.8	(3)	115.4	12.2	54.7
	1902	1,374.3	15.1	.....	.....	6.0	9.1	6.0	9.1	15.1	(3)	69.5	18.1	54.4
	1903	1,564.6	27.0	3.0	.....	3.0	3.0	6.0	3.0	12 0	(3)	93.1	12.0	138.1
	1904	1,576.6	20.9	.....	.....	.....	3.0	14.9	23.9	26.9	(3)	134.4	14.9	59.7
	1905	1,576.6	14.8	.....	.....	8.9	3.0	5.9	8.9	44.5	17.8	127.7	8.9	77.2
	1906	1,688.7	14.8	.....	.....	8.9	3.0	.....	11.8	14.8	20.7	141.7	29.5	62.0
	1907	1,550.1	11.7	.....	.....	2.9	5.9	8.8	8.8	41.1	14.7	96.9	17.6	76.3
	1908	1,471.4	23.4	.....	.....	.....	.....	11.7	20.4	64.2	17.5	99 3	20.4	70.1
	1909	1,498.1	14.5	2.9	.....	8.7	2.9	2.9	5.8	37.7	20.3	124.8	17.4	104.5
Washington County *	1900	1,775.6	32.0	3.5	.....	10.6	21.3	7.1	14.2	21.3	(3)	152.7	24.9	106.6
	1901	1,780.9	31.6	3.5	.....	.....	10.5	10.5	21.1	38.6	(3)	130.0	10.5	73.8
	1902	1,544.2	24.3	.....	.....	7.0	10.4	17.4	3.5	38.3	(3)	125.2	17.4	69.6
	1903	1,742 5	13.8	.....	.....	6.9	3.4	10.3	31.0	27.6	(3)	144.6	20.7	93.0
	1904	1,766.5	20.5	.....	.....	.....	3.4	17.1	10.2	23.9	(3)	122.8	17.1	105.7
	1905	1,725.9	20.3	.....	.....	20.3	3.4	10.1	16.9	33.8	6.8	125.0	13.5	67.5
	1906	1,692.8	6.7	.....	.....	3.3	3.3	.....	23.4	40.1	26.8	150.5	26.8	100.4
	1907	1,491 3	3.3	.....	.....	6.6	.....	6.6	3.3	39.8	6.6	129.2	16.6	99.4
	1908	1,677.6	13.1	.....	.....	6.6	9.8	9.8	3.3	49.2	13.1	137.9	23.0	91.9
	1909	1,655.6	9.8	.....	.....	6.5	.....	.....	9.8	55.3	.....	123.6	19.5	130.1
Windham County	1900	1,901.7	26.3	.....	.....	.....	3.8	3.8	.....	93.7	(3)	138.8	22.5	138.8
	1901	1,794.7	3.7	.....	.....	3.7	3.7	15.0	7.5	67.4	(3)	176.1	11.2	89.9
	1902	1,654.4	7.5	.....	.....	15.0	.....	3.7	7.5	15.0	(3)	179.7	22.5	71.1
	1903	1,731 3	3.7	3.7	.....	.....	.....	3.7	15.0	48.6	(3)	89.7	18.7	101.0
	1904	1,568.9	22.4	.....	.....	.....	.....	.....	11.2	22.4	(3)	100.9	14.9	104.6
	1905	1,806.1	14.9	.....	.....	7.5	14.9	18.7	18.7	52.2	7.5	93.3	14.9	97.0
	1906	1,822.9	11.2	3.7	.....	.....	3.7	11.2	37.3	33.5	.....	111.8	22.4	78.3
	1907	1,735.3	7.4	3.7	.....	.....	3.7	3.7	11.2	44.7	11.2	93.1	29.8	96.8
	1908	1,804.2	14.9	.....	3 7	.....	.....	3.7	3.7	40.9	14.9	96.7	18.6	141.4
	1909	1,765.1	3.7	.....	.....	3.7	.....	.....	.....	63.2	7.4	92.9	22.3	100.3
Windsor County	1900	1,731.6	37.2	.....	.....	9.3	.....	.....	15.5	68.3	(3)	102.4	15.5	121.0
	1901	1,923.8	21.6	6.2	.....	.....	.....	18.5	9.3	52.5	(3)	135.9	12.4	61.8
	1902	1,690.7	9.2	3.1	.....	6.1	3.1	12.3	6.1	36.9	(3)	95.3	12.3	89.1
	1903	1,643.3	21.4	.....	.....	3.1	.....	.....	18.4	67.3	(3)	82.6	27.5	119.3
	1904	1,639.0	12.2	.....	.....	.....	.....	3.0	12.2	88.3	(3)	112.7	6.1	106.6
	1905	1,631.7	9.1	3.0	.....	24.3	.....	6.1	6.1	78.9	3.0	127.4	18.2	112.2
	1906	1,512.7	6.0	.....	.....	15.1	.....	15.1	6.0	24.2	24.2	87.6	6.0	78.5
	1907	1,620.2	15.0	3.0	.....	3.0	.....	6.0	3.0	96.2	12.0	87.2	12.0	114.2
	1908	1,657.9	6.0	.....	.....	3.0	.....	9.0	20.9	44.9	29.9	98.8	29.9	116.7
	1909	1,537.4	6.0	.....	.....	6.0	8.9	8.9	8.9	35.8	6.0	86.4	17.9	146.0
WASHINGTON RURAL.[2]														
Adams County	1908	743.5	20.4	.....	.....	20.4	30.6	.....	10.2	10.2	.....	40.7	20.4	10.2
	1909	757.2	9.6	.....	.....	9.6	.....	.....	19.2	19.2	9.6	38.3	19.2	19.2
Asotin County †	1908	761.4	18.6	.....	.....	.....	.....	.....	.....	37.1	.....	111.4	.....	37.1
	1909	656.7	17.7	.....	.....	.....	.....	.....	.....	.....	.....	35.5	35.5	71.0
Benton County	1908	987.7	29.9	.....	.....	15.0	.....	.....	29.9	15.0	.....	74.8	.....	29.9
	1909	1,029.5	149.0	.....	.....	.....	40.6	.....	.....	.....	27.1	121.9	27.1	27.1
Chehalis County	1908	821.9	22.0	.....	.....	.....	.....	.....	.....	6.3	9.4	62.7	6.3	25.1
	1909	863.1	26.5	.....	.....	11.8	.....	.....	2.9	8.8	17.7	61.9	26.5	32.4
Chelan County	1908	910.0	30.6	.....	.....	15.3	.....	.....	7.6	53.5	7.6	84.1	.....	84.1
	1909	1,105.0	112.6	.....	.....	7.0	21.1	.....	35.2	21.1	.....	98.5	21.1	28.2
Clallam County	1908	779.0	.....	.....	.....	.....	.....	.....	30 5	45.8	.....	45.8	.....	106.9
	4 1909	1,125.6	.....	.....	45.0	.....	.....	.....	30.0	30.0	.....	60.0	30.0	15.0
Clarke County	1908	772.7	12.6	.....	.....	.....	.....	4.2	21.0	16.8	4.2	71.4	8.4	33.6
	1909	824.8	19.9	.....	.....	4.0	.....	.....	8.0	.....	8.0	79.7	19.9	39.8
Columbia County	1908	934.7	56.6	14.2	.....	.....	14.2	.....	14.2	.....	14.2	99.1	28.3	56.6
	1909	850.9	14.2	.....	.....	.....	.....	.....	.....	14.2	.....	127.6	.....	70.9
Cowlitz County †	1908	478.2	8.5	.....	.....	.....	8.5	.....	34 2	.....	17.1	85.4	8.5	17.1
	1909	615.5	8.2	.....	.....	.....	.....	.....	8.2	8.2	.....	41.0	8.2	32.8

[1] Exclusive of stillbirths.

[2] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
5.2	10.4	15.5	253.7	176.0	124.3	57.0	46.6	88.0	41.4	15.5	10.4	62.1	67.3	238.2	5.2
5.2	20.8	31.2	270.2	249.4	88.3	103.9	62.3	103.9	72.7	36.4	10.4	57.2	57.2	275.4	15.6
.....	5.2	26.1	229.3	250.2	114.7	93.8	20.8	93.8	114.7	73.0	20.8	41.7	36.5	187.6	15.6
5.2	15.7	10.5	167.3	261.4	41.8	78.4	47.1	88.9	88.9	47.1	26.1	78.4	36.6	209.2	15.7
5.2	31.5	15.7	183.6	257.0	125.9	131.1	42.0	120.7	115.4	62.9	21.0	62.9	31.5	173.1	15.7
10.5	26.3	21.1	273.7	331.6	173.7	115.8	42.1	121.0	94.7	63.2	15.8	42.1	31.6	231.6	10.5
5.3	10.6	26.4	216.5	232.3	169.0	132.0	47.5	89.8	79.2	52.8	5.3	68.6	10.6	169.0	21.1
.....	15.9	10.6	254.3	333.7	105.9	84.8	42.4	63.6	143.0	74.2	10.6	47.7	37.1	164.2	10.6
.....	15.9	42.5	159.4	334.8	79.7	53.1	47.8	74.4	90.4	53.1	10.6	101.0	15.9	132.9	.....
.....	53.3	5.3	165.3	389.3	69.3	58.7	48.0	90.7	96.0	48.0	16.0	74.7	5.3	112.0	.....
4.5	4.5	9.1	199.8	136.2	131.7	104.4	72.6	95.4	40.9	54.5	18.2	31.8	77.2	172.6	22.7
.....	13.5	54.1	198.5	185.0	85.7	18.0	54.1	85.7	58.6	72.2	18.0	54.1	31.6	239.1	13.5
4.5	9.0	31.4	152.5	152.5	156.9	94.2	31.4	107.6	76.2	71.7	9.0	58.3	35.9	183.8	44.8
4.5	13.4	26.7	156.0	120.4	57.9	107.0	80.2	93.6	66.9	53.5	17.8	75.8	35.7	169.4	26.7
.....	22.2	53.2	124.1	177.2	97.5	119.6	53.2	110.8	84.2	39.9	.....	79.8	17.7	159.5	8.9
4.4	26.4	35.2	185.0	233.5	132.2	70.5	79.3	132.2	79.3	48.5	13.2	52.9	35.2	211.5	13.2
4.4	35.0	21.9	197.1	201.5	122.6	70.1	118.2	83.2	83.2	56.9	17.5	87.6	13.1	170.8	39.4
.....	21.8	8.7	209.0	191.6	143.7	126.3	56.6	78.4	95.8	65.3	17.4	65.3	30.5	200.3	4.4
.....	13.0	34.6	147.2	307.4	125.5	99.6	52.0	90.9	103.9	47.6	17.3	52.0	4.3	177.5	.....
.....	34.4	12.9	155.0	223.8	99.0	103.3	34.4	94.7	73.2	86.1	4.3	107.6	8.6	99.0	4.3
.....	15.3	33.6	162.0	186.5	186.5	52.0	70.3	91.7	73.4	58.1	.....	67.3	61.1	201.8	33.6
.....	15.2	36.5	154.9	161.0	194.4	72.9	63.8	63.8	88.1	45.6	12.2	57.7	42.5	185.3	27.3
.....	9.1	12.1	166.1	160.1	154.0	90.6	42.3	95.7	48.3	60.4	6.0	60.4	15.1	226.5	24.2
.....	3.0	33.0	177.2	204.2	132.1	72.1	66.1	108.1	54.1	63.1	6.0	126.1	27.0	174.2	18.0
.....	14.9	23.9	176.2	176.2	158.3	74.6	86.6	95.6	77.6	47.8	9.0	92.6	20.9	194.1	29.9
3.0	17.8	20.8	169.2	178.1	142.5	77.2	98.0	92.0	115.8	44.5	17.8	100.9	26.7	142.5	11.9
.....	5.9	44.3	230.3	218.5	150.6	88.6	79.7	103.3	79.7	47.2	23.6	124.0	14.8	165.3	5.9
.....	14.7	26.4	155.6	258.3	93.9	79.3	85.1	96.9	91.0	55.8	8.8	111.6	11.7	158.5	17.6
.....	20.4	14.6	131.4	216.0	134.3	43.8	110.9	38 0	140.1	49.6	.....	93.4	20.4	131.4	.....
.....	14.5	5.8	168.4	182.9	124.8	90.0	75.5	66.8	127.7	55.2	23.2	113.2	5.8	98.7	2.9
3.5	10.6	32.0	163.4	156.3	248.6	56.8	71.0	81.7	110.1	60.4	3.5	49.7	99.4	213.1	21.3
10.5	14.1	14.1	263.5	165.1	203.7	91.3	52.7	84.3	119.4	45.7	10.5	56.2	63.2	214.3	42.2
.....	3.5	38.3	170.4	194.8	160.0	100.9	20.9	104.3	76.5	31.3	10.4	86.9	59.1	156.5	17.4
6.9	20.7	17.2	230.7	220.4	124.0	82.7	72.3	96.4	127.4	58.5	24.1	93.0	31.0	172.2	13.8
.....	34.1	34.1	214.8	238.7	133.0	64.8	78.4	109.1	92.1	71.6	30.7	88.7	34.1	204.6	17.1
3.4	10.1	30.4	236.4	222.9	165.5	118.2	40.5	97.9	81.1	37.2	27.0	114.8	64.2	152.0	6.8
.....	13.4	30.1	230.8	214.1	123.8	97.0	76.9	80.3	113.7	53.5	13.4	70.3	23.4	140.5	30.1
.....	9.9	13.3	192.2	238.6	139.2	92.8	46.4	59.7	109.4	46.4	9.9	59.7	19.9	142.5	.....
.....	19.7	23.0	177.3	236.4	180.6	75.5	72.2	88.6	111.6	62.4	9.8	134.6	6.6	118.2	3.3
.....	16.3	9.8	195.2	296.0	130.1	104.1	55.3	113.8	84.6	52.0	13.0	104.1	6.5	117.1	3.3
3.8	30.0	30.0	243.8	221.3	127.5	97.5	45.0	82.5	82.5	52.5	3.8	82.5	82.5	273.8	15.0
.....	22.5	45.0	273.5	228.6	134.9	97.4	41.2	41.2	73.7	41.2	15.0	78.7	59.9	254.8	3.7
3.7	18.7	37.4	232.1	235.8	127.3	59.9	33.7	59.9	78.6	74.9	.....	82.3	44.9	224.6	18.7
.....	26.2	11.2	295.4	269.2	134.6	89.7	71.0	82.3	89.7	44.9	15.0	78.5	33.7	190.7	15.0
3.7	22.4	44.8	231.6	220.4	71.0	82.2	48.6	100.9	115.8	26.1	11.2	63.5	14.9	220.4	14.9
.....	11.2	22.4	324.7	272.4	108.2	67.2	59.7	93.3	108.2	52.2	18.7	82.1	33.6	194.0	18.7
.....	18.6	26.1	331.8	298.2	100.6	89.5	67.1	111.8	85.7	29.8	18.6	85.7	14.9	219.9	11.2
.....	26.1	3.7	301.6	316.5	149.0	108.0	59.6	85.6	67.0	41.0	7.4	74.5	22.3	163.8	3.7
.....	7.4	29.8	301.3	368.3	93.0	37.2	63.2	85.6	85.6	48.4	18.6	111.6	14.9	189.7	11.2
.....	14.9	29.7	275.0	349.3	92.9	89.2	66.9	48.3	144.9	55.7	7.4	104.1	11.1	182.1	.....
.....	15.5	24.8	285.5	180.0	117.9	80.7	80.7	114.8	71.4	65.2	24.8	65.2	46.6	183.1	6.2
3.1	27.8	27.8	206.9	253.2	206.9	117.3	64.8	123.5	64.8	58.7	3.1	74.1	71.0	287.2	15.4
3.1	15.4	30.7	255.1	206.0	159.8	86.1	30.7	104.5	89.1	70.7	9.2	67.6	40.0	233.6	15.4
3.1	9.2	33.7	238.7	263.2	94.9	73.4	39.8	110.2	101.0	45.9	6.1	82.6	21.4	168.3	12.2
6.1	30.5	6.1	204.1	292.5	103.6	85.3	51.8	60.9	85.3	36.6	12.2	79.2	36.6	198.0	9.1
.....	12.1	18.2	224.4	273.0	109.2	81.9	42.5	75.8	115.2	48.5	9.1	51.6	9.1	166.8	6.1
.....	21.1	12.1	187.2	274.8	102.7	78.5	69.4	93.6	75.5	33.2	6.0	66.4	12.1	208.3	9.1
.....	27.1	12.0	201.4	288.6	153.3	69.1	39.1	63.1	99.2	27.1	18.0	81.2	6.0	183.4	.....
.....	15.0	18.0	242.4	248.4	104.7	83.8	47.9	86.8	89.8	56.9	29.9	77.8	3.0	194.5	.....
.....	20.9	6.0	163.9	336.7	65.5	80.4	56.6	71.5	92.4	41.7	11.9	92.4	6.0	157.9	3.0
.....	.....	20.4	81.5	20.4	91.7	30.6	81.5	20.4	20.4	20.4	20.4	91.7	10.2	61.1	10.2
.....	.....	.....	57.5	38.3	47.9	47.9	76.7	47.9	28.8	28.8	.....	124.6	28.8	67.1	19.2
.....	.....	.....	18.6	130.0	37.1	37.1	37.1	130.0	.....	.....	37.1	37.1	55.7	37.1	.....
.....	17.7	.....	53.2	71.0	71.0	35.5	35.5	17.7	17.7	35.5	.....	53.2	.....	88.7	.....
15.0	.....	29.9	15.0	59.9	59.9	59.9	74.8	59.9	59.9	44.9	15.0	149.7	15.0	119.7	15.0
.....	.....	.....	13.5	54.2	54.2	40.6	54.2	40.6	81.3	27.1	.....	121.9	.....	108.4	40.6
.....	12.5	9.4	62.7	69.0	31.4	9.4	40.8	62.7	40.8	43.9	18.8	178.8	34.5	75.3	.....
.....	8.8	5.9	38.3	100.2	41.2	38.3	100.2	35.3	35.3	41.2	23.6	132.6	17.7	56.0	.....
.....	15.3	7.6	68.8	61.2	45.9	22.9	38.2	68.8	30.6	38.2	7.6	84.1	30.6	99.4	7.6
.....	.....	7.0	63.3	105.6	56.3	28.2	105.6	49.3	28.2	21.1	14.1	140.8	14.1	126.7	.....
.....	15.3	.....	45.8	76.4	30.5	45.8	45.8	45.8	61.1	30.5	.....	122.2	.....	30.5	.....
.....	30.0	.....	150.1	75.0	30.0	60.0	.....	120.1	.....	15.0	15.0	180.1	15.0	45.0	180.1
.....	8.4	4.2	88.2	84.0	42.0	21.0	25.2	58.8	33.6	16.8	8.4	100.8	25.2	54.6	29.4
.....	19.9	8.0	59.8	127.5	31.9	15.9	39.8	43.8	51.8	27.9	8.0	111.6	12.0	75.7	12.0
.....	.....	28.3	56.6	141.6	42.5	42.5	.....	56.6	56.6	.....	14.2	70.8	14.2	113.3	.....
.....	.....	14.2	99.3	113.5	28.4	56.7	42.5	56.7	14.2	42.5	14.2	28.4	14.2	99.3	.....
.....	.....	8.5	42.7	34.2	17.1	42.7	25.6	8.5	25.6	8.5	.....	42.7	.....	25.6	17.1
.....	8.2	.....	32.8	57.4	57.4	16.4	41.0	41.0	16.4	24.6	16.4	106.7	8.2	82.1	.....

[3] Not computed separately.

[4] Includes Neah Bay Indian Reservation.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
WASHINGTON RURAL[2]—Continued.														
Douglas County †	1908	404.7	6.4	.....	.....	6.4	.....	.....	12.8	.....	12.8	45.0	6.4	6.4
	[3] 1909	325.8	5.9	.....	.....	.....	5.9	.....	5.9	17.8	5.9	23.7	5.9	5.9
Ferry County †	1908	420 4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	[4] 1909	669.3	20.9	.....	.....	.....	20.9	.....	20.9	.....	.....	20.9	.....	20.9
Franklin County †	1908	952.2	69.7	.....	.....	.....	.....	.....	69.7	.....	.....	69.7	.....	.....
	1909	690.5	62.8	.....	.....	.....	.....	.....	62.8	.....	20.9	62.8	.....	20.9
Garfield County	1908	1,205.7	48.2	.....	.....	.....	.....	24.1	.....	.....	24.1	96.5	48.2	24.1
	1909	981.8	.....	.....	.....	.....	.....	23.9	47.9	23.9	.....	47.9	23.9	47.9
Island County †	1908	620.5	.....	.....	.....	.....	.....	.....	.....	.....	23.9	71.6	47.7	23.9
	1909	580.7	.....	.....	22.3	.....	.....	.....	.....	.....	.....	89.3	.....	.....
Jefferson County	1908	992.2	.....	.....	.....	.....	.....	.....	25.4	.....	.....	152.7	.....	38.2
	1909	1,058.2	.....	.....	12.3	.....	.....	.....	.....	.....	.....	49.2	24.6	135.4
King County	1908	1,118.3	14.1	.....	2.4	2 4	2.4	.....	11.8	7.1	7.1	171.9	21.2	51.8
	1909	1,009.0	20.8	.....	2.1	6.2	10.4	.....	29.1	10.4	8.3	122.5	35.3	74.8
Kitsap County †	1908	567.9	12.8	.....	.....	.....	.....	.....	25.5	.....	.....	57.4	12.8	31.9
	1909	721.3	6.0	.....	.....	.....	17.9	.....	11.9	23.8	6.0	53.7	17.9	41.7
Kittitas County	1908	1,350.7	35.4	.....	.....	11.8	35.4	.....	64.9	11.8	17.7	82.6	17.7	29.5
	1909	907.5	33.6	.....	.....	.....	33.6	.....	.....	5.6	.....	44.8	28.0	22.4
Klickitat County †	1908	485.1	.....	.....	.....	10.5	21.1	.....	10.5	21.1	.....	31.6	10.5	31.6
	1909	749.6	10.1	.....	.....	.....	.....	.....	.....	.....	.....	91.2	30.4	40.5
Lewis County	1908	736.7	31 0	.....	.....	3.4	3.4	6.9	44.8	6.9	.....	65.4	10.3	51.6
	1909	880.8	42.3	.....	.....	6.5	6.5	.....	26.0	9.8	9.8	65.0	9.8	35.8
Lincoln County	1908	1,046.6	48.4	.....	.....	.....	.....	.....	36.3	12.1	18.1	42.3	30.2	12.1
	1909	795.6	23.4	.....	.....	.....	.....	5.9	11.7	5.9	.....	41.0	5.9	23.4
Mason County	1908	712.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	61.1	20.4	61.1
	1909	812.2	.....	.....	.....	.....	.....	.....	.....	39.6	.....	138.7	.....	.....
Okanogan County †	1908	342.1	8.8	.....	.....	8.8	.....	.....	52.6	.....	26.3	17.5	8.8	17.5
	[4] 1909	572 4	24.5	.....	.....	.....	16.4	.....	.....	.....	.....	24.5	.....	16.4
Pacific County †	1908	335.0	.....	8.8	.....	.....	.....	.....	8.8	.....	8.8	35.3	8.8	26.4
	1909	882.8	16.7	.....	.....	8.3	.....	8.3	16.7	16.7	16.7	91.6	16.7	16.7
Pierce County *	1908	1,120.1	5.2	.....	.....	.....	.....	.....	10 5	10.5	13.1	115.1	15.7	55.0
	1909	1,225.5	12.8	.....	.....	2.6	7.7	.....	20.6	15.4	12.8	110.5	33.4	46.2
San Juan County	1908	833.3	.....	.....	.....	.....	.....	.....	.....	28.7	28.7	57.5	.....	.....
	1909	760.8	28.2	.....	.....	.....	.....	.....	.....	.....	.....	28.2	.....	56.4
Skagit County †	1908	697.5	26.4	.....	.....	.....	.....	3.8	22.6	15.1	7.5	67.9	18.9	22.6
	[5] 1909	1,048.5	14.3	.....	.....	35.7	21.4	3.6	10.7	17.8	14.3	85.6	3.6	28.5
Skamania County	1908	861.7	37.5	.....	.....	.....	.....	.....	.....	.....	.....	37.5	37.5	.....
	1909	752.4	35.8	.....	.....	.....	.....	.....	35.8	35.8	35.8	71.7	.....	71.7
Snohomish County	1908	814.2	20.8	.....	.....	.....	.....	.....	15.1	5.7	9.5	81.4	17.0	41.7
	1909	986.1	19.5	.....	.....	.....	10.6	3.5	1.8	8.9	7.1	81.6	31.9	70.9
Spokane County *	1908	1,018.5	35.1	.....	.....	.....	3.2	6.4	12.8	22.3	19.2	146.9	9.6	35.1
	[4] 1909	889.9	21.0	.....	.....	3.0	24.0	3.0	18.0	3.0	18.0	98.9	15.0	50.9
Stevens County †	1908	601.2	30.9	.....	.....	.....	.....	.....	39.8	8.8	.....	53.1	17.7	8.8
	[4] 1909	821.1	8.3	.....	8 3	.....	16.6	20.7	20.7	4.1	.....	49.8	4.1	33.2
Thurston County	1908	839.9	43.2	.....	.....	.....	6.2	.....	12.4	6.2	6.2	67.9	12.4	49.4
	1909	1,007.8	29.5	.....	.....	.....	11.8	.....	35.4	.....	5.9	100.2	23.6	47.2
Wahkiakum County †	1908	375.1	.....	.....	.....	.....	.....	.....	62.5	.....	.....	31.3	.....	62.5
	1909	400.4	.....	.....	.....	.....	30.8	.....	.....	.....	.....	.....	30.8	.....
Walla Walla County †	1908	615.6	41.6	.....	.....	.....	.....	.....	25.0	8.3	.....	49.9	25.0	25.0
	1909	615.5	41.0	.....	.....	.....	8.2	.....	8.2	8.2	8.2	65.6	8.2	16.4
Whatcom County	1908	901.9	13.4	.....	.....	2.2	2.2	.....	13.4	8.9	4.5	84.6	29.0	71.3
	1909	973.2	19.0	.....	.....	.....	6.3	6.3	2.1	10.5	4.2	96.9	27.4	50.6
Whitman County	1908	964.1	44.0	.....	.....	.....	25.1	12.6	44.0	6.3	12.6	78.5	15.7	37.7
	1909	900.6	21.4	.....	.....	3.1	30.6	3.1	39.8	6.1	6.1	88.8	6.1	42.9
Yakima County	1908	878.8	109.9	8.2	.....	5.5	5.5	5.5	16.5	8.2	11.0	71.4	19.2	30.2
	[6] 1909	1,089.7	73.7	5.1	.....	7.6	10.2	5.1	53.3	20.3	7.6	116.8	15.2	40.6
WISCONSIN RURAL.[3]														
Adams County	1908	1,003.1	.....	.....	.....	.....	.....	.....	11.4	34.2	.....	148.2	.....	45.6
	1909	887.2	.....	.....	.....	.....	.....	.....	.....	.....	23.0	80.7	11.5	69.1
Ashland County	1908	838.2	20.0	.....	.....	.....	20.0	.....	20.0	20.0	.....	79.8	.....	69.9
	1909	1,252.8	9.8	.....	.....	.....	19.6	78.3	39.2	19.6	.....	176.2	48.9	58.7
Barron County	1908	1,057.5	.....	3.5	.....	10.4	3.5	.....	27.7	13.9	6.9	58.9	3.5	48.5
	1909	996.8	24 1	.....	.....	.....	27.6	6.9	10.3	10.3	10.3	82.8	17.2	41.4

[1] Exclusive of stillbirths. [2] Exclusive of cities having a population of 8,000 or over in 1900. [3] Including Grant County, organized Feb. 24, 1909.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	6.4	25.7	.....	25.7	51.4	19.3	32.1	38.5	12.8	45.0	6.4	38.5	.....	.....	6.4
.....	.....	5.9	29.6	17.8	23.7	17.8	53.3	17.8	.....	5.9	5.9	41.5	11.8	17.8	.....
.....	.....	.....	.....	.....	.....	.....	210.2	.....	.....	.....	.....	.....	.....	210.2	.....
.....	.....	.....	.....	.....	62.7	.....	.....	20.9	.....	.....	.....	41.8	20.9	125.5	292.8
23.2	.....	23.2	46.4	116.1	92.9	.....	23.2	23.2	23.2	23.2	23.2	209.0	46.4	46.4	23.2
.....	.....	.....	20.9	.....	20.9	20.9	20.9	41.8	20.9	20.9	20.9	104.6	41.8	125.5	.....
.....	24.1	.....	96.5	72.3	192.9	.....	144.7	48.2	96.5	.....	.....	96.5	72.3	72.3	24.1
.....	47.9	.....	23.9	143.7	119.7	23.9	119.7	23.9	23.9	23.9	23.9	71.8	47.9	47.9	23.9
.....	.....	.....	47.7	71.6	23.9	47.7	23.9	23.9	.....	71.6	23.9	47.7	23.9	47.7	.....
.....	.....	22.3	22.3	67.0	89.3	22.3	.....	22.3	22.3	22.3	.....	111.7	.....	67.0	.....
.....	.....	12.7	114.5	139.9	101.8	12.7	12.7	38.2	38.2	.....	38.2	127.2	12.7	127.2	.....
.....	24.6	24.6	61.5	110.7	36.9	24.6	12.3	73.8	49.2	36.9	36.9	172.3	24.6	147.7	.....
.....	2.4	21.2	82.4	127.1	47.1	25.9	58.9	65.9	54.2	37.7	25.9	171.9	7.1	89.5	9.4
.....	8.3	14.5	87.2	110.1	58.2	29.1	62.3	37.4	58.2	37.4	18.7	157.8	10.4	99.7	.....
.....	12.8	12.8	44.7	51.0	31.9	12.8	19.1	12.8	.....	19.1	19.1	114.8	25.5	44.7	6.4
.....	17.9	11.9	65.6	89.4	17.9	23.8	47.7	29.8	41.7	23.8	29.8	83.5	.....	59.6	.....
.....	.....	88.5	82.6	88.5	59.0	59.0	76.7	47.2	35.4	41.3	11.8	359.8	23.6	64.9	5.9
.....	.....	33.6	78.4	100.8	61.6	16.8	67.2	56.0	16.8	39.2	16.8	162.5	22.4	67.2	.....
.....	.....	.....	42.2	63.3	42.2	10.5	10.5	31.6	10.5	.....	.....	42.2	10.5	73.8	10.5
.....	.....	.....	50.6	50.6	121.6	40.5	40.5	20.3	20.3	20.3	10.1	81.0	20.3	91.2	10.1
.....	.....	17.2	44.8	55.1	27.5	13.8	41.3	34.4	41.3	24.1	10.3	65.4	6.9	117.0	13.8
.....	6.5	3.3	74.8	87.8	29.3	19.5	68.3	68.3	48.8	55.3	6.5	104.0	3.3	87.8	6.5
.....	12.1	12.1	60.5	60.5	114.9	36.3	66.5	66.5	54.4	66.5	12.1	151.2	48.4	78.6	6.0
.....	11.7	5.9	70.2	105.3	70.2	35.1	93.6	35.1	46.8	35.1	5.9	58.5	5.9	99.5	.....
.....	.....	20.4	142.5	20.4	40.7	.....	40.7	20.4	40.7	40.7	.....	101.8	20.4	81.4	.....
.....	.....	19.8	59.4	59.4	79.2	19.8	19.8	.....	.....	39.6	.....	198.1	19.8	118.9	.....
.....	8.8	8.8	.....	8.8	26.3	8.8	8.8	.....	35.1	17.5	17.5	35.1	.....	26.3	.....
.....	.....	8.2	16.4	16.4	32.7	24.5	49.1	16.4	8.2	16.4	16.4	49.1	8.2	98.1	130.8
.....	.....	.....	17.6	35.3	61.7	8.8	17.6	26.4	.....	8.8	.....	17.6	8.8	26.4	8.8
.....	.....	.....	41.6	58.3	41.6	25.0	50.0	66.6	.....	33.3	16.7	199.9	41.6	99.9	.....
2.6	5.2	2.6	319.3	130.8	41.9	31.4	41.9	26.2	55.0	31.4	23.6	109.9	13.1	60.2	.....
.....	10.3	15.4	298.0	113.0	38.5	43.8	38.5	56.5	48.8	38.5	30.8	105.3	18.0	102.8	.....
.....	28.7	.....	86.2	143.7	28.7	.....	86.2	28.7	.....	57.5	.....	143.7	.....	114.9	.....
.....	28.2	.....	84.5	84.5	.....	84.5	.....	28.2	56.4	28.2	.....	84.5	28.2	140.9	.....
3.8	.....	18.9	37.7	49.0	26.4	15.1	15.1	30.2	45.2	45.2	11.3	105.6	15.1	86.7	7.5
.....	14.3	10.7	64.2	92.7	60.6	35.7	64.2	78.5	71.3	53.5	25.0	124.8	25.0	74.9	17.8
.....	.....	.....	74.9	.....	74.9	.....	.....	37.5	.....	37.5	74.9	299.7	74.9	74.9	.....
.....	.....	35.8	35.8	.....	35.8	.....	35.8	.....	.....	.....	.....	179.1	.....	143.3	.....
.....	5.7	20.8	43.6	92.8	24.6	24.6	43.6	43.6	34.1	30.3	18.9	134.4	9.5	94.7	1.9
.....	12.4	14.2	56.8	117.1	37.2	28.4	79.8	49.7	33.7	55.0	28.4	141.9	17.7	76.3	1.8
.....	3.2	16.0	156.4	63.9	67.0	19.2	51.1	38.3	76.6	28.7	25.5	95.8	25.5	54.3	6.4
.....	.....	3.0	152.8	56.9	44.9	9.0	53.9	18.0	80.9	30.0	12.0	86.9	12.0	74.9	.....
.....	4.4	.....	48.6	26.5	39.8	13.3	39.8	30.9	35.4	4.4	8.8	106.1	22.1	57.5	4.4
.....	20.7	4.1	37.3	49.8	29.0	16.6	53.9	37.3	45.6	33.2	8.3	145.1	16.6	112.0	45.6
.....	18.5	12.4	67.9	80.3	24.7	6.2	12.4	67.9	49.4	18.5	30.9	105.0	24.7	105.0	12.4
.....	5.9	11.8	76.6	88.4	76.6	53.0	47.2	53.0	41.3	17.7	53.0	94.3	.....	129.7	5.9
.....	.....	.....	.....	62.5	.....	31.3	31.3	.....	.....	.....	.....	62.5	.....	31.3	.....
.....	30.8	.....	61.6	61.6	.....	.....	61.6	30.8	.....	.....	.....	92.4	.....	.....	.....
.....	.....	16.6	74.9	66.6	66.6	.....	16.6	25.0	16.6	25.0	8.3	74.9	16.6	25.0	8.3
.....	8.2	.....	73.9	73.9	41.0	24.6	8.2	24.6	24.6	41.0	.....	73.9	.....	41.0	16.4
.....	11.1	20.0	57.9	104.7	49.0	42.3	29.0	80.2	37.9	40.1	15.6	75.7	4.5	100.2	4.5
.....	8.4	8.4	94.8	115.9	54.8	33.7	33.7	65.3	44.2	42.1	27.4	111.6	12.6	92.7	4.2
.....	9.4	25.1	65.9	75.4	59.7	15.7	56.5	47.1	44.0	31.4	22.0	113.1	22.0	97.4	3.1
.....	6.1	21.4	61.3	67.4	91.9	24.5	82.7	49.0	42.9	42.9	15.3	55.1	12.3	70.5	9.2
.....	5.5	11.0	60.4	87.9	43.9	24.7	76.9	43.9	38.4	33.0	11.0	52.2	27.5	71.4	.....
.....	15.2	7.6	50.8	76.2	53.3	45.7	68.6	53.3	58.4	48.3	15.2	78.7	15.2	111.8	35.6
11.4	.....	22.8	125.4	102.6	91.2	45.6	79.8	57.0	34.2	22.8	.....	68.4	11.4	91.2	.....
.....	.....	.....	69.1	57.6	115.2	23.0	23.0	69.1	80.7	34.6	34.6	69.1	11.5	115.2	.....
.....	10.0	.....	20.0	59.9	39.9	.....	59.9	49.9	20.0	39.9	39.9	49.9	29.9	159.7	29.9
.....	.....	58.7	48.9	78.3	48.9	19.6	58.7	58.7	39.2	107.7	19.6	127.2	29.4	88.1	19.6
.....	13.9	24.3	62.4	107.5	107.5	34.7	121.4	65.9	65.9	72.8	3.5	55.5	20.8	117.9	6.9
3.4	27.6	10.3	31.0	96.6	82.8	51.7	93.1	48.3	55.2	72.4	6.9	62.1	20.7	100.0	3.4

[4] Includes part of Colville Indian Reservation.

[5] Includes Swinomish Indian Reservation.

[6] Includes Yakima Indian Reservation.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
	All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
WISCONSIN RURAL[2]—Continued.													
Bayfield County	1908 764.6	6.3						43.9	18.8		119.1		12.5
	1909 813.9	25.0	6.3				6.3	43.8	12.5	6.3	87.6	43.8	25.0
Brown County	1908 1,176.8	3.5			17.3			75.9	24.2	17.3	96.6	10.4	82.8
	1909 1,124.1	3.5				17.3		38.0	6.9	24.2	107.2	17.3	83.0
Buffalo County	1908 1,037.2	12.3		6.2	18.5		12.3	18.5	61.7	12.3	74.1		74.1
	1909 926.0				6.2		6.2	12.4	6.2		80.8	12.4	74.6
Burnett County	1908 1,108.3				11.0	11.0	11.0	32.9	32.9	21.9	87.8	11.0	54.9
	1909 1,037.0					33.1	11.0	33.1	11.0		121.3	22.1	77.2
Calumet County	1908 954.0	6.0					11.9	23.9	11.9	11.9	53.7	17.9	47.7
	1909 1,057.9				12.0	6.0		12.0	12.0		65.7	6.0	83.7
Chippewa County	1908 1,128.5	17.3			25.9		8.6	17.3	38.9	26.0	90.8	4.3	47.6
	1909 1,234.2			8.6	30.2		17.3	8.6	12.9	8.6	159.7	17.3	56.1
Clark County	1908 959.6	13.4		3.4	10.1			43.6	16.8	3.4	53.7	6.7	43.6
	1909 914.7	20.0		3.3	16.7		3.3	20.0	10.0	10.0	80.1	10.0	53.4
Columbia County	1908 1,088.2	6.4				6.4		3.2	32.1	6.4	61.0	3.2	86.7
	1909 1,172.1	3.2	3.2		3.2		9.6	3.2	28.9	12.8	89.9	12.8	80.3
Crawford County	1908 1,222.5	6.1				6.1	18.2	6.1	24.2	18.2	96.8	24.2	72.6
	1909 1,232.3	24.4	6.1					6.1	61.0	6.1	122.0	48.8	54.9
Dane County *	1908 1,216.3	7.7				3.9	5.8	15.5	27.1	9.7	89.1	25.2	77.5
	1909 1,098.8	3.9					7.7	7.7	15.4	15.4	98.5	9.7	79.2
Dodge County	1908 998.9	6.7			4.5	4.5	4.5	6.7	26.9	11.2	67.3	18.0	78.6
	1909 960.5	13.4			11.1	6.7	24.5	8.9	8.9	11.1	75.8	13.4	80.2
Door County	1908 918.6						26.2		21.0	5.2	89.2	15.7	57.7
	1909 991.5	10.6			10.6	5.3		10.6	21.2	5.3	74.2	15.9	58.3
Douglas County †	1908 642.3	14.3							14.3		28.5		42.8
	1909 740.3	14.2				42.7		28.5			14.2	14.2	28.5
Dunn County	1908 1,130.7	11.7		3.9	7.8	3.9	19.6	19.6	27.4	7.8	78.2	19.6	66.5
	1909 1,027.8	15.8		7.9		7.9	11.8	7.9	3.9	7.9	86.6	7.9	63.0
Eau Claire County	1908 824.9	6.9			6.9	6.9	13 7	13.7	20.6	20.6	48.1	6.9	41.2
	1909 739.4		6.9				6.9	20.7			20.7		27.6
Florence County †	1908 611.7	29.1									87.4		29.1
	1909 675.7							29.4			58.3	29.4	
Fond du Lac County	1908 1,064.0	9.1				12.1	3.0	9.1	21.2	9.1	87.7	15.1	66.5
	1909 1,090.1	6.1	3 0		3.0	3.0	6.1	6.1	3.0	18.2	88.1	9.1	75.9
Forest County	1908 894.8		15.4		15.4				30.9	15.4	30.9	30.9	30.9
	1909 857.3						15.0	45.1			75.2	30.1	30.1
Grant County	1908 1,065.3				7.6		7.6	15.3	33.1	17.8	79.0	12.7	66.3
	1909 1,112.3	5.1				7.7	2.6	2.6	12.8	2.6	92.1	15.3	89.5
Green County	1908 1,067.7	4.6						9.1	45.6	4.6	86.7	9.1	41.1
	1909 1,029.3	4.6	4.6		4.6		13.8	4.6			64.3	9.2	64.3
Green Lake County	1908 1,235.6				6.4		25.6	12.8	32.0	19.2	89.6	32.0	96.0
	1909 1,273.4	25.7			6.4		45.0	6.4	6.4	12.9	96.5	6.4	122.2
Iowa County	1908 1,063.0	4.4			4.4		4.4	8.8	26.5	17.6	75.0	17.6	70.6
	1909 1,089.7	4.4			4.4		8.9	13.3	8.9	13.3	115 2	8.9	66.4
Iron County	1908 1,252.9	13.1						78.3		13.1	26.1	26.1	
	1909 1,346.5	24.9				12.5		124.7	12.5		74.8	24.9	
Jackson County	1908 1,320.8	11.6				5.8	17.4		57.9	23.2	98.5	23.2	98.5
	1909 1,154.0	5.8				11.7	17.5	40.8	5.8	23.3	81.6	11.7	75.8
Jefferson County	1908 1,096.2	7.2					10.8	14.4	43.1	3.6	111.4		93.4
	1909 1,097.1	7.2	3.6		3.6	3.6	3.6	14.4	36.0	3.6	82.7	10.8	107.9
Juneau County	1908 1,279.6					10.0	10.0	20.0	40.0		115.0	10.0	95.0
	1909 1,189.1	15.2					15.2		20.2	5.1	60.7	15.2	40.5
Kenosha County	1908 1,128.6	8.8				26.5	8.8	8.8	17.6		52.9	8.8	88.2
	1909 811.4	8.7			8.7	8.7			26.2	8.7	26.2	17.4	69.8
Kewaunee County	1908 1,268.9	5.9			5.9			29 6	17.8	11.9	100.8		71.2
	1909 1,212.6	11.9				23.8	29.7	23.8	5.9	17.8	118.9	23.8	65.4
La Crosse County	1908 1,076.9						7.3	7.3	7.3	14.7	95.2		87.9
	1909 940.4	7 3					7.3	7.3	7.3		73.5	7.3	51.4
Lafayette County	1908 903.2	5.0						9.9	29.8	9.9	129.0		74.4
	1909 1,118.9	5.0				5.0	9.9		59.7	14.9	64.6	19.9	84.5
Langlade County	1908 917.1	24.1				6.0		12.1		12.1	42.2	18.1	54.3
	1909 807.3	23.7					29.7	5.9	5.9	5.9	59.4	5.9	47.5

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	6.3	6.3	62.7	37.6	56.4	6.3	75.2	31.3	12.5	43.9	12.5	43.9	25.1	100.3	43.9
.....	12.5	18.8	37.6	50.1	37.6	18.8	68.9	50.1	25.0	68.9	.....	68.9	12.5	87.6	.....
.....	6.9	48.3	120.8	103.5	62.1	24.2	82.8	55.2	51.8	44.9	6.9	41.4	34.5	131.1	34.5
.....	3.5	48.4	117.6	93.4	51.9	38.0	72.6	45.0	34.6	38.0	10.4	51.9	41.5	148.7	31.1
.....	.....	6.2	148.2	55.6	43.2	55.6	86.4	49.4	18.5	55.6	12.3	74.1	24.7	98.8	18.5
6.2	6.2	12.4	124.3	124.3	55.9	43.5	49.7	55.9	49.7	37.3	.....	49.7	24.9	74.6	12.4
.....	54.9	32.9	98.8	43.9	21.9	32.9	54.9	142.7	32.9	43.9	21.9	32.9	43.9	120.7	54.9
.....	.....	11.0	66.2	33.1	88.3	11.0	22.1	66.2	11.0	55.2	.....	110.3	11.0	231.7	11.0
.....	11.9	23.9	53.7	143.1	17.9	65.6	47.7	65.6	65.6	35.8	6.0	53.7	17.9	149.1	11.9
.....	12.0	29.9	143.4	131.5	23.9	89.6	53.8	89.6	71.7	47.8	.....	47.8	35.9	77.7	6.0
.....	.....	8.6	194.6	151.3	73.5	21.6	56.2	56.2	30.3	38.9	4.3	69.2	34.6	90.8	21.6
.....	.....	4.3	194.2	77.7	86.3	94.9	51.8	69.0	47.5	34.5	4.3	60.4	38.8	129.5	21.6
.....	10.1	16.8	104.0	93.9	80.5	57.0	77.2	67.1	63.7	43.6	13.4	40.3	10.1	77.2	10.1
.....	3.3	3.3	93.5	73.4	50.1	50.1	50.1	63.4	46.7	60.1	10.0	56.8	40.1	80.1	6.7
.....	32.1	12.8	134.8	154.1	54.6	25.7	28.9	86.7	70.6	28.9	3.2	64.2	16.0	163.7	6.4
.....	28.9	19.3	131.7	138.1	73.9	51.4	64.2	64.2	48.2	38.5	16.1	45.0	22.5	176.6	6.4
.....	6.1	18.2	96.8	151.3	102.9	54.5	96.8	72.6	54.5	60.5	12.1	108.9	.....	115.0	.....
.....	6.1	6.1	97.6	164.7	54.9	79.3	42.7	67.1	67.1	54.9	.....	79.3	36.6	146.4	.....
.....	15.5	32.9	172.4	158.8	56.2	63.9	44.5	62.0	42.6	56.2	23.2	71.7	15.5	137.5	1.9
.....	15.4	19.3	137.1	131.3	46.3	75.3	56.0	71.5	44.4	36.7	17.4	59.9	19.3	127.5	3.9
.....	22.4	18.0	98.8	145.9	29.2	74.1	42.6	71.8	62.9	26.9	6.7	44.9	31.4	87.5	6.7
.....	8.9	13.4	122.6	140.4	44.6	29.0	29.0	40.1	44.6	33.4	.....	55.7	11.1	131.5	2.2
.....	15.7	10.5	131.2	63.0	31.5	26.2	94.5	63.0	52.5	26.2	.....	73.5	10.5	94.5	10.5
.....	10.6	15.9	95.4	90.1	47.7	58.3	106.0	79.5	58.3	42.4	.....	21.2	26.5	121.9	5.3
.....	.....	.....	28.5	42.8	57.1	.....	71.4	14.3	28.5	.....	.....	114.2	14.3	85.6	85.6
.....	.....	.....	42.7	42.7	28.5	14.2	42.7	113.9	42.7	28.5	.....	99.7	71.2	28.5	42.7
.....	15.6	15.6	82.2	125.2	70.4	78.2	90.0	70.4	54.8	50.9	3.9	62.6	19.6	109.5	15.6
.....	7.9	.....	78.8	157.5	47.3	74.8	59.1	47.3	63.0	66.9	7.9	66.9	15.8	102.4	11.8
.....	.....	13.7	89.4	61.9	89.4	27.5	27.5	89.4	13.7	41.2	.....	55.0	27.5	89.4	13.7
.....	20.7	6.9	76.0	117.5	27.6	13.8	34.6	76.0	27.6	27.6	20.7	27.6	41.5	117.5	20.7
.....	.....	.....	87.4	29.1	29.1	58.3	58.3	.....	29.1	29.1	.....	116.5	.....	29.1	.....
.....	.....	.....	.....	88.1	29.4	.....	29.4	.....	.....	29.4	.....	146.9	29.4	205.6	.....
.....	12.1	12.1	105.8	163.2	42.3	63.5	36.3	66.5	57.4	33.2	12.1	69.5	18.1	133.0	6.0
.....	21.3	18.2	130.6	121.5	54.7	66.8	54.7	54.7	39.5	51.6	15.2	48.6	39.5	148.8	3.0
.....	.....	30.9	46.3	15.4	30.9	92.6	154.3	15.4	30.9	46.3	.....	154.3	15.4	77.1	15.4
.....	.....	30.1	90.2	30.1	15.0	45.1	90.2	30.1	15.0	75.2	.....	120.3	30.1	90.2	.....
.....	17.8	20.4	112.1	163.1	58.6	48.4	38.2	66.3	35.7	58.6	2.5	48.4	25.5	127.4	2.5
.....	5.1	20.5	104.8	171.3	61.4	79.3	43.5	56.3	56.3	71.6	10.2	38.4	23.0	138.1	2.6
.....	13.7	41.1	150.6	136.9	91.3	77.6	18.3	82.1	18.3	27.4	9.1	36.5	18.3	136.9	9.1
.....	4.6	9.2	124.1	133.3	78.1	73.5	41.4	91.9	41.4	32.2	4.6	82.7	32.2	110.3	.....
.....	19.2	6.4	108.8	160.1	38.4	38.4	108.8	102.4	64.0	57.6	.....	38.4	38.4	134.4	6.4
.....	19.3	12.9	115.8	96.5	19.3	57.9	57.9	96.5	70.7	45.0	.....	109.3	38.6	205.8	.....
.....	8.8	13.2	114.7	127.9	70.6	44.1	48.5	61.8	22.1	48.5	8.8	57.3	17.6	172.0	17.6
.....	13.3	13.3	137.3	106.3	88.6	53.2	26.6	70.9	57.6	35.4	22.1	62.0	31.0	128.5	.....
.....	.....	13.1	130.5	26.1	52.2	78.3	156.6	78.3	26.1	13.1	39.2	234.9	39.2	208.8	.....
.....	.....	24.9	49.9	37.4	124.7	87.3	199.5	49.9	37.4	99.7	37.4	162.1	49.9	99.7	12.5
.....	5.8	17.4	127.4	127.4	110.1	46.3	57.9	81.1	23.2	52.2	23.2	86.9	29.0	185.4	11.6
.....	17.5	11.7	174.8	134.0	87.4	64.1	52.5	52.5	52.5	40.8	11.7	52.5	23.3	104.9	.....
3.6	21.6	21.6	147.4	165.3	68.3	32.3	32.3	53.9	39.5	28.8	7.2	64.7	3.6	115.0	7.2
7.2	10.8	18.0	118.7	176.3	32.4	18.0	68.3	79.1	54.0	32.4	18.0	39.6	25.2	122.3	.....
5.0	.....	15.0	115.0	159.9	50.0	55.0	60.0	70.0	45.0	45.0	15.0	95.0	40.0	189.9	20.0
.....	10.1	10.1	96.1	151.8	60.7	55.7	70.8	116.4	45.5	70.8	.....	81.0	60.7	172.0	15.2
.....	8.8	.....	123.4	149.9	79.4	.....	79.4	79.4	52.9	61.7	17.6	105.8	35.3	114.6	.....
.....	8.7	17.4	78.5	139.6	26.2	34.9	34.9	61.1	34.9	17.4	17.4	69.8	8.7	78.5	8.7
.....	11.9	29.6	148.2	71.2	53.4	71.2	160.1	65.2	41.5	83.0	5.9	71.2	23.7	142.3	47.4
11.9	23.8	.....	77.3	107.0	65.4	83.2	47.6	59.5	53.5	95.1	5.9	53.5	71.3	148.6	17.8
.....	14.7	7.3	109.9	124.5	102.6	36.6	29.3	58.6	73.3	36.6	7.3	22.0	36.6	197.8	.....
7.3	.....	.....	117.6	169.0	102.9	7.3	51.4	14.7	88.2	51.4	.....	44.1	7.3	110.2	7.3
.....	5.0	.....	94.3	89.3	59.6	49.6	24.8	69.5	29.8	29.8	.....	59.6	14.9	104.2	14.9
.....	14.9	.....	119.3	149.2	69.6	49.7	44.8	79.6	39.8	44.8	5.0	119.3	9.9	104.4	5.0
.....	6.0	6.0	108.6	84.5	54.3	36.2	150.8	102.6	18.1	30.2	.....	72.4	18.1	48.3	12.1
.....	5.9	11.9	77.2	65.3	47.5	47.5	59.4	35.6	41.6	65.3	5.9	41.6	53.4	65.3	.....

[2] Exclusive of cities having a population of 8,000 or over in 1900.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.												
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
WISCONSIN RURAL[2]—Continued.														
Lincoln County	1908	783.5	9.8	.....	.....	.....	.....	.....	29.4	19.6	9.8	49.0	19.6	19.6
	1909	1,155.1	9.7	.....	.....	.....	.....	.....	19.4	.....	.....	106.8	19.4	58.2
Manitowoc County	1908	1,044.0	6.3	.....	3.1	3.1	3.1	3.1	9.4	15.6	9.4	56.3	28.1	37.5
	1909	1,060.4	.....	.....	.....	12.5	9.4	15.6	6.3	15.6	12.5	81.3	12.5	81.3
Marathon County	1908	1,045.3	13.3	.....	.....	2.7	8.0	2.7	29.3	13.3	8.0	50.7	8.0	48.0
	1909	948.6	10.5	.....	.....	.....	23.6	5.3	13.1	26.3	7.9	36.8	2.6	63.1
Marinette County	1908	957.9	26.5	.....	.....	.....	.....	10.6	5.3	5.3	5.3	74.1	15.9	31.8
	1909	1,101.4	5.2	.....	.....	.....	5.2	21.0	21.0	5.2	.....	120.6	10.5	68.2
Marquette County	1908	1,099.0	.....	.....	.....	.....	.....	.....	46.2	46.2	18.5	101.6	.....	73.9
	1909	1,150.3	.....	.....	.....	.....	.....	18.6	27.8	46.4	.....	83.5	9.3	102.0
Milwaukee County	1908	1,958.9	30.6	.....	.....	1.7	10.2	5.1	11.9	28.9	13.6	281.8	11.9	81.5
	1909	1,933.5	19.4	.....	.....	6.5	35.5	4.8	16.2	9.7	11.3	234.1	12.9	105.0
Monroe County	1908	1,068.1	6.9	3.4	.....	.....	3.4	17.2	13.8	17.2	10.3	75.8	37.9	58.6
	1909	1,026.1	17.3	.....	.....	.....	.....	27.6	3.5	31.1	10.4	51.8	20.7	58.7
Oconto County	1908	1,088.6	11.9	.....	.....	4.0	39.6	7.9	7.9	35.6	4.0	71.3	15.8	43.5
	1909	1,028.2	7.8	.....	7.8	.....	7.8	19.6	27.5	3.9	.....	86.3	19.6	66.7
Oneida County	1908	1,232.5	26.4	.....	.....	8.8	17.6	.....	35.2	8.8	.....	88.0	.....	44.0
	1909	1,096.5	78.9	.....	.....	.....	8.8	.....	.....	17.5	35.1	96.5	8.8	52.6
Outagamie County	1908	971.7	6.2	.....	.....	3.1	.....	15.5	9.3	21.7	9.3	55.9	15.5	62.1
	1909	979.1	.....	.....	.....	.....	3.1	12.4	9.3	6.2	.....	89.8	18.6	55.8
Ozaukee County	1908	1,170.7	11.6	.....	.....	.....	29.0	5.8	.....	17.4	17.4	86.9	5.8	75.3
	1909	1,146.6	5.8	.....	5.8	23.3	5.8	.....	.....	5.8	17.5	81.5	29.1	64.0
Pepin County	1908	911.1	39.6	.....	.....	26.4	.....	.....	.....	39.6	.....	52.8	.....	26.4
	1909	871.3	26.4	.....	.....	.....	.....	13.2	.....	66.0	13.2	39.6	13.2	39.6
Pierce County	1908	1,045.3	22.1	.....	.....	8.9	4.4	4.4	8.9	31.0	8.9	88.6	13.3	66.4
	1909	1,062.8	4.5	.....	.....	4.5	4.5	17.9	35.9	17.9	13.5	85.2	13.5	53.8
Polk County	1908	1,090.2	4.7	.....	.....	4.7	9.4	9.4	18.9	37.8	4.7	75.5	9.4	80.2
	1909	897.2	23.5	.....	.....	4.7	4.7	.....	14.1	4.7	.....	65 8	14.1	51.7
Portage County	1908	1,384.7	9.1	.....	.....	22.6	4.5	31.7	63.4	49.8	9.1	104.1	13.6	36.2
	1909	1,072.8	.....	.....	.....	9.0	13.5	22.5	40.6	9.0	4.5	90.2	13.5	54.1
Price County †	1908	889.6	30.2	.....	.....	.....	7.5	.....	15.1	37.7	22.6	82.9	22.6	67.9
	1909	590.0	.....	.....	.....	.....	.....	.....	36.9	.....	7.4	36.9	.....	44.2
Racine County	1908	1,107.2	15.9	.....	.....	.....	5.3	10.6	.....	21.2	10.6	100.7	10.6	95.4
	1909	1,162.6	5 2	.....	.....	10.4	.....	5.2	15.6	26.1	15.6	83.4	31.3	57.3
Richland County	1908	1,204.8	.....	.....	.....	.....	10.5	21.0	.....	42.1	.....	105.2	15.8	63.1
	1909	1,174.8	5.3	.....	.....	.....	5.3	21.2	.....	21.2	.....	95.3	15.9	47.6
Rock County	1908	1,078.5	.....	.....	.....	.....	7.5	7.5	22.5	15.0	3.7	82.4	18.7	78.6
	1909	1,105.3	.....	.....	.....	3.8	3.8	3.8	3.8	26.3	22.6	78.9	11.3	71.4
Rusk County	1908	798.9	37.6	.....	.....	9.4	.....	9.4	28.2	9.4	9.4	28.2	9.4	28.2
	1909	869.2	45.7	.....	.....	.....	9.1	27.4	.....	.....	9.1	73.2	.....	54.9
St. Croix County	1908	1,022.6	3.8	.....	.....	3.8	.....	7.6	15.3	22.9	26.7	110.7	15.3	30.5
	1909	1,032.9	3.8	.....	3.8	.....	3.8	23.0	11.5	7.7	11.5	49.9	23.0	80.6
Sauk County	1908	1,050.2	9.1	.....	3.0	.....	3.0	.....	6.1	21.3	.....	67.0	15.2	45.7
	1909	1,214.2	18.3	.....	.....	.....	6.1	6.1	12.2	27.4	12.2	88.3	15.2	51.7
Sawyer County	1908	1,036.1	.....	.....	.....	.....	.....	.....	.....	.....	17.3	138.1	.....	.....
	1909	1,093.8	.....	.....	.....	.....	16.6	33.1	16.6	.....	.....	66.3	.....	16.6
Shawano County	1908	1,080.1	6.3	.....	.....	.....	12.7	3.2	19.0	.....	19.0	66.5	9.5	60.2
	1909	1,008.0	9.5	.....	.....	6.3	22.1	6.3	31.5	3.2	15.8	78.8	22.1	41.0
Sheboygan County	1908	1,087.3	14.1	.....	3.5	3.5	14.1	3.5	24.7	14.1	3.5	81.2	3 5	56.5
	1909	1,052.2	10.6	.....	.....	3.5	7.0	.....	3.5	14.1	.....	56.3	14.1	49.3
Taylor County	1908	1,233.5	22.7	.....	.....	.....	.....	.....	7.6	53.0	22.7	53.0	.....	30.3
	1909	899.5	.....	.....	.....	14.9	7.4	14.9	37.2	7.4	.....	22.3	.....	44.6
Trempealeau County	1908	1,177.4	12.9	.....	.....	.....	12.9	25.8	8.6	21.5	8.6	94.5	17.2	47.3
	1909	1,052.9	.....	.....	.....	.....	.....	.....	21.7	4.3	17.3	125.6	26.0	69.3
Vernon County	1908	1,143.8	21.1	.....	.....	.....	.....	21.1	10.5	42 1	3.5	87.7	38.6	63.2
	1909	975.7	14.1	.....	.....	.....	7.1	7.1	10.6	17.7	3.5	84.8	3.5	70.7
Vilas County †	1908	775.5	.....	.....	.....	.....	34.5	.....	17.2	.....	.....	68.9	17.2	.....
	1909	489.6	.....	.....	.....	.....	.....	16.9	33.8	.....	.....	33.8	.....	.....
Walworth County	1908	1,274.9	3.3	.....	.....	3.3	.....	3.3	13.4	46.7	6.7	80.1	13.4	116.8
	1909	1,273.2	13.4	3.4	.....	.....	.....	.....	6.7	37.0	16.8	37.0	6.7	94.1
Washburn County	1908	958.0	25.2	.....	.....	.....	.....	37.8	25.2	12.6	.....	25.2	.....	75.6
	1909	953.1	12.4	.....	.....	12.4	12.4	.....	.....	24.8	.....	49.5	.....	12.4
Washington County	1908	1,128.0	4.2	.....	.....	4.2	4.2	4.2	4.2	46.5	12.7	84.5	4.2	80.3
	1909	1,049.2	4.2	.....	.....	4.2	.....	8.4	4.2	37.9	4.2	67.4	21.1	88.5

[1] Exclusive of stillbirths.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis (all ages).	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.
.....	9.8	9.8	97.9	29.4	19.6	19.6	97.9	29.4	58.8	58.8	.....	39.2	9.8	107.7	39.2
.....	19.4	.....	116.5	97.1	97.1	29.1	97.1	38.8	97.1	77.7	19.4	97.1	9.7	135.9	9.7
.....	3.1	12.5	109.4	112.5	78.1	28.1	65.6	71.9	40.6	78.1	15.6	43.8	40.6	162.5	6.3
.....	21.9	9.4	103.2	112.6	56.3	81.3	71.9	68.8	43.8	59.4	6.3	37.5	40.7	100.1	.....
.....	2.7	24.0	125.3	85.3	50.7	37.3	122.7	53.3	21.3	66.7	13.3	50.7	40.0	117.3	50.7
.....	13.1	15.8	110.4	63.1	76.2	49.9	78.8	49.9	31.5	65.7	.....	60.4	28.9	102.5	13.1
.....	15.9	21.2	95.3	58.2	37.0	47.6	63.5	47.6	37.0	79.4	15.9	68.8	26.5	142.9	26.5
.....	10.5	26.2	78.7	120.6	52.4	26.2	94.4	36.7	10.5	115.4	15.7	78.7	36.7	115.4	26.2
.....	9.2	27.7	138.5	83.1	92.4	36.9	36.9	64.6	46.2	36.9	18.5	.....	83.1	129.3	9.2
9.3	9.3	27.8	139.1	129.9	46.4	64.9	37.1	102.0	46.4	37.1	.....	83.5	18.6	111.3	.....
.....	13.6	11.9	281.8	275.0	101.8	84.9	139.2	96.8	71.3	83.2	25.5	113.7	23.8	157.9	1.7
3.2	22.6	27.5	239.1	276.2	90.5	113.1	140.5	100.1	95.3	79.1	27.5	116.3	24.2	122.8	.....
.....	10.3	13.8	103.4	148.2	75.8	34.5	51.7	68.9	41.3	86.1	6.9	68.9	17.2	82.7	13.8
.....	17.3	13.8	79.5	162.4	114.0	31.1	31.1	31.1	44.9	31.1	13.8	69.1	13.8	152.0	.....
.....	7.9	.....	63.3	102.9	43.5	55.4	110.8	59.4	43.5	122.7	7.9	71.3	27.7	110.8	19.8
.....	11.8	15.7	109.9	66.7	70.6	47.1	113.8	31.4	15.7	82.4	3.9	54.9	35.3	121.7	.....
.....	.....	.....	44.0	114.4	149.7	61.6	79.2	44.0	70.4	70.4	17.6	176.1	8.8	132.1	35.2
.....	.....	26.3	87.7	87.7	26.3	43.9	70.2	43.9	26.3	61.4	26.3	122.8	17.5	149.1	8.8
3.1	18.6	18.6	121.1	99.3	40.4	37.3	55.9	34.1	52.8	46.6	3.1	71.4	15.5	133.5	21.7
.....	9.3	12.4	111.5	108.4	86.8	52.7	55.8	68.2	27.9	58.9	6.2	40.3	37.2	108.4	.....
.....	23.2	29.0	139.1	98.5	29.0	104.3	86.9	63.8	40.6	69.5	11.6	52.2	52.2	115.9	5.8
.....	11.6	5.8	192.1	110.6	40.7	40.7	69.8	69.8	46.6	87.3	23.3	58.2	23.3	128.0	.....
.....	.....	.....	118.8	158.5	39.6	66.0	105.6	39.6	26.4	.....	.....	39.6	26.4	92.4	13.2
.....	13.2	.....	66.0	118.8	13.2	66.0	52.8	39.6	26.4	92.4	13.2	79.2	.....	79.2	.....
4.4	4.4	13.3	106.3	163.9	70.9	31.0	35.4	75.3	48.7	44.3	4.4	48.7	22.1	115.2	.....
.....	22.4	13.5	71.8	121.1	71.8	62.8	58.3	40.4	76.2	49.3	17.9	22.4	9.0	161.4	13.5
4.7	14.2	14.2	70.8	113.3	136.9	37.8	80.2	70.8	42.5	47.2	.....	42.5	14.2	108.5	37.8
.....	9.4	14.1	79.9	84.6	42.3	47.0	47.0	75.2	65.8	84.6	9.4	37.6	18.8	93.9	4.7
.....	4.5	13.6	86.0	126.7	67.9	63.4	153.9	99.6	54.3	81.5	9.1	67.9	27.2	167.4	18.1
4.5	.....	31.6	85.6	108.2	45.1	45.1	103.7	81.1	22.5	81.1	.....	58.6	40.6	90.2	18.0
.....	15.1	15.1	37.7	60.3	82.9	15.1	75.4	37.7	52.8	22.6	7.5	113.1	7.5	45.2	15.1
.....	.....	.....	66.4	22.1	44.2	14.7	59.0	.....	14.7	51.6	22.1	81.1	29.5	59.0	.....
.....	10.6	5.3	127.1	105.9	63.6	58.3	63.6	68.9	63.6	21.2	15.9	79.5	26.5	127.1	.....
.....	10.4	5.2	140.8	109.5	52.1	46.9	67.8	73.0	78.2	26.1	26.1	83.4	31.3	156.4	5.2
.....	26.3	26.3	115.7	136.8	68.4	78.9	52.6	47.4	57.9	78.9	5.3	57.9	26.3	157.8	10.5
.....	5.3	15.9	127.0	153.5	79.4	95.3	68.8	90.0	74.1	68.8	.....	58.2	21.2	100.5	5.3
.....	22.5	18.7	101.1	142.3	86.1	41.2	78.6	48.7	37.4	33.7	7.5	59.9	22.5	127.3	15.0
.....	7.5	11.3	105.3	116.5	90.2	41.4	60.2	60.2	52.6	41.4	7.5	71.4	18.8	176.7	18.8
.....	9.4	9.4	56.4	37.6	28.2	37.6	37.6	65.8	9.4	75.2	9.4	159.8	9.4	65.8	18.8
.....	.....	18.3	.....	73.2	27.4	45.7	73.2	73.2	36.6	27.4	.....	91.5	27.4	155.5	.....
.....	15.3	34.3	99.2	110.7	57.2	61.0	34.3	80.1	68.7	30.5	3.8	68.7	3.8	110.7	7.6
.....	11.5	23.0	115.2	111.4	84.5	38.4	53.8	73.0	46.1	61.4	15.4	34.6	26.9	107.5	11.5
.....	18.3	30.4	94.4	158.3	79.1	70.0	39.6	88.3	42.6	24.4	3.0	57.8	24.4	149.2	.....
3.0	9.1	18.3	124.8	167.4	60.9	54.8	88.3	66.9	63.9	39.6	.....	79.1	30.4	170.4	.....
.....	17.3	.....	.....	51.8	172.7	51.8	69.1	51.8	103.6	86.3	17.3	86.3	51.8	69.1	51.8
.....	.....	16.6	33.1	149.2	132.6	49.7	132.6	16.6	49.7	82.9	16.6	149.2	33.1	66.3	16.6
.....	3.2	9.5	66.5	91.9	60.2	72.8	104.5	98.2	44.3	60.2	9.5	79.2	15.8	139.4	28.5
3.2	9.5	9.5	119.7	78.8	50.4	59.9	72.5	50.4	53.6	75.6	6.3	50.4	47.3	81.9	3.2
.....	21.2	7.1	144.7	127.1	31.8	88.3	42.4	60.0	42.4	56.5	14.1	70.6	28.2	127.1	3.5
.....	10.6	17.6	144.3	147.8	59.8	70.4	70.4	66.9	35.2	42.2	17.6	73.9	56.3	80.9	.....
.....	7.6	37.8	136.2	83.2	90.8	37.8	136.2	98.4	30.3	68.1	.....	174.1	22.7	98.4	22.7
.....	7.4	7.4	118.9	81.8	89.2	37.2	44.6	74.3	29.7	44.6	22.3	66.9	7.4	118.9	.....
.....	12.9	34.4	103.1	146.1	98.8	47.3	64.5	51.6	43.0	77.3	8.6	60.2	34.4	111.7	34.4
8.7	13.0	17.3	147.3	125.6	43.3	60.7	65.0	39.0	26.0	60.7	13.0	65.0	21.7	82.3	.....
3.5	14.0	14.0	105.3	129.8	80.7	38.6	59.6	70.2	84.2	52.6	10.5	70.2	17.5	91.2	14.0
.....	14.1	7.1	120.2	91.9	84.8	49.5	38.9	77.8	67.2	53.0	14.1	38.9	7.1	84.8	7.1
.....	17.2	17.2	.....	17.2	86.2	17.2	17.2	17.2	.....	.....	.....	275.7	51.7	86.2	34.5
.....	33.8	16.9	33.8	50.6	84.4	16.9	.....	33.8	16.9	.....	.....	67.5	16.9	16.9	16.9
3.3	16.7	16.7	203.6	170.2	76.8	46.7	30.0	80.1	50.1	46.7	6.7	43.4	20.0	166.9	10.0
.....	13.4	6.7	154.5	235.2	73.9	60.5	40.3	70.5	57.1	33.6	16.8	77.3	33.6	184.8	.....
.....	.....	25.2	63.0	37.8	75.6	12.6	151.3	37.8	88.2	50.4	.....	126.1	12.6	63.0	12.6
.....	.....	37.1	99.0	49.5	111.4	37.1	86.6	61.9	37.1	99.0	12.4	99.0	24.8	74.3	.....
.....	8.4	4.2	114.1	147.9	71.8	50.7	42.2	105.6	67.6	50.7	4.2	67.6	8.4	135.2	.....
4.2	16.9	.....	126.4	122.2	92.7	59.0	37.9	80.1	37.9	25.3	8.4	42.1	25.3	130.6	.....

[2] Exclusive of cities having a population of 8,000 or over in 1900.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN EACH REGISTRATION

[All death rates are based upon total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION.											
		All causes.[1]	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	All other epidemic diseases.	Tuber-culosis of lungs.	Other forms of tubercu-losis.	Cancer.
WISCONSIN RURAL[2]—Continued.														
Waukesha County	1908	1,220.3	2.7	.....	.....	.....	.....	.....	10.9	27.3	5.5	114.7	21.8	43.7
	1909	1,306.6	10.8	2.7	2.7	16.3	8.1	16.3	8.1	24.4	8.1	111.1	19.0	89.5
Waupaca County	1908	1,204.8	12.1	.....	.....	.....	3.0	.....	3.0	33.3	9.1	81.7	3.0	78.7
	1909	1,225.1	12.2	.....	.....	.....	.....	6.1	12.2	12.2	12.2	66.9	12.2	76.0
Waushara County	1908	1,139.5	16.3	.....	.....	.....	.....	5.4	38.0	54.3	.....	92.2	10.9	32.6
	1909	1,150.7	10.7	.....	.....	10.7	26.8	.....	26.8	16.1	21.4	42.8	.....	74.9
Winnebago County *	1908	1,293.6	3.4	.....	.....	3.4	.....	17.1	20.5	10.2	.....	61.4	17.1	71.7
	1909	1,285.9	10.3	.....	.....	3.4	.....	6.9	27.4	24.0	13.7	85.7	30.9	78.9
Wood County	1908	1,068.6	19.7	6.6	.....	6.6	6.6	9.8	22.9	16.4	13.1	32.8	36.1	39.3
	1909	1,057.3	9.8	.....	.....	6.5	3.3	13.1	6.5	.....	.....	75.3	6.5	49.1

[1] Exclusive of stillbirths.

DEATH RATES FROM IMPORTANT CAUSES.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1900 TO 1909—Continued.

asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†).]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 POPULATION—continued.															
Tumor.	Diabetes.	Menin-gitis.	Other diseases of nerv-ous system.	Diseases of circu-latory system.	Pneumo-nia (lobar and un-qualified).	Other diseases of respir-atory system.	Diarrhea and en-teritis (all ages).	Other diseases of di-gestive system.	Bright's disease and ne-phritis.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause un-known.
2.7	24.6	21.8	139.2	199.3	54.6	35.5	57.3	65.5	90.1	43.7	21.8	79.2	10.9	142.0	5.5
2.7	24.4	27.1	124.7	178.9	81.3	35.2	84.0	51.5	65.1	46.1	10.8	105.7	13.6	138.2	.....
.....	6.1	12.1	157.4	157.4	84.8	57.5	78.7	57.5	75.7	48.4	9.1	66.6	27.2	139.2	3.0
3.0	9.1	24.3	145.9	136.8	82.1	36.5	69.9	54.7	85.1	66.9	9.1	66.9	24.3	194.6	6.1
5.4	21.7	5.4	92.2	97.7	103.1	54.3	70.5	70.5	27.1	70.5	16.3	48.8	21.7	179.0	5.4
5.4	26.8	10.7	139.2	133.8	26.8	48.2	85.6	74.9	69.6	58.9	10.7	64.2	26.8	139.2	.....
.....	20.5	17.1	262.8	167.2	81.9	54.6	37.5	75.1	58.0	20.5	23.9	61.4	47.8	146.8	13.7
.....	13.7	13.7	226.3	161.2	92.6	72.0	54.9	30.9	51.4	34.3	10.3	65.2	27.4	144.0	6.9
3.3	13.1	13.1	108.2	85.2	55.7	45.9	75.4	118.0	65.6	59.0	6.6	68.8	13.1	104.9	22.9
.....	3.3	16.4	78.6	111.3	94.9	58.9	91.7	94.9	55.6	68.7	13.1	81.8	19.6	85.1	13.1

² Exclusive of cities having a population of 8,000 or over in 1900.

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
	Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
All causes.....1900	539,939	398,786	343,217	202,064	141,153	196,722	1,755.0	1,856.8	1,719.5	1,893.4	1,519.7	1,820.7
1901	518,207	385,395	332,203	199,391	132,812	186,004	1,651.9	1,732.0	1,635.9	1,782.2	1,456.4	1,681.2
1902	508,640	385,670	318,636	195,666	122,970	190,004	1,588.0	1,687.2	1,543.1	1,704.7	1,340.9	1,669.5
1903	524,415	397,736	327,295	200,616	126,679	197,120	1,603.7	1,695.0	1,559.2	1,706.7	1,371.6	1,683.3
1904	551,354	416,627	349,855	215,128	134,727	201,499	1,653.5	1,733.2	1,640.0	1,788.8	1,447.7	1,677.4
1905	545,533	411,062	345,863	211,392	134,471	199,670	1,602.0	1,664.6	1,593.9	1,713.0	1,436.9	1,616.3
1906	658,105	444,288	531,005	317,188	213,817	127,100	1,567.5	1,686.6	1,569.3	1,743.3	1,367.0	1,560.0
1907	687,034	464,673	550,245	327,884	222,361	136,789	1,597.1	1,711.8	1,589.9	1,749.9	1,401.0	1,626.9
1908	691,574	448,113	567,245	323,784	243,461	124,329	1,478.0	1,572.3	1,465.5	1,585.8	1,331.2	1,538.0
1909	732,538	457,188	630,057	354,707	275,350	102,481	1,440.0	1,541.7	1,422.8	1,537.8	1,297.9	1,555.4
Annual average 1900 to 1909	595,734	420,954	429,562	254,782	174,780	166,172	1,580.5	1,680.9	1,554.3	1,699.9	1,381.7	1,652.6
I.—General diseases.....1900	147,236	109,298	93,148	55,210	37,938	54,088	478.6	508.9	466.7	517.3	408.5	500.6
1901	145,527	108,992	92,290	55,755	36,535	53,237	463.9	489.8	454.5	498.3	400.6	481.2
1902	138,514	106,681	84,835	53,002	31,833	53,679	432.5	466.7	410.8	461.8	347.1	471.7
1903	146,082	112,935	88,249	55,102	33,147	57,833	446.7	481.3	420.4	468.8	358.9	493.9
1904	149,549	114,508	91,752	56,711	35,041	57,797	448.5	476.3	430.1	471.6	376.5	481.1
1905	145,263	110,755	88,884	54,376	34,508	56,379	426.6	448.5	409.6	440.6	368.7	456.4
1906	174,702	120,238	139,379	84,915	54,464	35,323	416.1	456.4	411.9	466.7	348.2	433.5
1907	181,351	124,215	143,836	86,700	57,136	37,515	421.6	457.6	415.6	462.7	360.0	446.2
1908	186,264	123,377	151,238	88,351	62,887	35,026	398.1	432.9	390.7	432.7	343.9	433.3
1909	192,788	122,944	164,631	94,787	69,844	28,157	379.0	414.6	371.8	410.9	329.2	427.3
Annual average 1900 to 1909	160,728	115,394	113,824	68,491	45,333	46,903	426.4	460.8	411.9	457.0	358.4	466.5
Typhoid fever.....1900	11,044	7,843	6,244	3,043	3,201	4,800	35.9	36.5	31.3	28.5	34.6	44.4
1901	10,127	7,501	5,585	2,959	2,626	4,542	32.3	33.7	27.5	26.4	28.8	41.1
1902	10,980	8,511	5,431	2,962	2,469	5,549	34.3	37.2	26.3	25.8	26.9	48.8
1903	11,149	8,876	5,162	2,889	2,273	5,987	34.1	37.8	24.6	24.6	24.6	51.1
1904	10,557	8,347	5,094	2,884	2,210	5,463	31.7	34.7	23.9	24.0	23.7	45.5
1905	9,479	7,321	4,871	2,713	2,158	4,608	27.8	29.6	22.4	22.0	23.1	37.3
1906	13,160	8,812	10,427	6,079	4,348	2,733	31.3	33.5	30.8	33.4	27.8	33.5
1907	12,670	8,679	9,754	5,763	3,991	2,916	29.5	32.0	28.2	30.8	25.1	34.7
1908	11,375	7,130	9,044	4,799	4,245	2,331	24.3	25.0	23.4	23.5	23.2	28.8
1909	10,722	6,282	8,914	4,474	4,440	1,808	21.1	21.2	20.1	19.4	20.9	27.4
Annual average 1900 to 1909	11,126	7,930	7,053	3,857	3,196	4,074	29.5	31.7	25.5	25.7	25.3	40.5
Malarial fever.....1900	2,434	1,761	1,244	571	673	1,190	7.9	8.2	6.3	5.4	7.2	11.0
1901	1,980	1,520	1,012	552	460	968	6.3	6.8	5.0	4.9	5.0	8.7
1902	1,738	1,339	819	420	399	919	5.4	5.9	4.0	3.7	4.4	8.1
1903	1,410	1,066	636	292	344	774	4.3	4.5	3.0	2.5	3.7	6.6
1904	1,391	1,087	619	315	304	772	4.2	4.5	2.9	2.6	3.3	6.4
1905	1,321	992	547	218	329	774	3.9	4.0	2.5	1.8	3.5	6.3
1906	1,415	1,003	782	370	412	633	3.4	3.8	2.3	2.0	2.6	7.8
1907	1,166	846	611	291	320	555	2.7	3.1	1.8	1.6	2.0	6.6
1908	1,109	811	507	209	298	602	2.4	2.8	1.3	1.0	1.6	7.4
1909	1,175	789	627	241	386	548	2.3	2.7	1.4	1.0	1.8	8.3
Annual average 1900 to 1909	1,514	1,121	749	348	393	774	4.0	4.5	2.7	2.3	3.1	7.7
Smallpox.....1900	611	581	63	33	30	548	1.9	2.7	0.3	0.3	0.3	5.1
1901	1,085	967	734	616	118	351	3.5	4.3	3.6	5.5	1.3	3.2
1902	2,111	1,802	1,345	1,036	309	766	6.6	7.9	6.5	9.0	3.4	6.7
1903	1,382	1,267	321	206	115	1,061	4.2	5.4	1.5	1.8	1.2	9.1
1904	709	602	176	69	107	533	2.1	2.5	0.8	0.6	1.1	4.4
1905	308	258	130	80	50	178	0.9	1.0	0.6	0.6	0.5	1.4
1906	95	70	70	45	25	25	0.2	0.3	0.2	0.2	0.2	0.3
1907	74	51	47	24	23	27	0.2	0.2	0.1	0.1	0.1	0.3
1908	92	55	58	21	37	34	0.2	0.2	0.1	0.1	0.2	0.4
1909	79	48	53	22	31	26	0.2	0.2	0.1	0.1	0.1	0.4
Annual average 1900 to 1909	655	570	300	215	85	355	1.7	2.3	1.1	1.4	0.7	3.5
Measles.....1900	3,865	2,955	2,665	1,755	910	1,200	12.5	13.8	13.4	16.4	9.8	11.1
1901	2,287	1,657	1,494	864	630	793	7.3	7.4	7.4	7.7	6.9	7.2
1902	3,033	2,506	1,914	1,387	527	1,119	9.5	11.0	9.3	12.1	5.7	9.8
1903	3,221	2,629	1,843	1,251	592	1,378	9.8	11.2	8.8	10.6	6.4	11.8
1904	3,659	2,793	2,418	1,552	866	1,241	11.0	11.6	11.3	12.9	9.3	10.3
1905	2,557	2,063	1,614	1,120	494	943	7.5	8.4	7.4	9.1	5.3	7.6
1906	5,087	3,608	4,361	2,882	1,479	726	12.1	13.7	12.9	15.8	9.5	8.9
1907	4,302	3,075	3,306	2,079	1,227	996	10.0	11.3	9.6	11.1	7.7	11.8
1908	4,611	3,179	4,079	2,647	1,432	532	9.9	11.2	10.5	13.0	7.8	6.6
1909	4,860	3,302	4,423	2,865	1,558	437	9.6	11.1	10.0	12.4	7.3	6.6
Annual average 1900 to 1909	3,748	2,777	2,812	1,840	972	937	9.9	11.1	10.2	12.3	7.7	9.3
Scarlet fever.....1900	3,135	2,500	1,908	1,273	635	1,227	10.2	11.6	9.6	11.9	6.8	11.4
1901	4,113	3,433	2,744	2,064	680	1,369	13.1	15.4	13.5	18.4	7.5	12.4
1902	4,041	3,484	2,456	1,899	557	1,585	12.6	15.2	11.9	16.5	6.1	13.9
1903	3,991	3,313	2,578	1,900	678	1,413	12.2	14.1	12.3	16.2	7.3	12.1
1904	3,610	2,950	2,470	1,810	660	1,140	10.8	12.3	11.6	15.1	7.1	9.5
1905	2,284	1,854	1,470	1,040	430	814	6.7	7.5	6.8	8.4	4.6	6.6
1906	3,227	2,424	2,461	1,658	803	766	7.7	9.2	7.3	9.1	5.1	9.4
1907	4,309	3,380	3,226	2,297	929	1,083	10.0	12.5	9.3	12.3	5.9	12.9
1908	5,577	4,178	4,808	3,409	1,399	769	11.9	14.7	12.4	16.7	7.6	9.5
1909	5,781	4,032	4,909	3,160	1,749	872	11.4	13.6	11.1	13.7	8.2	13.2
Annual average 1900 to 1909	4,007	3,155	2,903	2,051	852	1,104	10.6	12.6	10.5	13.7	6.7	11.0

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
	Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
I.—General diseases—Continued.												
Whooping cough												
1900	3,719	2,812	2,444	1,537	907	1,275	12.1	13.1	12.3	14.4	9.8	11.8
1901	3,051	2,329	1,759	1,037	722	1,292	9.7	10.5	8.7	9.3	7.9	11.7
1902	3,854	2,970	2,559	1,675	884	1,295	12.0	13.0	12.4	14.6	9.6	11.4
1903	5,171	4,046	3,004	1,879	1,125	2,167	15.8	17.2	14.3	16.0	12.2	18.5
1904	2,183	1,653	1,242	712	530	941	6.5	6.9	5.8	5.9	5.7	7.8
1905	3,599	2,859	1,945	1,205	740	1,654	10.6	11.6	9.0	9.8	7.9	13.4
1906	6,324	3,959	5,439	3,074	2,365	885	15.1	15.0	16.1	16.9	15.1	10.9
1907	4,856	2,982	3,913	2,039	1,874	943	11.3	11.0	11.3	10.9	11.8	11.2
1908	4,969	2,896	4,115	2,042	2,073	854	10.6	10.2	10.6	10.0	11.3	10.6
1909	4,906	2,761	4,419	2,274	2,145	487	9.6	9.3	10.0	9.9	10.1	7.4
Annual average 1900 to 1909	4,263	2,927	3,084	1,747	1,337	1,179	11.3	11.7	11.2	11.7	10.6	11.7
Diphtheria												
1900	10,504	8,815	6,286	4,597	1,689	4,218	34.2	41.0	31.5	43.1	18.1	39.1
1901	8,434	7,058	5,301	3,925	1,376	3,133	26.9	31.7	26.1	35.1	15.1	28.3
1902	8,101	6,948	4,976	3,823	1,153	3,125	25.3	30.4	24.1	33.3	12.6	27.5
1903	8,658	7,391	5,449	4,182	1,267	3,209	26.5	31.5	26.0	35.6	13.7	27.4
1904	7,898	6,655	5,235	3,992	1,243	2,663	23.7	27.7	24.5	33.2	13.4	22.2
1905	6,709	5,633	4,248	3,172	1,076	2,461	19.7	22.8	19.6	25.7	11.5	19.9
1906	9,056	6,687	7,395	5,026	2,369	1,661	21.6	25.4	21.9	27.6	15.1	20.4
1907	8,575	6,305	6,987	4,717	2,270	1,588	19.9	23.2	20.2	25.2	14.3	18.9
1908	8,590	6,181	7,215	4,806	2,409	1,375	18.4	21.7	18.6	23.5	13.2	17.0
1909	8,930	6,389	7,541	5,000	2,541	1,389	17.6	21.5	17.0	21.7	12.0	21.1
Annual average 1900 to 1909	8,546	6,806	6,063	4,324	1,739	2,482	22.7	27.2	21.9	28.9	13.7	24.7
Croup												
1900	2,810	2,034	1,770	994	776	1,040	9.1	9.5	8.9	9.3	8.4	9.6
1901	2,233	1,643	1,481	891	590	752	7.1	7.4	7.3	8.0	6.5	6.8
1902	1,758	1,351	1,152	745	407	606	5.5	5.9	5.6	6.5	4.4	5.3
1903	1,705	1,334	1,067	696	371	638	5.2	5.7	5.1	5.9	4.0	5.4
1904	1,546	1,155	1,022	631	391	524	4.6	4.8	4.8	5.2	4.2	4.4
1905	1,330	998	872	540	332	458	3.9	4.0	4.0	4.4	3.5	3.7
1906	1,737	1,030	1,496	789	707	241	4.1	3.9	4.4	4.3	4.5	3.0
1907	1,579	976	1,379	776	603	200	3.7	3.6	4.0	4.1	3.8	2.4
1908	1,462	850	1,261	649	612	201	3.1	3.0	3.3	3.2	3.3	2.5
1909	1,428	787	1,273	632	641	155	2.8	2.7	2.9	2.7	3.0	2.4
Annual average 1900 to 1909	1,759	1,216	1,277	734	543	482	4.7	4.9	4.6	4.9	4.3	4.8
Influenza												
1900	7,031	4,283	5,332	2,584	2,748	1,699	22.9	19.9	26.7	24.2	29.6	15.7
1901	10,093	5,718	7,378	3,003	4,375	2,715	32.2	25.7	36.3	26.8	48.0	24.5
1902	3,225	1,886	2,146	807	1,339	1,079	10.1	8.3	10.4	7.0	14.6	9.5
1903	6,064	3,772	4,020	1,728	2,292	2,044	18.5	16.1	19.2	14.7	24.8	17.5
1904	6,724	3,972	4,643	1,891	2,752	2,081	20.2	16.5	21.8	15.7	29.6	17.3
1905	6,426	3,662	4,453	1,689	2,764	1,973	18.9	14.8	20.5	13.7	29.5	16.0
1906	4,320	2,296	3,442	1,418	2,024	878	10.3	8.7	10.2	7.8	12.9	10.8
1907	10,066	4,976	8,622	3,532	5,090	1,444	23.4	18.3	24.9	18.8	32.1	17.2
1908	9,989	5,118	8,165	3,294	4,871	1,824	21.3	18.0	21.1	16.1	26.6	22.6
1909	6,649	2,899	5,876	2,126	3,750	773	13.1	9.8	13.3	9.2	17.7	11.7
Annual average 1900 to 1909	7,059	3,858	5,408	2,207	3,201	1,651	18.7	15.4	19.6	14.7	25.3	16.4
Cholera nostras												
1900	800	509	562	271	291	238	2.6	2.4	2.8	2.5	3.1	2.2
1901	563	372	367	176	191	196	1.8	1.7	1.8	1.6	2.1	1.8
1902	516	368	296	148	148	220	1.6	1.6	1.4	1.3	1.6	1.9
1903	374	261	243	130	113	131	1.1	1.1	1.2	1.1	1.2	1.1
1904	397	287	254	144	110	143	1.2	1.2	1.2	1.2	1.2	1.2
1905	449	282	299	132	167	150	1.3	1.1	1.4	1.1	1.8	1.2
1906	552	280	476	204	272	76	1.3	1.1	1.4	1.1	1.7	0.9
1907	401	221	333	153	180	68	0.9	0.8	1.0	0.8	1.1	0.8
1908	492	237	431	176	255	61	1.1	0.8	1.1	0.9	1.4	0.8
1909	415	199	364	148	216	51	0.8	0.7	0.8	0.6	1.0	0.8
Annual average 1900 to 1909	496	302	363	168	194	133	1.3	1.2	1.3	1.1	1.5	1.3
Dysentery												
1900	3,487	2,086	2,402	1,001	1,401	1,085	11.3	9.7	12.1	9.4	15.1	10.1
1901	3,331	2,232	2,242	1,143	1,099	1,089	10.6	10.0	11.0	10.2	12.1	9.8
1902	3,187	2,196	2,082	1,091	991	1,105	10.0	9.6	10.1	9.5	10.8	9.7
1903	2,378	1,646	1,534	802	732	844	7.3	7.0	7.3	6.8	7.9	7.2
1904	2,567	1,704	1,720	857	863	847	7.7	7.1	8.1	7.1	9.3	7.1
1905	2,588	1,574	1,805	791	1,014	783	7.6	6.4	8.3	6.4	10.3	6.3
1906	3,352	1,762	2,701	1,111	1,590	651	8.0	6.7	8.0	6.1	10.2	8.0
1907	2,779	1,564	2,107	892	1,215	672	6.5	5.8	6.1	4.8	7.7	8.0
1908	2,930	1,520	2,351	941	1,410	579	6.3	5.3	6.1	4.6	7.7	7.2
1909	2,871	1,398	2,369	896	1,473	502	5.6	4.7	5.3	3.9	6.9	7.6
Annual average 1900 to 1909	2,947	1,768	2,131	953	1,179	816	7.8	7.1	7.7	6.4	9.3	8.1
Erysipelas												
1900	1,574	1,214	1,080	720	360	494	5.1	5.7	5.4	6.7	3.9	4.6
1901	1,450	1,090	914	554	360	536	4.6	4.9	4.5	5.0	3.9	4.8
1902	1,337	1,006	845	514	331	492	4.2	4.4	4.1	4.5	3.6	4.3
1903	1,300	994	839	533	306	461	4.0	4.2	4.0	4.5	3.3	3.9
1904	1,680	1,271	1,095	686	409	585	5.0	5.3	5.1	5.7	4.4	4.9
1905	1,510	1,150	1,025	665	360	485	4.4	4.7	4.7	5.4	3.8	3.9
1906	1,768	1,287	1,448	917	531	320	4.2	4.7	4.3	5.0	3.4	3.9
1907	1,856	1,296	1,529	969	560	327	4.3	4.8	4.4	5.2	3.5	3.9
1908	1,815	1,217	1,482	884	598	333	3.9	4.3	3.8	4.3	3.3	4.1
1909	2,004	1,318	1,726	1,040	686	278	3.9	4.4	3.9	4.5	3.2	4.2
Annual average 1900 to 1909	1,629	1,179	1,198	748	450	431	4.3	4.7	4.3	5.0	3.6	4.3

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
	Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
I.—General diseases—Continued.												
Other epidemic diseases												
1900	106	84	46	24	22	60	0.3	0.4	0.2	0.2	0.2	0.6
1901	85	68	30	13	17	55	0.3	0.3	0 1	0.1	0.2	0.5
1902	148	125	63	40	23	85	0.5	0.5	0.3	0.3	0.3	0.7
1903	122	101	40	19	21	82	0.4	0.4	0.2	0.2	0.2	0.7
1904	112	89	50	27	23	62	0.3	0.4	0.2	0.2	0.2	0.5
1905	529	504	53	28	25	476	1.6	2.0	0.2	0.2	0.3	3.9
1906	157	114	134	91	43	23	0.4	0.4	0.4	0.5	0.3	0.3
1907	246	191	203	148	55	43	0.6	0.7	0.6	0.8	0.3	0.5
1908	153	98	132	77	55	21	0.3	0.3	0.3	0.4	0.3	0.3
1909	168	97	150	79	71	18	0.3	0.3	0.3	0.3	0.3	0.3
Annual average 1900 to 1909	183	147	90	55	36	93	0.5	0.6	0.3	0.4	0.3	0.9
Septicemia												
1900	2,581	1,830	1,436	685	751	1,145	8.4	8.5	7.2	6.4	8.1	10.6
1901	2,290	1,694	1,192	596	596	1,098	7.3	7.6	5.9	5.3	6.5	9.9
1902	2,281	1,705	1,209	633	576	1,072	7.1	7.5	5.9	5.5	6.3	9.4
1903	1,754	1,321	982	549	433	772	5.4	5.6	4.7	4.7	4.7	6.6
1904	1,886	1,367	1,036	517	519	850	5.7	5.7	4.9	4.3	5.6	7.1
1905	1,780	1,322	967	509	458	813	5.2	5.4	4.5	4.1	4.9	6.6
1906	1,861	1,263	1,295	697	598	566	4.4	4.8	3.8	3.8	3.8	6.9
1907	1,869	1,289	1,272	692	580	597	4.3	4.7	3.7	3.7	3.7	7.1
1908	1,727	1,179	1,222	674	548	505	3.7	4.1	3.2	3.3	3.0	6.2
1909	1,657	1,043	1,298	684	614	359	3.3	3.5	2.9	3.0	2.9	5.4
Annual average 1900 to 1909	1,969	1,401	1,191	624	567	778	5.2	5.6	4.3	4.2	4.5	7.7
Tuberculosis of lungs												
1900	55,504	42,691	34,593	21,780	12,813	20,911	180.5	198.8	173.3	204.1	138.0	193.5
1901	54,735	42,546	33,969	21,780	12,189	20,766	174.5	191.2	167.3	194.7	133.7	187.7
1902	52,079	40,983	31,449	20,353	11,096	20,630	162.6	179.3	152.3	177.3	121.0	181.3
1903	53,910	42,729	32,291	21,110	11,181	21,619	164.9	182.1	153.8	179.6	121.1	184.6
1904	58,763	46,517	35,022	22,776	12,246	23,741	176.2	193.5	164.2	189.4	131.6	197.6
1905	56,770	44,910	33,841	21,981	11,860	22,929	166.7	181.9	156.0	178.1	126.7	185.6
1906	65,341	46,799	51,265	32,723	18,542	14,076	155.6	177.7	151.5	179.8	118.5	172.8
1907	66,374	47,364	51,981	32,971	19,010	14,393	154.3	174.5	150.2	176.0	119.8	171.2
1908	67,376	46,921	53,544	33,089	20,455	13,832	144.0	164.6	138.3	162.1	111.8	171.1
1909	70,040	46,727	58,965	35,652	23,313	11,075	137.7	157.6	133.2	154.6	109.9	168.1
Annual average 1900 to 1909	60,089	44,819	41,692	26,422	15,271	18,397	159.4	179.0	150.9	176.3	120.7	183.0
Tuberculosis of larynx												
1900	406	323	245	162	83	161	1 3	1.5	1.2	1.5	0.9	1.5
1901	527	397	321	191	130	206	1.7	1.8	1.6	1.7	1.4	1.9
1902	541	416	322	197	125	219	1.7	1.8	1.6	1.7	1.4	1.9
1903	539	422	307	190	117	232	1.6	1.8	1.5	1.6	1.3	2.0
1904	570	455	344	229	115	226	1.7	1.9	1.6	1.9	1.2	1.9
1905	610	460	351	201	150	259	1.8	1.9	1.6	1.6	1.6	2.1
1906	645	473	507	335	172	138	1.5	1.8	1.5	1.8	1.1	1.7
1907	690	483	543	336	207	147	1.6	1.8	1.6	1.8	1.3	1.7
1908	698	464	566	332	234	132	1.5	1.6	1.5	1.6	1.3	1.6
1909	804	497	699	392	307	105	1.6	1.7	1.6	1.7	1.4	1.6
Annual average 1900 to 1909	603	439	421	257	164	183	1.6	1.8	1.5	1.7	1.3	1.8
Tuberculous meningitis												
1900	2,673	2,208	1,882	1,417	465	791	8.7	10.3	9.4	13.3	5.0	7.3
1901	2,656	2,237	1,841	1,422	419	815	8.5	10 1	9.1	12.7	4.6	7.4
1902	2,674	2,235	1,894	1,455	439	780	8.3	9.8	9.2	12.7	4.8	6.9
1903	2,905	2,442	2,002	1,539	463	903	8.9	10.4	9.5	13.1	5.0	7.7
1904	3,025	2,498	2,089	1,562	527	936	9.1	10.4	9.8	13.0	5.7	7.8
1905	3,264	2,736	2,147	1,619	528	1,117	9.6	11.1	9.9	13.1	5.6	9.0
1906	3,938	3,094	3,326	2,482	844	612	9.4	11.7	9.8	13.6	5.4	7.5
1907	4,062	3,176	3,377	2,491	886	685	9.4	11.7	9.8	13.3	5.6	8.1
1908	4,218	3,278	3,626	2,686	940	592	9.0	11.5	9.4	13.2	5.1	7.3
1909	4,575	3,406	4,045	2,876	1,169	530	9.0	11.5	9.1	12.5	5.5	8.0
Annual average 1900 to 1909	3,399	2,731	2,623	1,955	668	776	9.0	10.9	9.5	13.0	5.3	7.7
Abdominal tuberculosis												
1900	1,635	1,193	980	538	442	655	5.3	5.6	4.9	5.0	4.8	6.1
1901	1,767	1,304	1,083	620	463	684	5.6	5.9	5.3	5.5	5.1	6.2
1902	1,817	1,416	1,042	641	401	775	5.7	6.2	5.0	5.6	4.4	6.8
1903	1,854	1,398	1,084	628	456	770	5.7	6.0	5.2	5.3	4.9	6.6
1904	2,098	1,605	1,245	752	493	853	6.3	6.7	5.8	6.3	5.3	7.1
1905	2,193	1,664	1,273	744	529	920	6.4	6.7	5.9	6.0	5.7	7.4
1906	2,663	1,771	2,040	1,148	892	623	6.3	6.7	6.0	6.3	5.7	7.6
1907	2,629	1,784	2,012	1,167	845	617	6 1	6.6	5.8	6.2	5.3	7.3
1908	2,723	1,730	2,187	1,194	993	536	5.8	6.1	5.7	5.8	5.4	6.6
1909	3,041	1,832	2,591	1,382	1,209	450	6.0	6.2	5.9	6.0	5.7	6.8
Annual average 1900 to 1909	2,242	1,570	1,554	881	672	688	5.9	6.3	5.6	5.9	5.3	6.8
Pott's disease												
1900	416	272	302	158	144	114	1.3	1.3	1.5	1.5	1.6	1.1
1901	442	330	286	174	112	156	1.4	1.5	1.4	1.6	1.2	1.4
1902	421	320	282	181	101	139	1.3	1.4	1.4	1.6	1.1	1.2
1903	516	402	323	209	114	193	1.6	1.7	1.5	1.8	1.2	1.6
1904	519	415	332	228	104	187	1.6	1.7	1.6	1.9	1.1	1.6
1905	563	423	358	218	140	205	1.7	1.7	1.6	1.8	1.5	1.7
1906	618	412	510	304	206	108	1.5	1.6	1.5	1.7	1.3	1.3
1907	594	389	496	291	205	98	1.4	1.4	1.4	1.6	1.3	1.2
1908	746	509	601	364	237	145	1.6	1.8	1.6	1.8	1.3	1.8
1909	740	447	636	343	293	104	1.5	1.5	1.4	1.5	1.4	1.6
Annual average 1900 to 1909	558	392	413	247	166	145	1.5	1.6	1.5	1.6	1.3	1.4

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
	Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
I.—General diseases—Continued.												
Tuberculous abscess....1900	40	31	23	14	9	17	0.1	0.1	0.1	0.1	(1)	0.2
1901	48	36	30	18	12	18	0.2	0.2	0.1	0.2	0.1	0.2
1902	39	26	24	11	13	15	0.1	0.1	0.1	0.1	0.1	0.1
1903	72	52	45	25	20	27	0.2	0.2	0.2	0.2	0.2	0.2
1904	62	43	41	22	19	21	0.2	0.2	0.2	0.2	0.2	0.2
1905	61	46	40	25	15	21	0.2	0.2	0.2	0.2	0.2	0.2
1906	49	26	46	23	23	3	0.1	0.1	0.1	0.1	0.1	(1)
1907	65	47	53	35	18	12	0.2	0.2	0.2	0.2	0.1	0.1
1908	87	50	70	33	37	17	0.2	0.2	0.2	0.2	0.2	0.2
1909	72	44	62	34	28	10	0.1	0.1	0.1	0.1	0.1	0.2
Annual average 1900 to 1909	60	40	43	24	19	16	0.2	0.2	0.2	0.2	0.2	0.2
White swelling....1900	207	161	129	83	46	78	0.7	0.7	0.6	0.8	0.5	0.7
1901	206	165	130	89	41	76	0.7	0.7	0.6	0.8	0.4	0.7
1902	237	202	132	97	35	105	0.7	0.9	0.6	0.8	0.4	0.9
1903	224	176	132	84	48	92	0.7	0.8	0.6	0.7	0.5	0.8
1904	241	199	140	98	42	101	0.7	0.8	0.7	0.8	0.5	0.8
1905	261	215	182	136	46	79	0.8	0.9	0.8	1.1	0.5	0.6
1906	315	229	255	169	86	60	0.8	0.9	0.8	0.9	0.5	0.7
1907	269	190	212	133	79	57	0.6	0.7	0.6	0.7	0.5	0.7
1908	356	231	295	170	125	61	0.8	0.8	0.8	0.8	0.7	0.8
1909	379	250	321	192	129	58	0.7	0.8	0.7	0.8	0.6	0.9
Annual average 1900 to 1909	270	202	193	125	68	77	0.7	0.8	0.7	0.8	0.5	0.8
Tuberculosis of other organs....1900	339	242	205	108	97	134	1.1	1.1	1.0	1.0	1.0	1.3
1901	393	296	235	138	97	158	1.3	1.3	1.2	1.2	1.1	1.4
1902	391	279	228	116	112	163	1.2	1.2	1.1	1.0	1.2	1.4
1903	465	349	288	172	116	177	1.4	1.5	1.4	1.5	1.3	1.5
1904	545	402	331	188	143	214	1.6	1.7	1.6	1.6	1.5	1.8
1905	539	404	333	198	135	206	1.6	1.6	1.5	1.6	1.4	1.7
1906	685	451	554	320	234	131	1.6	1.7	1.6	1.8	1.5	1.6
1907	713	466	566	319	247	147	1.7	1.7	1.6	1.7	1.6	1.7
1908	785	506	643	364	279	142	1.7	1.8	1.7	1.8	1.5	1.8
1909	885	543	754	412	342	131	1.7	1.8	1.7	1.8	1.6	2.0
Annual average 1900 to 1909	574	394	414	234	180	160	1.5	1.6	1.5	1.6	1.4	1.6
General tuberculosis....1900	668	512	461	305	156	207	2.2	2.4	2.3	2.9	1.7	1.9
1901	825	638	539	352	187	286	2.6	2.9	2.7	3.1	2.1	2.6
1902	739	556	486	303	183	253	2.3	2.4	2.4	2.6	2.0	2.2
1903	1,002	764	630	392	238	372	3.1	3.3	3.0	3.3	2.6	3.2
1904	974	774	581	381	200	393	2.9	3.2	2.7	3.2	2.1	3.3
1905	1,091	835	643	387	256	448	3.2	3.4	3.0	3.1	2.7	3.6
1906	1,258	901	890	533	357	368	3.0	3.4	2.6	2.9	2.3	4.5
1907	1,254	871	954	571	383	300	2.9	3.2	2.8	3.0	2.4	3.6
1908	1,300	777	1,096	573	523	204	2.8	2.7	2.8	2.8	2.9	2.5
1909	1,184	715	1,032	563	469	152	2.3	2.4	2.3	2.4	2.2	2.3
Annual average 1900 to 1909	1,030	734	731	436	295	298	2.7	2.9	2.6	2.9	2.3	3.0
Scrofula....1900	208	109	141	42	99	67	0.7	0.5	0.7	0.4	1.1	0.6
1901	168	117	93	42	51	75	0.5	0.5	0.5	0.4	0.6	0.7
1902	145	96	87	38	49	58	0.5	0.4	0 4	0.3	0.5	0.5
1903	153	103	89	39	50	64	0.5	0.4	0.4	0.3	0.5	0.5
1904	124	82	80	38	42	44	0.4	0.3	0.4	0.3	0.5	0.4
1905	126	83	87	44	43	39	0.4	0.3	0.4	0.4	0.5	0.3
1906	136	81	116	61	55	20	0.3	0.3	0.3	0.3	0.4	0.2
1907	109	67	92	50	42	17	0.3	0.2	0.3	0.3	0.3	0.2
1908	120	77	95	52	43	25	0.3	0.3	0.2	0.3	0.2	0.3
1909	115	64	104	53	51	11	0.2	0.2	0.2	0.2	0.2	0.2
Annual average 1900 to 1909	140	88	98	46	53	42	0.4	0.4	0.4	0.3	0.4	0.4
Venereal diseases....1900	1,045	915	543	413	130	502	3.4	4.3	2.7	3.9	1.4	4.7
1901	1,161	1,020	613	472	141	548	3.7	4.6	3.0	4.2	1.5	5.0
1902	1,163	1,022	629	488	141	534	3.6	4.5	3.0	4.3	1.5	4.7
1903	1,393	1,213	729	549	180	664	4.3	5.2	3.5	4.7	1.9	5.7
1904	1,569	1,387	778	596	182	791	4.7	5.8	3.6	5.0	2.0	6.6
1905	1,596	1,441	746	591	155	850	4.7	5.8	3.4	4.8	1.7	6.9
1906	2,076	1,690	1,454	1,068	386	622	4.9	6.4	4.3	5.9	2.5	7.6
1907	2,322	1,905	1,711	1,294	417	611	5.4	7.0	4.9	6.9	2.6	7.3
1908	2,543	1,989	1,898	1,344	554	645	5.4	7.0	4.9	6.6	3.0	8.0
1909	2,999	2,336	2,301	1,638	663	698	5.9	7.9	5.2	7.1	3.1	10.6
Annual average 1900 to 1909	1,787	1,492	1,140	845	295	647	4.7	6.0	4.1	5.6	2.3	6.4
Cancer of mouth....1900	495	367	318	190	128	177	1.6	1.7	1.6	1.8	1.4	1.6
1901	612	473	373	234	139	239	2.0	2.1	1.8	2.1	1.5	2.2
1902	583	429	368	214	154	215	1.8	1.9	1.8	1.9	1.7	1.9
1903	661	478	427	244	183	234	2.0	2.0	2.0	2.1	2.0	2.0
1904	737	550	458	271	187	279	2.2	2.3	2.1	2.3	2.0	2.3
1905	792	579	523	310	213	269	2.3	2.3	2.4	2.5	2.3	2.2
1906	941	611	795	465	330	146	2.2	2.3	2.3	2.6	2.1	1.8
1907	968	624	817	473	344	151	2.3	2.3	2.4	2.5	2.2	1.8
1908	1,148	720	963	535	428	185	2.5	2.5	2.5	2.6	2.3	2.3
1909	1,427	834	1,244	651	593	183	2.8	2.8	2.8	2.8	2.8	2.8
Annual average 1900 to 1909	836	567	629	359	270	208	2.2	2.3	2.3	2.4	2.1	2.1

[1] Less than one-tenth.

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
I.—General diseases—Continued.													
Cancer of stomach and liver	1900	6,918	4,925	4,474	2,481	1,993	2,444	22.5	22.9	22.4	23.3	21.5	22.6
	1901	7,095	5,149	4,664	2,718	1,946	2,431	22.6	23.1	23.0	24.3	21.3	22.0
	1902	7,483	5,413	4,881	2,811	2,070	2,602	23.4	23.7	23.6	24 5	22.6	22.9
	1903	8,193	5,954	5,267	3,028	2,239	2,926	25.1	25.4	25.1	25.8	24.2	25.0
	1904	8,744	6.301	5,660	3,217	2,443	3,084	26.2	26.2	26.5	26 7	26.3	25.7
	1905	8,939	6,474	5,824	3,359	2,465	3,115	26.3	26.2	26.8	27.2	26.3	25.2
	1906	10,946	7,379	8,747	5,180	3,567	2,199	26.1	28 0	25.9	28.5	22.8	27.0
	1907	11,596	7,686	9,348	5,438	3,910	2,248	27.0	28.3	27.0	29.0	24.6	26.7
	1908	13,044	8,217	10,803	5,976	4,827	2,241	27.9	28.8	27.9	29.3	26.4	27.7
	1909	14,915	9,045	13,005	7,135	5,870	1,910	29.3	30.5	29.4	30.9	27.7	29.0
	Annual average 1900 to 1909	9,787	6,654	7,267	4,134	3,133	2,520	26.0	26.6	26.3	27.6	24.8	25.1
Cancer of intestines	1900	1,760	1,313	1,185	738	447	575	5.7	6.1	5.9	6.9	4.8	5.3
	1901	2,157	1,655	1,471	969	502	686	6.9	7.4	7.2	8.7	5.5	6.2
	1902	2,239	1,658	1,514	933	581	725	7.0	7.3	7.3	8.1	6.3	6.4
	1903	2,134	1,597	1,469	932	537	665	6.5	6.8	7.0	7.9	5.8	5.7
	1904	2,399	1,798	1,633	1,032	601	766	7.2	7.5	7.7	8.6	6.5	6.4
	1905	2,732	2,060	1,852	1,180	672	880	8.0	8 3	8.5	9.6	7.2	7.1
	1906	3,273	2,307	2,712	1,746	966	561	7.8	8.8	8.0	9.6	6.2	6.9
	1907	3,570	2,453	2,969	1,852	1,117	601	8.3	9.0	8.6	9.9	7.0	7.1
	1908	3,963	2,652	3,318	2,007	1,311	645	8.5	9.3	8 6	9.8	7.2	8.0
	1909	4,676	2,997	4,155	2,476	1,679	521	9.2	10.1	9.4	10.7	7.9	7.9
	Annual average 1900 to 1909	2,890	2,049	2,228	1,387	841	663	7.7	8.2	8.1	9.3	6.7	6.6
Cancer of female genital organs	1900	2,696	2,079	1,638	1,021	617	1,058	8.8	9.7	8.2	9.6	6.6	9.8
	1901	2,919	2,246	1,850	1,177	673	1,069	9.3	10.1	9.1	10.5	7.4	9.7
	1902	3,033	2,418	1,844	1,229	615	1,189	9.5	10.6	8.9	10.7	6.7	10.4
	1903	3,289	2.603	2,033	1,347	686	1,256	10.1	11.1	9.7	11.5	7.4	10.7
	1904	3,436	2,713	2,143	1,420	723	1,293	10 3	11.3	10.0	11.8	7.8	10.8
	1905	3,637	2,871	2,267	1,501	766	1,370	10.7	11.6	10.4	12.2	8.2	11.1
	1906	4,090	2,993	3,242	2,145	1,097	848	9.7	11.4	9.6	11.8	7.0	10.4
	1907	4,388	3,197	3,419	2,228	1,191	969	10.2	11.8	9.9	11.9	7.5	11.5
	1908	5,250	3,663	4,162	2,575	1,587	1,088	11.2	12.9	10.8	12.6	8.7	13.5
	1909	5,714	3,895	4,836	3,017	1,819	878	11 2	13.1	10.9	13.1	8.6	13.3
	Annual average 1900 to 1909	3,845	2,868	2,743	1,766	977	1,102	10.2	11.5	9.9	11.8	7.7	11.0
Cancer of breast	1900	1,433	991	1,015	573	442	418	4.7	4.6	5.1	5.4	4.8	3.9
	1901	1,647	1,169	1,119	641	478	528	5.3	5.3	5.5	5.7	5.2	4.8
	1902	1.750	1,221	1,210	681	529	540	5.5	5.3	5.9	5.9	5.8	4.7
	1903	1,787	1,269	1,251	733	518	536	5.5	5.4	6.0	6.2	5.6	4.6
	1904	2,030	1,489	1.367	826	541	663	6.1	6.2	6.4	6.9	5.8	5.5
	1905	2,010	1,451	1,372	813	559	638	5.9	5.9	6.3	6.6	6.0	5.2
	1906	2,421	1,586	2,076	1,241	835	345	5.8	6.0	6.1	6.8	5.3	4.2
	1907	2,590	1,699	2,209	1,318	891	381	6.0	6.3	6.4	7.0	5.6	4.5
	1908	3,023	1.883	2,581	1,441	1,140	442	6.5	6.6	6.7	7.1	6.2	5.5
	1909	3,585	2,173	3,214	1,802	1,412	371	7.0	7.3	7.3	7.8	6.7	5.6
	Annual average 1900 to 1909	2,228	1,493	1,741	1,007	735	486	5.9	6.0	6.3	6.7	5.8	4.8
Cancer of skin	1900	602	356	425	179	246	177	2.0	1.7	2.1	1.7	2.6	1.6
	1901	683	403	496	216	280	187	2.2	1.8	2.4	1.9	3.1	1.7
	1902	688	406	478	196	282	210	2.1	1.8	2.3	1.7	3.1	1.8
	1903	752	434	536	218	318	216	2.3	1.8	2.6	1.9	3.4	1.8
	1904	758	429	551	222	329	207	2.3	1.8	2.6	1.8	3.5	1.7
	1905	818	494	583	259	324	235	2.4	2.0	2.7	2.1	3.5	1.9
	1906	984	539	832	387	445	152	2.3	2.0	2.5	2.1	2.8	1.9
	1907	1,121	612	947	438	509	174	2.6	2.3	2.7	2.3	3.2	2.1
	1908	1,282	648	1,105	471	634	177	2.7	2.3	2.9	2.3	3.5	2.2
	1909	1,492	653	1,345	506	839	147	2.9	2.2	3.0	2.2	4.0	2.2
	Annual average 1900 to 1909	918	497	730	309	421	188	2.4	2.0	2.6	2.1	3.3	1.9
Cancer of other or unspecified organs	1900	5,477	3,641	3,714	1,878	1,836	1,763	17.8	17.0	18.6	17.6	19.8	16.3
	1901	5,058	3,355	3,465	1,762	1,703	1,593	16.1	15.1	17.1	15.7	18.7	14.4
	1902	5,071	3,493	3,358	1,780	1,578	1,713	15.8	15.3	16.3	15.5	17.2	15.1
	1903	5,509	3,838	3.667	1,996	1,671	1.842	16.8	16.4	17.5	17.0	18.1	15.7
	1904	5,291	3,760	3,435	1.904	1,531	1.856	15.9	15.6	16.1	15.8	16.5	15.5
	1905	5,402	3,741	3,562	1,901	1,661	1.840	15.9	15.1	16.4	15.4	17.7	14.9
	1906	6,365	4.077	4,995	2,707	2,288	1,370	15.2	15.5	14.8	14.9	14.6	16.8
	1907	6,281	4.113	4,957	2,789	2,168	1,324	14.6	15.2	14.3	14.9	13.7	15.7
	1908	5,755	3.819	4,685	2,749	1,936	1,070	12.3	13.4	12.1	13.5	10.6	13.2
	1909	5,753	3,728	4,924	2,899	2,025	829	11.3	12.6	11.1	12.6	9.5	12.6
	Annual average 1900 to 1909	5,596	3,757	4,076	2,237	1,840	1,520	14.8	15.0	14.7	14.9	14.5	15.1
Tumor	1900	581	350	394	163	231	187	1.9	1.6	2.0	1.5	2.5	1.7
	1901	505	336	332	163	169	173	1.6	1.5	1.6	1.5	1.9	1.6
	1902	459	321	287	149	138	172	1.4	1.4	1.4	1.3	1.5	1.5
	1903	531	363	355	187	168	176	1.6	1.5	1.7	1.6	1.8	1.5
	1904	444	290	294	140	154	150	1.3	1.2	1.4	1.2	1.7	1.2
	1905	501	359	318	176	142	183	1.5	1.5	1.5	1.4	1.5	1.5
	1906	470	274	401	205	196	69	1.1	1.0	1.2	1.1	1.3	0.8
	1907	508	323	406	221	185	102	1.2	1.2	1.2	1.2	1.2	1.2
	1908	458	295	369	206	163	89	1.0	1.0	1.0	1.0	0.9	1.1
	1909	458	264	408	214	194	50	0.9	0.9	0.9	0.9	0.9	0.8
	Annual average 1900 to 1909	492	318	356	182	174	135	1.3	1.3	1.3	1.2	1.4	1.3

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
	Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
I.—General diseases—Continued.												
Rheumatism 1900	2,931	2,005	2,009	1,083	926	922	9.5	9.3	10.1	10.1	10.0	8.5
1901	2,985	2,137	1,949	1,101	848	1,036	9.5	9.6	9.6	9.8	9.3	9.4
1902	2,661	1,797	1,759	895	864	902	8.3	7.9	8.5	7.8	9.4	7.9
1903	2,785	2,017	1,772	1,004	768	1,013	8.5	8.6	8.4	8.5	8.3	8.7
1904	3,187	2,287	2,053	1,153	900	1,134	9.6	9.5	9.6	9.6	9.7	9.4
1905	2,827	1,969	1,846	988	858	981	8.3	8.0	8.5	8.0	9.2	7.9
1906	3,336	2,067	2,758	1,489	1,269	578	7.9	7.8	8.2	8.2	8.1	7.1
1907	3,439	2,233	2,794	1,588	1,206	645	8.0	8.2	8.1	8.5	7.6	7.7
1908	3,541	2,175	2,945	1,579	1,366	596	7.6	7.6	7.6	7.7	7.5	7.4
1909	3,633	2,146	3,186	1,699	1,487	447	7.1	7.2	7.2	7.4	7.0	6.8
Annual average 1900 to 1909	3,133	2,083	2,307	1,258	1,049	825	8.3	8.3	8.3	8.4	8.3	8.2
Diabetes 1900	2,996	1,991	2,187	1,182	1,005	809	9.7	9.3	11.0	11.1	10.8	7.5
1901	3,212	2,230	2,339	1,357	982	873	10.2	10.0	11.5	12.1	10.8	7.9
1902	3,312	2,256	2,411	1,355	1,056	901	10.3	9.9	11.7	11.8	11.5	7.9
1903	3,681	2,559	2,650	1,528	1,122	1,031	11.3	10.9	12.6	13.0	12.1	8.8
1904	4,259	3,017	3,036	1,794	1,242	1,223	12.8	12.6	14.2	14.9	13.3	10.2
1905	4,397	3,156	3,066	1,825	1,241	1,331	12.9	12.8	14.1	14.8	13.3	10.8
1906	5,331	3,449	4,524	2,642	1,882	807	12.7	13.1	13.4	14.5	12.0	9.9
1907	5,801	3,769	4,914	2,882	2,032	887	13.5	13.9	14.2	15.4	12.8	10.5
1908	6,274	3,908	5,319	2,953	2,366	955	13.4	13.7	13.7	14.5	12.9	11.8
1909	7,024	4,299	6,256	3,531	2,725	768	13.8	14.5	14.1	15.3	12.8	11.7
Annual average 1900 to 1909	4,629	3,063	3,670	2,105	1,565	959	12.3	12.2	13.3	14.0	12.4	9.5
Anemia, leukemia 1900	1,939	1,234	1,350	645	705	589	6.3	5.7	6.8	6.0	7.6	5.5
1901	1,886	1,294	1,289	697	592	597	6.0	5.8	6.3	6.2	6.5	5.4
1902	1,895	1,293	1,241	639	602	654	5.9	5.7	6.0	5.6	6.6	5.7
1903	1,908	1,277	1,277	646	631	631	5.8	5.4	6.1	5.5	6.8	5.4
1904	2,007	1,305	1,376	674	702	631	6.0	5.4	6.5	5.6	7.5	5.3
1905	2,167	1,459	1,474	766	708	693	6.4	5.9	6.8	6.2	7.6	5.6
1906	2,692	1,662	2,195	1,165	1,030	497	6.4	6.3	6.5	6.4	6.6	6.1
1907	2,843	1,795	2,271	1,223	1,048	572	6.6	6.6	6.6	6.5	6.6	6.8
1908	2,841	1,679	2,381	1,219	1,162	460	6.1	5.9	6.2	6.0	6.4	5.7
1909	3,253	1,871	2,868	1,486	1,382	385	6.4	6.3	6.5	6.4	6.5	5.8
Annual average 1900 to 1909	2,343	1,487	1,772	916	856	571	6.2	5.9	6.4	6.1	6.8	5.7
Alcoholism 1900	1,962	1,657	1,063	758	305	899	6.4	7.7	5.3	7.1	3.3	8.3
1901	1,870	1,591	1,016	737	279	854	6.0	7.1	5.0	6.6	3.1	7.7
1902	1,943	1,644	1,080	781	299	863	6.1	7.2	5.2	6.8	3.3	7.6
1903	2,163	1,796	1,290	923	367	873	6.6	7.7	6.1	7.9	4.0	7.5
1904	1,927	1,608	1,128	809	319	799	5.8	6.7	5.3	6.7	3.4	6.7
1905	2,106	1,752	1,293	939	354	813	6.2	7.1	6.0	7.6	3.8	6.6
1906	2,707	1,995	2,160	1,448	712	547	6.4	7.6	6.4	8.0	4.6	6.7
1907	3,130	2,315	2,506	1,691	815	624	7.3	8.5	7.2	9.0	5.1	7.4
1908	2,348	1,595	1,935	1,182	753	413	5.0	5.6	5.0	5.8	4.1	5.1
1909	2,578	1,721	2,284	1,427	857	294	5.1	5.8	5.2	6.2	4.0	4.5
Annual average 1900 to 1909	2,273	1,767	1,576	1,070	506	698	6.0	7.1	5.7	7.1	4.0	6.9
Chronic poisonings 1900	161	116	91	46	45	70	0.5	0.5	0.5	0.4	0.5	0.6
1901	221	161	137	77	60	84	0.7	0.7	0.7	0.7	0.7	0.8
1902	252	176	159	83	76	93	0.8	0.8	0.8	0.7	0.8	0.8
1903	300	222	175	97	78	125	0.9	0.9	0.8	0.8	0.8	1.1
1904	254	177	148	71	77	106	0.8	0.7	0.7	0.6	0.8	0.9
1905	264	198	139	73	66	125	0.8	0.8	0.6	0.6	0.7	1.0
1906	331	222	263	154	109	68	0.8	0.8	0.8	0.8	0.7	0.8
1907	293	195	211	113	98	82	0.7	0.7	0.6	0.6	0.6	1.0
1908	319	207	257	145	112	62	0.7	0.7	0.7	0.7	0.6	0.8
1909	353	213	293	153	140	60	0.7	0.7	0.7	0.7	0.7	0.9
Annual average 1900 to 1909	275	189	187	101	86	88	0.7	0.8	0.7	0.7	0.7	0.9
Other general diseases 1900	443	309	299	165	134	144	1.4	1.4	1.5	1.5	1.4	1.3
1901	627	425	417	215	202	210	2.0	1.9	2.1	1.9	2.2	1.9
1902	589	408	377	196	181	212	1.8	1.8	1.8	1.7	2.0	1.9
1903	677	461	442	226	216	235	2.1	2.0	2.1	1.9	2.3	2.0
1904	667	475	413	221	192	254	2.0	2.0	1.9	1.8	2.1	2.1
1905	728	503	465	240	225	263	2.1	2.0	2.1	1.9	2.4	2.1
1906	980	605	789	414	375	191	2.3	2.3	2.3	2.3	2.4	2.3
1907	994	628	782	416	366	212	2.3	2.3	2.3	2.2	2.3	2.5
1908	1,175	735	924	484	440	251	2.5	2.6	2.4	2.4	2.4	3.1
1909	1,448	900	1,161	613	548	287	2.8	3.0	2.6	2.7	2.6	4.4
Annual average 1900 to 1909	833	545	607	319	288	226	2.2	2.2	2.2	2.1	2.3	2.2
II.—Diseases of nervous system 1900	64,232	45,171	41,092	22,031	19,061	23,140	208.8	210.3	205.9	206.4	205.2	214.2
1901	60,431	42,357	39,550	21,476	18,074	20,881	192.6	190.4	194.8	192.0	198.2	188.7
1902	59,313	42,302	38,260	21,249	17,011	21,053	185.2	185.1	185.3	185.1	185.5	185.0
1903	58,319	41,046	38,152	20,879	17,273	20,167	178.3	174.9	181.8	177.6	187.0	172.2
1904	60,581	42,574	40,696	22,689	18,007	19,885	181.7	177.1	190.8	188.7	193.5	165.5
1905	61,556	43,802	41,681	23,927	17,754	19,875	180.8	177.4	192.1	193.9	189.7	160.9
1906	70,322	43,642	57,527	30,847	26,680	12,795	167.5	165.7	170.0	169.5	170.6	157.0
1907	73,298	45,598	59,444	31,744	27,700	13,854	170.4	168.0	171.8	169.4	174.5	164.8
1908	71,090	41,403	59,630	29,943	29,687	11,460	151.9	145.3	154.1	146.7	162.3	141.8
1909	74,656	40,998	65,937	32,279	33,658	8,719	146.8	138.2	148.9	139.9	158.6	132.3
Annual average 1900 to 1909	65,380	42,889	48,197	25,706	22,491	17,183	173.5	171.3	174.4	171.5	177.8	170.9

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
	Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
II.—Diseases of nervous system—Continued.												
Encephalitis.....1900	1,030	601	646	217	429	384	3.3	2.8	3.2	2.0	4.6	3.6
1901	831	502	526	197	329	305	2.6	2.3	2.6	1.8	3.6	2.8
1902	716	458	432	174	258	284	2.2	2.0	2.1	1.5	2.8	2.5
1903	609	423	335	149	186	274	1.9	1.8	1.6	1.3	2.0	2.3
1904	530	359	312	141	171	218	1.6	1.5	1.5	1.2	1.8	1.8
1905	465	309	286	130	156	179	1.4	1.3	1.3	1.1	1.7	1.4
1906	496	273	381	158	223	115	1.2	1.0	1.1	0.9	1.4	1.4
1907	520	311	399	190	209	121	1.2	1.1	1.2	1.0	1.3	1.4
1908	452	266	352	166	186	100	1.0	0.9	0.9	0.8	1.0	1.2
1909	355	185	318	148	170	37	0.7	0.6	0.7	0.6	0.8	0.6
Annual average 1900 to 1909	600	369	399	167	232	202	1.6	1.5	1.4	1.1	1.8	2.0
Meningitis.....1900	12,578	9,645	8,103	5,170	2,933	4,475	40.9	44.9	40.6	48.4	31.6	41.4
1901	10,430	8,079	6,670	4,319	2,351	3,760	33.2	36.3	32.8	38.6	25.8	34.0
1902	9,981	7,992	6,138	4,149	1,989	3,843	31.2	35.0	29.7	36.1	21.7	33.8
1903	9,213	7,222	5,851	3,860	1,991	3,362	28.2	30.8	27.9	32.8	21.6	28.7
1904	10,553	8,482	7,275	5,204	2,071	3,278	31.6	35.3	34.1	43.3	22.3	27.3
1905	11,654	9,478	8,467	6,291	2,176	3,187	34.2	38.4	39.0	51.0	23.3	25.8
1906	10,502	7,711	8,250	5,459	2,791	2,252	25.0	29.3	24.4	30.0	17.8	27.6
1907	11,109	8,273	8,331	5,495	2,836	2,778	25.8	30.5	24.1	29.3	17.9	33.0
1908	8,904	5,927	7,163	4,186	2,977	1,741	19.0	20.8	18.5	20.5	16.3	21.5
1909	7,853	4,991	6,736	3,874	2,862	1,117	15.4	16.8	15.2	16.8	13.5	17.0
Annual average 1900 to 1909	10,278	7,780	7,298	4,801	2,498	2,979	27.3	31.1	26.4	32.0	19.7	29.6
Locomotor ataxia.....1900	593	411	393	211	182	200	1.9	1.9	2.0	2.0	2.0	1.8
1901	722	524	456	258	198	266	2.3	2.4	2.2	2.3	2.2	2.4
1902	691	498	432	239	193	259	2.2	2.2	2.1	2.1	2.1	2.3
1903	813	579	511	277	234	302	2.5	2.5	2.4	2.4	2.5	2.6
1904	820	560	545	285	260	275	2.5	2.3	2.6	2.4	2.8	2.3
1905	883	641	550	308	242	333	2.6	2.6	2.5	2.5	2.6	2.7
1906	1,097	713	898	514	384	199	2.6	2.7	2.7	2.8	2.5	2.4
1907	1,127	730	911	514	397	216	2.6	2.7	2.6	2.7	2.5	2.6
1908	1,198	783	971	556	415	227	2.6	2.7	2.5	2.7	2.3	2.8
1909	1,386	824	1,195	633	562	191	2.7	2.8	2.7	2.7	2.6	2.9
Annual average 1900 to 1909	933	626	686	380	307	247	2.5	2.5	2.5	2.5	2.4	2.5
Other diseases of spinal cord.....1900	1,329	856	951	478	473	378	4.3	4.0	4.8	4.5	5.1	3.5
1901	1,428	938	1,000	510	490	428	4.6	4.2	4.9	4.6	5.4	3.9
1902	1,454	1,008	993	547	446	461	4.5	4.4	4.8	4.8	4.9	4.1
1903	1,685	1,131	1,157	603	554	528	5.2	4.8	5.5	5.1	6.0	4.5
1904	1,653	1,097	1,177	621	556	476	5.0	4.6	5.5	5.2	6.0	4.0
1905	1,724	1,167	1,199	642	557	525	5.1	4.7	5.5	5.2	6.0	4.2
1906	2,030	1,216	1,736	922	814	294	4.8	4.6	5.1	5.1	5.2	3.6
1907	2,234	1,368	1,915	1,049	866	319	5.2	5.0	5.5	5.6	5.5	3.8
1908	2,412	1,378	2,072	1,038	1,034	340	5.2	4.8	5.4	5.1	5.7	4.2
1909	2,905	1,609	2,507	1,211	1,296	398	5.7	5.4	5.7	5.3	6.1	6.0
Annual average 1900 to 1909	1,885	1,177	1,471	762	709	415	5.0	4.7	5.3	5.1	5.6	4.1
Apoplexy.....1900	20,772	14,269	14,465	7,962	6,503	6,307	67.5	66.4	72.5	74.6	70.0	58.4
1901	21,390	14,577	15,086	8,273	6,813	6,304	68.2	65.5	74.3	73.9	74.7	57.0
1902	21,862	14,912	15,427	8,477	6,950	6,435	68.3	65.2	74.7	73.9	75.8	56.5
1903	22,311	14,931	15,930	8,550	7,380	6,381	68.2	63.6	75.9	72.7	79.9	54.5
1904	23,828	15,943	17,090	9,205	7,885	6,738	71.5	66.3	80.1	76.5	84.7	56.1
1905	24,390	16,598	17,440	9,648	7,792	6,950	71.6	67.2	80.4	78.2	83.3	56.3
1906	29,434	17,738	25,196	13,500	11,696	4,238	70.1	67.3	74.5	74.2	74.8	52.0
1907	31,500	18,783	27,087	14,370	12,717	4,413	73.2	69.2	78.3	76.7	80.1	52.5
1908	32,467	18,637	28,196	14,366	13,830	4,271	69.4	65.4	72.8	70.4	75.6	52.8
1909	36,463	19,917	32,895	16,349	16,546	3,568	71.7	67.2	74.3	70.9	78.0	54.2
Annual average 1900 to 1909	26,442	16,631	20,881	11,070	9,811	5,561	70.2	66.4	75.6	73.9	77.6	55.3
Softening of brain.....1900	1,246	711	808	273	535	438	4.0	3.3	4.0	2.6	5.8	4.1
1901	1,241	737	814	310	504	427	4.0	3.3	4.0	2.8	5.5	3.9
1902	1,197	700	761	264	497	436	3.7	3.1	3.7	2.3	5.4	3.8
1903	1,258	782	792	316	476	466	3.8	3.3	3.8	2.7	5.2	4.0
1904	1,250	775	816	341	475	434	3.7	3.2	3.8	2.8	5.1	3.6
1905	1,042	652	643	253	390	399	3.1	2.6	3.0	2.1	4.2	3.2
1906	1,277	701	1,022	446	576	255	3.0	2.7	3.0	2.5	3.7	3.1
1907	1,258	653	984	379	605	274	2.9	2.4	2.8	2.0	3.8	3.3
1908	1,087	526	879	318	561	208	2.3	1.8	2.3	1.6	3.1	2.6
1909	1,126	536	961	371	590	165	2.2	1.8	2.2	1.6	2.8	2.5
Annual average 1900 to 1909	1,198	677	848	327	521	350	3.2	2.7	3.1	2.2	4.1	3.5
Paralysis.....1900	7,950	4,455	5,238	1,743	3,495	2,712	25.9	20.8	26.2	16.3	37.6	25.1
1901	7,220	4,075	4,896	1,751	3,145	2,324	23.0	18.3	24.1	15.7	34.5	21.0
1902	6,674	3,982	4,345	1,653	2,692	2,329	20.8	17.4	21.0	14.4	29.4	20.5
1903	6,609	3,845	4,355	1,591	2,764	2,254	20.2	16.4	20.7	13.5	29.9	19.2
1904	6,431	3,695	4,324	1,588	2,736	2,107	19.3	15.4	20.3	13.2	29.4	17.5
1905	5,981	3,440	4,011	1,470	2,541	1,970	17.6	13.9	18.5	11.9	27.2	15.9
1906	6,933	3,319	5,679	2,065	3,614	1,254	16.5	12.6	16.8	11.3	23.1	15.4
1907	8,128	4,113	6,598	2,583	4,015	1,530	18.9	15.2	19.1	13.8	25.3	18.2
1908	7,544	3,582	6,258	2,296	3,962	1,286	16.1	12.6	16.2	11.2	21.7	15.9
1909	7,669	3,407	6,687	2,425	4,262	982	15.1	11.5	15.1	10.5	20.1	14.9
Annual average 1900 to 1909	7,114	3,791	5,239	1,917	3,323	1,875	18.9	15.1	19.0	12.8	26.3	18.6

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
	Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
II.—Diseases of nervous system—Continued.												
General paralysis of insane 1900	1,955	1,256	1,476	777	699	479	6.4	5.8	7.4	7.3	7.5	4.4
1901	2,069	1,340	1,477	748	729	592	6.6	6.0	7.3	6.7	8.0	5.4
1902	2,238	1,472	1,609	843	766	629	7.0	6.4	7.8	7.3	8.4	5.5
1903	2,152	1,410	1,542	800	742	610	6.6	6.0	7.3	6.8	8.0	5.2
1904	2,263	1,469	1,670	876	794	593	6.8	6.1	7.8	7.3	8.5	4.9
1905	2,450	1,579	1,751	880	871	699	7.2	6.4	8.1	7.1	9.3	5.7
1906	2,909	1,685	2,452	1,228	1,224	457	6.9	6.4	7.2	6.7	7.8	5.6
1907	2,116	1,318	1,751	953	798	365	4.9	4.9	5.1	5.1	5.0	4.3
1908	2,387	1,354	2,010	977	1,033	377	5.1	4.8	5.2	4.8	5.6	4.7
1909	2,584	1,414	2,306	1,136	1,170	278	5.1	4.8	5.2	4.9	5.5	4.2
Annual average 1900 to 1909	2,312	1,430	1,804	922	883	508	6.1	5.7	6.5	6.2	7.0	5.1
Other forms of mental disease 1900	1,325	978	809	462	347	516	4.3	4.6	4.1	4.3	3.7	4.8
1901	1,232	914	802	484	318	430	3.9	4.1	3.9	4.3	3.5	3.9
1902	1,207	885	775	453	322	432	3.8	3.9	3.8	3.9	3.5	3.8
1903	1,232	902	794	464	330	438	3.8	3.8	3.8	3.9	3.6	3.7
1904	1,139	795	725	381	344	414	3.4	3.3	3.4	3.2	3.7	3.4
1905	1,039	717	679	357	322	360	3.1	2.9	3.1	2.9	3.4	2.9
1906	1,736	947	1,350	561	789	386	4.1	3.6	4.0	3.1	5.0	4.7
1907	1,658	866	1,335	543	792	323	3.9	3.2	3.9	2.9	5.0	3.8
1908	1,723	760	1,465	502	963	258	3.7	2.7	3.8	2.5	5.3	3.2
1909	1,717	716	1,544	543	1,001	173	3.4	2.4	3.5	2.4	4.7	2.6
Annual average 1900 to 1909	1,401	848	1,028	475	553	373	3.7	3.4	3.7	3.2	4.4	3.7
Other diseases of brain 1900	1,607	1,074	1,092	559	533	515	5.2	5.0	5.5	5.2	5.8	4.8
1901	1,550	1,070	1,040	560	480	510	4.9	4.8	5.1	5.0	5.3	4.6
1902	1,445	1,051	959	565	394	486	4.5	4.6	4.6	4.9	4.3	4.3
1903	1,456	1,085	941	570	371	515	4.5	4.6	4.5	4.8	4.0	4.4
1904	1,341	956	900	515	385	441	4.0	4.0	4.2	4.3	4.1	3.7
1905	1,436	1,033	922	519	403	514	4.2	4.2	4.2	4.2	4.3	4.2
1906	1,691	1,134	1,339	782	557	352	4.0	4.3	4.0	4.3	3.6	4.3
1907	1,751	1,196	1,361	806	555	390	4.1	4.4	3.9	4.3	3.5	4.6
1908	1,724	1,064	1,407	747	660	317	3.7	3.7	3.6	3.7	3.6	3.9
1909	1,854	1,130	1,572	848	724	282	3.6	3.8	3.6	3.7	3.4	4.3
Annual average 1900 to 1909	1,586	1,079	1,153	647	506	432	4.2	4.3	4.2	4.3	4.0	4.3
Epilepsy 1900	1,337	777	983	423	560	354	4.4	3.6	4.9	4.0	6.0	3.3
1901	1,417	852	1,017	452	565	400	4.5	3.8	5.0	4.0	6.2	3.6
1902	1,483	933	1,016	466	550	467	4.6	4.1	4.9	4.1	6.0	4.1
1903	1,512	972	1,065	525	540	447	4.6	4.1	5.1	4.5	5.8	3.8
1904	1,481	906	1,076	501	575	405	4.4	3.8	5.0	4.2	6.2	3.4
1905	1,367	844	985	462	523	382	4.0	3.4	4.5	3.7	5.6	3.1
1906	1,863	960	1,586	683	903	277	4.4	3.6	4.7	3.8	5.8	3.4
1907	1,863	959	1,590	686	904	273	4.3	3.5	4.6	3.7	5.7	3.2
1908	1,824	921	1,577	674	903	247	3.9	3.2	4.1	3.3	4.9	3.1
1909	2,066	935	1,868	737	1,131	198	4.1	3.2	4.2	3.2	5.3	3.0
Annual average 1900 to 1909	1,621	906	1,276	561	715	345	4.3	3.6	4.6	3.7	5.7	3.4
"Convulsions" (all ages) 1900	10,011	8,226	4,876	3,091	1,785	5,135	32.6	38.3	24.4	29.0	19.2	47.5
1901	8,517	7,006	4,437	2,926	1,511	4,080	27.1	31.5	21.8	26.2	16.6	36.9
1902	7,987	6,586	4,089	2,688	1,401	3,898	24.9	28.8	19.8	23.4	15.3	34.3
1903	6,833	5,672	3,539	2,378	1,161	3,294	20.9	24.2	16.9	20.2	12.6	28.1
1904	6,802	5,632	3,439	2,269	1,170	3,363	20.4	23.4	16.1	18.9	12.6	28.0
1905	6,677	5,466	3,443	2,232	1,211	3,234	19.6	22.1	15.9	18.1	12.9	26.2
1906	7,428	5,205	5,555	3,332	2,223	1,873	17.7	19.8	16.4	18.3	14.2	23.0
1907	7,060	4,951	5,116	3,007	2,109	1,944	16.4	18.2	14.8	16.0	13.3	23.1
1908	6,450	4,223	5,130	2,903	2,227	1,320	13.8	14.8	13.3	14.2	12.2	16.3
1909	5,531	3,251	4,894	2,614	2,280	637	10.9	11.0	11.1	11.3	10.7	9.7
Annual average 1900 to 1909	7,330	5,622	4,452	2,744	1,708	2,878	19.4	22.4	16.1	18.3	13.5	28.6
Tetanus 1900	1,354	1,166	476	288	188	878	4.4	5.4	2.4	2.7	2.0	8.1
1901	1,129	947	458	276	182	671	3.6	4.3	2.3	2.5	2.0	6.1
1902	1,158	1,000	448	290	158	710	3.6	4.4	2.2	2.5	1.7	6.2
1903	1,326	1,165	472	311	161	854	4.1	5.0	2.2	2.6	1.7	7.3
1904	1,105	921	445	261	184	660	3.3	3.8	2.1	2.2	2.0	5.5
1905	1,033	880	357	204	153	676	3.0	3.6	1.6	1.7	1.6	5.5
1906	1,213	931	680	398	282	533	2.9	3.5	2.0	2.2	1.8	6.5
1907	1,253	942	676	365	311	577	2.9	3.5	2.0	1.9	2.0	6.9
1908	1,169	870	684	385	299	485	2.5	3.1	1.8	1.9	1.6	6.0
1909	1,373	996	896	519	377	477	2.7	3.4	2.0	2.3	1.8	7.2
Annual average 1900 to 1909	1,211	982	559	330	230	652	3.2	3.9	2.0	2.2	1.8	6.5
Other diseases of nervous system 1900	1,145	746	776	377	399	369	3.7	3.5	3.9	3.5	4.3	3.4
1901	1,255	796	871	412	459	384	4.0	3.6	4.3	3.7	5.0	3.5
1902	1,220	825	836	441	395	384	3.8	3.6	4.0	3.8	4.3	3.4
1903	1,310	927	868	485	383	442	4.0	4.0	4.1	4.1	4.1	3.8
1904	1,385	984	902	501	401	483	4.2	4.1	4.2	4.2	4.3	4.0
1905	1,415	998	948	531	417	467	4.2	4.0	4.4	4.3	4.5	3.8
1906	1,713	1,109	1,403	799	604	310	4.1	4.2	4.1	4.4	3.9	3.8
1907	1,721	1,135	1,390	804	586	331	4.0	4.2	4.0	4.3	3.7	3.9
1908	1,749	1,112	1,466	829	637	283	3.7	3.9	3.8	4.1	3.5	3.5
1909	1,774	1,087	1,558	871	687	216	3.5	3.7	3.5	3.8	3.2	3.3
Annual average 1900 to 1909	1,469	972	1,102	605	497	367	3.9	3.9	4.0	4.0	3.9	3.6

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
	Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
III.—Diseases of circulatory system.....1900	45,279	31,660	30,222	16,603	13,619	15,057	147.2	147.4	151.4	155.6	146.6	139.4
1901	46,250	32,596	31,103	17,449	13,654	15,147	147.4	146.5	153.2	156.0	149.7	136.9
1902	49,233	35,081	33,043	18,891	14,152	16,190	153.7	153.5	160.0	164.6	154.3	142.3
1903	52,275	36,743	35,188	19,656	15,532	17,087	159.9	156.6	167.6	167.2	168.2	145.9
1904	57,220	40,191	38,690	21,661	17,029	18,530	171.6	167.2	181.4	180.1	183.0	154.3
1905	58,503	41,497	39,435	22,429	17,006	19,068	171.8	168.0	181.7	181.8	181.7	154.4
1906	70,666	45,566	58,801	33,701	25,100	11,865	168.3	173.0	173.8	185.2	160.5	145.6
1907	78,365	50,178	65,370	37,183	28,187	12,995	182.2	184.8	188.9	198.4	177.6	154.6
1908	80,607	50,073	67,794	37,260	30,534	12,813	172.3	175.7	175.2	182.5	167.0	158.5
1909	90,456	53,901	79,230	42,675	36,555	11,226	177.8	181.8	178.9	185.0	172.3	170.4
Annual average 1900 to 1909	62,885	41,749	47,888	26,751	21,137	14,998	166.8	166.7	173.3	178.5	167.1	149.2
Pericarditis.....1900	809	582	480	253	227	329	2.6	2.7	2.4	2.4	2.4	3.0
1901	748	553	401	206	195	347	2.4	2.5	2.0	1.8	2.1	3.1
1902	753	564	404	215	189	349	2.4	2.5	2.0	1.9	2.1	3.1
1903	664	480	360	176	184	304	2.0	2.0	1.7	1.5	2.0	2.6
1904	624	452	372	200	172	252	1.9	1.9	1.7	1.7	1.8	2.1
1905	594	456	306	168	138	288	1.7	1.8	1.4	1.4	1.5	2.3
1906	659	419	493	253	240	166	1.6	1.6	1.5	1.4	1.5	2.0
1907	634	376	483	225	258	151	1.5	1.4	1.4	1.2	1.6	1.8
1908	585	367	449	231	218	136	1.3	1.3	1.2	1.1	1.2	1.7
1909	660	363	556	259	297	104	1.3	1.2	1.3	1.1	1.4	1.6
Annual average 1900 to 1909	673	461	430	219	212	243	1.8	1.8	1.6	1.5	1.7	2.4
Endocarditis.....1900	3,654	3,162	2,415	1,923	492	1,239	11.9	14.7	12.1	18.0	5.3	11.5
1901	3,299	2,888	2,112	1,701	411	1,187	10.5	13.0	10.4	15.2	4.5	10.7
1902	3,681	3,211	2,337	1,867	470	1,344	11.5	14.0	11.3	16.3	5.1	11.8
1903	3,202	2,755	1,976	1,529	447	1,226	9.8	11.7	9.4	13.0	4.8	10.5
1904	3,880	3,348	2,315	1,783	532	1,565	11.6	13.9	10.9	14.8	5.7	13.0
1905	4,265	3,684	2,554	1,973	581	1,711	12.5	14.9	11.8	16.0	6.2	13.9
1906	5,285	4,426	3,912	3,053	859	1,373	12.6	16.8	11.6	16.8	5.5	16.9
1907	5,971	4,873	4,306	3,208	1,098	1,665	13.9	18.0	12.4	17.1	6.9	19.8
1908	5,994	4,696	4,626	3,328	1,298	1,368	12.8	16.5	12.0	16.3	7.1	16.9
1909	6,906	5,292	5,654	4,040	1,614	1,252	13.6	17.8	12.8	17.5	7.6	19.0
Annual average 1900 to 1909	4,614	3,834	3,221	2,441	780	1,393	12.2	15.3	11.7	16.3	6.2	13.9
Heart disease.....1900	34,210	23,255	23,162	12,207	10,955	11,048	111.2	108.3	116.0	114.4	117.9	102.3
1901	35,586	24,378	24,413	13,205	11,208	11,173	113.4	109.6	120.2	118.0	122.9	101.0
1902	37,577	26,004	25,710	14,137	11,573	11,867	117.3	113.8	124.5	123.2	126.2	104.3
1903	40,704	27,901	27,872	15,069	12,803	12,832	124.5	118.9	132.8	128.2	138.6	109.6
1904	44,472	30,436	30,724	16,688	14,036	13,748	133.4	126.6	144.0	138.8	150.8	114.4
1905	44,723	30,803	30,789	16,869	13,920	13,934	131.3	124.7	141.9	136.7	148.7	112.8
1906	53,581	33,297	45,357	25,073	20,284	8,224	127.6	126.4	134.0	137.8	129.7	100.9
1907	59,157	36,578	50,276	27,697	22,579	8,881	137.5	134.7	145.3	147.8	142.3	105.6
1908	60,038	36,137	51,048	27,147	23,901	8,990	128.3	126.8	131.9	133.0	130.7	111.2
1909	65,971	37,943	58,310	30,282	28,028	7,661	129.7	127.9	131.7	131.3	132.1	116.3
Annual average 1900 to 1909	47,602	30,673	36,766	19,837	16,929	10,836	126.3	122.5	133.0	132.4	133.8	107.8
Angina pectoris.....1900	1,958	1,205	1,370	617	753	588	6.4	5.6	6.9	5.8	8.1	5.4
1901	1,981	1,201	1,403	623	780	578	6.3	5.4	6.9	5.6	8.6	5.2
1902	2,080	1,304	1,474	698	776	606	6.5	5.7	7.1	6.1	8.5	5.3
1903	2,192	1,344	1,589	741	848	603	6.7	5.7	7.6	6.3	9.2	5.1
1904	2,180	1,375	1,514	709	805	666	6.5	5.7	7.1	5.9	8.6	5.5
1905	2,281	1,459	1,603	781	822	678	6.7	5.9	7.4	6.3	8.8	5.5
1906	2,750	1,544	2,331	1,125	1,206	419	6.6	5.9	6.9	6.2	7.7	5.1
1907	2,924	1,617	2,502	1,195	1,307	422	6.8	6.0	7.2	6.4	8.2	5.0
1908	2,997	1,564	2,597	1,164	1,433	400	6.4	5.5	6.7	5.7	7.8	4.9
1909	3,481	1,780	3,126	1,425	1,701	355	6.8	6.0	7.1	6.2	8.0	5.4
Annual average 1900 to 1909	2,482	1,439	1,951	908	1,043	532	6.6	5.7	7.1	6.1	8.2	5.3
Diseases of arteries.....1900	1,876	1,513	1,028	665	363	848	6.1	7.0	5.2	6.2	3.9	7.8
1901	2,132	1,734	1,171	773	398	961	6.8	7.8	5.8	6.9	4.4	8.7
1902	2,629	2,131	1,532	1,034	498	1,097	8.2	9.3	7.4	9.0	5.4	9.6
1903	2,908	2,291	1,761	1,144	617	1,147	8.9	9.8	8.4	9.7	6.7	9.8
1904	3,516	2,720	2,143	1,347	796	1,373	10.5	11.3	10.0	11.2	8.6	11.4
1905	4,145	3,258	2,556	1,669	887	1,589	12.2	13.2	11.8	13.5	9.5	12.9
1906	5,478	3,939	4,352	2,813	1,539	1,126	13.0	15.0	12.9	15.5	9.8	13.8
1907	6,727	4,740	5,404	3,417	1,987	1,323	15.6	17.5	15.6	18.2	12.5	15.7
1908	7,935	5,327	6,561	3,953	2,608	1,374	17.0	18.7	16.9	19.4	14.3	17.0
1909	10,174	6,537	8,778	5,141	3,637	1,396	20.0	22.0	19.8	22.3	17.1	21.2
Annual average 1900 to 1909	4,752	3,419	3,529	2,196	1,333	1,223	12.6	13.7	12.8	14.6	10.5	12.2
Embolism and thrombosis.....1900	1,219	841	842	464	378	377	4.0	3.9	4.2	4.3	4.1	3.5
1901	1,261	931	843	513	330	418	4.0	4.2	4.2	4.6	3.6	3.8
1902	1,306	965	858	517	341	448	4.1	4.2	4.2	4.5	3.7	3.9
1903	1,449	1,116	954	621	333	495	4.4	4.8	4.5	5.3	3.6	4.2
1904	1,401	1,021	942	562	380	459	4.2	4.2	4.4	4.7	4.1	3.8
1905	1,417	1,036	968	587	381	449	4.2	4.2	4.5	4.8	4.1	3.6
1906	1,717	1,172	1,422	877	545	295	4.1	4.4	4.2	4.8	3.5	3.6
1907	1,733	1,186	1,439	892	547	294	4.0	4.4	4.2	4.8	3.4	3.5
1908	1,907	1,259	1,588	940	648	319	4.1	4.4	4.1	4.6	3.5	3.9
1909	1,981	1,218	1,706	943	763	275	3.9	4.1	3.9	4.1	3.6	4.2
Annual average 1900 to 1909	1,539	1,075	1,156	692	465	383	4.1	4.3	4.2	4.6	3.7	3.8

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
	Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
III.—Diseases of circulatory system—Contd.												
Diseases of veins.....1900	153	119	102	68	34	51	0.5	0.6	0.5	0.6	0.4	0.5
1901	175	127	114	66	48	61	0.6	0.6	0.6	0.6	0.5	0.6
1902	153	119	103	69	34	50	0.5	0.5	0.5	0.6	0.4	0.4
1903	176	131	107	62	45	69	0.5	0.6	0.5	0.5	0.5	0.6
1904	202	150	134	82	52	68	0.6	0.6	0.6	0.7	0.6	0.6
1905	227	169	150	92	58	77	0.7	0.7	0.7	0.7	0.6	0.6
1906	244	162	197	115	82	47	0 6	0.6	0.6	0.6	0.5	0.6
1907	258	179	217	138	79	41	0.6	0.7	0.6	0.7	0.5	0.5
1908	251	166	203	118	85	48	0.5	0.6	0.5	0.6	0.5	0.6
1909	320	198	272	150	122	48	0.6	0.7	0.6	0.7	0.6	0.7
Annual average 1900 to 1909	216	152	160	96	64	56	0.6	0.6	0.6	0.6	0.5	0.6
Diseases of lymphatics.....1900	76	55	48	27	21	28	0.2	0.3	0.2	0.3	0.2	0.3
1901	57	49	33	25	8	24	0.2	0.2	0.2	0.2	0.1	0.2
1902	53	37	34	18	16	19	0.2	0.2	0.2	0.2	0.2	0.2
1903	58	47	37	26	11	21	0.2	0.2	0.2	0.2	0.1	0.2
1904	83	69	50	36	14	33	0.2	0.3	0.2	0.3	0.2	0.3
1905	73	57	45	29	16	28	0.2	0.2	0.2	0.2	0.2	0.2
1906	92	64	73	45	28	19	0.2	0.2	0.2	0.2	0.2	0.2
1907	92	62	75	45	30	17	0.2	0.2	0.2	0.2	0.2	0.2
1908	126	78	107	59	48	19	0.3	0.3	0.3	0.3	0.3	0.2
1909	154	101	134	81	53	20	0.3	0.3	0.3	0.4	0.2	0.3
Annual average 1900 to 1909	86	62	64	39	25	23	0.2	0.2	0.2	0.3	0.2	0.2
Other diseases of circulatory system.....1900	1,324	928	775	379	396	549	4.3	4.3	3.9	3.6	4.3	5.1
1901	1,011	735	613	337	276	398	3.2	3.3	3.0	3.0	3.0	3.6
1902	1,001	746	591	336	255	410	3.1	3.3	2.9	2.9	2.8	3.6
1903	922	678	532	288	244	390	2.8	2.9	2.5	2.5	2.6	3.3
1904	862	620	496	254	242	366	2.6	2.6	2.3	2.1	2.6	3.0
1905	778	575	464	261	203	314	2.3	2.3	2.1	2.1	2.2	2.5
1906	860	543	664	347	317	196	2.0	2.1	2.0	1.9	2.0	2.4
1907	869	567	668	366	302	201	2.0	2.1	1.9	2.0	1.9	2.4
1908	774	479	615	320	295	159	1.7	1.7	1.6	1.6	1.6	2.0
1909	809	469	694	354	340	115	1.6	1.6	1.6	1.5	1.6	1.7
Annual average 1900 to 1909	921	634	611	324	287	310	2.4	2.5	2.2	2.2	2:3	3.1
IV.—Diseases of respiratory system.....1900	78,832	61,589	49,537	32,294	17,243	29,295	256.2	286.8	248.2	302.6	185.7	271.1
1901	72,080	55,541	46,124	29,585	16,539	25,956	229.8	249.6	227.1	264.4	181.4	234.6
1902	71,027	56,842	44,118	29,933	14,185	26,909	221.8	248.7	213.7	260.8	154.7	236.4
1903	70,930	56,765	43,945	29,780	14,165	26,985	216.9	241.9	209.4	253.3	153.4	230.4
1904	76,975	61,476	48,678	33,179	15,499	28,297	230.8	255.7	228.2	275.9	166.5	235.6
1905	69,445	54,561	43,965	29,081	14,884	25,480	203.9	221.0	202.6	235.7	159.0	206.3
1906	82,174	59,317	66,040	43,183	22,857	16,134	195.7	225.2	195.2	237.3	146.1	198.0
1907	89,246	64,197	70,576	45,527	25,049	18,670	207.5	236.5	203.9	243.0	157.8	222.0
1908	81,758	56,502	66,564	41,308	25,256	15,194	174.7	198.2	172.0	202.3	138.1	188.0
1909	90,868	60,399	77,982	47,513	30,469	12,886	178.6	203.7	176.1	206.0	143.6	195.6
Annual average 1900 to 1909	78,334	58,719	55,753	36,138	19,615	22,581	207.8	234.5	201.7	241.1	155.1	224.6
Laryngitis.....1900	519	378	338	197	141	181	1.7	1.8	1.7	1.8	1.5	1.7
1901	490	359	327	196	131	163	1.6	1.6	1.6	1.8	1.4	1.5
1902	456	359	299	202	97	157	1.4	1.6	1.4	1.8	1.1	1.4
1903	397	297	251	151	100	146	1.2	1.3	1.2	1.3	1.1	1.2
1904	349	253	228	132	96	121	1.0	1.1	1.1	1.1	1.0	1.0
1905	258	187	162	91	71	96	0.8	0.8	0.7	0.7	0.8	0.8
1906	372	220	305	153	152	67	0.9	0.8	0.9	0.8	1.0	0.8
1907	364	203	314	153	161	50	0.8	0.7	0.9	0.8	1.0	0.6
1908	344	189	302	147	155	42	0.7	0.7	0.8	0.7	0.8	0.5
1909	334	158	300	124	176	34	0.7	0.5	0.7	0.5	0.8	0.5
Annual average 1900 to 1909	388	260	283	155	128	106	1.0	1.0	1.0	1.0	1.0	1.1
Other diseases of larynx.....1900	406	321	237	152	85	169	1.3	1.5	1.2	1.4	0.9	1.6
1901	348	278	216	146	70	132	1.1	1.2	1.1	1.3	0.8	1.2
1902	381	311	221	151	70	160	1.2	1.4	1.1	1.3	0.8	1.4
1903	390	311	227	148	79	163	1.2	1.3	1.1	1.3	0.9	1.4
1904	361	290	226	155	71	135	1.1	1.2	1.1	1.3	0.8	1.1
1905	352	266	215	129	86	137	1.0	1.1	1.0	1.0	0.9	1.1
1906	447	268	370	191	179	77	1.1	1.0	1.1	1.0	1.1	0.9
1907	437	267	363	193	170	74	1.0	1.0	1.0	1.0	1.1	0.9
1908	426	264	351	189	162	75	0.9	0.9	0.9	0.9	0.9	0.9
1909	436	247	377	188	189	59	0.9	0.8	0.9	0 8	0.9	0.9
Annual average 1900 to 1909	398	282	280	164	116	118	1.1	1.1	1.0	1.1	0.9	1.2
Diseases of thyroid body.....1900	67	38	43	14	29	24	0.2	0.2	0.2	0.1	0.3	0.2
1901	90	63	54	27	27	36	0.3	0.3	0.3	0.2	0.3	0.3
1902	93	70	50	27	23	43	0.3	0.3	0.2	0.2	0.3	0.4
1903	93	68	51	26	25	42	0.3	0.3	0.2	0.2	0.3	0.4
1904	97	76	58	37	21	39	0.3	0.3	0.3	0.3	0.2	0.3
1905	110	81	60	31	29	50	0.3	0.3	0.3	0.3	0.3	0.4
1906	147	93	104	50	54	43	0.4	0.4	0.3	0.3	0.3	0.5
1907	165	116	95	46	49	70	0.4	0.4	0.3	0.2	0.3	0.8
1908	185	111	138	64	74	47	0.4	0.4	0.4	0.3	0.4	0.6
1909	194	121	166	93	73	28	0.4	0.4	0.4	0.4	0.3	0.4
Annual average 1900 to 1909	124	84	82	42	40	42	0.3	0.3	0.3	0.3	0.3	0.4

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
	Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
IV.—Diseases of respiratory system—Contd.												
Acute bronchitis....1900	8,135	6,583	5,245	3,693	1,552	2,890	26.4	30.6	26.3	34.6	16.7	26.7
1901	7,040	5,571	4,660	3,200	1,469	2,371	22.4	25.0	23.0	28.6	16.1	21.4
1902	7,588	6,248	4,993	3,653	1,340	2,595	23.7	27.3	24.2	31.8	14.6	22.8
1903	6,842	5,433	4,478	3,069	1,409	2,364	20.9	23.2	21.3	26.1	15.3	20.2
1904	6,910	5,646	4,472	3,208	1,264	2,438	20.7	23.5	21.0	26.7	13 6	20.3
1905	6,598	5,292	4,154	2,848	1,306	2,444	19.4	21.4	19.1	23.1	14.0	19.8
1906	7,410	5,562	5,836	3,988	1,848	1,574	17.6	21.1	17.2	21.9	11.8	19.3
1907	7,363	5,529	5,629	3,795	1,834	1,734	17.1	20.4	16.3	20.3	11.6	20.6
1908	7,089	5,075	5,634	3,620	2,014	1,455	15.2	17.8	14.6	17.7	11.0	18.0
1909	6,939	4,515	6,333	3,909	2,424	606	13.6	15.2	14.3	16.9	11.4	9.2
Annual average 1900 to 1909	7,191	5,545	5,144	3,498	1,646	2,047	19.1	22.1	18.6	23.3	13.0	20.4
Chronic bronchitis....1900	5,924	4,544	3,786	2,406	1,380	2,138	19.3	21.1	18.9	22.6	14.9	19.8
1901	5,425	4,132	3,502	2,209	1,293	1,923	17.3	18.6	17.2	19.7	14.2	17.4
1902	4,993	3,881	3,119	2,007	1,112	1,874	15.6	17.0	15.1	17.5	12.1	16.5
1903	5,005	3,842	3,030	1,867	1,163	1,975	15.3	16.4	14.4	15.9	12.6	16.9
1904	5,021	3,754	3,099	1,832	1,267	1,922	15.1	15.6	14.5	15.2	13.6	16.0
1905	4,711	3,454	2,966	1,709	1,257	1,745	13.8	14.0	13.7	13.8	13.4	14.1
1906	5,015	3,493	3,939	2,417	1,522	1,076	11.9	13.3	11.6	13.3	9.7	13.2
1907	5,557	3,806	4,350	2,599	1,751	1,207	12.9	14.0	12.6	13.9	11.0	14.4
1908	5,043	3,291	4,014	2,262	1,752	1,029	10.8	11.5	10.4	11.1	9.6	12.7
1909	5,188	3,121	4,557	2,490	2,067	631	10.2	10.5	10.3	10.8	9.7	9.6
Annual average 1900 to 1909	5,188	3,732	3,636	2,180	1,456	1,552	13.8	14.9	13.2	14.5	11.5	15.4
Bronchopneumonia....1900	6,733	5,318	4,553	3,138	1,415	2,180	21.9	24.8	22.8	29.4	15.2	20.2
1901	8,894	7,248	6,234	4,588	1,646	2,660	28.4	32.6	30.7	41.0	18.1	24.0
1902	10,153	8,688	7,063	5,598	1,465	3,090	31.7	38.0	34.2	48.8	16.0	27.2
1903	10,964	9,235	7,672	5,943	1,729	3,292	33.5	39.4	36.5	50.6	18.7	28.1
1904	12,219	10,222	8,542	6,545	1,997	3,677	36.6	42.5	40.0	54.4	21.5	30.6
1905	11.608	9,730	7,965	6,087	1,878	3,643	34.1	39.4	36.7	49.3	20.1	29.5
1906	15,646	12,491	13,214	10,059	3,155	2,432	37.3	47.4	39.1	55.3	20.2	29.9
1907	16,881	13,223	14,301	10,643	3,658	2,580	39.2	48.7	41.3	56.8	23.0	30.7
1908	16,758	12.666	14,573	10,481	4,092	2,185	35.8	44.4	37.7	51.3	22.4	27.0
1909	21,026	15,483	18,368	12,825	5,543	2,658	41.3	52.2	41.5	55.6	26.1	40.3
Annual average 1900 to 1909	13,088	10,430	10,249	7,591	2,658	2,840	34.7	41.6	37.1	50.6	21.0	28.2
Pneumonia (lobar and unqualified)....1900	48,780	38,201	30,477	19,898	10,579	18,303	158.6	177.9	152.7	186.5	113.9	169.4
1901	41,715	31,800	26,296	16,381	9,915	15,419	133.0	142.9	129.5	146.4	108.7	139.4
1902	39,715	31,390	23,999	15,674	8,325	15,716	124.0	137.3	116.2	136.6	90.8	138.1
1903	39,764	31,792	23,763	15,791	7,972	16,001	121.6	135.5	113.2	134.3	86.3	136.6
1904	44,957	35,869	27,804	18,716	9,088	17,153	134.8	149.2	130.3	155.6	97.7	142.8
1905	39,068	30,354	24,437	15,723	8,714	14,631	114.7	122.9	112.6	127.4	93.1	118.4
1906	45,431	32,017	36,141	22,727	13,414	9,290	108.2	121.5	106.8	124.9	85.8	114.0
1907	50.439	35,602	39,276	24,439	14,837	11,163	117 3	131.2	113.5	130.4	93.5	132.8
1908	44.501	30,036	35,556	21,091	14,465	8,945	95.1	105.4	91.9	103.3	79.1	110.6
1909	49,007	31,949	41,259	24,201	17,058	7,748	96.3	107.7	93.2	104.9	80.4	117.6
Annual average 1900 to 1909	44,338	32,901	30,901	19,464	11,437	13,437	117.6	131.4	111.8	129.9	90.4	133.6
Pleurisy....1900	1,448	1,189	916	657	259	532	4.7	5.5	4.6	6.2	2.8	4.9
1901	1,469	1,186	925	642	283	544	4.7	5.3	4.6	5.7	3.1	4.9
1902	1,442	1,200	872	630	242	570	4.5	5.2	4.2	5.5	2.6	5.0
1903	1,403	1,199	929	665	264	534	4.5	5.1	4.4	5.7	2.9	4.6
1904	1,598	1,293	1,032	727	305	566	4.8	5.4	4.8	6.0	3.3	4.7
1905	1,627	1,345	1,017	735	282	610	4.8	5.4	4.7	6.0	3.0	4.9
1906	1,796	1,327	1,494	1,025	469	302	4 3	5.0	4.4	5.6	3.0	3.7
1907	1,898	1,442	1,500	1,044	456	398	4.4	5.3	4.3	5.6	2.9	4.7
1908	1.848	1,410	1,505	1,067	438	343	3.9	4.9	3.9	5.2	2.4	4.2
1909	2,082	1,471	1,808	1,197	611	274	4.1	5.0	4.1	5.2	2.9	4.2
Annual average 1900 to 1909	1,667	1,306	1,200	839	361	467	4 4	5.2	4.3	5.6	2.9	4.6
Congestion of lungs....1900	3,504	2,493	2,156	1,145	1,011	1,348	11.4	11.6	10.8	10.7	10.9	12.5
1901	3,254	2,337	2,039	1,122	917	1,215	10 4	10.5	10.0	10.0	10.1	11.0
1902	2,978	2,212	1,747	981	766	1,231	9.3	9.7	8.5	8.5	8.4	10.8
1903	2,885	2,116	1,824	1,055	769	1,061	8.8	9.0	8.7	9.0	8.3	9.1
1904	2.597	1,866	1,632	901	731	965	7.8	7.8	7.7	7.5	7.9	8.0
1905	2,297	1,637	1,454	794	660	843	6.7	6.6	6.7	6.4	7.1	6.8
1906	2,699	1,709	2,206	1,216	990	493	6.4	6.5	6.5	6.7	6.3	6.1
1907	2,838	1,849	2,302	1,313	989	536	6.6	6.8	6.7	7.0	6.2	6.4
1908	2.596	1,616	2,195	1,215	980	401	5.5	5.7	5.7	6.0	5.4	5.0
1909	2,550	1,499	2,225	1,174	1,051	325	5.0	5.1	5.0	5.1	5.0	4.9
Annual average 1900 to 1909	2,820	1,933	1,978	1,092	886	842	7.5	7.7	7.2	7.3	7.0	8.4
Gangrene of lungs....1900	125	101	76	52	24	49	0.4	0.5	0.4	0.5	0.3	0.4
1901	172	143	106	77	29	66	0.5	0.6	0.5	0.7	0.3	0.6
1902	196	161	107	72	35	89	0.6	0.7	0.5	0.6	0.4	0.8
1903	132	102	82	52	30	50	0.4	0.4	0.4	0.4	0.3	0.4
1904	157	119	100	62	38	57	0.5	0.5	0 5	0.5	0.4	0.5
1905	174	144	107	77	30	67	0.5	0.6	0.5	0.6	0.3	0.5
1906	198	154	155	111	44	43	0 5	0.6	0.5	0.6	0.3	0.5
1907	183	135	145	97	48	38	0.4	0.5	0.4	0.5	0.3	0.5
1908	146	101	116	71	45	30	0.3	0.4	0.3	0.3	0.2	0.4
1909	221	173	191	143	48	30	0.4	0.6	0.4	0.6	0.2	0.5
Annual average 1900 to 1909	170	133	119	81	37	52	0.5	0.5	0.4	0.5	0.3	0.5

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
	Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
IV.—Diseases of respiratory system—Contd.												
Asthma and emphysema.....1900	1,614	1,294	783	463	320	831	5.2	6.0	3.9	4.3	3.4	7.7
1901	1,527	1,213	795	481	314	732	4.9	5.5	3.9	4.3	3.4	6.6
1902	1,521	1,205	784	468	316	737	4.7	5.3	3.8	4.1	3.4	6.5
1903	1,509	1,237	728	456	272	781	4.6	5.3	3.5	3.9	2.9	6.7
1904	1,396	1,124	700	428	272	696	4.2	4.7	3.3	3.6	2.9	5.8
1905	1,285	1,040	638	393	245	647	3.8	4.2	2.9	3.2	2.6	5.2
1906	1,507	1,046	1,103	642	461	404	3.6	4.0	3.3	3.5	2.9	5.0
1907	1,604	1,096	1,116	608	508	488	3.7	4.0	3.2	3.2	3.2	5.8
1908	1,488	942	1,109	563	546	379	3.2	3.3	2.9	2.8	3.0	4.7
1909	1,556	930	1,276	650	626	280	3.1	3.1	2.9	2.8	3.0	4.2
Annual average 1900 to 1909	1,501	1,113	903	515	388	598	4.0	4.4	3.3	3.4	3.1	5.9
Hemorrhage of lungs.....1900	871	662	475	266	209	396	2.8	3.1	2.4	2.5	2.3	3.7
1901	844	665	450	271	179	394	2.7	3.0	2.2	2.4	2.0	3.6
1902	773	615	414	256	158	359	2.4	2.7	2.0	2.2	1.7	3.2
1903	753	615	428	290	138	325	2.3	2.6	2.0	2.5	1.5	2.8
1904	675	531	386	242	144	289	2.0	2.2	1.8	2.0	1.5	2.4
1905	707	551	401	245	156	306	2.1	2.2	1.8	2.0	1.7	2.5
1906	761	523	559	321	238	202	1.8	2.0	1.7	1.8	1.5	2.5
1907	684	479	487	282	205	197	1.6	1.8	1.4	1.5	1.3	2.3
1908	634	432	471	269	202	163	1.4	1.5	1.2	1.3	1.1	2.0
1909	601	399	466	264	202	135	1.2	1.3	1.1	1.1	1.0	2.0
Annual average 1900 to 1909	730	547	454	271	183	277	1.9	2.2	1.6	1.8	1.4	2.8
Other diseases of respiratory system.....1900	706	467	452	213	239	254	2.3	2.2	2.3	2.0	2.6	2.3
1901	812	546	511	245	266	301	2.6	2.5	2.5	2.2	2.9	2.7
1902	738	502	450	214	236	288	2.3	2.2	2.2	1.9	2.6	2.5
1903	733	518	482	267	215	251	2.2	2.2	2.3	2.3	2.3	2.1
1904	638	433	399	194	205	239	1.9	1.8	1.9	1.6	2.2	2.0
1905	650	480	389	219	170	261	1.9	1.9	1.8	1.8	1.8	2.1
1906	745	414	614	283	331	131	1.8	1.6	1.8	1.6	2.1	1.6
1907	833	450	698	315	383	135	1.9	1.7	2.0	1.7	2.4	1.6
1908	700	369	600	269	331	100	1.5	1.3	1.6	1.3	1.8	1.2
1909	734	333	656	255	401	78	1.4	1.1	1.5	1.1	1.9	1.2
Annual average 1900 to 1909	729	451	525	247	278	204	1.9	1.8	1.9	1.7	2.2	2.0
V.—Diseases of digestive system.....1900	69,607	51,706	45,812	27,911	17,901	23,795	226.2	240.7	229.5	261.5	192.7	220.2
1901	62,950	48,484	40,526	26,060	14,466	22,424	200.7	217.9	199.6	232.9	158.6	202.7
1902	61,192	47,821	38,021	24,650	13,371	23,171	191.0	209.2	184.1	214.8	145.8	203.6
1903	61,219	47,671	38,069	24,521	13,548	23,150	187.2	203.2	181.4	208.6	146.7	197.7
1904	66,125	51,856	41,427	27,158	14,269	24,698	198.3	215.7	194.2	225.8	153.3	205.6
1905	68,940	53,343	43,583	27,986	15,597	25,357	202.5	216.0	200.9	226.8	166.7	205.3
1906	86,278	59,219	69,375	42,316	27,059	16,903	205.5	224.8	205.0	232.6	173.0	207.5
1907	84,800	59,636	67,513	42,349	25,164	17,287	197.1	219.7	195.1	226.0	158.5	205.6
1908	89,643	59,792	72,774	42,923	29,851	16,869	191.6	209.8	188.0	210.2	163.2	208.7
1909	91,970	59,937	77,956	45,923	32,033	14,014	180.8	202.1	176.0	199.1	151.0	212.7
Annual average 1900 to 1909	74,272	53,947	53,506	33,180	20,326	20,767	197.0	215.4	193.6	221.4	160.7	206.5
Diseases of mouth.....1900	270	180	169	79	90	101	0.9	0.8	0.8	0.7	1.0	0.9
1901	256	185	161	90	71	95	0.8	0.8	0.8	0.8	0.8	0.9
1902	229	170	128	69	59	101	0.7	0.7	0.6	0.6	0.6	0.9
1903	235	177	138	80	58	97	0.7	0.8	0.7	0.7	0.6	0.8
1904	256	196	146	86	60	110	0.8	0.8	0.7	0.7	0.6	0.9
1905	232	172	138	78	60	94	0.7	0.7	0.6	0.6	0.6	0.8
1906	335	213	255	133	122	80	0.8	0.8	0.8	0.7	0.8	1.0
1907	305	178	245	118	127	60	0.7	0.7	0.7	0.6	0.8	0.7
1908	324	199	269	144	125	55	0.7	0.7	0.7	0.7	0.7	0.7
1909	356	204	287	135	152	69	0.7	0.7	0.6	0.6	0.7	1.0
Annual average 1900 to 1909	280	187	194	101	92	86	0.7	0.7	0.7	0.7	0.7	0.9
Tonsilitis.....1900	351	216	223	88	135	128	1.1	1.0	1.1	0.8	1.5	1.2
1901	285	174	184	73	111	101	0.9	0.8	0.9	0.7	1.2	0.9
1902	258	165	162	69	93	96	0.8	0.7	0.8	0.6	1.0	0.8
1903	258	151	179	72	107	79	0.8	0.6	0.9	0.6	1.2	0.7
1904	290	179	198	87	111	92	0.9	0.7	0.9	0.7	1.2	0.8
1905	270	171	171	72	99	99	0.8	0.7	0.8	0.6	1.1	0.8
1906	376	207	315	146	169	61	0.9	0.8	0.9	0.8	1.1	0.7
1907	445	223	380	158	222	65	1.0	0.8	1.1	0.8	1.4	0.8
1908	386	211	324	149	175	62	0.8	0.7	0.8	0.7	1.0	0.8
1909	434	231	384	181	203	50	0.9	0.8	0.9	0.8	1.0	0.8
Annual average 1900 to 1909	335	193	252	110	143	83	0.9	0.8	0.9	0.7	1.1	0.8
Other diseases of pharynx.....1900	313	219	186	92	94	127	1.0	1.0	0.9	0.9	1.0	1.2
1901	282	203	181	102	79	101	0.9	0.9	0.9	0.9	0.9	0.9
1902	329	235	218	124	94	111	1.0	1.0	1.1	1.1	1.0	1.0
1903	294	213	184	103	81	110	0.9	0.9	0.9	0.9	0.9	0.9
1904	340	237	232	129	103	108	1.0	1.0	1.1	1.1	1.1	0.9
1905	324	225	210	111	99	114	1.0	0.9	1.0	0.9	1.1	0.9
1906	389	264	310	185	125	79	0.9	1.0	0.9	1.0	0.8	1.0
1907	416	271	344	199	145	72	1.0	1.0	1.0	1.1	0.9	0.9
1908	441	296	356	211	145	85	0.9	1.0	0.9	1.0	0.8	1.1
1909	487	293	435	241	194	52	1.0	1.0	1.0	1.0	0.9	0.8
Annual average 1900 to 1909	362	246	266	150	116	96	1.0	1.0	1.0	1.0	0.9	1.0

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
	Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
V.—Diseases of digestive system—Continued.												
Ulcer of stomach.....1900	804	569	534	299	235	270	2.6	2.6	2.7	2.8	2.5	2.5
1901	871	645	566	340	226	305	2.8	2.9	2.8	3.0	2.5	2.8
1902	905	689	608	392	216	297	2.8	3.0	2.9	3.4	2.4	2.6
1903	905	669	565	329	236	340	2.8	2.9	2.7	2.8	2.6	2.9
1904	1,044	791	643	390	253	401	3.1	3.3	3.0	3.2	2.7	3.3
1905	1,094	852	646	404	242	448	3.2	3.5	3.0	3.3	2.6	3.6
1906	1,423	1,015	1,098	690	408	325	3.4	3.9	3.2	3.8	2.6	4.0
1907	1,481	1,052	1,121	692	429	360	3.4	3.9	3.2	3.7	2.7	4.3
1908	1,523	1,041	1,231	749	482	292	3.3	3.7	3.2	3.7	2.6	3.6
1909	1,770	1,196	1,494	920	574	276	3.5	4.0	3.4	4.0	2.7	4.2
Annual average 1900 to 1909	1,182	852	851	521	330	331	3.1	3.4	3.1	3.5	2.6	3.3
Gastritis.....1900	4,308	2,968	2,709	1,369	1,340	1,599	14.0	13.8	13.6	12.8	14.4	14.8
1901	3,764	2,681	2,327	1,244	1,083	1,437	12.0	12.0	11.5	11.1	11.9	13.0
1902	3,693	2,597	2,258	1,162	1,096	1,435	11.5	11.4	10.9	10.1	12.0	12.6
1903	3,797	2,713	2,340	1,256	1,084	1,457	11.6	11.6	11.1	10.7	11.7	12.4
1904	3,710	2,703	2,250	1,243	1,007	1,460	11.1	11.2	10.5	10.3	10.8	12.2
1905	3,585	2,570	2,172	1,157	1,015	1,413	10.5	10.4	10.0	9.4	10.8	11.4
1906	4,275	2,692	3,348	1,765	1,583	927	10.2	10.2	9.9	9.7	10.1	11.4
1907	4,109	2,573	3,158	1,622	1,536	951	9.6	9.5	9.1	8.7	9.7	11.3
1908	4,149	2,515	3,308	1,674	1,634	841	8.9	8.8	8.5	8.2	8.9	10.4
1909	4,138	2,375	3,562	1,799	1,763	576	8.1	8.0	8.0	7.8	8.3	8.7
Annual average 1900 to 1909	3,953	2,639	2,743	1,429	1,314	1,210	10.5	10.5	9.9	9.5	10.4	12.0
Other diseases of stomach.....1900	2,093	1,236	1,520	663	857	573	6.8	5.8	7.6	6.2	9.2	5.3
1901	1,840	1,170	1,296	626	670	544	5.9	5.3	6.4	5.6	7.3	4.9
1902	1,869	1,188	1,301	620	681	568	5.8	5.2	6.3	5.4	7.4	5.0
1903	1,991	1,201	1,469	679	790	522	6.1	5.1	7.0	5.8	8.6	4.5
1904	2,233	1,412	1,598	777	821	635	6.7	5.9	7.5	6.5	8.8	5.3
1905	2,446	1,527	1,732	813	919	714	7.2	6.2	8.0	6.6	9.8	5.8
1906	3,427	1,919	2,945	1,437	1,508	482	8.2	7.3	8.7	7.9	9.6	5.9
1907	3,478	1,971	2,948	1,441	1,507	530	8.1	7.3	8.5	7.7	9.5	6.3
1908	3,681	1,885	3,173	1,377	1,796	508	7.9	6.6	8.2	6.7	9.8	6.3
1909	4,033	1,971	3,577	1,515	2,062	456	7.9	6.6	8.1	6.6	9.7	6.9
Annual average 1900 to 1909	2,709	1,548	2,156	995	1,161	553	7.2	6.2	7.8	6.6	9.2	5.5
Dentition.....1900	699	639	332	272	60	367	2.3	3.0	1.7	2.5	0.6	3.4
1901	342	305	158	121	37	184	1.1	1.4	0.8	1.1	0.4	1.7
1902	321	287	133	99	34	188	1.0	1.3	0.6	0.9	0.4	1.7
1903	210	185	68	43	25	142	0.6	0.8	0.3	0.4	0.3	1.2
1904	173	150	57	34	23	116	0.5	0.6	0.3	0.3	0.2	1.0
1905	209	177	76	44	32	133	0.6	0.7	0.4	0.4	0.3	1.1
1906	168	129	118	79	39	50	0.4	0.5	0.3	0.4	0.2	0.6
1907	202	148	140	86	54	62	0.5	0.5	0.4	0.5	0.3	0.7
1908	130	98	84	52	32	46	0.3	0.3	0.2	0.3	0.2	0.6
1909	107	71	69	33	36	38	0.2	0.2	0.2	0.1	0.2	0.6
Annual average 1900 to 1909	256	219	124	86	37	133	0.7	0.9	0.4	0.6	0.3	1.3
Diarrhea and enteritis (all ages).....1900	40,985	31,082	27,929	18,026	9,903	13,056	133.2	144.7	139.9	168.9	106.6	120.8
1901	35,596	28,264	23,619	16,287	7,332	11,977	113.5	127.0	116.3	145.6	80.4	108.3
1902	33,627	27,194	21,303	14,870	6,433	12,324	105.0	119.0	103.2	129.6	70.1	108.3
1903	33,035	26,684	20,754	14,403	6,351	12,281	101.0	113.7	98.9	122.5	68.8	104.9
1904	36,864	29,946	23,537	16,619	6,918	13,327	110.6	124.6	110.3	138.2	74.3	110.9
1905	39,399	31,307	25,472	17,380	8,092	13,927	115.7	126.8	117.4	140.8	86.5	112.7
1906	50,385	34,966	41,265	25,846	15,419	9,120	120.0	132.7	122.0	142.0	98.6	111.9
1907	48,739	35,321	39,398	25,980	13,418	9,341	113.3	130.1	113.8	138.7	84.5	111.1
1908	52,213	35,316	43,021	26,124	16,897	9,192	111.6	123.9	111.1	128.0	92.4	113.7
1909	52,516	35,004	44,649	27,137	17,512	7,867	103.2	118.0	100.8	117.6	82.5	119.4
Annual average 1900 to 1909	42,336	31,508	31,095	20,267	10,828	11,241	112.3	125.8	112.5	135.2	85.6	111.8
Hernia.....1900	1,160	896	735	471	264	425	3.8	4.2	3.7	4.4	2.9	3.9
1901	1,272	962	820	510	310	452	4.1	4.3	4.0	4.6	3.4	4.1
1902	1,316	1,038	836	558	278	480	4.1	4.5	4.0	4.9	3.0	4.2
1903	1,412	1,107	884	579	305	528	4.3	4.7	4.2	4.9	3.3	4.5
1904	1,405	1,102	870	567	303	535	4.2	4.6	4.1	4.7	3.3	4.5
1905	1,413	1,122	904	613	291	509	4.1	4.5	4.2	5.0	3.1	4.1
1906	1,771	1,333	1,405	967	438	366	4.2	5.1	4.2	5.3	2.8	4.5
1907	1,785	1,278	1,461	954	507	324	4.1	4.7	4.2	5.1	3.2	3.9
1908	1,867	1,324	1,491	948	543	376	4.0	4.6	3.9	4.6	3.0	4.7
1909	2,018	1,428	1,707	1,117	590	311	4.0	4.8	3.9	4.8	2.8	4.7
Annual average 1900 to 1909	1,542	1,159	1,111	728	383	431	4.1	4.6	4.0	4.9	3.0	4.3
Obstruction of intestines.....1900	2,586	1,851	1,637	902	735	949	8.4	8.6	8.2	8.5	7.9	8.8
1901	2,666	1,957	1,657	948	709	1,009	8.5	8.8	8.2	8.5	7.8	9.1
1902	2,691	2,073	1,644	1,026	618	1,047	8.4	9.1	8.0	8.9	6.7	9.2
1903	2,844	2,087	1,799	1,042	757	1,045	8.7	8.9	8.6	8.9	8.2	8.9
1904	3,040	2,289	1,900	1,149	751	1,140	9.1	9.5	8.9	9.6	8.1	9.5
1905	3,219	2,380	1,994	1,155	839	1,225	9.5	9.6	9.2	9.4	9.0	9.9
1906	3,926	2,624	3,097	1,795	1,302	829	9.4	10.0	9.2	9.9	8.3	10.2
1907	3,937	2,652	3,127	1,842	1,285	810	9.2	9.8	9.0	9.8	8.1	9.6
1908	4,109	2,694	3,339	1,924	1,415	770	8.8	9.5	8.6	9.4	7.7	9.5
1909	4,353	2,761	3,713	2,121	1,592	640	8.6	9.3	8.4	9.2	7.5	9.7
Annual average 1900 to 1909	3,337	2,337	2,391	1,390	1,000	946	8.9	9.3	8.7	9.3	7.9	9.4

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
	Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
V.—Diseases of digestive system—Continued.												
Other diseases of intestines....1900	1,007	639	636	268	368	371	3.3	3.0	3.2	2.5	4.0	3.4
1901	982	665	649	332	317	333	3.1	3.0	3.2	3.0	3.5	3.0
1902	961	620	641	300	341	320	3.0	2.7	3.1	2.6	3.7	2.8
1903	944	638	614	308	306	330	2.9	2.7	2.9	2.6	3.3	2.8
1904	969	665	626	322	304	343	2.9	2.8	2.9	2.7	3.3	2.9
1905	1,061	714	701	354	347	360	3.1	2.9	3.2	2.9	3.7	2.9
1906	1,287	762	1,040	515	525	247	3.1	2.9	3.1	2.8	3.4	3.0
1907	1,164	696	932	464	468	232	2.7	2.6	2.7	2.5	2.9	2.8
1908	1,313	774	1,069	530	539	244	2.8	2.7	2.8	2.6	2.9	3.0
1909	1,473	837	1,281	645	636	192	2.9	2.8	2.9	2.8	3.0	2.9
Annual average 1900 to 1909	1,116	701	819	404	415	297	3.0	2.8	3.0	2.7	3.3	3.0
Acute yellow atrophy of liver....1900	104	69	79	44	35	25	0.3	0.3	0.4	0.4	0.4	0.2
1901	104	68	71	35	36	33	0.3	0.3	0.3	0.3	0.4	0.3
1902	144	95	91	42	49	53	0.4	0.4	0.4	0.4	0.5	0.5
1903	119	76	76	33	43	43	0.4	0.3	0.4	0.3	0.5	0.4
1904	143	99	95	51	44	48	0.4	0.4	0.4	0.4	0.5	0.4
1905	147	101	92	46	46	55	0.4	0.4	0.4	0.4	0.5	0.4
1906	152	96	121	65	56	31	0.4	0.4	0.4	0.4	0.4	0.4
1907	169	90	137	58	79	32	0.4	0.3	0.4	0.3	0.5	0.4
1908	187	115	155	83	72	32	0.4	0.4	0.4	0.4	0.4	0.4
1909	211	124	185	98	87	26	0.4	0.4	0.4	0.4	0.4	0.4
Annual average 1900 to 1909	148	93	110	56	55	38	0.4	0.4	0.4	0.4	0.4	0.4
Hydatid tumors of liver....1900	10	8	8	6	2	2	(1)	(1)	(1)	0.1	(1)	(1)
1901	8	8	4	4		4	(1)	(1)	(1)	(1)		(1)
1902	14	11	10	7	3	4	(1)	(1)	(1)	0.1	(1)	(1)
1903	9	6	8	5	3	1	(1)	(1)	(1)	(1)	(1)	(1)
1904	12	7	10	5	5	2	(1)	(1)	(1)	(1)	0.1	(1)
1905	14	13	9	8	1	5	(1)	0.1	(1)	0.1	(1)	(1)
1906	13	9	8	4	4	5	(1)	(1)	(1)	(1)	(1)	0.1
1907	9	9	5	5		4	(1)	(1)	(1)	(1)		(1)
1908	13	10	8	5	3	5	(1)	(1)	(1)	(1)	(1)	0.1
1909	19	16	16	13	3	3	(1)	0.1	(1)	0.1	(1)	(1)
Annual average 1900 to 1909	12	10	9	6	2	4	(1)	(1)	(1)	(1)	(1)	(1)
Cirrhosis of liver....1900	3,970	3,159	2,503	1,692	811	1,467	12.9	14.7	12.6	15.9	8.7	13.6
1901	4,265	3,461	2,647	1,843	804	1,618	13.6	15.6	13.0	16.5	8.8	14.6
1902	4,460	3,618	2,671	1,829	842	1,789	13.9	15.8	12.9	15.9	9.2	15.7
1903	4,731	3,813	2,834	1,916	918	1,897	14.5	16.2	13.5	16.3	9.9	16.2
1904	5,020	4,048	2,958	1,986	972	2,062	15.1	16.8	13.9	16.5	10.4	17.2
1905	4,994	4,044	3,041	2,091	950	1,953	14.7	16.4	14.0	16.9	10.2	15.8
1906	6,079	4,548	4,748	3,217	1,531	1,331	14.5	17.3	14.0	17.7	9.8	16.3
1907	6,604	4,874	5,112	3,382	1,730	1,492	15.4	18.0	14.8	18.0	10.9	17.7
1908	6,709	4,841	5,216	3,348	1,868	1,493	14.3	17.0	13.5	16.4	10.2	18.5
1909	7,045	4,848	5,939	3,742	2,197	1,106	13.8	16.3	13.4	16.2	10.4	16.8
Annual average 1900 to 1909	5,388	4,125	3,767	2,505	1,262	1,621	14.3	16.5	13.6	16.7	10.0	16.1
Biliary calculi....1900	459	319	277	137	140	182	1.5	1.5	1.4	1.3	1.5	1.7
1901	500	377	287	164	123	213	1.6	1.7	1.4	1.5	1.3	1.9
1902	668	513	379	224	155	289	2.1	2.2	1.8	2.0	1.7	2.5
1903	795	618	440	263	177	355	2.4	2.6	2.1	2.2	1.9	3.0
1904	832	643	484	295	189	348	2.5	2.7	2.3	2.5	2.0	2.9
1905	883	672	508	297	211	375	2.6	2.7	2.3	2.4	2.3	3.0
1906	1,134	804	858	528	330	276	2.7	3.1	2.5	2.9	2.1	3.4
1907	1,110	773	861	524	337	249	2.6	2.8	2.5	2.8	2.1	3.0
1908	1,275	885	980	590	390	295	2.7	3.1	2.5	2.9	2.1	3.6
1909	1,486	965	1,250	729	521	236	2.9	3.3	2.8	3.2	2.5	3.6
Annual average 1900 to 1909	914	657	632	375	257	282	2.4	2.6	2.3	2.5	2.0	2.8
Other diseases of liver....1900	2,730	1,794	1,714	778	936	1,016	8.9	8.4	8.6	7.2	10.1	9.4
1901	2,558	1,688	1,633	763	870	925	8.2	7.6	8.0	6.8	9.5	8.4
1902	2,483	1,672	1,567	756	811	916	7.8	7.3	7.6	6.6	8.8	8.0
1903	2,545	1,735	1,593	783	810	952	7.8	7.4	7.6	6.7	8.8	8.1
1904	2,340	1,593	1,484	737	747	856	7.0	6.6	7.0	6.1	8.0	7.1
1905	2,289	1,568	1,451	730	721	838	6.7	6.3	6.7	5.9	7.7	6.8
1906	2,851	1,754	2,228	1,131	1,097	623	6.8	6.7	6.6	6.2	7.0	7.6
1907	2,808	1,722	2,183	1,097	1,086	625	6.5	6.3	6.3	5.9	6.8	7.4
1908	2,746	1,641	2,152	1,047	1,105	594	5.9	5.8	5.6	5.1	6.0	7.3
1909	2,829	1,666	2,361	1,198	1,163	468	5.6	5.6	5.3	5.2	5.5	7.1
Annual average 1900 to 1909	2,618	1,683	1,837	902	935	781	6.9	6.7	6.6	6.0	7.4	7.8
Diseases of spleen....1900	89	51	62	24	38	27	0.3	0.2	0.3	0.2	0.4	0.2
1901	82	50	52	20	32	30	0.3	0.2	0.3	0.2	0.4	0.3
1902	89	61	63	35	28	26	0.3	0.3	0.3	0.3	0.3	0.2
1903	88	62	57	31	26	31	0.3	0.3	0.3	0.3	0.3	0.3
1904	76	51	57	32	25	19	0.2	0.2	0.3	0.3	0.3	0.2
1905	90	55	61	26	35	29	0.3	0.2	0.3	0.2	0.4	0.2
1906	101	52	83	34	49	18	0.2	0.2	0.2	0.2	0.3	0.2
1907	89	59	72	42	30	17	0.2	0.2	0.2	0.2	0.2	0.2
1908	94	55	76	37	39	18	0.2	0.2	0.2	0.2	0.2	0.2
1909	97	58	82	43	39	15	0.2	0.2	0.2	0.2	0.2	0.2
Annual average 1900 to 1909	90	55	67	32	34	23	0.2	0.2	0.2	0.2	0.3	0.2

[1] Less than one-tenth.

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
	Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
V.—Diseases of digestive system—Continued.												
Peritonitis....1900	4,639	3,395	2,765	1,521	1,244	1,874	15.1	15.8	13.9	14.3	13.4	17.4
1901	4,091	3,019	2,391	1,319	1,072	1,700	13.0	13.6	11.8	11.8	11.8	15.4
1902	3,824	2,894	2,119	1,189	930	1,705	11.9	12.7	10.3	10.4	10.1	15.0
1903	3,333	2,503	1,981	1,151	830	1,352	10.2	10.7	9.4	9.8	9.0	11.5
1904	3,331	2,394	1,991	1,054	937	1,340	10.0	10.0	9.3	8.8	10.1	11.2
1905	3,105	2,177	1,881	953	928	1,224	9.1	8.8	8.7	7.7	9.9	9.9
1906	3,357	2,105	2,543	1,291	1,252	814	8.0	8.0	7.5	7.1	8.0	10.0
1907	3,131	1,992	2,300	1,161	1,139	831	7.3	7.3	6.6	6.2	7.2	9.9
1908	2,978	1,780	2,284	1,086	1,198	694	6.4	6.2	5.9	5.3	6.6	8.6
1909	2,611	1,462	2,168	1,019	1,149	443	5.1	4.9	4.9	4.4	5.4	6.7
Annual average 1900 to 1909	3,440	2,372	2,242	1,174	1,068	1,198	9.1	9.5	8.1	7.8	8.4	11.9
Appendicitis....1900	2,987	2,382	1,763	1,158	605	1,224	9.7	11.1	8.8	10.9	6.5	11.3
1901	3,131	2,553	1,794	1,216	578	1,337	10.0	11.5	8.8	10.9	6.3	12.1
1902	3,216	2,629	1,825	1,238	587	1,391	10.0	11.5	8.8	10.8	6.4	12.2
1903	3,589	2,965	2,031	1,407	624	1,558	11.0	12.6	9.7	12.0	6.8	13.3
1904	3,946	3,267	2,224	1,545	679	1,722	11.8	13.6	10.4	12.8	7.3	14.3
1905	4,062	3,410	2,256	1,604	652	1,806	11.9	13.8	10.4	13.0	7.0	14.6
1906	4,673	3,615	3,468	2,410	1,058	1,205	11.1	13.7	10.2	13.2	6.8	14.8
1907	4,671	3,637	3,475	2,441	1,034	1,196	10.9	13.4	10.0	13.0	6.5	14.2
1908	5,289	3,956	4,061	2,728	1,333	1,228	11.3	13.9	10.5	13.4	7.3	15.2
1909	5,768	4,264	4,600	3,096	1,504	1,168	11.3	14.4	10.4	13.4	7.1	17.7
Annual average 1900 to 1909	4,133	3,268	2,750	1,884	865	1,384	11.0	13.0	9.9	12.6	6.8	13.8
Other diseases of digestive system....1900	43	34	31	22	9	12	0.1	0.2	0.1	0.2	0.1	0.1
1901	55	49	29	23	6	26	0.2	0.2	0.1	0.2	0.1	0.2
1902	95	72	64	41	23	31	0.3	0.3	0.3	0.4	0.3	0.3
1903	85	68	55	38	17	30	0.3	0.3	0.3	0.3	0.2	0.3
1904	101	84	67	50	17	34	0.3	0.3	0.3	0.4	0.2	0.3
1905	104	86	68	50	18	36	0.3	0.3	0.3	0.4	0.2	0.3
1906	156	112	122	78	44	34	0.4	0.4	0.4	0.4	0.3	0.4
1907	148	117	114	83	31	34	0.3	0.4	0.3	0.4	0.2	0.4
1908	216	156	177	117	60	39	0.5	0.5	0.5	0.6	0.3	0.5
1909	219	163	197	141	56	22	0.4	0.5	0.4	0.6	0.3	0.3
Annual average 1900 to 1909	122	94	92	64	28	30	0.3	0.4	0.3	0.4	0.2	0.3
VI.—Diseases of genito-urinary system....1900	32,567	24,996	21,189	13,618	7,571	11,378	105.9	116.4	106.2	127.6	81.5	105.3
1901	33,489	25,976	21,650	14,137	7,513	11,839	106.8	116.7	106.6	126.4	82.4	107.0
1902	34,608	26,944	22,149	14,485	7,664	12,459	108.0	117.9	107.3	126.2	83.5	109.5
1903	38,013	29,752	23,882	15,621	8,261	14,131	116.2	126.8	113.8	132.9	89.4	120.7
1904	40,450	31,724	25,629	16,903	8,726	14,821	121.3	132.0	120.1	140.6	93.8	123.4
1905	41,361	32,567	25,807	17,013	8,794	15,554	121.5	131.9	118.9	137.9	94.0	125.9
1906	48,038	34,933	38,117	25,012	13,105	9,921	114.4	132.6	112.7	137.5	83.8	121.8
1907	51,472	37,407	40,706	26,641	14,065	10,766	119.7	137.8	117.6	142.2	88.6	128.0
1908	51,717	36,296	41,467	26,046	15,421	10,250	110.5	127.3	107.1	127.6	84.3	126.8
1909	57,070	38,437	46,177	29,544	18,633	8,893	112.2	129.6	108.8	128.1	87.8	135.0
Annual average 1900 to 1909	42,879	31,903	30,877	19,902	10,975	12,001	113.8	127.4	111.7	132.8	86.8	119.4
Acute nephritis....1900	2,312	1,929	1,536	1,153	383	776	7.5	9.0	7.7	10.8	4.1	7.2
1901	2,498	2,033	1,745	1,280	465	753	8.0	9.1	8.6	11.4	5.1	6.8
1902	2,983	2,470	2,038	1,525	513	945	9.3	10.8	9.9	13.3	5.6	8.3
1903	3,173	2,613	2,116	1,556	560	1,057	9.7	11.1	10.1	13.2	6.1	9.0
1904	3,470	2,852	2,277	1,659	618	1,193	10.4	11.9	10.7	13.8	6.6	9.9
1905	3,565	2,965	2,305	1,705	600	1,260	10.5	12.0	10.6	13.8	6.4	10.2
1906	4,035	3,058	3,277	2,300	977	758	9.6	11.6	9.7	12.6	6.2	9.3
1907	4,517	3,438	3,573	2,494	1,079	944	10.5	12.7	10.3	13.3	6.8	11.2
1908	4,632	3,368	3,834	2,570	1,264	798	9.9	11.8	9.9	12.6	6.9	9.9
1909	5,018	3,540	4,239	2,761	1,478	779	9.9	11.9	9.6	12.0	7.0	11.8
Annual average 1900 to 1909	3,620	2,827	2,694	1,900	794	926	9.6	11.3	9.7	12.7	6.3	9.2
Bright's disease....1900	25,065	19,515	16,163	10,613	5,550	8,902	81.5	90.9	81.0	99.4	59.8	82.4
1901	25,507	19,968	16,450	10,911	5,539	9,057	81.3	89.7	81.0	97.5	60.7	81.9
1902	26,136	20,439	16,604	10,907	5,697	9,532	81.6	89.4	80.4	95.0	62.1	83.8
1903	28,641	22,463	18,042	11,864	6,178	10,599	87.6	95.7	86.0	100.9	66.9	90.5
1904	30,911	24,349	19,574	13,012	6,562	11,337	92.7	101.3	91.8	108.2	70.5	94.4
1905	31,631	24,890	19,732	12,991	6,741	11,899	92.9	100.8	90.9	105.3	72.0	96.3
1906	36,898	27,044	29,131	19,277	9,854	7,767	87.9	102.7	86.1	105.9	63.0	95.3
1907	39,519	28,874	31,279	20,634	10,645	8,240	91.9	106.4	90.4	110.1	67.1	98.0
1908	39,203	27,609	31,317	19,723	11,594	7,886	83.8	96.9	80.9	96.6	63.4	97.6
1909	43,412	29,350	36,648	22,586	14,062	6,764	85.3	99.0	82.8	97.9	66.0	102.7
Annual average 1900 to 1909	32,692	24,450	23,494	15,252	8,242	9,198	86.7	97.6	85.0	101.8	65.2	91.5
Other diseases of kidneys....1900	990	637	672	319	353	318	3.2	3.0	3.4	3.0	3.8	2.9
1901	947	658	596	307	289	351	3.0	3.0	2.9	2.7	3.2	3.2
1902	938	700	575	337	238	363	2.9	3.1	2.8	2.9	2.6	3.2
1903	917	670	555	308	247	362	2.8	2.9	2.6	2.6	2.7	3.1
1904	923	678	608	363	245	315	2.8	2.8	2.9	3.0	2.6	2.6
1905	906	690	547	331	216	359	2.7	2.8	2.5	2.7	2.3	2.9
1906	1,116	723	913	520	393	203	2.7	2.7	2.7	2.9	2.5	2.5
1907	1,130	739	922	531	391	208	2.6	2.7	2.7	2.8	2.5	2.5
1908	1,280	798	1,052	570	482	228	2.7	2.8	2.7	2.8	2.6	2.8
1909	1,318	828	1,117	627	490	201	2.6	2.8	2.5	2.7	2.3	3.1
Annual average 1900 to 1909	1,047	712	756	421	334	291	2.8	2.8	2.7	2.8	2.6	2.9

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
VI.—Diseases of genito-urinary system—Con.													
Calculi of urinary tract	1900	116	86	72	42	30	44	0.4	0.4	0.4	0.4	0.3	0.4
	1901	126	104	73	51	22	53	0.4	0.5	0.4	0.5	0.2	0.5
	1902	150	113	96	59	37	54	0.5	0.5	0.5	0.5	0.4	0.5
	1903	151	117	88	54	34	63	0.5	0.5	0.4	0.5	0.4	0.5
	1904	154	117	98	61	37	56	0.5	0.5	0.5	0.5	0.4	0.5
	1905	193	160	106	73	33	87	0.6	0.6	0.5	0.6	0.4	0.7
	1906	227	156	178	107	71	49	0.5	0.6	0.5	0.6	0.5	0.6
	1907	229	165	173	109	64	56	0.5	0.6	0.5	0.6	0.4	0.7
	1908	250	172	209	131	78	41	0.5	0.6	0.5	0.6	0.4	0.5
	1909	292	201	232	141	91	60	0 6	0.7	0.5	0.6	0.4	0.9
Annual average 1900 to 1909		189	139	133	83	50	56	0.5	0.6	0.5	0.6	0.4	0.6
Diseases of bladder	1900	1,644	947	1,210	513	697	434	5.3	4.4	6.1	4.8	7.5	4.0
	1901	1,530	912	1,100	482	618	430	4.9	4.1	5.4	4.3	6.8	3.9
	1902	1,432	877	1,016	461	555	416	4.5	3.8	4.9	4.0	6.1	3.7
	1903	1,450	899	1,006	455	551	444	4.4	3.8	4.8	3.9	6.0	3.8
	1904	1,408	820	987	399	588	421	4.2	3.4	4.6	3 3	6.3	3.5
	1905	1,257	721	930	394	536	327	3.7	2.9	4.3	3.2	5.7	2.6
	1906	1,406	725	1,194	513	681	212	3.3	2.8	3.5	2.8	4.4	2.6
	1907	1,491	773	1,237	519	718	254	3.5	2.8	3.6	2.8	4.5	3.0
	1908	1,476	753	1,284	561	723	192	3.2	2.6	3.3	2.7	4.0	2.4
	1909	1,484	665	1,350	531	819	134	2.9	2.2	3.0	2.3	3.9	2.0
Annual average 1900 to 1909		1,458	809	1,131	483	649	326	3.9	3.2	4.1	3.2	5.1	3.2
Uterine tumor	1900	403	323	253	173	80	150	1.3	1.5	1.3	1.6	0.9	1.4
	1901	529	443	294	208	86	235	1.7	2.0	1.4	1.9	0.9	2.1
	1902	536	436	338	238	100	198	1.7	1.9	1.6	2.1	1.1	1.7
	1903	608	508	336	236	100	272	1.9	2.2	1.6	2.0	1.1	2.3
	1904	620	540	365	285	80	255	1.9	2.2	1.7	2.4	0.9	2.1
	1905	611	523	338	250	88	273	1.8	2.1	1.6	2.0	0.9	2.2
	1906	731	581	573	423	150	158	1.7	2.2	1.7	2.3	1.0	1.9
	1907	813	650	599	436	163	214	1.9	2.4	1.7	2.3	1.0	2.5
	1908	845	666	648	469	179	197	1.8	2.3	1.7	2.3	1.0	2.4
	1909	862	663	698	499	199	164	1.7	2.2	1.6	2.2	0.9	2.5
Annual average 1900 to 1909		656	533	444	322	123	212	1.7	2.1	1.6	2.1	1.0	2.1
Other diseases of uterus	1900	634	493	353	212	141	281	2.1	2.3	1.8	2.0	1.5	2.6
	1901	620	520	336	236	100	284	2.0	2.3	1.7	2.1	1.1	2.6
	1902	606	497	329	220	109	277	1.9	2.2	1.6	1.9	1.2	2.4
	1903	703	579	376	252	124	327	2.1	2.5	1.8	2.1	1.3	2.8
	1904	654	537	350	233	117	304	2.0	2.2	1.6	1.9	1.3	2.5
	1905	682	559	395	272	123	287	2.0	2.3	1.8	2.2	1.3	2.3
	1906	799	597	635	433	202	164	1.9	2.3	1.9	2.4	1.3	2.0
	1907	765	564	575	374	201	190	1.8	2.1	1.7	2.0	1.3	2.3
	1908	807	603	602	398	204	205	1.7	2.1	1.6	1.9	1.1	2.5
	1909	838	585	665	412	253	173	1.6	2.0	1.5	1.8	1.2	2.6
Annual average 1900 to 1909		711	553	462	304	157	249	1.9	2.2	1.7	2.0	1.2	2.5
Ovarian tumor	1900	349	253	234	138	96	115	1.1	1.2	1.2	1.3	1.0	1.1
	1901	411	318	260	167	93	151	1.3	1.4	1.3	1.5	1.0	1.4
	1902	428	338	265	175	90	163	1.3	1.5	1.3	1.5	1.0	1.4
	1903	439	362	239	162	77	200	1.3	1.5	1.1	1.4	0.8	1.7
	1904	433	342	255	164	91	178	1.3	1.4	1.2	1.4	1.0	1.5
	1905	440	364	237	161	76	203	1.3	1.5	1.1	1.3	0.8	1.6
	1906	431	337	325	231	94	106	1.0	1.3	1.0	1.3	0.6	1.3
	1907	456	348	342	234	108	114	1.1	1.3	1.0	1.2	0.7	1.4
	1908	454	336	351	233	118	103	1.0	1.2	0.9	1.1	0.6	1.3
	1909	518	386	428	296	132	90	1.0	1.3	1.0	1.3	0.6	1.4
Annual average 1900 to 1909		436	338	294	196	98	142	1.2	1.4	1.1	1.3	0.8	1.4
Diseases of tubes	1900	351	331	201	181	20	150	1.1	1.5	1.0	1.7	0.2	1.4
	1901	407	389	198	180	18	209	1.3	1.7	1.0	1.6	0.2	1.9
	1902	460	437	240	217	23	220	1.4	1.9	1.2	1.9	0.3	1.9
	1903	583	551	265	233	32	318	1.8	2.3	1.3	2.0	0.3	2.7
	1904	654	613	316	275	41	338	2.0	2.6	1.5	2.3	0.4	2.8
	1905	692	657	340	305	35	352	2.0	2.7	1.6	2.5	0.4	2.8
	1906	750	666	545	461	84	205	1.8	2.5	1.6	2.5	0.5	2.5
	1907	755	690	550	485	65	205	1.8	2.5	1.6	2.6	0.4	2.4
	1908	921	804	673	556	117	248	2.0	2.8	1.7	2.7	0.6	3.1
	1909	1,024	880	798	654	144	226	2.0	3.0	1.8	2.8	0.7	3.4
Annual average 1900 to 1909		660	602	413	355	58	247	1.8	2.4	1.5	2.4	0.5	2.5
Other diseases of genito-urinary system	1900	703	482	495	274	221	208	2.3	2.2	2.5	2.6	2.4	1.9
	1901	914	631	598	315	283	316	2.9	2.8	2.9	2.8	3.1	2.9
	1902	939	637	648	346	302	291	2.9	2.8	3.1	3.0	3.3	2.6
	1903	1,348	990	859	501	358	489	4.1	4.2	4.1	4.3	3.9	4.2
	1904	1,223	876	799	452	347	424	3.7	3.6	3.7	3.8	3.7	3.5
	1905	1,384	1,038	877	531	346	507	4.1	4.2	4.0	4.3	3.7	4.1
	1906	1,645	1,046	1,346	747	599	299	3.9	4.0	4.0	4.1	3.8	3.7
	1907	1,797	1,166	1,456	825	631	341	4.2	4.3	4.2	4.4	4.0	4.1
	1908	1,849	1,187	1,497	835	662	352	4.0	4.2	3.9	4.1	3.6	4.4
	1909	2,304	1,339	2,002	1,037	965	302	4.5	4.5	4.5	4.5	4.5	4.6
Annual average 1900 to 1909		1,411	939	1,058	586	471	353	3.7	3.8	3.8	3.9	3.7	3.5

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
VII.—Childbirth	1900	4,106	3,019	2,682	1,595	1,087	1,424	13.3	14.1	13.4	14.9	11.7	13.2
	1901	4,294	3,197	2,704	1,607	1,097	1,590	13.7	14.4	13.3	14.4	12.0	14.4
	1902	4,164	3,113	2,626	1,575	1,051	1,538	13.0	13.6	12.7	13.7	11.5	13.5
	1903	4,569	3,450	2,778	1,659	1,119	1,791	14.0	14.7	13.2	14.1	12.1	15.3
	1904	5,109	3,861	3,216	1,968	1,248	1,893	15.3	16.1	15.1	16.4	13.4	15.8
	1905	5,077	3,927	3,219	2,069	1,150	1,858	14.9	15.9	14.8	16.8	12.3	15.0
	1906	6,341	4,278	5,123	3,060	2,063	1,218	15.1	16.2	15.1	16.8	13.2	14.9
	1907	6,719	4,574	5,390	3,245	2,145	1,329	15.6	16.8	15.6	17.3	13.5	15.8
	1908	7,344	4,690	6,038	3,384	2,654	1,306	15.7	16.5	15.6	16.6	14.5	16.2
	1909	7,791	4,855	6,670	3,734	2,936	1,121	15.3	16.4	15.1	16.2	13.8	17.0
Annual average 1900 to 1909		5,551	3,896	4,045	2,390	1,655	1,507	14.7	15.6	14.6	15.9	13.1	15.0
Puerperal septicemia	1900	1,769	1,327	1,155	713	442	614	5.7	6.2	5.8	6.7	4.8	5.7
	1901	1,882	1,419	1,124	661	463	758	6.0	6.4	5.5	5.9	5.1	6.9
	1902	1,813	1,431	1,092	710	382	721	5.7	6.3	5.3	6.2	4.2	6.3
	1903	1,992	1,554	1,153	715	438	839	6.1	6.6	5.5	6.1	4.7	7.2
	1904	2,291	1,780	1,403	892	511	888	6.9	7.4	6.6	7.4	5.5	7.4
	1905	2,309	1,845	1,401	937	464	908	6.8	7.5	6.5	7.6	5.0	7.4
	1906	2,622	1,861	2,069	1,308	761	553	6.2	7.1	6.1	7.2	4.9	6.8
	1907	2,908	2,087	2,248	1,427	821	660	6.8	7.7	6.5	7.6	5.2	7.8
	1908	3,271	2,186	2,617	1,532	1,085	654	7.0	7.7	6.8	7.5	5.9	8.1
	1909	3,427	2,215	2,890	1,678	1,212	537	6.7	7.5	6.5	7.3	5.7	8.2
Annual average 1900 to 1909		2,428	1,771	1,715	1,057	658	713	6.4	7.1	6.2	7.1	5.2	7.1
Puerperal convulsions	1900	671	488	442	259	183	229	2.2	2.3	2.2	2.2	2.0	2.1
	1901	803	583	546	326	220	257	2.6	2.6	2 7	2.9	2.4	2.3
	1902	768	543	517	292	225	251	2.4	2.4	2.5	2.5	2.5	2.2
	1903	929	662	594	327	267	335	2.8	2.8	2.8	2.8	2.9	2.9
	1904	1,075	763	713	401	312	362	3.2	3.2	3 3	3.3	3.4	3.0
	1905	981	740	655	414	241	326	2.9	3.0	3.0	3.4	2.6	2.6
	1906	1,348	859	1,120	631	489	228	3.2	3.3	3.3	3.5	3.1	2.8
	1907	1,470	968	1,223	721	502	247	3.4	3.6	3 5	3.8	3.2	2.9
	1908	1,619	1,022	1,356	759	597	263	3.5	3.6	3.5	3.7	3 3	3.3
	1909	1,706	1,043	1,477	814	663	229	3.4	3.5	3.3	3.5	3.1	3.5
Annual average 1900 to 1909		1,137	767	864	494	370	273	3.0	3.1	3.1	3.3	2.9	2.7
Other causes incident to childbirth	1900	1,666	1,204	1,085	623	462	581	5.4	5.6	5 4	5.8	5.0	5.4
	1901	1,609	1,195	1,034	620	414	575	5.1	5.4	5.1	5.5	4.5	5.2
	1902	1,583	1,139	1,017	573	444	566	4.9	5.0	4 9	5.0	4.8	5.0
	1903	1,648	1,234	1,031	617	414	617	5.0	5.3	4 9	5.2	4.5	5.3
	1904	1,743	1,318	1,100	675	425	643	5.2	5.5	5.2	5.6	4.6	5.4
	1905	1,787	1,342	1,163	718	445	624	5.2	5.4	5.4	5.8	4.8	5.1
	1906	2,371	1,558	1,934	1,121	813	437	5.6	5.9	5.7	6.2	5.2	5.4
	1907	2,341	1,519	1,919	1,097	822	422	5.4	5.6	5.5	5.9	5.2	5.0
	1908	2,454	1,482	2,065	1,093	972	389	5.2	5.2	5.3	5.4	5.3	4.8
	1909	2,658	1,597	2,303	1,242	1,061	355	5.2	5.4	5.2	5.4	5.0	5.4
Annual average 1900 to 1909		1,986	1,359	1,465	838	627	521	5.3	5.4	5.3	5.6	5.0	5.2
VIII.—Diseases of skin	1900	2,461	1,642	1,664	845	819	797	8.0	7.6	8.3	7.9	8.8	7.4
	1901	2,419	1,611	1,603	795	808	816	7.7	7.2	7.9	7.1	8.9	7.4
	1902	2,269	1,488	1,515	734	781	754	7.1	6.5	7.3	6.4	8.5	6.6
	1903	2,470	1,696	1,610	836	774	860	7.6	7.2	7.7	7.1	8.4	7.3
	1904	2,397	1,576	1,643	822	821	754	7.2	6.6	7.7	6 8	8.8	6.3
	1905	2,406	1,604	1,628	826	802	778	7.1	6.5	7.5	6.7	8.6	6.3
	1906	2,778	1,653	2,318	1,193	1,125	460	6.6	6.3	6.9	6.6	7.2	5.6
	1907	2,759	1,610	2,305	1,156	1,149	454	6.4	5.9	6.7	6.2	7.2	5.4
	1908	2,817	1,597	2,384	1,164	1,220	433	6.0	5.6	6.2	5.7	6.7	5.4
	1909	2,985	1,594	2,634	1,243	1,391	351	5.9	5.4	5.9	5.4	6.6	5.3
Annual average 1900 to 1909		2,576	1,607	1,930	961	969	646	6.8	6.4	7.0	6.4	7.7	6.4
Gangrene	1900	1,345	806	977	438	539	368	4.4	3.8	4.9	4.1	5.8	3.4
	1901	1,460	881	1,024	445	579	436	4.7	4.0	5.0	4.0	6.3	3.9
	1902	1,327	793	938	404	534	389	4.1	3.5	4.5	3.5	5.8	3.4
	1903	1,482	941	1,020	479	541	462	4.5	4.0	4.9	4.1	5.9	3.9
	1904	1,500	914	1,076	490	586	424	4.5	3.8	5.0	4.1	6.3	3.5
	1905	1,518	933	1,068	483	585	450	4.5	3.8	4.9	3.9	6.3	3.6
	1906	1,592	876	1,339	623	716	253	3.8	3.3	4.0	3.4	4.6	3.1
	1907	1,688	901	1,438	651	787	250	3.9	3.3	4.2	3.5	5.0	3.0
	1908	1,562	797	1,339	574	765	223	3.3	2.8	3.5	2.8	4.2	2.8
	1909	1,691	808	1,516	633	883	175	3.3	2.7	3.4	2.7	4.2	2.7
Annual average 1900 to 1909		1,517	865	1,174	522	652	343	4.0	3.5	4.2	3.5	5.2	3.4
Carbuncle	1900	153	119	86	52	34	67	0.5	0.5	0.4	0.5	0.4	0.6
	1901	166	137	82	53	29	84	0.5	0.6	0.4	0.5	0.3	0.8
	1902	154	120	86	52	34	68	0.5	0.5	0 4	0.5	0.4	0.6
	1903	151	106	88	43	45	63	0.5	0.5	0.4	0.4	0.5	0.5
	1904	134	107	77	50	27	57	0.4	0.4	0.4	0.4	0.3	0.5
	1905	142	102	87	47	40	55	0.4	0.4	0.4	0.4	0.4	0.4
	1906	205	140	173	108	65	32	0.5	0.5	0.5	0.6	0.4	0.4
	1907	167	110	135	78	57	32	0.4	0.4	0.4	0.4	0.4	0.4
	1908	203	133	177	107	70	26	0.4	0.5	0.5	0.5	0.4	0.3
	1909	257	160	218	121	97	39	0.5	0.5	0.5	0.5	0.5	0.6
Annual average 1900 to 1909		173	123	121	71	50	52	0.5	0.5	0.4	0.5	0.4	0.5

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
	Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
VIII.—Diseases of skin—Continued.												
Abscess....1900	599	448	375	224	151	224	1.9	2.1	1.9	2.1	1.6	2.1
1901	464	343	296	175	121	168	1.5	1.5	1.5	1.6	1.3	1.5
1902	448	335	284	171	113	164	1.4	1.5	1.4	1.5	1.2	1.4
1903	547	448	316	217	99	231	1.7	1.9	1.5	1.8	1.1	2.0
1904	476	357	309	190	119	167	1.4	1.5	1.4	1.6	1.3	1.4
1905	432	331	285	184	101	147	1.3	1.3	1.3	1.5	1.1	1.2
1906	522	359	442	279	163	80	1.2	1.4	1.3	1.5	1.0	1.0
1907	485	329	399	243	156	86	1.1	1.2	1.2	1.3	1.0	1.0
1908	514	338	426	250	176	88	1.1	1.2	1.1	1.2	1.0	1.1
1909	534	338	463	267	196	71	1.0	1.1	1.0	1.2	0.9	1.1
Annual average 1900 to 1909	502	363	360	220	140	143	1.3	1.4	1.3	1.5	1.1	1.4
Other diseases of skin....1900	364	269	226	131	95	138	1.2	1.2	1.1	1.2	1.0	1.3
1901	329	250	201	122	79	128	1.0	1.1	1.0	1.1	0.9	1.2
1902	340	240	207	107	100	133	1.1	1.0	1.0	0.9	1.1	1.2
1903	290	201	186	97	89	104	0.9	0.9	0.9	0.8	1.0	0.9
1904	287	198	181	92	89	106	0.9	0.8	0.8	0.8	1.0	0.9
1905	314	238	188	112	76	126	0.9	1.0	0.9	0.9	0.8	1.0
1906	459	278	364	183	181	95	1.1	1.1	1.1	1.0	1.2	1.2
1907	419	270	333	184	149	86	1.0	1.0	1.0	1.0	0.9	1.0
1908	538	329	442	233	209	96	1.1	1.2	1.1	1.1	1.1	1.2
1909	503	288	437	222	215	66	1.0	1.0	1.0	1.0	1.0	1.0
Annual average 1900 to 1909	384	256	277	148	128	108	1.0	1.0	1.0	1.0	1.0	1.1
IX.—Diseases of locomotor system....1900	677	534	438	295	143	239	2.2	2.5	2.2	2.8	1.5	2.2
1901	807	670	504	367	137	303	2.6	3.0	2.5	3.3	1.5	2.7
1902	849	676	541	368	173	308	2.7	3.0	2.6	3.2	1.9	2.7
1903	980	817	607	444	163	373	3.0	3.5	2.9	3.8	1.8	3.2
1904	990	828	614	452	162	376	3.0	3.4	2.9	3.8	1.7	3.1
1905	1,036	832	653	449	204	383	3.0	3.4	3.0	3.6	2.2	3.1
1906	1,235	925	982	672	310	253	2.9	3.5	2.9	3.7	2.0	3.1
1907	1,252	928	963	639	324	289	2.9	3.4	2.8	3.4	2.0	3.4
1908	1,418	1,036	1,143	761	382	275	3.0	3.6	3.0	3.7	2.1	3.4
1909	1,455	1,035	1,270	850	420	185	2.9	3.5	2.9	3.7	2.0	2.8
Annual average 1900 to 1909	1,070	828	772	530	242	298	2.8	3.3	2.8	3.5	1.9	3.0
Diseases of bones....1900	558	441	352	235	117	206	1.8	2.1	1.8	2.2	1.2	1.9
1901	642	539	405	302	103	237	2.0	2.4	2.0	2.7	1.1	2.1
1902	715	569	470	324	146	245	2.2	2.5	2.3	2.8	1.6	2.2
1903	829	701	508	380	128	321	2.5	3.0	2.4	3.2	1.4	2.7
1904	861	723	538	400	138	323	2.6	3.0	2.5	3.3	1.5	2.7
1905	929	754	582	407	175	347	2.7	3.1	2.7	3.3	1.9	2.8
1906	1,069	814	851	596	255	218	2.5	3.1	2.5	3.3	1.6	2.7
1907	1,115	844	853	582	271	262	2.6	3.1	2.5	3.1	1.7	3.1
1908	1,296	954	1,044	702	342	252	2.8	3.3	2.7	3.4	1.9	3.1
1909	1,325	946	1,157	778	379	168	2.6	3.2	2.6	3.4	1.8	2.5
Annual average 1900 to 1909	934	729	676	471	205	258	2.5	2.9	2.4	3.2	1.6	2.6
Diseases of joints....1900	47	38	33	24	9	14	0.2	0.2	0.1	0.2	0.1	0.1
1901	79	61	50	32	18	29	0.3	0.3	0.2	0.3	0.2	0.3
1902	57	47	31	21	10	26	0.2	0.2	0.2	0.2	0.1	0.2
1903	93	79	56	42	14	37	0.3	0.3	0.3	0.4	0.2	0.3
1904	82	64	49	31	18	33	0.2	0.3	0.2	0.3	0.2	0.3
1905	66	49	46	29	17	20	0.2	0.2	0.2	0.2	0.2	0.2
1906	91	69	67	45	22	24	0.2	0.3	0.2	0.2	0.1	0.3
1907	106	65	84	43	41	22	0.2	0.2	0.2	0.2	0.3	0.3
1908	81	62	63	44	19	18	0.2	0.2	0.2	0.2	0.1	0.2
1909	88	64	75	51	24	13	0.2	0.2	0.2	0.2	0.1	0.2
Annual average 1900 to 1909	79	60	55	36	19	24	0.2	0.2	0.2	0.2	0.2	0.2
Other diseases of locomotor system....1900	72	55	53	36	17	19	0.2	0.2	0.3	0.4	0.2	0.2
1901	86	70	49	33	16	37	0.3	0.3	0.2	0.3	0.2	0.3
1902	77	60	40	23	17	37	0.2	0.3	0.2	0.2	0.2	0.3
1903	58	37	43	22	21	15	0.2	0.2	0.2	0.2	0.2	0.1
1904	47	41	27	21	6	20	0.1	0.2	0.1	0.2	0.1	0.2
1905	41	29	25	13	12	16	0.1	0.1	0.1	0.1	0.1	0.1
1906	75	42	64	31	33	11	0.2	0.2	0.2	0.2	0.2	0.1
1907	31	19	26	14	12	5	0.1	0.1	0.1	0.1	0.1	0.1
1908	41	20	36	15	21	5	0.1	0.1	0.1	0.1	0.1	0.1
1909	42	25	38	21	17	4	0.1	0.1	0.1	0.1	0.1	0.1
Annual average 1900 to 1909	57	40	40	23	17	17	0.2	0.2	0.1	0.2	0.1	0.2
X.—Malformations....1900	3,540	2,531	2,394	1,385	1,009	1,146	11.5	11.8	12.0	13.0	10.9	10.6
1901	3,453	2,440	2,426	1,413	1,013	1,027	11.0	11.0	11.9	12.6	11.1	9.3
1902	3,440	2,458	2,454	1,472	982	986	10.7	10.8	11.9	12.8	10.7	8.7
1903	4,025	2,875	2,701	1,551	1,150	1,324	12.3	12.3	12.9	13.2	12.5	11.3
1904	4,382	3,192	2,977	1,787	1,190	1,405	13.1	13.3	14.0	14.9	12.8	11.7
1905	4,588	3,385	3,056	1,853	1,203	1,532	13.5	13.7	14.1	15.0	12.9	12.4
1906	6,220	3,865	5,407	3,052	2,355	813	14.8	14.7	16.0	16.8	15.1	10.0
1907	6,452	4,079	5,576	3,203	2,373	876	15.0	15.0	16.1	17.1	15.0	10.4
1908	6,907	4,147	6,066	3,306	2,760	841	14.8	14.6	15.7	16.2	15.1	10.4
1909	7,755	4,487	6,957	3,689	3,268	798	15.2	15.1	15.7	16.0	15.4	12.1
Annual average 1900 to 1909	5,076	3,346	4,001	2,271	1,730	1,075	13.5	13.4	14.5	15.2	13.7	10.7

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
	Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
X.—Malformations—Continued.												
Hydrocephalus....1900	635	456	431	252	179	204	2.0	2.1	2.2	2.4	1.9	1.9
1901	571	412	411	252	159	160	1.8	1.9	2.0	2.3	1.7	1.4
1902	490	355	358	223	135	132	1.5	1.6	1.7	1.9	1.5	1.2
1903	533	396	362	225	137	171	1.6	1.7	1.7	1.9	1.5	1.5
1904	541	400	387	246	141	154	1.6	1.7	1.8	2.0	1.5	1.3
1905	499	377	339	217	122	160	1.5	1.5	1.6	1.8	1.3	1.3
1906	695	457	591	353	238	104	1.7	1.7	1.7	1.9	1.5	1.3
1907	622	411	540	329	211	82	1.4	1.5	1.6	1.8	1.3	1.0
1908	681	434	598	351	247	83	1.5	1.5	1.5	1.7	1.4	1.0
1909	664	402	592	330	262	72	1.3	1.4	1.3	1.4	1.2	1.1
Annual average 1900 to 1909	593	410	461	278	183	132	1.6	1.6	1.7	1.9	1.4	1.3
Congenital malformation of heart (cyanosis)...1900	1,871	1,416	1,202	747	455	669	6.1	6.6	6.0	7.0	4.9	6.2
1901	1,794	1,293	1,217	716	501	577	5.7	5.8	6.0	6.4	5.5	5.2
1902	1,875	1,387	1,288	800	488	587	5.9	6.1	6.2	7.0	5.3	5.2
1903	2,141	1,553	1,408	820	588	733	6.5	6.6	6.7	7.0	6.4	6.3
1904	2,434	1,817	1,616	999	617	818	7.3	7.6	7.6	8.3	6.6	6.8
1905	2,706	2,041	1,769	1,104	665	937	7.9	8.3	8.2	8.9	7.1	7.6
1906	3,059	2,295	3,253	1,889	1,364	406	8.7	8.7	9.6	10.4	8.7	5.0
1907	3,937	2,471	3,471	2,005	1,466	466	9.2	9.1	10.0	10.7	9.2	5.5
1908	4,179	2,508	3,696	2,025	1,671	483	8 9	8.8	9.5	9.9	9.1	6.0
1909	4,766	2,761	4,306	2,301	2,005	460	9.4	9.3	9.7	10.0	9.5	7.0
Annual average 1900 to 1909	2,936	1,954	2,323	1,341	982	614	7 8	7.8	8.4	8.9	7.8	6.1
Other congenital malformations....1900	1,034	659	761	386	375	273	3.4	3.1	3.8	3.6	4.1	2.5
1901	1,088	735	798	445	353	290	3.5	3.3	3.9	4.0	3.9	2.6
1902	1,075	716	808	449	359	267	3.4	3.1	3.9	3.9	3.9	2.3
1903	1,351	926	931	506	425	420	4.1	3.9	4.4	4.3	4.6	3.6
1904	1,407	975	974	542	432	433	4.2	4.1	4.6	4.5	4.6	3.6
1905	1,383	967	948	532	416	435	4.1	3.9	4.4	4.3	4.4	3.5
1906	1,866	1,113	1,563	810	753	303	4.4	4.2	4.6	4.5	4.8	3.7
1907	1,893	1,197	1,565	869	696	328	4.4	4.4	4.5	4.6	4.4	3.9
1908	2,047	1,205	1,772	930	842	275	4.4	4.2	4.6	4.6	4.6	3.4
1909	2,325	1,324	2,059	1,058	1,001	266	4.6	4.5	4.6	4.6	4.7	4.0
Annual average 1900 to 1909	1,547	982	1,218	653	565	329	4.1	3.9	4.4	4.4	4.5	3.3
XI.—Diseases of early infancy....1900	23,654	18,867	14,433	9,646	4,787	9,221	76.9	87.8	72.3	90.4	51.6	85.3
1901	20,722	16,250	13,423	8,951	4,472	7,299	66.1	73.0	66.1	80.0	49.0	66.0
1902	21,811	17,128	14,069	9,336	4,683	7,742	68.1	74.9	68.1	81.8	51.1	68.0
1903	22,514	18,188	14,060	9,734	4,326	8,454	68.8	77.5	67.0	82.8	46.8	72.2
1904	24,001	19,004	15,116	10,119	4,997	8,885	72.0	79.1	70.9	84.1	53.7	74.0
1905	23,617	18,626	15,005	10,014	4,991	8,612	69.4	75.4	69.2	81.1	53.3	69.7
1906	29,743	21,147	24,242	15,646	8,596	5,501	70.8	80.3	71.6	86.0	55.0	67.5
1907	30,637	21,823	24,698	15,884	8,814	5,939	71.2	80.4	71.4	84.8	55.5	70.6
1908	32,274	22,008	26,757	16,491	10,266	5,517	69.0	77.2	69.1	80.8	56.1	68.2
1909	33,274	21,715	29,056	17,497	11,559	4,218	65.4	73.2	65.6	75.9	54.5	64.0
Annual average 1900 to 1909	26,225	19,476	19,086	12,337	6,749	7,139	69.6	77.8	69.1	82.3	53.4	71.0
Premature birth....1900	10,170	7,920	6,462	4,212	2,250	3,708	33.1	36.8	32.4	39.5	24.3	34.3
1901	8,615	6,527	6,143	4,055	2,088	2,472	27.5	29.3	30.3	36.2	22.9	22.3
1902	9,087	6,785	6,583	4,281	2,302	2,504	28.4	29.7	31.9	37.3	25.1	22.0
1903	10,143	7,993	6,873	4,723	2,150	3,270	31.0	34.1	32.7	40.2	23.3	27.9
1904	11,361	8,789	7,569	4,997	2,572	3,792	34.1	36.6	35.5	41.6	27.6	31.6
1905	11,102	8,620	7,242	4,760	2,482	3,860	32.6	34.9	33.4	38.6	26.5	31.2
1906	14,250	9,905	11,847	7,502	4,345	2,403	33.9	37.6	35.0	41.2	27.8	29.5
1907	15,245	10,627	12,555	7,937	4,618	2,690	35.4	39.1	36.3	42.4	29.1	32.0
1908	16,441	10,934	13,878	8,371	5,507	2,563	35.1	38.4	35.9	41.0	30.1	31.7
1909	18,286	11,782	16,136	9,632	6,504	2,150	35.9	39.7	36.4	41.8	30.7	32.6
Annual average 1900 to 1909	12,470	8,988	9,529	6,047	3,482	2,941	33.1	35.9	34.5	40.3	27.5	29.2
Congenital debility....1900	13,484	10,947	7,971	5,434	2,537	5,513	43.8	51.0	39.9	50.9	27.3	51.0
1901	12,107	9,723	7,280	4,896	2,384	4,827	38.6	43.7	35.8	43.8	26.1	43.6
1902	12,724	10,343	7,486	5,105	2,381	5,238	39.7	45.2	36.3	44.5	26.0	46.0
1903	12,371	10,195	7,187	5,011	2,176	5,184	37.8	43.4	34.2	42.6	23.6	44.3
1904	12,640	10,215	7,547	5,122	2,425	5,093	37.9	42.5	35.4	42.6	26.1	42.4
1905	12,515	10,006	7,763	5,254	2,509	4,752	36.8	40.5	35.8	42.6	26.8	38.5
1906	15,493	11,242	12,395	8,144	4,251	3,098	36.9	42.7	36.6	44.8	27.2	38.0
1907	15,392	11,196	12,143	7,947	4,196	3,249	35.8	41.2	35.1	42.4	26.4	38.6
1908	15,833	11,074	12,879	8,120	4,759	2,954	33.8	38.9	33.3	39.8	26.0	36.5
1909	14,988	9,933	12,920	7,865	5,055	2,068	29.5	33.5	29.2	34.1	23.8	31.4
Annual average 1900 to 1909	13,755	10,487	9,557	6,290	3,267	4,198	36.5	41.9	34.6	42.0	25.8	41.7
XII.—Old age....1900	15,510	9,666	10,015	4,171	5,844	5,495	50.4	45.0	50.2	39.1	62.9	50.8
1901	14,758	9,014	9,771	4,027	5,744	4,987	47.0	40.5	48.1	36.0	63.0	45.1
1902	14,225	8,839	9,309	3,923	5,386	4,916	44.4	38.7	45.1	34.2	58.7	43.2
1903	12,780	7,747	8,604	3,571	5,033	4,176	39.1	33.0	41.0	30.4	54.5	35.7
1904	12,938	7,741	8,702	3,505	5,197	4,236	38.8	32.2	40.8	29.1	55.8	35.3
1905	12,301	7,332	8,251	3,282	4,969	4,050	36.1	29.7	38.0	26.6	53.1	32.8
1906	14,048	7,418	11,286	4,656	6,630	2,762	33.5	28.2	33.4	25.6	42.4	33.9
1907	13,660	7,528	10,754	4,622	6,132	2,906	31.8	27.7	31.1	24.7	38.6	34.6
1908	13,807	6,971	11,299	4,463	6,836	2,508	29.5	24.5	29.2	21.9	37.4	31.0
1909	13,456	6,249	11,620	4,413	7,207	1,836	26.5	21.1	26.2	19.1	34.0	27.9
Annual average 1900 to 1909	13,748	7,851	9,961	4,063	5,898	3,787	36.5	31.3	36.0	27.1	46.6	37.7

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
	Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
XIII.—Violence 1900	29,529	22,413	17,475	10,359	7,116	12,054	96.0	104.4	87.5	97.1	76.6	111.6
1901	33,330	25,642	20,164	12,476	7,688	13,166	106.2	115.2	99.3	111.5	84.3	119.0
1902	31,135	23,915	18,294	11,074	7,220	12,841	97.2	104.6	88.6	96.5	78.7	112.8
1903	35,542	27,226	20,894	12,578	8,316	14,648	108.7	116.0	99.5	107.0	90.0	125.1
1904	36,644	28,058	22,461	13,875	8,586	14,183	109.9	116.7	105.3	115.4	92.3	118.1
1905	37,778	28,865	22,590	13,677	8,913	15,188	110.9	116.9	104.1	110.8	95.2	122.9
1906	49,552	32,519	39,718	22,685	17,033	9,834	118.0	123.4	117.4	124.7	108.9	120.7
1907	52,548	34,096	41,879	23,427	18,452	10,669	122.2	125.6	121.0	125.0	116.3	126.9
1908	52,421	32,297	43,054	22,930	20,124	9,367	112.0	113.3	111.2	112.3	110.0	115.9
1909	55,537	33,867	47,361	25,691	21,670	8,176	109.2	114.2	107.0	111.4	102.1	124.1
Annual average 1900 to 1909	41,402	28,890	29,389	16,877	12,512	12,013	109.8	115.4	106.3	112.6	98.9	119.5
Suicide 1900	3,534	2,759	2,036	1,261	775	1,498	11.5	12.8	10.2	11.8	8.3	13.9
1901	3,824	3,028	2,105	1,309	796	1,719	12.2	13.6	10.4	11.7	8.7	15.5
1902	4,054	3,271	2,124	1,341	783	1,930	12.7	14.3	10.3	11.7	8.5	17.0
1903	4,510	3,641	2,371	1,502	869	2,139	13.8	15.5	11.3	12.8	9.4	18.3
1904	4,912	3,969	2,611	1,668	943	2,301	14.7	16.5	12.2	13.9	10.1	19.2
1905	5,438	4,351	2,940	1,853	1,087	2,498	16.0	17.6	13.5	15.0	11.6	20.2
1906	5,853	4,232	4,323	2,702	1,621	1,530	13.9	16.1	12.8	14.9	10.4	18.8
1907	6,745	4,851	5,027	3,133	1,894	1,718	15.7	17.9	14.5	16.7	11.9	20.4
1908	8,332	5,818	6,506	3,992	2,514	1,826	17.8	20.4	16.8	19.6	13.7	22.6
1909	8,402	5,723	7,061	4,382	2,679	1,341	16.5	19.3	15.9	19.0	12.6	20.4
Annual average 1900 to 1909	5,560	4,164	3,710	2,314	1,396	1,850	14.8	16.6	13.4	15.4	11.0	18.4
Fractures and dislocations 1900	2,725	2,119	1,859	1,253	606	866	8.9	9.9	9.3	11.8	6.5	8.0
1901	2,697	2,038	1,902	1,243	659	795	8.6	9.2	9.4	11.1	7.2	7.2
1902	2,776	2,136	1,982	1,342	640	794	8.7	9.3	9.6	11.7	7.0	7.0
1903	3,003	2,263	2,084	1,344	740	919	9.2	9.6	9.9	11.4	8.0	7.8
1904	2,908	2,080	2,134	1,306	828	774	8.7	8.7	10.0	10.9	8.9	6.4
1905	2,539	1,779	1,742	982	760	797	7.5	7.2	8.0	8.0	8.1	6.5
1906	3,116	2,015	2,528	1,427	1,101	588	7.4	7.6	7.5	7.8	7.0	7.2
1907	1,926	1,279	1,580	933	647	346	4.5	4.7	4.6	5.0	4.1	4.1
1908	734	432	674	372	302	60	1.6	1.5	1.7	1.8	1.7	0.7
1909	357	200	297	140	157	60	0.7	0.7	0.7	0.6	0.7	0.9
Annual average 1900 to 1909	2,278	1,634	1,678	1,034	644	600	6.0	6.5	6.1	6.9	5.1	6.0
Burns and scalds 1900	2,573	2,046	1,505	978	527	1,068	8.4	9.5	7.5	9.2	5.7	9.9
1901	2,685	2,125	1,575	1,015	560	1,110	8.6	9.5	7.8	9.1	6.1	10.0
1902	2,575	2,063	1,463	951	512	1,112	8.0	9.0	7.1	8.3	5.6	9.8
1903	2,667	2,168	1,519	1,020	499	1,148	8.2	9.2	7.2	8.7	5.4	9.8
1904	2,745	2,193	1,593	1,041	552	1,152	8.2	9.1	7.5	8.7	5.9	9.6
1905	2,846	2,308	1,640	1,102	538	1,206	8.4	9.3	7.6	8.9	5.7	9.8
1906	3,585	2,539	2,873	1,827	1,046	712	8.5	9.6	8.5	10.0	6.7	8.7
1907	3,918	2,697	3,142	1,921	1,221	776	9.1	9.9	9.1	10.3	7.7	9.2
1908	3,688	2,424	3,021	1,757	1,264	667	7.9	8.5	7.8	8.6	6.9	8.3
1909	3,992	2,634	3,420	2,062	1,358	572	7.8	8.9	7.7	8.9	6.4	8.7
Annual average 1900 to 1909	3,127	2,320	2,175	1,367	808	952	8.3	9.3	7.9	9.1	6.4	9.5
Heat and sunstroke 1900	1,266	1,139	710	583	127	556	4.1	5.3	3.6	5.5	1.4	5.1
1901	4,012	3,643	2,462	2,093	369	1,550	12.8	16.4	12.1	18.7	4.0	14.0
1902	290	266	105	81	24	185	0.9	1.2	0.5	0.7	0.3	1.6
1903	520	449	294	223	71	226	1.6	1.9	1.4	1.9	0.8	1.9
1904	235	201	136	102	34	99	0.7	0.8	0.6	0.8	0.4	0.8
1905	881	772	604	495	109	277	2.6	3.1	2.8	4.0	1.2	2.2
1906	763	574	601	412	189	162	1.8	2.2	1.8	2.3	1.2	2.0
1907	580	450	431	301	130	149	1.3	1.7	1.2	1.6	0.8	1.8
1908	829	570	695	436	259	134	1.8	2.0	1.8	2.1	1.4	1.7
1909	816	609	637	430	207	179	1.6	2.1	1.4	1.9	1.0	2.7
Annual average 1900 to 1909	1,019	867	668	516	152	352	2.7	3.5	2.4	3.4	1.2	3.5
Cold and freezing 1900	138	66	98	26	72	40	0.4	0.3	0.5	0.2	0.8	0.4
1901	154	78	122	46	76	32	0.5	0.4	0.6	0.4	0.8	0.3
1902	163	88	132	57	75	31	0.5	0.4	0.6	0.5	0.8	0.3
1903	184	82	142	40	102	42	0.6	0.3	0.7	0.3	1.1	0.4
1904	227	113	182	68	114	45	0.7	0.5	0.9	0.6	1.2	0.4
1905	228	125	158	55	103	70	0.7	0.5	0.7	0.4	1.1	0.6
1906	203	75	183	55	128	20	0.5	0.3	0.5	0.3	0.8	0.2
1907	280	85	259	64	195	21	0.7	0.3	0.7	0.3	1.2	0.2
1908	227	65	219	57	162	8	0.5	0.2	0.6	0.3	0.9	0.1
1909	251	80	233	62	171	18	0.5	0.3	0.5	0.3	0.8	0.3
Annual average 1900 to 1909	206	86	173	53	120	33	0.5	0.3	0.6	0.4	0.9	0.3
Lightning 1900	95	29	77	11	66	18	0.3	0.1	0.4	0.1	0.7	0.2
1901	127	35	101	9	92	26	0.4	0.2	0.5	0.1	1.0	0.2
1902	108	27	92	11	81	16	0.3	0.1	0.4	0.1	0.9	0.1
1903	92	24	78	10	68	14	0.3	0.1	0.4	0.1	0.7	0.1
1904	81	26	67	12	55	14	0.2	0.1	0.3	0.1	0.6	0.1
1905	80	18	71	9	62	9	0.2	0.1	0.3	0.1	0.7	0.1
1906	169	30	159	20	139	10	0.4	0.1	0.5	0.1	0.9	0.1
1907	133	17	123	7	116	10	0.3	0.1	0.4	(1)	0.7	0.1
1908	161	20	155	14	141	6	0.3	0.1	0.4	0.1	0.8	0.1
1909	150	21	143	14	129	7	0.3	0.1	0.3	0.1	0.6	0.1
Annual average 1900 to 1909	120	25	107	12	95	13	0.3	0.1	0.4	0.1	0.8	0.1

[1] Less than one-tenth.

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
	Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
XIII.—Violence—Continued.												
Drowning.....1900	3,525	2,457	2,413	1,345	1,068	1,112	11.5	11.5	12.1	12.6	11.5	10.3
1901	3,380	2,275	2,396	1,291	1,105	984	10.8	10.2	11.8	11.5	12.1	8 9
1902	3,244	2,243	2,215	1,214	1,001	1,029	10.1	9.8	10.7	10.6	10.9	9.0
1903	3,418	2,314	2,399	1,295	1,104	1,019	10.5	9.9	11.4	11.0	12.0	8.7
1904	3,378	2,273	2,416	1,311	1,105	962	10.1	9.5	11.3	10.9	11.9	8.0
1905	3,389	2,254	2,408	1,273	1,135	981	10.0	9.1	11.1	10.3	12.1	7.9
1906	4,395	2,526	3,707	1,838	1,869	688	10.5	9.6	11.0	10.1	11.9	8.4
1907	4,307	2,384	3,583	1,660	1,923	724	10.0	8.8	10.4	8.9	12.1	8.6
1908	4,677	2,494	4,075	1,892	2,183	602	10.0	8.8	10.5	9.3	11.9	7.4
1909	4,558	2,331	4,145	1,918	2,227	413	9.0	7.9	9.4	8.3	10.5	6.3
Annual average 1900 to 1909	3,827	2,355	2,976	1,504	1,472	851	10.2	9.4	10.8	10.0	11.6	8.5
Inhalation of poisonous gases [1].....1900	592	545	394	347	47	198	1.9	2.5	2.0	3.3	0.5	1.8
1901	786	719	467	400	67	319	2.5	3.2	2.3	3.6	0.7	2.9
1902	950	886	600	536	64	350	3.0	3.9	2.9	4.7	0.7	3.1
1903	1,715	1,643	703	631	72	1,012	5.2	7.0	3.3	5.4	0.8	8.6
1904	2,167	2,050	1,712	1,595	117	455	6.5	8.5	8.0	13.3	1.3	3.8
1905	1,306	1,151	854	699	155	452	3.8	4.7	3.9	5.7	1.7	3.7
1906	1,276	1,049	1,001	774	227	275	3.0	4.0	3.0	4.3	1.5	3.4
1907	1,691	1,461	1,340	1,110	230	351	3.9	5.4	3.9	5.9	1.4	4.2
1908	1,688	1,175	1,379	866	513	309	3.6	4.1	3.6	4.2	2.8	3.8
1909	1,837	1,459	1,424	1,046	378	413	3.6	4.9	3.2	4.5	1.8	6.3
Annual average 1900 to 1909	1,401	1,214	987	800	187	413	3.7	4.8	3.6	5.3	1.5	4.1
Other accidental poisonings.....1900	1,351	987	846	482	364	505	4.4	4.6	4.2	4.5	3.9	4.7
1901	1,234	912	783	461	322	451	3.9	4.1	3.9	4.1	3.5	4.1
1902	1,374	1,038	877	541	336	497	4.3	4.5	4.2	4.7	3.7	4.4
1903	1,551	1,131	1,083	663	420	468	4.7	4.8	5 2	5.6	4.5	4.0
1904	1,632	1,205	1,064	637	427	568	4.9	5.0	5.0	5.3	4.6	4.7
1905	1,269	880	827	438	389	442	3.7	3.6	3.8	3.5	4.2	3.6
1906	1,734	1,048	1,376	690	686	358	4.1	4.0	4 1	3.8	4.4	4.4
1907	1,725	1,016	1,393	684	709	332	4.0	3.7	4.0	3.7	4.5	3.9
1908	1,652	932	1,400	680	720	252	3.5	3.3	3.6	3.3	3.9	3.1
1909	1,779	986	1,507	714	793	272	3.5	3.3	3.4	3.1	3.7	4.1
Annual average 1900 to 1909	1,530	1,014	1,116	599	517	415	4.1	4.0	4.0	4.0	4.1	4.1
Accidental gunshot wounds.....1900	1,139	824	543	228	315	596	3.7	3.8	2.7	2.1	3.4	5.5
1901	1,082	750	558	226	332	524	3.4	3.4	2.7	2.0	3.6	4.7
1902	1,196	873	623	300	323	573	3.7	3.8	3.0	2.6	3.5	5.0
1903	1,151	782	653	284	369	498	3.5	3.3	3.1	2.4	4.0	4.3
1904	1,294	882	730	318	412	564	3.9	3.7	3.4	2.6	4.4	4.7
1905	823	477	524	178	346	299	2.4	1.9	2.4	1.4	3.7	2.4
1906	1,074	535	800	261	539	274	2.6	2.0	2.4	1.4	3.4	3.4
1907	897	442	707	252	455	190	2.1	1.6	2.0	1.3	2.9	2.3
1908	986	413	808	235	573	178	2.1	1.4	2.1	1.2	3.1	2.2
1909	944	364	794	214	580	150	1.9	1.2	1.8	0.9	2.7	2.3
Annual average 1900 to 1909	1,059	634	674	250	424	385	2.8	2.5	2.4	1.7	3.4	3.8
Injuries by machinery.....1900	123	79	70	26	44	53	0.4	0.4	0.3	0.2	0.5	0.5
1901	196	140	109	53	56	87	0.6	0.6	0.5	0.5	0.6	0.8
1902	281	222	135	76	59	146	0.9	1.0	0.7	0.7	0.6	1.3
1903	280	209	150	79	71	130	0.9	0.9	0.7	0.7	0.8	1.1
1904	320	213	177	70	107	143	1.0	0.9	0.8	0.6	1.1	1.2
1905	348	286	167	105	62	181	1.0	1.2	0.8	0.9	0.7	1.5
1906	565	377	449	261	188	116	1.3	1.4	1.3	1.4	1.2	1.4
1907	1,071	749	813	491	322	258	2 5	2.8	2.3	2.6	2.0	3.1
1908	901	596	687	382	305	214	1.9	2.1	1.8	1.9	1.7	2.6
1909	1,174	721	1,021	568	453	153	2.3	2.4	2.3	2.5	2.1	2.3
Annual average 1900 to 1909	526	359	378	211	167	148	1.4	1.4	1.4	1.4	1.3	1.5
Injuries in mines and quarries.....1900	162	92	85	15	70	77	0.5	0.4	0.4	0.1	0.7	0.7
1901	274	185	130	41	89	144	0.9	0.8	0.6	0.4	1.0	1.3
1902	199	122	113	36	77	86	0.6	0.5	0.5	0.3	0.8	0.8
1903	305	165	172	32	140	133	0.9	0.7	0.8	0.3	1.5	1.1
1904	329	207	144	22	122	185	1.0	0.9	0.7	0.2	1.3	1.5
1905	491	276	252	37	215	239	1.4	1.1	1.2	0.3	2.3	1.9
1906	1,523	421	1,479	377	1,102	44	3.6	1.6	4.4	2.1	7.0	0.5
1907	2,130	449	2,077	396	1,681	53	5.0	1.7	6.0	2.1	10.6	0.6
1908	1,917	436	1,859	378	1,481	58	4.1	1.5	4.8	1.9	8.1	0.7
1909	1,997	477	1,941	421	1,520	56	3.9	1.6	4.4	1.8	7.2	0.8
Annual average 1900 to 1909	933	283	825	176	650	108	2.5	1.1	3.0	1.2	5.1	1.1
Railroad accidents and injuries.....[2] 1900	3,644	2,689	1,928	973	955	1,716	11.9	12.6	9.7	9.1	10.3	15.9
[2] 1901	4,102	3,039	2,208	1,145	1,063	1,894	13.1	13.7	10.9	10.2	11.7	17.1
[2] 1902	4,485	3,428	2,280	1,223	1,057	2,205	14.0	15.0	11.0	10.7	11.5	19.4
[2] 1903	5,484	4,098	2,960	1,574	1,386	2,524	16.8	17.5	14.1	13.4	15.0	21.6
[2] 1904	5,084	3,804	2,812	1,532	1,280	2,272	15.2	15.8	13.2	12.7	13.8	18.9
[2] 1905	5,731	4,329	3,101	1,699	1,402	2,630	16.8	17.5	14.3	13.8	15.0	21.3
1906	7,090	4,121	5,734	2,765	2,969	1,356	16.9	15.6	16.9	15.2	19.0	16.6
1907	7,676	4,404	6,178	2,906	3,272	1,498	17.8	16.2	17.9	15.5	20.6	17.8
1908	6,080	3,269	5,067	2,256	2,811	1,013	13.0	11.5	13.1	11.0	15.4	12.5
1909	6,659	3,489	5,771	2,601	3,170	888	13.1	11.8	13.0	11.3	14.9	13.5
Annual average [2] 1900 to 1909	6,282	4,245	4,300	2,262	2,038	1,983	16.7	16.9	15.6	15.1	16.1	19.7

[1] Including "conflagration."

[2] Including "street-car accidents."

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
			Registration states.						Registration states.			
	Registration area.	Registration cities.	Total.	Cities.	Rural districts.	Registration cities in other states.	Registration area.	Registration cities.	Total.	Cities.	Rural districts.	Registration cities in other states.
XIII.—Violence—Continued.												
Street-car accidents—1906	1,488	1,302	1,064	878	186	424	3.5	4.9	3.1	4.8	1.2	5.2
1907	1,880	1,647	1,298	1,065	233	582	4.4	6.1	3.8	5.7	1.5	6.9
1908	1,696	1,425	1,246	975	271	450	3.6	5.0	3.2	4.8	1.5	5.6
1909	1,723	1,401	1,349	1,027	322	374	3.4	4.7	3.0	4.5	1.5	5.7
Annual average 1900 to 1909	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)
Injuries by vehicles and horses—[2] 1900	409	300	280	171	109	129	1.3	1.4	1.4	1.6	1.2	1.2
[2] 1901	557	411	335	189	146	222	1.8	1.8	1.6	1.7	1.6	2.0
[2] 1902	660	517	375	232	143	285	2.1	2.3	1.8	2.0	1.6	2.5
[2] 1903	907	702	572	367	205	335	2.8	3.0	2.7	3.1	2.2	2.9
[2] 1904	949	744	620	415	205	329	2.8	3.1	2.9	3.5	2.2	2.7
[2] 1905	1,168	968	747	547	200	421	3.4	3.9	3.4	4.4	2.1	3.4
1906	1,524	1,075	1,263	814	449	261	3.6	4.1	3.7	4.5	2.9	3.2
1907	1,810	1,144	1,513	847	666	297	4.2	4.2	4.4	4.5	4.2	3.5
1908	1,924	1,079	1,663	818	845	261	4.1	3.8	4.3	4.0	4.6	3.2
1909	2,152	1,215	1,892	955	937	260	4.2	4.1	4.3	4.1	4.4	3.9
Annual average [2] 1900 to 1909	1,356	938	1,052	633	418	305	3.6	3.7	3.8	4.2	3.3	3.0
Automobile accidents—1906	183	163	149	129	20	34	0.4	0.6	0.4	0.7	0.1	0.4
1907	294	240	246	192	54	48	0.7	0.9	0.7	1.0	0.3	0.6
1908	393	322	317	246	71	76	0.8	1.1	0.8	1.2	0.4	0.9
1909	632	500	543	411	132	89	1.2	1.7	1.2	1.8	0.6	1.4
Annual average 1900 to 1909	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Suffocation—1900	538	354	338	154	184	200	1.7	1.6	1.7	1.4	2.0	1.8
1901	551	372	373	194	179	178	1.8	1.7	1.8	1.7	2.0	1.6
1902	439	303	271	135	136	168	1.4	1.3	1.3	1.2	1.5	1.5
1903	504	341	364	201	163	140	1.5	1.5	1.7	1.7	1.8	1.2
1904	555	379	365	189	176	190	1.7	1.6	1.7	1.6	1.9	1.6
1905	548	369	365	186	179	183	1.6	1.5	1.7	1.5	1.9	1.5
1906	719	437	560	278	282	159	1.7	1.7	1.7	1.5	1.8	2.0
1907	707	413	549	255	294	158	1.6	1.5	1.6	1.4	1.9	1.9
1908	708	392	574	258	316	134	1.5	1.4	1.5	1.3	1.7	1.7
1909	804	438	684	318	366	120	1.6	1.5	1.5	1.4	1.7	1.8
Annual average 1900 to 1909	607	380	444	217	228	163	1.6	1.5	1.6	1.4	1.8	1.6
Other accidental injuries—1900	6,007	4,544	3,283	1,820	1,463	2,724	19.6	21.2	16.4	17.1	15.7	25.2
1901	5,826	4,378	3,437	1,989	1,448	2,389	18.6	19.7	16.9	17.8	15.9	21.6
1902	6,303	4,800	3,652	2,149	1,503	2,651	19.7	21.0	17.7	18.7	16.4	23.3
1903	6,748	5,190	3,877	2,319	1,558	2,871	20.6	22.1	18.5	19.7	16.9	24.5
1904	6,994	5,311	4,076	2,393	1,683	2,918	21.0	22.1	19.1	19.9	18.1	24.3
1905	6,987	5,387	4,241	2,641	1,600	2,746	20.5	21.8	19.5	21.4	17.1	22.2
1906	8,961	6,096	7,281	4,416	2,865	1,680	21.3	23.1	21.5	24.3	18.3	20.6
1907	9,265	6,255	7,531	4,521	3,010	1,734	21.5	23.0	21.8	24.1	19.0	20.6
1908	9,715	6,067	8,195	4,547	3,648	1,520	20.8	21.3	21.2	22.3	19.9	18.8
1909	10,948	6,774	9,553	5,379	4,174	1,395	21.5	22.8	21.6	23.3	19.7	21.2
Annual average 1900 to 1909	7,775	5,480	5,513	3,217	2,295	2,263	20.6	21.9	19.9	21.5	18.1	22.5
Earthquake—1906	687	480	687	480	207	.....	1.6	1.8	2.0	2.6	1.3	.....
Injuries at birth—1900	1,050	800	780	530	250	270	3.4	3.7	3.9	5.0	2.7	2.5
1901	1,134	873	868	607	261	266	3.6	3.9	4.3	5.4	2.9	2.4
1902	1,304	958	1,000	654	346	304	4.1	4.2	4.8	5.7	3.8	2.7
1903	1,669	1,265	1,237	833	404	432	5.1	5.4	5.9	7.1	4.4	3.7
1904	1,899	1,530	1,339	970	369	560	5.7	6.4	6.3	8.1	4.0	4.7
1905	2,166	1,709	1,486	1,029	457	680	6.4	6.9	6.8	8.3	4.9	5.5
1906	2,543	1,823	2,191	1,471	720	352	6.1	6.9	6.5	8.1	4.6	4.3
1907	2,804	2,033	2,388	1,617	771	416	6.5	7.5	6.9	8.6	4.9	4.9
1908	3,110	2,158	2,656	1,704	952	454	6.6	7.6	6.9	8.3	5.2	5.6
1909	3,508	2,359	3,089	1,940	1,149	419	6.9	8.0	7.0	8.4	5.4	6.4
Annual average 1900 to 1909	2,119	1,551	1,703	1,136	568	415	5.6	6.2	6.2	7.6	4.5	4.1
Homicide—1900	658	584	230	156	74	428	2.1	2.7	1.2	1.5	0.8	4.0
1901	709	641	233	165	68	476	2.3	2.9	1.1	1.5	0.7	4.3
1902	734	674	255	195	60	479	2.3	2.9	1.2	1.7	0.7	4.2
1903	834	759	236	161	75	598	2.6	3.2	1.1	1.4	0.8	5.1
1904	935	878	283	226	57	652	2.8	3.7	1.3	1.9	0.6	5.4
1905	1,540	1,426	463	349	114	1,077	4.5	5.8	2.1	2.8	1.2	8.7
1906	2,101	1,601	1,310	810	500	791	5.0	6.1	3.9	4.5	3.2	9.7
1907	2,709	2,080	1,701	1,072	629	1,008	6.3	7.7	4.9	5.7	4.0	12.0
1908	3,003	2,210	1,858	1,065	793	1,145	6.4	7.8	4.8	5.2	4.3	14.2
1909	2,854	2,086	1,857	1,089	768	997	5.6	7.0	4.2	4.7	3.6	15.1
Annual average 1900 to 1909	1,608	1,294	843	529	314	765	4.3	5.2	3.0	3.5	2.5	7.6
XIV.—Ill-defined causes—1900	22,709	15,694	13,116	6,101	7,015	9,593	73.8	73.1	65.7	57.2	75.5	88.8
1901	17,697	12,625	10,365	5,293	5,072	7,332	56.4	56.7	51.0	47.3	55.6	66.3
1902	16,860	12,382	9,402	4,924	4,478	7,458	52.6	54.2	45.5	42.9	48.8	65.5
1903	14,697	10,825	8,556	4,684	3,872	6,141	44.9	46.1	40.8	39.8	41.9	52.4
1904	13,993	10,038	8,254	4,299	3,955	5,739	42.0	41.8	38.7	35.7	42.5	47.8
1905	13,662	9,966	8,106	4,410	3,696	5,556	40.1	40.4	37.4	35.7	39.5	45.0
1906	16,008	9,568	12,690	6,250	6,440	3,318	38.1	36.3	37.5	34.4	41.2	40.7
1907	14,475	8,804	11,235	5,564	5,671	3,240	33.6	32.4	32.5	29.7	35.7	38.5
1908	13,507	7,924	11,037	5,454	5,583	2,470	28.9	27.8	28.5	26.7	30.5	30.6
1909	12,477	6,770	10,576	4,869	5,707	1,901	24.5	22.8	23.9	21.1	26.9	28.9
Annual average 1900 to 1909	15,609	10,460	10,334	5,185	5,149	5,275	41.4	41.8	37.4	34.6	40.7	52.5

[1] Included in "railroad accidents and injuries." [2] Including "automobile accidents." [3] Included in "injuries by vehicles and horses."

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 POPULATION.					
	Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
XIV.—Ill-defined causes—Continued.												
"Dropsy" 1900	2,204	1,220	1,278	294	984	926	7.2	5.7	6.4	2.8	10.6	8.6
1901	1,580	884	937	241	696	643	5.0	4.0	4.6	2.2	7.6	5.8
1902	1,609	979	854	224	630	755	5.0	4.3	4.1	2.0	6.9	6.6
1903	1,221	699	719	197	522	502	3.7	3.0	3.4	1.7	5.7	4.3
1904	1,144	681	623	160	463	521	3.4	2.8	2.9	1.3	5.0	4.3
1905	1,002	602	587	187	400	415	2.9	2.4	2.7	1.5	4.3	3.4
1906	1,084	538	778	232	546	306	2.6	2.0	2.3	1.3	3.5	3.8
1907	927	470	618	161	457	309	2.2	1.7	1.8	0 9	2.9	3.7
1908	852	401	616	165	451	236	1.8	1.4	1.6	0.8	2.5	2.9
1909	725	308	564	147	417	161	1.4	1.0	1.3	0.6	2.6	2.4
Annual average 1900 to 1909	1,235	678	757	201	557	477	3.3	2.7	2.7	1.3	4.4	4.7
"Heart failure" 1900	3,146	1,654	2,007	515	1,492	1,139	10.2	7.7	10.0	4.8	16.0	10.5
1901	2,141	1,143	1,351	353	998	790	6.8	5.1	6.7	3.2	10.9	7.1
1902	2,087	1,315	1,116	344	772	971	6.5	5.8	5.4	3.0	8.4	8.5
1903	2,189	1,429	1,285	525	760	904	6.7	6.1	6.1	4.5	8.2	7.7
1904	2,167	1,422	1,213	468	745	954	6.5	5.9	5.7	3.9	8.0	7.9
1905	1,924	1,171	1,102	349	753	822	5.7	4.7	5.1	2.8	8.0	6.7
1906	2,122	974	1,649	501	1,148	473	5.1	3.7	4.9	2.8	7.3	5.8
1907	1,909	945	1,400	436	964	509	4.4	3.5	4.0	2.3	6.1	6.1
1908	1,682	723	1,368	409	959	314	3.6	2.5	3.5	2.0	5.2	3.9
1909	1,760	710	1,495	445	1,050	265	3.5	2.4	3.4	1.9	4.9	4.0
Annual average 1900 to 1909	2,113	1,149	1,399	435	964	714	5.6	4.6	5.1	2.9	7.6	7.1
Other ill-defined causes 1900	14,335	11,078	8,060	4,803	3,257	6,275	46.6	51.6	40.4	45.0	35.1	58.1
1901	11,935	9,373	6,957	4,395	2,562	4,978	38.0	42.1	34.3	39.3	28.1	45.0
1902	11,411	9,115	6,399	4,103	2,296	5,012	35.6	39.9	31.0	35.7	25.0	44.0
1903	9,816	7,869	5,651	3,704	1,947	4,165	30.0	33.5	26.9	31.5	21.1	35.6
1904	9,089	7,101	5,367	3,379	1,988	3,722	27.3	29.5	25.2	28.1	21.4	31.0
1905	9,502	7,504	5,674	3,676	1,998	3,828	27.9	30.4	26.1	29.8	21.3	31.0
1906	10,390	7,388	8,423	5,221	3,202	2,167	25.2	28.0	24.9	28.7	20.5	26.6
1907	10,045	6,904	7,859	4,718	3,141	2,186	23.4	25.4	22.7	25.2	19.8	26.0
1908	9,686	6,441	7,927	4,682	3,245	1,759	20.7	22.6	20.5	22.9	17.7	21.8
1909	8,679	5,389	7,355	4,065	3,290	1,324	17.1	18.2	16.6	17.6	15.5	20.1
Annual average 1900 to 1909	10,509	7,816	6,967	4,275	2,693	3,542	27.9	31.2	25.2	28.5	21.3	35.2
Unknown causes 1900	3,024	1,742	1,771	489	1,282	1,253	9.8	8 1	8.9	4.6	13.8	11.6
1901	2,041	1,225	1,120	304	816	921	6.5	5.5	5.5	2.7	8.9	8.3
1902	1,753	973	1,033	253	780	720	5.5	4.3	5.0	2.2	8.5	6.3
1903	1,471	828	901	258	643	570	4.5	3.5	4.3	2.2	7.0	4.9
1904	1,593	834	1,051	292	759	542	4.8	3.5	4.9	2.4	8.2	4.5
1905	1,234	689	743	198	545	491	3.6	2.8	3.4	1.6	5.8	4.0
1906	2,212	668	1,840	296	1,544	372	5.3	2.5	5.4	1.6	9.9	4.6
1907	1,594	485	1,358	249	1,109	236	3.7	1.8	3.9	1.3	7.0	2.8
1908	1,287	359	1,126	198	928	161	2.8	1.3	2.9	1.0	5.1	2.0
1909	1,313	363	1,162	212	950	151	2.6	1.2	2.6	0.9	4.5	2.3
Annual average 1900 to 1909	1,752	817	1, 11	275	936	542	4.6	3.3	4.4	1.8	7.4	5.4

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
All causes [1]	1900	(2)	(2)	(2)	(2)	1,799.8	1,805.0	1,693-6	1,371.1	2,005.1	1,650.5	(2)	(2)	1,848.7	1,750.2	1,541.0	1,345.9
	1901	(2)	(2)	(2)	(2)	1,624.9	1,543.6	1,521.4	1,340.2	1,842.3	1,553.3	(2)	(2)	1,718.5	1,617.4	1,454.3	1,294.3
	1902	(2)	(2)	(2)	(2)	1,552.7	1,432.0	1,472.8	1,226.8	1,842.5	1,471.1	(2)	(2)	1,687.2	1,516.0	1,457.7	1,185.0
	1903	(2)	(2)	(2)	(2)	1,645.0	1,489.8	1,479.0	1,152.7	1,853.2	1,524.2	(2)	(2)	1,694.6	1,594.3	1,489.0	1,251.3
	1904	(2)	(2)	(2)	(2)	1,570.1	1,535.9	1,598.3	1,303.4	1,968.8	1,565.0	(2)	(2)	1,641.4	1,609.8	1,434.9	1,325.5
	1905	(2)	(2)	(2)	(2)	1,644.7	1,526.4	1,424.1	1,277.1	1,807.7	1,561.5	(2)	(2)	1,687.2	1,639.7	1,416.7	1,301.7
	1906	1,748.5	1,130.3	1,798.4	1,162 3	1,671.6	1,506.2	1,445.7	1,221.8	1,822.1	1,532.1	1,979.2	1,257.6	1,651.0	1,571.4	1,507.9	1,348.4
	1907	1,685.6	1,274.4	1,893.8	1,309.6	1,694.9	1,570.9	1,442.2	1,237.8	1,903.4	1,550.8	2,057.1	1,272.9	1,715.3	1,664.1	1,457.3	1,306.2
	1908	1,523.9	1,315.1	1,759.4	1,272.1	1,514.6	1,421.1	1,405.2	1,224.4	1,740.3	1,511.6	1,901.8	1,292.2	1,603.6	1,554.9	1,391.5	1,310.4
	1909	1,459.9	1,242.6	1,661.2	1,276.6	1,531.2	1,435.6	1,391.2	1,242.1	1,767.7	1,488.1	1,863.3	1,264.6	1,550.9	1,521.8	1,374.5	1,268.9
I.—General diseases	1900	(2)	(2)	(2)	(2)	526.6	539.6	496.8	431.2	461.8	419.1	(2)	(2)	533.3	451.7	377.2	336.3
	1901	(2)	(2)	(2)	(2)	507.0	442.0	457.4	428.3	512.3	402.3	(2)	(2)	482.8	429.9	379.1	326.4
	1902	(2)	(2)	(2)	(2)	431.7	362.3	435.4	385.3	454.8	363.2	(2)	(2)	447.9	382.3	379.5	282.5
	1903	(2)	(2)	(2)	(2)	480.6	382.5	457.1	369.6	463.1	373.1	(2)	(2)	452.5	417.4	396.7	305.9
	1904	(2)	(2)	(2)	(2)	407.0	372.1	467.5	412.7	497.9	388.5	(2)	(2)	431.2	421.8	372.8	319.5
	1905	(2)	(2)	(2)	(2)	422.3	357.7	401.3	394.7	468.7	370.1	(2)	(2)	427.1	442.1	344.1	297.5
	1906	514.7	348.8	665.6	324.3	436.8	377.7	410.8	362.2	410.1	375.2	539.9	365.2	423.4	414.2	369.9	316.2
	1907	508.9	369.8	697.1	421.3	437.8	396.4	423.6	369.5	458.2	392.7	527.9	357.5	423.4	449.5	352.1	305.6
	1908	457.6	389.9	664.4	407.2	387.6	351.6	438.5	384.4	430.5	362.6	503.9	360.7	418.7	413.7	338.2	303.6
	1909	443.1	374.7	616.7	370.9	401.9	327.9	423.1	372.0	426.4	351.6	487.8	345.9	386.9	397.4	338.7	289.9
Typhoid fever	1900	(2)	(2)	(2)	(2)	33.4	29.4	49.4	51.5	39.7	25.9	(2)	(2)	23.4	17.7	38.2	35.8
	1901	(2)	(2)	(2)	(2)	38.0	14.5	46.3	47.1	57.6	26.9	(2)	(2)	20.7	17.2	28.3	25.5
	1902	(2)	(2)	(2)	(2)	24.0	16.8	47.0	50.3	34.7	22.3	(2)	(2)	19.4	15.6	30.9	21.7
	1903	(2)	(2)	(2)	(2)	27.8	8.8	45.0	40.0	53.9	27.8	(2)	(2)	19.5	13.6	28.6	22.1
	1904	(2)	(2)	(2)	(2)	17.9	15.0	51.1	38.2	64.7	28.8	(2)	(2)	18.2	11.8	36.2	20.3
	1905	(2)	(2)	(2)	(2)	23.2	16.9	39 5	37.8	42.4	17.8	(2)	(2)	18.9	14.8	30.3	21.0
	1906	42.0	23.8	58.7	43.8	24.5	15.2	37.0	37.0	22.7	16.8	38.6	43.6	16.9	12.6	31.7	25.0
	1907	29.8	22.1	48.2	59.2	22.2	14.8	36.7	35.4	20.7	16.4	45.9	36.8	14.1	7.4	29.8	18.0
	1908	22.8	25.3	40.6	40.3	19.5	14.3	34.1	34.1	25.5	18.8	35.0	44.0	18.0	9.7	29.0	22.8
	1909	16.1	22.2	24.7	34.6	14.1	13.6	33.5	32.5	19.7	12.9	27.7	37.2	13.2	6.8	27.7	21.4
Exanthematic typhus	1900	(2)	(2)	(2)	(2)	.....	.....	.....	.....	.....	.....	(2)	(2)	.....	.....	.....	(3)
	1901	(2)	(2)	(2)	(2)	.....	.....	.....	.....	.....	.....	(2)	(2)	.....	.....	.....	.....
	1902	(2)	(2)	(2)	(2)	.....	.....	.....	.....	.....	.....	(2)	(2)	.....	.....	0.3	.....
	1903	(2)	(2)	(2)	(2)	.....	.....	.....	.....	.....	.....	(2)	(2)	.....	.....	.....	.....
	1904	(2)	(2)	(2)	(2)	.....	.....	.....	.....	.....	.....	(2)	(2)	.....	0.1	.....	.....
	1905	(2)	(2)	(2)	(2)	.....	.....	0.3	.....	.....	.....	(2)	(2)	.....	0 1	.....	.....
	1906	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1907	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(3)	.....	0.1	.....
	1908	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1909	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Relapsing fever	1900	(2)	(2)	(2)	(2)	.....	.....	.....	.....	0.8	.....	(2)	(2)	(3)	.....	.....	.....
	1901	(2)	(2)	(2)	(2)	.....	.....	.....	.....	.....	.....	(2)	(2)	.....	.....	0.1	0.1
	1902	(2)	(2)	(2)	(2)	.....	.....	.....	.....	.....	.....	(2)	(2)	.....	0.1	.....	.....
	1903	(2)	(2)	(2)	(2)	.....	.....	.....	.....	.....	.....	(2)	(2)	.....	.....	.....	.....
	1904	(2)	(2)	(2)	(2)	.....	.....	.....	.....	.....	.....	(2)	(2)	.....	.....	.....	.....
	1905	(2)	(2)	(2)	(2)	.....	.....	.....	.....	.....	.....	(2)	(2)	.....	.....	.....	.....
	1906	0.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	0 2	.....	.....	.....	.....	.....
	1907	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1908	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1909	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malarial fever	1900	(2)	(2)	(2)	(2)	10.5	13 5	14.9	14 5	3 4	1 4	(2)	(2)	2.6	3.6	4.4	7.4
	1901	(2)	(2)	(2)	(2)	13.0	7.7	7.7	9.9	3.3	1.2	(2)	(2)	3.0	3.8	4.1	4.8
	1902	(2)	(2)	(2)	(2)	10.2	7.6	6.6	7.8	1.7	3.3	(2)	(2)	1.7	2.9	4.2	3.9
	1903	(2)	(2)	(2)	(2)	5.8	4.9	5.3	6.3	.....	1.9	(2)	(2)	2.1	2.6	1.8	3.0
	1904	(2)	(2)	(2)	(2)	4.8	4.2	5.3	5.9	1.6	1.5	(2)	(2)	1.5	3.3	2.2	2.8
	1905	(2)	(2)	(2)	(2)	5.0	9 5	2.8	6.1	2.4	1.7	(2)	(2)	1.2	2.1	1.1	2.8
	1906	1.3	5.8	.....	0.5	4.2	5.0	5.0	5.7	1.1	0.9	5.2	3.0	1.1	1.8	1.7	2.0
	1907	1.2	3.5	0.7	0.7	3.5	4.3	3.4	4.4	1.1	1.5	1.7	4.2	1.3	0.8	1.2	1.3
	1908	2.2	4.3	1.1	.....	3.7	2 6	3.7	4.1	1.1	0.9	1.5	2.2	0 2	1.2	1.2	1.6
	1909	1.9	6.6	0.3	0.6	3.0	2.6	3.5	5.1	1.6	0.7	2.0	2.2	0.6	1.1	0.7	1.2
Smallpox	1900	(2)	(2)	(2)	(2)	.....	.....	.....	1.0	2.5	.....	(2)	(2)	0.1	.....	0.6	0.3
	1901	(2)	(2)	(2)	(2)	0.3	0.6	0.8	0.8	.....	.....	(2)	(2)	4.4	0.4	0.4	1.3
	1902	(2)	(2)	(2)	(2)	1.8	0.9	3.5	2.9	5.8	0.7	(2)	(2)	12.2	2.0	1.7	1.6
	1903	(2)	(2)	(2)	(2)	.....	0.3	18.6	3.7	0.8	1.0	(2)	(2)	0.8	0.6	1.7	1.0
	1904	(2)	(2)	(2)	(2)	.....	.....	3.7	3 8	.....	0.5	(2)	(2)	0.4	0.1	1.3	1.0
	1905	(2)	(2)	(2)	(2)	.....	.....	1.4	1 3	.....	.....	(2)	(2)	0 1	.....	6.0	1.4
	1906	2.4	1.3	.....	0.2	.....	.....	0 3	0.2	.....	.....	.....	.....	.....	.....	0.3	0.1
	1907	0.4	0.2	.....	0 9	.....	.....	0.7	0.2	.....	.....	.....	.....	0.2	0.3	0.1	0.4
	1908	0.4	0.4	0.4	0.4	.....	.....	0.7	0.2	.....	.....	.....	.....	0.1	.....	0.1	0.5
	1909	0.1	0.3	.....	.....	.....	.....	0.4	0.1	.....	.....	.....	.....	(3)	.....	0.1	0.2
Measles	1900	(2)	(2)	(2)	(2)	15.3	25 7	6.7	4.4	0.8	10.4	(2)	(2)	13.2	6.5	13.1	13.2
	1901	(2)	(2)	(2)	(2)	6.6	10 2	4.6	9.2	1.7	4.7	(2)	(2)	9.6	3.2	3.6	3.0
	1902	(2)	(2)	(2)	(2)	4.5	5 2	2.8	5 1	3.3	4 5	(2)	(2)	11.9	10.2	13.9	7.5
	1903	(2)	(2)	(2)	(2)	26.1	13.7	7.5	6.2	4.1	6.0	(2)	(2)	9.4	9.3	8.2	6.4
	1904	(2)	(2)	(2)	(2)	7.0	10.2	10.3	22.1	4.0	3.0	(2)	(2)	10.3	3.6	8.5	7.0
	1905	(2)	(2)	(2)	(2)	4.9	5.9	0.4	0.6	4.8	4.7	(2)	(2)	9.1	6.3	3.8	4.0
	1906	12.7	4.4	2.3	3.4	16.1	12 3	3.7	2.5	22.7	13.3	3.2	7.9	12.0	7.0	9.4	9.9
	1907	10.0	7.5	21.9	29.4	8.4	2 9	12.3	7.0	4.5	4.4	13.5	8.1	9.3	5 8	10.6	8.3
	1908	4.2	3.8	12.2	15.0	9.1	5.2	5.3	8.6	3.3	2.9	5.3	6.9	17.3	7.2	4.7	4.2
	1909	6.1	3.8	5.2	3.3	14.3	7.7	4.7	5.7	3.8	4.9	11.0	10.1	8.4	5.5	11.5	8.4
Scarlet fever	1900	(2)	(2)	(2)	(2)	8.0	6.9	7.8	5.1	1.7	5.9	(2)	(2)	16.1	8.0	9.8	11.7
	1901	(2)	(2)	(2)	(2)	11.4	4.9	7.0	5.8	0.8	3.3	(2)	(2)	16.4	6.0	14.3	11.7
	1902	(2)	(2)	(2)	(2)	20.5	12.2	5.9	6.1	.....	2.2	(2)	(2)	13.5	1.6	14.5	9.1
	1903	(2)	(2)	(2)	(2)	17.7	10.3	6.2	7.7	8.2	1.5	(2)	(2)	19.7	11.3	7.1	8.4
	1904	(2)	(2)	(2)	(2)	8.8	6.6	7.5	8.8	0.8	1.4	(2)	(2)	5.1	5.6	7.8	8.5
	1905	(2)	(2)	(2)	(2)	5.8	3.6	3.8	6.3	.....	1.2	(2)	(2)	4.7	2.4	4.9	4.4
	1906	2.8	2.4	17.6	12.3	6.2	4.4	4.4	4.1	0.6	0.7	8.8	3.8	5.0	3.5	14.5	5.9
	1907	2.9	4.0	41.9	25.4	7.2	4.3	5.8	2.9	0.6	2.4	3.0	1.8	10.9	6.3	11.0	3.8
	1908	3.5	5.9	22.6	24.9	6.0	5 2	5.4	2.8	2.2	2.3	12.4	3.3	13.4	7.2	11.8	4.5
	1909	4.0	2.3	20.9	23.4	12.6	6.2	7.2	5.3	8.8	2.9	3.8	3.1	9.8	4.7	16.4	6.7

[1] Exclusive of stillbirths.

[2] Nonregistration.

EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
1,940.6	1,800.8	1,943.2	1,554.5	1,949.5	1,553.2	(2)	(2)	(2)	(2)	2,029.2	2,077.4	(2)	(2)	1,763.2	1,639.6	(2)	(2)	(2)	(2)
1,723.3	1,654.8	1,811.3	1,419.8	1,881.6	1,531.7	(2)	(2)	(2)	(2)	1,814.6	1,808.9	(2)	(2)	1,674.2	1,654.4	(2)	(2)	(2)	(2)
1,686.7	1,543.3	1,765.9	1,330.8	1,757.6	1,391.4	(2)	(2)	(2)	(2)	1,810.1	1,693.0	(2)	(2)	1,566.9	1,493.0	(2)	(2)	(2)	(2)
1,703.5	1,646.0	1,742.5	1,334.8	1,738.9	1,441.5	(2)	(2)	(2)	(2)	1,886.0	1,868.2	(2)	(2)	1,831.9	1,585.3	(2)	(2)	(2)	(2)
1,628.0	1,616.7	1,899.7	1,412.6	1,915.1	1,524.6	(2)	(2)	(2)	(2)	1,720.3	1,731.9	(2)	(2)	1,761.8	1,572.0	(2)	(2)	(2)	(2)
1,829.6	1,655.6	1,746.7	1,359.7	1,779.2	1,519.3	(2)	(2)	(2)	(2)	1,710.7	1,707.7	(2)	(2)	1,901.2	1,664.1	(2)	(2)	(2)	(2)
1,841.9	1,719.5	1,770.2	1,305.9	1,778.7	1,482.5	(2)	(2)	1,803.6	1,432.7	1,684.5	1,982.4	942.6	843.2	1,883.2	1,635.1	(2)	(2)	(2)	(2)
1,794.9	1,729.5	1,771.2	1,350.6	1,787.1	1,565.2	(2)	(2)	1,771.8	1,442.3	1,818.8	1,587.7	1,176.5	899.8	1,739.5	1,594.9	(2)	(2)	(2)	(2)
1,680.8	1,671.9	1,599.3	1,296.2	1,615.7	1,525.7	(2)	(2)	1,648.3	1,399.1	1,612.1	1,497.0	1,264.0	910.2	1,695.3	1,576.7	1,083.2	835.4	1,285.9	1,120.1
1,798.4	1,612.9	1,575.9	1,290.5	1,587.2	1,508.8	1,385.0	1,208.7	1,579.2	1,377.2	1,586.9	1,414.9	1,071.8	848.6	1,705.3	1,548.3	1,089.2	913.2	1,336.8	1,099.1
431.1	431.8	497.0	382.0	522.6	402.3	(2)	(2)	(2)	(2)	628.4	597.2	(2)	(2)	446.2	410.8	(2)	(2)	(2)	(2)
450.6	399.0	458.1	359.2	526.2	425.3	(2)	(2)	(2)	(2)	518.2	460.8	(2)	(2)	420.1	429.4	(2)	(2)	(2)	(2)
397.0	373.6	457.2	338.6	480.4	342.2	(2)	(2)	(2)	(2)	514.7	428.4	(2)	(2)	341.3	348.8	(2)	(2)	(2)	(2)
413.4	409.4	463.3	327.8	478.4	356.3	(2)	(2)	(2)	(2)	564.5	554.9	(2)	(2)	385.7	379.3	(2)	(2)	(2)	(2)
408.0	373.5	508.8	354.6	499.0	376.3	(2)	(2)	(2)	(2)	468.4	433.3	(2)	(2)	406.6	396.3	(2)	(2)	(2)	(2)
432.0	399.5	444.6	344.4	457.0	375.2	(2)	(2)	(2)	(2)	466.6	457.9	(2)	(2)	428.9	409.5	(2)	(2)	(2)	(2)
412.1	399.9	467.2	308.5	469.7	349.3	(2)	(2)	495.8	349.9	452.9	509.2	329.9	233.2	432.9	371.2	(2)	(2)	(2)	(2)
397.9	412.0	456.7	318.1	475.2	385.4	(2)	(2)	466.7	348.0	486.7	380.9	290.3	257.2	467.9	369.1	(2)	(2)	(2)	(2)
411.5	373.0	417.4	310.4	451.5	368.9	(2)	(2)	439.7	339.2	452.1	381.3	371.8	270.1	365.9	388.7	303.6	235.9	335.6	281.6
394.4	354.4	398.0	323.2	434.2	352.3	385.8	325.1	394.1	320.2	422.6	322.0	282.4	229.7	421.6	363.2	328.5	252.7	370.4	280.2
19.5	23.7	22.8	21.0	25.4	32.0	(2)	(2)	(2)	(2)	29.6	27.0	(2)	(2)	32.2	34.0	(2)	(2)	(2)	(2)
19.8	18.2	20.7	17.8	23.8	27.2	(2)	(2)	(2)	(2)	22.4	25.6	(2)	(2)	21.1	29.9	(2)	(2)	(2)	(2)
17.7	18.7	23.9	18.5	23.2	23.2	(2)	(2)	(2)	(2)	21.2	18.5	(2)	(2)	18.7	19.1	(2)	(2)	(2)	(2)
21.0	27.1	21.9	16.3	22.3	21.8	(2)	(2)	(2)	(2)	17.1	18.7	(2)	(2)	24.6	24.8	(2)	(2)	(2)	(2)
20.1	18.0	20.3	16.4	21.3	21.3	(2)	(2)	(2)	(2)	15.4	13.9	(2)	(2)	24.3	30.7	(2)	(2)	(2)	(2)
16.9	14.8	17.4	15.1	19.1	21.8	(2)	(2)	(2)	(2)	17.3	16.7	(2)	(2)	35.9	22.7	(2)	(2)	(2)	(2)
24.8	19.2	17.7	14.7	18.7	20.3	(2)	(2)	76.7	36.4	15.5	20.3	39.3	19.6	19.7	19.3	(2)	(2)	(2)	(2)
11.9	12.4	22.0	12.4	20.3	19.3	(2)	(2)	67.0	33.1	10.3	13.3	22.9	18.0	13.6	10.3	(2)	(2)	(2)	(2)
20.7	18.5	15.0	13.2	15.8	16.9	(2)	(2)	39.0	28.0	13.8	7.6	37.2	17.7	13.4	20.2	28.8	27.2	22.3	10.0
14.9	10.9	12.0	10.0	14.7	15.3	24.6	28.9	24.9	20.8	12.8	8.5	43.5	16.5	18.9	14.2	31.2	26.1	23.6	10.0
.....	.....	.....	.....	.....	0.1	(2)	(2)	(2)	(2)	.....	.....	(2)	(2)	.....	.....	(2)	(2)	(2)	(2)
.....	.....	.....	.....	.....	.....	(2)	(2)	(2)	(2)	.....	.....	(2)	(2)	.....	.....	(2)	(2)	(2)	(2)
.....	.....	.....	.....	.....	.....	(2)	(2)	(2)	(2)	.....	.....	(2)	(2)	.....	.....	(2)	(2)	(2)	(2)
.....	.....	.....	.....	.....	.....	(2)	(2)	(2)	(2)	.....	.....	(2)	(2)	.....	.....	(2)	(2)	(2)	(2)
.....	.....	.....	.....	.....	.....	(2)	(2)	(2)	(2)	.....	.....	(2)	(2)	.....	.....	(2)	(2)	(2)	(2)
.....	.....	.....	.....	.....	.....	(2)	(2)	(2)	(2)	.....	.....	(2)	(2)	.....	.....	(2)	(2)	(2)	(2)
.....	.....	.....	.....	.....	.....	(2)	(2)	(2)	(2)	.....	.....	(2)	(2)	.....	.....	(2)	(2)	(2)	(2)
.....	.....	.....	.....	.....	.....	(2)	(2)	(2)	(2)	.....	.....	(2)	(2)	.....	.....	(2)	(2)	(2)	(2)
.....	.....	.....	.....	.....	(3)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	(2)	(2)	(2)	(2)	.....	.....	(2)	(2)	.....	.....	(2)	(2)	(2)	(2)
.....	.....	.....	.....	(3)	.....	(2)	(2)	(2)	(2)	.....	.....	(2)	(2)	.....	.....	(2)	(2)	(2)	(2)
.....	.....	.....	.....	.....	.....	(2)	(2)	(2)	(2)	.....	.....	(2)	(2)	.....	.....	(2)	(2)	(2)	(2)
.....	.....	.....	.....	.....	(3)	(2)	(2)	(2)	(2)	.....	.....	(2)	(2)	.....	.....	(2)	(2)	(2)	(2)
.....	.....	0.1	.....	.....	(3)	(2)	(2)	(2)	(2)	.....	.....	(2)	(2)	.....	.....	(2)	(2)	(2)	(2)
.....	.....	.....	.....	.....	.....	(2)	(2)	(3)	.....	.....	.....	.....	.....	.....	.....	(2)	(2)	(2)	(2)
.....	.....	.....	.....	.....	.....	(2)	(2)	.....	(3)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3.1	1.6	4.1	6.4	4.9	3.8	(2)	(2)	(2)	(2)	6.7	7.6	(2)	(2)	2.1	1.6	(2)	(2)	(2)	(2)
3.1	0.8	4.2	4.7	4.1	3.1	(2)	(2)	(2)	(2)	7.9	8.1	(2)	(2)	4.2	1.0	(2)	(2)	(2)	(2)
0.6	0.4	2.8	3.6	3.0	3.2	(2)	(2)	(2)	(2)	7.1	3.3	(2)	(2)	.....	1.3	(2)	(2)	(2)	(2)
0.6	2.8	1.8	4.8	1.9	2.5	(2)	(2)	(2)	(2)	4.6	9.0	(2)	(2)	2.1	1.3	(2)	(2)	(2)	(2)
2.4	2.0	2.6	3.0	2.4	2.1	(2)	(2)	(2)	(2)	3.9	5.1	(2)	(2)	2.0	1.7	(2)	(2)	(2)	(2)
0.6	2.4	1.8	3.3	1.4	2.4	(2)	(2)	(2)	(2)	3.5	3.1	(2)	(2)	.....	2.0	(2)	(2)	(2)	(2)
2.9	1.6	1.7	3.0	2.0	2.7	(2)	(2)	1.1	1.4	3.7	.....	.....	.....	5.9	0.3	(2)	(2)	(2)	(2)
0.6	2.4	2.1	1.9	1.5	2.2	(2)	(2)	1.1	0.7	1.2	2.2	.....	.....	.....	3.0	(2)	(2)	(2)	(2)
1.1	0.8	0.8	1.9	0.7	1.7	(2)	(2)	0.6	0.7	1.9	2.2	.....	0.8	.....	0.3	0.3	0.8	0.1	0.3
.....	0.8	0.5	1.6	0.9	1.5	1.3	1.8	0.5	0.8	1.8	.....	.....	.....	.....	0.3	0.2	0.3	0.4	0.6
0.6	.....	0.3	0.2	0.3	(3)	(2)	(2)	(2)	(2)	0.4	.....	(2)	(2)	.....	.....	(2)	(2)	(2)	(2)
1.9	0.8	7.9	6.2	8.2	0.8	(2)	(2)	(2)	(2)	1.7	.....	(2)	(2)	.....	.....	(2)	(2)	(2)	(2)
1.8	1.6	22.9	19.9	8.0	1.2	(2)	(2)	(2)	(2)	11.8	1.3	(2)	(2)	.....	0.7	(2)	(2)	(2)	(2)
.....	.....	0.9	0.8	0.7	0.2	(2)	(2)	(2)	(2)	0.3	1.3	(2)	(2)	2.1	0.7	(2)	(2)	(2)	(2)
1.2	.....	1.3	1.0	0.1	0.2	(2)	(2)	(2)	(2)	.....	.....	(2)	(2)	.....	.....	(2)	(2)	(2)	(2)
.....	.....	.....	0.1	0.2	.....	(2)	(2)	(2)	(2)	.....	.....	.....	.....	.....	.....	(2)	(2)	(2)	(2)
.....	.....	0.1	0.1	0.1	(3)	(2)	(2)	0.2	(3)	.....	.....	.....	.....	.....	.....	(2)	(2)	(2)	(2)
.....	.....	.....	.....	0.2	.....	(2)	(2)	.....	(3)	.....	.....	.....	0.8	.....	.....	(2)	(2)	(2)	(2)
.....	.....	.....	0.1	(3)	(3)	(2)	(2)	.....	.....	.....	.....	.....	1.5	.....	0.3	0.5	0.2	0.4	0.4
.....	.....	0.1	.....	(3)	(3)	0.2	0.1	.....	.....	.....	.....	.....	0.4	.....	.....	0.2	1.2	0.8	0.6
6.9	5.1	14.4	7.7	18.9	10.4	(2)	(2)	(2)	(2)	41.5	45.7	(2)	(2)	19.3	6.1	(2)	(2)	(2)	(2)
2.5	0.8	4.9	1.9	9.4	11.5	(2)	(2)	(2)	(2)	3.8	3.4	(2)	(2)	12.7	8.7	(2)	(2)	(2)	(2)
7.9	2.8	14.3	6.5	14.6	4.2	(2)	(2)	(2)	(2)	4.7	5.9	(2)	(2)	16.6	4.7	(2)	(2)	(2)	(2)
9.0	10.8	3.0	2.9	10.4	4.3	(2)	(2)	(2)	(2)	32.8	24.5	(2)	(2)	6.2	8.7	(2)	(2)	(2)	(2)
4.1	.....	12.0	7.1	17.6	7.1	(2)	(2)	(2)	(2)	3.2	3.8	(2)	(2)	.....	1.0	(2)	(2)	(2)	(2)
19.8	11.2	5.7	4.4	12.3	8.7	(2)	(2)	(2)	(2)	7.8	6.8	(2)	(2)	16.0	10.0	(2)	(2)	(2)	(2)
4.0	3.6	12.9	5.4	18.8	6.0	(2)	(2)	23.0	18.4	26.4	16.9	15.7	5.1	.....	10.3	(2)	(2)	(2)	(2)
8.5	2.0	8.6	2.9	13.7	5.5	(2)	(2)	10.2	9.5	6.2	5.5	.....	10.8	5.8	2.0	(2)	(2)	(2)	(2)
5.6	3.2	8.8	6.1	16.5	4.8	(2)	(2)	18.9	14.3	16.4	11.9	7.4	19.4	1.9	2.7	1.8	2.4	5.2	3.7
14.4	6.9	9.6	9.5	17.5	6.5	8.5	2.9	14.3	13.8	13.9	.....	.....	4.5	47.3	16.9	3.6	4.3	13.5	4.3
6.9	5.5	12.9	6.0	12.1	5.3	(2)	(2)	(2)	(2)	7.4	8.3	(2)	(2)	4.3	4.7	(2)	(2)	(2)	(2)
22.3	6.7	9.4	10.4	26.1	6.3	(2)	(2)	(2)	(2)	4.5	5.4	(2)	(2)	19.0	10.1	(2)	(2)	(2)	(2)
1.2	.....	14.7	7.4	21.6	5.3	(2)	(2)	(2)	(2)	6.4	5.9	(2)	(2)	20.8	7.0	(2)	(2)	(2)	(2)
1.8	3.2	17.7	11.2	18.5	5.6	(2)	(2)	(2)	(2)	13.5	11.6	(2)	(2)	.....	1.7	(2)	(2)	(2)	(2)
1.2	3.2	28.3	11.5	20.3	5.8	(2)	(2)	(2)	(2)	17.0	10.8	(2)	(2)	8.1	1.7	(2)	(2)	(2)	(2)
0.6	1.2	9.9	7.0	11.7	4.8	(2)	(2)	(2)	(2)	8.2	5.0	(2)	(2)	8.0	2.0	(2)	(2)	(2)	(2)
1.7	4.8	12.0	5.0	11.3	3.6	(2)	(2)	8.3	7.9	19.2	2.3	23.6	4.0	3.9	2.7	(2)	(2)	(2)	(2)
1.7	2.4	17.6	6.7	15.8	4.8	(2)	(2)	9.5	8.6	30.7	15.5	.....	4.0	1.9	2.3	(2)	(2)	(2)	(2)
.....	2.4	23.2	9.0	25.7	5.2	(2)	(2)	18.1	15.0	7.5	4.3	14.9	7.2	1.9	2.3	2.0	4.4	7.0	5.2
6.1	2.8	17.3	10.2	17.1	5.0	5.2	3.6	15.1	16.9	6.8	1.1	21.7	14.7	1.9	3.3	25.6	11.0	33.2	7.5

[3] Less than one-tenth.

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Whooping cough	1900	(1)	(1)	(1)	(1)	15.8	11.9	11.5	12.6	14.4	9.9	(1)	(1)	15.8	8.8	7.4	8.0
	1901	(1)	(1)	(1)	(1)	14.5	5.6	6.7	10.7	7.5	3.6	(1)	(1)	10.2	5.7	8.9	5.6
	1902	(1)	(1)	(1)	(1)	17.6	11.0	8.2	9.5	6.6	7.4	(1)	(1)	15.2	8.9	14.3	9.0
	1903	(1)	(1)	(1)	(1)	26.6	21.2	10 5	10.8	26.1	12.9	(1)	(1)	24.0	11.7	17.4	14.3
	1904	(1)	(1)	(1)	(1)	7.1	5.1	5.1	6.4	12.9	6.6	(1)	(1)	5.7	5.2	5.6	5.8
	1905	(1)	(1)	(1)	(1)	8.3	5.0	10.4	11.4	4.8	5.6	(1)	(1)	10.7	5.8	3.7	4.8
	1906	4.8	4.8	10.0	15.5	23.6	13.5	14.4	11.6	10.8	14.2	30.0	31.3	25.4	14.1	19.2	16.5
	1907	7.1	6.2	3.7	8.5	13.4	10.7	4.5	6.8	15.1	8.0	5.0	16.8	10.9	10.8	8.2	7.8
	1908	5.0	6.8	16.5	20.5	8.9	5.4	19.8	13.9	10.0	10.1	8.9	12.1	13.8	9.0	11.4	10.2
	1909	9.7	7.4	12.9	20.8	11.0	10.8	10.3	13.8	12.6	6.1	21.6	14.2	11.8	12.7	6.9	8.0
Diphtheria	1900	(1)	(1)	(1)	(1)	28.5	24.4	20.6	23.4	18.6	12.8	(1)	(1)	54.4	18.3	24.9	13.0
	1901	(1)	(1)	(1)	(1)	26.5	20.4	19.8	12.4	20.0	9.8	(1)	(1)	40.2	17.7	14.9	14.8
	1902	(1)	(1)	(1)	(1)	23.1	16.8	19.4	8.2	18.2	10.3	(1)	(1)	29.9	13.4	29.2	9.9
	1903	(1)	(1)	(1)	(1)	25.2	12.4	20.4	10.8	13.1	10.7	(1)	(1)	29.1	16.2	41.1	14.5
	1904	(1)	(1)	(1)	(1)	19.8	13.2	14.1	6.5	29.1	14.9	(1)	(1)	23.6	12.1	24.3	12.9
	1905	(1)	(1)	(1)	(1)	22.7	13.3	13.4	8.7	16.8	9.3	(1)	(1)	21.4	11.7	24.1	10.4
	1906	14.3	5.7	8.1	13.9	23.2	19.4	17.0	9.1	15.3	10.2	21.7	18.8	24.0	13.9	20.5	11.7
	1907	16.8	12.2	20.0	13.2	17.8	22.3	14.6	9.2	19.6	10.4	14.0	10.4	23.4	14.5	15.9	11.2
	1908	16.3	13.8	26.9	17.7	18.4	8.3	13.6	7.5	20.5	9.4	11.1	9.7	23.0	13.3	14.4	8.2
	1909	9.5	8.5	21.6	13.6	15.8	15.0	13.2	8.9	20.8	9.2	12.1	6.7	20.6	12.6	18.4	9.5
Croup	1900	(1)	(1)	(1)	(1)	9.5	7.5	11.2	12.3	7.6	9.0	(1)	(1)	7.1	5.8	5.9	5.5
	1901	(1)	(1)	(1)	(1)	8.9	8.7	5.8	6.9	10.0	5.9	(1)	(1)	6.5	5.9	6.8	5.6
	1902	(1)	(1)	(1)	(1)	6.9	5.8	4.9	4.9	5.0	4.3	(1)	(1)	5.3	4.1	4.3	3.9
	1903	(1)	(1)	(1)	(1)	6.2	3.0	5.4	4.2	5.7	4.8	(1)	(1)	4.2	4.3	6.7	3.9
	1904	(1)	(1)	(1)	(1)	4.1	4.2	3.4	3.8	4.0	5.4	(1)	(1)	3.3	5.0	3.7	3.2
	1905	(1)	(1)	(1)	(1)	4.7	1.8	4.1	3.9	4.8	4.9	(1)	(1)	3.3	2.6	4.8	2.7
	1906	1.5	2.4	1.9	1.4	4.3	5.6	4.7	3.9	4.0	4.7	3.0	8.6	3.5	3.1	4.2	2.5
	1907	2.6	3.9	4.5	2.0	5.1	4.1	1.3	2.9	5.0	3.5	2.2	4.8	3.1	2.5	3.4	2.2
	1908	2.1	2.5	2.5	3.4	2.9	4.6	2.2	3.1	.....	2.3	1.8	5.4	2.9	1.8	2.0	2.4
	1909	0.7	2.4	1.0	2.6	3.1	3.7	2.8	3.1	3.8	2.9	2.0	4.3	2.8	2.5	1.5	1.9
Influenza	1900	(1)	(1)	(1)	(1)	57.4	94.3	20.6	18.2	21.1	36.7	(1)	(1)	34.3	46.1	9.8	17.8
	1901	(1)	(1)	(1)	(1)	46.3	85.6	31 3	42.1	22 5	46.7	(1)	(1)	24.7	37.4	34.2	47.2
	1902	(1)	(1)	(1)	(1)	11.8	15.0	8.8	13.7	6.6	19.5	(1)	(1)	6.2	12.3	6.2	15.0
	1903	(1)	(1)	(1)	(1)	27.0	42.5	14.4	16.8	10.6	30.0	(1)	(1)	15.6	29.4	13.2	20.1
	1904	(1)	(1)	(1)	(1)	28.0	50.7	16.2	22.9	10 5	26.1	(1)	(1)	12.0	24.3	15.2	29.3
	1905	(1)	(1)	(1)	(1)	22.4	32.6	17.6	28.3	28.0	37.4	(1)	(1)	17.2	36.0	11.3	27.3
	1906	7.6	10.6	7.7	8.7	15.4	23.5	8.3	11.1	6.8	16.6	9.4	12.7	7.7	16.2	6.6	11.7
	1907	10.1	12.1	17.8	19.5	34.1	60.6	18.5	28.3	20.2	41.6	20.7	35.2	21.7	39.2	18.1	35.6
	1908	9.5	17.5	21.2	18.2	27.3	40.2	23.0	32.1	19.9	34.3	27.8	30.3	15.0	29.1	11.8	24.3
	1909	6.2	10.4	13.9	11.8	13.0	23.0	10.6	18.3	12.6	27.5	14.7	21.8	10.0	23.2	6.0	17.4
Miliary fever	1900	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1901	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1902	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	(2)	.....	.....	.....
	1903	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1904	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1905	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1906	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1907	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1908	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1909	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Asiatic cholera	1900	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1901	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1902	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1903	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1904	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1905	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1906	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1907	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1908	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1909	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras	1900	(1)	(1)	(1)	(1)	3.9	5.0	1.3	1.3	1.7	3.1	(1)	(1)	3.3	3.0	2.2	3.2
	1901	(1)	(1)	(1)	(1)	2.3	2.8	1.0	1.4	4.2	3.6	(1)	(1)	1.5	2.4	1.6	1.6
	1902	(1)	(1)	(1)	(1)	2 4	1.8	1.1	1.1	0.8	2.4	(1)	(1)	2.0	1.8	1.2	1.6
	1903	(1)	(1)	(1)	(1)	1.1	0.3	0.9	1.0	.....	3.7	(1)	(1)	1.5	1.2	1.4	1.0
	1904	(1)	(1)	(1)	(1)	2.0	0.6	0.7	0.7	2.4	1.9	(1)	(1)	1.1	1.3	1.4	1.1
	1905	(1)	(1)	(1)	(1)	1.0	1.2	0.6	1.0	2.4	2.9	(1)	(1)	1.3	1.6	1.7	2.2
	1906	0.5	0.4	1.9	0.5	0.6	0.3	0.6	0.7	2 8	4.7	1.3	1.2	0.7	1.3	2.5	2.1
	1907	0.3	0.9	0.4	1.8	0.4	1.4	0 8	0.7	2 2	2.0	1.8	1.1	0.7	1.5	0.9	0.6
	1908	0.2	0.4	0.7	0.8	0 4	1.1	0 5	0.6	1.1	2.7	2.6	2.2	0.9	1.1	1.6	1.8
	1909	0.5	0.2	1 4	1.2	0.7	0.6	0.6	0.8	0.5	1.3	0.8	0.6	0.4	0.4	0.9	1.1
Dysentery	1900	(1)	(1)	(1)	(1)	14.9	21.3	15.2	21.4	5.9	8.9	(1)	(1)	8.9	10.7	9.4	11.6
	1901	(1)	(1)	(1)	(1)	14.5	13.6	12.9	19.6	5.8	7.8	(1)	(1)	7.6	9.0	11.8	7.5
	1902	(1)	(1)	(1)	(1)	16.3	14.1	18.5	19.9	4.1	4.5	(1)	(1)	6.0	7.7	5.7	5.6
	1903	(1)	(1)	(1)	(1)	12.1	8.5	11.3	13.5	4.9	4.1	(1)	(1)	6.2	6.7	4.7	5.6
	1904	(1)	(1)	(1)	(1)	9.1	10.8	11.6	14.2	2.4	5.1	(1)	(1)	5.9	9.0	4.5	6.3
	1905	(1)	(1)	(1)	(1)	12.1	10.1	9.9	15.9	4.0	4.9	(1)	(1)	4.7	9.8	5.5	7.5
	1906	7.9	5.2	3.1	8.0	10.1	12.9	10.4	15.6	5.1	6.9	6.7	11.4	5.1	8.7	6.2	12.1
	1907	4.2	5.9	2.6	7.0	7.9	12.2	8.6	14.5	1.1	1.5	9.0	12.0	4.1	8.8	5.0	4.3
	1908	2.5	4.9	3.6	3.4	7.0	8.6	11.1	13.2	5.5	4.3	6.3	9.7	6.0	8.6	6.6	7.4
	1909	3.1	3.9	1.4	4.9	4.2	4.5	9.2	16.0	1.1	2.3	5.9	8.3	6.0	7.5	3.4	5.5
Plague	1900	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1901	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1902	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1903	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1904	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1905	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1906	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1907	8.7	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1908	0.3	0.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1909	.....	0.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
9.5	9.9	17.2	13.5	13.3	7.5	(1)	(1)	(1)	(1)	18.3	13.1	(1)	(1)	10.8	5.4	(1)	(1)	(1)	(1)
10.5	4.4	10.5	7.3	7.9	9.9	(1)	(1)	(1)	(1)	5.2	1.3	(1)	(1)	8.4	11.4	(1)	(1)	(1)	(1)
8.5	6.8	14.4	16.5	13.8	7.6	(1)	(1)	(1)	(1)	15.5	21.8	(1)	(1)	.....	11.4	(1)	(1)	(1)	(1)
23.4	10.0	16.8	10.9	9.8	10.6	(1)	(1)	(1)	(1)	34.5	34.9	(1)	(1)	2.1	4.7	(1)	(1)	(1)	(1)
10.7	1.2	6.9	6.4	5.3	5.6	(2)	(1)	(1)	(1)	1.6	1.9	(1)	(1)	16.2	5.0	(1)	(1)	(1)	(1)
8.2	8.8	9.9	6.6	9.9	8.6	(1)	(1)	(1)	(1)	7.8	13.0	(1)	(1)	8.0	12.0	(1)	(1)	(1)	(1)
23.6	16.4	18.5	13.0	9.5	10.4	(1)	(1)	23.2	20.4	19.5	15.8	23.6	18.3	13.8	5.3	(1)	(1)	(1)	(1)
18.7	13.3	9.3	11.9	9.2	8.5	(1)	(1)	17.5	17.8	16.8	16.6	7.6	27.2	33.0	11.6	(1)	(1)	(1)	(1)
15.1	5.6	12.4	5.8	5.6	6.7	(1)	(1)	14.0	19.6	6.3	5.4	7.4	7.8	7.7	13.9	3.3	2.0	10.2	7.5
17.1	8.5	10.6	11.3	8.7	8.9	7.6	5.3	10.6	13.3	10.5	11.7	.....	10.7	1.9	4.3	3.8	2.7	8.3	10.4
18.9	13.1	44.9	24.7	46.5	16.9	(1)	(1)	(1)	(1)	28.2	22.1	(1)	(1)	27.9	8.8	(1)	(1)	(1)	(1)
20.4	11.1	31.4	21.2	40.8	16.1	(1)	(1)	(1)	(1)	33.0	18.2	(1)	(1)	14.8	9.1	(1)	(1)	(1)	(1)
41.5	20.7	32.8	18.8	39.9	14.4	(1)	(1)	(1)	(1)	33.3	24.4	(1)	(1)	2.1	8.0	(1)	(1)	(1)	(1)
21.0	14.7	38.8	21.4	42.3	11.8	(1)	(1)	(1)	(1)	42.3	29.7	(1)	(1)	16.4	12.7	(1)	(1)	(1)	(1)
14.8	8.4	47.0	25.2	41.2	14.9	(1)	(1)	(1)	(1)	32.7	16.4	(1)	(1)	10.1	14.0	(1)	(1)	(1)	(1)
17.5	10.4	31.3	18.7	29.3	12.1	(1)	(1)	(1)	(1)	27.9	14.3	(1)	(1)	21.9	10.3	(1)	(1)	(1)	(1)
19.0	12.8	28.8	18.1	35.2	12.3	(1)	(1)	31.3	24.5	21.2	18.1	7.9	8.0	25.6	15.0	(1)	(1)	(1)	(1)
21.6	15.7	29.8	16.0	31.2	13.9	(1)	(1)	27.2	19.8	22.8	17.7	38.2	12.8	15.5	7.0	(1)	(1)	(1)	(1)
33.6	9.7	19.6	14.7	30.6	10.9	(1)	(1)	24.9	19.0	26.2	16.3	29.7	15.1	11.5	9.9	23.0	18.2	18.0	13.6
26.0	6.5	22.5	14.9	29.0	9.3	13.1	8.7	24.8	19.5	17.6	11.7	21.7	10.5	3.8	7.3	16.5	15.0	22.6	12.2
12.0	6.7	15.0	9.5	9.2	7.1	(1)	(1)	(1)	(1)	18.3	22.8	(1)	(1)	4.3	3.7	(1)	(1)	(1)	(1)
6.2	5.9	11.6	6.6	8.1	5.9	(1)	(1)	(1)	(1)	13.8	20.9	(1)	(1)	.....	5.7	(1)	(1)	(1)	(1)
15.2	4.8	9.5	6.4	6.9	3.7	(1)	(1)	(1)	(1)	5.7	4.0	(1)	(1)	.....	4.4	(1)	(1)	(1)	(1)
13.8	4.0	8.6	5.5	6.0	3.3	(1)	(1)	(1)	(1)	4.6	5.2	(1)	(1)	4.1	3.0	(1)	(1)	(1)	(1)
7.1	4.8	12.1	7.5	5.5	3.6	(1)	(1)	(1)	(1)	3.5	3.8	(1)	(1)	4.0	3.0	(1)	(1)	(1)	(1)
9.9	2.8	6.9	6.1	4.2	3.0	(1)	(1)	(1)	(1)	5.0	6.2	(1)	(1)	8.0	3.7	(1)	(1)	(1)	(1)
9.8	3.6	5.8	5.6	4.0	3.0	(1)	(1)	5.8	7.1	5.2	3.4	7.9	3.6	5.9	2.7	(1)	(1)	(1)	(1)
9.1	1.6	6.5	3.4	4.2	2.2	(1)	(1)	5.4	6.8	2.9	1.1	7.6	2.0	1.9	2.3	(1)	(1)	(1)	(1)
7.8	3.6	5.6	3.2	2.7	2.1	(1)	(1)	4.6	5.0	4.9	3.3	7.4	4.2	1.9	1.0	1.3	2.8	2.9	3.2
3.3	2.8	6.2	4.8	2.3	1.8	1.9	1.8	3.9	5.1	3.2	2.1	.....	4.0	.....	2.3	1.4	1.9	2.5	2.2
27.7	55.4	18.2	26.2	15.6	28.4	(1)	(1)	(1)	(1)	73.6	63.7	(1)	(1)	21.5	39.4	(1)	(1)	(1)	(1)
27.2	39.3	15.8	26.1	24.0	60.2	(1)	(1)	(1)	(1)	37.5	44.5	(1)	(1)	16.9	48.4	(1)	(1)	(1)	(1)
9.1	14.3	4.1	5.6	6.0	16.8	(1)	(1)	(1)	(1)	16.1	11.9	(1)	(1)	6.2	23.5	(1)	(1)	(1)	(1)
22.8	45.4	8.9	15.3	12.4	28.5	(1)	(1)	(1)	(1)	32.2	39.4	(1)	(1)	16.4	37.2	(1)	(1)	(1)	(1)
24.3	34.3	9.0	16.8	15.8	36.6	(1)	(1)	(1)	(1)	19.6	30.4	(1)	(1)	32.4	46.4	(1)	(1)	(1)	(1)
26.9	48.0	6.4	13.6	10.3	28.6	(1)	(1)	(1)	(1)	27.6	29.7	(1)	(1)	18.0	57.0	(1)	(1)	(1)	(1)
15.0	22.0	4.3	7.1	6.2	16.0	(1)	(1)	9.6	12.7	10.1	13.5	.....	3.4	13.8	23.3	(1)	(1)	(1)	(1)
27.2	54.2	11.7	17.4	17.2	48.2	(1)	(1)	19.0	27.0	24.0	34.3	30.6	11.6	31.1	54.8	(1)	(1)	(1)	(1)
19.6	34.6	7.9	12.9	11.0	33.4	(1)	(1)	23.8	26.2	22.7	41.3	22.3	18.3	30.7	45.8	7.7	9.9	18.3	26.3
12.7	31.5	6.8	7.3	6.7	21.3	12.2	19.0	11.3	17.0	12.1	26.7	.....	8.4	18.9	41.4	6.9	10.2	8.6	15.3
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
1.9	3.2	2.8	2.6	2.1	4.0	(1)	(1)	(1)	(1)	3.9	10.4	(1)	(1)	2.1	5.7	(1)	(1)	(1)	(1)
1.9	2.4	2.1	1.0	1.3	2.6	(1)	(1)	(1)	(1)	2.4	2.0	(1)	(1)	4.2	4.4	(1)	(1)	(1)	(1)
3.0	0.4	1.5	1.1	0.8	2.1	(1)	(1)	(1)	(1)	2.7	1.3	(1)	(1)	.....	2.3	(1)	(1)	(1)	(1)
2.4	.....	1.2	0.8	0.9	1.4	(1)	(1)	(1)	(1)	1.0	0.6	(1)	(1)	4.1	0.7	(1)	(1)	(1)	(1)
0.6	3.6	0.9	1.2	1.1	1.2	(1)	(1)	(1)	(1)	1.9	.....	(1)	(1)	6.1	1.7	(1)	(1)	(1)	(1)
2.3	4.0	1.1	1.0	0.9	2.3	(1)	(1)	(1)	(1)	0.6	1.2	(1)	(1)	4.0	0.7	(1)	(1)	(1)	(1)
2.3	1.6	0.9	1.3	1.0	2.1	(1)	(1)	1.5	2.2	1.7	2.3	.....	2.5	2.0	1.7	(1)	(1)	(1)	(1)
0.6	2.8	0.7	1.1	0.6	0.9	(1)	(1)	1.5	1.5	1.0	.....	.....	0.8	.....	0.3	(1)	(1)	(1)	(1)
1.7	1.2	0.6	1.1	0.6	1.4	(1)	(1)	1.4	1.8	0.9	1.1	.....	1.5	1.9	3.3	0.3	0.2	1.1	1.5
0.6	1.2	0.6	0.9	0.4	1.1	0.9	1.1	1.1	1.3	0.7	2.1	.....	1.3	1.9	.....	.....	0.1	0.6	1.7
8.2	9.1	6.2	10.3	8.6	15.9	(1)	(1)	(1)	(1)	17.3	29.1	(2)	(2)	19.3	10.5	(1)	(1)	(1)	(1)
8.0	10.7	9.8	12.4	10.3	10.7	(1)	(1)	(1)	(1)	18.6	15.5	(1)	(1)	4.2	13.1	(1)	(1)	(1)	(1)
9.1	4.8	9.4	11.3	8.6	9.6	(1)	(1)	(1)	(1)	29.6	21.8	(1)	(1)	8.3	6.7	(1)	(1)	(1)	(1)
3.6	5.2	7.7	7.7	5.4	6.1	(1)	(1)	(1)	(1)	20.0	22.6	(1)	(1)	4.1	5.7	(1)	(1)	(1)	(1)
5.9	6.8	9.6	10.1	6.3	8.4	(1)	(1)	(1)	(1)	14.4	15.2	(1)	(1)	4.0	6.0	(1)	(1)	(1)	(1)
9.3	6.0	8.8	14.3	5.4	10.7	(1)	(1)	(1)	(1)	10.7	14.3	(1)	(1)	.....	6.0	(1)	(1)	(1)	(1)
8.1	5.6	7.5	8.3	5.3	10.4	(1)	(1)	4.8	9.4	10.1	23.7	.....	5.9	13.8	9.7	(1)	(1)	(1)	(1)
4.5	2.0	6.1	7.7	4.1	6.3	(1)	(1)	3.3	7.8	9.6	4.4	.....	3.8	7.8	6.3	(1)	(1)	(1)	(1)
7.3	7.6	5.4	5.5	3.3	9.7	(1)	(1)	3.8	6.9	5.1	6.5	7.4	5.0	3.8	9.6	2.6	4.6	3.5	6.6
3.9	4.4	3.6	6.2	2.8	5.2	5.2	8.8	2.6	6.4	8.0	8.5	7.2	6.0	3.8	6.3	2.4	5.0	3.8	4.7
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)

[1] Less than one-tenth.

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Yellow fever	1900	(1)	(1)	(1)	(1)	.....	.....	.....	(2)	.....	.....	(1)	(1)	.....	.....	.....	.....
	1901	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	0.3	.....
	1902	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1903	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1904	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1905	(1)	(1)	(1)	(1)	.....	.....	0.1	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1906	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1907	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1908	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1909	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Leprosy	1900	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1901	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1902	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	(2)
	1903	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1904	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1905	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1906	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1907	0.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	.....
	1908	0.4	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1909	0.2	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Erysipelas	1900	(1)	(1)	(1)	(1)	7.0	5.9	6.7	3.1	2.5	3.5	(1)	(1)	6.8	3.7	5.8	4.1
	1901	(1)	(1)	(1)	(1)	6.1	4.3	4.0	3.0	3.3	1.6	(1)	(1)	5.4	4.0	6.2	4.4
	1902	(1)	(1)	(1)	(1)	6.6	2.1	4.5	3.8	3.3	4.1	(1)	(1)	4.3	3.5	5.4	3.4
	1903	(1)	(1)	(1)	(1)	4.4	3.9	4.7	2.5	0.8	2.4	(1)	(1)	3.8	3.3	5.5	3.2
	1904	(1)	(1)	(1)	(1)	5.3	2.7	5.9	4.4	3.2	4.4	(1)	(1)	6.4	4.0	4.5	4.7
	1905	(1)	(1)	(1)	(1)	5.5	4.2	5.4	4.6	6.4	2.9	(1)	(1)	5.1	4.3	4.3	3.4
	1906	4.1	3.2	10.0	5.2	6.2	2.3	4.7	3.5	4.0	2.2	4.4	2.0	4.2	3.8	4.2	2.9
	1907	2.7	2.6	7.4	6.6	5.3	3.5	2.7	3.5	3.9	3.3	3.7	1.7	4.6	3.0	5.6	3.4
	1908	2.7	3.2	5.0	4.9	4.7	2.9	4.2	3.2	2.8	1.8	5.9	3.1	4.0	2.9	3.7	3.7
	1909	2.8	1.9	4.9	2.2	4.3	3.1	4.8	2.9	4.4	2.3	4.1	2.5	5.2	4.2	3.9	3.4
Other epidemic diseases	1900	(1)	(1)	(1)	(1)	0.5	0.6	0.5	0.2	.....	0.3	(1)	(1)	0.4	.....	0.3	0.2
	1901	(1)	(1)	(1)	(1)	0.2	0.3	.....	0.1	.....	.....	(1)	(1)	(2)	0.1	0.4	0.3
	1902	(1)	(1)	(1)	(1)	0.2	.....	.....	0.2	1.7	.....	(1)	(1)	0.5	0.1	0.4	0.6
	1903	(1)	(1)	(1)	(1)	0.2	.....	.....	0.2	.....	0.2	(1)	(1)	0.2	0.6	0.1	0.4
	1904	(1)	(1)	(1)	(1)	0.2	.....	.....	0.2	.....	.....	(1)	(1)	0.2	0.4	0.3	0.5
	1905	(1)	(1)	(1)	(1)	0.1	0.9	.....	0.1	.....	.....	(1)	(1)	0.1	0.1	0.2	0.3
	1906	0.7	0.4	.....	0.2	0.1	0.6	0.1	0.2	0.6	0.4	0.3	0.3	0.1	.....	0.3	0.2
	1907	0.5	0.8	.....	0.4	0.3	0.3	0.5	0.2	.....	.....	0.3	0.2	0.2	.....	0.1	0.2
	1908	1.0	0.6	0.4	0.6	0.7	0.3	.....	0.1	.....	.....	0.2	.....	0.5	0.1	0.2	0.2
	1909	0.3	0.2	0.3	0.2	.....	.....	.....	0.3	.....	0.2	0.2	0.3	0.2	0.1	0.3	0.2
Septicemia	1900	(1)	(1)	(1)	(1)	4.7	4.4	12.8	9.4	12.6	8.9	(1)	(1)	8.0	9.8	6.9	7.5
	1901	(1)	(1)	(1)	(1)	4.4	3.1	13.1	10.2	5.0	3.4	(1)	(1)	7.0	6.3	4.1	5.3
	1902	(1)	(1)	(1)	(1)	4.3	2.1	14.8	9.2	10.7	2.9	(1)	(1)	6.8	6.6	6.5	5.4
	1903	(1)	(1)	(1)	(1)	5.1	1.5	9.5	5.8	9.8	4.3	(1)	(1)	6.3	5.2	6.5	3.9
	1904	(1)	(1)	(1)	(1)	3.5	4.5	11.0	6.4	11.3	7.1	(1)	(1)	5.6	3.9	6.3	5.9
	1905	(1)	(1)	(1)	(1)	5.2	3.3	9.0	6.8	5.6	2.0	(1)	(1)	5.3	3.4	7.2	6.6
	1906	4.6	3.8	3.8	3.2	6.2	3.5	7.6	5.5	11.3	4.9	4.2	2.3	5.2	3.8	5.5	5.0
	1907	6.4	4.7	7.4	3.7	4.1	2.0	3.9	4.7	5.0	4.0	4.0	3.0	5.5	4.0	6.3	5.6
	1908	4.2	3.6	4.3	2.7	3.8	2.6	3.3	3.0	5.5	3.3	3.3	2.1	6.0	3.8	5.8	3.9
	1909	2.7	2.5	4.5	3.1	4.3	2.6	1.3	2.4	3.8	2.7	4.3	2.2	4.1	2.9	5.2	4.1
Glanders and farcy	1900	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	0.1	.....	.....	.....
	1901	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1902	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	(2)	.....	0.1	.....
	1903	(1)	(1)	(1)	(1)	0.2	.....	.....	.....	.....	.....	(1)	(1)	(2)	.....	.....	0.1
	1904	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	0.2	(1)	(1)	(2)	.....	.....	.....
	1905	(1)	(1)	(1)	(1)	.....	.....	.....	.....	0.8	.....	(1)	(1)	.....	0.1	.....	.....
	1906	.....	.....	.....	.....	0.1	.....	.....	.....	.....	0.2	.....	.....	(2)	.....	.....	.....
	1907	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(2)	.....	.....	.....
	1908	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(2)	.....	.....	.....
	1909	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(2)	.....	.....	.....
Malignant pustule and charbon	1900	(1)	(1)	(1)	(1)	0.3	.....	0.3	(2)	0.8	.....	(1)	(1)	0.1	0.4	0.3	(2)
	1901	(1)	(1)	(1)	(1)	.....	.....	.....	0.1	.....	.....	(1)	(1)	0.1	0.1	0.1	0.3
	1902	(1)	(1)	(1)	(1)	.....	.....	.....	0.2	.....	0.2	(1)	(1)	0.1	.....	0.1	.....
	1903	(1)	(1)	(1)	(1)	.....	.....	.....	0.1	.....	.....	(1)	(1)	0.1	.....	0.1	0.1
	1904	(1)	(1)	(1)	(1)	.....	.....	.....	0.1	.....	0.5	(1)	(1)	0.2	0.1	0.1	0.1
	1905	(1)	(1)	(1)	(1)	.....	0.3	.....	0.1	.....	.....	(1)	(1)	0.1	.....	0.1	.....
	1906	.....	0.4	.....	.....	.....	0.3	.....	.....	.....	.....	.....	.....	(2)	0.3	.....	.....
	1907	.....	.....	0.4	.....	.....	.....	.....	0.1	0.6	.....	0.2	.....	0.1	0.1	0.1	.....
	1908	0.1	0.1	.....	.....	.....	.....	.....	0.1	.....	0.2	.....	.....	0.1	.....	.....	.....
	1909	.....	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....	.....	(2)	.....	.....	.....
Rabies	1900	(1)	(1)	(1)	(1)	.....	.....	.....	(2)	.....	.....	(1)	(1)	.....	.....	0.3	(2)
	1901	(1)	(1)	(1)	(1)	.....	.....	.....	0.2	.....	.....	(1)	(1)	.....	.....	.....	.....
	1902	(1)	(1)	(1)	(1)	.....	.....	.....	0.1	.....	.....	(1)	(1)	.....	.....	0.3	(2)
	1903	(1)	(1)	(1)	(1)	.....	.....	0.3	0.2	.....	.....	(1)	(1)	.....	.....	0.3	0.1
	1904	(1)	(1)	(1)	(1)	0.2	.....	.....	0.2	.....	.....	(1)	(1)	.....	.....	.....	.....
	1905	(1)	(1)	(1)	(1)	.....	.....	.....	0.2	.....	.....	(1)	(1)	0.1	.....	.....	0.1
	1906	.....	.....	.....	.....	0.7	0.3	0.1	0.2	.....	.....	0.3	.....	0.2	0.4	0.2	0.1
	1907	.....	.....	.....	.....	0.3	0.3	0.1	0.1	.....	.....	.....	.....	0.1	.....	0.1	0.1
	1908	.....	.....	.....	.....	.....	0.3	0.4	0.1	.....	.....	1.0	.....	0.1	0.1	.....	0.1
	1909	.....	0.1	.....	.....	.....	.....	0.4	0.2	.....	.....	0.2	.....	0.2	.....	0.1	0.1
Actinomycosis, trichinosis, etc	1900	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	0.1	.....	.....
	1901	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	0.1
	1902	(1)	(1)	(1)	(1)	.....	.....	.....	0.1	.....	.....	(1)	(1)	0.1	0.1	0.3	.....
	1903	(1)	(1)	(1)	(1)	.....	.....	.....	0.1	.....	.....	(1)	(1)	(2)	0.1	0.1	.....
	1904	(1)	(1)	(1)	(1)	0.2	.....	.....	0.1	.....	.....	(1)	(1)	0.2	0.1	0.1	.....
	1905	(1)	(1)	(1)	(1)	.....	.....	.....	0.1	.....	0.2	(1)	(1)	0.2	.....	.....	0.1
	1906	0.2	.....	0.4	.....	.....	.....	0.1	0.1	.....	.....	0.2	.....	(2)	.....	0.1	0.1
	1907	.....	.....	.....	.....	.....	.....	.....	0.1	.....	.....	0.2	0.2	.....	0.6	.....	0.1
	1908	0.2	0.1	.....	0.2	.....	.....	0.1	0.1	.....	.....	0.3	.....	(2)	0.1	.....	0.1
	1909	0.3	0.3	.....	.....	.....	.....	.....	0.2	.....	.....	0.2	.....	(2)	.....	0.1	.....

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	0.1	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	(2)	.....	(1)	(1)	.....	(2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
0.6	3.2	6.6	4.7	7.3	3.9	(1)	(1)	(1)	(1)	7.0	4.8	(1)	(1)	4.3	5.1	(1)	(1)	(1)	(1)
2.5	3.2	3.6	3.0	5.1	5.2	(1)	(1)	(1)	(1)	2.4	2.0	(1)	(1)	4.2	5.7	(1)	(1)	(1)	(1)
3.7	5.2	3.7	3.2	4.6	3.5	(1)	(1)	(1)	(1)	3.7	7.3	(1)	(1)	6.2	3.7	(1)	(1)	(1)	(1)
5.4	2.4	4.6	2.7	4.7	4.1	(1)	(1)	(1)	(1)	5.9	9.0	(1)	(1)	.....	3.7	(1)	(1)	(1)	(1)
8.3	5.2	5.3	3.8	5.9	4.6	(1)	(1)	(1)	(1)	6.4	0.6	(1)	(1)	4.0	7.0	(1)	(1)	(1)	(1)
3.5	4.0	4.6	3.6	6.2	3.8	(1)	(1)	(1)	(1)	3.5	3.7	(1)	(1)	2.0	3.3	(1)	(1)	(1)	(1)
4.0	0.8	5.1	2.8	6.0	4.1	(1)	(1)	4.5	3.8	2.7	6.8	.....	1.3	.....	4.7	(1)	(1)	(1)	(1)
2.3	4.8	6.2	2.7	5.8	3.8	(1)	(1)	5.6	4.1	5.8	5.5	.....	1.6	3.9	3.0	(1)	(1)	(1)	(1)
1.7	2.8	4.6	2.9	5.1	3.7	(1)	(1)	3.9	4.0	4.9	4.3	14.9	1.7	1.9	3.6	3.6	3.3	2.1	1.4
5.5	4.0	2.7	1.9	5.4	3.5	3.8	3.6	5.0	4.2	3.6	1.1	.....	3.5	5.7	2.6	3.1	2.2	3.2	2.7
.....	.....	0.1	0.1	0.1	0.2	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.1	0.1	(2)	0.2	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	.....	0.1	0.2	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.1	0.1	0.1	(2)	(1)	(1)	(1)	(1)	0.7	1.3	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	0.1	0.1	0.2	0.1	(1)	(1)	(1)	(1)	1.0	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.2	0.2	0.2	0.3	(1)	(1)	(1)	(1)	1.3	0.6	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
0.6	0.4	0.1	0.1	0.9	0.3	(1)	(1)	0.3	0.3	0.7	.....	.....	0.4	.....	0.3	(1)	(1)	(1)	(1)
.....	0.4	0.2	0.1	0.4	0.3	(1)	(1)	0.3	0.6	0.2	1.1	.....	.....	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.1	0.3	0.3	0.2	(1)	(1)	0.4	0.4	0.5	1.1	.....	0.4	.....	.....	0.8	0.6	0.1	0.1
.....	.....	0.5	0.2	0.3	0.4	0.2	0.3	0.5	0.5	.....	1.1	.....	0.2	.....	.....	0.7	0.3	0.5	0.1
16.4	14.2	7.8	6.6	4.8	7.3	(1)	(1)	(1)	(1)	3.9	4.2	(1)	(1)	6.5	7.4	(1)	(1)	(1)	(1)
13.0	11.5	6.6	5.5	3.5	5.5	(1)	(1)	(1)	(1)	1.0	1.3	(1)	(1)	8.4	10.1	(1)	(1)	(1)	(1)
15.2	11.9	6.4	5.0	3.5	5.7	(1)	(1)	(1)	(1)	3.4	0.7	(1)	(1)	8.3	9.7	(1)	(1)	(1)	(1)
3.0	7.2	6.4	2.7	3.0	5.0	(1)	(1)	(1)	(1)	1.6	1.9	(1)	(1)	8.2	8.0	(1)	(1)	(1)	(1)
7.1	7.6	4.9	4.0	2.6	5.7	(1)	(1)	(1)	(1)	1.0	1.3	(1)	(1)	14.2	5.0	(1)	(1)	(1)	(1)
7.0	7.6	2.6	3.0	2.7	4.2	(1)	(1)	(1)	(1)	3.1	1.2	(1)	(1)	8.0	5.0	(1)	(1)	(1)	(1)
7.5	6.4	2.6	0.8	2.7	4.3	(1)	(1)	2.8	3.0	1.2	1.1	.....	3.0	29.5	4.7	(1)	(1)	(1)	(1)
8.5	7.6	2.3	1.5	2.6	2.9	(1)	(1)	2.9	3.1	1.2	.....	.....	3.6	3.9	1.7	(1)	(1)	(1)	(1)
3.9	9.7	1.5	0.7	2.2	2.2	(1)	(1)	2.4	2.3	1.6	.....	.....	6.5	1.9	3.0	5.9	2.2	5.0	4.3
6.6	5.2	2.2	1.0	2.4	2.4	3.0	2.6	1.9	2.8	2.5	2.1	7.2	5.1	3.8	1.3	4.6	3.1	4.7	4.5
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	0.1	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	(2)	.....	(1)	(1)	(1)	(1)	.....	0.6	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(1)	(1)
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	(2)	.....	.....	.....	.....	(2)	0.2	.....	.....	0.2	.....	.....	.....	.....	.....	.....
.....	.....	0.1	.....	0.1	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.2	0.1	(1)	(1)	(1)	(1)	0.3	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.1	(2)	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.1	0.1	.....	(1)	(1)	(1)	(1)	.....	0.6	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	(2)	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	0.1	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	.....	(1)	(1)	0.1	(2)	.....	.....	.....	.....	.....	0.3	(1)	(1)	(1)	(1)
.....	0.4	0.1	0.1	(2)	.....	(1)	(1)	0.2	(2)	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	0.1	.....	0.1	.....	(1)	(1)	0.1	(2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	0.1	(2)	(2)	(2)	0.1	(2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	0.2	0.2	0.1	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.4	0.6	0.1	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.3	0.2	0.1	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.2	0.1	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	0.2	(2)	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.4	0.3	0.1	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.4	0.5	0.3	(2)	(1)	(1)	0.3	0.1	0.5	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	0.1	0.3	0.4	0.1	(1)	(1)	0.1	0.3	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
1.1	.....	0.6	0.2	0.3	0.1	(1)	(1)	0.2	0.1	.....	1.1	.....	.....	.....	.....	.....	.....	0.3	0.1
.....	.....	0.2	.....	0.1	(2)	0.1	0.1	0.2	0.1	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....
.....	.....	.....	.....	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.1	.....	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	.....	(1)	(1)	(1)	0.1	.....	.....	.....	.....	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	(2)	(1)	(1)	0.1	(2)	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	0.1	(1)	(1)	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	0.1	0.3
.....	.....	.....	.....	0.1	0.1	0.1	(2)	(2)	.....	.....	.....	.....	.....	.....	0.3	0.2	.....	0.1	0.2

[2] Less than one-tenth.

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Pellagra	1900	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1901	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1902	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1903	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1904	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1905	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1906	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1907	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1908	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1909	.....	0.1	.....	.....	.....	.....	.....	0.1	.....	.....	0.2	0.1	(2)	.....	.....	0.1
Tuberculosis of lungs	1900	(1)	(1)	(1)	(1)	187.6	146.2	217.8	165.4	181.5	152.5	(1)	(1)	196.6	161.2	103.4	84.7
	1901	(1)	(1)	(1)	(1)	181.1	126.7	179.9	158.9	210.3	143.7	(1)	(1)	183.5	164.6	103.1	82.2
	1902	(1)	(1)	(1)	(1)	159.1	119.1	172.1	147.7	168.4	132.7	(1)	(1)	172.1	148.1	103.5	75.9
	1903	(1)	(1)	(1)	(1)	155.7	118.7	177.7	145.2	157.6	122.1	(1)	(1)	161.1	149.1	101.6	78.3
	1904	(1)	(1)	(1)	(1)	154.0	115.5	190.3	166.7	176.2	139.9	(1)	(1)	174.5	170.5	110.1	83.0
	1905	(1)	(1)	(1)	(1)	158.7	114.8	159.5	149.6	152.8	117.0	(1)	(1)	161.7	167.9	101.4	81.2
	1906	219.1	161.3	368.7	135.8	144.8	107.6	156.5	141.4	145.6	125.1	234.6	138.0	152.4	156.2	99.6	82.7
	1907	220.0	169.2	353.9	159.6	160.3	113.1	166.1	137.1	151.8	125.9	230.1	137.2	150.6	163.6	97.5	80.5
	1908	200.0	164.3	354.8	169.4	138.2	111.6	160.1	135.1	136.3	114.2	219.6	140.2	138.0	148.3	93.5	76.0
	1909	186.7	168.1	325.1	166.0	144.3	101.8	159.8	130.1	137.0	106.8	220.2	144.0	131.8	141.4	87.5	76.8
Tuberculosis of larynx	1900	(1)	(1)	(1)	(1)	1.2	0.6	1.1	0.7	2.5	1.0	(1)	(1)	1.2	0.7	1.0	0.6
	1901	(1)	(1)	(1)	(1)	0.8	1.9	1.9	1.3	.....	2.6	(1)	(1)	1.1	0.7	1.9	0.7
	1902	(1)	(1)	(1)	(1)	1.3	0.9	2.6	2.0	2.5	0.9	(1)	(1)	1.2	0.9	0.8	0.9
	1903	(1)	(1)	(1)	(1)	1.4	0.3	2.1	1.4	1.6	1.2	(1)	(1)	0.9	2.0	1.2	1.1
	1904	(1)	(1)	(1)	(1)	1.2	2.1	2.8	1.6	0.8	1.2	(1)	(1)	1.3	1.3	1.0	1.0
	1905	(1)	(1)	(1)	(1)	1.0	1.8	2.5	2.1	4.0	2.2	(1)	(1)	0.9	2.0	1.2	1.4
	1906	1.5	0.5	3.5	1.4	1.9	0.9	3.6	1.6	1.1	1.6	3.7	1.7	1.4	1.7	1.2	0.5
	1907	0.9	1.6	1.1	1.3	0.8	1.2	3.1	1.7	0.6	2.0	2.7	2.1	1.3	1.0	1.5	0.8
	1908	1.6	1.4	1.4	0.8	1.2	0.9	1.8	1.7	2.2	1.4	3.5	1.9	1.0	1.2	1.1	0.9
	1909	1.5	1.2	2.4	0.8	0.9	1.1	2.1	2.3	1.6	1.6	3.8	1.9	1.7	1.9	1.4	1.2
Tuberculous meningitis	1900	(1)	(1)	(1)	(1)	9.0	6.9	4.0	4.2	11.0	7.5	(1)	(1)	13.1	6.7	7.0	4.1
	1901	(1)	(1)	(1)	(1)	7.7	4.9	8.5	5.2	15.9	6.9	(1)	(1)	12.4	7.2	6.5	2.3
	1902	(1)	(1)	(1)	(1)	8.3	5.5	6.5	5.4	18.2	6.5	(1)	(1)	12.1	5.8	6.0	3.2
	1903	(1)	(1)	(1)	(1)	11.0	7.0	6.8	5.1	8.2	6.5	(1)	(1)	12.3	6.5	5.4	4.1
	1904	(1)	(1)	(1)	(1)	8.6	6.3	9.7	6.5	11.3	7.3	(1)	(1)	11.8	7.5	5.9	4.0
	1905	(1)	(1)	(1)	(1)	12.0	8.6	6.5	5.2	13.6	8.9	(1)	(1)	14.2	8.3	5.0	4.2
	1906	16.0	8.6	19.9	5.5	10.9	9.4	8.1	6.2	9.1	7.9	11.6	4.1	14.7	9.1	6.0	3.5
	1907	16.1	7.0	16.0	4.6	8.3	6.1	10.5	6.5	23.0	12.4	10.0	2.9	13.3	6.9	4.3	3.6
	1908	13.0	7.3	11.1	3.2	9.6	7.5	9.2	6.8	17.2	10.1	11.2	4.6	14.5	6.9	7.2	3.5
	1909	14.1	6.5	15.7	4.5	11.9	6.2	10.2	7.7	22.5	10.8	10.1	4.1	13.6	8.6	5.5	3.2
Abdominal tuberculosis	1900	(1)	(1)	(1)	(1)	4.3	6.9	5.6	4.3	9.3	7.0	(1)	(1)	4.7	4.2	6.1	5.9
	1901	(1)	(1)	(1)	(1)	5.4	3.7	7.2	6.1	7.5	8.1	(1)	(1)	5.1	3.8	6.3	4.7
	1902	(1)	(1)	(1)	(1)	4.8	4.0	7.1	6.0	12.4	7.4	(1)	(1)	5.6	2.9	5.7	3.3
	1903	(1)	(1)	(1)	(1)	5.3	6.7	9.2	6.6	7.4	7.5	(1)	(1)	5.5	3.8	4.9	4.0
	1904	(1)	(1)	(1)	(1)	6.5	2.7	9.7	6.9	9 7	6.8	(1)	(1)	5.9	4.6	7.6	4.8
	1905	(1)	(1)	(1)	(1)	5.6	2.7	7.5	7.8	8.8	8.6	(1)	(1)	6.4	5.3	4.9	4.6
	1906	8.5	6.8	6.5	2.1	6.3	5.3	10.5	8.2	6.8	6.0	8.6	4.7	5.1	5.3	6.1	5.3
	1907	9.4	4.7	7.8	2.0	5.1	4.9	11.3	8.6	7.3	6.9	6.3	5.9	5.5	4.4	5.4	3.6
	1908	8.9	5.9	5.7	2.5	5.9	3.2	11.6	9.5	12.2	7.0	4.5	4.9	5.0	5.3	5.1	5.1
	1909	8.8	6.4	7.7	3.3	5.4	4.0	14.1	10.1	6.6	9.5	6.7	6.4	5.1	4.4	5.9	4.3
Pott's disease	1900	(1)	(1)	(1)	(1)	0.3	1.9	1.1	1.8	5.9	2.1	(1)	(1)	1.6	1.5	1.4	1.4
	1901	(1)	(1)	(1)	(1)	0.8	2.2	1.1	1.6	4.2	2.4	(1)	(1)	1.9	1.0	1.4	1.3
	1902	(1)	(1)	(1)	(1)	2.1	0.3	0.8	1.1	4.1	2.1	(1)	(1)	1.4	1.2	1.7	1.0
	1903	(1)	(1)	(1)	(1)	1.2	1.5	0.9	1.1	2.5	2.0	(1)	(1)	2.1	1.2	2.4	1.5
	1904	(1)	(1)	(1)	(1)	2.1	1.5	1.5	0.9	0.8	1.4	(1)	(1)	2.2	1.3	1.2	1.0
	1905	(1)	(1)	(1)	(1)	1.8	1.5	2.0	1.3	0.8	1.9	(1)	(1)	2.1	2.1	2.0	1.3
	1906	1.6	1.3	2.3	0.5	1.4	0.9	1.7	1.3	2.3	2.6	1.0	0.9	1.8	1.1	1.4	1.3
	1907	1.2	1.4	1.5	1.1	1.4	0.3	1.6	1.5	0.6	1.6	2.0	0.6	1.6	1.7	1.7	1.4
	1908	1.6	1.5	2.2	0.6	1.4	0.6	2.0	1.5	3.9	1.3	2.1	1.3	1.5	0.5	1.0	2.0
	1909	1.8	1.1	0.3	0.4	1.3	0.9	1.6	1.6	1.1	1.4	2.9	0.7	1.6	1.3	1.1	1.3
Tuberculous abscess	1900	(1)	(1)	(1)	(1)	0.2	.....	.....	(2)	.....	0.2	(1)	(1)	0.2	0.1	0.6	0.1
	1901	(1)	(1)	(1)	(1)	0.2	.....	.....	0.3	.....	.....	(1)	(1)	0.1	.....	0.1	0.1
	1902	(1)	(1)	(1)	(1)	0.2	.....	.....	0.3	.....	0.3	(1)	(1)	0.1	0.1	0.1	0.1
	1903	(1)	(1)	(1)	(1)	0.3	0.3	0.6	0.3	.....	0.5	(1)	(1)	(2)	0.3	0.1	0.2
	1904	(1)	(1)	(1)	(1)	.....	.....	0.4	0.3	1.6	0.5	(1)	(1)	0.3	0.1	0.4	0.2
	1905	(1)	(1)	(1)	(1)	.....	.....	0.4	0.2	0.8	1.0	(1)	(1)	0.2	.....	0.1	0.1
	1906	0.2	.....	.....	.....	0.1	.....	0.3	0.2	0.6	0.2	0.7	.....	(2)	0.3	.....	0.1
	1907	0.2	.....	1.1	.....	0.3	.....	.....	0.2	1.7	.....	0.2	0.2	0.1	.....	.....	0.2
	1908	0.3	0.1	.....	.....	0.1	.....	0.4	0 2	.....	0.2	0.2	.....	0.1	.....	0.2	0.4
	1909	.....	0.2	0.3	.....	0.3	.....	0.3	0.2	.....	0.2	0.3	.....	0.1	.....	0.1	0.1
White swelling	1900	(1)	(1)	(1)	(1)	0.5	0.6	0.8	0.6	.....	0.3	(1)	(1)	0.4	0.4	1.1	0.6
	1901	(1)	(1)	(1)	(1)	1.2	0.3	0.5	0.4	.....	0.3	(1)	(1)	0.7	0.1	1.1	0.6
	1902	(1)	(1)	(1)	(1)	0.8	0.6	0.3	0.2	.....	0.5	(1)	(1)	1.0	0.4	1.1	0.5
	1903	(1)	(1)	(1)	(1)	0.2	0.3	0.5	0.2	0.8	0.9	(1)	(1)	0.2	0.3	0.9	0.8
	1904	(1)	(1)	(1)	(1)	0.2	.....	0.4	0.2	1.6	0.8	(1)	(1)	1.0	0.4	0.8	0.6
	1905	(1)	(1)	(1)	(1)	1.0	0.6	0.4	0.2	.....	0.2	(1)	(1)	1.1	0.7	1.4	0.8
	1906	0.9	0.7	1.9	0.9	0.6	.....	0.8	0.6	.....	0.7	1.0	0.5	0.7	0.7	0.7	0.5
	1907	0.6	0.8	0.7	.....	0.4	.....	0.3	0.9	1.1	0.7	1.2	0.3	0.6	0.3	0.4	0.5
	1908	1.2	0.7	.....	0.2	0.7	0.9	1.1	1.2	1.1	0.7	0.8	0.6	0.6	1.0	0.7	0.6
	1909	1.3	0.9	.....	0.4	0.8	.....	1.6	1.0	.....	0.2	0.8	.....	1.0	0.5	0.5	0.5
Tuberculosis of other organs	1900	(1)	(1)	(1)	(1)	1.0	0.3	0.5	1.0	0.8	1.9	(1)	(1)	1.0	0.9	0.8	1.5
	1901	(1)	(1)	(1)	(1)	1.2	1.2	1.1	1.5	.....	1.7	(1)	(1)	0.8	0.9	2.1	0.8
	1902	(1)	(1)	(1)	(1)	0.8	0.3	0.9	1.4	0.8	2.2	(1)	(1)	0.7	1.3	1.3	1.1
	1903	(1)	(1)	(1)	(1)	0.9	1.2	2.3	1.9	0.8	1.4	(1)	(1)	1.1	1.2	1.2	1.4
	1904	(1)	(1)	(1)	(1)	1.7	1.2	1.8	1.9	0.8	2.0	(1)	(1)	1.6	1.3	1.5	1.8
	1905	(1)	(1)	(1)	(1)	1.6	1.8	2.0	1.6	1.6	1.5	(1)	(1)	1.6	1.3	1.6	1.4
	1906	3.0	2.0	1.5	0.5	1.6	0.9	2.9	2.0	2.8	2.4	1.2	0.9	1.5	1.5	2.3	1.2
	1907	2.3	2.2	0.4	.....	1.4	1.7	1.6	2.0	3.9	1.6	2.3	1.2	1.2	1.2	2.4	1.0
	1908	3.1	1.8	2.2	1.7	1.0	0.6	2.1	2.2	2.8	0.9	2.6	1.2	1.1	1.5	1.6	1.4
	1909	2.5	2.0	2.8	0.8	1.6	1.4	1.7	3.1	4.9	1.3	1.0	2.1	2.3	0.7	1.1	1.4

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
.....	0.4	.....	.....	.....	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
174.3	136.5	211.8	147.4	217.9	135.4	(1)	(1)	(1)	(1)	209.8	171.6	(1)	(1)	143.8	137.4	(1)	(1)	(1)	(1)
171.5	131.3	196.9	138.4	210.1	137.1	(1)	(1)	(1)	(1)	203.3	170.0	(1)	(1)	160.4	129.7	(1)	(1)	(1)	(1)
137.2	134.3	183.5	122.2	188.5	119.3	(1)	(1)	(1)	(1)	194.2	148.5	(1)	(1)	149.8	114.7	(1)	(1)	(1)	(1)
135.8	125.5	201.0	127.0	193.1	120.5	(1)	(1)	(1)	(1)	198.2	172.5	(1)	(1)	149.8	109.1	(1)	(1)	(1)	(1)
161.1	129.3	216.4	135.3	202.7	127.4	(1)	(1)	(1)	(1)	171.6	168.3	(1)	(1)	149.7	108.6	(1)	(1)	(1)	(1)
161.1	121.2	197.7	134.3	192.9	129.2	(1)	(1)	(1)	(1)	169.4	187.7	(1)	(1)	165.6	114.7	(1)	(1)	(1)	(1)
138.7	127.4	199.9	116.5	194.6	121.5	(1)	(1)	164.8	100.0	154.9	211.1	62.8	80.7	133.8	109.9	(1)	(1)	(1)	(1)
119.2	110.4	190.6	125.3	187.0	122.6	(1)	(1)	158.4	102.4	170.0	122.9	76.4	80.3	141.7	100.7	(1)	(1)	(1)	(1)
127.1	102.2	173.5	122.1	180.5	121.1	(1)	(1)	145.2	93.8	178.9	116.2	66.9	80.0	114.9	107.1	89.8	81.5	108.2	86.9
130.9	99.6	161.3	127.4	170.9	116.8	145.9	107.7	140.1	94.0	164.6	82.1	72.4	74.6	134.2	95.0	92.0	80.9	109.5	86.6
1.3	2.4	2.9	1.7	1.4	0.8	(1)	(1)	(1)	(1)	2.5	0.7	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
1.9	2.0	3.1	2.0	1.7	1.7	(1)	(1)	(1)	(1)	2.1	.....	(1)	(1)	2.1	1.3	(1)	(1)	(1)	(1)
0.6	.....	3.0	2.2	1.7	1.3	(1)	(1)	(1)	(1)	1.0	2.0	(1)	(1)	2.1	1.3	(1)	(1)	(1)	(1)
1.8	1.6	2.0	1.1	1.8	1.3	(1)	(1)	(1)	(1)	1.6	2.6	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
2.4	0.8	4.0	2.0	1.9	0.8	(1)	(1)	(1)	(1)	0.6	2.5	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	0.8	2.4	2.6	1.6	1.0	(1)	(1)	(1)	(1)	3.5	.....	(1)	(1)	2.0	0.7	(1)	(1)	(1)	(1)
1.2	0.8	3.5	1.8	1.3	0.9	(1)	(1)	1.7	1.1	1.5	.....	.....	0.4	2.0	0.7	(1)	(1)	(1)	(1)
2.3	1.2	3.2	1.1	1.8	1.8	(1)	(1)	1.8	1.0	2.2	1.1	.....	0.8	.....	0.3	(1)	(1)	(1)	(1)
1.7	2.0	2.6	3.8	1.5	1.6	(1)	(1)	1.9	1.0	2.3	1.1	.....	0.4	.....	1.0	0.3	0.3	1.2	0.5
3.3	.....	2.1	1.8	1.2	2.2	2.1	1.6	2.2	1.2	1.6	2.1	.....	0.4	.....	0.3	1.0	0.6	0.9	1.0
8.2	7.5	11.9	5.2	15.7	4.7	(1)	(1)	(1)	(1)	21.5	9.0	(1)	(1)	12.8	3.7	(1)	(1)	(1)	(1)
7.4	4.8	9.8	5.6	15.5	3.9	(1)	(1)	(1)	(1)	15.1	6.7	(1)	(1)	12.7	4.0	(1)	(1)	(1)	(1)
8.5	6.8	10.2	4.1	15.9	4.3	(1)	(1)	(1)	(1)	14.1	9.2	(1)	(1)	6.2	5.4	(1)	(1)	(1)	(1)
9.0	4.4	10.2	4.7	16.3	4.4	(1)	(1)	(1)	(1)	18.7	12.9	(1)	(1)	18.5	3.7	(1)	(1)	(1)	(1)
11.3	6.8	12.8	7.7	15.2	3.4	(1)	(1)	(1)	(1)	18.0	15.8	(1)	(1)	18.2	7.7	(1)	(1)	(1)	(1)
6.4	2.8	15.9	7.7	13.9	4.5	(1)	(1)	(1)	(1)	21.3	10.5	(1)	(1)	18.0	4.3	(1)	(1)	(1)	(1)
10.4	3.6	15.6	6.4	15.9	4.2	(1)	(1)	11.3	4.4	18.0	9.0	.....	1.9	11.8	9.0	(1)	(1)	(1)	(1)
10.8	5.6	15.9	6.3	15.6	5.3	(1)	(1)	9.9	4.9	24.3	7.8	.....	5.2	23.3	6.0	(1)	(1)	(1)	(1)
7.8	7.2	14.8	6.3	16.1	5.4	(1)	(1)	10.4	4.0	19.2	11.9	.....	2.3	21.1	7.0	13.0	4.4	7.4	3.2
5.5	3.6	15.0	7.3	15.6	5.5	9.2	5.1	9.3	4.4	18.0	9.6	14.5	3.5	20.8	8.6	11.7	8.2	5.8	3.7
6.9	3.2	4.9	3.3	4.8	4.2	(1)	(1)	(1)	(1)	4.2	7.6	(1)	(1)	2.1	5.1	(1)	(1)	(1)	(1)
6.2	5.6	4.2	4.8	5.3	4.4	(1)	(1)	(1)	(1)	9.6	5.4	(1)	(1)	4.2	4.4	(1)	(1)	(1)	(1)
4.9	2.8	4.9	4.3	5.1	3.8	(1)	(1)	(1)	(1)	9.7	2.0	(1)	(1)	2.1	5.0	(1)	(1)	(1)	(1)
5.4	3.2	4.0	4.2	4.9	4.3	(1)	(1)	(1)	(1)	6.9	6.5	(1)	(1)	2.1	4.0	(1)	(1)	(1)	(1)
4.7	5.6	5.7	6.1	5.5	4.2	(1)	(1)	(1)	(1)	8.7	8.2	(1)	(1)	4.0	3.7	(1)	(1)	(1)	(1)
7.0	3.6	6.5	4.6	5.2	5.1	(1)	(1)	(1)	(1)	7.8	5.6	(1)	(1)	2.0	5.7	(1)	(1)	(1)	(1)
4.6	7.2	6.1	6.3	5.3	5.1	(1)	(1)	7.0	5.3	7.4	6.8	.....	5.5	2.0	3.7	(1)	(1)	(1)	(1)
6.2	5.2	4.8	4.3	4.8	5.3	(1)	(1)	7.3	5.3	8.6	1.1	7.6	5.4	17.5	5.0	(1)	(1)	(1)	(1)
3.9	6.0	5.9	4.2	4.7	5.4	(1)	(1)	6.1	4.7	8.0	4.3	.....	6.3	3.8	7.3	8.2	3.5	5.0	4.4
2.8	3.2	6.0	3.5	4.3	5.1	7.6	8.0	6.0	4.4	6.4	4.3	7.2	3.1	11.3	5.6	6.2	5.8	5.1	4.5
1.9	1.2	1.2	1.6	1.5	1.1	(1)	(1)	(1)	(1)	1.4	2.1	(1)	(1)	2.1	2.7	(1)	(1)	(1)	(1)
1.2	0.4	2.1	0.4	1.4	1.0	(1)	(1)	(1)	(1)	1.0	0.7	(1)	(1)	2.1	1.0	(1)	(1)	(1)	(1)
1.8	1.2	1.1	0.5	1.7	1.3	(1)	(1)	(1)	(1)	0.7	2.0	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
0.6	1.6	1.5	1.1	1.8	0.9	(1)	(1)	(1)	(1)	2.6	0.6	(1)	(1)	.....	2.0	(1)	(1)	(1)	(1)
0.6	1.2	1.6	0.9	2.0	1.2	(1)	(1)	(1)	(1)	3.2	1.9	(1)	(1)	.....	1.7	(1)	(1)	(1)	(1)
2.3	1.2	1.2	1.3	1.8	1.6	(1)	(1)	(1)	(1)	1.9	0.6	(1)	(1)	.....	2.3	(1)	(1)	(1)	(1)
4.0	2.4	1.4	1.1	1.7	1.5	(1)	(1)	1.7	1.3	1.7	2.3	.....	0.6	.....	2.0	(1)	(1)	(1)	(1)
1.1	2.0	1.7	0.8	1.8	1.5	(1)	(1)	1.0	1.2	1.9	.....	7.6	0.8	.....	1.3	(1)	(1)	(1)	(1)
3.4	0.8	1.2	0.8	2.1	1.2	(1)	(1)	1.7	1.3	3.0	2.2	.....	0.2	5.7	0.7	0.8	1.6	0.9	1.6
0.6	2.0	1.4	1.2	1.5	1.9	1.1	1.6	1.6	1.1	0.7	.....	.....	1.3	3.8	2.6	1.4	0.9	1.2	1.8
.....	.....	0.1	.....	0.1	0.2	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	0.1	0.2	0.2	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
.....	0.4	0.3	.....	0.1	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.5	.....	0.2	0.2	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
0.6	.....	0.1	.....	0.1	0.1	(1)	(1)	(1)	(1)	0.3	1.3	(1)	(1)	2.0	0.3	(1)	(1)	(1)	(1)
0.6	.....	0.2	0.1	0.2	0.1	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	0.2	(2)	0.1	(1)	(1)	0.2	0.2	0.2	.....	.....	0.4	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	.....	0.2	0.2	(1)	(1)	0.2	0.1	.....	.....	.....	.....	.....	0.7	(1)	(1)	(1)	(1)
0.6	0.4	0.2	0.4	0.2	0.1	(1)	(1)	0.1	0.3	.....	.....	.....	.....	.....	.....	0.3	0.5	0.3	0.1
0.6	.....	0.1	0.1	0.1	0.2	0.1	.....	0.3	0.2	0.2	.....	.....	0.7	1.9	0.3	.....	0.1	0.1	0.1
.....	.....	1.0	0.2	0.9	0.4	(1)	(1)	(1)	(1)	1.1	1.4	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
0.6	.....	0.9	.....	0.8	0.5	(1)	(1)	(1)	(1)	1.7	3.4	(1)	(1)	2.1	0.7	(1)	(1)	(1)	(1)
.....	0.4	0.5	0.4	1.0	0.3	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
0.6	.....	0.9	0.8	0.8	0.6	(1)	(1)	(1)	(1)	1.6	.....	(1)	(1)	2.1	0.7	(1)	(1)	(1)	(1)
0.6	.....	0.7	0.3	0.9	0.6	(1)	(1)	(1)	(1)	1.3	1.3	(1)	(1)	2.0	.....	(1)	(1)	(1)	(1)
1.2	.....	0.9	0.7	1.1	0.4	(1)	(1)	(1)	(1)	3.1	1.2	(1)	(1)	2.0	0.7	(1)	(1)	(1)	(1)
.....	.....	0.6	0.7	1.1	0.5	(1)	(1)	1.1	0.5	1.2	.....	.....	0.2	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.2	0.1	1.0	0.6	(1)	(1)	0.7	0.5	1.0	.....	.....	0.2	1.9	0.3	(1)	(1)	(1)	(1)
1.1	1.2	0.6	0.3	0.9	0.7	(1)	(1)	0.9	0.6	0.9	.....	.....	0.2	1.9	0.3	1.0	1.3	0.5	0.5
0.6	0.4	0.6	0.4	0.7	0.6	0.7	0.7	1.0	0.7	0.5	.....	.....	0.4	.....	2.0	1.9	0.4	0.9	0.5
1.9	0.8	1.7	0.4	0.9	0.9	(1)	(1)	(1)	(1)	1.1	2.1	(1)	(1)	2.1	1.0	(1)	(1)	(1)	(1)
1.9	2.8	1.7	0.2	1.3	0.9	(1)	(1)	(1)	(1)	0.7	0.7	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
0.6	0.8	1.1	0.7	1.0	1.3	(1)	(1)	(1)	(1)	1.7	.....	(1)	(1)	2.1	1.7	(1)	(1)	(1)	(1)
3.6	0.4	0.9	0.9	1.6	0.9	(1)	(1)	(1)	(1)	1.3	.....	(1)	(1)	.....	1.7	(1)	(1)	(1)	(1)
1.2	0.8	1.8	0.9	1.5	1.4	(1)	(1)	(1)	(1)	1.9	.....	(1)	(1)	.....	2.0	(1)	(1)	(1)	(1)
.....	0.8	1.9	0.5	1.6	1.5	(1)	(1)	(1)	(1)	0.9	3.7	(1)	(1)	4.0	1.7	(1)	(1)	(1)	(1)
2.3	2.0	1.8	1.2	1.4	1.0	(1)	(1)	1.8	1.3	2.0	4.5	.....	3.8	2.0	2.3	(1)	(1)	(1)	(1)
1.1	0.4	1.7	1.5	1.7	1.6	(1)	(1)	1.7	1.3	1.7	.....	.....	4.8	.....	2.7	(1)	(1)	(1)	(1)
3.4	.....	1.8	1.2	1.7	1.3	(1)	(1)	1.7	1.4	1.6	.....	.....	3.2	1.9	1.0	2.0	2.0	2.0	1.5
2.8	0.8	1.6	1.3	1.6	1.5	1.8	1.9	1.8	1.3	1.1	.....	7.2	1.5	.....	2.0	2.6	1.5	1.8	1.3

[1] Less than one-tenth.

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
General tuberculosis	1900	(1)	(1)	(1)	(1)	0.2	.....	2.7	1.9	6.8	2.8	(1)	(1)	3 8	3.9	1.7	1.1
	1901	(1)	(1)	(1)	(1)	1.6	3.1	3.2	1.8	0.8	3.8	(1)	(1)	3.5	4.4	2.3	1.7
	1902	(1)	(1)	(1)	(1)	1.3	2.4	2.8	1.5	7.4	4.6	(1)	(1)	3.2	3.1	1.5	1.8
	1903	(1)	(1)	(1)	(1)	1.7	3.0	4.8	1.6	9 8	3.1	(1)	(1)	3 7	6.2	2.5	2.0
	1904	(1)	(1)	(1)	(1)	2.7	1.5	2.8	1.9	7.3	3.2	(1)	(1)	3.0	4.4	1.9	1.4
	1905	(1)	(1)	(1)	(1)	2.4	2.4	2.8	3.1	7.2	5.0	(1)	(1)	4.5	5.4	1.4	1.9
	1906	3.4	3.6	4.2	0.2	1.7	0.9	2.8	2.5	4 0	4.2	7.4	2.0	3.1	6.0	1.8	1.7
	1907	3.7	3.7	5.9	0.4	1.1	1.2	5.3	1.7	7.3	5.1	6.7	2.3	2.7	5.9	1.8	1.6
	1908	3.5	4.3	5.7	3.2	4.1	2.6	4.0	2.3	7.2	5.8	5.8	3.0	2.6	8.0	2.0	1.9
	1909	3.2	3.1	5.6	3 3	2.5	0.9	3.9	2.6	6.0	3.6	4.7	1.0	2.4	5.0	0.9	1.5
Scrofula	1900	(1)	(1)	(1)	(1)	0.3	1.6	0.5	1.5	.....	1.7	(1)	(1)	0.5	0.7	1.0	0.9
	1901	(1)	(1)	(1)	(1)	0.5	0.9	1.0	0.6	1.7	1.0	(1)	(1)	0.5	0.3	0.8	0.6
	1902	(1)	(1)	(1)	(1)	0.3	0.6	0.5	0.9	0.8	1.5	(1)	(1)	0.3	0.4	0.8	0.5
	1903	(1)	(1)	(1)	(1)	0.3	0.3	0.5	1.0	0.8	0.9	(1)	(1)	0.4	0.4	0.4	0.6
	1904	(1)	(1)	(1)	(1)	.....	.....	0.3	0.8	.....	0.3	(1)	(1)	0.4	0.6	0.5	0.5
	1905	(1)	(1)	(1)	(1)	0.1	0.6	0.4	0.6	.....	0.2	(1)	(1)	0.3	0.7	0.2	0.2
	1906	0.5	0.1	0.4	.....	0.4	0.3	0.1	0.6	0.6	1.1	0.7	0.5	0.3	.....	0.8	0.2
	1907	0.1	0.1	.....	0.2	.....	.....	0.1	0.3	0.6	0.4	1.0	0.6	0.4	0.3	0.4	0.2
	1908	0.2	0.2	.....	.....	0.1	0.6	0.3	0.5	0.6	0.4	.....	0.4	0.6	0.4	0.3	0.1
	1909	0.3	0.1	.....	0.4	0.1	0 6	0.1	0.2	1.1	0.5	0.5	0.3	0.2	.....	0.3	0.2
Syphilis	1900	(1)	(1)	(1)	(1)	3.2	2.2	3.2	2.3	0.8	0.7	(1)	(1)	2.9	2.4	5.6	1.2
	1901	(1)	(1)	(1)	(1)	2.8	0.3	2.6	1.8	2.5	0.5	(1)	(1)	2.9	1.9	7.6	1.8
	1902	(1)	(1)	(1)	(1)	3.7	1.2	3.1	2.0	3.3	0 3	(1)	(1)	2.3	1.0	10.5	1.8
	1903	(1)	(1)	(1)	(1)	3.6	2.1	3.3	1.9	0.8	0.9	(1)	(1)	2.9	1.6	10.6	2.8
	1904	(1)	(1)	(1)	(1)	3.2	2.1	5.3	2.1	3.2	0.7	(1)	(1)	3.3	2.6	8.4	2.2
	1905	(1)	(1)	(1)	(1)	3.8	0.9	3.7	2.2	4.8	1.0	(1)	(1)	3.0	2.4	7.4	1.2
	1906	5.5	1.3	9.6	2.5	3.7	1.5	5.9	2.5	1.7	2.0	9.9	2.6	3.2	2.8	6.8	1.7
	1907	6.7	2.5	10.8	6.1	3.8	1.2	5.7	2.0	1.7	1.5	10.0	2.7	4.1	4.1	8.1	2.0
	1908	7.6	4.2	7.9	4.4	3.3	2.0	9.2	3.9	2.2	1.1	8.9	3.9	3.7	4.5	11.3	1.7
	1909	7.5	4.9	11.8	4.1	3.9	1.1	8.4	3.9	3.3	1.4	8.8	3.8	4 3	4.0	11.5	1.7
Gonorrhea (5 years and over)	1900	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	0.1	.....	.....	.....
	1901	(1)	(1)	(1)	(1)	.....	.....	.....	0.1	.....	.....	(1)	(1)	(2)	.....	.....	0.1
	1902	(1)	(1)	(1)	(1)	.....	.....	.....	0.1	.....	.....	(1)	(1)	(2)	.....	.....	.....
	1903	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	(2)	.....	.....	0.1
	1904	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	(2)	.....	0.1	(2)
	1905	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	(2)	.....	.....	.....
	1906	0.4	.....	.....	.....	0.1	.....	.....	0.1	.....	.....	0.3	.....	(2)	.....	0.3	0.1
	1907	0.2	0.2	.....	0.4	0.1	.....	.....	0.2	.....	0.2	0.2	.....	(2)	0.1	0.1	0.1
	1908	0.2	0.1	.....	0.2	.....	.....	.....	0.2	.....	.....	0.5	.....	0.1	.....	.....	.....
	1909	0.2	.....	.....	0.2	.....	.....	0.3	0.2	.....	0.2	0.3	0.3	0.1	.....	.....	.....
Gonorrhea (under 5 years)	1900	(1)	(1)	(1)	(1)	0.2	.....	.....	.....	.....	.....	(1)	(1)	(2)	.....	.....	.....
	1901	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	(2)	.....	.....	.....
	1902	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	0.1	.....	.....	0.1
	1903	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1904	(1)	(1)	(1)	(1)	.....	0.3	.....	.....	.....	.....	(1)	(1)	0.1	0.1	.....	.....
	1905	(1)	(1)	(1)	(1)	0.1	.....	.....	0 2	.....	.....	(1)	(1)	0.3	0.1	.....	.....
	1906	0.2	.....	0.4	.....	.....	.....	0.1	0.1	.....	.....	.....	0.2	0.1	.....	.....	0.1
	1907	0.1	.....	.....	.....	0.1	.....	.....	.....	0.6	.....	0.3	.....	0.1	.....	0.1	.....
	1908	0.1	.....	.....	.....	0.1	.....	0.3	.....	.....	.....	0.3	.....	0.1	.....	.....	.....
	1909	0.1	.....	.....	0.2	.....	.....	0.1	0.1	.....	.....	.....	0.3	0.3	0.1	0.1	.....
Cancer of mouth	1900	(1)	(1)	(1)	(1)	1.4	2.8	1.6	0 7	0.8	2.5	(1)	(1)	1.7	0.7	1.4	2.3
	1901	(1)	(1)	(1)	(1)	2.5	0.6	0.8	0 9	3.3	2.9	(1)	(1)	2.4	1.9	1.5	1.5
	1902	(1)	(1)	(1)	(1)	2.4	1.8	1.4	0.9	2.5	3.8	(1)	(1)	1.8	1.9	1.9	1.7
	1903	(1)	(1)	(1)	(1)	2.3	2.1	1.4	1 6	.....	3.2	(1)	(1)	2.3	3.0	1.8	2.0
	1904	(1)	(1)	(1)	(1)	1.7	2.1	2.2	1.0	1.6	3.6	(1)	(1)	2.6	3.0	3.0	2.7
	1905	(1)	(1)	(1)	(1)	2.4	3.0	1.0	1.7	1.6	3.5	(1)	(1)	3.7	4.6	1.4	1.7
	1906	2 6	2.2	4.6	0.7	2.7	2.3	1.1	2.2	5.7	2.7	3.5	1.1	3.1	2.8	1.3	1.9
	1907	4.4	1.9	3.3	2.0	1.5	3.2	1 8	2.3	2 8	4.2	3.2	1.1	2.5	3.3	2.0	1.9
	1908	3.5	2.1	1.8	0.8	3.3	1.7	3.7	2.7	3 9	4.3	2.3	2.1	3.0	3.0	2.7	2.9
	1909	4.1	2.5	1.7	1.8	3.4	3.7	2.6	2.8	2.7	3.2	4.1	1.5	2.7	3.2	3.2	3.0
Cancer of stomach and liver	1900	(1)	(1)	(1)	(1)	19.3	27.6	16.6	13.2	25.3	29.5	(1)	(1)	21.3	23.7	27.4	22.4
	1901	(1)	(1)	(1)	(1)	24.5	24.1	17.6	14.4	22.5	31.2	(1)	(1)	21.5	20.0	29.3	22.3
	1902	(1)	(1)	(1)	(1)	20.8	22.6	21.9	15.8	33.8	33.6	(1)	(1)	24.6	25.0	26.5	23.8
	1903	(1)	(1)	(1)	(1)	26.1	23.7	19.5	18.9	38.4	29.8	(1)	(1)	25.1	26.2	28.6	26.1
	1904	(1)	(1)	(1)	(1)	23.6	30.6	19.8	19.7	33.1	33.2	(1)	(1)	27.3	32.7	27.9	27.7
	1905	(1)	(1)	(1)	(1)	26.4	23.4	20.5	20.9	34.4	38.2	(1)	(1)	26.7	29.2	27.5	27.1
	1906	38.8	19.7	28.8	12.3	23.8	33.4	20.9	18.7	30.0	29.6	33.2	17.1	29.9	29.2	28.8	25.7
	1907	41.1	24.0	27.1	15.1	26 8	27.3	26 3	22.0	33.6	40.7	33.7	14.9	28.3	35.0	27.7	25.4
	1908	41.3	27.9	26.9	17.1	24.0	26.7	27.9	26 6	38.2	33.3	32 7	19.7	29 6	31.3	27.4	28.9
	1909	43.0	29.4	27.1	16.1	29.2	23.0	28.5	27 0	40.0	39.2	32.2	17.2	29.6	35.0	28.9	30.2
Cancer of intestines	1900	(1)	(1)	(1)	(1)	6.8	6 3	2.4	2.4	11.8	8.5	(1)	(1)	7.9	6.4	7.6	5.1
	1901	(1)	(1)	(1)	(1)	8.4	11.1	4.5	2.7	10.0	9.1	(1)	(1)	9.5	6.0	6.0	4.8
	1902	(1)	(1)	(1)	(1)	8.5	10.7	3.5	2.8	14.0	8.6	(1)	(1)	8.7	9.3	7.1	5.2
	1903	(1)	(1)	(1)	(1)	7.6	9.4	5.1	2.6	10.6	9.4	(1)	(1)	8.8	8.0	9.5	4.2
	1904	(1)	(1)	(1)	(1)	6.7	5.1	4.1	4.4	13.7	10.0	(1)	(1)	10.7	8.5	7.9	6.3
	1905	(1)	(1)	(1)	(1)	8.7	11.6	7.2	5.0	14.4	10.1	(1)	(1)	12.0	10.5	9.9	5.1
	1906	9.8	6.4	8.1	3.0	10.4	10.3	5.5	4.6	11.9	13.0	6.7	2.3	12.4	9.5	9.1	6.1
	1907	13.6	5.1	7.0	2.0	10.4	9.9	7.2	5.1	16.2	12.7	9.0	3.8	12.3	12.6	6.3	7.3
	1908	12.5	6.8	7.9	3.0	11.0	10.0	7.1	5.4	14 4	13.2	8.8	4.8	12.7	12.9	7.1	8.1
	1909	15.3	7.6	12.2	3.3	11.8	8.8	9.6	6.9	15 3	12.6	9.8	3.4	13.5	15.3	8.1	7.7
Cancer of female genital organs	1900	(1)	(1)	(1)	(1)	10.7	9.7	2.8	4.1	7.6	10.1	(1)	(1)	8.7	5.9	11.9	7.7
	1901	(1)	(1)	(1)	(1)	9.7	8.0	6.9	5.2	15.9	12.6	(1)	(1)	9.0	5.5	21.2	19.1
	1902	(1)	(1)	(1)	(1)	10.6	9.5	10.3	5.2	15.7	13.0	(1)	(1)	10.0	4.5	23.9	15.6
	1903	(1)	(1)	(1)	(1)	11.3	9.1	10.1	5.3	16.3	12.6	(1)	(1)	11.1	6.2	30.2	14.4
	1904	(1)	(1)	(1)	(1)	11.8	8.7	10.9	6.3	18.6	8.0	(1)	(1)	12.4	6.6	23.0	16.8
	1905	(1)	(1)	(1)	(1)	10.5	12.2	8.9	6.9	16.8	12.3	(1)	(1)	12.7	10.8	11.7	6.8
	1906	17.8	6.3	12.7	4.6	10.7	9.1	13.3	6.1	14.2	10.4	13.3	5.3	10.8	9.5	10.9	8.4
	1907	11.9	5.2	12.2	6.1	11.1	11.0	11.6	6.9	19.0	13.4	16.2	3.8	10.6	10.1	9.9	7.6
	1908	13.1	6.8	14.4	6.5	13.3	11.2	16.0	9.5	13.9	13.7	15.5	6.7	13.2	11.8	11.8	9.8
	1909	14.6	8.3	20.5	4.7	10.3	11.6	17.2	8.2	19.7	12.9	14.4	7.7	13.8	10.7	11.9	8.2

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
4.4	0.8	2.5	2.0	2.4	1.0	(1)	(1)	(1)	(1)	5.3	5.5	(1)	(1)	2.1	1.6	(1)	(1)	(1)	(1)
1.9	2.0	3.2	1.7	3.1	1.1	(1)	(1)	(1)	(1)	4.1	4.7	(1)	(1)	4.2	3.0	(1)	(1)	(1)	(1)
2.4	2.0	2.4	1.2	2.0	1.4	(1)	(1)	(1)	(1)	7.7	5.9	(1)	(1)	2.1	2.7	(1)	(1)	(1)	(1)
3.0	2.8	2.8	3.0	2.7	1.9	(1)	(1)	(1)	(1)	7.9	4.5	(1)	(1)	4.1	5.7	(1)	(1)	(1)	(1)
2.4	2.4	2.8	2.3	3.0	1.8	(1)	(1)	(1)	(1)	7.1	3.2	(1)	(1)	4.0	3.0	(1)	(1)	(1)	(1)
4.7	4.0	2.9	2.5	2.4	1.8	(1)	(1)	(1)	(1)	6.3	3.1	(1)	(1)	2.0	1.7	(1)	(1)	(1)	(1)
2.3	2.4	2.6	3.0	2.4	1.5	(1)	(1)	2.7	2.0	5.2	6.8	7.9	0.4	2.0	2.0	(1)	(1)	(1)	(1)
2.3	2.4	2.6	2.2	2.8	1.9	(1)	(1)	2.8	2.6	2.2	4.4	.....	0.4	5.8	3.7	(1)	(1)	(1)	(1)
0.6	2.0	2.5	2.3	1.9	3.3	(1)	(1)	3.1	2.4	2.8	3.3	.....	0.4	5.7	4.0	3.3	1.9	1.9	1.8
2.8	4.0	3.1	2.5	2.1	2.5	2.8	2.7	1.6	1.5	1.6	2.1	.....	0.7	3.8	1.3	2.4	1.6	2.3	1.6
.....	1.2	0.4	0.1	0.2	0.9	(1)	(1)	(1)	(1)	0.7	1.4	(1)	(1)	4.3	1.0	(1)	(1)	(1)	(1)
0.6	1.2	0.1	0.5	0.2	0.3	(1)	(1)	(1)	(1)	0.3	1.3	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
1.2	.....	0.4	0.1	0.2	0.3	(1)	(1)	(1)	(1)	0.7	0.7	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
1.2	0.4	0.4	0.2	0.2	0.3	(1)	(1)	(1)	(1)	1.3	.....	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
0.6	.....	0.1	0.1	0.3	0.4	(1)	(1)	(1)	(1)	0.6	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.1	0.8	0.4	0.4	(1)	(1)	(1)	(1)	0.3	1.2	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	0.4	0.1	0.1	0.3	0.2	(1)	(1)	0.2	0.4	.....	.....	7.9	1.3	.....	0.3	(1)	(1)	(1)	(1)
0.6	0.8	0.3	0.5	0.2	0.1	(1)	(1)	0.2	0.3	.....	.....	.....	0.2	.....	0.3	(1)	(1)	(1)	(1)
0.6	.....	0.1	0.1	0.2	0.2	(1)	(1)	0.2	0.2	0.2	.....	.....	0.2	.....	.....	0.5	.....	.....	0.3
0.6	0.4	0.3	0.5	0.2	0.1	0.2	0.2	0.1	0.3	0.2	.....	.....	1.3	.....	0.3	.....	.....	0.3	0.2
1.3	0.8	1.6	0.4	4.3	0.9	(1)	(1)	(1)	(1)	6.3	2.8	(1)	(1)	2.1	0.7	(1)	(1)	(1)	(1)
1.9	.....	2.6	1.4	4.9	1.3	(1)	(1)	(1)	(1)	4.5	2.0	(1)	(1)	2.1	2.0	(1)	(1)	(1)	(1)
.....	1.2	3.4	1.2	4.3	1.2	(1)	(1)	(1)	(1)	4.0	5.9	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
1.8	2.0	3.9	1.5	4.9	1.5	(1)	(1)	(1)	(1)	5.3	6.5	(1)	(1)	4.1	1.7	(1)	(1)	(1)	(1)
1.2	0.8	3.3	1.4	5.2	1.8	(1)	(1)	(1)	(1)	5.1	3.2	(1)	(1)	6.1	1.0	(1)	(1)	(1)	(1)
1.2	2.0	3.4	1.2	5.1	1.3	(1)	(1)	(1)	(1)	5.6	3.7	(1)	(1)	4.0	1.7	(1)	(1)	(1)	(1)
1.7	2.0	3.5	1.7	6.2	1.9	(1)	(1)	6.5	3.6	3.9	7.9	.....	0.6	7.9	1.0	(1)	(1)	(1)	(1)
1.1	2.0	4.0	1.6	8.2	1.8	(1)	(1)	6.2	3.3	5.3	4.4	7.6	0.6	7.8	4.3	(1)	(1)	(1)	(1)
3.9	4.8	3.9	2.8	6.8	2.5	(1)	(1)	6.3	3.5	4.7	3.3	.....	1.5	7.7	3.3	4.8	1.6	3.2	1.5
1.7	2.8	4.2	2.2	7.8	3.1	9.8	3.2	5.2	3.4	6.6	3.2	.....	1.5	1.9	3.3	5.0	2.4	2.6	1.2
.....	.....	.....	.....	(2)	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	0.1	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	0.1	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	.....	.....	0.1	(2)	(1)	(1)	(1)	(1)	.....	0.6	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	0.2	(2)	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	0.2	0.2	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	0.1	(2)	(1)	(1)	0.1	0.1	0.2	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	0.2	.....	(1)	(1)	.....	0.1	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	0.1	0.2	(2)	(1)	(1)	0.1	(2)	0.7	.....	.....	0.2	.....	.....	.....	.....	.....	0.1
.....	.....	.....	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	.....	.....	0.2	.....	.....	0.7	0.1	0.1	.....
.....	.....	.....	.....	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.2	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.1	(2)	.....	(1)	(1)	(1)	(1)	0.3	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	.....	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	0.1	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	0.1	(2)	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	0.1	(1)	(1)	0.1	0.1	0.2	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	0.3	(2)	(1)	(1)	0.1	0.1	0.2	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	0.1	0.3	.....	(1)	(1)	0.3	(2)	0.7	.....	.....	.....	3.8	0.3	0.3	.....	.....	.....
0.6	.....	.....	.....	0.2	(2)	0.2	.....	0.4	(2)	.....	.....	.....	.....	.....	.....	.....	.....	0.3	0.1
2.5	1.2	1.5	1.5	1.9	1.0	(1)	(1)	(1)	(1)	3.2	1.4	(1)	(1)	.....	1.6	(1)	(1)	(1)	(1)
3.1	2.8	1.4	0.6	2.2	1.7	(1)	(1)	(1)	(1)	1.7	2.7	(1)	(1)	4.2	2.4	(1)	(1)	(1)	(1)
1.8	2.8	1.4	2.1	1.9	1.4	(1)	(1)	(1)	(1)	2.0	3.3	(1)	(1)	2.1	0.7	(1)	(1)	(1)	(1)
1.8	2.0	2.1	1.3	2.1	1.8	(1)	(1)	(1)	(1)	2.0	1.3	(1)	(1)	.....	2.7	(1)	(1)	(1)	(1)
2.4	1.2	1.3	2.0	2.3	1.6	(1)	(1)	(1)	(1)	1.9	2.5	(1)	(1)	2.0	2.3	(1)	(1)	(1)	(1)
0.6	2.0	1.8	1.5	2.6	2.3	(1)	(1)	(1)	(1)	2.8	1.2	(1)	(1)	4.0	3.0	(1)	(1)	(1)	(1)
1.7	0.4	2.3	2.7	2.5	2.5	(1)	(1)	2.4	2.1	2.5	4.5	.....	1.1	2.0	2.0	(1)	(1)	(1)	(1)
2.3	3.6	1.8	1.5	2.6	2.6	(1)	(1)	2.1	1.8	5.8	3.3	.....	0.4	.....	2.7	(1)	(1)	(1)	(1)
2.8	3.6	1.8	1.3	2.3	2.9	(1)	(1)	2.9	1.9	2.6	5.4	.....	1.7	5.7	5.3	1.3	1.1	1.7	1.8
2.8	3.6	1.8	2.1	3.1	3.6	2.6	3.5	2.4	2.5	3.6	3.2	.....	0.7	1.9	4.3	2.4	2.5	1.8	2.2
23.9	22.2	22.6	18.1	24.3	24.9	(1)	(1)	(1)	(1)	25.7	31.1	(1)	(1)	32.2	26.0	(1)	(1)	(1)	(1)
18.6	27.8	24.1	19.2	25.9	23.3	(1)	(1)	(1)	(1)	25.5	23.0	(1)	(1)	25.3	25.2	(1)	(1)	(1)	(1)
23.2	25.0	19.9	19.3	25.8	24.3	(1)	(1)	(1)	(1)	24.9	27.7	(1)	(1)	10.4	22.8	(1)	(1)	(1)	(1)
22.8	24.7	23.5	20.4	27.0	24.6	(1)	(1)	(1)	(1)	27.2	32.9	(1)	(1)	12.3	36.2	(1)	(1)	(1)	(1)
19.0	28.3	23.0	20.3	28.5	26.7	(1)	(1)	(1)	(1)	27.9	37.3	(1)	(1)	18.2	32.7	(1)	(1)	(1)	(1)
29.2	30.8	24.9	22.1	28.6	27.2	(1)	(1)	(1)	(1)	29.8	23.5	(1)	(1)	12.0	33.3	(1)	(1)	(1)	(1)
22.4	32.9	27.1	21.8	29.9	26.1	(1)	(1)	24.6	21.0	27.4	33.9	31.4	15.6	23.6	31.6	(1)	(1)	(1)	(1)
30.1	31.7	27.5	22.4	29.7	29.1	(1)	(1)	25.2	20.9	30.3	34.3	15.3	17.0	38.8	42.2	(1)	(1)	(1)	(1)
32.5	30.2	25.8	23.1	30.0	33.4	(1)	(1)	26.5	20.7	28.3	33.7	44.6	22.3	32.6	36.8	24.2	16.6	32.1	31.1
26.5	34.7	27.7	27.1	30.8	32.4	30.2	27.4	30.1	23.6	26.7	28.8	29.0	18.0	35.9	38.7	30.0	18.1	41.3	34.5
6.3	5.9	5.4	3.8	6.8	5.0	(1)	(1)	(1)	(1)	8.1	6.2	(1)	(1)	6.5	7.8	(1)	(1)	(1)	(1)
8.7	5.6	9.2	4.9	9.1	6.1	(1)	(1)	(1)	(1)	10.0	8.1	(1)	(1)	6.3	8.7	(1)	(1)	(1)	(1)
6.1	6.4	6.3	5.7	8.4	7.1	(1)	(1)	(1)	(1)	14.8	13.2	(1)	(1)	6.2	11.1	(1)	(1)	(1)	(1)
7.2	7.6	5.9	5.1	8.3	7.3	(1)	(1)	(1)	(1)	8.9	7.8	(1)	(1)	4.1	7.7	(1)	(1)	(1)	(1)
10.1	7.6	6.6	5.4	8.7	6.5	(1)	(1)	(1)	(1)	12.5	7.6	(1)	(1)	2.0	11.4	(1)	(1)	(1)	(1)
7.0	7.6	7.1	7.7	9.5	7.2	(1)	(1)	(1)	(1)	10.4	13.0	(1)	(1)	10.0	9.3	(1)	(1)	(1)	(1)
11.5	9.2	9.5	5.8	10.3	7.8	(1)	(1)	7.4	5.1	11.1	7.9	7.9	0.6	3.9	12.0	(1)	(1)	(1)	(1)
9.1	12.4	7.7	8.0	10.3	10.1	(1)	(1)	8.5	5.2	12.7	14.4	7.6	4.0	11.6	9.6	(1)	(1)	(1)	(1)
11.2	12.1	9.8	5.9	10.2	10.3	(1)	(1)	8.7	5.1	9.8	7.6	.....	4.6	7.7	12.6	4.1	3.0	8.4	7.3
11.6	12.9	10.0	6.5	11.0	12.3	9.3	8.1	9.2	6.1	13.0	8.5	.....	1.6	7.6	15.6	6.7	5.0	7.7	7.4
5.7	2.0	8.3	6.0	10.0	7.7	(1)	(1)	(1)	(1)	9.2	15.9	(1)	(1)	4.3	6.7	(1)	(1)	(1)	(1)
11.8	7.1	9.2	7.5	11.2	6.8	(1)	(1)	(1)	(1)	15.1	12.8	(1)	(1)	6.3	6.7	(1)	(1)	(1)	(1)
10.4	6.0	8.1	5.4	11.0	6.7	(1)	(1)	(1)	(1)	12.4	11.2	(1)	(1)	12.5	4.4	(1)	(1)	(1)	(1)
8.4	6.0	10.2	7.7	11.1	7.3	(1)	(1)	(1)	(1)	10.5	19.4	(1)	(1)	12.3	10.7	(1)	(1)	(1)	(1)
13.0	8.4	10.2	7.0	11.2	8.6	(1)	(1)	(1)	(1)	19.6	7.6	(1)	(1)	14.2	12.4	(1)	(1)	(1)	(1)
10.5	7.2	11.6	8.0	12.1	7.4	(1)	(1)	(1)	(1)	20.1	13.0	(1)	(1)	10.0	11.0	(1)	(1)	(1)	(1)
9.2	7.2	12.4	7.5	11.2	7.9	(1)	(1)	10.8	6.2	14.1	10.2	7.9	1.7	15.7	9.7	(1)	(1)	(1)	(1)
12.5	8.0	10.6	7.4	11.7	10.0	(1)	(1)	11.9	6.2	17.0	7.8	.....	1.8	23.3	15.3	(1)	(1)	(1)	(1)
12.3	10.1	11.5	10.4	12.0	12.0	(1)	(1)	12.8	7.5	15.0	17.4	.....	2.9	15.3	12.3	7.9	5.5	10.1	4.3
17.7	19.0	11.0	9.4	12.7	12.7	14.5	8.8	12.2	7.1	17.3	19.2	.....	3.1	17.0	12.6	7.9	4.9	7.4	5.0

[1] Less than one-tenth.

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Cancer of breast	1900	(1)	(1)	(1)	(1)	6.3	8.5	2.7	2.3	2.5	6.1	(1)	(1)	5.8	4.3	5.8	5.5
	1901	(1)	(1)	(1)	(1)	6.7	7.4	3.5	3.3	13.4	6.7	(1)	(1)	6.7	4.6	5.4	5.2
	1902	(1)	(1)	(1)	(1)	6.4	10.1	4.9	4.4	8.3	9.4	(1)	(1)	5.8	3.9	5.1	5.1
	1903	(1)	(1)	(1)	(1)	8.7	7.3	3.5	3.7	6.5	7.7	(1)	(1)	6.0	6.4	4.9	5.0
	1904	(1)	(1)	(1)	(1)	6.4	6.6	4.3	3.3	4.0	6.8	(1)	(1)	9.0	7.9	5.9	5.5
	1905	(1)	(1)	(1)	(1)	6.8	10.4	3.2	4.7	6.4	7.2	(1)	(1)	8.6	7.7	5.3	4.8
	1906	8.5	3.5	6.1	3.2	5.6	9.4	4.3	4.4	5.1	6.0	9.1	2.9	8.2	6.4	6.0	4.8
	1907	7.5	3.1	5.2	2.6	7.7	5.8	6.7	4.2	9.5	9.4	7.5	3.3	8.0	9.2	5.7	4.9
	1908	7.7	3.9	6.1	3.0	7.3	9.8	7.3	5.5	8.9	8.1	8.1	4.2	9.0	11.4	6.1	6.8
	1909	8.4	4.7	6.3	2.6	9.7	10.8	8.8	5.6	7.1	9.0	8.0	6.1	9.8	10.2	6.6	6.6
Cancer of skin	1900	(1)	(1)	(1)	(1)	3.6	2.8	1.1	1.9	1.7	3.1	(1)	(1)	1.5	2.4	2.5	2.7
	1901	(1)	(1)	(1)	(1)	2.1	2.8	1.8	2.1	4.2	5.2	(1)	(1)	2.0	3.2	2.1	3.6
	1902	(1)	(1)	(1)	(1)	1.6	3.7	1.1	2.9	2.5	4.6	(1)	(1)	1.6	2.2	2.2	3.1
	1903	(1)	(1)	(1)	(1)	2.8	3.6	1.2	3.5	2.5	3.2	(1)	(1)	1.9	1.6	1.7	4.2
	1904	(1)	(1)	(1)	(1)	2.9	3.3	1.6	3.0	2.4	4.1	(1)	(1)	2.1	3.4	1.7	3.8
	1905	(1)	(1)	(1)	(1)	2.4	3.9	1.6	3.7	4.0	3.0	(1)	(1)	1.8	3.8	2.3	3.2
	1906	3.4	2.4	2.3	0.9	3.3	5.0	2.2	3.3	1.7	3.8	3.5	1.4	1.7	4.5	2.3	2.7
	1907	3.6	2.1	1.1	1.8	3.1	2.9	2.6	3.5	4.5	3.6	2.0	2.6	2.2	2.9	1.9	3.0
	1908	3.9	2.3	3.6	4.2	1.8	3.7	4.1	4.9	5.5	5.2	2.3	1.8	2.3	4.1	3.3	4.3
	1909	3.5	3.3	1.0	2.4	3.1	3.7	4.3	5.8	2.7	6.1	2.6	3.0	2.7	5.2	2.3	3.7
Cancer of other or unspecified organs	1900	(1)	(1)	(1)	(1)	15.8	20.0	24.5	16.8	20.3	15.8	(1)	(1)	25.5	38.2	14.1	11.7
	1901	(1)	(1)	(1)	(1)	15.1	17.0	17.9	12.9	13.4	14.3	(1)	(1)	24.1	40.7	11.0	10.9
	1902	(1)	(1)	(1)	(1)	14.9	13.7	17.6	12.2	14.9	12.2	(1)	(1)	23.2	35.6	13.5	9.6
	1903	(1)	(1)	(1)	(1)	16.2	20.0	15.2	12.5	18.0	16.9	(1)	(1)	25.6	30.3	17.4	13.9
	1904	(1)	(1)	(1)	(1)	13.6	12.6	16.9	10.7	17.8	18.8	(1)	(1)	22.5	30.1	12.0	12.4
	1905	(1)	(1)	(1)	(1)	15.2	13.1	16.4	13.1	22.4	15.8	(1)	(1)	21.7	29.3	11.2	12.5
	1906	18.2	13.8	9.2	4.8	18.7	15.2	14.5	13.7	19.8	18.5	15.0	10.3	21.2	32.7	13.2	14.1
	1907	17.4	14.0	11.1	6.6	17.3	16.5	12.0	11.7	17.4	14.5	15.4	10.4	22.9	32.7	14.4	13.5
	1908	18.4	13.1	15.4	5.5	11.5	12.6	10.7	8.8	22.2	12.8	14.7	7.0	18.3	23.9	12.2	9.8
	1909	18.6	11.8	12.9	6.5	14.2	15.9	11.1	7.5	15.9	13.7	10.6	5.6	15.3	18.2	12.7	9.0
Tumor	1900	(1)	(1)	(1)	(1)	2.2	2.5	2.1	1.9	1.7	3.1	(1)	(1)	1.8	2.2	2.0	2.7
	1901	(1)	(1)	(1)	(1)	1.5	3.7	1.8	1.2	1.7	1.9	(1)	(1)	2.2	2.9	1.8	1.3
	1902	(1)	(1)	(1)	(1)	1.1	1.5	0.6	0.8	0.8	1.4	(1)	(1)	1.7	1.9	1.9	1.3
	1903	(1)	(1)	(1)	(1)	1.4	2.1	0.9	1.0	2.5	1.9	(1)	(1)	2.0	2.6	2.4	2.5
	1904	(1)	(1)	(1)	(1)	2.3	1.8	2.6	1.3	0.8	1.2	(1)	(1)	1.2	1.7	2.2	2.1
	1905	(1)	(1)	(1)	(1)	1.6	0.6	2.4	1.5	3.2	1.3	(1)	(1)	1.9	2.1	1.0	1.5
	1906	0.1	0.4	2.7	0.7	0.9	1.5	1.7	1.0	1.1	2.6	1.5	0.9	1.6	1.1	2.1	1.7
	1907	1.2	0.9	1.1	0.9	2.0	1.4	0.7	1.1	2.2	1.5	0.3	0.8	1.5	1.7	1.9	1.4
	1908	0.8	0.9	2.2	0.8	1.6	1.4	1.1	0.7	.....	1.3	1.3	0.3	1.5	1.2	1.1	1.0
	1909	0.8	0.6	1.4	0.2	2.0	0.9	1.0	0.7	2.7	0.7	1.3	1.0	1.3	2.0	1.2	1.1
Acute articular rheumatism	1900	(1)	(1)	(1)	(1)	10.4	7.2	2.1	3.0	2.5	2.3	(1)	(1)	6.3	6.3	6.9	5.5
	1901	(1)	(1)	(1)	(1)	4.6	5.6	3.5	2.8	4.2	3.8	(1)	(1)	4.3	3.8	5.5	4.8
	1902	(1)	(1)	(1)	(1)	4.5	6.1	2.5	3.5	1.7	2.6	(1)	(1)	4.0	2.8	6.2	5.4
	1903	(1)	(1)	(1)	(1)	5.4	5.5	4.1	3.5	6.5	3.7	(1)	(1)	4.7	3.0	6.2	4.7
	1904	(1)	(1)	(1)	(1)	9.5	5.1	6.6	5.3	7.3	3.4	(1)	(1)	6.1	5.5	5.7	6.6
	1905	(1)	(1)	(1)	(1)	5.6	4.4	8.0	5.3	4.8	4.2	(1)	(1)	5.0	7.3	4.4	5.6
	1906	7.6	4.7	8.1	5.5	7.1	5.9	5.4	6.0	3.4	2.7	5.1	3.5	5.1	3.5	6.3	5.1
	1907	5.8	4.5	8.2	4.8	6.6	5.8	5.7	4.0	2.8	3.8	7.5	4.4	6.1	5.0	7.3	6.8
	1908	4.4	3.7	5.0	5.1	5.1	6.3	3.7	4.2	4.4	2.7	7.1	3.0	5.4	3.1	4.1	5.4
	1909	4.6	3.3	4.5	5.3	5.2	4.8	3.7	3.8	1.6	2.5	4.6	3.3	4.9	4.2	4.3	4.3
Chronic rheumatism and gout	1900	(1)	(1)	(1)	(1)	4.4	8.8	6.4	6.4	.....	4.5	(1)	(1)	3.0	4.0	2.4	4.7
	1901	(1)	(1)	(1)	(1)	5.9	8.7	6.4	6.0	3.3	2.8	(1)	(1)	4.0	4.7	3.7	4.9
	1902	(1)	(1)	(1)	(1)	5.3	6.4	6.3	5.9	1.7	3.9	(1)	(1)	2.4	5.1	3.6	5.7
	1903	(1)	(1)	(1)	(1)	2.5	4.6	5.1	3.6	3.3	2.7	(1)	(1)	3.3	4.5	5.7	4.4
	1904	(1)	(1)	(1)	(1)	2.6	3.3	2.8	4.8	1.6	3.2	(1)	(1)	2.5	3.4	3.1	4.0
	1905	(1)	(1)	(1)	(1)	2.4	4.2	3.2	3.3	0.8	3.0	(1)	(1)	2.0	4.0	2.2	4.0
	1906	3.3	2.6	3.1	2.5	2.0	5.0	2.1	3.3	2.8	2.7	3.2	3.3	1.9	4.6	2.3	3.3
	1907	1.1	1.5	3.3	1.8	2.5	2.9	3.0	2.5	5.0	2.9	4.0	3.8	2.1	2.8	2.1	2.8
	1908	2.2	2.9	1.4	1.5	1.0	2.9	1.5	2.4	1.7	2.7	3.1	4.0	1.4	3.0	1.9	3.9
	1909	1.2	2.4	2.8	2.0	2.3	2.0	1.3	1.9	2.7	3.1	3.3	2.2	1.7	3.8	3.7	2.7
Diabetes	1900	(1)	(1)	(1)	(1)	14.8	13.8	8.0	7.9	8.4	10.6	(1)	(1)	12.6	13.3	9.0	11.0
	1901	(1)	(1)	(1)	(1)	13.0	12.1	8.6	7.9	13.4	12.4	(1)	(1)	11.3	13.1	12.7	9.5
	1902	(1)	(1)	(1)	(1)	9.9	18.0	9.4	8.8	18.2	11.3	(1)	(1)	13.1	15.2	11.4	12.4
	1903	(1)	(1)	(1)	(1)	13.7	11.8	8.9	8.6	12.3	13.1	(1)	(1)	14.0	15.9	11.7	11.1
	1904	(1)	(1)	(1)	(1)	15.4	19.2	11.6	9.3	17.0	14.1	(1)	(1)	15.7	16.1	12.9	13.6
	1905	(1)	(1)	(1)	(1)	15.5	12.5	10.3	10.2	16.8	16.2	(1)	(1)	14.9	19.2	10.9	10.9
	1906	16.8	10.0	12.3	4.6	19.3	16.1	11.5	11.2	10.2	18.6	13.8	6.2	15.0	18.8	12.1	14.2
	1907	16.3	9.7	11.1	8.3	17.3	21.5	11.9	11.3	16.2	14.4	15.4	7.7	17.3	19.6	14.0	13.7
	1908	13.7	12.8	10.4	7.2	15.9	25.0	13.5	12.1	15.5	16.3	12.1	6.0	16.0	17.8	12.7	14.1
	1909	16.6	14.3	13.2	4.5	21.6	14.8	11.8	12.1	17.5	19.1	12.3	8.3	17.1	20.5	15.9	13.3
Exophthalmic goiter	1900	(1)	(1)	(1)	(1)	0.5	0.3	0.5	0.3	.....	0.3	(1)	(1)	0.7	0.6	0.8	0.6
	1901	(1)	(1)	(1)	(1)	0.8	0.6	1.0	0.8	.....	0.3	(1)	(1)	0.3	0.7	0.8	0.6
	1902	(1)	(1)	(1)	(1)	0.5	0.3	0.6	0.4	.....	.....	(1)	(1)	0.6	0.3	1.1	1.2
	1903	(1)	(1)	(1)	(1)	0.5	.....	1.5	0.9	.....	0.3	(1)	(1)	0.4	0.6	1.2	1.5
	1904	(1)	(1)	(1)	(1)	0.2	0.3	0.9	0.7	0.8	0.3	(1)	(1)	0.8	0.1	1.3	0.7
	1905	(1)	(1)	(1)	(1)	1.5	0.6	0.7	1.1	.....	0.3	(1)	(1)	0.6	0.6	1.5	0.9
	1906	0.3	0.6	1.5	0.2	0.4	1.5	1.1	0.8	.....	.....	1.2	0.8	0.7	0.8	2.3	1.8
	1907	1.2	0.7	0.4	0.7	1.3	0.3	0.8	1.1	.....	0.5	1.2	0.2	0.6	0.4	0.9	2.0
	1908	1.0	0.9	0.7	1.3	0.7	0.6	0.5	1.4	.....	0.5	0.2	0.3	0.9	0.5	2.5	2.2
	1909	1.7	0.8	1.7	0.6	1.2	1.4	2.7	1.5	.....	0.4	1.1	0.3	0.7	0.3	2.8	1.5
Addison's disease	1900	(1)	(1)	(1)	(1)	0.7	.....	0.3	0.1	3.4	0.3	(1)	(1)	0.4	1.0	0.8	0.6
	1901	(1)	(1)	(1)	(1)	0.2	0.6	0.6	0.3	.....	0.3	(1)	(1)	0.5	0.4	0.5	0.7
	1902	(1)	(1)	(1)	(1)	0.2	0.9	0.6	0.6	0.8	0.3	(1)	(1)	0.5	0.3	0.4	0.5
	1903	(1)	(1)	(1)	(1)	0.3	0.3	0.2	0.4	0.8	0.7	(1)	(1)	0.3	0.9	0.5	0.7
	1904	(1)	(1)	(1)	(1)	0.5	.....	0.1	0.3	1.6	0.7	(1)	(1)	0.6	0.7	0.7	0.7
	1905	(1)	(1)	(1)	(1)	0.4	0.6	0.1	0.4	1.6	0.7	(1)	(1)	0.5	0.9	0.1	0.4
	1906	0.7	0.4	0.4	.....	0.6	0.9	0.6	0.5	2.3	0.7	0.3	.....	0.7	0.4	0.7	0.8
	1907	0.3	0.2	0.7	.....	0.4	0.3	.....	0.3	2.2	0.7	0.3	0.3	0.5	0.3	0.5	0.8
	1908	0.4	0.6	0.4	.....	0.4	0.3	0.3	0.5	.....	0.2	0.3	0.1	0.7	1.2	0.5	0.5
	1909	0.8	0.6	.....	0.4	0.7	1.4	0.6	0.6	1.1	0.7	0.3	0.1	0.6	0.3	0.4	0.9

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
5.6	3.2	3.1	5.0	5.4	5.6	(1)	(1)	(1)	(1)	8.4	9.7	(1)	(1)	8.6	4.7	(1)	(1)	(1)	(1)
5.6	3.6	3.6	4.5	5.4	6.4	(1)	(1)	(1)	(1)	8.6	12.8	(1)	(1)	6.3	4.7	(1)	(1)	(1)	(1)
2.4	2.8	4.8	4.1	6.0	7.1	(1)	(1)	(1)	(1)	11.1	13.9	(1)	(1)	10.4	3.7	(1)	(1)	(1)	(1)
5.4	4.8	5.0	4.7	6.5	6.2	(1)	(1)	(1)	(1)	9.2	11.0	(1)	(1)	4.1	9.7	(1)	(1)	(1)	(1)
7.1	2.0	4.7	5.1	6.6	6.6	(1)	(1)	(1)	(1)	12.5	14.5	(1)	(1)	2.0	10.7	(1)	(1)	(1)	(1)
4.1	4.4	5.4	4.7	6.5	6.6	(1)	(1)	(1)	(1)	9.7	12.4	(1)	(1)	6.0	6.0	(1)	(1)	(1)	(1)
3.5	6.0	7.4	7.0	6.5	7.4	(1)	(1)	6.4	4.9	7.2	10.2	.....	1.9	5.9	10.3	(1)	(1)	(1)	(1)
9.1	6.4	6.2	6.6	6.8	9.5	(1)	(1)	6.1	4.2	11.3	8.9	.....	1.8	7.8	11.6	(1)	(1)	(1)	(1)
10.1	7.6	6.0	6.4	6.5	9.8	(1)	(1)	6.5	5.8	12.9	9.8	14.9	2.3	3.8	10.6	4.6	1.6	3.5	3.8
6.6	11.7	6.3	7.8	7.5	9.4	7.6	7.7	7.5	5.9	10.9	13.9	7.2	1.6	11.3	9.9	6.0	2.7	6.8	4.3
0.6	1.6	1.4	2.2	1.5	3.3	(1)	(1)	(1)	(1)	2.1	5.5	(1)	(1)	2.1	3.0	(1)	(1)	(1)	(1)
.....	3.2	2.5	1.9	1.7	3.3	(1)	(1)	(1)	(1)	2.8	4.7	(1)	(1)	.....	2.4	(1)	(1)	(1)	(1)
0.6	3.6	1.5	2.5	1.8	3.1	(1)	(1)	(1)	(1)	2.4	5.3	(1)	(1)	.....	2.0	(1)	(1)	(1)	(1)
.....	3.2	1.6	1.3	1.9	3.8	(1)	(1)	(1)	(1)	1.6	7.8	(1)	(1)	4.1	5.0	(1)	(1)	(1)	(1)
2.4	5.2	2.5	2.3	1.4	4.2	(1)	(1)	(1)	(1)	2.9	3.2	(1)	(1)	4.0	2.0	(1)	(1)	(1)	(1)
2.9	2.4	2.4	2.5	2.0	3.6	(1)	(1)	(1)	(1)	1.9	4.3	(1)	(1)	2.0	5.7	(1)	(1)	(1)	(1)
1.7	3.2	1.6	2.4	1.8	3.8	(1)	(1)	2.3	2.2	1.5	5.6	.....	0.8	3.9	3.7	(1)	(1)	(1)	(1)
3.4	4.4	2.1	3.7	1.8	5.0	(1)	(1)	2.6	2.6	4.1	8.9	7.6	0.6	5.8	5.3	(1)	(1)	(1)	(1)
2.8	6.4	1.5	2.8	1.8	5.2	(1)	(1)	2.1	2.4	2.6	4.3	.....	1.1	3.8	5.6	0.3	1.3	3.2	2.5
2.8	6.0	1.5	3.0	1.8	4.8	1.5	4.9	2.3	3.4	3.0	1.1	.....	0.9	1.9	4.0	1.9	2.5	1.7	2.8
21.4	39.6	12.2	16.5	16.0	21.3	(1)	(1)	(1)	(1)	8.1	11.8	(1)	(1)	32.2	38.4	(1)	(1)	(1)	(1)
27.9	46.0	11.8	14.7	13.8	23.0	(1)	(1)	(1)	(1)	9.6	7.4	(1)	(1)	23.2	20.2	(1)	(1)	(1)	(1)
24.4	43.7	12.4	13.4	13.2	20.9	(1)	(1)	(1)	(1)	11.4	14.5	(1)	(1)	22.9	25.2	(1)	(1)	(1)	(1)
22.2	37.0	12.5	14.4	15.0	20.4	(1)	(1)	(1)	(1)	7.9	16.3	(1)	(1)	24.6	26.8	(1)	(1)	(1)	(1)
20.7	33.5	13.0	10.5	14.7	20.3	(1)	(1)	(1)	(1)	10.9	10.8	(1)	(1)	12.1	20.7	(1)	(1)	(1)	(1)
22.2	36.8	12.8	13.1	14.2	23.1	(1)	(1)	(1)	(1)	8.5	7.4	(1)	(1)	8.0	21.0	(1)	(1)	(1)	(1)
23.0	44.9	11.1	7.3	13.5	19.8	(1)	(1)	13.2	10.4	14.1	5.6	23.6	11.2	25.6	16.6	(1)	(1)	(1)	(1)
25.5	36.1	10.4	9.4	13.9	13.5	(1)	(1)	13.2	12.4	9.4	10.0	15.3	10.2	7.8	12.6	(1)	(1)	(1)	(1)
13.5	19.7	11.4	10.2	12.5	11.1	(1)	(1)	11.4	9.0	9.6	10.9	29.7	5.7	11.5	10.6	15.1	8.8	14.6	11.5
12.2	15.3	11.0	9.6	12.1	11.7	12.6	9.4	10.6	6.9	11.4	20.3	14.5	4.0	13.2	13.6	10.1	7.0	11.8	11.1
1.9	2.0	1.4	2.0	1.2	3.1	(1)	(1)	(1)	(1)	1.8	1.4	(1)	(1)	4.3	2.3	(1)	(1)	(1)	(1)
2.5	2.0	1.3	1.3	1.1	2.2	(1)	(1)	(1)	(1)	1.4	1.3	(1)	(1)	2.1	3.4	(1)	(1)	(1)	(1)
1.2	2.8	0.5	1.3	1.3	2.0	(1)	(1)	(1)	(1)	2.4	.....	(1)	(1)	.....	2.7	(1)	(1)	(1)	(1)
3.6	2.8	0.6	0.3	1.6	2.2	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	4.1	2.0	(1)	(1)	(1)	(1)
.....	2.4	1.0	1.0	0.8	1.9	(1)	(1)	(1)	(1)	0.3	1.3	(1)	(1)	2.0	1.7	(1)	(1)	(1)	(1)
0.6	4.4	1.5	1.1	1.2	1.4	(1)	(1)	(1)	(1)	0.9	.....	(1)	(1)	.....	2.3	(1)	(1)	(1)	(1)
5.2	0.8	0.9	0.7	0.9	1.8	(1)	(1)	1.0	1.2	0.5	.....	.....	1.7	2.0	0.7	(1)	(1)	(1)	(1)
1.7	3.2	0.8	0.7	1.1	1.1	(1)	(1)	1.1	1.2	0.5	.....	.....	1.2	.....	0.3	(1)	(1)	(1)	(1)
0.6	2.4	0.8	0.7	0.8	1.2	(1)	(1)	0.9	0.7	0.2	.....	7.4	1.5	.....	.....	2.3	0.6	1.1	0.7
0.6	2.0	0.8	0.9	0.7	1.0	1.0	1.3	0.5	0.7	0.5	1.1	.....	0.7	.....	.....	0.2	.....	2.5	1.2
2.5	2.4	5.1	4.4	5.7	5.2	(1)	(1)	(1)	(1)	8.1	6.9	(1)	(1)	2.1	2.7	(1)	(1)	(1)	(1)
1.9	2.0	4.1	4.5	6.1	4.8	(1)	(1)	(1)	(1)	10.7	3.4	(1)	(1)	4.2	6.0	(1)	(1)	(1)	(1)
1.8	3.6	3.0	2.6	4.9	4.7	(1)	(1)	(1)	(1)	7.7	4.6	(1)	(1)	.....	4.7	(1)	(1)	(1)	(1)
5.4	2.4	3.6	3.1	6.0	4.6	(1)	(1)	(1)	(1)	5.3	4.5	(1)	(1)	2.1	2.0	(1)	(1)	(1)	(1)
4.1	6.4	5.4	4.5	8.3	5.8	(1)	(1)	(1)	(1)	4.5	3.8	(1)	(1)	2.0	5.7	(1)	(1)	(1)	(1)
2.9	6.8	5.5	4.4	6.8	5.1	(1)	(1)	(1)	(1)	6.6	6.2	(1)	(1)	4.0	6.7	(1)	(1)	(1)	(1)
4.0	6.0	5.3	4.1	6.9	3.7	(1)	(1)	6.2	5.4	4.2	9.0	23.6	5.1	5.9	6.3	(1)	(1)	(1)	(1)
4.5	3.2	4.7	2.3	6.8	5.1	(1)	(1)	6.7	4.6	4.8	3.3	.....	3.8	1.9	2.3	(1)	(1)	(1)	(1)
3.9	4.8	6.0	3.3	7.0	4.5	(1)	(1)	6.9	4.6	4.7	6.5	7.4	6.7	5.7	2.0	6.1	2.8	4.9	5.3
3.3	4.4	4.7	4.7	6.2	4.4	7.2	4.6	6.2	4.5	5.2	5.3	7.2	2.4	5.7	5.0	5.3	1.8	4.3	4.3
2.5	3.9	2.0	3.3	5.0	6.0	(1)	(1)	(1)	(1)	7.7	8.3	(1)	(1)	4.3	5.7	(1)	(1)	(1)	(1)
3.1	2.8	2.6	3.4	4.6	5.6	(1)	(1)	(1)	(1)	4.5	2.7	(1)	(1)	2.1	7.1	(1)	(1)	(1)	(1)
3.7	5.6	2.5	2.6	3.2	5.5	(1)	(1)	(1)	(1)	3.7	5.3	(1)	(1)	4.2	6.7	(1)	(1)	(1)	(1)
4.8	2.8	2.2	2.4	2.9	6.4	(1)	(1)	(1)	(1)	2.3	1.3	(1)	(1)	8.2	4.0	(1)	(1)	(1)	(1)
1.8	5.6	2.7	3.0	2.2	4.8	(1)	(1)	(1)	(1)	3.2	1.3	(1)	(1)	2.0	5.3	(1)	(1)	(1)	(1)
2.9	4.0	2.3	3.4	1.5	4.5	(1)	(1)	(1)	(1)	2.2	1.9	(1)	(1)	2.0	4.0	(1)	(1)	(1)	(1)
21.9	4.8	1.8	1.9	1.4	3.4	(1)	(1)	2.1	3.0	2.7	5.6	.....	4.6	.....	4.3	(1)	(1)	(1)	(1)
3.4	5.6	1.8	2.5	1.7	4.0	(1)	(1)	2.3	3.0	2.2	4.4	15.3	3.0	7.8	4.0	(1)	(1)	(1)	(1)
3.4	2.8	2.1	1.0	1.5	4.1	(1)	(1)	2.0	3.0	1.9	1.1	7.4	3.0	.....	4.6	1.5	1.4	1.1	3.7
1.1	3.2	1.9	1.7	1.4	3.7	1.9	3.4	1.9	2.9	1.8	3.2	7.2	4.0	1.9	3.3	0.5	1.6	2.1	3.4
12.0	21.0	8.1	8.6	11.3	11.5	(1)	(1)	(1)	(1)	12.7	13.8	(1)	(1)	8.6	13.1	(1)	(1)	(1)	(1)
9.3	13.1	9.3	8.1	13.2	12.0	(1)	(1)	(1)	(1)	18.9	18.9	(1)	(1)	8.4	18.1	(1)	(1)	(1)	(1)
11.0	13.1	8.4	9.6	12.6	11.4	(1)	(1)	(1)	(1)	10.8	13.9	(1)	(1)	10.4	12.7	(1)	(1)	(1)	(1)
16.2	21.1	10.8	9.7	13.4	14.0	(1)	(1)	(1)	(1)	15.8	15.5	(1)	(1)	18.5	13.4	(1)	(1)	(1)	(1)
17.8	12.4	11.1	11.0	16.0	14.4	(1)	(1)	(1)	(1)	16.0	15.2	(1)	(1)	16.2	22.1	(1)	(1)	(1)	(1)
18.7	18.0	11.8	11.7	16.2	14.1	(1)	(1)	(1)	(1)	14.7	21.7	(1)	(1)	23.9	17.0	(1)	(1)	(1)	(1)
15.0	18.8	13.9	10.4	16.5	14.1	(1)	(1)	11.3	9.8	14.8	22.6	31.4	7.8	15.7	18.6	(1)	(1)	(1)	(1)
15.9	20.9	14.8	11.6	16.9	16.0	(1)	(1)	11.7	11.4	17.8	12.2	7.6	6.6	15.5	18.3	(1)	(1)	(1)	(1)
17.4	22.9	12.3	12.4	16.3	15.8	(1)	(1)	12.7	11.5	14.5	17.4	29.7	7.2	15.3	18.6	11.5	6.0	14.1	12.8
23.2	18.1	14.3	10.7	16.9	16.7	11.7	12.5	13.3	10.8	16.9	13.9	.....	8.7	17.0	21.5	13.7	9.3	11.8	12.0
.....	0.4	0.3	0.1	0.3	0.7	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	2.1	.....	(1)	(1)	(1)	(1)
.....	1.6	0.5	0.5	0.7	0.5	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	2.0	(1)	(1)	(1)	(1)
.....	0.4	0.4	0.8	0.5	0.6	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
0.6	0.8	0.3	0.3	0.6	1.2	(1)	(1)	(1)	(1)	0.7	0.6	(1)	(1)	.....	1.7	(1)	(1)	(1)	(1)
.....	1.2	0.4	0.9	0.8	0.7	(1)	(1)	(1)	(1)	1.0	.....	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
0.6	0.4	0.2	0.4	0.7	0.8	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	2.0	(1)	(1)	(1)	(1)
0.6	0.8	0.2	0.8	0.9	0.7	(1)	(1)	0.8	0.6	0.5	.....	.....	0.6	.....	1.0	(1)	(1)	(1)	(1)
0.6	2.0	0.3	0.3	1.0	1.0	(1)	(1)	1.1	0.6	1.0	.....	7.6	1.2	1.9	1.3	(1)	(1)	(1)	(1)
.....	.....	0.5	0.6	0.9	0.9	(1)	(1)	1.0	0.9	0.9	.....	.....	1.1	.....	0.3	3.3	0.6	1.7	1.4
1.1	0.4	0.6	0.5	1.3	1.1	1.8	1.8	0.9	0.8	0.9	.....	7.2	0.5	3.8	1.0	0.7	0.9	1.6	2.0
.....	0.4	0.8	0.1	0.4	0.6	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
.....	1.6	0.3	0.4	0.5	0.7	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	2.1	0.7	(1)	(1)	(1)	(1)
.....	0.4	0.3	0.2	0.4	0.8	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
1.2	0.4	0.3	0.3	0.7	0.5	(1)	(1)	(1)	(1)	.....	0.6	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
1.2	.....	0.1	0.2	0.5	0.9	(1)	(1)	(1)	(1)	0.6	0.6	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	0.4	0.2	0.5	0.4	0.6	(1)	(1)	(1)	(1)	0.6	.....	(1)	(1)	.....	1.3	(1)	(1)	(1)	(1)
1.7	0.8	0.4	0.7	0.3	0.6	(1)	(1)	0.3	0.5	1.0	.....	.....	0.4	.....	0.3	(1)	(1)	(1)	(1)
0.6	0.8	0.2	0.3	0.3	0.6	(1)	(1)	0.3	0.3	.....	.....	.....	0.2	.....	1.0	(1)	(1)	(1)	(1)
1.7	1.2	0.3	0.1	0.4	0.5	(1)	(1)	0.3	0.4	0.2	.....	.....	0.8	.....	0.3	.....	0.2	0.4	0.9
1.7	0.8	0.1	0.3	0.5	0.5	0.3	0.7	0.3	0.3	0.9	.....	7.2	0.2	.....	0.7	0.5	.....	0.4	0.5

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Leukemia	1900	(1)	(1)	(1)	(1)	0.8	0.6	0.8	1.0	1.7	0.3	(1)	(1)	1.0	1.3	1.7	1.4
	1901	(1)	(1)	(1)	(1)	1.8	0.6	1.8	0.8	0.8	1.4	(1)	(1)	1.1	0.9	1.5	0.8
	1902	(1)	(1)	(1)	(1)	1.0	0.6	1.2	1.0	0.8	0.7	(1)	(1)	1.5	2.0	0.9	0.8
	1903	(1)	(1)	(1)	(1)	0.8	1.2	1.7	0.9	0.8	0.7	(1)	(1)	1.0	1.6	2.0	1.4
	1904	(1)	(1)	(1)	(1)	0.9	1.2	1.8	0.9	1.6	1.4	(1)	(1)	1.3	1.5	0.9	0.9
	1905	(1)	(1)	(1)	(1)	0.7	1.2	1.1	1.7	2.4	1.5	(1)	(1)	1.7	1.0	2.2	1.2
	1906	1.6	1.4	2.3	0.5	1.4	0.9	2.1	0.7	2.3	1.1	1.3	0.8	2.1	1.7	0.8	1.7
	1907	2.0	0.8	2.2	1.3	1.4	0.9	1.2	0.9	1.1	0.7	2.3	0.6	1.9	2.2	1.4	1.4
	1908	2.2	1.2	1.4	1.3	0.8	0.3	2.4	1.5	1.1	1.1	1.8	0.7	2.3	1.9	1.4	1.5
	1909	2.8	1.9	3.1	1.4	1.7	0.9	1.8	1.4	1.1	1.6	1.6	0.9	2.1	0.7	2.3	1.0
Anemia, chlorosis	1900	(1)	(1)	(1)	(1)	4.4	3.5	3.2	4.3	17.7	5.7	(1)	(1)	7.3	10.3	7.6	7.5
	1901	(1)	(1)	(1)	(1)	3.8	4.6	7.2	4.1	11.7	5.7	(1)	(1)	7.8	8.8	8.0	7.0
	1902	(1)	(1)	(1)	(1)	2.9	1.5	4.6	4.2	12.4	7.2	(1)	(1)	5.9	9.9	6.5	5.8
	1903	(1)	(1)	(1)	(1)	3.3	2.4	3.5	3.4	10.6	5.1	(1)	(1)	6.1	10.1	6.9	6.5
	1904	(1)	(1)	(1)	(1)	3.8	3.6	3.7	3.7	8.9	5.9	(1)	(1)	5.5	9.0	8.4	8.7
	1905	(1)	(1)	(1)	(1)	4.3	5.6	3.4	3.0	13.6	7.2	(1)	(1)	6.6	7.4	10.6	10.0
	1906	3.0	3.7	6.1	2.7	4.3	2.9	5.2	2.5	7.9	6.8	4.4	2.4	7.2	9.2	9.4	11.2
	1907	3.3	2.9	5.9	1.3	3.9	3.2	3.8	4.1	15.1	7.8	6.2	3.8	7.1	9.9	9.5	10.1
	1908	4.0	4.7	4.0	1.9	4.5	1.4	3.7	2.8	6.1	7.4	3.8	3.4	6.6	9.0	8.7	10.0
	1909	5.4	3.5	5.2	1.6	5.1	4.8	3.9	4.3	9.3	10.3	4.1	1.2	6.4	9.1	8.3	9.7
Alcoholism	1900	(1)	(1)	(1)	(1)	5.9	7.2	2.9	2.8	3.4	1.7	(1)	(1)	6.4	5.2	5.1	2.3
	1901	(1)	(1)	(1)	(1)	8.4	4.9	4.2	1.9	8.3	1.6	(1)	(1)	5.1	5.3	3.3	2.1
	1902	(1)	(1)	(1)	(1)	7.2	6.4	4.8	2.5	3.3	1.9	(1)	(1)	6.2	4.7	3.4	3.2
	1903	(1)	(1)	(1)	(1)	9.2	4.6	4.7	1.9	5.7	2.0	(1)	(1)	6.2	6.1	3.3	4.1
	1904	(1)	(1)	(1)	(1)	6.8	5.4	5.1	2.4	6.5	2.0	(1)	(1)	5.0	4.4	4.6	3.9
	1905	(1)	(1)	(1)	(1)	7.4	5.9	5.2	3.3	4.8	2.0	(1)	(1)	5.6	4.6	4.4	2.8
	1906	10.7	7.7	9.6	10.9	9.1	9.7	5.7	2.4	8.5	4.2	5.9	3.3	5.5	3.4	5.5	3.2
	1907	10.2	11.3	17.1	10.1	10.1	9.3	6.1	3.2	7.8	2.7	5.5	3.9	6.5	6.1	4.5	3.1
	1908	6.9	12.1	8.6	7.0	6.3	4.0	4.5	1.8	9.4	1.8	5.5	3.3	4.1	3.7	4.3	2.9
	1909	7.5	9.3	14.6	9.8	6.2	7.4	5.6	1.8	6.6	2.5	5.9	3.7	5.1	5.4	4.5	3.1
Lead poisonings	1900	(1)	(1)	(1)	(1)	0.3	.....	.....	.....	.....	.....	(1)	(1)	0.4	0.1	0.1	.....
	1901	(1)	(1)	(1)	(1)	0.7	0.6	0.2	0.1	.....	0.2	(1)	(1)	0.4	0.1	0.3	0.1
	1902	(1)	(1)	(1)	(1)	0.2	.....	0.2	.....	0.8	0.9	(1)	(1)	0.3	0.4	0.1	0.2
	1903	(1)	(1)	(1)	(1)	0.3	.....	0.6	0.1	.....	.....	(1)	(1)	0.5	0.6	0.4	0.1
	1904	(1)	(1)	(1)	(1)	0.2	0.3	.....	0.1	.....	.....	(1)	(1)	0.3	0.7	.....	(2)
	1905	(1)	(1)	(1)	(1)	0.1	0.3	0.3	0.1	0.8	.....	(1)	(1)	0.3	0.6	.....	.....
	1906	0.2	0.1	0.4	0.2	0.1	.....	.....	0.1	.....	0.2	0.2	0.2	0.3	0.6	0.1	0.1
	1907	0.3	0.2	0.4	0.2	0.3	0.3	.....	0.1	.....	0.4	.....	.....	0.3	0.1	0.1	0.1
	1908	0.2	.....	0.4	.....	0.1	0.9	0.1	0.2	0.6	0.2	0.2	.....	0.3	0.3	0.2	.....
	1909	0.2	0.1	1.4	0.2	0.4	.....	0.4	.....	0.5	.....	0.2	.....	0.3	0.3	0.2	0.1
Other occupational poisonings	1900	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	0.1	.....
	1901	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1902	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1903	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	0.2	(1)	(1)	.....	.....	.....	.....
	1904	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1905	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	0.1
	1906	.....	.....	.....	.....	0.1	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1907	0.1	.....	.....	0.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1908	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1909	.....	.....	.....	.....	.....	.....	0.3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other chronic poisonings	1900	(1)	(1)	(1)	(1)	0.2	.....	.....	0.2	.....	.....	(1)	(1)	0.1	0.3	0.4	0.7
	1901	(1)	(1)	(1)	(1)	1.0	1.2	0.6	0.6	.....	0.3	(1)	(1)	0.3	0.6	0.7	0.5
	1902	(1)	(1)	(1)	(1)	0.3	1.5	0.6	0.5	0.8	0.3	(1)	(1)	0.1	0.1	2.3	0.9
	1903	(1)	(1)	(1)	(1)	0.8	1.2	0.6	0.2	.....	1.0	(1)	(1)	0.4	0.3	0.4	1.0
	1904	(1)	(1)	(1)	(1)	0.2	1.2	0.6	0.4	.....	0.2	(1)	(1)	0.1	0.7	0.8	1.3
	1905	(1)	(1)	(1)	(1)	0.7	0.3	0.1	0.7	.....	0.3	(1)	(1)	0.3	0.9	0.4	0.6
	1906	2.2	1.5	2.3	0.7	0.9	1.5	0.8	0.6	1.1	0.2	.....	0.2	0.2	.....	0.8	0.8
	1907	1.2	1.1	2.2	0.4	0.3	0.3	1.1	0.4	1.1	0.7	0.2	0.2	0.3	0.3	0.1	0.3
	1908	1.8	1.3	4.0	1.3	0.3	0.9	0.3	0.6	1.1	.....	0.2	0.1	0.4	0.1	0.2	0.2
	1909	1.1	1.4	2.1	0.2	0.1	0.3	0.9	0.7	1.1	0.5	0.2	0.7	0.4	0.4	0.4	0.8
Scurvy	1900	(1)	(1)	(1)	(1)	0.2	.....	.....	(2)	.....	.....	(1)	(1)	0.2	0.1	0.3	0.1
	1901	(1)	(1)	(1)	(1)	.....	.....	0.2	.....	.....	.....	(1)	(1)	0.3	.....	0.1	0.1
	1902	(1)	(1)	(1)	(1)	0.5	0.3	.....	.....	.....	.....	(1)	(1)	0.1	.....	0.1	.....
	1903	(1)	(1)	(1)	(1)	0.3	.....	0.2	0.1	.....	0.2	(1)	(1)	0.1	0.1	0.4	0.2
	1904	(1)	(1)	(1)	(1)	0.2	0.6	.....	0.1	.....	0.2	(1)	(1)	0.1	0.3	.....	.....
	1905	(1)	(1)	(1)	(1)	0.3	.....	.....	.....	.....	.....	(1)	(1)	0.3	0.1	0.1	.....
	1906	0.2	.....	.....	.....	0.4	0.3	0.3	0.1	.....	.....	0.2	0.3	0.3	0.1	0.1	0.1
	1907	0.1	.....	0.4	.....	.....	.....	0.3	0.1	0.6	0.2	.....	0.2	0.3	.....	0.1	0.1
	1908	0.2	0.1	.....	0.2	0.1	.....	0.1	0.1	.....	.....	0.3	.....	0.4	.....	0.1	0.1
	1909	0.3	0.3	.....	.....	.....	0.6	.....	0.1	.....	.....	0.3	.....	0.3	0.1	0.4	0.1
Other general diseases	1900	(1)	(1)	(1)	(1)	0.2	.....	0.3	0.2	.....	0.3	(1)	(1)	(2)	0.1	0.3	0.4
	1901	(1)	(1)	(1)	(1)	.....	.....	0.5	1.0	1.7	.....	(1)	(1)	0.2	1.9	0.8	0.6
	1902	(1)	(1)	(1)	(1)	0.2	.....	0.9	1.2	1.7	.....	(1)	(1)	0.3	0.6	0.7	0.8
	1903	(1)	(1)	(1)	(1)	.....	0.6	1.2	0.9	.....	0.5	(1)	(1)	0.1	0.7	0.7	0.5
	1904	(1)	(1)	(1)	(1)	.....	.....	1.0	0.6	.....	0.2	(1)	(1)	0.1	0.4	0.8	0.7
	1905	(1)	(1)	(1)	(1)	0.3	.....	1.1	1.1	2.4	0.3	(1)	(1)	0.3	0.3	1.4	1.3
	1906	0.4	0.3	0.8	0.5	0.3	0.3	0.8	1.7	.....	0.5	.....	0.5	0.2	0.1	1.7	1.7
	1907	0.8	0.9	0.7	0.9	0.4	0.3	1.1	1.3	1.1	0.7	.....	0.5	0.4	0.1	1.5	1.2
	1908	0.8	1.0	0.7	0.2	0.3	0.3	0.7	0.9	0.6	1.1	0.2	0.1	0.2	0.5	1.7	1.6
	1909	0.3	0.5	.....	0.4	0.3	.....	0.6	0.7	0.5	.....	.....	1.2	0.2	0.3	1.6	1.8
II.—Diseases of nervous system	1900	(1)	(1)	(1)	(1)	208.0	214.8	218.6	177.4	342.8	225.4	(1)	(1)	201.3	237.8	198.4	168.2
	1901	(1)	(1)	(1)	(1)	190.3	213.9	183.6	165.4	312.1	213.2	(1)	(1)	196.6	234.5	175.4	160.7
	1902	(1)	(1)	(1)	(1)	195.2	208.3	176.0	140.6	294.7	215.6	(1)	(1)	197.5	224.2	159.3	152.6
	1903	(1)	(1)	(1)	(1)	194.1	201.3	173.5	138.9	282.6	216.7	(1)	(1)	188.8	221.2	173.6	157.1
	1904	(1)	(1)	(1)	(1)	189.0	228.6	190.6	152.5	292.6	201.5	(1)	(1)	183.1	227.5	164.7	165.7
	1905	(1)	(1)	(1)	(1)	218.2	219.2	161.3	151.2	291.9	205.0	(1)	(1)	201.9	217.1	171.5	161.8
	1906	156.4	122.2	160.0	80.9	186.9	210.3	153.5	147.0	254.3	197.1	193.8	158.9	186.2	210.2	169.6	161.5
	1907	164.9	143.1	163.2	94.7	184.7	224.5	146.0	144.1	291.8	209.3	209.7	160.3	194.1	223.8	178.0	163.8
	1908	147.7	147.7	137.9	93.6	165.7	205.3	142.1	139.0	258.8	193.8	195.5	167.9	167.0	201.0	161.2	154.7
	1909	135.3	141.5	123.6	92.9	165.6	206.8	137.2	138.2	245.0	194.8	170.2	154.4	160.5	196.8	153.6	158.1

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
.....	1.2	0.1	0.9	1.1	0.8	(1)	(1)	(1)	(1)	0.7	0.7	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
.....	0.8	0.7	0.7	1.0	0.9	(1)	(1)	(1)	(1)	2.1	.....	(1)	(1)	.....	1.3	(1)	(1)	(1)	(1)
0.6	.....	0.9	0.5	1.4	0.8	(1)	(1)	(1)	(1)	1.0	1.3	(1)	(1)	.....	2.3	(1)	(1)	(1)	(1)
.....	0.4	1.6	0.6	1.4	0.9	(1)	(1)	(1)	(1)	.....	1.3	(1)	(1)	2.1	1.7	(1)	(1)	(1)	(1)
1.2	0.4	0.6	0.9	1.3	1.2	(1)	(1)	(1)	(1)	0.6	1.3	(1)	(1)	4.0	.....	(1)	(1)	(1)	(1)
.....	0.8	1.3	1.2	1.6	0.9	(1)	(1)	(1)	(1)	0.6	1.2	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
1.7	0.4	1.7	1.2	1.8	1.5	(1)	(1)	1.6	0.7	2.0	1.1	.....	1.1	.....	2.0	(1)	(1)	(1)	(1)
0.6	1.6	1.3	1.1	2.2	1.5	(1)	(1)	1.7	0.9	1.4	.....	.....	1.2	1.9	1.3	(1)	(1)	(1)	(1)
1.7	2.0	1.0	1.0	1.8	1.4	(1)	(1)	1.5	1.0	0.5	3.3	.....	0.6	.....	2.3	2.0	0.9	2.1	0.8
2.2	0.8	1.4	1.4	2.0	1.5	1.9	1.6	1.6	1.2	1.8	4.3	.....	0.9	1.9	2.0	1.7	0.7	1.6	1.9
12.0	16.6	4.0	3.8	3.4	7.4	(1)	(1)	(1)	(1)	7.7	7.6	(1)	(1)	4.3	7.8	(1)	(1)	(1)	(1)
18.6	10.3	3.5	2.9	3.3	4.9	(1)	(1)	(1)	(1)	3.8	6.7	(1)	(1)	10.6	10.1	(1)	(1)	(1)	(1)
13.4	10.7	3.2	3.9	3.3	5.5	(1)	(1)	(1)	(1)	6.4	2.6	(1)	(1)	8.3	9.1	(1)	(1)	(1)	(1)
12.6	10.0	3.7	3.8	2.8	6.5	(1)	(1)	(1)	(1)	5.9	10.3	(1)	(1)	4.1	6.0	(1)	(1)	(1)	(1)
5.9	9.2	3.4	3.7	3.5	7.1	(1)	(1)	(1)	(1)	6.1	5.7	(1)	(1)	6.1	11.7	(1)	(1)	(1)	(1)
12.8	10.8	3.8	2.5	3.2	6.6	(1)	(1)	(1)	(1)	1.6	3.7	(1)	(1)	8.0	10.0	(1)	(1)	(1)	(1)
12.7	8.0	4.2	5.6	3.3	7.9	(1)	(1)	3.7	3.4	5.4	4.5	.....	1.7	13.8	12.6	(1)	(1)	(1)	(1)
10.8	12.8	3.3	3.8	3.6	8.0	(1)	(1)	3.9	3.4	4.8	4.4	.....	3.0	13.6	5.6	(1)	(1)	(1)	(1)
11.2	11.3	3.2	3.8	3.0	7.3	(1)	(1)	3.6	4.1	3.7	5.4	7.4	2.9	11.5	11.9	4.3	1.4	4.4	3.4
10.5	11.3	3.8	4.0	3.3	8.3	4.3	4.1	3.5	3.7	5.0	9.6	.....	2.5	13.2	5.0	5.3	1.8	5.2	4.2
1.3	2.0	6.2	3.2	8.3	3.6	(1)	(1)	(1)	(1)	12.7	11.8	(1)	(1)	8.6	2.0	(1)	(1)	(1)	(1)
3.7	2.4	8.3	3.2	7.4	3.7	(1)	(1)	(1)	(1)	6.2	10.1	(1)	(1)	6.3	3.4	(1)	(1)	(1)	(1)
1.2	3.6	10.7	2.8	7.3	3.4	(1)	(1)	(1)	(1)	6.7	6.6	(1)	(1)	.....	2.3	(1)	(1)	(1)	(1)
7.2	6.8	11.3	4.0	8.7	4.9	(1)	(1)	(1)	(1)	8.2	5.8	(1)	(1)	8.2	3.3	(1)	(1)	(1)	(1)
5.3	5.2	11.8	4.0	6.8	3.0	(1)	(1)	(1)	(1)	7.4	9.5	(1)	(1)	8.1	2.7	(1)	(1)	(1)	(1)
7.6	3.6	9.9	4.5	8.5	3.9	(1)	(1)	(1)	(1)	9.7	13.0	(1)	(1)	10.0	4.7	(1)	(1)	(1)	(1)
5.2	6.8	11.8	3.4	8.7	4.6	(1)	(1)	7.1	4.5	7.9	12.4	7.9	4.6	13.8	5.0	(1)	(1)	(1)	(1)
6.2	5.2	13.1	5.5	10.8	5.0	(1)	(1)	6.5	4.6	13.0	8.9	7.6	4.4	11.6	4.3	(1)	(1)	(1)	(1)
6.2	7.6	8.8	4.8	6.1	5.1	(1)	(1)	4.4	3.0	7.7	8.7	7.4	2.9	5.7	3.0	6.9	5.7	4.2	2.9
5.0	5.2	8.6	4.5	6.9	4.7	5.9	2.3	4.0	3.6	7.5	9.6	.....	3.5	1.9	3.3	8.6	6.8	3.8	2.7
0.6	0.4	0.2	0.4	0.2	0.1	(1)	(1)	(1)	(1)	0.4	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.3	.....	0.3	0.2	(1)	(1)	(1)	(1)	.....	0.7	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
1.2	0.4	0.7	0.2	0.3	0.2	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
1.2	0.8	0.2	0.1	0.4	0.3	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	0.4	0.1	0.3	0.2	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	1.2	0.6	0.2	0.2	(2)	(1)	(1)	(1)	(1)	0.9	0.6	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
0.6	1.2	0.4	.....	0.2	0.3	(1)	(1)	0.6	0.2	0.5	.....	.....	.....	.....	0.3	(1)	(1)	(1)	(1)
.....	0.4	0.3	0.2	0.2	0.2	(1)	(1)	0.3	0.1	0.2	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.3	0.1	0.3	0.1	(1)	(1)	0.5	0.1	0.5	.....	.....	.....	.....	1.3	0.3	.....	.....	.....
.....	1.2	0.3	0.2	0.3	0.1	0.3	0.1	0.1	0.1	.....	.....	.....	.....	1.9	0.3	0.2	.....	.....	.....
.....	.....	.....	.....	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	(2)	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....
.....	.....	.....	.....	(2)	.....	(2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	0.2	.....	0.1	0.7	(1)	(1)	(1)	(1)	.....	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	0.1	.....	0.4	0.6	(1)	(1)	(1)	(1)	.....	0.7	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
0.6	0.8	0.2	0.2	0.3	0.7	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	1.3	(1)	(1)	(1)	(1)
.....	0.4	0.2	0.2	0.4	0.9	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	2.1	2.0	(1)	(1)	(1)	(1)
.....	.....	0.2	0.4	0.4	0.3	(1)	(1)	(1)	(1)	.....	2.5	(1)	(1)	.....	1.3	(1)	(1)	(1)	(1)
0.6	.....	0.2	0.5	0.3	0.4	(1)	(1)	(1)	(1)	.....	0.6	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
0.6	.....	0.2	0.2	0.3	0.5	(1)	(1)	0.4	0.2	0.5	2.3	.....	0.2	3.9	1.0	(1)	(1)	(1)	(1)
0.6	0.4	0.2	0.2	0.3	0.8	(1)	(1)	0.2	0.4	.....	.....	.....	0.4	.....	.....	(1)	(1)	(1)	(1)
0.6	0.4	0.1	0.2	0.3	0.8	(1)	(1)	0.2	0.3	0.5	1.1	.....	0.8	1.9	2.0	1.5	0.5	.....	0.2
0.6	0.4	0.1	.....	0.3	0.8	0.6	0.6	0.3	0.5	0.2	.....	.....	.....	.....	0.3	0.2	0.4	.....	0.1
.....	0.4	0.3	.....	0.2	(2)	(1)	(1)	(1)	(1)	0.4	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	0.1	0.1	0.3	(2)	(1)	(1)	(1)	(1)	.....	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	0.2	0.2	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
0.6	.....	0.6	0.1	0.3	(2)	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	0.2	0.3	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	0.2	0.3	0.2	0.1	(1)	(1)	(1)	(1)	.....	0.6	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.4	.....	0.2	0.1	(1)	(1)	0.1	0.1	0.7	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	0.2	0.2	0.2	0.1	(1)	(1)	0.1	0.1	0.2	1.1	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	0.1	0.3	0.2	0.1	(1)	(1)	0.2	0.1	.....	.....	.....	.....	.....	.....	.....	0.2	.....	.....
0.6	.....	0.4	0.3	0.2	(2)	0.2	0.1	0.1	0.2	0.5	.....	.....	0.2	.....	.....	0.5	0.1	0.1	.....
.....	.....	0.2	0.1	0.1	0.5	(1)	(1)	(1)	(1)	0.4	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	0.8	1.0	0.5	0.3	0.6	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	0.4	.....	0.2	0.7	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	0.8	0.3	.....	0.2	0.4	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
1.2	1.6	0.2	0.4	0.2	0.5	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	0.4	0.5	0.3	0.2	0.8	(1)	(1)	(1)	(1)	.....	.....	(1)	(2)	.....	1.3	(1)	(1)	(1)	(1)
0.6	0.4	0.4	0.1	0.2	0.5	(1)	(2)	0.5	0.4	.....	1.1	.....	1.5	2.0	1.3	(1)	(1)	(1)	(1)
.....	0.8	0.6	0.3	0.2	0.6	(1)	(1)	0.2	0.5	0.2	.....	.....	0.6	1.9	1.0	(1)	(1)	(1)	(1)
1.7	0.4	0.3	0.1	0.3	0.5	(1)	(1)	0.3	0.3	0.2	.....	.....	.....	.....	0.3	0.5	0.6	0.7	0.5
1.1	0.8	0.5	0.3	0.2	0.4	0.5	0.8	0.2	0.4	.....	.....	.....	1.1	.....	.....	0.5	0.4	1.2	0.8
279.4	266.7	265.7	228.4	187.8	222.3	(1)	(1)	(1)	(1)	184.1	242.9	(1)	(1)	206.0	225.9	(1)	(1)	(1)	(1)
238.3	256.6	242.2	220.8	175.9	214.5	(1)	(1)	(1)	(1)	186.1	230.8	(1)	(1)	259.7	237.2	(1)	(1)	(1)	(1)
256.7	258.3	237.9	200.7	166.0	205.2	(1)	(1)	(1)	(1)	178.7	225.7	(1)	(1)	216.4	208.3	(1)	(1)	(1)	(1)
240.4	240.9	225.9	207.4	156.0	207.5	(1)	(1)	(1)	(1)	152.0	207.4	(1)	(1)	233.9	235.7	(1)	(1)	(1)	(1)
215.6	243.4	220.1	203.9	183.1	218.1	(1)	(1)	(1)	(1)	159.8	213.2	(1)	(1)	238.7	202.5	(1)	(1)	(1)	(1)
309.4	234.7	211.5	197.7	186.9	212.3	(1)	(1)	(1)	(1)	159.7	176.0	(1)	(1)	203.5	233.1	(1)	(1)	(1)	(1)
262.5	235.2	190.4	190.4	157.4	203.4	(1)	(1)	157.0	174.2	154.9	256.3	125.7	73.6	177.1	233.3	(1)	(1)	(1)	(1)
266.2	250.6	186.6	191.5	147.0	214.7	(1)	(1)	162.2	172.8	178.4	146.2	107.0	84.1	184.4	214.0	(1)	(1)	(1)	(1)
223.4	233.4	163.3	184.6	125.7	209.6	(1)	(1)	141.2	163.5	155.1	166.2	141.3	82.0	143.7	199.7	103.8	92.6	134.3	138.0
239.2	230.2	152.6	184.8	121.4	201.9	133.6	149.7	136.5	165.4	150.5	149.3	130.4	82.9	164.5	194.3	83.9	89.2	135.8	132.7

[2] Less than one-tenth.

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Encephalitis	1900	(1)	(1)	(1)	(1)	0.5	2.8	5.6	8.6	1.7	4.0	(1)	(1)	2 1	2.5	5.3	4.5
	1901	(1)	(1)	(1)	(1)	0.5	2.5	7.7	7.4	5.0	2 9	(1)	(1)	1.6	2.5	3.3	3.1
	1902	(1)	(1)	(1)	(1)	0.5	1.8	6.0	5.0	5 0	2.2	(1)	(1)	1.9	1.9	2.7	2.9
	1903	(1)	(1)	(1)	(1)	1.4	1.8	3.0	3.1	4.1	3.1	(1)	(1)	1.3	1.2	2.1	2 1
	1904	(1)	(1)	(1)	(1)	1.1	0.3	3.7	3.0	2.4	1.2	(1)	(1)	1.2	1.1	2.3	2.6
	1905	(1)	(1)	(1)	(1)	1.8	0.6	2.7	2.7	1.6	1.5	(1)	(1)	1.0	1.1	2.3	1.6
	1906	1.4	0.6	.....	0.5	0.7	0.6	2.6	2.0	0.6	1.5	1.0	2.4	1.0	1.0	1.1	1.9
	1907	1.2	1.4	1.5	0.7	1.4	1.7	2 8	1.7	2.2	2.0	0.7	1.1	1.1	0.6	1.4	1.3
	1908	0.9	1.2	0.4	0.6	0.1	0.3	2.6	1.6	0.6	1.6	1.5	2.7	0.8	0.5	1.8	1.4
	1909	0.7	0.6	0.3	.....	0.3	0.3	1.2	1.0	1.6	1.3	0.3	0.6	0.5	0.4	1.3	1.2
Meningitis (simple and unqualified)	1900	(1)	(1)	(1)	(1)	36.2	34.1	43.0	26.6	63.3	33.5	(1)	(1)	42.6	31.7	20.3	13.0
	1901	(1)	(1)	(1)	(1)	30.6	19.8	29.4	20.0	50.1	30.9	(1)	(1)	37.3	25 5	16.7	10.5
	1902	(1)	(1)	(1)	(1)	32.2	21.7	26.0	19.0	52.0	25.7	(1)	(1)	35.3	21.9	13.5	8.6
	1903	(1)	(1)	(1)	(1)	31.1	21.2	23.9	13.4	45.7	23.3	(1)	(1)	34.7	24.5	13.5	8.6
	1904	(1)	(1)	(1)	(1)	23.2	18.9	30.0	17.9	42.0	22.7	(1)	(1)	29.5	21.2	13.6	8.2
	1905	(1)	(1)	(1)	(1)	26.3	15.4	25.7	14.3	35.2	20.2	(1)	(1)	26.2	18.2	15.5	9.9
	1906	19.1	9.4	22.3	13 7	22.5	17.9	18.4	14.6	47.6	19.5	25.3	13.3	24.6	14.4	16.3	8.8
	1907	24.4	13.5	23.4	12.7	28.4	21.2	15.5	11 8	35.9	16.2	21.7	13.4	25.9	15.7	15.8	8.0
	1908	15.3	15 6	15.1	12.5	22.5	17.5	15.1	8.2	32.1	13.6	21 3	10 4	20.1	12.9	13.5	8.9
	1909	12.4	8.9	13.2	8.1	17.3	17.0	11.1	7.2	27.4	13.3	17.7	11.2	16.2	12.6	13.6	8.0
Epidemic cerebrospinal meningitis	1900	(1)	(1)	(1)	(1)	6.6	6.3	4.5	6.2	5.9	6.2	(1)	(1)	7.2	5.1	12.2	9.2
	1901	(1)	(1)	(1)	(1)	7.1	4.6	5.0	7.5	5.8	7.2	(1)	(1)	5.4	4.7	5.5	5.8
	1902	(1)	(1)	(1)	(1)	6 4	4.3	3.8	3.2	0.8	5.3	(1)	(1)	6.2	4.7	6.9	5.0
	1903	(1)	(1)	(1)	(1)	6.5	5.2	3.2	6.6	9.0	5.8	(1)	(1)	5.5	4.9	6.6	4.6
	1904	(1)	(1)	(1)	(1)	22.6	15.3	6.6	6.0	4.0	2.9	(1)	(1)	5.5	4.3	6.3	5.4
	1905	(1)	(1)	(1)	(1)	31.1	18.1	5.8	5.5	7.2	4.2	(1)	(1)	20.9	10.0	7.5	6.2
	1906	6.2	3.9	18.4	5.0	11.2	4.7	4.0	5.8	2.3	3.1	5.2	3.6	12.6	6.3	9.5	4.1
	1907	14.1	7.4	20.4	8.3	7.7	4.6	2.8	6.3	30.2	9.4	8.3	4.5	14.8	6.8	11.1	4.6
	1908	10.1	7.8	8.6	10.3	5.9	4.0	3.7	6.0	12.2	4.5	5.5	4.0	5.2	5.0	4.2	3.7
	1909	5.5	4.5	5.9	4.5	4.8	5.1	4.5	5.7	4 9	4.1	3.3	3.1	3.9	1.9	5.5	3.0
Locomotor ataxia	1900	(1)	(1)	(1)	(1)	2.5	2.8	1.9	1.5	3.4	2.1	(1)	(1)	2.0	2.2	1.4	1.9
	1901	(1)	(1)	(1)	(1)	3.1	3.1	1.6	1.4	3.3	3.4	(1)	(1)	1.8	2.4	1.4	1.9
	1902	(1)	(1)	(1)	(1)	2.6	1.5	1.4	1.6	3 3	2.1	(1)	(1)	1.8	2.8	2.2	2.4
	1903	(1)	(1)	(1)	(1)	3.7	3.0	2.7	1.6	1.6	2.6	(1)	(1)	2.1	2.6	3.2	2.8
	1904	(1)	(1)	(1)	(1)	2.6	3.9	2.1	1.9	3.2	4.1	(1)	(1)	2.2	4.0	2.1	2.8
	1905	(1)	(1)	(1)	(1)	2.1	4.4	3.0	2.2	4.8	2.2	(1)	(1)	2.3	3.7	3.3	2.3
	1906	4.3	2.0	3.8	1.1	3.2	2.9	2.9	2.3	2.8	3.3	2.4	2.0	3.0	2.2	1.9	2.9
	1907	2.6	2.2	6.3	1.5	2.7	2.3	3.0	1.7	2.2	3.1	3.2	1.8	2.1	4.1	2.4	3.0
	1908	4.9	2.2	4.0	1.3	2.3	2.6	2.6	2.5	3.3	2.5	3.2	0.9	2.2	3.3	2.1	2.4
	1909	3.5	3.1	5.2	0.8	1.5	3.1	2.1	2.6	5.5	3.1	3.3	2.1	2.7	3.1	1.9	2.6
Other diseases of spinal cord	1900	(1)	(1)	(1)	(1)	4.6	6.3	5.1	3.6	9.3	6.4	(1)	(1)	4.2	4.9	3.8	5.2
	1901	(1)	(1)	(1)	(1)	3.8	6.5	5.4	4.6	7.5	5.7	(1)	(1)	4.8	6.2	4.4	5.5
	1902	(1)	(1)	(1)	(1)	4.0	6.7	5.1	3.9	6.6	5.8	(1)	(1)	5.3	5.1	5.5	5.2
	1903	(1)	(1)	(1)	(1)	7.0	3.9	5.7	4.9	4.9	7.7	(1)	(1)	4.8	6.5	4.3	5.3
	1904	(1)	(1)	(1)	(1)	4.8	5.4	5.0	5.7	6.5	7.5	(1)	(1)	5.1	6.6	5.4	5.1
	1905	(1)	(1)	(1)	(1)	4.3	7.1	6.1	5.0	3.2	7.1	(1)	(1)	6.1	7 8	7.4	4.7
	1906	5.2	4.5	4.6	2.1	4.8	8.2	6.1	4.7	4.5	4.9	4.7	4.5	5.0	7.6	5.0	5.7
	1907	5.4	3.1	8.5	2.0	5.2	7.5	5.4	4.5	7.8	6.5	5.7	2.9	4.7	7.0	5.0	5.9
	1908	7.1	4.1	6.5	2.1	4.9	6.3	6.1	6.2	5.0	8.1	4.1	3.3	5.6	7.3	5.0	5.2
	1909	5.5	5.6	5.6	1.6	5.5	6.5	4.0	6.7	6.6	10.6	4.3	2.5	6.9	10.2	4.5	5.8
Apoplexy	1900	(1)	(1)	(1)	(1)	79.1	93.3	61 1	37.8	88.7	83.6	(1)	(1)	70.0	92.2	54.6	48.9
	1901	(1)	(1)	(1)	(1)	79.0	99.8	54.0	43.5	93.5	82.1	(1)	(1)	71.4	93.3	51.5	52.9
	1902	(1)	(1)	(1)	(1)	85.5	102.0	57.7	40.5	109.0	92.9	(1)	(1)	76.5	95 1	49.8	53.5
	1903	(1)	(1)	(1)	(1)	86.3	103.8	54.9	46.0	98.8	97.4	(1)	(1)	75.9	101.9	58.3	57.0
	1904	(1)	(1)	(1)	(1)	84.0	118.5	57.9	49.4	111.5	97.2	(1)	(1)	82.0	114.5	55.7	60.4
	1905	(1)	(1)	(1)	(1)	95.9	117.5	53.8	50.6	97.6	100.3	(1)	(1)	87.6	105.9	55.1	58.1
	1906	69.1	47.7	51.0	30.1	89.7	114.7	61.6	51.5	100.8	95.5	77.5	50.9	84.5	107.7	53.1	60.9
	1907	68.6	57.0	50.5	32.7	92.8	124.4	61.0	54.3	114 8	109.0	81.9	51.2	90 1	117.8	57.5	68.4
	1908	67.5	56.0	49.2	35.3	83.6	118.4	67.4	62.8	106.4	102.7	82 4	60.5	84.4	108.8	59.4	64.6
	1909	69.3	61.4	48.7	38.3	93.9	128.8	74.1	70.7	104.1	110.4	72.8	59.5	88.0	111.3	54.9	72.3
Softening of brain	1900	(1)	(1)	(1)	(1)	3.1	8.8	4.3	4.8	6.8	7.5	(1)	(1)	2.9	5.3	2.5	4.1
	1901	(1)	(1)	(1)	(1)	5.4	11.7	4.2	4.5	2.5	5.7	(1)	(1)	2.5	6.5	2.5	5.0
	1902	(1)	(1)	(1)	(1)	4.0	8.9	3.8	4.5	2.5	7.2	(1)	(1)	2.5	5 7	1.1	4.3
	1903	(1)	(1)	(1)	(1)	2.5	8 2	3.5	4.8	0.8	5.8	(1)	(1)	2.6	4.9	3.0	3.7
	1904	(1)	(1)	(1)	(1)	2.9	11 1	3.5	4.8	4.0	5.9	(1)	(1)	3.1	3.7	2.6	4.9
	1905	(1)	(1)	(1)	(1)	2.1	7.4	2.8	4.9	4.0	4.0	(1)	(1)	2.0	3.1	3.6	2.9
	1906	6.8	3.1	2.7	0.7	2.3	7.3	3.0	4.0	4.5	4 4	3.5	3.8	2.0	3.6	3.1	3.3
	1907	5.6	4.0	2.6	1.3	2.4	6.1	2.6	4.9	2.2	4.7	2.3	3.0	1.6	4 0	3.2	3.0
	1908	3.0	3.1	2.2	1.3	2.3	4.3	2.1	4.3	2.8	4.9	2.5	3.6	1.4	3.1	3.1	2.8
	1909	3.0	2.3	3.1	0.6	1.3	3.7	1.8	3.8	5.5	3.1	2.8	2.8	1.6	2.1	1.3	1.9
Paralysis	1900	(1)	(1)	(1)	(1)	16.1	22.2	33.4	44.0	48.2	39.4	(1)	(1)	19.6	37.6	28.1	36.8
	1901	(1)	(1)	(1)	(1)	12.2	22 3	29.1	36.3	43.4	34.5	(1)	(1)	19.2	32.9	22.8	33.5
	1902	(1)	(1)	(1)	(1)	9.8	19.2	24.8	29.9	24.8	31.0	(1)	(1)	19.8	29.4	21.2	29.9
	1903	(1)	(1)	(1)	(1)	10 1	17.6	27.2	29.8	26.1	30.2	(1)	(1)	16.1	27.1	21.2	34.8
	1904	(1)	(1)	(1)	(1)	10 4	17.7	31 4	31.5	33.1	23.0	(1)	(1)	13.6	20.8	20.9	34.7
	1905	(1)	(1)	(1)	(1)	8.4	16.3	24.8	31.2	28.0	26.4	(1)	(1)	12.0	19.5	23.7	32.0
	1906	13.8	17.4	10.4	8.9	6 8	15.5	21.8	28.9	18 7	24.5	25.1	36.8	11.7	17.9	21.7	32.0
	1907	13.9	21.4	13.4	14.5	8 2	17.4	21.9	29.1	25.2	27.1	36.4	36.1	14.4	19.7	24.2	33.9
	1908	15.0	22.0	16.5	10.8	8.8	14.3	13.5	21.0	29.9	28.7	31.7	38.8	11.7	15.9	20.9	32.8
	1909	10.8	19.1	10 1	12.6	7.8	13.3	11.4	16.4	30.7	21.4	27.2	36.4	10.2	13.9	21.8	30.4
General paralysis of insane	1900	(1)	(1)	(1)	(1)	7.3	6.9	5.9	3.7	15.2	6.2	(1)	(1)	6.6	12.6	10.8	4.4
	1901	(1)	(1)	(1)	(1)	6 4	4 0	5.4	5.8	13.4	4.3	(1)	(1)	9.4	11.8	10.5	4.5
	1902	(1)	(1)	(1)	(1)	9.9	4 3	7.1	4.1	7.4	6.0	(1)	(1)	9.1	13.9	9.5	6.6
	1903	(1)	(1)	(1)	(1)	6.8	3.9	9.9	4.0	7.4	7.7	(1)	(1)	8.1	10.9	9.6	5.3
	1904	(1)	(1)	(1)	(1)	6.5	5.4	7.9	4.1	16.2	5.8	(1)	(1)	8.2	11.5	10.6	5.7
	1905	(1)	(1)	(1)	(1)	9.9	3.6	4.0	7.2	21.6	6 7	(1)	(1)	8.6	12.0	8.6	7.2
	1906	5.6	7.6	14.6	2.5	7.6	5.9	5.2	7.0	14.2	7.5	5.4	3.0	8.3	10.9	10.7	6.7
	1907	3.5	6.0	8.5	5.7	3 9	3.5	3.6	3.5	7.8	1.5	2.7	4.1	6.8	6.9	9.0	2.1
	1908	4.2	7.4	7.2	3.4	5.2	4.3	5 9	4.0	9.4	2.7	3.2	4.3	6.2	7.3	6.5	3.8
	1909	5.6	10.1	7.7	5.5	4.2	2.3	3.1	4.3	12.6	3.6	2.3	3.0	7.1	7.9	7.1	3.8

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
8.8	3.9	2.2	3.3	1.1	2.8	(1)	(1)	(1)	(1)	1.8	4.8	(1)	(1)	2.1	2.3	(1)	(1)	(1)	(1)
6.8	4.0	2.0	2.4	0.8	1.9	(1)	(1)	(1)	(1)	1.7	4.0	(1)	(1)	2.1	4.0	(1)	(1)	(1)	(1)
3.0	5.2	1.9	1.4	0.6	1.2	(1)	(1)	(1)	(1)	1.7	9.9	(1)	(1)	4.2	4.4	(1)	(1)	(1)	(1)
3.0	3.6	1.6	1.3	0.8	1.2	(1)	(1)	(1)	(1)	0.7	1.9	(1)	(1)	.....	2.0	(1)	(1)	(1)	(1)
3.0	1.6	2.1	1.8	0.5	1.2	(1)	(1)	(1)	(1)	1.3	1.9	(1)	(1)	2.0	0.3	(1)	(1)	(1)	(1)
2.3	1.6	0.6	1.4	0.7	1.1	(1)	(1)	(1)	(1)	0.6	1.2	(1)	(1)	2.0	4.3	(1)	(1)	(1)	(1)
0.6	1.6	0.8	1.1	0.5	0.9	(1)	(1)	1.2	1.6	0.5	.....	.....	1.9	2.0	1.7	(1)	(1)	(1)	(1)
1.7	1.6	1.7	1.4	0.3	0.8	(1)	(1)	1.4	1.5	0.7	.....	.....	1.8	1.9	1.7	(1)	(1)	(1)	(1)
2.2	1.6	0.7	0.6	0.2	0.4	(1)	(1)	1.2	0.9	0.2	.....	.....	1.1	1.9	1.3	0.3	0.8	1.2	0.8
1.7	2.4	0.9	1.3	0.4	0.4	0.8	0.8	0.8	1.1	0.7	1.1	.....	.....	.....	1.7	1.0	0.1	0.4	0.6
67.4	32.5	62.0	30.4	38.4	24.5	(1)	(1)	(1)	(1)	41.2	39.4	(1)	(1)	40.8	29.6	(1)	(1)	(1)	(1)
55.7	23.8	52.3	23.7	28.3	19.1	(1)	(1)	(1)	(1)	41.6	39.8	(1)	(1)	57.0	29.9	(1)	(1)	(1)	(1)
53.1	30.6	48.3	20.1	24.4	15.0	(1)	(1)	(1)	(1)	39.0	26.4	(1)	(1)	70.7	25.8	(1)	(1)	(1)	(1)
44.5	22.7	44.3	23.3	20.4	15.9	(1)	(1)	(1)	(1)	16.4	15.5	(1)	(1)	45.1	19.7	(1)	(1)	(1)	(1)
41.5	18.8	36.7	18.2	22.2	17.0	(1)	(1)	(1)	(1)	14.1	10.1	(1)	(1)	68.8	20.4	(1)	(1)	(1)	(1)
68.3	19.2	28.7	18.9	16.2	15.6	(1)	(1)	(1)	(1)	10.7	8.1	(1)	(1)	35.9	17.3	(1)	(1)	(1)	(1)
48.9	19.6	29.1	13.7	14.2	13.7	(1)	(1)	13.1	11.6	12.1	12.4	15.7	7.4	33.5	23.0	(1)	(1)	(1)	(1)
41.4	19.3	26.8	13.4	12.5	14.6	(1)	(1)	12.6	12.0	8.6	8.9	7.6	9.6	19.4	10.6	(1)	(1)	(1)	(1)
37.5	24.1	21.5	10.7	9.5	12.8	(1)	(1)	10.5	10.9	5.6	7.6	7.4	8.0	9.6	12.6	14.0	8.0	20.4	11.2
40.3	19.4	18.7	14.2	8.1	10.7	11.7	8.0	8.7	10.3	9.3	7.5	29.0	8.0	13.2	7.0	9.1	5.5	14.7	9.1
8.8	8.3	7.4	4.9	7.2	4.4	(1)	(1)	(1)	(1)	7.4	9.7	(1)	(1)	6.5	4.7	(1)	(1)	(1)	(1)
3.7	4.4	4.0	3.8	6.6	4.8	(1)	(1)	(1)	(1)	7.9	2.7	(1)	(1)	8.4	6.7	(1)	(1)	(1)	(1)
5.5	6.4	4.9	2.9	7.0	4.2	(1)	(1)	(1)	(1)	7.4	7.3	(1)	(1)	4.2	3.0	(1)	(1)	(1)	(1)
8.4	5.6	5.3	5.3	7.6	5.0	(1)	(1)	(1)	(1)	10.8	3.2	(1)	(1)	6.2	3.3	(1)	(1)	(1)	(1)
2.4	4.0	16.3	5.6	28.0	5.8	(1)	(1)	(1)	(1)	10.9	13.3	(1)	(1)	8.1	5.0	(1)	(1)	(1)	(1)
56.0	17.2	30.7	10.6	41.1	8.9	(1)	(1)	(1)	(1)	21.3	8.1	(1)	(1)	12.0	8.3	(1)	(1)	(1)	(1)
34.5	9.6	9.9	5.3	16.6	5.7	(1)	(1)	5.5	5.3	17.0	5.6	7.9	1.7	3.9	5.0	(1)	(1)	(1)	(1)
11.9	9.2	9.5	4.5	13.0	4.6	(1)	(1)	7.2	3.5	18.2	5.5	7.6	3.6	15.5	4.7	(1)	(1)	(1)	(1)
9.0	2.8	6.5	3.5	7.3	4.6	(1)	(1)	3.0	3.4	10.5	8.7	.....	4.2	9.6	9.0	11.7	7.7	6.2	5.9
6.6	4.8	5.8	2.2	6.4	3.6	4.3	4.2	1.8	2.3	5.5	3.2	7.2	2.7	13.2	7.6	6.2	4.2	4.3	6.1
3.1	2.8	1.8	2.2	2.0	1.9	(1)	(1)	(1)	(1)	1.8	2.8	(1)	(2)	.....	2.7	(1)	(1)	(1)	(1)
2.5	2.8	2.2	2.6	2.6	2.2	(1)	(1)	(1)	(1)	2.4	4.7	(1)	(1)	2.1	1.3	(1)	(1)	(1)	(1)
2.4	3.2	1.5	1.8	2.2	2.2	(1)	(1)	(1)	(1)	6.0	2.0	(1)	(1)	.....	2.3	(1)	(1)	(1)	(1)
2.4	4.0	2.5	2.4	2.1	2.6	(1)	(1)	(1)	(1)	1.6	3.9	(1)	(1)	4.1	4.0	(1)	(1)	(1)	(1)
1.8	3.2	1.8	2.8	2.5	2.7	(1)	(1)	(1)	(1)	1.6	1.3	(1)	(1)	6.1	2.7	(1)	(1)	(1)	(1)
2.9	1.2	2.0	2.8	2.6	2.6	(1)	(1)	(1)	(1)	1.3	3.7	(1)	(1)	4.0	3.3	(1)	(1)	(1)	(1)
3.5	3.6	1.7	3.0	3.0	2.8	(1)	(1)	2.5	2.3	3.0	5.6	7.9	0.8	7.9	2.7	(1)	(1)	(1)	(1)
4.5	2.8	2.3	3.1	2.7	3.4	(1)	(1)	3.1	2.3	3.8	1.1	.....	0.2	5.8	2.3	(1)	(1)	(1)	(1)
2.2	4.4	2.1	2.4	2.5	3.1	(1)	(1)	3.1	2.2	2.6	3.3	7.4	0.6	3.8	3.3	2.0	1.6	3.1	1.3
2.2	8.1	2.5	1.9	2.2	3.1	4.2	2.6	3.2	3.1	2.7	2.1	.....	0.9	3.8	4.0	1.9	1.0	1.9	1.8
5.0	5.1	5.5	5.8	4.1	5.7	(1)	(1)	(1)	(1)	5.6	3.5	(1)	(1)	2.1	6.1	(1)	(1)	(1)	(1)
9.9	6.7	4.6	4.1	4.0	5.2	(1)	(1)	(1)	(1)	5.8	8.1	(1)	(1)	4.2	8.4	(1)	(1)	(1)	(1)
7.9	5.2	4.6	3.9	4.4	4.7	(1)	(1)	(1)	(1)	2.4	2.6	(1)	(1)	10.4	9.1	(1)	(1)	(1)	(1)
4.2	6.4	5.1	5.6	5.1	7.1	(1)	(1)	(1)	(1)	4.6	5.2	(1)	(1)	8.2	6.7	(1)	(1)	(1)	(1)
5.3	7.6	5.7	5.5	4.7	6.0	(1)	(1)	(1)	(1)	5.5	9.5	(1)	(1)	.....	7.0	(1)	(1)	(1)	(1)
3.5	9.2	5.2	5.6	4.5	6.2	(1)	(1)	(1)	(1)	4.7	5.6	(1)	(1)	4.0	8.0	(1)	(1)	(1)	(1)
8.1	6.0	5.8	4.6	4.7	5.6	(1)	(1)	4.9	4.7	4.7	13.5	.....	2.3	7.9	11.7	(1)	(1)	(1)	(1)
6.2	8.0	5.4	5.3	5.9	8.1	(1)	(1)	5.5	5.0	5.5	3.3	.....	2.4	9.7	10.6	(1)	(1)	(1)	(1)
6.2	6.8	4.4	4.4	4.8	6.9	(1)	(1)	5.3	5.5	3.3	3.3	7.4	2.3	1.9	10.3	4.1	3.1	5.3	7.5
6.6	8.1	4.5	4.1	5.5	8.8	4.8	5.9	4.6	5.4	4.3	1.1	.....	4.7	5.7	8.9	2.4	2.5	6.0	6.1
79.3	103.0	86.9	76.2	74.7	91.6	(1)	(1)	(1)	(1)	78.2	92.7	(1)	(2)	75.1	95.3	(1)	(1)	(1)	(1)
65.0	97.6	85.4	84.7	74.9	93.6	(1)	(1)	(1)	(1)	84.0	102.6	(1)	(1)	90.8	105.8	(1)	(1)	(1)	(1)
78.1	113.7	85.2	77.4	72.4	97.2	(1)	(1)	(1)	(1)	86.0	105.6	(1)	(1)	74.9	100.6	(1)	(1)	(1)	(1)
73.9	115.5	86.2	77.8	68.7	100.3	(1)	(1)	(1)	(1)	73.5	100.1	(1)	(1)	78.0	120.2	(1)	(1)	(1)	(1)
75.8	116.5	84.6	84.5	73.7	107.0	(1)	(1)	(1)	(1)	85.3	105.0	(1)	(1)	91.0	104.9	(1)	(1)	(1)	(1)
85.8	114.4	84.7	82.0	75.1	103.0	(1)	(1)	(1)	(1)	85.0	89.8	(1)	(1)	89.8	128.7	(1)	(1)	(1)	(1)
71.4	118.2	84.7	89.7	71.7	101.1	(1)	(1)	69.0	76.5	81.9	102.7	47.1	19.6	84.6	130.2	(1)	(1)	(1)	(1)
90.3	135.7	87.4	90.5	72.2	116.4	(1)	(1)	71.9	75.7	92.9	95.2	45.8	23.8	97.1	126.3	(1)	(1)	(1)	(1)
92.9	126.3	77.7	87.9	65.5	116.7	(1)	(1)	66.4	74.6	92.1	104.3	66.9	25.5	86.2	115.7	43.4	30.3	49.0	52.7
85.1	126.2	76.3	89.5	65.8	113.9	62.9	73.0	70.2	78.7	87.3	110.9	29.0	23.5	100.2	122.5	37.1	33.3	54.4	52.6
2.5	7.9	2.1	6.9	1.9	6.0	(1)	(1)	(1)	(1)	4.9	9.0	(1)	(1)	.....	8.1	(1)	(1)	(1)	(1)
1.9	9.1	3.5	5.9	2.0	4.8	(1)	(1)	(1)	(1)	2.8	4.0	(1)	(1)	.....	8.1	(1)	(1)	(1)	(1)
4.9	7.2	3.7	7.8	1.7	5.1	(1)	(1)	(1)	(1)	2.0	4.6	(1)	(1)	.....	4.4	(1)	(1)	(1)	(1)
2.4	13.1	2.3	3.9	2.4	5.5	(1)	(1)	(1)	(1)	4.3	3.2	(1)	(1)	8.2	7.4	(1)	(1)	(1)	(1)
4.7	7.6	2.9	4.9	2.5	4.8	(1)	(1)	(1)	(1)	2.6	3.2	(1)	(1)	4.0	5.0	(1)	(1)	(1)	(1)
4.1	5.6	2.8	5.1	1.3	3.7	(1)	(1)	(1)	(1)	0.9	3.7	(1)	(1)	2.0	5.7	(1)	(1)	(1)	(1)
2.3	4.4	2.3	3.3	1.5	4.5	(1)	(1)	2.6	3.6	2.0	3.4	.....	0.6	2.0	4.3	(1)	(1)	(1)	(1)
2.8	5.6	2.0	2.7	1.0	4.8	(1)	(1)	2.6	3.2	1.0	2.2	.....	0.8	.....	8.3	(1)	(1)	(1)	(1)
.....	3.6	1.3	4.4	0.9	4.2	(1)	(1)	1.9	2.7	0.5	3.3	.....	0.2	1.9	4.6	1.0	1.4	1.1	1.0
1.7	4.0	2.1	2.8	0.8	4.0	2.0	4.5	1.9	2.2	2.1	1.1	.....	0.5	.....	3.6	1.0	0.9	1.3	1.4
29.6	44.3	16.9	36.0	10.9	36.3	(1)	(1)	(1)	(1)	12.0	18.7	(1)	(1)	21.5	28.0	(1)	(1)	(1)	(1)
37.8	39.7	16.0	35.4	10.1	37.3	(1)	(1)	(1)	(1)	15.1	20.9	(1)	(1)	33.8	22.8	(1)	(1)	(1)	(1)
31.1	34.6	16.1	32.4	9.1	30.4	(1)	(1)	(1)	(1)	12.4	18.5	(1)	(1)	10.4	14.8	(1)	(1)	(1)	(1)
29.4	29.9	14.6	34.3	9.2	29.3	(1)	(1)	(1)	(1)	11.8	15.5	(1)	(1)	16.4	22.1	(1)	(1)	(1)	(1)
29.0	34.3	14.1	34.6	8.6	29.3	(1)	(1)	(1)	(1)	10.6	20.9	(1)	(1)	12.1	16.4	(1)	(1)	(1)	(1)
25.7	24.0	11.7	25.1	7.9	27.5	(1)	(1)	(1)	(1)	12.6	16.1	(1)	(1)	6.0	16.0	(1)	(1)	(1)	(1)
22.4	24.8	10.2	28.4	7.6	25.0	(1)	(1)	10.0	18.9	8.1	11.3	15.7	11.8	7.9	9.3	(1)	(1)	(1)	(1)
38.0	30.9	12.5	31.6	7.9	24.8	(1)	(1)	15.1	23.2	12.5	14.4	.....	11.6	21.4	12.6	(1)	(1)	(1)	(1)
24.6	30.6	11.9	29.1	5.6	24.1	(1)	(1)	12.1	19.4	11.2	15.2	7.4	11.8	5.7	9.9	6.6	9.3	10.7	14.9
27.6	30.6	10.8	26.4	5.7	21.8	12.2	23.5	10.8	18.6	9.1	14.9	29.0	10.4	11.3	8.9	7.9	10.1	9.5	13.3
8.8	9.1	5.0	8.7	7.5	11.4	(1)	(1)	(1)	(1)	4.6	18.0	(1)	(1)	6.5	4.4	(1)	(1)	(1)	(1)
11.1	13.5	3.8	9.3	5.8	10.8	(1)	(1)	(1)	(1)	3.4	18.2	(1)	(1)	6.3	9.7	(1)	(1)	(1)	(1)
9.1	8.3	4.7	8.8	6.8	12.0	(1)	(1)	(1)	(1)	5.0	19.8	(1)	(1)	.....	5.4	(1)	(1)	(1)	(1)
11.4	9.2	5.4	10.4	5.5	11.6	(1)	(1)	(1)	(1)	3.6	17.4	(1)	(1)	12.3	6.7	(1)	(1)	(1)	(1)
6.5	11.2	6.1	9.5	6.6	13.2	(1)	(1)	(1)	(1)	4.2	19.6	(1)	(1)	8.1	7.0	(1)	(1)	(1)	(1)
9.3	10.0	3.7	11.4	6.8	12.1	(1)	(1)	(1)	(1)	6.3	17.3	(1)	( )	8.0	7.7	(1)	(1)	(1)	(1)
11.5	10.4	4.6	8.3	6.1	13.7	(1)	(1)	5.6	6.1	6.7	37.3	7.9	0.6	5.9	9.3	(1)	(1)	(1)	(1)
9.1	4.8	2.7	7.9	5.4	9.6	(1)	(1)	2.7	4.3	11.5	1.1	.....	0.6	1.9	6.6	(1)	(1)	(1)	(1)
10.1	3.6	2.5	9.4	5.3	12.9	(1)	(1)	2.9	3.5	10.3	4.3	.....	0.4	.....	7.0	1.3	5.7	1.2	4.3
13.8	1.6	1.8	10.0	4.8	12.2	7.3	3.2	3.4	3.7	7.1	1.1	.....	1.8	3.8	4.6	1.4	6.1	1.6	4.4

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Other forms of mental disease	1900	(1)	(1)	(1)	(1)	3.2	2.5	5.3	2.8	56.6	4.0	(1)	(1)	3.6	3.3	3.4	3.1
	1901	(1)	(1)	(1)	(1)	3.8	2.2	2.1	2.4	48.4	4.3	(1)	(1)	3.2	5.5	4.8	2.5
	1902	(1)	(1)	(1)	(1)	2.9	3.1	4.3	2.2	44.6	3.3	(1)	(1)	3.5	6.9	3.6	2.9
	1903	(1)	(1)	(1)	(1)	1.9	2.7	4.1	1.4	40.0	2.4	(1)	(1)	3.2	7.4	5.4	3.3
	1904	(1)	(1)	(1)	(1)	1.8	3.3	6.3	2.7	33.9	3.9	(1)	(1)	2.9	6.9	4.0	3.5
	1905	(1)	(1)	(1)	(1)	2.8	3.6	2.7	2.4	48.8	2.7	(1)	(1)	2.9	6.0	1.8	2.4
	1906	4.0	8.3	7.3	1.4	4.9	3.2	2.2	2.8	29.5	4.2	1.3	8.5	2.7	7.1	3.3	4.1
	1907	2.9	6.3	5.2	3.5	3.2	3.8	2.7	4.4	26.9	3.5	1.7	9.0	2.8	8.6	3.4	3.4
	1908	3.1	8.3	3.2	1.7	3.2	4.0	2.6	3.8	26.0	2.3	1.3	10.1	2.4	6.5	3.2	2.5
	1909	3.4	8.1	5.6	5.1	2.5	1.4	1.7	2.6	20.8	3.4	0.8	5.9	2.5	5.2	2.5	2.1
Other diseases of brain	1900	(1)	(1)	(1)	(1)	6.5	4.1	4.8	4.5	5.9	8.2	(1)	(1)	7.2	7.4	6.7	5.7
	1901	(1)	(1)	(1)	(1)	4.9	6.2	4.8	4.4	10.0	7.6	(1)	(1)	7.2	8.3	7.7	4.8
	1902	(1)	(1)	(1)	(1)	4.3	4.0	5.1	2.5	9.1	9.1	(1)	(1)	5.5	6.6	4.4	3.5
	1903	(1)	(1)	(1)	(1)	5.3	5.8	3.0	3.1	10.6	5.3	(1)	(1)	5.6	5.5	6.7	3.3
	1904	(1)	(1)	(1)	(1)	3.5	3.0	4.4	3.4	4.0	5.6	(1)	(1)	4.8	6.6	4.6	3.5
	1905	(1)	(1)	(1)	(1)	4.7	5.9	3.7	3.5	6.4	7.1	(1)	(1)	4.8	4.3	5.6	4.5
	1906	5.1	4.3	6.1	2.7	5.2	2.9	4.1	3.2	4.5	5.5	3.7	3.5	5.5	5.5	4.1	3.9
	1907	5.1	5.5	5.6	2.6	3.9	4.6	3.6	2.9	7.3	4.0	3.2	3.0	5.5	6.3	6.2	3.8
	1908	4.2	5.8	5.0	1.9	2.9	4.9	3.8	2.6	6.1	4.7	4.8	2.4	4.7	6.4	4.9	3.6
	1909	3.8	5.1	3.8	2.2	4.4	2.0	2.6	2.9	6.0	4.3	5.2	2.2	4.8	6.2	4.8	3.5
Epilepsy	1900	(1)	(1)	(1)	(1)	2.9	7.8	6.1	6.5	8.4	4.0	(1)	(1)	3.4	7.0	5.5	6.4
	1901	(1)	(1)	(1)	(1)	4.9	4.9	6.1	5.2	8.3	3.6	(1)	(1)	3.6	7.2	6.2	7.8
	1902	(1)	(1)	(1)	(1)	4.8	8.6	4.5	5.2	9.9	3.6	(1)	(1)	3.3	7.7	5.7	6.4
	1903	(1)	(1)	(1)	(1)	6.4	5.5	6.5	5.1	8.2	4.9	(1)	(1)	3.5	6.2	5.5	6.1
	1904	(1)	(1)	(1)	(1)	3.5	7.2	6.2	5.3	8.1	2.5	(1)	(1)	3.8	10.3	4.0	6.2
	1905	(1)	(1)	(1)	(1)	5.0	5.3	4.5	6.0	12.0	4.4	(1)	(1)	3.6	8.0	4.3	4.8
	1906	3.4	4.9	6.1	1.8	4.5	8.8	2.8	6.2	6.8	3.7	3.2	5.8	3.2	11.3	6.1	5.2
	1907	4.2	5.5	2.6	2.8	3.5	7.8	6.6	5.1	9.5	4.2	3.7	5.3	4.0	8.7	5.5	6.2
	1908	2.7	4.5	6.8	2.5	4.1	7.5	5.4	5.4	8.3	4.3	3.3	6.6	2.8	8.3	5.0	4.7
	1909	3.1	4.7	4.5	6.5	4.0	7.7	6.2	5.2	9.3	4.7	3.1	4.3	3.1	8.0	3.7	4.8
"Convulsions" (5 years and over)	1900	(1)	(1)	(1)	(1)	1.2	0.9	4.0	1.8	.....	1.0	(1)	(1)	2.1	2.1	1.1	1.6
	1901	(1)	(1)	(1)	(1)	0.7	0.6	1.1	1.1	1.7	1.6	(1)	(1)	1.5	1.5	1.0	1.0
	1902	(1)	(1)	(1)	(1)	0.8	0.9	1.7	0.8	.....	2.4	(1)	(1)	1.2	1.6	0.8	0.8
	1903	(1)	(1)	(1)	(1)	0.6	.....	2.1	0.4	2.5	1.0	(1)	(1)	1.7	0.6	1.1	1.0
	1904	(1)	(1)	(1)	(1)	1.4	1.2	2.3	0.7	.....	2.2	(1)	(1)	0.9	0.4	1.2	1.0
	1905	(1)	(1)	(1)	(1)	0.9	0.3	1.7	0.8	0.8	0.8	(1)	(1)	1.0	1.3	0.7	1.5
	1906	0.5	0.5	0.4	0.2	1.3	.....	0.3	0.7	1.7	1.8	0.7	1.2	1.0	1.3	1.1	1.0
	1907	0.1	0.7	.....	0.2	0.8	0.3	0.5	0.3	1.7	1.3	0.8	1.8	1.1	0.1	2.0	1.1
	1908	0.1	0.8	.....	0.2	0.8	0.9	0.5	0.4	0.6	0.9	0.3	0.7	1.2	0.7	1.2	0.9
	1909	0.3	0.2	.....	.....	0.8	0.3	.....	.....	0.5	0.7	0.5	0.7	0.7	1.3	0.4	0.6
"Convulsions" (under 5 years)	1900	(1)	(1)	(1)	(1)	29.5	10.7	25.3	17.4	22.8	14.9	(1)	(1)	22.7	18.0	37.1	17.9
	1901	(1)	(1)	(1)	(1)	19.3	16.4	20.3	12.7	15.0	11.9	(1)	(1)	21.1	19.4	31.6	16.4
	1902	(1)	(1)	(1)	(1)	19.5	13.7	14.2	10.3	14.9	14.1	(1)	(1)	20.0	14.9	26.5	14.4
	1903	(1)	(1)	(1)	(1)	15.7	9.1	14.7	8.1	14.7	11.4	(1)	(1)	17.1	12.3	25.8	13.3
	1904	(1)	(1)	(1)	(1)	14.8	12.3	16.0	9.0	15.4	9.7	(1)	(1)	13.9	9.3	26.7	14.9
	1905	(1)	(1)	(1)	(1)	15.5	7.1	11.3	8.2	16.0	10.6	(1)	(1)	15.9	10.8	27.0	18.7
	1906	7.0	2.6	6.9	5.5	16.1	10.9	9.9	7.0	12.5	11.7	25.3	15.0	15.8	9.5	27.4	15.3
	1907	6.4	5.1	11.1	3.3	12.4	13.3	8.6	6.4	10.6	9.6	28.2	16.5	13.5	12.8	26.4	12.9
	1908	4.7	4.0	7.2	5.5	12.4	11.2	4.8	4.1	10.0	6.5	21.8	13.6	12.9	9.4	25.3	12.8
	1909	3.2	3.5	4.5	4.1	10.9	8.8	3.2	3.0	4.9	5.8	18.2	15.2	7.3	7.8	23.9	13.4
Tetanus	1900	(1)	(1)	(1)	(1)	4.4	2 5	4.3	2.2	.....	0.9	(1)	(1)	1.6	2.1	1.7	1.2
	1901	(1)	(1)	(1)	(1)	2.0	3.1	3.2	2.4	1.7	0.5	(1)	(1)	2.0	1 5	1.5	1.0
	1902	(1)	(1)	(1)	(1)	3.5	1 2	4.6	2.7	0.8	1.0	(1)	(1)	1.8	0.9	2.0	1.1
	1903	(1)	(1)	(1)	(1)	3.6	3 9	4.4	2.1	4.1	1.0	(1)	(1)	2.0	1.2	3.7	1.6
	1904	(1)	(1)	(1)	(1)	2.6	1.8	4.4	2 9	2.4	1.7	(1)	(1)	1.2	1.0	0.8	1.5
	1905	(1)	(1)	(1)	(1)	3.0	2.4	4.0	2.3	2.4	1.0	(1)	(1)	1.3	1.8	1.1	0.9
	1906	1.7	2.2	0.4	0.9	1.9	2.1	4.4	2.3	0.6	0.4	5.4	2.6	1.3	1.1	2.0	1.1
	1907	3.0	1.9	1.1	0.4	3.8	1.7	2.0	2.8	1.1	0.9	5.0	3.2	1.2	1.8	1.4	1.3
	1908	1.2	1.7	1.1	.....	2.9	1.4	3.7	2.5	1.1	0.7	3.6	2 1	1.1	1.2	1.1	1.3
	1909	2.4	1.9	0.7	0.6	3.2	2.6	5.6	2.8	1.1	0.7	4.3	3.3	1.3	1.5	1.7	1.1
Chorea	1900	(1)	(1)	(1)	(1)	0.5	0.6	0.3	0.3	0.8	0.3	(1)	(1)	0.2	0.3	0.4	0.4
	1901	(1)	(1)	(1)	(1)	0.3	0.9	0.3	0.7	.....	.....	(1)	(1)	0.4	0.3	0.7	0.5
	1902	(1)	(1)	(1)	(1)	0.6	.....	0.2	0.3	0.8	0.3	(1)	(1)	0.2	0.3	0.1	0.6
	1903	(1)	(1)	(1)	(1)	.....	0.3	0.2	0.3	.....	0.2	(1)	(1)	0.3	.....	0.4	0.4
	1904	(1)	(1)	(1)	(1)	0.5	0.3	.....	0.4	.....	0.2	(1)	(1)	0.4	.....	0.4	0.6
	1905	(1)	(1)	(1)	(1)	.....	.....	0 4	0.5	.....	.....	(1)	(1)	0.2	0.3	0.2	0.7
	1906	0.1	0.4	0.8	0.2	0.4	0.6	0.1	0.2	.....	0.2	.....	0.2	0.3	.....	0.3	0.1
	1907	0.2	0.3	.....	.....	0.6	0.9	.....	0.3	.....	0.4	0.2	.....	0.2	0.1	0.4	0.2
	1908	.....	0.3	0.4	0.4	0.3	0.3	0.1	0.4	0.6	0.2	.....	0.3	0.4	0.1	.....	0.3
	1909	.....	0.2	0.3	0.2	0.1	.....	0.4	0.2	.....	.....	0.7	0.1	0.2	.....	0.5	0.3
Other diseases of nervous system	1900	(1)	(1)	(1)	(1)	2.9	1.6	3.7	4.5	5.0	3.0	(1)	(1)	2 0	3.1	2.8	3.6
	1901	(1)	(1)	(1)	(1)	4.0	3.7	3.4	5.0	2.5	6.4	(1)	(1)	2 5	4.4	2.1	3.0
	1902	(1)	(1)	(1)	(1)	3.2	5.8	5.1	4.1	3.3	3.4	(1)	(1)	2.2	4.2	2.2	3.5
	1903	(1)	(1)	(1)	(1)	2.3	3.3	3.8	3.5	3.3	6.3	(1)	(1)	2.6	3.3	2.0	2.5
	1904	(1)	(1)	(1)	(1)	1.1	1.8	2.1	2.8	5.7	5.1	(1)	(1)	2.6	3.4	1.8	2.7
	1905	(1)	(1)	(1)	(1)	2.4	3.6	3.2	2.6	2.4	5.2	(1)	(1)	2.3	3.0	2.5	2.4
	1906	0.8	2.2	1.2	0.9	2.3	3.2	2.1	2.5	2.3	4.9	2.2	1.8	1.9	2.0	1.9	3.5
	1907	1.1	1.5	0.7	1.1	2.5	1.4	2.0	2.6	3.9	4.9	1.8	2.7	2.2	1.8	1.4	2.8
	1908	1.8	1.8	1.4	1.5	1.6	2.0	1.3	2.3	3.3	4.0	2.8	3.1	1.4	3.1	2.3	1.9
	1909	1.4	1.6	2.1	0.6	1.6	3.4	1.7	1.3	2.2	3.2	2.0	1.0	1.2	1.6	2.4	2.3
Diseases of eye and adnexa	1900	(1)	(1)	(1)	(1)	0.2	.....	.....	0.1	.....	.....	(1)	(1)	0.1	0.3	.....	.....
	1901	(1)	(1)	(1)	(1)	.....	.....	0.2	.....	.....	.....	(1)	(1)	.....	0.3	0.1	0.1
	1902	(1)	(1)	(1)	(1)	.....	0.3	.....	.....	.....	.....	(1)	(1)	(2)	0.3	.....	0.2
	1903	(1)	(1)	(1)	(1)	.....	.....	0.2	0.1	.....	0.2	(1)	(1)	.....	.....	.....	0.1
	1904	(1)	(1)	(1)	(1)	0.3	.....	.....	.....	.....	0.2	(1)	(1)	0.1	.....	.....	0.3
	1905	(1)	(1)	(1)	(1)	0.1	0.3	.....	0.1	.....	.....	(1)	(1)	.....	0.1	0.1	0.1
	1906	0.1	.....	.....	.....	0.1	.....	.....	.....	.....	0.4	.....	.....	0.1	.....	0.1	.....
	1907	.....	.....	.....	.....	0.1	0.3	.....	0.1	.....	.....	0.2	0.2	(2)	.....	0.1	0.2
	1908	.....	0.1	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....	0.2	.....	0.2	.....
	1909	.....	0.1	.....	.....	0.1	.....	.....	0.1	.....	.....	.....	.....	0.1	0.3	0.1	0.2

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
3.2	9.1	3.4	3.9	3.9	4.1	(1)	(1)	(1)	(1)	2.5	13.8	(1)	(1)	6.5	3.0	(1)	(1)	(1)	(1)
5.0	10.7	2.8	3.4	4.6	3.8	(1)	(1)	(1)	(1)	1.4	3.4	(1)	(1)	4.2	3.4	(1)	(1)	(1)	(1)
6.7	7.2	1.9	4.4	3.9	3.5	(1)	(1)	(1)	(1)	0.3	7.3	(1)	(1)	4.2	1.3	(1)	(1)	(1)	(1)
10.8	3.2	3.2	4.3	3.1	4.0	(1)	(1)	(1)	(1)	1.6	9.0	(1)	(1)	2.1	5.0	(1)	(1)	(1)	(1)
7.7	6.4	2.3	4.3	2.4	3.3	(1)	(1)	(1)	(1)	1.6	5.7	(1)	(1)	4.0	1.7	(1)	(1)	(1)	(1)
12.8	7.2	3.2	2.8	1.8	4.0	(1)	(1)	(1)	(1)	1.6	5.0	(1)	(1)	-------	5.0	(1)	(1)	(1)	(1)
21.3	4.8	3.2	5.4	2.1	5.0	(1)	(1)	2.4	5.0	1.5	23.7	-------	2.7	-------	7.3	(1)	(1)	(1)	(1)
25.0	6.8	3.7	5.3	1.8	4.1	(1)	(1)	1.9	5.3	3.1	1.1	7.6	2.2	-------	8.3	(1)	(1)	(1)	(1)
9.0	4.8	2.1	8.1	1.8	3.1	(1)	(1)	1.8	5.6	3.7	-------	-------	2.5	5.7	5.0	1.8	12.6	1.6	6.7
23.2	3.2	1.8	9.4	1.6	2.4	3.3	2.8	1.3	6.2	3.2	-------	-------	2.4	-------	6.3	0.7	11.3	0.9	6.2
16.4	11.1	4.3	4.7	3.4	5.3	(1)	(1)	(1)	(1)	4.2	8.3	(1)	(1)	2.1	9.1	(1)	(1)	(1)	(1)
9.3	9.5	4.6	3.6	3.1	4.7	(1)	(1)	(1)	(1)	3.4	4.0	(1)	(1)	4.2	6.7	(1)	(1)	(1)	(1)
12.2	7.6	4.2	4.0	3.5	3.9	(1)	(1)	(1)	(1)	4.4	4.6	(1)	(1)	4.2	7.0	(1)	(1)	(1)	(1)
15.0	3.6	4.0	3.2	4.2	3.9	(1)	(1)	(1)	(1)	2.3	5.8	(1)	(1)	8.2	8.4	(1)	(1)	(1)	(1)
8.3	8.0	4.7	2.3	3.7	4.6	(1)	(1)	(1)	(1)	4.2	0.6	(1)	(1)	4.0	5.7	(1)	(1)	(1)	(1)
9.9	2.8	4.3	3.9	3.4	4.2	(1)	(1)	(1)	(1)	2.2	2.5	(1)	(1)	8.0	5.3	(1)	(1)	(1)	(1)
8.6	6.4	4.3	4.3	3.6	3.2	(1)	(1)	4.3	3.0	2.2	2.3	7.9	1.1	3.9	4.7	(1)	(1)	(1)	(1)
9.1	4.8	4.5	1.9	3.3	3.2	(1)	(1)	4.4	3.2	1.9	3.3	22.9	1.2	3.9	4.3	(1)	(1)	(1)	(1)
5.0	6.0	3.4	2.0	2.7	3.6	(1)	(1)	4.2	3.5	0.9	3.3	-------	2.1	-------	4.3	4.6	2.7	3.3	3.8
5.5	4.0	2.7	3.6	2.9	3.5	3.4	3.6	3.9	2.8	2.5	1.1	-------	2.2	3.8	4.0	4.3	2.1	4.7	4.0
5.0	6.7	2.9	5.9	3.9	5.4	(1)	(1)	(1)	(1)	1.4	8.3	(1)	(1)	4.3	4.0	(1)	(1)	(1)	(1)
0.6	6.7	3.5	4.8	3.6	6.4	(1)	(1)	(1)	(1)	3.4	10.1	(1)	(1)	6.3	7.4	(1)	(1)	(1)	(1)
5.5	7.2	3.3	4.3	3.8	6.0	(1)	(1)	(1)	(1)	2.4	7.9	(1)	(1)	4.2	8.7	(1)	(1)	(1)	(1)
3.6	5.2	3.5	5.1	4.1	6.0	(1)	(1)	(1)	(1)	5.3	9.7	(1)	(1)	6.2	10.0	(1)	(1)	(1)	(1)
5.3	6.8	3.5	4.9	4.0	6.5	(1)	(1)	(1)	(1)	3.2	8.2	(1)	(1)	2.0	7.7	(1)	(1)	(1)	(1)
2.9	5.6	3.2	4.8	3.2	5.8	(1)	(1)	(1)	(1)	3.5	3.7	(1)	(1)	6.0	6.3	(1)	(1)	(1)	(1)
6.3	6.8	3.1	4.0	3.8	6.3	(1)	(1)	3.2	5.4	3.7	24.8	-------	3.2	3.9	6.7	(1)	(1)	(1)	(1)
4.0	6.0	2.9	5.8	2.9	6.7	(1)	(1)	3.2	5.2	4.8	4.4	-------	3.6	-------	7.3	(1)	(1)	(1)	(1)
4.5	6.0	2.2	5.1	3.1	5.2	(1)	(1)	2.6	4.5	5.6	2.2	14.9	2.5	1.9	4.6	1.8	3.1	2.1	5.4
2.8	5.2	2.2	2.6	2.6	6.4	3.5	6.0	2.7	5.1	5.5	1.1	-------	4.5	3.8	5.6	1.7	3.6	4.0	5.8
5.0	1.6	3.4	1.8	0.6	1.7	(1)	(1)	(1)	(1)	0.4	0.7	(1)	(1)	4.3	2.7	(1)	(1)	(1)	(1)
3.1	4.0	2.1	2.6	0.4	1.0	(1)	(1)	(1)	(1)	0.7	0.7	(1)	(1)	-------	0.7	(1)	(1)	(1)	(1)
3.0	1.6	2.8	1.2	0.3	0.9	(1)	(1)	(1)	(1)	1.3	-------	(1)	(1)	2.1	1.3	(1)	(1)	(1)	(1)
1.2	1.2	3.6	1.9	0.4	0.8	(1)	(1)	(1)	(1)	0.3	-------	(1)	(1)	2.1	1.0	(1)	(1)	(1)	(1)
3.0	0.4	1.8	1.2	0.3	1.1	(1)	(1)	(1)	(1)	0.3	-------	(1)	(1)	-------	1.0	(1)	(1)	(1)	(1)
1.2	1.2	1.7	1.5	0.3	1.1	(1)	(1)	(1)	(1)	0.3	-------	(1)	(1)	-------	0.3	(1)	(1)	(1)	(1)
2.3	0.4	0.8	-------	0.3	0.7	(1)	(1)	0.7	1.2	-------	1.1	-------	0.4	-------	0.7	(1)	(1)	(1)	(1)
0.6	3.2	0.2	0.2	0.3	0.5	(1)	(1)	0.5	0.8	0.2	-------	-------	1.6	-------	0.3	(1)	(1)	(1)	(1)
-------	0.4	0.3	0.3	0.2	0.3	(1)	(1)	0.5	0.7	-------	-------	-------	1.3	-------	-------	0.3	0.5	1.2	1.1
-------	0.8	0.1	0.6	(2)	0.2	0.1	0.1	0.3	0.6	0.7	-------	-------	0.9	-------	-------	-------	0.6	0.8	0.8
32.1	14.2	55.0	30.1	22.4	15.5	(1)	(1)	(1)	(1)	11.3	5.5	(1)	(1)	25.7	18.5	(1)	(1)	(1)	(1)
23.5	13.9	49.3	27.5	23.6	12.3	(1)	(1)	(1)	(1)	8.3	6.1	(1)	(1)	25.3	16.1	(1)	(1)	(1)	(1)
29.9	14.7	47.1	25.2	20.0	13.8	(1)	(1)	(1)	(1)	8.4	6.6	(1)	(1)	25.0	13.1	(1)	(1)	(1)	(1)
23.4	10.8	38.3	22.2	16.4	10.3	(1)	(1)	(1)	(1)	6.9	7.8	(1)	(1)	20.5	12.1	(1)	(1)	(1)	(1)
13.6	10.4	30.8	16.3	17.3	11.1	(1)	(1)	(1)	(1)	7.4	7.0	(1)	(1)	16.2	9.4	(1)	(1)	(1)	(1)
16.9	8.4	25.1	16.4	16.3	10.5	(1)	(1)	(1)	(1)	4.7	6.2	(1)	(1)	21.9	8.0	(1)	(1)	(1)	(1)
13.2	12.4	21.2	14.4	15.0	9.6	(1)	(1)	25.9	22.9	5.7	3.4	-------	15.4	11.8	9.7	(1)	(1)	(1)	(1)
15.9	7.6	19.3	13.3	11.7	7.4	(1)	(1)	23.9	21.8	7.4	3.3	7.6	18.0	1.9	2.0	(1)	(1)	(1)	(1)
14.0	6.8	19.9	12.4	10.4	7.0	(1)	(1)	19.3	20.3	5.4	5.4	14.9	15.1	5.7	5.3	6.6	3.1	23.5	17.3
18.8	8.1	15.8	12.3	8.8	5.8	7.6	6.1	16.4	19.0	5.9	3.2	21.7	15.8	1.9	4.0	5.3	6.1	25.2	16.4
0.6	1.6	4.2	4.4	2.6	1.7	(1)	(1)	(1)	(1)	0.7	4.2	(1)	(1)	2.1	2.0	(1)	(1)	(1)	(1)
-------	2.4	3.8	4.8	2.3	1.9	(1)	(1)	(1)	(1)	1.7	-------	(1)	(1)	4.2	1.7	(1)	(1)	(1)	(1)
2.4	1.6	4.4	3.3	2.0	1.4	(1)	(1)	(1)	(1)	0.7	0.7	(1)	(1)	-------	1.7	(1)	(1)	(1)	(1)
1.8	2.0	3.3	4.5	2.0	0.8	(1)	(1)	(1)	(1)	2.6	1.3	(1)	(1)	12.3	0.7	(1)	(1)	(1)	(1)
1.2	2.0	3.4	3.6	2.0	1.3	(1)	(1)	(1)	(1)	1.3	1.9	(1)	(1)	4.0	3.0	(1)	(1)	(1)	(1)
0.6	0.4	1.7	2.1	1.5	1.6	(1)	(1)	(1)	(1)	0.6	0.6	(1)	(1)	-------	1.7	(1)	(1)	(1)	(1)
0.6	0.4	4.0	2.5	1.9	1.6	(1)	(1)	2.0	2.1	0.2	3.4	15.7	1.1	-------	2.3	(1)	(1)	(1)	(1)
0.6	0.4	2.6	2.6	1.4	1.7	(1)	(1)	2.1	2.2	1.7	1.1	-------	1.4	1.9	1.7	(1)	(1)	(1)	(1)
1.1	1.2	3.0	1.9	1.6	1.8	(1)	(1)	2.2	1.9	0.7	3.3	7.4	1.3	3.8	0.7	1.0	0.9	1.7	1.2
2.2	1.6	4.0	1.7	1.6	1.5	2.4	1.6	2.3	2.2	0.9	1.1	7.2	1.6	-------	1.3	1.2	0.4	2.7	1.7
-------	-------	0.2	0.1	0.1	0.4	(1)	(1)	(1)	(1)	0.4	-------	(1)	(1)	-------	0.3	(1)	(1)	(1)	(1)
-------	0.4	0.1	0.1	0.2	0.1	(1)	(1)	(1)	(1)	0.3	-------	(1)	(1)	-------	0.3	(1)	(1)	(1)	(1)
0.6	0.4	-------	0.1	0.2	0.2	(1)	(1)	(1)	(1)	-------	-------	(1)	(1)	-------	0.3	(1)	(1)	(1)	(1)
-------	-------	0.3	0.1	0.3	0.3	(1)	(1)	(1)	(1)	-------	-------	(1)	(1)	-------	0.3	(1)	(1)	(1)	(1)
0.6	0.8	0.3	0.1	0.2	0.1	(1)	(1)	(1)	(1)	-------	-------	(1)	(1)	-------	0.3	(1)	(1)	(1)	(1)
-------	0.4	0.1	0.1	0.2	0.4	(1)	(1)	(1)	(1)	-------	0.6	(1)	(1)	-------	0.7	(1)	(1)	(1)	(1)
0.6	-------	0.7	0.1	0.1	0.3	(1)	(1)	0.2	0.2	-------	-------	-------	0.2	-------	0.7	(1)	(1)	(1)	(1)
-------	-------	0.1	0.2	0.1	0.3	(1)	(1)	0.2	0.3	0.5	-------	-------	-------	-------	1.0	(1)	(1)	(1)	(1)
0.6	-------	0.3	0.2	0.2	0.2	(1)	(1)	0.1	0.3	0.2	-------	-------	0.8	-------	1.3	-------	-------	-------	0.1
-------	-------	0.3	0.2	0.1	0.3	0.3	0.3	0.2	0.4	-------	-------	-------	0.5	-------	0.7	-------	0.1	0.1	0.1
3.8	4.7	2.1	2.7	1.6	3.3	(1)	(1)	(1)	(1)	3.2	3.5	(1)	(1)	4.3	5.1	(1)	(1)	(1)	(1)
2.5	6.7	1.5	1.6	1.5	4.0	(1)	(1)	(1)	(1)	1.4	1.3	(1)	(1)	6.3	3.4	(1)	(1)	(1)	(1)
1.2	3.2	2.8	1.5	1.8	2.9	(1)	(1)	(1)	(1)	1.0	1.3	(1)	(1)	2.1	4.4	(1)	(1)	(1)	(1)
3.0	4.8	1.8	1.6	1.7	2.3	(1)	(1)	(1)	(1)	1.0	3.9	(1)	(1)	2.1	5.0	(1)	(1)	(1)	(1)
1.2	2.8	1.7	2.6	1.5	2.4	(1)	(1)	(1)	(1)	2.9	2.5	(1)	(1)	6.1	4.3	(1)	(1)	(1)	(1)
3.5	5.6	1.5	2.4	1.8	3.5	(1)	(1)	(1)	(1)	0.9	0.6	(1)	(1)	4.0	5.7	(1)	(1)	(1)	(1)
4.6	4.4	2.7	1.9	2.3	3.4	(1)	(1)	1.6	2.2	1.7	3.4	-------	1.7	-------	3.7	(1)	(1)	(1)	(1)
2.8	2.0	1.6	1.6	2.0	2.5	(1)	(1)	1.9	1.9	0.7	1.1	-------	1.2	1.9	2.7	(1)	(1)	(1)	(1)
2.8	2.4	2.0	1.4	1.3	2.1	(1)	(1)	1.5	2.4	0.7	-------	-------	0.8	3.8	3.3	1.5	0.8	1.1	1.9
-------	1.6	1.3	1.4	1.5	2.3	1.1	2.3	1.6	2.1	1.4	-------	-------	1.5	3.8	2.3	1.2	0.3	1.8	1.6
-------	-------	0.1	-------	-------	0.1	(1)	(1)	(1)	(1)	0.4	-------	(1)	(1)	-------	-------	(1)	(1)	(1)	(1)
-------	0.4	0.2	-------	(2)	-------	(1)	(1)	(1)	(1)	-------	-------	(1)	(1)	-------	-------	(1)	(1)	(1)	(1)
-------	-------	-------	0.1	0.1	-------	(1)	(1)	(1)	(1)	-------	-------	(1)	(1)	-------	-------	(1)	(1)	(1)	(1)
-------	-------	0.1	-------	(2)	(2)	(1)	(1)	(1)	(1)	0.3	-------	(1)	(1)	2.1	-------	(1)	(1)	(1)	(1)
0.6	0.4	0.2	-------	0.1	-------	(1)	(1)	(1)	(1)	-------	-------	(1)	(1)	-------	-------	(1)	(1)	(1)	(1)
-------	0.4	-------	0.1	0.1	(2)	(1)	(1)	(1)	(1)	-------	-------	(1)	(1)	-------	0.3	(1)	(1)	(1)	(1)
-------	-------	-------	-------	0.1	-------	(1)	(1)	0.1	0.1	-------	-------	-------	-------	-------	0.3	(1)	(1)	(1)	(1)
-------	-------	0.1	0.1	(2)	0.1	(1)	(1)	0.2	0.1	0.5	-------	-------	-------	-------	-------	(1)	(1)	(1)	(1)
0.6	-------	0.1	-------	(2)	(2)	(1)	(1)	0.2	(2)	-------	-------	-------	-------	-------	0.3	-------	-------	-------	0.1
0.6	-------	-------	-------	0.1	(2)	-------	-------	0.1	0.1	0.2	-------	-------	-------	-------	-------	-------	-------	-------	-------

[2] Less than one-tenth.

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Diseases of ear	1900	(1)	(1)	(1)	(1)	0.7	0.6	.....	0.5	0.8	0 2	(1)	(1)	1.2	0.1	0.7	0.3
	1901	(1)	(1)	(1)	(1)	2.3	1.5	0.5	0.5	.....	0.5	(1)	(1)	1.6	0.6	1.1	0.9
	1902	(1)	(1)	(1)	(1)	0.6	0.3	0.6	0.7	.....	0.2	(1)	(1)	1.2	0.4	1.6	0.8
	1903	(1)	(1)	(1)	(1)	3.0	1.8	0.9	0.7	0.8	0.5	(1)	(1)	1.7	0.3	1.2	1.3
	1904	(1)	(1)	(1)	(1)	1.5	1.2	0.9	0.9	.....	0.3	(1)	(1)	1.9	1.6	1.7	1.7
	1905	(1)	(1)	(1)	(1)	1.9	0.3	1.3	1.3	.....	0.5	(1)	(1)	3.4	0.3	1.1	0.8
	1906	2.2	0.5	3.1	2.7	1.4	0.9	1.8	1.3	0.6	0.2	1.9	0.2	1.8	0.7	1.0	1.0
	1907	2.6	0.6	1.9	1.3	1.1	1.4	1.2	1.2	2.2	1.1	2.2	0.8	2.1	1.0	1.8	1.7
	1908	1.9	1.3	3.2	2.3	1.6	1.1	0.8	1.1	1.1	0.7	2.1	0.4	2.4	1.0	1.4	1.2
	1909	1.6	0.7	2.1	1.4	1.3	0.6	2.6	1.9	1.1	1.1	1.6	0.3	2.1	1.5	1.8	0.8
III.—Diseases of circulatory system	1900	(1)	(1)	(1)	(1)	143.8	209.5	105.5	87.5	196.7	170.2	(1)	(1)	180.2	195.5	124.8	132.1
	1901	(1)	(1)	(1)	(1)	151.4	180.8	116.5	91.7	202.8	168.7	(1)	(1)	180.5	201.3	122.2	138.7
	1902	(1)	(1)	(1)	(1)	159.0	181.7	123.5	93.3	193.2	175.0	(1)	(1)	191.4	197.1	153.4	145.3
	1903	(1)	(1)	(1)	(1)	171.3	190.3	130.0	107.3	197.7	181.4	(1)	(1)	189.0	231.8	148.5	153.6
	1904	(1)	(1)	(1)	(1)	167.5	207.3	140.4	116.9	232.0	184.7	(1)	(1)	200.9	245.4	155.1	168.0
	1905	(1)	(1)	(1)	(1)	184.8	215.0	143.2	122.0	209.6	190.4	(1)	(1)	215.6	260.5	151.5	162.2
	1906	252.7	141.8	160.0	80.2	184.4	204.4	149.3	126.2	204.5	186.7	186.0	109.7	211.0	257.5	156.9	176.5
	1907	248.3	170.5	161.0	88.8	200.7	230.3	154.3	145.0	234.7	213.2	204.4	114.6	232.0	281.2	163.3	194.0
	1908	222.8	171.5	164.8	97.6	185.8	204.2	168.4	157.0	205.0	211.9	194.3	114.5	215.9	272.6	158.3	183.4
	1909	224.0	176.9	150.7	101.0	182.1	217.6	171.2	159.4	237.3	214.4	189.5	114.7	223.2	265.9	160.3	187.1
Pericarditis	1900	(1)	(1)	(1)	(1)	1.7	1.9	4.0	2.9	0.8	2.3	(1)	(1)	2.1	1.3	1.7	2.6
	1901	(1)	(1)	(1)	(1)	1.6	1.5	3.7	3.3	0.8	3.1	(1)	(1)	1.3	1.2	1.4	2.3
	1902	(1)	(1)	(1)	(1)	0.8	0.9	3.2	1.9	2.5	4.5	(1)	(1)	1.5	1.6	1.9	1.9
	1903	(1)	(1)	(1)	(1)	0.9	1.2	2.9	2.1	0.8	1.5	(1)	(1)	1.4	1.2	0.9	2.1
	1904	(1)	(1)	(1)	(1)	1.4	1.5	3.2	2.6	0.8	1.0	(1)	(1)	1.2	2.4	2.2	2.0
	1905	(1)	(1)	(1)	(1)	1.0	1.2	2.3	1.7	0.8	1.3	(1)	(1)	1.0	1.8	2.1	1.9
	1906	2.5	1.3	1.2	1.1	0.4	1.2	3.3	2.0	2.3	2.2	1.3	0.6	1.1	2.0	1.3	2.4
	1907	1.4	2.2	3.0	1.1	0.3	2.0	1.8	1.5	0.6	2.2	2.0	0.3	1.0	2.2	1.1	2.3
	1908	1.9	1.3	1.4	1.5	1.1	1.1	1.6	0.9	2.2	0.5	1.5	1.0	0.9	1.8	0.9	1.4
	1909	2.1	1.8	1.0	1.4	0.3	1.1	1.6	1.2	1.1	1.3	0.5	0.9	1.1	1.3	1.9	1.7
Endocarditis	1900	(1)	(1)	(1)	(1)	14.9	11.9	6.9	3.0	4.2	3.1	(1)	(1)	13.5	7.6	6.2	3.7
	1901	(1)	(1)	(1)	(1)	10.7	5.6	6.6	2.8	2 5	2.1	(1)	(1)	11.4	7.2	4.8	3.9
	1902	(1)	(1)	(1)	(1)	11.8	6.1	8.2	3.6	0.8	4.3	(1)	(1)	12.9	8.6	5.7	3.1
	1903	(1)	(1)	(1)	(1)	12.7	3.3	6.2	2.6	4.9	4.6	(1)	(1)	13.4	7.8	6.3	3.1
	1904	(1)	(1)	(1)	(1)	12.6	6.0	8.5	3.3	10.5	5.9	(1)	(1)	14.6	9.3	7.1	4.2
	1905	(1)	(1)	(1)	(1)	13.0	5.6	7.2	3.8	10.4	4.5	(1)	(1)	17.6	12.4	5.4	4.5
	1906	24.2	5.3	14.6	5.2	13.1	5.6	8.0	4.6	4.0	4.9	10.6	2.6	17.7	12.9	6.8	4.8
	1907	22.0	7.6	7.8	5.3	14.5	7.0	8.6	3.6	7.3	7.5	9.7	2.9	20.3	11.6	8.5	7.2
	1908	20.5	10.1	10.8	6.3	16.7	6.0	7.8	4.1	10.0	8.7	12.2	4.8	18.2	16.2	7.4	4.5
	1909	22.2	10 9	9.0	7.7	14.3	9.9	7.9	4.4	9.9	7.7	11.5	4.4	19.9	14.1	8.7	5.7
Heart disease	1900	(1)	(1)	(1)	(1)	108.3	166.6	80.6	67.9	163.0	144.6	(1)	(1)	138.1	162.0	99.2	108.4
	1901	(1)	(1)	(1)	(1)	116.0	149.9	84.7	70.9	174.4	141.6	(1)	(1)	141.5	165.2	98.5	113.8
	1902	(1)	(1)	(1)	(1)	121.0	151.8	90.4	72.5	167.6	142.1	(1)	(1)	149.7	159.9	122.6	120.8
	1903	(1)	(1)	(1)	(1)	130.1	153.3	101.6	87.4	155.2	150.1	(1)	(1)	145.7	190.9	119.7	130.5
	1904	(1)	(1)	(1)	(1)	128.4	174.9	107.7	95.1	193.2	149.4	(1)	(1)	154.1	196.5	122.9	142.6
	1905	(1)	(1)	(1)	(1)	138.6	177.7	110.8	99.4	168.8	158.2	(1)	(1)	162.1	207.3	116.9	132.3
	1906	186.4	115.3	111.6	59.9	135 2	163.1	107.6	100.3	166.0	153 8	143.7	88.2	154.6	199.1	123.6	145.4
	1907	189.1	135.4	117.6	68.8	150.1	185.3	115.6	117.6	174.8	171.2	160.3	97.0	168.5	215.0	127.2	159.5
	1908	166.7	133.9	117.4	72.2	133.8	161.2	131.2	126.3	142.4	167.6	149.0	89.8	152.3	199.7	123.8	151.0
	1909	158.1	134.5	98.8	72.7	131.8	163.7	126.7	122.5	175.9	166.9	146.6	90.1	151.3	190.5	116.1	151.4
Angina pectoris	1900	(1)	(1)	(1)	(1)	7.3	9.4	3.2	5.1	9.3	11.1	(1)	(1)	5.5	8.5	6.6	7.1
	1901	(1)	(1)	(1)	(1)	6.3	9.6	5 6	5.5	10.8	11.0	(1)	(1)	6.2	9.0	4.8	8.8
	1902	(1)	(1)	(1)	(1)	7.5	8.6	5.1	5.9	5.0	11.0	(1)	(1)	6.2	6.7	8.2	9.1
	1903	(1)	(1)	(1)	(1)	6.5	13.4	5 7	6.2	12.3	13.8	(1)	(1)	7.1	11.0	7.9	8.7
	1904	(1)	(1)	(1)	(1)	5.8	8.4	6.3	6.2	9.7	11.2	(1)	(1)	6.4	10.2	7.1	8.5
	1905	(1)	(1)	(1)	(1)	8.6	7.4	6.2	6.0	12.0	11.3	(1)	(1)	6.3	10.0	8.3	9.8
	1906	7.6	5.3	5.4	4.8	8.5	10.6	12.3	7.4	10.2	11.1	7.4	4.8	6.4	9.4	6.0	8.7
	1907	7.9	7.0	7.0	4.6	7.6	11.6	8.9	8.8	17.4	13.3	7.2	3.9	5.8	9.9	6.5	8.6
	1908	6.5	6.8	6.5	4.9	7.5	8 6	8.6	9.1	13.9	13.9	7.4	6.3	5.4	10.7	5.4	8.2
	1909	9.3	7.9	11.5	6.3	8.6	8.2	6.6	9.9	11 5	10.1	7.0	3.7	7.2	8.8	5.2	8.5
Diseases of arteries	1900	(1)	(1)	(1)	(1)	4.8	6.0	3.5	1.8	4.2	2.6	(1)	(1)	10.7	7.6	4.5	4.1
	1901	(1)	(1)	(1)	(1)	8.4	6.2	6.7	3.1	4.2	3.3	(1)	(1)	9.0	8.1	5.5	4.3
	1902	(1)	(1)	(1)	(1)	7.7	7.0	7.9	4.3	5.8	4.8	(1)	(1)	10.7	9.2	8.5	5.7
	1903	(1)	(1)	(1)	(1)	12.1	10.0	7.2	4.0	8.2	4.3	(1)	(1)	12.2	12.0	7.2	5.8
	1904	(1)	(1)	(1)	(1)	10.1	8.7	7.6	4.6	8.1	5.6	(1)	(1)	16.7	19.2	9.2	6.1
	1905	(1)	(1)	(1)	(1)	15.9	14.2	8.2	5.5	6.4	6.6	(1)	(1)	20.1	22.5	9.1	7.6
	1906	22.4	10.2	11.5	5.0	17.6	15.0	13.3	6.8	7.4	7.1	16.0	7.7	23.6	25.3	12.3	8.3
	1907	18.3	12.3	10.4	3.7	20.2	16.2	14 4	9.5	16.8	9.8	19.2	7.1	27.3	34.6	13.4	9.6
	1908	20.2	13.0	17.2	8.7	18.9	19.5	14.8	12.8	24.4	12.5	17.8	8.8	30.4	33.6	13.9	12.3
	1909	24.8	16.2	16.0	7.9	19.3	25.5	23.0	16.5	20.3	18.9	18.3	11.8	36.2	40.8	20.3	14.1
Embolism and thrombosis	1900	(1)	(1)	(1)	(1)	2.9	7.5	1.1	1.6	6.8	4.0	(1)	(1)	5.7	4.8	3.1	2.9
	1901	(1)	(1)	(1)	(1)	4.6	5.9	1.3	1.5	7.5	4.1	(1)	(1)	6.6	5 7	2.6	2.6
	1902	(1)	(1)	(1)	(1)	6.7	4.6	2.0	1.1	6.6	5.1	(1)	(1)	6.2	6.0	4.0	1.8
	1903	(1)	(1)	(1)	(1)	5.6	4.9	2.6	1.6	8.2	3.9	(1)	(1)	5.8	4.5	3.2	1.5
	1904	(1)	(1)	(1)	(1)	6.7	6.3	2.8	2.1	5.7	6.6	(1)	(1)	4.7	4.3	3.6	2.2
	1905	(1)	(1)	(1)	(1)	5.3	6.8	3.1	2.0	8.0	5.0	(1)	(1)	4.9	4.4	4.3	2.1
	1906	6.4	2.1	12.7	2.7	6.8	6.5	1.9	2.4	10.8	4.2	3.9	1.4	5.1	6.0	2.5	3.3
	1907	7.4	3.0	10.4	4.2	6.0	5.5	3.0	1.6	13.4	5.3	2.7	1.7	4.9	5.4	2.2	3.0
	1908	4.6	3.5	8.6	2.1	5.8	6.0	2.5	2.0	10.0	6.1	3.3	1.6	5.1	6.5	3.3	3.0
	1909	5.0	3.4	11.5	2.2	5.5	6.2	2.8	3.2	13.7	6.5	3.1	1.6	4.5	6.8	4.1	3.1
Diseases of veins	1900	(1)	(1)	(1)	(1)	0.8	0.9	0.3	0.2	.....	0.2	(1)	(1)	0.5	0.3	0.3	0.7
	1901	(1)	(1)	(1)	(1)	0.5	0.6	1.1	0.5	0.8	0.5	(1)	(1)	0.7	0.9	1.0	0.3
	1902	(1)	(1)	(1)	(1)	0.8	0.3	.....	0.3	0.8	0.2	(1)	(1)	0.6	0.7	0.5	0.5
	1903	(1)	(1)	(1)	(1)	0.5	0.6	0.3	0.3	0.8	0.5	(1)	(1)	0.4	0.3	0.3	0.5
	1904	(1)	(1)	(1)	(1)	0.8	0.3	0.3	0.2	0.8	0.5	(1)	(1)	0.8	1.1	0.7	0.5
	1905	(1)	(1)	(1)	(1)	0.3	1.2	0.7	0.8	1.6	0.7	(1)	(1)	0.7	0.6	0.6	0.6
	1906	0.5	0.4	1.9	0.7	0.6	1.2	0.7	0.5	.....	0.2	0.7	0.3	0.5	1.1	0.7	0.6
	1907	0.6	0.5	1.5	.....	0.6	0.9	0.1	0.6	.....	0.5	1.2	0.3	1.0	0.4	0.8	0.5
	1908	0 9	0.8	1.1	.....	0.5	0.6	0.5	0.4	0.6	0.5	1.0	0.3	0.6	1.0	0.7	0.5
	1909	0.8	0.5	1.0	0.2	0.5	1.4	1.3	0.4	0.5	1.1	0.5	.....	0.7	0.8	0.7	0.7

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
.....	0.8	0.3	0.4	1.5	0.2	(1)	(1)	(1)	(1)	2.5	.....	(1)	(1)	2.1	.....	(1)	(1)	(1)	(1)
.....	0.4	0.5	0.5	1.5	0.8	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	4.2	0.7	(1)	(1)	(1)	(1)
.....	0.8	0.5	0.1	2.0	0.5	(1)	(1)	(1)	(1)	0.3	0.7	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
1.8	0.4	0.3	0.3	2.0	0.6	(1)	(1)	(1)	(1)	4.3	3.9	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
4.1	0.8	1.1	1.3	2.3	0.7	(1)	(1)	(1)	(1)	2.9	2.5	(1)	(1)	2.0	0.7	(1)	(1)	(1)	(1)
3.5	0.4	0.7	0.8	2.1	0.7	(1)	(1)	(1)	(1)	2.5	3.1	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
1.7	1.2	1.4	0.4	2.3	0.3	(1)	(1)	2.3	1.5	3.9	2.3	.....	1.1	2.0	0.3	(1)	(1)	(1)	(1)
2.3	1.6	1.5	0.2	2.6	1.0	(1)	(1)	1.9	1.2	2.6	.....	7.6	0.4	1.9	2.7	(1)	(1)	(1)	(1)
1.1	1.6	1.3	0.7	2.9	0.6	(1)	(1)	2.3	1.1	1.4	2.2	7.4	1.5	1.9	1.0	1.8	1.1	1.6	0.8
0.6	0.4	1.2	0.5	2.4	0.8	1.7	1.1	2.3	1.3	2.1	.....	7.2	0.9	.....	1.3	1.4	1.0	1.6	0.7
168.0	199.5	151.6	153.5	150.1	169.2	(1)	(1)	(1)	(1)	169.0	170.9	(1)	(1)	133.0	178.4	(1)	(1)	(1)	(1)
169.0	199.9	148.9	132.5	151.9	176.7	(1)	(1)	(1)	(1)	157.2	170.7	(1)	(1)	152.0	178.7	(1)	(1)	(1)	(1)
175.0	216.2	156.3	141.2	159.1	183.2	(1)	(1)	(1)	(1)	172.7	166.3	(1)	(1)	141.5	175.7	(1)	(1)	(1)	(1)
192.3	235.8	152.3	144.4	163.8	197.6	(1)	(1)	(1)	(1)	164.4	194.4	(1)	(1)	174.4	207.2	(1)	(1)	(1)	(1)
172.9	246.2	163.4	154.4	182.6	225.6	(1)	(1)	(1)	(1)	168.4	192.9	(1)	(1)	184.1	201.1	(1)	(1)	(1)	(1)
194.4	243.5	159.6	152.0	179.1	212.7	(1)	(1)	(1)	(1)	168.8	187.7	(1)	(1)	179.5	221.1	(1)	(1)	(1)	(1)
215.9	245.2	164.9	157.5	183.5	216.3	(1)	(1)	168.8	133.5	180.1	282.2	78.5	56.3	202.7	230.0	(1)	(1)	(1)	(1)
228.8	274.3	172.1	168.9	195.4	248.6	(1)	(1)	185.0	142.2	218.7	200.4	107.0	59.5	192.2	254.5	(1)	(1)	(1)	(1)
218.4	252.3	162.0	157.1	185.0	243.7	(1)	(1)	168.7	139.7	180.8	204.2	126.4	55.1	233.7	250.7	115.3	77.3	128.3	127.3
221.5	275.4	163.1	151.9	189.7	259.8	167.4	177.6	176.0	145.7	201.3	189.8	50.7	55.6	213.6	265.2	126.1	86.7	128.8	125.9
6.3	2.8	2.8	2.0	2.4	2.5	(1)	(1)	(1)	(1)	2.5	0.7	(1)	(1)	2.1	3.0	(1)	(1)	(1)	(1)
3.1	2.0	1.9	1.4	1.8	1.5	(1)	(1)	(1)	(1)	2.4	.....	(1)	(1)	6.3	2.4	(1)	(1)	(1)	(1)
3.0	4.0	1.9	2.3	1.9	1.7	(1)	(1)	(1)	(1)	1.0	2.6	(1)	(1)	2.1	1.7	(1)	(1)	(1)	(1)
0.6	2.0	1.6	1.8	1.5	2.2	(1)	(1)	(1)	(1)	1.0	3.9	(1)	(1)	.....	2.0	(1)	(1)	(1)	(1)
1.8	1.2	2.2	0.7	1.5	1.7	(1)	(1)	(1)	(1)	1.6	1.3	(1)	(1)	2.0	2.7	(1)	(1)	(1)	(1)
1.8	1.2	1.1	0.7	1.3	1.2	(1)	(1)	(1)	(1)	0.6	1.9	(1)	(1)	2.0	1.7	(1)	(1)	(1)	(1)
0.6	0.8	1.3	2.3	1.2	1.0	(1)	(1)	1.4	1.3	1.2	4.5	.....	0.8	5.9	1.0	(1)	(1)	(1)	(1)
2.3	1.6	1.0	1.4	1.2	2.1	(1)	(1)	1.1	1.3	1.9	.....	.....	0.6	.....	1.3	(1)	(1)	(1)	(1)
1.1	0.8	1.4	0.9	0.9	2.0	(1)	(1)	1.2	1.1	1.2	.....	.....	0.6	1.9	1.3	0.8	0.6	1.3	0.8
1.1	1.6	1.2	2.1	0.9	1.6	1.3	1.4	1.1	1.5	1.8	1.1	7.2	0.2	.....	1.0	0.5	0.4	0.6	1.2
5.6	4.4	15.1	10.5	24.9	5.6	(1)	(1)	(1)	(1)	14.8	6.9	(1)	(1)	8.6	6.4	(1)	(1)	(1)	(1)
5.0	8.3	17.4	6.0	20.8	4.9	(1)	(1)	(1)	(1)	12.0	6.1	(1)	(1)	4.2	4.7	(1)	(1)	(1)	(1)
7.3	5.6	17.3	8.3	22.3	5.2	(1)	(1)	(1)	(1)	10.1	6.6	(1)	(1)	6.2	8.4	(1)	(1)	(1)	(1)
3.0	3.6	19.7	6.3	14.0	6.3	(1)	(1)	(1)	(1)	11.8	7.8	(1)	(1)	4.1	7.4	(1)	(1)	(1)	(1)
10.1	6.4	24.5	10.4	16.0	5.6	(1)	(1)	(1)	(1)	9.9	5.7	(1)	(1)	6.1	7.7	(1)	(1)	(1)	(1)
4.1	5.6	23.7	9.8	17.5	6.7	(1)	(1)	(1)	(1)	19.8	6.2	(1)	(1)	12.0	6.7	(1)	(1)	(1)	(1)
9.8	8.4	23.4	11.3	22.3	7.4	(1)	(1)	10.4	2.7	13.1	12.4	.....	3.8	7.9	9.0	(1)	(1)	(1)	(1)
13.6	7.2	25.7	16.1	20.5	10.3	(1)	(1)	12.2	4.4	12.5	8.9	.....	3.6	3.9	8.0	(1)	(1)	(1)	(1)
13.4	7.2	23.9	15.7	20.2	10.6	(1)	(1)	12.0	4.2	11.9	15.2	.....	4.8	7.7	8.6	5.4	3.8	13.7	6.6
13.8	10.5	27.1	15.9	22.4	10.8	16.1	5.7	13.6	5.5	11.4	14.9	.....	4.5	7.6	7.6	7.9	5.0	10.6	8.8
131.6	162.2	113.2	119.4	103.8	135.9	(1)	(1)	(1)	(1)	131.3	134.9	(1)	(1)	100.8	139.1	(1)	(1)	(1)	(1)
134.9	157.9	108.8	107.7	110.4	148.7	(1)	(1)	(1)	(1)	129.0	140.3	(1)	(1)	120.3	146.2	(1)	(1)	(1)	(1)
135.4	172.1	112.3	113.3	114.0	154.3	(1)	(1)	(1)	(1)	140.4	135.3	(1)	(1)	108.2	133.1	(1)	(1)	(1)	(1)
163.4	202.7	108.6	115.8	124.6	161.8	(1)	(1)	(1)	(1)	133.3	156.3	(1)	(1)	129.2	171.4	(1)	(1)	(1)	(1)
140.9	203.5	115.5	123.3	141.1	186.8	(1)	(1)	(1)	(1)	134.1	162.6	(1)	(1)	147.7	166.7	(1)	(1)	(1)	(1)
158.2	213.5	114.6	118.4	133.9	177.0	(1)	(1)	(1)	(1)	123.3	153.7	(1)	(1)	133.7	177.4	(1)	(1)	(1)	(1)
173.8	203.6	115.6	120.2	134.0	174.7	(1)	(1)	129.9	110.7	142.3	225.8	70.7	44.7	147.6	187.1	(1)	(1)	(1)	(1)
177.7	223.3	119.8	124.4	144.2	197.3	(1)	(1)	140.1	116.9	169.8	159.4	91.7	43.6	159.2	201.0	(1)	(1)	(1)	(1)
172.4	196.8	110.7	115.0	132.8	184.8	(1)	(1)	125.8	113.5	133.1	160.8	119.0	38.1	180.1	191.7	90.8	61.1	88.2	99.6
172.3	211.7	111.3	107.0	133.4	196.7	115.3	140.1	128.5	115.1	153.2	143.9	43.5	39.3	155.0	200.6	97.5	65.8	89.0	91.2
10.1	11.9	7.5	8.4	5.1	9.2	(1)	(1)	(1)	(1)	5.3	11.8	(1)	(1)	6.5	12.8	(1)	(1)	(1)	(1)
12.4	11.1	7.2	5.5	4.7	9.8	(1)	(1)	(1)	(1)	3.1	14.2	(1)	(1)	8.4	13.1	(1)	(1)	(1)	(1)
9.8	14.3	7.4	5.6	5.3	9.4	(1)	(1)	(1)	(1)	5.7	11.2	(1)	(1)	8.3	14.1	(1)	(1)	(1)	(1)
9.6	10.8	6.4	8.5	5.3	9.7	(1)	(1)	(1)	(1)	7.5	5.8	(1)	(1)	10.3	11.0	(1)	(1)	(1)	(1)
10.7	16.4	6.9	6.7	4.9	9.9	(1)	(1)	(1)	(1)	6.7	7.6	(1)	(1)	16.2	6.7	(1)	(1)	(1)	(1)
8.8	14.4	5.4	6.9	5.6	8.8	(1)	(1)	(1)	(1)	7.2	11.2	(1)	(1)	8.0	13.7	(1)	(1)	(1)	(1)
9.2	10.0	5.3	7.5	5.2	9.6	(1)	(1)	5.8	7.0	5.2	10.2	.....	2.3	3.9	11.7	(1)	(1)	(1)	(1)
14.2	11.2	5.1	7.7	5.2	10.5	(1)	(1)	7.0	6.7	4.8	18.8	.....	2.6	9.7	13.0	(1)	(1)	(1)	(1)
7.3	8.9	5.0	8.7	4.9	11.8	(1)	(1)	5.9	6.4	5.8	11.9	.....	2.5	11.5	15.3	3.1	4.6	4.2	2.9
5.5	14.5	5.8	8.7	5.0	10.3	6.2	9.5	6.1	7.2	4.3	10.7	.....	1.8	15.1	14.9	4.8	3.3	4.8	3.8
2.5	3.2	5.5	3.7	5.3	4.6	(1)	(1)	(1)	(1)	4.6	6.9	(1)	(1)	4.3	4.4	(1)	(1)	(1)	(1)
5.0	4.0	4.8	4.7	6.7	4.4	(1)	(1)	(1)	(1)	4.5	3.4	(1)	(1)	2.1	4.0	(1)	(1)	(1)	(1)
6.7	6.8	7.4	4.8	9.2	5.3	(1)	(1)	(1)	(1)	5.4	5.9	(1)	(1)	2.1	4.0	(1)	(1)	(1)	(1)
3.6	6.4	6.6	5.5	10.1	8.1	(1)	(1)	(1)	(1)	6.2	10.3	(1)	(1)	12.3	7.7	(1)	(1)	(1)	(1)
2.4	8.4	6.7	6.4	11.1	11.9	(1)	(1)	(1)	(1)	9.9	12.7	(1)	(1)	2.0	6.7	(1)	(1)	(1)	(1)
5.8	3.6	6.8	8.4	13.8	10.8	(1)	(1)	(1)	(1)	12.2	9.3	(1)	(1)	12.0	13.0	(1)	(1)	(1)	(1)
12.1	9.6	9.6	9.6	13.8	14.6	(1)	(1)	15.0	7.6	12.1	26.0	7.9	1.9	17.7	11.0	(1)	(1)	(1)	(1)
11.4	16.5	11.2	12.7	16.9	20.4	(1)	(1)	18.4	8.4	24.0	11.1	15.3	4.8	15.5	23.6	(1)	(1)	(1)	(1)
16.8	24.9	12.6	11.1	19.2	26.6	(1)	(1)	18.8	9.6	20.3	10.9	7.4	5.7	23.0	23.2	10.5	3.8	14.1	12.5
19.3	23.8	12.4	12.4	21.5	31.6	21.6	16.1	21.6	11.3	25.5	16.0	.....	6.2	32.1	31.8	9.6	8.7	17.3	14.9
5.0	8.3	3.6	5.5	4.2	5.0	(1)	(1)	(1)	(1)	6.7	5.5	(1)	(1)	2.1	8.1	(1)	(1)	(1)	(1)
5.0	9.5	4.5	4.7	4.4	4.0	(1)	(1)	(1)	(1)	3.4	2.7	(1)	(1)	6.3	4.7	(1)	(1)	(1)	(1)
8.5	8.3	5.5	4.1	3.4	4.7	(1)	(1)	(1)	(1)	5.7	3.3	(1)	(1)	4.2	9.4	(1)	(1)	(1)	(1)
6.6	6.4	5.4	3.4	5.6	5.9	(1)	(1)	(1)	(1)	2.3	5.2	(1)	(1)	12.3	3.3	(1)	(1)	(1)	(1)
4.1	6.4	3.7	3.9	5.1	5.8	(1)	(1)	(1)	(1)	2.6	2.5	(1)	(1)	8.1	5.7	(1)	(1)	(1)	(1)
11.7	4.4	4.9	6.2	4.5	5.6	(1)	(1)	(1)	(1)	4.4	2.5	(1)	(1)	6.0	5.0	(1)	(1)	(1)	(1)
8.1	7.6	7.3	4.6	4.7	6.0	(1)	(1)	3.0	2.1	4.4	2.3	.....	1.3	7.9	7.0	(1)	(1)	(1)	(1)
6.8	9.6	6.5	4.8	4.6	5.8	(1)	(1)	3.6	2.2	4.3	1.1	.....	1.8	3.9	4.3	(1)	(1)	(1)	(1)
5.6	10.1	5.8	4.6	4.9	6.1	(1)	(1)	3.1	2.5	6.1	5.4	.....	1.9	9.6	5.0	2.8	2.0	4.0	2.4
6.6	8.5	4.0	4.2	4.1	6.2	4.0	3.0	3.0	2.4	2.5	1.1	.....	1.1	3.8	6.6	2.9	1.8	3.4	3.2
1.3	.....	0.6	0.2	0.8	0.4	(1)	(1)	(1)	(1)	1.1	0.7	(1)	(1)	2.1	.....	(1)	(1)	(1)	(1)
.....	0.4	0.5	0.5	0.4	0.6	(1)	(1)	(1)	(1)	0.7	2.0	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	0.4	0.1	0.7	0.4	(1)	(1)	(1)	(1)	1.3	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.5	0.9	0.6	0.5	(1)	(1)	(1)	(1)	0.3	2.6	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
0.6	0.8	0.4	0.6	0.7	0.7	(1)	(1)	(1)	(1)	1.0	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
.....	0.4	0.7	0.2	0.9	0.5	(1)	(1)	(1)	(1)	0.6	1.2	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
0.6	0.8	0.7	0.6	0.6	0.7	(1)	(1)	0.6	0.3	1.0	1.1	.....	0.2	.....	0.3	(1)	(1)	(1)	(1)
.....	0.4	0.8	0.2	0.9	0.9	(1)	(1)	0.5	0.5	0.5	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
0.6	0.4	0.5	0.2	0.5	0.5	(1)	(1)	0.5	0.4	0.7	.....	.....	0.2	.....	2.3	0.3	.....	0.9	0.5
0.6	0.4	0.3	0.4	0.6	0.8	0.8	0.5	0.4	0.6	0.5	.....	.....	0.5	.....	1.3	1.2	0.4	1.4	0.5

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Diseases of lymphatics	1900	(1)	(1)	(1)	(1)	0.2	0.3	.....	0.1	.....	0.2	(1)	(1)	0.3	.....	0.3	0.3
	1901	(1)	(1)	(1)	(1)	.....	.....	0.3	0.1	.....	.....	(1)	(1)	0.2	.....	0.3	0.3
	1902	(1)	(1)	(1)	(1)	0.2	.....	.....	0.1	.....	0.2	(1)	(1)	(2)	0.3	0.3	0.3
	1903	(1)	(1)	(1)	(1)	.....	0.6	0.3	0.2	.....	0.2	(1)	(1)	0.1	.....	0.3	.....
	1904	(1)	(1)	(1)	(1)	0.2	.....	0.1	0.1	0.8	0.2	(1)	(1)	0.4	0.1	.....	0.1
	1905	(1)	(1)	(1)	(1)	0.1	.....	0.1	0.2	.....	.....	(1)	(1)	0.3	.....	0.6	0.2
	1906	0.2	0.1	.....	0.2	0.3	0.3	0.1	0.2	.....	0.4	.....	0.2	0.2	.....	0.3	0.2
	1907	.....	.....	0.4	0.2	0.1	0.3	0.1	0.2	0.6	.....	0.7	0.2	0.2	0.4	0.3	0.5
	1908	0.2	0.3	.....	.....	0.1	.....	.....	0.2	.....	0.5	0.5	.....	0.3	0.1	0.5	0.5
	1909	0.4	0.1	.....	0.2	0.3	.....	0.3	0.2	0.5	.....	0.7	.....	0.5	.....	0.2	0.5
Hemorrhages	1900	(1)	(1)	(1)	(1)	2.9	5.0	5.6	4.8	8.4	2.1	(1)	(1)	3.8	3.4	2.6	2.0
	1901	(1)	(1)	(1)	(1)	3.0	1.5	5.0	3.3	1.7	2.9	(1)	(1)	3.4	4.0	2.9	2.3
	1902	(1)	(1)	(1)	(1)	2.4	1.8	4.2	2.9	4.1	2.9	(1)	(1)	3.4	4.1	1.6	1.8
	1903	(1)	(1)	(1)	(1)	2.8	3.0	2.4	2.0	7.4	2.0	(1)	(1)	2.8	3.8	2.6	1.1
	1904	(1)	(1)	(1)	(1)	1.5	1.2	2.8	2.5	2.4	4.1	(1)	(1)	1.8	2.0	2.3	1.4
	1905	(1)	(1)	(1)	(1)	1.8	0.6	3.2	1.9	1.6	2.5	(1)	(1)	2.4	1.6	4.2	2.8
	1906	2.5	1.6	0.8	0.5	1.9	0.9	1.7	1.6	4.0	2.7	2.4	3.9	1.6	1.5	3.3	2.7
	1907	1.6	2.3	2.6	0.9	1.1	1.4	1.8	1.2	3.9	3.3	1.5	1.4	2.8	1.5	3.1	2.5
	1908	1.3	1.6	1.4	1.9	1.2	0.9	1.5	1.3	1.7	1.4	1.5	1.6	2.6	3.0	2.3	2.0
	1909	1.3	1.6	1.7	2.0	1.5	1.1	0.9	0.9	3.8	2.0	1.3	1.9	1.8	2.7	2.9	1.4
Other diseases of circulatory system	1900	(1)	(1)	(1)	(1)	.....	.....	0.3	0.1	.....	.....	(1)	(1)	.....	.....	0.3	0.3
	1901	(1)	(1)	(1)	(1)	0.3	.....	1.6	0.6	.....	.....	(1)	(1)	0.1	.....	0.4	0.1
	1902	(1)	(1)	(1)	(1)	.....	0.6	2.6	0.7	.....	.....	(1)	(1)	0.1	.....	0.1	0.3
	1903	(1)	(1)	(1)	(1)	.....	.....	0.9	0.8	.....	0.5	(1)	(1)	0.1	0.3	0.1	0.3
	1904	(1)	(1)	(1)	(1)	0.2	.....	1.0	0.2	.....	0.3	(1)	(1)	(2)	0.1	.....	0.4
	1905	(1)	(1)	(1)	(1)	0.1	0.3	1.4	0.7	.....	0.2	(1)	(1)	.....	.....	.....	0.4
	1906	.....	0.1	0.4	.....	0.1	0.3	0.4	0.4	.....	.....	.....	.....	0.1	0.1	.....	0.2
	1907	.....	.....	0.4	.....	0.1	.....	.....	0.5	.....	0.2	.....	.....	(2)	0.1	0.1	0.2
	1908	0.1	0.3	0.4	.....	.....	0 3	.....	0.1	.....	.....	.....	0.3	(2)	.....	.....	0.1
	1909	.....	.....	.....	0.2	.....	0 3	0.1	0.1	.....	.....	.....	0.1	0.1	.....	0.2	0.1
IV.—Diseases of respiratory system	1900	(1)	(1)	(1)	(1)	244.5	204.2	222.6	160.2	243.2	225.2	(1)	(1)	250.9	219.8	208.6	156.5
	1901	(1)	(1)	(1)	(1)	200.0	187.9	186.5	166.5	201.1	192.8	(1)	(1)	223.8	197.7	208.6	167.7
	1902	(1)	(1)	(1)	(1)	182.2	155.5	156.9	129 5	234.4	181.5	(1)	(1)	231.8	177.9	203.6	143.1
	1903	(1)	(1)	(1)	(1)	200.5	183 3	160.3	113.6	229.5	178.5	(1)	(1)	233.7	181.7	190.1	139.0
	1904	(1)	(1)	(1)	(1)	190.9	171.6	182.1	148.5	236.0	188.8	(1)	(1)	218.6	180.7	172.5	146.5
	1905	(1)	(1)	(1)	(1)	196.8	162.0	152.8	134.8	192.8	184.8	(1)	(1)	218.5	178.4	165.8	137.3
	1906	193.5	103.5	217.9	162.0	215.7	161.3	153.7	124.4	227.1	158 4	253.6	133.3	214.7	159.8	174.4	130.3
	1907	186.7	130.4	248.2	161.3	218.5	175.7	154.2	121.8	229.1	190 8	254.9	129.2	224.0	183.6	182.4	138.9
	1908	152.2	122.8	235.6	161.3	178.3	135.1	134 9	111.9	191.7	163.6	230.5	123.9	200.9	161.7	146.6	111.4
	1909	135.9	107.1	205 7	171.3	187.9	149.2	135 2	126.8	237.9	181.4	246.7	136.8	204.7	163.8	144.1	115.2
Diseases of nasal fossa	1900	(1)	(1)	(1)	(1)	.....	.....	0 3	0 3	.....	.....	(1)	(1)	.....	.....	.....	0.2
	1901	(1)	(1)	(1)	(1)	.....	0.3	0.2	0.5	.....	0.2	(1)	(1)	0.2	.....	.....	0.7
	1902	(1)	(1)	(1)	(1)	.....	0.3	.....	0 2	.....	.....	(1)	(1)	(2)	.....	0.5	0.7
	1903	(1)	(1)	(1)	(1)	0.2	0.3	0.3	0 5	.....	.....	(1)	(1)	0.2	.....	.....	0.8
	1904	(1)	(1)	(1)	(1)	.....	.....	0.1	0 3	.....	.....	(1)	(1)	0.2	.....	0.1	0.5
	1905	(1)	(1)	(1)	(1)	.....	.....	0.3	0.2	0.8	0.5	(1)	(1)	0.2	.....	0.2	0.7
	1906	0.2	0.2	.....	.....	.....	.....	0.1	0.5	.....	.....	0.2	1.4	0.2	0.1	0.2	0.5
	1907	0.2	0.2	.....	0.2	.....	.....	0.3	0.1	.....	0.2	0.2	2.1	0.1	0.1	.....	0.4
	1908	.....	0.2	0.4	0.2	.....	.....	0.3	.....	.....	0.2	.....	1.0	0.2	0.5	0.1	0.3
	1909	0.2	0.1	.....	.....	.....	.....	0.1	0.2	1.1	0.5	.....	1.3	.....	.....	.....	0.3
Laryngitis	1900	(1)	(1)	(1)	(1)	2.0	1.6	0.5	1.6	2.5	2.3	(1)	(1)	1.8	1.6	0.8	1.2
	1901	(1)	(1)	(1)	(1)	1 2	2.2	1.9	1.9	3.3	1.6	(1)	(1)	1.7	1.0	1.6	1.5
	1902	(1)	(1)	(1)	(1)	1 3	1.8	2.5	1.0	8.3	1.0	(1)	(1)	1.2	0.4	2.2	1.0
	1903	(1)	(1)	(1)	(1)	0 9	1.8	0.8	1.0	2.5	0.9	(1)	(1)	1.2	1.4	0.8	0.8
	1904	(1)	(1)	(1)	(1)	0.6	1.2	1.5	1.0	.....	2.0	(1)	(1)	1.0	1.1	1.0	0.6
	1905	(1)	(1)	(1)	(1)	1 3	0.9	0.6	0.5	.....	0.7	(1)	(1)	0.6	1.6	0.7	0.6
	1906	1.2	0.6	0.8	0.9	0 7	0.9	0.7	0.7	1.1	1.3	0.8	1.4	0.7	0.8	1.3	1.0
	1907	0.4	0.6	1.5	1.3	1.5	1.2	0.5	0.8	.....	0.7	0.7	1.1	0.9	0.6	0.6	0.9
	1908	0.5	0.4	1.8	0.4	0.8	0.3	0.9	0.7	3.3	0.2	0.8	1.2	0.7	1.1	0.6	1.1
	1909	0.4	0.3	0.3	1.0	0.5	0.6	0.5	0.7	.....	1.1	0.3	0.7	0.7	1.2	0.4	0.8
Other diseases of larynx	1900	(1)	(1)	(1)	(1)	0 7	1.2	1.9	1.0	1 7	0.9	(1)	(1)	1.1	1.0	1.5	0.9
	1901	(1)	(1)	(1)	(1)	0.3	2.2	1.3	0.4	.....	0.9	(1)	(1)	1.1	0.4	0.7	1.1
	1902	(1)	(1)	(1)	(1)	1.0	0.6	1.4	0.6	1.7	0.9	(1)	(1)	1.4	1.0	0.9	0.5
	1903	(1)	(1)	(1)	(1)	1.9	0.3	1.2	0.8	1 6	1.0	(1)	(1)	1.3	0.1	0.9	1.1
	1904	(1)	(1)	(1)	(1)	0.9	1.8	1.0	0.8	1.6	0.5	(1)	(1)	1.3	0 7	1.0	0.7
	1905	(1)	(1)	(1)	(1)	0.6	1.5	1.6	0.7	1.6	0.2	(1)	(1)	1.0	0.9	1.2	1.1
	1906	0.9	0.6	1.2	1.4	0.7	1.5	0.6	1.0	0.6	0.7	1.2	0.9	1.1	0.6	1.3	0.7
	1907	1.0	1.2	0.7	1.8	1.7	1.2	0.9	0.8	2.2	1.3	0.5	0 8	1.0	1.0	1.2	1.1
	1908	0.6	0.7	1.1	0.8	0.7	0.3	0.1	0.7	0 6	0.9	0.8	0.7	1.0	0.8	1.1	1.2
	1909	0.8	0.9	0.7	1.8	0.8	2.6	0.6	1.0	1 1	0.2	1.0	0.4	0 7	0.7	1.2	0.8
Diseases of thyroid body	1900	(1)	(1)	(1)	(1)	.....	0.3	.....	0.5	0.8	0.3	(1)	(1)	0.1	0.4	0.1	0.2
	1901	(1)	(1)	(1)	(1)	0.3	.....	0.5	0.2	0 8	0 5	(1)	(1)	0.2	0.3	0.5	0.6
	1902	(1)	(1)	(1)	(1)	0.2	0 3	0.2	0 4	0 8	0 2	(1)	(1)	0.1	0 7	0.3	0.1
	1903	(1)	(1)	(1)	(1)	.....	.....	.....	0.1	.....	0.5	(1)	(1)	0.4	0 4	0.4	0.1
	1904	(1)	(1)	(1)	(1)	.....	.....	0 4	0 4	.....	.....	(1)	(1)	0.3	0.3	0.3	0.3
	1905	(1)	(1)	(1)	(1)	0 4	0 3	0.3	0 2	0 8	0 2	(1)	(1)	0.2	0.7	.....	0.4
	1906	0.4	0.3	0.4	.....	0.3	0.3	0.3	0.3	.....	0 2	.....	0.2	0.3	0.4	0.8	0.8
	1907	0.2	0.3	0.4	0.4	0.3	.....	0.1	0.4	.....	1.3	0.2	0.5	0 3	.....	0.3	0.4
	1908	0 7	0.6	1.1	0.4	0.1	0.3	0.3	0.4	0.6	0.5	0.2	0.1	0.4	0.1	0.5	0.6
	1909	0.5	0.7	.....	.....	0.3	.....	0.3	0.4	0.5	0.5	0.2	0.3	0.5	0.3	0.8	0.6
Acute bronchitis	1900	(1)	(1)	(1)	(1)	26.5	21.6	16.8	11.4	24.5	23.1	(1)	(1)	27.7	19.3	27.9	17.4
	1901	(1)	(1)	(1)	(1)	28.0	22.6	12.3	10 6	25.9	15.2	(1)	(1)	23.1	18.7	29.6	17.4
	1902	(1)	(1)	(1)	(1)	26.6	18.0	11.4	8.1	19.8	19.2	(1)	(1)	27.7	15.3	28.8	15.3
	1903	(1)	(1)	(1)	(1)	22.7	21.2	12.3	9 4	17.2	17.0	(1)	(1)	23.8	18.1	24.8	16.4
	1904	(1)	(1)	(1)	(1)	19 4	18.6	10.6	8 4	25.9	15.7	(1)	(1)	22.4	15.9	21.8	16.7
	1905	(1)	(1)	(1)	(1)	19.8	15.7	9.2	9.7	13.6	13 6	(1)	(1)	21.7	12 8	21.5	19 0
	1906	12.5	4.2	14.6	8 9	22.0	18.5	9.4	7.0	18.1	12.2	22.1	11.8	21.5	13.6	18.5	16.3
	1907	10.7	6 3	10.4	7.2	21.4	12.2	9.8	6 3	10.1	14.7	19.2	11.6	21.0	16.6	16.7	14.4
	1908	11.4	4 9	10.1	7 8	17.0	18.1	9.8	6 8	11 1	11.0	19.5	12.4	19.0	16.3	15.1	13.8
	1909	9.0	6.0	12.9	7 1	17.8	13.3	8.8	9.3	15.3	18.3	21.3	11.8	17.9	13.7	11.3	16.9

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.6	.....	0.1	0.1	0.2	0.3	(1)	(1)	(1)	(1)	1.1	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
0.6	0.4	0.3	.....	0.2	(2)	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.4	0.1	0.2	0.2	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	2.1	.....	(1)	(1)	(1)	(1)
.....	.....	0.3	0.1	0.3	0.2	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.5	0.1	0.3	0.3	(1)	(1)	(1)	(1)	0.6	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.2	0.2	0.2	0.2	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	2.0	0.7	(1)	(1)	(1)	(1)
.....	.....	0.2	0.1	0.3	0.2	(1)	(1)	0.3	0.2	0.2	.....	.....	0.2	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	0.5	0.3	0.1	(1)	(1)	0.2	0.1	0.2	.....	.....	.....	.....	0.7	(1)	(1)	(1)	(1)
.....	.....	0.4	.....	0.2	0.1	(1)	(1)	0.4	0.4	0.5	.....	.....	0.4	.....	0.3	0.3	0.2	0.3	0.5
0.6	.....	0.2	0.2	0.3	0.2	0.4	0.3	0.4	0.5	0.5	.....	.....	0.2	.....	0.3	0.2	0.3	0.1	0.1
5.0	6.3	3.2	3.5	3.4	5.6	(1)	(1)	(1)	(1)	1.8	2.8	(1)	(1)	6.5	4.0	(1)	(1)	(1)	(1)
3.1	5.9	3.5	2.0	2.3	2.5	(1)	(1)	(1)	(1)	1.7	0.7	(1)	(1)	4.2	3.4	(1)	(1)	(1)	(1)
3.0	4.8	3.6	2.6	2.2	1.9	(1)	(1)	(1)	(1)	2.4	0.7	(1)	(1)	8.3	4.7	(1)	(1)	(1)	(1)
4.8	4.0	3.0	2.1	1.7	2.6	(1)	(1)	(1)	(1)	1.6	2.6	(1)	(1)	4.1	4.0	(1)	(1)	(1)	(1)
2.4	3.2	3.0	2.5	1.8	2.7	(1)	(1)	(1)	(1)	1.9	0.6	(1)	(1)	2.0	4.0	(1)	(1)	(1)	(1)
4.1	0.4	2.3	1.0	1.3	1.7	(1)	(1)	(1)	(1)	0.6	1.9	(1)	(1)	4.0	2.3	(1)	(1)	(1)	(1)
1.7	4.4	1.4	1.3	1.4	2.1	(1)	(1)	2.4	1.6	0.5	.....	.....	1.1	11.8	2.7	(1)	(1)	(1)	(1)
2.8	4.0	1.7	1.1	1.6	1.3	(1)	(1)	1.9	1.7	0.7	1.1	.....	2.4	.....	2.7	(1)	(1)	(1)	(1)
1.1	2.8	1.6	0.9	1.4	1.2	(1)	(1)	0.9	1.5	1.2	.....	.....	0.8	.....	3.0	1.5	1.3	1.6	1.6
1.1	3.2	0.8	0.9	1.4	1.6	1.6	1.1	1.3	1.4	1.4	2.1	.....	1.8	.....	1.0	1.4	0.6	1.6	2.1
.....	0.4	.....	0.2	(2)	0.1	(1)	(1)	(1)	(1)	.....	0.7	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	0.4	.....	.....	0.1	0.1	(1)	(1)	(1)	(1)	.....	1.3	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
1.2	.....	0.1	.....	0.1	0.1	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
0.6	.....	0.2	.....	0.1	0.3	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	2.1	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	0.1	0.2	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.1	(2)	0.2	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.1	0.1	(2)	(1)	(1)	.....	0.1	.....	.....	.....	.....	.....	0.3	(1)	(1)	(1)	(1)
.....	0.4	0.1	.....	0.1	.....	(1)	(1)	(2)	0.1	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	0.1	.....	(2)	.....	(1)	(1)	(2)	0.1	.....	.....	.....	0.2	.....	.....	.....	.....	.....	.....
0.6	1.2	0.1	.....	(2)	0.1	.....	0.1	(2)	0.2	0.2	.....	.....	.....	.....	.....	.....	0.3	.....	0.1
298.3	279.0	302.4	203.2	355.0	181.0	(1)	(1)	(1)	(1)	308.0	285.1	(1)	(1)	311.0	224.3	(1)	(1)	(1)	(1)
241.4	216.2	258.9	176.8	314.1	184.1	(1)	(1)	(1)	(1)	230.9	227.4	(1)	(1)	228.0	227.8	(1)	(1)	(1)	(1)
259.8	182.4	264.6	164.2	304.9	152.0	(1)	(1)	(1)	(1)	234.5	201.3	(1)	(1)	220.6	223.0	(1)	(1)	(1)	(1)
212.1	198.7	249.1	161.3	289.1	160.2	(1)	(1)	(1)	(1)	275.4	221.6	(1)	(1)	283.1	191.1	(1)	(1)	(1)	(1)
206.1	181.6	303.6	193.0	335.7	164.3	(1)	(1)	(1)	(1)	247.4	234.7	(1)	(1)	216.4	207.2	(1)	(1)	(1)	(1)
203.7	164.8	238.8	165.0	266.9	165.3	(1)	(1)	(1)	(1)	258.6	248.5	(1)	(1)	257.3	218.8	(1)	(1)	(1)	(1)
202.0	176.3	262.4	160.7	275.3	152.0	(1)	(1)	228.9	164.2	243.2	217.9	78.5	76.9	236.1	207.7	(1)	(1)	(1)	(1)
216.3	195.2	264.1	175.2	283.9	178.9	(1)	(1)	231.7	168.9	237.0	189.3	137.5	94.1	225.2	218.3	(1)	(1)	(1)	(1)
182.5	175.0	217.6	145.8	227.9	154.9	(1)	(1)	216.1	163.9	208.2	176.0	104.1	105.0	182.0	180.8	97.2	68.9	148.1	117.3
224.3	173.0	237.1	164.5	248.9	166.8	153.8	120.9	216.2	179.6	203.1	165.3	130.4	98.2	234.4	187.7	100.4	79.3	145.1	120.4
0.6	0.4	.....	.....	0.1	0.2	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	0.1	0.5	0.2	0.4	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	.....	0.1	0.4	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.1	(2)	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	0.3	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	0.8	.....	.....	0.1	0.5	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
0.6	0.4	0.1	0.1	0.1	0.3	(1)	(1)	0.1	0.4	.....	.....	.....	0.2	2.0	.....	(1)	(1)	(1)	(1)
.....	1.2	0.1	.....	(2)	0.1	(1)	(1)	0.2	0.4	.....	.....	.....	0.4	.....	1.0	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	(2)	(1)	(1)	0.1	0.6	.....	1.1	.....	0.6	.....	0.3	.....	0.2	0.1	0.3
.....	0.4	0.1	0.1	0.2	0.3	0.2	0.3	0.2	0.5	.....	.....	.....	0.7	.....	.....	0.2	0.6	0.1	0.2
1.9	2.0	2.7	2.2	1.8	1.4	(1)	(1)	(1)	(1)	3.5	0.7	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
3.1	0.4	2.5	2.0	1.5	0.8	(1)	(1)	(1)	(1)	2.8	1.3	(1)	(1)	4.2	2.0	(1)	(1)	(1)	(1)
0.6	1.2	3.0	1.1	1.6	1.0	(1)	(1)	(1)	(1)	1.7	2.6	(1)	(1)	6.2	2.0	(1)	(1)	(1)	(1)
1.8	1.6	2.3	1.3	1.1	1.1	(1)	(1)	(1)	(1)	3.3	0.6	(1)	(1)	2.1	1.3	(1)	(1)	(1)	(1)
.....	1.2	1.7	1.1	1.1	1.0	(1)	(1)	(1)	(1)	1.9	1.3	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
1.2	0.4	1.5	0.9	0.6	0.9	(1)	(1)	(1)	(1)	0.3	0.6	(1)	(1)	2.0	0.3	(1)	(1)	(1)	(1)
4.0	0.4	0.8	1.4	0.7	0.9	(1)	(1)	0.9	1.0	0.7	1.1	.....	0.8	2.0	1.7	(1)	(1)	(1)	(1)
2.3	2.0	1.1	1.5	0.6	1.3	(1)	(1)	0.9	1.1	1.0	.....	.....	0.4	.....	2.0	(1)	(1)	(1)	(1)
2.8	0.8	1.0	0.6	0.4	0.8	(1)	(1)	0.8	1.2	0.9	1.1	7.4	1.3	.....	0.7	1.0	0.9	0.8	0.5
0.6	1.2	0.7	0.6	0.4	1.0	0.8	0.9	0.7	1.1	0.2	1.1	.....	0.5	1.9	0.7	.....	0.3	0.6	0.5
3.8	0.8	1.5	1.2	1.4	0.7	(1)	(1)	(1)	(1)	1.8	1.4	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
5.0	.....	2.3	1.0	1.2	0.7	(1)	(1)	(1)	(1)	3.1	1.3	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
1.2	0.8	2.5	0.4	1.1	0.8	(1)	(1)	(1)	(1)	2.0	1.3	(1)	(1)	2.1	2.7	(1)	(1)	(1)	(1)
4.2	0.4	1.8	1.3	1.1	0.7	(1)	(1)	(1)	(1)	1.0	2.6	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
3.0	1.2	1.8	0.4	1.2	0.5	(1)	(1)	(1)	(1)	1.3	1.9	(1)	(1)	2.0	1.7	(1)	(1)	(1)	(1)
1.2	0.4	1.5	1.1	0.9	1.0	(1)	(1)	(1)	(1)	0.6	3.1	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
5.2	1.6	1.2	1.2	0.8	0.9	(1)	(1)	1.4	1.7	1.2	1.1	.....	1.1	.....	2.3	(1)	(1)	(1)	(1)
2.3	0.4	1.3	1.4	0.8	0.5	(1)	(1)	1.2	1.5	1.2	.....	.....	0.4	.....	0.7	(1)	(1)	(1)	(1)
1.7	.....	1.4	0.9	0.6	1.0	(1)	(1)	1.3	1.2	1.4	.....	.....	0.4	.....	0.3	1.3	0.5	0.9	0.8
3.3	1.2	0.9	1.4	0.6	0.5	0.6	0.4	1.2	1.3	0.7	.....	.....	0.4	.....	1.7	0.7	0.4	0.8	1.0
.....	0.4	0.1	0.1	0.2	0.3	(1)	(1)	(1)	(1)	0.4	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	0.4	.....	0.2	0.2	0.1	(1)	(1)	(1)	(1)	0.3	0.7	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.2	0.1	0.3	0.1	(1)	(1)	(1)	(1)	0.3	0.7	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
.....	.....	0.2	0.1	0.2	0.5	(1)	(1)	(1)	(1)	0.3	1.3	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	0.2	0.4	0.2	(1)	(1)	(1)	(1)	.....	0.6	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	0.2	0.1	0.3	0.4	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	2.0	.....	(1)	(1)	(1)	(1)
0.6	0.8	0.1	.....	0.3	0.3	(1)	(1)	0.2	0.3	.....	.....	.....	0.6	.....	0.7	(1)	(1)	(1)	(1)
.....	0.8	0.1	0.3	0.3	0.3	(1)	(1)	0.2	0.2	0.2	.....	.....	.....	1.9	0.3	(1)	(1)	(1)	(1)
.....	0.8	0.4	0.6	0.2	0.5	(1)	(2)	0.2	0.2	.....	.....	.....	0.6	.....	0.3	1.0	.....	0.8	0.5
0.6	2.0	0.3	0.1	0.4	0.3	0.5	0.4	0.3	0.2	.....	.....	.....	.....	.....	0.3	1.4	0.1	0.8	0.4
32.8	23.3	34.4	20.5	40.7	14.0	(1)	(1)	(1)	(1)	50.3	36.0	(1)	(1)	49.3	23.3	(1)	(1)	(1)	(1)
26.0	17.5	25.2	14.8	33.7	17.4	(1)	(1)	(1)	(1)	34.1	27.0	(1)	(1)	35.9	19.8	(1)	(1)	(1)	(1)
33.5	17.9	24.8	15.5	38.3	15.3	(1)	(1)	(1)	(1)	38.6	33.7	(1)	(1)	43.7	17.4	(1)	(1)	(1)	(1)
26.4	20.3	20.8	14.0	29.3	15.4	(1)	(1)	(1)	(1)	44.6	26.5	(1)	(1)	36.9	22.1	(1)	(1)	(1)	(1)
28.4	14.8	24.0	12.8	32.1	12.1	(1)	(1)	(1)	(1)	33.7	24.7	(1)	(1)	18.2	20.7	(1)	(1)	(1)	(1)
19.3	14.8	20.0	12.0	25.9	12.6	(1)	(1)	(1)	(1)	29.5	26.0	(1)	(1)	35.9	21.7	(1)	(1)	(1)	(1)
21.3	14.0	20.0	12.2	26.1	11.8	(1)	(1)	21.8	13.1	25.9	21.5	.....	7.4	31.5	21.0	(1)	(1)	(1)	(1)
35.8	15.7	15.2	12.9	23.8	13.1	(1)	(1)	21.2	12.1	22.8	14.4	7.6	4.2	13.6	21.3	(1)	(1)	(1)	(1)
23.5	16.1	14.8	10.1	19.1	11.1	(1)	(1)	20.2	13.1	25.3	21.7	.....	7.4	28.7	20.2	4.3	3.8	18.3	10.1
28.2	19.4	16.3	10.4	19.5	12.3	14.9	7.0	18.6	13.6	20.3	19.2	.....	8.2	39.7	19.5	4.6	4.9	15.5	11.1

[1] Less than one-tenth.

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Chronic bronchitis	1900	(1)	(1)	(1)	(1)	25.3	29.4	16.0	10.6	6.8	15.5	(1)	(1)	23.4	22.2	17.5	11.9
	1901	(1)	(1)	(1)	(1)	17.3	18.2	16.5	9.2	15.9	13.1	(1)	(1)	19.7	18.1	17.9	13.4
	1902	(1)	(1)	(1)	(1)	12.8	10.7	13.1	9.4	11.6	15.6	(1)	(1)	18.8	18.0	17.2	11.6
	1903	(1)	(1)	(1)	(1)	14.9	22.8	13.4	8.0	8.2	13.1	(1)	(1)	19.4	15.2	13.8	11.6
	1904	(1)	(1)	(1)	(1)	12.6	14.7	12.9	10.0	15.4	13.0	(1)	(1)	17.8	18.9	14.6	14.6
	1905	(1)	(1)	(1)	(1)	14.3	15.7	11.6	9.2	12.0	16.8	(1)	(1)	16.6	22.1	12.6	13.5
	1906	15.6	6.1	6.9	3.4	18.6	17.6	9.0	9.2	8.5	11.5	20.9	8.2	14.2	11.8	14.4	13 8
	1907	12.4	9.9	7.8	5.0	13.9	16.2	10.5	8.5	10.1	12.9	18.2	11.4	17.3	21.7	13.9	12.9
	1908	11.1	7.9	6.1	3.8	11.1	14.1	9.5	8.3	4.4	9.6	19.8	10.9	14.3	17.9	11.1	10.0
	1909	12.5	7.1	11.8	2.2	12.1	13.6	10.2	9.1	7.1	9.9	14.6	11.1	12.0	14.1	11.5	12.2
Bronchopneumonia	1900	(1)	(1)	(1)	(1)	16.5	12.2	10.1	9.6	26.2	19.4	(1)	(1)	31.5	17.7	29.3	14.1
	1901	(1)	(1)	(1)	(1)	26.5	22.3	15.0	17.6	18.4	14.3	(1)	(1)	29.0	13.8	28.3	16.9
	1902	(1)	(1)	(1)	(1)	23.2	16.2	14.3	12.8	28.9	13.5	(1)	(1)	34.3	14.2	30.5	15.6
	1903	(1)	(1)	(1)	(1)	28.1	19.7	19.4	12.9	27.0	17.5	(1)	(1)	33.6	22.0	33.3	18.0
	1904	(1)	(1)	(1)	(1)	25.6	19.2	24.1	20.0	25.9	21.3	(1)	(1)	32.8	21.5	26.1	18.5
	1905	(1)	(1)	(1)	(1)	27.5	20.2	19.6	16.1	30.4	21.4	(1)	(1)	30.1	21.2	25.4	16.4
	1906	35.3	11.1	21.5	17.8	34.4	24.6	26.9	13.1	41.9	18.5	61.5	19.5	34.7	22.5	31.6	14.7
	1907	30.6	14.0	23.4	20.8	30.8	22.3	27.1	14.5	43.1	22.4	55.7	19.2	36.8	23.6	30.0	18.1
	1908	28.5	14.0	20.5	27.5	29.4	19.8	27.6	21.5	36.6	22.6	48.1	21.0	36.1	21.6	23.4	13.3
	1909	20.6	14.6	20.2	22.8	39.3	21.8	35.0	28.1	39.5	23.7	56.0	21.8	37.5	24.7	24.9	14.9
Pneumonia (lobar and unqualified)	1900	(1)	(1)	(1)	(1)	149.9	117.8	144.2	104.1	154.6	141.3	(1)	(1)	145.0	134.4	103.2	88.5
	1901	(1)	(1)	(1)	(1)	110.8	99.5	107.2	101.8	111.0	126.1	(1)	(1)	128.1	125.2	101.6	98.0
	1902	(1)	(1)	(1)	(1)	101.2	91.6	86.2	76.2	142.8	115.2	(1)	(1)	128.1	107.5	95.3	81.8
	1903	(1)	(1)	(1)	(1)	108.8	101.1	87.4	63.7	156.0	112.9	(1)	(1)	133.6	109.4	94.0	74.0
	1904	(1)	(1)	(1)	(1)	113.6	99.6	109.9	88.4	146.3	119.0	(1)	(1)	126.4	105.9	86.9	77.0
	1905	(1)	(1)	(1)	(1)	113.8	94.0	88.2	81.3	120 8	116.8	(1)	(1)	131.5	107.3	79.8	68.1
	1906	111.8	65.6	150.0	118.1	122.2	84.5	88 8	75.4	132.5	96.1	122.3	74.6	126.1	98.9	85.1	66.3
	1907	112.3	79.2	181.0	106.8	131 4	110.8	87.2	75.4	145.1	122.1	137 3	71.4	128 6	105.6	98.0	72.9
	1908	83.3	77.1	176.7	106.9	104 7	71.4	72 5	63.4	116.9	107.4	117.0	62.8	113.7	92.2	78.6	55.8
	1909	76.1	62.5	146.9	116.7	104.1	87.7	70.7	70.2	147.4	110.6	132.0	75.3	121.9	96.1	76.5	54.2
Pleurisy	1900	(1)	(1)	(1)	(1)	5.1	6.3	2.7	1.8	6.8	2.6	(1)	(1)	5.0	4.2	4.4	2.5
	1901	(1)	(1)	(1)	(1)	3.3	6.8	2.9	1.9	5.0	2.4	(1)	(1)	4.7	4.7	5.4	2.8
	1902	(1)	(1)	(1)	(1)	4.6	2.7	3.4	2.4	4 1	1.5	(1)	(1)	4.5	4.4	5.5	2.5
	1903	(1)	(1)	(1)	(1)	6.4	2.4	2.3	2.1	4.9	1.9	(1)	(1)	5.2	3.9	3.7	2.7
	1904	(1)	(1)	(1)	(1)	5.8	4.2	2.5	1.9	2.4	2.7	(1)	(1)	5.3	4.6	2.7	3.0
	1905	(1)	(1)	(1)	(1)	5.0	4.4	3.7	1.9	1.6	3.9	(1)	(1)	6.2	2.8	3.4	3.1
	1906	4.6	2.2	4.6	1.4	6.0	4.7	3.6	2.6	2.3	2.7	4.2	3.0	5 0	2.5	3.9	4.0
	1907	4.2	2.9	5.2	2.4	6.0	3.2	2.8	2.4	1.7	3.1	5.2	1.7	5.2	3.6	5.8	3.6
	1908	5.2	2.6	5.4	1.7	4.4	2.9	3.6	1.7	2.2	1 3	5.9	2.4	5.9	3.1	4.2	3.2
	1909	6.3	2.3	2.8	2.6	5.1	4.0	2.5	2.2	3.8	4.1	5.7	2.2	4 5	3.6	3.2	3.1
Congestion of lungs	1900	(1)	(1)	(1)	(1)	10.7	8.1	12.5	9.1	15.2	11.4	(1)	(1)	8.7	11.9	9.6	10.2
	1901	(1)	(1)	(1)	(1)	7.9	7.7	12.6	10.9	9.2	10.0	(1)	(1)	8.1	7.4	9.5	6.8
	1902	(1)	(1)	(1)	(1)	5.0	6.1	13.2	8.1	12.4	6.7	(1)	(1)	8.4	8.8	9.5	5.7
	1903	(1)	(1)	(1)	(1)	10 6	10.3	12.9	7.9	9.0	6.0	(1)	(1)	8.3	5.4	6.9	5.7
	1904	(1)	(1)	(1)	(1)	8.0	6.6	8.7	8.9	7.3	6.4	(1)	(1)	6.3	7.2	6.9	6.2
	1905	(1)	(1)	(1)	(1)	7.8	7.4	6.9	8.1	5.6	5.6	(1)	(1)	5.2	4.1	8.8	6.2
	1906	4.8	5.2	5.0	2.1	6.5	5.9	6.4	7.0	14.2	7.5	8.4	6.4	6.1	3.6	6.2	6.0
	1907	6.6	6.0	4.5	3.1	5.3	5.2	6.3	5.6	9.0	5.8	6.7	4.8	7.9	6.2	6.6	7.0
	1908	5.4	5.8	2.9	3.4	6.0	4.6	4.5	4.1	12.2	4.9	6.8	7.8	6.0	4.6	4.5	4.9
	1909	4.6	4.5	2.8	3.1	4.7	3.4	1.9	2.4	15.3	6.5	6.9	7.0	4.6	5.8	6.6	4.8
Gangrene of lungs	1900	(1)	(1)	(1)	(1)	0.7	.....	0.8	0.3	0.8	0.2	(1)	(1)	0.3	0.3	0.4	0.2
	1901	(1)	(1)	(1)	(1)	0.5	0.9	0.5	0.1	.....	0.3	(1)	(1)	0.6	0.6	0.4	0.2
	1902	(1)	(1)	(1)	(1)	0.3	.....	0.3	0.2	.....	0 5	(1)	(1)	0.8	0.7	0.9	0.3
	1903	(1)	(1)	(1)	(1)	0.3	0.3	.....	0.2	.....	0.2	(1)	(1)	0.4	0.3	0.5	0.3
	1904	(1)	(1)	(1)	(1)	0.2	0.3	0.3	0.3	0.8	0.8	(1)	(1)	0.4	0.4	0.7	0.5
	1905	(1)	(1)	(1)	(1)	0.3	.....	0.7	0.5	.....	0 2	(1)	(1)	0.5	0.1	0.6	0.5
	1906	0.7	0.4	0.8	0.2	0.7	0.3	0.3	0.4	2.3	0 4	0.2	0.2	0.6	0.3	0.4	0.3
	1907	0.9	0.4	0.4	.....	1.1	.....	0.3	0.2	0.6	.....	0.7	0.3	0.7	0.3	0.1	0.4
	1908	0.3	0.2	0.7	.....	0.3	.....	0.3	0.1	.....	0.9	0.5	.....	0.1	0.4	0.5	0.3
	1909	1.0	0.8	0.3	0.2	0.7	0.3	0.5	0.1	0.5	0.5	0.8	.....	0.9	.....	0.5	0.2
Asthma	1900	(1)	(1)	(1)	(1)	4.1	1.9	8.0	4.0	.....	2.1	(1)	(1)	2.4	2.2	7.0	3.6
	1901	(1)	(1)	(1)	(1)	1.2	2.8	8.0	4.3	2.5	4.7	(1)	(1)	2.5	2.9	6.7	3.4
	1902	(1)	(1)	(1)	(1)	3.2	3.1	5.1	4 1	1.7	2.4	(1)	(1)	2.5	1.8	5.0	3.6
	1903	(1)	(1)	(1)	(1)	1.4	1.2	3.6	2 3	0.8	3 9	(1)	(1)	2.4	3.3	3.6	3.3
	1904	(1)	(1)	(1)	(1)	3.0	0.9	4.7	2.9	2.4	3.2	(1)	(1)	1.3	2.3	5.7	3.2
	1905	(1)	(1)	(1)	(1)	3.1	0.6	4.1	2.1	1.6	1.5	(1)	(1)	1.9	2.1	5.3	3.5
	1906	2.6	3.1	6.1	3.2	1.3	1.5	4.0	3.2	2.3	3.1	6.4	2 9	1.6	1.7	4.8	2.5
	1907	2.0	3.9	6.7	3.7	2.2	1.4	3.8	2.8	3.9	2.4	4.3	2.3	1.8	1.7	4.0	3.4
	1908	2.2	4.1	5.0	3.0	1.4	1.7	2.9	2.0	1.7	2.5	5.5	1.8	1.4	1.1	3.0	3.4
	1909	2.1	3.9	3.8	3.9	1.2	1.4	2.8	2.0	1.6	2.0	4.3	1.8	1.7	2.0	3.3	3.3
Emphysema	1900	(1)	(1)	(1)	(1)	0.8	.....	0.5	0.4	.....	1.0	(1)	(1)	0.3	0.4	0.8	0.9
	1901	(1)	(1)	(1)	(1)	1.0	1.2	1.1	0.4	.....	0.5	(1)	(1)	0.5	0.3	0.3	0.6
	1902	(1)	(1)	(1)	(1)	0.6	0.6	0.5	0.8	.....	0.3	(1)	(1)	0.3	0.7	0.8	0.3
	1903	(1)	(1)	(1)	(1)	1.7	.....	1.1	0.5	.....	0.5	(1)	(1)	0.3	0.4	0.5	0.6
	1904	(1)	(1)	(1)	(1)	0.2	0.6	0.9	0.5	0.8	0.2	(1)	(1)	0.1	0.3	0.1	0.5
	1905	(1)	(1)	(1)	(1)	0.3	.....	0.4	0.6	0.8	0.3	(1)	(1)	0.2	0.3	0.9	0.5
	1906	.....	0.1	0.8	0.5	0.3	0.3	.....	0.2	0.6	0.7	.....	0.3	0.2	0.3	1.0	0.2
	1907	0.5	0.6	0.4	0.7	0.1	0.6	.....	0.3	0.6	0.2	0.5	0.3	0.2	0.1	0.7	0.5
	1908	0.5	0.3	0.7	0.6	0.5	0.6	.....	0.2	.....	.....	0.3	0.3	0.1	0.3	0.3	0.3
	1909	0.1	0.2	0.3	0.4	0.1	.....	0.3	0.1	.....	0.5	0.7	0.4	0.2	0.1	0.2	0.2
Hemorrhage of lungs	1900	(1)	(1)	(1)	(1)	1.5	2.2	4.3	1.9	2.5	2.3	(1)	(1)	2.3	2.7	2.6	1.7
	1901	(1)	(1)	(1)	(1)	1.3	0.3	2.1	1.8	5.8	0.9	(1)	(1)	2.3	2.8	2.7	1.6
	1902	(1)	(1)	(1)	(1)	1.3	1.2	2.6	1.8	1.7	2.7	(1)	(1)	1.8	2.6	2.4	1.0
	1903	(1)	(1)	(1)	(1)	1.1	0.9	2.4	1.2	.....	0.9	(1)	(1)	2.1	0.4	3.2	1.3
	1904	(1)	(1)	(1)	(1)	0.2	0.9	1.8	1.6	6.5	1.7	(1)	(1)	1.4	0.6	1.5	1.7
	1905	(1)	(1)	(1)	(1)	0.6	0.6	2.8	1.3	1.6	1.9	(1)	(1)	1.7	1.6	2.2	1.9
	1906	1.7	1.9	2.7	1.1	0.9	0.3	2.1	1.5	2.3	1.8	4.5	0.8	1.5	1.5	2.8	1.6
	1907	2.5	2.5	3.7	1.5	1.1	0.6	2.2	1.6	2.2	1.8	3.8	0.5	1.0	1.4	1.7	1.3
	1908	1.2	2.2	0.7	0.4	0.8	0.9	1.5	0.7	1.1	0.7	3.5	0.6	1.3	1.0	1.8	1.6
	1909	0.7	1.0	0.7	1.0	0.4	.....	0.5	0.7	2.2	2.0	2.9	1.0	0.9	0.7	2.2	1.1

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
20.1	20.1	18.7	15.4	24.7	15.5	(1)	(1)	(1)	(1)	25.3	18.0	(1)	(1)	17.2	15.9	(1)	(1)	(1)	(1)
17.3	18.6	18.6	12.9	21.2	16.4	(1)	(1)	(1)	(1)	24.1	20.9	(1)	(1)	12.7	18.1	(1)	(1)	(1)	(1)
22.6	13.1	15.5	11.8	18.5	11.9	(1)	(1)	(1)	(1)	16.1	17.2	(1)	(1)	8.3	13.4	(1)	(1)	(1)	(1)
18.0	21.1	14.3	11.7	15.5	13.8	(1)	(1)	(1)	(1)	19.7	12.3	(1)	(1)	22.6	15.7	(1)	(1)	(1)	(1)
11.3	17.2	16.0	10.8	14.7	13.8	(1)	(1)	(1)	(1)	18.3	18.3	(1)	(1)	8.1	20.7	(1)	(1)	(1)	(1)
11.7	15.2	14.1	10.9	13.2	13.5	(1)	(1)	(1)	(1)	15.4	18.0	(1)	(1)	14.0	14.0	(1)	(1)	(1)	(1)
15.0	18.8	11.2	9.7	12.3	10.3	(1)	(1)	13.6	7.9	12.8	11.3	.....	3.8	13.8	19.3	(1)	(1)	(1)	(1)
15.3	20.9	14.7	9.9	12.9	12.7	(1)	(1)	13.4	8.7	14.6	7.8	38.2	3.8	9.7	20.3	(1)	(1)	(1)	(1)
13.4	20.9	9.5	9.1	9.3	10.4	(1)	(1)	12.7	8.5	9.8	10.9	7.4	4.2	9.6	14.6	5.1	3.5	10.9	11.6
14.4	15.7	8.7	8.3	9.6	13.0	10.9	8.8	11.7	8.6	10.9	11.7	7.2	4.0	15.1	16.9	4.6	4.4	12.5	10.9
36.5	26.5	48.3	23.4	26.6	14.5	(1)	(1)	(1)	(1)	52.8	40.8	(1)	(1)	8.6	13.5	(1)	(1)	(1)	(1)
25.4	24.2	37.3	20.3	55.4	19.4	(1)	(1)	(1)	(1)	28.9	14.8	(1)	(1)	29.6	19.2	(1)	(1)	(1)	(1)
26.2	13.1	53.9	26.1	65.9	14.8	(1)	(1)	(1)	(1)	36.6	29.7	(1)	(1)	29.1	23.8	(1)	(1)	(1)	(1)
21.6	16.7	42.3	23.5	70.5	19.9	(1)	(1)	(1)	(1)	50.2	39.4	(1)	(1)	30.8	20.8	(1)	(1)	(1)	(1)
27.8	18.8	48.3	29.5	79.1	20.9	(1)	(1)	(1)	(1)	44.3	42.4	(1)	(1)	28.3	21.7	(1)	(1)	(1)	(1)
35.6	13.2	43.7	26.0	70.3	22.2	(1)	(1)	(1)	(1)	45.2	35.3	(1)	(1)	27.9	24.0	(1)	(1)	(1)	(1)
28.8	14.8	55.0	21.2	82.3	20.7	(1)	(1)	51.3	29.3	50.6	35.0	15.7	6.1	13.8	25.0	(1)	(1)	(1)	(1)
32.9	16.9	47.6	24.5	90.2	27.5	(1)	(1)	50.7	31.0	39.1	37.6	.....	11.8	29.1	27.9	(1)	(1)	(1)	(1)
29.7	13.7	48.9	27.3	77.0	27.1	(1)	(1)	59.3	32.3	37.7	29.3	.....	10.3	32.6	23.9	13.3	7.7	26.7	15.0
34.8	15.3	55.7	31.5	91.4	33.2	36.3	21.9	59.2	40.1	47.2	28.8	43.5	10.9	47.3	39.7	12.2	9.8	26.1	18.6
178.1	184.8	166.7	117.2	232.8	110.9	(1)	(1)	(1)	(1)	153.8	166.1	(1)	(1)	203.8	156.3	(1)	(1)	(1)	(1)
133.1	131.7	141.9	104.0	175.5	106.5	(1)	(1)	(1)	(1)	119.4	148.4	(1)	(1)	120.3	145.1	(1)	(1)	(1)	(1)
147.0	118.4	138.6	87.2	157.2	88.9	(1)	(1)	(1)	(1)	124.6	108.2	(1)	(1)	102.0	141.5	(1)	(1)	(1)	(1)
128.6	123.9	140.9	87.4	146.8	88.0	(1)	(1)	(1)	(1)	142.8	129.8	(1)	(1)	151.8	110.1	(1)	(1)	(1)	(1)
120.2	106.6	131.8	118.9	185.4	97.9	(1)	(1)	(1)	(1)	138.9	132.8	(1)	(1)	139.6	122.0	(1)	(1)	(1)	(1)
120.3	108.0	132.1	94.9	136.3	98.6	(1)	(1)	(1)	(1)	154.1	150.0	(1)	(1)	145.6	141.7	(1)	(1)	(1)	(1)
108.8	105.0	149.0	99.4	134.6	91.2	(1)	(1)	116.7	92.7	140.8	138.9	62.8	48.3	147.6	122.5	(1)	(1)	(1)	(1)
109.6	119.3	156.1	105.8	139.6	108.0	(1)	(1)	121.0	96.7	144.3	114.0	76.4	63.7	161.1	136.6	(1)	(1)	(1)	(1)
91.3	104.2	120.8	81.2	106.2	87.8	(1)	(1)	100.8	91.5	120.2	105.4	74.4	70.7	107.3	113.8	63.0	46.0	77.4	67.4
124.3	105.2	131.3	94.8	112.7	91.3	77.2	71.5	103.1	96.3	114.0	97.0	57.9	63.8	122.9	100.3	67.8	49.4	77.9	65.6
3.2	3.2	5.9	2.3	7.6	3.3	(1)	(1)	(1)	(1)	5.6	4.2	(1)	(1)	2.1	1.6	(1)	(1)	(1)	(1)
3.7	3.6	6.1	3.5	7.0	3.0	(1)	(1)	(1)	(1)	4.1	5.4	(1)	(1)	8.4	4.0	(1)	(1)	(1)	(1)
4.9	2.8	4.4	2.8	6.7	2.5	(1)	(1)	(1)	(1)	5.7	4.0	(1)	(1)	2.1	2.7	(1)	(1)	(1)	(1)
3.0	4.4	4.5	3.3	6.7	3.0	(1)	(1)	(1)	(1)	5.9	3.9	(1)	(1)	8.2	4.0	(1)	(1)	(1)	(1)
4.7	2.4	6.0	4.0	7.7	3.7	(1)	(1)	(1)	(1)	2.6	7.6	(1)	(1)	2.0	3.7	(1)	(1)	(1)	(1)
2.9	2.4	6.2	3.0	6.9	3.4	(1)	(1)	(1)	(1)	5.6	3.1	(1)	(1)	8.0	4.0	(1)	(1)	(1)	(1)
3.5	5.2	5.1	2.5	7.3	3.1	(1)	(1)	5.4	3.1	3.9	2.3	.....	2.7	3.9	2.7	(1)	(1)	(1)	(1)
2.3	2.8	5.8	2.6	6.3	3.1	(1)	(1)	5.9	2.8	6.5	7.8	7.6	1.8	1.9	3.0	(1)	(1)	(1)	(1)
5.0	1.6	4.4	2.8	6.2	3.1	(1)	(1)	5.1	2.4	5.8	3.3	.....	2.5	.....	2.0	1.8	0.5	3.7	2.0
4.4	1.6	5.1	2.4	6.2	4.0	4.4	2.1	6.3	3.3	3.4	4.3	14.5	1.8	5.7	3.0	3.1	1.5	3.9	3.1
10.7	9.1	13.9	12.5	10.3	12.9	(1)	(1)	(1)	(1)	6.3	11.1	(1)	(1)	19.3	8.4	(1)	(1)	(1)	(1)
18.0	11.9	13.8	11.5	9.2	12.6	(1)	(1)	(1)	(1)	7.6	4.7	(1)	(1)	10.6	9.4	(1)	(1)	(1)	(1)
15.9	8.3	11.1	9.7	7.1	10.9	(1)	(1)	(1)	(1)	1.7	0.7	(1)	(1)	14.6	10.1	(1)	(1)	(1)	(1)
6.6	6.0	12.4	10.3	8.1	11.7	(1)	(1)	(1)	(1)	1.0	0.6	(1)	(1)	12.3	8.7	(1)	(1)	(1)	(1)
8.9	10.8	14.6	7.7	6.1	8.9	(1)	(1)	(1)	(1)	3.2	3.2	(1)	(1)	10.1	8.7	(1)	(1)	(1)	(1)
6.4	6.4	11.1	9.3	5.2	7.5	(1)	(1)	(1)	(1)	1.9	1.9	(1)	(1)	14.0	8.3	(1)	(1)	(1)	(1)
6.3	8.8	11.9	8.9	4.8	8.1	(1)	(1)	8.2	6.0	2.2	2.3	.....	1.5	13.8	8.0	(1)	(1)	(1)	(1)
7.4	8.8	12.7	9.6	4.9	8.3	(1)	(1)	8.0	5.8	3.8	2.2	7.6	2.6	1.9	1.7	(1)	(1)	(1)	(1)
8.4	10.1	10.3	7.0	4.6	8.2	(1)	(1)	8.1	6.0	1.2	1.1	.....	1.9	.....	1.0	2.0	1.6	2.9	3.4
7.2	8.9	9.9	9.1	3.6	6.3	2.8	3.7	7.4	6.0	2.5	1.1	.....	4.0	.....	1.0	1.9	2.7	4.3	4.2
0.6	0.8	0.2	0.4	0.6	0.2	(1)	(1)	(1)	(1)	0.4	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	0.8	0.7	0.4	0.8	0.3	(1)	(1)	(1)	(1)	0.3	0.7	(1)	(1)	4.2	0.3	(1)	(1)	(1)	(1)
.....	0.4	0.6	0.8	0.7	0.4	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	0.4	0.3	0.2	0.4	0.4	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	1.3	(1)	(1)	(1)	(1)
.....	0.8	0.5	0.8	0.6	0.3	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	2.0	.....	(1)	(1)	(1)	(1)
.....	0.4	1.1	0.4	0.7	0.2	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
0.6	.....	0.3	0.2	0.8	0.3	(1)	(1)	0.5	0.3	.....	1.1	.....	0.2	2.0	.....	(1)	(1)	(1)	(1)
0.6	0.8	0.6	0.3	0.3	0.3	(1)	(1)	0.5	0.4	.....	.....	.....	.....	.....	0.3	(1)	(1)	(1)	(1)
.....	0.8	0.5	.....	0.4	0.5	(1)	(1)	0.3	0.2	0.2	1.1	.....	.....	.....	0.3	0.3	0.3	0.3	0.1
.....	0.4	0.4	0.4	0.7	0.3	0.2	0.1	0.5	0.2	0.5	.....	.....	0.2	.....	0.3	0.5	0.1	0.1	0.2
5.0	2.4	2.2	2.2	2.8	2.6	(1)	(1)	(1)	(1)	5.6	.....	(1)	(1)	.....	1.4	(1)	(1)	(1)	(1)
3.7	1.6	3.4	1.6	2.9	1.9	(1)	(1)	(1)	(1)	4.1	.....	(1)	(1)	.....	3.4	(1)	(1)	(1)	(1)
3.7	2.4	3.2	2.8	2.9	1.6	(1)	(1)	(1)	(1)	3.7	2.6	(1)	(1)	4.2	3.7	(1)	(1)	(1)	(1)
1.8	2.8	2.6	2.5	3.3	2.2	(1)	(1)	(1)	(1)	3.3	1.9	(1)	(1)	2.1	1.7	(1)	(1)	(1)	(1)
0.6	5.2	3.3	2.8	3.2	1.6	(1)	(1)	(1)	(1)	2.2	1.3	(1)	(1)	6.1	1.7	(1)	(1)	(1)	(1)
2.3	0.4	2.7	2.2	2.3	1.9	(1)	(1)	(1)	(1)	2.8	5.6	(1)	(1)	2.0	1.3	(1)	(1)	(1)	(1)
3.5	2.8	3.4	0.8	1.9	1.9	(1)	(1)	5.0	3.6	3.5	2.3	.....	1.9	3.9	1.7	(1)	(1)	(1)	(1)
4.5	2.8	2.8	1.6	1.9	1.7	(1)	(1)	4.2	3.6	2.4	5.5	.....	2.2	3.9	2.0	(1)	(1)	(1)	(1)
4.5	1.6	1.3	2.1	1.7	1.7	(1)	(1)	3.9	3.2	3.3	1.1	.....	3.8	1.9	2.0	1.8	1.4	2.7	3.8
2.2	1.2	2.8	2.5	1.9	1.9	2.9	2.1	3.9	4.3	2.5	2.1	7.2	1.6	1.9	1.7	1.2	3.1	0.9	2.4
0.6	0.4	0.8	1.0	1.5	0.4	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	1.2	1.6	0.6	1.3	0.3	(1)	(1)	(1)	(1)	0.3	0.7	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
.....	.....	1.7	1.6	1.2	0.3	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
.....	.....	1.1	0.1	1.2	0.2	(1)	(1)	(1)	(1)	0.7	0.6	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.8	0.6	0.8	0.4	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
0.6	0.4	0.6	0.5	0.6	0.2	(1)	(1)	(1)	(1)	0.9	1.9	(1)	(1)	2.0	0.3	(1)	(1)	(1)	(1)
1.2	0.4	0.8	0.4	0.6	0.2	(1)	(1)	0.4	0.3	0.2	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.9	0.2	0.6	0.5	(1)	(1)	0.5	0.4	0.2	.....	.....	0.2	.....	.....	(1)	(1)	(1)	(1)
.....	1.2	0.4	0.3	0.5	0.3	(1)	(1)	0.4	0.5	0.2	.....	.....	.....	.....	0.3	0.3	0.5	0.3	0.1
0.6	.....	0.6	0.3	0.4	0.3	0.3	0.1	0.3	0.2	0.2	.....	.....	.....	.....	0.7	.....	0.3	0.1	0.2
2.5	2.4	4.0	2.7	2.1	2.6	(1)	(1)	(1)	(1)	1.8	4.2	(1)	(1)	6.5	1.6	(1)	(1)	(1)	(1)
3.1	3.2	3.5	2.0	2.2	2.5	(1)	(1)	(1)	(1)	1.0	0.7	(1)	(1)	2.1	2.0	(1)	(1)	(1)	(1)
3.0	1.6	3.2	2.7	2.0	1.7	(1)	(1)	(1)	(1)	1.0	.....	(1)	(1)	8.3	.....	(1)	(1)	(1)	(1)
.....	0.4	3.4	3.2	2.5	1.9	(1)	(1)	(1)	(1)	1.6	1.3	(1)	(1)	10.3	1.7	(1)	(1)	(1)	(1)
.....	0.4	3.8	1.9	1.9	1.8	(1)	(1)	(1)	(1)	0.6	.....	(1)	(1)	.....	2.0	(1)	(1)	(1)	(1)
1.2	0.4	3.1	2.7	1.9	1.7	(1)	(1)	(1)	(1)	0.9	3.1	(1)	(1)	2.0	0.3	(1)	(1)	(1)	(1)
1.7	2.0	2.1	2.0	1.5	1.3	(1)	(1)	1.4	1.7	0.7	.....	.....	0.8	.....	2.3	(1)	(1)	(1)	(1)
0.6	1.2	3.3	2.5	0.7	0.6	(1)	(1)	1.4	1.2	0.2	.....	.....	0.2	.....	1.0	(1)	(1)	(1)	(1)
.....	0.4	3.0	3.2	0.8	1.3	(1)	(1)	0.8	0.8	0.9	.....	14.9	0.4	1.9	0.3	1.0	1.1	1.2	0.7
0.6	0.4	3.0	1.9	0.7	1.0	1.1	0.5	1.1	1.3	0.2	.....	.....	1.3	.....	.....	0.5	0.4	0.8	0.7

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Other diseases of respiratory system	1900	(1)	(1)	(1)	(1)	0.7	1.6	4.0	3.6	0.8	2.8	(1)	(1)	1.3	1.5	3.5	3.0
	1901	(1)	(1)	(1)	(1)	0.5	0.9	4.5	4.8	3.3	2.2	(1)	(1)	2.0	1.3	3.4	2.7
	1902	(1)	(1)	(1)	(1)	1.0	2.1	2.8	3.4	0.8	1.7	(1)	(1)	1.9	1.8	3.8	3.1
	1903	(1)	(1)	(1)	(1)	1.6	0.9	3.5	2.9	2.5	2.2	(1)	(1)	1.6	1.2	3.7	2.3
	1904	(1)	(1)	(1)	(1)	1.1	3.0	2.8	3.0	0.8	2.0	(1)	(1)	1.6	0.9	3.1	2.5
	1905	(1)	(1)	(1)	(1)	1.9	0.6	3.0	2.4	1.6	1.3	(1)	(1)	1.0	0.9	3.1	2.0
	1906	1.3	2.0	2.7	3.2	1.0	0.6	1.7	2.3	0.6	1.6	0.8	2.0	1.0	1.1	2.0	1.5
	1907	2.3	2.4	2.2	6.4	1.5	1.2	2.3	2.0	0.6	2.0	1.8	1.5	1.1	1.2	2.7	1.7
	1908	1.5	1.9	2.5	4.4	1.0	0.3	1.2	1.5	1.1	0.9	1.8	0.9	0.7	0.5	1.8	1.6
	1909	0.9	2.3	2.1	8.4	0.8	0.6	0.5	0.4	2.2	0.9	0.2	1.5	0.7	0.9	1.3	1.8
V.—Diseases of digestive system	1900	(1)	(1)	(1)	(1)	267.4	256.2	213.6	178.0	249.9	188.4	(1)	(1)	254.9	202.2	235.4	205.7
	1901	(1)	(1)	(1)	(1)	205.6	152.4	178.8	166 5	178.6	172.1	(1)	(1)	211.4	143.2	208.0	165.5
	1902	(1)	(1)	(1)	(1)	211.2	164.0	172.4	154.6	156.8	135.6	(1)	(1)	205.5	133.5	198.6	145.2
	1903	(1)	(1)	(1)	(1)	202.8	160.0	179.1	142.5	180.5	149.6	(1)	(1)	208.8	139.4	202.0	162.5
	1904	(1)	(1)	(1)	(1)	219.2	170.7	192.8	149.7	167.3	149.5	(1)	(1)	203.8	142.4	190.6	162.2
	1905	(1)	(1)	(1)	(1)	231.6	181.8	170.6	162.0	181.6	180.3	(1)	(1)	220.5	160.9	200.8	182.9
	1906	169.0	103.3	181.5	152.2	228.9	185.0	187.9	160.3	217.5	178.1	221.3	154.8	209.2	152.0	229.2	197.5
	1907	159.7	111.2	188.5	164.0	233.6	172.8	181.6	152.5	198.9	129.4	255.6	162.5	216.1	154.1	178.0	142.4
	1908	146.9	116.7	167.7	147.8	196.4	160.3	177.4	145.9	226.1	189.6	219.7	170.7	205.3	140.7	196.1	189.7
	1909	139.4	109.9	170.9	162.4	193.9	150.1	183.0	161.4	211.0	149.8	217.3	157.6	208.0	133.9	186.4	162.9
Diseases of mouth	1900	(1)	(1)	(1)	(1)	0.7	1.6	1.1	1.5	.....	0.7	(1)	(1)	0.4	0.1	1.4	1.2
	1901	(1)	(1)	(1)	(1)	1.0	2.2	1.6	1.3	.....	0.5	(1)	(1)	0.6	.....	1.2	1.3
	1902	(1)	(1)	(1)	(1)	0.6	0.3	1.7	0.8	.....	0.9	(1)	(1)	0.3	0.3	0.9	1.3
	1903	(1)	(1)	(1)	(1)	0.6	0.3	1.1	0.7	0.8	0.7	(1)	(1)	0.4	0.3	1.4	1.0
	1904	(1)	(1)	(1)	(1)	1.1	0.3	0.9	0.8	.....	.....	(1)	(1)	0.5	0.1	0.5	1.0
	1905	(1)	(1)	(1)	(1)	0.7	0.9	1.0	0.6	1.6	0.5	(1)	(1)	0.6	0.7	0.7	0.7
	1906	0.7	0.3	0.8	0.7	0.9	0.3	1.0	0.8	0.6	0.5	1.2	2.3	0.5	0.7	0.4	0.8
	1907	0.5	0.7	1.1	0.9	1.3	0.6	0.5	0.8	.....	0.7	1.0	2.3	0.7	0.6	0.7	0.6
	1908	0.6	0.3	.....	0.4	0.5	0.9	0.5	0.7	.....	0.7	0.5	1.3	0.7	0.3	1.4	0.7
	1909	.....	0.3	.....	0.4	0.5	0.3	0.6	0.7	.....	0.4	0.3	1.5	0.7	0.3	0.9	0.7
Tonsilitis	1900	(1)	(1)	(1)	(1)	1.2	1.9	1.6	2.9	1.7	0.5	(1)	(1)	1.1	1.2	1.1	1.1
	1901	(1)	(1)	(1)	(1)	0.5	0.9	0.8	2.1	0.8	1.0	(1)	(1)	0.4	0.4	0.5	1.7
	1902	(1)	(1)	(1)	(1)	1.4	0.3	1.4	1.8	0.8	0.9	(1)	(1)	0.3	0.4	0.7	1.0
	1903	(1)	(1)	(1)	(1)	1.7	0.6	0.8	1.4	.....	1.9	(1)	(1)	0.4	0.9	0.9	1.6
	1904	(1)	(1)	(1)	(1)	0.5	0.6	0.9	1.3	0.8	0.8	(1)	(1)	0.7	0.9	0.9	1.8
	1905	(1)	(1)	(1)	(1)	0.3	1.2	0.4	1.4	1.6	0.7	(1)	(1)	0.7	1.6	0.2	1.0
	1906	1.1	0.8	2.3	1.4	0.7	1.5	1.1	1.1	.....	0.7	1.3	1.2	0.5	1.1	1.1	0.9
	1907	1.5	1.0	3.0	2.8	0.8	.....	1.1	1.5	0.6	0.2	0.2	1.1	1.1	0.7	0.4	2.0
	1908	0.6	1.2	2.2	2.1	0.7	1.1	0.7	0.9	.....	0.5	0.3	1.2	0.7	0.4	0.7	1.0
	1909	0.3	0.6	1.0	1.8	0.7	1.1	1.8	1.0	1.1	0.7	1.1	1.5	0.8	0.3	0.8	0.9
Other diseases of pharynx	1900	(1)	(1)	(1)	(1)	0.8	0.9	0.3	0.7	0.8	0.5	(1)	(1)	0.6	0.9	0.3	0.9
	1901	(1)	(1)	(1)	(1)	0.7	1.5	0.5	0.5	1.7	1.0	(1)	(1)	0.5	0.9	0.3	0.9
	1902	(1)	(1)	(1)	(1)	0.5	0.3	0.5	0.8	0.8	1.9	(1)	(1)	0.3	0.4	0.9	1.2
	1903	(1)	(1)	(1)	(1)	0.2	0.6	0.9	0.3	0.8	1.7	(1)	(1)	0.6	0.4	0.1	1.1
	1904	(1)	(1)	(1)	(1)	0.8	0.9	.....	0.3	0.8	1.4	(1)	(1)	0.8	0.6	0.4	1.0
	1905	(1)	(1)	(1)	(1)	0.3	0.3	0.6	0.8	0.8	1.3	(1)	(1)	0.7	0.6	0.5	1.1
	1906	0.4	0.5	0.4	0.2	0.1	0.9	0.6	0.6	1.7	0.9	0.7	0.5	0.6	0.6	0.7	1.0
	1907	0.6	0.3	1.9	0.4	0.6	.....	0.7	0.7	1.1	0.5	0.5	0.2	0.5	0.6	1.2	0.8
	1908	0.4	0.4	1.1	1.1	1.0	0.6	0.4	0.6	1.7	0.5	0.5	0.4	0.6	0.5	0.6	0.6
	1909	0.2	0.6	.....	1.6	0.4	0.3	1.3	0.5	1.1	0.9	0.2	0.4	0.8	0.9	0.8	0.6
Diseases of esophagus	1900	(1)	(1)	(1)	(1)	0.2	0.3	0.3	0.1	.....	0.2	(1)	(1)	0.3	0.4	0.4	0.4
	1901	(1)	(1)	(1)	(1)	0 5	0.6	0.2	0.2	.....	.....	(1)	(1)	0.3	0.3	0.3	0.3
	1902	(1)	(1)	(1)	(1)	1.0	0.3	0.8	0.2	0.8	0.2	(1)	(1)	0.4	0.7	0.8	0.3
	1903	(1)	(1)	(1)	(1)	0.3	0.6	.....	0.2	.....	0.2	(1)	(1)	0.4	0.3	0.4	0.3
	1904	(1)	(1)	(1)	(1)	0.3	0.6	0.4	0.3	.....	0.5	(1)	(1)	0.6	.....	0.3	0.2
	1905	(1)	(1)	(1)	(1)	0.3	.....	0.3	0.2	.....	0.3	(1)	(1)	0.4	0.6	0.4	0.3
	1906	0.1	.....	0.8	.....	0.4	.....	0.3	0.2	.....	0.4	0.3	0.2	0.4	0.4	0.3	0.1
	1907	0.2	0.2	0.7	0.2	0 3	0.3	0.5	0.5	.....	0.2	.....	0.2	0.4	0.3	0.5	0.5
	1908	0.1	.....	.....	0.2	0.7	0.3	0.1	0.1	0.6	0.4	1.0	.....	0.6	.....	0.6	0.3
	1909	0.2	0.1	0.7	0.2	0.3	0.3	0.3	0.3	0.5	0.4	0.3	.....	0.3	0.1	0.3	0.3
Ulcer of stomach	1900	(1)	(1)	(1)	(1)	3.2	1.6	1.9	2.4	3.4	3.3	(1)	(1)	2.6	2.7	2.5	2.7
	1901	(1)	(1)	(1)	(1)	2.8	2.2	2.1	2.0	1.7	2.8	(1)	(1)	2.9	2.8	2.2	3.5
	1902	(1)	(1)	(1)	(1)	3.5	0.6	2.3	1.8	0.8	2.1	(1)	(1)	3.0	2.5	3.0	2.8
	1903	(1)	(1)	(1)	(1)	2.5	1.2	2.3	2.1	1.6	1.9	(1)	(1)	2.6	2.0	2.9	3.3
	1904	(1)	(1)	(1)	(1)	2.6	1.5	2.6	2.2	1.6	3.4	(1)	(1)	2.7	2.6	2.8	3.3
	1905	(1)	(1)	(1)	(1)	3.8	2.7	3.0	1.9	4.8	2.4	(1)	(1)	2.6	3.6	3.3	2.8
	1906	5.7	2.6	8.1	2.1	3.3	3.8	2.2	2.8	4.0	2.4	3.2	1.8	3.8	2.1	3.1	3.7
	1907	6.0	2.7	7.0	4.8	2.7	2.6	3.4	2.8	5.0	2.0	2.8	1.7	3.3	3.6	4.8	3.7
	1908	5.0	3.3	6.8	3.6	2.5	2.6	3.4	2.7	3.3	4.0	2.1	1.0	3.2	1.2	4.2	3.0
	1909	6.9	3.7	8.0	3.5	3.4	2.0	3.5	3.0	4.9	2.2	2.9	1.6	3.6	2.9	4.4	3.8
Gastritis	1900	(1)	(1)	(1)	(1)	17.3	20.4	17.6	14.8	10.2	14.1	(1)	(1)	9.6	11.9	13.2	13.3
	1901	(1)	(1)	(1)	(1)	14.6	14.5	14.1	13.9	9.2	12.6	(1)	(1)	8.6	11.3	12.4	9.9
	1902	(1)	(1)	(1)	(1)	13.1	18.6	12.8	11.8	4.1	12.0	(1)	(1)	8.9	12.3	13.3	9.2
	1903	(1)	(1)	(1)	(1)	14.3	17.9	14.4	11.5	8.2	10.9	(1)	(1)	9.5	11.1	11.9	9.2
	1904	(1)	(1)	(1)	(1)	16.0	14.1	13.2	9.1	11.3	11.5	(1)	(1)	9.4	9.2	9.9	11.7
	1905	(1)	(1)	(1)	(1)	12.4	13.9	11.1	10.3	7.2	12.1	(1)	(1)	9.0	8.7	8.1	10.7
	1906	8.3	6.4	10.7	8.2	13.7	17.0	11.1	11.1	7.4	6.9	15.0	8.8	8.2	8.8	10.3	10.5
	1907	8.3	7.7	10.8	9.2	11.8	13.6	10.3	9.4	7.8	9.3	14.7	10.2	8.4	7.6	7.4	8.7
	1908	7.0	7.5	9.0	7.2	9.9	8.6	11.8	9.9	5.5	12.1	12.4	10.0	6.6	7.1	7.1	8.1
	1909	6.0	6.0	7.3	6.1	9.4	10.8	9.2	9.6	4.9	9.7	13.7	7.0	7.5	7.6	8.5	8.5
Other diseases of stomach	1900	(1)	(1)	(1)	(1)	7.0	12.5	10.4	11.2	10.2	9.7	(1)	(1)	4.8	6.3	10.4	10.1
	1901	(1)	(1)	(1)	(1)	5.8	6.8	5.6	8.7	6.7	7.6	(1)	(1)	4.6	6.9	8.7	7.2
	1902	(1)	(1)	(1)	(1)	4.6	9.2	7.7	9.2	10.7	6.3	(1)	(1)	4.8	5.8	7.8	6.5
	1903	(1)	(1)	(1)	(1)	6.4	6.7	8.4	7.2	6.5	10.2	(1)	(1)	5.7	6.1	8.0	8.0
	1904	(1)	(1)	(1)	(1)	6.7	9.9	6.9	7.1	13.7	9.8	(1)	(1)	6.0	7.6	8.5	7.1
	1905	(1)	(1)	(1)	(1)	7.2	10.4	5.9	9.5	12.8	10.8	(1)	(1)	6.6	8.5	8.6	9.3
	1906	3.0	3.6	8.1	6.2	7.8	11.1	10.6	9.1	12.5	11.0	11.6	13.6	6.8	9.5	12.9	11.0
	1907	4.1	4.9	7.8	5.0	6.0	10.4	8.6	8.1	14.6	14.4	14.5	15.5	8.7	5.5	10.5	8.3
	1908	3.8	5.3	5.4	4.6	5.1	8.6	8.7	7.3	13.9	15.5	10.4	14.6	6.5	8.7	9.5	12.3
	1909	4.0	5.5	5.2	7.5	4.2	10.8	6.7	7.7	18.6	16.5	11.5	12.6	7.5	6.2	9.1	11.6

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
1.9	2.4	3.0	2.1	1.8	1.5	(1)	(1)	(1)	(1)	0.4	2.1	(1)	(1)	2.1	1.0	(1)	(1)	(1)	(1)
2.5	0.8	1.9	1.4	1.8	1.7	(1)	(1)	(1)	(1)	0.7	0.7	(1)	(1)	.....	2.7	(1)	(1)	(1)	(1)
1.2	2.4	1.8	1.6	1.4	1.2	(1)	(1)	(1)	(1)	1.7	0.7	(1)	(1)	.....	4.0	(1)	(1)	(1)	(1)
.....	0.8	2.1	2.3	2.2	1.5	(1)	(1)	(1)	(1)	0.7	0.6	(1)	(1)	6.2	2.3	(1)	(1)	(1)	(1)
1.2	2.4	0.9	1.3	1.4	1.1	(1)	(1)	(1)	(1)	0.3	0.6	(1)	(1)	.....	2.3	(1)	(1)	(1)	(1)
1.2	1.2	1.1	0.9	1.6	0.9	(1)	(1)	(1)	(1)	0.6	.....	(1)	(1)	2.0	1.3	(1)	(1)	(1)	(1)
1.2	1.2	1.5	0.7	1.2	0.6	(1)	(1)	2.1	2.7	0.5	1.1	.....	1.5	2.0	0.7	(1)	(1)	(1)	(1)
2.8	1.6	1.8	1.9	0.9	0.8	(1)	(1)	2.4	2.9	0.5	.....	.....	2.4	1.9	0.3	(1)	(1)	(1)	(1)
2.2	2.8	1.0	0.8	0.9	1.0	(1)	(1)	1.9	2.3	1.2	.....	.....	1.0	.....	0.7	1.0	1.1	1.2	1.0
3.3	.....	1.4	0.6	0.7	1.2	0.6	0.9	1.7	2.5	0.5	.....	.....	0.7	.....	2.0	1.7	1.2	0.6	1.3
295.1	156.7	253.1	203.5	269.2	184.8	(1)	(1)	(1)	(1)	302.1	290.6	(1)	(1)	218.8	159.9	(1)	(1)	(1)	(1)
248.8	143.2	234.9	165.5	251.4	145.8	(1)	(1)	(1)	(1)	294.9	237.5	(1)	(1)	179.4	140.8	(1)	(1)	(1)	(1)
218.3	134.3	220.4	150.8	221.3	137.9	(1)	(1)	(1)	(1)	280.2	258.1	(1)	(1)	174.8	122.4	(1)	(1)	(1)	(1)
242.2	146.2	208.3	134.4	207.1	135.1	(1)	(1)	(1)	(1)	285.6	245.5	(1)	(1)	256.4	155.7	(1)	(1)	(1)	(1)
230.4	155.2	251.1	159.2	239.0	144.4	(1)	(1)	(1)	(1)	236.5	229.6	(1)	(1)	222.5	150.0	(1)	(1)	(1)	(1)
259.8	173.6	235.0	153.6	235.7	156.9	(1)	(1)	(1)	(1)	240.4	210.1	(1)	(1)	261.3	159.4	(1)	(1)	(1)	(1)
255.6	188.7	232.9	150.2	234.6	161.5	(1)	(1)	275.9	212.9	262.5	237.1	39.3	107.9	293.2	179.1	(1)	(1)	(1)	(1)
225.4	140.5	236.8	149.9	236.0	152.3	(1)	(1)	247.7	197.2	247.8	198.2	129.9	118.1	221.3	138.9	(1)	(1)	(1)	(1)
222.3	178.3	216.5	155.7	216.3	167.8	(1)	(1)	242.2	200.9	223.4	176.0	126.4	119.1	321.8	152.2	130.4	86.5	190.6	139.1
265.1	150.0	204.8	137.1	196.8	151.4	189.9	132.8	228.2	192.2	212.0	175.9	79.7	99.3	274.1	147.6	118.6	104.2	200.5	128.2
.....	0.4	0.7	0.9	0.9	0.8	(1)	(1)	(1)	(1)	0.4	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	0.8	1.3	0.5	0.7	0.3	(1)	(1)	(1)	(1)	.....	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
1.2	.....	0.2	0.5	0.6	0.3	(1)	(1)	(1)	(1)	1.3	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	0.9	0.7	0.6	0.5	(1)	(1)	(1)	(1)	0.7	0.6	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
.....	0.8	0.3	0.6	0.9	0.7	(1)	(1)	(1)	(1)	0.6	0.6	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	0.4	0.9	0.3	0.5	0.7	(1)	(1)	(1)	(1)	0.6	1.2	(1)	(1)	2.0	0.3	(1)	(1)	(1)	(1)
.....	.....	0.9	0.6	0.6	0.8	(1)	(1)	1.0	0.9	1.5	.....	.....	0.6	.....	0.7	(1)	(1)	(1)	(1)
.....	.....	0.8	0.8	0.4	0.5	(1)	(1)	0.8	1.0	0.2	.....	.....	0.4	.....	1.0	(1)	(1)	(1)	(1)
0.6	.....	0.9	1.0	0.6	0.6	(1)	(1)	0.8	1.0	0.2	.....	.....	0.6	1.9	1.0	0.3	.....	0.8	0.5
0.6	0.4	0.6	1.2	0.6	0.9	0.3	0.7	0.9	1.0	0.7	1.1	.....	.....	.....	0.3	0.5	0.6	0.5	0.3
0.6	1.2	0.6	1.1	0.6	1.0	(1)	(1)	(1)	(1)	1.1	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	0.8	0.8	1.0	0.8	0.7	(1)	(1)	(1)	(1)	0.3	0.7	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
1.8	0.8	0.4	0.6	0.5	0.8	(1)	(1)	(1)	(1)	0.7	2.6	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
0.6	0.8	0.4	0.8	0.6	0.9	(1)	(1)	(1)	(1)	0.7	1.9	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
0.6	1.6	0.6	0.7	0.8	1.2	(1)	(1)	(1)	(1)	1.3	0.6	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
2.3	1.2	0.5	1.1	0.6	0.9	(1)	(1)	(1)	(1)	0.6	0.6	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
1.2	2.0	0.5	1.1	0.6	0.8	(1)	(1)	0.9	1.3	0.2	.....	.....	1.5	2.0	.....	(1)	(1)	(1)	(1)
.....	0.4	0.8	0.8	0.7	1.1	(1)	(1)	0.8	1.9	1.7	1.1	.....	1.2	1.9	2.7	(1)	(1)	(1)	(1)
.....	1.2	0.5	0.4	0.6	0.5	(1)	(1)	1.1	1.2	0.9	.....	.....	1.5	1.9	0.7	0.5	0.6	0.5	1.0
0.6	1.2	0.8	0.3	0.7	0.6	0.8	1.2	0.8	1.3	0.7	.....	.....	0.9	.....	0.7	1.9	1.3	0.1	0.9
.....	0.8	0.6	1.0	0.5	0.6	(1)	(1)	(1)	(1)	0.4	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	0.8	1.0	0.6	0.5	0.4	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	2.1	.....	(1)	(1)	(1)	(1)
1.2	0.4	0.5	0.4	0.7	0.3	(1)	(1)	(1)	(1)	1.0	1.3	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
.....	1.6	0.5	0.1	0.6	0.5	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
0.6	1.2	1.1	1.1	0.7	1.0	(1)	(1)	(1)	(1)	0.3	0.6	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
1.8	0.4	0.4	0.1	0.5	0.8	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	1.7	(1)	(1)	(1)	(1)
2.3	2.0	0.6	0.7	0.8	0.7	(1)	(1)	0.6	0.4	1.2	1.1	.....	0.2	.....	0.7	(1)	(1)	(1)	(1)
1.1	0.8	1.0	0.6	0.8	1.0	(1)	(1)	0.4	0.5	0.2	.....	.....	0.6	.....	0.7	(1)	(1)	(1)	(1)
0.6	0.8	0.9	0.7	0.7	0.6	(1)	(1)	0.5	0.6	0.7	.....	.....	0.4	.....	0.7	0.5	0.2	0.5	0.9
1.1	1.2	0.5	0.5	0.9	0.7	1.1	0.6	0.9	0.6	0.2	.....	.....	0.5	.....	0.7	1.4	0.3	0.4	0.4
0.6	.....	0.4	0.6	0.4	0.4	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	0.6	0.1	0.3	0.2	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
.....	.....	0.3	0.4	0.5	0.2	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	2.1	1.0	(1)	(1)	(1)	(1)
.....	.....	0.4	0.1	0.4	0.3	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	0.4	0.2	0.1	0.4	0.3	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
0.6	.....	0.3	0.2	0.4	0.2	(1)	(1)	(1)	(1)	.....	0.6	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.1	0.1	0.4	0.3	(1)	(1)	0.4	0.2	.....	.....	.....	.....	.....	0.7	(1)	(1)	(1)	(1)
1.1	.....	0.3	0.2	0.3	0.3	(1)	(1)	0.4	0.4	0.5	.....	.....	.....	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.1	0.1	0.3	0.3	(1)	(1)	0.4	0.2	0.2	.....	.....	0.2	1.9	0.3	0.5	0.2	0.4	0.3
0.6	.....	0.1	0.4	0.2	0.2	0.2	0.2	0.2	0.4	0.2	.....	.....	0.2	.....	0.7	0.2	.....	.....	0.8
1.3	1.6	2.2	1.8	3.1	2.5	(1)	(1)	(1)	(1)	3.5	2.1	(1)	(1)	2.1	4.4	(1)	(1)	(1)	(1)
1.9	2.8	1.8	2.4	3.5	2.2	(1)	(1)	(1)	(1)	3.4	2.0	(1)	(1)	2.1	1.7	(1)	(1)	(1)	(1)
4.9	3.2	2.8	2.0	4.1	2.7	(1)	(1)	(1)	(1)	1.0	5.3	(1)	(1)	6.2	1.7	(1)	(1)	(1)	(1)
1.2	2.4	2.6	1.5	3.1	2.8	(1)	(1)	(1)	(1)	1.6	1.3	(1)	(1)	8.2	6.7	(1)	(1)	(1)	(1)
5.9	3.2	2.8	2.5	3.6	2.9	(1)	(1)	(1)	(1)	5.1	1.9	(1)	(1)	8.1	2.3	(1)	(1)	(1)	(1)
4.1	4.0	2.8	2.2	3.5	2.5	(1)	(1)	(1)	(1)	2.8	2.5	(1)	(1)	.....	4.0	(1)	(1)	(1)	(1)
2.9	4.0	3.5	1.8	3.7	3.0	(1)	(1)	4.0	1.8	4.2	6.8	.....	2.5	5.9	6.0	(1)	(1)	(1)	(1)
2.8	5.2	3.4	1.8	4.1	2.7	(1)	(1)	2.7	2.1	3.1	4.4	.....	2.2	.....	3.3	(1)	(1)	(1)	(1)
3.4	2.8	3.4	2.3	4.0	4.3	(1)	(1)	3.4	1.6	4.4	3.3	.....	2.1	1.9	3.0	4.1	2.8	2.5	2.5
5.0	3.2	3.6	2.7	4.3	3.3	4.9	2.8	2.7	1.8	2.3	2.1	7.2	2.4	9.5	1.7	2.6	2.7	3.1	2.2
13.2	15.0	15.0	14.5	12.6	14.7	(1)	(1)	(1)	(1)	8.4	15.2	(1)	(1)	10.7	14.8	(1)	(1)	(1)	(1)
14.2	9.5	15.0	11.8	9.5	11.3	(1)	(1)	(1)	(1)	14.5	15.5	(1)	(1)	10.6	11.8	(1)	(1)	(1)	(1)
9.8	13.9	12.6	12.7	8.5	11.9	(1)	(1)	(1)	(1)	11.8	10.6	(1)	(1)	6.2	17.4	(1)	(1)	(1)	(1)
15.6	11.9	14.5	13.6	8.2	12.6	(1)	(1)	(1)	(1)	15.8	11.0	(1)	(1)	26.7	12.4	(1)	(1)	(1)	(1)
13.6	12.8	14.1	12.5	7.8	10.5	(1)	(1)	(1)	(1)	11.9	10.1	(1)	(1)	12.1	11.7	(1)	(1)	(1)	(1)
16.3	14.8	11.3	9.7	7.9	11.5	(1)	(1)	(1)	(1)	6.9	3.1	(1)	(1)	14.0	13.0	(1)	(1)	(1)	(1)
15.5	8.8	10.5	10.3	6.7	10.4	(1)	(1)	13.0	11.4	8.1	12.4	.....	3.4	11.8	15.0	(1)	(1)	(1)	(1)
9.6	8.4	9.8	8.7	5.6	10.0	(1)	(1)	11.1	11.8	8.6	8.9	.....	4.8	15.5	7.3	(1)	(1)	(1)	(1)
9.5	9.7	10.4	9.4	5.6	10.4	(1)	(1)	11.5	10.5	7.3	4.3	7.4	4.4	13.4	10.3	3.6	3.1	9.8	6.9
11.0	11.3	7.3	8.2	4.4	8.6	9.0	7.4	10.6	10.8	8.2	5.3	.....	4.7	13.2	10.6	4.1	4.2	13.0	5.
6.9	5.9	5.6	6.8	4.8	8.2	(1)	(1)	(1)	(1)	21.8	13.1	(1)	(1)	4.3	8.1	(1)	(1)	(1)	(1)
6.8	6.7	4.7	6.0	4.7	7.3	(1)	(1)	(1)	(1)	21.7	8.8	(1)	(1)	.....	5.4	(1)	(1)	(1)	(1)
6.1	10.3	3.6	4.3	4.1	8.1	(1)	(1)	(1)	(1)	24.9	9.9	(1)	(1)	10.4	4.7	(1)	(1)	(1)	(1)
6.6	14.3	5.1	5.8	4.4	10.5	(1)	(1)	(1)	(1)	12.5	18.7	(1)	(1)	14.4	6.7	(1)	(1)	(1)	(1)
7.7	7.6	5.4	7.5	5.1	11.1	(1)	(1)	(1)	(1)	20.2	13.3	(1)	(1)	6.1	14.4	(1)	(1)	(1)	(1)
8.8	12.4	5.7	6.9	5.0	11.2	(1)	(1)	(1)	(1)	18.5	16.7	(1)	(1)	14.0	7.3	(1)	(1)	(1)	(1)
7.5	16.0	5.9	6.9	5.2	11.2	(1)	(1)	9.8	9.6	21.2	24.8	.....	7.2	17.7	10.0	(1)	(1)	(1)	(1)
15.3	13.3	5.6	8.9	5.1	11.5	(1)	(1)	9.4	11.0	13.2	12.2	7.6	6.2	1.9	3.7	(1)	(1)	(1)	(1)
9.5	16.5	6.0	8.3	4.0	12.8	(1)	(1)	9.7	11.0	14.3	27.2	7.4	6.7	5.7	4.6	4.1	4.7	6.6	7.1
17.7	16.5	6.0	11.1	4.1	13.2	6.3	6.8	8.3	12.1	11.2	18.1	.....	4.9	5.7	10.6	3.1	4.0	7.3	6.9

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.													
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Dentition	1900	(1)	(1)	(1)	(1)	3.4	1.2	.....	0.4	.....	.....	(1)	(1)	1.9	1.3	1.4	0.6
	1901	(1)	(1)	(1)	(1)	0 8	0.9	.....	0.4	.....	0 2	(1)	(1)	0.6	0.6	0.7	0 6
	1902	(1)	(1)	(1)	(1)	0.3	0.3	0.5	0.6	0.8	0.7	(1)	(1)	0.6	0.4	0.4	0.2
	1903	(1)	(1)	(1)	(1)	.....	.....	0 2	0 2	.....	0.2	(1)	(1)	0.4	0.3	0.5	0.5
	1904	(1)	(1)	(1)	(1)	0 2	.....	0 1	0 3	.....	0.2	(1)	(1)	0.3	0.6	0.3	0.3
	1905	(1)	(1)	(1)	(1)	0.1	0.3	.....	0.3	.....	.....	(1)	(1)	0.4	0.1	0.1	0.1
	1906	.....	.....	.....	.....	.....	.....	.....	0.2	.....	.....	0.5	0.6	0.5	.....	0.7	0.5
	1907	0 3	0.3	.....	.....	0.1	.....	0.1	0.3	.....	0.2	1.0	0.3	0.2	0.4	0.2	0.3
	1908	0.3	0.3	.....	.....	.....	.....	.....	0.1	1.1	.....	0.7	0.6	0.2	.....	0.3	0.1
	1909	0.1	0.2	.....	0.2	0.1	.....	.....	.....	.....	0.5	1.0	1.0	.....	.....	0.1	0.3
Diarrhea and enteritis (all ages)	1900	(1)	(1)	(1)	(1)	170.2	157.9	112.6	94.8	157.8	102.6	(1)	(1)	174 1	122.3	137.2	114.9
	1901	(1)	(1)	(1)	(1)	127.1	67.4	84.4	89.3	95.1	96.1	(1)	(1)	132.3	70.8	109.6	83.9
	1902	(1)	(1)	(1)	(1)	127.9	85.5	78.2	79.7	80.9	61.0	(1)	(1)	130.4	66.0	93.2	67.1
	1903	(1)	(1)	(1)	(1)	116.7	80.7	85.0	70.6	87.4	72.2	(1)	(1)	131.0	72.7	104.0	78.3
	1904	(1)	(1)	(1)	(1)	131.4	88.5	88.1	76.7	69.5	67.9	(1)	(1)	126.8	74.1	95.7	73.7
	1905	(1)	(1)	(1)	(1)	144.7	98.8	76.2	82.8	95.2	95.1	(1)	(1)	140.6	91.6	105.1	93.1
	1906	74.3	44.9	70.2	85.2	141.8	109.9	88.8	80 3	123.5	106.7	131.8	92.6	130.6	84.8	123.8	109.7
	1907	58.8	43.2	78.3	98.7	146.4	100.6	89.4	76.4	104.2	54.9	158.3	102.8	134.8	90.6	85.5	56.3
	1908	53.3	46.9	71.5	81.7	121.6	94.4	83.0	77 5	136.3	109.7	130.0	110.5	132.9	83.5	99.2	103.5
	1909	52.2	46.9	67.5	97.6	123.1	87.1	88.9	88.2	104.7	73.5	127.3	104.5	133.6	81.6	89.0	80.9
Intestinal parasites	1900	(1)	(1)	(1)	(1)	.....	0.3	.....	0.2	.....	0.3	(1)	(1)	0.1	.....	0.1	0.2
	1901	(1)	(1)	(1)	(1)	0.3	.....	.....	0.3	0 8	1.0	(1)	(1)	0.3	.....	0.1	0.5
	1902	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	0.3	(1)	(1)	0.2	.....	.....	0.3
	1903	(1)	(1)	(1)	(1)	.....	0.3	.....	0.2	.....	0.2	(1)	(1)	(2)	0.1	.....	0.3
	1904	(1)	(1)	(1)	(1)	.....	.....	0.1	0.2	.....	0.2	(1)	(1)	.....	.....	0.1	0.2
	1905	(1)	(1)	(1)	(1)	0.1	.....	.....	0.1	.....	0 3	(1)	(1)	0.2	.....	0.1	0.3
	1906	.....	0.2	.....	0.2	.....	.....	0 1	0 2	.....	.....	.....	0.3	0.2	0.1	0.1	0.3
	1907	0.1	0.1	.....	.....	.....	.....	.....	0.2	.....	0.4	.....	0.8	0.2	0.1	.....	0.4
	1908	.....	0.1	.....	0.4	.....	.....	.....	0.1	.....	0.7	.....	0.1	0.1	.....	.....	0.2
	1909	0.1	.....	0 3	.....	0.1	.....	0 1	0.2	.....	0 2	.....	0.4	0.1	.....	.....	0.1
Hernia	1900	(1)	(1)	(1)	(1)	4.3	2.2	2.7	1.6	4.2	2.8	(1)	(1)	3.8	3.4	3.5	2.7
	1901	(1)	(1)	(1)	(1)	3.6	4.3	3.2	2.3	7.5	4.0	(1)	(1)	4.2	4.0	4.1	4.1
	1902	(1)	(1)	(1)	(1)	4.0	1.2	3.2	2.2	7.4	3.1	(1)	(1)	4.5	3.5	5.7	3.5
	1903	(1)	(1)	(1)	(1)	4.2	3.6	2.6	2.6	2.5	3.1	(1)	(1)	4.3	3.2	4.3	3.8
	1904	(1)	(1)	(1)	(1)	5.6	3.3	5.0	2.8	6.5	2.7	(1)	(1)	4.4	3.3	3.1	3.2
	1905	(1)	(1)	(1)	(1)	4.0	2.7	3.7	2.2	2.4	3.9	(1)	(1)	5.0	2.6	2.8	3.7
	1906	6.7	2.2	5.0	0.9	5.8	3.2	2.6	2.6	3.4	1.8	5 1	1.2	5.1	2.0	3.3	3.2
	1907	4.5	3.0	2.6	3.1	5 3	2.6	5.3	2.1	5.6	2.5	5.5	2.3	4.4	3.7	3.6	3.1
	1908	4.1	2.5	3.2	3.0	4.7	4.0	4.5	3 0	2.8	2.9	5.8	2.4	3 8	2.6	4.1	3.2
	1909	4.4	3.5	3.5	2.6	4.4	2.6	4.5	3.6	3.8	2.0	6.9	1.5	4.3	2.0	3.5	2.4
Obstruction of intestines	1900	(1)	(1)	(1)	(1)	11.2	10.4	6.9	6.7	11.8	9.4	(1)	(1)	8.7	8.0	6.9	7.2
	1901	(1)	(1)	(1)	(1)	7.4	9.3	8.0	6.8	7.5	6.4	(1)	(1)	7.8	7.5	11.1	8.8
	1902	(1)	(1)	(1)	(1)	8.8	7.9	9.5	6.0	5.8	5.8	(1)	(1)	7 7	6.4	10.5	8.0
	1903	(1)	(1)	(1)	(1)	8.4	9.4	11.1	7.6	12 3	8.0	(1)	(1)	8 6	8.5	11.3	8.1
	1904	(1)	(1)	(1)	(1)	10.4	9.6	11.2	7.4	8.1	8.6	(1)	(1)	8 9	8.2	10.2	9.2
	1905	(1)	(1)	(1)	(1)	10.2	8.3	9 5	10.1	16.0	8.2	(1)	(1)	9.1	10.0	10.9	9.2
	1906	9.3	6.7	12.7	10.3	8.4	7.6	13.5	10.0	12 5	9.0	8.8	5.8	9.3	9.2	12.9	9.5
	1907	11.3	8.2	12.6	4.8	10.4	11.3	10.5	8.1	10.1	10.2	11.3	4.8	8.7	9.4	12.8	7.6
	1908	9.1	8.6	13.6	10.6	11.0	8.6	10.7	7.1	12.2	8.0	12.1	5.1	9.3	6.5	13.2	9.0
	1909	9.8	6.0	12.9	8.1	8.4	6.0	10.1	7.9	11.5	9.4	12.3	4.6	9.2	7.4	13.3	8.7
Other diseases of intestines	1900	(1)	(1)	(1)	(1)	1.5	2.5	6.9	5.4	2.5	2.8	(1)	(1)	2.2	2.4	2.4	4.1
	1901	(1)	(1)	(1)	(1)	1.6	1.2	4.0	3.8	3.3	2 8	(1)	(1)	2.9	2.9	2.7	3.4
	1902	(1)	(1)	(1)	(1)	2.1	2.1	3 5	4.1	3.3	3.3	(1)	(1)	2.0	2.2	5.4	4.0
	1903	(1)	(1)	(1)	(1)	2.2	1.8	4 1	3.7	1.6	3.4	(1)	(1)	2.2	1.4	2.8	3.4
	1904	(1)	(1)	(1)	(1)	2.0	1.8	4.8	3 8	3.2	2 9	(1)	(1)	2.5	2.9	2.8	3.8
	1905	(1)	(1)	(1)	(1)	3.0	3.0	4.5	5.0	2.4	3.9	(1)	(1)	2.6	3.8	4.2	3.7
	1906	2.5	2.6	0.8	2.3	2.2	2.9	3.5	3.9	7.4	4 0	2.9	2.0	2.2	3.2	3.5	3.8
	1907	2.9	3.0	2.6	2.6	2.4	1.7	3.8	4.5	2.8	1 8	2 2	1.2	2.7	2.6	3.5	3.8
	1908	3.4	3.3	1.8	2.3	3.2	2.0	4.0	3 7	3.3	2 5	2.3	1 9	2.6	2.4	4.6	3.9
	1909	3.0	2.2	3.5	2.0	1.9	2.0	4.1	3.3	.....	2.2	2.1	1.3	1.9	1.7	5.2	4.6
Acute yellow atrophy of liver	1900	(1)	(1)	(1)	(1)	0 3	.....	0.3	0.4	0.8	0.2	(1)	(1)	0.4	0.1	0.1	0.8
	1901	(1)	(1)	(1)	(1)	0.3	.....	0.8	0.2	.....	0 5	(1)	(1)	0 2	0.6	0.5	0.6
	1902	(1)	(1)	(1)	(1)	0.5	0.3	0.6	0.2	.....	0.9	(1)	(1)	0.2	0.6	0.7	0.8
	1903	(1)	(1)	(1)	(1)	0.2	1.2	0.2	0.4	.....	.....	(1)	(1)	0 1	0.1	0.3	0.3
	1904	(1)	(1)	(1)	(1)	0.3	0.3	0.6	0.5	.....	1.4	(1)	(1)	0.4	0.4	0.5	0.5
	1905	(1)	(1)	(1)	(1)	0.3	1.2	0.6	0.5	0.8	0.7	(1)	(1)	0.5	0.1	0.9	0.5
	1906	0.2	0.4	1.2	.....	0.4	.....	0.1	0 3	.....	0.4	.....	0.3	0.3	0.6	0.7	0.8
	1907	0.5	0.3	0.4	0.2	0.1	.....	0.5	0.6	.....	0.4	0 8	.....	0.2	.....	0.6	1.0
	1908	0.6	0.4	0.4	0.4	0.3	0.3	0.3	0.4	0.6	1.1	0.3	0.3	0.4	0.5	0.3	0.6
	1909	0.3	0.7	1.4	0.2	0.1	.....	0.4	0.4	.....	0.5	0.2	.....	0.3	0.7	0.3	0.4
Hydatid tumors of liver	1900	(1)	(1)	(1)	(1)	.....	0.3	.....	(2)	.....	.....	(1)	(1)	.....	.....	0.1	.....
	1901	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1902	(1)	(1)	(1)	(1)	.....	.....	.....	0.1	.....	.....	(1)	(1)	0.1	.....	0.3	(2)
	1903	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	0.3	0.1
	1904	(1)	(1)	(1)	(1)	.....	0.3	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	0.2
	1905	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1906	.....	.....	.....	.....	0.1	.....	.....	.....	.....	0.2	.....	.....	.....	.....	.....	.....
	1907	.....	.....	.....	.....	.....	.....	.....	.....	0.6	.....	.....	.....	(2)	.....	.....	.....
	1908	0.1	0.1	0.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	(2)	.....	.....	0.1
	1909	0.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	0.1
Cirrhosis of liver	1900	(1)	(1)	(1)	(1)	14.4	11.6	7.2	4.9	4.2	8.9	(1)	(1)	10.3	9.5	10.0	9.0
	1901	(1)	(1)	(1)	(1)	13.0	14.8	11.2	5.9	9.2	6.4	(1)	(1)	10.6	8.4	9.5	8.2
	1902	(1)	(1)	(1)	(1)	16.5	11.9	9.7	7.5	9.1	6.0	(1)	(1)	10.1	8.9	10.5	8.9
	1903	(1)	(1)	(1)	(1)	15.9	9.4	11.1	7.7	9.0	9.5	(1)	(1)	10.0	9.1	10.7	11.0
	1904	(1)	(1)	(1)	(1)	13.2	17.7	13.8	8.7	7.3	7.8	(1)	(1)	10.4	7.9	12.7	11.2
	1905	(1)	(1)	(1)	(1)	14.8	14.5	12.7	8.0	3.2	7.7	(1)	(1)	11.1	10.0	10.6	10.7
	1906	22.9	10.8	13.0	6.4	16.7	11.7	13.5	9.5	5.1	6.9	15.2	6.1	10.8	11.8	12.7	8.8
	1907	24.9	13.2	15.6	6.4	18.7	12.5	13.6	9 5	8.4	7.8	16.5	5.4	11.0	10.2	12.0	12.7
	1908	25.5	14.3	14.4	5.7	14.4	11 8	16.1	9 7	5.0	9.6	13.7	6.1	9.8	9.9	11.9	10.7
	1909	23.4	13.3	14.3	5.5	15.2	14.5	15.5	10.5	11.0	6.8	16.9	6.8	9.9	9.0	13.0	10.9

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
5.6	1.2	1.3	1.1	3.2	0.6	(1)	(1)	(1)	(1)	1.1	1.4	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
3.7	.....	0.4	0.2	1.6	0.4	(1)	(1)	(1)	(1)	1.4	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
6.1	0.4	0.4	0.4	1.1	0.3	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	0.4	0.5	0.4	0.2	(1)	(1)	(1)	(1)	1.3	0.6	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
1.2	.....	0.5	0.4	0.3	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
2.3	.....	0.3	1.0	0.4	0.5	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.5	.....	0.3	.....	(1)	(1)	0.9	0.5	0.2	1.1	.....	.....	.....	0.3	(1)	(1)	(1)	(1)
4.0	.....	0.7	0.8	0.3	0.2	(1)	(1)	0.9	0.5	.....	.....	.....	0.2	.....	.....	(1)	(1)	(1)	(1)
0.6	0.4	0.1	0.3	0.2	(2)	(1)	(1)	0.6	0.2	.....	.....	.....	0.6	.....	.....	.....	.....	0.1	0.2
1.7	.....	0.1	0.1	(2)	0.1	.....	(2)	0.4	0.2	.....	.....	.....	0.2	.....	.....	0.2	0.1	.....	0.3
208.9	85.9	156.3	128.7	174.2	94.2	(1)	(1)	(1)	(1)	211.6	204.1	(1)	(1)	143.7	71.3	(1)	(1)	(1)	(1)
172.1	69.0	142.8	97.9	163.7	63.8	(1)	(1)	(1)	(1)	191.0	161.9	(1)	(1)	114.0	60.5	(1)	(1)	(1)	(1)
134.2	53.3	130.0	88.5	137.8	58.8	(1)	(1)	(1)	(1)	176.7	172.3	(1)	(1)	95.7	37.6	(1)	(1)	(1)	(1)
159.2	62.1	114.5	70.6	124.3	51.3	(1)	(1)	(1)	(1)	182.1	161.5	(1)	(1)	129.2	64.3	(1)	(1)	(1)	(1)
143.3	66.2	157.9	56.4	152.9	61.7	(1)	(1)	(1)	(1)	143.1	160.7	(1)	(1)	115.3	57.5	(1)	(1)	(1)	(1)
168.1	77.6	146.6	92.5	152.0	75.8	(1)	(1)	(1)	(1)	150.9	142.5	(1)	(1)	155.6	72.4	(1)	(1)	(1)	(1)
156.0	94.6	149.0	93.1	149.1	78.4	(1)	(1)	176.9	141.1	159.3	143.4	.....	53.3	186.9	84.6	(1)	(1)	(1)	(1)
130.6	53.4	152.0	90.7	154.7	71.7	(1)	(1)	155.4	121.4	164.5	131.8	68.8	62.3	130.1	64.5	(1)	(1)	(1)	(1)
142.8	88.9	136.6	99.3	142.2	83.8	(1)	(1)	151.0	130.9	143.4	94.5	52.0	65.9	218.4	71.6	50.8	41.6	101.7	70.0
176.8	64.5	130.1	79.5	122.8	70.8	104.1	65.8	141.5	121.8	138.1	117.3	21.7	49.5	172.0	67.9	50.8	58.1	105.4	65.4
.....	0.4	0.1	.....	(2)	(2)	(1)	(1)	(1)	(1)	.....	0.7	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	.....	0.2	.....	0.3	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	0.2	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.1	(2)	0.3	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	0.1	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	0.2	.....	0.1	0.2	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
.....	.....	.....	0.1	0.1	0.1	(1)	(1)	0.1	0.5	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	0.3	0.1	0.2	(1)	(1)	.....	0.2	0.2	.....	.....	0.2	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	(2)	0.3	(1)	(1)	0.1	0.4	.....	.....	.....	0.2	.....	.....	.....	0.2	.....	.....
.....	.....	0.1	0.1	0.1	0.1	.....	0.2	0.2	0.4	.....	.....	.....	0.4	.....	0.7	.....	.....	.....	.....
3.1	3.2	4.4	3.1	4.9	3.7	(1)	(1)	(1)	(1)	5.3	3.5	(1)	(1)	.....	3.4	(1)	(1)	(1)	(1)
2.5	2.8	5.1	3.1	4.6	3.6	(1)	(1)	(1)	(1)	8.9	4.7	(1)	(1)	4.2	2.4	(1)	(1)	(1)	(1)
0.6	4.0	4.4	2.6	5.1	3.3	(1)	(1)	(1)	(1)	6.0	3.3	(1)	(1)	8.3	4.7	(1)	(1)	(1)	(1)
1.8	4.8	4.8	1.9	5.7	3.3	(1)	(1)	(1)	(1)	7.5	2.6	(1)	(1)	14.4	7.7	(1)	(1)	(1)	(1)
1.8	5.6	4.2	2.7	5.2	3.5	(1)	(1)	(1)	(1)	4.8	3.8	(1)	(1)	8.1	5.0	(1)	(1)	(1)	(1)
2.9	4.4	3.6	3.0	6.0	3.4	(1)	(1)	(1)	(1)	5.6	1.9	(1)	(1)	6.0	3.7	(1)	(1)	(1)	(1)
3.5	6.8	4.3	3.2	5.9	3.7	(1)	(1)	5.7	2.6	5.7	2.3	.....	3.2	5.9	4.3	(1)	(1)	(1)	(1)
6.2	4.8	4.1	2.5	5.8	4.6	(1)	(1)	5.4	3.3	4.3	1.1	.....	3.0	5.8	2.7	(1)	(1)	(1)	(1)
2.2	4.0	4.6	1.7	5.0	3.6	(1)	(1)	5.2	2.8	7.0	6.5	.....	1.7	5.7	5.6	3.6	2.0	3.8	3.4
2.8	4.4	4.9	2.9	5.0	3.8	5.0	2.8	5.6	2.5	5.7	2.1	.....	2.0	7.6	2.6	2.2	0.9	5.1	2.8
8.8	8.7	8.5	6.1	8.4	9.4	(1)	(1)	(1)	(1)	5.3	6.2	(1)	(1)	6.5	8.4	(1)	(1)	(1)	(1)
5.0	9.1	8.5	8.5	8.8	7.9	(1)	(1)	(1)	(1)	6.9	4.0	(1)	(1)	6.3	8.1	(1)	(1)	(1)	(1)
9.1	7.9	8.6	5.8	9.6	6.8	(1)	(1)	(1)	(1)	5.4	5.3	(1)	(1)	6.2	7.4	(1)	(1)	(1)	(1)
8.4	4.4	9.3	5.9	8.5	10.1	(1)	(1)	(1)	(1)	4.6	4.5	(1)	(1)	8.2	7.4	(1)	(1)	(1)	(1)
9.5	9.6	12.0	6.2	9.1	8.5	(1)	(1)	(1)	(1)	6.7	2.5	(1)	(1)	10.1	7.0	(1)	(1)	(1)	(1)
10.5	8.0	10.1	7.2	8.8	9.1	(1)	(1)	(1)	(1)	5.6	4.3	(1)	(1)	18.0	7.7	(1)	(1)	(1)	(1)
11.5	8.0	9.6	6.2	9.8	8.8	(1)	(1)	9.0	8.0	7.9	4.5	15.7	6.3	13.8	9.0	(1)	(1)	(1)	(1)
9.6	15.3	10.2	7.1	8.7	8.8	(1)	(1)	10.8	7.7	6.7	1.1	7.6	9.0	3.9	9.3	(1)	(1)	(1)	(1)
11.8	8.5	9.9	5.1	8.1	9.7	(1)	(1)	9.4	6.9	6.5	6.5	7.4	6.1	7.7	9.9	9.9	6.6	8.6	8.2
8.8	9.3	8.2	6.7	7.9	8.9	10.4	7.8	9.1	6.7	6.6	9.6	.....	6.5	3.8	9.6	9.3	6.4	11.3	7.6
3.8	1.6	2.5	2.3	2.2	3.9	(1)	(1)	(1)	(1)	2.5	4.8	(1)	(1)	8.6	1.7	(1)	(1)	(1)	(1)
1.9	2.8	2.7	2.0	2.8	3.7	(1)	(1)	(1)	(1)	5.5	1.3	(1)	(1)	4.2	2.0	(1)	(1)	(1)	(1)
3.0	3.2	2.1	2.8	2.2	3.7	(1)	(1)	(1)	(1)	4.0	7.3	(1)	(1)	.....	4.0	(1)	(1)	(1)	(1)
3.0	2.4	3.0	2.7	2.4	3.2	(1)	(1)	(1)	(1)	4.6	4.5	(1)	(1)	4.1	2.0	(1)	(1)	(1)	(1)
4.7	2.4	2.5	1.7	2.2	3.1	(1)	(1)	(1)	(1)	3.5	5.1	(1)	(1)	6.1	2.7	(1)	(1)	(1)	(2)
6.4	4.0	2.5	1.7	2.1	2.8	(1)	(1)	(1)	(1)	4.1	3.1	(1)	(1)	6.0	3.7	(1)	(1)	(1)	(1)
2.9	2.0	2.5	2.4	2.4	3.2	(1)	(1)	3.3	2.8	4.9	2.3	.....	1.7	7.9	6.7	(1)	(1)	(1)	(1)
2.3	1.6	2.2	2.1	1.8	2.6	(1)	(1)	2.7	2.2	2.2	5.5	.....	1.8	5.8	2.0	(1)	(1)	(1)	(1)
1.7	2.0	2.9	2.0	1.7	2.6	(2)	(1)	2.5	2.6	1.6	2.2	.....	2.7	.....	3.0	4.1	1.6	3.2	2.3
2.8	2.0	2.2	1.7	2.3	3.2	3.1	3.8	3.2	2.3	1.6	1.1	14.5	2.7	1.9	2.6	3.6	1.9	3.2	3.2
1.9	0.8	0.7	0.2	0.3	0.3	(1)	(1)	(1)	(1)	0.7	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
1.9	0.4	0.2	0.1	0.3	0.4	(1)	(1)	(1)	(1)	.....	0.7	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
1.2	.....	0.7	0.4	0.3	0.7	(1)	(1)	(1)	(1)	0.3	0.7	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	2.0	0.4	0.8	0.3	0.5	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	2.1	0.7	(1)	(1)	(1)	(1)
.....	0.4	0.4	0.2	0.5	0.4	(1)	(1)	(1)	(1)	0.3	0.6	(1)	(1)	.....	0.7	(1)	(1)	(1)	(2)
0.6	0.4	0.3	0.3	0.3	0.5	(1)	(1)	(2)	(1)	0.3	0.6	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
1.2	0.4	0.2	0.4	0.4	0.2	(1)	(1)	0.5	0.4	0.5	.....	.....	.....	.....	0.7	(1)	(1)	(1)	(1)
.....	.....	0.4	0.5	0.1	0.5	(2)	(1)	0.4	0.6	0.7	.....	.....	0.2	.....	0.7	(1)	(1)	(1)	(1)
0.6	.....	0.3	0.7	0.3	0.3	(1)	(1)	0.8	0.3	.....	1.1	.....	0.2	.....	0.3	0.3	0.3	0.7	0.1
1.1	.....	0.4	0.1	0.4	0.7	0.5	0.6	0.6	0.3	0.9	.....	.....	0.2	.....	0.7	0.7	.....	0.4	0.3
.....	.....	0.1	.....	0.1	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	(2)	.....	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	.....	(2)	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	0.1	(2)	.....	(1)	(1)	(1)	(1)	.....	0.6	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	0.1	.....	0.1	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	0.1	(1)	(1)	.....	(2)	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	.....	(1)	(1)	0.1	.....	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	(2)	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	0.1	(2)	.....	(2)	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7.6	5.9	19.1	12.5	20.5	10.1	(1)	(1)	(1)	(1)	13.0	9.7	(1)	(1)	8.6	9.8	(1)	(1)	(1)	(1)
9.9	5.2	19.5	10.5	21.3	11.2	(1)	(1)	(1)	(1)	15.5	14.8	(1)	(1)	8.4	6.7	(1)	(1)	(1)	(1)
11.6	8.3	19.2	8.2	19.8	11.7	(1)	(1)	(1)	(1)	16.1	11.2	(1)	(1)	10.4	7.7	(1)	(1)	(1)	(1)
12.0	9.6	20.3	10.2	19.9	11.4	(1)	(1)	(1)	(1)	19.4	14.9	(1)	(1)	10.3	7.0	(1)	(1)	(1)	(1)
9.5	10.8	18.8	10.3	20.6	11.7	(1)	(1)	(1)	(1)	13.8	13.3	(1)	(1)	4.0	9.4	(1)	(1)	(1)	(1)
5.3	13.6	20.3	9.6	21.4	11.0	(1)	(1)	(1)	(1)	15.4	14.3	(2)	(1)	8.0	10.0	(1)	(1)	(1)	(1)
10.9	11.2	19.6	9.8	22.0	12.9	(1)	(1)	17.9	9.6	15.0	19.2	7.9	4.2	3.9	7.7	(1)	(1)	(1)	(1)
14.2	11.6	21.8	10.2	22.2	15.1	(1)	(1)	16.6	10.4	15.6	15.5	7.6	3.6	11.6	11.0	(1)	(1)	(1)	(1)
5.0	12.1	17.8	9.7	19.9	12.5	(1)	(1)	16.9	10.1	13.3	16.3	7.4	2.7	7.7	15.3	11.7	4.9	12.2	10.4
10.5	12.9	17.3	9.5	19.3	13.5	17.4	10.3	15.5	11.0	12.5	11.7	14.5	6.4	20.8	14.9	7.9	5.0	14.9	7.9

[2] Less than one-tenth.

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.													
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Biliary calculi	1900	(1)	(1)	(1)	(1)	0.8	1.2	1.6	2.0	.....	1.4	(1)	(1)	1.7	0.9	1.5	2.1
	1901	(1)	(1)	(1)	(1)	0.7	1.5	1.4	1.7	0.8	0.9	(1)	(1)	2.3	0.7	2.6	1.5
	1902	(1)	(1)	(1)	(1)	1.9	1.2	2.3	1.7	0.8	1.9	(1)	(1)	2.0	1.3	3.6	2.2
	1903	(1)	(1)	(1)	(1)	3.0	2.7	2.6	2.1	3.3	1.0	(1)	(1)	3.0	2.2	4.2	2.0
	1904	(1)	(1)	(1)	(1)	2.9	1.8	2.5	2.4	0.8	2.5	(1)	(1)	2.2	1.9	2.8	2.5
	1905	(1)	(1)	(1)	(1)	1.8	3.0	3.0	2.3	3.2	3.0	(1)	(1)	3.0	2.7	2.3	2.8
	1906	2.5	1.9	3.8	2.1	2.2	2.9	5.5	2.3	2.3	1.8	3.2	1.2	3.7	1.7	3.2	2.6
	1907	1.3	1.6	5.9	2.2	2.8	2.0	4.2	2.6	3.4	2.0	4.5	1.5	3.0	2.1	2.7	3.2
	1908	2.5	1.6	5.4	2.1	1.8	2.0	3.2	3.2	2.8	3.1	4.3	1.6	3.3	1.2	2.0	3.1
	1909	1.7	1.9	4.9	1.8	2.0	1.4	5.9	3.2	1.1	1.6	3.6	1.2	3.5	2.3	3.4	3.1
Other diseases of liver	1900	(1)	(1)	(1)	(1)	9.2	11.6	9.8	9.6	11.0	10.9	(1)	(1)	6.7	9.7	9.4	11.8
	1901	(1)	(1)	(1)	(1)	7.1	9.0	9.3	9.9	7.5	10.2	(1)	(1)	6.6	8.0	11.1	9.2
	1902	(1)	(1)	(1)	(1)	5.3	7.6	10.9	9.8	6.6	9.4	(1)	(1)	7.0	7.4	10.2	9.7
	1903	(1)	(1)	(1)	(1)	6.4	10.6	10.7	9.3	15.5	9.0	(1)	(1)	6.0	7.5	8.2	9.7
	1904	(1)	(1)	(1)	(1)	7.0	7.2	12.2	9.1	4.8	9.1	(1)	(1)	5.1	8.5	7.1	8.3
	1905	(1)	(1)	(1)	(1)	5.8	5.3	11.3	8.5	6.4	8.8	(1)	(1)	5.2	4.3	9.9	9.5
	1906	6.9	5.5	8.8	4.3	3.7	5.9	9.4	10.0	5.7	8.8	4.4	4.5	5.8	4.3	10.0	9.3
	1907	8.2	5.1	8.5	5.9	5.1	4.9	9.0	8.7	6.2	9.1	6.7	3.8	6.2	5.8	6.6	9.3
	1908	6.5	6.4	6.8	4.6	5.8	4.6	6.7	6.3	7.2	7.2	5.1	3.7	4.5	6.7	6.9	7.6
	1909	7.2	5.9	5.6	4.5	4.4	3.4	7.5	7.0	15.3	5.8	2.5	4.1	4.3	3.6	7.8	6.3
Diseases of spleen	1900	(1)	(1)	(1)	(1)	0.8	0.3	0.3	0.7	.....	0.2	(1)	(1)	0.2	0.1	0.1	0.6
	1901	(1)	(1)	(1)	(1)	0.2	0.6	0.2	0.4	.....	0.2	(1)	(1)	0.2	0.7	0.3	0.2
	1902	(1)	(1)	(1)	(1)	0.3	0.3	0.8	0.2	.....	0.5	(1)	(1)	0.3	0.1	0.1	0.5
	1903	(1)	(1)	(1)	(1)	0.3	.....	0.2	0.4	.....	0.3	(1)	(1)	0.3	0.3	0.4	0.6
	1904	(1)	(1)	(1)	(1)	0.3	0.6	.....	0.3	.....	0.2	(1)	(1)	0.2	0.4	0.7	0.3
	1905	(1)	(1)	(1)	(1)	0.3	.....	0.4	0.3	.....	0.5	(1)	(1)	0.1	0.3	0.6	0.5
	1906	0.1	0.2	0.4	.....	0.1	0.9	0.1	0.4	0.6	0.7	.....	.....	0.3	0.7	0.4	0.5
	1907	0.3	0.8	0.4	0.2	0.4	.....	.....	0.1	1.1	0.2	.....	.....	0.2	0.3	0.6	0.2
	1908	0.5	0.2	0.4	0.2	0.1	0.3	0.3	0.2	.....	.....	0.2	0.3	0.2	.....	0.2	0.3
	1909	0.1	0.2	.....	0.4	0.1	.....	0.3	0.1	.....	0.4	.....	.....	0.2	0.1	0.3	0.2
Peritonitis	1900	(1)	(1)	(1)	(1)	10.4	9.4	24.0	12.5	21.1	14.9	(1)	(1)	14.1	14.2	20.8	13.7
	1901	(1)	(1)	(1)	(1)	7.9	8.3	24.1	11.6	20.9	12.4	(1)	(1)	15.0	10.5	14.5	10.9
	1902	(1)	(1)	(1)	(1)	8.5	10.1	18.5	11.0	16.5	10.1	(1)	(1)	12.3	7.6	14.1	9.6
	1903	(1)	(1)	(1)	(1)	9.2	6.1	14.7	7.8	13.1	5.1	(1)	(1)	11.8	7.2	14.0	10.2
	1904	(1)	(1)	(1)	(1)	8.0	6.3	17.0	11.2	17.0	12.4	(1)	(1)	9.7	6.7	14.1	11.5
	1905	(1)	(1)	(1)	(1)	6.8	8.3	14.5	10.8	10.4	11.3	(1)	(1)	9.0	6.4	16.3	12.9
	1906	8.6	6.3	9.2	8.7	7.8	7.6	11.9	9.0	11.3	8.4	3.7	7.7	7.9	4.5	13.8	10.9
	1907	8.5	6.4	10.4	4.8	7.4	4.1	7.7	8.6	10.6	5.8	4.5	5.3	7.8	6.2	10.5	10.5
	1908	6.7	6.7	5.0	5.3	4.5	3.2	7.1	4.9	11.6	5.4	5.0	5.7	8.0	4.9	11.6	9.8
	1909	5.1	4.1	7.0	5.1	4.6	3.4	5.6	5.2	12.6	7.6	2.6	4.0	5.7	2.9	10.5	8.1
Appendicitis	1900	(1)	(1)	(1)	(1)	10.5	8.1	7.8	5.2	10.2	5.0	(1)	(1)	11.0	6.5	12.6	8.1
	1901	(1)	(1)	(1)	(1)	9.5	6.2	7.2	5.4	5.8	5.5	(1)	(1)	10.1	5.6	15.3	8.7
	1902	(1)	(1)	(1)	(1)	9.6	5.8	7.4	5.1	7.4	8.4	(1)	(1)	9.7	5.8	16.4	7.8
	1903	(1)	(1)	(1)	(1)	10.4	6.1	9.0	6.3	18.0	9.9	(1)	(1)	11.0	5.2	15.1	9.5
	1904	(1)	(1)	(1)	(1)	9.8	5.1	12.0	5.4	21.8	6.3	(1)	(1)	11.5	6.6	16.9	11.0
	1905	(1)	(1)	(1)	(1)	14.3	7.1	11.9	6.3	12.8	8.6	(1)	(1)	12.8	4.6	14.9	9.8
	1906	15.5	6.9	24.9	13.0	12.7	6.2	11.2	5.6	19.3	6.6	12.0	4.1	10.9	5.0	15.1	9.3
	1907	16.6	8.4	18.2	11.6	10.7	5.5	11.6	6.9	16.2	6.9	10.3	3.6	12.6	3.7	13.5	9.3
	1908	16.1	7.2	20.1	11.8	8.2	6.3	15.3	7.3	17.2	5.2	12.7	3.6	10.7	3.7	17.0	11.2
	1909	13.5	8.0	27.5	13.0	10.2	3.7	16.1	8.7	19.7	8.5	11.6	3.6	13.1	4.0	15.1	10.1
Other diseases of digestive system	1900	(1)	(1)	(1)	(1)	.....	.....	0.3	(2)	.....	.....	(1)	(1)	0.3	0.3	.....	0.2
	1901	(1)	(1)	(1)	(1)	0.2	.....	0.3	.....	.....	0.2	(1)	(1)	0.6	0.1	0.3	0.1
	1902	(1)	(1)	(1)	(1)	0.6	.....	0.2	0.1	.....	.....	(1)	(1)	0.5	0.6	0.1	0.3
	1903	(1)	(1)	(1)	(1)	0.2	.....	0.2	0.1	.....	0.2	(1)	(1)	0.4	0.3	0.3	0.2
	1904	(1)	(1)	(1)	(1)	0.3	0.3	0.3	0.1	.....	.....	(1)	(1)	0.7	.....	0.3	0.2
	1905	(1)	(1)	(1)	(1)	0.4	.....	0.1	0.1	.....	0.2	(1)	(1)	0.3	0.3	0.2	0.2
	1906	0.1	0.5	0.4	0.2	0.1	0.6	0.7	0.2	0.6	.....	0.5	0.2	0.6	0.8	0.2	0.2
	1907	0.1	0.1	0.7	.....	0.1	.....	0.7	0.2	0.6	.....	0.2	.....	0.9	0.1	0.1	0.2
	1908	0.7	0.2	0.4	0.4	0.5	0.3	0.7	0.2	1.1	0.4	0.3	0.1	0.7	0.5	0.8	0.3
	1909	0.8	0.3	0.3	.....	0.4	0.6	0.6	0.3	.....	0.2	0.3	.....	0.7	0.1	0.2	0.3
VI.—Diseases of genito - urinary system	1900	(1)	(1)	(1)	(1)	118.0	113.4	88.6	58.9	115.7	88.9	(1)	(1)	92.6	98.0	79.0	65.2
	1901	(1)	(1)	(1)	(1)	103.9	103.9	75.6	57.9	130.2	91.6	(1)	(1)	96.0	86.0	73.1	65.0
	1902	(1)	(1)	(1)	(1)	105.4	109.7	83.0	59.2	141.2	89.1	(1)	(1)	94.6	81.2	85.6	69.5
	1903	(1)	(1)	(1)	(1)	110.3	114.1	91.4	62.9	148.7	102.6	(1)	(1)	101.4	94.0	84.9	71.1
	1904	(1)	(1)	(1)	(1)	123.4	117.9	95.5	68.9	151.1	97.9	(1)	(1)	102.9	109.6	91.0	76.3
	1905	(1)	(1)	(1)	(1)	116.3	110.0	91.3	67.2	144.8	98.3	(1)	(1)	105.4	102.2	93.0	72.5
	1906	122.9	60.7	124.3	56.1	116.8	103.2	104.8	73.3	153.5	101.8	189.2	79.8	101.3	102.6	88.4	78.4
	1907	123.4	78.6	141.0	63.4	119.2	110.2	110.5	81.0	159.6	105.6	195.5	81.9	106.0	106.5	85.8	77.3
	1908	124.2	83.9	126.1	64.6	126.9	103.5	103.6	78.7	135.2	103.6	183.1	88.9	98.7	96.5	85.6	76.4
	1909	129.4	82.8	125.3	78.4	123.9	124.8	110.2	89.2	129.4	104.1	176.5	94.4	102.5	104.6	82.8	80.8
Acute nephritis	1900	(1)	(1)	(1)	(1)	9.9	5.3	5.3	1.8	8.4	.....	(1)	(1)	7.6	2.7	6.5	3.8
	1901	(1)	(1)	(1)	(1)	9.1	7.7	5.1	3.1	6.7	7.8	(1)	(1)	8.4	4.6	6.0	3.1
	1902	(1)	(1)	(1)	(1)	13.6	7.3	5.2	3.2	7.4	5.8	(1)	(1)	8.2	6.6	6.6	3.4
	1903	(1)	(1)	(1)	(1)	13.7	7.6	6.8	3.2	10.6	7.0	(1)	(1)	8.6	6.4	8.6	5.0
	1904	(1)	(1)	(1)	(1)	15.1	6.6	6.0	4.6	9.7	7.6	(1)	(1)	7.9	7.6	7.5	5.4
	1905	(1)	(1)	(1)	(1)	13.0	8.6	8.0	4.3	9.6	6.1	(1)	(1)	7.5	4.8	8.0	3.9
	1906	8.5	3.3	11.5	5.2	13.5	6.5	10.2	4.8	9.6	8.2	18.2	4.7	7.8	5.7	8.4	6.2
	1907	9.4	5.9	10.0	4.4	10.4	7.8	7.4	4.8	10.6	8.0	17.5	7.4	7.9	6.1	6.7	4.9
	1908	7.3	6.3	13.6	7.8	13.2	9.5	10.3	6.5	10.5	11.6	20.7	7.0	8.1	6.1	8.3	5.6
	1909	9.4	6.9	13.6	9.6	12.2	9.4	12.9	7.3	12.1	9.2	14.6	8.6	7.1	6.8	7.7	5.1
Bright's disease	1900	(1)	(1)	(1)	(1)	89.8	83.6	67.0	43.3	92.0	70.5	(1)	(1)	66.0	75.5	50.0	41.9
	1901	(1)	(1)	(1)	(1)	74.6	77.6	56.3	43.0	106.0	65.7	(1)	(1)	70.0	66.4	43.3	42.3
	1902	(1)	(1)	(1)	(1)	77.7	83.1	60.8	44.9	115.6	65.6	(1)	(1)	68.3	60.9	49.8	47.4
	1903	(1)	(1)	(1)	(1)	76.6	86.5	65.2	45.4	113.5	75.5	(1)	(1)	74.1	70.1	50.7	48.2
	1904	(1)	(1)	(1)	(1)	91.6	90.6	70.8	50.5	122.8	72.3	(1)	(1)	74.8	84.7	57.7	51.8
	1905	(1)	(1)	(1)	(1)	85.2	85.7	66.5	50.9	110.4	75.9	(1)	(1)	78.6	83.0	62.0	53.9
	1906	91.0	43.4	87.8	40.6	88.0	76.8	73.8	56.6	122.3	78.6	149.5	65.2	74.2	82.1	61.2	53.6
	1907	93.6	59.0	104.2	45.8	92.6	85.5	79.6	61.5	127.2	79.6	158.5	67.8	79.8	84.5	58.6	55.5
	1908	95.6	62.6	84.0	45.2	95.2	79.4	70.8	57.7	95.3	78.1	144.2	72.0	74.1	75.6	55.9	54.4
	1909	97.9	59.6	87.0	56.0	97.5	94.5	74.5	66.9	91.5	80.4	143.5	76.5	76.6	84.1	54.1	57.2

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
1.3	0.4	0.7	0.5	1.2	1.4	(1)	(1)	(1)	(1)	1.4	1.4	(1)	(1)	2.1	1.4	(1)	(1)	(1)	(1)
.....	1.2	0.5	0.8	1.3	1.5	(1)	(1)	(1)	(1)	0.7	2.0	(1)	(1)	4.2	1.0	(1)	(1)	(1)	(1)
.....	0.4	1.7	1.8	1.7	1.5	(1)	(1)	(1)	(1)	2.7	3.3	(1)	(1)	4.2	1.0	(1)	(1)	(1)	(1)
1.2	2.0	1.5	0.9	1.8	1.8	(1)	(1)	(1)	(1)	2.0	3.2	(1)	(1)	.....	3.7	(1)	(1)	(1)	(1)
1.2	1.6	2.6	1.6	2.5	1.6	(1)	(1)	(1)	(1)	3.9	0.6	(1)	(1)	4.0	3.0	(1)	(1)	(1)	(1)
1.2	2.4	2.4	1.9	2.2	1.5	(1)	(1)	(1)	(1)	2.8	1.9	(1)	(1)	.....	3.0	(1)	(1)	(1)	(1)
2.9	4.0	1.6	0.9	2.3	2.0	(1)	(1)	3.3	2.3	3.7	1.1	7.9	2.5	3.9	1.0	(1)	(1)	(1)	(1)
1.7	1.2	1.5	1.5	2.8	1.9	(1)	(1)	2.8	2.1	3.4	.....	.....	2.2	5.8	2.3	(1)	(1)	(1)	(1)
3.9	1.6	1.9	1.3	2.3	2.3	(1)	(1)	3.6	1.6	4.2	1.1	.....	1.1	3.8	2.3	3.6	1.9	4.0	2.7
1.7	1.2	1.6	0.9	3.1	2.2	3.7	3.7	3.3	2.3	2.1	.....	.....	0.7	5.7	2.3	3.4	2.1	3.5	3.2
6.9	7.9	6.4	5.2	6.7	11.0	(1)	(1)	(1)	(1)	8.1	9.7	(1)	(1)	4.3	9.8	(1)	(1)	(1)	(1)
11.1	12.7	6.1	5.1	5.9	10.7	(1)	(1)	(1)	(1)	6.9	6.7	(1)	(1)	4.2	14.1	(1)	(1)	(1)	(1)
6.7	9.1	7.1	6.5	5.3	8.5	(1)	(1)	(1)	(1)	7.8	13.2	(1)	(1)	4.2	8.7	(1)	(1)	(1)	(1)
6.6	8.8	6.6	6.9	5.9	9.0	(1)	(1)	(1)	(1)	8.2	5.2	(1)	(1)	6.2	6.0	(1)	(1)	(1)	(1)
8.3	10.8	6.7	4.0	5.5	8.1	(1)	(1)	(1)	(1)	3.9	6.3	(1)	(1)	8.1	7.4	(1)	(1)	(1)	(1)
11.1	8.4	7.1	5.1	4.5	7.9	(1)	(1)	(1)	(1)	6.3	4.3	(1)	(1)	4.0	8.0	(1)	(1)	(1)	(1)
11.5	5.6	5.9	3.6	5.3	8.2	(1)	(1)	6.6	6.6	4.9	2.3	.....	4.6	17.7	7.3	(1)	(1)	(1)	(1)
6.2	6.8	5.7	4.6	4.5	6.5	(1)	(1)	6.7	7.2	4.6	6.6	.....	4.2	3.9	5.6	(1)	(1)	(1)	(1)
7.3	10.5	4.2	4.4	4.3	7.2	(1)	(1)	5.9	6.0	3.5	4.3	.....	3.6	13.4	5.0	5.1	3.3	5.8	5.4
4.4	4.0	5.1	4.2	4.1	6.7	6.0	6.0	6.2	5.6	4.6	.....	.....	3.6	.....	4.3	4.8	4.3	4.5	4.1
.....	.....	0.2	0.1	0.2	0.4	(1)	(1)	(1)	(1)	0.4	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	1.2	.....	0.2	0.2	0.3	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	0.4	0.1	0.1	0.4	0.3	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	0.4	0.2	0.1	0.3	0.1	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
1.2	0.4	0.3	.....	0.2	0.2	(1)	(1)	(1)	(1)	0.6	.....	(1)	(1)	4.0	0.3	(1)	(1)	(1)	(1)
.....	0.4	0.3	0.7	0.1	0.4	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	0.2	0.1	0.1	0.4	(1)	(1)	0.1	0.2	1.0	1.1	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	.....	0.1	0.2	(1)	(1)	0.2	0.1	.....	.....	.....	0.2	.....	0.3	(1)	(1)	(1)	(1)
0.6	.....	0.1	.....	0.1	0.3	(1)	(1)	0.1	0.2	0.5	.....	.....	0.2	.....	0.3	.....	0.3	0.1	0.2
.....	0.8	0.1	.....	0.2	0.2	0.1	0.2	0.3	0.3	0.5	.....	.....	0.2	.....	0.7	.....	0.1	0.3	.....
22.7	10.3	19.7	12.8	12.1	14.5	(1)	(1)	(1)	(1)	8.4	8.3	(1)	(1)	12.8	15.8	(1)	(1)	(1)	(1)
14.2	12.3	15.8	11.3	8.5	13.0	(1)	(1)	(1)	(1)	3.4	9.4	(1)	(1)	8.4	14.8	(1)	(1)	(1)	(1)
15.2	10.3	16.5	10.1	6.9	10.3	(1)	(1)	(1)	(1)	4.4	5.9	(1)	(1)	10.4	14.8	(1)	(1)	(1)	(1)
18.0	10.8	12.9	8.1	6.8	10.2	(1)	(1)	(1)	(1)	4.9	6.5	(1)	(1)	16.4	17.4	(1)	(1)	(1)	(1)
14.2	10.4	9.7	6.4	6.3	10.3	(1)	(1)	(1)	(1)	3.5	5.7	(1)	(1)	16.2	13.0	(1)	(1)	(1)	(1)
11.7	12.8	8.5	6.1	5.1	8.9	(1)	(1)	(1)	(1)	3.1	3.1	(1)	(1)	12.0	15.0	(1)	(1)	(1)	(1)
11.5	11.2	5.8	5.6	4.9	9.2	(1)	(1)	8.0	7.0	2.5	3.4	.....	5.7	7.9	12.0	(1)	(1)	(1)	(1)
9.1	7.6	4.7	4.0	4.1	7.4	(1)	(1)	6.6	7.0	3.8	4.4	30.6	5.6	19.4	11.0	(1)	(1)	(1)	(1)
8.4	6.4	4.4	4.8	3.2	8.2	(1)	(1)	4.0	6.6	1.9	2.2	14.9	6.1	17.2	9.0	9.9	4.2	7.7	6.9
8.8	10.1	3.6	3.6	2.2	6.5	5.1	5.2	4.1	5.0	2.7	1.1	7.2	4.2	5.7	8.3	4.6	2.7	6.9	6.8
1.9	5.5	8.0	4.1	12.0	7.1	(1)	(1)	(1)	(1)	8.8	7.6	(1)	(1)	15.1	10.1	(1)	(1)	(1)	(1)
1.9	5.2	7.8	3.1	12.1	6.7	(1)	(1)	(1)	(1)	13.1	4.0	(1)	(1)	8.4	10.4	(1)	(1)	(1)	(1)
4.3	8.3	8.8	2.8	11.5	7.0	(1)	(1)	(1)	(1)	14.1	5.3	(1)	(1)	10.4	9.4	(1)	(1)	(1)	(1)
7.2	7.2	9.4	3.0	12.7	5.7	(1)	(1)	(1)	(1)	16.7	7.8	(1)	(1)	14.4	11.0	(1)	(1)	(1)	(1)
7.1	9.2	10.9	3.8	14.0	7.5	(1)	(1)	(1)	(1)	12.2	3.2	(1)	(1)	20.2	13.4	(1)	(1)	(1)	(1)
5.3	7.6	10.7	3.9	13.4	6.7	(1)	(1)	(1)	(1)	15.1	9.3	(1)	(1)	21.9	7.0	(1)	(1)	(1)	(1)
13.8	12.0	11.2	3.3	13.5	7.0	(1)	(1)	13.5	5.6	19.7	10.2	7.9	10.8	7.9	12.0	(1)	(1)	(1)	(1)
10.2	10.0	11.3	3.4	13.3	5.6	(1)	(1)	13.3	5.3	13.9	5.5	7.6	9.8	15.5	10.6	(1)	(1)	(1)	(1)
14.0	12.1	11.0	4.1	12.6	6.7	(1)	(1)	14.1	5.7	12.9	6.5	29.7	12.2	19.2	9.3	17.6	7.5	21.0	9.9
9.4	6.5	11.8	2.7	13.3	6.9	11.4	6.6	13.4	5.5	11.4	6.4	14.5	9.1	28.4	7.0	16.1	9.3	19.9	8.8
.....	.....	.....	0.1	0.3	(2)	(1)	(1)	(1)	(1)	.....	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	0.2	.....	0.1	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	0.3	0.1	0.4	0.4	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	0.3	.....	0.3	0.3	(1)	(1)	(1)	(1)	1.0	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
.....	0.4	0.1	0.7	0.5	0.1	(1)	(1)	(1)	(1)	0.3	0.6	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	0.2	.....	0.5	0.4	(1)	(1)	(1)	(1)	0.6	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.5	0.1	0.4	0.3	(1)	(1)	0.4	0.3	0.5	1.1	.....	0.2	.....	0.7	(1)	(1)	(1)	(1)
1.1	.....	0.3	0.5	0.5	0.2	(1)	(1)	0.3	0.3	0.2	.....	.....	0.4	.....	.....	(1)	(1)	(1)	(1)
.....	0.8	0.4	0.1	0.6	0.5	(1)	(1)	0.5	0.3	0.5	.....	.....	.....	1.9	.....	0.3	0.5	0.4	0.5
.....	0.4	0.4	0.5	0.7	0.3	0.5	0.2	0.4	0.2	1.8	.....	.....	.....	.....	1.0	1.2	0.1	0.6	0.3
83.7	90.2	122.4	92.5	155.6	93.4	(1)	(1)	(1)	(1)	136.6	152.2	(1)	(1)	103.0	86.5	(1)	(1)	(1)	(1)
81.1	91.6	118.0	91.3	157.7	97.6	(1)	(1)	(1)	(1)	126.3	164.0	(1)	(1)	105.6	95.8	(1)	(1)	(1)	(1)
86.0	103.3	120.3	88.4	154.3	99.8	(1)	(1)	(1)	(1)	144.1	138.6	(1)	(1)	89.5	99.3	(1)	(1)	(1)	(1)
97.9	121.1	123.8	93.9	160.8	105.4	(1)	(1)	(1)	(1)	158.5	153.1	(1)	(1)	123.1	102.1	(1)	(1)	(1)	(1)
90.6	123.7	129.8	90.5	171.5	109.3	(1)	(1)	(1)	(1)	155.6	158.8	(1)	(1)	145.6	107.9	(1)	(1)	(1)	(1)
109.2	132.0	136.6	102.1	163.4	111.3	(1)	(1)	(1)	(1)	155.6	172.3	(1)	(1)	145.6	105.7	(1)	(1)	(1)	(1)
127.8	133.0	133.7	95.9	164.8	107.6	(1)	(1)	133.4	73.8	133.7	202.1	55.0	40.7	104.3	115.8	(1)	(1)	(1)	(1)
110.7	124.9	140.4	103.5	168.1	120.4	(1)	(1)	141.1	74.9	167.8	132.9	129.9	41.4	124.3	115.6	(1)	(1)	(1)	(1)
106.4	121.1	127.7	97.9	146.5	121.7	(1)	(1)	135.4	73.5	131.9	134.7	74.4	41.2	137.9	124.0	86.5	46.8	74.3	63.4
116.5	126.6	131.8	96.0	151.8	123.1	106.9	83.5	134.7	79.0	129.0	137.5	108.6	38.7	130.4	124.5	88.2	51.1	82.2	64.0
8.8	11.9	15.7	8.7	11.8	5.1	(1)	(2)	(1)	(1)	18.3	10.4	(1)	(1)	8.6	3.0	(1)	(1)	(1)	(1)
11.1	5.2	13.5	8.0	14.0	5.7	(1)	(1)	(1)	(1)	10.0	4.7	(1)	(1)	12.7	9.4	(1)	(1)	(1)	(1)
10.4	7.9	17.0	7.8	16.9	7.2	(1)	(1)	(1)	(1)	12.8	11.2	(1)	(1)	2.1	4.7	(1)	(1)	(1)	(1)
10.8	6.8	17.0	7.2	15.7	7.3	(1)	(1)	(1)	(1)	15.4	11.0	(1)	(1)	6.2	9.4	(1)	(1)	(1)	(1)
7.7	10.0	17.9	8.2	16.7	8.1	(1)	(1)	(1)	(1)	17.3	4.4	(1)	(1)	8.1	5.0	(1)	(1)	(1)	(1)
12.3	5.6	19.2	11.2	16.3	7.8	(1)	(1)	(1)	(1)	16.0	14.9	(1)	(1)	8.0	6.7	(1)	(1)	(1)	(1)
9.2	6.0	17.2	8.9	15.1	8.3	(1)	(1)	11.1	6.3	14.8	11.3	.....	3.2	11.8	7.7	(1)	(1)	(1)	(1)
10.2	7.2	20.2	12.2	16.0	8.8	(1)	(1)	13.5	6.6	15.6	12.2	.....	3.4	9.7	9.0	(1)	(1)	(1)	(1)
9.5	7.2	17.4	9.3	14.3	10.5	(1)	(1)	13.9	6.5	11.2	13.0	.....	2.5	11.5	11.9	5.9	2.4	6.6	3.2
7.7	7.3	17.9	10.2	13.6	9.3	9.8	5.7	12.8	7.1	13.2	10.7	7.2	2.5	5.7	8.3	9.1	3.3	6.9	4.8
59.8	58.2	92.7	71.5	128.5	68.9	(1)	(1)	(1)	(1)	90.8	119.0	(1)	(1)	73.0	67.0	(1)	(1)	(1)	(1)
61.3	71.0	92.0	70.6	126.9	73.5	(1)	(1)	(1)	(1)	95.0	139.7	(1)	(1)	71.8	62.8	(1)	(1)	(1)	(1)
56.1	80.3	93.3	70.5	119.6	73.8	(1)	(1)	(1)	(1)	103.8	106.3	(1)	(1)	81.2	75.8	(1)	(1)	(1)	(1)
70.3	86.4	96.6	77.2	126.4	81.0	(1)	(1)	(1)	(1)	121.1	130.5	(1)	(1)	92.3	74.0	(1)	(1)	(1)	(1)
67.5	97.0	98.7	70.9	137.2	83.7	(1)	(1)	(1)	(1)	117.4	139.8	(1)	(1)	111.3	82.9	(1)	(1)	(1)	(1)
82.9	104.0	102.2	79.2	128.8	84.1	(1)	(1)	(1)	(1)	117.0	140.7	(1)	(1)	111.7	81.4	(1)	(1)	(1)	(1)
91.5	111.4	100.3	76.9	132.7	82.8	(1)	(1)	103.0	52.9	100.6	172.7	23.6	29.1	70.8	85.2	(1)	(1)	(1)	(1)
74.9	100.0	105.7	81.3	134.8	92.9	(1)	(1)	108.3	54.6	131.6	106.3	84.0	28.6	83.5	87.7	(1)	(1)	(1)	(1)
77.3	96.2	94.6	79.3	116.1	92.1	(1)	(1)	100.6	54.6	105.0	107.5	52.0	29.0	95.8	96.8	62.5	36.4	51.9	45.9
87.8	98.0	98.5	78.1	122.3	95.6	77.0	63.1	102.9	58.5	101.7	110.9	79.7	27.3	87.0	97.3	59.4	38.1	60.9	45.6

(1) Less than one-tenth.

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Other diseases of kidneys.	1900	(1)	(1)	(1)	(1)	3.2	4.4	3.2	3.5	3.4	3.6	(1)	(1)	3.8	3.4	3.5	4.4
	1901	(1)	(1)	(1)	(1)	2.3	1.2	2.1	2.4	5.8	3.1	(1)	(1)	3.2	3.1	3.4	4.9
	1902	(1)	(1)	(1)	(1)	2.1	2.7	2.8	2.1	6.6	2.4	(1)	(1)	2.9	2.3	5.0	3.2
	1903	(1)	(1)	(1)	(1)	1.4	2.7	2.7	2.6	3.3	4.3	(1)	(1)	2.4	3.6	3.0	2.6
	1904	(1)	(1)	(1)	(1)	3.2	2.7	2.6	2.4	2.4	2.4	(1)	(1)	2.7	1.9	4.4	3.1
	1905	(1)	(1)	(1)	(1)	1.8	2.4	2.5	2.3	5.6	3.0	(1)	(1)	3.3	0.4	3.3	2.7
	1906	4.7	2.9	2.3	2.5	1.2	1.5	3.6	1.8	2.8	2.7	2.4	1.8	2.9	1.0	4.1	3.1
	1907	3.6	2.5	2.6	3.3	2.2	0.9	2.6	2.2	3.4	3.1	2.8	1.2	3.1	2.9	2.2	2.7
	1908	3.8	2.9	4.3	2.3	3.0	1.1	2.9	2.9	1.7	3.4	3.0	2.4	2.6	2.9	2.6	3.1
	1909	2.8	3.5	4.5	2.2	2.4	3.4	2.1	2.4	5.5	3.4	3.4	1.2	3.3	1.9	3.2	3.4
Calculi of urinary tract.	1900	(1)	(1)	(1)	(1)	0.3	.....	0.3	(2)	.....	0.5	(1)	(1)	0.3	0.3	0.4	0.7
	1901	(1)	(1)	(1)	(1)	0.7	0.3	.....	0.2	.....	.....	(1)	(1)	0.6	0.1	0.4	0.5
	1902	(1)	(1)	(1)	(1)	0.5	0.6	0.3	0.2	.....	0.3	(1)	(1)	0.8	0.4	0.5	0.7
	1903	(1)	(1)	(1)	(1)	0.5	.....	0.3	0.3	1.6	0.3	(1)	(1)	0.4	0.4	0.7	0.5
	1904	(1)	(1)	(1)	(1)	0.6	0.9	0.1	0.4	0.8	0.2	(1)	(1)	0.7	0.1	0.4	0.4
	1905	(1)	(1)	(1)	(1)	1.2	.....	0.3	0.3	0.8	0.2	(1)	(1)	0.7	0.3	0.4	0.5
	1906	0.5	0.3	0.4	0.5	1.0	0.6	0.4	0.3	1.1	.....	1.0	0.8	0.8	0.6	0.4	1.0
	1907	1.0	0.5	.....	0.4	0.3	0.9	0.5	0.3	.....	0.2	0.5	0.3	0.7	0.7	0.6	0.5
	1908	0.7	0.8	0.4	0.4	0.7	0.3	0.9	0.3	0.6	.....	1.2	0.4	0.6	0.3	0.6	0.6
	1909	1.3	0.3	0.3	0.6	0.7	0.3	0.8	0.5	0.5	.....	0.8	0.4	0.4	0.4	0.3	0.3
Diseases of bladder.	1900	(1)	(1)	(1)	(1)	7.3	9.7	5.6	4.8	8.4	8.9	(1)	(1)	5.1	9.5	6.5	6.3
	1901	(1)	(1)	(1)	(1)	6.9	8.0	4.6	4.6	7.5	7.2	(1)	(1)	4.7	6.9	4.4	5.4
	1902	(1)	(1)	(1)	(1)	4.0	7.6	4.9	4.4	5.0	7.2	(1)	(1)	4.3	6.4	4.2	4.9
	1903	(1)	(1)	(1)	(1)	6.2	8.2	5.6	4.6	9.0	6.8	(1)	(1)	4.4	6.7	5.1	5.6
	1904	(1)	(1)	(1)	(1)	3.2	6.0	5.6	4.8	6.5	7.8	(1)	(1)	3.9	6.9	3.5	6.1
	1905	(1)	(1)	(1)	(1)	4.0	5.3	3.5	3.4	4.0	5.7	(1)	(1)	3.7	6.3	4.8	4.4
	1906	3.4	3.5	3.1	1.6	2.4	8.2	4.1	3.8	3.4	4.6	1.7	2.7	3.4	4.6	3.3	5.9
	1907	2.5	4.8	3.7	2.2	3.7	7.0	5.9	3.6	4.5	6.9	2.3	1.7	3.0	5.2	3.6	4.3
	1908	3.2	3.9	2.5	1.7	3.7	6.0	3.3	3.1	4.4	4.5	3.1	1.6	3.0	6.0	2.9	4.3
	1909	3.5	3.9	1.7	2.0	2.4	6.5	3.4	2.8	3.3	4.3	2.3	2.7	2.6	4.3	2.2	4.9
Diseases of urethra, urinary abscess, etc.	1900	(1)	(1)	(1)	(1)	0.2	.....	.....	0.1	.....	.....	(1)	(1)	0.5	0.4	0.3	0.1
	1901	(1)	(1)	(1)	(1)	0.5	0.6	0.2	0.1	.....	0.2	(1)	(1)	0.6	.....	0.3	0.2
	1902	(1)	(1)	(1)	(1)	0.2	.....	0.2	0.1	.....	0.5	(1)	(1)	0.5	0.1	0.4	(2)
	1903	(1)	(1)	(1)	(1)	0.6	.....	.....	0.3	0.8	.....	(1)	(1)	0.4	0.1	0.7	0.2
	1904	(1)	(1)	(1)	(1)	0.6	.....	0.1	0.1	0.8	0.2	(1)	(1)	0.6	0.3	0.9	(2)
	1905	(1)	(1)	(1)	(1)	0.6	0.3	0.1	0.2	0.8	.....	(1)	(1)	0.6	0.6	0.2	0.2
	1906	0.2	0.3	.....	0.2	0.7	0.6	0.4	0.3	.....	0.4	0 2	0.2	0.6	0.3	0.4	0.4
	1907	0.5	0.3	0.4	0.2	0.1	.....	1.3	0.2	0.6	0.4	1.0	0.2	0.5	.....	0.4	0.3
	1908	0.2	0.3	0.4	.....	0.8	.....	1.2	0 2	1.7	.....	0.8	0.4	0.4	.....	0.3	0.1
	1909	0.2	0.6	0.7	0.4	0.3	0.3	0.9	0.2	.....	.....	1.3	0.4	0.8	0.1	0.5	0.3
Diseases of prostate.	1900	(1)	(1)	(1)	(1)	1.5	4.4	0.2	1.5	0.8	1.4	(1)	(1)	2.6	2.2	1.3	2.2
	1901	(1)	(1)	(1)	(1)	2.1	3.4	0.8	1.7	1.7	3.3	(1)	(1)	1.8	1.8	3.9	6.8
	1902	(1)	(1)	(1)	(1)	3.2	4.0	1.7	1.4	.....	2.1	(1)	(1)	2.4	2.5	4.1	8.7
	1903	(1)	(1)	(1)	(1)	4.0	4.2	2.9	2.8	2.5	3.6	(1)	(1)	3.3	4.1	10.4	7.8
	1904	(1)	(1)	(1)	(1)	3.3	5.7	2.3	2.1	1.6	3.4	(1)	(1)	4.0	4.6	9.2	8.5
	1905	(1)	(1)	(1)	(1)	3.8	3.0	3.2	2.2	4.8	3.2	(1)	(1)	4.2	3.6	3.1	2.8
	1906	3.3	3.1	5.4	0.5	3.5	4.1	2.2	2.6	4.5	2.6	3.2	2.4	3.8	5.0	2.0	3.5
	1907	3.5	2.3	4.1	2.4	3.7	4.3	2.6	4.6	3.9	3.6	4.3	1.5	4.1	4.7	4.1	4.8
	1908	3.3	3.3	3.6	2.3	3.6	3.7	3.6	3.4	5.5	2.3	1.2	1.6	3.8	3.1	4.3	4.1
	1909	3.3	3.5	2.8	2.9	3.0	6.2	3.6	5.0	5.5	3.2	3.4	1.9	4.6	3.8	3.3	4.9
Nonvenereal diseases of male genital organs.	1900	(1)	(1)	(1)	(1)	0.2	.....	.....	0.1	.....	.....	(1)	(1)	.....	0.1	0.1	0.2
	1901	(1)	(1)	(1)	(1)	0.5	.....	.....	.....	.....	0.2	(1)	(1)	.....	.....	0.3	0.4
	1902	(1)	(1)	(1)	(1)	0.2	0.3	0.2	.....	.....	.....	(1)	(1)	(2)	.....	0.8	0.8
	1903	(1)	(1)	(1)	(1)	.....	0.3	.....	0.2	.....	0.3	(1)	(1)	0.1	.....	0.3	0.1
	1904	(1)	(1)	(1)	(1)	0.3	.....	.....	.....	.....	.....	(1)	(1)	0.2	0.1	0.5	0.2
	1905	(1)	(1)	(1)	(1)	0.1	.....	0.1	.....	.....	0.2	(1)	(1)	0.2	.....	0.2	0.1
	1906	0.1	0.1	.....	.....	0.1	0.3	.....	.....	.....	0.2	0.2	.....	0.1	.....	.....	0.2
	1907	0.1	.....	0.7	0.2	0.1	.....	0.1	.....	.....	.....	.....	.....	0.3	.....	.....	0.1
	1908	0.2	.....	.....	.....	.....	0.3	.....	.....	.....	.....	0.2	.....	0.1	0.1	0.1	0.1
	1909	.....	.....	.....	.....	0.1	0.3	0.1	0.2	.....	0.4	.....	.....	(2)	.....	0.2	0.1
Metritis	1900	(1)	(1)	(1)	(1)	0.5	.....	.....	0.5	.....	0.2	(1)	( )	0.2	0.1	0.4	0.2
	1901	(1)	(1)	(1)	(1)	.....	.....	0.3	0.1	.....	0.2	(1)	(1)	0.1	.....	0.5	0.1
	1902	(1)	(1)	(1)	(1)	0.3	0.3	0.2	0.4	.....	.....	(1)	(1)	0.3	0.1	0.3	0.4
	1903	(1)	(1)	(1)	(1)	.....	0.6	0.6	0.3	.....	.....	(1)	(1)	0.1	.....	.....	0.4
	1904	(1)	(1)	(1)	(1)	.....	.....	0.1	0.3	.....	.....	(1)	(1)	0.4	0.1	0.5	0.5
	1905	(1)	(1)	(1)	(1)	0.6	.....	0.3	0.3	.....	.....	(1)	(1)	0.2	0.1	0.5	0.2
	1906	0.3	0.1	0.8	.....	.....	0.3	0.4	0.2	.....	.....	0.5	0.3	0.5	0.1	0.3	0.3
	1907	0.1	0.2	0.4	0.2	0.1	.....	0.4	0.1	.....	0.2	.....	0.2	0.2	.....	0.1	0.2
	1908	0.6	0.2	0.4	0.6	.....	.....	0.1	0.4	.....	.....	0.2	.....	0.3	0.1	0.2	0.5
	1909	.....	0.4	0.7	0.2	.....	.....	0.1	0.3	0.5	0.2	0.3	.....	0.2	0.3	0.2	0.2
Uterine hemorrhage.	1900	(1)	(1)	(1)	(1)	0.2	.....	0.2	0.3	0.8	0.2	(1)	(1)	0.3	0.3	0.3	0.5
	1901	(1)	(1)	(1)	(1)	0.5	.....	0.5	0.3	.....	0.2	(1)	(1)	0.2	0.4	.....	0.2
	1902	(1)	(1)	(1)	(1)	0.2	0.3	0.6	.....	.....	0.7	(1)	(1)	0.1	.....	0.3	0.7
	1903	(1)	(1)	(1)	(1)	0.5	.....	0.2	0.3	.....	0.3	(1)	(1)	0.2	0.4	.....	0.5
	1904	(1)	(1)	(1)	(1)	0.5	0.6	0.6	0.4	.....	0.2	(1)	(1)	0.2	0.3	0.3	0.6
	1905	(1)	(1)	(1)	(1)	0.6	0.6	0.1	0.3	0.8	0.8	(1)	(1)	0.3	0.1	0.2	0.3
	1906	0.1	.....	.....	.....	0.4	0.3	0.4	0.4	1.1	0.4	0.2	0.3	0.3	0.1	.....	0.2
	1907	.....	0.1	.....	.....	.....	0.6	0.4	0.2	.....	.....	.....	.....	0.1	0.3	0.1	0.4
	1908	0.2	0.3	0.4	0.6	0.1	.....	0.1	0.3	1.1	0.2	0.2	0.3	0.1	0.1	0.3	0.1
	1909	0.3	.....	.....	.....	0.1	0.3	.....	0.2	0.5	0.2	0.2	0.1	0.3	0.7	.....	0.3
Uterine tumor	1900	(1)	(1)	(1)	(1)	1.2	2.8	1.2	0.6	0.8	0.7	(1)	(1)	1.7	0.7	2.7	1.1
	1901	(1)	(1)	(1)	(1)	2.0	2.2	1.8	0.4	.....	0.9	(1)	(1)	1.9	1.0	6.8	2.7
	1902	(1)	(1)	(1)	(1)	0.8	0.3	1.4	0.5	1.7	1.2	(1)	(1)	1.5	0.6	7.7	2.8
	1903	(1)	(1)	(1)	(1)	2.0	0.9	1.5	0.7	0.8	1.2	(1)	(1)	2.5	1.0	3.9	2.4
	1904	(1)	(1)	(1)	(1)	2.1	1.8	1.6	0.8	.....	0.3	(1)	(1)	2.3	0.9	7.1	2.4
	1905	(1)	(1)	(1)	(1)	1.6	1.5	1.6	0.7	1.6	0.8	(1)	(1)	1.7	1.3	2.2	0.9
	1906	2.9	0.9	3.8	0.7	1.9	1.2	2.3	0.8	1.7	1.1	4.0	0.5	2.2	1.1	2.1	1.1
	1907	1.7	0.7	5.6	0.7	1.7	1.7	2.2	1.0	2.8	0.9	1.8	0.5	1.9	1.0	2.6	1.1
	1908	2.0	0.8	3.2	0.8	2.3	1.1	2.4	1.2	5.0	1.1	2.6	1.2	1.9	1.0	2.9	1.0
	1909	3.2	1.0	4.5	1.0	2.0	0.9	2.5	0.8	1.6	0.5	1.6	0.6	2.1	0.7	2.9	1.4

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
2.5	2.8	2.8	2.3	2.4	4.4	(1)	(1)	(1)	(1)	4.2	5.5	(1)	(1)	2.1	2.3	(1)	(1)	(1)	(1)
1.2	2.8	2.3	1.7	2.6	3.4	(1)	(1)	(1)	(1)	4.5	2.0	(1)	(1)	2.1	4.0	(1)	(1)	(1)	(1)
2.4	4.0	1.4	0.8	3.0	3.0	(1)	(1)	(1)	(1)	5.0	4.0	(1)	(1)	2.1	2.7	(1)	(1)	(1)	(1)
4.2	4.4	1.8	1.3	2.8	2.4	(1)	(1)	(1)	(1)	3.6	2.6	(1)	(1)	.....	3.0	(1)	(1)	(1)	(1)
1.8	1.6	3.0	2.2	2.9	3.2	(1)	(1)	(1)	(1)	1.9	1.3	(1)	(1)	2.0	1.7	(1)	(1)	(1)	(1)
4.7	4.4	2.8	1.6	2.3	2.5	(1)	(1)	(1)	(1)	2.8	1.2	(1)	(1)	.....	2.7	(1)	(1)	(1)	(1)
5.2	4.8	3.5	2.0	2.3	3.0	(1)	(1)	2.8	2.4	2.7	.....	7.9	4.2	.....	3.3	(1)	(1)	(1)	(1)
5.1	1.6	2.7	1.6	2.5	2.4	(1)	(1)	3.1	2.8	3.1	4.4	7.6	2.8	.....	2.0	(1)	(1)	(1)	(1)
5.6	4.0	2.3	1.4	2.4	3.3	(1)	(1)	3.2	2.4	4.0	2.2	7.4	1.9	1.9	2.0	2.8	1.3	1.7	2.8
4.4	4.0	2.9	1.7	2.4	2.2	2.3	1.7	2.3	2.2	2.5	.....	7.2	2.4	5.7	0.3	3.1	2.1	2.7	2.5
.....	0.4	0.4	0.1	0.4	0.3	(1)	(1)	(1)	(1)	0.7	1.4	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.4	.....	0.4	0.2	(1)	(1)	(1)	(1)	1.0	1.3	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
1.2	.....	0.2	0.5	0.4	0.4	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
0.6	0.4	0.1	0.5	0.5	0.4	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
.....	0.8	0.1	0.1	0.6	0.5	(1)	(1)	(1)	(1)	1.0	0.6	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
.....	0.8	0.1	.....	0.7	0.4	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	1.3	(1)	(1)	(1)	(1)
1.2	.....	0.3	0.7	0.5	0.2	(1)	(1)	0.6	0.4	.....	.....	.....	0.2	.....	1.0	(1)	(1)	(1)	(1)
1.1	0.8	0.2	0.1	0.6	0.4	(1)	(1)	0.6	0.4	0.2	.....	7.6	0.4	1.9	0.7	(1)	(1)	(1)	(1)
.....	0.8	0.3	0.2	0.6	0.5	(1)	(1)	0.8	0.5	0.5	.....	.....	0.6	1.9	0.3	0.5	0.2	0.3	0.3
.....	0.8	0.6	0.1	0.7	0.4	0.6	0.6	0.6	0.4	0.9	2.1	.....	0.5	.....	0.3	0.5	0.1	0.4	0.6
7.6	12.7	4.9	6.5	3.7	9.1	(1)	(1)	(1)	(1)	4.9	8.3	(1)	(1)	8.6	10.4	(1)	(1)	(1)	(1)
1.9	7.9	3.3	6.7	3.9	8.6	(1)	(1)	(1)	(1)	3.4	5.4	(1)	(1)	8.4	11.4	(1)	(1)	(1)	(1)
11.0	6.8	4.5	5.0	3.4	7.4	(1)	(1)	(1)	(1)	4.0	9.9	(1)	(1)	2.1	8.7	(1)	(1)	(1)	(1)
3.0	14.7	2.7	4.0	3.2	6.7	(1)	(1)	(1)	(1)	2.3	3.9	(1)	(1)	6.2	5.0	(1)	(1)	(1)	(1)
3.6	7.6	3.1	5.5	2.5	7.3	(1)	(1)	(1)	(1)	3.5	6.3	(1)	(1)	16.2	7.4	(1)	(1)	(1)	(1)
4.7	6.4	3.3	5.4	2.6	8.2	(1)	(1)	(1)	(1)	0.9	6.2	(1)	(1)	2.0	8.0	(1)	(1)	(1)	(1)
5.8	4.4	3.4	3.2	2.0	5.6	(1)	(1)	2.8	3.7	3.2	7.9	7.9	1.9	5.9	9.7	(1)	(1)	(1)	(1)
4.0	6.0	2.5	4.0	2.1	6.9	(1)	(1)	2.7	3.9	2.4	4.4	15.3	2.2	1.9	4.7	(1)	(1)	(1)	(1)
4.5	4.4	3.8	3.6	1.8	6.6	(1)	(1)	2.9	3.1	1.9	4.3	.....	2.3	9.6	6.3	1.8	1.7	3.7	4.0
5.0	4.8	2.2	2.5	1.4	6.3	3.1	4.1	2.3	3.3	2.1	3.2	.....	1.5	7.6	6.6	1.4	1.5	3.1	3.6
.....	.....	0.3	0.2	0.6	0.1	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.5	0.1	0.5	0.1	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	0.6	0.1	(1)	(1)	(1)	(1)	1.0	0.7	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.3	.....	0.3	0.1	(1)	(1)	(1)	(1)	0.7	0.6	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
.....	.....	0.3	0.3	0.5	0.2	(1)	(1)	(1)	(1)	0.3	0.6	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.6	0.1	0.5	0.2	(1)	(1)	(1)	(1)	0.6	.....	(1)	(1)	2.0	0.3	(1)	(1)	(1)	(1)
.....	.....	0.4	0.2	0.7	0.1	(1)	(1)	0.2	0.2	0.2	.....	.....	.....	2.0	.....	(1)	(1)	(1)	(1)
0.6	0.4	0.6	.....	0.6	0.2	(1)	(1)	0.4	0.1	1.7	.....	.....	.....	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.4	0.1	0.5	0.2	(1)	(1)	0.6	0.1	0.5	.....	.....	.....	1.9	.....	.....	0.2	0.1	0.2
1.1	0.4	0.5	0.1	0.6	0.1	0.6	0.2	0.6	0.2	0.5	.....	7.2	0.2	.....	0.3	1.0	0.3	0.3	0.3
1.3	1.6	1.0	1.4	1.0	2.1	(1)	(1)	(1)	(1)	2.8	2.1	(1)	(1)	2.1	1.3	(1)	(1)	(1)	(1)
1.2	1.6	1.0	1.6	2.0	3.0	(1)	(1)	(1)	(1)	2.8	4.7	(1)	(1)	2.1	2.0	(1)	(1)	(1)	(1)
0.6	1.2	0.9	1.2	1.9	3.3	(1)	(1)	(1)	(1)	3.4	2.0	(1)	(1)	.....	3.4	(1)	(1)	(1)	(1)
6.6	3.6	1.2	0.7	3.0	3.7	(1)	(1)	(1)	(1)	6.2	1.9	(1)	(1)	6.2	6.4	(1)	(1)	(1)	(1)
2.4	4.8	1.6	0.8	2.1	3.2	(1)	(1)	(1)	(1)	2.9	1.9	(1)	(1)	2.0	5.7	(1)	(1)	(1)	(1)
1.8	7.2	2.1	1.7	3.0	4.7	(1)	(1)	(1)	(1)	4.7	4.3	(1)	(1)	6.0	2.7	(1)	(1)	(1)	(1)
5.8	4.0	2.0	1.9	2.8	4.2	(1)	(1)	3.7	3.6	2.7	5.6	7.9	0.8	7.9	4.7	(1)	(1)	(1)	(1)
4.5	4.8	2.0	1.6	3.0	4.4	(1)	(1)	3.3	2.9	3.1	2.2	.....	2.2	3.9	6.0	(1)	(1)	(1)	(1)
4.5	4.8	2.6	1.5	2.9	4.8	(1)	(1)	3.3	2.7	4.0	5.4	14.9	1.9	1.9	4.3	3.8	1.6	2.1	3.4
2.8	5.2	2.3	1.6	3.1	4.7	3.7	4.9	3.8	3.5	3.4	6.4	.....	1.1	9.5	5.3	3.4	2.5	2.7	4.3
.....	.....	0.3	0.1	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.2	0.1	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	0.2	(1)	(1)	(1)	(1)	0.3	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	0.1	0.2	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	0.2	0.2	0.1	(1)	(1)	(1)	(1)	0.6	0.6	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	0.1	0.1	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.2	0.3	(1)	(1)	0.1	0.2	0.2	.....	.....	.....	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	.....	(1)	(1)	0.1	0.1	.....	.....	.....	0.4	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	0.1	0.1	(1)	(1)	0.1	0.1	.....	.....	.....	.....	.....	.....	0.3	.....	0.1	0.2
.....	.....	0.2	0.1	0.1	0.3	0.2	(2)	0.1	(2)	.....	.....	.....	0.2	.....	.....	.....	0.3	.....	.....
0.6	.....	0.3	0.1	0.5	0.1	(1)	(1)	(1)	(1)	0.4	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	0.1	(2)	(1)	(1)	(1)	(1)	(1)	.....	1.3	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
.....	.....	0.1	0.2	0.3	0.2	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.4	0.3	0.2	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.3	.....	0.3	0.2	(1)	(1)	(1)	(1)	0.6	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.4	0.1	0.4	0.1	(1)	(1)	(1)	(1)	0.6	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	0.4	.....	0.5	0.1	(1)	(1)	0.4	0.3	.....	.....	.....	.....	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	.....	0.1	0.2	0.1	(1)	(1)	0.3	0.2	.....	.....	.....	.....	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.2	0.2	0.3	0.1	(1)	(1)	0.1	0.2	.....	.....	.....	.....	.....	.....	0.5	.....	.....	0.2
.....	.....	0.3	.....	0.2	0.1	0.4	0.4	0.1	0.2	0.2	.....	.....	.....	.....	0.3	0.7	.....	0.1	0.2
1.3	.....	0.7	0.6	0.2	0.2	(1)	(1)	(1)	(1)	0.4	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
1.2	.....	0.6	0.4	0.3	0.2	(1)	(1)	(1)	(1)	0.3	0.7	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	0.4	0.2	0.8	0.2	0.3	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	0.5	0.1	0.2	0.3	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.2	0.2	0.1	0.3	(1)	(1)	(1)	(1)	.....	0.6	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.2	0.2	0.2	0.2	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.2	0.2	0.2	0.1	(1)	(1)	0.1	0.2	.....	.....	.....	0.2	.....	0.3	(1)	(1)	(1)	(1)
0.6	0.8	0.2	0.3	0.1	0.3	(1)	(1)	0.2	0.1	0.2	.....	.....	.....	1.9	.....	(1)	(1)	(1)	(1)
.....	0.8	0.3	0.2	0.1	0.2	(1)	(1)	0.3	0.1	.....	.....	.....	0.2	.....	.....	0.3	0.2	0.5	0.1
.....	0.8	0.1	.....	0.1	0.1	0.2	0.2	0.1	0.1	0.2	.....	7.2	.....	.....	0.3	.....	0.1	.....	0.1
1.3	0.8	1.1	0.1	1.4	1.0	(2)	(1)	(1)	(1)	5.3	2.8	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
1.2	1.6	1.0	0.8	1.8	0.8	(2)	(1)	(2)	(1)	3.1	2.0	(1)	(1)	2.1	1.0	(1)	(1)	(1)	(1)
1.8	1.6	0.6	0.8	2.5	1.6	(2)	(1)	(2)	(1)	4.4	0.7	(1)	(1)	2.1	1.7	(1)	(1)	(1)	(1)
1.2	.....	0.8	1.3	2.0	1.3	(1)	(1)	(1)	(1)	3.6	1.9	(1)	(1)	4.1	1.3	(1)	(1)	(1)	(1)
3.0	1.2	1.5	0.9	2.4	0.5	(1)	(1)	(1)	(1)	4.2	1.3	(1)	(1)	4.0	2.3	(1)	(1)	(1)	(1)
1.8	1.2	1.3	0.8	2.2	1.0	(1)	(1)	(1)	(1)	2.5	1.2	(1)	(1)	8.0	1.0	(1)	(1)	(1)	(1)
2.3	0.8	1.2	0.7	2.4	1.0	(1)	(1)	2.3	1.1	2.5	.....	.....	0.2	3.9	2.0	(1)	(1)	(1)	(1)
4.0	0.8	1.7	0.6	2.4	1.7	(1)	(1)	2.6	1.0	2.9	1.1	.....	0.4	3.9	1.3	(1)	(1)	(1)	(1)
2.2	1.6	1.7	0.3	2.2	1.5	(1)	(1)	2.4	0.9	2.6	1.1	.....	0.4	7.7	0.7	1.8	0.6	2.4	1.0
2.8	2.4	1.4	0.3	2.2	1.7	2.2	0.8	2.0	1.0	1.1	1.1	.....	0.4	3.8	0.7	1.7	0.7	1.8	0.4

[2] Less than one-tenth.

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Other diseases of uterus	1900	(1)	(1)	(1)	(1)	0.8	0.3	1.5	1.5	0.8	1.4	(1)	(1)	0.9	0.7	3.2	1.5
	1901	(1)	(1)	(1)	(1)	0.3	0.3	1.4	0.8	1.7	0.7	(1)	(1)	1.2	0.4	9.0	2.1
	1902	(1)	(1)	(1)	(1)	0.6	0.3	2.5	0.8	.....	0.5	(1)	(1)	1.0	0.4	7.7	1.9
	1903	(1)	(1)	(1)	(1)	1.6	0.9	2.6	0.9	2.5	1.2	(1)	(1)	1.3	0.3	4.7	3.9
	1904	(1)	(1)	(1)	(1)	0.8	1.5	1.8	1.1	4.0	1.5	(1)	(1)	1.3	0.4	5.9	2.2
	1905	(1)	(1)	(1)	(1)	0.7	0.9	1.3	1.0	3.2	1.0	(1)	(1)	1.5	0.9	3.8	1.1
	1906	2.9	1.5	2.7	1.6	1.6	0.9	2.9	0.9	2.8	1.5	2.7	.....	1.2	.....	2.6	1.7
	1907	2.5	0.9	2.2	2.4	1.4	0.6	2.8	1.1	4.5	1.3	2.5	0.5	1.1	0.4	2.9	1.4
	1908	2.1	1.0	5.0	.....	1.1	0.6	2.0	0.7	3.9	0.2	2.1	1.0	0.8	0.4	2.6	1.2
	1909	2.4	1.1	2.1	0.8	1.1	0.9	2.2	0.5	2.2	1.1	0.8	0.3	1.1	0.5	3.0	1.4
Ovarian tumor	1900	(1)	(1)	(1)	(1)	1.5	2.5	0.3	0.9	.....	1.2	(1)	(1)	1.2	1.2	2.1	1.5
	1901	(1)	(1)	(1)	(1)	2.3	1.2	1.4	0.8	0.8	1.7	(1)	(1)	1.3	0.4	4.1	3.3
	1902	(1)	(1)	(1)	(1)	0.8	1.8	1.1	0.9	3.3	1.7	(1)	(1)	1.0	0.6	5.3	2.4
	1903	(1)	(1)	(1)	(1)	2.0	1.2	1.8	0.6	1.6	1.7	(1)	(1)	1.2	0.6	3.1	1.4
	1904	(1)	(1)	(1)	(1)	0.8	0.6	2.3	1.0	2.4	0.8	(1)	(1)	1.1	1.0	5.1	3.2
	1905	(1)	(1)	(1)	(1)	1.3	0.6	1.1	1.0	.....	0.8	(1)	(1)	1.5	0.3	1.5	1.1
	1906	1.2	0.6	1.9	0.2	1.0	1.2	1.5	0.5	0.6	0.7	1.5	0.3	1.2	0.8	1.3	0.6
	1907	1.1	0.8	1.5	0.9	1.0	0.3	1.3	0.6	1.7	1.3	1.2	0.3	1.2	0.7	1.4	0.8
	1908	1.5	0.3	1.8	.....	1.1	1.4	1.6	1.0	2.2	0.9	1.3	0.4	0.9	0.4	1.7	0.5
	1909	1.2	0.5	1.4	0.6	0.9	0.9	2.5	1.0	1.6	.....	1.1	0.6	0.9	0.9	1.6	0.6
Diseases of tubes	1900	(1)	(1)	(1)	(1)	0.7	.....	0.3	0.2	.....	0.2	(1)	(1)	2.0	0.4	1.5	0.4
	1901	(1)	(1)	(1)	(1)	2.0	.....	0.3	0.2	.....	0.5	(1)	(1)	1.6	0.6	4.1	0.5
	1902	(1)	(1)	(1)	(1)	1.1	.....	0.9	0.2	1.7	0.5	(1)	(1)	2.3	.....	10.4	1.2
	1903	(1)	(1)	(1)	(1)	0.9	0.6	0.6	0.4	2.5	0.3	(1)	(1)	1.8	0.1	7.5	0.8
	1904	(1)	(1)	(1)	(1)	1.1	0.9	1.0	0.3	.....	0.8	(1)	(1)	2.2	0.3	3.8	1.1
	1905	(1)	(1)	(1)	(1)	1.5	1.2	2.0	0.2	2.4	0.5	(1)	(1)	1.4	.....	2.5	0.5
	1906	3.5	0.6	4.2	1.8	1.3	0.9	2.2	0.3	2.3	0.7	3.4	0.3	2.2	0.8	1.8	0.5
	1907	3.3	0.5	4.5	.....	1.4	0.6	3.0	0.5	0.6	0.2	2.8	0.3	2.0	.....	1.8	0.1
	1908	3.4	1.2	6.5	2.5	1.5	.....	4.1	0.7	2.8	1.1	2.1	0.3	1.8	0.3	2.4	0.6
	1909	3.5	1.3	5.9	1.8	1.1	1.1	3.6	0.8	4.4	0.9	3.1	0.9	2.3	.....	3.3	0.4
Other diseases of female genital organs	1900	(1)	(1)	(1)	(1)	0.5	0.3	0.8	0.4	.....	0.2	(1)	(1)	0.3	0.1	0.1	0.4
	1901	(1)	(1)	(1)	(1)	0.2	0.6	0.6	0.4	.....	.....	(1)	(1)	0.2	0.1	1.4	1.1
	1902	(1)	(1)	(1)	(1)	0.2	0.3	0.3	0.2	.....	0.5	(1)	(1)	0.5	0.1	1.3	0.7
	1903	(1)	(1)	(1)	(1)	0.2	0.3	0.9	0.3	.....	.....	(1)	(1)	0.4	0.1	2.1	0.7
	1904	(1)	(1)	(1)	(1)	0.3	.....	0.3	0.2	.....	0.3	(1)	(1)	0.3	0.1	0.8	0.2
	1905	(1)	(1)	(1)	(1)	0.1	.....	0.6	0.1	.....	.....	(1)	(1)	0.1	0.3	0.4	.....
	1906	0.4	0.1	0.4	0.7	0.1	.....	0.3	0.1	1.1	0.2	0.7	0.2	0.1	.....	0.4	0.2
	1907	0.5	0.1	1.1	0.2	0.1	.....	0.1	0.3	.....	.....	.....	0.2	(2)	.....	0.5	0.1
	1908	0.2	0.1	.....	0.2	0.3	.....	0.3	0.5	.....	0.2	0.2	.....	.....	.....	0.2	0.2
	1909	0.3	0.2	.....	0.2	0.1	.....	1.0	0.3	.....	0.4	.....	.....	0.2	0.1	0.2	0.2
Nonpuerperal diseases of breast (cancer excepted)	1900	(1)	(1)	(1)	(1)	0.2	.....	.....	.....	.....	.....	(1)	(1)	0.1	.....	.....	.....
	1901	(1)	(1)	(1)	(1)	.....	0.6	0.2	0.1	.....	.....	(1)	(1)	(2)	.....	0.3	.....
	1902	(1)	(1)	(1)	(1)	.....	0.6	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1903	(1)	(1)	(1)	(1)	0.2	.....	.....	0.1	.....	.....	(1)	(1)	0.2	.....	.....	0.1
	1904	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	0.2	0.3	.....	.....
	1905	(1)	(1)	(1)	(1)	0.1	.....	.....	.....	0.8	.....	(1)	(1)	(2)	0.3	.....	0.1
	1906	.....	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....	0.2	.....	0.1	.....	0.1
	1907	.....	0.1	.....	.....	0.3	.....	0.1	0.1	.....	.....	0.2	0.2	0.1	.....	0.1	.....
	1908	.....	.....	.....	.....	0.3	.....	.....	.....	0.6	.....	.....	.....	0.2	0.1	0.1	0.1
	1909	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....	0.1
VII.—Childbirth	1900	(1)	(1)	(1)	(1)	12.9	13.2	5.4	12.1	7.6	9.7	(1)	(1)	12.2	7.6	17.8	18.8
	1901	(1)	(1)	(1)	(1)	12.7	10.5	9.9	10.3	8.3	11.6	(1)	(1)	10.1	7.2	36.4	40.5
	1902	(1)	(1)	(1)	(1)	15.1	10.4	9.2	8.9	15.7	15.1	(1)	(1)	10.3	6.9	34.0	38.8
	1903	(1)	(1)	(1)	(1)	13.8	11.8	9.9	10.7	15.5	12.6	(1)	(1)	12.8	8.1	29.2	36.8
	1904	(1)	(1)	(1)	(1)	14.5	10.5	11.6	12.5	12.1	12.9	(1)	(1)	14.1	10.8	36.5	43.1
	1905	(1)	(1)	(1)	(1)	15.8	13.3	11.1	12.7	10.4	12.0	(1)	(1)	13.0	8.5	15.2	14.5
	1906	13.0	10.7	21.9	25.5	16.0	8.8	13.5	10.3	9.6	10.2	18.7	13.8	13.5	9.1	17.1	15.9
	1907	13.6	9.2	23.0	19.9	14.5	11.3	17.0	11.9	12.9	10.2	17.0	10.5	13.7	9.8	16.6	15.2
	1908	15.7	12.5	19.8	25.1	11.8	11.5	14.8	12.5	10.5	11.4	17.5	13.1	12.1	7.2	15.3	17.8
	1909	13.7	11.4	18.4	18.9	14.2	10.8	13.7	14.9	14.3	9.4	19.1	12.9	15.5	11.3	14.5	15.4
Accidents of pregnancy	1900	(1)	(1)	(1)	(1)	1.4	0.6	0.5	1.7	1.7	0.9	(1)	(1)	2.0	0.7	1.5	1.8
	1901	(1)	(1)	(1)	(1)	1.5	0.9	0.5	1.1	.....	1.0	(1)	(1)	1.0	0.3	6.5	4.2
	1902	(1)	(1)	(1)	(1)	2.4	1.2	1.2	1.6	3.3	1.9	(1)	(1)	1.5	0.9	3.7	3.3
	1903	(1)	(1)	(1)	(1)	1.2	1.5	0.9	1.4	3.3	2.7	(1)	(1)	2.2	0.6	3.9	3.8
	1904	(1)	(1)	(1)	(1)	2.3	1.2	2.2	1.0	0.8	1.5	(1)	(1)	2.2	0.6	3.1	4.1
	1905	(1)	(1)	(1)	(1)	3.1	1.8	1.8	1.3	0.8	1.2	(1)	(1)	2.1	1.0	1.0	1.5
	1906	2.1	0.9	2.7	3.9	2.0	1.2	1.5	0.9	1.7	0.4	2.0	1.5	2.0	1.1	1.7	1.4
	1907	1.5	1.1	1.1	2.4	1.1	1.2	1.8	1.6	1.7	1.5	1.7	1.2	1.9	1.1	2.0	2.0
	1908	2.1	1.2	2.9	2.7	1.8	1.1	2.2	1.7	1.1	1.3	1.3	0.6	1.2	0.7	2.4	1.9
	1909	1.4	1.4	2.8	2.4	1.9	1.7	1.3	1.7	0.5	0.7	1.0	2.2	1.9	1.1	1.2	1.2
Puerperal hemorrhage	1900	(1)	(1)	(1)	(1)	0.5	0.6	0.5	0.4	.....	0.2	(1)	(1)	1.0	0.6	0.8	0.5
	1901	(1)	(1)	(1)	(1)	1.0	0.3	0.5	0.7	1.7	0.7	(1)	(1)	0.8	0.4	1.6	1.8
	1902	(1)	(1)	(1)	(1)	1.1	0.3	0.3	0.4	1.7	0.3	(1)	(1)	0.8	0.3	3.2	3.0
	1903	(1)	(1)	(1)	(1)	1.9	1.2	0.8	0.5	0.8	0.9	(1)	(1)	1.2	0.7	3.4	2.4
	1904	(1)	(1)	(1)	(1)	0.8	1.5	0.7	0.8	1.6	0.8	(1)	(1)	1.4	0.4	0.8	3.5
	1905	(1)	(1)	(1)	(1)	1.3	0.6	1.0	0.9	1.6	0.8	(1)	(1)	1.3	0.7	1.2	1.4
	1906	0.8	0.8	2.3	1.6	1.4	0.6	0.8	0.8	0.6	1.1	1.3	0.3	1.0	0.1	0.7	0.5
	1907	1.3	0.9	0.7	1.3	0.1	0.3	0.5	0.8	.....	0.2	1.3	1.1	1.2	1.1	1.2	1.1
	1908	0.9	0.7	0.7	3.0	1.0	1.4	0.8	0.8	0.6	1.1	0.5	0.9	0.8	0.7	0.7	1.4
	1909	0.7	0.9	1.0	1.0	0.3	0.9	0.4	0.4	1.1	0.4	1.6	0.9	0.7	1.1	0.7	0.5
Other accidents of labor	1900	(1)	(1)	(1)	(1)	1.0	0.6	.....	0.4	.....	.....	(1)	(1)	0.8	0.4	0.8	0.5
	1901	(1)	(1)	(1)	(1)	1.0	0.3	1.6	0.5	0.8	0.5	(1)	(1)	1.2	0.3	2.7	1.1
	1902	(1)	(1)	(1)	(1)	1.1	0.9	0.8	0.4	0.8	0.9	(1)	(1)	0.9	0.1	3.4	2.1
	1903	(1)	(1)	(1)	(1)	1.1	0.3	0.5	0.5	1.6	0.9	(1)	(1)	0.7	0.7	1.1	1.7
	1904	(1)	(1)	(1)	(1)	1.1	0.3	0.3	0.6	.....	1.0	(1)	(1)	1.1	0.7	3.3	2.3
	1905	(1)	(1)	(1)	(1)	0.6	0.6	0.6	0.3	.....	0.2	(1)	(1)	0.7	1.1	0.7	0.5
	1906	1.4	0.6	0.4	0.7	0.9	0.3	0.8	0.5	2.3	1.1	1.3	0.5	1.6	0.7	1.1	1.0
	1907	1.0	0.7	2.6	0.4	1.0	0.9	1.2	0.6	1.7	0.4	1.0	1.1	0.9	0.8	0.7	0.8
	1908	2.1	1.3	1.1	0.8	1.1	1.7	0.8	0.9	1.7	0.9	0.5	0.9	1.3	0.3	0.9	1.2
	1909	2.4	1.4	1.0	1.8	1.3	1.4	1.3	1.2	0.5	0.5	2.3	0.9	2.1	1.3	1.4	1.7

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
.....	0.8	0.6	0.1	1.1	0.8	(1)	(1)	(1)	(1)	2.5	2.8	(1)	(1)	4.3	.....	(1)	(1)	(1)	(1)
1.9	.....	1.0	0.4	1.6	1.0	(1)	(1)	(1)	(1)	1.7	0.7	(1)	(1)	2.1	1.0	(1)	(1)	(1)	(1)
.....	0.4	1.0	0.5	1.4	0.9	(1)	(1)	(1)	(1)	2.0	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	1.6	0.7	0.7	2.0	0.6	(1)	(1)	(1)	(1)	1.0	.....	(1)	(1)	4.1	0.3	(1)	(1)	(1)	(1)
1.8	.....	0.7	0.2	1.5	0.6	(1)	(1)	(1)	(1)	1.0	.....	(1)	(1)	2.0	0.7	(1)	(1)	(1)	(1)
.....	1.2	1.6	1.0	1.5	0.6	(1)	(1)	(1)	(1)	1.9	0.6	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
1.7	0.4	1.4	0.4	1.6	0.9	(1)	(1)	1.5	0.8	1.5	2.3	.....	0.6	2.0	0.3	(1)	(1)	(1)	(1)
2.8	1.2	1.2	0.7	1.4	0.8	(1)	(1)	1.5	0.8	1.2	1.1	15.3	0.4	3.9	1.7	(1)	(1)	(1)	(1)
.....	0.4	1.1	0.4	1.2	0.5	(1)	(1)	1.9	0.8	0.5	1.1	.....	0.4	.....	0.7	2.0	0.6	1.9	0.7
0.6	0.8	1.2	0.4	1.0	1.0	1.5	0.7	1.4	0.7	0.5	1.1	.....	1.6	9.5	2.0	3.4	0.7	1.6	0.7
0.6	0.8	0.6	0.5	1.5	0.9	(1)	(1)	(1)	(1)	1.8	.....	(1)	(1)	2.1	1.3	(1)	(1)	(1)	(1)
.....	1.6	0.5	0.5	1.5	0.8	(1)	(1)	(1)	(1)	3.1	1.3	(1)	(1)	2.1	2.0	(1)	(1)	(1)	(1)
2.4	0.8	0.6	0.2	1.8	1.0	(1)	(1)	(1)	(1)	2.7	0.7	(1)	(1)	.....	1.3	(1)	(1)	(1)	(1)
1.2	2.0	0.5	0.3	1.5	1.0	(1)	(1)	(1)	(1)	1.0	.....	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
0.6	0.4	0.5	0.7	1.5	0.8	(1)	(1)	(1)	(1)	1.3	0.6	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
0.6	0.8	0.5	0.1	1.3	0.9	(1)	(1)	(1)	(1)	3.1	1.2	(1)	(1)	6.0	1.0	(1)	(1)	(1)	(1)
1.7	0.4	0.8	0.4	1.0	0.7	(1)	(1)	1.8	0.7	2.7	2.3	.....	.....	.....	0.7	(1)	(1)	(1)	(1)
1.7	.....	0.9	0.5	1.3	0.9	(1)	(1)	1.1	0.6	1.4	1.1	.....	0.2	7.8	1.3	(1)	(1)	(1)	(1)
0.6	0.8	0.6	0.3	1.1	0.9	(1)	(1)	1.3	0.6	0.2	.....	.....	1.3	3.8	0.7	0.8	0.3	1.2	0.6
2.2	1.2	1.0	0.4	1.2	0.7	1.8	0.7	1.3	0.6	1.1	1.1	.....	0.4	.....	1.3	1.0	0.4	0.3	0.3
.....	.....	0.8	0.1	1.8	0.2	(1)	(1)	(1)	(1)	2.5	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	1.1	.....	1.7	0.2	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.5	.....	1.8	0.2	(1)	(1)	(1)	(1)	1.7	1.3	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	0.8	0.7	0.2	2.4	0.3	(1)	(1)	(1)	(1)	2.6	.....	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
2.4	0.4	1.7	0.1	2.8	0.5	(1)	(1)	(1)	(1)	2.9	0.6	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	0.4	2.0	0.3	3.1	0.3	(1)	(1)	(1)	(1)	4.4	1.9	(1)	(1)	2.0	.....	(1)	(1)	(1)	(1)
2.9	0.8	2.2	0.2	2.7	0.1	(1)	(1)	2.4	0.8	2.2	.....	.....	0.2	.....	0.3	(1)	(1)	(1)	(1)
0.6	0.8	2.4	0.5	2.7	0.4	(1)	(1)	3.1	0.7	3.6	.....	.....	.....	5.8	0.3	(1)	(1)	(1)	(1)
2.2	.....	2.0	0.6	2.7	0.3	(1)	(1)	3.7	0.6	1.6	.....	.....	0.6	1.9	0.3	3.3	0.9	1.1	0.7
1.7	0.4	2.3	0.3	2.7	0.5	3.1	0.6	3.8	0.8	1.1	1.1	.....	0.2	.....	1.0	3.1	0.9	1.2	0.4
.....	0.4	.....	.....	0.6	0.2	(1)	(1)	(1)	(1)	1.1	.....	(1)	(1)	2.1	.....	(1)	(1)	(1)	(1)
.....	.....	0.6	0.2	0.3	.....	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.4	0.3	(1)	(1)	(1)	(1)	1.3	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.3	.....	0.4	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	0.1	0.2	0.2	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.3	0.3	0.3	0.1	(1)	(1)	(1)	(1)	0.6	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.4	0.2	0.2	0.1	(1)	(1)	0.4	0.1	0.2	.....	7.9	.....	.....	.....	(1)	(1)	(1)	(1)
0.6	0.4	0.1	.....	0.3	0.2	(1)	(1)	0.4	0.2	0.7	.....	.....	0.4	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.1	0.1	0.2	0.1	(1)	(1)	0.4	0.1	.....	.....	.....	0.2	.....	.....	0.3	0.3	0.5	0.1
0.6	.....	0.4	.....	0.2	0.2	0.3	.....	0.4	0.2	0.5	.....	.....	0.2	1.9	0.3	0.5	.....	0.3	0.1
.....	.....	0.2	.....	0.1	(2)	(1)	(1)	(1)	(1)	0.4	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	.....	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	0.1	(1)	(1)	(1)	(1)	.....	0.6	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	(2)	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	.....	(1)	(1)	0.1	0.1	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	(2)	0.1	(1)	(1)	0.1	(2)	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	0.1	0.1	(2)	(1)	(1)	(2)	(2)	.....	.....	.....	.....	.....	.....	.....	0.2	0.1	0.1
.....	0.4	.....	0.1	(2)	(2)	0.1	0.1	0.1	0.1	.....	.....	.....	0.4	.....	.....	.....	.....	.....	0.1
8.8	7.5	14.5	10.6	16.5	9.0	(1)	(1)	(1)	(1)	21.8	18.7	(1)	(1)	8.6	14.1	(1)	(1)	(1)	(1)
7.4	6.7	11.5	7.9	16.6	11.9	(1)	(1)	(1)	(1)	20.3	16.2	(1)	(1)	6.3	10.1	(1)	(1)	(1)	(1)
6.1	7.2	14.0	7.1	15.1	10.6	(1)	(1)	(1)	(1)	15.5	16.5	(1)	(1)	6.2	12.1	(1)	(1)	(1)	(1)
8.4	11.9	13.1	9.5	15.3	11.0	(1)	(1)	(1)	(1)	14.8	11.0	(1)	(1)	8.2	15.7	(1)	(1)	(1)	(1)
8.9	9.2	15.1	9.4	18.0	11.5	(1)	(1)	(1)	(1)	22.8	16.4	(1)	(1)	10.1	18.0	(1)	(1)	(1)	(1)
12.8	12.4	15.5	10.4	19.4	11.2	(1)	(1)	(1)	(1)	23.8	14.9	(1)	(1)	21.9	18.3	(1)	(1)	(1)	(1)
13.8	15.6	17.1	10.4	17.8	11.3	(1)	(1)	18.9	15.4	19.0	12.4	23.6	14.3	7.9	17.3	(1)	(1)	(1)	(1)
11.4	10.0	15.6	8.9	18.6	13.3	(1)	(1)	20.0	16.4	20.6	14.4	.....	13.4	34.9	25.6	(1)	(1)	(1)	(1)
7.3	12.1	17.9	9.1	16.7	12.9	(1)	(1)	21.6	18.1	16.6	17.4	14.9	12.8	19.2	18.9	20.7	16.2	13.5	13.1
14.9	11.7	15.3	8.3	15.9	12.4	15.3	13.2	20.1	18.0	15.3	16.0	21.7	12.9	30.2	16.9	17.7	15.6	13.5	9.8
.....	0.4	1.7	1.2	2.1	0.8	(1)	(1)	(1)	(1)	1.4	1.4	(1)	(1)	.....	2.4	(1)	(1)	(1)	(1)
0.6	1.2	1.0	0.5	2.4	1.1	(1)	(1)	(1)	(1)	2.1	2.7	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
1.2	0.4	1.2	1.1	1.7	1.5	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	.....	2.3	(1)	(1)	(1)	(1)
.....	2.0	1.4	0.7	1.8	0.7	(1)	(1)	(1)	(1)	2.0	1.3	(1)	(1)	.....	3.3	(1)	(1)	(1)	(1)
1.2	1.2	1.3	0.2	1.9	0.7	(1)	(1)	(1)	(1)	3.9	0.6	(1)	(1)	2.6	2.7	(1)	(1)	(1)	(1)
2.3	2.4	0.8	1.2	1.6	1.0	(1)	(1)	(1)	(1)	1.9	1.9	(1)	(1)	6.0	2.7	(1)	(1)	(1)	(1)
3.5	0.8	1.9	1.1	2.0	1.7	(1)	(1)	2.5	1.7	2.7	1.1	.....	0.8	2.0	2.7	(1)	(1)	(1)	(1)
0.6	1.6	1.6	1.1	1.7	1.6	(1)	(1)	2.8	1.7	1.9	.....	.....	1.8	3.9	2.7	(1)	(1)	(1)	(1)
1.7	2.4	1.3	0.4	1.6	1.1	(1)	(1)	1.9	1.5	1.6	2.2	.....	1.1	.....	3.3	3.1	2.8	1.5	1.8
2.2	2.0	1.5	0.9	1.5	1.4	1.7	1.2	2.1	1.8	1.1	.....	.....	1.3	1.9	1.3	4.6	1.5	2.2	0.9
0.6	.....	0.9	0.9	1.0	0.3	(1)	(1)	(1)	(1)	1.8	1.4	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
.....	0.4	0.7	1.4	1.2	1.0	(1)	(1)	(1)	(1)	2.1	0.7	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
0.6	0.4	1.0	0.5	1.3	0.8	(1)	(1)	(1)	(1)	1.0	2.0	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
1.8	1.2	1.3	0.1	1.6	0.5	(1)	(1)	(1)	(1)	1.0	2.6	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
0.6	2.4	1.5	0.8	1.4	1.1	(1)	(1)	(1)	(1)	1.0	0.6	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
0.6	0.4	1.6	0.8	1.6	0.9	(1)	(1)	(1)	(1)	1.3	3.7	(1)	(1)	4.0	1.0	(1)	(1)	(1)	(1)
0.6	0.8	1.2	1.2	1.2	0.6	(1)	(1)	1.7	1.5	1.0	3.4	.....	1.7	.....	0.7	(1)	(1)	(1)	(1)
1.1	0.8	1.5	0.5	1.4	1.0	(1)	(1)	1.2	1.2	1.4	.....	.....	1.6	.....	1.7	(1)	(1)	(1)	(1)
0.6	0.8	1.3	1.2	0.9	0.6	(1)	(1)	1.0	0.9	0.7	2.2	.....	1.1	3.8	0.3	0.8	1.4	0.4	1.1
0.6	0.4	0.6	0.6	0.6	0.9	0.5	0.7	0.7	1.0	0.2	.....	.....	0.7	.....	1.0	0.7	0.9	0.3	0.9
0.6	.....	1.2	1.5	1.3	0.6	(1)	(1)	(1)	(1)	2.1	0.7	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
.....	.....	1.3	0.5	1.3	0.7	(1)	(1)	(1)	(1)	1.7	3.4	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
.....	.....	1.3	0.9	1.1	0.7	(1)	(1)	(1)	(1)	1.0	0.7	(1)	(1)	2.1	1.0	(1)	(1)	(1)	(1)
.....	.....	1.4	1.3	1.3	0.3	(1)	(1)	(1)	(1)	2.0	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
0.6	.....	1.3	0.6	1.2	0.4	(1)	(1)	(1)	(1)	1.9	1.9	(1)	(1)	2.0	0.7	(1)	(1)	(1)	(1)
.....	0.8	1.2	1.1	1.4	0.6	(1)	(1)	(1)	(1)	1.6	.....	(1)	(1)	2.0	1.7	(1)	(1)	(1)	(1)
0.6	0.8	1.7	0.9	1.9	0.8	(1)	(1)	1.1	1.0	1.2	2.3	.....	1.1	.....	0.7	(1)	(1)	(1)	(1)
1.1	.....	1.3	0.6	1.5	0.9	(1)	(1)	1.8	1.0	2.2	.....	.....	0.8	1.9	0.7	(1)	(1)	(1)	(1)
0.6	1.2	1.8	0.8	2.0	0.8	(1)	(1)	1.7	1.1	1.4	.....	.....	0.8	1.9	2.3	1.8	1.7	1.5	1.3
1.1	1.6	1.5	0.7	2.3	0.7	1.1	1.1	2.1	1.8	0.9	1.1	7.2	1.3	3.8	1.3	0.7	1.0	1.9	0.9

[2] Less than one-tenth.

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Puerperal septicemia	1900	(1)	(1)	(1)	(1)	6.1	5.0	2.8	5.5	2.5	3.1	(1)	(1)	4.0	3.0	9.3	8.7
	1901	(1)	(1)	(1)	(1)	4.4	4.3	4.6	5.1	1.7	4.7	(1)	(1)	3.4	2.7	14.7	20.6
	1902	(1)	(1)	(1)	(1)	5.9	3.4	4.3	3.6	5.8	6.2	(1)	(1)	3.6	1.5	14.1	16.6
	1903	(1)	(1)	(1)	(1)	4.7	3.9	5.9	5.3	6.5	3.4	(1)	(1)	4.5	2.2	13.0	16.2
	1904	(1)	(1)	(1)	(1)	5.1	4.2	4.8	6.2	7.3	4.9	(1)	(1)	4.6	4.0	16.6	18.3
	1905	(1)	(1)	(1)	(1)	5.8	5.6	4.5	7.3	6.4	4.9	(1)	(1)	4.3	3.1	7.1	5.8
	1906	5.1	4.5	10.0	13.9	6.6	2.9	5.9	4.4	2.8	2.2	9.3	4.8	4.0	3.9	7.6	5.8
	1907	4.5	3.2	12.2	11.6	7.4	4.3	10.5	5.7	3.4	4.5	7.7	3.3	4.8	2.8	7.6	5.8
	1908	6.2	4.7	8.3	13.7	4.3	4.3	7.5	5.6	3.9	4.2	9.9	6.0	4.4	2.9	7.2	6.7
	1909	5.2	3.6	8.7	8.8	4.7	2.8	7.1	7.3	7.7	3.6	8.0	4.1	5.6	3.5	7.9	6.3
Puerperal convulsions	1900	(1)	(1)	(1)	(1)	2.0	4.7	0.8	1.8	0.8	0.9	(1)	(1)	2.6	0.9	2.7	2.6
	1901	(1)	(1)	(1)	(1)	3.0	3.1	2.1	1.5	.....	1.7	(1)	(1)	2.4	1.8	5.4	6.7
	1902	(1)	(1)	(1)	(1)	2.2	3.4	1.7	1.4	2.5	2.4	(1)	(1)	2.3	1.2	6.9	7.7
	1903	(1)	(1)	(1)	(1)	3.7	4.6	1.1	1.7	0.8	2.7	(1)	(1)	2.7	2.2	6.5	6.5
	1904	(1)	(1)	(1)	(1)	3.2	3.0	2.3	2.9	1.6	2.0	(1)	(1)	2.9	3.0	9.9	10.7
	1905	(1)	(1)	(1)	(1)	3.7	2.4	1.7	1.9	1.6	1.7	(1)	(1)	2.7	1.7	2.6	2.9
	1906	3.3	2.8	5.8	2.5	3.5	2.3	3.3	2.6	1.1	2.9	3.9	3.8	3.2	1.5	3.4	4.6
	1907	4.0	1.8	2.6	3.1	4.2	2.3	2.3	2.3	4.5	2.0	4.8	3.3	3.0	2.5	3.1	3.5
	1908	3.6	3.6	4.0	3.2	3.3	2.3	2.6	2.6	2.8	2.3	3.8	3.0	3.1	1.8	3.0	3.8
	1909	3.5	2.9	3.1	3.3	5.1	2.8	2.5	3.2	3.8	2.5	5.2	2.8	3.5	2.7	2.3	3.2
Puerperal phlegmasia alba dolens	1900	(1)	(1)	(1)	(1)	0.2	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	0.1
	1901	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	0.3	.....
	1902	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	0.1
	1903	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	0.2
	1904	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1905	(1)	(1)	(1)	(1)	.....	0.3	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	0.1
	1906	.....	.....	.....	.....	.....	0.3	0.1	.....	.....	.....	.....	.....	.....	.....	.....	0.1
	1907	.....	.....	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1
	1908	.....	.....	.....	0.2	.....	.....	.....	.....	.....	.....	0.2	0.1	.....	.....	.....	0.1
	1909	.....	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....	0.1	.....	.....	0.1	.....
Other puerperal accidents	1900	(1)	(1)	(1)	(1)	1.7	1.6	0.8	2.2	2.5	4.7	(1)	(1)	1.9	1.9	2.7	4.9
	1901	(1)	(1)	(1)	(1)	1.8	1.5	0.6	1.5	4.2	2.9	(1)	(1)	1.2	1.8	5.2	6.1
	1902	(1)	(1)	(1)	(1)	2.2	1.2	0.9	1.5	1.7	3.4	(1)	(1)	1.3	2.9	2.7	6.0
	1903	(1)	(1)	(1)	(1)	1.2	0.3	0.9	1.3	2.5	2.0	(1)	(1)	1.4	1.7	1.3	6.0
	1904	(1)	(1)	(1)	(1)	2.1	0.3	1.2	1.0	0.8	2.5	(1)	(1)	1.8	2.0	2.8	4.2
	1905	(1)	(1)	(1)	(1)	1.3	2.1	1.6	0.9	.....	3.2	(1)	(1)	1.9	0.9	2.6	2.4
	1906	0.4	1.1	0.8	3.0	1.6	1.2	1.0	1.0	1.1	2.6	0.8	2.9	1.7	1.7	2.6	2.4
	1907	1.1	1.5	3.7	1.1	0.4	2.3	0.7	0.9	1.7	1.6	0.5	0.6	1.8	1.5	2.1	2.1
	1908	0.8	1.2	2.9	1.5	0.4	0.6	0.8	0.9	0.6	1.6	1.3	1.5	1.3	1.0	1.0	2.8
	1909	0.7	1.2	1.7	1.6	0.8	1.1	1.2	1.0	0.5	1.6	1.0	1.8	1.7	1.6	0.9	2.5
Puerperal diseases of breast	1900	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1901	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1902	(1)	(1)	(1)	(1)	.....	.....	.....	0.1	.....	.....	(1)	(1)	.....	.....	.....	.....
	1903	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1904	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1905	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1906	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1907	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1908	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....	.....
	1909	.....	.....	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
VIII.—Diseases of skin	1900	(1)	(1)	(1)	(1)	9.8	10.0	6.7	6.4	12.6	9.9	(1)	(1)	8.7	10.4	7.8	8.5
	1901	(1)	(1)	(1)	(1)	11.2	10.2	5.4	5.4	9.2	10.3	(1)	(1)	6.9	9.9	7.6	7.5
	1902	(1)	(1)	(1)	(1)	8.0	8.6	6.8	6.9	12.4	11.8	(1)	(1)	7.1	9.3	7.2	7.4
	1903	(1)	(1)	(1)	(1)	9.6	8.2	5.7	4.8	14.7	11.9	(1)	(1)	7.0	10.4	6.7	8.6
	1904	(1)	(1)	(1)	(1)	7.1	9.0	6.6	5.5	8.1	10.7	(1)	(1)	6.7	9.0	6.0	8.3
	1905	(1)	(1)	(1)	(1)	6.9	10.1	8.0	6.8	7.2	12.5	(1)	(1)	7.1	8.4	6.8	8.4
	1906	6.5	4.0	6.1	2.7	6.0	8.8	6.9	6.0	14.7	10.0	7.8	3.6	6.4	6.6	6.4	10.6
	1907	6.1	6.1	3.7	3.3	7.9	8.7	6.1	6.4	10.1	11.3	5.2	4.8	7.2	8.3	6.1	6.9
	1908	5.6	5.8	3.6	3.2	5.4	5.2	5.2	6.5	8.3	10.3	8.3	5.1	6.0	8.2	6.4	8.1
	1909	4.6	5.1	1.7	2.2	5.6	7.7	4.7	5.0	7.1	12.4	7.2	6.7	5.7	6.6	4.5	7.4
Gangrene	1900	(1)	(1)	(1)	(1)	5.7	6.6	2.9	3.5	8.4	7.6	(1)	(1)	4.4	6.7	4.2	5.0
	1901	(1)	(1)	(1)	(1)	6.3	6.5	2.7	2.8	4.2	8.5	(1)	(1)	4.5	7.5	4.0	4.5
	1902	(1)	(1)	(1)	(1)	5.3	6.1	3.7	3.9	10.7	9.4	(1)	(1)	4.1	6.4	3.2	4.8
	1903	(1)	(1)	(1)	(1)	6.1	6.4	3.2	2.5	9.0	10.1	(1)	(1)	4.3	8.1	3.4	5.3
	1904	(1)	(1)	(1)	(1)	4.7	6.3	3.2	3.8	6.5	8.3	(1)	(1)	4.4	5.7	4.3	5.1
	1905	(1)	(1)	(1)	(1)	3.4	8.3	4.8	4.5	4.8	10.1	(1)	(1)	4.3	6.5	3.4	5.5
	1906	3.7	2.3	2.3	1.8	3.7	6.2	4.4	3.1	10.8	7.1	4.4	2.0	3.6	4.3	3.6	6.6
	1907	3.7	4.4	2.6	1.5	5.2	6.7	3.9	4.5	7.3	9.4	3.8	3.3	4.1	5.5	2.7	4.9
	1908	2.6	3.8	2.9	1.5	3.2	3.7	3.2	4.0	3.9	7.8	3.5	3.3	3.2	4.2	4.1	4.8
	1909	3.0	3.9	0.7	1.6	3.1	5.4	2.8	3.6	5.5	8.3	4.6	3.1	2.9	4.7	2.8	4.7
Carbuncle	1900	(1)	(1)	(1)	(1)	0.2	0.6	0.3	0.4	1.7	0.2	(1)	(1)	0.4	0.7	0.1	0.3
	1901	(1)	(1)	(1)	(1)	0.5	.....	0.2	0.6	0.8	0.5	(1)	(1)	0.4	0.1	0.5	0.4
	1902	(1)	(1)	(1)	(1)	0.2	0.6	0.8	0.4	0.8	0.9	(1)	(1)	0.5	0.1	0.7	0.4
	1903	(1)	(1)	(1)	(1)	0.3	.....	0.3	0.7	0.8	.....	(1)	(1)	0.6	0.3	0.3	0.6
	1904	(1)	(1)	(1)	(1)	0.3	0.9	0.6	0.3	0.8	.....	(1)	(1)	0.5	0.3	0.5	0.2
	1905	(1)	(1)	(1)	(1)	0.3	0.3	0.6	0.6	0.8	0.5	(1)	(1)	0.6	0.4	0.1	0.3
	1906	0.8	0.2	0.4	.....	0.1	.....	0.7	0.6	1.1	1.1	1.0	0.3	0.6	0.3	0.2	0.5
	1907	0.7	0.1	.....	.....	0.3	0.6	0.7	0.4	0.6	.....	0.3	0.3	0.4	0.6	0.1	0.4
	1908	0.7	0.4	.....	.....	0.3	0.9	.....	0.5	0.6	0.5	1.7	0.4	0.5	0.7	0.3	0.1
	1909	0.4	0.4	.....	.....	0.5	.....	1.0	0.2	.....	0.7	0.3	1.0	0.5	0.4	0.2	0.6
Abscess	1900	(1)	(1)	(1)	(1)	2.0	1.6	2.4	1.6	0.8	1.4	(1)	(1)	2.3	2.1	2.1	1.9
	1901	(1)	(1)	(1)	(1)	2.8	2.2	1.4	1.3	2.5	1.2	(1)	(1)	1.1	1.3	2.1	1.6
	1902	(1)	(1)	(1)	(1)	1.9	1.5	1.5	1.5	.....	1.4	(1)	(1)	1.6	1.3	1.6	1.0
	1903	(1)	(1)	(1)	(1)	2.0	0.9	0.8	0.6	2.5	1.2	(1)	(1)	1.4	0.9	1.6	1.4
	1904	(1)	(1)	(1)	(1)	1.1	0.9	1.9	0.6	0.8	2.2	(1)	(1)	1.4	1.4	0.8	1.6
	1905	(1)	(1)	(1)	(1)	2.1	0.3	2.0	1.1	0.8	0.8	(1)	(1)	1.2	0.9	1.4	1.7
	1906	1.8	0.9	2.3	0.5	1.3	0.9	1.4	0.9	1.7	1.1	1.9	0.9	1.1	0.7	1.8	1.6
	1907	1.1	0.6	1.1	1.3	1.3	0.3	0.5	0.6	1.1	0.7	1.0	0.5	1.4	1.2	1.9	0.9
	1908	1.1	0.6	0.7	0.8	0.7	.....	1.2	0.7	1.7	0.7	1.5	0.6	1.0	1.2	0.7	1.5
	1909	0.5	0.5	0.7	0.4	1.2	0.6	0.1	0.4	1.1	1.4	1.5	1.3	0.9	0.7	0.9	0.7

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
1.9	2.8	6.4	3.1	8.0	3.3	(1)	(1)	(1)	(1)	9.5	6.2	(1)	(1)	4.3	5.1	(1)	(1)	(1)	(1)
3.7	2.8	4.5	3.0	7.2	3.9	(1)	(1)	(1)	(1)	8.3	4.0	(1)	(1)	2.1	3.0	(1)	(1)	(1)	(1)
2.4	2.8	6.4	2.6	7.5	2.8	(1)	(1)	(1)	(1)	6.7	7.9	(1)	(1)	4.2	3.7	(1)	(1)	(1)	(1)
4.2	3.6	5.0	4.1	7.0	3.9	(1)	(1)	(1)	(1)	6.9	3.9	(1)	(1)	2.1	3.7	(1)	(1)	(1)	(1)
3.0	3.6	7.7	4.3	8.8	3.8	(1)	(1)	(1)	(1)	12.2	7.6	(1)	(1)	4.0	5.7	(1)	(1)	(1)	(1)
3.5	3.2	8.1	3.8	9.7	3.5	(1)	(1)	(1)	(1)	10.4	6.2	(1)	(1)	-------	5.0	(1)	(1)	(1)	(1)
4.0	5.6	7.2	4.6	8.4	3.4	(1)	(1)	8.0	5.5	7.6	3.4	7.9	4.2	2.0	4.3	(1)	(1)	(1)	(1)
3.4	2.8	6.5	3.2	9.0	4.5	(1)	(1)	7.9	6.5	9.1	3.3	-------	3.6	11.6	6.3	(1)	(1)	(1)	(1)
2.2	2.4	9.0	3.9	7.9	5.4	(1)	(1)	10.2	7.8	6.1	5.4	-------	5.1	3.8	6.6	8.9	6.9	6.5	4.1
7.2	2.4	7.2	3.2	6.9	4.6	8.9	6.1	9.1	7.9	7.1	8.5	7.2	4.5	15.1	7.9	7.7	7.0	6.1	3.5
3.8	2.0	2.8	1.5	2.2	2.1	(1)	(1)	(1)	(1)	4.9	4.2	(1)	(1)	2.1	2.0	(1)	(1)	(1)	(1)
2.5	0.4	2.9	1.9	3.0	3.0	(1)	(1)	(1)	(1)	5.2	4.7	(1)	(1)	2.1	3.4	(1)	(1)	(1)	(2)
1.2	2.0	2.6	1.6	2.6	3.0	(1)	(1)	(1)	(1)	4.7	4.6	(1)	(1)	-------	1.7	(1)	(1)	(1)	(1)
0.6	2.8	3.3	2.3	2.8	3.6	(1)	(1)	(1)	(1)	2.6	1.9	(1)	(1)	4.1	5.7	(1)	(1)	(1)	(1)
1.8	0.8	2.7	2.2	3.6	3.4	(1)	(1)	(1)	(1)	2.9	3.8	(1)	(1)	-------	5.0	(1)	(1)	(1)	(1)
2.9	4.0	2.6	2.4	3.8	3.2	(1)	(1)	(1)	(1)	6.6	1.2	(1)	(1)	8.0	3.3	(1)	(1)	(1)	(1)
2.9	4.4	4.0	1.5	3.2	2.9	(1)	(1)	3.7	3.6	5.2	1.1	15.7	2.3	3.9	4.0	(1)	(1)	(1)	(1)
1.7	3.2	3.8	2.4	3.9	3.2	(1)	(1)	4.7	4.0	5.0	7.8	-------	2.0	13.6	8.3	(1)	(1)	(1)	(1)
1.1	2.8	3.7	1.4	3.4	3.6	(1)	(1)	5.0	4.6	5.8	5.4	14.9	1.9	9.6	3.3	4.8	2.2	2.7	2.7
3.9	2.0	3.6	1.8	3.5	3.5	2.2	2.6	4.8	3.9	4.6	6.4	-------	2.4	7.6	4.0	3.1	4.0	1.4	2.3
-------	-------	-------	-------	-------	(2)	(1)	(1)	(1)	(1)	-------	-------	(1)	(1)	-------	-------	(1)	(1)	(1)	(1)
-------	-------	-------	-------	-------	-------	(1)	(1)	(1)	(1)	-------	-------	(1)	(1)	-------	-------	(1)	(1)	(1)	(1)
-------	-------	-------	-------	-------	-------	(1)	(1)	(1)	(1)	-------	-------	(1)	(1)	-------	-------	(1)	(1)	(1)	(1)
-------	-------	-------	-------	-------	-------	(1)	(1)	(1)	(1)	-------	-------	(1)	(1)	-------	-------	(1)	(1)	(1)	(1)
-------	-------	-------	-------	(2)	(2)	(1)	(1)	(1)	(1)	-------	-------	(1)	(1)	-------	-------	(1)	(1)	(1)	(1)
-------	-------	-------	-------	(2)	-------	(1)	(1)	(1)	(1)	-------	-------	(1)	(1)	-------	-------	(1)	(1)	(1)	(1)
-------	-------	-------	-------	-------	(2)	(1)	(1)	0.7	0.1	-------	-------	-------	-------	-------	0.3	(1)	(1)	(1)	(1)
-------	-------	-------	-------	-------	-------	(1)	(1)	0.1	0.1	-------	-------	-------	-------	-------	-------	(1)	(1)	(1)	(1)
-------	-------	-------	-------	(2)	0.1	(1)	(1)	(2)	(2)	-------	-------	-------	-------	-------	0.3	-------	-------	0.1	0.1
-------	-------	-------	-------	0.1	-------	(2)	0.1	0.1	0.1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
1.9	2.4	1.5	2.5	1.9	1.8	(1)	(1)	(1)	(1)	2.1	4.8	(1)	(1)	-------	3.7	(1)	(1)	(1)	(1)
0.6	2.0	1.1	0.6	1.5	2.2	(1)	(1)	(1)	(1)	1.0	0.7	(1)	(1)	-------	1.7	(1)	(1)	(1)	(1)
0.6	1.6	1.3	0.5	1.0	1.8	(1)	(1)	(1)	(1)	1.3	1.3	(1)	(1)	-------	2.7	(1)	(1)	(1)	(1)
1.8	2.4	0.7	1.0	0.9	1.9	(1)	(1)	(1)	(1)	0.3	1.3	(1)	(1)	2.1	2.0	(1)	(1)	(1)	(1)
1.8	1.2	0.6	1.2	1.1	2.1	(1)	(1)	(1)	(1)	1.0	1.9	(1)	(1)	2.0	3.7	(1)	(1)	(1)	(1)
3.5	1.6	1.1	1.1	1.3	1.9	(1)	(1)	(1)	(1)	2.2	1.9	(1)	(1)	2.0	4.0	(1)	(1)	(1)	(1)
2.3	3.2	1.1	1.1	1.1	1.7	(1)	(1)	1.3	2.0	1.2	1.1	-------	4.2	-------	5.0	(1)	(1)	(1)	(1)
3.4	1.6	0.9	1.1	1.1	2.1	(1)	(1)	1.6	1.9	1.0	3.3	-------	3.6	3.9	6.0	(1)	(1)	(1)	(1)
1.1	2.4	0.8	1.3	0.9	1.3	(1)	(1)	1.7	2.1	0.9	2.2	-------	2.7	-------	2.7	1.3	1.1	0.9	20.1
-------	3.2	0.9	1.1	1.0	1.3	0.9	1.4	1.1	1.5	1.4	-------	7.2	2.7	1.9	1.0	1.0	1.2	1.6	1.3
-------	-------	-------	-------	-------	-------	(1)	(1)	(1)	(1)	-------	-------	(1)	(1)	-------	-------	(1)	(1)	(1)	(1)
-------	-------	-------	-------	-------	-------	(1)	(1)	(1)	(1)	-------	-------	(1)	(1)	-------	-------	(1)	(1)	(1)	(1)
-------	-------	-------	-------	-------	-------	(1)	(1)	(1)	(1)	-------	-------	(1)	(1)	-------	-------	(1)	(1)	(1)	(1)
-------	-------	-------	-------	-------	-------	(1)	(1)	(1)	(1)	-------	-------	(1)	(1)	-------	-------	(1)	(1)	(1)	(1)
-------	-------	0.1	-------	-------	-------	(1)	(1)	(1)	(1)	-------	-------	(1)	(1)	-------	-------	(1)	(1)	(1)	(1)
-------	-------	-------	-------	-------	-------	(1)	(1)	(1)	(1)	-------	-------	(1)	(1)	-------	0.3	(1)	(1)	(1)	(1)
-------	-------	-------	-------	-------	-------	(1)	(1)	-------	-------	-------	-------	-------	-------	-------	-------	(1)	(1)	(1)	(1)
-------	-------	-------	-------	-------	(2)	(1)	(1)	-------	(2)	-------	-------	-------	-------	-------	-------	(1)	(1)	(1)	(1)
-------	-------	-------	-------	(2)	-------	(1)	(1)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
-------	-------	-------	-------	(2)	-------	-------	-------	(2)	(2)	-------	-------	-------	-------	-------	0.3	-------	-------	-------	-------
10.7	13.5	8.2	6.3	7.2	10.1	(1)	(1)	(1)	(1)	7.4	10.4	(1)	(1)	2.1	13.1	(1)	(1)	(1)	(1)
8.0	16.3	6.8	6.9	6.8	10.8	(1)	(1)	(1)	(1)	6.9	10.8	(1)	(1)	12.7	14.1	(1)	(1)	(1)	(1)
7.3	11.5	6.4	6.9	5.5	10.0	(1)	(1)	(1)	(1)	3.7	6.6	(1)	(1)	6.2	8.4	(1)	(1)	(1)	(1)
10.2	10.8	6.6	6.9	6.6	9.7	(1)	(1)	(1)	(1)	9.2	15.5	(1)	(1)	6.2	6.7	(1)	(1)	(1)	(1)
8.9	12.8	8.0	8.1	6.4	10.7	(1)	(1)	(1)	(1)	6.4	8.2	(1)	(1)	10.1	12.0	(1)	(1)	(1)	(1)
7.0	11.6	5.4	7.1	6.3	9.0	(1)	(1)	(1)	(1)	6.6	7.4	(1)	(1)	16.0	10.7	(1)	(1)	(1)	(1)
6.9	11.6	5.6	6.5	6.5	8.4	(1)	(1)	6.7	7.4	3.9	7.9	-------	2.7	9.8	8.3	(1)	(1)	(1)	(1)
5.7	8.0	6.4	6.9	5.5	9.0	(1)	(1)	6.3	7.7	5.5	7.8	-------	1.0	7.8	9.0	(1)	(1)	(1)	(1)
7.3	7.6	6.1	6.3	4.8	7.4	(1)	(1)	7.0	7.3	5.1	3.3	-------	3.0	7.7	12.9	2.8	2.5	4.8	5.2
10.5	12.1	5.0	5.7	4.8	8.1	5.0	6.7	7.0	6.9	5.7	4.3	-------	2.9	3.8	6.3	1.7	3.7	5.8	6.5
5.6	10.3	4.5	3.5	3.7	7.4	(1)	(1)	(1)	(1)	2.8	6.9	(1)	(1)	2.1	9.8	(1)	(1)	(1)	(1)
5.0	13.1	3.8	5.3	3.6	8.4	(1)	(1)	(1)	(1)	2.8	10.1	(1)	(1)	10.6	11.4	(1)	(1)	(1)	(1)
5.5	9.5	3.6	5.7	2.9	6.9	(1)	(1)	(1)	(1)	1.3	2.6	(1)	(1)	4.2	6.0	(1)	(1)	(1)	(1)
7.8	7.6	3.8	5.5	3.5	7.2	(1)	(1)	(1)	(1)	5.6	7.8	(1)	(1)	4.1	4.7	(1)	(1)	(1)	(1)
4.7	10.0	4.9	5.9	3.6	8.3	(1)	(1)	(1)	(1)	3.9	7.6	(1)	(1)	8.1	7.7	(1)	(1)	(1)	(1)
4.1	10.0	2.8	4.9	3.8	6.9	(1)	(1)	(1)	(1)	3.1	5.0	(1)	(1)	14.0	7.7	(1)	(1)	(1)	(2)
4.6	8.8	2.5	4.7	3.2	6.6	(1)	(1)	3.3	4.0	1.7	6.8	-------	1.3	5.9	6.7	(1)	(1)	(1)	(1)
2.8	5.2	3.9	4.7	2.9	6.7	(1)	(1)	3.4	4.5	1.9	5.5	-------	0.8	5.8	7.6	(1)	(1)	(1)	(1)
5.0	5.2	2.8	4.4	2.2	5.4	(1)	(1)	3.4	4.1	2.6	2.2	-------	1.5	5.7	9.6	1.3	0.8	1.9	3.4
3.9	8.5	2.5	3.9	2.2	5.8	2.8	4.5	3.5	3.7	1.8	2.1	-------	1.6	1.9	4.0	1.0	1.8	3.0	3.4
1.3	0.4	0.5	0.4	0.5	0.3	(1)	(1)	(1)	(1)	1.1	-------	(1)	(1)	-------	0.3	(1)	(1)	(1)	(1)
-------	-------	0.5	0.1	0.6	0.2	(1)	(1)	(1)	(1)	0.3	-------	(1)	(1)	-------	0.3	(1)	(1)	(1)	(1)
0.6	0.4	0.4	0.2	0.4	0.3	(1)	(1)	(1)	(1)	0.3	1.3	(1)	(1)	2.1	-------	(1)	(1)	(1)	(1)
-------	0.8	0.3	0.2	0.3	0.5	(1)	(1)	(1)	(1)	0.7	1.9	(1)	(1)	-------	0.3	(1)	(1)	(1)	(1)
0.6	-------	0.3	0.6	0.4	0.3	(1)	(1)	(1)	(1)	0.3	-------	(1)	(1)	-------	-------	(1)	(1)	(1)	(1)
0.6	0.4	0.5	0.4	0.3	0.3	(1)	(1)	(1)	(1)	-------	0.6	(1)	(1)	-------	0.7	(1)	(1)	(1)	(1)
-------	-------	0.4	0.9	0.7	0.3	(1)	(1)	0.5	0.5	0.2	-------	-------	-------	-------	-------	(1)	(1)	(1)	(1)
-------	-------	0.1	0.6	0.3	0.4	(1)	(1)	0.7	0.4	0.5	1.1	-------	-------	-------	0.3	(1)	(1)	(1)	(1)
0.6	0.8	0.3	0.4	0.4	0.5	(1)	(1)	0.9	0.3	-------	-------	-------	0.2	1.9	0.7	0.5	0.6	0.4	0.1
-------	2.0	0.4	0.3	0.6	0.3	0.6	0.5	0.7	0.6	1.1	-------	-------	-------	-------	0.7	0.2	0.3	0.4	0.4
1.3	2.0	2.0	1.5	2.1	1.4	(1)	(1)	(1)	(1)	2.8	2.1	(2)	(1)	-------	1.6	(1)	(1)	(1)	(1)
1.2	2.0	1.4	0.6	1.6	1.3	(1)	(1)	(1)	(1)	2.1	0.7	(1)	(1)	-------	1.7	(1)	(1)	(1)	(1)
1.2	1.2	1.6	0.5	1.4	1.3	(1)	(1)	(1)	(1)	0.7	2.0	(1)	(1)	-------	1.0	(1)	(1)	(1)	(1)
1.8	2.0	2.1	0.2	2.0	1.3	(1)	(1)	(1)	(1)	2.6	3.9	(1)	(1)	2.1	0.7	(1)	(1)	(1)	(1)
1.8	1.2	2.1	1.2	1.7	1.2	(1)	(1)	(1)	(1)	0.6	0.6	(1)	(1)	2.0	3.3	(1)	(1)	(1)	(1)
1.2	0.4	1.6	0.8	1.5	1.1	(1)	(1)	(1)	(1)	1.6	0.6	(1)	(1)	2.0	1.0	(1)	(1)	(1)	(2)
1.7	0.4	1.9	0.5	1.5	0.8	(1)	(1)	1.6	1.5	1.2	-------	-------	1.1	2.0	-------	(1)	(1)	(1)	(1)
1.7	1.2	1.6	1.4	1.4	1.0	(1)	(1)	1.1	1.5	1.7	-------	-------	-------	1.9	0.3	(1)	(1)	(1)	(1)
0.6	0.8	1.1	1.2	1.4	0.7	(1)	(1)	1.4	1.3	1.4	-------	-------	0.8	-------	1.0	0.5	0.2	1.3	1.1
3.3	0.8	1.4	0.9	1.2	0.9	0.6	0.5	2.0	1.4	1.8	1.1	-------	0.5	-------	1.0	0.5	1.3	0.6	1.5

[2] Less than one-tenth.

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Other diseases of skin	1900	(1)	(1)	(1)	(1)	1.9	1.2	1.1	0.9	1.7	0.7	(1)	(1)	1.6	0.9	1.4	1.3
	1901	(1)	(1)	(1)	(1)	1.6	1.5	1.1	0.8	1.7	0.2	(1)	(1)	0.9	0.9	1.0	1.0
	1902	(1)	(1)	(1)	(1)	0.6	0 3	0.8	1.2	0.8	0 2	(1)	(1)	1.0	1.5	1.7	1.2
	1903	(1)	(1)	(1)	(1)	1.2	0.9	1.5	1.0	2.5	0.7	(1)	(1)	0.7	1.2	1.4	1.3
	1904	(1)	(1)	(1)	(1)	1.1	0.9	0.9	0.9	.....	0.2	(1)	(1)	0.5	1.6	0.4	1.4
	1905	(1)	(1)	(1)	(1)	1.2	1.2	0.7	0.6	0.8	1.0	(1)	(1)	1.0	0.6	1.8	0.8
	1906	0.2	0.6	1.2	0.5	0.9	1.8	0.4	1.4	1.1	0.7	0.5	0.5	1.1	1.3	0.8	1.9
	1907	0.5	1.0	.....	0.4	1.1	1.2	0.9	0.9	1.1	1.1	.....	0.8	1.4	1.0	1.4	0.8
	1908	1.3	0.9	.....	0.8	1.2	0.6	0.8	1.4	2.2	1.3	1.7	0.7	1.2	2.0	1.3	1.7
	1909	0 8	0.4	0.3	0.2	0.8	1.7	0.6	0.8	0.5	2.0	0.8	1.2	1.4	0.8	0.6	1.3
IX.—Diseases of locomotor system	1900	(1)	(1)	(1)	(1)	1.7	2.5	1.4	1.4	3.4	1.0	(1)	(1)	2.8	1.2	0.7	2.1
	1901	(1)	(1)	(1)	(1)	2.5	1.5	2.1	1.4	0.8	0.9	(1)	(1)	2.8	1.3	2.3	2.1
	1902	(1)	(1)	(1)	(1)	2.6	2.1	2.8	1.5	0.8	1.5	(1)	(1)	2.9	2.2	3.6	2.2
	1903	(1)	(1)	(1)	(1)	2.5	3.3	2.9	1.5	1.6	2.0	(1)	(1)	3.0	1.4	2.6	2.0
	1904	(1)	(1)	(1)	(1)	2.9	2.1	2.8	1.9	3.2	1.2	(1)	(1)	3.3	1.6	2.6	2.1
	1905	(1)	(1)	(1)	(1)	2.7	2.4	1.4	1.6	3.2	1.3	(1)	(1)	3.6	1.7	3.2	2.4
	1906	3 4	1.9	2.3	2.3	1.9	3.8	2.9	1.8	2.8	1.6	4.4	2.1	3.7	1.8	2.5	2.7
	1907	3.2	1.0	5.2	2.4	2.8	2.9	2.2	1.8	1.7	2.0	3.2	1.2	3.8	2.6	3.7	2.7
	1908	4.0	1.8	2.2	2.1	2.7	2.3	4.4	2.1	1.7	1.4	3.8	2.5	3.5	1.9	3.9	3.3
	1909	2.8	1.7	3.1	2.4	4.3	1.7	2.8	2.2	2.7	1.8	3.9	1.8	4.2	2.3	2.7	2.1
Diseases of bones	1900	(1)	(1)	(1)	(1)	1.4	1.9	1.1	1.2	3.4	1.0	(1)	(1)	2.3	0.9	0.6	1.8
	1901	(1)	(1)	(1)	(1)	2.1	1.5	1.8	1.2	0.8	0.9	(1)	(1)	2.4	0.9	2.1	1.6
	1902	(1)	(1)	(1)	(1)	2.6	2.1	1 8	1.2	.....	1.0	(1)	(1)	2.5	2.2	3.4	1.9
	1903	(1)	(1)	(1)	(1)	1.6	2.7	2.4	1.3	1.6	1.7	(1)	(1)	2.6	1.2	2.1	1.4
	1904	(1)	(1)	(1)	(1)	2.3	1.5	2.5	1.6	2.4	1.2	(1)	(1)	3.0	1.4	2.1	1.8
	1905	(1)	(1)	(1)	(1)	2.2	2.1	1.3	1.3	3.2	1.3	(1)	(1)	3.3	1.6	2.9	2.1
	1906	3.1	1.3	1.9	2.1	1.4	3.8	2.3	1.7	2 8	1.1	3.7	1.5	3.2	1.4	2.4	2.3
	1907	2.9	0.9	4.5	2.4	2.7	2.6	2.2	1.4	1.1	1.6	3.0	0.9	3.5	2.2	3.2	2.2
	1908	3.7	1.8	2.2	1.9	2.6	1.7	3 8	1.9	1.7	0.7	3.6	2.2	3.1	1.9	3.1	3.0
	1909	2.5	1.6	2.8	2.0	4.2	1.7	2.7	2.0	2.7	1.4	3.6	1.6	3.6	2.0	2.0	1.8
Diseases of joints	1900	(1)	(1)	(1)	(1)	.....	.....	.....	0.1	.....	.....	(1)	(1)	0.3	0.3	.....	.....
	1901	(1)	(1)	(1)	(1)	0.2	.....	0.2	0.1	.....	.....	(1)	(1)	0 2	0.3	0.1	0.2
	1902	(1)	(1)	(1)	(1)	.....	.....	0.5	0.1	0.8	.....	(1)	(1)	0.1	.....	0.1	0.1
	1903	(1)	(1)	(1)	(1)	0.8	.....	0.5	0.1	.....	0.2	(1)	(1)	0.3	0.3	0.1	0.3
	1904	(1)	(1)	(1)	(1)	0.2	0.3	0.3	0.2	.....	.....	(1)	(1)	0.2	0.1	0.5	0.2
	1905	(1)	(1)	(1)	(1)	0.3	0.3	0.1	0.2	.....	.....	(1)	(1)	0.2	0 1	.....	.....
	1906	.....	0.1	.....	.....	0.1	.....	0.3	0.1	.....	0.2	0.5	0.6	0.4	0.4	.....	.....
	1907	0.1	.....	0.7	.....	.....	0.3	.....	0.3	0.6	0.2	0.2	0.2	0.3	0.4	0.4	0.2
	1908	0.2	.....	.....	0.2	0.1	0.6	0.1	0.1	.....	0.2	0.2	0 3	0.4	.....	0.4	0.2
	1909	0.1	0.1	0.3	0.4	0.1	.....	0.1	0.1	.....	.....	0.2	.....	0.4	0.1	0.6	0.2
Amputation	1900	(1)	(1)	(1)	(1)	0.3	0.3	.....	0.1	.....	.....	(1)	(1)	0.2	.....	0.1	0.2
	1901	(1)	(1)	(1)	(1)	.....	.....	0.2	.....	.....	.....	(1)	(1)	0.1	.....	.....	.....
	1902	(1)	(1)	(1)	(1)	.....	.....	0.3	0.1	.....	0.2	(1)	(1)	0.1	.....	.....	.....
	1903	(1)	(1)	(1)	(1)	.....	0.3	.....	0.1	.....	0.2	(1)	(1)	0.1	.....	0.4	0.2
	1904	(1)	(1)	(1)	(1)	0.2	.....	.....	.....	0.8	.....	(1)	(1)	.....	.....	.....	.....
	1905	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	0.1
	1906	0.2	0 3	0.4	.....	.....	.....	0.1	.....	.....	.....	.....	.....	(2)	.....	0.1	0.1
	1907	0.1	0.1	.....	.....	0.1	.....	.....	0.1	.....	0.2	.....	.....	.....	.....	0.1	.....
	1908	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....	0.1	0.1
	1909	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....
Other diseases of organs of locomotion	1900	(1)	(1)	(1)	(1)	.....	0.3	0.3	(2)	.....	.....	(1)	(1)	(2)	.....	.....	0.1
	1901	(1)	(1)	(1)	(1)	0.2	.....	.....	0.1	.....	.....	(1)	(1)	0.1	0.1	0.1	0.3
	1902	(1)	(1)	(1)	(1)	.....	.....	0.2	0.2	.....	0.3	(1)	(1)	0.1	.....	0.1	0.2
	1903	(1)	(1)	(1)	(1)	0.2	0.3	.....	0.1	.....	.....	(1)	(1)	0.1	.....	.....	0.1
	1904	(1)	(1)	(1)	(1)	0.3	0.3	.....	0.1	.....	.....	(1)	(1)	0.1	.....	.....	0.1
	1905	(1)	(1)	(1)	(1)	0.1	.....	.....	0.1	.....	.....	(1)	(1)	0.1	.....	0.2	0.2
	1906	.....	0.2	.....	0.2	0.3	.....	0.1	0.1	.....	0.4	0.2	.....	0.1	.....	.....	0.3
	1907	0.1	0.1	.....	.....	.....	.....	.....	0.1	.....	.....	.....	0.2	(2)	.....	.....	0.3
	1908	0.1	.....	.....	.....	.....	.....	0.3	0.2	.....	0.5	.....	.....	.....	.....	0.2	0.1
	1909	0.2	.....	.....	.....	.....	.....	.....	0.1	.....	0.4	0.2	0.1	0.3	0.1	0.1	0.1
X.—Malformations	1900	(1)	(1)	(1)	(1)	12.6	11.0	6.7	9.4	5.9	11.9	(1)	(1)	13.0	11.3	11.1	12.7
	1901	(1)	(1)	(1)	(1)	12.5	12.4	9.7	12.5	7.5	9.7	(1)	(1)	12.2	9.1	11.9	13.6
	1902	(1)	(1)	(1)	(1)	15.9	12.8	10.3	10.6	9.9	9.4	(1)	(1)	11.5	9.8	13.9	12.2
	1903	(1)	(1)	(1)	(1)	12.9	14.0	10.1	11.3	8.2	8.9	(1)	(1)	13.6	13.6	12.6	14.3
	1904	(1)	(1)	(1)	(1)	15.6	13.8	9.7	11.9	8.9	8.1	(1)	(1)	14.7	16.2	13.2	15.6
	1905	(1)	(1)	(1)	(1)	16.7	13.3	9.6	11.7	12.0	11.6	(1)	(1)	14.5	12.8	15.2	14.5
	1906	11.5	4.2	16.9	13.7	12.7	18.5	9.7	14.2	11.9	12.8	16.0	11.0	16.2	11.8	14.4	17.8
	1907	11.6	7.6	18.9	11.6	13.9	16.2	12.7	13.7	11.2	10 4	12.5	8.7	17.4	14.3	13.0	15.7
	1908	11.9	9.7	15.4	15.2	12.9	19.8	14.9	14.8	12.7	11.0	13.5	10.7	17.7	13.2	16.1	16.9
	1909	12.7	9.8	17.7	12.0	14.1	17.6	16.3	15.6	11.5	12.0	13.7	10.4	16.3	15.0	16.3	18.9
Hydrocephalus	1900	(1)	(1)	(1)	(1)	2.6	3.5	1.1	1.7	3 4	4 3	(1)	(1)	2.3	2.7	1.3	2.0
	1901	(1)	(1)	(1)	(1)	3.3	1.9	1.3	1.6	0 8	2.2	(1)	(1)	2.6	1.5	1.4	2.4
	1902	(1)	(1)	(1)	(1)	1.6	2.4	1.4	1.1	4.1	1.7	(1)	(1)	2.1	2.2	2.2	1.8
	1903	(1)	(1)	(1)	(1)	2.2	2.7	0.9	1.7	0.8	1.5	(1)	(1)	2.3	1.4	1.8	1.3
	1904	(1)	(1)	(1)	(1)	2.3	1.5	1.6	1.4	0 8	1.2	(1)	(1)	2.1	2.0	0.7	1.7
	1905	(1)	(1)	(1)	(1)	1 8	1.5	0.7	0.9	3 2	1.9	(1)	(1)	1.5	1.7	1.4	1.5
	1906	1.0	0.4	1.9	0.9	1.2	1.8	0.6	1.2	1.7	1.8	1.7	1.7	2.3	1.3	1.4	2.0
	1907	0.7	1.0	1.5	1.3	2.0	1.7	0.9	1.1	2.8	2.0	0.8	0.8	2.3	2.2	1.4	1.2
	1908	0.9	0.8	0.4	0.4	2.1	1.4	1.1	1.1	3.3	1.4	2.3	1.2	2.3	1.2	1.4	1.8
	1909	1.1	1.1	1.0	1.0	1.6	0.9	1.3	0.9	.....	2.3	2.0	1.0	1.9	1.1	1.5	1.8
Congenital malformation of heart (cyanosis)	1900	(1)	(1)	(1)	(1)	6.1	4.4	4.0	4.0	1.7	4.3	(1)	(1)	6.5	4.9	5.2	4.4
	1901	(1)	(1)	(1)	(1)	4.9	6.8	4.3	6.4	1.7	4.8	(1)	(1)	5.8	4.1	5.6	5.8
	1902	(1)	(1)	(1)	(1)	7.5	6.4	5.5	5.5	3.3	3.9	(1)	(1)	5.6	4.5	7.5	5.6
	1903	(1)	(1)	(1)	(1)	5.9	7.3	5.7	5.8	4.9	3.2	(1)	(1)	6.7	8.4	6.1	6.2
	1904	(1)	(1)	(1)	(1)	7.9	7.5	5.3	5.9	5.7	4.2	(1)	(1)	7.5	7.5	8.0	7.5
	1905	(1)	(1)	(1)	(1)	10.6	8.0	6.3	6.9	5.6	6.4	(1)	(1)	8.4	7.5	8.3	7.1
	1906	7.0	2.2	11.1	8.7	7.8	10.3	6.4	8.1	6.8	6.8	11.0	6.2	9.6	6.7	8.3	8.0
	1907	7.8	4.3	13.4	7.5	6.7	10.7	7.3	7.8	7 3	6.0	9.8	4.1	11.0	9.2	7.6	8.2
	1908	7.9	5.8	11.5	12.0	7.1	12.6	9.1	8.7	3.9	7.0	8.3	5.8	10.2	7.9	9.4	9.2
	1909	9.1	6.3	11.8	6.3	7.4	11.3	11.0	9.6	7.7	5.9	8.8	6.7	9.2	10.9	9.1	10.3

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
2.5	0.8	1.2	0.9	0.9	1.0	(1)	(1)	(1)	(1)	0.7	1.4	(1)	(1)	.....	1.4	(1)	(1)	(1)	(1)
1.9	1.2	1.2	1.0	1.0	0.9	(1)	(1)	(1)	(1)	1.7	.....	(1)	(1)	2.1	0.7	(1)	(1)	(1)	(1)
.....	0.4	0.9	0.5	0.8	1.4	(1)	(1)	(1)	(1)	1.3	0.7	(1)	(1)	.....	1.3	(1)	(1)	(1)	(1)
0.6	0.4	0.5	0.9	0.7	0.7	(1)	(1)	(1)	(1)	0.3	1.9	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
1.8	1.6	0.8	0.4	0.8	0.9	(1)	(1)	(1)	(1)	1.6	.....	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
1.2	0.8	0.6	1.0	0.8	0.7	(1)	(1)	(1)	(1)	1.9	1.2	(1)	(1)	.....	1.3	(1)	(1)	(1)	(1)
0.6	2.4	0.7	0.4	1.1	0.7	(1)	(1)	1.3	1.5	0.7	1.1	.....	0.4	2.0	1.7	(1)	(1)	(1)	(1)
1.1	1.6	0.8	0.2	0.8	1.0	(1)	(1)	1.1	1.3	1.4	1.1	.....	0.2	.....	0.7	(1)	(1)	(1)	(1)
1.1	0.8	1.9	0.2	0.8	0.8	(1)	(1)	1.4	1.6	1.2	1.1	.....	0.6	.....	1.7	0.5	0.9	1.2	0.6
3.3	0.8	0.6	0.6	1.0	1.0	1.1	1.1	0.8	1.2	0.9	1.1	.....	0.7	1.9	0.7	.....	0.3	1.8	1.2
3.1	2.0	3.1	1.5	3.2	1.2	(1)	(1)	(1)	(1)	1.8	2.8	(1)	(1)	4.3	1.7	(1)	(1)	(1)	(1)
0.6	0.8	2.9	1.7	3.9	1.4	(1)	(1)	(1)	(1)	4.8	2.0	(1)	(1)	.....	1.3	(1)	(1)	(1)	(1)
1.8	2.8	2.5	1.4	3.7	1.8	(1)	(1)	(1)	(1)	3.4	4.6	(1)	(1)	2.1	1.7	(1)	(1)	(1)	(1)
3.6	0.8	3.6	1.9	4.6	1.5	(1)	(1)	(1)	(1)	3.6	3.2	(1)	(1)	6.2	1.7	(1)	(1)	(1)	(1)
2.4	2.0	4.6	2.1	4.2	1.2	(1)	(1)	(1)	(1)	3.9	3.8	(1)	(1)	8.1	1.0	(1)	(1)	(1)	(1)
2.9	2.0	4.4	1.9	4.0	2.5	(1)	(1)	(1)	(1)	4.1	5.0	(1)	(1)	2.0	4.7	(1)	(1)	(1)	(1)
5.2	1.6	2.8	2.4	4.2	1.6	(1)	(1)	3.9	2.0	3.7	1.1	.....	0.8	3.9	1.7	(1)	(1)	(1)	(1)
4.0	4.0	3.3	1.8	3.7	1.6	(1)	(1)	2.9	2.2	4.8	4.4	.....	2.2	1.9	1.3	(1)	(1)	(1)	(1)
2.8	1.2	3.0	1.7	4.1	1.8	(1)	(1)	4.1	1.9	3.0	5.4	.....	2.1	3.8	1.7	2.3	1.6	2.7	2.4
2.2	2.4	4.3	2.4	4.0	2.3	3.2	2.0	3.7	1.9	3.2	3.2	.....	1.1	3.8	3.3	2.4	1.0	3.0	1.5
2.5	2.0	2.1	1.1	2.6	0.9	(1)	(1)	(1)	(1)	1.8	2.8	(1)	(1)	4.3	1.4	(1)	(1)	(1)	(1)
0.6	0.4	2.6	1.0	3.1	1.0	(1)	(1)	(1)	(1)	3.1	2.0	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
1.8	1.6	2.2	1.3	3.3	1.6	(1)	(1)	(1)	(1)	3.0	4.6	(1)	(1)	.....	1.3	(1)	(1)	(1)	(1)
3.0	0.4	3.2	1.4	4.0	1.2	(1)	(1)	(1)	(1)	3.0	3.2	(1)	(1)	6.2	1.7	(1)	(1)	(1)	(1)
2.4	1.6	4.0	1.7	3.7	1.1	(1)	(1)	(1)	(1)	3.9	3.8	(1)	(1)	8.1	1.0	(1)	(1)	(1)	(1)
2.9	1.6	4.1	1.9	3.5	2.1	(1)	(1)	(1)	(1)	4.1	5.0	(1)	(1)	2.0	2.7	(1)	(1)	(1)	(1)
4.6	1.2	2.4	2.0	3.8	1.2	(1)	(1)	3.4	1.7	3.5	1.1	.....	0.8	3.9	1.0	(1)	(1)	(1)	(1)
2.8	2.4	3.1	1.7	3.4	1.3	(1)	(1)	2.6	2.0	4.3	3.3	.....	1.6	1.9	1.0	(1)	(1)	(1)	(1)
2.8	1.2	2.8	1.5	3.9	1.3	(1)	(1)	3.7	1.7	2.1	5.4	.....	1.9	3.8	1.3	2.0	1.6	2.5	2.3
2.2	2.4	4.0	2.1	3.9	2.0	2.8	1.9	3.3	1.7	3.0	3.2	.....	0.7	1.9	3.0	2.4	1.0	2.9	1.3
0.6	.....	0.2	.....	0.3	0.2	(1)	(1)	(1)	(2)	.....	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.2	0.5	0.4	0.3	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	0.8	.....	0.1	0.2	0.1	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	2.1	.....	(1)	(1)	(1)	(1)
0.6	.....	0.2	0.1	0.4	0.2	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	0.3	0.3	0.2	0.2	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	0.2	.....	0.3	0.3	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	1.3	(1)	(1)	(1)	(1)
0.6	.....	0.4	0.2	0.3	0.3	(1)	(1)	0.2	0.1	0.2	.....	.....	.....	.....	0.3	(1)	(1)	(1)	(1)
1.1	1.6	0.2	0.1	0.2	0.3	(1)	(1)	0.2	0.2	0.2	1.1	.....	0.6	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	0.2	0.1	(1)	(1)	0.2	0.1	0.7	.....	.....	0.2	.....	.....	0.3	.....	0.1	.....
.....	.....	0.1	.....	0.2	0.2	0.3	.....	0.2	0.2	0.2	.....	.....	0.2	1.9	0.3	.....	.....	.....	0.1
.....	.....	0.7	0.4	0.3	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.1	0.3	0.1	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.3	.....	0.2	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.3	0.2	0.1	0.2	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.3	.....	0.1	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	0.1	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	0.1	0.1	(1)	(1)	0.2	0.1	.....	.....	.....	.....	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	0.1	.....	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	(2)	(2)	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	0.1	.....	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	0.1	0.1	0.2	0.1	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	0.4	.....	.....	(2)	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	0.4	.....	0.2	(2)	(2)	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.1	0.1	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	0.4	.....	0.1	0.1	0.1	(1)	(1)	0.1	0.2	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	.....	(1)	(1)	(2)	(2)	0.2	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	0.1	(2)	0.3	(1)	(1)	0.1	(2)	0.2	.....	.....	.....	.....	0.3	.....	.....	.....	.....
.....	.....	0.1	0.2	.....	(2)	0.1	0.1	0.1	(2)	.....	.....	.....	0.2	.....	.....	.....	.....	0.1	0.1
10.7	7.9	16.4	13.6	13.5	9.6	(1)	(1)	(1)	(1)	14.8	16.6	(1)	(1)	8.6	9.4	(1)	(1)	(1)	(1)
8.7	8.7	14.9	8.3	12.9	10.0	(1)	(1)	(1)	(1)	18.6	16.2	(1)	(1)	23.2	9.7	(1)	(1)	(1)	(1)
8.5	7.9	13.7	12.5	13.2	9.5	(1)	(1)	(1)	(1)	16.1	17.8	(1)	(1)	18.7	8.4	(1)	(1)	(1)	(1)
9.6	13.9	15.4	12.0	13.3	11.6	(1)	(1)	(1)	(1)	16.4	14.9	(1)	(1)	16.4	17.7	(1)	(1)	(1)	(1)
17.2	12.0	18.0	11.3	15.0	11.6	(1)	(1)	(1)	(1)	17.6	15.2	(1)	(1)	28.3	15.4	(1)	(1)	(1)	(1)
20.4	20.4	15.5	13.4	15.7	11.7	(1)	(1)	(1)	(1)	16.3	15.5	(1)	(1)	19.9	12.7	(1)	(1)	(1)	(1)
16.7	18.8	18.2	11.1	16.7	13.7	(1)	(1)	22.4	21.7	11.6	11.3	15.7	5.9	35.4	13.6	(1)	(1)	(1)	(1)
12.5	16.1	21.4	14.4	17.3	14.9	(1)	(1)	21.0	20.2	18.5	19.9	7.6	7.6	21.4	16.9	(1)	(1)	(1)	(1)
21.3	16.9	16.9	14.5	15.9	12.5	(1)	(1)	19.8	21.7	15.0	16.3	7.4	7.6	30.7	17.9	13.8	7.5	11.9	12.7
18.8	14.5	15.7	14.4	15.6	14.4	15.6	16.2	20.5	21.1	13.9	13.9	14.5	7.6	24.6	15.9	13.2	8.4	12.5	11.8
2.5	0.4	2.4	1.4	2.5	1.3	(1)	(1)	(1)	(1)	4.2	4.2	(1)	(1)	4.3	1.6	(1)	(1)	(1)	(1)
.....	0.4	2.5	1.2	2.4	1.5	(1)	(1)	(1)	(1)	1.0	2.7	(1)	(1)	.....	2.0	(1)	(1)	(1)	(1)
0.6	0.4	1.1	1.9	2.0	0.9	(1)	(1)	(1)	(1)	3.0	2.6	(1)	(1)	6.2	2.0	(1)	(1)	(1)	(1)
2.4	2.0	1.7	1.1	1.9	1.2	(1)	(1)	(1)	(1)	2.3	2.6	(1)	(1)	2.1	2.0	(1)	(1)	(1)	(1)
4.1	0.8	2.8	1.6	2.1	1.3	(1)	(1)	(1)	(1)	1.3	1.9	(1)	(1)	6.1	2.3	(1)	(1)	(1)	(1)
2.9	2.8	1.3	1.1	2.0	1.0	(1)	(1)	(1)	(1)	2.2	4.3	(1)	(1)	8.0	0.7	(1)	(1)	(1)	(1)
1.2	1.6	2.5	1.3	2.1	1.4	(1)	(1)	2.2	1.9	1.7	4.5	.....	0.4	5.9	2.7	(1)	(1)	(1)	(1)
1.1	0.8	1.9	1.3	1.9	1.4	(1)	(1)	1.4	1.4	3.6	4.4	.....	0.6	1.9	1.3	(1)	(1)	(1)	(1)
1.7	2.0	1.7	1.0	1.9	1.3	(1)	(1)	1.5	1.3	1.2	.....	.....	1.1	.....	1.7	1.5	0.9	1.3	2.5
1.7	2.4	0.9	1.3	1.6	1.4	1.3	1.0	1.6	1.4	0.7	2.1	.....	1.3	3.8	1.3	0.5	1.0	0.6	0.5
4.4	3.9	7.7	9.2	8.1	4.8	(1)	(1)	(1)	(1)	6.7	7.6	(1)	(1)	4.3	4.4	(1)	(1)	(1)	(1)
3.1	5.2	6.4	5.3	7.1	5.3	(1)	(1)	(1)	(1)	11.7	6.7	(1)	(1)	19.0	3.0	(1)	(1)	(1)	(1)
3.7	5.2	6.7	7.6	7.9	4.6	(1)	(1)	(1)	(1)	7.7	9.2	(1)	(1)	8.3	3.7	(1)	(1)	(1)	(1)
5.4	7.6	8.0	7.7	7.3	6.1	(1)	(1)	(1)	(1)	10.2	6.5	(1)	(1)	10.3	8.7	(1)	(1)	(1)	(1)
7.7	7.6	8.5	6.7	9.0	6.2	(1)	(1)	(1)	(1)	11.6	8.9	(1)	(1)	14.2	9.4	(1)	(1)	(1)	(1)
9.9	11.2	7.7	7.7	9.8	6.6	(1)	(1)	(1)	(1)	9.4	6.2	(1)	(1)	12.0	7.0	(1)	(1)	(1)	(1)
9.2	10.0	9.7	7.0	10.4	7.5	(1)	(1)	15.0	14.2	5.7	2.3	7.9	3.4	19.7	6.0	(1)	(1)	(1)	(1)
7.9	10.8	11.4	10.4	10.7	8.9	(1)	(1)	14.7	13.7	8.4	12.2	7.6	3.0	13.6	10.3	(1)	(1)	(1)	(1)
15.1	8.0	9.2	10.5	9.6	6.8	(1)	(1)	13.9	15.0	8.0	7.6	.....	2.5	19.2	9.6	8.4	4.4	5.7	5.3
10.5	8.1	9.0	10.8	10.0	8.7	9.5	10.0	13.9	13.9	7.1	10.7	7.2	2.7	9.5	8.3	9.8	4.6	6.0	5.6

[2] Less than one-tenth.

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Other congenital malformations	1900	(1)	(1)	(1)	(1)	3.9	3.1	1.6	3.7	0.8	3.3	(1)	(1)	4.2	3.7	4.6	6.3
	1901	(1)	(1)	(1)	(1)	4.3	3.7	4.2	4.4	5.0	2.6	(1)	(1)	3.7	3.5	4.9	5.4
	1902	(1)	(1)	(1)	(1)	6.7	4.0	3.4	4.0	2.5	3.8	(1)	(1)	3.8	3.1	4.2	4.8
	1903	(1)	(1)	(1)	(1)	4.8	3.9	3.5	3.8	2.5	4.1	(1)	(1)	4.6	3.8	4.7	6.8
	1904	(1)	(1)	(1)	(1)	5.5	4.8	2.8	4.6	2.4	2.7	(1)	(1)	5.1	6.7	4.5	6.4
	1905	(1)	(1)	(1)	(1)	4.3	3.9	2.5	3.8	3.2	3.4	(1)	(1)	4.6	3.6	5.5	5.9
	1906	3.5	1.6	3.8	4.1	3.7	6.5	2.8	4.8	3.4	4.2	3.4	3.2	4.3	3.8	4.7	7.8
	1907	3.1	2.3	4.1	2.8	5.2	3.8	4.5	4.8	1.1	2.4	1.8	3.9	4.1	2.9	4.0	6.3
	1908	3.1	3.1	3.6	2.7	3.7	5.7	4.8	5.0	5.5	2.5	3.0	3.7	5.2	4.1	5.3	5.9
	1909	2.4	2.4	4.9	4.7	5.1	5.4	4.0	5.1	3.8	3.8	2.9	2.7	5.2	3.1	5.8	6.7
XI.—Diseases of early infancy	1900	(1)	(1)	(1)	(1)	85.4	66.1	90.5	55.6	101.3	53.1	(1)	(1)	110.2	66.3	86.0	43.0
	1901	(1)	(1)	(1)	(1)	79.2	63.1	97.3	64.5	48.4	31.0	(1)	(1)	100.4	62.9	60.1	39.2
	1902	(1)	(1)	(1)	(1)	78.5	65.1	102.5	76.0	63.6	45.1	(1)	(1)	103.2	59.0	67.8	39.6
	1903	(1)	(1)	(1)	(1)	81.1	59.8	77.6	49.0	85.8	48.9	(1)	(1)	105.9	59.8	73.3	40.3
	1904	(1)	(1)	(1)	(1)	77.5	63.3	101.6	72.3	91.3	55.4	(1)	(1)	103.3	63.0	72.7	44.9
	1905	(1)	(1)	(1)	(1)	69.4	59.9	82.0	64.2	73.6	63.5	(1)	(1)	94.9	55.6	73.3	48.8
	1906	56.7	27.3	75.6	45.1	82.2	66.3	74.0	53.2	82.7	58.1	131.4	48.1	103.5	68.4	81.2	56.6
	1907	55.4	30.0	78.3	46.0	83.3	61.8	69.5	54.7	78.4	56.5	147.8	54.8	98.8	57.4	80.9	53.0
	1908	50.8	36.6	66.4	60.8	84.5	61.1	56.7	53.0	77.6	56.6	127.1	52.2	97.9	62.7	83.1	57.4
	1909	46.1	32.2	68.9	57.4	81.5	56.7	51.4	48.5	78.4	59.0	128.9	53.4	85.0	62.3	96.2	62.4
Premature birth	1900	(1)	(1)	(1)	(1)	48.2	40.4	38.1	26.6	41.4	27.5	(1)	(1)	47.3	25.3	41.0	21.0
	1901	(1)	(1)	(1)	(1)	47.1	32.5	42.8	28.3	1.7	12.2	(1)	(1)	43.7	25.2	22.8	19.8
	1902	(1)	(1)	(1)	(1)	46.8	38.2	48.8	35.8	21.5	19.5	(1)	(1)	47.0	22.8	29.9	20.7
	1903	(1)	(1)	(1)	(1)	45.4	36.4	34.2	28.3	42.5	24.2	(1)	(1)	51.8	28.7	31.4	19.5
	1904	(1)	(1)	(1)	(1)	46.6	39.6	53.6	37.4	47.7	28.6	(1)	(1)	53.9	32.1	26.2	22.6
	1905	(1)	(1)	(1)	(1)	42.1	34.7	33.2	30.6	30.4	32.7	(1)	(1)	49.3	29.0	27.1	23.0
	1906	30.0	15.6	43.7	26.9	43.9	37.2	36.2	23.9	31.7	30.3	46.7	22.1	53.2	33.7	29.2	26.7
	1907	27.9	15.7	43.0	29.2	43.8	33.9	37.8	29.8	37.0	26.7	52.7	26.4	48.5	26.2	29.1	26.7
	1908	25.9	18.4	45.3	35.1	45.3	34.1	35.7	33.7	31.6	27.7	46.6	20.7	45.9	28.8	33.1	30.0
	1909	25.4	18.6	42.1	32.0	46.0	34.0	37.1	34.4	32.3	29.0	47.0	24.7	46.4	29.8	47.9	35.3
Congenital debility	1900	(1)	(1)	(1)	(1)	19.6	16.9	12.3	8.3	37.1	16.3	(1)	(1)	40.1	23.2	27.3	10.4
	1901	(1)	(1)	(1)	(1)	17.8	16.4	15.5	10.6	25.9	13.3	(1)	(1)	36.8	23.9	24.9	10.3
	1902	(1)	(1)	(1)	(1)	17.8	12.8	14.8	8.6	23.9	18.3	(1)	(1)	39.1	22.5	21.5	11.0
	1903	(1)	(1)	(1)	(1)	18.2	14.0	12.6	8.4	28.6	16.0	(1)	(1)	35.9	17.8	23.5	10.8
	1904	(1)	(1)	(1)	(1)	16.4	13.8	13.1	9.5	25.9	18.8	(1)	(1)	32.2	18.7	24.8	11.4
	1905	(1)	(1)	(1)	(1)	22.6	20.5	45.4	30.2	36.0	25.9	(1)	(1)	38.2	22.1	34.0	19.9
	1906	24.5	10.3	28.4	15.5	31.2	23.8	36.6	27.0	44.7	25.2	69.1	22.7	45.1	31.6	48.9	26.8
	1907	25.9	12.6	33.0	14.7	34.1	24.1	29.1	23.0	35.9	26.9	89.1	26.1	46.3	29.2	49.4	23.2
	1908	23.1	16.0	18.7	23.2	34.9	22.1	18.9	17.1	44.3	24.6	77.2	28.6	48.0	32.0	47.2	24.7
	1909	18.6	12.0	24.0	21.2	31.8	18.4	12.0	11.9	41.7	26.4	80.3	25.8	34.7	29.4	44.7	23.9
Other diseases of early infancy	1900	(1)	(1)	(1)	(1)	8.3	1.6	2.7	2.2	5.9	3.6	(1)	(1)	4.3	2.2	5.1	3.0
	1901	(1)	(1)	(1)	(1)	4.0	4.0	3.0	3.1	6.7	1.6	(1)	(1)	2.6	2.9	2.5	2.7
	1902	(1)	(1)	(1)	(1)	4.3	3.1	2.6	3.7	3.3	2.4	(1)	(1)	3.5	2.6	2.3	1.8
	1903	(1)	(1)	(1)	(1)	5.6	1.2	2.1	2.5	1.6	2.7	(1)	(1)	3.4	2.8	4.2	2.8
	1904	(1)	(1)	(1)	(1)	4.5	2.1	4.3	3.3	2.4	2.5	(1)	(1)	4.4	2.7	3.1	2.6
	1905	(1)	(1)	(1)	(1)	2.7	3.0	2.1	1.5	3.2	2.2	(1)	(1)	3.7	2.8	1.6	2.7
	1906	1.8	1.2	3.5	2.3	4.5	3.2	1.0	1.9	4.5	2.4	3.4	2.9	4.2	3.1	3.0	2.8
	1907	1.5	1.6	2.2	2.2	4.9	3.2	2.4	1.7	5.0	2.7	5.2	2.0	3.7	1.5	2.2	3.0
	1908	1.7	2.2	2.5	2.1	4.1	4.3	2.0	2.3	1.1	4.0	2.3	2.8	3.9	1.8	2.9	2.4
	1909	1.8	1.2	2.8	3.9	3.4	2.3	1.7	2.1	4.4	3.4	1.5	2.8	3.8	3.1	3.1	3.0
Lack of care	1900	(1)	(1)	(1)	(1)	9.3	7.2	37.4	18.5	16.9	5.7	(1)	(1)	18.5	15.6	12.6	8.6
	1901	(1)	(1)	(1)	(1)	10.4	10.2	36.0	22.5	14.2	4.0	(1)	(1)	17.3	10.9	9.9	6.4
	1902	(1)	(1)	(1)	(1)	9.6	11.0	36.3	27.9	14.9	4.8	(1)	(1)	13.6	11.1	14.1	6.1
	1903	(1)	(1)	(1)	(1)	12.0	8.2	28.7	14.7	13.1	6.0	(1)	(1)	14.8	10.6	14.2	7.2
	1904	(1)	(1)	(1)	(1)	10.0	7.8	30.7	22.1	15.4	5.4	(1)	(1)	12.9	9.5	18.6	8.3
	1905	(1)	(1)	(1)	(1)	2.1	1.8	1.3	1.8	4.0	2.7	(1)	(1)	3.7	1.7	10.6	3.2
	1906	0.3	0.2	.....	0.5	2.6	2.1	0.3	0.4	1.7	0.2	12.3	0.5	1.0	.....	0.1	0.3
	1907	.....	0.2	.....	.....	0.4	0.6	0.1	0.2	0.6	0.2	0.8	0.3	0.2	0.4	0.2	0.2
	1908	0.1	0.1	.....	0.4	0.3	0.6	0.1	0.1	0.6	0.4	1.0	.....	0.1	0.1	.....	0.3
	1909	0.3	0.4	.....	0.4	0.4	2.0	0.6	0.2	.....	0.2	0.2	0.1	0.1	0.1	0.5	0.1
XII.—Old age	1900	(1)	(1)	(1)	(1)	37.8	48.2	57.9	43.7	72.6	92.0	(1)	(1)	45.1	90.7	43.9	50.8
	1901	(1)	(1)	(1)	(1)	27.5	38.9	45.4	44.0	77.6	88.1	(1)	(1)	44.7	89.3	42.9	49.7
	1902	(1)	(1)	(1)	(1)	25.9	38.5	46.0	45.1	81.7	91.2	(1)	(1)	43.0	92.7	33.9	41.1
	1903	(1)	(1)	(1)	(1)	26.6	34.9	37.4	30.4	72.7	88.8	(1)	(1)	39.6	82.5	39.8	43.4
	1904	(1)	(1)	(1)	(1)	21.7	33.3	42.7	41.4	91.3	95.7	(1)	(1)	33.3	61.1	42.6	51.0
	1905	(1)	(1)	(1)	(1)	20.2	35.0	40.8	37.8	71.2	95.6	(1)	(1)	30.2	60.2	46.4	48.7
	1906	29.3	28.9	27.6	23.2	24.5	37.0	39.2	38.8	74.8	91.5	33.4	36.8	27.2	56.4	46.8	46.9
	1907	27.4	27.4	36.0	26.1	25.4	34.8	27.0	33.8	62.7	76.0	44.0	38.3	30.5	55.3	45.0	50.3
	1908	22.4	36.4	29.1	23.7	20.7	32.4	20.6	22.2	52.1	67.1	40.6	33.6	24.6	44.1	44.7	50.7
	1909	25.9	30.2	30.3	26.1	20.4	30.9	12.7	18.9	42.2	67.8	38.0	36.6	19.7	46.9	46.4	51.3
XIII.—Violence	1900	(1)	(1)	(1)	(1)	100.8	94.2	80.1	65.8	95.4	62.8	(1)	(1)	81.0	82.2	89.4	77.0
	1901	(1)	(1)	(1)	(1)	96.8	103.5	87.4	66.5	76.8	73.5	(1)	(1)	94.4	83.2	99.1	88.9
	1902	(1)	(1)	(1)	(1)	96.2	92.2	94.4	63.0	102.4	67.2	(1)	(1)	84.7	76.1	94.9	84.1
	1903	(1)	(1)	(1)	(1)	114.7	102.6	98.6	74.7	83.3	73.6	(1)	(1)	90.2	86.1	105.7	92.8
	1904	(1)	(1)	(1)	(1)	109.9	113.1	108.1	72.0	119.6	89.2	(1)	(1)	92.2	86.5	90.1	98.4
	1905	(1)	(1)	(1)	(1)	117.9	122.5	106.8	77.4	96.8	75.2	(1)	(1)	96.7	99.0	82.0	97.7
	1906	137.3	137.3	127.4	172.8	136.1	103.2	111.8	76.9	99.1	77.5	118.5	89.9	97.0	90.3	102.4	93.1
	1907	159.6	157.4	119.5	184.8	125.4	107.3	117.6	81.5	102.5	82.5	117.6	76.0	108.8	85.4	108.4	99.4
	1908	148.1	156.5	121.0	159.7	112.1	111.6	114.0	86.2	92.0	85.7	101.4	83.4	96.5	98.0	97.4	101.4
	1909	138.7	144.1	124.2	171.7	112.4	113.5	123.6	85.1	86.6	85.1	107.5	76.8	93.0	89.8	93.9	88.7
Suicide by poison	1900	(1)	(1)	(1)	(1)	5.1	1.9	4.5	0.9	0.8	1.0	(1)	(1)	1.9	1.3	3.4	1.8
	1901	(1)	(1)	(1)	(1)	4.8	3.4	5.0	1.3	0.8	1.6	(1)	(1)	2.2	1.0	4.5	2.0
	1902	(1)	(1)	(1)	(1)	4.2	3.1	3.4	0.8	.....	2.1	(1)	(1)	2.0	1.6	4.9	2.0
	1903	(1)	(1)	(1)	(1)	6.2	4.9	5.7	1.6	0.8	1.9	(1)	(1)	2.3	1.9	4.0	2.0
	1904	(1)	(1)	(1)	(1)	6.4	3.3	7.3	1.9	1.6	1.2	(1)	(1)	2.6	0.9	7.4	3.1
	1905	(1)	(1)	(1)	(1)	8.4	1.8	10.2	3.4	4.0	0.8	(1)	(1)	2.7	1.8	6.1	2.5
	1906	11.6	3.2	10.4	3.6	7.1	3.5	10.1	3.3	2.3	0.4	4.2	0.8	2.1	1.8	5.5	2.3
	1907	13.1	5.8	10.4	2.8	7.0	5.2	11.1	4.0	.....	2.7	3.7	1.7	2.5	2.5	6.0	3.0
	1908	16.9	6.3	10.8	3.6	8.2	5.7	12.2	4.6	1.1	2.2	4.8	0.9	3.0	2.6	6.6	4.8
	1909	9.2	6.3	14.3	4.7	8.0	6.0	14.0	4.0	1.1	2.2	5.6	1.6	2.9	2.8	7.0	2.7

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
3.8	3.6	6.3	3.0	2.9	3.5	(1)	(1)	(1)	(1)	3.9	4.8	(1)	(1)	-------	3.4	(1)	(1)	(1)	(1)
5.6	3.2	6.1	1.8	3.4	3.2	(1)	(1)	(1)	(1)	5.8	6.7	(1)	(1)	4.2	4.7	(1)	(1)	(1)	(1)
4.3	2.4	5.8	3.0	3.3	3.9	(1)	(1)	(1)	(1)	5.4	5.9	(1)	(1)	4.2	2.7	(1)	(1)	(1)	(1)
1.8	4.4	5.7	3.2	4.1	4.3	(1)	(1)	(1)	(1)	3.9	5.8	(1)	(1)	4.1	7.0	(1)	(1)	(1)	(1)
5.3	3.6	6.8	3.0	4.0	4.1	(1)	(1)	(1)	(1)	4.8	4.4	(1)	(1)	8.1	3.7	(1)	(1)	(1)	(1)
7.6	6.4	6.4	4.7	3.8	4.1	(1)	(1)	(1)	(1)	4.7	5.0	(1)	(1)	-------	5.0	(1)	(1)	(1)	(1)
6.3	7.2	6.1	2.8	4.2	4.7	(1)	(1)	5.3	5.6	4.2	4.5	7.9	2.1	9.8	5.0	(1)	(1)	(1)	(1)
3.4	4.4	8.1	2.7	4.7	4.5	(1)	(1)	4.9	5.1	6.5	3.3	-------	4.0	5.8	5.3	(1)	(1)	(1)	(1)
4.5	6.8	6.0	3.0	4.4	4.4	(1)	(1)	4.4	5.4	5.8	8.7	7.4	4.0	11.5	6.6	3.8	2.2	4.9	4.9
6.6	4.0	5.8	2.4	4.0	4.3	4.8	5.2	4.9	5.7	6.2	1.1	7.2	3.6	11.3	6.3	2.9	2.8	5.8	5.4
118.9	49.9	90.4	56.1	81.3	44.5	(1)	(1)	(1)	(1)	75.7	69.2	(1)	(1)	118.0	55.6	(1)	(1)	(1)	(1)
55.7	23.8	83.3	57.2	70.9	39.8	(1)	(1)	(1)	(1)	88.1	68.8	(1)	(1)	90.8	56.8	(1)	(1)	(1)	(1)
55.5	26.6	84.8	48.9	71.0	39.0	(1)	(1)	(1)	(1)	81.3	52.8	(1)	(1)	112.4	59.0	(1)	(1)	(1)	(1)
54.7	22.3	84.5	53.1	74.0	42.7	(1)	(1)	(1)	(1)	80.7	51.7	(1)	(1)	121.0	55.9	(1)	(1)	(1)	(1)
67.5	24.3	84.8	57.5	76.0	42.5	(1)	(1)	(1)	(1)	73.8	55.0	(1)	(1)	87.0	53.1	(1)	(1)	(1)	(1)
77.1	33.2	81.8	49.5	77.5	47.6	(1)	(1)	(1)	(1)	69.0	50.2	(1)	(1)	123.7	54.4	(1)	(1)	(1)	(1)
120.3	64.9	84.2	49.9	80.7	47.3	(1)	(1)	86.2	69.7	72.5	57.6	31.4	31.6	124.0	49.9	(1)	(1)	(1)	(1)
132.3	65.5	81.3	49.6	80.4	49.5	(1)	(1)	83.9	71.2	73.0	47.6	53.5	40.8	87.4	54.2	(1)	(1)	(1)	(1)
109.7	71.2	85.2	50.9	78.0	51.1	(1)	(1)	79.1	72.4	75.1	63.0	148.7	42.5	63.2	54.4	41.8	29.8	82.1	51.2
111.6	61.7	77.3	50.4	72.8	47.8	63.6	50.4	76.2	68.4	82.1	69.3	94.1	48.6	88.9	57.9	54.4	36.8	77.5	54.6
45.9	16.6	33.5	23.2	35.0	21.0	(1)	(1)	(1)	(1)	34.9	30.4	(1)	(1)	68.6	31.7	(1)	(1)	(1)	(1)
-------	-------	32.9	25.5	34.1	21.2	(1)	(1)	(1)	(1)	39.9	34.4	(1)	(1)	61.2	31.2	(1)	(1)	(1)	(1)
-------	0.4	33.1	23.3	32.4	21.5	(1)	(1)	(1)	(1)	38.3	25.1	(1)	(1)	68.7	39.2	(1)	(1)	(1)	(1)
1.2	1.6	37.7	25.8	36.3	22.7	(1)	(1)	(1)	(1)	40.0	25.2	(1)	(1)	73.9	31.1	(1)	(1)	(1)	(1)
4.7	2.4	41.3	27.1	36.9	23.5	(1)	(1)	(1)	(1)	33.7	24.7	(1)	(1)	38.4	26.7	(1)	(1)	(1)	(1)
3.5	4.0	40.1	25.6	35.7	24.6	(1)	(1)	(1)	(1)	35.5	24.2	(1)	(1)	59.8	32.3	(1)	(1)	(1)	(1)
50.7	32.5	40.7	25.5	37.5	25.7	(1)	(1)	43.4	35.4	36.3	20.3	15.7	13.5	49.2	34.0	(1)	(1)	(1)	(1)
60.7	37.7	40.5	23.1	41.6	29.2	(1)	(1)	43.3	36.7	42.3	25.5	22.9	12.8	73.8	38.5	(1)	(1)	(1)	(1)
53.7	38.2	40.1	23.4	40.9	31.3	(1)	(1)	43.5	37.2	39.8	25.0	74.4	17.3	49.8	36.5	21.2	16.2	42.9	29.6
58.5	31.9	42.8	25.0	39.4	29.1	42.8	29.3	42.8	36.2	41.5	30.9	29.0	20.4	77.5	40.7	27.8	21.0	41.8	32.3
40.3	19.8	37.6	20.6	30.1	11.6	(1)	(1)	(1)	(1)	28.5	27.0	(1)	(1)	30.0	11.8	(1)	(1)	(1)	(1)
32.8	12.7	32.6	19.6	26.4	8.9	(1)	(1)	(1)	(1)	14.8	26.3	(1)	(1)	10.6	15.1	(1)	(1)	(1)	(1)
32.3	17.1	32.3	15.4	28.6	10.2	(1)	(1)	(1)	(1)	30.6	23.8	(1)	(1)	20.8	13.4	(1)	(1)	(1)	(1)
35.5	11.9	27.4	17.0	27.3	10.6	(1)	(1)	(1)	(1)	24.0	18.7	(1)	(1)	32.8	14.1	(1)	(1)	(1)	(1)
38.5	13.6	23.8	17.5	27.6	9.7	(1)	(1)	(1)	(1)	24.7	25.3	(1)	(1)	26.3	13.0	(1)	(1)	(1)	(1)
67.1	21.6	34.7	20.7	36.2	18.5	(1)	(1)	(1)	(1)	27.3	22.3	(1)	(1)	53.9	16.7	(1)	(1)	(1)	(1)
65.0	29.7	39.5	21.6	39.0	19.4	(1)	(1)	39.8	31.4	31.3	29.4	15.7	16.9	66.9	13.0	(1)	(1)	(1)	(1)
67.0	26.1	37.5	24.6	35.4	17.4	(1)	(1)	37.2	30.2	29.8	22.1	30.6	24.8	9.7	12.6	(1)	(1)	(1)	(1)
52.1	29.8	41.0	24.4	33.9	17.7	(1)	(1)	32.1	31.9	30.6	33.7	74.4	24.4	11.5	12.6	17.9	12.6	36.6	18.7
50.8	27.4	31.7	23.9	30.7	15.4	18.0	18.3	30.5	28.8	36.7	35.2	65.2	26.0	7.6	12.2	24.2	13.9	33.1	19.0
6.9	2.8	3.8	2.8	2.6	3.2	(1)	(1)	(1)	(1)	4.6	2.8	(1)	(1)	4.3	1.6	(1)	(1)	(1)	(1)
3.7	1.2	3.3	2.9	2.6	2.2	(1)	(1)	(1)	(1)	4.5	3.4	(1)	(1)	4.2	4.0	(1)	(1)	(1)	(1)
5.5	0.4	3.9	2.7	2.3	1.3	(1)	(1)	(1)	(1)	3.0	2.0	(1)	(1)	2.1	1.3	(1)	(1)	(1)	(1)
3.0	2.8	4.6	2.3	3.2	2.1	(1)	(1)	(1)	(1)	3.6	1.9	(1)	(1)	2.1	4.7	(1)	(1)	(1)	(1)
5.9	2.4	4.4	2.7	3.3	1.7	(1)	(1)	(1)	(1)	3.9	2.5	(1)	(1)	4.0	2.3	(1)	(1)	(1)	(1)
3.5	2.0	3.4	1.9	3.3	1.9	(1)	(1)	(1)	(1)	4.7	-------	(1)	(1)	4.0	1.0	(1)	(1)	(1)	(1)
4.6	2.8	3.7	2.5	3.1	1.9	(1)	(1)	2.6	2.4	4.9	3.4	-------	0.6	7.9	2.0	(1)	(1)	(1)	(1)
4.5	1.2	2.9	1.5	3.3	2.4	(1)	(1)	3.2	3.5	1.0	-------	-------	2.6	3.9	1.7	(1)	(1)	(1)	(1)
3.9	3.2	3.6	2.9	3.1	1.9	(1)	(1)	3.4	2.8	4.0	3.3	-------	0.6	1.9	2.0	2.0	1.1	2.7	2.7
2.2	2.0	2.6	1.4	2.6	3.2	2.6	2.5	2.9	3.0	3.6	3.2	-------	2.2	3.8	4.0	2.4	1.8	2.6	3.2
25.8	10.7	15.5	9.5	13.6	8.7	(1)	(1)	(1)	(1)	7.7	9.0	(1)	(1)	15.1	10.5	(1)	(1)	(1)	(1)
19.2	9.9	14.5	9.2	7.8	7.5	(1)	(1)	(1)	(1)	28.9	4.7	(1)	(1)	14.8	6.4	(1)	(1)	(1)	(1)
17.7	8.7	15.5	7.5	7.7	6.0	(1)	(1)	(1)	(1)	9.4	2.0	(1)	(1)	20.8	5.0	(1)	(1)	(1)	(1)
15.0	6.0	14.8	8.0	7.1	7.4	(1)	(1)	(1)	(1)	13.1	5.8	(1)	(1)	12.3	6.0	(1)	(1)	(1)	(1)
18.4	6.0	15.4	10.3	8.2	7.6	(1)	(1)	(1)	(1)	11.6	2.5	(1)	(1)	18.2	11.0	(1)	(1)	(1)	(1)
2.9	5.6	3.6	1.4	2.3	2.6	(1)	(1)	(1)	(1)	1.6	3.7	(1)	(1)	6.0	4.3	(1)	(1)	(1)	(1)
-------	-------	0.4	0.4	1.1	0.3	(1)	(1)	0.5	0.6	-------	4.5	-------	0.6	-------	1.0	(1)	(1)	(1)	(1)
-------	0.4	0.5	0.5	0.1	0.4	(1)	(1)	0.1	0.7	-------	-------	-------	0.6	-------	1.3	(1)	(1)	(1)	(1)
-------	-------	0.4	0.1	0.2	0.2	(1)	(1)	0.2	0.4	0.7	1.1	-------	0.2	-------	3.3	0.8	-------	-------	0.2
-------	0.4	0.1	0.1	0.1	0.2	0.2	0.4	0.1	0.4	0.2	-------	-------	-------	-------	1.0	-------	-------	-------	0.1
56.6	112.0	23.8	31.4	35.2	75.7	(1)	(1)	(1)	(1)	39.8	85.1	(1)	(1)	68.6	99.7	(1)	(1)	(1)	(1)
56.9	115.4	24.8	35.1	31.1	76.4	(1)	(1)	(1)	(1)	35.8	62.7	(1)	(1)	57.0	106.5	(1)	(1)	(1)	(1)
64.6	92.6	22.6	28.1	27.8	70.4	(1)	(1)	(1)	(1)	45.0	58.7	(1)	(1)	85.3	95.6	(1)	(1)	(1)	(1)
57.1	87.6	20.3	34.4	23.4	69.3	(1)	(1)	(1)	(1)	30.2	57.5	(1)	(1)	90.3	73.3	(1)	(1)	(1)	(1)
55.7	103.4	21.1	29.5	22.1	65.1	(1)	(1)	(1)	(1)	32.7	49.3	(1)	(1)	58.7	76.2	(1)	(1)	(1)	(1)
47.9	91.2	18.1	26.6	19.8	62.3	(1)	(1)	(1)	(1)	25.4	45.9	(1)	(1)	77.8	74.7	(1)	(1)	(1)	(1)
57.0	93.8	20.4	23.9	21.1	66.5	(1)	(1)	16.4	23.5	25.9	59.8	39.3	40.9	90.5	72.6	(1)	(1)	(1)	(1)
49.4	86.7	20.1	25.3	16.9	47.1	(1)	(1)	18.5	25.5	26.7	56.5	38.2	39.2	64.1	59.8	(1)	(1)	(1)	(1)
34.7	98.2	18.1	24.9	15.0	46.8	(1)	(1)	15.4	24.2	20.6	48.9	37.2	45.2	70.9	55.1	21.4	20.3	35.3	52.7
49.7	84.7	19.1	27.6	12.5	40.4	12.2	24.2	13.7	21.7	17.1	65.0	36.2	34.0	28.4	43.7	18.0	27.7	34.5	53.3
72.4	68.5	121.2	94.8	102.3	80.0	(1)	(1)	(1)	(1)	97.9	98.3	(1)	(1)	66.4	67.3	(1)	(1)	(1)	(1)
76.1	75.4	141.0	98.9	122.2	92.1	(1)	(1)	(1)	(1)	94.6	105.3	(1)	(1)	86.6	68.9	(1)	(1)	(1)	(1)
63.4	59.6	103.3	83.7	102.2	89.0	(1)	(1)	(1)	(1)	96.1	97.7	(1)	(1)	81.2	72.1	(1)	(1)	(1)	(1)
107.6	92.8	120.3	98.0	112.9	97.9	(1)	(1)	(1)	(1)	102.1	113.0	(1)	(1)	71.8	98.4	(1)	(1)	(1)	(1)
89.4	80.6	120.0	94.6	130.7	104.1	(1)	(1)	(1)	(1)	102.7	102.5	(1)	(1)	74.8	83.5	(1)	(1)	(1)	(1)
89.9	87.6	128.6	98.4	118.0	107.2	(1)	(1)	(1)	(1)	91.3	96.0	(1)	(1)	99.7	93.4	(1)	(1)	(1)	(1)
95.6	90.6	125.1	102.3	119.7	112.0	(1)	(1)	148.5	137.5	99.2	102.7	94.3	71.7	90.5	98.9	(1)	(1)	(1)	(1)
86.3	96.4	126.7	101.0	121.5	113.3	(1)	(1)	148.1	150.2	109.5	173.8	145.1	78.9	67.9	89.7	(1)	(1)	(1)	(1)
82.9	97.8	113.3	102.4	111.5	108.5	(1)	(1)	124.7	134.2	103.1	93.4	104.1	68.8	101.5	106.5	128.8	125.6	97.1	78.7
92.2	83.9	118.1	94.4	105.5	113.3	122.1	88.7	125.1	117.6	102.1	82.1	94.1	64.6	79.4	112.6	125.3	128.8	97.3	76.5
0.6	0.8	6.9	2.0	5.4	1.9	(1)	(1)	(1)	(1)	3.5	2.8	(1)	(1)	-------	1.0	(1)	(1)	(1)	(1)
1.9	2.0	7.6	1.3	5.0	1.2	(1)	(1)	(1)	(1)	2.1	4.0	(1)	(1)	2.1	2.0	(1)	(1)	(1)	(1)
-------	0.8	6.3	1.5	5.0	1.9	(1)	(1)	(1)	(1)	3.0	2.0	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
0.6	0.8	8.0	2.7	5.6	2.5	(1)	(1)	(1)	(1)	3.0	4.5	(1)	(1)	-------	3.7	(1)	(1)	(1)	(1)
1.2	0.8	7.8	3.0	5.1	2.0	(1)	(1)	(1)	(1)	4.8	3.2	(1)	(1)	2.0	3.7	(1)	(1)	(1)	(1)
1.8	1.2	7.9	3.1	4.0	3.0	(1)	(1)	(1)	(1)	2.5	1.9	(1)	(1)	4.0	1.7	(1)	(1)	(1)	(1)
1.7	1.2	7.7	3.0	4.1	3.2	(1)	(1)	3.2	2.0	3.7	4.5	-------	1.7	3.9	2.3	(1)	(1)	(1)	(1)
2.3	0.4	8.2	2.4	3.4	3.9	(1)	(1)	5.0	2.1	4.3	1.1	-------	2.8	5.8	2.7	(1)	(1)	(1)	(1)
2.8	2.8	6.6	4.3	3.6	3.2	(1)	(1)	5.4	2.8	3.5	2.2	-------	1.0	3.8	3.3	11.2	4.1	8.0	1.6
1.7	2.4	5.2	3.2	3.5	4.5	7.5	2.8	5.7	2.2	1.8	1.1	7.2	2.9	3.8	3.6	11.5	4.3	6.9	2.7

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan:	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Suicide by asphyxia	1900	(1)	(1)	(1)	(1)	.....	.....	.....	(2)	.....	.....	(1)	(1)	0.6	.....	0.3	(2)
	1901	(1)	(1)	(1)	(1)	0.7	.....	0.3	.....	.....	.....	(1)	(1)	0.5	0.3	.....	.....
	1902	(1)	(1)	(1)	(1)	0.5	0.3	.....	.....	0.8	.....	(1)	(1)	0.7	0.1	0.1	0.1
	1903	(1)	(1)	(1)	(1)	0.6	.....	0.3	0.1	0.8	.....	(1)	(1)	1.2	.....	0.7	0.2
	1904	(1)	(1)	(1)	(1)	1.2	.....	0.1	.....	.....	.....	(1)	(1)	0.7	0.3	0.1	(2)
	1905	(1)	(1)	(1)	(1)	1.0	0.6	0.7	0.1	0.8	0.2	(1)	(1)	1.3	0.1	0.6	0.1
	1906	3.7	0.1	1.2	.....	0.3	.....	0.4	0.1	0.6	.....	1.5	.....	1.4	0.1	0.4	0.2
	1907	2.8	.....	.....	0.4	3.0	.....	0.8	.....	0.6	.....	1.8	0.2	2.5	0.1	0.4	0.2
	1908	3.9	0.2	1.1	.....	2.3	0.9	1.3	0.2	1.1	0.2	3.1	0.1	2.4	0.5	1.3	0.1
	1909	5.4	0.6	1.0	.....	4.8	0.3	1.7	0.3	.....	0.2	2.3	0.1	2.2	0.5	0.8	0.1
Suicide by hanging or strangulation	1900	(1)	(1)	(1)	(1)	3.1	3.8	0.3	0.9	3.4	1.9	(1)	(1)	1.2	2.8	2.2	2.5
	1901	(1)	(1)	(1)	(1)	1.5	2.8	1.1	1.2	2.5	4.8	(1)	(1)	1.4	3.8	1.8	2.0
	1902	(1)	(1)	(1)	(1)	2.4	1.8	0.6	0.8	5.0	2.9	(1)	(1)	1.4	2.3	1.7	1.8
	1903	(1)	(1)	(1)	(1)	1.1	1.5	1.1	1.7	1.6	3.2	(1)	(1)	1.7	3.3	1.8	2.1
	1904	(1)	(1)	(1)	(1)	2.7	2.4	1.5	1.5	4.0	3.6	(1)	(1)	1.2	2.6	2.3	2.9
	1905	(1)	(1)	(1)	(1)	1.8	4.7	2.3	2.0	1.6	3.4	(1)	(1)	1.7	3.7	2.6	3.3
	1906	2.0	2.9	1.5	0.7	2.2	2.3	1.8	2.0	1.1	2.7	2.7	0.8	1.5	2.1	2.4	1.5
	1907	2.2	2.5	0.7	1.1	2.8	1.4	2.8	1.5	1.7	2.7	2.2	2.1	1.9	1.9	1.8	1.6
	1908	3.5	2.9	0.4	0.6	1.1	2.6	0.8	1.6	4.4	5.2	2.0	1.5	1.9	2.7	1.9	3.5
	1909	3.5	2.9	1.7	1.6	2.7	3.1	1.3	2.4	1.1	3.4	2.0	2.4	2.1	3.9	2.2	2.5
Suicide by drowning	1900	(1)	(1)	(1)	(1)	0.3	1.9	.....	0.3	1.7	1.2	(1)	(1)	0.5	2.0	0.4	0.8
	1901	(1)	(1)	(1)	(1)	0.2	0.6	0.6	0.4	1.7	1.2	(1)	(1)	1.1	2.2	1.1	0.4
	1902	(1)	(1)	(1)	(1)	0.2	3.7	0.2	0.2	0.8	1.0	(1)	(1)	0.8	0.6	0.4	1.0
	1903	(1)	(1)	(1)	(1)	0.5	0.6	0.5	0.4	1.6	1.9	(1)	(1)	0.5	1.2	0.8	1.0
	1904	(1)	(1)	(1)	(1)	0.5	0.9	1.3	0.3	0.8	1.0	(1)	(1)	0.9	2.3	0.8	0.5
	1905	(1)	(1)	(1)	(1)	1.0	1.5	1.0	0.3	.....	2.0	(1)	(1)	0.8	1.6	0.6	0.7
	1906	0.8	0.4	.....	0.2	0.3	1.8	0.6	0.4	0.6	1.5	0.5	0.2	0.7	1.5	0.4	0.5
	1907	0.8	1.2	.....	0.9	1.3	2.3	0.4	0.8	1.1	1.3	1.0	0.5	0.9	0.8	1.1	0.1
	1908	1.3	1.3	0.4	0.4	1.2	2.6	0.8	0.7	2.2	1.6	0.5	0.4	1.4	2.0	1.0	0.6
	1909	1.9	1.0	0.7	1.0	1.5	2.6	1.4	0.8	1.6	1.6	1.5	0.7	1.1	1.6	1.2	0.8
Suicide by firearms	1900	(1)	(1)	(1)	(1)	2.2	1.6	3.2	1.7	6.8	1.7	(1)	(1)	2.6	3.3	3.4	1.7
	1901	(1)	(1)	(1)	(1)	2.0	1.5	1.6	0.9	0.8	2.8	(1)	(1)	2.7	2.4	1.8	1.9
	1902	(1)	(1)	(1)	(1)	1.1	3.1	0.8	0.4	4.1	2.7	(1)	(1)	2.3	3.1	2.3	1.6
	1903	(1)	(1)	(1)	(1)	2.5	1.5	2.3	1.7	4.1	3.1	(1)	(1)	2.5	2.0	3.3	2.2
	1904	(1)	(1)	(1)	(1)	2.9	3.9	2.2	2.0	3.2	3.9	(1)	(1)	2.8	3.9	3.1	2.5
	1905	(1)	(1)	(1)	(1)	2.5	3.0	4.8	3.0	4.0	3.2	(1)	(1)	2.4	3.4	1.2	2.0
	1906	10.0	7.3	5.4	7.1	2.7	1.5	3.5	2.9	4.5	3.7	3.5	1.5	2.3	3.4	2.9	1.9
	1907	11.9	10.2	10.0	8.5	3.5	4.9	5.1	3.4	3.9	2.9	4.8	2.9	3.4	2.6	3.2	2.8
	1908	14.0	12.1	11.9	9.1	3.7	4.9	6.3	3.2	6.6	3.3	4.3	3.1	3.6	4.9	3.4	3.4
	1909	16.2	9.3	12.2	6.3	3.5	4.5	5.2	3.4	5.5	4.5	5.6	3.3	3.0	3.6	2.6	2.4
Suicide by cutting instruments	1900	(1)	(1)	(1)	(1)	1.0	0.6	.....	0.4	.....	0.9	(1)	(1)	0.8	0.7	0.4	0.3
	1901	(1)	(1)	(1)	(1)	0.5	0.9	0.2	0.2	0.8	1.2	(1)	(1)	0.7	0.3	0.8	0.7
	1902	(1)	(1)	(1)	(1)	1.1	0.6	0.2	0.1	0.8	1.0	(1)	(1)	0.9	0.1	0.5	0.5
	1903	(1)	(1)	(1)	(1)	0.6	1.5	0.3	0.5	.....	0.5	(1)	(1)	1.2	1.9	1.2	0.7
	1904	(1)	(1)	(1)	(1)	1.1	1.2	0.3	0.3	1.6	0.3	(1)	(1)	0.9	0.3	0.5	0.8
	1905	(1)	(1)	(1)	(1)	0.7	0.3	.....	0.4	2.4	0.8	(1)	(1)	0.9	0.9	0.9	0.5
	1906	2.2	1.4	3.1	0.9	0.9	1.8	0.7	0.5	1.1	0.4	1.2	0.2	0.7	0.6	0.2	0.7
	1907	2.4	1.7	2.2	0.7	0.7	1.4	0.7	0.4	1.1	1.3	0.5	0.2	1.3	0.7	0.6	0.5
	1908	2.7	2.8	1.8	1.1	1.2	1.1	0.4	0.7	2.8	0.9	1.2	0.7	1.1	1.5	0.9	0.9
	1909	1.9	1.9	2.1	1.8	1.7	1.4	1.2	0.5	2.2	1.6	0.7	0.1	0.8	0.9	0.4	0.6
Suicide by jumping from high places	1900	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1901	(1)	(1)	(1)	(1)	0.2	.....	.....	.....	.....	.....	(1)	(1)	(2)	.....	0.1	0.1
	1902	(1)	(1)	(1)	(1)	.....	.....	0.2	.....	.....	.....	(1)	(1)	.....	.....	0.1	.....
	1903	(1)	(1)	(1)	(1)	.....	0.3	.....	0.1	0.8	.....	(1)	(1)	0.3	0.1	.....	.....
	1904	(1)	(1)	(1)	(1)	.....	.....	.....	0.1	.....	.....	(1)	(1)	0.1	.....	0.3	0.1
	1905	(1)	(1)	(1)	(1)	0.1	.....	.....	.....	.....	.....	(1)	(1)	(2)	.....	.....	.....
	1906	0.2	0.2	.....	.....	.....	.....	0.3	.....	.....	.....	0.7	.....	0.1	.....	.....	.....
	1907	0.4	.....	0.4	.....	.....	.....	0.5	.....	.....	0 2	0.8	.....	0.2	0.1	.....	0.1
	1908	0.6	0.3	0.4	.....	0.3	.....	.....	0.1	.....	.....	0.7	0.1	0.1	0.3	.....	.....
	1909	0.2	0.4	0.7	.....	0.3	.....	0.1	0.1	.....	.....	1.0	.....	0.3	0.1	0.2	0.1
Suicide by crushing	1900	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	0.1	.....	0.1
	1901	(1)	(1)	(1)	(1)	0.2	0.3	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1902	(1)	(1)	(1)	(1)	0.2	.....	.....	.....	.....	.....	(1)	(1)	(2)	0.1	.....	0.1
	1903	(1)	(1)	(1)	(1)	.....	0.6	0.2	0.1	.....	0.2	(1)	(1)	(2)	.....	.....	.....
	1904	(1)	(1)	(1)	(1)	0.2	.....	0.1	0.1	0.8	.....	(1)	(1)	(2)	0.1	.....	.....
	1905	(1)	(1)	(1)	(1)	.....	0.3	.....	0.1	.....	.....	(1)	(1)	(2)	.....	0.1	0.1
	1906	0.5	0.3	.....	.....	0.1	0.3	.....	0.1	.....	.....	0.5	0.2	(2)	.....	0.1	.....
	1907	0.1	0.5	.....	0.2	.....	0.3	0.1	0.1	.....	.....	0.2	0.2	0.2	.....	0.1	0.1
	1908	0.3	0.8	.....	0.2	.....	.....	0.3	0 2	.....	.....	0.3	0.1	(2)	.....	0.2	0.2
	1909	0.3	1.0	0.7	0.4	0.1	.....	0.3	0.1	.....	.....	.....	0.1	0.2	0.1	.....	0.1
Other suicides	1900	(1)	(1)	(1)	(1)	1.4	1.9	1.9	1.8	.....	1.2	(1)	(1)	0.9	1.6	1.1	0.8
	1901	(1)	(1)	(1)	(1)	0.3	2.2	2.1	2.4	0.8	0.5	(1)	(1)	1.7	2.1	0.5	1.2
	1902	(1)	(1)	(1)	(1)	0.6	1.2	7.7	2.9	.....	0.2	(1)	(1)	1.0	2.0	0.8	1.6
	1903	(1)	(1)	(1)	(1)	0.5	1.5	0.6	0.9	0.8	.....	(1)	(1)	1.0	1.0	0.1	0.7
	1904	(1)	(1)	(1)	(1)	0.3	2 7	1.9	0.6	3.2	2.2	(1)	(1)	0.4	1.3	0.7	0.3
	1905	(1)	(1)	(1)	(1)	0.3	3.3	0.7	1.2	0.8	0.7	(1)	(1)	0.3	0.4	1.1	1.0
	1906	0.3	1.3	0.4	1.1	0.7	0.6	0.4	0.6	1.7	1.1	.....	0.5	0.4	0.7	0.4	0.9
	1907	0.2	0.9	.....	1.1	.....	0 6	0.1	0 1	0.6	1.3	0.2	0.5	0.3	0.6	0.2	0.7
	1908	0.2	0.7	0.4	0.6	.....	0.9	.....	0.2	0.6	0 7	0.2	.....	0.2	0.1	0.1	0.3
	1909	0.1	0.6	0.3	0.4	.....	.....	0.1	0.1	.....	0.2	.....	0.3	0.1	0.1	.....	0.2
Fractures	1900	(1)	(1)	(1)	(1)	15.3	7.9	5.3	3.7	7.6	6.2	(1)	(1)	11.2	8.9	6.9	6.8
	1901	(1)	(1)	(1)	(1)	11.9	13.6	5.4	3.7	5.0	4.0	(1)	(1)	11.5	7.2	8.1	5.3
	1902	(1)	(1)	(1)	(1)	11.7	11.9	9.2	5.5	9.1	4.3	(1)	(1)	12.1	8.8	7.4	5.7
	1903	(1)	(1)	(1)	(1)	14.9	7.9	8.3	6.0	7.4	4.8	(1)	(1)	12.4	8.3	10.8	6.7
	1904	(1)	(1)	(1)	(1)	13.9	11.7	10.6	6.5	14.5	7.8	(1)	(1)	10.1	9.5	11.5	7.4
	1905	(1)	(1)	(1)	(1)	9.7	11.3	9.0	4.9	9.6	4.2	(1)	(1)	9.9	10.2	7.5	6.6
	1906	8.0	7.5	10.0	3.6	12.7	9.7	4.4	3.8	11.3	6.2	8.4	3.6	11.0	11.5	9.9	7.0
	1907	6.6	6.0	0.7	1.1	12.1	9.9	3.8	3.9	7 3	6.4	5.2	4.1	10.9	10.3	5.7	5.2
	1908	2.3	1.6	0.4	.....	4.1	3.4	0.7	0.3	2 8	2.5	1.3	2.1	2.2	1.9	1.8	1.0
	1909	0.8	0.6	.....	.....	0.4	.....	0.3	0.6	1.6	0.4	0.3	1.0	0.5	0.5	1.3	1.5

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
.....	.....	0.4	0.1	1.7	.....	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	1.7	0.4	1.3	(2)	(1)	(1)	(1)	(1)	1.4	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
.....	.....	2.2	0.1	1.2	(2)	(1)	(1)	(1)	(1)	1.7	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
1.2	.....	1.5	0.5	1.8	(2)	(1)	(1)	(1)	(1)	3.0	1.3	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	1.8	0.6	2.4	.....	(1)	(1)	(1)	(1)	2.2	1.9	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	2.4	1.2	3.2	0.1	(1)	(1)	(1)	(1)	1.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	1.6	0.9	3.1	0.2	(1)	(1)	1.8	0.3	3.5	.....	7.9	.....	.....	0.3	(1)	(1)	(1)	(1)
1.1	.....	2.2	1.0	3.3	0.2	(1)	(1)	1.5	(2)	3.8	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
1.7	.....	4.3	1.0	5.1	0.2	(1)	(1)	1.6	0.1	5.4	.....	7.4	.....	1.9	0.3	1.5	.....	0.5	0.1
0.6	.....	4.5	1.5	5.3	0.6	0.5	0.1	2.2	0.1	4.3	.....	.....	0.2	1.9	.....	1.4	0.4	1.4	.....
0.6	2.4	1.6	2.7	2.2	2.8	(1)	(1)	(1)	(1)	1.8	4.8	(1)	(1)	.....	2.0	(1)	(1)	(1)	(1)
2.5	3.2	1.7	2.3	1.9	2.5	(1)	(1)	(1)	(1)	1.7	6.1	(1)	(1)	.....	3.0	(1)	(1)	(1)	(1)
1.2	1.6	1.6	1.8	2.0	2.6	(1)	(1)	(1)	(1)	1.7	3.3	(1)	(1)	.....	2.3	(1)	(1)	(1)	(1)
3.0	2.0	1.8	2.5	1.4	3.1	(1)	(1)	(1)	(1)	2.0	1.9	(1)	(1)	2.1	3.3	(1)	(1)	(1)	(1)
1.2	3.2	2.1	2.7	2.2	4.2	(1)	(1)	(1)	(1)	2.2	3.2	(1)	(1)	4.0	3.7	(1)	(1)	(1)	(1)
2.3	3.6	2.1	2.8	2.0	3.4	(1)	(1)	(1)	(1)	1.3	1.9	(1)	(1)	.....	5.7	(1)	(1)	(1)	(1)
1.2	3.6	2.6	3.3	1.8	3.0	(1)	(1)	2.2	2.0	1.2	3.4	7.9	1.1	2.0	2.0	(1)	(1)	(1)	(1)
1.1	1.2	2.2	3.2	2.3	3.9	(1)	(1)	2.2	2.2	2.4	1.1	7.6	3.0	.....	2.7	(1)	(1)	(1)	(1)
1.1	4.8	2.3	3.8	2.6	5.0	(1)	(1)	2.4	2.5	3.0	2.2	.....	3.6	1.9	3.0	2.3	1.9	3.3	2.9
4.4	2.4	2.7	2.9	1.8	3.6	2.8	2.6	1.8	2.3	1.8	5.3	.....	1.1	.....	4.0	1.9	2.5	3.5	3.8
1.3	0.8	0.8	1.1	0.3	0.5	(1)	(1)	(1)	(1)	1.8	2.1	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
1.2	1.2	0.6	0.2	0.2	0.6	(1)	(1)	(1)	(1)	1.0	2.0	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
0.6	0.8	0.6	0.7	0.5	1.1	(1)	(1)	(1)	(1)	0.7	2.6	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
1.2	1.2	0.8	0.2	0.2	0.7	(1)	(1)	(1)	(1)	1.0	0.6	(1)	(1)	2.1	1.0	(1)	(1)	(1)	(1)
1.8	1.2	0.6	0.3	0.2	0.8	(1)	(1)	(1)	(1)	0.6	2.5	(1)	(1)	2.0	1.0	(1)	(1)	(1)	(1)
0.6	1.2	0.3	0.8	0.6	0.9	(1)	(1)	(1)	(1)	0.6	3.1	(1)	(1)	2.0	1.7	(1)	(1)	(1)	(1)
0.6	0.4	0.6	1.1	0.5	0.9	(1)	(1)	0.5	0.4	1.2	3.4	7.9	.....	2.0	2.3	(1)	(1)	(1)	(1)
.....	1.2	0.3	1.3	0.3	1.2	(1)	(1)	0.6	0.5	0.7	2.2	.....	0.6	.....	0.3	(1)	(1)	(1)	(1)
2.2	0.4	0.7	1.3	0.9	1.0	(1)	(1)	0.8	0.9	1.4	2.2	.....	0.6	.....	0.7	2.0	1.4	1.3	0.6
1.7	2.0	1.2	0.9	0.6	1.5	1.5	0.9	0.9	0.6	0.9	3.2	.....	0.4	3.8	0.7	1.9	1.6	1.4	0.6
1.9	2.4	2.4	2.2	2.6	1.3	(1)	(1)	(1)	(1)	1.8	2.8	(1)	(1)	4.3	1.4	(1)	(1)	(1)	(1)
0.6	2.0	2.6	2.4	2.6	1.7	(1)	(1)	(1)	(1)	2.4	4.7	(1)	(1)	2.1	3.4	(1)	(1)	(1)	(1)
2.4	1.2	2.5	1.8	3.2	1.7	(1)	(1)	(1)	(1)	2.0	4.0	(1)	(1)	.....	1.3	(1)	(1)	(1)	(1)
5.4	2.4	3.1	2.1	2.8	1.6	(1)	(1)	(1)	(1)	1.6	1.9	(1)	(1)	2.1	1.7	(1)	(1)	(1)	(1)
2.4	4.0	2.9	2.2	2.9	1.7	(1)	(1)	(1)	(1)	2.9	1.9	(1)	(1)	6.1	2.7	(1)	(1)	(1)	(1)
2.3	2.0	4.1	3.1	4.5	3.5	(1)	(1)	(1)	(1)	3.5	2.5	(1)	(1)	.....	3.0	(1)	(1)	(1)	(1)
1.2	2.0	2.8	3.6	4.3	2.9	(1)	(1)	3.7	3.5	3.0	4.5	.....	2.1	3.9	5.0	(1)	(1)	(1)	(2)
4.0	5.2	4.7	4.2	4.4	3.4	(1)	(1)	4.0	3.6	3.4	1.1	15.3	4.8	3.9	3.3	(1)	(1)	(1)	(1)
2.8	3.0	4.1	6.0	6.0	3.8	(1)	(1)	4.2	3.6	3.5	4.3	.....	3.4	1.9	5.3	10.7	6.0	3.7	2.9
5.0	4.8	4.2	4.7	5.0	3.9	4.9	3.5	4.1	3.4	3.2	2.1	.....	2.9	3.8	7.9	9.6	6.7	3.4	2.6
0.6	0.4	0.7	.....	0.5	0.6	(1)	(1)	(1)	(1)	1.4	.....	(1)	(1)	2.1	0.7	(1)	(1)	(1)	(1)
1.2	.....	1.0	0.6	0.7	0.6	(1)	(1)	(1)	(1)	1.0	0.7	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
0.6	.....	0.4	0.7	0.5	0.9	(1)	(1)	(1)	(1)	1.3	1.3	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
0.6	.....	0.9	0.7	0.8	1.0	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
.....	2.0	1.5	0.6	0.7	0.7	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	1.7	(1)	(1)	(1)	(1)
1.2	.....	0.9	0.3	0.9	0.8	(1)	(1)	(1)	(1)	1.3	2.5	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
1.2	.....	0.6	0.9	0.9	0.6	(1)	(1)	0.9	0.7	1.2	4.5	.....	0.4	.....	1.0	(1)	(1)	(1)	(1)
2.8	0.4	1.1	0.8	0.9	1.2	(1)	(1)	1.3	0.6	0.7	.....	.....	0.6	.....	0.7	(1)	(1)	(1)	(1)
0.6	1.6	0.9	0.6	0.9	1.3	(1)	(1)	1.1	0.5	1.6	1.1	.....	0.2	1.9	1.0	2.0	1.4	0.5	0.6
3.3	0.4	0.8	0.7	1.1	1.1	1.1	0.8	1.2	0.5	1.4	4.3	.....	1.3	.....	0.3	1.2	2.1	0.9	0.5
.....	.....	0.1	.....	0.2	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.1	0.3	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	0.2	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	0.4	.....	(1)	(1)	(1)	(1)	0.3	0.6	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.5	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	.....	0.4	(2)	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	.....	0.6	(2)	(1)	(1)	0.4	.....	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	0.1	.....	0.7	(2)	(1)	(1)	0.3	0.1	0.7	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.3	.....	0.9	0.3	(1)	(1)	0.3	0.2	0.7	.....	.....	0.2	.....	.....	0.3	.....	.....	0.1
.....	.....	0.3	0.1	0.8	0.1	0.3	0.2	0.3	0.1	0.2	.....	.....	.....	.....	.....	1.0	0.3	0.3	.....
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.1	(2)	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	0.1	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.3	.....	(2)	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	0.1	(1)	(1)	(1)	(1)	.....	0.6	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.3	.....	(2)	.....	(1)	(1)	0.1	(2)	0.2	.....	.....	.....	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.3	0.1	(2)	0.2	(1)	(1)	0.1	0.2	.....	.....	.....	0.2	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	0.1	0.2	0.1	(1)	(1)	0.1	0.1	0.2	.....	.....	.....	.....	0.3	.....	0.2	.....	0.1
.....	.....	0.1	.....	0.2	0.1	0.3	0.1	0.1	0.2	0.2	.....	.....	0.4	.....	.....	0.5	.....	0.1	0.1
2.5	2.8	0.5	0.7	0.3	1.5	(1)	(1)	(1)	(1)	0.4	.....	(1)	(1)	2.1	3.0	(1)	(1)	(1)	(1)
1.9	5.2	0.3	0.6	0.3	1.0	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
1.2	2.8	0.1	1.4	0.1	1.5	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	2.1	2.7	(1)	(1)	(1)	(1)
0.6	4.0	0.3	0.8	0.1	0.7	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
1.2	1.6	0.1	1.1	0.1	0.7	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
1.2	3.2	0.4	0.7	0.2	0.9	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
1.7	2.0	0.1	0.1	0.1	0.6	(1)	(1)	0.1	0.5	.....	.....	.....	0.8	.....	1.0	(1)	(1)	(1)	(1)
.....	1.6	.....	0.1	(2)	0.1	(1)	(1)	0.2	0.5	0.2	.....	.....	1.0	.....	0.3	(1)	(1)	(1)	(1)
.....	0.4	0.1	0.1	(2)	(2)	(1)	(1)	0.2	0.2	0.5	.....	.....	0.2	.....	1.0	.....	1.1	0.8	1.2
.....	.....	.....	0.1	(2)	0.2	0.2	0.1	0.1	(2)	.....	.....	.....	0.2	.....	.....	0.2	.....	0.3	0.4
11.3	5.1	8.9	6.1	13.9	7.9	(1)	(1)	(1)	(1)	1.1	1.4	(1)	(1)	8.6	7.4	(1)	(1)	(1)	(1)
8.7	11.1	9.6	6.8	12.9	10.3	(1)	(1)	(1)	(1)	0.7	2.7	(1)	(1)	6.3	8.7	(1)	(1)	(1)	(1)
11.6	6.4	11.2	6.4	12.9	8.4	(1)	(1)	(1)	(1)	1.3	2.6	(1)	(1)	12.5	8.0	(1)	(1)	(1)	(1)
15.0	9.6	13.2	6.7	11.2	10.2	(1)	(1)	(1)	(1)	2.6	1.9	(1)	(1)	4.1	14.4	(1)	(1)	(1)	(1)
6.5	5.6	11.3	6.7	11.4	13.0	(1)	(1)	(1)	(1)	1.3	.....	(1)	(1)	4.0	7.0	(1)	(1)	(1)	(1)
14.0	12.8	9.4	5.4	6.4	12.0	(1)	(1)	(1)	(2)	1.9	0.6	(1)	(1)	10.0	7.7	(1)	(1)	(1)	(1)
14.4	8.8	7.6	4.9	5.7	10.4	(1)	(1)	8.5	6.6	0.7	.....	.....	4.6	9.8	9.7	(1)	(1)	(1)	(1)
11.4	10.4	7.7	5.0	2.8	2.0	(1)	(1)	2.0	2.5	.....	.....	22.9	1.4	.....	1.7	(2)	(1)	(1)	(1)
1.1	3.2	6.9	4.4	0.8	0.2	(1)	(1)	0.2	(2)	.....	.....	.....	1.0	1.9	3.0	4.1	5.8	5.3	6.2
.....	.....	1.1	0.4	0.6	(2)	0.9	1.7	0.1	0.1	0.2	.....	.....	1.8	3.8	0.7	.....	.....	1.8	2.0

[2] Less than one-tenth.

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Dislocations	1900	(1)	(1)	(1)	(1)	.....	0.6	0.3	(2)	.....	.....	(1)	(1)	0.1	0.3	.....	0.3
	1901	(1)	(1)	(1)	(1)	0.3	0.3	.....	0.1	.....	0.2	(1)	(1)	(2)	.....	0.4	0.1
	1902	(1)	(1)	(1)	(1)	0.2	.....	0.3	0.2	0.8	.....	(1)	(1)	0.3	.....	0.4	(2)
	1903	(1)	(1)	(1)	(1)	.....	.....	.....	0.3	.....	.....	(1)	(1)	0.2	0.3	0.1	0.3
	1904	(1)	(1)	(1)	(1)	0.3	.....	.....	0.2	.....	.....	(1)	(1)	0.2	0.3	0.3	0.2
	1905	(1)	(1)	(1)	(1)	.....	0.6	0.1	0.2	.....	.....	(1)	(1)	0.3	0.6	0.2	0.2
	1906	0.2	0.2	.....	0.5	.....	0.3	0.1	0.2	.....	.....	0.2	0.2	0.2	0.1	0.2	0.1
	1907	.....	0.3	.....	.....	0.1	0.3	0.1	0.1	.....	0.2	.....	0.2	.....	0.1	0.1	.....
	1908	.....	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....	.....	.....	.....	0.1	0.1
	1909	0.1	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....	0.2
Burns and scalds	1900	(1)	(1)	(1)	(1)	9.8	7.2	7.8	6.7	8.4	6.2	(1)	(1)	8.6	4.9	6.1	5.1
	1901	(1)	(1)	(1)	(1)	10.2	7.4	7.2	6.6	9.2	6.2	(1)	(1)	9.1	5.5	6.9	6.6
	1902	(1)	(1)	(1)	(1)	10.7	7.9	9.9	6.8	9.1	6.5	(1)	(1)	8.3	4.1	7.3	5.9
	1903	(1)	(1)	(1)	(1)	8.7	5.8	8.9	6.2	6.5	5.5	(1)	(1)	7.9	5.2	6.7	6.1
	1904	(1)	(1)	(1)	(1)	10.4	8.7	8.8	6.7	8.9	5.4	(1)	(1)	8.2	5.2	5.4	6.3
	1905	(1)	(1)	(1)	(1)	9.0	4.4	7.9	5.5	5.6	5.7	(1)	(1)	9.2	7.3	4.9	6.7
	1906	6.3	6.1	11.1	3.6	9.4	6.5	8.1	6.2	9.1	5.5	13.3	6.8	10.0	4.6	6.3	5.5
	1907	5.6	7.3	6.3	10.3	11.4	7.0	9.0	6.6	5.0	5.3	14.3	7.4	11.2	3.7	6.8	5.8
	1908	6.3	7.1	7.9	5.9	8.5	4.3	6.7	6.9	7.8	5.6	11.2	8.8	8.5	5.4	5.8	5.5
	1909	7.0	5.6	4.2	4.7	9.1	5.4	8.0	6.1	4.4	5.4	13.7	7.1	8.8	5.6	6.5	4.1
Heat and sunstroke	1900	(1)	(1)	(1)	(1)	4.1	1.9	1.9	0.9	1.7	0.5	(1)	(1)	3.6	1.8	2.1	1.0
	1901	(1)	(1)	(1)	(1)	5.3	4.6	6.4	2.6	0.8	1.4	(1)	(1)	7.2	5.7	3.2	1.7
	1902	(1)	(1)	(1)	(1)	0.3	.....	0.9	0.3	1.7	0.2	(1)	(1)	0.5	0.3	0.7	0.3
	1903	(1)	(1)	(1)	(1)	1.7	2.1	0.8	0.6	.....	0.2	(1)	(1)	0.8	0.7	1.3	0.3
	1904	(1)	(1)	(1)	(1)	0.2	.....	0.3	0.3	.....	0.3	(1)	(1)	0.9	0.6	0.8	0.3
	1905	(1)	(1)	(1)	(1)	2.1	3.6	1.3	0.7	.....	0.5	(1)	(1)	2.6	1.3	0.7	0.6
	1906	0.4	1.7	.....	0.2	1.0	1.2	1.2	0.7	0.6	0.9	3.4	0.5	2.0	1.0	1.5	1.2
	1907	0.2	0.8	.....	.....	1.1	0.3	0.9	0.7	1.1	0.5	2.5	1.5	1.4	1.5	0.7	0.8
	1908	0.8	3.3	.....	.....	1.4	2.3	1.2	0.7	0.6	0.9	1.8	2.1	1.4	0.8	1.8	1.0
	1909	0.4	1.3	0.3	.....	1.9	0.6	1.4	0.7	1.1	0.2	4.3	1.9	1.8	1.2	0.8	0.9
Cold and freezing	1900	(1)	(1)	(1)	(1)	0.7	1.2	0.5	0.4	.....	0.5	(1)	(1)	0.2	0.9	0.1	0.8
	1901	(1)	(1)	(1)	(1)	0.5	1.9	0.2	0.7	0.8	0.9	(1)	(1)	0.5	0.4	0.4	0.7
	1902	(1)	(1)	(1)	(1)	1.1	0.9	0.3	0.5	2.5	0.3	(1)	(1)	0.5	1.6	0.1	1.1
	1903	(1)	(1)	(1)	(1)	0.3	0.9	0.3	0.9	.....	0.7	(1)	(1)	0.6	1.6	0.3	0.6
	1904	(1)	(1)	(1)	(1)	0.9	1.8	0.6	0.6	.....	0.2	(1)	(1)	0.7	1.7	0.7	1.9
	1905	(1)	(1)	(1)	(1)	0.7	2.4	0.4	0.4	0.8	0.3	(1)	(1)	0.4	1.1	0.7	1.4
	1906	.....	1.2	0.4	0.9	1.2	1.2	.....	0.4	.....	1.1	.....	0.3	0.5	1.0	0.3	1.2
	1907	0.3	1.1	.....	1.5	1.1	2.3	0.3	0.2	1.7	1.6	0.3	0.2	0.3	1.1	0.4	1.2
	1908	.....	1.6	0.4	1.3	0.1	1.4	0.4	0.3	1.1	0.7	0.2	0.7	0.3	1.2	0.3	1.4
	1909	0.1	1.0	0.3	3.3	0.5	0.9	0.3	0.6	0.5	0.9	0.3	1.0	0.2	0.8	0.3	1.1
Lightning	1900	(1)	(1)	(1)	(1)	0.2	0.9	.....	0.6	.....	0.2	(1)	(1)	.....	0.4	0.1	1.3
	1901	(1)	(1)	(1)	(1)	.....	1.2	0.2	1.2	.....	0.2	(1)	(1)	(2)	0.4	0.1	1.6
	1902	(1)	(1)	(1)	(1)	.....	0.6	.....	1.6	0.8	0.3	(1)	(1)	(2)	0.3	0.1	0.8
	1903	(1)	(1)	(1)	(1)	.....	0.9	0.5	1.2	.....	.....	(1)	(1)	(2)	0.3	0.3	1.4
	1904	(1)	(1)	(1)	(1)	.....	1.2	0.3	0.6	.....	0.2	(1)	(1)	0.1	0.1	0.1	0.8
	1905	(1)	(1)	(1)	(1)	.....	0.3	0.3	1.2	.....	.....	(1)	(1)	.....	0.3	0.2	0.8
	1906	.....	.....	0.8	3.4	.....	0.3	0.1	1.2	.....	0.9	0.2	1.1	0.1	0.3	0.3	0.9
	1907	.....	0.2	.....	3.5	0.1	0.6	0.1	1.0	.....	1.5	.....	0.3	(2)	0.1	.....	0.8
	1908	.....	.....	.....	2.1	0.3	0.9	0.4	0.9	0.6	0.7	.....	0.3	0.1	0.7	0.1	1.2
	1909	.....	.....	0.7	3.9	0.1	0.6	0.4	1.3	.....	0.2	.....	0.4	(2)	0.1	0.2	0.8
Drowning	1900	(1)	(1)	(1)	(1)	11.5	16.6	6.1	5.1	16.9	13.1	(1)	(1)	10.4	19.5	13.1	10.0
	1901	(1)	(1)	(1)	(1)	11.4	17.9	4.8	4.4	10.8	16.6	(1)	(1)	11.4	15.2	10.5	13.0
	1902	(1)	(1)	(1)	(1)	9.1	10.4	5.5	3.9	19.0	15.8	(1)	(1)	12.0	13.6	11.8	10.4
	1903	(1)	(1)	(1)	(1)	12.3	16.1	6.8	4.6	11.4	19.1	(1)	(1)	10.5	14.2	10.7	10.1
	1904	(1)	(1)	(1)	(1)	11.1	13.8	7.2	5.4	20.2	20.8	(1)	(1)	9.6	12.2	8.8	11.5
	1905	(1)	(1)	(1)	(1)	10.9	19.9	7.8	4.6	8.8	11.8	(1)	(1)	8.6	14.7	9.9	13.7
	1906	9.1	13.6	2.3	11.9	13.1	17.6	8.7	4.4	13.6	17.2	11.5	12.4	8.3	15.1	9.3	13.5
	1907	9.1	24.1	1.5	9.9	8.6	13.0	7.0	5.0	12.3	13.6	9.7	14.0	7.8	15.7	9.9	13.4
	1908	8.0	15.3	0.7	9.1	9.3	20.6	6.7	5.9	9.4	17.7	9.4	15.4	8.0	20.5	11.7	13.6
	1909	8.5	18.7	1.4	14.9	7.2	19.0	6.8	5.0	9.9	17.4	8.3	13.8	7.1	16.8	7.8	9.9
Inhalation of poisonous gases [3]	1900	(1)	(1)	(1)	(1)	2.4	0.6	0.5	0.1	.....	.....	(1)	(1)	1.8	0.9	1.4	0.3
	1901	(1)	(1)	(1)	(1)	2.8	0.6	2.1	0.3	1.7	0.3	(1)	(1)	1.6	0.7	0.8	0.7
	1902	(1)	(1)	(1)	(1)	2.2	0.6	0.8	0.2	5.0	0.5	(1)	(1)	2.9	0.4	2.4	0.7
	1903	(1)	(1)	(1)	(1)	6.1	0.6	0.9	0.6	1.6	0.3	(1)	(1)	2.7	0.9	2.4	0.5
	1904	(1)	(1)	(1)	(1)	4.8	2.1	2.2	0.4	4.0	1.0	(1)	(1)	3.0	1.0	2.2	0.4
	1905	(1)	(1)	(1)	(1)	5.0	0.6	0.8	0.6	.....	0.3	(1)	(1)	2.6	0.3	1.1	0.9
	1906	5.6	0.4	0.8	.....	4.8	0.3	1.8	0.2	1.1	0.2	2.7	0.2	2.1	0.1	1.4	0.5
	1907	4.0	0.5	2.2	1.3	3.7	0.3	1.8	0.3	2.2	0.4	2.3	0.6	3.8	0.8	3.2	0.8
	1908	3.4	1.0	1.8	1.5	2.5	0.6	2.2	0.6	0.6	0.4	1.5	0.1	2.4	1.0	1.0	0.6
	1909	5.7	1.0	3.1	0.2	4.4	0.9	2.2	0.2	1.1	.....	1.3	0.6	2.3	0.3	1.9	0.7
Conflagration	1903	(1)	(1)	(1)	(1)	.....	.....	.....	.....	0.8	.....	(1)	(1)	0.1	.....	.....	.....
	1904	(1)	(1)	(1)	(1)	.....	.....	0.1	0.2	.....	.....	(1)	(1)	.....	.....	0.1	0.6
	1905	(1)	(1)	(1)	(1)	.....	4.7	.....	0.1	.....	2.5	(1)	(1)	2.7	0.7	0.1	1.3
	1906	0.8	0.7	.....	.....	0.4	.....	1.4	0.3	0.6	1.1	0.8	1.2	0.3	0.4	0.2	1.7
	1907	1.1	1.0	0.7	0.4	0.3	0.3	0.7	0.4	2.8	0.2	0.3	.....	1.3	0.6	0.7	1.2
	1908	1.7	2.3	1.4	1.5	0.7	1.1	1.8	0.6	.....	1.4	1.3	0.9	1.5	1.5	0.9	2.4
	1909	1.8	2.0	0.7	1.2	0.8	0.3	0.4	0.6	1.1	0.5	0.8	0.4	0.7	2.0	1.0	2.0
Other accidental poisonings	1900	(1)	(1)	(1)	(1)	6.1	5.0	6.9	4.4	5.0	2.6	(1)	(1)	2.3	2.7	3.9	3.5
	1901	(1)	(1)	(1)	(1)	4.3	3.4	5.1	3.6	5.8	2.2	(1)	(1)	3.0	2.9	4.8	3.0
	1902	(1)	(1)	(1)	(1)	4.6	2.7	7.1	4.6	3.3	1.9	(1)	(1)	3.1	3.1	3.8	3.7
	1903	(1)	(1)	(1)	(1)	5.3	3.0	6.8	5.1	4.9	3.1	(1)	(1)	3.2	2.8	6.3	5.3
	1904	(1)	(1)	(1)	(1)	4.5	5.7	7.9	4.7	1.6	5.1	(1)	(1)	3.3	4.6	5.7	4.7
	1905	(1)	(1)	(1)	(1)	4.4	4.7	3.1	2.8	8.8	2.7	(1)	(1)	3.2	3.7	4.8	4.3
	1906	7.8	5.7	8.1	7.1	5.3	6.7	3.7	4.2	7.9	3.8	3.0	2.7	2.9	4.1	6.5	5.2
	1907	7.0	6.0	4.1	9.2	3.7	4.9	4.5	3.7	9.5	6.0	2.7	2.7	3.7	4.7	4.7	4.7
	1908	7.0	6.6	4.7	6.1	4.5	4.6	3.7	2.7	4.4	4.5	4.5	3.0	2.9	4.5	3.7	4.9
	1909	4.7	5.8	3.1	5.1	3.8	3.1	3.9	3.2	4.4	4.0	3.6	3.4	3.4	3.1	3.9	4.3

[1] Nonregistration.

[2] Less than one-tenth.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
.....	0.4	0.5	0.1	0.1	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	.....	0.4	0.1	0.5	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	.....	0.2	0.2	0.3	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	0.2	0.3	0.2	0.3	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	2.1	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	0.1	0.1	0.2	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
1.2	.....	0.2	.....	0.1	0.2	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	0.1	0.1	0.1	0.2	(1)	(1)	(2)	0.1	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	(2)	.....	(1)	(1)	(2)	0.1	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	0.1	.....	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	0.5	.....	0.1	0.1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1
6.3	5.5	12.4	6.6	9.3	5.0	(1)	(1)	(1)	(1)	8.1	6.9	(1)	(1)	4.3	3.0	(1)	(1)	(1)	(1)
6.8	2.4	12.7	7.3	8.7	5.5	(1)	(1)	(1)	(1)	8.6	6.7	(1)	(1)	8.4	5.7	(1)	(1)	(1)	(1)
9.1	3.6	8.5	6.3	7.9	4.8	(1)	(1)	(1)	(1)	9.4	4.0	(1)	(1)	4.2	2.0	(1)	(1)	(1)	(1)
8.4	6.4	11.3	6.0	8.5	4.0	(1)	(1)	(1)	(1)	8.9	4.5	(1)	(1)	6.2	5.7	(1)	(1)	(1)	(1)
7.7	4.8	11.3	6.8	8.6	5.3	(1)	(1)	(1)	(1)	5.5	5.7	(1)	(1)	10.1	2.7	(1)	(1)	(1)	(1)
8.8	8.4	11.9	7.2	9.1	4.6	(1)	(1)	(1)	(1)	4.7	3.7	(1)	(1)	4.0	3.7	(1)	(1)	(1)	(1)
5.8	6.0	12.3	6.8	8.7	5.1	(1)	(1)	14.5	9.6	6.7	5.6	.....	7.0	7.9	5.0	(1)	(1)	(1)	(1)
5.7	5.2	12.8	6.4	8.7	5.6	(1)	(1)	14.7	12.1	6.7	2.2	.....	7.6	1.9	4.3	(1)	(1)	(1)	(1)
7.8	4.8	9.5	6.2	8.0	5.3	(1)	(1)	12.7	10.7	4.7	4.3	7.4	5.7	7.7	8.3	4.3	5.5	5.7	3.9
7.2	9.3	10.4	5.9	8.2	4.8	8.6	7.0	12.2	9.8	10.0	3.2	.....	5.1	1.9	4.6	5.3	5.3	6.2	4.9
1.9	0.4	7.8	4.3	6.7	1.4	(1)	(1)	(1)	(1)	2.5	0.7	(1)	(1)	2.1	.....	(1)	(1)	(1)	(1)
6.2	4.4	33.1	12.3	27.0	4.3	(1)	(1)	(1)	(1)	9.6	4.0	(1)	(1)	6.3	1.7	(1)	(1)	(1)	(1)
.....	.....	0.5	0.5	0.8	0.2	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
.....	0.4	3.7	1.9	2.3	0.8	(1)	(1)	(1)	(1)	1.3	1.9	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
1.2	0.8	1.8	0.4	0.7	0.3	(1)	(1)	(1)	(1)	1.3	1.3	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
4.1	0.4	7.8	3.2	5.0	1.2	(1)	(1)	(1)	(1)	2.2	1.2	(1)	(1)	2.0	.....	(1)	(1)	(1)	(1)
1.2	0.8	3.0	1.7	2.1	1.1	(1)	(1)	3.8	1.8	0.5	.....	15.7	0.4	2.0	0.7	(1)	(1)	(1)	(1)
.....	1.6	2.2	1.3	1.5	0.3	(1)	(1)	2.9	1.1	1.2	1.1	.....	0.4	.....	0.3	(1)	(1)	(1)	(1)
1.7	.....	3.9	4.0	2.2	1.0	(1)	(1)	3.5	1.6	1.4	3.3	.....	1.0	.....	0.3	0.3	0.2	0.4	1.2
1.1	0.8	2.9	2.4	1.7	1.0	1.3	0.7	3.0	1.2	1.8	1.1	.....	0.7	.....	0.7	.....	.....	0.6	0.7
.....	2.0	0.4	0.9	0.2	1.0	(1)	(1)	(1)	(1)	0.7	0.7	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
1.2	0.8	0.4	0.6	0.4	1.0	(1)	(1)	(1)	(1)	1.0	3.4	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	2.0	0.5	0.5	0.4	0.8	(1)	(1)	(1)	(1)	1.0	.....	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
0.6	1.6	0.7	2.3	0.2	1.3	(1)	(1)	(1)	(1)	1.3	1.3	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	2.0	0.8	1.3	0.4	1.3	(1)	(1)	(1)	(1)	1.0	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
0.6	0.8	0.9	0.8	0.3	1.6	(1)	(1)	(1)	(1)	.....	1.9	(1)	(1)	2.0	0.3	(1)	(1)	(1)	(1)
0.6	.....	0.2	1.2	0.3	0.9	(1)	(1)	0.3	0.5	0.2	2.3	.....	1.9	.....	1.0	(1)	(1)	(1)	(1)
.....	.....	0.6	0.6	0.3	0.8	(1)	(1)	0.2	0.5	0.5	74.2	.....	3.2	.....	.....	(1)	(1)	(1)	(1)
.....	2.4	0.3	0.8	0.3	0.8	(1)	(1)	0.3	0.7	0.2	1.1	.....	0.2	1.9	0.3	.....	1.1	0.4	1.0
0.6	0.4	0.1	1.1	0.2	0.9	0.4	0.3	0.4	0.6	0.2	1.1	.....	0.5	.....	1.0	.....	0.4	0.5	1.1
1.3	.....	.....	0.6	0.1	0.7	(1)	(1)	(1)	(1)	.....	1.4	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	0.4	0.1	1.6	0.1	0.8	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
.....	1.6	0.3	0.5	0.1	0.9	(1)	(1)	(1)	(1)	.....	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	0.8	(2)	0.3	(1)	(1)	(1)	(1)	.....	0.6	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	0.4	0.1	0.7	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
.....	.....	0.2	0.9	0.1	0.4	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
.....	0.4	0.1	0.2	0.1	1.1	(1)	(1)	0.2	1.0	.....	1.1	.....	1.1	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.6	(2)	0.5	(1)	(1)	0.1	0.5	.....	.....	.....	2.4	.....	1.0	(1)	(1)	(1)	(1)
0.6	.....	0.1	0.7	.....	0.7	(1)	(1)	0.1	0.8	.....	.....	.....	2.3	.....	.....	.....	0.2	.....	0.6
.....	.....	0.1	0.2	.....	0.2	(2)	0.8	(2)	0.4	.....	.....	.....	2.7	.....	.....	.....	.....	0.1	0.5
12.6	11.9	23.1	17.3	12.2	12.9	(1)	(1)	(1)	(1)	9.5	23.5	(1)	(1)	4.3	7.1	(1)	(1)	(1)	(1)
8.7	11.9	13.7	15.9	12.5	13.3	(1)	(1)	(1)	(1)	8.3	23.6	(1)	(1)	14.8	9.1	(1)	(1)	(1)	(1)
10.4	9.1	10.4	15.8	10.8	13.4	(1)	(1)	(1)	(1)	7.1	17.2	(1)	(1)	6.2	8.4	(1)	(1)	(1)	(1)
13.2	20.7	12.9	15.3	11.4	13.4	(1)	(1)	(1)	(1)	7.9	30.4	(1)	(1)	14.4	7.4	(1)	(1)	(1)	(1)
13.0	12.4	12.6	13.4	11.6	13.8	(1)	(1)	(1)	(1)	6.7	20.9	(1)	(1)	10.1	10.0	(1)	(1)	(1)	(1)
14.6	10.8	10.7	16.9	11.2	13.4	(1)	(1)	(1)	(1)	8.8	21.1	(1)	(1)	14.0	8.3	(1)	(1)	(1)	(1)
15.5	10.0	11.4	20.0	12.2	17.2	(1)	(1)	7.3	8.2	9.4	23.7	15.7	7.0	13.8	11.0	(1)	(1)	(1)	(1)
5.7	16.1	11.1	15.0	10.0	13.9	(1)	(1)	7.1	8.4	8.9	41.0	30.6	8.8	9.7	10.6	(1)	(1)	(1)	(1)
12.3	14.1	9.9	16.8	10.0	14.5	(1)	(1)	6.9	8.4	12.9	15.2	14.9	5.5	13.4	10.6	13.3	15.2	12.6	9.3
7.7	10.5	8.6	14.4	9.8	14.5	7.0	6.0	6.7	6.4	11.2	16.0	21.7	6.2	3.8	11.3	10.3	22.5	10.6	7.0
.....	.....	4.1	1.0	4.6	0.9	(1)	(1)	(1)	(1)	2.8	1.4	(1)	(1)	.....	.....	(2)	(1)	(1)	(1)
.....	.....	3.4	1.4	5.1	1.1	(1)	(1)	(1)	(1)	3.8	.....	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
0.6	0.4	4.3	0.9	6.7	1.2	(1)	(1)	(1)	(1)	6.0	0.7	(1)	(1)	4.2	0.3	(1)	(1)	(1)	(1)
4.2	0.4	5.1	1.7	6.5	0.9	(1)	(1)	(1)	(1)	6.2	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
4.1	0.8	5.5	3.0	6.9	1.5	(1)	(1)	(1)	(1)	3.5	1.3	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	7.7	2.3	5.7	0.8	(1)	(1)	(1)	(1)	3.5	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
2.3	2.4	4.5	1.4	4.7	0.9	(1)	(1)	3.5	0.7	4.9	.....	.....	.....	.....	0.3	(1)	(1)	(1)	(1)
2.3	.....	6.0	1.5	7.1	1.1	(1)	(1)	3.2	0.7	2.4	.....	.....	.....	3.9	2.0	(1)	(1)	(1)	(1)
1.7	0.4	4.0	1.1	4.3	0.4	(1)	(1)	2.4	0.5	3.3	.....	.....	0.8	1.9	0.7	3.6	0.6	1.5	0.5
1.7	.....	4.3	2.1	4.9	0.8	2.0	0.3	2.4	0.6	3.9	.....	14.5	0.7	.....	1.0	3.6	0.7	1.3	0.5
.....	.....	.....	.....	1.0	0.2	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	17.8	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	1.2	0.1	.....	1.4	0.7	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.3	0.7	0.8	0.8	(1)	(1)	0.3	1.1	0.7	1.1	.....	1.5	.....	0.7	(1)	(1)	(1)	(1)
4.0	0.4	0.7	0.5	1.7	0.9	(1)	(1)	0.9	1.0	0.5	.....	.....	0.2	.....	0.7	(1)	(1)	(1)	(1)
.....	2.0	0.2	0.2	1.6	1.1	(1)	(1)	0.7	5.1	0.7	.....	.....	1.0	1.9	5.3	0.3	1.4	0.9	0.8
0.6	.....	0.6	0.4	1.7	1.0	1.0	0.7	1.0	1.5	0.5	1.1	.....	1.1	.....	3.3	1.4	1.8	1.8	0.9
1.3	5.1	4.5	4.8	5.5	3.7	(1)	(1)	(1)	(1)	4.6	0.7	(1)	(1)	4.3	7.1	(1)	(1)	(1)	(1)
4.3	4.0	3.0	3.8	4.7	4.3	(1)	(1)	(1)	(1)	2.8	2.0	(1)	(1)	4.2	4.4	(1)	(1)	(1)	(1)
2.4	2.0	3.4	3.2	5.9	4.0	(1)	(1)	(1)	(1)	2.4	1.3	(1)	(1)	4.2	4.7	(1)	(1)	(1)	(1)
6.6	3.6	3.8	3.5	7.1	5.2	(1)	(1)	(1)	(1)	3.3	3.2	(1)	(1)	8.2	5.0	(1)	(1)	(1)	(1)
4.1	4.8	4.5	3.6	6.3	4.7	(1)	(1)	(1)	(1)	1.3	3.8	(1)	(1)	6.1	3.3	(1)	(1)	(1)	(1)
5.8	6.0	4.0	4.3	3.2	5.1	(1)	(1)	(1)	(1)	3.1	1.9	(1)	(1)	10.0	6.3	(1)	(1)	(1)	(1)
8.1	8.8	2.6	2.7	3.0	4.1	(1)	(1)	3.6	3.8	2.0	2.3	7.9	4.6	9.8	5.7	(1)	(1)	(1)	(1)
4.0	2.8	2.4	2.4	2.9	4.6	(1)	(1)	4.0	4.3	2.6	5.5	7.6	3.4	5.8	5.6	(1)	(1)	(1)	(1)
3.4	3.2	2.6	3.1	2.6	3.5	(1)	(1)	3.6	3.5	1.4	6.5	.....	5.7	.....	5.3	5.6	3.9	2.9	3.0
2.2	4.0	2.3	2.6	2.4	4.0	4.1	3.2	2.9	3.7	1.6	3.2	7.2	4.2	1.9	7.3	5.0	4.2	2.3	2.5

[1] Including "Conflagration" for 1900, 1901, 1902.

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Accidental gunshot wounds	1900	(1)	(1)	(1)	(1)	1.4	2.8	3.7	5.3	3.4	2.5	(1)	(1)	1.2	2.0	1.5	3.0
	1901	(1)	(1)	(1)	(1)	1.6	1.9	4.0	4.2	1.7	2.6	(1)	(1)	1.0	3.1	3.3	4.7
	1902	(1)	(1)	(1)	(1)	2.9	3.7	4.2	4.9	3.3	2.2	(1)	(1)	1.2	2.2	3.5	3.7
	1903	(1)	(1)	(1)	(1)	2.2	1.8	6.6	5.4	4.1	2.4	(1)	(1)	1.2	2.8	3.7	5.3
	1904	(1)	(1)	(1)	(1)	2.4	4.5	5.0	6.2	5.7	4.9	(1)	(1)	1.2	1.3	2.2	4.6
	1905	(1)	(1)	(1)	(1)	2.8	2.7	2.7	3.7	3.2	3.7	(1)	(1)	0.9	2.8	1.7	4.8
	1906	3.4	6.0	3.5	8.4	2.7	2.6	2.2	3.8	2.3	2.6	1.7	3.0	1.2	2.5	2.8	4.0
	1907	2.5	5.8	3.3	7.2	1.0	0.3	1.2	2.2	2.2	2.9	1.0	2.6	1.6	2.2	1.9	4.1
	1908	2.0	5.7	3.2	7.0	1.0	1.1	1.5	2.7	2.8	3.4	1.7	3.1	0.6	1.8	1.7	3.4
	1909	0.8	5.1	4.5	4.7	0.5	3.4	1.7	2.7	3.8	3.4	2.6	1.9	0.4	1.3	1.0	3.0
Injuries by machinery	1900	(1)	(1)	(1)	(1)	0.3	.....	.....	0.1	.....	1.0	(1)	(1)	0.2	0.4	0.7	0.8
	1901	(1)	(1)	(1)	(1)	0.5	0.6	0.8	0.3	0.8	0.5	(1)	(1)	0.5	0.3	0.7	1.3
	1902	(1)	(1)	(1)	(1)	1.0	0.6	0.9	0.5	0.8	.....	(1)	(1)	0.2	0.4	1.6	1.4
	1903	(1)	(1)	(1)	(1)	0.5	0.6	0.9	0.5	0.8	1.2	(1)	(1)	0.6	0.4	1.1	1.1
	1904	(1)	(1)	(1)	(1)	0.6	1.5	0.9	0.4	.....	2.2	(1)	(1)	0.8	0.9	1.0	2.2
	1905	(1)	(1)	(1)	(1)	0.9	0.3	1.4	0.5	0.8	1.3	(1)	(1)	1.2	.....	0.1	0.7
	1906	1.1	0.6	0.4	1.8	1.3	1.8	1.2	0.6	2.8	2.0	0.3	0.8	1.4	0.7	1.3	0.9
	1907	1.7	1.8	4.5	1.5	1.0	0.9	2.3	1.3	1.1	1.8	2.5	0.8	2.3	0.8	2.5	2.0
	1908	2.0	1.8	1.4	3.0	1.2	0.6	0.7	1.2	4.4	2.5	2.5	1.3	1.7	1.0	1.8	2.0
	1909	2.4	3.3	2.8	4.1	1.2	2.0	3.0	1.6	1.6	2.7	1.6	1.3	1.8	1.1	2.9	1.8
Injuries in mines and quarries	1900	(1)	(1)	(1)	(1)	.....	.....	.....	0.7	.....	.....	(1)	(1)	.....	.....	2.1	2.9
	1901	(1)	(1)	(1)	(1)	.....	.....	0.5	0.7	.....	0.2	(1)	(1)	0.1	0.3	4.8	3.9
	1902	(1)	(1)	(1)	(1)	.....	.....	.....	0.3	.....	0.2	(1)	(1)	.....	.....	4.4	3.5
	1903	(1)	(1)	(1)	(1)	.....	.....	0.9	2.7	0.8	.....	(1)	(1)	(2)	.....	3.0	3.9
	1904	(1)	(1)	(1)	(1)	.....	0.3	0.4	1.6	.....	0.2	(1)	(1)	0.1	.....	1.8	4.2
	1905	(1)	(1)	(1)	(1)	0.1	0.9	0.6	2.6	.....	.....	(1)	(1)	.....	.....	3.3	6.8
	1906	0.4	3.6	9.2	42.6	.....	.....	0.7	1.7	.....	0.2	.....	1.4	0.1	0.6	3.1	5.6
Injuries in mines	1907	0.2	3.3	3.0	39.7	.....	.....	0.9	2.7	.....	.....	0.2	1.7	.....	.....	3.1	7.4
	1908	0.3	3.9	4.0	26.8	.....	.....	0.9	2.0	.....	.....	.....	0.9	.....	.....	1.7	6.6
	1909	0.3	5.1	3.1	32.8	.....	.....	1.7	2.0	.....	.....	0.3	1.5	.....	0.1	2.8	6.6
Injuries in quarries	1907	.....	.....	.....	0.4	.....	0.3	.....	0.2	1.7	0.2	.....	.....	(2)	0.1	0.1	0.1
	1908	0.2	0.8	.....	1.7	.....	0.3	.....	0.1	.....	0.5	0.2	.....	(2)	0.5	.....	.....
	1909	.....	0.9	.....	0.4	.....	.....	.....	0.2	0.5	0.5	0.3	.....	0.1	.....	.....	0.1
Railroad accidents and injuries [3]	1900	(1)	(1)	(1)	(1)	14.1	10.7	16.3	8.9	13.5	2.8	(1)	(1)	7.0	10.6	15.4	9.0
	1901	(1)	(1)	(1)	(1)	11.9	13.0	16.1	9.6	7.5	3.8	(1)	(1)	8.0	10.8	13.9	10.0
	1902	(1)	(1)	(1)	(1)	13.1	15.6	10.9	7.2	5.8	4.5	(1)	(1)	9.4	12.9	13.5	9.1
	1903	(1)	(1)	(1)	(1)	15.9	20.0	23.6	11.5	13.9	5.6	(1)	(1)	10.9	11.9	17.2	13.7
	1904	(1)	(1)	(1)	(1)	16.4	20.7	20.1	11.0	13.7	4.7	(1)	(1)	10.6	12.6	11.5	11.0
	1905	(1)	(1)	(1)	(1)	18.2	20.8	19.0	13.9	16.0	5.2	(1)	(1)	10 5	15.9	9.1	11.1
	1906	13.6	15.7	15.7	26.2	21.9	11.7	21.7	13.4	6.8	4.9	14.7	9.8	9.2	12.2	10.4	8.8
Railroad accidents and injuries (steam and unqualified)	1907	20.2	26.9	19.7	24.8	20.4	14.8	21.5	15.0	17.9	6.9	13.0	11.3	10.3	10.2	16.3	11.7
	1908	9.4	18.5	11.5	19.9	15.0	14.6	17.2	13.1	7.2	4.2	9.3	7.6	9.2	9.7	10.4	9.7
	1909	9.0	16.2	19.8	29.7	12.7	14.2	18.2	11.0	7 7	4.3	9.2	8.4	8.4	11.7	10.8	9.7
Railroad accidents and injuries (electric)	1907	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.2	.....	.....	.....	.....	.....
	1908	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1909	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Street-car accidents	1906	11.6	1.4	3.8	.....	2.4	1.5	4.1	1.0	1.1	0.2	5.2	0.8	1.7	1.5	3.7	1.2
Street-car accidents (surface and unqualified)	1907	13.5	2.2	3.7	0.4	2.1	2.0	6.6	1.4	1.7	0.2	4.2	1.1	2.0	1.7	5.4	1.5
	1908	11.9	3.5	3.2	0.4	3.0	1.4	4.9	1.7	2.8	0.7	4.1	1.9	3.1	2.9	6.3	1.0
	1909	11.8	3.8	3.5	0.8	3.5	3.4	7.5	2.6	2.2	0.5	3.6	1.0	2.5	1.9	4.5	0.6
Street-car accidents (elevated)	1907	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.3	.....	.....	.....
	1908	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....
	1909	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(2)	.....	.....	.....
Street-car accidents (underground)	1907	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1908	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1909	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Injuries by vehicles and horses [4]	1900	(1)	(1)	(1)	(1)	0 3	0.6	1.9	1.2	1.7	1.0	(1)	(1)	0.5	0.7	1.3	2.0
	1901	(1)	(1)	(1)	(1)	0 8	2.2	0.5	0.9	2.5	1 7	(1)	(1)	0.4	0.9	1.4	3.4
	1902	(1)	(1)	(1)	(1)	1 0	1.5	0.3	1.1	0.8	1.4	(1)	(1)	0.6	0.4	2.3	3.1
	1903	(1)	(1)	(1)	(1)	1.4	1.8	1.4	2.3	1.6	2 6	(1)	(1)	1.7	2 2	2.6	2.7
	1904	(1)	(1)	(1)	(1)	1 7	1.2	1 0	2.0	0 8	2 4	(1)	(1)	2.5	1.7	1.7	3.1
	1905	(1)	(1)	(1)	(1)	2 7	2.4	3.7	1.9	2 4	1.3	(1)	(1)	3.0	2.6	2.0	3.0
	1906	5.5	4.6	5.0	7 1	4.0	1.5	3.7	2.5	0.6	1.6	2.2	1 1	2.9	2.2	1.4	2.5
	1907	7.7	6.9	5.9	12 9	2.2	2.6	2.4	3.6	0.6	2.7	2 3	2.9	3.2	2.1	3.1	3.8
	1908	6 0	10.2	4.0	13.3	3.3	3.4	4.6	4.8	2.8	3.6	2.8	3.4	3 6	2 7	2.7	5.2
	1909	4.9	8.8	5.2	11.2	4.2	4.8	3.9	4.7	2 2	3.4	3.4	2 7	4.0	2.7	2.9	5.4
Automobile accidents	1906	1.6	0.4	.....	.....	0.7	0.3	0.4	.....	.....	.....	0 2	0 2	0.3	0.1	1.0	.....
	1907	2.7	0 7	3 7	.....	0 4	0.9	0.4	0.1	0.6	.....	0.5	0 2	0.8	0.8	1.1	.....
	1908	2.8	2.2	0.7	0.4	2.3	0.3	1.5	0.1	0.6	0.4	0.7	0.4	1.1	0.5	0.7	0.2
	1909	2.6	1.9	2.4	0.2	2.0	1.1	1.3	0.6	0.5	0.4	0.8	.....	1.6	1.5	1.7	0.2

[1] Nonregistration.

[2] Less than one-tenth.

URBAN AND RURAL DEATH RATES, BY CAUSES.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
2.5	2.4	1.4	3.1	2.8	3.1	(1)	(1)	(1)	(1)	0.4	0.7	(1)	(1)	2.1	3.4	(1)	(1)	(1)	(1)
1.2	2.4	1.3	2.8	2.3	3.8	(1)	(1)	(1)	(1)	0.7	1.3	(1)	(1)	4.2	3.0	(1)	(1)	(1)	(1)
2.4	1.2	2.9	2.7	3.0	3.7	(1)	(1)	(1)	(1)	.....	1.3	(1)	(1)	.....	2.7	(1)	(1)	(1)	(1)
3.0	4.4	2.6	2.9	2.3	3.4	(1)	(1)	(1)	(1)	.....	2.6	(1)	(1)	.....	4.0	(1)	(1)	(1)	(1)
0.6	5.6	2.8	4.0	3.2	4.1	(1)	(1)	(1)	(1)	0.3	0.6	(1)	(1)	.....	4.0	(1)	(1)	(1)	(1)
1.2	2.0	2.4	2.2	1.1	4.1	(1)	(1)	(1)	(1)	0.3	1.2	(1)	(1)	6.0	4.3	(1)	(1)	(1)	(1)
1.2	4.8	0.5	2.1	1.0	3.0	(1)	(1)	1.4	2.7	0.2	1.1	.....	3.6	2.0	3.3	(1)	(1)	(1)	(1)
1.1	2.8	1.3	1.6	0.8	2.1	(1)	(1)	1.6	2.2	1.4	2.2	7.6	4.6	1.9	2.7	(1)	(1)	(1)	(1)
.....	3.2	1.2	1.7	0.7	2.1	(1)	(1)	1.4	2.6	0.2	1.1	.....	5.1	1.9	3.0	1.0	6.4	2.5	3.3
1.7	2.4	0.6	0.9	0.5	1.6	1.6	2.7	1.0	2.1	0.5	.....	.....	4.9	1.9	2.3	0.7	4.3	1.0	4.1
.....	0.4	0.5	0.5	0.1	0.5	(1)	(1)	(1)	(1)	1.4	1.4	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
0.6	.....	1.3	0.5	0.3	0.7	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
1.2	0.4	0.8	0.5	0.4	0.5	(1)	(1)	(1)	(1)	3.4	1.3	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
1.2	0.4	0.9	0.8	0.6	0.6	(1)	(1)	(1)	(1)	1.0	1.3	(1)	(1)	2.1	1.7	(1)	(1)	(1)	(1)
.....	1.2	0.7	0.9	0.4	0.8	(1)	(1)	(1)	(1)	1.0	1.9	(1)	(1)	2.0	1.3	(1)	(1)	(1)	(1)
0.6	1.6	1.3	0.7	0.6	0.6	(1)	(1)	(1)	(1)	1.9	.....	(1)	(1)	2.0	2.0	(1)	(1)	(1)	(1)
1.2	1.6	1.2	0.9	0.8	1.3	(1)	(1)	3.2	1.6	1.7	3.4	.....	1.1	2.0	1.7	(1)	(1)	(1)	(1)
2.3	1.2	1.9	1.4	2.5	2.1	(1)	(1)	4.3	3.4	2.4	2.2	.....	0.4	1.9	3.0	(1)	(1)	(1)	(1)
1.1	1.6	1.5	0.7	1.8	1.8	(1)	(1)	2.6	2.1	1.4	2.2	.....	1.7	3.8	2.0	2.8	1.1	1.3	1.4
2.8	2.8	2.4	1.2	1.8	2.3	3.9	1.4	3.6	2.9	2.7	1.1	.....	0.7	1.9	3.0	2.9	3.7	2.7	1.4
.....	.....	.....	0.6	.....	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.2	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
.....	.....	0.1	1.1	(2)	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	.....	0.8	(2)	0.5	(1)	(1)	(1)	(1)	.....	0.6	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.1	0.8	(2)	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	2.0	(1)	(1)	(1)	(1)
.....	.....	0.4	1.2	.....	0.7	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	5.0	(1)	(1)	(1)	(1)
.....	0.4	0.2	1.2	(2)	0.8	(1)	(1)	9.5	17.6	.....	.....	.....	2.7	.....	2.3	(1)	(1)	(1)	(1)
0.6	.....	0.3	2.5	.....	0.5	(1)	(1)	9.7	30.0	.....	.....	.....	1.6	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	1.5	.....	0.5	(1)	(1)	9.3	25.1	.....	.....	.....	1.0	.....	.....	0.5	3.1	.....	0.6
.....	.....	0.1	1.7	.....	0.4	0.4	3.6	9.4	21.1	.....	.....	.....	1.5	.....	.....	.....	3.9	0.1	1.0
.....	.....	.....	0.5	(2)	0.2	(1)	(1)	0.4	0.6	.....	.....	.....	.....	.....	1.3	(1)	(1)	(1)	(1)
.....	0.4	0.1	0.4	(2)	0.1	(1)	(1)	0.4	0.7	.....	.....	.....	.....	.....	4.0	.....	0.5	.....	.....
.....	0.4	0.1	.....	(2)	1.0	.....	0.1	0.6	1.0	.....	.....	.....	.....	.....	2.0	.....	0.4	.....	0.1
9.5	4.7	18.6	17.9	5.9	13.0	(1)	(1)	(1)	(1)	9.5	12.5	(1)	(2)	8.6	3.0	(1)	(1)	(1)	(1)
13.0	6.3	20.2	17.6	7.9	15.6	(1)	(1)	(1)	(1)	10.0	10.8	(1)	(1)	10.6	6.7	(1)	(1)	(1)	(1)
4.9	5.6	20.9	17.8	8.4	16.1	(1)	(1)	(1)	(1)	12.4	13.2	(1)	(1)	14.6	9.1	(1)	(1)	(1)	(1)
10.8	6.8	23.4	23.5	10.7	19.2	(1)	(1)	(1)	(1)	11.8	15.5	(1)	(1)	8.2	13.1	(1)	(1)	(1)	(1)
11.3	8.0	21.8	19.7	10.4	18.3	(1)	(1)	(1)	(1)	14.1	11.4	(1)	(1)	6.1	12.0	(1)	(1)	(1)	(1)
8.8	6.0	21.9	17.6	13.0	20.7	(1)	(1)	(1)	(1)	11.3	13.0	(1)	(1)	12.0	9.0	(1)	(1)	(1)	(1)
7.5	7.6	23.7	17.8	10.2	20.3	(1)	(1)	25.4	34.3	6.4	9.0	7.9	5.9	11.8	12.6	(1)	(1)	(1)	(1)
11.4	15.7	18.9	21.2	10.2	23.2	(1)	(1)	25.7	32.4	7.7	4.4	7.6	7.6	9.7	8.3	(1)	(1)	(1)	(1)
13.4	10.9	17.3	17.4	7.6	21.4	(1)	(1)	16.0	22.8	7.3	5.4	.....	6.7	3.8	9.0	8.2	13.3	12.5	7.7
11.6	10.9	16.1	15.0	6.4	19.2	18.9	14.9	15.6	20.7	6.6	7.5	14.5	4.2	9.5	9.9	10.1	21.5	14.0	9.7
.....	.....	.....	.....	0.1	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.1	(2)	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	0.1	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	0.4	3.9	2.6	5.8	0.9	(1)	(1)	5.1	1.6	8.1	2.3	.....	.....	2.0	.....	(1)	(1)	(1)	(1)
.....	.....	4.2	2.1	6.6	1.3	(1)	(1)	5.5	1.9	6.2	1.1	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	2.6	1.7	4.4	1.0	(1)	(1)	5.2	1.8	4.4	3.3	7.4	.....	7.7	1.0	2.8	1.3	3.6	0.5
1.1	0.8	4.6	1.0	3.1	1.3	6.0	1.8	4.6	1.7	4.3	1.1	.....	.....	1.9	0.7	5.5	0.9	3.1	0.5
.....	.....	.....	.....	0.3	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.3	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	0.1	.....	0.1	.....	.....	.....	(2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	0.2	.....	(1)	(1)	(2)	.....	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.3	.....	(1)	(1)	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	0.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	0.8	0.6	0.4	2.4	1.0	(1)	(1)	(1)	(1)	4.6	4.2	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
0.6	0.8	1.0	0.6	2.6	1.4	(1)	(1)	(1)	(1)	4.5	4.0	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
1.8	1.2	0.9	0.6	3.0	1.4	(1)	(1)	(1)	(1)	5.0	3.3	(1)	(1)	2.1	1.7	(1)	(1)	(1)	(1)
.....	2.8	1.4	0.8	4.6	2.1	(1)	(1)	(1)	(1)	5.9	4.5	(1)	(1)	2.1	2.7	(1)	(1)	(1)	(1)
.....	3.2	1.6	1.0	5.2	1.9	(1)	(1)	(1)	(1)	3.5	5.7	(1)	(1)	.....	3.0	(1)	(1)	(1)	(1)
1.8	1.6	2.8	1.1	6.3	1.9	(1)	(1)	(1)	(1)	1.3	4.3	(1)	(1)	4.0	3.0	(1)	(1)	(1)	(1)
.....	0.8	4.0	3.0	6.1	3.4	(1)	(1)	4.4	2.4	3.5	3.4	.....	5.1	2.0	3.7	(1)	(1)	(1)	(1)
2.3	3.2	3.1	1.3	6.5	4.1	(1)	(1)	3.8	4.4	3.6	.....	.....	6.0	.....	6.0	(1)	(1)	(1)	(1)
3.9	3.6	2.6	2.5	4.7	4.2	(1)	(1)	3.9	3.6	4.7	.....	7.4	5.5	3.8	3.3	4.1	4.2	2.0	4.0
3.9	4.0	4.4	3.0	4.7	4.3	3.5	2.8	3.9	3.5	5.2	1.1	.....	6.0	3.8	5.3	5.5	5.8	2.5	4.3
.....	.....	0.7	0.2	1.0	0.3	(1)	(1)	0.5	0.1	0.7	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	0.8	0.6	0.7	1.2	0.8	(1)	(1)	0.9	0.2	1.2	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.7	0.6	1.5	0.6	(1)	(1)	0.6	0.2	1.4	1.1	.....	.....	3.8	.....	1.8	0.2	0.8	.....
.....	0.4	1.8	1.2	1.8	1.3	1.6	0.2	1.8	0.4	2.3	1.1	7.2	0.7	1.9	0.7	4.6	0.3	1.4	0.3

[3] Including "street-car accidents" from 1900 to 1905.

[4] Including "automobile accidents" from 1900 to 1905.

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Suffocation	1900	(1)	(1)	(1)	(1)	1.0	1.2	2.1	2.8	1.7	0.7	(1)	(1)	2.4	1.5	0.7	1.6
	1901	(1)	(1)	(1)	(1)	2.6	3.1	2.4	3.0	2.5	0.7	(1)	(1)	2.5	1.2	2.1	1.6
	1902	(1)	(1)	(1)	(1)	2.7	0.6	2.0	2.0	2.5	0.7	(1)	(1)	1.4	0.9	1.6	1.7
	1903	(1)	(1)	(1)	(1)	2.5	2.1	1.5	2.6	.....	1.2	(1)	(1)	1.9	1.0	1.8	1.5
	1904	(1)	(1)	(1)	(1)	1.8	0.9	2.2	1.5	2.4	1.0	(1)	(1)	2.6	1.9	1.5	2.9
	1905	(1)	(1)	(1)	(1)	1.8	2.4	2.4	2.2	0.8	0.7	(1)	(1)	2.1	2.3	1.4	2.2
	1906	2.2	1.3	1.9	2.5	2.2	1.2	1.9	2.0	2.8	0.9	1.0	0.9	2.1	2.5	2.0	1.8
	1907	0.9	1.4	1.1	0.9	2.1	2.9	1.3	1.8	1.1	2.0	2.7	2.0	1.8	1.7	1.5	1.8
	1908	1.6	0.8	.....	3.2	1.8	1.1	2.5	2.3	.....	1.3	1.3	1.9	1.6	1.5	1.8	2.2
	1909	0.9	1.5	1.0	3.5	1.9	1.7	2.1	1.8	2.7	1.3	1.1	1.3	1.9	1.5	1.6	1.7
Earthquake	1906	52.0	18.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Injuries at birth	1900	(1)	(1)	(1)	(1)	5.9	3.1	1.1	1.6	5.9	2.8	(1)	(1)	6.1	2.1	3.8	3.2
	1901	(1)	(1)	(1)	(1)	6.9	4.3	1.3	1.9	5.0	2.2	(1)	(1)	7.4	1.5	4.8	3.1
	1902	(1)	(1)	(1)	(1)	9.4	6.4	2.8	2.7	.....	2.4	(1)	(1)	6.3	2.5	4.6	3.0
	1903	(1)	(1)	(1)	(1)	13.1	5.5	1.5	2.6	0.8	2.9	(1)	(1)	6.9	3.3	4.2	4.8
	1904	(1)	(1)	(1)	(1)	9.8	7.5	2.8	2.2	5.7	3.2	(1)	(1)	10.0	3.6	4.1	3.8
	1905	(1)	(1)	(1)	(1)	12.3	6.8	3.4	4.2	3.2	4.0	(1)	(1)	9.4	5.4	3.4	3.8
	1906	4.1	2.5	3.1	2.3	14.8	5.0	2.3	3.6	4.5	2.7	7.2	2.1	9.6	5.3	4.7	3.0
	1907	5.8	2.9	6.7	3.1	13.5	9.0	3.4	3.4	5.0	3.1	8.2	2.1	9.7	2.8	5.4	5.0
	1908	5.1	3.1	5.7	5.5	13.2	8.9	4.6	5.6	3.9	3.3	7.9	3.3	9.4	5.4	5.3	5.5
	1909	5.5	2.8	5.9	4.5	10.5	8.8	5.4	5.8	6.6	5.0	7.7	4.1	9.1	6.0	6.5	4.7
Other accidental traumatisms	1900	(1)	(1)	(1)	(1)	9.2	11.9	6.4	6.7	9.3	7.5	(1)	(1)	9.3	7.9	10.4	10.0
	1901	(1)	(1)	(1)	(1)	13.0	13.3	7.2	6.2	9.2	12.8	(1)	(1)	13.2	7.8	15.3	13.8
	1902	(1)	(1)	(1)	(1)	12.0	10.7	6.3	5.2	18.2	12.5	(1)	(1)	9.5	7.4	13.2	14.8
	1903	(1)	(1)	(1)	(1)	14.5	15.8	12.2	8.6	13.1	8.9	(1)	(1)	12.7	12.4	12.7	14.2
	1904	(1)	(1)	(1)	(1)	12.9	12.9	13.7	9.9	16.2	11.7	(1)	(1)	13.5	13.8	11.2	16.1
	1905	(1)	(1)	(1)	(1)	17.0	14.5	14.3	10.8	16.0	14.8	(1)	(1)	15.3	14.5	13.0	14.1
	1906	18.4	16.2	14.6	11.2	17.4	16.7	16.6	11.3	13.6	11.1	20.1	9.8	16.8	10.1	16.5	13.9
	1907	21.2	19.7	19.3	16.9	15.7	13.9	17.0	12.7	13.4	10.2	21.7	8.3	17.5	10.5	17.9	15.0
	1908	21.5	24.0	21.9	17.3	17.2	15.2	18.5	17.8	18.8	12.8	17.3	13.4	20.6	16.3	16.4	16.3
	1909	21.2	20.5	16.4	16.3	20.8	18.7	20.0	17.9	19.7	18.3	20.5	10.4	22.0	14.1	16.9	16.2
Burning by corrosive substances	1900	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1901	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	(2)	.....	.....	.....
	1902	(1)	(1)	(1)	(1)	.....	1.2	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
	1903	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	(1)	(1)	(2)	.....	0.1	0.1
	1904	(1)	(1)	(1)	(1)	0.2	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	0.1	.....
	1905	(1)	(1)	(1)	(1)	0.1	0.3	.....	0.1	.....	.....	(1)	(1)	0.1	.....	0.1	.....
	1906	0.2	0.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....
	1907	.....	0.2	.....	.....	.....	.....	.....	0.1	.....	.....	0.2	.....	(2)	.....	.....	.....
	1908	.....	.....	.....	.....	0.1	.....	0.1	.....	.....	.....	0.2	.....	.....	.....	.....	.....
	1909	.....	.....	0.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....
Other external violence	1900	(1)	(1)	(1)	(1)	5.4	10.0	8.3	8.9	6.8	5.4	(1)	(1)	6.8	3.3	7.8	6.5
	1901	(1)	(1)	(1)	(1)	1.8	2.5	10.1	9.6	4.2	3.4	(1)	(1)	5.0	5.9	5.6	4.4
	1902	(1)	(1)	(1)	(1)	3.2	2.7	17.9	9.7	8.3	3.1	(1)	(1)	5.8	6.4	3.6	5.1
	1903	(1)	(1)	(1)	(1)	2.5	4.2	4.7	4.8	2.5	3.6	(1)	(1)	3.6	5.8	6.7	3.9
	1904	(1)	(1)	(1)	(1)	2.6	3.9	5.4	4.3	8.1	5.6	(1)	(1)	3.6	3.7	3.2	5.2
	1905	(1)	(1)	(1)	(1)	2.5	2.4	4.2	3.5	4.0	2.7	(1)	(1)	3.0	3.0	3.3	3.9
	1906	4.7	5.2	3.8	11.6	4.2	4.1	3.2	2.2	7.9	4.2	2.9	5.0	3.2	3 5	5.6	5.6
	1907	2.1	6.9	1.9	5.7	3.9	2.9	3.6	1.3	3.9	2.9	1.3	1.8	3.0	4.0	1.3	2.6
	1908	1.8	3.8	2.2	2.5	0.8	2.9	1.8	1.7	2.2	2.5	1.5	1.3	1.8	1.6	1.7	1.6
	1909	1.5	4.4	2.4	1.6	1.2	1.4	1.9	1.6	2.2	1.4	1.3	1.6	0.9	1.5	2.2	1.7
Starvation, privation, etc.	1900	(1)	(1)	(1)	(1)	.....	0.3	.....	0.2	0.8	0.2	(1)	(1)	0.1	0.4	0.1	0.2
	1901	(1)	(1)	(1)	(1)	0.5	.....	.....	0.1	.....	.....	(1)	(1)	0.4	.....	0.3	0.1
	1902	(1)	(1)	(1)	(1)	0.2	0.3	0.2	0.2	.....	0.2	(1)	(1)	(2)	0.1	0.3	0.2
	1903	(1)	(1)	(1)	(1)	0.5	.....	0.3	.....	.....	.....	(1)	(1)	0.2	.....	0.4	0.1
	1904	(1)	(1)	(1)	(1)	.....	0.3	0.6	0.1	.....	0.3	(1)	(1)	(2)	.....	.....	(2)
	1905	(1)	(1)	(1)	(1)	.....	0.3	.....	0.1	.....	0.2	(1)	(1)	0.1	.....	0.1	0.1
	1906	.....	0.1	0.8	0.2	0 3	.....	0.6	0.3	.....	.....	.....	.....	(2)	.....	.....	0.1
	1907	0.1	0.3	.....	0.2	.....	.....	.....	.....	.....	.....	.....	0.3	(2)	.....	0.1	0.1
	1908	0.2	0 3	0.4	.....	0.1	.....	0.1	0.1	.....	0.4	.....	0.1	.....	.....	.....	0.1
	1909	0.1	0.2	.....	.....	0 1	0.3	0.1	0 1	.....	.....	0.3	0.1	0.2	.....	.....	.....
Homicide	1900	(1)	(1)	(1)	(1)	.....	.....	1.1	1 5	.....	1.7	(1)	(1)	0.7	1.2	0.7	0.7
	1901	(1)	(1)	(1)	(1)	0 3	.....	2.4	0.5	1.7	1 6	(1)	(1)	1.1	1.3	1.1	1.6
	1902	(1)	(1)	(1)	(1)	0.5	.....	2.0	0.6	.....	0.3	(1)	(1)	1.3	0.6	1.5	1.2
	1903	(1)	(1)	(1)	(1)	0.6	0.9	1.4	1.2	2.5	1.0	(1)	(1)	1.3	0.7	1.4	1.3
	1904	(1)	(1)	(1)	(1)	0.3	.....	3.1	0.7	2.4	.....	(1)	(1)	1.5	0.3	1.0	1.0
	1905	(1)	(1)	(1)	(1)	1.8	0.9	4.8	2 7	3.2	2 0	(1)	(1)	1.5	0.4	0.9	0.5
	1906	9.0	6 8	10.4	13.9	2.0	1.5	5.7	3.0	0.6	0 4	4.7	2 3	1.8	0.6	1.3	1.0
	1907	13.2	8.3	7.4	18.0	2.5	1.7	7.0	3 6	2.2	1.6	7.3	2.6	2.7	0.4	3.2	1.7
	1908	10.6	12.1	18.7	15.6	3.6	3.7	9.1	2 9	0 6	1 4	3.8	3.9	2.6	1.9	4.1	2.2
	1909	10.2	9.8	9.0	12.4	2.8	5 1	8.0	2 7	1.1	1.1	3.4	3.8	2 5	2.3	2.2	2.2
XIV.—Ill - defined causes	1900	(1)	(1)	(1)	(1)	30 5	22.2	95.8	84 9	96 2	92.9	(1)	(1)	62 5	75.5	60.8	69 0
	1901	(1)	(1)	(1)	(1)	24 5	22 6	65 7	59 5	76 8	87 6	(1)	(1)	55 9	61 7	45 6	50 0
	1902	(1)	(1)	(1)	(1)	26 1	20.8	53 6	52 3	80 9	69.8	(1)	(1)	56 4	63 8	39.2	41 8
	1903	(1)	(1)	(1)	(1)	24 1	23 7	45.3	35.4	69.4	75 6	(1)	(1)	48.4	46.9	37 7	43.2
	1904	(1)	(1)	(1)	(1)	23 9	22.5	46.1	36 6	57.4	79.9	(1)	(1)	33 4	34.2	42 5	46 6
	1905	(1)	(1)	(1)	(1)	25.2	24 0	43.7	33 0	44 0	60 9	(1)	(1)	38 1	32.0	47.9	52.5
	1906	21.5	35.8	11 5	21.2	22 7	17.9	27.6	27 3	59.5	73.1	65.2	70.4	37.8	30 9	48 6	44.4
	1907	16.8	32.1	10.4	21.9	27 4	18 0	20 0	20 2	51 5	61 1	61 6	72 4	39.6	32 4	44 0	40.8
	1908	13.8	23.4	5.4	10.3	23.7	17.2	9 8	9 9	38 2	43.0	62 6	65 0	38 8	33 4	38 5	35 6
	1909	8.2	15.2	3.8	8 8	23 3	20 4	6 2	5 0	37 8	44 6	56.9	62 2	25.8	25 2	34 0	28.8

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rura districts.	Cities.	Rural districts.	Cities.	Rural districts.
2.5	1.6	1.8	1.7	1.0	2.0	(1)	(1)	(1)	(1)	2.1	4.2	(1)	(1)	2.1	2.0	(1)	(1)	(1)	(1)
3.1	2.4	1.3	1.3	1.3	1.9	(1)	(1)	(1)	(1)	1.7	4.7	(1)	(1)	.....	1.3	(1)	(1)	(1)	(1)
0.6	1.2	1.1	1.8	0.8	1.1	(1)	(1)	(1)	(1)	1.3	1.3	(1)	(1)	.....	2.7	(1)	(1)	(1)	(1)
1.8	2.0	1.6	1.4	1.6	1.5	(1)	(1)	(1)	(1)	1.6	3.2	(1)	(1)	.....	2.7	(1)	(1)	(1)	(1)
3.0	1.2	0.8	2.2	1.1	1.8	(1)	(1)	(1)	(1)	2.6	3.8	(1)	(1)	2.0	1.0	(1)	(1)	(1)	(1)
1.8	1.2	1.2	2.2	1.2	1.7	(1)	(1)	(1)	(1)	2.5	2.5	(1)	(1)	.....	1.3	(1)	(1)	(1)	(1)
3.5	0.8	0.9	2.0	1.3	2.2	(1)	(1)	1.2	1.7	1.0	4.5	7.9	0.8	.....	2.3	(1)	(1)	(1)	(1)
3.4	0.8	1.3	1.1	1.2	1.9	(1)	(1)	1.1	2.3	1.2	5.5	7.6	1.6	1.9	1.7	(1)	(1)	(1)	(1)
2.2	2.0	0.3	1.1	1.1	1.9	(1)	(1)	0.9	1.8	1.4	1.1	14.9	1.7	3.8	1.7	1.5	1.6	1.3	1.2
1.7	1.6	0.8	2.1	1.1	2.0	2.1	1.7	1.0	1.8	0.7	.....	.....	1.3	.....	2.0	2.4	1.6	1.9	1.2
.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
0.6	1.2	5.7	4.1	4.5	3.1	(1)	(1)	(1)	(1)	11.6	6.9	(1)	(1)	2.1	0.7	(1)	(1)	(1)	(1)
1.2	0.8	6.1	2.6	4.8	3.9	(1)	(1)	(1)	(1)	6.9	8.8	(1)	(1)	4.2	1.7	(1)	(1)	(1)	(1)
1.2	2.0	5.3	3.3	5.5	5.0	(1)	(1)	(1)	(1)	11.1	13.9	(1)	(1)	8.3	5.7	(1)	(1)	(1)	(1)
4.2	2.4	6.5	5.4	7.8	5.3	(1)	(1)	(1)	(1)	11.5	11.6	(1)	(1)	6.2	5.0	(1)	(1)	(1)	(1)
8.9	0.8	8.0	4.5	7.9	5.0	(1)	(1)	(1)	(1)	18.0	12.7	(1)	(1)	.....	2.3	(1)	(1)	(1)	(1)
1.2	2.8	6.6	5.7	9.3	5.5	(1)	(1)	(1)	(1)	15.7	13.0	(1)	(1)	6.0	4.0	(1)	(1)	(1)	(1)
6.9	2.4	8.0	5.3	8.2	5.5	(1)	(1)	9.1	6.9	13.3	6.8	.....	3.0	2.0	3.3	(1)	(1)	(1)	(1)
5.7	2.0	8.6	4.5	9.4	6.2	(1)	(1)	7.8	6.1	19.7	15.5	7.6	4.2	3.9	7.6	(1)	(1)	(1)	(1)
5.6	4.0	9.5	3.9	9.1	5.0	(1)	(2)	8.7	6.2	14.3	8.7	14.9	4.0	9.6	4.6	5.4	2.8	5.2	6.4
8.3	4.0	8.2	5.0	9.4	7.1	9.2	5.6	8.1	5.9	13.9	10.7	.....	3.3	7.6	6.3	2.9	1.8	7.4	5.9
5.0	4.7	9.8	10.6	14.8	8.6	(1)	(1)	(1)	(1)	23.9	13.8	(1)	(1)	4.3	10.2	(1)	(1)	(1)	(1)
4.3	5.9	14.5	11.4	15.6	11.1	(1)	(1)	(1)	(1)	21.7	12.1	(1)	(1)	12.7	8.1	(1)	(1)	(1)	(1)
6.1	7.2	13.1	8.5	18.0	11.9	(1)	(1)	(1)	(1)	20.2	13.9	(1)	(1)	10.4	11.4	(1)	(1)	(1)	(1)
15.6	10.0	12.5	10.6	19.4	13.3	(1)	(1)	(1)	(1)	23.3	13.6	(1)	(1)	8.2	14.4	(1)	(1)	(1)	(1)
16.0	10.8	16.0	10.6	20.3	15.1	(1)	(1)	(1)	(1)	24.7	17.1	(1)	(1)	14.2	16.7	(1)	(1)	(1)	(1)
9.3	12.8	16.2	10.5	23.2	14.1	(1)	(1)	(1)	(1)	18.8	16.1	(1)	(1)	16.0	18.0	(1)	(1)	(1)	(1)
9.8	9.6	17.9	10.4	25.5	15.2	(1)	(1)	25.0	17.2	19.7	13.5	7.9	7.8	11.8	15.6	(1)	(1)	(1)	(1)
9.6	11.6	17.8	12.4	24.8	21.6	(1)	(1)	28.8	18.7	19.4	8.9	22.9	6.8	11.6	19.3	(1)	(1)	(1)	(1)
15.1	21.3	14.8	10.5	23.0	22.0	(1)	(1)	22.6	18.5	18.2	23.9	22.3	5.1	19.2	25.2	25.8	28.9	14.1	11.8
20.4	16.5	23.5	15.0	22.9	24.9	21.4	18.5	24.1	17.4	19.1	16.0	14.5	5.8	20.8	29.8	24.9	26.4	15.3	14.4
.....	.....	.....	.....	(2)	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	0.1	(1)	(1)	(1)	(1)	.....	0.7	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.1	0.1	0.1	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.1	0.1	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	0.4	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	.....	.....	(2)	(1)	(1)	(2)	.....	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	(2)	(2)	(1)	(1)	0.1	.....	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	.....	(2)	0.3	(1)	(1)	.....	.....	0.2	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	0.1	.....	0.1	(2)	(2)	.....	(2)	(2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10.1	12.3	6.0	5.3	2.9	6.2	(1)	(1)	(1)	(1)	1.4	2.8	(1)	(1)	15.1	13.2	(1)	(1)	(1)	(1)
6.2	7.9	2.8	3.5	1.7	4.2	(1)	(1)	(1)	(1)	2.1	2.0	(1)	(1)	8.4	4.4	(1)	(1)	(1)	(1)
4.9	8.7	4.1	4.4	2.3	4.7	(1)	(1)	(1)	(1)	1.7	2.6	(1)	(1)	2.1	6.4	(1)	(1)	(1)	(1)
9.0	10.8	3.1	3.4	2.6	5.0	(1)	(1)	(1)	(1)	3.0	2.6	(1)	(1)	4.1	10.0	(1)	(1)	(1)	(1)
4.1	5.2	1.8	3.7	1.9	4.8	(1)	(1)	(1)	(1)	1.3	1.9	(1)	(1)	4.0	3.0	(1)	(1)	(1)	(1)
5.3	7.6	2.8	3.0	1.2	4.3	(1)	(1)	(1)	(1)	1.6	1.9	(1)	(1)	4.0	3.7	(1)	(1)	(1)	(1)
8.6	12.4	2.2	1.5	1.7	3.8	(1)	(1)	3.0	4.1	1.2	.....	7.9	5.5	2.0	4.7	(1)	(1)	(1)	(1)
5.7	9.2	1.7	2.3	1.2	2.3	(1)	(1)	1.7	2.5	1.9	3.3	7.6	3.0	1.9	2.3	(1)	(1)	(1)	(1)
1.1	1.6	1.9	1.2	1.5	1.8	(1)	(1)	1.6	1.5	0.7	1.1	.....	1.9	.....	1.7	1.3	5.8	2.7	3.3
1.1	1.2	1.1	1.5	1.0	1.6	1.6	1.3	1.6	1.2	0.5	.....	.....	1.6	1.9	0.3	2.6	1.0	2.1	1.4
.....	.....	.....	.....	0.1	(2)	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	.....	0.1	0.1	0.4	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	0.2	(1)	(1)	(1)	(1)	.....	2.0	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
0.6	.....	0.1	.....	0.1	0.2	(1)	(1)	(1)	(1)	.....	0.6	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	.....	0.1	0.1	0.2	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.1	0.1	0.1	0.1	(1)	(1)	(1)	(1)	.....	0.6	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	0.1	0.1	(2)	(1)	(1)	0.1	0.1	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	0.1	(2)	0.1	(1)	(1)	0.1	0.1	.....	.....	.....	.....	.....	.....	(1)	(1)	(1)	(1)
.....	.....	.....	.....	0.1	.....	(1)	(1)	.....	0.1	0.2	.....	.....	.....	.....	.....	.....	0.2	0.1	0.3
0.6	0.4	.....	0.2	0.1	.....	.....	(2)	0.1	(1)	.....	.....	.....	.....	.....	0.3	0.2	0.1	.....	.....
.....	0.4	1.7	0.1	2.0	0.2	(1)	(1)	(1)	(1)	2.5	2.8	(1)	(1)	.....	.....	(1)	(1)	(1)	(1)
.....	0.4	0.9	0.1	1.8	0.4	(1)	(1)	(1)	(1)	2.8	0.7	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	1.4	0.8	2.0	0.3	(1)	(1)	(1)	(1)	2.7	4.0	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	.....	0.7	0.2	1.4	0.5	(1)	(1)	(1)	(1)	2.3	1.9	(1)	(1)	.....	0.3	(1)	(1)	(1)	(1)
.....	0.8	1.3	0.9	2.2	0.5	(1)	(1)	(1)	(1)	3.5	1.9	(1)	(1)	2.0	0.3	(1)	(1)	(1)	(1)
1.2	0.4	1.8	1.4	3.5	0.6	(1)	(1)	(1)	(1)	2.5	0.6	(1)	(1)	2.0	2.0	(1)	(1)	(1)	(1)
1.2	2.8	2.9	2.5	5.0	1.8	(1)	(1)	5.8	4.5	3.9	2.3	.....	2.1	.....	1.0	(1)	(1)	(1)	(1)
.....	2.0	4.2	3.2	6.1	3.3	(1)	(1)	6.5	4.8	5.5	1.1	.....	2.6	3.9	1.3	(1)	(1)	(1)	(1)
0.6	0.8	3.7	4.6	5.3	3.6	(1)	(1)	5.0	4.9	4.2	3.3	7.4	3.8	3.8	2.3	11.7	6.3	3.1	1.6
1.7	1.2	4.7	2.9	4.4	3.3	7.4	2.8	4.7	4.1	3.0	2.1	7.2	2.2	3.8	3.6	8.1	4.2	1.9	1.7
103.8	115.6	73.4	77.1	50.0	70.1	(1)	(1)	(1)	(1)	41.9	37.4	(1)	(1)	68.6	92.9	(1)	(1)	(1)	(1)
80.5	101.1	65.1	57.6	39.9	44.5	(1)	(1)	(1)	(1)	32.0	35.8	(1)	(1)	52.8	77.3	(1)	(1)	(1)	(1)
86.6	66.8	62.0	58.3	33.0	40.9	(1)	(1)	(1)	(1)	24.2	19.8	(1)	(1)	70.7	58.4	(1)	(1)	(1)	(1)
54.1	53.8	56.1	49.9	33.7	35.5	(1)	(1)	(1)	(1)	28.6	24.5	(1)	(1)	55.4	44.9	(1)	(1)	(1)	(1)
54.5	48.7	51.3	44.5	31.7	39.8	(1)	(1)	(1)	(1)	24.3	19.0	(1)	(1)	70.8	47.8	(1)	(1)	(1)	(1)
63.0	49.2	51.2	37.6	29.5	34.2	(1)	(1)	(1)	(1)	24.5	20.4	(1)	(1)	63.8	47.7	(1)	(1)	(1)	(1)
50.7	44.1	45.4	36.1	26.5	31.6	(1)	(1)	40.7	46.9	21.5	24.8	31.4	86.6	74.8	35.6	(1)	(1)	(1)	(1)
48.2	45.4	39.8	35.5	17.5	16.1	(1)	(1)	36.6	45.0	23.8	15.5	30.6	62.3	38.8	27.9	(1)	(1)	(1)	(1)
50.4	33.8	34.3	35.1	16.8	18.2	(1)	(1)	33.4	38.7	22.2	10.9	7.4	55.8	13.4	13.3	14.8	23.9	27.2	37.4
37.6	32.3	33.7	29.6	13.2	14.8	10.2	17.6	27.4	39.4	29.0	21.3	29.0	72.4	7.6	9.3	10.8	27.9	29.9	33.6

[2] Less than one-tenth.

TABLE VI.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 POPULATION.															
		California.		Colorado.		Connecticut.		Indiana.		Maine.		Maryland.		Massachusetts.		Michigan.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
"Dropsy"	1900	(1)	(1)	(1)	(1)	0 8	1 9	10 1	15 8	5 0	9 9	(1)	(1)	1 8	4 4	7 4	11 5
	1901	(1)	(1)	(1)	(1)	0 5	0 9	10 9	9 9	4 2	8 6	(1)	(1)	1 2	4 0	4 9	8 8
	1902	(1)	(1)	(1)	(1)	1 1	1 2	7 4	10 4	2 5	5 7	(1)	(1)	1 5	4 5	3 4	6 8
	1903	(1)	(1)	(1)	(1)	0 9	3 6	5 7	6 7	4 1	6 6	(1)	(1)	1 1	1 7	5 7	7 3
	1904	(1)	(1)	(1)	(1)	0 2	3 0	5 7	6 3	0 8	5 1	(1)	(1)	1 0	1 7	3 4	7 3
	1905	(1)	(1)	(1)	(1)	1 2	1 2	9 0	5 6	1 6	3 2	(1)	(1)	0 3	1 3	5 3	6 5
	1906	0 5	1 8	0 4	0 9	0 6	0 6	3 6	5 2	1 7	2 9	1 7	5 0	0 6	0 6	6 1	4 8
	1907	0 9	3 0	.....	0 4	0 6	0 3	2 0	4 2	2 2	2 0	1 2	3 8	0 6	1 0	3 8	4 7
	1908	0 7	2 1	.....	0 4	0 4	0 3	1 1	1 5	0 6	1 8	2 0	4 2	0 3	1 0	3 0	4 5
	1909	0 4	1 5	.....	.....	0 1	1 1	0 8	0 4	2 2	1 6	1 5	4 9	0 2	0 9	2 7	4 0
'Heart failure"	1900	(1)	(1)	(1)	(1)	.....	0 6	19 0	20 7	7 6	19 6	(1)	(1)	6 5	17 4	6 5	9 7
	1901	(1)	(1)	(1)	(1)	.....	.....	9 7	12 0	3 3	18 3	(1)	(1)	4 0	15 0	4 1	7 2
	1902	(1)	(1)	(1)	(1)	.....	.....	4 9	7 7	11 6	11 1	(1)	(1)	4 5	15 3	3 2	4 3
	1903	(1)	(1)	(1)	(1)	0 5	0 6	7 4	7 0	9 8	11 8	(1)	(1)	3 5	10 7	4 7	6 2
	1904	(1)	(1)	(1)	(1)	0 5	0 6	7 8	7 2	1 6	12 4	(1)	(1)	3 0	6 0	4 8	7 5
	1905	(1)	(1)	(1)	(1)	0 7	.....	6 1	6 5	5 6	13 3	(1)	(1)	2 3	5 5	5 5	10 1
	1906	1 2	6 3	1 9	3 6	0 4	.....	4 0	4 4	6 8	14 2	9 3	13 2	1 4	4 9	5 0	8 9
	1907	1 2	7 0	1 1	3 1	.....	1 2	2 8	2 9	4 5	14 2	11 2	8 6	2 5	4 7	3 5	7 2
	1908	0 4	4 7	0 4	0 4	0 1	1 1	1 6	1 0	2 8	5 1	10 6	6 6	1 6	5 3	3 3	7 7
	1909	0 8	3 5	0 3	0 6	.....	0 6	0 3	0 6	7 1	7 0	11 3	7 4	1 1	4 3	2 3	3 9
Sudden death	1900	(1)	(1)	(1)	(1)	0 2	.....	.....	(2)	0 8	0 7	(1)	(1)	(2)	0 9	.....	0 2
	1901	(1)	(1)	(1)	(1)	0 2	.....	1 0	0 6	.....	0 3	(1)	(1)	0 6	0 3	.....	0 7
	1902	(1)	(1)	(1)	(1)	0 5	0 6	.....	0 4	2 5	1 4	(1)	(1)	0 5	0 7	0 3	1 1
	1903	(1)	(1)	(1)	(1)	0 3	1 2	.....	0 2	1 6	3 4	(1)	(1)	0 4	.....	.....	0 5
	1904	(1)	(1)	(1)	(1)	.....	0 6	0 3	0 1	.....	0 7	(1)	(1)	0 2	0 1	0 5	0 2
	1905	(1)	(1)	(1)	(1)	0 6	0 3	0 4	0 5	0 8	1 7	(1)	(1)	0 3	0 3	0 9	0 9
	1906	.....	0 3	0 4	.....	0 3	0 3	0 3	0 2	1 1	2 0	1 0	1 5	0 4	0 3	0 6	0 5
	1907	.....	0 3	.....	0 2	0 4	.....	.....	0 1	3 4	2 5	0 3	1 7	0 5	0 1	0 6	1 1
	1908	.....	.....	.....	0 2	0 7	.....	.....	0 3	5 5	1 8	0 7	3 0	0 7	0 4	0 3	0 4
	1909	0 1	0 2	.....	.....	1 7	.....	0 1	.....	1 6	2 3	0 2	3 0	0 6	0 3	0 8	0 7
Unspecified or ill-defined causes of death	1900	(1)	(1)	(1)	(1)	2 9	2 5	6 9	6 2	19 4	8 5	(1)	(1)	4 8	5 1	4 5	3 4
	1901	(1)	(1)	(1)	(1)	2 0	1 9	8 0	6 4	15 0	6 4	(1)	(1)	9 7	9 6	4 3	6 4
	1902	(1)	(1)	(1)	(1)	5 3	1 5	7 4	3 8	12 4	5 3	(1)	(1)	7 7	7 6	4 7	5 2
	1903	(1)	(1)	(1)	(1)	5 0	6 4	5 9	3 6	13 9	6 1	(1)	(1)	6 6	8 4	4 5	4 1
	1904	(1)	(1)	(1)	(1)	1 8	2 4	4 8	2 9	11 3	7 1	(1)	(1)	4 7	5 3	1 9	3 2
	1905	(1)	(1)	(1)	(1)	4 3	4 2	3 2	2 5	7 2	2 9	(1)	(1)	6 2	6 5	5 3	5 2
	1906	1 6	9 5	1 9	1 4	3 9	2 1	2 3	2 3	7 9	5 8	1 0	7 1	5 9	8 0	5 4	3 1
	1907	1 8	5 7	0 4	7 2	6 0	2 6	1 8	1 3	5 6	2 4	1 2	5 9	7 5	7 9	6 5	5 7
	1908	0 7	3 0	.....	0 6	3 8	1 7	1 2	0 8	5 5	4 3	1 5	7 6	5 4	7 8	4 4	5 5
	1909	0 5	1 9	.....	0 2	3 6	1 7	0 5	0 6	3 8	6 8	0 7	5 5	3 1	4 3	1 5	4 1
Inanition (over 3 months)	1900	(1)	(1)	(1)	(1)	5 4	2 2	21 6	8 8	9 3	6 2	(1)	(1)	5 3	6 5	5 3	4 0
	1901	(1)	(1)	(1)	(1)	3 3	2 2	13 3	8 1	9 2	5 2	(1)	(1)	5 4	3 5	6 0	2 6
	1902	(1)	(1)	(1)	(1)	4 3	4 6	14 0	8 7	17 3	5 7	(1)	(1)	5 8	5 1	6 9	2 2
	1903	(1)	(1)	(1)	(1)	2 5	2 1	9 8	4 6	7 4	3 1	(1)	(1)	5 2	4 8	3 8	3 3
	1904	(1)	(1)	(1)	(1)	3 0	1 8	13 1	5 7	12 1	5 4	(1)	(1)	3 7	4 0	4 9	3 6
	1905	(1)	(1)	(1)	(1)	2 5	3 3	12 7	6 3	6 4	4 7	(1)	(1)	5 5	4 0	8 0	5 1
	1906	7 8	3 0	1 9	1 8	3 6	2 9	7 0	6 4	15 3	7 1	12 8	5 8	6 5	4 2	8 5	4 8
	1907	6 4	3 6	4 1	3 7	4 1	3 8	5 7	5 1	8 4	4 5	9 3	8 4	6 7	3 7	8 3	4 6
	1908	5 1	4 9	3 2	2 5	2 9	0 6	1 8	2 2	5 5	4 7	13 1	7 0	4 9	5 8	9 4	3 9
	1909	3 0	3 4	0 7	3 1	5 1	4 0	1 6	1 4	3 8	4 1	11 6	7 1	5 5	5 4	9 6	4 7
Debility (over 3 months)	1900	(1)	(1)	(1)	(1)	7 3	3 1	20 6	13 4	23 7	13 2	(1)	(1)	11 9	15 8	8 0	11 1
	1901	(1)	(1)	(1)	(1)	3 3	3 4	10 2	11 0	14 2	10 0	(1)	(1)	11 1	13 1	4 3	5 4
	1902	(1)	(1)	(1)	(1)	3 7	3 1	8 6	8 0	14 9	8 7	(1)	(1)	9 5	10 4	3 8	5 0
	1903	(1)	(1)	(1)	(1)	2 6	2 1	7 1	5 3	14 7	10 9	(1)	(1)	8 9	9 0	3 2	4 7
	1904	(1)	(1)	(1)	(1)	3 3	0 6	5 4	4 7	8 9	8 3	(1)	(1)	3 3	4 2	3 4	4 6
	1905	(1)	(1)	(1)	(1)	3 4	3 9	4 9	3 7	12 0	7 1	(1)	(1)	4 0	4 7	5 4	7 8
	1906	1 2	4 5	0 4	0 9	1 4	1 8	3 6	3 1	9 1	9 0	6 1	11 7	4 2	2 5	4 2	5 2
	1907	1 3	3 5	0 7	1 3	2 5	1 7	2 7	2 6	10 1	6 9	9 2	14 6	3 7	3 2	3 1	4 3
	1908	0 5	3 2	.....	0 4	2 9	1 1	2 5	1 1	8 3	4 3	7 4	10 9	3 8	3 3	2 8	5 0
	1909	0 5	1 5	.....	0 2	1 2	2 3	0 3	0 5	6 0	3 8	4 9	10 4	3 0	2 7	3 0	3 0
Marasmus (over 3 months)	1900	(1)	(1)	(1)	(1)	10 5	6 0	11 5	3 9	13 5	4 2	(1)	(1)	23 4	13 2	11 8	3 5
	1901	(1)	(1)	(1)	(1)	8 4	4 3	7 5	2 9	15 0	4 5	(1)	(1)	20 1	8 8	11 6	3 4
	1902	(1)	(1)	(1)	(1)	7 7	5 2	6 2	2 5	12 4	2 9	(1)	(1)	23 2	13 3	7 6	2 4
	1903	(1)	(1)	(1)	(1)	9 8	4 6	4 4	1 4	11 4	4 3	(1)	(1)	17 9	8 7	7 6	2 2
	1904	(1)	(1)	(1)	(1)	9 1	4 5	4 4	2 4	7 3	4 7	(1)	(1)	14 4	9 0	12 4	3 0
	1905	(1)	(1)	(1)	(1)	8 6	6 5	4 0	1 9	4 0	5 6	(1)	(1)	17 1	8 4	10 9	3 5
	1906	6 5	2 3	2 7	1 6	8 9	4 4	4 8	2 0	10 2	2 9	31 8	10 7	16 3	8 8	12 3	3 9
	1907	4 5	2 5	4 1	2 2	11 0	5 5	2 8	1 2	7 8	2 9	28 0	14 1	16 0	9 4	11 0	3 2
	1908	5 7	1 9	1 4	3 0	9 3	7 2	0 8	1 1	5 0	2 7	26 4	15 2	20 4	8 4	13 1	4 7
	1909	2 7	1 7	2 8	2 6	10 2	8 5	0 5	0 2	7 1	4 1	26 5	13 5	9 8	6 2	12 4	4 4
Fever	1900	(1)	(1)	(1)	(1)	0 5	1 2	2 1	4 1	2 5	1 4	(1)	(1)	0 5	1 2	1 1	1 2
	1901	(1)	(1)	(1)	(1)	0 2	0 9	2 2	3 1	.....	0 7	(1)	(1)	0 2	0 1	1 2	1 0
	1902	(1)	(1)	(1)	(1)	0 3	0 6	3 1	2 9	.....	2 2	(1)	(1)	0 2	.....	0 3	0 6
	1903	(1)	(1)	(1)	(1)	0 2	1 5	3 3	2 1	.....	1 0	(1)	(1)	0 2	0 7	0 4	0 7
	1904	(1)	(1)	(1)	(1)	0 6	1 2	1 5	2 2	.....	1 2	(1)	(1)	0 2	1 3	0 4	0 7
	1905	(1)	(1)	(1)	(1)	0 1	.....	1 7	1 8	.....	0 7	(1)	(1)	0 1	.....	0 4	0 7
	1906	0 2	0 3	0 8	0 5	0 1	0 6	1 5	1 2	0 6	0 5	0 2	0 6	.....	0 3	0 7	0 7
	1907	.....	0 3	.....	.....	.....	.....	1 3	1 5	0 6	0 4	0 5	.....	(2)	0 3	0 1	0 3
	1908	0 2	0 3	.....	0 2	0 3	.....	0 4	0 4	0 6	0 5	0 3	0 1	0 2	0 1	0 2	0 5
	1909	.....	.....	.....	.....	.....	.....	.....	0 3	0 5	0 4	.....	0 3	(2)	0 4	0 2	0 2
Unknown causes	1900	(1)	(1)	(1)	(1)	2 9	4 7	4 0	12 0	14 4	29 2	(1)	(1)	8 3	11 0	16 2	24 4
	1901	(1)	(1)	(1)	(1)	6 7	9 0	2 9	5 5	15 9	33 6	(1)	(1)	3 6	7 2	9 2	14 5
	1902	(1)	(1)	(1)	(1)	3 2	4 0	2 0	8 0	7 4	26 7	(1)	(1)	3 6	6 9	9 0	14 2
	1903	(1)	(1)	(1)	(1)	2 3	1 5	2 0	4 6	6 5	28 5	(1)	(1)	4 6	2 9	7 8	14 2
	1904	(1)	(1)	(1)	(1)	5 5	7 8	3 1	5 1	15 4	35 1	(1)	(1)	2 8	2 4	10 8	16 5
	1905	(1)	(1)	(1)	(1)	3 8	4 7	1 7	4 2	6 4	21 9	(1)	(1)	2 1	1 3	6 3	12 7
	1906	2 4	7 8	1 2	10 5	3 5	5 3	0 4	2 6	6 8	28 5	1 3	14 8	2 5	1 4	6 0	12 3
	1907	0 6	6 0	.....	3 7	2 8	2 9	0 8	1 5	9 0	25 3	0 7	15 5	2 0	2 2	7 2	9 7
	1908	0 6	3 3	0 4	2 5	3 3	5 2	0 4	1 5	4 4	17 7	0 7	10 4	1 4	1 4	1 9	3 5
	1909	0 2	1 4	.....	2 0	1 3	2 3	2 2	1 1	5 5	14 4	0 3	10 2	2 4	0 8	1 5	3 7

[1] Nonregistration.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1900 TO 1909—Continued.

NUMBER OF DEATHS PER 100,000 POPULATION—continued.

New Hampshire.		New Jersey.		New York.		Ohio.		Pennsylvania.		Rhode Island.		South Dakota.		Vermont.		Washington.		Wisconsin.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
4.4	10.3	2.7	5.0	2.1	11.7	(1)	(1)	(1)	(1)	0.7	1.4	(1)	(1)	4.3	4.4	(1)	(1)	(1)	(1)
6.8	5.9	2.2	3.8	1.2	9.0	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	6.3	4.7	(1)	(1)	(1)	(1)
7.9	6.4	2.1	6.2	1.1	7.2	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	2.1	1.7	(1)	(1)	(1)	(1)
1.8	4.4	0.9	2.9	1.1	6.6	(1)	(1)	(1)	(1)	1.0	1.9	(1)	(1)	.....	2.0	(1)	(1)	(1)	(1)
2.4	5.2	1.6	2.1	0.8	5.0	(1)	(1)	(1)	(1)	0.6	0.6	(1)	(1)	2.0	2.7	(1)	(1)	(1)	(1)
2.3	3.2	1.1	1.6	0.6	4.9	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	8.0	2.0	(1)	(1)	(1)	(1)
2.9	3.6	0.9	1.8	0.6	3.7	(1)	(1)	1.7	3.9	0.2	.....	.....	4.4	.....	0.7	(1)	(1)	(1)	(1)
1.7	2.0	0.6	1.5	0.3	1.7	(1)	(1)	1.1	3.4	0.7	.....	.....	4.0	.....	.....	(1)	(1)	(1)	(1)
2.8	1.2	0.5	1.2	0.4	1.8	(1)	(1)	1.2	3.3	0.7	.....	.....	3.8	.....	.....	1.3	1.7	1.5	3.2
3.3	1.2	0.1	0.6	0.2	1.0	0.8	1.1	0.9	3.2	0.2	.....	.....	2.2	.....	0.3	0.2	1.9	1.9	3.1
11.3	35.7	7.3	16.8	2.8	14.1	(1)	(1)	(1)	(1)	1.1	3.5	(1)	(1)	23.6	28.9	(1)	(1)	(1)	(1)
8.0	23.8	6.9	11.7	1.5	9.4	(1)	(1)	(1)	(1)	0.7	0.7	(1)	(1)	4.2	18.8	(1)	(1)	(1)	(1)
6.1	21.5	7.6	10.4	1.4	8.7	(1)	(1)	(1)	(1)	1.0	0.7	(1)	(1)	8.3	10.4	(1)	(1)	(1)	(1)
10.2	11.2	11.1	13.4	3.6	8.5	(1)	(1)	(1)	(1)	0.3	0.6	(1)	(1)	8.2	8.0	(1)	(1)	(1)	(1)
6.5	10.0	4.5	8.0	4.1	9.8	(1)	(1)	(1)	(1)	1.0	.....	(1)	(1)	20.2	8.7	(1)	(1)	(1)	(1)
5.3	10.8	5.4	6.3	2.0	8.6	(1)	(1)	(1)	(1)	.....	0.6	(1)	(1)	10.0	13.3	(1)	(1)	(1)	(1)
5.2	11.6	3.4	4.1	1.3	7.5	(1)	(1)	5.1	8.2	0.5	.....	15.7	11.6	7.9	4.0	(1)	(1)	(1)	(1)
5.1	10.0	3.3	5.7	0.7	2.7	(1)	(1)	3.8	7.8	0.5	1.1	22.9	12.6	1.9	0.7	(1)	(1)	(1)	(1)
4.5	6.4	2.9	5.3	0.5	3.5	(1)	(1)	3.3	6.6	0.7	3.3	7.4	9.7	3.8	0.7	1.8	6.4	5.8	7.9
.....	1.6	3.0	5.4	0.4	2.4	2.8	4.5	3.0	7.2	0.7	.....	14.5	14.2	.....	1.3	0.5	4.2	7.3	10.9
.....	0.8	0.1	.....	0.1	0.7	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	2.1	0.3	(1)	(1)	(1)	(1)
1.2	1.2	0.3	0.2	0.2	0.4	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	1.0	(1)	(1)	(1)	(1)
1.8	1.6	1.4	0.4	0.1	0.3	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
1.2	.....	0.2	.....	(2)	0.9	(1)	(1)	(1)	(1)	0.7	.....	(1)	(1)	4.1	2.3	(1)	(1)	(1)	(1)
1.2	.....	0.1	0.2	0.1	1.0	(1)	(1)	(1)	(1)	.....	1.3	(1)	(1)	2.0	1.3	(1)	(1)	(1)	(1)
0.6	2.4	0.3	0.3	0.2	0.6	(1)	(1)	(1)	(1)	0.6	1.2	(1)	(1)	4.0	2.3	(1)	(1)	(1)	(1)
1.7	.....	0.6	0.4	0.1	0.8	(1)	(1)	0.3	1.3	0.7	.....	.....	.....	.....	0.7	(1)	(1)	(1)	(1)
1.1	1.2	0.8	.....	0.1	0.5	(1)	(1)	0.3	1.3	.....	.....	.....	0.2	1.9	2.3	(1)	(1)	(1)	(1)
0.6	0.4	0.4	.....	(2)	0.5	(1)	(1)	0.1	1.0	0.5	.....	.....	.....	.....	1.0	.....	1.3	0.5	1.2
0.6	2.4	0.9	.....	(2)	0.3	.....	0.9	0.1	1.3	1.1	.....	.....	0.5	.....	0.7	0.2	1.2	0.8	0.7
12.6	11.1	3.8	4.8	3.2	6.1	(1)	(1)	(1)	(1)	3.9	2.8	(1)	(1)	8.6	10.1	(1)	(1)	(1)	(1)
6.2	19.0	4.8	4.7	2.3	5.3	(1)	(1)	(1)	(1)	2.4	1.3	(1)	(1)	14.8	12.8	(1)	(1)	(1)	(1)
6.1	7.6	3.6	3.7	1.5	4.0	(1)	(1)	(1)	(1)	3.0	0.7	(1)	(1)	12.5	9.1	(1)	(1)	(1)	(1)
7.8	6.0	3.5	3.5	1.5	3.3	(1)	(1)	(1)	(1)	2.6	2.6	(1)	(1)	18.5	5.0	(1)	(1)	(1)	(1)
7.7	9.6	2.1	1.7	1.0	3.9	(1)	(1)	(1)	(1)	2.6	2.5	(1)	(1)	8.1	3.3	(1)	(1)	(1)	(1)
15.2	8.8	4.3	2.2	0.7	2.9	(1)	(1)	(1)	(1)	3.8	2.5	(1)	(1)	4.0	4.0	(1)	(1)	(1)	(1)
8.1	6.8	1.3	1.9	0.8	2.1	(1)	(1)	2.5	3.0	2.5	2.3	.....	4.8	17.7	2.3	(1)	(1)	(1)	(1)
11.4	7.6	1.9	2.4	0.4	1.1	(1)	(1)	0.9	3.5	2.6	4.4	.....	2.4	31.1	16.6	(1)	(1)	(1)	(1)
10.1	4.0	0.7	1.1	0.2	1.0	(1)	(1)	1.0	5.7	1.9	1.1	.....	0.8	3.8	4.3	2.0	3.3	1.6	3.2
4.4	6.0	1.0	1.1	0.1	0.5	0.5	2.2	0.7	5.0	3.4	3.2	.....	0.9	.....	3.6	0.2	2.4	2.1	3.6
12.6	4.7	7.3	5.2	4.6	5.6	(1)	(1)	(1)	(1)	15.5	9.0	(1)	(1)	6.5	4.0	(1)	(1)	(1)	(1)
9.3	1.6	7.9	4.1	3.4	4.2	(1)	(1)	(1)	(1)	13.4	12.1	(1)	(1)	8.4	3.7	(1)	(1)	(1)	(1)
7.9	4.8	7.0	6.0	3.2	3.8	(1)	(1)	(1)	(1)	7.7	7.3	(1)	(1)	6.2	2.3	(1)	(1)	(1)	(1)
5.4	5.2	5.8	4.2	3.7	2.6	(1)	(1)	(1)	(1)	11.2	14.2	(1)	(1)	10.3	3.7	(1)	(1)	(1)	(1)
10.7	5.6	6.8	3.2	3.1	4.0	(1)	(1)	(1)	(1)	9.6	7.6	(1)	(1)	16.2	4.0	(1)	(1)	(1)	(1)
10.5	3.6	6.8	4.2	4.5	3.5	(1)	(1)	(1)	(1)	11.6	8.7	(1)	(1)	4.0	4.3	(1)	(1)	(1)	(1)
4.6	4.8	7.7	4.0	4.7	4.2	(1)	(1)	8.1	4.1	9.6	4.5	15.7	1.5	11.8	2.7	(1)	(1)	(1)	(1)
6.2	4.0	6.1	4.2	2.9	2.1	(1)	(1)	6.7	3.6	7.9	3.3	7.6	3.6	.....	1.0	(1)	(1)	(1)	(1)
9.5	3.2	6.2	3.8	2.4	2.3	(1)	(1)	6.4	3.4	8.2	3.3	.....	2.9	.....	1.0	4.3	1.9	4.0	1.6
8.3	5.2	5.7	4.0	2.7	2.2	2.6	2.0	6.3	4.4	10.5	3.2	.....	2.2	3.8	0.7	5.5	2.1	4.5	1.9
30.8	28.9	6.2	13.4	5.1	15.5	(1)	(1)	(1)	(1)	2.5	1.4	(1)	(1)	2.1	14.5	(1)	(1)	(1)	(1)
18.6	19.4	5.1	6.8	2.6	9.1	(1)	(1)	(1)	(1)	5.8	.....	(1)	(1)	8.4	11.8	(1)	(1)	(1)	(1)
18.3	11.1	4.6	7.2	1.5	7.7	(1)	(1)	(1)	(1)	6.7	1.3	(1)	(1)	12.5	6.7	(1)	(1)	(1)	(1)
10.2	15.5	6.0	5.9	2.5	6.1	(1)	(1)	(1)	(1)	7.5	1.3	(1)	(1)	4.1	5.7	(1)	(1)	(1)	(1)
4.1	8.0	2.5	6.4	1.6	7.3	(1)	(1)	(1)	(1)	1.3	0.6	(1)	(1)	2.0	6.0	(1)	(1)	(1)	(1)
7.0	12.0	3.7	4.3	1.6	5.8	(1)	(1)	(1)	(1)	0.9	.....	(1)	(1)	12.0	5.3	(1)	(1)	(1)	(1)
8.6	9.6	2.1	5.4	1.1	5.8	(1)	(1)	2.5	4.1	1.0	1.1	.....	1.7	25.6	3.7	(1)	(1)	(1)	(1)
9.1	10.0	2.2	3.1	0.6	3.2	(1)	(1)	3.4	5.7	1.2	1.1	.....	4.6	.....	1.0	(1)	(1)	(1)	(1)
5.0	10.1	1.6	5.2	0.6	3.1	(1)	(1)	3.3	4.0	1.2	1.1	.....	3.8	1.9	1.3	0.8	1.4	4.5	4.2
4.4	8.1	1.2	3.9	0.5	3.0	0.4	1.4	2.0	4.2	1.8	8.5	7.2	5.8	.....	0.3	1.0	1.3	4.4	4.7
12.0	5.1	40.6	24.8	30.9	8.5	(1)	(1)	(1)	(1)	8.8	3.5	(1)	(1)	12.8	3.4	(1)	(1)	(1)	(1)
13.0	7.5	35.3	22.1	28.1	5.1	(1)	(1)	(1)	(1)	4.5	5.4	(1)	(1)	8.4	2.4	(1)	(1)	(1)	(1)
22.0	3.6	34.2	20.5	23.8	6.2	(1)	(1)	(1)	(1)	4.0	5.3	(1)	(1)	20.8	6.0	(1)	(1)	(1)	(1)
10.8	3.6	26.7	17.5	20.4	5.3	(1)	(1)	(1)	(1)	2.6	1.3	(1)	(1)	6.2	2.7	(1)	(1)	(1)	(1)
13.0	4.8	30.9	19.4	20.6	6.7	(1)	(1)	(1)	(1)	5.5	3.2	(1)	(1)	16.2	3.0	(1)	(1)	(1)	(1)
15.2	4.0	27.9	17.1	19.6	6.7	(1)	(1)	(1)	(1)	5.0	1.2	(1)	(1)	16.0	3.7	(1)	(1)	(1)	(1)
13.2	3.2	28.1	17.1	17.8	5.7	(1)	(1)	18.2	9.5	2.7	5.6	.....	1.5	7.9	3.7	(1)	(1)	(1)	(1)
9.1	4.8	24.6	16.5	12.6	4.4	(1)	(1)	18.6	9.9	7.7	3.3	.....	1.2	1.9	1.0	(1)	(1)	(1)	(1)
14.0	6.8	21.0	17.9	12.6	5.1	(1)	(1)	17.0	10.8	7.0	2.2	.....	1.9	.....	1.3	3.1	1.4	5.8	1.8
14.4	4.8	21.4	14.0	9.2	4.7	1.7	1.6	13.1	10.9	10.3	4.3	7.2	1.3	.....	0.7	2.6	0.9	7.1	2.7
1.9	0.4	1.1	0.6	0.4	1.2	(1)	(1)	(1)	(1)	.....	0.7	(1)	(1)	2.1	3.7	(1)	(1)	(1)	(1)
0.6	1.6	0.8	1.1	0.2	0.8	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	2.4	(1)	(1)	(1)	(1)
.....	0.8	0.3	1.3	0.1	0.7	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	2.1	2.0	(1)	(1)	(1)	(1)
0.6	0.4	0.3	0.7	0.3	0.8	(1)	(1)	(1)	(1)	0.3	.....	(1)	(1)	.....	0.7	(1)	(1)	(1)	(1)
1.8	0.8	0.3	0.6	0.3	0.6	(1)	(1)	(1)	(1)	.....	0.6	(1)	(1)	.....	2.3	(1)	(1)	(1)	(1)
0.6	.....	0.2	0.7	0.1	0.3	(1)	(1)	(1)	(1)	.....	.....	(1)	(1)	.....	2.0	(1)	(1)	(1)	(1)
0.6	.....	0.3	0.2	0.1	0.4	(1)	(1)	0.4	0.8	.....	.....	.....	0.2	.....	.....	(1)	(1)	(1)	(1)
0.6	0.4	0.1	0.5	(2)	0.3	(1)	(1)	0.2	0.9	.....	1.1	.....	0.4	.....	.....	(1)	(1)	(1)	(1)
.....	.....	0.2	0.1	(2)	0.2	(1)	(1)	0.2	0.8	.....	.....	.....	0.4	.....	.....	.....	0.2	0.1	0.1
.....	0.8	0.1	0.3	(2)	0.3	0.1	.....	0.1	0.6	.....	.....	.....	0.2	.....	.....	0.2	0.1	0.1	0.1
18.2	18.6	4.3	6.5	0.8	6.7	(1)	(1)	(1)	(1)	9.5	15.2	(1)	(1)	6.5	23.6	(1)	(1)	(1)	(1)
16.7	21.0	1.8	3.0	0.4	1.1	(1)	(1)	(1)	(1)	4.8	16.2	(1)	(1)	2.1	19.8	(1)	(1)	(1)	(1)
16.5	9.5	1.2	2.7	0.3	2.3	(1)	(1)	(1)	(1)	0.7	4.6	(1)	(1)	6.2	19.5	(1)	(1)	(1)	(1)
6.0	7.6	1.5	1.8	0.4	1.4	(1)	(1)	(1)	(1)	2.3	2.6	(1)	(1)	4.1	14.7	(1)	(1)	(1)	(1)
7.1	4.8	2.5	2.8	0.2	1.4	(1)	(1)	(1)	(1)	3.9	2.5	(1)	(1)	4.0	16.4	(1)	(1)	(1)	(1)
6.4	4.4	1.5	1.0	0.2	0.9	(1)	(1)	(1)	(1)	2.2	6.2	(1)	(1)	6.0	10.7	(1)	(1)	(1)	(1)
5.8	4.4	1.1	1.2	0.1	1.3	(1)	(1)	1.9	12.0	4.2	11.3	.....	60.9	3.9	18.0	(1)	(1)	(1)	(1)
4.0	5.2	0.2	1.6	(2)	0.1	(1)	(1)	1.7	8.8	3.1	1.1	.....	33.2	1.9	5.3	(1)	(1)	(1)	(1)
3.9	1.6	0.8	0.4	0.1	0.7	(1)	(1)	0.9	3.1	2.1	.....	.....	32.6	3.8	3.6	1.5	6.3	3.3	14.2
2.2	2.0	0.1	0.4	(2)	0.4	1.3	3.9	1.2	2.7	0.9	2.1	.....	45.1	3.8	1.7	0.2	13.8	1.6	6.0

[2] Less than one-tenth.

TABLE VII.—DEATH RATES PER 1,000 POPULATION, AVERAGE AGES AT DEATH, AND PER CENT DISTRIBUTION OF DEATHS AT CERTAIN AGE PERIODS, FOR THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, THE REGISTRATION STATES, AND CITIES OF 100,000 POPULATION AND OVER IN 1900, FOR EACH OF THE YEARS 1900 TO 1909.

AREA.		Death rate[1] per 1,000 population.	Average age at death.[1]	PER CENT OF DEATHS[1] AT ALL AGES.												
				Under 1	Under 5	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
SUMMARIES.																
Registration area	1900	17.6	35.1	20.7	30.4	2.9	4.4	8.7	9.0	8.5	9.1	10.5	10.1	5.3	0.8	0.4
	1901	16.5	37.0	18.8	27.3	2.7	4.3	8.9	9.3	9.1	9.7	11.2	10.6	5.6	0.9	0.4
	1902	15.9	36.3	19.4	28.2	2.7	4.3	8.8	9.3	9.1	9.6	11.0	10.4	5.3	0.9	0.4
	1903	16.0	37.2	18.5	26.7	2.7	4.4	8.9	9.4	9.2	9.8	11.3	10.7	5.5	0.9	0.4
	1904	16.5	37.5	18.7	26.5	2.5	4.5	8.8	9.4	9.3	9.9	11.5	10.9	5.6	0.9	0.3
	1905	16.0	37.5	19.3	27.0	2.4	4.4	8.6	9.3	9.4	9.8	11.6	10.9	5.6	0.9	0.2
[2]	1906	15.7	36.8	20.2	28.4	2.3	4.3	8.4	9.0	9.1	9.6	11.3	10.8	5.6	0.8	0.3
	1907	16.0	38.1	19.1	26.7	2.2	4.2	8.3	9.2	9.3	9.9	11.8	11.3	6.0	0.9	0.2
[3]	1908	14.8	37.9	19.7	27.5	2.3	4.2	8.1	8.7	9.2	10.0	11.7	11.4	6.1	0.9	0.1
[4]	1909	14.4	38.8	19.1	26.8	2.2	3.9	7.8	8.6	9.1	10.0	12.2	12.0	6.3	1.0	0.1
Registration cities	1900	18.6	32.6	21.9	32.5	3.0	4.3	9.2	9.8	9.1	9.4	9.8	8.2	3.8	0.6	0.3
	1901	17.3	34.3	20.0	29.3	2.9	4.3	9.5	10.2	9.8	9.9	10.5	8.6	4.0	0.6	0.3
	1902	16.9	33.7	20.5	30.2	2.9	4.3	9.4	10.3	9.8	9.9	10.2	8.4	3.8	0.6	0.3
	1903	17.0	34.6	19.5	28.5	2.8	4.5	9.6	10.4	10.0	10.1	10.6	8.7	3.9	0.6	0.3
	1904	17.3	34.9	19.8	28.3	2.7	4.6	9.5	10.3	10.1	10.2	10.7	8.8	4.0	0.6	0.2
	1905	16.6	35.0	20.4	28.7	2.5	4.4	9.3	10.3	10.2	10.1	10.9	8.9	4.0	0.6	0.1
[2]	1906	16.9	34.5	21.0	29.8	2.4	4.3	9.1	10.1	10.1	10.1	10.7	8.8	4.0	0.6	0.2
	1907	17.1	35.7	20.0	28.2	2.3	4.2	8.9	10.2	10.3	10.4	11.1	9.2	4.3	0.6	0.1
[3]	1908	15.7	35.6	20.6	28.8	2.3	4.1	8.7	9.7	10.3	10.5	11.2	9.2	4.4	0.6	0.1
[4]	1909	15.4	36.2	19.9	28.2	2.3	3.9	8.5	9.7	10.3	10.7	11.5	9.6	4.4	0.7	0.1
Registration states	1900	17.2	36.5	20.7	30.2	2.7	4.1	8.0	8.3	7.9	9.0	10.9	11.3	6.3	1.0	0.3
	1901	16.4	38.2	18.9	27.3	2.6	4.0	8.1	8.5	8.4	9.6	11.7	11.7	6.6	1.1	0.4
	1902	15.4	37.7	19.7	28.4	2.5	3.9	7.9	8.5	8.4	9.5	11.5	11.6	6.3	1.0	0.4
	1903	15.6	38.8	18.6	26.6	2.6	4.1	7.8	8.5	8.5	9.7	12.0	12.1	6.6	1.1	0.4
	1904	16.4	38.9	18.5	26.4	2.5	4.3	7.8	8.6	8.5	9.7	12.0	12.2	6.7	1.1	0.3
	1905	15.9	38.8	19.3	26.9	2.4	4.1	7.6	8.4	8.7	9.6	12.2	12.2	6.7	1.0	0.2
[2]	1906	15.7	37.3	20.5	28.7	2.3	4.2	7.9	8.6	8.6	9.4	11.5	11.4	6.1	0.9	0.3
	1907	15.9	38.8	19.2	26.8	2.2	4.0	7.8	8.8	8.9	9.8	12.1	12.0	6.5	1.0	0.2
[3]	1908	14.7	38.4	19.9	27.8	2.3	4.0	7.6	8.3	8.7	9.7	11.9	12.0	6.5	1.0	0.1
[4]	1909	14.2	39.3	19.3	27.0	2.2	3.8	7.3	8.2	8.7	9.9	12.4	12.5	6.7	1.0	0.1
Cities in registration states	1900	18.9	32.4	23.1	34.1	2.8	3.8	8.6	9.5	8.8	9.4	9.9	8.4	4.0	0.6	0.2
	1901	17.8	34.1	21.2	31.0	2.8	3.8	8.7	9.9	9.5	10.0	10.6	8.7	4.1	0.6	0.2
	1902	17.0	33.4	22.0	32.3	2.8	3.8	8.5	9.8	9.3	9.8	10.4	8.5	3.9	0.6	0.2
	1903	17.1	34.7	20.7	30.1	2.8	4.0	8.5	9.9	9.5	10.2	11.0	9.0	4.2	0.7	0.2
	1904	17.9	34.7	20.7	29.9	2.8	4.3	8.4	9.9	9.6	10.1	11.0	9.0	4.2	0.6	0.2
	1905	17.1	34.8	21.4	30.1	2.6	4.1	8.3	9.7	9.8	10.1	11.2	9.1	4.2	0.6	0.1
[2]	1906	17.4	34.4	21.8	30.9	2.4	4.0	8.5	9.8	9.8	10.0	10.9	8.9	4.1	0.6	0.2
	1907	17.5	35.8	20.7	28.9	2.3	4.0	8.3	10.0	10.1	10.4	11.4	9.5	4.5	0.7	0.1
[3]	1908	15.9	35.5	21.3	29.9	2.4	3.9	8.1	9.4	9.9	10.4	11.4	9.5	4.5	0.7	0.1
[4]	1909	15.4	36.3	20.5	29.0	2.2	3.7	7.9	9.4	10.0	10.6	11.8	10.0	4.6	0.7	[5]
Rural part of registration states	1900	15.2	42.3	17.3	24.6	2.5	4.6	7.2	6.5	6.7	8.4	12.4	15.4	9.5	1.6	0.6
	1901	14.6	44.6	15.4	21.8	2.2	4.3	7.1	6.6	6.9	8.9	13.2	16.3	10.4	1.7	0.7
	1902	13.4	44.5	15.9	22.1	2.1	4.2	6.9	6.4	6.9	8.9	13.3	16.5	10.2	1.7	0.6
	1903	13.7	45.4	15.2	20.9	2.1	4.2	6.9	6.3	6.9	9.1	13.6	16.9	10.6	1.7	0.7
	1904	14.5	45.8	15.1	20.8	2.0	4.3	6.8	6.4	6.7	9.0	13.7	17.2	10.7	1.8	0.6
	1905	14.4	45.1	16.2	21.9	2.0	4.1	6.6	6.4	6.9	9.0	13.7	16.9	10.5	1.7	0.3
[2]	1906	13.7	41.6	18.6	25.6	2.2	4.4	7.0	6.8	7.0	8.6	12.5	15.1	9.0	1.4	0.5
	1907	14.0	43.1	17.2	23.7	2.1	4.1	7.1	7.0	7.1	8.9	13.2	15.7	9.4	1.4	0.3
[3]	1908	13.3	42.3	18.1	24.9	2.2	4.2	6.9	6.9	7.1	8.9	12.6	15.4	9.2	1.5	0.2
[4]	1909	13.0	43.0	17.8	24.5	2.1	4.0	6.6	6.7	7.1	9.0	13.2	15.8	9.5	1.5	0.2
Registration cities in other states	1900	18.2	32.7	20.6	30.8	3.3	4.8	9.8	10.2	9.5	9.3	9.8	8.1	3.6	0.5	0.4
	1901	16.8	34.6	18.7	27.4	2.9	4.9	10.3	10.6	10.3	9.9	10.3	8.6	3.9	0.6	0.5
	1902	16.7	34.0	18.9	28.0	3.0	4.9	10.4	10.8	10.3	9.9	10.0	8.2	3.7	0.6	0.4
	1903	16.8	34.6	18.3	26.9	2.9	5.0	10.7	10.9	10.4	10.0	10.2	8.4	3.7	0.5	0.4
	1904	16.8	35.1	18.9	26.6	2.5	4.9	10.6	10.8	10.7	10.2	10.4	8.6	3.8	0.6	0.3
	1905	16.2	35.1	19.4	27.1	2.3	4.8	10.3	10.8	10.6	10.2	10.5	8.6	3.9	0.6	0.2
[2]	1906	15.6	34.9	19.2	27.0	2.4	4.9	10.6	10.8	11.0	10.4	10.1	8.4	3.7	0.6	0.2
	1907	16.3	35.3	18.4	26.5	2.4	4.9	10.5	10.8	11.0	10.4	10.4	8.5	3.9	0.6	0.2
[3]	1908	15.4	35.8	18.7	26.1	2.3	4.7	10.3	10.6	11.2	10.9	10.7	8.5	4.0	0.6	0.1
[4]	1909	15.6	35.8	17.9	25.6	2.3	4.7	10.5	10.9	11.5	11.0	10.5	8.4	3.8	0.7	0.1
REGISTRATION STATES.																
California	1906	14.1	43.4	11.3	15.9	1.9	3.8	9.8	11.0	11.7	11.2	13.1	13.1	5.9	0.7	1.8
	1907	14.6	43.2	11.0	15.7	1.9	4.3	9.7	11.9	11.6	11.4	13.2	12.9	5.9	0.7	0.7
	1908	14.1	43.8	11.4	15.9	2.0	4.0	9.5	11.1	11.3	11.7	13.4	13.5	6.3	0.8	0.4
	1909	13.4	44.8	11.2	15.5	1.7	3.7	9.2	10.8	11.5	12.1	14.1	13.6	6.7	0.9	0.3
Colorado	1906	14.0	33.5	17.0	24.0	2.4	6.0	14.0	13.5	11.9	9.8	8.6	6.4	2.8	0.3	0.3
	1907	15.3	33.9	16.5	24.5	2.9	5.4	13.4	13.3	10.7	9.6	9.1	7.8	2.9	0.4	0.1
	1908	14.5	33.9	17.0	24.7	2.8	5.5	13.0	13.2	11.3	9.7	8.9	7.3	3.1	0.4	0.1
	1909	14.2	35.2	16.8	23.7	2.6	4.4	13.1	13.1	11.4	10.4	10.1	7.3	3.4	0.5	[5]
Connecticut	1900	18.0	38.3	21.5	29.4	2.4	3.7	7.2	7.6	7.3	9.2	11.6	11.8	7.7	1.4	0.8
	1901	16.0	39.9	18.9	26.1	2.5	3.8	7.7	7.8	8.0	9.7	11.9	12.4	7.7	1.4	1.0
	1902	15.1	38.9	20.0	27.8	2.5	3.5	7.2	8.0	8.0	10.1	12.0	11.8	7.1	1.3	0.8
	1903	15.9	39.4	19.2	27.4	2.6	3.8	7.0	7.8	7.9	9.5	12.2	12.9	7.3	1.1	0.4
	1904	15.6	40.3	19.2	25.6	2.4	4.1	7.0	8.2	8.3	9.5	12.9	12.4	7.5	1.5	0.5
	1905	16.1	40.0	19.3	26.0	2.5	3.8	7.3	7.9	8.6	9.6	12.2	12.8	7.5	1.3	0.5
	1906	16.2	39.2	20.6	28.1	2.3	3.4	6.9	8.3	8.1	9.3	12.0	12.4	7.4	1.4	0.3
	1907	16.5	40.5	19.6	26.5	1.9	3.4	6.6	8.2	8.9	9.9	12.7	12.8	7.5	1.3	0.3
	1908	14.8	40.4	20.3	26.8	1.8	3.4	6.8	7.7	8.5	10.0	12.8	13.1	7.5	1.2	0.3
	1909	15.0	40.1	20.3	27.3	2.1	3.4	6.3	7.6	8.5	10.2	13.1	12.7	7.2	1.3	0.2

[1] Exclusive of stillbirths.
[2] The states of California, Colorado, Maryland, Pennsylvania, and South Dakota were added to the registration area in 1906.
[3] The states of Washington and Wisconsin were added to the registration area in 1908.
[4] The state of Ohio was added to the registration area in 1909.
[5] Less than one-tenth.

TABLE VII.—DEATH RATES PER 1,000 POPULATION, AVERAGE AGES AT DEATH, AND PER CENT DISTRIBUTION OF DEATHS AT CERTAIN AGE PERIODS, FOR THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, THE REGISTRATION STATES, AND CITIES OF 100,000 POPULATION AND OVER IN 1900, FOR EACH OF THE YEARS 1900 TO 1909—Contd.

AREA.	Death rate[1] per 1,000 population.	Average age at death.[1]	PER CENT OF DEATHS[1] AT ALL AGES.											
			Under 1	Under 5	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
REGISTRATION STATES—Con.															
Indiana	1900	14.2	36.3	18.5	28.4	3.2	6.1	9.0	7.6	7.0	8.0	10.8	11.9	6.2	0.9	0.8
	1901	13.8	37.8	18.4	26.9	2.7	5.6	9.3	7.6	7.4	8.5	11.1	12.4	6.8	0.9	0.7
	1902	12.9	37.4	19.5	27.5	2.5	5.7	9.2	7.5	7.4	8.3	11.3	12.7	6.2	1.0	0.6
	1903	12.4	39.1	17.0	24.6	2.7	5.9	9.3	7.7	7.4	8.7	11.6	13.4	6.9	1.0	1.0
	1904	13.8	38.8	18.2	25.8	2.6	5.6	8.9	7.5	7.2	8.7	11.3	13.5	6.9	1.1	0.9
	1905	13.2	39.7	18.1	25.3	2.3	5.3	8.7	7.8	7.4	8.7	12.3	13.5	7.2	1.1	0.6
	1906	12.8	40.3	17.1	24.5	2.3	5.4	8.6	7.6	7.4	9.0	12.4	13.8	7.6	1.0	0.5
	1907	13.0	42.1	15.9	22.7	2.0	4.9	8.5	7.7	7.6	9.0	13.0	14.8	8.2	1.2	0.4
	1908	12.8	42.4	16.0	22.7	2.0	4.7	8.0	7.4	7.7	9.8	13.2	14.9	8.1	1.2	0.2
	1909	12.9	41.9	16.3	23.4	2.2	4.9	7.9	7.2	7.6	9.6	13.1	14.9	7.9	1.2	0.1
Maine	1900	17.1	43.6	17.6	24.3	2.2	4.4	7.0	5.9	6.4	8.0	12.7	15.9	10.9	1.8	0.6
	1901	16.0	46.0	14.5	19.8	2.1	4.4	7.3	6.7	6.9	8.8	13.5	16.6	11.1	2.0	0.8
	1902	15.3	46.4	14.6	20.0	1.9	4.2	7.4	6.3	6.6	8.8	13.7	17.2	11.1	2.2	0.5
	1903	15.8	46.5	14.8	20.0	2.1	4.1	7.0	6.0	6.7	8.8	13.8	16.9	11 0	2 3	1.2
	1904	16 3	46.6	14.5	19.4	1.7	4.3	7.5	6.4	6.5	9.1	13.4	16.8	11 5	2.0	1.4
	1905	16.0	46.6	16.5	21.2	1.7	3.7	6.4	5.6	6.2	9.1	14.4	17.8	11.4	1.9	0.5
	1906	16.0	43.8	18.2	24.7	1.9	3.8	6.2	5.7	6.6	8.9	13.2	15.8	10.2	2.1	0.9
	1907	16.4	46.9	14.9	20.0	2.2	4.1	6.1	6.2	6.8	9.0	13.8	17.2	11.9	2.0	0.8
	1908	15.7	45.7	17.6	22.6	1.9	3.6	5.8	6.1	6.9	8.9	13.1	17.8	10.9	2.1	0.3
	1909	15.6	46.9	16.6	21.2	1.8	3.6	5.7	6.0	6.3	9.2	14.1	19.3	10.9	1.7	0.3
Maryland	1906	16.0	35.5	21.6	30.3	2.5	5.0	8.3	7.9	8.8	9.2	10.8	10.7	5.3	0.8	0.5
	1907	16.4	36.5	21.5	29.5	2.1	4.5	8.4	8.3	8.4	9.3	11.8	10.9	5.6	0.9	0.4
	1908	15.8	36.9	21.1	28.5	2.4	4.8	8.2	8.0	8.5	9.8	12.1	11.2	5.4	0.9	0.3
	1909	15.5	36.5	21.8	29.8	2.1	4.2	8.3	7.9	8.5	9.6	11.8	11.0	5.6	0.8	0.3
Massachusetts	1900	18.3	36.1	22.4	31.8	2.6	3.6	7.6	7.9	7.7	9.2	11.1	10.9	6.4	1.1	0.1
	1901	16.9	38.0	20.4	28.7	2.4	3.5	7.8	8.4	8.3	9.5	11.8	11.6	6.6	1.1	0.2
	1902	16.5	37.4	21.1	29.9	2.4	3.3	7.7	8.1	8.2	9.7	11.7	11.4	6.4	1.1	0.2
	1903	16.7	38.2	20.7	29.1	2.4	3.5	7.1	8.1	8.0	9.7	12.1	11.7	6.8	1.2	0.2
	1904	16.3	39.4	20.5	27.3	2.0	3.5	7.4	8.3	8.4	10.1	12.5	12.4	7.0	1.1	0.1
	1905	16.8	39.2	20.7	27.7	2.0	3.5	7.1	8.2	8.2	10.3	12.6	12.1	7.0	1.1	0.1
	1906	16.3	38.2	21.8	29.5	2.2	3.4	6.6	8.0	8.5	9.9	12.2	11.8	6.6	1.2	(2)
	1907	17.0	39.8	20.5	27.1	2.1	3.5	6.6	8.3	8.5	10.1	13.0	12.4	7.2	1.2	0.1
	1908	15.9	38.5	21.9	29.9	2.1	3.3	6.3	7.6	8.0	9.9	12.5	12.3	6.9	1.1	0.1
	1909	15.4	40.0	20.6	27.6	2.0	3.2	6.1	8.0	8.7	10.2	13.1	12.9	7.0	1.2	(2)
Michigan	1900	14.0	37.3	21.2	29.3	2.9	5.2	8.3	7.1	6.9	8.2	10.9	12.7	7.1	1.1	0.3
	1901	13.4	39.9	19.2	26.1	2.3	5.2	7.8	7.1	7.3	9.0	12.1	13.6	7.9	1.2	0.4
	1902	12.7	39.8	18.8	25.8	2.8	5.1	7.9	7.0	7.6	8.6	12.3	13.7	7.7	1.1	0.4
	1903	13.2	40.0	19.3	26.1	2.7	4.9	7.5	6.8	7.5	9.0	12.1	13.9	7.9	1.2	0.4
	1904	13.6	41.6	18.0	24.1	2.2	5.1	7.8	6.7	7.3	9.0	12.7	14.6	8.6	1.3	0.4
	1905	13.4	40.2	20.0	26.4	2.2	4.8	7.6	6.9	7.6	8.6	12.3	14.5	7.9	1.2	0.2
	1906	14.0	39.0	21.0	28.6	2.3	4.7	7.2	6.7	7.2	8.5	12.0	13.7	7.7	1.2	0.2
	1907	13.6	41.9	18.2	24.3	2.1	4.6	7.1	7.0	7.6	9.7	13.1	14.9	8.2	1.2	0.3
	1908	13.4	40.5	20.3	27.0	2.1	4.5	7.1	6.6	7.1	9.3	12.4	14.3	8.1	1.3	0.1
	1909	13.1	41.0	20.2	26.8	2.1	4.2	6.8	6.6	7.1	9.1	13.2	14.6	8.2	1.2	0.1
New Hampshire	1900	18.5	42.7	18.6	26.0	2.1	3.7	6.7	5.9	6.3	8.5	12.4	15.2	10.4	2.0	0.9
	1901	16.8	45.5	15.4	21.9	1.8	3.0	6.8	6.6	7.4	9.3	13.1	16.5	10.7	2.0	1.0
	1902	16.0	44.7	16.0	23.0	2.0	3.5	6.1	6.4	7.1	9.3	13.4	15.8	10 5	1.9	1.0
	1903	16.7	46.0	14.9	21.3	2.1	3.5	6.5	6.0	6.8	9.3	13.6	16.6	11.3	2.0	0.9
	1904	16.2	46.7	15.4	20.6	1.8	3.1	6.1	7.0	7.0	9.6	13.1	16.5	11.6	2.3	1.1
	1905	17.3	44.6	16.6	23.3	2.2	3.7	5.7	6.3	7.4	8.8	13.4	16.1	10.5	2.0	0.5
	1906	17.7	44.1	18.4	24.5	1.9	3.6	5.3	6.8	6.8	8.5	13.4	16.0	10.2	2.1	0.8
	1907	17.6	45.8	17.6	22.7	1.8	3.2	5.2	6.2	7.0	9.0	13.5	17.8	10.8	1.9	0.9
	1908	16.8	44.9	18.9	24.4	1.6	3.0	5.5	5.8	7.3	9.2	13.1	16.8	10.6	2.2	0.5
	1909	16.9	45.0	18.8	24.4	1.8	2.7	4.7	6.6	6.6	9.4	14.0	16.8	10.5	1.8	0.6
New Jersey	1900	17.8	33.6	23.3	33.7	2.8	3.9	7.8	8.7	8.0	9.0	10.4	9.7	4.8	0.7	0.4
	1901	16.4	35.5	21.6	30.5	2.8	3.9	7.9	8.9	8.8	9.7	11.2	10.0	5.1	0.8	0.4
	1902	15.8	34.0	22.4	32.4	3.0	3.6	7.9	9.2	8.8	9.4	10.5	9.5	4.5	0.7	0.3
	1903	15.7	36.0	20.2	29.0	3.0	4.0	8.0	9.4	9.0	10.0	11.3	10.2	5.0	0.7	0.4
	1304	16.9	34.9	21.1	30.9	3.0	4.3	7.7	9.0	8.9	9.4	11.2	9.8	4.8	0.7	0.1
	1905	15.8	35.5	21.1	29.6	3.1	4.4	7.8	9.1	9.3	9.6	11.4	10.2	4.7	0.7	0.1
	1906	15.9	35.0	21.9	31.6	2.5	3.9	7.4	9.2	9.0	9.5	11.2	9.7	5.1	0.7	(2)
	1907	16.1	36.5	20.8	29.2	2.4	3.9	7.7	9.0	9.6	10.2	11.7	10.2	5.4	0.7	(2)
	1908	14.8	35.9	22.0	30.6	2.4	3.8	7.5	9.0	9.0	9.8	11.6	10.4	5.1	0.7	(2)
	1909	14.7	36.2	21.1	30.6	2.5	3.7	7.1	8.6	9.3	9.7	11.9	10.8	5.2	0.7	(2)
New York	1900	18.2	35.7	20.2	30.3	2.7	3.6	8.2	9.4	8.8	9.5	10.6	10.5	5.4	0.8	0.2
	1901	17.7	37.3	18.2	27.7	2.7	3.6	8.1	9.6	9.2	9.9	11.4	10.8	5.8	0.8	0.3
	1902	16.4	36.8	19.1	28.8	2.6	3.5	7.9	9.6	9.2	9.9	11.3	10.6	5.6	0.8	0.2
	1903	16.5	38.2	17.9	26.3	2.6	3.7	8.1	9.6	9.5	10.3	11.8	11.1	5.9	0.9	0.2
	1904	18.0	37.8	17.9	26.8	2.7	4.1	7.8	9.6	9.3	10.1	11.7	11.0	5.8	0.9	0.2
	1905	17.0	37.6	19.1	27.6	2.5	3.9	7.7	9.4	9.6	9.9	11.8	10.9	5.8	0.9	0.1
	1906	16.9	37.5	19.5	28.2	2.2	3.6	7.7	9.4	9.7	10.2	11.7	10.6	5.8	0.8	(2)
	1907	17.3	38.4	18.9	27.1	2.2	3.5	7.4	9.5	9.8	10.4	12.0	11.2	6.1	0.9	(2)
	1908	15.9	38.2	19.2	27.4	2.3	3.6	7.3	9.1	9.9	10.4	12.1	11.1	6.0	0.9	(2)
	1909	15.7	38.6	18.7	27.4	2.1	3.3	7.1	9.0	9.9	10.4	12.4	11.4	5.9	1.0	(2)
Ohio	1909	12.9	42.6	17.0	23.1	1.9	4.1	7.5	7.8	8.3	10.0	13.2	14.6	8.4	1.2	0.1
Pennsylvania	1906	16.0	33.4	24.4	34.0	2.5	4.6	8.3	8.2	7.6	8.3	10.1	10.3	5.1	0.7	0.3
	1907	15.9	35.3	22.6	31.4	2.3	4.3	8.4	8.4	8.1	8.8	10.9	10.9	5.6	0.7	0.1
	1908	15.1	34.5	23.7	33.5	2.6	4.2	7.6	7.8	7.9	8.8	10.8	10.7	5.5	0.7	(2)
	1909	14.7	35.6	23.1	32.6	2.4	3.8	7.3	7.7	8.0	9.0	11.5	11.3	5.7	0.7	(2)
Rhode Island	1900	20.5	34.2	23.1	34.1	2.6	3.7	7.8	7.2	7.7	9.8	10.6	10.0	5.4	0.7	0.3
	1901	18.1	36.5	20.9	30.0	2.4	3.8	8.1	7.8	9.0	10.3	11.8	10.3	5.5	0.9	0.1
	1902	17.7	35.7	23.3	31.9	2.3	3.8	7.6	7.8	7.9	10.1	11.5	10.5	5.7	0.9	0.1
	1903	18.8	35.2	22.0	32.9	2.8	3.3	7.0	7.8	8.0	9.8	11.6	9.6	5.6	1.0	0.5
	1904	17.2	37.5	21.5	29.2	2.4	3.8	7.3	7.6	8.7	10.4	12.1	11.4	5.9	1.0	0.2
	1905	17.1	37.2	20.8	29.1	2.3	4.5	7.6	8.8	8.9	10.7	11.9	11.1	5.2	0.9	0.1
	1906	17.4	36.2	21.8	30.8	2.4	4.0	6.9	8.2	8.9	10.4	12.3	10.1	5.1	0.9	(2)
	1907	17.8	38.2	20.5	28.7	2.2	3.6	6.8	8.3	8.7	10.3	12.7	11.5	6.0	1.0	0.1
	1908	15.9	37.9	21.3	29.4	2.0	3.6	6.6	8.6	8.1	10.4	12.9	11.5	5.9	1.0	(2)
	1909	15.6	38.2	22.1	29.7	2.0	3.3	6.0	8.0	8.4	10.5	13.6	12.0	5.5	1.0	(2)

[1] Exclusive of stillbirths.

[2] Less than one-tenth.

TABLE VII.—DEATH RATES PER 1,000 POPULATION, AVERAGE AGES AT DEATH, AND PER CENT DISTRIBUTION OF DEATHS AT CERTAIN AGE PERIODS, FOR THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, THE REGISTRATION STATES, AND CITIES OF 100,000 POPULATION AND OVER IN 1900, FOR EACH OF THE YEARS 1900 TO 1909—Contd.

AREA.		Death rate[1] per 1,000 population.	Average age at death.[1]	PER CENT OF DEATHS[1] AT ALL AGES.												
				Under 1	Under 5	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
REGISTRATION STATES—Con.																
South Dakota	1906	8.5	33.6	20.0	30.0	3.9	7.7	9.8	7.1	7.4	7.7	9.6	10.1	5.4	0.8	0.5
	1907	9.1	32.8	21.7	33.2	4.2	6.3	8.3	6.9	6.6	8.5	9.3	9.7	5.7	0.8	0.6
	1908	9.2	33.7	20.7	31.9	3.8	6.7	8.3	7.4	7.1	7.8	9.3	10.6	5.7	1.1	0.4
	1909	8.5	32.8	22.7	33.0	4.3	6.4	8.1	7.5	6.9	7.6	9.2	10.2	5.4	0.9	0.4
Vermont	1900	16.6	46.7	15.0	20.7	1.8	4.1	6.5	6.2	6.7	8.6	13.0	17.7	11.7	2.3	0.7
	1901	16.6	47.7	14.5	19.7	1.8	3.6	6.5	6.1	6.9	8.7	13.2	17.0	12.8	2.7	1.0
	1902	15.0	47.7	15.8	20.6	1.7	3.8	5.8	6.1	6.0	8.5	12.6	18.0	13.1	2.7	1.1
	1903	16.2	47.4	14.8	19.6	1.8	4.1	6.4	5.7	6.7	8.8	14.3	17.2	11.8	2.5	1.0
	1904	16.0	48.0	13.7	18.7	1.8	4.0	6.5	6.5	6.8	8.7	13.4	17.9	12.1	2.7	0.9
	1905	17.0	47.5	15.0	20.1	2.1	3.8	6.1	5.9	6.4	9.0	13.2	18.1	12.3	2.4	0.7
	1906	16.7	46.2	15.6	21.1	2.4	3.7	6.2	6.0	6.8	8.6	13.6	16.8	11.9	2.1	0.8
	1907	16.2	48.8	15.1	19.2	1.1	3.7	6.1	6.2	6.3	9.4	14.4	17.7	13.0	2.6	0.5
	1908	15.9	48 8	15.0	19.4	1.5	3.2	5.9	5.7	6.2	10.1	15.0	17.6	12.7	2.6	0.1
	1909	15.7	48.4	15.5	20.3	1.5	3.6	5.4	5.1	6.9	9.4	14.2	18.5	12.5	2.4	0.1
Washington	1908	9.3	37.1	14.6	20.9	2.7	6.4	11.9	11.3	11.5	10.4	10.0	9.5	4.1	0.5	0.8
	1909	9.8	36.6	15.7	22.6	3.1	6.0	10.6	11.1	11.0	11.2	10.2	9.0	4.1	0.6	0.5
Wisconsin	1908	11.7	40.1	20.6	27.5	2.7	4.8	7.0	6.4	7.2	8.3	10.7	13 7	9.8	1.6	0.4
	1909	11.8	39.9	20.7	27.8	2.8	4.5	7.2	6.3	7.1	8.6	11.0	13.6	9.4	1.6	0.3
CITIES HAVING A POPULATION OF 100,000 AND OVER IN 1900.																
Los Angeles, Cal	1900	18.8	38.5	13.5	18.7	2.7	4.4	12.0	12.8	12.3	11.8	11.4	9.6	3.4	0.2	0.6
	1901	16.2	42.9	7.3	11.6	1.3	4.7	13.1	14.7	13.7	12.5	12.1	10.8	4.5	0.7	0.2
	1902	16.3	40.1	11.0	16.2	2.8	4.7	11.9	14.2	12.0	11.8	11.9	9 8	4.5	0.3	(2)
	1903	18.5	39.7	9.9	15.6	2.9	4.6	12 4	14.4	12.9	11.4	12.2	9.2	3.6	0.4	0.3
	1904	14.8	40.5	9.9	14.3	2.3	5.4	13.6	13.4	13.0	11.6	11.9	10.3	3.7	0.4	0.3
	1905	16.2	40 9	10.3	14.4	2.0	4 6	12.3	14.9	13.5	11.8	12.4	9.3	4.3	0.4	0.1
	1906	16.8	40.3	11.5	16.2	2.1	4.3	12.6	13 0	13.8	10.8	12.3	10.4	3.8	0.4	0.2
	1907	16.5	39.9	11.7	16.8	1.8	5.0	11.8	14 4	12.3	11 7	11.8	9.9	3.8	0.5	(2)
	1908	13.8	41 4	11.4	16 1	1.8	4.1	11.1	13.5	12 5	12.2	12.8	10.9	4.6	0.3	.....
	1909	13.7	43 1	11.2	15.2	1 5	3.7	11.4	11.4	12.9	12.7	13.7	11.7	5 0	0.7	(2)
San Francisco, Cal	1900	20.6	40.5	12.8	17.9	2.0	3.4	10.7	12.3	13.1	12.6	13.8	10.3	3.2	0.5	0.3
	1901	20.4	40.5	12.0	17.6	2 2	3.3	11 3	12.2	12.3	13.0	13 2	10.6	3.5	0 4	0.4
	1902	21.2	40.1	12.5	18.0	2 8	3.3	10 8	12.5	13.0	12.2	13.2	10.3	3.3	0.4	(2)
	1903	20.7	41.0	12.8	17.9	2 0	3.2	10 0	12.3	12.9	13.1	13 4	11.0	3.7	0.3	0.1
	1904	20.0	41.3	12.5	17.3	1.3	3.0	10.7	12.8	13.7	12.8	13.4	10.8	3.5	0.4	0.2
	1905	19.2	42.4	11.8	15.9	1 6	3.0	9.7	13.1	13.4	13.5	14.3	11.1	3.8	0.4	0.1
	1906	18.3	41.6	12.8	17.7	1.6	3.0	9.2	11.3	12.0	11.2	13.4	11.2	4.3	0.4	4.6
	1907	16.6	41.0	12.9	17.9	1.9	3 3	9.4	13.4	13.7	12.2	12.7	10.6	4.2	0.5	0.3
	1908	15.5	42.3	12.4	16.9	1.7	3 3	9.2	13 2	12.8	12.9	12.9	12.0	4.7	0.4	0.1
	1909	15.0	43.4	11.6	16.5	1.5	2.8	8.5	12.0	13.3	13.8	14.4	11.5	5.0	0.6	0.1
Denver, Colo	1900	19.0	34.0	14.9	21.3	2.4	5.2	14.8	16.5	11.3	10.4	8.5	6.3	2.2	0.2	0.8
	1901	19.1	34.6	12.6	18.9	4.1	5.3	14.7	16 9	12.8	10.1	7.7	6 2	3.1	0.3	0.1
	1902	17.6	34.5	14.3	20.4	2.7	5.4	14.1	16.5	12.5	10.8	8.8	5.9	2.2	0.3	0.3
	1903	16 4	35 8	13.2	18.6	2.2	4.8	15.0	16.5	13.4	9.8	10.4	6.7	2.2	0.1	0.2
	1904	17.0	36.4	13.0	18.5	2.3	4.6	15.8	15 5	12.6	10.9	9.2	7.0	3.1	0.3	0.1
	1905	16.1	36.5	13.9	18 0	1.9	4.3	15.6	16 8	14.1	9.8	9 9	6.9	2.5	0.4	.....
	1906	17.2	35.6	13.9	18.7	2.3	6.0	16.1	13.9	13.4	10.5	9.5	6.5	2.8	0.2	(2)
	1907	18.7	36 7	13.8	19.6	2.5	4.1	14.7	15 1	11.8	10 1	10.4	8.2	2.9	0.5	0.1
	1908	18.3	36 9	13.5	19.1	2.2	4.4	13.8	15.9	12.6	10.9	9.9	7.6	3 1	0.3	(2)
	1909	17.0	38.1	12.5	16.9	2.7	4.0	14.4	14.8	13.4	11.8	11.4	6.6	3.7	0.3	.....
New Haven, Conn	1900	18.2	35 8	23.0	30.4	2.0	3.5	8.3	8 8	9.2	11.6	11.1	9.1	5.1	0.9	.....
	1901	17.8	37.0	19.5	26.5	2.6	4.1	9.7	9.2	9.1	10.5	12.1	9.5	5.4	0.8	0.5
	1902	16.5	34 3	21.7	30.8	2.4	4.1	8.3	9.3	9.7	10.5	11 6	8.1	4.0	0.6	0.5
	1903	16.7	35.4	19.9	29.9	2.5	4.2	8.9	8.8	8.4	10.7	11 7	9.6	4.6	0.6	(2)
	1904	17.0	36.3	19.8	26.8	2.4	5.8	7.3	10.4	10.1	10.5	12.3	9.2	4.5	0.7	0.1
	1905	18.4	36.1	19.3	27.8	3.0	4.2	7.8	10.0	9.7	10 5	12.8	9.0	4.4	0.7	0.1
	1906	18.8	35.4	20.8	30.7	2.6	3.7	8 2	9.1	8.6	10.0	11.9	9.4	5.0	0.6	(2)
	1907	18.1	40.2	17.1	23.4	2.2	3.5	7.1	9.9	10.3	12.8	12.8	12.0	5.4	0.5	(2)
	1908	16 4	39.0	18.4	25.8	2.3	3.6	7.5	9.4	9.5	11 4	12.7	10.9	6.2	0 7	0.1
	1909	16 9	38.3	18.7	27.6	2.3	3.3	6.3	8 5	10.6	11.9	12.1	10.8	5.9	0.7	.....
Washington, D. C	1900	22 3	31.3	21.9	30.2	2.5	5.2	10.4	8.1	8 2	10.1	11.9	8 5	4.2	0.8	(2)
	1901	21.3	35.8	20.7	27.7	2.3	4.1	10.4	9.3	9.6	11.6	11.5	8.6	4.1	1.0	(2)
	1902	20 0	35.3	21.4	28.3	2.3	4.7	10.5	9.1	9.3	10.4	10 9	9.7	4.1	0 7	.....
	1903	20.1	37.5	18.3	25.3	1.9	4.2	10.3	9.6	10.0	10.7	13.2	9 9	3.9	0.9	0.1
	1904	20 7	38.1	18.1	24.5	1.7	4.6	9 7	9.9	9.8	11 7	13.2	9.3	4.5	1.0	0.1
	1905	20 3	37 2	18.4	25.2	1.9	4.8	10.7	9.4	9.4	10.8	13.6	9.7	3.8	0.7	.....
	1906	20.3	37.2	19.6	25.4	1.9	4.6	9.6	10 7	9.5	10 6	13.3	9.7	3 8	0 9	(2)
	1907	20.1	39.1	17.7	23.6	1.8	4.1	9.4	10.2	10.2	10.8	13.7	10.5	4.8	1.0	.....
	1908	19.1	39 2	17.9	23.4	1.6	4.2	9.4	10 2	10.6	11.3	13.2	10.1	5.2	0.8	.....
	1909	19.0	39.3	16.7	23 2	1 9	4.1	9.4	10.6	9.8	11.3	13.0	11.1	4.7	1.0	.....
Chicago, Ill	1900	15.3	31.1	20.9	32.7	4.0	4 5	8.8	10.7	10 3	9.6	9.2	6.7	2.9	0.4	(2)
	1901	14.0	32.4	20 6	30.6	3.0	4 8	9.5	11.3	10 6	10.2	9.3	7.2	3.0	0.4	(2)
	1902	14.7	31.8	19.4	30.3	3.8	5.0	9.3	11.5	11 3	10.1	8 7	6.6	2.9	0.4	(2)
	1903	15.5	32.7	18.3	28 7	3.4	5.1	9.9	11.6	11.5	10.6	9.2	6.9	2.8	0.4	(2)
	1904	14.1	33.9	20.2	27.8	2.4	4.7	9.6	11.7	12.3	10.9	9.9	7.3	2.9	0.5	(2)
	1905	14.1	32.0	22.1	31 9	2.4	4.5	9.3	11.0	11.4	10.1	9.4	6.7	2.8	0.4	(2)
	1906	14.5	32.8	21.1	30 3	3 0	4.3	9.3	10.5	11.8	10.7	9.6	7.0	3.0	0.4	.....
	1907	15.7	32.7	20 8	31 3	2.8	4.1	8.7	10.3	11.8	10 6	9.6	7 1	3.2	0.4	(2)
	1908	11 5	33 0	22.7	31.7	2.5	3.9	8.4	10.1	11.6	10.9	9.7	7.3	3.4	0.4	(2)
	1909	14.6	34.0	20.4	29.9	2.5	3.8	8.6	10.5	12.1	11.1	10.2	7.6	3.2	0.5	(2)

[1] Exclusive of stillbirths.

[2] Less than one-tenth.

TABLE VII.—DEATH RATES PER 1,000 POPULATION, AVERAGE AGES AT DEATH, AND PER CENT DISTRIBUTION OF DEATHS AT CERTAIN AGE PERIODS, FOR THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, THE REGISTRATION STATES, AND CITIES OF 100,000 POPULATION AND OVER IN 1900, FOR EACH OF THE YEARS 1900 TO 1909—Contd.

AREA.		Death rate[1] per 1,000 population.	Average age at death.[1]	PER CENT OF DEATHS[1] AT ALL AGES.												
				Under 1	Under 5	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
CITIES HAVING A POPULATION OF 100,000 AND OVER IN 1900—Continued.																
Indianapolis, Ind	1900	17.1	35.6	18.8	26.9	2.7	4.6	9.9	10.4	9.6	10.5	11.3	9.0	4.3	0.6	0.1
	1901	15.4	36.3	18.9	25.5	2.0	5.3	10.8	9.6	10.4	11.6	11.0	8.4	4.5	0.7	0.2
	1902	14.1	36.4	19.0	25.8	1.9	4.8	11.0	11.2	8.2	10.1	12.2	9.5	3.9	1.0	0.5
	1903	16.0	37.6	16.4	23.2	2.6	5.6	10.7	10.3	9.6	10.2	10.9	10.8	4.8	0.5	0.8
	1904	16.7	37.5	16.4	22.0	2.3	5.7	10.9	10.5	10.7	10.5	11.1	9.6	4.5	0.6	1.7
	1905	14.6	39.0	16.2	21.9	2.0	5.4	10.1	10.3	9.5	10.5	13.3	10.5	4.9	0.8	1.0
	1906	15.1	38.4	16.2	22.4	2.3	5.8	10.5	10.2	9.4	11.2	11.7	10.7	4.8	0.8	0.2
	1907	15.8	39.8	15.5	20.8	2.2	4.8	10.5	11.7	9.9	10.4	11.7	11.5	5.7	0.8	0.1
	1908	14.2	41.3	13.5	18.5	2.0	5.1	9.0	11.2	11.3	12.1	14.0	11.3	4.9	0.5	(2)
	1909	14.3	40.9	13.5	18.6	2.2	4.6	10.3	10.5	11.9	13.4	12.6	10.3	5.1	0.6	.....
Louisville, Ky	1900	18.9	35.0	16.4	25.5	2.6	5.8	11.3	10.6	9.1	9.9	10.9	8.2	3.7	0.7	2.8
	1901	18.5	37.0	14.5	22.3	3.0	5.4	11.2	11.4	10.0	10.6	11.6	9.8	3.7	0.5	0.5
	1902	18.2	35.3	17.0	25.1	2.7	5.7	10.8	11.1	10.1	11.2	10.5	8.4	3.5	0.5	0.5
	1903	19.0	35.7	16.9	24.7	2.8	6.0	10.5	10.8	11.0	11.0	10.2	8.4	3.8	0.8	(2)
	1904	20.4	35.5	18.0	24.8	2.4	5.6	11.2	11.6	10.2	10.5	10.4	9.0	3.6	0.5	0.2
	1905	18.7	37.2	16.2	22.6	2.2	5.5	11.3	11.2	10.8	10.8	11.8	9.8	3.5	0.6	0.1
	1906	19.0	36.3	15.9	23.3	1.9	5.4	12.0	12.2	11.0	10.0	11.8	8.3	3.4	0.5	0.1
	1907	19.0	37.8	14.6	21.6	1.9	4.7	12.3	12.1	11.4	11.0	10.9	9.1	4.4	0.5	0.3
	1908	17.0	38.7	14.1	20.3	1.9	6.1	11.1	10.6	11.3	12.0	12.2	9.4	4.3	0.6	0.2
	1909	15.5	39.6	12.5	19.2	2.3	5.5	10.9	11.4	11.0	12.0	12.0	10.7	4.3	0.7	0.1
New Orleans, La	1900	26.5	33.5	17.1	26.3	2.7	5.8	12.6	11.4	11.2	9.8	9.4	7.0	3.0	0.7	0.1
	1901	22.2	36.3	15.9	22.5	2.4	5.3	12.3	12.2	11.2	11.0	11.1	7.5	3.6	0.8	0.1
	1902	22.1	36.6	17.3	23.3	1.5	4.7	11.9	12.6	11.6	11.5	10.4	7.7	3.7	0.9	0.1
	1903	22.1	37.9	15.9	20.9	1.9	4.8	12.2	12.0	11.9	11.7	11.2	8.7	3.9	0.7	(2)
	1904	22.1	36.4	16.1	22.4	2.0	4.9	12.3	13.0	12.0	11.2	10.1	8.0	3.2	0.9	(2)
	1905	23.4	36.7	15.4	21.3	1.5	5.7	13.0	12.9	12.3	11.5	9.6	8.2	3.0	1.0	0.1
	1906	21.4	38.2	15.9	21.7	1.2	4.8	10.7	12.7	12.5	11.0	12.1	9.2	3.2	0.9	0.1
	1907	23.5	35.7	16.8	24.8	1.6	4.9	11.2	12.8	11.8	10.9	9.6	8.3	3.4	0.6	0.1
	1908	22.3	37.3	16.1	22.3	1.6	4.5	11.6	12.7	12.4	11.2	11.0	8.6	3.3	0.7	0.1
	1909	20.2	38.1	15.5	20.7	1.6	4.9	11.6	12.2	13.0	11.7	11.2	8.6	3.7	0.7	(2)
Baltimore, Md	1900	21.4	31.7	24.6	34.7	3.1	4.6	8.5	8.9	8.8	8.9	10.2	8.0	3.8	0.6	(2)
	1901	20.4	33.6	24.2	32.4	2.0	3.9	8.9	9.5	9.8	9.5	10.5	9.0	3.9	0.6	(2)
	1902	19.7	33.3	23.7	32.4	2.2	4.4	9.1	8.7	9.6	9.8	11.0	8.5	3.7	0.6	(2)
	1903	19.3	34.4	21.5	30.7	2.5	4.7	8.5	9.0	9.7	10.0	10.7	9.3	4.1	0.7	0.1
	1904	20.4	35.2	21.2	29.2	2.4	4.5	9.1	9.1	10.0	10.3	11.2	9.6	4.1	0.6	(2)
	1905	20.0	33.7	23.1	32.5	1.9	4.1	8.8	9.1	9.7	9.8	11.0	8.6	3.9	0.6	(2)
	1906	19.9	34.2	22.4	30.7	2.1	4.4	9.0	9.2	10.8	10.3	10.1	9.0	3.9	0.6	(2)
	1907	20.5	35.2	21.8	29.9	1.8	3.8	9.0	9.9	10.1	10.1	11.4	8.9	4.4	0.6	(2)
	1908	19.0	36.1	21.2	28.5	2.1	4.2	8.7	9.2	10.2	10.8	11.7	9.4	4.5	0.7	(2)
	1909	18.7	35.5	21.5	29.6	2.1	3.7	8.9	8.9	10.2	10.7	11.5	9.5	4.2	0.6	(2)
Boston, Mass	1900	20.4	33.2	20.8	32.4	2.9	3.3	9.3	10.3	9.0	9.9	10.2	8.0	4.1	0.6	(2)
	1901	19.9	33.6	20.2	30.8	2.9	3.4	9.6	11.2	9.4	10.1	10.4	8.0	3.6	0.6	(2)
	1902	19.1	34.1	20.6	30.7	2.3	3.4	9.4	10.7	10.0	10.1	11.0	8.0	3.8	0.6	(2)
	1903	18.3	35.3	20.5	29.0	2.3	3.3	8.5	11.0	10.7	10.9	10.8	8.4	4.1	0.7	0.3
	1904	18.3	35.5	20.5	28.9	2.3	3.3	8.4	11.1	10.3	11.3	11.2	8.5	4.1	0.6	(2)
	1905	18.5	36.5	19.6	27.5	2.3	3.4	8.2	10.6	10.6	11.6	12.1	8.8	4.2	0.6	(2)
	1906	18.6	35.2	21.4	30.0	2.3	3.4	7.7	10.3	10.7	11.2	11.1	8.5	4.0	0.7	.....
	1907	18.6	36.8	20.1	27.1	2.1	3.5	7.7	10.9	11.7	11.1	11.6	9.2	4.5	0.7	(2)
	1908	18.3	34.0	23.2	33.1	2.3	3.3	7.2	9.0	10.3	10.6	11.2	8.6	3.9	0.5	.....
	1909	16.8	37.4	19.2	27.4	2.0	3.3	7.0	10.1	11.3	11.6	12.4	9.6	4.7	0.6	(2)
Fall River, Mass	1900	21.8	24.2	38.7	51.0	2.1	3.2	6.5	6.1	6.0	8.3	8.1	6.1	2.4	0.2	.....
	1901	18.8	26.0	36.8	46.4	1.6	2.9	7.4	7.2	7.4	9.3	9.0	5.5	1.9	0.5	0.8
	1902	21.0	21.2	40.5	56.1	2.7	2.4	5.2	6.2	5.8	7.8	6.8	4.9	1.9	0.2	0.2
	1903	22.2	23.8	36.9	49.4	3.3	3.3	5.8	7.3	7.1	8.2	7.9	5.2	1.9	0.3	0.3
	1904	19.6	26.1	38.9	47.3	1.4	3.3	6.8	7.9	7.0	7.7	9.1	6.8	2.3	0.3	(2)
	1905	19.9	24.1	40.1	53.0	1.9	2.7	4.0	6.8	6.4	7.4	9.0	5.7	2.7	0.4	.....
	1906	19.2	24.4	38.9	50.8	1.8	3.2	5.3	6.3	7.4	8.3	9.2	5.8	1.9	(2)	.....
	1907	21.3	24.5	37.7	51.0	2.1	3.0	5.4	6.5	6.5	7.6	10.1	5.0	2.5	0.4	.....
	1908	20.5	23.8	36.6	51.1	3.3	2.9	5.9	6.5	5.5	7.3	9.2	6.1	2.2	0.1	.....
	1909	19.1	25.7	39.0	49.9	1.8	2.8	5.2	6.3	6.8	8.0	8.9	7.0	2.9	0.3	.....
Worcester, Mass	1900	18.4	32.3	23.3	35.4	3.2	3.4	9.1	8.2	7.9	9.1	9.6	8.5	5.1	0.6	(2)
	1901	17.1	37.9	20.2	27.6	1.9	3.7	7.6	9.3	9.5	10.5	11.4	11.9	5.5	1.0	0.2
	1902	15.8	35.8	22.1	29.9	1.6	3.2	9.6	9.9	9.9	9.3	11.0	9.5	5.0	0.9	0.2
	1903	17.0	36.3	22.2	29.8	1.7	3.7	7.7	10.1	8.4	10.7	12.7	9.2	4.9	0.9	0.1
	1904	16.2	39.0	20.4	26.2	2.6	3.6	7.7	8.9	8.9	10.5	12.6	11.6	6.7	0.6	0.1
	1905	17.7	38.1	22.2	27.4	1.6	3.9	8.7	8.5	9.5	10.9	11.4	11.2	6.3	0.7	.....
	1906	17.5	37.2	22.5	29.5	1.8	3.6	6.4	8.6	9.6	11.5	13.5	9.8	4.9	0.8	(2)
	1907	19.1	37.7	20.2	27.9	3.2	3.4	7.2	8.8	10.1	10.4	11.5	9.7	6.6	1.2	0.1
	1908	16.7	38.0	19.5	28.1	3.1	3.6	6.7	8.8	9.0	10.1	12.2	11.1	6.6	0.8	.....
	1909	15.5	40.9	20.0	25.4	1.6	3.8	6.5	8.4	7.9	11.1	15.6	12.1	6.8	0.9	.....
Detroit, Mich	1900	16.3	31.0	28.4	37.0	2.6	4.6	8.7	8.3	7.7	8.0	9.4	9.2	3.9	0.6	0.1
	1901	15.3	32.7	26.4	33.9	2.5	5.2	8.6	8.4	8.5	8.5	10.5	8.5	4.6	0.8	(2)
	1902	15.6	30.6	25.3	36.1	3.8	5.1	8.1	8.7	7.7	8.7	9.2	8.0	3.8	0.6	0.2
	1903	15.8	33.2	25.1	33.9	3.7	4.0	7.2	7.9	9.3	8.9	10.3	9.2	4.7	0.7	0.1
	1904	14.9	32.9	25.6	33.3	2.9	5.0	8.7	7.9	8.1	9.5	9.7	9.6	4.4	0.7	0.2
	1905	13.8	33.5	26.2	33.3	2.5	4.6	7.7	8.6	9.1	9.1	10.7	9.1	4.6	0.6	0.1
	1906	15.7	30.7	27.6	38.0	2.8	4.3	8.4	7.3	8.3	8.0	9.7	8.4	4.0	0.7	(2)
	1907	14.9	33.0	25.9	33.7	2.5	4.4	8.1	8.5	8.8	9.5	10.1	9.2	4.3	0.6	0.2
	1908	13.7	31.9	29.2	36.7	2.3	4.0	8.3	7.8	8.4	8.9	9.3	8.9	4.8	0.6	0.1
	1909	14.0	31.4	28.5	37.3	3.0	3.6	7.7	7.7	8.1	9.5	9.7	8.5	4.1	0.6	0.1

[1] Exclusive of stillbirths.

[2] Less than one-tenth.

TABLE VII.—DEATH RATES PER 1,000 POPULATION, AVERAGE AGES AT DEATH, AND PER CENT DISTRIBUTION OF DEATHS AT CERTAIN AGE PERIODS, FOR THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, THE REGISTRATION STATES, AND CITIES OF 100,000 POPULATION AND OVER IN 1900, FOR EACH OF THE YEARS 1900 TO 1909—Contd.

AREA.		Death rate[1] per 1,000 population.	Average age at death.[1]	PER CENT OF DEATHS[1] AT ALL AGES.												
				Under 1	Under 5	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
CITIES HAVING A POPULATION OF 100,000 AND OVER IN 1900—Continued.																
Minneapolis, Minn.	1900	11.4	32.2	19.5	28.3	4.8	6.2	11.5	10.5	9.9	7.7	8.7	7.6	4.0	0.8	(2)
	1901	11.7	32.5	16 1	25.4	5.9	6.8	11.0	10.5	9.8	7.3	8.5	7.7	4.0	0.4	2.7
	1902	10.0	35.7	15.8	23.1	4.2	5.5	10.4	11.7	10.6	8.1	10.7	9.0	4.3	0.4	1.9
	1903	10.4	37.0	13.1	20.2	3.5	6.8	11.8	11.5	12.0	9.1	10.1	9.2	4.5	0.6	0.5
	1904	9.6	36.5	14.3	21.1	3.2	6.8	12.7	11.4	10.9	9.6	9.3	9.0	4.7	0.7	0.5
	1905	9.4	39.2	15.0	20.1	2.6	5.4	11.9	10.2	11.5	9.3	11.1	11.3	5.3	0.9	0.4
	1906	10.4	36.0	16.8	24.4	2.9	6.5	10.8	10.1	10.6	9.1	9.5	9 8	5.1	0.5	0.5
	1907	10.6	38.9	14.4	20.8	2.5	5.5	10.7	10.4	11.5	10.4	10.9	10.6	5.1	0.8	0.8
	1908	10.7	38.2	15.3	22.1	3.1	5.6	10.4	9.6	10.9	10.8	9.4	10.4	6.1	0.7	1.0
	1909	10.7	38.4	15.5	21.7	2.9	5.2	11.8	9.6	10.1	11.6	10.3	9.8	5.8	1.1	0.1
St. Paul, Minn.	1900	10.0	32.7	22.9	30.6	3.7	5.8	8.2	11.0	10.3	8.3	8.1	9.6	3.9	0.4	.....
	1901	10.4	33.2	22.6	30.9	3.8	4.4	8.4	9.4	8.7	8.0	9.5	9.0	4.9	0.5	2.4
	1902	10.0	33.9	21.0	28.2	3.3	5.9	9.0	10.2	11.3	8.4	7.9	9.0	4.5	0.8	1.5
	1903	9.7	36.1	20.7	26.8	2.2	5.9	9.2	10 9	9.2	9.8	10.0	10.4	4.6	1.0	0.1
	1904	10.0	32.9	23.9	31.0	2.7	6.2	9.6	8.8	9.7	9.6	8.7	9.1	4.0	0.7	.....
	1905	10.0	35.4	20.4	26.4	3.7	5.6	9.0	9.5	10.8	10.7	10.3	8.3	4.9	0.7	0.1
	1906	10.5	35.2	20.8	27.2	2.9	6.4	9.2	8.7	11.1	10.7	9.6	8.7	4.7	0.9	0.1
	1907	10.9	35.3	19.8	26.2	2.7	6.1	9.7	10.2	10.5	9.9	10.1	9.4	4.4	0.5	0.1
	1908	10.5	36.3	19.0	25.4	2.8	6.0	9.6	9.3	10.1	11.6	10.2	9.2	4.7	0.9	0.1
	1909	11.4	33.9	18 9	27.1	4.9	5.9	10.8	9.2	8.9	10.4	9.3	8.7	3.9	0.9	0.1
Kansas City, Mo.	1900	16.3	31.6	18.4	28.4	3.3	6.0	11.7	12.6	10.2	9.2	8.8	6.2	2.5	0.5	0.6
	1901	15.6	33.9	18.1	24.5	2.6	5.6	12.8	11.9	11.1	9.5	9.0	7.6	3.0	0.3	2.1
	1902	14.9	33.2	18.4	26.0	2.7	6.0	12.8	12.5	10.4	10.0	9.4	7.0	2.6	0.4	0.1
	1903	16.1	34.8	16.6	22.9	2.2	5.6	14.1	13.2	10.9	10.4	9.8	7.4	2.8	0.6	0.2
	1904	17.8	36.6	13.9	19.4	2.7	5.0	13.2	13 7	13.2	10.8	10.4	7.4	3.1	0.3	0.8
	1905	15.0	36.8	15.2	20.1	2.0	5.4	13.6	13.6	11.6	11.7	10.1	7.9	3.2	0.6	0.2
	1906	13.3	37.8	16.0	20.2	2.4	5.2	12.5	11.8	12.2	10.6	11.9	8.5	4.1	0.4	0.1
	1907	15.3	37.5	15.9	21.6	1.9	5.4	10.9	12.2	11.9	10.8	12.1	8.5	4.0	0.4	0.2
	1908	14.1	36.9	16.8	22.0	1.9	4.9	12.4	12.6	11.2	11.5	11.0	7.8	4.0	0.5	0.2
	1909	14.4	37.2	16.9	22.5	2.5	4.5	10.7	11.4	12.5	11.6	11.3	8.5	3.6	0.8	(2)
St. Joseph, Mo.	1900	(3)	36.7	14.6	20.4	3.8	7.0	11.3	10.9	9.5	9.9	11.8	8.2	4.2	0.4	2.6
	1901	(3)	38.2	15.3	21.9	2.1	4.6	11.1	10.6	10.8	11.1	11.2	9.5	5.1	0.6	1.4
	1902	(3)	37.5	14.1	23.8	2.6	4.0	9.8	11.3	10.7	9.5	11.5	10.1	4.8	0.4	1.4
	1903	(3)	38.3	15.8	21.9	1.9	5.1	11.2	10.1	12.6	9.6	11.5	10.8	4.2	1.0	0.1
	1904	(3)	37.3	14.0	21.1	2.4	6.8	11.1	10.8	11.7	11.2	11.7	7.6	4.4	0.9	0.2
	1905	(3)	40.9	12.7	19.2	1.4	4.7	10.8	11.4	10.0	12.2	13.2	10.7	5.1	0.9	0.2
	1906	(3)	41.1	11.8	16.7	1.9	4.8	9.6	12.7	13.7	12.4	12.3	11.0	4.0	0.3	0.6
	1907	(3)	40.0	11.2	17.4	3.4	7.5	11.2	8.3	10.3	12.4	11.6	11.9	4.3	0.8	0.9
	1908	(3)	42.0	13.0	17.7	1.4	4.9	9.8	11.2	12.0	12.6	11.0	12.0	6.3	0.8	0.3
	1909	(3)	42.0	13.8	18.6	1.9	3.0	9.8	11.2	12.8	11.5	12.4	11.4	6.1	1.0	0.2
St. Louis, Mo.	1900	17.9	34.6	17.6	26.5	3.6	4.7	10.0	11.3	10.3	10.7	11.0	8.0	3.2	0.4	0.3
	1901	18.0	35.2	17.2	25.8	2.9	4.7	9.8	11.7	11.4	10.8	10.8	8.1	3.2	0.6	0.3
	1902	17.3	34.7	18.0	25.7	2.9	4.8	10.8	11.2	11.3	11.1	10.8	7.6	2.9	0.5	0.4
	1903	18.2	34.7	17.3	25.6	3.0	5.0	10.4	11.9	10.9	10.7	10.9	7.7	2.9	0.4	0.5
	1904	18.9	37.1	15.6	21.2	2.3	4.9	11.0	13.6	12 2	11.4	11.5	8.2	3.1	0.5	0.2
	1905	17.0	37.3	16.3	22.3	2.2	4.5	10.4	13.0	12.7	10.8	11.1	8.7	3.8	0.5	(2)
	1906	15.7	37.5	17.6	22.8	1.8	4.3	10.6	11.9	12.1	11.9	11.2	9.3	3.7	0.4	(2)
	1907	15.9	38.1	16.5	22.9	1.6	4.0	9.9	11.7	12.3	11.6	11.6	10.0	3.8	0.4	0.1
	1908	14.7	38.5	17.0	22.5	1.7	4.0	9.8	11.2	11.8	12.6	12.8	9.3	3.8	0.5	(2)
	1909	15.8	38.2	15.8	23.0	2.4	4.1	9.4	10.3	12.7	12.1	11.9	9.6	4.0	0.5	(2)
Omaha, Nebr.	1900	11.8	31.6	22.6	31.0	3.4	5.5	10.4	10.9	9.8	9.4	7.4	8.5	3.2	0.4	0.2
	1901	11.8	34.5	19.2	25.3	2.8	5.7	9.7	13.7	11.0	11.0	9.4	6.9	3.6	0.6	0.2
	1902	12.2	35.2	13.1	27.1	2.9	4.6	8.8	10.6	12.5	10.9	9.4	9.3	3.1	0.8	0.1
	1903	10.0	35.9	19.4	23.9	2.5	5.8	11.2	10.6	12.6	9.8	10 0	9.3	3.2	0.9	0.2
	1904	12.1	36.0	18 1	24.2	1.9	5.1	11.8	11.1	12.1	11.0	10.9	7.2	3.7	0.8	0.1
	1905	11.4	38.1	15.4	20.5	2.3	6.2	10.4	11.8	12.2	11.2	12.8	8.0	4.2	0.5	0.1
	1906	12.2	37.5	15.7	20.7	2.5	5.4	12.1	11.4	12.2	11.7	11.1	9.0	3.2	0.7	.....
	1907	13.5	37.0	18.2	23.7	2.3	4.6	8.9	13.0	12.3	11.3	10.5	8.2	4.2	0.8	0.1
	1908	13.2	38.4	16.0	21.6	2.5	4.3	10.4	10.4	12.8	12.1	12.2	9.3	3.8	0.5	.....
	1909	14.7	38.5	15.6	21.6	2.1	5.6	10.0	9.9	12.2	12.0	12.4	9.3	4.0	0.9	.....
Jersey City, N. J.	1900	20.7	30.2	22.5	34.8	2.7	4.1	9.4	11.1	9.4	10.2	9.2	6.3	2.3	0.3	0.1
	1901	19.2	30.3	23.3	35.3	3.1	3.2	9.2	10.7	10.0	9.7	9.4	6.3	2.6	0.3	0.1
	1902	18.7	29.1	23.2	35.7	3.5	3.8	9.6	11.5	10.0	9.4	8.4	5.7	2.3	0.1	.....
	1903	18.7	31.5	20.9	31.9	3.6	3.6	9.5	11.6	10.3	10.5	9.2	6.9	2.5	0.3	0.1
	1904	20.8	30.1	21.4	33.4	3.8	4.2	9.5	11.5	10.3	9.7	9.5	5.8	2.0	0.3	(2)
	1905	19.0	31.1	22.4	32.1	3.6	4.8	8.5	12 2	9.8	10.3	9.6	6.3	2.4	0.4	(2)
	1906	19.3	31.3	21.9	33.5	2.8	4.1	8.4	11.9	10.1	9.5	9.8	6.3	3.0	0.4	0.1
	1907	19.1	32.4	21.7	31.1	2.5	4.0	9.0	11.7	12.1	10.0	10.2	6.6	2.6	0.3	(2)
	1908	17.4	31.1	22.8	33.7	3.0	3.8	8.6	11.3	10.8	9.8	9.8	6.3	2.6	0.5	(2)
	1909	16.8	31.3	22.4	34.9	2.8	3.7	7.8	10.5	9.9	9.6	10.6	7.1	2.7	0.4	(2)
Newark, N. J.	1900	20.2	31.1	22.8	35.6	2.7	3.6	8.1	10.4	9.3	10.1	9.4	7.7	2.7	0.4	0.1
	1901	19.2	33.3	21.2	31.2	2.8	3.4	8.7	10.6	11.0	10.2	10.5	7.9	3.3	0.4	0.1
	1902	18.9	31.4	22.6	33.7	3.1	3.0	9.4	10.6	10.2	9.7	9.8	7.4	2.6	0.2	0.1
	1903	18.4	34.8	18.7	28.3	2.8	3.8	8.4	11.6	10.6	11.5	10.7	8.7	3.2	0.4	0.1
	1904	19.5	33.1	20.3	31.8	3.2	4.3	7.9	10.1	10.4	9.6	10.8	8.2	3.6	0.2	.....
	1905	17.7	34.0	20.2	29.1	3.5	4.1	8 8	10.3	10.4	10.5	11.2	8.6	3.0	0.4	0.1
	1906	18.7	32.6	21.7	33.1	2.4	3 6	8.4	10.5	10.7	9.7	10.3	7.5	3.3	0.5	(2)
	1907	18.5	35.0	19.7	29.1	2.1	3.8	8.4	10.5	11.3	11.1	11.2	8.3	3.6	0.6	0.1
	1908	16.2	33.6	22.6	31.8	2.4	3.3	8.0	10.8	10.4	10.5	11.1	8.3	3.0	0.3	(2)
	1909	16.5	33.7	20.1	31.7	2.7	4.0	8.0	9.4	10.5	10.4	11.2	8.2	3.4	0.5	.....

[1] Exclusive of stillbirths. [2] Less than one-tenth. [3] No rates computed; population June 1, 1900, 102,979, Apr. 15, 1910, 77,403.

TABLE VII.—DEATH RATES PER 1,000 POPULATION, AVERAGE AGES AT DEATH, AND PER CENT DISTRIBUTION OF DEATHS AT CERTAIN AGE PERIODS, FOR THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, THE REGISTRATION STATES, AND CITIES OF 100,000 POPULATION AND OVER IN 1900, FOR EACH OF THE YEARS 1900 TO 1909—Contd.

AREA.		Death rate[1] per 1,000 population.	Average age at death.[1]	PER CENT OF DEATHS[1] AT ALL AGES.												
				Under 1	Under 5	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
CITIES HAVING A POPULATION OF 100,000 AND OVER IN 1900—Continued.																
Paterson, N. J.	1900	18.0	31.5	24.3	34.8	3.1	4.2	8.1	10.0	8.6	9.4	10.0	8.1	3.4	0.4	.....
	1901	17.6	32.9	25.6	33.2	3.0	3.9	7.8	9.3	8.6	10.0	12.6	7.6	3.4	0.5	.....
	1902	16.6	31.3	23.7	35.7	3.5	2.9	8.1	9.5	9.3	9.6	9.5	8.2	3.1	0.3	0.1
	1903	16.0	34.0	21.2	29.1	3.4	4.5	7.7	11.7	9.6	11.1	10.9	8.4	3.1	0.2	0.1
	1904	18.0	33.3	23.9	33.0	2.8	4.1	7.0	8.6	10.0	10.7	11.2	8.7	3.5	0.5	.....
	1905	16.6	35.0	22.6	29.3	2.4	4.9	7.7	9.7	10.5	10.4	12.6	7.6	4.0	0.9	.....
	1906	17.4	33.8	23.8	33.6	2.0	3.7	6.5	9.4	9.6	10.5	12.2	8.4	4.2	0.2	.....
	1907	15.6	36.1	21.0	28.4	3.2	4.1	7.8	9.3	8.9	10.6	13.6	9.2	4.0	0.9	.....
	1908	15.5	35.2	21.2	30.7	2.7	4.4	7.2	7.9	9.9	10.4	11.4	11.4	3.3	0.6	.....
	1909	15.3	36.6	19.2	28.2	2.3	3.8	7.7	9.2	11.1	10.8	12.4	9.8	4.1	0.6	.....
Buffalo, N. Y.	1900	14.6	32.2	26.8	36.7	2.7	3.7	6.4	8.6	9.1	8.5	9.8	9.2	4.5	0.6	0.1
	1901	15.4	32.9	23.2	33.7	3.2	3.4	8.2	9.1	9.4	9.2	10.2	8.6	4.4	0.6	(2)
	1902	14.7	33.9	22.3	32.3	2.4	3.9	8.0	10.1	9.7	8.8	10.7	9.1	4.5	0.5	.....
	1903	16.0	34.3	21.8	30.3	2.6	4.3	8.3	9.8	11.0	10.3	9.5	9.0	4.2	0.5	0.1
	1904	16.0	34.3	23.2	31.8	2.3	4.9	7.5	8.6	9.6	10.1	10.6	9.3	4.6	0.5	0.1
	1905	15.6	34.5	22.9	31.4	2.6	4.0	7.9	9.1	10.0	9.8	10.8	9.1	4.7	0.6	(2)
	1906	16.4	33.4	25.1	32.4	2.4	4.2	8.4	8.6	11.0	10.5	9.2	8.6	4.2	0.6	.....
	1907	16.7	34.5	23.9	31.9	1.9	4.3	7.1	9.0	10.8	10.1	11.0	8.5	4.8	0.6	(2)
	1908	15.3	34.3	24.7	32.5	2.4	3.4	7.7	8.8	10.0	10.2	11.3	8.8	4.5	0.6	(2)
	1909	15.2	34.1	23.2	31.9	3.4	4.2	7.4	8.3	10.0	10.0	9.7	9.3	5.1	0.6	(2)
New York, N. Y.	1900	20.6	29.8	23.5	36.4	3.0	3.2	9.0	11.0	9.8	9.6	8.8	6.5	2.4	0.3	(2)
	1901	19.9	31.0	21.8	34.2	3.0	3.3	8.8	11.3	10.1	10.0	9.7	6.6	2.6	0.3	(2)
	1902	18.6	30.1	22.8	35.7	3.0	3.4	8.5	11.2	10.0	9.8	9.2	6.3	2.4	0.3	(2)
	1903	18.0	31.9	21.1	32.4	2.9	3.7	8.9	11.4	10.5	10.5	10.0	6.8	2.5	0.4	0.1
	1904	20.1	31.4	20.8	32.7	3.3	4.2	8.5	11.2	10.6	10.1	9.8	6.8	2.5	0.3	(2)
	1905	18.4	31.4	22.4	33.3	2.9	3.9	8.6	11.1	10.9	10.0	10.0	6.7	2.5	0.3	(2)
	1906	18.3	31.5	22.5	33.8	2.5	3.5	8.3	11.1	10.9	10.2	10.0	6.6	2.6	0.4	(2)
	1907	18.3	32.4	22.0	32.6	2.5	3.6	8.1	11.1	11.0	10.7	10.3	7.0	2.8	0.4	(2)
	1908	16.3	32.1	22.1	33.0	2.7	3.7	8.0	10.5	11.4	10.6	10.2	6.9	2.7	0.4	.....
	1909	16.0	32.7	21.4	33.0	2.4	3.3	7.7	10.4	11.2	10.5	10.9	7.4	2.7	0.4	(2)
Bronx Borough.	1900	18.7	30.5	21.9	34.4	3.9	3.5	9.2	11.1	9.5	9.2	9.2	6.9	2.7	0.3	(2)
	1901	22.0	32.4	17.1	28.0	3.2	4.2	11.9	13.9	10.7	9.7	9.0	6.6	2.6	0.3	(2)
	1902	21.6	29.3	17.8	32.2	3.6	4.2	11.8	14.3	10.5	8.5	7.6	5.1	2.0	0.2	.....
	1903	19.4	33.8	15.5	25.4	3.2	4.6	11.0	15.2	11.2	9.8	9.3	7.2	2.7	0.4	0.1
	1904	21.5	32.5	16.6	27.6	3.4	4.6	11.6	13.7	10.9	9.6	8.8	6.9	2.4	0.4	(2)
	1905	20.3	33.2	16.6	25.7	2.9	5.1	11.2	15.3	11.9	9.1	9.2	6.4	2.8	0.3	0.1
	1906	20.4	32.9	16.5	28.0	2.2	4.0	11.1	14.2	12.0	9.8	9.5	6.3	2.5	0.2	(2)
	1907	18.7	33.8	16.4	25.9	2.7	4.9	10.7	13.0	13.0	10.2	10.0	6.5	2.6	0.4	(2)
	1908	17.0	33.6	16.1	26.5	3.0	4.6	10.5	13.1	13.0	10.2	9.6	6.5	2.8	0.3	.....
	1909	15.9	35.2	15.3	24.0	2.2	4.6	10.9	14.0	12.7	10.6	10.5	7.3	2.7	0.4	.....
Brooklyn Borough.	1900	20.1	29.6	24.1	37.2	3.3	3.4	8.7	10.1	9.1	9.5	8.7	6.8	2.7	0.4	(2)
	1901	19.3	31.0	22.2	34.8	3.7	3.5	8.3	10.1	9.4	9.4	10.3	7.2	2.9	0.3	.....
	1902	18.1	30.7	22.5	35.6	3.3	3.5	8.3	10.4	9.2	9.5	9.7	7.2	2.9	0.4	(2)
	1903	17.3	32.8	20.7	31.8	3.1	3.8	9.0	10.6	9.6	10.3	10.2	7.9	3.1	0.4	0.1
	1904	18.8	32.3	20.3	32.4	3.5	4.0	8.5	10.4	9.9	9.8	10.2	8.0	3.0	0.3	.....
	1905	17.6	32.5	21.4	32.6	3.0	4.1	8.3	10.3	10.1	9.8	10.6	7.7	3.1	0.4	(2)
	1906	17.7	31.9	21.6	34.0	2.9	3.7	7.8	10.4	10.1	10.0	10.3	7.5	3.0	0.4	(2)
	1907	17.6	33.2	21.1	32.2	3.0	3.8	7.6	10.4	10.1	10.3	10.7	8.0	3.4	0.4	.....
	1908	15.6	33.3	20.9	31.9	2.9	4.0	7.7	10.0	10.3	10.4	11.0	8.1	3.3	0.4	.....
	1909	15.4	33.7	20.2	32.3	2.6	3.4	7.4	9.9	10.3	10.5	11.4	8.4	3.3	0.5	(2)
Manhattan Borough.	1900	21.3	29.6	23.3	36.4	2.6	3.0	9.3	11.6	10.4	9.8	8.7	6.0	2.0	0.3	(2)
	1901	20.2	30.4	22.1	34.9	2.6	3.1	8.8	11.9	10.6	10.4	9.2	5.9	2.2	0.3	(2)
	1902	18.7	29.5	23.6	36.5	2.8	3.3	8.3	11.5	10.6	10.2	8.9	5.6	2.1	0.3	(2)
	1903	18.5	31.0	22.0	33.7	2.7	3.5	8.7	11.6	10.9	10.8	9.7	5.9	2.0	0.3	(2)
	1904	21.2	30.5	21.5	33.8	3.2	4.2	8.3	11.4	11.1	10.4	9.5	5.8	2.1	0.3	(2)
	1905	18.8	30.3	23.8	34.9	2.8	3.6	8.4	11.1	11.2	10.2	9.6	5.9	1.8	0.3	.....
	1906	18.5	30.9	23.7	34.6	2.3	3.3	8.3	11.2	11.3	10.7	9.8	5.9	2.2	0.3	(2)
	1907	18.7	31.6	23.1	33.9	2.2	3.2	8.1	11.5	11.2	11.1	10.0	6.2	2.3	0.3	(2)
	1908	16.8	30.8	23.8	35.0	2.4	3.3	7.9	10.6	11.9	10.8	9.5	5.9	2.3	0.3	.....
	1909	16.6	31.3	23.3	35.2	2.2	3.1	7.5	10.4	11.6	10.5	10.4	6.4	2.2	0.4	.....
Queens Borough.	1900	18.1	31.2	23.4	35.4	3.6	3.6	7.7	9.9	9.4	9.2	9.8	7.9	3.2	0.3	.....
	1901	17.3	33.0	23.0	32.6	3.0	3.8	7.9	9.4	10.4	9.9	10.4	8.1	3.6	0.5	0.4
	1902	16.3	31.1	24.8	35.3	3.7	3.4	7.9	10.0	8.2	10.2	10.1	7.9	2.8	0.4	0.2
	1903	14.8	32.2	23.0	33.7	3.9	3.5	7.6	9.2	9.5	9.7	10.8	8.6	3.0	0.4	(2)
	1904	16.1	33.1	23.1	32.0	3.1	4.0	7.5	10.5	9.9	9.9	11.0	8.6	3.3	0.2	.....
	1905	16.1	31.9	23.7	33.4	3.1	4.2	8.2	10.3	10.3	9.7	10.2	6.7	3.4	0.5	.....
	1906	16.5	31.6	24.7	34.9	3.0	3.9	7.7	9.6	10.8	8.7	10.1	7.6	3.4	0.4	.....
	1907	16.4	32.3	24.3	33.5	3.3	3.9	7.3	9.6	10.5	9.4	10.4	8.0	3.5	0.4	0.1
	1908	14.1	32.8	22.2	32.3	3.4	4.7	7.3	9.5	9.7	10.3	11.7	7.4	3.2	0.5	.....
	1909	14.2	33.5	22.2	32.6	3.0	3.9	7.6	8.2	10.4	10.2	12.1	8.6	3.0	0.4	.....
Richmond Borough.	1900	20.6	35.2	21.5	31.5	3.5	3.4	8.3	8.7	7.5	9.1	10.6	10.6	5.9	0.8	(2)
	1901	19.8	37.4	20.3	29.9	2.9	3.0	5.7	9.3	8.5	9.7	12.9	12.5	5.0	0.7	.....
	1902	18.5	36.2	21.9	31.2	3.0	2.6	8.1	8.2	7.7	9.1	12.2	12.1	5.2	0.5	.....
	1903	17.1	37.0	20.5	27.1	2.9	3.9	7.2	10.4	10.3	9.3	13.5	10.1	4.3	0.8	0.1
	1904	20.4	38.1	19.7	27.1	3.5	3.2	6.9	8.3	9.3	11.3	13.3	10.5	5.3	1.0	0.1
	1905	19.2	37.7	21.1	27.9	2.0	2.9	7.3	10.1	11.3	9.7	11.0	12.7	4.7	0.4	.....
	1906	19.5	36.0	23.1	30.1	2.1	2.9	7.3	11.5	10.3	8.2	11.3	10.5	4.7	1.2	.....
	1907	20.4	37.4	21.8	29.0	1.9	3.8	6.7	8.9	10.4	9.8	11.8	12.1	4.8	0.8	0.1
	1908	18.4	36.5	23.2	29.9	2.7	3.2	6.1	9.8	10.4	9.2	11.9	11.4	4.6	0.8	.....
	1909	18.1	37.8	20.0	28.9	2.2	2.8	6.3	10.0	9.7	9.9	13.2	11.1	5.4	0.6	.....

[1] Exclusive of stillbirths.

[2] Less than one-tenth.

TABLE VII.—DEATH RATES PER 1,000 POPULATION, AVERAGE AGES AT DEATH, AND PER CENT DISTRIBUTION OF DEATHS AT CERTAIN AGE PERIODS, FOR THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, THE REGISTRATION STATES, AND CITIES OF 100,000 POPULATION AND OVER IN 1900, FOR EACH OF THE YEARS 1900 TO 1909—Contd.

AREA.		Death rate[1] per 1,000 population.	Average age at death.[1]	PER CENT OF DEATHS[1] AT ALL AGES.												
				Under 1	Under 5	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
CITIES HAVING A POPULATION OF 100,000 AND OVER IN 1900—Continued.																
Rochester, N. Y.	1900	14.4	40.8	19.3	22.3	2.2	4.4	8.7	9.3	10.0	9.7	11.8	14.1	6.1	1.2	0.1
	1901	14.4	42.7	12.0	18.6	2.6	3.7	8.6	10.3	11.3	11.5	13.4	11.8	7.2	1.0	0.1
	1902	13.5	44.1	13.3	17.9	1.7	3.5	8.3	10.4	10.8	11.2	14.5	13.8	6.8	1.0	0.1
	1903	14.7	42.8	10.8	18.2	4.3	4.4	8.2	8.6	10.1	11.5	12.8	13.2	7.3	1.3	(2)
	1904	15.0	43.2	12.1	17.4	2.9	5.3	8.6	10.1	9.8	10.7	13.4	13.8	7.0	1.0	.....
	1905	15.3	41.0	14.9	22.0	3.1	4.9	7.9	7.7	10.6	10.1	12.6	13.1	6.6	1.3	(2)
	1906	15.1	41.5	14.6	20.5	2.9	4.4	8.0	9.3	10.7	11.7	12.4	12.2	7.4	0.4	(2)
	1907	15.5	43.0	13.3	19.2	2.6	3.7	8.2	9.3	10.4	12.4	13.0	13.3	6.8	1.0	0.1
	1908	13.7	43.1	13.4	19.5	2.0	4.1	8.0	9.2	11.0	12.2	13.0	12.5	7.3	1.3	.....
	1909	14.4	41.9	14.4	21.6	2.2	3.4	7.6	9.3	10.4	11.9	13.5	12.5	6.5	1.0	.....
Syracuse, N. Y.	1900	15.2	37.9	16.8	24.2	2.9	4.6	8.6	10.6	9.9	11.1	12.4	9.9	5.1	0.7	.....
	1901	14.1	40.4	15.6	21.7	2.7	5.5	7.3	10.0	10.2	10.7	13.7	10.9	6.1	1.2	0.1
	1902	13.3	41.2	17.5	22.7	2.2	4.0	7.3	8.9	8.9	11.6	14.1	14.2	5.1	0.9	.....
	1903	14.3	40.6	16.7	22.4	2.8	3.9	7.7	9.5	10.7	11.6	12.1	11.4	6.6	1.2	.....
	1904	15.2	40.6	15.9	21.5	3.4	4.3	7.7	10.2	9.5	11.1	13.2	12.2	5.9	0.9	0.1
	1905	15.5	40.0	18.0	24.0	2.3	4.6	6.7	8.8	10.8	11.6	12.3	11.6	6.5	0.6	0.1
	1906	15.2	39.3	20.6	26.9	2.2	3.5	7.2	8.3	9.0	11.2	12.6	11.5	6.6	1.0	0.1
	1907	15.3	39.6	20.7	25.8	2.0	4.2	6.4	9.3	8.8	12.4	12.8	10.0	7.2	1.1	.....
	1908	15.7	39.9	21.0	26.6	1.8	3.5	6.7	7.5	9.9	11.3	13.6	10.9	6.6	1.5	.....
	1909	14.5	39.5	20.6	26.0	2.5	2.7	6.4	10.0	9.1	11.9	13.7	11.6	4.9	1.2	0.1
Cincinnati, Ohio	1900	18.2	37.2	16.3	24.9	2.1	4.2	10.1	11.5	10.1	10.4	10.7	10.8	4.5	0.4	0.2
	1901	19.5	37.7	15.4	24.3	2.4	4.5	9.1	10.8	10.8	10.9	12.0	10.2	4.5	0.5	0.1
	1902	17.9	37.2	15.4	24.2	2.8	4.1	9.9	10.9	11.4	11.0	11.1	10.0	4.0	0.6	(2)
	1903	18.6	38.9	14.8	21.7	2.2	4.4	9.8	11.6	12.2	10.4	12.2	10.5	4.6	0.5	0.1
	1904	20.6	38.1	14.8	23 0	2.2	3.9	9.8	11.8	11.8	10.3	11.8	10.0	4.8	0.4	0.1
	1905	18.9	38.7	14.3	22.0	2.2	5.1	9.2	11.2	11.9	10.8	11.8	10.6	4.7	0.4	(2)
	1906	20.4	37.6	16.0	24.8	2.2	4.2	9.5	10.7	11.0	10.6	11.4	10.5	4.3	0.7	0.1
	1907	18.1	40.5	14.0	20.0	2.1	3.9	9.4	10.9	12.6	12.2	12.0	11.1	5.1	0.7	(2)
	1908	18.0	40.0	14.6	21.2	1.9	4.2	9.1	10.8	12.3	12.0	12.2	10.8	4.9	0.7	.....
	1909	16.5	41.4	14.2	18.8	1.5	4.0	9.2	11.7	12.7	13.1	12.2	10.9	5.4	0.4	0.1
Cleveland, Ohio	1900	17.6	29.9	25.8	36.3	3.3	4.4	8.9	9.9	8.9	8.5	8.5	6.9	3.6	0.5	0.2
	1901	15.0	32.4	25.6	34.2	2.6	4.3	8.4	8.7	9.1	9.6	10.1	8.1	4.1	0.6	0.2
	1902	15.4	31.2	24.4	34.3	3.4	4.7	9.0	9.2	9.4	8.5	8.9	7.7	3.9	0.6	0.2
	1903	16.1	31.5	24.5	32.6	2.9	5.0	10.5	9.8	9.3	9.2	9.4	7.4	3.4	0.4	0.1
	1904	14.7	32.2	25.7	33.7	2.1	4.3	8.9	9.9	9.2	9.8	9.9	7.8	3.6	0.5	0.3
	1905	13.5	33.0	25.1	33.4	2.0	3.8	8.6	9.5	9.8	10.0	10.8	7.7	4.0	0.4	(2)
	1906	14.9	31.0	26.4	37.0	2.5	3.7	8.1	8.7	9.1	9.5	9.3	7.7	3.8	0.5	0.1
	1907	15.2	32.4	25.3	34.2	2.7	3.8	8.5	9.6	8.7	9.4	10.0	8.6	3.8	0.6	(2)
	1908	13.3	33.4	24.7	33.0	2.1	4.0	8.1	9.1	9.9	10.1	10.4	8.7	4.0	0.5	0.1
	1909	12.9	34.2	23.9	32.2	2.0	3.5	7.9	9.6	9.7	10.2	11.9	8.7	3.8	0.6	0.1
Columbus, Ohio	1900	15.8	36.5	13.3	20.5	3.5	6.0	12.9	11.4	10.3	10.4	10.5	8.4	4.2	0.4	1.5
	1901	14.1	38.9	10.9	17.7	3.0	5.8	12.5	11.7	12.2	10.2	11.2	8.9	4.9	0.8	1.1
	1902	15.5	38.0	13.0	19.0	2.8	6.5	12.1	11.1	12.3	10.1	10.4	9.4	4.6	0.5	1.1
	1903	16.3	38.2	14.0	19.3	2.4	5.4	11.9	12.3	11.4	10.6	11.3	9.8	3.7	0.4	1.5
	1904	16.1	37.9	12.2	17.7	3.0	6.8	14.0	11.8	10.8	11.1	10.6	9.0	4.2	0.5	0.5
	1905	14.9	37.9	12.5	17.4	2.4	7.2	14.0	12.6	11.2	9.7	11.1	9.6	3.6	0.5	0.6
	1906	15.3	38.6	15.4	20.2	2.0	5.2	10.8	13.0	11.5	11.4	10.6	9.7	4.4	0.8	0.3
	1907	15.5	40.9	13.3	17.4	1.9	5.5	12.4	10.8	10.4	12.1	12.8	10.6	5.1	0.9	0.2
	1908	15.2	40.6	13.5	18.0	1.9	5.1	10.8	11.7	12.3	11.6	12.0	10.9	5.1	0.6	(2)
	1909	14.0	42.4	13.4	17.6	1.6	4.1	9.9	10.3	12.2	13 7	12.7	11.4	5.9	0.6	.....
Toledo, Ohio	1900	15.8	31.5	22.8	35.0	3.9	5.1	7.8	7.1	9.4	8.7	9.9	8.3	4.0	0.5	0.1
	1901	14.1	36.5	16.9	25.1	3.8	5.1	9 6	8.9	11.5	9.8	9.8	10.8	4.4	1.0	0.3
	1902	14.5	36.4	17.1	25.9	3.3	5.5	9.4	8.7	10.2	9.7	11.2	10.9	4.0	0.9	0.2
	1903	15.0	36.8	16.1	25.2	4.5	4.3	8.5	10.3	9.3	10.2	11.2	10.4	5.0	0.6	0.5
	1904	14.0	39.3	17.0	22.0	2.6	4.2	9.8	9.6	11.9	11.2	12.0	10.2	5.6	0.8	(2)
	1905	14.1	39.1	16.6	22.0	2.1	5.0	10 2	11.4	9.4	10.4	12.3	10.3	6.0	0.7	0.2
	1906	15.2	37.0	18.0	25.1	2.8	4.8	9 6	9.7	10.4	9.7	11.0	10.4	5.3	0.2	1.0
	1907	15.3	37.6	17.1	23.7	2.6	4.7	10.0	11.3	10.8	10.4	10.3	10.5	4.9	0.6	0.2
	1908	14.6	40.2	16.1	20.9	2.4	4.8	9.6	9.9	11.2	9.8	13.6	11.7	5.4	0.7	.....
	1909	14.6	41.1	15.7	21.2	2.2	3.8	8.7	10.3	9.9	11.5	13.4	12.1	5.8	1.0	0.1
Allegheny, Pa.	1900	18.3	29.1	24.4	36.6	3.4	4.9	10.6	9.0	8.5	8.2	8 4	7.0	3.1	0.3	0.1
	1901	17.6	29.3	21.8	36.6	3.7	4.7	10 5	9.7	7.8	7.3	8.5	7.5	3.4	0.5	.....
	1902	19.7	29.9	21.9	34.8	3.7	5.1	11.1	8.7	8.2	9.1	8.3	8.3	2.5	0.2	(2)
	1903	20.1	28.3	20.8	34.9	4.3	5.2	13.0	9.7	7.8	7.1	8.1	6.4	2.9	0.2	0.3
	1904	19.1	28.5	25.2	37.5	3.4	5.0	10.2	8.9	8.1	7.9	9.4	7.2	2.1	0.2	.....
	1905	20.5	27.7	23.8	39.5	3.1	4.8	10 3	9.1	7.8	7.3	8.5	6.7	2.6	0.4	.....
	1906	19.8	28.6	24.3	35.7	3.2	5.3	11.9	11.0	7.5	7.9	7.6	7.3	2.3	0.3	(2)
	1907	19.4	30.9	23.0	34.3	1.6	4.6	11.2	10.9	9.5	7.9	8.2	7.8	3.5	0.3	0.1
	1908	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
	1909	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Philadelphia, Pa.	1900	20.9	33.1	21.6	33.3	3.4	3.6	7.7	9.4	9.1	9.4	10.3	8.9	4.2	0.6	0.2
	1901	18.0	36.3	17.5	27.0	2.9	4.1	9.2	10.2	10.1	10.3	11.4	9.6	4.5	0.7	(2)
	1902	17.5	35.9	18.1	28 0	2.6	3.9	9.1	10.6	9.9	9.9	11.0	9.5	4.6	0.7	0.2
	1903	18.7	35.3	18.6	28.0	2.7	4.4	9.7	10.3	10.0	10.2	10.9	9.1	4.2	0.6	(2)
	1904	18.7	35.4	19.8	28 7	2.6	4.2	9.1	9.7	10.0	10.4	11.3	9.3	4.2	0.6	(2)
	1905	17.6	35.9	21.0	28.8	2.2	4.2	8.3	9.7	10.3	10.7	11.2	9.8	4.3	0.6	(2)
	1906	19.1	34.1	21.6	31 3	2.3	4 3	8.5	9.8	9.7	9.9	10.5	9.0	4.2	0.5	(2)
	1907	18.6	36.3	20.1	27.9	2.4	4.1	8.3	9.9	10.4	10.9	11.7	9.5	4.4	0.6	(2)
	1908	17.3	35.5	20.8	30.0	2.3	4.0	7.9	9.1	10 1	10.7	11.7	9.2	4.6	0.5	.....
	1909	16.4	37.0	19.9	28.5	2.0	3.6	7.5	9 2	10.2	11.0	12.4	10.2	4.7	0.7	.....

[1] Exclusive of stillbirths. [2] Less than one-tenth. [3] Annexed to Pittsburgh Dec. 9, 1907.

TABLE VII.—DEATH RATES PER 1,000 POPULATION, AVERAGE AGES AT DEATH, AND PER CENT DISTRIBUTION OF DEATHS AT CERTAIN AGE PERIODS, FOR THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, THE REGISTRATION STATES, AND CITIES OF 100,000 POPULATION AND OVER IN 1900, FOR EACH OF THE YEARS 1900 TO 1909—Contd.

AREA.		Death rate[1] per 1,000 population.	Average age at death.[1]	PER CENT OF DEATHS[1] AT ALL AGES.												
				Under 1	Under 5	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
CITIES HAVING A POPULATION OF 100,000 AND OVER IN 1900—Continued.																
Pittsburgh, Pa.	1900	20.0	26.6	24.3	38.5	3.3	5.4	11.8	10.2	8.1	7.3	7.3	5.3	2.2	0.4	0.1
	1901	19.3	27.3	24.0	37.2	3.7	5.1	11.7	10.2	8.8	7.4	7.6	5.8	1.9	0.4	0.1
	1902	21.3	26.9	23.1	37.0	3.1	5.4	12.4	10.9	9.4	7.9	6.8	4.8	2.0	0.2	(2)
	1903	21.1	26.2	23.5	37.0	3.2	5.1	14.1	11.5	8.4	7.3	6.7	4.3	2.0	0.2	0.1
	1904	19.3	27.0	25.4	37.6	3.2	5.8	11.9	9.9	9.0	7.6	6.6	5.9	2.3	0.3	(2)
	1905	19.7	26.9	24.7	38.5	3.2	5.4	11.6	10.0	8.5	7.7	7.4	4.9	2.4	0.4	(2)
	1906	19.9	27.0	25.7	37.9	2.8	5.7	11.8	10.7	8.4	7.9	7.1	5.2	2.4	0.2	(2)
	1907	19.3	29.0	24.7	36.1	2.1	5.1	11.7	10.0	9.0	8.3	8.5	6.3	2.5	0.3	(2)
	[3] 1908	17.3	30.0	24.3	36.8	2.9	4.1	9.2	9.2	9.1	8.5	9.6	6.9	3.1	0.4	.....
	[3] 1909	15.8	32.2	23.1	32.7	2.6	4.3	8.7	10.4	10.2	10.0	10.2	7.7	2.9	0.3	.....
Scranton, Pa.	1900	20.4	24.9	23.4	41.6	6.0	5.4	8.2	8.1	6.5	7.5	7.8	5.3	1.9	(2)	1.6
	1901	16.2	29.9	21.9	33.2	3.3	5.1	8.6	8.6	8.3	10.3	9.4	5.7	2.3	0.2	4.9
	1902	13.9	31.2	24.2	33.4	1.7	4.3	7.9	9.2	8.5	8.8	11.9	6.7	1.9	0.3	5.3
	1903	14.8	31.8	22.2	30.8	3.3	5.1	9.2	10.7	10.1	10.5	10.5	6.3	2.3	0.6	0.6
	1904	17.8	29.8	27.5	35.5	1.9	5.3	9.5	10.8	8.5	8.8	11.0	5.8	2.3	0.3	0.2
	1905	18.1	28.5	29.1	39.3	1.9	3.6	9.7	9.0	9.0	9.9	9.4	5.9	1.7	0.3	0.1
	1906	16.4	29.0	24.8	36.8	3.2	4.7	9.5	9.8	8.9	8.6	9.5	6.6	1.9	0.3	0.3
	1907	15.7	29.4	25.5	35.3	3.2	5.3	9.4	9.9	10.3	9.0	9.3	5.8	2.2	0.4	.....
	1908	16.4	29.0	26.8	38.3	3.3	5.0	8.2	8.2	8.8	8.0	9.6	7.9	2.3	0.2	.....
	1909	16.3	29.7	25.1	36.4	3.4	3.8	9.2	9.5	9.4	8.7	10.1	7.0	2.4	0.1	.....
Providence, R. I.	1900	20.8	33.2	21.9	33.6	2.4	3.5	9.2	8.7	8.8	10.4	10.0	8.7	4.2	0.6	.....
	1901	19.1	34.9	20.8	30.4	2.2	3.6	9.1	9.0	9.6	11.4	11.0	8.3	4.5	0.7	(2)
	1902	18.4	34.4	22.4	31.0	2.3	4.0	8.5	9.3	9.6	11.1	10.5	9.2	3.8	0.6	.....
	1903	20.6	33.1	22.4	34.8	2.8	2.8	7.5	8.5	8.4	10.5	10.9	7.7	4.5	0.8	0.7
	1904	18.5	35.2	21.9	30.3	2.5	3.9	7.9	8.7	9.9	10.5	11.7	9.5	4.3	0.5	0.3
	1905	17.5	36.1	19.7	27.6	2.5	3.5	8.8	10.6	10.1	11.7	11.5	9.2	3.9	0.7	(2)
	1906	18.6	33.9	22.1	32.6	2.8	3.5	7.4	9.4	9.4	10.5	11.7	8.0	3.9	0.7	.....
	1907	19.1	35.6	20.8	30.6	2.4	3.6	7.0	8.9	9.5	11.4	12.0	9.3	4.4	0.8	(2)
	1908	16.6	35.9	21.7	30.8	2.2	3.4	6.9	9.5	8.4	11.5	12.1	10.0	4.5	0.7	.....
	1909	16.1	36.7	21.4	30.5	2.1	3.3	5.9	8.5	9.7	11.3	13.1	10.3	4.6	0.6	.....
Memphis, Tenn.	1900	22.5	30.9	13.2	24.0	3.9	7.3	14.9	14.5	11.4	10.3	8.1	3.9	1.4	0.3	0.1
	1901	18.8	31.1	15.3	23.5	2.0	6.4	19.0	15.1	10.3	10.3	6.8	3.8	1.8	0.4	0.4
	1902	18.8	30.9	16.2	25.5	2.6	6.5	16.4	13.9	11.4	9.1	7.9	4.5	1.9	0.5	.....
	1903	18.9	31.0	14.3	24.8	2.9	6.8	17.1	13.2	10.5	9.5	7.8	4.9	1.8	0.4	0.3
	1904	21.0	33.3	13.1	21.0	3.1	6.8	17.5	13.4	11.5	9.7	9.2	5.0	2.1	0.7	.....
	1905	19.6	33.3	13.7	21.1	2.1	6.9	17.4	14.5	10.1	11.9	8.4	5.0	2.2	0.4	0.1
	1906	19.7	31.7	14.7	22.2	1.7	7.2	18.9	14.3	11.5	10.8	7.8	3.8	1.5	0.3	(2)
	1907	21.5	31.0	14.8	25.3	2.5	6.6	16.7	14.0	10.6	10.0	7.5	4.5	1.7	0.6	0.1
	1908	20.1	33.8	12.4	20.3	2.3	6.1	16.3	15.4	12.8	10.0	8.8	5.1	1.8	0.6	0.4
	1909	20.1	35.2	12.2	18.3	2.1	6.3	16.6	16.7	12.6	9.0	8.8	5.7	2.6	1.1	0.3
Milwaukee, Wis.	1900	15.2	28.0	31.5	42.9	3.6	4.4	6.8	7.2	7.8	6.2	7.5	9.1	3.8	0.6	(2)
	1901	13.2	33.5	25.4	33.4	3.1	5.0	7.4	8.1	8.6	8.6	9.1	10.9	5.0	0.6	(2)
	1902	12.6	31.6	26.0	35.9	3.4	4.9	7.7	8.5	8.1	7.6	9.7	8.7	4.6	0.8	0.1
	1903	13.5	33.3	26.9	34.4	2.5	4.9	7.9	7.4	7.9	9.1	9.8	10.1	5.6	0.4	(2)
	1904	13.6	32.3	25.9	35.4	2.5	4.8	8.5	7.2	8.7	8.7	9.3	9.6	4.8	0.5	0.1
	1905	13.0	32.5	26.3	34.4	2.6	4.9	9.0	7.6	8.9	8.7	8.9	9.3	4.9	0.7	(2)
	1906	14.2	32.1	26.6	36.1	2.1	5.2	8.0	7.7	8.9	8.0	8.8	9.7	4.7	0.8	(2)
	1907	13.8	34.0	25.5	33.0	2.0	4.2	9.3	7.7	8.9	9.6	9.9	9.7	4.7	0.9	0.1
	1908	12.7	32.1	27.9	36.6	2.1	4.8	7.8	7.2	8.7	8.5	9.0	9.2	5.4	0.5	.....
	1909	13.7	30.5	27.0	38.7	3.9	3.9	7.7	6.6	7.8	8.6	8.3	8.8	5.2	0.4	(2)

[1] Exclusive of stillbirths.

[2] Less than one-tenth.

[3] Includes Allegheny.

TABLE VIII.—MALES—PER CENT DISTRIBUTION, BY IMPORTANT CAUSES, OF DEATHS OF MALES AT LEAST 10 AREA:

[These percentages, based on Table 11, page 726, are shown for only those occupations having 500 or

	OCCUPATION AND AGE PERIOD.	DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS.										
		Number of deaths.[1]	Per cent of all causes at specified age period.									
			Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
1	All occupations reported	210,507	2.2	14.8	5.5	0.5	1.1	0.9	(2)	(2)	7.3	2.5	11.9
2	10 to 14 years	*176*	*4.0*	*4.0*	.....	.....	*1.1*	.....	.....	.....	*1.1*	*6.8*	*2.3*
3	15 to 19 years	5,356	9.0	23.0	0.5	0.7	0.8	0.1	(2)	(2)	0.5	3.9	3.8
4	20 to 24 years	12,197	7.6	31.7	0.9	0.5	0.6	0.4	(2)	0.1	0.6	2.5	3.5
5	25 to 34 years	28,635	5.0	31.0	1.3	0.5	0.8	1.1	(2)	0.1	1.2	2.5	4.8
6	35 to 44 years	32,461	2.7	23.6	3.3	0.5	0.8	1.9	0.1	0.1	2.7	2.8	7.7
7	45 to 54 years	35,711	1.5	14.4	6.8	0.5	1.3	1.5	0.1	(2)	5.9	2.8	11.3
8	55 to 64 years	35,953	0.7	7.5	9.4	0.5	1.7	0.8	0.1	0.1	10.1	2.6	15.4
9	65 to 74 years	33,462	0.3	3.6	8.4	0.5	1.5	0.3	(2)	0.1	13.4	2.3	18.9
10	75 to 84 years	20,802	0.1	1.3	5.6	0.4	0.8	0.1	.....	(2)	15.1	2.0	18.5
11	85 years and over	5,464	(2)	0.6	3.1	0.3	0.4	(2)	.....	.....	12.5	1.2	14.1
12	Unknown	290	0.7	8.3	2.8	.....	0.3	2.8	.....	0.3	5.2	2.4	7.2
13	Agricultural pursuits	50,848	2.2	8.7	6.4	0.6	1.1	0.6	(2)	(2)	10.1	2.7	15.1
14	10 to 14 years	*49*	*4.1*	*6.1*	.....	.....	*4.1*	.....	.....	.....	*2.0*	*12.2*	*2.0*
15	15 to 19 years	1,238	12.2	18.4	0.1	0.9	1.1	0.1	.....	0.1	0.5	4.4	3.5
16	20 to 24 years	2,008	10.8	27.1	0.9	0.5	1.3	0.3	.....	.....	0.9	3.3	3.3
17	25 to 34 years	3,711	7.9	26.2	1.6	0.4	1.2	1.0	(2)	(2)	1.4	3.7	4.6
18	35 to 44 years	4,138	4.5	19.3	4.5	0.7	1.2	1.6	(2)	(2)	2.6	3.3	7.4
19	45 to 54 years	5,816	2.4	12.3	8.4	0.8	1.4	1.6	(2)	0.1	5.9	3.5	11.9
20	55 to 64 years	8,424	1.1	6.7	10.1	0.5	1.4	0.8	.....	.....	11.5	2.8	16.8
21	65 to 74 years	11,884	0.3	3.8	8.4	0.6	1.2	0.2	.....	0.1	14.1	2.4	20.8
22	75 to 84 years	10,236	0.1	1.3	5.6	0.6	0.8	0.1	.....	.....	15.2	2.2	20.0
23	85 years and over	3,240	(2)	0.5	3.1	0.5	0.4	.....	.....	.....	12.4	1.3	14.8
24	Unknown	*104*	.....	*3.7*	*1.9*	.....	.....	*3.8*	.....	.....	*6.7*	*1.9*	*10.6*
25	Agricultural laborers	13,214	3.3	14.5	4.2	0.6	0.8	1.5	(2)	0.1	7.4	2.6	12.6
26	10 to 14 years	*27*	*7.4*	*11.1*	.....	.....	*3.7*	.....	.....	.....	.....	*7.4*	.....
27	15 to 19 years	702	12.3	20.7	0.1	0.6	1.0	0.1	.....	0.1	0.6	4.0	3.8
28	20 to 24 years	1,022	11.3	29.2	0.6	0.4	0.8	0.4	.....	.....	1.1	2.8	3.1
29	25 to 34 years	1,800	7.1	28.6	1.0	0.4	0.8	1.6	0.1	.....	1.6	2.4	4.8
30	35 to 44 years	1,701	2.8	20.0	2.9	0.7	0.6	3.0	.....	.....	2.5	2.5	8.5
31	45 to 54 years	1,958	1.8	14.9	5.1	0.7	1.1	3.1	0.1	0.1	5.3	3.7	12.8
32	55 to 64 years	2,269	0.7	8.4	7.6	0.5	0.7	1.5	.....	.....	11.5	2.3	16.9
33	65 to 74 years	2,168	0.4	4.4	6.9	0.6	1.0	0.6	.....	0.2	14.3	2.4	20.3
34	75 to 84 years	1,220	0.1	2.0	4.3	0.8	0.3	0.4	.....	.....	14.3	1.6	20.9
35	85 years and over	289	.....	1.7	2.1	0.7	0.3	.....	.....	.....	11.4	0.7	15.9
36	Unknown	*58*	.....	*12.1*	.....	.....	.....	*5.2*	.....	.....	*3.4*	*1.7*	*10.3*
37	Farmers, planters, and overseers	34,662	1.9	6 6	7.2	0.6	1.3	0.2	(2)	(2)	11.3	2.8	16.3
38	10 to 14 years	*22*	.....	.....	.....	.....	*4.5*	.....	.....	.....	*4.5*	*18.2*	*4.5*
39	15 to 19 years	495	12.7	15.6	.....	1.4	1.4	.....	.....	.....	0.4	5.1	3.2
40	20 to 24 years	867	10.5	26.5	1.3	0.8	2.1	0.1	.....	.....	0.8	4.0	3.3
41	25 to 34 years	1,628	9.2	24.9	2.3	0.6	1.7	0.4	.....	0.1	1.4	5.2	4.6
42	35 to 44 years	2,091	6.0	18.8	5.5	0.8	1.6	0.5	(2)	.....	2.8	4.1	6.6
43	45 to 54 years	3,366	2.9	11.0	10.4	0.9	1.6	0.6	.....	(2)	6.2	3.5	11.5
44	55 to 64 years	5,589	1.2	6.1	11.0	0.6	1.8	0.5	.....	(2)	11.5	3.0	17.1
45	65 to 74 years	9,110	0.4	3.7	8.6	0.6	1.2	0.1	.....	0.1	14.1	2.5	21.0
46	75 to 84 years	8,591	0.2	1.3	5.7	0.5	0.9	(2)	.....	(2)	15.5	2.3	19.9
47	85 years and over	2,875	(2)	0.4	3 3	0.5	0.4	.....	.....	.....	12.6	1.3	14.7
48	Unknown	*28*	.....	*3.6*	*7.1*	.....	.....	*3.6*	.....	.....	*17.9*	*3.6*	*17.9*
49	Gardeners, florists, nurserymen, etc	1,215	1.0	9.3	8.1	0.4	0.9	0.7	.....	0.1	9.0	1.6	14.7
50	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	*9*	.....	*33.3*	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	20 to 24 years	*17*	*5.9*	*29.4*	.....	.....	.....	.....	.....	.....	*5.9*	*5.9*	*5.9*
53	25 to 34 years	*69*	*5.8*	*23.2*	*1.4*	.....	*2.9*	.....	.....	.....	*1.4*	*4.3*	*4.3*
54	35 to 44 years	*96*	*4.2*	*33.3*	*7.3*	.....	*2.1*	*2.1*	.....	.....	*3.1*	*2.1*	*2.1*
55	45 to 54 years	*184*	*1.1*	*15.2*	*6.5*	.....	*0.5*	*2.7*	.....	*0.5*	*6.5*	*3.8*	*14.7*
56	55 to 64 years	223	0.4	7.2	13.0	0.4	.....	.....	.....	.....	7.6	1.3	16.1
57	65 to 74 years	328	.....	3 4	10.1	0.6	1.8	.....	.....	.....	12.8	0.6	17.1
58	75 to 84 years	238	.....	0.8	6.7	0.8	.....	0.4	.....	.....	11.8	0.4	19.7
59	85 years and over	*50*	.....	.....	.....	.....	.....	.....	.....	.....	*10.0*	.....	*12.0*
60	Unknown	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Lumbermen and raftsmen	815	3.2	5.6	6.3	.....	1.3	1.7	.....	0.1	6.0	2.7	9.0
62	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	*16*	*12.5*	.....	.....	.....	.....	.....	.....	.....	.....	*6.3*	.....
64	20 to 24 years	*61*	*4.9*	*8.2*	.....	.....	.....	*1.6*	.....	.....	.....	.....	*1.6*
65	25 to 34 years	*122*	*8.2*	*9.8*	*1.6*	.....	.....	*2.5*	.....	.....	*0.8*	*1.6*	*1.6*
66	35 to 44 years	*127*	*4.7*	*10.2*	*4.7*	.....	*0.8*	*1.6*	.....	.....	.....	*3.1*	*4.7*
67	45 to 54 years	*142*	*2.8*	*4.9*	*7.7*	.....	*2.8*	*3.5*	.....	.....	*7.0*	*2.1*	*9.9*
68	55 to 64 years	*153*	*0.7*	*4.6*	*11.8*	.....	*2.0*	*2.0*	.....	*0.7*	*9.8*	*3.9*	*13.1*
69	65 to 74 years	*95*	.....	*1.1*	*10.5*	.....	*3.2*	.....	.....	.....	*8.4*	*3.2*	*16.8*
70	75 to 84 years	*69*	.....	.....	*5.8*	.....	.....	.....	.....	.....	*17.4*	*4.3*	*15.9*
71	85 years and over	*15*	.....	.....	.....	.....	.....	.....	.....	.....	*20.0*	.....	*20.0*
72	Unknown	*15*	.....	*6.7*	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] The total number of deaths at each age period is taken as the basis, or 100 per cent, with which the percentages for individual causes are compared.

YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS, CLASSIFIED BY AGE, FOR THE REGISTRATION 1909.

more deaths. All figures printed in *italics* relate to a total of less than 200 deaths for that age period.]

DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS—continued.

Per cent of all causes at specified age period—Continued.

Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
4.2	0.8	8.0	0.4	0.3	0.7	1.8	0.7	0.3	1.1	0.3	2.8	8.5	2.6	0.7	9.9	10.3	1
1.1	.....	*8.5*	.....	.....	.....	.....	.....	*2.3*	*5.7*	.....	*4.5*	*1.1*	*1.7*	*1.1*	*40.9*	*18.6*	2
1.0	0.2	7.0	0.5	.....	0.4	0.1	0.3	0.7	4.8	0.2	1.7	1.5	2.2	1.0	25.5	10.4	3
1.1	0.2	6.3	0.3	(2)	0.5	0.3	0.4	0.3	3.4	0.2	1.7	2.1	3.4	1.0	20.7	9.7	4
1.6	0.3	7.4	0.5	0.1	0.5	0.9	0.4	0.4	2.0	0.2	2.1	4.0	3.7	1.1	17.3	9.3	5
2.5	0.4	9.5	0.4	0.2	0.7	2.1	0.7	0.3	1.4	0.2	2.4	6.6	3.7	1.0	13.4	8.3	6
3.5	0.5	9.0	0.5	0.3	0.8	3.0	0.9	0.3	0.9	0.3	2.7	9.7	3.5	0.8	9.4	7.9	7
5.3	0.8	8.3	0.4	0.3	0.7	2.7	0.8	0.2	0.4	0.4	3.0	11.7	2.3	0.5	5.8	7.7	8
6.5	1.3	7.6	0.3	0.4	0.6	1.9	0.7	0.2	0.2	0.4	3.3	12.0	1.2	0.3	3.6	10.1	9
7.4	2.1	7.0	0.2	0.4	0.7	0.9	0.5	0.1	0.1	0.4	3.9	10.5	0.5	0.2	2.8	18.1	10
7.4	3.2	6.3	0.1	0.3	1.0	0.3	0.3	0.1	(2)	0.4	4.2	7.7	0.3	0.1	3.3	32.7	11
1.4	.....	4.5	0.3	0.3	0.3	.....	.....	.....	.....	.....	1.7	2.8	6.6	2.4	38.6	11.0	12
4.3	1.0	7.1	0.3	0.3	0.6	1.3	0.7	0.3	1.0	0.3	3.5	7.6	2.1	0.4	7.4	14.0	13
.....	.....	*8.2*	.....	.....	.....	.....	.....	*4.1*	*8.2*	.....	*6.1*	.....	*2.0*	.....	*20.4*	*20.4*	14
0.6	0.2	8.2	0.8	.....	0.3	.....	0.4	0.9	4.7	0.2	2.0	1.5	1.9	0.6	25.6	10.9	15
0.9	0.2	6.4	0.1	0.1	0.3	0.1	0.7	0.5	4.1	0.4	1.7	1.4	3.7	0.5	19.3	10.8	16
0.9	0.2	6.3	0.5	0.1	0.5	0.5	0.4	0.6	2.9	0.2	2.2	2.7	4.2	0.8	17.5	11.2	17
1.6	0.3	8.4	0.4	0.1	0.4	1.3	0.7	0.7	2.3	0.2	3.0	4.7	5.4	1.0	14.4	10.1	18
2.9	0.4	8.4	0.6	0.2	0.7	2.0	1.1	0.3	1.2	0.3	3.6	6.9	3.9	0.6	8.5	10.0	19
4.5	0.7	7.6	0.3	0.2	0.5	2.2	1.0	0.4	0.5	0.4	3.4	9.0	2.3	0.3	5.9	9.0	20
5.6	1.1	6.7	0.4	0.4	0.6	1.6	0.8	0.2	0.2	0.3	3.6	10.2	1.0	0.2	3.1	12.1	21
6.2	2.0	6.5	0.2	0.4	0.6	0.8	0.5	0.1	(2)	0.3	4.2	9.2	0.5	0.1	2.9	19.5	22
7.0	3.0	5.5	0.1	0.2	0.9	0.2	0.4	0.1	(2)	0.4	4.5	6.8	0.2	0.1	3.0	34.6	23
2.9	.....	*5.8*	.....	*1.0*	.....	.....	.....	.....	.....	.....	*2.9*	*3.8*	*6.7*	*1.0*	*26.0*	*16.3*	24
2.7	0.8	8.4	0.4	0.4	0.6	1.4	0.6	0.4	0.6	0.3	2.8	6.2	3.0	0.7	11.4	11.8	25
.....	.....	*11.1*	.....	.....	.....	.....	.....	*3.7*	*7.4*	.....	*7.4*	.....	.....	.....	*14.3*	*25.9*	26
0.6	0.1	9.0	0.3	.....	0.4	.....	0.3	0.9	2.7	0.3	1.9	1.1	2.0	0.4	26.1	10.7	27
0.9	0.3	6.8	0.1	0.1	0.5	0.2	0.5	0.1	1.7	0.2	1.5	1.8	4.0	0.7	22.0	9.1	28
1.2	0.1	6.5	0.4	0.3	0.8	0.6	0.3	0.4	0.8	0.2	1.6	2.1	5.2	1.1	19.1	11.2	29
1.4	0.5	10.0	0.6	0.4	0.4	1.4	0.5	0.7	0.8	0.1	2.6	4.4	5.6	1.6	16.4	8.9	30
2.5	0.6	10.6	0.5	0.2	1.0	2.3	0.8	0.3	0.5	0.2	3.2	5.7	3.2	0.6	9.0	10.1	31
3.3	0.9	8.8	0.2	0.4	0.6	2.5	0.8	0.4	0.2	0.3	3.0	9.6	2.4	0.3	7.1	9.1	32
4.6	1.2	8.0	0.4	0.7	0.3	1.8	0.9	0.1	(2)	0.5	3.5	9.5	1.4	0.5	3.7	11.7	33
4.8	2.2	7.2	0.2	0.4	0.7	0.7	0.4	0.3	0.1	0.5	4.1	10.0	0.7	0.4	2.2	20.2	34
6.2	2.1	4.5	0.3	0.3	1.4	0.7	.....	.....	.....	0.7	1.4	8.7	0.3	.....	2.1	38.4	35
1.7	.....	*6.9*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*3.4*	*3.4*	.....	*32.8*	*19.0*	36
4.9	1.1	6.6	0.3	0.2	0.5	1.2	0.8	0.3	1.1	0.3	3.8	8.2	1.8	0.2	5.3	15.0	37
.....	.....	*4.5*	.....	.....	.....	.....	.....	*4.5*	*9.1*	.....	*4.5*	.....	*4.5*	.....	*27.3*	*13.6*	38
0.4	0.4	7.3	1.4	.....	0.2	.....	0.6	1.0	7.3	.....	2.4	2.2	1.6	0.8	23.0	11.5	39
1.2	0.1	6.2	0.1	0.1	0.1	0.1	0.9	1.0	7.3	0.6	2.2	1.3	3.9	0.3	12.5	12.6	40
0.6	0.4	6.4	0.5	.....	0.2	0.3	0.6	0.9	5.3	0.3	3.0	3.3	3.1	0.6	12.8	11.3	41
1.7	0.3	7.4	0.3	.....	0.3	1.3	0.9	0.7	3.5	0.2	3.4	5.0	5.2	0.5	11.1	11.4	42
3.1	0.3	7.0	0.6	0.2	0.6	1.9	1.3	0.3	1.6	0.4	3.9	7.4	4.2	0.5	7.7	10.3	43
5.0	0.6	7.1	0.3	0.2	0.4	2.1	1.1	0.4	0.6	0.4	3.5	8.8	2.3	0.3	5.1	9.0	44
5.7	0.9	6.3	0.4	0.3	0.6	1.5	0.8	0.2	0.3	0.3	3.6	10.4	1.0	0.2	3.0	12.2	45
6.4	1.9	6.4	0.2	0.4	0.5	0.8	0.5	0.1	(2)	0.3	4.3	9.1	0.5	0.1	3.0	19.4	46
6.8	3.1	5.7	0.1	0.2	0.9	0.2	0.4	0.1	(2)	0.3	4.9	6.6	0.2	0.1	3.0	34.2	47
7.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*7.1*	*7.1*	*7.1*	.....	*7.1*	*10.7*	48
5.8	2.1	9.1	0.3	0.2	1.0	1.6	0.6	0.3	1.1	0.1	3.6	8.9	2.1	0.7	4.7	12.3	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
11.1	.....	*11.1*	*11.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*11.1*	*22.2*	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	*5.9*	.....	.....	.....	.....	*5.9*	*17.6*	*17.6*	52
2.9	*1.4*	*8.7*	*1.4*	.....	.....	.....	.....	.....	*4.3*	.....	*4.3*	*4.3*	*4.3*	.....	*13.0*	*11.6*	53
1.0	.....	*9.4*	.....	.....	.....	.....	*2.1*	*1.0*	*5.1*	*1.0*	*2.1*	*5.2*	*5.2*	.....	*7.3*	*6.3*	54
3.8	.....	*11.4*	.....	.....	*1.1*	*1.1*	*1.1*	*0.5*	*1.6*	.....	*3.3*	*9.2*	*3.8*	*1.1*	*4.3*	*6.0*	55
4.0	0.4	9.9	0.4	.....	0.4	4.9	0.4	0.4	0.9	.....	5.4	10.3	2.7	1.3	4.5	7.6	56
7.3	4.0	8.5	.....	0.9	0.9	1.5	0.3	0.3	0.3	.....	3.7	10.4	0.6	0.3	2.7	11.9	57
7.1	3.4	9.2	0.4	.....	2.1	0.8	0.4	.....	.....	.....	3.8	8.8	1.3	0.4	2.9	18.5	58
18.0	*4.0*	*2.0*	.....	.....	*2.0*	.....	.....	.....	.....	.....	.....	*10.0*	.....	.....	*6.0*	*36.0*	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*100.0*	60
4.2	0.1	6.3	0.2	0.1	0.2	1.1	1.0	.....	0.4	0.2	2.2	5.0	2.9	0.7	29.2	10.1	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	62
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*81.3*	.....	63
.....	.....	*4.9*	.....	.....	.....	.....	*1.6*	.....	*1.6*	.....	*1.6*	.....	.....	.....	*67.2*	*6.6*	64
.....	.....	*2.5*	*0.8*	.....	.....	*0.8*	*0.8*	.....	*0.8*	.....	*0.8*	*0.8*	*4.1*	.....	*54.9*	*7.4*	65
1.6	.....	*5.5*	.....	.....	.....	.....	*0.8*	.....	.....	.....	*3.1*	*2.4*	*4.7*	*1.6*	*42.5*	*7.9*	66
2.8	.....	*8.5*	.....	.....	.....	*2.1*	*0.7*	.....	*0.7*	.....	*1.4*	*5.6*	*4.9*	*0.7*	*24.6*	*7.0*	67
6.5	.....	*10.5*	*0.7*	.....	*0.7*	*1.3*	*2.0*	.....	.....	.....	*2.6*	*3.5*	*1.3*	.....	*9.2*	*3.5*	68
11.6	*1.1*	*5.3*	.....	.....	*1.1*	*1.1*	*1.1*	.....	.....	*2.1*	*3.2*	*9.5*	.....	.....	*6.3*	*14.7*	69
3.7	.....	*4.3*	.....	*1.4*	.....	*2.9*	.....	.....	.....	.....	*1.4*	*3.7*	*1.4*	*2.9*	*2.9*	*21.7*	70
6.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*6.7*	*6.7*	.....	.....	.....	*40.0*	71
.....	.....	*13.3*	.....	.....	.....	.....	.....	.....	.....	.....	*6.7*	.....	*20.0*	*6.7*	*40.0*	*6.7*	72

(2) Less than one-tenth.

TABLE VIII.—MALES—PER CENT DISTRIBUTION, BY IMPORTANT CAUSES, OF DEATHS OF MALES AT THE REGISTRATION

[These percentages, based on Table 11, page 726, are shown for only those occupations having 500 or

	OCCUPATION AND AGE PERIOD.	DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS.											
			Per cent of all causes at specified age period.										
		Number of deaths.[1]	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
	Agricultural pursuits—Continued.												
1	Stock raisers, herders, and drovers	776	1.7	9.8	7.3	0.3	1.3	0.4	.....	.....	9.1	2.4	12.0
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	*12*	.....	*25.0*	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	20 to 24 years	*28*	*14.3*	*21.4*	.....	.....	.....	.....	.....	.....	.....	*3.6*	*10.7*
5	25 to 34 years	*79*	*3.8*	*31.6*	*1.3*	.....	.....	.....	.....	.....	.....	*5.1*	*3.8*
6	35 to 44 years	*91*	*2.2*	*16.5*	*6.6*	.....	*2.2*	*2.2*	.....	.....	*1.1*	*2.2*	*11.0*
7	45 to 54 years	*136*	*0.7*	*9.6*	*9.6*	.....	*2.2*	.....	.....	.....	*6.6*	*1.5*	*11.0*
8	55 to 64 years	*157*	*1.9*	*7.6*	*8.3*	.....	*1.3*	.....	.....	.....	*15.9*	*1.9*	*8.3*
9	65 to 74 years	*158*	.....	*1.3*	*8.2*	*0.6*	*1.9*	.....	.....	.....	*13.9*	*1.9*	*20.9*
10	75 to 84 years	*103*	.....	.....	*10.7*	*1.0*	.....	*1.0*	.....	.....	*12.6*	*2.9*	*15.5*
11	85 years and over	*11*	.....	.....	.....	.....	.....	.....	.....	.....	*9.1*	*9.1*	.....
12	Unknown	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Professional service	9,214	2.3	12.0	5.9	0.4	2.4	0.5	(2)	0.1	8.6	3.3	12.3
14	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	*91*	*7.7*	*26.4*	.....	.....	*1.1*	.....	.....	.....	.....	*2.2*	*5.5*
16	20 to 24 years	423	10.4	32.9	1.2	.....	1.4	.....	.....	.....	1.2	2.6	4.0
17	25 to 34 years	1,192	5.7	33.6	1.4	0.5	1.0	0.8	.....	0.4	1.3	2.9	4.9
18	35 to 44 years	1,329	2.9	20.4	3.2	0.8	1.5	1.1	0.1	0.2	4.5	4.7	7.2
19	45 to 54 years	1,567	1.9	9.9	6.3	0.4	3.5	0.8	.....	.....	8.1	4.1	10.8
20	55 to 64 years	1,712	0.7	4.4	9.5	0.5	3.7	0.3	.....	0.2	10.8	3.4	15.7
21	65 to 74 years	1,732	0.5	2.1	8.7	0.3	3.1	.....	.....	.....	13.2	2.4	19.3
22	75 to 84 years	916	0.1	0.5	6.4	0.1	1.3	0.1	.....	.....	14.6	2.8	17.5
23	85 years and over	245	.....	.....	2.4	.....	0.8	.....	.....	.....	14.3	0.8	9.0
24	Unknown	*7*	*14.3*	.....	*14.3*	.....	.....	.....	.....	.....	.....	.....	.....
25	Clergymen	1,216	1.7	6.6	7.2	0.3	2.5	.....	.....	.....	10.6	3.1	15.5
26	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	20 to 24 years	*8*	*12.5*	*50.0*	.....	.....	.....	.....	.....	.....	*12.5*	.....	.....
29	25 to 34 years	*61*	*3.3*	*41.0*	*1.6*	*1.6*	.....	.....	.....	.....	.....	*4.9*	*3.3*
30	35 to 44 years	*104*	*5.8*	*19.2*	*5.8*	.....	*1.0*	.....	.....	.....	*7.7*	*5.8*	*9.6*
31	45 to 54 years	*176*	*4.5*	*9.1*	*7.4*	.....	*3.4*	.....	.....	.....	*8.5*	*2.3*	*12.5*
32	55 to 64 years	255	1.2	2.7	9.4	0.4	3.1	.....	.....	.....	10.6	3.5	14.5
33	65 to 74 years	298	0.3	2.0	9.4	0.7	3.0	.....	.....	.....	13.1	3.0	22.1
34	75 to 84 years	231	.....	0.9	6.1	.....	2.2	.....	.....	.....	13.0	3.0	17.7
35	85 years and over	*81*	.....	.....	*1.2*	.....	*1.2*	.....	.....	.....	*11.1*	.....	*12.3*
36	Unknown	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Electricians	776	4.0	24 1	1.5	0.6	1.2	0.5	.....	.....	2.1	3.6	5.4
38	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	*38*	*10.5*	*18.4*	.....	.....	.....	.....	.....	.....	.....	*2.6*	*2.6*
40	20 to 24 years	*132*	*7.6*	*29.5*	.....	.....	*1.5*	.....	.....	.....	*0.8*	*2.3*	*3.8*
41	25 to 34 years	294	5.1	29.3	0.7	0.3	.....	0.7	.....	.....	.....	4.4	4.1
42	35 to 44 years	*167*	*1.2*	*35.7*	*0.6*	*1.2*	*1.8*	*0.6*	.....	.....	*1.8*	*4.8*	*6.0*
43	45 to 54 years	*89*	.....	*9.0*	*3.4*	.....	*4.5*	.....	.....	.....	*4.5*	*1.1*	*12.4*
44	55 to 64 years	*38*	.....	*10.5*	*7.9*	*5.3*	.....	*2.6*	.....	.....	*15.8*	*2.6*	*2.6*
45	65 to 74 years	*15*	.....	.....	*20.0*	.....	.....	.....	.....	.....	*13.3*	.....	*13.3*
46	75 to 84 years	*3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*33.3*	.....
47	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
48	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Lawyers	1,325	1.4	7.5	6.1	0.2	3.0	0.5	.....	0.2	11.8	3.8	12.7
50	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	20 to 24 years	*10*	*10.0*	*30.0*	.....	.....	.....	.....	.....	.....	.....	.....	.....
53	25 to 34 years	*105*	*8.6*	*25.7*	*1.9*	.....	*1.9*	*1.9*	.....	*1.0*	*1.9*	*2.9*	*7.6*
54	35 to 44 years	*141*	*2.1*	*19.9*	*2.1*	.....	*2.1*	*0.7*	.....	.....	*4.3*	*2.8*	*7.1*
55	45 to 54 years	236	0.4	8.9	6.8	.....	3.4	0.8	.....	.....	13.1	6.8	9.7
56	55 to 64 years	303	0.3	5.0	8.6	0.3	4.3	.....	.....	0.3	12.5	4.0	16.5
57	65 to 74 years	326	0.9	1.5	7.1	0.3	3.4	.....	.....	.....	14.1	3.4	16.3
58	75 to 84 years	*154*	.....	.....	*6.5*	*0.6*	*1.9*	*0.6*	.....	.....	*13.0*	*3.2*	*12.3*
59	85 years and over	*48*	.....	.....	*2.1*	.....	.....	.....	.....	.....	*27.1*	.....	*10.4*
60	Unknown	*2*	*50.0*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Musicians and teachers of music	599	2.5	23.4	5.2	0.3	2.2	1.2	.....	.....	6.3	3.2	11.0
62	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	*11*	*9.1*	*63.6*	.....	.....	.....	.....	.....	.....	.....	.....	*9.1*
64	20 to 24 years	*44*	*6.8*	*50.0*	*2.3*	.....	.....	.....	.....	.....	*2.3*	.....	*2.3*
65	25 to 34 years	*128*	*3.1*	*50.0*	.....	.....	.....	*1.6*	.....	.....	.....	*3.1*	*4.7*
66	35 to 44 years	*115*	*3.5*	*23.5*	*4.3*	*0.9*	*1.7*	*4.3*	.....	.....	*4.3*	*5.2*	*9.6*
67	45 to 54 years	*101*	.....	*12.9*	*8.9*	.....	*4.0*	.....	.....	.....	*7.9*	*5.0*	*13.9*
68	55 to 64 years	*75*	*2.7*	*6.7*	*5.3*	*1.3*	*2.7*	.....	.....	.....	*12.0*	*4.0*	*20.0*
69	65 to 74 years	*81*	*1.2*	*2.5*	*9.9*	.....	*4.9*	.....	.....	.....	*12.3*	*1.2*	*11.1*
70	75 to 84 years	*38*	.....	.....	*10.5*	.....	.....	.....	.....	.....	*10.5*	.....	*23.7*
71	85 years and over	*5*	.....	.....	.....	.....	*20.0*	.....	.....	.....	*20.0*	.....	.....
72	Unknown	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] The total number of deaths at each age period is taken as the basis, or 100 per cent, with which the percentages for individual causes are compared.

LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS, CLASSIFIED BY AGE, FOR AREA: 1909—Continued.

more deaths. All figures printed in *italics* relate to a total of less than 200 deaths for that age period.]

DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS—continued.

Per cent of all causes at specified age period—Continued.

Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
4.8	0.4	6.8	0.3	0.4	0.9	0.9	0.8	0.4	1.2	0.5	4.0	7.7	2.4	0.4	11.0	12.9	1
																	2
		8.3							*16.7*				*8.3*	*8.3*	*33.3*		3
		7.1								*3.6*					*21.4*	*17.9*	4
1.3		*3.8*			*1.3*				*1.3*		*1.3*	*2.5*	*2.5*		*25.3*	*15.2*	5
4.4		*7.7*			*1.1*			*1.1*	*4.4*		*4.4*	*2.2*	*7.7*		*17.6*	*5.5*	6
2.9		*8.3*	*0.7*		*0.7*	*0.7*	*0.7*		*1.5*	*0.7*	*5.9*	*10.3*	*4.4*		*9.6*	*11.3*	7
5.7		*5.7*	*0.6*	*0.6*	*1.3*	*1.3*	*1.9*			*0.6*	*4.5*	*8.9*	*1.9*		*12.1*	*9.6*	8
5.7		*10.1*		*0.6*	*1.3*	*0.6*	*0.6*	*0.6*		*0.6*	*5.1*	*8.9*		*1.3*	*2.5*	*13.3*	9
6.8	*2.9*	*2.9*				*2.9*	*1.0*				*2.9*	*12.6*			*1.9*	*22.3*	10
27.3								*9.1*				*9.1*			*9.1*	*27.3*	11
				100.0													12
5.8	0.6	7.3	0.3	0.2	0.6	2.0	0.9	0.2	1.5	0.2	2.9	9.9	2.6	0.9	5.8	10.6	13
																	14
1.1		*2.2*	*1.1*					*1.1*	*2.2*		*3.3*	*1.1*	*4.4*	*3.3*	*28.6*	*8.8*	15
1.2		6.4	0.2		0.5	1.9	0.7		3.5		1.2	2.6	2.1	1.2	15.1	9.7	16
2.0	0.1	5.7	0.3	0.2	0.4	0.8	0.6	0.6	2.9	0.2	1.9	3.3	4.6	1.2	13.3	9.4	17
2.9	0.1	9.9	0.3		0.5	2.0	1.3	0.3	2.6		3.3	7.8	4.7	1.1	6.6	10.2	18
5.0	0.3	7.8	0.5	0.1	0.4	2.9	1.3	0.2	1.5	0.1	2.9	12.3	3.6	1.2	5.0	8.8	19
3.1	0.5	6.9	0.4	0.2	0.6	2.7	0.8	0.2	1.0	0.2	2.8	13.0	1.8	0.7	3.2	7.9	20
3.8	0.6	6.4	0.2	0.3	0.6	2.3	1.1	0.1	0.4	0.1	3.1	13.2	1.2	0.3	2.6	9.1	21
3.3	2.0	6.7	0 2	0.2	0.5	0.7	0.5		0.1	0.4	4.5	11.4	0.2	0.4	1.5	18.8	22
3.2	4.9	11.0		0.4	2.0	0.8	0.4			0.4	2.4	6.1		0.4	3.3	32.2	23
		14.3													*28.6*	*28.6*	24
6.3	1.2	7.1	0.3	0.2	0.3	1.4	1.0	0.2	1.2	0.3	3.5	11.6	0.2	0.5	3.0	14.5	25
																	26
															100.0		27
									12.5						*12.5*		28
1.6		*6.6*		*1.6*	*1.6*		*3.3*		*1.6*		*3.3*	*6.6*	*1.6*	*1.6*	*1.6*	*13.1*	29
1.9		*7.7*	*1.0*			*1.9*	*1.0*	*1.0*	*3.8*		*3.8*	*7.7*	*1.0*		*3.8*	*10.6*	30
6.3		*7.4*	*0.6*			*1.7*	*1.7*		*2.3*		*3.4*	*13.6*		*1.7*	*3.4*	*10.2*	31
7.5	0.4	7.1				2.7	0.8		0.4		3.1	17.3	0.4	0.8	3.5	10.6	32
6.4	1.3	5.4	0.3	0.3	0.7	1.3	1.0	0.3	0.7	0.3	3.4	8.4			2.7	13.8	33
7.8	2.6	7.4	0.4				0.4		0.4	0.9	5.2	12.6			1.3	18.2	34
7.4	*3.7*	*11.1*			*1.2*	*1.2*				*1.2*		*8.6*			*3.7*	*35.8*	35
		100.0															36
1.8	0.3	6.8	0.3		0.4	1.9	0.4	0.4	2.3		1.3	4.5	3.5	1.0	23.5	8.6	37
																	38
								2.6	*5.3*			*2.6*	*5.3*	*5.3*	*42.1*	*2.6*	39
1.5		*4.5*				*5.3*					*0.3*	*3.3*	*2.3*		*23.0*	*8.3*	40
1.7		8.2			0.3	0.7	0.7		3.1		1.0	2.4	3.1	0.3	26.5	7.5	41
2.4		*6.6*				*1.3*	*0.6*	*0.6*	*3.0*		*1.2*	*7.3*	*4.2*	*2.4*	*18.0*	*7.3*	42
1.1		*7.9*	*2.2*			*2.2*		*1.1*	*2.2*		*3.4*	*4.5*	*6.7*	*1.1*	*19.1*	*13.5*	43
2.6		*7.9*			*2.6*						*2.6*	*7.9*			*10.5*	*18.4*	44
6.7	*13.3*	*13.3*				*6.7*						*6.7*				*6.7*	45
					33.3							*33.3*					46
																	47
																	48
6.8	0.8	7.9	0.4	0.2	0.5	2.1	1.1	0.2	1.2	0.2	3.1	11.4	2.3	0.5	3.9	10.5	49
																	50
																	51
									40.0						*20.0*		52
3.8		*1.9*					*1.9*		*4.8*	*1.0*	*2.9*		*7.6*		*9.5*	*13.3*	53
2.1		*17.7*				*1.4*	*2.8*	*0.7*			*2.8*	*14.9*	*4.3*	*0.7*	*2.8*	*8.5*	54
4.7	0.4	8.9	0.4		0.4	3.0	1.7	0.4	0.8		3.0	9.3	4.2	0.4	5.1	7.2	55
8.9	1.0	6.6	0.7		0.3	3.3	1.0		1.3		2.3	12.5	1.7	0.7	2.0	5.9	56
7.7	0.3	6.7	0.3	0.3	0.6	2.1	0.3		0.3		3.7	15.6	0.6	0.6	3.4	10.4	57
11.0	*1.9*	*5.2*	*0.6*	*0.6*	*1.3*	*1.3*				*0.6*	*3.2*	*11.7*			*3.9*	*20.1*	58
6.3	*4.2*	*14.6*									*6.3*	*2.1*			*2.1*	*25.0*	59
																50.0	60
4.5	0.5	6.8	0.5	0.2	0.7	2.2	0.3		1.3	0.7	2.5	8.5	2.7	1.8	3.3	8.2	61
																	62
9.1															*9.1*		63
		11.4	*2.3*		*2.3*	*2.3*					*2.3*	*2.3*		*4.5*	*2.3*	*6.8*	64
	0.8	*4.7*	*1.6*			*1.6*			*1.6*	*0.8*	*2.3*	*4.7*	*2.3*	*3.1*	*3.9*	*10.2*	65
2.6		*9.6*			*0.9*	*0.9*	*0.9*		*4.3*		*0.9*	*7.0*	*3.5*	*0.9*	*1.7*	*9.6*	66
4.0		*5.9*				*3.0*			*1.0*	*1.0*	*1.0*	*13.9*	*5.9*	*2.0*	*5.0*	*5.0*	67
3.0		*5.3*			*1.3*	*4.0*				*1.3*	*1.3*	*9.3*	*1.3*	*1.3*	*6.7*	*5.3*	68
9.9		*6.2*				*3.7*	*1.2*				*6.2*	*17.3*	*2.5*	*1.2*	*1.2*	*7.4*	69
13.2	*2.6*	*10.5*								*2.6*	*7.9*	*2.6*				*15.3*	70
	20.0			*20.0*	*20.0*												71
																100.0	72

[2] Less than one-tenth.

TABLE VIII.—MALES—PER CENT DISTRIBUTION, BY IMPORTANT CAUSES, OF DEATHS OF MALES AT THE REGISTRATION

[These percentages, based on Table 11, page 726, are shown for only those occupations having 500 or

	OCCUPATION AND AGE PERIOD.	DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS.											
			Per cent of all causes at specified age period.										
		Number of deaths.[1]	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
	Professional service—Continued.												
1	Officials (government)	997	2.3	8.6	6.7	0.5	3.4	0.7	.....	.....	9.0	2.0	15.3
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	*4*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	20 to 24 years	*13*	*7.7*	*46.2*	.....	.....	.....	.....	.....	.....	.....	.....	*25.0*
5	25 to 34 years	*79*	*6.3*	*29.1*	*1.3*	.....	*1.3*	*1.3*	.....	.....	.....	.....	*7.6*
6	35 to 44 years	*136*	*4.4*	*17.6*	*2.9*	*1.5*	.....	.....	.....	.....	*4.4*	*0.7*	*8.8*
7	45 to 54 years	211	2.8	9.5	6.2	0.9	4.7	0.9	.....	.....	6.2	5.2	12.3
8	55 to 64 years	239	1.3	2.9	10.9	.....	5.4	1.7	.....	.....	10.0	2.5	15.9
9	65 to 74 years	234	0.9	2.6	7.7	0.4	3.8	.....	.....	.....	13.2	0.9	24.8
10	75 to 84 years	*70*	.....	.....	*5.7*	.....	*1.4*	.....	.....	.....	*18.6*	.....	*15.7*
11	85 years and over	*11*	.....	.....	*9.1*	.....	.....	.....	.....	.....	*27.3*	.....	*9.1*
12	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Physicians and surgeons	1,421	1.4	6.6	6.7	0.4	2.5	0.4	.....	0.4	9.2	3.6	12.7
14	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	20 to 24 years	*10*	*20.0*	*10.0*	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	25 to 34 years	*99*	*4.0*	*21.2*	*2.0*	.....	*2.0*	.....	.....	*2.0*	*4.0*	*2.0*	*6.1*
18	35 to 44 years	*184*	*3.8*	*16.8*	*2.2*	*0.5*	*2.7*	*1.1*	.....	*0.5*	*3.3*	*5.4*	*5.4*
19	45 to 54 years	251	2.0	9.2	5.2	1.2	3.2	1.6	.....	.....	7.2	4.0	7.6
20	55 to 64 years	301	0.7	4.0	11.3	0.3	3.7	.....	.....	0.7	10.0	4.3	15.0
21	65 to 74 years	328	.....	1.8	7.9	0.3	1.8	.....	.....	.....	13.1	1.2	19.8
22	75 to 84 years	*187*	.....	*1.1*	*7.5*	.....	*1.6*	.....	.....	.....	*12.8*	*5.9*	*17.1*
23	85 years and over	*60*	.....	.....	*1.7*	.....	.....	.....	.....	.....	*10.0*	*1.7*	*5.0*
24	Unknown	*1*	.....	.....	*100.0*	.....	.....	.....	.....	.....	.....	.....	.....
25	Teachers and professors in colleges, etc.	587	3.2	15.0	7.7	0.3	2.4	0.2	.....	.....	8.7	3.1	12.6
26	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	*13*	*7.7*	*30.8*	.....	.....	.....	.....	.....	.....	.....	.....	*7.7*
28	20 to 24 years	*51*	*11.8*	*27.5*	*3.9*	.....	.....	.....	.....	.....	*2.0*	*3.9*	*7.8*
29	25 to 34 years	*83*	*7.2*	*43.4*	*4.8*	.....	*2.4*	*1.2*	.....	.....	*2.4*	*2.4*	*4.8*
30	35 to 44 years	*75*	*2.7*	*18.7*	*6.7*	.....	.....	.....	.....	.....	*2.7*	*8.0*	*6.7*
31	45 to 54 years	*81*	*3.7*	*18.6*	*6.2*	.....	*7.4*	.....	.....	.....	*4.9*	*2.5*	*14.8*
32	55 to 64 years	*107*	*0.9*	*5.6*	*10.3*	*0.9*	*2.8*	.....	.....	.....	*10.3*	*2.8*	*16.8*
33	65 to 74 years	*111*	.....	*2.7*	*11.7*	*0.9*	*2.7*	.....	.....	.....	*16.2*	*1.8*	*13.5*
34	75 to 84 years	*53*	.....	.....	*9.4*	.....	.....	.....	.....	.....	*22.6*	.....	*24.5*
35	85 years and over	*13*	.....	.....	.....	.....	.....	.....	.....	.....	*7.7*	*7.7*	*15.4*
36	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Domestic and personal service	41,624	2.	19.7	4.3	0.5	0.7	1.5	(2)	0.1	4.9	2.2	10.4
38	10 to 14 years	*26*	*3.8*	*7.7*	.....	.....	.....	.....	.....	.....	*3.8*	*3.8*	*3.8*
39	15 to 19 years	1,189	9.3	27.0	0.7	1.0	0.4	0.3	.....	.....	0.8	4.3	2.6
40	20 to 24 years	2,960	7.9	32.5	1.0	0.6	0.1	0.5	.....	0.1	0.6	3.0	3.4
41	25 to 34 years	7,303	4.5	32.3	0.9	0.4	0.5	1.6	(2)	0.1	1.2	2.5	5.1
42	35 to 44 years	8,370	2.3	25.5	2.5	0.4	0.5	2.7	(2)	0.1	2.6	2.6	8.3
43	45 to 54 years	8,398	1.1	17.1	5.6	0.4	0.9	1.8	(2)	(2)	5.3	1.9	12.2
44	55 to 64 years	6,914	0.6	10.2	8.2	0.6	1.0	1.1	(2)	(2)	7.9	1.7	14.7
45	65 to 74 years	4,496	0.4	5.1	7.3	0.4	1.0	0.6	.....	(2)	10.9	1.6	17.4
46	75 to 84 years	1,611	0.1	2.0	5.2	0.2	0.4	0 2	.....	.....	12.5	1.1	16.3
47	85 years and over	313	.....	1.3	3.2	0.3	.....	.....	.....	.....	11.5	.....	12.5
48	Unknown	*44*	.....	*20.5*	.....	.....	.....	*2.3*	.....	.....	*6.8*	*4.5*	.....
49	Barbers and hairdressers	1.398	2.5	23.9	3.2	0.7	1.3	1.0	.....	0.4	5.4	2.9	10.7
50	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	*40*	*7.5*	*35.0*	*2.5*	*2.5*	.....	.....	.....	.....	*2.5*	*2.5*	.....
52	20 to 24 years	*85*	*8.2*	*44.7*	*1.2*	*1.2*	.....	.....	.....	*1.2*	.....	*1.2*	*1.2*
53	25 to 34 years	283	3.9	40.6	1.1	.....	0.4	0.7	.....	0.4	0.4	3.2	7.1
54	35 to 44 years	345	2.6	25.8	2.6	0.3	1.2	2 0	.....	0.3	2.6	3.8	8.4
55	45 to 54 years	314	1.3	16.2	4 8	1.0	2.2	1 3	.....	0.3	7.3	2.9	12.4
56	55 to 64 years	*180*	*0.6*	*11.7*	*6.7*	*1.1*	*2.2*	*0.6*	.....	*0.6*	*8.9*	*2.2*	*19.4*
57	65 to 74 years	*101*	.....	*2.0*	*4.0*	*2.0*	*2.0*	.....	.....	.....	*16.8*	*3.0*	*19.8*
58	75 to 84 years	*43*	.....	*7.0*	.....	.....	.....	.....	.....	.....	*20.9*	.....	*14.0*
59	85 years and over	*4*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60	Unknown	*3*	.....	*33.3*	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Bartenders	1,115	1.5	27.9	2.3	0.2	0.5	5.7	.....	.....	2.4	2.1	8.3
62	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	*5*	.....	*20.0*	.....	.....	.....	.....	.....	.....	.....	.....	.....
64	20 to 24 years	*39*	*2.6*	*20.5*	*2.6*	.....	.....	*2.6*	.....	.....	.....	*5.1*	*2.6*
65	25 to 34 years	359	3.3	37.0	0.6	0.3	0.3	5.6	.....	.....	1.9	3.1	6.1
66	35 to 44 years	442	0.9	29 4	2.0	0.2	0.5	7.2	.....	.....	1.4	1.4	8.8
67	45 to 54 years	203	.....	17.7	4.9	.....	1.0	4.4	.....	.....	3.9	2.0	8.4
68	55 to 64 years	*52*	.....	*1.9*	*5.8*	.....	*1.9*	*1.9*	.....	.....	*9.6*	.....	*21.2*
69	65 to 74 years	*12*	.....	*8.3*	*8.3*	.....	.....	*8.3*	.....	.....	*8.3*	.....	*25.0*
70	75 to 84 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Unknown	*3*	.....	*33.3*	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] The total number of deaths at each age period is taken as the basis, or 100 per cent, with which the percentages for individual causes are compared.

LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS, CLASSIFIED BY AGE, FOR AREA: 1909—Continued.

more deaths. All figures printed in *italics* relate to a total of less than 200 deaths for that age period.]

DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS—continued.

Per cent of all causes at specified age period—Continued.

Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
7.6	0.5	7.3	0.2	0.3	0.4	2.5	0.5	0.3	1.7	.....	3.0	10.5	2.1	0.8	4.4	9.1	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*25.0*	.....	.....	.....	*25.0*	*25.0*	3
7.7	.....	*7.7*	.....	.....	.....	.....	.....	.....	*15.4*	.....	.....	.....	.....	.....	.....	*15.4*	4
3.8	.....	*3.8*	.....	.....	*1.3*	.....	.....	*2.5*	*2.5*	.....	*5.1*	*5.1*	*5.1*	*1.3*	*12.7*	*10.1*	5
4.4	*0.7*	*7.4*	.....	.....	.....	*3.7*	*0.7*	.....	*3.7*	.....	*5.9*	*7.4*	*5.1*	*2.2*	*8.1*	*10.3*	6
6.2	0.5	10.0	.....	.....	.....	2.8	.....	.....	1.9	.....	3.8	10.4	3.3	.....	3.8	8.5	7
7.9	0.4	7.9	0.8	0.4	.....	2.5	0.4	0.4	0.8	.....	0.8	15.5	.....	0.4	2.5	8.4	8
10.3	0.4	6.8	.....	0.4	0.4	3.0	0.9	.....	0.9	.....	2.6	9.4	0.9	0.9	3.0	6.0	9
14.3	*1.4*	*1.4*	.....	*1.4*	*1.4*	*1.4*	*1.4*	.....	.....	.....	.....	*14.3*	*1.4*	*1.4*	.....	*18.6*	10
.....	.....	*18.2*	.....	.....	*9.1*	.....	.....	.....	.....	.....	*9.1*	.....	.....	.....	*9.1*	*9.1*	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
8.4	0.6	7.4	0.2	0.2	0.8	2.4	1.5	0.1	1.4	0.1	3.5	10.8	2.2	1.1	3.4	11.9	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	*10.0*	.....	*10.0*	.....	.....	*10.0*	.....	.....	*20.0*	*20.0*	16
3.0	.....	*12.1*	.....	.....	*2.0*	.....	*1.0*	*1.0*	*4.0*	.....	*2.0*	*4.0*	*7.1*	*3.0*	*3.1*	*9.1*	17
3.8	.....	*12.0*	*1.6*	.....	*1.6*	*2.7*	*2.7*	.....	*3.8*	.....	*4.9*	*6.0*	*2.7*	*0.5*	*6.0*	*10.9*	18
5.6	.....	8.0	.....	0.4	0.8	4.0	0.4	0.4	1.6	0.4	2.8	16.7	3.6	1.6	4.0	8.8	19
10.0	0.7	4.3	.....	0.3	0.7	3.7	1.0	.....	0.7	.....	4.3	10.6	2.7	1.7	2.0	7.6	20
12.8	0.3	6.7	.....	0.3	0.3	2.4	2.4	.....	0.6	.....	1.2	14.3	0.3	0.3	2.7	9.1	21
8.6	*2.1*	*6.4*	.....	.....	.....	.....	*1.1*	.....	.....	.....	*7.0*	*7.5*	*0.5*	*0.5*	*0.5*	*19.8*	22
13.3	*3.3*	*6.7*	.....	.....	*3.3*	.....	*1.7*	.....	.....	.....	*3.3*	*3.3*	.....	*1.7*	*1.7*	*43.3*	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
4.6	0.5	5.6	0.5	0.2	0.5	0.5	1.4	.....	1.4	0.2	4.3	8.7	1.2	0.2	3.1	14.1	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	*7.7*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*7.7*	.....	*7.7*	*30.8*	27
.....	.....	*5.9*	.....	.....	.....	.....	*2.0*	.....	*5.9*	.....	*2.0*	*2.0*	*2.0*	.....	*11.8*	*11.8*	28
1.2	.....	*3.6*	.....	*1.2*	.....	.....	.....	.....	.....	.....	*3.6*	*3.6*	*1.2*	*1.2*	*3.6*	*12.0*	29
6.3	.....	*4.0*	.....	.....	.....	*1.3*	*5.3*	.....	*1.3*	.....	*9.3*	*5.3*	*4.0*	.....	*6.3*	*18.3*	30
3.7	.....	*6.2*	*2.5*	.....	.....	.....	*2.5*	.....	*3.7*	.....	*4.9*	*11.1*	.....	.....	.....	*12.3*	31
6.5	.....	*7.5*	.....	.....	*1.9*	*1.9*	.....	.....	*0.9*	*0.9*	*0.9*	*10.3*	*0.9*	.....	*2.8*	*16.0*	32
8.1	*0.9*	*4.5*	*0.9*	.....	*0.9*	.....	*0.9*	.....	.....	.....	*5.4*	*18.0*	.....	.....	*0.9*	*9.9*	33
5.7	.....	*7.5*	.....	.....	.....	.....	.....	.....	.....	.....	*5.7*	*8.8*	.....	.....	.....	*20.8*	34
.....	*15.4*	*7.7*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*7.7*	.....	.....	.....	*38.5*	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
3.5	0.8	10.2	0.5	0.3	0.6	2.4	0.5	0.3	1.0	0.4	2.5	8.8	2.5	1.0	8.3	9.7	37
.....	.....	*11.5*	.....	.....	.....	.....	.....	*3.8*	*3.8*	.....	.....	*3.8*	.....	.....	*34.6*	*19.2*	38
0.8	0.3	9.7	0.8	.....	0.6	0.1	0.5	0.8	5.0	0.3	1.9	1.7	1.8	1.1	17.0	11.3	39
1.1	0.3	8.7	0.4	.....	0.5	0.5	0.5	0.2	2.8	0.2	1.7	2.6	3.0	1.4	13.8	12.4	40
2.0	0.5	9.5	0.6	0.1	0.5	1.3	0.5	0.4	1.5	0.3	2.5	4.6	3.5	1.5	11.1	10.6	41
2.8	0.4	11.1	0.6	0.2	0.7	2.8	0.6	0.4	0.8	0.3	2.5	7.2	2.6	1.2	9.5	8.9	42
3.4	0.4	10.7	0.5	0.4	0.8	3.6	0.7	0.2	0.6	0.4	2.5	10.1	3.0	0.9	7.6	8.0	43
4.5	1.1	10.9	0.5	0.4	0.7	3.2	0.5	0.2	0.4	0.6	2.6	13.4	2.1	0.6	4.9	7.5	44
6.6	1.8	10.1	0.4	0.4	0.4	2.3	0.5	0.2	0.1	0.8	3.0	13.7	1.4	0.4	3.6	9.6	45
8.3	3.3	8.0	0.5	0.5	0.7	1.2	0.4	0.2	0.1	0.6	3.5	12.6	0.5	0.2	3.0	18.1	46
6.7	3.2	6.7	.....	0.6	0.3	0.6	.....	.....	0.3	0.3	5.1	11.2	.....	.....	3.8	32.3	47
.....	.....	.....	.....	.....	*2.3*	.....	.....	.....	.....	.....	*2.3*	*4.5*	*9.1*	*9.1*	*29.5*	*9.1*	48
4.4	0.3	6.2	0.4	0.3	0.4	2.5	0.6	0.3	0.6	0.3	2.5	9.0	3.7	1.2	4.8	10.6	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
2.5	.....	*10.0*	.....	.....	.....	.....	.....	.....	.....	.....	*2.5*	*2.5*	*10.0*	.....	*12.5*	*7.5*	51
1.2	.....	*8.2*	*1.2*	.....	.....	*1.2*	.....	.....	*2.4*	*1.2*	*2.4*	*2.4*	*7.1*	.....	*2.4*	*11.8*	52
1.8	0.4	4.2	0.4	.....	0.4	2.1	0.7	1.1	0.7	.....	2.1	2.5	4.6	2.5	4.6	14.5	53
4.3	.....	6.1	0.3	.....	0.3	2.3	0.6	0.3	1.2	.....	2.9	9.6	4.6	1.2	5.8	11.0	54
7.0	0.3	6.4	0.3	0.6	0.6	4.1	0.3	.....	.....	0.6	1.0	9.6	3.2	1.6	5.4	9.2	55
3.3	*0.6*	*3.3*	.....	*0.6*	*0.6*	*2.8*	*1.7*	.....	.....	*0.6*	*5.0*	*12.8*	*1.7*	*0.6*	*2.8*	*10.0*	56
6.9	.....	*10.9*	*1.0*	*1.0*	.....	*1.0*	*1.0*	.....	.....	.....	*2.0*	*18.8*	.....	.....	*2.0*	*5.9*	57
9.3	*2.3*	*9.3*	.....	.....	.....	*2.3*	.....	.....	.....	.....	*4.7*	*25.6*	.....	.....	.....	*4.7*	58
.....	.....	*50.0*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*25.0*	*25.0*	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*66.7*	.....	60
2.5	0.3	11.0	0.8	0.1	0.4	4.9	0.2	.....	0.8	0.4	2.3	9.1	3.0	0.6	4.3	8.2	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	62
20.0	.....	*20.0*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*20.0*	*20.0*	63
.....	.....	*17.9*	*2.6*	.....	.....	.....	.....	.....	*2.6*	.....	*5.1*	*7.7*	*7.7*	.....	*7.7*	*12.8*	64
0.8	0.6	9.7	1.1	.....	0.3	1.9	.....	.....	1.1	0.6	2.2	6.1	3.3	0.6	3.9	9.5	65
3.6	0.2	9.7	0.5	.....	.....	7.2	0.5	.....	0.5	0.7	2.5	9.5	2.7	0.7	4.1	5.9	66
3.0	.....	14.8	0.5	0.5	1.0	4.9	.....	.....	1.0	.....	1.5	12.3	3.0	1.0	5.4	8.9	67
3.8	.....	*9.6*	*1.9*	.....	.....	*11.5*	.....	.....	.....	.....	*3.8*	*18.5*	*1.9*	.....	.....	*11.5*	68
.....	.....	*16.7*	.....	.....	*8.3*	.....	.....	.....	.....	.....	.....	*8.3*	.....	.....	.....	*8.3*	69
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	70
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*33.3*	.....	.....	*33.3*	.....	72

[2] Less than one-tenth.

TABLE VIII.—MALES—PER CENT DISTRIBUTION, BY IMPORTANT CAUSES, OF DEATHS OF MALES AT THE REGISTRATION

[These percentages, based on Table 11, page 726, are shown for only those occupations having 500 or

	OCCUPATION AND AGE PERIOD.	DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS.											
		Number of deaths.[1]	Per cent of all causes at specified age period.										
			Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
	Domestic and personal service—Continued.												
1	Hotel keepers	765	1.6	9.3	7.2	0.8	2.1	2.0	.....	.....	7.5	2.1	11.2
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	20 to 24 years	3	.....	*66.7*	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	25 to 34 years	*55*	*1.8*	*16.4*	.....	*3.6*	*3.6*	*1.8*	.....	.....	.....	*5.5*	*5.5*
6	35 to 44 years	*165*	*4.8*	*17.6*	*2.4*	.....	.....	*3.6*	.....	.....	*4.8*	*2.4*	*4.2*
7	45 to 54 years	214	0.5	9.8	4.7	1.4	1.9	2.8	.....	.....	5.1	2.3	7.0
8	55 to 64 years	*167*	.....	*3.6*	*12.6*	*0.6*	*1.8*	*1.2*	.....	.....	*10.2*	*1.2*	*14.4*
9	65 to 74 years	*108*	*1.9*	*1.9*	*13.0*	.....	*4.6*	.....	.....	.....	*11.1*	*1.9*	*24.1*
10	75 to 84 years	*47*	.....	*2.1*	*10.6*	.....	*4.3*	.....	.....	.....	*17.0*	.....	*19.1*
11	85 years and over	*5*	.....	.....	*20.0*	.....	.....	.....	.....	.....	*20.0*	.....	*40.0*
12	Unknown	*1*	.....	*100.0*	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Janitors and sextons	1,065	0.8	13.9	6.8	0.6	0.5	0.8	.....	.....	7.3	2.4	13.0
14	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	*6*	*16.7*	*33.3*	.....	*16.7*	.....	.....	.....	.....	.....	.....	.....
16	20 to 24 years	*18*	*5.6*	*27.8*	.....	.....	.....	.....	.....	.....	.....	*5.6*	.....
17	25 to 34 years	*78*	.....	*47.4*	*2.6*	.....	.....	*1.3*	.....	.....	.....	*2.6*	.....
18	35 to 44 years	*167*	*1.9*	*21.7*	*2.5*	.....	*1.3*	*3.2*	.....	.....	*3.2*	*3.8*	*8.3*
19	45 to 54 years	219	0.9	14.6	9.1	0.5	0.5	1.4	.....	.....	6.8	2.7	13.7
20	55 to 64 years	276	.....	9.4	9.1	0.7	0.4	.....	.....	.....	8.0	2.5	16.7
21	65 to 74 years	231	0.4	4.8	6.9	0.4	0.4	.....	.....	.....	11.7	1.7	16.5
22	75 to 84 years	*73*	.....	*1.4*	*6.8*	*1.4*	.....	.....	.....	.....	*12.3*	.....	*15.1*
23	85 years and over	*7*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Laborers (not specified)	29,345	2.8	19.9	4.1	0.4	0.4	1.3	(2)	(2)	4.7	2.1	10.1
26	10 to 14 years	*22*	*4.5*	*4.5*	.....	.....	.....	.....	.....	.....	*4.5*	*4.5*	*4.5*
27	15 to 19 years	986	9.8	26.2	0.5	0.9	0.5	0.4	.....	.....	0.8	4.5	2.7
28	20 to 24 years	2,410	8.5	31.8	1.1	0.5	0.2	0.4	.....	0.1	0.8	2.9	3.4
29	25 to 34 years	5,180	5.1	30.8	1.0	0.4	0.4	1.3	(2)	0.1	1.2	2.5	5.0
30	35 to 44 years	5,606	2.5	25.9	2.4	0.4	0.3	2.3	(2)	0.1	2.7	2.4	8.0
31	45 to 54 years	5,635	1.1	18.2	5.5	0.4	0.6	1.7	0.1	(2)	4.8	1.8	12.5
32	55 to 64 years	4,797	0.7	10.7	8.2	0.4	0.6	1.3	(2)	(2)	7.4	1.7	14.1
33	65 to 74 years	3,205	0.3	5.8	6.6	0.4	0.6	0.7	(2)	(2)	10.2	1.7	17.4
34	75 to 84 years	1,211	0.1	2.0	5.0	0.2	0.3	0.3	.....	.....	12.1	1.2	15.4
35	85 years and over	265	.....	1.5	3.4	0.4	.....	.....	.....	.....	10.6	.....	12.1
36	Unknown	*28*	.....	*21.4*	.....	.....	.....	.....	.....	.....	.....	*7.1*	.....
37	Saloon keepers	973	1.1	15.5	4.4	0.9	1.7	3.4	.....	.....	5.3	2.2	7.3
38	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	*2*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
40	20 to 24 years	*10*	.....	*20.0*	.....	.....	.....	*10.0*	.....	.....	.....	*10.0*	*10.0*
41	25 to 34 years	*147*	*3.4*	*29.3*	*0.7*	*0.7*	.....	*2.7*	.....	.....	*2.0*	*2.7*	*4.1*
42	35 to 44 years	312	0.6	18.9	3.5	0.6	1.9	5.4	.....	.....	3.5	3.8	6.4
43	45 to 54 years	311	1.0	13.8	3.5	1.3	1.3	3.2	.....	.....	5.1	1.3	6.1
44	55 to 64 years	*193*	*0.7*	*2.9*	*9.4*	*1.4*	*5.1*	*0.7*	.....	.....	*10.1*	.....	*10.9*
45	65 to 74 years	*43*	.....	.....	*16.3*	.....	.....	.....	.....	.....	*16.3*	.....	*16.3*
46	75 to 84 years	*10*	.....	.....	.....	.....	.....	.....	.....	.....	*10.0*	.....	*30.0*
47	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
48	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Servants and waiters	3,017	1.7	27.6	3.5	0.5	0 7	1.8	.....	0.1	4.2	2.1	10.3
50	10 to 14 years	*4*	.....	*25.0*	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	*108*	*5.6*	*36.1*	*0.9*	*0.9*	.....	.....	.....	.....	.....	*2.8*	*2.8*
52	20 to 24 years	215	2 8	44.7	0.5	1.4	.....	0.5	.....	.....	.....	2.3	4.7
53	25 to 34 years	693	2.9	40.4	0.6	0.3	0 4	1.6	.....	0.3	1.3	1.7	6.3
54	35 to 44 years	701	1.7	29.7	2.3	0.3	0.7	3.0	.....	0.1	1.4	2.7	11.0
55	45 to 54 years	644	0.8	20.2	4 5	0.3	0.6	1.4	.....	.....	6.7	2.3	14.6
56	55 to 64 years	407	0.2	17.0	9.6	0.7	2.0	1.7	.....	0.2	8.1	2.0	11.8
57	65 to 74 years	*178*	.....	*6.2*	*8.4*	*0.6*	*0.6*	*1.7*	.....	.....	*13.5*	*0.6*	*10.7*
58	75 to 84 years	*51*	.....	.....	*2.0*	.....	.....	.....	.....	.....	*9.8*	.....	*27.5*
59	85 years and over	*12*	.....	.....	.....	.....	.....	.....	.....	.....	*16.7*	.....	*8.3*
60	Unknown	*4*	.....	.....	.....	.....	.....	*25.0*	.....	.....	*25.0*	.....	.....
61	Watchmen, policemen, firemen, etc	2,355	1.2	8.7	6.7	0.7	1.6	0.6	(2)	.....	8.0	2.0	14.6
62	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	*2*	.....	.....	*50.0*	.....	.....	.....	.....	.....	.....	.....	.....
64	20 to 24 years	*35*	*8.6*	*17.1*	.....	.....	.....	*2.9*	.....	.....	.....	.....	*2.9*
65	25 to 34 years	*190*	*2.1*	*24.2*	*1.6*	*1.1*	.....	*1.1*	.....	.....	*2.1*	*4.7*	*4.2*
66	35 to 44 years	315	2.5	17.8	1 9	0.6	1.0	1.6	.....	.....	2.5	2.2	9.2
67	45 to 54 years	527	2.1	9.5	8.2	0.8	1.7	0.2	.....	.....	6.8	2.8	15.6
68	55 to 64 years	657	0.3	4.9	7.5	1.2	1.5	0.5	0.2	.....	9.9	1.7	18.2
69	65 to 74 years	486	0.2	2.7	9.3	0.2	2.9	0.2	.....	.....	10.9	1.0	17.7
70	75 to 84 years	*130*	.....	*2.3*	*7.7*	.....	*0.8*	.....	.....	.....	*14.6*	*0.8*	*17.7*
71	85 years and over	*12*	.....	.....	.....	.....	.....	.....	.....	.....	*25.0*	.....	*25.0*
72	Unknown	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] The total number of deaths at each age period is taken as the basis, or 100 per cent, with which the percentages for individual causes are compared.

LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS, CLASSIFIED BY AGE, FOR AREA: 1909——Continued.

more deaths. All figures printed in *italics* relate to a total of less than 200 deaths for that age period.]

DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS—continued.

Per cent of all causes at specified age period—Continued.

Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
4.3	0.4	6.8	0.4	0.1	0.8	9.8	0.7	0.3	0.9	0.3	4.2	13.6	2.5	0.8	2.5	8.1	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	*33.3*	.....	.....	.....	.....	.....	.....	.....	4
1.8	.....	*9.1*	.....	.....	.....	*5.5*	*1.8*	.....	.....	.....	*5.5*	*9.1*	*5.5*	*1.8*	*7.3*	*14.5*	5
4.8	.....	*9.1*	*0.6*	*0.6*	*0.6*	*12.1*	.....	*0.6*	*1.2*	.....	*6.1*	*9.1*	*1.8*	*1.8*	*3.6*	*7.9*	6
2.3	0.5	7.5	0.9	.....	0.9	11.7	1.4	.....	1.4	0.5	5.1	16.8	4.7	.....	2.3	8.4	7
6.0	.....	*5.4*	.....	.....	*1.2*	*11.4*	*0.6*	.....	*0.6*	.....	*3.0*	*15.6*	*1.2*	*1.2*	*1.8*	*6.6*	8
6.5	.....	*4.6*	.....	.....	.....	*5.6*	.....	*0.9*	.....	*0.9*	*0.9*	*13.9*	*0.9*	.....	*0.9*	*6.5*	9
4.3	*4.3*	*4.3*	.....	.....	*2.1*	*4.3*	.....	.....	.....	.....	*4.3*	*12.8*	.....	.....	.....	*10.6*	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*20.0*	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
4.4	0.6	12.6	0.6	0.2	0.4	1.6	0.5	0.4	0.9	0.8	2.5	11.5	3.4	1.1	5.1	7.5	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*33.3*	15
.....	.....	*11.1*	.....	.....	.....	.....	.....	.....	*11.1*	.....	.....	*5.6*	.....	.....	*16.7*	*16.7*	16
2.6	*1.3*	*10.3*	*1.3*	.....	*1.3*	*1.3*	.....	.....	*5.1*	.....	*1.3*	*10.3*	*1.3*	*1.3*	*2.6*	*6.4*	17
3.5	*0.6*	*13.4*	.....	.....	*0.6*	*1.9*	.....	.....	*1.3*	*0.6*	*1.3*	*8.3*	*5.7*	*1.3*	*3.3*	*3.3*	18
2.7	.....	11.9	0.5	0.5	0.5	1.8	.....	0.9	0.9	0.9	1.4	10.0	5.0	0.5	5.0	7.3	19
5.8	0.4	12.3	1.1	.....	0.4	2.5	0.7	.....	.....	1.1	3.3	13.0	2.9	1.8	3.6	4.3	20
4.3	1.3	13.4	0.4	0.4	.....	0.9	1.3	0.9	.....	0.9	3.0	15.2	2.2	.....	5.2	7.8	21
11.0	.....	*15.1*	.....	.....	.....	.....	.....	.....	.....	.....	*4.1*	*9.6*	*2.7*	*4.1*	*4.1*	*12.3*	22
14.3	.....	*14.3*	.....	.....	.....	.....	.....	.....	.....	*14.3*	*28.6*	.....	.....	.....	.....	*28.6*	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
3.5	0.9	11.0	0.5	0.3	0.7	1.9	0.6	0.3	1.0	0.4	2.5	8.4	2.0	0.9	9.2	10.0	25
.....	.....	*13.6*	.....	.....	.....	.....	.....	.....	*4.5*	.....	.....	*4.5*	.....	.....	*36.4*	*18.2*	26
0.8	0.4	10.0	0.7	.....	0.6	0.1	0.6	0.9	5.2	0.3	1.9	1.8	1.3	1.0	16.9	11.0	27
1.0	0.2	9.0	0.4	.....	0.6	0.5	0.6	0.2	2.8	0.1	1.7	2.5	2.4	1.5	14.1	12.4	28
2.2	0.6	10.2	0.6	0.1	0.4	0.9	0.5	0.4	1.5	0.4	2.4	4.5	2.9	1.3	12.5	10.8	29
2.4	0.5	12.1	0.6	0.2	1.0	2.0	0.6	0.4	0.8	0.3	2.4	6.4	1.7	1.3	11.3	8.7	30
3.2	0.5	11.9	0.6	0.5	0.8	2.8	0.7	0.1	0.5	0.3	2.6	9.1	2.5	0.8	8.5	7.9	31
4.3	1.3	12.2	0.5	0.4	0.8	2.7	0.5	0.2	0.4	0.6	2.5	13.5	1.8	0.4	5.2	7.8	32
7.1	2.1	10.3	0.3	0.5	0.5	2.2	0.4	0.1	0.1	0.8	3.1	13.7	1.2	0.4	3.5	10.0	33
8.8	3.2	7.6	0.6	0.7	0.7	1.3	0.5	0.2	0.1	0.7	3.6	12.5	0.5	0.1	2.8	19.5	34
6.8	3.0	5.3	.....	0.8	0.4	0.8	.....	.....	0.4	.....	5.3	11.3	.....	.....	4.2	34.0	35
.....	.....	.....	.....	.....	*5.6*	.....	.....	.....	.....	.....	*3.6*	.....	*10.7*	*14.3*	*23.6*	*10.7*	36
2.3	0.5	8.5	0.5	0.2	0.4	9.9	0.8	0.3	1.4	0.3	2.9	12.0	5.0	0.8	3.4	8.5	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*50.0*	.....	.....	*50.0*	39
.....	.....	.....	.....	.....	.....	*10.0*	*10.0*	.....	.....	.....	.....	.....	.....	.....	*10.0*	*20.0*	40
.....	.....	*9.5*	.....	*0.7*	*0.7*	*7.5*	.....	.....	*2.0*	*0.7*	*2.7*	*3.4*	*5.4*	*2.0*	*6.1*	*13.6*	41
1.6	.....	9.9	0.6	0.3	0.3	8.0	1.0	0.6	2.6	0.3	3.8	10.9	4.8	0.3	2.9	7.1	42
3.9	0.3	7.1	0.6	.....	0.6	13.2	0.6	0.3	1.0	0.3	2.6	13.8	5.5	0.3	3.2	10.0	43
2.2	*2.9*	*6.5*	*0.7*	.....	.....	*10.1*	*0.7*	.....	.....	.....	*2.9*	*19.6*	*5.1*	*2.2*	*2.2*	*3.6*	44
4.6	.....	*16.3*	.....	.....	.....	*9.3*	*2.3*	.....	.....	.....	.....	*11.6*	*2.3*	.....	*4.6*	.....	45
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*30.0*	.....	.....	*10.0*	*20.0*	46
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
3.4	0.6	8.0	0.4	0.2	0.6	1.6	0.5	0.4	0.7	0.4	2.4	8.6	3.6	1.3	5.9	9.1	49
.....	.....	.....	.....	.....	.....	.....	.....	*25.0*	.....	.....	.....	.....	.....	.....	*25.0*	*25.0*	50
.....	.....	*8.3*	*0.9*	.....	*0.9*	.....	.....	*0.9*	*2.3*	*0.9*	*0.9*	*0.9*	*1.9*	*0.9*	*17.6*	*13.9*	51
2.8	0.9	7.4	0.5	.....	.....	.....	.....	0.5	0.9	.....	1.4	2.3	5.1	0.9	12.1	8.4	52
2.3	0.6	7.4	0.4	.....	1.0	0.9	0.6	0.3	1.4	.....	3.2	4.2	5.5	2.2	5.6	8.7	53
3.7	0.1	7.8	0.3	0.3	0.3	2.0	0.7	0.3	0.3	0.1	2.4	8.4	3.9	1.3	5.4	9.7	54
3.7	0.5	7.5	0.3	0.3	0.6	2.3	0.6	0.8	0.3	0.8	1.4	12.7	2.6	0.9	5.9	7.3	55
3.9	0.5	9.6	0.2	0.2	0.7	2.7	.....	.....	0.2	1.2	2.5	12.3	2.5	0.7	2.2	7.1	56
5.1	*0.6*	*10.1*	*1.7*	.....	.....	*1.1*	*0.6*	.....	*0.6*	.....	*5.1*	*12.9*	*2.2*	*1.1*	*2.2*	*14.6*	57
7.8	*7.8*	*3.9*	.....	.....	*2.0*	.....	.....	*2.0*	.....	.....	*2.0*	*17.6*	.....	.....	*3.9*	*13.7*	58
8.3	*8.3*	*16.7*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*16.7*	.....	.....	.....	*25.0*	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*25.0*	.....	*25.0*	.....	60
4.2	0.9	7.9	0.5	0.2	0.5	3.3	0.4	0.1	0.8	0.3	2.1	10.9	3.7	1.4	9.1	9.2	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	62
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*50.0*	.....	63
2.9	.....	*5.7*	.....	.....	*2.9*	.....	.....	.....	*2.9*	.....	.....	.....	*2.9*	*5.7*	*34.3*	*11.4*	64
.....	*0.5*	*6.8*	.....	.....	.....	*3.2*	.....	.....	*3.2*	.....	*1.6*	*5.8*	*4.7*	*4.2*	*16.8*	*12.1*	65
4.4	.....	8.3	0.6	.....	0.3	4.1	0.3	.....	0.3	.....	1.6	6.7	6.0	2.2	12.4	13.3	66
2.8	0.2	6.8	0.2	0.2	0.6	4.4	0.4	0.2	0.6	.....	1.9	11.4	4.7	1.1	10.1	6.8	67
5.6	0.8	7.8	0.5	0.3	0.3	3.2	0.8	0.3	0.8	0.3	2.4	12.3	3.5	1.2	7.2	7.2	68
5.1	1.9	9.1	1.0	0.2	0.6	2.9	0.4	0.2	0.4	0.8	2.2	14.0	1.9	0.4	5.6	8.2	69
5.4	*3.3*	*10.0*	*0.8*	.....	*0.8*	.....	.....	.....	*0.8*	*0.8*	*3.1*	*10.0*	.....	.....	*3.1*	*17.7*	70
.....	*3.3*	*3.3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*16.7*	.....	.....	.....	*16.7*	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*100.0*	.....	.....	.....	.....	72

[2] Less than one-tenth.

TABLE VIII.—MALES—PER CENT DISTRIBUTION, BY IMPORTANT CAUSES, OF DEATHS OF MALES AT THE REGISTRATION

[These percentages, based on Table 11, page 726, are shown for only those occupations having 500 or

	OCCUPATION AND AGE PERIOD.	DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS.											
			Per cent of all causes at specified age period.										
		Number of deaths.[1]	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
1	Trade and transportation	44,941	2.3	16.6	5.2	0.5	1.4	0.9	(2)	(2)	6.2	2.6	10.2
2	10 to 14 years	*54*	*3.7*	*1.9*	.....	.....	.....	.....	.....	.....	.....	*1.9*	*1.9*
3	15 to 19 years	1,424	7.2	24.2	0.6	0.8	0.9	.....	.....	.....	0.3	3.4	4.6
4	20 to 24 years	3,293	6.6	32.6	1.1	0.7	0.5	0.3	.....	0.1	0.4	2.0	3.9
5	25 to 34 years	7,948	4.4	31.9	1.4	0.6	0.9	1.1	(2)	0.1	1.2	2.1	4.7
6	35 to 44 years	8,219	2.4	22.8	3.3	0.5	1.0	1.8	0.1	(2)	2.8	2.8	8.0
7	45 to 54 years	8,333	1.3	12.3	7.1	0.5	1.7	1.3	.....	(2)	6.2	3.1	10.8
8	55 to 64 years	7,495	0.6	5.8	9.6	0.4	2.3	0.6	.....	(2)	10.5	2.9	15.0
9	65 to 74 years	5,501	0.4	2.6	8.3	0.4	2.1	0.3	.....	(2)	13.7	2.3	16.9
10	75 to 84 years	2,226	0.1	1.2	6.3	0.4	1.1	0.1	.....	.....	15.5	1.6	16.8
11	85 years and over	384	.....	0.3	4.2	.....	0.3	.....	.....	.....	11.7	1.8	12.2
12	Unknown	*64*	*1.6*	.....	*4.7*	.....	.....	.....	.....	*1.6*	*4.7*	.....	.....
13	Agents	2,625	2.3	10.4	6.7	0.3	1.9	0.6	.....	0.1	8.6	2.9	13.0
14	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	*19*	*15.8*	*21.1*	.....	.....	.....	.....	.....	.....	.....	.....	*5.3*
16	20 to 24 years	*68*	*13.2*	*33.8*	.....	.....	*1.5*	.....	.....	.....	.....	*1.5*	*1.5*
17	25 to 34 years	262	5.7	32.8	2.3	0 8	2.3	.....	.....	.....	0.4	3.4	5.3
18	35 to 44 years	366	4.4	18.9	5.2	0.3	.....	1 4	.....	.....	1.4	3.6	7.7
19	45 to 54 years	552	1.6	8.0	9.6	0.2	2.4	1.3	.....	0.2	6.9	2.5	11.4
20	55 to 64 years	650	0.8	4.9	10.2	0.5	2.6	0.5	.....	0.2	12.0	3.5	15.7
21	65 to 74 years	492	0.6	2.6	5.1	0.2	2.0	0.2	.....	.....	13.0	2.8	19.7
22	75 to 84 years	*193*	.....	*0.5*	*4.1*	*0.5*	*0 5*	.....	.....	.....	*17.6*	*0.5*	*17.6*
23	85 years and over	*23*	.....	.....	.....	.....	*4.3*	.....	.....	.....	*21.7*	.....	*8.7*
24	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Bankers and brokers	712	1.3	5.9	6.2	0 3	2.1	0.1	.....	.....	11.8	2.9	12.1
26	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	20 to 24 years	*4*	.....	*50.0*	.....	.....	.....	.....	.....	.....	.....	.....	.....
29	25 to 34 years	*36*	*2.8*	*36.1*	.....	.....	.....	.....	.....	.....	.....	.....	*2.8*
30	35 to 44 years	*74*	*6.8*	*12.2*	*4.1*	.....	*2.7*	.....	.....	.....	*2.7*	*13.5*	*2.7*
31	45 to 54 years	*119*	*2.5*	*3.4*	*10.9*	.....	*0.8*	.....	.....	.....	*10.1*	*3.4*	*10.1*
32	55 to 64 years	*174*	.....	*4.6*	*7.5*	.....	*1.7*	*0.6*	.....	.....	*9.8*	*1.1*	*14.9*
33	65 to 74 years	*165*	.....	*2.4*	*6.5*	.....	*4.2*	.....	.....	.....	*19.4*	*1.2*	*9.7*
34	75 to 84 years	*116*	.....	*1.7*	*3 4*	*1.7*	*1.7*	.....	.....	.....	*16.4*	*1.7*	*22.4*
35	85 years and over	*24*	.....	.....	*8.3*	.....	.....	.....	.....	.....	*8.3*	*4.2*	*12.5*
36	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Boatmen and sailors	1,757	3.1	10.4	5.0	0.3	1.0	0.7	.....	.....	7.3	2.6	10.0
38	10 to 14 years	*3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*33.3*	.....
39	15 to 19 years	*48*	*16.7*	*6.3*	.....	.....	*2.1*	.....	.....	.....	.....	.....	*2.1*
40	20 to 24 years	*132*	*12.9*	*25.8*	.....	.....	.....	*0.8*	.....	.....	.....	*1.5*	*1.5*
41	25 to 34 years	242	6.6	16.5	1.7	0.8	.....	0.4	.....	.....	0.8	2.5	4.1
42	35 to 44 years	242	3.7	15.7	2.5	0.4	0.4	0.8	.....	.....	4.5	3.7	9.1
43	45 to 54 years	309	0.6	12.0	6.5	.....	0.6	1.0	.....	.....	4.9	1.3	10.7
44	55 to 64 years	288	0.3	5.9	9.4	0.3	2.1	1.4	.....	.....	9.7	4.2	12.2
45	65 to 74 years	289	0.3	3.8	8.0	0.7	2.1	0.7	.....	.....	14.2	3.1	14.5
46	75 to 84 years	*153*	.....	*0.7*	*4 6*	.....	*1.3*	.....	.....	.....	*18.3*	*0.7*	*19.0*
47	85 years and over	*43*	.....	*2.3*	*2.3*	.....	.....	.....	.....	.....	*9.3*	*2.3*	*4.7*
48	Unknown	*8*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Bookkeepers and accountants	1,740	3.0	22.5	5.7	0.4	1.4	0.8	.....	.....	6.0	3.7	12.5
50	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	*38*	*10.5*	*50.0*	.....	.....	.....	.....	.....	.....	.....	*5.3*	*2.6*
52	20 to 24 years	*163*	*8.6*	*42.9*	*1.2*	*0.6*	*1.2*	.....	.....	.....	.....	*2.5*	*4.3*
53	25 to 34 years	347	5.5	42.9	1.2	0.9	1.4	0.6	.....	.....	1.4	2.6	5.5
54	35 to 44 years	294	3.4	31.6	3.4	0.3	1.7	1.4	.....	.....	1.4	4.1	11.9
55	45 to 54 years	280	1.4	12.9	8.2	0.4	2.1	1.4	.....	.....	6.4	4.3	13.2
56	55 to 64 years	305	0.3	5.2	9.5	.....	1.6	1.0	.....	.....	11.1	5.6	17.4
57	65 to 74 years	235	0.4	3.0	11.1	0.4	0.9	0.4	.....	.....	12.3	3.4	20.9
58	75 to 84 years	*67*	.....	*1.5*	*7.5*	.....	.....	.....	.....	.....	*19.4*	*1.5*	*17.9*
59	85 years and over	*11*	.....	.....	.....	.....	.....	.....	.....	.....	*18.2*	.....	*36.4*
60	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Clerks and copyists	7,384	3.2	28.3	3.8	0.7	1.2	0.9	(2)	0.1	4.6	2.5	8.6
62	10 to 14 years	*9*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	603	7.8	29 7	0.5	1.0	1.5	.....	.....	.....	0.3	3.0	4.6
64	20 to 24 years	1,041	5.4	44.7	1.6	1.0	0.7	0.2	.....	.....	0.8	1.4	4.8
65	25 to 34 years	1,762	4.8	44.2	1.6	0.7	0.8	1.0	.....	0.1	1.5	2.4	5.3
66	35 to 44 years	1,297	2.1	31 5	3.4	0.8	1.4	2.1	0.2	0.1	2.7	2.4	7.5
67	45 to 54 years	1,056	0.9	17.0	6.2	0.5	1.6	1.1	.....	.....	7.6	4.0	10.4
68	55 to 64 years	848	0.8	7.2	8.0	0.6	1.9	0.5	.....	.....	10.0	2.7	15.4
69	65 to 74 years	613	0.7	2.3	6.4	0.2	1.8	0.2	.....	.....	13.1	2.0	16.8
70	75 to 84 years	*136*	.....	*0.7*	*8.8*	*0.7*	.....	.....	.....	.....	*14.7*	*2.9*	*16.4*
71	85 years and over	*16*	.....	.....	.....	.....	.....	.....	.....	.....	*12.5*	.....	.....
72	Unknown	*3*	*33.3*	.....	*33.3*	.....	.....	.....	.....	*33.3*	.....	.....	.....

[1] The total number of deaths at each age period is taken as the basis, or 100 per cent, with which the percentages for individual causes are compared.

LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS, CLASSIFIED BY AGE, FOR AREA: 1909—Continued.

more deaths. All figures printed in *italics* relate to a total of less than 200 deaths for that age period.]

DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS—continued.

Per cent of all causes at specified age period—Continued.

Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
4.4	0.5	7.3	0.3	0.2	0.6	1.9	0.6	0.3	1.3	0.3	2.5	8.7	2.8	0.6	13.2	8.4	1
8.7	.....	*5.6*	.....	.....	.....	.....	.....	.....	.....	.....	*7.4*	*1.9*	*1.9*	.....	*57.4*	*13.0*	2
1.6	0.1	4.3	0.2	.....	0.4	0.1	0.2	0.6	4.9	0.1	1.7	1.8	2.7	1.1	28.0	10.3	3
1.5	0.1	4.9	0.4	0.1	0.4	0.3	0.2	0.3	3.4	0.2	1.8	2.2	3.2	0.7	23.6	8.7	4
1.6	0.1	6.5	0.4	0.1	0.4	1.0	0.3	0.4	2.0	0.2	1.9	4.2	3.3	0.7	19.9	8.5	5
2.9	0.3	8.7	0.3	0.1	0.6	2.1	0.8	0.2	1.7	0.2	2.1	6.8	3.9	0.8	15.0	7.9	6
4.0	0.4	7.8	0.4	0.3	0.6	3.4	0.8	0.3	1.1	0.3	2.4	10.9	3.4	0.6	11.8	7.2	7
6.5	0.5	7.3	0.3	0.3	0.6	2.5	0.7	0.2	0.3	0.5	3.0	13.2	2.0	0.5	7.1	6.8	8
8.3	1.3	7.7	0.2	0.3	0.6	1.7	0.7	0.2	0.1	0.4	3.1	13.3	1.4	0.3	4.7	8.7	9
10.0	1.7	8.0	0.2	0.6	0.9	1.3	0.8	0.3	.....	0.3	3.6	10.9	0.2	0.2	3.5	14.7	10
9.1	1.8	8.3	.....	.....	0.8	.....	0.5	.....	.....	0.5	3.4	12.8	.....	0.3	4.7	27.3	11
1.6	.....	7.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	*3.1*	*6.3*	.....	*67.2*	*1.6*	12
6.4	1.0	7.7	0.3	0.2	0.4	2.1	1.0	0.1	1.4	0.3	2.8	9.6	4.4	0.6	5.2	9.9	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	*5.3*	.....	.....	*10.5*	*5.3*	.....	*15.8*	*21.1*	15
.....	.....	*8.3*	.....	.....	*1.5*	.....	.....	.....	*5.9*	.....	*4.4*	*1.5*	*4.4*	.....	*8.3*	*13.2*	16
2.3	0.4	7.6	.....	.....	.....	0.4	0.4	0.4	5.0	.....	1.1	3.8	6.1	1.9	8.8	8.8	17
4.4	0.5	7.4	0.5	0.3	0.3	1.1	1.9	.....	3.0	0.8	4.4	7.1	7.4	1.4	6.3	10.7	18
4.5	0.2	7.4	0.4	0.2	0.9	3.3	0.9	.....	1.4	0.4	3.1	12.0	5.3	0.5	6.3	9.2	19
7.1	0.5	6.6	0.3	0.3	0.3	3.4	1.1	0.2	0.2	0.3	3.1	10.9	4.5	0.3	3.4	6.9	20
10.8	2.2	8.9	0.4	.....	0.2	1.6	1.0	0.2	.....	0.2	1.4	10.2	1.8	0.2	3.3	11.2	21
9.8	*3.1*	*9.8*	.....	.....	*0.5*	*0.5*	*1.0*	.....	.....	*0.5*	*3.6*	*11.4*	*0.5*	.....	*3.6*	*14.0*	22
8.7	*4.3*	*8.7*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*13.0*	.....	.....	*4.3*	*26.1*	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
8.1	0.7	10.8	0.1	0.1	0.1	2.1	2.0	0.4	1.7	.....	2.5	13.1	2.9	0.8	3.5	8.1	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
.....	.....	*25.0*	.....	.....	.....	.....	.....	*25.0*	.....	.....	.....	.....	.....	.....	.....	.....	28
2.8	.....	*11.1*	.....	.....	.....	.....	*2.8*	.....	.....	.....	*5.6*	*8.3*	*5.6*	*2.8*	*5.6*	*18.9*	29
5.4	.....	*14.9*	.....	.....	.....	*2.7*	*1.4*	.....	*2.7*	.....	*1.4*	*5.4*	*8.1*	*2.7*	*5.4*	*5.4*	30
0.8	.....	*8.4*	.....	*0.8*	.....	*4.2*	*4.2*	*0.8*	*5.0*	.....	*2.5*	*17.6*	*4.2*	*0.8*	*2.6*	*6.7*	31
13.2	*1.1*	*9.8*	.....	.....	.....	*2.3*	*2.9*	.....	*1.7*	.....	*0.6*	*14.4*	*3.4*	*0.6*	*3.4*	*6.3*	32
10.9	*0.6*	*11.5*	.....	.....	*0.6*	*1.2*	*0.6*	*0.6*	*0.6*	.....	*3.6*	*12.7*	*1.2*	*0.6*	*4.8*	*7.9*	33
8.6	*1.7*	*9.5*	*0.9*	.....	.....	*1.7*	*0.9*	.....	.....	.....	*3.4*	*11.2*	.....	.....	*0.9*	*12.1*	34
4.2	.....	*16.7*	.....	.....	.....	.....	.....	.....	.....	.....	*4.2*	*25.0*	.....	.....	*4.2*	*12.5*	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
4.4	0.6	7.4	0.3	0.3	0.5	1.4	0.9	0.2	1.0	0.3	1.6	9.4	2.3	0.9	17.9	10.0	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*66.7*	.....	38
.....	.....	*4.1*	.....	.....	.....	.....	.....	.....	*3.3*	.....	*2.1*	.....	*2.1*	*6.3*	*45.8*	*4.1*	39
1.5	.....	*4.5*	.....	.....	*1.5*	.....	.....	.....	.....	.....	.....	*3.0*	*5.3*	*0.8*	*50.3*	*10.6*	40
1.2	.....	6.2	0.4	.....	.....	1.2	1.2	0.8	1.2	0.4	1.7	4.5	3.3	1.2	30.6	12.4	41
3.3	.....	8.3	0.4	0.4	1.2	1.2	0.4	.....	2.1	.....	0.4	4.5	4.1	1.7	23.6	7.4	42
5.2	0.3	9.4	1.0	0.3	0.3	2.3	1.3	0.3	1.3	.....	1.6	9.4	1.0	0.3	22.3	6.1	43
4.9	1.4	9.4	.....	.....	.....	1.4	0.7	.....	0.3	0.7	2.4	11.8	1.7	0.7	11.5	7.6	44
7.3	1.7	6.2	0.3	0.7	1.0	1.7	1.0	0.3	.....	0.3	2.1	17.3	1.7	.....	2.8	8.0	45
5.2	.....	*4.6*	.....	*0.7*	.....	*2.0*	*2.0*	.....	.....	*1.3*	*2.6*	*13.1*	*0.7*	*0.7*	*2.6*	*20.3*	46
14.0	.....	*9.3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*16.3*	.....	*2.3*	*2.3*	*34.9*	47
.....	.....	*25.0*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*62.5*	*12.5*	48
5.1	0.3	6.1	0.5	.....	0.7	1.5	0.3	0.2	2.2	0.2	2.2	8.4	3.4	0.3	3.6	8.8	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	*2.6*	.....	.....	*2.6*	.....	.....	.....	*2.6*	.....	.....	.....	*2.6*	.....	*7.9*	*13.2*	51
1.8	.....	*1.2*	*1.2*	.....	.....	.....	.....	*0.6*	*6.1*	.....	*3.1*	*3.1*	*0.6*	.....	*9.2*	*11.7*	52
3.2	.....	5.5	0.6	.....	0.9	0.3	0.3	.....	4.3	.....	1.2	2.9	5.2	.....	4.3	9.5	53
3.1	.....	7.5	.....	.....	0.7	1.0	0.3	.....	3.1	.....	2.4	6.5	5.1	1.4	2.0	7.8	54
4.3	.....	9.3	1.1	.....	0.7	3.9	0.4	0.4	0.7	0.4	2.1	10.7	4.6	0.7	2.9	7.5	55
7.9	0.3	6.2	0.3	.....	0.3	2.0	0.7	0.7	0.7	1.0	0.7	13.4	2.3	.....	2.6	9.2	56
7.2	1.7	6.0	.....	.....	0.4	1.7	0.4	.....	.....	.....	5.5	14.9	1.3	.....	2.6	5.5	57
14.9	*1.5*	*6.0*	.....	.....	*3.0*	*1.5*	.....	.....	.....	.....	*1.5*	*9.0*	*1.5*	.....	*1.5*	*11.9*	58
18.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*27.3*	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60
3.5	0.4	7.3	0.5	0.2	0.5	1.8	0.7	0.4	2.1	0.2	2.6	8.2	3.0	0.7	5.3	8.7	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*33.3*	.....	.....	.....	*55.6*	*11.1*	62
2.5	.....	5.0	.....	.....	0.3	.....	0.5	0.8	6.1	.....	2.3	2.8	3.0	1.0	16.4	10.8	63
1.8	0.2	4.6	0.7	0.1	0.4	0.4	0.6	0.4	4.5	0.2	1.8	3.1	2.9	1.0	6.1	10.8	64
1.4	0.1	6.4	0.5	0.2	0.3	1.2	0.5	0.3	2.0	0.2	2.2	5.2	4.1	0.7	4.5	7.8	65
2.8	0.2	10.7	0.5	0.1	1.0	2.8	0.9	0.2	1.5	0.1	1.8	8.2	3.2	0.5	4.0	7.4	66
4.5	0.6	8.0	0.6	0.2	0.5	3.5	1.0	0.5	1.1	0.1	3.1	11.3	3.6	1.0	3.9	7.3	67
6.7	0.5	7.5	0.6	0.1	0.6	2.7	0.5	0.2	0.2	0.9	3.7	15.6	1.7	0.4	3.1	7.9	68
8.3	1.0	8.5	0.3	0.5	0.5	1.8	1.0	0.2	0.2	0.2	5.2	14.2	1.3	0.3	3.9	9.5	69
8.1	*3.7*	*6.6*	*1.5*	*0.7*	*1.5*	.....	*0.7*	.....	.....	.....	*1.5*	*10.3*	*0.7*	.....	*2.2*	*19.1*	70
6.3	.....	*18.3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*25.0*	.....	.....	*6.3*	*31.3*	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72

[2] Less than one-tenth.

TABLE VIII.—MALES—PER CENT DISTRIBUTION, BY IMPORTANT CAUSES, OF DEATHS OF MALES AT THE REGISTRATION

[These percentages, based on Table 11, page 726, are shown for only those occupations having 500 or

	OCCUPATION AND AGE PERIOD.	DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS.										
		Number of deaths.[1]	Per cent of all causes at specified age period.									
			Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
1	Trade and transportation—Continued. Commercial travelers	542	3.5	10.0	6.6	0.2	3.1	0.7	.....	.....	7.7	3.9	9.8
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	20 to 24 years	17	5.9	23.5	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	25 to 34 years	78	11.5	29.5	1.3	.....	5.1	1.3	.....	.....	3.8	.....	2.6
6	35 to 44 years	96	4.2	12.5	4.2	.....	3.1	1.0	.....	.....	5.2	10.4	4.2
7	45 to 54 years	145	3.4	4.8	9.0	.....	3.4	0.7	.....	.....	6.2	4.8	7.6
8	55 to 64 years	113	.....	5.3	9.7	.....	1.8	0.9	.....	.....	11.5	2.7	17.7
9	65 to 74 years	78	.....	2.7	9.6	1.4	4.1	.....	.....	.....	12.3	1.4	17.8
10	75 to 84 years	14	.....	.....	.....	.....	.....	.....	.....	.....	14.3	.....	21.4
11	85 years and over	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Unknown	3	.....	.....	.....	.....	.....	.....	.....	.....	33.3	.....	.....
13	Draymen, hackmen, teamsters, etc	5,791	2.2	23.4	4.2	0.4	0.6	1.6	.....	(2)	4.4	2.2	9.6
14	10 to 14 years	6	16.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	180	7.2	25.0	0.6	0.6	.....	.....	.....	.....	0.6	4.4	3.9
16	20 to 24 years	441	5.0	30.2	1.8	0.9	0.2	0.5	.....	0.2	0.2	3.9	4.1
17	25 to 34 years	1,333	3.9	35.8	1.0	0.6	0.7	2.3	.....	0.1	1.2	2.0	5.9
18	35 to 44 years	1,369	1.3	29.3	2.6	0.1	0.3	2.7	.....	.....	2.5	1.5	8.4
19	45 to 54 years	1,086	1.4	18.2	5.6	0.6	0.9	1.7	.....	.....	4.2	2.2	11.0
20	55 to 64 years	736	0.5	10.2	9.9	0.1	1.4	0.8	.....	.....	10.5	2.2	14.1
21	65 to 74 years	441	0.2	4.8	8.4	0.5	0.5	.....	.....	.....	11.6	2.5	16.6
22	75 to 84 years	177	.....	1.7	7.3	.....	0.6	.....	.....	.....	14.1	1.1	22.0
23	85 years and over	18	.....	.....	5.6	.....	.....	.....	.....	.....	11.1	.....	16.7
24	Unknown	4	.....	.....	.....	.....	.....	.....	.....	.....	25.0	.....	.....
25	Foremen and overseers	745	3.0	8.7	8.5	0.8	1.9	0.4	.....	.....	8.3	1.9	11.3
26	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	20 to 24 years	18	11.1	22.2	5.6	.....	5.6	.....	.....	.....	.....	.....	.....
29	25 to 34 years	85	4.7	18.8	.....	3.5	.....	.....	.....	.....	1.2	.....	8.2
30	35 to 44 years	160	5.6	14.4	5.0	0.6	1.3	.....	.....	.....	3.8	1.9	7.5
31	45 to 54 years	182	2.2	9.9	7.7	1.1	1.6	1.1	.....	.....	7.1	1.6	10.4
32	55 to 64 years	164	1.2	1.8	14.6	.....	3.0	0.6	.....	.....	8.5	3.7	15.9
33	65 to 74 years	103	1.0	.....	13.6	.....	1.9	.....	.....	.....	21.4	1.0	16.5
34	75 to 84 years	26	.....	3.8	7.7	.....	3.8	.....	.....	.....	19.2	.....	11.5
35	85 years and over	3	.....	.....	.....	.....	.....	.....	.....	.....	33.3	33.3	.....
36	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Hostlers	540	1.1	20.6	2.8	0.6	0.2	1.7	.....	.....	4.8	1.1	12.2
38	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	5	.....	40.0	.....	.....	.....	.....	.....	.....	.....	.....	20.0
40	20 to 24 years	29	.....	31.0	.....	.....	.....	.....	.....	.....	.....	.....	3.4
41	25 to 34 years	79	3.8	30.7	.....	.....	.....	3.8	.....	.....	1.3	2.5	5.1
42	35 to 44 years	128	0.8	22.7	3.1	.....	.....	2.3	.....	.....	1.6	0.8	7.8
43	45 to 54 years	130	0.8	17.7	4.6	0.8	0.8	2.3	.....	.....	3.8	1.5	12.3
44	55 to 64 years	99	.....	9.1	4.0	2.0	.....	.....	.....	.....	11.1	1.0	19.2
45	65 to 74 years	52	1.9	1.9	1.9	.....	.....	.....	.....	.....	7.7	.....	26.9
46	75 to 84 years	15	.....	.....	.....	.....	.....	.....	.....	.....	20.0	.....	.....
47	85 years and over	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50.0
48	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Hucksters and peddlers	799	0.4	18.3	7.8	0.4	0.9	1.0	.....	.....	5.4	2.3	10.8
50	10 to 14 years	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	15	.....	26.7	6.7	.....	.....	.....	.....	.....	.....	6.7	6.7
52	20 to 24 years	31	3.2	19.4	.....	.....	.....	.....	.....	.....	.....	.....	6.5
53	25 to 34 years	88	.....	44.3	2.3	.....	.....	1.1	.....	.....	1.1	3.4	2.3
54	35 to 44 years	155	.....	31.9	6.7	.....	2.2	1.5	.....	.....	3.0	1.5	6.7
55	45 to 54 years	193	0.5	17.1	8.3	1.0	0.5	1.6	.....	.....	5.7	1.0	11.9
56	55 to 64 years	158	0.6	7.6	12.7	.....	1.3	1.3	.....	.....	4.4	4.4	14.6
57	65 to 74 years	123	.....	4.9	10.6	.....	0.8	.....	.....	.....	9.8	2.4	15.4
58	75 to 84 years	45	.....	6.7	2.2	2.2	.....	.....	.....	.....	13.3	.....	15.6
59	85 years and over	8	.....	.....	.....	.....	.....	.....	.....	.....	25.0	.....	.....
60	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Merchants and dealers (except wholesale)	9,329	1.8	9.9	7.4	0.6	2.2	0.9	(2)	0.1	9.5	3.2	13.1
62	10 to 14 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	41	12.2	24.4	.....	.....	.....	.....	.....	.....	.....	12.2	12.2
64	20 to 24 years	179	10.6	33.5	2.2	0.6	0.6	1.1	.....	.....	0.6	3.4	7.3
65	25 to 34 years	837	6.1	30.3	2.2	0.5	1.2	1.6	0.2	0.2	2.2	2.9	6.5
66	35 to 44 years	1,369	3.0	18.7	4.4	0.9	1.2	2.1	.....	0.1	4.3	4.5	9.4
67	45 to 54 years	1,901	1.4	10.2	8.1	0.7	2.4	1.4	.....	0.1	6.9	4.2	12.3
68	55 to 64 years	2,091	0.9	5.2	10.2	0.5	3.3	0.5	.....	.....	11.8	2.9	14.8
69	65 to 74 years	1,821	0.4	1.8	9.6	0.7	2.5	0.2	.....	.....	14.7	2.3	17.1
70	75 to 84 years	916	0.2	0.8	6.9	0.2	1.5	0.1	.....	.....	15.7	2.0	15.7
71	85 years and over	171	.....	.....	3.5	.....	.....	.....	.....	.....	9.9	2.3	15.8
72	Unknown	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] The total number of deaths at each age period is taken as the basis, or 100 per cent, with which the percentages for individual causes are compared.

LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS, CLASSIFIED BY AGE, FOR AREA: 1909—Continued.

more deaths. All figures printed in *italics* relate to a total of less than 200 deaths for that age period.]

DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS—continued.

Per cent of all causes at specified age period—Continued.

Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
7.0	0.6	5.2	0.6	.....	.....	2.4	0.7	0.6	1.5	.....	3.9	9.6	5.0	1.5	7.7	8.3	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*50.0*	.....	*50.0*	.....	.....	.....	3
.....	.....	*5.9*	.....	.....	.....	.....	.....	.....	*5.9*	.....	*5.9*	*5.9*	*5.9*	.....	*17.6*	*23.5*	4
2.6	.....	*3.8*	.....	.....	.....	*1.3*	*1.3*	.....	*3.8*	.....	*2.6*	*2.6*	7.7	*3.8*	*9.0*	*6.4*	5
4.2	.....	*5.2*	*1.0*	.....	.....	*3.1*	.....	*1.0*	*2.1*	.....	*5.2*	7.3	7.3	*1.0*	*10.4*	7.3	6
6.2	*0.7*	*3.4*	*0.7*	.....	.....	*3.4*	*0.7*	*1.4*	*0.7*	.....	*2.8*	*14.5*	*4.1*	*1.4*	*11.7*	*8.3*	7
10.6	*0.9*	*5.3*	*0.9*	.....	.....	*2.7*	.....	.....	*0.9*	.....	*6.2*	*10.6*	*2.7*	*0.9*	*1.8*	*7.1*	8
13.7	.....	*6.8*	.....	.....	.....	*1.4*	*1.4*	.....	.....	.....	*1.4*	*11.0*	*2.7*	*1.4*	*2.7*	*8.2*	9
7.1	*7.1*	*14.3*	.....	.....	.....	.....	*7.1*	.....	.....	.....	.....	.....	.....	.....	*7.1*	*21.4*	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*100.0*	.....	.....	.....	.....	11
.....	.....	*33.3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*33.3*	.....	.....	.....	12
2.9	0.5	9.2	0.3	0.2	0.7	2.2	0.4	0.2	0.9	0.3	2.2	7.5	2.3	0.6	13.7	7.2	13
16.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*50.0*	*16.7*	14
0.6	*0.6*	*6.7*	.....	.....	.....	.....	.....	*0.6*	*3.3*	.....	*2.8*	*1.7*	*1.7*	*1.7*	*24.4*	*13.9*	15
1.8	0.2	8.4	0.5	.....	0.2	0.7	0.2	.....	3.2	0.5	2.5	2.7	2.7	1.1	20.2	8.2	16
1.5	0.1	10.0	0.5	0.2	0.9	1.7	0.2	0.2	1.1	.....	1.7	4.2	2.9	0.5	13.7	7.4	17
2.2	0.3	10.8	0.3	0.1	0.7	2.7	0.6	0.1	1.0	0.1	2.0	6.3	2.2	0.8	14.3	6.6	18
3.3	0.4	9.7	0.6	0.5	0.6	3.4	0.6	0.1	0.4	0.4	1.8	9.9	2.7	0.4	13.1	6.4	19
3.7	0.5	8.7	0.1	0.3	0.7	2.3	0.4	.....	0.1	1.0	3.0	12.2	1.5	0.5	11.4	3.8	20
6.3	1.6	6.3	.....	0.5	0.7	2.3	0.5	0.5	.....	0.5	2.3	13.4	1.4	0.5	9.8	8.8	21
8.5	*2.3*	*3.4*	.....	*0.6*	*0.6*	*2.3*	*0.6*	*1.1*	.....	*0.6*	*4.5*	*10.2*	.....	.....	*4.0*	*14.7*	22
11.1	*5.6*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*5.6*	*16.7*	.....	.....	*5.6*	*22.2*	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*25.0*	*25.0*	.....	*25.0*	.....	24
5.5	0.4	6.8	0.8	.....	1.1	2.3	0.8	0.4	2.3	0.3	2.6	9.1	2.8	0.9	10.5	8.7	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
33.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*66.7*	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	*5.6*	.....	.....	.....	*5.6*	.....	*33.3*	*11.1*	28
2.4	.....	*4.7*	.....	.....	.....	*1.2*	.....	*2.4*	*7.1*	.....	*1.2*	*8.2*	*5.9*	*2.4*	*16.5*	*11.8*	29
4.4	.....	*7.5*	*0.6*	.....	.....	*1.9*	*0.6*	.....	*3.8*	*0.6*	*3.8*	*6.3*	*5.0*	*1.3*	*13.8*	*10.6*	30
4.4	*0.5*	*6.6*	*2.2*	.....	*1.6*	*3.3*	*1.1*	.....	*1.6*	*0.5*	*2.2*	*12.1*	*2.2*	.....	*11.5*	*7.1*	31
5.5	.....	*7.3*	*0.6*	.....	*2.4*	*1.8*	*0.6*	*0.6*	*0.6*	.....	*3.0*	*9.8*	*1.2*	*1.8*	*7.9*	*7.3*	32
9.7	*1.9*	*8.7*	.....	.....	.....	*2.9*	*1.9*	.....	.....	.....	*1.9*	*11.7*	*1.0*	.....	*1.0*	*3.9*	33
11.5	.....	*7.7*	.....	.....	*3.8*	*3.8*	.....	.....	.....	.....	*3.8*	*3.8*	.....	.....	.....	*19.2*	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*33.3*	.....	35
100.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
3.9	0.4	13.9	0.2	.....	0.2	0.9	0.2	0.2	0.6	1.5	2.0	8.5	3.5	0.7	10.0	8.3	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*40.0*	39
3.4	.....	*17.2*	.....	.....	.....	.....	.....	*3.4*	*3.4*	.....	.....	.....	*13.8*	.....	*13.8*	*10.3*	40
1.3	.....	*8.9*	.....	.....	.....	*1.3*	.....	.....	*1.3*	*1.3*	.....	*2.5*	*5.1*	.....	*20.3*	*5.1*	41
3.1	.....	*16.6*	.....	.....	.....	.....	.....	.....	.....	*3.1*	*2.3*	*5.5*	*4.7*	*1.6*	*9.4*	*8.6*	42
3.1	.....	*16.2*	*0.8*	.....	*0.8*	*2.3*	.....	.....	.....	*1.5*	*2.3*	*10.8*	*0.8*	*1.5*	*8.5*	*6.9*	43
4.0	.....	*10.1*	.....	.....	.....	*1.0*	*1.0*	.....	*1.0*	*1.0*	*1.0*	*15.2*	*1.0*	.....	*6.1*	*12.1*	44
7.7	*3.8*	*19.2*	.....	.....	.....	.....	.....	.....	.....	.....	*3.8*	*9.6*	*3.8*	.....	*5.8*	*5.8*	45
20.0	.....	*13.3*	.....	.....	.....	.....	.....	.....	.....	.....	*13.3*	*13.3*	.....	.....	*13.3*	*6.7*	46
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*50.0*	.....	.....	.....	.....	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*100.0*	.....	.....	.....	48
3.8	0.6	9.5	0.1	0.3	1.1	1.5	0.5	0.3	1.0	0.6	2.4	11.0	3.3	0.6	7.0	9.4	49
.....	.....	*33.3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*33.3*	*33.3*	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*13.3*	*13.3*	*20.0*	*6.7*	51
6.5	.....	*6.5*	.....	.....	*3.2*	.....	.....	.....	*3.2*	.....	*6.5*	*6.5*	*6.5*	.....	*16.1*	*16.1*	52
1.1	.....	*4.5*	.....	.....	*2.3*	*2.3*	*1.1*	.....	*1.1*	.....	*2.3*	*3.0*	*1.1*	.....	*4.5*	*17.0*	53
2.2	.....	*8.9*	*0.7*	*0.7*	*1.5*	.....	*0.7*	*0.7*	*1.5*	*0.7*	*0.7*	*6.7*	*5.2*	*1.5*	*7.4*	*7.4*	54
4.7	*0.5*	*8.8*	.....	*0.5*	*0.5*	*4.1*	*0.5*	.....	*2.1*	*0.5*	*2.1*	*9.8*	*4.7*	.....	*5.2*	*8.3*	55
5.7	*0.6*	*12.7*	.....	.....	*1.3*	*1.3*	*0.6*	.....	.....	*1.3*	*1.3*	*13.3*	*1.9*	.....	*7.0*	*6.3*	56
1.6	*0.8*	*9.8*	.....	.....	*0.8*	.....	.....	.....	.....	*0.8*	*5.7*	*19.5*	*1.6*	*0.8*	*7.3*	*7.3*	57
8.9	*4.4*	*17.8*	.....	.....	.....	.....	.....	*2.2*	.....	.....	*2.2*	*13.3*	.....	.....	*4.4*	*6.7*	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*12.5*	*62.5*	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60
6.5	0.6	7.0	0.3	0.3	0.7	2.6	0.8	0.3	1.0	0.4	3.3	11.3	2.4	0.5	3.5	9.8	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*100.0*	.....	62
.....	.....	*4.9*	*2.4*	.....	.....	.....	.....	.....	*2.4*	.....	.....	.....	*4.9*	.....	*19.5*	*4.9*	63
2.2	.....	*6.1*	.....	.....	.....	.....	.....	.....	*3.4*	.....	*3.4*	*1.7*	*3.4*	*1.1*	*9.5*	*9.5*	64
2.3	0.2	8.1	0.5	0.2	0.2	1.3	0.2	0.4	2.9	0.6	3.0	5.1	3.2	0.6	5.9	11.5	65
3.4	0.6	7.8	0.2	.....	0.7	3.6	0.9	0.2	1.7	0.4	2.6	9.8	4.1	1.0	4.7	9.6	66
4.6	0.4	6.3	0.2	0.3	0.6	4.5	1.3	0.5	1.2	0.4	3.1	12.1	3.8	0.5	4.0	8.7	67
7.8	0.4	6.6	0.4	0.4	0.9	2.9	0.8	0.4	0.5	0.4	3.9	13.3	1.8	0.4	1.9	7.2	68
9.0	1.2	7.3	0.2	0.3	0.6	1.3	0.7	0.2	0.1	0.5	3.1	13.0	1.2	0.3	2.4	9.5	69
11.7	1.1	7.1	.....	1.0	0.9	1.6	0.4	0.2	.....	.....	4.3	11.8	0.1	0.3	2.1	14.3	70
10.5	*1.2*	*7.6*	.....	.....	*0.6*	.....	*0.6*	.....	.....	*1.2*	*4.7*	*10.5*	.....	.....	*2.3*	*29.2*	71
.....	.....	*50.0*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*50.0*	.....	.....	.....	.....	72

[2] Less than one-tenth.

TABLE VIII.—MALES—PER CENT DISTRIBUTION, BY IMPORTANT CAUSES, OF DEATHS OF MALES AT THE REGISTRATION

[These percentages, based on Table 11, page 726, are shown for only those occupations having 500 or

	OCCUPATION AND AGE PERIOD.	DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS.											
		Number of deaths.[1]	Per cent of all causes at specified age period.										
			Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
1	Trade and transportation—Continued. Porters and helpers (in stores, etc.)	1,253	1.7	28.3	3.0	0.6	0.4	2.0	.....	.....	3.0	1.9	10.8
2	10 to 14 years	*2*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	*41*	*2.4*	*41.5*	*2.4*	*2.4*	.....	.....	.....	.....	*2.4*	*7.3*	*7.3*
4	20 to 24 years	*128*	*4.7*	*44.5*	*0.8*	*0.8*	.....	*0.8*	.....	.....	.....	*2.3*	*4.7*
5	25 to 34 years	264	1.5	38.3	0.4	0.4	0.4	1.9	.....	.....	0.8	1.1	6.1
6	35 to 44 years	323	1.2	31.6	1.9	0.6	0.3	3.1	.....	.....	3.4	3.1	11.5
7	45 to 54 years	264	1.5	21.6	4.5	0.8	0.8	1.1	.....	.....	1.9	0.8	16.3
8	55 to 64 years	*155*	*0.6*	*10.3*	*6.5*	*0.6*	*0.6*	*2.6*	.....	.....	*7.7*	*1.9*	*14.8*
9	65 to 74 years	*61*	*1.6*	*6.6*	*8.2*	.....	.....	*3.3*	.....	.....	*8.2*	.....	*6.6*
10	75 to 84 years	*11*	.....	*9.1*	*18.2*	.....	.....	.....	.....	.....	.....	.....	*18.2*
11	85 years and over	*3*	.....	.....	.....	.....	.....	.....	.....	.....	*33.3*	.....	*33.3*
12	Unknown	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Salesmen	2,550	2.3	15.8	6.0	0.6	2.1	1.1	(2)	(2)	6.4	2.6	11.5
14	10 to 14 years	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	*36*	*11.1*	*16.7*	.....	.....	*2.8*	.....	.....	.....	.....	*8.3*	*5.6*
16	20 to 24 years	*122*	*10.7*	*36.1*	*0.8*	*2.5*	*1.6*	.....	.....	.....	.....	*2.5*	*4.9*
17	25 to 34 years	449	4.9	32.5	1.8	0.7	1.1	1.3	.....	.....	0.9	1.1	5.8
18	35 to 44 years	530	1.7	21.1	3.6	0.6	1.9	1.5	0.2	.....	3.2	2.8	9.4
19	45 to 54 years	566	1.8	11.1	8.0	0.9	1.9	1.6	.....	.....	8.8	3.9	11.1
20	55 to 64 years	495	.....	5.3	9.3	0.4	2.2	0.4	.....	0.2	10.5	2.0	18.0
21	65 to 74 years	264	0.4	2.3	9.1	.....	4.5	0.8	.....	.....	10.6	2.3	17.4
22	75 to 84 years	*73*	.....	*1.4*	*9.6*	.....	*1.4*	.....	.....	.....	*16.4*	*2.7*	*12.3*
23	85 years and over	*12*	.....	.....	.....	.....	.....	.....	.....	.....	*8.3*	.....	*8.3*
24	Unknown	*2*	.....	.....	*100.0*	.....	.....	.....	.....	.....	.....	.....	.....
25	Steam-railroad employees	5,555	1.9	7.0	3.2	0.3	0.9	0.5	.....	(2)	3.3	1.8	5.3
26	10 to 14 years	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	*186*	*3.2*	*1.6*	.....	.....	.....	.....	.....	.....	.....	*1.6*	*1.1*
28	20 to 24 years	587	5.3	7.3	.....	.....	.....	0.2	.....	.....	.....	0.9	1.4
29	25 to 34 years	1,382	2.7	10.5	0.7	0.4	0.4	0.2	.....	.....	0.9	1.3	1.7
30	35 to 44 years	1,133	1.9	9.2	1.9	0.4	0.5	1.0	.....	.....	1.2	1.7	3.9
31	45 to 54 years	941	1.2	6.6	5.3	0.3	1.2	1.2	.....	.....	3.5	2.8	5.8
32	55 to 64 years	724	.....	3.2	8.1	0.3	2.5	0.1	.....	.....	7.9	2.3	12.2
33	65 to 74 years	407	.....	1.7	7.6	0.7	1.5	0.5	.....	0.2	13.5	2.7	13.3
34	75 to 84 years	*196*	*0.7*	*1.5*	*5.1*	.....	*1.5*	*0.7*	.....	.....	*5.9*	.....	*16.4*
35	85 years and over	*20*	.....	.....	*10.0*	.....	.....	.....	.....	.....	*10.0*	.....	*5.0*
36	Unknown	*38*	.....	.....	.....	.....	.....	.....	.....	.....	*2.6*	.....	.....
37	Street-railway employees	697	3.6	18.9	3.3	0.3	1.4	0.3	.....	.....	4.7	2.3	6.3
38	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	*15*	*13.3*	*26.7*	.....	.....	.....	.....	.....	.....	.....	.....	.....
40	20 to 24 years	*84*	*6.0*	*31.0*	*1.2*	.....	.....	.....	.....	.....	*2.4*	*2.4*	.....
41	25 to 34 years	208	4.3	29.3	1.9	0.5	1.4	.....	.....	.....	2.4	2.4	3.4
42	35 to 44 years	*181*	*5.0*	*16.6*	*2.8*	*0.6*	*2.2*	*0.6*	.....	.....	*3.9*	*0.6*	*6.1*
43	45 to 54 years	*123*	.....	*4.9*	*9.8*	.....	*1.6*	*0.8*	.....	.....	*7.3*	*3.3*	*13.8*
44	55 to 64 years	*53*	.....	*7.5*	*1.9*	.....	.....	.....	.....	.....	*9.4*	*5.7*	*13.2*
45	65 to 74 years	*24*	.....	*4.2*	.....	.....	*4.2*	.....	.....	.....	*12.5*	*4.2*	*4.2*
46	75 to 84 years	*7*	.....	.....	.....	.....	.....	.....	.....	.....	*28.6*	.....	.....
47	85 years and over	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*100.0*
48	Unknown	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Manufacturing and mechanical pursuits	63,880	2.0	15.5	5.6	0.5	1.1	0.9	0.1	0.1	7.2	2.4	11.4
50	10 to 14 years	*47*	*4.3*	*2.1*	.....	.....	.....	.....	.....	.....	.....	*8.5*	*2.1*
51	15 to 19 years	1,414	7.8	22.1	0.6	0.4	0.6	0.1	0.1	0.1	0.6	3.6	4.1
52	20 to 24 years	3,513	6.3	32.5	0.6	0.5	0.5	0.3	(2)	0.1	0.6	2.1	3.2
53	25 to 34 years	8,481	4.7	30.8	1.5	0.5	0.8	0.8	0.1	(2)	1.1	2.2	4.8
54	35 to 44 years	10,405	2.5	25.0	3.6	0.5	0.8	1.6	0.1	0.1	2.6	2.7	7.2
55	45 to 54 years	11,597	1.4	15.6	6.6	0.5	1.1	1.4	0.1	(2)	5.7	2.6	10.7
56	55 to 64 years	11,408	0.6	8.2	9.3	0.4	1.6	0.8	0.1	0.1	10.1	2.6	15.0
57	65 to 74 years	9,849	0.2	3.7	8.9	0.6	1.5	0.5	0.1	0.1	13.7	2.4	18.5
58	75 to 84 years	5,813	0.1	1.4	5.4	0.3	0.6	0.2	.....	(2)	15.4	1.9	17.3
59	85 years and over	1,282	.....	0.9	2.9	0.1	0.4	0.2	.....	.....	12.8	1.2	14.6
60	Unknown	*71*	.....	*8.5*	*2.8*	.....	*1.4*	*4.2*	.....	.....	*2.8*	*4.2*	*14.1*
	Building trades.												
61	Carpenters and joiners	7,883	1.7	10.1	7.2	0.5	1.0	0.8	(2)	(2)	10.0	2.5	14.4
62	10 to 14 years	*2*	.....	*50.0*	.....	.....	.....	.....	.....	.....	.....	*50.0*	.....
63	15 to 19 years	*37*	*5.4*	*16.2*	.....	.....	.....	.....	.....	.....	.....	*8.1*	*5.4*
64	20 to 24 years	*186*	*11.3*	*31.2*	*2.1*	.....	*1.1*	*0.5*	.....	.....	*1.1*	*1.6*	*3.2*
65	25 to 34 years	565	7.1	26.0	2.3	0.7	1.1	0.7	.....	.....	0.9	2.8	4.8
66	35 to 44 years	874	3.3	22.5	4.8	0.5	0.9	1.4	.....	.....	3.3	2.6	7.7
67	45 to 54 years	1,256	2.1	13.6	7.1	0.4	1.0	1.8	0.1	.....	6.5	3.2	10.4
68	55 to 64 years	1,621	0.7	8.5	10.0	0.7	1.1	0.9	.....	.....	10.0	2.8	16.3
69	65 to 74 years	1,762	0.2	3.1	9.4	0.5	1.1	0.6	0.1	0.2	14.9	2.0	19.1
70	75 to 84 years	1,283	0.1	1.3	5.8	0.2	0.8	0.2	.....	.....	16.4	1.8	20.0
71	85 years and over	285	.....	0.7	3.9	.....	0.4	.....	.....	.....	13.0	2.1	16.5
72	Unknown	*12*	.....	*8.3*	*16.7*	.....	*8.3*	.....	.....	.....	*8.3*	*8.3*	*16.7*

[1] The total number of deaths at each age period is taken as the basis, or 100 per cent, with which the percentages for individual causes are compared.

LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS, CLASSIFIED BY AGE, FOR AREA: 1909—Continued.

more deaths. All figures printed in *italics* relate to a total of less than 200 deaths for that age period.]

DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS—continued.

Per cent of all causes at specified age period—Continued.

Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
2.9	0.6	11.7	0.4	0.2	1.0	1.7	0.2	0.4	0.6	0.2	2.3	9.3	1.8	0.6	5.3	9.2	1
											50.0					*50.0*	2
2.4		*4.9*	*4.9*		*2.4*				*2.4*		*2.4*				*2.4*	*12.2*	3
2.3		*3.6*			*1.6*	*0.8*		*0.8*		*0.8*	*3.1*	*1.6*	*3.9*	*0.8*	*3.9*	*13.3*	4
1.9	0.8	10.2	0.8	0.4	1.5	0.8		1.1	0.8	0.4	3.8	3.8	1.5	0.8	5.7	15.2	5
2.2	0.6	11.5	0.3	0.3	0.9	1.2	0.6	0.3	0.6		1.9	6.8	2.2	0.6	5.0	8.4	6
1.9	0.4	15.2			0.4	3.4					0.8	16.7	1.9	0.4	4.2	5.7	7
7.7		*9.7*			*0.6*	*2.6*	*0.6*			*0.6*	*0.6*	*14.8*	*1.3*		*11.0*	*4.6*	8
4.9		*19.7*			*1.6*	*1.6*			*3.3*		*4.9*	*19.7*		*1.6*	*3.3*	*4.9*	9
	18.2	*9.1*									*9.1*	*18.2*					10
												33.3					11
		100.0															12
4.5	0.3	7.6	0.2	0.1	0.4	2.8	0.5	0.3	1.8	0.3	2.8	10.2	4.9	1.0	4.6	9.3	13
		100.0															14
2.8		*2.8*				*2.8*			*3.3*				*2.8*		*19.4*	*16.7*	15
0.8		*4.9*					*0.8*		*3.2*		*2.5*	*0.8*	*9.0*		*9.0*	*4.9*	16
2.7	0.2	6.9	0.2		0.4	0.7		0.7	3.1	0.4	2.2	6.2	4.7	0.9	6.0	14.5	17
3.6	0.2	10.8	0.6			2.6	0.4	0.2	2.1		3.2	7.4	6.6	1.1	4.5	10.8	18
4.2	0.4	7.6		0.2	0.4	4.9	0.9	0.4	1.4	0.4	2.3	9.0	5.5	1.4	4.2	7.8	19
5.3	0.4	6.9	0.4		0.2	2.8	0.2			0.2	3.2	18.0	3.6	1.2	3.6	5.7	20
9.1	0.4	4.5		0.4	1.5	3.4	0.8		0.4	0.8	2.3	16.3	3.0	0.4	1.1	8.3	21
9.6		*11.0*				*2.7*	*1.4*	*1.4*			*6.8*	*12.3*			*2.7*	*8.2*	22
		16.7					*8.3*				*16.7*	*8.3*			*8.3*	*25.0*	23
																	24
2.3	0.4	4.3	0.2	0.2	0.3	0.6	0.4	0.3	0.8	0.2	1.3	4.2	1.5	0.2	53.4	5.2	25
															100.0		26
1.1		*1.1*							*1.1*				*2.2*		*83.3*	*3.2*	27
0.2		2.0			0.2				1.2		0.5	0.5	1.5	0.5	74.8	3.6	28
0.9	0.1	2.6	0.3		0.1	0.2	0.2	0.4	0.7	0.1	0.9	1.5	1.2	0.3	67.7	4.0	29
2.2	0.4	4.4	0.2	0.1	0.3	0.6	0.8	0.3	1.3	0.2	1.3	2.7	2.5	0.3	56.0	4.8	30
2 2	0.2	5.1	0.2	0.4	0.2	1.1	0.2	0.2	0.7	0.1	1.7	6.3	1.3		47.7	4.5	31
4.3	0.6	5.7		0.4	0.4	1.4	0.6	0.4	0.3	0.1	2.3	9.1	1.0	0.3	30.0	6.6	32
6.4	1.7	7.6	0.2	0.5	0.5	1.5	0.2	0.2		0.5	1.7	9.8	1.2		18.4	7.6	33
4.4	*1.5*	*13.2*		*0.7*	*0.7*		*0.7*			*0.7*	*2.2*	*8.8*		*0.7*	*17.6*	*17.6*	34
5.0	*5.0*	*10.0*			*5.0*							*5.0*			*10.0*	*35.0*	35
													2.6			*94.7*	36
3.0		6.2	0.6	0.1	0.6	1.3	0.3		1.7	0.3	1.4	6.6	4.2	0.7	25.5	6.3	37
																	38
		6.7							*6.7*			*6.7*			*33.3*	*6.7*	39
1.2		*2.4*							*2.4*				*4.8*		*41.7*	*4.8*	40
1.0		5.3	1.4		0.5		0.5		1.9		2.4	1.9	5.3	1.0	28.4	4.8	41
5.0		*7.2*	*0.6*	*0.6*	*1.7*	*0.6*	*0.6*		*2.8*	*1.1*	*1.1*	*5.5*	*4.4*	*0.6*	*22.7*	*7.7*	42
3.3		*8.1*				*3.3*					*1.6*	*12.2*	*4.9*	*1.6*	*17.9*	*5.7*	43
5.7		*9.4*				*5.7*						*20.3*			*18.9*	*1.9*	44
4.2						*4.2*					*4.2*	*20.3*			*20.8*	*16.7*	45
14.3		*14.3*														*42.9*	46
																	47
															100.0		48
4.0	0.9	7.9	0.4	0.3	0.8	1.9	0.6	0.3	1.0	0.3	2.6	8.6	2.8	0.8	11.1	9.0	49
		10.6						*2.1*	*10.6*		*2.1*		*2.1*	*4.3*	*46.3*	*4.3*	50
0.9	0.2	6.8	0.4		0.6	0.2	0.1	0.6	5.0	0.1	1.3	1.1	2.2	1.1	30.0	9.5	51
1.0	0.3	5.3	0.2		0.6	0.1	0.4	0.3	3.6	0.2	1.7	1.9	3.7	1.0	25.2	7.8	52
1.4	0.2	7.0	0.5	(2)	0.5	0.8	0.3	0.4	1.8	0.3	1.9	3.8	4.0	1.1	20.8	8.2	53
2.2	0.4	9.1	0.3	0.2	0.8	1.9	0.7	0.2	1.1	0.2	2.2	6.5	3.6	1.0	15.6	7.1	54
3.4	0.6	9.0	0.4	0.3	0.9	2.8	0.9	0.4	0.8	0.3	2.7	9.6	3.8	0.9	10.1	7.3	55
5.2	0.9	8.0	0.5	0.5	1.0	2.9	0.8	0.2	0.3	0.4	2.8	11.5	2.6	0.6	5.7	7.2	56
6.3	1.4	7.6	0.3	0.4	0.8	2.0	0.7	0.2	0.2	0.4	3.2	12.4	1.3	0.3	3.5	8.9	57
8.2	2.3	7.1	0.3	0.4	0.9	1.0	0.5	0.2	0.1	0.4	3.6	11.8	0.7	0.3	2.8	17.0	58
7.8	4.1	6.5	0.2	0.4	1.1	0.5	0.3	0.2		0.3	3.8	7.6	0.5	0.2	3.7	29.9	59
		1.4	*1.4*								*1.4*		*5.6*	*2.8*	*58.0*	*11.3*	60
5.0	0.8	7.1	0.5	0.2	0.5	1.7	0.6	0.3	0.9	0.4	2.7	9.0	2.5	0.6	8.6	10.4	61
																	62
		5.4							*13.5*	*2.7*	*2.7*		*2.7*	*2.7*	*13.5*	*21.6*	63
		4.8					*0.5*		*2.7*	*0.5*	*1.6*	*2.1*	*4.8*	*1.1*	*24.2*	*5.4*	64
1.2		5.8	0.2			1.1	0.4	0.5	3.0		1.1	5.1	4.1	0.9	23.5	6.7	65
2.5	0.2	8.7	0.7	0.1	0.6	1.6	0.6	0.5	1.8		3.0	5.9	3.8	0.8	15.0	7.2	66
3.1	0.3	8.9	0.6	0.1	0.6	2.8	0.6	0.5	1.0	0.3	1.8	8.9	3.8	1.0	11.0	8.4	67
5.7	0.4	7.7	0.9	0.1	0.5	2.2	0.8	0.2	0.6	0.5	2.4	9.3	3.2	0.3	7.0	7.3	68
5.8	1.1	6.3	0.3	0.5	0.3	2.0	0.9	0.2	0.2	0.6	3.7	11.4	1.4	0.4	4.1	9.7	69
8.7	1.7	5.8	0.5	0.3	0.5	0.7	0.4	0.1	0.1	0.3	2.7	11.7	0.4	0.3	2.5	16.8	70
7.7	2.8	6.7	0.4		1.1		0.4			0.7	4.2	4.2	0.4		2.8	32.3	71
		8.3													*8.3*	*16.7*	72

[2] Less than one-tenth.

TABLE VIII.—MALES—PER CENT DISTRIBUTION, BY IMPORTANT CAUSES, OF DEATHS OF MALES AT THE REGISTRATION

[These percentages, based on Table 11, page 726, are shown for only those occupations having 500 or

	OCCUPATION AND AGE PERIOD.	DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS.											
			Per cent of all causes at specified age period.										
		Number of deaths.[1]	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
	Manufacturing and mechanical pursuits—Contd.												
	Building trades—Continued.												
1	Masons (brick and stone)	2,399	1.3	13.9	6.5	0.3	1.0	0.9	.....	0.1	8.2	2.0	13.2
2	10 to 14 years												
3	15 to 19 years	*10*	*20.0*										
4	20 to 24 years	*62*	*11.3*	*35.5*								*3.2*	*6.5*
5	25 to 34 years	*188*	*4.8*	*33 0*	*1.1*	*0.5*	*0.5*	.....	.....	.....	*1.6*	*3.2*	*3.7*
6	35 to 44 years	346	0.6	29.8	3.2	0.6	0.9	2.6	.....	.....	1.7	2.0	9.0
7	45 to 54 years	419	1.4	19 6	6.7	0.5	1.0	1.0	.....	0.2	4.5	1.0	11.9
8	55 to 64 years	512	0.2	7.4	11.3	0.2	1.4	0.8	.....	.....	9.4	2.5	14.5
9	65 to 74 years	470	0.6	4.5	8.1	0.2	1.1	0.6	.....	0.2	12.6	2.6	16.4
10	75 to 84 years	311	.....	1.3	4.8	0.3	1.0	0.3	.....	.....	17.0	1.3	17.7
11	85 years and over	*79*	.....	.....	*3.8*	.....	.....	.....	.....	.....	*10.1*	.....	*21.5*
12	Unknown	*2*	.....	*50.0*	.....	.....	.....	.....	.....	.....	.....	.....	*50.0*
13	Painters, glaziers, and varnishers	3,720	1.2	18 9	5.2	0.3	0.9	1.2	1.2	0.1	7.4	2.6	10.6
14	10 to 14 years												
15	15 to 19 years	*54*	*9.3*	*20.4*	*1.9*	.....	.....	.....	*1.9*	.....	.....	*3.7*	*5.6*
16	20 to 24 years	*166*	*4 2*	*41.0*	*1.2*	.....	*0.6*	*0.6*	*0.6*	.....	.....	*3.0*	*3.0*
17	25 to 34 years	471	3.2	37.2	1.7	.....	1.1	0.4	1.1	.....	0.4	1.3	4.5
18	35 to 44 years	756	0.8	28.4	3.4	0.5	1.1	2.1	0.9	0.1	4.1	3.3	7.3
19	45 to 54 years	842	0.7	17.3	5.1	0.2	0.8	1.5	1.4	0 1	6.9	2.6	9.7
20	55 to 64 years	733	0.4	9.8	7.5	0.3	0.8	1.1	1.8	0.3	11.1	3.1	13.5
21	65 to 74 years	479	0.2	3.3	7.9	0.4	0.8	0.4	0.8	.....	14 8	2.1	19.6
22	75 to 84 years	*193*	.....	*0.5*	*8.8*	*1.0*	*0.5*	*0.5*	.....	.....	*14 0*	*1.0*	*17.1*
23	85 years and over	*25*	.....	.....	*8.0*	.....	.....	.....	.....	.....	*16.0*	.....	*8.0*
24	Unknown	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Plumbers and gas and steam fitters	1,178	3.0	29.2	3.7	0.7	1.0	0.9	0 1	.....	4 7	1.9	9.3
26	10 to 14 years												
27	15 to 19 years	*38*	*2 6*	*39 5*	.....	.....	*2.6*	.....	.....	.....	*2.6*	.....	*7.9*
28	20 to 24 years	*104*	*8.7*	*37 5*	*1.0*	.....	.....	.....	.....	.....	.....	*2.9*	*3.8*
29	25 to 34 years	271	4.8	43.2	1.5	0.7	0.7	1.5	.....	.....	2.6	1.8	5.5
30	35 to 44 years	323	2.5	35.9	2 8	1.2	0 9	1.5	0.3	.....	1.5	1.9	6.8
31	45 to 54 years	213	1.9	14.6	5.2	.....	0.9	0.5	.....	.....	8.0	1.9	12.2
32	55 to 64 years	*131*	.....	*18.3*	*6.9*	*0.8*	*1.5*	*0.8*	.....	.....	*10.7*	*2.3*	*17.6*
33	65 to 74 years	*72*	.....	*2.8*	*11.1*	*1.4*	*2.8*	.....	.....	.....	*13.9*	.....	*16.7*
34	75 to 84 years	*23*	.....	.....	*8.7*	.....	.....	.....	.....	.....	*4.3*	*4.3*	*17.4*
35	85 years and over	*2*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Unknown	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*100.0*
	Clay, glass, and stone products.												
37	Marble and stone cutters	822	1.6	28.6	5.7	0.4	1 1	0.7	.....	.....	5 1	1.5	10.0
38	10 to 14 years												
39	15 to 19 years	*10*	*10.0*	*10.0*	.....	*10.0*	.....	.....	.....	.....	.....	.....	.....
40	20 to 24 years	*21*	*19.0*	*19.0*	.....	.....	.....	.....	.....	.....	.....	*4.8*	.....
41	25 to 34 years	*75*	*2.7*	*46.7*	.....	*1.3*	*1.3*	.....	.....	.....	*1.3*	*2.7*	*6.7*
42	35 to 44 years	*156*	*2.6*	*41.0*	*3.8*	.....	*0.6*	*1.3*	.....	.....	*1.9*	*0.6*	*3.2*
43	45 to 54 years	*177*	*0 6*	*42.9*	*5.1*	.....	.....	*0.6*	.....	.....	*4 0*	*1.7*	*8.5*
44	55 to 64 years	218	0.5	19.3	7.8	0.5	2.3	0.9	.....	.....	6.9	1.8	13.8
45	65 to 74 years	*104*	.....	*12.5*	*11.5*	.....	*1.9*	.....	.....	.....	*7 7*	*1.0*	*17.3*
46	75 to 84 years	*53*	.....	.....	*5.7*	.....	.....	.....	.....	.....	*15.1*	.....	*11.3*
47	85 years and over	*7*	.....	.....	.....	.....	.....	*14.3*	.....	.....	.....	.....	*28.6*
48	Unknown	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*100.0*
	Fishing and mining.												
49	Miners and quarrymen	5,663	2.3	8.8	3.3	0.2	0 5	0.9	.....	0.1	3.3	1.6	7.1
50	10 to 14 years	*16*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	223	6.7	4 5	1.3	.....	0 9	.....	.....	.....	0 4	1.3	0.4
52	20 to 24 years	553	4 9	7.1	0.4	.....	0 5	0.5	.....	.....	0.2	0.5	1.1
53	25 to 34 years	1,132	3.7	8.4	1.1	0.3	0.4	0.4	.....	0.1	.....	1.5	2.1
54	35 to 44 years	1,135	2.4	10.5	2.0	0.3	0.4	1.1	.....	0 1	1.9	1.3	3.1
55	45 to 54 years	993	1.4	11.3	4 6	0.1	0.5	1 7	.....	.....	4.3	2.4	8.0
56	55 to 64 years	725	0.3	10.8	7.6	0 1	0.8	1.1	.....	.....	6.9	1.9	15.6
57	65 to 74 years	543	0.4	7.4	5 7	0 4	0.4	0 9	.....	.....	7.6	2.4	16.6
58	75 to 84 years	272	.....	1.1	5.5	0.4	0.4	.....	.....	0.4	9.6	1.1	18.4
59	85 years and over	*49*	.....	.....	*2.0*	.....	.....	.....	.....	.....	*8.2*	.....	*4.1*
60	Unknown	*22*	.....	*18.2*	.....	.....	.....	*4.5*	.....	.....	.....	.....	*4.5*
	Food and kindred products.												
61	Bakers	952	2.0	18.2	5.8	0.8	0.7	0.6	.....	0.1	5.8	2.0	10.8
62	10 to 14 years	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	*19*	*5.3*	*10 5*	.....	.....	.....	.....	.....	.....	*5.3*	*5.3*	.....
64	20 to 24 years	*55*	*7.3*	*30.9*	*1.8*	*1 8*	.....	.....	.....	.....	.....	*1.8*	*1.8*
65	25 to 34 years	*141*	*8.5*	*29.1*	*1.4*	*1 4*	.....	*1.4*	.....	*0.7*	*0.7*	*4.3*	*1.4*
66	35 to 44 years	*176*	*1.1*	*29 0*	*4.0*	*1.1*	*0.6*	*0.6*	.....	.....	*1.7*	*2.3*	*10.2*
67	45 to 54 years	*198*	*3.0*	*18.7*	*9.6*	*1 0*	.....	*1.0*	.....	.....	*4.5*	*2.5*	*9.6*
68	55 to 64 years	*181*	*0.6*	*9.4*	*6.6*	*0.6*	*2.8*	.....	.....	.....	*8.3*	*0.6*	*17.7*
69	65 to 74 years	*120*	.....	*5.3*	*10 8*	.....	*0.8*	*0 8*	.....	.....	*14.2*	*0.8*	*15.0*
70	75 to 84 years	*55*	.....	*1.8*	*1.8*	.....	.....	.....	.....	.....	*14.5*	.....	*21.8*
71	85 years and over	*6*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*16.7*
72	Unknown												

[1] The total number of deaths at each age period is taken as the basis, or 100 per cent, with which the percentages for individual causes are compared.

LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS, CLASSIFIED BY AGE, FOR AREA: 1909—Continued.

more deaths. All figures printed in *italics* relate to a total of less than 200 deaths for that age period.]

DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS—continued.

Per cent of all causes at specified age period—Continued.

Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
4.5	1.2	8.2	0.4	0.4	0.5	2.1	0.5	0.3	0.5	0.2	2.3	9.3	2.8	1.0	8.5	10.1	1
																	2
									10.0		*10.0*			*10.0*	*30.0*	*20.0*	3
1.6		*9.7*	*1.6*								*4.8*		*4.8*		*16.1*	*4.8*	4
2.1	*0.5*	*10.1*	*0.5*		*0.5*	*0.5*		*1.6*	*1.1*		*3.7*	*3.2*	*2.7*	*1.1*	*16.0*	*8.0*	5
1.4		10.7	0.3	0.3		2.0	0.3		0.9		2.6	5.8	4.3	2.0	13.6	5.5	6
4.3	0.7	8.6	0.2	0.7	0.2	1.4	0.7	0.2	1.0		1.9	7.9	4.5	1.7	10.0	8.1	7
3.9	1.0	7.8	0.6	0.4	0.8	3.1	0.8	0.2	0.2	0.4	1.2	12.3	3.3	0.8	7.2	8.4	8
6.0	1.3	7.9	0.4	0.4	0.4	3.2	0.4	0.2	0.2	0.2	2.1	13.2	1.7	0.4	4.5	10.6	9
8.7	2.9	5.5	0.3	0.3	1.6	1.6	0.6	0.3		0.3	1.9	11.6		0.6	2.6	17.4	10
6.1	*6.3*	*6.3*				*1.3*					*5.1*	*5.1*			*7.6*	*27.3*	11
																	12
3.5	0.7	8.0	0.3	0.1	0.6	1.7	0.5	0.2	0.8	0.2	2.4	11.5	2.6	1.0	9.7	7.0	13
																	14
1.9		*3.7*							*7.4*			*1.9*	*3.7*	*3.7*	*27.3*	*7.4*	15
1.2	*0.6*	*4.2*				*1.2*			*3.6*		*2.4*	*0.6*	*3.6*	*1.3*	*21.1*	*5.4*	16
1.1	0.2	6.8	0.3		1.1	1.1	1.1	0.2	0.6		2.1	5.5	4.0	1.5	15.3	7.9	17
1.5	0.3	8.7	0.3		0.7	0.9	0.3		0.8	0.3	2.0	11.2	2.4	1.5	11.5	5.7	18
3.3	0.2	7.8	0.2		0.7	2.6	0.7	0.5	0.8	0.4	2.3	13.4	3.3	1.0	10.1	6.1	19
4.2	0.8	7.6	0.7	0.1	0.7	1.9	0.7	0.3	0.3		2.7	16.2	2.5	0.7	5.2	5.7	20
6.1	1.0	10.4		0.2	0.4	2.3		0.2		0.4	3.1	13.2	0.4	0.4	4.2	7.1	21
11.4	*2.6*	*7.8*			*0.5*	*0.5*	*0.5*			*0.5*	*3.1*	*9.3*	*1.0*		*3.1*	*16.1*	22
8.0	*12.0*	*8.0*										*4.0*			*8.0*	*28.0*	23
																100.0	24
2.6	0.6	8.7	0.6	0.1	0.3	2.2	0.5	0.3	1.5	0.1	2.6	6.3	2.4	1.3	9.0	6.4	25
																	26
		2.6							*5.3*		*5.3*		*2.6*		*23.7*	*5.3*	27
1.0		*2.9*	*1.0*					*1.9*	*6.7*		*1.9*	*2.9*	*3.8*	*1.0*	*10.6*	*12.5*	28
2.2	0.4	7.4	0.7		0.4	0.7		0.4	1.8		0.7	4.8	1.5	2.6	8.9	5.2	29
1.5		11.1	0.9		0.6	1.9	1.2		0.9	0.3	0.9	6.8	3.1	0.9	9.6	4.6	30
4.7	0.5	12.7	0.5			5.6			0.5		3.8	6.6	3.3		11.3	5.6	31
3.1	*1.5*	*9.2*		*0.8*		*3.8*	*0.8*				*6.1*	*6.9*		*0.8*	*3.1*	*5.8*	32
4.2	*4.2*	*2.8*			*1.4*	*1.4*	*1.4*				*2.8*	*16.7*	*2.8*	*2.8*	*1.4*	*9.7*	33
8.7		*4.3*									*17.4*	*4.8*		*4.3*	*8.7*	*17.4*	34
		50.0														*50.0*	35
																	36
4.5	1.5	7.9	0.1	0.7	1.9	2.2	0.4	0.1	0.6		1.0	8.4	2.6	0.5	6.6	6.4	37
																	38
					10.0				*10.0*		*10.0*		*10.0*		*30.0*		39
	4.8								*4.8*			*9.5*	*4.8*		*28.6*	*4.8*	40
1.3	*1.3*	*6.7*	*1.3*									*5.3*	*4.0*	*1.3*	*10.7*	*5.3*	41
0.6		*12.2*		*0.6*	*0.6*	*2.6*			*1.9*			*5.1*	*6.4*		*10.3*	*4.5*	42
1.1	*1.1*	*6.3*		*1.1*	*2.3*	*2.3*	*0.6*	*0.6*			*1.1*	*8.5*	*1.7*	*0.6*	*5.6*	*3.4*	43
3.7	1.4	6.9		0.9	2.3	4.1	0.5				0.9	9.6	0.9	0.9	3.2	6.0	44
7.7	*3.3*	*6.7*		*1.0*	*3.3*	*1.0*	*1.0*				*1.0*	*12.5*	*1.0*		*1.9*	*6.7*	45
11.3	*1.9*	*7.5*			*1.9*						*1.9*	*11.3*			*3.3*	*23.3*	46
		42.9									*14.3*						47
																	48
1.7	0.9	8.2	0.3	0.6	2.5	1.0	0.6	0.3	0.9	0.2	2.0	4.0	1.5	0.3	33.3	8.1	49
								6.3	*6.3*					*6.3*	*75.0*	*6.3*	50
0.4		3.6			0.9				1.3		0.4	1.3	0.4		71.7	4.0	51
0.4	0.2	4.5			0.4		0.4	0.4	1.4		0.9	0.5	2.0		67.1	6.7	52
0.4	0.1	5.5	0.2	0.1	0.3	0.2	0.2	0.2	1.8	0.3	1.2	1.5	2.0	0.5	60.8	6.8	53
1.1	0.4	9.4	0.4	0.4	2.1	0.9	0.6	0.4	0.5	0.1	1.6	3.1	1.9	0.5	46.5	7.4	54
2.3	0.8	10.7	0.2	0.8	4.1	2.2	1.3	0.5	0.5	0.2	2.5	4.1	1.6	0.2	27.1	6.4	55
2.6	0.6	11.4	0.7	1.8	6.3	1.4	0.3		0.4	0.1	1.8	6.2	1.2	0.3	13.7	6.1	56
3.1	3.9	9.2	0.7	1.1	2.8	2.4	0.9		0.4	0.4	5.2	9.0	0.4	0.2	7.0	11.8	57
6.3	3.3	7.7		1.1	2.6	0.4	1.5	0.4	0.4	0.4	2.6	10.3	0.7		4.8	21.0	58
4.1	*2.0*	*8.2*		*2.0*	*2.0*	*2.0*					*8.2*	*8.2*			*4.1*	*44.9*	59
															72.7		60
3.5	0.9	8.6	0.2	0.3	0.5	2.8	0.6	0.1	1.4	0.9	2.5	9.9	4.5	1.4	6.5	8.4	61
															100.0		62
		21.1							*5.3*				*10.5*		*21.1*	*15.8*	63
3.6		*9.1*							*3.6*		*1.8*	*3.6*	*7.3*	*3.6*	*9.1*	*12.7*	64
0.7	*0.7*	*12.1*					*1.4*		*2.8*	*2.1*	*2.8*	*2.8*	*5.7*	*1.4*	*12.8*	*10.6*	65
4.5	*0.6*	*7.4*		*0.6*	*1.1*	*2.8*		*0.6*	*1.7*	*0.6*	*1.1*	*3.5*	*4.5*	*1.7*	*5.7*	*8.0*	66
2.0	*1.0*	*3.6*	*0.5*	*0.5*	*0.5*	*4.5*	*1.0*		*1.0*	*0.5*	*2.0*	*10.6*	*4.5*	*1.5*	*5.6*	*5.6*	67
5.5	*1.7*	*3.3*	*0.6*	*0.6*	*0.6*	*5.5*	*0.6*		*0.6*	*1.1*	*2.2*	*10.5*	*5.0*	*0.6*	*3.3*	*6.6*	68
4.2	*0.8*	*5.8*				*2.5*	*0.8*			*1.7*	*4.2*	*20.0*	*1.7*		*3.3*	*6.7*	69
5.5	*1.8*	*5.5*			*1.8*						*7.3*	*12.7*	*1.8*	*3.6*	*3.6*	*16.4*	70
		16.7										*33.3*			*16.7*	*16.7*	71
																	72

TABLE VIII.—MALES—PER CENT DISTRIBUTION, BY IMPORTANT CAUSES, OF DEATHS OF MALES AT THE REGISTRATION

[These percentages, based on Table 11, page 726, are shown for only those occupations having 500 or

	OCCUPATION AND AGE PERIOD.	DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS.										
			Per cent of all causes at specified age period.									
		Number of deaths.[1]	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
	Manufacturing and mechanical pursuits—Contd.											
	Food and kindred products—Continued.											
1	Butchers	1,503	2.2	16.2	6.5	0.5	1.9	1.4	.....	.....	6.5	2.1	12.0
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	*20*	.....	*20.0*	.....	.....	.....	.....	.....	.....	*5.0*	*10.0*	*10.0*
4	20 to 24 years	*61*	*9.8*	*31.1*	.....	*1.6*	.....	*1.6*	.....	.....	*1.6*	*4.9*	*6.6*
5	25 to 34 years	208	3.4	39.4	1.4	0.5	1.4	2.9	.....	.....	1.9	1.4	5.3
6	35 to 44 years	293	4.1	22.9	4.8	0.3	1.0	1.0	.....	.....	2.7	3.4	9.6
7	45 to 54 years	341	1.8	13.8	6.7	0.9	3.5	2.1	.....	.....	4.1	1.8	13.2
8	55 to 64 years	295	0.3	6.8	12.5	.....	1.7	1.4	.....	.....	11.5	1.0	12.2
9	65 to 74 years	*187*	.....	*1.6*	*9.1*	.....	*2.1*	.....	.....	.....	*14.4*	*0.5*	*22.5*
10	75 to 84 years	*82*	*1.2*	*1.2*	*4.9*	.....	*1.2*	.....	.....	[2]	*11.0*	*3.7*	*14.6*
11	85 years and over	*15*	.....	.....	.....	*6.7*	.....	.....	.....	.....	.....	.....	*6.7*
12	Unknown	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Iron and steel and their products.											
13	Blacksmiths	2,456	1.4	11.4	6.6	0.5	0.9	1.1	.....	0.1	10.0	2.6	13.8
14	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	*22*	*18.2*	*18.6*	.....	.....	*4.6*	.....	.....	.....	.....	*4.6*	.....
16	20 to 24 years	*58*	*1.7*	*36.2*	.....	.....	.....	*1.7*	.....	.....	*1.7*	.....	*5.2*
17	25 to 34 years	216	4.2	29.6	1.9	1.4	0.9	1.4	.....	.....	1.4	0.9	6.5
18	35 to 44 years	280	3.9	27.1	3.2	1.1	.....	2.1	.....	.....	2.5	3.6	6.4
19	45 to 54 years	409	1.7	15.9	9.0	.....	1.2	2.0	.....	.....	7.1	2.9	10.8
20	55 to 64 years	485	0.4	6.0	10.5	0.4	1.0	1.4	.....	0.2	10.5	3.3	15.3
21	65 to 74 years	509	.....	2.6	8.3	0.4	1.4	0.2	.....	0.2	14.7	2.9	21.0
22	75 to 84 years	392	0.3	1.5	3.8	0.5	0.8	0.3	.....	0.3	16.1	1.5	17.1
23	85 years and over	*83*	.....	*2.4*	*3.6*	.....	.....	.....	.....	.....	*18.1*	*3.6*	*13.3*
24	Unknown	*2*	.....	.....	.....	.....	.....	.....	.....	.....	*50.0*	.....	*50.0*
25	Iron and steel workers	2,838	2.7	16.3	4.4	0.5	0.5	0.9	0.1	0.1	5.8	3.0	10.0
26	10 to 14 years	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	*71*	*8.5*	*18.3*	.....	.....	*1.4*	.....	.....	.....	.....	*2.8*	*5.6*
28	20 to 24 years	*190*	*6.3*	*21.6*	*1.1*	*0.5*	*1.1*	.....	.....	.....	.....	*3.7*	*3.2*
29	25 to 34 years	524	5.0	25.2	2.3	0.6	0.2	0.6	.....	0.2	1.1	2.1	3.6
30	35 to 44 years	617	3.6	22.0	2.3	0.5	.....	2.3	.....	.....	2.8	3.1	7.9
31	45 to 54 years	556	1.3	15.3	4.0	0.2	0.7	0.4	.....	0.2	6.8	3.4	10.3
32	55 to 64 years	394	1.0	7.9	10.2	0.5	0 8	0.3	0.3	.....	8.6	3.3	14.7
33	65 to 74 years	335	.....	6.6	7.8	0.9	0.6	1.2	0.3	.....	13.4	3.0	16.7
34	75 to 84 years	*128*	.....	*3.1*	*7.0*	.....	.....	*0.8*	.....	.....	*18.0*	*2.3*	*21.9*
35	85 years and over	*22*	.....	.....	.....	.....	.....	.....	.....	.....	*13.6*	.....	*31.8*
36	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Machinists	3,317	3.0	18.3	4.8	0 5	1.4	0.8	.....	.....	6.7	2.7	11.1
38	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	*109*	*10.1*	*21.9*	.....	.....	.....	.....	.....	.....	*1.8*	*4.6*	*2.8*
40	20 to 24 years	312	8.0	36.9	0.6	1.6	0.6	.....	.....	.....	1.6	2.6	4.2
41	25 to 34 years	574	5.4	35.0	1.2	.....	1.6	0.7	.....	.....	1.7	2.6	4.5
42	35 to 44 years	567	3.5	23.8	3.7	0.4	1.4	2.3	.....	.....	1.9	2.6	7.8
43	45 to 54 years	567	0.7	13.1	8.1	0.5	1.1	1.1	.....	.....	4.2	2.5	13.9
44	55 to 64 years	556	1.1	7.2	7.7	.....	2.0	0.2	.....	.....	12.8	2.9	16.2
45	65 to 74 years	420	0.2	2.9	7.4	1.7	2.4	0.5	.....	.....	16.7	2.9	18.3
46	75 to 84 years	*179*	.....	*1.1*	*4.5*	.....	.....	.....	.....	.....	*13.4*	*1.7*	*16.8*
47	85 years and over	*31*	.....	*3.2*	.....	.....	.....	.....	.....	.....	*16.1*	.....	*16.1*
48	Unknown	*2*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Leather and its finished products.											
49	Boot and shoe makers and repairers	2,702	1.1	13.4	5.0	0.4	1.1	1.1	.....	0 1	10.0	2.8	13.7
50	10 to 14 years	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	*74*	*5.4*	*29.7*	*1.4*	.....	.....	*1.4*	.....	.....	.....	*4.1*	*8.1*
52	20 to 24 years	*122*	*2.5*	*42.6*	*0.8*	*0.8*	.....	*1.6*	.....	*0.8*	*0.8*	*0.8*	*2.5*
53	25 to 34 years	256	4.7	35.5	1.2	.....	1.2	1.6	.....	.....	1.2	2.0	7.0
54	35 to 44 years	260	1.5	31.9	3.1	0.4	1.9	4.2	.....	0.4	3.1	3.1	9.2
55	45 to 54 years	339	0.6	16.8	4.4	0.6	0.3	1.8	.....	.....	7.1	2.9	10.0
56	55 to 64 years	456	0.7	6.6	7.0	.....	2.2	0.9	.....	.....	12.5	3.3	14.7
57	65 to 74 years	582	0.2	3.4	7.9	0.5	1.5	0.3	.....	0.2	14.8	3.6	19.6
58	75 to 84 years	493	.....	1.0	5.3	0.6	0.2	.....	.....	.....	15.0	2.4	17.8
59	85 years and over	*115*	.....	*0.9*	*2.6*	.....	*0.9*	.....	.....	.....	*14.8*	*1.7*	*13.0*
60	Unknown	*4*	.....	.....	.....	.....	.....	*25.0*	.....	.....	.....	.....	*50.0*
	Lumber and its remanufactures.												
61	Cabinetmakers	632	1.3	10.9	8.5	0.2	0.9	0.3	.....	0.2	10.3	2.5	12.3
62	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	*6*	*16.7*	*66.7*	.....	.....	.....	.....	.....	.....	.....	.....	.....
64	20 to 24 years	*16*	*6.3*	*37.5*	.....	.....	.....	.....	.....	.....	.....	.....	.....
65	25 to 34 years	*60*	*6.7*	*31.7*	*3.3*	.....	*1.7*	.....	.....	.....	*1.7*	*5.0*	*10.0*
66	35 to 44 years	*49*	.....	*34.7*	*2.0*	*2.0*	.....	.....	.....	.....	*2.0*	*2.0*	.....
67	45 to 54 years	*95*	*1.1*	*16.8*	*12.6*	.....	.....	*1.1*	.....	.....	*3.2*	*3.2*	*9.5*
68	55 to 64 years	*113*	*0.9*	*3.5*	*15.0*	.....	*0.9*	.....	.....	*0.9*	*13.3*	.....	*12.4*
69	65 to 74 years	*168*	.....	*1.2*	*10.7*	.....	*2.4*	*0.6*	.....	.....	*13.7*	*3.0*	*17.9*
70	75 to 84 years	*92*	.....	*1.1*	*3.3*	.....	.....	.....	.....	.....	*17.4*	*3.3*	*16.3*
71	85 years and over	*32*	.....	.....	*3.1*	.....	.....	.....	.....	.....	*18.8*	*3.1*	*12.5*
72	Unknown	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] The total number of deaths at each age period is taken as the basis, or 100 per cent, with which the percentages for individual causes are compared.

LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS, CLASSIFIED BY AGE, FOR AREA: 1909—Continued.

more deaths. All figures printed in *italics* relate to a total of less than 200 deaths for that age period.]

DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS—continued.

Per cent of all causes at specified age period—Continued.

Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
3.7	0.4	8.3	0.1	0.1	0.6	3.6	0.7	0.3	1.1	0.5	2.8	10.2	4.1	0.7	5.1	8.6	1
																	2
		10.0											*10.0*		*10.0*	*25.0*	3
1.6		*4.9*			*1.6*				*3.3*		*3.3*	*1.6*	*4.9*	*4.9*	*3.2*	*3.2*	4
		10.1			1.4	1.0			3.4		1.9	5.8	2.9	1.4	7.2	7.2	5
3.1		8.5				3.8	1.0	0.7	2.0	0.7	2.0	8.2	4.4	0.7	7.5	7.5	6
3.8	0.3	5.6	0.3	0.3	0.9	6.2	0.6	0.3	0.6	0.3	3.2	10.3	5.3	0.6	5.9	7.9	7
5.4	0.3	7.5			0.3	4.1	0.3	0.3		0.7	2.7	13.2	5.4		3.4	8.8	8
4.3	*1.6*	*10.7*				*3.7*	*1.6*			*1.1*	*3.7*	*14.4*	*1.6*			*7.0*	9
8.5	*1.2*	*12.2*			*1.2*	*1.2*	*2.4*			*1.2*	*3.7*	*15.9*			*1.2*	*13.4*	10
6.7		*13.3*									*6.7*	*20.0*			*6.7*	*33.3*	11
																100.0	12
5.0	1.1	8.0	0.4	0.2	0.8	2.1	0.9	0.3	0.6	0.2	3.1	9.7	2.0	0.3	6.2	10.7	13
																	14
		9.1							*4.5*				*4.5*		*27.3*	*13.6*	15
	1.7	*8.6*			*1.7*			*3.4*	*3.4*		*3.4*		*1.7*	*1.7*	*10.3*	*17.2*	16
0.9		7.4	0.5		1.4	2.3	1.4	0.5	1.9		2.3	5.6	3.7		10.2	13.9	17
1.1	0.4	10.0	0.4	0.4	0.7	3.6	1.1	0.4	1.8		0.4	5.0	2.5	0.7	12.5	9.3	18
3.4	0.7	8.1			0.7	2.2	1.2		0.5	0.5	3.4	8.8	3.2	0.7	7.6	8.3	19
5.4	1.4	8.7	1.0	0.2	0.4	3.3	0.8	0.2		0.4	4.1	10.7	2.3	0.2	3.9	7.8	20
8.1	1.0	7.3	0.4	0.4	1.0	1.8	0.8		0.2		2.6	12.0	0.8	0.2	3.9	8.1	21
7.7	1.5	7.9			0.8	0.5	0.3	0.3			4.8	14.5	0.8		3.6	15.3	22
8.4	*3.6*	*2.4*			*1.2*		*1.2*	*1.2*			*2.4*	*7.2*	*2.4*		*2.4*	*26.5*	23
																	24
3.2	0.4	10.8	0.4	0.2	0.5	1.7	0.7	0.3	0.7	0.2	2.5	6.6	2.5	0.8	16.2	7.8	25
											100.0						26
		4.2							*5.6*			*1.4*		*1.4*	*36.6*	*14.1*	27
0.5		*10.0*	*0.5*						*3.2*		*1.1*	*2.6*	*4.2*	*1.1*	*30.5*	*8.9*	28
1.5		10.9	0.6		0.6	0.8	0.4	0.4	1.0	0.2	1.3	3.4	3.6	1.1	26.9	6.5	29
1.8		12.2	0.2	0.2	0.3	1.1	1.0		0.6		3.1	5.5	2.8	1.0	19.9	6.0	30
3.8	0.7	11.3	0.7	0.2	0.9	2.7	1.1	0.5	0.4	0.4	2.3	7.9	2.9	1.1	12.9	7.7	31
5.3	0.5	11.2	0.5	0.8	1.0	4.8	0.8			0.3	3.0	8.4	1.5	0.8	6.3	7.4	32
5.4	1.2	10.7		0.3	0.3	0.9	0.9	0.9		0.3	3.3	11.9	0.9		4.2	8.4	33
7.8	*1.6*	*7.0*	*0.8*			*0.8*				*1.6*	*4.7*	*7.8*	*0.8*			*14.1*	34
4.5		*4.5*						*4.5*			*4.5*	*9.1*				*27.3*	35
																	36
4.0	0.8	7.9	0.3	0.3	0.5	1.4	0.7	0.4	1.5	0.4	2.4	8.0	3.6	1.0	9.1	8.7	37
																	38
1.8		*5.5*						*0.9*	*3.3*		*2.8*	*0.9*	*2.8*		*22.9*	*11.0*	39
1.3		6.1			0.6	0.3	0.3		4.2		2.2	2.2	4.5	1.0	15.4	5.8	40
2.1		5.9	0.2	0.2	0.3	0.2	0.2	0.3	1.9	0.9	1.9	4.0	5.1	1.4	14.1	8.5	41
2.1	0.5	9.2	0.7	0.4	0.9	1.8	1.4	0.5	1.1	0.2	2.8	4.4	4.4	1.9	9.7	10.6	42
3.0	0.9	10.6	0.4	0.2	0.7	1.4	0.9	1.1	1.6	0.4	2.1	11.3	4.4	0.7	7.9	7.4	43
6.7	0.7	8.8	0.2	0.2	0.5	3.2	0.2		0.2	0.5	2.2	12.9	2.3	0.9	4.7	5.8	44
8.1	1.7	6.0	0.2	0.5		1.0	1.2		0.2		2.9	11.7	1.7	0.2	4.0	7.9	45
7.8	*3.4*	*7.8*	*1.1*	*1.1*	*0.6*	*1.7*	*0.6*			*0.6*	*2.8*	*12.8*	*1.7*		*2.2*	*13.4*	46
3.2	*6.5*	*12.9*			*3.2*						*6.5*		*3.2*			*29.0*	47
															50.0	*50.0*	48
4.4	1.3	8.5	0.1	0.4	0.7	2.1	0.6	0.3	0.8	0.1	2.2	10.1	2.8	0.7	4.0	11.9	49
		100.0															50
2.7		*9.5*			*1.4*			*1.4*	*4.1*				*2.7*		*13.5*	*14.9*	51
0.8		*7.4*							*3.3*		*1.6*	*4.1*	*5.7*	*0.8*	*11.5*	*11.5*	52
2.7	0.8	7.4				1.2	0.8	0.4	1.6		3.1	4.3	3.9	0.4	7.8	11.3	53
1.5	0.8	9.6		0.4	0.4	1.5	0.4	0.4	0.8		0.4	5.4	5.4	1.2	5.4	7.7	54
2.7	0.3	13.0		0.3	0.9	2.1	0.3		1.5		2.1	14.7	5.3	0.3	2.9	9.1	55
3.7	0.4	5.7	0.4	0.9	1.1	4.4	2.0	0.2	0.7		2.9	15.1	2.6	2.0	3.1	7.0	56
6.0	1.4	8.6	0.3	0.3	0.9	2.6	0.3	0.7	0.2	0.5	1.9	10.8	1.4	0.3	1.9	9.8	57
7.1	2.6	9.5		0.4	0.8	1.8	0.2			0.2	2.6	11.4	0.6	0.4	2.0	17.8	58
7.8	*7.0*	*1.7*		*0.9*	*0.9*			*0.9*			*3.5*	*4.3*	*1.7*		*3.5*	*33.9*	59
25.0																	60
6.5	1.3	5.5	0.6	0.2	0.8	1.4	0.3	0.3	1.1	0.5	3.0	9.3	2.7	1.1	5.5	12.3	61
																	62
									16.7								63
		6.3	*6.3*		*6.3*				*6.3*			*6.3*		*6.3*	*18.8*		64
1.7	*1.7*		*1.7*					*1.7*		*1.7*	*3.3*	*5.0*	*8.3*		*8.3*	*6.7*	65
		3.2			*2.0*				*2.0*			*6.1*	*4.1*	*2.0*	*18.4*	*14.3*	66
5.3	*1.1*	*6.3*	*1.1*		*1.1*	*2.1*	*2.1*				*4.2*	*10.5*	*4.2*	*2.1*	*3.2*	*10.5*	67
8.8		*4.4*			*0.9*	*1.8*			*1.8*	*0.9*	*4.4*	*12.4*	*0.9*	*0.9*	*6.2*	*9.7*	68
10.7		*7.7*	*0.6*		*0.6*	*3.0*		*0.6*	*1.2*		*2.4*	*8.3*	*2.4*	*0.6*	*2.4*	*10.1*	69
5.4	*4.3*	*6.5*		*1.1*						*1.1*	*3.3*	*12.0*	*1.1*	*1.1*	*3.3*	*19.6*	70
6.3	*6.3*	*3.1*									*3.1*	*9.4*			*3.1*	*31.3*	71
																100.0	72

TABLE VIII.—MALES—PER CENT DISTRIBUTION, BY IMPORTANT CAUSES, OF DEATHS OF MALES AT THE REGISTRATION

[These percentages, based on Table 11, page 726, are shown for only those occupations having 500 or

	OCCUPATION AND AGE PERIOD.	DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS.											
			Per cent of all causes at specified age period.										
		Number of deaths.[1]	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
	Manufacturing and mechanical pursuits—Contd.												
	Lumber and its remanufactures—Continued.												
1	Coopers	570	0.5	13.7	5.6	0.2	0.2	0.4	.....	.....	10.4	3.0	12.6
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	*4*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	20 to 24 years	*13*	*15.4*	*23.1*	.....	.....	.....	.....	.....	.....	.....	*7.7*	*7.7*
5	25 to 34 years	*30*	.....	*33.3*	.....	.....	.....	.....	.....	.....	.....	*6.7*	*3.3*
6	35 to 44 years	*59*	.....	*45.8*	*1.7*	.....	.....	*1.7*	.....	.....	.....	*1.7*	*6.8*
7	45 to 54 years	*84*	.....	*23.8*	*7.1*	.....	.....	.....	.....	.....	*3.6*	*1.2*	*15.5*
8	55 to 64 years	*89*	*1.1*	*10.1*	*14.6*	.....	.....	.....	.....	.....	*6.7*	*4.5*	*16.9*
9	65 to 74 years	*138*	.....	*4.3*	*6.5*	*0.7*	*0.7*	.....	.....	.....	*16.7*	*4.3*	*13.8*
10	75 to 84 years	*107*	.....	*1.9*	*2.8*	.....	.....	*0.9*	.....	.....	*18.7*	*1.9*	*14.0*
11	85 years and over	*46*	.....	*2.2*	.....	.....	.....	.....	.....	.....	*15.2*	.....	*8.7*
12	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Metals and metal products other than iron and steel.												
13	Tin-plate and tinware makers	681	2.1	18.9	5.9	0.6	0.9	1.2	0.1	0.1	4.8	1.8	11.6
14	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	*20*	*5.0*	*40.0*	.....	.....	.....	.....	.....	*5.0*	.....	.....	*10.0*
16	20 to 24 years	*32*	*15.6*	*25.0*	.....	.....	.....	.....	.....	.....	.....	.....	*6.3*
17	25 to 34 years	*92*	*7.6*	*37.0*	*1.1*	*1.1*	.....	*1.1*	.....	.....	.....	*3.3*	*8.7*
18	35 to 44 years	*120*	.....	*32.5*	*3.3*	*1.7*	*0.8*	*0.8*	.....	.....	*1.7*	*4.2*	*6.7*
19	45 to 54 years	*134*	*0.7*	*17.9*	*7.5*	.....	*1.5*	*0.7*	*0.7*	.....	*6.7*	*0.7*	*13.4*
20	55 to 64 years	*156*	.....	*7.4*	*9.6*	*0.7*	*0.7*	*2.9*	.....	.....	*5.9*	*0.7*	*15.4*
21	65 to 74 years	*90*	.....	*5.6*	*8.9*	.....	*2.2*	.....	.....	.....	*10.0*	*2.2*	*16.7*
22	75 to 84 years	*44*	.....	*2.3*	*6.8*	.....	.....	.....	.....	.....	*6.8*	.....	*4.5*
23	85 years and over	*12*	.....	.....	*8.3*	.....	.....	.....	.....	.....	*16.7*	.....	*25.0*
24	Unknown	*1*	.....	.....	.....	.....	.....	*100.0*	.....	.....	.....	.....	.....
	Paper and printing.												
25	Printers, lithographers, and pressmen	1,490	2.7	29.2	4.8	0.7	0.7	1.1	0.2	0.1	5.4	2.8	9.0
26	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	*81*	*6 2*	*38.3*	*1.2*	*1.2*	.....	.....	.....	.....	.....	*4.9*	*6.2*
28	20 to 24 years	*147*	*8.8*	*47.6*	*1.4*	*0.7*	.....	*0.7*	.....	*0.7*	*1.4*	*1.4*	*2.0*
29	25 to 34 years	291	2.7	51.5	0.7	1.4	0.7	0.7	0.3	.....	2.7	2.1	4.1
30	35 to 44 years	328	2.4	32.6	5.5	0.3	0.9	1.5	.....	.....	3.7	2.1	8.2
31	45 to 54 years	265	1.9	22.3	7.2	0.8	.....	1.9	0.4	0.4	5.7	3.8	9.4
32	55 to 64 years	*168*	*0.6*	*6.5*	*9.5*	.....	*3.0*	*1.2*	.....	.....	*11.3*	*3.6*	*14.9*
33	65 to 74 years	*154*	.....	*4.5*	*6.5*	*0.6*	.....	*0.6*	*0.6*	.....	*9.7*	*3.9*	*17.5*
34	75 to 84 years	*47*	.....	.....	*6.4*	.....	*2.1*	.....	.....	.....	*17.0*	*2.1*	*19.1*
35	85 years and over	*8*	.....	.....	.....	.....	.....	.....	.....	.....	*12.5*	.....	*12.5*
36	Unknown	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Textiles.												
37	Cotton-mill operatives	686	2.6	21.1	4.4	0.1	1.0	1.0	.....	0.1	6.6	2.0	11.5
38	10 to 14 years	*3*	*33.3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	*46*	*10.9*	*19.6*	.....	.....	.....	.....	.....	.....	.....	*10.9*	*4.3*
40	20 to 24 years	*43*	*4.7*	*48.8*	.....	.....	*2.3*	.....	.....	.....	.....	.....	*7.0*
41	25 to 34 years	*119*	*3.4*	*37.8*	*1.7*	.....	*0.8*	.....	.....	.....	*2.5*	*3.4*	*9.2*
42	35 to 44 years	*118*	*3.4*	*27.1*	*4.2*	.....	*0.8*	*1.7*	.....	.....	*3.4*	*0.8*	*5.9*
43	45 to 54 years	*134*	*1.5*	*19.4*	*8.2*	*0.7*	*1.5*	*3.0*	.....	.....	*6.7*	*1.5*	*11.2*
44	55 to 64 years	*106*	.....	*9.4*	*7.5*	.....	.....	.....	.....	*0.9*	*13.2*	*0.9*	*17.9*
45	65 to 74 years	*68*	.....	*1.5*	*4.4*	.....	*2.9*	*1.5*	.....	.....	*13.2*	*1.5*	*20.6*
46	75 to 84 years	*42*	.....	*2.4*	*2.4*	.....	.....	.....	.....	.....	*14.3*	.....	*16.7*
47	85 years and over	*7*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*14.3*
48	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Tailors	2,408	1.1	19.0	6.9	0.5	1.4	0.7	.....	.....	6.6	1.8	10.5
50	10 to 14 years	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	*46*	.....	*32.6*	*2.2*	.....	.....	.....	.....	.....	*2.2*	.....	*8.7*
52	20 to 24 years	*160*	*2.7*	*44.7*	.....	.....	*1.3*	*0.7*	.....	.....	.....	*2.0*	*5.3*
53	25 to 34 years	326	2 1	37.7	2.1	.....	0.3	0.9	.....	.....	1.5	2.1	6.1
54	35 to 44 years	415	2 7	33.7	4.3	0.2	1.2	0.7	.....	.....	1.7	2.4	8.0
55	45 to 54 years	456	0.9	16.7	8.1	1.8	1.3	1.5	.....	.....	6.1	1.8	9.9
56	55 to 64 years	361	.....	6.9	13.6	.....	2.8	0.3	.....	.....	8.3	2.2	13.6
57	65 to 74 years	338	.....	3.0	11.5	0.9	3.0	0.3	.....	.....	12.4	1.5	14.5
58	75 to 84 years	246	.....	.....	4.9	.....	.....	.....	.....	.....	16.7	1.2	14.6
59	85 years and over	*69*	.....	*2.9*	*4.3*	.....	.....	.....	.....	.....	*5.8*	.....	*13.0*
60	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Miscellaneous industries.												
61	Engineers and firemen (not locomotive)	3,295	2.7	12.6	7.0	0.6	1.4	0.8	.....	(2)	6.9	2.2	11.8
62	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	*29*	*10.3*	*10.3*	.....	.....	.....	.....	.....	.....	.....	*3.4*	*3.4*
64	20 to 24 years	*141*	*9.2*	*24.8*	.....	*0.7*	*0.7*	.....	.....	.....	.....	*3.5*	*2.1*
65	25 to 34 years	471	8.3	25.7	1.5	0.4	0.6	0.6	.....	.....	0.2	1.5	6.6
66	35 to 44 years	605	3.6	18.7	5.6	1.0	0.7	1.2	.....	.....	2.3	2.0	8.3
67	45 to 54 years	694	0.9	10.5	7.9	0.3	1.9	1.6	.....	.....	6.1	1.7	12.2
68	55 to 64 years	683	1.0	7.0	10.8	0.6	2.2	0.3	.....	0.1	11.9	2.5	14.8
69	65 to 74 years	491	.....	3.9	9.6	1.2	1.6	0.4	.....	.....	12.4	2.6	17.3
70	75 to 84 years	*158*	.....	*1.3*	*7.6*	.....	*0.6*	*0.6*	.....	.....	*14.6*	*3.2*	*19.0*
71	85 years and over	*20*	.....	*5.0*	*5.0*	.....	.....	*5.0*	.....	.....	*20.0*	*5.0*	*10.0*
72	Unknown	*3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] The total number of deaths at each age period is taken as the basis, or 100 per cent, with which the percentages for individual causes are compared.

LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS, CLASSIFIED BY AGE, FOR AREA: 1909—Continued.

more deaths. All figures printed in *italics* relate to a total of less than 200 deaths for that age period.]

DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS—continued.

Per cent of all causes at specified age period—Continued.

Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
7.2	1.9	8.9	0.4	0.9	1.2	1.9	0.2	.....	0.2	0.4	2.3	8.8	2.3	0.2	4.2	12.6	1
																	2
		25.0							*25.0*			*25.0*			*25.0*		3
		23.1			*7.7*											*15.4*	4
3.3		*16.7*										*13.3*	*3.3*	*3.3*	*6.6*	*10.0*	5
		10.2			*1.7*	*5.1*					*1.7*	*5.1*	*5.1*		*10.2*	*3.4*	6
4.8	*2.4*	*10.7*			*2.4*	*1.2*	*1.2*				*1.2*	*7.1*	*3.6*		*3.3*	*6.0*	7
6.7		*9.0*	*1.1*	*2.2*		*2.2*					*2.2*	*7.9*	*2.2*		*3.4*	*9.0*	8
7.2	*2.9*	*7.2*	*0.7*	*2.2*	*0.7*	*1.4*				*0.7*	*2.9*	*13.0*	*1.4*		*1.4*	*10.8*	9
13.1	*2.8*	*3.7*			*0.9*	*1.9*				*0.9*	*4.7*	*5.6*	*1.9*		*2.8*	*21.5*	10
13.0	*4.3*	*10.9*			*2.2*	*2.2*						*10.9*				*30.4*	11
																	12
3.4	1.3	8.2	0.1	0.4	0.7	1.6	0.7	.....	0.9	0.4	2.9	9.7	3.2	0.4	10.4	7.3	13
																	14
		10.0			*5.0*										*15.0*	*10.0*	15
									6.3				*9.4*		*28.1*	*9.4*	16
		5.4			*1.1*							*4.3*	*5.4*	*1.1*	*15.2*	*7.6*	17
1.7	*0.8*	*8.3*	*0.8*			*2.5*	*0.8*		*1.7*		*5.0*	*5.3*	*1.7*		*13.3*	*5.3*	18
3.0	*0.7*	*9.0*		*0.7*	*0.7*	*2.2*	*1.5*		*0.7*	*0.7*	*1.5*	*9.0*	*3.7*	*0.7*	*9.7*	*6.0*	19
3.1	*2.9*	*7.4*			*0.7*	*1.5*	*0.7*		*0.7*		*5.1*	*13.2*	*2.9*		*6.6*	*6.6*	20
4.4	*1.1*	*8.9*		*2.2*		*1.1*				*2.2*	*4.4*	*16.7*	*3.3*		*4.4*	*5.6*	21
4.5	*4.5*	*18.2*			*2.3*	*4.5*	*2.3*				*2.3*	*18.2*			*6.8*	*15.9*	22
		8.3										*16.7*		*8.3*		*16.7*	23
																	24
3.0	0.3	7.5	0.6	0.1	0.6	1.7	0.7	0.3	1.5	0.1	2.2	8.0	3.3	0.7	5.2	7.2	25
																	26
1.2		*4.9*						*2.5*	*8.6*			*2.5*	*4.9*		*13.3*	*4.9*	27
0.7	*0.7*	*4.1*			*1.4*		*0.7*	*0.7*	*4.1*		*2.7*	*2.0*	*1.4*	*0.7*	*9.5*	*6.8*	28
1.4	0.3	5.5	0.3		0.7	0.7			1.7	0.3	1.0	3.4	4.1	0.3	3.8	9.3	29
3.0	0.3	7.6		0.3		1.5	1.5		0.9		1.8	7.3	5.2	1.8	5.5	5.8	30
2.6		8.3	1.5		0.8	4.5	0.8	0.4	0.4		3.8	10.2	1.5		4.5	7.2	31
3.6		*9.5*	*0.6*		*0.6*	*1.2*	*1.8*	*0.6*			*1.2*	*14.3*	*5.4*		*4.2*	*6.5*	32
7.3	*0.6*	*11.7*	*1.3*		*0.6*	*2.6*			*0.6*		*3.9*	*14.9*	*0.6*	*1.3*	*1.9*	*7.3*	33
6.4		*10.6*	*2.1*	*2.1*	*2.1*	*2.1*				*2.1*	*2.1*	*8.5*		*2.1*	*4.3*	*8.5*	34
12.5											*12.5*	*25.0*				*25.0*	35
															100.0		36
3.6	0.9	6.9	0.3	0.1	0.7	2.8	0.7	0.3	1.5	0.1	3.5	7.1	4.1	0.9	7.0	8.9	37
																	38
		33.3							*33.3*								39
2.2		*2.2*						*2.2*	*6.5*		*2.2*		*2.2*	*4.3*	*17.4*	*15.2*	40
2.3		*4.7*							*2.3*		*4.7*		*2.3*		*9.3*	*11.6*	41
2.5	*0.8*	*5.9*	*1.7*		*0.8*	*0.8*		*0.8*	*1.7*		*1.7*	*3.4*	*5.0*	*1.7*	*6.7*	*7.6*	42
3.4	*2.5*	*6.8*		*0.8*	*0.8*	*4.2*	*1.7*		*2.5*		*4.2*	*7.6*	*5.9*		*10.2*	*1.7*	43
2.2	*0.7*	*6.0*				*3.0*	*2.2*				*5.2*	*8.2*	*4.5*	*1.5*	*3.7*	*9.0*	44
2.8	*0.9*	*10.4*			*0.9*	*7.5*					*2.8*	*12.3*	*3.8*		*4.7*	*3.8*	45
7.4		*10.3*			*1.5*					*1.5*	*4.4*	*8.8*	*1.5*		*5.9*	*13.2*	46
9.5		*2.4*			*2.4*	*2.4*						*11.9*	*4.8*		*4.8*	*26.2*	47
14.3		*14.3*									*14.3*	*14.3*				*28.6*	48
4.2	1.5	7.7	0.5	0.5	1.0	2.0	0.9	0.5	0.8	0.5	3.0	10.2	4.2	0.7	3.6	9.7	49
									100.0								50
		13.0			*2.2*		*2.2*	*2.2*				*2.2*	*6.5*	*2.2*	*10.9*	*13.0*	51
1.3	*0.7*	*6.7*			*0.7*		*0.7*	*0.7*	*2.0*		*3.3*	*2.0*	*5.3*		*4.7*	*16.3*	52
2.5		7.4	1.2		0.6	0.6	0.6	0.3	1.5	0.3	2.5	6.4	6.1	0.9	6.4	9.5	53
2.9	0.5	5.8	0.2	0.5	0.7	2.4	1.2	0.2	1.2		2.7	10.1	6.3	0.5	2.9	7.0	54
4.6	0.7	8.1	0.4	0.2	0.9	2.9	1.3	0.7	0.9	0.9	3.5	10.1	4.6	2.2	2.6	7.5	55
5.0	1.1	9.4	0.6	1.1	0.6	2.2	0.8	0.3	0.3	0.8	3.0	12.2	4.7	0.3	3.3	6.6	56
5.6	1.8	8.3	0.6	0.9	1.5	3.0	0.3	0.6	0.3		1.8	14.8	1.2	0.3	3.3	8.9	57
6.5	6.1	6.9	0.4	0.4	0.8	2.4	0.4	0.4		1.2	4.9	13.0	1.2		2.0	15.9	58
8.7	*5.8*	*8.7*			*4.3*		*1.4*			*1.4*	*5.8*	*10.1*			*1.4*	*26.1*	59
																	60
4.4	0.6	7.7	0.4	0.2	0.7	2.1	0.9	0.2	1.2	0.3	2.5	9.2	2.6	0.7	11.5	8.7	61
																	62
		3.4							*6.9*		*3.4*				*51.7*	*6.9*	63
0.7	*0.7*	*3.5*			*1.4*				*4.3*	*0.7*	*2.1*	*2.1*			*32.6*	*10.6*	64
2.1	0.2	6.2	0.6		0.6	1.3	0.8	1.1	2.3	0.4	2.1	3.2	3.6	1.5	17.4	11.0	65
3.6	0.7	9.6	0.2		0.8	2.0	0.5		1.7	0.3	2.8	7.4	3.1	1.2	16.4	6.4	66
4.9	0.4	9.4	0.6	0.3	0.7	2.7	1.0	0.1	1.0	0.3	2.6	10.4	4.5	0.7	9.2	8.1	67
4.8	0.6	7.0	0.3	0.6	0.4	2.6	1.2		0.4	0.3	1.8	11.7	1.6	0.6	6.3	8.5	68
6.9	0.6	7.3	0.2	0.2	0.8	2.4	1.0	0.2	0.2		3.3	14.1	1.2	0.2	3.7	8.6	69
7.0	*1.9*	*7.0*		*0.6*	*1.3*	*0.6*	*1.3*				*3.8*	*12.0*	*1.3*		*4.4*	*12.0*	70
5.0	*5.0*	*10.0*													*15.0*	*15.0*	71
			33.3										*33.3*		*33.3*		72

[2] Less than one-tenth.

TABLE VIII.—MALES—PER CENT DISTRIBUTION, BY IMPORTANT CAUSES, OF DEATHS OF MALES AT THE REGISTRATION

[These percentages, based on Table 11, page 726, are shown for only those occupations having 500 or

	OCCUPATION AND AGE PERIOD.	DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS.											
		Number of deaths.[1]	Per cent of all causes at specified age period.										
			Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
	Manufacturing and mechanical pursuits—Contd.												
	Miscellaneous industries—Continued.												
1	Manufacturers and officials, etc	2,805	1.8	6.3	6.6	0.5	2.3	0.2	.....	.....	10.2	3.0	13.2
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	*2*	.....	*50.0*	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	20 to 24 years	*38*	*13.2*	*18.4*	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	25 to 34 years	*164*	*5.5*	*28.0*	*1.8*	*1.2*	*0.6*	*0.6*	.....	.....	.....	*5.3*	*2.6*
6	35 to 44 years	327	4.3	14.1	6.4	0.3	1.5	0.3	.....	.....	*3.0*	*3.0*	*3.0*
7	45 to 54 years	526	2.7	7.2	7.4	1.0	1.7	0.2	.....	.....	4.3	5.8	8.3
8	55 to 64 years	708	1.1	3.2	5.6	0.6	4.0	0.4	.....	.....	7.4	4.2	9.5
9	65 to 74 years	613	0.2	2.1	9.5	0.3	2.9	0.2	.....	.....	11.2	2.4	15.7
10	75 to 84 years	347	.....	0.9	6.9	.....	1.2	.....	.....	.....	14.4	2.0	17.9
11	85 years and over	*79*	.....	.....	*1.3*	.....	.....	.....	.....	.....	15.0	2.0	15.9
12	Unknown	*1*	.....	.....	.....	.....	.....	.....	.....	.....	*10.1*	.....	*18.9*
13	Tobacco and cigar factory operatives	982	1.2	24.3	5.8	0.3	1.5	1.7	.....	.....	5.4	1.8	10.1
14	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	*21*	*9.5*	*28.6*	.....	.....	*4.8*	.....	.....	.....	.....	.....	*4.8*
16	20 to 24 years	*49*	*4.1*	*57.1*	.....	*2.0*	.....	.....	.....	.....	*2.0*	*4.1*	*2.0*
17	25 to 34 years	*136*	*5.1*	*49.3*	*0.7*	.....	.....	*1.5*	.....	.....	.....	*1.5*	*2.9*
18	35 to 44 years	*181*	.....	*38.7*	*1.1*	.....	.....	*2.8*	.....	.....	*4.4*	.....	*12.2*
19	45 to 54 years	233	.....	23.2	9.4	0.4	1.3	2.1	.....	.....	3.0	1.7	11.2
20	55 to 64 years	*187*	*0.5*	*8.0*	*12.3*	.....	*2.1*	*2.7*	.....	.....	*7.0*	*2.7*	*11.8*
21	65 to 74 years	*121*	.....	*5.8*	*4.1*	*0.8*	*5.0*	.....	.....	.....	*18.2*	*1.7*	*13.2*
22	75 to 84 years	*48*	.....	*2.1*	*6.3*	.....	*2.1*	.....	.....	.....	*4.2*	*6.3*	*10.4*
23	85 years and over	*5*	.....	.....	*20.0*	.....	.....	.....	.....	.....	.....	.....	*40.0*
24	Unknown	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] The total number of deaths at each age period is taken as the basis, or 100 per cent, with which the percentages for individual causes are compared.

LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS, CLASSIFIED BY AGE, FOR AREA: 1909—Continued.

more deaths. All figures printed in *italics* relate to a total of less than 200 deaths for that age period.]

DEATHS OF MALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS—continued.

Per cent of all causes at specified age period—Continued.

Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
7.3	0.9	7.2	0.3	0.2	0.6	2.2	1.0	0.3	0.9	0.4	3.9	11.0	2.2	0.7	6.7	10.0	1
																	2
															50.0		3
5.3		*2.6*			*5.3*				*2.6*	*2.6*			*2.6*	*5.3*	*21.1*	*13.2*	4
0.6		*6.7*				*0.6*		*0.6*	*3.0*		*6.1*	*3.0*	*3.0*	*0.6*	*17.7*	*11.0*	5
2.4	0.3	8.3	0.3		0.6	2.8	0.9	0.6	1.8	0.3	3.4	8.3	1.8	0.9	13.5	8.6	6
6.8	0.6	6.3	0.6	0.2		2.9	1.1		1.1	0.2	3.4	12.2	5.7	1.1	8.7	7.8	7
8.6	1.0	6.6	0.3	0.7	0.4	3.0	1.4	0.6	0.4	0.7	4.5	11.7	1.1	0.7	5.2	8.8	8
8.6	1.0	7.0	0.5	0.2	0.7	2.3	1.0		0.5	0.3	3.1	12.4	1.1	0.3	2.3	9.3	9
10.4	2.0	8.6			1.4	0.6	0.6	0.6	0.6	0.6	4.6	10.1	1.2		1.7	15.3	10
10.1	*1.3*	*11.4*			*1.3*						*3.8*	*22.8*			*3.8*	*20.3*	11
															100.0		12
4.6	0.9	6.1	0.3	0.4	0.1	3.4	0.5	0.3	0.9	0.3	2.3	9.1	3.8	0.5	5.1	9.2	13
																	14
		9.5			*4.8*	*4.8*		*4.8*							*28.8*	*4.8*	15
4.1		*4.1*							*4.1*				*2.0*		*6.1*	*8.2*	16
2.9	*0.7*	*6.6*		*0.7*		*3.7*			*2.2*			*4.4*	*5.1*	*0.7*	*5.1*	*6.6*	17
3.9	*0.6*	*6.1*		*0.6*		*2.8*	*0.6*		*1.7*	*0.6*	*3.3*	*3.3*	*4.4*	*0.6*	*7.7*	*9.9*	18
3.4	1.7	6.9		0.4		4.7	0.4		0.4	0.4	1.7	9.0	5.2		5.6	7.7	19
5.3	*0.5*	*4.8*	*1.1*			*3.2*	*0.5*	*0.5*		*0.5*	*1.6*	*19.3*	*4.3*	*1.1*	*2.7*	*7.5*	20
9.9		*8.3*	*0.8*	*0.8*		*4.1*	*1.7*	*0.8*			*3.3*	*8.3*	*0.8*		*2.5*	*9.9*	21
4.2	*4.2*	*2.1*									*12.5*	*18.8*		*2.1*		*25.0*	22
												20.0				*20.0*	23
																100.0	24

TABLE IX.—FEMALES—PER CENT DISTRIBUTION, BY IMPORTANT CAUSES, OF DEATHS OF FEMALES AT THE REGISTRATION

[These percentages, based on Table 12, page 768, are shown for only those occupations having 500 or

	OCCUPATION AND AGE PERIOD.	DEATHS OF FEMALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS.											
			Per cent of all causes at specified age period.										
		Number of deaths.[1]	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
1	All occupations reported	27,459	2.8	21.0	8.1	0.7	1.0	0.2	.....	0.1	5.9	2.6	10.3
2	10 to 14 years	*71*	*12.7*	*26.8*	.....	*2.8*	*1.4*	.....	.....	.....	*1.4*	*8.5*	*5.6*
3	15 to 19 years	2,198	9.2	33.3	0.7	1.3	0.5	(2)	.....	.....	0.4	3.2	4.7
4	20 to 24 years	3,653	5.7	39.8	0.7	0 7	0.6	0.1	.....	0.1	0.6	2.5	4.8
5	25 to 34 years	5,141	3.3	35.7	3.1	0.4	0.6	0.3	.....	0.1	1.3	2.6	6.4
6	35 to 44 years	4,500	2 0	21.3	10 1	0.7	1.0	0.4	.....	0.1	4.0	3.0	10.5
7	45 to 54 years	4,398	1.0	10.2	15 6	0 6	1.5	0.3	.....	0.1	8.4	3.0	12.7
8	55 to 64 years	4,174	0.6	5.6	14 7	0 6	2.0	0.2	.....	0.1	12.3	1.9	15.4
9	65 to 74 years	1,887	0.3	3.2	9 5	1.0	1.2	0.1	.....	0.1	13.7	2.2	17.5
10	75 to 84 years	1,078	0.1	1.8	7.0	0.4	0.5	.....	.....	0.1	15.1	1.5	16.3
11	85 years and over	338	.....	.....	4.1	2.1	.....	.....	.....	0.3	11.5	0.6	12.4
12	Unknown	*21*	*4.8*	*4.8*	*4.8*	.....	*4.8*	.....	.....	.....	*19.0*	.....	*9.5*
13	Agricultural pursuits	879	1.7	8.6	8 1	0.9	1.4	0.1	.....	0.2	9.9	1.9	15.1
14	10 to 14 years	*2*	.....	.....	.....	.....	*50.0*	.....	.....	.....	.....	*50.0*	.....
15	15 to 19 years	*21*	*23.8*	*19.0*	.....	.....	.....	.....	.....	.....	.....	*4.8*	.....
16	20 to 24 years	*27*	*3.7*	*44.4*	.....	.....	.....	.....	.....	.....	.....	*7.4*	.....
17	25 to 34 years	*49*	*2.0*	*40.8*	*2 0*	*2.0*	*2.0*	.....	.....	.....	.....	*4.1*	*4.1*
18	35 to 44 years	*63*	*6.3*	*19.0*	*6.3*	.....	*3.2*	.....	.....	.....	*6.3*	*3.2*	*3.2*
19	45 to 54 years	*91*	.....	*12.1*	*14.3*	.....	*1.1*	.....	.....	*1.1*	*6.6*	*2.2*	*13.7*
20	55 to 64 years	*115*	*1.7*	*7.8*	*20.0*	*0.9*	*3.5*	*0.9*	.....	.....	*9.6*	.....	*17.4*
21	65 to 74 years	206	0.5	2.4	8.3	1.0	1.5	.....	.....	.....	12.1	1.5	22.3
22	75 to 84 years	222	0.5	1.4	5.0	0.5	.....	.....	.....	.....	13.5	1.8	17.6
23	85 years and over	*82*	.....	.....	*2.4*	*3.7*	.....	.....	.....	*1.2*	*13.4*	.....	*8.5*
24	Unknown	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Farmers, planters, and overseers	799	1.6	7.9	8.9	0.9	1.5	.....	.....	0.3	10.3	2.1	14.8
26	10 to 14 years	*2*	.....	.....	.....	.....	*50.0*	.....	.....	.....	.....	*50.0*	.....
27	15 to 19 years	*17*	*23.5*	*11.8*	.....	.....	.....	.....	.....	.....	.....	*5.9*	.....
28	20 to 24 years	*20*	*5.0*	*45 0*	.....	.....	.....	.....	.....	.....	.....	*10.0*	.....
29	25 to 34 years	*43*	*2.3*	*39.5*	*2.3*	*2.3*	*2.3*	.....	.....	.....	.....	*4.7*	*2.3*
30	35 to 44 years	*65*	*5.5*	*20.0*	*7.3*	.....	*3.6*	.....	.....	.....	*5.5*	*3.6*	*3.6*
31	45 to 54 years	*75*	.....	*12 0*	*17.3*	.....	.....	.....	.....	*1.3*	*6.7*	*2.7*	*17.3*
32	55 to 64 years	*103*	*1.9*	*6 8*	*22.3*	*1.0*	*3.9*	.....	.....	.....	*9.7*	.....	*17.5*
33	65 to 74 years	*193*	*0.5*	*2.6*	*8.8*	*0.5*	*1.6*	.....	.....	.....	*12.4*	*1.6*	*21.8*
34	75 to 84 years	212	0.5	1.4	5.2	0.5	.....	.....	.....	.....	14.2	1.9	16.5
35	85 years and over	*78*	.....	.....	*2.6*	*3.8*	.....	.....	.....	*1.3*	*12.8*	.....	*9.0*
36	Unknown	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Professional service	1,725	3.7	19.7	10.6	0.8	1.7	0.1	.....	0.1	6.1	3.5	8.8
38	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	*61*	*13.1*	*24.6*	.....	*6.6*	*1.6*	.....	.....	.....	.....	*4.9*	*4.9*
40	20 to 24 years	248	10.1	37.9	0.8	.....	2.0	.....	.....	.....	1.2	2.0	4.8
41	25 to 34 years	385	5.5	37.1	4.7	0.3	1.8	.....	.....	.....	1.3	2.9	6.8
42	35 to 44 years	293	2.0	16.0	15.7	1.0	0 7	0.3	.....	.....	6.1	4.4	8.5
43	45 to 54 years	268	0.7	7.5	20.9	0.7	2.2	0.4	.....	.....	7.5	4.1	9.7
44	55 to 64 years	*196*	*0.5*	*7.7*	*15.8*	.....	*2.6*	.....	.....	.....	*10.2*	*8.6*	*11.7*
45	65 to 74 years	*164*	.....	*3.0*	*13.4*	*1.2*	*1.2*	.....	.....	*0.6*	*12.2*	*6.5*	*13.4*
46	75 to 84 years	*84*	.....	.....	*7.1*	*1.2*	*2.4*	.....	.....	.....	*17.9*	*1.2*	*14.3*
47	85 years and over	*24*	.....	.....	*4.2*	.....	.....	.....	.....	.....	*16.7*	.....	*8.3*
48	Unknown	*2*	.....	.....	.....	.....	.....	.....	.....	.....	*50.0*	.....	.....
49	Teachers and professors in colleges, etc	1,170	4.7	21.5	10.2	0.7	1.8	.....	.....	.....	5.5	3.4	8.4
50	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	*42*	*19.0*	*21.4*	.....	*4.8*	*2.4*	.....	.....	.....	.....	*2.4*	*7.1*
52	20 to 24 years	*198*	*10.6*	*37.4*	*1.0*	.....	*2.0*	.....	.....	.....	*1.5*	*2.0*	*6.1*
53	25 to 34 years	269	6.3	38.7	4.8	0.4	1.5	.....	.....	.....	1.5	3.0	5.2
54	35 to 44 years	*194*	*3.1*	*19.1*	*13.9*	*1.0*	*1.0*	.....	.....	.....	*4.1*	*4.6*	*9.3*
55	45 to 54 years	*167*	*1.2*	*7.8*	*22.2*	*0.6*	*3.0*	.....	.....	.....	*7.8*	*4.8*	*8.4*
56	55 to 64 years	*130*	*0.8*	*7.7*	*16.2*	.....	*3.1*	.....	.....	.....	*6.9*	*3.8*	*10.0*
57	65 to 74 years	*101*	.....	*4.0*	*13.9*	*1.0*	*1.0*	.....	.....	.....	*13.9*	*4.0*	*15.8*
58	75 to 84 years	*63*	.....	.....	*7.5*	*1.9*	.....	.....	.....	.....	*20.8*	*1.9*	*11.3*
59	85 years and over	*15*	.....	.....	*6.7*	.....	.....	.....	.....	.....	*13.3*	.....	*13.3*
60	Unknown	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Domestic and personal service	17,735	2.5	18.7	8 2	0.6	1.0	0.3	.....	0.1	6.6	2.4	10.6
62	10 to 14 years	*51*	*15.7*	*31.4*	.....	*3.9*	.....	.....	.....	.....	*2.0*	*3.9*	*5.9*
63	15 to 19 years	1,125	9.3	29.9	0.8	0.6	0.4	0.1	.....	.....	0.4	3.4	4.4
64	20 to 24 years	1,922	5.6	37.3	0.8	0.7	0.3	0.2	.....	0.2	0.6	2.2	4.4
65	25 to 34 years	3,155	3.2	33.2	3.0	0.4	0.4	0.3	.....	0.1	1.5	2.7	6.0
66	35 to 44 years	3,066	2.2	21.3	9.2	0.7	1.0	0.4	.....	0.1	3.9	2.8	10.4
67	45 to 54 years	3,232	1.1	10.1	14.1	0.5	1.4	0.3	.....	0.1	8.9	2.8	13.1
68	55 to 64 years	3,280	0.6	5.0	13 9	0.6	1 9	0.2	.....	0.1	12.8	2.0	15.2
69	65 to 74 years	1,119	0.2	3.5	8.1	1.0	1.1	0.2	.....	.....	15.2	1.6	17.3
70	75 to 84 years	588	.....	1.9	7.0	0.2	0.5	.....	.....	.....	15.5	1.4	15.6
71	85 years and over	*183*	.....	.....	*5.5*	*0.5*	.....	.....	.....	.....	*10.4*	*0.5*	*14.2*
2	Unknown	*14*	.....	.....	*7.1*	.....	.....	.....	.....	.....	*21.4*	.....	*14.3*

[1] The total number of deaths at each age period is taken as the basis, or 100 per cent, with which the percentages for individual causes are compared.

LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS, CLASSIFIED BY AGE, FOR AREA: 1909.

more deaths. All figures printed in *italics* relate to a total of less than 200 deaths for that age period.]

DEATHS OF FEMALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS—continued.

Per cent of all causes at specified age period—Continued.

Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Childbirth.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
3.0	0.8	7.0	0.4	0.2	0.7	0.8	0.8	0.7	1.3	0.3	3.6	7.3	2.9	1.6	0.7	2.5	12.8	1
1.4		*7.0*			*1.4*			*1.4*	*2.8*		*2.8*	*2.8*		*1.4*		*5.6*	*14.1*	2
1.1	0.4	6.0	0.5	(2)	0.5	(2)	0.2	1.3	3.8		2.9	2.6	5.1	3.0	1.2	4.1	14.1	3
1.3	0.2	5.3	0.4	(2)	0.5	0.1	0.4	1.0	2.4	0.1	2.8	3.0	6.5	2.9	1.2	2.7	13.7	4
1.8	0.2	5.7	0.4	(2)	0.5	0.4	0.6	0.9	1.7	0.1	3.0	4.6	6.0	2.4	0.7	2.3	14.6	5
2.8	0.6	6.4	0.3	0.4	0.6	1.0	1.2	1.0	0.9	0.4	3.8	7.7	3.1	1.1	0.6	2.0	13.0	6
3.8	0.6	8.0	0.4	0.3	0.7	1.3	1.2	0.4	0.7	0.6	3.8	10.0	0.1	0.9	0.5	2.4	11.0	7
4.0	1.3	9.0	0.3	0.5	0.9	1.3	1.0	0.2	0.4	0.7	4.2	11.5		0.8	0.4	2.1	7.9	8
6.3	1.4	9.1	0.2	0.2	1.2	1.4	1.4	0.1	0.1	0.5	3.9	11.1		0.3	0.4	2.4	11.3	9
5.2	3.0	9.0	0.5	0.1	0.9	0.6	0.6	0.1	0.3	0.3	4.4	9.2		0.4	0.1	4.4	18.5	10
5.9	3.8	5.0			1.2	0.3	0.6				5.0	7.1			0.3	3.8	35.8	11
											4.8		*4.8*	*4.8*		*4.8*	*33.3*	12
4.0	1.6	6.8	0.5	0.1	0.9	0.6	1.3	0.2	0.5	0.7	4.0	6.5	2.4	1.1	0.1	3.3	17.5	13
																		14
		4.8			*4.8*				*19.0*		*9.5*		*9.5*				*4.8*	15
							3.7				*7.4*		*22.2*				*11.1*	16
2.0		*8.2*			*2.0*						*6.1*	*2.0*	*10.2*	*4.1*			*8.2*	17
3.2		*4.8*	*1.6*			*3.2*				*1.6*	*1.6*	*4.8*	*12.7*			*4.8*	*14.3*	18
1.1		*7.7*		*1.1*			*4.4*				*2.2*	*5.5*		*4.4*	*1.1*	*6.6*	*9.9*	19
2.6	*0.9*	*9.6*			*1.7*			*0.9*		*2.6*	*4.3*	*6.1*		*0.9*		*1.7*	*7.0*	20
4.9	1.0	7.3	0.5		1.0	1.5	2.4	0.5		0.5	2.9	8.7				2.9	16.5	21
5.9	4.5	7.2	0.9		0.5					0.5	4.5	6.8		0.9		3.6	24.8	22
6.1	*1.2*	*3.7*			*1.2*		*1.2*				*4.9*	*9.8*				*4.9*	*37.8*	23
														100.0				24
3.5	1.6	6.9	0.5	0.1	0.9	0.6	1.4	0.3	0.4	0.8	4.0	6.6	2.3	1.1		3.1	17.8	25
																		26
		5.9			*5.9*				*17.6*		*11.8*		*11.8*				*5.9*	27
							5.0				*5.0*		*20.0*				*10.0*	28
2.3		*7.0*			*2.3*						*4.7*	*2.3*	*11.6*	*4.7*			*9.3*	29
		5.5	*1.8*			*3.6*				*1.8*	*1.8*	*5.5*	*12.7*			*3.6*	*14.5*	30
1.5		*8.0*		*1.3*			*5.3*				*2.7*	*5.3*		*4.0*		*6.7*	*6.7*	31
1.9	*1.0*	*8.7*			*1.0*			*1.0*		*2.9*	*3.9*	*6.3*		*1.0*		*1.0*	*7.8*	32
4.7	*1.0*	*7.8*	*0.5*		*1.0*	*1.6*	*2.6*	*0.5*		*0.5*	*3.1*	*3.3*				*3.1*	*15.5*	33
4.7	4.7	7.1	0.9		0.5					0.5	4.7	7.1		0.9		3.3	25.5	34
6.4		*3.8*			*1.3*		*1.3*				*5.1*	*9.0*				*5.1*	*38.5*	35
														100.0				36
2.6	0.8	6.9	0.3	0.1	0.6	0.7	1.0	0.2	2.7	0.3	3.5	6.3	0.6	1.2	1.0	3.1	13.3	37
																		38
		3.8							*9.8*		*4.9*	*1.6*				*6.6*	*18.0*	39
2.4	0.4	5.6	0.4				0.4	0.4	5.6		3.2	0.4	0.8	3.6	2.0	3.2	12.5	40
1.6		4.7	0.5	0.3	0.3	0.5	0.8	0.8	4.9	0.3	2.3	2.9	1.8	1.3	1.3	2.3	13.2	41
2.0	1.0	9.2		0.3	0.7	0.7	1.4		1.4		4.4	6.8	0.7		0.7	2.7	13.0	42
2.6	0.7	5.2	0.4		0.7	0.7	0.4		0.4	0.4	5.6	9.0		1.9	1.1	2.6	14.6	43
4.6	*1.0*	*8.7*			*0.5*	*2.0*	*3.1*		*0.5*	*0.5*	*3.6*	*10.7*		*0.5*		*2.0*	*10.2*	44
3.7	*0.6*	*9.1*	*0.6*		*1.2*	*1.2*	*1.2*			*0.6*	*1.8*	*12.8*			*1.8*	*3.0*	*11.6*	45
4.8	*3.6*	*13.1*			*1.2*				*1.2*	*1.2*	*1.2*	*9.5*				*3.3*	*11.9*	46
4.2	*4.2*	*4.2*			*4.2*						*4.2*	*8.3*				*4.2*	*37.6*	47
																	50.0	48
2.4	0.5	8.0	0.3	0.2	0.6	0.3	0.9	0.3	2.6	0.1	3.5	5.6	0.4	0.9	0.9	2.9	13.4	49
																		50
		4.8							*9.5*		*7.1*					*9.5*	*11.9*	51
1.5	*0.5*	*5.1*	*0.5*				*0.5*		*6.6*		*3.5*		*0.5*	*3.0*	*2.0*	*3.5*	*12.1*	52
2.2		5.2	0.7	0.4	0.4		1.1	1.1	4.1		2.6	2.6	1.5	0.7	0.7	2.6	12.6	53
1.5	*0.5*	*11.9*		*0.5*	*0.5*		*1.0*		*0.5*		*4.6*	*7.2*			*0.5*	*1.0*	*13.9*	54
2.4	*0.6*	*7.2*	*0.6*		*0.6*	*0.6*	*0.6*				*4.2*	*9.0*		*1.2*	*0.6*	*3.0*	*13.3*	55
5.4	*0.8*	*11.5*				*0.8*	*3.1*		*0.8*		*3.3*	*10.0*				*2.3*	*13.1*	56
2.0		*9.9*			*2.0*	*2.0*				*1.0*	*2.0*	*12.9*			*2.0*	*2.0*	*10.9*	57
5.7	*3.3*	*13.2*			*1.9*				*1.9*		*1.9*	*5.7*				*5.7*	*17.0*	58
		6.7			*6.7*							*6.7*				*6.7*	*40.0*	59
																	100.0	60
3.1	0.9	7.5	0.4	0.3	0.7	0.9	0.9	0.6	0.9	0.4	3.7	7.9	3.7	1.4	0.6	2.5	12.7	61
		7.8			*2.0*						*3.9*	*2.0*		*2.0*		*3.9*	*15.7*	62
0.9	0.6	6.9	0.6	0.1	0.4	0.1	0.4	1.3	2.4		3.1	1.9	8.0	3.6	1.3	4.5	14.4	63
1.1	0.2	6.3	0.2	0.1	0.6	0.1	0.4	1.1	1.7	0.1	2.7	3.0	9.4	2.6	1.3	2.8	14.4	64
1.8	0.2	6.5	0.5		0.6	0.4	0.7	0.7	1.0	0.1	3.0	4.7	8.5	2.1	0.8	2.3	15.5	65
2.8	0.6	6.6	0.4	0.4	0.5	1.1	1.3	1.0	0.7	0.4	3.8	7.8	3.9	1.1	0.3	1.8	13.5	66
4.1	0.7	8.2	0.4	0.4	0.8	1.4	1.2	0.3	0.8	0.8	3.7	10.7	0.2	0.8	0.4	2.3	10.4	67
4.2	1.5	8.5	0.3	0.6	0.9	1.3	1.0	0.2	0.5	0.7	4.5	12.2		0.8	0.4	2.1	8.0	68
6.1	1.6	9.7	0.2	0.4	1.3	1.3	1.3		0.1	0.4	4.1	10.6		0.3	0.4	2.7	11.4	69
5.1	2.9	9.5	0.2		1.2	1.2	0.7		0.2	0.2	4.8	9.0		0.3	0.2	4.3	18.4	70
4.9	*4.9*	*5.5*			*1.1*	*0.5*	*0.5*				*4.9*	*5.5*			*0.5*	*3.3*	*37.2*	71
													7.1			7.1	*42.9*	72

[2] Less than one-tenth.

TABLE IX.—FEMALES—PER CENT DISTRIBUTION, BY IMPORTANT CAUSES, OF DEATHS OF FEMALES AT THE REGISTRATION

[These percentages, based on Table 12, page 768, are shown for only those occupations having 500 or

	OCCUPATION AND AGE PERIOD.	DEATHS OF FEMALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS.										
			Per cent of all causes at specified age period.									
		Number of deaths.[1]	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
1	Domestic and personal service—Continued. Laundresses	1,091	2.2	18.5	6.5	0.5	1.0	0.5	.....	0.1	6.8	1.9	11.5
2	10 to 14 years	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	*45*	*4.4*	*40.0*	.....	.....	.....	*2.2*	.....	.....	*2.2*	*2.2*	.....
4	20 to 24 years	*97*	*4.1*	*41.2*	*1.0*	.....	.....	.....	.....	.....	*1.0*	*2.1*	*5.2*
5	25 to 34 years	212	3.3	33.0	3.8	.....	0.5	0.5	.....	.....	1.4	2.8	7.5
6	35 to 44 years	216	3.2	18.5	7.9	0.5	1.4	.....	.....	0.5	3.2	1.4	12.0
7	45 to 54 years	243	1.6	11.5	8.6	1.2	0.8	1.2	.....	.....	8.2	2.5	15.2
8	55 to 64 years	*165*	.....	*2.4*	*10.3*	.....	*2.4*	*0.6*	.....	.....	*12.7*	*1.2*	*13.9*
9	65 to 74 years	*79*	.....	*1.3*	*5.1*	*1.3*	*1.3*	.....	.....	.....	*22.8*	.....	*17.7*
10	75 to 84 years	*28*	.....	*3.6*	*10.7*	.....	.....	.....	.....	.....	*10.7*	*3.6*	*14.3*
11	85 years and over	*3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Unknown	*2*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*50.0*
13	Nurses and midwives	915	5.5	11.1	12.2	0.7	0.9	0.3	.....	.....	8.1	2.4	11.4
14	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	*25*	*8.0*	*16.0*	.....	*4.0*	.....	.....	.....	.....	.....	.....	*4.0*
16	20 to 24 years	*83*	*16.9*	*24.1*	*1.2*	*2.4*	.....	.....	.....	.....	*1.2*	*1.2*	*4.8*
17	25 to 34 years	*146*	*8.2*	*28.8*	*3.4*	.....	*0.7*	.....	.....	.....	*0.7*	*4.8*	*7.5*
18	35 to 44 years	*122*	*9.0*	*18.0*	*14.8*	.....	.....	*0.8*	.....	.....	*2.5*	*0.8*	*8.2*
19	45 to 54 years	*153*	*4.6*	*8.5*	*16.3*	*0.7*	*2.0*	*1.3*	.....	.....	*9.8*	*3.3*	*11.1*
20	55 to 64 years	*159*	*2.5*	*1.9*	*18.9*	.....	*1.3*	.....	.....	.....	*9.4*	*2.5*	*14.5*
21	65 to 74 years	*144*	.....	*2.8*	*16.0*	*0.7*	*0.7*	.....	.....	.....	*13.9*	*2.1*	*17 4*
22	75 to 84 years	*65*	.....	*3.1*	*13.8*	*1.5*	*1.5*	.....	.....	.....	*24.6*	*1.5*	*16.9*
23	85 years and over	*18*	.....	.....	*5.6*	.....	.....	.....	.....	.....	*16.7*	.....	*11.1*
24	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Servants and waitresses	14,930	2.4	19.5	8.0	0.6	1.0	0.2	.....	0.1	6.4	2.4	10.4
26	10 to 14 years	*50*	*16.0*	*32.0*	.....	*4.0*	.....	.....	.....	.....	*2.0*	*4.0*	*6.0*
27	15 to 19 years	1,035	9.6	29.8	0.9	0.6	0.5	.....	.....	.....	0.4	3.5	4.6
28	20 to 24 years	1,698	5.1	37.9	0.8	0.7	0.4	0.2	.....	0.2	0.5	2.2	4.4
29	25 to 34 years	2,704	2.9	33.9	3.0	0.5	0.4	0.4	.....	0.1	1.5	2.4	5.9
30	35 to 44 years	2,578	1.8	22.0	9.3	0.7	1.0	0.4	.....	0.1	3.9	3.1	10.1
31	45 to 54 years	2,671	1.0	10.2	14.4	0.5	1.4	0.2	.....	0.1	9.1	2.7	12.9
32	55 to 64 years	2,760	0.5	5 5	13 6	0.7	2.0	0.2	.....	0.1	13.0	1.9	15.7
33	65 to 74 years	795	0.3	3.9	7 0	1.0	1.0	0.1	.....	.....	14.6	1.8	17.5
34	75 to 84 years	470	.....	1.7	6.0	.....	0.2	.....	.....	.....	14.5	1.3	15.3
35	85 years and over	*158*	.....	.....	*5.7*	.....	.....	.....	.....	.....	*10.1*	*0.6*	*15.2*
36	Unknown	*11*	.....	.....	*9.1*	.....	.....	.....	.....	.....	*18.2*	.....	*9.1*
37	Trade and transportation	2,538	4.4	30.9	5.3	0.8	1.1	0.1	.....	(2)	2.7	2.7	7.7
38	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	384	8.9	38 0	0.8	1.8	0.8	.....	.....	.....	0.5	2.3	4.7
40	20 to 24 years	695	5.6	42.3	0.6	0.7	1.2	.....	.....	.....	0.4	2.9	5.6
41	25 to 34 years	667	4.3	39 9	3.0	0.4	0.6	0.3	.....	0.1	0.9	1.5	6.4
42	35 to 44 years	348	1.4	16.1	11.5	0.9	1.1	.....	.....	.....	4.0	5.2	10.1
43	45 to 54 years	207	1.4	7.7	18.8	0.5	1.9	.....	.....	.....	6.8	3.9	8.7
44	55 to 64 years	*121*	*0.8*	*2.5*	*14.9*	*0.8*	*4.1*	.....	.....	.....	*9.1*	*0.8*	*19.0*
45	65 to 74 years	*80*	*1.3*	*1.3*	*10.0*	*1.3*	.....	.....	.....	.....	*17.5*	*2.5*	*16.3*
46	75 to 84 years	*30*	.....	*3.3*	*10.0*	.....	.....	.....	.....	.....	*16.7*	.....	*16.7*
47	85 years and over	*5*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*40.0*
48	Unknown	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Clerks and copyists	844	4.0	31.9	4.5	0.6	1.7	.....	.....	0.1	2.3	2.5	6.4
50	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	*149*	*10.1*	*32.9*	*0.7*	*1.3*	*2.0*	.....	.....	.....	*1.3*	*2.0*	*7.4*
52	20 to 24 years	241	4.1	43.2	1.7	0.4	1.7	.....	.....	.....	.....	2.5	5.0
53	25 to 34 years	234	3.4	37.6	3.4	0.4	0.4	.....	.....	0.4	1.3	1.3	3.8
54	35 to 44 years	*106*	.....	*18.9*	*7.5*	*0.9*	*0.9*	.....	.....	.....	*3.8*	*5.7*	*10.4*
55	45 to 54 years	*66*	*1.5*	*12.1*	*21.2*	.....	*4.5*	.....	.....	.....	*3.0*	*4.5*	*4.5*
56	55 to 64 years	*51*	.....	.....	*3.2*	.....	*6.5*	.....	.....	.....	*16.1*	.....	*19.4*
57	65 to 74 years	*11*	.....	.....	*9.1*	.....	.....	.....	.....	.....	*18.2*	.....	*9.1*
58	75 to 84 years	*6*	.....	.....	*16.7*	.....	.....	.....	.....	.....	*16.7*	.....	*16.7*
59	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Manufacturing and mechanical pursuits	4,582	2 7	27.4	8.3	0.9	0.9	0.3	.....	0 1	4.1	2.9	10.3
62	10 to 14 years	*18*	*5.6*	*16.7*	.....	.....	.....	.....	.....	.....	.....	*16.7*	*5.6*
63	15 to 19 years	607	8.2	37.9	0.5	1.8	0 3	.....	.....	.....	0.2	3.1	5.4
64	20 to 24 years	761	5.0	44.4	0.5	0.8	0 4	0.1	.....	.....	0.4	3.0	5.4
65	25 to 34 years	885	2.4	40 8	2.9	0.5	0.6	0 5	.....	.....	1.2	3.1	7.6
66	35 to 44 years	730	1.1	26.3	11.4	0.7	1.1	0 7	.....	.....	3.2	2.3	12.3
67	45 to 54 years	600	0.3	12.3	20.3	0.8	1 3	0.3	.....	.....	7.0	3.5	12.3
68	55 to 64 years	462	0.4	9.3	18.8	0.6	1.3	0.2	.....	0.4	11.3	1.5	16.5
69	65 to 74 years	318	0.3	3.5	12.9	0.6	1.9	.....	.....	.....	9.1	3.1	17.3
70	75 to 84 years	*154*	.....	*2.6*	*9.1*	*0.6*	.....	.....	.....	*0.6*	*14.3*	*1.9*	*18.2*
71	85 years and over	*44*	.....	.....	*2.3*	*6.8*	.....	.....	.....	.....	*11.4*	*2.3*	*11.4*
72	Unknown	*3*	*33.3*	*33.3*	.....	.....	*33.3*	.....	.....	.....	.....	.....	.....

[1] The total number of deaths at each age period is taken as the basis, or 100 per cent, with which the percentages for individual causes are compared.

LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS, CLASSIFIED BY AGE, FOR AREA: 1909—Continued.

more deaths. All figures printed in *italics* relate to a total of less than 200 deaths for that age period.]

DEATHS OF FEMALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS—continued.

Per cent of all causes at specified age period—Continued.

Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Childbirth.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
3.5	0.3	8.7	0.2	0.5	1.6	1.2	0.5	0.6	0.4	0.2	3.9	8.1	1.4	1.5	0.6	2.5	14.7	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*100.0*	.....	2
.....	.....	*6.7*	*2.2*	.....	.....	.....	.....	*2.2*	*2.2*	.....	*4.4*	.....	*11.1*	*4.4*	.....	*4.4*	*11.1*	3
2.1	.....	*7.2*	.....	.....	*1.0*	.....	.....	*1.0*	*1.0*	.....	*3.1*	*3.1*	*3.1*	*4.1*	*2.1*	*1.0*	*16.5*	4
2.4	.....	4.2	0.5	.....	.....	0.9	0.5	0.9	0.5	.....	5.7	3.8	2.4	1.9	1.9	2.8	18.9	5
1.4	.....	8.8	.....	0.5	1.9	2.3	1.9	0.9	.....	.....	3.7	9.3	0.9	1.9	0.5	2.3	15.3	6
4.1	.....	11.5	.....	1.2	2.5	1.2	0.4	.....	0.4	0.4	3.3	9.1	.....	0.4	.....	1.6	12.8	7
5.5	*0.6*	*10.3*	.....	*0.6*	*3.0*	*1.8*	.....	*0.6*	.....	.....	*4.8*	*13.9*	.....	.....	.....	*3.0*	*12.1*	8
8.9	.....	*13.9*	.....	*1.3*	*2.5*	.....	.....	.....	.....	*1.3*	*1.3*	*10.1*	.....	*1.3*	.....	*2.5*	*7.6*	9
7.1	*7.1*	*3.6*	.....	.....	.....	.....	.....	.....	.....	.....	*3.6*	*10.7*	.....	.....	.....	*3.6*	*21.4*	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*33.3*	.....	.....	.....	.....	*66.7*	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*50.0*	12
3.8	0.2	7.8	0.4	0.2	0.8	0.7	1.9	0.2	1.7	0.1	3.6	6.0	1.3	1.6	0.5	3.4	13.1	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	*4.0*	.....	.....	.....	.....	.....	.....	*8.0*	.....	*8.0*	.....	*8.0*	.....	.....	*8.0*	*32.0*	15
.....	.....	*8.4*	.....	.....	.....	.....	*1.2*	.....	*1.2*	.....	*4.8*	*1.2*	*2.4*	*1.2*	.....	*7.2*	*20.6*	16
.....	.....	*8.9*	*0.7*	.....	*0.7*	*0.7*	*1.4*	*0.7*	*4.1*	.....	*3.4*	*4.1*	*4.8*	*2.7*	*0.7*	*3.4*	*17.1*	17
5.7	.....	*6.6*	.....	.....	.....	.....	*4.1*	*0.8*	*1.6*	.....	*2.5*	*4.1*	*0.8*	*3.3*	*0.8*	*4.1*	*11.5*	18
2.6	.....	*7.2*	.....	.....	*1.3*	*0.7*	*1.3*	.....	*1.3*	.....	*3.3*	*5.9*	.....	*2.0*	*0.7*	*2.6*	*13.7*	19
6.3	*0.6*	*7.5*	*1.9*	*0.6*	.....	*0.6*	*1.9*	.....	*1.3*	*0.6*	*3.8*	*12.6*	.....	*1.9*	*1.3*	*3.1*	*5.0*	20
4.2	*0.7*	*9.0*	.....	*0.7*	*2.1*	*1.4*	*2.1*	.....	*0.7*	.....	*4.9*	*7.6*	.....	.....	.....	*4.2*	*9.0*	21
6.2	.....	*7.7*	.....	.....	*1.5*	*1.5*	*1.5*	.....	.....	.....	.....	*4.6*	.....	.....	.....	*1.5*	*12.3*	22
22.2	.....	*5.6*	.....	.....	.....	.....	.....	.....	.....	.....	*5.6*	.....	.....	.....	.....	.....	*33.3*	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
3.0	0.9	7.3	0.4	0.3	0.7	0.8	0.9	0.6	0.8	0.4	3.7	7.9	4.2	1.3	0.6	2.4	12.6	25
.....	.....	*8.0*	.....	.....	*2.0*	.....	.....	.....	.....	.....	*4.0*	*2.0*	.....	*2.0*	.....	*2.0*	*16.0*	26
1.0	0.5	7.1	0.6	0.1	0.5	0.1	0.4	1.4	2.2	.....	2.9	2.0	7.7	3.7	1.4	4.5	14.2	27
1.1	0.2	6.2	0.2	0.1	0.5	0.1	0.3	1.2	1.7	0.1	2.4	3.2	10.1	2.5	1.4	2.7	14.1	28
1.8	0.2	6.6	0.5	.....	0.7	0.3	0.7	0.7	0.9	0.1	2.8	4.7	9.3	2.0	0.7	2.1	14.9	29
2.8	0.7	6.2	0.4	0.4	0.4	0.9	1.1	0.9	0.6	0.5	4.0	7.7	4.5	0.8	0.3	1.6	13.5	30
4.0	0.8	7.9	0.5	0.3	0.6	1.5	1.3	0.4	0.7	0.8	4.0	11.3	0.2	0.7	0.4	2.2	10.0	31
4.1	1.6	8.4	0.2	0.6	0.9	1.3	0.9	0.2	0.4	0.8	4.6	12.2	.....	0.6	0.4	2.0	7.8	32
5.7	2.1	9.2	0.3	0.3	1.0	1.1	1.3	.....	.....	0.5	4.4	10.9	.....	0.3	0.5	2.6	12.7	33
5.1	3.0	10.2	0.2	.....	1.3	1.1	0.4	.....	0.2	0.2	5.7	9.8	.....	0.4	0.2	4.3	18.9	34
3.2	*5.7*	*5.7*	.....	.....	*1.3*	*0.6*	*0.6*	.....	.....	.....	*4.4*	*5.7*	.....	.....	*0.6*	*3.8*	*36.7*	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*9.1*	.....	.....	*9.1*	*45.5*	36
2.4	0.4	5.4	0.4	0.1	0.6	0.6	0.5	1.2	2.6	0.1	3.7	5.5	1.3	2.5	1.1	2.6	13.3	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
1.3	.....	6.0	0.5	.....	0.2	.....	.....	1.3	3.6	.....	3.6	3.6	2.1	2.1	0.8	4.2	12.8	39
1.6	0.3	4.0	0.6	.....	0.6	0.1	0.3	1.0	3.5	0.1	3.2	2.7	2.2	3.6	1.3	2.4	13.2	40
1.6	0.3	3.6	0.3	.....	0.4	0.7	.....	1.2	2.7	.....	3.0	5.2	0.9	3.1	0.9	2.1	16.2	41
4.0	0.3	4.9	0.3	0.3	0.6	1.4	1.1	2.3	2.6	0.3	4.6	8.0	0.9	1.7	2.0	3.2	11.2	42
4.3	0.5	9.2	.....	0.5	.....	1.0	1.9	1.0	0.5	0.5	5.8	9.2	.....	0.5	0.5	1.9	13.0	43
4.1	*0.8*	*17.4*	*0.8*	.....	*0.8*	*2.5*	*1.7*	*0.8*	.....	.....	*2.5*	*8.3*	.....	*1.7*	*0.8*	*0.8*	*5.0*	44
6.3	*1.3*	*6.3*	.....	.....	*2.5*	.....	*1.3*	.....	.....	.....	*5.0*	*18.8*	.....	*1.3*	.....	*3.8*	*8.8*	45
.....	.....	*3.3*	.....	*3.3*	*3.3*	.....	.....	.....	.....	.....	*3.3*	*13.3*	.....	.....	.....	.....	*26.7*	46
20.0	*20.0*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*20.0*	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*100.0*	.....	.....	.....	.....	.....	.....	48
2.1	0.5	6.2	0.4	0.1	0.2	0.7	0.2	1.7	3.0	.....	3.6	6.8	1.1	2.8	0.6	2.6	13.6	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
1.3	.....	*6.0*	.....	.....	.....	.....	.....	*2.7*	*2.7*	.....	*3.4*	*4.0*	*1.3*	*4.0*	.....	*6.0*	*10.7*	51
2.5	0.4	5.8	0.8	.....	.....	.....	.....	1.2	3.7	.....	3.3	3.3	1.7	2.1	0.8	2.5	13.3	52
0.9	0.9	3.8	.....	.....	0.9	1.7	.....	1.7	3.4	.....	3.8	6.4	1.3	3.8	0.9	1.3	17.1	53
4.7	*0.9*	*6.6*	.....	*0.9*	.....	*0.9*	*0.9*	*1.9*	*3.8*	.....	*2.8*	*12.3*	.....	*2.8*	.....	*0.9*	*12.3*	54
.....	.....	*7.6*	.....	.....	.....	*1.5*	.....	*1.5*	.....	.....	*6.1*	*16.7*	.....	*1.5*	.....	.....	*13.6*	55
9.7	.....	*22.6*	*3.2*	.....	.....	.....	*3.2*	.....	.....	.....	.....	*6.5*	.....	.....	*3.2*	.....	*6.5*	56
.....	.....	*9.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*18.2*	.....	.....	.....	*27.3*	*9.1*	57
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*16.7*	.....	.....	.....	.....	.....	*33.3*	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60
2.8	0.4	6.1	0.3	0.1	0.5	0.6	0.6	1.0	1.8	0.2	2.9	6.7	1.7	1.9	0.7	2.5	11.4	61
5.6	.....	*5.6*	.....	.....	.....	.....	.....	*5.6*	*11.1*	.....	.....	*5.6*	.....	.....	.....	*11.1*	*11.1*	62
1.5	0.3	4.4	0.2	.....	0.7	.....	0.2	1.3	5.3	.....	1.5	3.5	1.8	3.0	1.5	3.1	14.3	63
1.3	.....	3.7	0.5	.....	0.3	.....	0.3	1.2	2.5	.....	2.8	3.9	4.6	3.0	0.5	2.8	12.6	64
2.1	0.2	5.1	0.3	0.1	0.3	0.2	0.8	1.7	1.9	0.1	2.8	5.0	2.5	3.3	0.3	2.5	11.2	65
2.2	0.5	5.5	0.3	0.3	0.8	0.5	0.8	1.1	1.0	0.3	3.0	7.8	1.1	1.6	1.0	1.6	11.5	66
3.0	0.3	7.7	0.5	.....	0.5	1.0	0.5	0.7	0.8	0.2	3.0	8.0	.....	0.7	0.7	2.5	11.7	67
2.6	0.6	10.4	0.2	.....	0.9	1.5	0.4	0.2	0.2	0.6	3.0	8.7	.....	0.4	0.4	2.6	6.7	68
9.4	1.3	8.8	.....	.....	0.6	2.2	0.9	0.3	.....	0.9	4.7	12.9	.....	0.3	0.3	0.6	7.9	69
5.8	*1.3*	*8.4*	*1.3*	.....	.....	.....	*1.3*	*0.6*	*0.6*	.....	*4.5*	*12.3*	.....	.....	.....	*4.5*	*11.7*	70
9.1	*2.3*	*6.8*	.....	.....	.....	.....	.....	.....	.....	.....	*6.8*	*9.1*	.....	.....	.....	*4.5*	*27.3*	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72

[2] Less than one-tenth.

TABLE IX.—FEMALES—PER CENT DISTRIBUTION, BY IMPORTANT CAUSES, OF DEATHS OF FEMALES AT THE REGISTRATION

[These percentages, based on Table 12, page 768, are shown for only those occupations having 500 or

	OCCUPATION AND AGE PERIOD.	DEATHS OF FEMALES AT LEAST 10 YEARS OF AGE, ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS.											
			Per cent of all causes at specified age period.										
		Number of deaths.[1]	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
	Manufacturing and mechanical pursuits—Contd.												
	Textiles.												
1	Dressmakers	1,019	2.0	19.2	12.4	1.0	1.1	0.3	.....	0.1	5.5	3.4	11.7
2	10 to 14 years	*1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	*34*	*11.8*	*26.5*	.....	*2.9*	*2.9*	.....	.....	.....	.....	*8.8*	*8.8*
4	20 to 24 years	*98*	*5.1*	*32.7*	*1.0*	.....	*1.0*	.....	.....	.....	.....	*1.0*	*3.1*
5	25 to 34 years	*186*	*3.2*	*40.3*	*1.6*	*0.5*	*0.5*	.....	.....	.....	*1.1*	*3.2*	*5.9*
6	35 to 44 years	*191*	*1.6*	*19.9*	*14.1*	*1.0*	*1.0*	*1.0*	.....	.....	*2.6*	*3.7*	*9.9*
7	45 to 54 years	*195*	.....	*11.8*	*24.6*	*1.5*	*1.0*	.....	.....	.....	*6.7*	*5.6*	*11.8*
8	55 to 64 years	*143*	.....	*8.4*	*23.4*	*0.7*	*2.1*	*0.7*	.....	.....	*11.9*	*0.7*	*18.2*
9	65 to 74 years	*107*	*0.9*	*6.5*	*10.3*	.....	*0.9*	.....	.....	.....	*10.3*	*4.7*	*19.6*
10	75 to 84 years	*56*	.....	.....	*7.1*	*1.8*	.....	.....	.....	*1.8*	*14.3*	*1.8*	*23.2*
11	85 years and over	*7*	.....	.....	.....	*14.3*	.....	.....	.....	.....	.....	.....	.....
12	Unknown	*1*	*100.0*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Seamstresses	695	2.2	24.2	10.8	0.7	0.7	0.1	.....	0.1	4.5	1.4	10.2
14	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	*89*	*5.1*	*41.0*	.....	.....	.....	.....	.....	.....	.....	.....	*5.1*
16	20 to 24 years	*87*	*5.7*	*46.0*	*1.1*	*1.1*	.....	.....	.....	.....	.....	*2.3*	*5.7*
17	25 to 34 years	*114*	*3.5*	*43.0*	*4.4*	*0.9*	*0.9*	.....	.....	.....	*0.9*	*2.6*	*6.1*
18	35 to 44 years	*129*	*1.6*	*29.5*	*14.7*	.....	.....	.....	.....	.....	*2.3*	*0.8*	*14.0*
19	45 to 54 years	*106*	.....	*12.3*	*14.2*	*0.9*	*0.9*	*0.9*	.....	.....	*6.6*	*1.9*	*7.5*
20	55 to 64 years	*92*	*2.2*	*6.5*	*18.5*	.....	*1.1*	.....	.....	*1.1*	*12.0*	.....	*15.2*
21	65 to 74 years	*80*	.....	*5.0*	*16.3*	.....	*2.5*	.....	.....	.....	*5.0*	*1.3*	*13.8*
22	75 to 84 years	*31*	.....	*6.5*	*12.9*	.....	.....	.....	.....	.....	*9.7*	*3.2*	*6.5*
23	85 years and over	*17*	.....	.....	*5.9*	*11.8*	.....	.....	.....	.....	*11.8*	.....	*23.5*
24	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] The total number of deaths at each age period is taken as the basis, or 100 per cent, with which the percentages for individual causes are compared.

LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS, CLASSIFIED BY AGE, FOR AREA: 1909—Continued.

more deaths. All figures printed in *italics* relate to a total of less than 200 deaths for that age period.]

DEATHS OF FEMALES AT LEAST 10 YEARS OF AGE ENGAGED IN CERTAIN SPECIFIED OCCUPATIONS—continued.

Per cent of all causes at specified age period—Continued.

Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Childbirth.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
2.1	0.1	7.0	0.8	.....	0.4	0.9	0.9	0.2	1.5	0.2	2.9	8.3	1.2	1.7	0.6	2.3	12.5	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*100.0*	.....	.....	.....	.....	.....	2
.....	.....	*2.9*	.....	.....	.....	.....	.....	.....	*14.7*	.....	.....	.....	.....	.....	.....	*2.9*	*17.6*	3
3.1	.....	*5.1*	*2.0*	.....	.....	.....	*2.0*	.....	*2.0*	.....	*2.0*	*8.2*	*4.1*	*3.1*	*1.0*	*4.1*	*19.4*	4
2.2	.....	*5.4*	*0.5*	.....	*0.5*	*0.5*	*0.5*	*0.5*	*2.7*	.....	*2.7*	*5.4*	*3.2*	*2.7*	*0.5*	*3.2*	*12.9*	5
0.5	*0.5*	*5.2*	*1.0*	.....	*1.0*	*1.0*	*0.5*	.....	*0.5*	.....	*4.7*	*9.4*	*1.0*	*3.1*	*0.5*	*1.6*	*14.1*	6
2.1	.....	*8.2*	*0.5*	.....	.....	*0.5*	*1.0*	.....	*1.0*	*0.5*	*2.1*	*5.6*	.....	*1.0*	*0.5*	*2.6*	*11.3*	7
0.7	.....	*9.8*	*0.7*	.....	*0.7*	*1.4*	.....	.....	.....	.....	*2.8*	*10.5*	.....	*0.7*	*1.4*	*0.7*	*5.6*	8
5.6	.....	*9.3*	.....	.....	.....	*2.8*	*1.9*	*0.9*	.....	*0.9*	*3.7*	*11.2*	.....	.....	.....	.....	*10.3*	9
3.6	.....	*7.1*	*1.8*	.....	.....	.....	*1.8*	.....	.....	.....	*1.8*	*16.1*	.....	.....	.....	*3.6*	*14.3*	10
.....	.....	*14.3*	.....	.....	.....	.....	.....	.....	.....	.....	*14.3*	*14.3*	.....	.....	.....	*14.3*	*28.6*	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
3.5	1.0	6.9	0.3	0.1	1.0	0.6	0.7	1.0	2.0	0.1	4.5	7.8	0.4	1.7	0.7	2.0	10.6	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	*7.7*	.....	.....	*5.1*	.....	.....	.....	*5.1*	.....	*5.1*	*5.1*	.....	*2.6*	*2.6*	.....	*15.4*	15
.....	.....	*2.3*	.....	.....	.....	.....	.....	*1.1*	*2.3*	.....	*5.7*	*2.3*	*2.3*	*2.3*	.....	*4.6*	*14.9*	16
2.6	*0.9*	*6.1*	.....	.....	*1.8*	.....	*0.9*	*2.6*	*3.5*	.....	*2.6*	*3.5*	.....	*3.5*	.....	*2.6*	*7.0*	17
1.6	*0.8*	*4.7*	.....	*0.8*	.....	.....	*1.6*	*2.3*	*1.6*	.....	*3.9*	*4.7*	*0.8*	*3.1*	*1.6*	.....	*10.1*	18
1.9	*0.9*	*10.4*	*0.9*	.....	*0.9*	*0.9*	.....	.....	*1.9*	.....	*5.7*	*14.2*	.....	.....	*0.9*	.....	*16.0*	19
3.3	*2.2*	*9.8*	.....	.....	*2.2*	*1.1*	*1.1*	.....	*1.1*	.....	*3.3*	*9.8*	.....	.....	.....	*4.3*	*5.4*	20
12.5	*1.3*	*10.0*	.....	.....	.....	*2.5*	*1.3*	.....	.....	*1.3*	*3.8*	*11.3*	.....	*1.3*	*1.3*	*1.3*	*3.8*	21
9.7	.....	*6.5*	*3.2*	.....	.....	.....	.....	.....	*3.2*	.....	*9.7*	*19.4*	.....	.....	.....	*3.2*	*6.5*	22
5.9	*5.9*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*5.9*	*5.9*	.....	.....	.....	*5.9*	*17.6*	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24

TABLE X.—PER CENT DISTRIBUTION OF DEATHS FROM EACH CAUSE AND CLASS OF CAUSES OF DEATH, BY AGE, FOR THE REGISTRATION AREA: 1909.

CAUSE OF DEATH.	Total deaths: 1909.[1]	NUMBER OF DEATHS AT EACH AGE PER 100 DEATHS AT ALL KNOWN AGES FROM EACH CAUSE, REGISTRATION AREA: 1909.																
		Under 1	1	2	3	4	Under 5	5 to 9	Under 10	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	732,538	19.1	4.1	1.7	1.1	0.8	26.9	2.2	29.1	4.0	7.8	8.6	9.1	10.0	12.2	12.0	6.3	1.0	0.1
I.—General diseases	192,788	6.1	4.2	2.6	1.9	1.4	16.2	4.0	20.2	6.9	14.4	13.8	12.4	11.5	10.7	7.4	2.5	0.3	0.1
A.—Epidemic diseases	49,988	14.3	12.1	7.9	5.8	4.4	44.5	11.2	55.7	8.4	8.2	5.7	4.3	3.8	4.5	5.4	3.5	0.6	0.1
Typhoid fever	10,722	0.6	0.9	1.3	1.2	1.0	5.1	6.0	11.1	20.3	28.0	17.9	10.8	6.5	3.5	1.6	0.3	(2)	0.1
Malarial fever	1,175	6.6	4.9	3.8	2.3	1.8	19.3	4.3	23.6	8.4	13.4	11.5	10.1	9.4	11.1	8.1	4.4	.....	0.1
Smallpox	79	20.3	.....	5.1	.....	.....	25.3	2.5	27.9	7.6	21.5	13.9	13.9	7.6	1.3	3.8	2.5	.....	.....
Measles	4,860	25.7	35.2	14.3	6.6	4.0	85.7	7.7	93.4	2.7	1.5	1.0	0.6	0.4	0.2	0.2	(2)	.....	.....
Scarlet fever	5,781	4.8	12.5	14.7	13.5	10.2	55.8	27.6	83.4	11.6	3.3	1.3	0.2	0.1	0.1	0.1	.....	.....	.....
Whooping cough	4,906	57.0	23.5	8.8	4.1	2.1	95.5	3.4	99.0	0.5	0.1	0.1	(2)	0.1	0.1	0.1	(2)	(2)	.....
Diphtheria and croup	10,358	7.3	17.5	15.0	12.8	10.5	63.1	25.1	88.2	8.1	1.8	0.8	0.6	0.3	0.2	0.1	.....	.....	(2)
Diphtheria	8,930	6.3	16.7	14.4	12.6	10.4	60.5	26.3	86.8	9.1	2.0	0.9	0.6	0.3	0.2	0.1	.....	.....	(2)
Croup	1,428	13.2	22.1	18.4	14.3	11.1	79.2	17.9	97.1	1.9	0.6	0.1	0.2	0.1	.....	0.1	.....	.....	.....
Influenza	6,649	9.6	2.2	1.3	0.7	0.5	14.2	1.4	15.5	2.5	3.8	4.8	6.1	8.3	16.2	23.3	16.8	2.8	0.1
Cholera nostras	415	17.6	6.3	1.9	3 4	1.9	31.2	3.1	34.3	1.7	2.4	4.3	4.8	9.2	11.8	15.2	14.0	2.2	0.2
Dysentery	2,871	19.2	9.0	3.8	1.6	0.9	34.4	1.3	35.7	1.4	2.7	3.1	3.8	6.9	12.3	19.0	12.7	2.6	.....
Erysipelas	2,004	29.6	2.2	1.0	0.4	0.2	33.3	0.5	33.7	2.1	5.4	7.3	10.4	11.0	12.4	11.3	5.8	0.8	0.2
Other epidemic diseases	168	26.2	19.6	11.3	6.6	7.1	70.8	7.7	78.6	3.0	6.6	3.0	2.4	2.4	1.2	2.4	0.6	.....	.....
B.—Other general diseases	142,800	3.3	1.4	0.7	0.5	0.4	6.3	1.4	7.7	6.3	16.5	16.6	15.2	14.3	12.9	8.1	2.2	0.2	0.1
Septicemia	1,657	12.4	2 5	1.8	0.9	0.6	18.1	3.9	22.0	6.7	12.9	14.5	12.2	11.1	9 9	7.0	3.5	0.4	0.2
Tuberculosis (all forms)	81,720	3.0	2.0	1.0	0.7	0.5	7.2	1.7	8.9	9.2	25.8	22.6	15.2	9.3	5.8	2 7	0.6	(2)	0.1
Tuberculosis of lungs	70,040	1.3	0.8	0.4	0.2	0.2	2.8	0.8	3.6	9.0	27.7	24.4	16.3	9.8	6.0	2.7	0.6	(2)	0.1
Tuberculosis of larynx	804	1.0	0.3	0.6	.....	0.1	2.0	0.9	2.9	4.2	24.8	23.9	18.9	12.8	7.7	4.0	0.9	.....	.....
Tuberculous meningitis	4,575	22.9	18.9	11.0	6.0	4.6	63.4	11.4	74.8	9.7	6.2	4.4	2.6	1.4	0.7	0.2	(2)	.....	(2)
Abdominal tuberculosis	3,041	8.0	4.4	1.5	2.0	1.3	17.1	4.2	21.3	11.0	19.3	15.0	11.3	10.4	7.3	3.7	0.8	(2)	0.1
Pott's disease	740	3.4	2.0	2.0	2.2	1.9	11.5	8.8	20.3	17.7	18.1	13.0	8.9	10.3	6.2	4.7	0.7	.....	0.1
Tuberculous abscess	72	13.9	6.9	4.2	2.8	2.8	30.6	2.8	33.3	9.7	13.9	9.7	8.3	12.5	5.6	7.0	.....	.....	.....
White swelling	379	4.5	4.5	0.5	1.9	1.1	12.4	9.0	21.4	21.9	16.1	9.0	10.0	9.8	6.3	4.2	1.3	.....	.....
Tuberculosis of other organs	885	6.7	3.2	1.2	0.8	0.5	12.3	4 6	17.0	9.5	16.5	16.1	14.0	10.0	9.6	6.0	1.2	0.1	0.1
General tuberculosis	1,184	8.2	5.6	1.4	1.2	0.5	16.9	3.1	20.0	12.7	22.6	16.1	12.0	7.9	6.3	2.1	0.3	.....	.....
Scrofula	115	52.2	8.7	7.8	6.1	2.6	77.4	2.6	80.0	6.1	1.7	0.9	0.9	3.5	0.9	5.2	0.9	.....	.....
Venereal diseases	2,999	52.8	3.4	0.9	0.6	0.2	58.0	0.5	58.5	1.9	7.6	11.2	10.2	6.3	2.9	1.4	0.2	.....	0.2
Cancer	37,562	0.1	0.1	0.1	0.1	0.1	0.4	0.2	0.6	0.5	1.9	6 6	16.2	24.0	26.1	18.4	5.3	0.5	0.1
Cancer of mouth	1,427	0.4	0.1	.....	.....	0.2	0.8	0.1	0.8	0.8	1.1	2.9	11.5	21.7	27.4	24.1	8.7	1.0	0.1
Cancer of stomach and liver	14,915	(2)	(2)	(2)	(2)	(2)	0.1	0 1	0.2	0.1	1.0	4.6	13.6	25.0	30.1	20.7	4.5	0.2	0.1
Cancer of intestines	4,676	(2)	(2)	(2)	0.1	0.1	0.3	0.4	0.6	0.7	2.6	6.7	14.4	23.6	26.6	20.1	4.3	0.4	0.1
Cancer of female genital organs	5,714	.....	.....	.....	.....	.....	.....	.....	.....	0.3	2.4	12 2	26.4	27.5	19.5	9.2	2.4	0.1	0.1
Cancer of breast	3,585	.....	.....	.....	.....	.....	.....	.....	.....	(2)	0.7	7.9	21.8	24.1	22.8	16.3	5.7	0.5	0.1
Cancer of skin	1,492	0.3	0.1	0.1	0.1	0.1	0.6	0.1	0.7	0.4	0.5	2.8	7.2	14.6	23.5	27.5	19.4	3.4	0.1
Cancer of other or unspecified organs	5,753	0.4	0.4	0.5	0.5	0.3	2.0	0.9	2.9	1.8	4.2	7.0	14.6	21.2	24.1	17.4	6.2	0.6	0.1
Tumor	458	4.4	0.4	0.7	0.4	0.2	6 1	1.5	7.6	2.2	5.7	9.0	12.0	15.9	23.8	16.2	7.2	0.4	.....
Rheumatism	3,633	1.0	0.5	0.5	0.8	1.2	4.1	6.9	11.0	13.5	9.3	9.0	10.1	11.7	14.4	14.5	6.0	0.6	0.1
Diabetes	7,024	0.1	0.3	0.5	0.2	0 3	1.3	1 8	3.1	5.6	5.1	7.1	10.4	20.9	27.4	16.8	3.4	0.3	0.1
Anemia, leukemia	3,253	6.6	2.0	1.0	0.8	0.7	11.2	2.5	13.6	5.6	7.4	10.1	15.4	18.3	17.3	9.5	2.4	0.2	.....
Alcoholism	2,578	.....	.....	.....	.....	.....	.....	.....	.....	0.3	7.2	28.5	29.7	19.6	10.7	3.7	0.4	.....	0.6
Chronic poisonings	353	.....	.....	.....	.....	.....	.....	.....	.....	1.4	9.4	21.4	16.5	19.7	17.4	10.3	3.7	0.3	0.6
Other general diseases	1,448	9.1	2.6	1.3	1.0	0.6	14.6	2.0	16.6	4.4	12.0	17.7	17.8	13.5	10.7	5.3	1.9	0.1	.....
II.—Diseases of nervous system	74,656	11.8	2.8	1.3	0.9	0.6	17.5	1.8	19.2	2.5	3.0	4.8	8.1	12.5	18.7	20.3	9.8	1.0	0.1
Encephalitis	355	23.7	11.8	5.6	2.8	1.7	45.6	5.1	50.7	5.6	6.8	6.5	9.9	4.8	6.8	6.5	2.3	0.3	.....
Meningitis	7,853	31.4	14.4	8.3	5.1	3.5	62.6	8.7	71.3	8.1	5.4	4.2	4.1	2.9	2.1	1.5	0.4	(2)	0.1
Locomotor ataxia	1,386	.....	0.1	.....	.....	0.1	0 1	0.1	0.2	0.3	1.7	6.8	21 6	28.7	25.6	12.3	2.7	0.2	0.1
Other diseases of spinal cord	2,905	5.7	4.3	2.6	2.3	1.9	16.7	3.7	20.4	5.1	4.6	6.3	9.0	13.0	20.1	16.3	4.7	0.5	0.1
Apoplexy	36,463	1.5	0.2	0.1	0.1	(2)	1.9	0.2	2.1	0.4	1.1	2.9	7.5	15.8	26.3	28.8	13.9	1.4	0.1
Softening of brain	1,126	.....	.....	.....	0.1	.....	0.1	0 2	0.3	0.1	1.3	2.8	5.1	12 2	21.2	36.2	19.0	2.1	0.2
Paralysis	7,669	0.9	0.2	0.1	0.1	0.1	1.4	0.2	1.7	0.6	1.0	2.7	5.3	11.6	23.8	32.6	18.7	2.2	0.1
General paralysis of insane	2,584	.....	.....	.....	.....	.....	.....	.....	.....	0.2	2.8	20.0	32.6	20.8	10.8	9.0	3.4	0.4	0.1
Other forms of mental disease	1,717	.....	.....	.....	.....	.....	.....	0.1	0.1	1.9	7.3	12.9	16.0	16.2	19.0	17.8	8.3	0.5	0.5
Other diseases of brain	1,854	7.9	2.0	1.5	1.0	1.1	13.4	4.3	17.6	7.2	11.8	14.8	16.1	13.1	8.5	7.4	2.8	0.7	.....
Epilepsy	2,066	4.6	1.2	0.8	0.4	0.7	7.7	3.3	11.0	12.4	20.7	16.7	12.9	10.6	7.6	6.0	2.0	0.2	0.2
"Convulsions"	5,531	83.4	9.5	2.0	1.2	0.5	96.7	0.9	97.5	0.4	0.8	0.6	0.3	0.2	0.1	0.1	0.1	.....	(2)
Tetanus	1,373	30.7	0.9	0 8	0.7	1.1	34.2	11.1	45.3	21.6	8.8	9.2	6.3	4.6	3.1	1.0	0.1	.....	.....
Other diseases of nervous system	1,774	13.4	5.9	2.7	1.6	1.6	25.3	4.4	29.6	8.6	7.8	9.2	10.1	9.7	10.6	10.3	3.6	0.5	0.1
III.—Diseases of circulatory system	90,456	1.6	0.2	0.2	0.1	0.1	2.2	1.0	3 3	2.7	3.7	6.0	9.5	14.3	22.7	24.7	11.9	1.4	0.1
Pericarditis	660	2.3	0.8	1.2	0 6	0.8	5 6	4.0	9 6	6.5	7.0	9.3	10.8	13.4	16.1	18.8	7.9	0.8	0.2
Endocarditis	6,906	2.4	0.4	0.5	0.5	0.4	4.3	2.9	7.1	4.7	6.1	8.5	11.5	14.8	19.9	18.4	8.2	0.8	(2)
Heart disease	65,971	1.2	0.1	0.1	0.1	0.1	1.6	1.0	2.6	2.9	3.8	6.3	10.0	14.9	23.3	24.4	10.7	1.1	0.1
Angina pectoris	3,481	0.1	(2)	.....	(2)	0.1	0.2	0.1	0.4	0.6	1.9	4.0	9.5	18.5	31.6	25.2	7.7	0.6	0.1
Diseases of arteries	10,174	0.1	.....	.....	(2)	.....	0.1	(2)	0.1	0.1	0.5	1.8	4.2	9.0	20.4	34.6	25.0	4.3	(2)
Embolism and thrombosis	1,981	1.9	0.4	0.1	0.2	0.3	2.8	0.6	3.4	2.0	6.8	10.5	11.3	16.3	19.7	19.9	9.0	1.1	.....
Diseases of veins	320	0.9	0.6	0.3	.....	.....	1.9	1.6	3.5	1 3	5.6	12.9	15.7	16.0	23.5	15.7	6.0	.....	0.3
Diseases of lymphatics	154	44.2	11.0	4.6	3.3	2.0	64.9	7.1	72.1	3 9	4.6	3.3	3.3	3.3	3.3	3.9	2.0	0.7	.....
Other diseases of circulatory system	809	45.4	3.5	2.0	1.0	1.4	53.2	3.5	56.7	4.1	5.5	6.3	7.1	6.4	6.6	4.6	2.7	0.1	0.1

[1] Includes unknown ages, which are eliminated for the percentage comparison based upon total deaths at known age (=100 per cent).
[2] Less than one-tenth.

TABLE X.—PER CENT DISTRIBUTION OF DEATHS FROM EACH CAUSE AND CLASS OF CAUSES OF DEATH, BY AGE, FOR THE REGISTRATION AREA: 1909—Continued.

CAUSE OF DEATH.	Total deaths: 1909.[1]	NUMBER OF DEATHS AT EACH AGE PER 100 DEATHS AT ALL KNOWN AGES FROM EACH CAUSE, REGISTRATION AREA: 1909.																
		Under 1	1	2	3	4	Under 5	5 to 9	Under 10	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
IV.—Diseases of respiratory system	90,868	25.3	9.3	3.5	1.7	1.0	40.8	2.1	42.9	2.4	4.3	6.1	7.0	8.0	10.6	11.3	6.4	1.0	0.1
Diseases of larynx	770	23.9	15.5	10.7	10.1	5.3	65.5	10.3	75.7	2.5	3.1	3.9	3.4	3.4	2.1	3.5	2.1	0.4	.....
Laryngitis	334	19.2	14.7	11.7	10.5	4.8	60.8	9.6	70.4	3.6	3.9	4.5	2.7	3.0	2.4	5.4	3.3	0.9	.....
Other diseases of larynx	436	27.5	16.1	9.9	9.9	5.7	69.0	10.8	79.8	1.6	2.5	3.4	3.9	3.7	1.8	2.1	1.2	.....	.....
Diseases of thyroid body	194	5.2	0.5	.....	.....	.....	5.7	2.1	7.7	8.8	13.4	11.9	10.3	21.1	15.0	8.8	2.6	0.5	.....
Bronchitis	12,127	34.9	8.1	2.4	1.1	0.6	47.1	1.0	48.0	0.8	1.2	1.4	2.3	4.4	9.7	16.4	13.1	2.5	(2)
Acute bronchitis	6,939	58.8	13.3	3.9	1.8	0.9	78.7	1.0	79.7	0.4	0.6	0.5	0.8	1.7	3.2	6.0	5.9	1.3	.....
Chronic bronchitis	5,188	3.0	1.1	0.4	0.1	0.1	4.8	0.9	5.7	1.3	2.1	2.7	4.3	8.1	18.4	30.5	22.8	4.2	(2)
Pneumonia (all forms)	70,033	25.1	10.2	3.8	1.8	1.1	42.0	2.2	44.2	2.5	4.6	6.7	7.5	8.3	10.4	10.1	5.0	0.7	0.1
Bronchopneumonia	21,026	42.6	17.7	6.0	2.6	1.4	70.3	2.3	72.6	1.0	1.2	1.8	2.1	3.1	5.8	7.3	4.3	0.7	(2)
Pneumonia (lobar and unqualified)	49,007	17.6	6.9	2.9	1.5	0.9	29.8	2.2	32.0	3.2	6.0	8.8	9.9	10.5	12.4	11.3	5.3	0.7	0.1
Pleurisy	2,082	5.7	6.2	2.8	0.9	1.1	16.8	3.5	20.2	6.3	9.7	10.9	12.1	11.5	13.4	11.4	4.0	0.6	0.1
Congestion of lungs	2,550	27.9	3.1	1.0	0.8	0.9	33.7	1.0	34.7	1.4	3.0	3.9	5.7	6.7	10.8	15.9	14.8	3.1	(2)
Gangrene of lungs	221	0.5	2.3	0.9	0.9	0.9	5.4	2.3	7.7	4.5	9.1	16.7	18.6	17.2	15.4	9.1	1.8	.....	.....
Asthma and emphysema	1,556	1.8	0.9	0.7	0.5	0.6	4.4	0.8	5.3	0.5	2.1	4.7	9.8	17.3	22.8	24.7	11.9	1.0	0.1
Other diseases of respiratory system	1,335	15.4	4.2	0.7	0.7	0.5	21.5	1.6	23.2	3.7	7.8	8.0	10.1	14.4	13.9	11.3	7.0	0.7	.....
Hemorrhage of lungs	601	6.7	0.2	0.8	0.3	0.2	8.2	0.8	9.0	3.0	11.7	16.3	16.2	13.3	15.7	9.5	4.7	0.7	0.2
Other diseases of respiratory system	734	11.5	2.4	0.8	0.5	0.4	15.5	1.3	16.8	3.4	9.5	11.8	12.8	14.0	14.7	10.5	5.9	0.7	0.1
V.—Diseases of digestive system	91,970	44.8	9.7	2.0	0.9	0.6	58.0	1.7	59.6	2.9	3.8	4.6	5.8	6.4	7.0	6.3	3.1	0.4	(2)
Diseases of mouth	356	62.1	7.9	2.3	1.1	1.4	74.7	2.3	77.0	1.4	3.1	3.7	2.5	3.1	2.2	4.2	2.8	.....	.....
Diseases of pharynx	921	11.2	6.6	5.3	3.9	4.6	31.6	9.7	41.3	13.0	8.0	6.1	6.4	5.3	7.8	7.4	3.7	0.9	0.1
Tonsilitis	434	9.9	6.5	7.8	6.5	6.9	37.6	15.0	52.5	18.0	11.3	5.8	3.2	2.1	2.8	3.0	1.2	0.2	.....
Other diseases of pharynx	487	12.4	6.8	3.1	1.7	2.5	26.3	4.9	31.3	8.6	5.1	6.4	9.3	8.2	12.3	11.3	6.0	1.4	0.2
Ulcer of stomach	1,770	0.7	0.2	0.2	0.1	0.2	1.4	0.6	1.9	2.7	10.3	14.5	18.0	19.0	16.9	12.6	4.0	0.1	0.2
Other diseases of stomach	8,171	32.4	3.8	1.5	1.0	0.6	39.2	1.3	40.4	1.3	3.1	4.7	5.9	8.2	10.8	14.6	9.6	1.5	0.1
Gastritis	4,138	23.9	4.0	1.5	1.0	0.7	31.1	1.4	32.5	1.5	3.5	5.0	6.3	9.2	12.9	16.7	11.2	1.3	0.1
Other diseases of stomach	4,033	41.1	3.5	1.4	0.9	0.5	47.4	1.1	48.6	1.1	2.7	4.4	5.6	7.2	8.6	12.4	7.9	1.7	0.1
Dentition	107	55.1	42.1	2.8	.....	.....	100.0	.....	100.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	52,516	69.5	15.5	2.8	1.0	0.5	89.3	0.8	90.1	0.4	0.5	0.6	0.8	1.1	1.8	2.5	1.8	0.3	(2)
Hernia	2,018	7.6	0.5	0.3	0.3	0.2	8.8	0.5	9.3	1.3	4.3	6.0	13.0	17.6	22.8	17.6	7.3	0.8	0.1
Obstruction of intestines	4,353	16.8	3.3	1.4	1.0	1.3	23.7	3.4	27.1	4.5	7.8	8.7	10.4	10.5	12.6	12.4	5.2	0.8	0.1
Other diseases of intestines	1,473	21.3	3.3	2.5	1.6	0.8	29.6	2.0	31.6	2.5	6.9	8.6	9.5	9.6	10.5	11.4	8.3	1.0	.....
Acute yellow atrophy of liver	211	4.7	1.9	1.4	0.5	.....	8.5	2.4	10.9	3.3	16.1	14.7	10.4	13.3	16.6	10.9	3.8	.....	.....
Hydatid tumors of liver	19	5.3	.....	.....	.....	.....	5.3	.....	5.3	5.3	31.6	5.3	5.3	36.9	.....	10.5	.....	.....	.....
Cirrhosis of liver	7,045	0.1	0.1	0.1	0.1	0.1	0.4	0.3	0.7	0.4	2.6	10.4	21.0	24.6	23.5	13.4	3.4	0.2	.....
Biliary calculi	1,486	0.3	.....	.....	.....	.....	0.3	0.3	0.6	0.4	3.4	7.7	16.7	24.6	25.8	16.2	4.2	0.3	.....
Other diseases of liver	2,829	5.0	0.9	0.9	0.5	0.7	8.0	1.3	9.3	2.0	7.0	10.4	14.5	16.0	18.2	15.2	6.8	0.8	.....
Diseases of spleen	97	2.1	3.1	3.1	1.0	.....	9.3	2.1	11.3	5.2	15.5	15.5	19.6	17.5	7.2	8.2	.....	.....	.....
Peritonitis	2,611	7.8	2.0	1.7	1.5	1.1	14.0	5.4	19.4	12.3	16.3	16.7	10.9	8.6	7.9	5.8	1.8	0.3	.....
Appendicitis	5,768	0.5	0.4	0.4	0.8	1.2	3.3	9.2	12.5	25.4	21.6	15.7	11.6	7.4	3.6	1.9	0.3	(2)	0.1
Other diseases of digestive system	219	3.2	1.4	0.9	0.9	1.4	7.8	0.9	8.7	2.3	10.5	17.8	21.0	17.4	15.5	5.9	0.9	.....	.....
VI.—Diseases of genito-urinary system	57,070	1.6	0.5	0.4	0.3	0.2	3.0	0.8	3.8	2.1	5.6	9.3	13.1	16.3	21.1	19.6	8.3	0.9	0.1
Nephritis and Bright's disease	48,430	1.4	0.6	0.4	0.3	0.2	3.0	0.9	3.9	2.1	4.7	8.5	12.9	17.6	22.3	19.5	7.7	0.8	0.1
Acute nephritis	5,018	7.0	3.1	2.0	1.8	1.4	15.3	4.2	19.5	5.9	10.6	14.0	13.1	12.2	12.3	8.8	3.3	0.4	(2)
Bright's disease	43,412	0.8	0.3	0.2	0.2	0.1	1.6	0.5	2.1	1.7	4.0	7.9	12.9	18.2	23.5	20.8	8.2	0.9	0.1
Other diseases of kidneys	1,318	9.8	1.1	0.5	0.2	0.2	11.6	0.9	12.5	2.4	6.6	10.2	13.3	13.0	16.5	15.9	8.7	1.0	0.1
Calculi of urinary tract	292	1.4	0.3	.....	0.3	0.3	2.4	0.7	3.1	2.4	5.8	8.2	18.8	14.7	24.3	16.8	5.8	.....	.....
Diseases of bladder	1,484	2.4	0.2	0.2	0.1	0.1	3.0	0.5	3.4	0.3	1.2	2.4	3.9	7.2	15.3	35.1	27.5	3.7	0.2
Uterine tumor	862	.....	.....	.....	.....	.....	.....	.....	.....	0.4	4.1	24.6	39.2	15.9	8.5	6.5	0.9	.....	.....
Other diseases of uterus	838	0.2	0.1	0.1	.....	.....	0.5	0.1	0.6	6.2	23.4	30.6	22.1	9.9	3.9	2.6	0.5	0.2	.....
Ovarian tumor	518	.....	.....	.....	.....	.....	.....	.....	.....	1.9	14.1	18.9	19.5	16.6	13.3	12.6	2.9	0.2	.....
Diseases of tubes	1,024	.....	.....	.....	.....	.....	.....	.....	0.1	6.4	41.2	34.1	15.3	2.1	0.9	.....	.....	.....	.....
Other diseases of genito-urinary system	2,304	1.5	.....	0.1	.....	(2)	1.7	(2)	1.7	0.3	3.0	4.3	5.3	7.1	22.1	34.8	20.1	1.5	0.1
VII.—Childbirth	7,791	.....	.....	.....	.....	.....	.....	.....	.....	7.2	44.6	39.7	8.5	0.1	.....	.....	.....	.....	0.1
Puerperal septicemia	3,427	.....	.....	.....	.....	.....	.....	.....	.....	7.7	50.5	35.6	6.2	(2)	.....	.....	.....	.....	.....
Puerperal convulsions	1,706	.....	.....	.....	.....	.....	.....	.....	.....	11.0	45.5	35.2	8.2	.....	.....	.....	.....	.....	0.1
Other causes incident to childbirth	2,658	.....	.....	.....	.....	.....	.....	.....	.....	4.0	36.4	47.8	11.8	0.1	.....	.....	.....	.....	0.1
VIII.—Diseases of skin	2,985	16.3	1.8	0.7	0.4	0.2	19.5	0.6	20.0	1.6	2.5	4.1	5.5	9.0	13.2	23.0	17.4	3.8	0.2
Gangrene	1,691	2.3	0.6	0.2	0.3	0.1	3.6	0.4	3.9	0.6	0.8	2.1	3.2	7.3	16.5	33.3	26.2	6.0	0.1
Carbuncle	257	17.5	2.3	0.4	.....	.....	20.2	.....	20.2	3.9	5.8	7.0	10.5	14.8	14.4	15.6	7.8	.....	.....
Abscess	534	29.0	4.5	2.1	1.1	0.6	37.3	1.9	39.2	4.7	7.2	8.9	10.7	11.3	7.4	6.8	3.0	0.9	0.6
Other diseases of skin	503	49.3	2.8	1.2	0.4	.....	53.7	0.2	53.9	0.4	1.6	4.4	5.0	9.3	7.4	9.1	7.8	1.2	.....
IX.—Diseases of locomotor system	1,455	21.7	8.9	4.5	2.9	1.6	39.5	7.5	47.0	10.6	8.8	6.9	7.2	6.9	6.1	4.5	2.1	0.1	.....
Diseases of bones	1,325	23.2	9.6	4.9	3.1	1.7	42.5	7.8	50.3	10.6	8.8	6.9	7.0	6.1	5.3	3.5	1.5	0.1	.....
Diseases of joints	88	8.0	2.3	.....	.....	.....	10.2	3.4	13.6	8.0	11.4	6.8	11.4	18.2	15.9	9.1	5.7	.....	.....
Other diseases of organs of locomotion	42	4.8	.....	.....	2.4	.....	7.1	7.1	14.3	14.3	4.8	7.1	2.4	7.1	9.5	26.2	11.9	2.4	.....
X.—Malformations	7,755	94.0	2.6	0.9	0.4	0.3	98.2	0.8	98.9	0.8	0.2	0.1	(2)	(2)	.....	.....	.....	.....	.....
Hydrocephalus	664	74.1	12.5	5.0	1.7	1.4	94.6	1.8	96.4	2.3	0.3	0.6	0.3	0.2	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	4,766	95.8	1.4	0.5	0.3	0.2	98.2	0.7	99.0	0.8	0.2	(2)	(2)	.....	.....	.....	.....	.....	.....
Other congenital malformations	2,325	95.8	2.3	0.6	0.3	0.2	99.1	0.5	99.7	0.2	0.1	(2)	.....	.....	.....	.....	.....	.....	.....

[1] Includes unknown ages, which are eliminated for the percentage comparison based upon total deaths at known age (=100 per cent).
[2] Less than one-tenth.

TABLE X.—PER CENT DISTRIBUTION OF DEATHS FROM EACH CAUSE AND CLASS OF CAUSES OF DEATH, BY AGE, FOR THE REGISTRATION AREA: 1909—Continued.

CAUSE OF DEATH.	Total deaths: 1909.[1]	NUMBER OF DEATHS AT EACH AGE PER 100 DEATHS AT ALL KNOWN AGES FROM EACH CAUSE, REGISTRATION AREA: 1909.																
		Under 1	1	2	3	4	Under 5	5 to 9	Under 10	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
XI.—Diseases of early infancy	33,274	100.0	.....	.....	.....	.....	100.0	.....	100.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	18,286	100.0	.....	.....	.....	.....	100.0	.....	100.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	14,988	100.0	.....	.....	.....	.....	100.0	.....	100.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	13,456	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5.5	29.1	49.7	15.8	0.1
XIII.—Violence	55,537	9.0	2.0	1.8	1.4	1.2	15.3	3.8	19.1	8.0	17.0	15.5	14.0	10.0	7.0	5.3	3.4	0.7	0.6
Suicide	8,402	.....	.....	.....	.....	.....	.....	(2)	(2)	4.1	19.5	20.6	21.4	17.7	10.7	4.8	1.1	0.1	0.5
Fractures and dislocations	357	1.1	0.6	.....	.....	0.3	2.0	1.7	3.7	3.1	9.3	11.8	11.3	9.9	10.7	14.4	20.6	5.4	0.6
Burns and scalds	3,992	4.0	10.4	11.8	10.0	6.8	42.9	10.7	53.6	5.5	8.6	8.0	6.6	5.7	5.3	4.3	2.0	0.4	0.1
Heat and sunstroke	816	18.1	1.6	0.5	0.7	0.6	21.5	1.4	22.9	3.3	6.5	11.3	15.4	12.3	10.2	10.6	6.6	1.0	0.3
Cold and freezing	251	3.7	0.8	0.4	.....	0.4	5.3	1.6	6.9	1.6	10.2	11.0	19.9	17.1	15.0	13.0	4.9	0.4	2.0
Lightning	150	.....	.....	0.7	.....	.....	0.7	4.0	4.7	22.7	20.7	18.0	13.3	11.3	6.7	2.0	0.7	.....	.....
Drowning	4,558	0.5	1.9	1.5	1.3	1.2	6.4	8.6	15.0	22.7	21.8	14.7	12.7	7.5	3.5	1.8	0.3	0.1	1.4
Inhalation of poisonous gases [3]	1,837	1.5	1.5	1.4	1.7	1.5	7.5	3.4	10.8	7.0	15.0	18.2	15.6	11.6	9.5	8.0	3.9	0.3	1.0
Other accidental poisonings	1,779	10.3	13.6	8.2	4.4	3.3	39.8	4.7	44.5	5.0	10.7	11.7	10.5	7.4	5.4	4.0	0.8	0.1	0.1
Accidental gunshot wounds	944	.....	0.4	0.3	1.2	1.2	3.1	7.4	10.5	37.4	19.7	14.7	9.3	5.1	2.2	1.2	.....	.....	0.3
Injuries by machinery	1,174	.....	.....	0.3	0.1	0.4	0.8	1.8	2.6	14.9	28.8	19.2	18.3	10.7	4.5	1.2	.....	.....	0.2
Injuries in mines and quarries	1,997	.....	.....	.....	.....	.....	.....	0.2	0.2	8.4	36.0	27.1	17.7	7.4	2.6	0.7	0.1	.....	0.8
Railroad accidents and injuries	6,659	0.1	0.2	0.3	0.1	0.2	0.9	2.2	3.1	9.8	24.9	22.1	18.3	10.9	7.0	3.1	0.9	(2)	1.2
Street-car accidents	1,723	0.1	1.1	1.3	2.4	2.1	7.0	9.6	16.6	7.5	13.5	14.7	17.9	12.5	8.6	6.4	2.0	0.3	0.3
Injuries by vehicles and horses	2,152	0.7	1.7	2.3	2.2	2.7	9.6	9.7	19.3	9.5	11.6	13.2	13.7	12.7	11.4	6.9	1.8	0.1	0.1
Automobile accidents	632	.....	0.3	0.3	1.1	2.2	4.0	12.8	16.8	11.1	16.9	14.6	13.8	10.8	9.3	5.7	1.1	.....	.....
Suffocation	804	64.0	3.1	0.9	0.3	0.5	68.7	2.0	70.7	3.4	6.9	5.5	6.1	3.9	2.0	1.5	0.1	.....	0.1
Other accidental injuries	10,948	2.0	1.7	1.4	0.8	0.8	6.7	3.3	9.9	5.5	12.3	12.7	12.6	10.6	9.8	11.9	12.1	2.7	0.4
Injuries at birth	3,508	100.0	.....	.....	.....	.....	100.0	.....	100.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	2,854	4.9	0.2	0.3	0.3	0.2	5.9	1.1	7.0	7.1	33.8	25.8	15.8	6.5	2.5	1.1	0.4	(2)	0.7
XIV.—Ill-defined causes	12,477	53.2	6.6	1.4	0.6	0.3	62.1	0.8	62.9	1.0	1.8	2.3	3.8	4.7	7.2	8.8	6.3	1.3	0.4
"Dropsy"	725	3.3	0.7	.....	.....	0.1	4.1	1.4	5.5	1.5	2.9	5.4	8.3	13.3	17.5	25.8	16.3	3.5	0.1
"Heart failure"	1,760	11.3	0.8	0.3	0.5	0.2	13.1	0.5	13.6	1.7	4.8	6.7	11.1	12.9	21.9	18.3	8.1	1.0	0.5
Other ill-defined causes	8,679	66.7	8.4	1.5	0.6	0.2	77.4	0.5	77.9	0.5	0.6	0.8	1.5	2.4	3.5	5.9	5.5	1.4	0.2
Unknown causes	1,313	47.9	5.8	3.1	1.2	0.9	58.8	3.0	61.7	3.4	4.5	4.8	6.8	4.0	5.9	5.6	2.9	0.5	0.2

[1] Includes unknown ages, which are eliminated for the percentage comparison based upon total deaths at known age (=100 per cent).
[2] Less than one-tenth.
[3] Includes "conflagration."

TABLE XI.—PER CENT DISTRIBUTION OF DEATHS AT EACH AGE, FROM EACH CAUSE

CAUSE OF DEATH.	NUMBER OF DEATHS FROM EACH CAUSE PER 100 DEATHS FROM ALL KNOWN CAUSES AT EACH AGE, REGISTRATION AREA: 1909.								
	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	Under 10
All known causes. Number [1]	731,225	139,443	30,205	12,619	7,838	5,675	195,780	16,104	211,884
All known causes. Per cent	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
I.—General diseases	26.4	8.5	26.6	39.6	46.2	48.4	16.0	47.5	18.3
A.—Epidemic diseases	6.8	5.1	20.0	31.3	37.1	38.6	11.4	34.8	13.1
Typhoid fever	1.5	0.1	0.3	1.1	1.7	1.9	0.3	4.0	0.6
Malarial fever	0.2	0.1	0.2	0.4	0.3	0.4	0.1	0.3	0.1
Smallpox	(2)	(2)		(2)			(2)	(2)	(2)
Measles	0.7	0.9	5.7	5.5	4.1	3.4	2.1	2.3	2.1
Scarlet fever	0.8	0.2	2.4	6.7	10.0	10.4	1.7	9.9	2.3
Whooping cough	0.7	2.0	3.8	3.4	2.6	1.8	2.4	1.1	2.3
Diphtheria and croup	1.4	0.5	6.0	12.3	16.9	19.2	3.3	16.2	4.3
Diphtheria	1.2	0.4	4.9	10.2	14.3	16.4	2.8	14.6	3.7
Croup	0.2	0.1	1.1	2.1	2.6	2.8	0.6	1.6	0.7
Influenza	0.9	0.5	0.5	0.7	0.6	0.6	0.5	0.6	0.5
Cholera nostras	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1
Dysentery	0.4	0.4	0.9	0.9	0.6	0.4	0.5	0.2	0.5
Erysipelas	0.3	0.4	0.1	0.2	0.1	0.1	0.3	0.1	0.3
Other epidemic diseases	(2)	(2)	0.1	0.2	0.1	0.2	0.1	0.1	0.1
B.—Other general diseases	19.5	3.4	6.6	8.3	9.1	9.8	4.6	12.7	5.2
Septicemia	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.4	0.2
Tuberculosis (all forms)	11.2	1.7	5.5	6.7	7.0	7.2	3.0	8.6	3.4
Tuberculosis of lungs	9.6	0.6	1.7	1.9	2.1	2.3	1.0	3.5	1.2
Tuberculosis of larynx	0.1	(2)	(2)	(2)		(2)	(2)	(2)	(2)
Tuberculous meningitis	0.6	0.8	2.9	4.0	3.5	3.7	1.5	3.3	1.6
Abdominal tuberculosis	0.4	0.2	0.4	0.4	0.8	0.7	0.3	0.8	0.3
Pott's disease	0.1	(2)	0.1	0.1	0.2	0.3	(2)	0.4	0.1
Tuberculous abscess	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White swelling	0.1	(2)	0.1	(2)	0.1	0.1	(2)	0.2	(2)
Tuberculosis of other organs	0.1	(2)	0.1	0.1	0.1	0.1	0.1	0.3	0.1
General tuberculosis	0.2	0.1	0.2	0.1	0.2	0.1	0.1	0.2	0.1
Scrofula	(2)	(2)	(2)	0.1	0.1	0.1	0.1	(2)	(2)
Venereal diseases	0.4	1.1	0.3	0.2	0.2	0.1	0.9	0.1	0.8
Cancer	5.1	(2)	0.1	0.3	0.4	0.5	0.1	0.5	0.1
Cancer of mouth	0.2	(2)	(2)			0.1	(2)	(2)	(2)
Cancer of stomach and liver	2.0	(2)	(2)	(2)	(2)	0.1	(2)	0.1	(2)
Cancer of intestines	0 6	(2)	(2)	(2)	0.1	0.1	(2)	0.1	(2)
Cancer of female genital organs	0.8								
Cancer of breast	0.5								
Cancer of skin	0.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Cancer of other or unspecified organs	0.8	(2)	0.1	0.2	0.3	0.3	0.1	0.3	0.1
Tumor	0.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Rheumatism	0.5	(2)	0.1	0.1	0.4	0.8	0.1	1.6	0.2
Diabetes	1.0	(2)	0.1	0.3	0.2	0.3	0.1	0.8	0.1
Anemia, leukemia	0.4	0.2	0.2	0.3	0.3	0.4	0.2	0.5	0.2
Alcoholism	0.4								
Chronic poisonings	0.1								
Other general diseases	0.2	0.1	0.1	0.2	0.2	0.1	0.1	0.2	0.1
II.—Diseases of nervous system	10.2	6 3	7.0	7.9	8.1	8.1	6.7	8.2	6.8
Encephalitis	0.1	0.1	0.1	0 2	0.1	0.1	0.1	0.1	0.1
Meningitis	1.1	1.8	3.7	5 1	5.1	4.8	2.5	4.2	2.6
Locomotor ataxia	0.2		(2)			(2)	(2)	(2)	(2)
Other diseases of spinal cord	0.4	0.1	0.4	0.6	0.8	1.0	0.3	0.7	0.3
Apoplexy	5.0	0.4	0.3	0.3	0.2	0.3	0.4	0.4	0.4
Softening of brain	0.2				(2)		(2)	(2)	(2)
Paralysis	1.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
General paralysis of insane	0.4								
Other forms of mental disease	0.2							(2)	(2)
Other diseases of brain	0.3	0.1	0.1	0.2	0.2	0.4	0.1	0.5	0.2
Epilepsy	0.3	0.1	0.1	0.1	0.1	0.3	0.1	0.4	0.1
"Convulsions"	0.8	3.3	1.7	0.9	0.9	0.5	2.7	0.3	2.5
Tetanus	0.2	0.3	(2)	0.1	0.1	0.3	0.2	1.0	0.3
Other diseases of nervous system	0.2	0.2	0.4	0.4	0.4	0.5	0.2	0.5	0.2
III.—Diseases of circulatory system	12.4	1.0	0.6	1.1	1.6	2.2	1.0	5.8	1.4
Pericarditis	0 1	(2)	(2)	0.1	0.1	0.1	(2)	0.2	(2)
Endocarditis	0.9	0.1	0.1	0.3	0.4	0.5	0 2	1.2	0.2
Heart disease	9.0	0.5	0.3	0.6	0.9	1.2	0.5	4.0	0.8
Angina pectoris	0.5	(2)	(2)		(2)	0.1	(2)	(2)	(2)
Diseases of arteries	1.4	(2)			(2)		(2)	(2)	(2)
Embolism and thrombosis	0.3	(2)	(2)	(2)	(2)	0.1	(2)	0.1	(2)
Diseases of veins	(2)	(2)	(2)	(2)			(2)	(2)	(2)
Diseases of lymphatics	(2)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Other diseases of circulatory system	0.1	0.3	0.1	0.1	0.1	0.2	0.2	0.2	0.2

[1] The total number of deaths from all known causes at each age is given, so that the relative importance of the bases upon which the following percentage comparisons are computed may be kept in mind.

AND CLASS OF CAUSES OF DEATH, FOR THE REGISTRATION AREA: 1909.

NUMBER OF DEATHS FROM EACH CAUSE PER 100 DEATHS FROM ALL KNOWN CAUSES AT EACH AGE, REGISTRATION AREA: 1909—continued.

10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.	CAUSE OF DEATH.
28,855	56,979	62,808	66,674	73,384	89,049	87,527	46,176	7,125	764	All known causes.—Number.[1]
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	All known causes.—Per cent.
45.9	48.5	42.3	35.7	30.3	23.2	16.3	10.5	7.7	20.2	I.—General diseases.
14.5	7.2	4.5	3.2	2.6	2.5	3.1	3.8	4.0	3.1	A.—Epidemic diseases.
7.5	5.3	3.1	1.7	1.0	0.4	0.2	0.1	(2)	0.9	Typhoid fever.
0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1	----	0.1	Malarial fever.
(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	----	----	Smallpox.
0.5	0.1	0.1	(2)	(2)	(2)	(2)	(2)	----	----	Measles.
2.3	0.3	0.1	(2)	(2)	(2)	(2)	----	----	----	Scarlet fever.
0.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	----	Whooping cough.
2.9	0.3	0.1	0.1	(2)	(2)	(2)	----	----	0.3	Diphtheria and croup.
2.8	0.3	0.1	0.1	(2)	(2)	(2)	----	----	0.3	Diphtheria.
0.1	(2)	(2)	(2)	(2)	----	(2)	----	----	----	Croup.
0.6	0.4	0.5	0.6	0.7	1.2	1.8	2.4	2.6	1.2	Influenza.
(2)	(2)	(2)	(2)	0.1	0.1	0.1	0.1	0.1	0.1	Cholera nostras.
0.1	0.1	0.1	0.2	0.3	0.4	0.6	0.8	1.0	----	Dysentery.
0.1	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.5	Erysipelas.
(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	----	----	Other epidemic diseases.
31.3	41.4	37.8	32.6	27.7	20.6	13.2	6.7	3.6	17.0	B.—Other general diseases.
0.4	0.4	0.4	0.3	0.2	0.2	0.1	0.1	0.1	0.4	Septicemia.
26.1	37.0	29.3	18.6	10.4	5.3	2.5	1.0	0.4	9.3	Tuberculosis (all forms).
21.7	34.0	27.2	17.1	9.3	4.7	2.2	0.8	0.4	8.4	Tuberculosis of lungs.
0.1	0.3	0.3	0.2	0.1	0.1	(2)	(2)	----	----	Tuberculosis of larynx.
0.5	0.5	0.3	0.2	0.1	(2)	(2)	(2)	----	0.1	Tuberculous meningitis.
1.2	1.0	0.7	0.5	0.4	0.3	0.1	0.1	(2)	0.5	Abdominal tuberculosis.
0.5	0.2	0.2	0.1	0.1	0.1	(2)	(2)	----	0.1	Pott's disease.
(2)	(2)	(2)	(2)	(2)	(2)	(2)	----	----	----	Tuberculous abscess.
0.3	0.1	0.1	0.1	0.1	(2)	(2)	(2)	----	----	White swelling.
0.3	0.3	0.2	0.2	0.1	0.1	0.1	(2)	(2)	0.1	Tuberculosis of other organs.
0.5	0.5	0.3	0.2	0.1	0.1	(2)	(2)	----	----	General tuberculosis.
(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	----	----	Scrofula.
0.2	0.4	0.5	0.5	0.3	0.1	(2)	(2)	----	0.7	Venereal diseases.
0.7	1.2	3.9	9.1	12.3	11.0	7.9	4.3	2.4	3.7	Cancer.
(2)	(2)	0.1	0.2	0.4	0.4	0.4	0.3	0.2	0.1	Cancer of mouth.
0.1	0.3	1.1	3.0	5.1	5.0	3.5	1.4	0.5	1.6	Cancer of stomach and liver.
0.1	0.2	0.5	1.0	1.5	1.4	1.1	0.4	0.2	0.7	Cancer of intestines.
0.1	0.2	1.1	2.3	2.1	1.2	0.6	0.3	0.1	0.4	Cancer of female genital organs.
(2)	(2)	0.5	1.2	1.2	0.9	0.7	0.4	0.3	0.3	Cancer of breast.
(2)	(2)	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.1	Cancer of skin.
0.4	0.4	0.6	1.3	1.7	1.6	1.1	0.8	0.5	0.5	Cancer of other or unspecified organs.
(2)	(2)	0.1	0.1	0.1	0.1	0.1	0.1	(2)	----	Tumor.
1.7	0.6	0.5	0.6	0.6	0.6	0.6	0.5	0.3	0.3	Rheumatism.
1.4	0.6	0.8	1.1	2.0	2.2	1.3	0.5	0.3	0.7	Diabetes.
0.6	0.4	0.5	0.8	0.8	0.6	0.4	0.2	0.1	----	Anemia, leukemia.
(2)	0.3	1.2	1.1	0.7	0.3	0.1	(2)	----	1.8	Alcoholism.
(2)	0.1	0.1	0.1	0.1	0.1	(2)	(2)	(2)	0.3	Chronic poisonings.
0.2	0.3	0.4	0.4	0.3	0.2	0.1	0.1	(2)	----	Other general diseases.
6.5	3.9	5.7	9.1	12.7	15.6	17.3	15.8	10.7	11.0	II.—Diseases of nervous system.
0.1	(2)	(2)	0.1	(2)	(2)	(2)	(2)	(2)	----	Encephalitis.
2.2	0.7	0.5	0.5	0.3	0.2	0.1	0.1	(2)	0.8	Meningitis.
(2)	(2)	0.1	0.4	0.5	0.4	0.2	0.1	(2)	0.1	Locomotor ataxia.
0.5	0.2	0.3	0.4	0.5	0.7	0.5	0.3	0.2	0.3	Other diseases of spinal cord.
0.5	0.7	1.7	4.1	7.8	10.8	12.0	10.9	7.1	6.0	Apoplexy.
(2)	(2)	(2)	0.1	0.2	0.3	0.5	0.5	0.3	0.3	Softening of brain.
0.2	0.1	0.3	0.6	1.2	2.0	2.9	3.1	2.3	1.1	Paralysis.
(2)	0.1	0.8	1.3	0.7	0.3	0.3	0.2	0.2	0.4	General paralysis of insane.
0.1	0.2	0.4	0.4	0.4	0.4	0.3	0.3	0.1	1.1	Other forms of mental disease.
0.5	0.4	0.4	0.4	0.3	0.2	0.2	0.1	0.2	----	Other diseases of brain.
0.9	0.7	0.5	0.4	0.3	0.2	0.1	0.1	0.1	0.5	Epilepsy.
0.1	0.1	0.1	(2)	(2)	(2)	(2)	(2)	----	0.3	"Convulsions."
1.0	0.2	0.2	0.1	0.1	(2)	(2)	(2)	----	----	Tetanus.
0.5	0.2	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.3	Other diseases of nervous system.
8.4	5.8	8.7	12.9	17.6	23.1	25.5	23.2	17.4	9.3	III.—Diseases of circulatory system.
0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	Pericarditis.
1.1	0.7	0.9	1.2	1.4	1.5	1.4	1.2	0.8	0.4	Endocarditis.
6.7	4.4	6.6	9.9	13.3	17.2	18.3	15.3	9.8	8.0	Heart disease.
0.1	0.1	0.2	0.5	0.9	1.2	1.0	0.6	0.3	0.4	Angina pectoris.
(2)	0.1	0.3	0.6	1.2	2.3	4.0	5.5	6.1	0.1	Diseases of arteries.
0.1	0.2	0.3	0.3	0.4	0.4	0.5	0.4	0.3	----	Embolism and thrombosis.
(2)	(2)	0.1	0.1	0.1	0.1	0.1	(2)	----	0.1	Diseases of veins.
(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	----	Diseases of lymphatics.
0.1	0.1	0.1	0.1	0.1	0.1	(2)	(2)	(2)	0.1	Other diseases of circulatory system.

[2] Less than one-tenth.

TABLE XI.—PER CENT DISTRIBUTION OF DEATHS AT EACH AGE, FROM EACH CAUSE AND

CAUSE OF DEATH.	NUMBER OF DEATHS FROM EACH CAUSE PER 100 DEATHS FROM ALL KNOWN CAUSES AT EACH AGE, REGISTRATION AREA: 1909.								
	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	Under 10
IV.—Diseases of respiratory system	12.4	16.5	28.1	25.1	19.5	16.4	19.0	11.7	18.4
Diseases of larynx	0.1	0.1	0.4	0.7	1.0	0.7	0.3	0.5	0.3
Laryngitis	0.1	0.1	0.2	0.3	0.5	0.3	0.1	0.2	0.1
Other diseases of larynx	0.1	0.1	0.2	0.3	0.6	0.4	0.2	0.3	0.2
Diseases of thyroid body	(1)	(1)	(1)				(1)	(1)	(1)
Bronchitis	1.7	3.0	3.2	2.3	1.7	1.2	2.9	0.7	2.7
Acute bronchitis	1.0	2.9	3.1	2.2	1.6	1.1	2.8	0.4	2.6
Chronic bronchitis	0.7	0.1	0.2	0.2	0.1	0.1	0.1	0.3	0.1
Pneumonia (all forms)	9.6	12.6	23.6	21.3	16.1	13.4	15.0	9.6	14.6
Bronchopneumonia	2.9	6.4	12.4	10.0	6.9	5.2	7.6	3.0	7.2
Pneumonia (lobar and unqualified)	6.7	6.2	11.2	11.3	9.2	8.1	7.5	6.6	7.4
Pleurisy	0.3	0.1	0.4	0.5	0.2	0.4	0.2	0.5	0.2
Congestion of lungs	0.4	0.5	0.3	0.2	0.2	0.4	0.4	0.2	0.4
Gangrene of lungs	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)
Asthma and emphysema	0.2	(1)	0.1	0.1	0.1	0.2	(1)	0.1	(1)
Other diseases of respiratory system	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Hemorrhage of lungs	0.1	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)
Other diseases of respiratory system	0.1	0.1	0.1	(1)	0.1	0.1	0.1	0.1	0.1
V.—Diseases of digestive system	12.6	29.5	29.5	14.6	10.6	9.9	27.2	9.6	25.9
Diseases of mouth	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Diseases of pharynx	0.1	0.1	0.2	0.4	0.5	0.7	0.2	0.6	0.2
Tonsilitis	0.1	(1)	0.1	0.3	0.4	0.5	0.1	0.4	0.1
Other diseases of pharynx	0.1	(1)	0.1	0.1	0.1	0.2	0.1	0.2	0.1
Ulcer of stomach	0.2	(1)	(1)	(1)	(1)	0.1	(1)	0.1	(1)
Other diseases of stomach	1.1	1.9	1.0	0.9	1.0	0.8	1.6	0.6	1.6
Gastritis	0.6	0.7	0.6	0.5	0.6	0.5	0.7	0.4	0.6
Other diseases of stomach	0.6	1.2	0.5	0.4	0.5	0.3	1.0	0.3	0.9
Dentition	(1)	(1)	0.2	(1)			0.1		0.1
Diarrhea and enteritis	7.2	26.2	26.9	11.5	6.8	4.8	24.0	2.5	22.3
Hernia	0.3	0.1	(1)	0.1	0.1	0.1	0.1	0.1	0.1
Obstruction of intestines	0.6	0.5	0.5	0.5	0.6	1.0	0.5	0.9	0.6
Other diseases of intestines	0.2	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.2
Acute yellow atrophy of liver	(1)	(1)	(1)	(1)	(1)		(1)	(1)	(1)
Hydatid tumors of liver	(1)	(1)					(1)		(1)
Cirrhosis of liver	1.0	(1)	(1)	(1)	0.1	0.1	(1)	0.1	(1)
Biliary calculi	0.2	(1)					(1)	(1)	(1)
Other diseases of liver	0.4	0.1	0.1	0.2	0.2	0.4	0.1	0.2	0.1
Diseases of spleen	(1)	(1)	(1)	(1)	(1)		(1)	(1)	(1)
Peritonitis	0.4	0.2	0.2	0.4	0.5	0.5	0.2	0.9	0.2
Appendicitis	0.8	(1)	0.1	0.2	0.6	1.2	0.1	3.3	0.3
Other diseases of digestive system	(1)	(1)	(1)	(1)	(1)	0.1	(1)	(1)	(1)
VI.—Diseases of genito-urinary system	7.8	0.7	1.0	1.7	2.0	2.2	0.9	2.8	1.0
Nephritis and Bright's disease	6.6	0.5	0.9	1.6	2.0	2.1	0.7	2.6	0.9
Acute nephritis	0.7	0.3	0.5	0.8	1.2	1.3	0.4	1.3	0.5
Bright's disease	5.9	0.3	0.4	0.8	0.8	0.8	0.4	1.3	0.4
Other diseases of kidneys	0.2	0.1	0.1	0.1	(1)	(1)	0.1	0.1	0.1
Calculi of urinary tract	(1)	(1)	(1)		(1)	(1)	(1)	(1)	(1)
Diseases of bladder	0.2	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)
Uterine tumor	0.1								
Other diseases of uterus	0.1	(1)	(1)	(1)			(1)	(1)	(1)
Ovarian tumor	0.1								
Diseases of tubes	0.1							(1)	(1)
Other diseases of genito-urinary system	0.3	(1)		(1)		(1)	(1)	(1)	(1)
VII.—Childbirth	1.1								
Puerperal septicemia	0.5								
Puerperal convulsions	0.2								
Other causes incident to childbirth	0.4								
VIII.—Diseases of skin	0.4	0.4	0.2	0.2	0.2	0.1	0.3	0.1	0.3
Gangrene	0.2	(1)	(1)	(1)	0.1	(1)	(1)	(1)	(1)
Carbuncle	(1)	(1)	(1)	(1)			(1)		(1)
Abscess	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Other diseases of skin	0.1	0.2	0.1	0.1	(1)		0.1	(1)	0.1
IX.—Diseases of locomotor system	0.2	0.2	0.4	0.5	0.5	0.4	0.3	0.7	0.3
Diseases of bones	0.2	0.2	0.4	0.5	0.5	0.4	0.3	0.6	0.3
Diseases of joints	(1)	(1)	(1)				(1)	(1)	(1)
Other diseases of organs of locomotion	(1)	(1)			(1)		(1)	(1)	(1)
X.—Malformations	1.1	5.2	0.7	0.6	0.4	0.4	3.9	0.4	3.6
Hydrocephalus	0.1	0.4	0.3	0.3	0.1	0.2	0.3	0.1	0.3
Congenital malformation of heart (cyanosis)	0.7	3.3	0.2	0.2	0.2	0.1	2.4	0.2	2.2
Other congenital malformations	0.3	1.6	0.2	0.1	0.1	0.1	1.2	0.1	1.1

[1] Less than one-tenth.

CLASS OF CAUSES OF DEATH, FOR THE REGISTRATION AREA: 1909—Continued.

NUMBER OF DEATHS FROM EACH CAUSE PER 100 DEATHS FROM ALL KNOWN CAUSES AT EACH AGE, REGISTRATION AREA: 1909—continued.										CAUSE OF DEATH.
10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.	
7.4	6.8	8.8	9.5	10.0	10.8	11.8	12.6	13.1	5.5	IV.—Diseases of respiratory system.
0.1	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	.....	Diseases of larynx.
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	.....	Laryngitis.
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	.....	.....	Other diseases of larynx.
0.1	(1)	(1)	(1)	0.1	(1)	(1)	(1)	(1)	.....	Diseases of thyroid body.
0.3	0.3	0.3	0.4	0.7	1.3	2.3	3.4	4.3	0.3	Bronchitis.
0.1	0.1	0.1	0.1	0.2	0.2	0.5	0.9	1.3	.....	Acute bronchitis.
0.2	0.2	0.2	0.3	0.6	1.1	1.8	2.6	3.0	0.3	Chronic bronchitis.
6.2	5.6	7.5	7.9	7.9	8.2	8.1	7.6	7.1	4.7	Pneumonia (all forms).
0.7	0.5	0.6	0.7	0.9	1.4	1.7	2.0	2.1	0.5	Bronchopneumonia.
5.4	5.2	6.9	7.2	7.0	6.8	6.3	5.6	4.9	4.2	Pneumonia (lobar and unqualified).
0.5	0.4	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.1	Pleurisy.
0.1	0.1	0.2	0.2	0.2	0.3	0.5	0.8	1.1	0.1	Congestion of lungs.
(1)	(1)	0.1	0.1	0.1	(1)	(1)	(1)	.....	.....	Gangrene of lungs.
(1)	0.1	0.1	0.2	0.4	0.4	0.4	0.4	0.2	0.1	Asthma and emphysema.
0.2	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.1	0.1	Other diseases of respiratory system.
0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	Hemorrhage of lungs.
0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	.....	Other diseases of respiratory system.
9.2	6.1	6.8	8.0	8.0	7.2	6.6	6.3	5.6	2.8	V.—Diseases of digestive system.
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	.....	.....	Diseases of mouth.
0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	Diseases of pharynx.
0.3	0.1	(1)	(1)	(1)	(1)	(1)	(1)	(1)	.....	Tonsilitis.
0.1	(1)	(1)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	Other diseases of pharynx.
0.2	0.3	0.4	0.5	0.5	0.3	0.3	0.2	(1)	0.4	Ulcer of stomach.
0.4	0.4	0.6	0.7	0.9	1.0	1.4	1.7	1.7	0.8	Other diseases of stomach.
0.2	0.3	0.3	0.4	0.5	0.6	0.8	1.0	0.8	0.5	Gastritis.
0.1	0.2	0.3	0.3	0.4	0.4	0.6	0.7	1.0	0.3	Other diseases of stomach.
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	Dentition.
0.7	0.5	0.5	0.7	0.8	1.1	1.5	2.0	2.2	0.5	Diarrhea and enteritis.
0.1	0.2	0.2	0.4	0.5	0.5	0.4	0.3	0.2	0.1	Hernia.
0.7	0.6	0.6	0.7	0.6	0.6	0.6	0.5	0.5	0.4	Obstruction of intestines.
0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	.....	Other diseases of intestines.
(1)	0.1	(1)	(1)	(1)	(1)	(1)	(1)	.....	.....	Acute yellow atrophy of liver.
(1)	(1)	(1)	(1)	(1)	.....	(1)	.....	.....	.....	Hydatid tumors of liver.
0.1	0.3	1.2	2.2	2.4	1.9	1.1	0.5	0.2	.....	Cirrhosis of liver.
(1)	0.1	0.2	0.4	0.5	0.4	0.3	0.1	0.1	.....	Biliary calculi.
0.2	0.3	0.5	0.6	0.6	0.6	0.5	0.4	0.3	.....	Other diseases of liver.
(1)	(1)	(1)	(1)	(1)	(1)	(1)	.....	.....	.....	Diseases of spleen.
1.1	0.7	0.7	0.4	0.3	0.2	0.2	0.1	0.1	.....	Peritonitis.
5.1	2.2	1.4	1.0	0.6	0.2	0.1	(1)	(1)	0.4	Appendicitis.
(1)	(1)	0.1	0.1	0.1	(1)	(1)	(1)	.....	.....	Other diseases of digestive system.
4.2	5.6	8.5	11.2	12.7	13.5	12.8	10.3	6.9	5.2	VI.—Diseases of genito-urinary system.
3.5	4.0	6.6	9.4	11.6	12.1	10.8	8.1	5.5	4.3	Nephritis and Bright's disease.
1.0	0.9	1.1	1.0	0.8	0.7	0.5	0.4	0.3	0.1	Acute nephritis.
2.5	3.0	5.4	8.4	10.8	11.4	10.3	7.7	5.2	4.2	Bright's disease.
0.1	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.1	Other diseases of kidneys
(1)	(1)	(1)	0.1	0.1	0.1	0.1	(1)	.....	.....	Calculi of urinary tract.
(1)	(1)	0.1	0.1	0.1	0.3	0.6	0.9	0.8	0.4	Diseases of bladder.
(1)	0.1	0.3	0.5	0.2	0.1	0.1	(1)	.....	.....	Uterine tumor.
0.2	0.3	0.4	0.3	0.1	(1)	(1)	(1)	(1)	.....	Other diseases of uterus.
(1)	0.1	0.2	0.2	0.1	0.1	0.1	(1)	(1)	.....	Ovarian tumor.
0.2	0.7	0.6	0.2	(1)	(1)	.....	.....	.....	.....	Diseases of tubes.
(1)	0.1	0.2	0.2	0.2	0.6	0.9	1.0	0.5	0.4	Other diseases of genito-urinary system.
1.9	6.1	4.9	1.0	(1)	.....	.....	.....	.....	0.5	VII.—Childbirth.
0.9	3.0	1.9	0.3	(1)	.....	.....	.....	.....	.....	Puerperal septicemia.
0.7	1.4	1.0	0.2	.....	.....	.....	.....	.....	0.1	Puerperal convulsions.
0.4	1.7	2.0	0.5	(1)	.....	.....	.....	.....	0.4	Other causes incident to childbirth.
0.2	0.1	0.2	0.2	0.4	0.4	0.8	1.1	1.6	0.7	VIII.—Diseases of skin.
(1)	(1)	0.1	0.1	0.2	0.3	0.6	1.0	1.4	0.3	Gangrene.
(1)	(1)	(1)	(1)	0.1	(1)	(1)	(1)	.....	.....	Carbuncle.
0.1	0.1	0.1	0.1	0.1	(1)	(1)	(1)	0.1	0.4	Abscess.
(1)	(1)	(1)	(1)	0.1	(1)	0.1	0.1	0.1	.....	Other diseases of skin.
0.5	0.2	0.2	0.2	0.1	0.1	0.1	0.1	(1)	.....	IX.—Diseases of locomotor system.
0.5	0.2	0.1	0.1	0.1	0.1	0.1	(1)	(1)	.....	Diseases of bones.
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	.....	.....	Diseases of joints.
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	.....	Other diseases of organs of locomotion.
0.2	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	X.—Malformations.
0.1	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	Hydrocephalus.
0.1	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	Congenital malformation of heart (cyanosis)
(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	Other congenital malformations.

TABLE XI.—PER CENT DISTRIBUTION OF DEATHS AT EACH AGE, FROM EACH CAUSE AND

CAUSE OF DEATH.	NUMBER OF DEATHS FROM EACH CAUSE PER 100 DEATHS FROM ALL KNOWN CAUSES AT EACH AGE, REGISTRATION AREA: 1909.								
	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	Under 10
XI.—Diseases of early infancy	4.6	23.9					17.0		15.7
Premature birth	2.5	13.1					9.3		8.6
Congenital debility	2.1	10.8					7.7		7.1
XII.—Old age	1.8								
XIII.—Violence	7.6	3.6	3.6	7.8	10.0	11.5	4.3	12.9	5.0
Suicide	1.2							(1)	(1)
Fractures and dislocations	0.1	(1)	(1)			(1)	(1)	(1)	(1)
Burns and scalds	0.6	0.1	1.4	3.7	5.1	4.8	0.9	2.6	1.0
Heat and sunstroke	0.1	0.1	(1)	(1)	0.1	0.1	0.1	0.1	0.1
Cold and freezing	(1)	(1)	(1)	(1)		(1)	(1)	(1)	(1)
Lightning	(1)			(1)			(1)	(1)	(1)
Drowning	0.6	(1)	0.3	0.5	0.8	1.0	0.2	2.4	0.3
Inhalation of poisonous gases[2]	0.3	(1)	0.1	0.2	0.4	0.5	0.1	0.4	0.1
Other accidental poisonings	0.2	0.1	0.8	1.2	1.0	1.0	0.4	0.5	0.4
Accidental gunshot wounds	0.1		(1)	(1)	0.1	0.2	(1)	0.4	(1)
Injuries by machinery	0.2			(1)	(1)	0.1	(1)	0.1	(1)
Injuries in mines and quarries	0.3							(1)	(1)
Railroad accidents and injuries	0.9	(1)	0.1	0.1	0.1	0.3	(1)	0.9	0.1
Street-car accidents	0.2	(1)	0.1	0.2	0.5	0.6	0.1	1.0	0.1
Injuries by vehicles and horses	0.3	(1)	0.1	0.4	0.6	1.0	0.1	1.3	0.2
Automobile accidents	0.1		(1)	(1)	0.1	0.3	(1)	0.5	0.1
Suffocation	0.1	0.4	0.1	0.1	(1)	0.1	0.3	0.1	0.3
Other accidental injuries	1.5	0.2	0.6	1.2	1.2	1.4	0.4	2.2	0.5
Injuries at birth	0.5	2.5					1.8		1.7
Homicide	0.4	0.1	(1)	0.1	0.1	0.1	0.1	0.2	0.1
XIV.—Ill-defined causes	1.7	4.7	2.7	1.4	1.0	0.7	3.9	0.6	3.7
"Dropsy"	0.1	(1)	(1)			(1)	(1)	0.1	(1)
"Heart failure"	0.2	0.1	0.1	(1)	0.1	0.1	0.1	0.1	0.1
Other ill-defined causes	1.2	4.1	2.4	1.0	0.7	0.4	3.4	0.3	3.2
Unknown causes	0.2	0.4	0.2	0.3	0.2	0.2	0.4	0.2	0.4

[1] Less than one-tenth.

CLASS OF CAUSES OF DEATH, FOR THE REGISTRATION AREA: 1909—Continued.

NUMBER OF DEATHS FROM EACH CAUSE PER 100 DEATHS FROM ALL KNOWN CAUSES AT EACH AGE, REGISTRATION AREA: 1909—continued.										CAUSE OF DEATH.
10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	XI.—Diseases of early infancy.
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	Premature birth.
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	Congenital debility.
.....	.....	.....	.....	.....	0.8	4.5	14.5	29.7	2.4	XII.—Old age.
15.4	16.4	13.6	11.6	7.5	4.4	3.3	4.1	5.0	39.5	XIII.—Violence.
1.2	2.9	2.7	2.7	2.0	1.0	0.5	0.2	0.1	5.6	Suicide.
(1)	0.1	0.1	0.1	(1)	(1)	0.1	0.2	0.3	0.3	Fractures and dislocations.
0.8	0.6	0.5	0.4	0.3	0.2	0.2	0.2	0.2	0.4	Burns and scalds.
0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.3	Heat and sunstroke.
(1)	(1)	(1)	0.1	0.1	(1)	(1)	(1)	(1)	0.7	Cold and freezing.
0.1	0.1	(1)	(1)	(1)	(1)	(1)	(1)	.....	.....	Lightning.
3.5	1.7	1.1	0.9	0.5	0.2	0.1	(1)	0.1	8.3	Drowning.
0.4	0.5	0.5	0.4	0.3	0.2	0.2	0.2	0.1	2.4	Inhalation of poisonous gases.[2]
0.3	0.3	0.3	0.3	0.2	0.1	0.1	(1)	(1)	0.3	Other accidental poisonings.
1.2	0.3	0.2	0.1	0.1	(1)	(1)	.....	.....	0.4	Accidental gunshot wounds.
0.6	0.6	0.4	0.3	0.2	0.1	(1)	.....	.....	0.3	Injuries by machinery.
0.6	1.3	0.9	0.5	0.2	0.1	(1)	(1)	.....	2.0	Injuries in mines and quarries.
2.2	2.9	2.3	1.8	1.0	0.5	0.2	0.1	(1)	10.1	Railroad accidents and injuries.
0.4	0.4	0.4	0.5	0.3	0.2	0.1	0.1	0.1	0.7	Street-car accidents.
0.7	0.4	0.5	0.4	0.4	0.3	0.2	0.1	(1)	0.3	Injuries by vehicles and horses.
0.2	0.2	0.1	0.1	0.1	0.1	(1)	(1)	.....	.....	Automobile accidents.
0.1	0.1	0.1	0.1	(1)	(1)	(1)	(1)	.....	0.1	Suffocation.
2.1	2.4	2.2	2.1	1.6	1.2	1.5	2.9	4.1	5.1	Other accidental injuries.
0.7	1.7	1.2	0.7	0.3	0.1	(1)	(1)	(1)	2.6	Injuries at birth. Homicide.
0.4	0.4	0.5	0.7	0.8	1.0	1.2	1.7	2.3	6.9	XIV.—Ill-defined causes.
(1)	(1)	0.1	0.1	0.1	0.1	0.2	0.3	0.4	0.1	"Dropsy."
0.1	0.1	0.2	0.3	0.3	0.4	0.4	0.3	0.3	1.1	"Heart failure."
0.1	0.1	0.1	0.2	0.3	0.3	0.6	1.0	1.6	1.8	Other ill-defined causes.
0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.9	Unknown causes.

[2] Includes "conflagration."

TABLE XII.—STANDARD MILLION—DISTRIBUTION OF THE POPULATION OF THE UNITED STATES, THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND THE REGISTRATION STATES AS CONSTITUTED IN 1900 (CALENDAR YEAR), BY SEX, AGE PERIODS, COLOR, NATIVITY, AND PARENT NATIVITY, PER 1,000,000 PERSONS OF ALL AGES AS GIVEN BY THE CENSUS OF 1900.

AREA, SEX, AND AGE.	Aggregate population.	WHITE.				COLORED.		
		Native born.			Foreign born.	Total.	Negro.	Other colored.
		Total.	Native parents.	Foreign parents.				
THE UNITED STATES.								
Persons (all ages)	1,000,000	744,729	538,846	205,883	134,402	120,869	116,245	4,624
Under 5 years	120,675	103,528	71,911	31,617	689	16,457	15,997	460
5 to 9 years	116,773	98,575	68,087	30,488	1,937	16,262	15,827	435
10 to 14 years	106,326	87,476	61,325	26,150	4,100	14,751	14,369	382
15 to 19 years	99,429	78,709	55,727	22,982	7,392	13,329	12,922	407
20 to 24 years	96,520	71,262	50,077	21,185	12,099	13,158	12,753	405
25 to 34 years	159,031	111,804	77,216	34,588	29,883	17,344	16,608	736
35 to 44 years	121,218	81,177	57,953	23,224	28,208	11,833	11,078	755
45 to 54 years	84,183	53,899	43,943	9,956	21,628	8,656	8,124	532
55 to 64 years	52,669	32,290	28,561	3,728	15,633	4,746	4,485	261
65 to 74 years	28,775	17,242	15,906	1,337	9,120	2,413	2,303	110
75 years and over	11,760	7,185	6,665	521	3,386	1,190	1,136	54
Unknown age	2,639	1,581	1,474	107	327	731	642	89
Males (all ages)	510.779	377,480	274,360	103,121	72,575	60,724	57,722	3,002
Under 5 years	60,973	52,436	36,492	15.944	350	8,187	7,954	233
5 to 9 years	58,944	49,854	34,526	15,328	970	8,120	7,901	219
10 to 14 years	53,728	44,236	31,118	13,118	2.074	7,418	7,219	199
15 to 19 years	49,352	39,302	27,931	11,370	3,571	6,479	6,234	245
20 to 24 years	47,695	35,388	25,053	10,335	6,003	6,304	6,039	265
25 to 34 years	81,912	56,742	39,574	17,168	16,451	8,718	8,194	524
35 to 44 years	64,120	41,916	30,119	11,797	16,187	6,017	5,428	589
45 to 54 years	44,772	28,153	23,015	5,138	11,955	4,664	4,259	405
55 to 64 years	27,139	16,244	14,331	1,913	8,304	2,592	2,412	180
65 to 74 years	14,702	8,670	7,982	688	4,757	1,275	1,214	61
75 years and over	5,765	3,465	3,208	256	1,740	560	537	23
Unknown age	1,677	1,075	1,011	64	212	389	331	58
Females (all ages)	489,221	367,249	264,486	102,763	61,827	60,145	58,523	1,622
Under 5 years	59,702	51,092	35,419	15,672	340	8,271	8,042	229
5 to 9 years	57,829	48,721	33,561	15,160	967	8,142	7,926	216
10 to 14 years	52,598	43,240	30,207	13.033	2,026	7,333	7,150	183
15 to 19 years	50,078	39,407	27,796	11.612	3,821	6,850	6,688	162
20 to 24 years	48,825	35,874	25,025	10.850	6.096	6,354	6,714	140
25 to 34 years	77,119	55.062	37,642	17,420	13,431	8,626	8,413	213
35 to 44 years	57,098	39,261	27,834	11,427	12.022	5,316	5,651	165
45 to 54 years	39,410	25,746	20,928	4,818	9,673	3,991	3,865	126
55 to 64 years	25,530	16.046	14,230	1,816	7,330	2,154	2,074	80
65 to 74 years	14,073	8,572	7,924	648	4.363	1,138	1,090	48
75 years and over	5,995	3,721	3,456	265	1,645	629	599	30
Unknown age	963	506	463	43	115	341	311	30
THE REGISTRATION AREA.								
Persons (all ages)	1,000,000	739,165	(1)	(1)	219,883	40,953	(1)	(1)
Under 5 years	102,971	98,358	(1)	(1)	1,248	3,364	(1)	(1)
5 to 9 years	100,411	93,578	(1)	(1)	3,439	3,395	(1)	(1)
10 to 14 years	91,557	81,015	(1)	(1)	7,220	3,321	(1)	(1)
15 to 19 years	90,891	73,941	(1)	(1)	13,100	3,849	(1)	(1)
20 to 24 years	98.367	71,708	(1)	(1)	21,434	5,224	(1)	(1)
25 to 34 years	179,884	119,715	(1)	(1)	51,566	8,603	(1)	(1)
35 to 44 years	139,160	86,619	(1)	(1)	46,268	6,273	(1)	(1)
45 to 54 years	91,842	54,110	(1)	(1)	33,962	3,770	(1)	(1)
55 to 64 years	57,911	32,636	(1)	(1)	23,508	1,766	(1)	(1)
65 to 74 years	31,416	17,620	(1)	(1)	13,035	760	(1)	(1)
75 years and over	12,944	8,006	(1)	(1)	4,594	345	(1)	(1)
Unknown age	2,646	1,857	(1)	(1)	508	281	(1)	(1)
Males (all ages)	500,605	367,087	(1)	(1)	113,325	20,192	(1)	(1)
Under 5 years	51,849	49,561	(1)	(1)	631	1,656	(1)	(1)
5 to 9 years	50,410	47,035	(1)	(1)	1,716	1,660	(1)	(1)
10 to 14 years	45,666	40,482	(1)	(1)	3,606	1,578	(1)	(1)
15 to 19 years	43,915	36,194	(1)	(1)	6,017	1,705	(1)	(1)
20 to 24 years	46.917	34,616	(1)	(1)	9,957	2,344	(1)	(1)
25 to 34 years	90.705	59,274	(1)	(1)	27,086	4,344	(1)	(1)
35 to 44 years	72.488	43,502	(1)	(1)	25,625	3,361	(1)	(1)
45 to 54 years	47,125	27,159	(1)	(1)	17.963	2,003	(1)	(1)
55 to 64 years	28.644	15.896	(1)	(1)	11,849	899	(1)	(1)
65 to 74 years	15.136	8.437	(1)	(1)	6.351	348	(1)	(1)
75 years and over	5,959	3.627	(1)	(1)	2.201	131	(1)	(1)
Unknown age	1,790	1,305	(1)	(1)	322	163	(1)	(1)
Females (all ages)	499,395	372,077	(1)	(1)	106,558	20.760	(1)	(1)
Under 5 years	51,122	48,797	(1)	(1)	618	1,708	(1)	(1)
5 to 9 years	50.001	46,543	(1)	(1)	1,723	1,735	(1)	(1)
10 to 14 years	45,890	40,533	(1)	(1)	3,614	1,743	(1)	(1)
15 to 19 years	46.975	37,748	(1)	(1)	7,083	2,144	(1)	(1)
20 to 24 years	51.450	37,092	(1)	(1)	11,477	2,880	(1)	(1)
25 to 34 years	89,180	60,442	(1)	(1)	24,480	4,259	(1)	(1)
35 to 44 years	66,671	43,117	(1)	(1)	20,642	2,912	(1)	(1)
45 to 54 years	44,717	26,951	(1)	(1)	15.999	1,767	(1)	(1)
55 to 64 years	29,267	16,740	(1)	(1)	11.659	868	(1)	(1)
65 to 74 years	16,280	9,184	(1)	(1)	6,685	412	(1)	(1)
75 years and over	6,986	4,379	(1)	(1)	2.392	214	(1)	(1)
Unknown age	856	552	(1)	(1)	186	118	(1)	(1)

[1] Figures not obtainable.

TABLE XII.—STANDARD MILLION—DISTRIBUTION OF THE POPULATION OF THE UNITED STATES, THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND THE REGISTRATION STATES AS CONSTITUTED IN 1900 (CALENDAR YEAR), BY SEX, AGE PERIODS, COLOR, NATIVITY, AND PARENT NATIVITY, PER 1,000,000 PERSONS OF ALL AGES AS GIVEN BY THE CENSUS OF 1900—Continued.

AREA, SEX, AND AGE.	Aggregate population.	WHITE.				COLORED.		
		Native born.			Foreign born.	Total.	Negro.	Other colored.
		Total.	Native parents.	Foreign parents.				
REGISTRATION CITIES.								
Persons (all ages)	1,000,000	690,023	(1)	(1)	257,022	52,956	(1)	(1)
Under 5 years	103,826	98,156	(1)	(1)	1,401	4,268	(1)	(1)
5 to 9 years	100,498	92,185	(1)	(1)	3,988	4,326	(1)	(1)
10 to 14 years	89,748	76,989	(1)	(1)	8,528	4,231	(1)	(1)
15 to 19 years	90,190	69,681	(1)	(1)	15,596	4,913	(1)	(1)
20 to 24 years	103,071	70,639	(1)	(1)	25,657	6,775	(1)	(1)
25 to 34 years	191,489	117,921	(1)	(1)	62,228	11,340	(1)	(1)
35 to 44 years	143,476	79,998	(1)	(1)	55,198	8,281	(1)	(1)
45 to 54 years	88,438	44,183	(1)	(1)	39,361	4,894	(1)	(1)
55 to 64 years	51,450	23,016	(1)	(1)	26,206	2,228	(1)	(1)
65 to 74 years	25,430	10,743	(1)	(1)	13,766	921	(1)	(1)
75 years and over	9,400	4,407	(1)	(1)	4,586	407	(1)	(1)
Unknown age	2,983	2,106	(1)	(1)	507	370	(1)	(1)
Males (all ages)	495,923	339,253	(1)	(1)	130,744	25,926	(1)	(1)
Under 5 years	52,191	49,380	(1)	(1)	711	2,101	(1)	(1)
5 to 9 years	50,264	46,163	(1)	(1)	1,988	2,114	(1)	(1)
10 to 14 years	44,390	38,149	(1)	(1)	4,244	1,997	(1)	(1)
15 to 19 years	42,647	33,502	(1)	(1)	7,001	2,144	(1)	(1)
20 to 24 years	48,010	33,451	(1)	(1)	11,578	2,981	(1)	(1)
25 to 34 years	95,949	57,965	(1)	(1)	32,301	5,682	(1)	(1)
35 to 44 years	74,807	39,883	(1)	(1)	30,495	4,430	(1)	(1)
45 to 54 years	44,992	21,786	(1)	(1)	20,614	2,593	(1)	(1)
55 to 64 years	25,019	10,915	(1)	(1)	12,987	1,117	(1)	(1)
65 to 74 years	11,670	4,804	(1)	(1)	6,459	408	(1)	(1)
75 years and over	3,969	1,756	(1)	(1)	2,067	145	(1)	(1)
Unknown age	2,016	1,501	(1)	(1)	300	215	(1)	(1)
Females (all ages)	504,077	350,769	(1)	(1)	126,278	27,030	(1)	(1)
Under 5 years	51,634	48,776	(1)	(1)	691	2,167	(1)	(1)
5 to 9 years	50,235	46,022	(1)	(1)	2,000	2,212	(1)	(1)
10 to 14 years	45,358	38,840	(1)	(1)	4,285	2,233	(1)	(1)
15 to 19 years	47,543	36,178	(1)	(1)	8,595	2,770	(1)	(1)
20 to 24 years	55,062	37,188	(1)	(1)	14,079	3,795	(1)	(1)
25 to 34 years	95,540	59,956	(1)	(1)	29,926	5,658	(1)	(1)
35 to 44 years	68,668	40,115	(1)	(1)	24,702	3,851	(1)	(1)
45 to 54 years	43,446	22,398	(1)	(1)	18,747	2,302	(1)	(1)
55 to 64 years	26,432	12,101	(1)	(1)	13,219	1,112	(1)	(1)
65 to 74 years	13,760	5,939	(1)	(1)	7,307	514	(1)	(1)
75 years and over	5,431	2,650	(1)	(1)	2,518	262	(1)	(1)
Unknown age	968	605	(1)	(1)	208	155	(1)	(1)
REGISTRATION STATES.								
Persons (all ages)	1,000,000	755,824	465,994	289,830	223,339	20,837	19,448	1,389
Under 5 years	103,844	100,553	52,040	48,513	1,536	1,755	1,664	91
5 to 9 years	99,437	93,763	50,166	43,596	4,001	1,674	1,587	87
10 to 14 years	91,135	81,611	46,332	35,279	7,908	1,615	1,537	78
15 to 19 years	90,425	74,240	43,562	30,679	14,225	1,960	1,879	81
20 to 24 years	95,476	69,873	40,803	29,069	22,911	2,693	2,581	112
25 to 34 years	173,835	116,687	68,383	48,304	52,803	4,344	4,016	328
35 to 44 years	136,397	87,919	55,362	32,558	45,370	3,107	2,763	344
45 to 54 years	94,493	59,184	45,062	14,123	33,355	1,954	1,791	163
55 to 64 years	62,535	38,321	33,087	5,234	23,251	962	907	55
65 to 74 years	35,203	21,886	20,163	1,723	12,873	444	417	27
75 years and over	15,259	10,419	9,779	640	4,627	213	198	15
Unknown age	1,961	1,367	1,254	112	479	115	109	6
Males (all ages)	500,315	376,259	233,061	143,197	113,726	10,330	9,279	1,051
Under 5 years	52,319	50,687	26,273	24,414	773	859	814	45
5 to 9 years	50,012	47,206	25,352	21,854	1,991	815	773	42
10 to 14 years	45,688	40,968	23,357	17,611	3,946	773	732	41
15 to 19 years	44,176	36,760	21,675	15,085	6,530	886	838	48
20 to 24 years	45,868	34,094	20,153	13,941	10,547	1,227	1,143	84
25 to 34 years	87,361	57,711	34,263	23,448	27,423	2,227	1,941	286
35 to 44 years	70,213	43,981	27,940	16,041	24,579	1,652	1,346	306
45 to 54 years	48,173	29,764	22,729	7,035	17,388	1,021	886	135
55 to 64 years	30,927	18,752	16,185	2,567	11,671	503	466	37
65 to 74 years	17,125	10,594	9,759	835	6,317	214	200	14
75 years and over	7,152	4,808	4,507	301	2,256	88	80	8
Unknown age	1,301	932	866	66	304	66	61	5
Females (all ages)	499,685	379,565	232,932	146,633	109,614	10,507	10,169	338
Under 5 years	51,525	49,866	25,767	24,099	763	896	851	45
5 to 9 years	49,425	46,556	24,814	21,742	2,010	859	814	45
10 to 14 years	45,447	40,643	22,976	17,668	3,962	842	805	37
15 to 19 years	46,249	37,480	21,887	15,594	7,695	1,074	1,042	32
20 to 24 years	49,608	35,779	20,650	15,128	12,364	1,466	1,438	28
25 to 34 years	86,474	58,976	34,120	24,856	25,380	2,118	2,074	44
35 to 44 years	66,184	43,938	27,421	16,517	20,791	1,455	1,416	39
45 to 54 years	46,320	29,420	22,332	7,088	15,967	932	905	27
55 to 64 years	31,608	19,569	16,902	2,667	11,580	459	441	18
65 to 74 years	18,078	11,292	10,404	889	6,556	230	217	13
75 years and over	8,107	5,610	5,272	339	2,371	126	118	8
Unknown age	660	435	388	47	175	50	49	1

[1] Figures not obtainable.

TABLE XII.—STANDARD MILLION—DISTRIBUTION OF THE POPULATION OF THE UNITED STATES, THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND THE REGISTRATION STATES AS CONSTITUTED IN 1900 (CALENDAR YEAR), BY SEX, AGE PERIODS, COLOR, NATIVITY, AND PARENT NATIVITY, PER 1,000,000 PERSONS OF ALL AGES AS GIVEN BY THE CENSUS OF 1900—Continued.

AREA, SEX, AND AGE.	Aggregate population.	WHITE.				COLORED.		
		Native born.			Foreign born.	Total.	Negro.	Other colored.
		Total.	Native parents.	Foreign parents.				
REGISTRATION STATES—Continued.								
CITIES IN REGISTRATION STATES.								
Persons (all ages)	1,000,000	671,427	311,715	359,712	301,088	27,485	(1)	(1)
Under 5 years	106,323	102,057	36,781	65,276	2,094	2,173	(1)	(1)
5 to 9 years	98,765	91,120	34,501	56,619	5,595	2,049	(1)	(1)
10 to 14 years	87,127	74,028	30,245	43,783	11,140	1,959	(1)	(1)
15 to 19 years	88,610	65,926	28,456	37,470	20,227	2,457	(1)	(1)
20 to 24 years	102,428	66,122	29,357	36,765	32,694	3,611	(1)	(1)
25 to 34 years	191,922	110,440	50 183	60,257	75,336	6,147	(1)	(1)
35 to 44 years	142,678	75,727	37,741	37,985	62,559	4,392	(1)	(1)
45 to 54 years	89,951	43,624	28,649	14,975	43,692	2,635	(1)	(1)
55 to 64 years	53,557	23,908	19,183	4,726	28,457	1,192	(1)	(1)
65 to 74 years	26,453	11,759	10,427	1,332	14,200	493	(1)	(1)
75 years and over	10,141	5,275	4,853	422	4,641	225	(1)	(1)
Unknown age	2,044	1,440	1,339	102	453	151	(1)	(1)
Males (all ages)	490,640	328,227	152,919	175,308	149,128	13,284	(1)	(1)
Under 5 years	53,418	51,302	18,482	32,820	1,057	1,059	(1)	(1)
5 to 9 years	49,371	45,601	17,277	28,324	2,777	993	(1)	(1)
10 to 14 years	43,136	36,694	14,997	21,697	5,526	916	(1)	(1)
15 to 19 years	41,851	31,837	13,733	18,104	8,957	1.057	(1)	(1)
20 to 24 years	47,154	31,295	14,123	17,172	14,322	1.537	(1)	(1)
25 to 34 years	95,004	53,717	25,024	28,693	38,211	3,076	(1)	(1)
35 to 44 years	72,899	37,116	18,827	18,290	33,468	2.314	(1)	(1)
45 to 54 years	44,792	21,218	14,014	7,204	22,221	1,353	(1)	(1)
55 to 64 years	25,618	11,214	9,018	2,196	13,806	599	(1)	(1)
65 to 74 years	11,882	5,161	4,573	589	6,504	217	(1)	(1)
75 years and over	4,186	2,071	1,906	165	2,035	79	(1)	(1)
Unknown age	1,329	1,000	945	55	244	85	(1)	(1)
Females (all ages)	509,360	343,200	158,797	184,403	151,959	14,201	(1)	(1)
Under 5 years	52,905	50,755	18,299	32,456	1,037	1,114	(1)	(1)
5 to 9 years	49,394	45,520	17,225	28,295	2,818	1,056	(1)	(1)
10 to 14 years	43,990	37,334	15,248	22,086	5,614	1,043	(1)	(1)
15 to 19 years	46,759	34,089	14,723	19,366	11,270	1,400	(1)	(1)
20 to 24 years	55,274	34,827	15,234	19.593	18,372	2,075	(1)	(1)
25 to 34 years	96,918	56,722	25,159	31,564	37,125	3,071	(1)	(1)
35 to 44 years	69,780	38,611	18,915	19.696	29,091	2,078	(1)	(1)
45 to 54 years	45,159	22,406	14,635	7,771	21,471	1,283	(1)	(1)
55 to 64 years	27,939	12,695	10,165	2,530	14,651	594	(1)	(1)
65 to 74 years	14,571	6,598	5,854	744	7,697	276	(1)	(1)
75 years and over	5,955	3,204	2,947	257	2,606	145	(1)	(1)
Unknown age	715	440	394	47	209	66	(1)	(1)
RURAL PART OF REGISTRATION STATES.								
Persons (all ages)	1,000.000	852,792	643,255	209,538	134.009	13,199	(1)	(1)
Under 5 years	100.995	98,826	69,572	29,254	895	1,274	(1)	(1)
5 to 9 years	100.210	96,799	68,165	28,633	2.169	1,243	(1)	(1)
10 to 14 years	95.740	90,324	64,816	25,509	4.196	1,220	(1)	(1)
15 to 19 years	92,510	83,794	60,918	22,876	7.329	1,388	(1)	(1)
20 to 24 years	87,489	74,181	53,955	20,227	11,670	1,638	(1)	(1)
25 to 34 years	153,053	123,865	89,295	34,570	26,914	2.274	(1)	(1)
35 to 44 years	129.179	101,928	75,607	26,321	25,620	1,631	(1)	(1)
45 to 54 years	99,711	77,063	63,919	13,144	21,478	1,170	(1)	(1)
55 to 64 years	72,850	54,881	49,062	5,819	17,271	698	(1)	(1)
65 to 74 years	45,257	33,522	31,350	2,173	11,347	387	(1)	(1)
75 years and over	21,140	16,328	15,439	889	4,612	200	(1)	(1)
Unknown age	1,866	1,282	1,158	124	509	75	(1)	(1)
Males (all ages)	511,431	431,445	325,143	106,303	73,049	6,936	(1)	(1)
Under 5 years	51,056	49,981	35,225	14,756	446	629	(1)	(1)
5 to 9 years	50,749	49,051	34,630	14,421	1,087	611	(1)	(1)
10 to 14 years	48,619	45,878	32,962	12,917	2,132	609	(1)	(1)
15 to 19 years	46,847	42,416	30,800	11,616	3,741	689	(1)	(1)
20 to 24 years	44,391	37,310	27,081	10,229	6,210	871	(1)	(1)
25 to 34 years	78,580	62,300	44.879	17,421	15,028	1,251	(1)	(1)
35 to 44 years	67,127	51,869	38,412	13,457	14,366	891	(1)	(1)
45 to 54 years	52,057	39,583	32,743	6,840	11,835	640	(1)	(1)
55 to 64 years	37,026	27,414	24.420	2,994	9,218	394	(1)	(1)
65 to 74 years	23,149	16,836	15.719	1,118	6,102	210	(1)	(1)
75 years and over	10,561	7,953	7,496	456	2,511	97	(1)	(1)
Unknown age	1,269	853	775	77	373	43	(1)	(1)
Females (all ages)	488,569	421,347	318,112	103.235	60.960	6,263	(1)	(1)
Under 5 years	49,939	48,845	34,347	14,497	449	646	(1)	(1)
5 to 9 years	49,461	47,747	33,535	14,212	1,082	632	(1)	(1)
10 to 14 years	47,120	44,446	31,854	12,592	2,064	611	(1)	(1)
15 to 19 years	45,663	41,377	30,118	11,260	3,587	698	(1)	(1)
20 to 24 years	43,098	36,871	26,873	9,998	5,460	767	(1)	(1)
25 to 34 years	74,473	61,565	44,416	17,149	11,886	1,023	(1)	(1)
35 to 44 years	62,053	50,058	37,194	12,864	11,254	740	(1)	(1)
45 to 54 years	47,654	37,480	31,176	6,303	9,644	530	(1)	(1)
55 to 64 years	35,824	27,467	24,642	2,825	8,052	304	(1)	(1)
65 to 74 years	22,108	16,686	15,631	1,055	5,245	177	(1)	(1)
75 years and over	10,580	8,375	7,943	433	2,101	103	(1)	(1)
Unknown age	597	429	382	47	135	32	(1)	(1)

[1] Figures not obtainable.

TABLE XII.—STANDARD MILLION—DISTRIBUTION OF THE POPULATION OF THE UNITED STATES, THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND THE REGISTRATION STATES AS CONSTITUTED IN 1900 (CALENDAR YEAR), BY SEX, AGE PERIODS, COLOR, NATIVITY, AND PARENT NATIVITY, PER 1,000,000 PERSONS OF ALL AGES AS GIVEN BY THE CENSUS OF 1900—Continued.

AREA, SEX, AND AGE.	Aggregate population.	WHITE.				COLORED.		
		Native born.			Foreign born.	Total.	Negro.	Other colored.
		Total.	Native parents.	Foreign parents.				
REGISTRATION CITIES IN OTHER STATES.								
Persons (all ages)	1,000,000	708,389	(1)	(1)	213,497	78,114	(1)	(1)
Under 5 years	101,359	94,304	(1)	(1)	718	6,337	(1)	(1)
5 to 9 years	102,211	93,236	(1)	(1)	2,400	6,574	(1)	(1)
10 to 14 years	92,337	79,914	(1)	(1)	5,949	6,474	(1)	(1)
15 to 19 years	91,751	73,389	(1)	(1)	11,022	7,340	(1)	(1)
20 to 24 years	103,707	75,100	(1)	(1)	18,707	9,901	(1)	(1)
25 to 34 years	191,060	125,310	(1)	(1)	49,280	16,470	(1)	(1)
35 to 44 years	144,264	84,216	(1)	(1)	47,926	12,121	(1)	(1)
45 to 54 years	86,945	44,736	(1)	(1)	35,083	7,126	(1)	(1)
55 to 64 years	49,369	22,134	(1)	(1)	23,983	3,252	(1)	(1)
65 to 74 years	24,420	9,740	(1)	(1)	13,336	1,344	(1)	(1)
75 years and over	8,668	3,548	(1)	(1)	4,531	588	(1)	(1)
Unknown age	3,911	2,763	(1)	(1)	561	587	(1)	(1)
Males (all ages)	501,141	350,144	(1)	(1)	112,584	38,412	(1)	(1)
Under 5 years	50,980	47,482	(1)	(1)	368	3,130	(1)	(1)
5 to 9 years	51,146	46,718	(1)	(1)	1,208	3,220	(1)	(1)
10 to 14 years	45,627	39,585	(1)	(1)	2,977	3,065	(1)	(1)
15 to 19 years	43,433	35,148	(1)	(1)	5,069	3,217	(1)	(1)
20 to 24 years	48,856	35,581	(1)	(1)	8,868	4,407	(1)	(1)
25 to 34 years	96,882	62,161	(1)	(1)	26,464	8,257	(1)	(1)
35 to 44 years	76,693	42,615	(1)	(1)	27,558	6,519	(1)	(1)
45 to 54 years	45,190	22,346	(1)	(1)	19,026	3,818	(1)	(1)
55 to 64 years	24,426	10,620	(1)	(1)	12,178	1,629	(1)	(1)
65 to 74 years	11,460	4,450	(1)	(1)	6,414	596	(1)	(1)
75 years and over	3,754	1,444	(1)	(1)	2,100	210	(1)	(1)
Unknown age	2,694	1,995	(1)	(1)	355	344	(1)	(1)
Females (all ages)	498,859	358,245	(1)	(1)	100,912	39,702	(1)	(1)
Under 5 years	50,379	46,822	(1)	(1)	349	3,207	(1)	(1)
5 to 9 years	51,065	46,518	(1)	(1)	1,192	3,354	(1)	(1)
10 to 14 years	46,709	40,329	(1)	(1)	2,972	3,409	(1)	(1)
15 to 19 years	48,317	38,242	(1)	(1)	5,953	4,123	(1)	(1)
20 to 24 years	54,851	39,519	(1)	(1)	9,839	5,493	(1)	(1)
25 to 34 years	94,179	63,149	(1)	(1)	22,816	8,213	(1)	(1)
35 to 44 years	67,571	41,601	(1)	(1)	20,368	5,602	(1)	(1)
45 to 54 years	41,755	22,390	(1)	(1)	16,057	3,308	(1)	(1)
55 to 64 years	24,943	11,514	(1)	(1)	11,806	1,623	(1)	(1)
65 to 74 years	12,960	5,289	(1)	(1)	6,922	748	(1)	(1)
75 years and over	4,913	2,104	(1)	(1)	2,432	378	(1)	(1)
Unknown age	1,217	768	(1)	(1)	206	243	(1)	(1)
CONNECTICUT.								
Persons (all ages)	1,000,000	721,063	410,364	310,699	261,328	17,609	16,761	848
Under 5 years	101,046	97,836	39,371	58,465	1,647	1,563	1,547	16
5 to 9 years	94,861	88,929	38,825	50,105	4,495	1,438	1,422	16
10 to 14 years	84,053	73,913	35,327	38,586	8,823	1,317	1,295	22
15 to 19 years	85,134	66,346	33,631	32,715	17,181	1,606	1,580	26
20 to 24 years	96,911	65,449	33,835	31,614	29,331	2,131	2,059	72
25 to 34 years	180,943	110,356	59,344	51,013	67,008	3,579	3,297	282
35 to 44 years	138,185	83,078	51,101	31,977	52,510	2,597	2,356	241
45 to 54 years	96,305	56,989	45,466	11,523	37,552	1,764	1,644	120
55 to 64 years	65,305	39,127	35,888	3,240	25,276	902	871	31
65 to 74 years	38,085	24,770	23,804	967	12,880	435	425	10
75 years and over	17,892	13,532	13,138	394	4,125	234	226	8
Unknown age	1,282	736	636	100	502	44	42	2
Males (all ages)	500,092	356,152	203,017	153,135	135,198	8,742	7,978	764
Under 5 years	50,629	48,982	19,775	29,207	852	795	785	10
5 to 9 years	47,524	44,605	19,542	25,063	2,224	696	692	4
10 to 14 years	42,184	37,119	17,894	19,226	4,425	640	623	17
15 to 19 years	41,962	33,238	17,011	16,227	8,028	696	674	22
20 to 24 years	47,688	32,558	17,322	15,235	14,198	932	867	65
25 to 34 years	92,414	54,352	29,799	24,553	36,219	1,844	1,573	271
35 to 44 years	71,385	41,184	25,431	15,753	28,866	1,336	1,103	233
45 to 54 years	48,665	28,084	22,404	5,680	19,607	974	869	105
55 to 64 years	31,154	18,232	16,687	1,544	12,434	489	465	24
65 to 74 years	17,884	11,532	11,109	423	6,136	216	209	7
75 years and over	7,801	5,774	5,612	162	1,929	99	95	4
Unknown age	801	494	432	63	282	25	23	2
Females (all ages)	499,908	364,911	207,347	157,564	126,130	8,867	8,783	84
Under 5 years	50,417	48,854	19,596	29,258	795	768	762	6
5 to 9 years	47,337	44,324	19,283	25,041	2,271	742	730	12
10 to 14 years	41,868	36,794	17,434	19,360	4,398	677	671	6
15 to 19 years	43,172	33,108	16,620	16,488	9,153	910	906	4
20 to 24 years	49,223	32,891	16,512	16,379	15,133	1,199	1,191	8
25 to 34 years	88,528	56,005	29,545	26,460	30,789	1,735	1,724	11
35 to 44 years	66,799	41,895	25,670	16,225	23,644	1,260	1,253	7
45 to 54 years	47,640	28,905	23,062	5,843	17,945	789	775	14
55 to 64 years	34,151	20,896	19,200	1,695	12,842	413	406	7
65 to 74 years	20,201	13,238	12,695	544	6,744	219	216	3
75 years and over	10,090	7,759	7,526	232	2,196	135	131	4
Unknown age	481	242	205	37	220	19	19	

[1] Figures not obtainable.

TABLE XII.—STANDARD MILLION—DISTRIBUTION OF THE POPULATION OF THE UNITED STATES, THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND THE REGISTRATION STATES AS CONSTITUTED IN 1900 (CALENDAR YEAR), BY SEX, AGE PERIODS, COLOR, NATIVITY, AND PARENT NATIVITY, PER 1,000,000 PERSONS OF ALL AGES AS GIVEN BY THE CENSUS OF 1900—Continued.

AREA, SEX, AND AGE.	Aggregate population.	WHITE.				COLORED.		
		Native born.			Foreign born.	Total.	Negro.	Other colored.
		Total.	Native parents.	Foreign parents.				
DISTRICT OF COLUMBIA.								
Persons (all ages)	1,000,000	617,154	481,035	136,120	70,035	312,811	311,074	1,737
Under 5 years	83,059	56,720	45,307	11,413	190	26,148	26,112	36
5 to 9 years	85,143	57,725	45,953	11,772	567	26,852	26,819	33
10 to 14 years	81,566	54,184	42,965	11,219	1,162	26,220	26,195	25
15 to 19 years	89,029	54,614	42,541	12,073	2,189	32,226	32,183	43
20 to 24 years	113,053	66,781	50,793	15,987	4,384	41,888	41,799	89
25 to 34 years	195,621	122,525	90,292	32,233	13,185	59,910	59,433	477
35 to 44 years	142,850	85,592	63,706	21,886	12,679	44,579	43,887	692
45 to 54 years	100,191	56,975	45,799	11,176	12,590	30,626	30,360	266
55 to 64 years	66,329	39,265	33,539	5,726	12,733	14,330	14,269	61
65 to 74 years	30,407	16,170	14,229	1,941	7,617	6,620	6,620	----
75 years and over	11,693	5,855	5,181	675	2,723	3,114	3,111	3
Unknown age	1,058	746	728	18	14	298	287	11
Males (all ages)	473,611	297,734	233,020	64,714	36,643	139,234	137,587	1,647
Under 5 years	41,917	28,864	23,041	5,823	97	12,956	12,938	18
5 to 9 years	42,007	28,836	22,923	5,913	248	12,923	12,906	17
10 to 14 years	39,298	26,432	20,860	5,572	588	12,278	12,267	11
15 to 19 years	40,765	26,066	20,121	5,945	990	13,709	13,680	29
20 to 24 years	49,419	30,863	23,529	7,334	2,034	16,522	16,436	86
25 to 34 years	90,615	53,414	43,740	14,674	6,638	25,563	25,097	466
35 to 44 years	68,485	41,476	31,358	10,118	6,975	20,035	19,353	682
45 to 54 years	47,528	26,945	21,567	5,378	6,376	14,208	13,946	262
55 to 64 years	33,755	19,697	16,874	2,824	7,118	6,939	6,878	61
65 to 74 years	14,502	7,398	6,519	879	4,205	2,899	2,899	----
75 years and over	4,740	2,303	2,059	244	1,367	1,069	1,066	3
Unknown age	581	441	431	11	7	133	122	11
Females (all ages)	526,389	319,420	248,014	71,406	33,392	173,577	173,487	90
Under 5 years	41,142	27,856	22,266	5,590	93	13,193	13,175	18
5 to 9 years	43,137	28,889	23,030	5,859	319	13,928	13,914	14
10 to 14 years	42,269	27,752	22,105	5,647	574	13,942	13,928	14
15 to 19 years	48,264	28,549	22,420	6,128	1,198	18,517	18,503	14
20 to 24 years	63,634	35,918	27,264	8,654	2,350	25,366	25,363	3
25 to 34 years	105,006	64,111	46,552	17,559	6,548	34,347	34,336	11
35 to 44 years	74,365	44,116	32,348	11,768	5,705	24,545	24,534	11
45 to 54 years	52,663	30,030	24,232	5,798	6,214	16,418	16,414	4
55 to 64 years	32,574	19,568	16,666	2,903	5,615	7,391	7,391	----
65 to 74 years	15,905	8,772	7,710	1,062	3,412	3,721	3,721	----
75 years and over	6,953	3,552	3,121	431	1,356	2,045	2,045	----
Unknown age	477	305	298	7	7	165	165	----
INDIANA.								
Persons (all ages)	1,000,000	920,594	775,769	144,825	56,373	23,032	22,852	180
Under 5 years	109,201	107,057	95,427	11,630	121	2,022	2,008	14
5 to 9 years	108,664	106,013	92,725	13,288	459	2,192	2,177	15
10 to 14 years	105,236	101,882	87,779	14,103	1,084	2,209	2,258	11
15 to 19 years	102,290	98,003	82,832	15,171	1,930	2,357	2,341	13
20 to 24 years	92,048	86,260	70,658	15,602	3,151	2,637	2,625	12
25 to 34 years	157,826	145,063	114,697	30,366	8,494	4,269	4,229	40
35 to 44 years	125,300	112,667	88,316	24,350	9,571	3,062	3,015	47
45 to 54 years	90,445	77,940	65,726	12,213	10,387	2,118	2,099	19
55 to 64 years	60,049	48,688	43,409	5,279	10,220	1,141	1,136	5
65 to 74 years	33,722	25,446	23,573	1,873	7,748	528	527	1
75 years and over	13,114	9,838	9,001	837	3,038	238	238	----
Unknown age	2,105	1,737	1,626	112	170	197	196	1
Males (all ages)	510,798	467,677	394,743	72,934	31,189	11,932	11,803	129
Under 5 years	55,448	54,387	48,516	5,872	58	1,002	995	7
5 to 9 years	55,283	53,980	47,307	6,673	234	1,069	1,063	6
10 to 14 years	53,106	51,433	44,350	7,082	549	1,125	1,118	7
15 to 19 years	51,330	49,149	41,495	7,654	1,026	1,155	1,148	7
20 to 24 years	45,968	42,998	35,335	7,663	1,630	1,340	1,332	8
25 to 34 years	80,475	73,381	58,349	15,032	4,841	2,253	2,219	34
35 to 44 years	64,815	57,623	45,303	12,320	5,544	1,648	1,607	41
45 to 54 years	47,592	40,630	34,206	6,425	5,802	1,160	1,144	16
55 to 64 years	31,241	25,009	22,288	2,720	5,563	670	667	3
65 to 74 years	17,459	12,985	11,999	986	4,189	285	284	1
75 years and over	6,688	4,931	4,494	437	1,647	110	110	----
Unknown age	1,393	1,171	1,101	70	106	116	114	2
Females (all ages)	489,202	452,918	381,026	71,891	25,184	11,101	11,049	52
Under 5 years	53,753	52,670	46,911	5,758	63	1,020	1,013	7
5 to 9 years	53,381	52,033	45,418	6,615	225	1,123	1,114	9
10 to 14 years	52,130	50,449	43,429	7,021	535	1,145	1,140	5
15 to 19 years	50,960	48,854	41,337	7,517	904	1,202	1,196	6
20 to 24 years	46,080	43,262	35,322	7,940	1,522	1,297	1,293	4
25 to 34 years	77,351	71,682	56,347	15,335	3,653	2,016	2,010	6
35 to 44 years	60,485	55,044	43,013	12,031	4,027	1,414	1,408	6
45 to 54 years	42,853	37,309	31,521	5,788	4,585	958	955	3
55 to 64 years	28,809	23,680	21,121	2,559	4,657	472	469	3
65 to 74 years	16,263	12,461	11,574	887	3,559	243	243	----
75 years and over	6,426	4,908	4,507	401	1,390	128	128	----
Unknown age	712	566	525	41	64	81	81	----

TABLE XII.—STANDARD MILLION—DISTRIBUTION OF THE POPULATION OF THE UNITED STATES, THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND THE REGISTRATION STATES AS CONSTITUTED IN 1900 (CALENDAR YEAR), BY SEX, AGE PERIODS, COLOR, NATIVITY, AND PARENT NATIVITY, PER 1,000,000 PERSONS OF ALL AGES AS GIVEN BY THE CENSUS OF 1900—Continued.

AREA, SEX, AND AGE.	Aggregate population.	WHITE.				COLORED.		
		Native born.			Foreign born.	Total.	Negro.	Other colored.
		Total.	Native parents.	Foreign parents.				
MAINE.								
Persons (all ages)	1,000,000	862,952	710,016	152,936	133,822	3,225	1,899	1,326
Under 5 years	94,591	92,298	61,980	30,318	1,990	302	170	132
5 to 9 years	91,201	86,933	61,760	25,173	3,970	298	158	140
10 to 14 years	86,839	79,614	60,190	19,424	6,956	269	163	106
15 to 19 years	89,961	78,142	61,786	16,356	11,541	278	176	102
20 to 24 years	88,547	72,535	59,489	13,046	15,714	298	187	111
25 to 34 years	151,495	120,976	101,505	19,471	29,965	553	312	241
35 to 44 years	129,321	105,271	90,920	14,351	23,591	459	258	201
45 to 54 years	104,786	87,672	79,592	8,080	16,734	380	238	142
55 to 64 years	81,522	68,876	64,848	4,028	12,435	210	141	69
65 to 74 years	53,147	45,513	43,618	1,895	7,547	88	40	48
75 years and over	26,226	23,192	22,495	697	2,971	63	37	26
Unknown age	2,364	1,931	1,833	98	408	26	19	7
Males (all ages)	505,417	434,593	357,179	77,413	69,083	1,741	965	776
Under 5 years	47,442	46,302	31,205	15,096	998	143	76	67
5 to 9 years	45,984	43,870	31,341	12,529	1,978	135	71	64
10 to 14 years	44,325	40,677	30,785	9,892	3,521	127	68	59
15 to 19 years	45,033	39,324	31,047	8,277	5,563	147	94	53
20 to 24 years	44,034	36,147	29,562	6,585	7,744	143	84	59
25 to 34 years	76,558	60,583	50,800	9,783	15,634	341	174	167
35 to 44 years	65,888	53,414	45,992	7,422	12,214	261	127	134
45 to 54 years	54,060	45,017	40,758	4,259	8,811	232	140	92
55 to 64 years	41,095	34,268	32,097	2,171	6,710	117	78	39
65 to 74 years	26,862	22,758	21,788	971	4,056	48	23	25
75 years and over	12,558	10,936	10,565	372	1,593	29	16	13
Unknown age	1,578	1,296	1,240	56	262	20	16	4
Females (all ages)	494,583	428,359	352,837	75,523	64,739	1,485	935	550
Under 5 years	47,148	45,996	30,775	15,222	992	160	94	66
5 to 9 years	45,217	43,063	30,419	12,644	1,991	163	88	75
10 to 14 years	42,515	38,936	29,405	9,531	3,436	143	95	48
15 to 19 years	44,928	38,818	30,739	8,080	5,979	131	82	49
20 to 24 years	44,513	36,388	29,927	6,461	7,970	156	104	52
25 to 34 years	74,937	60,393	50,705	9,688	14,332	212	138	74
35 to 44 years	63,433	51,857	44,928	6,929	11,377	199	131	68
45 to 54 years	50,725	42,654	38,834	3,820	7,923	148	98	50
55 to 64 years	40,427	34,608	32,752	1,856	5,725	94	63	31
65 to 74 years	26,285	22,754	21,830	924	3,490	40	17	23
75 years and over	13,668	12,255	11,930	325	1,378	35	22	13
Unknown age	786	635	593	42	145	6	3	3
MASSACHUSETTS.								
Persons (all ages)	1,000,000	687,847	367,963	319,884	299,469	12,684	11,398	1,286
Under 5 years	100,607	97,099	33,767	63,332	2,426	1,082	1,053	29
5 to 9 years	91,276	84,494	32,162	52,332	5,881	901	872	29
10 to 14 years	81,747	69,981	29,730	40,250	10,953	813	785	28
15 to 19 years	84,791	63,272	29,467	33,805	20,522	997	938	59
20 to 24 years	99,562	62,014	30,624	31,390	36,002	1,546	1,421	125
25 to 34 years	187,576	105,661	55,453	50,208	78,931	2,984	2,589	395
35 to 44 years	141,141	79,572	48,494	31,078	59,446	2,123	1,723	400
45 to 54 years	96,284	54,631	42,410	12,222	40,397	1,255	1,096	159
55 to 64 years	62,608	35,573	32,089	3,584	26,393	541	509	32
65 to 74 years	35,137	21,783	20,654	1,129	13,123	231	220	11
75 years and over	15,875	11,448	11,055	393	4,309	118	113	5
Unknown age	3,396	2,220	2,059	161	1,085	91	78	13
Males (all ages)	487,453	336,706	179,956	156,750	144,011	6,736	5,558	1,178
Under 5 years	50,537	48,787	16,990	31,798	1,223	527	511	16
5 to 9 years	45,670	42,346	16,156	26,190	2,903	421	406	15
10 to 14 years	40,680	34,938	14,864	20,073	5,362	380	363	17
15 to 19 years	41,085	31,283	14,577	16,706	9,319	483	434	49
20 to 24 years	46,113	30,018	15,030	14,989	15,339	756	639	117
25 to 34 years	92,050	51,415	27,551	23,864	38,927	1,709	1,327	382
35 to 44 years	70,345	38,845	23,990	14,855	30,235	1,265	877	388
45 to 54 years	47,023	26,589	20,692	5,897	19,726	709	559	150
55 to 64 years	29,210	16,480	14,847	1,633	12,456	274	250	24
65 to 74 years	15,715	9,735	9,242	493	5,874	106	101	5
75 years and over	6,735	4,766	4,608	158	1,922	46	43	3
Unknown age	2,290	1,504	1,410	94	726	60	47	13
Females (all ages)	512,547	351,141	188,007	163,135	155,458	5,948	5,840	108
Under 5 years	50,070	48,312	16,777	31,535	1,204	555	542	13
5 to 9 years	45,606	42,148	16,006	26,142	2,978	480	466	14
10 to 14 years	41,067	35,043	14,866	20,177	5,591	433	422	11
15 to 19 years	43,705	31,989	14,890	17,099	11,203	514	504	10
20 to 24 years	53,449	31,996	15,595	16,401	20,663	790	781	9
25 to 34 years	95,526	54,246	27,902	26,345	40,004	1,276	1,262	14
35 to 44 years	70,796	40,727	24,504	16,223	29,211	858	846	12
45 to 54 years	49,261	28,043	21,718	6,325	20,672	547	538	9
55 to 64 years	33,398	19,193	17,242	1,951	13,937	267	259	8
65 to 74 years	19,422	12,048	11,412	636	7,248	125	119	6
75 years and over	9,140	6,682	6,447	235	2,387	72	69	3
Unknown age	1,106	716	649	67	359	31	31	.....

TABLE XII.—STANDARD MILLION—DISTRIBUTION OF THE POPULATION OF THE UNITED STATES, THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND THE REGISTRATION STATES AS CONSTITUTED IN 1900 (CALENDAR YEAR), BY SEX, AGE PERIODS, COLOR, NATIVITY, AND PARENT NATIVITY, PER 1,000,000 PERSONS OF ALL AGES AS GIVEN BY THE CENSUS OF 1900—Continued.

AREA, SEX, AND AGE.	Aggregate population.	WHITE.				COLORED.		
		Native born.			Foreign born.	Total.	Negro.	Other colored.
		Total.	Native parents.	Foreign parents.				
MICHIGAN.								
Persons (all ages)	1,000,000	767,609	424,090	343,519	223,131	9,260	6,533	2,727
Under 5 years	107,666	105,556	50,967	54,588	1,259	851	532	319
5 to 9 years	109,071	105,109	48,300	56,809	3,063	899	574	325
10 to 14 years	102,280	94,199	44,289	49,909	7,151	930	625	305
15 to 19 years	96,300	83,204	40,961	42,243	12,198	898	651	247
20 to 24 years	91,869	70,998	37,413	33,586	19,999	871	659	212
25 to 34 years	155,555	109,045	59,352	49,693	45,021	1,488	1,119	369
35 to 44 years	129,200	80,287	48,132	32,155	47,614	1,299	942	357
45 to 54 years	93,540	54,469	39,646	14,823	38,141	930	676	254
55 to 64 years	63,018	35,828	29,293	6,535	26,635	555	414	141
65 to 74 years	35,201	19,359	17,132	2,227	15,521	320	212	108
75 years and over	14,845	8,457	7,624	833	6,212	176	104	72
Unknown age	1,456	1,098	980	118	316	43	26	17
Males (all ages)	515,867	389,059	215,967	173,093	121,931	4,877	3,395	1,482
Under 5 years	54,489	53,437	25,712	27,725	628	424	264	160
5 to 9 years	55,308	53,301	24,543	28,758	1,563	444	279	165
10 to 14 years	51,598	47,520	22,393	25,127	3,610	468	311	157
15 to 19 years	48,077	41,400	20,425	20,975	6,219	458	328	130
20 to 24 years	46,117	35,090	18,711	16,379	10,584	444	325	119
25 to 34 years	80,181	54,805	30,037	24,768	24,571	805	593	212
35 to 44 years	68,704	41,319	24,919	16,400	26,668	717	506	211
45 to 54 years	50,480	28,560	20,755	7,806	21,404	516	367	149
55 to 64 years	33,237	18,307	14,869	3,438	14,620	310	235	75
65 to 74 years	18,755	10,081	8,888	1,193	8,500	174	115	59
75 years and over	7,904	4,471	4,018	453	3,341	92	57	35
Unknown age	1,017	769	697	71	223	26	17	9
Females (all ages)	484,113	378,549	208,123	170,426	101,200	4,383	3,138	1,245
Under 5 years	53,177	52,119	25,255	26,863	632	427	267	160
5 to 9 years	53,763	51,808	23,757	28,051	1,500	455	295	160
10 to 14 years	50,681	46,678	21,896	24,782	3,542	461	315	146
15 to 19 years	48,223	41,805	20,537	21,268	5,979	440	323	117
20 to 24 years	45,751	35,909	18,702	17,207	9,415	428	334	94
25 to 34 years	75,374	54,241	29,315	24,925	20,451	683	525	158
35 to 44 years	60,496	38,968	23,212	15,756	20,946	582	436	146
45 to 54 years	43,059	25,909	18,892	7,017	16,737	414	309	105
55 to 64 years	29,780	17,520	14,423	3,097	12,015	245	179	66
65 to 74 years	16,446	9,278	8,244	1,034	7,021	146	97	49
75 years and over	6,941	3,986	3,606	380	2,871	84	48	36
Unknown age	439	329	283	46	93	17	9	8
NEW HAMPSHIRE.								
Persons (all ages)	1,000,000	784,352	589,458	194,894	213,711	1,936	1,608	328
Under 5 years	92,887	89,140	44,943	44,197	3,647	100	90	10
5 to 9 years	86,164	78,975	44,311	34,663	7,090	100	95	5
10 to 14 years	79,927	68,265	42,946	25,319	11,533	129	117	12
15 to 19 years	84,356	64,339	43,940	20,399	19,843	175	160	15
20 to 24 years	92,685	64,574	47,351	17,224	27,814	296	267	29
25 to 34 years	164,325	111,923	85,807	26,116	51,991	411	304	107
35 to 44 years	133,607	95,392	79,626	15,766	37,878	338	238	100
45 to 54 years	106,079	79,827	72,774	7,053	26,050	202	158	44
55 to 64 years	78,647	62,589	59,890	2,699	15,950	107	100	7
65 to 74 years	51,969	43,558	42,577	982	8,363	49	49	.....
75 years and over	26,614	23,708	23,349	360	2,891	15	15	.....
Unknown age	2,741	2,063	1,946	117	661	17	17	.....
Males (all ages)	498,992	390,060	293,714	96,346	107,843	1,088	794	294
Under 5 years	46,352	44,542	22,802	21,740	1,757	53	49	4
5 to 9 years	43,291	39,780	22,340	17,440	3,467	44	44	.....
10 to 14 years	39,724	33,956	21,519	12,437	5,702	66	61	5
15 to 19 years	41,539	31,813	21,745	10,068	9,643	83	68	15
20 to 24 years	46,255	32,469	23,951	8,518	13,642	143	117	26
25 to 34 years	83,156	55,709	42,892	12,816	27,204	243	141	102
35 to 44 years	67,840	48,213	40,370	7,843	19,420	207	109	98
45 to 54 years	53,959	40,460	36,996	3,465	13,360	138	100	38
55 to 64 years	37,904	30,081	28,757	1,324	7,750	73	68	5
65 to 74 years	25,188	21,162	20,695	466	3,999	27	27	.....
75 years and over	11,993	10,559	10,404	155	1,426	7	7	.....
Unknown age	1,791	1,314	1,242	73	471	5	5	.....
Females (all ages)	501,008	394,292	295,745	98,548	105,868	848	814	34
Under 5 years	46,534	44,598	22,141	22,457	1,890	46	41	5
5 to 9 years	42,873	39,195	21,971	17,224	3,623	56	51	5
10 to 14 years	40,203	34,309	21,427	12,882	5,831	63	56	7
15 to 19 years	42,817	32,525	22,195	10,331	10,200	92	92	.....
20 to 24 years	46,430	32,105	23,400	8,705	14,172	153	151	2
25 to 34 years	81,169	56,214	42,914	13,300	24,787	168	163	5
35 to 44 years	65,767	47,178	39,255	7,923	18,458	131	129	2
45 to 54 years	52,120	39,367	35,778	3,589	12,690	63	58	5
55 to 64 years	40,742	32,508	31,133	1,375	8,200	34	32	2
65 to 74 years	26,782	22,396	21,881	515	4,364	22	22	.....
75 years and over	14,621	13,149	12,945	204	1,465	7	7	.....
Unknown age	950	748	705	44	190	12	12	.....

TABLE XII.—STANDARD MILLION—DISTRIBUTION OF THE POPULATION OF THE UNITED STATES, THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND THE REGISTRATION STATES AS CONSTITUTED IN 1900 (CALENDAR YEAR), BY SEX, AGE PERIODS, COLOR, NATIVITY, AND PARENT NATIVITY, PER 1,000,000 PERSONS OF ALL AGES AS GIVEN BY THE CENSUS OF 1900—Continued.

AREA, SEX, AND AGE.	Aggregate population.	WHITE.				COLORED.		
		Native born.			Foreign born.	Total.	Negro.	Other colored.
		Total.	Native parents.	Foreign parents.				
NEW JERSEY.								
Persons (all ages)	1,000,000	733,816	438,492	295,325	228,304	37,879	37,079	800
Under 5 years	109,598	104,996	51,865	53,131	1,173	3,429	3,426	3
5 to 9 years	104,437	97,570	50,410	47,160	3,756	3,111	3,109	2
10 to 14 years	92,557	82,054	45,272	36,782	7,628	2,875	2,868	7
15 to 19 years	88,522	71,404	40,781	30,624	13,597	3,520	3,485	35
20 to 24 years	94,617	67,734	38,504	29,230	21,690	5,193	5,124	69
25 to 34 years	177,986	114,113	65,578	48,536	55,893	7,979	7,707	272
35 to 44 years	139,096	83,963	52,545	31,418	49,788	5,345	5,045	300
45 to 54 years	90,796	52,938	40,797	12,141	34,683	3,175	3,085	90
55 to 64 years	58,117	32,875	28,590	4,285	23,585	1,657	1,637	20
65 to 74 years	30,335	17,429	16,016	1,413	12,125	780	779	1
75 years and over	11,932	7,819	7,299	520	3,779	334	334	----
Unknown age	2,006	921	835	85	605	480	479	1
Males (all ages)	499,960	362,817	217,358	145,459	118,448	18,696	17,915	781
Under 5 years	55,193	52,920	26,120	26,800	592	1,681	1,678	3
5 to 9 years	52,329	48,904	25,295	23,609	1,868	1,557	1,555	2
10 to 14 years	46,074	40,914	22,757	18,157	3,791	1,370	1,364	6
15 to 19 years	42,815	35,209	20,179	15,030	6,060	1,546	1,523	23
20 to 24 years	45,400	32,908	18,923	13,985	10,057	2,435	2,370	65
25 to 34 years	89,739	55,906	32,336	23,569	29,784	4,049	3,778	271
35 to 44 years	72,377	41,615	26,198	15,417	27,927	2,835	2,535	300
45 to 54 years	46,238	26,243	20,290	5,953	18,412	1,583	1,493	90
55 to 64 years	28,704	15,998	13,949	2,049	11,865	841	821	20
65 to 74 years	14,451	8,233	7,606	627	5,839	379	378	1
75 years and over	5,315	3,411	3,190	221	1,763	141	141	----
Unknown age	1,324	556	513	43	488	280	278	2
Females (all ages)	500,040	370,999	221,134	149,866	109,857	19,183	19,164	19
Under 5 years	54,404	52,076	25,745	26,331	580	1,748	1,748	----
5 to 9 years	52,108	48,666	25,115	23,551	1,888	1,554	1,554	----
10 to 14 years	46,483	41,140	22,515	18,625	3,837	1,505	1,503	2
15 to 19 years	45,707	36,195	20,601	15,594	7,537	1,974	1,962	12
20 to 24 years	49,218	34,827	19,581	15,245	11,633	2,758	2,754	4
25 to 34 years	88,246	58,208	33,242	24,966	26,109	3,930	3,929	1
35 to 44 years	66,719	42,348	26,346	16,001	21,861	2,510	2,510	----
45 to 54 years	44,558	26,694	20,507	6,187	16,271	1,593	1,593	----
55 to 64 years	29,413	16,877	14,641	2,236	11,721	816	816	----
65 to 74 years	15,884	9,196	8,410	786	6,286	401	401	----
75 years and over	6,617	4,408	4,109	299	2,016	193	193	----
Unknown age	682	364	322	42	117	201	201	----
NEW YORK.								
Persons (all ages)	1,000,000	724,644	392,290	332,354	259,946	15,410	13,652	1,758
Under 5 years	103,660	100,348	46,285	54,564	1,635	1,176	1,068	108
5 to 9 years	98,189	92,577	44,280	48,297	4,582	1,030	933	97
10 to 14 years	88,568	78,395	40,170	38,225	9,198	974	893	81
15 to 19 years	88,140	70,174	36,729	33,445	16,589	1,377	1,292	85
20 to 24 years	96,677	68,415	34,595	33,819	26,092	2,170	2,031	139
25 to 34 years	180,549	115,173	57,162	58,012	61,746	3,630	3,191	439
35 to 44 years	140,815	84,866	44,918	39,948	53,436	2,512	2,036	476
45 to 54 years	93,724	53,363	36,173	17,190	38,946	1,415	1,195	220
55 to 64 years	60,304	32,636	26,493	6,142	27,013	656	585	71
65 to 74 years	33,534	18,313	16,382	1,930	14,935	286	260	26
75 years and over	14,329	8,782	8,102	679	5,409	138	125	13
Unknown age	1,514	1,102	1,000	102	367	45	41	4
Males (all ages)	497,294	358,284	195,046	163,238	131,215	7,795	6,413	1,382
Under 5 years	52,157	50,767	23,304	27,463	831	559	506	53
5 to 9 years	49,228	46,446	22,282	24,164	2,281	501	455	46
10 to 14 years	44,373	39,302	20,248	19,054	4,611	460	418	42
15 to 19 years	42,265	34,354	18,153	16,201	7,302	608	557	51
20 to 24 years	45,572	32,875	16,831	16,044	11,709	988	884	104
25 to 34 years	90,489	56,618	28,510	28,108	31,925	1,947	1,557	390
35 to 44 years	72,770	42,132	22,535	19,597	29,223	1,415	984	431
45 to 54 years	47,335	26,423	18,020	8,403	20,144	768	577	191
55 to 64 years	29,417	15,764	12,828	2,936	13,313	340	289	51
65 to 74 years	16,029	8,760	7,853	908	7,133	136	121	15
75 years and over	6,677	4,063	3,760	303	2,559	54	48	6
Unknown age	982	779	721	58	182	21	17	4
Females (all ages)	502,706	366,359	197,244	169,116	128,732	7,615	7,238	377
Under 5 years	51,502	50,081	22,980	27,101	803	618	562	56
5 to 9 years	48,960	46,130	21,997	24,133	2,301	529	478	51
10 to 14 years	44,195	39,093	19,922	19,172	4,587	514	476	38
15 to 19 years	45,875	35,820	18,575	17,244	9,287	769	735	34
20 to 24 years	51,104	35,539	17,764	17,775	14,383	1,182	1,147	35
25 to 34 years	90,060	58,556	28,652	29,904	29,821	1,684	1,634	50
35 to 44 years	68,044	42,734	22,383	20,351	24,213	1,097	1,053	44
45 to 54 years	46,389	26,940	18,153	8,787	18,802	647	618	29
55 to 64 years	30,887	16,872	13,666	3,206	13,699	316	296	20
65 to 74 years	17,505	9,552	8,530	1,022	7,802	151	139	12
75 years and over	7,652	4,718	4,342	376	2,849	85	77	8
Unknown age	532	323	279	44	185	24	24	----

TABLE XII.—STANDARD MILLION—DISTRIBUTION OF THE POPULATION OF THE UNITED STATES, THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND THE REGISTRATION STATES AS CONSTITUTED IN 1900 (CALENDAR YEAR), BY SEX, AGE PERIODS, COLOR, NATIVITY, AND PARENT NATIVITY, PER 1,000,000 PERSONS OF ALL AGES AS GIVEN BY THE CENSUS OF 1900—Continued.

AREA, SEX, AND AGE.	Aggregate population.	WHITE.				COLORED.		
		Native born.			Foreign born.	Total.	Negro.	Other colored.
		Total	Native parents.	Foreign parents.				
RHODE ISLAND.								
Persons (all ages)	1,000,000	665,673	338,313	327,360	312,146	22,181	21,215	966
Under 5 years	101,392	96,078	32,098	63,980	3,458	1,855	1,850	5
5 to 9 years	93,990	84,353	30,586	53,767	7,908	1,729	1,720	9
10 to 14 years	85,727	69,648	28,323	41,325	14,498	1,582	1,575	7
15 to 19 years	91,685	65,149	28,363	36,786	24,744	1,792	1,776	16
20 to 24 years	99,912	61,885	28,262	33,622	35,489	2,539	2,469	70
25 to 34 years	181,351	101,191	50,726	50,465	75,661	4,499	4,172	327
35 to 44 years	137,905	73,321	43,388	29,933	60,984	3,600	3,253	347
45 to 54 years	97,647	51,244	38,742	12,502	43,959	2,443	2,291	152
55 to 64 years	62,062	32,537	28,890	3,647	28,288	1,237	1,216	21
65 to 74 years	32,234	18,989	18,026	964	12,757	488	478	10
75 years and over	13,963	9,852	9,588	264	3,838	273	271	2
Unknown age	2,133	1,426	1,321	105	562	145	145	.....
Males (all ages)	491,222	327,287	167,469	159,818	153,005	10,930	10,010	920
Under 5 years	50,808	48,227	16,334	31,893	1,657	924	924	.....
5 to 9 years	46,757	41,971	15,205	26,767	3,894	891	884	7
10 to 14 years	42,496	34,518	14,043	20,476	7,236	742	740	2
15 to 19 years	45,513	32,729	14,299	18,429	11,991	793	777	16
20 to 24 years	47,646	30,162	14,059	16,103	16,327	1,157	1,092	65
25 to 34 years	89,575	48,904	25,306	23,598	38,280	2,392	2,067	325
35 to 44 years	68,465	35,848	21,631	14,218	30,778	1,839	1,498	341
45 to 54 years	48,367	25,346	19,398	5,948	21,764	1,258	1,118	140
55 to 64 years	29,434	15,632	13,844	1,787	13,207	595	576	19
65 to 74 years	14,824	8,790	8,356	434	5,862	173	168	5
75 years and over	5,927	4,188	4,076	112	1,640	98	98	.....
Unknown age	1,409	973	919	54	369	68	68	.....
Females (all ages)	508,778	338,385	170,843	167,542	159,141	11,252	11,205	47
Under 5 years	50,584	47,851	15,765	32,087	1,801	931	926	5
5 to 9 years	47,233	42,382	15,382	27,000	4,013	838	835	3
10 to 14 years	43,231	35,130	14,281	20,849	7,262	840	835	5
15 to 19 years	46,171	32,421	14,064	18,357	12,752	999	999	.....
20 to 24 years	52,266	31,723	14,204	17,519	19,162	1,381	1,377	4
25 to 34 years	91,776	52,287	25,420	26,867	37,381	2,107	2,105	2
35 to 44 years	69,440	37,472	21,757	15,716	30,206	1,762	1,755	7
45 to 54 years	49,279	25,899	19,344	6,555	22,195	1,185	1,174	11
55 to 64 years	32,628	16,906	15,046	1,860	15,081	642	639	3
65 to 74 years	17,410	10,199	9,670	530	6,895	315	310	5
75 years and over	8,036	5,663	5,512	152	2,198	175	173	2
Unknown age	723	453	401	51	194	77	77	.....
VERMONT.								
Persons (all ages)	1,000,000	867,408	655,862	211,546	130,060	2,532	2,404	128
Under 5 years	95,600	93,953	65,976	27,977	1,426	221	218	3
5 to 9 years	92,672	89,262	63,217	26,045	3,198	212	212	.....
10 to 14 years	87,821	82,580	59,242	23,338	5,029	212	210	2
15 to 19 years	88,656	80,287	57,906	22,381	8,090	279	276	3
20 to 24 years	85,732	73,780	53,439	20,341	11,681	271	259	12
25 to 34 years	153,605	127,229	91,514	35,715	25,931	445	410	35
35 to 44 years	127,182	103,751	75,893	27,858	23,120	311	271	40
45 to 54 years	104,731	84,792	68,158	16,634	19,666	274	253	21
55 to 64 years	80,674	65,205	57,668	7,537	15,310	160	151	9
65 to 74 years	52,235	41,418	38,846	2,572	10,741	76	76	.....
75 years and over	28,579	23,408	22,451	957	5,119	52	49	3
Unknown age	2,511	1,743	1,551	192	751	17	17	.....
Males (all ages)	509,654	436,889	331,000	105,890	71,319	1,446	1,321	125
Under 5 years	48,120	47,308	33,157	14,151	704	108	105	3
5 to 9 years	46,776	45,064	32,080	12,984	1,627	84	84	.....
10 to 14 years	44,613	41,939	30,058	11,882	2,552	122	119	3
15 to 19 years	45,789	41,203	29,755	11,448	4,438	148	146	2
20 to 24 years	43,540	36,809	26,746	10,063	6,571	160	148	12
25 to 34 years	79,004	63,755	46,255	17,501	14,981	268	233	35
35 to 44 years	65,382	52,313	38,587	13,727	12,888	180	140	40
45 to 54 years	54,033	43,147	34,644	8,503	10,709	178	157	21
55 to 64 years	40,534	32,499	28,765	3,734	7,915	119	113	6
65 to 74 years	26,213	20,580	19,273	1,307	5,590	44	44	.....
75 years and over	13,843	11,029	10,560	469	2,791	23	20	3
Unknown age	1,807	1,243	1,120	122	553	12	12	.....
Females (all ages)	490,346	430,519	324,862	105,657	58,742	1,085	1,083	2
Under 5 years	47,480	46,645	32,819	13,825	722	113	113	.....
5 to 9 years	45,897	44,197	31,137	13,060	1,571	128	128	.....
10 to 14 years	43,208	40,641	29,185	11,457	2,476	90	90	.....
15 to 19 years	42,867	39,084	28,151	10,933	3,652	131	131	.....
20 to 24 years	42,192	36,972	26,694	10,278	5,110	111	111	.....
25 to 34 years	74,601	63,473	45,259	18,214	10,950	178	178	.....
35 to 44 years	61,800	51,437	37,306	14,131	10,232	131	131	.....
45 to 54 years	50,698	41,645	33,515	8,131	8,957	96	96	.....
55 to 64 years	40,141	32,706	28,902	3,803	7,394	41	38	3
65 to 74 years	26,021	20,839	19,573	1,266	5,151	32	32	.....
75 years and over	14,736	12,379	11,890	489	2,328	29	29	.....
Unknown age	704	501	431	70	198	6	6	.....

GENERAL TABLES

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION AREA, BY

	REGISTRATION AREA.	Total.	WHITE.										
			Total.	Native.								Foreign.	Unknown.
				Total.	Both parents.			Mixed parentage.			Parentage not stated.		
					Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	TOTAL.												
1	The registration area	732,538	686,230	497,537	252,268	133,660	41,166	42,285	19,892	4,681	3,585	178,788	9,905
2	Registration cities	457,188	419,612	285,347	120,547	100,261	22,221	27,292	8,620	2,821	3,585	128,626	5,639
3	Registration states	630,057	603,551	441,511	228,550	117,928	34,497	37,909	18,398	4,229	.....	153,902	8,138
4	Cities in registration states	354,707	336,933	229,321	96,829	84,529	15,552	22,916	7,126	2,369	.....	103,740	3,872
5	Rural part of registration states	275,350	266,618	212,190	131,721	33,399	18,945	14,993	11,272	1,860	.....	50,162	4,266
6	Registration cities in other states	102,481	82,679	56,026	23,718	15,732	6,669	4,376	1,494	452	3,585	24,886	1,767
	REGISTRATION STATES.												
7	California	30,964	29,304	18,915	7,583	3,680	4,176	1,733	1,312	431	.....	9,493	896
8	Colorado	11,040	10,716	8,017	4,117	1,422	1,128	673	554	123	.....	2,301	398
9	Connecticut	16,479	16,113	11,339	4,623	4,135	977	948	541	115	.....	4,556	218
10	Indiana	34,519	33,251	29,266	20,011	2,383	3,021	1,238	2,353	260	.....	3,521	464
11	Maine	11,500	11,491	9,813	6,979	1,066	557	888	297	26	.....	1,556	122
12	Maryland	19,931	14,675	12,157	7,540	1,731	1,534	693	543	116	.....	2,252	266
13	Massachusetts	51,096	50,243	34,274	14,417	12,133	1,861	3,762	1,686	415	.....	15,580	389
14	Michigan	36,260	35,702	25,362	12,658	5,609	2,090	3,321	1,351	333	.....	9,872	468
15	New Hampshire	7,256	7,249	5,689	2,798	1,135	854	444	412	46	.....	1,350	210
16	New Jersey	36,310	34,526	24,785	12,659	8,293	1,592	1,786	251	204	.....	9,442	299
17	New York	140,073	136,803	92,760	40,513	35,319	5,456	8,564	2,291	617	.....	42,823	1,220
18	Ohio	60,670	58,190	46,254	28,145	8,469	3,673	3,006	2,475	486	.....	11,079	857
19	Pennsylvania	111,062	106,572	83,230	47,481	22,275	4,104	6,003	2,703	664	.....	22,239	1,103
20	Rhode Island	8,288	8,036	5,453	2,457	2,148	149	591	75	33	.....	2,523	60
21	South Dakota	4,814	4,119	2,851	1,345	665	277	427	111	26	.....	1,160	108
22	Vermont	5,579	5,566	4,575	2,773	493	532	360	372	45	.....	901	90
23	Washington	10,706	10,217	7,080	3,538	1,139	1,007	761	513	122	.....	2,547	590
24	Wisconsin	27,294	27,158	16,744	6,949	5,519	1,099	2,501	514	162	.....	10,099	315
	REGISTRATION CITIES.												
	ALABAMA.[1]												
25	Birmingham	1,280	584	483	322	22	93	18	28	.....	.....	50	51
26	Mobile	1,029	450	356	146	19	175	13	3	.....	.....	88	6
27	Montgomery	821	277	250	197	6	33	3	10	1	.....	13	14
	CALIFORNIA.												
28	Alameda	309	301	185	72	37	27	26	18	5	.....	109	7
29	Berkeley	408	396	263	131	53	25	33	19	2	.....	125	8
30	Fresno	317	280	214	97	40	36	15	18	8	.....	62	4
31	Los Angeles	4,014	3,737	2,604	1,123	480	482	205	240	74	.....	1,054	129
32	Oakland	1,643	1,496	914	346	221	182	93	46	26	.....	549	33
33	Pasadena	410	398	321	177	29	65	19	28	3	.....	75	2
34	Sacramento	709	611	421	134	66	150	31	30	10	.....	179	11
35	San Diego	603	591	405	185	50	79	36	36	19	.....	163	23
36	San Francisco	6,151	5,876	3,093	903	1,142	475	396	122	55	.....	2,645	138
37	San Jose	435	407	275	111	64	42	40	15	3	.....	131	1
38	Stockton	516	463	259	67	26	131	19	13	3	.....	182	22
	COLORADO.												
39	Colorado Springs	506	477	403	253	47	31	45	24	3	.....	72	2
40	Denver	3,526	3,382	2,461	1,119	451	437	222	180	52	.....	808	113
41	Leadville	162	161	95	24	43	6	16	6	.....	.....	62	4
42	Pueblo	579	550	428	204	93	51	37	32	11	.....	82	40
	CONNECTICUT.												
43	Ansonia	214	205	134	28	87	2	13	4	.....	.....	70	1
44	Bridgeport	1,429	1,394	915	278	431	92	74	26	14	.....	463	16
45	Bristol town	156	155	117	50	37	16	10	4	.....	.....	37	1
46	Danbury town	345	335	240	99	58	35	21	19	8	.....	90	5
47	Greenwich town	251	239	169	74	68	3	17	5	2	.....	60	10
48	Hartford	1,586	1,547	994	358	353	130	96	41	16	.....	536	17
49	Manchester town	137	133	79	37	22	10	8	2	.....	.....	53	1
50	Meriden town	421	417	267	91	115	19	28	12	2	.....	147	3
51	Middletown town	449	441	283	110	111	25	23	10	4	.....	154	4
52	Naugatuck	175	173	119	31	66	9	7	5	1	.....	53	1
53	New Britain	523	520	365	86	218	13	42	4	2	.....	154	1
54	New Haven	2,217	2,119	1,395	467	632	105	140	44	7	.....	698	26
55	New London	316	305	219	107	66	13	20	12	1	.....	77	9
56	Norwalk town	366	359	263	148	66	13	21	11	4	.....	96	.....
57	Norwich town	440	421	266	109	92	28	17	17	3	.....	152	3
58	Stamford town	513	500	352	115	173	23	22	12	7	.....	133	15
59	Stonington town	147	145	110	53	32	4	13	8	.....	.....	34	1
60	Torrington town	190	188	136	38	73	11	10	4	.....	.....	51	1
61	Vernon town	108	108	58	22	21	6	6	2	1	.....	49	1
62	Wallingford town	136	136	103	36	42	5	12	5	3	.....	33	.....
63	Waterbury	1,056	1,046	716	204	403	22	69	13	5	.....	326	4
64	Windham town	243	238	179	70	69	13	24	3	.....	.....	59	.....
	DELAWARE.[1]												
65	Wilmington	1,366	1,123	893	.....	.....	.....	.....	.....	.....	893	224	6

[1] Nonregistration state; cities shown below only those with effective local ordinances.

COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND MONTH OF OCCURRENCE: 1909.

COLORED.					MONTH OF OCCURRENCE.												
Total.	Negro.	Indian.	Chinese.	Japanese.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
46,308	43,240	1,435	997	636	62,804	59,096	70,093	65,881	61,347	54,270	60,251	62,509	58,164	59,098	55,424	63,557	44	1
37,576	36,464	52	690	370	39,264	36,434	42,765	40,347	38,412	34,436	38,466	38,529	35,359	37,063	35,158	40,941	14	2
26,506	23,579	1,425	896	606	54,110	51,049	60,577	57,049	52,550	46,391	51,944	53,713	50,211	50,683	47,358	54,384	38	3
17,774	16,803	42	589	340	30,570	28,387	33,249	31,515	29,615	26,557	30,159	29,733	27,406	28,648	27,092	31,768	8	4
8,732	6,776	1,383	307	266	23,540	22,662	27,328	25,534	22,935	19,834	21,785	23,980	22,805	22,035	20,266	22,616	30	5
19,802	19,661	10	101	30	8,694	8,047	9,516	8,832	8,797	7,879	8,307	8,796	7,953	8,415	8,066	9,173	6	6
1,660	397	130	691	442	2,812	2,525	2,834	2,581	2,612	2,432	2,430	2,376	2,335	2,502	2,592	2,879	4	7
324	274	5	4	41	1,023	927	1,042	947	917	834	872	958	880	889	830	921	.....	8
366	361	2	3	.....	1,367	1,313	1,581	1,505	1,330	1,213	1,416	1,493	1,293	1,237	1,265	1,466	.....	9
1,268	1,267	.....	1	.....	2,803	2,770	3,454	3,187	2,781	2,492	3,003	3,151	2,689	2,811	2,499	2,879	.....	10
9	8	1	.....	.....	996	903	1,192	1,040	983	855	845	909	935	986	884	971	1	11
5,256	5,251	.....	5	.....	1,715	1,520	1,889	1,879	1,550	1,547	1,973	1,814	1,523	1,532	1,415	1,574	.....	12
853	805	14	33	1	4,511	4,153	4,923	4,408	4,308	3,800	3,991	4,587	4,068	4,046	3,883	4,411	7	13
558	347	210	1	.....	2,969	2,815	3,565	3,454	3,164	2,597	2,724	3,302	3,194	2,929	2,608	2,936	3	14
7	7	.....	.....	.....	564	594	709	649	665	585	596	545	650	614	521	563	1	15
1,784	1,775	.....	6	3	3,183	2,919	3,386	3,182	2,950	2,590	3,226	3,161	2,834	2,966	2,703	3,209	1	16
3,270	3,137	32	86	15	11,882	11,181	13,156	12,907	12,184	10,591	11,301	11,623	10,891	11,075	10,807	12,475	.....	17
2,480	2,467	8	4	1	5,159	4,873	5,906	5,421	4,993	4,347	5,267	5,290	4,814	4,886	4,470	5,240	4	18
4,490	4,469	5	14	2	9,866	9,480	10,860	9,960	8,654	7,708	9,552	9,501	8,598	8,894	8,258	9,730	1	19
252	245	.....	6	1	736	678	783	723	632	636	728	740	676	640	608	708	.....	20
695	5	690	.....	.....	418	403	527	436	420	342	349	388	417	408	363	342	1	21
13	12	.....	1	.....	442	455	589	615	562	397	398	414	437	448	402	420	.....	22
489	105	246	38	100	842	815	897	964	878	766	831	921	1,024	987	864	903	14	23
136	55	81	.....	.....	2,283	2,219	2,690	2,607	2,456	2,077	1,900	2,091	2,472	2,368	1,958	2,172	1	24
696	696	.....	.....	.....	103	89	90	102	120	105	108	118	106	108	106	125	.....	25
579	578	1	.....	.....	78	93	85	93	82	90	85	81	78	83	88	93	.....	26
544	544	.....	.....	.....	50	57	84	68	60	82	63	81	59	72	71	74	.....	27
8	1	.....	3	4	28	33	31	18	25	21	18	22	28	32	20	33	.....	28
12	5	.....	3	4	46	33	45	26	28	30	33	32	35	35	26	39	.....	29
37	3	.....	20	14	28	22	25	22	28	20	23	33	19	36	26	35	.....	30
227	112	3	40	72	371	366	361	303	302	328	334	320	304	300	315	404	1	31
147	44	.....	90	13	147	127	160	126	137	143	113	113	137	145	145	150	.....	32
12	10	.....	.....	2	46	36	27	47	34	32	34	28	22	18	37	49	.....	33
98	13	.....	22	63	75	47	65	52	47	43	61	57	53	71	63	75	.....	34
12	9	.....	2	1	51	38	63	50	49	48	50	32	49	59	51	63	.....	35
275	41	.....	188	46	554	525	580	516	536	478	462	452	426	518	534	570	.....	36
28	5	.....	13	10	33	22	55	40	46	38	35	33	26	37	39	31	.....	37
53	11	1	30	11	40	43	55	42	42	37	50	45	38	33	33	58	.....	38
29	29	.....	.....	.....	49	41	39	40	42	41	53	51	34	40	31	45	.....	39
144	128	.....	4	12	332	307	351	284	283	247	258	284	275	301	263	341	.....	40
1	1	.....	.....	.....	15	13	22	17	13	14	10	12	14	10	9	13	.....	41
29	28	.....	.....	1	65	52	59	51	50	56	44	42	39	42	39	40	.....	42
9	9	.....	.....	.....	21	18	20	15	17	15	16	18	20	17	21	16	.....	43
35	34	.....	1	.....	114	117	118	110	109	115	140	129	124	104	108	141	.....	44
1	1	.....	.....	.....	14	12	11	18	12	8	12	14	13	8	10	24	.....	45
10	10	.....	.....	.....	25	32	35	30	33	19	25	39	23	21	26	37	.....	46
12	12	.....	.....	.....	22	19	43	23	14	17	20	18	22	19	20	14	.....	47
39	38	.....	1	.....	128	121	137	166	151	123	147	115	116	115	120	147	.....	48
4	4	.....	.....	.....	11	13	13	8	9	15	15	7	7	12	12	15	.....	49
4	4	.....	.....	.....	35	40	38	40	39	34	33	32	35	33	29	33	.....	50
8	8	.....	.....	.....	42	32	42	43	52	29	46	39	24	18	38	44	.....	51
2	2	.....	.....	.....	17	11	22	18	14	10	18	15	4	22	10	14	.....	52
3	3	.....	.....	.....	54	39	41	33	34	30	50	66	45	45	46	40	.....	53
98	97	.....	1	.....	188	192	190	221	179	189	190	183	162	171	166	186	.....	54
11	11	.....	.....	.....	29	26	28	31	33	14	22	35	28	23	30	17	.....	55
7	7	.....	.....	.....	34	30	37	29	24	28	37	33	24	29	31	30	.....	56
19	19	.....	.....	.....	28	26	45	53	33	34	38	38	38	36	31	40	.....	57
13	13	.....	.....	.....	36	37	63	52	41	37	42	46	40	37	45	37	.....	58
2	2	.....	.....	.....	16	21	14	11	11	10	15	10	8	15	7	9	.....	59
2	2	.....	.....	.....	14	21	23	11	16	14	10	21	21	11	12	16	.....	60
.....	.....	.....	.....	.....	12	12	9	5	4	9	10	11	7	10	10	9	.....	61
.....	.....	.....	.....	.....	8	5	9	14	13	11	12	16	13	7	12	16	.....	62
10	10	.....	.....	.....	70	83	110	95	65	63	106	122	93	84	75	90	.....	63
5	5	.....	.....	.....	13	11	22	24	27	16	29	24	16	24	22	15	.....	64
243	243	.....	.....	.....	122	103	151	120	89	97	145	107	98	110	97	127	.....	65

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION AREA, BY

	REGISTRATION AREA	Total.	WHITE.										
			Total.	Native.								Foreign.	Unknown.
				Total.	Both parents.			Mixed parentage.			Parentage not stated.		
					Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	REGISTRATION CITIES—Continued.												
	DISTRICT OF COLUMBIA.												
1	Washington	6,216	3,620	2,947	1,964	314	410	210	44	5	.....	608	65
	FLORIDA.[1]												
2	Jacksonville	1,178	438	355	207	14	118	4	11	1	.....	48	35
3	Key West	379	254	129	.....	.....	.....	.....	.....	.....	129	105	20
	GEORGIA.[1]												
4	Atlanta	2,341	1,274	1,183	973	36	160	12	2	.....	.....	64	27
5	Savannah	1,446	508	391	.....	.....	.....	.....	.....	.....	391	116	1
	ILLINOIS.[1]												
6	Aurora	422	414	254	.....	.....	.....	.....	.....	.....	254	142	18
7	Belleville	272	267	170	.....	.....	.....	.....	.....	.....	170	97	.....
8	Chicago	31,296	30,281	18,034	4,925	8,847	2,285	1,830	97	50	.....	12,010	237
9	Decatur	327	316	242	.....	.....	.....	.....	.....	.....	242	53	21
10	Evanston	259	243	159	.....	.....	.....	.....	.....	.....	159	81	3
11	Jacksonville	319	288	215	.....	.....	.....	.....	.....	.....	215	50	23
12	Ottawa	178	178	115	.....	.....	.....	.....	.....	.....	115	59	4
13	Quincy	496	457	294	.....	.....	.....	.....	.....	.....	294	158	5
14	Springfield	851	791	566	.....	.....	.....	.....	.....	.....	566	172	53
	INDIANA.												
15	Anderson	323	314	294	227	15	19	2	28	3	.....	15	5
16	Columbus	145	141	126	80	9	16	2	18	1	.....	15	.....
17	Elkhart	239	239	198	124	11	35	9	17	2	.....	29	12
18	Elwood	136	136	123	90	8	4	8	11	2	.....	11	2
19	Evansville	905	796	606	351	89	69	50	32	15	.....	181	9
20	Fort Wayne	725	713	544	303	110	29	60	29	13	.....	159	10
21	Hammond	268	267	186	69	70	10	21	11	5	.....	71	10
22	Huntington	143	143	127	81	12	18	6	7	3	.....	16	.....
23	Indianapolis	3,287	2,835	2,362	1,525	291	204	144	176	22	.....	436	37
24	Jeffersonville	168	144	117	73	10	12	3	16	3	.....	22	5
25	Kokomo	208	199	188	139	8	20	2	16	3	.....	11	.....
26	Lafayette	355	344	254	141	41	33	8	25	6	.....	85	5
27	Logansport	291	288	236	158	23	20	15	16	4	.....	47	5
28	Marion	248	231	215	153	13	22	8	18	1	.....	14	2
29	Michigan City	212	211	133	66	50	1	12	4	.....	.....	76	2
30	Muncie	330	312	291	206	23	28	12	19	3	.....	21	.....
31	New Albany	315	284	245	159	32	17	19	13	5	.....	38	1
32	Peru	157	155	133	86	8	23	7	8	1	.....	19	3
33	Richmond	292	266	218	148	33	11	17	8	1	.....	48	.....
34	South Bend	711	696	540	226	179	45	54	29	7	.....	153	3
35	Terre Haute	878	809	697	439	60	85	41	66	6	.....	102	10
36	Vincennes	210	199	177	120	12	18	11	15	1	.....	18	4
37	Wabash	121	119	109	78	11	14	1	5	.....	.....	9	1
38	Washington	103	102	92	67	9	7	3	5	1	.....	9	1
	KANSAS.[1]												
39	Kansas City	1,181	977	733	380	130	117	44	52	10	.....	195	49
40	Leavenworth	333	271	171	50	25	77	8	8	3	.....	90	10
41	Wichita	558	531	467	203	13	173	21	47	10	.....	36	28
	KENTUCKY.[1]												
42	Covington	712	638	478	258	111	46	37	19	7	.....	145	15
43	Louisville	3,456	2,494	1,870	1,160	227	338	74	49	22	.....	538	86
44	Newport	447	436	311	164	101	7	34	5	.....	.....	125	.....
45	Paducah	370	208	191	142	3	30	3	13	.....	.....	16	1
	LOUISIANA.[1]												
46	New Orleans	6,770	4,208	3,064	1,985	857	35	184	1	2	.....	1,138	6
	MAINE.												
47	Auburn	213	213	182	107	31	15	17	12	.....	.....	31	.....
48	Augusta	304	303	256	157	34	31	18	16	.....	.....	40	7
49	Bangor	462	460	348	210	71	16	41	9	1	.....	105	7
50	Bath	134	134	113	87	11	4	10	1	.....	.....	19	2
51	Biddeford	333	333	236	87	104	4	36	5	.....	.....	97	.....
52	Lewiston	450	449	307	120	108	22	45	9	3	.....	136	6
53	Portland	1,029	1,027	777	464	131	65	81	32	4	.....	235	15
54	Rockland	141	141	133	109	3	11	6	3	1	.....	6	2
55	Waterville	159	159	125	57	34	8	22	3	1	.....	33	1
	MARYLAND.												
56	Annapolis	163	66	55	34	7	5	4	3	2	.....	7	4
57	Baltimore	10,387	7,804	5,987	2,978	1,301	942	460	233	73	.....	1,685	132
58	Cumberland	355	324	291	190	39	21	16	20	5	.....	29	4
59	Frederick	214	160	148	119	9	9	4	7	.....	.....	9	3
60	Hagerstown	269	239	228	196	3	8	7	12	2	.....	10	1

[1] Nonregistration state; cities shown below only those with effective local ordinances.

COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND MONTH OF OCCURRENCE: 1909—Continued.

COLORED.					MONTH OF OCCURRENCE.												
Total.	Negro.	Indian.	Chinese.	Japanese.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
2,596	2,592	1	3	.....	539	506	594	584	511	532	542	449	481	465	428	585	.....	1
740	740	.....	.....	.....	74	92	111	78	99	106	92	94	113	104	96	118	1	2
125	124	.....	1	.....	21	50	20	40	34	26	29	38	20	32	29	40	.....	3
1,067	1,064	.....	3	.....	161	191	221	196	202	225	213	202	161	192	198	179	.....	4
938	938	.....	.....	.....	106	121	96	126	155	103	112	104	119	143	125	136	.....	5
8	8	.....	.....	.....	41	30	46	35	26	22	36	40	32	37	34	43	.....	6
5	5	.....	.....	.....	31	24	24	22	24	29	35	23	15	8	16	21	.....	7
1,015	981	2	29	3	2,778	2,457	3,018	2,843	2,673	2,237	2,249	2,699	2,567	2,592	2,448	2,735	.....	8
11	11	.....	.....	.....	34	26	27	28	31	17	25	29	30	27	15	38	.....	9
16	16	.....	.....	.....	24	19	28	22	17	17	19	29	20	21	23	20	.....	10
31	31	.....	.....	.....	25	30	32	26	29	26	36	28	17	24	19	27	.....	11
.....	.....	.....	.....	.....	16	14	17	9	14	11	27	14	18	14	7	17	.....	12
39	38	.....	1	.....	44	39	53	42	43	34	35	53	44	32	36	41	.....	13
60	60	.....	.....	.....	81	57	75	70	67	57	84	81	65	84	59	70	1	14
9	9	.....	.....	.....	24	28	31	22	33	25	22	31	23	31	25	28	.....	15
4	4	.....	.....	.....	13	15	8	20	15	13	7	11	10	14	8	11	.....	16
.....	.....	.....	.....	.....	17	14	26	23	20	16	21	20	19	29	18	16	.....	17
.....	.....	.....	.....	.....	13	7	16	14	18	8	15	11	10	10	6	8	.....	18
109	109	.....	.....	.....	63	76	87	86	60	92	77	74	58	88	66	78	.....	19
12	12	.....	.....	.....	63	51	82	61	62	59	49	65	59	60	51	63	.....	20
1	1	.....	.....	.....	18	19	22	22	20	25	26	32	20	24	16	24	.....	21
.....	.....	.....	.....	.....	11	12	12	17	13	9	15	12	12	10	14	6	.....	22
452	452	.....	.....	.....	255	250	320	269	279	223	309	303	247	255	270	307	.....	23
24	24	.....	.....	.....	15	10	16	15	10	12	14	16	16	12	21	11	.....	24
9	9	.....	.....	.....	24	10	21	23	15	12	23	19	11	17	13	20	.....	25
11	11	.....	.....	.....	17	26	32	42	33	21	28	31	31	40	29	25	.....	26
3	3	.....	.....	.....	21	16	23	42	26	20	18	25	22	23	27	28	.....	27
17	17	.....	.....	.....	26	17	17	32	14	19	22	18	17	24	20	22	.....	28
1	1	.....	.....	.....	19	24	24	14	18	16	14	14	21	16	14	18	.....	29
18	18	.....	.....	.....	24	24	38	23	26	19	31	32	20	30	28	35	.....	30
31	31	.....	.....	.....	34	27	22	28	29	30	26	29	20	23	23	24	.....	31
2	2	.....	.....	.....	15	17	25	12	6	11	9	13	7	16	9	17	.....	32
26	26	.....	.....	.....	22	20	29	28	23	24	30	25	20	22	19	30	.....	33
15	15	.....	.....	.....	47	74	76	58	51	58	72	53	46	69	49	58	.....	34
69	69	.....	.....	.....	78	62	89	80	79	66	71	73	61	88	71	60	.....	35
11	11	.....	.....	.....	24	17	17	19	10	20	18	29	10	17	11	18	.....	36
2	1	.....	1	.....	8	10	18	11	10	7	5	11	13	8	7	13	.....	37
1	1	.....	.....	.....	10	8	9	16	9	2	6	8	10	7	8	10	.....	38
204	203	.....	1	.....	105	82	129	76	96	83	125	107	86	83	96	113	.....	39
62	61	.....	1	.....	27	36	43	25	16	20	20	42	20	26	24	34	.....	40
27	26	1	.....	.....	39	37	37	46	38	38	50	65	39	69	48	52	.....	41
74	73	.....	1	.....	62	62	67	63	59	52	58	72	53	59	43	62	.....	42
962	962	.....	.....	.....	309	277	353	281	253	317	318	249	237	248	277	337	.....	43
11	11	.....	.....	.....	34	40	40	37	39	28	38	43	41	37	31	39	.....	44
162	162	.....	.....	.....	25	25	32	33	27	41	36	45	22	32	26	26	.....	45
2,562	2,557	.....	5	.....	657	558	563	534	608	536	557	510	493	533	565	656	.....	46
.....	.....	.....	.....	.....	19	17	27	20	23	18	16	17	14	15	14	13	.....	47
1	1	.....	.....	.....	18	35	23	26	29	13	22	24	35	27	18	34	.....	48
2	2	.....	.....	.....	41	43	47	43	37	31	36	34	33	39	36	42	.....	49
.....	.....	.....	.....	.....	14	11	16	8	11	7	11	13	14	10	9	10	.....	50
.....	.....	.....	.....	.....	22	15	26	30	29	28	30	31	34	34	29	25	.....	51
1	1	.....	.....	.....	35	27	40	51	36	41	44	54	20	26	35	41	.....	52
2	2	.....	.....	.....	90	77	90	93	82	77	79	73	91	97	88	92	.....	53
.....	.....	.....	.....	.....	11	11	16	8	9	12	12	14	11	13	10	14	.....	54
.....	.....	.....	.....	.....	18	19	17	12	14	9	7	10	9	15	14	15	.....	55
97	97	.....	.....	.....	13	11	18	14	15	13	15	9	14	16	12	13	.....	56
2,583	2,578	.....	5	.....	887	753	990	969	833	763	1,003	889	820	828	759	893	.....	57
31	31	.....	.....	.....	29	31	38	26	21	27	46	33	21	29	32	22	.....	58
54	54	.....	.....	.....	14	22	19	15	23	19	17	16	9	17	20	23	.....	59
30	30	.....	.....	.....	24	24	29	24	24	17	16	28	18	20	18	27	.....	60

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION AREA, BY

	REGISTRATION AREA.	Total.	WHITE.										
			Total.	Native.								Foreign.	Unknown.
				Total.	Both parents.			Mixed parentage.			Parentage not stated.		
					Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	REGISTRATION CITIES—Continued.												
	MASSACHUSETTS.												
1	Adams town	170	170	112	23	64	10	9	1	5	.....	57	1
2	Amesbury town	143	143	95	50	24	2	14	5	.....	.....	48	.....
3	Arlington town	119	119	88	44	18	7	10	7	2	.....	31	.....
4	Attleborough town	189	184	133	68	32	3	24	6	.....	.....	51	.....
5	Beverly	259	258	205	112	55	11	19	8	.....	.....	52	1
6	Boston	11,056	10,733	6,645	2,310	2,778	325	774	332	126	.....	3,947	141
7	Brockton	632	626	476	237	125	27	63	22	2	.....	148	2
8	Brookline town	306	305	215	133	40	14	15	10	3	.....	90	.....
9	Cambridge	1,523	1,448	902	302	413	32	112	30	13	.....	537	9
10	Chelsea	523	513	335	124	129	31	30	17	4	.....	169	9
11	Chicopee	393	393	261	53	163	5	37	1	2	.....	131	1
12	Clinton town	191	191	107	38	42	1	22	3	1	.....	83	1
13	Danvers town	327	323	207	123	34	20	21	7	2	.....	112	4
14	Everett	393	380	258	122	65	15	38	16	2	.....	122	.....
15	Fall River	2,235	2,229	1,459	256	964	11	187	18	23	.....	764	6
16	Fitchburg	463	463	323	120	132	12	45	10	4	.....	140	.....
17	Framingham town	211	211	155	77	37	9	21	10	1	.....	53	3
18	Gardner town	205	204	133	64	36	10	15	8	.....	.....	71	.....
19	Gloucester	325	324	227	120	54	13	25	13	2	.....	95	2
20	Haverhill	630	622	481	252	96	41	59	28	5	.....	138	3
21	Holyoke	995	995	640	95	318	73	88	50	16	.....	351	4
22	Hyde Park town	172	170	104	55	34	.....	14	1	.....	.....	65	1
23	Lawrence	1,431	1,427	906	164	607	11	103	13	8	.....	513	8
24	Leominster town	215	215	160	60	37	12	32	18	1	.....	53	2
25	Lowell	1,883	1,880	1,193	292	654	58	141	36	12	.....	676	11
26	Lynn	1,198	1,183	848	434	226	56	69	53	10	.....	321	14
27	Malden	527	520	350	175	100	11	41	20	3	.....	169	1
28	Marlborough	221	221	157	88	39	9	15	6	.....	.....	63	1
29	Medford	270	263	195	116	36	8	28	7	.....	.....	68	.....
30	Melrose	187	186	148	90	24	14	13	6	1	.....	38	.....
31	Milford town	188	188	122	50	56	4	10	2	.....	.....	65	1
32	Natick town	141	141	106	55	28	6	10	7	.....	.....	32	3
33	New Bedford	1,595	1,501	1,058	250	560	39	159	30	20	.....	436	7
34	Newburyport	254	251	182	104	41	9	16	10	2	.....	69	.....
35	Newton	444	432	317	177	79	8	37	13	3	.....	115	.....
36	North Adams	365	363	247	98	80	21	34	11	3	.....	112	4
37	Northampton	335	333	232	137	64	12	15	4	.....	.....	101	.....
38	Peabody town	208	208	135	64	45	3	18	3	2	.....	71	2
39	Pittsfield	450	437	314	159	77	22	31	21	4	.....	118	5
40	Plymouth town	162	162	130	78	42	3	3	2	2	.....	32	.....
41	Quincy	383	382	252	93	122	6	23	7	1	.....	129	1
42	Revere town	195	193	141	62	40	10	18	8	3	.....	50	2
43	Salem	688	684	482	219	173	7	56	22	5	.....	199	3
44	Somerville	986	983	658	306	203	29	84	30	6	.....	319	6
45	Southbridge town	163	163	109	31	51	.....	24	3	.....	.....	53	1
46	Springfield	1,317	1,288	964	417	312	51	106	68	10	.....	320	4
47	Taunton	719	719	488	206	188	32	36	23	3	.....	223	8
48	Wakefield town	117	114	80	43	19	3	11	4	.....	.....	34	.....
49	Waltham	392	392	279	129	79	21	32	15	3	.....	110	3
50	Ware town	117	117	87	16	46	5	16	3	1	.....	30	.....
51	Watertown town	158	158	106	52	31	3	9	8	3	.....	52	.....
52	Webster town	136	135	90	28	43	4	12	2	1	.....	44	1
53	Westfield town	248	247	200	84	67	23	14	10	2	.....	44	3
54	Weymouth town	166	165	133	83	28	5	10	6	1	.....	31	1
55	Woburn	212	206	130	60	43	7	14	6	.....	.....	76	.....
56	Worcester	2,214	2,185	1,387	512	534	101	142	82	16	.....	790	8
	MICHIGAN.												
57	Adrian	142	137	114	72	9	7	15	11	.....	.....	23	.....
58	Alpena	221	221	142	45	45	6	40	1	5	.....	79	.....
59	Ann Arbor	289	282	211	119	40	13	19	18	2	.....	64	7
60	Battle Creek	362	353	298	199	23	27	28	17	4	.....	51	4
61	Bay City	520	520	326	128	89	18	75	9	7	.....	190	4
62	Detroit	6,309	6,191	3,998	1,141	1,581	446	652	115	63	.....	2,095	98
63	Escanaba	213	212	121	28	45	8	35	3	2	.....	85	6
64	Flint	397	393	328	181	41	31	49	25	1	.....	64	1
65	Grand Rapids	1,311	1,297	876	424	242	43	108	51	8	.....	417	4
66	Iron Mountain	111	111	70	8	54	1	6	1	.....	.....	39	2
67	Ironwood	206	206	139	9	108	1	18	2	1	.....	67	.....
68	Ishpeming	150	150	82	17	53	.....	9	2	1	.....	68	.....
69	Jackson	382	376	297	169	63	27	24	12	2	.....	75	4
70	Kalamazoo	644	629	473	261	84	47	41	34	6	.....	134	22
71	Lansing	310	305	249	137	32	23	30	22	5	.....	54	2

COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND MONTH OF OCCURRENCE: 1909—Continued.

COLORED.					MONTH OF OCCURRENCE.												
Total.	Negro.	Indian.	Chinese.	Japanese.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
.....	.....	.....	.....	.....	8	18	13	10	11	11	15	21	14	14	20	15	.....	1
.....	.....	.....	.....	.....	12	11	15	13	5	12	12	11	10	10	17	15	.....	2
.....	.....	.....	.....	.....	6	11	11	16	8	10	10	12	10	5	14	6	.....	3
5	5	.....	.....	.....	12	7	23	9	16	15	16	23	19	19	12	18	.....	4
1	1	.....	.....	.....	23	15	16	13	24	14	16	37	30	27	22	22	.....	5
323	296	3	23	1	1,065	873	1,137	1,033	942	797	811	906	818	877	785	1,012	.....	6
6	6	.....	.....	.....	60	52	61	46	55	47	46	47	41	44	59	74	.....	7
1	1	.....	.....	.....	32	29	33	33	31	20	10	15	19	20	31	33	.....	8
75	74	.....	1	.....	140	142	141	110	142	130	96	118	121	108	121	154	.....	9
10	10	.....	.....	.....	56	39	52	49	33	33	43	48	30	33	51	56	.....	10
.....	.....	.....	.....	.....	34	31	37	32	31	34	48	36	20	27	22	39	2	11
.....	.....	.....	.....	.....	14	18	23	26	12	14	17	18	11	17	15	6	.....	12
4	4	.....	.....	.....	26	20	31	20	27	28	21	22	33	32	31	36	.....	13
13	13	.....	.....	.....	37	32	33	38	35	28	20	30	33	31	35	41	.....	14
6	6	.....	.....	.....	221	167	198	166	144	165	266	231	194	197	144	142	.....	15
.....	.....	.....	.....	.....	41	42	39	30	37	26	37	43	42	42	46	38	.....	16
.....	.....	.....	.....	.....	17	19	18	15	20	17	14	16	18	17	19	21	.....	17
1	1	.....	.....	.....	20	13	23	19	17	12	12	13	16	17	24	19	.....	18
1	1	.....	.....	.....	33	20	28	24	24	23	32	53	26	17	22	23	.....	19
8	8	.....	.....	.....	55	56	58	49	58	51	34	69	50	47	46	57	.....	20
.....	.....	.....	.....	.....	71	84	88	74	98	77	102	112	80	71	63	75	.....	21
2	2	.....	.....	.....	17	11	20	10	13	10	11	20	14	18	14	14	.....	22
4	4	.....	.....	.....	130	123	134	125	109	85	128	137	146	112	103	99	.....	23
.....	.....	.....	.....	.....	19	15	14	18	18	24	19	30	13	11	16	18	.....	24
3	2	.....	1	.....	169	157	161	144	164	127	149	172	186	148	122	184	.....	25
15	14	.....	1	.....	99	114	122	101	99	87	81	104	95	98	100	98	.....	26
7	7	.....	.....	.....	42	41	44	62	41	38	39	51	38	50	35	46	.....	27
.....	.....	.....	.....	.....	17	26	30	16	9	16	14	10	21	24	19	19	.....	28
7	7	.....	.....	.....	27	18	35	25	23	21	18	20	20	12	19	32	.....	29
1	1	.....	.....	.....	10	12	14	22	16	16	20	14	22	13	16	12	.....	30
.....	.....	.....	.....	.....	15	13	25	15	18	12	18	14	12	14	12	20	.....	31
.....	.....	.....	.....	.....	15	12	18	11	13	13	3	13	13	9	11	10	.....	32
94	94	.....	.....	.....	150	116	125	134	124	112	129	179	135	149	118	124	.....	33
3	3	.....	.....	.....	15	30	27	17	22	23	16	22	24	14	23	20	1	34
12	12	.....	.....	.....	32	39	48	39	50	36	29	37	31	28	37	38	.....	35
2	2	.....	.....	.....	19	39	39	31	35	25	34	38	25	28	25	27	.....	36
2	2	.....	.....	.....	19	22	33	37	38	30	25	20	22	34	29	26	.....	37
.....	.....	.....	.....	.....	21	11	22	17	25	12	17	21	12	22	11	17	.....	38
13	13	.....	.....	.....	44	41	36	43	37	35	30	40	40	31	25	48	.....	39
.....	.....	.....	.....	.....	13	12	16	20	16	15	11	13	11	10	11	14	.....	40
1	1	.....	.....	.....	36	30	38	38	25	28	17	35	33	33	34	36	.....	41
2	2	.....	.....	.....	21	16	21	12	23	17	18	13	14	13	16	11	.....	42
4	3	1	.....	.....	66	40	63	64	61	54	65	68	59	52	36	60	.....	43
3	3	.....	.....	.....	90	109	97	86	85	78	54	87	62	67	84	87	.....	44
.....	.....	.....	.....	.....	20	13	14	9	16	10	15	14	15	13	12	12	.....	45
29	29	.....	.....	.....	98	101	127	115	108	106	122	102	80	113	131	114	.....	46
.....	.....	.....	.....	.....	51	59	62	49	52	50	55	70	59	74	64	74	.....	47
3	3	.....	.....	.....	12	12	10	12	7	7	13	5	11	9	7	12	.....	48
.....	.....	.....	.....	.....	26	32	55	34	31	32	28	29	32	33	29	31	.....	49
.....	.....	.....	.....	.....	7	4	6	10	9	6	11	13	11	9	16	15	.....	50
.....	.....	.....	.....	.....	13	12	18	16	11	9	9	14	11	11	22	12	.....	51
1	.....	1	.....	.....	8	17	13	14	10	6	15	16	8	8	8	13	.....	52
1	1	.....	.....	.....	21	24	21	18	28	20	23	28	18	21	13	13	.....	53
1	1	.....	.....	.....	12	15	18	13	19	17	10	14	9	7	15	17	.....	54
6	6	.....	.....	.....	13	16	26	15	16	16	19	15	17	15	19	25	.....	55
29	29	.....	.....	.....	175	170	184	197	191	186	181	210	182	167	181	190	.....	56
5	5	.....	.....	.....	10	15	15	13	13	10	9	7	10	14	12	14	.....	57
.....	.....	.....	.....	.....	15	20	22	20	18	19	19	28	23	13	10	14	.....	58
7	7	.....	.....	.....	18	21	23	36	27	26	26	21	16	26	28	21	.....	59
9	9	.....	.....	.....	27	36	31	37	22	29	31	30	31	37	23	28	.....	60
.....	.....	.....	.....	.....	37	41	47	48	38	40	32	51	49	38	53	46	.....	61
118	118	.....	.....	.....	496	448	603	569	507	444	551	615	504	529	477	566	.....	62
1	.....	.....	1	.....	9	14	32	23	16	19	14	25	17	26	6	12	.....	63
4	4	.....	.....	.....	18	25	40	38	39	22	34	44	42	28	36	31	.....	64
14	14	.....	.....	.....	101	94	127	92	115	100	110	101	110	120	113	128	.....	65
.....	.....	.....	.....	.....	10	6	10	16	8	15	6	7	4	9	11	9	.....	66
.....	.....	.....	.....	.....	18	8	15	17	14	15	15	21	29	24	15	15	.....	67
.....	.....	.....	.....	.....	19	12	11	15	11	10	9	8	21	7	8	19	.....	68
6	6	.....	.....	.....	31	37	38	31	28	24	29	31	21	34	40	38	.....	69
15	15	.....	.....	.....	52	49	61	46	72	51	51	54	50	57	38	63	.....	70
5	5	.....	.....	.....	23	20	27	23	26	24	28	24	32	20	34	29	.....	71

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION AREA, BY

	REGISTRATION ARE	Total.	WHITE.										
			Total.	Native.								For-eign.	Un-known.
				Total.	Both parents.			Mixed parentage.			Parent-age not stated.		
					Native.	Foreign.	Un-known.	Native and for-eign.	Native and un-known.	For-eign and un-known.			
	REGISTRATION CITIES—Continued.												
	MICHIGAN—continued.												
1	Manistee	148	148	82	28	31	3	15	4	1	.....	64	2
2	Marquette	173	173	88	22	46	5	14	1	.....	.....	73	12
3	Menominee	148	148	81	28	25	4	21	2	1	.....	63	4
4	Muskegon	274	272	160	65	41	21	22	8	3	.....	109	3
5	Owosso	117	117	94	54	13	8	13	3	3	.....	23	.....
6	Pontiac	264	261	190	113	28	11	27	8	3	.....	66	5
7	Port Huron	244	241	127	47	37	6	27	7	3	.....	113	1
8	Saginaw	726	720	455	190	100	34	84	33	14	.....	260	5
9	Sault Ste. Marie	165	163	102	28	39	9	20	3	3	.....	58	3
10	Traverse City	235	232	153	74	27	33	9	6	4	.....	70	9
	MINNESOTA.[1]												
11	Duluth	990	983	537	121	249	36	97	20	14	.....	417	29
12	Mankato	159	159	94	35	30	13	11	4	1	.....	62	3
13	Minneapolis	3,147	3,096	1,925	711	690	173	241	83	27	.....	1,069	102
14	St. Paul	2,413	2,359	1,534	567	538	150	182	69	28	.....	777	48
15	Winona	260	260	141	63	49	5	14	9	1	.....	118	1
	MISSOURI.[1]												
16	Kansas City	3,489	2,899	2,283	1,200	272	440	131	194	46	.....	467	149
17	St. Joseph	1,062	978	789	511	62	117	52	40	7	.....	151	38
18	St. Louis	10,739	9,566	6,311	2,852	1,948	598	596	202	115	.....	3,125	130
	NEBRASKA.[1]												
19	Lincoln	527	516	399	151	56	166	16	6	4	.....	103	14
20	Omaha	1,797	1,707	1,131	507	265	212	106	34	7	.....	531	45
	NEW HAMPSHIRE												
21	Berlin	138	138	91	8	66	2	13	2	.....	.....	42	5
22	Concord	462	461	347	177	55	63	23	27	2	.....	99	15
23	Dover	243	243	184	98	32	28	13	12	1	.....	54	5
24	Keene	145	145	122	67	14	20	5	15	1	.....	20	3
25	Laconia	168	168	139	68	24	23	12	11	1	.....	26	3
26	Manchester	1,362	1,361	947	247	469	86	108	30	7	.....	404	10
27	Nashua	434	434	323	98	136	20	41	17	11	.....	107	4
28	Portsmouth	176	174	132	84	18	15	7	7	1	.....	38	4
29	Rochester	128	128	101	61	13	14	5	8	.....	.....	27	.....
	NEW JERSEY.												
30	Atlantic City	683	531	433	269	80	45	31	5	3	.....	97	1
31	Bayonne	679	665	450	139	258	5	46	1	1	.....	208	7
32	Bloomfield	149	142	103	48	31	13	11	.....	.....	.....	38	1
33	Bridgeton	212	201	193	158	6	22	2	5	.....	.....	8	.....
34	Camden	1,485	1,319	1,060	659	198	106	81	12	4	.....	239	20
35	East Orange	313	296	239	187	29	5	17	1	.....	.....	57	.....
36	Elizabeth	1,141	1,108	769	264	389	43	61	7	5	.....	330	9
37	Hackensack	191	181	129	70	39	6	10	3	1	.....	50	2
38	Harrison	182	180	123	39	61	14	8	1	.....	.....	57	.....
39	Hoboken	1,237	1,234	692	185	409	7	87	3	1	.....	538	4
40	Jersey City	4,406	4,259	2,867	1,043	1,396	127	264	13	24	.....	1,345	47
41	Kearny	206	201	134	51	34	41	6	2	.....	.....	67	.....
42	Long Branch	262	230	179	121	29	10	18	1	.....	.....	49	2
43	Millville	151	145	131	113	7	1	5	5	.....	.....	14	.....
44	Montclair	276	242	180	93	38	28	13	4	4	.....	59	3
45	Morristown	257	233	173	97	44	7	18	4	3	.....	58	2
46	New Brunswick	484	453	353	141	125	40	14	13	20	.....	86	14
47	Newark	5,571	5,313	3,546	1,377	1,524	306	246	18	75	.....	1,740	27
48	Orange	459	399	259	107	102	13	35	1	1	.....	138	2
49	Passaic	791	779	546	90	398	25	20	3	10	.....	231	2
50	Paterson	1,882	1,839	1,117	392	452	143	106	14	10	.....	706	16
51	Perth Amboy	430	429	295	65	184	9	23	2	12	.....	134	.....
52	Phillipsburg	155	155	125	94	20	3	4	4	.....	.....	28	2
53	Plainfield	297	263	198	130	30	19	11	7	1	.....	64	1
54	Trenton	1,655	1,576	1,143	578	389	96	69	10	1	.....	395	38
55	Union	277	277	152	53	69	1	24	3	2	.....	125	.....
56	West Hoboken	422	421	252	68	139	6	39	.....	.....	.....	168	1
	NEW YORK.												
57	Albany	1,758	1,737	1,165	587	341	101	83	33	20	.....	532	40
58	Amsterdam	419	417	306	112	150	9	22	12	1	.....	109	2
59	Auburn	514	507	381	221	103	19	31	4	3	.....	125	1
60	Batavia	166	165	118	57	33	6	14	5	3	.....	45	2
61	Binghamton	872	853	703	440	149	49	26	32	7	.....	134	16
62	Buffalo	6,331	6,279	4,156	1,394	1,972	43	609	105	33	.....	2,106	17
63	Cohoes	488	488	323	104	158	2	49	3	7	.....	165	.....
64	Corning	212	209	176	113	25	16	6	13	3	.....	30	3
65	Cortland	164	164	141	76	17	34	2	11	1	.....	17	6
66	Dunkirk	200	200	125	39	55	8	19	3	1	.....	75	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND MONTH OF OCCURRENCE: 1909—Continued.

COLORED.					MONTH OF OCCURRENCE.												
Total.	Negro.	Indian.	Chinese.	Japanese.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
.....	.....	.....	.....	.....	10	9	9	12	12	10	9	17	14	18	17	11	.....	1
.....	.....	.....	.....	.....	20	15	13	11	9	13	9	20	22	16	17	8	.....	2
.....	.....	.....	.....	.....	9	18	13	18	12	13	6	9	13	13	13	11	.....	3
2	2	.....	.....	.....	21	26	18	28	23	17	25	22	26	15	30	23	.....	4
.....	.....	.....	.....	.....	10	11	13	6	13	10	12	4	7	9	11	11	.....	5
3	3	.....	.....	.....	10	15	35	36	21	23	13	25	20	21	20	25	.....	6
3	3	.....	.....	.....	20	21	25	22	27	17	19	24	19	15	15	20	.....	7
6	6	.....	.....	.....	73	48	61	79	56	61	51	66	52	63	57	59	.....	8
2	.....	2	.....	.....	11	16	9	11	10	17	20	21	10	15	17	8	.....	9
3	1	2	.....	.....	24	14	16	23	23	15	17	30	21	19	17	16	.....	10
7	5	.....	2	.....	74	70	80	74	89	73	63	115	97	76	80	99	.....	11
.....	.....	.....	.....	.....	12	14	11	15	13	11	14	8	25	18	10	8	.....	12
51	47	.....	3	1	276	246	319	285	265	189	206	259	283	311	239	269	.....	13
54	53	.....	1	.....	186	188	224	198	244	146	172	253	225	173	193	211	.....	14
.....	.....	.....	.....	.....	22	17	22	23	23	21	23	21	24	20	17	27	.....	15
590	589	.....	1	.....	277	284	328	297	292	238	323	319	248	276	269	338	.....	16
84	84	.....	.....	.....	83	76	129	104	96	69	76	99	84	77	72	97	.....	17
1,173	1,167	1	5	.....	944	920	995	920	879	801	893	933	801	884	863	906	.....	18
11	11	.....	.....	.....	48	43	43	53	38	36	41	43	46	49	39	48	.....	19
90	89	.....	.....	1	137	114	169	179	135	129	149	204	134	141	150	156	.....	20
.....	.....	.....	.....	.....	6	9	7	6	13	12	10	25	12	17	7	13	1	21
1	1	.....	.....	.....	41	37	43	42	53	30	41	29	47	42	26	31	.....	22
.....	.....	.....	.....	.....	16	22	31	27	24	17	21	13	14	18	19	21	.....	23
.....	.....	.....	.....	.....	11	16	13	16	21	8	9	8	10	8	11	14	.....	24
.....	.....	.....	.....	.....	12	15	22	21	12	11	20	7	13	9	13	13	.....	25
1	1	.....	.....	.....	97	116	102	108	112	104	176	118	108	121	98	102	.....	26
.....	.....	.....	.....	.....	43	28	33	34	30	42	40	37	40	38	34	35	.....	27
2	2	.....	.....	.....	19	11	25	14	16	11	11	14	15	7	21	12	.....	28
.....	.....	.....	.....	.....	10	7	10	12	5	7	7	15	23	14	8	10	.....	29
152	151	.....	.....	1	54	54	50	41	49	46	82	82	75	69	35	46	.....	30
14	13	.....	1	.....	72	44	55	55	46	57	62	69	63	58	49	49	.....	31
7	7	.....	.....	.....	10	8	20	19	12	9	13	9	8	18	12	11	.....	32
11	11	.....	.....	.....	24	15	28	20	19	18	18	12	7	16	17	18	.....	33
166	166	.....	.....	.....	133	151	150	118	118	107	141	122	98	126	86	135	.....	34
17	17	.....	.....	.....	26	19	37	25	31	34	23	23	17	23	27	28	.....	35
33	32	.....	1	.....	90	79	93	93	85	81	104	124	110	107	84	91	.....	36
10	10	.....	.....	.....	13	9	26	15	18	13	17	15	19	22	12	12	.....	37
2	2	.....	.....	.....	18	11	19	9	15	9	20	15	15	16	13	22	.....	38
3	3	.....	.....	.....	116	107	120	120	98	86	123	101	94	90	81	101	.....	39
147	147	.....	.....	.....	419	361	445	416	355	326	393	343	317	325	335	371	.....	40
5	5	.....	.....	.....	23	21	14	15	14	18	22	10	13	26	13	17	.....	41
32	32	.....	.....	.....	24	15	20	19	14	17	30	35	35	18	13	22	.....	42
6	6	.....	.....	.....	6	11	15	21	8	15	16	12	12	7	14	14	.....	43
34	34	.....	.....	.....	22	13	23	24	22	23	25	22	20	35	19	28	.....	44
24	24	.....	.....	.....	15	23	29	19	21	18	29	21	25	21	16	20	.....	45
31	30	.....	1	.....	37	46	35	47	36	29	53	52	41	39	38	31	.....	46
258	256	.....	2	.....	473	433	503	489	469	370	427	472	426	489	453	567	.....	47
60	60	.....	.....	.....	40	45	44	37	44	29	30	39	29	39	40	43	.....	48
12	12	.....	.....	.....	56	50	64	71	66	64	93	81	63	61	56	66	.....	49
43	43	.....	.....	.....	174	170	162	185	148	130	174	155	131	151	130	172	.....	50
1	1	.....	.....	.....	42	34	37	33	22	22	46	44	38	40	32	40	.....	51
.....	.....	.....	.....	.....	12	10	9	16	15	10	11	13	16	18	10	15	.....	52
34	34	.....	.....	.....	22	26	23	30	23	25	24	26	20	22	24	32	.....	53
79	79	.....	.....	.....	148	126	184	144	163	118	161	119	120	105	110	157	.....	54
.....	.....	.....	.....	.....	25	17	26	20	32	16	25	22	20	26	19	29	.....	55
1	1	.....	.....	.....	39	38	48	42	43	29	37	31	30	25	30	30	.....	56
21	21	.....	.....	.....	141	114	155	148	161	141	146	171	138	136	142	165	.....	57
2	2	.....	.....	.....	37	41	30	39	27	30	34	48	39	35	21	38	.....	58
7	7	.....	.....	.....	36	35	51	45	39	41	41	52	34	47	40	53	.....	59
1	1	.....	.....	.....	12	14	10	16	17	10	12	10	20	16	12	17	.....	60
19	18	.....	.....	1	87	70	87	65	83	63	63	74	65	73	76	66	.....	61
52	49	2	1	.....	537	488	490	499	513	441	544	547	525	558	544	645	.....	62
.....	.....	.....	.....	.....	49	54	41	35	41	30	35	41	39	35	40	48	.....	63
3	3	.....	.....	.....	17	19	32	15	17	18	9	17	20	12	15	21	.....	64
.....	.....	.....	.....	.....	11	11	15	22	21	14	12	8	10	13	12	15	.....	65
.....	.....	.....	.....	.....	20	20	13	26	21	6	9	16	13	20	17	19	.....	66

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION AREA, BY

	REGISTRATION AREA.	Total.	WHITE.										
			Native.									Foreign.	Unknown.
			Total.	Both parents.			Mixed parentage.			Parentage not stated.			
				Total.	Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	REGISTRATION CITIES—Continued.												
	NEW YORK—continued.												
1	Elmira	554	539	399	254	66	28	29	19	3	.....	133	7
2	Geneva	175	172	126	70	30	9	9	5	3	.....	45	1
3	Glens Falls	219	219	182	116	46	6	10	3	1	.....	37	.....
4	Gloversville	298	296	235	136	36	34	12	17	.....	.....	57	4
5	Hornell	189	188	157	115	14	8	10	7	3	.....	25	6
6	Hudson	172	165	122	70	35	7	5	5	.....	.....	38	5
7	Ithaca	211	203	177	113	19	17	11	14	3	.....	22	4
8	Jamestown	342	342	223	113	63	21	15	11	.....	.....	119	.....
9	Johnstown	158	157	125	62	22	20	4	17	.....	.....	31	1
10	Kingston	517	496	367	250	76	4	32	5	.....	.....	123	6
11	Little Falls	177	177	134	55	52	13	9	4	1	.....	42	1
12	Lockport	273	271	196	104	43	8	34	5	2	.....	66	9
13	Middletown	341	331	263	171	39	31	11	11	.....	.....	62	6
14	Mount Vernon	392	372	267	110	102	6	37	10	2	.....	102	3
15	New Rochelle	321	299	197	91	84	2	20	.....	.....	.....	102	.....
16	New York	74,263	71,890	43,717	12,885	24,069	1,780	4,590	185	208	.....	27,658	515
17	Bronx Borough	6,451	6,272	3,686	1,136	2,040	38	443	13	16	.....	2,569	17
18	Brooklyn Borough	24,417	23,855	15,127	5,229	7,897	155	1,762	38	46	.....	8,648	80
19	Manhattan Borough	38,031	36,526	21,553	5,148	12,662	1,548	1,951	113	131	.....	14,585	388
20	Queens Borough	3,846	3,748	2,398	964	1,083	16	311	11	13	.....	1,329	21
21	Richmond Borough	1,518	1,489	953	408	387	23	123	10	2	.....	527	9
22	Newburgh	476	464	346	221	80	14	27	3	1	.....	116	2
23	Niagara Falls	464	456	291	92	129	11	51	3	5	.....	161	4
24	North Tonawanda	161	161	121	42	58	1	16	2	2	.....	38	2
25	Ogdensburg	412	408	270	119	58	38	33	18	4	.....	124	14
26	Olean	208	206	150	65	41	19	12	7	6	.....	56	.....
27	Oswego	335	335	219	100	56	26	22	7	8	.....	115	1
28	Peekskill	230	227	184	112	42	9	10	9	2	.....	40	3
29	Plattsburg	197	197	166	103	28	8	20	7	.....	.....	31	.....
30	Port Jervis	183	180	147	105	16	10	9	6	1	.....	31	2
31	Poughkeepsie	512	494	385	223	83	29	27	16	7	.....	102	7
32	Rochester	3,064	3,045	1,997	820	758	150	230	28	11	.....	1,025	23
33	Rome	348	343	247	126	78	15	15	10	3	.....	94	2
34	Saratoga Springs	240	226	177	94	30	24	13	15	1	.....	49	.....
35	Schenectady	853	846	657	308	269	16	39	17	8	.....	181	8
36	Syracuse	1,947	1,920	1,377	669	420	56	141	69	22	.....	527	16
37	Troy	1,484	1,473	988	438	332	62	98	45	13	.....	470	15
38	Utica	1,268	1,255	918	376	358	69	76	33	6	.....	328	9
39	Watertown	423	420	320	188	60	17	41	12	2	.....	99	1
40	Watervliet	228	226	170	82	54	8	23	3	.....	.....	55	1
41	Yonkers	1,117	1,088	748	231	410	12	81	10	4	.....	332	8
	NORTH CAROLINA.[1]												
42	Raleigh	468	224	80	38	.....	28	.....	14	.....	.....	2	142
43	Wilmington	539	214	200	162	9	17	3	9	.....	.....	11	3
	OHIO.												
44	Akron	652	639	480	299	116	15	30	17	3	.....	150	9
45	Alliance	183	181	146	97	25	1	13	9	1	.....	34	1
46	Ashtabula	230	227	178	90	72	5	8	1	2	.....	45	4
47	Bellaire	207	195	167	104	47	.....	11	4	1	.....	28	.....
48	Cambridge	117	109	104	77	8	7	5	7	.....	.....	4	1
49	Canton	490	485	377	211	86	30	32	15	3	.....	106	2
50	Chillicothe	267	240	198	136	26	12	10	14	.....	.....	42	.....
51	Cincinnati	5,938	5,386	3,635	1,612	1,158	315	349	129	72	.....	1,694	57
52	Cleveland	6,975	6,815	4,168	1,289	2,193	137	389	126	34	.....	2,587	60
53	Columbus	2,365	2,132	1,726	1,024	273	194	126	94	15	.....	352	54
54	Dayton	1,549	1,450	1,157	706	234	83	90	36	8	.....	278	15
55	East Liverpool	255	251	212	151	23	8	19	10	1	.....	39	.....
56	Elyria	185	181	135	68	35	6	13	10	3	.....	42	4
57	Findlay	214	209	191	149	10	5	11	14	2	.....	18	.....
58	Fremont	127	127	97	49	23	6	7	8	4	.....	29	1
59	Hamilton	446	428	343	215	78	5	34	9	2	.....	82	3
60	Ironton	189	171	158	125	14	4	3	12	.....	.....	12	1
61	Lancaster	131	127	110	55	6	38	2	7	2	.....	16	1
62	Lima	384	356	318	234	28	15	16	23	2	.....	32	6
63	Lorain	420	411	309	92	179	2	28	4	4	.....	98	4
64	Mansfield	289	288	229	131	45	18	13	19	3	.....	59	.....
65	Marietta	174	171	149	95	20	14	7	13	.....	.....	20	2
66	Marion	203	199	166	119	13	10	12	11	1	.....	32	1
67	Massillon	159	158	113	64	23	6	14	4	2	.....	42	3
68	Middletown	167	162	137	104	18	4	2	9	.....	.....	24	1
69	Newark	272	269	239	166	27	11	16	16	3	.....	30	.....
70	Piqua	167	160	144	97	12	11	11	11	2	.....	16	.....
71	Portsmouth	282	263	230	170	19	16	15	9	1	.....	32	1
72	Sandusky	231	227	128	61	42	6	13	3	3	.....	96	3
73	Springfield	562	474	399	268	43	37	19	26	6	.....	72	3

[1] Nonregistration state; cities shown below only those with effective local ordinances.

COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND MONTH OF OCCURRENCE: 1909—Continued.

COLORED.					MONTH OF OCCURRENCE.												
Total.	Negro.	Indian.	Chinese.	Japanese.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
15	15	.....	.....	.....	44	40	50	65	46	40	50	44	54	45	42	34	.....	1
3	3	.....	.....	.....	18	13	15	22	18	17	11	16	8	10	15	12	.....	2
.....	.....	.....	.....	.....	21	17	27	22	17	9	15	15	12	24	21	19	.....	3
2	2	.....	.....	.....	21	28	29	26	25	27	16	19	21	26	22	38	.....	4
1	1	.....	.....	.....	16	12	25	16	13	12	18	11	16	15	15	20	.....	5
7	7	.....	.....	.....	18	9	14	13	14	14	20	16	18	17	6	13	.....	6
8	8	.....	.....	.....	24	17	16	18	11	24	17	18	22	18	13	13	.....	7
.....	.....	.....	.....	.....	35	28	23	34	21	35	28	34	30	22	27	25	.....	8
1	1	.....	.....	.....	11	17	21	11	15	15	9	6	7	18	11	17	.....	9
21	21	.....	.....	.....	44	39	42	48	52	46	35	32	50	40	37	52	.....	10
.....	.....	.....	.....	.....	15	14	16	17	13	19	18	14	14	16	10	11	.....	11
2	2	.....	.....	.....	18	16	27	28	30	22	20	32	22	20	14	24	.....	12
10	10	.....	.....	.....	38	17	30	39	22	29	27	29	30	24	25	31	.....	13
20	20	.....	.....	.....	32	38	44	29	31	21	31	29	38	33	26	40	.....	14
22	22	.....	.....	.....	25	24	17	25	25	35	24	25	19	30	33	39	.....	15
2,373	2,274	3	84	12	6,308	5,818	7,015	6,946	6,431	5,736	6,181	5,985	5,388	5,851	5,845	6,759	.....	16
179	178	.....	.....	1	532	524	628	619	536	534	544	545	465	498	490	536	.....	17
562	551	.....	7	4	2,106	1,872	2,194	2,115	2,075	1,845	2,212	1,934	1,842	1,887	1,999	2,336	.....	18
1,505	1,420	2	77	6	3,255	3,045	3,706	3,767	3,401	2,949	2,879	2,995	2,666	3,006	2,935	3,427	.....	19
98	96	1	.....	1	292	269	346	309	304	305	402	366	284	332	307	330	.....	20
29	29	.....	.....	.....	123	108	141	136	115	108	144	145	131	128	114	130	.....	21
12	12	.....	.....	.....	43	42	56	51	33	35	35	27	34	38	32	50	.....	22
8	6	2	.....	.....	36	45	44	32	42	34	38	40	42	40	22	49	.....	23
.....	.....	.....	.....	.....	22	15	18	12	17	5	10	15	10	13	7	17	.....	24
4	3	1	.....	.....	37	33	45	31	50	38	28	29	37	26	35	23	.....	25
2	2	.....	.....	.....	23	17	25	22	9	11	20	21	15	22	7	16	.....	26
.....	.....	.....	.....	.....	29	19	36	29	32	21	16	25	38	29	25	36	.....	27
3	3	.....	.....	.....	16	19	15	10	21	16	15	28	21	24	19	26	.....	28
.....	.....	.....	.....	.....	9	12	18	17	18	18	11	18	23	12	17	24	.....	29
3	3	.....	.....	.....	20	15	19	18	14	23	12	11	11	12	18	10	.....	30
18	18	.....	.....	.....	42	42	51	42	46	36	49	37	34	41	42	50	.....	31
19	18	.....	.....	1	266	248	289	254	292	243	253	234	258	226	225	276	.....	32
5	5	.....	.....	.....	34	34	33	32	30	18	37	39	24	26	20	21	.....	33
14	14	.....	.....	.....	28	11	25	17	17	24	16	23	20	20	12	27	.....	34
7	7	.....	.....	.....	74	61	76	68	69	51	68	83	85	76	56	86	.....	35
27	26	1	.....	.....	152	145	171	190	182	136	169	178	171	147	125	181	.....	36
11	11	.....	.....	.....	130	115	131	133	137	114	111	132	117	124	118	122	.....	37
13	13	.....	.....	.....	103	93	115	122	111	88	105	127	107	108	119	70	.....	38
3	3	.....	.....	.....	37	37	35	45	31	38	31	33	45	31	29	31	.....	39
2	2	.....	.....	.....	19	23	24	21	18	10	31	21	12	21	8	20	.....	40
29	29	.....	.....	.....	101	96	96	108	91	76	94	100	98	76	79	102	.....	41
244	244	.....	.....	.....	25	38	47	26	44	48	38	32	46	38	43	43	.....	42
325	325	.....	.....	.....	46	27	39	38	39	61	51	50	46	52	47	43	.....	43
13	13	.....	.....	.....	49	68	55	47	46	43	40	60	57	68	47	72	.....	44
2	2	.....	.....	.....	10	18	22	14	15	13	18	21	11	14	8	19	.....	45
3	3	.....	.....	.....	17	14	27	20	20	17	20	18	23	15	16	23	.....	46
12	12	.....	.....	.....	14	16	21	27	15	19	19	7	13	15	18	23	.....	47
8	8	.....	.....	.....	10	6	10	14	10	14	14	11	4	6	10	8	.....	48
5	4	.....	1	.....	32	38	41	44	40	31	56	51	37	36	40	44	.....	49
27	27	.....	.....	.....	28	12	16	18	20	18	43	26	21	30	18	17	.....	50
552	551	1	.....	.....	526	470	573	547	495	448	503	467	463	474	454	518	.....	51
160	156	1	2	1	569	534	652	621	569	496	641	635	553	558	514	632	1	52
233	233	.....	.....	.....	199	167	240	201	191	168	199	191	189	202	203	214	1	53
99	99	.....	.....	.....	161	130	133	122	143	125	144	114	125	133	100	119	.....	54
4	4	.....	.....	.....	17	16	26	19	24	13	26	23	20	24	21	26	.....	55
4	4	.....	.....	.....	17	8	19	21	16	11	23	15	8	15	16	16	.....	56
5	5	.....	.....	.....	19	12	19	15	21	14	22	25	30	12	13	12	.....	57
.....	.....	.....	.....	.....	13	6	16	14	14	12	6	11	9	6	8	12	.....	58
18	18	.....	.....	.....	52	36	42	30	36	40	38	33	31	33	37	38	.....	59
18	18	.....	.....	.....	14	22	15	19	16	16	16	18	4	18	10	21	.....	60
4	4	.....	.....	.....	10	10	15	10	14	11	8	7	14	14	8	10	.....	61
28	28	.....	.....	.....	33	26	32	35	30	34	29	48	32	28	23	34	.....	62
9	9	.....	.....	.....	29	33	29	30	23	38	65	44	38	28	33	35	.....	63
1	1	.....	.....	.....	19	22	24	18	22	15	27	21	29	26	28	38	.....	64
3	3	.....	.....	.....	17	14	16	11	24	17	11	19	7	12	11	15	.....	65
4	4	.....	.....	.....	14	8	24	17	18	15	17	15	17	16	10	32	.....	66
1	1	.....	.....	.....	9	8	19	12	16	7	11	22	10	15	11	19	.....	67
5	5	.....	.....	.....	19	17	15	10	14	14	14	8	11	13	16	16	.....	68
3	3	.....	.....	.....	25	26	20	19	29	26	13	24	25	24	18	23	.....	69
7	7	.....	.....	.....	22	9	14	9	15	18	13	12	16	11	14	14	.....	70
19	19	.....	.....	.....	21	29	28	23	29	27	32	17	14	16	16	30	.....	71
4	4	.....	.....	.....	13	16	21	17	30	15	26	22	20	13	19	19	.....	72
88	88	.....	.....	.....	55	45	46	54	45	42	43	47	46	44	43	52	.....	73

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION AREA, BY

	REGISTRATION AREA.	Total.	WHITE.										
			Total.	Native.								Foreign.	Unknown.
				Total.	Both parents.			Mixed parentage.			Parentage not stated.		
					Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	REGISTRATION CITIES—Continued.												
	OHIO—continued.												
1	Steubenville	395	365	268	138	74	17	23	16	.....	.....	91	6
2	Tiffin	152	152	113	69	20	9	6	6	3	.....	39	.....
3	Toledo	2,414	2,373	1,592	695	480	153	156	81	27	.....	664	117
4	Warren	103	100	78	53	14	6	3	2	.....	.....	22	.....
5	Wellston	93	93	86	67	6	6	2	5	.....	.....	7	.....
6	Xenia	136	88	80	62	6	7	1	4	.....	.....	8	.....
7	Youngstown	1,142	1,078	761	247	374	36	83	12	9	.....	306	11
8	Zanesville	354	326	290	199	37	14	16	18	6	.....	36	.....
	OREGON.[1]												
9	Portland	1,878	1,799	1,249	579	223	189	130	101	27	.....	461	89
	PENNSYLVANIA.												
10	Allentown	750	748	666	510	113	7	25	10	1	.....	80	2
11	Altoona	604	587	497	356	52	17	40	23	9	.....	90	.....
12	Beaver Falls	138	137	115	58	27	11	10	8	1	.....	20	2
13	Braddock	412	397	292	68	197	1	19	3	4	.....	102	3
14	Bradford	207	202	160	85	34	12	12	15	2	.....	39	3
15	Butler	258	254	204	111	66	6	15	5	1	.....	49	1
16	Carbondale	268	267	200	94	66	8	27	3	2	.....	65	2
17	Carlisle	161	137	128	105	5	4	4	8	2	.....	7	2
18	Chambersburg	198	182	171	136	5	16	3	10	1	.....	10	1
19	Chester	603	474	363	209	97	14	33	6	4	.....	105	6
20	Columbia	150	143	120	85	13	6	8	8	.....	.....	22	1
21	Danville	121	119	100	70	8	9	7	6	.....	.....	19	.....
22	Dubois	109	107	86	52	20	2	9	2	1	.....	20	1
23	Dunmore	295	295	215	58	85	33	14	22	3	.....	77	3
24	Duquesne	247	244	188	39	132	2	12	1	2	.....	53	3
25	Easton	430	418	357	273	49	6	21	7	1	.....	58	3
26	Erie	1,011	1,005	718	279	276	59	75	20	9	.....	278	9
27	Harrisburg	893	781	688	538	66	15	37	26	6	.....	89	4
28	Hazleton	368	366	249	89	113	5	36	6	.....	.....	116	1
29	Homestead	267	246	201	55	118	1	20	6	1	.....	45	.....
30	Johnstown	853	836	629	317	213	27	41	23	8	.....	200	7
31	Lancaster	647	632	548	443	50	9	36	7	3	.....	83	1
32	Lebanon	317	317	284	239	10	12	7	13	3	.....	30	3
33	McKeesport	707	685	471	174	224	10	54	5	4	.....	208	6
34	Mahanoy City	264	263	179	61	90	8	13	3	4	.....	83	1
35	Meadville	207	199	154	106	25	8	8	7	.....	.....	45	.....
36	Mount Carmel	240	240	186	80	78	6	13	2	7	.....	52	2
37	Nanticoke	276	276	183	32	124	1	23	2	1	.....	92	1
38	New Castle	511	500	388	216	114	14	29	13	2	.....	107	5
39	Norristown	599	569	433	251	70	54	32	20	6	.....	112	24
40	Oil City	199	196	159	84	40	12	15	7	1	.....	36	1
41	Philadelphia	25,029	22,914	15,953	7,630	5,320	1,006	1,481	381	135	.....	6,679	282
42	Phoenixville	163	156	122	65	47	5	3	2	.....	.....	33	1
43	Pittsburgh	8,343	7,823	5,224	2,088	2,177	175	596	131	57	.....	2,493	106
44	Pittston	323	323	240	79	119	3	36	1	2	.....	81	2
45	Plymouth	236	236	163	49	85	3	22	3	1	.....	72	1
46	Pottstown	208	199	176	146	16	.....	4	9	1	.....	22	1
47	Pottsville	349	342	251	160	59	5	15	11	1	.....	89	2
48	Reading	1,310	1,295	1,163	952	137	15	41	16	2	.....	127	5
49	Scranton	2,081	2,073	1,349	481	659	31	155	17	6	.....	717	7
50	Shamokin	250	249	213	148	39	3	19	3	1	.....	36	.....
51	Sharon	207	203	150	70	47	6	18	6	3	.....	51	2
52	Shenandoah	455	455	339	58	240	9	31	.....	1	.....	116	.....
53	South Bethlehem	314	314	239	77	134	13	7	2	6	.....	75	.....
54	Steelton	183	162	128	62	52	3	5	4	2	.....	34	.....
55	Sunbury	160	159	151	125	3	9	5	9	.....	.....	4	4
56	Titusville	128	127	100	56	19	14	5	4	2	.....	26	1
57	Warren	142	142	101	54	19	12	11	4	1	.....	41	.....
58	West Chester	198	151	121	97	5	11	4	4	.....	.....	28	2
59	Wilkes-Barre	1,022	1,012	691	278	261	28	92	27	5	.....	310	11
60	Wilkinsburg	253	247	203	131	32	17	18	5	.....	.....	44	.....
61	Williamsport	501	479	405	272	42	33	32	22	4	.....	70	4
62	York	577	557	506	415	29	26	17	15	4	.....	44	7
	RHODE ISLAND.												
63	Central Falls	370	369	234	45	151	1	35	2	.....	.....	135	.....
64	Cranston town	529	510	277	136	83	31	22	2	3	.....	222	1
65	Cumberland town	134	134	66	30	28	2	6	.....	.....	.....	68	.....
66	East Providence town	209	194	150	83	41	7	13	6	.....	.....	37	.....
67	Lincoln town	119	119	65	19	34	1	11	.....	.....	.....	53	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND MONTH OF OCCURRENCE: 1909—Continued.

COLORED.					MONTH OF OCCURRENCE.												
Total.	Negro.	Indian.	Chinese.	Japanese.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
30	30	.....	.....	.....	31	35	31	38	29	26	39	25	31	29	37	44	.....	1
.....	.....	.....	.....	.....	15	15	11	11	8	8	7	22	17	12	12	14	.....	2
41	41	.....	.....	.....	212	187	199	194	209	140	207	239	196	205	198	227	1	3
3	3	.....	.....	.....	7	8	7	6	7	7	12	8	5	12	14	10	.....	4
.....	.....	.....	.....	.....	7	10	8	3	7	10	14	12	6	9	3	4	.....	5
48	48	.....	.....	.....	13	18	11	10	7	10	16	13	6	9	10	13	.....	6
64	64	.....	.....	.....	81	72	98	80	95	68	125	127	101	87	83	125	.....	7
28	28	.....	.....	.....	26	26	42	30	28	24	33	30	27	25	33	30	.....	8
79	15	5	43	16	140	125	170	175	169	111	140	197	177	163	146	164	1	9
2	1	.....	.....	1	73	63	72	70	55	55	52	67	68	65	50	60	.....	10
17	17	.....	.....	.....	75	42	60	57	53	37	49	52	41	51	35	52	.....	11
1	1	.....	.....	.....	8	9	14	11	10	7	15	14	13	15	14	8	.....	12
15	15	.....	.....	.....	33	25	35	22	27	30	51	47	38	33	36	35	.....	13
5	5	.....	.....	.....	15	23	19	28	14	18	11	16	12	13	18	20	.....	14
4	4	.....	.....	.....	11	22	27	13	20	19	27	26	25	20	22	26	.....	15
1	1	.....	.....	.....	20	30	27	23	19	17	31	21	25	22	16	17	.....	16
24	23	1	.....	.....	9	19	24	12	14	14	10	8	12	17	7	15	.....	17
16	16	.....	.....	.....	18	24	19	22	21	14	14	17	8	15	11	15	.....	18
129	129	.....	.....	.....	41	49	50	43	43	45	64	74	48	46	41	59	.....	19
7	7	.....	.....	.....	11	15	11	19	13	15	9	12	6	12	10	17	.....	20
2	2	.....	.....	.....	9	11	14	7	10	13	11	8	6	9	11	12	.....	21
2	2	.....	.....	.....	11	8	10	14	7	6	8	10	7	8	14	6	.....	22
.....	.....	.....	.....	.....	31	32	24	29	27	17	24	22	26	17	23	23	.....	23
3	3	.....	.....	.....	16	23	17	24	21	32	28	23	16	15	13	19	.....	24
12	12	.....	.....	.....	45	36	34	32	41	28	33	49	34	34	26	38	.....	25
6	6	.....	.....	.....	65	74	76	96	111	91	98	106	71	89	72	62	.....	26
112	112	.....	.....	.....	90	77	83	95	67	59	73	58	59	83	66	83	.....	27
2	1	.....	1	.....	31	26	33	30	29	22	27	41	24	25	33	47	.....	28
21	21	.....	.....	.....	22	26	29	28	15	15	30	27	21	14	11	29	.....	29
17	17	.....	.....	.....	79	69	72	72	63	65	93	70	70	65	66	69	.....	30
15	15	.....	.....	.....	65	55	59	62	49	41	45	51	49	63	52	56	.....	31
.....	.....	.....	.....	.....	26	28	23	36	21	15	9	30	37	29	30	33	.....	32
22	22	.....	.....	.....	49	56	56	60	55	63	87	57	57	60	57	50	57	33
1	1	.....	.....	.....	20	17	21	26	20	21	27	26	15	22	25	24	.....	34
8	8	.....	.....	.....	21	16	20	18	18	23	14	9	22	19	10	17	.....	35
.....	.....	.....	.....	.....	19	19	29	11	14	14	30	26	26	13	11	28	.....	36
.....	.....	.....	.....	.....	18	21	19	23	21	19	28	37	19	24	30	17	.....	37
11	11	.....	.....	.....	46	51	43	51	42	43	43	50	40	45	24	33	.....	38
30	30	.....	.....	.....	59	48	74	45	32	47	46	46	37	57	46	62	.....	39
3	3	.....	.....	.....	26	11	14	18	18	14	12	20	21	14	12	19	.....	40
2,115	2,102	4	9	.....	2,382	2,289	2,428	2,254	2,006	1,844	2,236	1,777	1,765	1,931	1,833	2,284	.....	41
7	7	.....	.....	.....	10	14	19	16	5	12	17	20	18	10	10	12	.....	42
520	516	.....	3	1	749	624	696	672	687	636	746	613	632	732	695	861	.....	43
.....	.....	.....	.....	.....	43	36	34	26	23	16	26	27	15	26	26	25	.....	44
.....	.....	.....	.....	.....	16	24	32	20	22	16	14	20	20	17	13	22	.....	45
9	9	.....	.....	.....	22	15	24	13	16	24	21	15	17	15	11	15	.....	46
7	7	.....	.....	.....	33	29	42	28	23	25	39	25	25	32	18	30	.....	47
15	15	.....	.....	.....	112	113	131	124	107	94	101	109	102	106	93	118	.....	48
8	8	.....	.....	.....	189	179	205	166	164	143	226	213	145	154	143	154	.....	49
1	1	.....	.....	.....	17	17	20	26	20	16	30	19	21	24	20	20	.....	50
4	4	.....	.....	.....	9	15	26	13	13	19	16	15	17	22	20	22	.....	51
.....	.....	.....	.....	.....	19	27	45	40	35	36	55	58	45	48	26	21	.....	52
.....	.....	.....	.....	.....	22	27	32	28	38	20	17	36	22	27	21	24	.....	53
21	21	.....	.....	.....	14	18	14	19	13	12	18	15	17	12	15	16	.....	54
1	1	.....	.....	.....	16	9	15	16	10	8	12	17	15	19	15	8	.....	55
1	1	.....	.....	.....	12	16	7	13	7	6	7	11	15	11	10	13	.....	56
.....	.....	.....	.....	.....	13	9	18	12	13	9	14	11	12	13	7	11	.....	57
47	47	.....	.....	.....	16	16	19	19	14	25	11	15	16	16	20	11	.....	58
10	10	.....	.....	.....	84	62	98	95	76	78	98	92	80	96	74	89	.....	59
6	6	.....	.....	.....	28	24	21	21	26	10	22	20	22	22	17	20	.....	60
22	22	.....	.....	.....	45	49	40	42	40	42	39	44	24	40	41	55	.....	61
20	20	.....	.....	.....	44	47	56	56	51	37	40	50	41	48	58	49	.....	62
1	1	.....	.....	.....	28	19	18	26	30	34	52	48	33	29	22	31	.....	63
19	19	.....	.....	.....	40	42	49	46	32	41	49	64	40	42	37	47	.....	64
.....	.....	.....	.....	.....	15	17	16	9	8	10	7	9	12	5	7	19	.....	65
15	15	.....	.....	.....	20	15	19	20	14	16	12	20	16	28	19	10	.....	66
.....	.....	.....	.....	.....	8	6	6	6	11	8	12	10	22	11	8	11	.....	67

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION AREA, BY

	REGISTRATION AREA.	Total.	WHITE.										
			Total.	Native.								For-eign.	Un-known.
				Total.	Both parents.			Mixed parentage.			Parent-age not stated.		
					Native.	Foreign.	Un-known.	Native and for-eign.	Native and un-known.	For-eign and un-known.			
	REGISTRATION CITIES—Continued.												
	RHODE ISLAND—continued.												
1	Newport	387	348	244	121	74	15	32	1	1	.....	101	3
2	Pawtucket	757	752	460	190	178	9	76	5	2	.....	288	4
3	Providence	3,535	3,397	2,319	982	1,009	33	229	43	23	.....	1,061	17
4	Warwick town	431	422	295	122	134	5	33	1	.....	.....	125	2
5	Woonsocket	490	490	335	90	172	7	65	.....	1	.....	153	2
	SOUTH CAROLINA.[1]												
6	Charleston	1,508	436	333	181	38	79	18	14	3	.....	74	29
	SOUTH DAKOTA.												
7	Sioux Falls	148	147	102	54	16	14	15	3	.....	.....	44	1
	TENNESSEE.[1]												
8	Knoxville	644	424	397	344	7	29	6	10	1	.....	26	1
9	Memphis	2,348	1,112	880	598	81	126	35	30	10	.....	164	68
10	Nashville	1,987	1,030	932	706	60	63	26	71	6	.....	88	10
	TEXAS.[1]												
11	Galveston	599	430	276	127	81	34	23	8	3	.....	146	8
12	San Antonio	1,893	1,682	1,194	570	271	125	147	61	20	.....	456	32
	UTAH.[1]												
13	Ogden	293	284	183	106	29	18	19	10	1	.....	89	12
14	Salt Lake City	1,266	1,243	795	382	145	92	132	28	16	.....	410	38
	VERMONT.												
15	Barre	132	132	89	40	31	4	9	3	2	.....	43	.....
16	Bennington town	110	109	84	52	10	14	5	2	1	.....	21	4
17	Burlington	450	448	348	165	51	32	49	47	4	.....	93	7
18	Rutland	210	209	151	80	32	9	12	15	3	.....	54	4
	VIRGINIA.[1]												
19	Alexandria	323	167	157	.....	.....	.....	.....	.....	.....	157	7	3
20	Danville	337	171	163	118	.....	24	1	19	1	.....	1	7
21	Lynchburg	415	200	193	192	1	.....	.....	.....	.....	.....	7	.....
22	Manchester	170	95	90	79	3	2	1	5	.....	.....	4	1
23	Norfolk	1,427	640	573	481	27	30	16	19	.....	.....	56	11
24	Petersburg	624	234	221	194	7	9	8	3	.....	.....	8	5
25	Richmond	2,405	1,201	1,079	750	49	189	26	59	6	.....	96	26
	WASHINGTON.												
26	Seattle	2,223	2,119	1,373	628	260	187	158	107	33	.....	606	140
27	Spokane	1,249	1,215	891	452	141	144	86	54	14	.....	260	64
28	Tacoma	849	823	525	226	129	61	67	35	7	.....	265	33
29	Walla Walla	224	219	178	82	20	42	17	14	3	.....	33	8
	WEST VIRGINIA[1].												
30	Wheeling	687	664	513	281	131	18	54	27	2	.....	147	4
	WISCONSIN.												
31	Appleton	209	209	124	66	34	4	18	.....	2	.....	85	.....
32	Ashland	250	249	112	32	45	9	22	2	2	.....	121	16
33	Beloit	174	173	124	72	21	11	14	6	.....	.....	48	1
34	Chippewa Falls	152	152	83	29	30	4	18	2	.....	.....	68	1
35	Eau Claire	264	263	158	67	56	11	17	5	2	.....	102	3
36	Fond du Lac	269	268	187	90	54	8	18	10	7	.....	80	1
37	Green Bay	479	478	327	112	80	30	47	51	7	.....	139	12
38	Janesville	218	217	148	78	34	9	20	6	1	.....	66	3
39	Kenosha	253	253	172	59	86	4	20	3	.....	.....	79	2
40	La Crosse	363	362	217	78	68	22	34	11	4	.....	142	3
41	Madison	288	284	191	93	53	11	22	8	4	.....	91	2
42	Manitowoc	169	168	90	39	34	4	11	1	1	.....	78	.....
43	Marinette	175	173	115	38	48	6	19	3	1	.....	55	3
44	Merrill	108	108	73	27	23	6	14	2	1	.....	34	1
45	Milwaukee	4,938	4,926	3,189	839	1,600	99	539	82	30	.....	1,699	38
46	Oshkosh	397	396	240	105	76	13	37	7	2	.....	154	2
47	Racine	437	435	246	75	114	8	45	4	.....	.....	188	1
48	Sheboygan	313	313	153	52	69	4	26	1	1	.....	156	4
49	Stevens Point	135	135	92	39	22	6	17	6	2	.....	42	1
50	Superior	403	401	246	74	115	15	36	5	1	.....	136	19
51	Watertown	98	98	43	16	17	2	6	1	1	.....	55	.....
52	Wausau	202	202	121	45	35	6	31	2	2	.....	79	2

[1] Nonregistration state; cities shown below only those with effective local ordinances.

COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND MONTH OF OCCURRENCE: 1909—Continued.

COLORED.					MONTH OF OCCURRENCE.													
Total.	Negro.	Indian.	Chinese.	Japanese.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
39	39	.....	.....	.....	28	37	42	39	26	25	16	43	37	24	35	35	.....	1
5	4	.....	1	.....	78	62	78	68	57	45	61	74	64	58	50	62	.....	2
138	133	.....	5	.....	322	294	332	320	280	278	323	283	254	271	268	310	.....	3
9	9	.....	.....	.....	38	46	45	36	26	37	35	36	37	29	36	30	.....	4
.....	.....	.....	.....	.....	45	36	54	33	35	37	48	51	23	40	36	52	.....	5
1,072	1,072	.....	.....	.....	102	97	127	114	147	120	144	118	116	139	124	158	2	6
1	1	.....	.....	.....	15	19	11	8	14	7	11	15	12	14	11	11	.....	7
220	220	.....	.....	.....	51	55	57	60	61	64	62	47	51	46	34	56	.....	8
1,236	1,236	.....	.....	.....	202	164	192	189	203	201	213	195	164	197	218	209	1	9
957	957	.....	.....	.....	172	159	167	176	170	212	183	144	131	156	135	182	.....	10
169	169	.....	.....	.....	51	50	40	50	53	51	66	53	49	45	48	43	.....	11
211	211	.....	.....	.....	175	147	171	141	192	185	169	132	109	120	147	205	.....	12
9	4	.....	1	4	18	36	23	26	22	12	22	35	24	25	22	28	.....	13
23	16	.....	2	5	98	89	135	127	92	106	87	109	95	113	95	120	.....	14
.....	.....	.....	.....	.....	6	13	13	9	14	10	14	8	8	10	16	11	.....	15
1	1	.....	.....	.....	13	6	15	9	14	6	2	7	7	11	9	11	.....	16
2	2	.....	.....	.....	28	30	45	51	45	30	31	37	40	38	33	42	.....	17
1	1	.....	.....	.....	12	16	28	23	13	14	17	17	16	18	18	18	.....	18
156	156	.....	.....	.....	30	30	35	30	21	28	23	30	28	16	26	26	.....	19
166	166	.....	.....	.....	18	15	27	21	48	38	28	25	23	37	24	33	.....	20
215	215	.....	.....	.....	32	40	31	31	55	35	39	26	18	39	33	36	.....	21
75	75	.....	.....	.....	12	11	12	10	12	27	19	14	12	11	16	14	.....	22
787	786	.....	1	.....	125	104	125	131	152	131	120	120	99	110	102	108	.....	23
390	390	.....	.....	.....	46	43	52	54	69	69	52	44	46	58	34	57	.....	24
1,204	1,204	.....	.....	.....	185	176	238	213	215	213	229	177	155	204	198	202	.....	25
104	34	5	15	50	163	162	180	178	182	163	194	202	241	196	186	176	.....	26
34	22	.....	4	8	111	100	115	135	99	92	105	90	117	106	88	91	.....	27
26	12	4	.....	10	71	67	77	77	48	50	55	72	91	86	70	85	.....	28
5	1	.....	4	.....	23	22	13	16	15	14	22	23	20	13	19	24	.....	29
23	23	.....	.....	.....	60	60	66	57	58	55	67	40	44	51	65	64	.....	30
.....	.....	.....	.....	.....	13	16	16	17	25	26	14	14	17	19	17	15	.....	31
1	.....	1	.....	.....	19	32	23	15	21	22	13	15	17	22	33	18	.....	32
1	1	.....	.....	.....	21	15	24	14	12	13	8	15	17	11	14	10	.....	33
.....	.....	.....	.....	.....	11	17	8	16	12	9	10	11	17	16	17	8	.....	34
1	1	.....	.....	.....	23	19	21	30	19	23	19	18	22	26	25	19	.....	35
1	1	.....	.....	.....	18	21	23	29	21	16	18	22	29	26	24	22	.....	36
1	1	.....	.....	.....	38	40	43	45	44	49	38	36	53	35	22	36	.....	37
1	1	.....	.....	.....	17	20	25	23	17	17	10	18	16	19	18	18	.....	38
.....	.....	.....	.....	.....	18	19	20	25	37	18	12	23	18	25	14	24	.....	39
1	1	.....	.....	.....	19	25	38	32	39	35	34	24	29	35	31	22	.....	40
4	4	.....	.....	.....	27	17	31	22	28	19	27	11	31	31	25	19	.....	41
1	1	.....	.....	.....	12	10	22	18	11	11	13	14	17	13	16	12	.....	42
2	.....	2	.....	.....	20	9	17	12	19	9	15	13	15	17	13	16	.....	43
.....	.....	.....	.....	.....	9	7	10	10	7	8	7	7	7	15	8	13	.....	44
12	12	.....	.....	.....	388	400	428	453	467	407	402	421	435	404	351	382	.....	45
1	1	.....	.....	.....	34	32	26	36	37	30	30	32	38	42	30	30	.....	46
2	2	.....	.....	.....	25	32	46	37	47	20	25	34	42	46	33	50	.....	47
.....	.....	.....	.....	.....	27	33	21	36	24	26	18	16	32	32	26	22	.....	48
.....	.....	.....	.....	.....	14	13	19	17	11	11	8	6	10	9	8	9	.....	49
2	2	.....	.....	.....	36	31	28	33	37	28	36	33	37	31	33	40	.....	50
.....	.....	.....	.....	.....	8	9	12	8	11	5	8	8	7	6	6	10	.....	51
.....	.....	.....	.....	.....	20	19	17	13	21	18	22	8	16	18	8	22	.....	52

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION AREA, BY

	REGISTRATION AREA.	Total.	WHITE.										
			Total.	Native.								Foreign.	Unknown.
				Total.	Both parents.			Mixed parentage.			Parentage not stated.		
					Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	CALIFORNIA RURAL.[1]												
1	Alameda County	850	808	490	189	154	58	58	19	12	.....	311	7
2	Alpine County	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Amador County	116	109	70	19	12	24	7	6	2	.....	37	2
4	Butte County	435	400	277	120	23	92	16	20	6	.....	77	46
5	Calaveras County	127	121	70	31	24	9	3	3	.....	.....	49	2
6	Colusa County	80	74	52	27	6	9	4	6	.....	.....	20	2
7	Contra Costa County	332	326	191	61	58	28	23	13	8	.....	117	18
8	Del Norte County	31	30	20	9	5	4	1	1	.....	.....	9	1
9	Eldorado County	125	116	80	28	13	28	5	6	.....	.....	34	2
10	Fresno County	489	453	309	118	47	89	13	36	6	.....	137	7
11	Glenn County	28	27	16	6	1	4	2	3	.....	.....	8	3
12	Humboldt County	334	323	214	72	39	67	16	10	10	.....	106	3
13	Imperial County	40	39	25	13	1	6	3	2	.....	.....	8	6
14	Inyo County	36	34	15	5	4	3	1	2	.....	.....	18	1
15	Kern County	383	364	232	86	22	76	6	25	17	.....	83	49
16	Kings County	161	145	108	33	10	37	10	12	6	.....	33	4
17	Lake County	71	58	48	29	2	9	1	6	1	.....	9	1
18	Lassen County	42	41	34	21	.....	7	4	2	.....	.....	4	3
19	Los Angeles County	1,968	1,933	1,466	685	157	370	106	122	26	.....	418	49
20	Madera County	73	67	45	15	14	9	1	4	2	.....	17	5
21	Marin County	308	300	189	63	54	42	23	4	3	.....	106	5
22	Mariposa County	48	44	27	7	1	13	.....	5	1	.....	15	2
23	Mendocino County	317	305	192	67	22	63	17	15	8	.....	100	13
24	Merced County	117	113	85	38	21	16	5	3	2	.....	25	3
25	Modoc County	32	31	21	12	.....	5	3	1	.....	.....	8	2
26	Mono County	7	7	4	2	.....	1	.....	1	.....	.....	3	.....
27	Monterey County	315	292	200	90	20	30	26	22	12	.....	90	2
28	Napa County	504	489	281	73	33	143	13	12	7	.....	195	13
29	Nevada County	228	219	111	23	20	44	16	6	2	.....	93	15
30	Orange County	355	351	256	141	26	43	23	20	3	.....	86	9
31	Placer County	183	174	116	59	19	26	4	6	2	.....	45	13
32	Plumas County	79	69	32	8	7	10	3	4	.....	.....	27	10
33	Riverside County	434	409	324	182	51	43	26	17	5	.....	78	7
34	Sacramento County	391	330	201	52	22	96	12	15	4	.....	115	14
35	San Benito County	77	72	48	22	8	9	5	3	1	.....	24	.....
36	San Bernardino County	902	867	611	259	99	139	48	53	13	.....	224	32
37	San Diego County	149	148	113	62	10	24	7	10	.....	.....	30	5
38	San Joaquin County	395	366	230	82	26	89	15	15	3	.....	121	15
39	San Luis Obispo County	201	199	145	75	17	23	16	11	3	.....	47	7
40	San Mateo County	256	253	149	65	42	18	18	3	3	.....	95	9
41	Santa Barbara County	348	339	255	147	22	39	32	10	5	.....	74	10
42	Santa Clara County	755	718	443	183	78	97	56	24	5	.....	264	11
43	Santa Cruz County	385	362	246	113	28	56	16	28	5	.....	108	8
44	Shasta County	308	278	190	96	20	49	7	16	2	.....	71	17
45	Sierra County	30	29	14	5	2	6	1	.....	.....	.....	13	2
46	Siskiyou County	191	175	124	46	17	37	11	13	.....	.....	43	8
47	Solano County	349	333	209	68	49	45	28	13	6	.....	111	13
48	Sonoma County	611	594	413	197	61	89	31	23	12	.....	176	5
49	Stanislaus County	196	188	136	53	16	43	10	10	4	.....	44	8
50	Sutter County	53	53	37	23	3	8	1	2	.....	.....	13	3
51	Tehama County	187	166	121	54	9	31	12	14	1	.....	40	5
52	Trinity County	32	25	17	8	.....	5	3	1	.....	.....	7	1
53	Tulare County	291	284	219	115	23	46	15	16	4	.....	55	10
54	Tuolumne County	133	126	79	22	10	32	8	6	1	.....	45	2
55	Ventura County	219	212	152	76	26	26	10	11	3	.....	50	10
56	Yolo County	194	187	133	52	11	39	15	11	5	.....	46	8
57	Yuba County	148	123	76	30	7	28	4	5	2	.....	37	10
	COLORADO RURAL.[1]												
58	Adams County	111	109	74	36	11	11	6	5	5	.....	25	10
59	Arapahoe County	116	115	77	44	11	9	5	5	3	.....	34	4
60	Archuleta County	36	36	32	22	.....	1	.....	9	.....	.....	1	3
61	Baca County	5	5	5	2	1	1	1	.....	.....	.....	.....	.....
62	Bent County	73	70	61	32	2	22	.....	4	1	.....	6	3
63	Boulder County	424	418	323	181	61	32	25	21	3	.....	83	12
64	Chaffee County	166	163	107	47	12	23	12	11	2	.....	45	11
65	Cheyenne County	10	10	8	2	1	.....	5	.....	.....	.....	2	.....
66	Clear Creek County	99	94	57	12	22	8	12	2	1	.....	36	1
67	Conejos County	81	80	69	47	7	7	4	3	1	.....	10	1
68	Costilla County	7	7	7	4	1	.....	1	1	.....	.....	.....	.....
69	Custer County	29	29	22	8	2	9	.....	3	.....	.....	7	.....
70	Delta County	112	112	94	71	6	7	7	3	.....	.....	12	6
71	Dolores County	9	9	4	1	1	1	1	.....	.....	.....	5	.....
72	Douglas County	23	23	17	10	3	3	1	.....	.....	.....	6	.....

[1] Exclusive of cities having a population of 8,000 or over in 1900.

COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND MONTH OF OCCURRENCE: 1909—Continued.

COLORED.					MONTH OF OCCURRENCE.												
Total.	Negro.	Indian.	Chinese.	Japanese.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
42	20	.....	16	6	88	83	54	83	69	66	71	84	49	77	78	48	.....	1
7	.....	3	4	.....	14	6	11	11	8	11	9	8	13	8	9	8	.....	2
35	3	3	27	2	41	36	27	35	33	44	31	36	40	40	33	39	.....	3
6	.....	4	2	.....	11	16	15	18	9	5	8	8	9	7	10	11	.....	4
6	1	1	2	2	7	4	6	7	12	5	11	8	8	5	3	4	.....	5
6	1	.....	4	1	25	30	39	32	27	28	22	25	27	26	28	23	.....	6
1	.....	1	.....	.....	2	3	4	3	1	4	3	.....	2	4	2	3	.....	7
9	2	3	4	.....	6	13	9	14	8	9	3	9	13	11	13	17	.....	8
36	4	.....	13	19	39	37	38	46	44	47	40	20	43	42	47	46	.....	9
1	.....	.....	1	.....	3	2	5	4	3	.....	1	2	.....	2	4	2	.....	10
11	1	10	.....	.....	21	38	37	26	26	34	27	25	20	19	28	33	.....	11
1	.....	.....	.....	1	4	5	5	7	4	2	2	2	4	1	2	2	.....	12
2	1	.....	.....	1	2	3	5	1	3	4	1	3	3	6	2	3	.....	13
19	6	.....	11	2	21	24	37	30	27	29	34	33	43	30	36	39	.....	14
16	2	3	7	4	15	10	11	11	12	18	12	14	20	13	16	9	.....	15
13	.....	12	1	.....	6	6	7	1	10	3	8	5	6	3	10	6	.....	16
1	1	.....	.....	.....	7	4	9	3	1	4	1	3	2	3	4	1	.....	17
35	14	1	3	17	180	140	190	166	183	163	159	173	141	127	165	181	.....	18
6	.....	2	4	.....	7	5	8	5	6	6	8	3	3	4	10	8	.....	19
8	1	4	3	.....	19	18	31	25	33	22	29	37	27	15	27	25	.....	20
4	.....	3	1	.....	4	6	7	2	2	3	4	6	2	4	3	5	.....	21
12	3	4	3	2	22	19	32	30	26	22	27	23	38	34	20	24	.....	22
4	1	.....	2	1	9	8	14	9	12	17	6	11	4	8	8	11	.....	23
1	.....	1	.....	.....	3	6	1	4	3	3	4	1	3	1	1	2	.....	24
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	1	.....	.....	.....	.....	25
23	3	.....	8	12	33	31	31	35	26	27	18	19	26	20	15	34	.....	26
15	4	2	7	2	44	46	43	52	51	52	37	30	39	34	33	43	.....	27
9	.....	2	7	.....	25	22	21	22	24	13	19	17	11	18	21	15	.....	28
4	3	.....	.....	1	32	31	30	35	23	25	32	27	28	26	28	38	.....	29
9	.....	1	5	3	17	13	10	17	19	11	14	14	13	15	23	17	.....	30
10	.....	2	7	1	4	9	11	7	7	9	6	5	6	7	6	2	.....	31
25	12	6	3	4	36	24	32	30	44	47	36	45	30	22	36	51	1	32
61	5	2	26	28	29	25	22	28	26	33	32	29	39	36	52	39	1	33
5	.....	2	1	2	8	10	9	7	5	3	6	7	3	10	4	5	.....	34
35	13	6	4	12	85	76	77	83	76	74	66	53	58	74	86	94	.....	35
1	.....	.....	1	.....	15	9	9	14	19	9	10	12	17	14	12	9	.....	36
29	7	.....	14	8	46	37	20	30	43	26	30	18	37	34	38	36	.....	37
2	.....	.....	1	1	14	20	19	20	21	15	18	16	14	11	14	19	.....	38
3	2	.....	1	.....	26	18	19	31	17	26	20	21	15	21	15	27	.....	39
9	1	1	6	1	31	25	33	22	30	35	16	34	35	35	23	29	.....	40
37	6	.....	10	21	84	54	77	64	63	56	64	62	43	70	54	64	.....	41
23	3	.....	5	15	33	38	32	25	37	29	33	40	26	27	24	41	.....	42
30	2	24	4	.....	30	21	30	27	20	20	31	21	28	25	27	28	.....	43
1	.....	.....	1	.....	1	2	5	.....	5	1	1	4	2	2	4	3	.....	44
16	.....	11	5	.....	14	15	23	19	13	12	18	13	21	14	15	14	.....	45
16	4	1	5	6	40	32	28	23	27	30	30	31	27	23	34	24	.....	46
17	2	5	6	4	64	39	62	56	60	40	42	41	44	54	48	61	.....	47
8	2	1	4	1	16	15	18	20	10	14	10	15	16	20	23	19	.....	48
.....	.....	.....	.....	.....	5	4	7	2	4	3	6	2	8	2	4	5	1	49
21	1	1	17	2	14	15	14	12	15	17	12	14	14	23	23	14	.....	50
7	.....	2	5	.....	1	3	1	3	5	1	3	4	4	3	3	1	.....	51
7	1	.....	1	5	26	17	23	22	26	33	17	21	21	22	30	33	.....	52
7	3	2	2	.....	11	15	12	12	9	9	16	8	6	11	13	11	.....	53
7	.....	.....	2	5	18	21	16	13	20	12	22	17	23	22	17	18	.....	54
7	3	.....	.....	4	22	12	20	18	19	17	18	12	7	18	12	19	.....	55
25	5	.....	14	6	13	12	10	12	12	15	12	18	14	14	7	9	.....	56
2	2	.....	.....	.....	5	5	19	11	5	12	8	11	11	11	5	8	.....	57
1	1	.....	.....	.....	9	4	8	8	11	9	8	14	10	6	13	16	.....	58
.....	.....	.....	.....	.....	8	3	4	1	5	2	3	2	2	.....	1	5	.....	59
.....	.....	.....	.....	.....	1	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	60
3	3	.....	.....	.....	6	7	11	6	5	4	7	7	7	2	4	7	.....	61
6	1	.....	.....	5	45	30	44	41	45	28	31	41	30	29	27	33	.....	62
3	1	.....	.....	2	12	9	19	15	9	7	15	17	26	11	12	14	.....	63
.....	.....	.....	.....	.....	2	1	3	2	.....	.....	.....	.....	2	.....	.....	.....	.....	64
5	5	.....	.....	.....	15	8	7	7	5	11	5	12	11	9	5	4	.....	65
1	1	.....	.....	.....	7	1	4	15	7	6	2	8	8	5	11	7	.....	66
.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	1	.....	1	1	.....	67
.....	.....	.....	.....	.....	2	1	3	3	2	1	2	4	.....	6	3	2	.....	68
.....	.....	.....	.....	.....	7	12	8	12	14	11	4	11	8	7	11	7	.....	69
.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	.....	.....	1	1	3	.....	70
.....	.....	.....	.....	.....	2	4	4	.....	.....	.....	4	2	1	1	.....	5	.....	71
																		72

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION AREA, BY

	REGISTRATION AREA.	Total.	WHITE.										
			Total.	Native.								For-eign.	Un-known.
				Total.	Both parents.			Mixed parentage.			Parent-age not stated.		
					Native.	Foreign.	Un-known.	Native and for-eign.	Native and un-known.	For-eign and un-known.			
	COLORADO RURAL[1]—Continued.												
1	Eagle County	60	59	40	20	7	7	3	1	2	.....	10	9
2	El Paso County	252	247	214	133	29	22	17	11	2	.....	27	6
3	Elbert County	23	22	17	10	2	1	.....	4	.....	.....	4	1
4	Fremont County	223	211	163	91	29	18	16	8	1	.....	40	8
5	Garfield County	169	168	114	52	18	23	10	8	3	.....	41	13
6	Gilpin County	53	53	27	10	12	2	2	1	.....	.....	26	.....
7	Grand County	17	17	12	6	2	3	.....	1	.....	.....	3	2
8	Gunnison County	70	68	53	20	19	8	6	.....	.....	.....	11	4
9	Hinsdale County	9	9	7	4	1	1	.....	1	.....	.....	2	.....
10	Huerfano County	203	189	150	77	34	14	5	18	2	.....	34	5
11	Jefferson County	279	279	146	62	27	28	15	11	3	.....	125	8
12	Kiowa County	17	17	14	12	.....	1	.....	1	.....	.....	1	2
13	Kit Carson County	43	43	34	23	.....	2	2	6	1	.....	8	1
14	La Plata County	136	133	89	48	8	13	7	13	.....	.....	36	8
15	Lake County	75	75	49	4	33	7	4	.....	1	.....	25	1
16	Larimer County[2]	326	323	279	167	47	24	16	23	2	.....	44	.....
17	Las Animas County	602	585	444	259	107	30	30	16	2	.....	136	5
18	Lincoln County	32	32	27	14	3	4	4	2	.....	.....	4	1
19	Logan County	72	72	59	34	12	6	6	1	.....	.....	10	3
20	Mesa County	250	246	205	125	31	20	11	16	2	.....	35	6
21	Mineral County	5	5	5	4	.....	.....	1	.....	.....	.....	.....	.....
22	Montezuma County	30	30	28	17	2	3	1	3	2	.....	2	.....
23	Montrose County	86	86	74	45	4	12	5	7	1	.....	10	2
24	Morgan County	77	76	61	35	12	4	3	7	.....	.....	14	1
25	Otero County	269	264	229	155	31	17	11	13	2	.....	31	4
26	Ouray County	64	63	40	11	7	12	3	5	2	.....	19	4
27	Park County	23	23	14	6	1	5	1	1	.....	.....	8	1
28	Phillips County	22	22	19	8	2	7	1	.....	1	.....	3	.....
29	Pitkin County	50	50	25	8	10	.....	4	2	1	.....	22	3
30	Prowers County	104	102	88	56	7	11	2	12	.....	.....	13	1
31	Pueblo County	288	270	157	59	35	50	6	7	.....	.....	76	37
32	Rio Blanco County	19	19	13	5	2	3	2	.....	1	.....	4	2
33	Rio Grande County	91	91	72	46	3	18	4	1	.....	.....	15	4
34	Routt County	53	53	38	28	1	3	3	3	.....	.....	11	4
35	Saguache County	34	34	30	23	1	2	1	2	1	.....	3	1
36	San Juan County	52	52	18	4	6	5	3	.....	.....	.....	32	2
37	San Miguel County	84	82	50	23	15	7	1	2	2	.....	22	10
38	Sedgwick County	28	27	26	14	2	4	3	2	1	.....	1	.....
39	Summit County	25	25	19	4	4	9	1	.....	1	.....	5	1
40	Teller County	205	203	148	58	22	18	32	15	3	.....	42	13
41	Washington County	31	31	29	19	3	3	1	2	1	.....	2	.....
42	Weld County	362	357	304	178	53	31	27	14	1	.....	38	15
43	Yuma County	53	53	43	21	3	11	3	5	.....	.....	10	.....
	CONNECTICUT RURAL.[1]												
44	Fairfield County	735	722	575	303	110	89	31	35	7	.....	131	16
45	Hartford County	967	958	727	339	226	49	53	53	7	.....	212	19
46	Litchfield County	838	823	640	338	137	83	24	54	4	.....	166	17
47	Middlesex County	353	349	263	166	58	12	13	11	3	.....	82	4
48	New Haven County	757	745	566	297	151	46	29	38	5	.....	172	7
49	New London County	575	567	435	254	74	45	26	32	4	.....	113	19
50	Tolland County	271	271	217	106	47	31	16	16	1	.....	51	3
51	Windham County	565	554	437	209	97	25	63	39	4	.....	104	13
	INDIANA RURAL.[1]												
52	Adams County	245	245	208	151	15	14	10	14	4	.....	36	1
53	Allen County	265	264	212	136	20	27	14	12	3	.....	42	10
54	Bartholomew County	172	172	162	115	4	19	5	19	.....	.....	8	2
55	Benton County	96	96	85	59	5	8	3	9	1	.....	10	1
56	Blackford County	189	189	174	139	4	15	8	7	1	.....	12	3
57	Boone County	294	290	283	221	2	28	2	29	1	.....	5	2
58	Brown County	93	93	91	69	.....	13	1	8	.....	.....	.....	2
59	Carroll County	233	233	221	152	7	32	5	24	1	.....	11	1
60	Cass County	263	263	218	114	7	71	6	14	6	.....	23	22
61	Clark County	298	269	247	179	8	22	7	29	2	.....	19	3
62	Clay County	394	390	348	249	27	30	18	22	2	.....	36	6
63	Clinton County	350	348	340	268	4	36	5	24	3	.....	6	2
64	Crawford County	165	165	162	122	1	18	4	17	.....	.....	3	.....
65	Daviess County	219	218	207	160	1	22	2	21	1	.....	10	1
66	Dearborn County	271	269	203	120	36	17	13	12	5	.....	54	12
67	Decatur County	267	265	234	170	4	32	8	19	1	.....	21	10
68	Dekalb County	290	290	266	193	11	28	11	22	1	.....	23	1
69	Delaware County	254	250	238	180	4	21	10	23	.....	.....	10	2
70	Dubois County	230	230	183	129	31	12	6	5	.....	.....	42	5
71	Elkhart County	345	344	305	205	17	42	11	27	3	.....	28	11

[1] Exclusive of cities having a population of 8,000 or over in 1900.

COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND MONTH OF OCCURRENCE: 1909—Continued.

COLORED.					MONTH OF OCCURRENCE:												
Total.	Negro.	Indian.	Chinese.	Japanese.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
1	1				22	7	4	3	2	4	2	2	6	3	2	3		1
5	4			1	22	27	20	25	17	16	25	39	22	18	10	11		2
1	1				1		1	3	1	6	1	5		1	1	3		3
12	12				19	23	17	26	25	22	16	8	16	17	21	13		4
1		1			18	16	17	18	19	13	12	15	12	9	7	13		5
					5	5	4	6	6	5	3	2	3	4	5	5		6
						1	2		3	1	2	3	1		4			7
2	2				6	3	5	7	3	2	4	7	9	7	10	7		8
						1		3	1					3		1		9
14	12			2	17	13	11	13	15	13	30	29	11	17	21	13		10
					26	26	24	20	20	24	20	27	26	14	26	26		11
					2		2	2			2	1	2	4	2			12
					2	5	4	2	3	3	2	5	1	3	7	6		13
3	2	1			14	11	15	14	17	9	8	5	7	9	16	11		14
						4	17	7	8	8	2	10	3	5	7	4		15
3				3	32	29	38	26	15	28	17	23	27	32	22	37		16
17	11			6	56	53	52	48	44	45	71	47	47	52	50	37		17
					4	3	1	4	4	6	1	2	3	1		3		18
					10	4	4	7	8	5	2	8	7	7	5	5		19
4	4				22	29	18	27	21	18	23	9	23	20	20	20		20
									1		1		1	2				21
					1	3	4	3	1	2	3	5	1	4	1	2		22
					2	4	9	9	10	6	8	10	6	6	6	10		23
1				1	4	5	8	8	5	4	5	8	7	11	7	5		24
5	3	2			18	28	16	22	20	15	22	26	25	18	29	30		25
1	1				7	3	9	4	12	6	5	2	6	4	4	2		26
					1		2		1	3	3	3	3	3	3	1		27
						2	2	1	2	4	2	1	2	3	2	1		28
					5	5	6	3	7	4	3	2	4	3	3	5		29
2	2				8	9	7	4	11	5	12	10	12	13	7	6		30
18	13	1		4	19	22	25	15	28	27	31	28	23	27	21	22		31
					2		2	3		3	2		1	1	4	1		32
					8	7	7	10	7	7	5	6	11	8	11	4		33
					5	4	3	4	3	7	2	7	9	4	2	3		34
					2	6	5	3		1	4	7	1	3	2			35
					1	3	5	7	3	2	13	3	4	2	6	3		36
2	2				13	9	6	7	7	8	7	5	8	3	6	5		37
1				1	2	1	1	4	4	3	3	2	2	1	4	1		38
					1	2	2	3	2	1	4	1	2	2	3	2		39
2	2				22	18	18	18	25	13	6	21	15	17	13	19		40
					2	3	5	1	4	2	1	2	4	4		3		41
5	2			3	36	25	28	29	33	29	30	39	24	40	24	25		42
					3	9	8	14		3	2	5	4	3		2		43
13	13				64	60	70	59	59	47	60	62	62	48	68	76		44
9	9				89	68	100	90	67	77	78	100	63	74	76	85		45
15	14	1			64	58	78	81	57	65	52	84	79	67	70	83		46
4	4				29	30	41	30	26	22	22	39	25	28	21	40		47
12	12				70	61	73	65	68	49	70	61	62	54	51	73		48
8	8				49	51	61	56	54	44	50	42	40	48	39	41		49
					20	17	33	25	25	20	10	22	25	17	27	30		50
11	10	1			51	50	55	49	44	49	41	52	54	40	32	48		51
					28	19	32	27	17	16	16	24	32	14	14	6		52
1	1				16	26	34	24	22	18	14	27	18	31	13	22		53
					14	11	17	13	13	11	20	17	12	11	9	24		54
					12	9	11	8	7	3	7	10	6	7	7	9		55
					17	9	18	22	14	12	15	20	22	18	8	14		56
4	4				26	22	41	26	30	25	19	29	21	21	14	20		57
					10	9	10	15	11	9	7	3	2	5	7	5		58
					13	24	27	23	18	19	17	22	10	20	17	23		59
					22	17	37	29	37	10	16	22	13	13	17	30		60
29	29				24	20	32	26	20	29	33	29	24	28	17	16		61
4	4				22	31	33	32	32	27	61	39	36	24	24	33		62
2	2				22	31	42	34	31	18	32	35	29	19	18	39		63
					12	14	17	9	9	13	15	13	15	14	19	15		64
1	1				23	8	25	13	21	8	26	15	16	22	19	23		65
2	2				23	21	26	31	23	14	25	26	11	17	28	26		66
2	2				22	21	24	30	21	24	20	31	22	21	14	17		67
					27	20	33	32	27	21	22	21	24	16	20	27		68
4	4				24	15	22	20	24	12	20	23	22	17	30	25		69
					15	21	21	22	13	21	17	23	22	24	12	19		70
1	1				22	25	42	33	27	24	29	27	26	36	32	22		71

[2] Includes Jackson County, organized May, 1909.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION AREA, BY

	REGISTRATION AREA.	Total.	WHITE.										
			Total.	Native.								Foreign.	Unknown.
				Total.	Both parents.			Mixed parentage.			Parentage not stated.		
					Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	INDIANA RURAL [1]—Continued.												
1	Fayette County	169	160	149	114	8	9	5	12	1	.....	10	1
2	Floyd County	127	124	112	63	15	10	10	12	2	.....	10	2
3	Fountain County	257	256	247	187	10	24	4	22	.....	.....	9	.....
4	Franklin County	208	208	175	107	18	14	9	21	6	.....	33	.....
5	Fulton County	194	194	182	130	5	24	6	17	.....	.....	12	.....
6	Gibson County	401	370	342	242	8	34	15	40	3	.....	21	7
7	Grant County	470	448	402	209	12	152	4	24	1	.....	38	8
8	Greene County	474	471	446	342	26	37	14	26	1	.....	23	2
9	Hamilton County	332	318	307	229	4	30	8	36	.....	.....	8	3
10	Hancock County	259	255	245	199	10	13	4	19	.....	.....	9	1
11	Harrison County	270	268	248	185	8	20	8	25	2	.....	18	2
12	Hendricks County	292	289	276	225	2	25	6	18	.....	.....	7	6
13	Henry County	397	391	376	282	6	46	3	36	3	.....	9	6
14	Howard County	193	189	182	136	6	15	4	21	.....	.....	6	1
15	Huntington County	210	210	192	137	8	25	5	17	.....	.....	17	1
16	Jackson County	333	329	300	210	22	28	11	25	4	.....	28	1
17	Jasper County	137	137	118	75	4	14	8	17	.....	.....	19	.....
18	Jay County	310	308	294	225	8	23	9	27	2	.....	11	3
19	Jefferson County	305	286	248	171	22	24	13	14	4	.....	34	4
20	Jennings County	208	204	182	120	16	25	8	13	.....	.....	21	1
21	Johnson County	246	244	236	173	4	26	8	23	2	.....	7	1
22	Knox County	255	252	240	184	10	21	6	18	1	.....	9	3
23	Kosciusko County	321	321	307	216	12	42	12	23	2	.....	11	3
24	Lagrange County	196	196	183	126	6	28	10	10	3	.....	11	2
25	Lake County	765	761	521	134	312	18	36	16	5	.....	224	16
26	Laporte County	363	359	257	142	39	35	18	21	2	.....	90	12
27	Lawrence County	431	424	408	332	6	27	5	38	.....	.....	11	5
28	Madison County	360	359	342	261	12	37	8	23	1	.....	16	1
29	Marion County	403	354	296	219	19	22	10	23	3	.....	54	4
30	Marshall County	289	288	258	156	8	51	10	27	6	.....	20	10
31	Martin County	196	196	188	147	5	14	9	12	1	.....	7	1
32	Miami County	218	216	207	143	1	30	3	27	3	.....	8	1
33	Monroe County	298	288	278	208	4	29	9	27	1	.....	7	3
34	Montgomery County	351	343	326	239	8	35	13	31	.....	.....	13	4
35	Morgan County	297	291	280	214	4	35	4	22	1	.....	5	6
36	Newton County	94	93	82	62	2	6	4	6	2	.....	10	1
37	Noble County	310	310	273	188	21	24	14	22	4	.....	32	5
38	Ohio County	57	53	50	33	2	10	2	2	1	.....	1	2
39	Orange County	219	218	207	167	2	23	.....	14	1	.....	6	5
40	Owen County	159	157	154	109	1	23	4	17	.....	.....	2	1
41	Parke County	299	296	283	240	9	13	4	17	.....	.....	9	4
42	Perry County	193	189	161	127	17	6	7	4	.....	.....	27	1
43	Pike County	298	294	283	240	5	12	4	21	1	.....	10	1
44	Porter County	225	224	165	91	23	24	14	12	1	.....	54	5
45	Posey County	270	248	221	170	8	13	11	19	.....	.....	24	3
46	Pulaski County	128	128	111	69	8	14	4	14	2	.....	17	.....
47	Putnam County	259	254	243	201	3	16	6	16	1	.....	8	3
48	Randolph County	370	366	355	283	6	22	10	30	4	.....	9	2
49	Ripley County	241	239	176	110	22	12	19	9	4	.....	60	3
50	Rush County	194	187	179	134	5	17	6	16	1	.....	7	1
51	St. Joseph County	337	335	278	145	28	43	17	44	1	.....	51	6
52	Scott County	113	113	110	88	3	7	.....	12	.....	.....	2	1
53	Shelby County	373	363	338	272	11	22	6	26	1	.....	22	3
54	Spencer County	239	221	185	131	14	15	8	15	2	.....	35	1
55	Starke County	134	133	107	72	10	7	5	11	2	.....	23	3
56	Steuben County	180	180	163	115	3	24	7	12	2	.....	7	10
57	Sullivan County	355	352	329	236	22	27	14	30	.....	.....	21	2
58	Switzerland County	145	144	135	99	6	11	7	11	1	.....	8	1
59	Tippecanoe County	241	239	211	144	10	26	9	20	2	.....	26	2
60	Tipton County	224	224	211	152	8	25	5	18	3	.....	10	3
61	Union County	84	84	80	56	3	8	3	10	.....	.....	4	.....
62	Vanderburg County	197	175	121	61	20	23	12	5	.....	.....	39	15
63	Vermilion County	258	255	226	149	40	13	4	18	2	.....	26	3
64	Vigo County	292	278	245	175	14	23	7	24	2	.....	24	9
65	Wabash County	216	216	202	150	6	20	3	20	3	.....	10	4
66	Warren County	112	111	101	74	1	12	2	11	1	.....	9	1
67	Warrick County	259	251	236	185	9	23	5	13	1	.....	13	2
68	Washington County	214	214	209	157	5	20	3	23	1	.....	3	2
69	Wayne County	382	364	332	218	14	56	10	30	4	.....	23	9
70	Wells County	250	250	233	181	9	16	6	19	2	.....	16	1
71	White County	183	183	156	99	4	27	9	15	2	.....	24	3
72	Whitley County	177	177	167	106	6	29	8	15	3	.....	9	1

[1] Exclusive of cities having a population of 8,000 or over in 1900.

COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND MONTH OF OCCURRENCE: 1909—Continued.

COLORED.					MONTH OF OCCURRENCE.												
Total.	Negro.	Indian.	Chinese.	Japanese.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
9	9	.....	.....	.....	15	19	21	16	19	9	11	19	12	10	8	10	.....	1
3	3	.....	.....	.....	12	7	21	12	7	7	6	8	10	13	14	10	.....	2
1	1	.....	.....	.....	25	21	27	24	19	20	27	20	23	13	25	13	.....	3
.....	.....	.....	.....	.....	13	16	26	17	22	19	10	15	11	13	10	36	.....	4
.....	.....	.....	.....	.....	15	16	13	22	8	13	23	23	23	18	8	12	.....	5
31	31	.....	.....	.....	29	32	39	36	25	35	38	34	42	40	23	28	.....	6
22	22	.....	.....	.....	50	33	38	33	50	38	41	42	31	33	32	49	.....	7
3	3	.....	.....	.....	35	40	45	47	26	41	50	47	42	33	29	39	.....	8
14	14	.....	.....	.....	33	35	34	28	18	17	29	26	17	35	25	35	.....	9
4	4	.....	.....	.....	23	26	44	19	22	19	17	14	27	21	9	18	.....	10
2	2	.....	.....	.....	18	19	34	21	16	20	28	32	21	19	21	21	.....	11
3	3	.....	.....	.....	17	37	18	26	24	20	29	41	27	17	19	17	.....	12
6	6	.....	.....	.....	30	32	33	34	39	33	30	42	27	36	32	29	.....	13
4	4	.....	.....	.....	20	12	17	15	15	15	14	19	17	19	9	21	.....	14
.....	.....	.....	.....	.....	15	16	25	23	17	14	18	21	19	19	12	11	.....	15
4	4	.....	.....	.....	18	23	29	34	22	32	33	34	23	25	18	42	.....	16
.....	.....	.....	.....	.....	14	18	16	9	6	9	12	7	9	10	7	20	.....	17
2	2	.....	.....	.....	23	22	37	27	19	24	35	40	26	23	16	18	.....	18
19	19	.....	.....	.....	27	20	35	34	20	22	35	21	22	16	32	21	.....	19
4	4	.....	.....	.....	24	16	20	25	13	14	18	21	14	12	17	14	.....	20
2	2	.....	.....	.....	19	26	19	25	15	16	25	18	16	22	22	23	.....	21
3	3	.....	.....	.....	21	23	27	12	23	11	20	35	13	21	23	26	.....	22
.....	.....	.....	.....	.....	35	27	34	31	26	23	17	31	30	31	17	19	.....	23
.....	.....	.....	.....	.....	11	25	25	21	17	12	16	21	13	6	11	18	.....	24
4	4	.....	.....	.....	47	69	74	62	60	44	68	65	72	71	61	72	.....	25
4	4	.....	.....	.....	38	33	31	42	29	30	16	33	26	28	19	38	.....	26
7	7	.....	.....	.....	21	42	37	49	33	46	37	40	31	35	28	32	.....	27
1	1	.....	.....	.....	33	34	42	51	20	23	24	34	26	25	29	19	.....	28
49	49	.....	.....	.....	36	24	36	38	45	26	30	46	34	30	24	34	.....	29
1	1	.....	.....	.....	24	22	33	41	22	19	19	23	22	21	26	17	.....	30
.....	.....	.....	.....	.....	15	19	16	16	13	14	26	12	15	19	16	15	.....	31
2	2	.....	.....	.....	30	21	22	9	18	14	21	19	20	15	18	11	.....	32
10	10	.....	.....	.....	23	26	22	24	24	19	36	24	22	22	28	28	.....	33
8	8	.....	.....	.....	37	21	33	31	27	23	30	37	34	22	29	27	.....	34
6	6	.....	.....	.....	25	18	30	38	25	24	21	23	21	35	19	18	.....	35
1	1	.....	.....	.....	6	9	11	6	11	3	10	8	11	6	7	6	.....	36
.....	.....	.....	.....	.....	26	30	26	33	31	19	21	33	21	22	22	26	.....	37
4	4	.....	.....	.....	6	2	6	5	6	6	9	2	4	4	2	5	.....	38
1	1	.....	.....	.....	18	17	25	18	18	14	18	21	16	21	16	17	.....	39
2	2	.....	.....	.....	12	14	14	17	12	19	12	16	11	10	8	14	.....	40
3	3	.....	.....	.....	18	32	19	17	19	20	27	34	31	27	26	29	.....	41
4	4	.....	.....	.....	21	20	10	16	20	18	16	15	12	12	16	17	.....	42
4	4	.....	.....	.....	30	25	25	20	18	25	43	30	17	23	22	20	.....	43
1	1	.....	.....	.....	23	13	16	20	21	25	22	18	19	11	17	20	.....	44
22	22	.....	.....	.....	16	22	23	23	29	19	32	18	18	24	26	20	.....	45
.....	.....	.....	.....	.....	12	8	8	19	11	5	14	9	8	12	10	12	.....	46
5	5	.....	.....	.....	16	28	25	29	26	20	17	29	18	16	13	22	.....	47
4	4	.....	.....	.....	30	35	36	33	29	16	33	33	32	30	31	32	.....	48
2	2	.....	.....	.....	19	23	27	23	17	25	22	22	15	14	16	18	.....	49
7	7	.....	.....	.....	16	13	18	24	15	12	14	20	16	10	17	19	.....	50
2	2	.....	.....	.....	27	22	32	39	35	18	17	24	30	33	32	28	.....	51
.....	.....	.....	.....	.....	7	7	10	15	5	8	13	6	15	9	10	8	.....	52
10	10	.....	.....	.....	27	23	40	27	28	33	37	36	38	28	24	32	.....	53
18	18	.....	.....	.....	14	24	20	18	18	21	26	17	16	25	18	22	.....	54
1	1	.....	.....	.....	10	12	16	18	9	7	10	12	15	14	5	6	.....	55
.....	.....	.....	.....	.....	18	8	19	26	17	10	10	19	12	14	16	11	.....	56
3	3	.....	.....	.....	29	29	39	21	26	25	39	36	32	25	19	35	.....	57
1	1	.....	.....	.....	14	12	13	14	14	11	19	6	7	11	10	14	.....	58
2	2	.....	.....	.....	17	24	20	15	22	17	15	23	11	33	19	25	.....	59
.....	.....	.....	.....	.....	20	16	24	27	22	14	16	22	22	16	15	10	.....	60
.....	.....	.....	.....	.....	9	9	11	5	8	7	6	4	6	10	6	3	.....	61
22	22	.....	.....	.....	19	15	13	14	19	15	11	13	19	26	15	18	.....	62
3	3	.....	.....	.....	23	22	29	25	24	17	23	23	20	17	15	20	.....	63
14	14	.....	.....	.....	16	26	33	12	13	18	30	25	37	33	27	22	.....	64
.....	.....	.....	.....	.....	18	15	21	20	19	15	21	21	15	14	26	11	.....	65
1	1	.....	.....	.....	8	11	13	13	5	7	13	8	11	6	8	9	.....	66
8	8	.....	.....	.....	31	18	23	22	20	15	24	35	20	22	14	15	.....	67
.....	.....	.....	.....	.....	20	13	25	26	14	21	25	12	18	15	13	12	.....	68
18	18	.....	.....	.....	30	26	36	34	27	22	30	45	32	33	24	43	.....	69
.....	.....	.....	.....	.....	19	14	27	28	21	20	17	24	23	20	17	20	.....	70
.....	.....	.....	.....	.....	15	19	19	13	15	8	9	23	22	15	11	14	.....	71
.....	.....	.....	.....	.....	17	17	25	14	17	11	13	11	15	11	8	18	.....	72

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION AREA, BY

	REGISTRATION AREA.	Total.	WHITE.										
			Total.	Native.								Foreign.	Unknown.
				Total.	Both parents.			Mixed parentage.			Parentage not stated.		
					Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	MAINE RURAL.[1]												
1	Androscoggin County	243	243	216	185	15	1	13	2	.....	.....	26	1
2	Aroostook County	947	947	723	372	119	30	194	7	1	.....	218	6
3	Cumberland County	801	801	723	583	55	22	46	17	.....	.....	74	4
4	Franklin County	276	276	260	210	14	20	6	9	1	.....	15	1
5	Hancock County	540	540	506	417	6	41	26	16	.....	.....	27	7
6	Kennebec County	648	647	603	515	22	23	22	19	2	.....	37	7
7	Knox County	326	325	302	254	14	15	13	6	.....	.....	23	.....
8	Lincoln County	302	302	292	261	2	13	9	7	.....	.....	9	1
9	Oxford County	558	558	516	404	42	27	33	8	2	.....	35	7
10	Penobscot County	874	873	750	537	75	48	65	23	2	.....	103	20
11	Piscataquis County	276	276	239	173	11	29	15	11	.....	.....	30	7
12	Sagadahoc County	163	163	148	127	4	5	8	3	1	.....	9	6
13	Somerset County	478	478	440	323	31	31	36	18	1	.....	38	.....
14	Waldo County	383	383	373	329	9	12	7	16	.....	.....	8	2
15	Washington County	636	636	500	324	60	16	79	18	3	.....	131	5
16	York County	824	824	745	567	60	48	40	27	3	.....	71	8
	MARYLAND RURAL.[1]												
17	Allegany County	317	311	234	139	50	13	23	7	2	.....	74	3
18	Anne Arundel County	507	263	233	122	64	27	8	6	6	.....	25	5
19	Baltimore County	1,658	1,439	1,174	715	162	164	83	40	10	.....	232	33
20	Calvert County	155	62	60	45	1	5	2	7	.....	.....	.....	2
21	Caroline County	288	187	179	145	6	8	3	17	.....	.....	6	2
22	Carroll County	489	451	410	305	9	71	5	19	1	.....	23	18
23	Cecil County	358	285	256	180	12	30	9	20	5	.....	19	10
24	Charles County	255	91	88	79	.....	3	.....	6	.....	.....	2	1
25	Dorchester County	458	264	258	217	5	15	4	17	.....	.....	4	2
26	Frederick County	477	394	363	302	6	30	7	18	.....	.....	18	13
27	Garrett County	99	98	83	69	1	8	3	1	1	.....	12	3
28	Harford County	374	274	245	174	18	19	11	20	3	.....	24	5
29	Howard County	230	167	152	116	12	7	6	10	1	.....	15	.....
30	Kent County	299	149	140	118	2	13	1	5	1	.....	8	1
31	Montgomery County	320	194	182	144	5	22	6	4	1	.....	10	2
32	Prince Georges County	456	254	229	188	6	14	11	10	.....	.....	16	9
33	Queen Annes County	247	125	121	95	1	15	3	7	.....	.....	4	.....
34	St. Marys County	56	40	39	33	.....	3	.....	3	.....	.....	.....	1
35	Somerset County	267	165	163	139	.....	14	.....	8	2	.....	1	1
36	Talbot County	299	136	126	107	4	7	5	3	.....	.....	6	4
37	Washington County	406	388	375	305	5	34	11	19	1	.....	7	6
38	Wicomico County	293	214	209	183	2	14	1	9	.....	.....	5	.....
39	Worcester County	235	131	129	103	1	13	.....	12	.....	.....	1	1
	MASSACHUSETTS RURAL.[1]												
40	Barnstable County	507	498	436	308	57	17	28	23	3	.....	57	5
41	Berkshire County	522	511	391	223	69	40	35	22	2	.....	114	6
42	Bristol County	766	757	597	338	152	30	44	29	4	.....	156	4
43	Dukes County	78	74	59	40	6	5	5	2	1	.....	13	2
44	Essex County	1,087	1,085	846	546	119	36	91	51	3	.....	231	8
45	Franklin County	601	601	484	269	75	53	37	45	5	.....	114	3
46	Hampden County	651	646	484	205	164	28	57	26	4	.....	157	5
47	Hampshire County	468	466	374	199	74	35	31	33	2	.....	89	3
48	Middlesex County	1,936	1,883	1,219	634	286	82	115	72	30	.....	630	34
49	Nantucket County	70	66	61	42	4	3	3	8	1	.....	5	.....
50	Norfolk County	1,282	1,275	884	486	189	78	78	45	8	.....	382	9
51	Plymouth County	1,170	1,132	857	561	133	54	47	58	4	.....	270	5
52	Suffolk County	120	120	86	45	13	11	13	4	.....	.....	33	1
53	Worcester County	2,093	2,083	1,549	811	365	104	154	106	9	.....	518	16
	MICHIGAN RURAL.[1]												
54	Alcona County	70	69	51	20	12	1	13	4	1	.....	17	1
55	Alger County	83	79	55	19	23	2	9	1	1	.....	21	3
56	Allegan County	505	502	390	271	26	26	41	21	5	.....	109	3
57	Alpena County	78	78	44	18	16	2	7	.....	1	.....	34	.....
58	Antrim County	225	225	168	103	11	13	26	14	1	.....	49	8
59	Arenac County	107	105	76	37	13	5	12	9	.....	.....	28	1
60	Baraga County	76	58	30	8	10	2	10	.....	.....	.....	27	1
61	Barry County	273	273	241	150	19	32	12	25	3	.....	29	3
62	Bay County	237	234	168	64	42	4	42	6	.....	.....	72	4
63	Benzie County	135	129	103	68	10	8	7	9	1	.....	24	2
64	Berrien County	681	669	504	315	70	37	41	34	7	.....	150	15
65	Branch County	387	387	355	242	19	43	17	31	3	.....	30	2
66	Calhoun County	419	417	358	249	22	36	25	23	3	.....	57	2
67	Cass County	292	265	230	157	9	26	9	28	1	.....	32	3
68	Charlevoix County	245	237	175	98	22	12	37	5	1	.....	57	5

[1] Exclusive of cities having a population of 8,000 or over in 1900.

COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND MONTH OF OCCURRENCE: 1909—Continued.

COLORED.					MONTH OF OCCURRENCE.												
Total.	Negro.	Indian.	Chinese.	Japanese.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
					17	21	25	16	26	22	15	20	19	22	29	11		1
					74	71	81	63	82	85	64	114	101	86	64	62		2
					68	69	95	78	71	61	55	61	73	51	59	60		3
					29	22	27	29	22	29	24	12	21	20	29	12		4
					36	50	56	49	50	52	49	39	42	37	42	38		5
1		1			57	52	79	70	61	33	48	38	46	60	44	60		6
1	1				29	25	38	31	16	22	28	26	24	25	30	32		7
					25	25	38	24	31	19	26	20	21	27	17	29		8
					44	43	64	58	49	48	43	31	40	44	42	52		9
1	1				75	68	94	80	61	68	50	62	83	88	70	74	1	10
					31	16	27	26	26	23	19	17	15	23	26	27		11
					18	13	17	12	15	13	14	10	14	14	10	13		12
					53	38	52	43	46	31	31	24	46	34	37	43		13
					29	29	40	22	37	30	19	39	21	39	26	52		14
					63	48	68	58	43	34	43	47	54	72	52	54		15
					80	58	89	90	77	49	60	79	54	68	54	66		16
6	6				27	20	31	48	18	20	32	27	17	22	29	26		17
244	244				41	29	33	45	45	50	73	43	41	34	35	38		18
219	219				162	132	150	147	124	118	170	171	109	140	118	117		19
93	93				14	20	15	17	14	11	18	12	9	13	6	6		20
101	101				19	19	29	37	19	23	28	19	28	25	24	18		21
38	38				44	47	60	54	27	36	33	57	38	36	26	31		22
73	73				23	29	33	41	29	28	30	33	35	23	24	30		23
164	164				26	24	22	26	20	32	24	18	17	10	23	13		24
194	194				38	33	39	30	42	45	44	47	38	42	29	31		25
83	83				37	35	55	40	27	41	37	62	39	33	42	29		26
1	1				7	12	12	14	18	7	11	13	4			1		27
100	100				40	31	38	46	37	20	29	29	37	27	22	18		28
63	63				24	18	25	28	12	12	20	17	25	19	16	14		29
150	150				27	18	34	28	26	22	24	33	23	18	22	24		30
126	126				30	19	30	40	26	31	32	32	24	20	21	15		31
202	202				35	43	37	46	33	36	63	38	34	30	27	34		32
122	122				19	18	17	21	24	23	30	28	16	20	15	16		33
16	16				4	5	2	5	9	12	4	4	1	6	4			34
102	102				19	32	23	13	14	14	35	24	20	22	27	24		35
163	163				28	26	24	25	20	29	29	23	22	14	21	38		36
18	18				35	39	37	36	26	27	42	48	24	32	23	37		37
79	79				29	14	30	24	16	41	31	38	26	18	12	14		38
104	104				20	16	19	20	8	30	37	23	14	18	8	22		39
9	6	3			44	41	45	52	37	47	43	40	49	42	37	30		40
11	11				39	50	48	54	40	34	39	46	44	48	30	50		41
9	9				73	65	78	64	75	51	68	74	57	55	57	49		42
4	4				6	3	4	6	5	8	13	7	4	9	4	9		43
2	1	1			95	84	102	98	100	91	77	102	85	89	86	76	2	44
					47	40	67	43	55	55	50	45	51	50	53	45		45
5	5				75	47	56	56	49	48	56	65	59	51	46	43		46
2	2				45	43	46	32	48	35	35	33	38	24	44	45		47
53	47		6		169	163	187	175	181	141	154	137	158	147	139	184	1	48
4	4				3	2	13	9	2	7	6	8	4	7	3	6		49
7	5	1	1		113	109	122	122	113	90	94	128	102	110	88	91		50
38	37	1			87	93	118	104	90	104	82	114	97	105	88	88		51
					12	8	18	5	13	12	11	6	14	8	4	9		52
10	7	3			178	184	205	174	168	134	139	213	170	159	172	196	1	53
1		1			5	7	10	10	4	3	5	6	8	5	2	5		54
4	1	3			7	10	9	7	8	2	7	4	6	7	7	9		55
3	1	2			31	41	57	58	42	35	36	53	37	44	34	37		56
					9	4	8	3	5	6	5	10	12	7	2	7		57
					12	12	26	23	25	21	15	18	21	15	18	19		58
2		2			10	8	12	12	12	9	3	12	3	11	5	10		59
18	1	17			3	1	4	19	4	7	4	10	9	4	5	6		60
					27	24	31	21	21	20	15	22	28	20	21	23		61
3		3			18	17	29	33	16	17	11	26	24	22	11	13		62
6		6			15	13	8	15	6	10	11	16	14	17	5	5		63
12	11	1			56	59	82	64	56	52	55	64	53	43	47	50		64
					21	31	49	54	36	33	19	34	37	31	20	22		65
2		2			42	32	31	41	48	32	36	27	32	41	27	30		66
27	25	2			20	33	24	23	34	16	26	29	19	20	27	21		67
8	1	7			19	22	21	21	25	21	17	22	23	13	18	23		68

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION AREA, BY

	REGISTRATION AREA.	Total.	WHITE.										
			Total.	Native.								Foreign.	Unknown.
				Total.	Both parents.			Mixed parentage.			Parentage not stated.		
					Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	MICHIGAN RURAL[1]—Continued												
1	Cheboygan County	244	237	149	70	37	7	28	3	4	.....	79	9
2	Chippewa County	120	113	64	8	25	3	27	.....	1	.....	45	4
3	Clare County	111	110	95	55	6	11	11	10	2	.....	14	1
4	Clinton County	269	269	226	153	12	21	20	19	1	.....	40	3
5	Crawford County	50	49	36	23	3	2	7	1	.....	.....	13	.....
6	Delta County	176	167	103	28	41	3	26	4	1	.....	61	3
7	Dickinson County	120	119	64	7	39	2	14	1	1	.....	52	3
8	Eaton County	459	454	398	277	16	53	19	30	3	.....	52	4
9	Emmet County	226	202	166	113	18	12	13	6	4	.....	32	4
10	Genesee County	424	423	342	228	32	24	30	25	3	.....	77	4
11	Gladwin County	75	74	54	34	6	3	8	3	.....	.....	19	1
12	Gogebic County	153	153	102	6	84	.....	9	1	2	.....	50	1
13	Grand Traverse County	166	166	138	95	10	4	19	9	1	.....	27	1
14	Gratiot County	339	337	294	210	9	26	25	21	3	.....	40	3
15	Hillsdale County	383	381	348	257	15	35	20	21	.....	.....	27	6
16	Houghton County	965	964	579	90	388	7	87	3	4	.....	378	7
17	Huron County	363	363	197	61	79	2	50	3	2	.....	164	2
18	Ingham County	293	292	236	156	14	24	17	20	6	.....	51	5
19	Ionia County	422	421	348	224	25	39	27	28	5	.....	73	.....
20	Iosco County	108	105	63	28	18	2	12	2	1	.....	39	3
21	Iron County	135	135	80	6	58	1	13	2	.....	.....	54	1
22	Isabella County	264	239	192	113	19	24	17	15	4	.....	44	3
23	Jackson County	298	297	252	178	14	23	20	17	.....	.....	39	6
24	Kalamazoo County	237	237	204	134	19	22	10	17	2	.....	31	2
25	Kalkaska County	102	102	83	60	5	7	8	3	.....	.....	16	3
26	Kent County	716	711	533	322	61	63	50	27	10	.....	174	4
27	Keweenaw County	101	101	79	10	53	1	15	.....	.....	.....	21	1
28	Lake County	47	46	35	21	3	3	4	4	.....	.....	8	3
29	Lapeer County	370	370	272	158	33	19	31	23	8	.....	96	2
30	Leelanau County	151	129	94	42	28	5	12	4	3	.....	35	.....
31	Lenawee County	493	488	404	268	24	46	25	35	6	.....	74	10
32	Livingston County	270	269	218	148	22	15	13	18	2	.....	49	2
33	Luce County	99	99	44	13	20	4	5	.....	2	.....	47	8
34	Mackinac County	105	90	56	31	10	3	11	.....	1	.....	28	6
35	Macomb County	464	464	311	186	61	12	37	12	3	.....	150	3
36	Manistee County	166	164	121	55	30	19	13	4	.....	.....	42	1
37	Marquette County	219	219	133	36	75	1	16	2	3	.....	84	2
38	Mason County	242	226	141	62	33	9	34	2	1	.....	83	2
39	Mecosta County	228	224	169	102	18	25	12	10	2	.....	51	4
40	Menominee County	147	141	91	30	41	1	17	2	.....	.....	47	3
41	Midland County	170	168	133	73	12	13	20	12	3	.....	35	.....
42	Missaukee County	112	108	77	38	19	3	16	1	.....	.....	31	.....
43	Monroe County	423	423	330	211	46	18	35	17	3	.....	91	2
44	Montcalm County	412	409	326	185	34	38	36	29	4	.....	75	8
45	Montmorency County	49	49	39	23	4	1	10	1	.....	.....	8	2
46	Muskegon County	172	172	112	53	24	10	11	10	4	.....	56	4
47	Newaygo County	256	255	203	111	23	31	22	12	4	.....	47	5
48	Oakland County	470	469	369	234	45	21	47	18	4	.....	90	10
49	Oceana County	245	230	187	98	19	27	17	18	8	.....	40	3
50	Ogemaw County	115	113	73	42	7	6	15	.....	3	.....	36	4
51	Ontonagon County	76	76	47	16	24	1	4	.....	2	.....	28	1
52	Osceola County	177	176	136	82	15	13	13	13	.....	.....	40	.....
53	Oscoda County	16	16	13	7	2	2	1	.....	1	.....	3	.....
54	Otsego County	101	100	75	34	16	3	17	5	.....	.....	23	2
55	Ottawa County	519	517	291	160	62	11	41	15	2	.....	225	1
56	Presque Isle County	156	156	121	65	21	2	29	4	.....	.....	32	3
57	Roscommon County	20	20	13	9	.....	1	2	1	.....	.....	4	3
58	Saginaw County	433	425	268	140	46	13	56	12	1	.....	153	4
59	St. Clair County	485	485	312	154	67	13	69	8	1	.....	170	3
60	St. Joseph County	352	352	299	202	10	35	28	20	4	.....	51	2
61	Sanilac County	334	334	157	63	38	2	49	5	.....	.....	174	3
62	Schoolcraft County	80	80	49	16	19	5	6	1	2	.....	27	4
63	Shiawassee County	315	314	252	156	16	24	33	20	3	.....	58	4
64	Tuscola County	408	405	281	158	38	20	38	25	2	.....	123	1
65	Van Buren County	446	434	368	231	30	42	28	35	2	.....	62	4
66	Washtenaw County	353	334	235	156	41	8	15	12	3	.....	98	1
67	Wayne County	1,095	1,072	671	305	183	48	98	24	13	.....	390	11
68	Wexford County	276	275	217	132	24	15	24	18	4	.....	56	2
	NEW HAMPSHIRE RURAL.[1]												
69	Belknap County	187	186	165	110	4	36	5	10	.....	.....	12	9
70	Carroll County	254	253	218	146	5	35	9	23	.....	.....	17	18
71	Cheshire County	331	331	275	151	44	35	20	24	1	.....	49	7
72	Coos County	253	253	190	84	15	54	18	16	3	.....	45	18
73	Grafton County	690	690	569	306	26	127	54	52	4	.....	81	40

[1] Exclusive of cities having a population of 8,000 or over in 1900.

COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND MONTH OF OCCURRENCE: 1909—Continued.

COLORED.					MONTH OF OCCURRENCE.												
Total.	Negro.	Indian.	Chinese.	Japanese.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
7	2	5			23	20	21	28	16	16	16	24	29	15	19	16	1	1
7	1	6			7	10	10	10	16	7	10	7	12	12	8	11		2
1	1				10	5	12	10	12	9	4	14	5	8	9	13		3
					26	13	32	32	27	23	20	18	20	19	20	19		4
1	1				6	3	3	2	2	3	2	7	7	5	7	3		5
9	1	8			22	17	17	16	11	14	14	18	19	9	9	10		6
1		1			9	12	5	13	10	3	11	10	15	11	13	8		7
5	5				25	38	41	51	44	40	34	38	42	42	33	31		8
24	2	22			12	25	17	22	19	17	27	23	22	16	13	13		9
1	1				40	34	45	49	40	27	22	39	36	39	21	32		10
1	1				3	6	9	7	11	3	9	6	5	7	2	7		11
					20	12	19	9	8	6	9	21	11	15	10	13		12
					9	8	16	17	14	11	11	13	26	16	8	17		13
2	2				30	22	39	36	29	26	16	32	37	27	24	21		14
2	2				51	30	40	38	31	27	25	26	36	24	30	25		15
1	1				91	72	74	75	91	74	63	110	113	78	59	65		16
					32	23	33	32	33	29	28	27	39	31	34	21	1	17
1	1				22	31	40	25	31	17	16	26	18	29	19	19		18
1	1				34	43	45	40	29	25	33	33	35	37	31	37		19
3		3			12	13	9	9	12	2	5	13	14	5	5	9		20
					14	12	10	10	11	13	9	15	13	8	9	11		21
25	1	24			22	27	27	25	32	19	19	19	28	15	15	16		22
1	1				24	27	38	25	25	14	21	26	29	34	18	17		23
					27	11	24	19	20	15	14	22	18	19	21	27		24
					9	12	11	8	8	5	7	5	9	16	5	7		25
5	5				52	50	75	71	73	43	58	73	69	46	53	53		26
					7	11	5	9	7	7	8	13	14	6	9	5		27
1	1				2	4	3	5	4	6	5	1	8	4	2	3		28
					35	29	37	32	29	24	17	28	37	33	29	40		29
22	1	21			12	13	18	8	16	6	14	16	18	12	13	5		30
5	5				39	39	68	55	34	31	39	28	43	39	43	35		31
1	1				28	26	22	22	25	23	20	22	20	21	11	30		32
					7	11	8	2	10	8	8	8	8	8	13	7	1	33
15	1	14			9	3	7	10	7	6	7	12	9	10	8	17		34
					42	34	51	47	33	29	40	44	49	37	25	33		35
2		2			13	18	15	19	16	13	12	19	14	9	6	12		36
					18	22	17	18	20	17	13	24	21	18	11	20		37
16		16			27	24	30	28	21	18	11	17	17	14	16	19		38
4	3	1			19	20	23	22	22	21	15	17	21	18	14	16		39
6	1	5			12	16	15	17	11	7	13	6	20	11	12	7		40
2	2				12	11	24	14	17	15	12	13	15	11	13	13		41
4	3	1			2	12	21	17	11	7	9	8	12	1	4	8		42
					25	39	47	46	47	29	25	37	35	31	40	22		43
3	3				47	32	42	45	29	21	24	41	32	29	30	40		44
					3	4	10	6		5	5	3	5	1	2	5		45
					11	11	29	14	10	15	16	15	13	10	7	21		46
1		1			18	17	39	29	24	24	9	19	16	29	19	13		47
1	1				41	39	55	44	44	26	41	46	39	20	25	50		48
15		15			15	18	25	24	32	15	15	24	20	23	13	21		49
2		2			9	14	15	9	12	8	4	13	11	8	5	7		50
					10	3	11	6	6	4	5	8	3	7	5	8		51
1	1				16	8	15	17	17	19	10	19	18	18	10	10		52
						1	1			3		4	2	1	2	2		53
1	1				8	4	11	12	12	6	7	10	13	7	4	7		54
2	1	1			44	46	47	56	51	37	32	44	43	42	27	50		55
					12	18	12	11	11	12	5	19	15	14	10	17		56
					2	3	2	3	2			3	1		2	2		57
8	1	7			39	36	37	37	47	41	26	28	39	40	28	35		58
					44	38	47	59	47	29	40	38	42	36	29	36		59
					33	27	32	34	28	19	29	29	34	27	26	34		60
					18	24	25	31	39	22	30	38	29	28	24	26		61
					7	3	8	5	8	4	12	9	3	6	9	6		62
1	1				30	25	35	28	19	20	24	24	29	26	20	35		63
3		3			30	31	30	48	33	29	37	34	40	31	26	39		64
12	10	2			47	26	30	32	54	35	29	38	41	40	29	45		65
19	19				40	17	45	46	26	25	29	27	30	17	25	26		66
23	23				95	90	101	111	98	67	92	104	105	95	80	57		67
1	1				22	19	23	23	28	28	22	29	14	22	20	26		68
1	1				12	16	21	20	22	17	14	7	17	13	11	17		69
1	1				15	27	30	18	24	17	13	20	31	24	14	21		70
					29	31	46	31	25	29	15	21	29	29	19	27		71
					17	17	35	22	22	22	20	25	18	24	20	11		72
					54	53	68	66	75	54	49	50	75	51	46	49		73

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION AREA, BY

	REGISTRATION AREA.	Total.	WHITE.										
			Total.	Native.								Foreign.	Unknown.
				Total	Both parents.			Mixed parentage.			Parentage not stated.		
					Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	NEW HAMPSHIRE RURAL[1]—Continued.												
1	Hillsborough County	509	509	425	258	47	57	25	35	3	.....	70	14
2	Merrimack County	554	554	446	263	58	61	24	38	2	.....	88	20
3	Rockingham County	644	643	525	318	41	87	41	35	3	.....	96	22
4	Strafford County	267	267	222	120	46	33	6	14	3	.....	37	8
5	Sullivan County	311	311	268	134	22	58	15	36	3	.....	38	5
	NEW JERSEY RURAL.[1]												
6	Atlantic County	400	386	292	187	83	11	8	1	2	.....	91	3
7	Bergen County	1,336	1,300	894	410	347	32	94	6	5	.....	392	14
8	Burlington County	978	915	792	618	80	39	33	20	2	.....	115	8
9	Camden County	618	542	433	298	59	44	27	5	.....	.....	103	6
10	Cape May County	248	235	214	173	26	4	8	3	.....	.....	19	2
11	Cumberland County	375	357	304	232	33	24	10	5	.....	.....	49	4
12	Essex County	754	731	534	293	146	28	64	3	.....	.....	192	5
13	Gloucester County	515	466	381	307	38	18	13	4	1	.....	78	7
14	Hudson County	788	782	432	160	199	26	44	2	1	.....	345	5
15	Hunterdon County	447	440	406	352	27	11	6	10	.....	.....	33	1
16	Mercer County	280	259	213	178	22	4	4	3	2	.....	39	7
17	Middlesex County	590	575	414	190	164	19	35	4	2	.....	153	8
18	Monmouth County	1,075	961	827	661	80	38	35	12	1	.....	127	7
19	Morris County	975	958	719	472	146	55	38	6	2	.....	232	7
20	Ocean County	293	282	255	224	12	4	14	1	.....	.....	27	.....
21	Passaic County	311	309	225	109	86	13	12	2	3	.....	81	3
22	Salem County	309	261	241	213	8	11	4	5	.....	.....	20	.....
23	Somerset County	469	439	343	237	68	8	19	9	2	.....	93	
24	Sussex County	384	383	318	258	41	8	7	4	.....	.....	62	3
25	Union County	506	473	361	172	108	46	31	1	3	.....	108	4
26	Warren County	406	401	346	284	40	8	11	3	.....	.....	54	1
	NEW YORK RURAL.[1]												
27	Albany County	479	476	388	267	74	15	24	6	2	.....	81	7
28	Allegany County	601	599	523	361	35	69	23	34	1	.....	71	5
29	Broome County	475	472	431	301	20	58	14	36	2	.....	36	5
30	Cattaraugus County	650	645	524	315	51	88	31	32	7	.....	111	10
31	Cayuga County	531	526	429	307	32	42	17	30	1	.....	91	6
32	Chautauqua County	821	819	663	436	80	66	40	34	7	.....	146	10
33	Chemung County	299	297	275	200	18	32	9	14	2	.....	20	2
34	Chenango County	642	640	575	414	25	72	13	48	3	.....	59	6
35	Clinton County	449	446	341	208	69	12	40	8	4	.....	103	2
36	Columbia County	477	468	388	262	31	50	18	24	3	.....	70	10
37	Cortland County	244	243	225	153	11	36	4	21	.....	.....	15	3
38	Delaware County	648	644	570	405	41	53	38	32	1	.....	60	14
39	Dutchess County	1,093	1,061	801	495	144	86	39	32	5	.....	240	20
40	Erie County	1,440	1,427	1,003	472	332	61	83	42	13	.....	414	10
41	Essex County	529	527	444	265	67	38	39	29	6	.....	80	3
42	Franklin County	732	731	579	329	111	31	84	19	5	.....	140	12
43	Fulton County	217	216	191	124	13	23	10	21	.....	.....	23	2
44	Genesee County	370	362	273	177	45	23	19	9	.....	.....	87	2
45	Greene County	509	491	429	296	33	53	20	22	5	.....	55	7
46	Hamilton County	41	41	36	30	2	.....	4	.....	.....	.....	4	1
47	Herkimer County	587	585	482	290	75	52	36	24	5	.....	88	15
48	Jefferson County	743	739	622	421	68	44	58	23	8	.....	111	6
49	Lewis County	367	367	272	173	42	22	21	11	3	.....	94	1
50	Livingston County	584	579	458	249	80	69	32	27	1	.....	114	7
51	Madison County	614	609	506	335	43	80	16	23	9	.....	96	7
52	Monroe County	808	804	571	320	119	35	58	31	8	.....	226	7
53	Montgomery County	350	347	302	226	25	12	15	22	2	.....	41	4
54	Nassau County	1,109	1,064	808	462	212	27	91	13	3	.....	248	8
55	Niagara County	428	415	289	169	55	19	33	11	2	.....	122	4
56	Oneida County	932	929	701	397	154	58	61	27	4	.....	225	3
57	Onondaga County	964	956	730	453	122	52	60	37	6	.....	216	10
58	Ontario County	578	574	449	295	52	31	37	33	1	.....	118	7
59	Orange County	891	857	664	468	105	38	36	17	.....	.....	165	28
60	Orleans County	441	438	328	200	55	21	25	23	4	.....	107	3
61	Oswego County	777	772	646	426	44	84	34	49	9	.....	119	7
62	Otsego County	729	728	676	526	29	47	29	42	3	.....	48	4
63	Putnam County	271	269	208	143	35	12	10	8	.....	.....	56	5
64	Rensselaer County	717	715	584	397	86	42	36	20	3	.....	120	11
65	Rockland County	655	629	453	269	105	23	41	14	1	.....	160	16
66	St. Lawrence County	1,025	1,023	824	509	123	59	94	31	8	.....	192	7
67	Saratoga County	694	694	568	367	80	49	38	29	5	.....	119	7
68	Schenectady County	136	136	110	79	16	3	6	6	.....	.....	23	3
69	Schoharie County	395	391	371	315	14	19	5	17	1	.....	12	8
70	Schuyler County	205	202	186	156	7	9	8	4	2	.....	16	.....
71	Seneca County	529	523	397	238	47	60	23	23	6	.....	117	9

[1] Exclusive of cities having a population of 8,000 or over in 1900.

COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND MONTH OF OCCURRENCE: 1909—Continued.

COLORED.					MONTH OF OCCURRENCE.												
Total.	Negro.	Indian.	Chinese.	Japanese.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
.....	.....	.....	.....	.....	47	34	52	32	45	43	40	31	42	42	51	50	.....	1
.....	.....	.....	.....	.....	40	58	41	71	63	51	35	36	42	43	32	42	.....	2
1	1	.....	.....	.....	46	51	70	46	55	61	49	51	65	58	51	41	.....	3
.....	.....	.....	.....	.....	24	17	34	26	17	29	18	14	18	26	17	27	.....	4
.....	.....	.....	.....	.....	25	29	26	37	31	20	8	24	31	30	23	27	.....	5
14	14	.....	.....	.....	27	24	47	54	31	26	36	27	38	35	26	29	.....	6
36	36	.....	.....	.....	110	99	122	125	112	79	116	137	109	100	88	138	1	7
63	63	.....	.....	.....	83	90	112	74	72	65	108	87	63	65	85	74	.....	8
76	75	.....	.....	1	55	59	54	46	47	54	62	45	55	48	46	47	.....	9
13	13	.....	.....	.....	19	21	20	20	11	10	25	40	21	19	17	25	.....	10
18	18	.....	.....	.....	32	31	42	41	29	35	35	26	25	24	23	32	.....	11
23	23	.....	.....	.....	65	48	68	63	61	50	55	57	58	86	62	81	.....	12
49	49	.....	.....	.....	44	51	29	31	43	31	52	53	53	43	33	52	.....	13
6	6	.....	.....	.....	63	54	85	78	65	53	66	78	54	64	70	58	.....	14
7	7	.....	.....	.....	49	43	42	42	40	36	34	28	29	30	35	39	.....	15
21	21	.....	.....	.....	34	29	22	28	19	15	14	21	23	21	25	29	.....	16
15	15	.....	.....	.....	55	55	38	61	53	37	50	54	46	49	50	42	.....	17
114	113	.....	.....	1	87	75	92	77	79	94	112	127	98	87	69	78	.....	18
17	16	.....	1	.....	86	76	93	73	83	65	69	89	82	89	86	84	.....	19
11	11	.....	.....	.....	29	32	25	23	21	18	22	25	23	17	20	38	.....	20
2	2	.....	.....	.....	23	24	28	29	25	31	24	26	23	20	28	30	.....	21
48	48	.....	.....	.....	25	25	24	28	32	22	27	28	22	25	26	25	.....	22
30	30	.....	.....	.....	39	35	41	43	32	38	33	44	43	39	42	40	.....	23
1	1	.....	.....	.....	43	33	43	25	35	37	25	31	37	28	24	23	.....	24
33	33	.....	.....	.....	51	45	41	44	37	43	31	39	36	45	46	48	.....	25
5	5	.....	.....	.....	31	34	39	34	37	32	31	30	34	40	34	30	.....	26
3	3	.....	.....	.....	42	39	42	29	59	36	39	40	27	42	38	46	.....	27
2	2	.....	.....	.....	62	53	59	60	47	34	32	33	51	59	49	62	.....	28
3	3	.....	.....	.....	53	36	42	55	43	37	24	23	40	34	34	54	.....	29
5	5	.....	.....	.....	65	69	57	60	63	44	43	47	59	52	54	37	.....	30
5	5	.....	.....	.....	43	43	53	55	48	48	45	38	42	46	37	33	.....	31
2	2	.....	.....	.....	61	73	85	74	82	50	66	62	75	67	62	64	.....	32
2	2	.....	.....	.....	22	22	29	29	28	22	20	20	30	30	26	21	.....	33
2	2	.....	.....	.....	72	59	77	50	54	55	39	45	43	55	48	45	.....	34
3	3	.....	.....	.....	35	28	37	63	53	34	32	37	34	30	29	37	.....	35
9	9	.....	.....	.....	46	40	42	45	40	34	38	42	30	28	38	48	.....	36
1	1	.....	.....	.....	27	18	21	17	18	19	23	23	24	17	20	17	.....	37
4	4	.....	.....	.....	49	52	66	64	48	54	46	51	61	52	51	54	.....	38
32	32	.....	.....	.....	92	83	102	92	106	81	78	77	92	103	92	95	.....	39
13	3	10	.....	.....	121	93	148	129	129	103	109	124	130	102	112	140	.....	40
2	2	.....	.....	.....	44	42	52	45	42	42	45	51	66	30	35	35	.....	41
1	.....	1	.....	.....	51	54	65	83	54	54	59	64	62	56	66	64	.....	42
1	1	.....	.....	.....	16	14	25	21	30	18	16	24	10	15	13	15	.....	43
8	8	.....	.....	.....	28	36	52	45	28	23	35	26	27	22	18	30	.....	44
18	18	.....	.....	.....	50	48	53	53	37	30	28	47	54	38	40	31	.....	45
.....	.....	.....	.....	.....	3	5	5	4	5	2	5	2	4	1	2	3	.....	46
2	2	.....	.....	.....	40	38	48	66	44	47	40	47	57	60	58	42	.....	47
4	4	.....	.....	.....	55	71	66	63	61	52	66	58	69	54	70	58	.....	48
.....	.....	.....	.....	.....	29	31	39	29	44	33	32	33	19	24	27	27	.....	49
5	5	.....	.....	.....	45	46	51	67	56	51	45	52	44	37	32	58	.....	50
5	5	.....	.....	.....	67	47	68	50	52	43	41	51	52	48	44	51	.....	51
4	4	.....	.....	.....	62	52	82	77	67	62	65	100	58	60	61	62	.....	52
3	2	1	.....	.....	22	26	37	36	26	31	28	28	30	34	28	24	.....	53
45	45	.....	.....	.....	90	92	100	92	100	77	95	127	97	71	69	99	.....	54
13	5	8	.....	.....	37	24	41	54	34	20	31	45	35	36	34	37	.....	55
3	3	.....	.....	.....	74	80	93	97	85	83	65	62	71	77	73	72	.....	56
8	7	1	.....	.....	88	99	76	82	85	72	85	96	67	69	72	73	.....	57
4	4	.....	.....	.....	41	55	77	54	61	32	38	40	42	50	38	50	.....	58
34	34	.....	.....	.....	86	82	83	76	77	63	59	69	86	73	63	74	.....	59
3	3	.....	.....	.....	44	34	27	42	44	33	42	30	33	38	40	34	.....	60
5	5	.....	.....	.....	79	84	70	76	63	51	56	68	52	63	62	53	.....	61
1	1	.....	.....	.....	65	71	77	65	62	67	42	51	56	65	48	60	.....	62
2	2	.....	.....	.....	18	16	20	26	28	16	26	22	18	28	34	19	.....	63
2	2	.....	.....	.....	64	59	68	58	63	39	57	68	69	45	54	73	.....	64
26	26	.....	.....	.....	54	50	81	62	59	48	50	60	46	40	43	62	.....	65
2	.....	2	.....	.....	76	97	111	94	76	77	87	92	75	81	70	89	.....	66
.....	.....	.....	.....	.....	55	62	65	52	60	52	58	62	60	52	55	61	.....	67
.....	.....	.....	.....	.....	13	11	15	15	11	4	8	11	10	16	7	15	.....	68
4	4	.....	.....	.....	40	41	31	32	26	28	24	27	33	41	29	43	.....	69
3	3	.....	.....	.....	15	17	13	22	20	20	15	16	17	23	8	19	.....	70
6	5	.....	.....	1	35	50	52	56	50	35	22	38	67	34	37	53	.....	71

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION AREA, BY

	REGISTRATION AREA.	Total.	WHITE.										
			Total.	Native.								Foreign.	Unknown.
				Total.	Both parents.			Mixed parentage.			Parentage not stated.		
					Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	NEW YORK RURAL[1]—Continued.												
1	Steuben County	1,030	1,024	851	528	40	209	22	46	6	.....	150	23
2	Suffolk County	1,689	1,618	1,036	613	195	117	73	34	4	.....	562	20
3	Sullivan County	609	608	447	264	91	32	35	21	4	.....	156	5
4	Tioga County	455	445	415	298	12	59	5	40	1	.....	20	10
5	Tompkins County	288	287	262	204	4	21	7	25	1	.....	23	2
6	Ulster County	975	949	784	563	96	38	38	44	5	.....	158	7
7	Warren County	275	274	249	181	20	22	8	17	1	.....	23	2
8	Washington County	735	730	591	364	94	46	40	45	2	.....	124	15
9	Wayne County	777	774	590	386	92	45	32	28	7	.....	177	7
10	Westchester County	1,912	1,840	1,294	654	414	58	118	40	10	.....	520	26
11	Wyoming County	414	412	360	228	57	30	22	22	1	.....	50	2
12	Yates County	262	260	229	158	18	29	9	12	3	.....	27	4
	OHIO RURAL.[1]												
13	Adams County	239	238	224	175	1	24	4	20	.....	.....	6	8
14	Allen County	307	301	266	192	17	21	11	21	4	.....	35	.....
15	Ashland County	264	263	241	166	14	26	13	19	3	.....	21	1
16	Ashtabula County	543	538	469	311	45	46	21	43	3	.....	62	7
17	Athens County	654	625	522	380	26	50	27	33	6	.....	34	69
18	Auglaize County	361	361	294	187	51	23	15	14	4	.....	65	2
19	Belmont County	795	765	654	391	137	47	32	41	6	.....	107	4
20	Brown County	352	316	287	208	18	24	9	28	.....	.....	27	2
21	Butler County	271	247	204	150	14	14	11	12	3	.....	35	8
22	Carroll County	165	165	146	100	15	9	12	8	2	.....	14	5
23	Champaign County	333	307	287	210	13	21	15	25	3	.....	17	3
24	Clark County	207	195	178	142	8	11	5	11	1	.....	15	2
25	Clermont County	448	425	376	257	28	41	14	33	3	.....	44	5
26	Clinton County	326	306	297	250	4	16	5	21	1	.....	8	1
27	Columbiana County	663	653	569	390	68	35	42	26	8	.....	77	7
28	Coshocton County	353	350	315	235	19	19	19	20	3	.....	31	4
29	Crawford County	363	361	286	191	47	11	20	13	4	.....	72	3
30	Cuyahoga County	911	904	604	291	205	24	61	15	8	.....	291	9
31	Darke County	523	514	465	357	11	50	14	30	3	.....	43	6
32	Defiance County	250	249	216	139	37	14	10	11	5	.....	31	2
33	Delaware County	330	324	293	230	15	20	13	12	3	.....	29	2
34	Erie County	349	347	228	121	28	38	22	15	4	.....	69	50
35	Fairfield County	276	274	264	202	10	32	8	9	3	.....	10	.....
36	Fayette County	225	203	196	169	2	6	8	9	2	.....	5	2
37	Franklin County	577	530	452	313	46	47	21	24	1	.....	70	8
38	Fulton County	293	292	248	151	14	40	25	15	3	.....	38	6
39	Gallia County	438	392	367	186	10	141	6	23	1	.....	21	4
40	Geauga County	209	209	183	118	14	20	8	19	4	.....	25	1
41	Greene County	263	235	216	177	2	11	8	16	2	.....	19	.....
42	Guernsey County	364	360	334	229	50	23	16	12	4	.....	26	.....
43	Hamilton County	1,061	975	699	387	124	71	64	44	9	.....	274	2
44	Hancock County	252	252	230	167	16	22	7	17	1	.....	20	2
45	Hardin County	372	366	327	256	20	14	9	24	4	.....	35	4
46	Harrison County	280	265	248	182	11	27	10	16	2	.....	16	1
47	Henry County	264	263	214	147	26	16	10	8	7	.....	48	1
48	Highland County	375	344	327	259	10	28	2	26	2	.....	15	2
49	Hocking County	310	308	283	232	17	15	6	12	1	.....	22	3
50	Holmes County	204	203	182	144	6	12	11	8	1	.....	20	1
51	Huron County	440	436	355	251	40	13	24	21	4	.....	79	2
52	Jackson County	307	300	276	208	16	26	9	16	1	.....	20	4
53	Jefferson County	515	491	414	200	150	17	27	16	4	.....	72	5
54	Knox County	361	355	323	254	12	20	10	25	2	.....	31	1
55	Lake County	331	326	252	150	39	24	11	21	7	.....	62	12
56	Lawrence County	343	320	311	251	3	32	8	16	1	.....	5	4
57	Licking County	327	323	305	233	8	26	12	25	1	.....	15	3
58	Logan County	367	353	336	268	14	21	12	20	1	.....	14	3
59	Lorain County	416	402	299	173	49	23	26	24	4	.....	93	10
60	Lucas County	256	256	207	135	23	15	17	11	6	.....	47	2
61	Madison County	254	237	216	172	13	10	6	15	.....	.....	20	1
62	Mahoning County	429	419	333	167	100	33	20	13	.....	.....	78	8
63	Marion County	187	185	161	124	7	10	11	7	2	.....	24	.....
64	Medina County	287	286	249	191	21	11	14	10	2	.....	34	3
65	Meigs County	361	337	299	208	14	40	8	25	4	.....	32	6
66	Mercer County	291	290	251	167	27	24	15	14	4	.....	38	1
67	Miami County	385	364	343	286	10	22	10	14	1	.....	19	2
68	Monroe County	275	273	236	164	21	18	8	17	8	.....	29	8
69	Montgomery County	696	678	584	353	44	110	28	45	4	.....	75	19
70	Morgan County	191	189	182	136	7	17	8	14	.....	.....	5	2
71	Morrow County	225	224	216	185	8	6	7	10	.....	.....	8	.....
72	Muskingum County	351	337	311	229	16	24	20	20	2	.....	21	5

[1] Exclusive of cities having a population of 8,000 or over in 1900.

COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND MONTH OF OCCURRENCE: 1909—Continued.

COLORED.					MONTH OF OCCURRENCE.												
Total.	Negro.	Indian.	Chinese.	Japanese.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
6	6	.....	.....	.....	83	81	87	99	87	71	82	97	81	89	79	94	.....	1
71	71	.....	.....	.....	132	131	131	155	161	117	149	140	146	147	137	143	.....	2
1	1	.....	.....	.....	40	59	55	63	55	48	46	60	46	33	63	41	.....	3
10	10	.....	.....	.....	36	46	45	46	37	30	43	39	41	29	26	37	.....	4
1	1	.....	.....	.....	25	27	25	20	23	31	22	25	36	23	13	18	.....	5
26	26	.....	.....	.....	68	91	102	87	89	74	70	107	70	67	69	81	.....	6
1	1	.....	.....	.....	11	21	27	31	29	23	14	25	25	13	26	30	.....	7
5	5	.....	.....	.....	73	69	93	60	63	55	44	47	62	70	43	56	.....	8
3	3	.....	.....	.....	60	67	82	64	81	47	60	57	72	63	57	67	.....	9
72	71	.....	1	.....	159	149	132	181	143	155	147	201	170	131	141	153	.....	10
2	2	.....	.....	.....	31	43	38	34	45	36	36	45	35	25	21	25	.....	11
2	2	.....	.....	.....	32	20	29	28	19	18	15	21	23	21	16	20	.....	12
1	1	.....	.....	.....	20	25	19	27	15	22	22	14	21	18	15	21	.....	13
6	6	.....	.....	.....	25	29	29	23	18	28	36	33	17	26	17	26	.....	14
1	1	.....	.....	.....	20	32	26	30	25	17	23	22	16	16	19	18	.....	15
5	5	.....	.....	.....	43	34	68	52	45	36	46	48	39	42	45	45	.....	16
29	29	.....	.....	.....	56	73	50	60	47	59	62	61	42	47	45	52	.....	17
.....	.....	.....	.....	.....	24	25	39	34	38	31	31	43	23	26	17	30	.....	18
30	30	.....	.....	.....	65	79	77	70	46	66	77	66	52	35	57	55	.....	19
36	36	.....	.....	.....	28	31	34	40	21	30	39	27	27	23	26	26	.....	20
24	24	.....	.....	.....	21	31	17	15	27	22	26	28	17	32	20	15	.....	21
.....	.....	.....	.....	.....	13	16	13	11	9	11	17	20	12	10	15	18	.....	22
26	26	.....	.....	.....	31	31	31	40	27	23	27	36	28	21	25	13	.....	23
12	12	.....	.....	.....	17	24	26	23	18	14	11	22	13	14	12	13	.....	24
23	23	.....	.....	.....	40	46	52	34	37	26	40	36	34	32	35	36	.....	25
20	20	.....	.....	.....	29	18	44	31	31	18	29	32	23	24	30	17	.....	26
10	10	.....	.....	.....	59	58	58	60	48	54	55	63	56	41	57	54	.....	27
3	3	.....	.....	.....	36	23	33	27	30	24	27	25	24	30	24	50	.....	28
2	2	.....	.....	.....	28	26	33	33	39	27	34	32	33	21	23	34	.....	29
7	7	.....	.....	.....	65	64	75	92	88	61	72	91	78	66	70	89	.....	30
9	9	.....	.....	.....	52	41	45	58	35	41	49	51	39	30	43	39	.....	31
1	1	.....	.....	.....	20	21	24	22	27	11	18	25	22	21	17	22	.....	32
6	6	.....	.....	.....	28	24	27	30	35	24	25	30	20	30	28	29	.....	33
2	2	.....	.....	.....	19	27	31	33	30	30	26	30	34	31	18	40	.....	34
2	2	.....	.....	.....	25	19	30	28	23	18	33	22	18	22	21	17	.....	35
22	22	.....	.....	.....	20	22	25	21	15	9	24	19	13	21	17	19	.....	36
47	46	1	.....	.....	51	43	62	51	47	43	50	43	45	33	49	59	1	37
1	1	.....	.....	.....	21	23	32	17	37	17	26	21	23	31	31	14	.....	38
46	46	.....	.....	.....	35	36	58	30	34	40	43	27	27	40	36	32	.....	39
.....	.....	.....	.....	.....	21	19	18	27	14	18	13	17	16	17	15	14	.....	40
28	28	.....	.....	.....	14	37	23	35	18	19	24	23	20	15	12	23	.....	41
4	4	.....	.....	.....	33	28	28	28	29	22	37	32	35	32	28	32	.....	42
86	86	.....	.....	.....	93	87	115	93	85	73	89	91	81	88	80	86	.....	43
.....	.....	.....	.....	.....	20	18	29	17	28	15	16	28	18	24	18	21	.....	44
6	6	.....	.....	.....	36	31	35	32	30	23	36	34	50	28	13	24	.....	45
15	15	.....	.....	.....	19	24	34	24	23	26	27	18	23	25	14	23	.....	46
1	1	.....	.....	.....	23	18	30	18	20	20	19	23	26	25	21	21	.....	47
31	29	2	.....	.....	42	41	44	36	33	28	26	27	25	20	23	30	.....	48
2	2	.....	.....	.....	27	20	26	29	24	29	23	24	18	28	36	26	.....	49
1	1	.....	.....	.....	21	17	21	22	20	15	22	13	16	9	18	10	.....	50
4	4	.....	.....	.....	36	32	44	35	42	36	37	47	39	31	31	30	.....	51
7	7	.....	.....	.....	22	17	40	26	27	25	23	20	26	22	30	29	.....	52
24	23	1	.....	.....	44	42	48	42	47	36	50	33	41	42	48	42	.....	53
6	6	.....	.....	.....	31	35	29	38	27	17	24	39	27	30	31	33	.....	54
5	5	.....	.....	.....	25	30	31	40	36	25	25	22	24	20	15	38	.....	55
23	23	.....	.....	.....	29	31	41	36	25	23	31	28	35	24	11	29	.....	56
4	4	.....	.....	.....	26	25	39	34	29	11	27	27	20	26	25	38	.....	57
14	14	.....	.....	.....	32	24	40	42	34	26	26	37	34	25	21	26	.....	58
14	14	.....	.....	.....	33	45	41	34	27	26	43	37	37	34	30	29	.....	59
.....	.....	.....	.....	.....	21	20	28	29	29	10	17	21	16	21	26	18	.....	60
17	17	.....	.....	.....	16	35	25	29	20	18	17	15	18	22	16	23	.....	61
10	10	.....	.....	.....	41	35	40	36	40	28	38	31	35	41	34	30	.....	62
2	2	.....	.....	.....	10	15	17	14	18	11	9	18	16	24	14	21	.....	63
1	1	.....	.....	.....	31	21	30	28	22	22	15	20	25	24	16	33	.....	64
24	24	.....	.....	.....	32	25	41	32	23	23	37	31	34	26	26	31	.....	65
1	1	.....	.....	.....	28	18	31	28	18	20	11	35	26	33	20	23	.....	66
21	21	.....	.....	.....	30	27	45	37	33	32	32	28	30	32	27	32	.....	67
2	2	.....	.....	.....	19	22	32	30	28	21	28	25	13	20	18	19	.....	68
18	18	.....	.....	.....	57	69	75	68	56	44	62	67	60	33	53	52	.....	69
2	2	.....	.....	.....	16	16	15	19	10	13	15	17	17	17	19	17	.....	7
1	1	.....	.....	.....	16	18	30	21	24	11	15	16	27	14	14	19	.....	7
14	14	.....	.....	.....	33	28	30	33	33	23	31	36	19	35	28	22	.....	7

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION AREA, BY

	REGISTRATION AREA.	Total.	WHITE.										
			Total.	Native.								Foreign.	Unknown.
				Total.	Both parents.			Mixed parentage.			Parentage not stated.		
					Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	OHIO RURAL[1]—Continued.												
1	Noble County	197	195	186	145	15	13	5	7	1	.....	9	.....
2	Ottawa County	274	274	153	60	44	17	17	8	7	.....	107	14
3	Paulding County	227	219	205	142	7	19	13	18	6	.....	12	2
4	Perry County	427	420	366	271	32	14	22	23	4	.....	51	3
5	Pickaway County	345	330	309	250	3	18	14	21	3	.....	12	9
6	Pike County	209	189	181	147	4	10	3	17	.....	.....	7	1
7	Portage County	403	397	337	228	39	22	17	27	4	.....	56	4
8	Preble County	307	299	274	216	13	18	9	14	4	.....	21	4
9	Putnam County	274	273	235	155	22	25	17	14	2	.....	35	3
10	Richland County	347	346	310	220	17	31	18	23	1	.....	30	6
11	Ross County	360	336	319	259	5	29	6	20	.....	.....	13	4
12	Sandusky County	217	217	177	115	25	11	18	8	.....	.....	38	2
13	Scioto County	317	315	289	215	11	33	7	18	5	.....	24	2
14	Seneca County	330	328	290	211	28	18	17	14	2	.....	37	1
15	Shelby County	312	306	262	163	33	30	20	15	1	.....	42	2
16	Stark County	598	591	446	258	46	77	41	20	4	.....	108	37
17	Summit County	450	448	370	228	69	37	24	10	2	.....	68	10
18	Trumbull County	560	558	449	264	79	39	34	26	7	.....	102	7
19	Tuscarawas County	651	650	541	331	73	72	34	26	5	.....	104	5
20	Union County	254	247	235	188	9	18	9	11	.....	.....	11	1
21	Van Wert County	245	241	215	153	12	20	12	15	3	.....	25	1
22	Vinton County	175	173	165	124	6	16	5	14	.....	.....	6	2
23	Warren County	337	320	290	217	11	25	5	31	1	.....	23	7
24	Washington County	393	380	339	231	28	25	18	31	6	.....	36	5
25	Wayne County	460	457	384	259	28	37	38	20	2	.....	62	11
26	Williams County	296	294	260	178	16	23	18	23	2	.....	32	2
27	Wood County	478	473	394	277	30	36	19	26	6	.....	77	2
28	Wyandot County	243	242	212	155	16	18	13	9	1	.....	29	1
	PENNSYLVANIA RURAL.[1]												
29	Adams County	428	424	407	334	8	36	8	19	2	.....	9	8
30	Allegheny County	5,214	5,014	3,586	1,451	1,495	130	384	94	32	.....	1,354	74
31	Armstrong County	798	791	701	500	113	17	36	28	7	.....	86	4
32	Beaver County	813	790	632	351	150	43	52	25	11	.....	146	12
33	Bedford County	527	523	502	401	17	31	19	31	3	.....	13	8
34	Berks County	1,219	1,215	1,154	1,075	20	31	16	12	.....	.....	48	13
35	Blair County	663	653	589	456	60	24	22	27	.....	.....	59	5
36	Bradford County	793	786	712	508	44	75	25	58	2	.....	71	3
37	Bucks County	1,050	1,010	878	677	81	48	40	29	3	.....	124	8
38	Butler County	557	556	476	291	101	26	29	21	8	.....	78	2
39	Cambria County	1,588	1,584	1,246	596	493	40	86	22	9	.....	324	14
40	Cameron County	103	102	87	63	8	5	4	5	2	.....	13	2
41	Carbon County	797	797	586	336	189	12	40	8	1	.....	207	4
42	Center County	610	604	555	425	43	40	15	29	3	.....	45	4
43	Chester County	1,281	1,119	991	762	103	46	40	31	9	.....	114	14
44	Clarion County	425	425	391	281	21	31	31	24	3	.....	33	1
45	Clearfield County	845	841	699	387	174	38	64	25	11	.....	130	12
46	Clinton County	391	388	328	234	30	29	20	12	3	.....	55	5
47	Columbia County	586	582	538	384	66	33	17	35	3	.....	43	1
48	Crawford County	530	529	485	337	29	43	32	39	5	.....	39	5
49	Cumberland County	588	563	546	441	5	48	12	38	2	.....	10	7
50	Dauphin County	873	849	763	605	58	33	24	39	4	.....	78	8
51	Delaware County	939	836	658	404	113	25	80	30	6	.....	165	13
52	Elk County	398	398	288	132	91	13	37	9	6	.....	106	4
53	Erie County	677	676	536	366	39	54	35	35	7	.....	131	9
54	Fayette County	2,360	2,219	1,801	878	704	67	88	51	13	.....	383	35
55	Forest County	113	113	97	67	8	8	6	8	.....	.....	16	.....
56	Franklin County	725	691	661	547	11	45	13	32	13	.....	23	7
57	Fulton County	144	142	139	115	2	11	2	7	2	.....	2	1
58	Greene County	347	343	335	285	8	19	5	18	.....	.....	7	1
59	Huntingdon County	486	485	461	371	26	27	16	20	1	.....	20	4
60	Indiana County	867	861	746	446	207	36	31	23	3	.....	107	8
61	Jefferson County	751	750	607	338	173	24	50	17	5	.....	141	2
62	Juniata County	217	214	213	172	7	15	3	16	.....	.....	1	.....
63	Lackawanna County	1,721	1,721	1,248	329	766	21	113	14	5	.....	463	10
64	Lancaster County	1,386	1,363	1,305	1,161	23	45	33	40	3	.....	48	10
65	Lawrence County	388	386	308	164	90	14	21	13	6	.....	68	10
66	Lebanon County	563	562	536	449	26	27	6	26	2	.....	20	6
67	Lehigh County	1,043	1,041	880	672	134	27	33	12	2	.....	153	8
68	Luzerne County	3,090	3,084	2,241	746	1,141	56	236	45	17	.....	818	25
69	Lycoming County	502	496	455	328	32	35	26	29	5	.....	39	2
70	McKean County	403	401	308	180	62	22	18	21	5	.....	82	11
71	Mercer County	768	762	623	389	125	30	47	21	11	.....	124	15
72	Mifflin County	374	372	355	300	6	20	6	22	1	.....	13	4
73	Monroe County	313	305	276	226	11	18	9	9	3	.....	24	5

[1] Exclusive of cities having a population of 8,000 or over in 1900.

COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND MONTH OF OCCURRENCE: 1909—Continued.

COLORED.					MONTH OF OCCURRENCE.												
Total.	Negro.	Indian.	Chinese.	Japanese.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
2	2				16	16	20	17	15	8	19	18	25	14	14	15		1
					21	20	30	19	20	20	27	30	33	22	15	17		2
8	8				19	17	37	17	16	12	18	13	22	27	12	17		3
7	7				32	28	42	48	34	32	40	41	24	37	25	44		4
15	15				30	28	30	36	32	26	26	33	28	26	23	27		5
20	17	2	1		15	21	22	20	16	19	24	19	13	17	9	14		6
6	6				34	33	44	35	30	34	31	26	44	35	25	32		7
8	8				27	34	36	26	23	29	31	21	24	21	18	17		8
1	1				23	19	24	24	26	15	24	24	28	26	17	24		9
1	1				33	25	37	33	28	25	22	30	39	22	28	25		10
24	24				37	30	50	29	27	23	28	29	31	30	28	18		11
					20	13	27	14	29	14	10	12	27	19	18	14		12
2	2				32	23	27	31	21	29	29	23	20	28	23	31		13
2	2				35	30	23	33	20	24	28	33	23	31	23	27		14
6	6				34	16	26	32	21	24	26	27	23	24	31	28		15
7	7				52	47	68	42	47	39	59	57	43	59	40	45		16
2	2				47	40	52	37	36	30	36	40	33	37	31	31		17
2	2				48	37	59	47	43	39	40	45	41	46	57	58		18
1	1				62	42	66	58	57	28	37	56	51	81	49	64		19
7	7				17	23	20	31	13	24	22	34	23	21	14	12		20
4	4				18	16	25	22	12	19	16	25	34	16	16	26		21
2	2				20	16	19	18	8	14	15	17	11	8	9	20		22
17	17				30	37	43	34	29	28	17	27	19	26	18	29		23
13	13				40	34	48	38	29	28	35	26	23	36	22	34		24
3	3				36	35	40	63	34	40	30	38	32	38	31	43		25
2	2				25	30	26	23	26	26	24	27	29	25	12	23		26
5	5				45	45	53	46	32	22	37	40	40	43	32	43		27
1	1				18	20	22	34	15	20	13	24	22	24	14	17		28
4	4				36	45	44	57	33	22	33	32	21	42	37	26		29
200	199		1		423	410	430	436	426	387	542	480	347	415	438	480		30
7	7				71	67	73	73	66	47	77	66	50	56	61	91		31
23	23				68	56	82	69	56	60	69	75	76	62	65	75		32
4	4				36	58	50	49	48	33	42	58	44	39	33	37		33
4	4				107	118	148	131	93	78	84	85	90	81	87	117		34
10	10				65	62	70	61	47	26	57	61	52	45	59	58		35
7	7				60	74	96	69	66	45	50	65	57	62	60	89		36
40	40				103	99	113	94	83	64	92	105	75	70	79	73		37
1	1				65	46	54	47	45	42	51	56	30	35	39	47		38
4	4				124	131	144	131	106	107	139	163	138	141	121	143		39
1	1				6	13	13	10	5	6	4	11	9	11	6	9		40
					55	62	86	68	52	65	52	90	76	58	64	69		41
6	6				55	55	59	77	41	46	34	63	44	52	37	47		42
162	162				118	117	121	103	106	79	113	113	116	100	84	111		43
					40	37	43	44	46	30	24	40	29	20	32	40		44
4	4				83	77	89	67	70	66	64	76	86	70	48	49		45
3	3				37	35	41	39	27	19	33	32	34	30	33	31		46
4	4				65	35	59	57	46	37	52	34	57	50	51	43		47
1	1				38	44	58	63	35	37	36	52	48	33	47	39		48
25	25				63	62	75	53	43	32	38	62	40	38	41	41		49
24	24				87	98	83	72	64	57	61	62	66	67	76	80		50
103	103				82	93	91	60	71	55	83	89	81	76	68	90		51
					28	25	41	29	36	23	27	41	38	33	40	37		52
1	1				48	49	71	74	60	36	44	67	62	55	52	59		53
141	141				198	180	238	237	166	160	231	219	198	186	167	179	1	54
					11	5	19	9	8	6	18	7	6	7	7	10		55
34	34				74	88	88	72	48	49	53	56	43	45	46	63		56
2	2				11	16	12	17	8	11	13	14	13	11	9	9		57
4	4				34	28	25	37	27	30	33	27	24	29	23	30		58
1	1				42	32	54	51	38	33	56	49	38	40	18	35		59
6	6				88	71	89	80	75	70	66	86	80	64	37	61		60
1	1				51	59	89	42	64	33	62	78	63	69	63	78		61
3	3				26	18	21	31	17	15	10	13	25	16	13	12		62
					161	147	204	139	109	93	123	175	155	155	110	150		63
23	23				146	123	150	153	106	77	96	103	100	100	106	126		64
2	2				32	34	28	40	26	35	35	24	29	29	32	44		65
1	1				46	43	59	46	56	43	44	41	56	50	41	38		66
2	2				101	91	118	75	82	56	89	90	92	72	86	91		67
6	6				242	252	327	286	251	207	247	319	241	248	226	244		68
6	6				51	47	47	41	49	38	35	44	44	37	38	31		69
2	2				25	32	28	40	39	26	23	34	47	31	41	37		70
6	6				57	58	80	84	53	48	69	77	60	54	65	63		71
2	2				48	38	31	26	22	21	21	42	33	31	28	33		72
8	8				30	19	35	30	26	17	26	27	23	34	22	24		73

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION AREA, BY

	REGISTRATION AREA.	Total.	WHITE.										
			Total.	Native.								Foreign.	Unknown.
				Total.	Both parents.			Mixed parentage.			Parentage not stated.		
					Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	PENNSYLVANIA RURAL[1]—Continued.												
1	Montgomery County	1,636	1,565	1,276	913	202	34	76	39	12	.....	268	21
2	Montour County	176	174	131	55	3	65	3	4	1	.....	39	4
3	Northampton County	1,081	1,073	937	696	163	21	36	21	.....	.....	129	7
4	Northumberland County	726	723	640	436	110	35	34	17	8	.....	75	8
5	Perry County	305	302	299	244	13	14	6	20	2	.....	3	.....
6	Pike County	136	133	102	74	9	5	7	7	.....	.....	31	.....
7	Potter County	370	370	319	186	39	41	13	36	4	.....	46	5
8	Schuylkill County	2,295	2,292	1,735	918	613	45	106	36	17	.....	544	13
9	Snyder County	196	196	194	166	.....	13	2	13	.....	.....	1	1
10	Somerset County	988	984	860	564	216	19	32	27	2	.....	120	4
11	Sullivan County	125	125	104	60	23	3	14	1	3	.....	19	2
12	Susquehanna County	570	565	491	310	79	35	25	41	1	.....	64	10
13	Tioga County	575	575	494	333	43	54	29	31	4	.....	70	11
14	Union County	232	231	218	172	2	20	6	18	.....	.....	7	6
15	Venango County	485	480	429	292	36	47	20	31	3	.....	43	8
16	Warren County	501	497	400	202	31	122	15	26	4	.....	91	6
17	Washington County	2,052	1,930	1,544	764	514	63	119	71	13	.....	367	19
18	Wayne County	403	403	323	205	47	17	34	17	3	.....	75	5
19	Westmoreland County	2,995	2,948	2,331	1,156	875	67	153	60	20	.....	592	25
20	Wyoming County	187	187	177	142	4	14	7	10	.....	.....	8	2
21	York County	1,032	1,013	977	867	19	30	21	35	5	.....	30	6
	RHODE ISLAND RURAL.[1]												
22	Bristol County	240	239	155	72	61	7	13	1	1	.....	73	11
23	Kent County	154	149	122	85	26	.....	8	3	.....	.....	26	1
24	Newport County	173	170	131	83	35	6	6	1	.....	.....	39	.....
25	Providence County	390	389	302	177	84	10	24	6	1	.....	87	.....
26	Washington County	370	354	298	222	38	15	18	4	1	.....	55	1
	SOUTH DAKOTA RURAL.[1]												
27	Aurora County	35	35	27	13	5	4	3	1	1	.....	8	.....
28	Beadle County	72	72	55	35	3	5	9	3	.....	.....	16	1
29	Bonhomme County	80	80	49	25	15	1	6	2	.....	.....	30	1
30	Brookings County	94	94	63	25	24	1	11	2	.....	.....	31	.....
31	Brown County	234	234	173	93	40	17	16	6	1	.....	52	9
32	Brule County	59	58	43	22	7	4	5	3	2	.....	15	.....
33	Buffalo County[2]	51	9	7	4	.....	1	2	.....	.....	.....	2	.....
34	Butte County	46	46	34	13	6	7	3	4	1	.....	11	1
35	Campbell County	66	66	45	6	34	.....	5	.....	.....	.....	20	1
36	Charles Mix County	156	85	72	42	10	2	15	2	1	.....	13	.....
37	Clark County	61	61	45	24	12	2	6	1	.....	.....	16	.....
38	Clay County	56	56	27	13	5	3	4	1	1	.....	26	3
39	Codington County	114	114	83	38	19	7	18	1	.....	.....	28	3
40	Custer County	24	24	18	13	.....	1	2	2	.....	.....	5	1
41	Davison County	115	115	90	48	11	12	11	8	.....	.....	22	3
42	Day County	93	87	70	24	23	1	21	.....	1	.....	17	.....
43	Deuel County	72	72	46	18	21	3	4	.....	.....	.....	26	.....
44	Douglas County	43	43	24	13	6	.....	5	.....	.....	.....	19	.....
45	Edmunds County	41	41	28	8	14	3	3	.....	.....	.....	13	.....
46	Fall River County	98	98	60	30	1	20	4	4	1	.....	19	19
47	Faulk County	38	38	29	18	6	2	3	.....	.....	.....	9	.....
48	Grant County	87	87	54	27	16	1	9	.....	1	.....	33	.....
49	Gregory County	73	72	62	44	8	3	5	2	.....	.....	9	1
50	Hamlin County	54	54	34	14	10	2	8	.....	.....	.....	19	1
51	Hand County	31	31	22	10	3	7	1	1	.....	.....	7	2
52	Hanson County	38	38	28	12	6	3	7	.....	.....	.....	10	.....
53	Hughes County	60	60	44	26	7	3	4	3	1	.....	13	3
54	Hutchinson County	108	108	66	23	23	.....	20	.....	.....	.....	42	.....
55	Hyde County	15	15	12	6	2	2	1	1	.....	.....	2	1
56	Jerauld County	32	32	24	11	3	3	6	1	.....	.....	8	.....
57	Kingsbury County	87	87	62	26	16	7	10	3	.....	.....	25	.....
58	Lake County	79	79	57	24	16	2	11	3	1	.....	21	1
59	Lawrence County	249	247	157	70	35	22	18	9	3	.....	75	15
60	Lincoln County	117	109	72	26	20	6	14	6	.....	.....	36	1
61	Lyman County[3]	63	36	23	16	4	1	1	1	.....	.....	11	2
62	McCook County	71	71	53	34	9	2	6	2	.....	.....	18	.....
63	McPherson County	68	68	42	9	25	.....	8	.....	.....	.....	26	.....
64	Marshall County	76	67	51	19	16	3	10	2	1	.....	15	1
65	Meade County	59	58	46	16	6	10	7	7	.....	.....	9	3
66	Miner County	67	67	53	29	15	2	7	.....	.....	.....	14	.....
67	Minnehaha County	132	132	84	42	22	6	13	1	.....	.....	44	4
68	Moody County	65	63	39	20	10	4	3	2	.....	.....	24	.....
69	Pennington County	92	89	70	35	7	18	7	3	.....	.....	14	5
70	Perkins County	2	2	1	1	.....	.....	.....	.....	.....	.....	1	.....
71	Potter County	18	18	13	5	4	.....	2	2	.....	.....	5	.....

[1] Exclusive of cities having a population of 8,000 or over in 1900.

[2] Includes Crow Creek Indian Reservation.

COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND MONTH OF OCCURRENCE: 1909—Continued.

COLORED.					MONTH OF OCCURRENCE.												
Total.	Negro.	Indian.	Chinese.	Japanese.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
71	71	.....	.....	.....	142	123	163	165	106	92	122	164	142	159	103	155	.....	1
2	2	.....	.....	.....	14	12	21	11	15	10	14	18	15	13	19	14	.....	2
8	8	.....	.....	.....	95	92	125	112	68	65	69	102	78	90	92	93	.....	3
3	3	.....	.....	.....	59	52	69	66	63	52	53	78	64	62	54	54	.....	4
3	3	.....	.....	.....	28	28	31	30	18	16	21	34	30	25	25	19	.....	5
3	3	.....	.....	.....	15	10	12	12	12	8	11	11	9	14	10	12	.....	6
.....	.....	.....	.....	.....	30	39	35	40	36	31	26	28	25	28	24	28	.....	7
3	3	.....	.....	.....	190	184	269	221	167	145	174	219	205	171	175	175	.....	8
.....	.....	.....	.....	.....	16	15	22	12	12	7	17	17	19	27	15	17	.....	9
4	4	.....	.....	.....	99	112	110	79	71	58	80	85	75	93	49	77	.....	10
.....	.....	.....	.....	.....	17	10	12	11	13	2	12	7	5	11	13	12	.....	11
5	5	.....	.....	.....	58	54	55	57	51	43	45	28	44	38	39	58	.....	12
.....	.....	.....	.....	.....	50	58	73	63	50	40	29	47	47	41	40	37	.....	13
1	1	.....	.....	.....	19	19	21	29	17	21	18	16	16	22	12	22	.....	14
5	5	.....	.....	.....	30	33	51	48	38	30	32	36	33	46	47	61	.....	15
4	4	.....	.....	.....	36	33	64	51	44	24	37	40	48	51	33	40	.....	16
122	122	.....	.....	.....	181	148	170	180	162	145	229	181	166	167	153	170	.....	17
.....	.....	.....	.....	.....	32	36	44	37	35	20	27	33	28	24	40	47	.....	18
47	47	.....	.....	.....	251	265	272	233	170	203	306	303	286	227	211	268	.....	19
.....	.....	.....	.....	.....	17	17	18	14	20	14	10	11	16	18	18	14	.....	20
19	19	.....	.....	.....	93	107	117	104	66	68	65	98	69	86	79	80	.....	21
1	1	.....	.....	.....	32	17	22	17	18	14	27	22	14	22	20	15	.....	22
5	5	.....	.....	.....	14	9	15	9	19	12	7	12	18	11	16	12	.....	23
3	3	.....	.....	.....	9	19	16	21	15	12	18	14	18	8	9	14	.....	24
1	1	.....	.....	.....	35	39	44	32	30	31	31	23	38	31	20	36	.....	25
16	15	.....	.....	1	24	20	27	41	31	36	30	31	50	31	25	24	.....	26
.....	.....	.....	.....	.....	2	.....	8	4	4	1	.....	.....	4	6	2	4	.....	27
.....	.....	.....	.....	.....	8	7	7	8	6	2	6	6	6	8	5	3	.....	28
.....	.....	.....	.....	.....	2	3	12	3	7	6	6	7	13	7	8	6	.....	29
.....	.....	.....	.....	.....	13	7	8	5	8	7	7	7	7	10	5	10	.....	30
.....	.....	.....	.....	.....	25	19	20	15	13	16	18	14	27	28	22	17	.....	31
1	.....	1	.....	.....	7	7	6	5	1	6	6	5	3	3	7	3	.....	32
42	.....	42	.....	.....	4	4	9	3	3	6	3	6	4	2	5	2	.....	33
.....	.....	.....	.....	.....	2	4	5	3	4	4	6	3	4	2	5	4	.....	34
.....	.....	.....	.....	.....	10	4	9	6	8	2	2	1	5	6	3	10	.....	35
71	.....	71	.....	.....	7	24	23	8	16	7	12	17	11	9	9	13	.....	36
.....	.....	.....	.....	.....	4	8	7	7	4	2	5	5	8	4	4	3	.....	37
.....	.....	.....	.....	.....	10	4	5	3	4	4	4	9	2	5	3	3	.....	38
.....	.....	.....	.....	.....	12	4	10	8	14	10	7	10	10	14	7	8	.....	39
.....	.....	.....	.....	.....	1	3	4	4	3	4	.....	.....	2	1	1	1	.....	40
.....	.....	.....	.....	.....	12	6	14	6	11	9	6	13	4	17	9	8	.....	41
6	.....	6	.....	.....	6	12	14	8	8	4	2	8	11	6	8	5	1	42
.....	.....	.....	.....	.....	6	4	8	9	7	7	3	2	9	9	3	5	.....	43
.....	.....	.....	.....	.....	2	1	1	9	6	1	2	3	6	4	6	2	.....	44
.....	.....	.....	.....	.....	3	6	5	6	4	3	3	.....	3	3	2	3	.....	45
.....	.....	.....	.....	.....	10	6	6	10	9	6	12	10	10	6	9	4	.....	46
.....	.....	.....	.....	.....	3	1	4	4	4	3	2	6	3	2	4	2	.....	47
.....	.....	.....	.....	.....	6	11	10	11	6	5	9	6	7	3	9	4	.....	48
1	.....	1	.....	.....	5	5	6	8	8	7	6	10	3	3	6	6	.....	49
.....	.....	.....	.....	.....	2	8	4	1	4	4	4	2	7	9	4	5	.....	50
.....	.....	.....	.....	.....	6	2	2	4	.....	2	.....	6	2	.....	3	4	.....	51
.....	.....	.....	.....	.....	1	4	4	5	6	1	3	2	4	3	1	4	.....	52
.....	.....	.....	.....	.....	3	8	8	3	5	4	2	4	11	3	6	3	.....	53
.....	.....	.....	.....	.....	12	18	9	11	9	3	12	7	7	10	4	6	.....	54
.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	3	1	6	2	.....	55
.....	.....	.....	.....	.....	2	.....	7	5	4	2	2	1	2	4	1	2	.....	56
.....	.....	.....	.....	.....	6	8	11	8	6	9	7	6	4	9	8	5	.....	57
.....	.....	.....	.....	.....	7	7	7	6	12	4	3	7	9	7	4	6	.....	58
2	2	.....	.....	.....	26	18	26	26	21	24	19	21	15	17	14	22	.....	59
8	.....	8	.....	.....	11	12	9	14	12	6	12	8	9	9	6	9	.....	60
27	.....	27	.....	.....	3	7	10	9	4	7	3	1	7	4	4	4	.....	61
.....	.....	.....	.....	.....	5	6	14	3	2	4	4	8	10	5	4	6	.....	62
.....	.....	.....	.....	.....	4	5	9	7	8	5	1	1	8	9	4	7	.....	63
9	.....	9	.....	.....	8	7	8	4	4	4	13	7	6	3	7	5	.....	64
1	1	.....	.....	.....	3	9	8	9	3	4	2	4	7	2	4	4	.....	65
.....	.....	.....	.....	.....	4	4	12	6	6	3	5	1	6	8	4	8	.....	66
.....	.....	.....	.....	.....	9	14	9	14	9	12	9	11	21	8	10	6	.....	67
2	.....	2	.....	.....	4	7	4	10	6	4	5	8	6	1	5	5	.....	68
3	1	2	.....	.....	10	2	12	9	7	7	7	8	8	7	7	8	.....	69
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	70
.....	.....	.....	.....	.....	2	2	3	1	3	.....	.....	1	1	3	1	1	.....	71

[1] Includes Lower Brule Indian Reservation.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION AREA, BY

	REGISTRATION AREA.	Total.	WHITE.										
			Total.	Native.								Foreign.	Unknown.
				Total.	Both parents.			Mixed parentage.			Parentage not stated.		
					Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	SOUTH DAKOTA RURAL[1]—Continued.												
1	Roberts County	129	86	64	24	22	3	9	3	3	.....	21	1
2	Sanborn County	54	54	46	23	8	3	7	4	1	.....	8	.....
3	Spink County	90	90	66	37	9	8	11	.....	1	.....	16	8
4	Stanley County	75	75	63	38	7	6	5	5	2	.....	10	2
5	Sully County	18	18	13	9	1	1	2	.....	.....	.....	5	.....
6	Turner County	112	112	61	25	16	5	12	2	1	.....	48	3
7	Union County	117	117	70	35	16	6	9	3	1	.....	43	4
8	Walworth County	36	35	24	6	9	1	7	1	.....	.....	10	1
9	Yankton County	166	166	85	24	16	27	16	1	1	.....	75	6
10	Cheyenne River Indian Reservation	87	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Pine Ridge Indian Reservation	240	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Rosebud Indian Reservation	151	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	VERMONT RURAL.[1]												
13	Addison County	308	308	278	184	17	26	11	36	4	.....	26	4
14	Bennington County	183	183	157	107	7	20	8	13	2	.....	21	5
15	Caledonia County	393	393	321	194	31	35	36	22	3	.....	65	7
16	Chittenden County	357	354	282	159	47	24	28	21	3	.....	69	3
17	Essex County	108	108	78	42	8	12	13	3	.....	.....	28	2
18	Franklin County	431	430	328	193	54	19	46	12	4	.....	93	9
19	Grand Isle County	47	47	41	24	2	3	5	5	2	.....	6	.....
20	Lamoille County	188	188	170	107	6	27	8	20	2	.....	15	3
21	Orange County	297	297	267	207	7	21	11	20	1	.....	27	3
22	Orleans County	349	349	273	163	23	29	34	21	3	.....	73	3
23	Rutland County	516	516	394	228	77	35	25	28	1	.....	118	4
24	Washington County	509	509	433	237	49	89	19	35	4	.....	67	9
25	Windham County	475	472	417	267	16	76	19	38	1	.....	46	9
26	Windsor County	516	514	464	324	25	57	22	31	5	.....	36	14
	WASHINGTON RURAL.[1]												
27	Adams County	79	78	56	24	18	2	10	2	.....	.....	15	7
28	Asotin County	37	37	31	24	.....	2	2	3	.....	.....	4	2
29	Benton County	76	76	48	27	8	2	2	8	1	.....	19	9
30	Chehalis County	293	289	205	108	33	28	23	12	1	.....	66	18
31	Chelan County	157	157	135	99	8	14	7	5	2	.....	8	14
32	Clallam County[2]	75	43	31	10	2	12	3	3	1	.....	11	1
33	Clarke County	207	206	146	75	17	26	15	12	1	.....	45	15
34	Columbia County	60	60	56	30	.....	15	3	7	1	.....	3	1
35	Cowlitz County	75	74	56	37	3	5	5	4	2	.....	11	7
36	Douglas County	34	34	30	20	1	4	3	1	1	.....	4	.....
37	Ferry County[3]	32	12	8	4	1	1	2	.....	.....	.....	2	2
38	Franklin County	33	32	15	8	3	.....	3	.....	1	.....	5	12
39	Garfield County	41	41	33	23	4	3	1	2	.....	.....	7	1
40	Grant County	21	21	15	11	.....	4	.....	.....	.....	.....	5	1
41	Island County	26	23	19	7	4	1	4	3	.....	.....	3	1
42	Jefferson County	86	77	39	21	6	8	3	1	.....	.....	34	4
43	King County	534	502	307	146	78	30	32	14	7	.....	167	28
44	Kitsap County	121	115	80	34	14	16	12	3	1	.....	31	4
45	Kittitas County	162	157	106	43	29	11	10	11	2	.....	41	10
46	Klickitat County	74	73	60	34	5	8	6	5	2	.....	12	1
47	Lewis County	271	269	212	125	24	16	24	19	4	.....	40	17
48	Lincoln County	136	134	107	51	18	17	10	9	2	.....	18	9
49	Mason County	41	34	22	12	2	3	1	4	.....	.....	9	3
50	Okanogan County[3]	70	45	35	20	2	5	3	5	.....	.....	9	1
51	Pacific County	106	100	68	35	8	8	9	4	4	.....	16	16
52	Pierce County	477	452	283	111	58	73	24	15	2	.....	156	13
53	San Juan County	27	24	13	8	.....	2	1	1	1	.....	9	2
54	Skagit County[4]	294	262	195	104	31	21	23	14	2	.....	57	10
55	Skamania County	21	19	10	6	1	2	1	.....	.....	.....	8	1
56	Snohomish County	556	537	342	161	48	48	56	21	8	.....	160	35
57	Spokane County[3]	297	294	192	104	18	38	20	9	3	.....	82	20
58	Stevens County[3]	198	172	130	86	15	13	6	7	3	.....	31	11
59	Thurston County	171	165	121	65	14	20	10	10	2	.....	38	6
60	Wahkiakum County	13	13	9	3	3	1	2	.....	.....	.....	4	.....
61	Walla Walla County	75	75	61	29	1	12	4	14	1	.....	7	7
62	Whatcom County	462	452	292	151	51	26	35	24	5	.....	135	25
63	Whitman County	294	292	234	125	26	38	23	20	2	.....	48	10
64	Yakima County[5]	429	395	311	169	35	38	35	31	3	.....	63	21
	WISCONSIN RURAL.[1]												
65	Adams County	77	77	51	31	9	5	4	2	.....	.....	25	1
66	Ashland County	128	111	66	32	20	4	10	.....	.....	.....	41	4
67	Barron County	289	289	184	91	53	7	30	2	1	.....	102	3
68	Bayfield County	130	122	86	25	31	11	16	3	.....	.....	34	2
69	Brown County	325	310	182	96	41	9	32	3	1	.....	128	.....

[1] Exclusive of cities having a population of 8,000 or over in 1900.

[2] Includes Neah Bay Indian Reservation.

COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND MONTH OF OCCURRENCE: 1909—Continued.

COLORED.					MONTH OF OCCURRENCE.												
Total.	Negro.	Indian.	Chinese.	Japanese.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
43	.....	43	.....	.....	12	15	17	9	13	12	5	12	5	13	8	8	.....	1
.....	.....	.....	.....	.....	7	3	9	1	1	6	4	5	5	7	3	3	.....	2
.....	.....	.....	.....	.....	10	8	8	5	5	9	7	7	9	10	10	2	.....	3
.....	.....	.....	.....	.....	2	5	7	7	7	5	3	7	9	11	8	4	.....	4
.....	.....	.....	.....	.....	.....	2	2	2	.....	2	1	4	1	1	3	.....	.....	5
.....	.....	.....	.....	.....	10	6	8	16	11	14	6	6	7	8	12	8	.....	6
.....	.....	.....	.....	.....	12	8	14	13	9	9	3	10	4	12	16	7	.....	7
1	.....	1	.....	.....	3	1	3	1	2	3	1	3	2	7	6	4	.....	8
.....	.....	.....	.....	.....	11	12	21	19	20	6	13	13	12	13	9	17	.....	9
87	.....	87	.....	.....	13	3	8	9	13	10	4	7	7	6	7	.....	.....	10
240	.....	240	.....	.....	25	13	30	23	21	15	29	20	15	18	14	17	.....	11
150	.....	150	.....	.....	10	9	12	14	14	13	22	17	13	8	6	13	.....	12
.....	.....	.....	.....	.....	22	19	35	33	39	25	23	18	25	23	28	18	.....	13
.....	.....	.....	.....	.....	12	18	20	20	21	10	9	14	17	13	13	16	.....	14
.....	.....	.....	.....	.....	27	29	41	50	38	35	15	29	28	43	37	21	.....	15
3	3	.....	.....	.....	27	24	32	33	46	27	21	31	31	26	27	32	.....	16
.....	.....	.....	.....	.....	11	11	12	14	9	2	9	9	6	3	11	11	.....	17
1	1	.....	.....	.....	41	29	37	46	29	25	58	34	35	38	31	28	.....	18
.....	.....	.....	.....	.....	4	5	3	6	4	5	1	1	1	4	6	7	.....	19
.....	.....	.....	.....	.....	15	22	16	14	20	18	20	17	13	12	6	15	.....	20
.....	.....	.....	.....	.....	29	25	34	35	29	22	14	14	25	20	24	26	.....	21
.....	.....	.....	.....	.....	23	29	41	50	32	27	25	32	24	24	23	19	.....	22
.....	.....	.....	.....	.....	51	51	53	44	61	36	28	34	44	42	32	40	.....	23
.....	.....	.....	.....	.....	37	42	61	58	52	35	43	38	36	43	32	32	.....	24
3	2	.....	1	.....	39	45	54	58	41	38	28	35	38	41	29	29	.....	25
2	2	.....	.....	.....	45	41	49	62	55	32	40	39	43	39	27	44	.....	26
1	.....	.....	1	.....	4	9	7	4	10	6	7	6	6	11	5	4	.....	27
.....	.....	.....	.....	.....	6	3	3	3	1	4	3	4	2	5	1	2	.....	28
.....	.....	.....	.....	.....	3	7	6	8	6	5	10	7	5	11	2	6	.....	29
4	.....	4	.....	.....	19	17	23	24	25	25	18	25	32	39	29	17	.....	30
.....	.....	.....	.....	.....	6	10	13	20	10	12	12	12	9	17	21	15	.....	31
32	.....	32	.....	.....	3	5	7	10	4	8	10	8	6	5	5	4	.....	32
1	.....	.....	1	.....	14	15	14	13	20	20	16	19	22	22	21	11	.....	33
.....	.....	.....	.....	.....	7	4	8	5	4	4	4	7	1	2	7	7	.....	34
1	.....	1	.....	.....	13	4	8	8	7	4	6	3	7	5	.....	10	.....	35
.....	.....	.....	.....	.....	1	4	3	3	1	1	1	7	5	3	4	1	.....	36
20	.....	20	.....	.....	2	4	1	2	3	2	2	3	1	3	2	5	2	37
1	.....	.....	1	.....	2	2	.....	8	3	2	4	3	1	4	2	2	.....	38
.....	.....	.....	.....	.....	2	4	1	3	7	1	4	6	4	3	5	1	.....	39
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	3	3	3	4	3	4	.....	40
3	.....	1	2	.....	3	1	3	2	7	1	2	5	.....	.....	2	.....	.....	41
9	1	2	5	1	13	7	11	3	6	6	5	2	3	8	9	13	.....	42
32	9	12	.....	11	35	34	55	38	47	58	32	49	57	51	38	40	.....	43
6	1	4	.....	1	6	4	9	18	7	7	10	10	12	9	16	13	.....	44
5	3	1	.....	1	12	17	11	15	7	10	17	11	13	20	11	18	.....	45
1	.....	.....	.....	1	6	4	6	10	10	4	6	3	6	2	11	6	.....	46
2	.....	1	.....	1	20	22	28	19	32	13	18	17	36	21	20	25	.....	47
2	.....	2	.....	.....	10	14	8	16	11	10	11	18	12	8	9	9	.....	48
7	.....	5	.....	2	1	5	3	3	1	1	6	2	4	6	4	5	.....	49
25	.....	25	.....	.....	.....	6	5	7	5	1	3	8	9	9	8	4	5	50
6	.....	6	.....	.....	7	16	6	6	3	12	6	16	9	4	10	10	1	51
25	3	16	.....	6	39	32	47	50	42	42	25	40	34	39	40	47	.....	52
3	.....	3	.....	.....	3	4	2	3	1	1	5	1	.....	5	2	.....	.....	53
32	.....	28	.....	4	23	20	27	30	30	19	17	29	26	33	16	24	.....	54
2	.....	2	.....	.....	2	.....	2	2	1	3	2	1	1	3	2	2	.....	55
19	8	10	.....	1	48	49	41	49	40	39	46	56	47	54	40	47	.....	56
3	1	2	.....	.....	23	22	21	24	36	20	16	34	23	25	24	29	.....	57
26	.....	26	.....	.....	17	13	21	13	17	18	12	16	19	21	9	22	.....	58
6	2	3	.....	1	18	12	17	22	7	13	12	13	16	14	10	17	.....	59
.....	.....	.....	.....	.....	2	.....	.....	1	.....	1	1	.....	4	.....	2	2	.....	60
.....	.....	.....	.....	.....	6	1	5	6	5	4	6	5	7	4	11	15	.....	61
10	4	1	3	2	46	34	35	36	52	29	34	23	46	53	41	33	.....	62
2	.....	2	.....	.....	26	28	21	30	26	18	23	28	34	26	17	17	.....	63
34	4	28	2	.....	26	31	34	43	40	23	40	34	33	37	42	40	6	64
.....	.....	.....	.....	.....	5	4	6	11	7	4	2	6	11	8	6	7	.....	65
17	.....	17	.....	.....	12	4	13	10	4	7	3	22	15	14	9	14	1	66
.....	.....	.....	.....	.....	27	24	37	24	26	15	10	20	30	32	22	22	.....	67
8	.....	8	.....	.....	8	9	15	9	8	9	5	16	16	10	14	11	.....	68
15	.....	15	.....	.....	30	21	21	35	38	30	22	23	32	25	28	20	.....	69

[3] Includes part of Colville Indian Reservation.

[4] Includes Swinomish Indian Reservation.

[5] Includes Yakima Indian Reservation.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION AREA, BY

	REGISTRATION AREA.	Total.	WHITE.										
			Total.	Native.								Foreign.	Unknown.
				Total.	Both parents.			Mixed parentage.			Parentage not stated.		
					Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	WISCONSIN RURAL[1]—Continued.												
1	Buffalo County	149	149	74	31	17	3	20	3			75	
2	Burnett County	94	91	54	19	15	1	19				37	
3	Calumet County	177	174	109	66	21	3	18	1			64	1
4	Chippewa County	286	285	198	69	44	54	22	4	5		82	5
5	Clark County	274	273	171	80	48	15	25	2	1		100	2
6	Columbia County	365	365	209	116	48	13	23	8	1		148	8
7	Crawford County	202	202	133	76	22	15	14	6			64	5
8	Dane County	569	569	313	143	87	40	34	6	3		251	5
9	Dodge County	431	429	213	109	59	5	36	2	2		214	2
10	Door County	187	187	111	48	34	4	22	3			76	
11	Douglas County	52	52	29	10	9	1	5	3	1		19	4
12	Dunn County	261	261	175	89	53	5	23	4	1		86	
13	Eau Claire County	107	106	69	28	13	12	12	4			35	2
14	Florence County	23	23	11	5	4	2					12	
15	Fond du Lac County	359	359	221	113	60	11	28	6	3		132	6
16	Forest County	57	55	41	28	5	1	7				9	5
17	Grant County	435	434	301	186	54	20	28	11	2		132	1
18	Green County	224	224	154	82	44	7	13	8			66	4
19	Green Lake County	198	197	102	50	29	4	18		1		93	2
20	Iowa County	246	246	142	59	49	4	26	3	1		101	3
21	Iron County	108	107	59	10	40	1	5	1	2		44	4
22	Jackson County	198	197	123	56	31	12	21	3			72	2
23	Jefferson County	305	304	188	81	62	15	20	8	2		116	
24	Juneau County	235	234	156	91	37	6	19	3			76	2
25	Kenosha County	93	93	52	20	20	3	7	1	1		33	8
26	Kewaunee County	209	209	103	51	34	1	15	1	1		106	
27	La Crosse County	128	128	60	28	14	5	12	1			64	4
28	Lafayette County	225	225	133	68	41	4	16	4			90	2
29	Langlade County	136	135	94	61	13	4	12	2	2		40	1
30	Lincoln County	119	119	76	32	26	3	14		1		41	2
31	Manitowoc County	339	339	167	86	41	2	35	3			172	
32	Marathon County	361	359	236	97	76	4	54	1	4		122	1
33	Marinette County	210	210	134	54	52	4	20	1	3		67	9
34	Marquette County	124	124	72	36	23	2	9		2		52	
35	Milwaukee County	1,197	1,190	657	146	226	174	84	18	9		520	13
36	Monroe County	297	297	192	110	35	13	21	13			102	3
37	Oconto County	262	261	185	73	68	4	32	5	3		75	1
38	Oneida County	125	123	73	34	20	5	13	1			40	10
39	Outagamie County	316	314	204	103	56	7	32	5	1		110	
40	Ozaukee County	197	197	107	53	47	1	6				89	1
41	Pepin County	66	66	42	29	1	1	9	1	1		24	
42	Pierce County	237	237	154	79	37	9	24	4	1		83	
43	Polk County	191	189	103	30	48	2	22	1			86	
44	Portage County	238	238	167	83	48	9	23	3	1		70	1
45	Price County	80	80	59	23	29		3	1	3		20	1
46	Racine County	223	221	101	44	39	5	10	1	2		110	10
47	Richland County	222	221	191	132	13	25	11	8	2		27	3
48	Rock County	294	292	203	105	38	20	27	10	3		83	6
49	Rusk County	95	95	69	38	17	5	7	2			22	4
50	St. Croix County	269	269	150	74	42	11	20	1	2		113	6
51	Sauk County	399	398	246	125	62	13	30	16			150	2
52	Sawyer County	66	58	42	14	14	4	8	1	1		16	
53	Shawano County	320	312	199	89	56	9	39	3	3		110	3
54	Sheboygan County	299	299	163	78	46	6	30	2	1		134	2
55	Taylor County	121	120	73	22	32	5	13	1			45	2
56	Trempealeau County	243	243	141	71	40	5	24	1			101	1
57	Vernon County	276	276	165	89	29	17	15	13	2		110	1
58	Vilas County	29	29	17	7	8	1		1			10	2
59	Walworth County	379	377	247	125	45	25	29	23			124	6
60	Washburn County	77	77	61	30	14	7	8	1	1		15	1
61	Washington County	249	249	118	56	43	4	12	2	1		129	2
62	Waukesha County	482	482	295	136	72	20	48	14	5		180	7
63	Waupaca County	403	403	240	99	48	45	36	11	1		161	2
64	Waushara County	215	215	155	91	28	17	13	5	1		60	
65	Winnebago County	375	372	216	98	57	7	36	12	6		149	7
66	Wood County	323	322	206	85	68	9	41	3			113	3

[1] Exclusive of cities having a population of 8,000 or over in 1900.

COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND MONTH OF OCCURRENCE: 1909—Continued.

COLORED.					MONTH OF OCCURRENCE.												
Total.	Negro.	Indian.	Chinese.	Japanese.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
.....	.....	.....	.....	.....	10	15	18	16	13	7	8	8	10	19	17	8	.....	1
3	.....	3	.....	.....	10	6	10	17	5	2	11	7	6	10	5	5	.....	2
3	.....	3	.....	.....	18	21	15	14	13	16	12	8	15	18	14	13	.....	3
1	.....	1	.....	.....	25	31	35	41	16	25	20	14	19	17	20	23	.....	4
1	1	.....	.....	.....	24	18	28	25	25	14	29	19	25	28	19	20	.....	5
.....	.....	.....	.....	.....	41	33	33	31	37	27	17	25	23	44	33	21	.....	6
.....	.....	.....	.....	.....	23	21	26	25	13	11	17	7	17	15	14	13	.....	7
.....	.....	.....	.....	.....	40	52	58	49	46	49	38	45	52	53	41	46	.....	8
2	2	.....	.....	.....	39	30	51	45	38	34	32	25	36	34	30	37	.....	9
.....	.....	.....	.....	.....	11	9	27	18	16	10	15	12	22	14	22	11	.....	10
.....	.....	.....	.....	.....	3	1	8	5	3	3	9	3	8	1	6	2	.....	11
.....	.....	.....	.....	.....	23	16	30	25	24	18	14	16	26	30	12	27	.....	12
1	1	.....	.....	.....	16	2	14	8	5	14	5	6	11	8	7	11	.....	13
.....	.....	.....	.....	.....	2	3	5	1	2	.....	1	1	3	1	2	2	.....	14
.....	.....	.....	.....	.....	36	29	30	30	42	27	28	26	34	26	22	29	.....	15
2	.....	2	.....	.....	5	5	6	5	2	5	3	5	6	4	6	5	.....	16
1	1	.....	.....	.....	41	42	54	31	38	30	29	26	33	42	34	35	.....	17
.....	.....	.....	.....	.....	17	22	25	27	19	17	10	14	19	17	12	25	.....	18
1	1	.....	.....	.....	18	13	21	19	16	22	14	18	19	16	10	12	.....	19
.....	.....	.....	.....	.....	22	21	31	21	24	17	13	14	24	20	16	23	.....	20
1	.....	1	.....	.....	9	10	9	5	11	9	9	11	16	6	4	9	.....	21
1	.....	1	.....	.....	15	16	28	22	16	12	8	19	16	14	15	17	.....	22
1	1	.....	.....	.....	20	21	32	28	23	30	20	22	32	27	21	29	.....	23
1	1	.....	.....	.....	27	22	31	21	11	21	13	15	23	18	15	18	.....	24
.....	.....	.....	.....	.....	2	9	7	17	10	8	4	14	4	7	5	6	.....	25
.....	.....	.....	.....	.....	13	18	25	23	27	14	10	18	18	23	10	10	.....	26
.....	.....	.....	.....	.....	14	10	11	15	13	14	9	10	8	7	6	11	.....	27
.....	.....	.....	.....	.....	19	18	32	15	16	13	16	17	18	17	19	25	.....	28
1	.....	1	.....	.....	16	12	18	7	13	10	9	12	10	11	10	8	.....	29
.....	.....	.....	.....	.....	6	8	14	9	9	4	13	9	17	15	9	6	.....	30
.....	.....	.....	.....	.....	24	34	34	31	41	31	17	25	31	31	17	23	.....	31
2	.....	2	.....	.....	29	31	41	31	25	19	20	31	37	34	27	36	.....	32
.....	.....	.....	.....	.....	23	14	21	20	22	15	20	15	24	17	8	11	.....	33
.....	.....	.....	.....	.....	10	13	13	9	11	7	6	4	11	11	14	15	.....	34
7	7	.....	.....	.....	95	87	115	116	93	85	86	119	104	110	90	97	.....	35
.....	.....	.....	.....	.....	30	22	30	30	37	27	16	18	21	20	18	28	.....	36
1	1	.....	.....	.....	26	15	24	16	25	25	18	20	35	23	18	17	.....	37
2	.....	2	.....	.....	14	18	9	9	9	5	7	10	9	17	6	12	.....	38
2	.....	2	.....	.....	24	24	32	39	26	27	21	25	29	29	11	29	.....	39
.....	.....	.....	.....	.....	17	14	17	24	18	15	22	10	19	17	9	15	.....	40
.....	.....	.....	.....	.....	8	6	6	9	5	3	7	4	2	5	9	2	.....	41
.....	.....	.....	.....	.....	26	24	23	22	25	14	7	18	24	18	14	22	.....	42
2	1	1	.....	.....	11	18	18	17	17	15	10	20	15	15	14	21	.....	43
.....	.....	.....	.....	.....	18	23	25	24	20	16	21	15	22	24	18	12	.....	44
.....	.....	.....	.....	.....	6	9	4	9	7	5	6	4	12	6	5	7	.....	45
2	2	.....	.....	.....	25	18	19	24	15	18	12	16	19	22	15	20	.....	46
1	1	.....	.....	.....	19	15	20	24	15	10	17	21	25	24	14	18	.....	47
2	2	.....	.....	.....	21	23	24	31	29	36	18	17	23	27	23	22	.....	48
.....	.....	.....	.....	.....	17	6	4	9	8	8	5	5	5	12	5	11	.....	49
.....	.....	.....	.....	.....	24	21	26	20	28	29	14	21	24	24	16	22	.....	50
1	1	.....	.....	.....	29	28	53	25	43	23	26	32	39	38	27	36	.....	51
8	.....	8	.....	.....	7	3	3	13	5	4	5	7	4	5	3	7	.....	52
8	.....	8	.....	.....	24	20	35	36	39	25	16	30	24	26	25	20	.....	53
.....	.....	.....	.....	.....	23	22	38	31	19	21	29	17	18	29	25	27	.....	54
1	1	.....	.....	.....	15	7	2	18	18	12	3	8	9	7	13	9	.....	55
.....	.....	.....	.....	.....	25	25	20	18	26	13	19	25	19	20	22	11	.....	56
.....	.....	.....	.....	.....	26	37	35	32	18	12	15	15	30	19	14	23	.....	57
.....	.....	.....	.....	.....	1	4	5	1	2	.....	2	4	2	4	3	1	.....	58
2	2	.....	.....	.....	21	36	30	50	33	24	22	33	35	37	22	36	.....	59
.....	.....	.....	.....	.....	5	4	8	4	5	9	6	7	7	7	6	9	.....	60
.....	.....	.....	.....	.....	19	27	27	34	21	13	20	22	25	11	14	16	.....	61
.....	.....	.....	.....	.....	44	34	42	49	37	49	27	42	52	38	29	39	.....	62
.....	.....	.....	.....	.....	30	31	49	46	32	35	30	32	35	22	32	29	.....	63
.....	.....	.....	.....	.....	15	18	26	20	12	15	18	17	23	17	15	19	.....	64
3	1	2	.....	.....	40	29	45	31	47	21	22	23	30	27	30	30	.....	65
1	.....	1	.....	.....	28	27	25	40	27	23	25	27	33	26	20	22	.....	66

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	TOTAL.												
1	The registration area	732,538	140,057	30,279	12,659	7,853	5,686	196,534	16,142	10,761	18,138	27,303	29,733
2	Registration cities	457,188	91,005	20,503	8,491	5,300	3,824	129,123	10,375	6,541	11,396	18,306	20,595
3	Registration states	630,057	121,728	26,138	10,905	6,685	4,850	170,306	13,736	9,148	14,950	22,088	24,153
4	Cities in registration states	354,707	72,676	16,362	6,737	4,132	2,988	102,895	7,969	4,928	8,208	13,091	15,015
5	Rural part of registration states	275,350	49,052	9,776	4,168	2,553	1,862	67,411	5,767	4,220	6,742	8,997	9,138
6	Registration cities in other states	102,481	18,329	4,141	1,754	1,168	836	26,228	2,406	1,613	3,188	5,215	5,580
	REGISTRATION STATES.												
7	California	30,964	3,477	691	294	190	138	4,790	531	399	761	1,212	1,625
8	Colorado	11,040	1,853	383	180	109	94	2,619	287	178	310	653	790
9	Connecticut	16,479	3,353	591	252	151	151	4,498	344	202	357	508	525
10	Indiana	34,519	5,637	1,363	557	297	210	8,064	748	616	1,072	1,330	1,398
11	Maine	11,500	1,904	267	124	83	60	2,438	210	168	241	338	314
12	Maryland (total)	19,931	4,338	887	377	211	134	5,947	425	307	532	866	790
13	White	14,675	3,080	611	240	139	95	4,165	265	188	300	540	491
14	Colored	5,256	1,258	276	137	72	39	1,782	160	119	232	326	299
15	Massachusetts	51,096	10,514	1,927	821	492	352	14,106	1,002	659	999	1,478	1,653
16	Michigan	36,260	7,339	1,275	498	347	251	9,710	749	556	953	1,274	1,199
17	New Hampshire	7,256	1,367	201	97	59	46	1,770	128	79	117	157	187
18	New Jersey	36,310	7,654	1,812	846	434	352	11,098	909	558	787	1,220	1,348
19	New York	140,073	26,175	6,744	2,725	1,667	1,120	38,431	2,962	1,752	2,906	4,552	5,347
20	Ohio	60,670	10,316	2,004	829	482	360	13,991	1,134	891	1,573	2,235	2,296
21	Pennsylvania	111,062	25,638	5,780	2,317	1,440	1,041	36,216	2,649	1,616	2,595	3,865	4,214
22	Rhode Island	8,288	1,833	337	140	92	63	2,465	164	95	178	222	275
23	South Dakota	4,814	1,095	245	118	69	62	1,589	209	146	163	190	201
24	Vermont	5,579	866	145	56	40	28	1,135	81	78	125	154	148
25	Washington	10,706	1,680	352	146	126	113	2,417	335	248	392	568	569
26	Wisconsin	27,294	5,650	926	436	341	229	7,582	754	511	719	1,002	951
	REGISTRATION CITIES.												
	ALABAMA.[1]												
27	Birmingham (total)	1,280	227	70	27	17	14	355	25	17	67	97	122
28	White	584	112	40	12	7	6	177	12	7	16	33	42
29	Colored	696	115	30	15	10	8	178	13	10	51	64	80
30	Mobile (total)	1,029	159	30	12	6	8	215	20	18	37	69	85
31	White	450	56	14	5	3	4	82	9	4	17	25	18
32	Colored	579	103	16	7	3	4	133	11	14	20	44	67
33	Montgomery (total)	821	125	44	9	3	4	185	10	17	38	51	48
34	White	277	44	19	3	2	1	69	2	9	9	16	9
35	Colored	544	81	25	6	1	3	116	8	8	29	35	39
	CALIFORNIA.												
36	Alameda	309	30	4	5	1	2	42	2	1	8	8	9
37	Berkeley	408	56	13	2	6	2	79	4	6	10	14	17
38	Fresno (total)	317	65	9	5	1	5	85	10	5	6	19	22
39	White	280	58	8	5	1	5	77	9	4	5	18	19
40	Colored [2]	37	7	1	----	----	----	8	1	1	1	1	3
41	Los Angeles	4,014	450	85	35	24	16	610	61	52	98	201	258
42	Oakland	1,643	193	39	13	11	7	263	28	28	35	47	77
43	Pasadena	410	27	8	2	----	3	40	5	5	8	18	14
44	Sacramento	709	103	13	9	6	1	132	8	8	23	34	45
45	San Diego	603	55	8	7	2	3	75	8	2	14	15	27
46	San Francisco (total)	6,151	714	177	57	39	28	1,015	95	41	131	196	324
47	White	5,876	685	166	54	38	26	969	89	40	125	183	306
48	Colored [2]	275	29	11	3	1	2	46	6	1	6	13	18
49	San Jose	435	53	7	2	5	1	68	10	6	12	13	21
50	Stockton	516	30	2	7	4	----	43	2	4	2	14	32
	COLORADO.												
51	Colorado Springs	506	56	15	4	5	3	83	14	4	14	25	56
52	Denver	3,526	441	56	42	34	23	596	94	44	96	216	292
53	Leadville	162	51	7	1	----	2	61	2	----	5	4	3
54	Pueblo	579	120	22	11	4	9	166	12	9	12	30	40
	CONNECTICUT.												
55	Ansonia	214	65	10	5	4	7	91	10	4	1	10	3
56	Bridgeport	1,429	364	58	26	16	12	476	23	14	48	39	57
57	Bristol town	156	39	9	5	2	----	55	1	1	----	5	3
58	Danbury town	345	56	7	4	1	3	71	3	5	7	11	15
59	Greenwich town	251	47	14	7	3	5	76	13	4	5	6	12
60	Hartford	1,586	235	34	23	7	17	316	31	20	48	63	80
61	Manchester town	137	29	2	1	----	----	32	2	1	2	3	7
62	Meriden town	421	60	10	5	5	6	86	15	8	8	13	13
63	Middletown town	449	66	23	4	3	2	98	3	3	6	20	13
64	Naugatuck	175	52	6	3	4	2	67	1	4	6	7	5
65	New Britain	523	199	21	9	7	5	241	15	7	9	12	15
66	New Haven	2,217	414	112	50	17	20	613	52	25	48	73	66
67	New London	316	50	15	----	1	----	66	8	3	4	12	9
68	Norwalk town	366	63	12	1	1	4	81	1	7	4	5	3
69	Norwich town	440	69	13	4	3	2	91	4	7	11	11	11
70	Stamford town	513	108	29	8	12	7	164	15	7	12	16	14
71	Stonington town	147	29	4	----	1	2	36	1	1	3	6	5
72	Torrington town	190	56	17	2	3	2	80	10	2	4	2	7

[1] Nonregistration state; cities shown below only those with effective local ordinances.

EACH REGISTRATION AREA, BY AGE: 1909.

AGE—continued.															
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
29,905	32,965	32,115	34,646	36,428	37,007	42,475	46,649	45,610	41,989	29,680	16,533	5,486	1,321	324	794	1
21,013	23,496	22,885	24,411	24,795	23,990	26,418	26,347	23,781	20,242	13,130	7,017	2,323	583	175	246	2
24,495	27,216	26,426	28,531	30,492	31,703	36,954	41,387	40,968	38,007	27,140	15,204	5,007	1,191	256	699	3
15,603	17,747	17,196	18,296	18,859	18,686	20,897	21,085	19,139	16,260	10,590	5,688	1,844	453	107	151	4
8,892	9,469	9,230	10,235	11,633	13,017	16,057	20,302	21,829	21,747	16,550	9,516	3,163	738	149	548	5
5,410	5,749	5,689	6,115	5,936	5,304	5,521	5,262	4,642	3,982	2,540	1,329	479	130	68	95	6
1,649	1,696	1,682	1,876	1,899	1,834	2,031	2,321	2,166	2,058	1,409	671	201	48	17	88	7
742	704	621	636	626	521	544	569	417	384	246	133	44	9	3	4	8
580	676	687	718	815	874	998	1,165	1,150	945	760	434	164	39	8	32	9
1,214	1,288	1,291	1,348	1,570	1,739	2,006	2,515	2,555	2,574	1,754	989	299	77	24	48	10
317	371	336	393	477	583	707	915	1,113	1,102	788	460	157	35	2	35	11
761	823	708	921	946	970	1,086	1,268	1,218	979	750	358	108	36	17	55	12
546	551	556	667	685	773	889	1,051	1,041	865	662	304	86	21	3	26	13
215	272	212	254	261	197	197	217	177	114	88	54	22	15	14	29	14
1,883	2,201	2,139	2,287	2,481	2,709	3,180	3,497	3,584	3,028	2,224	1,362	475	116	11	22	15
1,138	1,243	1,138	1,430	1,606	1,691	2,169	2,626	2,612	2,691	1,908	1,061	355	80	18	53	16
208	268	235	247	303	382	490	527	615	605	483	280	107	20	2	46	17
1,447	1,676	1,636	1,723	1,701	1,811	2,105	2,209	2,072	1,352	1,194	688	210	49	11	6	18
5,827	6,829	6,693	7,130	7,310	7,243	8,554	8,858	8,447	7,525	5,282	3,041	1,028	256	50	50	19
2,279	2,434	2,413	2,597	2,923	3,142	3,741	4,242	4,422	4,453	3,256	1,817	568	141	28	89	20
4,041	4,539	4,326	4,549	4,879	5,157	6,027	6,733	6,628	5,907	4,119	2,168	659	137	27	11	21
296	363	345	353	406	468	534	590	512	479	303	150	65	20	2	3	22
180	180	156	175	179	189	204	241	251	240	152	107	31	8	2	21	23
129	156	173	212	242	282	323	472	518	516	428	269	108	21	6	3	24
614	572	579	595	615	582	537	554	498	465	298	144	49	14	3	58	25
872	857	897	1,040	1,175	1,162	1,333	1,661	1,795	1,911	1,608	960	341	74	14	75	26
88	83	68	75	48	55	52	40	30	27	15	7	4	1	1	3	27
27	36	27	26	33	32	32	26	19	20	9	5	1	1	----	3	28
61	47	41	49	15	23	20	14	11	7	6	2	3	----	1	----	29
69	87	54	80	47	50	51	35	40	35	21	7	6	2	1	----	30
27	33	24	34	26	23	24	21	34	26	13	6	3	1	----	----	31
42	54	30	46	21	27	27	14	6	9	8	1	3	1	1	----	32
56	44	34	51	51	55	43	40	31	28	19	6	9	4	----	1	33
15	11	11	17	16	15	17	15	18	17	6	2	2	----	----	1	34
41	33	23	34	35	40	26	25	13	11	13	4	7	4	----	----	35
14	18	11	19	16	22	26	26	30	23	20	10	1	1	----	2	36
16	23	15	25	27	21	36	27	32	32	16	7	1	----	----	----	37
19	10	25	9	19	16	10	18	23	9	6	4	2	----	----	----	38
16	8	22	8	16	12	7	16	22	9	6	4	2	----	----	----	39
3	2	3	1	3	4	3	2	1	----	----	----	----	----	----	----	40
237	222	247	269	265	243	264	285	250	220	139	63	19	7	3	1	41
57	95	98	116	120	102	108	133	119	108	58	34	10	4	1	2	42
16	22	27	26	18	23	33	39	38	37	23	15	2	1	----	----	43
41	45	51	39	45	35	41	42	30	42	21	14	9	----	----	4	44
28	29	25	35	45	38	52	48	57	44	34	15	6	4	----	2	45
348	392	399	421	436	412	442	445	359	350	206	99	30	4	1	5	46
335	370	381	389	404	383	425	432	355	347	204	99	30	4	1	5	47
13	22	18	32	32	29	17	13	4	3	2	----	----	----	----	----	48
25	27	6	25	27	22	25	25	43	30	25	18	5	2	----	----	49
36	33	30	39	47	46	38	36	45	34	21	9	3	1	----	1	50
47	36	33	33	25	28	23	31	25	17	8	3	1	----	----	----	51
271	250	221	252	247	169	203	200	125	106	84	48	9	2	1	----	52
5	7	9	10	19	13	6	8	5	3	2	----	----	----	----	----	53
25	40	41	32	41	25	29	21	28	15	5	6	1	1	----	----	54
9	10	8	13	8	9	7	14	8	3	1	4	1	----	----	----	55
64	66	79	61	85	74	81	78	79	50	28	16	5	3	1	2	56
3	5	4	3	9	7	8	12	8	15	9	5	3	----	----	----	57
6	17	21	22	17	25	27	28	26	20	16	5	2	1	----	----	58
12	12	9	10	8	12	12	15	19	8	9	6	1	2	----	----	59
87	92	76	96	100	108	106	93	101	74	61	21	13	----	----	----	60
2	7	4	3	3	7	14	16	9	13	4	6	2	----	----	----	61
24	11	20	12	24	32	28	45	25	24	19	9	4	1	----	----	62
9	25	28	28	26	24	33	41	39	19	15	12	3	3	----	1	63
3	8	6	7	6	7	7	10	16	9	2	3	----	----	----	1	64
22	19	18	19	22	31	13	21	25	17	8	5	3	1	----	----	65
88	100	121	115	124	139	142	126	132	107	89	41	13	2	1	----	66
14	15	15	18	15	21	18	18	23	24	14	10	3	----	----	6	67
12	22	13	16	17	25	25	35	35	23	25	13	4	----	----	----	68
17	15	11	25	27	27	34	37	37	31	22	9	10	2	1	----	69
16	33	18	22	27	21	23	29	40	22	19	8	4	----	----	3	70
1	7	4	7	5	7	9	13	12	15	10	5	----	----	----	----	71
6	6	6	4	9	6	7	12	9	11	3	4	2	----	----	----	72

[2] Chiefly Chinese and Japanese.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION CITIES—Continued.												
	CONNECTICUT—continued.												
1	Vernon town	108	20	4	1	.....	1	26	2	1	2	3	4
2	Wallingford town	136	40	4	.....	4	.....	48	3	1	2	3	4
3	Waterbury	1,056	319	46	24	13	13	415	13	17	26	45	44
4	Windham town	243	68	11	9	4	4	96	3	1	8	4	.....
	DELAWARE.[1]												
5	Wilmington (total)	1,366	310	67	31	15	12	435	46	23	32	67	53
6	White	1,123	259	52	24	12	8	355	36	18	23	48	35
7	Colored	243	51	15	7	3	4	80	10	5	9	19	18
	DISTRICT OF COLUMBIA.												
8	Washington (total)	6,216	1,039	208	92	55	46	1,440	115	89	165	264	323
9	White	3,620	501	98	36	26	31	692	67	46	63	111	132
10	Colored	2,596	538	110	56	29	15	748	48	43	102	153	191
	FLORIDA.[1]												
11	Jacksonville (total)	1,178	167	41	18	18	5	249	25	16	58	56	111
12	White	438	62	8	6	6	1	83	8	6	21	12	30
13	Colored	740	105	33	12	12	4	166	17	10	37	44	81
14	Key West (total)	379	103	17	9	2	1	132	12	4	11	23	14
15	White	254	64	10	8	1	1	84	5	2	7	15	7
16	Colored	125	39	7	1	1	.....	48	7	2	4	8	7
	GEORGIA.[1]												
17	Atlanta (total)	2,341	414	124	43	24	15	620	38	48	94	148	161
18	White	1,274	223	71	24	17	7	342	27	21	36	64	72
19	Colored	1,067	191	53	19	7	8	278	11	27	58	84	89
20	Savannah (total)	1,446	286	52	18	9	6	371	20	20	46	101	100
21	White	508	69	22	5	1	2	99	6	1	9	24	20
22	Colored	938	217	30	13	8	4	272	14	19	37	77	80
	ILLINOIS.[1]												
23	Aurora	422	65	13	6	5	.....	89	15	8	9	15	14
24	Belleville	272	43	10	1	2	.....	56	4	1	10	13	10
25	Chicago (total)	31,296	6,384	1,586	669	416	305	9,360	774	447	735	1,252	1,436
26	White	30,281	6,276	1,549	660	404	295	9,184	754	434	715	1,196	1,335
27	Colored	1,015	108	37	9	12	10	176	20	13	20	56	101
28	Decatur	327	40	6	4	4	3	57	8	8	13	11	11
29	Evanston	259	41	5	3	4	3	56	5	3	7	7	10
30	Jacksonville	319	22	2	4	1	4	33	6	3	10	11	11
31	Ottawa	178	18	2	3	1	.....	24	1	4	1	6	7
32	Quincy	496	57	2	3	5	2	69	11	4	15	13	20
33	Springfield	851	113	35	18	6	6	178	15	12	27	44	59
	INDIANA.												
34	Anderson	323	52	12	9	2	.....	75	13	8	11	12	11
35	Columbus	145	13	5	1	1	2	22	4	1	3	4	7
36	Elkhart	239	32	4	4	.....	1	41	6	4	7	10	7
37	Elwood	136	32	12	5	.....	3	52	8	4	4	1	5
38	Evansville (total)	905	139	33	11	7	6	196	14	20	36	46	53
39	White	796	127	26	10	5	5	173	11	15	30	41	46
40	Colored	109	12	7	1	2	1	23	3	5	6	5	7
41	Fort Wayne	725	104	8	7	10	3	132	18	22	32	30	44
42	Hammond	268	85	15	1	2	2	105	6	6	8	9	13
43	Huntington	143	20	4	2	1	.....	27	3	2	2	5	6
44	Indianapolis (total)	3,287	445	93	39	20	15	612	71	37	113	151	188
45	White	2,835	379	60	32	19	12	502	58	26	84	125	161
46	Colored	452	66	33	7	1	3	110	13	11	29	26	27
47	Jeffersonville (total)	168	28	8	3	2	2	43	3	1	2	3	4
48	White	144	22	7	3	2	2	36	2	1	2	3	3
49	Colored	24	6	1	.....	.....	.....	7	1	.....	.....	.....	1
50	Kokomo	208	41	13	5	1	1	61	5	1	6	8	9
51	Lafayette	355	29	6	1	1	1	38	2	8	11	13	20
52	Logansport	291	38	7	3	4	3	55	8	7	9	13	7
53	Marion	248	46	6	2	.....	2	56	6	7	11	14	8
54	Michigan City	212	52	3	2	5	2	64	4	4	8	9	7
55	Muncie	330	57	10	4	3	.....	74	11	8	13	13	21
56	New Albany	315	46	6	3	4	1	60	11	7	10	14	10
57	Peru	157	23	1	2	1	1	28	2	5	5	12	6
58	Richmond	292	37	9	4	.....	1	51	4	4	6	9	12
59	South Bend	711	188	24	14	7	7	240	17	8	25	33	37
60	Terre Haute	878	132	31	15	4	9	191	17	17	34	49	61
61	Vincennes	210	40	19	3	2	3	67	6	3	10	9	13
62	Wabash	121	20	6	1	4	1	32	3	3	5	3	4
63	Washington	103	25	1	4	1	.....	31	1	1	5	5	5
	KANSAS.[1]												
64	Kansas City (total)	1,181	220	45	19	10	9	303	32	21	49	64	63
65	White	977	190	35	16	8	7	256	29	20	41	48	48
66	Colored	204	30	10	3	2	2	47	3	1	8	16	15
67	Leavenworth (total)	333	47	11	2	2	1	63	3	3	9	15	7
68	White	271	40	10	1	1	.....	52	3	1	6	8	7
69	Colored	62	7	1	1	1	1	11	.....	2	3	7	.....
70	Wichita	558	97	20	7	3	1	128	15	19	13	29	31

[1] Nonregistration state; cities shown below only those with effective local ordinances.

EACH REGISTRATION AREA, BY AGE: 1909—Continued.

AGE—continued.															
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
4	5	4	6	7	5	5	9	8	6	6	5	----	----	----	----	1
7	2	3	6	6	2	10	12	2	8	13	1	2	----	----	1	2
35	42	40	47	49	49	64	55	48	33	12	18	2	1	1	----	3
8	11	9	4	14	8	9	28	16	11	5	4	1	1	1	1	4
55	54	52	68	67	66	70	81	62	62	30	34	7	1	1	----	5
43	45	41	56	52	52	63	75	56	58	29	30	7	1	----	----	6
12	9	11	12	15	14	7	6	6	4	1	4	----	----	1	----	7
318	340	311	301	339	364	385	424	395	293	178	112	38	11	11	----	8
142	184	161	178	198	240	275	314	323	230	143	89	28	4	----	----	9
176	156	150	123	141	124	110	110	72	63	35	23	10	7	11	----	10
87	92	76	73	61	48	51	49	42	26	22	11	6	2	3	14	11
36	25	32	23	20	20	26	22	26	15	17	7	4	1	----	4	12
51	67	44	50	41	28	25	27	16	11	5	4	2	1	3	10	13
9	15	16	15	20	14	17	16	8	18	11	6	2	----	----	16	14
4	7	12	12	15	11	12	12	7	15	9	3	1	----	----	14	15
5	8	4	3	5	3	5	4	1	3	2	3	1	----	----	2	16
156	151	141	134	129	108	123	85	75	56	41	16	7	4	5	1	17
77	77	75	64	51	71	78	62	61	48	33	12	1	1	----	1	18
79	74	66	70	78	37	45	23	14	8	8	4	6	3	5	----	19
85	112	99	84	76	60	73	65	45	37	33	12	3	2	2	----	20
25	31	27	31	23	32	39	47	31	28	26	6	2	1	----	----	21
60	81	72	53	53	28	34	18	14	9	7	6	1	1	2	----	22
11	21	12	20	20	25	18	37	23	37	28	13	7	----	----	----	23
13	14	8	17	8	13	19	16	21	19	20	8	1	1	----	----	24
1,561	1,727	1,738	2,047	1,829	1,660	1,668	1,526	1,309	1,058	666	343	125	21	8	6	25
1,477	1,612	1,654	1,961	1,744	1,595	1,631	1,500	1,293	1,042	662	339	122	19	7	5	26
84	115	84	86	85	65	37	26	16	16	4	4	3	2	1	1	27
7	16	22	12	17	15	16	27	26	26	18	10	5	1	1	----	28
14	12	11	18	12	15	15	15	19	16	12	8	3	1	----	----	29
9	18	10	12	17	23	31	33	26	27	16	13	5	2	----	3	30
9	4	9	9	17	7	5	19	17	18	10	10	----	----	----	1	31
15	19	27	27	30	33	33	46	49	42	23	14	2	2	2	----	32
46	44	35	43	48	47	49	44	49	41	36	20	8	1	----	5	33
12	13	23	21	14	15	26	13	15	22	10	8	----	1	----	----	34
1	12	6	6	10	9	8	17	18	7	5	3	1	----	----	1	35
6	17	16	12	16	9	21	17	15	19	7	5	2	1	----	1	36
5	3	6	4	7	5	7	6	6	5	3	2	2	----	----	1	37
36	47	53	43	43	45	50	63	54	45	36	18	5	1	1	----	38
29	38	45	39	38	36	44	59	51	45	35	15	5	1	----	----	39
7	9	8	4	5	9	6	4	3	----	1	3	----	----	1	----	40
32	51	23	31	34	44	50	55	49	44	25	7	1	1	----	----	41
16	14	18	14	17	12	4	9	5	3	4	3	----	1	----	1	42
2	4	3	9	7	8	11	4	15	19	7	8	----	1	----	----	43
156	189	181	209	223	217	207	206	174	164	106	62	11	7	3	----	44
134	160	155	173	189	197	186	188	161	160	101	60	10	5	----	----	45
22	29	26	36	34	20	21	18	13	4	5	2	1	2	3	----	46
5	7	6	9	14	10	6	14	19	14	6	----	2	----	----	----	47
4	6	4	8	10	8	5	12	19	13	6	----	2	----	----	----	48
1	1	2	1	4	2	1	2	----	1	----	----	----	----	----	----	49
6	10	10	7	6	9	9	21	16	13	7	2	1	1	----	----	50
16	14	15	17	26	23	25	24	41	24	27	5	5	1	----	----	51
14	9	13	16	11	16	19	29	28	16	11	6	3	1	----	----	52
12	4	14	16	10	16	14	13	19	19	3	4	1	1	----	----	53
8	7	11	6	6	9	13	14	10	11	12	7	2	----	----	----	54
10	11	14	16	12	21	20	15	26	20	14	5	6	----	----	----	55
17	15	20	16	11	21	21	16	23	19	16	4	2	2	----	----	56
9	14	4	4	6	10	7	14	12	7	7	3	1	----	----	1	57
9	10	10	16	16	24	21	17	20	27	14	17	2	2	1	----	58
32	27	27	30	35	24	38	30	44	31	23	5	4	----	1	----	59
46	50	45	41	42	50	45	57	45	41	27	14	4	2	----	----	60
15	6	4	7	5	8	9	13	12	11	3	8	1	----	----	----	61
5	5	5	3	8	5	5	5	11	9	3	4	3	----	----	----	62
7	3	2	2	1	3	7	7	15	5	3	----	----	----	----	----	63
61	65	56	52	70	75	56	53	66	49	25	16	2	3	----	----	64
47	51	42	38	57	64	51	44	57	43	23	16	1	1	----	----	65
14	14	14	14	13	11	5	9	9	6	2	----	1	2	----	----	66
15	19	10	16	10	15	20	27	27	40	22	7	5	----	----	----	67
14	12	8	10	8	12	16	25	23	36	20	6	4	----	----	----	68
1	7	2	6	2	3	4	2	4	4	2	1	1	----	----	----	69
26	24	20	17	28	24	36	39	39	40	12	10	2	1	----	5	70

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION CITIES—Continued.												
	KENTUCKY.[1]												
1	Covington	712	85	22	5	12	5	129	16	7	23	30	29
2	Louisville (total)	3,456	431	116	52	39	24	662	81	74	116	183	192
3	White	2,494	326	92	35	34	16	503	56	54	71	115	111
4	Colored	962	105	24	17	5	8	159	25	20	45	68	81
5	Newport	447	52	14	9	2	6	83	6	4	14	13	18
6	Paducah (total)	370	57	18	5	6	8	94	8	10	15	26	22
7	White	208	33	10	4	3	4	54	4	5	7	12	12
8	Colored	162	24	8	1	3	4	40	4	5	8	14	10
	LOUISIANA.[1]												
9	New Orleans (total)	6,770	1,052	193	70	56	28	1,399	108	95	237	383	401
10	White	4,208	656	128	53	36	24	897	77	54	113	185	186
11	Colored	2,562	396	65	17	20	4	502	31	41	124	198	215
	MAINE.												
12	Auburn	213	34	3	2	1	2	42	5	3	5	4	6
13	Augusta	304	43	1	5	4	1	54	1	2	6	9	10
14	Bangor	462	50	13	5	4	1	73	8	5	14	24	22
15	Bath	134	22	4	1	3	1	31	1	3	2	2	5
16	Biddeford	333	96	17	2	7	4	126	13	4	5	13	13
17	Lewiston	450	113	20	5	4	2	144	18	2	12	13	15
18	Portland	1,029	166	25	9	10	4	214	18	18	19	39	28
19	Rockland	141	14	1	1	.....	1	17	3	3	5	1	6
20	Waterville	159	50	6	2	1	1	60	2	1	2	13	6
	MARYLAND.												
21	Annapolis (total)	163	45	9	.....	2	1	57	3	.....	5	6	13
22	White	66	12	2	.....	.....	.....	14	.....	.....	1	.....	7
23	Colored	97	33	7	.....	2	1	43	3	.....	4	6	6
24	Baltimore (total)	10,387	2,234	472	199	109	65	3,079	218	143	244	464	457
25	White	7,804	1,672	338	119	72	48	2,249	148	99	144	302	290
26	Colored	2,583	562	134	80	37	17	830	70	44	100	162	167
27	Cumberland (total)	355	77	19	6	3	6	111	6	3	10	18	17
28	White	324	69	17	6	3	4	99	5	3	9	18	17
29	Colored	31	8	2	.....	.....	2	12	1	.....	1	.....	.....
30	Frederick (total)	214	31	6	1	2	1	41	1	6	8	10	5
31	White	160	23	3	1	2	.....	29	1	5	4	6	2
32	Colored	54	8	3	.....	.....	1	12	.....	1	4	4	3
33	Hagerstown (total)	269	61	18	4	2	2	87	5	1	8	9	14
34	White	239	57	15	2	2	2	78	4	1	6	9	11
35	Colored	30	4	3	2	.....	.....	9	1	.....	2	.....	3
	MASSACHUSETTS.												
36	Adams town	170	55	9	4	2	3	73	4	1	3	3	5
37	Amesbury town	143	17	1	.....	1	.....	19	3	4	4	4	5
38	Arlington town	119	9	4	2	.....	.....	15	3	1	1	3	6
39	Attleborough town	189	48	4	3	1	1	57	3	2	7	5	7
40	Beverly	259	38	16	4	5	5	68	9	3	2	6	7
41	Boston (total)	11,056	2,123	468	224	129	84	3,028	218	144	226	351	427
42	White	10,733	2,069	456	216	125	82	2,948	211	141	210	336	410
43	Colored	323	54	12	8	4	2	80	7	3	16	15	17
44	Brockton	632	165	22	6	5	3	201	15	6	14	22	13
45	Brookline town	306	19	6	1	.....	2	28	4	3	4	7	4
46	Cambridge	1,523	269	65	17	11	14	376	33	26	31	68	60
47	Chelsea	523	94	12	6	6	5	123	12	3	8	10	15
48	Chicopee	393	155	25	6	7	3	196	10	1	6	7	13
49	Clinton town	191	35	10	3	3	.....	51	6	.....	2	5	8
50	Danvers town	327	19	.....	1	.....	.....	20	.....	1	6	5	11
51	Everett	393	61	19	6	3	6	95	14	5	5	4	14
52	Fall River	2,235	872	152	51	28	13	1,116	41	25	37	54	62
53	Fitchburg	463	117	26	13	7	5	168	8	3	6	14	11
54	Framingham town	211	34	9	3	2	6	54	11	1	2	4	10
55	Gardner town	205	40	4	2	2	.....	48	7	2	3	10	4
56	Gloucester	325	65	7	8	4	1	85	6	7	4	9	11
57	Haverhill	630	96	19	13	6	7	141	16	9	14	17	13
58	Holyoke	995	368	40	11	11	9	439	16	11	29	25	28
59	Hyde Park town	172	34	5	2	1	1	43	2	2	1	4	4
60	Lawrence	1,431	471	102	40	15	13	641	28	14	34	47	49
61	Leominster town	215	59	7	2	.....	1	69	7	2	4	3	11
62	Lowell	1,883	493	99	37	23	18	670	45	29	29	56	47
63	Lynn	1,198	202	29	24	10	9	274	31	20	22	37	45
64	Malden	527	99	14	6	11	5	135	14	5	10	16	15
65	Marlborough	221	39	3	5	2	2	51	5	3	5	8	6
66	Medford	270	39	3	2	4	2	50	5	4	5	7	4
67	Melrose	187	21	3	3	.....	1	28	4	3	4	6	3
68	Milford town	188	30	5	1	2	1	39	6	.....	2	4	8
69	Natick town	141	19	2	1	2	.....	24	2	4	2	4	4
70	New Bedford	1,595	549	129	40	12	12	742	37	24	26	52	54
71	Newburyport	254	23	7	2	.....	4	36	3	3	7	8	6
72	Newton	444	76	10	7	5	3	101	6	10	6	11	14
73	North Adams	365	78	15	6	2	3	104	4	6	12	11	13
74	Northampton	335	51	4	1	6	2	64	5	2	9	12	11
75	Peabody town	208	38	4	1	1	2	46	3	2	3	5	6

[1] Nonregistration state; cities shown below only those with effective local ordinances.

EACH REGISTRATION AREA, BY AGE: 1909—Continued.

AGE—continued.															
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Un. known.	
39	39	35	33	47	40	49	39	53	50	32	20	2				1
192	201	195	186	222	194	215	198	171	198	93	56	16	5	3	3	2
106	126	139	119	147	129	170	158	152	180	81	55	14	5	1	2	3
86	75	56	67	75	65	45	40	19	18	12	1	2		2	1	4
28	29	26	27	27	25	27	26	32	30	16	11	5				5
28	29	18	21	18	18	14	24	10	9	6						6
12	16	8	11	9	12	7	17	9	7	6						7
16	13	10	10	9	6	7	7	1	2							8
403	426	412	469	413	380	403	358	319	263	158	90	30	13	7	3	9
201	228	245	293	258	247	280	267	247	210	123	68	20	7		2	10
202	198	167	176	155	133	123	91	72	53	35	22	10	6	7	1	11
6	7	7	10	12	5	9	17	20	24	20	9				2	12
16	13	25	15	21	19	14	28	24	24	5	12	5			1	13
21	30	14	30	25	20	31	31	31	41	23	9	5	2		3	14
1	2	7	4	8	5	11	11	12	16	8	4		1			15
12	10	12	11	13	14	18	18	16	17	10	3	5				16
17	11	14	12	16	28	34	30	35	27	13	6	1		1	1	17
37	49	37	51	42	68	79	79	84	85	42	26	12	2			18
2	4	5	4	6	12	10	16	16	15	9	5	2				19
5	8	4	6	3	3	10	13	9	7	5	1	1				20
4	4	1	9	4	12	8	17	6	6	3	2	1	1		1	21
1	2		3	2	8	4	11	4	5	1	2				1	22
3	2	1	6	2	4	4	6	2	1	2		1	1			23
419	510	495	566	571	543	556	639	524	462	294	143	43	10	6	1	24
285	332	360	401	404	446	460	551	468	425	264	128	39	7	1	1	25
134	178	135	165	167	97	96	88	56	37	30	15	4	3	5		26
16	17	16	16	16	15	18	19	17	14	10	8	1	4	1	2	27
13	17	13	15	15	14	16	19	15	14	10	7		3	1	1	28
3		3	1	1	1	2		2			1	1	1		1	29
11	8	6	12	9	12	16	15	23	15	13	3					30
8	2	2	9	6	10	11	13	22	14	13	3					31
3	6	4	3	3	2	5	2	1	1							32
12	10	4	12	8	16	11	18	14	12	19	5	1	1	2		33
11	8	4	10	5	15	10	16	14	12	18	5	1	1			34
1	2		2	3	1	1	2			1				2		35
7	6	7	3	8	7	8	9	4	8	7	4	3				36
7	5	9	4	7	5	12	5	17	15	11	4	3				37
6	4	6	6	9	4	4	10	13	9	6	9	4				38
5	9	6	3	15	6	6	8	15	19	10	5	1				39
12	5	9	14	9	12	15	18	21	22	18	7	1	1			40
491	626	648	603	668	612	723	647	639	420	344	173	54	10	3	1	41
476	599	623	582	644	597	702	634	627	415	340	171	53	10	3	1	42
15	27	25	21	24	15	21	13	12	5	4	2	1				43
24	28	27	36	30	31	28	39	36	34	26	16	4	2			44
7	15	10	19	15	22	18	37	38	28	18	19	9	1			45
81	73	74	83	57	83	106	99	93	84	49	30	9	6	1	1	46
14	26	28	28	16	13	38	57	52	41	16	14	8	1			47
9	18	8	10	14	19	16	22	19	9	7	7	2				48
10	10	10	3	8	12	15	22	6	13	8	2					49
15	22	25	25	14	24	29	25	38	26	16	22	3				50
14	16	14	23	19	32	22	34	33	29	14	3	3				51
75	66	69	84	84	95	103	96	90	66	46	19	5	2			52
21	13	12	21	18	26	21	30	19	23	27	17	3	2			53
7	6	8	5	10	8	16	16	15	13	7	12	3			3	54
12	14	8	4	12	13	13	10	14	15	7	3	5	1			55
15	11	11	8	15	19	14	32	25	24	16	11		2			56
22	28	28	30	34	32	45	45	58	39	26	27	4	2			57
38	36	39	54	47	46	44	36	37	38	17	9	6				58
7	7	6	6	8	7	11	20	15	13	8	8					59
46	61	63	56	43	67	67	78	60	36	21	14	5	1			60
3	8	5	6	9	9	18	12	13	9	13	9	2	2	1		61
88	90	74	82	76	90	113	100	109	85	52	27	15	5		1	62
45	43	46	52	65	69	78	108	94	81	46	30	8	1	1	2	63
13	29	23	28	22	22	39	34	46	39	26	7	3	1			64
10	7	7	8	10	13	19	17	17	16	8	9	1	1			65
6	11	8	16	13	20	23	20	25	21	15	10	7				66
6	3	7	11	11	15	13	14	16	12	17	11	3				67
6	11	8	9	8	8	10	15	20	11	13	7	2	1			68
7	5	6	6	7	7	14	11	12	13	5	7	1				69
58	46	41	49	42	59	71	79	74	53	46	32	7	1	1	1	70
10	6	20	10	11	21	13	14	25	18	19	15	7	2			71
17	15	17	13	22	28	32	36	27	36	22	20	9	2			72
11	23	16	10	24	16	26	20	18	25	14	7	5				73
14	13	14	23	23	19	26	24	25	25	15	8	3				74
9	7	7	13	13	22	11	16	16	13	9	5	1	1			75

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION CITIES—Continued.												
	MASSACHUSETTS—continued.												
1	Pittsfield	450	84	13	5	1	1	104	7	10	10	22	21
2	Plymouth town	162	32	9	6	1	1	49	2	.....	3	2	3
3	Quincy	383	78	16	4	6	.....	104	10	11	6	10	9
4	Revere town	195	46	10	3	5	2	66	5	2	2	4	6
5	Salem	688	143	27	9	4	3	186	13	11	15	21	17
6	Somerville	986	148	27	21	15	9	220	30	19	18	31	21
7	Southbridge town	163	53	11	5	3	.....	72	5	.....	3	1	6
8	Springfield	1,317	258	42	20	15	13	348	33	23	33	48	45
9	Taunton	719	144	23	11	10	2	190	10	13	13	16	22
10	Wakefield town	117	26	6	2	.....	.....	34	.....	1	1	3	4
11	Waltham	392	52	18	4	.....	4	78	16	11	15	16	16
12	Ware town	117	35	11	1	2	1	50	3	1	2	3	3
13	Watertown town	158	29	6	1	3	.....	39	.....	4	1	2	3
14	Webster town	136	42	5	.....	1	1	49	.....	3	4	4	3
15	Westfield town	248	71	5	4	2	.....	82	3	4	3	3	12
16	Weymouth town	166	22	4	2	1	.....	29	6	1	4	1	5
17	Woburn	212	29	5	6	2	1	43	3	5	7	7	8
18	Worcester	2,214	442	65	28	17	10	562	35	36	48	61	83
	MICHIGAN.												
19	Adrian	142	17	2	2	.....	.....	21	1	1	3	7	3
20	Alpena	221	57	11	3	2	2	75	7	4	11	13	9
21	Ann Arbor	289	28	7	.....	3	1	39	4	2	5	14	16
22	Battle Creek	362	50	8	1	1	3	63	9	6	9	14	18
23	Bay City	520	105	13	7	6	2	133	15	11	13	19	29
24	Detroit	6,309	1,800	295	113	83	63	2,354	188	75	150	236	249
25	Escanaba	213	61	10	2	2	2	77	6	2	7	15	11
26	Flint	397	87	15	5	1	6	114	9	5	9	14	15
27	Grand Rapids	1,311	266	37	23	11	6	343	28	11	33	50	49
28	Iron Mountain	111	34	6	3	3	2	48	6	3	4	2	7
29	Ironwood	206	75	9	9	11	2	106	8	10	7	14	6
30	Ishpeming	150	41	9	4	2	2	58	6	6	2	6	10
31	Jackson	382	55	5	4	.....	1	65	2	4	9	22	15
32	Kalamazoo	644	94	16	4	4	2	120	11	8	9	14	18
33	Lansing	310	54	13	6	2	2	77	4	4	19	17	12
34	Manistee	148	33	2	1	.....	.....	36	1	4	4	8	8
35	Marquette	173	34	6	3	.....	1	44	3	3	5	12	5
36	Menominee	148	21	5	1	2	4	33	1	2	5	12	4
37	Muskegon	274	49	3	2	4	3	61	6	5	10	13	14
38	Owosso	117	23	1	3	2	1	30	1	1	3	2	6
39	Pontiac	264	25	14	2	.....	2	43	3	1	6	6	5
40	Port Huron	244	42	6	.....	1	1	50	2	4	6	9	11
41	Saginaw	726	121	25	10	7	8	171	10	13	30	25	27
42	Sault Ste. Marie	165	50	8	3	3	1	65	5	2	5	14	5
43	Traverse City	235	21	4	.....	.....	1	26	4	1	6	9	8
	MINNESOTA.[1]												
44	Duluth	990	220	35	17	13	12	297	44	30	29	69	57
45	Mankato	159	20	2	4	2	.....	28	.....	4	4	10	2
46	Minneapolis	3,147	487	80	48	37	32	684	90	53	111	184	188
47	St. Paul	2,413	455	81	40	43	34	653	118	53	89	142	118
48	Winona	260	37	8	2	2	3	52	6	4	4	13	5
	MISSOURI.[1]												
49	Kansas City (total)	3,489	589	96	39	39	21	784	88	52	105	184	191
50	White	2,899	507	77	33	32	17	666	79	44	82	138	145
51	Colored	590	82	19	6	7	4	118	9	8	23	46	46
52	St. Joseph	1,062	147	26	13	6	6	198	20	10	22	51	53
53	St. Louis (total)	10,739	1,696	386	168	128	91	2,469	263	143	292	468	538
54	White	9,566	1,550	351	150	119	87	2,257	245	122	247	377	433
55	Colored	1,173	146	35	18	9	4	212	18	21	45	91	105
	NEBRASKA.[1]												
56	Lincoln	527	100	18	10	2	6	136	12	7	13	29	24
57	Omaha	1,797	281	52	21	19	16	389	37	38	63	89	90
	NEW HAMPSHIRE.												
58	Berlin	138	64	4	1	2	1	72	3	2	2	5	5
59	Concord	462	45	6	3	3	3	60	7	6	2	8	21
60	Dover	243	37	1	1	1	2	42	4	3	2	5	7
61	Keene	145	19	2	.....	.....	.....	21	2	2	4	3	3
62	Laconia	168	35	3	1	1	3	43	3	.....	2	6	5
63	Manchester	1,362	429	78	41	16	9	573	36	17	28	42	55
64	Nashua	434	145	23	4	4	5	181	13	2	13	11	8
65	Portsmouth	176	22	6	3	1	1	33	2	2	4	3	3
66	Rochester	128	28	3	2	2	1	36	2	2	1	.....	2
	NEW JERSEY.												
67	Atlantic City (total)	683	122	18	11	7	5	163	20	8	13	23	27
68	White	531	89	9	9	4	3	114	17	5	8	14	17
69	Colored	152	33	9	2	3	2	49	3	3	5	9	10
70	Bayonne	679	213	45	18	15	8	299	19	10	5	17	30
71	Bloomfield	149	26	9	2	.....	3	40	2	.....	5	4	3
72	Bridgeton	212	30	8	6	1	4	49	3	2	4	3	10

[1] Nonregistration state; cities shown below only those with effective local ordinances.

EACH REGISTRATION AREA, BY AGE: 1909—Continued.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
21	17	25	26	27	29	23	25	31	23	13	12	2	2	.....	.....	1
5	10	3	3	8	6	9	11	11	21	4	9	2	1	.....	.....	2
9	23	18	19	26	15	21	34	26	17	19	3	3	.....	.....	.....	3
8	10	5	7	7	10	7	18	15	13	4	4	2	.....	.....	.....	4
22	26	25	23	34	42	42	64	53	33	32	19	6	2	.....	2	5
31	40	28	46	43	50	55	91	93	81	49	26	12	2	.....	.....	6
4	7	7	5	7	9	3	4	8	12	7	1	2	.....	.....	.....	7
43	63	59	59	65	83	82	101	73	66	53	27	9	4	.....	.....	8
24	30	29	49	42	32	41	50	43	55	35	15	9	1	.....	.....	9
2	7	3	2	5	8	6	8	8	15	4	6	.....	.....	.....	.....	10
15	19	17	16	17	27	25	20	29	27	15	7	4	1	.....	1	11
2	5	4	3	2	5	2	11	4	4	4	4	3	2	.....	.....	12
4	5	8	3	7	7	18	11	17	11	11	3	3	1	.....	.....	13
5	4	.....	5	10	9	10	11	8	5	2	1	2	1	.....	.....	14
7	7	4	8	15	11	9	14	20	19	15	9	3	.....	.....	.....	15
7	6	1	4	11	10	13	10	19	22	9	7	1	.....	.....	.....	16
2	6	8	5	12	11	18	14	12	22	12	12	4	1	.....	.....	17
87	100	84	90	121	124	186	159	150	117	90	61	17	3	.....	.....	18
5	1	3	10	6	9	9	16	23	8	9	6	1	.....	.....	.....	19
8	4	12	6	10	9	9	11	11	10	7	2	1	2	.....	.....	20
11	13	17	15	31	26	16	21	20	23	9	5	2	.....	.....	.....	21
15	19	14	24	24	16	30	23	25	25	15	10	2	1	.....	.....	22
12	20	19	25	19	32	40	34	36	28	19	10	4	1	.....	1	23
236	252	228	284	314	287	295	319	292	246	174	85	28	8	2	7	24
8	6	5	18	6	3	13	11	5	12	2	4	2	.....	.....	.....	25
18	15	14	18	10	28	24	26	27	16	20	11	3	1	.....	.....	26
50	51	39	53	63	75	82	84	88	98	68	33	9	2	.....	2	27
4	8	6	3	2	4	1	4	4	1	3	.....	1	.....	.....	.....	28
7	8	4	4	8	9	2	8	2	2	1	.....	.....	.....	.....	.....	29
8	8	3	3	4	4	5	6	7	8	2	1	3	.....	.....	.....	30
23	17	10	16	21	20	37	33	32	33	10	12	1	.....	.....	.....	31
23	30	29	36	44	42	55	56	40	42	28	23	11	3	1	1	32
11	9	7	13	22	13	20	24	15	20	8	9	5	.....	.....	1	33
7	7	7	6	4	3	12	11	8	6	9	6	1	.....	.....	.....	34
8	10	10	13	7	6	10	9	6	7	8	6	.....	1	.....	.....	35
7	7	8	7	13	7	8	11	6	9	4	4	.....	.....	.....	.....	36
7	9	6	10	17	14	23	15	19	25	14	6	.....	.....	.....	.....	37
2	3	1	9	6	6	8	5	9	9	10	4	2	.....	.....	.....	38
8	12	20	7	15	16	21	27	20	28	16	7	1	.....	.....	2	39
7	7	12	14	11	17	25	19	17	19	5	6	2	1	.....	.....	40
26	27	30	36	31	38	49	62	47	38	39	22	4	1	.....	.....	41
12	12	4	5	8	3	4	6	7	3	1	2	.....	.....	2	.....	42
9	14	15	13	14	11	12	23	26	17	18	7	2	.....	.....	.....	43
51	55	52	63	46	45	47	30	14	28	13	11	6	2	.....	1	44
4	4	11	9	7	8	9	12	7	17	12	6	5	.....	.....	.....	45
149	154	159	160	195	169	162	161	153	155	122	60	26	6	2	4	46
108	114	98	117	139	111	110	114	104	107	58	36	16	4	2	2	47
4	12	12	15	10	13	20	25	19	20	16	7	2	1	.....	.....	48
201	197	234	202	231	175	180	216	177	119	87	38	15	7	5	1	49
151	133	173	170	191	149	152	200	169	118	82	37	12	6	1	1	50
50	64	61	32	40	26	28	16	8	1	5	1	3	1	4	.....	51
62	57	71	65	67	55	67	65	63	58	50	15	8	1	2	2	52
514	597	668	694	686	612	625	649	578	450	289	144	42	8	7	3	53
419	499	559	610	604	558	571	613	551	433	281	136	38	8	3	2	54
95	98	109	84	82	54	54	36	27	17	8	8	4	.....	4	1	55
20	22	16	33	24	29	34	33	36	24	21	12	2	.....	.....	.....	56
80	98	109	111	120	95	112	111	82	85	45	27	13	3	.....	.....	57
8	8	2	7	2	3	5	4	3	1	2	2	.....	.....	.....	2	58
18	30	16	21	30	31	37	32	44	34	36	21	4	3	.....	1	59
5	11	11	12	11	16	16	17	26	22	20	10	2	.....	.....	1	60
6	2	9	7	6	10	8	15	13	14	7	11	2	.....	.....	.....	61
4	4	9	1	3	5	15	14	7	25	12	7	2	1	.....	.....	62
48	63	38	46	49	43	80	58	54	60	41	22	5	3	1	.....	63
12	23	10	14	17	17	21	20	20	20	16	13	2	.....	.....	1	64
5	10	7	3	12	9	22	12	11	19	8	7	3	1	.....	.....	65
3	6	2	10	7	8	6	9	9	15	3	4	1	1	.....	1	66
31	36	44	29	37	46	49	45	47	26	23	12	3	.....	.....	1	67
16	21	36	22	32	40	44	42	44	22	23	10	3	.....	.....	1	68
15	15	8	7	5	6	5	3	3	4	.....	2	.....	.....	.....	.....	69
31	39	26	40	25	32	29	24	18	18	14	2	1	.....	.....	.....	70
2	3	4	5	12	11	7	9	10	16	8	3	3	2	.....	.....	71
7	5	3	4	13	12	15	13	24	20	19	3	2	1	.....	.....	72

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION CITIES—Continued.												
	NEW JERSEY—continued.												
1	Camden	1,485	323	59	25	19	17	443	50	29	30	50	43
2	East Orange	313	45	3	3	2	2	55	7	6	5	7	9
3	Elizabeth	1,141	305	80	40	18	12	455	29	17	21	42	50
4	Hackensack	191	35	10	5	1	.....	51	3	6	6	7	10
5	Harrison	182	46	14	5	4	4	73	3	3	1	3	13
6	Hoboken	1,237	253	70	35	25	10	393	32	13	32	45	69
7	Jersey City	4,406	989	280	143	65	62	1,539	122	63	101	158	184
8	Kearny	206	20	10	4	.....	2	36	6	2	4	6	7
9	Long Branch	262	42	6	1	2	.....	51	10	4	7	19	15
10	White	230	37	6	1	2	.....	46	9	3	6	13	13
11	Colored	32	5	.....	.....	.....	.....	5	1	1	1	6	2
12	Millville	151	37	3	1	4	.....	45	5	4	2	8	7
13	Montclair	276	63	9	7	1	4	84	5	9	9	13	9
14	Morristown	257	56	13	.....	2	2	73	2	6	8	13	10
15	New Brunswick	484	145	32	11	4	2	194	8	5	10	18	18
16	Newark	5,571	1,118	314	165	95	72	1,764	151	105	119	208	239
17	Orange	459	94	26	7	6	4	137	15	12	8	20	19
18	Passaic	791	329	75	24	6	5	439	17	9	18	24	28
19	Paterson	1,882	361	84	46	22	17	530	43	33	39	72	72
20	Perth Amboy	430	167	40	8	4	6	225	14	1	12	12	10
21	Phillipsburg	155	20	3	3	3	.....	29	4	1	3	6	6
22	Plainfield	297	46	15	3	3	5	72	3	1	4	11	14
23	Trenton	1,655	380	70	23	12	7	492	29	20	37	66	70
24	Union	277	50	15	2	3	.....	70	11	4	7	7	9
25	West Hoboken	422	100	25	17	6	12	160	13	6	5	6	12
	NEW YORK.												
26	Albany	1,758	223	46	22	8	13	312	27	21	37	57	72
27	Amsterdam	419	107	14	7	3	.....	131	4	5	8	20	15
28	Auburn	514	81	10	3	3	1	98	11	6	10	18	21
29	Batavia	166	29	6	1	1	.....	37	5	.....	5	6	2
30	Binghamton	872	129	26	14	9	7	185	24	9	20	16	31
31	Buffalo	6,331	1,469	311	111	72	55	2,018	213	101	167	245	226
32	Cohoes	488	122	45	8	8	2	185	11	4	13	18	21
33	Corning	212	41	7	1	1	.....	50	5	1	9	8	9
34	Cortland	164	29	2	.....	.....	.....	31	3	1	1	2	5
35	Dunkirk	200	47	2	5	2	1	57	2	3	7	9	4
36	Elmira	554	51	7	8	5	5	76	10	7	14	22	17
37	Geneva	175	25	2	1	.....	.....	28	2	1	1	6	9
38	Glens Falls	219	36	5	3	.....	.....	44	1	1	13	7	11
39	Gloversville	298	36	5	4	.....	3	48	4	2	6	9	8
40	Hornell	189	16	3	.....	.....	.....	19	1	2	6	7	9
41	Hudson	172	32	5	3	2	.....	42	1	3	4	5	3
42	Ithaca	211	21	6	2	1	1	31	6	.....	8	6	9
43	Jamestown	342	46	6	5	4	3	64	8	4	10	17	12
44	Johnstown	158	14	3	2	1	.....	20	3	2	4	4	5
45	Kingston	517	70	11	3	5	5	94	7	14	20	19	25
46	Little Falls	177	40	5	1	2	.....	48	4	4	4	8	5
47	Lockport	273	34	5	3	1	.....	43	10	3	14	14	12
48	Middletown	341	32	6	3	3	1	45	5	3	3	16	14
49	Mount Vernon	392	78	21	9	3	5	116	7	4	9	9	12
50	New Rochelle	321	75	20	8	6	.....	109	11	4	3	7	10
51	New York (total)	74,263	15,920	4,806	1,930	1,132	736	24,524	1,754	972	1,506	2,552	3,202
52	Bronx Borough	6,451	988	283	140	75	65	1,551	145	102	195	306	400
53	Brooklyn Borough	24,417	4,928	1,624	671	415	246	7,884	638	320	509	842	954
54	Manhattan Borough	38,031	8,848	2,612	1,000	571	367	13,398	824	476	684	1,231	1,635
55	Queens Borough	3,846	853	212	91	56	41	1,253	114	58	91	133	158
56	Richmond Borough	1,518	303	75	28	15	17	438	33	16	27	40	55
57	New York (white)	71,890	15,376	4,670	1,854	1,097	718	23,715	1,704	933	1,436	2,424	3,041
58	Bronx Borough	6,272	970	279	138	73	64	1,524	137	98	183	296	391
59	Brooklyn Borough	23,855	4,806	1,595	654	399	244	7,698	621	309	487	805	916
60	Manhattan Borough	36,526	8,472	2,514	945	555	352	12,838	804	455	651	1,160	1,523
61	Queens Borough	3,748	829	209	90	55	41	1,224	109	56	88	127	156
62	Richmond Borough	1,489	299	73	27	15	17	431	33	15	27	36	55
63	New York (colored)	2,373	544	136	76	35	18	809	50	39	70	128	161
64	Bronx Borough	179	18	4	2	2	1	27	8	4	12	10	9
65	Brooklyn Borough	562	122	29	17	16	2	186	17	11	22	37	38
66	Manhattan Borough	1,505	376	98	55	16	15	560	20	21	33	71	112
67	Queens Borough	98	24	3	1	1	.....	29	5	2	3	6	2
68	Richmond Borough	29	4	2	1	.....	.....	7	.....	1	.....	4	.....
69	Newburgh	476	67	14	6	7	2	96	10	5	12	18	16
70	Niagara Falls	464	127	18	9	4	2	160	16	3	7	37	20
71	North Tonawanda	161	54	7	7	6	2	76	4	3	8	2	2
72	Ogdensburg	412	52	5	3	4	3	67	12	3	1	14	19
73	Olean	208	37	5	5	2	2	51	3	8	4	9	9
74	Oswego	335	73	9	2	4	1	89	1	1	4	17	5
75	Peekskill	230	55	9	9	3	.....	76	3	2	4	8	7
76	Plattsburg	197	48	13	2	3	1	67	4	3	2	6	9
77	Port Jervis	183	17	6	2	1	.....	26	3	4	4	10	9
78	Poughkeepsie	512	78	19	7	5	1	110	9	4	7	13	7
79	Rochester	3,064	440	134	47	23	19	663	67	42	63	104	129
80	Rome	348	56	11	4	4	3	78	11	8	16	21	12
81	Saratoga Springs	240	21	4	.....	.....	1	26	2	4	4	7	10
82	Schenectady	853	217	43	15	11	10	296	21	16	15	27	43
83	Syracuse	1,947	402	60	18	13	14	507	49	23	29	56	68

EACH REGISTRATION AREA, BY AGE: 1909—Continued.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
61	64	68	77	64	85	93	95	92	74	35	24	5	3			1
10	10	11	11	14	22	31	25	25	26	22	14	1	2			2
49	59	43	53	45	51	50	57	50	31	17	14	6	1	1		3
7	8	9	16	10	8	8	10	14	8	2	7				1	4
8	8	16	9	12	9	10	6	3	3		1	1				5
66	71	77	75	63	65	80	62	34	28	19	11	2				6
198	265	236	199	213	212	247	219	188	125	85	33	14	3	1	1	7
7	10	6	8	9	2	17	24	25	25	9		2	1			8
16	12	16	14	9	15	17	18	17	15	1	3	3				9
14	11	14	10	8	11	16	17	17	15	1	3	3				10
2	1	2	4	1	4	1	1									11
4	1	4	6	4	6	11	14	6	13	3	7		1			12
8	16	8	10	8	13	17	20	15	22	5	5					13
11	8	15	9	7	14	12	23	11	12	12	6	2	1	1	1	14
17	18	27	14	18	21	14	28	27	20	14	11	2				15
252	272	292	291	297	282	299	326	258	200	124	65	22	4	1		16
19	21	26	19	19	20	39	24	27	19	6	8		1			17
22	24	29	30	26	27	23	26	23	11	9	5	1				18
69	104	94	114	94	110	117	117	112	73	52	26	7	3	1		19
13	17	13	20	27	18	9	11	8	8	3	6	3				20
10	8	4	7	14	8	5	13	11	14	8		4				21
11	20	7	14	17	13	26	19	22	16	14	9	4				22
70	85	71	102	88	86	99	86	85	86	46	27	7	3			23
18	18	13	13	19	16	17	17	14	13	9	2					24
16	15	17	27	20	18	30	24	22	13	12	4	2				25
74	78	93	113	134	124	146	133	117	100	58	45	12	2	1	2	26
15	32	24	17	13	20	30	22	14	17	19	10	3				27
17	29	24	20	35	33	44	34	37	29	22	19	6	1			28
11	9	7	6	7	10	5	10	17	12	11	4	1	1			29
31	34	41	52	51	65	52	57	66	62	39	28	8		1		30
264	261	294	339	347	288	311	302	298	291	202	123	34	4	1	2	31
20	16	21	22	20	25	29	28	23	15	9	5	2		1		32
9	8	9	6	11	14	12	13	10	15	11	8	2			2	33
8	7	4	9	8	9	14	19	13	15	8	5	2				34
10	10	9	17	10	7	8	12	9	12	5	5	4				35
13	24	31	30	38	41	51	54	45	36	28	16	1				36
9	8	9	13	10	7	13	15	14	16	12	2					37
12	8	8	13	7	15	12	21	15	12	9	8	1	1			38
14	15	12	17	22	18	25	29	29	15	12	9	2	2			39
7	9	13	8	12	17	15	14	17	13	13	5		1	1		40
7	8	4	6	10	18	9	11	12	7	9	7	6				41
10	6	7	10	13	19	8	19	17	16	10	11	4	1			42
10	19	11	12	12	20	30	29	23	25	22	13		1			43
3	4	8	18	4	5	15	19	12	18	6	5	3				44
18	19	17	31	31	37	42	34	40	27	21	16	5				45
12	4	9	8	7	15	9	16	6	10	4	3		1			46
7	7	14	7	11	23	17	23	20	20	11	9	6	2			47
16	16	17	20	17	30	25	32	22	22	26	7	3	2			48
10	19	20	25	13	23	22	26	18	31	7	14	6			1	49
9	18	11	18	11	18	16	24	16	15	10	7	3		1		50
3,559	4,199	4,166	4,146	4,075	3,722	4,272	3,796	3,125	2,350	1,368	664	229	66	15	1	51
423	482	433	387	368	315	371	305	256	214	115	57	18	7	1		52
1,140	1,288	1,257	1,264	1,320	1,242	1,446	1,335	1,135	922	540	270	86	20	4	1	53
1,793	2,163	2,218	2,207	2,083	1,924	2,131	1,814	1,445	1,004	595	258	104	36	8		54
139	178	190	209	214	180	222	244	197	134	68	47	14	2	1		55
64	88	68	79	90	61	102	98	92	76	50	32	7	1	1		56
3,374	4,021	3,996	4,008	3,967	3,625	4,201	3,726	3,088	2,323	1,352	653	227	62	13	1	57
410	471	415	377	360	306	360	293	253	211	110	54	17	6			58
1,094	1,253	1,233	1,227	1,296	1,220	1,436	1,316	1,124	910	538	266	85	17	3	1	59
1,671	2,040	2,095	2,127	2,013	1,863	2,086	1,783	1,431	993	589	256	104	36	8		60
135	172	187	200	209	177	217	240	188	134	66	46	14	2	1		61
64	85	66	77	89	59	102	94	92	75	49	31	7	1	1		62
185	178	170	138	108	97	71	70	37	27	16	11	2	4	2		63
13	11	18	10	8	9	11	12	3	3	5	3	1	1	1		64
46	35	24	37	24	22	10	19	11	12	2	4	1	3	1		65
122	123	123	80	70	61	45	31	14	11	6	2					66
4	6	3	9	5	3	5	4	9		2	1					67
	3	2	2	1	2		4		1	1	1					68
19	25	22	21	33	24	37	26	41	39	19	9	4				69
25	23	24	28	20	19	22	10	18	16	11	4		1			70
4	3	3	4	9	12	9	3	4	8	4	3					71
12	19	15	27	32	23	35	32	44	21	21	9	3	3			72
7	10	7	10	3	10	11	22	17	13	8	5	1				73
9	5	8	14	29	22	27	25	26	25	16	7	2	3			74
6	13	10	7	8	10	11	23	9	19	5	7	2				75
9	8	11	7	5	11	12	7	8	11	6	8	2			1	76
7	10	6	4	8	10	13	23	14	13	14	4	1				77
19	24	17	28	32	30	33	44	39	38	32	13	9	2		2	78
130	155	134	184	205	160	200	215	215	169	125	73	22	8	1		79
11	14	10	11	14	13	23	29	23	22	15	8	8	1			80
16	12	13	15	16	17	17	14	22	13	17	11	4				81
37	45	41	47	33	41	32	44	40	34	26	5	9	1			82
78	116	85	92	112	119	117	150	124	102	66	29	13	8	2	2	83

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION CITIES—Continued.												
	NEW YORK—continued.												
1	Troy	1,484	211	37	18	19	7	292	23	15	30	36	61
2	Utica	1,268	278	49	18	7	9	361	19	12	26	47	46
3	Watertown	423	79	11	5	1	2	98	5	7	14	12	20
4	Watervliet	228	42	17	1	1	.....	61	3	4	3	13	15
5	Yonkers	1,117	300	77	26	30	15	448	35	11	23	33	53
	NORTH CAROLINA.[1]												
6	Raleigh (total)	468	74	23	6	10	5	118	7	7	19	14	28
7	White	224	25	12	1	2	1	41	1	4	7	2	11
8	Colored	244	49	11	5	8	4	77	6	3	12	12	17
9	Wilmington (total)	539	143	28	12	4	2	189	6	7	22	27	34
10	White	214	55	9	6	2	.....	72	2	1	6	8	10
11	Colored	325	88	19	6	2	2	117	4	6	16	19	24
	OHIO.												
12	Akron	652	125	19	9	3	1	157	19	22	21	26	31
13	Alliance	183	38	9	3	3	3	56	4	3	1	7	12
14	Ashtabula	230	64	19	5	.....	.....	88	6	1	8	13	5
15	Bellaire	207	52	28	9	5	6	100	5	8	5	9	7
16	Cambridge	117	16	4	2	1	.....	23	1	3	6	7	8
17	Canton	490	94	19	10	7	6	136	14	5	14	20	18
18	Chillicothe	267	29	4	3	1	1	38	8	3	9	12	12
19	Cincinnati (total)	5,938	844	147	53	42	28	1,114	89	76	160	246	299
20	White	5,386	765	118	48	32	24	987	83	70	133	202	253
21	Colored	552	79	29	5	10	4	127	6	6	27	44	46
22	Cleveland	6,975	1,666	325	139	66	47	2,243	139	97	149	253	296
23	Columbus	2,365	316	50	24	12	14	416	37	30	68	116	117
24	Dayton	1,549	277	36	18	13	8	352	27	20	52	67	64
25	East Liverpool	255	58	16	9	3	2	88	8	6	5	10	12
26	Elyria	185	44	6	1	1	1	53	6	3	3	6	8
27	Findlay	214	31	2	2	1	.....	36	3	16	5	2	8
28	Fremont	127	18	1	.....	3	1	23	.....	4	1	5	7
29	Hamilton	446	79	17	3	1	6	106	9	10	17	13	19
30	Ironton	189	32	12	7	4	1	56	5	6	6	7	6
31	Lancaster	131	18	6	1	.....	1	26	2	3	4	5	7
32	Lima	384	79	7	1	5	.....	92	4	6	14	27	22
33	Lorain	420	142	36	24	8	6	216	13	8	10	21	20
34	Mansfield	289	46	9	1	2	.....	58	4	4	3	14	9
35	Marietta	174	34	5	1	1	1	42	1	4	4	6	4
36	Marion	203	37	3	5	.....	1	46	1	4	7	9	7
37	Massillon	159	30	4	3	1	2	40	1	3	3	4	11
38	Middletown	167	32	7	3	4	.....	46	5	2	2	8	4
39	Newark	272	47	6	4	3	1	61	2	6	11	13	7
40	Piqua	167	22	1	.....	.....	1	24	1	5	8	8	6
41	Portsmouth	282	54	13	7	4	3	81	11	4	11	21	15
42	Sandusky	231	30	6	1	.....	.....	37	2	3	8	11	8
43	Springfield (total)	502	70	10	6	2	4	92	11	11	18	16	33
44	White	474	64	8	3	1	3	79	11	9	14	12	27
45	Colored	88	6	2	3	1	1	13	.....	2	4	4	6
46	Steubenville	395	90	19	7	8	12	136	14	4	15	26	25
47	Tiffin	152	19	4	1	2	1	27	.....	1	4	1	4
48	Toledo	2,414	378	64	26	21	22	511	52	30	62	122	88
49	Warren	103	8	4	.....	2	.....	14	.....	2	4	1	7
50	Wellston	93	21	5	3	.....	1	30	2	2	2	7	3
51	Xenia	136	23	6	1	3	.....	33	2	2	7	3	5
52	Youngstown	1,142	324	80	35	17	10	466	32	17	27	49	64
53	Zanesville	354	58	7	5	2	1	73	9	5	10	11	17
	OREGON.[1]												
54	Portland (total)	1,878	292	57	24	13	21	407	37	30	71	94	94
55	White	1,799	286	56	23	13	20	398	37	29	67	91	90
56	Colored[2]	79	6	1	1	.....	1	9	.....	1	4	3	4
	PENNSYLVANIA.												
57	Allentown	750	182	34	11	15	9	251	20	9	24	31	41
58	Altoona	604	150	22	10	8	4	194	10	10	17	29	20
59	Beaver Falls	138	33	10	1	3	1	48	2	.....	5	6	5
60	Braddock	412	119	44	25	25	13	226	18	2	12	22	20
61	Bradford	207	26	5	2	2	1	36	6	5	3	6	9
62	Butler	258	68	23	3	1	2	97	9	8	5	10	9
63	Carbondale	268	62	14	3	2	3	84	10	4	5	12	9
64	Carlisle (total)	161	23	3	3	2	.....	31	1	3	1	4	6
65	White	137	20	2	2	1	.....	25	.....	3	.....	3	6
66	Colored	24	3	1	1	1	.....	6	1	.....	1	1	.....
67	Chambersburg	198	22	4	5	4	1	36	4	4	6	15	3
68	Chester (total)	603	163	30	7	7	4	211	11	11	21	22	27
69	White	474	131	21	5	5	4	166	6	5	15	13	21
70	Colored	129	32	9	2	2	.....	45	5	6	6	9	6
71	Columbia	150	26	6	2	2	.....	36	4	1	6	7	5

[1] Nonregistration state; cities shown below only those with effective local ordinances.

EACH REGISTRATION AREA, BY AGE: 1909—Continued.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
73	79	73	100	101	82	125	103	109	80	52	30	19	1			1
50	65	52	76	60	55	69	77	87	84	44	28	7	3			2
12	18	20	17	27	23	23	31	23	38	25	4	4	2			3
3	8	12	7	12	17	15	23	12	6	6	6	1			1	4
59	48	41	46	54	48	46	57	40	39	19	10	4	1	1	1	5
32	24	22	16	25	20	26	25	28	34	7	5	3	3		5	6
17	13	9	9	14	8	15	17	17	25	3	5	2	1		3	7
15	11	13	7	11	12	11	8	11	9	4		1	2		2	8
28	27	24	22	19	26	29	21	23	15	9	6	1	1	3		9
9	10	5	7	10	11	12	15	16	10	5	4	1				10
19	17	19	15	9	15	17	6	7	5	4	2		1	3		11
29	26	28	44	32	20	38	37	41	31	30	12	5			3	12
9	7	11	7	10	6	8	8	7	15	8	2	1	1			13
10	7	4	12	6	11	18	7	6	13	10	4	1				14
6	7	4	9	5	11	6	8	7	6	3						15
5	7	5	4	4	8	7	7	4	10	3	2	2	1		1	16
22	27	21	18	24	22	40	30	24	26	18	8	3				17
11	10	16	17	12	12	13	21	18	26	14	7	5	2		1	18
315	381	389	363	420	360	367	360	331	319	204	118	20	3	1	3	19
277	341	341	325	383	329	344	343	326	311	201	116	17	3		1	20
38	40	48	38	37	31	23	17	5	8	3	2	3		1	2	21
341	326	341	334	365	346	421	407	323	282	186	82	29	11		4	22
115	129	126	162	161	163	152	148	144	126	87	53	13	2			23
70	75	71	79	86	94	110	91	92	82	64	39	13	1			24
10	15	8	6	16	14	8	13	13	15	3	5					25
4	4	6	12	4	9	9	11	9	17	11	5	3	1		1	26
8	6	7	9	10	8	24	19	24	11	9	4	3	1	1		27
5	2	6	6	5	6	8	16	8	9	12	2	2				28
21	27	27	22	28	23	24	23	24	29	14	10					29
7	8	3	10	9	10	15	11	5	14	7	3			1		30
	7	4	6	12	6	11	8	7	12	4	5	1	1			31
10	11	17	18	18	25	19	22	30	25	14	6	1	1		2	32
11	18	14	15	14	11	12	9	10	5	8	4	1				33
10	8	14	14	13	24	17	25	26	21	17	5	1	2			34
10	11	8	9	4	9	7	10	12	15	7	6	4		1		35
5	6	9	8	10	15	11	9	16	13	18	5	4				36
4	7	3	6	15	11	8	11	5	11	10	4	1		1		37
9	8	10	7	5	6	9	15	7	10	7	5	1	1			38
10	9	13	8	19	12	17	19	23	18	16	4	4				39
5	4	7	8	9	10	11	10	15	12	8	13	3				40
14	7	10	13	4	14	12	18	15	16	10	5	1				41
7	9	10	7	11	19	19	20	16	18	19	6	1				42
17	18	29	21	39	33	42	41	41	48	26	14	7	2		3	43
15	13	21	16	31	27	34	37	35	45	24	13	7	2		2	44
2	5	8	5	8	6	8	4	6	3	2	1				1	45
12	12	20	11	11	13	14	20	22	19	13	6	1			1	46
2	9	5	9	8	8	13	15	14	12	11	5	4				47
115	134	120	120	144	133	170	153	151	142	91	50	19	2	2	3	48
7	4	1	6	2	8	5	9	10	10	10	3					49
3	3	2	4	6	1	5	4	8	4	5		2				50
4	3	3	8	7	8	9	7	9	11	7	3	4			1	51
63	60	38	40	46	42	53	46	29	33	22	13	2				52
19	16	23	10	15	29	24	20	23	18	19	10	2	1			53
94	82	106	128	95	105	109	120	102	96	62	39	3	2		2	54
86	77	101	121	81	100	104	114	100	96	62	39	3	2		1	55
8	5	5	7	14	5	5	6	2							1	56
21	27	21	32	21	37	52	54	34	41	25	7	2				57
19	31	19	30	24	28	24	42	50	25	18	11		3			58
5	9	3	4	6	4	10	8	7	10	5	1					59
16	17	13	10	10	5	11	13	6	6	4	1					60
13	12	13	7	15	14	24	11	10	13	5	3	1		1		61
16	8	15	10	6	7	6	12	18	10	7	4		1			62
10	17	10	16	16	15	14	12	13	9	7	4	1				63
2	6	4	5	9	9	16	20	24	5	7	7			1		64
1	6	3	4	8	9	14	16	22	5	5	7					65
1		1	1	1		2	4	2		2				1		66
3	8	4	5	11	12	17	16	24	16	7	6	1				67
20	31	24	26	19	34	32	43	33	25	4	8		1			68
16	25	17	16	13	29	30	36	30	24	4	8					69
4	6	7	10	6	5	2	7	3	1				1			70
4	4	5	5	2	11	13	15	13	8	7	3	1				71

[2] Chiefly Chinese and Japanese

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION CITIES—Continued.												
	PENNSYLVANIA—continued.												
1	Danville	121	22	3	1	3	1	30	5	.....	1	3	3
2	Dubois	109	32	1	1	2	2	38	2	1	3	4	4
3	Dunmore	295	115	29	7	2	5	158	5	3	3	9	5
4	Duquesne	247	100	37	12	11	2	162	6	3	4	6	10
5	Easton	430	67	10	5	3	2	87	14	5	7	33	11
6	Erie	1,011	245	61	22	10	8	346	24	14	20	40	33
7	Harrisburg	893	156	22	13	9	14	214	23	13	20	45	43
8	Hazleton	368	103	28	9	4	.....	144	12	4	5	17	13
9	Homestead	267	105	35	6	4	2	152	10	5	3	7	9
10	Johnstown	853	235	69	26	21	18	369	31	13	29	55	36
11	Lancaster	647	114	19	15	3	4	155	5	11	9	21	24
12	Lebanon	317	58	9	6	4	1	78	6	4	4	14	14
13	McKeesport	707	221	49	17	11	6	304	19	12	25	28	32
14	Mahanoy City	264	99	19	11	4	2	135	5	4	1	9	8
15	Meadville	207	26	8	6	.....	1	41	2	4	2	5	4
16	Mount Carmel	240	94	27	10	6	3	140	4	4	5	5	7
17	Nanticoke	276	104	33	5	6	6	154	4	2	11	5	6
18	New Castle	511	131	34	7	6	1	179	10	9	18	20	29
19	Norristown	599	70	9	1	3	5	88	9	8	12	24	22
20	Oil City	199	49	7	5	1	.....	62	2	1	2	8	7
21	Philadelphia (total)	25,029	4,992	1,125	479	303	225	7,124	512	352	540	852	1,037
22	White	22,914	4,472	1,006	433	269	214	6,394	475	303	467	721	898
23	Colored	2,115	520	119	46	34	11	730	37	49	73	131	139
24	Phoenixville	163	39	12	2	4	.....	57	4	2	2	5	10
25	Pittsburgh (total)	8,343	1,930	480	169	77	70	2,726	220	133	227	323	402
26	White	7,823	1,837	447	156	72	65	2,577	206	122	207	294	364
27	Colored	520	93	33	13	5	5	149	14	11	20	29	38
28	Pittston	323	79	22	17	16	12	146	23	6	13	9	13
29	Plymouth	236	84	23	6	4	2	119	6	2	5	2	8
30	Pottstown	208	36	5	2	1	1	45	6	1	3	6	12
31	Pottsville	349	52	9	2	2	.....	65	7	5	18	27	14
32	Reading	1,310	253	38	13	17	11	332	27	19	44	66	59
33	Scranton	2,081	522	119	60	43	13	757	71	30	50	97	94
34	Shamokin	250	62	26	8	3	2	101	12	5	1	7	11
35	Sharon	207	52	10	3	3	6	74	5	5	4	9	9
36	Shenandoah	455	211	38	11	13	3	276	15	4	11	6	24
37	South Bethlehem	314	133	26	8	2	4	173	3	2	8	4	16
38	Steelton (total)	183	63	10	3	3	5	84	3	5	3	8	9
39	White	162	57	10	3	3	5	78	3	3	1	7	9
40	Colored	21	6	.....	.....	.....	.....	6	.....	2	2	1	.....
41	Sunbury	160	26	2	2	3	3	36	4	1	4	14	7
42	Titusville	128	20	2	.....	1	.....	23	1	1	2	4	1
43	Warren	142	16	3	2	1	1	23	1	1	2	6	7
44	West Chester (total)	198	21	5	3	1	2	32	4	7	8	6	10
45	White	151	13	3	2	1	1	20	2	5	6	3	6
46	Colored	47	8	2	1	.....	1	12	2	2	2	3	4
47	Wilkes-Barre	1,022	216	57	28	12	11	324	30	20	37	53	47
48	Wilkinsburg	253	39	10	9	2	2	62	6	2	5	7	7
49	Williamsport	501	82	17	5	4	5	113	6	6	17	18	26
50	York	577	112	18	5	5	3	143	10	10	20	22	18
	RHODE ISLAND.												
51	Central Falls	370	130	29	11	8	10	188	11	5	6	13	11
52	Cranston town	529	38	4	3	4	.....	49	8	6	4	16	17
53	Cumberland town	134	24	.....	2	1	2	29	3	1	3	.....	3
54	East Providence town	209	68	9	2	1	2	82	3	3	3	5	3
55	Lincoln town	119	28	3	3	3	.....	37	4	4	5	7	5
56	Newport	387	72	12	5	3	1	93	7	3	17	15	16
57	Pawtucket	757	179	25	7	12	7	230	16	6	9	17	23
58	Providence	3,535	755	180	74	43	26	1,078	75	38	80	89	121
59	Warwick town	431	109	10	9	5	2	135	7	8	12	16	23
60	Woonsocket	490	170	20	11	7	6	214	10	8	11	17	26
	SOUTH CAROLINA.[1]												
61	Charleston (total)	1,508	327	96	39	22	10	494	30	28	43	96	74
62	White	436	58	23	10	6	6	103	8	6	5	13	11
63	Colored	1,072	269	73	29	16	4	391	22	22	38	83	63
	SOUTH DAKOTA.												
64	Sioux Falls	148	32	3	.....	4	2	41	5	4	6	2	10
	TENNESSEE.[1]												
65	Knoxville (total)	644	123	20	14	9	6	172	17	13	36	59	33
66	White	424	82	13	11	5	2	113	11	8	22	32	18
67	Colored	220	41	7	3	4	4	59	6	5	14	27	15
68	Memphis (total)	2,348	287	68	37	23	14	429	49	45	103	180	209
69	White	1,112	120	41	19	14	7	201	20	18	33	54	73
70	Colored	1,236	167	27	18	9	7	228	29	27	70	126	136
71	Nashville (total)	1,987	316	104	28	26	18	492	45	46	92	129	132
72	White	1,030	181	55	19	13	12	280	15	18	41	53	53
73	Colored	957	135	49	9	13	6	212	30	28	51	76	79

[1] Nonregistration state; cities shown below only those with effective local ordinances.

EACH REGISTRATION AREA, BY AGE: 1909—Continued.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
3	5	3	7	5	5	8	7	10	11	7	5	3				1
5	3	6	3	4	6	6	11	9	2	2						2
9	11	13	10	6	8	7	14	14	9	4	5	2				3
9	10	9	1	5	6	4	3	4	4	1						4
17	19	17	27	26	25	30	32	19	27	18	6	10				5
30	36	36	47	48	44	63	62	63	49	31	22	3				6
43	42	35	53	50	50	55	58	48	51	31	17	2				7
12	14	11	15	21	21	24	21	14	8	10	1	1				8
4	14	2	8	7	17	3	5	11	5	2	1	1	1			9
43	42	28	28	17	35	14	40	22	23	17	9	1		1		10
23	32	23	32	31	46	31	44	61	50	27	17	2	3			11
5	16	18	11	12	28	20	29	24	17	10	5	2				12
43	31	28	23	28	32	18	24	21	15	15	8	1				13
8	8	10	9	7	11	15	7	13	6	8						14
5	9	10	8	10	16	17	15	18	17	11	12	1				15
4	7	6	6	8	8	9	11	8	2	3	2	1				16
9	11	11	12	15	9	9	9	2	1	4	2					17
22	21	21	18	29	21	21	21	15	19	29	8	1				18
30	35	20	35	40	42	45	52	48	39	35	12	3				19
7	6	9	6	9	10	15	17	13	11	6	6	2				20
1,062	1,247	1,246	1,307	1,366	1,385	1,583	1,524	1,413	1,140	779	397	132	22	9		21
925	1,103	1,123	1,194	1,268	1,293	1,511	1,459	1,371	1,115	757	384	126	21	6		22
137	144	123	113	98	92	72	65	42	25	22	13	6	1	3		23
8	6	3	4	6	7	8	12	8	13	7	1					24
411	458	404	446	392	441	413	434	345	295	171	73	24	5			25
372	417	363	410	362	424	396	417	334	292	168	70	23	5			26
39	41	41	36	30	17	17	17	11	3	3	3	1				27
8	14	18	7	8	13	15	5	12	6	2	5					28
6	4	7	12	6	7	16	16	6	9	3	2					29
6	7	11	9	6	20	11	16	13	19	12	2	3				30
17	24	19	25	21	11	18	18	15	16	18	9	2				31
53	50	37	61	56	71	70	88	97	90	54	24	11	1			32
104	93	99	97	87	94	112	99	81	64	32	18	1	1			33
5	17	4	9	11	12	14	11	10	12	6	2					34
12	10	7	8	8	12	10	13	6	8	6	1					35
8	19	11	11	15	9	14	13	8	6	3	1	1				36
6	12	7	8	9	15	11	11	13	10	3	1	1	1			37
6	5	9	5	4	7	10	6	9	4	3	2			1		38
5	4	9	4	2	7	8	6	8	4	3				1		39
1	1		1	2		2		1			2					40
9	10	4	5	5	8	10	13	13	12	2	1	2				41
7	5	5	6	6	6	13	11	9	14	8	3	2	1			42
6	8	9	5	7	9	11	16	7	9	9	4	2				43
8	5	11	10	6	4	13	8	18	19	11	12	4	2			44
5	3	9	8	5	3	10	7	16	17	10	10	4	2			45
3	2	2	2	1	1	3	1	2	2	1	2					46
50	50	53	48	51	43	51	62	43	28	19	9	3	1			47
8	16	10	10	18	14	14	18	11	23	13	7	1	1			48
9	24	21	29	25	27	28	37	46	31	23	13	1			1	49
20	26	19	20	24	28	38	43	42	40	29	16	6	3			50
7	13	12	17	15	18	14	18	8	8	4			2			51
28	32	21	32	44	49	49	51	38	47	26	9	1	1	1		52
2	9	3	11	5	7	15	11	13	12	3	3	1				53
2	10	9	5	8	15	9	14	14	12	7	2	3				54
4	2	6	7	9	2	8	8	5	4		2					55
17	13	11	14	14	18	25	32	30	30	16	10	5		1		56
34	37	26	27	34	45	52	57	50	48	26	12	5	3			57
37	164	177	165	182	219	241	222	194	171	116	45	18	3			58
15	21	16	23	16	19	19	26	29	24	9	10	2	1			59
24	15	18	9	22	15	20	29	25	9	8	7	2			1	60
78	77	71	90	85	78	84	53	51	29	28	13	3	1	2		61
18	21	17	24	26	34	38	30	32	19	19	11	1				62
60	56	54	66	59	44	46	23	19	10	9	2	2	1	2		63
9	8	3	7	5	12	5	6	8	7	7	2				1	64
35	37	23	35	29	34	26	22	29	20	14	8	2				65
26	21	15	20	19	18	16	21	27	17	13	6	1				66
9	16	8	15	10	16	10	1	2	3	1	2	1				67
10	183	164	131	112	99	115	92	74	59	42	20	14	6	5	7	68
90	81	77	61	57	65	74	57	51	44	31	12	8	2		3	69
20	102	87	70	55	34	41	35	23	15	11	8	6	4	5	4	70
12	115	89	102	113	87	97	92	85	74	43	27	10	1	3	1	71
46	54	42	42	49	55	58	59	57	49	34	19	5	1			72
66	61	47	60	64	32	39	33	28	25	9	8	5		3	1	73

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION CITIES—Continued.												
	TEXAS.[1]												
1	Galveston (total)	599	97	10	10	2	6	125	11	4	25	37	55
2	White	430	80	7	10	2	6	105	7	3	9	25	37
3	Colored	169	17	3	----	----	----	20	4	1	16	12	18
4	San Antonio (total)	1,893	410	84	24	19	11	548	30	30	72	141	124
5	White	1,682	361	78	22	18	11	490	30	25	59	118	101
6	Colored	211	49	6	2	1	----	58	----	5	13	23	23
	UTAH.[1]												
7	Ogden	293	68	7	2	2	2	81	11	6	9	18	16
8	Salt Lake City	1,266	211	54	31	21	10	327	52	28	39	66	83
	VERMONT.												
9	Barre	132	19	11	3	1	----	34	5	4	2	10	8
10	Bennington town	110	12	1	2	1	1	17	----	1	2	----	2
11	Burlington	450	147	17	6	2	5	177	6	8	13	8	18
12	Rutland	210	33	4	----	1	1	39	----	1	8	7	6
	VIRGINIA.[1]												
13	Alexandria (total)	323	59	14	6	5	2	86	13	6	8	17	23
14	White	167	36	7	4	3	2	52	4	1	2	10	8
15	Colored	156	23	7	2	2	----	34	9	5	6	7	15
16	Danville (total)	337	62	25	14	5	1	107	11	6	13	23	27
17	White	171	33	12	8	4	1	58	5	4	8	11	12
18	Colored	166	29	13	6	1	----	49	6	2	5	12	15
19	Lynchburg (total)	415	97	18	13	4	2	134	2	10	13	31	18
20	White	200	32	11	3	2	2	50	1	6	4	14	9
21	Colored	215	65	7	10	2	----	84	1	4	9	17	9
22	Manchester (total)	170	36	7	4	4	2	53	4	2	5	11	12
23	White	95	20	4	3	1	1	29	3	1	3	8	3
24	Colored	75	16	3	1	3	1	24	1	1	2	3	9
25	Norfolk (total)	1,427	284	50	19	8	15	376	29	19	64	106	100
26	White	640	118	24	6	4	8	160	16	1	20	33	35
27	Colored	787	166	26	13	4	7	216	13	18	44	73	65
28	Petersburg (total)	624	163	29	19	8	3	222	13	12	21	33	26
29	White	234	53	16	8	2	2	81	4	3	9	8	8
30	Colored	390	110	13	11	6	1	141	9	9	12	25	18
31	Richmond (total)	2,405	524	85	37	17	10	673	38	24	87	125	141
32	White	1,201	229	29	10	11	6	285	16	11	32	47	59
33	Colored	1,204	295	56	27	6	4	388	22	13	55	78	82
	WASHINGTON.												
34	Seattle	2,223	341	58	20	15	24	458	48	38	66	126	137
35	Spokane	1,249	212	44	21	18	16	311	46	28	56	76	75
36	Tacoma	849	128	35	6	6	9	184	20	15	32	54	34
37	Walla Walla	224	43	8	7	5	4	67	4	8	9	5	15
	WEST VIRGINIA.[1]												
38	Wheeling	687	109	33	6	7	5	160	19	10	28	42	50
	WISCONSIN.												
39	Appleton	209	35	3	2	----	2	42	6	4	4	5	12
40	Ashland	250	44	3	4	----	4	55	9	5	5	20	16
41	Beloit	174	19	6	----	2	4	31	3	3	4	9	6
42	Chippewa Falls	152	18	6	3	1	----	28	----	4	3	12	4
43	Eau Claire	264	22	7	4	4	6	43	7	5	11	25	10
44	Fond du Lac	269	48	7	4	3	4	66	6	6	10	12	7
45	Green Bay	479	136	14	8	6	3	167	11	6	11	23	24
46	Janesville	218	29	2	2	1	----	34	----	----	4	8	3
47	Kenosha	253	87	12	4	4	2	109	4	4	7	7	15
48	La Crosse	363	50	5	3	2	1	61	6	5	12	14	20
49	Madison	288	36	10	3	4	1	54	8	1	5	13	20
50	Manitowoc	169	34	5	2	3	1	45	3	4	4	3	5
51	Marinette	175	55	1	3	5	3	67	4	4	6	6	7
52	Merrill	108	25	4	3	----	----	32	7	1	5	7	6
53	Milwaukee	4,938	1,332	283	129	93	73	1,910	194	89	104	201	179
54	Oshkosh	397	71	9	3	4	1	88	7	4	8	10	14
55	Racine	437	83	18	8	6	4	119	15	6	18	13	21
56	Sheboygan	313	50	9	6	3	2	70	12	6	12	18	11
57	Stevens Point	135	31	5	2	1	1	40	1	----	4	9	3
58	Superior	403	84	22	10	5	4	125	16	8	17	24	24
59	Watertown	98	13	2	1	1	1	18	2	----	1	3	2
60	Wausau	202	45	8	4	----	2	59	4	6	4	10	6

[1] Nonregistration state; cities shown below only those with effective local ordinances.

EACH REGISTRATION AREA, BY AGE: 1909—Continued.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Un. known.	
39	30	34	35	36	33	38	33	22	20	9	7	2	2	.....	2	1
24	17	23	20	30	23	29	26	17	19	9	5	1	.....	.....	1	2
15	13	11	15	6	10	9	7	5	1	.....	2	1	2	.....	1	3
100	92	97	101	87	77	94	82	76	60	42	20	9	9	1	1	4
90	75	87	90	83	74	84	75	73	58	38	17	6	8	1	.....	5
10	17	10	11	4	3	10	7	3	2	4	3	3	1	.....	1	6
13	6	7	13	12	15	25	20	13	11	9	6	1	.....	.....	1	7
57	71	60	57	57	55	61	65	64	60	33	24	5	1	.....	1	8
7	7	3	7	7	7	4	3	9	5	3	6	1	.....	.....	.....	9
4	5	3	4	8	5	8	11	17	7	9	4	3	.....	.....	.....	10
11	13	19	22	13	15	15	22	22	35	19	8	4	1	1	.....	11
13	5	6	8	19	14	11	19	14	22	9	7	1	1	.....	.....	12
22	10	13	15	13	16	23	17	19	11	6	3	.....	2	.....	.....	13
10	7	7	6	6	9	8	11	8	10	6	1	.....	1	.....	.....	14
12	3	6	9	7	7	15	6	11	1	.....	2	.....	1	.....	.....	15
15	16	13	17	27	20	9	9	4	5	8	4	1	1	1	.....	16
8	6	4	5	12	14	5	5	4	2	6	1	1	.....	.....	.....	17
7	10	9	12	15	6	4	4	.....	3	2	3	.....	1	1	.....	18
22	22	24	11	25	12	18	17	14	14	21	5	1	1	.....	.....	19
8	11	13	6	11	6	10	15	7	13	12	4	.....	.....	.....	.....	20
14	11	11	5	14	6	8	2	7	1	9	1	1	1	.....	.....	21
8	4	12	6	12	6	9	7	5	5	7	2	.....	.....	.....	.....	22
4	2	5	2	5	3	7	4	4	5	6	1	.....	.....	.....	.....	23
4	2	7	4	7	3	2	3	1	.....	1	1	.....	.....	.....	.....	24
93	95	102	72	91	61	58	51	46	30	24	4	6	.....	.....	.....	25
43	22	35	33	40	35	42	41	36	24	20	1	3	.....	.....	.....	26
50	73	67	39	51	26	16	10	10	6	4	3	3	.....	.....	.....	27
22	20	34	34	44	26	35	27	18	21	8	2	4	.....	1	1	28
8	8	9	7	19	10	16	11	14	10	6	2	1	.....	.....	.....	29
14	12	25	27	25	16	19	16	4	11	2	.....	3	.....	1	1	30
126	132	143	116	170	130	112	120	114	69	51	20	13	1	.....	.....	31
49	59	54	60	69	67	65	86	101	62	50	19	9	1	.....	.....	32
77	73	89	56	101	63	47	34	13	7	1	1	4	.....	.....	.....	33
160	158	139	152	139	125	128	101	84	82	42	28	8	2	1	1	34
85	82	67	75	75	58	45	51	43	32	27	11	2	2	.....	2	35
39	42	52	56	53	42	41	56	50	48	16	11	.....	1	.....	3	36
9	6	12	10	13	12	9	11	13	13	8	.....	.....	.....	.....	.....	37
29	51	37	39	27	27	33	35	33	34	19	10	4	.....	.....	.....	38
4	12	6	9	6	7	18	18	10	15	16	12	3	.....	.....	.....	39
6	24	17	22	16	16	7	6	11	5	.....	4	1	.....	.....	5	40
7	4	8	4	8	8	12	11	9	17	15	7	5	1	.....	2	41
8	5	11	11	8	7	9	8	7	9	11	5	2	.....	.....	.....	42
15	6	11	14	13	11	22	21	13	14	11	5	4	1	.....	2	43
8	5	6	16	19	14	12	18	18	20	12	8	4	1	.....	1	44
18	15	18	24	17	21	20	19	27	24	16	7	5	1	1	4	45
7	12	10	15	11	9	16	15	22	22	13	8	7	.....	.....	2	46
7	9	8	9	14	8	12	11	12	6	3	6	2	.....	.....	.....	47
16	17	17	25	18	19	20	30	25	35	14	6	2	1	.....	.....	48
11	13	12	16	15	14	13	14	23	23	20	10	1	1	.....	1	49
3	5	3	7	9	9	4	10	16	17	15	3	4	.....	.....	.....	50
6	8	7	3	11	6	10	6	8	6	7	1	1	1	.....	.....	51
6	7	7	3	3	1	7	3	2	7	1	2	1	.....	.....	.....	52
183	142	185	198	228	196	203	207	225	212	176	82	19	2	1	2	53
17	13	19	18	18	12	30	33	28	28	30	12	7	1	.....	.....	54
20	29	12	13	20	20	21	26	23	25	18	13	5	.....	.....	.....	55
12	4	15	15	24	14	14	16	15	25	16	9	5	.....	.....	.....	56
3	2	7	5	3	4	7	9	9	15	9	3	1	1	.....	.....	57
23	24	19	33	16	19	9	17	10	8	8	1	1	.....	.....	1	58
3	1	4	2	4	5	13	9	8	13	6	2	2	.....	.....	.....	59
10	7	10	12	8	8	7	14	14	13	3	6	1	.....	.....	.....	60

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	CALIFORNIA RURAL.[1]												
1	Alameda County	850	133	18	14	4	3	172	9	18	16	23	37
2	Alpine County												
3	Amador County	116	6	2		1		9	1		5	6	4
4	Butte County	435	37	5	4	1		47	9	6	14	15	21
5	Calaveras County	127	10	4				14	4	3	4	4	8
6	Colusa County	80	4	1	2			7	3		2	5	3
7	Contra Costa County	332	54	13	8	1	2	78	10	1	7	22	10
8	Del Norte County	31	1				1	2			3		
9	Eldorado County	125	5	1	1			7		2	3	2	3
10	Fresno County	489	75	17	5	2	7	106	13	11	16	21	25
11	Glenn County	28	3		1			4		1			1
12	Humboldt County	334	44	13	2	4	4	67	5	8	7	16	19
13	Imperial County	40	6	1	1			8		1		4	8
14	Inyo County	36								1	1	2	
15	Kern County	383	45	6	5	3	3	62	11	8	8	23	35
16	Kings County	161	30	7	1	2	1	41	4	1	2	8	6
17	Lake County	71	12	2	1	1		16	1	2	1	1	1
18	Lassen County	42	7	2			1	10	2	1	1	3	2
19	Los Angeles County	1,968	206	33	17	14	9	279	37	26	50	84	95
20	Madera County	73	9	3				12		1	4	3	1
21	Marin County	308	38	6	5	3	1	53	6	4	11	16	19
22	Mariposa County	48		2				2	1		2	1	1
23	Mendocino County	317	38	5	2	1	1	47	2	5	12	8	12
24	Merced County	117	22	4	5			31	1	1	1	4	8
25	Modoc County	32	4	1				5	1		3	3	2
26	Mono County	7	1					1	1				
27	Monterey County	315	28	4	3		3	38	5	4	10	10	22
28	Napa County	504	10	3	1			14	3	6	4	12	18
29	Nevada County	228	14	4	2	1		21	4	2	9	4	7
30	Orange County	355	46	12	8	6	2	74	9	7	9	15	12
31	Placer County	183	14	1	2	3		20	2	4	3	6	11
32	Plumas County	79	2	1				3		1	1	5	9
33	Riverside County	434	60	19	6	3	3	91	10	12	20	29	31
34	Sacramento County	391	40	5	3	3		51	4	3	12	14	17
35	San Benito County	77	5	1	2			8	1		1	7	2
36	San Bernardino County	902	112	16	5	4	5	142	15	16	19	51	68
37	San Diego County	149	12	1	2	1	2	18	2		5	3	5
38	San Joaquin County	395	34	3	2	6		45	8	7	9	12	17
39	San Luis Obispo County	201	25	2	4	2		33	4	1	9	8	12
40	San Mateo County	256	42	9	3	1	1	56	9	1	9	7	10
41	Santa Barbara County	348	41	9	1	2	1	54	11	10	9	9	23
42	Santa Clara County	755	90	12	2	2	2	108	11	14	18	23	32
43	Santa Cruz County	385	35	8	6	3	3	55	13	6	4	11	12
44	Shasta County	308	27	10	2	2	2	43	5	2	11	20	19
45	Sierra County	30	4				1	5			1	1	
46	Siskiyou County	191	23	6	1		1	31	1	2	7	5	10
47	Solano County	349	39	8	2	3	2	54	7	5	7	19	21
48	Sonoma County	611	63	14	6	3	4	90	16	12	19	19	30
49	Stanislaus County	196	25	2	2	2		31	10	3	9	11	7
50	Sutter County	53	3	2	1	1		7	2		1	1	3
51	Tehama County	187	12	1				13	8	3	6	8	10
52	Trinity County	32	1		1	1		3		1	2		1
53	Tulare County	291	39	7	5	3	1	55	9	5	7	15	9
54	Tuolumne County	133	6	1	1	2		10	1	4	5	4	7
55	Ventura County	219	36	11	1		3	51	4	1	11	13	14
56	Yolo County	194	14	5			1	20	3	8	2	9	11
57	Yuba County	148	9	3	2			14			2	8	8
	COLORADO RURAL.[1]												
58	Adams County	111	20	3		1	1	25	1	6	3	3	7
59	Arapahoe County	116	13	1	2	2	2	20	1	2	2	10	6
60	Archuleta County	36	4	1		2	3	10	6	1	4	1	3
61	Baca County	5		1				1	1				1
62	Bent County	73	14	6	1			21	1	2	3	15	6
63	Boulder County	424	67	17	5	5	3	97	8	8	14	23	33
64	Chaffee County	166	20	8			2	30	4	3	3	10	7
65	Cheyenne County	10	2	1				3	1	1			1
66	Clear Creek County	99	14	6	2		1	23	3	1	1	2	5
67	Conejos County	81	15	4	4	1	2	26	8	2	3	6	6
68	Costilla County	7	2		1			3				1	
69	Custer County	29	1					1	2				1
70	Delta County	112	20	5	1	1	1	28	8	2	3	7	9
71	Dolores County	9								1	1	1	
72	Douglas County	23	2	1		1		4	2		1	2	1
73	Eagle County	60	2		1		1	4	4		4	8	4
74	El Paso County	252	38	10	4	1	3	56	5	5	9	9	17
75	Elbert County	23	1	1				2		1		2	4
76	Fremont County	223	36	11	6		1	54	2	4	7	17	16
77	Garfield County	169	21	2	2	1	3	29	4	3	5	12	9
78	Gilpin County	53	14	2	1	1	1	19			1		1
79	Grand County	17	2			1		3	1			1	
80	Gunnison County	70	21	3	3	1	1	29	3			2	4
81	Hinsdale County	9	1					1			2	2	
82	Huerfano County	203	70	15	3	5	1	94	13	4		11	13

[1] Exclusive of cities having a population of 8,000 or over in 1900.

EACH REGISTRATION AREA, BY AGE: 1909—Continued.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
46	40	42	51	38	47	59	63	67	57	45	13	6		1		1
																2
5	4	6	5	7	9	6	7	12	15	5	6	3			1	3
20	16	22	37	25	25	32	40	34	29	22	14	2	1		4	4
5	2	8	3	7	4	5	5	15	16	11	5	3			1	5
	2	11	4	4	5	5	3	3	7	10	3	3				6
19	12	24	22	17	16	21	17	16	16	12	6				6	7
1	3	2	3	2	1	2	1	3	5	1	1	1				8
3	7	3	7	10	6	12	9	9	13	18	8	3				9
22	23	24	29	27	23	27	30	35	30	16	8	3				10
1			2	3	2	3	1	2	4	2		1		1		11
15	20	9	20	12	19	20	19	19	27	19	8	2	1		2	12
4	1	1	4	2	1	3	2	1								13
3	1	3	3	1	3	8	3	3	4							14
33	31	28	30	17	19	12	24	15	11	9	3	2			2	15
8	9	7	4	10	10	8	10	8	11	8	5	1				16
6	3	1		2	2	8	3	8	5	8		1	1	1		17
	2	1	1	3	1		3	3	4		4		1			18
120	99	70	84	112	99	138	215	175	135	94	42	9	2	1	2	19
3		2	5	5	5	7	1	6	8	6	3				1	20
20	11	14	19	12	15	24	15	14	24	22	6	2			1	21
2	2	3		1			5	7	6	7	6	1			1	22
13	17	23	27	19	24	30	17	21	19	9	9	1	1	1		23
6	4	3	7	6	4	4	10	6	11	8	2					24
2	1				2	1	1	4	4	1	1				1	25
					3		1		1							26
21	12	14	12	11	16	20	30	27	29	16	11	4	3			27
21	34	29	44	27	36	38	65	57	44	32	11	5			4	28
16	7	9	10	11	18	15	21	21	22	21	7	3				29
15	14	12	14	21	16	18	27	34	24	17	13	2	1	1		30
16	9	12	11	5	15	13	12	12	11	15	2	1			3	31
3	7	5	3	10	3	6	3	2	5	3	4	1			5	32
20	26	13	21	14	16	22	27	30	23	16	8	1	1		3	33
19	27	28	35	40	20	22	19	20	25	20	9	2			4	34
2	5	2	3	7	8	7	6	8	3	4	2	1				35
82	70	55	60	54	48	41	57	33	28	33	16	4			10	36
10	3	8	8	12	10	11	13	15	14	4	7	1				37
23	27	18	21	36	23	17	42	31	25	17	7	5	1	1	3	38
5	6	9	8	16	9	13	17	11	18	13	3	3	1	1	1	39
9	10	11	19	13	13	16	21	16	21	6	4	4			1	40
21	12	8	13	23	20	17	29	23	22	26	9	7	2			41
32	38	35	53	32	49	45	53	61	75	46	21	6	1	1	1	42
20	18	7	17	22	23	31	35	32	27	30	16	4		1	1	43
18	21	21	14	17	16	13	14	19	26	19	7	1			2	44
		1	1		3			3	5	9	1					45
7	7	18	11	6	8	13	13	11	19	17	3	1			1	46
9	21	19	21	15	12	29	29	21	27	20	6	2		1	4	47
22	23	26	24	34	39	33	51	53	60	41	14	2	3			48
7	12	10	11	8	8	13	17	11	18	6	3			1		49
	2	2	3	2	2	3	4	6	3	6	4	1			1	50
10	7	14	7	5	20	15	19	14	14	4	5	1			4	51
2	2	2	4	2	1	1		4	4	1	1				1	52
14	19	9	12	11	21	12	14	22	24	18	13	1	1			53
6	5	4	8	5	3	9	16	11	10	15	9	1				54
12	12	14	6	7	11	12	12	14	8	11	2	2	2			55
9	11	13	5	13	12	6	16	17	20	8	10	1				56
4	3	13	7	13	10	10	10	15	13	13	2	2	1			57
9	5	6	5	4	6	8	6	4	3	3	2	4			1	58
9	7	5	5	7	1	7	7	8	5	7	6		1			59
2			1	2	2			2			1	1				60
						1	1									61
4	5	3	1	1	2	1	1	1	3	2	1					62
28	30	22	18	21	25	26	18	9	23	15	2	3	1			63
11	9	11	7	11	7	16	9	8	9	7	4					64
1		1		1						1						65
3	8	8	10	6	2	5	5	7	6	2	1	1				66
1	3	3	2	2	3	4	1	4	2	2	1	1	1			67
1				1	1											68
		2		4	1	4	7	2	2	3						69
8	3	7	6	3	5	5	8	2	2	2	2	2				70
1			1		2			2								71
	1	1		1	1		3	1	2	1	2					72
5	4	2	7	7	5		3	1	2							73
20	21	21	7	8	15	11	18	10	9	8	2	1				74
1		2		2	2	1	2	2		1		1				75
14	16	10	9	8	14	7	8	13	16	5	3					76
20	6	14	11	8	7	12	11	9	6	3						77
2	3	5	1	3	5	2	5	3	3							78
	3		2	1		3	2			1						79
3	2		6	2	5	4		3	1	3	2	1				80
				1		1		1	1							81
8	8	11	5	6	4	7	4	8	2	2	3					82

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	COLORADO RURAL[1]—Continued.												
1	Jefferson County	279	27	3	1	5	1	37	1	2	15	25	31
2	Kiowa County	17	5		1			6		1		2	1
3	Kit Carson County	43	11	1			1	13	2	3		2	
4	La Plata County	136	15	2	3	3	2	25	2	4	11	7	6
5	Lake County	75	24	7	1			32	1		1	2	4
6	Larimer County [2]	326	67	13	8	1	2	91	13	5	7	23	18
7	Las Animas County	602	149	44	24	10	5	232	17	13	11	50	35
8	Lincoln County	32	6	3				9		1		1	
9	Logan County	72	27	3	1	2	1	34	4		1	1	5
10	Mesa County	250	34	16	3		3	56	10	6	9	16	17
11	Mineral County	5	2					2					
12	Montezuma County	30	7	1	2	1		11	1		2	1	1
13	Montrose County	86	15	3	2	1		21	4	3	2	7	9
14	Morgan County	77	20	7		1		28	4	2	5	3	4
15	Otero County	269	68	1)	6		1	85	4	7	6	18	24
16	Ouray County	64	6					6	1	1	1	3	4
17	Park County	23	1					1			1		1
18	Phillips County	22	3	2				5					1
19	Pitkin County	50	6	4				10	1	2	5	1	3
20	Prowers County	104	24	7	4	2	1	38	3	1	10	6	4
21	Pueblo County	288	37	7	2	3	2	51	2	7	5	17	11
22	Rio Blanco County	19	2					2				2	
23	Rio Grande County	91	13	4	3		2	22		1	3	6	3
24	Routt County	53	6		2	1		9		2		2	2
25	Saguache County	34	7	2	2	1	2	14				3	2
26	San Juan County	52	3	4	1		1	9					
27	San Miguel County	84	15	4	4	3	2	28	3	3	2	2	7
28	Sedgwick County	28	14			1		15		1		4	8
29	Summit County	25	3			1		4	1		1	2	2
30	Teller County	205	37	8	3	2	1	51	3		2	11	14
31	Washington County	31	13	1	2			16				3	2
32	Weld County	362	101	25	10	5	4	145	10	10	13	12	24
33	Yuma County	53	17	4	1			22			4	1	2
	CONNECTICUT RURAL.[1]												
34	Fairfield County	735	111	19	9	6	1	146	15	8	9	18	16
35	Hartford County	967	208	29	11	6	12	266	17	7	21	26	28
36	Litchfield County	838	130	15	10	5	4	164	22	18	23	25	23
37	Middlesex County	353	49	7	1	5	3	65	8	3	9	9	7
38	New Haven County	757	135	34	13	6	2	190	17	9	10	23	23
39	New London County	575	92	5	6	2	5	110	14	7	6	15	18
40	Tolland County	271	52	8	6	1	1	68	6	4	5	5	3
41	Windham County	565	128	13	5	9	9	164	16	3	10	18	17
	INDIANA RURAL.[1]												
42	Adams County	245	52	10	1	2	2	67	4	5	7	8	5
43	Allen County	265	47	5	3	1	3	59	9	8	3	6	6
44	Bartholomew County	172	28	7		1		36	5		3	6	4
45	Benton County	96	23	8	1			32	1	1	2	1	5
46	Blackford County	189	44	7	3	3	1	58	7	4	5	8	6
47	Boone County	294	42	11	1	2	1	57	6	3	9	12	5
48	Brown County	93	13	3		1		17	1	3	1	3	2
49	Carroll County	233	41	5	1	2		49	4	1	3	9	7
50	Cass County	263	21	9	4	2	2	38	1	1	6	6	9
51	Clark County	298	45	9	4	4	5	67	11	8	14	12	16
52	Clay County	394	75	21	9	9	1	115	19	4	14	7	12
53	Clinton County	350	65	15	10	4	3	97	6	10	8	10	14
54	Crawford County	165	25	5	2	1	1	34	8	2	9	11	7
55	Daviess County	219	45	16	7			68	8	5	11	8	6
56	Dearborn County	271	30	4	4	1	1	40	1	3	11	7	9
57	Decatur County	267	38	4	7	4		53	4	5	4	6	7
58	Dekalb County	290	45	10	5	3	2	65	1	10	9	7	3
59	Delaware County	254	41	8	5	2	1	57	4	4	6	8	6
60	Dubois County	230	49	12	3	5	1	70	5	4	7	7	10
61	Elkhart County	345	46	10	3		1	60	12	4	8	9	9
62	Fayette County	169	16	8	3	1	1	29	1	7	7	7	5
63	Floyd County	127	17	6	1	1		25	4	4	2	3	6
64	Fountain County	257	38	11	4	1		54	5	4	6	17	10
65	Franklin County	208	20	7	3	1		31	5	3	2	5	11
66	Fulton County	194	30	6	3	1		40	3	5	5		5
67	Gibson County	401	82	15	13	3	4	117	11	14	18	18	12
68	Grant County	470	60	13	3	1		77	7	3	8	9	12
69	Greene County	474	111	41	16	6	3	177	18	8	16	19	12
70	Hamilton County	332	47	11	3	1	2	64	8	8	11	6	14
71	Hancock County	259	37	15	1	1	1	55	7	5	10	9	12
72	Harrison County	270	31	8	4	1	3	47	4	4	17	10	16
73	Hendricks County	292	42	10	7	2	2	63	4	3	9	14	10
74	Henry County	397	68	15	4	2	2	91	6	6	12	13	11
75	Howard County	193	23	5	2		3	33	2	5	11	8	5
76	Huntington County	210	32	5			1	38	5	2	1	10	3
77	Jackson County	333	74	9	4	6	1	94	6	8	18	5	12
78	Jasper County	137	32	5	4	1		42	2	1	6	5	2
79	Jay County	310	50	10	2	3	4	69	7	4	15	13	12
80	Jefferson County	305	39	9	7	2	3	60	2	3	9	11	8
81	Jennings County	208	21	11	1	3	2	38	2	4	5	6	8

[1] Exclusive of cities having a population of 8,000 or over in 1900.

EACH REGISTRATION AREA, BY AGE: 1909—Continued.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Un. known.	
31	32	19	13	14	10	8	7	11	8	7	7	1				1
2		2	1						1	1						2
1	3	2	2	1	1	3	3	4	1		2					3
6	3	14	9	8	8	6	9	7	6	4		1				4
4	5	3	2	4	3	4	5	3	1	1						5
29	13	14	11	14	10	17	17	13	14	10	1	5	1			6
37	36	22	26	17	23	18	16	13	13	10	7	2	2	1	1	7
7	1		4	2	2	1	2	2								8
3	2	1	4	8		2		2	3		1				1	9
19	16	7	12	9	13	12	13	7	20	5	2	1				10
		2			1											11
1	2	1	2		1		1	1	1	2		2				12
5	5	2	1	3	6		7	4	3	3	1					13
3		5	3	3	1	6	6	1	1	1	1					14
19	18	10	11	10	10	9	9	12	8	6	2			1		15
5	6	7	12	4	1	3	4		2	4						16
1	2	2	2	4	1	1	3		4							17
1	2		2	3		3		1	2	1	1					18
3	3	1	2	4	3	2	3	3		1	3					19
5	3	2	7	3	2	5	6	3	3	1	2					20
18	29	20	17	22	20	21	20	9	13	2	3				1	21
1	2	1	2	2	2	2		1	2							22
2	1	2	4	6	7	4	9	11	5	4	1					23
4	2	3	3	3	4	3	5	2	6	2		1				24
	4		2	2			2	5								25
5	5	5	4	3	5	3	3				1					26
4	6	6	6	5	4	2		1	2							27
		2		1	3	1	1		1	2	1					28
			3	5	3		2	1		1						29
12	18	18	15	10	12	7	17	5	4	6						30
	1	1	1	3	1				1	1	1					31
13	15	8	22	10	13	13	17	9	14	5	5	4				32
2	2	1		1	1	2	3	3	7		1	1				33
20	22	26	26	34	32	45	73	69	72	47	35	15	4		3	34
30	30	35	29	44	42	71	71	61	65	60	44	14	3	1	2	35
21	21	38	31	30	38	41	80	79	60	69	35	14	4		2	36
7	14	9	11	14	23	28	26	32	34	27	16	6	3		2	37
12	23	20	23	40	38	51	56	62	51	57	34	13	3		2	38
13	16	21	22	15	26	41	38	59	62	51	22	13	1	1	4	39
10	6	5	13	7	7	17	28	29	21	16	16	4	1			40
18	14	16	19	23	22	22	46	42	37	43	22	7	3	1	2	41
5	5	8	3	9	10	24	16	24	18	14	10	3				42
10	7	9	16	13	11	9	29	17	27	15	5	4	1		1	43
5	6	3	5	6	9	14	17	16	22	8	6	1				44
4	3	6	3	3	1	6	7	5	8	2	3	3				45
5	5	11	6	8	10	12	3	11	20	5	3	1			1	46
8	9	9	9	14	11	14	24	21	35	25	20		2		1	47
3	2	2	5	4	7	5	9	11	10	4		2	1		1	48
2	4	3	10	9	16	20	24	22	23	15	7	3	2			49
10	9	23	18	10	20	21	26	15	24	17	6	2			1	50
9	10	7	7	13	11	25	17	20	19	17	9	3	3			51
6	14	12	19	13	16	31	27	22	24	17	16	4	2			52
17	9	8	12	13	16	25	23	31	25	15	8	2			1	53
9	5	7	4	2	9	7	12	9	12	9	5	2	1	1		54
6	8	8	5	8	10	9	9	16	14	9	7	2	2			55
8	4	14	4	10	14	15	33	31	34	18	10	3			2	56
5	9	10	8	9	11	21	24	19	26	18	20	6	1		1	57
10	11	14	8	13	12	21	26	30	24	15	8	2	1			58
11	12	11	7	6	13	16	18	19	26	22	4	3	1			59
6	8	7	9	10	11	11	17	10	18	13	5	1			1	60
11	10	5	18	17	19	25	31	30	33	28	10	5	1			61
5	6	5	12	5	4	16	12	15	11	14	6	1			1	62
1	5	9	3	5	6	10	8	8	13	5	8		1	1		63
6	11	9	3	10	10	13	25	23	27	17	7					64
5	3	7	7	4	6	14	15	24	24	25	11	4	2			65
6	5	4	8	11	6	20	19	10	20	16	6	5				66
13	17	16	12	20	19	20	21	22	20	19	8	4				67
10	4	11	10	13	19	38	80	66	51	31	16	3	2			68
12	16	20	21	17	12	13	26	29	25	16	13	4				69
7	14	18	5	16	19	19	24	21	40	24	10	3	1			70
6	10	4	6	21	10	14	27	21	19	18	5					71
12	7	7	9	13	9	15	32	19	23	14	9	2		1		72
10	11	12	9	13	13	9	27	25	26	22	7	3	1		1	73
8	8	12	12	22	17	27	39	32	33	26	16	5			1	74
7	5	7	6	9	12	12	13	13	16	12	11	5		1		75
7	3	6	6	16	15	7	20	20	17	15	14	4			1	76
11	13	11	16	12	18	18	28	13	20	17	9	3	1			77
1	3	3	4	7	5	10	15	12	8	7	3		1			78
13	9	7	11	14	10	26	28	22	22	18	7	3				79
7	8	11	7	18	21	22	23	25	25	25	17	3				80
5	8	5	4	17	12	13	12	25	14	16	9	5				81

[2] Includes Jackson County, organized May, 1909.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	INDIANA RURAL[1]—Continued.												
1	Johnson County	246	33	4	6	.....	2	45	3	5	9	6	9
2	Knox County	255	64	20	10	3	3	100	5	6	9	8	13
3	Kosciusko County	321	46	14	5	6	1	72	3	5	5	9	8
4	Lagrange County	196	24	10	4	.....	2	40	3	3	4	5	10
5	Lake County	765	258	67	21	14	11	371	19	7	14	35	41
6	Laporte County	363	44	7	4	1	5	61	9	3	3	13	14
7	Lawrence County	431	78	30	11	6	1	126	6	8	24	20	26
8	Madison County	360	76	20	7	4	3	110	12	8	9	15	9
9	Marion County	403	49	17	5	3	4	78	7	5	10	14	19
10	Marshall County	289	47	12	6	1	2	68	6	9	11	5	8
11	Martin County	196	23	6	2	4	3	38	5	7	11	13	9
12	Miami County	218	28	7	2	3	1	41	2	9	12	15	8
13	Monroe County	298	43	16	6	1	3	69	7	5	11	19	19
14	Montgomery County	351	46	9	5	.....	1	61	5	6	15	14	13
15	Morgan County	297	50	16	4	3	.....	73	4	6	7	16	8
16	Newton County	94	18	5	2	1	.....	26	.....	1	4	3	4
17	Noble County	310	49	8	7	1	1	66	4	1	11	14	7
18	Ohio County	57	9	1	1	.....	.....	11	1	2	3	.....	2
19	Orange County	219	39	8	4	.....	1	52	7	1	8	8	11
20	Owen County	159	23	12	5	1	.....	41	.....	1	6	5	2
21	Parke County	299	67	19	6	4	4	100	7	12	5	18	10
22	Perry County	193	39	13	9	5	.....	66	10	8	4	6	8
23	Pike County	298	61	20	7	4	1	93	13	5	15	9	8
24	Porter County	225	38	3	2	1	4	48	6	2	5	7	15
25	Posey County	270	51	15	5	4	.....	75	10	4	5	13	13
26	Pulaski County	128	31	7	.....	3	.....	41	2	3	2	4	4
27	Putnam County	259	25	11	4	3	2	45	4	4	6	9	8
28	Randolph County	370	64	14	4	2	2	86	7	8	11	14	9
29	Ripley County	241	32	6	1	1	1	41	2	5	3	7	13
30	Rush County	194	21	6	4	1	1	33	3	2	9	11	8
31	St. Joseph County	337	59	13	8	4	5	89	4	7	7	10	13
32	Scott County	113	21	2	2	.....	.....	25	2	4	6	3	4
33	Shelby County	373	51	14	7	4	2	78	8	12	7	15	14
34	Spencer County	239	47	8	4	2	2	63	8	4	7	7	9
35	Starke County	134	31	3	2	1	1	38	4	1	5	11	3
36	Steuben County	180	19	4	2	2	.....	27	3	3	3	7	4
37	Sullivan County	355	91	30	9	5	.....	135	11	9	11	12	11
38	Switzerland County	145	13	8	1	1	.....	23	2	4	6	4	3
39	Tippecanoe County	241	33	6	3	2	.....	44	4	4	1	2	4
40	Tipton County	224	37	15	7	2	2	63	5	4	5	12	12
41	Union County	84	12	2	.....	.....	.....	14	.....	1	2	1	3
42	Vanderburg County	197	26	5	2	4	2	39	5	2	3	8	6
43	Vermilion County	258	51	24	19	4	3	101	5	4	1	9	10
44	Vigo County	292	47	24	5	8	2	86	7	6	12	15	8
45	Wabash County	216	26	3	4	1	1	35	4	4	4	6	6
46	Warren County	112	11	6	2	3	.....	22	.....	3	4	6	8
47	Warrick County	259	45	14	1	1	4	65	13	4	10	12	15
48	Washington County	214	24	8	4	2	1	39	2	.....	1	6	5
49	Wayne County	382	36	5	2	2	3	48	4	5	7	12	8
50	Wells County	250	38	20	6	1	.....	65	10	4	5	8	15
51	White County	183	19	4	2	1	.....	26	4	3	3	4	5
52	Whitley County	177	15	7	3	1	.....	26	2	3	7	11	4
	MAINE RURAL.[1]												
53	Androscoggin County	243	38	5	1	2	1	47	4	4	5	8	3
54	Aroostook County	947	321	43	16	11	9	400	26	23	36	31	30
55	Cumberland County	801	99	15	6	6	1	127	12	11	12	20	16
56	Franklin County	276	40	2	4	1	1	48	6	2	10	8	6
57	Hancock County	540	70	3	2	3	4	82	8	10	18	14	21
58	Kennebec County	648	64	7	10	2	3	86	5	12	10	13	18
59	Knox County	326	21	5	4	2	3	35	2	4	5	9	10
60	Lincoln County	302	26	7	1	.....	1	35	3	3	8	5	5
61	Oxford County	558	100	9	4	2	2	117	9	10	7	11	15
62	Penobscot County	874	160	27	11	7	4	209	15	12	16	25	17
63	Piscataquis County	276	26	5	5	3	2	41	7	4	11	10	6
64	Sagadahoc County	163	17	3	1	.....	.....	21	1	1	4	4	3
65	Somerset County	478	75	6	7	2	1	91	4	6	6	18	13
66	Waldo County	383	27	5	2	1	2	37	4	4	.....	10	10
67	Washington County	636	118	14	6	6	5	149	20	10	17	14	18
68	York County	824	114	21	12	1	4	152	15	11	6	20	12
	MARYLAND RURAL.[1]												
69	Allegany County (total)	317	61	15	9	6	2	93	7	6	11	6	10
70	White	311	60	14	8	6	2	90	7	6	11	6	10
71	Colored	6	1	1	1	.....	.....	3	.....	.....	.....	.....	.....
72	Anne Arundel County (total)	507	180	33	6	1	5	225	11	7	18	25	26
73	White	263	94	21	3	.....	3	121	2	2	7	11	6
74	Colored	244	86	12	3	1	2	104	9	5	11	14	20
75	Baltimore County (total)	1,658	359	69	30	17	8	483	29	22	41	59	50
76	White	1,439	293	55	26	15	6	395	23	17	31	51	39
77	Colored	219	66	14	4	2	2	88	6	5	10	8	11
78	Calvert County (total)	155	37	6	3	3	1	50	6	5	8	7	8
79	White	62	15	3	.....	1	.....	19	2	2	.....	2	3
80	Colored	93	22	3	3	2	1	31	4	3	8	5	5

[1] Exclusive of cities having a population of 8,000 or over in 1900.

EACH REGISTRATION AREA, BY AGE: 1909—Continued.

AGE—continued.															
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
9	4	9	7	12	9	18	21	26	24	15	11	4				1
9	4	9	10	8	12	10	14	13	7	11	4	1	1			2
3	9	6	5	12	21	27	36	34	32	18	12	1	3			3
8	9	1	4	8	7	10	18	25	23	10	6	2				4
32	33	28	30	29	13	14	29	17	18	21	12	1			1	5
13	15	15	18	17	23	15	19	32	31	25	24	6	3		4	6
15	14	17	12	13	20	19	23	31	23	18	10	5		1		7
15	15	11	11	13	16	20	13	23	35	10	12	2			1	8
13	20	8	18	22	18	28	33	32	33	30	9	5		1		9
6	7	4	11	16	19	13	24	25	27	17	11	1	1			10
7	13	5	9	4	10	10	13	13	16	4	4	2		1	2	11
8	7	6	6	13	12	9	17	17	15	12	6	3				12
6	8	9	8	15	12	12	17	24	26	7	17	3	1	1	2	13
14	11	10	16	23	17	19	32	22	36	13	15	9				14
7	5	8	9	17	15	18	26	21	27	10	13	3			4	15
2	3	2			3	3	8	15	8	7	5					16
10	7	15	11	17	21	20	25	23	27	18	9	3			1	17
2	1		1	5	2	5	5	5	3	4	3	2				18
8	7	9	8	11	12	14	18	20	8	9	6			1	1	19
3	4	5	4	5	9	15	11	17	12	11	5	3				20
9	5	6	6	9	12	14	16	16	26	17	8	3				21
7	5	3	8	8	9	5	7	9	16	9	5					22
15	7	10	14	15	10	17	18	12	12	19	3	3				23
4	9	4	7	11	20	9	19	15	20	10	12	2				24
9	11	6	11	12	11	14	17	13	19	17	8	1			1	25
6	1	3		3	5	6	7	15	14	5	3	2	1		1	26
7	7	5	11	5	11	17	19	25	24	19	23	9		1		27
14	15	11	14	13	7	26	33	32	36	24	8	2				28
10	6	7	8	8	13	12	22	17	28	26	8	3	1		1	29
8	5	5	7	6	13	8	17	19	12	20	5	2	1			30
11	13	8	15	8	12	13	28	29	29	21	14	4	1		1	31
5	3	4		3	7	5	12	10	6	8	4	2				32
15	9	9	10	17	22	20	31	32	34	22	12	3	2		1	33
7	8	7	2	3	13	15	15	20	29	14	7				1	34
4	3	3	6	6	6	6	5	13	14	3	2		1			35
3	3	5	9	7	14	7	19	24	21	10	8	2	1			36
13	11	11	4	13	8	13	23	19	26	14	8	1		2		37
10	3	6	2	6	6	7	9	22	9	12	6	2	1	1	1	38
5	9	6	13	9	15	19	21	28	25	23	7	2				39
8	6	13		9	10	7	18	17	13	15	5	1			1	40
1	1	5	4	4	8	4	6	10	12	4	3	1				41
10	8	8	12	9	16	14	10	17	13	8	6	1	1	1		42
9	6	10	6	14	7	10	19	7	17	13	7	2	1			43
10	11	12	8	15	13	13	18	19	17	8	8	2	2	1	1	44
6	11	3	7	9	15	18	15	14	28	17	9	5				45
1	4	5	4	6	5	6	5	12	10	7	3	1				46
7	10	9	13	9	15	13	16	21	15	8	2	1				47
7	10	8	11	9	11	14	18	20	21	13	11	5	1	1	1	48
14	22	15	18	15	27	27	29	36	45	25	15	6	1	1	2	49
5	7	6	8	7	8	15	15	19	21	24	6	1	1			50
1	3	6	7	2	17	14	20	19	25	16	6	2				51
4	2	5	3	7	9	9	21	23	15	11	9	4	2			52
7	3	7	8	11	11	15	14	27	35	19	10	5				53
21	27	21	27	32	32	22	44	61	51	33	18	10	1		1	54
21	26	15	30	31	41	51	72	87	93	76	45	12	3			55
8	13	5	6	11	15	17	24	27	24	27	14	4	1			56
14	16	16	20	13	33	41	47	65	53	39	19	8	1	1	1	57
14	19	23	23	32	26	39	67	72	72	56	37	15	6		3	58
7	9	16	8	16	13	23	31	53	40	29	10	5	1			59
5	7	9	9	15	15	18	33	32	49	28	17	4	2			60
13	17	13	19	25	29	38	44	56	44	47	32	9			3	61
26	20	14	24	34	54	44	72	79	92	72	27	7	6		9	62
8	9	5	8	13	14	18	18	33	25	25	14	2	1		4	63
1	4	2	7	7	6	13	9	22	19	20	14	4	1			64
10	16	20	17	15	18	30	43	44	46	41	25	13	2			65
8	13	10	10	18	16	31	38	45	45	41	31	10	1		1	66
15	21	16	16	22	38	39	33	62	64	45	27	8	1		1	67
22	17	19	18	36	48	52	83	101	94	55	45	10	3		5	68
13	11	6	14	12	14	17	21	29	13	24	8		1	1		69
12	11	5	14	12	14	17	21	29	13	24	8		1			70
1		1												1		71
17	10	13	17	22	21	18	23	24	11	7	4	3		1	4	72
10	4	4	7	13	13	11	18	14	8	6	2	3			1	73
7	6	9	10	9	8	7	5	10	3	1	2			1	3	74
70	77	67	69	82	82	106	93	106	91	65	43	15	3		5	75
59	64	63	63	72	72	99	84	93	87	64	41	15	3		4	76
11	13	4	6	10	10	7	9	13	4	1	2				1	77
6	5	4	7	3	3	4	11	13	4	5	4				2	78
2	5	2	4		2		7	6		4	2					79
4		2	3	3	1	4	4	7	4	1	2				2	80

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	MARYLAND RURAL [1]—Continued.												
1	Caroline County (total)	288	69	19	5	5	5	103	10	4	12	14	8
2	White	187	43	13	3	4	3	66	5	.....	6	10	1
3	Colored	101	26	6	2	1	2	37	5	4	6	4	7
4	Carroll County (total)	489	95	15	8	3	2	123	6	3	6	16	12
5	White	451	86	13	5	2	2	108	6	2	6	14	11
6	Colored	38	9	2	3	1	.....	15	.....	1	.....	2	1
7	Cecil County (total)	358	62	9	6	3	2	82	5	6	8	12	12
8	White	285	41	7	3	.....	1	52	2	5	8	9	6
9	Colored	73	21	2	3	3	1	30	3	1	.....	3	6
10	Charles County (total)	255	74	7	1	4	3	89	2	8	7	13	15
11	White	91	17	3	1	2	2	25	2	1	1	3	3
12	Colored	164	57	4	.....	2	1	64	.....	7	6	10	12
13	Dorchester County (total)	458	114	18	6	4	3	145	17	8	16	30	17
14	White	264	61	7	1	2	3	74	9	4	9	14	10
15	Colored	194	53	11	5	2	.....	71	8	4	7	16	7
16	Frederick County (total)	477	87	18	8	4	4	121	9	8	6	13	12
17	White	394	71	12	6	3	4	96	7	7	5	7	4
18	Colored	83	16	6	2	1	.....	25	2	1	1	6	8
19	Garrett County (total)	99	19	2	4	3	2	30	5	1	2	2	2
20	White	98	19	2	4	3	2	30	5	1	2	2	2
21	Colored	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Harford County (total)	374	69	5	7	2	3	86	7	4	10	13	12
23	White	274	52	4	4	1	2	63	3	.....	5	8	9
24	Colored	100	17	1	3	1	1	23	4	4	5	5	3
25	Howard County (total)	230	51	12	6	2	.....	71	4	8	4	5	9
26	White	167	36	8	3	2	.....	49	2	5	2	3	7
27	Colored	63	15	4	3	.....	.....	22	2	3	2	2	2
28	Kent County (total)	299	54	18	11	6	5	94	6	4	4	14	8
29	White	149	22	8	5	1	4	40	2	.....	1	7	3
30	Colored	150	32	10	6	5	1	54	4	4	3	7	5
31	Montgomery County (total)	320	67	12	5	3	1	88	10	7	14	20	13
32	White	194	34	8	3	1	.....	46	1	2	4	8	6
33	Colored	126	33	4	2	2	1	42	9	5	10	12	7
34	Prince Georges County (total)	456	129	20	13	9	3	174	18	9	15	9	13
35	White	254	63	15	7	4	.....	89	5	3	4	1	8
36	Colored	202	66	5	6	5	3	85	13	6	11	8	5
37	Queen Annes County (total)	247	57	12	2	.....	1	72	7	6	10	13	6
38	White	125	30	4	2	.....	.....	36	3	1	5	4	3
39	Colored	122	27	8	.....	.....	1	36	4	5	5	9	3
40	St. Marys County (total)	56	5	1	3	2	.....	11	.....	3	1	5	3
41	White	40	4	1	2	2	.....	9	.....	2	1	.....	2
42	Colored	16	1	.....	1	.....	.....	2	.....	1	.....	5	1
43	Somerset County (total)	267	53	17	5	3	1	79	6	7	14	17	5
44	White	165	33	8	3	1	1	46	5	4	5	9	3
45	Colored	102	20	9	2	2	.....	33	1	3	9	8	2
46	Talbot County (total)	299	54	12	5	3	1	75	8	7	11	20	13
47	White	136	17	2	3	2	1	25	1	1	2	5	6
48	Colored	163	37	10	2	1	.....	50	7	6	9	15	7
49	Washington County (total)	406	86	19	14	3	4	126	5	8	10	11	15
50	White	388	84	19	13	3	4	123	4	7	7	10	12
51	Colored	18	2	.....	1	.....	.....	3	1	1	3	1	3
52	Wicomico County (total)	293	62	12	6	4	1	85	8	10	19	20	9
53	White	214	53	7	4	4	1	69	6	7	11	12	6
54	Colored	79	9	5	2	.....	.....	16	2	3	8	8	3
55	Worcester County (total)	235	46	12	4	3	2	67	6	3	10	15	6
56	White	131	19	2	3	1	.....	25	5	1	3	9	4
57	Colored	104	27	10	1	2	2	42	1	2	7	6	2
	MASSACHUSETTS RURAL.[1]												
58	Barnstable County	507	65	10	9	6	4	94	5	3	7	8	9
59	Berkshire County	522	74	10	1	3	2	90	9	12	11	9	10
60	Bristol County	766	157	24	9	10	5	205	13	8	14	20	21
61	Dukes County	78	12	.....	2	.....	1	15	1	1	1	1	.....
62	Essex County	1,087	188	25	10	3	7	233	15	10	13	23	39
63	Franklin County	601	88	11	5	4	6	114	11	5	15	13	15
64	Hampden County	651	156	25	12	8	5	206	11	11	12	25	24
65	HampshireCounty	468	79	14	10	2	2	107	7	5	3	9	11
66	Middlesex County	1,936	258	40	13	6	6	323	26	20	40	64	69
67	Nantucket County	70	3	.....	.....	1	.....	4	1	1	3	1	1
68	Norfolk County	1,282	155	26	14	9	9	213	29	19	18	24	30
69	Plymouth County	1,170	132	22	11	8	3	176	14	6	29	42	34
70	Suffolk County	120	14	2	3	.....	.....	19	1	.....	2	7	9
71	Worcester County	2,093	379	56	26	15	8	484	32	12	48	53	60
	MICHIGAN RURAL.[1]												
72	Alcona County	70	23	6	3	.....	.....	32	1	2	4	3	3
73	Alger County	83	32	4	3	.....	.....	39	1	.....	2	4	2
74	Allegan County	505	79	15	4	5	1	104	10	5	15	10	10
75	Alpena County	78	22	3	.....	1	1	27	.....	1	3	3	3
76	Antrim County	225	49	8	4	2	3	66	7	4	10	3	5
77	Arenac County	107	15	10	4	1	.....	30	2	3	5	2	7
78	Baraga County	76	18	8	1	1	1	29	2	1	2	2	3
79	Barry County	273	38	6	.....	3	1	48	4	3	1	7	9
80	Bay County	237	71	8	4	3	1	87	6	7	14	10	7
81	Benzie County	135	23	8	2	.....	1	34	4	6	7	4	9

[1] Exclusive of cities having a population of 8,000 or over in 1900.

EACH REGISTRATION AREA, BY AGE: 1909—Continued.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
13	4	6	9	6	8	15	15	22	19	11	5		1	1	2	1
12	1	3	6	3	5	11	10	18	18	9	2				1	2
1	3	3	3	3	3	4	5	4	1	2	3		1	1	1	3
15	9	16	13	28	20	24	34	52	43	41	17	7	1		3	4
15	8	15	11	27	20	24	32	48	38	40	15	7	1		3	5
	1	1	2	1			2	4	5	1	2					6
10	9	10	9	16	11	24	34	42	26	24	13	3	2			7
9	8	8	6	9	9	20	32	39	24	22	13	3	1			8
1	1	2	3	7	2	4	2	3	2	2			1			9
4	10	7	6	9	9	15	18	18	4	8	2	2	2	1	6	10
3	4	2	2	4	3	7	11	11	2	5					2	11
1	6	5	4	5	6	8	7	7	2	3	2	2	2	1	4	12
18	15	22	20	15	22	20	33	22	16	10	8	2			2	13
9	7	16	15	7	14	14	22	13	13	8	6					14
9	8	6	5	8	8	6	11	9	3	2	2	2			2	15
12	19	7	17	21	26	27	30	45	38	50	14	1	1			16
10	15	7	15	19	25	18	25	41	33	45	14		1			17
2	4		2	2	1	9	5	4	5	5		1				18
5	4		4	3	6	8	5	8	5	7	1	1				19
4	4		4	3	6	8	5	8	5	7	1	1				20
1																21
11	7	10	16	10	21	27	34	36	20	26	15	4		1	4	22
8	2	7	12	9	16	21	24	31	16	21	13	4			2	23
3	5	3	4	1	5	6	10	5	4	5	2			1	2	24
8	6	8	4	5	12	21	13	19	13	11	4	3		1	1	25
5	4	7	4	4	10	18	10	13	11	8	2	3				26
3	2	1		1	2	3	3	6	2	3	2			1	1	27
11	9	9	11	19	13	26	24	15	15	9	3	4		1		28
7	5	1	5	11	6	16	15	9	10	7	2	2				29
4	4	8	6	8	7	10	9	6	5	2	1	2		1		30
10	9	8	12	10	11	19	16	21	21	19	10		1		1	31
5	5	6	7	8	8	16	15	18	16	14	8				1	32
5	4	2	5	2	3	3	1	3	5	5	2		1			33
18	9	18	18	18	22	21	21	26	27	12	2	2	1		3	34
10	6	10	11	11	10	17	16	21	20	8	2				2	35
8	3	8	7	7	12	4	5	5	7	4		2	1		1	36
7	9	4	10	7	9	14	21	19	13	9	2	3	2		4	37
5	1	2	4	4	4	11	14	11	7	6	1	2	1			38
2	8	2	6	3	5	3	7	8	6	3	1	1	1		4	39
3	4		7	2	1	2	4	6	1	2	1					40
3	3		7	1		2	4	4		1	1					41
	1			1	1			2	1	1						42
11	9	5	5	6	13	16	14	20	13	14	11	1			1	43
9	4	3	4	3	5	14	9	16	10	9	6				1	44
2	5	2	1	3	8	2	5	4	3	5	5	1				45
7	11	4	10	7	14	11	28	33	13	8	9	4	1		5	46
3	7	2	7	5	7	6	13	20	9	6	8	1			2	47
4	4	2	3	2	7	5	15	13	4	2	1	3	1		3	48
15	10	3	8	15	16	20	33	33	43	22	7	3	1		2	49
15	9	3	7	15	16	20	33	33	40	22	6	3	1		2	50
	1		1						3		1					51
8	14	13	13	12	10	15	15	14	8	8	7		1		4	52
8	10	8	10	7	7	12	10	13	6	7	3		1		1	53
	4	5	3	5	3	3	5	1	2	1	4				3	54
7	4	6	7	10	8	7	20	11	13	19	7	4	2	1	2	55
5	3	3	4	6	8	6	11	9	9	13	3	2		1	1	56
2	1	3	3	4		1	9	2	4	6	4	2	2		1	57
16	13	12	14	15	25	28	48	60	50	53	29	15	2		1	58
17	24	18	22	19	24	29	48	51	45	42	31	9	2			59
16	17	22	24	25	39	35	60	61	76	67	26	13	2	2		60
3	1	2	2	2	7	6	10	7	6	5	4	3	1			61
25	30	26	39	43	60	63	102	111	108	75	50	17	5			62
13	12	21	26	23	36	36	49	64	59	53	25	9	2			63
20	27	19	18	23	34	24	45	42	56	26	13	9	4		2	64
8	17	10	16	21	17	42	35	48	39	34	28	9	1	1		65
71	96	91	108	117	117	152	139	179	127	101	67	19	8		2	66
1	2		4	2		6	9	6	9	14	4	1	1			67
39	37	48	45	67	77	101	111	124	109	102	67	18	3		1	68
34	45	37	41	62	70	89	109	112	110	77	53	21	6	1	2	69
7	4	4	8	9	2	11	8	9	10	4	4	1			1	70
67	69	77	83	78	100	108	153	196	180	148	96	38	10		1	71
	2	1		3	1	2	3	4	3	2	3				1	72
	3	4	9	3	3	4	3	1	1	4						73
10	13	19	6	18	33	31	38	49	61	38	28	4	2	1		74
3		5	2	2	1	6	6	6	3	2	2	2	1			75
8	12	6	6	7	10	16	19	14	14	7	8	1	1		1	76
4	2	7	5	3	3	10	6	9	4	3		2				77
2	3	5	2	2	2	5	3	3	4	2	3	1				78
5	5	10	10	8	13	27	30	20	25	24	16	8				79
7	4	5	3	7	6	10	12	13	17	10	8	1	2		1	80
7	6	3	4	6	5	11	10	3	6	7	2			1		81

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	MICHIGAN RURAL[1]—Continued.												
1	Berrien County	681	108	12	11	4	4	139	13	13	14	22	19
2	Branch County	387	38	4	3	3	3	51	3	5	4	6	5
3	Calhoun County	419	38	4	3	3	2	50	7	1	11	9	8
4	Cass County	292	35	8	2	1	.....	46	4	1	5	9	11
5	Charlevoix County	245	56	14	6	3	1	80	4	8	7	8	9
6	Cheboygan County	244	61	12	7	1	.....	81	5	11	4	8	6
7	Chippewa County	120	39	10	1	.....	.....	50	2	5	2	3	4
8	Clare County	111	31	8	2	1	2	44	6	.....	5	1	3
9	Clinton County	269	40	2	1	2	2	47	1	6	6	3	4
10	Crawford County	50	13	3	1	1	.....	18	.....	.....	4	.....	3
11	Delta County	176	52	10	3	1	3	69	9	5	5	12	6
12	Dickinson County	120	41	11	1	.....	1	54	2	2	2	4	2
13	Eaton County	459	61	11	1	2	1	76	6	4	9	13	9
14	Emmet County	226	45	11	2	6	2	66	7	3	9	9	7
15	Genesee County	424	51	12	6	1	3	73	6	4	10	7	6
16	Gladwin County	75	18	8	.....	2	.....	28	1	1	2	4	2
17	Gogebic County	153	64	4	3	2	1	74	10	8	4	10	10
18	Grand Traverse County	166	47	8	1	1	1	58	10	7	5	5	7
19	Gratiot County	339	60	17	5	5	1	88	4	6	9	9	8
20	Hillsdale County	383	25	9	3	3	3	43	4	6	6	10	10
21	Houghton County	965	304	67	20	16	8	415	26	25	30	60	52
22	Huron County	363	90	8	6	4	2	110	11	9	11	13	11
23	Ingham County	293	26	5	8	4	.....	43	4	1	3	10	7
24	Ionia County	422	47	7	3	3	6	66	4	2	9	18	10
25	Iosco County	108	24	4	2	2	2	34	3	2	3	.....	.....
26	Iron County	135	51	5	2	1	3	62	2	1	6	10	9
27	Isabella County	264	57	9	5	2	4	77	5	4	9	4	9
28	Jackson County	298	34	5	1	2	1	43	4	3	3	5	4
29	Kalamazoo County	237	24	3	2	2	.....	31	3	4	6	3	3
30	Kalkaska County	102	18	9	2	4	.....	33	5	1	3	4	2
31	Kent County	716	93	15	3	2	3	116	9	5	8	11	15
32	Keweenaw County	101	49	12	3	2	1	67	3	3	4	4	5
33	Lake County	47	15	1	.....	.....	1	17	.....	1	2	1	3
34	Lapeer County	370	50	4	5	.....	1	60	5	7	10	11	8
35	Leelanau County	151	28	5	1	1	.....	35	4	4	6	9	8
36	Lenawee County	493	54	10	6	2	2	74	1	6	15	9	16
37	Livingston County	270	39	2	1	1	.....	43	2	3	11	6	5
38	Luce County	99	16	.....	.....	.....	.....	16	1	.....	4	3	4
39	Mackinac County	105	25	3	2	2	1	33	2	1	6	5	6
40	Macomb County	464	74	12	6	2	2	96	4	4	10	21	8
41	Manistee County	166	42	6	4	3	1	56	3	3	7	5	6
42	Marquette County	219	50	19	7	8	1	85	10	7	5	20	10
43	Mason County	242	49	12	6	4	3	74	6	5	5	12	5
44	Mecosta County	228	43	6	2	2	2	55	5	4	8	5	5
45	Menominee County	147	52	4	2	1	.....	59	4	3	11	4	5
46	Midland County	170	34	9	2	1	.....	46	6	2	7	10	1
47	Missaukee County	112	29	4	1	2	1	37	.....	1	10	3	1
48	Monroe County	423	70	19	2	6	2	99	8	9	7	11	11
49	Montcalm County	412	63	6	2	3	1	75	2	10	9	16	10
50	Montmorency County	49	20	6	1	2	1	30	.....	.....	1	3	.....
51	Muskegon County	172	26	5	.....	.....	2	33	4	1	8	11	5
52	Newaygo County	256	48	19	3	2	2	74	5	5	2	6	6
53	Oakland County	470	47	6	5	5	5	68	5	8	12	17	9
54	Oceana County	245	57	8	4	2	.....	71	6	4	8	5	11
55	Ogemaw County	115	30	9	1	4	.....	44	2	1	1	5	2
56	Ontonagon County	76	18	5	1	.....	1	25	4	2	3	2	2
57	Osceola County	177	35	4	3	2	1	45	4	2	5	8	4
58	Oscoda County	16	1	.....	1	.....	.....	2	2	1	1	1	.....
59	Otsego County	101	31	3	2	.....	3	39	2	6	4	.....	3
60	Ottawa County	519	104	19	5	3	1	132	5	7	6	9	11
61	Presque Isle County	156	61	12	1	6	2	82	8	1	8	5	4
62	Roscommon County	20	4	2	.....	.....	.....	6	3	.....	1	1	.....
63	Saginaw County	433	95	10	9	4	3	121	14	4	9	11	12
64	St. Clair County	485	90	15	8	3	7	123	11	10	15	17	13
65	St. Joseph County	352	34	1	2	1	2	40	5	4	8	6	6
66	Sanilac County	334	68	8	5	2	3	86	3	8	10	9	3
67	Schoolcraft County	80	24	1	1	1	1	28	.....	1	2	2	2
68	Shiawassee County	315	35	6	3	2	1	47	3	5	5	9	7
69	Tuscola County	408	79	23	5	.....	4	111	5	4	6	19	12
70	Van Buren County	446	52	10	4	5	1	72	4	7	9	10	18
71	Washtenaw County	353	29	2	4	2	.....	37	5	6	13	9	7
72	Wayne County	1,095	200	37	24	7	3	271	21	17	20	39	55
73	Wexford County	276	65	9	2	4	3	83	5	6	12	10	11
	NEW HAMPSHIRE RURAL.[1]												
74	Belknap County	187	12	.....	1	1	1	15	.....	.....	1	7	5
75	Carroll County	254	29	2	2	3	1	37	3	3	4	8	8
76	Cheshire County	331	59	11	4	5	1	80	6	5	5	7	4
77	Coos County	253	27	6	2	.....	1	36	4	3	5	6	5
78	Grafton County	690	91	11	6	4	7	119	10	9	16	12	17
79	Hillsborough County	509	79	12	4	1	2	98	4	6	6	7	5
80	Merrimack County	554	82	14	11	4	3	114	7	7	9	7	8
81	Rockingham County	644	75	10	6	3	2	96	10	5	9	9	14
82	Strafford County	267	40	7	2	4	2	55	7	3	3	5	4
83	Sullivan County	311	49	2	3	4	1	59	5	2	1	6	8

[1] Exclusive of cities having a population of 8,000 or over in 1900.

EACH REGISTRATION AREA, BY AGE: 1909—Continued.

AGE—continued.															
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
13	29	26	30	42	26	49	44	65	55	51	22	9				1
9	10	9	14	13	17	31	39	42	45	49	28	6	1			2
12	11	15	16	18	23	27	37	36	53	41	26	13	1	1	3	3
8	5	5	14	20	17	20	18	33	29	29	14	2	2			4
9	10	6	11	9	11	15	20	8	16	9	4				1	5
7	4	8	14	11	11	13	18	12	17	10	1					
5	3	6	4	5	4	2	6	6	5	7	1				3	6
4			8	4	3	2	5	6	6	7	5	2				7
3	7	8	7	15	13	18	24	33	40	22	11	1				8
	1	3	2	4	4	3	2	2	2	1	1					9
7	3	5	7	3	8	7	5	6	6	6	3			1	3	10
6	5	4	7	3	3	8	6	5	2	1	2	1	1			11
16	12	14	15	16	18	31	37	60	55	36	22	6	3		1	12
8	12	11	7	8	9	17	13	14	10	5	7	1	2		1	13
10	12	14	12	23	19	30	41	40	42	45	22	5	2	1		14
3	1	2	3	6	4	1	2	5	4	4	2					15
4	4	5	4	3	4	5	2	2	1	1		1			1	16
3	7	3	6	5	4	5	12	11	10	4	3		1			17
9	11	9	7	10	14	23	34	31	30	17	15	4			1	18
8	6	10	14	19	19	28	34	37	47	45	20	14	2		1	19
36	45	34	36	28	38	30	27	28	28	15	6	4		1	1	20
7	11	9	13	9	11	16	24	24	33	24	15			1	1	21
4	9	10	11	9	17	22	24	31	31	38	14	4			1	22
16	12	11	15	15	21	36	45	40	47	33	13	7	2			23
8	5	1	6	4	6	10	5	11	4	3	1	1	1			24
11	3	6	5	3	2	2	7	3	2		1					25
9	5	7	10	11	13	17	18	23	26	10	5	1		1		26
7	10	2	15	9	15	26	35	34	31	27	17	5	3			27
5	7	1	8	12	11	13	24	23	38	22	14	7	1		1	28
1	3	1	4	5	6	6	8	7	4	6	3					29
11	18	12	24	31	32	52	94	95	88	49	27	13	4		2	30
2		2	2			1	1		2	4		1				31
1		1	3	1	2	2	3	4	3	2	1					32
17	9	16	13	13	20	25	30	33	43	28	16	5			1	33
6	5	5	8	7	7	7	10	7	9	10	3		1			34
10	13	17	8	26	26	30	49	58	61	40	25	7	1		1	35
5	9	2	14	9	10	24	29	33	28	16	12	8	1			36
7	6	7	15	6	7	5	5	4	4	4			1			37
2	2	2	4	11	3	6	7	4	3	5	1		2			38
15	17	14	26	24	19	27	34	40	42	39	17	6	1			39
5	5	5	3	6	7	8	16	8	9	10	2	1	1			40
9	8	6	9	7	5	6	9	8	7	5	2				1	41
11	8	6	10	14	12	12	10	12	21	8	6	2	2	1		42
5	10	8	6	6	14	12	34	14	23	10	3	1				43
5	2	2	7	6	9	7	5	6	4	3	2	2			1	44
6	7	8	2	7	7	14	15	9	11	10	2					45
6	5	2	2	3	8	9	11	4	5	3	1	1				46
9	14	12	14	12	23	20	36	38	40	30	20	10				47
6	8	12	7	21	24	20	58	51	40	25	12	5	1			48
2	1	1		2		3	2	1	1	1		1				49
6	3	5	5	5	10	16	12	11	16	14	3		2	1	1	50
5	6	3	11	7	14	19	22	21	26	13	8	2	1			51
7	20	14	17	16	13	36	59	43	45	48	22	9	1		1	52
5	5	5	4	11	7	22	18	22	24	12	5					53
2	4	2	7	3	4	5	8	7	5	5	5	1	1		1	54
5	4	4	6	3	3		3	2	5	2						55
7	6	3	3	3	7	16	19	20	15	7		3			1	56
	3	2	1		2			1								57
4	3		2	8	8	7	5	3	5	1	1					58
9	18	9	17	24	23	30	39	47	52	45	27	9				59
2	3		4	3	4	7	7	4	3	5	3	1	1		1	60
2			3				1	2			1					61
10	9	9	4	21	20	30	30	27	46	28	23	4	1			62
5	13	11	23	24	15	21	35	39	47	29	21	11	2			63
9	4	10	8	10	28	17	30	49	51	33	26	6	1		1	64
7	8	11	7	14	14	25	15	33	19	32	21	8	1			65
2	8	3	1	9	2	4	4	4	6	1		1				66
8	10	8	7	17	15	19	36	30	43	21	17	6		1	1	67
9	10	4	19	12	22	17	37	33	45	25	13	4		1		68
9	8	7	12	19	24	31	41	56	54	34	19	11	1			69
9	12	7	11	10	17	34	30	40	50	32	12	10	1	1		70
37	47	38	52	51	48	63	89	78	83	46	26	7	3		4	71
13	10	10	9	13	10	15	18	19	17	7	7	1				72
4	2	4	3	6	11	18	28	12	28	24	11	6			2	73
5	4	8	6	15	18	24	21	18	23	22	15	5	1		6	74
7	9	5	7	15	17	23	25	38	28	24	13	11	1		1	75
8	8	12	11	15	12	17	25	23	28	19	10	3			3	76
18	21	23	23	25	42	42	64	72	70	53	26	11	6	1	10	77
11	14	22	15	22	27	44	39	53	45	46	29	12	1		3	78
14	26	17	13	18	36	38	41	65	47	45	25	11	1		5	79
19	14	20	29	31	43	37	60	79	66	56	32	9	1		5	80
5	7	8	8	11	19	18	19	30	26	13	17	5			4	81
8	6	12	11	8	15	19	24	38	34	36	5	13			1	82
																83

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	NEW JERSEY RURAL.[1]												
1	Atlantic County	400	73	22	13	4	5	117	6	4	7	7	12
2	Bergen County	1,336	336	69	35	13	12	465	20	22	31	36	38
3	Burlington County	978	187	41	17	5	5	255	26	12	16	31	26
4	Camden County	618	122	18	8	6	6	160	12	11	17	16	13
5	Cape May County	248	41	8	4	5	1	59	7	6	7	6	13
6	Cumberland County	375	56	7	6	2	3	74	4	6	13	11	14
7	Essex County	754	102	33	17	13	9	174	38	16	15	18	24
8	Gloucester County	515	94	19	6	6	3	128	5	9	14	13	11
9	Hudson County	788	135	40	25	5	6	211	16	6	19	27	38
10	Hunterdon County	447	53	10	2	.....	2	67	10	4	4	9	11
11	Mercer County	280	43	5	1	2	1	52	6	5	8	7	5
12	Middlesex County	590	160	33	13	7	4	217	13	3	12	20	16
13	Monmouth County	1,075	185	35	20	13	5	258	25	16	18	32	16
14	Morris County	975	152	28	25	9	7	221	28	12	33	31	23
15	Ocean County	293	35	5	2	2	2	46	7	6	6	12	12
16	Passaic County	311	77	24	5	2	1	109	11	5	8	11	11
17	Salem County	309	65	10	1	2	2	80	11	8	2	5	5
18	Somerset County	469	71	18	3	3	4	99	12	7	18	16	17
19	Sussex County	384	73	11	9	.....	4	97	6	4	8	18	21
20	Union County	506	107	29	12	4	4	156	16	8	15	12	17
21	Warren County	406	72	11	7	1	1	92	4	9	1	14	12
	NEW YORK RURAL.[1]												
22	Albany County	479	78	7	3	8	1	97	4	2	8	14	12
23	Allegany County	601	57	9	5	.....	2	73	12	5	6	9	16
24	Broome County	475	37	6	5	.....	2	50	3	7	9	9	12
25	Cattaraugus County	650	87	11	4	5	2	109	10	7	13	17	13
26	Cayuga County	531	39	6	1	3	2	51	4	5	8	6	13
27	Chautauqua County	821	102	17	5	4	7	135	15	15	16	19	12
28	Chemung County	299	27	2	5	.....	1	35	1	2	4	5	7
29	Chenango County	642	63	7	2	4	3	79	10	5	9	13	11
30	Clinton County	449	85	21	2	1	3	112	8	5	17	15	14
31	Columbia County	477	50	4	1	3	1	59	4	8	9	7	16
32	Cortland County	244	22	6	.....	1	.....	29	4	1	1	3	1
33	Delaware County	648	76	10	7	6	2	101	13	8	7	12	14
34	Dutchess County	1,093	126	28	9	5	4	172	10	6	13	28	36
35	Erie County	1,440	359	58	20	12	9	458	21	18	31	51	46
36	Essex County	529	89	17	8	3	3	120	9	5	13	23	26
37	Franklin County	732	149	19	13	7	5	193	11	7	19	36	43
38	Fulton County	217	23	1	2	1	3	30	4	2	5	2	4
39	Genesee County	370	40	8	4	2	.....	54	2	4	9	14	8
40	Greene County	509	51	7	6	3	4	71	8	4	11	12	14
41	Hamilton County	41	6	2	1	.....	.....	9	2	1	.....	.....	2
42	Herkimer County	587	102	10	5	.....	4	121	11	5	9	20	12
43	Jefferson County	743	89	14	7	4	2	116	7	12	13	21	18
44	Lewis County	367	41	3	2	1	.....	47	7	2	11	7	4
45	Livingston County	584	55	7	4	3	4	73	9	12	27	32	30
46	Madison County	614	48	10	4	4	1	67	6	3	6	18	11
47	Monroe County	808	130	19	13	9	8	179	14	13	18	17	22
48	Montgomery County	350	39	2	2	1	.....	44	4	4	6	9	4
49	Nassau County	1,109	186	43	23	17	15	284	28	17	30	32	45
50	Niagara County	428	62	10	7	3	2	84	6	4	9	10	8
51	Oneida County	932	105	19	4	7	6	141	11	19	24	23	23
52	Onondaga County	964	106	23	9	4	2	144	9	13	10	17	26
53	Ontario County	578	62	10	4	3	2	81	1	5	10	13	13
54	Orange County	891	153	22	9	11	6	201	16	15	22	33	38
55	Orleans County	441	60	7	5	2	4	78	8	3	11	7	14
56	Oswego County	777	91	11	8	3	2	115	6	11	22	13	20
57	Otsego County	729	71	9	6	3	3	92	9	10	19	16	17
58	Putnam County	271	34	8	2	1	2	47	2	1	6	11	9
59	Rensselaer County	717	91	11	3	6	2	113	14	11	22	15	20
60	Rockland County	655	104	30	12	12	5	163	10	6	12	17	24
61	St. Lawrence County	1,025	158	37	6	13	6	220	14	12	22	29	25
62	Saratoga County	694	110	12	7	1	4	134	6	3	14	16	22
63	Schenectady County	136	20	3	1	1	1	26	1	.....	5	3	7
64	Schoharie County	395	34	4	3	5	1	47	3	1	12	6	1
65	Schuyler County	205	14	2	1	1	.....	18	1	.....	4	7	7
66	Seneca County	529	40	10	4	2	2	58	5	5	9	12	3
67	Steuben County	1,030	65	16	5	5	3	94	4	10	9	16	14
68	Suffolk County	1,689	150	20	17	8	7	202	25	15	28	47	49
69	Sullivan County	609	56	15	4	4	2	81	8	6	17	38	38
70	Tioga County	455	44	8	6	3	3	64	6	2	14	7	10
71	Tompkins County	288	17	5	1	1	2	26	4	1	4	4	7
72	Ulster County	975	139	22	16	8	6	191	21	13	26	29	28
73	Warren County	275	37	3	2	1	.....	43	4	3	1	7	6
74	Washington County	735	112	19	7	5	5	148	11	6	10	17	23
75	Wayne County	777	90	20	5	5	3	123	14	7	18	22	18
76	Westchester County	1,912	357	96	39	18	16	526	48	25	34	55	67
77	Wyoming County	414	56	4	6	1	1	68	9	4	4	5	12
78	Yates County	262	24	1	2	3	2	32	6	1	2	9	3

[1] Exclusive of cities having a population of 8,000 or over in 1900.

EACH REGISTRATION AREA, BY AGE: 1909—Continued.

AGE—continued.															
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
11	12	9	19	17	19	27	27	28	39	19	11	7	2			1
40	57	60	51	59	59	70	84	74	72	53	35	5	2	2	1	2
19	21	30	24	44	44	61	73	82	94	59	46	12	3			3
24	23	32	37	26	27	36	45	39	46	34	15	2	2	1		4
8	9	7	8	11	13	19	13	18	19	15	8	2				5
11	11	6	11	18	21	26	29	43	35	21	15	5	1			6
45	31	30	32	30	43	50	52	39	44	43	18	11	1			7
12	18	23	15	28	32	33	45	44	34	21	20	10				8
39	39	47	49	31	44	65	50	44	39	18	6					9
15	8	17	11	21	20	30	39	52	63	34	21	8	3			10
6	10	19	9	11	12	17	25	19	34	19	12	4				11
15	26	22	24	26	25	33	36	35	23	24	13	6			1	12
32	42	44	49	45	53	68	84	80	92	73	33	12	3			13
28	50	45	56	43	49	61	70	73	71	48	28	2	3			14
16	12	6	14	8	12	10	24	27	26	19	26	2	1	1		15
17	11	13	12	13	15	13	17	15	13	6	10	1				16
11	8	4	12	12	17	18	24	28	26	23	7	6		2		17
13	13	13	23	25	17	37	33	41	41	25	12	6	1			18
19	22	9	16	11	18	20	29	28	27	19	9	3				19
21	25	8	21	21	24	16	28	38	39	20	18	2	1			20
12	11	13	14	17	25	24	27	37	40	30	17	7				21
18	10	24	11	16	20	25	42	45	51	38	18	10	2	1	11	22
11	17	23	23	24	33	50	69	65	65	54	30	11	5			23
19	15	15	17	19	23	41	57	51	56	39	24	6	3			24
16	15	14	17	26	36	41	48	79	78	63	32	13	2	1		25
15	13	12	16	20	30	41	45	62	70	54	47	16	1	2		26
21	21	19	14	37	34	65	80	79	92	67	57	12	9	1	1	27
5	14	7	15	17	24	29	20	23	33	35	13	9			1	28
15	10	15	28	29	28	45	63	75	93	68	33	11	2			29
11	11	17	12	14	30	17	28	30	41	35	26	1	4	1		30
17	20	10	15	20	23	42	45	55	50	39	25	9	3	1		31
6	5	5	8	5	9	22	30	31	43	21	11	6	2	1		32
20	28	16	29	20	27	48	51	82	72	58	25	11	5		1	33
31	51	53	67	58	69	86	96	97	82	75	46	12	2	1	2	34
39	53	47	54	36	62	76	90	115	90	88	40	21	4			35
19	18	14	21	25	23	31	35	33	35	39	24	13	3			36
31	30	31	25	24	31	30	50	47	54	37	23	8	2			37
6	4	12	4	8	9	10	23	21	31	24	11	6	1			38
7	10	11	11	15	17	28	24	30	49	48	20	5	4			39
11	14	19	21	17	24	38	50	52	62	38	28	13			2	40
3	1				4	4	1	1	7	3	1	2				41
20	12	11	21	21	26	29	53	67	54	50	30	9	4	1	1	42
20	27	16	19	30	52	36	67	84	67	65	42	24	6		1	43
2	9	8	16	22	11	32	39	38	46	35	19	10	1	1		44
19	32	20	18	24	25	25	47	43	54	47	31	13	3			45
14	17	15	17	31	45	38	52	72	72	71	38	15	6			46
25	19	23	29	45	23	45	58	78	84	57	44	12	3			47
12	15	7	11	15	33	29	27	30	40	30	23	5	2			48
46	46	36	53	48	43	68	82	79	76	56	28	6	4		2	49
10	16	18	18	15	20	35	29	43	46	30	19	8				50
28	19	24	39	48	42	51	89	102	101	77	45	19	2	4	1	51
28	30	29	33	45	53	66	88	99	101	90	62	18	3			52
15	12	11	23	24	41	35	48	65	72	50	45	13	1			53
35	34	26	34	44	51	47	73	63	64	49	28	14	2	1	1	54
18	14	13	17	19	22	21	41	49	41	36	19	8	1		1	55
18	22	22	20	29	34	58	66	82	110	58	50	16	4	1		56
11	29	25	23	33	44	50	72	95	80	53	38	10	1	1	1	57
7	10	9	9	8	16	17	23	20	34	24	16	2				58
18	17	24	34	33	51	54	71	74	57	49	32	5	2		1	59
23	32	29	21	23	27	50	57	55	48	34	18	5	1			60
22	33	21	31	37	59	60	76	102	101	84	57	16	3	1		61
14	24	28	23	37	35	46	66	56	66	61	36	4	3			62
3	1	6	8	9	3	8	12	12	13	10	7	2				63
9	7	11	12	11	22	39	39	43	49	45	26	8	3		1	64
4	5	5	12	10	13	15	14	27	22	24	15		1	1		65
17	24	23	30	24	37	42	46	57	49	55	26	5	2			66
15	28	18	27	36	37	98	160	159	150	85	46	24				67
86	107	115	100	126	97	126	136	135	110	92	63	19	7	3	1	68
28	47	42	24	22	30	30	40	49	45	37	23	2	1		1	69
10	16	11	17	18	26	40	43	47	48	38	26	9	2	1		70
3	8	6	20	15	10	32	23	28	44	30	14	7	1		1	71
29	35	35	32	45	45	67	89	102	78	67	26	14	1	1	1	72
8	13	8	13	12	19	19	25	27	29	25	8	3	2			73
19	19	20	28	36	34	51	73	83	58	38	43	15	2		1	74
22	28	21	26	32	48	57	56	73	79	70	49	11	2		1	75
63	73	90	119	87	105	121	120	114	119	80	47	16	3			76
18	12	8	10	19	24	26	37	43	37	47	22	5	3		1	77
6	10	8	7	5	15	13	24	29	36	27	25	3	1			78

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	OHIO RURAL.[1]												
1	Adams County	239	37	8	4	1	.....	50	5	8	8	8	10
2	Allen County	307	45	7	2	2	2	58	7	8	10	15	14
3	Ashland County	264	33	3	2	.....	1	39	6	2	8	7	10
4	Ashtabula County	543	68	17	7	8	2	102	6	6	11	19	16
5	Athens County	654	156	31	12	5	3	207	13	3	18	17	23
6	Auglaize County	361	51	10	4	3	3	71	7	7	9	11	18
7	Belmont County	795	203	47	12	13	9	284	21	10	21	37	31
8	Brown County	352	34	7	5	3	1	50	9	3	10	12	10
9	Butler County	271	29	8	6	1	2	46	7	5	11	10	6
10	Carroll County	165	15	5	3	1	1	25	3	1	2	6	2
11	Champaign County	333	39	8	2	.....	.....	49	4	1	5	16	12
12	Clark County	207	25	6	2	3	3	39	4	4	3	7	6
13	Clermont County	448	40	5	3	2	3	53	10	3	12	20	9
14	Clinton County	326	40	10	3	1	1	55	5	6	9	9	5
15	Columbiana County	663	111	16	10	7	2	146	15	7	17	19	16
16	Coshocton County	353	48	9	3	3	3	66	10	7	14	9	11
17	Crawford County	363	47	7	3	3	2	62	9	5	10	13	13
18	Cuyahoga County	911	167	36	11	7	5	226	16	6	22	23	33
19	Darke County	523	81	19	11	4	.....	115	8	5	16	24	20
20	Defiance County	250	41	10	2	3	1	57	2	1	12	14	7
21	Delaware County	330	35	9	3	3	1	51	5	9	9	13	12
22	Erie County	349	23	5	.....	1	1	30	4	5	4	5	6
23	Fairfield County	276	37	4	4	.....	2	47	5	6	7	8	6
24	Fayette County	225	37	8	2	1	1	49	4	4	8	8	4
25	Franklin County	577	86	12	8	2	5	113	10	9	16	23	21
26	Fulton County	293	48	10	4	4	2	68	4	1	4	12	7
27	Gallia County	438	46	13	5	.....	1	65	18	12	21	33	20
28	Geauga County	209	19	7	4	2	.....	32	1	5	7	2	5
29	Greene County	263	40	13	1	3	2	59	5	1	6	5	6
30	Guernsey County	364	93	25	11	2	2	133	2	3	9	8	14
31	Hamilton County	1,061	143	24	8	8	7	190	16	15	31	31	37
32	Hancock County	252	37	5	3	4	2	51	2	6	4	5	12
33	Hardin County	372	65	15	.....	1	.....	81	7	7	8	14	4
34	Harrison County	280	51	6	3	3	1	64	4	3	8	11	1
35	Henry County	264	35	12	5	2	3	57	10	5	5	9	10
36	Highland County	375	48	8	7	2	.....	65	10	5	14	10	13
37	Hocking County	310	79	12	8	4	2	105	13	6	13	10	6
38	Holmes County	204	25	4	3	2	.....	34	5	5	2	7	6
39	Huron County	440	52	8	5	2	1	68	4	3	5	8	13
40	Jackson County	307	73	17	9	5	2	106	7	7	4	7	9
41	Jefferson County	515	161	34	13	9	5	222	15	6	18	11	21
42	Knox County	361	36	10	2	1	4	53	.....	3	4	12	8
43	Lake County	331	38	8	1	1	1	49	4	2	5	11	15
44	Lawrence County	343	72	25	10	4	3	114	11	7	11	16	17
45	Licking County	327	44	10	2	.....	.....	56	5	3	3	9	10
46	Logan County	367	55	8	5	1	1	70	6	7	5	9	17
47	Lorain County	416	64	9	3	1	1	78	6	2	11	8	8
48	Lucas County	256	43	6	1	3	1	54	3	3	10	4	8
49	Madison County	254	41	11	5	1	1	59	2	4	9	11	7
50	Mahoning County	429	86	22	6	4	3	121	9	4	12	12	9
51	Marion County	187	29	10	1	.....	.....	40	2	2	2	3	9
52	Medina County	287	35	4	1	.....	1	41	1	4	8	6	4
53	Meigs County	361	55	10	4	.....	2	71	4	5	11	7	7
54	Mercer County	291	53	13	4	2	4	76	7	9	7	13	11
55	Miami County	385	56	4	5	2	.....	67	7	2	10	10	15
56	Monroe County	275	47	10	1	2	1	61	.....	3	5	9	10
57	Montgomery County	696	82	13	5	4	2	106	9	6	11	17	19
58	Morgan County	191	27	4	3	1	.....	35	4	2	4	6	4
59	Morrow County	225	24	5	.....	.....	2	31	2	2	4	7	4
60	Muskingum County	351	45	8	7	2	.....	62	11	3	11	8	11
61	Noble County	197	35	6	3	2	6	52	4	3	4	6	8
62	Ottawa County	274	28	6	1	2	.....	37	5	7	8	14	13
63	Paulding County	227	35	9	3	.....	.....	47	7	8	9	11	9
64	Perry County	427	94	23	3	4	5	129	9	11	11	18	15
65	Pickaway County	345	69	11	4	4	1	89	5	6	9	12	6
66	Pike County	209	33	5	7	3	1	49	3	6	11	11	7
67	Portage County	403	48	8	6	2	2	66	5	5	5	15	9
68	Preble County	307	43	10	2	3	1	59	3	6	4	7	5
69	Putnam County	274	47	13	4	1	2	67	9	6	5	6	8
70	Richland County	347	37	6	3	6	3	55	7	2	8	15	7
71	Ross County	360	64	11	5	4	1	85	7	8	16	10	10
72	Sandusky County	217	29	3	1	.....	.....	33	1	3	7	10	6
73	Scioto County	317	71	21	6	5	2	105	7	3	9	9	12
74	Seneca County	330	47	6	3	2	2	60	5	4	8	15	10
75	Shelby County	312	55	8	4	3	2	72	11	1	7	14	8
76	Stark County	598	74	11	6	4	3	98	5	8	12	14	20
77	Summit County	450	78	13	4	2	4	101	14	8	11	10	16
78	Trumbull County	560	86	18	7	3	6	120	8	7	12	13	13
79	Tuscarawas County	651	114	16	10	4	4	148	12	7	20	18	19
80	Union County	254	28	6	4	1	1	40	5	1	12	4	12

[1] Exclusive of cities having a population of 8,000 or over in 1900.

EACH REGISTRATION AREA, BY AGE: 1909—Continued.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
6	9	8	7	6	13	12	19	19	19	22	7	2			1	1
8	6	5	14	12	20	18	18	22	30	22	17	1	1	1		2
8	15	12	7	12	17	21	11	28	24	26	8	2	1			3
17	18	16	15	17	32	43	38	48	54	39	35	9	1		1	4
15	28	24	25	37	36	40	41	30	44	26	18	7	1		1	5
13	18	13	11	12	27	18	23	46	24	18	12	2	1			6
27	26	21	19	22	33	37	42	42	45	46	16	11	4			7
8	16	11	17	13	20	24	28	39	39	26	12	4			1	8
12	8	8	11	10	9	18	19	23	22	24	12	7	2		1	9
5	4	5	3	7	11	9	13	16	19	19	13	2				10
9	14	4	8	16	25	18	29	32	36	25	17	8	4	1		11
4	6	4	5	10	12	18	18	21	9	19	10	7	1			12
17	13	12	14	21	21	29	40	54	48	46	18	5	2		1	13
10	11	11	10	19	21	17	25	43	31	18	12	7	1	1		14
18	23	21	35	23	34	47	41	55	63	49	28	4	1		1	15
8	11	8	19	16	10	21	38	30	33	27	10	4			1	16
16	15	8	13	18	14	22	31	30	35	23	16	8	1		1	17
26	40	29	32	50	45	52	69	71	64	53	34	11	5	1	3	18
8	13	19	16	22	23	31	38	44	55	37	19	7	3			19
8	5	7	8	15	12	19	18	18	15	6	22	3	1			20
10	14	10	9	18	12	17	27	28	43	27	14	2				21
7	2	11	8	13	15	34	51	56	52	27	16	2			1	22
6	10	9	12	9	11	22	32	25	21	18	22					23
6	9	8	10	6	11	10	14	24	22	15	10	2			1	24
27	25	26	18	35	26	37	34	55	48	22	22	5	3	1	1	25
8	5	8	9	9	13	13	21	29	31	27	15	6	2		1	26
29	17	20	19	19	15	25	32	29	30	18	10	3	2		1	27
4	3	5	7	12	16	15	24	21	16	13	13	7	1			28
6	9	7	8	11	15	16	20	18	24	22	17	5	1	2		29
12	14	9	15	13	15	17	14	24	22	29	8	2	1			30
37	29	38	54	60	66	67	82	83	110	62	35	8	8	2		31
3	5	7	9	10	18	15	21	26	20	21	12	5				32
20	16	16	9	16	17	26	29	29	32	25	12	3	1			33
6	6	7	13	7	17	19	15	25	20	31	14	7	1		1	34
7	8	8	13	9	10	15	14	18	25	16	21	3	1			35
7	9	11	14	13	18	23	25	47	36	25	19	9	2			36
11	6	5	9	8	11	15	19	21	21	18	9	1			3	37
4	7	7	8	7	7	10	22	19	30	15	6	2			1	38
8	18	10	14	21	34	29	50	38	60	29	18	9	1			39
11	13	9	10	10	10	18	21	13	22	18	9	3				40
21	22	11	15	9	12	20	19	28	26	23	7	4	3		2	41
11	13	12	12	12	22	39	31	41	31	29	16	10	2			42
7	10	7	12	12	17	29	35	33	37	23	11	8	2		2	43
11	10	5	7	12	23	8	17	17	27	18	4	6			2	44
12	6	8	10	12	16	26	23	44	30	30	18	4	2			45
5	7	8	18	15	20	20	35	35	43	26	18	2		1		46
6	15	14	13	17	20	24	50	44	39	35	18	7	1			47
9	10	5	14	12	9	19	16	23	21	20	9	7				48
14	10	5	7	8	14	18	19	14	22	18	7	3	1	1	1	49
13	20	19	22	10	21	25	30	19	34	24	19	3	2		1	50
7	3	4	6	6	9	15	20	26	15	10	5	3				51
4	5	8	9	7	10	20	34	38	32	34	17	2	1		2	52
8	16	12	9	18	14	18	23	43	35	38	10	5	2	2	3	53
4	8	13	5	10	12	13	17	34	21	16	10	2	1	1	1	54
5	17	15	11	15	19	27	47	37	35	29	11	5	1			55
9	4	8	4	12	11	18	30	23	29	23	13	2			1	56
23	24	21	34	35	41	48	62	78	87	43	26	5	1			57
1	4		4	8	5	15	21	20	23	18	13	3			1	58
6	3	7	5	7	16	24	30	24	19	18	8	5	3			59
10	8	9	9	14	15	20	35	23	35	42	16	5	3		1	60
6	3	3	7	6	10	8	14	19	17	16	5	6				61
10	7	4	8	8	11	17	30	24	29	19	14	6			3	62
6	9	7	7	11	12	11	17	24	15	12	2	3				63
12	13	9	8	14	16	16	23	35	27	35	20	4	1		1	64
10	12	10	12	14	18	18	22	28	30	26	10	1	2		5	65
7	7	6	8	8	10	18	13	12	16	8	6	2	1			66
6	13	11	11	20	23	32	32	39	52	35	19	2	2		1	67
11	5	8	6	16	14	23	21	38	34	23	16	5	2	1		68
10	9	7	13	7	19	15	20	23	19	18	12	1				69
13	4	14	15	9	17	27	33	37	36	25	17	5	1			70
11	10	14	13	20	12	19	27	30	28	19	13	2	1		5	71
6	8	7	10	6	13	12	24	21	24	9	11	5		1		72
14	7	8	10	11	12	17	13	21	16	21	17	4	1			73
6	7	6	15	13	19	25	32	21	34	25	11	10	2	1	1	74
5	9	12	15	13	15	21	27	26	24	14	12	4	2			75
19	18	29	29	33	34	34	55	50	70	44	17	7	1		1	76
15	9	16	18	24	24	30	26	35	37	40	13	1		1	1	77
20	13	25	22	21	24	37	48	46	56	31	29	8	4	1	2	78
18	27	22	27	32	37	32	50	66	63	28	15	6	3	1		79
5	8	8	9	12	13	17	20	29	21	18	10	8			2	80

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	OHIO RURAL [1]—Continued.												
1	Van Wert County	245	46	9	5	2	.....	62	4	3	5	13	5
2	Vinton County	175	33	10	5	2	.....	50	4	5	2	7	2
3	Warren County	337	31	6	4	2	2	45	6	5	3	7	18
4	Washington County	393	61	9	5	1	1	77	3	9	7	14	12
5	Wayne County	460	54	9	6	.....	3	72	5	4	8	12	17
6	Williams County	296	51	5	.....	2	.....	58	3	5	10	8	14
7	Wood County	478	69	13	7	6	5	100	14	12	7	12	18
8	Wyandot County	243	36	7	.....	2	.....	45	3	5	10	14	4
	PENNSYLVANIA RURAL.[1]												
9	Adams County	428	80	21	6	3	.....	110	6	4	7	13	13
10	Allegheny County	5,214	1,333	380	130	97	55	1,995	154	71	120	186	227
11	Armstrong County	798	202	47	14	14	7	284	15	8	20	41	24
12	Beaver County	813	196	40	15	3	7	261	14	11	29	32	45
13	Bedford County	527	113	27	11	3	1	155	9	11	16	21	12
14	Berks County	1,219	236	37	18	11	8	310	20	20	24	32	28
15	Blair County	663	152	27	12	8	7	206	12	7	15	20	34
16	Bradford County	793	110	17	7	6	6	146	14	11	18	11	18
17	Bucks County	1,050	142	32	19	13	4	210	23	21	8	24	27
18	Butler County	557	122	20	10	5	5	162	10	5	8	13	15
19	Cambria County	1,588	560	149	55	37	29	830	50	29	45	60	63
20	Cameron County	103	24	2	.....	1	.....	27	5	2	3	3	4
21	Carbon County	797	221	42	18	8	6	295	17	12	25	18	26
22	Center County	610	439	19	11	7	5	181	10	6	16	23	13
23	Chester County	1,281	248	49	15	9	11	332	33	21	24	36	47
24	Clarion County	425	98	14	1	2	4	129	5	6	7	16	10
25	Clearfield County	845	266	39	14	6	11	336	25	11	22	26	19
26	Clinton County	391	77	5	5	5	2	94	10	6	10	18	18
27	Columbia County	586	133	30	9	7	10	189	9	5	8	13	14
28	Crawford County	530	55	9	4	2	.....	70	5	7	8	8	12
29	Cumberland County	588	105	17	5	3	4	134	8	4	11	10	11
30	Dauphin County	873	161	34	15	13	10	233	25	11	17	36	20
31	Delaware County	939	164	33	16	6	3	222	16	17	40	34	36
32	Elk County	398	125	17	9	3	5	159	5	8	9	15	16
33	Erie County	677	79	11	9	4	2	105	9	9	16	13	12
34	Fayette County	2,360	781	199	79	49	21	1,129	73	21	76	103	90
35	Forest County	113	29	10	2	3	1	45	5	2	5	2	3
36	Franklin County	725	129	33	11	9	4	186	16	11	25	23	28
37	Fulton County	144	24	7	2	1	.....	34	4	3	6	2	3
38	Greene County	347	50	15	5	4	.....	74	8	7	8	15	10
39	Huntingdon County	486	107	22	15	2	5	151	12	8	16	12	16
40	Indiana County	867	271	52	21	11	13	368	25	10	23	25	31
41	Jefferson County	751	226	41	18	9	9	303	20	8	19	19	34
42	Juniata County	217	38	7	6	2	2	55	9	3	5	10	6
43	Lackawanna County	1,721	563	179	78	40	27	887	63	18	34	61	50
44	Lancaster County	1,386	241	38	15	13	10	317	20	23	23	29	28
45	Lawrence County	388	103	15	10	5	1	134	5	5	8	14	13
46	Lebanon County	563	113	24	9	2	3	151	10	10	11	20	18
47	Lehigh County	1,043	241	39	18	19	11	328	42	17	20	29	33
48	Luzerne County	3,090	1,016	251	105	81	58	1,511	107	38	63	92	117
49	Lycoming County	502	97	10	7	3	.....	117	9	12	9	8	12
50	McKean County	403	78	13	6	6	3	106	7	7	15	11	15
51	Mercer County	768	154	28	14	3	4	203	12	10	16	20	24
52	Mifflin County	374	103	16	8	.....	2	129	6	4	4	7	11
53	Monroe County	313	49	11	7	2	3	72	2	5	10	9	14
54	Montgomery County	1,636	330	59	25	13	11	438	28	36	27	56	52
55	Montour County	176	11	1	2	.....	.....	14	2	1	.....	1	4
56	Northampton County	1,081	253	47	18	16	17	351	40	22	26	24	26
57	Northumberland County	726	187	34	18	12	5	256	24	18	15	21	25
58	Perry County	305	57	6	4	4	1	72	7	6	2	9	6
59	Pike County	136	20	4	.....	2	.....	26	3	2	2	4	6
60	Potter County	370	73	16	4	2	6	101	6	10	10	15	11
61	Schuylkill County	2,295	624	118	54	32	31	859	68	30	39	77	85
62	Snyder County	196	30	7	3	4	1	45	2	2	2	5	4
63	Somerset County	988	297	81	35	11	11	435	27	22	24	36	42
64	Sullivan County	125	24	5	1	2	.....	32	6	2	6	1	3
65	Susquehanna County	570	104	28	5	6	4	147	10	5	10	20	8
66	Tioga County	575	63	9	3	1	2	78	9	7	12	7	17
67	Union County	232	30	9	2	1	1	43	7	4	5	3	2
68	Venango County	485	75	14	7	3	3	102	13	13	17	24	17
69	Warren County	501	60	12	5	4	2	83	7	3	6	14	10
70	Washington County	2,052	575	150	60	34	15	834	55	24	40	74	91
71	Wayne County	403	50	7	1	1	3	62	6	8	15	19	9
72	Westmoreland County	2,995	909	246	77	39	35	1,306	76	34	71	113	126
73	Wyoming County	187	26	5	3	1	1	36	4	5	6	6	3
74	York County	1,032	226	33	22	8	11	300	16	21	25	30	32
	RHODE ISLAND RURAL.[1]												
75	Bristol County	240	48	16	2	2	1	69	2	2	6	7	5
76	Kent County	154	34	3	2	.....	.....	39	1	1	4	3	2
77	Newport County	173	35	4	3	1	2	45	3	1	5	4	4
78	Providence County	390	81	14	3	1	2	101	9	7	6	8	7
79	Washington County	370	62	8	3	1	2	76	5	2	7	5	9

[1] Exclusive of cities having a population of 8,000 or over in 1900.

EACH REGISTRATION AREA, BY AGE: 1909—Continued.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
9	8	8	3	11	13	11	13	15	24	20	15	3	.....	.....	.....	1
4	5	6	9	8	6	8	14	10	12	12	10	1	.....	.....	.....	2
16	16	11	9	14	9	25	18	47	35	35	11	5	.....	1	1	3
11	12	7	13	18	15	21	36	41	40	32	17	4	4	.....	.....	4
14	13	11	18	13	27	34	41	48	58	29	30	3	1	.....	2	5
11	3	12	13	11	9	17	30	22	28	23	13	5	.....	.....	1	6
17	8	22	17	20	20	28	46	43	42	29	18	4	.....	.....	1	7
4	4	9	7	6	12	9	29	20	27	19	12	3	1	.....	.....	8
10	8	9	9	21	17	28	51	32	53	25	9	2	1	.....	.....	9
208	231	223	219	217	220	237	236	242	194	129	81	17	4	1	2	10
26	24	26	17	33	24	40	48	40	47	46	24	10	1	.....	.....	11
36	37	27	31	41	22	38	45	50	42	30	14	5	1	1	1	12
9	14	15	21	23	22	30	36	42	44	28	17	2	.....	.....	.....	13
37	27	24	37	66	75	86	97	106	108	74	39	9	.....	.....	.....	14
25	25	17	24	28	25	39	43	65	36	19	16	6	.....	1	.....	15
19	21	23	24	30	50	67	69	73	80	59	38	15	5	1	1	16
31	24	42	44	38	53	64	78	113	106	75	41	23	5	.....	.....	17
14	13	16	15	17	26	38	34	49	50	33	27	8	3	1	.....	18
46	51	46	38	38	46	47	46	50	42	34	18	8	1	.....	.....	19
.....	4	2	3	7	4	7	4	7	12	7	.....	1	.....	1	.....	20
28	35	27	27	33	34	44	48	38	43	25	16	4	2	.....	.....	21
12	14	16	15	21	20	32	58	57	50	38	24	2	2	.....	.....	22
35	39	25	36	53	63	70	106	88	114	83	51	22	2	1	.....	23
11	15	17	6	14	19	27	21	28	35	33	17	6	3	.....	.....	24
20	24	32	28	29	23	42	56	39	54	33	18	4	3	.....	1	25
8	7	14	15	24	16	20	31	41	33	15	9	2	.....	.....	.....	26
16	18	15	14	29	20	37	48	51	49	30	20	1	.....	.....	.....	27
10	17	13	11	21	24	55	50	64	64	54	32	4	1	.....	.....	28
12	25	16	23	25	34	42	53	66	47	45	16	6	.....	.....	.....	29
16	40	36	36	41	42	56	58	71	66	38	23	7	1	.....	.....	30
33	45	35	48	44	51	48	57	70	59	40	30	13	1	.....	.....	31
18	21	19	14	17	15	10	22	15	19	9	4	2	1	.....	.....	32
18	22	23	18	29	34	44	70	77	63	61	36	14	3	.....	1	33
81	92	83	81	60	63	82	86	79	68	57	23	9	3	1	.....	34
2	2	3	4	1	4	9	7	7	6	2	2	2	.....	.....	.....	35
32	26	21	20	24	37	43	60	63	60	32	12	4	2	.....	.....	36
1	6	2	4	6	6	10	15	12	14	5	7	4	.....	.....	.....	37
13	12	16	12	20	10	19	19	32	31	18	12	7	4	.....	.....	38
15	12	14	17	12	21	31	29	51	36	19	7	6	1	.....	.....	39
23	37	26	23	21	25	24	39	45	57	37	19	8	1	.....	.....	40
22	25	27	32	30	24	38	38	32	36	22	15	7	.....	.....	.....	41
7	7	8	10	5	4	14	23	24	12	10	4	1	.....	.....	.....	42
46	57	60	54	57	61	55	57	62	37	35	19	6	1	.....	1	43
26	33	42	44	47	55	96	126	156	161	94	52	10	3	1	.....	44
15	17	7	12	18	12	13	30	28	15	23	15	3	1	.....	.....	45
13	10	13	17	17	25	37	55	51	46	38	16	4	1	.....	.....	46
42	29	31	35	41	54	52	69	69	73	50	22	5	2	.....	.....	47
104	88	113	103	123	112	131	138	102	72	38	28	8	1	1	.....	48
5	9	17	11	37	24	39	58	48	42	22	20	1	2	.....	.....	49
16	25	24	18	19	20	16	25	31	20	16	3	8	1	.....	.....	50
28	29	21	25	37	21	50	53	64	64	55	28	5	3	.....	.....	51
16	12	9	11	12	21	22	34	23	28	13	8	3	1	.....	.....	52
5	7	9	9	15	11	23	26	30	36	24	4	2	.....	.....	.....	53
45	54	52	57	77	69	97	127	121	127	97	58	14	3	1	.....	54
2	11	12	10	12	11	14	18	24	23	10	6	1	.....	.....	.....	55
32	26	40	34	30	57	53	73	74	77	55	33	7	1	.....	.....	56
16	17	24	18	33	32	40	39	46	40	39	15	6	1	1	.....	57
6	8	9	7	11	19	22	28	31	29	21	10	2	.....	.....	.....	58
3	4	3	5	4	2	8	13	13	16	13	5	3	.....	1	.....	59
10	7	12	14	15	18	19	36	30	21	20	12	2	1	.....	.....	60
80	95	95	103	112	104	119	119	107	93	76	24	6	3	.....	1	61
3	4	8	4	3	8	16	22	24	17	21	6	.....	.....	.....	.....	62
37	24	23	23	37	30	39	42	42	40	35	24	5	1	.....	.....	63
5	5	4	4	7	10	9	5	8	5	8	4	1	.....	.....	.....	64
20	11	20	18	14	15	31	58	45	51	49	31	6	1	.....	.....	65
9	20	16	21	34	31	44	63	69	63	49	18	8	.....	.....	.....	66
5	6	10	11	4	9	20	17	22	27	26	7	2	1	.....	1	67
9	14	11	23	22	17	27	42	47	31	37	15	2	1	1	.....	68
22	20	17	27	25	28	39	40	50	51	32	19	8	.....	.....	.....	69
79	80	73	74	73	77	78	85	109	84	70	34	18	.....	.....	.....	70
12	9	14	7	19	24	29	30	42	42	31	20	3	2	.....	.....	71
111	101	100	79	104	94	102	124	140	143	95	50	23	3	.....	.....	72
4	6	.....	8	11	8	10	23	17	13	19	4	2	2	.....	.....	73
32	29	18	36	37	46	43	75	90	88	63	41	8	1	.....	1	74
5	10	4	11	8	8	13	26	20	22	10	9	1	1	.....	1	75
2	4	2	1	6	10	13	17	12	14	8	7	5	2	.....	1	76
4	6	8	4	9	7	13	17	12	11	11	3	4	2	.....	.....	77
12	14	16	13	15	15	22	33	28	31	28	13	9	3	.....	.....	78
3	13	16	14	19	21	21	29	34	36	31	18	9	2	.....	.....	79

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	SOUTH DAKOTA RURAL.[1]												
1	Aurora County	35	11	2				13	1		1		1
2	Beadle County	72	26	2	1	2		31		2	1	1	3
3	Bonhomme County	80	21	5	5	1	1	33	2	1	3	3	2
4	Brookings County	94	18	1	1			20	1	4	10	7	2
5	Brown County	234	47	18	7	3	6	81	17	5	7	7	11
6	Brule County	59	15	2	1			18	1	3	1		3
7	Buffalo County [2]	51	20	1		1	3	25	2	1			3
8	Butte County	46	5	1	1			7	1		3	4	5
9	Campbell County	66	21	8	5	3	2	39	8	1	1	1	
10	Charles Mix County	156	47	10	3	2	4	66	3	6	6	9	7
11	Clark County	61	22		1			23	1	1	1	4	2
12	Clay County	56	5	1	1	1		8	1	2	2	3	5
13	Codington County	114	27	3		1	3	34	11	4	5	7	4
14	Custer County	24	6	1		1	1	9	1	1	3	1	
15	Davison County	115	18	4	3	2	1	28	3	7	2	5	7
16	Day County	93	26	7	4	4	1	42	4	5	2	7	4
17	Deuel County	72	8	6		1	2	17	3	3	4	5	4
18	Douglas County	43	8	2	3			13	1	2		2	2
19	Edmunds County	41	12	4	1	1	1	19	2		1	2	1
20	Fall River County	98	5			2		7	4	4		5	6
21	Faulk County	38	9	1	2		1	13	2		1	1	1
22	Grant County	87	28	4	1	2		35	6		1	1	2
23	Gregory County	73	36	1		1	1	39	4	2	4	5	
24	Hamlin County	54	13	4			1	18		1		1	1
25	Hand County	31	3	1				4	1	1		1	2
26	Hanson County	38	11	1		1		13		1	1	2	2
27	Hughes County	60	14	4	1			19		5	1	3	3
28	Hutchinson County	108	42	6	3		3	54	6	3		4	1
29	Hyde County	15	3	1		1	1	6	1				2
30	Jerauld County	32	10	2	2			14	1	2	1		2
31	Kingsbury County	87	13	6	1			20	3	5	2	5	5
32	Lake County	79	14	6	2			22	4	4	5	6	4
33	Lawrence County	249	41	10	2	2	1	56	13	5	8	9	13
34	Lincoln County	117	23	4	1	2		30	3	1	3	3	9
35	Lyman County [3]	63	16	3	2	2	2	25	4	6	2	2	1
36	McCook County	71	21	4	1	2		28	6	1	1	2	1
37	McPherson County	68	29	4	1	1		35	2	1	2	1	
38	Marshall County	76	26	1	1	1	1	30	4	1	1	2	2
39	Meade County	59	9	2	2			13	2	3	4		
40	Miner County	67	21	3	1	2	3	30	2		1	3	2
41	Minnehaha County	132	33	4	1	3	2	43	3	2	4	5	6
42	Moody County	65	14	2	3			19		2	3	3	
43	Pennington County	92	16	5	7	1	1	30	8	4	6	2	2
44	Perkins County	2										1	
45	Potter County	18	4					4				2	3
46	Roberts County	129	41	7	4	2	1	55	7	5	3	4	7
47	Sanborn County	54	11	2				13	2	1		1	5
48	Spink County	90	21	7	2	2	1	33	2	1	2	6	2
49	Stanley County	75	19	5	1		1	26	4	1	7	4	3
50	Sully County	18	4	1		1		6			1	1	1
51	Turner County	112	27	3	3	4		37	5	2	2	6	2
52	Union County	117	18	5	1	1		25	4	1	3	3	4
53	Walworth County	36	7	4	2		1	14	1	2	2	2	1
54	Yankton County	166	21	1	2		2	26	2	3	3	8	6
55	Cheyenne River Indian Reservation	87	19	7	1		3	30	5	3	7	2	4
56	Pine Ridge Indian Reservation	240	39	27	22	6	3	97	18	14	12	10	10
57	Rosebud Indian Reservation	151	19	16	9	3	6	53	12	7	11	4	10
	VERMONT RURAL.[1]												
58	Addison County	308	48	6	1	3		58	4	4	7	8	6
59	Bennington County	183	30	4		3		37	2	3	5	4	1
60	Caledonia County	393	53	11	7	2	4	77	7	6	8	16	9
61	Chittenden County	357	68	15	3	5	3	94	7	4	10	8	10
62	Essex County	108	20	2	1	1	2	26		1	4	5	1
63	Franklin County	431	103	14	6	4		127	10	7	7	11	16
64	Grand Isle County	47	7			1		8		1		1	1
65	Lamoille County	188	28	6	1			35	3	2	6	4	3
66	Orange County	297	35	1	6	2	2	46	5	2	7	6	9
67	Orleans County	349	50	16	6	3	3	78	9	7	8	13	11
68	Rutland County	516	65	16	3	5	4	93	8	5	14	18	14
69	Washington County	509	55	8	4	2	2	71	7	8	5	11	6
70	Windham County	475	43	8	1	2	1	55	3	5	8	13	16
71	Windsor County	516	50	5	6	2		63	5	9	11	11	11
	WASHINGTON RURAL.[1]												
72	Adams County	79	21	3	3	2		29	3	2	3	1	3
73	Asotin County	37	8	1	1	1		11	3		1		1
74	Benton County	76	7	2		1		10	2	3	3	7	6
75	Chehalis County	293	56	14	3	5	5	83	7	8	16	19	26
76	Chelan County	157	20	14		4	2	40	5	5	5	11	11
77	Clallam County [4]	75	11			3		14	10	1	2	2	1
78	Clarke County	207	23	3	3		1	30	5	5	10	7	10
79	Columbia County	60	11	2				13		2	2	1	1
80	Cowlitz County	75	18	1	2	1		22			3	4	5
81	Douglas County	34	9	4		2		15	2	1	2	2	1

[1] Exclusive of cities having a population of 8,000 or over in 1900.

[2] Includes Crow Creek Indian Reservation.

EACH REGISTRATION AREA, BY AGE: 1909—Continued.

AGE—continued.															
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
2	2			5	1	1	1	2		4	1					1
1	1	2	5	1	4	3	4	3	5	3	1	1				2
3	2	1	1	2	2	4	5	7	2	3	3		1			3
8	1	1	1	3	2	6	8	5	5	5	4	1				4
11	11	7	8	11	11	9	8	10	8	7	4		1			5
3	4	1	2	3	1	3	5	2	5	3	1					6
3	1	2	1	1	1	1	5	3	1		1					7
2	3	1	1	4	2	4	3	2	2	1	1					8
		2	4	1		1		3	2	3						9
5	5	6	4	2	5	8	4	5	7	3	2		2	1		10
2	1	1	1	2	1	3	3	3	4	1	5	1			1	11
	1	2	2	1	6	2	5	4	3	5	3	1				12
4	4	4	7	5	1	3	5	6	6	1	2				1	13
1		2						3	3							14
4	7	6	5	3	6	3	10	7	7	1	4					15
	2	3	1	2	6	3	3		5	1	2	1				16
1	2	2	4		2	1	5	6	4	6	2	1				17
	3	1			2	4	3	6		3			1			18
	2		1	2	3	3	1	2	1	1						19
3	6	1	4	5	3	8	14	12	11	2	1				2	20
2	3	1	1		1	3	5	1	3							21
2	6	2	2	5	6	3	1	4	2	6	2		1			22
4	3	1	1	1	1	2		2	1	1	1				1	23
3		1	5	6	1	4	2	5	2	2					2	24
	1	1	1	1	1		3	6	1	2	3			1	1	25
3	3			3	1	2	2	1	2	1	1					26
4	4	2	3	3	3	2	2	2	1	1	2					27
1	3		3	5	5	4	3	5	3	4	1	1			2	28
		1						3	2							29
1	1	1	1	2			2		1	2	1					30
4	1	10	3	1	1	2	2	3	11	5	3	1				31
3	3	2	2	4	4	3	4	1	3	2	3					32
13	13	17	18	16	16	15	10	8	12	1	1	3	1		1	33
4	3	5	4	6	2	2	7	13	7	9	6					34
1	3	2	1	3	1	3	2	5	1	1						35
3	3	1	2	3	2	1	5	6	1	1	3	1				36
	2	3	2	1	1	2	5	1	7	2	1					37
4	1	3	3	5	6	1	1	3	5		2	2				38
4	2	6	2	6	2	5	1	5	1	2		1				39
4	3		3	4	2	1	4	2	2	1	1	1			1	40
5	5	6	3	3	7	6	7	7	5	9	3	1			2	41
4	2	3	3	3	1	6	2	7	3	2	1	1				42
4	2		3	5	4	9	4	3	5	1						43
						1										44
	2	1	1	1		1	2		1							45
5	3	4	3	4	5	4	1	4	8	3	3	1				46
4	1	5	1	2	5	4	4	3	2		1					47
2	8	2	6	3	2	6	3	4	2	3	3					48
4	5	1	2	2	4	2	2	5		2	1					49
		1	2	3		1	1		1							50
2	2	4	3	4		4	8	5	12	7	4	1			2	51
3	5	3	4	3	7	8	13	6	12	6	2	3			2	52
2	2	1	1	1	1	1	1	2			1	1				53
6	6	7	10	4	9	9	14	13	18	8	8	5			1	54
1	4	1	4	2	5	5	7	1	3	1	1				1	55
10	6	7	10	2	5	4	7	6	8	6	6	1	1			56
6	3	3	3	4	7	3	6	10	4	1	3	1				57
7	4	8	12	10	15	17	28	31	35	32	13	7	2			58
3	5	3	7	10	11	10	17	18	17	18	9	3				59
8	11	19	9	14	17	22	38	35	38	32	20	5	2			60
4	10	10	14	19	13	20	37	26	26	18	15	8	4			61
3	3	3	4		8	10	5	9	11	10	1	4				62
8	10	10	16	13	15	18	38	44	27	28	20	4	2			63
2	1			2	4	4	3	4	4	6	4	2				64
3	7	5	7	7	9	15	11	19	22	15	11	3		1		65
5	4	5	7	8	15	15	30	33	37	33	18	8	3	1		66
4	4	11	10	12	20	23	26	32	34	22	20	3	1		1	67
9	23	18	20	24	32	27	44	45	46	36	27	12			1	68
9	15	19	23	30	26	24	58	55	50	46	31	15				69
15	19	11	21	22	31	38	45	44	44	43	27	10	4		1	70
14	10	20	21	24	25	42	37	61	56	49	28	15	1	3		71
5	2	2	4	7	6	1	2	5	2	1	1					72
3	1	2		2	1	1	3	4	1	1	2					73
9	3	7	3	3	2	4	1	3	2	1	1				6	74
17	20	13	7	20	10	7	10	16	1	5	4		1		3	75
9	14	4	7	5	7	3	8	8	3	2	6	2			2	76
2	2	3		5	4	9	11		5	2	1				1	77
6	12	17	15	11	11	12	17	8	17	9	2	3				78
3	1	4	2	1	4	6	4	5	5	5	1					79
5	1	4	3	4	4	4	4	1	6	3	2					80
	1	1		1	3	1	1	1		1					1	81

[3] Includes Lower Brule Indian Reservation.

[4] Includes Neah Bay Indian Reservation.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	WASHINGTON RURAL[1]—Continued.												
1	Ferry County[2]	32	4	2	2			8	5	2		1	
2	Franklin County	33	2		2	1	1	6	1	1	1	3	2
3	Garfield County	41	10	1	1		1	13		1	1	4	
4	Grant County	21	3				1	4	1			1	3
5	Island County	26	4	1				5	1		2	2	
6	Jefferson County	86	12	1	1			14	1	3		3	2
7	King County	534	76	20	7	9	3	115	17	10	15	31	28
8	Kitsap County	121	18	5	3	1		27	5	3	5	9	8
9	Kittitas County	162	28	5	1		4	38	6	3	7	9	9
10	Klickitat County	74	10	2	2			14	2	2	3	2	4
11	Lewis County	271	51	10	6	3	3	73	13	11	14	10	7
12	Lincoln County	136	42	5	3	1	2	53	3	2	2	4	5
13	Mason County	41	7			2		9	1	1	1	1	1
14	Okanogan County[2]	70	11	4	1	3	1	20	2	4	4	3	3
15	Pacific County	106	16	4	2		1	23	7	4	10	4	12
16	Pierce County	477	48	9		6	3	66	7	5	12	21	28
17	San Juan County	27	2					2				1	3
18	Skagit County[3]	294	51	13	6	2	2	74	19	4	7	18	17
19	Skamania County	21	2					2		1	1	2	1
20	Snohomish County	556	96	21	12	5	5	139	16	10	24	23	26
21	Spokane County[2]	297	36	4	6	4	3	53	8	10	14	15	14
22	Stevens County[2]	198	27	13	7	4	2	53	12	8	4	15	6
23	Thurston County	171	21	2		2	2	27	6	4	6	11	8
24	Wahkiakum County	13	2		1	1		4	1		1		
25	Walla Walla County	75	10	2			1	13	4	1	1	5	4
26	Whatcom County	462	61	11	4	8	2	86	7	15	17	19	14
27	Whitman County	294	57	11	7	6	7	88	11	8	12	17	13
28	Yakima County[4]	429	65	17	6	5	8	101	24	19	18	19	25
	WISCONSIN RURAL.[1]												
29	Adams County	77	12	1	1	1	1	16	3	1	2		3
30	Ashland County	128	28	10	1	5	2	46	5	6	3	1	3
31	Barron County	289	67	13	2	7	3	92	9	8	12	12	11
32	Bayfield County	130	29	10	2	2	1	44	12	6	2	2	6
33	Brown County	325	77	10	6	5	3	101	12	6	5	15	7
34	Buffalo County	149	16	5	2	2	2	27	2	3	10	4	3
35	Burnett County	94	21	4		3	2	30	5	5	6	3	2
36	Calumet County	177	53	6	4	2	1	66	6	5		6	3
37	Chippewa County	286	52	7	4	4	5	72	16	12	24	26	13
38	Clark County	274	71	7	4	1		83	10	3	7	13	8
39	Columbia County	365	49	5	3	3	1	61	7	5	7	4	8
40	Crawford County	202	38	3		1		42	7	3	8	6	2
41	Dane County	569	91	12	6	3	2	114	8	8	10	18	19
42	Dodge County	431	68	14	7	8		97	6	4	8	13	16
43	Door County	187	46	4	4	4	3	61	5	3	4	5	10
44	Douglas County	52	8	3	3	1	1	16	2	3	1	1	
45	Dunn County	261	54	6	6	3	6	75	3	4	14	8	11
46	Eau Claire County	107	19	2	2		1	24	3	3	7	4	3
47	Florence County	23	4		1			5	2		3	1	2
48	Fond du Lac County	359	70	5	6	3	1	85	6	6	4	8	10
49	Forest County	57	17	6		1		24	3	3	2	4	2
50	Grant County	435	75	10	5	5	1	96	8	7	14	11	8
51	Green County	224	34	4	5	1	1	45	9	2	4	9	6
52	Green Lake County	198	36	4	1		2	43	1	3	4	4	9
53	Iowa County	246	29	6	3	2	3	43	3	4	13	8	4
54	Iron County	108	28	6	3	1	3	41	4	8	2	8	9
55	Jackson County	198	28	10	2	2		42	5	8	5	5	11
56	Jefferson County	305	36	7		3		46	4	7	8	7	10
57	Juneau County	235	58	3	2	1		64	1	6	4	11	4
58	Kenosha County	93	8	3	1			12	5	2	4		3
59	Kewaunee County	209	47	6	2	3		58	3	7	4	5	7
60	La Crosse County	128	18	1	2	1	1	23	5	1	2	2	4
61	Lafayette County	225	24	6	1	3	1	35	2	6	2	8	9
62	Langlade County	136	36	4	3	2	2	47	4	2	3	7	11
63	Lincoln County	119	31	3	2	1	1	38	7	1	5	7	6
64	Manitowoc County	339	76	7	4	2	3	92	12	5	9	6	11
65	Marathon County	361	125	19	7	9	5	165	15	6	14	8	4
66	Marinette County	210	63	5	5	3		76	7	7	7	7	6
67	Marquette County	124	21	5	1	2	1	30	1	1	2	5	3
68	Milwaukee County	1,197	218	27	14	12	7	278	17	13	26	39	43
69	Monroe County	297	60	7	2		1	70	5	4	4	6	5
70	Oconto County	262	81	15	4	3	4	107	9	7	8	4	9
71	Oneida County	125	31	3	1	1	1	37	7	3		9	8
72	Outagamie County	316	76	7	5	6	2	96	11	7	7	13	16
73	Ozaukee County	197	40	3	2	3	1	49	4	1		5	6
74	Pepin County	66	20	2			1	23	5	1	1		1
75	Pierce County	237	40	7		3	7	57	4	8	5	7	13
76	Polk County	191	47	3	3	5		58	5	4	6	12	8
77	Portage County	238	76	14	8	3	1	102	9	1	9	7	6
78	Price County	80	17	6	2	2		27	4	3	4	8	5
79	Racine County	223	25	3	5	2	1	36	2	3	2	8	11
80	Richland County	222	43	16	3	7		69	3	6	6	8	4
81	Rock County	294	49	4	2	1	2	58	7	3	8	12	5
82	Rusk County	95	19	4	5	1		29	2	2	5	6	5
83	St. Croix County	269	49	5	3	5		62	8	8	8	10	4

[1] Exclusive of cities having a population of 8,000 or over in 1900.

[2] Includes part of Colville Indian Reservation.

EACH REGISTRATION AREA, BY AGE: 1909—Continued.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
2	2	3	1	2	1		2			1	1	1				1
1	3	5	2		2		2		1	1					2	2
2		2	3	1	2	3	1	2	2	1	3					3
	2	1		3		1	1		2						2	4
1		1	3	3	1	1	1	1	2	1					1	5
4	5	8	10	5	9	3	5	4	6	2		2				6
26	28	23	38	27	33	28	24	26	35	11	9	2	2		6	7
2	4	6	3	9	8	7	8	6	7	3			1			8
20	5	11	5	11	8	3	5	6	6	7	2				1	9
6	4	4	6		2	4	6	5	5	1	2	1	1			10
12	11	15	3	10	18	9	16	16	10	11	8	1			3	11
7	6	5	5	4	3	5	11	7	6	4	2	1			1	12
2	2	1	2	1	5	5	1	2	4	2						13
4	2	3	2	3	2	3	4	3	5	1	1	1				14
4	3	6	5	2	4	4	4	3	5	1	1	1			3	15
32	17	31	28	28	21	37	40	40	29	19	6	4		1	5	16
1		1		1	2	3	1	3	3	1	2	2			1	17
15	7	14	13	16	23	17	10	12	9	13	3	2			1	18
1			1	2	4	1	2	3								19
26	34	29	32	34	27	25	34	24	21	18	9	2	2		1	20
9	18	16	16	25	18	19	17	14	13	13	2	1			2	21
11	12	8	10	6	10	11	8	8	9	2	1	1	1		2	22
7	11	14	6	6	6	12	6	13	8	12	2	3	1	1	1	23
				1	3	1			1			1				24
2	2	1	4	4	5	6	3	4	7	5	2				2	25
24	21	19	29	39	43	23	27	24	23	19	7	3			3	26
14	13	7	12	8	12	16	12	12	16	15	6	1			1	27
27	15	18	22	25	21	19	23	19	13	11	5	4			1	28
3	5	4	4	2	4	5	2	6	4	6	5	2				29
5	5	8	6	3	13	5	7	4	2		3		1	1	1	30
5	8	7	8	10	15	22	20	13	18	10	5	2	2			31
3	5	5	5	4	4	5	3	2	11	5	3	1	1		1	32
9	6	6	8	11	14	14	29	20	21	16	15	8	2			33
3	7	2	3	4	5	11	11	14	13	21	2	2	1		1	34
2		3	2	1	4	5	8	2	4	6	5		1			35
3	3	1	3	7	6	10	4	19	12	12	6	4	1			36
9	11	7	10	4	10	11	7	15	16	16	4	2	1			37
5	7	9	6	13	11	15	20	24	14	16	8	2				38
9	12	7	14	20	26	18	29	18	48	39	23	6	1	1	2	39
12	8	6	6	7	6	8	12	22	22	15	5	3	1		1	40
11	16	15	23	31	27	38	36	46	46	49	34	14	4	1	1	41
12	8	10	17	16	11	20	29	36	46	40	30	8	4			42
3	3	4	8	7	5	3	21	10	14	11	6	3		1		43
2	2	2	4	5	1	5	2		2	3					1	44
5	14	4	6	11	12	12	14	27	19	12	10					45
2	3	2	3	3	5	10	9	10	2	8	6					46
		1	3					3	2		1					47
9	16	14	16	12	15	20	21	27	34	31	18	4	2	1		48
2	2	2	1	1		4	1	1		2	1		1		1	49
13	16	8	12	15	15	13	35	46	53	37	19	6	3			50
6	6	9	5	11	12	11	20	13	24	16	11	5				51
4	2	3	10	8	8	10	17	19	12	22	13	4	1		1	52
12	6	10	11	11	9	14	14	20	24	19	16	4			1	53
5	5	5	7	2	3	2	2	2		1	1				1	54
7	2	2	10	6	7	8	14	18	29	13	4	2				55
8	9	10	13	19	12	15	25	24	34	29	20	5				56
6	5	6	8	6	14	9	20	14	22	22	7	5			1	57
7	2	5	4	8	5	6	6	5	5	7	3	3			1	58
4	4	5	7	6	8	7	15	13	17	22	11	5	1			59
2	3	5		6	7	5	8	10	19	13	8	3	1		1	60
6	3	6	11	12	14	17	12	15	17	20	19	8	1		2	61
	2	5	6	5	2	4	10	10	6	5	4	3				62
3	4	3	3	7	6	8	4	6	3	5	1	2				63
7	8	7	5	7	11	14	19	25	32	34	24	11				64
10	11	7	6	9	12	16	17	13	19	17	10	2				65
6	9	4	10	6	8	9	12	11	9	9	2				5	66
5	2	5	3	7	5	4	12	11	10	10	5	2	1			67
57	43	52	57	55	48	67	104	102	92	55	35	10	3		1	68
5	7	12	2	12	19	20	26	28	25	25	11	8	1		2	69
8	10	8	7	5	14	6	9	7	18	12	5	4	3		2	70
6	2	3	9	6	7	6	8	4	3	4	1	1			1	71
6	7	6	7	11	16	17	14	16	25	21	13	4	3			72
6	10	6	6	12	11	6	16	18	13	10	13	5				73
1	2	2	2	1	2	5		5	4	4	5	2				74
8	6	2	3	12	14	8	16	17	20	12	17	4	2		2	75
5	4	3	4	4	9	8	15	14	14	9	5	2		1	1	76
3	3	5	7	6	7	8	16	13	12	11	12				1	77
1	4	4	3	1	5	4	3	1	2						1	78
9	3	7	9	10	8	10	13	19	22	28	15	3	2		3	79
7	3	3	8	8	8	12	11	15	25	15	7	3			1	80
7	4	10	5	7	12	18	20	31	25	33	24	3		2		81
1	9	4	4	7	4	4	3	4	3	2					1	82
3	9	4	7	15	9	22	17	29	18	21	9	2	1		3	83

[3] Includes Swinomish Indian Reservation.

[4] Includes Yakima Indian Reservation.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	WISCONSIN RURAL[1]—Continued.												
1	Sauk County	399	59	9	3	4	2	77	9	9	10	12	8
2	Sawyer County	66	20	6	1	2	.....	29	2	2	1	2	2
3	Shawano County	320	93	11	6	4	4	118	11	9	10	7	11
4	Sheboygan County	299	50	5	9	3	1	68	6	10	9	12	6
5	Taylor County	121	25	7	3	1	2	38	7	5	6	3	5
6	Trempealeau County	243	46	6	5	5	1	63	5	8	9	6	15
7	Vernon County	276	41	8	2	1	2	54	3	7	7	8	7
8	Vilas County	29	6	.....	.....	2	.....	8	2	.....	1	.....	2
9	Walworth County	379	35	8	1	.....	2	46	3	4	8	7	6
10	Washburn County	77	22	3	2	2	.....	29	2	2	3	1	.....
11	Washington County	249	32	7	.....	5	2	46	5	2	2	11	6
12	Waukesha County	482	77	11	9	6	1	104	14	5	12	15	17
13	Waupaca County	403	72	7	4	.....	2	85	4	7	7	10	8
14	Waushara County	215	39	11	4	1	1	56	7	2	7	3	10
15	Winnebago County	375	60	8	2	2	2	74	4	9	9	11	8
16	Wood County	323	72	10	5	1	1	89	15	5	15	16	9

[1] Exclusive of cities having a population of 8,000 or over in 1900.

EACH REGISTRATION AREA, BY AGE: 1909—Continued.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
13	13	10	15	17	18	24	24	39	40	28	24	7	1	1	.....	1
4	.....	2	3	2	4	2	5	1	3	.....	1	.....	.....	1	.....	2
12	6	9	6	14	16	14	16	19	17	14	9	1	.....	.....	1	3
4	12	4	6	7	8	13	24	24	27	26	23	8	1	.....	1	4
5	5	6	3	5	5	6	7	6	3	3	3	.....	.....	.....	.....	5
5	4	7	5	11	8	8	12	24	21	15	12	3	.....	2	.....	6
2	9	11	11	7	11	15	24	17	33	25	22	2	1	.....	.....	7
.....	2	.....	1	2	3	.....	2	.....	2	2	.....	.....	.....	.....	2	8
12	10	14	14	25	17	21	29	37	39	38	28	13	7	.....	1	9
3	2	7	3	4	4	2	4	5	3	2	1	.....	.....	.....	.....	10
9	6	4	8	3	16	8	19	34	20	29	13	5	2	.....	1	11
16	24	18	10	29	18	30	33	34	37	28	20	11	2	.....	5	12
12	4	12	14	19	17	27	33	36	41	37	15	12	2	.....	1	13
5	3	3	9	6	6	11	14	26	20	12	12	2	1	.....	.....	14
14	14	16	19	25	23	15	29	16	28	32	20	7	.....	.....	2	15
5	13	7	12	15	15	17	27	25	12	16	5	5	.....	.....	.....	16

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH. All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	TOTAL.													
1	The registration area	732,538	10,722	1,175	79	4,860	5,781	4,906	10,358	6,649	5,458	70,040	11,680	37,562
2	Registration cities	457,188	6,282	789	48	3,302	4,032	2,761	7,176	2,899	3,012	46,727	7,734	23,325
3	Registration states	630,057	8,914	627	53	4,423	4,909	4,419	8,814	5,876	4,609	58,965	10,140	32,723
4	Cities in registration states	354,707	4,474	241	22	2,865	3,160	2,274	5,632	2,126	2,163	35,652	6,194	18,486
5	Rural part of registration states	275,350	4,440	386	31	1,558	1,749	2,145	3,182	3,750	2,446	23,313	3,946	14,237
6	Registration cities in other states	102,481	1,808	548	26	437	872	487	1,544	773	849	11,075	1,540	4,839
	REGISTRATION STATES.													
7	California	30,964	447	102	5	112	71	195	244	195	155	4,074	621	1,983
8	Colorado	11,040	241	4	.....	31	175	139	145	98	65	1,749	166	419
9	Connecticut	16,479	153	31	.....	134	116	120	207	178	97	1,435	236	882
10	Indiana	34,519	880	125	4	145	158	343	354	431	495	3,724	821	1,856
11	Maine	11,500	108	7	.....	34	32	57	112	176	45	844	237	727
12	Maryland (total)	19,931	420	27	.....	135	44	228	160	237	146	2,319	296	800
13	White	14,675	305	16	.....	100	43	108	138	168	122	1,441	204	699
14	Colored	5,256	115	11	.....	35	1	120	22	69	24	878	92	101
15	Massachusetts	51,096	389	23	1	257	286	398	715	428	394	4,432	884	2,972
16	Michigan	36,260	657	28	4	265	285	211	402	365	267	2,238	402	1,953
17	New Hampshire	7,256	54	2	.....	43	18	52	76	101	42	484	69	401
18	New Jersey	36,310	278	23	2	236	361	269	626	173	201	3,672	629	1,681
19	New York	140,073	1,330	95	4	1,304	1,238	781	2,311	950	837	13,985	2,236	7,262
20	Ohio	60,670	1,276	75	6	252	204	298	590	756	575	5,871	1,095	3,470
21	Pennsylvania	111,062	1,712	50	.....	1,060	1,216	910	2,002	1,086	832	8,699	1,423	4,845
22	Rhode Island	8,288	64	8	.....	61	31	57	104	78	66	799	149	466
23	South Dakota	4,814	97	.....	2	25	84	59	83	46	61	420	67	172
24	Vermont	5,579	53	1	.....	76	11	14	31	135	33	358	91	345
25	Washington	10,706	306	3	9	44	181	34	189	98	78	930	243	559
26	Wisconsin	27,294	337	12	16	170	372	225	416	302	206	2,182	364	1,645
	REGISTRATION CITIES.													
	ALABAMA.[1]													
27	Birmingham (total)	1,280	42	15	.....	.....	1	19	5	7	11	167	33	36
28	White	584	26	4	.....	.....	.....	9	2	1	6	45	11	24
29	Colored	696	16	11	.....	.....	1	10	3	6	5	122	22	12
30	Mobile (total)	1,029	31	22	.....	1	1	.....	1	13	11	177	11	27
31	White	450	18	6	.....	.....	1	.....	1	4	4	48	2	14
32	Colored	579	13	16	.....	1	.....	.....	.....	9	7	129	9	13
33	Montgomery (total)	821	28	24	3	.....	.....	4	2	22	13	85	3	30
34	White	277	13	4	1	.....	.....	2	.....	2	2	18	.....	15
35	Colored	544	15	20	2	.....	.....	2	2	20	11	67	3	15
	CALIFORNIA.													
36	Alameda	309	1	.....	.....	.....	1	3	1	2	.....	27	6	29
37	Berkeley	408	5	.....	.....	2	.....	8	2	1	.....	31	13	40
38	Fresno (total)	317	18	1	.....	.....	1	.....	9	3	4	31	8	18
39	White	280	14	1	.....	.....	1	.....	8	3	4	25	6	17
40	Colored [2]	37	4	.....	.....	.....	.....	.....	1	.....	.....	6	2	1
41	Los Angeles	4,014	47	3	1	20	13	23	25	16	20	662	78	286
42	Oakland	1,643	13	2	.....	6	3	16	18	4	8	180	35	115
43	Pasadena	410	4	.....	.....	.....	1	.....	.....	4	1	90	11	23
44	Sacramento	709	21	6	.....	3	2	5	2	4	7	76	13	36
45	San Diego	603	.....	.....	.....	1	.....	1	3	3	1	79	14	36
46	San Francisco (total)	6,151	57	7	.....	29	20	46	46	24	29	686	151	497
47	White	5,876	50	6	.....	25	20	44	42	24	25	613	148	489
48	Colored [2]	275	7	1	.....	4	.....	2	4	.....	4	73	3	8
49	San Jose	435	3	.....	.....	3	1	.....	2	5	2	47	16	33
50	Stockton	516	2	1	.....	1	.....	1	.....	.....	2	75	9	30
	COLORADO.													
51	Colorado Springs	506	8	.....	.....	2	7	6	2	6	.....	141	12	37
52	Denver	3,526	50	1	.....	9	46	22	56	22	17	710	77	174
53	Leadville	162	.....	.....	.....	4	1	8	1	2	1	1	1	3
54	Pueblo	579	13	.....	.....	.....	6	1	6	10	5	82	10	21
	CONNECTICUT.													
55	Ansonia	214	.....	1	.....	1	21	1	.....	2	.....	21	1	13
56	Bridgeport	1,429	9	1	.....	9	18	6	16	4	10	141	34	72
57	Bristol town	156	1	.....	.....	5	1	2	1	4	1	8	1	10
58	Danbury town	345	7	1	.....	5	1	7	1	5	5	28	4	24
59	Greenwich town	251	1	.....	.....	2	6	1	3	2	1	18	5	6
60	Hartford	1,586	10	.....	.....	.....	4	13	16	6	8	181	24	100
61	Manchester town	137	1	.....	.....	.....	.....	.....	1	1	4	14	.....	11
62	Meriden town	421	2	3	.....	4	.....	.....	19	8	.....	49	6	26
63	Middletown town	449	9	.....	.....	5	1	6	5	2	2	52	6	23
64	Naugatuck	175	1	.....	.....	2	1	1	6	1	.....	21	2	4
65	New Britain	523	6	1	.....	.....	3	3	11	4	3	37	12	25
66	New Haven	2,217	27	6	.....	31	21	26	17	15	15	231	46	127
67	New London	316	7	.....	.....	1	.....	3	2	4	.....	29	8	18
68	Norwalk town	366	2	2	.....	4	.....	.....	2	11	2	20	.....	31

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis. Under 2 years.	Diarrhea and enteritis. 2 years and over.	Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
458	7,024	7,853	66,803	90,456	49,007	41,861	44,648	7,868	39,454	48,430	7,791	33,274	8,402	47,135	11,164	50,327	1,313	1
264	4,299	4,991	36,007	53,901	31,949	28,450	30,504	4,500	24,933	32,890	4,855	21,715	5,723	28,144	6,407	29,206	363	2
408	6,256	6,736	59,201	79,230	41,259	36,723	38,033	6,616	33,307	40,887	6,670	29,056	7,061	40,300	9,414	43,266	1,162	3
214	3,531	3,874	28,405	42,675	24,201	23,312	23,889	3,248	18,786	25,347	3,734	17,497	4,382	21,309	4,657	22,145	212	4
194	2,725	2,862	30,796	36,555	17,058	13,411	14,144	3,368	14,521	15,540	2,936	11,559	2,679	18,991[1]	4,757	21,121	950	5
50	768	1,117	7,602	11,226	7,748	5,138	6,615	1,252	6,147	7,543	1,121	4,218	1,341	6,835	1,750	7,061	151	6
17	354	357	2,840	4,580	1,586	1,190	877	261	1,710	1,967	288	890	706	2,559	256	2,302	20	7
5	60	117	694	929	995	437	578	95	615	611	146	480	177	1,023	44	792	10	8
18	213	243	1,721	2,125	1,085	842	1,091	134	750	1,184	144	808	232	1,006	228	1,048	18	9
21	323	368	3,336	4,372	1,890	1,582	1,868	506	2,128	2,097	390	1,326	414	2,171	106	2,247	38	10
9	138	156	1,374	1,625	884	559	502	98	618	687	78	471	97	534	227	974	90	11
15	131	225	1,858	1,933	1,316	1,116	1,266	218	909	1,541	204	1,149	172	1,004	697	1,294	71	12
10	121	184	1,454	1,470	924	750	973	157	727	1,145	136	870	162	775	451	996	26	13
5	10	41	404	463	392	366	293	61	182	396	68	279	10	229	246	298	45	14
48	592	621	4,959	7,704	3,841	2,626	3,529	503	2,296	2,823	482	2,642	429	2,625	782	3,347	68	15
32	395	388	3,949	4,914	1,732	1,757	1,843	483	2,431	1,721	417	2,075	313	2,200	773	3,681	79	16
6	87	145	859	1,084	486	349	413	67	372	434	56	355	60	315	139	678	9	17
20	320	531	3,545	3,929	2,906	2,280	2,340	406	1,687	2,616	313	1,660	425	2,274	789	2,112	6	18
68	1,510	1,295	11,493	18,646	9,565	10,727	8,515	1,221	6,776	11,406	1,337	5,914	1,569	8,050	1,212	8,425	11	19
56	572	654	6,076	8,170	3,493	2,890	3,150	745	3,552	3,616	667	2,652	689	4,188	548	4,354	130	20
45	904	884	10,612	12,061	7,514	7,323	8,715	1,172	5,882	6,695	1,434	5,438	951	8,194	2,412	6,840	151	21
3	87	75	725	1,061	591	455	625	91	379	618	82	425	76	449	141	516	6	22
4	48	64	410	313	359	199	212	63	282	176	74	280	52	316	154	444	248	23
------	74	58	616	914	368	323	244	52	295	368	67	222	57	325	25	416	7	24
1	120	129	823	1,111	616	338	515	89	594	565	179	475	243	1,149	139	852	94	25
38	277	382	2,717	2,939	1,615	1,364	1,487	336	1,704	1,302	256	1,442	304	1,629	645	2,505	105	26
------	3	9	74	67	91	40	64	20	93	63	25	58	11	183	33	84	26	27
------	3	3	34	35	35	15	36	8	49	32	8	34	10	89	12	46	7	28
------	------	6	40	32	56	25	28	12	44	31	17	24	1	94	21	38	19	29
------	2	4	105	101	37	22	42	7	59	125	14	42	10	65	10	84	5	30
------	1	1	38	59	7	15	24	2	33	65	4	17	8	30	4	42	2	31
------	1	3	67	42	30	7	18	5	26	60	10	25	2	35	6	42	3	32
------	5	4	72	71	46	24	49	7	68	72	4	40	1	49	31	63	1	33
------	2	3	22	28	17	11	23	6	23	31	2	12	1	16	8	15	------	34
------	3	1	50	43	29	13	26	1	45	41	2	28	------	33	23	48	1	35
------	4	4	38	49	10	16	6	2	24	22	6	8	8	22	1	19	------	36
1	11	3	39	75	19	10	14	5	23	25	5	18	3	21	2	31	1	37
------	1	8	11	33	24	21	13	5	19	9	4	18	7	33	------	18	------	38
------	1	8	10	32	22	18	11	3	17	9	4	15	5	30	------	16	------	39
------	------	------	1	1	2	3	2	2	2	------	------	3	2	3	------	2	------	40
3	49	60	322	517	185	126	108	41	241	293	29	140	80	268	25	333	------	41
------	16	24	141	297	87	59	58	4	97	132	20	42	43	125	6	92	------	42
1	6	4	50	60	20	13	4	2	25	30	3	13	------	14	1	30	------	43
------	7	12	44	78	48	33	25	5	58	48	2	24	22	48	7	73	------	44
------	5	5	64	102	45	16	9	10	36	34	------	13	14	46	6	59	1	45
4	73	51	402	1,003	330	287	156	49	361	484	68	201	218	436	34	402	------	46
4	72	50	396	974	313	264	151	47	350	454	66	194	209	422	32	392	------	47
------	1	1	6	29	17	23	5	2	11	30	2	7	9	14	2	10	------	48
------	4	10	37	81	17	23	17	2	23	37	5	9	8	24	2	24	------	49
------	------	9	100	86	24	31	7	13	20	26	4	4	7	27	1	36	------	50
------	3	6	28	36	39	21	15	2	27	22	4	19	6	22	------	35	------	51
4	31	39	225	340	296	109	107	18	216	223	41	132	76	194	8	283	------	52
------	1	2	5	15	28	20	7	3	10	9	2	12	1	9	1	15	------	53
------	3	8	42	42	59	19	32	10	44	35	6	35	14	35	2	39	------	54
1	------	12	12	8	10	16	24	1	8	16	1	20	2	8	4	10	------	55
3	18	13	107	167	105	62	134	10	62	116	14	93	25	89	17	71	3	56
------	1	4	12	19	17	8	7	1	4	12	3	8	2	9	2	12	1	57
2	4	4	32	44	19	15	14	4	21	23	2	19	5	26	------	23	------	58
1	------	8	22	27	23	20	17	------	13	15	1	14	3	23	2	17	------	59
1	25	18	142	209	120	62	86	15	74	130	21	55	24	101	16	125	------	60
------	2	1	15	17	3	9	5	1	7	6	3	10	3	10	3	10	------	61
1	7	5	46	43	30	15	19	5	18	33	4	15	12	21	6	24	------	62
------	4	5	68	104	17	19	31	7	20	20	------	10	7	18	1	7	------	63
2	4	3	16	24	9	9	17	------	5	11	------	17	1	9	------	8	1	64
------	7	7	47	43	28	33	52	------	29	23	1	55	6	37	14	35	1	65
2	35	27	175	264	177	141	115	15	91	181	20	99	34	94	51	133	1	66
1	10	2	37	50	11	12	19	3	11	23	4	10	2	22	4	22	1	67
------	11	8	72	37	28	11	16	1	17	21	4	15	2	20	9	20	------	68

[1] Chiefly Chinese and Japanese.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
	CONNECTICUT—continued.													
1	Norwich town	440	3	2	.....	.....	1	.....	6	11	6	34	7	21
2	Stamford town	513	3	1	.....	17	12	3	10	2	1	40	10	21
3	Stonington town	147	.....	2	.....	2	1	2	2	2	.....	15	.....	6
4	Torrington town	190	1	.....	.....	13	1	.....	1	1	4	14	1	10
5	Vernon town	108	2	.....	.....	.....	.....	.....	1	2	.....	12	.....	8
6	Wallingford town	136	.....	.....	.....	.....	1	2	.....	1	1	13	1	2
7	Waterbury	1,056	11	2	.....	5	.....	1	17	7	5	85	13	40
8	Windham town	243	2	.....	.....	1	1	5	4	2	.....	13	4	11
	DELAWARE.[1]													
9	Wilmington (total)	1,366	26	.....	.....	1	9	25	13	12	7	136	14	44
10	White	1,123	23	.....	.....	1	9	15	13	9	6	100	13	42
11	Colored	243	3	.....	.....	.....	.....	10	.....	3	1	36	1	2
	DISTRICT OF COLUMBIA.													
12	Washington (total)	6,216	112	11	.....	39	26	29	47	43	14	750	111	285
13	White	3,620	65	8	.....	30	21	14	33	19	9	302	53	213
14	Colored	2,596	47	3	.....	9	5	15	14	24	5	448	58	72
	FLORIDA.[1]													
15	Jacksonville (total)	1,178	42	35	.....	2	.....	13	4	5	11	138	13	26
16	White	438	22	9	.....	.....	.....	1	4	2	6	33	7	16
17	Colored	740	20	26	.....	2	.....	12	.....	3	5	105	6	10
18	Key West (total)	379	7	.....	.....	.....	3	.....	3	.....	5	43	9	10
19	White	254	6	.....	.....	.....	3	.....	3	.....	4	23	6	10
20	Colored	125	1	.....	.....	.....	.....	.....	.....	.....	1	20	3	.....
	GEORGIA.[1]													
21	Atlanta (total)	2,341	69	8	.....	.....	5	22	26	26	45	222	25	78
22	White	1,274	41	4	.....	.....	5	12	19	5	35	113	15	61
23	Colored	1,067	28	4	.....	.....	.....	10	7	21	10	109	10	17
24	Savannah (total)	1,446	16	50	.....	.....	1	8	8	7	9	154	13	33
25	White	508	12	8	.....	.....	1	1	3	1	4	34	4	26
26	Colored	938	4	42	.....	.....	.....	7	5	6	5	120	9	7
	ILLINOIS.[1]													
27	Aurora	422	6	.....	.....	3	3	1	6	1	4	28	9	28
28	Belleville	272	13	.....	.....	.....	.....	.....	3	2	2	31	2	23
29	Chicago (total)	31,296	271	9	.....	165	369	139	630	186	220	3,346	539	1,646
30	White	30,281	268	8	.....	161	365	134	675	181	215	3,128	512	1,614
31	Colored	1,015	3	1	.....	4	4	5	5	5	5	218	27	32
32	Decatur	327	7	.....	.....	1	2	.....	6	2	1	31	5	20
33	Evanston	259	8	.....	.....	.....	.....	1	1	1	6	19	2	23
34	Jacksonville	319	4	.....	.....	3	1	.....	4	1	3	25	5	27
35	Ottawa	178	.....	.....	.....	.....	.....	.....	1	.....	.....	16	3	7
36	Quincy	496	14	1	.....	.....	.....	.....	9	4	2	57	5	23
37	Springfield	851	17	3	.....	13	1	1	3	4	5	76	15	41
	INDIANA.													
38	Anderson	323	7	1	.....	.....	1	6	11	5	5	33	12	20
39	Columbus	145	6	.....	.....	.....	1	1	.....	3	4	16	5	13
40	Elkhart	239	12	.....	.....	2	.....	.....	2	1	.....	24	2	14
41	Elwood	136	2	.....	.....	1	9	10	.....	.....	4	17	6	3
42	Evansville (total)	905	27	10	.....	.....	6	3	16	5	11	103	17	62
43	White	796	21	9	.....	.....	6	3	16	4	11	84	16	58
44	Colored	109	6	1	.....	.....	.....	.....	.....	1	.....	19	1	4
45	Fort Wayne	725	10	.....	1	2	5	.....	5	4	6	87	14	53
46	Hammond	268	8	.....	.....	2	.....	1	2	.....	4	19	3	9
47	Huntington	143	3	.....	.....	.....	4	.....	.....	1	5	13	.....	12
48	Indianapolis (total)	3,287	51	5	.....	11	12	19	27	27	33	417	103	217
49	White	2,835	48	3	.....	10	12	3	27	24	31	318	88	197
50	Colored	452	3	2	.....	1	.....	16	.....	3	2	99	15	20
51	Jeffersonville (total)	168	4	.....	.....	1	1	.....	6	1	1	18	6	12
52	White	144	3	.....	.....	1	1	.....	6	1	1	14	4	12
53	Colored	24	1	.....	.....	.....	.....	.....	.....	.....	.....	4	2	.....
54	Kokomo	208	3	2	.....	1	1	.....	4	5	5	21	3	14
55	Lafayette	355	11	.....	.....	.....	2	1	.....	2	6	35	5	24
56	Logansport	291	6	1	.....	3	1	2	12	6	4	31	6	21
57	Marion	248	6	.....	.....	.....	.....	.....	1	1	5	23	2	11
58	Michigan City	212	5	.....	.....	.....	1	1	5	.....	.....	26	8	10
59	Muncie	330	14	2	.....	.....	.....	1	3	3	5	33	13	19
60	New Albany	315	12	2	.....	.....	.....	1	5	2	1	51	3	15
61	Peru	157	4	.....	.....	1	.....	3	1	1	1	16	2	7
62	Richmond	292	5	.....	2	.....	2	.....	.....	7	3	30	5	16
63	South Bend	711	18	.....	.....	11	8	1	4	3	2	74	16	26
64	Terre Haute	878	36	2	.....	1	.....	16	12	2	4	103	27	44
65	Vincennes	210	4	2	.....	.....	.....	8	3	1	3	20	7	5
66	Wabash	121	3	.....	.....	.....	2	3	4	1	1	10	4	6
67	Washington	103	2	.....	.....	.....	.....	3	1	1	.....	17	4	2

[1] Nonregistration State; cities shown below only those with effective local ordinances.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909—Continued.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	3	6	51	70	21	22	20	4	35	25	2	17	2	27	7	37	.....	1
1	3	6	58	43	45	22	36	8	29	50	3	22	6	33	7	21	.....	2
.....	5	1	13	18	7	12	7	.....	8	10	2	10	3	8	1	10	.....	3
.....	2	4	17	21	8	6	26	3	6	5	1	14	4	11	3	13	.....	4
.....	1	1	15	15	4	4	4	2	4	5	1	9	1	9	1	7	.....	5
.....	2	3	17	14	11	7	13	4	1	9	3	8	6	8	.....	8	1	6
.....	15	24	75	93	66	89	141	4	52	63	14	82	16	80	13	42	1	7
.....	2	3	21	28	17	31	26	1	13	21	2	6	3	6	3	17	.....	8
1	8	35	145	142	149	78	82	9	86	76	9	70	9	67	60	53	.....	9
1	7	33	114	111	114	67	73	6	73	68	7	61	8	54	51	44	.....	10
.....	1	2	31	31	35	11	9	3	13	8	2	9	1	13	9	9	.....	11
2	51	44	594	820	417	366	263	76	327	460	56	352	95	289	97	439	1	12
2	45	31	390	540	201	175	100	53	210	285	28	189	80	185	50	289	.....	13
.....	6	13	204	280	216	191	163	23	117	175	28	163	15	104	47	150	1	14
.....	1	8	106	67	60	44	37	16	99	92	17	54	9	97	81	101	.....	15
.....	1	2	40	20	27	17	18	5	38	50	6	17	7	42	11	37	.....	16
.....	.....	6	66	47	33	27	19	11	61	42	11	37	2	55	70	64	.....	17
.....	1	8	34	37	10	12	48	11	14	19	5	14	3	34	23	25	1	18
.....	1	8	15	32	6	5	26	9	5	10	2	11	3	30	14	21	1	19
.....	.....	.....	19	5	4	7	22	2	9	9	3	3	.....	4	9	4	.....	20
.....	10	28	234	148	211	87	122	31	185	211	34	93	26	145	73	158	19	21
.....	9	21	120	80	81	39	73	19	104	112	25	45	25	68	32	103	8	22
.....	1	7	114	68	130	48	49	12	81	99	9	48	1	77	41	55	11	23
.....	4	12	174	129	74	62	87	24	110	75	19	67	10	74	78	142	6	24
.....	4	7	62	54	20	18	27	8	32	34	7	17	8	33	21	62	.....	25
.....	.....	5	112	75	54	44	60	16	78	41	12	50	2	41	57	80	6	26
.....	1	4	52	49	34	19	19	4	31	31	2	17	6	26	6	32	.....	27
.....	.....	3	28	26	14	13	14	2	14	18	4	11	2	18	4	25	.....	28
1	299	263	1,498	3,870	3,146	1,882	3,116	353	1,456	2,273	356	938	454	2,262	23	1,535	1	29
1	295	254	1,446	3,690	3,023	1,848	3,072	350	1,423	2,202	346	923	450	2,188	20	1,488	1	30
.....	4	9	52	180	123	34	44	3	33	71	10	15	4	74	3	47	.....	31
.....	3	4	33	26	15	17	9	5	31	34	4	13	2	18	6	21	11	32
1	2	3	23	50	11	11	11	3	9	11	3	15	2	21	3	19	.....	33
1	3	2	48	58	24	8	6	6	23	23	.....	7	5	8	4	20	.....	34
1	4	4	19	24	19	3	7	1	12	17	1	5	4	14	6	10	.....	35
.....	5	5	57	63	37	16	12	9	41	28	4	17	5	28	5	49	.....	36
.....	8	14	65	69	63	32	40	8	82	58	11	20	24	69	17	92	.....	37
1	1	7	17	33	21	11	19	6	24	14	5	11	6	20	3	22	1	38
1	2	7	13	21	4	11	.....	.....	10	6	4	1	1	5	1	8	1	39
.....	5	2	30	28	17	7	6	2	21	15	1	13	4	17	.....	14	.....	40
.....	.....	3	11	11	1	3	11	1	13	6	1	6	3	5	.....	9	.....	41
.....	6	7	74	106	38	54	35	9	70	59	8	36	20	66	2	55	.....	42
.....	4	7	67	90	30	48	29	7	66	52	8	33	19	56	1	51	.....	43
.....	2	.....	7	16	8	6	6	2	4	7	.....	3	1	10	1	4	.....	44
.....	5	9	75	64	47	28	27	4	62	56	7	26	11	63	1	53	.....	45
.....	1	4	13	16	9	11	43	3	17	10	7	13	5	48	.....	20	.....	46
.....	1	1	22	23	8	9	6	1	5	9	.....	3	.....	8	.....	9	.....	47
3	28	26	286	466	160	161	130	35	205	201	35	131	74	206	3	215	.....	48
3	27	24	257	420	122	127	110	28	181	174	31	116	74	188	3	189	.....	49
.....	1	2	29	46	38	34	20	7	24	27	4	15	.....	18	.....	26	.....	50
.....	2	4	24	19	5	7	11	2	10	15	.....	7	.....	6	.....	6	.....	51
.....	1	4	20	16	4	6	10	2	8	13	.....	6	.....	6	.....	5	.....	52
.....	1	.....	4	3	1	1	1	.....	2	2	.....	1	.....	.....	.....	1	.....	53
.....	1	3	21	28	15	9	12	.....	13	16	2	9	5	11	.....	4	.....	54
.....	5	5	41	51	25	9	6	5	30	15	.....	8	6	27	1	35	.....	55
.....	2	3	38	18	11	12	17	7	18	26	.....	6	4	20	.....	16	.....	56
.....	1	2	23	37	18	10	7	5	25	17	2	11	4	18	1	18	.....	57
1	3	5	17	27	10	10	13	4	8	15	1	11	.....	15	2	14	.....	58
.....	2	1	28	33	24	13	15	5	24	22	5	13	3	22	1	25	1	59
.....	4	6	27	38	7	21	9	3	26	17	3	12	4	24	1	21	.....	60
1	4	1	11	22	9	12	4	1	11	8	2	5	2	12	1	15	.....	61
.....	3	1	28	49	21	4	16	5	9	33	1	3	4	12	1	31	1	62
.....	5	10	60	77	31	39	77	8	43	40	9	32	13	45	3	50	6	63
1	4	4	59	100	40	35	56	19	58	53	8	26	23	88	9	42	6	64
.....	3	8	5	24	12	14	20	3	14	14	4	5	2	11	1	17	.....	65
.....	2	1	11	17	7	5	11	2	10	5	.....	2	1	5	.....	7	1	66
.....	1	1	7	17	7	5	5	2	3	5	1	8	.....	8	.....	3	.....	67

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH. All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
	KANSAS.[1]													
1	Kansas City (total)	1,181	56	3	.....	6	7	9	24	12	10	131	19	50
2	White	977	46	2	.....	5	7	4	24	10	10	103	8	44
3	Colored	204	10	1	.....	1	.....	5	.....	2	.....	28	11	6
4	Leavenworth (total)	333	11	.....	.....	.....	1	.....	1	5	5	29	4	22
5	White	271	7	.....	.....	.....	1	.....	1	3	5	18	4	19
6	Colored	62	4	.....	.....	.....	.....	.....	.....	2	.....	11	.....	3
7	Wichita	558	35	.....	.....	3	1	4	8	5	5	25	6	37
	KENTUCKY.[1]													
8	Covington	712	10	.....	.....	.....	3	3	7	9	8	123	14	29
9	Louisville (total)	3,456	100	8	.....	6	20	9	30	26	35	436	44	129
10	White	2,494	62	4	.....	6	20	8	23	16	27	272	35	111
11	Colored	962	38	4	.....	.....	.....	1	7	10	8	164	9	18
12	Newport	447	9	.....	1	.....	.....	1	4	4	8	52	1	22
13	Paducah (total)	370	8	24	.....	.....	.....	6	9	2	4	57	9	9
14	White	208	4	10	.....	.....	.....	3	6	1	2	32	4	9
15	Colored	162	4	14	.....	.....	.....	3	3	1	2	25	5	.....
	LOUISIANA.[1]													
16	New Orleans (total)	6,770	95	40	.....	2	62	16	25	48	72	734	81	286
17	White	4,208	72	22	.....	1	58	9	23	26	51	379	42	225
18	Colored	2,562	23	18	.....	1	4	7	2	22	21	355	39	61
	MAINE.													
19	Auburn	213	.....	.....	.....	.....	1	.....	2	5	1	20	3	14
20	Augusta	304	3	1	.....	.....	.....	1	2	5	.....	30	3	11
21	Bangor	462	9	.....	.....	3	3	1	1	3	6	46	15	25
22	Bath	134	.....	.....	.....	1	5	3	.....	1	.....	9	1	5
23	Biddeford	333	4	.....	.....	.....	.....	10	15	1	.....	27	8	15
24	Lewiston	450	1	1	.....	.....	4	3	6	1	2	26	11	29
25	Portland	1,029	14	1	.....	.....	3	4	14	5	1	77	29	69
26	Rockland	141	4	.....	.....	2	.....	.....	3	1	.....	3	4	16
27	Waterville	159	1	.....	.....	1	.....	1	2	1	1	12	4	5
	MARYLAND.													
28	Annapolis (total)	163	1	.....	.....	.....	.....	.....	2	2	2	11	.....	6
29	White	66	1	.....	.....	.....	.....	.....	.....	.....	2	5	.....	3
30	Colored	97	.....	.....	.....	.....	.....	.....	2	2	.....	6	.....	3
31	Baltimore (total)	10,387	138	12	.....	61	22	122	76	84	62	1,268	179	458
32	White	7,804	109	9	.....	46	22	59	71	60	53	808	129	399
33	Colored	2,583	29	3	.....	15	.....	63	5	24	9	460	50	59
34	Cumberland (total)	355	15	.....	.....	.....	1	4	3	2	1	33	2	18
35	White	324	14	.....	.....	.....	1	4	3	2	1	26	2	17
36	Colored	31	1	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	1
37	Frederick (total)	214	7	.....	.....	1	.....	2	3	.....	1	16	3	11
38	White	160	4	.....	.....	1	.....	.....	2	.....	1	7	2	11
39	Colored	54	3	.....	.....	.....	.....	2	1	.....	.....	9	1	.....
40	Hagerstown (total)	269	8	.....	.....	5	.....	4	2	2	1	18	2	7
41	White	239	6	.....	.....	4	.....	4	1	2	1	17	2	7
42	Colored	30	2	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....
	MASSACHUSETTS.													
43	Adams town	170	1	.....	.....	1	4	3	4	4	1	21	2	5
44	Amesbury town	143	.....	.....	.....	.....	.....	1	2	.....	.....	11	1	15
45	Arlington town	119	2	.....	.....	.....	.....	1	1	1	.....	14	5	7
46	Attleborough town	189	1	.....	.....	.....	.....	1	3	3	.....	11	3	14
47	Beverly	259	1	.....	.....	1	.....	1	2	1	13	19	5	23
48	Boston (total)	11,056	91	.....	1	70	95	73	194	55	67	1,044	209	687
49	White	10,733	91	.....	1	70	95	69	190	51	64	990	204	676
50	Colored	323	.....	.....	.....	.....	.....	4	4	4	3	54	5	11
51	Brockton	632	5	1	.....	12	6	11	4	8	13	46	14	48
52	Brookline town	306	3	.....	.....	1	1	.....	2	3	.....	13	6	39
53	Cambridge	1,523	8	1	.....	5	6	18	19	5	11	281	27	69
54	Chelsea	523	6	1	.....	1	2	4	9	4	4	38	3	45
55	Chicopee	393	1	.....	.....	1	2	4	9	4	6	34	3	13
56	Clinton town	191	2	.....	.....	.....	.....	7	2	2	.....	13	3	13
57	Danvers town	327	2	.....	.....	.....	.....	.....	.....	3	22	24	3	26
58	Everett	393	.....	.....	.....	1	4	4	7	3	1	35	2	31
59	Fall River	2,235	25	.....	.....	1	5	11	20	8	12	152	22	87
60	Fitchburg	463	3	.....	.....	9	4	4	11	3	4	23	7	31
61	Framingham town	211	2	1	.....	7	1	1	2	4	.....	15	5	13
62	Gardner town	205	3	.....	.....	1	1	.....	3	3	1	18	6	5
63	Gloucester	325	.....	.....	.....	3	.....	4	3	3	1	34	6	15
64	Haverhill	630	4	.....	.....	1	1	3	14	4	3	53	10	32
65	Holyoke	995	8	.....	.....	4	2	6	11	4	8	86	18	43
66	Hyde Park town	172	1	.....	.....	1	.....	2	1	4	.....	11	5	13
67	Lawrence	1,431	18	.....	.....	25	6	7	32	4	9	131	25	48

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909—Continued.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	11	23	70	97	80	41	73	13	83	81	11	68	11	98	11	83	.....	1
.....	10	19	59	77	64	30	65	11	67	66	9	61	10	87	9	70	.....	2
.....	1	4	11	20	16	11	8	2	16	15	2	7	1	11	2	13	.....	3
.....	2	4	32	28	23	15	12	2	18	26	4	12	7	23	8	39	.....	4
.....	2	3	28	22	23	13	11	1	14	17	4	11	6	18	5	35	.....	5
.....	.....	1	4	6	.....	2	1	1	4	9	.....	1	1	5	3	4	.....	6
.....	10	2	45	45	32	16	21	6	45	35	3	38	8	36	25	61	1	7
.....	5	15	42	74	56	34	20	5	49	71	2	29	7	36	10	51	.....	8
3	14	65	359	389	292	203	65	25	210	253	6	125	46	147	94	317	.....	9
3	13	54	249	263	170	135	55	19	157	193	6	105	40	101	76	271	.....	10
.....	1	11	110	126	122	68	10	6	53	60	.....	20	6	46	18	46	.....	11
.....	4	11	47	47	35	26	6	8	31	23	3	23	9	28	13	31	.....	12
1	1	8	32	21	22	15	17	2	30	15	2	14	1	25	18	16	2	13
.....	1	6	21	15	10	4	8	1	18	5	1	11	1	14	10	10	1	14
1	.....	2	11	6	12	11	9	1	12	10	1	3	.....	11	8	6	1	15
6	27	73	618	832	380	303	345	112	396	729	97	241	53	388	150	559	.....	16
1	19	52	412	506	195	161	241	61	255	450	62	151	51	236	89	358	.....	17
5	8	21	206	326	185	142	104	51	141	279	35	90	2	152	61	201	.....	18
.....	1	4	31	27	13	10	13	2	15	12	2	5	4	4	3	21	.....	19
2	3	1	79	38	26	10	10	11	12	13	2	7	3	14	4	13	.....	20
.....	3	6	43	75	40	21	8	3	41	21	2	13	1	24	15	28	6	21
.....	2	.....	12	34	10	7	7	.....	5	9	2	6	.....	3	2	10	.....	22
1	2	11	21	36	45	16	23	2	15	12	3	24	3	11	10	17	1	23
.....	2	14	38	31	43	28	51	1	29	28	7	14	3	22	7	48	.....	24
2	12	17	131	154	76	54	39	5	60	81	5	51	4	47	16	55	3	25
.....	4	.....	18	22	6	6	3	.....	4	10	2	5	1	8	.....	19	.....	26
.....	3	6	15	16	10	13	13	.....	13	3	1	18	2	4	2	12	.....	27
.....	1	2	8	7	10	12	10	2	10	24	1	15	1	7	12	16	1	28
.....	1	.....	2	3	4	3	7	.....	6	10	.....	4	1	3	.....	10	1	29
.....	.....	2	6	4	6	9	3	2	4	14	1	11	.....	4	12	6	.....	30
6	70	114	803	1,064	760	656	590	118	491	892	105	730	102	474	308	621	1	31
5	64	103	644	798	518	432	458	81	406	698	73	573	96	379	220	490	1	32
1	6	11	159	266	242	224	132	37	85	194	32	157	6	95	88	131	.....	33
1	1	7	38	23	9	14	33	5	15	23	5	16	4	33	12	37	.....	34
1	1	6	34	23	7	14	30	4	14	18	4	13	4	33	11	37	.....	35
.....	.....	1	4	.....	2	.....	3	1	1	5	1	3	.....	.....	1	.....	.....	36
1	1	3	33	29	7	6	5	1	16	13	4	11	.....	13	5	22	.....	37
1	1	1	23	25	3	5	5	1	14	9	4	9	.....	12	3	16	.....	38
.....	.....	2	10	4	4	1	.....	.....	2	4	.....	2	.....	1	2	6	.....	39
.....	2	2	30	35	21	13	12	2	18	14	2	16	6	17	9	21	.....	40
.....	2	2	25	31	20	12	12	1	17	11	2	15	6	14	5	20	.....	41
.....	.....	.....	5	4	1	1	.....	1	1	3	.....	1	.....	3	4	1	.....	42
.....	1	4	12	18	14	6	27	1	3	5	2	15	2	5	.....	9	.....	43
1	1	.....	11	27	13	4	5	1	6	13	2	7	1	12	.....	9	.....	44
.....	1	1	8	32	5	12	2	2	4	6	1	1	1	4	1	7	.....	45
1	1	1	9	26	9	6	14	4	11	20	2	18	1	13	5	12	.....	46
.....	2	3	17	50	20	7	23	7	14	14	3	8	1	7	2	15	.....	47
6	114	106	899	1,667	923	546	684	92	561	568	137	492	123	718	82	711	41	48
6	113	105	874	1,611	895	523	669	89	548	555	133	477	122	702	80	689	41	49
.....	1	1	25	56	28	23	15	3	13	13	4	15	1	16	2	22	.....	50
.....	5	9	49	58	28	37	32	.....	41	41	13	53	9	32	7	50	.....	51
.....	7	3	48	63	24	15	2	2	14	23	1	7	3	8	1	17	.....	52
.....	16	18	146	225	133	85	80	5	54	62	8	72	9	76	22	62	.....	53
.....	6	8	58	101	33	22	26	3	24	33	1	23	4	22	3	34	5	54
.....	1	15	23	36	50	17	56	.....	15	11	5	33	2	21	12	19	.....	55
.....	3	2	18	17	18	6	10	1	15	10	3	11	2	9	7	17	.....	56
.....	2	3	74	70	18	27	1	5	6	14	1	5	2	5	1	13	.....	57
1	5	6	48	64	24	21	12	2	18	24	2	17	4	27	5	25	.....	58
3	19	25	186	158	197	156	435	27	105	103	9	175	10	69	89	123	3	59
.....	9	10	34	79	20	32	36	5	16	21	7	31	7	21	6	30	.....	60
1	3	1	19	28	21	7	5	1	13	11	6	14	1	8	5	16	.....	61
.....	5	1	18	32	15	6	11	2	16	14	1	15	1	13	1	13	.....	62
.....	5	3	36	52	16	12	26	5	16	16	2	17	1	13	3	33	.....	63
.....	9	6	60	128	46	20	29	4	39	41	9	23	9	30	6	46	.....	64
.....	13	24	45	86	65	62	151	10	41	67	11	104	10	48	19	49	.....	65
.....	2	3	20	25	9	4	15	1	8	10	1	8	1	13	4	9	1	66
.....	5	26	104	128	135	105	198	16	64	57	19	75	11	72	46	65	.....	67

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
	MASSACHUSETTS—continued.													
1	Leominster town	215	1			1	1	3	3	2	3	12	1	13
2	Lowell	1,883	11	1		5	10	9	36	8	17	125	44	80
3	Lynn	1,198	10	1		1	10	6	25	11	4	96	24	76
4	Malden	527	7			1	6	5	8	1	5	41	7	40
5	Marlborough	221	3				1	4	9	4	1	9	2	11
6	Medford	270	1	1			3	1	3	4	1	23	4	20
7	Melrose	187	3	1		1	1			4	2	15	5	13
8	Milford town	188	1				4	1	2		4	20	1	12
9	Natick town	141	1	1		1	1			3	1	12	2	7
10	New Bedford	1,595	21			4	8	21	17	5	9	119	42	49
11	Newburyport	254	2						4	3	2	26	3	26
12	Newton	444	3	2		3	3		7	5	1	26	13	27
13	North Adams	365	6				1	3	1	6	2	29	5	17
14	Northampton	335				2		1	3	1	4	21	6	24
15	Peabody town	208	3					3	4		4	8	2	16
16	Pittsfield	450	8			2	1	1	3	3		35	6	24
17	Plymouth town	162	1			1	1		3		2	11	5	10
18	Quincy	383	3			1		4	2		2	42	8	18
19	Revere town	195	2			5		2	3	1		8	6	8
20	Salem	688	1			1	1	4	5	6	10	37	10	42
21	Somerville	986	7			10	10	10	30	8	4	76	17	75
22	Southbridge town	163	5			4		2	5		1	14	1	12
23	Springfield	1,317	12	2		7	25	3	34	13	10	94	25	67
24	Taunton	719	12			4	4	11	3	8	7	55	12	27
25	Wakefield town	117	1				2	2		2		13	2	5
26	Waltham	392	6			5	7	1	6	8	2	29	13	17
27	Ware town	117				1		1			2	10	3	4
28	Watertown town	158				1		2		3	1	9	5	7
29	Webster town	136	1			2	1	2		3	3	14	3	8
30	Westfield town	248	3					6	2	4	1	14	3	11
31	Weymouth town	166	1			1	1	5	4	1		11	6	9
32	Woburn	212	3						3	2	4	27	4	12
33	Worcester	2,214	12	2		7	9	24	22	3	18	169	37	133
	MICHIGAN.													
34	Adrian	142	4							1	1	11	1	16
35	Alpena	221	8			4			7		2	15	3	11
36	Ann Arbor	289	3						2	1		15	4	42
37	Battle Creek	362	9	1			1	1	2	5	1	17	5	24
38	Bay City	520	16	1			15	1	5	4	2	23	3	32
39	Detroit	6,309	92	2		85	100	46	109	19	30	387	67	300
40	Escanaba	213	30			3			2			12	2	14
41	Flint	397	21			7	1	1	1	3	8	18	2	15
42	Grand Rapids	1,311	19	1	1	2	19	4	9	4	6	95	21	71
43	Iron Mountain	111				1	1		12			10	2	3
44	Ironwood	206	9			1	16	2	18		1	11	2	4
45	Ishpeming	150	1				4		10			10	2	1
46	Jackson	382	6					1	3	3	6	24	2	23
47	Kalamazoo	644	3			1	2	5	2	6	5	45	7	34
48	Lansing	310	4	1		1		1	5	4	1	14	4	14
49	Manistee	148	4								2	9	1	8
50	Marquette	173	6					1	2			14	1	7
51	Menominee	148	6				3			1	1	10	3	14
52	Muskegon	274					3			1	1	23	6	22
53	Owosso	117	3					3	3	1		10	1	9
54	Pontiac	264	2	1		5			4	1	5	24	6	6
55	Port Huron	244	11							4		12	2	18
56	Saginaw	726	15			5	2	1	4	2	5	52	11	52
57	Sault Ste. Marie	165	7			3		3	3	1	1	12	5	8
58	Traverse City	235	4				1	1			9	22	4	8
	MINNESOTA.[1]													
59	Duluth	990	39			4	21	6	34	2	5	87	17	49
60	Mankato	159	4					1	4		2	11	2	19
61	Minneapolis	3,147	62	1			31	20	105	12	29	363	60	193
62	St. Paul	2,413	40			1	81	11	93	13	16	225	42	146
63	Winona	260	2				3	3	2	1	4	22		30
	MISSOURI.[1]													
64	Kansas City (total)	3,489	71	5		2	35	5	61	14	21	331	44	179
65	White	2,899	67	3		2	35	5	57	13	17	210	36	164
66	Colored	590	4	2					4	1	4	121	8	15
67	St. Joseph	1,062	17	3			1	2	13	13	4	99	19	54
68	St. Louis (total)	10,739	110	59		153	97	30	176	75	52	1,200	154	586
69	White	9,566	100	57		148	97	24	173	69	49	943	126	555
70	Colored	1,173	10	2		5		6	3	6	3	257	28	31
	NEBRASKA.[1]													
71	Lincoln	527	4			3	1	4	11	3	2	31	9	37
72	Omaha	1,797	45	2		20	7	21	23	19	15	146	19	101

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909—Continued.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	5	1	29	27	21	6	18	1	5	13	1	21	3	10	4	10	.....	1
1	14	29	147	252	139	137	188	33	108	95	18	141	19	76	21	118	1	2
2	16	14	130	173	86	47	62	11	53	81	12	52	8	60	22	105	.....	3
1	10	6	52	83	43	26	25	4	28	26	5	28	2	20	9	38	.....	4
.....	4	4	23	39	17	13	13	3	16	10	.....	8	2	6	2	17	.....	5
.....	5	2	33	62	19	11	8	1	7	16	2	11	3	12	1	16	.....	6
.....	3	1	21	36	15	4	4	.....	8	14	.....	6	2	10	.....	17	1	7
1	3	3	23	22	17	9	8	3	9	9	5	8	.....	11	1	11	.....	8
1	2	1	23	31	11	5	4	1	4	5	2	8	1	7	.....	6	.....	9
2	14	37	109	185	89	139	234	10	70	78	13	123	6	57	48	84	2	10
1	4	3	17	42	26	13	12	4	16	14	2	3	2	8	3	17	1	11
.....	9	6	47	70	37	26	12	4	22	15	2	25	2	24	5	48	.....	12
.....	.....	4	20	52	23	24	33	7	26	25	6	20	4	22	3	26	.....	13
1	3	11	53	56	16	10	9	3	14	18	2	15	4	16	4	38	.....	14
1	2	1	24	33	18	15	15	2	8	13	.....	7	.....	13	3	13	.....	15
.....	4	5	42	51	44	20	23	4	35	27	2	26	1	42	10	31	.....	16
1	1	3	20	25	11	10	6	2	11	4	3	8	2	6	4	11	.....	17
.....	7	4	35	74	24	11	23	4	21	14	3	29	2	35	4	13	.....	18
.....	1	5	27	34	11	11	13	2	10	11	3	7	2	9	3	11	.....	19
.....	12	5	57	112	58	35	60	5	30	43	10	40	8	36	14	45	1	20
1	15	6	93	204	77	38	48	6	36	69	12	28	6	43	4	53	.....	21
.....	.....	6	12	17	9	15	14	2	3	10	.....	14	1	3	5	8	.....	22
1	12	21	91	170	109	53	62	14	67	131	18	78	14	81	15	88	.....	23
1	11	7	105	98	57	50	51	23	36	32	9	29	1	22	14	29	1	24
.....	.....	4	15	21	8	3	4	1	4	4	.....	8	.....	3	1	14	.....	25
1	5	2	49	58	47	9	9	2	16	27	2	17	2	28	7	15	2	26
.....	4	3	9	8	7	9	19	1	7	7	1	7	.....	2	2	10	.....	27
.....	2	3	11	30	24	5	5	.....	1	12	.....	10	3	6	4	13	1	28
.....	2	3	11	10	6	4	18	1	7	11	.....	4	.....	6	5	10	1	29
1	2	1	25	30	26	11	18	2	7	16	3	22	1	16	11	12	.....	30
.....	2	3	20	37	10	7	5	.....	8	7	.....	6	.....	7	1	13	1	31
2	2	2	25	31	15	11	7	1	6	12	2	11	.....	11	6	13	.....	32
1	28	29	259	378	168	119	134	26	103	92	14	133	10	104	37	143	.....	33
.....	.....	1	25	18	10	4	4	.....	10	10	1	5	.....	6	6	8	.....	34
.....	3	2	15	20	7	15	35	4	11	4	5	11	3	16	4	15	1	35
.....	9	2	38	37	4	6	3	1	33	9	2	8	1	19	3	47	.....	36
1	9	3	44	58	18	18	12	3	28	11	4	17	7	26	5	32	.....	37
.....	5	4	64	65	21	28	17	1	50	21	8	32	4	42	13	43	.....	38
4	63	107	481	602	445	378	369	52	417	284	66	544	69	310	194	678	9	39
.....	2	2	15	20	4	9	12	.....	9	8	1	25	1	20	3	19	.....	40
.....	8	3	30	35	22	16	42	2	24	26	3	22	3	25	8	51	.....	41
2	22	15	112	185	58	52	78	18	109	68	17	90	18	60	31	124	.....	42
1	1	2	5	8	5	6	5	.....	5	2	3	13	.....	13	3	9	1	43
1	2	2	12	10	2	9	22	1	12	5	1	11	1	30	10	9	2	44
.....	2	2	15	9	9	15	15	2	11	6	2	9	.....	14	3	8	.....	45
1	2	8	52	54	18	13	9	2	24	19	6	20	3	26	8	48	1	46
.....	6	6	121	136	24	22	26	10	39	30	2	29	6	29	3	45	.....	47
.....	6	4	39	60	10	7	16	6	23	17	5	12	5	24	3	23	1	48
.....	3	1	14	15	12	2	4	2	15	5	4	13	1	13	3	17	.....	49
.....	.....	2	19	23	4	6	17	1	11	8	2	7	4	19	.....	19	.....	50
.....	1	.....	13	12	13	4	11	1	13	9	1	5	3	9	2	13	.....	51
1	2	3	31	26	17	13	12	3	26	11	2	13	5	19	5	29	.....	52
.....	2	.....	15	18	4	6	3	.....	12	4	1	9	1	3	1	8	.....	53
.....	2	3	61	44	16	6	9	6	11	9	.....	8	1	10	3	21	.....	54
1	3	2	24	34	10	12	11	5	22	16	1	16	.....	12	3	25	.....	55
.....	5	18	75	99	36	31	23	10	60	26	8	44	9	43	16	74	.....	56
.....	1	1	10	12	7	8	10	1	12	6	3	15	.....	21	2	13	.....	57
.....	4	2	46	40	7	5	7	7	10	18	.....	6	3	4	1	26	.....	58
.....	7	13	55	76	76	38	87	7	50	53	14	59	12	94	6	78	1	59
.....	2	.....	18	13	6	5	4	3	11	7	.....	9	.....	15	5	18	.....	60
.....	38	47	232	321	212	167	128	25	215	230	34	115	64	177	17	248	1	61
2	25	44	218	246	128	98	132	19	146	124	20	121	26	152	29	213	2	62
.....	4	2	30	41	13	4	5	1	16	8	1	15	1	25	2	25	.....	63
4	20	61	263	385	298	119	119	31	201	238	35	201	59	266	144	261	16	64
4	18	55	224	319	225	102	102	29	179	198	29	179	56	213	120	223	15	65
.....	2	6	39	66	73	17	17	2	22	40	6	22	3	53	24	38	1	66
1	12	9	156	103	72	34	41	11	76	58	7	44	14	76	21	102	.....	67
10	100	62	763	1,244	680	658	476	123	687	927	101	492	201	621	126	773	3	68
9	98	60	691	1,080	601	579	454	108	636	813	92	450	199	544	117	691	3	69
1	2	2	72	164	79	79	22	15	51	114	9	42	2	77	9	82	.....	70
2	6	9	40	58	44	24	19	5	53	31	2	33	3	35	18	40	.....	71
.....	21	22	126	230	110	73	98	14	160	160	29	54	46	127	4	165	.....	72

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH.											
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
	NEW HAMPSHIRE.													
1	Berlin	138	2					3	1		1	8	1	4
2	Concord	462	4			9		3	6	1	1	40	1	22
3	Dover	243	2				1			2	1	24	1	17
4	Keene	145								6	1	12		6
5	Laconia	168	1			2			1	2	1	16	4	13
6	Manchester	1,362	12			15		20	35	6	6	98	15	50
7	Nashua	434	2				10	4	5	2	3	20	9	16
8	Portsmouth	176	2						5		3	13	1	12
9	Rochester	128	2					1		4	1	6	2	5
	NEW JERSEY.													
10	Atlantic City (total)	683	6			1	5	1	11	2	5	49	8	27
11	White	531	3			1	5	1	8	2	3	39	3	25
12	Colored	152	3						3		2	10	5	2
13	Bayonne	679	2			3	5	3	12	1	3	57	15	18
14	Bloomfield	149					1		2	1		12		12
15	Bridgeton	212	1					5	2	1	2	17	9	11
16	Camden	1,485	10			11	7	8	44	7	2	132	20	67
17	East Orange	313	1				6	1	7	5	1	25	5	25
18	Elizabeth	1,141	14			7	2	13	25	3	1	114	13	43
19	Hackensack	191	3						4	2	2	13	6	11
20	Harrison	182				3	3	1	4			23	2	8
21	Hoboken	1,237	7	1		16	22	8	28		11	157	31	51
22	Jersey City	4,406	23			19	95	45	86	15	10	443	68	153
23	Kearny	206	2			1	2		5	5		22	3	9
24	Long Branch (total)	262	8	5			3	1	1	4		17	3	13
25	White	230	7	4			3	1	1	4		10	2	12
26	Colored	32	1	1								7	1	1
27	Millville	151	2						3		1	22	2	5
28	Montclair	276	3				3	2	1	2	5	16	8	14
29	Morristown	257	1			1	3	1	2	3	2	20	7	11
30	New Brunswick	484	5			2	1	4	8		2	35	18	18
31	Newark	5,571	40		1	36	83	28	107	26	28	646	138	272
32	Orange	459	5			2	3	8	6	1	2	56	13	23
33	Passaic	791	3			10	5	4	11	3	6	58	16	28
34	Paterson	1,882	12	1		9	5	8	22	6	8	189	26	101
35	Perth Amboy	430	1			7	3	4	13		1	32	6	17
36	Phillipsburg	155	1				1		2	4		14	1	8
37	Plainfield	297	3			1	1	1	2	3	3	26	4	18
38	Trenton	1,655	30	1	1	16		13	7	11	12	206	25	74
39	Union	277	1			1	1		8			34	7	13
40	West Hoboken	422	1			1	6	4	19		8	47	6	18
	NEW YORK.													
41	Albany	1,758	19	1		9	4	9	19	7	6	168	32	116
42	Amsterdam	419	3				2		8	1	4	39	5	24
43	Auburn	514	6					2	3	1	3	37	8	33
44	Batavia	166	3				2	2	2	4	1	9	9	5
45	Binghamton	872	7	1		3	3	9	18	2	5	59	5	36
46	Buffalo	6,331	99	1		77	168	12	103	27	39	530	77	329
47	Cohoes	488	20		1	17		7	5	1	4	61	12	18
48	Corning	212	18			2	1			2	2	11	1	10
49	Cortland	164	3							1	2	6	3	10
50	Dunkirk	200	1				1		2	1	2	11	6	11
51	Elmira	554	12			4	6	4	2	7	5	38	7	26
52	Geneva	175	2					1	1	4	1	16	2	7
53	Glens Falls	219	1			1			1	1		23	2	17
54	Gloversville	298	1				1	1	9	1	1	23	3	21
55	Hornell	189	2							3		11	4	10
56	Hudson	172	1					3			3	14	5	11
57	Ithaca	211	4				2		6	2	1	14	4	14
58	Jamestown	342	5	1			1	1	12	3	5	18	3	28
59	Johnstown	158							2	2		10	1	20
60	Kingston	517	9			1			9	5	2	61	6	24
61	Little Falls	177	1				1		3	2		18	1	9
62	Lockport	273	10			1	4	1	4	8	3	24	2	15
63	Middletown	341	3	1			2	2	3	3	2	30	8	17
64	Mount Vernon	392	2	1		4		3	5		2	33	3	22
65	New Rochelle	321	5	1		2	1	2	7		4	24	8	14
66	New York (total)	74,263	560	41	2	940	805	369	1,704	271	403	8,616	1,333	3,543
67	Bronx Borough	6,451	62	3		61	52	32	103	9	28	1,616	101	302
68	Brooklyn Borough	24,417	189	23		466	331	110	555	113	118	2,376	373	1,121
69	Manhattan Borough	38,031	260	6	2	372	369	201	953	131	238	4,160	792	1,858
70	Queens Borough	3,846	38	7		29	43	20	73	10	17	304	47	176
71	Richmond Borough	1,518	11	2		12	10	6	20	8	2	160	20	86
72	New York (white)	71,890	548	39	2	929	800	345	1,678	256	397	8,123	1,260	3,495
73	Bronx Borough	6,272	61	3		61	52	32	100	9	28	1,557	97	296
74	Brooklyn Borough	23,855	186	22		460	329	101	550	104	116	2,289	357	1,111
75	Manhattan Borough	36,526	255	5	2	367	366	186	936	126	234	3,831	744	1,828
76	Queens Borough	3,748	35	7		29	43	20	72	9	17	291	43	174
77	Richmond Borough	1,489	11	2		12	10	6	20	8	2	155	19	86

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909—Continued.

CAUSES OF DEATH—continued.																		
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	1	5	8	8	18	10	26	3	4	3	2	12	.....	4	3	10	1	1
.....	6	2	98	82	35	18	4	5	18	30	2	21	6	23	1	23	1	2
.....	4	1	20	41	22	8	10	3	5	20	1	10	5	10	5	29	1	3
.....	8	3	15	26	8	7	2	.....	9	13	.....	7	2	8	2	10	.....	4
.....	5	1	18	22	6	5	6	.....	4	12	3	7	3	8	5	23	.....	5
.....	7	60	116	124	93	100	169	9	86	46	13	94	8	47	35	97	1	6
.....	4	8	44	54	23	24	54	3	21	24	4	32	2	21	7	38	.....	7
.....	5	2	14	29	9	7	4	6	6	17	1	16	2	13	3	12	.....	8
1	2	3	15	15	11	2	14	2	7	8	1	9	2	3	3	9	.....	9
.....	8	7	46	93	46	32	37	7	53	80	7	36	11	48	13	44	.....	10
.....	8	7	41	80	25	24	28	4	39	65	4	27	10	35	10	34	.....	11
.....	.....	.....	5	13	21	8	9	3	14	15	3	9	1	13	3	10	.....	12
.....	8	14	62	51	72	64	75	10	31	32	2	31	9	50	21	28	.....	13
.....	3	3	13	23	11	7	7	1	5	12	1	11	4	2	5	13	.....	14
.....	2	1	30	25	10	11	6	1	18	19	3	5	.....	13	4	16	.....	15
2	14	18	127	170	123	79	70	15	98	134	18	72	10	116	38	73	.....	16
2	4	2	40	54	27	11	5	3	17	17	1	20	1	10	4	19	.....	17
.....	8	14	82	116	96	74	126	10	45	62	10	85	12	72	30	63	1	18
.....	3	4	26	23	12	13	5	1	5	17	1	6	4	13	3	14	.....	19
.....	3	4	18	15	16	9	15	2	12	10	.....	9	1	12	7	5	.....	20
.....	11	17	86	141	115	64	76	11	42	92	7	37	36	81	27	62	.....	21
1	28	78	350	425	399	312	324	64	192	317	41	191	61	296	106	263	1	22
.....	2	7	41	18	13	16	6	4	8	15	.....	5	.....	4	5	13	.....	23
.....	.....	4	23	30	18	13	14	2	15	26	3	6	.....	35	2	16	.....	24
.....	.....	4	19	39	17	11	12	1	14	24	2	5	.....	31	1	15	.....	25
.....	.....	.....	4	.....	1	2	2	1	1	2	1	1	.....	4	1	1	.....	26
.....	1	.....	12	15	9	10	16	1	12	7	1	11	1	5	6	9	.....	27
.....	3	1	24	38	16	13	20	5	20	22	2	13	4	13	5	23	.....	28
.....	3	3	23	20	14	10	17	2	21	19	3	16	1	23	9	22	.....	29
.....	2	5	39	42	38	19	62	4	26	33	4	38	6	29	15	29	.....	30
1	54	74	429	564	401	430	356	52	247	443	67	278	65	303	94	308	.....	31
1	6	4	32	44	38	26	32	3	26	38	4	27	6	19	10	24	.....	32
1	5	18	42	58	83	72	110	3	29	43	8	60	4	51	20	40	.....	33
.....	21	46	137	227	185	135	112	30	91	138	18	80	26	116	30	103	.....	34
.....	3	12	17	26	31	34	72	3	16	16	5	38	4	33	13	23	.....	35
.....	4	.....	24	22	11	1	10	.....	7	15	.....	2	2	12	2	12	.....	36
1	8	3	27	27	22	9	12	5	15	25	4	13	4	22	7	31	.....	37
1	11	24	172	171	154	101	101	25	67	107	20	77	10	107	31	80	.....	38
1	4	4	15	28	18	25	17	2	10	24	3	9	4	30	.....	18	.....	39
1	1	10	35	44	42	39	28	6	21	28	2	13	7	9	9	17	.....	40
3	23	19	159	323	70	86	55	8	130	194	6	46	15	97	21	113	.....	41
.....	5	10	42	47	28	18	53	1	21	20	6	21	2	30	7	22	.....	42
.....	6	5	59	79	27	23	41	7	28	37	5	15	6	30	2	51	.....	43
.....	5	.....	14	15	14	8	6	.....	9	14	1	12	2	13	5	11	.....	44
.....	8	8	109	138	62	58	33	9	53	75	7	40	13	60	4	47	.....	45
2	80	55	475	788	378	408	533	55	396	399	56	303	57	390	41	453	.....	46
.....	6	18	23	36	21	46	50	7	21	31	2	26	5	28	4	18	.....	47
1	1	.....	19	29	17	11	10	1	14	13	6	10	2	16	2	13	.....	48
.....	3	.....	15	27	11	4	2	1	7	21	.....	11	3	19	.....	15	.....	49
.....	3	1	12	30	14	11	10	2	17	8	4	14	2	20	3	14	.....	50
.....	13	3	45	105	31	33	17	3	28	60	3	12	13	34	1	42	.....	51
.....	.....	1	14	35	18	7	4	3	8	9	1	6	3	17	5	10	.....	52
.....	5	3	25	33	7	7	7	3	23	10	.....	9	.....	20	1	20	.....	53
.....	3	2	35	49	16	14	2	2	21	32	3	9	6	21	2	20	.....	54
.....	1	3	23	42	8	4	2	1	9	10	3	8	5	15	2	23	.....	55
.....	3	2	16	23	11	3	14	4	11	15	1	6	1	12	.....	13	.....	56
.....	3	1	23	34	9	6	7	1	13	26	2	10	2	12	1	14	.....	57
.....	2	2	43	47	23	16	8	3	22	24	3	15	4	23	1	29	.....	58
.....	6	6	17	35	8	7	.....	1	5	8	1	8	.....	5	3	13	.....	59
1	3	9	69	78	37	19	15	2	33	28	2	24	7	33	8	32	.....	60
.....	4	5	12	21	12	10	14	.....	11	10	1	6	2	17	3	14	.....	61
.....	3	2	30	29	18	13	6	2	13	13	4	12	2	29	6	19	.....	62
1	4	6	45	49	22	13	7	1	26	30	3	10	5	28	3	17	.....	63
.....	3	4	37	46	24	24	38	3	24	39	3	18	4	23	4	23	.....	64
.....	3	5	20	30	24	30	23	3	24	28	2	15	2	24	5	15	.....	65
30	774	597	4,253	8,223	5,557	7,243	5,328	517	3,051	6,753	759	3,550	881	3,821	575	3,764	.....	66
2	74	59	331	683	393	414	306	33	246	545	69	245	80	297	42	263	.....	67
5	239	166	1,601	3,104	1,950	2,489	1,941	201	1,015	2,093	249	818	267	1,188	38	1,278	.....	68
21	415	331	1,983	3,815	2,837	3,892	2,604	233	1,538	3,599	379	2,250	475	1,983	408	1,926	.....	69
2	36	28	255	456	278	352	365	40	178	331	45	179	43	253	43	198	.....	70
.....	10	13	83	165	99	96	112	10	74	185	17	58	16	100	44	99	.....	71
30	767	578	4,128	7,987	5,374	6,977	5,197	505	2,988	6,551	739	3,405	869	3,730	547	3,646	.....	72
2	74	59	316	665	380	406	299	32	241	525	68	241	80	294	40	254	.....	73
5	237	162	1,562	3,035	1,901	2,423	1,901	200	1,001	2,059	245	795	266	1,161	36	1,241	.....	74
21	410	318	1,915	3,684	2,720	3,713	2,529	224	1,499	3,466	365	2,141	465	1,928	387	1,861	.....	75
2	36	26	252	441	274	343	357	40	175	323	44	170	42	249	42	192	.....	76
.....	10	13	83	162	99	92	111	9	72	178	17	58	16	98	42	98	.....	77

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
	NEW YORK—continued.													
1	New York (colored)	2,373	12	2	.....	11	5	24	26	15	6	493	73	48
2	Bronx Borough	179	1	.....	.....	.....	.....	.....	3	.....	.....	59	4	6
3	Brooklyn Borough	562	3	1	.....	6	2	9	5	9	2	87	16	10
4	Manhattan Borough	1,505	5	1	.....	5	3	15	17	5	4	329	48	30
5	Queens Borough	98	3	.....	.....	.....	.....	.....	1	1	.....	13	4	2
6	Richmond Borough	29	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	1	.....
7	Newburgh	476	14	.....	.....	.....	2	3	3	3	1	44	7	20
8	Niagara Falls	464	26	.....	.....	3	5	.....	7	2	3	35	7	11
9	North Tonawanda	161	6	.....	.....	1	3	1	7	1	.....	8	.....	11
10	Ogdensburg	412	4	.....	.....	4	.....	1	3	2	5	45	6	24
11	Olean	208	2	.....	.....	.....	4	2	1	1	2	8	2	13
12	Oswego	335	5	.....	.....	.....	.....	7	.....	2	2	21	5	23
13	Peekskill	230	2	.....	.....	2	.....	2	.....	1	2	16	6	12
14	Plattsburg	197	4	.....	.....	2	.....	3	2	1	4	17	4	13
15	Port Jervis	183	2	.....	.....	.....	.....	2	.....	4	1	10	1	8
16	Poughkeepsie	512	6	.....	.....	3	2	7	7	2	2	34	6	38
17	Rochester	3,064	20	1	.....	43	19	27	20	10	12	288	49	188
18	Rome	348	5	.....	.....	2	2	13	2	5	2	30	5	16
19	Saratoga Springs	240	.....	.....	.....	.....	.....	1	.....	5	.....	17	2	17
20	Schenectady	853	9	.....	.....	2	20	6	8	3	5	86	17	33
21	Syracuse	1,947	15	1	.....	.....	16	32	26	10	8	149	23	120
22	Troy	1,484	17	.....	.....	1	6	10	5	10	14	183	16	98
23	Utica	1,268	11	.....	.....	13	8	6	7	4	11	123	28	58
24	Watertown	423	11	1	.....	.....	1	8	2	5	5	29	8	25
25	Watervliet	228	1	1	.....	1	.....	4	.....	5	4	28	4	7
26	Yonkers	1,117	6	6	.....	9	25	5	18	3	6	108	26	52
	NORTH CAROLINA.[1]													
27	Raleigh (total)	468	5	9	.....	4	1	2	1	2	5	72	3	9
28	White	224	5	7	.....	3	1	1	1	2	3	19	1	4
29	Colored	244	.....	2	.....	1	.....	1	.....	.....	2	53	2	5
30	Wilmington (total)	539	20	8	.....	.....	1	.....	.....	.....	7	61	5	13
31	White	214	14	2	.....	.....	1	.....	.....	.....	3	14	2	10
32	Colored	325	6	6	.....	.....	.....	.....	.....	.....	4	47	3	3
	OHIO.													
33	Akron	652	20	.....	.....	1	9	1	14	15	4	42	11	36
34	Alliance	183	6	.....	.....	2	.....	.....	2	4	3	22	3	4
35	Ashtabula	230	7	.....	1	1	.....	6	1	.....	.....	22	4	11
36	Bellaire	207	6	.....	.....	12	.....	5	13	2	1	24	5	3
37	Cambridge	117	3	.....	.....	1	.....	.....	.....	.....	.....	16	6	9
38	Canton	490	10	.....	.....	2	12	2	9	1	.....	33	7	25
39	Chillicothe	267	22	.....	.....	.....	.....	.....	6	5	3	35	3	11
40	Cincinnati (total)	5,938	48	5	2	1	17	22	41	75	41	844	135	365
41	White	5,386	45	4	2	1	15	17	37	72	38	698	122	350
42	Colored	552	3	1	.....	.....	2	5	4	3	3	146	13	15
43	Cleveland	6,975	72	2	.....	53	31	39	70	37	46	592	112	373
44	Columbus	2,365	33	1	.....	16	2	5	9	9	17	262	56	173
45	Dayton	1,549	27	2	1	11	3	6	11	15	10	192	32	119
46	East Liverpool	255	13	.....	.....	5	.....	3	3	1	1	30	2	4
47	Elyria	185	4	1	.....	.....	.....	1	.....	.....	1	10	3	10
48	Findlay	214	7	.....	.....	.....	.....	.....	5	2	2	24	5	15
49	Fremont	127	2	.....	.....	.....	.....	.....	3	1	.....	9	3	13
50	Hamilton	446	9	.....	.....	.....	.....	1	4	3	1	45	10	18
51	Ironton	189	4	.....	.....	.....	.....	3	1	.....	4	21	4	9
52	Lancaster	131	2	.....	.....	.....	.....	.....	.....	2	.....	14	2	10
53	Lima	384	6	1	.....	.....	1	3	.....	5	6	31	9	12
54	Lorain	420	9	.....	.....	8	.....	5	25	2	6	21	6	18
55	Mansfield	289	19	1	.....	1	3	2	.....	1	2	23	2	18
56	Marietta	174	3	2	.....	.....	.....	5	.....	.....	1	21	3	8
57	Marion	203	2	1	.....	1	1	.....	1	5	1	14	4	9
58	Massillon	159	2	.....	.....	.....	2	1	2	2	2	14	5	7
59	Middletown	167	1	.....	.....	6	.....	2	3	4	2	11	9	8
60	Newark	272	6	1	.....	.....	.....	.....	2	7	1	31	8	23
61	Piqua	167	3	1	.....	.....	.....	1	1	1	1	16	3	14
62	Portsmouth	282	11	2	.....	.....	.....	.....	3	3	5	54	5	12
63	Sandusky	231	8	.....	.....	2	.....	1	.....	2	1	19	5	20
64	Springfield (total)	562	7	.....	.....	.....	.....	4	9	5	8	60	6	25
65	White	474	6	.....	.....	.....	.....	2	9	4	7	46	4	22
66	Colored	88	1	.....	.....	.....	.....	2	.....	1	1	14	2	3
67	Steubenville	395	15	.....	.....	5	.....	2	21	6	.....	24	1	10
68	Tiffin	152	1	.....	.....	.....	2	1	.....	2	5	11	2	10
69	Toledo	2,414	69	3	.....	13	14	7	32	15	21	292	30	144
70	Warren	103	5	.....	.....	1	.....	.....	.....	.....	1	9	1	8
71	Wellston	93	5	.....	.....	.....	1	.....	2	2	3	12	3	2
72	Xenia	136	4	.....	.....	2	.....	4	.....	5	.....	11	4	8
73	Youngstown	1,142	26	3	.....	32	10	23	16	5	8	66	9	41
74	Zanesville	354	12	.....	.....	.....	.....	2	1	9	1	38	7	15

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909—Continued.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	7	19	125	236	183	266	131	12	63	202	20	145	12	91	28	118	.....	1
.....	.....	.....	15	18	13	8	7	1	5	20	1	4	.....	3	2	9	.....	2
.....	2	4	39	69	49	66	40	1	14	34	4	23	1	27	2	37	.....	3
.....	5	13	68	131	117	179	75	9	39	133	14	109	10	55	21	65	.....	4
.....	.....	2	3	15	4	9	8	.....	3	8	1	9	1	4	1	6	.....	5
.....	.....	.....	.....	3	.....	4	1	1	2	7	.....	.....	.....	2	2	1	.....	6
.....	1	13	46	70	38	19	14	5	27	50	7	22	7	22	8	30	.....	7
.....	3	9	30	45	37	26	37	7	17	22	4	31	10	44	8	35	.....	9
1	1	.....	18	14	18	11	14	.....	8	9	1	3	3	15	2	5	.....	8
.....	2	6	51	71	38	36	10	20	14	15	3	11	1	16	6	18	.....	10
.....	.....	10	23	21	15	7	10	6	15	11	4	13	5	17	2	14	.....	11
.....	4	4	39	48	16	7	19	3	26	28	1	20	2	24	6	23	.....	12
.....	3	4	20	23	13	12	24	2	11	24	6	20	.....	15	2	8	.....	13
.....	1	3	25	24	9	12	16	2	7	8	1	16	1	12	3	7	.....	14
.....	3	1	15	29	21	9	2	4	18	17	1	3	2	15	1	14	.....	15
.....	5	7	58	82	36	25	20	9	27	37	1	19	8	35	7	29	.....	16
2	40	30	333	459	166	209	181	38	190	227	39	46	45	162	24	195	1	17
1	3	3	40	46	22	16	16	3	19	25	3	11	2	27	9	20	.....	18
.....	4	3	32	47	10	14	4	2	15	30	6	4	2	16	1	8	.....	19
.....	14	12	56	101	61	54	82	11	47	57	9	42	10	50	10	48	.....	20
.....	19	13	172	338	103	75	153	18	105	126	20	102	20	126	16	141	.....	21
2	12	29	155	237	98	58	49	18	90	101	14	60	7	80	39	75	.....	22
.....	13	21	119	163	78	66	103	12	83	87	12	59	9	76	6	92	.....	23
.....	2	3	42	65	17	22	21	5	36	15	6	13	6	33	6	36	.....	24
.....	4	2	26	32	21	22	14	1	13	15	.....	6	.....	11	.....	6	.....	25
.....	5	13	57	107	91	94	149	9	57	78	17	50	9	76	1	40	.....	26
2	3	5	56	42	36	13	19	17	28	21	3	22	3	17	18	39	11	27
.....	3	3	35	20	8	6	10	12	12	16	2	9	3	6	5	26	1	28
2	.....	2	21	22	28	7	9	5	16	5	1	13	.....	11	13	13	10	29
2	1	7	60	63	20	10	49	5	35	29	12	33	4	25	20	42	1	30
.....	1	1	23	22	10	3	21	2	14	18	4	16	2	7	5	16	.....	31
.....	.....	6	37	41	10	7	28	3	21	11	8	17	2	18	15	26	1	32
.....	2	4	45	79	43	34	33	7	46	37	9	42	13	63	.....	42	.....	33
.....	1	3	17	17	14	4	10	5	12	3	3	9	.....	18	2	17	2	34
.....	4	4	27	16	17	7	17	2	13	8	1	12	4	28	1	16	.....	35
.....	.....	2	9	17	25	9	18	.....	12	5	1	13	4	12	2	7	.....	36
1	.....	1	15	9	4	.....	8	1	13	6	3	3	.....	14	.....	4	.....	37
1	7	12	56	72	34	18	29	5	25	25	7	22	2	41	7	25	1	38
.....	1	1	29	35	17	2	7	5	15	15	3	17	2	12	3	18	.....	39
1	41	65	444	732	362	336	282	64	352	513	52	221	64	401	49	358	5	40
1	41	58	421	678	310	309	252	61	334	471	50	201	64	357	45	329	3	41
.....	.....	7	23	54	52	27	30	3	18	42	2	20	.....	44	4	29	2	42
6	66	56	525	843	363	487	731	64	403	466	80	336	121	512	18	467	4	43
.....	13	29	245	347	113	126	83	14	176	137	25	94	40	138	13	189	.....	44
.....	12	23	115	183	75	86	76	9	106	90	22	66	28	114	7	108	.....	45
.....	2	6	19	15	22	10	17	3	20	16	2	20	2	16	4	19	.....	46
.....	3	5	16	21	14	10	15	1	10	10	1	11	4	19	1	13	1	47
.....	4	2	23	40	4	14	5	2	12	10	.....	14	.....	8	.....	16	.....	48
2	1	3	12	15	1	4	5	1	12	4	2	4	1	9	1	19	.....	49
.....	1	9	51	47	27	23	12	3	26	29	6	34	12	36	10	29	.....	50
.....	4	1	16	22	15	14	10	6	6	9	3	7	1	17	5	7	.....	51
.....	3	2	17	20	11	3	4	3	9	7	1	8	.....	5	.....	8	.....	52
.....	3	9	36	43	26	9	14	1	36	24	4	30	6	36	3	30	.....	53
.....	2	9	17	21	29	13	68	8	23	10	6	23	6	50	1	34	.....	54
2	6	3	26	39	17	15	14	5	14	18	2	8	7	21	1	18	1	55
.....	3	3	15	29	2	4	6	3	10	10	4	15	4	10	1	12	.....	56
1	1	4	24	20	8	6	15	2	16	16	3	10	.....	19	2	17	.....	57
.....	3	.....	25	12	9	8	2	.....	16	4	2	13	3	11	.....	14	.....	58
.....	.....	3	17	11	13	4	3	1	10	18	3	10	1	14	2	11	.....	59
1	3	.....	22	32	14	14	9	2	18	14	6	13	2	19	.....	23	1	60
.....	4	1	24	25	7	4	3	1	12	14	3	9	1	8	1	8	1	61
1	4	4	22	27	11	18	14	4	14	8	2	21	.....	21	2	14	.....	62
.....	4	2	21	34	4	11	7	1	20	11	3	6	5	21	1	22	.....	63
.....	6	14	62	82	29	13	16	3	44	51	3	21	1	27	13	50	3	64
.....	6	11	52	70	18	9	16	2	42	46	2	18	1	22	10	47	2	65
.....	.....	3	10	12	11	4	.....	1	2	5	1	3	.....	5	3	3	1	66
.....	5	3	21	37	32	11	27	9	29	11	4	23	3	58	10	28	.....	67
.....	3	2	16	36	4	8	8	4	2	6	1	8	1	9	2	8	.....	68
2	16	22	275	301	114	134	117	36	135	112	28	93	42	152	15	179	1	69
.....	1	1	10	12	5	5	.....	.....	9	10	.....	3	2	9	1	10	.....	70
.....	.....	3	11	10	7	2	7	2	3	2	.....	4	.....	7	1	4	.....	71
1	.....	.....	11	23	9	6	5	4	10	5	2	3	2	6	.....	10	1	72
2	6	16	62	91	80	90	142	14	62	40	13	52	8	134	1	84	6	73
.....	6	3	33	45	15	20	11	6	23	20	7	17	4	33	4	22	.....	74

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
	OREGON.[1]													
1	Portland (total)	1,878	42	2	.....	8	20	3	20	10	22	156	41	126
2	White	1,799	37	2	.....	8	19	2	20	10	19	135	40	121
3	Colored[2]	79	5	.....	.....	.....	1	1	.....	.....	3	21	1	5
	PENNSYLVANIA.													
4	Allentown	750	26	.....	.....	.....	19	1	24	5	4	62	11	37
5	Altoona	604	18	.....	.....	2	2	7	4	3	2	33	9	31
6	Beaver Falls	138	2	.....	.....	2	1	.....	2	2	1	14	2	6
7	Braddock	412	10	.....	.....	4	45	6	13	1	4	16	5	4
8	Bradford	207	4	.....	.....	.....	2	4	6	3	1	11	.....	13
9	Butler	258	6	.....	.....	.....	7	5	2	.....	.....	17	7	9
10	Carbondale	268	5	.....	.....	2	4	2	7	3	3	13	1	7
11	Carlisle (total)	161	.....	.....	.....	1	.....	.....	1	4	1	15	4	9
12	White	137	.....	.....	.....	1	.....	.....	1	4	1	10	4	7
13	Colored	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	2
14	Chambersburg	198	3	.....	.....	1	.....	1	4	.....	.....	15	4	11
15	Chester (total)	603	8	1	.....	3	1	2	6	3	3	61	5	21
16	White	474	7	1	.....	2	1	2	5	3	3	39	3	20
17	Colored	129	1	.....	.....	1	.....	.....	1	.....	.....	22	2	1
18	Columbia	150	3	.....	.....	.....	.....	.....	5	.....	1	8	3	7
19	Danville	121	4	1	.....	.....	2	.....	3	1	2	12	.....	10
20	Dubois	109	4	.....	.....	1	.....	1	2	.....	1	8	2	3
21	Dunmore	295	1	.....	.....	7	1	3	5	.....	.....	16	1	5
22	Duquesne	247	4	.....	.....	10	3	13	6	.....	1	11	4	5
23	Easton	430	9	.....	.....	.....	2	1	7	3	3	25	11	22
24	Erie	1,011	19	1	.....	32	2	28	9	.....	4	57	12	47
25	Harrisburg	893	18	.....	.....	5	2	4	27	12	3	73	6	55
26	Hazleton	368	5	.....	.....	8	4	1	3	1	1	22	7	15
27	Homestead	267	2	.....	.....	16	1	2	2	1	.....	21	3	7
28	Johnstown	853	28	.....	.....	8	38	6	21	2	6	61	13	24
29	Lancaster	647	12	.....	.....	1	1	5	5	5	4	51	15	37
30	Lebanon	317	13	1	.....	.....	.....	.....	2	4	3	21	1	18
31	McKeesport	707	18	.....	.....	.....	6	15	14	1	4	39	4	28
32	Mahanoy City	264	1	.....	.....	2	.....	.....	6	.....	5	8	.....	2
33	Meadville	207	4	.....	.....	1	1	1	1	2	1	11	1	15
34	Mount Carmel	240	.....	.....	.....	8	.....	1	17	3	3	8	1	4
35	Nanticoke	276	1	.....	.....	11	5	.....	10	1	2	8	3	4
36	New Castle	511	14	.....	.....	4	.....	12	5	4	4	32	9	17
37	Norristown	599	10	.....	.....	3	1	.....	1	9	7	64	11	26
38	Oil City	199	4	.....	.....	1	2	1	.....	.....	.....	13	1	9
39	Philadelphia (total)	25,029	341	8	.....	231	147	122	511	184	128	2,889	407	1,325
40	White	22,914	312	7	.....	227	146	104	485	174	120	2,463	355	1,279
41	Colored	2,115	29	1	.....	4	1	18	26	10	8	426	52	46
42	Phoenixville	163	3	.....	.....	4	1	2	2	.....	1	7	.....	12
43	Pittsburgh (total)	8,343	130	.....	.....	44	70	68	82	68	44	576	153	367
44	White	7,823	122	.....	.....	43	67	57	82	65	43	492	131	358
45	Colored	520	8	.....	.....	1	3	11	.....	3	1	84	22	9
46	Pittston	323	1	.....	.....	.....	34	3	21	.....	2	12	2	3
47	Plymouth	236	.....	1	.....	4	6	2	8	1	6	3	2	8
48	Pottstown	208	8	.....	.....	.....	1	.....	4	3	1	11	4	8
49	Pottsville	349	4	.....	.....	.....	2	1	3	4	1	21	9	15
50	Reading	1,310	35	.....	.....	2	10	7	25	13	8	89	11	55
51	Scranton	2,081	21	1	.....	22	65	9	41	18	23	108	23	70
52	Shamokin	250	3	.....	.....	17	7	.....	4	.....	6	23	.....	8
53	Sharon	207	5	.....	.....	1	9	.....	2	2	3	19	2	3
54	Shenandoah	455	.....	.....	.....	6	3	5	8	.....	6	19	.....	4
55	South Bethlehem	314	2	.....	.....	11	.....	8	2	1	4	21	3	6
56	Steelton (total)	183	2	.....	.....	4	2	1	11	4	1	19	1	3
57	White	162	2	.....	.....	4	2	1	11	3	1	14	.....	3
58	Colored	21	.....	.....	.....	.....	.....	.....	.....	1	.....	5	1	.....
59	Sunbury	160	9	1	.....	.....	.....	.....	5	2	1	10	2	6
60	Titusville	128	3	1	.....	.....	3	2	.....	.....	.....	8	.....	11
61	Warren	142	3	.....	.....	.....	1	.....	.....	.....	2	11	.....	10
62	West Chester (total)	198	4	1	.....	.....	.....	1	4	5	1	23	7	10
63	White	151	1	.....	.....	.....	.....	1	4	4	1	17	6	8
64	Colored	47	3	1	.....	.....	.....	.....	.....	1	.....	6	1	2
65	Wilkes-Barre	1,022	9	1	.....	12	9	6	21	4	2	59	13	54
66	Wilkinsburg	253	7	.....	.....	.....	2	3	3	5	.....	9	3	17
67	Williamsport	501	10	1	.....	1	1	5	5	1	5	42	6	32
68	York	577	6	.....	.....	2	.....	1	14	4	3	51	16	41

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909—Continued.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis. Under 2 years.	Diarrhea and enteritis. 2 years and over.	Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
1	22	20	158	272	72	63	92	16	111	98	29	87	40	148	21	178	.....	1
1	21	20	155	260	66	62	92	15	111	93	27	85	40	144	21	173	.....	2
.....	1	.....	3	12	6	1	.....	1	.....	5	2	2	.....	4	.....	5	.....	3
.....	10	7	82	72	41	25	57	2	43	41	11	52	7	53	24	34	.....	4
.....	12	5	62	70	53	26	24	5	34	28	11	45	7	52	9	50	.....	5
.....	.....	2	5	13	11	4	14	2	8	7	1	5	1	13	3	17	.....	6
.....	2	1	22	11	27	50	69	9	25	12	7	16	1	32	2	18	.....	7
.....	3	1	15	34	15	7	4	2	6	11	5	11	6	16	2	25	.....	8
1	1	1	30	18	24	9	27	1	13	12	5	13	4	20	11	15	.....	9
.....	1	2	22	33	29	12	16	4	11	12	5	19	.....	28	8	19	.....	10
.....	.....	2	15	33	13	6	6	1	10	9	.....	6	1	6	2	16	.....	11
.....	.....	2	14	29	11	5	5	1	10	7	.....	5	1	6	2	11	.....	12
.....	.....	.....	1	4	2	1	1	.....	.....	2	.....	1	.....	.....	.....	5	.....	13
.....	1	2	22	22	13	8	7	4	15	20	1	1	4	16	6	17	.....	14
1	5	8	56	60	42	46	65	8	40	42	9	29	4	33	15	26	.....	15
.....	5	6	51	44	34	34	48	4	32	34	8	22	4	28	12	22	.....	16
1	.....	2	5	16	8	12	17	4	8	8	1	7	.....	5	3	4	.....	17
.....	1	4	17	27	7	2	6	1	7	8	4	7	.....	13	4	15	.....	18
.....	.....	1	18	23	4	4	7	2	7	5	.....	8	.....	3	3	1	.....	19
.....	1	1	14	10	1	9	6	1	4	9	.....	9	2	9	3	7	1	20
.....	2	2	53	16	45	19	33	3	4	10	2	25	3	22	6	11	.....	21
.....	.....	2	9	9	26	15	43	.....	10	3	2	27	4	24	8	8	.....	22
1	4	1	55	50	15	27	23	3	29	27	4	16	13	43	9	27	.....	23
.....	7	7	75	147	49	58	83	5	83	65	14	48	16	91	4	48	.....	24
.....	8	9	91	107	57	54	35	5	45	59	8	45	15	65	18	66	1	25
.....	2	2	29	32	19	37	48	5	21	26	3	17	2	39	1	18	.....	26
.....	.....	4	12	12	20	31	62	2	8	13	2	19	4	11	2	10	.....	27
.....	3	9	72	42	80	34	103	7	42	34	8	44	4	94	24	37	9	28
.....	6	3	81	101	35	42	31	9	35	53	5	23	9	31	1	46	.....	29
.....	5	1	49	20	25	18	14	5	23	10	3	17	4	21	22	17	.....	30
.....	2	10	40	49	53	52	87	6	53	28	7	39	13	87	17	35	.....	31
.....	1	1	28	20	21	29	24	2	32	10	3	17	1	20	19	12	.....	32
.....	1	7	16	35	15	8	3	1	18	23	1	8	1	7	4	21	.....	33
.....	2	4	17	14	19	15	42	3	7	7	5	19	1	18	6	16	.....	34
.....	.....	1	19	10	29	21	54	4	9	7	8	25	1	36	1	6	.....	35
1	3	2	31	29	44	32	36	2	44	24	12	28	5	49	11	38	19	36
.....	4	3	71	108	22	47	30	5	24	58	12	18	2	33	2	27	1	37
.....	5	12	7	28	15	5	16	3	12	19	3	13	3	14	3	10	.....	38
6	241	107	1,806	3,261	1,356	1,608	1,791	190	1,186	2,429	279	1,123	250	1,306	390	1,403	4	39
6	231	100	1,701	3,041	1,206	1,437	1,624	179	1,117	2,266	247	1,006	245	1,203	337	1,293	3	40
.....	10	7	105	220	150	171	167	11	69	163	32	117	5	103	53	110	1	41
.....	.....	1	20	16	19	9	13	1	8	7	2	9	1	16	5	4	.....	42
3	54	58	556	713	745	932	735	94	502	397	111	444	104	657	117	518	1	43
3	49	56	526	676	680	882	706	90	476	356	104	416	103	638	112	489	1	44
.....	5	2	30	37	65	50	29	4	26	41	7	28	1	19	5	29	.....	45
.....	3	1	23	24	30	29	24	2	19	14	6	7	1	35	11	16	.....	46
.....	.....	2	20	19	11	27	38	2	11	9	4	15	2	22	5	8	.....	47
.....	2	2	32	29	17	4	7	3	13	13	2	7	.....	22	5	10	.....	48
.....	2	3	34	41	30	8	22	5	26	28	8	9	4	51	1	17	.....	49
2	17	18	170	150	65	83	56	14	95	98	19	46	17	80	33	92	.....	50
.....	17	16	168	146	136	184	269	25	137	97	33	97	13	239	13	90	.....	51
.....	1	1	22	14	18	10	15	4	16	13	4	19	2	17	9	17	.....	52
1	2	.....	18	21	4	16	13	2	16	7	5	14	1	18	8	15	.....	53
.....	1	5	35	18	39	38	110	2	31	11	4	28	.....	36	23	23	.....	54
.....	1	2	21	15	46	33	46	1	13	11	3	19	2	20	5	18	.....	55
.....	1	2	14	18	17	4	31	.....	3	6	.....	10	3	11	3	12	.....	56
.....	1	2	14	14	13	3	31	.....	2	6	.....	9	3	11	2	10	.....	57
.....	.....	.....	.....	4	4	1	.....	.....	1	.....	.....	1	.....	.....	1	2	.....	58
.....	.....	2	17	23	6	7	6	.....	11	7	3	8	1	15	3	15	.....	59
.....	1	1	16	20	3	5	6	2	7	9	3	7	.....	7	.....	13	.....	60
1	3	.....	14	19	11	9	3	.....	14	9	5	5	1	8	.....	13	.....	61
.....	2	2	16	33	12	6	10	3	10	13	2	4	.....	16	1	12	.....	62
.....	2	1	15	27	12	5	5	2	9	8	.....	3	.....	13	.....	7	.....	63
.....	.....	1	1	6	.....	1	5	1	1	5	2	1	.....	3	1	5	.....	64
.....	10	15	87	92	63	75	73	5	65	64	19	48	9	129	21	53	4	65
.....	3	3	19	26	17	27	14	3	23	16	4	13	4	13	1	18	.....	66
.....	5	5	58	71	36	23	16	4	37	23	5	22	4	36	6	41	.....	67
1	4	2	67	77	25	29	43	15	39	38	14	19	8	18	.....	40	.....	68

[2] Chiefly Chinese and Japanese.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
	RHODE ISLAND.													
1	Central Falls	370	2	1	.....	11	6	1	8	3	4	25	4	9
2	Cranston town	529	6	1	.....	1	.....	2	1	5	4	95	9	21
3	Cumberland town	134	1	.....	.....	.....	1	2	.....	7	4	9	2	12
4	East Providence town	209	1	.....	.....	.....	.....	2	.....	.....	2	24	4	15
5	Lincoln town	119	1	.....	.....	1	1	.....	2	.....	.....	13	.....	11
6	Newport	387	1	.....	.....	.....	6	3	1	.....	1	38	8	14
7	Pawtucket	757	5	.....	.....	3	5	10	8	10	6	58	14	33
8	Providence	3,535	25	3	.....	41	10	24	58	23	25	302	73	222
9	Warwick town	431	7	1	.....	1	.....	2	4	2	3	99	5	19
10	Woonsocket	490	7	2	.....	3	1	.....	9	3	5	59	13	21
	SOUTH CAROLINA.[1]													
11	Charleston (total)	1,508	33	7	.....	5	.....	9	5	1	5	160	8	29
12	White	436	13	.....	.....	4	.....	2	4	.....	.....	23	2	15
13	Colored	1,072	20	7	.....	1	.....	7	1	1	5	137	6	14
	SOUTH DAKOTA.													
14	Sioux Falls	148	6	.....	.....	.....	3	.....	3	.....	1	10	4	7
	TENNESSEE.[1]													
15	Knoxville (total)	644	27	.....	.....	5	.....	6	4	7	8	82	15	23
16	White	424	16	.....	.....	5	.....	6	4	5	7	46	8	18
17	Colored	220	11	.....	.....	.....	.....	.....	.....	2	1	36	7	5
18	Memphis (total)	2,348	57	114	2	.....	10	4	24	25	21	271	18	60
19	White	1,112	30	39	1	.....	9	2	21	8	10	103	6	44
20	Colored	1,236	27	75	1	.....	1	2	3	17	11	168	12	16
21	Nashville (total)	1,987	57	23	.....	.....	7	9	13	35	24	212	48	72
22	White	1,030	36	7	.....	.....	6	4	13	9	10	92	26	51
23	Colored	957	21	16	.....	.....	1	5	.....	26	14	120	22	21
	TEXAS.[1]													
24	Galveston (total)	599	20	3	.....	.....	.....	.....	3	4	8	60	7	26
25	White	430	13	2	.....	.....	.....	.....	2	4	6	39	3	23
26	Colored	169	7	1	.....	.....	.....	.....	1	.....	2	21	4	3
27	San Antonio (total)	1,893	38	18	.....	1	.....	9	4	67	22	348	24	60
28	White	1,682	37	15	.....	.....	.....	5	4	62	19	294	21	54
29	Colored	211	1	3	.....	1	.....	4	.....	5	3	54	3	6
	UTAH.[1]													
30	Ogden	293	10	.....	.....	.....	4	1	1	6	1	12	1	13
31	Salt Lake City	1,266	43	.....	3	1	46	17	24	4	7	59	8	66
	VERMONT.													
32	Barre	132	3	.....	.....	7	1	.....	.....	2	2	19	6	5
33	Bennington town	110	.....	.....	.....	.....	.....	.....	.....	2	.....	8	4	7
34	Burlington	450	4	.....	.....	17	.....	1	2	2	2	28	12	22
35	Rutland	210	3	.....	.....	1	.....	.....	.....	4	2	16	.....	13
	VIRGINIA.[1]													
36	Alexandria (total)	323	8	.....	.....	1	2	2	3	2	3	33	1	10
37	White	167	7	.....	.....	.....	2	1	2	.....	.....	18	.....	6
38	Colored	156	1	.....	.....	1	.....	1	1	2	3	15	1	4
39	Danville (total)	337	5	3	.....	9	.....	1	2	1	11	43	4	15
40	White	171	5	2	.....	5	.....	.....	1	1	9	25	1	13
41	Colored	166	.....	1	.....	4	.....	1	1	.....	2	18	3	2
42	Lynchburg (total)	415	10	1	.....	.....	1	2	3	2	3	63	8	15
43	White	200	4	1	.....	.....	1	.....	2	.....	.....	26	6	9
44	Colored	215	6	.....	.....	.....	.....	2	1	2	3	37	2	6
45	Manchester (total)	170	9	.....	.....	.....	.....	3	3	1	1	22	2	6
46	White	95	3	.....	.....	.....	.....	1	3	1	1	15	1	5
47	Colored	75	6	.....	.....	.....	.....	2	.....	.....	.....	7	1	1
48	Norfolk (total)	1,427	39	21	17	.....	12	4	8	11	12	198	22	50
49	White	640	23	8	3	.....	11	.....	5	3	8	61	12	38
50	Colored	787	16	13	14	.....	1	4	3	8	4	137	10	12
51	Petersburg (total)	624	17	16	.....	4	.....	18	1	16	11	62	10	18
52	White	234	10	1	.....	4	.....	9	1	3	3	21	5	10
53	Colored	390	7	15	.....	.....	.....	9	.....	13	8	41	5	8
54	Richmond (total)	2,405	28	9	.....	1	1	13	9	15	24	243	50	92
55	White	1,201	18	5	.....	1	1	5	9	5	17	99	28	67
56	Colored	1,204	10	4	.....	.....	.....	8	.....	10	7	144	22	25

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909—Continued.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	3	9	29	32	17	25	71	8	9	18	6	19	4	18	5	23	.....	1
.....	8	4	84	98	27	10	10	14	17	43	1	7	2	19	7	33	.....	2
.....	2	1	13	16	15	3	9	2	8	6	.....	3	.....	6	4	8	.....	3
.....	3	3	17	24	15	12	18	1	13	9	.....	13	4	9	4	16	.....	4
.....	1	6	9	11	6	2	14	2	3	10	3	7	.....	10	4	2	.....	5
2	4	1	48	63	22	20	21	3	16	26	6	22	2	19	7	32	1	6
.....	9	8	65	120	53	50	50	8	33	68	11	38	6	42	16	28	.....	7
.....	38	26	264	461	276	206	214	27	198	263	32	206	36	220	55	205	2	8
.....	4	6	35	31	31	19	44	1	13	27	3	21	2	23	3	25	.....	9
.....	2	1	31	27	38	44	82	7	14	34	5	24	5	21	18	13	1	10
1	4	9	155	208	59	45	111	50	74	179	21	126	.....	58	50	96	.....	11
.....	4	4	33	72	17	10	24	13	34	69	10	21	.....	15	6	41	.....	12
1	.....	5	122	136	42	35	87	37	40	110	11	105	.....	43	44	55	.....	13
.....	.....	5	13	7	8	10	3	.....	3	12	3	13	1	12	4	15	.....	14
.....	3	14	40	49	48	24	31	10	53	35	4	35	7	62	5	44	3	15
.....	3	12	28	30	22	14	18	9	35	24	2	26	7	46	3	27	3	16
.....	.....	2	12	19	26	10	13	1	18	11	2	9	.....	16	2	17	.....	17
4	4	30	152	189	139	96	67	37	177	162	31	74	38	234	106	181	21	18
1	3	21	70	102	45	40	41	15	94	106	11	36	30	82	40	92	10	19
3	1	9	82	87	94	56	26	22	83	56	20	38	8	152	66	89	11	20
1	7	30	158	258	154	84	121	40	130	85	28	73	14	116	39	149	.....	21
1	7	14	68	125	63	36	66	27	83	46	14	40	13	72	21	80	.....	22
.....	.....	16	90	133	91	48	55	13	47	39	14	33	1	44	18	69	.....	23
.....	3	5	56	71	18	19	26	13	56	54	4	31	10	52	7	40	3	24
.....	3	4	43	50	11	15	22	9	33	37	2	29	9	40	4	26	1	25
.....	.....	1	13	21	7	4	4	4	23	17	2	2	1	12	3	14	2	26
2	14	28	134	116	62	63	200	32	115	83	18	125	15	86	60	148	1	27
2	14	28	123	108	53	60	184	31	102	72	17	111	15	77	46	127	1	28
.....	.....	.....	11	8	9	3	16	1	13	11	1	14	.....	9	14	21	.....	29
.....	4	2	29	35	20	13	18	5	20	12	4	26	7	20	11	18	.....	30
1	11	15	69	113	101	87	48	8	93	79	8	73	20	120	40	101	1	31
.....	1	4	8	11	9	10	6	.....	10	8	1	5	.....	6	.....	7	1	32
.....	1	2	15	25	9	6	4	1	1	11	2	4	.....	1	.....	7	.....	33
.....	3	6	37	41	26	37	66	.....	25	16	10	30	4	20	1	38	.....	34
.....	4	2	13	36	21	6	13	1	18	14	3	8	3	8	1	19	1	35
.....	.....	6	39	25	36	22	11	2	15	30	3	5	1	12	27	23	1	36
.....	.....	5	18	15	17	10	5	1	7	19	1	2	1	4	13	12	1	37
.....	.....	1	21	10	19	12	6	1	8	11	2	3	.....	8	14	11	.....	38
.....	3	10	32	30	28	27	14	9	21	11	5	11	2	8	15	14	3	39
.....	3	7	11	13	9	3	7	6	11	8	1	7	1	3	11	8	.....	40
.....	.....	3	21	17	19	24	7	3	10	3	4	4	1	5	4	6	3	41
.....	1	1	56	31	33	18	40	9	19	18	1	17	.....	17	20	22	4	42
.....	.....	.....	21	23	19	4	18	6	13	10	1	5	.....	10	13	5	3	43
.....	1	1	35	8	14	14	22	3	6	8	.....	12	.....	7	7	17	1	44
.....	.....	.....	14	11	12	15	17	2	3	19	1	8	.....	8	5	7	1	45
.....	.....	.....	11	5	6	6	9	2	.....	8	.....	4	.....	3	4	6	1	46
.....	.....	.....	3	6	6	9	8	.....	3	11	1	4	.....	5	1	1	.....	47
.....	2	14	112	141	102	67	79	15	84	95	20	74	12	80	30	106	.....	48
.....	2	11	53	61	38	13	36	8	45	43	11	45	12	37	5	48	.....	49
.....	.....	3	59	80	64	54	43	7	39	52	9	29	.....	43	25	58	.....	50
.....	4	6	45	45	35	25	59	9	16	83	7	38	2	27	24	26	.....	51
.....	3	6	11	13	17	2	20	4	9	32	5	13	2	8	10	12	.....	52
.....	1	.....	34	32	18	22	39	5	7	51	2	25	.....	19	14	14	.....	53
2	11	19	282	218	120	173	147	38	153	176	32	146	9	144	83	163	4	54
1	7	13	138	126	39	53	69	27	89	95	14	55	9	72	35	103	1	55
1	4	6	144	92	81	120	78	11	64	81	18	91	.....	72	48	60	3	56

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
	WASHINGTON.													
1	Seattle	2,223	53	.....	.....	7	25	3	29	12	13	196	68	134
2	Spokane	1,249	43	1	.....	6	58	9	31	10	5	87	25	48
3	Tacoma	849	19	.....	.....	1	21	3	10	5	5	38	21	66
4	Walla Walla	224	15	.....	1	1	3	1	5	2	3	13	.....	23
	WEST VIRGINIA.[1]													
5	Wheeling	687	21	2	.....	9	.....	.....	11	1	3	65	15	36
	WISCONSIN.													
6	Appleton	209	1	.....	.....	.....	.....	.....	2	.....	3	21	3	12
7	Ashland	250	14	.....	.....	.....	2	2	2	1	3	24	3	12
8	Beloit	174	2	.....	.....	.....	.....	3	2	5	3	12	2	15
9	Chippewa Falls	152	1	.....	1	.....	.....	5	.....	.....	2	24	3	7
10	Eau Claire	264	7	.....	2	2	3	1	3	7	1	30	7	27
11	Fond du Lac	269	2	.....	.....	.....	2	4	4	.....	2	21	2	19
12	Green Bay	479	6	.....	.....	.....	6	.....	14	1	5	45	10	25
13	Janesville	218	3	.....	.....	.....	.....	.....	.....	3	3	12	2	19
14	Kenosha	253	7	.....	.....	5	1	.....	2	4	3	17	1	10
15	La Crosse	363	5	.....	.....	.....	2	.....	1	.....	1	37	3	28
16	Madison	288	2	2	.....	1	.....	1	2	5	3	20	3	13
17	Manitowoc	169	2	.....	.....	2	2	2	2	2	.....	10	3	10
18	Marinette	175	4	.....	.....	.....	2	.....	4	.....	.....	12	4	12
19	Merrill	108	6	.....	.....	.....	1	.....	6	.....	1	8	2	3
20	Milwaukee	4,938	77	1	1	82	200	29	115	22	20	362	49	259
21	Oshkosh	397	9	.....	.....	.....	.....	1	4	2	3	36	8	35
22	Racine	437	10	.....	.....	12	2	.....	6	8	2	48	9	25
23	Sheboygan	313	6	.....	2	.....	2	.....	13	.....	3	27	11	23
24	Stevens Point	135	2	.....	.....	.....	1	4	.....	5	1	11	1	12
25	Superior	403	12	.....	.....	.....	22	11	9	.....	1	38	9	18
26	Watertown	98	1	.....	.....	.....	.....	.....	1	.....	1	12	.....	5
27	Wausau	202	3	.....	.....	.....	8	1	1	1	2	16	5	15
	CALIFORNIA RURAL.[2]													
28	Alameda County	850	9	.....	.....	3	.....	8	8	5	7	121	18	63
29	Alpine County	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
30	Amador County	116	1	4	.....	.....	.....	.....	1	3	.....	15	2	3
31	Butte County	435	13	17	.....	.....	1	1	7	4	.....	39	5	23
32	Calaveras County	127	1	1	.....	.....	.....	.....	.....	2	.....	11	1	10
33	Colusa County	80	4	.....	.....	.....	.....	.....	2	3	.....	4	2	3
34	Contra Costa County	332	7	1	.....	5	2	9	2	4	.....	43	.....	12
35	Del Norte County	31	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	4
36	Eldorado County	125	.....	.....	.....	.....	.....	.....	.....	3	.....	14	2	10
37	Fresno County	489	6	6	.....	.....	2	.....	7	7	6	57	10	26
38	Glenn County	28	1	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1
39	Humboldt County	334	1	.....	.....	1	.....	2	8	2	1	32	1	26
40	Imperial County	40	1	.....	.....	.....	1	.....	.....	1	1	6	.....	1
41	Inyo County	36	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	4
42	Kern County	383	14	4	1	2	2	1	3	1	3	65	4	11
43	Kings County	161	5	2	.....	2	2	.....	3	.....	2	17	4	9
44	Lake County	71	4	.....	.....	.....	.....	3	.....	.....	.....	9	.....	3
45	Lassen County	42	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1
46	Los Angeles County	1,968	17	.....	1	5	2	10	12	14	4	383	39	131
47	Madera County	73	2	.....	.....	.....	.....	.....	.....	2	.....	7	1	5
48	Marin County	308	1	.....	.....	.....	.....	3	2	.....	2	34	9	9
49	Mariposa County	48	1	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	3
50	Mendocino County	317	3	1	.....	2	1	.....	1	4	3	32	4	12
51	Merced County	117	1	1	.....	.....	.....	1	.....	1	1	16	.....	8
52	Modoc County	32	2	.....	.....	1	.....	.....	2	1	.....	1	1	.....
53	Mono County	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
54	Monterey County	315	6	.....	.....	.....	.....	3	.....	2	2	24	12	24
55	Napa County	504	3	.....	.....	1	.....	1	1	2	2	46	3	21
56	Nevada County	228	1	.....	.....	.....	1	.....	2	5	1	28	.....	11
57	Orange County	355	7	.....	.....	1	3	5	3	6	4	37	12	17
58	Placer County	183	1	4	.....	.....	.....	.....	2	.....	1	22	2	10
59	Plumas County	79	4	.....	.....	1	.....	.....	.....	1	.....	7	.....	2
60	Riverside County	434	12	.....	.....	4	1	14	6	1	2	96	16	19
61	Sacramento County	391	13	3	.....	1	1	2	1	.....	2	61	6	25
62	San Benito County	77	1	1	1	.....	.....	.....	1	.....	.....	12	2	5
63	San Bernardino County	902	25	.....	.....	1	1	5	3	1	6	229	22	35
64	San Diego County	149	.....	.....	.....	.....	.....	.....	2	1	1	21	3	9
65	San Joaquin County	395	15	7	.....	2	.....	1	6	1	3	45	2	31
66	San Luis Obispo County	201	4	1	.....	.....	.....	4	1	2	1	34	2	5
67	San Mateo County	256	3	1	.....	.....	.....	1	3	.....	2	14	8	16
68	Santa Barbara County	348	7	3	.....	.....	1	3	4	7	2	28	6	22
69	Santa Clara County	755	5	1	.....	1	.....	2	5	7	.....	100	17	51
70	Santa Cruz County	385	6	1	.....	1	4	2	2	5	4	37	9	27
71	Shasta County	308	7	5	1	.....	.....	.....	5	2	5	38	8	17
72	Sierra County	30	.....	.....	.....	1	.....	1	.....	2	1	.....	.....	1

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909—Continued.

CAUSES OF DEATH—continued.																		
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
1	31	23	144	285	119	72	92	7	109	137	36	103	89	220	20	194	1	1
.....	13	22	80	119	103	35	62	4	95	79	21	57	16	102	14	104	.....	2
.....	9	11	44	102	55	26	31	6	60	59	13	52	16	63	7	56	.....	3
.....	4	8	18	20	6	3	7	3	19	11	4	15	1	16	3	19	.....	4
.....	3	16	42	62	53	31	33	7	54	39	7	40	6	54	5	71	1	5
1	3	2	11	24	11	4	6	4	14	14	1	15	2	12	13	29	1	6
1	.....	8	28	19	14	4	6	2	20	10	2	13	6	29	4	20	1	7
.....	1	3	21	17	14	4	7	1	14	13	2	8	.....	10	2	13	.....	8
.....	2	2	11	22	6	3	9	2	12	5	1	3	3	12	2	14	.....	9
.....	6	1	18	21	17	7	7	3	18	18	3	4	2	17	9	23	.....	10
3	1	3	35	30	15	13	19	1	18	13	.....	14	1	12	12	23	.....	11
2	2	17	44	31	41	11	26	2	43	29	6	27	3	27	14	42	.....	12
.....	.....	2	30	27	11	10	7	1	12	10	4	5	9	17	7	23	1	13
1	2	4	19	20	17	17	30	3	15	13	2	14	4	21	5	16	.....	14
.....	5	4	44	45	24	8	5	1	33	15	4	26	3	33	8	28	.....	15
1	1	3	34	27	15	12	5	7	24	13	3	15	9	32	4	31	.....	16
2	1	1	27	22	6	6	9	2	14	12	1	6	.....	6	6	12	1	17
.....	2	1	15	13	13	4	8	.....	15	9	1	22	2	8	4	20	.....	18
.....	1	1	9	8	10	5	4	1	9	7	1	7	2	7	2	7	.....	19
2	45	60	363	479	262	322	467	59	337	241	50	336	69	247	74	302	6	20
.....	3	1	40	50	28	13	25	7	30	18	3	18	3	25	11	24	.....	21
3	4	8	44	27	29	21	27	5	32	27	5	14	7	19	10	33	.....	22
.....	4	8	37	37	6	19	12	1	19	11	2	4	4	16	10	36	.....	23
1	.....	5	12	11	7	5	4	4	11	6	2	10	1	7	3	9	.....	24
.....	2	11	17	34	33	8	16	1	30	24	6	20	8	37	6	28	2	25
.....	1	.....	13	10	5	8	2	1	6	2	.....	3	2	7	7	11	.....	26
2	5	1	28	18	16	13	3	.....	6	12	5	13	.....	8	5	15	.....	27
1	8	14	56	170	48	42	34	2	30	54	5	26	17	43	9	48	1	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	29
.....	3	.....	11	19	4	5	3	.....	10	8	2	1	2	9	3	6	1	30
.....	9	6	34	44	28	10	7	4	29	20	5	12	5	65	6	41	.....	31
.....	1	1	17	14	6	5	3	1	3	4	.....	2	2	24	5	12	1	32
.....	1	.....	7	11	2	4	1	1	7	3	.....	3	3	10	1	8	.....	33
.....	5	3	27	38	20	8	20	1	12	13	1	11	6	63	1	17	1	34
.....	1	.....	1	8	.....	1	.....	.....	3	2	.....	.....	.....	5	.....	3	.....	35
.....	.....	.....	6	26	9	7	.....	2	7	10	.....	5	2	9	2	11	.....	36
1	6	11	32	64	26	17	28	5	31	29	7	16	9	34	4	42	.....	37
.....	.....	.....	1	10	.....	.....	.....	.....	2	2	.....	2	1	3	.....	2	.....	38
.....	7	3	32	43	7	17	7	.....	20	13	6	14	5	51	5	30	.....	39
.....	.....	.....	2	2	1	2	1	2	1	2	2	3	2	8	.....	1	.....	40
.....	.....	.....	4	5	1	1	.....	.....	6	3	.....	.....	.....	8	1	.....	.....	41
.....	2	3	19	30	20	8	13	2	26	19	4	9	7	77	6	27	.....	42
.....	1	3	11	20	6	4	6	1	12	4	2	8	3	15	4	15	.....	43
.....	.....	.....	7	9	2	1	1	.....	6	6	1	1	.....	9	.....	9	.....	44
.....	.....	1	3	3	9	.....	2	.....	5	3	.....	1	.....	3	.....	6	.....	45
3	33	19	193	299	83	66	54	20	95	124	16	51	29	133	11	119	2	46
.....	.....	2	5	11	5	1	2	1	5	6	.....	4	.....	7	1	6	.....	47
.....	5	8	24	56	15	15	8	1	20	14	4	12	9	30	.....	27	.....	48
.....	.....	1	4	3	4	1	1	.....	1	2	1	.....	.....	6	4	12	1	49
.....	3	3	61	39	24	7	7	7	21	21	3	9	7	29	3	10	.....	50
.....	.....	1	7	10	10	6	9	2	3	3	3	4	3	12	2	13	.....	51
.....	.....	.....	5	3	4	2	.....	.....	3	.....	.....	.....	1	2	2	2	.....	52
.....	.....	.....	.....	1	.....	1	.....	.....	2	1	.....	.....	.....	2	.....	.....	.....	53
.....	8	2	23	53	18	10	5	3	15	21	2	4	8	36	3	31	.....	54
.....	6	4	181	84	17	12	1	6	26	19	1	2	8	19	3	35	.....	55
.....	.....	.....	26	33	18	15	4	1	7	15	1	5	3	27	2	22	.....	56
.....	6	9	31	44	19	12	10	6	14	21	5	21	7	23	1	30	1	57
.....	1	.....	16	29	8	6	4	2	9	10	1	5	5	31	2	12	.....	58
.....	1	.....	8	10	5	1	1	.....	3	5	.....	.....	4	17	2	5	2	59
.....	7	5	33	47	16	17	15	2	25	18	2	13	1	26	6	28	2	60
.....	3	7	27	43	24	14	10	3	13	27	.....	7	10	42	7	39	.....	61
.....	2	.....	8	12	1	5	1	.....	7	9	.....	1	.....	6	.....	2	.....	62
.....	8	4	122	85	54	28	42	3	30	31	7	24	18	71	5	42	.....	63
.....	1	.....	16	28	6	5	2	1	9	10	1	3	1	15	1	13	.....	64
1	5	8	31	52	23	10	9	5	26	22	5	5	5	28	7	40	.....	65
.....	1	5	9	42	8	8	5	2	11	8	3	2	4	14	4	19	2	66
.....	4	3	34	33	20	11	6	2	11	17	2	4	9	26	.....	26	.....	67
.....	2	5	38	47	8	13	7	2	21	17	6	12	9	34	6	38	.....	68
1	7	12	82	128	36	34	20	6	32	52	7	23	18	53	5	50	.....	69
.....	4	6	40	69	12	12	8	3	20	20	4	11	10	27	4	36	1	70
.....	.....	.....	19	33	15	15	18	3	12	12	3	5	5	56	1	23	.....	71
.....	.....	.....	3	8	3	.....	.....	1	.....	.....	.....	.....	.....	3	1	5	.....	72

[2] Exclusive of cities having a population of 8,000 or over in 1900.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	CALIFORNIA RURAL[1]—Continued.													
1	Siskiyou County	191	4						3	3	1	15	2	3
2	Solano County	349	4				2	1	6	1	1	39	3	13
3	Sonoma County	611	9	3		9	1	5	2	2	3	70	10	31
4	Stanislaus County	196	6	2				1	1	1		29	5	6
5	Sutter County	53		1					2	1		5		3
6	Tehama County	187	5	3					4	3	2	29	1	8
7	Trinity County	32	3	1								3	1	1
8	Tulare County	291	10	1		2	1		3	2	1	32	1	14
9	Tuolumne County	133	7						1	5	1	9		5
10	Ventura County	219	5			1		1	2		2	32	4	13
11	Yolo County	194	2	3				2	3	4	1	11	3	10
12	Yuba County	148	3	4					4	4		21	2	7
	COLORADO RURAL.[1]													
13	Adams County	111	3				5	1				18	3	2
14	Arapahoe County	116	2					1			2	34	1	5
15	Archuleta County	36					14				1	1		
16	Baca County	5							1			1		1
17	Bent County	73	2				1	2		1		33	1	1
18	Boulder County	424	12				3	4	6	4	3	80	8	17
19	Chaffee County	166	1						7	1		6	1	13
20	Cheyenne County	10	1											
21	Clear Creek County	99	1					5	1		1	6		5
22	Conejos County	81	1			1	10		1	1		7	4	
23	Costilla County	7												
24	Custer County	29									1			3
25	Delta County	112	5				1	6	1	3		13		6
26	Dolores County	9											2	
27	Douglas County	23					1		1				1	1
28	Eagle County	60							2	1		4		1
29	El Paso County	252	4				3	1	3	2	1	77	6	5
30	Elbert County	23	1										1	2
31	Fremont County	223	5				1		2	1	3	39	2	8
32	Garfield County	169	5			2	2		5		2	9		5
33	Gilpin County	53	1				2	1	1	1		2		
34	Grand County	17					1					1		
35	Gunnison County	70					9			1		1		
36	Hinsdale County	9												
37	Huerfano County	203	4				4		5		1	12	3	1
38	Jefferson County	279	2				1		1	4	2	145	2	12
39	Kiowa County	17	1						1	1		1		
40	Kit Carson County	43	2				1	1			1	4	1	
41	La Plata County	136	2				9		1			12		8
42	Lake County	75						12		1		1		
43	Larimer County [2]	326	13			2	2	1	3	2	4	48	5	14
44	Las Animas County	602	13			3	20	13	13	4	6	35	2	4
45	Lincoln County	32	3				1			1		4		
46	Logan County	72	3	1			5					5	3	
47	Mesa County	250	13				1	4	7	2		29	3	7
48	Mineral County	5												1
49	Montezuma County	30				1			1		1	1		3
50	Montrose County	86	7	1			2	2		2		7		3
51	Morgan County	77	6			1		2	1		1	11	3	1
52	Otero County	269	16	1		1	1	2	2	6	4	45	6	6
53	Ouray County	64				1		1		1		3		2
54	Park County	23	1							3				
55	Phillips County	22										4		
56	Pitkin County	50				1		1	2			4	1	1
57	Prowers County	104	8			2		2		3		17		2
58	Pueblo County	288	3				3		1	3	3	20		9
59	Rio Blanco County	19										2		3
60	Rio Grande County	91	1				3		1			9		4
61	Routt County	53	1									2		
62	Saguache County	34					2					1		
63	San Juan County	52					1		1	1		3		
64	San Miguel County	84	1				2	8	1	1		4	1	2
65	Sedgwick County	28						1						1
66	Summit County	25							2			1		
67	Teller County	205	4					7	1	2	1	6	1	5
68	Washington County	31	3					6		2			1	1
69	Weld County	362	17			1	4	4	5	3	4	44	4	19
70	Yuma County	53	2					14				3		
	CONNECTICUT RURAL.[1]													
71	Fairfield County	735	6	2		2	4	2	7	6	5	58	8	40
72	Hartford County	967	5	2		2	4	13	17	10	5	68	7	46
73	Litchfield County	838	16			8	2	1	9	18	3	56	8	61
74	Middlesex County	353	1	1		2	1	2	5	6	2	22	4	23

[1] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909—Continued.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
	3		14	36	14	6	9	1	8	10	5	6	8	17	2	20	1	1
1	9	4	43	53	19	5	9	2	15	20	2	15	10	37	14	21		2
	5	6	88	92	31	36	14	2	35	27	9	14	12	37	4	54		3
	4		12	35	10	5	6	1	12	7	1	6	5	21	4	16		4
			6	10	2		1	1	3	2	1	1	1	6		6	1	5
		2	21	21	7	6	1	2	10	9	2	1	5	21	5	19		6
		1		5		1			2	5	1			5		3		7
	1	2	29	30	15	14	15	5	13	16	5	9	6	35	6	28		8
		1	12	18	9	7	4	5	4	4			3	24		14		9
	1	2	18	25	10	4	20		8	14	4	5	5	30	2	10	1	10
	4		25	28	8	8	1		13	11		1	2	33	2	19		11
			8	28	7	4	5	1	9	2		1	1	18	2	17		12
			7	8	7	2	6		3	9		4	7	13		13		13
			5	14	11	3	7	2	3	5	1	5	1	8		5	1	14
			1		4	2			3	1	2	1	1	3	1	1		15
					1									1				16
		1	2	4	5	1	5		4		2	4		1	1	1	1	17
		7	34	33	23	21	22	5	16	13	8	22	5	51		26	1	18
		3	12	17	15	5	11	2	17	16	4	7	3	19		6		19
					1		1		1	2		1		3				20
			8	11	12	10	3		8	6	1	4	1	10	2	4		21
	1		3	3	8	6	5	2	6	3	3	3	1	4		8		22
					2		1	1				1		2				23
	1		2	6	2					4		1		3		6		24
			9	11	9	2	3		7	6	3	7		8	1	11		25
			2		1	1					1			1		1		26
				2	3	3	1	1		3	1			2		2	1	27
			2	6	5	1			2			1		31		4		28
		3	13	13	14	7	22	1	9	16	1	5	3	26	2	15		29
			1	4	3	1	1		1					7	1			30
	3	4	9	24	21	6	12	4	16	9	2	8	3	26		13	2	31
		1	10	22	30	3	3	1	10	7	4	7	4	29	1	7		32
			3	5	3	9	3		4	7		5	1	1		4		33
			1	1	4		1		1	2	1	1		2		1		34
	1		5	7	5	7	4		2	2		4	3	10		9		35
				1		1	1			1				2		3		36
		2	9	10	16	16	39	6	7	3	6	17	2	29	1	10		37
	1	3	12	13	13	7	12		6	6	2	7	3	13		12		38
		1	3				1		2			1	1	4				39
		1	3	2	2	2	2	1	2	2		9	2	3		2		40
		2	9	16	13	9	3	1	9	13	5	5	1	14		4		41
			3	3	7	4	6	1	3	5		6	2	15	1	5		42
	4	7	22	30	25	15	13	2	11	13	7	18	2	30	6	27		43
1	1	6	17	26	83	32	71	7	24	32	7	20	6	117	4	35		44
			3	5	4	1	3		1	1			2	3				45
		2	2	5	5	4	9		5	5		5		5		7	1	46
	1	3	20	21	21	8	10	2	15	20	7	10	3	27	2	14		47
					1		1							2				48
	1			1	3	1	2		4			1	1	3		6		49
		1	9	8	8	4	7	1	4	2	2	1	1	8		6		50
			8	8	3	2	7		1	2	2	4	1	4	1	8		51
	1	2	9	21	16	8	24	1	11	17	4	23	1	23		18		52
			2	7	15	5			5	1		2	2	13		4		53
			1	3	4				1	1	1	1		5		2		54
				2		3	2	2	2		2	1				4		55
			3	6	5	4			2	7	1	1		7		4		56
	1		4	6	10	4	11	3	5	5	2	4	1	6	2	6		57
	1	4	76	19	17	6	10	6	13	15	1	11	4	41	1	20	1	58
			1	1	3	1			1	1		1	1	2		2		59
	1		5	11	14	4	3		10	5	2	2		4	1	11		60
			6	8	2	3	2	2	4	2	1	3	1	8		7	1	61
	1		2	3	8	1	5	1	2	1	1	1		1		4		62
		1	2	2	8	2	3		5	6		1		14		2		63
		2	3	5	5	1	2	1	5	4	1	5	1	22		6	1	64
		1	1	5	1	2	2		2			5		1		6		65
			4	5	1	1			2	3		1		3		2		66
	1	1	5	21	31	9	13	4	15	20	1	6	4	33	1	13		67
			2	1	1	2	3		1	1		2	1	3		1		68
	2	3	15	26	33	15	39	2	22	13	2	16	3	36	4	26		69
		1	4	4	6	1			3	4	2	1	1	1		6		70
	7	8	106	126	42	27	40	7	32	62	5	27	10	34	4	57	1	71
	11	12	102	152	60	37	61	4	33	50	7	55	11	33	17	93		72
	3	14	117	119	55	38	37	11	44	62	5	23	12	45	12	57	2	73
2	4	4	54	44	24	14	17	2	15	34	2	11	7	23	5	22		74

[2] Includes Jackson County, organized May, 1909.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial ever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	CONNECTICUT RURAL[1]—Continued.													
1	New Haven County	757	10	3		8	8	5	9	6	5	51	10	41
2	New London County	575				1		2	6	11	5	42	8	24
3	Tolland County	271	1			3	1	4	4	12	1	9		13
4	Windham County	565	9	1		1	2	9	9	12	3	53	6	25
	INDIANA RURAL.[1]													
5	Adams County	245	9	1			2	1		5	5	20	3	19
6	Allen County	265	7			2		1	3	1	1	26	4	22
7	Bartholomew County	172	5			1	1	1	1	1	1	14	8	11
8	Benton County	96	1							1		13	3	4
9	Blackford County	189	3				1	6	1		1	16	4	12
10	Boone County	294	3			1		2	1	6	4	30	8	13
11	Brown County	93	1						1	4	1	14	1	5
12	Carroll County	233	2	1		3	3	3	1		2	24	3	13
13	Cass County	263	3	2		6	1		2	5	8	26	5	16
14	Clark County	298	14	3			3	1	6	11	7	41	4	16
15	Clay County	394	7	2			3	5	12	7	13	37	9	18
16	Clinton County	350	6			2				3	6	38	10	20
17	Crawford County	165	12	2		1			4	5		30	5	3
18	Daviess County	219	10	1			3	8		10	2	29	4	8
19	Dearborn County	271	3	2				1	2	2	5	35	1	16
20	Decatur County	267	5	1			2	4	4	4	3	23	5	14
21	Dekalb County	290	10			1	1	2	4	4	2	20	5	21
22	Delaware County	254	4				4	1	2	2	4	22	9	9
23	Dubois County	230	6	3				3	1	4	8	31	6	8
24	Elkhart County	345	2				3	4		1	6	28	13	16
25	Fayette County	169	2					2		6	1	16	3	11
26	Floyd County	127	8						3	1	2	16	1	3
27	Fountain County	257	2	1	1			4		9	6	24	11	15
28	Franklin County	208	5	2				2	3	10		15	4	18
29	Fulton County	194	6				1	2		3	3	16	1	11
30	Gibson County	401	15	10			5	9	3	7	12	52	7	11
31	Grant County	470	8			1		3		1	12	40	8	25
32	Greene County	474	17	3		6		5	10	7	6	59	9	19
33	Hamilton County	332	16			4		2	2	10	6	37	10	18
34	Hancock County	259	11			1		1	2	2	3	31	9	13
35	Harrison County	270	20	2				1	3	8	4	52	4	11
36	Hendricks County	202	6				1	1	2	3	2	44	9	10
37	Henry County	307	10			2	2	2	2	4	8	31	9	27
38	Howard County	193	3			1			2	4	4	15	11	17
39	Huntington County	210	2				1	1	1	4	5	22	6	11
40	Jackson County	333	7					2	7	7	9	50	9	10
41	Jasper County	137	3					6			3	12	1	13
42	Jay County	310	14				2		1	2	6	34	5	17
43	Jefferson County	305	5	2			1		1	6	10	26	4	12
44	Jennings County	208	2	1			1	3	2	10	3	16	4	13
45	Johnson County	246	4					6		1	2	23	4	16
46	Knox County	255	9	4		2	1	15	4	2	2	17	4	4
47	Kosciusko County	321	8				4	5	2	3	2	21	10	27
48	Lagrange County	196	1			4	1	2	1	2	2	16	4	8
49	Lake County	765	14			9	13	8	11		6	50	10	23
50	Laporte County	363	3				1	3	6	2	3	38	7	34
51	Lawrence County	431	17	6			1	12	2	8	12	54	17	18
52	Madison County	360	8	2		14	6	11	4	4	11	37	11	15
53	Marion County	403	5	1		2	1	3	2	4	10	48	10	10
54	Marshall County	289	6	2		7		6	3	8		24	4	20
55	Martin County	196	14	2				2	1	4	3	36	7	3
56	Miami County	218	7					1	2	2		17	8	10
57	Monroe County	298	14	3			1	1	1		6	44	7	19
58	Montgomery County	351	9	3				4		3	3	44	14	24
59	Morgan County	297	14	1				6	2	5	1	34	10	14
60	Newton County	94	1							1		6	1	4
61	Noble County	310	3	1		1		4	2	5	1	26	6	23
62	Ohio County	57	5									6		
63	Orange County	219	10					1	2	3	3	27	6	4
64	Owen County	159	1	1		3		6	1	1	3	25	1	7
65	Parke County	299	17	3		1		2	4	4	4	28	13	13
66	Perry County	193	5	2		5		3	12		3	28	6	7
67	Pike County	298	16	2		1		3	4	8	7	40	14	7
68	Porter County	225	2	1		4	4		5	3	1	14	3	16
69	Posey County	270	8	3			2	1	3	9	2	37	6	11
70	Pulaski County	128	3	1						1	3	7	1	7
71	Putnam County	259	4					6	1	1	11	32	10	11
72	Randolph County	370	11					4	3	8	6	35	7	19
73	Ripley County	241	7				1	1		6	3	31	6	16
74	Rush County	194	2	2					1	2	1	20	5	12

[1] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909—Continued.

CAUSES OF DEATH—continued.																		
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	7	9	98	118	61	35	35	3	28	53	5	32	8	61	14	33	1	1
1	6	15	82	108	20	31	21	11	27	48	7	15	7	37	4	34	2	2
.....	8	4	32	32	12	11	13	2	20	21	4	8	4	19	3	29	1	3
.....	6	12	60	68	35	24	38	5	23	36	3	29	4	35	5	51	1	4
.....	4	5	20	21	14	17	16	1	14	15	2	12	.....	16	1	22	.....	5
.....	1	4	29	24	21	11	10	3	9	27	1	12	8	16	.....	22	.....	6
.....	3	1	22	31	5	3	8	3	10	11	.....	10	.....	9	1	11	.....	7
.....	.....	.....	5	14	5	6	6	.....	10	7	.....	7	.....	5	.....	9	.....	8
.....	3	.....	16	22	14	10	12	1	11	14	2	14	4	10	1	11	.....	9
.....	7	8	47	33	12	17	12	7	22	11	1	12	4	17	1	15	.....	10
.....	2	2	5	17	6	3	2	3	5	5	.....	4	.....	7	.....	5	.....	11
.....	4	1	24	36	20	10	11	.....	11	18	2	5	.....	9	1	26	.....	12
.....	1	4	50	24	22	3	6	2	9	25	.....	6	2	17	.....	18	.....	13
.....	1	4	24	28	9	11	20	6	17	24	3	6	3	14	.....	21	1	14
.....	4	4	38	41	21	10	32	9	20	33	6	18	3	19	.....	23	.....	15
2	2	2	38	39	26	15	18	9	16	18	5	21	4	22	2	26	.....	16
.....	1	2	12	18	9	5	5	.....	17	12	2	5	.....	6	2	5	2	17
.....	3	4	19	28	10	5	16	3	11	4	3	8	.....	16	1	13	.....	18
.....	3	1	24	57	24	12	8	4	12	13	4	6	1	25	1	9	.....	19
.....	1	3	36	47	16	5	8	12	16	12	3	6	.....	14	1	22	.....	20
.....	5	3	42	46	9	5	8	5	21	19	2	11	1	21	.....	22	.....	21
.....	2	4	29	30	16	10	13	.....	15	23	12	8	2	11	.....	22	.....	22
.....	.....	1	21	28	20	9	18	6	12	8	3	13	.....	8	.....	13	.....	23
.....	5	7	45	58	17	17	8	1	24	28	8	11	1	20	1	21	.....	24
1	1	2	14	23	13	5	3	5	20	4	2	7	4	12	1	11	.....	25
.....	2	.....	17	17	4	6	7	4	10	1	1	1	.....	9	1	13	.....	26
.....	.....	5	24	40	10	8	7	4	19	17	5	7	1	17	.....	20	.....	27
.....	1	2	29	23	13	12	6	6	9	16	1	7	3	7	.....	14	.....	28
.....	2	1	23	25	9	9	6	3	18	17	.....	10	.....	14	.....	14	.....	29
.....	4	6	28	36	19	29	25	3	23	26	5	17	2	22	.....	25	.....	30
.....	5	6	57	106	21	14	6	8	28	36	1	20	1	24	.....	39	.....	31
1	.....	6	37	32	22	30	50	7	28	13	2	31	.....	43	2	29	.....	32
.....	5	1	32	43	14	12	15	5	21	9	4	20	5	17	.....	24	.....	33
.....	4	5	27	35	13	13	13	3	15	15	4	6	3	13	2	14	1	34
.....	1	.....	24	29	17	13	14	5	11	18	1	5	2	10	.....	15	.....	35
.....	6	4	28	29	12	15	15	5	20	14	5	10	4	12	4	31	.....	36
1	2	2	44	50	17	15	23	3	33	23	3	21	7	24	1	31	.....	37
.....	6	4	17	21	10	8	7	2	10	15	4	2	.....	15	.....	15	.....	38
.....	2	1	28	34	14	6	5	2	13	11	2	7	2	16	.....	14	.....	39
1	2	.....	35	25	25	8	25	2	21	20	3	18	4	23	1	18	1	40
.....	2	2	15	13	9	7	7	.....	4	7	2	9	1	10	2	7	2	41
.....	6	5	36	35	21	8	20	8	28	14	3	9	2	13	.....	20	1	42
.....	4	2	28	43	17	18	17	9	15	34	3	9	4	17	.....	17	1	43
.....	1	1	23	31	8	7	7	4	13	16	4	9	2	15	1	11	.....	44
.....	5	2	27	38	19	8	6	3	22	18	4	9	5	10	.....	14	.....	45
.....	2	3	20	27	12	19	20	6	18	15	4	15	2	10	1	17	.....	46
1	5	2	29	64	12	21	15	6	12	14	5	8	2	17	2	24	.....	47
2	3	3	32	23	12	13	3	8	17	13	1	5	1	6	1	12	.....	48
.....	2	7	29	61	45	84	130	11	33	28	13	37	5	89	4	43	.....	49
.....	3	3	29	49	18	21	9	2	27	33	1	9	4	27	.....	31	.....	50
.....	1	4	29	47	23	20	32	12	19	23	4	14	3	22	3	28	.....	51
.....	2	9	27	28	22	16	13	5	29	14	3	19	.....	21	3	26	.....	52
.....	2	6	62	53	17	21	23	8	15	23	4	9	6	31	1	26	.....	53
1	4	3	39	40	12	18	14	3	19	15	4	4	3	11	2	17	.....	54
.....	2	4	17	27	5	9	6	4	19	3	6	8	1	8	.....	5	.....	55
.....	3	6	31	38	8	14	9	2	9	15	4	4	1	14	.....	13	.....	56
.....	2	4	30	33	15	10	23	5	16	13	5	4	4	21	1	16	.....	57
1	1	3	33	58	14	15	12	4	18	23	1	14	5	21	3	21	.....	58
.....	4	1	39	43	24	10	15	4	10	12	2	17	4	12	.....	12	1	59
.....	.....	.....	11	17	7	5	9	.....	3	6	2	1	.....	11	.....	9	.....	60
.....	6	5	34	54	10	10	8	4	26	17	3	13	3	25	.....	20	.....	61
.....	2	.....	9	9	4	3	4	.....	8	1	1	1	1	.....	.....	3	.....	62
.....	2	1	20	30	25	3	15	2	10	15	4	6	7	12	.....	11	.....	63
.....	1	.....	13	18	14	8	10	6	8	10	.....	5	.....	6	.....	11	.....	64
.....	.....	3	26	38	23	9	32	4	13	6	5	16	1	21	1	11	1	65
.....	2	2	12	23	7	10	9	2	13	10	2	9	1	7	.....	13	.....	66
.....	2	3	27	29	16	11	27	6	16	10	6	14	.....	10	.....	19	.....	67
.....	2	1	15	29	7	10	10	4	16	21	3	10	2	22	.....	20	.....	68
.....	1	2	20	25	15	11	28	7	16	11	.....	13	3	17	2	15	2	69
.....	5	.....	17	16	9	11	11	.....	6	9	2	7	1	4	.....	6	1	70
.....	2	4	28	45	16	12	10	.....	12	22	3	5	2	9	1	11	1	71
1	3	1	29	60	25	10	25	7	22	20	7	16	6	13	2	30	.....	72
1	3	.....	22	34	9	10	16	1	10	16	2	8	6	16	1	14	1	73
.....	4	1	18	29	10	10	7	4	13	10	2	8	4	10	1	18	.....	74

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	INDIANA RURAL[1]—Continued.													
1	St. Joseph County	337	9			1	3	5	3	5		32	9	22
2	Scott County	113	4					2	1	8	1	14	2	4
3	Shelby County	373	5	1		2		1	8	4	3	44	9	23
4	Spencer County	239	10	1		1	1	4	3	5	8	29	4	9
5	Starke County	134	6			2		3	1		1	10	3	8
6	Steuben County	180	5					2	1	3		12	3	14
7	Sullivan County	355	9	3		1	1	6	6	7	6	28	8	10
8	Switzerland County	145	8							2	3	22	5	7
9	Tippecanoe County	241	4			1	3	1	2	1	2	24	3	13
10	Tipton County	224	3			9	2	4	2	2	3	27	1	10
11	Union County	84	1					2		7		11	1	4
12	Vanderburg County	197					6		7	2	2	26	5	9
13	Vermilion County	258	4	1		3	1	3	9	3	7	13	6	9
14	Vigo County	292	10	5		1	3	6	3	3	8	31	5	12
15	Wabash County	216	6				1	2	2		3	13	5	17
16	Warren County	112	2									10	2	8
17	Warrick County	259	11	6				2	9	1	5	34	4	9
18	Washington County	214	8					1	4	4	14	26	2	14
19	Wayne County	382	2					1		1	8	29	10	31
20	Wells County	250	2	1		2	2	11		8	5	27	5	13
21	White County	183	3				2	1		2	7	18	2	12
22	Whitley County	177	6	1		1		1	1	1	1	17	7	12
	MAINE RURAL.[1]													
23	Androscoggin County	243						2	1	4	1	19	5	8
24	Aroostook County	947	12			3	2		13	18	3	62	16	32
25	Cumberland County	801	2			3	1	5	5	14	3	53	14	68
26	Franklin County	276	4			3			1	5	2	13	5	15
27	Hancock County	540	10					1		10	4	46	14	32
28	Kennebec County	648	3			1			5	14	4	50	12	48
29	Knox County	326	4			2	6	1	2	3		25	10	25
30	Lincoln County	302	1			3		1	2	5	1	20	9	21
31	Oxford County	558	5	1		1	[1]	6	6	14	5	26	4	44
32	Penobscot County	874	7				2	9	7	8	4	71	18	60
33	Piscataquis County	276	2			1		3	3	4	1	24	7	22
34	Sagadahoc County	163				1		1	1	3		13	4	18
35	Somerset County	478	7	1		6			3	9		31	5	29
36	Waldo County	383	1	1					1	5	1	24	6	25
37	Washington County	636	10			2	1	3	11	17	2	62	16	37
38	York County	824	4	1		1	3	2	6	20	3	55	14	54
	MARYLAND RURAL.[1]													
39	Allegany County (total)	317	9				3	3	5	6	9	11	2	23
40	White	311	9				3	2	5	6	9	11	2	23
41	Colored	6						1						
42	Anne Arundel County (total)	507	10			6		16	1	6	3	54	7	11
43	White	263	4			1		6	1	4	3	23	2	8
44	Colored	244	6			5		10		2		31	5	3
45	Baltimore County (total)	1,658	35	2		22	3	15	14	29	16	185	29	68
46	White	1,439	32	2		19	3	10	14	23	14	146	25	65
47	Colored	219	3			3		5		6	2	39	4	3
48	Calvert County (total)	155	4					5	1	2		31	3	3
49	White	62						1	1	1		10		3
50	Colored	93	4					4		1		21	3	
51	Caroline County (total)	288	14			6	1	4	5	6	3	44	2	7
52	White	187	8			5	1	4	4	6	2	22	1	6
53	Colored	101	6			1			1		1	22	1	1
54	Carroll County (total)	489	10				2	3		19	3	30	3	17
55	White	451	9				2	2		18	3	29	3	16
56	Colored	38	1					1		1		1		1
57	Cecil County (total)	358	4			5	1	3	2	8	3	29	3	14
58	White	285	3			4	1		1	5	3	22	3	13
59	Colored	73	1			1		3	1	3		7		1
60	Charles County (total)	255	6	1		2		1	5	8	1	36	2	6
61	White	91	1						2	4	1	9		4
62	Colored	164	5	1		2		1	3	4		27	2	2
63	Dorchester County (total)	458	28			1			6	6	8	60	5	5
64	White	264	19						5	3	4	34	1	3
65	Colored	194	9			1			1	3	4	26	4	2
66	Frederick County (total)	477	13			2	1	6	5	6	3	36	5	20
67	White	394	8			1	1	1	5	6	2	26	4	18
68	Colored	83	5			1		5			1	10	1	2
69	Garrett County (total)	99	6					3	1	2	2	8	1	7
70	White	98	6					3	1	2	2	7	1	7
71	Colored	1										1		
72	Harford County (total)	374	2			2		2	4	5	4	46	3	14
73	White	274	1			2		2	2	4	3	30	2	10
74	Colored	100	1						2	1	1	16	1	4

[1] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909—Continued.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	4	4	31	39	19	24	15	2	14	29	5	9	6	21	1	25	.....	1
.....	1	.....	5	14	6	5	5	2	8	7	.....	8	1	10	1	4	.....	2
.....	3	5	39	48	21	15	15	7	29	23	7	21	1	17	2	19	1	3
.....	4	5	17	23	12	13	12	7	13	9	2	15	2	9	.....	21	.....	4
.....	2	1	17	10	9	4	9	1	16	6	3	7	1	7	.....	7	.....	5
.....	1	2	17	41	3	4	6	2	13	8	5	6	2	12	.....	17	1	6
.....	2	8	31	41	16	13	39	8	15	15	5	30	2	23	3	18	1	7
.....	1	2	19	23	6	3	3	.....	7	11	4	2	.....	11	.....	6	.....	8
.....	1	1	35	39	14	10	8	7	10	12	3	8	5	16	2	16	.....	9
.....	2	3	15	31	16	11	7	1	16	6	3	14	7	8	1	20	.....	10
.....	.....	1	8	17	2	4	1	1	3	5	.....	7	2	2	.....	5	.....	11
.....	1	1	28	19	15	12	9	3	8	9	2	6	2	11	1	13	.....	12
.....	2	5	9	33	18	23	23	4	14	18	2	9	2	24	1	12	.....	13
.....	1	1	21	21	17	11	26	7	18	23	3	8	4	23	4	17	.....	14
.....	4	.....	34	36	13	14	4	.....	12	13	5	8	1	10	.....	13	.....	15
.....	2	.....	14	17	12	5	6	4	5	5	2	1	2	6	.....	9	.....	16
.....	3	2	16	24	27	8	9	7	14	17	4	11	1	19	.....	15	1	17
.....	2	.....	21	17	14	10	7	1	11	18	.....	5	6	13	.....	16	.....	18
.....	7	4	62	61	23	11	10	11	14	30	5	13	3	18	1	26	1	19
.....	2	2	26	29	13	14	16	2	17	19	6	5	3	10	1	9	.....	20
.....	2	1	28	23	11	6	9	.....	20	17	1	4	1	8	.....	5	.....	21
.....	1	1	16	24	17	3	7	4	6	21	.....	3	2	13	.....	11	.....	22
.....	2	1	31	43	17	7	8	4	19	15	1	9	.....	9	4	31	2	23
.....	7	21	59	83	71	35	150	7	44	35	8	48	5	50	37	85	41	24
.....	7	4	116	119	76	38	13	8	28	57	5	36	8	31	14	69	4	25
.....	4	2	36	25	25	11	8	.....	18	21	5	7	2	21	6	36	1	26
.....	6	7	72	82	37	25	8	5	38	31	3	22	4	23	3	55	2	27
.....	10	7	80	108	28	49	9	8	36	29	2	27	7	29	10	68	4	28
.....	7	4	53	64	16	8	.....	4	12	14	3	7	2	15	7	31	1	29
.....	8	5	50	50	18	16	4	1	14	29	3	8	1	9	4	18	1	30
.....	6	4	62	83	50	27	13	2	26	41	2	34	7	29	12	43	4	31
1	11	6	93	122	64	51	42	7	46	37	4	38	7	53	22	80	4	32
.....	3	2	24	29	24	9	5	4	10	21	1	7	8	24	2	35	1	33
1	1	2	19	24	11	8	5	2	6	9	.....	2	1	9	4	17	1	34
2	3	7	55	69	37	30	13	6	38	24	4	17	5	23	12	36	6	35
.....	10	3	54	73	24	22	2	1	19	38	4	6	8	10	8	36	1	36
.....	3	11	72	100	45	27	31	8	23	24	5	18	4	30	17	51	6	37
.....	18	11	110	118	72	31	24	7	47	73	2	42	7	32	6	60	1	38
.....	4	7	23	22	22	26	26	4	8	23	3	13	3	29	5	28	.....	39
.....	4	7	22	22	21	26	26	4	8	23	3	13	3	28	5	26	.....	40
.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	41
.....	2	6	46	27	32	31	73	2	18	34	7	19	1	33	28	24	10	42
.....	2	4	22	13	22	19	48	1	8	15	2	9	.....	23	12	10	1	43
.....	.....	2	24	14	10	12	25	1	10	19	5	10	1	10	16	14	9	44
1	12	25	181	157	92	85	129	11	85	117	13	80	22	102	32	93	3	45
1	12	23	162	141	81	72	111	11	79	105	11	62	21	85	28	79	2	46
.....	.....	2	19	16	11	13	18	.....	6	12	2	18	1	17	4	14	1	47
.....	.....	.....	20	10	3	9	12	2	4	5	2	10	.....	12	8	7	2	48
.....	.....	.....	11	3	1	3	8	.....	2	2	1	5	.....	4	1	4	1	49
.....	.....	.....	9	7	2	6	4	2	2	3	1	5	.....	8	7	3	1	50
.....	.....	2	18	22	26	9	20	4	6	21	3	16	1	9	15	23	1	51
.....	.....	1	10	16	15	7	16	2	5	12	2	13	.....	6	7	16	.....	52
.....	.....	1	8	6	11	2	4	2	1	9	1	3	1	3	8	7	1	53
.....	5	4	84	57	33	34	28	13	14	29	7	19	3	20	13	39	.....	54
.....	5	4	79	52	30	29	26	11	13	27	6	19	3	17	13	35	.....	55
.....	.....	.....	5	5	3	5	2	2	1	2	1	.....	.....	3	.....	4	.....	56
.....	3	4	57	57	24	14	15	4	12	24	3	12	2	26	12	17	.....	57
.....	3	2	54	44	15	10	12	4	10	21	2	9	2	21	8	13	.....	58
.....	.....	2	3	13	9	4	3	.....	2	3	1	3	.....	5	4	4	.....	59
.....	1	4	32	21	12	12	20	2	11	16	3	11	.....	3	13	22	4	60
.....	.....	1	11	8	7	4	7	1	5	7	.....	3	.....	1	1	12	2	61
.....	1	3	21	13	5	8	13	1	6	9	3	8	.....	2	12	10	2	62
1	3	3	36	30	23	18	41	8	18	45	10	19	2	18	13	31	20	63
.....	3	2	26	19	13	6	23	5	9	27	3	12	2	10	6	23	6	64
1	.....	1	10	11	10	12	18	3	9	18	7	7	.....	8	7	8	14	65
.....	5	3	66	58	31	25	26	5	20	40	3	16	.....	20	29	33	.....	66
.....	5	3	51	51	24	20	25	5	20	31	2	13	.....	16	26	30	.....	67
.....	.....	.....	15	7	7	5	1	.....	.....	9	1	3	.....	4	3	3	.....	68
.....	1	2	11	3	12	6	4	.....	1	5	1	3	.....	5	1	10	4	69
.....	1	2	11	3	12	6	4	.....	1	5	1	3	.....	5	1	10	4	70
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	71
.....	5	5	42	46	24	21	13	3	18	21	1	7	4	22	17	40	3	72
.....	5	5	29	35	20	12	12	3	14	12	1	5	4	19	12	28	2	73
.....	.....	.....	13	11	4	9	1	.....	4	9	.....	2	.....	3	5	12	1	74

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	MARYLAND RURAL [1]—Continued.													
1	Howard County (total)	230	7	.....	.....	.....	.....	3	1	4	4	28	1	7
2	White	167	6	.....	.....	.....	.....	2	.....	4	4	18	.....	5
3	Colored	63	1	.....	.....	.....	.....	1	1	.....	.....	10	1	2
4	Kent County (total)	299	6	.....	.....	1	1	9	2	6	2	35	10	12
5	White	149	4	.....	.....	1	1	1	2	2	1	12	4	8
6	Colored	150	2	.....	.....	.....	.....	8	.....	4	1	23	6	4
7	Montgomery County (total)	320	8	.....	.....	3	2	2	2	9	1	50	8	11
8	White	194	5	.....	.....	3	2	.....	2	6	1	18	5	11
9	Colored	126	3	.....	.....	.....	.....	2	.....	3	.....	32	3	.....
10	Prince Georges County (total)	456	12	3	.....	7	3	7	4	4	3	49	5	13
11	White	254	6	.....	.....	2	2	1	3	2	1	23	3	8
12	Colored	202	6	3	.....	5	1	6	1	2	2	26	2	5
13	Queen Annes County (total)	247	5	2	.....	.....	.....	3	2	2	2	33	3	6
14	White	125	3	1	.....	.....	.....	.....	2	1	1	15	2	6
15	Colored	122	2	1	.....	.....	.....	3	.....	1	1	18	1	.....
16	St. Marys County (total)	56	3	2	.....	1	.....	1	.....	1	1	13	1	2
17	White	40	2	2	.....	1	.....	1	.....	.....	1	9	.....	2
18	Colored	16	1	.....	.....	.....	.....	.....	.....	1	.....	4	1	.....
19	Somerset County (total)	267	17	1	.....	.....	.....	3	5	3	1	44	2	10
20	White	165	8	1	.....	.....	.....	2	3	3	1	24	2	8
21	Colored	102	9	.....	.....	.....	.....	1	2	.....	.....	20	.....	2
22	Talbot County (total)	299	10	1	.....	.....	1	5	4	5	.....	34	4	13
23	White	136	5	.....	.....	.....	1	2	3	.....	.....	9	1	12
24	Colored	163	5	1	.....	.....	.....	3	1	5	.....	25	3	1
25	Washington County (total)	406	17	.....	.....	10	1	1	1	3	2	35	3	14
26	White	388	16	.....	.....	10	1	1	1	3	2	26	3	14
27	Colored	18	1	.....	.....	.....	.....	.....	.....	.....	.....	9	.....	.....
28	Wicomico County (total)	293	16	.....	.....	.....	1	1	3	3	5	52	5	11
29	White	214	12	.....	.....	.....	1	.....	3	.....	5	36	5	8
30	Colored	79	4	.....	.....	.....	.....	1	.....	3	.....	16	.....	3
31	Worcester County (total)	235	9	3	.....	.....	1	.....	1	4	3	30	3	6
32	White	131	4	1	.....	.....	1	.....	1	1	1	19	.....	4
33	Colored	104	5	2	.....	.....	.....	.....	.....	3	2	11	3	2
	MASSACHUSETTS RURAL.[1]													
34	Barnstable County	507	3	.....	.....	2	.....	4	5	11	3	34	.....	43
35	Berkshire County	522	3	.....	.....	4	1	2	1	9	2	27	5	28
36	Bristol County	766	2	.....	.....	2	.....	13	8	7	7	50	9	52
37	Dukes County	78	1	.....	.....	.....	.....	1	.....	2	1	1	.....	6
38	Essex County	1,087	10	.....	.....	2	3	13	13	13	7	82	14	92
39	Franklin County	601	1	.....	.....	1	3	.....	6	6	3	32	7	43
40	Hampden County	651	4	1	.....	2	4	5	13	8	7	44	12	25
41	Hampshire County	468	2	1	.....	4	4	4	8	12	7	32	7	40
42	Middlesex County	1,936	2	1	.....	4	5	20	13	24	13	340	40	134
43	Nantucket County	70	.....	.....	.....	.....	1	.....	.....	5	.....	5	1	8
44	Norfolk County	1,282	8	3	.....	9	5	7	13	19	7	94	22	79
45	Plymouth County	1,170	6	2	.....	3	.....	6	10	23	10	106	15	69
46	Suffolk County	120	1	.....	.....	1	1	.....	.....	2	3	4	2	17
47	Worcester County	2,093	8	.....	.....	7	8	20	23	32	21	204	33	94
	MICHIGAN RURAL.[1]													
48	Alcona County	70	1	.....	.....	.....	.....	.....	1	1	.....	7	1	.....
49	Alger County	83	.....	.....	.....	1	.....	3	2	.....	.....	3	2	2
50	Allegan County	505	5	1	.....	2	1	2	2	2	4	28	2	21
51	Alpena County	78	3	.....	.....	1	.....	.....	.....	.....	.....	5	1	6
52	Antrim County	225	4	.....	.....	5	3	1	2	3	1	11	1	8
53	Arenac County	107	1	1	.....	.....	2	.....	1	.....	1	8	.....	3
54	Baraga County	76	.....	.....	.....	.....	.....	1	2	.....	1	6	2	.....
55	Barry County	273	.....	.....	.....	.....	.....	1	.....	7	.....	13	1	24
56	Bay County	237	3	.....	.....	.....	3	1	2	1	1	18	2	8
57	Benzie County	135	3	.....	.....	1	1	.....	1	1	1	13	3	1
58	Berrien County	681	12	.....	.....	.....	18	2	3	7	3	47	6	44
59	Branch County	387	5	.....	.....	4	1	3	1	23	5	15	1	23
60	Calhoun County	419	3	.....	.....	.....	1	.....	1	12	5	19	7	30
61	Cass County	292	3	.....	1	1	1	1	3	3	1	17	3	13
62	Charlevoix County	245	6	.....	.....	3	1	6	2	2	.....	17	2	7
63	Cheboygan County	244	3	.....	.....	2	2	.....	2	2	.....	13	1	6
64	Chippewa County	120	2	.....	.....	1	.....	7	.....	2	3	10	2	2
65	Clare County	111	2	.....	.....	1	.....	1	1	1	1	7	.....	2
66	Clinton County	269	4	.....	.....	.....	.....	1	.....	2	.....	11	2	23
67	Crawford County	50	.....	.....	.....	.....	2	.....	1	1	.....	.....	2	.....
68	Delta County	176	5	.....	.....	2	2	.....	1	5	1	19	3	7
69	Dickinson County	120	1	.....	.....	.....	1	1	3	.....	.....	13	2	5
70	Eaton County	459	2	1	.....	1	2	1	2	5	2	25	5	39
71	Emmet County	226	10	.....	.....	.....	.....	5	2	1	.....	18	2	7
72	Genesee County	424	13	.....	.....	1	1	1	3	4	5	15	6	25
73	Gladwin County	75	1	.....	.....	2	.....	1	2	1	.....	2	4	3
74	Gogebic County	153	4	.....	.....	.....	4	5	9	.....	.....	10	1	1
75	Grand Traverse County	166	9	.....	.....	1	5	3	1	2	1	9	1	3
76	Gratiot County	339	2	.....	.....	1	1	2	2	10	4	22	4	21
77	Hillsdale County	383	4	.....	.....	3	.....	6	4	14	6	17	1	25

[1] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909—Continued.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
	2	3	24	25	12	14	13	1	8	13	1	15	3	14	11	16		1
	2	2	19	18	9	8	10		8	8	1	12	2	10	6	13		2
		1	5	7	3	6	3	1		5		3	1	4	5	3		3
2	2	4	28	24	18	13	14	2	9	31	4	10	1	13	23	16	1	4
	1	3	17	17	4	4	10	1	6	15	3	5	1	7	12	7		5
2	1	1	11	7	14	9	4	1	3	16	1	5		6	11	9	1	6
	1	7	31	37	17	10	18	3	14	26		17	2	17	4	20		7
	1	2	20	26	10	3	13	3	7	17		9	2	9	2	17		8
		5	11	11	7	7	5		7	9		8		8	2	3		9
	3	5	52	45	35	14	37	2	21	21	4	23	2	27	26	18	11	10
	2	2	35	30	24	5	24	1	10	10	3	13	2	15	12	14	1	11
	1	3	17	15	11	9	13	1	11	11	1	10		12	14	4	10	12
1	1	3	23	23	12	8	26		18	14	1	8	1	17	10	20	3	13
	1		13	9	8	5	13		11	4		6	1	6	6	11		14
1		3	10	14	4	3	13		7	10	1	2		11	4	9	3	15
		1	5	4	2	1	2	3		3	2		1	3	1	3		16
		1	4	3	2		1	3		1			1	2	1	3		17
			1	1		1	1			2	2			1				18
		1	30	15	16	5	15	2	12	18	3	15	1	13	16	18	1	19
		1	22	11	11	4	10	1	5	9	1	8	1	8	10	10	1	20
			8	4	5	1	5	1	7	9	2	7		5	6	8		21
		2	41	21	12	14	15	2	17	28	3	12	3	15	11	26		22
		1	25	9	5	5	5	2	7	18		3	3	8	2	10		23
		1	16	12	7	9	10		10	10	3	9		7	9	16		24
2	2	3	53	37	19	24	36	4	21	14	4	22	2	18	24	33	1	25
2	2	3	53	35	18	24	35	4	21	13	4	22	2	18	22	32	1	26
				2	1		1			1						2	1		27
	2	1	22	19	23	9	20	7	13	12	5	10	4	11	17	20	1	28
	1	1	18	14	17	4	16	5	12	6	4	9	4	7	15	10	1	29
	1		4	5	6	5	4	2	1	6	1	1		4	2	10		30
	2	2	21	15	9	13	13	6	11	15	4	4	1	13	22	20	4	31
	2	2	12	11	3	8	6	3	9	11	3	3	1	9	4	10	2	32
			9	4	6	5	7	3	2	4	1	1		4	18	10	2	33
2	6	1	65	105	19	23	17	7	24	33	9	15	3	22	15	36		34
1	8	8	52	102	44	25	29	4	24	42	2	15	4	35	9	35	1	35
2	12	11	95	119	34	43	49	12	25	39	5	42	6	48	16	57	1	36
	3	1	10	18	1	3		2	2	3		3		7	2	11		37
	17	5	128	206	71	53	60	10	27	51	3	44	14	51	16	81	1	38
	12	16	78	103	33	25	18	3	29	36	6	21	3	39	28	49		39
1	7	8	83	78	47	30	42	7	30	39	11	43	9	42	7	41	1	40
	5	4	53	67	27	23	24	1	22	20	9	22	4	16	9	41		41
1	14	7	187	333	118	64	61	20	54	133	9	74	25	71	21	148		42
	2		9	10	1	5	1		1	7		2	1	5		6		43
1	17	12	179	269	77	53	34	19	49	88	7	40	6	59	16	89	1	44
3	22	15	156	236	74	59	36	12	38	67	7	25	10	56	19	85		45
	3	1	17	18	9	5	4	1	4	6	2	5	3	5		6		46
4	25	19	248	319	162	94	110	26	61	114	14	114	15	111	24	182	1	47
			6	7	1	4	10	1	3	4	2	3		5	1	9	3	48
			2	7	1	11	6	1	3	2	1	10	1	7	5	13		49
3	8	2	67	74	30	19	24	10	38	27	11	28	7	26	8	53		50
			5	7	4	1	9		6	5	2	2		7	3	10	1	51
	1	2	21	34	9	15	12	8	15	10	2	17		14	3	22	1	52
		2	11	16	9	12	3	1	10	6	2	1		3		13	1	53
		1	6	5	4	3	10		3	1	2	4		11	1	13		54
	6		39	47	10	12	8	7	21	11	2	9	6	12	3	34		55
1	1	4	20	19	14	11	14	5	20	11	5	19		16	11	27		56
1	1	1	9	17	5	4	10	1	14	7	6	5		9	2	18		57
2	8	3	74	109	19	26	27	12	58	38	9	30	7	45	11	60	1	58
	6	1	55	84	10	20	5	6	20	12	2	15		14	5	50	1	59
	2	2	58	83	12	21	4	9	28	22	7	12	3	31	6	41		60
	6	1	50	55	10	15	3	3	14	19	1	11	2	17	9	29		61
1		2	29	27	11	20	24	1	12	7	4	9	1	23	8	20		62
	5	3	23	39	10	11	20	10	16	5	1	18	3	20	3	24	2	63
		2	10	12	2	7	10	2	8	4	2	7	2	13	4	6		64
	2	1	11	8	5	9	4	1	7	9		12		5	6	14	1	65
	5	3	31	57	11	7	7	7	15	13	2	18	3	19	2	26		66
	2		4	6		1	4	2	1	1	3	5	1	7	1	6		67
	1		19	10	7	11	25	3	7	4	2	8		15	6	12	1	68
	2	1	15	11	3	12	17	2	6			6		8		9	2	69
1	9	3	62	88	19	16	15	7	35	22	7	22	3	21	1	43		70
	3		14	25	9	10	15	5	20	11		14	2	16	4	32	1	71
	5	3	53	85	17	18	12	5	21	23	2	16	3	23	4	59	1	72
	1		2	7	4	8	5		3	3	2	3	1	7	3	10		73
	1	1	8	5	8	3	23	2	5	2	2	18	3	21	5	12		74
	1	3	19	21	8	5	12	3	16	7	1	8	3	6	7	11		75
1	7	7	48	52	17	15	16	4	21	14	6	18	1	14	6	23		76
2	5	2	57	71	13	10	7	9	22	24	5	7	3	14	5	46	1	77

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	MICHIGAN RURAL[1]—Continued.													
1	Houghton County	965	16	.....	.....	14	4	1	17	2	11	91	19	34
2	Huron County	363	4	.....	.....	1	.....	1	4	3	3	24	7	16
3	Ingham County	293	5	.....	.....	1	.....	1	.....	4	3	12	6	12
4	Ionia County	422	2	.....	.....	1	1	5	3	2	2	29	7	30
5	Iosco County	108	5	1	1	1	.....	1	2	2	.....	15	2	4
6	Iron County	135	2	.....	.....	.....	3	.....	3	1	.....	6	1	3
7	Isabella County	264	6	.....	.....	.....	.....	4	.....	2	3	22	6	12
8	Jackson County	298	1	.....	.....	1	3	.....	.....	8	1	10	4	17
9	Kalamazoo County	237	.....	.....	.....	.....	.....	1	.....	5	4	10	1	18
10	Kalkaska County	102	3	1	.....	5	.....	.....	1	2	1	11	.....	9
11	Kent County	716	3	1	.....	2	5	3	1	10	4	41	9	56
12	Keweenaw County	101	.....	.....	.....	1	.....	.....	6	2	.....	4	.....	.....
13	Lake County	47	.....	.....	.....	.....	.....	.....	.....	.....	1	5	.....	1
14	Lapeer County	370	6	.....	.....	1	.....	1	1	14	9	17	3	25
15	Leelanau County	151	1	.....	.....	.....	.....	1	.....	.....	.....	13	1	3
16	Lenawee County	493	10	.....	.....	1	1	.....	2	9	4	27	4	45
17	Livingston County	270	8	.....	.....	.....	.....	1	2	8	3	13	5	12
18	Luce County	99	1	1	.....	.....	.....	.....	.....	.....	.....	7	1	3
19	Mackinac County	105	1	.....	.....	2	.....	1	.....	2	4	14	.....	4
20	Macomb County	464	10	1	.....	3	2	4	4	5	5	25	1	34
21	Manistee County	166	1	.....	.....	1	1	4	1	1	3	11	2	8
22	Marquette County	219	2	.....	.....	1	5	.....	21	2	2	21	3	6
23	Mason County	242	7	.....	.....	.....	.....	1	4	11	1	13	3	17
24	Mecosta County	228	.....	2	.....	.....	.....	1	1	3	.....	11	2	17
25	Menominee County	147	2	.....	.....	6	.....	.....	1	2	4	10	3	6
26	Midland County	170	10	.....	.....	1	.....	3	3	5	.....	11	4	16
27	Missaukee County	112	1	.....	.....	2	.....	2	1	4	2	7	4	3
28	Monroe County	423	6	1	.....	2	5	.....	5	2	4	17	3	24
29	Montcalm County	412	6	1	.....	2	2	6	.....	10	.....	20	4	32
30	Montmorency County	49	.....	1	.....	4	.....	.....	.....	2	1	3	.....	.....
31	Muskegon County	172	2	.....	.....	1	.....	2	.....	1	3	18	3	8
32	Newaygo County	256	6	.....	.....	8	2	6	1	3	3	11	.....	11
33	Oakland County	470	9	.....	.....	6	2	1	2	10	3	23	3	34
34	Oceana County	245	3	.....	.....	.....	4	2	.....	3	2	16	2	15
35	Ogemaw County	115	1	.....	.....	4	.....	1	1	.....	1	8	1	6
36	Ontonagon County	76	4	.....	.....	2	1	.....	3	.....	1	8	.....	2
37	Osceola County	177	5	.....	.....	1	.....	.....	1	1	2	7	2	9
38	Oscoda County	16	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....
39	Otsego County	101	4	1	.....	.....	.....	.....	.....	4	.....	5	.....	1
40	Ottawa County	519	7	.....	.....	4	4	1	2	3	5	23	6	30
41	Presque Isle County	156	7	.....	.....	.....	.....	4	10	.....	2	6	.....	3
42	Roscommon County	20	.....	.....	.....	2	.....	.....	1	.....	.....	2	.....	.....
43	Saginaw County	433	6	.....	.....	5	.....	1	7	2	6	16	3	21
44	St. Clair County	485	21	1	.....	2	6	5	7	4	1	20	6	22
45	St. Joseph County	352	2	1	.....	1	.....	1	5	10	3	18	4	25
46	Sanilac County	334	5	2	.....	3	.....	2	2	3	2	17	1	19
47	Schoolcraft County	80	.....	.....	.....	.....	.....	1	1	1	.....	5	.....	.....
48	Shiawassee County	315	5	.....	.....	.....	.....	.....	.....	3	.....	14	2	22
49	Tuscola County	408	11	1	.....	1	.....	.....	4	.....	1	24	8	22
50	Van Buren County	446	8	.....	.....	2	1	2	2	5	3	22	4	25
51	Washtenaw County	353	5	1	.....	3	3	.....	2	7	2	28	2	30
52	Wayne County	1,095	24	1	.....	14	7	6	6	6	18	100	11	45
53	Wexford County	276	9	.....	.....	2	3	8	1	3	1	14	2	21
	NEW HAMPSHIRE RURAL.[1]													
54	Belknap County	187	1	.....	.....	.....	.....	.....	1	3	.....	8	3	17
55	Carroll County	254	1	.....	.....	.....	.....	1	.....	10	2	20	2	20
56	Cheshire County	331	.....	.....	.....	1	3	1	2	4	2	14	5	20
57	Coos County	253	4	.....	.....	.....	.....	.....	.....	4	1	20	5	16
58	Grafton County	690	5	.....	.....	5	.....	3	1	11	1	28	7	45
59	Hillsborough County	509	1	.....	.....	1	.....	5	1	5	6	34	4	33
60	Merrimack County	554	7	.....	.....	8	2	5	6	14	4	45	6	29
61	Rockingham County	644	5	1	.....	2	2	3	3	10	3	50	2	48
62	Strafford County	267	1	.....	.....	.....	.....	.....	6	9	5	17	1	9
63	Sullivan County	311	2	1	.....	.....	.....	3	3	8	.....	11	.....	19
	NEW JERSEY RURAL.[1]													
64	Atlantic County	400	3	.....	.....	14	.....	4	4	3	1	38	5	19
65	Bergen County	1,336	8	3	.....	8	12	12	20	10	11	117	27	76
66	Burlington County	978	9	4	.....	8	1	1	16	3	8	90	13	45
67	Camden County	618	6	.....	.....	.....	2	6	4	2	4	75	6	25
68	Cape May County	248	2	.....	.....	.....	1	1	10	.....	2	15	5	13
69	Cumberland County	375	2	.....	.....	.....	3	3	3	3	4	44	7	21
70	Essex County	754	5	1	.....	7	42	.....	34	2	1	93	13	33
71	Gloucester County	515	4	1	.....	.....	3	6	5	3	2	47	4	30
72	Hudson County	788	1	1	.....	4	5	8	12	1	3	138	8	25
73	Hunterdon County	447	2	1	.....	3	2	2	5	6	3	35	4	38
74	Mercer County	280	5	.....	.....	2	.....	3	2	3	.....	22	4	14
75	Middlesex County	590	4	.....	.....	5	1	17	7	5	8	52	5	18
76	Monmouth County	1,075	12	2	.....	5	4	11	23	4	10	97	11	54

[1] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909—Continued.

CAUSES OF DEATH—continued.																		
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	5	11	78	85	33	52	112	7	53	35	12	69	6	126	14	56	2	1
.....	1	7	33	47	18	19	26	3	27	18	5	24	1	22	7	40	2	2
.....	3	1	49	61	13	3	8	6	28	12	4	8	2	16	2	33	.....	3
1	5	2	67	85	26	18	8	6	23	19	4	16	2	15	5	38	.....	4
.....	.....	.....	5	15	5	1	9	1	2	6	2	5	1	8	4	10	.....	5
.....	1	1	6	11	8	8	16	.....	5	2	.....	14	3	25	6	10	.....	6
1	3	5	28	38	17	16	14	6	19	17	4	12	.....	6	3	19	1	7
.....	4	3	42	52	15	13	8	4	14	18	4	10	.....	21	6	39	.....	8
.....	3	.....	30	50	9	7	5	5	19	15	.....	7	2	12	1	33	.....	9
.....	1	2	12	11	5	10	4	.....	5	3	.....	4	.....	5	3	3	1	10
2	9	3	81	148	20	31	26	4	49	40	6	23	4	49	11	74	1	11
.....	2	1	16	2	1	8	21	1	3	1	3	9	.....	9	4	7	.....	12
.....	.....	.....	6	5	1	5	5	1	2	4	1	4	.....	2	.....	4	.....	13
.....	2	2	42	47	24	13	12	9	21	24	7	14	6	18	9	43	.....	14
.....	5	3	17	17	3	6	7	1	12	13	2	7	1	9	3	26	.....	15
.....	9	4	61	81	22	17	6	3	43	22	6	23	3	16	14	59	1	16
.....	6	3	37	51	7	14	5	.....	21	8	1	10	2	10	6	35	2	17
.....	.....	.....	35	9	6	5	1	.....	5	.....	1	8	2	3	.....	11	.....	18
.....	.....	2	5	11	2	4	5	.....	6	3	1	2	1	14	1	12	8	19
.....	4	2	68	53	20	15	14	9	33	35	5	24	3	25	4	56	.....	20
.....	.....	2	13	22	7	10	6	5	14	3	6	15	2	10	2	15	1	21
.....	.....	6	13	20	5	11	23	.....	12	1	6	10	2	29	3	13	2	22
1	4	7	17	33	16	13	11	6	18	14	4	13	1	12	3	12	.....	23
.....	3	3	26	30	9	20	7	2	14	24	1	10	1	9	3	28	1	24
.....	.....	.....	6	12	9	11	13	2	9	5	1	5	2	17	5	10	6	25
.....	1	2	16	20	10	4	8	1	8	8	5	9	1	8	3	13	.....	26
.....	1	.....	10	14	6	4	5	4	8	3	3	4	1	7	3	13	.....	27
.....	5	4	50	84	19	22	20	8	23	21	3	14	1	27	8	45	.....	28
.....	3	2	52	67	20	24	19	5	26	19	3	12	7	16	10	41	3	29
.....	1	.....	6	3	1	3	5	.....	4	.....	.....	8	.....	1	2	4	.....	30
.....	.....	2	25	25	16	4	6	.....	10	8	5	4	2	7	2	17	1	31
.....	3	2	22	41	11	19	11	5	23	14	1	12	3	11	1	25	1	32
.....	4	1	59	81	22	19	5	7	35	21	9	14	3	23	15	58	1	33
.....	2	7	19	38	12	15	5	3	18	13	6	18	.....	10	12	20	.....	34
.....	1	3	10	12	8	5	8	5	6	6	1	6	1	5	4	10	1	35
.....	.....	1	4	2	.....	3	11	2	3	3	3	5	2	9	.....	7	.....	36
.....	7	.....	16	21	10	14	7	2	17	14	2	8	2	9	2	17	1	37
.....	.....	.....	2	2	1	.....	.....	.....	2	2	1	.....	.....	2	.....	1	.....	38
.....	.....	3	10	14	1	6	7	4	4	6	3	7	.....	8	1	9	3	39
.....	6	3	53	76	25	37	20	8	35	34	3	32	3	23	4	71	1	40
1	.....	1	8	14	5	5	20	2	9	6	1	18	1	9	6	15	3	41
.....	.....	.....	.....	3	.....	1	2	.....	.....	.....	1	.....	.....	5	2	1	.....	42
.....	3	4	48	68	18	18	22	8	34	30	3	24	2	23	15	43	3	43
.....	3	7	55	71	23	16	24	4	32	19	4	25	3	38	11	55	.....	44
.....	5	.....	65	54	13	12	8	7	25	21	4	9	4	16	11	28	.....	45
1	2	2	43	51	15	16	12	10	19	19	1	26	2	10	8	41	.....	46
.....	.....	.....	5	9	1	6	6	.....	4	5	3	5	3	6	3	16	.....	47
.....	6	1	41	50	12	13	8	5	27	16	1	12	2	28	1	46	.....	48
.....	6	5	31	73	26	21	20	8	22	23	6	26	1	18	5	45	.....	49
.....	5	7	60	100	15	21	9	5	19	34	3	17	4	24	9	40	.....	50
1	2	3	47	57	6	17	7	4	19	17	.....	3	5	30	10	42	.....	51
.....	4	12	160	111	61	59	52	25	56	45	10	54	10	62	31	104	1	52
.....	4	1	35	29	9	15	11	5	21	16	5	18	.....	15	9	19	.....	53
.....	3	1	26	36	10	5	1	.....	8	12	1	4	2	5	4	36	.....	54
1	1	4	23	51	14	10	7	3	15	14	1	9	.....	17	3	24	1	55
.....	9	6	43	42	35	15	19	7	24	20	3	10	3	13	6	24	.....	56
.....	2	5	29	46	16	10	5	2	14	18	5	9	1	8	9	24	.....	57
.....	10	9	82	105	41	32	15	6	40	60	10	27	4	43	13	86	1	58
1	5	10	81	82	24	25	17	3	17	24	2	25	5	20	12	65	1	59
2	3	4	72	86	31	26	17	4	35	33	3	25	4	21	6	55	1	60
.....	6	13	85	125	46	24	17	7	28	38	2	18	4	31	8	62	1	61
.....	3	5	29	46	16	12	14	2	11	20	1	13	4	10	10	23	.....	62
1	3	3	41	64	28	9	12	2	20	22	1	13	3	10	4	28	.....	63
.....	2	9	45	44	20	19	22	9	22	27	3	15	3	18	9	42	.....	64
.....	10	21	113	164	102	118	100	14	53	78	9	57	20	76	23	73	1	65
1	6	11	145	105	82	43	59	12	49	63	8	41	8	40	31	76	.....	66
.....	3	2	78	82	51	35	29	7	31	50	4	20	2	38	16	39	1	67
.....	.....	.....	36	29	15	12	7	2	18	20	2	7	.....	28	11	12	.....	68
.....	3	5	64	46	24	21	11	4	19	22	6	18	.....	14	3	25	.....	69
.....	7	6	82	97	57	49	21	4	32	54	3	25	12	29	11	34	.....	70
2	4	8	70	59	30	16	26	3	27	39	5	17	4	51	17	32	.....	71
1	3	17	105	73	62	64	44	14	21	44	6	22	16	50	6	34	.....	72
.....	5	4	80	70	19	14	14	2	16	41	.....	11	4	20	9	37	.....	73
.....	5	1	39	35	23	13	7	4	9	19	1	14	3	17	11	24	.....	74
1	4	6	62	55	43	34	52	13	32	41	1	35	4	47	15	23	.....	75
2	11	20	156	125	59	44	52	12	51	81	7	33	14	68	38	69	.....	76

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	NEW JERSEY RURAL[1]—Continued.													
1	Morris County	975	4	1	.....	11	8	8	10	7	6	73	16	46
2	Ocean County	293	2	.....	.....	1	2	1	4	3	1	31	3	18
3	Passaic County	311	3	1	.....	1	1	2	4	1	1	41	6	13
4	Salem County	309	4	.....	.....	.....	.....	1	9	1	5	28	4	16
5	Somerset County	469	8	.....	.....	2	2	4	4	1	4	40	7	35
6	Sussex County	384	3	.....	.....	9	3	7	2	1	1	38	4	13
7	Union County	506	3	.....	.....	3	2	8	5	3	5	43	11	30
8	Warren County	409	3	.....	.....	6	1	1	1	6	6	33	6	31
	NEW YORK RURAL[1]													
9	Albany County	479	2	.....	.....	.....	.....	2	7	4	1	25	7	29
10	Allegany County	601	13	1	.....	4	2	4	1	10	4	25	6	34
11	Broome County	475	5	1	.....	.....	2	2	2	16	1	31	6	27
12	Cattaraugus County	650	11	1	.....	4	3	3	4	9	4	26	7	52
13	Cayuga County	531	3	.....	.....	1	1	2	.....	8	6	32	7	42
14	Chautauqua County	821	8	1	.....	1	.....	.....	20	22	6	34	9	52
15	Chemung County	299	8	.....	.....	.....	.....	3	1	3	5	29	3	17
16	Chenango County	642	8	.....	.....	.....	4	4	3	12	1	28	7	36
17	Clinton County	449	1	.....	.....	3	1	6	2	18	4	50	8	21
18	Columbia County	477	6	.....	.....	.....	6	4	1	3	7	42	5	27
19	Cortland County	244	3	.....	.....	.....	.....	1	.....	5	.....	11	2	18
20	Delaware County	648	4	.....	.....	.....	3	7	4	11	5	37	8	41
21	Dutchess County	1,093	6	1	.....	15	1	7	9	6	1	127	10	49
22	Erie County	1,440	16	.....	.....	3	15	6	15	21	10	111	31	63
23	Essex County	529	6	.....	.....	17	.....	2	4	9	13	77	6	22
24	Franklin County	732	12	.....	.....	1	1	5	2	15	7	134	9	34
25	Fulton County	217	2	1	.....	.....	.....	.....	2	4	7	16	3	19
26	Genesee County	370	1	.....	.....	1	2	3	5	6	2	30	6	10
27	Greene County	509	8	2	.....	.....	2	2	3	3	2	57	11	30
28	Hamilton County	41	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	5
29	Herkimer County	587	5	.....	.....	.....	2	3	2	2	5	34	11	33
30	Jefferson County	743	11	3	.....	.....	1	10	.....	17	4	42	9	43
31	Lewis County	367	7	.....	.....	2	1	3	1	8	2	12	2	13
32	Livingston County	584	3	.....	.....	1	2	1	1	7	4	64	8	31
33	Madison County	614	1	.....	.....	1	2	2	1	7	.....	30	7	38
34	Monroe County	808	6	.....	.....	4	2	7	12	7	5	52	15	37
35	Montgomery County	350	1	1	.....	.....	.....	.....	.....	2	3	32	6	26
36	Nassau County	1,109	12	5	.....	7	5	10	25	7	6	84	18	50
37	Niagara County	428	6	.....	.....	.....	4	.....	2	5	1	35	2	22
38	Oneida County	932	11	.....	.....	5	3	1	4	16	8	69	12	47
39	Onondaga County	964	12	.....	.....	1	2	7	5	18	9	65	9	57
40	Ontario County	578	5	1	.....	4	.....	2	3	8	2	26	4	45
41	Orange County	801	13	3	.....	2	7	3	12	11	1	83	13	31
42	Orleans County	441	2	.....	.....	1	4	1	1	6	5	43	3	28
43	Oswego County	777	7	.....	.....	.....	2	7	2	19	4	40	10	33
44	Otsego County	729	13	.....	.....	1	2	2	4	14	2	34	7	56
45	Putnam County	271	.....	.....	.....	4	.....	.....	1	3	.....	27	2	16
46	Rensselaer County	717	13	.....	.....	1	3	8	2	12	4	66	9	39
47	Rockland County	655	4	6	.....	8	2	13	10	6	11	43	4	38
48	St. Lawrence County	1,025	12	.....	.....	2	.....	11	9	7	8	65	13	64
49	Saratoga County	694	9	1	.....	1	2	4	5	9	7	55	7	46
50	Schenectady County	136	.....	.....	.....	.....	1	.....	.....	1	1	11	1	6
51	Schoharie County	395	5	1	.....	.....	5	1	1	4	6	22	8	35
52	Schuyler County	205	3	.....	.....	.....	.....	1	.....	2	2	9	3	25
53	Seneca County	529	4	1	.....	.....	.....	2	4	4	4	55	10	30
54	Steuben County	1,030	6	1	.....	7	1	1	2	13	8	49	7	78
55	Suffolk County	1,689	11	.....	.....	1	5	4	16	16	5	165	18	79
56	Sullivan County	609	8	.....	.....	2	3	8	1	8	8	162	10	20
57	Tioga County	455	3	.....	.....	.....	1	2	4	9	3	16	4	28
58	Tompkins County	288	4	.....	.....	.....	1	1	1	9	3	22	8	30
59	Ulster County	975	5	2	.....	9	.....	11	8	19	3	72	10	54
60	Warren County	275	4	.....	.....	.....	.....	.....	.....	2	1	19	.....	20
61	Washington County	735	9	.....	.....	5	4	1	9	14	4	38	4	47
62	Wayne County	777	8	1	.....	2	.....	7	6	8	5	37	7	48
63	Westchester County	1,912	11	2	1	34	9	13	25	13	11	168	42	127
64	Wyoming County	414	3	.....	.....	2	2	2	.....	10	5	16	6	28
65	Yates County	262	7	1	.....	.....	.....	.....	.....	4	1	18	3	9
	OHIO RURAL[1]													
66	Adams County	239	14	1	.....	.....	.....	1	.....	8	2	36	7	11
67	Allen County	307	6	.....	.....	.....	1	.....	2	6	6	38	15	18
68	Ashland County	264	8	.....	.....	.....	1	.....	.....	9	2	15	8	16
69	Ashtabula County	543	11	.....	.....	3	1	5	2	10	4	35	14	29
70	Athens County	654	18	.....	.....	1	.....	12	9	5	12	52	6	24
71	Auglaize County	361	7	1	.....	.....	1	1	2	6	5	39	12	24
72	Belmont County	795	19	.....	.....	14	7	5	9	7	8	64	14	40
73	Brown County	352	7	.....	.....	.....	.....	3	3	4	3	44	11	22
74	Butler County	271	8	.....	.....	.....	.....	1	4	8	5	28	3	8
75	Carroll County	165	3	.....	.....	.....	.....	.....	1	6	1	8	2	15

[1] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909—Continued.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
1	9	15	187	111	65	48	51	15	43	65	4	22	8	70	19	52	.....	1
.....	2	3	33	32	19	12	4	4	15	36	2	13	4	13	13	22	.....	2
.....	6	7	26	29	24	25	22	.....	14	14	1	11	6	26	5	21	.....	3
.....	2	2	44	27	18	13	18	2	12	20	5	19	4	17	11	27	.....	4
.....	10	5	58	82	30	17	19	2	15	37	1	15	5	33	3	30	.....	5
.....	1	3	44	51	54	17	14	3	19	10	4	26	2	28	4	23	.....	6
.....	1	6	52	52	54	24	22	6	26	35	4	26	6	40	9	28	2	7
.....	6	3	54	51	35	13	15	2	14	29	2	24	7	27	9	21	.....	8
.....	6	6	49	86	33	22	12	5	16	38	5	18	5	52	7	42	.....	9
.....	5	3	70	142	34	27	14	7	43	43	8	11	4	34	5	47	.....	10
1	6	1	73	73	25	11	9	5	42	32	1	12	3	33	2	53	.....	11
.....	8	12	80	127	33	33	15	4	44	33	6	25	8	31	11	56	.....	12
.....	2	1	79	100	18	24	9	8	36	36	3	9	9	32	4	59	.....	13
2	11	8	90	175	42	49	27	8	61	36	8	30	7	44	4	66	.....	14
1	4	.....	29	66	21	10	4	1	19	22	3	7	6	15	.....	22	.....	15
.....	12	5	101	131	43	35	10	7	31	48	3	21	5	27	5	55	.....	16
.....	3	11	25	67	40	29	21	2	29	17	5	13	.....	33	4	36	.....	17
.....	9	2	54	73	17	19	12	6	27	56	5	10	8	37	3	38	.....	18
.....	.....	1	47	52	14	10	5	4	15	15	1	6	5	13	1	15	.....	19
2	8	5	102	98	49	28	15	7	40	40	8	21	6	38	5	56	.....	20
.....	9	6	164	191	83	48	36	9	49	76	9	40	11	61	11	58	.....	21
.....	9	17	150	207	95	75	123	12	64	58	12	59	18	145	19	85	1	22
.....	4	4	48	63	28	26	28	5	26	33	5	23	5	30	3	42	.....	23
.....	4	10	56	86	56	42	43	11	31	38	6	39	1	33	10	46	.....	24
.....	4	1	20	40	11	6	2	2	8	27	1	9	6	7	2	17	.....	25
.....	2	1	57	59	14	19	11	2	24	30	5	12	3	26	3	36	.....	26
2	5	3	68	89	18	22	9	5	33	47	1	15	7	24	5	36	.....	27
.....	.....	.....	3	7	2	4	.....	.....	4	3	.....	1	1	3	.....	4	.....	28
.....	9	10	69	100	30	34	29	4	33	41	1	28	7	34	13	48	.....	29
.....	10	7	97	132	44	32	16	8	66	42	6	27	9	39	3	65	.....	30
.....	7	5	70	56	32	21	5	4	14	23	3	10	3	26	4	33	.....	31
.....	4	4	91	122	18	37	16	7	31	32	2	10	1	44	3	40	.....	32
.....	10	6	76	155	53	21	12	9	38	33	6	10	4	37	5	50	.....	33
.....	7	8	83	136	49	45	57	7	30	34	4	27	11	80	13	69	1	34
1	6	3	51	57	24	15	5	3	21	30	2	13	.....	14	3	31	.....	35
1	11	12	101	160	60	55	64	14	63	92	14	40	17	98	13	64	1	36
1	3	4	54	80	23	21	15	2	25	29	2	17	8	26	5	36	.....	37
1	19	11	111	175	71	42	30	5	46	68	10	25	9	46	14	73	.....	38
2	16	4	100	194	59	49	30	12	40	57	4	34	12	72	6	88	.....	39
.....	4	2	82	94	41	27	9	10	40	40	5	24	9	33	6	52	.....	40
.....	12	13	81	124	57	57	40	11	42	58	12	35	11	90	13	55	1	41
.....	5	5	50	77	23	24	16	6	22	29	1	11	3	30	2	43	.....	42
.....	7	8	100	157	45	27	21	14	44	56	9	28	10	52	5	70	.....	43
2	22	7	83	151	48	21	13	4	44	56	6	29	6	34	7	61	.....	44
.....	1	5	34	41	21	10	6	4	10	22	3	9	4	21	6	21	.....	45
.....	8	9	93	131	48	40	16	3	36	54	6	19	11	43	8	35	.....	46
2	8	7	67	108	56	33	27	4	35	54	4	21	3	52	3	26	.....	47
.....	7	9	124	187	72	49	41	10	57	63	13	40	7	48	16	91	.....	48
1	7	9	84	117	39	36	31	9	33	63	7	19	3	33	5	50	2	49
.....	3	1	23	17	5	7	5	1	4	10	2	5	1	15	2	14	.....	50
.....	6	3	48	79	22	14	9	6	18	31	.....	12	2	25	3	29	.....	51
.....	2	.....	28	37	8	9	1	2	16	10	2	3	2	19	.....	20	1	52
.....	5	2	67	129	30	22	13	5	22	35	2	9	4	27	6	37	.....	53
.....	4	7	131	215	32	70	19	21	50	95	6	19	13	48	7	120	.....	54
1	15	11	365	288	60	123	51	25	66	138	6	33	13	77	7	79	2	55
1	3	4	47	89	37	26	14	9	28	23	9	17	5	28	7	32	.....	56
1	8	5	82	57	19	19	3	11	36	37	4	14	4	37	8	40	.....	57
.....	.....	2	43	46	10	14	4	1	14	18	2	6	4	17	1	27	.....	58
1	11	13	121	147	94	46	37	7	51	69	9	27	12	69	7	61	.....	59
.....	3	5	30	47	21	9	5	10	7	26	5	9	4	18	3	27	.....	60
.....	6	6	96	121	52	41	46	11	35	58	8	22	7	38	4	49	.....	61
1	11	8	101	127	53	41	23	5	38	55	8	29	10	63	8	66	1	62
.....	23	28	166	218	113	106	135	19	89	166	15	70	25	153	20	110	.....	63
.....	6	1	43	94	21	14	19	7	25	23	5	11	3	23	3	42	.....	64
.....	1	1	45	36	15	15	4	6	22	19	.....	4	1	14	3	33	.....	65
.....	2	2	24	24	8	15	12	4	10	8	3	13	3	9	3	16	3	66
2	1	9	25	28	16	9	12	6	21	22	5	10	2	15	5	25	2	67
4	5	.....	32	42	13	8	9	5	22	8	5	8	2	10	5	27	.....	68
1	9	5	67	94	30	18	19	6	32	33	6	17	2	43	7	39	1	69
.....	4	5	79	70	47	25	45	6	22	35	8	49	4	44	8	59	5	70
.....	2	10	41	45	21	13	20	1	30	19	8	10	3	21	2	17	.....	71
.....	2	6	57	69	73	38	71	8	38	43	12	52	5	76	6	49	3	72
.....	5	5	38	69	15	13	9	5	19	14	1	10	3	20	3	26	.....	73
1	2	2	22	37	18	9	7	6	15	11	4	13	3	28	12	15	1	74
.....	1	5	22	18	11	6	8	2	10	15	2	3	.....	9	2	13	2	75

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	OHIO RURAL[1]—Continued.													
1	Champaign County	333	4	1	.....	1	.....	.....	2	5	3	32	6	28
2	Clark County	207	3	.....	.....	.....	.....	.....	3	2	2	14	5	16
3	Clermont County	448	13	.....	.....	.....	.....	1	1	2	3	63	8	30
4	Clinton County	326	7	.....	.....	5	.....	2	2	12	7	30	10	19
5	Columbiana County	663	31	.....	.....	1	2	1	4	11	10	38	9	34
6	Coshocton County	353	10	.....	.....	.....	.....	1	11	4	2	23	5	25
7	Crawford County	363	11	.....	.....	.....	3	1	1	5	.....	33	6	22
8	Cuyahoga County	911	5	.....	.....	6	10	2	11	5	8	88	12	76
9	Darke County	523	14	.....	.....	.....	.....	2	.....	11	10	54	15	34
10	Defiance County	250	8	.....	.....	1	.....	.....	4	1	3	36	5	18
11	Delaware County	330	14	.....	.....	2	.....	2	1	6	6	24	5	23
12	Erie County	349	4	1	.....	3	.....	1	1	.....	3	24	2	27
13	Fairfield County	276	4	.....	.....	.....	1	2	3	8	7	24	.....	12
14	Fayette County	225	9	.....	.....	1	1	.....	.....	3	3	29	3	15
15	Franklin County	577	10	2	.....	2	2	.....	5	6	5	74	15	31
16	Fulton County	293	9	1	.....	.....	2	.....	1	1	2	17	5	14
17	Gallia County	438	8	2	.....	.....	.....	5	5	9	2	53	7	16
18	Geauga County	209	1	.....	.....	.....	5	.....	.....	3	2	19	6	8
19	Greene County	263	5	.....	.....	.....	.....	2	.....	11	.....	25	4	16
20	Guernsey County	364	10	.....	.....	.....	.....	4	5	1	2	23	2	26
21	Hamilton County	1,061	18	6	.....	.....	6	8	6	28	19	106	26	58
22	Hancock County	252	5	1	.....	.....	.....	.....	7	2	4	14	6	22
23	Hardin County	372	7	2	.....	.....	.....	3	4	10	6	41	4	22
24	Harrison County	280	6	2	.....	.....	.....	.....	1	1	2	22	2	14
25	Henry County	264	7	.....	.....	1	1	3	3	3	3	19	4	17
26	Highland County	375	11	.....	.....	.....	1	2	2	13	1	45	7	26
27	Hocking County	310	6	.....	.....	.....	.....	.....	6	7	4	32	4	7
28	Holmes County	204	3	1	.....	.....	.....	.....	1	2	3	14	3	18
29	Huron County	440	10	1	.....	2	.....	3	.....	5	1	31	.....	29
30	Jackson County	307	10	.....	.....	.....	.....	.....	3	5	6	37	6	13
31	Jefferson County	515	4	.....	.....	6	8	4	15	8	3	29	7	12
32	Knox County	361	9	.....	.....	.....	.....	.....	1	2	1	31	2	23
33	Lake County	331	8	.....	.....	1	1	.....	.....	3	1	16	3	24
34	Lawrence County	343	18	.....	.....	1	2	6	7	3	7	50	9	11
35	Licking County	327	3	1	.....	.....	.....	1	1	5	5	28	6	21
36	Logan County	367	12	.....	.....	.....	1	1	1	4	5	37	4	30
37	Lorain County	416	12	.....	.....	.....	.....	2	1	4	1	34	6	25
38	Lucas County	256	7	.....	.....	1	1	2	2	2	2	22	5	2
39	Madison County	254	6	.....	.....	3	1	.....	1	4	1	29	6	16
40	Mahoning County	429	5	1	.....	4	8	1	6	1	5	36	5	21
41	Marion County	187	8	.....	.....	.....	1	1	1	4	6	14	4	11
42	Medina County	287	4	.....	.....	.....	.....	.....	.....	1	2	13	1	27
43	Meigs County	361	15	1	.....	.....	.....	.....	2	3	15	37	6	21
44	Mercer County	291	9	.....	.....	.....	2	1	6	10	4	31	10	12
45	Miami County	385	4	.....	.....	.....	.....	.....	3	3	5	34	5	33
46	Monroe County	275	8	.....	.....	.....	1	2	4	13	1	24	5	12
47	Montgomery County	696	8	1	1	.....	.....	1	1	11	7	60	13	37
48	Morgan County	191	5	1	.....	1	1	.....	.....	3	2	18	3	9
49	Morrow County	225	7	.....	.....	.....	.....	2	.....	2	.....	17	1	23
50	Muskingum County	351	10	2	.....	.....	1	1	2	6	4	31	3	9
51	Noble County	197	3	.....	.....	.....	.....	2	7	2	2	11	1	10
52	Ottawa County	274	3	.....	.....	.....	.....	1	1	.....	6	24	5	19
53	Paulding County	227	11	1	.....	1	.....	1	.....	5	3	30	5	16
54	Perry County	427	9	1	.....	1	2	2	10	4	5	37	9	21
55	Pickaway County	345	9	1	.....	.....	1	1	4	11	3	32	5	20
56	Pike County	209	5	1	.....	.....	.....	.....	1	12	6	41	5	8
57	Portage County	403	9	1	.....	.....	1	.....	8	5	3	23	9	33
58	Preble County	307	7	.....	.....	.....	.....	.....	1	10	5	23	2	12
59	Putnam County	274	7	.....	.....	.....	2	2	.....	2	4	30	5	20
60	Richland County	347	8	1	.....	.....	3	1	2	3	1	35	8	22
61	Ross County	360	7	.....	.....	.....	1	5	6	11	5	36	8	21
62	Sandusky County	217	3	1	.....	.....	.....	1	.....	1	6	23	3	17
63	Scioto County	317	10	.....	.....	.....	1	.....	7	4	3	32	8	11
64	Seneca County	330	7	1	.....	.....	.....	2	1	4	2	24	4	17
65	Shelby County	312	7	.....	.....	2	.....	1	9	5	7	19	8	17
66	Stark County	598	9	1	.....	2	2	1	3	5	9	44	7	26
67	Summit County	450	11	1	.....	.....	.....	.....	4	5	5	30	6	27
68	Trumbull County	560	19	.....	.....	5	5	1	10	6	2	25	10	43
69	Tuscarawas County	651	17	.....	.....	1	2	1	5	13	3	40	13	41
70	Union County	254	11	.....	.....	.....	.....	3	1	3	1	30	8	16
71	Van Wert County	245	6	.....	.....	.....	.....	.....	1	2	6	25	4	13
72	Vinton County	175	6	2	.....	.....	1	3	3	8	2	16	4	8
73	Warren County	337	11	1	.....	.....	.....	5	7	10	6	36	6	15
74	Washington County	393	13	2	.....	.....	.....	7	1	7	2	34	9	12
75	Wayne County	460	10	1	.....	1	1	.....	1	6	7	31	9	36
76	Williams County	296	2	2	.....	.....	.....	3	.....	8	2	23	9	14
77	Wood County	478	15	1	1	3	1	.....	8	5	3	44	8	22
78	Wyandot County	243	6	1	.....	.....	.....	.....	.....	3	3	24	4	11

[1] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909—Continued.

CAUSES OF DEATH—continued.																		
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	2	1	36	60	10	6	15	5	26	25	4	12	3	17	3	25	1	1
.....	.....	.....	23	37	16	11	4	7	9	15	1	7	2	10	5	15	.....	2
.....	5	.....	62	71	22	11	14	8	27	24	3	9	2	22	4	42	1	3
1	3	5	40	46	13	10	10	5	25	12	3	13	4	15	4	23	.....	4
1	5	4	76	93	44	30	23	5	41	50	10	28	8	47	3	50	4	5
.....	6	5	39	48	26	14	9	5	20	18	8	15	2	21	8	24	4	6
.....	3	4	39	44	24	14	7	9	17	31	5	16	8	30	3	27	.....	7
.....	9	11	84	123	52	47	62	11	42	66	9	37	12	61	9	52	1	8
2	6	5	43	85	30	19	24	10	28	33	7	26	2	26	1	36	.....	9
1	1	7	28	32	13	11	5	5	9	10	3	12	.....	12	3	22	.....	10
.....	4	2	46	51	20	10	9	9	17	15	3	13	1	26	.....	20	1	11
.....	4	1	46	84	7	13	4	8	18	18	1	10	6	35	1	27	.....	12
.....	4	5	42	47	16	8	8	2	20	8	4	7	.....	15	.....	29	.....	13
.....	5	.....	22	36	10	7	7	4	12	7	.....	13	5	11	5	16	1	14
.....	6	8	52	73	30	28	20	7	27	36	9	20	6	53	3	47	.....	15
.....	7	1	37	36	18	10	12	4	19	18	7	16	2	23	2	26	3	16
.....	3	9	108	58	15	20	22	5	14	19	5	9	3	15	5	21	.....	17
.....	1	4	29	49	17	11	5	1	9	7	1	2	3	8	1	16	1	18
.....	1	6	31	51	13	9	12	3	14	8	3	13	3	14	1	17	1	19
1	5	6	35	45	33	14	28	10	20	12	4	15	2	24	7	29	1	20
.....	10	12	96	151	51	71	38	18	60	90	8	43	7	52	9	63	1	21
.....	6	2	28	32	15	6	8	3	11	19	1	12	2	21	1	22	2	22
.....	5	6	33	49	22	15	15	2	27	23	3	20	3	19	3	28	.....	23
.....	2	1	21	40	18	14	9	6	17	23	5	18	3	14	10	25	4	24
.....	4	2	25	40	14	10	19	4	14	14	5	5	1	23	2	19	2	25
1	4	8	42	57	31	20	11	4	16	24	3	13	4	14	2	13	.....	26
.....	4	8	15	40	21	21	22	5	14	16	8	18	1	20	6	25	.....	27
.....	2	.....	21	36	10	7	6	3	16	12	5	12	.....	13	7	9	.....	28
.....	5	4	54	76	22	10	19	10	30	25	5	12	7	24	1	52	2	29
.....	.....	1	26	54	15	20	15	8	13	9	2	19	.....	12	7	21	5	30
.....	2	8	40	48	52	38	40	11	29	17	9	27	2	47	12	32	5	31
1	3	3	58	78	13	14	9	6	17	18	5	12	2	19	4	29	1	32
1	3	2	44	50	40	8	9	.....	14	17	2	9	1	41	4	26	3	33
.....	2	12	13	32	21	24	18	4	20	19	3	16	1	14	6	20	4	34
.....	2	2	46	55	16	16	8	5	12	20	2	14	3	22	3	29	1	35
.....	3	3	52	45	18	14	10	1	23	28	4	8	3	30	4	24	2	36
.....	5	2	44	68	24	15	25	2	22	27	6	18	2	33	1	36	1	37
1	1	2	24	48	13	19	5	2	15	15	4	15	2	18	4	21	1	38
1	2	5	18	37	20	11	7	1	20	16	.....	10	8	9	2	20	.....	39
1	1	1	43	52	24	27	35	6	23	22	4	18	7	39	7	25	1	40
.....	1	1	19	20	12	6	13	7	15	13	1	3	1	10	3	12	.....	41
1	5	3	42	62	10	12	6	.....	16	21	2	10	4	21	.....	24	.....	42
.....	2	1	49	54	22	14	13	5	20	14	5	11	3	14	3	31	.....	43
.....	3	1	28	25	18	11	13	8	17	18	1	22	3	9	7	21	1	44
.....	5	3	41	73	26	9	11	2	27	16	6	16	5	21	3	33	1	45
2	4	2	37	31	15	10	12	6	20	10	2	15	4	15	4	14	2	46
1	6	9	112	142	36	17	26	7	33	57	5	23	9	34	.....	39	.....	47
.....	2	3	27	37	10	7	7	1	14	9	.....	1	2	10	.....	18	.....	48
.....	4	.....	40	44	13	5	7	1	11	11	2	3	.....	10	.....	22	.....	49
.....	5	8	36	61	15	16	5	10	22	16	2	15	2	31	4	33	1	50
.....	.....	1	21	26	15	6	8	3	16	11	4	13	2	14	4	14	1	51
.....	3	1	24	46	7	9	9	7	18	15	4	6	2	35	2	26	1	52
.....	2	3	17	18	19	3	9	3	13	20	4	10	2	7	1	23	.....	53
1	2	2	54	49	38	18	21	6	18	13	6	30	2	24	8	31	3	54
.....	4	7	32	45	25	8	12	3	16	17	2	18	5	31	3	28	2	55
.....	.....	1	14	22	12	7	7	5	9	11	1	6	1	9	3	21	1	56
.....	4	1	51	63	35	7	15	1	21	20	1	8	4	27	10	43	.....	57
.....	3	2	44	51	18	19	9	5	19	27	3	11	3	20	2	11	.....	58
.....	7	3	33	28	18	14	13	5	21	15	2	11	2	9	5	15	1	59
.....	6	1	49	56	16	14	8	10	16	19	2	10	2	19	6	28	1	60
.....	3	5	38	30	36	11	12	6	12	22	4	20	1	34	4	22	.....	61
.....	1	2	22	34	12	17	5	.....	18	12	3	7	.....	11	1	17	.....	62
.....	3	2	21	33	21	19	23	4	21	13	5	17	3	21	8	26	1	63
.....	3	3	47	54	15	12	8	6	15	20	3	8	6	29	7	32	.....	64
.....	6	3	35	44	21	18	10	3	19	20	2	19	3	20	3	11	.....	65
1	6	4	98	109	33	20	13	7	33	33	5	25	10	43	3	45	1	66
.....	3	4	44	87	20	23	25	4	21	28	6	12	6	39	2	36	1	67
1	8	4	59	84	35	16	23	6	31	27	6	25	8	43	8	48	2	68
4	12	1	79	89	35	21	27	4	42	35	11	36	8	44	9	55	3	69
.....	6	.....	35	42	15	10	1	3	10	8	1	13	2	12	2	20	1	70
1	1	4	21	28	9	11	12	3	14	16	2	18	3	16	3	26	.....	71
.....	1	1	13	22	9	4	10	6	8	10	1	7	.....	13	2	12	3	72
1	2	1	45	56	16	6	8	6	20	28	1	8	6	12	2	22	.....	73
1	4	4	57	71	17	20	11	4	15	23	4	17	1	20	8	27	2	74
1	2	2	56	75	42	19	10	4	30	25	4	14	7	27	8	29	2	75
.....	6	1	49	45	8	6	13	2	10	18	6	17	2	19	2	29	.....	76
.....	14	9	60	59	24	19	16	4	38	28	2	19	6	29	3	36	1	77
.....	3	4	28	42	8	7	9	4	13	9	1	16	3	14	5	25	.....	78

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	PENNSYLVANIA RURAL.[1]													
1	Adams County	428	4	.....	.....	.....	1	2	6	4	5	42	5	19
2	Allegheny County	5,214	86	4	.....	52	69	92	86	26	36	478	64	175
3	Armstrong County	798	22	.....	.....	6	14	9	8	10	3	54	7	28
4	Beaver County	813	14	.....	.....	4	8	5	9	13	8	58	4	40
5	Bedford County	527	18	.....	.....	11	.....	.....	6	10	6	32	12	17
6	Berks County	1,219	21	.....	.....	7	12	10	12	19	3	81	11	48
7	Blair County	663	11	.....	.....	2	1	4	5	11	10	44	9	29
8	Bradford County	793	11	1	.....	.....	4	6	7	21	6	28	5	50
9	Bucks County	1,050	16	.....	.....	5	6	6	12	18	9	99	12	57
10	Butler County	557	8	.....	.....	2	6	4	3	9	8	31	11	32
11	Cambria County	1,588	33	.....	.....	29	68	18	43	10	12	68	15	33
12	Cameron County	103	6	.....	.....	1	.....	.....	.....	2	.....	7	.....	7
13	Carbon County	797	1	1	.....	8	5	12	7	15	9	51	5	25
14	Center County	610	7	.....	.....	1	.....	10	10	6	5	33	14	45
15	Chester County	1,281	17	1	.....	2	3	10	26	33	14	109	11	70
16	Clarion County	425	10	.....	.....	4	1	14	3	7	1	27	8	19
17	Clearfield County	845	19	.....	.....	2	2	8	10	10	10	29	17	38
18	Clinton County	391	6	1	.....	1	1	2	2	6	6	28	9	15
19	Columbia County	586	5	1	.....	4	.....	12	7	18	4	31	6	27
20	Crawford County	530	7	.....	.....	.....	.....	1	2	9	5	29	1	34
21	Cumberland County	588	10	1	.....	7	5	4	7	13	9	56	12	30
22	Dauphin County	873	19	.....	.....	6	5	15	29	6	12	101	5	29
23	Delaware County	939	12	1	.....	8	2	8	15	11	4	119	10	45
24	Elk County	398	10	.....	.....	4	2	6	6	11	2	18	3	21
25	Erie County	677	9	1	.....	7	1	3	6	16	8	31	8	35
26	Fayette County	2,360	77	.....	.....	31	39	24	30	25	17	124	31	66
27	Forest County	113	.....	.....	.....	.....	3	.....	3	1	2	5	.....	7
28	Franklin County	725	14	.....	.....	26	1	7	6	11	3	125	7	22
29	Fulton County	144	4	.....	.....	.....	.....	.....	.....	6	5	14	2	8
30	Greene County	347	5	.....	.....	6	.....	2	7	9	2	46	8	14
31	Huntingdon County	486	5	.....	.....	6	.....	.....	13	11	7	36	3	28
32	Indiana County	867	10	1	.....	11	9	14	14	11	4	38	6	43
33	Jefferson County	751	10	.....	.....	12	1	5	11	7	10	38	9	31
34	Juniata County	217	.....	.....	.....	4	.....	1	6	2	1	11	4	12
35	Lackawanna County	1,721	5	.....	.....	41	104	34	50	12	18	66	7	27
36	Lancaster County	1,386	19	2	.....	2	1	8	15	34	7	104	10	81
37	Lawrence County	388	6	1	.....	2	.....	2	4	4	3	31	5	9
38	Lebanon County	563	23	.....	.....	4	4	.....	5	9	7	41	8	20
39	Lehigh County	1,043	14	.....	.....	6	29	6	32	9	7	63	7	38
40	Luzerne County	3,090	11	5	.....	65	102	25	145	20	24	172	19	80
41	Lycoming County	502	4	.....	.....	2	3	2	8	5	3	28	5	34
42	McKean County	403	3	.....	.....	3	8	6	3	6	1	25	4	21
43	Mercer County	768	13	.....	.....	4	10	1	5	9	9	40	11	45
44	Mifflin County	374	9	.....	.....	1	.....	4	8	2	7	25	3	14
45	Monroe County	313	3	.....	.....	1	2	7	2	3	3	34	2	22
46	Montgomery County	1,636	16	2	.....	4	16	5	36	23	13	170	25	88
47	Montour County	176	1	.....	.....	.....	.....	2	.....	1	3	7	2	11
48	Northampton County	1,081	7	.....	.....	5	20	4	50	6	9	65	11	48
49	Northumberland County	726	15	1	.....	18	3	2	17	9	6	41	7	23
50	Perry County	305	2	.....	.....	1	.....	4	2	1	2	22	2	16
51	Pike County	136	3	.....	.....	.....	1	2	1	1	.....	14	3	7
52	Potter County	370	9	.....	.....	.....	1	6	1	3	2	17	5	14
53	Schuylkill County	2,295	17	4	.....	16	26	27	51	20	25	131	17	71
54	Snyder County	196	3	.....	.....	1	.....	2	1	.....	2	14	1	12
55	Somerset County	988	27	.....	.....	30	12	10	29	9	7	41	4	27
56	Sullivan County	125	1	.....	.....	2	3	4	4	.....	4	6	2	3
57	Susquehanna County	570	4	.....	.....	3	5	6	.....	9	4	31	5	27
58	Tioga County	575	8	.....	.....	.....	.....	3	7	21	7	16	2	46
59	Union County	232	2	.....	.....	2	1	.....	2	.....	1	14	2	11
60	Venango County	485	4	.....	.....	.....	3	4	.....	4	6	37	9	20
61	Warren County	501	6	1	.....	2	6	1	1	14	7	43	7	17
62	Washington County	2,052	47	.....	.....	38	23	11	26	16	23	133	31	76
63	Wayne County	403	9	.....	.....	.....	4	5	5	9	3	32	3	19
64	Westmoreland County	2,995	40	.....	.....	31	32	30	62	25	44	154	37	86
65	Wyoming County	187	2	.....	.....	.....	1	.....	3	1	.....	11	2	15
66	York County	1,032	10	2	.....	13	2	5	14	12	7	94	11	42
	RHODE ISLAND RURAL.[1]													
67	Bristol County	240	2	.....	.....	.....	.....	7	3	5	.....	16	5	21
68	Kent County	154	1	.....	.....	.....	.....	1	.....	1	2	6	2	7
69	Newport County	173	.....	.....	.....	.....	.....	.....	2	.....	1	7	4	14
70	Providence County	390	4	.....	.....	.....	1	.....	7	11	4	28	4	15
71	Washington County	370	1	.....	.....	.....	.....	3	1	8	5	20	2	32
	SOUTH DAKOTA RURAL.[1]													
72	Aurora County	35	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	3
73	Beadle County	72	2	.....	.....	.....	.....	2	3	2	.....	5	.....	6
74	Bonhomme County	80	.....	.....	.....	2	3	.....	.....	.....	.....	3	.....	3
75	Brookings County	94	1	.....	.....	.....	.....	.....	.....	.....	1	10	.....	2
76	Brown County	234	12	.....	.....	1	9	3	4	6	5	9	2	8

[1] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909—Continued.

CAUSES OF DEATH—continued.																		
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
	1	2	81	57	21	27	20	4	24	26	6	21	2	12	8	29	1	1
1	22	58	501	464	425	422	523	56	240	182	56	300	44	406	87	258	1	2
	7	8	67	82	40	52	57	13	38	42	12	50	8	76	31	54		3
	4	9	70	90	68	33	49	8	50	28	7	36	6	105	20	66	1	4
	6	3	75	45	25	39	33	5	28	32	5	19	1	34	27	37	1	5
1	18	14	214	174	58	69	39	21	59	58	17	64	11	60	45	73		6
	6	7	74	84	63	24	46	6	33	47	9	37	1	44	12	43	1	7
2	7	10	111	130	40	38	21	10	51	59	5	23	6	40	15	83	3	8
	13	9	160	132	56	56	44	20	50	31	7	31	9	61	17	64		9
		5	56	67	36	33	43	9	32	29	9	19	4	39	16	43	3	10
	8	9	132	72	130	95	210	15	75	53	31	96	7	189	52	78	7	11
			8	15	4	5	4	1	5	8	3	2		15	1	9		12
	11	7	70	73	60	55	86	5	51	41	16	32	2	74	22	52	1	13
	5	5	73	82	34	30	38	14	25	30	8	26	5	35	19	48	2	14
3	11	7	179	182	72	50	76	13	44	80	12	51	7	70	39	89		15
	5	4	43	49	31	33	17	8	21	18	10	10	1	28	10	39	4	16
	10	9	84	75	61	55	67	7	62	35	11	52	5	74	24	64	5	17
	3	8	44	54	21	17	12	3	19	30	6	21	1	26	13	36		18
	11	5	93	73	40	26	40	4	24	28	6	28	9	32	11	40	1	19
1	7	5	69	96	36	21	11	3	42	49	3	16	3	25	12	43		20
	4	4	78	84	25	33	15	6	37	32	4	21	3	26	17	43	2	21
1	8	5	132	111	49	53	40	5	53	34	6	39	4	41	11	54		22
	12	4	104	127	64	37	58	8	31	65	9	41	11	59	11	63		23
	4	10	31	45	24	13	31	3	13	12	7	36		41	12	31	2	24
	5	5	94	118	30	23	21	13	43	37	3	20	9	56	11	62	2	25
	9	30	142	131	280	96	239	29	94	64	33	163	15	282	129	152	8	26
	1		10	10	9	13	7	1	8	3	1	8	2	10	2	7		27
1	5	3	73	68	59	49	25	6	30	45	13	30	2	32	7	47	3	28
		2	20	21	6	10	7		10	7		4		6	5	7		29
	1	3	34	42	19	17	9	8	19	17	6	10	4	20	13	26		30
	3	5	61	45	24	24	33	9	25	26	8	26	2	37	19	30		31
2	1	10	81	67	48	60	90	7	36	43	18	47	3	93	25	73	2	32
	6	3	60	71	31	65	78	10	48	36	13	43	2	78	19	51	3	33
	5	5	30	37	19	2	3	3	11	4	5	14	1	15	5	17		34
1	8	22	149	104	145	169	239	22	79	69	26	83	7	127	33	73	1	35
2	8	10	221	206	90	98	45	18	71	73	8	65	11	57	28	88	4	36
	1	5	28	32	19	21	25	7	25	24	7	21	2	45	9	36	14	37
1	8	6	85	51	21	35	21	11	33	24	4	26		23	45	47	1	38
1	10	9	142	89	80	65	77	9	35	48	16	38	8	94	36	75		39
2	12	11	238	207	273	251	368	32	137	116	45	192	14	291	89	137	7	40
	6	6	68	64	35	24	20	10	31	46	3	24	2	27	3	39		41
	5	5	40	49	17	23	21	5	25	19	10	18	7	38	4	35	1	42
	10	8	87	105	55	35	46	3	53	42	11	30	7	51	18	58	2	43
1	8	3	44	48	20	13	33	7	16	17	7	25	1	19	4	35		44
	2	1	45	48	16	13	9	4	22	17	4	13	1	16	8	15		45
2	18	20	193	229	99	70	105	14	67	79	16	87	14	82	22	121		46
			67	31	6	6	3	3	11	11		3	1	3		4		47
	20	11	145	128	55	64	63	10	43	75	13	60	14	59	30	66		48
2	5	7	90	63	56	37	64	8	57	28	13	32	3	67	16	38		49
	2	1	42	66	15	13	12	4	20	16	5	15		10	6	25	1	50
			13	17	20	6	7		4	17		4	1	8		7		51
	5	9	32	56	26	15	26	5	32	20	6	13	5	23	10	28	1	52
	19	13	230	168	175	207	215	31	128	115	31	110	9	257	50	129	3	53
	1		35	35	14	13	6	4	10	5	3	5	3	8	1	16	1	54
	5	10	71	84	78	50	97	18	55	41	21	48	2	108	32	66	6	55
	2	1	13	20	9	8	3	2	8	5	2	6		10	1	6		56
	5	5	73	80	36	41	17	9	43	34	9	19	3	41	16	43	2	57
	8	2	82	109	35	23	12	13	30	36	11	21	4	22	17	46		58
	3	1	33	36	18	6	8	5	16	15	4	7	3	15	8	18	1	59
	8	9	63	83	23	20	13	8	34	31	6	15	2	32	9	42		60
	3	7	110	69	24	26	17	5	18	26	4	15	5	22	10	33	2	61
1	15	18	172	159	129	130	204	25	111	63	23	145	20	212	63	135	3	62
1	5	4	52	67	25	13	7	2	20	28	9	12	4	23	4	35	3	63
	13	30	235	207	240	174	370	42	157	102	38	154	35	324	139	190	4	64
	1	3	31	33	10	8	2	1	12	7	4	6		17	5	12		65
1	7	4	161	144	67	53	52	13	44	60	14	48	8	51	21	71	1	66
	2	2	16	21	19	13	21	7	6	22	1	12	3	12	1	23		67
	1	3	22	27	8	3	15	1	7	11	2	11	2	4	2	15		68
			21	20	12	9	9	3	7	13	5	13	1	8	6	17	1	69
	1	2	39	53	38	20	30		17	34	3	17	3	18	3	38		70
1	9	3	32	57	14	19	17	7	18	34	4	12	6	20	6	38	1	71
		1	2	2	2		4		2	3	1	4	2	2	2	3		72
		1	4	7	5	1	6	3	5	3	1	6		4	1	5		73
		2	6	6	2	3	5	1	4	3	1	14		9	3	10		74
	3	3	9	12	9	6	1	1	8	1	1	4	2	7	3	10		75
	2	4	25	7	24	3	15	6	21	2	2	11	3	23	6	21		76

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	SOUTH DAKOTA RURAL [1]—Continued.													
1	Brule County	59	4						2			2		1
2	Buffalo County [2]	51									1	9		
3	Butte County	46					1				1	2	1	2
4	Campbell County	66	2			3	2	1	10					
5	Charles Mix County	156	4		1	3		3	2		3	30	4	3
6	Clark County	61					1			2		3	1	1
7	Clay County	56	1							3		6		3
8	Codington County	114	5				4	1	6			5	2	6
9	Custer County	24	1				1		2					2
10	Davison County	115	5					2			4	7	2	5
11	Day County	93	3				2	2	4	2	1	7		2
12	Deuel County	72					7	1		3	2	9	1	4
13	Douglas County	43					2			1	2	4		
14	Edmunds County	41					3		1	2		1		2
15	Fall River County	98	3				4	1			4	7	2	11
16	Faulk County	38							2				1	3
17	Grant County	87	1				1	8	3	1	1	6	1	2
18	Gregory County	73	4			2	1	4	1		1	6		2
19	Hamlin County	54	1					2	2		1	4		3
20	Hand County	31	1						2			1	1	
21	Hanson County	38	1									2		2
22	Hughes County	60	3							4		3		2
23	Hutchinson County	108				3	1	1	3	2	1	2		4
24	Hyde County	15	1						1			2		1
25	Jerauld County	32							1		1	2		2
26	Kingsbury County	87	2				1	1	3	1		5	1	5
27	Lake County	79	2			1	1		4		2	4		2
28	Lawrence County	249	3				16	2	1		1	19	2	11
29	Lincoln County	117						1		2	1	11	1	3
30	Lyman County [3]	63	1					1			2	10	9	1
31	McCook County	71	1			1	2			2		2		5
32	McPherson County	68	1			1	1				1	1		4
33	Marshall County	76	2					3		1		9	2	3
34	Meade County	59					1	1				5	2	1
35	Miner County	67	5				2	3	3	1	1	3	2	2
36	Minnehaha County	132				1			2	2	2	14	2	7
37	Moody County	65	1						1			4	2	4
38	Pennington County	92					10		2	1		2		5
39	Perkins County	2												
40	Potter County	18										1		
41	Roberts County	129			1	1	2	3	2	1	1	12	1	2
42	Sanborn County	54							2	1	2	3	2	2
43	Spink County	90	4				1	4	2		2	4	3	1
44	Stanley County	75	1						3			6	3	1
45	Sully County	18								1		1		2
46	Turner County	112	3			1			2	1		5	4	4
47	Union County	117				2	1		1	2	1	10		5
48	Walworth County	36	1					1	2			2		1
49	Yankton County	166	3			1		1	1	2	4	14		9
50	Cheyenne River Indian Reservation	87									1	28		
51	Pine Ridge Indian Reservation	240						1				36	8	
52	Rosebud Indian Reservation	151	6			2	1	6			9	51	1	
	VERMONT RURAL.[1]													
53	Addison County	308	4			10				8	5	20	4	24
54	Bennington County	183					1		1	2		11	3	5
55	Caledonia County	393	6			10	5	2	2	11		18	5	22
56	Chittenden County	357				6		2		3	2	24	4	18
57	Essex County	108	2						1	2		3		5
58	Franklin County	431	11			4		1	4	9	1	30	12	20
59	Grande Isle County	47				1		1	1		1	5	1	5
60	Lamoille County	188	2			2			1	5	1	6	3	8
61	Orange County	297	3						6	12	5	17	6	17
62	Orleans County	349	4			10		3	5	14	1	18	7	22
63	Rutland County	516	5	1		3	1	1	2	13	7	43	6	36
64	Washington County	509	3			2			3	17		38	6	40
65	Windham County	475	1			1				17	2	25	6	27
66	Windsor County	516	2			2	3	3	3	12	2	29	6	49
	WASHINGTON RURAL.[1]													
67	Adams County	79	1			1			2	2	1	4	2	2
68	Asotin County	37	1									2	2	4
69	Benton County	76	11				3				2	9	2	2
70	Chehalis County	293	9			4			1	3	6	21	9	11
71	Chelan County	157	16			1	3		5	3		14	3	4
72	Clallam County [4]	75			3				2	2		4	2	1
73	Clarke County	207	5			1			2		2	20	5	10
74	Columbia County	60	1							1		9		5
75	Cowlitz County	75	1						1	1		5	1	4
76	Douglas County	34							1	3	1	1		

[1] Exclusive of cities having a population of 8,000 or over in 1900.

[2] Includes Crow Creek Indian Reservation.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909—Continued.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
1	.....	1	4	3	3	3	3	2	8	3	1	5	.....	4	2	7	.....	1
.....	.....	.....	3	.....	4	12	2	1	2	2	2	3	.....	1	1	2	6	2
.....	1	.....	7	4	2	3	.....	.....	2	4	2	3	1	7	2	1	.....	3
.....	.....	.....	10	1	6	1	2	.....	.....	.....	.....	5	.....	4	6	13	.....	4
.....	.....	3	11	10	21	7	5	2	5	6	1	7	2	7	3	13	.....	5
.....	1	.....	5	8	5	6	2	.....	1	3	1	6	.....	2	2	11	.....	6
.....	.....	.....	6	6	3	.....	1	.....	4	4	1	2	1	4	3	8	.....	7
.....	1	1	10	12	5	3	8	2	11	1	1	9	4	7	2	8	.....	8
.....	1	.....	2	1	3	.....	.....	.....	2	1	.....	4	2	2	.....	.....	.....	9
.....	2	3	6	8	10	9	2	3	11	5	1	5	3	5	5	12	.....	10
.....	1	5	3	5	6	3	7	1	7	3	1	7	3	1	5	8	4	11
.....	.....	.....	4	5	7	3	3	.....	3	2	2	3	.....	4	1	7	1	12
.....	.....	1	5	4	2	4	3	1	4	.....	1	3	.....	3	1	2	.....	13
.....	.....	.....	7	3	4	2	1	.....	4	3	.....	1	.....	2	4	1	.....	14
.....	1	1	15	11	5	1	1	1	8	8	1	1	1	4	1	6	.....	15
.....	.....	.....	3	3	1	1	5	1	2	1	3	1	.....	6	4	1	.....	16
.....	2	.....	8	3	6	8	6	2	6	3	1	4	.....	8	1	5	.....	17
.....	.....	1	3	2	9	4	10	1	2	.....	2	9	1	3	1	4	.....	18
.....	1	.....	7	3	2	4	2	2	2	2	1	6	.....	4	1	4	.....	19
.....	1	.....	3	5	5	.....	1	.....	.....	5	.....	1	.....	2	.....	3	.....	20
.....	.....	.....	2	1	5	2	1	.....	4	2	1	5	1	2	2	5	.....	21
.....	.....	1	3	8	3	1	5	.....	4	4	1	3	.....	6	3	6	.....	22
.....	2	1	19	9	12	3	6	.....	5	4	1	8	1	4	7	9	.....	23
.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	2	.....	3	.....	1	.....	24
.....	2	1	1	1	2	3	3	.....	1	.....	1	3	.....	4	1	3	.....	25
.....	.....	2	6	3	15	3	3	.....	6	3	3	6	1	5	2	10	.....	26
1	1	3	7	4	3	4	2	.....	9	3	3	6	2	4	4	7	.....	27
.....	3	2	16	18	28	7	12	1	18	7	5	17	6	31	7	16	.....	28
.....	4	2	10	14	7	4	3	3	4	3	2	6	.....	9	8	19	.....	29
1	1	.....	3	2	2	5	2	2	4	2	2	3	1	7	.....	2	.....	30
.....	1	.....	7	4	4	5	8	1	7	1	1	6	.....	6	3	4	.....	31
.....	1	2	27	5	4	4	1	.....	4	1	3	.....	.....	.....	4	3	.....	32
.....	.....	2	6	4	9	5	3	1	1	3	2	4	.....	4	4	6	2	33
.....	2	.....	1	6	9	4	2	1	3	2	2	.....	1	7	5	4	.....	34
.....	3	2	4	7	3	3	2	.....	1	2	3	7	1	1	1	5	.....	35
.....	1	1	8	10	14	7	5	2	10	3	1	10	3	7	6	14	.....	36
.....	.....	.....	3	6	5	3	3	.....	6	2	.....	1	2	8	2	12	.....	37
.....	1	2	6	9	8	5	7	1	6	4	2	4	1	10	1	5	.....	38
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	39
.....	.....	.....	.....	1	5	.....	.....	.....	1	2	1	2	.....	2	2	1	.....	40
.....	1	2	5	3	11	12	6	2	5	1	2	6	.....	7	4	17	19	41
.....	1	.....	8	7	4	1	4	.....	1	4	1	3	.....	3	.....	5	.....	42
.....	.....	.....	11	3	8	1	7	3	7	4	1	2	.....	10	2	8	2	43
.....	1	.....	5	6	4	3	5	.....	6	5	2	5	3	7	.....	9	.....	44
.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	2	.....	3	1	3	.....	45
.....	2	2	5	5	5	4	3	3	13	8	1	14	.....	4	7	15	1	46
.....	2	2	10	17	8	3	.....	.....	8	12	.....	5	.....	9	7	12	.....	47
.....	.....	2	6	4	1	1	2	.....	1	1	.....	1	.....	5	1	4	.....	48
.....	1	2	45	10	8	2	6	4	10	11	1	3	3	4	2	19	.....	49
.....	.....	.....	1	2	6	2	.....	.....	1	.....	.....	1	.....	2	2	2	39	50
1	.....	.....	1	4	.....	2	4	3	3	.....	.....	2	.....	1	1	5	168	51
.....	1	1	2	.....	4	1	7	6	1	2	1	6	.....	4	.....	33	6	52
.....	4	.....	35	55	18	17	9	7	14	19	2	10	4	13	2	24	.....	53
.....	4	1	20	41	13	7	6	1	9	16	1	7	2	11	1	19	1	54
.....	4	4	49	64	20	18	4	5	22	37	5	13	8	33	1	25	.....	55
.....	6	5	33	53	33	21	24	3	17	27	3	15	5	22	2	29	.....	56
.....	.....	1	15	23	9	4	2	1	7	6	1	5	1	9	1	10	.....	57
.....	6	10	46	50	28	30	34	7	24	20	3	22	4	19	4	32	.....	58
.....	.....	1	4	5	3	3	1	.....	3	1	1	.....	1	3	.....	6	.....	59
.....	2	3	27	24	13	15	3	1	11	18	2	10	3	11	.....	17	.....	60
.....	10	1	31	73	13	11	8	1	17	18	1	9	3	14	1	20	.....	61
.....	8	3	36	52	23	24	7	1	22	17	2	20	1	25	2	21	1	62
.....	5	2	58	63	43	31	18	8	23	44	7	19	8	39	2	27	1	63
.....	5	3	60	91	40	32	13	4	35	26	7	16	4	32	2	29	1	64
.....	4	8	74	94	25	24	11	7	13	39	8	15	2	28	3	41	.....	65
.....	7	2	55	113	22	27	15	4	24	31	8	14	4	31	2	45	1	66
.....	.....	.....	6	4	5	5	7	1	5	3	1	3	.....	13	3	6	2	67
.....	1	.....	3	4	4	2	2	.....	1	1	2	2	.....	3	.....	3	.....	68
.....	.....	.....	1	4	4	3	3	1	3	6	2	2	.....	9	.....	6	3	69
.....	3	2	13	34	14	13	28	6	12	12	6	14	8	45	6	13	.....	70
.....	.....	1	9	15	8	4	13	2	7	4	4	3	2	20	2	14	.....	71
.....	2	.....	10	5	2	4	.....	.....	8	.....	.....	1	1	12	1	3	12	72
.....	5	2	15	32	8	4	7	3	11	13	7	7	2	28	3	12	3	73
.....	.....	1	7	8	2	4	3	.....	4	1	.....	3	1	2	1	7	.....	74
.....	1	.....	4	7	7	2	5	.....	5	2	3	3	2	13	13	7	.....	75
.....	.....	.....	2	2	2	2	5	1	2	.....	1	1	1	5	2	2	.....	76

[8] Includes Lower Brule Indian Reservation.

[4] Includes Neah Bay Indian Reservation.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH.											
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	WASHINGTON RURAL [1]—Continued.													
1	Ferry County [2]	32	1				1		1			1		1
2	Franklin County	33	3						3		1	3		1
3	Garfield County	41						1	2	1		2	1	2
4	Grant County	21	1				1					3	1	1
5	Island County	26			1							4		
6	Jefferson County	86			1							4	2	11
7	King County	534	10		1	3	5		14	5	4	59	17	36
8	Kitsap County	121	1				3		2	4	1	9	3	7
9	Kittitas County	162	6				6			1		8	5	4
10	Klickitat County	74	1									9	3	4
11	Lewis County	271	13			2	2		8	3	3	20	3	11
12	Lincoln County	136	4					1	2	1		7	1	4
13	Mason County	41								2		7		
14	Okanogan County [2]	70	3				2					3		2
15	Pacific County	106	2			1		1	2	2	2	11	2	2
16	Pierce County	477	5			1	3		8	6	5	43	13	18
17	San Juan County	27	1									1		2
18	Skagit County [3]	294	4			10	6	1	3	5	4	24	1	8
19	Skamania County	21	1						1	1	1	2		2
20	Snohomish County	556	11				6	2	1	5	4	46	18	40
21	Spokane County [2]	297	7			1	8	1	6	1	6	33	5	17
22	Stevens County [2]	198	2		2		4	5	5	1		12	1	8
23	Thurston County	171	5				2		6		1	17	4	8
24	Wahkiakum County	13					1						1	
25	Walla Walla County	75	5				1		1	1	1	8	1	2
26	Whatcom County	462	9				3	3	1	5	2	46	13	24
27	Whitman County	294	7			1	10	1	13	2	2	29	2	14
28	Yakima County [4]	429	29	2		3	4	2	21	8	3	46	6	16
	WISCONSIN RURAL. [1]													
29	Adams County	77									2	7	1	6
30	Ashland County	128	1				2	8	4	2		18	5	6
31	Barron County	289	7				8	2	3	3	3	24	5	12
32	Bayfield County	130	4	1				1	7	2	1	14	7	4
33	Brown County	325	1				5		11	2	7	31	5	24
34	Buffalo County	149				1		1	2	1		13	2	12
35	Burnett County	94					3	1	3	1		11	2	7
36	Calumet County	177				2	1		2	2		11	1	14
37	Chippewa County	286			2	7		4	2	3	2	37	4	13
38	Clark County	274	6		1	5		1	6	3	3	24	3	16
39	Columbia County	365	1	1		1		3	1	9	4	28	4	25
40	Crawford County	202	4	1					1	10	1	20	8	9
41	Dane County	569	2					4	4	8	8	51	5	41
42	Dodge County	431	6			5	3	11	4	4	5	34	6	36
43	Door County	187	2			2	1		2	4	1	14	3	11
44	Douglas County	52	1				3		2			1	1	2
45	Dunn County	261	4		2		2	3	2	1	2	22	2	16
46	Eau Claire County	107		1				1	3			3		4
47	Florence County	23							1			2	1	
48	Fond du Lac County	359	2	1		1	1	2	2	1	6	29	3	25
49	Forest County	57						1	3			5	2	2
50	Grant County	435	2				3	1	1	5	1	36	6	35
51	Green County	224	1	1		1		3	1			14	2	14
52	Green Lake County	198	4			1		7	1	1	2	15	1	19
53	Iowa County	246	1			1		2	3	2	3	26	2	15
54	Iron County	108	2				1		10	1		6	2	
55	Jackson County	198	1				2	3	7	1	4	14	2	13
56	Jefferson County	305	2	1		1	1	1	4	10	1	23	3	30
57	Juneau County	235	3					3		4	1	12	3	8
58	Kenosha County	93	1			1	1			3	1	3	2	8
59	Kewaunee County	209	2				4	5	4	1	3	20	4	11
60	La Crosse County	128	1					1	1	1		10	1	7
61	Lafayette County	225	1				1	2		12	3	13	4	17
62	Langlade County	136	4					5	1	1	1	10	1	8
63	Lincoln County	119	1						2			11	2	6
64	Manitowoc County	339				4	3	5	2	5	4	26	4	26
65	Marathon County	361	4				9	2	5	10	3	14	1	24
66	Marinette County	210	1				1	4	4	1		23	2	13
67	Marquette County	124						2	3	5		9	1	11
68	Milwaukee County	1,197	12			4	22	3	10	6	7	145	8	65
69	Monroe County	297	5					8	1	9	3	15	6	17
70	Oconto County	262	2		2		2	5	7	1		22	5	17
71	Oneida County	125	9				1			2	4	11	1	6
72	Outagamie County	316					1	4	3	2		29	6	18
73	Ozaukee County	197	1		1	4	1			1	3	14	5	11
74	Pepin County	66	2					1		5	1	3	1	3
75	Pierce County	237	1			1	1	4	8	4	3	19	3	12
76	Polk County	191	5			1	1		3	1		14	3	11
77	Portage County	238				2	3	5	9	2	1	20	3	12
78	Price County	80							5		1	5		6

[1] Exclusive of cities having a population of 8,000 or over in 1900.

[2] Includes part of Colville Indian Reservation.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909—Continued.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
					3				1					2	1	6	14	1
			1		1	1		1	2	1	2	1	1	5	2	4		2
	2		1	6	5	1	4	1	1	1	1	1	1	3	2	1	1	3
		1	3	1	2	1	3		1					2				4
		1	1	3	4	1			1	1	1	1		5		2		5
	2	2	5	9	3	2		1	6	4		3	3	14	2	12		6
	4	7	42	53	28	14	27	3	18	28	5	18	9	76	5	43		7
	3	2	11	15	3	4	5	3	5	7	1	4	5	14		9		8
		6	14	18	11	3	10	2	10	3	1	7	3	29	4	11		9
			5	5	12	4	3	1	2	2	1	2	1	8	2	8	1	10
	2	1	23	27	9	6	13	8	21	15	3	17	2	32	1	24	2	11
	2	1	12	18	12	6	14	2	6	8	1	6	1	10	1	16		12
		1	3	3	4	1		1				2		10	1	6		13
		1	2	2	4	3	4	2	2	1	1	2	2	6	1	11	16	14
			5	7	5	3	4	2	8		3	4	2	24	5	9		15
	4	6	116	44	15	19	10	5	22	19	4	15	12	41	7	36		16
	1		3	3		3			1	2	2	1		3	1	3		17
	4	3	18	26	17	10	17	1	22	20	8	15	7	35	7	13	5	18
		1	1		1		1				1			5		3		19
	7	8	32	66	21	16	37	8	28	19	5	31	16	80	10	38	1	20
		1	51	19	15	3	16	2	6	27	4	10	4	29	4	21		21
	5	1	9	12	7	4	9	4	9	11	7	8	2	35	4	20	11	22
	1	2	13	15	13	9	6	2	9	7	3	3	9	16		19	1	23
	1		2	2			2		1					3				24
	1		9	9	5	3	1		3	3	1	5		9		4	2	25
	4	4	45	55	26	16	16		31	21	6	20	13	53	6	38	2	26
	2	7	20	22	30	8	22	5	16	14	6	14	5	18	4	17	3	27
	6	3	20	30	21	18	26	1	21	23	12	19	6	31	6	32	14	28
			6	5	10	2		2	6	7		3	3	6	1	10		29
		6	5	8	5	2	5	1	6	4		11	2	13	3	9	2	30
1	8	3	9	28	24	15	20	7	14	16	4	21	2	18	6	25	1	31
	2	3	6	8	6	3	11		8	4	3	11		11	2	11		32
	1	14	34	27	15	11	20	1	13	10	4	11	3	15	12	39	9	33
1	1	2	20	20	9	7	6	2	9	8	2	6		8	4	10	2	34
		1	6	3	8	1	2		6	1	2	5		10	1	19	1	35
	2	5	24	22	4	15	6	3	15	12	1	8		8	6	12	1	36
		1	45	18	20	22	10	2	16	11	1	8	1	14	9	29	5	37
	1	1	28	22	15	15	12	3	19	14	2	18	3	17	12	22	2	38
	9	6	41	43	23	16	12	8	20	15	5	12	5	14	7	50	2	39
	1	1	16	27	9	13	7		11	11		9		13	6	24		40
	8	10	71	68	24	39	24	5	37	23	4	19	9	31	10	62	2	41
	4	6	55	63	20	13	11	2	18	20	3	15		25	5	56	1	42
	2	3	18	17	9	11	16	4	15	11	2	8		4	5	21	1	43
			3	3	2	1	3		8	3		2		7	5	2	3	44
	2		20	40	12	19	12	3	12	16	8	17	2	17	4	18	3	45
	3	1	11	17	4	2	4	1	11	4	1	4	3	4	6	16	3	46
				3	1		1				1	1		5	1	6		47
	7	6	43	40	18	22	12	6	18	13	3	17	5	16	13	46	1	48
		2	6	2	1	3	6		2	1		5		8	2	6		49
	2	8	41	67	24	31	13	4	22	22	6	28	4	15	9	48	1	50
	1	2	27	29	17	16	7	2	20	9	1	7	1	18	7	23		51
	3	2	18	15	3	9	8	1	15	11	2	7		17	6	30		52
	3	3	31	24	20	12	5	1	16	13	1	8	5	14	7	28		53
		2	4	3	10	7	14	2	4	3	3	8	3	13	4	5	1	54
	3	2	30	23	15	11	7	2	9	9	1	7	2	9	4	17		55
2	3	5	33	49	9	5	16	3	22	15	2	9	5	11	7	32		56
	2	2	19	30	12	11	11	3	23	9	3	14		16	12	31	3	57
	1	2	9	16	3	4	1	3	7	4		2	2	8	1	9	1	58
2	4		13	18	11	14	6	2	10	9		16	1	9	12	25	3	59
1			16	23	14	1	3	4	2	12		7		6	1	15	1	60
	3		24	30	14	10	3	6	16	8	1	9	1	24	2	20	1	61
	1	2	13	11	8	8	7	3	6	7		11	1	7	9	11		62
	2		12	10	10	3	10		4	10	2	8	2	10	1	12	1	63
	7	3	33	36	18	26	19	4	22	14	1	19	2	12	13	31		64
	5	6	42	24	29	19	26	4	19	12	3	25		23	11	36	5	65
	2	5	15	23	10	5	11	7	7	2	2	22	3	15	7	20	5	66
1	1	3	15	14	5	7	3	1	11	5	1	4		9	2	11		67
2	14	17	148	171	56	70	75	12	62	59	4	49	17	72	15	72		68
	5	4	23	47	33	9	7	2	9	13	4	9	4	20	4	40		69
	3	4	28	17	18	12	25	4	8	4	5	21	1	14	9	26		70
		3	10	10	3	5	6	2	5	3		7	3	14	2	17	1	71
	3	4	36	35	28	17	11	7	22	9	1	19	2	13	12	34		72
	2	1	33	19	7	7	10	2	12	8	2	15	4	10	4	20		73
	1		5	9	1	5	3	1	3	2		7	1	6		6		74
	5	3	16	27	16	14	12	1	9	17	2	11	4	5	2	34	3	75
	2	3	17	18	9	10	9	1	16	14	4	18	2	8	4	16	1	76
1		7	19	24	10	10	22	1	18	5	1	18		13	9	19	4	77
			9	3	6	2	7	1		2	2	7	3	11	4	6		78

[3] Includes Swinomish Indian Reservation.

[4] Includes Yakima Indian Reservation.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	WISCONSIN RURAL [1]—Continued.													
1	Racine County	223	1			2		1	3	5	3	16	6	11
2	Richland County	222	1				1	4		4		18	3	9
3	Rock County	294				1	1	1	1	7	6	21	3	19
4	Rusk County	95	5				1	3			1	8		6
5	St. Croix County	269	1		1		1	6	3	2	3	13	6	21
6	Sauk County	399	6				2	2	4	9	4	29	5	17
7	Sawyer County	66					1	2	1			4		1
8	Shawano County	320	3			2	7	2	10	1	5	25	7	13
9	Sheboygan County	299	3			1	2		1	4		16	4	14
10	Taylor County	121				2	1	2	7	1		3		6
11	Trempealeau County	243							5	1	4	29	6	16
12	Vernon County	276	4				2	2	3	5	1	24	1	20
13	Vilas County	29						1	2			2		
14	Walworth County	379	4	1					3	11	5	11	2	28
15	Washburn County	77	1			1	1			2		4		1
16	Washington County	249	1			1		2	1	9	1	16	5	21
17	Waukesha County	482	4	1	1	6	3	6	3	9	3	41	7	33
18	Waupaca County	403	4					2	4	4	4	22	4	25
19	Waushara County	215	2			2	5		5	3	4	8		14
20	Winnebago County	375	3			1		2	8	7	4	25	9	23
21	Wood County	323	3			2	1	4	2			23	2	15

[1] Exclusive of cities having a population of 8,000 or over in 1900.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1909—Continued.

CAUSES OF DEATH—continued.																		
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia (lobar and unqualified).	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Accident.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	2	1	27	21	10	9	7	6	14	15	1	5	5	16	6	29	1	1
.....	1	3	24	29	15	18	10	3	17	14	3	13	.....	11	4	16	1	2
.....	2	3	28	31	24	11	12	4	16	14	2	11	2	19	5	45	5	3
.....	.....	2	.....	8	3	5	7	1	8	4	1	3	.....	10	3	16	.....	4
.....	3	6	30	29	22	10	11	3	19	12	2	16	4	9	7	26	3	5
1	3	6	41	55	20	18	18	11	22	21	5	13	.....	26	10	51	.....	6
.....	.....	1	2	9	8	3	6	2	1	3	1	5	1	9	2	3	1	7
1	3	3	38	25	16	19	19	4	16	17	4	24	2	16	15	22	1	8
.....	3	5	41	42	17	20	12	8	19	10	.....	12	5	21	16	23	.....	9
.....	1	1	16	11	12	5	6	.....	10	4	5	6	3	9	1	11	.....	10
2	3	4	34	29	10	14	9	6	9	6	2	14	3	15	5	17	.....	11
.....	4	2	34	26	24	14	5	6	22	19	2	15	4	11	2	22	2	12
.....	2	1	2	3	5	1	.....	.....	2	1	.....	.....	.....	4	1	1	1	13
.....	4	2	46	70	22	18	10	2	21	17	2	10	5	23	10	53	.....	14
.....	.....	3	8	4	9	3	6	1	5	3	1	8	1	8	2	5	.....	15
1	4	.....	30	29	22	14	6	3	19	9	3	6	2	10	6	28	.....	16
1	9	10	46	66	30	13	25	6	19	24	4	17	4	39	5	47	.....	17
1	3	8	48	45	27	12	15	8	18	28	4	22	3	22	8	60	2	18
1	5	2	26	25	5	9	12	4	14	13	.....	11	2	12	5	26	.....	19
.....	4	4	66	47	27	21	11	5	9	15	5	10	3	19	8	37	2	20
.....	1	5	24	34	29	18	19	9	29	17	5	21	4	25	6	21	4	21

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	THE REGISTRATION AREA.												
1	Total	732,538	140,057	30,279	12,659	7,853	5,686	196,534	16,142	10,761	18,138	27,303	29,733
2	Males	398,597	78,275	16,016	6,699	4,095	2,928	108,013	8,460	5,672	9,397	14,488	16,137
3	Females	333,941	61,782	14,263	5,960	3,758	2,758	88,521	7,682	5,089	8,741	12,815	13,596
4	White	680,230	131,326	28,254	11,772	7,346	5,360	184,058	15,139	9,822	16,197	24,277	26,369
5	Males	373,715	73,544	14,967	6,266	3,834	2,785	101,396	7,960	5,260	8,503	12,920	14,348
6	Females	312,515	57,782	13,287	5,506	3,512	2,575	82,662	7,179	4,562	7,694	11,357	12,021
7	Native	497,537	130,257	27,631	11,412	7,016	5,081	181,397	14,133	9,074	13,813	17,900	18,265
8	Males	265,891	72,969	14,654	6,048	3,651	2,652	99,974	7,393	4,852	7,082	8,906	9,317
9	Females	231,646	57,288	12,977	5,364	3,365	2,429	81,423	6,740	4,222	6,731	8,994	8,948
10	Both parents native (M.)	131,571	33,546	6,122	2,668	1,681	1,282	45,299	3,897	2,716	3,857	4,525	4,500
	Both parents native (F.)	120,697	25,841	5,239	2,385	1,537	1,192	36,194	3,489	2,352	3,649	4,898	4,619
11	One or both parents foreign (M.)	98,019	35,098	8,142	3,233	1,864	1,291	49,628	3,247	1,922	2,804	3,578	3,709
	One or both parents foreign (F.)	82,607	27,825	7,395	2,832	1,745	1,184	40,981	3,049	1,717	2,692	3,345	3,436
12	Parentage unknown (M.)	34,433	3,880	306	113	88	58	4,445	192	182	376	727	1,016
	Parentage unknown (F.)	26,625	3,267	273	103	57	46	3,746	149	127	322	671	829
13	Parentage not stated (M.)	1,868	445	84	34	18	21	602	57	32	45	76	92
	Parentage not stated (F.)	1,717	355	70	44	26	7	502	53	26	68	80	64
14	Foreign	178,788	690	472	325	299	267	2,053	966	707	2,266	6,052	7,640
15	Males	100,201	362	243	200	167	125	1,097	544	379	1,337	3,749	4,647
16	Females	78,587	328	229	125	132	142	956	422	328	929	2,303	2,993
17	Unknown	9,905	379	151	35	31	12	608	40	41	118	325	464
18	Males	7,623	213	70	18	16	8	325	23	29	84	265	384
19	Females	2,282	166	81	17	15	4	283	17	12	34	60	80
20	Colored	46,308	8,731	2,025	887	507	326	12,476	1,003	939	1,941	3,026	3,364
21	Males	24,882	4,731	1,049	433	261	143	6,617	500	412	894	1,568	1,789
22	Females	21,426	4,000	976	454	246	183	5,859	503	527	1,047	1,458	1,575
23	Negro (M.)	22,782	4,505	995	398	246	125	6,269	451	379	841	1,458	1,648
	Negro (F.)	20,458	3,776	915	421	231	166	5,509	449	485	1,002	1,412	1,515
24	Indian (M.)	705	116	43	25	10	12	206	36	31	35	42	36
	Indian (F.)	730	122	50	26	14	16	228	49	41	42	29	35
25	Chinese (M.)	921	26	3	2	4	4	39	7	1	7	13	26
	Chinese (F.)	76	26	2	3	1	.....	32	2	.....	2	5	5
26	Japanese (M.)	474	84	8	8	1	2	103	6	1	11	55	79
	Japanese (F.)	162	76	9	4	.....	1	90	3	1	1	12	20
	REGISTRATION CITIES.												
27	Total	457,188	91,005	20,503	8,491	5,300	3,824	129,123	10,375	6,541	11,396	18,306	20,595
28	Males	247,860	50,647	10,783	4,496	2,741	1,978	70,645	5,408	3,432	5,791	9,646	11,222
29	Females	209,328	40,358	9,720	3,995	2,559	1,846	58,478	4,967	3,109	5,605	8,660	9,373
30	White	419,612	83,991	18,899	7,788	4,886	3,573	119,137	9,639	5,841	9,824	15,758	17,708
31	Males	227,794	46,823	9,952	4,151	2,525	1,869	65,320	5,035	3,123	5,064	8,332	9,686
32	Females	191,818	37,168	8,947	3,637	2,361	1,704	53,817	4,604	2,718	4,760	7,426	8,022
33	Native	285,347	83,161	18,407	7,507	4,632	3,353	117,060	8,848	5,277	8,063	11,187	11,716
34	Males	153,143	46,382	9,702	3,977	2,387	1,767	64,215	4,599	2,819	4,081	5,616	6,141
35	Females	132,204	36,779	8,705	3,530	2,245	1,586	52,845	4,249	2,458	3,982	5,571	5,575
36	Both parents native (M.)	63,192	17,282	3,198	1,384	913	731	23,508	2,106	1,330	1,886	2,490	2,575
	Both parents native (F.)	57,355	13,487	2,732	1,239	854	652	18,964	1,844	1,150	1,787	2,595	2,399
37	One or both parents foreign (M.)	70,744	25,452	6,203	2,478	1,392	982	36,507	2,324	1,368	1,961	2,639	2,838
	One or both parents foreign (F.)	59,630	20,204	5,701	2,177	1,327	896	30,305	2,278	1,219	1,930	2,476	2,559
38	Parentage unknown (M.)	17,339	3,203	217	81	64	33	3,598	112	89	189	411	636
	Parentage unknown (F.)	13,502	2,733	202	70	38	31	3,074	74	63	197	420	553
39	Parentage not stated (M.)	1,868	445	84	34	18	21	602	57	32	45	76	92
	Parentage not stated (F.)	1,717	355	70	44	26	7	502	53	26	68	80	64
40	Foreign	128,626	508	355	254	226	212	1,555	767	545	1,686	4,390	5,710
41	Males	70,359	260	187	161	124	96	828	421	290	933	2,575	3,323
42	Females	58,267	248	168	93	102	116	727	346	255	753	1,815	2,387
43	Unknown	5,639	322	137	27	28	8	522	24	19	75	181	282
44	Males	4,292	181	63	13	14	6	277	15	14	50	141	222
45	Females	1,347	141	74	14	14	2	245	9	5	25	40	60
46	Colored	37,576	7,014	1,604	703	414	251	9,986	736	700	1,572	2,548	2,887
47	Males	20,066	3,824	831	345	216	109	5,325	373	309	727	1,314	1,536
48	Females	17,510	3,190	773	358	198	142	4,661	363	391	845	1,234	1,351
49	Negro (M.)	19,112	3,756	822	338	212	105	5,233	363	308	714	1,254	1,458
	Negro (F.)	17,352	3,130	765	353	197	141	4,586	358	388	841	1,221	1,333
50	Indian (M.)	29	3	1	.....	.....	.....	4	1	.....	.....	8	1
	Indian (F.)	23	1	.....	.....	.....	.....	1	1	3	2	1	2
51	Chinese (M.)	642	24	3	1	3	2	33	6	1	6	13	21
	Chinese (F.)	48	20	2	2	1	.....	25	1	.....	1	4	5
52	Japanese (M.)	283	41	5	6	1	2	55	3	.....	7	39	56
	Japanese (F.)	87	39	6	3	.....	1	49	3	.....	1	8	11

REGISTRATION STATES, BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1909.

AGE—continued.															
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
29,905	32,965	32,115	34,646	36,428	37,007	42,475	46,649	45,610	41,989	29,680	16,533	5,486	1,321	324	794	1
16,693	18,670	19,052	20,426	21,414	21,054	23,492	24,982	23,726	21,233	14,506	7,657	2,321	484	108	612	2
13,212	14,295	13,063	14,220	15,014	15,953	18,983	21,667	21,884	20,756	15,174	8,876	3,165	837	216	182	3
26,944	29,830	29,370	31,934	33,767	34,873	40,522	44,992	44,372	41,103	29,108	16,155	5,299	1,214	205	680	4
15,008	16,896	17,465	18,856	19,882	19,881	22,437	24,050	23,064	20,777	14,238	7,474	2,256	440	70	534	5
11,936	12,934	11,905	13,078	13,885	14,992	18,085	20,942	21,308	20,326	14,870	8,681	3,043	774	135	146	6
18,169	19,399	17,805	18,989	20,378	20,251	21,893	25,035	25,255	24,012	17,421	9,979	3,352	753	89	175	7
9,696	10,517	9,985	10,467	11,425	11,197	12,021	13,257	13,149	12,076	8,363	4,464	1,362	260	26	102	8
8,473	8,882	7,820	8,522	8,953	9,054	9,872	11,778	12,106	11,936	9,058	5,515	1,990	493	63	73	9
4,063	4,098	3,898	4,304	5,170	5,853	7,059	7,953	8,195	7,402	5,126	2,631	822	156	8	39	10
4,076	4,126	3,552	3,911	4,423	5,091	6,021	7,461	7,853	7,861	5,965	3,565	1,249	283	28	31	
4,414	4,929	4,534	4,332	4,137	3,062	2,165	1,880	1,419	1,075	673	372	94	20	5	20	11
3,439	3,699	3,268	3,426	3,214	2,447	1,976	1,840	1,447	1,179	775	448	165	43	7	14	
1,140	1,392	1,466	1,726	2,027	2,198	2,709	3,320	3,468	3,518	2,518	1,438	442	83	13	37	12
879	976	937	1,105	1,238	1,440	1,807	2,385	2,713	2,808	2,259	1,459	557	165	27	26	
79	98	87	105	91	84	88	104	67	81	46	23	4	1	----	6	13
79	81	63	80	78	76	68	92	93	88	59	43	19	2	1	2	
8,192	9,659	10,630	12,042	12,509	13,990	17,903	19,274	18,501	16,575	11,331	5,962	1,859	443	110	124	14
4,829	5,734	6,688	7,605	7,705	8,163	9,851	10,291	9,493	8,379	5,652	2,899	848	172	43	96	15
3,363	3,925	3,942	4,437	4,804	5,827	8,052	8,983	9,008	8,196	5,679	3,063	1,011	271	67	28	16
533	772	935	903	880	632	726	683	616	516	356	214	88	18	6	381	17
433	645	792	784	752	521	565	502	422	322	223	111	46	8	1	336	18
100	127	143	119	128	111	161	181	194	194	133	103	42	10	5	45	19
2,961	3,135	2,745	2,712	2,661	2,134	1,953	1,657	1,238	886	572	378	187	107	119	114	20
1,685	1,774	1,587	1,570	1,532	1,173	1,055	932	662	456	268	183	65	44	38	78	21
1,276	1,361	1,158	1,142	1,129	961	898	725	576	430	304	195	122	63	81	36	22
1,543	1,642	1,450	1,397	1,325	1,002	915	839	598	420	245	165	60	39	33	63	23
1,222	1,313	1,123	1,114	1,105	933	877	696	554	398	288	181	114	59	78	31	
23	22	21	31	29	31	20	34	30	25	18	15	5	5	5	5	24
33	34	27	24	19	26	18	27	20	30	15	13	8	4	3	5	
40	50	72	121	165	139	120	59	34	11	5	3	----	----	----	9	25
5	6	2	2	4	2	3	1	2	1	1	1	----	----	----	----	
79	60	44	21	13	1	----	----	----	----	----	----	----	----	----	----	26
16	8	6	2	1	----	----	1	----	1	----	----	----	----	----	1	
21,013	23,496	22,885	24,411	24,795	23,990	26,418	26,347	23,781	20,242	13,130	7,017	2,323	583	175	246	27
11,896	13,532	13,702	14,484	14,700	13,599	14,269	13,801	11,905	9,636	5,929	2,998	844	186	50	185	28
9,117	9,964	9,183	9,927	10,095	10,391	12,149	12,546	11,876	10,606	7,201	4,019	1,479	397	125	61	29
18,428	20,793	20,496	22,072	22,547	22,277	24,874	25,101	22,920	19,657	12,749	6,780	2,201	518	88	204	30
10,432	12,012	12,325	13,152	13,427	12,657	13,466	13,123	11,470	9,365	5,767	2,886	811	162	25	154	31
7,996	8,781	8,171	8,920	9,120	9,620	11,408	11,978	11,450	10,292	6,982	3,894	1,390	356	63	50	32
11,858	12,836	11,582	12,070	12,134	11,148	10,852	11,000	10,050	8,849	5,974	3,364	1,141	256	22	60	33
6,553	7,261	6,676	6,788	6,928	6,225	5,895	5,734	5,030	4,150	2,605	1,324	387	77	1	38	34
5,305	5,575	4,906	5,282	5,206	4,923	4,957	5,266	5,020	4,699	3,369	2,040	754	179	21	22	35
2,334	2,390	2,158	2,349	2,662	2,848	3,191	3,252	2,985	2,459	1,585	789	233	47	1	14	36
2,096	2,142	1,807	1,964	2,136	2,428	2,710	3,115	3,048	3,024	2,236	1,322	474	99	7	8	
3,440	3,867	3,477	3,284	3,003	2,113	1,318	1,062	689	447	242	124	23	9	----	9	37
2,595	2,751	2,478	2,584	2,328	1,664	1,319	1,084	833	591	345	188	76	16	4	7	
700	906	954	1,050	1,172	1,180	1,298	1,316	1,289	1,163	732	388	127	20	----	9	38
535	601	558	654	664	755	860	975	1,046	996	729	487	185	62	9	5	
79	98	87	105	91	84	88	104	67	81	46	23	4	1	----	6	39
79	81	63	80	78	76	68	92	93	88	59	43	19	2	1	2	
6,215	7,457	8,322	9,431	9,850	10,762	13,600	13,737	12,591	10,604	6,671	3,354	1,025	255	65	34	40
3,597	4,338	5,158	5,879	6,019	6,135	7,247	7,118	6,238	5,095	3,097	1,530	411	82	24	21	41
2,618	3,119	3,164	3,552	3,831	4,627	6,353	6,619	6,353	5,509	3,574	1,824	614	173	41	13	42
355	500	592	571	563	367	422	364	279	204	104	62	35	7	1	110	43
282	413	491	485	480	297	324	271	202	120	65	32	13	3	----	95	44
73	87	101	86	83	70	98	93	77	84	39	30	22	4	1	15	45
2,585	2,703	2,389	2,339	2,248	1,713	1,544	1,246	861	585	381	237	122	65	87	42	46
1,464	1,520	1,377	1,332	1,273	942	803	678	435	271	162	112	33	24	25	31	47
1,121	1,183	1,012	1,007	975	771	741	568	426	314	219	125	89	41	62	11	48
1,386	1,440	1,295	1,231	1,140	848	735	640	417	270	161	111	33	24	24	27	49
1,112	1,176	1,008	1,003	973	769	740	564	423	312	219	124	88	41	62	11	
1	2	1	1	3	2	----	1	3	----	----	----	----	----	1	----	50
2	1	1	1	----	1	----	2	2	1	----	1	1	----	----	----	
34	42	57	88	123	92	68	37	15	1	1	1	----	----	----	3	51
2	3	1	1	1	1	1	1	1	----	----	----	----	----	----	----	
43	36	24	12	7	----	----	----	----	----	----	----	----	----	----	1	52
5	3	2	2	1	----	----	1	----	1	----	----	----	----	----	----	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION STATES.												
1	Total	630,057	121,728	26,138	10,905	6,685	4,850	170,306	13,736	9,148	14,950	22,088	24,153
2	Males	341,551	68,072	13,801	5,797	3,489	2,496	93,655	7,161	4,811	7,816	11,732	13,071
3	Females	288,506	53,656	12,337	5,108	3,196	2,354	76,651	6,575	4,337	7,134	10,356	11,082
4	White	603,551	116,402	24,859	10,318	6,361	4,643	162,583	13,105	8,375	13,932	20,585	22,469
5	Males	327,153	65,195	13,148	5,511	3,317	2,405	89,576	6,857	4,578	7,351	10,952	12,157
6	Females	276,398	51,207	11,711	4,807	3,044	2,238	73,007	6,248	3,997	6,581	9,633	10,312
7	Native	441,511	115,507	24,313	10,007	6,078	4,392	160,297	12,231	7,909	11,832	15,109	15,493
8	Males	235,196	64,718	12,869	5,324	3,155	2,287	88,353	6,372	4,221	6,097	7,499	7,845
9	Females	206,315	50,789	11,444	4,683	2,923	2,105	71,944	5,859	3,688	5,735	7,610	7,648
10	Both parents native (M.)	118,824	29,943	5,364	2,354	1,454	1,112	40,227	3,394	2,423	3,401	3,911	3,906
	Both parents native (F.)	109,726	23,049	4,616	2,106	1,334	1,046	32,151	3,088	2,101	3,207	4,290	4,073
11	One or both parents foreign (M.)	86,735	31,635	7,272	2,883	1,641	1,129	44,560	2,826	1,649	2,393	3,006	3,165
	One or both parents foreign (F.)	73,331	25,110	6,623	2,504	1,551	1,027	36,815	2,652	1,480	2,279	2,816	2,966
12	Parentage unknown (M.)	29,637	3,140	233	87	60	46	3,566	152	149	303	582	774
	Parentage unknown (F.)	23,258	2,630	205	73	38	32	2,978	119	107	249	504	609
13	Foreign	153,902	620	413	283	262	240	1,818	840	636	2,013	5,228	6,614
14	Femles	85,691	329	216	174	153	111	983	466	337	1,188	3,248	4,003
15	Males	68,211	291	197	109	109	129	835	374	299	825	1,980	2,611
16	Unknown	8,138	275	133	28	21	11	468	34	30	87	248	362
17	Males	6,266	148	63	13	9	7	240	19	20	66	205	309
18	Females	1,872	127	70	15	12	4	228	15	10	21	43	53
19	Colored	26,506	5,326	1,279	587	324	207	7,723	631	573	1,018	1,503	1,684
20	Males	14,398	2,877	653	286	172	91	4,079	304	233	465	780	914
21	Females	12,108	2,449	626	301	152	116	3,644	327	340	553	723	770
22	Negro (M.)	12,428	2,656	600	252	157	73	3,738	255	200	414	679	785
	Negro (F.)	11,151	2,228	565	268	137	99	3,297	273	208	509	677	712
23	Indian (M.)	697	115	43	25	10	12	205	36	31	35	40	35
	Indian (F.)	728	122	50	26	14	16	228	49	41	42	29	35
24	Chinese (M.)	827	24	2	2	4	4	36	7	1	7	12	21
	Chinese (F.)	69	23	2	3	1	.....	29	2	.....	2	5	3
25	Japanese (M.)	446	82	8	7	1	2	100	6	1	9	49	73
	Japanese (F.)	160	76	9	4	.....	1	90	3	1	.....	12	20
	CITIES IN REGISTRATION STATES.												
26	Total	354,707	72,676	16,362	6,737	4,132	2,988	102,895	7,969	4,928	8,208	13,091	15,015
27	Males	190,814	40,444	8,568	3,594	2,135	1,546	56,287	4,109	2,571	4,210	6,890	8,156
28	Females	163,893	32,232	7,794	3,143	1,997	1,442	46,608	3,860	2,357	3,998	6,201	6,859
29	White	336,933	69,067	15,504	6,334	3,901	2,856	97,662	7,605	4,594	7,559	12,066	13,808
30	Males	181,232	38,474	8,133	3,396	2,008	1,489	53,500	3,932	2,441	3,912	6,364	7,495
31	Females	155,701	30,593	7,371	2,938	1,893	1,367	44,162	3,673	2,153	3,647	5,702	6,313
32	Native	229,321	68,411	15,089	6,102	3,694	2,664	95,960	6,946	4,112	6,082	8,396	8,944
33	Males	122,448	38,131	7,917	3,253	1,891	1,402	52,594	3,578	2,188	3,096	4,209	4,669
34	Females	106,873	30,280	7,172	2,849	1,803	1,262	43,366	3,368	1,924	2,986	4,187	4,275
35	Both parents native (M.)	50,445	13,679	2,440	1,070	686	561	18,436	1,603	1,037	1,430	1,876	1,981
	Both parents native (F.)	46,384	10,695	2,109	960	651	506	14,921	1,443	899	1,345	1,987	1,853
36	One or both parents foreign (M.)	59,460	21,989	5,333	2,128	1,169	820	31,439	1,903	1,095	1,550	2,067	2,294
	One or both parents foreign (F.)	50,354	17,489	4,929	1,849	1,133	739	26,139	1,881	982	1,517	1,947	2,089
37	Parentage unknown (M.)	12,543	2,463	144	55	36	21	2,719	72	56	116	266	394
	Parentage unknown (F.)	10,135	2,096	134	40	19	17	2,306	44	43	124	253	333
38	Foreign	103,740	438	296	212	189	185	1,320	641	474	1,433	3,566	4,684
39	Males	55,849	227	160	135	110	82	714	343	248	784	2,074	2,679
40	Females	47,891	211	136	77	79	103	606	298	226	649	1,492	2,005
41	Unknown	3,872	218	119	20	18	7	382	18	8	44	104	180
42	Males	2,935	116	56	8	7	5	192	11	5	32	81	147
43	Females	937	102	63	12	11	2	190	7	3	12	23	33
44	Colored	17,774	3,609	858	403	231	132	5,233	364	334	649	1,025	1,207
45	Males	9,582	1,970	435	198	127	57	2,787	177	130	298	526	661
46	Females	8,192	1,639	423	205	104	75	2,446	187	204	351	499	546
47	Negro (M.)	8,758	1,907	427	192	123	53	2,702	167	129	287	475	595
	Negro (F.)	8,045	1,582	415	200	103	74	2,374	182	201	348	486	530
48	Indian (M.)	21	2	1	.....	.....	.....	3	1	.....	.....	6	.....
	Indian (F.)	21	1	.....	.....	.....	.....	1	1	3	2	1	2
49	Chinese (M.)	548	22	2	1	3	2	30	6	1	6	12	16
	Chinese (F.)	41	17	2	2	1	.....	22	1	.....	1	4	3
50	Japanese (M.)	255	39	5	5	1	2	52	3	.....	5	33	50
	Japanese (F.)	85	39	6	3	.....	1	49	3	.....	.....	8	11

REGISTRATION STATES, BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1909—Contd.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
24,495	27,216	26,426	28,531	30,492	31,703	36,954	41,387	40,968	38,007	27,140	15,204	5,007	1,191	256	699	1
13,573	15,307	15,547	16,695	17,750	17,904	20,326	22,059	21,303	19,280	13,277	7,079	2,140	436	91	538	2
10,922	11,909	10,879	11,836	12,742	13,799	16,628	19,328	19,665	18,727	13,863	8,125	2,867	755	165	161	3
22,975	25,567	24,986	27,084	29,057	30,463	35,814	40,317	40,126	37,415	26,750	14,933	4,899	1,119	184	613	4
12,692	14,348	14,694	15,838	16,879	17,211	19,686	21,445	20,844	18,959	13,088	6,944	2,099	407	65	483	5
10,283	11,219	10,292	11,246	12,178	13,252	16,128	18,872	19,282	18,456	13,662	7,989	2,800	712	119	130	6
15,467	16,599	15,188	16,244	17,849	18,059	19,910	23,063	23,537	22,588	16,504	9,489	3,182	722	84	155	7
8,188	8,916	8,410	8,870	9,920	9,925	10,884	12,199	12,257	11,382	7,927	4,271	1,296	249	26	89	8
7,279	7,683	6,778	7,374	7,929	8,134	9,026	10,864	11,280	11,206	8,577	5,218	1,886	473	58	66	9
3,539	3,601	3,402	3,794	4,660	5,335	6,532	7,461	7,745	7,060	4,909	2,537	794	151	8	34	10
3,584	3,672	3,172	3,507	4,029	4,687	5,596	6,998	7,438	7,482	5,709	3,409	1,199	280	26	28	
3,785	4,273	3,886	3,707	3,625	2,744	1,962	1,732	1,309	1,001	628	350	92	18	5	19	11
3,003	3,224	2,842	2,963	2,825	2,193	1,792	1,677	1,346	1,097	731	420	153	38	7	12	
864	1,042	1,122	1,369	1,635	1,846	2,390	3,006	3,203	3,321	2,390	1,384	410	80	13	36	12
692	787	764	904	1,075	1,254	1,638	2,189	2,496	2,627	2,137	1,389	534	155	25	26	
7,044	8,359	9,044	10,100	10,498	11,886	15,303	16,684	16,048	14,382	9,921	5,251	1,638	383	94	118	13
4,117	4,919	5,633	6,321	6,362	6,862	8,328	8,830	8,221	7,299	4,957	2,573	761	152	38	93	14
2,927	3,440	3,411	3,779	4,136	5,024	6,975	7,854	7,827	7,083	4,964	2,678	877	231	56	25	15
464	609	754	740	710	518	601	570	541	445	325	193	79	14	6	340	16
387	513	651	647	597	424	474	416	366	278	204	100	42	6	1	301	17
77	96	103	93	113	94	127	154	175	167	121	93	37	8	5	39	18
1,520	1,649	1,440	1,447	1,435	1,240	1,140	1,070	842	592	390	271	108	72	72	86	19
881	959	853	857	871	693	640	614	459	321	189	135	41	29	26	55	20
639	690	587	590	564	547	500	456	383	271	201	136	67	43	46	31	21
748	837	726	698	690	534	508	528	398	285	166	117	36	24	21	41	22
588	643	552	562	540	519	479	427	361	240	185	122	59	39	43	26	
22	21	21	31	28	31	20	33	30	25	18	15	5	5	5	5	23
32	34	27	24	19	26	18	27	20	29	15	13	8	4	3	5	
35	43	63	111	141	127	112	53	31	11	5	3	----	----	----	8	24
4	5	2	2	4	2	3	1	2	1	1	1	----	----	----	----	
76	58	43	17	12	1	----	----	----	----	----	----	----	----	----	1	25
15	8	6	2	1	----	----	1	----	1	----	----	----	----	----	----	
15,603	17,747	17,196	18,296	18,859	18,686	20,897	21,085	19,139	16,260	10,590	5,688	1,844	453	107	151	26
8,776	10,169	10,197	10,753	11,036	10,449	11,103	10,878	9,482	7,683	4,700	2,420	663	138	33	111	27
6,827	7,578	6,999	7,543	7,823	8,237	9,794	10,207	9,657	8,577	5,890	3,268	1,181	315	74	40	28
14,459	16,530	16,112	17,222	17,837	17,867	20,166	20,426	18,674	15,969	10,391	5,558	1,801	423	67	137	29
8,116	9,464	9,554	10,134	10,424	9,987	10,715	10,518	9,250	7,547	4,617	2,356	654	129	20	103	30
6,343	7,066	6,558	7,088	7,413	7,880	9,451	9,908	9,424	8,422	5,774	3,202	1,147	294	47	34	31
9,156	10,036	8,965	9,325	9,605	8,956	8,869	9,028	8,332	7,425	5,057	2,874	971	225	17	40	32
5,045	5,660	5,101	5,191	5,423	4,953	4,758	4,676	4,138	3,456	2,169	1,131	321	66	1	25	33
4,111	4,376	3,864	4,134	4,182	4,003	4,111	4,352	4,194	3,969	2,888	1,743	650	159	16	15	34
1,810	1,893	1,662	1,839	2,152	2,330	2,664	2,760	2,535	2,117	1,368	695	205	42	1	9	35
1,604	1,688	1,427	1,560	1,742	2,024	2,285	2,652	2,633	2,645	1,980	1,166	424	96	5	5	
2,811	3,211	2,829	2,659	2,491	1,795	1,115	914	579	373	197	102	21	7	----	8	36
2,159	2,276	2,052	2,121	1,939	1,410	1,135	921	732	509	301	160	64	11	4	5	
424	556	610	693	780	828	979	1,002	1,024	966	604	334	95	17	----	8	37
348	412	385	453	501	569	691	779	829	815	607	417	162	52	7	5	
5,067	6,157	6,736	7,489	7,839	8,658	11,000	11,147	10,138	8,411	5,261	2,643	804	195	49	28	38
2,885	3,523	4,103	4,595	4,676	4,834	5,724	5,657	4,966	4,015	2,402	1,204	324	62	19	18	39
2,182	2,634	2,633	2,894	3,163	3,824	5,276	5,490	5,172	4,396	2,859	1,439	480	133	30	10	40
236	337	411	408	393	253	297	251	204	133	73	41	26	3	1	69	41
186	281	350	348	325	200	233	185	146	76	46	21	9	1	----	60	42
50	56	61	60	68	53	64	66	58	57	27	20	17	2	1	9	43
1,144	1,217	1,084	1,074	1,022	819	731	659	465	291	199	130	43	30	40	14	44
660	705	643	619	612	462	388	360	232	136	83	64	9	9	13	8	45
484	512	441	455	410	357	343	299	233	155	116	66	34	21	27	6	46
591	635	571	532	505	380	328	329	217	135	82	63	9	9	12	5	47
478	506	437	451	408	355	342	295	230	154	116	65	33	21	27	6	
----	1	1	1	2	2	----	----	3	----	----	----	----	----	1	----	48
1	1	1	1	----	1	----	2	2	----	----	1	1	----	----	----	
29	35	48	78	99	80	60	31	12	1	1	1	----	----	----	2	49
1	2	1	1	1	1	1	1	1	----	----	----	----	----	----	----	
40	34	23	8	6	----	----	----	----	----	----	----	----	----	----	1	50
4	3	2	2	1	----	----	1	----	1	----	----	----	----	----	----	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	RURAL PART OF REGISTRATION STATES.												
1	Total	275,350	49,052	9,776	4,168	2,553	1,862	67,411	5,767	4,220	6,742	8,997	9,138
2	Males	150,737	27,628	5,233	2,203	1,354	950	37,368	3,052	2,240	3,606	4,842	4,915
3	Females	124,613	21,424	4,543	1,965	1,199	912	30,043	2,715	1,980	3,136	4,155	4,223
4	White	266,618	47,335	9,355	3,984	2,460	1,787	64,921	5,500	3,981	6,373	8,519	8,661
5	Males	145,921	26,721	5,015	2,115	1,309	916	36,076	2,925	2,137	3,439	4,588	4,662
6	Females	120,697	20,614	4,340	1,869	1,151	871	28,845	2,575	1,844	2,934	3,931	3,999
7	Native	212,190	47,096	9,224	3,905	2,384	1,728	64,337	5,285	3,797	5,750	6,713	6,549
8	Males	112,748	26,587	4,952	2,071	1,264	885	35,759	2,794	2,033	3,001	3,290	3,176
9	Females	99,442	20,509	4,272	1,834	1,120	843	28,578	2,491	1,764	2,749	3,423	3,373
10	Both parents native (M.)	68,379	16,264	2,924	1,284	768	551	21,791	1,791	1,386	1,971	2,035	1,925
	Both parents native (F.)	63,342	12,354	2,507	1,146	683	540	17,230	1,645	1,202	1,862	2,303	2,220
11	One or both parents foreign (M.)	27,275	9,646	1,939	755	472	309	13,121	923	554	843	939	871
	One or both parents foreign (F.)	22,977	7,621	1,694	655	418	288	10,676	771	498	762	869	877
12	Parentage unknown (M.)	17,094	677	80	32	24	25	847	80	93	187	316	380
	Parentage unknown (F.)	13,123	534	71	33	19	15	672	75	64	125	251	276
13	Foreign	50,162	182	117	71	73	55	498	199	162	580	1,662	1,930
14	Males	29,842	102	56	39	43	29	269	123	89	404	1,174	1,324
15	Females	20,320	80	61	32	30	26	229	76	73	176	488	606
16	Unknown	4,266	57	14	8	3	4	86	16	22	43	144	182
17	Males	3,331	32	7	5	2	2	48	8	15	34	124	162
18	Females	935	25	7	3	1	2	38	8	7	9	20	20
19	Colored	8,732	1,717	421	184	93	75	2,490	267	239	369	478	477
20	Males	4,816	907	218	88	45	34	1,292	127	103	167	254	253
21	Females	3,916	810	203	96	48	41	1,198	140	136	202	224	224
22	Negro (M.)	3,670	749	173	60	34	20	1,036	88	71	127	204	190
	Negro (F.)	3,106	646	150	68	34	25	923	91	97	161	191	182
23	Indian (M.)	676	113	42	25	10	12	202	35	31	35	34	35
	Indian (F.)	707	121	50	26	14	16	227	48	38	40	28	33
24	Chinese (M.)	279	2	.....	1	1	2	6	1	.....	1	.....	5
	Chinese (F.)	28	6	.....	1	.....	.....	7	1	.....	1	1	.....
25	Japanese (M.)	191	43	3	2	.....	.....	48	3	1	4	16	23
	Japanese (F.)	75	37	3	1	.....	.....	41	.....	1	.....	4	9
	REGISTRATION CITIES IN OTHER STATES.												
26	Total	102,481	18,329	4,141	1,754	1,168	836	26,228	2,406	1,613	3,188	5,215	5,580
27	Males	57,046	10,203	2,215	902	606	432	14,358	1,299	861	1,581	2,756	3,066
28	Females	45,435	8,126	1,926	852	562	404	11,870	1,107	752	1,607	2,459	2,514
29	White	82,679	14,924	3,395	1,454	985	717	21,475	2,034	1,247	2,265	3,692	3,900
30	Males	46,562	8,349	1,819	755	517	380	11,820	1,103	682	1,152	1,968	2,191
31	Females	36,117	6,575	1,576	699	468	337	9,655	931	565	1,113	1,724	1,709
32	Native	56,026	14,750	3,318	1,405	938	689	21,100	1,902	1,165	1,981	2,791	2,772
33	Males	30,695	8,251	1,785	724	496	365	11,621	1,021	631	985	1,407	1,472
34	Females	25,331	6,499	1,533	681	442	324	9,479	881	534	996	1,384	1,300
35	Both parents native (M.)	12,747	3,603	758	314	227	170	5,072	503	293	456	614	594
	Both parents native (F.)	10,971	2,792	623	279	203	146	4,043	401	251	442	608	546
36	One or both parents foreign (M.)	11,284	3,463	870	350	223	162	5,068	421	273	411	572	544
	One or both parents foreign (F.)	9,276	2,715	772	328	194	157	4,166	397	237	413	529	470
37	Parentage unknown (M.)	4,796	740	73	26	28	12	879	40	33	73	145	242
	Parentage unknown (F.)	3,367	637	68	30	19	14	768	30	20	73	167	220
38	Parentage not stated (M.)	1,868	445	84	34	18	21	602	57	32	45	76	92
	Parentage not stated (F.)	1,717	355	70	44	26	7	502	53	26	68	80	64
39	Foreign	24,886	70	59	42	37	27	235	126	71	253	824	1,026
40	Males	14,510	33	27	26	14	14	114	78	42	149	501	644
41	Females	10,376	37	32	16	23	13	121	48	29	104	323	382
42	Unknown	1,767	104	18	7	10	1	140	6	11	31	77	102
43	Males	1,357	65	7	5	7	1	85	4	9	18	60	75
44	Females	410	39	11	2	3	.....	55	2	2	13	17	27
45	Colored	19,802	3,405	746	300	183	119	4,753	372	366	923	1,523	1,680
46	Males	10,484	1,854	396	147	89	52	2,538	196	179	429	788	875
47	Females	9,318	1,551	350	153	94	67	2,215	176	187	494	735	805
48	Negro (M.)	10,354	1,849	395	146	89	52	2,531	196	179	427	779	863
	Negro (F.)	9,307	1,548	350	153	94	67	2,212	176	187	493	735	803
49	Indian (M.)	8	1	.....	.....	.....	.....	1	.....	.....	.....	2	1
	Indian (F.)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Chinese (M.)	94	2	1	.....	.....	.....	3	.....	.....	.....	1	5
	Chinese (F.)	7	3	.....	.....	.....	.....	3	.....	.....	.....	.....	2
51	Japanese (M.)	28	2	.....	1	.....	.....	3	.....	.....	2	6	6
	Japanese (F.)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....

REGISTRATION STATES, BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1909—Contd.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
8,892	9,469	9,230	10,235	11,633	13,017	16,057	20,302	21,829	21,747	16,550	9,516	3,163	738	149	548	1
4,797	5,138	5,350	5,942	6,714	7,455	9,223	11,181	11,821	11,597	8,577	4,659	1,477	298	58	427	2
4,095	4,331	3,880	4,293	4,919	5,562	6,834	9,121	10,008	10,150	7,973	4,857	1,686	440	91	121	3
8,516	9,037	8,874	9,862	11,220	12,596	15,648	19,891	21,452	21,446	16,359	9,375	3,098	696	117	476	4
4,576	4,884	5,140	5,704	6,455	7,224	8,971	10,927	11,594	11,412	8,471	4,588	1,445	278	45	380	5
3,940	4,153	3,734	4,158	4,765	5,372	6,677	8,964	9,858	10,034	7,888	4,787	1,653	418	72	96	6
6,311	6,563	6,223	6,919	8,244	9,103	11,041	14,035	15,205	15,163	11,447	6,615	2,211	497	67	115	7
3,143	3,256	3,309	3,679	4,497	4,972	6,126	7,523	8,119	7,926	5,758	3,140	975	183	25	64	8
3,168	3,307	2,914	3,240	3,747	4,131	4,915	6,512	7,086	7,237	5,689	3,475	1,236	314	42	51	9
1,729	1,708	1,740	1,955	2,508	3,005	3,868	4,701	5,210	4,943	3,541	1,842	589	109	7	25	10
1,980	1,984	1,745	1,947	2,287	2,663	3,311	4,346	4,805	4,837	3,729	2,243	775	184	21	23	
974	1,062	1,057	1,048	1,134	949	847	818	730	628	431	248	71	11	5	11	11
844	948	790	842	886	783	657	756	614	588	430	260	89	27	3	7	
440	486	512	676	855	1,018	1,411	2,004	2,179	2,355	1,786	1,050	315	63	13	28	12
344	375	379	451	574	685	947	1,410	1,667	1,812	1,530	972	372	103	18	21	
1,977	2,202	2,308	2,611	2,659	3,228	4,303	5,537	5,910	5,971	4,660	2,608	834	188	45	90	13
1,232	1,396	1,530	1,726	1,686	2,028	2,604	3,173	3,255	3,284	2,555	1,369	437	90	19	75	14
745	806	778	885	973	1,200	1,699	2,364	2,655	2,687	2,105	1,239	397	98	26	15	15
228	272	343	332	317	265	304	319	337	312	252	152	53	11	5	271	16
201	232	301	299	272	224	241	231	220	202	158	79	33	5	1	241	17
27	40	42	33	45	41	63	88	117	110	94	73	20	6	4	30	18
376	432	356	373	413	421	409	411	377	301	191	141	65	42	32	72	19
221	254	210	238	259	231	252	254	227	185	106	71	32	20	13	47	20
155	178	146	135	154	190	157	157	150	116	85	70	33	22	19	25	21
157	202	155	166	185	154	180	199	181	150	84	54	27	15	9	36	22
110	137	115	111	132	164	137	132	131	86	69	57	26	18	16	20	
22	20	20	30	26	29	20	33	27	25	18	15	5	5	4	5	23
31	33	26	23	19	25	18	25	18	29	15	12	7	4	3	5	
6	8	15	33	42	47	52	22	19	10	4	2	.....	.....	.....	6	24
3	3	1	1	3	1	2	.....	1	1	1	1	.....	.....	.....	.....	
36	24	20	9	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
11	5	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5,410	5,749	5,689	6,115	5,936	5,304	5,521	5,262	4,642	3,982	2,540	1,329	479	130	68	95	26
3,120	3,363	3,505	3,731	3,664	3,150	3,166	2,923	2,423	1,953	1,229	578	181	48	17	74	27
2,290	2,386	2,184	2,384	2,272	2,154	2,355	2,339	2,219	2,029	1,311	751	298	82	51	21	28
3,969	4,263	4,384	4,850	4,710	4,410	4,708	4,675	4,246	3,688	2,358	1,222	400	95	21	67	29
2,316	2,548	2,771	3,018	3,003	2,670	2,751	2,605	2,220	1,818	1,150	530	157	33	5	51	30
1,653	1,715	1,613	1,832	1,707	1,740	1,957	2,070	2,026	1,870	1,208	692	243	62	16	16	31
2,702	2,800	2,617	2,745	2,529	2,192	1,983	1,972	1,718	1,424	917	490	170	31	5	20	32
1,508	1,601	1,575	1,597	1,505	1,272	1,137	1,058	892	694	436	193	66	11	.....	13	33
1,194	1,199	1,042	1,148	1,024	920	846	914	826	730	481	297	104	20	5	7	34
524	497	496	510	510	518	527	492	450	342	217	94	28	5	.....	5	35
492	454	380	404	394	404	425	463	415	379	256	156	50	3	2	3	
629	656	648	625	512	318	203	148	110	74	45	22	2	2	.....	1	36
436	475	426	463	389	254	184	163	101	82	44	28	12	5	.....	2	
276	350	344	357	392	352	319	314	265	197	128	54	32	3	.....	1	37
187	189	173	201	163	186	169	196	217	181	122	70	23	10	2	.....	
79	98	87	105	91	84	88	104	67	81	46	23	4	1	.....	6	38
79	81	63	80	78	76	68	92	93	88	59	43	19	2	1	2	
1,148	1,300	1,586	1,942	2,011	2,104	2,600	2,590	2,453	2,193	1,410	711	221	60	16	6	39
712	815	1,055	1,284	1,343	1,301	1,523	1,461	1,272	1,080	695	326	87	20	5	3	40
436	485	531	658	668	803	1,077	1,129	1,181	1,113	715	385	134	40	11	3	41
119	163	181	163	170	114	125	113	75	71	31	21	9	4	.....	41	42
96	132	141	137	155	97	91	86	56	44	19	11	4	2	.....	35	43
23	31	40	26	15	17	34	27	19	27	12	10	5	2	.....	6	44
1,441	1,486	1,305	1,265	1,226	894	813	587	396	294	182	107	79	35	47	28	45
804	815	734	713	661	480	415	318	203	135	79	48	24	15	12	23	46
637	671	571	552	565	414	398	269	193	159	103	59	55	20	35	5	47
795	805	724	699	635	468	407	311	200	135	79	48	24	15	12	22	48
634	670	571	552	565	414	398	269	193	158	103	59	55	20	35	5	
1	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	49
1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	
5	7	9	10	24	12	8	6	3	.....	.....	.....	.....	.....	.....	1	50
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	2	1	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	CALIFORNIA.												
1	Total	30,964	3,477	691	294	190	138	4,790	531	399	761	1,212	1,625
2	Males	19,326	1,965	341	149	95	77	2,627	278	222	446	705	1,017
3	Females	11,638	1,512	350	145	95	61	2,163	253	177	315	507	608
4	White	29,304	3,265	652	277	182	127	4,503	505	381	723	1,120	1,509
5	Males	18,087	1,862	321	142	90	70	2,485	259	212	422	639	937
6	Females	11,217	1,403	331	135	92	57	2,018	246	169	301	481	572
7	Native	18,915	3,241	636	267	170	116	4,430	465	337	637	815	1,012
8	Males	11,050	1,847	318	139	84	61	2,449	237	187	365	416	564
9	Females	7,865	1,394	318	128	86	55	1,981	228	150	272	399	448
10	Both parents native {M	4,222	870	150	69	39	31	1,159	123	102	174	170	216
	{F	3,361	616	137	72	39	32	896	129	80	119	202	191
11	One or both parents foreign {M	3,226	796	151	65	43	25	1,080	98	62	151	156	190
	{F	2,618	643	159	49	45	21	917	88	62	127	140	174
12	Parentage unknown {M	3,602	181	17	5	2	5	210	16	23	40	90	158
	{F	1,886	135	22	7	2	2	168	11	8	26	57	83
13	Foreign	9,493	17	12	10	11	10	60	39	42	80	279	452
14	Males	6,237	11	3	3	6	8	31	21	23	52	203	336
15	Females	3,256	6	9	7	5	2	29	18	19	28	76	116
16	Unknown	896	7	4	.....	1	1	13	1	2	6	26	45
17	Males	800	4	.....	.....	.....	1	5	1	2	5	20	37
18	Females	96	3	4	.....	1	.....	8	.....	.....	1	6	8
19	Colored	1,660	212	39	17	8	11	287	26	18	38	92	116
20	Males	1,239	103	20	7	5	7	142	19	10	24	66	80
21	Females	421	109	19	10	3	4	145	7	8	14	26	36
22	Negro {M	224	14	7	.....	1	2	24	4	4	10	15	13
	{F	173	24	8	3	2	1	38	1	5	7	11	14
23	Indian {M	69	8	4	1	.....	.....	13	4	4	2	8	4
	{F	61	9	2	1	.....	2	14	3	2	5	2	3
24	Chinese {M	628	18	2	.....	3	4	27	6	1	6	7	12
	{F	63	18	2	3	1	.....	24	2	.....	2	4	3
25	Japanese {M	318	63	7	6	1	1	78	5	1	6	36	51
	{F	124	58	7	3	.....	1	69	1	1	.....	9	16
	COLORADO												
26	Total	11,040	1,853	383	180	109	94	2,619	287	178	310	653	790
27	Males	6,727	1,052	217	84	58	49	1,460	142	102	174	408	495
28	Females	4,313	801	166	96	51	45	1,159	145	76	136	245	295
29	White	10,716	1,814	376	175	108	90	2,563	285	175	304	624	753
30	Males	6,510	1,030	212	82	58	47	1,429	141	100	169	389	467
31	Females	4,206	784	164	93	50	43	1,134	144	75	135	235	286
32	Native	8,017	1,803	370	175	108	87	2,543	268	164	270	488	543
33	Males	4,582	1,025	208	82	58	47	1,420	130	91	144	284	313
34	Females	3,435	778	162	93	50	40	1,123	138	73	126	204	230
35	Both parents native {M	2,238	606	104	52	31	33	826	76	54	79	138	151
	{F	1,879	429	99	59	32	29	648	89	48	71	128	132
36	One or both parents foreign {M	1,275	355	95	30	23	13	516	46	32	49	81	90
	{F	943	299	58	30	15	10	412	44	22	40	48	57
37	Parentage unknown {M	1,069	64	9	.....	4	1	78	8	5	16	65	72
	{F	613	50	5	4	3	1	63	5	3	15	28	41
38	Foreign	2,301	6	5	.....	.....	3	14	16	11	30	125	183
39	Males	1,572	4	4	.....	.....	.....	8	11	9	21	95	130
40	Females	729	2	1	.....	.....	3	6	5	2	9	30	53
41	Unknown	398	5	1	.....	.....	.....	6	1	.....	4	11	27
42	Males	356	1	.....	.....	.....	.....	1	.....	.....	4	10	24
43	Females	42	4	1	.....	.....	.....	5	1	.....	.....	1	3
44	Colored	324	39	7	5	1	4	56	2	3	6	29	37
45	Males	217	22	5	2	.....	2	31	1	2	5	19	28
46	Females	107	17	2	3	1	2	25	1	1	1	10	9
47	Negro {M	171	19	5	2	.....	2	28	1	2	3	14	19
	{F	103	15	2	3	1	2	23	1	1	1	10	9
48	Indian {M	3	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....
	{F	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Chinese {M	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Japanese {M	39	3	.....	.....	.....	.....	3	.....	.....	1	3	9
	{F	2	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....

REGISTRATION STATES, BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1909—Contd.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
1,649	1,696	1,682	1,876	1,899	1,834	2,081	2,321	2,166	2,058	1,409	671	201	48	17	88	1
1,050	1,069	1,171	1,257	1,285	1,233	1,393	1,467	1,364	1,253	872	406	103	20	10	78	2
599	627	511	619	614	601	638	854	802	805	537	265	98	28	7	10	3
1,526	1,580	1,573	1,741	1,742	1,709	1,914	2,251	2,114	2,035	1,390	661	196	45	13	73	4
955	985	1,083	1,141	1,146	1,118	1,284	1,406	1,324	1,241	860	399	99	17	8	67	5
571	595	490	600	596	591	630	845	790	794	530	262	97	28	5	6	6
1,004	975	937	993	959	869	902	1,164	1,052	1,094	757	375	97	24	6	11	7
579	573	598	605	583	527	567	696	647	695	461	233	48	9	4	7	8
425	402	339	388	376	342	335	468	405	399	296	142	49	15	2	4	9
183	164	173	192	174	194	192	263	254	231	159	73	21	4	1	----	10
172	153	105	129	125	141	130	201	181	182	143	55	20	5	----	2	
224	221	215	195	168	115	78	84	57	67	40	15	6	----	2	2	11
163	145	139	156	133	88	59	69	53	53	28	17	5	1	----	1	
172	188	210	218	241	218	297	349	336	397	262	145	21	5	1	5	12
90	104	95	103	118	113	146	198	171	164	125	70	24	9	2	1	
458	526	534	655	679	776	931	1,030	1,014	913	606	278	98	19	7	17	13
322	335	395	451	467	529	640	661	639	519	378	159	50	7	4	15	14
136	191	139	204	212	247	291	369	375	394	228	119	48	12	3	2	15
64	79	102	93	104	64	81	57	48	28	27	8	1	2	----	45	16
54	77	90	85	96	62	77	49	38	27	21	7	1	1	----	45	17
10	2	12	8	8	2	4	8	10	1	6	1	----	1	----	----	18
123	116	109	135	157	125	117	70	52	23	19	10	5	3	4	15	19
95	84	88	116	139	115	109	61	40	12	12	7	4	3	2	11	20
28	32	21	19	18	10	8	9	12	11	7	3	1	----	2	4	21
23	19	15	17	23	8	11	12	10	1	5	4	2	2	1	1	22
8	14	11	14	9	8	5	6	9	7	3	1	----	1	1	1	
5	3	4	4	3	2	1	1	2	----	2	----	2	1	1	3	23
2	6	4	2	4	----	----	2	1	2	3	1	1	----	1	3	
14	20	41	85	107	104	97	48	28	11	5	3	----	----	----	6	24
4	5	2	2	4	2	3	1	2	1	1	1	----	----	----	----	
53	42	28	10	6	1	----	----	----	----	----	----	----	----	----	1	25
14	7	4	1	1	----	----	----	----	1	----	----	----	----	----	----	
742	704	621	636	626	521	544	569	417	384	246	133	44	9	3	4	26
470	442	419	429	435	334	347	344	255	223	142	78	20	3	1	4	27
272	262	202	207	191	187	197	225	162	161	104	55	24	6	2	----	28
716	675	590	605	599	508	537	561	410	381	241	132	42	8	3	4	29
452	421	393	411	418	328	342	338	249	221	138	77	19	3	1	4	30
264	254	197	194	181	180	195	223	161	160	103	55	23	5	2	----	31
495	451	344	350	355	321	295	344	269	238	161	75	31	8	3	1	32
292	248	210	211	229	185	180	196	164	137	86	43	14	3	1	1	33
203	203	134	139	126	136	115	148	105	101	75	32	17	5	2	----	34
142	100	90	79	81	80	70	84	62	62	42	14	5	3	----	----	35
98	92	67	69	64	74	54	75	55	49	40	14	8	3	1	----	
82	73	56	55	49	39	26	27	21	13	13	4	2	----	----	1	36
68	67	39	35	30	21	18	17	6	9	6	3	1	----	----	----	
68	75	64	77	99	66	84	85	81	62	31	25	7	----	1	----	37
37	44	28	35	32	41	43	56	44	43	29	15	8	2	1	----	
188	185	196	208	190	159	211	195	123	131	74	51	11	----	----	----	38
129	137	135	157	139	116	133	122	73	74	47	31	5	----	----	----	39
59	48	61	51	51	43	78	73	50	57	27	20	6	----	----	----	40
33	39	50	47	54	28	31	22	18	12	6	6	----	----	----	3	41
31	36	48	43	50	27	29	20	12	10	5	3	----	----	----	3	42
2	3	2	4	4	1	2	2	6	2	1	3	----	----	----	----	43
26	29	31	31	27	13	7	8	7	3	5	1	2	1	----	----	44
18	21	26	18	17	6	5	6	6	2	4	1	1	----	----	----	45
8	8	5	13	10	7	2	2	1	1	1	----	1	1	----	----	46
14	13	18	14	14	6	5	6	6	2	4	1	1	----	----	----	47
8	8	5	13	9	7	2	2	1	1	1	----	----	1	----	----	
----	----	----	----	1	----	----	----	----	----	----	----	1	----	----	----	48
----	----	2	1	1	----	----	----	----	----	----	----	----	----	----	----	49
4	8	6	3	2	----	----	----	----	----	----	----	----	----	----	----	50

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	CONNECTICUT.												
1	Total	16,479	3,353	591	252	151	151	4,498	344	202	357	508	525
2	Males	8,790	1,903	308	147	77	86	2,521	180	113	187	252	277
3	Females	7,689	1,450	283	105	74	65	1,977	164	89	170	256	248
4	White	16,113	3,291	579	243	151	149	4,413	336	195	345	493	499
5	Males	8,595	1,865	301	144	77	85	2,472	175	110	179	243	264
6	Females	7,518	1,426	278	99	74	64	1,941	161	85	166	250	235
7	Native	11,339	3,269	566	235	143	138	4,351	298	174	264	341	301
8	Males	6,025	1,850	292	141	73	76	2,432	155	97	137	152	153
9	Females	5,314	1,419	274	94	70	62	1,919	143	77	127	189	148
10	Both parents native (M)	2,346	490	65	36	13	20	624	55	41	53	65	52
	Both parents native (F)	2,277	382	61	22	17	18	500	42	30	45	76	45
11	One or both parents foreign (M)	2,840	1,305	224	100	58	56	1,743	96	54	75	78	84
	One or both parents foreign (F)	2,358	1,004	207	71	52	44	1,378	96	47	75	103	89
12	Parentage unknown (M)	839	55	3	5	2	.....	65	4	2	9	9	17
	Parentage unknown (F)	679	33	6	1	1	.....	41	5	.....	7	10	14
13	Foreign	4,556	17	13	8	8	11	57	34	20	80	152	193
14	Males	2,418	12	9	3	4	9	37	18	12	41	91	107
15	Females	2,138	5	4	5	4	2	20	16	8	39	61	86
16	Unknown	218	5	.....	.....	.....	.....	5	4	1	1	.....	5
17	Males	152	3	.....	.....	.....	.....	3	2	1	1	.....	4
18	Females	66	2	.....	.....	.....	.....	2	2	.....	.....	.....	1
19	Colored	366	62	12	9	.....	2	85	8	7	12	15	26
20	Males	195	38	7	3	.....	1	49	5	3	8	9	13
21	Females	171	24	5	6	.....	1	36	3	4	4	6	13
22	Negro (M)	190	38	7	3	.....	1	49	5	3	8	8	13
	Negro (F)	171	24	5	6	.....	1	36	3	4	4	6	13
23	Indian (M)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese (M)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	DISTRICT OF COLUMBIA.												
25	Total	6,216	1,039	208	92	55	46	1,440	115	89	165	264	323
26	Males	3,321	561	113	43	36	22	775	60	48	71	125	186
27	Females	2,895	478	95	49	19	24	665	55	41	94	139	137
28	White	3,620	501	98	36	26	31	692	67	46	63	111	132
29	Males	1,993	281	53	19	19	16	388	37	25	36	51	83
30	Females	1,627	220	45	17	7	15	304	30	21	27	60	49
31	Native	2,947	499	95	35	25	30	684	64	46	60	102	113
32	Males	1,590	280	51	18	18	16	383	34	25	35	46	68
33	Females	1,357	219	44	17	7	14	301	30	21	25	56	45
34	Both parents native (M)	1,020	222	34	9	13	10	288	25	21	26	27	37
	Both parents native (F)	944	162	37	11	7	12	229	24	18	20	44	33
35	One or both parents foreign (M)	279	38	11	7	3	3	62	8	3	6	6	13
	One or both parents foreign (F)	250	42	4	5	.....	1	52	5	2	3	6	8
36	Parentage unknown (M)	291	20	6	2	2	3	33	1	1	3	13	18
	Parentage unknown (F)	163	15	3	1	.....	1	20	1	1	2	6	4
37	Foreign	608	.....	.....	1	1	.....	2	3	.....	3	8	17
38	Males	358	.....	.....	1	1	.....	2	3	.....	1	4	15
39	Females	250	.....	.....	.....	.....	.....	.....	.....	.....	2	4	2
40	Unknown	65	2	3	.....	.....	1	6	.....	.....	.....	1	2
41	Males	45	1	2	.....	.....	.....	3	.....	.....	.....	1	.....
42	Females	20	1	1	.....	.....	1	3	.....	.....	.....	.....	2
43	Colored	2,596	538	110	56	29	15	748	48	43	102	153	191
44	Males	1,328	280	60	24	17	6	387	23	23	35	74	103
45	Females	1,268	258	50	32	12	9	361	25	20	67	79	88
46	Negro (M)	1,325	280	60	24	17	6	387	23	23	35	74	103
	Negro (F)	1,267	258	50	32	12	9	361	25	20	67	79	88
47	Indian (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
48	Chinese (M)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

REGISTRATION STATES, BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1909—Contd.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
580	676	687	718	815	874	998	1,165	1,150	945	760	434	164	39	8	32	1
329	385	388	395	451	478	545	605	567	479	342	187	79	15	----	15	2
251	291	299	323	364	396	453	560	583	466	418	247	85	24	8	17	3
565	648	656	696	792	850	976	1,153	1,140	937	749	432	162	39	8	29	4
319	374	372	383	438	470	531	599	563	475	335	185	78	15	----	15	5
246	274	284	313	354	380	445	554	577	462	414	247	84	24	8	14	6
334	379	372	367	438	437	460	572	627	625	520	323	120	28	----	8	7
192	222	197	194	234	233	259	303	298	325	231	142	57	9	----	3	8
142	157	175	173	204	204	201	269	329	300	289	181	63	19	----	5	9
54	66	57	62	106	112	165	178	191	186	149	86	38	5	----	1	10
37	45	71	65	92	113	128	189	224	197	195	119	50	12	----	2	
125	139	110	93	84	67	30	24	13	13	5	5	1	----	----	1	11
84	93	82	82	79	51	27	19	22	14	10	5	1	----	----	1	
13	17	30	39	44	54	64	101	94	126	77	51	18	4	----	1	12
21	19	22	26	33	40	46	61	83	89	84	57	12	7	----	2	
223	254	266	311	330	400	496	560	499	301	222	99	35	10	7	7	13
122	139	157	172	184	226	259	285	257	145	102	38	17	5	----	4	14
101	115	109	139	146	174	237	275	242	156	120	61	18	5	7	3	15
8	15	18	18	24	13	20	21	14	11	7	10	7	1	1	14	16
5	13	18	17	20	11	13	11	8	5	2	5	4	1	----	8	17
3	2	----	1	4	2	7	10	6	6	5	5	3	----	1	6	18
15	28	31	22	23	24	22	12	10	8	11	2	2	----	----	3	19
10	11	16	12	13	8	14	6	4	4	7	2	1	----	----	----	20
5	17	15	10	10	16	8	6	6	4	4	----	1	----	----	3	21
10	10	15	12	13	7	14	6	4	4	6	2	1	----	----	----	22
5	17	15	10	10	16	8	6	6	4	4	----	1	----	----	3	
----	----	----	----	----	1	----	----	----	----	1	----	----	----	----	----	23
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	1	1	----	----	----	----	----	----	----	----	----	----	----	----	----	24
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
318	340	311	301	339	364	385	424	395	293	178	112	38	11	11	----	25
187	190	180	161	199	203	201	229	208	153	82	44	12	3	4	----	26
131	150	131	140	140	161	184	195	187	140	96	68	26	8	7	----	27
142	184	161	178	198	240	275	314	323	230	143	89	28	4	----	----	28
88	105	101	98	125	134	152	171	168	118	68	33	10	2	----	----	29
54	79	60	80	73	106	123	143	155	112	75	56	18	2	----	----	30
120	153	129	145	154	191	210	218	228	145	99	65	19	2	----	----	31
73	85	77	74	95	101	117	122	113	69	44	24	4	1	----	----	32
47	68	52	71	59	90	93	96	115	76	55	41	15	1	----	----	33
39	55	42	43	55	65	74	75	57	41	32	15	2	1	----	----	34
35	38	32	33	35	55	63	65	83	59	39	31	8	----	----	----	
22	21	22	17	19	13	15	17	15	11	6	2	1	----	----	----	35
5	23	13	28	15	21	18	14	15	9	8	2	3	----	----	----	
12	9	13	14	21	23	28	30	41	17	6	7	1	----	----	----	36
7	7	7	10	9	14	12	17	17	8	8	8	4	1	----	----	
19	27	28	26	36	41	62	89	92	78	43	23	9	2	----	----	37
12	17	22	17	24	27	32	45	53	44	24	9	6	1	----	----	38
7	10	6	9	12	14	30	44	39	34	19	14	3	1	----	----	39
3	4	4	7	8	8	3	7	3	7	1	1	----	----	----	----	40
3	3	2	7	6	6	3	4	2	5	----	----	----	----	----	----	41
----	1	2	----	2	2	----	3	1	2	1	1	----	----	----	----	42
176	156	150	123	141	124	110	110	72	63	35	23	10	7	11	----	43
99	85	79	63	74	69	49	58	40	35	14	11	2	1	4	----	44
77	71	71	60	67	55	61	52	32	28	21	12	8	6	7	----	45
97	85	79	63	74	68	49	58	40	35	14	11	2	1	4	----	46
77	71	71	60	67	55	61	52	31	28	21	12	8	6	7	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	47
----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	
2	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	48

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MA IN SUBDIVISIONS, AND

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	INDIANA.												
1	Total	34,519	5,637	1,363	557	297	210	8,064	738	616	1,072	1,330	1,398
2	Males	18,264	3,182	732	283	164	104	4,465	425	317	528	676	668
3	Females	16,255	2,455	631	274	133	106	3,599	323	299	544	654	730
4	White	33,251	5,467	1,295	543	284	203	7,792	712	581	1,000	1,254	1,320
5	Males	17,612	3,092	697	278	156	99	4,322	404	307	494	638	632
6	Females	15,639	2,375	598	265	128	104	3,470	308	274	506	616	688
7	Native	29,266	5,456	1,285	538	282	200	7,761	706	570	968	1,170	1,210
8	Males	15,253	3,088	691	275	154	97	4,305	399	301	469	566	550
9	Females	14,013	2,368	594	263	128	103	3,456	307	269	499	604	660
10	Both parents native (M)	10,283	2,602	609	239	133	81	3,664	345	256	411	445	386
	(F)	9,728	1,960	506	226	107	84	2,883	270	233	422	474	499
11	One or both parents foreign (M)	2,081	398	72	28	17	11	526	43	30	41	82	98
	(F)	1,800	334	76	32	18	16	476	29	27	54	82	87
12	Parentage unknown (M)	2,889	88	10	8	4	5	115	11	15	17	39	66
	(F)	2,485	74	12	5	3	3	97	8	9	23	48	74
13	Foreign	3,521	9	6	3	1	2	21	6	6	23	75	93
14	Males	2,059	4	4	1	1	1	11	5	4	16	65	67
15	Females	1,462	5	2	2	.....	1	10	1	2	7	10	26
16	Unknown	464	2	4	2	1	1	10	.....	5	9	9	17
17	Males	300	.....	2	2	1	1	6	.....	2	9	7	15
18	Females	164	2	2	.....	.....	.....	4	.....	3	.....	2	2
19	Colored	1,268	170	68	14	13	7	272	36	35	72	76	78
20	Males	652	90	35	5	8	5	143	21	10	34	38	36
21	Females	616	80	33	9	5	2	129	15	25	38	38	42
22	Negro (M)	651	90	35	5	8	5	143	21	10	34	38	36
	(F)	616	80	33	9	5	2	129	15	25	38	38	42
23	Chinese (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MAINE.												
24	Total	11,500	1,904	267	124	83	60	2,438	210	168	241	338	314
25	Males	5,877	1,080	140	60	48	31	1,359	94	84	110	165	143
26	Females	5,623	824	127	64	35	29	1,079	116	84	131	173	171
27	White	11,491	1,903	267	124	83	60	2,437	210	167	241	338	312
28	Males	5,870	1,079	140	60	48	31	1,358	94	84	110	165	141
29	Females	5,621	824	127	64	35	29	1,079	116	83	131	173	171
30	Native	9,813	1,881	259	118	77	59	2,394	200	154	206	261	241
31	Males	4,996	1,069	137	56	43	30	1,335	86	76	92	120	114
32	Females	4,817	812	122	62	34	29	1,059	114	78	114	141	127
33	Both parents native (M)	3,497	549	70	35	17	17	688	49	50	64	84	86
	(F)	3,482	389	62	42	20	15	528	71	60	71	103	86
34	One or both parents foreign (M)	1,051	501	65	21	25	12	625	35	24	25	32	26
	(F)	929	411	58	20	13	14	516	43	17	40	30	31
35	Parentage unknown (M)	448	19	1	.....	1	1	22	2	2	3	4	2
	(F)	406	12	2	.....	1	.....	15	.....	1	3	8	10
36	Foreign	1,556	20	6	6	6	1	39	10	13	33	73	69
37	Males	793	9	3	4	5	1	22	8	8	17	41	25
38	Females	763	11	3	2	1	.....	17	2	5	16	32	44
39	Unknown	122	2	2	.....	.....	.....	4	.....	.....	2	4	2
40	Males	81	1	.....	.....	.....	.....	1	.....	.....	1	4	2
41	Females	41	1	2	.....	.....	.....	3	.....	.....	1	.....	.....
42	Colored	9	1	.....	.....	.....	.....	1	.....	1	.....	.....	2
43	Males	7	1	.....	.....	.....	.....	1	.....	.....	.....	.....	2
44	Females	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
45	Negro (M)	6	1	.....	.....	.....	.....	1	.....	.....	.....	.....	2
	(F)	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
46	Indian (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

REGISTRATION STATES, BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1909—Contd.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
1,214	1,288	1,291	1,348	1,570	1,739	2,006	2,515	2,555	2,574	1,754	989	299	77	24	48	1
588	622	696	732	850	974	1,104	1,322	1,328	1,385	896	468	144	31	9	36	2
626	666	595	616	720	765	902	1,193	1,227	1,189	858	521	155	46	15	12	3
1,148	1,215	1,219	1,277	1,498	1,665	1,942	2,458	2,505	2,542	1,733	972	293	70	15	40	4
556	584	657	694	808	935	1,073	1,294	1,300	1,365	886	459	141	27	7	29	5
592	631	562	583	690	730	869	1,164	1,205	1,177	847	513	152	43	8	11	6
1,043	1,096	1,084	1,115	1,305	1,419	1,626	1,994	1,942	1,931	1,285	737	225	53	11	15	7
491	506	561	585	685	782	880	1,038	982	1,040	640	338	105	19	4	7	8
552	590	523	530	620	637	746	956	960	891	645	399	120	34	7	8	9
314	304	324	325	402	440	488	560	539	523	319	178	46	9	1	4	10
402	408	316	308	382	394	469	588	542	521	355	189	56	11	1	5	
103	123	149	132	143	114	125	114	86	72	60	28	11	1	----	----	11
85	97	114	114	110	116	84	99	79	59	38	34	12	2	1	1	
74	79	88	128	140	228	267	364	357	445	261	132	48	9	3	3	12
65	85	93	108	128	127	193	269	339	311	252	176	52	21	5	2	
89	102	104	127	158	217	277	427	514	567	416	213	62	16	4	4	13
55	67	72	83	96	135	168	236	290	302	229	110	33	8	3	4	14
34	35	32	44	62	82	109	191	224	265	187	103	29	8	1	----	15
16	17	31	35	35	29	39	37	49	44	32	22	6	1	----	21	16
10	11	24	26	27	18	25	20	28	23	17	11	3	----	----	18	17
6	6	7	9	8	11	14	17	21	21	15	11	3	1	----	3	18
66	73	72	71	72	74	64	57	50	32	21	17	6	7	9	8	19
32	38	39	38	42	39	31	28	28	20	10	9	3	4	2	7	20
34	35	33	33	30	35	33	29	22	12	11	8	3	3	7	1	21
32	38	39	38	41	39	31	28	28	20	10	9	3	4	2	7	
34	35	33	33	30	35	33	29	22	12	11	8	3	3	7	1	22
----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	23
317	371	336	393	477	583	707	915	1,113	1,102	788	460	157	35	2	35	24
150	181	153	191	261	323	375	472	578	578	372	187	66	10	----	25	25
167	190	183	202	216	260	332	443	535	524	416	273	91	25	2	10	26
316	371	335	393	477	583	707	914	1,113	1,101	787	460	157	35	2	35	27
149	181	152	191	261	323	375	471	578	577	372	187	66	10	----	25	28
167	190	183	202	216	260	332	443	535	524	415	273	91	25	2	10	29
234	275	249	296	388	463	566	747	938	929	687	410	131	33	1	10	30
104	133	111	139	216	257	295	395	490	485	315	164	55	9	----	5	31
130	142	138	157	172	206	271	352	448	444	372	246	76	24	1	5	32
71	94	69	104	160	195	243	303	405	393	258	127	47	6	----	1	
90	104	117	118	132	164	235	284	357	369	300	208	62	21	1	1	33
27	28	31	23	26	31	26	36	17	22	9	4	2	1	----	1	
31	27	15	32	22	18	13	26	22	13	20	9	2	----	----	2	34
6	11	11	12	30	31	26	56	68	70	48	33	6	2	----	3	
9	11	6	7	18	24	23	42	69	62	52	29	12	3	----	2	35
79	90	79	91	86	112	133	158	159	157	94	47	23	2	1	8	36
43	42	36	46	43	61	74	70	80	84	54	22	10	1	----	6	37
36	48	43	45	43	51	59	88	79	73	40	25	13	1	1	2	38
3	6	7	6	3	8	8	9	16	15	6	3	3	----	----	17	39
2	6	5	6	2	5	6	6	8	8	3	1	1	----	----	14	40
1	----	2	----	1	3	2	3	8	7	3	2	2	----	----	3	41
1	----	1	----	----	----	----	1	----	1	1	----	----	----	----	----	42
1	----	1	----	----	----	----	1	----	1	----	----	----	----	----	----	43
----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	44
1	----	1	----	----	----	----	----	----	1	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	45
----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	46

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	MARYLAND.												
1	Total	19,931	4,338	887	377	211	134	5,947	425	307	532	866	790
2	Males	10,407	2,357	469	188	110	70	3,194	217	159	250	418	408
3	Females	9,524	1,981	418	189	101	64	2,753	208	148	282	448	382
4	White	14,675	3,080	611	240	139	95	4,165	265	188	300	540	491
5	Males	7,708	1,687	326	126	68	54	2,261	141	104	150	258	263
6	Females	6,967	1,393	285	114	71	41	1,904	124	84	150	282	228
7	Native	12,157	3,051	603	237	136	94	4,121	258	184	283	483	426
8	Males	6,335	1,671	323	126	66	53	2,239	135	101	139	225	221
9	Females	5,822	1,380	280	111	70	41	1,882	123	83	144	258	205
10	Both parents native (M)	3,873	1,100	216	99	51	38	1,504	105	79	95	165	144
	Both parents native (F)	3,667	861	190	87	51	29	1,218	97	65	110	179	134
11	One or both parents foreign (M)	1,330	338	96	22	11	11	478	21	16	39	43	57
	One or both parents foreign (F)	1,210	292	77	18	18	11	416	24	16	22	54	46
12	Parentage unknown (M)	1,132	233	11	5	4	4	257	9	6	5	17	20
	Parentage unknown (F)	945	227	13	6	1	1	248	2	2	12	25	25
13	Foreign	2,252	15	3	2	3	.....	23	5	3	14	45	58
14	Males	1,175	7	.....	.....	2	.....	9	5	2	9	25	36
15	Females	1,077	8	3	2	1	.....	14	.....	1	5	20	22
16	Unknown	266	14	5	1	.....	1	21	2	1	3	12	7
17	Males	198	9	3	.....	.....	1	13	1	1	2	8	6
18	Females	68	5	2	1	.....	.....	8	1	.....	1	4	1
19	Colored	5,256	1,258	276	137	72	39	1,782	160	119	232	326	299
20	Males	2,699	670	143	62	42	16	933	76	55	100	160	145
21	Females	2,557	588	133	75	30	23	849	84	64	132	166	154
22	Negro (M)	2,694	670	143	62	42	16	933	76	55	100	160	145
	Negro (F)	2,557	588	133	75	30	23	849	84	64	132	166	154
23	Chinese (M)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MASSACHUSETTS.												
24	Total	51,096	10,514	1,927	821	492	352	14,106	1,002	659	999	1,478	1,653
25	Males	26,255	5,886	1,024	448	280	176	7,814	501	338	529	740	823
26	Females	24,841	4,628	903	373	212	176	6,292	501	321	470	738	830
27	White	50,243	10,361	1,894	802	481	349	13,887	982	650	962	1,425	1,598
28	Males	25,803	5,802	1,007	440	275	175	7,699	491	336	513	712	790
29	Females	24,440	4,559	887	362	206	174	6,188	491	314	449	713	808
30	Native	34,274	10,249	1,842	772	400	324	13,647	902	570	749	902	923
31	Males	17,875	5,745	982	424	265	166	7,582	452	294	391	451	447
32	Females	16,399	4,504	860	348	195	158	6,065	450	276	358	451	476
33	Both parents native (M)	7,292	1,476	191	91	63	47	1,868	130	114	148	166	176
	Both parents native (F)	7,125	1,084	182	86	52	42	1,446	143	105	140	169	181
34	One or both parents foreign (M)	8,843	3,988	776	325	194	118	5,401	320	176	231	274	252
	One or both parents foreign (F)	7,467	3,163	657	256	140	114	4,330	305	168	210	268	276
35	Parentage unknown (M)	1,740	281	15	8	8	1	313	2	4	12	11	19
	Parentage unknown (F)	1,807	257	21	6	3	2	289	2	3	8	14	19
36	Foreign	15,580	83	45	28	19	25	200	76	79	206	517	659
37	Males	7,681	44	21	15	10	9	99	37	41	117	258	330
38	Females	7,899	39	24	13	9	16	101	39	38	89	259	329
39	Unknown	389	29	7	2	2	.....	40	4	1	7	6	16
40	Males	247	13	4	1	.....	.....	18	2	1	5	3	13
41	Females	142	16	3	1	2	.....	22	2	.....	2	3	3
42	Colored	853	153	33	19	11	3	219	20	9	37	53	55
43	Males	452	84	17	8	5	1	115	10	2	16	28	33
44	Females	401	69	16	11	6	2	104	10	7	21	25	22
45	Negro (M)	413	83	17	8	5	1	114	10	2	15	28	32
	Negro (F)	392	69	16	11	6	2	104	10	7	21	23	22
46	Indian (M)	6	1	.....	.....	.....	.....	1	.....	.....	.....	2	.....
	Indian (F)	8	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
47	Chinese (M)	33	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
48	Japanese (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

REGISTRATION STATES, BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1909—Contd.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
761	823	768	921	946	970	1,086	1,268	1,218	979	750	358	108	36	17	55	1
370	462	424	520	536	531	552	683	601	465	369	151	45	10	6	36	2
391	361	344	401	410	439	534	585	617	514	381	207	63	26	11	19	3
545	552	556	607	685	773	889	1,051	1,042	864	662	304	86	21	3	26	4
262	315	315	387	395	436	458	547	507	404	322	125	35	3	1	19	5
283	237	241	280	290	337	431	504	535	460	340	179	51	18	2	7	6
477	469	443	503	528	584	636	709	743	576	440	209	59	17	1	8	7
223	253	245	277	301	318	325	372	363	270	218	84	20	3	1	2	8
254	216	198	226	227	266	311	337	380	306	222	125	39	14	.....	6	9
124	136	122	131	144	170	183	213	211	148	138	46	13	1	.....	1	10
162	121	110	128	133	151	179	210	246	183	133	74	23	7	.....	4	
70	70	82	97	82	91	42	52	35	28	16	10	.....	1	.....	.....	11
61	71	59	70	63	61	64	61	44	39	22	13	2	1	.....	1	
29	47	41	49	75	57	100	107	117	94	64	28	7	1	1	1	12
31	24	29	28	31	54	68	66	90	84	67	38	14	6	.....	1	
59	70	88	138	141	170	228	316	289	282	205	83	26	4	2	3	13
32	51	49	90	83	105	114	152	137	131	92	36	15	.....	.....	2	14
27	19	39	48	58	65	114	164	152	151	113	47	11	4	2	1	15
9	13	25	26	16	19	25	26	10	6	17	12	1	.....	.....	15	16
7	11	21	20	11	13	19	23	7	3	12	5	.....	.....	.....	15	17
2	2	4	6	5	6	6	3	3	3	5	7	1	.....	.....	.....	18
216	271	212	254	261	197	197	217	176	115	88	54	22	15	14	29	19
108	147	109	133	141	95	94	136	94	61	47	26	10	7	5	17	20
108	124	103	121	120	102	103	81	82	54	41	28	12	8	9	12	21
108	147	108	132	139	94	94	136	94	61	47	26	10	7	5	17	22
108	124	103	121	120	102	103	81	82	54	41	28	12	8	9	12	
.....	.....	1	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
1,883	2,201	2,139	2,287	2,481	2,709	3,180	3,497	3,584	3,028	2,224	1,362	475	116	11	22	24
947	1,146	1,162	1,258	1,356	1,432	1,590	1,715	1,753	1,393	995	550	164	31	1	17	25
936	1,055	977	1,029	1,125	1,277	1,590	1,782	1,831	1,635	1,229	812	311	85	10	5	26
1,837	2,142	2,089	2,238	2,434	2,669	3,136	3,453	3,552	3,011	2,208	1,353	471	114	11	21	27
923	1,117	1,128	1,229	1,322	1,409	1,570	1,697	1,736	1,384	990	546	163	31	1	16	28
914	1,025	961	1,009	1,112	1,260	1,566	1,756	1,816	1,627	1,218	807	308	83	10	5	29
1,018	1,130	1,008	1,109	1,308	1,300	1,508	1,706	1,877	1,819	1,431	936	336	87	5	3	30
531	577	523	581	732	714	793	870	943	852	631	369	118	23	.....	1	31
487	553	485	528	576	586	715	836	934	967	800	567	218	64	5	2	32
157	170	178	230	362	428	509	615	661	593	438	255	78	16	.....	.....	33
172	190	181	214	283	358	435	568	655	692	595	406	153	37	2	.....	
340	375	306	291	304	184	140	83	74	49	24	15	3	.....	.....	1	34
288	316	268	255	218	137	132	96	69	52	32	29	12	4	1	1	
34	32	39	60	66	102	144	172	208	210	169	99	37	7	.....	.....	35
27	47	36	59	75	91	148	172	210	223	173	132	53	23	2	1	
802	981	1,047	1,094	1,100	1,350	1,603	1,717	1,644	1,167	763	410	129	27	6	3	36
380	514	578	617	573	684	762	811	773	521	355	176	43	8	1	3	37
422	467	469	477	527	666	841	906	871	646	408	234	86	19	5	.....	38
17	31	34	35	26	19	25	30	31	25	14	7	6	.....	.....	15	39
12	26	27	31	17	11	15	16	20	11	4	1	2	.....	.....	12	40
5	5	7	4	9	8	10	14	11	14	10	6	4	.....	.....	3	41
46	59	50	49	47	40	44	44	32	17	16	9	4	2	.....	1	42
24	29	34	29	34	23	20	18	17	9	5	4	1	.....	.....	1	43
22	30	16	20	13	17	24	26	15	8	11	5	3	2	.....	.....	44
22	25	28	24	26	19	17	16	16	9	4	4	1	.....	.....	1	45
21	30	16	20	13	16	24	23	15	8	11	4	2	2	.....	.....	
.....	.....	.....	.....	.....	1	.....	2	1	.....	1	.....	.....	.....	.....	.....	46
1	.....	.....	.....	.....	1	.....	2	.....	.....	.....	1	1	.....	.....	.....	
2	4	6	5	8	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	MICHIGAN.												
1	Total	36,260	7,339	1,275	498	347	251	9,710	749	556	953	1,274	1,199
2	Males	19,622	4,145	680	253	178	132	5,388	390	305	480	653	612
3	Females	16,638	3,194	595	245	169	119	4,322	359	251	473	621	587
4	White	35,702	7,246	1,252	491	341	246	9,576	738	546	927	1,252	1,162
5	Males	19,312	4,090	671	249	175	128	5,313	385	299	466	641	594
6	Females	16,390	3,156	581	242	166	118	4,263	353	247	461	611	568
7	Native	25,362	7,208	1,224	478	336	231	9,477	691	507	841	941	813
8	Males	13,454	4,071	656	242	173	125	5,267	361	281	420	438	379
9	Females	11,908	3,137	568	236	163	106	4,210	330	226	421	503	434
10	Both parents native (M)	6,730	1,986	329	128	86	68	2,597	178	135	204	179	165
	Both parents native (F)	5,928	1,522	265	108	79	52	2,026	147	99	185	207	186
11	One or both parents foreign (M)	4,874	1,831	318	111	86	55	2,401	178	141	206	238	184
	One or both parents foreign (F)	4,389	1,436	293	126	82	52	1,989	176	123	218	256	218
12	Parentage unknown (M)	1,850	254	9	3	1	2	269	5	5	10	21	30
	Parentage unknown (F)	1,591	179	10	2	2	2	195	7	4	18	40	30
13	Foreign	9,872	26	26	13	5	14	84	47	35	85	292	335
14	Males	5,482	11	13	7	2	3	36	24	17	46	184	203
15	Females	4,390	15	13	6	3	11	48	23	18	39	108	132
16	Unknown	468	12	2	.....	.....	1	15	.....	4	1	19	14
17	Males	376	8	2	.....	.....	.....	10	.....	1	.....	19	12
18	Females	92	4	.....	.....	.....	1	5	.....	3	1	.....	2
19	Colored	558	93	23	7	6	5	134	11	10	26	22	37
20	Males	310	55	9	4	3	4	75	5	6	14	12	18
21	Females	248	38	14	3	3	1	59	6	4	12	10	19
22	Negro (M)	196	30	5	1	1	2	39	1	2	9	10	12
	Negro (F)	151	17	8	2	1	.....	28	2	1	7	4	11
23	Indian (M)	113	24	4	3	2	2	35	4	4	5	2	6
	Indian (F)	97	21	6	1	2	1	31	4	3	5	6	8
24	Chinese (M)	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	NEW HAMPSHIRE.												
25	Total	7,256	1,367	201	97	59	46	1,770	128	79	117	157	187
26	Males	3,792	775	104	56	23	21	979	65	39	71	79	97
27	Females	3,464	592	97	41	36	25	791	63	40	46	78	90
28	White	7,249	1,367	201	97	59	46	1,770	127	79	116	156	186
29	Males	3,787	775	104	56	23	21	979	64	39	70	78	97
30	Females	3,462	592	97	41	36	25	791	63	40	46	78	89
31	Native	5,689	1,328	192	92	55	41	1,708	120	70	83	106	120
32	Males	2,983	754	97	53	21	18	943	61	35	47	50	61
33	Females	2,706	574	95	39	34	23	765	59	35	36	56	59
34	Both parents native (M)	1,449	214	28	11	7	4	264	23	15	27	24	33
	Both parents native (F)	1,340	200	30	11	6	9	256	16	17	15	27	37
35	One or both parents foreign (M)	890	491	65	40	13	14	623	31	20	17	21	22
	One or both parents foreign (F)	735	356	60	24	27	13	480	30	17	15	20	15
36	Parentage unknown (M)	644	49	4	2	1	.....	56	7	.....	3	5	6
	Parentage unknown (F)	622	18	5	4	1	1	29	4	1	6	9	7
37	Foreign	1,350	35	8	5	4	5	57	5	8	32	47	62
38	Males	674	17	6	3	2	3	31	2	3	22	27	32
39	Females	676	18	2	2	2	2	26	3	5	10	20	30
40	Unknown	210	4	1	.....	.....	.....	5	2	1	1	3	4
41	Males	130	4	1	.....	.....	.....	5	1	1	1	1	4
42	Females	80	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....
43	Colored	7	.....	.....	.....	.....	.....	.....	1	.....	1	1	1
44	Males	5	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....
45	Females	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
46	Negro (M)	5	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....
	Negro (F)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1

REGISTRATION STATES, BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1909—Contd.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
1,138	1,243	1,138	1,430	1,606	1,691	2,169	2,626	2,612	2,691	1,908	1,061	355	80	18	53	1
571	618	617	805	874	951	1,194	1,487	1,424	1,416	1,030	552	161	42	12	40	2
567	625	521	625	732	740	975	1,139	1,188	1,275	878	509	194	38	6	13	3
1,108	1,210	1,117	1,402	1,574	1,668	2,147	2,594	2,575	2,671	1,895	1,047	353	76	13	51	4
560	597	608	789	852	934	1,183	1,469	1,403	1,404	1,022	547	160	38	8	40	5
548	613	509	613	722	734	964	1,125	1,172	1,267	873	500	193	38	5	11	6
765	799	685	818	939	925	1,143	1,442	1,395	1,412	972	541	202	38	4	12	7
373	370	361	431	480	492	609	802	749	732	510	276	97	16	2	8	8
392	429	324	387	459	433	534	640	646	680	462	265	105	22	2	4	9
166	145	132	193	239	264	348	469	440	406	276	130	49	13	----	2	10
154	190	150	170	213	216	320	364	394	413	275	155	50	11	1	2	
166	187	179	182	161	127	122	135	97	87	43	27	8	1	1	3	
185	199	131	162	169	107	92	115	96	63	47	30	9	3	1	----	11
41	38	50	56	80	101	139	198	212	239	191	119	40	2	1	3	
53	40	43	55	77	110	122	161	156	204	140	80	46	8	----	2	12
323	382	409	545	595	721	958	1,112	1,137	1,227	892	490	145	37	9	12	13
171	208	227	323	337	423	532	633	625	649	488	261	60	21	6	8	14
152	174	182	222	258	298	426	479	512	578	404	229	85	16	3	4	15
20	29	23	39	40	22	46	40	43	32	31	16	6	1	----	27	16
16	19	20	35	35	19	42	34	29	23	24	10	3	1	----	24	17
4	10	3	4	5	3	4	6	14	9	7	6	3	----	----	3	18
30	33	21	28	32	23	22	32	37	20	13	14	2	4	5	2	19
11	21	9	16	22	17	11	18	21	12	8	5	1	4	4	----	20
19	12	12	12	10	6	11	14	16	8	5	9	1	----	1	2	21
8	16	6	10	18	12	8	13	12	9	6	2	----	1	2	----	22
13	7	8	9	9	5	9	8	11	7	3	7	1	----	----	1	
3	5	3	6	4	5	3	5	9	3	2	3	1	3	2	----	23
6	5	4	3	1	1	2	6	5	1	2	2	----	----	1	1	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	24
208	268	235	247	303	382	490	527	615	605	483	280	107	20	2	46	25
105	142	131	133	158	189	269	301	318	303	211	120	43	6	1	32	26
103	126	104	114	145	193	221	226	297	302	272	160	64	14	1	14	27
208	268	235	246	302	382	490	527	615	605	482	280	107	20	2	46	28
105	142	131	133	157	189	269	301	318	303	210	120	43	6	1	32	29
103	126	104	113	145	193	221	226	297	302	272	160	64	14	1	14	30
139	148	147	157	218	267	346	388	480	453	388	234	97	15	----	5	31
76	76	83	85	110	140	192	235	254	228	165	100	38	3	----	1	32
63	72	64	72	108	127	154	153	226	225	223	134	59	12	----	4	33
40	42	49	47	65	83	124	148	159	140	91	52	21	1	----	1	34
32	28	34	36	64	75	88	101	139	128	132	81	35	7	----	1	
24	25	15	17	18	15	15	6	8	6	5	1	1	----	----	----	
19	28	18	15	19	10	18	4	7	7	2	----	1	----	----	1	35
12	9	19	21	27	42	53	81	87	82	69	47	16	2	----	----	
12	16	12	21	25	42	48	48	80	90	89	53	23	5	----	2	36
65	111	76	84	76	104	130	125	116	124	76	35	6	2	2	7	37
26	59	39	44	41	41	70	61	55	61	34	15	3	2	1	5	38
39	52	37	40	35	63	60	64	61	63	42	20	3	----	1	2	39
4	9	12	5	8	11	14	14	19	28	18	11	4	3	----	34	40
3	7	9	4	6	8	7	5	9	14	11	5	2	1	----	26	41
1	2	3	1	2	3	7	9	10	14	7	6	2	2	----	8	42
----	----	----	1	1	----	----	----	----	----	1	----	----	----	----	----	43
----	----	----	----	1	----	----	----	----	----	1	----	----	----	----	----	44
----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	45
----	----	----	----	1	----	----	----	----	----	1	----	----	----	----	----	46
----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	NEW JERSEY.												
1	Total	36,310	7,654	1,812	846	434	352	11,098	909	558	787	1,220	1,348
2	Males	19,621	4,316	937	452	219	182	6,106	481	269	398	657	727
3	Females	16,689	3,338	875	394	215	170	4,992	428	289	389	563	621
4	White	34,526	7,221	1,712	804	408	331	10,476	874	503	745	1,135	1,247
5	Males	18,674	4,067	890	427	205	171	5,760	462	246	379	621	668
6	Females	15,852	3,154	822	377	203	160	4,716	412	257	366	514	579
7	Native	24,785	7,154	1,686	781	387	313	10,321	800	460	590	790	815
8	Males	13,277	4,028	875	414	193	164	5,674	425	224	288	407	417
9	Females	11,508	3,126	811	367	194	149	4,647	375	236	302	383	398
10	Both parents native {M	6,579	1,624	290	152	75	72	2,213	225	112	135	183	206
	{F	6,080	1,318	268	139	71	59	1,855	186	116	145	191	200
11	One or both parents foreign {M	5,632	2,275	572	256	115	90	3,308	185	102	130	194	170
	{F	4,651	1,715	532	221	121	88	2,677	177	106	142	166	168
12	Parentage unknown {M	1,066	129	13	6	3	2	153	15	10	23	30	41
	{F	777	93	11	7	2	2	115	12	14	15	26	30
13	Foreign	9,442	57	24	21	21	18	141	71	41	152	329	414
14	Males	5,173	31	15	12	12	7	77	36	20	89	201	236
15	Females	4,269	26	9	9	9	11	64	35	21	63	128	178
16	Unknown	299	10	2	2	.....	.....	14	3	2	3	16	18
17	Males	224	8	.....	1	.....	.....	9	1	2	2	13	15
18	Females	75	2	2	1	.....	.....	5	2	.....	1	3	3
19	Colored	1,784	433	100	42	26	21	622	35	55	42	85	101
20	Males	947	249	47	25	14	11	346	19	23	19	36	59
21	Females	837	184	53	17	12	10	276	16	32	23	49	42
22	Negro {M	939	248	47	25	14	11	345	19	23	18	36	58
	{F	836	183	53	17	12	10	275	16	32	23	49	42
23	Chinese {M	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	{F	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
24	Japanese {M	3	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	NEW YORK.												
25	Total	140,073	26,175	6,744	2,725	1,667	1,120	38,431	2,962	1,752	2,906	4,552	5,347
26	Males	75,466	14,561	3,521	1,483	865	587	21,017	1,541	943	1,531	2,427	2,876
27	Females	64,607	11,614	3,223	1,242	802	533	17,414	1,421	809	1,375	2,125	2,471
28	White	136,803	25,466	6,577	2,634	1,620	1,094	37,391	2,898	1,697	2,805	4,382	5,123
29	Males	73,701	14,164	3,438	1,428	844	578	20,452	1,512	927	1,482	2,340	2,756
30	Females	63,102	11,302	3,139	1,206	776	516	16,939	1,386	770	1,323	2,042	2,367
31	Native	92,760	25,224	6,367	2,518	1,501	1,008	36,618	2,615	1,495	2,184	2,869	3,140
32	Males	49,834	14,031	3,322	1,353	775	534	20,015	1,351	829	1,138	1,484	1,643
33	Females	42,926	11,193	3,045	1,165	726	474	16,603	1,264	666	1,046	1,385	1,497
34	Both parents native {M	21,288	4,935	945	412	288	211	6,791	593	393	573	640	697
	{F	19,225	3,855	776	357	243	185	5,416	544	317	476	673	650
35	One or both parents foreign {M	24,298	8,175	2,328	928	479	317	12,227	742	424	535	767	862
	{F	20,202	6,507	2,240	805	478	285	10,315	710	337	543	664	794
36	Parentage unknown {M	4,248	921	49	13	8	6	997	16	12	30	77	84
	{F	3,499	831	29	3	5	4	872	10	12	27	48	53
37	Foreign	42,823	146	128	104	105	83	566	278	199	606	1,484	1,929
38	Males	22,973	79	78	71	63	42	333	158	98	333	829	1,066
39	Females	19,850	67	50	33	42	41	233	120	101	273	655	863
40	Unknown	1,220	96	82	12	14	3	207	5	3	15	29	54
41	Males	894	54	38	4	6	2	104	3	.....	11	27	47
42	Females	326	42	44	8	8	1	103	2	3	4	2	7
43	Colored	3,270	709	167	91	47	26	1,040	64	55	101	170	224
44	Males	1,765	397	83	55	21	9	565	29	16	49	87	120
45	Females	1,505	312	84	36	26	17	475	35	39	52	83	104
46	Negro {M	1,649	392	83	53	21	9	558	27	16	48	82	112
	{F	1,488	307	83	36	26	17	409	34	38	52	82	101
47	Indian {M	19	2	.....	.....	.....	.....	2	1	.....	1	2	2
	{F	13	3	1	.....	.....	.....	4	1	1	.....	.....	2
48	Chinese {M	85	2	.....	1	.....	.....	3	1	.....	.....	3	5
	{F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
49	Japanese {M	12	1	.....	1	.....	.....	2	.....	.....	.....	.....	1
	{F	3	2	.....	.....	.....	.....	2	.....	.....	.....	.....	1

REGISTRATION STATES, BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1909—Contd.

AGE—continued.															
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
1,447	1,676	1,636	1,723	1,701	1,811	2,105	2,209	2,072	1,852	1,194	688	210	49	11	6	1
847	979	1,000	1,004	983	1,022	1,137	1,127	1,028	888	573	294	77	16	4	4	2
600	697	636	719	718	789	968	1,082	1,044	964	621	394	133	33	7	2	3
1,346	1,569	1,554	1,629	1,618	1,732	2,035	2,125	2,019	1,809	1,177	666	206	47	8	6	4
797	924	956	951	939	979	1,096	1,081	1,004	859	567	286	76	16	3	4	5
549	645	598	678	679	753	939	1,044	1,015	950	610	380	130	31	5	2	6
859	984	905	889	898	917	966	1,072	1,091	1,086	724	451	132	32	3	.....	7
495	572	526	498	484	508	528	546	569	519	349	188	47	13	.....	.....	8
364	412	379	391	414	409	438	526	522	567	375	263	85	19	3	.....	9
215	206	210	229	234	325	381	394	444	403	269	148	39	8	.....	.....	10
181	185	175	188	225	265	307	391	409	449	315	210	69	16	2	.....	
246	297	251	195	191	122	69	56	48	34	18	14	2	.....	.....	.....	11
155	179	162	162	143	102	87	77	56	46	19	18	9	.....	.....	.....	
34	69	65	74	59	61	78	96	77	82	62	26	6	5	.....	.....	12
28	48	42	41	46	42	44	58	57	72	41	35	7	3	1	.....	
462	563	621	708	696	786	1,048	1,029	912	718	447	212	71	14	4	3	13
282	331	403	427	439	449	553	520	423	337	218	95	29	3	3	2	14
180	232	218	281	257	337	495	509	489	381	229	117	42	11	1	1	15
25	22	28	32	24	29	21	24	16	5	6	3	3	1	1	3	16
20	21	27	26	16	22	15	15	12	3	.....	3	.....	.....	.....	2	17
5	1	1	6	8	7	6	9	4	2	6	.....	3	1	1	1	18
101	107	82	94	83	79	70	84	53	43	17	22	4	2	3	.....	19
50	55	44	53	44	43	41	46	24	29	6	8	1	.....	1	.....	20
51	52	38	41	39	36	29	38	29	14	11	14	3	2	2	.....	21
50	55	43	52	43	42	40	46	24	29	6	8	1	.....	1	.....	22
51	52	38	41	39	36	29	38	29	14	11	14	3	2	2	.....	
.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5,827	6,829	6,693	7,130	7,310	7,243	8,554	8,858	8,447	7,525	5,282	3,041	1,028	256	50	50	25
3,317	3,987	4,013	4,185	4,307	3,979	4,521	4,565	4,217	3,645	2,461	1,377	416	82	17	42	26
2,510	2,842	2,680	2,945	3,003	3,264	4,033	4,293	4,230	3,880	2,821	1,664	612	174	33	8	27
5,593	6,594	6,480	6,946	7,143	7,107	8,441	8,744	8,371	7,462	5,251	3,015	1,019	249	43	49	28
3,174	3,845	3,885	4,085	4,219	3,903	4,465	4,500	4,178	3,618	2,448	1,364	413	80	14	41	29
2,419	2,749	2,595	2,861	2,924	3,204	3,976	4,244	4,193	3,844	2,803	1,651	606	169	29	8	30
3,462	3,934	3,510	3,661	3,873	3,647	3,811	4,156	4,198	3,958	2,991	1,802	646	149	20	21	31
1,936	2,300	2,058	2,066	2,227	1,992	2,099	2,173	2,104	1,886	1,410	801	250	53	6	13	32
1,526	1,634	1,452	1,595	1,646	1,655	1,712	1,983	2,094	2,072	1,581	1,001	396	96	14	8	33
661	735	674	710	871	968	1,265	1,351	1,399	1,309	945	499	168	35	2	9	34
583	583	513	619	697	856	992	1,259	1,415	1,463	1,130	692	276	62	5	4	
1,186	1,447	1,247	1,205	1,161	796	567	448	299	193	105	64	17	4	1	1	35
881	973	863	849	820	642	524	437	350	246	138	78	26	8	3	1	
89	118	137	151	195	228	267	374	406	384	360	238	65	14	3	3	36
62	78	76	127	129	157	196	287	329	363	313	231	94	26	6	3	
2,068	2,561	2,855	3,169	3,160	3,390	4,553	4,524	4,113	3,456	2,219	1,191	369	99	20	14	37
1,184	1,462	1,729	1,922	1,898	1,852	2,312	2,287	2,037	1,703	1,009	552	161	27	7	14	38
884	1,099	1,126	1,247	1,262	1,538	2,241	2,237	2,076	1,753	1,210	639	208	72	13	.....	39
63	99	115	116	110	70	77	64	60	48	41	22	4	1	3	14	40
54	83	98	97	94	59	54	40	37	29	29	11	2	.....	1	14	41
9	16	17	19	16	11	23	24	23	19	12	11	2	1	2	.....	42
234	235	213	184	167	136	113	114	76	63	31	26	9	7	7	1	43
143	142	128	100	88	76	56	65	39	27	13	13	3	2	3	1	44
91	93	85	84	79	60	57	49	37	36	18	13	6	5	4	.....	45
133	125	114	88	75	67	49	60	37	24	13	13	3	2	3	.....	46
91	93	85	82	79	59	57	49	37	35	18	13	6	5	3	.....	
.....	1	3	1	1	.....	1	1	.....	3	.....	.....	.....	.....	.....	.....	47
.....	.....	.....	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	
9	13	9	10	10	9	6	4	2	.....	.....	.....	.....	.....	.....	1	48
1	3	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	OHIO.												
1	Total	60,670	10,316	2,004	829	482	360	13,991	1,134	891	1,578	2,235	2,296
2	Males	32,532	5,811	1,072	430	256	181	7,750	598	462	801	1,139	1,202
3	Females	28,138	4,505	932	399	226	179	6,241	536	429	777	1,096	1,094
4	White	58,190	9,929	1,897	796	451	346	13,419	1,086	848	1,462	2,090	2,146
5	Males	31,126	5,591	1,015	414	238	175	7,433	572	443	748	1,058	1,121
6	Females	27,064	4,338	882	382	213	171	5,986	514	405	714	1,032	1,025
7	Native	46,254	9,878	1,875	784	443	333	13,313	1,053	817	1,348	1,760	1,757
8	Males	24,160	5,563	1,006	405	233	173	7,380	555	428	674	829	855
9	Females	22,094	4,315	869	379	210	160	5,933	498	389	674	931	902
10	Both parents native (M.)	14,343	3,590	615	266	161	119	4,751	397	305	462	547	499
	Both parents native (F.)	13,802	2,739	529	246	142	108	3,764	360	276	473	656	605
11	One or both parents foreign (M.)	6,450	1,736	360	133	67	51	2,347	143	106	172	218	290
	One or both parents foreign (F.)	5,511	1,376	331	128	65	50	1,950	127	95	177	214	222
12	Parentage unknown (M.)	3,367	237	31	6	5	3	282	15	17	40	64	66
	Parentage unknown (F.)	2,781	200	9	5	3	2	219	11	18	24	61	75
13	Foreign	11,079	29	19	9	8	13	78	31	29	108	301	359
14	Males	6,327	18	8	7	5	2	40	16	14	71	208	239
15	Females	4,752	11	11	2	3	11	38	15	15	37	93	120
16	Unknown	857	22	3	3	.....	.....	28	2	2	6	29	30
17	Males	639	10	1	2	.....	.....	13	1	1	3	21	27
18	Females	218	12	2	1	.....	.....	15	1	1	3	8	3
19	Colored	2,480	387	107	33	31	14	572	48	43	116	145	150
20	Males	1,406	220	57	16	18	6	317	26	19	53	81	81
21	Females	1,074	167	50	17	13	8	255	22	24	63	64	69
22	Negro (M.)	1,396	220	57	15	18	6	316	25	19	52	80	81
	Negro (F.)	1,071	166	50	17	13	8	254	21	24	63	64	69
23	Indian (M.)	5	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....
	Indian (F.)	3	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....
24	Chinese (M.)	4	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
	Chinese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese (M.)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	PENNSYLVANIA.												
26	Total	111,062	25,638	5,780	2,317	1,440	1,041	36,216	2,649	1,616	2,595	3,865	4,214
27	Males	60,195	14,206	3,070	1,255	745	526	19,802	1,395	860	1,417	2,125	2,379
28	Females	50,867	11,432	2,710	1,062	695	515	16,414	1,254	756	1,178	1,740	1,835
29	White	106,572	24,640	5,531	2,213	1,383	1,008	34,775	2,550	1,506	2,436	3,602	3,931
30	Males	57,867	13,681	2,943	1,202	716	514	19,056	1,354	822	1,346	1,997	2,236
31	Females	48,705	10,959	2,588	1,011	667	494	15,719	1,196	684	1,090	1,605	1,695
32	Native	83,230	24,485	5,437	2,156	1,333	971	34,382	2,422	1,408	2,009	2,507	2,615
33	Males	43,984	13,604	2,901	1,165	687	499	18,856	1,279	770	1,069	1,228	1,328
34	Females	39,246	10,881	2,536	991	646	472	15,526	1,143	638	940	1,279	1,287
35	Both parents native (M.)	24,627	6,696	1,242	559	327	255	9,079	737	509	647	777	818
	Both parents native (F.)	22,854	5,263	1,082	462	329	263	7,399	672	425	621	855	825
36	One or both parents foreign (M.)	15,657	6,567	1,627	593	349	236	9,372	519	239	381	388	433
	One or both parents foreign (F.)	13,285	5,323	1,423	515	309	202	7,772	453	199	287	371	391
37	Parentage unknown (M.)	3,700	341	32	13	11	8	405	23	22	41	63	77
	Parentage unknown (F.)	3,107	295	31	14	8	7	355	18	14	32	53	71
38	Foreign	22,239	105	80	52	48	36	321	125	93	409	1,046	1,266
39	Males	13,053	54	34	34	28	14	164	74	47	262	727	868
40	Females	9,186	51	46	18	20	22	157	51	46	147	319	398
41	Unknown	1,103	50	14	5	2	1	72	3	5	18	49	50
42	Males	830	23	8	3	1	1	36	1	5	15	42	40
43	Females	273	27	6	2	1	.....	36	2	.....	3	7	10
44	Colored	4,490	998	249	104	57	33	1,441	99	110	159	263	283
45	Males	2,328	525	127	53	29	12	746	41	38	71	128	143
46	Females	2,162	473	122	51	28	21	695	58	72	88	135	140
47	Negro (M.)	2,308	524	126	53	29	12	744	41	38	71	125	142
	Negro (F.)	2,161	472	122	51	28	21	694	58	72	88	135	140
48	Indian (M.)	5	1	1	.....	.....	.....	2	.....	.....	.....	3	.....
	Indian (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Chinese (M.)	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Chinese (F.)	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
50	Japanese (M.)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

REGISTRATION STATES, BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1909—Contd.

AGE—continued.															
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
2,279	2,434	2,413	2,597	2,923	3,142	3,741	4,242	4,422	4,453	3,256	1,817	568	141	28	89	1
1,193	1,346	1,349	1,466	1,677	1,779	2,071	2,258	2,337	2,274	1,589	843	266	60	5	67	2
1,086	1,088	1,064	1,131	1,246	1,363	1,670	1,984	2,085	2,179	1,667	974	302	81	23	22	3
2,149	2,265	2,272	2,459	2,789	3,000	3,603	4,140	4,321	4,380	3,212	1,785	548	128	19	69	4
1,118	1,234	1,262	1,374	1,599	1,707	1,984	2,200	2,283	2,227	1,568	824	259	55	4	53	5
1,031	1,031	1,010	1,085	1,190	1,293	1,619	1,940	2,038	2,153	1,644	961	289	73	15	16	6
1,729	1,822	1,714	1,867	2,074	2,198	2,447	2,797	2,925	2,867	2,088	1,176	376	92	10	24	7
859	946	896	953	1,126	1,219	1,306	1,433	1,527	1,435	989	529	168	38	2	13	8
870	876	818	914	948	979	1,141	1,364	1,398	1,432	1,099	647	208	54	8	11	9
461	436	409	415	549	661	763	888	935	860	584	302	86	26	----	7	10
529	529	440	506	525	587	724	848	886	899	654	394	109	30	4	4	
314	394	371	381	391	311	236	218	212	160	106	59	16	2	1	2	11
252	265	277	298	302	261	203	233	195	193	143	66	30	6	----	2	
84	116	116	157	186	247	307	327	380	415	299	168	66	10	1	4	12
89	82	101	110	121	131	214	283	317	340	302	187	69	18	4	5	
375	386	490	525	647	754	1,096	1,276	1,321	1,437	1,077	579	160	34	9	7	13
224	243	312	362	419	452	636	710	704	744	546	277	85	17	2	6	14
151	143	178	163	228	302	460	566	617	693	531	302	75	17	7	1	15
45	57	68	67	68	48	60	67	75	76	47	30	12	2	----	38	16
35	45	54	59	54	36	42	57	52	48	33	18	6	----	----	34	17
10	12	14	8	14	12	18	10	23	28	14	12	6	2	----	4	18
130	169	141	138	134	142	138	102	101	73	44	32	20	13	9	20	19
75	112	87	92	78	72	87	58	54	47	21	19	7	5	1	14	20
55	57	54	46	56	70	51	44	47	26	23	13	13	8	8	6	21
74	111	87	91	76	72	86	58	54	47	21	19	7	5	1	14	22
55	56	54	46	56	70	51	44	47	26	23	13	13	8	8	6	
----	1	----	----	1	----	----	----	----	----	----	----	----	----	----	----	23
----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	1	1	----	1	----	----	----	----	----	----	----	----	----	24
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	25
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
4,041	4,539	4,326	4,549	4,879	5,157	6,027	6,733	6,628	5,907	4,119	2,168	659	137	27	11	26
2,310	2,550	2,545	2,777	2,808	2,936	3,284	3,533	3,396	2,882	1,895	993	250	45	8	5	27
1,731	1,989	1,781	1,772	2,071	2,221	2,743	3,200	3,232	3,025	2,224	1,175	409	92	19	6	28
3,772	4,238	4,074	4,305	4,660	4,968	5,851	6,575	6,503	5,832	4,057	2,130	644	132	20	11	29
2,152	2,374	2,395	2,636	2,685	2,844	3,196	3,453	3,335	2,845	1,866	976	245	43	6	5	30
1,620	1,864	1,679	1,669	1,975	2,124	2,655	3,122	3,168	2,987	2,191	1,154	399	89	14	6	31
2,472	2,734	2,543	2,736	3,058	3,245	3,694	4,268	4,290	3,986	2,806	1,491	452	93	11	8	32
1,303	1,393	1,351	1,512	1,669	1,766	1,979	2,204	2,224	1,924	1,277	654	164	27	3	4	33
1,169	1,341	1,192	1,224	1,389	1,479	1,715	2,064	2,066	2,062	1,529	837	288	66	8	4	34
714	742	688	821	942	1,053	1,345	1,498	1,533	1,318	843	433	115	12	2	1	
724	792	673	709	830	958	1,190	1,465	1,445	1,442	1,031	570	185	37	3	3	35
501	509	519	518	518	469	313	314	247	178	141	75	15	6	----	2	
365	435	406	422	414	355	310	300	254	230	184	90	35	11	1	----	36
88	142	144	173	209	244	321	392	444	428	293	146	34	9	1	1	
80	114	113	93	145	166	215	299	367	390	314	177	68	18	4	1	37
1,226	1,412	1,433	1,467	1,513	1,648	2,075	2,220	2,131	1,788	1,216	621	179	38	9	3	38
784	906	961	1,037	948	1,018	1,151	1,189	1,053	886	573	315	71	15	3	1	39
442	506	472	430	565	630	924	1,031	1,078	902	643	306	108	23	6	2	40
74	92	98	102	89	75	82	87	82	58	35	18	13	1	----	----	41
65	75	83	87	68	60	66	60	58	35	16	7	10	1	----	----	42
9	17	15	15	21	15	16	27	24	23	19	11	3	----	----	----	43
269	301	252	244	219	189	176	158	125	75	62	38	15	5	7	----	44
158	176	150	141	123	92	88	80	61	37	29	17	5	2	2	----	45
111	125	102	103	96	97	88	78	64	38	33	21	10	3	5	----	46
154	175	150	139	121	88	87	80	61	37	29	17	5	2	2	----	47
111	125	102	103	96	97	88	78	64	38	33	21	10	3	5	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	48
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
3	1	----	1	2	4	1	----	----	----	----	----	----	----	----	----	49
1	----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	50

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	RHODE ISLAND												
1	Total	8,288	1,833	337	140	92	63	2,465	164	95	178	222	275
2	Males	4,233	1,002	157	72	42	36	1,309	87	38	99	123	139
3	Females	4,055	831	180	68	50	27	1,156	77	57	79	99	136
4	White	8,036	1,778	328	136	90	62	2,394	160	91	167	211	266
5	Males	4,081	962	151	71	41	36	1,261	86	37	92	118	133
6	Females	3,955	816	177	65	49	26	1,133	74	54	75	93	133
7	Native	5,453	1,754	321	131	85	59	2,350	131	75	125	121	159
8	Males	2,825	950	147	69	39	33	1,238	73	28	70	70	85
9	Females	2,628	804	174	62	46	26	1,112	58	47	55	51	74
10	Both parents native (M)	1,237	234	42	17	14	9	316	23	8	21	26	28
	Both parents native (F)	1,220	213	45	18	9	3	288	20	14	20	23	16
11	One or both parents foreign (M)	1,459	686	101	52	25	24	888	50	19	43	38	54
	One or both parents foreign (F)	1,313	571	125	43	37	23	799	37	32	35	28	57
12	Parentage unknown (M)	129	30	4	.....	.....	.....	34	.....	1	6	6	3
	Parentage unknown (F)	95	20	4	1	.....	.....	25	1	1	.....	.....	1
13	Foreign	2,523	20	7	4	5	3	39	26	16	42	90	106
14	Males	1,212	10	4	2	2	3	21	10	9	22	48	47
15	Females	1,311	10	3	2	3	.....	18	16	7	20	42	59
16	Unknown	60	4	.....	1	.....	.....	5	3	.....	.....	.....	1
17	Males	44	2	.....	.....	.....	.....	2	3	.....	.....	.....	1
18	Females	16	2	.....	1	.....	.....	3	.....	.....	.....	.....	.....
19	Colored	252	55	9	4	2	1	71	4	4	11	11	9
20	Males	152	40	6	1	1	.....	48	1	1	7	5	6
21	Females	100	15	3	3	1	1	23	3	3	4	6	3
22	Negro (M)	147	39	6	1	1	.....	47	1	1	7	5	6
	Negro (F)	98	14	2	3	1	1	21	3	3	4	6	3
23	Chinese (M)	5	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Chinese (F)	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
24	Japanese (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
	SOUTH DAKOTA.												
25	Total	4,814	1,095	245	118	69	62	1,589	209	146	163	190	201
26	Males	2,641	591	145	65	31	31	863	100	74	79	96	96
27	Females	2,173	504	100	53	38	31	726	109	72	84	94	105
28	White	4,119	967	183	81	55	43	1,329	164	106	126	162	169
29	Males	2,335	533	118	47	25	22	745	83	58	66	82	82
30	Females	1,784	434	65	34	30	21	584	81	48	60	80	87
31	Native	2,851	964	178	79	54	43	1,318	155	100	116	134	127
32	Males	1,557	530	114	45	25	22	736	78	52	59	65	61
33	Females	1,294	434	64	34	29	21	582	77	48	57	69	66
34	Both parents native (M)	735	301	60	18	11	16	406	41	25	25	22	22
	Both parents native (F)	610	254	27	14	16	10	321	34	23	30	26	21
35	One or both parents foreign (M)	598	210	54	24	13	5	306	31	22	28	35	30
	One or both parents foreign (F)	520	163	33	18	13	9	236	39	25	24	33	35
36	Parentage unknown (M)	224	19	.....	3	1	1	24	6	5	6	8	9
	Parentage unknown (F)	164	17	4	2	.....	2	25	4	.....	3	10	10
37	Foreign	1,160	2	5	2	1	.....	10	9	5	9	23	34
38	Males	686	2	4	2	.....	.....	8	5	5	6	13	16
39	Females	474	.....	1	.....	1	.....	2	4	.....	3	10	18
40	Unknown	108	1	.....	.....	.....	.....	1	.....	1	1	5	8
41	Males	92	1	.....	.....	.....	.....	1	.....	1	1	4	5
42	Females	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3
43	Colored	695	128	62	37	14	19	260	45	40	37	28	32
44	Males	306	58	27	18	6	9	118	17	16	13	14	14
45	Females	389	70	35	19	8	10	142	28	24	24	14	18
46	Negro (M)	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	Negro (F)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
47	Indian (M)	303	58	27	18	6	9	118	17	15	13	14	14
	Indian (F)	387	70	35	19	8	10	142	28	24	24	14	18

REGISTRATION STATES, BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1909—Contd.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
296	363	345	353	406	468	534	590	512	479	303	150	65	20	2	3	1
157	219	195	184	214	215	279	293	252	215	128	57	22	6		2	2
139	144	150	169	192	253	255	297	260	264	175	93	43	14	2	1	3
285	351	331	336	393	451	520	572	495	475	300	148	65	20	2	3	4
147	212	186	172	203	208	271	286	240	215	128	56	22	6		2	5
138	139	145	164	190	243	249	286	255	260	172	92	43	14	2	1	6
173	181	170	165	200	223	244	246	260	261	200	103	48	16	1	1	7
92	111	95	81	102	113	124	128	140	122	89	40	18	5		1	8
81	70	75	84	98	110	120	118	120	139	111	63	30	11	1		9
24	38	30	39	58	68	92	98	122	105	83	37	16	4		1	10
31	37	25	38	50	68	81	97	93	119	102	58	28	11	1		
64	67	62	34	38	38	23	21	12	7	1						11
48	32	49	39	46	37	28	19	12	12	3						
4	6	3	8	6	7	9	9	6	10	5	3	2	1			12
2	1	1	7	2	5	11	2	15	8	6	5	2				
107	165	156	166	189	224	272	320	232	210	97	44	16	4	1	1	13
51	97	88	88	97	92	145	152	97	91	37	15	4	1			14
56	68	68	78	92	132	127	168	135	119	60	29	12	3	1	1	15
5	5	5	5	4	4	4	6	3	4	3	1	1			1	16
4	4	3	3	4	3	2	6	3	2	2	1				1	17
1	1	2	2		1	2			2	1		1				18
11	12	14	17	13	17	14	18	17	4	3	2					19
10	7	9	12	11	7	8	7	12			1					20
1	5	5	5	2	10	6	11	5	4	3	1					21
9	6	9	11	10	7	8	7	12			1					22
1	5	5	5	2	10	6	11	5	4	3	1					
1	1		1	1												23
																24
180	180	156	175	179	189	204	241	251	240	152	107	31	8	2	21	25
97	91	94	107	114	97	125	141	144	137	91	55	19	3	1	17	26
83	89	62	68	65	92	79	100	107	103	61	52	12	5	1	4	27
154	162	139	152	163	162	183	215	231	210	142	93	30	5	2	20	28
89	86	87	95	107	85	116	126	134	123	85	48	18	3	1	16	29
65	76	52	57	56	77	67	89	97	87	57	45	12	2	1	4	30
105	97	72	67	81	76	74	72	90	81	43	28	8	2	1	4	31
58	51	38	36	54	40	49	36	53	45	24	14	5	1		2	32
47	46	34	31	27	36	25	36	37	36	19	14	3	1	1	2	33
20	16	12	13	18	15	22	13	22	22	9	8	3	1			34
15	19	9	14	8	17	11	18	15	15	7	3	2	1	1		
22	25	18	16	18	14	8	10	3	3	5	2	1			1	35
27	15	18	14	12	9	4	5	10	8	1	4				1	
16	10	8	7	18	11	19	13	28	20	10	4	1			1	36
5	12	7	3	7	10	10	13	12	13	11	7	1			1	
39	58	61	77	74	79	103	133	133	124	95	63	21	3	1	6	37
22	30	44	51	45	41	61	80	74	74	58	33	12	2	1	5	38
17	28	17	26	29	38	42	53	59	50	37	30	9	1		1	39
10	7	6	8	8	7	6	10	8	5	4	2	1			10	40
9	5	5	8	8	4	6	10	7	4	3	1	1			9	41
1	2	1			3			1	1	1	1				1	42
26	18	17	23	16	27	21	26	20	30	10	14	1	3		1	43
8	5	7	12	7	12	9	15	10	14	6	7	1			1	44
18	13	10	11	9	15	12	11	10	16	4	7		3			45
1						1										46
			1			1										
7	5	7	12	7	12	8	15	10	14	6	7	1			1	47
18	13	10	10	9	15	11	11	10	16	4	7		3			

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	VERMONT.												
1	Total	5,579	866	145	56	40	28	1,135	81	78	125	154	148
2	Males	2,956	472	70	30	20	18	610	36	44	66	72	69
3	Females	2,623	394	75	26	20	10	525	45	34	59	82	79
4	White	5,566	865	145	56	40	28	1,134	81	78	125	154	147
5	Males	2,945	471	70	30	20	18	609	36	44	66	72	68
6	Females	2,621	394	75	26	20	10	525	45	34	59	82	79
7	Native	4,575	852	139	56	40	25	1,112	76	73	114	115	128
8	Males	2,387	465	68	30	20	16	599	35	41	58	51	55
9	Females	2,188	387	71	26	20	9	513	41	32	56	64	73
10	Both parents native (M)	1,449	293	48	15	15	8	379	23	22	39	30	28
	Both parents native (F)	1,324	214	43	15	7	6	285	29	23	38	39	49
11	One or both parents foreign (M)	461	132	19	14	5	8	178	12	18	13	16	21
	One or both parents foreign (F)	437	140	26	10	12	3	191	9	5	14	19	17
12	Parentage unknown (M)	477	40	1	1	.....	.....	42	.....	1	6	5	6
	Parentage unknown (F)	427	33	2	1	1	.....	37	3	4	4	6	7
13	Foreign	901	9	6	.....	.....	3	18	5	5	10	36	18
14	Males	495	4	2	.....	.....	2	8	1	3	7	20	12
15	Females	406	5	4	.....	.....	1	10	4	2	3	16	6
16	Unknown	90	4	.....	.....	.....	.....	4	.....	.....	1	3	1
17	Males	63	2	.....	.....	.....	.....	2	.....	.....	1	1	1
18	Females	27	2	.....	.....	.....	.....	2	.....	.....	.....	2	.....
19	Colored	13	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1
20	Males	11	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1
21	Females	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Negro (M)	10	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1
	Negro (F)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Chinese (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	WASHINGTON.												
24	Total	10,706	1,680	352	146	126	113	2,417	335	248	392	568	569
25	Males	6,496	994	200	69	63	53	1,379	187	134	213	316	360
26	Females	4,210	686	152	77	63	60	1,038	148	114	179	252	209
27	White	10,217	1,612	339	137	122	106	2,316	316	234	371	537	539
28	Males	6,198	957	193	66	62	51	1,329	177	129	201	295	336
29	Females	4,019	655	146	71	60	55	987	139	105	170	242	203
30	Native	7,080	1,601	329	133	115	99	2,277	298	223	333	394	328
31	Males	3,977	952	188	64	57	47	1,308	164	122	174	191	176
32	Females	3,103	649	141	69	58	52	969	134	101	159	203	152
33	Both parents native (M)	1,916	516	104	41	32	25	718	98	78	103	99	78
	Both parents native (F)	1,622	362	75	42	34	42	555	73	59	90	105	77
34	One or both parents foreign (M)	1,102	379	74	21	23	19	516	58	37	56	65	49
	One or both parents foreign (F)	920	244	61	25	23	10	363	50	37	56	74	51
35	Parentage unknown (M)	959	57	10	2	2	3	74	8	7	15	27	49
	Parentage unknown (F)	561	43	5	2	1	.....	51	11	5	13	24	24
36	Foreign	2,547	9	8	4	6	5	32	15	10	32	127	164
37	Males	1,683	3	4	2	4	3	16	10	6	23	90	117
38	Females	864	6	4	2	2	2	16	5	4	9	37	47
39	Unknown	590	2	2	.....	1	2	7	3	1	6	16	47
40	Males	538	2	1	.....	1	1	5	3	1	4	14	43
41	Females	52	.....	1	.....	.....	1	2	.....	.....	2	2	4
42	Colored	489	68	13	9	4	7	101	19	14	21	31	30
43	Males	298	37	7	3	1	2	50	10	5	12	21	24
44	Females	191	31	6	6	3	5	51	9	9	9	10	6
45	Negro (M)	65	4	2	.....	.....	.....	6	.....	.....	1	3	7
	Negro (F)	40	5	.....	1	.....	2	8	.....	1	2	3	1
46	Indian (M)	126	17	4	3	.....	1	25	9	5	10	7	4
	Indian (F)	120	10	5	4	3	3	25	7	8	7	4	2
47	Chinese (M)	36	2	.....	.....	1	.....	3	.....	.....	.....	1	1
	Chinese (F)	2	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
48	Japanese (M)	71	14	1	.....	.....	1	16	1	.....	1	10	12
	Japanese (F)	29	14	1	1	.....	.....	16	2	.....	.....	3	3

REGISTRATION STATES, BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1909—Contd.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
129	156	173	212	242	282	323	472	518	516	428	269	108	21	6	3	1
65	68	97	115	129	149	191	254	287	288	218	131	50	11	3	3	2
64	88	76	97	113	133	132	218	231	228	210	138	58	10	3	.....	3
129	155	170	210	241	281	322	472	518	514	428	269	108	21	6	3	4
65	67	95	113	128	148	190	254	287	287	218	131	50	11	3	3	5
64	88	75	97	113	133	132	218	231	227	210	138	58	10	3	.....	6
109	115	125	165	177	229	253	356	395	390	333	217	80	9	3	1	7
55	46	69	87	88	121	146	198	216	211	170	101	35	3	1	1	8
54	69	56	78	89	108	107	158	179	179	163	116	45	6	2	.....	9
31	25	34	43	51	66	94	130	139	130	101	60	20	3	.....	1	10
33	44	33	45	45	58	61	94	120	111	116	67	27	5	2	.....	
21	13	24	26	15	32	15	17	15	14	5	4	2	.....	.....	.....	11
14	18	14	21	26	30	14	16	8	12	7	2	.....	.....	.....	.....	
3	8	11	18	22	23	37	51	62	67	64	37	13	.....	1	.....	12
7	7	9	12	18	20	32	48	51	56	40	47	18	1	.....	.....	
17	36	40	42	59	47	64	109	114	114	84	46	23	11	3	.....	13
8	18	22	24	37	22	40	52	65	68	38	28	13	7	2	.....	14
9	18	18	18	22	25	24	57	49	46	46	18	10	4	1	.....	15
3	4	5	3	5	5	5	7	9	10	11	6	5	1	.....	2	16
2	3	4	2	3	5	4	4	6	8	10	2	2	1	.....	2	17
1	1	1	1	2	.....	1	3	3	2	1	4	3	.....	.....	.....	18
.....	1	3	2	1	1	1	.....	.....	2	.....	.....	.....	.....	.....	.....	19
.....	1	2	2	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	20
.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	21
.....	1	1	2	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	22
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
614	572	579	595	615	582	537	554	493	465	298	144	49	14	3	58	24
372	362	390	389	408	384	363	327	310	266	171	84	22	3	1	55	25
242	210	189	206	207	198	174	227	188	199	127	60	27	11	2	3	26
569	539	547	570	581	562	518	542	487	453	286	139	43	11	2	55	27
337	341	369	373	379	372	350	321	304	262	166	81	21	2	.....	53	28
232	198	178	197	202	190	168	221	183	191	120	58	22	9	2	2	29
333	290	263	295	318	294	285	329	286	261	166	77	20	2	1	7	30
166	152	141	172	187	168	183	179	177	154	102	46	8	1	.....	6	31
167	138	122	123	131	126	102	150	109	107	64	31	12	1	1	1	32
66	58	61	66	78	73	74	69	64	66	48	17	2	.....	.....	.....	33
70	61	67	58	59	64	52	67	60	54	29	16	4	1	1	.....	
50	46	32	34	38	29	24	22	16	16	8	5	.....	.....	.....	1	34
54	43	26	35	35	23	17	26	10	10	5	5	.....	.....	.....	.....	
50	48	48	72	71	66	85	88	97	72	46	24	6	1	.....	5	35
43	34	29	30	37	39	33	57	39	43	30	10	8	.....	.....	1	
187	186	194	213	201	232	204	190	179	180	112	55	20	9	.....	5	36
126	133	143	142	132	168	141	122	109	100	57	32	10	1	.....	5	37
61	53	51	71	69	64	63	68	70	80	55	23	10	8	.....	.....	38
49	63	90	62	62	36	29	23	22	12	8	7	3	.....	1	43	39
45	56	85	59	60	36	26	20	18	8	7	3	3	.....	.....	42	40
4	7	5	3	2	.....	3	3	4	4	1	4	.....	.....	1	1	41
45	33	32	25	34	20	19	12	11	12	12	5	6	3	1	3	42
35	21	21	16	29	12	13	6	6	4	5	3	1	1	1	2	43
10	12	11	9	5	8	6	6	5	8	7	2	5	2	.....	1	44
9	8	10	3	11	2	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
5	4	3	3	1	2	1	.....	2	1	1	.....	.....	1	.....	1	
6	5	3	6	9	6	5	5	5	4	5	3	1	1	1	1	46
4	7	6	5	4	6	5	6	3	7	6	2	5	1	.....	.....	
4	3	1	5	8	4	3	1	1	.....	.....	.....	.....	.....	.....	1	47
16	5	7	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
1	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND

	REGISTRATION AREA.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	WISCONSIN.												
1	Total	27,294	5,650	926	436	341	229	7,582	754	511	719	1,002	951
2	Males	15,030	3,213	501	230	179	114	4,237	384	260	366	556	497
3	Females	12,264	2,437	425	206	162	115	3,345	370	251	353	446	454
4	White	27,158	5,629	922	433	338	229	7,551	749	504	714	999	939
5	Males	14,949	3,206	498	230	177	114	4,225	384	256	362	555	489
6	Females	12,209	2,423	424	203	161	115	3,326	365	248	352	444	450
7	Native	16,744	5,610	909	422	328	221	7,490	709	482	652	810	722
8	Males	9,052	3,195	493	223	171	110	4,192	362	239	328	426	355
9	Females	7,692	2,415	416	199	157	111	3,298	347	243	324	384	367
10	Both parents native (M)	3,700	1,639	222	105	78	48	2,092	148	104	115	124	84
	Both parents native (F)	3,249	1,226	202	89	73	48	1,638	142	93	116	113	106
11	One or both parents foreign (M)	4,389	1,434	263	113	92	61	1,963	210	124	195	274	240
	One or both parents foreign (F)	3,793	1,091	203	108	83	61	1,546	201	143	197	240	230
12	Parentage unknown (M)	963	122	8	5	1	1	137	4	11	18	28	31
	Parentage unknown (F)	650	98	11	2	1	2	114	4	7	11	31	31
13	Foreign	10,099	15	12	11	10	8	56	39	21	59	179	203
14	Males	5,640	9	4	7	6	4	30	22	16	33	119	121
15	Females	4,459	6	8	4	4	4	26	17	5	26	60	82
16	Unknown	315	4	1	.....	.....	.....	5	1	1	3	10	14
17	Males	257	2	1	.....	.....	.....	3	.....	1	1	10	13
18	Females	58	2	.....	.....	.....	.....	2	1	.....	2	.....	1
19	Colored	136	21	4	3	3	.....	31	5	7	5	3	12
20	Males	81	7	3	.....	2	.....	12	.....	4	4	1	8
21	Females	55	14	1	3	1	.....	19	5	3	1	2	4
22	Negro (M)	36	3	.....	.....	.....	.....	3	.....	1	2	.....	3
	Negro (F)	19	6	.....	2	.....	.....	8	.....	.....	.....	1	2
23	Indian (M)	45	4	3	.....	2	.....	9	.....	3	2	1	5
	Indian (F)	36	8	1	1	1	.....	11	5	3	1	1	2

REGISTRATION STATES, BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1909—Contd.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
872	857	897	1,040	1,175	1,162	1,333	1,661	1,795	1,911	1,608	960	341	74	14	75	1
448	448	523	587	705	695	785	936	936	1,037	840	502	181	39	8	60	2
424	409	374	453	470	467	548	725	859	874	768	458	160	35	6	15	3
867	849	888	1,034	1,168	1,153	1,328	1,656	1,792	1,903	1,607	958	341	74	12	72	4
444	444	519	583	698	689	781	931	933	1,031	839	500	181	39	7	59	5
423	405	369	451	470	464	547	725	859	872	768	458	160	35	5	13	6
596	567	488	546	578	454	444	483	451	476	413	239	103	22	3	16	7
290	302	270	283	318	249	253	273	244	253	216	125	45	13	2	14	8
306	265	218	263	260	205	191	210	207	223	197	114	58	9	1	2	9
57	69	48	52	71	75	100	112	108	124	125	57	25	3	2	5	10
64	53	54	60	67	73	77	114	119	137	118	67	34	3	1	----	
198	213	197	196	201	137	88	48	34	28	18	16	4	2	----	3	11
218	198	149	174	169	104	80	44	38	22	18	15	5	2	----	----	
35	20	25	35	46	37	65	113	102	101	73	52	16	8	----	6	12
24	14	15	29	24	28	34	52	50	64	61	32	19	4	----	2	
258	264	367	454	568	676	859	1,154	1,326	1,408	1,183	711	235	52	9	18	13
144	130	221	268	360	421	505	642	677	766	618	369	134	26	5	13	14
114	134	146	186	208	255	354	512	649	642	565	342	101	26	4	5	15
13	18	33	34	22	23	25	19	15	19	11	8	3	----	----	38	16
10	12	28	32	20	19	23	16	12	12	5	6	2	----	----	32	17
3	6	5	2	2	4	2	3	3	7	6	2	1	----	----	6	18
5	8	9	6	7	9	5	5	3	8	1	2	----	----	2	3	19
4	4	4	4	7	6	4	5	3	6	1	2	----	----	1	1	20
1	4	5	2	----	3	1	----	----	2	----	----	----	----	1	2	21
3	3	3	2	4	2	2	2	----	5	----	----	----	----	----	1	22
----	2	2	----	----	1	1	----	----	----	----	----	----	----	1	1	
1	1	1	2	3	4	2	3	3	1	1	2	----	----	1	----	23
1	2	3	2	----	2	----	----	----	2	----	----	----	----	----	1	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CALIFORNIA.		COLORADO.	
				Total.	Cities.	Rural.		Cities.	Rural.	Cities.	Rural.
1	All causes	732,538	457,188	630,057	354,707	275,350	102,481	15,515	15,449	4,773	6,267
2	I.—General diseases	192,788	122,944	164,631	94,787	69,844	28,157	4,709	4,659	1,772	1,821
3	Typhoid fever	10,722	6,282	8,914	4,474	4,440	1,808	171	276	71	170
4	Exanthematic typhus	3	2	2	1	1	1	1			
5	Relapsing fever										
6	Malarial fever	1,175	789	627	241	386	548	20	82	1	3
7	Smallpox	79	48	53	22	31	26	1	4		
8	Measles	4,360	3,302	4,423	2,865	1,558	437	65	47	15	16
9	Scarlet fever	5,781	4,032	4,909	3,160	1,749	872	42	29	60	115
10	Whooping cough	4,906	2,761	4,419	2,274	2,145	487	103	92	37	102
11	Diphtheria	8,930	6,389	7,541	5,000	2,541	1,389	101	106	62	67
12	Croup	1,428	787	1,273	632	641	155	7	30	3	13
13	Influenza	6,649	2,899	5,876	2,126	3,750	773	66	129	40	58
14	Miliary fever										
15	Asiatic cholera										
16	Cholera nostras	415	199	364	148	216	51	5	3	4	6
17	Dysentery	2,871	1,398	2,369	896	1,473	502	33	49	4	24
18	Plague	2		2		2			2		
19	Yellow fever										
20	Leprosy	9	8	5	4	1	4	2	1		
21	Erysipelas	2,004	1,318	1,726	1,040	686	278	30	23	14	11
22	Other epidemic diseases	154	87	141	74	67	13	3	3	1	1
23	Septicemia	1,657	1,043	1,298	684	614	359	29	31	13	15
24	Glanders and farcy	8	5	8	5	3			1		
25	Malignant pustule and charbon	14	9	13	8	5	1				
26	Rabies	55	42	44	31	13	11		1		
27	Actinomycosis, trichinosis, etc	38	24	32	18	14	6	3	4		
28	Pellagra	116	112	7	3	4	109		1		
29	Tuberculosis of lungs	70,040	46,727	58,965	35,652	23,313	11,075	1,984	2,090	934	815
30	Tuberculosis of larynx	804	497	699	392	307	105	16	15	7	4
31	Tuberculous meningitis	4,575	3,406	4,045	2,876	1,169	530	150	81	45	22
32	Abdominal tuberculosis	3,041	1,832	2,591	1,382	1,209	450	94	79	22	16
33	Pott's disease	740	447	636	343	293	104	19	14	1	2
34	Tuberculous abscess	72	44	62	34	28	10		3	1	
35	White swelling	379	250	321	192	129	58	14	11		2
36	Tuberculosis of other organs	885	543	754	412	342	131	27	25	8	4
37	General tuberculosis	1,184	715	1,032	563	469	152	34	39	16	16
38	Scrofula	115	64	104	53	51	11	3	1		2
39	Syphilis	2,858	2,223	2,194	1,559	635	664	80	61	34	20
40	Gonorrhea (5 years and over)	76	56	56	36	20	20	2			1
41	Gonorrhea (under 5 years)	65	57	51	43	8	14	1			1
42	Cancer of mouth	1,427	834	1,244	651	593	183	44	31	5	9
43	Cancer of stomach and liver	14,915	9,045	13,005	7,135	5,870	1,910	457	365	78	79
44	Cancer of intestines and peritoneum	4,676	2,997	4,155	2,476	1,679	521	163	94	35	16
45	Cancer of female genital organs	5,714	3,895	4,836	3,017	1,819	878	155	103	59	23
46	Cancer of breast	3,585	2,173	3,214	1,802	1,412	371	89	59	18	13
47	Cancer of skin	1,492	653	1,345	506	839	147	37	41	3	12
48	Cancer of other or unspecified organs	5,753	3,728	4,924	2,899	2,025	829	198	147	37	32
49	Tumor	458	264	408	214	194	50	9	8	4	1
50	Acute articular rheumatism	2,470	1,592	2,155	1,277	878	315	49	41	13	26
51	Chronic rheumatism and gout	1,163	554	1,031	422	609	132	13	30	8	10
52	Diabetes	7,024	4,299	6,256	3,531	2,725	768	176	178	38	22
53	Exophthalmic goiter	636	400	538	302	236	98	18	10	5	3
54	Addison's disease	234	127	217	110	107	17	8	7		2
55	Leukemia	832	541	737	446	291	95	30	23	9	7
56	Anemia, chlorosis	2,421	1,330	2,131	1,040	1,091	290	57	44	15	8
57	Alcoholism	2,578	1,721	2,284	1,427	857	294	80	116	42	48
58	Lead poisoning	86	67	79	60	19	7	2	1	4	1
59	Other occupational poisonings	5	5	4	4		1				
60	Other chronic poisonings	262	141	210	89	121	52	12	18	6	1
61	Scurvy	84	56	80	52	28	4	3	4		
62	Other general diseases	263	125	222	84	138	41	3	6		2
63	II.—Diseases of nervous system	74,656	40,998	65,937	32,279	33,658	8,719	1,438	1,759	355	456
64	Encephalitis	355	185	318	148	170	37	7	7	1	
65	Meningitis (simple or unqualified)	5,662	3,606	4,812	2,756	2,056	850	132	111	38	40
66	Epidemic cerebrospinal meningitis	2,191	1,385	1,924	1,118	806	267	58	56	17	22
67	Locomotor ataxia	1,386	824	1,195	633	562	191	37	38	15	4
68	Other diseases of spinal cord	2,905	1,609	2,507	1,211	1,296	398	58	69	16	8
69	Apoplexy	36,463	19,917	32,895	16,349	16,546	3,568	736	763	140	188
70	Softening of brain	1,126	536	961	371	590	165	32	28	9	3
71	Paralysis	7,669	3,407	6,687	2,425	4,262	982	115	237	29	62
72	General paralysis of insane	2,584	1,414	2,306	1,136	1,170	278	59	126	22	27
73	Other forms of mental disease	1,717	716	1,544	543	1,001	173	36	101	16	25
74	Other diseases of brain	1,854	1,130	1,572	848	724	282	40	64	11	11
75	Epilepsy	2,066	935	1,868	737	1,131	198	33	59	13	32
76	"Convulsions" (5 years and over)	191	98	153	60	93	38	3	2		
77	"Convulsions" (under 5 years)	5,340	3,153	4,741	2,554	2,187	599	34	43	13	20
78	Tetanus	1,373	996	896	519	377	477	26	23	2	3
79	Chorea	117	62	103	48	55	14		2	1	1
80	Other diseases of nervous system	839	442	748	351	397	91	15	20	6	3
81	Diseases of eye and adnexa	29	16	26	13	13	3		1		
82	Diseases of ear	789	567	681	459	222	108	17	9	6	7

SUBDIVISIONS, AND REGISTRATION STATES, FROM EACH CAUSE AND CLASS OF CAUSES: 1909.

CONNECTICUT.		DISTRICT OF COLUMBIA.			INDIANA.		MAINE.		MARYLAND.						MASSACHUSETTS.		
									Cities.			Rural.					
Cities.	Rural.	Total.	White.	Colored.	Cities.	Rural.	Cities.	Rural.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural.	
11,418	5,061	6,216	3,620	2,596	10,770	23,749	3,225	8,275	11,388	8,593	2,795	8,543	6,082	2,461	39,745	11,351	1
2,997	1,156	1,663	914	749	3,275	7,112	778	1,955	2,981	2,159	822	2,337	1,583	754	9,915	2,964	2
105	48	112	65	47	259	621	36	72	169	134	35	251	171	80	338	51	3
																	4
																	5
22	9	11	8	3	27	98	3	4	12	9	3	15	7	8	15	8	6
					3	1									1		7
107	27	39	30	9	36	109	7	27	67	51	16	68	49	19	216	41	8
94	22	26	21	5	56	102	16	16	23	23		21	20	1	251	35	9
82	38	29	14	15	80	263	23	34	132	67	65	96	41	55	303	95	10
118	53	43	29	14	102	171	38	51	74	68	6	45	40	5	529	94	11
23	13	4	4		22	59	7	16	12	9	3	29	21	8	73	19	12
97	81	43	19	24	82	349	23	153	90	64	26	147	104	43	255	173	13
																	14
																	15
5	2	1	1		5	15	1	7	5	3	2	4	3	1	11	3	16
31	16	7	3	4	71	306	2	13	36	32	4	56	42	14	154	56	17
																	18
																	19
																	20
32	11	6	5	1	37	55	8	13	25	23	2	17	17		132	31	21
						6		1	1		1	2	2		6	1	22
32	9	13	9	4	10	46	7	15	26	19	7	15	11	4	104	22	23
						1									1		24
															1		25
					3	4			1	1					5		26
						3			1	1					1		27
						1			1	1		1	1		1		28
1,076	359	750	302	448	1,237	2,487	250	594	1,346	863	483	973	578	395	3,377	1,055	29
7	4	8	6	2	16	44	3	9	23	20	3	13	9	4	44	14	30
89	22	47	31	16	79	148	41	60	62	49	13	28	20	8	349	64	31
40	14	27	10	17	109	194	12	53	41	27	14	43	23	20	132	33	32
10	3	9	3	6	12	30	2	8	18	11	7	5	4	1	42	10	33
2					2	3		1	2	2					2		34
6		3		3	12	19		1	5	3	2				26	4	35
12	5	3	1	2	13	60	9	7	6	5	1	14	9	5	60	5	36
19	3	14	2	12	30	50	11	20	29	18	11	7	4	3	62	37	37
1	2	1		1	1	3	2	3	3	3		2	1	1	5		38
29	4	32	17	15	65	75	6	8	54	23	31	26	9	17	111	30	39
					2	4		1	2	2		2	2		3		40
					1	1						2		2	7	1	41
25	13	14	10	4	20	54	5	18	25	20	5	10	10		68	24	42
218	81	91	71	20	221	517	73	218	197	174	23	116	102	14	759	261	43
88	31	40	32	8	74	131	28	70	60	51	9	23	22	1	347	114	44
77	41	61	35	26	133	156	36	72	88	72	16	52	39	13	354	80	45
72	38	26	20	6	68	108	13	50	49	45	4	41	36	5	252	76	46
23	13	6	6		33	111	5	34	16	15	1	20	20		69	39	47
106	56	47	39	8	86	144	29	76	65	60	5	38	33	5	393	136	48
15	3	2	2		8	13	5	4	8	7	1	7	3	4	33	15	49
39	17	14	7	7	29	73	3	14	28	23	5	22	16	6	125	31	50
17	7	10	9	1	10	37	5	17	20	18	2	15	11	4	44	28	51
161	52	51	45	6	91	232	32	106	75	69	6	56	52	4	439	153	52
9	5	6	4	2	21	28		2	7	7		2	2		19	2	53
5	5	2	2		5	11	2	4	2	1	1	1	1		16	2	54
13	3	10	10		14	26	2	9	10	9	1	6	6		55	5	55
38	17	15	11	4	30	82	17	57	25	21	4	8	8		165	68	56
46	26	38	31	7	43	34	12	14	36	32	4	25	23	2	131	40	57
3					3		1		1	1					7	2	58
					2												59
1	1				7	13	2	3	1	1		5	4	1	11	3	60
	2					1			2	2					7	1	61
2		2		2	5	13	1					8	7	1	4	2	62
1,235	729	638	421	217	1,062	2,642	447	1,083	1,040	840	200	1,043	798	245	4,112	1,468	63
2	1	1	1		9	19	3	7	2	2		4	3	1	14	3	64
129	60	21	16	5	86	138	50	74	108	92	16	76	54	22	414	94	65
36	18	23	15	8	35	109	9	23	20	20		21	18	3	99	14	66
11	11	14	12	2	16	49	10	17	20	17	3	14	12	2	68	23	67
41	23	22	18	4	31	128	12	59	26	22	4	17	14	3	178	76	68
700	454	367	246	121	574	1,351	190	614	445	365	80	402	309	93	2,254	830	69
10	13	3	1	2	14	73	10	17	17	17		19	17	2	42	16	70
58	47	61	39	22	88	313	56	119	166	130	36	246	197	49	261	104	71
31	8	27	21	6	24	83	23	20	14	9	5	20	17	3	182	59	72
19	5	14	8	6	13	49	38	19	5	5		40	34	6	64	39	73
33	7	14	12	2	20	55	11	24	32	27	5	15	12	3	122	46	74
30	27	20	14	6	48	99	17	26	19	12	7	29	22	7	79	60	75
6	1	2		2			1	4	3	3		5	4	1	18	10	76
81	31	21	4	17	25	57	9	32	111	82	29	103	62	41	188	58	77
24	9	14	5	9	43	54	2	4	26	15	11	22	15	7	34	11	78
1					3	4			4	3	1	1	1		6		79
12	12	10	7	3	13	24	4	18	12	10	2	7	5	2	32	12	80
1						1									2	2	81
10	2	4	2	2	20	36	2	6	10	9	1	2	2		55	11	82

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CALIFORNIA.		COLORADO.	
				Total.	Cities.	Rural.		Cities.	Rural.	Cities.	Rural.
1	III.—Diseases of circulatory system	90,456	53,901	79,230	42,675	36,555	11,226	2,381	2,199	433	496
2	Pericarditis	660	363	556	259	297	104	22	22	3	7
3	Endocarditis	6.906	5,292	5,654	4,040	1,614	1,252	236	136	26	38
4	Heart disease	65,971	37,943	58,310	30,282	28,028	7,661	1,680	1,672	284	357
5	Angina pectoris	3.481	1,780	3,126	1,425	1,701	355	99	98	33	31
6	Diseases of arteries	10,174	6,537	8,778	5,141	3,637	1,396	264	202	46	39
7	Embolism and thrombosis	1,981	1,218	1,706	943	763	275	53	42	33	11
8	Diseases of veins	320	198	272	150	122	48	9	6	3	1
9	Diseases of lymphatics	154	101	134	81	53	20	4	1	.....	1
10	Hemorrhages	769	457	655	343	312	114	14	20	5	10
11	Other diseases of circulatory system	40	12	39	11	28	1	.....	.....	.....	1
12	IV.—Diseases of respiratory system	90,868	60,399	77,982	47,513	30,469	12,886	1,444	1,332	591	841
13	Diseases of nasal fossa	109	41	98	30	68	11	2	1	.....	.....
14	Laryngitis	334	158	300	124	176	34	4	4	1	5
15	Other diseases of larynx	436	247	377	188	189	59	9	11	2	9
16	Diseases of thyroid body	194	121	166	93	73	28	5	9	.....	.....
17	Acute bronchitis	6.939	4,515	6,333	3,909	2,424	606	96	75	37	35
18	Chronic bronchitis	5,188	3,121	4,557	2,490	2,067	631	133	88	34	11
19	Bronchopneumonia	21.026	15,483	18,368	12,825	5,543	2,658	219	182	58	112
20	Pneumonia (lobar and unqualified)	49,007	31,949	41,259	24,201	17,058	7,748	809	777	422	573
21	Pleurisy	2,082	1,471	1,808	1,197	611	274	67	28	8	13
22	Congestion of lungs	2,550	1,499	2,225	1,174	1,051	325	49	56	8	15
23	Gangrene of lungs	221	173	191	143	48	30	11	10	1	1
24	Asthma	1,419	835	1,162	578	584	257	22	48	11	19
25	Emphysema	137	95	114	72	42	23	1	2	1	2
26	Hemorrhage of lungs	601	399	466	264	202	135	7	13	2	5
27	Other diseases of respiratory system	625	292	558	225	333	67	10	28	6	41
28	V.—Diseases of digestive system	91,970	59,937	77,956	45,923	32,033	14,014	1,482	1.366	491	797
29	Diseases of mouth	356	204	287	135	152	69	.....	4	.....	2
30	Tonsillitis	434	231	384	181	203	50	3	7	3	9
31	Diseases of pharynx	358	226	318	186	132	40	2	8	.....	8
32	Diseases of esophagus	129	67	117	55	62	12	2	1	2	1
33	Ulcer of stomach	1,770	1,196	1,494	920	574	276	73	46	23	17
34	Gastritis	4,138	2,375	3,562	1,799	1,763	576	64	75	21	30
35	Other diseases of stomach	4,033	1,971	3,577	1,515	2,062	456	42	68	15	37
36	Dentition	107	71	69	33	36	38	1	2	.....	1
37	Diarrhea and enteritis (under 2 years)	44,648	30,504	38,033	23,889	14,144	6,615	417	460	161	417
38	Diarrhea and enteritis (2 years and over)	7,868	4,500	6,616	3,248	3,368	1,252	138	123	33	62
39	Intestinal parasites	62	25	56	19	37	6	1	.....	1	.....
40	Hernia	2,018	1,428	1,707	1,117	590	311	47	43	10	13
41	Obstruction of intestines	4,353	2,761	3,713	2,121	1,592	640	104	74	37	40
42	Other diseases of intestines	1,411	812	1,225	626	599	186	32	27	10	10
43	Acute yellow atrophy of liver	211	124	185	98	87	26	3	9	4	1
44	Hydatid tumors of liver	19	16	16	13	3	3	2	.....	.....	.....
45	Cirrhosis of liver	7,045	4,848	5,939	3,742	2,197	1,106	249	165	41	27
46	Biliary calculi	1,486	965	1,250	729	521	236	18	23	14	9
47	Other diseases of liver	2,829	1,666	2.361	1,198	1,163	468	77	73	16	22
48	Diseases of spleen	97	58	82	43	39	15	1	3	.....	2
49	Peritonitis	2,611	1,462	2,168	1,019	1,149	443	54	51	20	25
50	Appendicitis	5,768	4,264	4,600	3,096	1,504	1,168	143	100	79	64
51	Other diseases of digestive system	219	163	197	141	56	22	9	4	1	.....
52	VI.—Diseases of genito-urinary system	57,070	38,437	48,177	29,544	18,633	8,893	1,375	1,030	360	385
53	Acute nephritis	5,018	3,540	4.239	2,761	1,478	779	100	86	39	47
54	Bright's disease	43,412	29,350	36,648	22,586	14,062	6,764	1,040	741	250	275
55	Other diseases of kidneys	1,318	828	1,117	627	490	201	30	43	13	11
56	Calculi of urinary tract	292	201	232	141	91	60	14	4	1	3
57	Diseases of bladder	1,484	665	1,350	531	819	134	37	48	5	10
58	Diseases of urethra, urinary abscess, etc	234	183	190	139	51	44	2	7	2	2
59	Diseases of prostate	1,873	1,028	1,648	803	845	225	35	44	8	14
60	Nonvenereal diseases of male genital organs	49	28	44	23	21	5	.....	.....	.....	.....
61	Metritis	106	63	97	54	43	9	.....	5	2	1
62	Uterine hemorrhage	79	45	65	31	34	14	3	.....	.....	.....
63	Uterine tumor	862	663	698	499	199	164	34	13	13	5
64	Other diseases of uterus	653	477	503	327	176	150	26	14	6	4
65	Ovarian tumor	518	386	428	296	132	90	13	6	4	3
66	Diseases of tubes	1,024	880	798	654	144	226	37	16	17	9
67	Other diseases of female genital organs	122	88	99	65	34	23	3	3	.....	1
68	Nonpuerperal diseases of breast (cancer excepted)	26	12	21	7	14	5	1	.....	.....	.....
69	VII.—Childbirth	7,791	4,855	6,670	3,734	2,936	1,121	146	142	53	93
70	Accidents of pregnancy	834	533	698	397	301	136	15	17	8	12
71	Puerperal hemorrhage	357	191	313	147	166	44	7	11	3	5
72	Other accidents of labor	788	524	694	430	264	94	25	18	3	9
73	Puerperal septicemia	3,427	2,215	2,890	1,678	1,212	537	55	45	25	43
74	Puerperal convulsions	1,706	1,043	1,477	814	663	229	37	36	9	16
75	Puerperal phlegmasia alba dolens	23	14	22	13	9	1	.....	.....	.....	.....
76	Other puerperal accidents	650	332	570	252	318	80	7	15	5	8
77	Puerperal diseases of breast	6	3	6	3	3	.....	.....	.....	.....	.....

SUBDIVISIONS, AND REGISTRATION STATES, FROM EACH CAUSE AND CLASS OF CAUSES: 1909—Continued.

CONNECTICUT.		DISTRICT OF COLUMBIA.			INDIANA.		MAINE.		MARYLAND.						MASSACHUSETTS.		
									Cities.			Rural.					
Cities.	Rural.	Total.	White.	Colored.	Cities.	Rural.	Cities.	Rural.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural.	
1,358	767	820	540	280	1,325	3,047	433	1,192	1,158	880	278	775	590	185	5,721	1,983	1
2	4	5	1	4	12	23	2	7	3	3		6	5	1	27	10	2
107	35	43	32	11	61	85	18	43	70	55	15	30	27	3	511	105	3
983	577	631	405	226	981	2,342	321	928	896	662	234	609	449	160	3,877	1,421	4
64	29	24	19	5	51	189	21	56	43	40	3	25	23	2	185	66	5
144	90	94	67	27	178	316	37	105	112	89	23	80	66	14	928	304	6
41	22	10	6	4	22	62	25	36	19	19		11	8	3	115	51	7
4	5	3	2	1	10	8	1	6	3	3					18	6	8
2		2	2		2	3	1		4	3	1				12		9
11	4	8	6	2	7	18	7	11	8	6	2	13	11	2	45	20	10
	1				1	1						1	1		3		11
1,401	526	783	376	407	1,047	2,425	434	1,009	1,508	1,018	490	924	656	268	5,245	1,222	12
					1	4	2	3				9	1	8			13
4	2	4	3	1	4	14		6	2	2		5	4	1	17	9	14
6	9				5	19	2	1	6	5	1	3	2	1	19	5	15
2					2	8	1	3	1	1		2	1	1	12	2	16
133	47	63	16	47	68	177	28	102	130	85	45	80	50	30	459	102	17
90	48	38	31	7	79	174	13	55	89	70	19	75	59	16	308	105	18
293	77	162	74	88	271	538	72	132	342	204	138	147	98	49	961	184	19
776	309	417	201	216	547	1,343	269	615	807	552	255	509	372	137	3,124	717	20
38	14	13	9	4	19	42	7	23	35	26	9	15	9	6	115	27	21
35	12	40	25	15	15	45	28	36	42	38	4	47	40	7	119	43	22
5	1	9	6	3	4	1	1	3	5	5					23		23
9	5	14	5	9	22	38	3	11	26	14	12	12	8	4	43	15	24
1		2	1	1	2	1		3	4	4		3	2	1	4	1	25
3		19	5	14	4	14	4	11	18	12	6	7	4	3	23	5	26
6	2	2		2	4	7	4	5	1		1	10	6	4	18	7	27
1,446	529	666	363	303	1,417	3,085	385	833	1,328	1,056	272	1,065	801	264	5,329	999	28
4	1	1		1	5	13		2	2	1	1	10	3	7	18	2	29
5	4	3		3	14	19	2	4	7	6	1	10	6	4	21	2	30
3	1	2	2		10	10	2	5	1		1	3	1	2	21	7	31
2	1	1		1	2	6	1	2	2	2					8	1	32
25	7	16	11	5	27	58	9	12	18	13	5	11	10	1	93	22	33
70	38	64	35	29	71	183	9	54	84	63	21	47	37	10	191	57	34
31	38	52	29	23	52	147	34	92	70	63	7	85	62	23	192	46	35
1		1		1				3	6	4	2	7	4	3			36
829	262	263	100	163	556	1,312	167	335	650	512	138	616	461	155	3,044	485	37
89	45	76	53	23	132	374	24	74	128	87	41	90	70	20	379	124	38
1					1	3		1				3	1	2	3		39
33	9	16	7	9	35	68	7	11	42	32	10	10	9	1	110	15	40
63	21	28	17	11	78	151	21	52	75	59	16	31	23	8	235	55	41
14	7	7	4	3	32	64		12	13	11	2	9	6	3	48	13	42
1		4	4		3	8		3	1	1					7	5	43
																	44
113	51	51	37	14	120	201	20	38	103	94	9	46	42	4	255	67	45
15	5	15	15		46	61	2	9	22	21	1	8	6	2	90	17	46
33	12	17	13	4	58	133	28	32	15	12	3	28	21	7	109	27	47
1					2	1		2							6	1	48
34	12	23	16	7	43	100	23	42	16	13	3	27	19	8	146	22	49
76	13	24	18	6	125	167	36	47	71	61	10	24	20	4	335	30	50
3	2	2	2		5	6		1	2	1	1				18	1	51
924	440	540	339	201	853	1,705	236	579	1,079	825	254	638	443	195	2,627	780	52
91	33	83	32	51	100	140	22	51	89	61	28	58	34	24	183	51	53
727	333	377	253	124	577	1,280	167	447	877	685	192	517	365	152	1,962	627	54
18	12	16	12	4	16	46	10	19	21	13	8	8	5	3	84	14	55
5	1	3	3		6	10	1		5	5		3	2	1	9	3	56
18	23	11	8	3	26	53	6	24	14	11	3	18	14	4	66	32	57
2	1	4	2	2	7	3			8	4	4	3	2	1	20	1	58
22	22	18	14	4	28	95	10	18	21	20	1	13	12	1	117	28	59
1	1	1		1	1	3		2							1		60
		1	1		1	5	1	1	2		2				6	2	61
1	1					3	1	1	1		1	1	1		8	5	62
15	3	6	3	3	19	16	3	3	10	5	5	4	1	3	54	5	63
8	3	4	3	1	17	10	4	6	5	3	2	2	2		29	4	64
7	3	9	4	5	19	19	3		7	6	1	4	2	2	24	7	65
8	4	6	4	2	23	16	8	5	19	12	7	6	3	3	60		66
1		1		1	8	6		2							4	1	67
												1		1			68
106	38	56	28	28	106	284	26	52	117	83	34	87	53	34	398	84	69
14	6	6	4	2	10	32	1	4	6	5	1	15	11	4	49	8	70
2	3	3	2	1	3	7	2	2	10	4	6	6	3	3	18	8	71
10	5	5	4	1	10	23	1	3	14	7	7	6	4	2	54	10	72
35	10	25	7	18	55	139	14	20	49	37	12	28	14	14	144	26	73
38	10	11	7	4	19	61	7	14	32	24	8	19	15	4	89	20	74
						2						1	1				75
6	4	6	4	2	9	20	1	9	6	6		12	5	7	44	12	76
1																	77

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CALIFORNIA.		COLORADO.	
				Total.	Cities.	Rural.		Cities.	Rural.	Cities.	Rural.
1	VIII.—Diseases of skin	2,985	1,594	2,634	1,243	1,391	351	49	64	5	11
2	Gangrene	1,691	808	1,516	633	883	175	32	48	2	8
3	Carbuncle	257	160	218	121	97	39	4	5	.....	.....
4	Abscess	534	338	463	267	196	71	5	6	2	2
5	Other diseases of skin	503	288	437	222	215	66	8	5	1	1
6	IX.—Diseases of locomotor system	1,455	1,035	1,270	850	420	185	30	21	9	12
7	Diseases of bones	1,325	946	1,157	778	379	168	27	20	8	10
8	Diseases of joints	88	64	75	51	24	13	1	1	1	2
9	Amputation	3	3	1	1	.....	2	.....	.....	.....	.....
10	Other diseases of organs of locomotion	39	22	37	20	17	2	2	.....	.....	.....
11	X.—Malformations	7,755	4,487	6,957	3,689	3,268	798	135	122	51	59
12	Hydrocephalus	664	402	592	330	262	72	12	14	3	5
13	Congenital malformation of heart (cyanosis)	4,766	2,761	4,306	2,301	2,005	460	97	78	34	31
14	Other congenital malformations	2,325	1,324	2,059	1,058	1,001	266	26	30	14	23
15	XI.—Diseases of early infancy	33,274	21,715	29,056	17,497	11,559	4,218	490	400	198	282
16	Premature birth	18,286	11,782	16,136	9,632	6,504	2,150	270	231	121	157
17	Congenital debility	13,484	9,057	11,613	7,186	4,427	1,871	198	149	69	104
18	Other diseases of early infancy	1,398	832	1,210	644	566	188	19	15	8	19
19	Lack of care	106	44	97	35	62	9	3	5	.....	2
20	XII.—Old age	13,456	6,249	11,620	4,413	7,207	1,836	275	375	87	128
21	XIII.—Violence	55,537	33,867	47,361	25,691	21,670	8,176	1,474	1,791	357	843
22	Suicide by poison	2,462	1,764	1,989	1,291	698	473	98	78	41	23
23	Suicide by asphyxia	989	929	818	758	60	171	57	8	3	.....
24	Suicide by hanging or strangulation	1,215	624	1,092	501	591	123	37	36	5	8
25	Suicide by drowning	507	301	449	243	206	58	20	12	2	5
26	Suicide by firearms	2,395	1,545	2,017	1,167	850	378	172	115	35	31
27	Suicide by cutting instruments	536	355	439	258	181	97	20	23	6	9
28	Suicide by jumping from high places	156	134	129	107	22	27	2	5	2	.....
29	Suicide by crushing	84	48	74	38	36	10	3	12	2	2
30	Other suicides	58	23	54	19	35	4	1	7	1	2
31	Fractures	350	198	291	139	152	59	8	7	.....	.....
32	Dislocations	7	2	6	1	5	1	1	.....	.....	.....
33	Burns and scalds	3,992	2,634	3,420	2,062	1,358	572	74	70	12	23
34	Heat and sunstroke	816	609	637	430	207	179	4	16	1	.....
35	Cold and freezing	251	80	233	62	171	18	1	12	1	16
36	Lightning	150	21	143	14	129	7	.....	.....	2	19
37	Drowning	4,558	2,331	4,145	1,918	2,227	413	90	233	4	73
38	Inhalation of poisonous gases	1,200	1,074	904	778	126	296	61	12	9	1
39	Conflagration	637	385	520	268	252	117	19	25	2	6
40	Other accidental poisonings	1,779	986	1,507	714	793	272	50	72	9	25
41	Accidental gunshot wounds	944	364	794	214	580	150	9	63	13	23
42	Injuries by machinery	1,174	721	1,021	568	453	153	25	41	8	20
43	Injuries in mines	1,863	444	1,811	392	1,419	52	3	63	9	161
44	Injuries in quarries	134	33	130	29	101	4	.....	11	.....	2
45	Railroad accidents (steam or unqualified)	6,654	3,485	5,766	2,597	3,169	888	96	202	57	146
46	Railroad accidents (electric)	5	4	5	4	1	.....	.....	.....	.....	.....
47	Street-car accidents (surface or unqualified)	1,689	1,367	1,323	1,001	322	366	125	47	10	4
48	Street-car accidents (elevated)	14	14	7	7	.....	7	.....	.....	.....	.....
49	Street-car accidents (underground)	20	20	19	19	.....	1	.....	.....	.....	.....
50	Injuries by vehicles and horses	2,152	1,215	1,892	955	937	260	52	110	15	55
51	Automobile accidents	632	500	543	411	132	89	28	23	7	1
52	Suffocation	804	438	684	318	366	120	10	19	3	17
53	Injuries at birth	3,508	2,359	3,089	1,940	1,149	419	58	35	17	22
54	Other accidental traumatisms	10,108	6,287	8,852	5,031	3,821	1,256	225	255	47	80
55	Burning by corrosive substances	15	12	14	11	3	1	.....	.....	1	.....
56	Other external violence	788	452	651	315	336	137	16	55	7	8
57	Starvation, privation, etc	37	23	36	22	14	1	1	2	.....	.....
58	Homicide	2,854	2,086	1,857	1,089	768	997	108	122	26	61
59	XIV.—Ill-defined causes	12,477	6,770	10,576	4,869	5,707	1,901	87	189	11	43
60	"Dropsy"	725	308	564	147	417	161	4	19	.....	.....
61	"Heart failure"	1,760	710	1,495	445	1,050	265	9	43	1	3
62	Sudden death	273	107	241	75	166	32	1	3	.....	.....
63	Unspecified or ill-defined causes of death	1,013	398	858	243	615	155	5	24	.....	1
64	Inanition (over 3 months)	2,211	1,524	1,780	1,093	687	431	32	42	2	15
65	Debility (over 3 months)	1,168	509	1,018	359	659	150	5	19	.....	1
66	Marasmus (over 3 months)	3,922	2,816	3,383	2,277	1,106	539	29	21	8	13
67	Fever	92	35	75	18	57	17	.....	.....	.....	.....
68	Unknown causes	1,813	363	1,162	212	950	151	2	18	.....	10

SUBDIVISIONS, AND REGISTRATION STATES, FROM EACH CAUSE AND CLASS OF CAUSES: 1909—Continued.

CONNECTICUT.		DISTRICT OF COLUMBIA.			INDIANA.		MAINE.		MARYLAND:						MASSACHUSETTS.		
									Cities.			Rural.					
Cities.	Rural.	Total.	White.	Colored.	Cities.	Rural.	Cities.	Rural.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural.	
42	27	25	12	13	36	95	13	69	44	34	10	45	32	13	145	49	1
23	19	10	7	3	22	69	10	46	28	21	7	21	16	5	74	35	2
4					8	3		4	2	2		7	4	3	13	3	3
9	2	8	2	6	1	8	2	8	9	7	2	9	7	2	23	5	4
6	6	7	3	4	5	15	1	11	5	4	1	8	5	3	35	6	5
32	6	14	6	8	22	43	5	10	24	16	8	12	7	5	108	17	6
31	6	13	6	7	21	39	5	8	22	15	7	11	6	5	91	15	7
1		1		1	1	2			1	1					10	1	8
																	9
						2		2	1		1	1	1		7	1	10
105	62	29	25	4	126	298	21	67	84	74	10	70	58	12	418	112	11
12	3	4	4		10	17		13	12	9	3	7	3	4	49	8	12
55	40	16	14	2	85	183	14	33	54	48	6	45	41	4	237	81	13
38	19	9	7	2	31	98	7	21	18	17	1	18	14	4	132	23	14
608	200	352	189	163	398	928	143	328	788	614	174	361	256	105	2,177	465	15
343	120	207	104	103	287	657	59	161	287	221	66	167	133	34	1,190	222	16
237	65	128	81	47	93	227	76	147	491	387	104	174	115	59	888	219	17
25	8	17	4	13	13	40	8	19	9	6	3	19	8	11	97	23	18
3	7				5	4		1	1		1	1		1	2	1	19
152	109	148	92	56	98	361	77	377	232	205	27	247	180	67	504	350	20
838	400	384	265	119	957	1,628	158	473	657	548	109	519	389	130	2,384	670	21
60	21	26	23	3	108	76	2	12	34	31	3	11	9	2	75	21	22
36	1	30	28	2	13	5		1	14	14		1	1		56	4	23
20	11	6	5	1	10	45	2	19	12	12		16	14	2	53	29	24
11	9	3	1	2	11	15	3	9	9	9		5	5		29	12	25
26	16	21	16	5	40	65	10	25	34	32	2	22	22		78	27	26
13	5	4	4		9	9	4	9	4	4		1	1		20	7	27
2		4	3	1	1	1			6	5	1				7	1	28
1					2	1						1	1		5	1	29
		1		1	1	2		1				2	2		3	1	30
3					2	11	3	2	2	2		7	6	1	13	4	31
						1											32
68	19	38	17	21	62	117	8	30	84	63	21	48	31	17	226	42	33
14	2	18	11	7	11	14	2	1	26	24	2	13	11	2	45	9	34
4	3	1		1	2	11	1	5	2	2		7	4	3	6	6	35
1	2				3	24		1				3	2	1	1	1	36
54	67	41	21	20	53	96	18	97	51	34	17	93	61	32	183	125	37
33	3	12	8	4	17	4	2		8	7	1	4	4		59	2	38
6	1	4	2	2	3	12	2	3	5	1	4	3	2	1	17	15	39
28	11	12	11	1	30	62	8	22	22	21	1	23	16	7	86	23	40
4	12	5	4	1	13	52	7	19	16	13	3	13	7	6	10	10	41
9	7	2	2		23	30	3	15	10	7	3	9	7	2	47	8	42
					13	39			2	1	1	10	10			1	43
						3	1	3	2	1	1				2		44
95	50	11	8	3	141	210	14	24	56	45	11	57	52	5	215	87	45
																	46
26	12	19	16	3	58	49	4	3	22	20	2	7	6	1	63	14	47
															1		48
																	49
31	17	17	14	3	30	90	4	19	21	18	3	18	13	5	103	20	50
15	4	4	3	1	10	12	1	2	5	4	1				41	11	51
14	6	4	2	2	16	35	5	7	7	5	2	9	4	5	49	11	52
78	31	24	17	7	42	110	12	28	47	41	6	28	20	8	234	45	53
155	66	57	39	18	155	343	36	102	125	114	11	70	56	14	565	105	54
																	55
9	5	6	2	4	15	30	4	8	8	8		11	10	1	24	11	56
1	1				1	2			2	2		1		1	4		57
21	18	14	8	6	62	52	2	6	21	8	13	26	12	14	64	17	58
174	72	98	50	48	48	96	69	248	348	241	107	420	236	184	662	188	59
1	4	3	1	2	6	8	4	9	9	3	6	33	15	18	5	7	60
	2	1		1	2	11	13	39	69	59	10	50	37	13	28	32	61
13					1		3	13	1	1		20	16	4	16	2	62
27	6	1	1		4	11	7	38	4	2	2	37	10	27	80	32	63
38	14	37	25	12	12	27	7	23	71	46	25	48	32	16	142	40	64
9	8	9	5	4	2	10	11	21	30	23	7	70	47	23	78	20	65
76	30	46	18	28	4	3	13	23	162	105	57	91	55	36	250	46	66
						5	1	2				2		2	1	3	67
10	8	1		1	17	21	10	80	2	2		69	24	45	62	6	68

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN

	CAUSE OF DEATH.	MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.	
		Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.
1	All causes	14,061	22,199	3,256	4,000	24,253	12,057	103,876	36,197
2	I.—General diseases	3,465	5,071	714	879	6,126	3,020	28,420	8,452
3	Typhoid fever	283	374	27	27	185	93	963	367
4	Exanthematic typhus								1
5	Relapsing fever								
6	Malarial fever	7	21		2	8	15	58	37
7	Smallpox	1	3			2		3	1
8	Measles	118	147	26	17	147	89	1,147	157
9	Scarlet fever	168	117	11	7	266	95	1,117	121
10	Whooping cough	71	140	31	21	163	106	568	213
11	Diphtheria	188	166	47	16	347	139	1,896	222
12	Croup	15	33	6	7	95	45	150	43
13	Influenza	61	304	23	78	105	68	438	512
14	Miliary fever								
15	Asiatic cholera								
16	Cholera nostras	9	19	1	3	9	8	26	27
17	Dysentery	35	97	7	11	56	58	185	125
18	Plague								
19	Yellow fever								
20	Leprosy							2	
21	Erysipelas	40	60	10	10	42	18	354	85
22	Other epidemic diseases	3	4			8	2	22	10
23	Septicemia	53	71	12	13	34	9	154	57
24	Glanders and farcy							3	
25	Malignant pustule and charbon							4	1
26	Rabies	1	1			3		7	1
27	Actinomycosis, trichinosis, etc	1						7	2
28	Pellagra		1					1	
29	Tuberculosis of lungs	895	1,343	237	247	2,482	1,190	11,183	2,802
30	Tuberculosis of larynx	14	21	6		32	17	80	52
31	Tuberculous meningitis	56	56	10	9	231	68	1,019	131
32	Abdominal tuberculosis	60	75	5	8	93	33	282	123
33	Pott's disease	11	22	1	5	21	11	99	45
34	Tuberculous abscess	1	2	1		2	1	7	4
35	White swelling	5	9	1	1	9	4	45	14
36	Tuberculosis of other organs	11	24	5	2	24	12	104	36
37	General tuberculosis	9	26	5	10	48	23	136	59
38	Scrofula	3	3	1	1	4	5	16	2
39	Syphilis	118	30	3	7	65	21	510	75
40	Gonorrhea (5 years and over)						1	15	2
41	Gonorrhea (under 5 years)	1		1				13	1
42	Cancer of mouth	33	52	5	9	27	20	201	87
43	Cancer of stomach and liver	296	529	48	86	427	253	2,018	777
44	Cancer of intestines and peritoneum	83	135	21	32	154	61	723	294
45	Cancer of female genital organs	122	144	32	47	170	88	834	305
46	Cancer of breast	68	116	12	29	97	73	489	226
47	Cancer of skin	24	64	5	15	23	28	117	116
48	Cancer of other or unspecified organs	130	157	22	38	170	90	795	280
49	Tumor	12	20	1	5	12	8	44	24
50	Acute articular rheumatism	44	75	6	11	73	44	407	106
51	Chronic rheumatism and gout	38	47	2	8	30	16	91	88
52	Diabetes	163	232	42	45	220	100	1,109	401
53	Exophthalmic goiter	29	26	2	1	10	5	86	26
54	Addison's disease	4	15	3	2	1	3	34	13
55	Leukemia	24	18	4	2	22	13	129	37
56	Anemia, chlorosis	85	170	19	28	58	37	214	198
57	Alcoholism	46	54	9	13	132	42	451	112
58	Lead poisoning	2	1		3	5	2	18	3
59	Other occupational poisonings							1	
60	Other chronic poisonings	4	14	1	1	1		18	20
61	Scurvy	4	2	1		6	3	15	1
62	Other general diseases	16	31	2	2	7	3	12	10
63	II.—Diseases of nervous system	1,571	2,766	433	571	2,349	1,727	7,944	4,844
64	Encephalitis	13	21	3	6	14	12	25	10
65	Meningitis (simple or unqualified)	139	140	73	48	288	133	531	256
66	Epidemic cerebrospinal meningitis	56	53	12	12	89	21	422	86
67	Locomotor ataxia	19	46	4	20	39	18	145	74
68	Other diseases of spinal cord	46	102	12	20	69	38	361	212
69	Apoplexy	562	1,265	154	313	1,174	836	4,307	2,732
70	Softening of brain	13	34	3	10	32	26	54	96
71	Paralysis	223	531	50	76	166	247	370	524
72	General paralysis of insane	73	66	25	4	27	93	311	293
73	Other forms of mental disease	26	36	42	8	28	88	105	58
74	Other diseases of brain	49	61	10	10	42	34	192	85
75	Epilepsy	38	84	5	13	34	24	171	154
76	"Convulsions" (5 years and over)	4	10		2	1	6	2	4
77	"Convulsions" (under 5 years)	244	235	34	20	243	115	578	139
78	Tetanus	17	20	4	4	61	16	104	37
79	Chorea	5	5			4	2	9	8
80	Other diseases of nervous system	25	40		4	20	13	96	56
81	Diseases of eye and adnexa	1	3	1				4	1
82	Diseases of ear	18	14	1	1	18	5	157	19

SUBDIVISIONS, AND REGISTRATION STATES, FROM EACH CAUSE AND CLASS OF CAUSES: 1909—Continued.

OHIO.		PENNSYLVANIA.		RHODE ISLAND.		SOUTH DAKOTA.		VERMONT.		WASHINGTON.		WISCONSIN.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
28,619	32,051	54,742	56,320	6,961	1,327	148	4,666	902	4,677	4,545	6,161	10,294	17,000	1
7,973	8,621	13,660	13,096	1,854	302	39	1,263	223	1,097	1,371	1,705	2,852	4,334	2
509	767	862	850	56	8	6	91	10	43	130	176	182	155	3
														4
														5
26	49	19	31	8					1	1	2	3	9	6
4	2						2			1	8	6	10	7
176	76	494	566	61			25	25	51	15	29	104	66	8
108	96	525	691	30	1	3	81	1	10	107	74	256	116	9
157	141	368	542	46	11		59	1	13	16	18	64	161	10
270	231	860	799	77	11	3	58	2	22	69	101	174	189	11
40	49	136	207	14	2		22		7	6	13	19	34	12
253	503	392	694	53	25		46	10	125	29	69	66	236	13
														14
														15
19	28	38	54	3	2		7	1			1	5	27	16
107	233	91	262	35	8	1	33	2	19	10	34	29	73	17
														18
														19
														20
78	96	175	172	16	1		19	3	8	13	15	25	41	21
5	9	18	22		1		1			3	2	4	2	22
62	70	66	116	11	2	1	28	2	4	19	21	36	70	23
			1	1			1							24
1	1	2	2											25
2	3	8	3									1		26
2	1	1							1	1		1	3	27
														28
3,015	2,856	4,856	3,843	722	77	10	410	71	287	384	546	843	1,339	29
43	42	75	48	7	2		2		1	4	4	7	15	30
191	134	321	180	79	9	2	19	11	26	49	55	45	57	31
157	211	208	180	28	4	1	17	6	17	26	39	39	70	32
23	42	55	47	3			7	2	8	6	6	9	28	33
2		9	7	1			4	1	1		1	1	1	34
14	18	35	27	2			2		6	8	3	7	8	35
38	51	61	53	5		1	8		6	11	10	14	20	36
57	72	56	61	7	2		4	2	4	10	11	18	25	37
5	4	5	12	1			7		1			2	3	38
202	84	179	138	29	3		8	1	10	21	16	20	19	39
3	4	4	3	1			1			3	1	1		40
4		13	1									2	1	41
54	94	84	101	16	3		4	1	13	10	17	14	34	42
625	726	1,044	964	117	27	4	99	19	117	125	122	318	533	43
192	215	320	250	57	8		9	4	47	28	34	59	115	44
299	233	422	292	76	18		17	9	38	33	33	57	77	45
158	204	259	243	48	13	1	9	6	30	25	18	52	66	46
31	129	79	138	13	1		5	1	12	8	17	13	44	47
261	249	368	281	50	19	2	22	7	41	42	47	91	172	48
21	35	18	27	2	1		4			1		19	19	49
149	122	216	184	23	5	1	13	3	15	22	12	33	67	50
39	89	67	118	8	3	1	22	1	10	2	11	16	53	51
241	331	462	442	74	13		48	9	65	57	63	91	186	52
37	49	31	34	4		1	3	2	3	3	6	12	31	53
7	19	11	12	4		1	1		2	2		3	8	54
39	43	57	50	8	4		5	1	6	7	5	12	29	55
89	108	122	151	22	9		14	7	15	22	12	40	65	56
122	61	140	146	33	9		19	1	10	36	46	29	42	57
7	2	5	3					1	1	1				58
1														59
12	15	11	21	1					1	1	3		2	60
5	3	4	9	2			1			2	1	1		61
11	21	8	18				6			2	3	9	13	62
2,761	3,969	4,733	6,763	660	140	18	456	87	587	350	602	1,046	2,053	63
16	21	28	43	3	1				5	4	1	3	9	64
242	213	302	423	41	7	4	44	7	21	38	37	113	141	65
88	111	63	96	24	3	1	15	7	23	26	28	33	95	66
87	69	111	125	12	2		5	2	12	8	7	15	28	67
100	156	161	222	19	1		26	3	27	10	17	46	95	68
1,299	1,937	2,433	3,220	383	104	4	129	53	370	155	225	419	813	69
42	120	67	92	9	1		3		11	4	6	10	22	70
253	623	373	761	40	14	4	57	6	27	33	68	73	206	71
150	85	117	152	31	1		10	2	14	6	41	12	68	72
68	74	45	255	14			13		19	3	76	7	96	73
70	95	135	116	11	1		12	2	12	18	14	36	62	74
73	159	93	208	24	1		25	2	17	7	24	31	90	75
2	3	9	24	3			5				4	6	13	76
158	163	569	775	26	3	3	87	1	12	22	41	194	253	77
50	42	81	89	4	1	1	9		4	5	3	21	26	78
6	8	8	17				3		2		1	1	1	79
22	60	57	87	6			8	2	7	5	2	14	24	80
		3	5	1										81
35	30	78	53	9		1	5		4	6	7	12	11	82

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN

	CAUSE OF DEATH.	MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.	
		Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.
1	III.—Diseases of circulatory system	1,640	3,274	401	683	2,510	1,419	12,413	6,233
2	Pericarditis	19	30	2	4	18	20	62	38
3	Endocarditis	89	99	25	26	417	149	1,466	259
4	Heart disease	1,188	2,648	312	525	1,713	1,000	8,728	4,718
5	Angina pectoris	53	148	10	36	89	81	327	248
6	Diseases of arteries	208	247	35	59	191	116	1,406	758
7	Embolism and thrombosis	42	55	12	21	62	39	271	148
8	Diseases of veins	7	12	1	1	4	4	38	18
9	Diseases of lymphatics	2	9	1	----	3	2	22	5
10	Hemorrhages	30	24	2	8	12	8	92	39
11	Other diseases of circulatory system	2	2	1	3	1	----	1	2
12	IV.—Diseases of respiratory system	1,474	2,015	406	429	3,649	1,537	16,291	4,001
13	Diseases of nasal fossa	----	5	----	1	1	1	10	6
14	Laryngitis	4	14	1	3	11	6	25	24
15	Other diseases of larynx	12	14	6	3	14	13	40	12
16	Diseases of thyroid body	8	10	1	5	5	1	24	6
17	Acute bronchitis	116	296	51	48	251	97	1,275	296
18	Chronic bronchitis	118	213	26	39	134	78	626	312
19	Bronchopneumonia	255	260	63	38	857	294	5,979	796
20	Pneumonia (lobar and unqualified)	783	949	225	261	2,020	886	7,375	2,190
21	Pleurisy	33	55	8	4	78	22	405	97
22	Congestion of lungs	68	84	13	22	153	85	238	152
23	Gangrene of lungs	5	3	----	1	6	4	47	7
24	Asthma	34	57	4	3	43	23	126	45
25	Emphysema	2	4	1	----	9	3	26	6
26	Hemorrhage of lungs	23	19	1	1	46	18	46	23
27	Other diseases of respiratory system	13	32	6	----	21	6	49	29
28	V.—Diseases of digestive system	1,907	2,850	480	372	3,152	1,281	12,881	3,631
29	Diseases of mouth	9	13	1	1	10	11	40	22
30	Tonsillitis	8	15	1	3	12	3	46	14
31	Diseases of pharynx	8	11	2	3	8	5	62	16
32	Diseases of esophagus	3	6	1	----	1	4	16	5
33	Ulcer of stomach	45	67	9	8	56	25	281	79
34	Gastritis	87	148	20	28	113	77	291	207
35	Other diseases of stomach	93	203	32	41	93	104	271	316
36	Dentition	1	5	3	----	2	1	3	2
37	Diarrhea and enteritis (under 2 years)	772	1,071	289	124	1,731	609	7,223	1,292
38	Diarrhea and enteritis (2 years and over)	138	345	31	36	272	134	815	406
39	Intestinal parasites	----	1	----	----	1	1	5	2
40	Hernia	36	42	5	11	75	27	326	92
41	Obstruction of intestines	136	152	16	23	126	63	515	213
42	Other diseases of intestines	53	80	5	5	34	16	153	76
43	Acute yellow atrophy of liver	3	7	2	----	6	1	23	17
44	Hydatid tumors of liver	1	1	----	----	----	----	8	1
45	Cirrhosis of liver	133	190	19	32	266	89	1,260	323
46	Biliary calculi	35	55	3	3	25	8	201	53
47	Other diseases of liver	80	110	8	10	78	39	266	161
48	Diseases of spleen	3	3	----	2	1	----	12	5
49	Peritonitis	107	142	16	25	55	34	146	155
50	Appendicitis	154	177	17	16	181	25	869	166
51	Other diseases of digestive system	2	6	----	1	6	5	49	8
52	VI.—Diseases of genito-urinary system	847	1,414	211	314	2,029	897	9,934	2,954
53	Acute nephritis	79	89	14	18	275	95	888	223
54	Bright's disease	553	1,000	159	243	1,516	730	8,001	2,294
55	Other diseases of kidneys	33	59	8	10	45	16	156	52
56	Calculi of urinary tract	3	6	----	2	9	1	44	10
57	Diseases of bladder	23	86	9	12	34	23	94	152
58	Diseases of urethra, urinary abscess, etc	5	6	2	1	8	1	37	3
59	Diseases of prostate	34	86	5	13	36	15	205	112
60	Nonvenereal diseases of male genital organs	2	2	----	----	3	1	6	6
61	Metritis	2	3	----	----	5	----	16	3
62	Uterine hemorrhage	----	6	----	2	1	----	4	3
63	Uterine tumor	30	24	5	6	21	3	147	40
64	Other diseases of uterus	31	24	1	2	19	4	64	24
65	Ovarian tumor	16	10	4	3	15	4	81	16
66	Diseases of tubes	34	7	3	1	36	3	176	11
67	Other diseases of female genital organs	2	4	1	----	6	----	13	4
68	Nonpuerperal diseases of breast (cancer excepted)	----	2	----	1	----	1	2	1
69	VII.—Childbirth	148	269	27	29	235	78	1,039	298
70	Accidents of pregnancy	12	21	4	5	23	8	98	33
71	Puerperal hemorrhage	7	9	1	1	9	6	42	22
72	Other accidents of labor	14	29	2	4	23	7	149	16
73	Puerperal septicemia	81	110	13	6	111	30	452	111
74	Puerperal convulsions	24	56	7	5	55	17	227	85
75	Puerperal phlegmasia alba dolens	1	----	----	----	----	----	6	----
76	Other puerperal accidents	9	44	----	8	14	10	64	31
77	Puerperal diseases of breast	----	----	----	----	----	----	1	----
78	VIII.—Diseases of skin	46	129	19	30	77	53	317	195
79	Gangrene	29	82	7	21	39	36	142	140
80	Carbuncle	2	11	----	5	6	3	36	8
81	Abscess	9	13	6	2	22	8	76	22
82	Other diseases of skin	6	23	6	2	10	6	63	25

SUBDIVISIONS, AND REGISTRATION STATES, FROM EACH CAUSE AND CLASS OF CAUSES: 1909—Continued.

OHIO.		PENNSYLVANIA.		RHODE ISLAND.		SOUTH DAKOTA.		VERMONT.		WASHINGTON.		WISCONSIN.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
3,460	4,710	6,101	5,960	883	178	7	306	113	801	526	585	992	1,947	1
27	36	39	63	8	1	1	1	.....	3	2	3	5	19	2
332	152	470	225	50	14	.....	25	4	23	33	34	82	136	3
2,383	3,714	4,453	4,706	672	135	6	216	82	606	407	444	685	1,410	4
129	253	213	295	19	10	.....	10	8	45	20	22	37	59	5
447	426	749	461	112	15	.....	34	17	96	40	59	133	230	6
83	79	104	97	11	1	.....	6	2	20	12	12	26	50	7
17	12	14	26	2	.....	.....	3	.....	4	5	3	11	7	8
8	7	14	19	2	.....	.....	1	.....	1	1	2	1	2	9
34	28	44	58	6	2	.....	10	.....	3	6	4	12	32	10
.....	3	1	10	1	.....	.....	.....	.....	.....	.....	2	.....	2	11
3,178	3,205	7,493	7,344	891	155	18	540	124	567	419	535	1,117	1,862	12
4	7	8	20	.....	.....	.....	4	.....	.....	1	4	1	3	13
17	25	23	44	1	1	.....	3	1	2	.....	2	5	7	14
12	11	43	53	3	.....	.....	2	.....	5	3	3	6	16	15
11	10	9	9	.....	.....	.....	.....	.....	1	6	1	6	6	16
308	185	646	557	89	18	.....	45	21	59	19	33	119	172	17
226	234	404	353	48	11	1	22	8	51	19	30	96	168	18
750	582	2,053	1,640	207	27	6	60	25	120	51	66	201	288	19
1,596	1,897	3,575	3,939	500	91	8	351	65	303	283	333	600	1,015	20
91	56	217	134	15	4	2	10	3	9	13	10	30	48	21
58	98	256	247	11	1	.....	22	.....	3	8	18	33	65	22
5	3	16	8	2	.....	.....	1	.....	1	2	1	1	3	23
60	57	136	177	11	2	1	9	1	5	5	21	7	37	24
6	3	11	7	1	.....	.....	.....	.....	2	.....	2	1	3	25
22	13	37	52	1	.....	.....	7	.....	.....	2	3	6	11	26
12	24	59	104	2	.....	.....	4	.....	6	7	8	5	20	27
3,925	3,522	7,909	7,860	930	165	11	546	145	446	495	703	1,544	1,983	28
6	19	30	41	3	1	.....	.....	.....	1	2	4	4	5	29
16	31	28	52	3	.....	.....	5	.....	2	8	9	1	14	30
23	16	32	26	1	.....	.....	3	.....	2	6	2	3	6	31
4	4	8	15	1	.....	.....	1	.....	2	1	.....	.....	13	32
101	75	93	75	10	2	1	13	5	5	11	18	24	34	33
186	195	368	441	36	5	.....	26	7	32	17	28	100	92	34
131	180	286	495	49	17	.....	27	3	32	13	27	56	107	35
.....	1	.....	7	.....	.....	.....	1	.....	.....	1	1	.....	5	36
1,850	1,300	4,416	4,299	533	92	3	209	89	155	192	323	704	783	37
301	444	489	683	73	18	.....	63	2	50	20	69	108	228	38
.....	4	6	18	.....	.....	.....	2	.....	2	.....	.....	.....	.....	39
103	75	195	103	25	2	.....	11	4	8	9	6	39	44	40
215	207	315	276	29	9	.....	36	2	29	39	43	87	117	41
64	100	111	94	7	1	2	15	1	8	15	13	25	49	42
11	15	20	13	4	.....	.....	1	.....	2	3	.....	3	5	43
.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	44
360	273	536	448	55	11	2	35	11	45	33	34	115	122	45
76	99	114	96	9	.....	.....	4	3	7	14	14	27	50	46
124	160	214	230	20	.....	.....	20	.....	13	20	29	35	64	47
2	5	11	11	2	.....	.....	1	.....	2	.....	1	2	.....	48
106	138	142	204	12	1	1	23	3	25	19	18	53	105	49
235	175	464	224	50	6	2	50	15	21	67	63	153	136	50
11	5	15	9	8	.....	.....	.....	.....	3	5	1	5	4	51
2,210	2,215	4,668	3,229	566	129	15	213	69	376	368	345	633	990	52
202	150	443	292	58	10	1	14	3	25	38	22	53	74	53
1,592	1,672	3,568	2,392	446	104	11	150	46	294	248	257	469	706	54
47	44	81	89	11	.....	1	13	3	1	13	14	21	39	55
12	16	20	16	4	2	.....	3	.....	1	2	1	3	9	56
64	108	81	134	9	3	.....	8	4	20	6	10	24	55	57
12	5	21	9	2	.....	1	1	.....	1	4	2	2	5	58
77	129	132	145	15	6	.....	6	5	16	14	17	21	66	59
4	1	4	2	.....	.....	.....	1	.....	.....	.....	2	.....	.....	60
9	11	4	8	1	.....	.....	.....	.....	1	3	.....	1	3	61
5	4	5	4	1	.....	1	.....	.....	1	.....	1	.....	2	62
46	21	68	40	5	1	.....	2	2	2	7	5	14	6	63
30	18	50	29	2	1	.....	9	5	6	14	5	12	11	64
37	18	46	24	5	1	.....	2	.....	4	4	3	2	5	65
65	16	130	33	5	1	.....	1	.....	3	13	6	9	6	66
6	.....	13	9	2	.....	.....	1	1	1	2	.....	2	2	67
2	2	2	3	.....	.....	.....	2	.....	.....	.....	.....	.....	1	68
317	350	696	738	67	15	3	71	16	51	74	105	104	152	69
36	33	73	72	5	.....	.....	7	1	4	19	10	17	14	70
10	19	24	40	1	.....	.....	4	.....	3	3	6	2	14	71
22	28	73	73	4	1	1	7	2	4	3	7	15	14	72
183	163	317	323	31	8	1	25	8	24	32	47	47	54	73
46	69	165	161	20	6	.....	13	4	12	13	27	11	36	74
1	2	5	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	75
19	36	38	63	6	.....	1	15	1	3	4	8	12	20	76
.....	.....	1	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	77
104	177	242	283	25	4	.....	16	2	19	7	25	45	100	78
58	120	121	151	8	2	.....	9	1	12	4	12	23	52	79
12	14	25	24	5	.....	.....	.....	.....	2	1	2	3	6	80
12	14	68	58	8	1	.....	3	.....	3	2	9	5	23	81
22	29	28	50	4	1	.....	4	1	2	.....	2	14	19	82

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN

	CAUSE OF DEATH.	MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.	
		Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.
1	IX.—Diseases of locomotor system	28	36	4	6	66	22	264	54
2	Diseases of bones	20	32	4	6	62	20	254	49
3	Diseases of joints	6	3			2		10	4
4	Amputation	1							
5	Other diseases of organs of locomotion	1	1			2	2		1
6	X.—Malformations	167	330	34	36	242	135	1,019	345
7	Hydrocephalus	15	32	3	6	14	12	102	34
8	Congenital malformation of heart (cyanosis)	93	180	19	20	139	101	654	208
9	Other congenital malformations	59	118	12	10	89	22	263	103
10	XI.—Diseases of early infancy	984	1,091	202	153	1,189	471	4,767	1,147
11	Premature birth	490	618	106	79	659	234	2,581	697
12	Congenital debility	457	418	92	68	488	223	2,011	369
13	Other diseases of early infancy	32	53	4	5	40	13	171	77
14	Lack of care	5	2		1	2	1	4	4
15	XII.—Old age	475	898	90	210	294	258	818	970
16	XIII.—Violence	961	1,552	167	208	1,817	882	6,902	2,717
17	Suicide by poison	72	48	3	6	80	30	227	109
18	Suicide by asphyxia	8	2	1		69	14	348	14
19	Suicide by hanging or strangulation	23	43	8	6	41	27	120	87
20	Suicide by drowning	12	14	3	5	19	8	36	36
21	Suicide by firearms	27	42	9	12	65	44	324	94
22	Suicide by cutting instruments	4	10	6	1	13	7	73	26
23	Suicide by jumping from high places	2	1			5	1	53	3
24	Suicide by crushing		2			1		10	2
25	Other suicides		3				1	2	5
26	Fractures	13	26			17	44	40	1
27	Dislocations		3						
28	Burns and scalds	66	72	13	23	160	55	537	115
29	Heat and sunstroke	8	16	2	2	45	22	111	25
30	Cold and freezing	3	19	1	1	2	10	11	21
31	Lightning	2	14			2	2		5
32	Drowning	80	174	14	26	132	135	641	347
33	Inhalation of poisonous gases	19	12	3		66	20	321	18
34	Conflagration	10	35	1		10	4	113	25
35	Other accidental poisonings	40	75	4	10	35	24	157	96
36	Accidental gunshot wounds	10	52	3	6	10	8	31	39
37	Injuries by machinery	30	32	5	7	37	11	118	56
38	Injuries in mines	29	115			2	16		9
39	Injuries in quarries		1		1	1		3	25
40	Railroad accidents (steam or unqualified)	110	170	21	27	248	140	417	461
41	Railroad accidents (electric)						1	4	
42	Street-car accidents (surface or unqualified)	46	11	2	2	71	9	205	31
43	Street-car accidents (elevated)					1		4	
44	Street-car accidents (underground)							19	
45	Injuries by vehicles and horses	30	94	7	10	67	28	305	103
46	Automobile accidents	17	3		1	27	11	117	31
47	Suffocation	16	30	3	4	13	20	70	49
48	Injuries at birth	66	83	15	10	126	47	616	170
49	Other accidental traumatisms	173	283	37	41	361	140	1,500	597
50	Burning by corrosive substances	1				1		6	1
51	Other external violence	22	29	2	3	17	14	65	38
52	Starvation, privation, etc.			1	1		2	7	
53	Homicide	22	38	3	3	73	27	291	78
54	XIV.—Ill-defined causes	348	504	68	80	518	277	867	356
55	"Dropsy"	28	70	6	3	2	6	15	25
56	"Heart failure"	24	69		4	46	50	28	57
57	Sudden death	8	13	1	6	14		1	7
58	Unspecified or ill-defined causes of death	15	72	8	15	16	10	8	13
59	Inanition (over 3 months)	98	83	15	13	88	37	174	53
60	Debility (over 3 months)	31	53	8	20	18	36	32	71
61	Marasmus (over 3 months)	127	77	26	12	330	131	605	112
62	Fever	2	3		2	2	3	3	8
63	Unknown causes	15	64	4	5	2	4	1	10

SUBDIVISIONS, AND REGISTRATION STATES, FROM EACH CAUSE AND CLASS OF CAUSES: 1909—Continued.

OHIO.		PENNSYLVANIA.		RHODE ISLAND.		SOUTH DAKOTA.		VERMONT.		WASHINGTON		WISCONSIN.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
67	53	128	79	14	3	.....	6	2	10	10	7	23	23	1
58	50	116	70	13	3	.....	4	1	9	10	7	22	20	2
7	.....	8	8	1	.....	.....	1	1	1	.....	.....	.....	1	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
2	3	4	1	.....	.....	.....	1	.....	.....	.....	.....	1	2	5
322	429	709	861	61	13	2	42	13	48	55	57	96	182	6
26	27	56	57	3	2	.....	7	2	4	2	7	5	7	7
197	264	483	569	31	10	1	15	5	25	41	31	46	91	8
99	138	170	235	27	1	1	20	6	19	12	19	45	84	9
1,315	1,337	2,642	2,796	360	65	13	267	47	175	227	248	597	845	10
884	777	1,483	1,479	182	29	4	112	41	123	116	142	322	499	11
372	484	1,056	1,179	161	33	9	143	4	37	101	94	255	294	12
54	65	99	121	16	3	.....	12	2	12	10	12	20	50	13
5	11	4	17	1	.....	.....	.....	.....	3	.....	.....	.....	2	14
252	643	475	889	75	61	5	187	15	132	75	187	266	825	15
2,524	2,353	4,336	4,809	448	77	13	355	42	340	523	869	749	1,184	16
156	73	197	92	8	1	1	16	2	11	48	29	53	41	17
11	2	75	4	19	.....	.....	1	1	.....	6	3	11	.....	18
57	69	64	96	8	5	.....	6	.....	12	8	17	27	59	19
30	25	30	24	4	3	.....	2	2	2	8	11	11	9	20
102	93	142	137	14	2	.....	16	2	24	40	45	26	40	21
23	21	41	20	6	4	.....	7	.....	1	5	14	7	7	22
7	4	9	4	1	.....	.....	.....	.....	.....	4	2	2	.....	23
6	3	4	8	1	.....	.....	2	.....	.....	2	.....	1	2	24
4	3	3	1	.....	.....	.....	1	.....	.....	1	.....	2	6	25
18	44	3	3	1	.....	.....	10	2	2	.....	.....	14	31	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	27
177	185	422	402	44	3	.....	28	1	14	22	36	48	76	28
26	19	104	50	8	1	.....	4	.....	2	.....	.....	5	11	29
9	8	13	25	1	1	.....	3	.....	3	.....	3	4	17	30
1	20	1	16	.....	.....	.....	15	.....	.....	.....	.....	1	7	31
145	158	233	260	49	15	3	34	2	34	43	152	82	108	32
42	7	82	24	17	.....	2	4	.....	3	15	5	10	7	33
20	19	34	61	2	1	.....	6	.....	10	6	12	14	14	34
84	84	101	152	7	3	1	23	1	22	21	28	18	38	35
34	71	35	86	2	.....	.....	27	1	7	3	29	8	63	36
81	37	124	120	12	1	.....	4	1	9	12	25	21	21	37
8	95	325	861	.....	.....	.....	8	.....	.....	.....	26	1	15	38
.....	2	20	42	.....	.....	.....	.....	.....	6	.....	3	.....	2	39
390	394	540	846	29	7	2	23	5	30	42	145	108	150	40
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	41
123	47	160	69	19	1	.....	.....	1	2	23	6	24	8	42
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	43
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	44
72	74	134	144	23	1	.....	33	2	16	23	39	19	66	45
34	4	63	15	10	1	1	4	1	2	19	2	11	5	46
44	44	36	73	3	.....	.....	7	.....	6	10	11	15	18	47
191	148	280	242	61	10	.....	18	4	19	12	12	57	91	48
442	491	834	710	84	15	2	32	11	90	104	178	118	223	49
1	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
33	34	57	51	2	.....	.....	9	1	1	11	7	16	22	51
.....	1	4	2	.....	.....	.....	.....	.....	1	1	1	.....	.....	52
153	74	164	167	13	2	1	12	2	11	34	28	15	26	53
211	467	950	1,613	127	20	4	398	4	28	45	188	230	520	54
16	29	31	130	1	.....	.....	12	.....	1	1	13	15	48	55
57	119	104	293	3	.....	2	78	.....	4	2	28	56	168	56
.....	24	4	54	5	.....	.....	3	.....	2	1	8	6	11	57
11	59	25	206	15	3	.....	5	.....	11	1	16	16	56	58
53	52	218	180	46	3	.....	12	2	2	23	14	35	29	59
9	38	70	170	8	8	1	32	.....	1	4	9	34	72	60
36	43	453	444	45	4	1	7	.....	2	11	6	55	41	61
2	.....	5	25	.....	.....	.....	1	.....	.....	1	1	1	2	62
27	103	40	111	4	2	.....	248	2	5	1	93	12	93	63

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA,

	CAUSE OF DEATH.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	732,538	140,057	30,279	12,659	7,853	5,686	196,534	16,142	10,761	18,138	27,303	29,733
2	Males	398,597	78,275	16,016	6,699	4,095	2,928	108,013	8,460	5,672	9,397	14,488	16,137
3	Females	333,941	61,782	14,263	5,960	3,758	2,758	88,521	7,682	5,089	8,741	12,815	13,596
4	I.—General diseases	192,788	11,828	8,030	5,001	3,619	2,744	31,222	7,653	4,369	8,874	13,690	13,968
5	Males	98,965	6,337	4,180	2,569	1,885	1,402	16,373	3,810	1,934	4,041	6,971	7,368
6	Females	93,823	5,491	3,850	2,432	1,734	1,342	14,849	3,843	2,435	4,833	6,719	6,600
7	Typhoid fever	M. 6,333	31	55	73	70	57	286	310	326	748	1,053	866
		F. 4,389	36	42	66	62	53	259	337	412	688	614	470
8	Malarial fever	M. 658	42	36	20	16	13	127	29	16	29	47	44
		F. 517	35	21	24	11	8	99	22	18	36	32	34
9	Smallpox	M. 50	11	.....	2	.....	.....	13	.....	.....	3	7	2
		F. 29	5	.....	2	.....	.....	7	2	.....	3	3	5
10	Measles	M. 2,522	684	900	343	162	102	2,191	194	34	19	22	16
		F. 2,338	563	810	352	157	92	1,974	181	51	26	15	19
11	Scarlet fever	M. 2,917	161	392	431	408	304	1,696	791	211	113	38	30
		F. 2,864	118	330	420	373	288	1,529	806	232	115	71	49
12	Whooping cough	M. 2,264	1,362	504	175	82	40	2,163	77	8	3	.....	3
		F. 2,642	1,432	650	257	121	63	2,523	92	12	3	2	1
13	Diphtheria	M. 4,586	331	808	705	571	481	2,896	1,144	296	102	40	23
		F. 4,344	235	683	584	551	450	2,503	1,205	312	98	74	40
14	Croup	M. 796	98	170	146	128	93	635	142	14	1	1	.....
		F. 632	91	146	117	76	66	496	113	9	3	6	1
15	Influenza	M. 2,946	344	84	40	22	17	507	56	27	47	55	60
		F. 3,703	293	62	44	21	14	434	35	38	51	65	72
16	Cholera nostras	M. 217	36	17	3	8	2	66	6	5	1	1	6
		F. 198	37	9	5	6	6	63	7	1	.....	1	2
17	Dysentery	M. 1,409	320	134	62	25	14	555	21	12	11	19	19
		F. 1,462	231	123	46	22	11	433	16	5	12	19	21
18	Erysipelas	M. 1,114	297	11	5	5	.....	318	5	8	10	22	36
		F. 890	295	32	14	2	4	347	4	7	17	21	29
19	Other epidemic diseases	M. 105	24	16	15	5	9	69	7	2	1	5	4
		F. 63	20	17	4	6	3	50	6	1	1	1	1
20	Septicemia	M. 926	107	24	17	9	2	159	39	30	36	53	48
		F. 731	98	17	12	5	8	140	25	16	28	48	64
21	Tuberculosis of lungs	M. 39,456	520	279	120	83	65	1,067	257	334	2,183	4,699	5,147
		F. 30,584	379	245	122	82	67	895	299	746	3,005	4,831	4,707
22	Tuberculosis of larynx	M. 529	6	.....	4	.....	.....	10	4	4	13	51	72
		F. 275	2	2	1	.....	1	6	3	5	12	44	32
23	Tuberculous meningitis	M. 2,448	551	466	271	145	107	1,540	265	113	103	88	78
		F. 2,127	498	398	231	131	101	1,359	258	112	116	74	43
24	Abdominal tuberculosis	M. 1,399	141	64	21	36	13	275	59	52	91	124	114
		F. 1,642	101	68	25	25	26	245	67	69	121	173	175
25	Pott's disease	M. 435	11	9	6	9	4	39	33	49	35	50	41
		F. 305	14	6	9	7	10	46	32	15	32	23	20
26	Tuberculous abscess	M. 42	5	2	1	1	.....	9	2	3	4	4	1
		F. 30	5	3	2	1	2	13	.....	.....	.....	4	1
27	White swelling	M. 233	8	9	1	5	3	26	25	24	24	23	15
		F. 146	9	8	1	2	1	21	9	22	13	12	11
28	Tuberculosis of other organs	M. 516	36	17	8	6	1	68	21	11	28	37	46
		F. 369	23	11	3	1	3	41	20	16	29	33	30
29	General tuberculosis	M. 611	64	39	8	10	2	123	17	22	50	61	63
		F. 573	33	27	9	4	4	77	20	26	52	73	71
30	Scrofula	M. 68	40	9	5	3	1	58	2	2	1	1	.....
		F. 47	20	1	4	4	2	31	1	1	3	.....	1
31	Venereal diseases	M. 1,746	861	60	11	7	1	940	7	5	17	42	72
		F. 1,253	721	42	17	11	4	795	8	6	28	53	60
32	Cancer of mouth	M. 1,195	5	1	.....	.....	3	9	.....	4	3	8	2
		F. 232	1	1	.....	.....	.....	2	1	1	4	3	2
33	Cancer of stomach and liver	M. 7,477	4	1	1	.....	3	9	3	3	6	28	52
		F. 7,438	1	2	2	1	2	8	5	3	6	19	50
34	Cancer of intestines	M. 1,961	1	1	1	2	3	8	10	6	13	27	38
		F. 2,715	.....	.....	1	2	1	4	7	3	9	18	40
35	Cancer of female genital organs	F. 5,714	.....	.....	.....	.....	.....	.....	.....	.....	3	13	25	112
36	Cancer of breast	F. 3,585	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	23
37	Cancer of skin	M. 988	2	.....	.....	2	.....	4	1	.....	2	2	5
		F. 504	2	1	1	.....	1	5	1	2	2	.....	1
38	Cancer of other or unspecified organs	M. 3,297	9	9	17	15	8	58	29	26	37	66	79
		F. 2,456	11	11	11	12	9	54	23	18	23	44	54
39	Tumor	M. 128	10	.....	1	1	1	13	2	4	3	3	2
		F. 330	10	2	2	1	.....	15	5	.....	3	8	13
40	Rheumatism	M. 1,748	20	7	12	20	24	83	121	125	114	81	78
		F. 1,885	16	12	6	9	21	64	131	138	113	98	81
41	Diabetes	M. 3,342	2	10	17	7	12	48	60	102	111	88	110
		F. 3,682	2	11	15	8	6	42	64	94	83	71	91
42	Anemia, leukemia	M. 1,531	112	29	18	13	12	184	51	43	51	58	49
		F. 1,722	104	36	13	14	12	179	29	33	56	62	73
43	Alcoholism	M. 2,270	.....	.....	.....	.....	.....	.....	.....	.....	7	45	113
		F. 308	.....	.....	.....	.....	.....	.....	.....	.....	1	10	16
44	Chronic poisonings	M. 222	.....	.....	.....	.....	.....	.....	.....	1	4	9	10
		F. 131	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	7
45	Other general diseases	M. 480	81	17	9	9	5	121	20	12	17	13	24
		F. 968	50	21	10	6	3	90	9	8	27	59	78

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE: 1909.

AGE—continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
29,905	32,965	32,115	34,646	36,428	37,007	42,475	46,649	45,610	41,989	29,680	16,533	5,486	1,321	324	794	1
16,693	18,670	19,052	20,426	21,414	21,054	23,492	24,982	23,726	21,233	14,506	7,657	2,321	484	108	612	2
13,212	14,295	13,063	14,220	15,014	15,953	18,983	21,667	21,884	20,756	15,174	8,876	3,165	837	216	182	3
13,291	13,280	11,868	11,967	11,464	10,742	10,550	10,085	8,150	6,077	3,305	1,532	422	102	23	154	4
7,377	7,322	6,644	6,448	6,137	5,437	5,284	4,863	3,836	2,737	1,455	612	169	42	6	99	5
5,914	5,958	5,224	5,519	5,327	5,305	5,266	5,222	4,314	3,340	1,850	920	253	60	17	55	6
715	553	410	337	253	166	127	74	62	33	9	1	1			3	
354	297	229	178	153	128	105	66	49	24	13	7	1	1		4	7
43	30	39	36	36	34	39	37	30	17	17	8					
29	33	20	24	24	16	24	30	31	17	19	8				1	8
6	3	2	5	2	3	1		1		2						
1	1	1	3	1				1	1							9
3	5	6	8	4	7	3	2	1	2							
18	16	12	4	6	3	3	3	2	4	1						10
20	7	4	1	3		1		2								
29	18	4	3	1	1	3		2	1							11
2			1			2			3	1		1				
1					3	1	1	1	1			1				12
22	14	15	8	7	6	3	5	1	2						2	
28	19	15	16	6	8	3	8	6	3							13
		1	1	1												
1	1	1						1								14
73	74	86	109	116	157	211	261	288	320	272	149	54	17	1	6	
76	98	87	120	121	154	244	361	438	502	416	275	82	26	5	3	15
4	6	6	6	15	9	13	17	15	10	16	10	4	1			
5	3	1	7	7	7	9	10	15	23	22	10	2	2		1	16
20	30	27	34	44	50	69	79	119	121	97	52	22	5	3		
16	23	20	27	48	55	80	124	139	165	126	89	32	9	3		17
45	54	53	92	77	74	71	66	65	56	39	13	7			3	
16	31	28	34	31	37	52	59	50	54	37	27	5	3		1	18
2	3	3	1	2	1	2		3								
				1					1		1					19
48	58	53	75	60	55	61	44	34	31	24	13	3			2	
59	75	38	36	34	34	31	28	24	26	15	5	4			1	20
5,117	4,820	4,041	3,379	2,655	1,917	1,450	1,126	641	372	149	49	8	2		43	
3,896	3,263	2,176	1,792	1,248	1,014	811	775	544	355	143	47	13	2	1	21	21
48	64	52	54	45	33	25	23	12	14	3	2					
38	42	21	25	13	12	7	7	5	1	2						22
76	52	37	32	18	20	11	8	2	4							
43	31	24	25	14	10	5	8	2	2	1					1	23
91	98	89	73	91	78	52	51	33	16	9	1					
135	130	84	96	87	59	69	51	41	23	13	1	1			2	24
22	33	27	13	21	24	10	14	14	7	2					2	
23	18	19	7	18	13	10	12	8	6	3					1	25
	2	2	4	3	2	1	1	3	1							
3	2			1	3	1	1	1								26
9	10	20	11	18	6	8	5	7	1	1						
11	4	2	5	5	8	4	7	7	1	3	1					27
39	40	36	44	29	28	29	25	13	14	4	2		1		1	
31	32	20	24	18	13	16	15	13	13	4	1					28
53	34	44	39	30	26	26	12	9	1	1						
57	47	38	21	14	23	17	20	9	6	2						29
		1			1			2								
	1			1	2	1		1	3	1						30
98	116	99	110	78	60	48	20	17	10	1	2				4	
63	59	47	48	31	18	11	7	8	6	3	1				1	31
6	27	49	93	125	154	163	175	164	115	53	33	10	1		1	
1	7	10	12	16	15	26	26	27	38	16	22	1	1	1		32
95	214	368	598	900	1,025	1,174	1,145	931	604	237	67	11	2		5	
104	277	423	634	811	986	1,063	1,104	880	672	267	98	18	3		7	33
46	83	119	152	217	235	286	252	236	159	51	18	2	1		2	
68	114	166	236	314	338	344	361	307	239	92	38	12	2		3	34
246	453	686	822	813	759	625	488	317	209	98	37	4		1	3	35
65	219	347	435	444	421	437	381	345	238	140	65	15	3	1	2	36
10	22	31	49	66	95	109	141	127	135	110	55	19	5			
3	7	13	14	22	34	38	63	74	74	71	53	23	2	1	1	37
84	122	174	246	315	349	422	418	383	248	161	58	14	4	1	3	
70	128	179	239	290	266	291	257	208	160	93	44	12	2		1	38
3	9	7	3	9	14	14	19	7	9	5	2					
13	16	15	30	26	24	38	38	31	27	20	6	1	1			39
77	89	95	91	113	104	109	140	121	107	60	31	4	3		2	
73	87	74	107	103	105	122	152	181	116	82	44	11	1	2		40
134	147	154	243	307	344	407	425	318	214	91	31	5		1	2	
92	126	146	190	333	482	545	549	404	240	93	22	12			3	41
62	74	103	122	145	138	140	129	85	59	25	10	3				
95	98	118	158	156	157	168	127	105	61	32	10	2	2	1		42
242	374	337	334	273	180	149	103	57	33	7	2				14	
46	68	49	41	24	26	11	12	2	2							43
25	22	19	18	25	24	20	20	14	6	3					2	
13	15	10	11	12	8	9	12	6	10	8	2	1				44
32	33	35	26	34	18	28	26	19	13	5	3	1				
92	99	101	95	80	63	42	59	29	16	14	6			1		45

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA,

	CAUSE OF DEATH.		AGE.											
			All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	II.—Diseases of nervous system		74,656	8,828	2,103	992	638	462	13,023	1,322	960	924	998	1,238
2	Males		40,190	5,104	1,114	526	343	244	7,331	724	594	553	565	681
3	Females		34,466	3,724	989	466	295	218	5,692	598	366	371	433	557
4	Encephalitis	M.	181	56	19	11	6	2	94	7	6	6	7	3
		F.	174	28	23	9	4	4	68	11	4	4	5	9
5	Meningitis	M.	4,308	1,384	583	337	213	133	2,650	361	186	170	131	108
		F.	3,545	1,080	546	312	186	139	2,263	322	160	120	95	93
6	Locomotor ataxia	M.	1,095							1	2	1	3	11
		F.	291	1				1	2			1	2	7
7	Other diseases of spinal cord	M.	1,581	97	79	42	38	32	288	50	44	43	31	46
		F.	1,324	69	45	32	28	23	197	56	34	28	22	35
8	Apoplexy	M.	18,595	313	46	23	9	7	398	28	25	44	82	144
		F.	17,868	218	40	9	10	7	284	41	25	40	54	111
9	Softening of brain	M.	617							1			1	8
		F.	509			1		1	1	1		1	1	4
10	Paralysis	M.	3,804	44	9	5	8	5	71	11	16	10	18	16
		F.	3,865	26	7	2	2	1	38	7	8	11	15	27
11	General paralysis of insane	M.	1,938									3	11	37
		F.	646								1		3	22
12	Other forms of mental disease	M.	817								1	14	23	32
		F.	900							1	1	17	27	43
13	Other diseases of brain	M.	1,065	89	17	12	11	13	142	40	36	43	55	81
		F.	789	57	20	15	7	7	106	39	17	37	40	42
14	Epilepsy	M.	1,212	59	11	7	2	8	87	37	73	87	126	124
		F.	854	35	14	9	7	7	72	31	38	57	83	93
15	"Convulsions"	M.	3,132	2,680	284	57	33	14	3,068	23	2	2	3	4
		F.	2,399	1,933	242	52	35	15	2,277	24	5	12	24	14
16	Tetanus	M.	992	254	7	5	6	8	280	123	170	89	45	40
		F.	381	168	5	6	3	7	189	30	30	8	16	20
17	Other diseases of nervous system	M.	853	128	59	27	17	22	253	42	33	41	29	27
		F.	921	110	46	20	12	7	195	35	43	35	46	37
18	III.—Diseases of circulatory system		90,456	1,425	184	139	122	127	1,997	937	1,168	1,246	1,472	1,849
19	Males		48,574	845	95	65	62	49	1,116	413	505	601	680	918
20	Females		41,882	580	89	74	60	78	881	524	663	645	792	931
21	Pericarditis	M.	371	9	2	5	3	3	22	15	9	16	16	14
		F.	289	6	3	3	1	2	15	11	11	7	10	6
22	Endocarditis	M.	3,483	90	15	17	17	7	146	90	57	74	99	116
		F.	3,423	78	14	18	16	22	148	108	107	83	97	107
23	Heart disease	M.	34,931	460	48	33	33	27	601	272	414	478	510	709
		F.	31,040	298	46	38	34	43	459	378	515	527	606	709
24	Angina pectoris	M.	2,121					3	3	2	1	7	3	22
		F.	1,360	2	1		1	1	5	3	4	9	16	25
25	Diseases of arteries	M.	6,082	3			1		4	1	3	4	12	28
		F.	4,092	3					3	1	2	3	6	7
26	Embolism and thrombosis	M.	905	21	5			3	29	7	9	10	20	14
		F.	1,076	17	3	1	3	2	26	5	10	11	40	60
27	Diseases of veins	M.	143	1	2	1			4	4	2	1	3	3
		F.	177	2					2	1	1		7	5
28	Diseases of lymphatics	M.	87	44	7	5	2	1	59	7	1	1	3	1
		F.	67	24	10	2	3	2	41	4	4		1	2
29	Other diseases of circulatory system	M.	451	217	16	4	6	5	248	15	9	10	14	11
		F.	358	150	12	12	2	6	182	13	9	5	9	10
30	IV.—Diseases of respiratory system		90,868	22,990	8,479	3,166	1,531	931	37,097	1,880	790	1,348	1,818	2,045
31	Males		48,933	12,700	4,473	1,696	786	472	20,127	960	373	759	1,089	1,227
32	Females		41,935	10,290	4,006	1,470	745	459	16,970	920	417	589	729	818
33	Laryngitis	M.	188	41	30	21	17	8	117	11	5	3	4	4
		F.	146	23	19	18	18	8	86	21	1	3	1	4
34	Other diseases of larynx	M.	257	68	41	28	31	13	181	26	1	1	4	4
		F.	179	52	29	15	12	12	120	21	2	3	2	1
35	Diseases of thyroid body	M.	40	7					7	2	3	4	1	2
		F.	154	3	1				4	2	4	6	10	13
36	Acute bronchitis	M.	3,466	2,191	454	140	57	31	2,873	36	4	8	9	7
		F.	3,473	1,887	467	132	70	33	2,589	32	10	9	11	12
37	Chronic bronchitis	M.	2,284	85	38	14	2	2	141	20	11	19	26	30
		F.	2,904	71	20	7	5	3	106	28	14	24	26	28
38	Bronchopneumonia	M.	10,757	4,915	1,923	682	257	148	7,925	239	51	37	55	63
		F.	10,269	4,033	1,806	580	285	148	6,852	244	60	64	77	65
39	Pneumonia (lobar and unqualified)	M.	27,564	4,841	1,859	754	393	241	8,088	562	258	604	865	981
		F.	21,443	3,760	1,534	667	330	221	6,512	503	290	412	515	585
40	Pleurisy	M.	1,215	56	69	27	10	11	173	35	26	49	50	67
		F.	867	63	60	32	9	12	176	37	21	34	37	48
41	Congestion of lungs	M.	1,299	392	35	15	13	8	463	10	7	8	23	15
		F.	1,251	320	43	11	6	16	396	16	4	16	13	25
42	Gangrene of lungs	M.	159		3	2	1	2	8	4	1	1	7	3
		F.	62	1	2		1		4	1	4	4	4	6
43	Asthma and emphysema	M.	859	20	4	7	2	6	39	9	1	3	7	15
		F.	697	8	10	4	5	3	30	4	1	2	2	9
44	Hemorrhage of lungs	M.	375	21		2	1		24	1	2	9	23	22
		F.	226	19	1	3	1	1	25	4	2	5	16	9
45	Other diseases of respiratory system	M.	470	63	17	4	2	2	88	5	3	13	15	14
		F.	264	50	14	1	3	2	70	7	4	7	15	13

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE: 1909—Continued.

AGE—continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
1,481	2,118	2,660	3,392	4,316	5,004	6,336	7,592	7,752	7,398	4,852	2,446	597	140	23	84	1
894	1,243	1,617	1,905	2,407	2,805	3,396	3,970	4,002	3,692	2,348	1,099	253	46	7	58	2
587	875	1,043	1,487	1,909	2,199	2,940	3,622	3,750	3,706	2,504	1,347	344	94	16	26	3
4	7	7	11	4	3	3	6	7	2	2	1	1				4
5	7	7	10	7	3	9	6	8	6	2	3					
93	100	104	91	75	63	48	50	34	21	10	8	1			4	5
67	70	54	69	57	35	33	33	37	22	12		1			2	
21	46	110	137	159	161	157	111	81	64	21	8				1	6
8	19	24	28	38	39	44	43	16	9	5	3	2	1			
47	49	66	74	91	119	140	167	166	91	41	22	5			1	7
27	60	43	77	68	100	136	140	125	92	59	15	7	2		1	
207	346	553	848	1,326	1,703	2,274	2,722	2,744	2,567	1,596	751	172	32	2	31	8
175	327	495	820	1,230	1,498	2,035	2,557	2,590	2,567	1,757	948	237	53	9	15	
8	12	23	14	35	44	63	71	95	112	85	35	8			2	9
5	6	9	11	19	39	44	60	95	105	57	36	13	2			
43	71	84	129	199	278	370	540	592	605	465	215	51	12	4	4	10
27	65	70	123	174	235	402	512	635	664	472	277	67	27	5	4	
142	260	372	311	243	179	103	86	78	60	29	15	5	1		3	11
44	69	73	86	66	49	39	50	49	45	32	13	2	1	2		
56	59	56	59	61	63	82	81	71	83	44	22	4	1		5	12
51	55	82	77	74	79	83	78	78	72	49	26	2	2		3	
87	92	91	83	85	54	42	38	45	26	15	4	5		1		13
42	54	67	58	63	40	34	44	30	36	23	10	5	2			
103	109	77	69	72	59	54	43	41	23	20	4				4	14
64	68	58	61	52	35	26	34	35	25	12	6	2	2			
5	5	5	2	2	1	1	3	4		1					1	15
14	9	6	3	3	3			1	1	2					1	
50	47	27	32	25	24	21	8	7	4							16
16	13	12	16	8	6	7	7	2		1						
28	40	42	45	30	54	38	44	37	34	19	14	1			2	17
42	53	43	48	50	38	48	58	49	62	21	10	6	2			
2,325	3,127	3,767	4,804	6,001	6,884	9,298	11,233	11,699	10,627	7,107	3,602	987	214	41	71	18
1,198	1,631	2,054	2,677	3,430	3,978	5,265	6,211	6,268	5,607	3,687	1,754	445	80	12	44	19
1,127	1,496	1,713	2,127	2,571	2,906	4,033	5,022	5,431	5,020	3,420	1,848	542	134	29	27	20
19	18	22	20	17	33	31	32	35	25	13	9	4			1	21
12	12	10	19	16	22	16	27	38	26	22	8	1				
143	173	196	208	271	309	343	354	344	276	171	86	18	6	2	1	22
123	149	192	201	214	230	332	343	352	295	199	110	27	3	1	2	
896	1,243	1,550	2,050	2,582	2,930	3,886	4,514	4,501	3,894	2,460	1,097	256	43	7	38	23
863	1,172	1,332	1,680	2,019	2,254	3,132	3,821	4,005	3,654	2,346	1,153	310	68	14	23	
23	49	83	117	179	246	329	378	303	220	103	42	7	2		2	24
30	36	62	69	97	120	166	227	191	164	85	38	11	1		1	
59	82	137	195	276	341	548	794	954	1,099	876	485	154	26	3	1	25
18	28	36	56	113	185	274	460	702	760	684	500	182	58	14		
33	48	38	55	83	77	98	106	112	76	52	29	6	3			26
57	69	55	76	88	75	87	100	112	95	65	32	9	4			
9	7	9	10	7	19	18	18	11	9	6	2				1	27
6	19	16	15	12	13	15	24	15	15	10	1					
3			3	2	2	1	2	1			1					28
1	1		2	1		1	1	3	2	1	1	1				
13	11	19	19	13	21	11	13	7	8	6	3					29
17	10	10	9	11	7	10	19	13	9	8	5	1			1	
2,434	3,077	3,022	3,338	3,557	3,746	4,501	5,126	5,231	5,054	3,769	2,062	721	177	33	42	30
1,529	2,010	1,964	2,203	2,209	2,166	2,388	2,512	2,375	2,231	1,551	879	282	58	12	29	31
905	1,067	1,058	1,135	1,348	1,580	2,113	2,614	2,856	2,823	2,218	1,183	439	119	21	13	32
5	4	2	2	3	6	2	3	4	7	2	3	1				33
1	5	2	3		1		3	5	2	5	1	2				
6	4	7	5	4	6	4		2	1	1						34
3	2	1	4	5	1	2	2	1	5	3	1					
1	1			5	2	6	2	3	1							35
7	14	9	11	16	18	11	10	7	6	4	1		1			
15	10	16	15	24	37	31	57	63	73	90	69	20	8	1		36
4	4	9	16	23	31	46	88	124	154	163	86	49	9	4		
31	51	58	67	94	110	178	244	296	346	290	191	67	12	2		37
25	33	47	52	87	128	215	315	428	509	449	252	93	40	3	2	
94	119	102	158	150	192	248	312	321	312	205	114	48	8	1	3	38
70	95	77	112	138	177	295	360	439	457	389	202	72	21	2	1	
1,198	1,595	1,556	1,680	1,626	1,524	1,596	1,561	1,362	1,190	768	382	113	26	7	22	39
714	809	783	805	944	1,048	1,334	1,562	1,589	1,390	940	492	160	35	11	10	
80	78	64	96	75	85	91	73	78	60	19	12	2	1		1	40
35	33	45	46	40	39	55	60	48	52	37	15	8	1			
28	33	42	54	56	47	47	88	86	105	92	70	21	2	1	1	41
14	23	21	29	27	41	58	83	96	119	127	88	44	10	1		
10	18	14	18	17	13	18	10	11	4	1	1					42
6	3	5	4	3	5	3	3	2	3	2						
17	27	39	50	76	78	90	115	101	101	58	26	5	1		1	43
10	19	31	32	48	67	67	83	87	95	72	29	7	2			
32	40	36	29	35	26	28	23	21	11	7	3	2			1	44
10	16	18	14	10	9	14	29	11	14	13	5	2				
12	30	28	29	44	40	49	24	27	20	18	8	3				45
6	11	10	7	7	15	13	16	19	17	14	11	2				

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA,

	CAUSE OF DEATH.	AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	V.—Diseases of digestive system	91,970	41,161	8,896	1,840	833	563	53,293	1,543	1,259	1,383	1,695	1,807
2	Males	49,404	22,722	4,745	985	431	306	29,189	786	660	753	893	923
3	Females	42,566	18,439	4,151	855	402	257	24,104	757	599	630	802	884
4	Diseases of mouth	M. 192	125	15	5	1	3	149	3	1	2	3	1
		F. 164	96	13	3	3	2	117	5	2	----	6	1
5	Tonsillitis	M. 223	20	15	24	9	14	82	34	21	13	10	13
		F. 211	23	13	10	19	16	81	31	34	10	16	10
6	Other diseases of pharynx	M. 306	36	23	8	6	6	79	13	6	20	12	6
		F. 181	24	10	7	2	6	49	11	7	9	6	1
7	Ulcer of stomach	M. 1,009	11	3	2	1	1	18	2	4	10	30	50
		F. 761	1	1	1	----	3	6	8	5	29	44	58
8	Gastritis	M. 2,012	553	89	41	24	17	724	31	12	16	24	41
		F. 2,126	434	77	22	19	10	562	26	17	17	39	39
9	Other diseases of stomach	M. 2,135	923	75	28	20	7	1,053	19	10	12	14	30
		F. 1,898	735	67	27	18	12	859	27	11	10	29	34
10	Dentition	M. 53	32	21	----	----	----	53	----	----	----	----	----
		F. 54	27	24	3	----	----	54	----	----	----	----	----
11	Diarrhea and enteritis	M. 28,124	20,044	4,317	761	278	135	25,535	211	54	42	55	62
		F. 24,392	16,472	3,815	691	252	135	21,365	195	69	49	76	84
12	Hernia	M. 1,052	127	9	6	4	3	149	6	6	17	30	43
		F. 966	27	1	----	1	----	29	4	1	2	5	9
13	Obstruction of intestines	M. 2,207	459	82	31	28	34	634	87	59	57	77	89
		F. 2,146	270	60	30	17	21	398	60	37	41	74	97
14	Other diseases of intestines	M. 739	177	27	16	7	7	234	17	7	10	15	29
		F. 734	137	22	21	17	5	202	13	9	11	23	35
15	Acute yellow atrophy of liver	M. 99	4	2	2	----	----	8	2	----	4	7	5
		F. 112	6	2	1	1	----	10	3	----	3	12	10
16	Hydatid tumors of liver	M. 8	----	----	----	----	----	----	----	----	----	1	3
		F. 11	1	----	----	----	----	1	----	----	1	2	----
17	Cirrhosis of liver	M. 4,758	5	2	3	4	3	17	9	4	10	37	90
		F. 2,287	4	4	1	1	2	12	10	8	7	11	46
18	Biliary calculi	M. 447	2	----	----	----	----	2	1	1	3	8	5
		F. 1,039	3	----	----	----	----	3	3	----	2	9	28
19	Other diseases of liver	M. 1,343	81	16	14	5	12	128	20	12	17	46	44
		F. 1,486	61	8	12	10	8	99	17	6	22	35	72
20	Diseases of spleen	M. 47	1	2	2	1	----	6	2	1	1	----	8
		F. 50	1	1	1	----	----	3	----	2	1	3	4
21	Peritonitis	M. 1,122	107	29	28	19	17	200	72	77	74	46	84
		F. 1,489	96	23	16	19	12	166	69	69	100	147	149
22	Appendicitis	M. 3,409	12	17	13	23	45	110	257	384	444	471	316
		F. 2,359	17	8	8	22	24	79	273	321	314	261	199
23	Other diseases of digestive system	M. 119	3	1	1	1	2	8	----	1	1	7	4
		F. 100	4	2	1	1	1	9	2	1	2	4	8
24	VI.—Diseases of genito-urinary system.	57,070	902	304	209	157	122	1,694	446	423	777	1,295	1,882
25	Males	31,635	571	171	120	77	69	1,008	234	184	289	448	693
26	Females	25,435	331	133	89	80	53	686	212	239	488	847	1,189
27	Acute nephritis	M. 2,702	212	85	63	45	41	446	114	60	81	101	118
		F. 2,316	137	69	39	45	31	321	96	64	91	136	177
28	Bright's disease	M. 24,524	234	78	49	30	25	416	106	116	192	310	530
		F. 18,888	113	53	46	33	20	265	106	162	256	352	536
29	Other diseases of kidneys	M. 771	74	5	3	2	1	85	7	2	12	16	20
		F. 547	55	9	3	----	1	68	5	4	13	24	27
30	Calculi of urinary tract	M. 218	2	1	----	----	1	4	1	3	3	4	6
		F. 74	2	----	----	1	----	3	1	----	1	4	3
31	Diseases of bladder	M. 1,276	25	2	3	----	----	30	5	2	1	6	6
		F. 208	11	1	----	1	1	14	2	1	----	2	4
32	Uterine tumor	F. 862	----	----	----	----	----	----	----	----	3	11	24
33	Other diseases of uterus	F. 838	2	1	1	----	----	4	1	6	46	83	113
34	Ovarian tumor	F. 518	----	----	----	----	----	----	----	----	10	31	42
35	Diseases of tubes	F. 1,024	----	----	----	----	----	----	1	2	63	183	239
36	Other diseases of genito-urinary system	M. 2,144	24	----	2	----	1	27	1	1	----	11	13
		F. 160	11	----	----	----	----	11	----	----	5	21	24
37	VII.—Childbirth	7,791	----	----	----	----	----	----	----	9	549	1,644	1,828
38	Puerperal septicemia	F. 3,427	----	----	----	----	----	----	----	3	261	829	901
39	Puerperal convulsions	F. 1,706	----	----	----	----	----	----	----	5	183	416	360
40	Other causes incident to childbirth	F. 2,658	----	----	----	----	----	----	----	1	105	399	567
41	VIII.—Diseases of skin	2,985	486	54	22	13	5	580	17	23	24	28	47
42	Males	1,674	257	30	11	5	2	305	11	14	13	15	34
43	Females	1,311	229	24	11	8	3	275	6	9	11	13	13
44	Gangrene	M. 934	17	3	1	2	----	23	5	3	2	2	5
		F. 757	22	7	3	3	2	37	1	3	2	2	5
45	Carbuncle	M. 171	23	3	----	----	----	26	----	3	4	6	5
		F. 86	22	3	1	----	----	26	----	1	2	3	1
46	Abscess	M. 305	80	16	8	1	2	107	6	8	7	5	21
		F. 225	74	8	3	5	1	91	4	5	5	7	5
47	Other diseases of skin	M. 260	137	8	2	2	----	149	----	----	----	2	3
		F. 243	111	6	4	----	----	121	1	----	2	1	2
48	IX.—Diseases of locomotor system	1,455	316	129	65	42	23	575	109	83	71	66	62
49	Males	893	201	68	36	23	14	342	65	52	45	41	40
50	Females	562	115	61	29	19	9	233	44	31	26	25	22
51	Diseases of bones	M. 808	194	68	36	23	14	335	61	45	41	38	35
		F. 517	113	59	29	18	9	228	42	30	25	25	18
52	Diseases of joints	M. 55	5	----	----	----	----	5	1	4	2	1	5
		F. 33	2	2	----	----	----	4	2	1	----	----	4
53	Other diseases of locomotor system	M. 30	2	----	----	----	----	2	3	3	2	2	----
		F. 12	----	----	----	1	----	1	----	----	1	----	----

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE: 1909—Continued.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
1,973	2,267	2,537	2,808	2,973	2,932	3,172	3,235	3,068	2,717	1,857	1,031	325	60	14	21	1
1,006	1,179	1,429	1,596	1,723	1,622	1,696	1,683	1,546	1,277	851	440	120	14	3	15	2
967	1,088	1,108	1,212	1,250	1,310	1,476	1,552	1,522	1,440	1,006	591	205	46	11	6	3
4	4	3	4	4	4	1	2	5		2						4
2	3	1	1	2	1	2	3	3	7	5	3					
6	9	6	4	4	3	4	2	4	6	2						5
4	6	1	3	1	1	4	2	2	1	2	1	1				
8	11	17	17	16	12	16	18	18	16	11	6	3	1			6
10	2	4	7	4	8	12	14	9	12	9	3	3			1	
72	82	96	102	104	96	105	81	65	53	27	8	1			3	7
45	58	52	68	67	68	55	58	58	46	24	11	1				
38	54	65	59	93	84	112	140	145	169	126	62	14			3	8
53	62	69	66	93	111	116	166	188	187	176	97	33	7	1	1	
40	50	56	65	81	91	107	94	133	116	85	51	24	2		2	
40	46	49	55	60	57	70	75	112	139	105	77	29	10	4		9
																10
73	82	87	117	142	148	196	253	295	298	264	155	44	7		4	11
82	99	115	123	138	170	230	266	331	386	304	207	74	25	4		
33	31	45	58	69	87	97	103	93	81	62	30	11			1	12
20	37	56	103	103	96	138	121	108	73	35	20	5	1			
76	86	99	108	118	118	123	131	147	108	52	31	4		2	1	13
97	121	125	121	102	120	134	161	148	136	94	49	27	2		2	
26	28	37	41	27	44	39	37	41	36	40	21	8	1	1		14
39	34	28	34	37	34	33	46	52	39	41	20	3		1		
4	4	9	5	14	5	4	9	10	4	3	2					15
12	11	3	5	5	4	15	7	7	2	1	2					
			1	2				1								16
	1			3	2			1								
191	299	466	594	619	606	584	509	360	225	102	32	2	2			17
99	142	178	239	242	263	270	290	204	154	75	30	7				
11	20	25	38	54	55	57	71	48	31	11	4	2				18
31	53	80	105	133	124	144	112	92	70	34	14	2				
57	88	112	106	126	100	122	104	101	84	46	25	4	1			19
54	94	97	94	118	109	153	136	124	120	73	47	14	1	1		
3	2	3	6	7	1	2	1	2	2							20
7	3	5	5	6	3	3	1	3	1							
52	67	55	60	72	51	51	59	48	29	15	8	2				21
179	139	101	69	50	51	46	49	41	34	20	5	5				
296	256	233	199	164	107	62	57	27	17	3	4	1			1	22
187	166	134	105	75	78	48	40	36	28	8	4	1			2	
16	6	15	12	7	10	14	12	3	2		1					23
6	11	10	9	11	10	3	5	3	5		1					
2,316	3,005	3,389	4,062	4,570	4,750	5,739	6,265	5,960	5,205	3,236	1,521	399	75	21	40	24
993	1,308	1,676	2,085	2,628	2,746	3,395	3,754	3,622	3,266	2,028	963	237	43	7	28	25
1,323	1,697	1,713	1,977	1,942	2,004	2,344	2,511	2,338	1,939	1,208	558	162	32	14	12	26
184	183	176	208	180	169	186	144	142	106	62	32	9			1	
159	176	126	148	139	122	137	150	118	77	46	23	7	2	1		27
746	1,040	1,386	1,724	2,277	2,375	2,842	3,077	2,776	2,410	1,401	594	151	28	6	21	
676	951	1,122	1,371	1,539	1,708	2,058	2,204	2,079	1,736	1,076	494	144	29	13	11	28
28	41	30	52	49	48	74	67	84	66	58	22	7	2		1	
29	36	40	53	35	39	32	44	26	33	24	11	3	1			29
8	10	17	23	14	14	35	24	24	17	8	3					
1	5	6	9	7	8	1	11	6	2	5	1					30
9	13	28	20	45	45	68	125	204	264	215	137	42	8		3	
8	5	4	6	7	10	15	18	26	26	35	20	5				31
66	146	154	184	96	41	38	35	35	21	8						32
136	120	91	94	53	30	16	17	13	9	3	1	2				33
46	52	49	52	52	34	42	27	30	35	8	7	1				34
171	178	110	47	11	10	5	4									35
18	21	39	58	63	95	190	317	392	403	284	175	28	5	1	2	
31	28	11	13	3	2		1	5		3	1				1	36
1,705	1,385	601	62	4											4	37
734	487	191	20	1												38
308	293	128	12												1	39
663	605	282	30	3											3	40
48	75	76	87	131	137	174	218	315	370	331	186	93	16	4	5	41
23	47	44	50	75	69	94	121	188	215	195	104	47	6	2	2	42
25	28	32	37	56	68	80	97	127	155	136	82	46	10	2	3	43
6	12	17	14	27	31	63	85	141	189	168	90	42	6	2	1	
8	10	8	15	27	38	56	75	108	125	111	73	41	9	2	1	44
5	9	5	11	14	11	9	17	21	11	11	3					
3	1	6	5	6	7	7	4	3	5	5	1					45
11	16	16	18	22	19	15	11	11	3	4	6	2			1	
10	10	13	10	10	9	5	8	8	14	4	2	3			2	46
1	10	6	7	12	8	7	8	15	12	12	5	3				
4	7	5	7	13	14	12	10	8	11	16	6	2	1			47
45	55	54	50	53	47	34	54	45	20	17	13	1	1			48
28	36	36	28	36	31	25	33	27	11	9	6	1	1			49
17	19	18	22	17	16	9	21	18	9	8	7					50
25	31	34	25	31	23	19	24	21	9	7	3		1			
16	19	15	19	15	12	9	18	11	5	6	4					51
3	3	1	3	4	6	4	7	3		1	2					
		3	3	2	4		3	2	3	1	1					52
	2	1		1	2	2	2	3	2	1	1	1				
1								5	1	1	2					53

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA,

	CAUSE OF DEATH.	AGE.											
		All ages	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	X.—Malformations	7,755	7,286	203	72	32	21	7,614	59	30	28	6	7
2	Males	4,430	4,168	117	37	20	12	4,354	32	16	17	2	3
3	Females	3,325	3,118	86	35	12	9	3,260	27	14	11	4	4
4	Hydrocephalus M	378	267	57	15	8	8	355	8	7	4	1	
	Hydrocephalus F	286	225	26	18	3	1	273	4	2	2		1
5	Congenital malformation of heart (cyanosis). M	2,762	2,661	31	14	9	3	2,718	18	8	13	1	2
	Congenital malformation of heart (cyanosis). F	2,004	1,906	36	11	6	4	1,963	17	9	8	4	2
6	Other congenital malformations M	1,290	1,240	29	8	3	1	1,281	6	1			1
	Other congenital malformations F	1,035	987	24	6	3	4	1,024	6	3	1		1
7	XI.—Diseases of early infancy	33,274	33,274					33,274					
8	Males	18,840	18,840					18,840					
9	Females	14,434	14,434					14,434					
10	Premature birth M	10,267	10,267					10,267					
	Premature birth F	8,019	8,019					8,019					
11	Congenital debility M	8,573	8,573					8,573					
	Congenital debility F	6,415	6,415					6,415					
12	XII.—Old age	13,456											
13	Males	5,933											
14	Females	7,523											
15	XIII.—Violence	55,537	4,946	1,080	932	787	651	8,446	2,079	1,586	2,852	4,495	4,878
16	Males	42,434	2,929	617	568	421	340	4,875	1,374	1,310	2,299	3,737	4,189
17	Females	13,103	2,017	463	414	366	311	3,571	705	276	553	758	689
18	Suicide M	6,494							1	15	146	477	612
	Suicide F	1,908							1	10	175	287	254
19	Fractures and dislocations M	230	3	1			1	5	5	2	7	8	24
	Fractures and dislocations F	127	1	1				2	1	1	1		1
20	Burns and scalds M	1,677	89	249	262	176	101	877	113	33	39	69	74
	Burns and scalds F	2,315	69	165	209	223	170	836	312	67	81	100	98
21	Heat and sunstroke M	562	80	7	3	4	2	96	6	8	11	14	28
	Heat and sunstroke F	254	67	6	1	2	3	79	5	5	3	4	7
22	Cold and freezing M	221	4	1			1	6	3	1	3	10	14
	Cold and freezing F	30	5	1	1			7	1			1	
23	Lightning M	136							4	6	25	12	16
	Lightning F	14			1			1	2	3		1	2
24	Drowning M	4,144	14	48	45	52	46	205	354	415	505	508	398
	Drowning F	414	8	39	21	7	9	84	32	37	63	41	31
25	Inhalation of poisonous gases [1] M	1,262	12	13	12	13	17	67	35	19	59	90	99
	Inhalation of poisonous gases [1] F	575	15	14	13	17	10	69	26	22	28	51	33
26	Other accidental poisonings M	1,006	98	142	77	40	32	389	38	22	21	41	58
	Other accidental poisonings F	773	85	100	69	38	26	318	46	15	30	52	40
27	Accidental gunshot wounds M	840		3	2	7	8	20	59	138	181	92	77
	Accidental gunshot wounds F	104		1	1	4	3	9	11	19	14	7	9
28	Injuries by machinery M	1,139			2	1	4	7	18	39	126	156	176
	Injuries by machinery F	35			1		1	2	3		9	3	2
29	Injuries in mines and quarries M	1,994							3	13	153	366	347
	Injuries in mines and quarries F	3											
30	Railroad accidents and injuries M	6,299	3	10	16	8	9	46	109	193	406	762	835
	Railroad accidents and injuries F	360		5	2	1	7	15	35	21	24	18	23
31	Street-car accidents M	1,412		15	12	22	22	71	112	48	62	115	92
	Street-car accidents F	311	1	4	11	19	14	49	53	7	12	10	14
32	Injuries by vehicles and horses M	1,883	6	18	33	36	36	129	163	94	89	100	132
	Injuries by vehicles and horses F	209	9	18	16	11	23	77	46	13	7	10	7
33	Automobile accidents M	473		1	2	3	9	15	57	40	15	34	45
	Automobile accidents F	159		1		4	5	10	24	7	8	11	17
34	Suffocation M	512	277	12	4	1	2	296	11	11	11	23	25
	Suffocation F	292	237	13	3	1	2	256	5	4	1	5	2
35	Other accidental injuries M	7,798	132	94	92	55	48	421	261	188	336	539	717
	Other accidental injuries F	3,150	85	92	62	35	34	308	93	35	36	42	47
36	Injuries at birth M	2,137	2,137					2,137					
	Injuries at birth F	1,371	1,371					1,371					
37	Homicide M	2,215	74	3	6	3	2	88	22	25	104	321	420
	Homicide F	639	64	3	3	4	4	78	9	10	61	115	102
38	XIV.—Ill-defined causes	12,477	6,615	817	171	79	37	7,719	97	61	62	96	122
39	Males	6,692	3,601	406	86	42	18	4,153	51	30	27	47	61
40	Females	5,785	3,014	411	85	37	19	3,566	46	31	35	49	61
41	"Dropsy" M	333	10	2			1	13	6	5	2	4	3
	"Dropsy" F	392	14	3				17	4	2	2	5	9
42	"Heart failure" M	1,065	113	8	3	6	3	133	6	3	10	19	28
	"Heart failure" F	695	85	6	2	3	1	97	2	5	11	20	17
43	Other ill-defined causes M	4,568	3,150	363	63	28	9	3,613	22	10	12	11	16
	Other ill-defined causes F	4,111	2,629	361	63	27	12	3,092	19	6	11	11	18
44	Unknown causes M	726	328	33	20	8	5	394	17	12	3	13	14
	Unknown causes F	587	286	41	20	7	6	360	21	18	11	13	17

[1] Includes "Conflagration."

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE: 1909—Continued.

AGE—continued.																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100+	Unknown.	
3	4	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
2	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
1	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	195	540	1,323	2,583	3,570	3,110	1,532	438	147	18	12
.....	.....	.....	.....	.....	.....	86	255	577	1,187	1,622	1,376	615	156	52	7	13
.....	.....	.....	.....	.....	.....	109	285	746	1,396	1,948	1,734	917	282	95	11	14
4,148	4,418	3,919	3,821	3,081	2,458	2,086	1,802	1,533	1,385	1,168	721	289	60	10	302	15
3,567	3,807	3,457	3,276	2,601	2,037	1,647	1,291	1,001	744	516	294	100	20	3	289	16
581	611	462	545	480	421	439	511	532	641	652	427	189	40	7	13	17
615	679	728	754	686	552	432	333	214	127	56	22	3	2	.....	40	
234	193	139	169	140	102	81	50	39	18	10	3	.....	.....	.....	3	18
17	22	16	18	15	18	12	10	5	12	18	7	6	1	.....	2	
1	2	1	5	1	1	6	10	13	21	27	21	10	2	.....	.....	19
59	77	59	60	47	33	36	28	26	18	13	6	5	.....	2	3	
91	93	69	75	77	69	75	72	57	72	44	18	8	1	.....	.....	20
37	51	62	39	32	42	25	24	31	25	21	7	1	.....	.....	2	
.....	4	11	13	14	12	17	17	14	16	13	13	5	2	.....	.....	21
12	14	27	18	20	20	19	12	16	11	7	2	.....	1	.....	5	
1	.....	2	2	.....	2	1	5	3	2	2	1	.....	.....	.....	.....	22
12	12	11	9	8	8	6	4	1	2	.....	.....	.....	.....	.....	.....	
1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	23
285	329	282	259	185	129	86	58	51	19	8	4	3	.....	.....	61	
23	23	18	13	10	11	6	6	5	7	1	.....	1	.....	.....	2	24
123	134	120	99	89	72	66	55	41	38	28	6	4	1	.....	17	
29	45	30	35	28	22	22	30	37	30	26	11	.....	.....	.....	1	25
58	60	61	64	50	40	28	27	22	19	4	1	1	.....	.....	2	
43	46	31	31	20	22	15	25	16	14	7	2	.....	.....	.....	.....	26
66	51	54	27	27	16	12	7	8	2	.....	.....	.....	.....	.....	3	
7	14	3	3	4	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	27
109	112	115	94	74	47	29	23	7	5	.....	.....	.....	.....	.....	2	
1	3	3	2	4	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	28
281	255	202	146	94	52	33	19	7	6	1	1	.....	.....	.....	15	
.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	29
700	709	586	562	395	280	227	179	99	79	39	16	1	.....	.....	76	
18	27	18	35	19	23	23	30	13	11	5	1	.....	.....	.....	1	30
110	113	117	151	97	86	66	48	51	37	18	10	4	.....	.....	4	
15	14	13	27	11	21	22	12	13	9	6	1	1	.....	.....	1	31
119	154	129	146	124	118	122	100	72	57	23	9	1	.....	.....	2	
1	9	8	12	18	12	7	15	7	13	5	2	.....	.....	.....	.....	32
39	31	38	28	35	17	27	20	17	11	3	1	.....	.....	.....	.....	
9	13	9	12	9	7	5	7	8	.....	3	.....	.....	.....	.....	.....	33
17	23	28	18	14	13	9	4	4	3	.....	1	.....	.....	.....	1	
1	3	3	.....	3	1	2	1	2	3	.....	.....	.....	.....	.....	.....	34
598	685	615	610	519	440	374	322	313	267	270	199	71	15	1	37	
40	59	65	80	96	100	149	221	297	422	500	353	163	35	7	2	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
310	296	207	174	90	54	38	18	16	6	7	2	.....	.....	.....	17	
66	60	37	31	25	15	7	8	7	1	3	.....	1	.....	.....	3	37
136	154	222	252	278	306	390	499	534	553	468	309	120	38	8	53	38
76	86	131	156	168	162	216	289	284	266	244	130	52	18	4	41	39
60	68	91	96	110	144	174	210	250	287	224	179	68	20	4	12	40
13	6	19	8	22	25	26	39	35	39	38	17	8	2	2	1	
10	10	19	14	23	26	29	33	52	61	37	26	10	2	1	.....	41
28	38	42	39	33	63	102	125	115	83	57	23	7	5	.....	6	
23	28	28	36	38	42	76	80	62	60	39	23	4	1	1	2	42
19	21	40	24	44	62	64	98	112	125	135	83	36	10	1	10	
16	16	35	33	40	65	54	88	124	147	140	122	52	16	2	4	43
16	21	30	35	19	12	24	27	22	19	14	7	1	1	1	24	
11	14	9	13	9	11	15	9	12	19	8	8	2	1	.....	6	44

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909.

THE REGISTRATION AREA.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	732,538	140,057	30,279	12,659	7,853	5,686	16,142	28,899	57,036	62,870	66,761	73,435	89,124	87,599	46,213	6,807	324	794
I.—General diseases	192,788	11,828	8,030	5,001	3,619	2,744	7,653	13,243	27,658	26,571	23,835	22,206	20,635	14,227	4,837	524	23	154
Typhoid fever	10,722	67	97	139	132	110	647	2,174	3,003	1,919	1,154	700	372	168	30	3	.....	7
Malarial fever	1,175	77	57	44	27	21	51	99	157	135	119	110	130	95	52	.....	.....	1
Smallpox	79	16	.....	4	.....	.....	2	6	17	11	11	6	1	3	2	.....	.....	.....
Measles	4,860	1,247	1,710	695	319	194	375	130	72	47	30	20	11	9	1	.....	.....	.....
Scarlet fever	5,781	279	722	851	781	592	1,597	671	188	74	12	5	4	5	.....	.....	.....	.....
Whooping cough	4,906	2,794	1,154	432	203	103	169	26	6	3	1	3	4	5	1	2	.....	.....
Diphtheria	8,930	566	1,491	1,289	1,122	931	2,349	808	177	83	54	27	19	12	.....	.....	.....	2
Croup	1,428	189	316	263	204	159	255	27	8	2	3	1	.....	1	.....	.....	.....	.....
Influenza	6,649	637	146	84	43	31	91	163	252	321	402	548	1,077	1,548	1,112	179	6	9
Cholera nostras	415	73	26	8	14	8	13	7	10	18	20	38	49	63	58	9	.....	1
Dysentry	2,871	551	257	108	47	25	37	40	78	89	108	197	352	544	364	63	6	.....
Erysipelas	2,004	592	43	19	7	4	9	42	108	146	207	219	248	225	116	15	.....	4
Other epidemic diseases	168	44	33	19	11	12	13	5	11	5	4	4	2	4	1	.....	.....	.....
Septicemia	1,657	205	41	29	14	10	64	110	213	240	202	183	164	115	57	7	.....	3
Tuberculosis of lungs	70,040	899	524	242	165	132	556	6,268	19,384	17,096	11,388	6,834	4,162	1,912	388	25	1	64
Tuberculosis of larynx	804	8	2	5	.....	1	7	34	199	192	152	103	62	32	7	.....	.....	.....
Tuberculous meningitis	4,575	1,049	864	502	276	208	523	444	283	202	118	62	32	10	1	.....	.....	1
Abdominal tuberculosis	3,041	242	132	46	61	39	126	333	586	454	342	315	223	113	24	1	.....	4
Pott's disease	740	25	15	15	16	14	65	131	134	96	66	76	46	35	5	.....	.....	1
Tuberculous abscess	72	10	5	3	2	2	2	7	10	7	6	9	4	5	.....	.....	.....	.....
White swelling	379	17	17	2	7	4	34	33	61	34	38	37	24	16	5	.....	.....	.....
Tuberculosis of other organs	885	59	28	11	7	4	41	84	146	142	124	88	85	53	11	1	.....	1
General tuberculosis	1,184	97	66	17	14	6	37	150	268	191	142	93	75	25	3	.....	.....	.....
Scrofula	115	60	10	9	7	3	3	7	2	1	1	4	1	6	1	.....	.....	.....
Venereal diseases	2,999	1,582	102	28	18	5	15	56	227	336	304	187	86	41	7	.....	.....	5
Cancer of mouth	1,427	6	2	.....	.....	3	1	12	15	41	164	310	390	344	124	13	1	1
Cancer of stomach and liver	14,915	5	3	3	1	5	8	18	149	690	2,023	3,722	4,486	3,087	669	34	.....	12
Cancer of intestines	4,676	1	1	2	4	4	17	31	123	311	673	1,104	1,243	941	199	17	.....	5
Cancer of female genital organs	5,714	.....	.....	.....	.....	.....	.....	16	137	699	1,508	1,572	1,113	526	135	4	1	3
Cancer of breast	3,585	.....	.....	.....	.....	.....	.....	1	26	284	782	865	818	583	205	18	1	2
Cancer of skin	1,492	4	1	1	2	1	2	6	8	42	107	217	351	410	289	49	1	1
Cancer of other or unspecified organs	5,753	20	20	28	27	17	52	104	243	404	838	1,220	1,388	999	356	32	1	4
Tumor	458	20	2	3	2	1	7	10	26	41	55	73	109	74	33	2	.....	.....
Rheumatism	3,633	36	19	18	29	45	252	490	338	326	367	425	523	525	217	19	2	2
Diabetes	7,024	4	21	32	15	18	124	390	360	499	733	1,466	1,926	1,176	237	17	1	5
Anemia, leukemia	3,253	216	65	31	27	24	80	183	242	329	501	596	564	310	77	7	1	.....
Alcoholism	2,578	.....	.....	.....	.....	.....	.....	8	184	730	761	503	275	94	9	.....	.....	14
Chronic poisonings	353	.....	.....	.....	.....	.....	.....	5	33	75	58	69	61	36	13	1	.....	2
Other general diseases	1,448	131	38	19	15	8	29	64	174	256	257	195	155	77	28	1	1	.....
II.—Diseases of nervous system	74,656	8,828	2,103	992	638	462	1,322	1,884	2,236	3,599	6,052	9,320	13,928	15,150	7,298	737	23	84
Encephalitis	355	84	42	20	10	6	18	20	24	23	35	17	24	23	8	1	.....	.....
Meningitis	7,853	2,464	1,129	649	399	272	683	636	427	330	318	230	164	114	30	2	.....	6
Locomotor ataxia	1,386	.....	1	.....	.....	1	1	4	23	94	299	397	355	170	37	3	.....	1
Other diseases of spinal cord	2,905	166	124	74	66	55	106	149	134	183	260	378	583	474	137	14	.....	2
Apoplexy	36,463	531	86	32	19	14	69	134	391	1,055	2,716	5,757	9,588	10,468	5,052	494	11	46
Softening of brain	1,126	.....	.....	.....	1	.....	2	1	14	31	57	137	238	407	213	23	.....	2
Paralysis	7,669	70	16	7	10	6	18	45	76	206	406	886	1,824	2,496	1,429	157	9	8
General paralysis of insane	2,584	.....	.....	.....	.....	.....	.....	4	73	515	842	537	278	232	89	9	2	3
Other forms of mental disease	1,717	.....	.....	.....	.....	.....	1	33	125	221	274	277	324	304	141	9	.....	8
Other diseases of brain	1,854	146	37	27	18	20	79	133	218	275	299	242	158	137	52	12	1	.....
Epilepsy	2,066	94	25	16	9	15	68	255	426	344	265	218	157	124	42	4	.....	4
"Convulsions"	5,531	4,613	526	109	68	29	47	21	45	33	16	9	4	6	3	.....	.....	2
Tetanus	1,373	422	12	11	9	15	153	297	121	126	87	63	43	13	1	.....	.....	.....
Other diseases of nervous system	1,774	238	105	47	29	29	77	152	139	163	178	172	188	182	64	9	.....	2
III.—Diseases of circulatory system	90,456	1,425	184	139	122	127	937	2,414	3,321	5,452	8,571	12,885	20,531	22,326	10,709	1,201	41	71
Pericarditis	660	15	5	8	4	5	26	43	46	61	71	88	106	124	52	5	.....	1
Endocarditis	6,906	168	29	35	33	29	198	321	419	588	797	1,024	1,372	1,267	566	54	3	3
Heart disease	65,971	753	94	71	67	70	650	1,934	2,534	4,174	6,612	9,785	15,353	16,054	7,056	677	21	61
Angina pectoris	3,481	2	1	.....	1	4	5	21	66	138	331	642	1,100	878	268	21	.....	3
Diseases of arteries	10,174	6	.....	.....	1	.....	2	12	53	187	424	915	2,076	3,515	2,545	420	17	1
Embolism and thrombosis	1,981	38	8	1	3	5	12	40	134	207	224	323	391	395	178	22	.....	.....
Diseases of veins	320	3	2	1	.....	.....	5	4	18	41	50	51	75	50	19	.....	.....	1
Diseases of lymphatics	154	68	17	7	5	3	11	6	7	5	5	5	5	6	3	1	.....	.....
Other diseases of circulatory system	809	367	28	16	8	11	28	33	44	51	57	52	53	37	22	1	.....	1
IV.—Diseases of respiratory system	90,868	22,990	8,479	3,166	1,531	931	1,880	2,138	3,863	5,511	6,360	7,303	9,627	10,285	5,831	898	33	42
Laryngitis	334	64	49	39	35	16	32	12	13	15	9	10	8	18	11	3	.....	.....
Other diseases of larynx	436	120	70	43	43	25	47	7	11	15	17	16	8	9	5	.....	.....	.....
Diseases of thyroid body	194	10	1	.....	.....	.....	4	17	26	23	20	41	29	17	5	1	.....	.....
Acute bronchitis	6,939	4,078	921	272	127	64	68	31	39	33	56	115	222	414	408	86	5	.....
Chronic bronchitis	5,188	156	58	21	7	5	48	68	110	140	224	419	952	1,579	1,182	212	5	2
Bronchopneumonia	21,026	8,948	3,729	1,262	542	296	483	212	260	378	449	657	1,215	1,529	910	149	3	4
Pneumonia (lobar and unqualified)	49,007	8,601	3,393	1,421	723	462	1,065	1,564	2,946	4,316	4,824	5,142	6,053	5,531	2,582	334	18	32
Pleurisy	2,082	119	129	59	19	23	72	130	202	226	251	239	279	238	83	12	.....	1
Congestion of lungs	2,550	712	78	26	19	24	26	35	76	98	146	171	276	406	377	77	2	1
Gangrene of lungs	221	1	5	2	2	2	5	10	20	37	41	38	34	20	4	.....	.....	.....
Asthma and emphysema	1,556	28	14	11	7	9	13	7	33	73	152	269	355	384	185	15	.....	1
Hemorrhage of lungs	601	40	1	5	2	1	5	18	70	98	97	80	94	57	28	4	.....	1
Other diseases of respiratory system	734	113	31	5	5	4	12	27	57	59	74	106	102	83	51	5	.....	.....

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

THE REGISTRATION AREA—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	91,970	41,161	8,896	1,840	833	563	1,543	2,642	3,502	4,240	5,345	5,905	6,407	5,785	2,888	385	14	21
Diseases of mouth	356	221	28	8	4	5	8	5	11	13	9	11	8	15	10	.....	.....	.....
Tonsillitis	434	43	28	34	28	30	65	78	49	25	14	9	12	13	5	1	.....	.....
Other diseases of pharynx	487	60	33	15	8	12	24	42	25	31	45	40	60	55	29	7	.....	1
Ulcer of stomach	1,770	12	4	3	1	4	10	48	182	257	318	335	299	222	70	2	.....	3
Gastritis	4,138	987	166	63	43	27	57	62	143	207	259	381	534	689	461	54	1	4
Other diseases of stomach	4,033	1,658	142	55	38	19	46	43	107	176	225	289	346	500	318	65	4	2
Dentition	107	59	45	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	52,516	36,516	8,132	1,452	530	270	406	214	277	336	442	598	945	1,310	930	150	4	4
Hernia	2,018	154	10	6	5	3	10	26	87	121	262	355	459	355	147	17	.....	1
Obstruction of intestines	4,353	729	142	61	45	55	147	194	337	380	453	458	549	539	226	33	2	3
Other diseases of intestines	1,473	314	49	37	24	12	30	37	102	127	140	142	155	168	122	12	2	.....
Acute yellow atrophy of liver	211	10	4	3	1	.....	5	7	34	31	22	28	35	23	8	.....	.....	.....
Hydatid tumors of liver	19	1	.....	.....	.....	.....	.....	1	6	1	1	7	.....	2	.....	.....	.....	.....
Cirrhosis of liver	7,045	9	6	4	5	5	19	29	184	731	1,477	1,730	1,653	943	239	11	.....	.....
Biliary calculi	1,486	5	.....	.....	.....	.....	4	6	50	115	248	366	384	241	63	4	.....	.....
Other diseases of liver	2,829	142	24	26	15	20	37	57	197	293	409	453	515	429	191	20	1	.....
Diseases of spleen	97	2	3	3	1	.....	2	5	15	15	19	17	7	8	.....	.....	.....	.....
Peritonitis	2,611	203	52	44	38	29	141	320	426	437	285	224	205	152	48	7	.....	.....
Appendicitis	5,768	29	25	21	45	69	530	1,463	1,247	905	671	424	207	108	19	2	.....	3
Other diseases of digestive system	219	7	3	2	2	3	2	5	23	39	46	38	34	13	2	.....	.....	.....
VI.—Diseases of genito-urinary system	57,070	902	304	209	157	122	446	1,200	3,177	5,321	7,451	9,320	12,004	11,165	4,757	474	21	40
Acute nephritis	5,018	349	154	102	90	72	210	296	532	702	658	610	617	443	163	18	1	1
Bright's disease	43,412	347	131	95	63	45	212	726	1,728	3,413	5,603	7,899	10,181	9,001	3,565	352	19	32
Other diseases of kidneys	1,318	129	14	6	2	2	12	31	87	134	175	171	217	209	115	13	.....	1
Calculi of urinary tract	292	4	1	.....	1	1	2	7	17	24	55	43	71	49	17	.....	.....	.....
Diseases of bladder	1,484	36	3	3	1	1	7	4	18	35	58	107	226	520	407	55	.....	3
Uterine tumor	862	.....	.....	.....	.....	.....	.....	3	35	212	338	137	73	56	8	.....	.....	.....
Other diseases of uterus	838	2	1	1	.....	.....	1	52	196	256	185	83	33	22	4	2	.....	.....
Ovarian tumor	518	.....	.....	.....	.....	.....	.....	10	73	98	101	86	69	65	15	1	.....	.....
Diseases of tubes	1,024	.....	.....	.....	.....	.....	1	65	422	349	157	21	9	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	2,304	35	.....	2	.....	1	1	6	69	98	121	163	508	800	463	33	1	3
VII.—Childbirth	7,791	.....	.....	.....	.....	.....	.....	558	3,472	3,090	663	4	.....	.....	.....	.....	.....	4
Puerperal septicemia	3,427	.....	.....	.....	.....	.....	.....	264	1,730	1,221	211	1	.....	.....	.....	.....	.....	.....
Puerperal convulsions	1,706	.....	.....	.....	.....	.....	.....	188	776	601	140	.....	.....	.....	.....	.....	.....	1
Other causes incident to childbirth	2,658	.....	.....	.....	.....	.....	.....	106	966	1,268	312	3	.....	.....	.....	.....	.....	3
VIII.—Diseases of skin	2,985	486	54	22	13	5	17	47	75	123	163	268	392	685	517	109	4	5
Gangrene	1,691	39	10	4	5	2	6	10	14	36	54	123	279	563	442	98	4	2
Carbuncle	257	45	6	1	.....	.....	.....	10	15	18	27	38	37	40	20	.....	.....	.....
Abscess	534	154	24	11	6	3	10	25	38	47	57	60	39	36	16	5	.....	3
Other diseases of skin	503	248	14	6	2	.....	1	2	8	22	25	47	37	46	39	6	.....	.....
IX.—Diseases of locomotor system	1,455	316	129	65	42	23	109	154	128	100	104	100	88	65	30	2	.....	.....
Diseases of bones	1,325	307	127	65	41	23	103	141	116	91	93	81	70	46	20	1	.....	.....
Diseases of joints	88	7	2	.....	.....	.....	3	7	10	6	10	16	14	8	5	.....	.....	.....
Other diseases of locomotor system	42	2	.....	.....	1	.....	3	6	2	3	1	3	4	11	5	1	.....	.....
X.—Malformations	7,755	7,286	203	72	32	21	59	58	13	7	3	1	.....	.....	.....	.....	.....	.....
Hydrocephalus	664	492	83	33	11	9	12	15	2	4	2	1	.....	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	4,766	4,567	67	25	15	7	35	38	9	2	1	.....	.....	.....	.....	.....	.....	.....
Other congenital malformations	2,325	2,227	53	14	6	5	12	5	2	1	.....	.....	.....	.....	.....	.....	.....	.....
XI.—Diseases of early infancy	33,274	33,274	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	18,286	18,286	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	14,988	14,988	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	13,456	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	735	3,906	6,680	1,970	147	18
XIII.—Violence	55,537	4,946	1,080	982	787	651	2,079	4,438	9,373	8,566	7,740	5,539	3,888	2,918	1,889	349	10	302
Suicide	8,402	.....	.....	.....	.....	.....	2	346	1,630	1,721	1,790	1,480	896	398	91	5	.....	43
Fractures and dislocations	357	4	2	.....	.....	1	6	11	33	42	40	35	38	51	73	19	.....	2
Burns and scalds	3,992	158	414	471	399	271	425	220	341	320	263	226	211	173	81	14	2	3
Heat and sunstroke	816	147	13	4	6	5	11	27	53	92	125	100	83	86	54	8	.....	2
Cold and freezing	251	9	2	1	.....	1	4	4	25	27	49	42	37	32	12	1	.....	5
Lightning	150	.....	.....	1	.....	.....	6	34	31	27	20	17	10	3	1	.....	.....	.....
Drowning	4,558	22	87	66	59	55	386	1,020	978	660	572	335	156	82	13	4	.....	63
Inhalation of poisonous gases (including conflagration)	1,837	27	27	25	30	27	61	128	273	331	284	211	173	146	71	5	.....	18
Other accidental poisonings	1,779	183	242	146	78	58	84	88	191	207	187	132	95	71	14	1	.....	2
Accidental gunshot wounds	944	.....	4	3	11	11	70	352	185	138	87	48	21	11	.....	.....	.....	3
Injuries by machinery	1,174	.....	.....	3	1	5	21	174	337	225	214	125	53	14	.....	.....	.....	2
Injuries in mines and quarries	1,997	.....	.....	.....	.....	.....	3	166	713	537	350	146	52	13	2	.....	.....	15
Railroad accidents and injuries	6,659	3	15	18	9	16	144	644	1,638	1,454	1,201	717	459	202	61	1	.....	77
Street-car accidents	1,723	1	19	23	41	36	165	129	231	252	308	215	148	110	35	5	.....	5
Injuries by vehicles and horses	2,152	15	36	49	47	59	209	203	249	283	295	272	244	149	39	1	.....	2
Automobile accidents	632	.....	2	2	7	14	81	70	107	92	87	68	59	36	7	.....	.....	.....
Suffocation	804	514	25	7	2	4	16	27	55	44	49	31	16	12	1	.....	.....	1
Other accidental injuries	10,948	217	188	154	90	82	354	595	1,345	1,382	1,370	1,155	1,066	1,299	1,322	284	8	39
Injuries at birth	3,508	3,508	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	2,854	138	6	9	7	6	31	200	958	732	449	184	71	30	12	1	.....	20
XIV.—Ill-defined causes	12,477	6,615	817	171	79	37	97	123	218	290	474	584	889	1,087	777	158	8	53
"Dropsy"	725	24	5	.....	.....	1	10	11	21	39	60	96	127	187	118	22	3	1
"Heart failure"	1,760	198	14	5	9	4	8	29	84	117	195	226	383	320	142	17	1	8
Other ill-defined causes	8,679	5,779	724	126	55	21	41	39	56	72	132	211	304	508	480	114	3	14
Unknown causes	1,313	614	74	40	15	11	38	44	57	62	87	51	75	72	37	5	1	30

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

REGISTRATION STATES.[1]

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	630,057	121,728	26,138	10,905	6,685	4,850	13,736	24,098	46,241	51,711	54,957	62,195	78,341	78,975	42,344	6,198	256	699
I.—General diseases	164,631	10,458	7,047	4,336	3,093	2,346	6,497	11,034	22,597	22,058	19,919	18,997	18,226	12,901	4,478	489	22	133
Typhoid fever	8,914	51	79	118	114	94	536	1,796	2,401	1,596	991	611	338	153	26	3	.....	7
Malarial fever	627	44	30	26	14	10	24	40	62	68	52	67	76	71	42	.....	.....	1
Smallpox	53	14	.....	1	.....	.....	1	4	7	6	9	5	1	3	2	.....	.....	.....
Measles	4,423	1,146	1,563	629	283	170	334	117	70	42	29	19	11	9	1	.....	.....	.....
Scarlet fever	4,909	240	624	730	653	499	1,348	575	158	60	11	2	4	5	.....	.....	.....	.....
Whooping cough	4,419	2,548	1,029	380	177	84	153	23	6	3	1	3	4	5	1	2	.....	.....
Diphtheria	7,541	485	1,272	1,093	947	790	1,969	668	150	72	46	21	16	10	.....	.....	.....	2
Croup	1,273	171	285	237	177	145	221	22	8	2	3	1	.....	1	.....	.....	.....	.....
Influenza	5,876	571	126	70	39	27	84	140	202	257	335	448	946	1,404	1,041	172	6	8
Cholera nostras	364	65	19	8	10	6	12	6	9	13	18	31	46	55	57	8	.....	1
Dysentery	2,369	461	208	94	39	24	34	25	37	59	75	148	292	468	335	64	6	.....
Erysipelas	1,726	528	38	16	6	4	8	38	87	120	165	192	207	197	105	11	.....	4
Other epidemic diseases	150	42	28	18	11	12	11	4	7	3	4	4	2	3	1	.....	.....	.....
Septicemia	1,298	181	36	22	13	9	50	85	146	168	146	145	133	103	52	6	.....	3
Tuberculosis of lungs	58,965	799	455	210	141	110	465	5,191	16,000	14,339	9,540	5,823	3,665	1,787	367	20	1	52
Tuberculosis of larynx	699	8	2	4	.....	1	7	28	173	163	131	90	58	29	5	.....	.....	.....
Tuberculous meningitis	4,045	953	779	464	249	186	450	380	240	167	94	47	26	8	1	.....	.....	1
Abdominal tuberculosis	2,591	223	113	38	58	34	113	280	491	363	282	277	189	102	24	1	.....	3
Pott's disease	636	21	15	13	13	12	56	112	109	82	52	70	42	33	5	.....	.....	1
Tuberculous abscess	62	9	4	2	1	2	2	5	10	5	5	8	4	5	.....	.....	.....	.....
White swelling	321	13	16	1	6	4	30	70	48	29	32	33	20	14	5	.....	.....	.....
Tuberculosis of other organs	754	49	23	10	6	4	35	79	121	114	107	73	73	48	10	1	.....	1
General tuberculosis	1,032	90	63	15	12	4	34	126	228	167	119	78	71	22	3	.....	.....	.....
Scrofula	104	56	8	7	5	3	2	7	2	1	1	4	1	6	1	.....	.....	.....
Venereal diseases	2,301	1,293	81	21	11	4	14	42	143	228	226	136	60	32	7	.....	.....	3
Cancer of mouth	1,244	6	2	.....	.....	1	1	11	12	33	138	254	351	302	120	11	1	1
Cancer of stomach and liver	13,005	5	3	2	1	5	6	14	114	577	1,698	3,156	3,974	2,794	615	32	.....	9
Cancer of intestines	4,155	.....	1	1	3	4	14	25	98	259	569	969	1,127	880	183	17	.....	5
Cancer of female genital organs	4,836	.....	.....	.....	.....	.....	.....	12	110	558	1,233	1,337	992	460	126	4	1	3
Cancer of breast	3,214	.....	.....	.....	.....	.....	.....	1	24	256	662	785	742	535	190	17	1	1
Cancer of skin	1,345	3	1	1	2	1	2	4	5	35	96	195	312	374	266	46	1	1
Cancer of other or unspecified organs	4,924	15	16	24	24	13	42	88	191	328	701	1,034	1,212	887	316	29	1	3
Tumor	408	19	2	3	1	1	4	7	23	33	45	65	103	69	31	2	.....	.....
Rheumatism	3,186	31	17	14	25	37	227	436	277	272	308	363	465	490	202	18	2	2
Diabetes	6,256	4	17	29	14	17	115	351	305	424	651	1,300	1,723	1,061	223	16	1	5
Anemia, leukemia	2,868	194	60	22	25	22	70	161	213	279	434	528	501	284	68	7	.....	.....
Alcoholism	2,284	.....	.....	.....	.....	.....	.....	6	158	631	672	452	258	86	7	.....	.....	14
Chronic poisonings	293	.....	.....	.....	.....	.....	.....	4	24	53	48	62	52	34	13	1	.....	2
Other general diseases	1,161	120	32	13	13	7	23	51	128	193	190	161	129	72	27	1	1	.....
II.—Diseases of nervous system	65,937	7,611	1,831	849	534	387	1,115	1,575	1,848	2,983	5,010	8,095	12,539	13,969	6,809	686	19	77
Encephalitis	318	75	38	19	9	5	17	19	21	22	26	14	24	20	8	1	.....	.....
Meningitis	6,736	2,127	985	576	344	232	597	523	349	260	267	195	151	95	28	2	.....	5
Locomotor ataxia	1,195	.....	1	.....	.....	1	1	3	19	83	243	341	311	154	35	2	.....	1
Other diseases of spinal cord	2,507	144	99	53	46	41	80	128	113	157	208	335	529	434	124	14	.....	2
Apoplexy	32,895	459	74	27	14	12	59	107	312	877	2,203	5,029	8,712	9,694	4,728	473	10	45
Softening of brain	961	.....	.....	.....	1	.....	2	1	8	16	43	109	202	368	189	21	.....	1
Paralysis	6,687	64	13	5	9	5	16	36	63	149	273	725	1,571	2,276	1,334	134	6	8
General paralysis of insane	2,306	.....	.....	.....	.....	.....	.....	2	64	455	760	484	233	214	82	8	2	2
Other forms of mental disease	1,544	.....	.....	.....	.....	.....	1	29	110	189	228	251	309	284	128	8	.....	7
Other diseases of brain	1,572	122	36	20	14	18	67	111	177	224	242	205	144	131	48	12	1	.....
Epilepsy	1,868	84	23	13	8	12	64	238	388	303	231	204	139	114	41	3	.....	3
"Convulsions"	4,894	4,120	460	87	56	23	35	15	34	30	14	6	4	6	3	.....	.....	1
Tetanus	896	207	10	8	8	11	110	225	77	87	60	45	37	10	1	.....	.....	.....
Other diseases of nervous system	1,558	209	92	41	25	27	66	138	113	131	152	152	173	169	60	8	.....	2
III.—Diseases of circulatory system	79,230	1,283	166	120	95	112	796	2,012	2,682	4,373	6,884	10,968	18,219	20,395	9,933	1,090	33	69
Pericarditis	556	12	3	8	4	4	20	34	37	50	55	73	93	109	48	5	.....	1
Endocarditis	5,654	144	27	29	24	25	166	259	333	462	620	812	1,117	1,097	495	40	1	3
Heart disease	58,310	696	84	62	51	61	555	1,625	2,074	3,376	5,349	8,400	13,777	14,828	6,664	632	17	59
Angina pectoris	3,126	2	.....	.....	.....	4	5	16	55	122	279	566	1,000	804	250	20	.....	3
Diseases of arteries	8,778	6	.....	.....	1	.....	2	8	32	119	309	756	1,777	3,111	2,271	370	15	1
Embolism and thrombosis	1,706	34	7	.....	3	4	11	36	101	167	189	270	336	361	165	22	.....	.....
Diseases of veins	272	3	2	1	.....	.....	4	4	12	36	37	43	67	46	16	.....	.....	1
Diseases of lymphatics	134	59	17	6	5	3	11	5	4	2	3	5	5	6	3	.....	.....	.....
Other diseases of circulatory system	694	327	26	14	7	11	22	25	34	39	43	43	47	33	21	1	.....	1
IV.—Diseases of respiratory system	77,982	19,922	7,405	2,735	1,300	768	1,593	1,760	2,986	4,520	5,242	6,071	8,387	9,135	5,266	828	25	39
Laryngitis	300	58	44	33	33	15	31	11	10	11	7	9	8	17	11	2	.....	.....
Other diseases of larynx	377	105	57	40	37	23	41	5	9	15	12	12	7	9	5	.....	.....	.....
Diseases of thyroid body	166	9	1	.....	.....	.....	3	14	17	20	17	38	27	15	5	.....	.....	.....
Acute bronchitis	6,333	3,723	837	242	116	55	60	25	31	30	47	101	204	389	386	83	4	.....
Chronic bronchitis	4,557	140	53	21	7	4	43	42	72	96	185	357	830	1,427	1,073	201	4	2
Bronchopneumonia	18,368	7,745	3,291	1,105	460	249	405	179	230	328	382	570	1,098	1,381	802	137	2	4
Pneumonia (lobar and unqualified)	41,259	7,248	2,886	1,190	598	370	890	1,297	2,278	3,547	3,988	4,244	5,215	4,848	2,318	299	13	30
Pleurisy	1,808	109	121	56	17	20	67	113	153	190	206	202	252	212	77	12	.....	1
Congestion of lungs	2,225	625	68	26	18	23	22	22	51	72	112	135	252	369	353	74	2	1
Gangrene of lungs	191	1	5	2	2	1	5	10	17	32	32	33	31	16	4	.....	.....	.....
Asthma and emphysema	1,276	23	12	10	6	5	12	6	23	56	112	214	301	323	159	13	.....	1
Hemorrhage of lungs	466	37	1	5	1	.....	4	14	45	74	79	59	69	50	25	3	.....	.....
Other diseases of respiratory system	656	99	29	5	5	3	10	22	50	49	63	97	93	79	48	4	.....	.....

[1] In this aggregate is included the District of Columbia (city of Washington), which is shown as a city in Table 8.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

REGISTRATION STATES [1]—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	77,956	35,392	7,485	1,544	702	483	1,307	2,135	2,648	3,298	4,309	4,893	5,531	5,194	2,651	356	12	16
Diseases of mouth	287	176	23	7	3	4	8	4	8	10	6	10	5	14	9	.....	.....	.....
Tonsillitis	384	38	25	29	27	26	58	70	43	22	9	9	11	12	5	.....	.....	.....
Other diseases of pharynx	435	57	30	13	8	10	20	38	19	20	38	37	54	54	29	7	.....	1
Ulcer of stomach	1,494	11	3	3	1	3	9	43	143	212	264	274	263	194	66	2	.....	3
Gastritis	3,562	892	137	50	34	21	49	48	95	145	211	308	466	620	428	53	1	4
Other diseases of stomach	3,577	1,550	123	46	35	18	36	36	70	123	166	232	307	466	301	64	3	1
Dentition	69	36	31	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	44,649	31,202	6,831	1,205	438	236	343	161	196	253	362	493	802	1,157	832	132	3	3
Hernia	1,707	131	7	3	5	3	9	20	74	96	220	299	383	310	132	14	.....	1
Obstruction of intestines	3,713	637	126	54	41	48	124	156	254	298	386	377	478	487	211	32	2	2
Other diseases of intestines	1,281	291	46	37	19	11	23	34	68	108	106	122	135	152	116	11	2	.....
Acute yellow atrophy of liver	185	9	3	3	1	.....	5	6	29	25	20	22	34	21	7	.....	.....	.....
Hydatid tumors of liver	16	1	.....	.....	.....	.....	.....	1	5	1	1	5	.....	2	.....	.....	.....	.....
Cirrhosis of liver	5,939	9	3	4	5	4	17	20	134	586	1,197	1,459	1,425	851	215	10	.....	.....
Bilary calculi	1,250	5	.....	.....	.....	.....	4	5	39	95	191	300	338	213	56	4	.....	.....
Other diseases of liver	2,361	130	22	23	13	15	34	36	132	233	322	369	443	389	180	19	1	.....
Diseases of spleen	82	2	3	3	1	.....	1	5	13	12	14	13	7	8	.....	.....	.....	.....
Peritonitis	2,168	187	48	39	32	28	123	270	336	327	224	189	178	134	47	6	.....	.....
Appendicitis	4,600	22	22	21	37	53	442	1,177	969	699	530	341	172	97	15	2	.....	1
Other diseases of digestive system	197	6	2	2	2	3	2	5	21	33	42	34	30	13	2	.....	.....	.....
VI.—Diseases of genito-urinary system	48,177	752	256	177	137	104	367	998	2,504	4,237	5,987	7,714	10,308	9,881	4,283	423	13	36
Acute nephritis	4,239	284	137	88	77	63	176	251	431	572	534	517	542	399	148	18	1	1
Bright's disease	36,648	290	103	78	56	37	170	606	1,364	2,736	4,510	6,518	8,716	7,926	3,192	307	11	28
Other diseases of kidneys	1,117	111	11	5	2	1	11	24	71	98	139	147	192	187	106	11	.....	1
Calculi of urinary tract	232	4	1	.....	1	1	2	6	13	15	38	33	60	42	16	.....	.....	.....
Diseases of bladder	1,350	32	3	3	1	1	6	4	15	28	45	93	203	482	378	53	.....	3
Uterine tumor	698	.....	.....	.....	.....	.....	.....	2	23	169	266	113	67	50	8	.....	.....	.....
Other diseases of uterus	665	2	1	1	.....	.....	1	44	149	196	148	71	26	20	4	2	.....	.....
Ovarian tumor	428	.....	.....	.....	.....	.....	.....	8	58	75	87	72	58	55	14	1	.....	.....
Diseases of tubes	798	.....	.....	.....	.....	.....	.....	49	328	264	132	17	8	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	2,002	29	.....	2	.....	1	1	4	52	84	88	133	436	720	417	31	1	3
VII.—Childbirth	6,670	.....	.....	.....	.....	.....	.....	468	2,941	2,670	585	3	.....	.....	.....	.....	.....	3
Puerperal septicemia	2,890	.....	.....	.....	.....	.....	.....	215	1,463	1,023	188	1	.....	.....	.....	.....	.....	.....
Puerperal convulsions	1,477	.....	.....	.....	.....	.....	.....	157	672	526	122	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	2,303	.....	.....	.....	.....	.....	.....	96	806	1,121	275	2	.....	.....	.....	.....	.....	3
VIII.—Diseases of skin	2,634	437	47	18	11	5	12	39	61	97	130	217	351	615	485	101	3	5
Gangrene	1,516	35	9	3	4	2	4	8	11	27	45	96	252	507	417	91	3	2
Carbuncle	218	40	4	.....	.....	.....	.....	9	14	15	21	32	27	37	19	.....	.....	.....
Abscess	463	140	24	9	5	3	7	21	31	35	48	51	36	31	14	5	.....	3
Other diseases of skin	437	222	10	6	2	.....	1	1	5	20	16	38	36	40	35	5	.....	.....
IX.—Diseases of locomotor system	1,270	274	114	57	34	22	95	133	107	86	88	90	79	59	30	2	.....	.....
Diseases of bones	1,157	266	112	57	33	22	89	122	97	79	81	73	65	40	20	1	.....	.....
Diseases of joints	75	6	2	.....	.....	.....	3	5	8	4	7	16	11	8	5	.....	.....	.....
Other diseases of locomotor system	38	2	.....	.....	1	.....	3	6	2	3	.....	1	3	11	5	1	.....	.....
X.—Malformations	6,957	6,541	181	64	27	17	53	51	13	7	3	.....	.....	.....	.....	.....	.....	.....
Hydrocephalus	592	440	73	29	8	8	11	15	2	4	2	.....	.....	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	4,306	4,127	62	22	14	6	31	32	9	2	1	.....	.....	.....	.....	.....	.....	.....
Other congenital malformations	2,059	1,974	46	13	5	3	11	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....
XI.—Diseases of early infancy	29,056	29,056	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	16,136	16,136	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	12,920	12,920	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	11,620	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	573	3,221	5,942	1,752	115	17
XIII.—Violence	47,361	4,301	936	869	692	575	1,817	3,797	7,710	7,175	6,450	4,698	3,380	2,627	1,743	326	8	257
Suicide	7,061	.....	.....	.....	.....	.....	2	295	1,309	1,439	1,494	1,279	769	355	78	5	.....	36
Fractures and dislocations	297	4	1	.....	.....	1	6	9	25	27	27	30	34	49	68	15	.....	1
Burns and scalds	3,420	143	359	423	346	237	373	175	271	262	217	194	174	157	73	11	2	3
Heat and sunstroke	637	133	12	4	4	4	8	19	34	66	93	67	69	67	48	7	.....	2
Cold and freezing	233	9	2	1	.....	1	4	3	25	25	42	37	35	32	11	1	.....	5
Lightning	143	.....	.....	1	.....	.....	6	32	30	27	17	16	10	3	1	.....	.....	.....
Drowning	4,145	20	78	63	57	54	357	922	899	596	511	298	141	77	12	3	.....	57
Inhalation of poisonous gases (including conflagration)	1,424	26	20	21	25	24	53	111	188	241	212	160	144	125	59	3	.....	12
Other accidental poisonings	1,507	159	212	124	70	51	68	73	155	168	151	113	84	63	13	1	.....	2
Accidental gunshot wounds	794	.....	3	3	11	9	55	306	152	114	69	42	16	11	.....	.....	.....	3
Injuries by machinery	1,021	.....	.....	3	1	5	19	142	285	202	188	114	46	14	.....	.....	.....	2
Injuries in mines and quarries	1,941	.....	.....	.....	.....	.....	2	164	694	522	340	139	50	13	2	.....	.....	15
Railroad accidents and injuries	5,771	3	13	18	9	15	134	556	1,413	1,270	1,033	599	402	178	51	1	.....	76
Street-car accidents	1,349	1	16	17	32	30	128	94	186	205	243	153	113	95	27	5	.....	4
Injuries by vehicles and horses	1,892	15	33	45	44	54	177	176	211	248	255	238	218	140	35	1	.....	2
Automobile accidents	543	.....	2	2	7	13	71	59	93	79	65	61	52	32	7	.....	.....	.....
Suffocation	684	422	23	5	2	4	15	26	48	40	42	29	15	11	1	.....	.....	1
Other accidental injuries	9,553	197	158	132	77	69	315	516	1,105	1,182	1,129	987	951	1,182	1,249	273	6	25
Injuries at birth	3,089	3,089	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	1,857	80	4	7	7	4	24	119	587	462	322	142	57	23	8	.....	.....	11
XIV.—Ill-defined causes	10,576	5,701	670	136	60	31	84	96	144	207	350	449	748	978	724	145	6	47
"Dropsy"	564	20	3	.....	.....	1	6	7	10	19	35	61	98	166	113	21	3	1
"Heart failure"	1,495	181	13	4	7	4	7	20	54	93	154	190	322	290	132	16	1	7
Other ill-defined causes	7,355	4,947	586	92	39	17	34	28	36	54	94	155	257	456	442	105	1	12
Unknown causes	1,162	553	68	40	14	9	37	41	44	41	67	43	71	66	37	3	1	27

[1] In this aggregate is included the District of Columbia (city of Washington), which is shown as a city in Table 8.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

CALIFORNIA.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	30,964	3,477	691	294	190	138	531	1,160	2,837	3,345	3,558	3,733	4,352	4,224	2,080	249	17	88
I.—General diseases	9,368	435	237	127	78	71	254	532	1,423	1,508	1,321	1,246	1,149	732	211	25	1	18
Typhoid fever	447	3	3	9	4	5	26	90	131	80	45	25	19	7				
Malarial fever	102	5	4	1	2		1	3	14	6	15	13	21	10	7			
Smallpox	5							1	2		1	1						
Measles	112	33	38	12	1	3	12	9	2	1				1				
Scarlet fever	71	1	4	2	5	8	26	16	5	1	3							
Whooping cough	195	117	47	14	3	4	6	3		1								
Diphtheria	207	4	23	24	23	13	71	34	6	3	3	2	1					
Croup	37	4	11	8	2	3	8		1									
Influenza	195	15	1		2	1	5	2		9	14	17	25	48	46	9	1	
Cholera nostras	8	3		1			1						2	1				
Dysentery	82	26	5	2	1		1	1	5	10	2	8	7	9	5			
Erysipelas	53	13	1					1	4	6	6	8	7	6				1
Other epidemic diseases	12	1						1	1	2	2	1	1	2	1			
Septicemia	60	3	1				2	5	6	9	12	3	8	8	1	2		
Tuberculosis of lungs	4,074	57	20	14	11	9	29	252	1,041	1,021	631	475	295	128	19	2		10
Tuberculosis of larynx	31	1						3	3	10	6	4	4					
Tuberculous meningitis	231	58	46	27	18	10	24	16	13	14	3	1	1					
Abdominal tuberculosis	173	15	7	5	2	5	8	16	35	22	25	17	10	5	1			
Pott's disease	33						3	8	8	6	3	2	1	1	1			
Tuberculous abscess	3								1				2					
White swelling	25		1				1	4	4	2	5	5	2	1				
Tuberculosis of other organs	52	3	1	2			2	5	9	8	11	2	3	4	1			1
General tuberculosis	73	5	4	3			3	8	18	14	11	5	2					
Scrofula	4		2					1		1								
Venereal diseases	144	60	12				1	2	7	12	22	17	8	1	2			
Cancer of mouth	75								1	1	9	16	17	22	7	2		
Cancer of stomach and liver	822								10	34	104	212	265	160	33	4		
Cancer of intestines	257			1		2	1	2	7	18	29	55	71	60	9	2		
Cancer of female genital organs	258							1	7	38	62	71	45	27	7			
Cancer of breast	148								3	16	34	35	31	23	5	1		
Cancer of skin	78									2	6	14	22	19	13	2		
Cancer of other or unspecified organs	345			1	1	1	2	6	17	33	45	73	84	64	17	1		
Tumor	17					1			2		4		4	6				
Rheumatism	133	1	1	1			10	13	12	16	15	6	24	22	11			1
Diabetes	354				1	4	5	20	16	23	47	59	94	64	21			
Anemia, leukemia	154	2	3		2	2	6	5	15	15	28	32	25	15	4			
Alcoholism	196							1	9	52	39	49	31	11				4
Chronic poisonings	33								2	5	5	8	8	4				1
Other general diseases	69	5	2					3	6	17	14	10	9	3				
II.—Diseases of nervous system	3,197	225	70	40	22	16	52	73	118	183	323	426	618	676	319	21		15
Encephalitis	14	3	3				1		1	3			3					
Meningitis	357	108	47	37	15	10	29	24	24	22	18	10	5	7	1			
Locomotor ataxia	75								1	3	20	24	14	12	1			
Other diseases of spinal cord	127	6	2	1	1	3		3		6	17	22	36	22	6	1		1
Apoplexy	1,499	21	3		1		3	7	14	55	130	224	387	443	190	13		8
Softening of brain	60							1	2		2	10	17	19	9			
Paralysis	352	3			1		2	3	4	7	19	33	76	112	84	6		2
General paralysis of insane	185								4	31	51	47	20	21	10			1
Other forms of mental disease	137							2	20	18	18	19	29	18	10			3
Other diseases of brain	104	3	2			1	2	4	11	16	24	21	12	5	3			
Epilepsy	92	1	1				2	14	28	11	11	7	11	3	3			
"Convulsions"	82	68	7	2	1			1	2						1			
Tetanus	49	7	1		2	2	10	9	2	6	5	2	2	1				
Other diseases of nervous system	64	5	4		1		3	5	5	5	8	7	6	13	1	1		
III.—Diseases of circulatory system	4,580	39	5	1	5	2	24	82	175	285	433	698	1,080	1,156	533	53	3	6
Pericarditis	44						1	1	4	6	5	6	7	13	1			
Endocarditis	372	7	3	1	1		2	8	27	31	51	59	75	72	30	5		
Heart disease	3,352	21	1		4	1	20	66	124	213	302	513	826	845	374	34	3	5
Angina pectoris	197					1		1	2	7	20	34	59	56	16	1		
Diseases of arteries	466							1	3	12	31	65	90	152	100	12		
Embolism and thrombosis	95								12	9	15	15	16	16	11	1		
Diseases of veins	15							3		2	1	3	4	1				1
Diseases of lymphatics	5	4	1															
Other diseases of circulatory system	34	7					1	2	3	5	8	3	3	1	1			
IV.—Diseases of respiratory system	2,776	482	134	42	26	16	43	52	116	183	287	271	376	459	244	31	4	10
Laryngitis	8	1	1	1	2		1		1						1			
Other diseases of larynx	20	5	1	2	1	2	1	1	1	1	1		2	2				
Diseases of thyroid body	14						2			2	2	4	2	1	1			
Acute bronchitis	171	89	16	6	1	3		1	3	2	2	6	9	15	15	2	1	
Chronic bronchitis	221	2	1		1		1	3		6	11	17	33	76	65	5		
Bronchopneumonia	401	133	48	11	5	2	12	4	10	9	11	16	37	68	28	7		
Pneumonia (lobar and unqualified)	1,586	227	64	20	16	6	22	36	89	135	218	178	228	232	89	15	3	8
Pleurisy	95	1	1	1			2	6	8	9	15	10	22	16	3	1		
Congestion of lungs	105	19	1			3	1	1		6	6	12	12	16	27			1
Gangrene of lungs	21		1						1	1	4	8	2	3	1			
Asthma and emphysema	73						1		1	4	7	8	18	21	11	1		1
Hemorrhage of lungs	20	3		1					1	1	4	4	4	1	1			
Other diseases of respiratory system	41	2							1	7	6	8	7	8	2			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

CALIFORNIA—Continued.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	2,848	853	177	39	29	12	55	84	146	221	274	262	322	254	108	11	.....	1
Diseases of mouth	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Tonsillitis	10	.....	.....	1	3	.....	2	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Other diseases of pharynx	13	3	.....	.....	.....	.....	.....	.....	.....	2	1	1	2	2	2	.....	.....	.....
Ulcer of stomach	119	.....	.....	.....	.....	.....	1	3	10	21	24	18	23	16	3	.....	.....	.....
Gastritis	139	30	3	2	.....	.....	2	1	3	5	14	7	20	28	19	4	.....	1
Other diseases of stomach	110	43	3	1	1	.....	4	.....	1	4	10	5	13	16	9	.....	.....	.....
Dentition	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	1,138	721	156	30	20	8	17	7	13	14	24	28	32	44	22	2	.....	.....
Hernia	90	6	.....	.....	.....	.....	1	.....	5	1	13	17	16	20	10	1	.....	.....
Obstruction of intestines	178	26	7	2	1	1	3	6	15	17	20	20	26	25	8	1	.....	.....
Other diseases of intestines	60	6	1	.....	.....	.....	.....	.....	4	8	6	5	10	12	8	.....	.....	.....
Acute yellow atrophy of liver	12	1	.....	.....	.....	.....	.....	1	2	1	1	2	3	1	.....	.....	.....	.....
Hydatid tumors of liver	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	414	.....	.....	.....	.....	.....	1	1	11	52	85	96	103	51	14	.....	.....	.....
Biliary calculi	41	.....	.....	.....	.....	.....	.....	.....	.....	3	4	10	16	7	1	.....	.....	.....
Other diseases of liver	150	2	2	1	.....	.....	3	1	16	19	24	24	31	17	8	2	.....	.....
Diseases of spleen	4	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....
Peritonitis	105	9	3	2	1	1	4	7	13	22	10	9	13	7	3	1	.....	.....
Appendicitis	243	.....	1	.....	2	1	17	55	52	47	35	17	10	5	1	.....	.....	.....
Other diseases of digestive system	13	1	.....	.....	1	1	.....	.....	.....	2	3	1	3	1	.....	.....	.....	.....
VI.—Diseases of genito-urinary system	2,405	37	8	6	5	3	13	43	132	204	298	419	509	483	224	16	.....	5
Acute nephritis	186	19	3	2	2	3	6	12	20	26	20	26	24	19	3	1	.....	.....
Bright's disease	1,781	12	4	4	3	.....	7	19	63	123	225	339	432	382	155	10	.....	3
Other diseases of kidneys	73	4	1	.....	.....	.....	.....	2	7	7	5	13	14	11	7	1	.....	1
Calculi of urinary tract	18	1	.....	.....	.....	.....	.....	.....	.....	1	2	4	6	2	2	.....	.....	.....
Diseases of bladder	85	.....	.....	.....	.....	.....	.....	1	.....	3	4	8	14	28	25	2	.....	.....
Uterine tumor	47	.....	.....	.....	.....	.....	.....	.....	2	7	17	16	2	3	.....	.....	.....	.....
Other diseases of uterus	48	1	.....	.....	.....	.....	.....	2	11	17	11	3	.....	2	1	.....	.....	.....
Ovarian tumor	19	.....	.....	.....	.....	.....	.....	1	2	3	4	4	1	3	1	.....	.....	.....
Diseases of tubes	53	.....	.....	.....	.....	.....	.....	6	20	17	9	1	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	95	.....	.....	.....	.....	.....	.....	.....	7	.....	1	5	16	33	30	2	.....	1
VII.—Childbirth	288	.....	.....	.....	.....	.....	.....	23	124	118	23	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia	100	.....	.....	.....	.....	.....	.....	12	48	35	5	.....	.....	.....	.....	.....	.....	.....
Puerperal convulsions	73	.....	.....	.....	.....	.....	.....	8	37	25	3	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	115	.....	.....	.....	.....	.....	.....	3	39	58	15	.....	.....	.....	.....	.....	.....	.....
VIII.—Diseases of skin	113	9	.....	1	.....	.....	1	3	3	5	2	12	14	35	20	8	.....	.....
Gangrene	80	1	.....	.....	.....	.....	1	1	.....	1	1	7	12	31	17	8	.....	.....
Carbuncle	9	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	1	3	1	.....	.....	.....
Abscess	11	1	.....	1	.....	.....	.....	1	1	3	1	2	.....	1	.....	.....	.....	.....
Other diseases of skin	13	7	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	2	.....	.....	.....
IX.—Diseases of locomotor system	51	6	4	1	2	.....	3	9	5	6	8	3	1	2	1	.....	.....	.....
Diseases of bones	47	6	4	1	2	.....	3	9	5	5	7	2	1	1	1	.....	.....	.....
Diseases of joints	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Other diseases of locomotor system	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
X.—Malformations	257	241	3	4	2	1	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hydrocephalus	26	18	3	2	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	175	167	.....	2	1	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other congenital malformations	56	56	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XI.—Diseases of early infancy	890	890	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	501	501	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	389	389	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	650	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36	216	319	71	7	1
XIII.—Violence	3,265	139	46	33	20	16	81	252	590	621	579	384	213	169	83	12	.....	27
Suicide	706	.....	.....	.....	.....	.....	.....	23	130	169	160	117	61	38	5	.....	.....	3
Fractures and dislocations	16	.....	.....	.....	.....	.....	.....	.....	2	1	1	6	2	2	1	.....	.....	1
Burns and scalds	144	1	10	11	9	3	16	17	22	15	11	9	11	4	5	.....	.....	.....
Heat and sunstroke	20	2	.....	.....	.....	.....	1	1	1	4	4	3	1	.....	3	.....	.....	.....
Cold and freezing	13	.....	.....	.....	.....	.....	.....	1	.....	2	5	1	1	2	1	.....	.....	.....
Lightning	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Drowning	323	2	12	1	4	2	13	49	70	53	46	36	13	10	1	.....	.....	11
Inhalation of poisonous gases (including conflagration)	117	2	1	1	.....	.....	7	10	10	28	16	12	13	13	.....	.....	.....	4
Other accidental poisonings	122	15	12	9	1	3	3	5	12	20	16	19	3	4	.....	.....	.....	.....
Accidental gunshot wounds	72	.....	.....	.....	1	2	8	23	12	15	9	1	.....	1	.....	.....	.....	.....
Injuries by machinery	66	.....	.....	.....	.....	1	.....	18	20	8	9	8	2	.....	.....	.....	.....	.....
Injuries in mines and quarries	77	.....	.....	.....	.....	.....	.....	4	28	24	12	5	1	1	1	.....	.....	1
Railroad accidents and injuries	298	.....	1	3	.....	1	3	17	69	74	63	31	19	11	5	.....	.....	1
Street-car accidents	172	.....	1	.....	3	1	6	15	16	22	46	23	21	13	4	1	.....	.....
Injuries by vehicles and horses	162	.....	.....	3	1	2	10	19	25	18	29	23	19	9	3	.....	.....	1
Automobile accidents	51	.....	.....	1	.....	.....	1	5	7	9	8	9	5	6	.....	.....	.....	.....
Suffocation	29	16	4	2	.....	1	.....	.....	3	1	2	.....	.....	.....	.....	.....	.....	.....
Other accidental injuries	554	6	4	1	1	.....	11	34	103	87	87	69	33	52	52	11	.....	3
Injuries at birth	93	93	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	230	2	1	1	.....	.....	2	11	60	71	55	12	8	3	2	.....	.....	2
XIV.—Ill-defined causes	276	121	7	.....	1	1	3	4	4	11	10	12	34	42	18	1	2	5
"Dropsy"	23	.....	.....	.....	.....	.....	.....	1	1	1	1	2	8	6	2	.....	1	.....
"Heart failure"	52	7	1	.....	.....	.....	1	.....	2	5	2	4	9	17	3	.....	1	.....
Other ill-defined causes	181	110	6	.....	1	1	2	3	1	3	5	6	12	18	10	1	.....	2
Unknown causes	20	4	.....	.....	.....	.....	.....	.....	.....	2	2	.....	5	1	3	.....	.....	3

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

COLORADO.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	11,040	1,853	383	180	109	94	287	488	1,443	1,446	1,257	1,147	1,113	801	379	53	3	4
I.—General diseases	3,593	203	120	79	59	46	159	225	785	714	478	332	239	114	36	3	1	
Typhoid fever	241	3	6	6	4	3	28	53	59	48	21	5	4	1				
Malarial fever	4								1		2	1						
Smallpox																		
Measles	31	3	13	2	1	2	6		1	1	2							
Scarlet fever	175	6	20	28	25	18	38	33	5	2								
Whooping cough	139	87	29	13	5	1	3	1										
Diphtheria	129	4	16	10	13	12	50	16	4	2	2							
Croup	16	1	5	5	1	1	3											
Influenza	98	10	5	3			1	3	8	5	8	11	23	15	5	1		
Cholera nostras	10	4				2				1	1				2			
Dysentery	28	7	2	1	1					1		2	8	4	1		1	
Erysipelas	25	11	1						1	1		4	3	3	1			
Other epidemic diseases	2	1											1					
Septicemia	28	2	1	1		1		5	6	3	4	3	1		1			
Tuberculosis of lungs	1,749	19	6	2	3	3	4	85	632	543	261	124	56	11				
Tuberculosis of larynx	11			1				1	1	4	1	3						
Tuberculous meningitis	67	16	11	4	2	3	8	3	6	8	3	2	1					
Abdominal tuberculosis	38	1	2				1	6	12	8	3	2	3					
Pott's disease	3			1					1				1					
Tuberculous abscess	1											1						
White swelling	2							1						1				
Tuberculosis of other organs	12						2	1	3	1	2	2		1				
General tuberculosis	32	1					1	4	6	10	6	3		1				
Scrofula	2	2																
Venereal diseases	56	19	1						3	7	11	13	1	1				
Cancer of mouth	14		1							1	3	1	5	1	2			
Cancer of stomach and liver	157									8	38	33	47	23	8			
Cancer of intestines	51				1		1		2	4	8	10	10	12	3			
Cancer of female genital organs	82								3	7	26	26	16	3	1			
Cancer of breast	31								2	6	9	9	2	3				
Cancer of skin	15									1	2	2	2	3	4	1		
Cancer of other or unspecified organs	69			1	1		2	2	4	4	15	16	10	10	3	1		
Tumor	5								1		2		1	1				
Rheumatism	57				2		5	9	8	4	4	5	12	6	2			
Diabetes	60						5	1	5	5	8	19	10	7				
Anemia, leukemia	39	5	1	1					1	7	7	8	6	1	2			
Alcoholism	90								3	16	24	24	16	6	1			
Chronic poisonings	12								4	4	3	1						
Other general diseases	12	1					1	1	3	2	2	2						
II.—Diseases of nervous system	811	79	20	13	14	12	18	14	27	71	88	118	150	137	50			
Encephalitis	1									1								
Meningitis	117	35	11	13	12	5	9	7	5	7	9	4						
Locomotor ataxia	19									1	7	4	7					
Other diseases of spinal cord	24		4		1	1	1			5	4	4	4					
Apoplexy	328	6					1		5	21	28	70	89	83	25			
Softening of brain	12										1	1	4	3	3			
Paralysis	91	1						2		2	7	10	21	32	16			
General paralysis of insane	49									11	15	8	7	6	2			
Other forms of mental disease	41								5	3	5	5	14	6	3			
Other diseases of brain	22	1				1	2	1	6	2	4	2	2	1				
Epilepsy	45	1			1	1	4	3	3	12	8	6	1	4	1			
"Convulsions"	33	31	2															
Tetanus	5	2							1	1		1						
Other diseases of nervous system	24	2	3			4	1	1	2	5		3	1	2				
III.—Diseases of circulatory system	929	22	1	5	2	3	21	41	55	80	93	171	219	152	52	12		
Pericarditis	10							1	1	2	2	2		1	1			
Endocarditis	64			1	1	1	3	3	6	4	11	9	11	9	4	1		
Heart disease	641	14	1	4		1	17	36	42	58	63	118	151	98	31	7		
Angina pectoris	64								1	4	6	13	31	9				
Diseases of arteries	85								1	3	5	11	19	29	13	4		
Embolism and thrombosis	44				1	1	1		3	7	4	17	3	5	2			
Diseases of veins	4									1			2	1				
Diseases of lymphatics	1							1										
Other diseases of circulatory system	16	8							1	1	2	1	2		1			
IV.—Diseases of respiratory system	1,432	321	69	29	12	15	21	33	97	134	164	178	168	129	58	4		
Laryngitis	6		1	1	1	2						1						
Other diseases of larynx	11	3	3	1	1	1	2											
Diseases of thyroid body																		
Acute bronchitis	72	56	6	1	2			1	1	1			2	1	1			
Chronic bronchitis	45	3					1		1	3	4	6	10	9	7	1		
Bronchopneumonia	170	86	23	11	2	1	6	2	3	6	3	5	11	7	4			
Pneumonia (lobar and unqualified)	995	163	32	15	3	11	12	28	84	116	137	137	124	91	39	3		
Pleurisy	21			1	1			2	1	2	4	2	5	3	1			
Congestion of lungs	23	9	3						2	1			1	5	2			
Gangrene of lungs	2				1									1				
Asthma and emphysema	33		1		1				1	2	5	9	6	6	2			
Hemorrhage of lungs	7								1		3			2	1			
Other diseases of respiratory system	47	1							3	3	8	18	9	4	1			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

COLORADO—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	1,288	524	135	31	9	5	25	41	74	82	97	94	100	47	21	2		1
Diseases of mouth	2	2																
Tonsillitis	12	3	2			1	1	1	4									
Other diseases of pharynx	11		1				2	1	3	1			1	2				
Ulcer of stomach	40				1		1	1	4	4	10	10	7	1				1
Gastritis	51	16	1	1				1	1	5	4	7	7	6	2			
Other diseases of stomach	52	28		1					2	4	4	3	5	3	2			
Dentition	1		1															
Diarrhea and enteritis	673	455	123	25	7	1	3	2	1	6	6	13	13	10	7	1		
Hernia	23	1							4		2	3	7	5	1			
Obstruction of intestines	77	13	4			1	3	2	11	9	9	9	9	6	1			
Other diseases of intestines	21	1		3				1	1	6	1	3	4	1				
Acute yellow atrophy of liver	5									2		1	2					
Hydatid tumors of liver																		
Cirrhosis of liver	68	1							1	3	14	21	23	4	1			
Biliary calculi	23								2	4	6	4	4	3				
Other diseases of liver	38	1							2	6	9	5	4	4	6	1		
Diseases of spleen	2									1				1				
Peritonitis	45	3	2	1	1	1	1	4	7	6	6	2	9	1	1			
Appendicitis	143		1			1	14	27	31	25	26	13	5					
Other diseases of digestive system	1							1										
VI.—Diseases of genito-urinary system	745	23	7	1	2	2	9	17	50	84	107	133	165	101	44			
Acute nephritis	86	8	6		1	2	6	6	8	6	12	9	12	8	2			
Bright's disease	525	9	1	1			3	10	29	52	69	110	135	71	35			
Other diseases of kidneys	24	5			1				3	3	3	2	2	5				
Calculi of urinary tract	4								1	1	1		1					
Diseases of bladder	15	1										2	4	4	4			
Uterine tumor	18								1	2	8	1	4	2				
Other diseases of uterus	13							1	1	5	4	2						
Ovarian tumor	7								2	2		3						
Diseases of tubes	26								5	12	8	1						
Other diseases of genito-urinary system	27									1	2	3	7	11	3			
VII.—Childbirth	146							16	70	48	12							
Puerperal septicemia	68							6	36	22	4							
Puerperal convulsions	25							4	11	7	3							
Other causes incident to childbirth	53							6	23	19	5							
VIII.—Diseases of skin	16	1		1					2	2			1	4	5			
Gangrene	10			1					1					3	5			
Carbuncle																		
Abscess	4								1	2			1					
Other diseases of skin	2	1												1				
IX.—Diseases of locomotor system	21	6	2			1	2	2	3	1	1	2	1					
Diseases of bones	18	6	2			1	2	1	3	1	1		1					
Diseases of joints	3							1				2						
Other diseases of locomotor system																		
X.—Malformations	110	104	2	1				2			1							
Hydrocephalus	8	4	1					2			1							
Congenital malformation of heart (cyanosis)	65	63	1	1														
Other congenital malformations	37	37																
XI.—Diseases of early infancy	480	480																
Premature birth	278	278																
Congenital debility	202	202																
XII.—Old age	215												9	78	97	29	2	
XIII.—Violence	1,200	59	19	20	11	9	32	97	278	229	214	116	57	39	16	2		2
Suicide	177							6	42	43	46	26	10	3				1
Fractures and dislocations																		
Burns and scalds	35	3	6	4	2	2	3	2	4		2	3	3		1			
Heat and sunstroke	1													1				
Cold and freezing	17								3	2	5	2	3	2				
Lightning	21						2	2	4	6	2	3	1	1				
Drowning	77		6	7	1		5	19	14	9	10	6						
Inhalation of poisonous gases (including conflagration)	18			1			1		4	6	4	1		1				
Other accidental poisonings	34	3	4	4	2		1	2	6	5	3	2		2				
Accidental gunshot wounds	36		1					14	8	5	4	4						
Injuries by machinery	28						1	3	7	9	7	1						
Injuries in mines and quarries	172							3	66	48	42	9	3	1				
Railroad accidents and injuries	203			1		2	4	22	53	39	34	24	17	6	1			
Street-car accidents	14				1		1	1	3	3	1	2	1	1				
Injuries by vehicles and horses	70	1	1	3	2	2	7	9	7	11	6	8	7	6				
Automobile accidents	8					2				1	3		1	1				
Suffocation	20	10			1			3	3	1	2							
Other accidental injuries	143	2	1		2	1	6	10	21	21	22	20	7	13	14	2		1
Injuries at birth	39	39																
Homicide	87	1					1	1	33	20	21	5	4	1				
XIV.—Ill-defined causes	54	31	8			1			2	1	2	3	4			1		1
"Dropsy"																		
"Heart failure"	4	1				1			1		1							
Other ill-defined causes	40	30	8										1			1		
Unknown causes	10								1	1	1	3	3					1

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

CONNECTICUT.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	16,479	3,353	591	252	151	151	344	559	1,033	1,256	1,405	1,689	2,163	2,095	1,194	203	8	32
I.—General diseases	4,153	272	174	102	72	68	106	252	530	547	497	515	470	329	135	18	.....	6
Typhoid fever	153	.....	1	2	2	2	7	17	48	30	23	8	10	2	.....	.....	.....	1
Malarial fever	31	1	4	1	.....	1	.....	.....	2	3	1	8	4	5	1	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	134	47	52	10	7	6	6	2	1	1	1	.....	1	.....	.....	.....	.....	.....
Scarlet fever	116	4	13	13	16	15	37	13	4	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	120	70	26	12	5	3	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	171	4	21	24	25	24	45	19	3	2	2	1	.....	1	.....	.....	.....	.....
Croup	36	4	7	5	3	6	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	178	15	5	1	1	1	.....	2	3	8	12	13	30	34	45	8	.....	.....
Cholera nostras	7	2	1	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	47	8	4	.....	1	.....	2	.....	1	.....	3	4	6	12	5	1	.....	.....
Erysipelas	43	14	.....	.....	.....	.....	.....	1	3	3	6	6	2	5	2	1	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	41	6	3	1	2	.....	1	3	2	9	3	4	3	2	1	1	.....	.....
Tuberculosis of lungs	1,435	20	9	10	1	2	11	132	379	358	242	152	77	34	6	.....	.....	2
Tuberculosis of larynx	11	.....	.....	.....	.....	.....	.....	.....	5	2	2	.....	2	.....	.....	.....	.....	.....
Tuberculous meningitis	111	25	20	19	5	2	11	5	9	8	1	4	2	.....	.....	.....	.....	.....
Abdominal tuberculosis	54	15	3	1	.....	1	4	6	5	7	4	6	1	1	.....	.....	.....	.....
Pott's disease	13	3	.....	.....	.....	.....	1	5	.....	1	1	2	.....	.....	.....	.....	.....	.....
Tuberculous abscess	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	6	.....	2	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	17	1	.....	.....	1	.....	2	2	3	.....	3	1	3	.....	1	.....	.....	.....
General tuberculosis	22	1	.....	1	.....	.....	2	4	3	4	3	1	1	2	.....	.....	.....	.....
Scrofula	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Venereal diseases	33	19	.....	.....	.....	.....	1	.....	3	5	2	1	2	.....	.....	.....	.....	.....
Cancer of mouth	38	.....	.....	.....	.....	.....	.....	.....	1	.....	3	11	9	10	3	1	.....	.....
Cancer of stomach and liver	299	.....	.....	1	.....	.....	2	.....	4	19	36	59	99	63	14	2	.....	.....
Cancer of intestines	119	.....	.....	.....	.....	.....	1	.....	3	6	16	29	28	32	3	1	.....	.....
Cancer of female genital organs	118	.....	.....	.....	.....	.....	.....	1	2	9	22	43	27	9	3	.....	.....	2
Cancer of breast	110	.....	.....	.....	.....	.....	.....	.....	1	3	21	31	22	22	8	1	.....	1
Cancer of skin	36	.....	.....	.....	.....	1	.....	.....	.....	1	.....	3	11	6	13	1	.....	.....
Cancer of other or unspecified organs	102	2	.....	.....	.....	.....	1	2	4	15	15	37	40	34	11	1	.....	.....
Tumor	18	.....	.....	.....	.....	.....	.....	1	2	2	2	4	5	.....	2	.....	.....	.....
Rheumatism	80	.....	.....	.....	2	1	8	13	10	6	6	7	12	10	5	.....	.....	.....
Diabetes	213	.....	.....	.....	.....	1	6	12	13	13	22	47	55	32	12	.....	.....	.....
Anemia, leukemia	71	6	3	.....	1	2	3	7	4	4	14	13	8	6	.....	.....	.....	.....
Alcoholism	72	.....	.....	.....	.....	.....	.....	1	6	19	24	15	4	3	.....	.....	.....	.....
Chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	.....	.....	.....	.....
Other general diseases	28	2	.....	1	.....	.....	.....	1	3	5	5	2	6	3	.....	.....	.....	.....
II.—Diseases of nervous system	1,964	202	66	28	15	13	46	32	50	56	132	255	385	425	234	21	1	3
Encephalitis	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Meningitis	243	73	44	18	7	11	25	14	15	5	10	10	4	6	1	.....	.....	.....
Locomotor ataxia	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	8	6	3	1	.....	.....	1
Other diseases of spinal cord	64	2	.....	.....	2	.....	.....	.....	5	4	6	9	20	13	3	.....	.....	.....
Apoplexy	1,154	18	4	2	1	.....	2	3	5	20	73	181	300	331	193	18	1	2
Softening of brain	23	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	4	11	4	.....	.....	.....
Paralysis	105	.....	.....	.....	.....	.....	1	.....	.....	1	5	9	25	42	20	2	.....	.....
General paralysis of insane	39	.....	.....	.....	.....	.....	.....	.....	1	5	12	10	5	3	3	.....	.....	.....
Other forms of mental disease	24	.....	.....	.....	.....	.....	.....	2	1	2	2	6	6	3	2	.....	.....	.....
Other diseases of brain	40	5	.....	2	.....	.....	3	2	4	6	5	7	4	1	1	.....	.....	.....
Epilepsy	57	6	1	1	.....	.....	2	7	13	3	6	8	3	5	2	.....	.....	.....
"Convulsions"	119	90	17	3	1	1	2	.....	3	1	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	33	4	.....	1	2	1	8	2	2	6	3	1	2	1	.....	.....	.....	.....
Other diseases of nervous system	38	4	.....	.....	1	.....	3	2	1	2	4	5	6	6	4	.....	.....	.....
III.—Diseases of circulatory system	2,125	33	1	5	4	1	21	58	51	121	175	276	506	541	295	32	1	4
Pericarditis	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	.....	.....	.....
Endocarditis	142	5	.....	2	.....	.....	5	13	6	16	15	18	22	23	17	.....	.....	.....
Heart disease	1,560	19	.....	2	3	.....	14	44	39	100	135	216	388	396	184	15	1	4
Angina pectoris	93	.....	.....	.....	.....	.....	.....	.....	1	1	8	20	26	27	10	.....	.....	.....
Diseases of arteries	234	.....	.....	.....	.....	.....	.....	.....	1	1	10	12	49	76	69	16	.....	.....
Embolism and thrombosis	63	2	.....	.....	.....	.....	1	1	2	2	5	6	18	12	13	1	.....	.....
Diseases of veins	9	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	3	3	.....	.....	.....	.....
Diseases of lymphatics	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	16	6	.....	1	1	1	1	.....	1	1	2	1	.....	1	.....	.....	.....	.....
IV.—Diseases of respiratory system	1,927	460	162	58	25	36	37	36	75	106	120	176	240	229	137	28	.....	2
Laryngitis	6	1	1	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of larynx	15	4	3	.....	2	.....	3	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Acute bronchitis	180	107	26	10	3	3	1	2	.....	.....	.....	2	4	11	9	2	.....	.....
Chronic bronchitis	138	4	.....	1	.....	.....	1	1	.....	7	6	17	22	34	37	7	.....	1
Bronchopneumonia	370	152	53	16	11	14	7	2	6	8	6	13	27	29	22	4	.....	.....
Pneumonia (lobar and unqualified)	1,085	171	73	25	9	17	20	26	63	78	97	130	161	142	59	13	.....	1
Pleurisy	52	5	2	2	.....	2	3	3	6	6	4	4	10	4	1	.....	.....	.....
Congestion of lungs	47	12	3	1	.....	.....	.....	1	.....	2	2	2	10	7	5	2	.....	.....
Gangrene of lungs	6	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	2	.....	.....	.....	.....	.....
Asthma and emphysema	15	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4	4	1	3	.....	.....	.....
Hemorrhage of lungs	3	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
Other diseases of respiratory system	8	3	1	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	1,975	1,057	131	23	13	11	22	43	48	82	114	89	134	119	71	18	.....	.....
Diseases of mouth	5	3	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tonsillitis	9	1	1	1	.....	1	1	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of pharynx	7	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....
Ulcer of stomach	32	1	.....	.....	.....	.....	.....	1	3	1	9	4	9	3	1	.....	.....	.....
Gastritis	108	23	1	1	2	1	2	4	5	4	6	7	17	19	12	4	.....	.....
Other diseases of stomach	69	28	1	1	.....	.....	.....	2	1	6	1	2	5	10	8	4	.....	.....
Dentition	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	1,225	966	125	16	7	4	5	7	5	7	11	8	18	13	26	7	.....	.....
Hernia	42	5	.....	.....	.....	.....	.....	.....	.....	4	6	4	8	10	5	.....	.....	.....
Obstruction of intestines	84	16	1	2	1	3	2	2	2	10	7	6	11	11	10	.....	.....	.....
Other diseases of intestines	22	7	.....	1	1	.....	.....	1	.....	1	2	3	1	4	.....	1	.....	.....
Acute yellow atrophy of liver	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hydatid tumors of liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	164	.....	.....	.....	.....	.....	.....	1	2	17	39	30	43	25	7	.....	.....	.....
Biliary calculi	20	.....	.....	.....	.....	.....	.....	.....	1	2	1	8	3	5	.....	.....	.....	.....
Other diseases of liver	45	1	.....	.....	1	.....	1	.....	3	3	11	6	7	10	1	1	.....	.....
Diseases of spleen	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Peritonitis	46	4	.....	1	.....	2	2	5	11	6	4	4	3	2	1	1	.....	.....
Appendicitis	89	.....	1	.....	1	.....	8	19	12	17	15	5	7	4	.....	.....	.....	.....
Other diseases of digestive system	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....
VI.—Diseases of genito-urinary system	1,364	29	6	3	2	3	8	29	60	122	163	209	299	283	130	15	.....	3
Acute nephritis	124	9	2	1	2	2	3	9	11	20	12	23	14	11	4	1	.....	.....
Bright's disease	1,060	12	4	1	.....	.....	5	17	38	80	131	176	254	231	98	10	.....	3
Other diseases of kidneys	30	5	.....	1	.....	.....	.....	1	.....	1	4	2	9	6	1	.....	.....	.....
Calculi of urinary tract	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	1	.....	.....	.....
Diseases of bladder	41	2	.....	.....	.....	.....	.....	.....	2	.....	2	2	4	10	15	4	.....	.....
Uterine tumor	18	.....	.....	.....	.....	.....	.....	.....	2	9	4	2	1	.....	.....	.....	.....	.....
Other diseases of uterus	13	.....	.....	.....	.....	.....	.....	2	1	4	4	2	.....	.....	.....	.....	.....	.....
Ovarian tumor	10	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	3	3	.....	.....	.....	.....
Diseases of tubes	12	.....	.....	.....	.....	.....	.....	.....	6	3	2	.....	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	50	1	.....	.....	.....	1	.....	.....	.....	4	1	2	10	20	11	.....	.....	.....
VII.—Childbirth	144	.....	.....	.....	.....	.....	.....	8	61	60	15	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia	45	.....	.....	.....	.....	.....	.....	3	22	15	5	.....	.....	.....	.....	.....	.....	.....
Puerperal convulsions	48	.....	.....	.....	.....	.....	.....	3	21	18	6	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	51	.....	.....	.....	.....	.....	.....	2	18	27	4	.....	.....	.....	.....	.....	.....	.....
VIII.—Diseases of skin	69	9	1	1	.....	.....	.....	1	1	2	3	5	9	18	12	7	.....	.....
Gangrene	42	1	.....	.....	.....	.....	.....	.....	.....	1	2	3	5	15	9	6	.....	.....
Carbuncle	4	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Abscess	11	2	.....	1	.....	.....	.....	.....	.....	1	1	2	3	.....	1	.....	.....	.....
Other diseases of skin	12	5	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	2	1	.....	.....
IX.—Diseases of locomotor system	38	9	4	1	1	1	1	2	3	4	5	4	3	.....	.....	.....	.....	.....
Diseases of bones	37	9	4	1	1	1	1	2	3	4	5	3	3	.....	.....	.....	.....	.....
Diseases of joints	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of locomotor system	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
X.—Malformations	167	153	6	2	.....	3	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hydrocephalus	15	7	5	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	95	91	1	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other congenital malformations	57	55	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XI.—Diseases of early infancy	808	808	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	463	463	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	345	345	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	261	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16	65	124	51	5	.....
XIII.—Violence	1,238	151	23	27	19	15	42	95	152	150	173	150	93	75	52	8	1	12
Suicide	232	.....	.....	.....	.....	.....	.....	9	38	34	59	50	25	13	2	.....	.....	2
Fractures and dislocations	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
Burns and scalds	87	6	9	13	8	4	9	2	4	3	8	6	7	5	2	1	.....	.....
Heat and sunstroke	16	5	.....	.....	1	.....	.....	1	1	.....	3	.....	1	3	.....	.....	.....	1
Cold and freezing	7	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	2	1	1	.....	.....	.....
Lightning	3	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Drowning	121	.....	2	3	3	5	11	25	28	18	16	4	2	2	.....	.....	.....	2
Inhalation of poisonous gases (including conflagration)	43	.....	.....	1	.....	1	1	4	8	1	5	8	5	7	1	.....	.....	1
Other accidental poisonings	39	4	.....	3	2	.....	2	2	6	2	8	5	3	1	1	.....	.....	.....
Accidental gunshot wounds	16	.....	.....	.....	.....	.....	3	7	3	.....	.....	1	1	.....	.....	.....	.....	1
Injuries by machinery	16	.....	.....	.....	.....	.....	.....	2	2	4	5	2	1	.....	.....	.....	.....	.....
Injuries in mines and quarries	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Railroad accidents and injuries	145	.....	.....	1	.....	1	.....	18	24	37	28	17	11	2	1	.....	.....	5
Street-car accidents	38	.....	.....	.....	.....	1	3	2	7	8	7	4	5	1	.....	.....	.....	.....
Injuries by vehicles and horses	48	1	2	2	1	.....	4	4	3	8	7	4	6	6	.....	.....	.....	.....
Automobile accidents	19	.....	1	.....	1	.....	1	3	2	4	1	3	2	1	.....	.....	.....	.....
Suffocation	20	14	1	.....	.....	.....	.....	.....	1	1	1	.....	1	1	.....	.....	.....	.....
Other accidental injuries	237	4	7	4	2	2	7	10	19	20	20	40	21	30	43	7	1	.....
Injuries at birth	109	109	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	39	8	1	.....	1	1	.....	4	5	9	4	4	.....	1	1	.....	.....	.....
XIV.—Ill-defined causes	246	170	17	2	.....	.....	1	1	1	6	8	10	8	11	4	5	.....	2
"Dropsy"	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	.....
"Heart failure"	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Other ill-defined causes	221	162	16	2	.....	.....	1	1	1	6	5	6	6	8	2	5	.....	.....
Unknown causes	18	8	1	.....	.....	.....	.....	.....	.....	.....	2	2	1	2	.....	.....	.....	2

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

INDIANA.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	34,519	5,637	1,363	557	297	210	748	1,688	2,728	2,502	2,639	3,309	4,521	5,129	2,743	376	24	48
I.—General diseases	10,387	659	353	219	144	107	373	881	1,489	1,157	1,103	1,143	1,245	1,029	424	44	3	14
Typhoid fever	880	6	10	19	10	11	64	227	192	128	73	66	45	19	9	.....	.....	1
Malarial fever	125	15	8	10	2	.....	10	9	13	9	5	9	10	13	12	.....	.....	.....
Smallpox	4	1	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	145	28	31	14	9	9	19	12	10	3	7	3	.....	.....	.....	.....	.....	.....
Scarlet fever	158	9	20	16	20	15	57	18	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	343	186	89	32	21	4	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	273	7	20	38	33	34	96	39	5	1	.....	.....	.....	.....	.....	.....	.....	.....
Croup	81	17	11	16	11	7	18	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	431	42	8	5	3	1	3	10	14	10	16	36	66	109	94	11	2	1
Cholera nostras	20	1	1	1	.....	.....	1	.....	.....	1	.....	1	1	10	3	.....	.....	.....
Dysentery	377	43	43	25	4	.....	1	3	3	6	11	15	56	85	63	18	1	.....
Erysipelas	92	17	3	2	.....	1	2	3	2	4	7	8	14	15	14	.....	.....	.....
Other epidemic diseases	6	2	1	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	56	6	3	1	.....	.....	1	2	5	5	7	5	9	7	5	.....	.....	.....
Tuberculosis of lungs	3,724	67	31	13	7	6	28	400	1,006	680	526	355	325	225	46	2	.....	7
Tuberculosis of larynx	60	2	.....	.....	.....	.....	1	2	14	15	10	6	5	3	2	.....	.....	.....
Tuberculous meningitis	227	71	40	16	11	8	22	22	13	11	9	2	2	.....	.....	.....	.....	.....
Abdominal tuberculosis	303	22	12	1	4	2	6	20	70	42	35	41	25	18	3	1	.....	1
Pott's disease	42	3	1	2	1	.....	3	8	6	3	4	5	2	4	.....	.....	.....	.....
Tuberculous abscess	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....
White swelling	31	2	.....	.....	1	.....	.....	10	6	3	1	3	3	.....	2	.....	.....	.....
Tuberculosis of other organs	73	5	3	1	.....	.....	3	6	11	9	8	6	14	6	1	.....	.....	.....
General tuberculosis	80	10	5	1	.....	.....	1	9	24	11	6	8	3	1	1	.....	.....	.....
Scrofula	4	1	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	148	80	4	3	.....	.....	1	4	11	14	10	11	3	7	.....	.....	.....	.....
Cancer of mouth	74	.....	.....	.....	.....	.....	.....	1	.....	2	5	10	26	23	7	.....	.....	.....
Cancer of stomach and liver	738	2	.....	.....	.....	1	.....	.....	6	25	68	179	234	188	29	4	.....	2
Cancer of intestines	205	.....	.....	.....	.....	.....	.....	1	4	12	29	52	57	39	11	.....	.....	.....
Cancer of female genital organs	289	.....	.....	.....	.....	.....	.....	1	8	35	72	80	59	29	5	.....	.....	.....
Cancer of breast	176	.....	.....	.....	.....	.....	.....	.....	4	12	40	51	33	25	11	.....	.....	.....
Cancer of skin	144	.....	.....	.....	.....	.....	.....	1	.....	2	9	16	30	40	40	5	.....	1
Cancer of other or unspecified organs	230	.....	3	.....	1	.....	6	4	8	19	28	37	64	41	18	1	.....	.....
Tumor	21	2	.....	.....	1	.....	.....	.....	.....	2	2	4	6	3	1	.....	.....	.....
Rheumatism	149	1	1	.....	.....	1	8	19	9	12	13	22	17	28	18	.....	.....	.....
Diabetes	323	.....	2	2	1	2	7	27	16	23	41	47	82	61	11	1	.....	.....
Anemia, leukemia	152	6	1	.....	1	3	2	9	11	13	23	27	27	18	10	1	.....	.....
Alcoholism	77	.....	.....	.....	.....	.....	.....	2	5	19	20	16	11	3	.....	.....	.....	1
Chronic poisonings	25	.....	.....	.....	.....	.....	.....	1	1	4	3	5	6	2	3	.....	.....	.....
Other general diseases	96	5	1	.....	3	1	2	7	7	19	14	16	9	7	5	.....	.....	.....
II.—Diseases of nervous system	3,704	301	93	44	20	20	69	115	118	144	281	443	703	876	431	38	3	5
Encephalitis	28	5	2	3	1	.....	3	6	2	1	1	1	1	1	1	.....	.....	.....
Meningitis	368	112	58	29	12	14	38	26	21	4	16	21	8	7	2	.....	.....	.....
Locomotor ataxia	65	.....	.....	.....	.....	.....	.....	.....	4	4	16	17	12	8	3	1	.....	.....
Other diseases of spinal cord	159	7	4	4	1	1	5	7	6	6	6	20	38	42	10	2	.....	.....
Apoplexy	1,925	34	8	4	1	.....	4	9	26	51	126	276	493	585	278	25	1	4
Softening of brain	87	.....	.....	.....	.....	.....	.....	.....	1	1	3	9	17	36	18	2	.....	.....
Paralysis	401	4	.....	.....	2	.....	2	5	2	4	19	40	83	139	94	7	.....	.....
General paralysis of insane	107	.....	.....	.....	.....	.....	.....	.....	2	21	28	15	14	16	9	1	1	.....
Other forms of mental disease	62	.....	.....	.....	.....	.....	.....	2	3	7	11	12	9	11	7	.....	.....	.....
Other diseases of brain	75	8	1	2	.....	.....	2	8	12	8	13	4	7	8	1	.....	1	.....
Epilepsy	147	12	1	.....	.....	1	.....	16	31	24	19	17	9	14	3	.....	.....	.....
"Convulsions"	82	73	8	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	97	25	3	.....	1	2	12	24	5	8	9	5	3	.....	.....	.....	.....	.....
Other diseases of nervous system	101	21	8	2	2	1	3	12	3	5	14	6	9	9	5	.....	.....	1
III.—Diseases of circulatory system	4,372	60	7	5	.....	5	30	91	116	181	290	560	1,039	1,293	627	61	3	4
Pericarditis	35	.....	.....	.....	.....	.....	.....	2	4	1	1	3	10	8	5	1	.....	.....
Endocarditis	146	4	1	.....	.....	2	4	7	7	10	7	20	36	28	18	1	.....	1
Heart disease	3,323	44	5	4	.....	1	23	73	87	149	237	448	806	969	432	42	2	1
Angina pectoris	240	1	.....	.....	.....	.....	.....	4	4	7	19	41	68	69	23	2	.....	2
Diseases of arteries	494	2	.....	.....	.....	.....	.....	1	3	5	20	31	85	190	141	15	1	.....
Embolism and thrombosis	84	1	.....	.....	.....	.....	.....	2	9	5	3	10	25	22	7	.....	.....	.....
Diseases of veins	18	.....	.....	.....	.....	.....	1	.....	.....	2	1	4	6	4	.....	.....	.....	.....
Diseases of lymphatics	5	2	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	27	6	1	1	.....	2	1	2	1	1	2	3	3	3	1	.....	.....	.....
IV.—Diseases of respiratory system	3,472	932	245	118	54	27	86	104	115	148	157	238	376	504	310	52	2	4
Laryngitis	18	4	.....	.....	6	1	1	2	1	.....	1	.....	1	1	.....	.....	.....	.....
Other diseases of larynx	24	6	3	5	3	.....	3	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....
Diseases of thyroid body	10	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	4	1	2	.....	.....	.....
Acute bronchitis	245	146	20	8	2	3	3	1	1	1	1	4	8	21	20	6	.....	.....
Chronic bronchitis	253	9	1	1	1	1	1	2	1	1	11	8	41	97	65	12	1	.....
Bronchopneumonia	809	370	104	44	16	8	26	7	9	9	8	26	53	68	48	12	.....	1
Pneumonia (lobar and unqualified)	1,890	370	112	56	26	10	45	83	94	121	124	173	247	265	141	19	1	3
Pleurisy	61	3	1	1	.....	1	5	4	3	9	2	12	8	7	5	.....	.....	.....
Congestion of lungs	60	20	1	2	.....	2	.....	2	2	.....	4	2	3	11	10	1	.....	.....
Gangrene of lungs	5	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	1	.....	.....	.....	.....
Asthma and emphysema	63	1	2	1	.....	.....	1	1	1	2	1	8	8	23	12	2	.....	.....
Hemorrhage of lungs	18	1	.....	.....	.....	.....	.....	.....	1	1	3	1	2	7	2	.....	.....	.....
Other diseases of respiratory system	16	2	1	.....	.....	1	1	.....	1	.....	1	2	1	1	5	.....	.....	.....

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

INDIANA—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	4,502	1,589	573	114	36	28	82	152	164	195	217	305	369	429	215	30	4	
Diseases of mouth	18	12	1				1		2					2				
Tonsillitis	33	4	1	2	1	3	6	5	2	1	2	1		2	3			
Other diseases of pharynx	28	3	1	2				2	1	3	3	1	3	5	3	1		
Ulcer of stomach	85			1		1			1	10	15	16	20	20	1			
Gastritis	254	62	6	4	3		2	3	8	5	16	24	29	47	39	5	1	
Other diseases of stomach	199	83	13	3	3			2	5	7	7	6	14	25	24	6	1	
Dentition																		
Diarrhea and enteritis	2,374	1,335	533	90	21	14	16	4	12	18	25	29	75	113	76	12	1	
Hernia	103	11							5	6	7	22	17	27	7	1		
Obstruction of intestines	229	31	8	6	2	1	11	19	18	22	20	21	30	32	7		1	
Other diseases of intestines	100	16	3	2	1	2	6	1	4	8	6	6	13	18	12	2		
Acute yellow atrophy of liver	11							1	1		3		3	1	2			
Hydatid tumors of liver																		
Cirrhosis of liver	321			2		2	2	9	25	39	76	82	68	16				
Biliary calculi	107	1						3	8	15	30	22	14	13	1			
Other diseases of liver	191	15	2	2	1	1	4	6	8	16	18	33	33	40	10	2		
Diseases of spleen	3										1	1	1					
Peritonitis	143	14	4	2		2	7	24	18	20	13	15	11	11	2			
Appendicitis	292	2	1		2	4	26	83	65	45	25	23	12	4				
Other diseases of digestive system	11						1		2	1	2	1	4					
VI.—Diseases of genito-urinary system	2,558	38	15	16	5	3	20	43	115	203	226	334	534	653	323	28	1	1
Acute nephritis	240	12	9	10	3	3	10	9	17	28	22	29	35	37	16			
Bright's disease	1,857	12	5	6	2		6	27	52	102	157	277	445	501	243	21		1
Other diseases of kidneys	62	8	1				2	1	3	9	6	4	10	10	7	1		
Calculi of urinary tract	16								1	3	3	1	6	1	1			
Diseases of bladder	79	3					2		1	3	2	3	11	34	18	2		
Uterine tumor	35								2	13	13	2	3	2				
Other diseases of uterus	36							1	5	17	7	5			1			
Ovarian tumor	38								7	5	6	5	7	8				
Diseases of tubes	44							5	18	13	7	1						
Other diseases of genito-urinary system	151	3							9	10	3	7	17	60	38	3	1	
VII.—Childbirth	390							30	182	145	32							1
Puerperal septicemia	194							14	104	62	14							
Puerperal convulsions	80							10	31	30	9							
Other causes incident to childbirth	116							6	47	53	9							
VIII.—Diseases of skin	131	10	1			1		2	3	6	2	16	20	33	32	5		
Gangrene	91		1			1		1		1	1	9	17	25	30	5		
Carbuncle	11									1		2	3	4	1			
Abscess	9	2						1	2	3		1						
Other diseases of skin	20	8							1	1	1	4		4	1			
IX.—Diseases of locomotor system	65	9	4	1	3	2	5	9	4	7	4	3	8	5		1		
Diseases of bones	60	9	4	1	3	2	5	9	3	6	4	3	6	4		1		
Diseases of joints	3								1				1	1				
Other diseases of locomotor system	2									1			1					
X.—Malformations	424	405	6	4			3	5	1									
Hydrocephalus	27	21	3	2					1									
Congenital malformation of heart (cyanosis)	268	260	1	1			2	4										
Other congenital malformations	129	124	2	1			1	1										
XI.—Diseases of early infancy	1,326	1,326																
Premature birth	944	944																
Congenital debility	382	382																
XII.—Old age	459												14	112	239	87	7	
XIII.—Violence	2,585	240	54	34	35	17	78	256	417	312	323	264	202	183	124	26	1	19
Suicide	414							35	88	67	87	70	47	13	4			3
Fractures and dislocations	14								1	3	1		1	3	4	1		
Burns and scalds	179	13	13	15	19	11	15	6	21	18	11	8	5	17	3	3		1
Heat and sunstroke	25	4	1				1	1	1	3	4	3	5	2				
Cold and freezing	13								2		2	4	1	3				1
Lightning	27							9	8	2	4	4						
Drowning	149	1	1		3	2	14	54	29	11	12	11	9			1		1
Inhalation of poisonous gases (including conflagration)	36	1					3	1	5	1	9	5	7	3	1			
Other accidental poisonings	92	14	18	9	4	2	2	7	8	8	6	3	6	3	2			
Accidental gunshot wounds	65				2		3	29	13	8	4	3		2				1
Injuries by machinery	53						2	6	17	14	5	5	2	2				
Injuries in mines and quarries	55							1	13	19	13	7	2					
Railroad accidents and injuries	351		1		1		8	54	83	62	52	28	30	17	5			10
Street-car accidents	107		1				2	9	17	17	23	15	11	9	2	1		
Injuries by vehicles and horses	120	4	1	2	3		6	11	13	12	20	24	11	9	4			
Automobile accidents	22						5	1	6	4	2	2		1	1			
Suffocation	51	34	1	1			1	1	3	5		1	3	1				
Other accidental injuries	546	15	17	7	3	2	16	25	51	26	46	64	59	96	98	20	1	
Injuries at birth	152	152																
Homicide	114	2						6	38	32	22	7	3	2				2
XIV.—Ill-defined causes	144	68	12	2			2		4	4	4	3	11	12	18	4		
"Dropsy"	14								1	1		1	1	3	6	1		
"Heart failure"	13	5								1	1	1	2	2	1			
Other ill-defined causes	79	41	8	2			1			1	1	1	7	5	10	2		
Unknown causes	38	22	4				1		3	1	2		1	2	1	1		

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

MAINE.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	11,500	1,904	267	124	83	60	210	409	652	688	729	1,060	1,622	2,215	1,248	192	2	35
I.—General diseases	2,733	160	74	40	26	22	90	193	327	292	266	326	391	371	133	13	.....	9
Typhoid fever	108	1	1	1	1	1	7	22	26	23	12	6	4	3	.....	.....	.....	.....
Malarial fever	7	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	4	.....	.....	.....	.....	1
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	34	8	5	4	2	.....	2	6	2	2	.....	1	1	1	.....	.....	.....	.....
Scarlet fever	32	3	5	4	4	2	8	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	57	39	8	6	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	89	4	8	6	8	7	35	18	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Croup	23	6	7	2	1	2	4	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Influenza	176	19	8	3	1	.....	5	3	9	4	1	9	20	46	42	6	.....	.....
Cholera nostras	8	1	.....	1	.....	.....	.....	.....	.....	1	1	.....	1	.....	2	.....	.....	1
Dysentery	15	5	2	.....	.....	1	1	.....	.....	.....	.....	1	2	3	.....	.....	.....	.....
Erysipelas	21	2	1	.....	.....	.....	.....	.....	.....	2	2	4	5	3	2	.....	.....	.....
Other epidemic diseases	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	22	2	.....	.....	.....	.....	.....	1	1	4	3	3	.....	4	2	.....	.....	2
Tuberculosis of lungs	844	16	6	2	2	1	3	97	216	174	100	87	79	49	10	1	.....	1
Tuberculosis of larynx	12	.....	1	.....	.....	.....	.....	.....	3	2	1	3	1	1	.....	.....	.....	.....
Tuberculous meningitis	101	25	18	6	4	7	8	12	9	3	4	4	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	65	2	2	2	.....	.....	1	10	12	12	5	11	7	1	.....	.....	.....	.....
Pott's disease	10	1	.....	.....	.....	.....	1	.....	3	1	.....	1	1	2	.....	.....	.....	.....
Tuberculous abscess	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	16	.....	.....	.....	.....	.....	1	.....	5	4	2	.....	1	2	1	.....	.....	.....
General tuberculosis	31	3	.....	.....	1	.....	1	4	10	3	3	2	2	2	.....	.....	.....	.....
Scrofula	5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Venereal diseases	15	10	.....	.....	1	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....
Cancer of mouth	23	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	8	5	5	1	.....	.....
Cancer of stomach and liver	291	.....	.....	.....	.....	.....	1	.....	2	9	23	65	77	87	26	1	.....	.....
Cancer of intestines	98	.....	.....	.....	.....	.....	.....	.....	1	6	12	16	20	36	4	1	.....	2
Cancer of female genital organs	108	.....	.....	.....	.....	.....	.....	.....	2	10	26	29	24	12	5	.....	.....	.....
Cancer of breast	63	.....	.....	.....	.....	.....	.....	.....	.....	2	14	10	15	19	3	.....	.....	.....
Cancer of skin	39	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6	9	15	7	1	.....	.....
Cancer of other or unspecified organs	105	.....	.....	1	.....	.....	.....	2	1	2	13	21	34	17	13	.....	.....	1
Tumor	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	3	1	1	.....	.....	.....
Rheumatism	39	1	1	.....	.....	.....	1	2	.....	5	4	4	7	9	5	.....	.....	.....
Diabetes	138	.....	.....	2	.....	.....	5	7	4	5	11	22	47	30	4	1	.....	.....
Anemia, leukemia	85	8	1	.....	.....	.....	2	6	6	6	17	8	15	14	1	1	.....	.....
Alcoholism	26	.....	.....	.....	.....	.....	.....	.....	4	9	5	2	2	3	.....	.....	.....	1
Chronic poisonings	6	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	2	.....	.....	.....	.....
Other general diseases	9	.....	.....	.....	.....	.....	1	.....	1	2	1	1	1	2	.....	.....	.....	.....
II.—Diseases of nervous system	1,530	113	29	13	14	6	17	41	31	62	81	176	298	432	198	12	.....	7
Encephalitis	10	4	.....	.....	.....	1	.....	2	.....	1	1	.....	1	.....	.....	.....	.....	.....
Meningitis	156	56	16	9	9	4	13	14	8	7	7	7	1	3	2	.....	.....	.....
Locomotor ataxia	27	.....	.....	.....	.....	.....	.....	.....	1	.....	1	5	13	5	2	.....	.....	.....
Other diseases of spinal cord	71	6	2	.....	.....	.....	1	6	2	4	6	16	8	17	3	.....	.....	.....
Apoplexy	804	12	1	.....	.....	.....	.....	1	3	12	30	108	191	286	144	11	.....	5
Softening of brain	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	6	9	10	.....	.....	.....
Paralysis	175	2	1	.....	.....	.....	1	1	1	4	2	17	43	73	28	1	.....	1
General paralysis of insane	43	.....	.....	.....	.....	.....	.....	.....	.....	8	13	5	5	10	2	.....	.....	.....
Other forms of mental disease	57	.....	.....	.....	.....	.....	.....	1	.....	8	7	9	14	13	4	.....	.....	1
Other diseases of brain	35	1	.....	.....	1	.....	.....	.....	4	4	8	3	8	4	2	.....	.....	.....
Epilepsy	43	3	2	1	1	.....	2	8	8	5	3	3	3	4	.....	.....	.....	.....
"Convulsions"	46	28	6	3	3	1	.....	.....	1	4	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	6	.....	1	.....	.....	.....	.....	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	30	1	.....	.....	.....	.....	.....	5	3	3	2	2	5	8	1	.....	.....	.....
III.—Diseases of circulatory system	1,625	33	3	2	1	2	8	18	32	53	89	180	362	550	270	22	.....	.....
Pericarditis	9	1	.....	1	.....	.....	.....	.....	1	.....	1	.....	1	3	1	.....	.....	.....
Endocarditis	61	1	.....	.....	1	.....	1	.....	2	1	8	4	20	16	7	.....	.....	.....
Heart disease	1,249	24	1	.....	.....	2	5	16	23	45	71	145	273	425	202	17	.....	.....
Angina pectoris	77	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	15	17	31	11	.....	.....	.....
Diseases of arteries	142	.....	.....	.....	.....	.....	.....	.....	1	1	1	7	36	52	39	5	.....	.....
Embolism and thrombosis	61	1	1	.....	.....	.....	.....	2	3	5	5	5	12	19	8	.....	.....	.....
Diseases of veins	7	.....	.....	.....	.....	.....	1	.....	1	1	.....	2	.....	2	.....	.....	.....	.....
Diseases of lymphatics	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Other diseases of circulatory system	18	6	1	1	.....	.....	1	.....	1	.....	.....	2	3	2	1	.....	.....	.....
IV.—Diseases of respiratory system	1,443	293	67	25	19	9	28	35	55	80	77	112	178	267	160	34	1	3
Laryngitis	6	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....
Other diseases of larynx	3	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	4	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....
Acute bronchitis	130	49	7	3	1	.....	3	1	1	.....	1	1	8	18	27	9	1	.....
Chronic bronchitis	68	2	.....	1	.....	.....	1	1	.....	3	1	6	15	21	13	4	.....	.....
Bronchopneumonia	204	80	17	6	3	1	4	5	2	4	2	3	20	36	15	6	.....	.....
Pneumonia (lobar and unqualified)	884	142	40	12	10	7	15	24	38	62	65	91	114	164	85	12	.....	3
Pleurisy	30	1	1	2	1	.....	2	4	4	1	2	1	3	5	3	.....	.....	.....
Congestion of lungs	64	14	.....	1	2	.....	1	.....	6	2	2	2	7	13	11	3	.....	.....
Gangrene of lungs	4	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....
Asthma and emphysema	17	.....	1	.....	.....	.....	1	.....	.....	1	1	3	4	4	2	.....	.....	.....
Hemorrhage of lungs	15	1	.....	.....	.....	.....	1	.....	.....	1	3	3	4	.....	2	.....	.....	.....
Other diseases of respiratory system	14	3	.....	.....	.....	.....	.....	.....	3	1	.....	1	1	4	1	.....	.....	.....

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

MAINE—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	1,218	548	58	18	10	10	27	44	49	40	59	64	111	121	50	8	.....	1
Diseases of mouth	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Tonsillitis	6	2	.....	.....	.....	1	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of pharynx	10	1	.....	.....	.....	1	1	.....	.....	.....	1	2	2	.....	1	.....	.....	1
Ulcer of stomach	21	.....	.....	.....	.....	.....	.....	.....	5	2	5	2	4	2	1	.....	.....	.....
Gastritis	63	8	.....	1	.....	.....	1	1	3	2	3	9	10	14	10	1	.....	.....
Other diseases of stomach	126	53	5	3	.....	.....	1	3	4	1	2	10	15	17	11	1	.....	.....
Dentition	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	600	456	46	10	5	4	9	1	2	2	9	8	14	22	9	3	.....	.....
Hernia	18	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	5	7	3	.....	.....	.....
Obstruction of intestines	73	9	2	1	2	1	3	2	2	5	4	8	12	14	7	1	.....	.....
Other diseases of intestines	13	1	.....	1	.....	.....	.....	1	1	2	.....	1	1	2	3	.....	.....	.....
Acute yellow atrophy of liver	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....
Hydatid tumors of liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	58	.....	.....	.....	.....	.....	.....	.....	.....	1	7	8	18	22	2	.....	.....	.....
Biliary calculi	11	.....	.....	.....	.....	.....	.....	1	.....	1	2	2	3	2	.....	.....	.....	.....
Other diseases of liver	60	8	3	1	.....	.....	.....	1	2	5	5	5	16	10	3	1	.....	.....
Diseases of spleen	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Peritonitis	65	6	.....	.....	2	.....	7	9	10	10	6	2	4	9	.....	.....	.....	.....
Appendicitis	83	.....	.....	.....	1	3	5	24	18	8	13	6	4	.....	.....	1	.....	.....
Other diseases of digestive system	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
VI.—Diseases of genito-urinary system	815	14	2	2	2	1	6	11	26	53	70	116	188	228	89	6	.....	1
Acute nephritis	73	4	2	1	.....	.....	2	4	5	10	4	12	13	11	5	.....	.....	.....
Bright's disease	614	8	.....	1	1	1	4	6	9	32	56	90	163	188	60	4	.....	1
Other diseases of kidneys	29	2	.....	.....	1	.....	.....	.....	.....	1	2	3	9	7	4	.....	.....	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Diseases of bladder	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	2	10	10	2	.....	.....
Uterine tumor	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	1	.....	.....	.....	.....
Other diseases of uterus	14	.....	.....	.....	.....	.....	.....	1	5	2	3	2	1	.....	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
Diseases of tubes	13	.....	.....	.....	.....	.....	.....	.....	7	4	2	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	32	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	8	10	10	.....	.....	.....
VII.—Childbirth	78	.....	.....	.....	.....	.....	.....	2	40	28	8	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia	34	.....	.....	.....	.....	.....	.....	2	18	12	2	.....	.....	.....	.....	.....	.....	.....
Puerperal convulsions	21	.....	.....	.....	.....	.....	.....	.....	11	8	2	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	23	.....	.....	.....	.....	.....	.....	.....	11	8	4	.....	.....	.....	.....	.....	.....	.....
VIII.—Diseases of skin	82	6	2	1	.....	.....	.....	1	.....	.....	3	7	12	26	21	2	.....	1
Gangrene	56	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	7	25	17	2	.....	1
Carbuncle	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....
Abscess	10	.....	1	.....	.....	.....	.....	1	.....	.....	3	4	1	.....	.....	.....	.....	.....
Other diseases of skin	12	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	.....	.....	.....
IX.—Diseases of locomotor system	15	3	2	1	.....	.....	1	2	.....	1	2	2	1	.....	.....	.....	.....	.....
Diseases of bones	13	2	2	1	.....	.....	1	2	.....	1	2	1	1	.....	.....	.....	.....	.....
Diseases of joints	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of locomotor system	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
X.—Malformations	88	79	4	1	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hydrocephalus	13	9	1	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	47	43	2	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other congenital malformations	28	27	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XI.—Diseases of early infancy	471	471	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	220	220	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	251	251	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	454	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	114	245	85	1	.....
XIII.—Violence	631	58	11	15	10	8	26	53	88	71	60	66	45	57	51	3	.....	9
Suicide	97	.....	.....	.....	.....	.....	.....	2	13	13	15	21	14	11	4	.....	.....	4
Fractures and dislocations	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	3	.....	.....	.....
Burns and scalds	38	1	2	4	3	3	3	3	4	2	2	3	4	1	3	.....	.....	.....
Heat and sunstroke	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....
Cold and freezing	6	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	2	.....	.....	.....
Lightning	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Drowning	115	1	1	1	2	.....	10	25	28	16	13	7	2	5	1	.....	.....	3
Inhalation of poisonous gases (including conflagration)	7	.....	.....	1	.....	.....	.....	.....	2	1	1	1	.....	1	.....	.....	.....	.....
Other accidental poisonings	30	1	5	3	2	1	2	1	2	2	3	6	1	.....	.....	.....	.....	1
Accidental gunshot wounds	26	.....	.....	.....	1	1	3	8	4	7	1	.....	1	.....	.....	.....	.....	.....
Injuries by machinery	18	.....	.....	.....	.....	.....	.....	5	3	6	2	1	.....	1	.....	.....	.....	.....
Injuries in mines and quarries	4	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....
Railroad accidents and injuries	38	.....	.....	1	.....	.....	.....	3	10	11	3	2	6	2	.....	.....	.....	.....
Street-car accidents	7	.....	1	.....	.....	1	.....	.....	.....	3	1	.....	.....	1	.....	.....	.....	.....
Injuries by vehicles and horses	23	1	.....	2	1	1	1	1	1	2	5	1	3	4	.....	.....	.....	.....
Automobile accidents	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Suffocation	12	9	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....
Other accidental injuries	150	3	2	3	1	1	6	4	17	5	11	18	11	27	38	3	.....	.....
Injuries at birth	40	40	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	8	2	.....	.....	.....	.....	.....	.....	2	.....	.....	2	1	.....	.....	.....	.....	1
XIV.—Ill-defined causes	317	126	15	6	1	2	5	7	4	8	14	11	27	49	31	7	.....	4
"Dropsy"	13	1	1	.....	.....	.....	.....	.....	.....	.....	2	2	1	5	1	.....	.....	.....
"Heart failure"	52	3	.....	.....	.....	.....	1	2	1	4	6	4	13	10	7	.....	.....	1
Other ill-defined causes	162	72	8	5	1	.....	3	2	1	3	2	4	9	25	18	7	.....	2
Unknown causes	90	50	6	1	.....	2	1	3	2	1	4	1	4	9	5	.....	.....	1

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

MARYLAND (TOTAL).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	19,931	4,338	887	377	211	134	425	839	1,656	1,584	1,689	1,916	2,354	2,197	1,108	144	17	55
I.—General diseases	5,318	339	201	129	88	44	186	467	944	761	645	553	538	298	99	14	2	10
Typhoid fever	420	3	4	6	6	7	37	89	132	63	38	15	16	2	.....	.....	.....	2
Malarial fever	27	4	.....	1	1	.....	1	2	1	9	2	2	1	2	1	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	135	38	37	27	9	4	12	6	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	44	2	3	7	6	4	13	6	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	228	124	55	25	9	2	11	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	119	7	21	18	20	13	27	6	2	4	.....	1	.....	.....	.....	.....	.....	.....
Croup	41	11	4	10	4	3	6	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	237	14	8	2	5	.....	3	11	14	11	13	23	44	52	29	7	.....	1
Cholera nostras	9	.....	1	.....	.....	.....	1	.....	.....	.....	1	1	.....	3	2	.....	.....	.....
Dysentery	92	10	8	4	1	.....	1	3	1	7	5	7	21	13	6	3	2	.....
Erysipelas	42	13	.....	1	1	.....	2	.....	.....	4	5	2	9	3	1	1	.....	.....
Other epidemic diseases	3	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	41	6	.....	1	.....	.....	4	2	6	4	7	5	5	.....	.....	1	.....	.....
Tuberculosis of lungs	2,319	26	22	11	10	4	30	264	678	517	346	215	129	49	14	.....	.....	4
Tuberculosis of larynx	36	1	.....	.....	.....	.....	.....	1	11	12	7	3	1	.....	.....	.....	.....	.....
Tuberculous meningitis	90	15	22	9	3	3	16	12	8	.....	1	1	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	84	9	2	2	3	3	4	13	15	7	11	4	8	2	1	.....	.....	.....
Pott's disease	23	.....	.....	.....	1	.....	2	4	7	3	2	1	3	.....	.....	.....	.....	.....
Tuberculous abscess	2	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	5	.....	1	.....	1	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Tuberculosis of other organs	20	1	1	1	1	.....	1	3	5	1	.....	3	1	2	.....	.....	.....	.....
General tuberculosis	36	1	.....	2	.....	.....	3	10	8	5	3	1	3	.....	.....	.....	.....	.....
Scrofula	5	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	86	43	6	2	1	.....	.....	2	9	10	9	3	.....	1	.....	.....	.....	.....
Cancer of mouth	35	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	8	10	7	5	.....	.....	.....
Cancer of stomach and liver	313	.....	.....	.....	.....	.....	.....	.....	9	16	36	90	102	49	10	.....	.....	1
Cancer of intestines	83	.....	.....	.....	1	.....	1	2	1	9	11	18	20	18	1	1	.....	.....
Cancer of female genital organs	140	.....	.....	.....	.....	.....	.....	1	2	11	48	38	21	16	3	.....	.....	.....
Cancer of breast	90	.....	.....	.....	.....	.....	.....	.....	.....	12	14	25	24	10	5	.....	.....	.....
Cancer of skin	36	.....	.....	.....	.....	.....	.....	1	.....	.....	3	6	12	9	4	1	.....	.....
Cancer of other or unspecified organs	103	.....	.....	.....	1	.....	.....	4	4	3	17	23	30	13	8	.....	.....	.....
Tumor	15	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	5	3	.....	.....	.....	.....
Rheumatism	85	1	.....	.....	.....	.....	5	10	5	10	17	8	17	8	4	.....	.....	.....
Diabetes	131	.....	.....	.....	2	.....	3	6	7	8	16	22	35	27	5	.....	.....	.....
Anemia, leukemia	49	3	1	.....	.....	.....	2	3	8	6	4	7	11	4	.....	.....	.....	.....
Alcoholism	61	.....	.....	.....	.....	.....	.....	.....	5	19	15	12	5	4	.....	.....	.....	1
Chronic poisonings	7	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	1	.....	.....	.....	.....	1
Other general diseases	26	4	2	.....	.....	.....	.....	2	1	3	4	6	4	.....	.....	.....	.....	.....
II.—Diseases of nervous system	2,083	315	67	30	22	15	35	47	61	87	144	256	375	428	173	19	2	7
Encephalitis	6	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Meningitis	225	77	33	20	17	10	18	16	10	9	8	2	1	2	.....	.....	.....	2
Locomotor ataxia	34	.....	.....	.....	.....	.....	.....	1	.....	3	9	8	6	4	3	.....	.....	.....
Other diseases of spinal cord	43	2	1	1	1	.....	1	3	2	2	2	4	8	15	1	.....	.....	.....
Apoplexy	847	13	4	.....	.....	1	2	8	16	25	73	147	222	228	93	10	2	3
Softening of brain	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	18	11	1	.....	.....
Paralysis	412	3	.....	.....	1	.....	1	1	4	11	18	67	101	138	60	6	.....	1
General paralysis of insane	34	.....	.....	.....	.....	.....	.....	.....	.....	7	13	4	6	3	1	.....	.....	.....
Other forms of mental disease	45	.....	.....	.....	.....	.....	.....	1	4	6	5	5	12	7	4	1	.....	.....
Other diseases of brain	47	9	.....	3	1	1	4	3	6	6	6	1	2	5	.....	.....	.....	.....
Epilepsy	48	1	.....	1	.....	.....	.....	4	12	9	3	9	5	3	.....	.....	.....	1
"Convulsions"	222	185	23	3	2	1	3	.....	.....	4	.....	1	.....	.....	.....	.....	.....	.....
Tetanus	48	21	1	.....	.....	.....	3	9	7	.....	3	1	2	1	.....	.....	.....	.....
Other diseases of nervous system	36	2	4	2	.....	2	2	1	.....	5	4	4	6	3	.....	1	.....	.....
III.—Diseases of circulatory system	1,933	29	1	2	2	4	19	41	90	117	206	302	459	445	195	14	1	6
Pericarditis	9	.....	.....	.....	.....	.....	1	.....	.....	1	2	1	2	1	1	.....	.....	.....
Endocarditis	100	1	.....	.....	.....	1	3	6	7	5	7	25	20	16	9	.....	.....	.....
Heart disease	1,505	18	.....	1	1	3	15	32	76	98	170	243	361	331	141	9	.....	6
Angina pectoris	68	.....	.....	.....	.....	.....	.....	.....	1	3	9	8	27	17	2	1	.....	.....
Diseases of arteries	192	.....	.....	.....	.....	.....	.....	.....	1	3	12	19	41	71	40	4	1	.....
Embolism and thrombosis	30	.....	.....	.....	.....	.....	.....	.....	4	5	3	5	6	6	1	.....	.....	.....
Diseases of veins	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
Diseases of lymphatics	4	1	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	22	9	1	.....	.....	.....	.....	2	1	2	2	.....	2	2	1	.....	.....	.....
IV.—Diseases of respiratory system	2,432	648	260	105	45	26	62	60	104	143	138	193	247	247	139	13	2	.....
Laryngitis	7	1	1	1	1	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Other diseases of larynx	9	5	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Acute bronchitis	210	137	31	5	3	1	1	2	.....	2	2	3	4	10	8	1	.....	.....
Chronic bronchitis	164	5	4	2	1	.....	3	1	6	4	8	17	31	54	23	5	.....	.....
Bronchopneumonia	489	214	99	45	16	9	13	6	5	7	5	12	20	20	17	1	.....	.....
Pneumonia (lobar and unqualified)	1,316	255	118	50	23	14	40	39	81	115	104	134	156	122	60	3	2	.....
Pleurisy	50	1	1	.....	.....	2	3	7	4	5	5	5	6	8	3	.....	.....	.....
Congestion of lungs	89	22	3	1	.....	.....	.....	1	1	2	3	6	10	17	20	3	.....	.....
Gangrene of lungs	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	2	.....	.....	.....	.....	.....
Asthma and emphysema	45	1	.....	.....	.....	.....	.....	.....	1	1	5	12	12	8	5	.....	.....	.....
Hemorrhage of lungs	25	1	.....	.....	.....	.....	.....	.....	2	5	4	4	3	4	2	.....	.....	.....
Other diseases of respiratory system	20	6	2	.....	.....	.....	1	2	2	1	.....	.....	2	3	1	.....	.....	.....

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

MARYLAND (TOTAL)—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	2,393	1,150	266	61	20	11	44	56	74	87	117	130	152	157	59	7	1	1
Diseases of mouth	12	11					1											
Tonsillitis	17	1	3	4	1		2	4	1		1							
Other diseases of pharynx	6	4	1							1								
Ulcer of stomach	29						1		6	3	6	3	6	4				
Gastritis	131	30	8	1	1	1	2	2	3	8	7	14	23	21	9	1		
Other diseases of stomach	155	36	1	1	1	1	4	2	5	12	6	25	25	27	8	1		
Dentition	13	5	7	1														
Diarrhea and enteritis	1,484	1,026	240	48	9	7	10	7	11	3	13	18	25	35	27	5		
Hernia	52	6						2	4	3	8	4	8	11	6			
Obstruction of intestines	106	19	3	2	3		5	4	10	12	10	8	9	20	1			
Other diseases of intestines	25	6		2			1		3	2	4	2	3	1			1	
Acute yellow atrophy of liver	1													1				
Hydatid tumors of liver																		
Cirrhosis of liver	149	1	1					2	1	15	36	35	34	18	6			
Biliary calculi	30						1		1	3	7	5	9	4				
Other diseases of liver	43	3	1		2	2	1	1	3	6	2	7	6	7	2			
Diseases of spleen																		
Peritonitis	43	1	1	2	1		3	7	7	4	6	4	2	5				
Appendicitis	95	1			2		13	25	19	13	11	5	2	3				1
Other diseases of digestive system	2									2								
VI.—Diseases of genito-urinary system	1,717	12	10	5	5	3	15	36	106	144	244	301	378	328	120	9		1
Acute nephritis	147	3	7	4	4	2	5	7	15	16	27	19	16	18	4			
Bright's disease	1,394	5	2	1	1	1	9	27	65	110	199	256	337	272	100	9		
Other diseases of kidneys	29	2	1				1	1	4		2	8	3	7				
Calculi of urinary tract	8								1	1	2	2	1		1			
Diseases of bladder	32	1									2	2	9	11	7			
Uterine tumor	14								1	3	3	3	2	2				
Other diseases of uterus	11								4	2	3	2						
Ovarian tumor	11									2	2	3	2	2				
Diseases of tubes	25							1	15	6	3							
Other diseases of genito-urinary system	46	1							1	4	1	6	8	16	8			1
VII.—Childbirth	204							21	88	84	11							
Puerperal septicemia	77							8	37	31	1							
Puerperal convulsions	51							7	24	17	3							
Other causes incident to childbirth	76							6	27	36	7							
VIII.—Diseases of skin	89	17	3	4	2		1		3	6	7	8	11	15	9	2		1
Gangrene	49	5	1	2	2				1	1	3	6	8	10	8	2		
Carbuncle	9	2	1						1	2	1			2				
Abscess	18	3	1	1			1		1	2	2	1	3	2				1
Other diseases of skin	13	7		1						1	1	1		1	1			
IX.—Diseases of locomotor system	36	3	1	4	3	1	5	6	1		4	2	1	4	1			
Diseases of bones	33	3	1	4	3	1	4	6	1		3	2	1	3	1			
Diseases of joints	1										1							
Other diseases of locomotor system	2						1							1				
X.—Malformations	154	135	8	3	3		3	1	1									
Hydrocephalus	19	10	4	2	1		1		1									
Congenital malformation of heart (cyanosis)	99	94		1	2		1	1										
Other congenital malformations	36	31	4				1											
XI.—Diseases of early infancy	1,149	1,149																
Premature birth	454	454																
Congenital debility	695	695																
XII.—Old age	479												37	147	231	51	8	5
XIII.—Violence	1,176	114	23	25	18	28	50	95	179	141	143	133	94	64	43	9		17
Suicide	172							5	37	31	29	40	16	11	3			
Fractures and dislocations	9							1				3		4	1			
Burns and scalds	132	6	11	12	13	15	18	8	11	8	7	9	8	4	1	1		
Heat and sunstroke	39	5	1					1		4	6	2	7	8	4	1		
Cold and freezing	9	1								2	1	2	3					
Lightning	3									1	1	1						
Drowning	144			3		2	11	21	33	21	27	12	4		1			9
Inhalation of poisonous gases (including conflagration)	20		1			1		1	2	3		4	3	1	2			2
Other accidental poisonings	45	5	7	4	1	3	2	1	5	4	5	3	3	2				
Accidental gunshot wounds	29					1	2	13	8	1	2	1	1					
Injuries by machinery	19							5	5	3	3	3						
Injuries in mines and quarries	14							5	4	3	2							
Railroad accidents and injuries	113						3	9	24	18	20	16	13	2	2			6
Street-car accidents	29			1	2	1	5	1	3	1	7	3	4	1				
Injuries by vehicles and horses	39	1		1	2	3	5	4	3	5	5	4	2	4				
Automobile accidents	5								1		1		2	1				
Suffocation	16	11					1	2	1			1						
Other accidental injuries	217	7	3	4		2	3	10	24	29	21	26	27	25	29	7		
Injuries at birth	75	75																
Homicide	47	3						8	18	7	6	3	1	1				
XIV.—Ill-defined causes	768	427	47	9	3	2	5	9	5	14	30	38	62	64	39	6	1	7
"Dropsy"	42	4	1			1		2	1	1	4	3	7	12	2	2	1	1
"Heart failure"	119	3	4		1			4	2	8	22	21	29	18	7			
Other ill-defined causes	536	372	38	6	2	1	3	2	2	5	3	14	22	29	30	4		3
Unknown causes	71	48	4	3			2	1			1		4	5				3

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

MARYLAND (WHITE).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	14,675	3,080	611	240	139	95	265	488	1,031	1,097	1,223	1,458	1,940	1,906	966	107	3	26
I.—General diseases	3,742	198	127	87	58	32	115	249	569	533	485	443	466	269	93	12	1	5
Typhoid fever	305	3	2	4	5	4	24	58	97	52	28	13	11	2				2
Malarial fever	16	2		1						7	2		1	2	1			
Smallpox																		
Measles	100	26	29	20	6	2	11	4		1	1							
Scarlet fever	43	2	3	7	6	4	13	6	1	1								
Whooping cough	108	62	24	11	5	2	3			1								
Diphtheria	108	5	20	18	19	13	22	5	2	4								
Croup	30	5	4	8	2	3	6	2										
Influenza	168	8	4		4		1	8	4	5	9	13	34	46	27	5		
Cholera nostras	6		1											3	2			
Dysentery	74	8	7	2	1			1	1	5	4	6	18	11	6	3	1	
Erysipelas	40	13		1	1		1			3	5	2	9	3	1	1		
Other epidemic diseases	2		2															
Septicemia	30	5			1		3	2	4	3	5	4	2			1		
Tuberculosis of lungs	1,441	13	6	3	2	1	5	108	388	341	253	162	104	42	11			2
Tuberculosis of larynx	29							1	10	11	4	2	1					
Tuberculous meningitis	69	13	17	8	1	3	13	9	3		1	1						
Abdominal tuberculosis	50	6		2				5	10	4	9	4	8	1	1			
Pott's disease	15				1		1	3	3	2	2	1	2					
Tuberculous abscess	2				1		1											
White swelling	3		1					1	1									
Tuberculosis of other organs	14	1	1	1			1	2	2	1		3		2				
General tuberculosis	22							6	5	5	2	1	3					
Scrofula	4	2	1	1														
Venereal diseases	36	17	2					1	4	8	1	3						
Cancer of mouth	30										4	5	10	6	5			
Cancer of stomach and liver	276								6	12	30	78	95	45	10			
Cancer of intestines	73				1		1	2		6	10	16	17	18	1	1		
Cancer of female genital organs	111							1	1	5	39	29	19	15	2			
Cancer of breast	81									10	13	22	22	9	5			
Cancer of skin	35										3	6	12	9	4	1		
Cancer of other or unspecified organs	93							4	4	3	14	21	28	11	8			
Tumor	10									1	1	1	4	3				
Rheumatism	68						4	9	4	7	14	5	13	8	4			
Diabetes	121				2		3	6	6	8	12	21	33	25	5			
Anemia, leukemia	44	3	1				2	3	6	5	3	6	11	4				
Alcoholism	55								5	18	13	11	4	4				
Chronic poisonings	6								1	1	1	1	1					1
Other general diseases	24	4	2					2	1	3	2	6	4					
II.—Diseases of nervous system	1,638	228	54	26	16	11	28	31	41	65	107	189	306	370	150	15		1
Encephalitis	5	1	1				1						1	1				
Meningitis	184	67	30	19	12	7	14	10	7	5	7	2	1	2				1
Locomotor ataxia	29							1		2	5	8	6	4	3			
Other diseases of spinal cord	36	2	1	1	1		1	2	1	2	1	2	8	13	1			
Apoplexy	674	11	4			1	1	5	10	20	54	109	180	193	77	9		
Softening of brain	34											3	2	18	10	1		
Paralysis	327	2					1		1	6	14	45	81	120	54	3		
General paralysis of insane	26									5	10	3	5	2	1			
Other forms of mental disease	39								3	5	4	5	10	7	4	1		
Other diseases of brain	39	5		2	1	1	4	3	4	6	5	1	2	5				
Epilepsy	34	1		1				2	10	7	2	6	4	1				
"Convulsions"	151	127	14	1	2		2			4		1						
Tetanus	30	12					2	7	5		1	1	1	1				
Other diseases of nervous system	30		4	2		2	2	1		3	4	3	5	3		1		
III.—Diseases of circulatory system	1,470	23	1	2	2	4	14	32	55	65	127	213	365	384	168	13		2
Pericarditis	8						1			1	2	1	1	1	1			
Endocarditis	82	1				1	2	5	4	5	7	14	18	16	9			
Heart disease	1,111	13		1	1	3	11	25	46	52	101	170	280	277	120	9		2
Angina pectoris	63								1	1	7	8	26	17	2	1		
Diseases of arteries	155								1		5	15	32	64	35	3		
Embolism and thrombosis	27								2	5	3	4	6	6	1			
Diseases of veins	3										1	1		1				
Diseases of lymphatics	3	1		1	1													
Other diseases of circulatory system	18	8	1					2	1	1	1		2	2				
IV.—Diseases of respiratory system	1,674	404	174	53	23	19	34	31	54	92	94	138	206	213	127	12		
Laryngitis	6		1	1	1			1			1			1				
Other diseases of larynx	7	4	1	1			1											
Diseases of thyroid body	2							1	1									
Acute bronchitis	135	88	20			1		1		1	1	2	4	9	7	1		
Chronic bronchitis	129	5		2	1				4	1	5	13	24	48	21	5		
Bronchopneumonia	302	125	68	18	6	6	6	3	1	7	4	7	16	19	15	1		
Pneumonia (lobar and unqualified)	924	163	81	30	15	11	24	20	43	74	74	99	131	102	54	3		
Pleurisy	35		1			1	2	5		4	3	4	6	6	3			
Congestion of lungs	78	17	2	1					1	2	1	6	10	16	20	2		
Gangrene of lungs	5								1	1	1		2					
Asthma and emphysema	28	1							1		3	6	8	5	4			
Hemorrhage of lungs	16	1							2	2	1	1	3	4	2			
Other diseases of respiratory system	7						1						2	3	1			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

MARYLAND (WHITE)—Continued.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	1,857	881	197	41	15	5	25	42	53	64	92	105	133	147	52	5		
Diseases of mouth	4	4																
Tonsillitis	12		2	4	1		1	2	1		1							
Other diseases of pharynx	3	2	1															
Ulcer of stomach	23						1		6	1	4	2	5	4				
Gastritis	100	21	5	1	1	1	2	2	1	5	4	9	18	21	8	1		
Other diseases of stomach	125	25	1	1	1		3	1	3	8	5	21	23	24	8	1		
Dentition	8	2	6															
Diarrhea and enteritis	1,130	797	176	31	6	2	3	3	6	2	10	12	23	32	24	3		
Hernia	41	4						1	1	2	7	4	6	11	5			
Obstruction of intestines	82	15	3	1	1		2	2	8	10	7	6	8	18	1			
Other diseases of intestines	18	6		1					2	2	2	2	2	1				
Acute yellow atrophy of liver	1													1				
Hydatid tumors of liver																		
Cirrhosis of liver	136		1					2	1	14	33	31	30	18	6			
Biliary calculi	27						1		1	2	5	5	9	4				
Other diseases of liver	33	3	1		2	2	1		2	4		6	6	6				
Diseases of spleen																		
Peritonitis	32	1	1	2	1		2	4	6	2	5	3	1	4				
Appendicitis	81	1			2		9	25	15	11	9	4	2	3				
Other diseases of digestive system	1									1								
VI.—Diseases of genito-urinary system	1,268	7	5	2	3	2	9	15	65	96	162	222	291	289	96	4		
Acute nephritis	95	2	5	2	2	2	2	3	9	11	16	12	11	14	4			
Bright's disease	1,050	2			1		6	12	42	74	135	194	260	241	79	4		
Other diseases of kidneys	18	1					1		3		1	4	3	5				
Calculi of urinary tract	7								1	1	2	2	1					
Diseases of bladder	25	1									1	1	7	10	5			
Uterine tumor	6										1	2	1	2				
Other diseases of uterus	6								2	2	1	1						
Ovarian tumor	8									1	1	3	1	2				
Diseases of tubes	15								8	4	3							
Other diseases of genito-urinary system	38	1								3	1	3	7	15	8			
VII.—Childbirth	136							8	61	56	11							
Puerperal septicemia	51							4	25	21	1							
Puerperal convulsions	39							3	21	12	3							
Other causes incident to childbirth	46							1	15	23	7							
VIII.—Diseases of skin	66	14	3	4	2		1		2	1	3	5	10	13	6	2		
Gangrene	37	4	1	2	2				1		1	3	7	8	6	2		
Carbuncle	6	2	1						1					2				
Abscess	14	3	1	1			1			1	1	1	3	2				
Other diseases of skin	9	5		1							1	1		1				
IX.—Diseases of locomotor system	23	1	1	1	2	1	2	4	1		4	1	1	3	1			
Diseases of bones	21	1	1	1	2	1	2	4	1		3	1	1	2	1			
Diseases of joints	1										1							
Other diseases of locomotor system	1													1				
X.—Malformations	132	118	6	2	2		2	1	1									
Hydrocephalus	12	5	3	1	1		1		1									
Congenital malformation of heart (cyanosis)	89	85		1	1		1	1										
Other congenital malformations	31	28	3															
XI.—Diseases of early infancy	870	870																
Premature birth	354	354																
Congenital debility	516	516																
XII.—Old age	385												31	115	201	34	2	2
XIII.—Violence	937	85	20	18	15	20	34	70	126	114	120	115	84	57	40	8		11
Suicide	162							4	32	30	29	40	14	11	2			
Fractures and dislocations	8											3		4	1			
Burns and scalds	94	3	9	9	11	11	9	6	8	5	7	6	6	3	1			
Heat and sunstroke	35	4	1					1		4	5	2	7	6	4	1		
Cold and freezing	6	1								1	1	1	2					
Lightning	2									1		1						
Drowning	95			3		1	7	15	19	13	21	8	3		1			4
Inhalation of poisonous gases (including conflagration)	14		1						2	2		4	2	1				2
Other accidental poisonings	37	3	6	2	1	3	2	1	3	3	5	3	3	2				
Accidental gunshot wounds	20						2	10	5		1	1	1					
Injuries by machinery	14							4	3	3	2	2						
Injuries in mines and quarries	12							5	4	2	1							
Railroad accidents and injuries	97						3	9	20	14	18	13	11	2	2			5
Street-car accidents	26			1	1	1	5	1	3	1	5	3	4	1				
Injuries by vehicles and horses	31	1		1	2	3	4	4	1	5	3	2	2	3				
Automobile accidents	4										1		2	1				
Suffocation	9	6						2	1									
Other accidental injuries	190	4	3	2		1	2	6	21	26	17	23	26	23	29	7		
Injuries at birth	61	61																
Homicide	20	2						2	4	4	4	3	1					
XIV.—Ill-defined causes	477	251	23	4	1	1	1	5	3	11	18	27	47	46	32	2		5
"Dropsy"	18	2	1			1		1	1			1	4	4	2			1
"Heart failure"	96	2	1		1			3	2	7	16	18	24	16	6			
Other ill-defined causes	337	234	21	2				1		4	1	8	15	23	24	2		2
Unknown causes	26	13		2			1				1		4	3				2

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

MARYLAND (COLORED).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	5,256	1,258	276	137	72	39	160	351	625	487	466	458	414	291	142	37	14	29
I.—General diseases	1,576	141	74	42	30	12	71	218	375	228	160	110	72	29	6	2	1	5
Typhoid fever	115	2	2	1	3	13	31	35	11	10	2	5						
Malarial fever	11	2		1		1	2	1	2		2							
Smallpox																		
Measles	35	12	8	7	3	2	1	2										
Scarlet fever	1								1									
Whooping cough	120	62	31	14	4		8	1										
Diphtheria	11	2	1		1		5	1				1						
Croup	11	6		2	2				1									
Influenza	69	6	4	2	1		2	3	10	6	4	10	10	6	2	2		1
Cholera nostras	3						1				1	1						
Dysentery	18	2	1	2			1	2		2	1	1	3	2			1	
Erysipelas	2						1			1								
Other epidemic diseases	1					1												
Septicemia	11	1					1		2	1	2	1	3					
Tuberculosis of lungs	878	13	16	8	8	3	25	156	290	176	93	53	25	7	3			2
Tuberculosis of larynx	7	1							1	1	3	1						
Tuberculous meningitis	21	2	5	1	2		3	3	5									
Abdominal tuberculosis	34	3	2		3	3	4	8	5	3	2			1				
Pott's disease	8						1	1	4	1			1					
Tuberculous abscess																		
White swelling	2				1									1				
Tuberculosis of other organs	6				1			1	3				1					
General tuberculosis	14	1		2			3	4	3		1							
Scrofula	1	1																
Venereal diseases	50	26	4	2	1			1	5	2	8			1				
Cancer of mouth	5										1	3		1				
Cancer of stomach and liver	37								3	4	6	12	7	4				1
Cancer of intestines	10								1	3	1	2	3					
Cancer of female genital organs	29								1	6	9	9	2	1	1			
Cancer of breast	9									2	1	3	2	1				
Cancer of skin	1							1										
Cancer of other or unspecified organs	10				1						3	2	2	2				
Tumor	5									1	2	1	1					
Rheumatism	17	1					1	1	1	3	3	3	4					
Diabetes	10								1		4	1	2	2				
Anemia, leukemia	5								2	1	1	1						
Alcoholism	6									1	2	1	1					1
Chronic poisonings	1									1								
Other general diseases	2										2							
II.—Diseases of nervous system	445	87	13	4	6	4	7	16	20	22	37	67	69	58	23	4	2	6
Encephalitis	1	1																
Meningitis	41	10	3	1	5	3	4	6	3	4	1							1
Locomotor ataxia	5									1	4							
Other diseases of spinal cord	7							1	1		1	2		2				
Apoplexy	173	2					1	3	6	5	19	38	42	35	16	1	2	3
Softening of brain	2												1		1			
Paralysis	85	1			1			1	3	5	4	22	20	18	6	3		1
General paralysis of insane	8									2	3	1	1	1				
Other forms of mental disease	6							1	1	1	1		2					
Other diseases of brain	8	4		1					2		1							
Epilepsy	14							2	2	2	1	3	1	2				1
"Convulsions"	71	58	9	2		1	1											
Tetanus	18	9	1				1	2	2		2		1					
Other diseases of nervous system	6	2								2		1	1					
III.—Diseases of circulatory system	463	6					5	9	35	52	79	89	94	61	27	1	1	4
Pericarditis	1												1					
Endocarditis	18						1	1	3			11	2					
Heart disease	394	5					4	7	30	46	69	73	81	54	21			4
Angina pectoris	5									2	2		1					
Diseases of arteries	37									3	7	4	9	7	5	1	1	
Embolism and thrombosis	3								2			1						
Diseases of veins																		
Diseases of lymphatics	1							1										
Other diseases of circulatory system	4	1								1	1				1			
IV.—Diseases of respiratory system	758	244	86	52	22	7	28	29	50	51	44	55	41	34	12	1	2	
Laryngitis	1	1																
Other diseases of larynx	2	1			1													
Diseases of thyroid body	1												1					
Acute bronchitis	75	49	11	5	3		1	1		1	1	1		1	1			
Chronic bronchitis	35		4				3	1	2	3	3	4	7	6	2			
Bronchopneumonia	187	89	31	27	10	3	7	3	4		1	5	4	1	2			
Pneumonia (lobar and unqualified)	392	92	37	20	8	3	16	19	38	41	30	35	25	20	6		2	
Pleurisy	15	1				1	1	2	4	1	2	1		2				
Congestion of lungs	11	5	1					1			2			1		1		
Gangrene of lungs																		
Asthma and emphysema	17									1	2	6	4	3	1			
Hemorrhage of lungs	9									3	3	3						
Other diseases of respiratory system	13	6	2					2	2	1								

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

MARYLAND (COLORED)—Continued.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	536	269	69	20	5	6	19	14	21	23	25	25	19	10	7	2	1	1
Diseases of mouth	8	7					1											
Tonsillitis	5	1	1				1	2										
Other diseases of pharynx	3	2								1								
Ulcer of stomach	6									2	2	1	1					
Gastritis	31	9	3						2	3	3	5	5		1			
Other diseases of stomach	30	11				1	1	1	2	4	1	4	2	3				
Dentition	5	3	1	1														
Diarrhea and enteritis	354	229	64	17	3	5	7	4	5	1	3	6	2	3	3	2		
Hernia	11	2						1	3	1	1		2		1			
Obstruction of intestines	24	4		1	2		3	2	2	2	3	2	1	2				
Other diseases of intestines	7			1			1		1		2		1				1	
Acute yellow atrophy of liver																		
Hydatid tumors of liver																		
Cirrhosis of liver	13	1								1	3	4	4					
Biliary calculi	3									1	2							
Other diseases of liver	10							1	1	2	2	1		1	2			
Diseases of spleen																		
Peritonitis	11						1	3	1	2	1	1	1	1				
Appendicitis	14						4		4	2	2	1						1
Other diseases of digestive system	1									1								
VI.—Diseases of genito-urinary system	449	5	5	3	2	1	6	21	41	48	82	79	87	39	24	5		1
Acute nephritis	52	1	2	2	2		3	4	6	5	11	7	5	4				
Bright's disease	344	3	2	1		1	3	15	23	36	64	62	77	31	21	5		
Other diseases of kidneys	11	1	1					1	1		1	4		2				
Calculi of urinary tract	1														1			
Diseases of bladder	7										1	1	2	1	2			
Uterine tumor	8								1	3	2	1	1					
Other diseases of uterus	5								2		2	1						
Ovarian tumor	3									1	1		1					
Diseases of tubes	10							1	7	2								
Other diseases of genito-urinary system	8								1	1		3	1	1				1
VII.—Childbirth	68							13	27	28								
Puerperal septicemia	26							4	12	10								
Puerperal convulsions	12							4	3	5								
Other causes incident to childbirth	30							5	12	13								
VIII.—Diseases of skin	23	3							1	5	4	3	1	2	3			1
Gangrene	12	1								1	2	3	1	2	2			
Carbuncle	3									2	1							
Abscess	4								1	1	1							1
Other diseases of skin	4	2								1					1			
IX.—Diseases of locomotor system	13	2		3	1		3	2				1		1				
Diseases of bones	12	2		3	1		2	2				1		1				
Diseases of joints																		
Other diseases of locomotor system	1						1											
X.—Malformations	22	17	2	1	1		1											
Hydrocephalus	7	5	1	1														
Congenital malformation of heart (cyanosis)	10	9			1													
Other congenital malformations	5	3	1				1											
XI.—Diseases of early infancy	279	279																
Premature birth	100	100																
Congenital debility	179	179																
XII.—Old age	94												6	32	30	17	6	3
XIII.—Violence	239	29	3	7	3	8	16	25	53	27	23	18	10	7	3	1		6
Suicide	10							1	5	1			2		1			
Fractures and dislocations	1							1										
Burns and scalds	38	3	2	3	2	4	9	2	3	3		3	2	1		1		
Heat and sunstroke	4	1									1			2				
Cold and freezing	3									1		1	1					
Lightning	1										1							
Drowning	49					1	4	6	14	8	6	4	1					5
Inhalation of poisonous gases (including conflagration)	6					1		1		1			1		2			
Other accidental poisonings	8	2	1	2					2	1								
Accidental gunshot wounds	9					1		3	3	1	1							
Injuries by machinery	5							1	2		1	1						
Injuries in mines and quarries	2									1	1							
Railroad accidents and injuries	16								4	4	2	3	2					1
Street-car accidents	3				1						2							
Injuries by vehicles and horses	8						1		2		2	2		1				
Automobile accidents	1								1									
Suffocation	7	5					1					1						
Other accidental injuries	27	3		2		1	1	4	3	3	4	3	1	2				
Injuries at birth	14	14																
Homicide	27	1						6	14	3	2			1				
XIV.—Ill-defined causes	291	176	24	5	2	1	4	4	2	3	12	11	15	18	7	4	1	2
"Dropsy"	24	2						1		1	4	2	3	8		2	1	
"Heart failure"	23	1	3					1		1	6	3	5	2	1			
Other ill-defined causes	199	138	17	4	2	1	3	1	2	1	2	6	7	6	6	2		1
Unknown causes	45	35	4	1			1	1						2				1

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

MASSACHUSETTS.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	51,096	10,514	1,927	821	492	352	1,002	1,658	3,131	4,084	4,426	5,190	6,677	6,612	3,586	591	11	22
I.—General diseases	12,879	866	534	346	227	174	466	719	1,531	1,754	1,632	1,543	1,517	1,121	404	43	1	1
Typhoid fever	389	1	3	2	6	2	19	64	109	79	60	22	10	11	.....	1	.....	.....
Malarial fever	23	3	.....	1	1	1	1	1	4	1	1	1	.....	5	3	.....	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Measles	257	65	105	39	12	7	17	3	1	3	.....	2	1	2	.....	.....	.....	.....
Scarlet fever	286	13	38	49	39	25	71	30	14	6	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough	398	231	91	38	10	13	13	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....
Diphtheria	623	50	102	78	81	70	165	38	17	10	6	4	1	1	.....	.....	.....	.....
Croup	92	12	15	15	17	14	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	428	38	2	5	1	1	6	6	7	19	28	26	84	102	85	18	.....	.....
Cholera nostras	14	5	.....	1	1	.....	.....	1	.....	.....	.....	1	1	2	2	.....	.....	.....
Dysentery	210	34	15	9	5	2	8	5	6	10	9	17	28	32	25	4	1	.....
Erysipelas	163	45	2	.....	.....	.....	.....	5	9	15	16	22	17	20	10	1	.....	1
Other epidemic diseases	7	4	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	126	24	2	1	.....	2	4	8	13	18	16	18	11	5	4	.....	.....	.....
Tuberculosis of lungs	4,432	58	30	24	8	10	37	384	1,145	1,146	754	429	251	133	23	.....	.....	.....
Tuberculosis of larynx	58	.....	.....	.....	.....	.....	.....	3	16	7	17	8	3	4	.....	.....	.....	.....
Tuberculous meningitis	413	115	81	65	29	13	31	31	17	16	11	2	1	1	.....	.....	.....	.....
Abdominal tuberculosis	165	16	15	5	7	4	8	18	22	19	23	12	9	5	2	.....	.....	.....
Pott's disease	52	.....	4	.....	2	2	7	7	10	5	4	5	1	4	1	.....	.....	.....
Tuberculous abscess	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
White swelling	30	5	1	.....	.....	.....	6	3	4	3	4	3	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	65	4	2	.....	.....	.....	2	13	7	16	6	8	4	3	.....	.....	.....	.....
General tuberculosis	99	13	8	.....	2	1	4	6	13	17	16	10	7	1	1	.....	.....	.....
Scrofula	5	1	.....	1	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	152	100	2	2	1	.....	.....	2	13	12	12	3	4	.....	1	.....	.....	.....
Cancer of mouth	92	.....	1	.....	.....	.....	.....	2	1	2	10	19	26	22	9	.....	.....	.....
Cancer of stomach and liver	1,020	1	1	.....	.....	.....	1	1	5	49	125	243	292	247	52	3	.....	.....
Cancer of intestines	461	.....	.....	.....	.....	.....	1	2	6	20	66	110	134	93	27	2	.....	.....
Cancer of female genital organs	434	.....	.....	.....	.....	.....	.....	1	4	49	113	125	90	39	13	.....	.....	.....
Cancer of breast	328	.....	.....	.....	.....	.....	.....	.....	.....	26	61	78	79	54	29	1	.....	.....
Cancer of skin	108	.....	.....	.....	.....	.....	.....	.....	.....	8	9	13	23	27	27	1	.....	.....
Cancer of other or unspecified organs	529	1	1	4	.....	.....	3	6	19	34	65	112	137	106	37	4	.....	.....
Tumor	48	1	.....	.....	.....	.....	.....	1	4	3	3	12	12	7	5	.....	.....	.....
Rheumatism	228	1	3	1	1	5	16	34	16	17	20	23	40	31	18	2	.....	.....
Diabetes	592	1	2	5	.....	1	14	21	18	44	55	122	176	104	25	4	.....	.....
Anemia, leukemia	293	17	8	.....	3	1	9	15	12	31	44	53	48	48	3	1	.....	.....
Alcoholism	171	.....	.....	.....	.....	.....	.....	1	10	48	57	32	17	6	.....	.....	.....	.....
Chronic poisonings	23	.....	.....	.....	.....	.....	.....	.....	3	5	5	3	3	3	1	.....	.....	.....
Other general diseases	62	7	.....	.....	.....	.....	2	5	5	16	14	4	5	3	1	.....	.....	.....
II.—Diseases of nervous system	5,580	562	170	58	47	39	81	121	145	258	454	720	1,136	1,173	554	60	1	1
Encephalitis	17	5	1	.....	.....	.....	.....	1	1	1	3	2	.....	1	2	.....	.....	.....
Meningitis	621	227	113	40	34	22	43	41	30	13	26	10	16	3	2	.....	.....	1
Locomotor ataxia	91	.....	.....	.....	.....	.....	.....	.....	.....	9	11	25	35	10	1	.....	.....	.....
Other diseases of spinal cord	254	13	6	7	6	8	8	19	14	16	18	30	52	44	12	1	.....	.....
Apoplexy	3,084	44	7	.....	1	.....	4	5	23	81	204	486	853	905	426	44	1	.....
Softening of brain	58	.....	.....	.....	.....	.....	1	.....	1	.....	5	4	14	23	10	.....	.....	.....
Paralysis	365	3	2	.....	.....	1	.....	1	6	7	12	48	88	117	73	7	.....	.....
General paralysis of insane	241	.....	.....	.....	.....	.....	.....	.....	3	54	83	54	25	16	5	1	.....	.....
Other forms of mental disease	103	.....	.....	.....	.....	.....	.....	1	3	12	20	16	19	16	14	2	.....	.....
Other diseases of brain	168	15	1	1	2	2	9	10	17	31	29	17	16	13	2	3	.....	.....
Epilepsy	139	7	1	.....	1	3	5	18	22	17	21	15	8	15	5	1	.....	.....
"Convulsions"	274	215	32	1	1	1	2	2	12	4	3	1	.....	.....	.....	.....	.....	.....
Tetanus	45	9	1	.....	.....	.....	6	10	6	5	6	1	1	.....	.....	.....	.....	.....
Other diseases of nervous system	120	24	6	9	2	2	3	13	7	8	13	11	9	10	2	1	.....	.....
III.—Diseases of circulatory system	7,704	121	15	9	8	13	82	172	229	424	617	1,076	1,733	2,003	1,068	127	3	4
Pericarditis	37	1	1	.....	.....	1	4	4	3	3	4	6	5	5	.....	.....	.....	.....
Endocarditis	616	10	.....	2	4	2	18	26	34	53	64	93	123	120	62	5	.....	.....
Heart disease	5,298	60	11	4	3	4	54	133	180	318	482	815	1,229	1,311	628	62	.....	4
Angina pectoris	251	.....	.....	.....	.....	1	.....	2	1	12	19	37	83	71	22	3	.....	.....
Diseases of arteries	1,232	.....	.....	.....	.....	.....	.....	.....	.....	7	25	95	258	454	335	55	3	.....
Embolism and thrombosis	166	8	1	.....	.....	1	1	4	6	23	15	24	26	39	16	2	.....	.....
Diseases of veins	24	.....	.....	.....	.....	.....	.....	.....	1	3	4	4	6	3	3	.....	.....	.....
Diseases of lymphatics	12	5	2	1	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	68	37	.....	2	1	3	3	2	4	5	4	2	3	.....	2	.....	.....	.....
IV.—Diseases of respiratory system	6,467	1,450	540	196	95	48	110	139	261	418	482	580	807	791	458	92	.....	.....
Laryngitis	26	6	4	1	1	2	3	1	.....	2	3	1	1	1	.....	.....	.....	.....
Other diseases of larynx	24	4	4	3	2	.....	7	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....
Diseases of thyroid body	14	.....	.....	.....	.....	.....	.....	.....	2	2	1	4	3	2	.....	.....	.....	.....
Acute bronchitis	561	345	85	16	5	3	5	3	2	7	5	6	22	27	22	8	.....	.....
Chronic bronchitis	413	4	3	1	1	1	3	4	8	5	17	38	78	117	101	32	.....	.....
Bronchopneumonia	1,145	451	179	61	24	8	18	9	16	12	31	43	96	116	65	16	.....	.....
Pneumonia (lobar and unqualified)	3,841	585	252	103	55	30	65	110	201	352	385	443	547	461	226	26	.....	.....
Pleurisy	142	11	3	4	3	1	6	7	18	14	19	17	19	15	5	.....	.....	.....
Congestion of lungs	162	39	6	2	2	1	1	.....	3	6	9	6	19	32	26	10	.....	.....
Gangrene of lungs	23	.....	.....	.....	1	.....	.....	3	4	5	3	2	2	2	1	.....	.....	.....
Asthma and emphysema	63	.....	1	1	.....	2	.....	.....	1	3	5	15	13	14	8	.....	.....	.....
Hemorrhage of lungs	28	2	.....	1	.....	.....	.....	1	4	8	2	2	3	2	3	.....	.....	.....
Other diseases of respiratory system	25	3	3	3	1	.....	2	1	1	2	.....	3	3	2	1	.....	.....	.....

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	6,328	3,371	500	108	48	34	95	155	157	261	307	340	396	335	192	28	1	
Diseases of mouth	20	10	4	1			1		1		2			1				
Tonsillitis	23	1	1	2	2	2	6	2	2	1			3		1			
Other diseases of pharynx	37	5	4	2	2		3	4	2	1	4	3	3	1	2	1		
Ulcer of stomach	115	2						5	8	17	20	26	22	8	7			
Gastritis	248	73	16	5	1	3	1	4	3	9	12	27	22	38	31	3		
Other diseases of stomach	238	115	7	2	3	2	2	3	3	9	14	15	10	28	18	7		
Dentition																		
Diarrhea and enteritis	4,032	3,076	453	84	29	11	21	9	17	20	35	40	87	86	54	9	1	
Hernia	125	10					1	2	3	6	16	22	36	16	13			
Obstruction of intestines	290	46	8	3	3	1	8	10	17	23	19	33	48	41	24	6		
Other diseases of intestines	64	11		1	3	1	2	3	2	6	9	11	6	6	3			
Acute yellow atrophy of liver	12	1							2		1	2	3		3			
Hydatid tumors of liver																		
Cirrhosis of liver	322	2	1			2	1	2	5	44	66	77	61	45	15	1		
Biliary calculi	107								2	7	17	23	30	20	8			
Other diseases of liver	136	3	1	2	1	2	1	1	3	10	23	15	32	30	12			
Diseases of spleen	7			1			1	3			1			1				
Peritonitis	168	14	2	1	1	2	10	18	19	41	23	17	11	7	1	1		
Appendicitis	365	2	3	4	3	7	37	88	68	64	41	24	18	6				
Other diseases of digestive system	19					1		1		3	4	5	4	1				
VI.—Diseases of genito-urinary system	3,407	36	19	11	8	2	20	80	180	302	451	562	757	691	266	21		1
Acute nephritis	234	11	6	6	4	1	7	17	33	31	40	26	24	19	8	1		
Bright's disease	2,589	16	12	5	4	1	12	54	107	200	323	472	625	556	189	12		1
Other diseases of kidneys	98	7	1				1		6	7	14	16	19	18	9			
Calculi of urinary tract	12								1	2		2	6	1				
Diseases of bladder	98	1						2		4	3	9	17	32	27	3		
Uterine tumor	59								1	11	31	9	5	2				
Other diseases of uterus	54							4	9	17	13	3	5	2		1		
Ovarian tumor	31							1	2	4	4	6	10	4				
Diseases of tubes	60							2	17	23	14	1	3					
Other diseases of genito-urinary system	172	1							4	3	9	18	43	57	33	4		
VII.—Childbirth	482							23	198	220	40							1
Puerperal septicemia	170							10	86	68	6							
Puerperal convulsions	109							9	43	45	12							
Other causes incident to childbirth	203							4	69	107	22							1
VIII.—Diseases of skin	194	38	2	1	2			2	3	12	12	19	27	33	32	10	1	
Gangrene	109	2	1						1	3	2	10	22	30	28	9	1	
Carbuncle	16	2							1	1	5	3	2	1	1			
Abscess	28	12						2		4	5	3	1			1		
Other diseases of skin	41	22	1	1	2				1	4		3	2	2	3			
IX.—Diseases of locomotor system	125	31	12	3	3	3	7	14	8	7	8	13	6	5	5			
Diseases of bones	106	29	11	3	3	3	7	11	7	6	7	10	5	1	3			
Diseases o ljoints	11	1	1							1	1	3	1	1	2			
Other diseases of locomotor system	8	1						3	1				3					
X.—Malformations	530	487	17	7	3	1	7	7		1								
Hydrocephalus	57	48	4	5														
Congenital malformation of heart (cyanosis)	318	296	7	1	2	1	4	6		1								
Other congenital malformations	155	143	6	1	1		3	1										
XI.—Diseases of early infancy	2,642	2,642																
Premature birth	1,412	1,412																
Congenital debility	1,230	1,230																
XII.—Old age	854												40	210	421	179	4	
XIII.—Violence	3,054	364	73	74	45	37	131	223	411	409	392	299	213	197	149	27		10
Suicide	429							12	84	83	83	83	49	25	7			3
Fractures and dislocations	17						1		3	2	2			2	5	2		
Burns and scalds	268	9	30	35	28	17	28	7	18	20	18	20	15	17	5	1		
Heat and sunstroke	54	8	2	2			2	3	6	7	8	5	2	1	6	2		
Cold and freezing	12										3	6	1	1		1		
Lightning	2							1					1					
Drowning	308	1	6	8	3	3	30	77	59	47	33	21	7	5	3			5
Inhalation of poisonous gases (including conflagration)	93	2			1	2	2	7	8	17	17	12	13	6	5	1		
Other accidental poisonings	109	10	16	11	2	3	4	6	12	12	14	8	8	3				
Accidental gunshot wounds	20						2	8	4	4			2					
Injuries by machinery	55					2	1	11	17	5	13	3	2	1				
Injuries in mines and quarries	3								2			1						
Railroad accidents and injuries	302		2	1	1		12	37	64	67	56	30	18	11	1			2
Street-car accidents	78		1	2	2	3	10	3	13	7	7	13	6	7	4			
Injuries by vehicles and horses	123		2	2	5	5	10	4	20	22	20	6	14	10	3			
Automobile accidents	52				1	1	7	8	8	8	6	3	6	3	1			
Suffocation	60	40	1				1	3	3	5	4	2	1					
Other accidental injuries	709	8	13	13	2	1	20	30	62	87	94	81	66	103	109	20		
Injuries at birth	279	279																
Homicide	81	7					1	6	28	16	14	5	2	2				
XIV.—Ill-defined causes	850	546	45	8	6	1	3	3	8	18	31	38	45	53	37	4		4
"Dropsy"	12												3	3	4	2		
"Heart failure"	60	12		1	1	1	1	1		3	5	7	10	10	6	1		1
Other ill-defined causes	710	504	43	6	4		1	1	7	10	18	27	25	36	27	1		
Unknown causes	68	30	2	1	1		1	1	1	5	8	4	7	4				3

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

MICHIGAN.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	36,260	7,339	1,275	498	347	251	749	1,509	2,473	2,381	2,568	3,297	4,795	5,303	2,969	435	18	53
I.—General diseases	8,536	575	312	178	143	114	361	669	1,120	965	843	1,008	1,132	819	260	31	.....	6
Typhoid fever	657	1	4	16	5	7	43	143	165	120	77	42	23	9	1	1	.....	.....
Malarial fever	28	1	2	.....	.....	.....	.....	3	2	5	2	2	6	5	.....	.....	.....	.....
Smallpox	4	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....
Measles	265	59	97	31	20	11	17	16	5	6	1	1	.....	1	.....	.....	.....	.....
Scarlet fever	285	15	39	39	35	27	84	34	9	.....	1	.....	1	1	.....	.....	.....	.....
Whooping cough	211	149	39	8	6	4	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	354	15	30	39	44	30	118	57	12	3	4	1	.....	1	.....	.....	.....	.....
Croup	48	13	11	5	3	8	7	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	365	32	5	2	3	4	3	8	8	11	20	23	64	101	71	10	.....	.....
Cholera nostras	28	6	2	.....	.....	.....	2	1	.....	.....	1	3	4	5	3	1	.....	.....
Dysentery	132	26	7	7	3	2	2	.....	1	1	1	7	15	31	27	2	.....	.....
Erysipelas	100	33	.....	1	1	.....	.....	4	6	4	8	7	16	16	3	1	.....	.....
Other epidemic diseases	7	5	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	124	19	2	2	3	1	4	10	14	11	13	15	15	11	4	.....	.....	.....
Tuberculosis of lungs	2,238	16	15	8	7	3	14	266	706	510	289	200	134	60	7	.....	.....	3
Tuberculosis of larynx	35	.....	.....	.....	.....	.....	.....	3	10	6	6	7	2	1	.....	.....	.....	.....
Tuberculous meningitis	112	13	25	11	5	8	19	10	9	3	4	3	1	.....	.....	.....	.....	1
Abdominal tuberculosis	135	11	2	1	1	.....	4	17	27	23	15	13	14	6	1	.....	.....	.....
Pott's disease	33	4	2	.....	.....	.....	2	3	4	6	1	6	4	1	.....	.....	.....	.....
Tuberculous abscess	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....
White swelling	14	.....	.....	.....	.....	.....	1	5	2	.....	1	2	1	2	.....	.....	.....	.....
Tuberculosis of other organs	35	2	1	.....	.....	1	2	4	8	5	6	1	4	1	.....	.....	.....	.....
General tuberculosis	35	2	5	.....	.....	.....	.....	4	11	5	1	3	3	1	.....	.....	.....	.....
Scrofula	6	5	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	149	104	4	1	.....	1	.....	1	7	6	6	10	7	1	1	.....	.....	.....
Cancer of mouth	85	1	.....	.....	.....	.....	.....	.....	1	2	6	17	29	22	6	.....	.....	1
Cancer of stomach and liver	825	.....	.....	.....	.....	.....	.....	2	7	39	80	189	290	181	34	3	.....	.....
Cancer of intestines	218	.....	.....	.....	.....	.....	1	2	6	13	22	51	63	53	7	.....	.....	.....
Cancer of female genital organs	266	.....	.....	.....	.....	.....	.....	.....	4	33	52	81	59	32	5	.....	.....	.....
Cancer of breast	184	.....	.....	.....	.....	.....	.....	.....	2	14	39	48	46	23	11	1	.....	.....
Cancer of skin	88	.....	.....	.....	.....	.....	1	.....	.....	2	1	8	21	33	17	5	.....	.....
Cancer of other or unspecified organs	287	.....	2	2	.....	.....	5	2	8	17	38	48	76	62	24	3	.....	.....
Tumor	32	1	.....	.....	.....	.....	.....	1	.....	4	1	7	4	11	3	.....	.....	.....
Rheumatism	204	2	1	1	1	2	8	24	14	10	25	26	33	36	18	3	.....	.....
Diabetes	395	.....	2	1	.....	3	11	36	21	30	35	80	102	66	7	.....	.....	1
Anemia, leukemia	297	20	7	.....	2	2	7	8	26	33	37	60	68	24	3	.....	.....	.....
Alcoholism	100	.....	.....	.....	.....	.....	.....	.....	7	23	34	19	12	5	.....	.....	.....	.....
Chronic poisonings	21	.....	.....	.....	.....	.....	.....	.....	1	2	2	6	3	5	2	.....	.....	.....
Other general diseases	131	19	8	3	1	.....	3	4	14	17	13	22	12	10	4	1	.....	.....
II.—Diseases of nervous system	4,337	608	135	54	32	25	74	119	102	169	285	464	809	931	473	49	1	7
Encephalitis	34	10	5	1	.....	.....	1	3	3	1	2	3	3	1	1	.....	.....	.....
Meningitis	388	103	69	29	18	14	46	34	23	19	7	12	9	5	.....	.....	.....	.....
Locomotor ataxia	65	.....	.....	.....	.....	.....	.....	.....	3	2	11	23	23	3	.....	.....	.....	.....
Other diseases of spinal cord	148	8	6	4	4	1	3	5	3	9	12	19	38	30	6	.....	.....	.....
Apoplexy	1,827	43	2	3	3	3	5	9	20	41	120	239	464	563	279	30	.....	3
Softening of brain	47	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	6	11	19	5	2	.....	1
Paralysis	754	4	1	.....	.....	1	2	4	3	16	28	74	197	248	161	14	1	.....
General paralysis of insane	139	.....	.....	.....	.....	.....	.....	.....	3	26	45	28	17	15	2	2	.....	1
Other forms of mental disease	62	.....	.....	.....	.....	.....	.....	2	3	4	15	8	10	15	4	.....	.....	1
Other diseases of brain	110	6	6	1	.....	1	3	11	9	16	17	16	14	6	3	1	.....	.....
Epilepsy	122	5	1	.....	.....	1	4	21	19	23	13	16	5	8	5	.....	.....	1
"Convulsions"	493	415	41	14	6	3	2	4	4	3	.....	1	.....	.....	.....	.....	.....	.....
Tetanus	37	3	.....	1	1	.....	5	17	3	1	2	3	1	.....	.....	.....	.....	.....
Other diseases of nervous system	111	11	4	1	.....	1	3	9	6	8	10	16	17	18	7	.....	.....	.....
III.—Diseases of circulatory system	4,914	113	10	7	4	3	38	94	144	189	361	638	1,223	1,381	651	51	.....	7
Pericarditis	49	.....	.....	1	.....	.....	2	5	6	.....	5	7	11	9	3	.....	.....	.....
Endocarditis	188	5	1	.....	1	2	10	6	18	9	19	23	39	39	15	1	.....	.....
Heart disease	3,836	66	2	6	1	.....	24	77	102	159	285	513	978	1,104	482	32	.....	5
Angina pectoris	201	.....	.....	.....	.....	1	.....	2	5	5	20	40	69	45	14	.....	.....	.....
Diseases of arteries	455	2	.....	.....	.....	.....	.....	1	2	4	16	29	97	158	127	18	.....	1
Embolism and thrombosis	97	2	.....	.....	.....	.....	.....	.....	10	7	12	17	20	22	7	.....	.....	.....
Diseases of veins	19	1	1	.....	.....	.....	1	1	.....	1	3	4	4	1	2	.....	.....	.....
Diseases of lymphatics	11	6	2	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Other diseases of circulatory system	58	31	4	.....	1	.....	1	2	1	4	1	5	4	2	1	.....	.....	1
IV.—Diseases of respiratory system	3,489	897	268	91	60	38	73	97	162	162	225	235	376	500	260	43	.....	2
Laryngitis	18	4	1	3	2	.....	4	1	.....	.....	.....	1	.....	.....	1	1	.....	.....
Other diseases of larynx	26	5	6	1	2	2	2	.....	1	2	2	.....	2	1	.....	.....	.....	.....
Diseases of thyroid body	18	2	1	.....	.....	.....	.....	1	3	2	1	5	2	1	.....	.....	.....	.....
Acute bronchitis	412	236	61	16	11	5	7	2	2	.....	4	2	9	34	22	1	.....	.....
Chronic bronchitis	331	4	6	2	.....	.....	4	1	3	3	11	17	61	128	76	15	.....	.....
Bronchopneumonia	515	237	80	20	15	8	16	7	6	9	9	12	31	43	19	3	.....	.....
Pneumonia (lobar and unqualified)	1,732	342	99	46	25	22	37	68	123	121	155	156	204	216	103	13	.....	2
Pleurisy	88	3	3	2	2	.....	2	7	6	9	11	7	14	15	6	1	.....	.....
Congestion of lungs	152	51	8	1	1	1	.....	2	4	6	13	11	17	19	13	5	.....	.....
Gangrene of lungs	8	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	3	.....	.....	.....	.....	.....
Asthma and emphysema	97	4	.....	.....	.....	.....	.....	2	1	1	9	11	19	33	15	2	.....	.....
Hemorrhage of lungs	42	2	.....	.....	.....	.....	.....	2	8	5	6	3	6	7	1	2	.....	.....
Other diseases of respiratory system	50	7	3	.....	2	.....	1	3	4	2	4	9	8	3	4	.....	.....	.....

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	4,757	1,862	403	106	58	38	85	195	222	196	248	315	404	410	190	24	.....	1
Diseases of mouth	22	12	1	3	.....	.....	1	.....	.....	1	.....	1	1	1	1	.....	.....	.....
Tonsillitis	23	1	1	2	2	1	3	6	2	2	.....	.....	1	2	.....	.....	.....	.....
Other diseases of pharynx	28	5	.....	1	.....	.....	.....	.....	.....	2	3	4	5	6	2	.....	.....	.....
Ulcer of stomach	112	1	1	.....	.....	.....	2	4	11	6	13	25	20	24	5	.....	.....	.....
Gastritis	235	48	13	1	3	.....	3	2	11	8	14	16	34	56	22	4	.....	.....
Other diseases of stomach	296	158	11	3	2	.....	2	1	4	4	7	19	21	37	25	2	.....	.....
Dentition	6	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	2,326	1,494	349	78	38	26	24	15	11	14	18	33	57	94	65	10	.....	.....
Hernia	78	6	.....	.....	.....	.....	.....	.....	3	3	8	13	26	7	8	3	.....	1
Obstruction of intestines	288	59	13	4	3	6	11	9	22	16	25	29	36	37	18	.....	.....	.....
Other diseases of intestines	134	42	5	3	.....	.....	2	6	8	9	11	8	14	12	13	1	.....	.....
Acute yellow atrophy of liver	10	3	1	1	.....	.....	1	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....
Hydatid tumors of liver	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	323	.....	.....	1	1	.....	1	3	7	20	51	69	99	59	11	1	.....	.....
Biliary calculi	90	1	.....	.....	.....	.....	1	.....	.....	4	19	18	22	21	4	.....	.....	.....
Other diseases of liver	190	6	1	2	1	1	1	3	11	14	22	37	41	34	14	2	.....	.....
Diseases of spleen	6	.....	1	.....	.....	.....	.....	.....	2	.....	2	1	.....	.....	.....	.....	.....	.....
Peritonitis	249	20	3	4	7	2	12	39	46	41	20	19	18	16	1	1	.....	.....
Appendicitis	331	2	2	2	1	2	20	106	83	51	33	20	6	2	1	.....	.....	.....
Other diseases of digestive system	8	.....	.....	.....	.....	.....	1	1	1	.....	1	2	1	1	.....	.....	.....	.....
VI.—Diseases of genito-urinary system	2,261	54	11	9	8	5	20	67	126	173	216	330	471	526	222	19	1	3
Acute nephritis	168	18	5	5	5	2	9	19	11	19	17	13	20	17	7	1	.....	.....
Bright's disease	1,553	21	5	3	3	3	11	33	62	96	145	269	369	379	139	11	1	3
Other diseases of kidneys	92	9	1	1	.....	.....	.....	1	7	8	10	9	17	19	9	1	.....	.....
Calculi of urinary tract	9	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	3	3	2	.....	.....	.....
Diseases of bladder	109	3	.....	.....	.....	.....	.....	.....	1	2	4	7	16	40	32	4	.....	.....
Uterine tumor	54	.....	.....	.....	.....	.....	.....	1	2	13	9	12	9	8	.....	.....	.....	.....
Other diseases of uterus	66	.....	.....	.....	.....	.....	.....	5	16	17	16	9	1	2	.....	.....	.....	.....
Ovarian tumor	26	.....	.....	.....	.....	.....	.....	.....	6	4	7	3	5	1	.....	.....	.....	.....
Diseases of tubes	41	.....	.....	.....	.....	.....	.....	6	19	11	4	1	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	143	3	.....	.....	.....	.....	.....	1	2	3	4	7	31	57	33	2	.....	.....
VII.—Childbirth	417	.....	.....	.....	.....	.....	.....	35	167	167	48	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia	191	.....	.....	.....	.....	.....	.....	14	91	72	14	.....	.....	.....	.....	.....	.....	.....
Puerperal convulsions	80	.....	.....	.....	.....	.....	.....	9	41	21	9	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	146	.....	.....	.....	.....	.....	.....	12	35	74	25	.....	.....	.....	.....	.....	.....	.....
VIII.—Diseases of skin	175	28	1	.....	1	.....	.....	3	3	6	5	12	27	42	42	5	.....	.....
Gangrene	111	1	.....	.....	.....	.....	.....	1	.....	1	1	7	19	40	37	4	.....	.....
Carbuncle	13	3	.....	.....	.....	.....	.....	1	1	2	2	.....	2	1	1	.....	.....	.....
Abscess	22	5	1	.....	1	.....	.....	1	1	3	2	2	3	.....	2	1	.....	.....
Other diseases of skin	29	19	.....	.....	.....	.....	.....	.....	1	.....	.....	3	3	1	2	.....	.....	.....
IX.—Diseases of locomotor system	64	18	6	1	1	1	4	4	7	2	3	7	6	2	2	.....	.....	.....
Diseases of bones	52	16	6	1	1	1	3	4	6	2	2	6	3	1	.....	.....	.....	.....
Diseases of joints	9	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	1	1	.....	.....	.....
Other diseases of locomotor system	3	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
X.—Malformations	497	464	15	3	4	1	3	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Hydrocephalus	47	38	8	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	273	256	4	2	3	1	3	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other congenital malformations	177	170	3	1	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
XI.—Diseases of early infancy	2,075	2,075	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	1,108	1,108	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	967	967	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	1,373	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	63	430	687	174	15	4
XIII.—Violence	2,513	223	70	43	34	24	82	211	409	341	302	248	208	169	106	22	.....	21
Suicide	313	.....	.....	.....	.....	.....	.....	9	55	67	56	56	38	23	6	2	.....	1
Fractures and dislocations	42	1	.....	.....	.....	.....	.....	.....	4	1	3	1	5	13	13	1	.....	.....
Burns and scalds	138	9	22	18	9	7	12	6	8	13	8	7	8	9	2	.....	.....	.....
Heat and sunstroke	24	3	.....	.....	.....	.....	2	.....	2	1	3	4	4	3	1	.....	.....	1
Cold and freezing	22	3	.....	.....	.....	.....	.....	.....	2	4	3	4	1	3	.....	.....	.....	2
Lightning	16	.....	.....	.....	.....	.....	2	3	4	2	2	.....	1	1	1	.....	.....	.....
Drowning	254	.....	8	8	5	6	18	64	53	33	22	15	11	7	1	.....	.....	3
Inhalation of poisonous gases (including conflagration)	76	3	4	4	4	4	5	7	9	8	9	7	4	6	2	.....	.....	.....
Other accidental poisonings	115	16	22	3	6	3	4	5	10	12	13	5	7	6	2	.....	.....	1
Accidental gunshot wounds	62	.....	.....	.....	1	.....	1	25	16	7	6	4	2	.....	.....	.....	.....	.....
Injuries by machinery	62	.....	.....	.....	.....	.....	1	8	16	8	12	12	3	1	.....	.....	.....	1
Injuries in mines and quarries	145	.....	.....	.....	.....	.....	1	10	65	34	25	9	1	.....	.....	.....	.....	.....
Railroad accidents and injuries	230	.....	.....	1	.....	.....	3	22	66	54	50	37	23	10	5	.....	.....	9
Street-car accidents	57	.....	.....	1	1	.....	2	2	7	9	10	7	9	5	3	.....	.....	1
Injuries by vehicles and horses	124	1	3	1	5	2	10	12	12	13	16	14	23	12	.....	.....	.....	.....
Automobile accidents	20	.....	.....	.....	.....	1	3	2	3	4	2	2	2	.....	1	.....	.....	.....
Suffocation	46	24	1	.....	.....	.....	1	2	1	6	4	4	2	1	.....	.....	.....	.....
Other accidental injuries	508	12	9	7	3	1	15	32	53	57	50	53	61	67	68	19	.....	1
Injuries at birth	149	149	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	60	2	1	.....	.....	.....	2	2	23	8	8	7	3	2	1	.....	.....	1
XIV.—Ill-defined causes	852	422	44	6	2	2	9	11	10	9	32	40	76	93	76	17	1	2
"Dropsy"	98	2	.....	.....	.....	.....	2	1	1	2	8	12	16	30	23	1	.....	.....
"Heart failure"	93	12	1	.....	1	.....	1	2	4	3	7	11	24	18	6	3	.....	.....
Other ill-defined causes	582	358	40	6	1	2	5	6	1	3	12	15	33	41	46	13	.....	.....
Unknown causes	79	50	3	.....	.....	.....	1	2	4	1	5	2	3	4	1	.....	1	2

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

NEW HAMPSHIRE.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	7,256	1,367	201	97	59	46	128	196	344	476	482	685	1,017	1,220	763	127	2	46
I.—General diseases	1,593	87	42	33	20	18	59	82	162	202	168	193	228	198	88	6	.....	7
Typhoid fever	54	.....	1	.....	.....	.....	4	11	11	16	6	7	4	.....	.....	.....	.....	.....
Malarial fever	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	43	7	15	8	2	2	3	1	2	2	.....	.....	1	.....	.....	.....	.....	.....
Scarlet fever	18	1	1	1	2	2	6	1	1	1	1	.....	.....	1	.....	.....	.....	.....
Whooping cough	52	39	8	2	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	63	2	6	12	8	9	21	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Croup	13	1	3	3	1	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	101	3	2	.....	.....	.....	.....	1	2	2	5	2	17	28	36	1	.....	2
Cholera nostras	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	1	.....	.....	.....
Dysentery	18	3	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	4	5	.....	.....	.....
Erysipelas	20	4	.....	.....	.....	.....	.....	1	.....	2	1	3	4	4	1	.....	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	25	.....	.....	.....	.....	.....	.....	1	6	3	2	4	3	5	1	.....	.....	.....
Tuberculosis of lungs	484	7	3	4	.....	1	6	40	121	122	71	45	39	19	5	.....	.....	1
Tuberculosis of larynx	6	.....	.....	.....	.....	.....	.....	1	.....	3	1	1	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	19	3	2	1	3	.....	5	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	13	.....	.....	1	.....	.....	.....	1	.....	6	.....	.....	2	1	1	.....	.....	1
Pott's disease	6	.....	.....	.....	.....	.....	2	1	1	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	7	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	3	.....	.....	.....	.....	.....
General tuberculosis	15	1	.....	.....	.....	.....	.....	3	3	4	2	.....	2	.....	.....	.....	.....	.....
Scrofula	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	11	6	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....
Cancer of mouth	14	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	7	4	2	.....	.....	.....
Cancer of stomach and liver	134	.....	.....	.....	.....	.....	.....	.....	.....	4	18	25	35	40	11	.....	.....	1
Cancer of intestines	53	.....	.....	.....	.....	.....	.....	.....	1	1	2	18	12	15	3	.....	.....	1
Cancer of female genital organs	79	.....	.....	.....	.....	.....	.....	.....	1	7	19	15	24	10	3	.....	.....	.....
Cancer of breast	41	.....	.....	.....	.....	.....	.....	.....	.....	3	4	9	12	8	4	1	.....	.....
Cancer of skin	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	4	7	2	2	.....	.....
Cancer of other or unspecified organs	60	.....	.....	.....	1	1	.....	.....	.....	3	5	14	16	12	7	1	.....	.....
Tumor	6	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	4	.....	1	.....	.....	.....
Rheumatism	27	.....	.....	.....	.....	.....	3	1	.....	3	2	7	2	7	1	1	.....	.....
Diabetes	87	.....	.....	1	.....	2	2	4	7	7	9	18	18	16	3	.....	.....	.....
Anemia, leukemia	53	6	.....	.....	1	.....	1	2	2	3	3	15	11	8	1	.....	.....	.....
Alcoholism	22	.....	.....	.....	.....	.....	.....	.....	.....	7	11	.....	1	2	.....	.....	.....	1
Chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	2	.....	.....	.....	.....
Other general diseases	13	1	1	.....	1	.....	.....	.....	1	2	2	1	1	3	.....	.....	.....	.....
II.—Diseases of nervous system	1,004	103	40	18	7	5	11	24	24	30	56	119	202	227	123	11	.....	4
Encephalitis	9	2	.....	1	.....	.....	.....	.....	2	.....	.....	2	2	.....	.....	.....	.....	.....
Meningitis	145	46	29	12	5	5	8	14	5	3	3	6	4	2	3	.....	.....	.....
Locomotor ataxia	24	.....	.....	.....	.....	.....	.....	.....	.....	1	3	4	8	5	3	.....	.....	.....
Other diseases of spinal cord	32	1	3	1	1	.....	2	3	4	.....	.....	4	7	5	1	.....	.....	.....
Apoplexy	467	4	.....	1	.....	.....	.....	1	4	8	26	64	129	140	81	6	.....	3
Softening of brain	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	4	4	.....	.....	.....
Paralysis	126	.....	.....	.....	.....	.....	.....	.....	2	3	5	10	32	44	26	4	.....	.....
General paralysis of insane	29	.....	.....	.....	.....	.....	.....	.....	.....	8	5	8	1	7	.....	.....	.....	.....
Other forms of mental disease	50	.....	.....	.....	.....	.....	.....	.....	3	3	3	11	11	14	4	1	.....	.....
Other diseases of brain	20	3	1	1	.....	.....	1	1	1	2	4	2	1	2	1	.....	.....	.....
Epilepsy	18	.....	1	.....	.....	.....	.....	4	2	2	3	3	1	2	.....	.....	.....	.....
"Convulsions"	56	45	6	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1
Tetanus	8	1	.....	.....	.....	.....	.....	1	.....	.....	1	4	1	.....	.....	.....	.....	.....
Other diseases of nervous system	7	1	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	2	.....	.....	.....	.....
III.—Diseases of circulatory system	1,084	25	2	.....	.....	2	8	15	28	45	74	136	250	320	156	16	.....	7
Pericarditis	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	1	1	.....	.....	.....
Endocarditis	51	.....	.....	.....	.....	.....	.....	4	3	6	5	9	12	7	4	.....	.....	1
Heart disease	837	13	1	.....	.....	2	8	11	23	33	59	105	186	255	125	10	.....	6
Angina pectoris	46	.....	.....	.....	.....	.....	.....	.....	.....	2	2	9	16	14	3	.....	.....	.....
Diseases of arteries	94	.....	.....	.....	.....	.....	.....	.....	.....	1	2	5	24	36	22	4	.....	.....
Embolism and thrombosis	33	1	1	.....	.....	.....	.....	.....	1	2	5	6	8	6	1	2	.....	.....
Diseases of veins	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Diseases of lymphatics	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	14	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....
IV.—Diseases of respiratory system	835	178	61	20	12	5	21	24	33	43	38	53	97	126	105	17	1	1
Laryngitis	4	.....	1	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of larynx	9	3	2	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Diseases of thyroid body	6	.....	.....	.....	.....	.....	.....	1	1	.....	.....	2	1	1	.....	.....	.....	.....
Acute bronchitis	99	51	16	3	4	.....	3	.....	1	.....	.....	1	.....	9	10	1	.....	.....
Chronic bronchitis	65	1	.....	.....	.....	.....	.....	.....	1	1	3	2	8	15	29	4	1	.....
Bronchopneumonia	101	39	17	7	2	4	1	1	.....	1	.....	7	6	9	6	1	.....	.....
Pneumonia (lobar and unqualified)	486	72	24	10	6	1	12	21	26	39	31	38	70	77	49	9	.....	1
Pleurisy	12	1	.....	.....	.....	.....	1	1	2	.....	2	1	4	.....	.....	.....	.....	.....
Congestion of lungs	35	8	1	.....	.....	.....	.....	.....	.....	1	.....	1	4	12	6	2	.....	.....
Gangrene of lungs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Asthma and emphysema	8	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	1	1	.....	.....	.....
Hemorrhage of lungs	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Other diseases of respiratory system	7	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	.....	.....	.....

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	852	418	43	17	13	7	15	15	17	28	39	65	74	62	26	11	.....	2
Diseases of mouth	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tonsillitis	4	.....	.....	.....	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of pharynx	6	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1	1	1	1	.....	.....
Ulcer of stomach	17	.....	.....	.....	.....	.....	.....	1	1	3	2	3	4	2	.....	.....	.....	1
Gastritis	48	8	.....	.....	.....	.....	.....	.....	1	4	1	7	11	8	5	3	.....	.....
Other diseases of stomach	73	20	3	2	1	.....	2	2	2	2	2	8	10	9	6	3	.....	1
Dentition	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	480	379	34	12	9	4	4	2	2	.....	3	5	5	13	7	1	.....	.....
Hernia	16	2	.....	.....	.....	.....	.....	.....	1	1	2	3	2	3	.....	2	.....	.....
Obstruction of intestines	39	3	2	1	1	.....	2	.....	3	2	5	7	3	7	2	1	.....	.....
Other diseases of intestines	10	2	.....	.....	.....	.....	1	.....	.....	.....	2	2	2	.....	1	.....	.....	.....
Acute yellow atrophy of liver	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Hydatid tumors of liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	51	.....	.....	.....	.....	.....	.....	.....	.....	3	10	6	19	10	3	.....	.....	.....
Biliary calculi	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	2	.....	.....	.....	.....
Other diseases of liver	18	1	.....	.....	.....	.....	.....	.....	.....	1	4	6	4	2	.....	.....	.....	.....
Diseases of spleen	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Peritonitis	41	1	2	1	.....	.....	4	2	4	2	3	8	10	3	1	.....	.....	.....
Appendicitis	33	.....	.....	.....	.....	1	2	7	2	7	3	7	2	2	.....	.....	.....	.....
Other diseases of digestive system	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
VI.—Diseases of genito-urinary system	525	13	2	.....	1	1	3	8	18	41	45	78	104	150	52	4	.....	5
Acute nephritis	32	3	2	.....	1	1	1	2	2	4	3	2	5	3	3	.....	.....	.....
Bright's disease	402	9	.....	.....	.....	.....	2	6	9	24	31	69	87	122	35	4	.....	4
Other diseases of kidneys	18	1	.....	.....	.....	.....	.....	.....	.....	4	2	2	2	3	4	.....	.....	.....
Calculi of urinary tract	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Diseases of bladder	21	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	6	8	4	.....	.....	1
Uterine tumor	11	.....	.....	.....	.....	.....	.....	.....	1	4	3	1	.....	2	.....	.....	.....	.....
Other diseases of uterus	5	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	7	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	1	.....	1	.....	.....	.....
Diseases of tubes	4	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	23	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	3	12	5	.....	.....	.....
VII.—Childbirth	56	.....	.....	.....	.....	.....	.....	2	18	32	4	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia	19	.....	.....	.....	.....	.....	.....	2	8	9	.....	.....	.....	.....	.....	.....	.....	.....
Puerperal convulsions	12	.....	.....	.....	.....	.....	.....	.....	5	6	1	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	25	.....	.....	.....	.....	.....	.....	.....	5	17	3	.....	.....	.....	.....	.....	.....	.....
VIII.—Diseases of skin	49	7	.....	.....	1	.....	.....	.....	1	3	.....	1	7	21	7	1	.....	.....
Gangrene	28	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	3	16	6	1	.....	.....
Carbuncle	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....	.....
Abscess	8	3	.....	.....	1	.....	.....	.....	.....	1	.....	.....	3	.....	.....	.....	.....	.....
Other diseases of skin	8	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....
IX.—Diseases of locomotor system	10	2	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....
Diseases of bones	10	2	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....
Diseases of joints	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of locomotor system	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
X.—Malformations	70	67	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hydrocephalus	9	7	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	39	38	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other congenital malformations	22	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XI.—Diseases of early infancy	355	355	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	185	185	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	170	170	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	300	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	70	169	49	1	4
XIII.—Violence	375	38	3	8	4	7	7	25	41	49	54	32	30	30	26	8	.....	13
Suicide	60	.....	.....	.....	.....	.....	.....	3	6	13	15	8	5	6	2	.....	.....	2
Fractures and dislocations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Burns and scalds	36	.....	1	3	3	3	.....	3	.....	3	8	3	1	6	1	1	.....	.....
Heat and sunstroke	4	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Cold and freezing	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Lightning	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Drowning	40	.....	.....	.....	.....	.....	4	7	8	6	6	3	3	.....	.....	.....	.....	3
Inhalation of poisonous gases (including conflagration)	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	1	.....	.....	.....	.....
Other accidental poisonings	14	3	2	2	.....	2	.....	.....	1	1	1	.....	1	1	.....	.....	.....	.....
Accidental gunshot wounds	9	.....	.....	1	.....	.....	.....	.....	2	2	1	1	2	.....	.....	.....	.....	.....
Injuries by machinery	12	.....	.....	.....	.....	.....	.....	1	3	3	2	1	2	.....	.....	.....	.....	.....
Injuries in mines and quarries	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Railroad accidents and injuries	48	.....	.....	1	.....	1	.....	4	8	9	8	7	5	1	.....	.....	.....	4
Street-car accidents	4	.....	.....	.....	.....	.....	.....	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....
Injuries by vehicles and horses	17	.....	.....	.....	.....	1	2	.....	.....	2	3	3	4	2	.....	.....	.....	.....
Automobile accidents	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Suffocation	7	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Other accidental injuries	85	1	.....	1	1	.....	1	4	12	7	5	1	7	12	22	7	.....	4
Injuries at birth	25	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	6	1	.....	.....	.....	.....	.....	1	.....	1	1	2	.....	.....	.....	.....	.....	.....
XIV.—Ill-defined causes	148	74	6	1	.....	1	1	1	2	3	4	8	15	14	11	4	.....	3
"Dropsy"	9	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	4	2	.....	.....	.....
"Heart failure"	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	1
Other ill-defined causes	126	70	6	1	.....	1	.....	1	2	3	2	8	11	8	9	3	.....	1
Unknown causes	9	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	1

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

NEW JERSEY.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	36,310	7,654	1,812	846	434	352	909	1,345	2,568	3,123	3,359	3,512	4,314	3,924	1,882	259	11	6
I.—General diseases	9,146	600	442	288	187	171	394	561	1,205	1,391	1,186	1,048	910	559	191	10	2	1
Typhoid fever	278	4	1	1	3	2	14	57	65	58	42	20	7	4				
Malarial fever	23		2	1			1		3	4	2	3	3	3	1			
Smallpox	2										1	1						
Measles	236	72	85	30	13	9	17	2	4	2	1	1						
Scarlet fever	361	13	49	57	40	40	102	40	15	4			1					
Whooping cough	269	152	53	33	8	6	11	3	1				1	1				
Diphtheria	486	24	94	72	57	59	131	41	3	1	3		1					
Croup	140	14	33	28	22	17	23	2	1									
Influenza	173	13	4	5	1		3	4	7	8	7	16	32	44	28	1		
Cholera nostras	17	3			2					3	1	3		3	2			
Dysentery	114	39	8	3	2	2	1		2	4	5	12	9	15	10	2		
Erysipelas	60	20	3						5	1	6	6	6	10	3			
Other epidemic diseases	10	5	3		1				1									
Septicemia	43	9	2				2	5	6	1	4	9	3	1	1			
Tuberculosis of lungs	3,672	50	23	11	6	7	21	266	936	1,010	667	348	214	91	17	3	1	1
Tuberculosis of larynx	49							5	12	10	9	9	2	2				
Tuberculous meningitis	299	71	57	35	19	19	33	33	10	11	4	2	4	1				
Abdominal tuberculosis	126	16	6		5		5	19	19	22	17	7	7		3			
Pott's disease	32			2	1		3	5	7	3	3	4	3	1				
Tuberculous abscess	3	1									1	1						
White swelling	13						3	4	1	2	1		1	1				
Tuberculosis of other organs	36	4	1				1	1	6	5	9	2	4	2	1			
General tuberculosis	71	8	6	1	1	2	3	6	15	13	6	5	5					
Scrofula	9	5				1		1						2				
Venereal diseases	87	54	3	3	1	1		1	5	10	5	2	1	1				
Cancer of mouth	47							1		1	6	7	16	12	4			
Cancer of stomach and liver	680			1			1		4	32	88	182	194	138	39	1		
Cancer of intestines	215							1	6	9	21	59	60	46	12	1		
Cancer of female genital organs	258							1	6	34	61	75	56	18	7			
Cancer of breast	170									19	36	41	47	17	9	1		
Cancer of skin	51									2	9	11	7	13	9			
Cancer of other or unspecified organs	260	1	1	1	1	1	1	1	9	15	39	64	64	47	15			
Tumor	20						1		2		4		7	2	3	1		
Rheumatism	163	2	2	1		5	6	33	12	16	12	20	24	22	8			
Diabetes	320				1		4	22	14	21	41	73	83	45	15		1	
Anemia, leukemia	130	11	4	2	2		5	6	9	13	20	21	20	13	4			
Alcoholism	174								13	51	49	39	19	3				
Chronic poisonings	8									1	2	2	3					
Other general diseases	41	9	2	1	1		2	1	6	5	4	3	6	1				
II.—Diseases of nervous system	4,076	558	148	85	29	23	76	94	96	184	290	504	788	789	371	39	2	
Encephalitis	26	5	3		1		2	1	2	5	1		1	5				
Meningitis	531	172	83	63	18	13	45	37	20	23	17	14	18	5	3			
Locomotor ataxia	57									4	15	23	7	7	1			
Other diseases of spinal cord	107	8	7	2		3	1	7	8	7	9	17	19	17	1	1		
Apoplexy	2,010	41	5	3	1	1	5	3	18	59	149	329	571	537	264	23	1	
Softening of brain	58									1	1	8	10	28	8	2		
Paralysis	413	2		1	1		1	1	3	9	17	42	106	145	73	11	1	
General paralysis of insane	120								3	27	38	26	12	10	3	1		
Other forms of mental disease	116							4	7	15	19	16	22	20	13			
Other diseases of brain	76	7	2	1			3	6	10	10	10	9	5	7	5	1		
Epilepsy	58	2	3	1			1	7	12	14	5	6	6	1				
"Convulsions"	365	301	37	11	5	4	3	1			2			1				
Tetanus	77	14		1	1	2	13	22	7	6	3	6	2					
Other diseases of nervous system	62	6	8	2	2		2	5	6	4	4	8	9	6				
III.—Diseases of circulatory system	3,929	87	12	12	4	10	77	133	147	250	393	554	882	945	383	40		
Pericarditis	38			1			6		1	3	5	3	10	7	1	1		
Endocarditis	566	22	4	5	2	6	23	35	29	37	57	77	100	120	43	1		
Heart disease	2,713	47	6	5	1	3	42	91	111	181	294	396	630	633	249	24		
Angina pectoris	170							1	3	6	12	29	56	44	17	2		
Diseases of arteries	307	1						1	1	9	13	28	65	115	65	9		
Embolism and thrombosis	101	3			1		1	4	2	14	8	17	17	23	8	3		
Diseases of veins	8										1	4	2	1				
Diseases of lymphatics	5	1	2										2					
Other diseases of circulatory system	21	13		1		1		1			3			2				
IV.—Diseases of respiratory system	5,186	1,359	635	268	106	72	121	108	193	284	353	384	540	470	255	35	1	
Laryngitis	17	2			4	1	1	1	1	2		1	2	1	1			
Other diseases of larynx	27	7	5	4	3	3	2			1				1	1			
Diseases of thyroid body	6								2		1		2	1				
Acute bronchitis	348	224	43	14	9	3	2	1	3			6	13	14	13	3		
Chronic bronchitis	212	7	3	2			1	1	2	2	7	23	38	77	44	5		
Bronchopneumonia	1,151	464	275	99	34	17	33	4	5	16	29	32	55	52	30	6		
Pneumonia (lobar and unqualified)	2,906	582	291	134	53	43	72	91	153	214	263	261	341	262	126	19	1	
Pleurisy	100	6	10	7	1	2	4	5	10	14	10	8	11	6	6			
Congestion of lungs	238	57	6	6	1	3	3	2	4	12	19	25	39	35	24	2		
Gangrene of lungs	10										6	1	2	1				
Asthma and emphysema	78	1	1	2			2		2	7	3	14	22	18	6			
Hemorrhage of lungs	64	6	1					1	7	14	13	10	10	1	1			
Other diseases of respiratory system	29	3			1		1	2	4	2	4	3	5	1	3			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	4,433	2,157	414	109	38	23	70	98	149	179	267	260	292	262	95	20		
Diseases of mouth	21	11	2			1	2			1		1	1	1	1			
Tonsillitis	15	3		2	1		5	1	2			1						
Other diseases of pharynx	18	1	1	1	1	1		2	1		2	1	1	5	1			
Ulcer of stomach	81						1	3	8	12	11	16	13	11	5	1		
Gastritis	190	63	6	5	1	1	2	5	5	9	11	9	25	30	14	4		
Other diseases of stomach	197	55	7	6	4	1	2	4	5	11	19	19	20	27	12	5		
Dentition	3	1	2															
Diarrhea and enteritis	2,746	1,953	387	88	23	10	27	17	15	24	28	35	42	61	30	6		
Hernia	102	4	1			1		1	6	7	13	20	24	19	6			
Obstruction of intestines	189	42	4	5	2	2	5	10	10	16	22	19	18	24	9	1		
Other diseases of intestines	52	12			1		1	2	1	4	9	5	7	8	2			
Acute yellow atrophy of liver	7								1	1		2	2	1				
Hydatid tumors of liver																		
Cirrhosis of liver	355	2					2	1	9	41	78	83	92	41	6			
Biliary calculi	33								3	1	8	6	10	4	1			
Other diseases of liver	117	3	1	1	1	1		1	10	10	24	21	22	18	2	2		
Diseases of spleen	1			1														
Peritonitis	89	6	2			2	4	6	15	20	12	6	6	5	5			
Appendicitis	206	1	1		4	3	19	45	55	21	28	16	7	4	1	1		
Other diseases of digestive system	11								3	1	2		2	3				
VI.—Diseases of genito-urinary system	2,926	57	16	11	17	9	41	70	190	287	429	461	591	540	189	18		
Acute nephritis	370	22	7	7	14	4	28	24	46	39	55	47	47	23	7			
Bright's disease	2,246	24	8	4	3	4	12	41	113	200	328	383	503	453	154	16		
Other diseases of kidneys	61	3						3	4	5	8	12	7	9	10			
Calculi of urinary tract	10						1	1			2	1	2	3				
Diseases of bladder	57	3	1			1			2	1	2	4	8	22	11	2		
Uterine tumor	24									8	12	1	2	1				
Other diseases of uterus	29								8	11	6	3	1					
Ovarian tumor	19								2	2	4	1	6	4				
Diseases of tubes	39							1	15	15	8							
Other diseases of genito-urinary system	71	5								6	4	9	15	25	7			
VII.—Childbirth	313							33	150	106	24							
Puerperal septicemia	141							14	75	47	5							
Puerperal convulsions	72							12	32	24	4							
Other causes incident to childbirth	100							7	43	35	15							
VIII.—Diseases of skin	130	18	1		1	1	2	1	8	8	6	9	19	30	21	4		1
Gangrene	75		1						3	4	1	5	12	26	19	3		1
Carbuncle	9	1							2			3	2		1			
Abscess	30	11			1	1	2	1	3	1	4	1	3	1	1			
Other diseases of skin	16	6								3	1		2	3		1		
IX.—Diseases of locomotor system	88	33	2	6	2	1	4	9	6	3	6	7	4	3	2			
Diseases of bones	82	33	2	6	2	1	4	8	6	3	5	7	3	1	1			
Diseases of joints	2										1			1				
Other diseases of locomotor system	4							1					1	1	1			
X.—Malformations	377	364	7	3	1	1	1											
Hydrocephalus	26	21	4	1														
Congenital malformation of heart (cyanosis)	240	235	3	1			1											
Other congenital malformations	111	108		1	1	1												
XI.—Diseases of early infancy	1,660	1,660																
Premature birth	893	893																
Congenital debility	767	767																
XII.—Old age	552												50	160	259	77	6	
XIII.—Violence	2,699	249	49	54	44	37	122	236	416	422	395	267	206	112	77	10		3
Suicide	425							23	54	80	107	79	57	20	5			
Fractures and dislocations	21		1			1	1		1	3	2	3	6	1	2			
Burns and scalds	215	6	27	32	19	14	31	12	9	12	15	13	15	6	4			
Heat and sunstroke	67	13			1			2	5	10	12	6	8	5	4	1		
Cold and freezing	12	2						1	1	2	1	1	3		1			
Lightning	4								3				1					
Drowning	267	1	2	1	5	4	28	70	53	30	34	20	14	4				1
Inhalation of poisonous gases (including conflagration)	100	2			2		2	9	16	22	18	10	7	9	3			
Other accidental poisonings	59	5	5	4	4	7	1	5	4	6	8	2	5	3				
Accidental gunshot wounds	18				1	1		7	2	4	2	1						
Injuries by machinery	48							6	9	14	10	6	3					
Injuries in mines and quarries	19							2	10	4	2		1					
Railroad accidents and injuries	389		1	1			7	39	109	84	56	54	22	11	2	1		2
Street-car accidents	81		1	1	2		10	7	11	13	20	9	2	4	1			
Injuries by vehicles and horses	95		4		1	5	13	10	11	16	10	10	10	4	1			
Automobile accidents	38				1		5	3	7	9	3	3	3	4				
Suffocation	33	20	1		1		2	1	2	1	4	1						
Other accidental injuries	535	16	7	15	5	5	18	36	86	85	70	43	47	40	54	8		
Injuries at birth	173	173																
Homicide	100	11			2		4	3	23	27	21	6	2	1				
XIV.—Ill-defined causes	795	512	86	10	5	4	1	2	8	9	8	18	32	54	39	6		1
"Dropsy"	8												1	5	2			
"Heart failure"	96	11	2					1	6	6	6	11	24	18	10	1		
Other ill-defined causes	685	498	84	10	5	4	1	1	2	3	2	6	6	31	27	5		
Unknown causes	6	3										1	1					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

NEW YORK.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	140,073	26,175	6,744	2,725	1,667	1,120	2,962	4,658	9,899	12,656	13,823	14,553	17,412	15,972	8,323	1,284	50	50
I.—General diseases	36,872	2,371	1,954	1,129	833	549	1,327	2,095	4,767	5,410	5,126	4,289	3,747	2,418	756	94	1	6
Typhoid fever	1,330	5	6	17	18	12	56	224	377	280	153	100	52	23	4	1	.....	2
Malarial fever	95	6	5	3	4	5	.....	8	12	12	4	7	9	12	8	.....	.....	.....
Smallpox	4	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	1	.....	.....	.....	.....
Measles	1,304	341	503	206	82	45	80	19	7	8	7	4	2	.....	.....	.....	.....	.....
Scarlet fever	1,238	64	176	188	181	112	331	133	33	15	3	1	1	.....	.....	.....	.....	.....
Whooping cough	781	428	182	69	46	14	31	5	.....	.....	.....	2	1	3	.....	.....	.....	.....
Diphtheria	2,118	208	519	361	285	190	393	104	26	13	10	4	4	1	.....	.....	.....	.....
Croup	193	16	54	33	35	22	30	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza	950	90	17	10	7	6	15	28	34	48	64	82	158	194	162	33	1	1
Cholera nostras	53	11	2	2	1	.....	3	1	1	2	2	2	8	7	11	.....	.....	.....
Dysentery	310	64	24	9	6	7	6	2	7	5	10	19	42	56	43	10	.....	.....
Erysipelas	439	175	10	6	1	1	1	7	27	29	45	45	43	33	15	1	.....	.....
Other epidemic diseases	35	6	7	7	2	5	2	.....	.....	1	2	3	.....	.....	.....	.....	.....	.....
Septicemia	211	29	9	6	1	3	4	8	26	28	31	24	17	20	5	.....	.....	.....
Tuberculosis of lungs	13,985	154	98	29	23	23	80	1,067	3,559	3,754	2,684	1,415	723	312	60	4	.....	.....
Tuberculosis of larynx	132	4	.....	.....	.....	.....	1	4	31	37	19	20	11	5	.....	.....	.....	.....
Tuberculous meningitis	1,150	259	236	143	88	65	125	103	56	37	26	8	3	.....	1	.....	.....	.....
Abdominal tuberculosis	405	39	23	8	15	5	21	41	72	43	43	42	33	19	1	.....	.....	.....
Pott's disease	144	3	4	1	5	3	13	29	25	25	12	11	6	7	.....	.....	.....	.....
Tuberculous abscess	11	1	1	.....	.....	2	.....	2	1	.....	1	.....	1	2	.....	.....	.....	.....
White swelling	59	1	2	1	1	2	8	19	4	6	4	5	3	1	2	.....	.....	.....
Tuberculosis of other organs	140	11	5	1	2	2	7	14	20	26	20	12	10	7	3	.....	.....	.....
General tuberculosis	195	17	12	4	3	.....	8	29	34	25	24	17	19	3	.....	.....	.....	.....
Scrofula	18	11	2	1	1	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Venereal diseases	616	356	21	5	4	1	4	11	35	73	61	23	12	10	.....	.....	.....	.....
Cancer of mouth	288	1	.....	.....	.....	.....	1	3	5	9	40	63	81	64	20	1	.....	.....
Cancer of stomach and liver	2,795	1	1	.....	.....	1	.....	5	25	135	442	683	833	543	119	7	.....	.....
Cancer of intestines	1,017	.....	1	.....	.....	1	3	4	27	73	161	233	277	194	40	2	.....	1
Cancer of female genital organs	1,139	.....	.....	.....	.....	.....	.....	4	30	135	325	296	195	118	34	2	.....	.....
Cancer of breast	715	.....	.....	.....	.....	.....	.....	.....	6	72	147	161	162	123	40	4	.....	.....
Cancer of skin	233	1	.....	1	.....	.....	1	.....	2	5	16	40	59	60	39	9	.....	.....
Cancer of other or unspecified organs	1,075	3	5	6	7	2	7	23	45	63	185	238	266	175	44	6	.....	.....
Tumor	68	4	1	.....	.....	.....	2	1	4	9	8	17	16	5	.....	1	.....	.....
Rheumatism	692	4	3	2	11	12	59	97	61	62	72	77	94	98	36	4	.....	.....
Diabetes	1,510	1	4	2	1	2	15	59	61	91	172	376	431	247	40	6	.....	2
Anemia, leukemia	578	39	15	7	2	4	16	28	44	53	99	105	103	44	17	2	.....	.....
Alcoholism	563	.....	.....	.....	.....	.....	.....	.....	34	185	185	109	37	10	3	.....	.....	.....
Chronic poisonings	60	.....	.....	.....	.....	.....	.....	1	2	10	12	10	11	9	4	1	.....	.....
Other general diseases	223	18	6	1	1	2	3	10	32	39	36	35	24	11	5	.....	.....	.....
II.—Diseases of nervous system	12,788	1,246	335	155	107	73	205	260	339	644	1,158	1,729	2,469	2,613	1,319	129	2	5
Encephalitis	35	3	3	4	1	1	4	1	4	1	5	1	3	2	2	.....	.....	.....
Meningitis	1,295	380	175	107	72	43	120	98	74	62	67	46	27	19	4	1	.....	.....
Locomotor ataxia	219	.....	.....	.....	.....	.....	.....	.....	1	23	48	64	46	30	7	.....	.....	.....
Other diseases of spinal cord	573	29	30	14	14	15	23	25	27	46	39	77	132	71	27	4	.....	.....
Apoplexy	7,039	70	6	3	1	1	6	13	54	186	560	1,166	1,875	2,013	984	95	2	4
Softening of brain	150	.....	.....	.....	1	.....	4	.....	1	3	5	18	30	57	31	4	.....	.....
Paralysis	894	14	3	1	.....	.....	.....	1	6	26	35	88	190	299	210	20	.....	1
General paralysis of insane	604	.....	.....	.....	.....	.....	.....	1	19	116	238	134	49	31	15	1	.....	.....
Other forms of mental disease	163	.....	.....	.....	.....	.....	.....	2	13	22	25	26	31	28	16	.....	.....	.....
Other diseases of brain	277	15	6	2	2	3	11	18	24	53	52	36	30	17	6	2	.....	.....
Epilepsy	325	10	5	5	2	.....	9	41	77	55	32	38	27	18	6	.....	.....	.....
"Convulsions"	723	620	81	9	7	.....	2	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Tetanus	141	51	2	2	.....	3	12	27	9	13	6	4	4	3	.....	.....	.....	.....
Other diseases of nervous system	350	54	24	8	7	7	18	31	30	32	46	31	25	24	11	2	.....	.....
III.—Diseases of circulatory system	18,646	258	43	25	35	33	219	502	679	1,167	1,766	2,667	4,248	4,442	2,259	285	12	6
Pericarditis	100	4	.....	2	1	1	4	9	5	15	11	8	11	16	11	1	.....	1
Endocarditis	1,725	57	8	8	10	6	44	74	101	164	192	259	338	320	132	11	1	.....
Heart disease	13,446	105	24	11	19	24	158	404	538	876	1,360	1,980	3,140	3,144	1,494	161	4	4
Angina pectoris	575	.....	.....	.....	.....	.....	1	1	7	23	59	119	193	134	34	3	.....	1
Diseases of arteries	2,164	1	.....	.....	1	.....	1	1	4	32	81	221	452	729	533	101	7	.....
Embolism and thrombosis	419	5	2	.....	.....	1	3	10	15	42	44	64	95	86	44	8	.....	.....
Diseases of veins	56	1	1	1	.....	.....	1	.....	1	7	12	7	12	6	7	.....	.....	.....
Diseases of lymphatics	27	11	3	.....	2	1	3	1	.....	1	3	2	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	134	74	5	3	2	.....	4	2	8	7	4	7	7	7	4	.....	.....	.....
IV.—Diseases of respiratory system	20,292	5,250	2,459	867	362	196	386	405	773	1,309	1,430	1,484	2,061	2,019	1,087	194	7	3
Laryngitis	49	6	11	3	5	5	4	1	.....	2	2	2	1	2	4	1	.....	.....
Other diseases of larynx	52	20	7	5	3	1	3	1	3	3	3	3	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	30	2	.....	.....	.....	.....	.....	6	3	5	1	7	4	1	1	.....	.....	.....
Acute bronchitis	1,571	960	215	64	29	11	11	5	6	6	10	28	46	80	77	22	1	.....
Chronic bronchitis	938	29	12	2	.....	.....	10	16	23	37	40	70	187	275	195	40	2	.....
Bronchopneumonia	6,775	2,897	1,425	454	172	90	126	57	85	137	135	186	353	395	222	40	1	.....
Pneumonia (lobar and unqualified)	9,565	1,185	704	316	146	78	207	278	563	1,021	1,114	1,059	1,291	1,071	465	63	2	2
Pleurisy	502	42	69	21	5	6	16	29	48	44	57	46	56	43	14	5	.....	1
Congestion of lungs	390	88	9	1	2	4	3	2	11	10	15	20	43	85	80	16	1	.....
Gangrene of lungs	54	1	1	.....	.....	1	1	2	4	9	10	12	9	4	.....	.....	.....	.....
Asthma and emphysema	203	5	.....	.....	.....	.....	2	1	8	12	19	30	57	47	17	5	.....	.....
Hemorrhage of lungs	69	3	.....	.....	.....	.....	1	1	7	15	15	10	6	6	5	.....	.....	.....
Other diseases of respiratory system	94	12	6	1	.....	.....	2	6	12	8	9	11	8	10	7	2	.....	.....

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	16,512	7,735	1,546	273	131	90	267	392	558	776	1,033	1,093	1,098	940	497	80	3	.....
Diseases of mouth	62	35	2	1	2	1	.....	2	4	4	1	4	1	2	3	.....	.....	.....
Tonsilitis	60	5	4	4	5	2	10	11	7	5	1	4	2	.....	.....	.....	.....	.....
Other diseases of pharynx	99	19	10	2	4	3	6	12	4	5	9	9	10	3	2	1	.....	.....
Ulcer of stomach	360	4	.....	1	.....	1	2	11	37	64	73	60	52	43	12	.....	.....	.....
Gastritis	498	121	19	7	7	2	6	5	13	24	24	35	58	90	80	7	.....	.....
Other diseases of stomach	587	223	15	7	5	3	9	4	14	21	30	39	55	82	58	21	1	.....
Dentition	5	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	9,736	7,060	1,455	216	82	49	66	32	38	54	68	92	153	189	151	30	1	.....
Hernia	418	25	3	1	.....	.....	4	6	15	26	62	89	83	74	26	4	.....	.....
Obstruction of intestines	728	132	16	10	7	9	20	22	52	58	84	73	100	96	40	8	1	.....
Other diseases of intestines	236	59	6	7	1	1	5	6	11	28	17	23	24	26	18	4	.....	.....
Acute yellow atrophy of liver	40	1	2	1	1	.....	2	1	11	6	4	4	5	2	.....	.....	.....	.....
Hydatid tumors of liver	9	.....	.....	.....	.....	.....	.....	1	4	.....	1	2	.....	1	.....	.....	.....	.....
Cirrhosis of liver	1,583	3	1	.....	2	.....	6	2	50	187	371	414	328	166	50	3	.....	.....
Biliary calculi	254	2	.....	.....	.....	.....	1	.....	10	26	38	54	72	39	12	.....	.....	.....
Other diseases of liver	427	17	2	1	1	.....	7	3	29	41	65	73	78	77	32	1	.....	.....
Diseases of spleen	17	1	1	.....	.....	.....	.....	1	3	3	4	3	1	.....	.....	.....	.....	.....
Peritonitis	301	15	7	6	5	3	16	38	47	49	34	21	27	25	7	1	.....	.....
Appendicitis	1,035	7	2	8	9	16	107	234	206	165	128	83	41	23	6	.....	.....	.....
Other diseases of digestive system	57	2	.....	1	.....	.....	.....	1	3	10	19	11	8	2	.....	.....	.....	.....
VI.—Diseases of genito-urinary system	12,888	146	51	46	24	29	80	223	694	1,278	1,847	2,220	2,821	2,332	975	114	6	2
Acute nephritis	1,111	68	29	22	10	17	35	60	131	185	151	134	139	95	31	4	.....	.....
Bright's disease	10,295	55	18	20	14	10	43	142	386	888	1,474	1,944	2,473	1,962	766	93	6	1
Other diseases of kidneys	208	16	2	1	.....	1	2	8	18	25	33	30	35	21	16	.....	.....	.....
Calculi of urinary tract	54	2	1	.....	.....	1	.....	1	5	4	10	7	12	9	2	.....	.....	.....
Diseases of bladder	246	4	.....	.....	.....	.....	.....	.....	2	4	8	14	29	87	83	14	.....	1
Uterine tumor	187	.....	.....	.....	.....	.....	.....	.....	6	38	75	31	18	15	4	.....	.....	.....
Other diseases of uterus	114	.....	1	1	.....	.....	.....	1	29	38	20	9	8	5	2	.....	.....	.....
Ovarian tumor	97	.....	.....	.....	.....	.....	.....	1	16	18	24	14	9	11	4	.....	.....	.....
Diseases of tubes	187	.....	.....	.....	.....	.....	.....	10	94	56	22	3	2	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	389	1	.....	2	.....	.....	.....	.....	7	22	30	34	96	127	67	3	.....	.....
VII.—Childbirth	1,337	.....	.....	.....	.....	.....	.....	71	585	573	107	1	.....	.....	.....	.....	.....	.....
Puerperal septicemia	563	.....	.....	.....	.....	.....	.....	33	290	208	31	1	.....	.....	.....	.....	.....	.....
Puerperal convulsions	312	.....	.....	.....	.....	.....	.....	25	130	134	23	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	462	.....	.....	.....	.....	.....	.....	13	165	231	53	.....	.....	.....	.....	.....	.....	.....
VIII.—Diseases of skin	512	96	17	1	2	.....	3	9	8	14	28	46	64	113	87	22	2	.....
Gangrene	282	8	5	.....	1	.....	2	2	.....	1	9	18	49	93	72	20	2	.....
Carbuncle	44	11	1	.....	.....	.....	.....	1	3	2	4	7	5	7	3	.....	.....	.....
Abscess	98	32	9	1	1	.....	1	6	5	7	11	11	4	5	4	1	.....	.....
Other diseases of skin	88	45	2	.....	.....	.....	.....	.....	.....	4	4	10	6	8	8	1	.....	.....
IX.—Diseases of locomotor system	318	59	28	15	6	7	28	22	39	28	24	19	23	13	7	.....	.....	.....
Diseases of bones	303	59	28	15	6	7	27	21	37	27	22	18	19	11	6	.....	.....	.....
Diseases of joints	14	.....	.....	.....	.....	.....	1	1	2	1	2	1	4	2	.....	.....	.....	.....
Other diseases of locomotor system	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
X.—Malformations	1,364	1,267	46	19	6	2	13	7	2	1	1	.....	.....	.....	.....	.....	.....	.....
Hydrocephalus	136	94	19	6	4	1	7	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	862	828	15	9	1	1	3	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Other congenital malformations	366	345	12	4	1	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
XI.—Diseases of early infancy	5,914	5,914	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	3,278	3,278	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	2,636	2,636	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	1,788	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	88	475	931	281	13	.....
XIII.—Violence	9,619	989	177	184	154	140	430	671	1,449	1,447	1,291	985	753	529	328	63	3	26
Suicide	1,569	.....	.....	.....	.....	.....	.....	53	289	309	335	294	192	86	10	1	.....	.....
Fractures and dislocations	41	3	.....	.....	.....	.....	1	1	4	11	8	6	3	3	1	.....	.....	.....
Burns and scalds	652	30	68	79	65	40	75	35	46	55	37	39	36	28	16	2	1	.....
Heat and sunstroke	136	25	2	2	2	3	.....	4	8	11	23	18	16	12	9	1	.....	.....
Cold and freezing	32	.....	.....	.....	.....	.....	1	.....	2	3	7	5	8	5	1	.....	.....	.....
Lightning	5	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	.....	.....	.....	.....	.....	.....
Drowning	988	4	11	4	9	11	83	169	238	163	155	76	34	19	3	.....	.....	9
Inhalation of poisonous gases (including conflagration)	477	5	6	6	9	8	12	35	63	80	74	58	55	43	19	2	.....	2
Other accidental poisonings	253	16	30	19	15	10	13	13	38	27	24	18	14	14	2	.....	.....	.....
Accidental gunshot wounds	70	.....	.....	.....	2	.....	4	31	9	11	2	8	1	2	.....	.....	.....	.....
Injuries by machinery	174	.....	.....	1	.....	.....	5	21	49	31	40	14	10	3	.....	.....	.....	.....
Injuries in mines and quarries	37	.....	.....	.....	.....	.....	.....	.....	10	10	6	.....	.....	.....	.....	.....	.....	11
Railroad accidents and injuries	882	.....	2	1	2	4	19	69	216	222	149	90	59	34	12	.....	.....	3
Street-car accidents	259	.....	4	6	9	12	36	20	37	41	39	24	18	9	3	1	.....	.....
Injuries by vehicles and horses	408	1	3	20	11	15	46	40	41	54	51	55	42	20	9	.....	.....	.....
Automobile accidents	148	.....	1	.....	1	5	23	21	26	17	14	14	19	5	2	.....	.....	.....
Suffocation	119	67	6	2	.....	2	5	3	14	7	4	5	3	1	.....	.....	.....	.....
Other accidental injuries	2,214	35	43	42	28	29	103	122	238	303	270	229	236	238	239	56	2	1
Injuries at birth	786	786	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	369	17	1	2	1	1	4	33	120	90	53	31	7	7	2	.....	.....	.....
XIV.—Ill-defined causes	1,223	844	88	11	7	1	4	1	6	9	12	20	40	78	77	22	1	2
"Dropsy"	40	4	.....	.....	.....	.....	.....	.....	.....	.....	1	7	6	6	12	4	.....	.....
"Heart failure"	85	9	1	2	.....	.....	.....	.....	5	6	3	5	19	20	14	1	.....	.....
Other ill-defined causes	1,087	827	87	9	7	1	4	1	1	1	4	8	15	52	51	17	1	1
Unknown causes	11	4	.....	.....	.....	.....	.....	.....	.....	2	4	.....	.....	.....	.....	.....	.....	1

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

OHIO.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	60,670	10,316	2,004	829	482	360	1,134	2,469	4,531	4,713	5,010	6,065	7,983	8,875	5,073	709	28	89
I.—General diseases	16,594	898	485	285	198	146	533	1,211	2,381	2,127	1,901	2,015	2,087	1,613	624	66	4	20
Typhoid fever	1,276	11	13	15	21	10	67	275	306	195	134	110	68	44	7	.....	.....	.....
Malarial fever	75	4	3	6	1	1	4	11	2	6	9	6	6	9	7	.....	.....	.....
Smallpox	6	2	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	1	.....	.....	.....	.....
Measles	252	58	89	33	14	9	26	4	13	3	.....	1	1	1	.....	.....	.....	.....
Scarlet fever	204	12	16	25	20	16	63	40	6	6	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	298	181	67	19	15	2	12	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	501	21	50	70	46	58	174	62	10	4	1	.....	4	1	.....	.....	.....	.....
Croup	89	10	17	18	14	8	17	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza	756	56	23	11	4	5	13	12	27	38	44	56	98	228	122	18	.....	1
Cholera nostras	47	5	3	1	1	.....	1	.....	1	3	1	6	7	9	6	3	.....	.....
Dysentery	340	46	27	10	6	1	.....	3	4	5	8	19	34	94	70	13	.....	.....
Erysipelas	174	42	2	2	1	.....	.....	2	1	15	17	21	23	26	18	4	.....	.....
Other epidemic diseases	14	2	7	.....	.....	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	132	9	2	2	1	1	10	11	6	20	7	15	21	17	9	1	.....	.....
Tuberculosis of lungs	5,871	91	53	15	15	3	49	552	1,620	1,296	818	595	439	253	60	2	.....	10
Tuberculosis of larynx	85	.....	.....	.....	.....	1	.....	3	27	14	15	11	9	2	3	.....	.....	.....
Tuberculous meningitis	325	81	62	32	21	11	26	32	24	15	9	5	5	2	.....	.....	.....	.....
Abdominal tuberculosis	368	34	12	4	3	3	7	33	70	45	32	64	32	23	5	.....	.....	1
Pott's disease	65	2	1	.....	1	.....	3	9	9	6	4	14	8	8	.....	.....	.....	.....
Tuberculous abscess	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	32	1	1	.....	.....	1	1	3	3	6	6	4	4	1	1	.....	.....	.....
Tuberculosis of other organs	89	6	4	1	1	.....	2	9	17	14	10	8	9	7	.....	1	.....	.....
General tuberculosis	129	10	6	1	.....	.....	1	14	29	22	21	8	10	7	.....	.....	.....	.....
Scrofula	9	5	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....
Venereal diseases	297	109	7	2	1	1	3	6	15	29	29	17	11	4	1	.....	.....	2
Cancer of mouth	148	.....	.....	.....	.....	.....	.....	.....	.....	6	14	28	44	34	18	3	1	.....
Cancer of stomach and liver	1,351	.....	1	.....	.....	1	1	1	9	51	147	298	449	302	85	4	.....	2
Cancer of intestines	407	.....	.....	.....	.....	.....	4	4	9	20	55	91	115	88	19	1	.....	1
Cancer of female genital organs	532	.....	.....	.....	.....	.....	.....	.....	14	61	132	150	127	35	11	1	.....	1
Cancer of breast	362	.....	.....	.....	.....	.....	.....	.....	.....	21	81	90	87	60	21	2	.....	.....
Cancer of skin	160	1	.....	.....	2	.....	.....	.....	3	3	12	20	35	43	35	6	.....	.....
Cancer of other or unspecified organs	510	3	2	7	2	2	3	15	23	25	71	105	124	87	39	2	.....	.....
Tumor	56	5	.....	.....	.....	.....	1	.....	3	5	4	9	12	12	5	.....	.....	.....
Rheumatism	399	6	3	2	3	4	24	37	46	33	37	51	51	60	37	2	2	1
Diabetes	572	.....	2	3	1	1	13	37	33	46	58	93	153	101	28	3	.....	.....
Anemia, leukemia	279	13	6	4	1	2	5	20	20	29	38	59	41	33	8	.....	.....	.....
Alcoholism	183	.....	.....	.....	.....	.....	.....	1	11	52	48	32	29	8	1	.....	.....	1
Chronic poisonings	37	.....	.....	.....	.....	.....	.....	.....	6	10	3	7	7	1	3	.....	.....	.....
Other general diseases	162	11	4	2	3	3	2	7	13	22	35	20	23	11	5	.....	1	.....
II.—Diseases of nervous system	6,730	633	147	98	42	37	100	157	189	287	478	819	1,261	1,622	762	88	1	9
Encephalitis	37	9	6	3	.....	2	1	1	2	1	6	.....	1	4	1	.....	.....	.....
Meningitis	654	203	90	77	32	21	53	52	39	28	17	16	10	13	3	.....	.....	.....
Locomotor ataxia	156	.....	.....	.....	.....	1	.....	.....	3	8	34	45	42	20	3	.....	.....	.....
Other diseases of spinal cord	256	11	7	3	.....	.....	7	6	8	11	23	29	58	71	19	2	.....	1
Apoplexy	3,236	50	10	3	1	3	9	11	39	72	193	465	811	1,030	481	54	.....	4
Softening of brain	162	.....	.....	.....	.....	.....	.....	.....	.....	7	7	18	31	60	34	5	.....	.....
Paralysis	876	8	2	.....	.....	2	2	4	7	16	29	96	178	323	181	25	1	2
General paralysis of insane	235	.....	.....	.....	.....	.....	.....	.....	8	49	74	54	29	13	8	.....	.....	.....
Other forms of mental disease	142	.....	.....	.....	.....	.....	1	3	7	13	16	30	36	27	8	.....	.....	1
Other diseases of brain	165	10	2	2	3	2	3	10	18	18	23	23	13	25	11	2	.....	.....
Epilepsy	232	10	.....	3	1	1	10	27	39	42	40	21	21	12	5	.....	.....	.....
"Convulsions"	326	292	22	3	3	1	1	.....	.....	1	1	.....	1	1	.....	.....	.....	.....
Tetanus	92	25	.....	.....	.....	.....	6	28	10	8	3	4	5	2	1	.....	.....	.....
Other diseases of nervous system	161	15	8	4	2	4	7	15	9	13	12	18	25	21	7	.....	.....	1
III.—Diseases of circulatory system	8,170	97	17	7	3	11	52	180	215	405	633	1,064	1,890	2,263	1,189	130	3	11
Pericarditis	63	.....	2	1	.....	.....	1	3	4	6	5	10	9	16	4	2	.....	.....
Endocarditis	484	9	4	4	.....	2	9	13	19	47	61	66	103	95	48	4	.....	.....
Heart disease	6,097	49	6	2	3	6	38	154	163	290	490	818	1,451	1,699	831	84	2	11
Angina pectoris	382	1	.....	.....	.....	.....	.....	1	12	22	34	71	112	98	31	.....	.....	.....
Diseases of arteries	873	.....	.....	.....	.....	.....	.....	1	4	14	16	67	167	317	247	39	1	.....
Embolism and thrombosis	162	4	1	.....	.....	1	1	4	9	17	22	21	34	27	20	1	.....	.....
Diseases of veins	29	.....	.....	.....	.....	.....	.....	.....	.....	3	3	6	8	5	4	.....	.....	.....
Diseases of lymphatics	15	5	.....	.....	.....	1	2	.....	.....	.....	.....	2	.....	3	2	.....	.....	.....
Other diseases of circulatory system	65	29	4	.....	.....	1	1	4	4	6	2	3	6	3	2	.....	.....	.....
IV.—Diseases of respiratory system	6,383	1,484	475	159	87	60	138	147	194	299	364	471	733	968	695	100	3	6
Laryngitis	42	7	7	7	1	2	4	1	3	1	.....	1	2	4	2	.....	.....	.....
Other diseases of larynx	23	7	2	1	3	2	.....	.....	.....	1	1	4	.....	1	1	.....	.....	.....
Diseases of thyroid body	21	3	.....	.....	.....	.....	.....	2	.....	2	4	3	4	3	.....	.....	.....	.....
Acute bronchitis	493	254	52	16	8	5	5	2	4	1	3	8	26	43	54	11	1	.....
Chronic bronchitis	460	12	4	.....	1	1	2	3	7	6	13	22	86	145	141	17	.....	.....
Bronchopneumonia	1,332	510	158	55	29	15	35	18	24	24	22	43	102	161	121	14	.....	1
Pneumonia (lobar and unqualified)	3,493	609	238	77	43	30	86	105	141	232	289	335	447	503	308	44	1	5
Pleurisy	147	9	5	1	1	2	1	11	11	18	18	16	18	27	8	1	.....	.....
Congestion of lungs	156	55	4	.....	1	2	2	1	1	2	3	11	11	26	26	10	1	.....
Gangrene of lungs	8	.....	.....	.....	.....	.....	1	.....	.....	1	.....	3	2	1	.....	.....	.....	.....
Asthma and emphysema	126	1	3	1	.....	1	1	1	.....	2	5	19	24	39	27	2	.....	.....
Hemorrhage of lungs	35	6	.....	.....	.....	.....	.....	2	1	6	6	3	6	2	3	.....	.....	.....
Other diseases of respiratory system	47	11	2	1	.....	.....	1	1	2	3	.....	3	5	13	4	1	.....	.....

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

OHIO—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1*	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	7,447	2,921	729	172	70	37	104	213	268	311	414	562	595	634	363	48	2	4
Diseases of mouth	25	15	2							2	1	2		2	1			
Tonsillitis	47	2	1	4	2	2	2	14	7	5	2	1		5				
Other diseases of pharynx	47	6	3	2		2		2	1	3	5	9	4	6	4			
Ulcer of stomach	176							4	9	28	30	40	31	21	12			1
Gastritis	381	83	11	6	4	2	7	3	8	12	26	31	47	86	48	5		2
Other diseases of stomach	311	162	12	3	3	2	4		4	11	11	14	16	37	26	5	1	
Dentition	1	1																
Diarrhea and enteritis	3,895	2,486	664	135	39	15	23	10	22	20	35	53	83	149	140	20		1
Hernia	178	13	1		5			1	7	8	25	27	44	31	14	2		
Obstruction of intestines	422	74	20	6	8	3	17	21	24	25	35	40	57	58	27	7		
Other diseases of intestines	168	37	7	3	1	2	1	5	8	14	13	13	18	20	24	2		
Acute yellow atrophy of liver	26	2					1		3	2	2	4	5	7				
Hydatid tumors of liver	1	1																
Cirrhosis of liver	633					1	2	2	9	54	105	171	151	107	28	3		
Biliary calculi	175	1						2	8	9	22	46	52	30	4	1		
Other diseases of liver	284	13	3	6	2	1	3	6	16	28	29	47	55	47	25	2	1	
Diseases of spleen	7								2			2	1	2				
Peritonitis	244	24		4	4	4	7	31	43	33	26	28	17	13	9	1		
Appendicitis	410		4	3	2	3	37	112	94	55	45	30	11	13	1			
Other diseases of digestive system	16	2							3	2	2	4	3					
VI.—Diseases of genito-urinary system	4,425	72	24	13	10	10	25	95	176	301	477	616	911	1,070	560	57	2	6
Acute nephritis	352	31	16	6	6	5	11	18	24	43	35	35	45	48	25	2	1	1
Bright's disease	3,264	23	8	6	3	5	13	53	94	166	343	514	742	848	399	41	1	5
Other diseases of kidneys	91	11						1		5	13	11	20	15	13	2		
Calculi of urinary tract	28				1		1		2	1	6	6	4	5	2			
Diseases of bladder	172	2		1				1		2	4	10	32	62	51	7		
Uterine tumor	67							1	1	20	27	10	5	2	1			
Other diseases of uterus	77							13	16	15	15	9	6	3				
Ovarian tumor	55							2	3	17	9	11	3	5	5			
Diseases of tubes	81							6	30	26	17	2						
Other diseases of genito-urinary system	238	5							6	6	8	8	54	82	64	5		
VII.—Childbirth	667							50	308	244	64							1
Puerperal septicemia	346							28	174	117	27							
Puerperal convulsions	115							18	57	35	5							
Other causes incident to childbirth	206							4	77	92	32							1
VIII.—Diseases of skin	281	33	2		1		1	3	2	7	21	24	36	70	68	13		
Gangrene	178	5			1		1			2	8	8	26	54	61	12		
Carbuncle	26	2						1		1	4	3	5	7	3			
Abscess	26	6	1					1	1	1	4	4	3	3	1	1		
Other diseases of skin	51	20	1					1	1	3	5	9	2	6	3			
IX.—Diseases of locomotor system	120	23	15	5	2	1	6	14	10	7	8	6	6	11	6			
Diseases of bones	108	22	14	5	2	1	6	14	8	6	8	6	4	7	5			
Diseases of joints	7	1	1						2	1			1	1				
Other diseases of locomotor system	5												1	3	1			
X.—Malformations	751	714	21	5	1	2	4	3		1								
Hydrocephalus	53	41	7	2			1	1		1								
Congenital malformation of heart (cyanosis)	461	442	9	3	1	2	3	1										
Other congenital malformations	237	231	5					1										
XI.—Diseases of early infancy	2,652	2,652																
Premature birth	1,661	1,661																
Congenital debility	991	991																
XII.—Old age	895												31	202	504	147	11	
XIII.—Violence	4,877	489	73	84	64	53	165	391	777	711	620	451	357	322	243	49	1	27
Suicide	689							31	138	142	136	116	83	31	9	1		2
Fractures and dislocations	62						1	3	2	3	3	3	6	12	23	6		
Burns and scalds	362	17	22	44	25	29	24	27	39	34	28	19	19	19	13	2		1
Heat and sunstroke	45	7	1			1			2	8	4	7	4	8	3			
Cold and freezing	17	2		1					1		4	3	2	3	1			
Lightning	21			1				3	1	7	4	1	3	1				
Drowning	303	3	4	6	7	7	29	75	65	40	31	14	9	9	2			2
Inhalation of poisonous gases (including conflagration)	88	1		2	2	1	3	7	16	16	11	9	9	6	5			
Other accidental poisonings	168	19	24	13	12	4	7	7	9	20	17	18	6	6	5	1		
Accidental gunshot wounds	105			1	1		9	35	24	12	11	8	2	2				
Injuries by machinery	118				1	1	1	13	33	24	24	12	6	3				
Injuries in mines and quarries	105							7	38	24	19	11	4	2				
Railroad accidents and injuries	784	1	3	2	3	1	23	86	191	171	140	66	54	26	5			12
Street-car accidents	170	1	2	2	1	4	15	12	22	23	27	18	15	19	6	1		2
Injuries by vehicles and horses	146	2	2	2	1	1	16	12	14	16	17	21	17	20	5			
Automobile accidents	38				2		5	2	9	5	7	4	1	3				
Suffocation	88	65	2			1		6	4	2	4	2	2					
Other accidental injuries	1,002	26	13	8	6	3	28	52	92	115	90	98	109	152	165	38	1	6
Injuries at birth	339	339																
Homicide	227	6		2	3		4	13	77	49	43	21	6		1			2
XIV.—Ill-defined causes	678	300	16	1	4	3	6	5	11	13	30	37	76	100	59	11	1	5
"Dropsy"	45	4					1		1		1	3	10	14	7	3	1	
"Heart failure"	176	16			1	1	2	1	4	8	21	22	47	35	15	2		1
Other ill-defined causes	327	198	12	1	2		1	2	2	3	2	8	15	44	32	5		
Unknown causes	130	82	4		1	2	2	2	4	2	6	4	4	7	5	1		4

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

PENNSYLVANIA.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	111,062	25,638	5,780	2,317	1,440	1,041	2,649	4,211	8,079	8,580	8,875	10,036	12,760	12,535	6,287	796	27	11
I.—General diseases	26,756	1,986	1,509	1,004	702	533	1,335	1,763	3,564	3,243	2,902	2,788	2,791	1,958	608	65	3	2
Typhoid fever	1,712	8	21	18	24	16	103	332	514	293	184	119	54	21	5	.....	.....	.....
Malarial fever	50	.....	.....	.....	2	2	3	1	6	5	7	11	9	4	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	1,060	286	358	166	78	46	77	23	12	4	5	2	2	1	.....	.....	.....	.....
Scarlet fever	1,216	72	164	214	171	133	314	106	28	9	1	1	1	2	.....	.....	.....	.....
Whooping cough	910	500	245	78	22	25	32	2	1	1	1	1	1	1	.....	.....	.....	.....
Diphtheria	1,659	102	278	264	229	194	431	104	24	12	7	7	4	3	.....	.....	.....	.....
Croup	343	37	89	70	54	33	46	10	1	1	1	.....	.....	1	.....	.....	.....	.....
Influenza	1,086	143	24	18	7	4	20	24	45	55	65	82	189	251	133	25	1	.....
Cholera nostras	92	8	7	.....	1	2	2	2	3	1	8	11	17	11	18	1	.....	.....
Dysentery	353	70	42	18	4	3	3	4	5	5	14	21	48	67	44	5	.....	.....
Erysipelas	347	104	13	4	1	1	3	9	22	30	33	34	41	28	22	2	.....	.....
Other epidemic diseases	40	15	6	8	5	2	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	182	32	6	7	4	1	10	13	19	27	11	19	13	8	12	.....	.....	.....
Tuberculosis of lungs	8,699	134	95	41	36	24	83	785	2,396	2,016	1,321	844	592	263	64	4	.....	1
Tuberculosis of larynx	123	.....	1	3	.....	.....	4	2	29	29	23	11	12	9	.....	.....	.....	.....
Tuberculous meningitis	501	118	88	57	21	18	70	46	40	19	12	8	2	2	.....	.....	.....	.....
Abdominal tuberculosis	388	32	17	6	12	7	25	43	70	62	39	31	27	15	2	.....	.....	.....
Pott's disease	102	5	3	2	1	5	10	16	12	12	8	14	9	2	3	.....	.....	.....
Tuberculous abscess	16	3	.....	2	.....	.....	.....	1	2	3	1	3	.....	1	.....	.....	.....	.....
White swelling	62	4	7	.....	2	.....	5	11	11	3	4	8	3	4	.....	.....	.....	.....
Tuberculosis of other organs	114	10	3	2	1	.....	6	12	10	19	24	15	5	7	.....	.....	.....	.....
General tuberculosis	117	13	11	.....	2	.....	4	13	24	20	10	4	11	4	1	.....	.....	.....
Scrofula	17	11	1	2	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Venereal diseases	338	205	14	3	1	.....	1	9	16	27	33	20	4	4	1	.....	.....	.....
Cancer of mouth	185	3	.....	.....	.....	1	.....	3	1	4	24	43	40	50	14	2	.....	.....
Cancer of stomach and liver	2,008	1	.....	.....	.....	2	.....	2	19	96	288	492	608	417	81	1	.....	1
Cancer of intestines	570	.....	.....	.....	.....	1	1	6	14	45	79	128	168	107	19	2	.....	.....
Cancer of female genital organs	714	.....	.....	.....	.....	.....	.....	2	21	89	173	194	138	78	18	.....	1	.....
Cancer of breast	502	.....	.....	.....	.....	.....	.....	1	2	33	103	111	118	102	27	5	.....	.....
Cancer of skin	217	1	.....	.....	.....	.....	.....	1	.....	7	19	27	51	67	36	7	1	.....
Cancer of other or unspecified organs	649	1	1	1	6	4	3	15	29	57	94	126	146	118	42	6	.....	.....
Tumor	45	3	.....	2	.....	.....	.....	1	.....	3	3	5	10	13	5	.....	.....	.....
Rheumatism	585	7	1	4	4	4	53	94	58	56	55	55	81	87	23	3	.....	.....
Diabetes	904	2	4	5	3	1	9	43	49	71	87	178	271	156	24	1	.....	.....
Anemia, leukemia	380	38	7	6	6	4	8	24	32	28	53	72	64	26	11	1	.....	.....
Alcoholism	286	.....	.....	.....	.....	.....	.....	.....	29	69	87	55	33	13	.....	.....	.....	.....
Chronic poisonings	40	.....	.....	.....	.....	.....	.....	2	2	7	7	12	6	4	.....	.....	.....	.....
Other general diseases	144	18	3	3	3	.....	5	1	18	25	18	23	13	11	3	.....	.....	.....
II.—Diseases of nervous system	11,496	1,732	336	130	84	53	183	247	303	485	765	1,326	2,207	2,390	1,141	108	4	2
Encephalitis	71	16	13	4	4	1	3	2	2	6	5	4	6	4	1	.....	.....	.....
Meningitis	884	318	124	70	43	25	74	68	41	33	37	21	16	8	6	.....	.....	.....
Locomotor ataxia	236	.....	1	.....	.....	.....	1	1	3	19	44	62	65	33	7	.....	.....	.....
Other diseases of spinal cord	383	29	20	5	7	6	15	18	16	19	36	57	76	55	22	2	.....	.....
Apoplexy	5,653	75	14	7	4	3	12	22	52	150	343	825	1,566	1,693	809	74	2	2
Softening of brain	159	.....	.....	.....	.....	.....	.....	.....	2	1	11	16	34	56	34	5	.....	.....
Paralysis	1,134	11	4	1	2	.....	4	4	17	27	50	131	282	369	211	19	2	.....
General paralysis of insane	269	.....	.....	.....	.....	.....	.....	.....	12	57	88	51	21	33	7	.....	.....	.....
Other forms of mental disease	300	.....	.....	.....	.....	.....	.....	5	20	44	46	55	50	61	16	3	.....	.....
Other diseases of brain	251	29	10	4	2	4	15	23	25	32	27	33	16	23	6	2	.....	.....
Epilepsy	301	11	4	1	1	2	11	36	67	45	39	38	23	17	5	1	.....	.....
"Convulsions"	1,377	1,172	127	25	15	5	14	1	3	5	3	2	1	2	2	.....	.....	.....
Tetanus	170	30	1	3	1	1	23	41	16	20	13	7	13	1	.....	.....	.....	.....
Other diseases of nervous system	308	41	18	10	5	6	11	26	27	27	23	24	38	35	15	2	.....	.....
III.—Diseases of circulatory system	12,061	230	33	30	25	16	137	413	447	680	1,124	1,651	2,777	2,984	1,360	150	2	2
Pericarditis	102	4	.....	1	3	.....	1	7	7	7	8	14	19	19	12	.....	.....	.....
Endocarditis	695	13	4	5	4	1	26	48	42	41	88	89	138	129	58	9	.....	.....
Heart disease	9,159	138	17	18	15	12	96	343	351	571	899	1,307	2,162	2,210	932	85	1	2
Angina pectoris	508	.....	.....	.....	.....	1	4	4	13	18	47	94	163	120	41	3	.....	.....
Diseases of arteries	1,210	.....	.....	.....	.....	.....	1	1	6	16	46	95	249	445	299	51	1	.....
Embolism and thrombosis	201	3	1	.....	1	.....	2	5	17	14	26	41	30	44	15	2	.....	.....
Diseases of veins	40	.....	.....	.....	.....	.....	.....	.....	4	8	5	4	10	9	.....	.....	.....	.....
Diseases of lymphatics	33	15	4	3	1	.....	3	.....	2	.....	.....	1	2	2	.....	.....	.....	.....
Other diseases of circulatory system	113	57	7	3	1	2	4	5	5	5	5	6	4	6	3	.....	.....	.....
IV.—Diseases of respiratory system	14,837	4,321	1,482	552	270	158	300	320	543	843	974	1,195	1,473	1,516	791	95	1	3
Laryngitis	67	19	12	6	6	2	10	1	2	3	.....	2	1	3	.....	.....	.....	.....
Other diseases of larynx	96	23	17	10	12	9	9	1	3	3	2	2	2	.....	3	.....	.....	.....
Diseases of thyroid body	18	.....	.....	.....	.....	.....	.....	1	3	.....	3	5	2	3	1	.....	.....	.....
Acute bronchitis	1,203	697	177	55	18	14	12	1	4	6	15	30	36	64	63	11	.....	.....
Chronic bronchitis	757	48	16	8	1	1	10	5	15	14	35	77	141	222	136	27	.....	1
Bronchopneumonia	3,693	1,605	627	223	98	52	78	42	41	71	87	137	218	253	142	18	.....	1
Pneumonia (lobar and unqualified)	7,514	1,693	579	227	124	74	157	235	415	650	680	754	835	756	308	25	1	1
Pleurisy	351	22	20	11	2	3	13	18	23	35	37	52	55	42	16	2	.....	.....
Congestion of lungs	503	171	20	8	4	2	4	7	10	16	29	28	49	65	79	11	.....	.....
Gangrene of lungs	24	.....	2	.....	.....	.....	2	1	2	4	5	3	1	2	2	.....	.....	.....
Asthma and emphysema	331	9	2	3	4	.....	3	1	7	15	43	61	81	75	26	1	.....	.....
Hemorrhage of lungs	89	6	.....	1	1	.....	1	4	9	10	14	15	16	10	2	.....	.....	.....
Other diseases of respiratory system	191	28	10	.....	.....	1	1	3	9	16	24	29	36	21	13	.....	.....	.....

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

PENNSYLVANIA—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	15,769	7,925	1,886	306	124	113	220	359	400	522	706	844	936	903	482	43	.....	.....
Diseases of mouth	71	49	7	1	1	.....	1	1	.....	1	1	2	2	4	1	.....	.....	.....
Tonsillitis	80	12	5	5	5	12	11	13	7	6	1	.....	2	1	.....	.....	.....	.....
Other diseases of pharynx	81	8	8	3	1	1	4	7	4	2	7	5	15	9	6	1	.....	.....
Ulcer of stomach	168	1	1	1	.....	1	.....	4	18	26	24	26	31	23	11	1	.....	.....
Gastritis	809	205	37	9	8	8	16	12	21	35	48	89	117	109	84	11	.....	.....
Other diseases of stomach	781	375	33	7	8	4	4	9	10	20	32	45	56	106	67	5	.....	.....
Dentition	21	12	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	9,887	6,992	1,723	246	82	51	62	22	23	47	54	81	119	219	148	18	.....	.....
Hernia	298	25	1	1	.....	.....	1	6	16	21	36	53	72	48	18	.....	.....	.....
Obstruction of intestines	591	89	21	6	3	14	16	30	43	47	78	69	77	64	32	2	.....	.....
Other diseases of intestines	229	59	19	9	8	3	4	5	14	12	13	18	22	23	20	.....	.....	.....
Acute yellow atrophy of liver	33	1	.....	1	.....	.....	.....	.....	4	7	5	6	4	3	2	.....	.....	.....
Hydatid tumors of liver	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Cirrhosis of liver	984	.....	.....	1	.....	1	1	3	18	86	199	245	236	162	31	1	.....	.....
Biliary calculi	210	.....	.....	.....	.....	.....	1	1	7	14	33	59	48	38	8	1	.....	.....
Other diseases of liver	444	46	5	6	1	5	10	11	21	44	61	54	78	59	40	3	.....	.....
Diseases of spleen	22	1	1	.....	1	.....	.....	.....	2	3	5	4	2	3	.....	.....	.....	.....
Peritonitis	346	45	12	8	1	7	26	41	55	36	35	30	29	12	9	.....	.....	.....
Appendicitis	688	5	3	2	4	6	63	193	130	111	73	53	25	17	3	.....	.....	.....
Other diseases of digestive system	24	.....	1	.....	1	.....	.....	1	6	4	1	5	1	2	2	.....	.....	.....
VI.—Diseases of genito-urinary system	7,897	144	65	39	35	22	68	170	398	665	952	1,284	1,696	1,626	665	67	1	.....
Acute nephritis	735	51	33	18	17	13	34	44	65	95	84	98	95	59	24	5	.....	.....
Bright's disease	5,960	47	27	17	18	9	27	99	205	420	716	1,087	1,419	1,304	515	49	1	.....
Other diseases of kidneys	170	27	3	2	.....	.....	2	5	11	13	17	15	27	34	13	1	.....	.....
Calculi of urinary tract	36	1	.....	.....	.....	.....	.....	3	.....	.....	6	7	8	9	2	.....	.....	.....
Diseases of bladder	215	11	2	2	.....	.....	3	.....	4	6	10	15	31	75	52	4	.....	.....
Uterine tumor	108	.....	.....	.....	.....	.....	.....	.....	4	29	38	15	13	8	1	.....	.....	.....
Other diseases of uterus	100	.....	.....	.....	.....	.....	1	8	22	26	23	13	4	2	1	.....	.....	.....
Ovarian tumor	70	.....	.....	.....	.....	.....	.....	.....	15	6	17	11	6	12	2	1	.....	.....
Diseases of tubes	163	.....	.....	.....	.....	.....	.....	9	64	57	27	4	2	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	340	7	.....	.....	.....	.....	1	2	8	13	14	19	91	123	55	7	.....	.....
VII.—Childbirth	1,434	.....	.....	.....	.....	.....	.....	101	639	560	134	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia	640	.....	.....	.....	.....	.....	.....	50	322	214	54	.....	.....	.....	.....	.....	.....	.....
Puerperal convulsions	326	.....	.....	.....	.....	.....	.....	31	161	104	30	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	468	.....	.....	.....	.....	.....	.....	20	156	242	50	.....	.....	.....	.....	.....	.....	.....
VIII.—Diseases of skin	525	126	11	4	1	2	3	10	14	15	30	37	62	111	85	14	.....	.....
Gangrene	272	8	.....	.....	.....	1	.....	3	3	6	14	16	46	91	72	12	.....	.....
Carbuncle	49	16	1	.....	.....	.....	.....	1	4	4	4	9	3	4	3	.....	.....	.....
Abscess	126	52	7	3	1	1	2	6	7	5	9	10	7	11	4	1	.....	.....
Other diseases of skin	78	50	3	1	.....	.....	1	.....	.....	.....	3	2	6	5	6	1	.....	.....
IX.—Diseases of locomotor system	207	47	20	14	7	3	17	27	14	8	11	16	10	8	4	1	.....	.....
Diseases of bones	186	45	20	14	7	3	14	24	11	7	11	11	9	7	3	.....	.....	.....
Diseases of joints	16	2	.....	.....	.....	.....	2	2	3	.....	.....	5	1	.....	1	.....	.....	.....
Other diseases of locomotor system	5	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	1	.....	1	.....	.....
X.—Malformations	1,570	1,504	29	9	2	4	7	9	3	2	1	.....	.....	.....	.....	.....	.....	.....
Hydrocephalus	113	89	11	4	.....	3	.....	4	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	1,052	1,024	11	1	2	1	4	5	3	1	.....	.....	.....	.....	.....	.....	.....	.....
Other congenital malformations	405	391	7	4	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XI.—Diseases of early infancy	5,438	5,438	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	2,962	2,962	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	2,476	2,476	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	1,364	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72	385	712	180	15	.....
XIII.—Violence	9,145	753	219	187	177	132	372	779	1,718	1,588	1,201	782	564	437	272	42	1	1
Suicide	951	.....	.....	.....	.....	.....	.....	56	197	201	183	172	89	41	12	.....	.....	.....
Fractures and dislocations	6	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	1	.....	.....
Burns and scalds	824	23	102	119	114	75	101	35	57	51	44	41	30	22	10	.....	.....	.....
Heat and sunstroke	154	50	5	.....	.....	.....	2	6	6	14	15	8	14	19	13	2	.....	.....
Cold and freezing	38	.....	.....	.....	.....	1	1	1	9	5	6	4	4	6	1	.....	.....	.....
Lightning	17	.....	.....	.....	.....	.....	1	5	4	3	.....	3	1	.....	.....	.....	.....	.....
Drowning	493	3	16	4	7	5	51	132	103	76	43	30	12	11	.....	.....	.....	.....
Inhalation of poisonous gases (including conflagration)	201	3	7	3	6	5	10	15	25	32	33	17	15	16	14	.....	.....	.....
Other accidental poisonings	253	33	42	25	15	7	15	10	23	26	22	11	13	10	1	.....	.....	.....
Accidental gunshot wounds	121	.....	1	.....	1	3	10	52	22	16	7	5	2	2	.....	.....	.....	.....
Injuries by machinery	244	.....	.....	1	.....	1	2	30	72	54	40	30	12	2	.....	.....	.....	.....
Injuries in mines and quarries	1,248	.....	.....	.....	.....	.....	1	131	437	340	202	89	38	9	1	.....	.....	.....
Railroad accidents and injuries	1,386	2	3	4	1	2	43	142	367	305	262	128	85	32	9	.....	.....	1
Street-car accidents	230	.....	4	4	11	6	32	19	31	41	35	21	12	12	2	.....	.....	.....
Injuries by vehicles and horses	278	3	7	5	7	4	29	21	33	34	40	33	35	23	3	1	.....	.....
Automobile accidents	78	.....	.....	1	1	4	11	5	11	9	9	14	7	4	2	.....	.....	.....
Suffocation	109	56	5	.....	.....	.....	4	3	9	10	10	8	2	2	.....	.....	.....	.....
Other accidental injuries	1,661	46	27	20	14	18	55	95	186	201	204	148	180	225	203	38	1	.....
Injuries at birth	522	522	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	331	12	.....	1	.....	1	4	21	126	89	44	19	12	1	1	.....	.....	.....
XIV.—Ill-defined causes	2,563	1,432	190	42	13	5	7	13	36	49	75	113	172	217	167	31	.....	1
"Dropsy"	161	4	1	.....	.....	.....	.....	3	4	11	12	18	25	51	27	5	.....	.....
"Heart failure"	397	65	3	1	1	1	.....	5	19	30	43	62	70	67	29	1	.....	.....
Other ill-defined causes	1,854	1,270	180	36	9	4	7	4	10	5	14	26	65	92	106	25	.....	1
Unknown causes	151	93	6	5	3	.....	.....	1	3	3	6	7	12	7	5	.....	.....	.....

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

RHODE ISLAND.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	8,288	1,833	337	140	92	63	164	273	497	659	698	874	1,124	991	453	85	2	3
I.—General diseases	2,156	169	90	51	48	25	69	135	267	296	261	280	243	164	54	3	.....	1
Typhoid fever	64	.....	.....	2	.....	1	1	17	18	10	7	7	1	.....	.....	.....	.....	.....
Malarial fever	8	2	1	.....	1	.....	1	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	61	14	28	9	4	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	31	5	2	.....	7	4	6	2	5	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	57	33	14	4	4	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Diphtheria	88	17	11	8	16	7	18	9	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Croup	16	2	1	5	2	1	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	78	5	2	1	.....	.....	1	2	3	3	1	10	15	19	13	3	.....	.....
Cholera nostras	5	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	1	1	.....	.....	.....	.....
Dysentery	43	12	3	3	.....	2	1	3	.....	2	1	2	2	7	5	.....	.....	.....
Erysipelas	17	6	.....	.....	.....	.....	.....	.....	.....	.....	2	4	2	3	.....	.....	.....	.....
Other epidemic diseases	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	13	2	.....	1	.....	.....	.....	1	.....	1	3	3	1	1	.....	.....	.....	.....
Tuberculosis of lungs	799	23	8	5	2	.....	11	68	201	203	127	81	47	18	4	.....	.....	1
Tuberculosis of larynx	9	.....	.....	.....	.....	.....	.....	.....	4	2	2	.....	1	.....	.....	.....	.....	.....
Tuberculous meningitis	88	16	12	12	10	5	14	8	3	5	1	1	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	32	5	5	.....	.....	1	2	4	3	4	3	4	1	.....	.....	.....	.....	.....
Pott's disease	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	5	1	.....	.....	.....	.....	.....	1	.....	1	.....	2	.....	.....	.....	.....	.....	.....
General tuberculosis	9	.....	.....	.....	.....	.....	1	2	4	1	.....	1	.....	.....	.....	.....	.....	.....
Scrofula	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	33	16	1	.....	.....	.....	1	1	3	6	2	1	1	1	.....	.....	.....	.....
Cancer of mouth	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	7	6	2	1	.....	.....	.....
Cancer of stomach and liver	144	.....	.....	.....	.....	.....	.....	1	.....	8	23	40	38	32	2	.....	.....	.....
Cancer of intestines	65	.....	.....	.....	.....	.....	.....	.....	3	5	8	10	17	14	8	.....	.....	.....
Cancer of female genital organs	94	.....	.....	.....	.....	.....	.....	.....	1	9	20	29	23	11	1	.....	.....	.....
Cancer of breast	61	.....	.....	.....	.....	.....	.....	.....	.....	6	12	18	13	9	3	.....	.....	.....
Cancer of skin	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	1	6	2	.....	.....	.....
Cancer of other or unspecified organs	69	.....	.....	.....	.....	.....	.....	1	2	7	11	9	17	17	5	.....	.....	.....
Tumor	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
Rheumatism	39	.....	.....	1	.....	1	2	9	2	2	3	4	5	9	1	.....	.....	.....
Diabetes	87	.....	.....	.....	.....	.....	2	2	2	.....	9	24	31	11	6	.....	.....	.....
Anemia, leukemia	43	6	.....	.....	1	.....	.....	2	5	8	2	8	9	1	1	.....	.....	.....
Alcoholism	42	.....	.....	.....	.....	.....	.....	.....	5	7	16	5	9	.....	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other general diseases	11	1	.....	.....	.....	.....	.....	.....	.....	4	3	3	.....	.....	.....	.....	.....	.....
II.—Diseases of nervous system	800	72	20	14	8	5	9	8	13	30	55	102	190	182	73	19	.....	.....
Encephalitis	4	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	75	26	11	12	7	3	4	3	3	1	2	1	1	.....	1	.....	.....	.....
Locomotor ataxia	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	4	4	1	.....	.....	.....	.....
Other diseases of spinal cord	20	1	1	.....	.....	1	1	.....	.....	1	2	2	8	1	2	.....	.....	.....
Apoplexy	487	2	2	.....	.....	.....	1	1	1	11	30	73	149	146	56	15	.....	.....
Softening of brain	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	5	2	.....	.....	.....
Paralysis	54	1	.....	.....	.....	.....	.....	.....	.....	1	.....	5	16	19	9	3	.....	.....
General paralysis of insane	32	.....	.....	.....	.....	.....	.....	.....	2	8	8	8	3	2	.....	1	.....	.....
Other forms of mental disease	14	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	4	3	5	1	.....	.....	.....
Other diseases of brain	12	2	.....	.....	1	.....	.....	.....	.....	3	2	1	.....	2	1	.....	.....	.....
Epilepsy	25	5	.....	.....	.....	1	1	4	3	2	4	1	2	1	1	.....	.....	.....
"Convulsions"	32	26	3	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	5	2	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	16	5	2	1	.....	.....	.....	.....	2	2	.....	2	2	.....	.....	.....	.....	.....
III.—Diseases of circulatory system	1,061	17	4	1	1	2	6	20	25	58	110	167	244	280	118	8	.....	.....
Pericarditis	9	.....	.....	.....	.....	1	.....	.....	1	2	.....	3	1	.....	1	.....	.....	.....
Endocarditis	64	1	1	.....	.....	.....	.....	.....	3	5	9	12	16	12	5	.....	.....	.....
Heart disease	807	11	1	1	1	1	5	20	19	46	93	137	194	205	70	3	.....	.....
Angina pectoris	29	.....	.....	.....	.....	.....	.....	.....	.....	1	2	6	6	12	2	.....	.....	.....
Diseases of arteries	127	.....	.....	.....	.....	.....	.....	.....	.....	2	2	9	22	48	39	5	.....	.....
Embolism and thrombosis	12	.....	.....	.....	.....	.....	.....	.....	2	2	2	.....	3	2	1	.....	.....	.....
Diseases of veins	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Diseases of lymphatics	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	9	4	1	.....	.....	.....	1	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....
IV.—Diseases of respiratory system	1,046	297	92	40	19	10	33	22	28	58	65	83	130	103	52	13	1	.....
Laryngitis	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of larynx	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Diseases of thyroid body	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	107	71	14	2	2	.....	4	.....	.....	1	1	1	.....	5	4	2	.....	.....
Chronic bronchitis	59	2	1	.....	.....	.....	.....	.....	1	.....	6	6	14	15	11	3	.....	.....
Bronchopneumonia	234	109	33	12	5	6	9	2	2	1	8	8	10	21	5	3	.....	.....
Pneumonia (lobar and unqualified)	591	110	43	25	10	2	17	18	22	54	44	65	93	52	30	5	1	.....
Pleurisy	19	1	1	.....	.....	1	3	2	1	1	2	1	3	2	1	.....	.....	.....
Congestion of lungs	12	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	6	1	1	.....	.....	.....
Gangrene of lungs	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Asthma and emphysema	14	.....	.....	.....	1	1	.....	.....	.....	.....	1	2	3	6	.....	.....	.....	.....
Hemorrhage of lungs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of respiratory system	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

RHODE ISLAND—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	1,095	588	103	16	8	8	17	27	19	40	50	63	72	64	19	1	.....	.....
Diseases of mouth	4	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tonsillitis	3	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of pharynx	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Ulcer of stomach	12	.....	.....	.....	.....	.....	.....	1	4	2	.....	2	1	2	.....	.....	.....	.....
Gastritis	41	9	1	1	2	1	1	.....	.....	3	5	3	6	9	.....	.....	.....	.....
Other diseases of stomach	66	32	2	.....	.....	.....	2	.....	2	2	2	5	11	6	2	.....	.....	.....
Dentition	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	716	529	96	14	5	5	6	3	2	2	4	6	15	20	9	.....	.....	.....
Hernia	27	1	.....	.....	.....	1	.....	.....	.....	3	5	5	5	6	.....	1	.....	.....
Obstruction of intestines	38	8	2	.....	.....	.....	1	4	2	5	5	4	3	3	1	.....	.....	.....
Other diseases of intestines	8	2	.....	.....	.....	.....	.....	1	2	.....	.....	.....	1	1	1	.....	.....	.....
Acute yellow atrophy of liver	4	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	.....
Hydatid tumors of liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	66	.....	.....	.....	.....	.....	.....	.....	1	7	14	19	14	8	3	.....	.....	.....
Biliary calculi	9	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	3	2	.....	.....	.....	.....
Other diseases of liver	20	1	.....	.....	.....	.....	.....	.....	1	1	.....	7	4	5	1	.....	.....	.....
Diseases of spleen	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Peritonitis	13	1	1	.....	.....	.....	1	1	.....	2	2	1	2	1	1	.....	.....	.....
Appendicitis	56	1	.....	1	.....	.....	5	15	3	9	8	8	4	1	1	.....	.....	.....
Other diseases of digestive system	8	.....	1	.....	.....	.....	.....	.....	1	1	2	1	2	.....	.....	.....	.....	.....
VI.—Diseases of genito-urinary system	695	9	3	1	1	1	3	12	44	65	71	124	182	119	53	6	.....	1
Acute nephritis	68	6	1	.....	1	1	1	3	5	13	9	10	13	5	.....	.....	.....	.....
Bright's disease	550	2	2	1	.....	.....	1	9	36	42	49	106	158	94	44	5	.....	1
Other diseases of kidneys	11	1	.....	.....	.....	.....	.....	.....	1	1	2	1	3	.....	1	1	.....	.....
Calculi of urinary tract	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	1	.....	.....	.....	.....
Diseases of bladder	12	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	3	6	2	.....	.....	.....
Uterine tumor	6	.....	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	1	.....	.....	.....	.....
Other diseases of uterus	5	.....	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	6	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	.....	.....	.....	.....	.....	.....
Diseases of tubes	6	.....	.....	.....	.....	.....	.....	.....	1	2	.....	3	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	25	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	3	12	6	.....	.....	.....
VII.—Childbirth	82	.....	.....	.....	.....	.....	.....	5	38	34	5	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia	39	.....	.....	.....	.....	.....	.....	.....	24	12	3	.....	.....	.....	.....	.....	.....	.....
Puerperal convulsions	26	.....	.....	.....	.....	.....	.....	5	6	14	1	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	17	.....	.....	.....	.....	.....	.....	.....	8	8	1	.....	.....	.....	.....	.....	.....	.....
VIII.—Diseases of skin	29	4	1	.....	.....	.....	.....	.....	1	2	3	6	2	5	4	1	.....	.....
Gangrene	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	5	2	1	.....	.....
Carbuncle	5	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	1	.....	.....	.....
Abscess	9	2	1	.....	.....	.....	.....	.....	1	.....	1	3	1	.....	.....	.....	.....	.....
Other diseases of skin	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....
IX.—Diseases of locomotor system	17	3	1	2	1	1	1	3	1	3	.....	.....	1	.....	.....	.....	.....	.....
Diseases of bones	16	3	1	2	1	1	1	2	1	3	.....	.....	1	.....	.....	.....	.....	.....
Diseases of joints	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of locomotor system	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
X.—Malformations	74	68	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hydrocephalus	5	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	41	39	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other congenital malformations	28	26	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XI.—Diseases of early infancy	425	425	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	211	211	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	214	214	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	136	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	37	59	30	1	.....
XIII.—Violence	525	83	9	12	5	10	25	40	59	70	71	47	46	30	14	3	.....	1
Suicide	76	.....	.....	.....	.....	.....	.....	3	5	18	19	13	13	5	.....	.....	.....	.....
Fractures and dislocations	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Burns and scalds	47	1	3	7	4	4	8	1	4	2	4	2	3	3	1	.....	.....	.....
Heat and sunstroke	9	3	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	1	.....	.....	.....	.....
Cold and freezing	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Lightning	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Drowning	64	.....	.....	4	.....	3	7	22	10	7	5	2	3	.....	.....	.....	.....	1
Inhalation of poisonous gases (including conflagration)	20	.....	.....	.....	.....	.....	.....	2	6	3	.....	1	4	4	.....	.....	.....	.....
Other accidental poisonings	10	1	2	.....	.....	.....	1	.....	1	3	1	.....	1	.....	.....	.....	.....	.....
Accidental gunshot wounds	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Injuries by machinery	13	.....	.....	.....	.....	.....	.....	1	7	4	1	.....	.....	.....	.....	.....	.....	.....
Injuries in mines and quarries	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Railroad accidents and injuries	36	.....	.....	.....	.....	.....	.....	3	8	8	10	5	1	1	.....	.....	.....	.....
Street-car accidents	20	.....	.....	.....	.....	.....	2	.....	3	3	6	3	1	1	.....	1	.....	.....
Injuries by vehicles and horses	24	.....	.....	.....	.....	3	1	.....	4	2	6	4	3	1	.....	.....	.....	.....
Automobile accidents	11	.....	.....	.....	.....	.....	2	1	2	.....	4	.....	1	1	.....	.....	.....	.....
Suffocation	3	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other accidental injuries	101	4	4	1	1	.....	4	7	6	10	11	13	14	12	12	2	.....	.....
Injuries at birth	71	71	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	15	1	.....	.....	.....	.....	.....	.....	3	6	1	2	2	.....	.....	.....	.....	.....
XIV.—Ill-defined causes	147	98	10	2	.....	1	1	1	2	3	7	2	5	7	7	1	.....	.....
"Dropsy"	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
"Heart failure"	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
Other ill-defined causes	137	95	10	1	.....	1	.....	1	1	3	5	2	4	6	7	1	.....	.....
Unknown causes	6	3	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

SOUTH DAKOTA.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	4,814	1,095	245	118	69	62	209	309	391	360	331	368	445	491	259	39	2	21
I.—General diseases	1,302	113	60	38	25	41	102	146	179	129	124	129	104	84	18	3	.....	7
Typhoid fever	97	.....	.....	1	1	4	6	25	25	17	8	5	3	1	.....	.....	.....	1
Malarial fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Measles	25	4	8	4	3	3	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	84	3	9	10	7	5	30	15	3	2	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	59	39	10	4	3	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	61	1	6	5	2	13	22	8	2	1	1	.....	.....	.....	.....	.....	.....	.....
Croup	22	5	5	2	1	5	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	46	10	2	.....	2	.....	1	5	1	1	4	3	4	8	3	2	.....	.....
Cholera nostras	7	1	1	1	.....	.....	.....	.....	1	.....	.....	.....	2	.....	1	.....	.....	.....
Dysentery	34	11	5	.....	.....	1	2	.....	.....	1	1	1	3	6	3	.....	.....	.....
Erysipelas	19	6	1	.....	.....	1	.....	1	1	2	3	1	3	.....	.....	.....	.....	.....
Other epidemic diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Septicemia	29	5	1	.....	1	.....	.....	1	6	7	3	2	2	.....	.....	1	.....	.....
Tuberculosis of lungs	420	10	7	2	2	2	17	67	111	69	55	43	16	14	1	.....	.....	4
Tuberculosis of larynx	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Tuberculous miningitis	21	3	1	2	1	3	5	4	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	18	1	2	.....	2	1	1	2	1	2	2	2	1	1	.....	.....	.....	.....
Pott's disease	7	.....	.....	2	.....	.....	1	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	4	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	9	1	1	1	.....	1	.....	1	2	.....	.....	.....	.....	2	.....	.....	.....	.....
General tuberculosis	4	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	.....
Scrofula	7	1	.....	2	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	9	1	1	.....	.....	.....	.....	.....	1	3	2	.....	.....	.....	.....	.....	.....	1
Cancer of mouth	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....
Cancer of stomach and liver	103	.....	.....	.....	.....	.....	.....	.....	1	2	17	32	30	17	4	.....	.....	.....
Cancer of intestines	9	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	2	3	.....	.....	.....	.....
Cancer of female genital organs	17	.....	.....	.....	.....	.....	.....	.....	.....	1	4	6	5	1	.....	.....	.....	.....
Cancer of breast	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	3	2	.....	.....	.....
Cancer of skin	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....
Cancer of other or unspecified organs	24	.....	.....	.....	.....	.....	.....	.....	2	1	4	4	7	4	2	.....	.....	.....
Tumor	4	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	.....	.....	.....	.....	.....
Rheumatism	37	2	.....	.....	.....	.....	2	1	6	4	3	3	8	8	.....	.....	.....	.....
Diabetes	48	.....	.....	2	.....	.....	3	6	5	4	3	8	9	7	1	.....	.....	.....
Anemia, leukemia	19	3	.....	.....	.....	.....	.....	2	1	1	5	4	1	2	.....	.....	.....	.....
Alcoholism	19	.....	.....	.....	.....	.....	.....	.....	1	5	4	6	1	1	.....	.....	.....	1
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	14	6	.....	.....	.....	.....	.....	2	2	2	.....	2	.....	.....	.....	.....	.....	.....
II.—Diseases of nervous system	474	112	23	8	7	6	18	19	17	24	24	35	73	74	27	5	1	1
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	64	19	11	2	2	4	11	6	1	2	2	1	3	.....	.....	.....	.....	.....
Locomotor ataxia	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	1	.....	.....
Other diseases of spinal cord	26	7	.....	2	1	.....	1	1	.....	1	.....	3	4	5	1	.....	.....	.....
Apoplexy	133	4	.....	.....	.....	.....	.....	1	1	7	9	19	34	36	18	4	.....	.....
Softening of brain	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....
Paralysis	61	1	.....	1	1	.....	.....	.....	1	2	3	5	17	26	4	.....	.....	.....
General paralysis of insane	10	.....	.....	.....	.....	.....	.....	.....	.....	3	3	1	2	.....	.....	.....	1	.....
Other forms of mental disease	13	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	5	3	2	.....	.....	1
Other diseases of brain	12	.....	2	1	.....	.....	1	.....	2	2	1	1	.....	1	1	.....	.....	.....
Epilepsy	25	2	2	.....	.....	1	.....	4	7	3	2	1	2	1	.....	.....	.....	.....
"Convulsions"	95	76	8	2	3	1	.....	1	3	.....	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	10	2	.....	.....	.....	.....	2	4	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	17	1	.....	.....	.....	.....	3	2	1	2	1	3	3	1	.....	.....	.....	.....
III.—Diseases of circulatory system	313	11	.....	1	.....	.....	2	13	18	31	26	49	66	64	24	4	.....	4
Pericarditis	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Endocarditis	25	2	.....	.....	.....	.....	.....	.....	3	2	2	4	3	6	2	.....	.....	1
Heart disease	222	4	.....	.....	.....	.....	2	12	14	23	21	40	47	46	10	.....	.....	3
Angina pectoris	10	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	5	1	1	1	.....	.....
Diseases of arteries	34	.....	.....	.....	.....	.....	.....	.....	1	2	1	2	7	8	10	3	.....	.....
Embolism and thrombosis	6	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	2	1	.....	.....	.....	.....
Diseases of veins	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....
Diseases of lymphatics	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	10	5	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	1	.....	.....	.....
IV.—Diseases of respiratory system	558	176	50	18	9	4	18	17	30	25	32	42	49	63	23	1	.....	1
Laryngitis	3	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of larynx	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	45	30	3	3	1	.....	1	.....	.....	.....	1	.....	.....	5	1	.....	.....	.....
Chronic bronchitis	23	2	.....	.....	.....	.....	1	.....	.....	.....	1	1	4	10	4	.....	.....	.....
Bronchopneumonia	66	30	15	1	1	1	3	.....	2	.....	2	1	4	6	.....	.....	.....	.....
Pneumonia (lobar and unqualified)	359	97	29	11	7	3	12	16	25	22	27	35	29	33	11	1	.....	1
Pleurisy	12	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	4	2	1	.....	.....	.....
Congestion of lungs	22	9	2	.....	.....	.....	.....	1	1	.....	.....	2	2	2	3	.....	.....	.....
Gangrene of lungs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Asthma and emphysema	10	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	4	1	3	.....	.....	.....
Hemorrhage of lungs	7	1	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	2	.....	.....	.....	.....
Other diseases of respiratory system	8	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

SOUTH DAKOTA—Continued.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	557	203	64	17	15	6	21	35	21	25	26	31	43	35	12	3		
Diseases of mouth																		
Tonsillitis	5		2					3										
Other diseases of pharynx	4							2					2					
Ulcer of stomach	14	2						1	1	3	1		2	4				
Gastritis	26	7	1					2			1	3	3	6	3			
Other diseases of stomach	27	12		2	2	1					1		5	1	2	1		
Dentition	1		1															
Diarrhea and enteritis	275	157	55	12	8	3	6	1	1	2	2	6	7	10	4	1		
Hernia	11	2							2		1	2	2	2				
Obstruction of intestines	36	12	2	2	1		2	2	3	4	1	2	1	2	2			
Other diseases of intestines	19	5	2	1	2			1	2	1	2	2			1			
Acute yellow atrophy of liver	1										1							
Hydatid tumors of liver																		
Cirrhosis of liver	37									4	7	8	15	3				
Biliary calculi	4										1	1	1	1				
Other diseases of liver	20	1				1	1	1	1	1	2	4	2	5		1		
Diseases of spleen	1							1										
Peritonitis	24	5	1		1		2	4	2	4	1	3	1					
Appendicitis	52				1	1	10	17	9	6	5		2	1				
Other diseases of digestive system																		
VI.—Diseases of genito-urinary system	228	10	1		1		3	6	9	26	25	32	39	45	28	2		1
Acute nephritis	15						1		1	3	3	4	2	1				
Bright's disease	161	4	1		1		2	5	6	16	16	22	30	34	23	1		
Other diseases of kidneys	14	3									3	1	1	5	1			
Calculi of urinary tract	3												2		1			
Diseases of bladder	8	1										1	3	2	1			
Uterine tumor	2									1	1							
Other diseases of uterus	10	1							1	3	2	2		1				
Ovarian tumor	2							1	1									
Diseases of tubes	1									1								
Other diseases of genito-urinary system	12	1								2		2	1	2	2	1		1
VII.—Childbirth	74							2	32	29	10	1						
Puerperal septicemia	26							1	15	8	2							
Puerperal convulsions	13								6	5	2							
Other causes incident to childbirth	35							1	11	16	6	1						
VIII.—Diseases of skin	16	2		1				1		1		2		3	4	1		1
Gangrene	9									1		1		3	3	1		
Carbuncle																		
Abscess	3							1				1						1
Other diseases of skin	4	2		1											1			
IX.—Diseases of locomotor system	6	1			2			2							1			
Diseases of bones	4	1			1			2										
Diseases of joints	1														1			
Other diseases of locomotor system	1				1													
X.—Malformations	44	41	1		1		1											
Hydrocephalus	7	6			1													
Congenital malformation of heart (cyanosis)	16	15					1											
Other congenital malformations	21	20	1															
XI.—Diseases of early infancy	280	280																
Premature birth	116	116																
Congenital debility	164	164																
XII.—Old age	192												13	72	90	16	1	
XIII.—Violence	368	34	14	11	2	1	19	45	69	52	41	27	19	16	11	1		6
Suicide	52							5	11	9	13	6	4	3	1			
Fractures and dislocations	10						1		2		1	1	3	1	1			
Burns and scalds	28	4	4	2			2	1	5	4	1	2	1	1				1
Heat and sunstroke	4	1							1					1	1			
Cold and freezing	3		2				1											
Lightning	15						1	5	3	3	2	1						
Drowning	37	1	2	5			3	6	9	2	4		3	1				1
Inhalation of poisonous gases (including conflagration)	12	1					1	1	2	1	2	1	1		2			
Other accidental poisonings	24	2	3	3	1	1	2	2	3	5	1		1					
Accidental gunshot wounds	27						2	12	4	5	2	1		1				
Injuries by machinery	4							1	3									
Injuries in mines and quarries	8								2	2	3	1						
Railroad accidents and injuries	25							2	8	8	3	1	2					1
Street-car accidents																		
Injuries by vehicles and horses	33		2				4	7	7	6	1	4		1	1			
Automobile accidents	5								2	1		2						
Suffocation	7	6	1															
Other accidental injuries	43	1		1	1		2	1	4	4	7	4	3	7	5	1		2
Injuries at birth	18	18																
Homicide	13							2	3	2	1	3	1					1
XIV.—Ill-defined causes	402	112	32	24	7	4	25	23	16	18	23	20	39	35	21	3		
"Dropsy"	12						1				1		5	4	1			
"Heart failure"	80	17					1	1	2	6	8	8	15	14	7	1		
Other ill-defined causes	62	37	5	2	2		4				1	2	5	2	1	1		
Unknown causes	248	58	27	22	5	4	19	22	14	12	13	10	14	15	12	1		

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

VERMONT.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	5,579	866	145	56	40	28	81	203	302	285	385	524	795	1,034	697	129	6	3
I.—General diseases	1,320	81	41	23	15	8	33	98	123	117	132	165	187	189	88	16	2	2
Typhoid fever	53		1	1	1		4	7	12	10	8	5	2	2				
Malarial fever	1	1																
Smallpox																		
Measles	76	20	19	5	4	2	7	6	5	1	3		2	1	1			
Scarlet fever	11	2	1	1	2			2	3									
Whooping cough	14	7	3	1	1				1							1		
Diphtheria	24	1	1	1	3	4	5	6		1		1		1				
Croup	7	4	2	1														
Influenza	135	12	1	2				3	3	5	7	9	15	34	38	4	1	1
Cholera nostras	1	1																
Dysentery	21	4	1		1		1	1			1			3	5	4		
Erysipelas	11	1							1			1		7	1			
Other epidemic diseases																		
Septicemia	6	1						1			1		2		1			
Tuberculosis of lungs	358	8	2	3		1	3	36	79	62	53	53	34	17	4	2		1
Tuberculosis of larynx	1													1				
Tuberculous meningitis	37	12	6	4	1		3	5	2	1			1	2				
Abdominal tuberculosis	23		1				3	6	1	2	5	3	1	1				
Pott's disease	10			1		1	1	4	2	1								
Tuberculous abscess	2		1					1										
White swelling	6							2	1			1	1	1				
Tuberculosis of other organs	6									1		2	2	1				
General tuberculosis	6	1	1		1			1		1	1							
Scrofula	1											1						
Venereal diseases	11	2	1					1	2	2		2	1					
Cancer of mouth	14										2	1	3	5	3			
Cancer of stomach and liver	136								1	5	9	22	44	42	11	2		
Cancer of intestines	51									3	4	13	12	13	4	2		
Cancer of female genital organs	47									4	12	6	19	5	1			
Cancer of breast	36									3	6	10	6	9	2			
Cancer of skin	13										2	1	2	2	6			
Cancer of other or unspecified organs	48	1					2		1	3	6	7	9	12	5	1	1	
Tumor																		
Rheumatism	29	1		1			1	3	3	1	2	5	4	6	2			
Diabetes	74			2			3	9	3	2	4	11	17	19	4			
Anemia, leukemia	29	2			1			4	1	4	4	6	3	4				
Alcoholism	11								1	4	1	2	2	1				
Chronic poisonings	3									1		1	1					
Other general diseases	8								1		1	2	4					
II.—Diseases of nervous system	674	37	14	6	6	2	8	9	23	17	40	72	144	147	131	18		
Encephalitis	5	2							1	1			1					
Meningitis	58	13	9	5	5	2	5	4	3		2	2	7	1				
Locomotor ataxia	14								1		1	6	1	4	1			
Other diseases of spinal cord	30	1		1	1			2	2	2	8	2	2	7	2			
Apoplexy	423	3	2				1		5	8	14	47	111	104	111	17		
Softening of brain	11										1	2	1	6	1			
Paralysis	33	1							1	2		2	9	10	8			
General paralysis of insane	16										3	5	1	3	4			
Other forms of mental disease	19								2	1	4	1	5	5	1			
Other diseases of brain	14	3							1		1	2	2	4		1		
Epilepsy	19	1					1	1	6	3	2	1	2	1	1			
"Convulsions"	13	11	2															
Tetanus	4						1	1			1	1						
Other diseases of nervous system	15	2	1					1	1		3	1	2	2	2			
III.—Diseases of circulatory system	914	9	1			2	5	9	20	24	46	111	186	317	162	21	1	
Pericarditis	3					1						1		1				
Endocarditis	27						1		4	2	1	6	4	4	5			
Heart disease	688	6	1				4	8	13	20	37	88	149	244	105	13		
Angina pectoris	53								2	1	2	5	17	14	8	4		
Diseases of arteries	113									1	4	10	11	42	40	4	1	
Embolism and thrombosis	22	1						1			2	1	3	10	4			
Diseases of veins	4								1				1	2				
Diseases of lymphatics	1	1																
Other diseases of circulatory system	3	1				1							1					
IV.—Diseases of respiratory system	691	155	44	10	7	7	7	25	22	26	42	52	88	103	82	20	1	
Laryngitis	3	1		1											1			
Other diseases of larynx	5	2	2											1				
Diseases of thyroid body	1										1							
Acute bronchitis	80	48	8	2	2	1	1	2		1	1	2		2	8	2		
Chronic bronchitis	59						1		3			5	7	19	16	8		
Bronchopneumonia	145	55	18	1		2	2	2	1	2	4	6	14	14	19	4	1	
Pneumonia (lobar and unqualified)	368	48	15	6	5	4	3	19	17	20	32	35	59	62	37	6		
Pleurisy	12							1	1	3	1	2	2	2				
Congestion of lungs	3												1	1	1			
Gangrene of lungs	1										1							
Asthma and emphysema	8										1	1	4	2				
Hemorrhage of lungs																		
Other diseases of respiratory system	6	1	1					1			1	1	1					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

VERMONT—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	591	245	35	8	9	4	13	17	23	15	30	41	42	65	42	2		
Diseases of mouth	1							1										
Tonsillitis	2						1						1					
Other diseases of pharynx	4		1				1							2				
Ulcer of stomach	10								1		2	3	2	2				
Gastritis	39	6	2			1			2		1	2	2	10	13			
Other diseases of stomach	35	11	1	1		2		1			2		3	9	5			
Dentition																		
Diarrhea and enteritis	296	217	27	6	6	1	2	1	1	2	6	4	4	12	7			
Hernia	12	1					1			3	1	1	2	1	2			
Obstruction of intestines	31	7	1		1		1	1	2	1	2	3	3	3	4	2		
Other diseases of intestines	11	2	1						1	1		2	1	3				
Acute yellow atrophy of liver	2												1	1				
Hydatid tumors of liver																		
Cirrhosis of liver	56								1	1	6	14	15	12	7			
Biliary calculi	10									1		3	2	2	2			
Other diseases of liver	13				1		1			2		3	3	2	1			
Diseases of spleen	2								1	1								
Peritonitis	28	1	2		1			3	5	1	5	3	3	3	1			
Appendicitis	36						6	10	9	2	5	2		2				
Other diseases of digestive system	3			1								1		1				
VI.—Diseases of genito-urinary system	445	7	2	2				9	17	26	33	44	95	138	66	6		
Acute nephritis	28	3	2	1				3	1	5	3	1	4	4	1			
Bright's disease	340	3		1				2	10	16	26	36	82	111	51	2		
Other diseases of kidneys	4	1										2				1		
Calculi of urinary tract	1								1									
Diseases of bladder	24											1	4	11	5	3		
Uterine tumor	4									1	1	1			1			
Other diseases of uterus	13							2	4	2	2	2		1				
Ovarian tumor	4							1				1		2				
Diseases of tubes	3							1		1	1							
Other diseases of genito-urinary system	24								1	1			5	9	8			
VII.—Childbirth	67							4	36	21	6							
Puerperal septicemia	32							1	19	10	2							
Puerperal convulsions	16							2	8	4	2							
Other causes incident to childbirth	19							1	9	7	2							
VIII.—Diseases of skin	21			1								3	1	7	7	2		
Gangrene	13											1	1	4	5	2		
Carbuncle	2											1		1				
Abscess	3			1								1		1				
Other diseases of skin	3													1	2			
IX.—Diseases of locomotor system	12	2	1				1	1		2	1	1	1	2				
Diseases of bones	10	2	1				1	1		2	1		1	1				
Diseases of joints	2											1		1				
Other diseases of locomotor system																		
X.—Malformations	61	57	1			1	1		1									
Hydrocephalus	6	5				1												
Congenital malformation of heart (cyanosis)	30	27	1				1		1									
Other congenital malformations	25	25																
XI.—Diseases of early infancy	222	222																
Premature birth	164	164																
Congenital debility	58	58																
XII.—Old age	147												7	30	75	33	2	
XIII.—Violence	382	33	6	5	2	4	12	31	37	36	55	35	41	35	38	11		1
Suicide	57							3	7	5	16	9	11	5	1			
Fractures and dislocations	4												1	1	2			
Burns and scalds	15		1	1			2	1	2	1	2		2	3				
Heat and sunstroke	2										1			1				
Cold and freezing	3								1		1		1					
Lightning																		
Drowning	36		2	1		1	1	12	8	5	3	2		1				
Inhalation of poisonous gases (including conflagration)	13	1					1	1	1	3	2	3			1			
Other accidental poisonings	23	1	1	2	1	1	1	2	2	2	3		6	1				
Accidental gunshot wounds	8							4	1		2			1				
Injuries by machinery	10						2	1	1	1	1	3		1				
Injuries in mines and quarries	6								1	2	2	1						
Railroad accidents and injuries	35						3	1	11	3	4	8	4		1			
Street-car accidents	3									2	1							
Injuries by vehicles and horses	18		1					1		1	2	3	5	3	2			
Automobile accidents	3						1	1			1							
Suffocation	6	5												1				
Other accidental injuries	104		2		1	2	1	4		8	13	4	10	16	31	11		1
Injuries at birth	23	23																
Homicide	13	3							2	3	1	2	1	1				
XIV.—Ill-defined causes	32	18		1	1		1			1			3	1	6			
"Dropsy"	1						1											
"Heart failure"	4	1											1		2			
Other ill-defined causes	20	11		1	1					1			2	1	3			
Unknown causes	7	6													1			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

WASHINGTON.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	10,706	1,680	352	146	126	113	335	640	1,137	1,186	1,174	1,197	1,091	963	442	63	3	58
I.—General diseases	3,076	132	95	62	51	70	179	320	486	410	385	401	269	156	47	3	1	9
Typhoid fever	306	3	3	1	5	3	20	49	90	66	36	22	7	1				
Malarial fever	3						1		1	1								
Smallpox	9	4								2	2		1					
Measles	44	9	11	4	2	2	8	3	1			3		1				
Scarlet fever	181	6	15	21	14	25	45	36	14	5								
Whooping cough	34	16	6	6	4			1	1									
Diphtheria	170	2	18	14	14	18	46	34	14	5	4							1
Croup	19	2	2	3	2	6	4											
Influenza	98	11	4	1		1	2	4	5	5	6	9	13	17	18	2		
Cholera nostras	1	1																
Dysentery	44	19	3		1	1	3				3	4	4	3	2		1	
Erysipelas	28	2						2	2	1	5	6	3	2	3			2
Other epidemic diseases	5				1		1	1	2									
Septicemia	40	5	1				3	2	7	2	4	5	5	3	3			
Tuberculosis of lungs	930	7	5	3	2	5	12	123	270	214	137	92	36	20	4			
Tuberculosis of larynx	8						1		2	3	2							
Tuberculous meningitis	104	22	18	7	1	4	12	19	10	9		2						
Abdominal tuberculosis	65	1	1		1	1	5	9	22	14	6	3	1	1				
Pott's disease	12			1			3	3	1		2		1					1
Tuberculous abscess	1										1							
White swelling	11					1		1	3	2	3		1					
Tuberculosis of other organs	21						1	4	4	1	3	4	3	1				
General tuberculosis	21	3	1	1	1		1	1	6	3		4						
Scrofula																		
Venereal diseases	41	13					1	2	3	3	9	7	3					
Cancer of mouth	27								1	1	3	5	9	6	1	1		
Cancer of stomach and liver	247								3	12	43	70	68	46	4			1
Cancer of intestines	62								1	2	16	20	8	14	1			
Cancer of female genital organs	66								2	9	24	17	12	2				
Cancer of breast	43								2	1	9	19	6	5	1			
Cancer of skin	25									1	1	7	11	3	2			
Cancer of other or unspecified organs	89	1				1	3	1	6	6	17	27	21	4	2			
Tumor	1												1					
Rheumatism	47		1		1	1	4	6	2	3	5	8	8	7	1			
Diabetes	120		1		1		2	9	8	10	6	34	31	14	4			
Anemia, leukemia	46	1	2		1	1	1	7		5	9	11	5	3				
Alcoholism	82								2	22	21	20	9	3	1			4
Chronic poisonings	5								1		3	1						
Other general diseases	20	4	3					3		2	5	1	2					
II.—Diseases of nervous system	952	103	23	5	11	13	22	43	49	78	90	139	176	144	48	5		3
Encephalitis	5	1						1			1	1	1					
Meningitis	129	38	15	2	8	9	11	15	12	11	4	2	2					
Locomotor ataxia	15								1	2	3	2	6	1				
Other diseases of spinal cord	27			2			3	1	1	5	5	4	2	4				
Apoplexy	380	3	3					1	7	18	31	90	104	88	29	5		1
Softening of brain	10											5	3	1	1			
Paralysis	101	2				1		3	1	1	6	10	34	31	11			1
General paralysis of insane	47								1	8	18	8	3	7	2			
Other forms of mental disease	79							2	10	13	13	10	14	12	5			
Other diseases of brain	32	1				1	1	5	6	8	4	3	3					
Epilepsy	31	1			1	1	2	6	5	7	3	3	1					1
"Convulsions"	67	55	5	1	1	1	1	1	1	1								
Tetanus	8							5	1	1	1							
Other diseases of nervous system	21	2			1		4	3	3	3	1	1	3					
III.—Diseases of circulatory system	1,111	31	2	3		1	11	46	64	85	137	193	234	224	69	8		3
Pericarditis	5							1					1	1	2			
Endocarditis	67	2	1	1			3	4	7	1	10	14	8	11	5			
Heart disease	851	18	1	1		1	7	39	55	72	104	154	188	163	40	5		3
Angina pectoris	42									3	6	8	10	11	4			
Diseases of arteries	99							1		2	10	10	21	34	18	3		
Embolism and thrombosis	24	2					1	1	2	6	3	3	3	3				
Diseases of veins	8	1								1	3		2	1				
Diseases of lymphatics	3	3																
Other diseases of circulatory system	12	5		1							1	4	1					
IV.—Diseases of respiratory system	954	235	64	20	20	8	18	30	43	66	82	91	94	114	59	9		1
Laryngitis	2		1	1														
Other diseases of larynx	6	2		1	1		1				1							
Diseases of thyroid body	7								2	3		2						
Acute bronchitis	52	31	5	2	2	1					1	1	2	4	3			
Chronic bronchitis	49		1								3	5	9	20	10	1		
Bronchopneumonia	117	52	18	3	7	2		1	2	2	5	3	9	9	3			1
Pneumonia (lobar and unqualified)	616	135	38	11	9	3	16	23	34	47	62	70	61	68	33	6		
Pleurisy	23							2	1	7	6	4	1	2				
Congestion of lungs	26	9	1	1	1	2	1	1	2				4	1	2	1		
Gangrene of lungs	3			1				1		1								
Asthma and emphysema	28									4	1	4	5	8	6			
Hemorrhage of lungs	5	2								1			1		1			
Other diseases of respiratory system	20	4						2	2	1	3	2	2	2	1	1		

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

WASHINGTON—Continued.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	1,198	469	129	32	21	10	36	48	70	72	82	79	71	53	22	2	.....	2
Diseases of mouth	6	3	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tonsillitis	17	1	2	.....	1	.....	1	3	5	.....	.....	1	1	1	1	.....	.....	.....
Other diseases of pharynx	9	.....	.....	.....	.....	.....	2	3	.....	.....	2	1	.....	1	.....	.....	.....	.....
Ulcer of stomach	29	.....	1	.....	.....	.....	.....	3	4	3	8	5	1	4	.....	.....	.....	.....
Gastritis	45	11	1	1	1	.....	.....	.....	.....	3	6	2	6	11	3	.....	.....	.....
Other diseases of stomach	40	16	3	.....	2	1	.....	2	1	2	1	1	4	4	2	1	.....	.....
Dentition	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	604	402	113	26	13	3	10	1	4	2	3	7	4	7	8	.....	.....	1
Hernia	15	1	1	.....	.....	.....	.....	.....	1	1	2	4	3	2	.....	.....	.....	.....
Obstruction of intestines	82	19	3	1	.....	2	4	1	7	9	10	7	8	7	3	.....	.....	1
Other diseases of intestines	28	6	.....	1	1	1	.....	.....	4	5	3	5	1	.....	1	.....	.....	.....
Acute yellow atrophy of liver	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Hydatid tumors of liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	67	.....	.....	1	.....	.....	.....	.....	3	6	15	15	19	8	.....	.....	.....	.....
Biliary calculi	28	.....	.....	.....	.....	.....	.....	.....	.....	2	2	8	10	4	1	1	.....	.....
Other diseases of liver	49	3	.....	.....	.....	.....	.....	.....	1	10	12	10	8	2	3	.....	.....	.....
Diseases of spleen	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Peritonitis	37	6	.....	2	1	1	4	2	3	7	6	4	1	.....	.....	.....	.....	.....
Appendicitis	130	.....	3	.....	2	1	14	32	36	18	11	7	5	1	.....	.....	.....	.....
Other diseases of digestive system	6	.....	.....	.....	.....	.....	.....	.....	.....	3	1	2	.....	.....	.....	.....	.....	.....
VI.—Diseases of genito-urinary system	713	8	1	.....	4	1	11	21	55	81	112	123	137	114	42	1	.....	2
Acute nephritis	60	1	1	.....	3	1	4	6	11	7	6	6	8	6	.....	.....	.....	.....
Bright's disease	505	5	.....	.....	.....	.....	5	10	25	49	71	103	115	87	32	1	.....	2
Other diseases of kidneys	27	1	.....	.....	.....	.....	2	1	3	3	7	5	2	1	2	.....	.....	.....
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....
Diseases of bladder	16	.....	.....	.....	1	.....	.....	.....	.....	1	.....	4	1	8	1	.....	.....	.....
Uterine tumor	12	.....	.....	.....	.....	.....	.....	.....	.....	3	8	.....	1	.....	.....	.....	.....	.....
Other diseases of uterus	23	.....	.....	.....	.....	.....	.....	2	5	9	6	1	.....	.....	.....	.....	.....	.....
Ovarian tumor	7	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	1	.....	.....	.....	.....	.....
Diseases of tubes	19	.....	.....	.....	.....	.....	.....	2	9	5	3	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	41	1	.....	.....	.....	.....	.....	.....	1	3	7	2	9	11	7	.....	.....	.....
VII.—Childbirth	179	.....	.....	.....	.....	.....	.....	19	73	77	10	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia	79	.....	.....	.....	.....	.....	.....	8	34	34	3	.....	.....	.....	.....	.....	.....	.....
Puerperal convulsions	40	.....	.....	.....	.....	.....	.....	8	18	12	2	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	60	.....	.....	.....	.....	.....	.....	3	21	31	5	.....	.....	.....	.....	.....	.....	.....
VIII.—Diseases of skin	32	.....	.....	1	.....	.....	1	.....	1	.....	4	2	9	8	4	1	.....	1
Gangrene	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	6	4	1	.....	.....
Carbuncle	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....
Abscess	11	.....	.....	.....	.....	.....	1	.....	1	.....	3	2	2	1	.....	.....	.....	1
Other diseases of skin	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
IX.—Diseases of locomotor system	17	3	3	.....	.....	.....	1	.....	3	4	1	1	1	.....	.....	.....	.....	.....
Diseases of bones	17	3	3	.....	.....	.....	1	.....	3	4	1	1	1	.....	.....	.....	.....	.....
Diseases of joints	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of locomotor system	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
X.—Malformations	112	100	1	1	1	.....	4	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hydrocephalus	9	5	.....	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	72	65	.....	.....	1	.....	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other congenital malformations	31	30	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XI.—Diseases of early infancy	475	475	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	258	258	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	217	217	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	262	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18	91	124	28	1	.....
XIII.—Violence	1,392	47	22	18	18	9	44	100	282	300	247	150	64	36	16	4	1	34
Suicide	243	.....	.....	.....	.....	.....	.....	5	46	74	54	32	16	7	2	.....	.....	7
Fractures and dislocations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Burns and scalds	58	3	9	7	8	.....	6	2	4	5	6	2	2	2	1	.....	1	.....
Heat and sunstroke	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cold and freezing	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1
Lightning	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Drowning	195	1	3	3	6	2	17	37	39	31	26	19	5	2	.....	.....	.....	4
Inhalation of poisonous gases (including conflagration)	38	1	.....	.....	.....	1	1	4	3	9	5	5	4	1	1	.....	.....	3
Other accidental poisonings	49	4	5	6	1	.....	2	2	7	10	4	5	1	2	.....	.....	.....	.....
Accidental gunshot wounds	32	.....	1	.....	.....	.....	3	7	8	7	5	.....	.....	.....	.....	.....	.....	1
Injuries by machinery	37	.....	.....	.....	.....	.....	3	3	10	9	6	3	2	.....	.....	.....	.....	1
Injuries in mines and quarries	29	.....	.....	.....	.....	.....	.....	.....	7	9	8	4	.....	.....	.....	.....	.....	1
Railroad accidents and injuries	187	.....	.....	.....	.....	.....	1	9	42	40	45	29	9	3	1	.....	.....	8
Street-car accidents	29	.....	.....	.....	.....	1	.....	.....	5	6	7	5	2	2	.....	.....	.....	1
Injuries by vehicles and horses	62	.....	3	.....	1	4	4	9	8	11	5	9	4	2	2	.....	.....	.....
Automobile accidents	21	.....	.....	.....	.....	.....	1	5	7	6	.....	2	.....	.....	.....	.....	.....	.....
Suffocation	21	11	.....	.....	.....	.....	.....	1	4	.....	3	1	.....	.....	.....	.....	.....	1
Other accidental injuries	302	3	1	2	2	1	6	14	77	65	57	25	18	14	9	4	.....	4
Injuries at birth	24	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	62	.....	.....	.....	.....	.....	.....	2	15	18	16	8	1	.....	.....	.....	.....	2
XIV.—Ill-defined causes	233	77	12	4	.....	1	8	9	10	13	24	18	18	23	11	2	.....	3
"Dropsy"	14	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	2	5	2	1	.....	.....
"Heart failure"	30	2	.....	.....	.....	.....	.....	.....	1	3	6	4	4	10	.....	.....	.....	.....
Other ill-defined causes	95	54	6	.....	.....	.....	1	1	2	.....	8	6	4	6	6	1	.....	.....
Unknown causes	94	21	6	4	.....	1	7	8	7	8	9	7	8	2	3	.....	.....	3

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

WISCONSIN.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	27,294	5,650	926	436	341	229	754	1,230	1,953	1,729	1,937	2,337	2,994	3,706	2,568	415	14	75
I.—General diseases	7,186	439	271	165	161	119	352	553	991	737	758	826	834	652	283	30	1	14
Typhoid fever	337	2	1	1	3	5	22	71	90	60	51	21	7	3				
Malarial fever	12			1			1	2		2	2	2	2					
Smallpox	16	6		1			1	1	2		2	2			1			
Measles	170	44	54	20	15	6	19	4	4	2	1	1						
Scarlet fever	372	8	48	49	57	44	110	44	6	5	1							
Whooping cough	225	135	51	10	13	4	9	2	1									
Diphtheria	363	11	42	43	36	31	109	64	15	9	2							1
Croup	53	11	7	8	4	8	11	1	2	1								
Influenza	302	41	5	1	1	3	3	11	6	12	14	13	44	65	70	12		1
Cholera nostras	32	12	1		3	2					2	2	2	1	4	3		
Dysentery	102	33	9	3	3	2			1	1	1	5	5	22	15	2		
Erysipelas	66	18	1		1			2	3	1	3	9	7	13	8			
Other epidemic diseases	6		2	1			1		2									
Septicemia	106	19	3				5	6	13	13	14	8	12	10	2			1
Tuberculosis of lungs	2,182	36	15	6	5	2	16	228	665	452	304	210	147	70	20			6
Tuberculosis of larynx	22								2	4	9	4	2	1				
Tuberculous meningitis	102	19	21	9	5	6	13	12	10	3	4							
Abdominal tuberculosis	109	3	1	2	3	1	4	11	30	20	8	13	6	3	4			
Pott's disease	37				1	1		6	10	7	4	4	2	2				
Tuberculous abscess	2								1			1						
White swelling	15						3	3	4	2	1	1		1				
Tuberculosis of other organs	34		1	1			1	2	9	3	2	5	7	1	2			
General tuberculosis	43		2		1	1		7	16	5	6	2	3					
Scrofula	5	2							1		1				1			
Venereal diseases	43	18	3		1		1		4	3	8	3	1	1				
Cancer of mouth	48	1								1	4	9	13	8	12			
Cancer of stomach and liver	851				1			2	3	28	101	215	245	206	49			1
Cancer of intestines	174				1				6	9	24	43	39	38	12	2		
Cancer of female genital organs	134								1	9	30	38	36	11	8	1		
Cancer of breast	118								1	6	28	25	30	18	9		1	
Cancer of skin	57		1							1	3	11	9	18	10	4		
Cancer of other or unspecified organs	263	2	1		3	1	2	4	7	18	27	62	60	49	23	2		2
Tumor	38	2	1	1				1	3	3	5	2	11	5	4			
Rheumatism	169	1					11	28	13	10	13	26	22	32	10	3		
Diabetes	277			4	3		5	29	22	15	18	55	67	45	12			2
Anemia, leukemia	146	7	1	2	1	1	3	9	15	14	23	17	33	17	2	1		
Alcoholism	71								9	9	24	11	13	4	1			
Chronic poisonings	2												1	1				
Other general diseases	82			2		1	2	3	14	9	18	6	8	7	4			
II.—Diseases of nervous system	3,099	571	87	47	46	20	83	127	121	128	191	288	416	591	337	38		8
Encephalitis	12	6		1	1		1	1	1					1				
Meningitis	382	109	44	30	27	13	39	43	13	10	13	9	16	13		1		2
Locomotor ataxia	43							1		3	9	12	11	5	2			
Other diseases of spinal cord	141	11	6	6	6	2	8	19	13	11	12	13	14	15	4	1		
Apoplexy	1,232	13	2	1			3	8	15	30	79	158	260	399	234	24		6
Softening of brain	32						1			2	1	3	9	13	3			
Paralysis	279	4		1	1			5	3	6	14	27	56	94	60	8		
General paralysis of insane	80							1	4	9	19	12	12	15	7	1		
Other forms of mental disease	103							1	7	16	15	15	19	16	13	1		
Other diseases of brain	98	4	3		2	2	7	7	16	6	12	21	7	6	5			
Epilepsy	121	6	1				10	17	32	20	13	8	5	4	4	1		
"Convulsions"	466	402	29	6	7	3	4	2	4	5		1	2	1				
Tetanus	47	7					7	16	7	4	2	3		1				
Other diseases of nervous system	63	9	2	2	2		3	6	6	6	2	6	5	8	5	1		
III.—Diseases of circulatory system	2,939	59	7	4	1	1	32	67	107	118	197	346	613	869	461	50	2	5
Pericarditis	24	2						1		2	4	5	3	5	2			
Endocarditis	218	5				1	8	8	12	20	9	18	41	65	29	2		
Heart disease	2,095	36	5	3			20	54	80	80	150	261	459	627	287	26	2	5
Angina pectoris	96								1	4	8	13	33	28	9			
Diseases of arteries	363								4		7	29	58	122	124	19		
Embolism and thrombosis	76	1						1	3	5	13	15	13	16	7	2		
Diseases of veins	18								2	5	3	2	3	3				
Diseases of lymphatics	3	1	1						1									
Other diseases of circulatory system	46	14	1	1	1		4	3	4	2	3	3	3	3	3	1		
IV.—Diseases of respiratory system	2,979	815	205	86	49	23	80	95	99	124	149	175	265	447	320	43	1	3
Laryngitis	12	2	1	4	2			1						2				
Other diseases of larynx	22	8	1	3	2	2	4	1				1						
Diseases of thyroid body	12	2					1	1		2	2	2	1	1				
Acute bronchitis	291	166	36	11	7	2	1	1	1	1			13	24	26	2		
Chronic bronchitis	264	6	1	1	1		3	4	1	3	6	16	37	82	89	14		
Bronchopneumonia	489	216	61	25	13	7	12	9	5	4	10	9	22	61	33	2		
Pneumonia (lobar and unqualified)	1,615	380	100	32	19	8	47	69	79	100	116	117	158	231	139	16	1	3
Pleurisy	78	2	4	4	1		6	4	3	9	7	11	11	10	4	2		
Congestion of lungs	98	26		2	3	2	4	1	2	2	5	4	9	17	14	7		
Gangrene of lungs	4		1	1					1			1						
Asthma and emphysema	48			1		1	1				2	8	9	12	14			
Hemorrhage of lungs	17	2		2			1	3	2	1		2	1	3				
Other diseases of respiratory system	29	5			1	1		1	5	2	1	4	4	4	1			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, TOTAL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1909—Continued.

WISCONSIN—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
V.—Diseases of digestive system	3,527	1,518	261	84	43	34	101	144	156	121	179	201	253	256	156	16	1	3
Diseases of mouth	9	7	1												1			
Tonsillitis	15		2	2			6	4					1					
Other diseases of pharynx	22					1		1	3		1		1	8	5	2		
Ulcer of stomach	58						1	1	9	4	10	12	12	2	7			
Gastritis	192	79	10	3		1	3	2	2	3	6	5	20	27	29	1		1
Other diseases of stomach	163	96	5	3					3	3	6	8	10	14	13	2		
Dentition	5	2	3															
Diarrhea and enteritis	1,823	1,263	224	61	31	19	29	18	13	13	10	21	41	48	26	5		1
Hernia	83	7		1		1		2	2	2	10	10	19	17	12			
Obstruction of intestines	204	31	7	3	3	4	8	11	9	11	26	17	21	35	14	3		1
Other diseases of intestines	74	16	2	3		1		1	2	1	8	10	6	14	8	1	1	
Acute yellow atrophy of liver	8						1		2	1			2	2				
Hydatid tumors of liver																		
Cirrhosis of liver	237			1			1	1	3	16	45	56	62	37	14	1		
Biliary calculi	77							1	2	6	13	19	21	13	2			
Other diseases of liver	99	5	1	1	1	1	1	1	5	12	7	10	16	17	20	1		
Diseases of spleen	2											1		1				
Peritonitis	158	11	6	5	6	1	12	26	26	17	10	11	11	12	4			
Appendicitis	289	1		1	2	4	39	75	74	29	24	21	10	8	1			
Other diseases of digestive system	9					1			1	3	3			1				
VI.—Diseases of genito-urinary system	1,623	36	13	12	7	6	17	48	79	129	148	221	324	356	197	26		4
Acute nephritis	127	11	6	5	4	3	8	5	13	10	15	14	15	10	7	1		
Bright's disease	1,175	20	6	7	3	3	8	40	46	92	108	180	269	251	126	13		3
Other diseases of kidneys	60	5	1				1		4	4	4	6	12	13	8	2		
Calculi of urinary tract	12									1	1	1	4	3	2			
Diseases of bladder	79								1	1		6	8	28	28	6		1
Uterine tumor	20									4	8	5	1	1	1			
Other diseases of uterus	29							2	8	5	8	4		2				
Ovarian tumor	7							1		2	1	1	1		1			
Diseases of tubes	15								4	8	3							
Other diseases of genito-urinary system	99								3	2		4	14	48	24	4		
VII.—Childbirth	256							16	105	106	29							
Puerperal septicemia	101							7	47	37	10							
Puerperal convulsions	47							4	24	16	3							
Other causes incident to childbirth	108							5	34	53	16							
VIII.—Diseases of skin	145	31	5	1		1		3	4	8	2	5	23	35	24	3		
Gangrene	75	2								4		2	17	27	21	2		
Carbuncle	9	2	1					3				1			2			
Abscess	28	9	3	1		1			4	2	1	1	1	4	1			
Other diseases of skin	33	18	1							2	1	1	5	4		1		
IX.—Diseases of locomotor system	46	14	5	2	1		3	5	3	1	2	4	3	2	1			
Diseases of bones	42	14	5	2	1		3	4	3	1	2	3	3	1				
Diseases of joints	1											1						
Other diseases of locomotor system	3							1						1	1			
X.—Malformations	278	266	6		1		2	2	1									
Hydrocephalus	12	11	1															
Congenital malformation of heart (cyanosis)	137	130	3				2	2										
Other congenital malformations	129	125	2		1				1									
XI.—Diseases of early infancy	1,442	1,442																
Premature birth	821	821																
Congenital debility	621	621																
XII.—Old age	1,091												41	271	604	163	9	3
XIII.—Violence	1,933	202	43	31	23	23	82	164	273	240	246	219	142	105	86	26		28
Suicide	304						2	4	44	57	68	71	33	11	5	1		8
Fractures and dislocations	46						1	4	6	1	2	4	6	6	12	4		
Burns and scalds	124	8	18	14	10	8	13	6	7	14	4	7	3	7	5			
Heat and sunstroke	16	2							1	2	3	3	1	2	2			
Cold and freezing	21	1							2	2	4	1	5	3	2			1
Lightning	8							1	1	1	2	1	2					
Drowning	190	2	2	4	2	1	18	46	39	21	22	18	10	1		2		2
Inhalation of poisonous gases (including conflagration)	45	4	1	2	1	1	4	5	6	7	3	1	1	6	3			
Other accidental poisonings	56	6	13	4	1	4	6	3	4	2	1	6	3	3				
Accidental gunshot wounds	71			1	1	1	5	27	12	8	10	4	2					
Injuries by machinery	42			1			1	7	10	5	7	10	1					
Injuries in mines and quarries	18								9	2	3	2						2
Railroad accidents and injuries	258			1	1	3	5	18	60	55	47	24	23	8	1			12
Street-car accidents	32		1				4	2	9	4	1	5	2	4				
Injuries by vehicles and horses	85		3	1	3	3	8	10	7	8	10	12	13	4	2			1
Automobile accidents	16						3	2	2	2	4	2	1					
Suffocation	33	22						1			3	4	1	1	1			
Other accidental injuries	379	8	5	2	4	1	10	23	47	39	42	42	34	48	53	19		2
Injuries at birth	148	148																
Homicide	41	1		1		1	2	5	7	10	10	2	1	1				
XIV.—Ill-defined causes	750	257	23	4	9	2	2	6	14	17	36	52	80	122	99	20		7
"Dropsy"	63	1							1	1	3	10	9	17	19	2		
"Heart failure"	224	17	1		2			3	7	10	19	28	54	50	25	5		3
Other ill-defined causes	358	172	17	1	3	2		2	3	3	10	12	15	49	54	13		2
Unknown causes	105	67	5	3	4		2	1	3	3	4	2	2	6	1			2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909.

LOS ANGELES, CAL.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	4,014	450	85	35	24	16	61	150	459	459	516	508	549	470	202	26	3	1
Typhoid fever	47				1	1	3	8	16	9	5	2	2					
Malarial fever	3							1					1	1				
Smallpox	1							1										
Measles	20	8	8	4														
Scarlet fever	13		1			1	7	2			2							
Whooping cough	23	20			1	1		1										
Diphtheria and croup	25	1	6	3	2	1	8	2		1		1						
Influenza	16	2					1	2			1	2		2	4	1	1	
Cholera nostras	2	1											1					
Dysentery	9	2								1		2	2	2				
Erysipelas	9	1							2	2		3	1					
Other epidemic diseases																		
Septicemia	12							1	1	3	4	1	1		1			
Tuberculosis—total	740	13	15	6	1	1	6	42	219	165	131	77	40	18	5			1
Tuberculosis of lungs	662	9	6	3	1	1	4	34	203	151	120	72	36	16	5			1
Tuberculosis of larynx	8							1	1	3		1	2					
Tuberculous meningitis	24	3	8	3				3	3	3	1							
Abdominal tuberculosis	17							1	3	3	7	2	1					
Pott's disease	6						1	1	2	2								
Tuberculous abscess																		
White swelling	6								1	1	1	2	1					
Tuberculosis of other organs	9	1						1	4	1				2				
General tuberculosis	8		1				1	1	2	1	2							
Scrofula	1									1								
Venereal diseases	13	3	1							2	1	5	1					
Cancer	286							2	14	24	50	62	73	49	11	1		
Tumor	3										1		2					
Rheumatism	17								1	2	4		6	2	2			
Diabetes	49							3	7	1	7	8	15	5	3			
Anemia, leukemia	23						1	1	2	3	3	4	6	3				
Alcoholism	22							1	1	4	4	7	5					
Chronic poisonings	5								1	2		1	1					
Other general diseases	11	1	1					1	1	1	2	3	1					
Encephalitis	2						1						1					
Meningitis	60	22	4	5	5	1	3	2	3	7	4	2	1	1				
Apoplexy	190	4							4	5	22	31	44	59	20	1		
Softening of brain	7										1	1	3	2				
Paralysis	40								1		5	5	9	12	7	1		
Epilepsy	7							1	2		2	2						
"Convulsions"	12	9	2						1									
Tetanus	9	1				1	1			4	1	1						
Other diseases of nervous system	55	1			1		2	1	2	5	7	14	16	3	2	1		
Pericarditis	5							1					2	1	1			
Endocarditis	75	3		1			1		5	8	13	12	16	13	3			
Heart disease	347	2			2	1	2	8	20	31	51	55	83	69	22	1		
Angina pectoris	26									2	4	4	7	7	2			
Embolism and thrombosis	10								1	3	1	1	2	2				
Other diseases of circulatory system	54								2	4	3	11	10	13	9	2		
Laryngitis	1			1														
Acute bronchitis	19	11	2			2							2	1		1		
Chronic bronchitis	20											3	1	3	6	7		
Bronchopneumonia	41	12	4	1					5	1	1	3	3	10	1			
Pneumonia (lobar and unqualified)	185	17	10	5	3	2	3	8	14	18	21	23	29	21	7	4		
Pleurisy	17						1	2	3	5			2	3	1			
Congestion of lungs	6		1									1	1	2	1			
Other diseases of respiratory system	22						1		1	4	3	4	6	1	2			
Tonsillitis																		
Diseases of stomach	55	10					1		2	5	6	5	10	12	3	1		
Diarrhea and enteritis	149	88	20	5	4	1	1	1	3	3	2	5	7	7	2			
Hernia and intestinal obstructions	39	4		1			1		2	2	5	7	6	7	4			
Cirrhosis of liver	41								1	2	10	12	9	7				
Other diseases of liver	36								5	6	4	9	10	2				
Peritonitis	17							1	1	6	3	2	4					
Appendicitis	46						3	10	13	10	8	2						
Other diseases of digestive system	7									2	1	1	1	1	1			
Acute nephritis	23	2	1				1	1	4	2	5	1	5	1				
Bright's disease	270	2						3	11	21	40	57	57	58	20	1		
Calculi of urinary tract	4											2	1		1			
Uterine tumor	18									5	6	7						
Ovarian tumor	2									1		1						
Other diseases of genito-urinary system	56							3	8	13	6	8	4	10	3	1		
Puerperal septicemia	11								8	2	1							
Other causes incident to childbirth	18								9	6	3							
Diseases of skin	11						1			1		2		5	1	1		
Diseases of locomotor system	13		2		1		2	2	2	2	1	1						
Malformations	29	29																
Premature birth	86	86																
Congenital debility	54	54																
Old age	96												11	33	42	8	2	
Suicide	80							3	16	19	21	8	11	1	1			
Other violence	268	24	4	3	3	3	9	35	45	32	36	28	15	18	11	2		
Ill-defined causes	25	17	3				1			1			1	1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

SAN FRANCISCO, CAL. (TOTAL).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	6,151	714	177	57	39	28	95	172	520	740	820	848	887	709	305	34	1	5
Typhoid fever	57		1				2	6	24	13	4	6	1					
Malarial fever	7							1	1		2	1	2					
Smallpox																		
Measles	29	6	14	5	1	1	2											
Scarlet fever	20	1		1	2	3	9	2		1	1							
Whooping cough	46	24	17	4						1								
Diphtheria and croup	46	1	6	3	6	2	17	6	2	1		1	1					
Influenza	24	2								1	1	3	5	6	5	1		
Cholera nostras	2	1					1											
Dysentery	10	1							1	6		1	1					
Erysipelas	14	6									3		3	2				
Other epidemic diseases	3									1		1		1				
Septicemia	7	2						1	2		1	1						
Tuberculosis—total	837	35	30	16	12	8	15	42	163	218	146	90	38	22	2			
Tuberculosis of lungs	686	11	7	3	2	2	3	32	155	203	130	80	38	19	1			
Tuberculosis of larynx	4										2	2						
Tuberculous meningitis	82	19	18	10	9	4	9	4	2	5	1	1						
Abdominal tuberculosis	29	3	3	1	1	2	2		4	3	6	3		1				
Pott's disease	9							3	1	2	2			1				
Tuberculous abscess																		
White swelling	6		1					1			2	2						
Tuberculosis of other organs	8		1	2						1	2			1	1			
General tuberculosis	13	2					1	2	1	4	1	2						
Scrofula	1							1										
Venereal diseases	50	25	5				1		2	4	8	2	3					
Cancer	497					1	1	1	12	42	90	138	118	79	15			
Tumor	4					1			1		1			1				
Rheumatism	23						2	5	3	1	2	1	4	2	3			
Diabetes	73					1			2	3	6	14	28	15	4			
Anemia, leukemia	31	1				1	1	1	3	1	8	6	7	2				
Alcoholism	27								3	8	9	5	1	1				
Chronic poisonings	4									1		2	1					
Other general diseases	16	1						1	1	6	4	2		1				
Encephalitis	1									1								
Meningitis	51	16	11	3	2	2	4	5	2	1	1	1	2	1				
Apoplexy	261	5	2				1	2	3	14	24	50	67	65	27	1		
Softening of brain	10							1				2	2	3	2			
Paralysis	26						1					4	9	8	3			1
Epilepsy	12							2	4	2		3		1				
"Convulsions"	10	8		1				1										
Tetanus	8	1					4		2		1							
Other diseases of nervous system	74		3		1	2	1	2	6	5	18	14	13	8	1			
Pericarditis	4								1	1		2						
Endocarditis	106	1	1				1	2	7	6	14	15	28	21	8	2		
Heart disease	705	1					1	11	31	56	75	111	189	153	71	6		
Angina pectoris	28								1		3	5	8	10	1			
Embolism and thrombosis	18								3	2	3	5	2	1	2			
Other diseases of circulatory system	142	5	1					2	4	3	18	14	29	40	24	2		
Laryngitis	2		1		1													
Acute bronchitis	38	17	5	2	1				1				3	2	5	1	1	
Chronic bronchitis	61	1	1							3	2	8	11	17	16	2		
Bronchopneumonia	111	42	22	1	1	1	5		3		4	4	8	9	9	2		
Pneumonia (lobar and unqualified)	330	38	18	4	2		1	2	29	44	57	37	48	39	10	1		
Pleurisy	25		1					2	2	1	6	2	6	4	1			
Congestion of lungs	27	4				2		1		3	1	3	1	4	8			
Other diseases of respiratory system	23	1		1					2	3	2	2	6	4	2			
Tonsillitis	2				1		1											
Diseases of stomach	58	12	1				1		1	10	10	5	10	5	2	1		
Diarrhea and enteritis	205	130	26	8	2	1	4	3	5	5	5	3	6	4	2	1		
Hernia and intestinal obstructions	48	8	2		1		2	1	5	5	2	8	8	4	1	1		
Cirrhosis of liver	139								6	28	37	35	24	8	1			
Other diseases of liver	31								2	4	4	5	9	3	3	1		
Peritonitis	10	2	2						1		2	2	1					
Appendicitis	52		1				2	10	9	12	10	6	1	1				
Other diseases of digestive system	21	3							2	6	3	2	2	2	1			
Acute nephritis	34	3	1		1		2	5	4	8	3	4	1	2				
Bright's disease	450			1	1		2	4	14	30	73	121	112	71	19	2		
Calculi of urinary tract	3									1	1		1					
Uterine tumor	8								1	2	4	1						
Ovarian tumor	9							1	1		4	1		2				
Other diseases of genito-urinary system	53	1						3	9	6	3	5	8	10	7	1		
Puerperal septicemia	28							4	14	10								
Other causes incident to childbirth	40							4	18	16	2							
Diseases of skin	21	2						1	2	2	1		4	5	3	1		
Diseases of locomotor system	13	1	1	1				3	1	2	2	1		1				
Malformations	52	48	1	1	1			1										
Premature birth	106	106																
Congenital debility	95	95																
Old age	84												6	36	34	8		
Suicide	218							8	34	61	54	38	15	7	1			
Other violence	436	29	2	4	2	2	10	24	70	79	84	55	34	25	12			4
Ill-defined causes	34	28	2		1		1				1			1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

SAN FRANCISCO, CAL. (WHITE).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	5,876	685	166	54	38	26	89	165	489	705	770	787	857	702	303	34	1	5
Typhoid fever	50			1			2	6	23	10	3	4	1					
Malarial fever	6							1	1		2		2					
Smallpox																		
Measles	25	6	12	4	1		2											
Scarlet fever	20	1		1	2	3	9	2		1	1							
Whooping cough	44	23	16	4						1								
Diphtheria and croup	42	1	6	3	5	2	14	6	2	1		1	1					
Influenza	24	2								1	1	3	5	6	5	1		
Cholera nostras	2	1					1											
Dysentery	9	1							1	5		1	1					
Erysipelas	13	5									3		3	2				
Other epidemic diseases	1													1				
Septicemia	6	2						1	2			1						
Tuberculosis—total	761	35	29	15	12	8	14	40	148	207	128	72	29	22	2			
Tuberculosis of lungs	613	11	6	2	2	2	2	30	142	192	112	63	29	19	1			
Tuberculosis of larynx	4										2	2						
Tuberculous meningitis	82	19	18	10	9	4	9	4	2	5	1	1						
Abdominal tuberculosis	26	3	3	1	1	2	2		2	3	6	2		1				
Pott's disease	9							3	1	2	2			1				
Tuberculous abscess																		
White swelling	6		1					1			2	2						
Tuberculosis of other organs	8		1	2						1	2			1	1			
General tuberculosis	13	2					1	2	1	4	1	2						
Scrofula	1							1										
Venereal diseases	49	25	5				1		2	3	8	2	3					
Cancer	489					1	1	1	11	41	89	135	117	78	15			
Tumor	4					1			1		1			1				
Rheumatism	22						2	5	2	1	2	1	4	2	3			
Diabetes	72					1			2	3	6	13	28	15	4			
Anemia, leukemia	31	1				1	1	1	3	1	8	6	7	2				
Alcoholism	27								3	8	9	5	1	1				
Chronic poisonings	2									1		1						
Other general diseases	16	1						1	1	6	4	2		1				
Encephalitis	1									1								
Meningitis	50	16	10	3	2	2	4	5	2	1	1	1	2	1				
Apoplexy	257	5	2				1	2	3	14	24	48	67	63	27	1		
Softening of brain	10							1				2	2	3	2			
Paralysis	26						1					4	9	8	3			1
Epilepsy	12							2	4	2		3		1				
"Convulsions"	10	8		1				1										
Tetanus	8	1					4		2		1							
Other diseases of nervous system	72		3		1	2	1	2	6	5	16	14	13	8	1			
Pericarditis	4								1	1		2						
Endocarditis	105	1	1				1	2	7	6	14	15	27	21	8	2		
Heart disease	682	1					1	10	30	54	71	102	183	153	71	6		
Angina pectoris	28								1		3	5	8	10	1			
Embolism and thrombosis	18								3	2	3	5	2	1	2			
Other diseases of circulatory system	137	5	1					2	3	3	17	13	28	39	24	2		
Laryngitis	2		1		1													
Acute bronchitis	33	14	4	1	1				1				3	2	5	1	1	
Chronic bronchitis	58	1	1							2	2	6	11	17	16	2		
Bronchopneumonia	102	36	19	1	1	1	5		3		4	4	8	9	9	2		
Pneumonia (lobar and unqualified)	313	35	17	4	2			2	27	44	53	33	46	39	10	1		
Pleurisy	22		1					1	2	1	6	1	5	4	1			
Congestion of lungs	24	4				1		1		2		3	1	4	8			
Other diseases of respiratory system	23	1		1					2	3	2	2	6	4	2			
Tonsillitis	2				1		1											
Diseases of stomach	54	10	1				1		1	8	10	5	10	5	2	1		
Diarrhea and enteritis	198	126	25	8	2	1	4	3	5	5	4	2	6	4	2	1		
Hernia and intestinal obstructions	48	8	2		1		2	1	5	5	2	8	8	4	1	1		
Cirrhosis of liver	134								6	27	35	33	24	8	1			
Other diseases of liver	29								2	4	4	4	8	3	3	1		
Peritonitis	10	2	2						1		2	2	1					
Appendicitis	52		1				2	10	9	12	10	6	1	1				
Other diseases of digestive system	21	3							2	6	3	2	2	2	1			
Acute nephritis	33	3	1		1		2	4	4	8	3	4	1	2				
Bright's disease	421			1	1		2	3	14	28	66	110	107	69	18	2		
Calculi of urinary tract	3									1	1		1					
Uterine tumor	8								1	2	4	1						
Ovarian tumor	9							1	1		4	1		2				
Other diseases of genito-urinary system	53	1						3	9	6	3	5	8	10	7	1		
Puerperal septicemia	27							4	13	10								
Other causes incident to childbirth	39							3	18	16	2							
Diseases of skin	21	2						1	2	2	1		4	5	3	1		
Diseases of locomotor system	11	1	1	1				3	1	1	1	1		1				
Malformations	51	47	1	1	1			1										
Premature birth	101	101																
Congenital debility	93	93																
Old age	82												6	35	33	8		
Suicide	209								8	31	57	52	38	15	7	1		
Other violence	422	29	2	4	2	2	10	24	65	76	80	55	32	25	12			4
Ill-defined causes	32	27	2		1						1			1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

SAN FRANCISCO, CAL. (COLORED).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	275	29	11	3	1	2	6	7	31	35	50	61	30	7	2			
Typhoid fever	7								1	3	1	2						
Malarial fever	1											1						
Smallpox																		
Measles	4		2	1		1												
Scarlet fever																		
Whooping cough	2	1	1															
Diphtheria and croup	4				1		3											
Influenza																		
Cholera nostras																		
Dysentery	1									1								
Erysipelas	1	1																
Other epidemic diseases	2									1		1						
Septicemia	1										1							
Tuberculosis—total	76		1	1			1	2	15	11	18	18	9					
Tuberculosis of lungs	73		1	1			1	2	13	11	18	17	9					
Tuberculosis of larynx																		
Tuberculous meningitis																		
Abdominal tuberculosis	3								2			1						
Pott's disease																		
Tuberculous abscess																		
White swelling																		
Tuberculosis of other organs																		
General tuberculosis																		
Scrofula																		
Venereal diseases	1									1								
Cancer	8								1	1	1	3	1	1				
Tumor																		
Rheumatism	1								1									
Diabetes	1											1						
Anemia, leukemia																		
Alcoholism																		
Chronic poisonings	2											1	1					
Other general diseases																		
Encephalitis																		
Meningitis	1		1															
Apoplexy	4											2		2				
Softening of brain																		
Paralysis																		
Epilepsy																		
"Convulsions"																		
Tetanus																		
Other diseases of nervous system	2										2							
Pericarditis																		
Endocarditis	1												1					
Heart disease	23							1	1	2	4	9	6					
Angina pectoris																		
Embolism and thrombosis																		
Other diseases of circulatory system	5								1		1	1	1	1				
Laryngitis																		
Acute bronchitis	5	3	1	1														
Chronic bronchitis	3									1		2						
Bronchopneumonia	9	6	3															
Pneumonia (lobar and unqualified)	17	3	1				1		2		4	4	2					
Pleurisy	3							1				1	1					
Congestion of lungs	3					1				1	1							
Other diseases of respiratory system																		
Tonsillitis																		
Diseases of stomach	4	2								2								
Diarrhea and enteritis	7	4	1								1	1						
Hernia and intestinal obstructions																		
Cirrhosis of liver	5									1	2	2						
Other diseases of liver	2											1	1					
Peritonitis																		
Appendicitis																		
Other diseases of digestive system																		
Acute nephritis	1							1										
Bright's disease	29							1		2	7	11	5	2	1			
Calculi of urinary tract																		
Uterine tumor																		
Ovarian tumor																		
Other diseases of genito-urinary system																		
Puerperal septicemia	1								1									
Other causes incident to childbirth	1							1										
Diseases of skin																		
Diseases of locomotor system	2									1	1							
Malformations	1	1																
Premature birth	5	5																
Congenital debility	2	2																
Old age	2													1	1			
Suicide	9								3	4	2							
Other violence	14								5	3	4		2					
Ill-defined causes	2	1					1											

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

DENVER, COLO.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	3,526	441	56	42	34	23	94	140	508	521	473	416	403	231	132	11	1	
Typhoid fever	50		1	2			4	11	15	11	6							
Malarial fever	1										1							
Smallpox																		
Measles	9		4	1			3		1									
Scarlet fever	46	1	3	8	10	3	8	12	1									
Whooping cough	22	13	1	4	1	1	1	1										
Diphtheria and croup	56	2	6	5	7	3	22	7	2		2							
Influenza	22								2	1	1	4	8	3	3			
Cholera nostras	3					1									2			
Dysentery																		
Erysipelas	13	4	1						1	1		4	1	1				
Other epidemic diseases	1	1																
Septicemia	9	1						2	2	1	2	1						
Tuberculosis—total	787	16	8	3	4	2	6	32	278	248	105	62	19	4				
Tuberculosis of lungs	710	11	1	1	2	1		24	263	232	99	55	18	3				
Tuberculosis of larynx	6			1					1	3		1						
Tuberculous meningitis	34	5	5	1	2	1	6	3	3	5	1	2						
Abdominal tuberculosis	15		2					3	6	2		1	1					
Pott's disease																		
Tuberculous abscess																		
White swelling																		
Tuberculosis of other organs	7								2	1	2	1		1				
General tuberculosis	15							2	3	5	3	2						
Scrofula																		
Venereal diseases	27	10							1	5	4	5	1	1				
Cancer	174			1	1		3		5	12	45	44	38	17	7	1		
Tumor	4								1		2			1				
Rheumatism	15						2	2	2	1	2		3	2	1			
Diabetes	31						2		3	4	5	8	7	2				
Anemia, leukemia	21	1		1					1	3	5	2	5	1	2			
Alcoholism	32									6	12	7	7					
Chronic poisonings	6								2	2	1	1						
Other general diseases	3							1			1	1						
Encephalitis	1									1								
Meningitis	39	10	3	7	2	1	4	4	2	2	4							
Apoplexy	100								3	11	6	18	28	26	8			
Softening of brain	6										1		1	2	2			
Paralysis	21							1		1	3	3	8	2	3			
Epilepsy	12					1	2		2	1	3	1	1	1				
"Convulsions"	12	12																
Tetanus	1								1									
Other diseases of nervous system	72	1	1			3	2		5	11	17	13	12	5	2			
Pericarditis	2							1			1							
Endocarditis	24						1	2	2	1	4	5	5	3	1			
Heart disease	211	4	1				3	13	19	18	28	39	47	30	7	2		
Angina pectoris	28									1	3	5	14	5				
Embolism and thrombosis	29					1	1		2	5	2	11	1	4	2			
Other diseases of circulatory system	46	2							2	1	2	5	14	11	8	1		
Laryngitis	1											1						
Acute bronchitis	16	14			1					1								
Chronic bronchitis	26	3								1	4	2	7	4	4	1		
Bronchopneumonia	37	16	3	1		1	2	1		3	1	1	4	2	2			
Pneumonia (lobar and unqualified)	296	33	6	3	2		5	4	20	36	45	56	41	29	16			
Pleurisy	7							1		2	1	1	1	1				
Congestion of lungs	5	1											1	2	1			
Other diseases of respiratory system	17	1			1		1		1	1	1	5	1	3	2			
Tonsillitis	2							1	1									
Diseases of stomach	44	7			1		1	1	4	5	6	9	8	1	1			
Diarrhea and enteritis	125	97	10	2	1	1				2	3	3	5		1			
Hernia and intestinal obstructions	32	4					2		7	4	6	2	5	2				
Cirrhosis of liver	26								1	1	8	7	7	2				
Other diseases of liver	24								1	2	5	5	6	3	2			
Peritonitis	13		1			1		1		2	2	1	5					
Appendicitis	65						4	11	15	10	18	5	2					
Other diseases of digestive system	10		1	1				1		3	1	1	1	1				
Acute nephritis	28	2	1			1	1	3	3	2	4	3	6	2				
Bright's disease	195	1					1	3	12	23	37	36	56	15	11			
Calculi of urinary tract	1										1							
Uterine tumor	9								1	2	3	1	1	1				
Ovarian tumor	3											3						
Other diseases of genito-urinary system	43	2			1				4	11	7	5	6	5	2			
Puerperal septicemia	20							2	10	7	1							
Other causes incident to childbirth	21							5	5	9	2							
Diseases of skin	5	1							1	1				1	1			
Diseases of locomotor system	8	1	1				1	2	1	1	1							
Malformations	31	28	1					1			1							
Premature birth	75	75																
Congenital debility	57	57																
Old age	70												5	22	36	6	1	
Suicide	76							1	24	15	13	13	4	1				
Other violence	194	13	3	3	2	2	12	13	42	29	29	17	11	13	5			
Ill-defined causes	8	7				1												

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW HAVEN, CONN.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	2,217	414	112	50	17	20	52	73	139	188	236	263	268	239	130	15	1	
Typhoid fever	27			1			2	3	7	7	3	3		1				
Malarial fever	6		3							1		1	1					
Smallpox																		
Measles	31	13	12	2	1	2		1										
Scarlet fever	21	1	1	4	3	3	7	1		1								
Whooping cough	26	14	8	4														
Diphtheria and croup	17	1	4	1		2	7			1				1				
Influenza	15	4									2	1	5	2	1			
Cholera nostras																		
Dysentery	7	2										2	1	2				
Erysipelas	8	5							1		1		1					
Other epidemic diseases																		
Septicemia	5		1							2	1	1						
Tuberculosis—total	277	12	9	11	2	1	9	28	57	64	45	25	8	5	1			
Tuberculosis of lungs	231	6	2	4	1	1	2	22	51	61	43	24	8	5	1			
Tuberculosis of larynx	3								3									
Tuberculous meningitis	28	4	6	7	1		3	3	2	1		1						
Abdominal tuberculosis	5	1					2			2								
Pott's disease	4						1	2			1							
Tuberculous abscess																		
White swelling	2		1					1										
Tuberculosis of other organs	3						1		1		1							
General tuberculosis	1	1																
Scrofula																		
Venereal diseases	7	5							1	1								
Cancer	127	1							4	7	16	32	37	19	10	1		
Tumor	2											2						
Rheumatism	11							1	2	1		1	3	2	1			
Diabetes	35							2	2	1	8	8	5	5	4			
Anemia, leukemia	11		1				1	1	1		4	1		2				
Alcoholism	8									2	4	2						
Chronic poisonings																		
Other general diseases	1										1							
Encephalitis	1															1		
Meningitis	27	5	4	2	2	1	4	1	2	1	2	1		2				
Apoplexy	126	3	1						1	2	8	25	31	35	18	1	1	
Softening of brain																		
Paralysis	9											3	4	1	1			
Epilepsy																		
"Convulsions"	11	7	2			1			1									
Tetanus	4			1			2			1								
Other diseases of nervous system	24	1		1	1		1		2		4	4	2	6	2			
Pericarditis	1											1						
Endocarditis	19	1							1	4	1	4	1	6	1			
Heart disease	194	5					1	6	5	18	18	33	44	44	20			
Angina pectoris	10											5	3	1	1			
Embolism and thrombosis	11									1		1	4	4		1		
Other diseases of circulatory system	29										3	5	4	8	8	1		
Laryngitis																		
Acute bronchitis	24	11	5	2				1					2	2	1			
Chronic bronchitis	21						1	1		1	1	2	4	7	4			
Bronchopneumonia	77	31	19	5	1	3	2		1	1		3	2	4	5			
Pneumonia (lobar and unqualified)	177	24	18	7	1	4	6	4	13	12	15	23	23	19	6	2		
Pleurisy	10	1		1		1			1	3			2	1				
Congestion of lungs	4												2	1	1			
Other diseases of respiratory system	5		1								1		2		1			
Tonsillitis	2	1		1														
Diseases of stomach	27	4						1	1	2	6	4	3	4	1	1		
Diarrhea and enteritis	130	100	15	2		1					4	3	3		2			
Hernia and intestinal obstructions	17	3			1			1		1	2	2	2	3	2			
Cirrhosis of liver	18									3	10	1	2	1	1			
Other diseases of liver	8									1	3	2		1		1		
Peritonitis	1										1							
Appendicitis	16						1	2	2	6	4		1					
Other diseases of digestive system	2			1						1								
Acute nephritis	17	2					2	2	2	3	2	3		1				
Bright's disease	164	1					1	4	7	6	33	28	50	22	11	1		
Calculi of urinary tract	2													1	1			
Uterine tumor	2									1		1						
Ovarian tumor	1													1				
Other diseases of genito-urinary system	19								1	2	2	1	3	5	5			
Puerperal septicemia	7								3	2	2							
Other causes incident to childbirth	13							1	7	5								
Diseases of skin	5	1	1								1			1	1			
Diseases of locomotor system	8		1		1					2	2	1	1					
Malformations	17	14	2	1														
Premature birth	52	52																
Congenital debility	47	47																
Old age	36												8	8	15	5		
Suicide	34							1	4	4	11	9	1	4				
Other violence	94	8	1	2	4	1	5	10	10	13	12	18		5	5			
Ill-defined causes	52	34	3	1				1		4	3	1	3	2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

WASHINGTON, D. C. (TOTAL).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	6,216	1,039	208	92	55	46	115	254	587	658	612	703	809	688	290	49	11	
Typhoid fever	112					3	8	23	31	26	13	6	2					
Malarial fever	11	2	1	1						3		1		1	2			
Smallpox																		
Measles	39	10	15	5	5	1	1	1		1								
Scarlet fever	26	1	1	6	2	4	7	3	1					1				
Whooping cough	29	15	6	6		2												
Diphtheria and croup	47	2	7	6	4	4	14	4	3		1		1	1				
Influenza	43	2			1			1	6	3	6	8	5	9	1	1		
Cholera nostras	1	1																
Dysentery	7	1					1		1			1		2	1			
Erysipelas	6	2										1	2		1			
Other epidemic diseases																		
Septicemia	13	2							4	3	1		2	1				
Tuberculosis—total	861	13	22	14	4	5	24	88	253	205	105	67	35	23	3			
Tuberculosis of lungs	750		7	7	1	4	11	79	239	192	94	60	32	21	3			
Tuberculosis of larynx	8								2	3	1		2					
Tuberculous meningitis	47	11	13	5	2	1	5	3	1	2	2	2						
Abdominal tuberculosis	27	1					4	5	5	3	6	2	1					
Pott's disease	9			1			1	1	2	2	1			1				
Tuberculous abscess																		
White swelling	3				1		1				1							
Tuberculosis of other organs	3						1		1					1				
General tuberculosis	14	1	2	1			1		3	3		3						
Scrofula	1	1																
Venereal diseases	32	18	1						4	4	3	1			1			
Cancer	285						2	3	13	22	38	86	71	43	6	1		
Tumor	2										2							
Rheumatism	24	1				1	1	3		2		6	4	4	2			
Diabetes	51						1	1	1	6	9	12	11	9	1			
Anemia, leukemia	25	1						4	1	6	4	2	3	3	1			
Alcoholism	38								4	15	8	4	7					
Chronic poisonings																		
Other general diseases	10	1						1	1	2	1	2	2					
Encephalitis	1										1							
Meningitis	44	12	3	1	1	4	6	7	2	1	2	1	3	1				
Apoplexy	367	3	1				1	4	4	22	45	62	103	84	33	5		
Softening of brain	3								1			1	1					
Paralysis	61							1	2	4	4	11	17	15	5	1	1	
Epilepsy	20								2	6	4	3	4	1				
"Convulsions"	23	15	4	2						1	1							
Tetanus	14	4					1	6			1	2						
Other diseases of nervous system	105	5						7	11	12	17	24	11	11	7			
Pericarditis	5									1	1	2	1					
Endocarditis	43					1	1	4	3	8	4	7	8	5	2			
Heart disease	631	3	1				3	12	34	44	97	103	159	123	47	3	2	
Angina pectoris	24								2	2	3	3	9	3	2			
Embolism and thrombosis	10							1	1		2	2	2	2				
Other diseases of circulatory system	107	6	1	1						5	7	12	29	33	10	3		
Laryngitis	4	1	1	1				1										
Acute bronchitis	63	26	16	5	6				2	1			2	2	3			
Chronic bronchitis	38									1	2	4	8	11	11	1		
Bronchopneumonia	162	45	41	11	7	2	4	1	6	6	5	8	10	13	3			
Pneumonia (lobar and unqualified)	417	82	35	14	9	7	5	8	30	48	45	33	50	40	10	1		
Pleurisy	13	1							2	2	3	2		3				
Congestion of lungs	40	14			1	1	2		2	4		3	5	4	3	1		
Other diseases of respiratory system	46							1	1	7	6	8	14	7	1	1		
Tonsillitis	3	1			1				1									
Diseases of stomach	132	14	2	2	1	1	1	2	13	13	16	22	21	15	9			
Diarrhea and enteritis	339	235	28	8	4	1	3	2	3	3	8	6	8	12	16	2		
Hernia and intestinal obstructions	44	4	2				3		2	7	6	2	10	6	2			
Cirrhosis of liver	51								4	4	10	16	11	5	1			
Other diseases of liver	36	1							2	6	6	3	13	5				
Peritonitis	23	1					1	3	5	6	2	2		2	1			
Appendicitis	24				1			10	3	6	1	1	1	1				
Other diseases of digestive system	14	3									1	3	3	2	2			
Acute nephritis	83	4				3	5	3	12	12	16	9	11	5	1	2		
Bright's disease	377	3						6	9	28	43	85	88	80	28	5	2	
Calculi of urinary tract	3								1			1		1				
Uterine tumor	6									1	3	2						
Ovarian tumor	9									5		2	2					
Other diseases of genito-urinary system	62							1	7	7	11	8	6	12	9	1		
Puerperal septicemia	25							2	13	10								
Other causes incident to childbirth	31							5	14	8	3	1						
Diseases of skin	25	2							4		2	3	7	6	1			
Diseases of locomotor system	14	2	4	1			3	2		2								
Malformations	29	25	2	1		1												
Premature birth	207	207																
Congenital debility	145	145																
Old age	148												13	56	52	21	6	
Suicide	95							8	25	24	13	16	6	3				
Other violence	289	36	2	4	7	5	17	25	40	42	30	27	27	19	8			
Ill-defined causes	98	66	12	3	1				1	1		6	1	3	4			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

WASHINGTON, D. C. (WHITE).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	3,620	501	98	36	26	31	67	109	243	326	339	438	589	553	232	32		
Typhoid fever	65					3	3	12	18	14	9	5	1					
Malarial fever	8	2	1	1						1				1	2			
Smallpox																		
Measles	30	7	12	3	4	1	1	1		1								
Scarlet fever	21	1	1	5	1	2	5	3	1					1				
Whooping cough	14	6	2	4		2												
Diphtheria and croup	33	1	6	3	3	3	10	3	1		1		1	1				
Influenza	19									1	3	4	2	8		1		
Cholera nostras	1	1																
Dysentery	3								1					1	1			
Erysipelas	5	2											2		1			
Other epidemic diseases																		
Septicemia	9	2							2	2			2	1				
Tuberculosis—total	355	9	12	2	1	1	11	13	91	88	55	38	18	14	2			
Tuberculosis of lungs	302		2	1			2	12	88	84	46	36	16	13	2			
Tuberculosis of larynx	6								1	2	1		2					
Tuberculous meningitis	31	8	10	1	1	1	5	1	1	1	2							
Abdominal tuberculosis	10	1					3				5	1						
Pott's disease	3						1		1		1							
Tuberculous abscess																		
White swelling																		
Tuberculosis of other organs	1													1				
General tuberculosis	2									1		1						
Scrofula																		
Venereal diseases	17	10	1							3	1	1			1			
Cancer	213						2	2	2	10	25	67	59	40	5	1		
Tumor	2										2							
Rheumatism	16	1				1	1	3				2	2	4	2			
Diabetes	45						1	1	1	3	9	10	10	9	1			
Anemia, leukemia	21	1						4	1	4	4	2	3	1	1			
Alcoholism	31								4	9	8	4	6					
Chronic poisonings																		
Other general diseases	6								1	1		2	2					
Encephalitis	1										1							
Meningitis	31	8	2		1	2	3	6	2	1	1	1	3	1				
Apoplexy	246	3						2	2	11	22	33	74	71	25	3		
Softening of brain	1											1						
Paralysis	39							1	1	2	2	6	10	11	5	1		
Epilepsy	14								1	4	2	3	3	1				
"Convulsions"	4	4																
Tetanus	5	1						3				1						
Other diseases of nervous system	80	4						4	10	9	11	18	9	9	6			
Pericarditis	1												1					
Endocarditis	32					1	1	3	3	4	3	3	8	4	2			
Heart disease	405	3					2	8	12	18	45	59	114	104	38	2		
Angina pectoris	19								2		1	2	9	3	2			
Embolism and thrombosis	6										1	2	2	1				
Other diseases of circulatory system	77	4	1	1						1	3	7	25	27	7	1		
Laryngitis	3		1	1				1										
Acute bronchitis	16	6	2	1	1								2	1	3			
Chronic bronchitis	31									1	1	1	6	11	10	1		
Bronchopneumonia	74	14	20	4	3	1	2		2	2	1	4	5	13	3			
Pneumonia (lobar and unqualified)	201	30	14	2	4	5	3	1	13	15	18	19	35	34	7	1		
Pleurisy	9	1								1	2	2		3				
Congestion of lungs	25	11			1		1					1	4	4	2	1		
Other diseases of respiratory system	17										1	5	5	5	1			
Tonsillitis																		
Diseases of stomach	75	5	1	1	1	1			6	7	4	10	18	14	7			
Diarrhea and enteritis	153	87	13	6	3		2	1	2		7	5	4	9	13	1		
Hernia and intestinal obstructions	24	1	2				3				5	1	6	4	2			
Cirrhosis of liver	37									4	7	12	9	4	1			
Other diseases of liver	32								2	5	5	3	12	5				
Peritonitis	16	1					1	2	2	5	1	2		1	1			
Appendicitis	18							6	3	6	1		1	1				
Other diseases of digestive system	8	1									1	2	1	2	1			
Acute nephritis	32	2				2	2	1	1	4	4	5	4	4	1	2		
Bright's disease	253	2						4	3	19	28	49	61	59	24	4		
Calculi of urinary tract	3								1			1		1				
Uterine tumor	3									1	1	1						
Ovarian tumor	4									3			1					
Other diseases of genito-urinary system	44								3	5	7	6	6	10	7			
Puerperal septicemia	7								3	4								
Other causes incident to childbirth	21							1	9	7	3	1						
Diseases of skin	12	1									1	2	5	3				
Diseases of locomotor system	6						3	2		1								
Malformations	25	22	1	1		1												
Premature birth	104	104																
Congenital debility	85	85																
Old age	92												8	32	39	13		
Suicide	80							4	21	20	12	14	6	3				
Other violence	185	22	1	1	3	4	10	17	16	28	20	20	23	14	6			
Ill-defined causes	50	36	5							1		1	1	3	3			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

WASHINGTON, D. C. (COLORED).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	2,596	538	110	56	29	15	48	145	344	332	273	265	220	135	58	17	11	.....
Typhoid fever	47	.....	.....	.....	.....	.....	5	11	13	12	4	1	1	.....	.....	.....	.....	.....
Malarial fever	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	9	3	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	5	.....	.....	1	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	15	9	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	14	1	1	3	1	1	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	24	2	.....	.....	1	.....	.....	1	6	2	3	4	3	1	1	.....	.....	.....
Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	4	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Erysipelas	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	4	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis—total	506	4	10	12	3	4	13	75	162	117	50	29	17	9	1	.....	.....	.....
Tuberculosis of lungs	448	.....	5	6	1	4	9	67	151	108	48	24	16	8	1	.....	.....	.....
Tuberculosis of larynx	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	16	3	3	4	1	.....	.....	2	.....	1	.....	2	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	17	.....	.....	.....	.....	.....	1	5	5	3	1	1	1	.....	.....	.....	.....	.....
Pott's disease	6	.....	.....	1	.....	.....	.....	1	1	2	.....	.....	.....	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	3	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	12	1	2	1	.....	.....	1	.....	3	2	.....	2	.....	.....	.....	.....	.....	.....
Scrofula	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	15	8	.....	.....	.....	.....	.....	.....	4	1	2	.....	.....	.....	.....	.....	.....	.....
Cancer	72	.....	.....	.....	.....	.....	.....	1	11	12	13	19	12	3	1	.....	.....	.....
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	8	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	4	2	.....	.....	.....	.....	.....
Diabetes	6	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	2	1	.....	.....	.....	.....	.....
Anemia, leukemia	4	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	.....	.....	.....	.....
Alcoholism	7	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	.....	1	.....	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	4	1	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	13	4	1	1	.....	2	3	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Apoplexy	121	.....	1	.....	.....	.....	1	2	2	11	23	29	29	13	8	2	.....	.....
Softening of brain	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Paralysis	22	.....	.....	.....	.....	.....	.....	.....	1	2	2	5	7	4	.....	.....	1	.....
Epilepsy	6	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	1	.....	.....	.....	.....	.....
"Convulsions"	19	11	4	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	9	3	.....	.....	.....	.....	1	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	25	1	.....	.....	.....	.....	.....	3	1	3	6	6	2	2	1	.....	.....	.....
Pericarditis	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....
Endocarditis	11	.....	.....	.....	.....	.....	.....	1	.....	4	1	4	.....	1	.....	.....	.....	.....
Heart disease	226	.....	1	.....	.....	.....	1	4	22	26	52	44	45	19	9	1	2	.....
Angina pectoris	5	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....	.....
Embolism and thrombosis	4	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	.....	.....	.....	.....	.....
Other diseases of circulatory system	30	2	.....	.....	.....	.....	.....	.....	.....	4	4	5	4	6	3	2	.....	.....
Laryngitis	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	47	20	14	4	5	.....	.....	.....	2	1	.....	.....	.....	1	.....	.....	.....	.....
Chronic bronchitis	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	.....	1	.....	.....	.....
Bronchopneumonia	88	31	21	7	4	1	2	1	4	4	4	4	5	.....	.....	.....	.....	.....
Pneumonia (lobar and unqualified)	216	52	21	12	5	2	2	7	17	33	27	14	15	6	3	.....	.....	.....
Pleurisy	4	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....
Congestion of lungs	15	3	.....	.....	.....	1	1	.....	2	4	.....	2	1	.....	1	.....	.....	.....
Other diseases of respiratory system	29	.....	.....	.....	.....	.....	.....	1	1	7	5	3	9	2	.....	1	.....	.....
Tonsillitis	3	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	57	9	1	1	.....	.....	1	2	7	6	12	12	3	1	2	.....	.....	.....
Diarrhea and enteritis	186	148	15	2	1	1	1	1	1	3	1	1	4	3	3	1	.....	.....
Hernia and intestinal obstructions	20	3	.....	.....	.....	.....	.....	.....	2	7	1	1	4	2	.....	.....	.....	.....
Cirrhosis of liver	14	.....	.....	.....	.....	.....	.....	.....	4	.....	3	4	2	1	.....	.....	.....	.....
Other diseases of liver	4	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
Peritonitis	7	.....	.....	.....	.....	.....	.....	1	3	1	1	.....	.....	1	.....	.....	.....	.....
Appendicitis	6	.....	.....	.....	1	.....	.....	4	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	6	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....
Acute nephritis	51	2	.....	.....	.....	1	3	2	11	8	12	4	7	1	.....	.....	.....	.....
Bright's disease	124	1	.....	.....	.....	.....	.....	2	6	9	15	36	27	21	4	1	2	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
Ovarian tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	18	.....	.....	.....	.....	.....	.....	1	4	2	4	2	.....	2	2	1	.....	.....
Puerperal septicemia	18	.....	.....	.....	.....	.....	.....	2	10	6	.....	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	10	.....	.....	.....	.....	.....	.....	4	5	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	13	1	.....	.....	.....	.....	.....	.....	4	.....	1	1	2	3	1	.....	.....	.....
Diseases of locomotor system	8	2	4	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	103	103	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	60	60	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	56	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	24	13	8	6	.....
Suicide	15	.....	.....	.....	.....	.....	.....	4	4	4	1	2	.....	.....	.....	.....	.....	.....
Other violence	104	14	1	3	4	1	7	8	24	14	10	7	4	5	2	.....	.....	.....
Ill-defined causes	48	30	7	3	1	.....	.....	.....	1	.....	.....	5	.....	.....	1	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

CHICAGO, ILL. (TOTAL).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	31,296	6,384	1,586	669	416	305	774	1,182	2,688	3,288	3,785	3,489	3,194	2,367	1,009	146	8	6
Typhoid fever	271	2	3	3	4	2	12	44	93	55	26	17	7	2	1			
Malarial fever	9					1			2		1		4		1			
Smallpox																		
Measles	165	46	57	25	17	7	11	1		1								
Scarlet fever	369	25	43	67	58	42	90	29	9	4	1	1						
Whooping cough	139	65	34	22	6	8	4											
Diphtheria and croup	680	52	140	112	88	74	155	42	9	3	2	2	1					
Influenza	186	15	8	3	1	2	3	1	11	11	18	24	33	32	21	3		
Cholera nostras	7	2	1		1							2		1				
Dysentery	80	13	7	3				1	5		8	8	12	15	8			
Erysipelas	130	42	4						12	12	16	11	21	9	3			
Other epidemic diseases	3		1	1			1											
Septicemia	44	5	2				3	2	3	3	15	5	5	1				
Tuberculosis—total	3,885	94	72	44	23	22	73	357	988	926	689	365	169	50	8	1		4
Tuberculosis of lungs	3,346	38	23	11	6	9	23	293	903	863	639	339	149	40	6	1		3
Tuberculosis of larynx	26			1					6	6	7	3	2		1			
Tuberculous meningitis	234	41	37	24	15	10	33	25	24	9	9	5	1	1				
Abdominal tuberculosis	121	4	7	4	1	2	3	20	21	27	14	7	7	3				1
Pott's disease	46			2		1	5	8	11	3	9	4	2	1				
Tuberculous abscess	2			1						1								
White swelling	20	2					1	5	4	2	3	2	1					
Tuberculosis of other organs	62	6	4		1		5	2	10	12	6	4	7	4	1			
General tuberculosis	28	3	1	1			3	4	9	3	2	1		1				
Scrofula																		
Venereal diseases	231	106	5	4	2		1	5	20	32	24	19	11	2				
Cancer	1,646	4	3	2	2	1	2	6	54	144	348	456	363	210	47	4		
Tumor	1				1													
Rheumatism	158	1	1	2	1	6	14	30	23	14	22	17	14	9	3	1		
Diabetes	299		2	1			4	14	14	25	34	66	88	45	6			
Anemia, leukemia	122	5	2	3	1		4	6	10	17	17	25	22	7	3			
Alcoholism	53							1	4	19	18	6	4	1				
Chronic poisonings	9								1	4	2		1	1				
Other general diseases	65			2			2	3	6	20	16	9	6	1				
Encephalitis	3	1							1		1							
Meningitis	263	77	37	17	14	12	23	20	14	19	17	10	2	1				
Apoplexy	817	8	1					1	10	27	93	162	210	200	97	8		
Softening of brain	37								1	2	4	7	7	13	2	1		
Paralysis	58	1						1		5	3	8	12	16	9	3		
Epilepsy	41	4					1	4	8	7	5	3	5	3	1			
"Convulsions"	29	28	1															
Tetanus	52	18					7	12	5	5	1	3	1					
Other diseases of nervous system	461	25	12	8	10	4	14	12	30	59	118	76	49	30	14			
Pericarditis	29	2	2			1	4	3	2	4	4	1	4	2				
Endocarditis	407	6	1	1	4	1	14	16	20	33	47	64	90	72	29	9		
Heart disease	2,635	7	3	1	6	3	50	136	145	269	453	486	520	389	149	17	1	
Angina pectoris	92							2		1	13	22	30	18	5	1		
Embolism and thrombosis	55						1		6	8	10	11	9	8	2			
Other diseases of circulatory system	652	19		1			1	4	7	17	48	71	133	180	136	35		
Laryngitis	3	1		2														
Acute bronchitis	89	55	17	7		1					1	2	2	1	3			
Chronic bronchitis	58	1	1				1		1	2	3	2	15	14	14	4		
Bronchopneumonia	1,567	751	259	88	36	20	44	10	10	23	39	51	71	86	72	7		
Pneumonia (lobar and unqualified)	3,146	527	236	91	53	38	65	76	202	316	367	415	369	279	96	12	3	1
Pleurisy	64	5	3	1			2	3	8	8	10	6	9	7	2			
Congestion of lungs	24	11	1					2	3			2		3	2			
Other diseases of respiratory system	77	5		3	4	4	3	1	3	4	12	10	13	11	3	1		
Tonsillitis	12	2	1	3		1	2	1	1		1							
Diseases of stomach	193	26	3		2	1	2	1	19	21	27	29	25	24	12	1		
Diarrhea and enteritis	3,469	2,583	533	95	36	10	18	15	13	20	20	16	35	42	23	9	1	
Hernia and intestinal obstructions	241	36	2	2		2	7	7	14	24	28	36	47	23	13			
Cirrhosis of liver	411		1					3	18	58	115	100	79	30	6	1		
Other diseases of liver	151	1	1	1		2	1	2	14	13	36	35	26	15	4			
Peritonitis	20	1		1			2		2	3	4	3	2	1		1		
Appendicitis	356		2		2	5	26	76	83	68	59	26	6	3				
Other diseases of digestive system	72	10	1	1	1	2	2	2	6	10	15	7	10	3	1	1		
Acute nephritis	268	34	7	5	5	4	8	15	28	44	44	29	29	11	5			
Bright's disease	2,005	18	12	5	2	3	12	31	73	212	337	404	419	339	120	16	2	
Calculi of urinary tract	21								3	2	7	1	6	2				
Uterine tumor	48							1	6	10	21	9	1					
Ovarian tumor	21								1	5	5	4	5	1				
Other diseases of genito-urinary system	270	15					1	7	45	64	30	22	25	39	21	1		
Puerperal septicemia	189							6	102	76	5							
Other causes incident to childbirth	167							7	67	67	26							
Diseases of skin	81	21	4	1					1	7	9	8	7	15	6	2		
Diseases of locomotor system	55	11	5	2	3		2	8	4	5	8	4	2	1				
Malformations	319	302	5	3	1	2	2	4										
Premature birth	622	622																
Congenital debility	316	316																
Old age	38												2	13	20	3		
Suicide	454							11	93	93	115	81	40	13	8			
Other violence	2,262	340	50	36	32	24	80	140	354	387	365	229	116	71	32	4	1	1
Ill-defined causes	24	17							1		2	1		2	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

CHICAGO, ILL. (WHITE).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	30,281	6,276	1,549	660	404	295	754	1,149	2,531	3,089	3,615	3,339	3,131	2,335	1,001	141	7	5
Typhoid fever	268	2	2	3	4	2	12	44	92	55	25	17	7	2	1			
Malarial fever	8								2		1		4		1			
Smallpox																		
Measles	161	45	55	25	16	7	11	1		1								
Scarlet fever	365	24	43	67	57	42	90	28	8	4	1	1						
Whooping cough	134	64	31	22	6	8	3											
Diphtheria and croup	675	52	140	112	88	74	152	42	8	2	2	2	1					
Influenza	181	15	8	3	1	2	3	1	11	10	18	21	32	32	21	3		
Cholera nostras	7	2	1		1							2		1				
Dysentery	77	11	7	3				1	5		8	8	12	14	8			
Erysipelas	128	40	4						12	12	16	11	21	9	3			
Other epidemic diseases	3		1	1			1											
Septicemia	42	5	2				3	2	3	2	14	5	5	1				
Tuberculosis—total	3,640	90	71	44	20	20	66	342	916	859	650	338	163	49	7	1		4
Tuberculosis of lungs	3,128	36	23	11	5	8	19	280	836	801	603	312	145	40	5	1		3
Tuberculosis of larynx	25			1					6	6	6	3	2		1			
Tuberculous meningitis	225	40	36	24	13	10	32	25	21	8	9	5	1	1				
Abdominal tuberculosis	111	4	7	4	1	1	3	18	20	24	13	7	6	2				1
Pott's disease	45			2		1	5	8	11	3	9	4	1	1				
Tuberculous abscess	1			1														
White swelling	20	2					1	5	4	2	3	2	1					
Tuberculosis of other organs	58	6	4		1		3	2	9	12	5	4	7	4	1			
General tuberculosis	27	2	1	1			3	4	9	3	2	1		1				
Scrofula																		
Venereal diseases	219	103	5	4	2		1	5	20	29	21	16	11	2				
Cancer	1,614	4	3	2	2		1	6	54	139	336	446	361	209	47	4		
Tumor	1				1													
Rheumatism	153	1	1	2	1	6	12	30	22	14	21	17	13	9	3	1		
Diabetes	295		2	1			4	13	14	24	34	65	87	45	6			
Anemia, leukemia	122	5	2	3	1		4	6	10	17	17	25	22	7	3			
Alcoholism	52							1	4	19	17	6	4	1				
Chronic poisonings	9								1	4	2		1	1				
Other general diseases	64			2			2	3	5	20	16	9	6	1				
Encephalitis	3	1							1		1							
Meningitis	254	73	36	17	14	12	23	20	14	18	15	9	2	1				
Apoplexy	794	8	1					1	9	27	87	155	203	199	96	8		
Softening of brain	36									2	4	7	7	13	2	1		
Paralysis	57	1						1		5	3	8	12	16	9	2		
Epilepsy	38	4					1	3	8	5	5	3	5	3	1			
"Convulsions"	28	27	1															
Tetanus	52	18					7	12	5	5	1	3	1					
Other diseases of nervous system	438	25	12	7	10	4	14	12	29	53	111	70	48	29	14			
Pericarditis	28	2	2			1	4	3	1	4	4	1	4	2				
Endocarditis	396	6	1	1	4		14	16	18	31	45	61	89	72	29	9		
Heart disease	2,494	7	3	1	6	3	49	133	133	244	419	453	502	377	146	17	1	
Angina pectoris	91							2		1	13	21	30	18	5	1		
Embolism and thrombosis	54						1		5	8	10	11	9	8	2			
Other diseases of circulatory system	627	18		1			1	3	6	9	45	67	131	178	136	32		
Laryngitis	3	1		2														
Acute bronchitis	86	54	17	7							1	1	2	1	3			
Chronic bronchitis	58	1	1				1		1	2	3	2	15	14	14	4		
Bronchopneumonia	1,540	740	253	86	35	20	44	9	7	23	38	51	70	85	72	7		
Pneumonia (lobar and unqualified)	3,023	514	225	87	50	36	63	74	184	290	353	399	361	277	95	12	3	
Pleurisy	61	5	3	1			2	3	8	8	8	6	9	6	2			
Congestion of lungs	24	11	1					2	3			2		3	2			
Other diseases of respiratory system	76	5		3	4	4	3	1	3	4	11	10	13	11	3	1		
Tonsillitis	12	2	1	3		1	2	1	1		1							
Diseases of stomach	187	26	3		1	1	2	1	17	21	25	28	25	24	12	1		
Diarrhea and enteritis	3,422	2,546	526	94	36	10	18	14	13	20	19	16	35	42	23	9	1	
Hernia and intestinal obstructions	233	36	2	2		2	7	6	13	24	25	35	46	23	12			
Cirrhosis of liver	403		1					3	18	56	114	96	78	30	6	1		
Other diseases of liver	150	1	1	1		2	1	2	14	13	36	34	26	15	4			
Peritonitis	20	1		1			2		2	3	4	3	2	1		1		
Appendicitis	350		2		2	5	25	76	83	64	58	26	6	3				
Other diseases of digestive system	68	9	1	1	1	2	2	2	6	9	14	7	10	3		1		
Acute nephritis	259	34	6	5	5	4	8	15	27	39	42	29	29	11	5			
Bright's disease	1,943	17	12	5	2	3	12	30	70	204	324	386	409	333	120	15	1	
Calculi of urinary tract	21								3	2	7	1	6	2				
Uterine tumor	39							1	5	3	20	9	1					
Ovarian tumor	21								1	5	5	4	5	1				
Other diseases of genito-urinary system	260	15					1	7	43	60	28	22	24	38	21	1		
Puerperal septicemia	186							6	100	75	5							
Other causes incident to childbirth	160							6	62	66	26							
Diseases of skin	80	20	4	1					1	7	9	8	7	15	6	2		
Diseases of locomotor system	51	11	3	1	3		2	8	4	4	8	4	2	1				
Malformations	317	300	5	3	1	2	2	4										
Premature birth	614	614																
Congenital debility	309	309																
Old age	38																	
Suicide	450												2	13	20	3		
Other violence	2,188	337	48	36	30	22	78	136	333	372	354	220	115	69	32	4	1	1
Ill-defined causes	21	14							1		2	1		2	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

CHICAGO, ILL. (COLORED).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	1,015	108	37	9	12	10	20	33	157	199	170	150	63	32	8	5	1	1
Typhoid fever	3		1						1		1							
Malarial fever	1					1												
Smallpox																		
Measles	4	1	2		1													
Scarlet fever	4	1			1			1	1									
Whooping cough	5	1	3				1											
Diphtheria and croup	5						3		1	1								
Influenza	5									1		3	1					
Cholera nostras																		
Dysentery	3	2												1				
Erysipelas	2	2																
Other epidemic diseases																		
Septicemia	2									1	1							
Tuberculosis—total	245	4	1		3	2	7	15	72	67	39	27	6	1	1			
Tuberculosis of lungs	218	2			1	1	4	13	67	62	36	27	4		1			
Tuberculosis of larynx	1										1							
Tuberculous meningitis	9	1	1		2		1		3	1								
Abdominal tuberculosis	10					1		2	1	3	1		1	1				
Pott's disease	1												1					
Tuberculous abscess	1									1								
White swelling																		
Tuberculosis of other organs	4						2		1		1							
General tuberculosis	1	1																
Scrofula																		
Venereal diseases	12	3								3	3	3						
Cancer	32					1	1			5	12	10	2	1				
Tumor																		
Rheumatism	5						2		1		1		1					
Diabetes	4							1		1		1	1					
Anemia, leukemia																		
Alcoholism	1										1							
Chronic poisonings																		
Other general diseases	1								1									
Encephalitis																		
Meningitis	9	4	1							1	2	1						
Apoplexy	23								1		6	7	7	1	1			
Softening of brain	1								1									
Paralysis	1															1		
Epilepsy	3							1		2								
"Convulsions"	1	1																
Tetanus																		
Other diseases of nervous system	23			1					1	6	7	6	1	1				
Pericarditis	1								1									
Endocarditis	11					1			2	2	2	3	1					
Heart disease	141						1	3	12	25	34	33	18	12	3			
Angina pectoris	1											1						
Embolism and thrombosis	1								1									
Other diseases of circulatory system	25	1						1	1	8	3	4	2	2		3		
Laryngitis																		
Acute bronchitis	3	1				1						1						
Chronic bronchitis																		
Bronchopneumonia	27	11	6	2	1			1	3		1		1	1				
Pneumonia (lobar and unqualified)	123	13	11	4	3	2	2	2	18	26	14	16	8	2	1			1
Pleurisy	3										2			1				
Congestion of lungs																		
Other diseases of respiratory system	1										1							
Tonsillitis																		
Diseases of stomach	6				1				2		2	1						
Diarrhea and enteritis	47	37	7	1				1			1							
Hernia and intestinal obstructions	8							1	1		3	1	1		1			
Cirrhosis of liver	8									2	1	4	1					
Other diseases of liver	1											1						
Peritonitis																		
Appendicitis	6						1			4	1							
Other diseases of digestive system	4	1								1	1				1			
Acute nephritis	9		1						1	5	2							
Bright's disease	62	1						1	3	8	13	18	10	6		1	1	
Calculi of urinary tract																		
Uterine tumor	9								1	7	1							
Ovarian tumor																		
Other diseases of genito-urinary system	10								2	4	2		1	1				
Puerperal septicemia	3								2	1								
Other causes incident to childbirth	7							1	5	1								
Diseases of skin	1	1																
Diseases of locomotor system	4		2	1						1								
Malformations	2	2																
Premature birth	8	8																
Congenital debility	7	7																
Old age																		
Suicide	4								1	1	2							
Other violence	74	3	2		2	2	2	4	21	15	11	9	1	2				
Ill-defined causes	3	3																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

INDIANAPOLIS, IND. (TOTAL).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	3,287	445	93	39	20	15	71	150	339	345	390	440	413	338	168	18	3	.....
Typhoid fever	51	.....	.....	2	.....	.....	2	14	17	7	4	2	3	.....	.....	.....	.....	.....
Malarial fever	5	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	1	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	11	1	4	1	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	12	.....	1	.....	.....	2	8	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	19	6	10	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	27	1	1	5	3	3	12	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	27	2	1	.....	.....	1	.....	1	1	2	1	6	3	7	2	.....	.....	.....
Cholera nostras	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	.....	.....
Dysentery	16	1	1	2	.....	.....	.....	.....	.....	.....	1	.....	3	3	4	1	.....	.....
Erysipelas	13	1	.....	1	.....	.....	.....	.....	.....	.....	1	1	4	.....	5	.....	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	4	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Tuberculosis—total	520	12	12	5	3	3	12	53	133	107	87	52	29	10	2	.....	.....	.....
Tuberculosis of lungs	417	5	4	1	.....	3	7	47	108	92	77	43	23	5	2	.....	.....	.....
Tuberculosis of larynx	4	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	25	6	5	3	3	.....	3	1	.....	2	1	1	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	33	.....	1	.....	.....	.....	2	2	11	5	4	4	2	2	.....	.....	.....	.....
Pott's disease	7	.....	.....	.....	.....	.....	.....	2	1	.....	2	.....	.....	2	.....	.....	.....	.....
Tuberculous abscess	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
White swelling	5	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	7	.....	1	.....	.....	.....	.....	1	.....	2	1	.....	1	1	.....	.....	.....	.....
General tuberculosis	20	1	1	1	.....	.....	.....	.....	9	2	.....	4	2	.....	.....	.....	.....	.....
Scrofula	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	18	10	.....	.....	.....	.....	.....	.....	1	1	4	2	.....	.....	.....	.....	.....	.....
Cancer	217	.....	.....	.....	.....	.....	.....	2	6	22	44	67	46	24	6	.....	.....	.....
Tumor	3	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Rheumatism	10	.....	.....	.....	.....	.....	1	4	1	1	2	.....	1	.....	.....	.....	.....	.....
Diabetes	28	.....	.....	1	.....	.....	1	2	1	1	4	9	4	4	.....	1	.....	.....
Anemia, leukemia	12	.....	.....	.....	.....	.....	.....	2	2	2	1	1	2	2	.....	.....	.....	.....
Alcoholism	18	.....	.....	.....	.....	.....	.....	1	4	5	3	3	2	.....	.....	.....	.....	.....
Chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....
Other general diseases	13	.....	.....	.....	.....	.....	.....	1	1	4	3	2	1	.....	1	.....	.....	.....
Encephalitis	4	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Meningitis	26	8	1	1	1	1	3	2	4	1	1	3	.....	.....	.....	.....	.....	.....
Apoplexy	181	5	1	.....	.....	.....	.....	.....	8	7	18	32	49	38	20	3	.....	.....
Softening of brain	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Paralysis	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	5	.....	4	4	.....	.....	.....
Epilepsy	21	.....	.....	.....	.....	.....	.....	1	3	3	5	6	2	1	.....	.....	.....	.....
"Convulsions"	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	3	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	57	1	.....	.....	.....	.....	.....	4	3	11	13	16	6	2	1	.....	.....	.....
Pericarditis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	22	1	.....	.....	.....	.....	1	.....	3	3	1	3	2	6	2	.....	.....	.....
Heart disease	319	4	1	1	.....	.....	3	8	8	19	38	63	87	66	19	2	.....	.....
Angina pectoris	15	.....	.....	.....	.....	.....	.....	.....	1	1	1	4	3	3	2	.....	.....	.....
Embolism and thrombosis	6	1	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	1	.....	.....	.....
Other diseases of circulatory system	104	1	.....	.....	.....	.....	.....	.....	1	3	10	10	19	34	24	1	1	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	13	7	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....
Chronic bronchitis	21	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	5	6	6	1	.....	.....
Bronchopneumonia	107	38	15	6	3	.....	3	2	2	3	3	5	8	7	10	2	.....	.....
Pneumonia (lobar and unqualified)	160	13	8	2	1	1	2	7	14	24	16	20	22	20	8	1	1	.....
Pleurisy	6	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....
Congestion of lungs	4	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....
Other diseases of respiratory system	10	.....	2	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	4	.....	.....	.....
Tonsillitis	3	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	47	14	2	1	.....	.....	.....	.....	3	3	3	4	5	4	7	.....	1	.....
Diarrhea and enteritis	165	109	21	3	1	1	.....	.....	2	2	3	3	9	4	5	2	.....	.....
Hernia and intestinal obstructions	28	6	.....	.....	.....	.....	2	.....	3	3	3	4	2	4	1	.....	.....	.....
Cirrhosis of liver	43	.....	.....	.....	.....	.....	1	1	.....	7	8	15	8	3	.....	.....	.....	.....
Other diseases of liver	24	1	.....	1	.....	.....	.....	1	2	1	5	4	6	2	1	.....	.....	.....
Peritonitis	11	.....	1	.....	.....	.....	.....	2	1	1	4	1	.....	1	.....	.....	.....	.....
Appendicitis	32	.....	.....	.....	1	1	1	7	11	4	3	2	1	1	.....	.....	.....	.....
Other diseases of digestive system	17	2	.....	.....	.....	.....	.....	1	1	4	.....	.....	5	2	2	.....	.....	.....
Acute nephritis	30	2	1	1	.....	.....	.....	.....	2	7	4	7	3	3	.....	.....	.....	.....
Bright's disease	171	.....	1	.....	.....	.....	.....	2	6	13	29	40	35	35	9	1	.....	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Uterine tumor	8	.....	.....	.....	.....	.....	.....	.....	.....	5	1	1	1	.....	.....	.....	.....	.....
Ovarian tumor	9	.....	.....	.....	.....	.....	.....	.....	3	3	3	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	46	2	.....	.....	.....	.....	1	2	6	6	8	2	6	11	2	.....	.....	.....
Puerperal septicemia	18	.....	.....	.....	.....	.....	.....	2	10	6	.....	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	17	.....	.....	.....	.....	.....	.....	.....	10	5	2	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	10	1	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	3	1	.....	.....	.....
Diseases of locomotor system	5	1	.....	.....	.....	.....	1	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....
Malformations	41	41	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	105	105	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	26	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6	6	2	.....	.....
Suicide	74	.....	.....	.....	.....	.....	.....	3	22	18	14	12	5	.....	.....	.....	.....	.....
Other violence	206	14	4	4	4	1	13	16	35	23	29	24	14	16	8	1	.....	.....
Ill-defined causes	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

INDIANAPOLIS, IND. (WHITE).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	2,835	379	60	32	19	12	58	110	286	294	328	386	374	321	161	15	.....	.....
Typhoid fever	48	.....	.....	2	.....	.....	2	13	16	7	3	2	3	.....	.....	.....	.....	.....
Malarial fever	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	10	1	3	1	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	12	.....	1	.....	.....	2	8	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	27	1	1	5	3	3	12	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	24	1	.....	.....	.....	1	.....	.....	1	2	1	6	3	7	2	.....	.....	.....
Cholera nostras	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
Dysentery	16	1	1	2	.....	.....	.....	.....	.....	.....	1	.....	3	3	4	1	.....	.....
Erysipelas	13	1	.....	1	.....	.....	.....	.....	.....	.....	1	1	4	.....	5	.....	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Tuberculosis—total	406	9	7	3	3	.....	5	35	105	87	71	44	27	8	2	.....	.....	.....
Tuberculosis of lungs	318	4	2	.....	.....	.....	.....	29	87	73	62	35	21	3	2	.....	.....	.....
Tuberculosis of larynx	4	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	21	5	4	2	3	.....	3	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	29	.....	1	.....	.....	.....	2	2	8	4	4	4	2	2	.....	.....	.....	.....
Pott's disease	7	.....	.....	.....	.....	.....	.....	2	1	.....	2	.....	.....	2	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
White swelling	4	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	6	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	1	1	.....	.....	.....	.....
General tuberculosis	16	.....	.....	1	.....	.....	.....	.....	7	2	.....	4	2	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	14	8	.....	.....	.....	.....	.....	.....	1	1	3	1	.....	.....	.....	.....	.....	.....
Cancer	197	.....	.....	.....	.....	.....	.....	2	5	19	42	59	40	24	6	.....	.....	.....
Tumor	3	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Rheumatism	8	.....	.....	.....	.....	.....	1	2	1	1	2	.....	1	.....	.....	.....	.....	.....
Diabetes	27	.....	.....	1	.....	.....	1	2	1	1	3	9	4	4	.....	1	.....	.....
Anemia, leukemia	12	.....	.....	.....	.....	.....	.....	2	2	2	1	1	2	2	.....	.....	.....	.....
Alcoholism	16	.....	.....	.....	.....	.....	.....	.....	4	5	3	2	2	.....	.....	.....	.....	.....
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....
Other general diseases	11	.....	.....	.....	.....	.....	.....	1	1	2	3	2	1	.....	1	.....	.....	.....
Encephalitis	4	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Meningitis	24	6	1	1	1	1	3	2	4	1	1	3	.....	.....	.....	.....	.....	.....
Apoplexy	161	4	1	.....	.....	.....	.....	.....	7	6	10	31	45	37	18	2	.....	.....
Softening of brain	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Paralysis	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	.....	4	4	.....	.....	.....
Epilepsy	19	.....	.....	.....	.....	.....	.....	1	2	3	5	5	2	1	.....	.....	.....	.....
"Convulsions"	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	3	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	52	1	.....	.....	.....	.....	.....	3	3	11	12	13	6	2	1	.....	.....	.....
Pericarditis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	18	1	.....	.....	.....	.....	1	.....	3	3	.....	2	1	5	2	.....	.....	.....
Heart disease	288	4	1	1	.....	.....	3	7	5	17	33	55	78	64	18	2	.....	.....
Angina pectoris	14	.....	.....	.....	.....	.....	.....	.....	1	1	1	3	3	3	2	.....	.....	.....
Embolism and thrombosis	6	1	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	1	.....	.....	.....
Other diseases of circulatory system	94	1	.....	.....	.....	.....	.....	.....	.....	3	7	6	19	33	24	1	.....	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	12	7	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....
Chronic bronchitis	18	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	4	4	6	1	.....	.....
Bronchopneumonia	80	30	9	5	3	.....	1	1	.....	1	2	4	7	6	9	2	.....	.....
Pneumonia (lobar and unqualified)	122	9	3	1	1	1	1	1	9	20	12	19	18	19	8	.....	.....	.....
Pleurisy	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....
Congestion of lungs	4	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....
Other diseases of respiratory system	8	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	4	.....	.....	.....
Tonsillitis	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	39	12	2	.....	.....	.....	.....	.....	3	2	2	4	4	3	7	.....	.....	.....
Diarrhea and enteritis	138	92	18	3	.....	1	.....	.....	2	2	3	2	7	4	3	1	.....	.....
Hernia and intestinal obstructions	23	5	.....	.....	.....	.....	2	.....	2	3	2	3	2	3	1	.....	.....	.....
Cirrhosis of liver	40	.....	.....	.....	.....	.....	1	1	.....	5	8	14	8	3	.....	.....	.....	.....
Other diseases of liver	21	1	.....	1	.....	.....	.....	.....	2	.....	4	4	6	2	1	.....	.....	.....
Peritonitis	10	.....	1	.....	.....	.....	.....	2	1	1	3	1	.....	1	.....	.....	.....	.....
Appendicitis	30	.....	.....	.....	1	1	1	6	11	4	2	2	1	1	.....	.....	.....	.....
Other diseases of digestive system	16	1	.....	.....	.....	.....	.....	1	1	4	.....	.....	5	2	2	.....	.....	.....
Acute nephritis	22	2	1	1	.....	.....	.....	.....	.....	7	3	4	2	2	.....	.....	.....	.....
Bright's disease	152	.....	1	.....	.....	.....	.....	1	6	11	24	36	31	33	8	1	.....	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Uterine tumor	6	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1	1	.....	.....	.....	.....	.....
Ovarian tumor	9	.....	.....	.....	.....	.....	.....	.....	3	3	3	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	38	2	.....	.....	.....	.....	1	1	6	4	4	2	5	11	2	.....	.....	.....
Puerperal septicemia	15	.....	.....	.....	.....	.....	.....	2	8	5	.....	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	16	.....	.....	.....	.....	.....	.....	.....	9	5	2	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	10	1	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	3	1	.....	.....	.....
Diseases of locomotor system	5	1	.....	.....	.....	.....	1	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....
Malformations	39	39	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	93	93	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	23	23	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6	6	2	.....	.....
Suicide	74	.....	.....	.....	.....	.....	.....	3	22	18	14	12	5	.....	.....	.....	.....	.....
Other violence	188	13	3	4	4	1	11	14	31	20	27	22	13	16	8	1	.....	.....
Ill-defined causes	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

INDIANAPOLIS, IND. (COLORED).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	452	66	33	7	1	3	13	40	53	51	62	54	39	17	7	3	3	
Typhoid fever	3							1	1		1							
Malarial fever	2									1			1					
Smallpox																		
Measles	1		1															
Scarlet fever																		
Whooping cough	16	5	8	2			1											
Diphtheria and croup																		
Influenza	3	1	1					1										
Cholera nostras	2									1				1				
Dysentery																		
Erysipelas																		
Other epidemic diseases																		
Septicemia	2	1						1										
Tuberculosis—total	114	3	5	2		3	7	18	28	20	16	8	2	2				
Tuberculosis of lungs	99	1	2	1		3	7	18	21	19	15	8	2	2				
Tuberculosis of larynx																		
Tuberculous meningitis	4	1	1	1							1							
Abdominal tuberculosis	4								3	1								
Pott's disease																		
Tuberculous abscess	1								1									
White swelling	1								1									
Tuberculosis of other organs	1		1															
General tuberculosis	4	1	1						2									
Scrofula	1							1										
Venereal diseases	4	2									1	1						
Cancer	20								1	3	2	8	6					
Tumor																		
Rheumatism	2							2										
Diabetes	1										1							
Anemia, leukemia																		
Alcoholism	2							1				1						
Chronic poisonings	1											1						
Other general diseases	2									2								
Encephalitis																		
Meningitis	2	2																
Apoplexy	20	1							1	1	8	1	4	1	2	1		
Softening of brain																		
Paralysis	2										1	1						
Epilepsy	2								1			1						
"Convulsions"																		
Tetanus																		
Other diseases of nervous system	5							1			1	3						
Pericarditis																		
Endocarditis	4										1	1	1	1				
Heart disease	31							1	3	2	5	8	9	2	1			
Angina pectoris	1											1						
Embolism and thrombosis																		
Other diseases of circulatory system	10								1		3	4		1			1	
Laryngitis																		
Acute bronchitis	1		1															
Chronic bronchitis	3												1	2				
Bronchopneumonia	27	8	6	1			2	1	2	2	1	1	1	1	1			
Pneumonia (lobar and unqualified)	38	4	5	1			1	6	5	4	4	1	4	1		1	1	
Pleurisy	1											1						
Congestion of lungs																		
Other diseases of respiratory system	2		1							1								
Tonsillitis	1		1															
Diseases of stomach	8	2		1						1	1		1	1			1	
Diarrhea and enteritis	27	17	3		1							1	2		2	1		
Hernia and intestinal obstructions	5	1							1		1	1		1				
Cirrhosis of liver	3									2		1						
Other diseases of liver	3							1		1	1							
Peritonitis	1										1							
Appendicitis	2							1			1							
Other diseases of digestive system	1	1																
Acute nephritis	8								2		1	3	1	1				
Bright's disease	19							1		2	5	4	4	2	1			
Calculi of urinary tract																		
Uterine tumor	2									2								
Ovarian tumor																		
Other diseases of genito-urinary system	8							1		2	4		1					
Puerperal septicemia	3								2	1								
Other causes incident to childbirth	1								1									
Diseases of skin																		
Diseases of locomotor system																		
Malformations	2	2																
Premature birth	12	12																
Congenital debility	3	3																
Old age																		
Suicide																		
Other violence	18	1	1				2	2	4	3	2	2	1					
Ill-defined causes																		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

LOUISVILLE, KY. (TOTAL).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	3,456	431	116	52	39	24	81	190	375	393	381	416	413	369	149	21	3	3
Typhoid fever	100	1	3	2	2	1	5	28	23	21	8	6						
Malarial fever	8					1			1	2		2	1	1				
Smallpox																		
Measles	6		3		2					1								
Scarlet fever	20		1	1	6	1	8	2		1								
Whooping cough	9	6	2				1											
Diphtheria and croup	30	1	9	6	6	3	4	1										
Influenza	26		1						2	2	2	1	11	2	2	3		
Cholera nostras	1									1								
Dysentery	32	4	1					1		4	2	2	4	11	3			
Erysipelas	2			1										1				
Other epidemic diseases																		
Septicemia	33						1	1	6	9	8	4	3	1				
Tuberculosis—total	480	10	6	1	3		12	60	144	101	66	51	23	2	1			
Tuberculosis of lungs	436	4	1	1	1		9	57	136	97	60	47	21	1	1			
Tuberculosis of larynx	7								2		2	2		1				
Tuberculous meningitis	10	4	4				1				1							
Abdominal tuberculosis	14	2			1		2		4	1	2	2						
Pott's disease	3				1			1	1									
Tuberculous abscess																		
White swelling	3							1		1			1					
Tuberculosis of other organs	4		1						1	1			1					
General tuberculosis	3							1		1	1							
Scrofula																		
Venereal diseases	6	1						1	1	1	2							
Cancer	129							2	5	10	25	30	32	21	4			
Tumor	3									1	1		1					
Rheumatism	16								3	4		1	6	1	1			
Diabetes	14										1	5	4	4				
Anemia, leukemia	2									1			1					
Alcoholism	10								2	3	4	1						
Chronic poisonings	1											1						
Other general diseases	7	1	1						1	1		2		1				
Encephalitis	5		1								3			1				
Meningitis	65	18	7	3	3	2	6	9	3	9	2	2		1				
Apoplexy	116								3	6	19	29	26	25	7	1		
Softening of brain	2											1	1					
Paralysis	101						1	1	1	6	12	21	30	22	6	1		
Epilepsy	2								1	1								
"Convulsions"	87	64	11	2	4		3	1	1		1							
Tetanus	11	1					2	2	3	1	2							
Other diseases of nervous system	35	1		1	2	1	1	1	3	7	9	4	4	1				
Pericarditis	4						1				1	1	1					
Endocarditis	50	2		2				6	4	6	8	12	7	2	1			
Heart disease	270						1	10	16	42	46	54	59	29	11	2		
Angina pectoris	19								1	1	2	7	3	5				
Embolism and thrombosis	8					1		1	3		1		2					
Other diseases of circulatory system	38	3					1		1	2	3	3	9	12	4			
Laryngitis	4									2		1		1				
Acute bronchitis	29	12	8		1	2			2		1	2		1				
Chronic bronchitis	61	1	1					2	3	5	4	10	12	16	6		1	
Bronchopneumonia	20	7	3		1	2	2	1		1		2			1			
Pneumonia (lobar and unqualified)	292	46	23	13	4	1	9	15	26	24	25	36	31	30	7	2		
Pleurisy	7								1	1	1	3		1				
Congestion of lungs	27	5					1	1	2	4	4	2	2	5	1			
Other diseases of respiratory system	55	2	1		1			3	6	7	4	14	11	6				
Tonsillitis																		
Diseases of stomach	53	2				1	2	1	5	9	5	8	9	8	3			
Diarrhea and enteritis	90	48	17	3		1		2	1	4		2	5	3	4			
Hernia and intestinal obstructions	40	7	1	1		3		1	5	6	2	4	5	4		1		
Cirrhosis of liver	18									2	3	7	4	2				
Other diseases of liver	27							2	3	2	5	5	5	5				
Peritonitis	41	1		2				5	12	8	8	3	2					
Appendicitis	23					1	4	6	4	6	1	1						
Other diseases of digestive system	8	1		1					1			4			1			
Acute nephritis	24	2		1	1	1		1	6	1	5	2	3	1				
Bright's disease	229		2	1			5	6	12	22	39	47	52	36	7			
Calculi of urinary tract																		
Uterine tumor	3									1	1		1					
Ovarian tumor	4											2		2				
Other diseases of genito-urinary system	12								1	1	3	1	1	5				
Puerperal septicemia	1									1								
Other causes incident to childbirth	5								4	1								
Diseases of skin	9								1	1		1	3	3				
Diseases of locomotor system	2			1			1											
Malformations	10	9	1															
Premature birth	41	41																
Congenital debility	84	84																
Old age	202												27	87	74	11	2	1
Suicide	46							1	15	9	11	5	3	1				1
Other violence	147	1	1	5	3	2	9	15	32	26	26	11	7	5	3			1
Ill-defined causes	94	49	12	5			1	1	5	5	5	3	2	4	2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

LOUISVILLE, KY. (WHITE).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	2,494	326	92	35	34	16	56	125	226	232	258	276	328	332	136	19	1	2
Typhoid fever	62		3		2		2	20	15	9	6	5						
Malarial fever	4								1	1			1	1				
Smallpox																		
Measles	6		3		2					1								
Scarlet fever	20		1	1	6	1	8	2		1								
Whooping cough	8	5	2				1											
Diphtheria and croup	23	1	8	5	4	2	3											
Influenza	16		1								1		7	2	2	3		
Cholera nostras																		
Dysentery	26	4	1							3	1	2	3	10	2			
Erysipelas	1													1				
Other epidemic diseases																		
Septicemia	25						1	1	5	5	7	3	2	1				
Tuberculosis—total	307	7	5		3		3	31	89	65	44	41	17	2				
Tuberculosis of lungs	272	2	1		1		3	29	83	61	38	37	16	1				
Tuberculosis of larynx	7								2		2	2		1				
Tuberculous meningitis	9	4	4								1							
Abdominal tuberculosis	10	1			1				3	1	2	2						
Pott's disease	2				1			1										
Tuberculous abscess																		
White swelling	1									1								
Tuberculosis of other organs	3								1	1			1					
General tuberculosis	3							1		1	1							
Scrofula																		
Venereal diseases	3	1									2							
Cancer	111							1	2	6	23	27	28	20	4			
Tumor	3									1	1		1					
Rheumatism	11								3	3			4	1				
Diabetes	13										1	5	3	4				
Anemia, leukemia	1												1					
Alcoholism	8								1	2	4	1						
Chronic poisonings	1											1						
Other general diseases	7	1	1						1	1		2		1				
Encephalitis	4		1								2			1				
Meningitis	54	17	6	3	3	1	6	7	2	6	2	1						
Apoplexy	98									3	17	20	25	25	7	1		
Softening of brain	1												1					
Paralysis	56									1	6	7	18	18	6			
Epilepsy	1									1								
"Convulsions"	52	37	6	1	3		3	1	1									
Tetanus	8	1					1	2	2	1	1							
Other diseases of nervous system	29	1			1	1	1	1	3	5	7	4	4	1				
Pericarditis	2						1					1						
Endocarditis	35	2		2				6	2	3	3	7	7	2	1			
Heart disease	178						1	10	8	20	25	33	44	26	9	2		
Angina pectoris	16								1	1	1	5	3	5				
Embolism and thrombosis	6					1		1	2				2					
Other diseases of circulatory system	26	3					1		1		2		6	9	4			
Laryngitis	2									1		1						
Acute bronchitis	19	8	6		1	1			1			1	1					
Chronic bronchitis	47		1							4	2	6	11	16	6		1	
Bronchopneumonia	14	5	2		1	2	1	1				1			1			
Pneumonia (lobar and unqualified)	170	27	13	7	3		5	9	11	8	13	19	21	26	6	2		
Pleurisy	4											3		1				
Congestion of lungs	21	4					1		1	3	4	1	2	4	1			
Other diseases of respiratory system	28	1	1		1			1	4	2	2	4	8	4				
Tonsillitis																		
Diseases of stomach	35	1						1	3	3	4	7	8	6	2			
Diarrhea and enteritis	74	41	14	3		1		1	1	2		2	2	3	4			
Hernia and intestinal obstructions	30	5	1	1		2		1	3	4	2	2	4	4		1		
Cirrhosis of liver	18									2	3	7	4	2				
Other diseases of liver	21								2	2	4	3	5	5				
Peritonitis	30	1		2				3	8	7	5	2	2					
Appendicitis	18					1	3	6	3	5								
Other diseases of digestive system	5	1		1								2			1			
Acute nephritis	13			1	1	1			3	1	1	2	2	1				
Bright's disease	180		2	1			5	4	10	15	26	32	47	32	6			
Calculi of urinary tract																		
Uterine tumor	2									1			1					
Ovarian tumor	4											2		2				
Other diseases of genito-urinary system	11								1	1	3	1	1	4				
Puerperal septicemia	1									1								
Other causes incident to childbirth	5								4	1								
Diseases of skin	7								1				3	3				
Diseases of locomotor system																		
Malformations	10	9	1															
Premature birth	34	34																
Congenital debility	71	71																
Old age	181												21	80	69	10		1
Suicide	40								12	9	10	5	3	1				
Other violence	101	1	1	3	3	2	8	14	17	16	19	6	4	3	3			1
Ill-defined causes	76	37	12	4			1	1	2	5	4	2	2	4	2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

LOUISVILLE, KY. (COLORED).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	962	105	24	17	5	8	25	65	149	161	123	140	85	37	13	2	2	1
Typhoid fever	38	1		2		1	3	8	8	12	2	1						
Malarial fever	4					1				1		2						
Smallpox																		
Measles																		
Scarlet fever																		
Whooping cough	1	1																
Diphtheria and croup	7		1	1	2	1	1	1										
Influenza	10								2	2	1	1	4					
Cholera nostras	1									1								
Dysentery	6							1		1	1		1	1	1			
Erysipelas	1			1														
Other epidemic diseases																		
Septicemia	8								1	4	1	1	1					
Tuberculosis—total	173	3	1	1			9	29	55	36	22	10	6		1			
Tuberculosis of lungs	164	2		1			6	28	53	36	22	10	5		1			
Tuberculosis of larynx																		
Tuberculous meningitis	1						1											
Abdominal tuberculosis	4	1					2		1									
Pott's disease	1								1									
Tuberculous abscess																		
White swelling	2							1					1					
Tuberculosis of other organs	1		1															
General tuberculosis																		
Scrofula																		
Venereal diseases	3							1	1	1								
Cancer	18							1	3	4	2	3	4	1				
Tumor																		
Rheumatism	5									1		1	2		1			
Diabetes	1												1					
Anemia, leukemia	1									1								
Alcoholism	2								1	1								
Chronic poisonings																		
Other general diseases																		
Encephalitis	1										1							
Meningitis	11	1	1			1		2	1	3		1		1				
Apoplexy	18								3	3	2	9	1					
Softening of brain	1											1						
Paralysis	45						1	1	1	5	6	14	12	4		1		
Epilepsy	1								1									
"Convulsions"	35	27	5	1	1						1							
Tetanus	3						1		1		1							
Other diseases of nervous system	6			1	1					2	2							
Pericarditis	2										1		1					
Endocarditis	15								2	3	5	5						
Heart disease	92								8	22	21	21	15	3	2			
Angina pectoris	3										1	2						
Embolism and thrombosis	2								1		1							
Other diseases of circulatory system	12									2	1	3	3	3				
Laryngitis	2									1				1				
Acute bronchitis	10	4	2			1			1		1	1						
Chronic bronchitis	14	1						2	3	1	2	4	1					
Bronchopneumonia	6	2	1				1			1		1						
Pneumonia (lobar and unqualified)	122	19	10	6	1	1	4	6	15	16	12	17	10	4	1			
Pleurisy	3								1	1	1							
Congestion of lungs	6	1						1	1	1		1		1				
Other diseases of respiratory system	27	1						2	2	5	2	10	3	2				
Tonsillitis																		
Diseases of stomach	18	1				1	2		2	6	1	1	1	2	1			
Diarrhea and enteritis	16	7	3					1		2			3					
Hernia and intestinal obstructions	10	2				1			2	2		2	1					
Cirrhosis of liver																		
Other diseases of liver	6							2	1		1	2						
Peritonitis	11							2	4	1	3	1						
Appendicitis	5						1		1	1	1	1						
Other diseases of digestive system	3								1			2						
Acute nephritis	11	2						1	3		4		1					
Bright's disease	49							2	2	7	13	15	5	4	1			
Calculi of urinary tract																		
Uterine tumor	1										1							
Ovarian tumor																		
Other diseases of genito-urinary system	1													1				
Puerperal septicemia																		
Other causes incident to childbirth																		
Diseases of skin	2									1		1						
Diseases of locomotor system	2			1			1											
Malformations																		
Premature birth	7	7																
Congenital debility	13	13																
Old age	21												6	7	5	1	2	
Suicide	6							1	3		1							1
Other violence	46			2			1	1	15	10	7	5	3	2				
Ill-defined causes	18	12		1					3		1	1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW ORLEANS, LA. (TOTAL).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	6,770	1,052	193	70	56	28	108	332	784	829	881	793	761	582	248	43	7	3
Typhoid fever	95						1	26	41	13	8	2	2	2				
Malarial fever	40	1		1			4	4	5	11	2	4	6	2				
Smallpox																		
Measles	2	2																
Scarlet fever	62	2	5	4	12	7	15	12	2	2		1						
Whooping cough	16	4	9	2	1													
Diphtheria and croup	25	1	5	3	5	3	5	3										
Influenza	48	1	2					3	5	6	1	7	13	8	2			
Cholera nostras	4				1			1		1	1							
Dysentery	56	2			1			4	14	7	7	10	7	4				
Erysipelas	11								1	1	4	2	2		1			
Other epidemic diseases	1								1									
Septicemia	34	4						3	5	6	7	4	2	2	1			
Tuberculosis—total	815	5	4	1	2	2	7	70	240	227	159	63	32	2	1			
Tuberculosis of lungs	734	2			1		3	62	223	214	142	56	28	2	1			
Tuberculosis of larynx	8								1	5	1	1						
Tuberculous meningitis	13	1	3	1		1	4	1			1		1					
Abdominal tuberculosis	30	1	1					1	11	7	4	4	1					
Pott's disease	1										1							
Tuberculous abscess																		
White swelling	2							1	1									
Tuberculosis of other organs	5									1	2	1	1					
General tuberculosis	22	1			1	1		5	4		8	1	1					
Scrofula																		
Venereal diseases	41	20	2					2	2	6	6	2		1				
Cancer	286					1	3	3	12	23	63	72	62	36	11			
Tumor	6						1	1			1	2			1			
Rheumatism	17		1						2	1	3	4	4	1	1			
Diabetes	27								1	2	5	7	10	1		1		
Anemia, leukemia	20		2				2	2	1	3	4	3	2	1				
Alcoholism	22								1	8	7	5	1					
Chronic poisonings	5									1	2		2					
Other general diseases	20	1				1		3	5	2	5	1	2					
Encephalitis	2										1	1						
Meningitis	73	29	11	7	2	1	4	6	4	2	2	3	1	1				
Apoplexy	273	6	1			1	2	3	9	10	41	58	70	57	13	2		
Softening of brain	17								2	4	5	2	1	2	1			
Paralysis	52							1		4	5	11	17	5	9			
Epilepsy	11							3	3	3	1	1						
"Convulsions"	43	31	6	2	1		2		1									
Tetanus	97	50	1		1	2	9	12	4	9	3	4		2				
Other diseases of nervous system	123	4	1		1		2	3	5	22	30	17	23	11	4			
Pericarditis	4							2	1		1							
Endocarditis	146	3		1			1	3	6	24	22	27	34	19	5	1		
Heart disease	532	2					1	10	27	57	92	100	113	100	25	5		
Angina pectoris	19									2	4	1	4	5	3			
Embolism and thrombosis	29									3	2	5	9	6	2	2		
Other diseases of circulatory system	102	1						2	3	12	12	11	19	26	15	1		
Laryngitis	1			1														
Acute bronchitis	41	27	5	1					2		1	2	1		1	1		
Chronic bronchitis	45	3					1	4	5	5	1	2	9	10	5			
Bronchopneumonia	109	64	17	4	5			2	2	2	4	3	2	2	2			
Pneumonia (lobar and unqualified)	380	73	19	11	8	3	9	28	48	51	41	34	33	17	3	2		
Pleurisy	24	1			1			1	8	3	4	5	1					
Congestion of lungs	18	3						1	2		2	2		5	3			
Other diseases of respiratory system	65	2	1	1	1			4	7	13	13	11	5	5	2			
Tonsillitis	1		1															
Diseases of stomach	109	11	4	2	1			3	8	18	16	22	17	5	2			
Diarrhea and enteritis	457	279	66	16	4	1	6	6	16	12	13	7	14	8	8	1		
Hernia and intestinal obstructions	47	8						2	9	2	4	5	12	5				
Cirrhosis of liver	94								2	14	23	24	23	7	1			
Other diseases of liver	60	1						5	13	10	15	11	3	2				
Peritonitis	19	1					1	1	4	3	4	3	1	1				
Appendicitis	42					1	4	16	8	6	2	1	3	1				
Other diseases of digestive system	24	5	3		2				3	4	3	1	1	2				
Acute nephritis	72	5	1	2			3	2	17	9	14	10	5	4				
Bright's disease	657		2	1	1		2	8	49	82	123	147	141	75	23	2		1
Calculi of urinary tract	3							1		1	1							
Uterine tumor	11									4	3	1	2	1				
Ovarian tumor	6								1	3				2				
Other diseases of genito-urinary system	57	1						1	8	13	10	7	9	4	4			
Puerperal septicemia	55							3	31	19	2							
Other causes incident to childbirth	42							7	19	11	5							
Diseases of skin	45	3	2					2	3	1	5	9	6	12	1		1	
Diseases of locomotor system	19	3	3	1	1	1	3	2	1	2		1	1					
Malformations	39	37		1								1						
Premature birth	92	92																
Congenital debility	149	149																
Old age	220												4	100	86	24	6	
Suicide	53							4	10	13	10	7	4	4				1
Other violence	388	7	6	5	4	3	19	47	101	55	53	35	24	14	11	3		1
Ill-defined causes	150	108	13	3	1	1	1		1	2		8	5	6	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW ORLEANS, LA. (WHITE).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	4,208	656	128	53	36	24	77	167	371	429	538	505	547	457	191	27	.....	2
Typhoid fever	72	.....	.....	.....	.....	.....	1	19	30	10	6	2	2	2	.....	.....	.....	.....
Malarial fever	22	.....	.....	1	.....	.....	1	2	1	7	2	1	5	2	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	58	2	5	3	11	7	15	11	1	2	.....	1	.....	.....	.....	.....	.....	.....
Whooping cough	9	3	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	23	1	5	3	5	2	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	26	1	2	.....	.....	.....	.....	.....	2	2	.....	3	8	6	2	.....	.....	.....
Cholera nostras	2	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	41	1	.....	.....	1	.....	.....	2	9	5	6	6	7	4	.....	.....	.....	.....
Erysipelas	8	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	1	.....	1	.....	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	18	3	.....	.....	.....	.....	.....	1	3	3	5	1	1	1	.....	.....	.....	.....
Tuberculosis—total	421	1	3	1	2	2	5	25	95	122	94	43	25	2	1	.....	.....	.....
Tuberculosis of lungs	379	.....	.....	.....	1	.....	2	22	89	116	87	38	21	2	1	.....	.....	.....
Tuberculosis of larynx	6	.....	.....	.....	.....	.....	.....	.....	.....	4	1	1	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	8	.....	2	1	.....	1	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	12	1	1	.....	.....	.....	.....	.....	3	1	2	3	1	.....	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	10	.....	.....	.....	1	1	.....	3	2	.....	1	1	1	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	26	17	.....	.....	.....	.....	.....	.....	1	.....	5	2	.....	1	.....	.....	.....	.....
Cancer	225	.....	.....	.....	.....	1	3	2	7	11	52	54	53	32	10	.....	.....	.....
Tumor	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	7	.....	1	.....	.....	.....	.....	.....	1	.....	.....	3	1	1	.....	.....	.....	.....
Diabetes	19	.....	.....	.....	.....	.....	.....	.....	1	1	2	5	9	1	.....	.....	.....	.....
Anemia, leukemia	12	.....	2	.....	.....	.....	1	1	.....	2	1	2	2	1	.....	.....	.....	.....
Alcoholism	18	.....	.....	.....	.....	.....	.....	.....	1	6	6	4	1	.....	.....	.....	.....	.....
Chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	.....	.....	.....	.....	.....
Other general diseases	11	1	.....	.....	.....	1	.....	3	1	.....	2	1	2	.....	.....	.....	.....	.....
Encephalitis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Meningitis	52	22	8	5	2	1	4	3	2	.....	2	1	1	1	.....	.....	.....	.....
Apoplexy	202	6	1	.....	.....	1	2	2	5	7	28	38	53	46	12	1	.....	.....
Softening of brain	12	.....	.....	.....	.....	.....	.....	.....	2	2	4	1	1	2	.....	.....	.....	.....
Paralysis	33	.....	.....	.....	.....	.....	.....	.....	.....	3	5	5	10	2	8	.....	.....	.....
Epilepsy	8	.....	.....	.....	.....	.....	.....	3	1	2	1	1	.....	.....	.....	.....	.....	.....
"Convulsions"	17	12	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	44	22	.....	.....	1	2	4	6	2	2	1	3	.....	1	.....	.....	.....	.....
Other diseases of nervous system	95	2	1	.....	1	.....	2	2	.....	16	27	11	21	10	2	.....	.....	.....
Pericarditis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	75	1	.....	1	.....	.....	1	2	5	9	9	10	16	16	5	.....	.....	.....
Heart disease	321	2	.....	.....	.....	.....	.....	3	12	23	43	58	74	80	21	5	.....	.....
Angina pectoris	14	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	4	4	3	.....	.....	.....
Embolism and thrombosis	24	.....	.....	.....	.....	.....	.....	.....	2	1	4	8	5	2	2	.....	.....	.....
Other diseases of the circulatory system	72	1	.....	.....	.....	.....	.....	.....	1	8	6	8	14	21	12	1	.....	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	23	15	2	.....	.....	.....	.....	.....	2	.....	.....	1	1	.....	1	1	.....	.....
Chronic bronchitis	24	1	.....	.....	.....	.....	1	.....	2	.....	.....	.....	8	7	5	.....	.....	.....
Bronchopneumonia	55	27	10	2	1	.....	.....	2	.....	2	2	3	2	2	2	.....	.....	.....
Pneumonia (lobar and unqualified)	195	32	12	8	2	2	6	7	18	21	24	21	22	15	3	2	.....	.....
Pleurisy	16	1	.....	.....	1	.....	.....	.....	5	1	3	4	1	.....	.....	.....	.....	.....
Congestion of lungs	12	2	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	3	3	.....	.....	.....
Other diseases of respiratory system	31	1	1	.....	.....	.....	.....	1	3	6	7	3	4	4	1	.....	.....	.....
Tonsillitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	57	8	2	2	.....	.....	.....	2	3	6	3	15	11	4	1	.....	.....	.....
Diarrhea and enteritis	302	197	44	14	3	1	3	2	3	3	5	4	10	6	7	.....	.....	.....
Hernia and intestinal obstructions	31	7	.....	.....	.....	.....	.....	.....	4	1	3	2	9	5	.....	.....	.....	.....
Cirrhosis of liver	66	.....	.....	.....	.....	.....	.....	.....	1	7	18	17	15	7	1	.....	.....	.....
Other diseases of liver	42	1	.....	.....	.....	.....	.....	3	5	7	11	10	3	2	.....	.....	.....	.....
Peritonitis	13	1	.....	.....	.....	.....	1	1	2	1	3	3	.....	1	.....	.....	.....	.....
Appendicitis	32	.....	.....	.....	.....	1	3	12	5	4	2	1	3	1	.....	.....	.....	.....
Other diseases of digestive system	14	5	2	.....	.....	.....	.....	.....	.....	2	3	1	.....	1	.....	.....	.....	.....
Acute nephritis	42	3	1	2	.....	.....	1	1	12	2	5	8	4	3	.....	.....	.....	.....
Bright's disease	408	.....	2	1	1	.....	1	2	17	47	72	93	100	59	11	1	.....	1
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	7	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	1	1	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	36	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Puerperal septicemia	32	.....	.....	.....	.....	.....	.....	.....	3	7	6	6	5	4	4	.....	.....	.....
Other causes incident to childbirth	30	.....	.....	.....	.....	.....	.....	6	23	9	.....	.....	.....	.....	.....	.....	.....	.....
									14	7	3	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	30	3	2	.....	.....	.....	.....	2	2	.....	2	4	5	9	1	.....	.....	.....
Diseases of locomotor system	12	1	2	1	1	.....	3	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	26	24	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	65	65	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Congenital debility	86	86	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	146	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	66	62	14	.....	.....
Suicide	51	.....	.....	.....	.....	.....	.....	4	9	12	10	7	4	4	.....	.....	.....	1
Other violence	236	6	5	4	3	3	14	27	48	33	36	22	14	10	9	2	.....	.....
Ill-defined causes	89	70	7	2	.....	.....	.....	.....	1	.....	.....	1	3	4	1	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW ORLEANS, LA. (COLORED).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	2,562	396	65	17	20	4	31	165	413	400	343	288	214	125	57	16	7	1
Typhoid fever	23							7	11	3	2							
Malarial fever	18	1					3	2	4	4		3	1					
Smallpox																		
Measles	1	1																
Scarlet fever	4			1	1			1	1									
Whooping cough	7	1	4	1	1													
Diphtheria and croup	2					1	1											
Influenza	22							3	3	4	1	4	5	2				
Cholera nostras	2									1	1							
Dysentery	15	1						2	5	2	1	4						
Erysipelas	3									1	1		1					
Other epidemic diseases	1								1									
Septicemia	16	1						2	2	3	2	3	1	1	1			
Tuberculosis—total	394	4	1				2	45	145	105	65	20	7					
Tuberculosis of lungs	355	2					1	40	134	98	55	18	7					
Tuberculosis of larynx	2								1	1								
Tuberculous meningitis	5	1	1				1	1			1							
Abdominal tuberculosis	18							1	8	6	2	1						
Pott's disease																		
Tuberculous abscess																		
White swelling	1							1										
Tuberculosis of other organs	1																	
General tuberculosis	12	1						2	2		1							
Scrofula																		
Venereal diseases	15	3	2					2	1	6	1							
Cancer	61							1	5	12	11	18	9	4	1			
Tumor	5							1			1	2			1			
Rheumatism	10								1	1	3	1	3		1			
Diabetes	8									1	3	2	1			1		
Anemia, leukemia	8						1	1	1	1	3	1						
Alcoholism	4									2	1	1						
Chronic poisonings																		
Other general diseases	9								4	2	3							
Encephalitis	1										1							
Meningitis	21	7	3	2				3	2	2		2						
Apoplexy	71							1	4	3	13	20	17	11	1	1		
Softening of brain	5									2	1	1			1			
Paralysis	19							1		1		6	7	3	1			
Epilepsy	3								2	1								
"Convulsions"	26	19	3	1	1		2											
Tetanus	53	28	1				5	6	2	7	2	1		1				
Other diseases of nervous system	28	2						1	5	6	3	6	2	1	2			
Pericarditis	4							2	1		1							
Endocarditis	71	2						1	1	15	13	17	18	3		1		
Heart disease	211						1	7	15	34	49	42	39	20	4			
Angina pectoris	5									1	3			1				
Embolism and thrombosis	5								1	1	1	1	1					
Other diseases of circulatory system	30							2	2	4	6	3	5	5	3			
Laryngitis	1			1														
Acute bronchitis	18	12	3	1							1	1						
Chronic bronchitis	21	2									1	1						
Bronchopneumonia	54	37	7	2	4			4	3	5	1	2	1	3				
Pneumonia (lobar and unqualified)	185	41	7	3	6	1	3	21	30	30	17	13	11	2				
Pleurisy	8							1	3	2	1	1						
Congestion of lungs	6	1							1		1	1		2				
Other diseases of respiratory system	34	1		1	1			3	4	7	6	8	1	1	1			
Tonsillitis	1		1															
Diseases of stomach	52	3	2		1			1	5	12	13	7	6	1	1			
Diarrhea and enteritis	155	82	22	2	1		3	4	13	9	8	3	4	2	1	1		
Hernia and intestinal obstructions	16	1						2	5	1	1	3	3					
Cirrhosis of liver	28								1	7	5	7	8					
Other diseases of liver	18							2	8	3	4	1						
Peritonitis	6								2	2	1		1					
Appendicitis	10																	
Other diseases of digestive system	10		1		2		1	4	3	2								
Acute nephritis	30	2					2	1	5	7	9	2	1	1				
Bright's disease	249						1	6	32	35	51	54	41	16	12	1		
Calculi of urinary tract	2									1	1							
Uterine tumor	4									2	1		1					
Ovarian tumor	3								1	1								
Other diseases of genito-urinary system	21							1	5	6	4	1	4	1				
Puerperal septicemia	23							3	8	10	2							
Other causes incident to childbirth	12							1	5	4	2							
Diseases of skin	15								1	1	3	5	1	3			1	
Diseases of locomotor system	7	2	1			1				1		1	1					
Malformations	13	13																
Premature birth	27	27																
Congenital debility	63	63																
Old age	74													34	24	10	6	
Suicide	2								1	1								
Other violence	152	1	1	1	1		5	20	53	22	17	13	10	4	2	1		1
Ill-defined causes	61	38	6	1	1	1	1			2		7	2	2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

BALTIMORE, MD. (TOTAL).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	10,387	2,234	472	199	109	65	218	387	921	929	1,061	1,114	1,195	986	437	53	6	1
Typhoid fever	138	2				2	15	21	53	25	15	1	4					
Malarial fever	12								3	5	1	1	1	1				
Smallpox																		
Measles	61	18	18	13	5		6	1										
Scarlet fever	22	2	1	5	4		7	3										
Whooping cough	122	67	30	16	3		5			1								
Diphtheria and croup	76	3	18	11	12	8	17	5	1	1								
Influenza	84	2	1		1			3	7	7	4	16	20	13	9	1		
Cholera nostras	4										1	1		1	1			
Dysentery	33	1	1	2					1	5	4	3	10	4	1	1		
Erysipelas	24	7		1			1			2	4	2	6	1				
Other epidemic diseases	1					1												
Septicemia	22	2			1		3	1	3	1	3	4	4					
Tuberculosis—total	1,447	25	23	14	12	4	34	144	400	325	227	127	78	28	6			
Tuberculosis of lungs	1,268	13	7	7	6		12	116	363	311	212	118	70	27	6			
Tuberculosis of larynx	21							1	6	6	5	2	1					
Tuberculous meningitis	62	11	14	4	2	2	12	9	7			1						
Abdominal tuberculosis	39	1	1	1	1	2	3	6	8	3	6	3	4					
Pott's disease	17				1		2	3	6	1	1	1	2					
Tuberculous abscess	2				1		1											
White swelling	5		1		1			1	1					1				
Tuberculosis of other organs	6						1	1	3			1						
General tuberculosis	27			2			3	7	6	4	3	1	1					
Scrofula	3	2		1														
Venereal diseases	51	28	1	2	1			1	6	5	6	1						
Cancer	458				1		1	6	12	36	84	124	122	57	14	1		
Tumor	6									1	1	1	1	2				
Rheumatism	43	1					4	5	5	3	8	3	9	1	4			
Diabetes	70				1		2	2	3	5	10	12	18	15	2			
Anemia, leukemia	32	2					1	2	5	3	2	7	8	2				
Alcoholism	27								5	12	5	4		1				
Chronic poisonings	1									1								
Other general diseases	14	1	1					1	1	2	2	4	2					
Encephalitis	2						1						1					
Meningitis	114	44	25	9	8	4	7	7	4	3	2	1						
Apoplexy	395	5	2				2	4	7	15	46	77	97	99	33	7	1	
Softening of brain	16											3	2	9	2			
Paralysis	143	1			1		1		3	6	12	29	37	39	11	3		
Epilepsy	16			1				2	3	3	2	3	2					
"Convulsions"	102	83	14		1	1	2					1						
Tetanus	18	8						4	3		2			1				
Other diseases of nervous system	111	5	2	3	2	2	7	4	7	16	22	9	15	13	3	1		
Pericarditis	3						1				2							
Endocarditis	66					1	2	5	5	2	7	18	11	9	6			
Heart disease	820	11		1	1	3	9	22	53	71	105	149	181	147	63	4		
Angina pectoris	39									2	5	6	17	7	1	1		
Embolism and thrombosis	18								2	3	3	2	3	5				
Other diseases of circulatory system	118	2		1	1			3		2	15	15	18	39	19	2	1	
Laryngitis	1		1															
Acute bronchitis	115	67	20	4	2			2		1	2	2	3	7	4	1		
Chronic bronchitis	87	1	2	1			1	1	4	4	3	12	21	27	7	3		
Bronchopneumonia	321	135	72	27	12	7	9	5	4	7	3	9	10	11	10			
Pneumonia (lobar and unqualified)	760	104	74	33	11	8	18	19	54	77	80	92	95	66	25	3	1	
Pleurisy	33		1			1	2	6	4	4	3	4	3	4	1			
Congestion of lungs	39	5							1	1	2	5	6	7	10	2		
Other diseases of respiratory system	60	3	1		1		1	1	5	5	8	11	11	7	6			
Tonsillitis	7		1	3			1	1	1									
Diseases of stomach	152	31	5	1	1	1	3	3	7	13	8	24	26	21	8			
Diarrhea and enteritis	708	478	112	24	5	6	6	4	8	2	11	10	15	17	9	1		
Hernia and intestinal obstructions	105	14	1	2	1		3	5	13	13	12	5	15	18	3			
Cirrhosis of liver	93		1						1	12	24	26	20	8	1			
Other diseases of liver	31					1		1	2	6	4	6	6	5				
Peritonitis	15							4	5	1	3		1	1				
Appendicitis	62	1			1		6	14	15	10	8	5	1	1				
Other diseases of digestive system	26	6	5	1			1		3	4	3	1	1	1				
Acute nephritis	85	2	1	1	1	2	1	2	9	12	19	15	9	11				
Bright's disease	807	2		1	1		6	13	40	70	145	157	173	147	49	3		
Calculi of urinary tract	4								1	1	1	1						
Uterine tumor	10								1	1	3	3		2				
Ovarian tumor	6									1	2	1	1	1				
Other diseases of genito-urinary system	81	1	1				1	2	17	7	10	15	7	13	7			
Puerperal septicemia	43							5	20	18								
Other causes incident to childbirth	62							7	26	23	6							
Diseases of skin	39	7	1	2	2				2	3	4	4	6	4	4			
Diseases of locomotor system	20	2		2	2		4	4	1		3	1		1				
Malformations	70	62	4	2	1		1											
Premature birth	257	257																
Congenital debility	473	473																
Old age	198												21	68	91	15	3	
Suicide	102							2	24	20	17	23	10	5	1			
Other violence	474	54	12	13	12	13	25	37	59	45	61	45	46	26	21	4		1
Ill-defined causes	309	207	20	2	1		1	3	2	5	16	13	21	13	5			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

BALTIMORE, MD. (WHITE).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	7,804	1,672	338	119	72	48	148	243	592	617	761	850	1,011	893	392	46	1	1
Typhoid fever	109	2	.....	.....	.....	2	11	17	41	21	11	1	3	.....	.....	.....	.....	.....
Malarial fever	9	.....	.....	.....	.....	.....	.....	.....	3	3	1	.....	1	1	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	46	14	13	11	2	.....	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	22	2	1	5	4	.....	7	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	59	36	14	7	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	71	3	17	10	11	8	16	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	60	2	.....	.....	.....	.....	.....	2	3	3	2	9	17	12	9	1	.....	.....
Cholera nostras	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Dysentery	29	1	1	1	.....	.....	.....	.....	1	4	4	3	9	3	1	1	.....	.....
Erysipelas	22	7	.....	1	.....	.....	.....	.....	.....	1	4	2	6	1	.....	.....	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	16	2	.....	.....	1	.....	2	1	3	1	1	3	2	.....	.....	.....	.....	.....
Tuberculosis—total	937	17	16	7	5	2	15	74	240	209	164	96	62	25	5	.....	.....	.....
Tuberculosis of lungs	808	7	3	2	2	.....	2	55	216	195	154	87	55	25	5	.....	.....	.....
Tuberculosis of larynx	18	.....	.....	.....	.....	.....	.....	1	5	6	3	2	1	.....	.....	.....	.....	.....
Tuberculous meningitis	49	10	12	4	1	2	10	6	3	.....	.....	1	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	26	.....	.....	1	.....	.....	.....	3	8	3	4	3	4	.....	.....	.....	.....	.....
Pott's disease	10	.....	.....	.....	1	.....	1	2	2	1	1	1	1	.....	.....	.....	.....	.....
Tuberculous abscess	2	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	3	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	5	.....	.....	.....	.....	.....	1	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....
General tuberculosis	16	.....	.....	.....	.....	.....	.....	5	3	4	2	1	1	.....	.....	.....	.....	.....
Scrofula	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	23	15	.....	.....	.....	.....	.....	.....	3	3	1	1	.....	.....	.....	.....	.....	.....
Cancer	399	.....	.....	.....	1	.....	1	5	9	23	72	108	110	55	14	1	.....	.....
Tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	.....	.....
Rheumatism	36	.....	.....	.....	.....	.....	4	5	4	2	7	1	8	1	4	.....	.....	.....
Diabetes	64	.....	.....	.....	1	.....	2	2	3	5	6	11	17	15	2	.....	.....	.....
Anemia, leukemia	27	2	.....	.....	.....	.....	1	2	3	2	1	6	8	2	.....	.....	.....	.....
Alcoholism	25	.....	.....	.....	.....	.....	.....	.....	5	12	3	4	.....	1	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	13	1	1	.....	.....	.....	.....	1	1	2	1	4	2	.....	.....	.....	.....	.....
Encephalitis	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Meningitis	103	40	24	9	6	4	6	6	3	2	2	1	.....	.....	.....	.....	.....	.....
Apoplexy	326	4	2	.....	.....	.....	1	2	6	12	37	58	83	86	28	7	.....	.....
Softening of brain	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	9	2	.....	.....	.....
Paralysis	110	1	.....	.....	.....	.....	1	.....	1	3	10	17	29	36	11	1	.....	.....
Epilepsy	10	.....	.....	1	.....	.....	.....	2	2	2	1	2	.....	.....	.....	.....	.....	.....
"Convulsions"	76	62	10	.....	1	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tetanus	11	5	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	1	.....	.....	.....	.....
Other diseases of nervous system	93	2	2	3	2	2	7	3	5	12	15	8	15	13	3	1	.....	.....
Pericarditis	3	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Endocarditis	51	.....	.....	.....	.....	1	1	4	3	2	7	8	10	9	6	.....	.....	.....
Heart disease	596	8	.....	1	1	3	8	17	32	36	59	105	143	125	54	4	.....	.....
Angina pectoris	37	.....	.....	.....	.....	.....	.....	.....	.....	1	4	6	17	7	1	1	.....	.....
Embolism and thrombosis	18	.....	.....	.....	.....	.....	.....	.....	2	3	3	2	3	5	.....	.....	.....	.....
Other diseases of circulatory system	93	2	.....	1	1	.....	.....	2	.....	.....	7	12	12	37	17	2	.....	.....
Laryngitis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	75	44	14	.....	.....	.....	.....	1	.....	.....	1	2	3	6	3	1	.....	.....
Chronic bronchitis	69	1	.....	1	.....	.....	.....	.....	3	1	3	8	17	25	7	3	.....	.....
Bronchopneumonia	187	75	48	8	4	4	4	3	1	7	2	6	7	10	8	.....	.....	.....
Pneumonia (lobar and unqualified)	518	70	50	20	9	6	11	8	22	43	52	68	80	55	21	3	.....	.....
Pleurisy	24	.....	1	.....	.....	.....	2	5	.....	4	2	3	3	3	1	.....	.....	.....
Congestion	36	4	.....	.....	.....	.....	.....	.....	1	1	1	5	6	7	10	1	.....	.....
Other diseases of respiratory system	40	3	1	.....	.....	.....	1	1	4	2	4	4	9	6	5	.....	.....	.....
Tonsillitis	6	.....	1	3	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	123	24	4	1	1	1	3	2	5	7	5	19	23	20	8	.....	.....	.....
Diarrhea and enteritis	539	377	81	13	3	2	2	2	4	2	8	5	13	17	9	1	.....	.....
Hernia and intestinal obstructions	82	11	1	1	.....	.....	1	2	9	10	9	5	13	17	3	.....	.....	.....
Cirrhosis of liver	85	.....	1	.....	.....	.....	.....	.....	1	11	23	23	17	8	1	.....	.....	.....
Other diseases of liver	27	.....	.....	.....	.....	1	.....	.....	2	3	4	6	6	5	.....	.....	.....	.....
Peritonitis	12	.....	.....	.....	.....	.....	.....	4	5	.....	2	.....	.....	1	.....	.....	.....	.....
Appendicitis	52	1	.....	.....	1	.....	4	14	11	8	7	4	1	1	.....	.....	.....	.....
Other diseases of digestive system	19	6	4	.....	.....	.....	.....	.....	2	2	2	1	1	1	.....	.....	.....	.....
Acute nephritis	59	1	.....	.....	1	2	1	1	7	8	13	10	7	8	.....	.....	.....	.....
Bright's disease	639	2	.....	.....	1	.....	4	8	28	50	102	126	142	136	38	2	.....	.....
Calculi of urinary tract	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....
Uterine tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	.....	.....	.....
Ovarian tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....
Other diseases of genito-urinary system	53	1	.....	.....	.....	.....	1	.....	8	6	6	6	7	11	7	.....	.....	.....
Puerperal septicemia	32	.....	.....	.....	.....	.....	.....	2	16	14	.....	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	41	.....	.....	.....	.....	.....	.....	2	19	14	6	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	30	6	1	2	2	.....	.....	.....	1	1	2	2	6	4	3	.....	.....	.....
Diseases of locomotor system	12	1	.....	.....	1	.....	2	3	1	.....	3	.....	.....	1	.....	.....	.....	.....
Malformations	62	54	4	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	197	197	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	376	376	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	175	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18	60	84	12	1	.....
Suicide	96	.....	.....	.....	.....	.....	.....	2	20	19	17	23	9	5	1	.....	.....	.....
Other violence	379	46	12	9	10	10	19	24	42	32	46	37	43	24	20	4	.....	1
Ill-defined causes	221	142	13	1	1	.....	.....	2	2	3	12	10	18	12	5	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

BALTIMORE, MD. (COLORED).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	2,583	562	134	80	37	17	70	144	329	312	300	264	184	93	45	7	5	
Typhoid fever	29						4	4	12	4	4		1					
Malarial fever	3									2		1						
Smallpox																		
Measles	15	4	5	2	3		1											
Scarlet fever																		
Whooping cough	63	31	16	9	2		5											
Diphtheria and croup	5		1	1	1		1	1										
Influenza	24		1		1			1	4	4	2	7	3	1				
Cholera nostras	2										1	1						
Dysentery	4			1						1			1	1				
Erysipelas	2						1			1								
Other epidemic diseases	1					1												
Septicemia	6						1				2	1	2					
Tuberculosis—total	510	8	7	7	7	2	19	70	160	116	63	31	16	3	1			
Tuberculosis of lungs	460	6	4	5	4		10	61	147	116	58	31	15	2	1			
Tuberculosis of larynx	3								1		2							
Tuberculous meningitis	13	1	2		1		2	3	4									
Abdominal tuberculosis	13	1	1		1	2	3	3			2							
Pott's disease	7						1	1	4				1					
Tuberculous abscess																		
White swelling	2				1									1				
Tuberculosis of other organs	1								1									
General tuberculosis	11			2			3	2	3		1							
Scrofula																		
Venereal diseases	28	13	1	2	1			1	3	2	5							
Cancer	59							1	3	13	12	16	12	2				
Tumor	1									1								
Rheumatism	7	1							1	1	1	2	1					
Diabetes	6										4	1	1					
Anemia, leukemia	5								2	1	1	1						
Alcoholism	2										2							
Chronic poisonings																		
Other general diseases	1										1							
Encephalitis																		
Meningitis	11	4	1		2		1	1	1	1								
Apoplexy	69	1					1	2	1	3	9	19	14	13	5		1	
Softening of brain																		
Paralysis	33				1				2	3	2	12	8	3		2		
Epilepsy	6								1	1	1	1	2					
"Convulsions"	26	21	4			1												
Tetanus	7	3						1	1		2							
Other diseases of nervous system	18	3						1	2	4	7	1						
Pericarditis																		
Endocarditis	15						1	1	2			10	1					
Heart disease	224	3					1	5	21	35	46	44	38	22	9			
Angina pectoris	2									1	1							
Embolism and thrombosis																		
Other diseases of circulatory system	25							1		2	8	3	6	2	2		1	
Laryngitis																		
Acute bronchitis	40	23	6	4	2			1		1	1			1	1			
Chronic bronchitis	18		2				1	1	1	3		4	4	2				
Bronchopneumonia	134	60	24	19	8	3	5	2	3		1	3	3	1	2			
Pneumonia (lobar and unqualified)	242	34	24	13	2	2	7	11	32	34	28	24	15	11	4		1	
Pleurisy	9					1		1	4		1	1		1				
Congestion of lungs	3	1									1					1		
Other diseases of respiratory system	20				1				1	3	4	7	2	1	1			
Tonsillitis	1						1											
Diseases of stomach	29	7	1					1	2	6	3	5	3	1				
Diarrhea and enteritis	169	101	31	11	2	4	4	2	4		3	5	2					
Hernia and intestinal obstructions	23	3		1	1		2	3	4	3	3		2	1				
Cirrhosis of liver	8									1	1	3	3					
Other diseases of liver	4							1		3								
Peritonitis	3									1	1		1					
Appendicitis	10						2		4	2	1	1						
Other diseases of digestive system	7		1	1			1		1	2	1							
Acute nephritis	26	1	1	1				1	2	4	6	5	2	3				
Bright's disease	168			1			2	5	12	20	43	31	31	11	11	1		
Calculi of urinary tract																		
Uterine tumor	5								1	1	2	1						
Ovarian tumor	1										1							
Other diseases of genito-urinary system	28		1					2	9	1	4	9		2				
Puerperal septicemia	11							3	4	4								
Other causes incident to childbirth	21							5	7	9								
Diseases of skin	9	1							1	2	2	2			1			
Diseases of locomotor system	8	1		2	1		2	1				1						
Malformations	8	8																
Premature birth	60	60																
Congenital debility	97	97																
Old age	23												3	8	7	3	2	
Suicide	6								4	1			1					
Other violence	95	8		4	2	3	6	13	17	13	15	8	3	2	1			
Ill-defined causes	88	65	7	1			1	1		2	4	3	3	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

BOSTON, MASS. (TOTAL).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	11,056	2,123	468	224	129	84	218	370	778	1,117	1,251	1,280	1,370	1,059	517	64	3	1
Typhoid fever	91	1	1	1	.....	1	3	7	26	25	21	3	2	.....	.....	.....	.....	.....
Malarial fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Measles	70	14	36	13	3	1	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Scarlet fever	95	3	14	21	18	7	18	10	3	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	73	33	19	9	4	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	194	25	43	24	25	15	39	10	5	4	1	3	.....	.....	.....	.....	.....	.....
Influenza	55	6	.....	3	.....	.....	1	2	3	1	2	3	14	10	8	2	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Dysentery	18	2	1	1	.....	1	.....	.....	.....	2	1	2	1	4	2	.....	1	.....
Erysipelas	47	16	.....	.....	.....	.....	.....	.....	3	2	4	9	2	8	2	.....	.....	1
Other epidemic diseases	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	32	7	1	1	.....	.....	.....	2	3	4	9	3	1	1	.....	.....	.....	.....
Tuberculosis—total	1,253	62	45	30	13	11	24	103	261	303	213	114	48	24	2	.....	.....	.....
Tuberculosis of lungs	1,044	21	6	6	1	3	8	89	246	290	200	109	44	20	1	.....	.....	.....
Tuberculosis of larynx	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	1	.....	.....	.....	.....
Tuberculous meningitis	110	25	29	22	9	5	8	4	5	1	2	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	36	8	6	2	1	1	2	4	5	.....	4	1	1	1	.....	.....	.....	.....
Pott's disease	11	.....	2	.....	1	1	2	1	.....	2	1	.....	.....	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	11	1	1	.....	.....	.....	4	1	1	.....	2	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	20	3	.....	.....	.....	.....	.....	3	2	5	1	3	2	1	.....	.....	.....	.....
General tuberculosis	16	4	1	.....	1	1	.....	1	1	4	2	.....	.....	.....	1	.....	.....	.....
Scrofula	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	64	45	.....	2	1	.....	.....	.....	4	1	7	2	1	.....	1	.....	.....	.....
Cancer	687	2	2	.....	.....	.....	1	3	11	56	106	174	198	100	33	1	.....	.....
Tumor	6	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	2	.....	.....	.....	.....
Rheumatism	37	.....	.....	1	.....	1	1	9	.....	2	3	5	6	6	3	.....	.....	.....
Diabetes	114	.....	.....	2	.....	.....	4	2	1	9	10	25	42	18	1	.....	.....	.....
Anemia, leukemia	50	4	4	.....	.....	1	5	3	3	5	7	11	4	3	.....	.....	.....	.....
Alcoholism	52	.....	.....	.....	.....	.....	.....	.....	1	18	17	9	5	2	.....	.....	.....	.....
Chronic poisonings	7	.....	.....	.....	.....	.....	.....	.....	1	3	1	1	.....	1	.....	.....	.....	.....
Other general diseases	19	1	.....	.....	.....	.....	.....	.....	2	6	7	2	1	.....	.....	.....	.....	.....
Encephalitis	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Meningitis	106	27	21	11	8	4	4	8	8	1	9	3	2	.....	.....	.....	.....	.....
Apoplexy	613	7	2	.....	.....	.....	.....	1	9	20	63	123	170	140	73	5	.....	.....
Softening of brain	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Paralysis	29	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	7	7	5	7	.....	.....	.....
Epilepsy	9	2	1	.....	1	.....	.....	1	2	.....	.....	.....	.....	1	1	.....	.....	.....
"Convulsions"	42	34	5	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	4	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	197	22	1	7	4	5	6	16	9	30	46	21	18	10	2	.....	.....	.....
Pericarditis	9	.....	.....	.....	.....	1	2	1	1	1	2	.....	.....	1	.....	.....	.....	.....
Endocarditis	144	2	.....	.....	2	.....	2	10	11	19	14	27	22	23	12	.....	.....	.....
Heart disease	1,152	6	1	1	1	2	13	44	59	94	136	199	261	230	93	12	.....	.....
Angina pectoris	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	4	13	14	1	.....	.....	.....
Embolism and thrombosis	24	2	.....	.....	.....	.....	.....	.....	.....	3	4	4	5	6	.....	.....	.....	.....
Other diseases of circulatory system	302	13	1	.....	.....	2	.....	1	.....	6	11	42	48	86	75	16	1	.....
Laryngitis	2	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	96	54	16	4	.....	1	1	1	.....	2	1	3	5	5	3	.....	.....	.....
Chronic bronchitis	75	.....	.....	.....	1	.....	1	1	1	.....	4	6	19	19	16	7	.....	.....
Bronchopneumonia	275	115	49	20	3	1	2	3	1	5	14	9	18	17	15	3	.....	.....
Pneumonia (lobar and unqualified)	923	88	69	22	20	10	16	22	63	112	127	123	121	95	34	1	.....	.....
Pleurisy	44	4	1	4	1	1	.....	2	6	4	9	5	3	2	2	.....	.....	.....
Congestion of lungs	26	8	.....	.....	.....	.....	.....	.....	1	3	2	.....	3	4	4	1	.....	.....
Other diseases of respiratory system	28	1	3	3	1	.....	2	.....	2	5	3	3	2	1	2	.....	.....	.....
Tonsillitis	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Diseases of stomach	111	36	7	2	2	.....	.....	2	5	11	7	11	10	12	6	.....	.....	.....
Diarrhea and enteritis	776	609	75	16	4	.....	5	2	8	8	8	12	12	10	7	.....	.....	.....
Hernia and intestinal obstructions	108	13	3	2	.....	.....	3	3	6	6	14	21	22	8	7	.....	.....	.....
Cirrhosis of liver	88	.....	1	.....	.....	1	.....	.....	4	24	23	16	14	3	2	.....	.....	.....
Other diseases of liver	62	1	.....	1	.....	.....	.....	.....	2	7	14	14	16	5	2	.....	.....	.....
Peritonitis	28	2	.....	.....	.....	.....	2	5	3	6	3	4	1	.....	1	1	.....	.....
Appendicitis	122	1	1	3	1	2	8	26	22	27	12	10	7	2	.....	.....	.....	.....
Other diseases of digestive system	39	5	5	1	1	2	1	.....	.....	4	10	6	2	1	.....	1	.....	.....
Acute nephritis	46	3	1	.....	.....	.....	.....	4	3	9	6	7	5	4	3	1	.....	.....
Bright's disease	522	1	3	.....	1	.....	2	8	19	44	96	97	126	87	38	.....	.....	.....
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
Uterine tumor	23	.....	.....	.....	.....	.....	.....	.....	1	6	12	3	.....	1	.....	.....	.....	.....
Ovarian tumor	5	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	151	2	1	.....	.....	.....	1	1	21	13	23	19	26	31	13	.....	.....	.....
Puerperal septicemia	49	.....	.....	.....	.....	.....	.....	2	25	21	1	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	88	.....	.....	.....	.....	.....	.....	6	36	39	7	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	39	10	1	.....	.....	.....	.....	1	2	5	5	4	3	3	3	1	1	.....
Diseases of locomotor system	49	9	4	1	.....	1	2	9	3	6	4	7	1	1	1	.....	.....	.....
Malformations	140	121	9	4	.....	.....	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	315	315	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	177	177	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	39	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	8	18	10	.....	.....
Suicide	123	.....	.....	.....	.....	.....	.....	4	24	17	27	28	16	6	1	.....	.....	.....
Other violence	718	127	17	11	12	9	37	28	88	107	106	65	53	34	22	2	.....	.....
Ill-defined causes	123	83	3	2	1	.....	1	.....	2	4	8	9	6	4	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

BOSTON, MASS. (WHITE).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	10,733	2,069	456	216	125	82	211	351	746	1,075	1,205	1,241	1,336	1,042	511	63	3	1
Typhoid fever	91	1	1	1	.....	1	3	7	26	25	21	3	2	.....	.....	.....	.....	.....
Malarial fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Measles	70	14	36	13	3	1	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Scarlet fever	95	3	14	21	18	7	18	10	3	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	69	32	19	9	3	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	190	24	42	23	25	14	39	10	5	4	1	3	.....	.....	.....	.....	.....	.....
Influenza	51	6	.....	2	.....	.....	1	1	3	.....	2	3	14	9	8	2	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Dysentery	18	2	1	1	.....	1	.....	.....	.....	2	1	2	1	4	2	.....	1	.....
Erysipelas	44	15	.....	.....	.....	.....	.....	.....	2	2	4	8	2	8	2	.....	.....	1
Other epidemic diseases	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	28	6	1	1	.....	.....	.....	2	2	4	8	2	1	1	.....	.....	.....	.....
Tuberculosis—total	1,194	61	44	30	12	11	22	92	246	292	204	109	45	24	2	.....	.....	.....
Tuberculosis of lungs	990	20	6	6	1	3	7	79	231	280	191	104	41	20	1	.....	.....	.....
Tuberculosis of larynx	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	1	.....	.....	.....	.....
Tuberculous meningitis	109	25	28	22	9	5	8	4	5	1	2	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	35	8	6	2	.....	1	2	4	5	.....	4	1	1	1	.....	.....	.....	.....
Pott's disease	9	.....	2	.....	1	1	1	1	.....	1	1	.....	.....	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	11	1	1	.....	.....	.....	4	1	1	.....	2	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	19	3	.....	.....	.....	.....	.....	2	2	5	1	3	2	1	.....	.....	.....	.....
General tuberculosis	16	4	1	.....	1	1	.....	1	1	4	2	.....	.....	.....	1	.....	.....	.....
Scrofula	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	61	44	.....	2	1	.....	.....	.....	3	1	6	2	1	.....	1	.....	.....	.....
Cancer	676	2	2	.....	.....	.....	1	3	11	54	104	171	194	100	33	1	.....	.....
Tumor	6	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	2	.....	.....	.....	.....
Rheumatism	37	.....	.....	1	.....	1	1	9	.....	2	3	5	6	6	3	.....	.....	.....
Diabetes	113	.....	.....	2	.....	.....	4	2	1	9	9	25	42	18	1	.....	.....	.....
Anemia, leukemia	49	4	4	.....	.....	1	5	3	3	4	7	11	4	3	.....	.....	.....	.....
Alcoholism	50	.....	.....	.....	.....	.....	.....	.....	1	18	16	8	5	2	.....	.....	.....	.....
Chronic poisonings	7	.....	.....	.....	.....	.....	.....	.....	1	3	1	1	.....	1	.....	.....	.....	.....
Other general diseases	19	1	.....	.....	.....	.....	.....	.....	2	6	7	2	1	.....	.....	.....	.....	.....
Encephalitis	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Meningitis	105	27	21	11	8	4	4	8	7	1	9	3	2	.....	.....	.....	.....	.....
Apoplexy	597	7	2	.....	.....	.....	.....	1	9	17	59	120	167	138	72	5	.....	.....
Softening of brain	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Paralysis	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	6	6	5	7	.....	.....	.....
Epilepsy	8	2	1	.....	.....	.....	.....	1	2	.....	.....	.....	.....	1	1	.....	.....	.....
"Convulsions"	39	32	5	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	4	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	194	22	1	7	4	5	6	16	9	28	45	21	18	10	2	.....	.....	.....
Pericarditis	8	.....	.....	.....	.....	1	1	1	1	1	2	.....	.....	1	.....	.....	.....	.....
Endocarditis	141	2	.....	.....	2	.....	2	9	11	17	14	27	22	23	12	.....	.....	.....
Heart disease	1,111	5	1	1	1	1	12	42	56	89	130	191	253	226	91	12	.....	.....
Angina pectoris	35	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	4	13	14	1	.....	.....	.....
Embolism and thrombosis	24	2	.....	.....	.....	.....	.....	.....	.....	3	4	4	5	6	.....	.....	.....	.....
Other diseases of circulatory system	292	13	1	.....	.....	2	.....	1	.....	6	9	41	47	83	73	15	1	.....
Laryngitis	2	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	90	52	14	3	.....	1	1	1	.....	2	.....	3	5	5	3	.....	.....	.....
Chronic bronchitis	74	.....	.....	1	.....	.....	1	1	.....	.....	4	6	19	19	16	7	.....	.....
Bronchopneumonia	263	110	48	18	2	1	2	3	1	5	13	9	16	17	15	3	.....	.....
Pneumonia (lobar and unqualified)	895	86	66	22	20	10	15	21	59	108	122	121	117	94	33	1	.....	.....
Pleurisy	43	4	1	3	1	1	.....	2	6	4	9	5	3	2	2	.....	.....	.....
Congestion of lungs	23	6	.....	.....	.....	.....	.....	.....	1	2	2	.....	3	4	4	1	.....	.....
Other diseases of respiratory system	28	1	3	3	1	.....	2	.....	2	5	3	3	2	1	2	.....	.....	.....
Tonsillitis	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Diseases of stomach	108	35	7	2	2	.....	.....	2	5	11	6	10	10	12	6	.....	.....	.....
Diarrhea and enteritis	758	596	73	14	4	.....	5	2	8	8	8	11	12	10	7	.....	.....	.....
Hernia and intestinal obstructions	104	13	3	2	.....	.....	3	3	6	4	14	19	22	8	7	.....	.....	.....
Cirrhosis of liver	86	.....	1	.....	.....	1	.....	.....	4	23	23	16	13	3	2	.....	.....	.....
Other diseases of liver	61	1	.....	1	.....	.....	.....	.....	2	7	13	14	16	5	2	.....	.....	.....
Peritonitis	28	2	.....	.....	.....	.....	2	5	3	6	3	4	1	.....	1	1	.....	.....
Appendicitis	120	1	1	3	1	2	8	26	21	26	12	10	7	2	.....	.....	.....	.....
Other diseases of digestive system	38	5	5	1	1	2	1	.....	.....	4	9	6	2	1	.....	1	.....	.....
Acute nephritis	46	3	1	.....	.....	.....	.....	4	3	9	6	7	5	4	3	1	.....	.....
Bright's disease	509	1	3	.....	1	.....	2	8	19	43	92	92	123	87	38	.....	.....	.....
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
Uterine tumor	20	.....	.....	.....	.....	.....	.....	.....	1	5	11	3	.....	.....	.....	.....	.....	.....
Ovarian tumor	5	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	148	2	1	.....	.....	.....	1	1	20	13	23	17	26	31	13	.....	.....	.....
Puerperal septicemia	47	.....	.....	.....	.....	.....	.....	2	23	21	1	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	86	.....	.....	.....	.....	.....	.....	5	36	38	7	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	38	9	1	.....	.....	.....	.....	1	2	5	5	4	3	3	3	1	1	.....
Diseases of locomotor system	47	9	3	1	.....	1	2	9	3	6	4	7	.....	1	1	.....	.....	.....
Malformations	138	120	8	4	.....	.....	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	303	303	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	174	174	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	38	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	7	18	10	.....	.....
Suicide	122	.....	.....	.....	.....	.....	.....	4	24	17	27	28	16	5	1	.....	.....	.....
Other violence	702	125	17	11	12	9	37	27	87	104	104	64	50	31	22	2	.....	.....
Ill-defined causes	121	82	3	2	1	.....	1	.....	2	4	8	8	6	4	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

BOSTON, MASS. (COLORED.)

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	323	54	12	8	4	2	7	19	32	42	46	39	34	17	6	1	.....	.....
Typhoid fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malarial fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	4	1	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	4	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	4	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Erysipelas	3	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	4	1	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
Tuberculosis—total	59	1	1	.....	1	.....	2	11	15	11	9	5	3	.....	.....	.....	.....	.....
Tuberculosis of lungs	54	1	.....	.....	.....	.....	1	10	15	10	9	5	3	.....	.....	.....	.....	.....
Tuberculosis of larynx	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Pott's disease	2	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	3	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Cancer	11	.....	.....	.....	.....	.....	.....	.....	.....	2	2	3	4	.....	.....	.....	.....	.....
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diabetes	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Anemia, leukemia	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Alcoholism	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Apoplexy	16	.....	.....	.....	.....	.....	.....	.....	.....	3	4	3	3	2	1	.....	.....	.....
Softening of brain	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Paralysis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Epilepsy	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
"Convulsions"	3	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
Pericarditis	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	3	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Heart disease	41	1	.....	.....	.....	1	1	2	3	5	6	8	8	4	2	.....	.....	.....
Angina pectoris	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Embolism and thrombosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	3	2	1	.....	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	6	2	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Bronchopneumonia	12	5	1	2	1	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....
Pneumonia (lobar and unqualified)	28	2	3	.....	.....	.....	1	1	4	4	5	2	4	1	1	.....	.....	.....
Pleurisy	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congestion of lungs	3	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of respiratory system	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tonsillitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	3	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	18	13	2	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Hernia and intestinal obstructions	4	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Peritonitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Appendicitis	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Acute nephritis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Bright's disease	13	.....	.....	.....	.....	.....	.....	.....	.....	1	4	5	3	.....	.....	.....	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....
Ovarian tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....
Puerperal septicemia	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of locomotor system	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Malformations	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	12	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Suicide	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Other violence	16	2	.....	.....	.....	.....	.....	1	1	3	2	1	3	3	.....	.....	.....	.....
Ill-defined causes	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

FALL RIVER, MASS.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	2,235	872	152	51	28	13	41	62	116	141	153	179	199	156	65	7		
Typhoid fever	25				1		2	6	4	6	4	2						
Malarial fever																		
Smallpox																		
Measles	1	1																
Scarlet fever	5		1		2	1	1											
Whooping cough	11	7	2	1		1												
Diphtheria and croup	20		2	4	6	2	5						1					
Influenza	8										2	1	1	4				
Cholera nostras	2	1			1													
Dysentery	3		1										1		1			
Erysipelas	6	1								1	1	1	2					
Other epidemic diseases	1						1											
Septicemia	7	4							1		1	1						
Tuberculosis—total	174	6	4		2		3	24	47	42	23	12	7	2	2			
Tuberculosis of lungs	152	1	2				1	20	45	39	22	11	7	2	2			
Tuberculosis of larynx	3								1	1	1							
Tuberculous meningitis	10	4	2		2		1			1								
Abdominal tuberculosis	3						1	1				1						
Pott's disease																		
Tuberculous abscess																		
White swelling	3	1						1		1								
Tuberculosis of other organs	2							2										
General tuberculosis	1								1									
Scrofula																		
Venereal diseases	5	2							1	2								
Cancer	87								1	9	20	21	21	11	4			
Tumor	3										1		1	1				
Rheumatism	4		1				1	1							1			
Diabetes	19			1						1	5	4	5	1	2			
Anemia, leukemia	15	1	1				1	1	1	1	6		2	1				
Alcoholism	4									2	1	1						
Chronic poisonings																		
Other general diseases	2								1				1					
Encephalitis	1													1				
Meningitis	25	10	5	4	2		2	1	1									
Apoplexy	97	2	1				1	1	1	3	9	21	29	20	8	1		
Softening of brain	5												1	2	2			
Paralysis	22								1	1	1	4	3	9	3			
Epilepsy	4	1						1						2				
"Convulsions"	38	31	5						2									
Tetanus	1	1																
Other diseases of nervous system	18	1			1		1			3	4	3	3	1	1			
Pericarditis	2											1	1					
Endocarditis	19								2	1	7	1	3	3	2			
Heart disease	114	3					3	2	9	9	13	20	34	15	5	1		
Angina pectoris	3										1	1		1				
Embolism and thrombosis	5	1								1	1	1		1				
Other diseases of circulatory system	15	2										2	4	4	3			
Laryngitis	3		2			1												
Acute bronchitis	48	37	7	1						1			1	1				
Chronic bronchitis	24							2	3	1	1	3	6	5	3			
Bronchopneumonia	50	27	12	5	2							1	2	1				
Pneumonia (lobar and unqualified)	197	57	28	16	5	2	6	4	9	14	11	17	16	10	2			
Pleurisy	6						1	1	1	3								
Congestion of lungs	10	2		1					1		1		3	2				
Other diseases of respiratory system	15	1		2			1		1			4	4	1	1			
Tonsillitis	3		1	1			1											
Diseases of stomach	42	21	2	1	1	2				2	3	4	4	2				
Diarrhea and enteritis	462	381	54	7	1	1	2		2		4	1	4	4	1			
Hernia and intestinal obstructions	12		1							2	1	4	2	1	1			
Cirrhosis of liver	13							1			3	7	2					
Other diseases of liver	11									1		3	3	4				
Peritonitis	10							1	1	3		3	1	1				
Appendicitis	11						2	4	2	2	1							
Other diseases of digestive system	3	1	1								1							
Acute nephritis	10							1	2	1	3	2	1					
Bright's disease	93	1		1				2	10	14	11	15	14	21	4			
Calculi of urinary tract	1									1								
Uterine tumor																		
Ovarian tumor	1												1					
Other diseases of genito-urinary system	14									4	3	1	3	1	2			
Puerperal septicemia	2								1	1								
Other causes incident to childbirth	7							1	1	4	1							
Diseases of skin	8	3										2	1	1	1			
Diseases of locomotor system	12	8	2								1	1						
Malformations	12	12																
Premature birth	79	79																
Congenital debility	96	96																
Old age	38												5	15	13	5		
Suicide	10								3		2	3	1	1				
Other violence	69	12	2	5	2	3	6	7	7	5	5	7	4	3	1			
Ill-defined causes	92	59	17	1	2		1	1			1	4	1	3	2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

WORCESTER, MASS.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	2,214	442	65	28	17	10	35	84	144	187	174	245	345	267	151	20		
Typhoid fever	12						1	2	5	2	1			1				
Malarial fever	2								2									
Smallpox																		
Measles	7	2	2	1		1	1											
Scarlet fever	9	1	1	1		1	1	1	3									
Whooping cough	24	14	4	2	2	2												
Diphtheria and croup	22	2	6	2	3		7	1		1								
Influenza	3									1	1			1				
Cholera nostras																		
Dysentery	7										1	1	4	1				
Erysipelas	10	4						1					3	1	1			
Other epidemic diseases	1	1																
Septicemia	7	1						1	1			2	1		1			
Tuberculosis—total	206	7	4	6	2	1	2	17	50	48	21	25	17	5	1			
Tuberculosis of lungs	169	2	2	1		1	1	15	43	40	19	22	17	5	1			
Tuberculosis of larynx	3								1	1		1						
Tuberculous meningitis	18	4		5	2		1			4	2							
Abdominal tuberculosis	3							1	2									
Pott's disease	3		1					1	1									
Tuberculous abscess																		
White swelling	1								1									
Tuberculosis of other organs	6		1						2	3								
General tuberculosis	3	1										2						
Scrofula																		
Venereal diseases	5	4								1								
Cancer	133			1					2	10	30	26	35	20	8	1		
Tumor	1									1								
Rheumatism	8		1				1	1					4	1				
Diabetes	28							2	1	1	1	8	8	6	1			
Anemia, leukemia	17							2	3	1	3	2	3	3				
Alcoholism	6									1	2	1	2					
Chronic poisonings																		
Other general diseases	4	2								1			1					
Encephalitis																		
Meningitis	29	11	6		2		2	1	2	1	1	3						
Apoplexy	147	2								5	6	27	55	36	14	2		
Softening of brain	2												1		1			
Paralysis	16								1				4	7	4			
Epilepsy	12						1	1	3	1	2	3			1			
"Convulsions"	6	4							1		1							
Tetanus	2									1	1							
Other diseases of nervous system	74		1	1				2	4	16	18	13	14	3	1	1		
Pericarditis	3						1			1				1				
Endocarditis	46	1					1	2	2	2	2	9	13	8	6			
Heart disease	234	1					4	6	13	18	18	38	50	51	35			
Angina pectoris	5											1	2	1	1			
Embolism and thrombosis	9	2							1	2	1	1	1	1				
Other diseases of circulatory system	81	3				1					1	6	19	26	22	3		
Laryngitis																		
Acute bronchitis	19	10	5	1									1		2			
Chronic bronchitis	23		1								1	4	5	9	3			
Bronchopneumonia	55	25	10	3	1				3		2	3	5	3				
Pneumonia (lobar and unqualified)	168	18	6	4			2	5	8	22	15	26	37	18	5	2		
Pleurisy																		
Congestion of lungs	15	1								1	1		1	6	4	1		
Other diseases of respiratory system	7				1					1	3	2						
Tonsillitis																		
Diseases of stomach	16	4							2	1	1	1	3	2	1	1		
Diarrhea and enteritis	160	122	12	3	1				1		3	3	3	6	5	1		
Hernia and intestinal obstructions	20	1					1	3	2	1	3	1	4	1	3			
Cirrhosis of liver	12									3	1	5	1	2				
Other diseases of liver	11					1			1	2	1		3	1	2			
Peritonitis	14					2		4	2	2	2	1	1					
Appendicitis	24						1	10	5	3	1	2	2					
Other diseases of digestive system	6				1			1		1	1		2					
Acute nephritis	2							1			1							
Bright's disease	90	1						4	3	9	12	17	21	19	4			
Calculi of urinary tract	1													1				
Uterine tumor	2										1	1						
Ovarian tumor	1												1					
Other diseases of genito-urinary system	23								1	4	3	1	5	6	3			
Puerperal septicemia	2							1	1									
Other causes incident to childbirth	12								7	4	1							
Diseases of skin	13	5						1		1		1	3		2			
Diseases of locomotor system	5	1	1				1	1		1								
Malformations	18	18																
Premature birth	70	70																
Congenital debility	63	63																
Old age	33												4	11	13	5		
Suicide	10							1	3	3	1	1	1					
Other violence	104	13	2	3	4	1	8	12	11	12	8	10	5	7	6	2		
Ill-defined causes	37	28	3							1	1			2	1	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, AGE: 1909—Continued.

DETROIT, MICH.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	6,309	1,800	295	113	83	63	188	225	485	488	512	601	614	538	259	36	2	7
Typhoid fever	92						3	17	28	18	14	4	6	2				
Malarial fever	2											1		1				
Smallpox																		
Measles	85	17	36	10	8	6	5	1	2									
Scarlet fever	100	4	14	10	16	11	31	9	5									
Whooping cough	46	28	14	3	1													
Diphtheria and croup	109	9	10	10	12	15	42	6	3	1	1							
Influenza	19		1				1	2	2	2	3	2	3	2	1			
Cholera nostras	2														2			
Dysentery	6	1	1											3	1			
Erysipelas	21	11			1			1	3	2	1	1		1				
Other epidemic diseases	1	1																
Septicemia	22	2	1		1			1	3		3	4	5	2				
Tuberculosis—total	454	11	12	6	4	1	11	55	129	102	67	35	16	5				
Tuberculosis of lungs	387	3	4	1	1		1	51	122	93	64	32	10	5				
Tuberculosis of larynx	8							2	2	2	1		1					
Tuberculous meningitis	28	3	7	4	3	1	8					1	1					
Abdominal tuberculosis	18	2		1			1	1	2	3	2	2	4					
Pott's disease	4	1					1			2								
Tuberculous abscess																		
White swelling	1							1										
Tuberculosis of other organs	5	1							2	2								
General tuberculosis	3	1	1						1									
Scrofula	1				1													
Venereal diseases	97	87	3	1					2	2		2						
Cancer	300			1			3	2	8	30	59	76	76	34	11			
Tumor	4									1		1		2				
Rheumatism	44	1			1		3	5	5	5	5	3	10	4	2			
Diabetes	63			1			2	6	2	6	3	19	16	7	1			
Anemia, leukemia	39	1				1	2	1	2	6	5	8	8	5				
Alcoholism	31								4	10	8	7	2					
Chronic poisonings	1											1						
Other general diseases	32	9	4				1		5	2	3	5	3					
Encephalitis	4		2				1		1									
Meningitis	107	34	25	8	4	3	16	5	5	3	1	1	1	1				
Apoplexy	155	11			2	1	1	1	4	9	7	19	43	40	14	3		
Softening of brain	1													1				
Paralysis	75								1	3	4	13	22	23	9			
Epilepsy	5							2		3								
"Convulsions"	173	154	16	1	1	1												
Tetanus	4			1				2				1						
Other diseases of nervous system	64	3	3	2			3	4	4	10	10	12	8	5				
Pericarditis	10			1				1	2		1	2	3					
Endocarditis	52		1		1	1	1	1	6	5	6	9	11	8	2			
Heart disease	425	12					8	13	25	27	57	81	93	92	14	2		1
Angina pectoris	25					1			1	2	3	8	5	3	2			
Embolism and thrombosis	20	1							2	3	3	3	5	1	2			
Other diseases of circulatory system	70	11	2				1		1	5	3	7	11	21	8			
Laryngitis	2	2																
Acute bronchitis	51	37	4	4									1	3	1	1		
Chronic bronchitis	64		1				3		1		8	4	13	18	13	3		
Bronchopneumonia	170	72	25	8	8	4	8	2	3	4	4	4	6	15	6	1		
Pneumonia (lobar and unqualified)	445	94	29	18	10	6	8	15	45	36	51	38	44	40	10	1		
Pleurisy	17	1	2				1	1	1	3	1	1	5		1			
Congestion of lungs	26	5				1			2	2	4	3	6	2	1			
Other diseases of respiratory system	48	3		1		1	3	4	4	3	6	8	8	4	2	1		
Tonsillitis	3		1			1			1									
Diseases of stomach	83	22	2				1	1	3	9	7	15	9	9	5			
Diarrhea and enteritis	421	315	54	11	3	3	2		2	2	4	6	6	4	9			
Hernia and intestinal obstructions	83	20	2			1	3	1	11	5	8	17	6	5	2	1		1
Cirrhosis of liver	79								2	8	20	19	20	9	1			
Other diseases of liver	38									6	5	13	8	3	2	1		
Peritonitis	34	3			2		2	5	4	6	2	5	2	3				
Appendicitis	58				1		2	18	15	11	10	1						
Other diseases of digestive system	39	14	2	3				2	1	2	9	3	2	1				
Acute nephritis	35	4	1	1	1		2	2	4	4	5	5	4	2				
Bright's disease	249	4		1	1	2	2	9	17	21	34	55	60	33	8	1		1
Calculi of urinary tract	1							1										
Uterine tumor	12								2	4		4	1	1				
Ovarian tumor	6								4	2								
Other diseases of genito-urinary system	60	2		1				2	12	12	6	6	7	4	7	1		
Puerperal septicemia	37							4	21	11	1							
Other causes incident to childbirth	29							1	9	15	4							
Diseases of skin	13	3			1					1	1	2	3	2	4	1		
Diseases of locomotor system	12	5	1	1			1	1				2		1				
Malformations	69	66	2						1									
Premature birth	222	222																
Congenital debility	322	322																
Old age	233												18	89	105	19	2	
Suicide	69							1	14	17	12	15	6	3	1			
Other violence	310	40	9	6	2	2	14	18	47	44	36	43	23	14	9			3
Ill-defined causes	203	136	16	2	1	1	1	2	4	3	7	7	9	10	3			1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

MINNEAPOLIS, MINN.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	3,147	487	80	48	37	32	90	164	372	303	319	364	323	308	182	32	2	4
Typhoid fever	62		2		2		2	9	30	11	1	4	1					
Malarial fever	1								1									
Smallpox																		
Measles																		
Scarlet fever	31	1	5	5	2	3	9	4	1	1								
Whooping cough	20	15	5															
Diphtheria and croup	105	3	9	14	11	11	32	17	4			3	1					
Influenza	12	1		1				1				1	4	2	2			
Cholera nostras	6	1	3				1							1				
Dysentery	7	2	1										1	2	1			
Erysipelas	16	3		1						2	1	2	4	1		2		
Other epidemic diseases																		
Septicemia	6	1							2	1		1		1				
Tuberculosis—total	423	7	6	1		3	6	46	135	95	62	44	15	2	1			
Tuberculosis of lungs	363	2	3	1		2	1	39	122	82	57	38	13	2	1			
Tuberculosis of larynx	3									1	1	1						
Tuberculous meningitis	29	5	3			1	5	3	2	6	1	3						
Abdominal tuberculosis	14							1	6	4	1		2					
Pott's disease	2							1		1								
Tuberculous abscess	1							1										
White swelling	1								1									
Tuberculosis of other organs	3							1			2							
General tuberculosis	7								4	1		2						
Scrofula																		
Venereal diseases	20	11	1						2	1	4			1				
Cancer	193					1	3	1	5	19	34	50	37	31	9	2		1
Tumor																		
Rheumatism	6			1				2	1			1		1				
Diabetes	38		1		1		1	4	10	4	4	3	6	4				
Anemia, leukemia	24	1		1		1		1	2	2	6	4	2	3	1			
Alcoholism	10									4	4	2						
Chronic poisonings	1												1					
Other general diseases	15							2	5	3	2	2		1				
Encephalitis																		
Meningitis	47	12	2	3		2	4	5	4	3	2	5	2	3				
Apoplexy	130	6					1		2	5	12	20	36	30	17	1		
Softening of brain	1												1					
Paralysis	16										1		4	7	3	1		
Epilepsy	6	1							2		1		1	1				
"Convulsions"	21	20							1									
Tetanus	2							2										
Other diseases of nervous system	56	1	2	3	3	4	3	4	3	5	8	9	6	4	1			
Pericarditis																		
Endocarditis	81	3					1	5	3	5	11	17	16	9	11			
Heart disease	182	6	1		1		2	4	13	16	18	27	42	35	17			
Angina pectoris	10										2	2	2	3	1			
Embolism and thrombosis	9								2	3	1	2	1					
Other diseases of circulatory system	39	1					1			2	3	4	6	9	11	2		
Laryngitis	1							1										
Acute bronchitis	18	8	1				1						1	1	4	1	1	
Chronic bronchitis	19	1										1	2	9	6			
Bronchopneumonia	88	38	8	8	6	1				2	1	4	6	8	5	1		
Pneumonia (lobar and unqualified)	212	43	9	5	2	2	4	10	19	15	29	18	18	27	11			
Pleurisy	10	1					1			2	2	2	1	1				
Congestion of lungs	13	5	1							1	1	2		3				
Other diseases of respiratory system	18	1	1					2		1	1	5	2	4	1			
Tonsillitis																		
Diseases of stomach	29	4			1			1	2	5	2	4	5	2	2	1		
Diarrhea and enteritis	153	112	16	1	3	3	1		2	1	2	3	3	5	1			
Hernia and intestinal obstructions	41	1				1			3	6	6	7	10	5	2			
Cirhosis of liver	17									1	5	6	2	3				
Other diseases of liver	24	1							1	3	7	3	3	6				
Peritonitis	10				1			1	1	3	1	1	1		1			
Appendicitis	79				1		6	25	23	6	8	8	1	1				
Other diseases of digestive system	15	4	2				2		2		1	1	2		1			
Acute nephritis	16	3						1	3	6	1			2				
Bright's disease	214	1	1				2	5	15	13	25	45	45	38	22	1		1
Calculi of urinary tract	3											3						
Uterine tumor	6									1	2	2		1				
Ovarian tumor	2											1		1				
Other diseases of genito-urinary system	41	2							5	8	5	3	8	6	4			
Puerperal septicemia	16								7	7	2							
Other causes incident to childbirth	18								7	10	1							
Diseases of skin	6	1					1		1					1	1	1		
Diseases of locomotor system	4							2	1			1						
Malformations	22	20		1	1													
Premature birth	67	67																
Congenital debility	48	48																
Old age	82												3	23	37	18	1	
Suicide	64								15	15	6	16	11	1				
Other violence	177	15	3	3	2		6	9	37	15	34	25	9	9	7	1		2
Ill-defined causes	18	15											1		2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

ST. PAUL, MINN.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	2,413	455	81	40	43	34	118	142	260	222	215	250	224	211	94	20	2	2
Typhoid fever	40						4	11	13	9	1	2						
Malarial fever																		
Smallpox																		
Measles	1						1											
Scarlet fever	81	2	8	6	8	7	35	6	7	2								
Whooping cough	11	7	3				1											
Diphtheria and croup	93	4	7	13	5	12	24	20	4	2	2							
Influenza	13	2	1						2	1	1	1	2	1	2			
Cholera nostras	3									1		1		1				
Dysentery	4		1	1				1			1							
Erysipelas	9	1	1							3		1		3				
Other epidemic diseases																		
Septicemia	15			1			1	1	4	1	3	2		1	1			
Tuberculosis—total	267	5	2	3	2	1	5	27	89	60	37	19	13	3	1			
Tuberculosis of lungs	225	1					1	19	83	56	31	18	12	3	1			
Tuberculosis of larynx																		
Tuberculous meningitis	21	1	2	1	1	1	4	4	3		3		1					
Abdominal tuberculosis	4			1					1	1	1							
Pott's disease	3				1			1		1								
Tuberculous abscess																		
White swelling	2	1						1										
Tuberculosis of other organs	4	2		1					1									
General tuberculosis	8							2	1	2	2	1						
Scrofula	1		1															
Venereal diseases	22	17							2	1	2							
Cancer	146							2	3	10	22	48	34	21	6			
Tumor	2							1						1				
Rheumatism	6						1		1	1			3					
Diabetes	25					1	2	1	3	5	2	5	6					
Anemia, leukemia	10								1	2	2	3	2					
Alcoholism	12								1	3	5	2	1					
Chronic poisonings	1											1						
Other general diseases	3								1			1	1					
Encephalitis	1								1									
Meningitis	44	11	6		5	4	5	5	2	1	3	1		1				
Apoplexy	82	2							1	3	8	21	16	25	6			
Softening of brain	4									1				2	1			
Paralysis	12										1	3		7	1			
Epilepsy	2									1				1				
"Convulsions"	27	25	1		1													
Tetanus	3							1			1		1					
Other diseases of nervous system	87	11	10	7	3	6	11	7	5	7	7	6	3	2	2			
Pericarditis																		
Endocarditis	30	1					2	4	4	4	6	1	4	3	1			
Heart disease	163	3					3	14	13	16	24	33	30	17	8	2		
Angina pectoris	2												2					
Embolism and thrombosis	11								2	2	1	3	2	1				
Other diseases of circulatory system	40	2			1			1	1	2	4	2	12	11	4			
Laryngitis	1			1														
Acute bronchitis	6	5												1				
Chronic bronchitis	18	1								1	1	1	3	6	5			
Bronchopneumonia	51	26	9			1	2	1		1	1	3	3	2	2			
Pneumonia (lobar and unqualified)	128	27	5	2	7			4	10	10	12	12	10	20	8	1		
Pleurisy	6	1						1				3	1					
Congestion of lungs	8	1			1			1				2	2		1			
Other diseases of respiratory system	8	1					2						2	3				
Tonsilitis	2	1							1									
Diseases of stomach	31	7	1				1	3	3	2	3	5	3	3				
Diarrhea and enteritis	151	112	20	4	3		1		1		1		3	4	2			
Hernia and intestinal obstructions	27	3	1						4	2	5	4	4	3		1		
Cirrhosis of liver	16								1		6	2	7					
Other diseases of liver	10	1									2	5	1		1			
Peritonitis	6						1	2			2		1					
Appendicitis	43				1	1	6	9	8	11	3	3		1				
Other diseases of digestive system	11	5							1	1		1	1	1	1			
Acute nephritis	13							1	2	2	4	3		1				
Bright's disease	111	2		1			1	3	7	14	13	17	27	22	4			
Calculi of urinary tract	1														1			
Uterine tumor																		
Ovarian tumor	2									1		1						
Other diseases of genito-urinary system	33	2						2	7	2	1	6	5	5	2	1		
Puerperal septicemia	8								8									
Other causes incident to childbirth	12								4	6	2							
Diseases of skin	7	1									1	1	1	1	2			
Diseases of locomotor system	11	4			1		1	1	2			1		1				
Malformations	19	17	1			1												
Premature birth	61	61																
Congenital debility	60	60																
Old age	70												5	27	25	11	2	
Suicide	26							1	9	6	4	2	2	2				
Other violence	152	9	3	1	4		7	11	32	25	20	19	6	5	6	4		
Ill-defined causes	31	15			1		1				1	3	5	2	1			2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

KANSAS CITY, MO. (TOTAL).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	3,489	589	96	39	39	21	88	157	375	398	436	406	396	296	125	22	5	1
Typhoid fever	71	1		1			3	13	20	15	10	4	1	3				
Malarial fever	5				1				2	1	1							
Smallpox																		
Measles	2	1						1										
Scarlet fever	35	1	6	4	4	1	13	6										
Whooping cough	5	3	2															
Diphtheria and croup	61	3	7	7	9	6	23	6										
Influenza	14	2			1					1	1	4	2	1	2			
Cholera nostras	1													1				
Dysentery	11	4	1						2				1	1	2			
Erysipelas	8	1					1		1	1	1		2	1				
Other epidemic diseases	1		1															
Septicemia	19			1				2	6	3	3	1	2		1			
Tuberculosis—total	375	6	8	4	3	1	5	23	103	96	51	44	21	6	2	1		1
Tuberculosis of lungs	331	1	2	3	3	1	3	19	96	88	46	41	20	4	2	1		1
Tuberculosis of larynx	3							1		1	1							
Tuberculous meningitis	16	3	4	1			1	3	1	2	1							
Abdominal tuberculosis	12	1	1						3	2	2		1	2				
Pott's disease	1						1											
Tuberculous abscess																		
White swelling	2									1		1						
Tuberculosis of other organs	3	1							1			1						
General tuberculosis	7		1						2	2	1	1						
Scrofula	1	1																
Venereal diseases	22	10							5	3	3		1					
Cancer	179							2	10	19	39	47	44	17	1			
Tumor	4	1								1		1	1					
Rheumatism	9						2				4	2		1				
Diabetes	20							1	2	3	5	4	4	1				
Anemia, leukemia	18	1					2	1		2	3	4	3	1	1			
Alcoholism	12									5	4	2	1					
Chronic poisonings	1												1					
Other general diseases	4			1					1			1	1					
Encephalitis	2					1						1						
Meningitis	61	21	3	3	1	1	6	8	6	3	4		1	4				
Apoplexy	132	5	2				1	1	2	9	14	31	24	32	10	1		
Softening of brain	8										1	2	1	3	1			
Paralysis	46		1	1					1	4	6	4	11	9	5	3	1	
Epilepsy	14							1	3	3	2		4	1				
"Convulsions"	17	12	2	1	1							1						
Tetanus	8							3	2	1	2							
Other diseases of nervous system	36	1	1			1	2	2	2	6	6	4	6	3	2			
Pericarditis	5	1					1		1			1	1					
Endocarditis	81	4			3	1		4	5	10	16	13	12	9	4			
Heart disease	219	4	1	1	1		4	8	13	22	35	38	49	34	9			
Angina pectoris	13										1	3	6	1	2			
Embolism and thrombosis	23			1					2	3	3	5	4	4	1			
Other diseases of circulatory system	44	1					1		2	1	8	9	10	8	3	1		
Laryngitis																		
Acute bronchitis	15	12										1	2					
Chronic bronchitis	23		1					1		2	1	1	8	3	4	2		
Bronchopneumonia	28	10	3	1				2	1		1	2	4	3	1			
Pneumonia (lobar and unqualified)	298	62	15	4	4	3	5	12	27	25	43	34	30	29	5			
Pleurisy	11					1			5	1	2	1		1				
Congestion of lungs	13	3							2	3	2	2	1					
Other diseases of respiratory system	29	2	1				2		3	3	7	3	5	2	1			
Tonsillitis	3			1		1				1								
Diseases of stomach	39	6	2	1					2	4	4	5	7	4	4			
Diarrhea and enteritis	150	97	22	2	2	3		1	1	1	2	4	7	6	2			
Hernia and intestinal obstructions	20	5						2	1	5	2	1		3	1			
Cirrhosis of liver	14								2	1	6	2	3					
Other diseases of liver	29								2	1	5	9	6	5	1			
Peritonitis	50		1				2	5	13	15	7	4	2	1				
Appendicitis	42				1		2	8	12	10	3	5	1					
Other diseases of digestive system	4								1	2	1							
Acute nephritis	12		1				1	2	2	1	2	2		1				
Bright's disease	226	6		1			1	7	14	27	38	42	45	33	9	1	2	
Calculi of urinary tract	2									1		1						
Uterine tumor	8								1		3	4						
Ovarian tumor	7								2	1		3	1					
Other diseases of genito-urinary system	38	1		1				1	7	7	6	2	4	5	3	1		
Puerperal septicemia	19							4	6	9								
Other causes incident to childbirth	16							1	5	10								
Diseases of skin	10	2									3	2	2	1				
Diseases of locomotor system	5	1	1						1		1	1						
Malformations	21	21																
Premature birth	64	64																
Congenital debility	137	137																
Old age	84												9	30	33	10	2	
Suicide	59							4	14	10	15	5	8	2	1			
Other violence	266	12	10	3	7	1	11	23	48	39	38	31	21	11	9	2		
Ill-defined causes	160	64	4		1			2	12	7	19	15	16	15	5			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900 FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

KANSAS CITY, MO. (WHITE).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	2,899	507	77	33	32	17	79	126	283	284	343	340	352	287	119	18	1	1
Typhoid fever	67	1		1			3	11	20	13	10	4	1	3				
Malarial fever	3				1				2									
Smallpox																		
Measles	2	1						1										
Scarlet fever	35	1	6	4	4	1	13	6										
Whooping cough	5	3	2															
Diphtheria and croup	57	3	7	5	9	5	23	5										
Influenza	13	2			1					1		4	2	1	2			
Cholera nostras	1													1				
Dysentery	8	4	1						1					1	1			
Erysipelas	7	1					1		1	1	1		1	1				
Other epidemic diseases	1		1															
Septicemia	17			1				2	4	3	3	1	2		1			
Tuberculosis—total	246	5	7	1			2	11	66	56	36	36	19	5	1			1
Tuberculosis of lungs	210	1	1				1	8	61	50	31	34	18	3	1			1
Tuberculosis of larynx	3							1		1	1							
Tuberculous meningitis	14	3	4	1				2	1	2	1							
Abdominal tuberculosis	10	1	1						2	1	2		1	2				
Pott's disease	1						1											
Tuberculous abscess																		
White swelling	2									1		1						
Tuberculosis of other organs	1											1						
General tuberculosis	5		1						2	1	1							
Scrofula	1	1																
Venereal diseases	16	8							4	2	1		1					
Cancer	164							1	8	16	34	45	42	17	1			
Tumor	4	1								1		1	1					
Rheumatism	6						2				3			1				
Diabetes	18							1	2	3	5	3	3	1				
Anemia, leukemia	17	1					2	1		2	3	4	3	1				
Alcoholism	11									4	4	2	1					
Chronic poisonings	1												1					
Other general diseases	4			1					1		1		1					
Encephalitis	2					1					1							
Meningitis	55	18	3	3	1		6	8	5	3	3		1	4				
Apoplexy	120	4	2				1	1	1	7	13	29	21	30	10	1		
Softening of brain	8										1	2	1	3	1			
Paralysis	33			1						3	4	1	9	8	5	2		
Epilepsy	11								3	2	1		4	1				
"Convulsions"	11	8	1	1								1						
Tetanus	5							2	1	1	1							
Other diseases of nervous system	34		1			1	2	1	2	6	6	4	6	3	2			
Pericarditis	3	1							1				1					
Endocarditis	69	4			3	1		4	2	8	11	11	12	9	4			
Heart disease	178	4	1	1			4	6	11	10	27	29	43	33	9			
Angina pectoris	13										1	3	6	1	2			
Embolism and thrombosis	21			1						2	3	3	4	3	4	1		
Other diseases of circulatory system	35	1					1		1	1	6	6	7	8	3	1		
Laryngitis																		
Acute bronchitis	12	10										1	1					
Chronic bronchitis	21		1					1		2	1	1	8	3	2	2		
Bronchopneumonia	23	7	1	1				2	1		1	2	4	3	1			
Pneumonia (lobar and unqualified)	225	48	9	4	4	2	3	10	18	17	27	24	25	29	5			
Pleurisy	10					1			4	1	2	1		1				
Congestion of lungs	12	3							2	2	2	2	1					
Other diseases of respiratory system	24	2	1				2		2	1	6	2	5	2	1			
Tonsillitis	3			1		1				1								
Diseases of stomach	31	6	2	1					2		2	3	7	4	4			
Diarrhea and enteritis	131	83	19	2	1	3		1	1		2	4	7	6	2			
Hernia and intestinal obstructions	17	3						2	1	4	2	1		3	1			
Cirrhosis of liver	13								2	1	5	2	3					
Other diseases of liver	27								1	1	5	9	5	5	1			
Peritonitis	46		1				2	5	12	12	7	4	2	1				
Appendicitis	39				1		2	7	12	10	3	3	1					
Other diseases of digestive system	3								1	1	1							
Acute nephritis	10						1	2	2	1	1	2		1				
Bright's disease	188	6		1			1	5	12	20	28	34	40	31	9	1		
Calculi of urinary tract	1									1								
Uterine tumor	2										1	1						
Ovarian tumor	6								2	1		2	1					
Other diseases of genito-urinary system	31	1		1				1	6	3	5	2	3	5	3	1		
Puerperal septicemia	16							3	5	8								
Other causes incident to childbirth	13							1	4	8								
Diseases of skin	10	2									3	2	2	1				
Diseases of locomotor system	3	1							1			1						
Malformations	18	18																
Premature birth	58	58																
Congenital debility	121	121																
Old age	79												8	29	33	8	1	
Suicide	56							3	13	9	15	5	8	2	1			
Other violence	213	9	8	2	6	1	8	20	31	29	32	29	18	10	8	2		
Ill-defined causes	135	57	3		1			2	10	5	13	13	11	15	5			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES BY AGE: 1909—Continued.

KANSAS CITY, MO. (COLORED).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	590	82	19	6	7	4	9	31	92	114	93	66	44	9	6	4	4	
Typhoid fever	4							2		2								
Malarial fever	2									1	1							
Smallpox																		
Measles																		
Scarlet fever																		
Whooping cough																		
Diphtheria and croup	4			2		1		1										
Influenza	1										1							
Cholera nostras																		
Dysentery	3								1				1		1			
Erysipelas	1												1					
Other epidemic diseases																		
Septicemia	2								2									
Tuberculosis—total	129	1	1	3	3	1	3	12	37	40	15	8	2	1	1	1		
Tuberculosis of lungs	121		1	3	3	1	2	11	35	38	15	7	2	1	1	1		
Tuberculosis of larynx																		
Tuberculous meningitis	2						1	1										
Abdominal tuberculosis	2								1	1								
Pott's disease																		
Tuberculous abscess																		
White swelling																		
Tuberculosis of other organs	2	1							1									
General tuberculosis	2									1		1						
Scrofula																		
Venereal diseases	6	2							1	1	2							
Cancer	15							1	2	3	5	2	2					
Tumor																		
Rheumatism	3										1	2						
Diabetes	2											1	1					
Anemia, leukemia	1														1			
Alcoholism	1									1								
Chronic poisonings																		
Other general diseases																		
Encephalitis																		
Meningitis	6	3				1			1		1							
Apoplexy	12	1							1	2	1	2	3	2				
Softening of brain																		
Paralysis	13		1						1	1	2	3	2	1		1	1	
Epilepsy	3							1		1	1							
"Convulsions"	6	4	1		1													
Tetanus	3							1	1		1							
Other diseases of nervous system	2	1						1										
Pericarditis	2						1					1						
Endocarditis	12								3	2	5	2						
Heart disease	41				1			2	2	12	8	9	6	1				
Angina pectoris																		
Embolism and thrombosis	2											1	1					
Other diseases of circulatory system	9								1		2	3	3					
Laryngitis																		
Acute bronchitis	3	2											1					
Chronic bronchitis	2														2			
Bronchopneumonia	5	3	2															
Pneumonia (lobar and unqualified)	73	14	6			1	2	2	9	8	16	10	5					
Pleurisy	1								1									
Congestion of lungs	1									1								
Other diseases of respiratory system	5								1	2	1	1						
Tonsillitis																		
Diseases of stomach	8									4	2	2						
Diarrhea and enteritis	19	14	3		1					1								
Hernia and intestinal obstructions	3	2								1								
Cirrhosis of liver	1										1							
Other diseases of liver	2								1				1					
Peritonitis	4								1	3								
Appendicitis	3							1				2						
Other diseases of digestive system	1									1								
Acute nephritis	2		1								1							
Bright's disease	38							2	2	7	10	8	5	2			2	
Calculi of urinary tract	1											1						
Uterine tumor	6								1		2	3						
Ovarian tumor	1											1						
Other diseases of genito-urinary system	7								1	4	1		1					
Puerperal septicemia	3							1	1	1								
Other causes incident to childbirth	3								1	2								
Diseases of skin																		
Diseases of locomotor system	2		1								1							
Malformations	3	3																
Premature birth	6	6																
Congenital debility	16	16																
Old age	5												1	1		2	1	
Suicide	3							1	1	1								
Other violence	53	3	2	1	1		3	3	17	10	6	2	3	1	1			
Ill-defined causes	25	7	1						2	2	6	2	5					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

ST. JOSEPH, MO.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	1,062	147	26	13	6	6	20	32	104	119	136	122	132	121	65	9	2	2
Typhoid fever	17							2	6	6		1		2				
Malarial fever	3										1			1	1			
Smallpox																		
Measles																		
Scarlet fever	1			1														
Whooping cough	2	2																
Diphtheria and croup	13		2		1	1	6	2	1									
Influenza	13									1	1		2	5	4			
Cholera nostras	1													1				
Dysentery	1													1				
Erysipelas	2												1	1				
Other epidemic diseases																		
Septicemia	6			1						3		1		1				
Tuberculosis—total	118	1	1		1	1	1	8	36	28	21	7	10	2				1
Tuberculosis of lungs	99				1			6	33	23	18	5	10	2				1
Tuberculosis of larynx	2								1		1							
Tuberculous meningitis	3		1				1			1								
Abdominal tuberculosis	10					1		2	1	2	2	2						
Pott's disease	1	1																
Tuberculous abscess																		
White swelling																		
Tuberculosis of other organs	2								1	1								
General tuberculosis	1									1								
Scrofula																		
Venereal diseases	10	1	1						2	1	1	4						
Cancer	54									7	9	12	17	7	2			
Tumor	1												1					
Rheumatism	11				1			1	2	2	3	2						
Diabetes	12								1		3	3	5					
Anemia, leukemia	3											1		1	1			
Alcoholism	5									2	1	1	1					
Chronic poisonings	1								1									
Other general diseases																		
Encephalitis																		
Meningitis	9	2	1	2			1	1	2									
Apoplexy	58							1	2	2	13	11	12	11	6			
Softening of brain	3											1			2			
Paralysis	11	1							1		1		1	5	1		1	
Epilepsy	14								2	4	7	1						
"Convulsions"	3	2	1															
Tetanus	5	1				1	1		1		1							
Other diseases of nervous system	62								3	10	15	9	10	8	6	1		
Pericarditis																		
Endocarditis	10						1				3		3	1	2			
Heart disease	72	2							2	7	7	10	22	18	4			
Angina pectoris	3											1	2					
Embolism and thrombosis	5		1						1			1	2					
Other diseases of circulatory system	13	2								1	1		3	2	4			
Laryngitis																		
Acute bronchitis	5	1	2	1	1													
Chronic bronchitis	11							1	2	1		2	1	2	2			
Bronchopneumonia	5	2	1							1					1			
Pneumonia (lobar and unqualified)	72	17	3	2		1	1	4	6	4	4	8	7	11	3	1		
Pleurisy	3									1		1		1				
Congestion of lungs	7	5							1		1							
Other diseases of respiratory system	3	2									1							
Tonsillitis	1	1																
Diseases of stomach	8	2	1						1	1	1	1		1				
Diarrhea and enteritis	52	31	10	2					1	1	1	3	1	1	1			
Hernia and intestinal obstructions	12	2					1		2	1	1	1	1	1	2			
Cirrhosis of liver	8							1	1			3	2		1			
Other diseases of liver	14					1	1		1	2	1	4	3	1				
Peritonitis	12						1	2	2	4	3							
Appendicitis	16							5	2	2	4	1	2					
Other diseases of digestive system	5	1								1	1	1		1				
Acute nephritis	6						1			1		2		2				
Bright's disease	52						1			2	8	15	11	13	2			
Calculi of urinary tract	1									1								
Uterine tumor	2										1			1				
Ovarian tumor	1										1							
Other diseases of genito-urinary system	13								1	3	3		1	2	2	1		
Puerperal septicemia	4								2	2								
Other causes incident to childbirth	3								2	1								
Diseases of skin	8	2		1						1		1		2	1			
Diseases of locomotor system																		
Malformations	9	9																
Premature birth	24	24																
Congenital debility	20	20																
Old age	32												1	9	16	5	1	
Suicide	14								5	2	3	3						1
Other violence	76	7	2	3	2	1	4	3	10	13	13	8	5	5				
Ill-defined causes	21	7						1	2		1	2	5	1	1	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

ST. LOUIS, MO. (TOTAL).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	10,739	1,696	386	168	128	91	263	435	1,006	1,111	1,362	1,298	1,274	1,028	433	50	7	3
Typhoid fever	110		2	2		1	8	25	34	11	22	4	1					
Malarial fever	59	4	1	2	3		3	2	7	7	13	6	5	4	2			
Smallpox																		
Measles	153	28	55	26	13	11	18	1		1								
Scarlet fever	97	4	8	12	16	10	37	9		1								
Whooping cough	30	14	7	5	2		2											
Diphtheria and croup	176	8	23	27	22	16	59	14	2	3	1			1				
Influenza	75	3		1	1	1	1	5	5	6	8	7	14	17	6			
Cholera nostras	5	2	1			1							1					
Dysentery	24	4	3		1		1		1		1	1	4	8				
Erysipelas	20	1		1				1	2	3	2	4	5	1				
Other epidemic diseases	3	1	2															
Septicemia	19			2	1	1	1	1	3	4	3	2			1			
Tuberculosis—total	1,354	22	15	7	9	4	11	127	370	311	269	128	68	10		2		1
Tuberculosis of lungs	1,200	4	4	3	4	1	6	107	341	287	248	118	64	10		2		1
Tuberculosis of larynx	19							3	6	5	3	2						
Tuberculous meningitus	60	12	9	3	4	2	2	10	5	7	3	2	1					
Abdominal tuberculosis	31	1					1	2	7	6	9	3	2					
Pott's disease	16	2				1		2	4	2	3	2						
Tuberculous abscess	3	1	1		1													
White swelling	8		1	1			1	2	1		1		1					
Tuberculosis of other organs	9	1					1		2	3	1	1						
General tuberculosis	8	1						1	4	1	1							
Scrofula	2	1	1															
Venereal diseases	94	41	6	2		1			9	10	13	7	4	1				
Cancer	586					1	1	5	11	48	125	161	128	88	15	2		1
Tumor	10						1	1	1	1	3		1	1	1			
Rheumatism	54	2		1			3	3	6	10	6	10	5	6	2			
Diabetes	100							3	6	8	11	20	33	17	2			
Anemia, leukemia	30	3					1	3	2	5	4	4	3	4	1			
Alcoholism	36								6	11	8	8	2	1				
Chronic poisonings	8								1	3	1	1	1	1				
Other general diseases	17	2	1						3	5	3	2	1					
Encephalitis	2		1		1													
Meningitis	62	17	11	6	3	2	8	8	2	2	2	1						
Apoplexy	406	10	1	1	1	1	1	2	8	18	51	84	111	80	36	1		
Softening of brain	38								1	2	3	6	12	9	4	1		
Paralysis	39			1							4	6	11	11	4	2		
Epilepsy	26	2	2			1		1	7	4	6		1	2				
"Convulsions"	43	27	12	3						1								
Tetanus	34	12	1				4	4	4	4	3	2						
Other diseases of nervous system	175	6	4	2	2		3	9	18	28	42	32	16	11	1	1		
Pericarditis	36							4	1	5	6	6	4	8	2			
Endocarditis	124	1	1		1		6	7	7	12	16	27	22	18	5	1		
Heart disease	821		2		3	1	14	34	55	84	154	147	151	131	42	3		
Angina pectoris	39								1	1	6	6	11	12	2			
Embolism and thrombosis	41							1	4	6	4	7	8	8	3			
Other diseases of circulatory system	183	7						1	7	13	17	16	37	54	28	2	1	
Laryngitis	7	2	1	2			1				1							
Acute bronchitis	159	100	20	9	3	1	2				1	4	3	11	5			
Chronic bronchitis	151	2	1				1	4	6	8	7	16	36	38	30	2		
Bronchopneumonia	207	71	39	10	11	7	10	3	3	3	6	9	7	16	11	1		
Pneumonia (lobar and unqualified)	680	100	41	17	9	10	11	19	47	84	82	81	86	62	29	2		
Pleurisy	46	2	3					3	8	6	8	8	3	5				
Congestion of lungs	22	5	2				1			3	2	1	3	3	2			
Other diseases of respiratory system	66	5	3			1		1	5	1	7	8	8	19	7	1		
Tonsillitis	4						2		1				1					
Diseases of stomach	113	28	4	3	2		2	1	5	8	7	19	15	16	3			
Diarrhea and enteritis	599	397	79	15	12	3	10	5	7	8	10	14	11	18	9	1		
Hernia and intestinal obstructions	104	8	2	1			6		7	11	11	27	17	10	3	1		
Cirrhosis of liver	220								11	25	59	53	48	18	6			
Other diseases of liver	77	1				1		2	7	14	8	16	16	8	4			
Peritonitis	12						1	1	1	2	2	2	2	1				
Appendicitis	110	2					7	29	29	14	11	10	6	2				
Other diseases of digestive system	47	10	1		2	1	3	2	3	5	9	4	5	1	1			
Acute nephritis	62	5	2		1	2	2	6	4	12	8	10	2	6	2			
Bright's disease	865	4	1	1	2	3	3	12	41	65	131	184	215	141	49	10	3	
Calculi of urinary tract	10									1	4	3	1	1				
Uterine tumor	26									9	14		2	1				
Ovarian tumor	13								3	5	2	1	1	1				
Other diseases of genito-urinary system	126	1						7	27	31	10	7	14	17	12			
Puerperal septicemia	56							11	26	16	3							
Other causes incident to childbirth	45							3	22	19	1							
Diseases of skin	46	7						1	2	2	4	6	9	9	5	1		
Diseases of locomotor system	12	2	1		1		1		2	1	2	2						
Malformations	84	77	3	1			2	1										
Premature birth	206	206																
Congenital debility	286	286																
Old age	196												23	76	81	13	3	
Suicide	201							9	45	38	42	29	29	9				
Other violence	621	47	11	6	4	10	15	43	110	91	102	78	50	34	16	3		1
Ill-defined causes	129	106	12	2	2			1		1	1	1	1	1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

ST. LOUIS, MO. (WHITE).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	9,566	1,550	351	150	119	87	245	369	810	918	1,169	1,162	1,184	984	417	46	3	2
Typhoid fever	100	.....	2	2	.....	1	8	21	32	11	18	4	1	.....	.....	.....	.....	.....
Malarial fever	57	4	1	2	3	.....	3	2	7	7	11	6	5	4	2	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	148	28	53	24	13	11	18	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	97	4	8	12	16	10	37	9	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	24	12	6	2	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	173	8	23	27	22	15	59	13	2	2	1	.....	.....	1	.....	.....	.....	.....
Influenza	69	3	.....	1	1	1	1	5	4	5	6	5	14	17	6	.....	.....	.....
Cholera nostras	5	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Dysentery	22	3	3	.....	1	.....	1	.....	1	.....	1	1	4	7	.....	.....	.....	.....
Erysipelas	19	.....	.....	1	.....	.....	.....	1	2	3	2	4	5	1	.....	.....	.....	.....
Other epidemic diseases	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	17	.....	.....	2	1	1	1	1	2	4	3	1	.....	.....	1	.....	.....	.....
Tuberculosis—total	1,069	19	12	5	8	3	7	93	273	254	222	109	54	8	.....	1	.....	1
Tuberculosis of lungs	943	3	3	1	3	.....	4	77	253	234	203	102	50	8	.....	1	.....	1
Tuberculosis of larynx	19	.....	.....	.....	.....	.....	.....	3	6	5	3	2	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	50	11	7	3	4	2	2	7	4	6	3	.....	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	24	1	.....	.....	.....	.....	.....	2	4	5	7	3	2	.....	.....	.....	.....	.....
Pott's disease	14	2	.....	.....	.....	1	.....	2	3	2	3	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	3	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	7	.....	1	1	.....	.....	1	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	7	1	.....	.....	.....	.....	.....	.....	2	2	1	1	.....	.....	.....	.....	.....	.....
General tuberculosis	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Scrofula	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	69	31	5	1	.....	1	.....	.....	6	6	10	6	2	1	.....	.....	.....	.....
Cancer	555	.....	.....	.....	.....	1	1	5	8	41	120	148	126	88	15	1	.....	1
Tumor	9	.....	.....	.....	.....	.....	1	1	.....	1	3	.....	1	1	1	.....	.....	.....
Rheumatism	50	2	.....	1	.....	.....	2	3	5	9	5	10	5	6	2	.....	.....	.....
Diabetes	98	.....	.....	.....	.....	.....	.....	3	6	7	11	20	33	16	2	.....	.....	.....
Anemia, leukemia	30	3	.....	.....	.....	.....	1	3	2	5	4	4	3	4	1	.....	.....	.....
Alcoholism	36	.....	.....	.....	.....	.....	.....	.....	6	11	8	8	2	1	.....	.....	.....	.....
Chronic poisonings	7	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1	1	1	.....	.....	.....	.....
Other general diseases	17	2	1	.....	.....	.....	.....	.....	3	5	3	2	1	.....	.....	.....	.....	.....
Encephalitis	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	60	16	10	6	3	2	8	8	2	2	2	1	.....	.....	.....	.....	.....	.....
Apoplexy	370	9	1	1	1	1	1	2	6	14	44	74	102	77	36	1	.....	.....
Softening of brain	37	.....	.....	.....	.....	.....	.....	.....	1	2	3	6	11	9	4	1	.....	.....
Paralysis	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	6	10	10	4	2	.....	.....
Epilepsy	21	1	2	.....	.....	1	.....	1	5	4	5	.....	.....	2	.....	.....	.....	.....
"Convulsions"	39	24	11	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	28	11	.....	.....	.....	.....	3	4	2	4	2	2	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	158	6	4	2	2	.....	3	9	15	23	37	29	16	10	1	1	.....	.....
Pericarditis	30	.....	.....	.....	.....	.....	.....	4	.....	4	4	5	4	7	2	.....	.....	.....
Endocarditis	104	1	1	.....	1	.....	6	7	6	9	10	23	19	15	5	1	.....	.....
Heart disease	718	.....	2	.....	3	1	14	32	40	69	123	125	140	126	40	3	.....	.....
Angina pectoris	36	.....	.....	.....	.....	.....	.....	.....	1	1	6	4	10	12	2	.....	.....	.....
Embolism and thrombosis	37	.....	.....	.....	.....	.....	.....	1	4	6	3	6	8	7	2	.....	.....	.....
Other diseases of circulatory system	155	3	.....	.....	.....	.....	.....	1	3	3	12	11	37	54	28	2	1	.....
Laryngitis	7	2	1	2	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	138	87	16	8	2	1	2	.....	.....	.....	1	3	3	11	4	.....	.....	.....
Chronic bronchitis	137	1	1	.....	.....	.....	.....	3	5	6	5	14	33	37	30	2	.....	.....
Bronchopneumonia	180	60	33	8	9	7	7	2	2	2	6	9	7	16	11	1	.....	.....
Pneumonia (lobar and unqualified)	601	93	34	13	7	8	10	17	35	73	75	72	80	56	26	2	.....	.....
Pleurisy	42	2	3	.....	.....	.....	.....	3	5	6	7	8	3	5	.....	.....	.....	.....
Congestion of lungs	17	3	1	.....	.....	.....	1	.....	.....	3	.....	1	3	3	2	.....	.....	.....
Other diseases of respiratory system	58	3	1	.....	.....	1	.....	.....	5	1	6	7	8	19	6	1	.....	.....
Tonsillitis	4	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Diseases of stomach	103	26	4	3	2	.....	.....	.....	5	7	7	15	15	16	3	.....	.....	.....
Diarrhea and enteritis	562	377	77	14	9	3	6	3	7	7	8	14	10	17	9	1	.....	.....
Hernia and intestinal obstructions	95	8	1	1	.....	.....	6	.....	5	8	10	26	16	10	3	1	.....	.....
Cirrhosis of liver	203	.....	.....	.....	.....	.....	.....	.....	10	22	55	52	43	15	6	.....	.....	.....
Other diseases of liver	73	1	.....	.....	.....	1	.....	2	6	12	8	16	16	8	3	.....	.....	.....
Peritonitis	10	.....	.....	.....	.....	.....	1	1	1	2	1	2	1	1	.....	.....	.....	.....
Appendicitis	107	1	.....	.....	.....	.....	7	27	29	14	11	10	6	2	.....	.....	.....	.....
Other diseases of digestive system	41	9	1	.....	2	1	2	2	2	5	7	4	4	1	1	.....	.....	.....
Acute nephritis	55	5	2	.....	1	2	2	6	4	11	7	7	2	4	2	.....	.....	.....
Bright's disease	758	3	1	1	2	3	3	11	33	51	103	163	196	134	45	9	.....	.....
Calculi of urinary tract	10	.....	.....	.....	.....	.....	.....	.....	.....	1	4	3	1	1	.....	.....	.....	.....
Uterine tumor	19	.....	.....	.....	.....	.....	.....	.....	.....	5	11	.....	2	1	.....	.....	.....	.....
Ovarian tumor	11	.....	.....	.....	.....	.....	.....	.....	2	4	2	1	1	1	.....	.....	.....	.....
Other diseases of genito-urinary system	105	1	.....	.....	.....	.....	.....	5	24	20	8	6	13	16	12	.....	.....	.....
Puerperal septicemia	48	.....	.....	.....	.....	.....	.....	8	24	14	2	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	44	.....	.....	.....	.....	.....	.....	2	22	19	1	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	40	7	.....	.....	.....	.....	.....	1	2	1	3	5	7	8	5	1	.....	.....
Diseases of locomotor system	12	2	1	.....	1	.....	1	.....	2	1	2	2	.....	.....	.....	.....	.....	.....
Malformations	80	74	3	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	174	174	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	276	276	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	186	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20	73	78	13	2	.....
Suicide	199	.....	.....	.....	.....	.....	.....	9	44	38	42	28	29	9	.....	.....	.....	.....
Other violence	544	43	9	6	4	10	15	35	91	68	91	72	48	34	16	2	.....	.....
Ill-defined causes	120	98	12	2	2	.....	.....	1	.....	.....	1	1	1	1	1	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

ST. LOUIS, MO. (COLORED).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	1,173	146	35	18	9	4	18	66	196	193	193	136	90	44	16	4	4	1
Typhoid fever	10							4	2		4							
Malarial fever	2										2							
Smallpox																		
Measles	5		2	2						1								
Scarlet fever																		
Whooping cough	6	2	1	3														
Diphtheria and croup	3					1		1		1								
Influenza	6								1	1	2	2						
Cholera nostras																		
Dysentery	2	1												1				
Erysipelas	1	1																
Other epidemic diseases																		
Septicemia	2								1			1						
Tuberculosis—total	285	3	3	2	1	1	4	34	97	57	47	19	14	2		1		
Tuberculosis of lungs	257	1	1	2	1	1	2	30	88	53	45	16	14	2		1		
Tuberculosis of larynx																		
Tuberculous meningitis	10	1	2					3	1	1		2						
Abdominal tuberculosis	7						1		3	1	2							
Pott's disease	2								1			1						
Tuberculous abscess																		
White swelling	1								1									
Tuberculosis of other organs	2						1			1								
General tuberculosis	6	1						1	3	1								
Scrofula																		
Venereal diseases	25	10	1	1					3	4	3	1	2					
Cancer	31								3	7	5	13	2			1		
Tumor	1								1									
Rheumatism	4						1		1	1	1							
Diabetes	2									1				1				
Anemia, leukemia																		
Alcoholism																		
Chronic poisonings	1								1									
Other general diseases																		
Encephalitis																		
Meningitis	2	1	1															
Apoplexy	36	1							2	4	7	10	9	3				
Softening of brain	1												1					
Paralysis	3			1									1	1				
Epilepsy	5	1							2		1		1					
"Convulsions"	4	3	1															
Tetanus	6	1	1				1		2		1							
Other diseases of nervous system	17								3	5	5	3		1				
Pericarditis	6								1	1	2	1		1				
Endocarditis	20								1	3	6	4	3	3				
Heart disease	103							2	15	15	31	22	11	5	2			
Angina pectoris	3											2	1					
Embolism and thrombosis	4										1	1		1	1			
Other diseases of circulatory system	28	4							4	10	5	5						
Laryngitis																		
Acute bronchitis	21	13	4	1	1							1			1			
Chronic bronchitis	14	1					1	1	1	2	2	2	3	1				
Bronchopneumonia	27	11	6	2	2		3	1	1	1								
Pneumonia (lobar and unqualified)	79	7	7	4	2	2	1	2	12	11	7	9	6	6	3			
Pleurisy	4								3		1							
Congestion of lungs	5	2	1								2							
Other diseases of respiratory system	8	2	2					1			1	1			1			
Tonsillitis																		
Diseases of stomach	10	2					2	1		1		4						
Diarrhea and enteritis	37	20	2	1	3		4	2		1	2		1	1				
Hernia and intestinal obstructions	9		1						2	3	1	1	1					
Cirrhosis of liver	17								1	3	4	1	5	3				
Other diseases of liver	4								1	2					1			
Peritonitis	2										1		1					
Appendicitis	3	1						2										
Other diseases of digestive system	6	1					1		1		2		1					
Acute nephritis	7									1	1	3		2				
Bright's disease	107	1						1	8	14	28	21	19	7	4	1	3	
Calculi of urinary tract																		
Uterine tumor	7										4	3						
Ovarian tumor	2								1	1								
Other diseases of genito-urinary system	21							2	3	11	2	1	1	1				
Puerperal septicemia	8							3	2	2	1							
Other causes incident to childbirth	1							1										
Diseases of skin	6									1	1	1	2	1				
Diseases of locomotor system																		
Malformations	4	3		1														
Premature birth	32	32																
Congenital debility	10	10																
Old age	10												3	3	3		1	
Suicide	2								1			1						
Other violence	77	4	2					8	19	23	11	6	2			1		1
Ill-defined causes	9	8								1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

OMAHA, NEBR.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	1,797	281	52	21	19	16	37	101	179	178	220	215	223	167	72	16	.....	.....
Typhoid fever	45	.....	.....	1	1	.....	2	9	14	7	6	2	3	.....	.....	.....	.....	.....
Malarial fever	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	20	9	4	2	1	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	7	1	.....	.....	2	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	21	18	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	23	3	2	2	2	4	4	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	19	1	1	.....	.....	.....	.....	.....	.....	2	2	2	5	5	1	.....	.....	.....
Cholera nostras	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....
Dysentery	7	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	1	.....	.....
Erysipelas	6	2	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	7	1	.....	.....	.....	.....	.....	.....	3	.....	1	1	1	.....	.....	.....	.....	.....
Tuberculosis—total	165	6	1	.....	2	2	3	17	40	35	30	17	11	.....	1	.....	.....	.....
Tuberculosis of lungs	146	3	.....	.....	.....	.....	1	15	36	35	28	16	11	.....	1	.....	.....	.....
Tuberculosis of larynx	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	8	2	1	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	7	1	.....	.....	.....	.....	.....	2	2	.....	1	1	.....	.....	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	10	4	.....	.....	.....	.....	.....	.....	1	1	2	2	.....	.....	.....	.....	.....	.....
Cancer	101	1	.....	.....	.....	.....	.....	1	4	13	19	21	24	13	5	.....	.....	.....
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	7	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	2	1	.....	.....	.....
Diabetes	21	.....	.....	1	.....	.....	.....	2	3	3	1	4	3	4	.....	.....	.....	.....
Anemia, leukemia	10	1	.....	.....	.....	.....	.....	.....	.....	1	1	3	3	.....	1	.....	.....	.....
Alcoholism	11	.....	.....	.....	.....	.....	.....	.....	.....	4	3	2	2	.....	.....	.....	.....	.....
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....
Other general diseases	9	.....	.....	.....	.....	.....	.....	.....	2	2	4	1	.....	.....	.....	.....	.....	.....
Encephalitis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	22	8	2	1	.....	.....	3	2	2	1	2	.....	.....	1	.....	.....	.....	.....
Apoplexy	60	.....	1	1	.....	.....	.....	1	2	3	4	9	14	20	5	.....	.....	.....
Softening of brain	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....
Paralysis	18	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	2	6	5	.....	.....	.....
Epilepsy	7	1	.....	.....	1	.....	1	1	1	.....	.....	1	1	.....	.....	.....	.....	.....
"Convulsions"	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	4	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1
Other diseases of nervous system	33	3	1	1	1	.....	3	4	2	1	6	4	5	1	1	.....	.....	.....
Pericarditis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Endocarditis	6	.....	.....	.....	.....	.....	.....	2	1	.....	1	1	.....	1	.....	.....	.....	.....
Heart disease	147	1	.....	.....	1	1	3	5	10	8	27	31	32	21	6	1	.....	.....
Angina pectoris	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	3	.....	.....	.....	.....
Embolism and thrombosis	17	2	.....	.....	.....	.....	.....	.....	.....	1	2	7	1	3	1	.....	.....	.....
Other diseases of circulatory system	51	.....	.....	.....	.....	.....	.....	.....	.....	1	4	7	16	13	9	1	.....	.....
Laryngitis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	6	4	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	3	1	.....	.....	.....
Bronchopneumonia	50	27	8	2	3	3	1	1	.....	.....	.....	2	3	.....	.....	.....	.....	.....
Pneumonia (lobar and unqualified)	110	13	2	1	.....	2	1	1	10	7	12	15	27	11	5	3	.....	.....
Pleurisy	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Congestion of lungs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of respiratory system	5	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	.....	1	.....	.....
Tonsillitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	17	2	.....	2	.....	.....	.....	.....	1	2	1	3	3	2	1	.....	.....	.....
Diarrhea and enteritis	112	81	17	3	1	2	1	.....	.....	1	2	1	.....	1	1	1	.....	.....
Hernia and intestinal obstructions	36	4	1	1	.....	.....	.....	6	2	4	4	2	8	4	.....	.....	.....	.....
Cirrhosis of liver	26	.....	2	.....	.....	.....	.....	.....	.....	1	4	7	6	5	1	.....	.....	.....
Other diseases of liver	14	.....	.....	.....	.....	.....	.....	1	2	1	3	5	1	1	.....	.....	.....	.....
Peritonitis	18	.....	.....	.....	.....	.....	2	4	2	3	1	3	1	2	.....	.....	.....	.....
Appendicitis	37	.....	.....	.....	.....	1	2	11	6	8	3	3	2	.....	1	.....	.....	.....
Other diseases of digestive system	12	1	.....	.....	.....	.....	.....	.....	2	3	4	1	.....	1	.....	.....	.....	.....
Acute nephritis	21	.....	.....	.....	.....	.....	3	1	5	2	1	2	6	.....	1	.....	.....	.....
Bright's disease	79	.....	.....	.....	.....	.....	1	1	4	4	14	21	15	17	2	.....	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	8	.....	.....	.....	.....	.....	.....	.....	.....	3	5	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	32	.....	.....	.....	.....	.....	.....	.....	8	1	7	3	6	5	1	1	.....	.....
Puerperal septicemia	17	.....	.....	.....	.....	.....	.....	1	6	9	1	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	12	.....	.....	.....	.....	.....	.....	.....	6	6	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of locomotor system	6	1	.....	1	.....	.....	.....	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Malformations	24	22	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	32	32	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	22	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	38	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	12	18	5	.....	.....
Suicide	46	.....	.....	.....	.....	.....	.....	2	13	12	9	5	2	2	1	.....	.....	.....
Other violence	127	5	2	1	2	1	3	17	22	22	22	18	8	3	.....	1	.....	.....
Ill-defined causes	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

JERSEY CITY, N. J.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	4,406	989	280	143	65	62	122	164	342	463	435	425	466	313	118	17	1	1
Typhoid fever	23	2				1		6	4	7	3							
Malarial fever																		
Smallpox																		
Measles	19	7	8	2	2													
Scarlet fever	95	4	13	16	6	14	29	11	2									
Whooping cough	45	29	5	7	1		1		1					1				
Diphtheria and croup	86	4	26	18	15	12	10	1										
Influenza	15							1	1	1		3	2	6	1			
Cholera nostras	3										1	1		1				
Dysentery	3	1		2														
Erysipelas	4	3										1						
Other epidemic diseases																		
Septicemia	5	1							2		1	1						
Tuberculosis—total	511	21	16	7	2	4	8	37	125	154	85	29	19	3			1	
Tuberculosis of lungs	443	3	6	2	1	3	3	33	117	145	79	29	19	2			1	
Tuberculosis of larynx	7								2	2	3							
Tuberculous meningitis	34	12	8	5	1	1	5	1		1								
Abdominal tuberculosis	14	3	1					2	5	1	2							
Pott's disease	1							1										
Tuberculous abscess																		
White swelling	1									1								
Tuberculosis of other organs	3									1	1			1				
General tuberculosis	8	3	1						1	3								
Scrofula																		
Venereal diseases	12	10		1	1													
Cancer	153			1				1	1	15	22	49	41	17	6			
Tumor	1								1									
Rheumatism	25					3		5		4		5	4	3	1			
Diabetes	28							1	2	3	4	5	9	2	2			
Anemia, leukemia	16	3						1	1	4	3	3	1					
Alcoholism	30								1	11	7	9	2					
Chronic poisonings																		
Other general diseases	6	1	1				1				2		1					
Encephalitis	1						1											
Meningitis	78	29	12	14	2	5	6	4	2	2	1				1			
Apoplexy	231	5	1					1	1	10	16	45	74	47	25	6		
Softening of brain	4											1	1	1	1			
Paralysis	16							1		1	2	1	5	4	2			
Epilepsy	3							2	1									
"Convulsions"	49	42	4		2	1												
Tetanus	7							3	1	3								
Other diseases of nervous system	39		4			2	1	1	3	3	7	11	4	3				
Pericarditis	5						1				2		2					
Endocarditis	63			1		1	6	5	8	4	4	11	11	10	2			
Heart disease	289	4	1	1			5	14	11	25	54	40	65	55	13	1		
Angina pectoris	13									1	2	4	2	4				
Embolism and thrombosis	7							1		3	1			1	1			
Other diseases of circulatory system	48	2	1							3		3	13	14	10	2		
Laryngitis	2					1				1								
Acute bronchitis	46	32	5		1							2	2	3	1			
Chronic bronchitis	25		2						1	1	3	5	1	9	2	1		
Bronchopneumonia	177	71	46	17	5	3	4	1	2	1	6	3	8	8	2			
Pneumonia (lobar and unqualified)	399	68	54	20	8	3	8	16	23	35	42	48	39	24	10	1		
Pleurisy	17	2	3					2	1	2	3			3	1			
Congestion of lungs	24	7	1								2	3	2	5	4			
Other diseases of respiratory system	21			1	1	1			4	3	6	2	1	2				
Tonsillitis	2				1		1											
Diseases of stomach	40	9		1	4	1		1	4	3	4	5	4	2	2			
Diarrhea and enteritis	388	271	53	18	3	1	7	2	2	1	6	5	9	9		1		
Hernia and intestinal obstructions	42	7			1			3	2	3	3	11	8	3	1			
Cirrhosis of liver	53								2	10	13	16	9	3				
Other diseases of liver	17								3	1	1	6	4	2				
Peritonitis	8								1	3	1	2			1			
Appendicitis	21						2	6	7	3	2		1					
Other diseases of digestive system	9	2					1		1	5								
Acute nephritis	59	1	2	3	4	1	8	3	6	10	4	9	7	1				
Bright's disease	258	2	3	2		1	4	3	22	33	44	42	67	27	7	1		
Calculi of urinary tract	2										1			1				
Uterine tumor	4									1	3							
Ovarian tumor	6										2		3	1				
Other diseases of genito-urinary system	35	1							4	7	6	4	8	3	2			
Puerperal septicemia	23							1	12	9	1							
Other causes incident to childbirth	18							3	6	7	2							
Diseases of skin	13	2				1			1	2	2		1	2	2			
Diseases of locomotor system	11	3	1				1	2		1		3						
Malformations	53	51	1			1												
Premature birth	93	93																
Congenital debility	98	98																
Old age	45												10	16	15	4		
Suicide	61							5	14	10	14	6	6	6				
Other violence	296	19	4	10	6	4	17	19	56	55	47	28	19	8	3			1
Ill-defined causes	107	82	13	1		1		1		2		3	1	3				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEWARK, N. J.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	5,571	1,118	314	165	95	72	151	224	447	524	583	579	625	458	189	26	1	
Typhoid fever	40				2	1	4	7	11	8	3	4						
Malarial fever																		
Smallpox	1											1						
Measles	36	15	11	7	2	1												
Scarlet fever	83	2	17	12	11	12	15	10	3	1								
Whooping cough	28	17	8	3														
Diphtheria and croup	107	12	18	18	14	10	29	6										
Influenza	26	4	1	2	1		1		1		1	5	3	6	1			
Cholera nostras	1				1													
Dysentery	16	6	1	1	1						2	3	1	1				
Erysipelas	9	4							1	1	1	1	1					
Other epidemic diseases	2		2															
Septicemia	8	3						1	1			1	2					
Tuberculosis—total	784	26	21	12	8	7	14	61	184	182	152	65	43	9				
Tuberculosis of lungs	646	9	4	2	1		1	41	165	174	142	60	38	9				
Tuberculosis of larynx	5								1	2		2						
Tuberculous meningitis	79	15	15	9	5	6	10	9	4	2	3	1						
Abdominal tuberculosis	14		1		1		2	3	3	1	3							
Pott's disease	11			1	1		1	1	2		1	2	2					
Tuberculous abscess	1	1																
White swelling	3							2					1					
Tuberculosis of other organs	7	1						1	2	1	1		1					
General tuberculosis	18		1			1		4	7	2	2		1					
Scrofula	1					1												
Venereal diseases	12	8							1	2	1							
Cancer	272			1				2	5	26	41	81	58	44	13	1		
Tumor	1														1			
Rheumatism	24			1		2	1	7	1	1	3	1	4	3				
Diabetes	54							4	3	1	7	15	18	5	1			
Anemia, leukemia	20	2		1				1	4		4	5	2	1				
Alcoholism	44								3	16	14	7	4					
Chronic poisonings	1												1					
Other general diseases	6	1			1			1	1				2					
Encephalitis	3		1							1				1				
Meningitis	74	24	12	7	3		10	6		3	5	1	2		1			
Apoplexy	274	2		1			1		5	12	27	59	69	60	37		1	
Softening of brain	5									1		2		2				
Paralysis	29										3	3	10	8	5			
Epilepsy	10			1					2	4		2	1					
"Convulsions"	37	30	5	2														
Tetanus	9	3				1	1	2		1		1						
Other diseases of nervous system	62	1	4	1		1	2	6	6	9	7	8	9	5	3			
Pericarditis	5											1	2	1	1			
Endocarditis	95	4		2		1	2	10	4	6	14	8	24	14	5	1		
Heart disease	408	6	1	2			9	17	30	36	50	73	90	63	28	3		
Angina pectoris	12										3	1	3	4	1			
Embolism and thrombosis	17				1		1	1		2	1	2	4	2	1	2		
Other diseases of circulatory system	27	1							1	1	4	3	3	10	4			
Laryngitis	2				1			1										
Acute bronchitis	59	37	6	2	2	2	1	1				1	2	2	3			
Chronic bronchitis	41			1							1	3	9	22	5			
Bronchopneumonia	243	72	81	31	12	4	10	2	2	1	6	7	5	5	2	3		
Pneumonia (lobar and unqualified)	401	75	39	26	17	8	12	8	15	22	38	44	49	35	10	3		
Pleurisy	22		2	2		1	2	2	5	1	2		4		1			
Congestion of lungs	30	6	1	1			2			2	2	5	7	4				
Other diseases of respiratory system	33	3	2					1	1	7	4	5	9	1				
Tonsillitis	4	1					2	1										
Diseases of stomach	41	7	1					1	1	6	7	4	2	8	4			
Diarrhea and enteritis	408	301	55	15	3		4	3	4	6	2	3	5	5	1	1		
Hernia and intestinal obstructions	42	6	1	1		2			2	7	9	6	3	3	1	1		
Cirrhosis of liver	81						1		1	9	14	18	24	14				
Other diseases of liver	22					1		1	1	2	3	5	7		1	1		
Peritonitis	9	1				1	1	1	1	2	1		1					
Appendicitis	37					1	2	6	8	6	9	3		1		1		
Other diseases of digestive system	11	4	1			1		2	2		1							
Acute nephritis	58	5		1	5	1	3	6	9	5	10	6	4	2	1			
Bright's disease	385	5	2		1	2	1	5	23	39	65	71	87	61	20	3		
Calculi of urinary tract	2							1					1					
Uterine tumor	6									3	3							
Ovarian tumor																		
Other diseases of genito-urinary system	41	2						1	9	8	2	6	4	6	3			
Puerperal septicemia	31							4	17	10								
Other causes incident to childbirth	36							4	23	8	1							
Diseases of skin	18				1				1	2		1	2	4	3	1		
Diseases of locomotor system	16	1		1	1	1	1	2		1	2	1	3	2				
Malformations	42	38	3	1														
Premature birth	161	161																
Congenital debility	117	117																
Old age	67												12	32	19	4		
Suicide	65							3	11	12	18	9	9	1	2			
Other violence	303	31	7	8	6	10	19	26	41	50	39	27	19	9	10	1		
Ill-defined causes	94	71	11	1	1				3	1	1	1	1	2	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

PATERSON, N. J.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	1,882	361	84	46	22	17	43	72	144	173	208	204	234	185	78	10	1	.....
Typhoid fever	12	.....	.....	.....	1	.....	.....	1	1	5	.....	3	.....	1	.....	.....	.....	.....
Malarial fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	9	3	3	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	5	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	8	6	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	22	1	3	4	2	5	4	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	1	.....	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Dysentery	3	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Erysipelas	3	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Other epidemic diseases	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Tuberculosis—total	215	6	2	2	2	2	6	17	55	51	42	18	8	.....	1	.....	.....	.....
Tuberculosis of lungs	189	2	.....	1	1	.....	3	13	54	51	39	18	6	.....	1	.....	.....	.....
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	13	3	1	1	1	2	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	6	1	1	.....	.....	.....	.....	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Pott's disease	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	3	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
General tuberculosis	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	4	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Cancer	101	.....	.....	.....	.....	.....	1	.....	1	9	15	26	32	11	5	1	.....	.....
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	12	.....	.....	.....	.....	.....	.....	3	2	1	1	1	2	1	1	.....	.....	.....
Diabetes	21	.....	.....	.....	.....	.....	.....	.....	1	4	4	4	4	2	1	.....	1	.....
Anemia, leukemia	6	.....	1	.....	1	.....	.....	1	1	.....	1	.....	1	.....	.....	.....	.....	.....
Alcoholism	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other general diseases	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	46	17	4	5	1	2	2	3	2	2	1	5	2	.....	.....	.....	.....	.....
Apoplexy	78	.....	.....	.....	.....	.....	.....	.....	.....	7	9	13	21	23	5	.....	.....	.....
Softening of brain	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Paralysis	9	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	6	.....	1	.....	.....	.....
Epilepsy	6	.....	.....	.....	.....	.....	1	1	.....	3	.....	.....	1	.....	.....	.....	.....	.....
"Convulsions"	23	17	4	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	3	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	15	.....	.....	.....	.....	.....	.....	.....	3	4	2	3	1	2	.....	.....	.....	.....
Pericarditis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	32	2	.....	1	.....	1	.....	1	.....	1	1	7	6	10	2	.....	.....	.....
Heart disease	175	2	.....	.....	.....	.....	3	8	9	12	24	32	43	31	9	2	.....	.....
Angina pectoris	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Embolism and thrombosis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	17	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	4	7	1	1	.....	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	22	12	3	2	1	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....
Chronic bronchitis	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	3	3	.....	.....	.....
Bronchopneumonia	69	24	18	5	2	.....	1	.....	.....	2	6	2	4	1	4	.....	.....	.....
Pneumonia (lobar and unqualified)	185	29	18	8	3	2	6	6	12	12	22	17	24	18	8	.....	.....	.....
Pleurisy	6	.....	1	.....	1	.....	1	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Congestion of lungs	9	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	2	1	1	.....	.....	.....
Other diseases of respiratory system	19	4	.....	.....	.....	.....	.....	.....	1	3	1	3	2	4	1	.....	.....	.....
Tonsillitis	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	11	1	.....	1	.....	.....	1	1	.....	1	1	2	3	.....	.....	.....	.....	.....
Diarrhea and enteritis	142	96	16	4	1	1	1	2	1	2	5	5	.....	4	4	.....	.....	.....
Hernia and intestinal obstructions	15	2	.....	.....	.....	.....	.....	.....	2	1	1	1	5	2	1	.....	.....	.....
Cirrhosis of liver	20	.....	.....	.....	.....	.....	.....	.....	.....	3	4	5	6	2	.....	.....	.....	.....
Other diseases of liver	11	.....	.....	.....	.....	.....	.....	.....	1	.....	3	3	2	2	.....	.....	.....	.....
Peritonitis	4	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Appendicitis	20	.....	.....	.....	.....	.....	2	6	4	3	1	3	.....	1	.....	.....	.....	.....
Other diseases of digestive system	9	1	.....	1	.....	.....	.....	.....	1	.....	4	1	1	.....	.....	.....	.....	.....
Acute nephritis	19	1	.....	.....	1	.....	3	1	2	2	4	1	4	.....	.....	.....	.....	.....
Bright's disease	119	.....	.....	.....	.....	.....	2	1	8	14	19	20	23	25	5	2	.....	.....
Calculi of urinary tract	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Uterine tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
Ovarian tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	18	.....	.....	.....	.....	.....	.....	1	2	4	5	.....	.....	3	3	.....	.....	.....
Puerperal septicemia	6	.....	.....	.....	.....	.....	.....	.....	3	3	.....	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	12	.....	.....	.....	.....	.....	.....	1	5	3	3	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	4	1	.....	.....	.....
Diseases of locomotor system	7	1	.....	.....	1	.....	1	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....
Malformations	16	15	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	38	38	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	42	42	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	7	10	3	.....	.....
Suicide	26	.....	.....	.....	.....	.....	.....	1	5	1	4	7	6	1	1	.....	.....	.....
Other violence	116	12	7	5	2	3	5	8	15	13	17	7	9	9	4	.....	.....	.....
Ill-defined causes	30	19	2	2	.....	.....	.....	.....	.....	.....	1	.....	.....	3	2	1	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

BUFFALO, N. Y.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	6,331	1,469	311	111	72	55	213	263	471	525	633	635	613	589	325	38	1	2
Typhoid fever	99			1	1		5	21	33	21	11	4	2					
Malarial fever	1									1								
Smallpox																		
Measles	77	19	35	8	4	3	7			1								
Scarlet fever	168	15	22	23	17	16	50	18	4	3								
Whooping cough	12	5	4	2	1													
Diphtheria and croup	103	4	16	10	13	12	32	11	5									
Influenza	27	1						1	1	2		3	6	4	7	2		
Cholera nostras	4	2											1	1				
Dysentery	22	13	4	1					1	1				1	1			
Erysipelas	13	3	1						2	3		2	2					
Other epidemic diseases																		
Septicemia	13	1	2			1	1		2	3	3							
Tuberculosis—total	607	7	11	1	4	3	15	72	174	143	98	56	14	8	1			
Tuberculosis of lungs	530	2	4				1	61	164	136	92	52	10	8				
Tuberculosis of larynx	3						1	1	1									
Tuberculous meningitis	30	3	5	1	3	2	7	5	1	1	1				1			
Abdominal tuberculosis	19	1	1				3	2	4	3	2	1	2					
Pott's disease	5						1	1	1			1	1					
Tuberculous abscess																		
White swelling	3						2		1									
Tuberculosis of other organs	6		1		1	1				1	1	1						
General tuberculosis	11	1						2	2	2	2	1	1					
Scrofula	1	1																
Venereal diseases	52	39	1	1			1		4	2	1	1	1	1				
Cancer	329			2			1	1	5	31	80	76	76	40	15	2		
Tumor	2									1		1						
Rheumatism	25						2	5	1	2	8	2	4	1				
Diabetes	80						2	1	2	6	6	19	29	13	2			
Anemia, leukemia	33	2						3	4	5	5	9	3	2				
Alcoholism	24								4	6	7	5	1	1				
Chronic poisonings	7							1	1	1	1	2		1				
Other general diseases	15	2						1	2	2	4	4						
Encephalitis																		
Meningitis	55	13	8	3	3	2	7	6	4	3	5	1						
Apoplexy	287	4					1		5	14	31	51	55	83	41	2		
Softening of brain	5												2	3				
Paralysis	36	1	1							2	1	5	9	10	7			
Epilepsy	11	1						2	3	1	1	1			2			
"Convulsions"	30	25	5															
Tetanus	8	2						1		2	1	1	1					
Other diseases of nervous system	98	6	1	2				5	4	16	39	10	12	3				
Pericarditis	2						1					1						
Endocarditis	77	2	1	1	1		2	2	5	6	6	11	14	17	8	1		
Heart disease	533	5			1		13	19	27	30	68	90	119	113	43	5		
Angina pectoris	13									1	1	5	5	1				
Embolism and thrombosis	12	1									1	2	5	2	1			
Other diseases of circulatory system	151	2	1								7	19	25	52	38	6	1	
Laryngitis	1	1																
Acute bronchitis	68	43	9	2	1		1			1	1			5	4	1		
Chronic bronchitis	42	1						2		1		6	5	15	10	2		
Bronchopneumonia	223	115	43	12	3	2	5	2		4	4	4	7	16	5	1		
Pneumonia (lobar and unqualified)	378	75	34	15	6	3	13	14	22	31	46	36	41	24	16	2		
Pleurisy	26	1	1			1	1	2	3	4	2	6	3	1	1			
Congestion of lungs	20	3					1		1				2	5	8			
Other diseases of respiratory system	28	4	1					1	1	1	4	8	3	3	1	1		
Tonsillitis	6				1		2	1	2									
Diseases of stomach	89	37	3	1	3	1	1	1	2	6	8	10	4	9	3			
Diarrhea and enteritis	588	443	90	10	5	1	7	4	2	3	2	4	5	3	8	1		
Hernia and intestinal obstructions	46	7	2				1	2	1	3	7	10	6	4	2	1		
Cirrhosis of liver	73						1		2	4	23	19	16	6	2			
Other diseases of liver	54						1		4	8	7	11	15	7	1			
Peritonitis	12	1							2	3	1	1	1	3				
Appendicitis	80				1		13	21	12	18	11	4						
Other diseases of digestive system	36	15						1	3	5	5	2	1	2	2			
Acute nephritis	55	7	1	2			1	4	6	7	4	10	4	7	2			
Bright's disease	344	19		1		3	4	5	16	23	47	61	76	64	23	2		
Calculi of urinary tract	3	1	1												1			
Uterine tumor	17									2	10	4	1					
Ovarian tumor	6								1		3	2						
Other diseases of genito-urinary system	53	3	1						8	5	6	8	5	10	7			
Puerperal septicemia	32							3	19	8	2							
Other causes incident to childbirth	24							4	10	8	2							
Diseases of skin	36	12	1						2	2	2	1	4	6	5	1		
Diseases of locomotor system	15	3				1	1	2	1	1		3		1	2			
Malformations	90	80	5	3		1	1											
Premature birth	194	194																
Congenital debility	109	109																
Old age	68												3	13	40	7		
Suicide	57							3	15	10	8	10	8	3				
Other violence	390	82	6	9	7	5	19	26	43	58	43	34	17	24	14	1		2
Ill-defined causes	41	37		1										1	2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW YORK, N. Y. (TOTAL).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	74,263	15,920	4,806	1,930	1,132	736	1,754	2,478	5,754	7,758	8,312	7,797	8,068	5,475	2,032	295	15	1
Typhoid fever	560	2	3	5	4	5	21	87	175	146	62	31	11	6	2	.....	.....	.....
Malarial fever	41	1	3	2	2	3	.....	3	5	8	3	3	.....	5	3	.....	.....	.....
Smallpox	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Measles	940	249	384	156	66	32	42	3	5	2	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	805	37	125	138	130	79	197	72	20	7	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	369	184	99	37	27	7	12	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Diphtheria and croup	1,704	196	495	321	241	153	240	38	12	5	1	.....	1	1	.....	.....	.....	.....
Influenza	271	27	8	4	2	2	8	13	14	26	23	30	53	36	22	3	.....	.....
Cholera nostras	6	3	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Dysentery	101	27	7	1	2	3	3	2	2	4	7	7	16	11	9	.....	.....	.....
Erysipelas	278	139	7	4	.....	1	1	6	18	18	32	27	16	9	.....	.....	.....	.....
Other epidemic diseases	18	2	4	5	1	2	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Septicemia	94	16	5	3	1	1	2	7	16	13	15	8	4	3	.....	.....	.....	.....
Tuberculosis—total	9,949	304	290	158	90	76	171	748	2,263	2,576	1,874	896	377	114	11	1	.....	.....
Tuberculosis of lungs	8,616	79	71	23	12	17	47	614	2,138	2,483	1,813	854	355	100	9	1	.....	.....
Tuberculosis of larynx	53	3	.....	.....	.....	.....	.....	1	12	16	7	10	2	2	.....	.....	.....	.....
Tuberculous meningitis	831	181	187	121	62	52	91	61	37	20	15	4	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	179	22	15	7	8	3	10	18	32	21	15	14	6	7	1	.....	.....	.....
Pott's disease	68	2	3	1	4	1	6	17	12	9	6	3	3	1	.....	.....	.....	.....
Tuberculous abscess	4	1	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	34	1	2	1	1	1	5	12	3	3	3	.....	1	.....	1	.....	.....	.....
Tuberculosis of other organs	73	6	4	1	1	1	5	9	13	16	8	3	4	2	.....	.....	.....	.....
General tuberculosis	91	9	7	4	2	.....	7	15	16	8	7	8	6	2	.....	.....	.....	.....
Scrofula	15	9	2	1	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	422	243	16	2	2	1	2	7	24	52	49	13	7	4	.....	.....	.....	.....
Cancer	3,543	6	5	4	4	3	7	24	83	290	760	913	876	471	91	6	.....	.....
Tumor	30	2	1	.....	.....	.....	2	1	2	4	5	6	5	2	.....	.....	.....	.....
Rheumatism	349	2	2	1	9	8	45	58	37	39	42	38	37	22	9	.....	.....	.....
Diabetes	774	.....	2	.....	.....	1	2	24	28	49	100	225	224	103	15	1	.....	.....
Anemia, leukemia	194	13	7	2	1	3	8	14	21	20	41	35	21	6	2	.....	.....	.....
Alcoholism	354	.....	.....	.....	.....	.....	.....	.....	25	128	117	58	20	4	2	.....	.....	.....
Chronic poisonings	17	.....	.....	.....	.....	.....	.....	.....	1	5	8	3	.....	.....	.....	.....	.....	.....
Other general diseases	102	8	3	1	.....	1	3	5	22	18	16	14	8	2	1	.....	.....	.....
Encephalitis	21	1	3	3	1	1	3	.....	3	.....	4	.....	1	.....	1	.....	.....	.....
Meningitis	597	172	84	61	39	17	54	46	34	31	34	14	6	4	.....	1	.....	.....
Apoplexy	2,627	31	2	1	1	1	1	3	23	103	294	548	760	620	225	14	.....	.....
Softening of brain	31	.....	.....	.....	.....	.....	.....	.....	1	1	3	7	8	7	4	.....	.....	.....
Paralysis	140	4	1	.....	.....	.....	.....	.....	2	9	7	21	43	37	15	1	.....	.....
Epilepsy	96	5	3	3	.....	.....	4	10	29	17	9	10	2	3	1	.....	.....	.....
"Convulsions"	426	360	53	7	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	62	25	2	.....	.....	2	6	10	6	7	2	.....	2	.....	.....	.....	.....	.....
Other diseases of nervous system	850	64	42	18	15	16	31	43	59	118	158	124	109	37	16	.....	.....	.....
Pericarditis	38	3	.....	2	.....	1	2	6	3	7	3	2	4	3	2	.....	.....	.....
Endocarditis	1,056	42	7	4	6	4	32	59	65	123	141	148	206	161	50	7	1	.....
Heart disease	5,871	43	11	8	15	17	106	265	373	564	776	1,039	1,325	934	345	48	1	1
Angina pectoris	185	.....	.....	.....	.....	.....	.....	.....	2	10	29	48	55	33	7	1	.....	.....
Embolism and thrombosis	178	2	.....	.....	.....	1	1	5	9	20	17	33	46	32	11	1	.....	.....
Other diseases of circulatory system	895	44	7	2	2	.....	.....	2	10	31	60	113	191	258	149	25	1	.....
Laryngitis	11	.....	3	1	1	1	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	994	656	148	40	21	6	6	5	2	3	7	17	26	31	19	6	1	.....
Chronic bronchitis	416	21	9	2	.....	.....	5	11	18	24	25	42	91	105	52	11	.....	.....
Bronchopneumonia	5,154	2,319	1,217	383	151	76	98	41	61	97	96	115	202	190	84	24	.....	.....
Pneumonia (lobar and unqualified)	5,557	611	470	212	95	51	127	160	382	698	767	662	725	445	133	18	1	.....
Pleurisy	314	39	63	19	4	3	11	18	30	29	36	20	27	9	5	1	.....	.....
Congestion of lungs	105	23	1	.....	.....	1	.....	.....	4	1	4	2	11	29	25	4	.....	.....
Other diseases of respiratory system	249	18	4	3	1	2	3	7	16	35	38	44	42	22	13	1	.....	.....
Tonsillitis	26	2	2	2	3	1	5	4	2	1	1	2	1	.....	.....	.....	.....	.....
Diseases of stomach	424	85	11	3	1	2	5	10	35	61	59	48	42	36	21	5	.....	.....
Diarrhea and enteritis	5,845	4,391	937	130	51	24	36	15	18	29	32	38	54	56	29	5	.....	.....
Hernia and intestinal obstructions	561	95	10	5	3	5	15	11	37	48	82	88	73	71	14	3	1	.....
Cirrhosis of liver	933	1	.....	.....	2	.....	2	.....	35	132	243	263	178	63	12	2	.....	.....
Other diseases of liver	304	10	.....	.....	2	.....	4	1	32	36	55	62	64	28	10	.....	.....	.....
Peritonitis	34	3	1	1	2	.....	2	.....	3	7	6	4	4	.....	1	.....	.....	.....
Appendicitis	556	4	1	8	5	7	50	119	113	99	69	43	26	11	1	.....	.....	.....
Other diseases of digestive system	213	42	12	6	4	1	6	9	14	29	27	27	16	14	4	2	.....	.....
Acute nephritis	619	34	19	14	5	12	23	29	78	115	81	75	76	44	13	1	.....	.....
Bright's disease	6,134	25	12	14	9	5	29	86	270	635	1,047	1,244	1,465	948	304	38	3	.....
Calculi of urinary tract	28	.....	.....	.....	.....	.....	.....	1	4	2	7	4	8	2	.....	.....	.....	.....
Uterine tumor	91	.....	.....	.....	.....	.....	.....	.....	5	25	42	12	4	3	.....	.....	.....	.....
Ovarian tumor	54	.....	.....	.....	.....	.....	.....	.....	10	13	12	7	7	4	1	.....	.....	.....
Other diseases of genito-urinary system	467	8	2	3	.....	.....	1	10	97	86	63	44	65	65	22	1	.....	.....
Puerperal septicemia	336	.....	.....	.....	.....	.....	.....	15	187	116	18	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	423	.....	.....	.....	.....	.....	.....	17	167	201	38	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	192	57	14	1	2	.....	3	6	5	6	12	22	14	31	16	3	.....	.....
Diseases of locomotor system	206	35	19	11	5	5	22	15	29	20	17	8	14	4	2	.....	.....	.....
Malformations	704	649	27	10	2	.....	8	5	1	1	1	.....	.....	.....	.....	.....	.....	.....
Premature birth	1,821	1,821	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	1,729	1,729	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	475	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48	174	194	55	4	.....
Suicide	881	.....	.....	.....	.....	.....	.....	32	182	177	206	159	96	27	2	.....	.....	.....
Other violence	3,821	488	81	104	91	93	281	288	524	575	524	327	251	130	58	5	1	.....
Ill-defined causes	575	488	59	4	4	.....	1	.....	.....	1	2	3	4	4	3	1	1	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW YORK, N. Y. (WHITE).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	71,890	15,376	4,670	1,854	1,097	718	1,704	2,369	5,465	7,395	8,004	7,592	7,927	5,411	2,005	289	13	1
Typhoid fever	548	2	3	4	4	5	19	83	173	144	61	31	11	6	2	.....	.....	.....
Malarial fever	39	1	3	2	2	3	.....	3	4	8	2	3	.....	5	3	.....	.....	.....
Smallpox	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Measles	929	247	377	155	66	32	42	3	4	2	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	800	37	124	136	129	79	196	72	20	7	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	345	172	94	35	23	7	11	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Diphtheria and croup	1,678	194	492	314	237	149	235	37	12	5	1	.....	1	1	.....	.....	.....	.....
Influenza	256	24	8	3	1	2	6	13	11	25	20	30	52	36	22	3	.....	.....
Cholera nostras	6	3	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Dysentery	100	27	7	1	2	3	2	2	2	4	7	7	16	11	9	.....	.....	.....
Erysipelas	275	138	7	4	.....	1	1	6	17	18	31	27	16	9	.....	.....	.....	.....
Other epidemic diseases	16	1	4	5	1	2	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Septicemia	92	16	5	3	1	1	2	7	15	13	15	7	4	3	.....	.....	.....	.....
Tuberculosis—total	9,383	285	273	146	86	70	157	686	2,114	2,419	1,798	857	369	111	11	1	.....	.....
Tuberculosis of lungs	8,123	70	64	19	11	15	36	560	2,005	2,332	1,740	817	347	97	9	1	.....	.....
Tuberculosis of larynx	51	3	.....	.....	.....	.....	.....	1	10	16	7	10	2	2	.....	.....	.....	.....
Tuberculous meningitis	793	175	179	114	59	48	89	58	33	20	14	4	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	167	21	13	7	8	3	9	17	27	19	15	14	6	7	1	.....	.....	.....
Pott's disease	65	2	3	1	4	1	6	17	11	8	5	3	3	1	.....	.....	.....	.....
Tuberculous abscess	3	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	33	1	2	1	1	1	5	12	2	3	3	.....	1	.....	1	.....	.....	.....
Tuberculosis of other organs	69	5	4	1	1	1	5	8	13	14	8	3	4	2	.....	.....	.....	.....
General tuberculosis	79	8	7	3	2	.....	7	12	13	7	6	6	6	2	.....	.....	.....	.....
Scrofula	13	9	1	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	385	231	16	2	1	.....	1	5	19	45	45	12	5	3	.....	.....	.....	.....
Cancer	3,495	6	5	4	4	3	7	24	80	283	743	904	866	470	90	6	.....	.....
Tumor	30	2	1	.....	.....	.....	2	1	2	4	5	6	5	2	.....	.....	.....	.....
Rheumatism	343	2	2	1	9	8	45	58	36	39	42	38	34	20	9	.....	.....	.....
Diabetes	767	.....	2	.....	.....	1	2	23	28	49	96	223	224	103	15	1	.....	.....
Anemia, leukemia	188	13	7	2	1	3	8	13	21	20	40	31	21	6	2	.....	.....	.....
Alcoholism	352	.....	.....	.....	.....	.....	.....	.....	24	128	117	57	20	4	2	.....	.....	.....
Chronic poisonings	16	.....	.....	.....	.....	.....	.....	.....	1	4	8	3	.....	.....	.....	.....	.....	.....
Other general diseases	101	8	3	1	.....	1	3	5	22	17	16	14	8	2	1	.....	.....	.....
Encephalitis	21	1	3	3	1	1	3	.....	3	.....	4	.....	1	.....	1	.....	.....	.....
Meningitis	578	168	82	60	36	17	54	46	32	28	31	13	6	4	.....	1	.....	.....
Apoplexy	2,561	30	2	1	1	1	1	3	21	97	282	529	742	615	222	14	.....	.....
Softening of brain	30	.....	.....	.....	.....	.....	.....	.....	1	1	3	7	8	7	3	.....	.....	.....
Paralysis	133	4	1	.....	.....	.....	.....	.....	2	9	7	19	40	35	15	1	.....	.....
Epilepsy	92	5	3	3	.....	.....	4	10	28	17	7	9	2	3	1	.....	.....	.....
"Convulsions"	396	339	46	5	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	62	25	2	.....	.....	2	6	10	6	7	2	.....	2	.....	.....	.....	.....	.....
Other diseases of nervous system	833	63	42	18	13	16	28	43	58	117	152	121	109	37	16	.....	.....	.....
Pericarditis	36	2	.....	1	.....	1	2	6	3	7	3	2	4	3	2	.....	.....	.....
Endocarditis	1,026	42	7	4	6	4	32	57	61	119	135	143	202	158	48	7	1	.....
Heart disease	5,704	42	10	8	14	17	104	258	359	529	736	1,004	1,311	923	340	47	1	1
Angina pectoris	182	.....	.....	.....	.....	.....	.....	.....	2	10	28	46	55	33	7	1	.....	.....
Embolism and thrombosis	173	2	.....	.....	.....	1	1	4	9	19	14	33	46	32	11	1	.....	.....
Other diseases of circulatory system	866	39	7	1	2	.....	.....	2	10	24	55	110	186	257	147	25	1	.....
Laryngitis	11	.....	3	1	1	1	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	962	635	140	38	21	6	6	5	2	3	6	17	26	31	19	6	1	.....
Chronic bronchitis	401	21	9	2	.....	.....	4	7	17	21	24	42	88	104	51	11	.....	.....
Bronchopneumonia	4,952	2,226	1,168	353	144	75	94	40	55	96	94	113	201	186	84	23	.....	.....
Pneumonia (lobar and unqualified)	5,374	584	457	208	90	48	123	155	356	663	745	646	713	438	131	16	1	.....
Pleurisy	309	39	63	19	4	3	11	18	29	27	34	20	27	9	5	1	.....	.....
Congestion of lungs	101	23	1	.....	.....	1	.....	.....	3	1	4	2	8	29	25	4	.....	.....
Other diseases of respiratory system	241	17	4	3	1	2	2	7	14	34	36	44	41	22	13	1	.....	.....
Tonsillitis	25	1	2	2	3	1	5	4	2	1	1	2	1	.....	.....	.....	.....	.....
Diseases of stomach	411	83	11	3	1	2	5	10	33	59	58	44	41	35	21	5	.....	.....
Diarrhea and enteritis	5,702	4,275	922	127	50	22	35	14	18	27	31	38	53	56	29	5	.....	.....
Hernia and intestinal obstructions	546	92	10	5	3	5	14	11	35	46	80	86	71	71	13	3	1	.....
Cirrhosis of liver	920	.....	.....	.....	2	.....	2	.....	35	128	239	262	176	62	12	2	.....	.....
Other diseases of liver	297	10	.....	.....	2	.....	4	1	30	35	52	62	63	28	10	.....	.....	.....
Peritonitis	34	3	1	1	2	.....	2	.....	3	7	6	4	4	.....	1	.....	.....	.....
Appendicitis	548	4	1	8	5	7	49	118	110	97	69	42	26	11	1	.....	.....	.....
Other diseases of digestive system	207	41	12	6	4	1	5	9	13	28	26	26	16	14	4	2	.....	.....
Acute nephritis	591	29	17	14	5	12	22	29	74	113	76	72	71	43	13	1	.....	.....
Bright's disease	5,960	25	11	13	9	5	29	82	258	611	1,001	1,205	1,433	938	300	37	3	.....
Calculi of urinary tract	28	.....	.....	.....	.....	.....	.....	1	4	2	7	4	8	2	.....	.....	.....	.....
Uterine tumor	84	.....	.....	.....	.....	.....	.....	.....	3	25	38	11	4	3	.....	.....	.....	.....
Ovarian tumor	53	.....	.....	.....	.....	.....	.....	.....	10	13	11	7	7	4	1	.....	.....	.....
Other diseases of genito-urinary system	447	8	2	3	.....	.....	1	8	92	79	58	43	65	65	22	1	.....	.....
Puerperal septicemia	322	.....	.....	.....	.....	.....	.....	15	181	108	18	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	417	.....	.....	.....	.....	.....	.....	16	164	199	38	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	184	57	14	1	2	.....	3	6	5	6	10	20	14	30	14	2	.....	.....
Diseases of locomotor system	201	34	19	9	5	5	21	15	29	20	16	8	14	4	2	.....	.....	.....
Malformations	694	639	27	10	2	.....	8	5	1	1	1	.....	.....	.....	.....	.....	.....	.....
Premature birth	1,742	1,742	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	1,663	1,663	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	465	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	46	170	192	55	2	.....
Suicide	869	.....	.....	.....	.....	.....	.....	32	180	170	203	159	96	27	2	.....	.....	.....
Other violence	3,730	480	80	102	90	92	279	279	508	552	511	323	245	126	57	5	1	.....
Ill-defined causes	547	465	56	4	4	.....	1	.....	.....	1	2	3	3	3	3	1	1	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW YORK, N. Y. (COLORED).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	2,373	544	136	76	35	18	50	109	289	363	308	205	141	64	27	6	2	.....
Typhoid fever	12	.....	.....	1	.....	.....	2	4	2	2	1	.....	.....	.....	.....	.....	.....	.....
Malarial fever	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	11	2	7	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	5	.....	1	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	24	12	5	2	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	26	2	3	7	4	4	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	15	3	.....	1	1	.....	2	.....	3	1	3	.....	1	.....	.....	.....	.....	.....
Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Erysipelas	3	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis—total	566	19	17	12	4	6	14	62	149	157	76	39	8	3	.....	.....	.....	.....
Tuberculosis of lungs	493	9	7	4	1	2	11	54	133	151	73	37	8	3	.....	.....	.....	.....
Tuberculosis of larynx	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	38	6	8	7	3	4	2	3	4	.....	1	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	12	1	2	.....	.....	.....	1	1	5	2	.....	.....	.....	.....	.....	.....	.....	.....
Pott's disease	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	4	1	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	12	1	.....	1	.....	.....	.....	3	3	1	1	2	.....	.....	.....	.....	.....	.....
Scrofula	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	37	12	.....	.....	1	1	1	2	5	7	4	1	2	1	.....	.....	.....	.....
Cancer	48	.....	.....	.....	.....	.....	.....	.....	3	7	17	9	10	1	1	.....	.....	.....
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	6	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3	2	.....	.....	.....	.....
Diabetes	7	.....	.....	.....	.....	.....	.....	1	.....	.....	4	2	.....	.....	.....	.....	.....	.....
Anemia, leukemia	6	.....	.....	.....	.....	.....	.....	1	.....	.....	1	4	.....	.....	.....	.....	.....	.....
Alcoholism	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	19	4	2	1	3	.....	.....	.....	2	3	3	1	.....	.....	.....	.....	.....	.....
Apoplexy	66	1	.....	.....	.....	.....	.....	.....	2	6	12	19	18	5	3	.....	.....	.....
Softening of brain	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Paralysis	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	.....	.....	.....	.....
Epilepsy	4	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....	.....	.....
"Convulsions"	30	21	7	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	17	1	.....	.....	2	.....	3	.....	1	1	6	3	.....	.....	.....	.....	.....	.....
Pericarditis	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	30	.....	.....	.....	.....	.....	.....	2	4	4	6	5	4	3	2	.....	.....	.....
Heart disease	167	1	1	.....	1	.....	2	7	14	35	40	35	14	11	5	1	.....	.....
Angina pectoris	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....
Embolism and thrombosis	5	.....	.....	.....	.....	.....	.....	1	.....	1	3	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	29	5	.....	1	.....	.....	.....	.....	.....	7	5	3	5	1	2	.....	.....	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	32	21	8	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis	15	.....	.....	.....	.....	.....	1	4	1	3	1	.....	3	1	1	.....	.....	.....
Bronchopneumonia	202	93	49	30	7	1	4	1	6	1	2	2	1	4	.....	1	.....	.....
Pneumonia (lobar and unqualified)	183	27	13	4	5	3	4	5	26	35	22	16	12	7	2	2	.....	.....
Pleurisy	5	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....	.....
Congestion of lungs	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3	.....	.....	.....	.....	.....
Other diseases of respiratory system	8	1	.....	.....	.....	.....	1	.....	2	1	2	.....	1	.....	.....	.....	.....	.....
Tonsillitis	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	13	2	.....	.....	.....	.....	.....	.....	2	2	1	4	1	1	.....	.....	.....	.....
Diarrhea and enteritis	143	116	15	3	1	2	1	1	.....	2	1	.....	1	.....	.....	.....	.....	.....
Hernia and intestinal obstructions	15	3	.....	.....	.....	.....	1	.....	2	2	2	2	2	.....	1	.....	.....	.....
Cirrhosis of liver	13	1	.....	.....	.....	.....	.....	.....	.....	4	4	1	2	1	.....	.....	.....	.....
Other diseases of liver	7	.....	.....	.....	.....	.....	.....	.....	2	1	3	.....	1	.....	.....	.....	.....	.....
Peritonitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Appendicitis	8	.....	.....	.....	.....	.....	1	1	3	2	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	6	1	.....	.....	.....	.....	1	.....	1	1	1	1	.....	.....	.....	.....	.....	.....
Acute nephritis	28	5	2	.....	.....	.....	1	.....	4	2	5	3	5	1	.....	.....	.....	.....
Bright's disease	174	.....	1	1	.....	.....	.....	4	12	24	46	39	32	10	4	1	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	7	.....	.....	.....	.....	.....	.....	.....	2	.....	4	1	.....	.....	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	20	.....	.....	.....	.....	.....	.....	2	5	7	5	1	.....	.....	.....	.....	.....	.....
Puerperal septicemia	14	.....	.....	.....	.....	.....	.....	.....	6	8	.....	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	6	.....	.....	.....	.....	.....	.....	1	3	2	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	1	2	1	.....	.....
Diseases of locomotor system	5	1	.....	2	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Malformations	10	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	79	79	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	66	66	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	2	.....	2	.....
Suicide	12	.....	.....	.....	.....	.....	.....	.....	2	7	3	.....	.....	.....	.....	.....	.....	.....
Other violence	91	8	1	2	1	1	2	9	16	23	13	4	6	4	1	.....	.....	.....
Ill-defined causes	28	23	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW YORK, N. Y. (BRONX BOROUGH, TOTAL).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	6,451	988	283	140	75	65	145	297	706	905	820	683	676	470	172	25	1	
Typhoid fever	62		2		2	2	2	7	15	16	6	6	3		1			
Malarial fever	3	1	2															
Smallpox																		
Measles	61	14	20	17	6	2	2											
Scarlet fever	52		7	12	7	4	14	6	2									
Whooping cough	32	21	5	3	1	2												
Diphtheria and croup	103	5	24	18	9	19	22	3	1	1	1							
Influenza	9		1					1	1		1	1	3		1			
Cholera nostras	1									1								
Dysentery	11	4				1				2			1	2	1			
Erysipelas	15	12										1	1	1				
Other epidemic diseases	1			1														
Septicemia	6						1	1		2		2						
Tuberculosis—total	1,717	32	23	11	10	4	15	143	426	507	352	143	38	12	1			
Tuberculosis of lungs	1,616	11	10				10	133	416	499	346	142	37	12				
Tuberculosis of larynx	7								1	4	1		1					
Tuberculous meningitis	71	19	12	9	10	4	4	5	5	1	2							
Abdominal tuberculosis	5	1					1		1	1	1							
Pott's disease	1										1							
Tuberculous abscess	1	1																
White swelling	6							3	1		1				1			
Tuberculosis of other organs	3							1	1	1								
General tuberculosis	7		1	2				1	1	1		1						
Scrofula																		
Venereal diseases	16	10							1	2	2		1					
Cancer	302				1	1		2	3	20	69	84	76	33	13			
Tumor	2	1						1										
Rheumatism	25				1	2	3	2	1	4	2	3	2	2	3			
Diabetes	74							2	2	4	5	22	21	18				
Anemia, leukemia	25	1		1				4	3	1	6	6	3					
Alcoholism	27								1	9	10	4	1	1	1			
Chronic poisonings	2									1	1							
Other general diseases	8	1	1						1	1	1	1	2					
Encephalitis	1			1														
Meningitis	59	11	11	10	3		13	4	4		2		1					
Apoplexy	230	2	1						1	4	22	47	69	57	24	3		
Softening of brain	3										1			1	1			
Paralysis	16								1	1	1	2	4	5	1	1		
Epilepsy	11	1						2	1	3	3	1						
"Convulsions"	12	9	2		1													
Tetanus	4		1				1	1					1					
Other diseases of nervous system	54	4			2	1	1	3	3	6	10	7	11	3	3			
Pericarditis	3			1								1	1					
Endocarditis	81	2			1		2	9	5	7	11	8	21	11	4			
Heart disease	508	5		1	2		14	27	36	45	49	87	111	95	29	7		
Angina pectoris	8									1		2	3	2				
Embolism and thrombosis	14					1			1	3	1	2	3	1	2			
Other diseases of circulatory system	69	5							1	1	4	10	13	24	11			
Laryngitis																		
Acute bronchitis	63	37	8	3	1		1	2					4	4	2	1		
Chronic bronchitis	23	3					1					2	7	7	2	1		
Bronchopneumonia	275	123	66	17	11	8	5	2	3	10	4	4	10	11	1			
Pneumonia (lobar and unqualified)	393	46	24	13	6	6	12	13	27	50	62	46	44	35	7	2		
Pleurisy	14	2	1			1	1	1	2	2	1	2		1				
Congestion of lungs	24	4									1		5	6	7	1		
Other diseases of respiratory system	15	2		1				1		2		2	4	1	1	1		
Tonsillitis	1				1													
Diseases of stomach	45	9	2			2	1		4	7	3	8	2	6	1			
Diarrhea and enteritis	339	241	65	10	4		1			4		2	3	4	4	1		
Hernia and intestinal obstructions	42	11					1		3	4	4	4	8	6	1			
Cirrhosis of liver	79								2	23	15	16	15	6	2			
Other diseases of liver	26	1		1					3		4	7	6	3	1			
Peritonitis	3	1					1			1								
Appendicitis	35			1		1	4	9	5	4	5	3	2	1				
Other diseases of digestive system	15	3		1				2	1	1	2	4		1				
Acute nephritis	50		2	2	1	1		4	8	6	6	7	7	5		1		
Bright's disease	495	1		2			2	7	29	47	83	98	125	73	25	3		
Calculi of urinary tract	1										1							
Uterine tumor	4									2	2							
Ovarian tumor	2										1	1						
Other diseases of genito-urinary system	41	1		1				2	9	7	6	3	3	6	3			
Puerperal septicemia	31							1	16	13	1							
Other causes incident to childbirth	38							1	19	14	4							
Diseases of skin	14	1	1									2	3	3	4			
Diseases of locomotor system	12			1		1	2	1	2		1	1	2	1				
Malformations	48	44	2	1				1										
Premature birth	154	154																
Congenital debility	91	91																
Old age	32												4	14	10	3	1	
Suicide	80							5	20	10	18	10	15	2				
Other violence	297	40	6	11	4	6	22	27	43	56	35	21	16	6	4			
Ill-defined causes	42	32	6				1				1		1		1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW YORK, N. Y. (BRONX BOROUGH, WHITE).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	6,272	970	279	138	73	64	137	281	687	881	792	666	653	464	164	23	.....	.....
Typhoid fever	61	.....	2	.....	2	2	2	7	15	15	6	6	3	.....	1	.....	.....	.....
Malarial fever	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	61	14	20	17	6	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	52	.....	7	12	7	4	14	6	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	32	21	5	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	100	5	24	18	9	19	20	2	1	1	1	.....	.....	.....	.....	.....	.....	.....
Influenza	9	.....	1	.....	.....	.....	.....	1	1	.....	1	1	3	.....	1	.....	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	11	4	.....	.....	.....	1	.....	.....	.....	2	.....	.....	1	2	1	.....	.....	.....
Erysipelas	15	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....
Other epidemic diseases	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	5	.....	.....	.....	.....	.....	1	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis—total	1,654	31	21	11	10	4	11	131	413	494	339	139	37	12	1	.....	.....	.....
Tuberculosis of lungs	1,557	11	9	.....	.....	.....	6	121	405	486	333	138	36	12	.....	.....	.....	.....
Tuberculosis of larynx	6	.....	.....	.....	.....	.....	.....	.....	.....	4	1	.....	1	.....	.....	.....	.....	.....
Tuberculous meningitis	70	19	11	9	10	4	4	5	5	1	2	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	5	1	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	5	.....	.....	.....	.....	.....	.....	3	.....	.....	1	.....	.....	.....	1	.....	.....	.....
Tuberculosis of other organs	3	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	7	.....	1	2	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	15	10	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....	.....
Cancer	296	.....	.....	.....	1	1	.....	2	3	19	68	83	74	33	12	.....	.....	.....
Tumor	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	25	.....	.....	.....	1	2	3	2	1	4	2	3	2	2	3	.....	.....	.....
Diabetes	74	.....	.....	.....	.....	.....	.....	2	2	4	5	22	21	18	.....	.....	.....	.....
Anemia, leukemia	24	1	.....	1	.....	.....	.....	4	3	1	6	5	3	.....	.....	.....	.....	.....
Alcoholism	27	.....	.....	.....	.....	.....	.....	.....	1	9	10	4	1	1	1	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Other general diseases	8	1	1	.....	.....	.....	.....	.....	1	1	1	1	2	.....	.....	.....	.....	.....
Encephalitis	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	59	11	11	10	3	.....	13	4	4	.....	2	.....	1	.....	.....	.....	.....	.....
Apoplexy	220	2	1	.....	.....	.....	.....	.....	1	4	22	45	64	56	22	3	.....	.....
Softening of brain	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....
Paralysis	14	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	3	4	1	1	.....	.....
Epilepsy	9	1	.....	.....	.....	.....	.....	2	1	3	1	1	.....	.....	.....	.....	.....	.....
"Convulsions"	12	9	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	4	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	53	4	.....	.....	1	1	1	3	3	6	10	7	11	3	3	.....	.....	.....
Pericarditis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Endocarditis	78	2	.....	.....	1	.....	2	9	4	7	10	8	20	11	4	.....	.....	.....
Heart disease	496	5	.....	1	2	.....	14	27	34	44	45	86	109	95	27	7	.....	.....
Angina pectoris	8	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	3	2	.....	.....	.....	.....
Embolism and thrombosis	14	.....	.....	.....	.....	1	.....	.....	1	3	1	2	3	1	2	.....	.....	.....
Other diseases of circulatory system	67	5	.....	.....	.....	.....	.....	.....	1	1	4	10	12	24	10	.....	.....	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	63	37	8	3	1	.....	1	2	.....	.....	.....	.....	4	4	2	1	.....	.....
Chronic bronchitis	23	3	.....	.....	.....	.....	1	.....	.....	.....	.....	2	7	7	2	1	.....	.....
Bronchopneumonia	271	122	65	16	10	8	5	2	3	10	4	4	10	11	1	.....	.....	.....
Pneumonia (lobar and unqualified)	380	43	24	13	6	5	11	13	26	48	61	45	44	33	7	1	.....	.....
Pleurisy	14	2	1	.....	.....	1	1	1	2	2	1	2	.....	1	.....	.....	.....	.....
Congestion of lungs	21	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	6	7	1	.....	.....
Other diseases of respiratory system	14	1	.....	1	.....	.....	.....	1	.....	2	.....	2	4	1	1	1	.....	.....
Tonsillitis	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	45	9	2	.....	.....	2	1	.....	4	7	3	8	2	6	1	.....	.....	.....
Diarrhea and enteritis	331	235	64	10	4	.....	1	.....	.....	3	.....	2	3	4	4	1	.....	.....
Hernia and intestinal obstructions	41	11	.....	.....	.....	.....	1	.....	3	4	4	4	8	6	.....	.....	.....	.....
Cirrhosis of liver	78	.....	.....	.....	.....	.....	.....	.....	2	22	15	16	15	6	2	.....	.....	.....
Other diseases of liver	24	1	.....	.....	1	.....	.....	.....	3	.....	2	7	6	3	1	.....	.....	.....
Peritonitis	3	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Appendicitis	34	.....	.....	1	.....	1	4	9	5	3	5	3	2	1	.....	.....	.....	.....
Other diseases of digestive system	15	3	.....	1	.....	.....	.....	2	1	1	2	4	.....	1	.....	.....	.....	.....
Acute nephritis	50	.....	2	2	1	1	.....	4	8	6	6	7	7	5	.....	1	.....	.....
Bright's disease	475	1	.....	2	.....	.....	2	5	28	46	80	94	119	71	25	2	.....	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	4	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	39	1	.....	1	.....	.....	.....	2	8	6	6	3	3	6	3	.....	.....	.....
Puerperal septicemia	30	.....	.....	.....	.....	.....	.....	1	16	12	1	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	38	.....	.....	.....	.....	.....	.....	1	19	14	4	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	12	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	3	3	3	.....	.....	.....
Diseases of locomotor system	11	.....	.....	1	.....	1	2	1	2	.....	.....	1	2	1	.....	.....	.....	.....
Malformations	48	44	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	151	151	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	90	90	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	31	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	14	10	3	.....	.....
Suicide	80	.....	.....	.....	.....	.....	.....	5	20	10	18	10	15	2	.....	.....	.....	.....
Other violence	294	40	6	11	4	6	21	26	43	56	35	20	16	6	4	.....	.....	.....
Ill-defined causes	40	30	6	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW YORK, N. Y. (BRONX BOROUGH, COLORED).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	179	18	4	2	2	1	8	16	19	24	28	17	23	6	8	2	1	
Typhoid fever	1									1								
Malarial fever																		
Smallpox																		
Measles																		
Scarlet fever																		
Whooping cough																		
Diphtheria and croup	3						2	1										
Influenza																		
Cholera nostras																		
Dysentery																		
Erysipelas																		
Other epidemic diseases																		
Septicemia	1											1						
Tuberculosis—total	63	1	2				4	12	13	13	13	4	1					
Tuberculosis of lungs	59		1				4	12	11	13	13	4	1					
Tuberculosis of larynx	1								1									
Tuberculous meningitis	1		1															
Abdominal tuberculosis																		
Pott's disease																		
Tuberculous abscess	1	1																
White swelling	1								1									
Tuberculosis of other organs																		
General tuberculosis																		
Scrofula																		
Venereal diseases	1												1					
Cancer	6									1	1	1	2		1			
Tumor																		
Rheumatism																		
Diabetes																		
Anemia, leukemia	1											1						
Alcoholism																		
Chronic poisonings																		
Other general diseases																		
Encephalitis																		
Meningitis																		
Apoplexy	10											2	5	1	2			
Softening of brain																		
Paralysis	2												1	1				
Epilepsy	2										2							
"Convulsions"																		
Tetanus																		
Other diseases of nervous system	1				1													
Pericarditis	1			1														
Endocarditis	3								1		1		1					
Heart disease	12								2	1	4	1	2		2			
Angina pectoris																		
Embolism and thrombosis																		
Other diseases of circulatory system	2												1		1			
Laryngitis																		
Acute bronchitis																		
Chronic bronchitis																		
Bronchopneumonia	4	1	1	1	1													
Pneumonia (lobar and unqualified)	13	3				1	1		1	2	1	1		2		1		
Pleurisy																		
Congestion of lungs	3												3					
Other diseases of respiratory system	1	1																
Tonsillitis																		
Diseases of stomach																		
Diarrhea and enteritis	8	6	1							1								
Hernia and intestinal obstructions	1														1			
Cirrhosis of liver	1									1								
Other diseases of liver	2										2							
Peritonitis																		
Appendicitis	1									1								
Other diseases of digestive system																		
Acute nephritis																		
Bright's disease	20							2	1	1	3	4	6	2		1		
Calculi of urinary tract																		
Uterine tumor																		
Ovarian tumor																		
Other diseases of genito-urinary system	2								1	1								
Puerperal septicemia	1									1								
Other causes incident to childbirth																		
Diseases of skin	2											1			1			
Diseases of locomotor system	1										1							
Malformations																		
Premature birth	3	3																
Congenital debility	1	1																
Old age	1																1	
Suicide																		
Other violence	3						1	1				1						
Ill-defined causes	2	2																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	24,417	4,928	1,624	671	415	246	638	829	1,796	2,428	2,521	2,562	2,781	2,057	810	106	4	1
Typhoid fever	189			2			6	30	58	51	24	10	4	3	1			
Malarial fever	23			1	2	1		1	5	4	1	2		4	2			
Smallpox																		
Measles	466	108	202	77	35	16	20	3	3	1	1							
Scarlet fever	331	12	45	45	60	31	98	31	7	2								
Whooping cough	110	54	28	14	11	2	1											
Diphtheria and croup	555	49	155	96	85	52	99	16	3									
Influenza	113	12	1	1	2		5	5	7	11	8	12	19	19	11			
Cholera nostras	2	1													1			
Dysentery	42	10	2	1		1	2	1	1	1	5	3	7	4	4			
Erysipelas	71	32	1					4	6	6	8	5	5	4				
Other epidemic diseases	3	1		1	1													
Septicemia	23	1		2	1			2	5	2	6	1	2	1				
Tuberculosis—total	2,749	86	60	43	22	17	37	248	670	724	486	238	93	24	1			
Tuberculosis of lungs	2,376	12	12	4	3	2	12	209	630	697	465	223	84	22	1			
Tuberculosis of larynx	21	1							9	5	3	3						
Tuberculous meningitis	195	51	39	35	13	14	15	15	7	3	2	1						
Abdominal tuberculosis	62	14	6	2	2		3	7	5	8	7	6	2					
Pott's disease	24	2	1	1	2			4	5	2	1	2	3	1				
Tuberculous abscess	1					1												
White swelling	12	1		1	1		1	4	1	2	1							
Tuberculosis of other organs	30	2	1		1		3	2	7	5	3	2	3	1				
General tuberculosis	28	3	1				3	7	6	2	4	1	1					
Scrofula	1	1																
Veneral diseases	105	49	6	1	1			1	7	17	16	5		2				
Cancer	1,121	1			1	1	3	4	26	89	216	309	269	175	25	2		
Tumor	5										1	1	1	2				
Rheumatism	133	1		1	2	2	20	29	15	12	12	16	11	8	4			
Diabetes	239		1			1	1	9	8	16	25	60	81	29	7	1		
Anemia, leukemia	59	5	4			1	2	5	3	4	11	11	9	2	2			
Alcoholism	95								8	33	31	19	4					
Chronic poisonings	8									4	3	1						
Other general diseases	35	3	1	1		1	2	2	8	7	4	3		2	1			
Encephalitis	7	1	1						1		3				1			
Meningitis	166	44	31	23	13	5	18	13	6	7	3	2		1				
Apoplexy	1,034	7	1					2	11	40	110	231	289	246	94	3		
Softening of brain	10								1	1		3	2	2	1			
Paralysis	45	1								1	2	3	18	12	8			
Epilepsy	32	2		1					14	6	1	6	2					
"Convulsions"	167	142	21	2	2													
Tetanus	23	7				1	2	5	3	4			1					
Other diseases of nervous system	233	14	20	5	5	5	14	9	16	34	51	38	48	19	5			
Pericarditis	14	2				1	1	2		4	1		1	2				
Endocarditis	345	26	1	1		1	6	27	23	37	38	47	70	50	15	3		
Heart disease	2,337	16	3	1	5	6	31	85	127	206	304	401	550	419	165	17		1
Angina pectoris	86								1	3	14	20	25	18	5			
Embolism and thrombosis	65	1					1	3	2	5	6	15	19	11	2			
Other diseases of circulatory system	257	5	2	1				1	1	7	15	37	68	58	53	9		
Laryngitis	6		2		1	1	1			1								
Acute bronchitis	409	257	57	19	10	3	3	1	1	2	5	10	14	16	9	1	1	
Chronic bronchitis	231	11	2	2			3	11	16	22	15	24	43	57	22	3		
Bronchopneumonia	1,621	698	387	126	52	27	32	18	19	33	26	26	63	74	31	9		
Pneumonia (lobar and unqualified)	1,950	191	168	85	38	18	52	54	136	262	263	218	249	160	50	6		
Pleurisy	96	10	17	7			4	4	8	9	17	6	11	1	2			
Congestion of lungs	38	5	1						4		2	1	2	14	7	2		
Other diseases of respiratory system	88	2	3	1		2		4	4	15	19	14	12	8	4			
Tonsillitis	7	1	1		1			2	1			1						
Diseases of stomach	143	27	2	2	1		1	3	12	23	15	18	15	11	10	3		
Diarrhea and enteritis	2,142	1,600	341	44	19	9	13	5	6	11	11	15	27	25	13	3		
Hernia and intestinal obstructions	189	30	3	2		3	6	3	11	11	27	28	23	34	6	2		
Cirrhosis of liver	335				1		1		8	48	78	107	55	29	7	1		
Other diseases of liver	80	2					3		10	10	8	19	16	7	5			
Peritonitis	5				2					2		1						
Appendicitis	197			3	1	1	22	48	40	33	20	19	7	2	1			
Other diseases of digestive system	59	9	3	2	1	1	3	3	5	8	9	2	5	7	1			
Acute nephritis	255	16	7	6	2	2	10	5	37	50	29	27	36	21	7			
Bright's disease	1,838	10	1	2	3	1	10	26	87	185	295	348	448	306	106	9	1	
Calculi of urinary tract	8								2			2	3	1				
Uterine tumor	27								2	4	17	3	1					
Ovarian tumor	28								4	8	6	4	5	1				
Other diseases of genito-urinary system	136	3					1	2	22	26	16	6	20	33	7			
Puerperal septicemia	101							6	51	38	6							
Other causes incident to childbirth	148							7	58	73	10							
Diseases of skin	58	19	4				1	3	2	2	4	5	3	8	5	2		
Diseases of locomotor system	41	10	4	3	1	1	2	3	5	7	2		3					
Malformations	323	308	8	3			3	1										
Premature birth	538	538																
Congenital debility	280	280																
Old age	198												19	63	89	26	1	
Suicide	267							10	52	54	58	55	30	6	2			
Other violence	1,188	174	26	43	33	32	98	72	147	152	157	103	73	55	18	4	1	
Ill-defined causes	38	33	1	1	1							1		1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	23,855	4,806	1,595	654	399	244	621	796	1,721	2,347	2,460	2,516	2,752	2,034	804	102	3	1
Typhoid fever	186			1			6	30	57	50	24	10	4	3	1			
Malarial fever	22			1	2	1		1	4	4	1	2		4	2			
Smallpox																		
Measles	460	107	199	76	35	16	20	3	2	1	1							
Scarlet fever	329	12	45	44	60	31	97	31	7	2								
Whooping cough	101	52	26	12	8	2	1											
Diphtheria and croup	550	49	154	94	83	52	99	16	3									
Influenza	104	11	1	1	1		3	5	5	10	6	12	19	19	11			
Cholera nostras	2	1													1			
Dysentery	41	10	2	1		1	1	1	1	1	5	3	7	4	4			
Erysipelas	70	32	1					4	5	6	8	5	5	4				
Other epidemic diseases	3	1		1	1													
Septicemia	23	1		2	1			2	5	2	6	1	2	1				
Tuberculosis—total	2,646	85	58	42	21	15	34	230	639	693	480	233	92	23	1			
Tuberculosis of lungs	2,289	11	12	4	3	2	10	196	601	668	459	218	83	21	1			
Tuberculosis of larynx	21	1							9	5	3	3						
Tuberculous meningitis	186	51	38	34	12	12	14	12	7	3	2	1						
Abdominal tuberculosis	60	14	5	2	2		3	7	5	7	7	6	2					
Pott's disease	23	2	1	1	2			4	4	2	1	2	3	1				
Tuberculous abscess	1					1												
White swelling	12	1		1	1		1	4	1	2	1							
Tuberculosis of other organs	29	2	1		1		3	2	7	4	3	2	3	1				
General tuberculosis	25	3	1				3	5	5	2	4	1	1					
Scrofula	1	1																
Venereal diseases	98	46	6	1	1			1	6	16	15	5		1				
Cancer	1,111	1			1	1	3	4	26	88	212	306	267	175	25	2		
Tumor	5										1	1	1	2				
Rheumatism	131	1		1	2	2	20	29	14	12	12	16	10	8	4			
Diabetes	237		1			1	1	8	8	16	24	60	81	29	7	1		
Anemia, leukemia	58	5	4			1	2	5	3	4	11	10	9	2	2			
Alcoholism	93								7	33	31	18	4					
Chronic poisonings	7									3	3	1						
Other general diseases	35	3	1	1		1	2	2	8	7	4	3		2	1			
Encephalitis	7	1	1						1		3				1			
Meningitis	162	43	31	22	12	5	18	13	6	7	3	1		1				
Apoplexy	1,013	7	1					2	10	38	106	226	283	244	93	3		
Softening of brain	10								1	1		3	2	2	1			
Paralysis	43	1								1	2	3	17	11	8			
Epilepsy	31	2		1					13	6	1	6	2					
"Convulsions"	157	135	18	2	2													
Tetanus	23	7				1	2	5	3	4			1					
Other diseases of nervous system	278	14	20	5	4	5	12	9	16	34	49	38	48	19	5			
Pericarditis	14	2				1	1	2		4	1		1	2				
Endocarditis	337	26	1	1		1	6	26	22	36	36	47	69	48	15	3		
Heart disease	2,289	15	3	1	5	6	29	82	123	201	293	388	547	416	163	16		1
Angina pectoris	84								1	3	14	18	25	18	5			
Embolism and thrombosis	63	1					1	2	2	5	5	15	19	11	2			
Other diseases of circulatory system	248	4	2	1				1	1	5	15	34	66	57	53	9		
Laryngitis	6		2		1	1	1			1								
Acute bronchitis	399	249	56	19	10	3	3	1	1	2	4	10	14	16	9	1	1	
Chronic bronchitis	217	11	2	2			2	7	15	19	14	24	41	56	21	3		
Bronchopneumonia	1,583	682	382	120	49	27	30	18	17	32	26	26	63	72	31	8		
Pneumonia (lobar and unqualified)	1,901	185	163	85	36	18	51	53	131	248	260	214	246	156	50	5		
Pleurisy	96	10	17	7			4	4	8	9	17	6	11	1	2			
Congestion of lungs	37	5	1						3		2	1	2	14	7	2		
Other diseases of respiratory system	85	2	3	1		2		4	3	14	18	14	12	8	4			
Tonsillitis	7	1	1		1			2	1			1						
Diseases of stomach	139	26	2	2	1		1	3	12	22	15	17	15	10	10	3		
Diarrhea and enteritis	2,101	1,564	337	44	18	9	13	5	6	11	11	15	27	25	13	3		
Hernia and intestinal obstructions	187	30	3	2		3	6	3	11	10	26	28	23	34	6	2		
Cirrhosis of liver	333				1		1		8	48	78	106	54	29	7	1		
Other diseases of liver	79	2					3		9	10	8	19	16	7	5			
Peritonitis	5				2					2		1						
Appendicitis	194			3	1	1	22	48	38	32	20	19	7	2	1			
Other diseases of digestive system	57	9	3	2	1	1	2	3	4	8	9	2	5	7	1			
Acute nephritis	248	13	5	6	2	2	10	5	35	50	29	27	36	21	7			
Bright's disease	1,811	10	1	2	3	1	10	26	85	182	284	343	445	304	105	9	1	
Calculi of urinary tract	8								2			2	3	1				
Uterine tumor	25								1	4	16	3	1					
Ovarian tumor	27								4	8	5	4	5	1				
Other diseases of genito-urinary system	130	3					1	1	20	24	15	6	20	33	7			
Puerperal septicemia	99							6	50	37	6							
Other causes incident to childbirth	146							6	58	72	10							
Diseases of skin	54	19	4				1	3	2	2	3	4	3	7	5	1		
Diseases of locomotor system	39	9	4	2	1	1	2	3	5	7	2		3					
Malformations	318	308	8	3			3	1										
Premature birth	524	524																
Congenital debility	271	271																
Old age	194												18	62	88	26		
Suicide	266							10	52	53	58	55	30	6	2			
Other violence	1,161	171	25	42	32	32	97	70	141	147	152	103	71	55	18	4	1	
Ill-defined causes	36	31	1	1	1							1		1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	562	122	29	17	16	2	17	33	75	81	61	46	29	23	6	4	1	
Typhoid fever	3			1					1	1								
Malarial fever	1								1									
Smallpox																		
Measles	6	1	3	1					1									
Scarlet fever	2			1			1											
Whooping cough	9	2	2	2	3													
Diphtheria and croup	5		1	2	2													
Influenza	9	1			1		2		2	1	2							
Cholera nostras																		
Dysentery	1						1											
Erysipelas	1								1									
Other epidemic diseases																		
Septicemia																		
Tuberculosis—total	103	1	2	1	1	2	3	18	31	31	6	5	1	1				
Tuberculosis of lungs	87	1					2	13	29	29	6	5	1	1				
Tuberculosis of larynx																		
Tuberculous meningitis	9		1	1	1	2	1	3										
Abdominal tuberculosis	2		1							1								
Pott's disease	1								1									
Tuberculous abscess																		
White swelling																		
Tuberculosis of other organs	1									1								
General tuberculosis	3							2	1									
Scrofula																		
Venereal diseases	7	3							1	1	1			1				
Cancer	10									1	4	3	2					
Tumor																		
Rheumatism	2								1				1					
Diabetes	2							1			1							
Anemia, leukemia	1											1						
Alcoholism	2								1			1						
Chronic poisonings	1									1								
Other general diseases																		
Encephalitis																		
Meningitis	4	1		1	1							1						
Apoplexy	21								1	2	4	5	6	2	1			
Softening of brain																		
Paralysis	2												1	1				
Epilepsy	1								1									
"Convulsions"	10	7	3															
Tetanus																		
Other diseases of nervous system	5				1		2				2							
Pericarditis																		
Endocarditis	8							1	1	1	2		1	2				
Heart disease	48	1					2	3	4	5	11	13	3	3	2	1		
Angina pectoris	2											2						
Embolism and thrombosis	2							1			1							
Other diseases of circulatory system	9	1								2		3	2	1				
Laryngitis																		
Acute bronchitis	10	8	1								1							
Chronic bronchitis	14						1	4	1	3	1		2	1	1			
Bronchopneumonia	38	16	5	6	3		2		2	1				2		1		
Pneumonia (lobar and unqualified)	49	6	5		2		1	1	5	14	3	4	3	4		1		
Pleurisy																		
Congestion of lungs	1								1									
Other diseases of respiratory system	3								1	1	1							
Tonsillitis																		
Diseases of stomach	4	1								1		1		1				
Diarrhea and enteritis	41	36	4		1													
Hernia and intestinal obstructions	2									1	1							
Cirrhosis of liver	2											1	1					
Other diseases of liver	1								1									
Peritonitis																		
Appendicitis	3								2	1								
Other diseases of digestive system	2						1		1									
Acute nephritis	7	3	2						2									
Bright's disease	27								2	3	11	5	3	2	1			
Calculi of urinary tract																		
Uterine tumor	2								1		1							
Ovarian tumor	1										1							
Other diseases of genito-urinary system	6							1	2	2	1							
Puerperal septicemia	2								1	1								
Other causes incident to childbirth	2							1		1								
Diseases of skin	4										1	1		1		1		
Diseases of locomotor system	2	1		1														
Malformations	5	5																
Premature birth	14	14																
Congenital debility	9	9																
Old age	4												1	1	1		1	
Suicide	1									1								
Other violence	27	3	1	1	1		1	2	6	5	5		2					
Ill-defined causes	2	2																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	38,031	8,848	2,612	1,000	571	367	824	1,160	2,866	3,956	4,425	4,007	3,945	2,449	853	140	8	
Typhoid fever	260	1	1	3	2	2	12	40	81	73	27	13	3	2				
Malarial fever	6			1				1		1	2	1						
Smallpox	2									2								
Measles	372	121	144	56	23	11	14		2	1								
Scarlet fever	369	24	64	71	58	40	70	27	10	5								
Whooping cough	201	97	59	17	14	2	9	2						1				
Diphtheria and croup	953	136	303	191	127	73	98	12	8	4			1					
Influenza	131	13	6	2		2	3	6	6	13	11	17	27	14	8	3		
Cholera nostras																		
Dysentery	36	11	1		2			1	1	1	2	3	5	5	4			
Erysipelas	188	92	6	4		1	1	2	12	12	24	20	10	4				
Other epidemic diseases	14	1	4	3		2	1			1	1	1						
Septicemia	60	14	4	1		1	1	4	10	8	8	5	2	2				
Tuberculosis—total	4,952	174	196	98	53	53	107	319	1,050	1,211	933	457	219	73	9			
Tuberculosis of lungs	4,160	51	49	16	7	14	23	239	981	1,162	905	435	207	63	8			
Tuberculosis of larynx	17	2						1	2	5		4	1	2				
Tuberculous meningitis	532	104	127	76	38	33	65	38	24	15	9	3						
Abdominal tuberculosis	102	7	8	4	5	3	5	10	23	12	7	7	4	6	1			
Pott's disease	39		2		1	1	6	13	6	5	4	1						
Tuberculous abscess	2		1					1										
White swelling	14		2			1	3	4	1	1	1		1					
Tuberculosis of other organs	35	4	3			1	2	6	4	7	5	1	1	1				
General tuberculosis	51	6	4	2	2		3	7	9	4	2	6	5	1				
Scrofula	14	8	2	1	1		1		1									
Venereal diseases	285	176	9	1	1	1	2	6	15	29	30	8	5	2				
Cancer	1,858	5	5	4	2	1	4	16	52	162	417	467	452	226	41	4		
Tumor	21	1	1				2		1	4	4	5	3					
Rheumatism	158	1	2		6	3	18	18	18	15	25	18	22	10	2			
Diabetes	415		1				1	11	16	28	62	132	111	46	7			
Anemia, leukemia	96	4	2	1	1	2	6	5	13	13	22	18	8	1				
Alcoholism	207								14	78	67	32	12	3	1			
Chronic poisonings	6								1		4	1						
Other general diseases	55	4	1				1	2	13	9	10	9	6					
Encephalitis	12		2	2	1		3		2		1		1					
Meningitis	331	110	35	24	20	10	18	24	22	22	27	10	5	3		1		
Apoplexy	1,135	20		1	1		1	1	11	52	142	228	331	253	87	7		
Softening of brain	15										1	4	4	4	2			
Paralysis	69	3								5	4	16	16	19	6			
Epilepsy	47	1	3	2			3	7	14	6	5	3		3				
"Convulsions"	233	198	29	4	2													
Tetanus	28	14	1			1	2	2	3	3	2							
Other diseases of nervous system	444	43	19	11	5	10	13	29	34	66	87	69	40	13	5			
Pericarditis	17	1					1	4	3	3	1	1		1	2			
Endocarditis	560	13	6	3	3	2	20	21	34	76	81	87	102	85	24	2	1	
Heart disease	2,566	18	7	6	8	9	52	134	190	283	382	458	546	333	119	20	1	
Angina pectoris	82								1	5	13	21	26	13	2	1		
Embolism and thrombosis	82	1						1	3	10	9	15	19	16	7	1		
Other diseases of circulatory system	508	33	4	1	2				7	22	36	60	97	157	72	16	1	
Laryngitis	3		1				2											
Acute bronchitis	458	325	73	13	9	3	1	2	1			5	6	10	6	4		
Chronic bronchitis	139	5	6				1		1	2	10	14	36	36	23	5		
Bronchopneumonia	2,938	1,350	708	212	81	35	52	18	33	48	56	75	120	92	44	14		
Pneumonia (lobar and unqualified)	2,837	336	250	103	44	20	55	81	194	342	389	354	382	215	63	8	1	
Pleurisy	188	27	42	12	4	1	5	13	15	16	16	11	16	6	3	1		
Congestion of lungs	34	9				1				1	1	1	4	9	7	1		
Other diseases of respiratory system	132	14	1	1			2	2	12	18	17	26	21	10	8			
Tonsillitis	17	1	1	2	1	1	4	2	1	1	1	1	1					
Diseases of stomach	209	40	6				2	6	19	27	39	20	23	17	9	1		
Diarrhea and enteritis	2,837	2,149	455	64	24	10	14	8	12	12	19	19	17	22	11	1		
Hernia and intestinal obstructions	281	45	6	2	3	2	6	7	18	31	42	51	38	23	6	1		
Cirrhosis of liver	416	1			1		1		22	50	129	107	81	21	2	1		
Other diseases of liver	179	6					1	1	17	25	41	31	40	15	2			
Peritonitis	25	2	1	1			1		2	4	6	3	4		1			
Appendicitis	288	4	1	4	4	3	21	56	57	56	41	20	14	7				
Other diseases of digestive system	123	24	10	2	2		2	4	8	19	15	20	9	5	2	1		
Acute nephritis	263	13	8	6	2	9	8	18	29	50	37	34	30	14	5			
Bright's disease	3,336	13	11	10	6	4	17	40	129	357	604	717	774	477	151	24	2	
Calculi of urinary tract	19							1	2	2	6	2	5	1				
Uterine tumor	52								3	17	22	8	2					
Ovarian tumor	22								6	4	4	2	2	3	1			
Other diseases of genito-urinary system	257	3	2	2				5	61	49	38	33	32	21	10	1		
Puerperal septicemia	176							8	104	56	8							
Other causes incident to childbirth	203							9	78	99	17							
Diseases of skin	103	33	8	1	2		1	2	3	4	6	14	8	14	6	1		
Diseases of locomotor system	149	25	14	7	4	3	18	11	22	13	13	7	9	1	2			
Malformations	273	243	14	5	2		4	2	1	1	1							
Premature birth	994	994																
Congenital debility	1,256	1,256																
Old age	170												17	66	66	19	2	
Suicide	475							15	105	105	115	77	42	16				
Other violence	1,983	231	44	42	47	49	142	154	263	323	291	175	139	56	26	1		
Ill-defined causes	408	361	33	3	3					1	1	1		3	1	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	36,526	8,472	2,514	945	555	352	804	1,106	2,683	3,711	4,222	3,876	3,869	2,424	845	140	8	.....
Typhoid fever	255	1	1	3	2	2	11	37	81	73	26	13	3	2	.....	.....	.....	.....
Malarial fever	5	.....	.....	1	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	.....
Smallpox	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Measles	367	120	140	56	23	11	14	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	366	24	63	70	57	40	70	27	10	5	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	186	87	56	17	13	2	8	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Diphtheria and croup	936	134	301	186	125	69	96	12	8	4	.....	.....	1	.....	.....	.....	.....	.....
Influenza	126	12	6	1	.....	2	3	6	5	13	10	17	26	14	8	3	.....	.....
Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	36	11	1	.....	2	.....	.....	1	1	1	2	3	5	5	4	.....	.....	.....
Erysipelas	186	91	6	4	.....	1	1	2	12	12	23	20	10	4	.....	.....	.....	.....
Other epidemic diseases	12	.....	4	3	.....	2	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Septicemia	59	14	4	1	.....	1	1	4	9	8	8	5	2	2	.....	.....	.....	.....
Tuberculosis—total	4,575	157	184	88	50	49	102	288	949	1,104	882	428	213	72	9	.....	.....	.....
Tuberculosis of lungs	3,831	43	43	13	6	12	19	210	892	1,058	856	408	201	62	8	.....	.....	.....
Tuberculosis of larynx	16	2	.....	.....	.....	.....	.....	1	1	5	.....	4	1	2	.....	.....	.....	.....
Tuberculous meningitis	505	98	121	70	36	31	64	38	20	15	9	3	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	95	6	8	4	5	3	5	10	18	11	7	7	4	6	1	.....	.....	.....
Pott's disease	38	.....	2	.....	1	1	6	13	6	5	3	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	2	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	14	.....	2	.....	.....	1	3	4	1	1	1	.....	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	32	3	3	.....	.....	1	2	5	4	6	5	1	1	1	.....	.....	.....	.....
General tuberculosis	42	5	4	1	2	.....	3	6	7	3	1	4	5	1	.....	.....	.....	.....
Scrofula	12	8	1	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	259	168	9	1	.....	.....	1	4	12	24	27	7	4	2	.....	.....	.....	.....
Cancer	1,828	5	5	4	2	1	4	16	49	157	405	463	447	225	41	4	.....	.....
Tumor	21	1	1	.....	.....	.....	2	.....	1	4	4	5	3	.....	.....	.....	.....	.....
Rheumatism	154	1	2	.....	6	3	18	18	18	15	25	18	20	8	2	.....	.....	.....
Diabetes	410	.....	1	.....	.....	.....	1	11	16	28	59	130	111	46	7	.....	.....	.....
Anemia, leukemia	92	4	2	1	1	2	6	4	13	13	21	16	8	1	.....	.....	.....	.....
Alcoholism	207	.....	.....	.....	.....	.....	.....	.....	14	78	67	32	12	3	1	.....	.....	.....
Chronic poisonings	6	.....	.....	.....	.....	.....	.....	.....	1	.....	4	1	.....	.....	.....	.....	.....	.....
Other general diseases	54	4	1	.....	.....	.....	1	2	13	8	10	9	6	.....	.....	.....	.....	.....
Encephalitis	12	.....	2	2	1	.....	3	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....
Meningitis	318	107	34	24	18	10	18	24	21	19	24	10	5	3	.....	1	.....	.....
Apoplexy	1,103	19	.....	1	1	.....	1	1	10	48	134	217	325	252	87	7	.....	.....
Softening of brain	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	4	4	1	.....	.....	.....
Paralysis	66	3	.....	.....	.....	.....	.....	.....	.....	5	4	14	15	19	6	.....	.....	.....
Epilepsy	46	1	3	2	.....	.....	3	7	14	6	5	2	.....	3	.....	.....	.....	.....
"Convulsions"	213	184	25	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	28	14	1	.....	.....	1	2	2	3	3	2	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	433	42	19	11	5	10	12	29	33	65	83	66	40	13	5	.....	.....	.....
Pericarditis	16	.....	.....	.....	.....	.....	1	4	3	3	1	1	.....	1	2	.....	.....	.....
Endocarditis	546	13	6	3	3	2	20	21	33	73	79	82	100	85	23	2	1	.....
Heart disease	2,470	18	6	6	7	9	52	131	182	255	359	439	539	328	118	20	1	.....
Angina pectoris	81	.....	.....	.....	.....	.....	.....	.....	1	5	12	21	26	13	2	1	.....	.....
Embolism and thrombosis	79	1	.....	.....	.....	.....	.....	1	3	9	7	15	19	16	7	1	.....	.....
Other diseases of circulatory system	492	29	4	.....	2	.....	.....	.....	7	17	32	60	95	157	72	16	1	.....
Laryngitis	3	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	437	312	67	11	9	3	1	2	1	.....	.....	5	6	10	6	4	.....	.....
Chronic bronchitis	138	5	6	.....	.....	.....	1	.....	1	2	10	14	35	36	23	5	.....	.....
Bronchopneumonia	2,787	1,278	667	190	78	34	50	17	29	48	55	74	119	90	44	14	.....	.....
Pneumonia (lobar and unqualified)	2,720	319	242	99	42	18	53	77	174	323	371	344	374	214	61	8	1	.....
Pleurisy	185	27	42	12	4	1	5	13	14	15	15	11	16	6	3	1	.....	.....
Congestion of lungs	34	9	.....	.....	.....	1	.....	.....	.....	1	1	1	4	9	7	1	.....	.....
Other diseases of respiratory system	129	14	1	1	.....	.....	2	2	11	18	16	26	20	10	8	.....	.....	.....
Tonsillitis	16	.....	1	2	1	1	4	2	1	1	1	1	1	.....	.....	.....	.....	.....
Diseases of stomach	201	39	6	.....	.....	.....	2	6	17	26	38	18	22	17	9	1	.....	.....
Diarrhea and enteritis	2,753	2,084	445	61	24	8	13	8	12	11	18	19	16	22	11	1	.....	.....
Hernia and intestinal obstructions	271	43	6	2	3	2	5	7	17	30	41	49	36	23	6	1	.....	.....
Cirrhosis of liver	408	.....	.....	.....	1	.....	1	.....	22	48	125	107	81	20	2	1	.....	.....
Other diseases of liver	175	6	.....	.....	.....	.....	1	1	16	24	40	31	39	15	2	.....	.....	.....
Peritonitis	25	2	1	1	.....	.....	1	.....	2	4	6	3	4	.....	1	.....	.....	.....
Appendicitis	284	4	1	4	4	3	20	55	56	56	41	19	14	7	.....	.....	.....	.....
Other diseases of digestive system	119	23	10	2	2	.....	2	4	8	18	14	19	9	5	2	1	.....	.....
Acute nephritis	244	11	8	6	2	9	7	18	27	48	34	31	25	13	5	.....	.....	.....
Bright's disease	3,222	13	10	9	6	4	17	38	121	338	574	690	755	473	148	24	2	.....
Calculi of urinary tract	19	.....	.....	.....	.....	.....	.....	1	2	2	6	2	5	1	.....	.....	.....	.....
Uterine tumor	47	.....	.....	.....	.....	.....	.....	.....	2	17	19	7	2	.....	.....	.....	.....	.....
Ovarian tumor	22	.....	.....	.....	.....	.....	.....	.....	6	4	4	2	2	3	1	.....	.....	.....
Other diseases of genito-urinary system	245	3	2	2	.....	.....	.....	4	59	45	34	32	32	21	10	1	.....	.....
Puerperal septicemia	166	.....	.....	.....	.....	.....	.....	8	99	51	8	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	199	.....	.....	.....	.....	.....	.....	9	75	98	17	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	102	33	8	1	2	.....	1	2	3	4	5	14	8	14	6	1	.....	.....
Diseases of locomotor system	147	25	14	6	4	3	17	11	22	13	13	7	9	1	2	.....	.....	.....
Malformations	268	238	14	5	2	.....	4	2	1	1	1	.....	.....	.....	.....	.....	.....	.....
Premature birth	934	934	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	1,207	1,207	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	168	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17	64	66	19	2	.....
Suicide	465	.....	.....	.....	.....	.....	.....	15	103	100	112	77	42	16	.....	.....	.....	.....
Other violence	1,928	226	44	41	47	48	142	149	255	305	283	172	136	53	26	1	.....	.....
Ill-defined causes	387	344	30	3	3	.....	.....	.....	.....	1	1	1	.....	2	1	1	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	1,505	376	98	55	16	15	20	54	183	245	203	131	76	25	8			
Typhoid fever	5						1	3			1							
Malarial fever	1										1							
Smallpox																		
Measles	5	1	4															
Scarlet fever	3		1	1	1													
Whooping cough	15	10	3		1		1											
Diphtheria and croup	17	2	2	5	2	4	2											
Influenza	5	1		1					1		1		1					
Cholera nostras																		
Dysentery																		
Erysipelas	2	1									1							
Other epidemic diseases	2	1								1								
Septicemia	1								1									
Tuberculosis—total	377	17	12	10	3	4	5	31	101	107	51	29	6	1				
Tuberculosis of lungs	329	8	6	3	1	2	4	29	89	104	49	27	6	1				
Tuberculosis of larynx	1								1									
Tuberculous meningitis	27	6	6	6	2	2	1		4									
Abdominal tuberculosis	7	1							5	1								
Pott's disease	1										1							
Tuberculous abscess																		
White swelling																		
Tuberculosis of other organs	3	1						1		1								
General tuberculosis	9	1		1				1	2	1	1	2						
Scrofula	2		1	1														
Venereal diseases	26	8			1	1	1	2	3	5	3	1	1					
Cancer	30								3	5	12	4	5	1				
Tumor																		
Rheumatism	4												2	2				
Diabetes	5										3	2						
Anemia, leukemia	4							1			1	2						
Alcoholism																		
Chronic poisonings																		
Other general diseases	1									1								
Encephalitis																		
Meningitis	13	3	1		2				1	3	3							
Apoplexy	32	1							1	4	8	11	6	1				
Softening of brain	1														1			
Paralysis	3											2	1					
Epilepsy	1											1						
"Convulsions"	20	14	4	2														
Tetanus																		
Other diseases of nervous system	11	1					1		1	1	4	3						
Pericarditis	1	1																
Endocarditis	14								1	3	2	5	2		1			
Heart disease	96		1		1			3	8	28	23	19	7	5	1			
Angina pectoris	1										1							
Embolism and thrombosis	3									1	2							
Other diseases of circulatory system	16	4		1						5	4		2					
Laryngitis																		
Acute bronchitis	21	13	6	2														
Chronic bronchitis	1												1					
Bronchopneumonia	151	72	41	22	3	1	2	1	4		1	1	1	2				
Pneumonia (lobar and unqualified)	117	17	8	4	2	2	2	4	20	19	18	10	8	1	2			
Pleurisy	3								1	1	1							
Congestion of lungs																		
Other diseases of respiratory system	3								1		1		1					
Tonsillitis	1	1																
Diseases of stomach	8	1							2	1	1	2	1					
Diarrhea and enteritis	84	65	10	3		2	1			1	1		1					
Hernia and intestinal obstructions	10	2					1		1	1	1	2	2					
Cirrhosis of liver	8	1								2	4			1				
Other diseases of liver	4								1	1	1		1					
Peritonitis																		
Appendicitis	4						1	1	1			1						
Other diseases of digestive system	4	1								1	1	1						
Acute nephritis	19	2					1		2	2	3	3	5	1				
Bright's disease	114		1	1				2	8	19	30	27	19	4	3			
Calculi of urinary tract																		
Uterine tumor	5								1		3	1						
Ovarian tumor																		
Other diseases of genito-urinary system	12							1	2	4	4	1						
Puerperal septicemia	10								5	5								
Other causes incident to childbirth	4								3	1								
Diseases of skin	1										1							
Diseases of locomotor system	2			1			1											
Malformations	5	5																
Premature birth	60	60																
Congenital debility	49	49																
Old age	2													2				
Suicide	10								2	5	3							
Other violence	55	5		1		1		5	8	18	8	3	3	3				
Ill-defined causes	21	17	3											1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW YORK, N. Y. (QUEENS BOROUGH, TOTAL).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	3,846	853	212	91	56	41	114	149	291	317	399	394	466	331	115	16	1	.....
Typhoid fever	38	1	.....	.....	.....	1	1	10	15	5	3	1	1	.....	.....	.....	.....	.....
Malarial fever	7	.....	1	.....	.....	2	.....	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	29	4	14	4	1	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	43	1	8	9	4	3	13	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	20	10	5	2	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	73	2	12	12	15	7	19	5	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Influenza	10	1	.....	1	.....	.....	.....	1	.....	1	3	.....	2	1	.....	.....	.....	.....
Cholera nostras	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	12	2	4	.....	.....	1	1	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....
Erysipelas	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis—total	351	7	5	5	3	.....	6	32	90	81	69	33	17	3	.....	.....	.....	.....
Tuberculosis of lungs	304	1	.....	2	1	.....	1	28	87	73	63	29	17	2	.....	.....	.....	.....
Tuberculosis of larynx	8	.....	.....	.....	.....	.....	.....	.....	.....	2	3	3	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	21	6	5	1	1	.....	2	2	1	1	2	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	6	.....	.....	1	1	.....	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Pott's disease	3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	3	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	4	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	11	4	1	.....	.....	.....	.....	.....	1	3	1	.....	1	.....	.....	.....	.....	.....
Cancer	176	.....	.....	.....	.....	.....	.....	.....	2	11	45	35	52	26	5	.....	.....	.....
Tumor	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Rheumatism	21	.....	.....	.....	.....	1	4	5	2	4	2	1	1	1	.....	.....	.....	.....
Diabetes	36	.....	.....	.....	.....	.....	.....	1	1	.....	5	10	9	9	1	.....	.....	.....
Anemia, leukemia	8	1	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	2	.....	.....	.....	.....
Alcoholism	22	.....	.....	.....	.....	.....	.....	.....	2	7	8	2	3	.....	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other general diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	28	3	3	4	2	1	5	4	2	1	1	2	.....	.....	.....	.....	.....	.....
Apoplexy	168	2	.....	.....	.....	1	.....	.....	.....	7	16	32	52	44	13	1	.....	.....
Softening of brain	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Paralysis	9	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	5	1	.....	.....	.....	.....
Epilepsy	4	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....
"Convulsions"	13	10	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	6	4	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	54	1	2	.....	3	.....	2	1	6	11	9	8	8	1	2	.....	.....	.....
Pericarditis	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....
Endocarditis	42	1	.....	.....	.....	1	2	2	2	1	6	3	8	9	6	1	.....	.....
Heart disease	350	3	1	.....	.....	2	8	17	16	25	34	73	88	58	22	3	.....	.....
Angina pectoris	7	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	1	.....	.....	.....	.....	.....
Embolism and thrombosis	9	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	4	2	.....	.....	.....	.....
Other diseases of circulatory system	45	1	1	.....	.....	.....	.....	1	1	1	2	4	10	15	9	.....	.....	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	53	28	8	5	1	.....	1	.....	.....	1	2	2	2	1	2	.....	.....	.....
Chronic bronchitis	13	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	3	3	1	.....	.....
Bronchopneumonia	252	113	45	21	7	5	7	3	5	5	9	8	8	9	6	1	.....	.....
Pneumonia (lobar and unqualified)	278	34	19	10	5	5	5	9	19	33	36	34	39	25	4	1	.....	.....
Pleurisy	15	.....	3	.....	.....	.....	1	.....	5	2	2	1	.....	1	.....	.....	.....	.....
Congestion of lungs	5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
Other diseases of respiratory system	14	.....	.....	.....	1	.....	1	.....	.....	.....	.....	2	2	5	3	.....	.....	.....
Tonsillitis	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	10	5	.....	.....	.....	.....	1	1	.....	1	.....	.....	2	.....	.....	.....	.....	.....
Diarrhea and enteritis	405	305	60	8	4	4	8	1	.....	1	2	2	3	3	1	.....	.....	.....
Hernia and intestinal obstructions	42	6	1	1	.....	.....	1	1	4	2	9	3	4	8	1	.....	1	.....
Cirrhosis of liver	71	.....	.....	.....	.....	.....	.....	.....	3	10	13	25	16	4	.....	.....	.....	.....
Other diseases of liver	14	1	.....	.....	.....	.....	.....	.....	2	1	2	3	1	2	2	.....	.....	.....
Peritonitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Appendicitis	28	.....	.....	.....	.....	1	3	5	8	4	3	1	2	1	.....	.....	.....	.....
Other diseases of digestive system	12	5	.....	.....	1	.....	1	.....	.....	.....	1	1	2	.....	.....	1	.....	.....
Acute nephritis	37	3	1	.....	.....	.....	2	2	3	7	8	5	2	4	.....	.....	.....	.....
Bright's disease	294	1	.....	.....	.....	.....	.....	9	15	33	43	59	71	52	10	1	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	7	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	3	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	17	1	.....	.....	.....	.....	.....	1	2	3	2	2	4	2	.....	.....	.....	.....
Puerperal septicemia	21	.....	.....	.....	.....	.....	.....	.....	13	6	2	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	24	.....	.....	.....	.....	.....	.....	.....	8	10	6	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	8	3	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	3	.....	.....	.....	.....
Diseases of locomotor system	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Malformations	43	40	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	105	105	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	74	74	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	54	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	22	19	6	.....	.....
Suicide	43	.....	.....	.....	.....	.....	.....	.....	2	3	4	12	13	7	2	.....	.....	.....
Other violence	253	29	2	8	7	3	14	26	54	26	34	20	15	9	6	.....	.....	.....
Ill-defined causes	43	32	10	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW YORK, N. Y. (QUEENS BOROUGH, WHITE).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	3,748	829	209	90	55	41	109	144	283	307	387	386	457	322	112	16	1	
Typhoid fever	35	1				1		9	14	5	3	1	1					
Malarial fever	7		1			2		1		3								
Smallpox																		
Measles	29	4	14	4	1	3	3											
Scarlet fever	43	1	8	9	4	3	13	5										
Whooping cough	20	10	5	2	1		2											
Diphtheria and croup	72	2	12	12	15	7	18	5						1				
Influenza	9			1				1		1	3		2	1				
Cholera nostras	3	2	1															
Dysentery	12	2	4			1	1					1	3					
Erysipelas	2	2																
Other epidemic diseases																		
Septicemia	2		1						1									
Tuberculosis—total	334	7	5	4	3		4	31	88	77	64	32	17	2				
Tuberculosis of lungs	291	1		1	1			28	85	70	59	28	17	1				
Tuberculosis of larynx	8									2	3	3						
Tuberculous meningitis	20	6	5	1	1		2	2	1	1	1							
Abdominal tuberculosis	4			1	1				1			1						
Pott's disease	2								1	1								
Tuberculous abscess																		
White swelling	2						1	1										
Tuberculosis of other organs	3			1						2								
General tuberculosis	4						1			1	1			1				
Scrofula																		
Venereal diseases	8	3	1							2	1		1					
Cancer	174								2	11	45	34	51	26	5			
Tumor	2								1				1					
Rheumatism	21					1	4	5	2	4	2	1	1	1				
Diabetes	36							1	1		5	10	9	9	1			
Anemia, leukemia	8	1							1	1	2		1	2				
Alcoholism	22								2	7	8	2	3					
Chronic poisonings	1											1						
Other general diseases	1											1						
Encephalitis																		
Meningitis	26	3	2	4	2	1	5	4	1	1	1	2						
Apoplexy	165	2				1				7	16	31	51	43	13	1		
Softening of brain	1												1					
Paralysis	9		1						1	1			5	1				
Epilepsy	4	1						1		1					1			
"Convulsions"	13	10	1	1	1													
Tetanus	6	4						2										
Other diseases of nervous system	54	1	2		3		2	1	6	11	9	8	8	1	2			
Pericarditis	3										1		2					
Endocarditis	38	1				1	2	1	2	1	5	3	8	8	5	1		
Heart disease	341	3	1			2	8	16	16	24	33	71	87	55	22	3		
Angina pectoris	7									1	2	3	1					
Embolism and thrombosis	9								2		1		4	2				
Other diseases of circulatory system	43	1	1					1	1	1	1	4	10	15	8			
Laryngitis																		
Acute bronchitis	52	28	7	5	1		1			1	2	2	2	1	2			
Chronic bronchitis	13	2							1			1	2	3	3	1		
Bronchopneumonia	247	111	44	21	7	5	7	3	5	5	8	7	8	9	6	1		
Pneumonia (lobar and unqualified)	274	33	19	10	4	5	5	9	19	33	36	33	38	25	4	1		
Pleurisy	13		3				1		5	1	1	1		1				
Congestion of lungs	5	3													2			
Other diseases of respiratory system	13				1						2	2	5	3				
Tonsillitis	1						1											
Diseases of stomach	10	5					1	1		1			2					
Diarrhea and enteritis	397	297	60	8	4	4	8	1		1	2	2	6	3	1			
Hernia and intestinal obstructions	40	5	1	1			1	1	3	2	9	3	4	8	1		1	
Cirrhosis of liver	70								3	9	13	25	16	4				
Other diseases of liver	14	1							2	1	2	3	1	2	2			
Peritonitis																		
Appendicitis	28					1	3	5	8	4	3	1	2	1				
Other diseases of digestive system	12	5			1		1				1	1	2			1		
Acute nephritis	35	3	1				2	2	3	7	6	5	2	4				
Bright's disease	288	1						9	14	33	43	58	68	51	10	1		
Calculi of urinary tract																		
Uterine tumor	7									2	1		1	3				
Ovarian tumor	1									1								
Other diseases of genito-urinary system	17	1						1	2	3	2	2	4	2				
Puerperal septicemia	20								13	5	2							
Other causes incident to childbirth	24								8	10	6							
Diseases of skin	8	3					1					1		3				
Diseases of locomotor system	2		1											1				
Malformations	43	40	1				1	1										
Premature birth	103	103																
Congenital debility	67	67																
Old age	51												6	21	18	6		
Suicide	42							2	3	3	12	13	7	2				
Other violence	249	29	2	8	7	3	14	25	53	26	34	20	14	8	6			
Ill-defined causes	42	31	10									1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW YORK, N. Y. (QUEENS BOROUGH, COLORED).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	98	24	3	1	1	.....	5	5	8	10	12	8	9	9	3	.....	.....	.....
Typhoid fever	3	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malarial fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Erysipelas	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis—total	17	.....	.....	1	.....	.....	2	1	2	4	5	1	.....	1	.....	.....	.....	.....
Tuberculosis of lungs	13	.....	.....	1	.....	.....	1	.....	2	3	4	1	.....	1	.....	.....	.....	.....
Tuberculosis of larynx	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	3	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Cancer	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diabetes	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Anemia, leukemia	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Alcoholism	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Apoplexy	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....
Softening of brain	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Paralysis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Epilepsy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
"Convulsions"	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Pericarditis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	1	.....	.....	.....
Heart disease	9	.....	.....	.....	.....	.....	.....	1	.....	1	1	2	1	3	.....	.....	.....	.....
Angina pectoris	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Embolism and thrombosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Bronchopneumonia	5	2	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Pneumonia (lobar and unqualified)	4	1	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Pleurisy	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Congestion of lungs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of respiratory system	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tonsillitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	8	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hernia and intestinal obstructions	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Peritonitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Appendicitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute nephritis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Bright's disease	6	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	3	1	.....	.....	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of locomotor system	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	7	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
Suicide	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other violence	4	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	1	.....	.....	.....	.....
Ill-defined causes	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW YORK, N. Y. (RICHMOND BOROUGH, TOTAL).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	1,518	303	75	28	15	17	33	43	95	152	147	151	200	168	82	8	1	.....
Typhoid fever	11	.....	.....	.....	.....	.....	.....	.....	6	1	2	1	.....	1	.....	.....	.....	.....
Malarial fever	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	12	2	4	2	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	10	.....	1	1	1	1	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	6	2	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	20	4	1	4	5	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	8	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	2	2	.....	.....	.....
Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Erysipelas	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	3	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis—total	180	5	6	1	2	2	6	6	27	53	34	25	10	2	.....	1	.....	.....
Tuberculosis of lungs	160	4	.....	1	1	1	1	5	24	52	34	25	10	1	.....	1	.....	.....
Tuberculosis of larynx	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	12	1	4	.....	.....	1	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	4	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	5	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Cancer	86	.....	.....	.....	.....	.....	.....	2	.....	8	13	18	27	11	7	.....	.....	.....
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	12	.....	.....	.....	.....	.....	.....	4	1	4	1	.....	1	1	.....	.....	.....	.....
Diabetes	10	.....	.....	.....	.....	.....	.....	1	1	1	3	1	2	1	.....	.....	.....	.....
Anemia, leukemia	6	2	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....
Alcoholism	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	3	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Encephalitis	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	13	4	4	.....	1	1	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Apoplexy	60	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	10	19	20	7	.....	.....	.....
Softening of brain	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Paralysis	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Epilepsy	2	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
"Convulsions"	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	15	2	1	2	.....	.....	1	1	.....	1	1	2	2	1	1	.....	.....	.....
Pericarditis	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	28	.....	.....	.....	2	.....	2	.....	1	2	5	3	5	6	1	1	.....	.....
Heart disease	110	1	.....	.....	.....	.....	1	2	4	5	7	20	30	29	10	1	.....	.....
Angina pectoris	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Embolism and thrombosis	8	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	1	2	.....	.....	.....	.....
Other diseases of circulatory system	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	3	4	4	.....	.....	.....
Laryngitis	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	11	9	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis	10	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	2	1	.....	.....
Bronchopneumonia	68	35	11	7	.....	1	2	.....	1	1	1	2	1	4	2	.....	.....	.....
Pneumonia (lobar and unqualified)	99	4	9	1	2	2	3	3	6	11	17	10	11	10	9	1	.....	.....
Pleurisy	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congestion of lungs	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
Other diseases of respiratory system	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tonsillitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	17	4	2	.....	.....	.....	.....	.....	.....	3	2	2	.....	2	1	1	.....	.....
Diarrhea and enteritis	122	96	16	4	.....	1	.....	1	.....	1	.....	.....	1	2	.....	.....	.....	.....
Hernia and intestinal obstructions	7	3	.....	.....	.....	.....	1	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	32	.....	.....	.....	.....	.....	.....	.....	.....	1	8	8	11	3	1	.....	.....	.....
Other diseases of liver	5	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....
Peritonitis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Appendicitis	8	.....	.....	.....	.....	1	.....	1	3	2	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of digestive system	4	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....
Acute nephritis	14	2	1	.....	.....	.....	3	.....	1	2	1	2	1	.....	1	.....	.....	.....
Bright's disease	171	.....	.....	.....	.....	.....	.....	4	10	13	22	22	47	40	12	1	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	16	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	6	3	2	.....	.....	.....
Puerperal septicemia	7	.....	.....	.....	.....	.....	.....	.....	3	3	1	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	10	.....	.....	.....	.....	.....	.....	.....	4	5	1	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	9	1	1	.....	.....	.....	.....	1	.....	.....	2	.....	.....	3	1	.....	.....	.....
Diseases of locomotor system	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Malformations	17	14	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	30	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	28	28	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	21	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	9	10	1	.....	.....
Suicide	16	.....	.....	.....	.....	.....	.....	.....	2	4	3	4	2	1	.....	.....	.....	.....
Other violence	100	14	1	2	.....	3	5	9	17	18	7	8	8	4	4	.....	.....	.....
Ill-defined causes	44	30	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	1	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW YORK, N. Y. (RICHMOND BOROUGH, WHITE).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	1,489	299	73	27	15	17	33	42	91	149	143	148	196	167	80	8	1	
Typhoid fever	11								6	1	2	1		1				
Malarial fever	2													1	1			
Smallpox																		
Measles	12	2	4	2	1		3											
Scarlet fever	10		1	1	1	1	2	3	1									
Whooping cough	6	2	2	1		1												
Diphtheria and croup	20	4	1	4	5	2	2	2										
Influenza	8	1								1			2	2	2			
Cholera nostras																		
Dysentery																		
Erysipelas	2	1										1						
Other epidemic diseases																		
Septicemia	3	1								1	1							
Tuberculosis—total	174	5	5	1	2	2	6	6	25	51	33	25	10	2		1		
Tuberculosis of lungs	155	4		1	1	1	1	5	22	50	33	25	10	1		1		
Tuberculosis of larynx																		
Tuberculous meningitis	12	1	4			1	5	1										
Abdominal tuberculosis	3								2					1				
Pott's disease	1				1													
Tuberculous abscess																		
White swelling																		
Tuberculosis of other organs	2								1	1								
General tuberculosis	1		1															
Scrofula																		
Venereal diseases	5	4								1								
Cancer	86							2		8	13	18	27	11	7			
Tumor																		
Rheumatism	12							4	1	4	1		1	1				
Diabetes	10							1	1	1	3	1	2	1				
Anemia, leukemia	6	2	1						1	1				1				
Alcoholism	3									1	1	1						
Chronic poisonings																		
Other general diseases	3							1		1	1							
Encephalitis	1					1												
Meningitis	13	4	4		1	1		1		1	1							
Apoplexy	60										4	10	19	20	7			
Softening of brain	2										1		1					
Paralysis	1									1								
Epilepsy	2						1			1								
"Convulsions"	1	1																
Tetanus	1						1											
Other diseases of nervous system	15	2	1	2			1	1		1	1	2	2	1	1			
Pericarditis	1			1														
Endocarditis	27				2		2			2	5	3	5	6	1	1		
Heart disease	108	1					1	2	4	5	6	20	29	29	10	1		
Angina pectoris	2											2						
Embolism and thrombosis	8							1	1	2		1	1	2				
Other diseases of circulatory system	16										3	2	3	4	4			
Laryngitis	2			1							1							
Acute bronchitis	11	9	2															
Chronic bronchitis	10		1									1	3	2	2	1		
Bronchopneumonia	64	33	10	6		1	2		1	1	1	2	1	4	2			
Pneumonia (lobar and unqualified)	99	4	9	1	2	2	3	3	6	11	17	10	11	10	9	1		
Pleurisy	1					1												
Congestion of lungs	4	2													2			
Other diseases of respiratory system																		
Tonsillitis																		
Diseases of stomach	16	4	2							3	2	1		2	1	1		
Diarrhea and enteritis	120	95	16	4		1				1			1	2				
Hernia and intestinal obstructions	7	3					1		1			2						
Cirrhosis of liver	31									1	8	8	10	3	1			
Other diseases of liver	5				1							2	1	1				
Peritonitis	1								1									
Appendicitis	8					1		1	3	2			1					
Other diseases of digestive system	4	1								1				1	1			
Acute nephritis	14	2	1				3		1	2	1	2	1		1			
Bright's disease	164							4	10	12	20	20	46	39	12	1		
Calculi of urinary tract																		
Uterine tumor	1											1						
Ovarian tumor	1										1							
Other diseases of genito-urinary system	16								3	1	1		6	3	2			
Puerperal septicemia	7								3	3	1							
Other causes incident to childbirth	10								4	5	1							
Diseases of skin	8	1	1					1			2			3				
Diseases of locomotor system	2										1			1				
Malformations	17	14	2	1														
Premature birth	30	30																
Congenital debility	28	28																
Old age	21												1	9	10	1		
Suicide	16								2	4	3	4	2	1				
Other violence	98	14	1	2		3	5	9	16	18	7	8	8	4	3			
Ill-defined causes	42	29	9										2		1		1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

NEW YORK, N. Y. (RICHMOND BOROUGH, COLORED).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	29	4	2	1				1	4	3	4	3	4	1	2			
Typhoid fever																		
Malarial fever																		
Smallpox																		
Measles																		
Scarlet fever																		
Whooping cough																		
Diphtheria and croup																		
Influenza																		
Cholera nostras																		
Dysentery																		
Erysipelas																		
Other epidemic diseases																		
Septicemia																		
Tuberculosis—total	6		1						2	2	1							
Tuberculosis of lungs	5								2	2	1							
Tuberculosis of larynx																		
Tuberculous meningitis																		
Abdominal tuberculosis	1		1															
Pott's disease																		
Tuberculous abscess																		
White swelling																		
Tuberculosis of other organs																		
General tuberculosis																		
Scrofula																		
Venereal diseases																		
Cancer																		
Tumor																		
Rheumatism																		
Diabetes																		
Anemia, leukemia																		
Alcoholism																		
Chronic poisonings																		
Other general diseases																		
Encephalitis																		
Meningitis																		
Apoplexy																		
Softening of brain																		
Paralysis																		
Epilepsy																		
"Convulsions"																		
Tetanus																		
Other diseases of nervous system																		
Pericarditis																		
Endocarditis	1								1									
Heart disease	2										1		1					
Angina pectoris																		
Embolism and thrombosis																		
Other diseases of circulatory system																		
Laryngitis																		
Acute bronchitis																		
Chronic bronchitis																		
Bronchopneumonia	4	2	1	1														
Pneumonia (lobar and unqualified																		
Pleurisy																		
Congestion of lungs																		
Other diseases of respiratory system																		
Tonsillitis																		
Diseases of stomach	1											1						
Diarrhea and enteritis	2	1						1										
Hernia and intestinal obstructions																		
Cirrhosis of liver	1												1					
Other diseases of liver																		
Peritonitis																		
Appendicitis																		
Other diseases of digestive system																		
Acute nephritis																		
Bright's disease	7									1	2	2	1	1				
Calculi of urinary tract																		
Uterine tumor																		
Ovarian tumor																		
Other diseases of genito-urinary system																		
Puerperal septicemia																		
Other causes incident to childbirth																		
Diseases of skin	1														1			
Diseases of locomotor system																		
Malformations																		
Premature birth																		
Congenital debility																		
Old age																		
Suicide																		
Other violence	2								1						1			
Ill-defined causes	2	1											1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

ROCHESTER, N. Y.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	3,064	440	134	47	23	19	67	105	233	285	318	365	415	384	198	30	1	.....
Typhoid fever	20	.....	1	.....	.....	1	.....	3	5	5	1	2	1	1	.....	.....	.....	.....
Malarial fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	43	14	10	11	.....	1	5	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	19	1	2	2	2	2	7	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	27	14	4	4	1	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	20	.....	2	2	2	1	10	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Influenza	10	1	.....	.....	.....	.....	.....	1	1	2	2	.....	.....	3	.....	.....	.....	.....
Cholera nostras	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
Dysentery	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	1	.....	.....	.....
Erysipelas	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis—total	337	7	6	3	4	2	10	38	99	69	51	32	15	.....	1	.....	.....	.....
Tuberculosis of lungs	288	4	5	.....	1	.....	2	29	95	64	46	28	13	.....	1	.....	.....	.....
Tuberculosis of larynx	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
Tuberculous meningitis	29	2	.....	3	2	2	6	7	2	2	3	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	7	.....	1	.....	1	.....	1	.....	2	.....	.....	1	1	.....	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
General tuberculosis	5	.....	.....	.....	.....	.....	1	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	9	4	.....	.....	.....	.....	.....	1	1	2	.....	1	.....	.....	.....	.....	.....	.....
Cancer	188	.....	.....	.....	.....	.....	1	.....	6	12	28	64	43	22	12	.....	.....	.....
Tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Rheumatism	14	1	.....	.....	.....	.....	.....	3	1	.....	1	1	6	1	.....	.....	.....	.....
Diabetes	40	.....	.....	1	.....	.....	.....	1	1	3	4	9	14	6	.....	1	.....	.....
Anemia, leukemia	10	1	1	.....	1	.....	.....	.....	.....	1	1	2	3	.....	.....	.....	.....	.....
Alcoholism	6	.....	.....	.....	.....	.....	.....	.....	.....	3	2	1	.....	.....	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	6	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	.....	.....	.....	.....	.....
Encephalitis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Meningitis	30	9	4	1	1	2	3	2	3	2	1	1	1	.....	.....	.....	.....	.....
Apoplexy	183	2	.....	1	.....	.....	1	2	1	5	11	31	50	55	20	3	1	.....
Softening of brain	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Paralysis	31	1	.....	.....	.....	.....	.....	.....	1	2	4	3	4	11	5	.....	.....	.....
Epilepsy	11	.....	.....	.....	.....	.....	1	.....	3	1	3	.....	2	1	.....	.....	.....	.....
"Convulsions"	13	12	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	91	1	2	.....	1	1	.....	1	3	9	17	19	16	14	7	.....	.....	.....
Pericarditis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Endocarditis	96	2	.....	.....	.....	.....	1	.....	6	7	3	15	26	24	11	1	.....	.....
Heart disease	273	2	.....	.....	.....	.....	3	8	7	19	31	37	54	79	31	2	.....	.....
Angina pectoris	13	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	4	3	1	.....	.....	.....
Embolism and thrombosis	5	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	1	.....	.....	.....	.....
Other diseases of circulatory system	70	3	1	.....	.....	.....	.....	.....	.....	.....	1	6	23	19	14	3	.....	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	45	26	12	2	.....	.....	.....	.....	.....	.....	.....	2	1	.....	2	.....	.....	.....
Chronic bronchitis	37	.....	1	.....	.....	.....	.....	.....	1	.....	.....	2	9	16	5	3	.....	.....
Bronchopneumonia	97	36	23	5	1	1	2	1	1	1	2	2	11	6	4	1	.....	.....
Pneumonia (lobar and unqualified)	166	18	14	5	3	.....	3	5	6	22	18	18	16	27	10	1	.....	.....
Pleurisy	11	.....	2	.....	1	.....	.....	.....	3	1	1	.....	2	1	.....	.....	.....	.....
Congestion of lungs	12	3	.....	.....	1	.....	.....	.....	.....	.....	.....	1	2	1	3	1	.....	.....
Other diseases of respiratory system	7	.....	1	.....	.....	.....	.....	.....	1	1	1	1	1	1	.....	.....	.....	.....
Tonsillitis	2	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	36	4	2	1	.....	.....	.....	.....	2	4	7	6	2	2	5	1	.....	.....
Diarrhea and enteritis	219	147	34	2	.....	1	2	1	1	2	6	3	6	6	7	1	.....	.....
Hernia and intestinal obstructions	34	6	.....	.....	.....	.....	.....	1	2	1	6	5	6	2	5	.....	.....	.....
Cirrhosis of liver	48	1	.....	.....	.....	.....	.....	.....	2	4	14	12	11	4	.....	.....	.....	.....
Other diseases of liver	18	.....	.....	.....	.....	.....	.....	.....	.....	1	6	4	4	1	2	.....	.....	.....
Peritonitis	9	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	1	3	.....	.....	.....	.....
Appendicitis	34	2	1	.....	.....	3	2	2	10	4	5	3	1	1	.....	.....	.....	.....
Other diseases of digestive system	9	2	1	.....	.....	.....	.....	1	.....	2	.....	1	2	.....	.....	.....	.....	.....
Acute nephritis	22	3	1	.....	.....	1	.....	.....	2	4	2	2	7	.....	.....	.....	.....	.....
Bright's disease	205	2	.....	1	.....	.....	1	6	7	24	36	39	48	30	11	.....	.....	.....
Calculi of urinary tract	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Uterine tumor	8	.....	.....	.....	.....	.....	.....	.....	.....	2	2	3	1	.....	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	34	.....	.....	.....	.....	.....	.....	1	4	7	7	1	3	10	1	.....	.....	.....
Puerperal septicemia	13	.....	.....	.....	.....	.....	.....	4	4	5	.....	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	26	.....	.....	.....	.....	.....	.....	.....	10	13	3	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	18	5	.....	.....	.....	.....	.....	.....	1	1	1	1	1	6	.....	2	.....	.....
Diseases of locomotor system	4	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Malformations	31	28	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	17	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	29	29	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	50	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	10	30	8	.....	.....
Suicide	45	.....	.....	.....	.....	.....	.....	.....	8	15	8	8	1	5	.....	.....	.....	.....
Other violence	162	15	5	6	4	3	8	15	22	24	24	17	8	5	6	.....	.....	.....
Ill-defined causes	25	18	1	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	1	2	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

SYRACUSE, N. Y.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	1,947	402	60	18	13	14	49	52	124	194	177	231	267	226	95	21	2	2
Typhoid fever	15								8	3	4							
Malarial fever	1	1																
Smallpox																		
Measles																		
Scarlet fever	16		2	1	4	2	5	1	1									
Whooping cough	32	22	7	2	1													
Diphtheria and croup	26		3	1	3	3	10	4	1		1							
Influenza	10								1		1	2		4	2			
Cholera nostras	2		1										1					
Dysentery	1					1												
Erysipelas	5	1									1		3					
Other epidemic diseases																		
Septicemia	10	1					1			1	2	4		1				
Tuberculosis—total	172	4	5	1	1	1	6	10	40	51	23	20	5	4	1			
Tuberculosis of lungs	149	1				1	4	7	37	50	21	18	5	4	1			
Tuberculosis of larynx	1											1						
Tuberculous meningitis	12	2	3	1	1		2	2			1							
Abdominal tuberculosis	6		2						2		1	1						
Pott's disease	1									1								
Tuberculous abscess																		
White swelling																		
Tuberculosis of other organs	3	1						1	1									
General tuberculosis																		
Scrofula																		
Venereal diseases	11	8			1				1	1								
Cancer	120								1	18	18	28	33	18	4			
Tumor																		
Rheumatism	11						2	1	1	1	1	1	1	3				
Diabetes	19								2		2	2	5	7	1			
Anemia, leukemia	14			1					2	2	1	3	3	1	1			
Alcoholism	7								1	2	3			1				
Chronic poisonings	2											2						
Other general diseases	5									2			3					
Encephalitis																		
Meningitis	13	2	1	1		1	3				3	1	1					
Apoplexy	107									4	10	26	23	24	17	2		1
Softening of brain	1													1				
Paralysis	8								1		1	2	2	2				
Epilepsy	3		1							1			1					
"Convulsions"	11	10	1															
Tetanus	2							2										
Other diseases of nervous system	40	1					1	1	1	7	6	10	8	4	1			
Pericarditis	3									1		1	1					
Endocarditis	45	1			1			1	5	5	8	7	10	5	2			
Heart disease	217	2				1	3	7	6	20	17	33	53	51	15	8	1	
Angina pectoris	19									2	4	5	6		2			
Embolism and thrombosis	6									3		1	2					
Other diseases of circulatory system	48	2									1	4	14	17	9		1	
Laryngitis																		
Acute bronchitis	17	6	4	1								2		1	2	1		
Chronic bronchitis	14	1						1		3			6	2	1			
Bronchopneumonia	28	12	5	1								1	3	3	2	1		
Pneumonia (lobar and unqualified)	103	12	6	4	1	1	6	1	7	11	12	10	11	15	5	1		
Pleurisy	6							2	1	1			1	1				
Congestion of lungs	4	2										1			1			
Other diseases of respiratory system	6							2	1	1				2				
Tonsillitis	2						1		1									
Diseases of stomach	22	7								1	4	2	3	1	2	2		
Diarrhea and enteritis	171	136	17	2			1	1			2	1	3	6	1	1		
Hernia and intestinal obstructions	16	2	1				1	1			2	2	3	2	2			
Cirrhosis of liver	22									4	6	6	5	1				
Other diseases of liver	15								1		1	5	5	2	1			
Peritonitis	4							2	2									
Appendicitis	15						3	4	1	3	3			1				
Other diseases of digestive system	9	4				1	1					1	2					
Acute nephritis	15	3	1						2	2	3	2	2					
Bright's disease	111	1	1						2	13	11	25	27	22	8	1		
Calculi of urinary tract	1										1							
Uterine tumor	5										3		1	1				
Ovarian tumor	3									2				1				
Other diseases of genito-urinary system	20								1	4	2	2	4	6				1
Puerperal septicemia	8								5	3								
Other causes incident to childbirth	12							3	4	5								
Diseases of skin	5									1	1	1		2				
Diseases of locomotor system	5	1	1							1		1			1			
Malformations	27	26						1										
Premature birth	69	69																
Congenital debility	33	33																
Old age	15												1	5	6	3		
Suicide	20								3	4	4	6	2		1			
Other violence	126	19	3	3	1	3	5	7	21	11	15	11	13	7	6	1		
Ill-defined causes	16	13												2	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

CINCINNATI, OHIO (TOTAL).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	5,938	844	147	53	42	28	89	236	545	696	752	780	727	650	322	23	1	3
Typhoid fever	48	1	1	.....	2	1	.....	11	12	7	7	3	3	.....	.....	.....	.....	.....
Malarial fever	5	.....	.....	.....	.....	.....	.....	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Smallpox	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Measles	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	17	1	1	4	2	1	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	22	14	5	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	41	2	5	2	4	2	17	5	2	.....	.....	.....	2	.....	.....	.....	.....	.....
Influenza	75	4	2	.....	.....	.....	1	2	6	9	7	9	11	16	7	1	.....	.....
Cholera nostras	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
Dysentery	10	1	1	.....	.....	.....	.....	.....	2	.....	.....	1	2	3	.....	.....	.....	.....
Erysipelas	27	3	.....	1	.....	.....	.....	.....	.....	3	3	7	2	5	3	.....	.....	.....
Other epidemic diseases	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	17	4	1	.....	.....	.....	.....	1	.....	3	1	2	1	3	1	.....	.....	.....
Tuberculosis—total	979	22	20	10	5	4	9	79	258	244	165	99	42	19	2	.....	.....	1
Tuberculosis of lungs	844	5	2	3	3	.....	2	64	237	232	153	91	36	14	1	.....	.....	1
Tuberculosis of larynx	6	.....	.....	.....	.....	.....	.....	.....	3	.....	2	.....	1	.....	.....	.....	.....	.....
Tuberculous meningitis	69	14	17	6	2	4	6	10	3	2	2	1	2	.....	.....	.....	.....	.....
Abdominal tuberculosis	29	3	1	1	.....	.....	.....	3	7	7	3	1	2	1	.....	.....	.....	.....
Pott's disease	4	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....
Tuberculosis of other organs	8	.....	.....	.....	.....	.....	1	1	1	.....	1	2	.....	2	.....	.....	.....	.....
General tuberculosis	16	.....	.....	.....	.....	.....	.....	1	4	3	3	3	1	1	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	43	33	1	1	.....	.....	.....	1	.....	2	2	2	1	.....	.....	.....	.....	.....
Cancer	365	1	.....	1	.....	1	.....	4	7	19	78	96	97	46	15	.....	.....	.....
Tumor	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	48	.....	1	.....	.....	.....	2	4	7	2	4	9	8	6	3	1	1	.....
Diabetes	41	.....	.....	.....	.....	.....	1	1	1	3	5	9	14	6	1	.....	.....	.....
Anemia, leukemia	11	.....	.....	.....	.....	.....	.....	.....	1	1	1	7	1	.....	.....	.....	.....	.....
Alcoholism	18	.....	.....	.....	.....	.....	.....	.....	1	3	5	3	5	1	.....	.....	.....	.....
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Other general diseases	4	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....
Encephalitis	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Meningitis	65	13	12	4	5	1	7	7	8	1	1	1	3	1	1	.....	.....	.....
Apoplexy	258	.....	.....	1	.....	.....	1	1	4	12	24	41	64	74	35	1	.....	.....
Softening of brain	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	3	1	1	.....	.....	.....
Paralysis	37	.....	.....	.....	.....	.....	.....	1	1	2	2	4	12	10	4	.....	.....	1
Epilepsy	15	.....	.....	1	.....	.....	.....	.....	2	2	5	2	1	2	.....	.....	.....	.....
"Convulsions"	23	22	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	6	2	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	97	.....	2	.....	2	1	1	7	6	19	22	22	11	4	.....	.....	.....	.....
Pericarditis	6	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	1	2	.....	.....	.....	.....
Endocarditis	114	.....	.....	.....	.....	.....	1	1	5	10	19	21	21	27	9	.....	.....	.....
Heart disease	485	1	.....	.....	1	1	2	26	21	48	63	87	99	93	43	.....	.....	.....
Angina pectoris	11	.....	.....	.....	.....	.....	.....	.....	.....	2	2	4	1	2	.....	.....	.....	.....
Embolism and thrombosis	20	.....	.....	.....	.....	.....	.....	.....	2	4	2	2	5	4	1	.....	.....	.....
Other diseases of circulatory system	96	4	.....	.....	.....	.....	.....	.....	1	1	5	10	16	37	20	2	.....	.....
Laryngitis	4	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Acute bronchitis	45	21	4	.....	1	.....	.....	.....	.....	1	.....	2	5	6	5	.....	.....	.....
Chronic bronchitis	73	1	.....	.....	.....	1	.....	.....	1	1	3	6	15	23	21	1	.....	.....
Bronchopneumonia	156	51	19	7	5	2	6	4	6	2	4	9	12	15	13	1	.....	.....
Pneumonia (lobar and unqualified)	362	28	13	5	1	3	3	9	26	58	58	52	44	45	17	.....	.....	.....
Pleurisy	15	.....	.....	.....	.....	.....	.....	1	1	3	3	4	.....	2	1	.....	.....	.....
Congestion of lungs	10	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	3	1	.....	.....
Other diseases of respiratory system	33	2	.....	.....	.....	.....	1	1	.....	6	2	7	7	5	2	.....	.....	.....
Tonsillitis	2	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	74	9	2	.....	2	1	2	2	3	8	7	13	5	10	10	.....	.....	.....
Diarrhea and enteritis	346	241	41	5	3	.....	.....	1	6	3	4	10	7	11	12	2	.....	.....
Hernia and intestinal obstructions	51	7	3	1	.....	.....	.....	2	3	5	9	5	8	6	2	.....	.....	.....
Cirrhosis of liver	100	.....	.....	.....	.....	.....	.....	1	3	18	26	28	16	7	1	.....	.....	.....
Other diseases of liver	44	2	.....	.....	.....	.....	1	.....	4	7	7	11	8	3	1	.....	.....	.....
Peritonitis	25	.....	.....	.....	.....	2	1	2	1	6	4	3	3	2	1	.....	.....	.....
Appendicitis	45	.....	.....	.....	.....	.....	5	8	14	5	6	6	.....	1	.....	.....	.....	.....
Other diseases of digestive system	11	2	1	.....	.....	.....	.....	.....	.....	1	1	3	1	.....	2	.....	.....	.....
Acute nephritis	49	9	.....	.....	1	.....	2	1	6	8	7	7	4	3	1	.....	.....	.....
Bright's disease	464	3	.....	.....	1	.....	.....	2	7	43	79	106	97	89	34	3	.....	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Uterine tumor	13	.....	.....	.....	.....	.....	.....	.....	.....	5	8	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	10	.....	.....	.....	.....	.....	.....	2	1	6	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	58	2	.....	.....	.....	.....	.....	1	8	10	7	7	9	9	5	.....	.....	.....
Puerperal septicemia	37	.....	.....	.....	.....	.....	.....	2	19	14	2	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	15	.....	.....	.....	.....	.....	.....	1	4	9	1	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	27	3	.....	.....	.....	.....	.....	1	.....	2	5	1	6	8	1	.....	.....	.....
Diseases of locomotor system	17	5	3	.....	.....	.....	.....	.....	4	1	2	.....	1	1	.....	.....	.....	.....
Malformations	38	38	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	145	145	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	76	76	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	50	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	11	28	8	.....	.....
Suicide	64	.....	.....	.....	.....	.....	.....	4	14	10	16	11	7	2	.....	.....	.....	.....
Other violence	401	53	5	6	5	6	17	32	61	61	52	37	30	20	13	2	.....	1
Ill-defined causes	54	15	1	.....	.....	.....	1	1	2	2	10	5	10	5	2	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

CINCINNATI, OHIO (WHITE).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	5,386	765	118	48	32	24	83	203	455	618	666	712	687	637	317	20	.....	1
Typhoid fever	45	1	1	.....	1	1	.....	10	12	7	7	3	2	.....	.....	.....	.....	.....
Malarial fever	4	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Smallpox	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Measles	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	15	1	1	4	1	1	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	17	13	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	37	2	5	2	2	2	15	5	2	.....	.....	.....	2	.....	.....	.....	.....	.....
Influenza	72	3	1	.....	.....	.....	1	2	6	9	7	8	11	16	7	1	.....	.....
Cholera nostras	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
Dysentery	10	1	1	.....	.....	.....	.....	.....	2	.....	.....	1	2	3	.....	.....	.....	.....
Erysipelas	24	3	.....	1	.....	.....	.....	.....	.....	2	3	5	2	5	3	.....	.....	.....
Other epidemic diseases	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	17	4	1	.....	.....	.....	.....	1	.....	3	1	2	1	3	1	.....	.....	.....
Tuberculosis—total	820	18	18	9	4	4	8	63	204	217	135	83	37	18	2	.....	.....	.....
Tuberculosis of lungs	698	3	2	3	2	.....	1	50	185	205	125	77	31	13	1	.....	.....	.....
Tuberculosis of larynx	5	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	1	.....	.....	.....	.....	.....
Tuberculous meningitis	65	12	15	6	2	4	6	10	3	2	2	1	2	.....	.....	.....	.....	.....
Abdominal tuberculosis	26	3	1	.....	.....	.....	.....	3	6	7	2	1	2	1	.....	.....	.....	.....
Pott's disease	3	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....
Tuberculosis of other organs	7	.....	.....	.....	.....	.....	1	.....	1	.....	1	2	.....	2	.....	.....	.....	.....
General tuberculosis	13	.....	.....	.....	.....	.....	.....	.....	4	3	2	2	1	1	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	37	29	1	.....	.....	.....	.....	1	.....	1	2	2	1	.....	.....	.....	.....	.....
Cancer	350	1	.....	1	.....	1	.....	4	7	19	74	89	95	44	15	.....	.....	.....
Tumor	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	44	.....	1	.....	.....	.....	2	4	6	1	3	9	8	6	3	1	.....	.....
Diabetes	41	.....	.....	.....	.....	.....	1	1	1	3	5	9	14	6	1	.....	.....	.....
Anemia, leukemia	11	.....	.....	.....	.....	.....	.....	.....	1	1	1	7	1	.....	.....	.....	.....	.....
Alcoholism	18	.....	.....	.....	.....	.....	.....	.....	1	3	5	3	5	1	.....	.....	.....	.....
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Other general diseases	4	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....
Encephalitis	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Meningitis	58	11	10	4	5	1	7	5	7	1	1	1	3	1	1	.....	.....	.....
Apoplexy	245	.....	.....	1	.....	.....	1	1	4	11	19	40	59	73	35	1	.....	.....
Softening of brain	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	3	1	1	.....	.....	.....
Paralysis	32	.....	.....	.....	.....	.....	.....	1	.....	1	2	3	10	10	4	.....	.....	1
Epilepsy	12	.....	.....	1	.....	.....	.....	.....	1	1	4	2	1	2	.....	.....	.....	.....
"Convulsions"	23	22	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	6	2	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	95	.....	2	.....	2	1	1	7	6	19	21	22	10	4	.....	.....	.....	.....
Pericarditis	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	2	.....	.....	.....	.....
Endocarditis	108	.....	.....	.....	.....	.....	1	1	5	9	18	19	20	27	8	.....	.....	.....
Heart disease	446	1	.....	.....	.....	.....	2	24	19	40	56	78	93	91	42	.....	.....	.....
Angina pectoris	10	.....	.....	.....	.....	.....	.....	.....	.....	2	1	4	1	2	.....	.....	.....	.....
Embolism and thrombosis	17	.....	.....	.....	.....	.....	.....	.....	2	3	1	1	5	4	1	.....	.....	.....
Other diseases of circulatory system	93	3	.....	.....	.....	.....	.....	.....	1	1	4	10	16	37	20	1	.....	.....
Laryngitis	4	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Acute bronchitis	42	19	4	.....	1	.....	.....	.....	.....	1	.....	2	5	5	5	.....	.....	.....
Chronic bronchitis	70	.....	.....	.....	.....	1	.....	.....	1	1	3	6	14	23	20	1	.....	.....
Bronchopneumonia	141	45	15	7	5	2	5	4	4	2	4	9	11	14	13	1	.....	.....
Pneumonia (lobar and unqualified)	310	19	7	3	.....	3	3	6	20	48	55	44	40	45	17	.....	.....	.....
Pleurisy	13	.....	.....	.....	.....	.....	.....	1	1	3	2	3	.....	2	1	.....	.....	.....
Congestion of lungs	10	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	3	1	.....	.....
Other diseases of respiratory system	29	2	.....	.....	.....	.....	1	.....	.....	6	1	5	7	5	2	.....	.....	.....
Tonsillitis	2	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	69	8	2	.....	1	1	1	1	3	8	7	13	5	9	10	.....	.....	.....
Diarrhea and enteritis	313	220	32	5	2	.....	.....	1	6	2	4	9	7	11	12	2	.....	.....
Hernia and intestinal obstructions	48	7	3	.....	.....	.....	.....	2	3	5	7	5	8	6	2	.....	.....	.....
Cirrhosis of liver	97	.....	.....	.....	.....	.....	.....	1	2	18	25	28	15	7	1	.....	.....	.....
Other diseases of liver	41	1	.....	.....	.....	.....	1	.....	4	7	5	11	8	3	1	.....	.....	.....
Peritonitis	23	.....	.....	.....	.....	2	1	1	1	5	4	3	3	2	1	.....	.....	.....
Appendicitis	43	.....	.....	.....	.....	.....	5	8	12	5	6	6	.....	1	.....	.....	.....	.....
Other diseases of digestive system	11	2	1	.....	.....	.....	.....	.....	.....	1	1	3	1	.....	2	.....	.....	.....
Acute nephritis	45	9	.....	.....	1	.....	2	1	5	7	6	6	4	3	1	.....	.....	.....
Bright's disease	426	3	.....	.....	1	.....	.....	2	5	39	68	97	89	86	33	3	.....	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Uterine tumor	9	.....	.....	.....	.....	.....	.....	.....	.....	2	7	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	8	.....	.....	.....	.....	.....	.....	2	1	4	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	54	2	.....	.....	.....	.....	.....	1	6	9	6	7	9	9	5	.....	.....	.....
Puerperal septicemia	36	.....	.....	.....	.....	.....	.....	2	19	13	2	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	14	.....	.....	.....	.....	.....	.....	1	4	8	1	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	26	3	.....	.....	.....	.....	.....	1	.....	2	4	1	6	8	1	.....	.....	.....
Diseases of locomotor system	15	5	1	.....	.....	.....	.....	.....	4	1	2	.....	1	1	.....	.....	.....	.....
Malformations	37	37	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	133	133	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	68	68	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	45	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	10	27	6	.....	.....
Suicide	64	.....	.....	.....	.....	.....	.....	4	14	10	16	11	7	2	.....	.....	.....	.....
Other violence	357	50	5	6	5	3	17	27	48	53	46	33	29	20	13	2	.....	.....
Ill-defined causes	48	14	1	.....	.....	.....	1	1	1	1	8	4	10	5	2	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

CINCINNATI, OHIO (COLORED).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	552	79	29	5	10	4	6	33	90	78	86	68	40	13	5	3	1	2
Typhoid fever	3				1			1					1					
Malarial fever	1							1										
Smallpox																		
Measles																		
Scarlet fever	2				1		1											
Whooping cough	5	1	3		1													
Diphtheria and croup	4				2		2											
Influenza	3	1	1									1						
Cholera nostras																		
Dysentery																		
Erysipelas	3									1		2						
Other epidemic diseases																		
Septicemia																		
Tuberculosis—total	159	4	2	1	1		1	16	54	27	30	16	5	1				1
Tuberculosis of lungs	146	2			1		1	14	52	27	28	14	5	1				1
Tuberculosis of larynx	1								1									
Tuberculous meningitis	4	2	2															
Abdominal tuberculosis	3			1					1		1							
Pott's disease	1											1						
Tuberculous abscess																		
White swelling																		
Tuberculosis of other organs	1							1										
General tuberculosis	3							1			1	1						
Scrofula																		
Venereal diseases	6	4		1						1								
Cancer	15										4	7	2	2				
Tumor																		
Rheumatism	4								1	1	1						1	
Diabetes																		
Anemia, leukemia																		
Alcoholism																		
Chronic poisonings																		
Other general diseases																		
Encephalitis																		
Meningitis	7	2	2					2	1									
Apoplexy	13									1	5	1	5	1				
Softening of brain																		
Paralysis	5								1	1		1	2					
Epilepsy	3								1	1	1							
"Convulsions"																		
Tetanus																		
Other diseases of nervous system	2										1		1					
Pericarditis	2									1		1						
Endocarditis	6									1	1	2	1		1			
Heart disease	39				1	1		2	2	8	7	9	6	2	1			
Angina pectoris	1										1							
Embolism and thrombosis	3									1	1	1						
Other diseases of circulatory system	3	1									1					1		
Laryngitis																		
Acute bronchitis	3	2												1				
Chronic bronchitis	3	1											1		1			
Bronchopneumonia	15	6	4				1		2				1	1				
Pneumonia (lobar and unqualified)	52	9	6	2	1			3	6	10	3	8	4					
Pleurisy	2										1	1						
Congestion of lungs																		
Other diseases of respiratory system	4							1			1	2						
Tonsillitis																		
Diseases of stomach	5	1			1		1	1						1				
Diarrhea and enteritis	33	21	9		1					1		1						
Hernia and intestinal obstructions	3			1							2							
Cirrhosis of liver	3								1		1		1					
Other diseases of liver	3	1									2							
Peritonitis	2							1		1								
Appendicitis	2								2									
Other diseases of digestive system																		
Acute nephritis	4								1	1	1	1						
Bright's disease	38								2	4	11	9	8	3	1			
Calculi of urinary tract																		
Uterine tumor	4									3	1							
Ovarian tumor	2									2								
Other diseases of genito-urinary system	4								2	1	1							
Puerperal septicemia	1									1								
Other causes incident to childbirth	1									1								
Diseases of skin	1										1							
Diseases of locomotor system	2		2															
Malformations	1	1																
Premature birth	12	12																
Congenital debility	8	8																
Old age	5												1	1	1	2		
Suicide																		
Other violence	44	3				3		5	13	8	6	4	1					1
Ill-defined causes	6	1							1	1	2	1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

CLEVELAND, OHIO.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	6,975	1,666	325	139	66	47	139	246	549	667	675	711	828	605	268	40	.....	4
Typhoid fever	72	.....	.....	1	1	1	1	15	28	19	5	6	.....	.....	.....	.....	.....	.....
Malarial fever	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	53	13	25	7	3	1	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	31	3	2	4	2	1	14	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	39	20	13	2	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	70	4	16	18	3	8	17	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	37	3	.....	.....	1	2	.....	2	1	4	2	5	6	9	2	.....	.....	.....
Cholera nostras	8	2	1	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	1	.....	.....
Dysentery	16	3	2	.....	1	.....	.....	.....	.....	.....	.....	1	6	1	1	1	.....	.....
Erysipelas	20	1	.....	.....	.....	.....	.....	.....	.....	4	4	3	3	4	1	.....	.....	.....
Other epidemic diseases	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	12	.....	.....	1	.....	.....	.....	.....	.....	4	3	.....	3	1	.....	.....	.....	.....
Tuberculosis—total	704	29	18	12	4	2	8	64	197	155	104	66	33	9	2	.....	.....	1
Tuberculosis of lungs	592	10	7	1	1	.....	6	53	181	138	96	58	29	9	2	.....	.....	1
Tuberculosis of larynx	11	.....	.....	.....	.....	.....	.....	.....	2	3	2	3	1	.....	.....	.....	.....	.....
Tuberculous meningitis	52	14	8	9	3	1	2	4	5	6	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	28	3	1	1	.....	1	.....	3	6	5	2	4	2	.....	.....	.....	.....	.....
Pott's disease	5	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	3	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	5	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	1	.....	.....	.....	.....	.....
General tuberculosis	7	1	1	1	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....
Scrofula	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	84	63	.....	.....	.....	1	1	.....	4	4	9	1	1	.....	.....	.....	.....	.....
Cancer	373	1	2	2	1	.....	2	2	7	24	61	99	112	51	9	.....	.....	.....
Tumor	6	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	2	1	.....	.....	.....	.....
Rheumatism	61	.....	.....	.....	.....	2	12	6	9	7	6	8	4	7	.....	.....	.....	.....
Diabetes	66	.....	1	.....	.....	1	.....	4	5	10	4	13	16	9	2	1	.....	.....
Anemia, leukemia	33	.....	1	2	1	.....	.....	2	2	6	3	9	4	3	.....	.....	.....	.....
Alcoholism	31	.....	.....	.....	.....	.....	.....	.....	4	11	8	8	.....	.....	.....	.....	.....	.....
Chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....
Other general diseases	23	2	2	.....	.....	.....	.....	1	1	3	6	3	3	1	1	.....	.....	.....
Encephalitis	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	56	16	7	7	3	7	.....	3	2	7	.....	3	1	.....	.....	.....	.....	.....
Apoplexy	281	13	2	.....	.....	.....	.....	1	5	12	19	56	72	74	23	4	.....	.....
Softening of brain	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	2	.....	.....	.....
Paralysis	38	2	.....	.....	.....	.....	.....	1	1	1	.....	8	7	7	9	2	.....	.....
Epilepsy	16	1	.....	1	.....	.....	1	3	4	1	4	.....	1	.....	.....	.....	.....	.....
"Convulsions"	52	47	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	7	3	.....	.....	.....	.....	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	121	3	4	1	1	.....	1	5	7	13	29	19	18	14	6	.....	.....	.....
Pericarditis	13	.....	.....	1	.....	.....	.....	.....	3	2	3	2	1	1	.....	.....	.....	.....
Endocarditis	157	3	1	2	.....	1	5	4	7	22	22	27	40	20	3	.....	.....	.....
Heart disease	450	3	2	1	1	3	8	27	23	38	49	66	103	81	43	2	.....	.....
Angina pectoris	40	.....	.....	.....	.....	.....	.....	.....	3	3	6	4	12	11	1	.....	.....	.....
Embolism and thrombosis	21	.....	.....	.....	.....	.....	.....	2	1	4	3	2	7	2	.....	.....	.....	.....
Other diseases of circulatory system	162	6	.....	.....	.....	.....	.....	1	2	3	1	19	46	44	31	9	.....	.....
Laryngitis	7	2	1	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	167	91	25	11	3	1	2	2	2	.....	2	1	9	8	8	2	.....	.....
Chronic bronchitis	63	6	3	.....	1	.....	1	1	2	1	1	1	11	17	16	2	.....	.....
Bronchopneumonia	172	68	21	15	4	2	6	1	4	2	6	4	13	13	12	1	.....	.....
Pneumonia (lobar and unqualified)	363	32	20	10	6	1	11	12	21	39	58	54	53	34	10	2	.....	.....
Pleurisy	41	7	3	1	1	.....	.....	3	1	8	3	4	4	4	2	.....	.....	.....
Congestion of lungs	11	6	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	1	.....	.....	.....
Other diseases of respiratory system	26	2	1	1	.....	1	.....	.....	.....	3	2	3	7	4	2	.....	.....	.....
Tonsillitis	4	.....	.....	1	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	96	40	5	.....	1	.....	.....	1	2	7	6	4	9	15	6	.....	.....	.....
Diarrhea and enteritis	795	611	120	15	7	2	3	.....	4	2	8	7	10	4	2	.....	.....	.....
Hernia and intestinal obstructions	87	18	4	2	3	1	2	3	5	7	7	10	16	8	1	.....	.....	.....
Cirrhosis of liver	85	.....	.....	.....	.....	.....	.....	.....	1	9	24	26	16	8	1	.....	.....	.....
Other diseases of liver	32	1	.....	.....	.....	.....	2	1	1	4	6	8	6	3	.....	.....	.....	.....
Peritonitis	19	4	.....	1	.....	.....	.....	1	1	4	1	5	2	.....	.....	.....	.....	.....
Appendicitis	57	.....	.....	1	.....	2	5	12	19	9	6	2	1	.....	.....	.....	.....	.....
Other diseases of digestive system	23	11	.....	1	.....	1	.....	1	2	2	1	1	.....	2	1	.....	.....	.....
Acute nephritis	46	7	2	.....	1	.....	2	2	4	8	5	7	3	3	2	.....	.....	.....
Bright's disease	420	2	.....	.....	1	.....	3	7	23	30	58	69	106	79	37	5	.....	.....
Calculi of urinary tract	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Uterine tumor	10	.....	.....	.....	.....	.....	.....	.....	.....	2	6	1	.....	1	.....	.....	.....	.....
Ovarian tumor	6	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	1	.....	.....	.....
Other diseases of genito-urinary system	63	6	.....	.....	.....	.....	.....	1	9	12	10	2	8	8	7	.....	.....	.....
Puerperal septicemia	48	.....	.....	.....	.....	.....	.....	4	24	15	5	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	32	.....	.....	.....	.....	.....	.....	1	12	15	4	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	19	6	.....	.....	.....	.....	.....	.....	.....	.....	2	2	4	2	2	1	.....	.....
Diseases of locomotor system	19	3	4	.....	1	.....	1	2	2	3	1	.....	1	1	.....	.....	.....	.....
Malformations	77	74	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	239	239	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	97	97	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	7	9	3	.....	.....
Suicide	121	.....	.....	.....	.....	.....	.....	5	22	35	26	15	9	7	1	.....	.....	1
Other violence	512	73	11	15	11	5	22	34	72	84	72	49	27	22	10	3	.....	2
Ill-defined causes	22	14	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	3	2	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

COLUMBUS, OHIO.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	2,365	316	50	24	12	14	37	98	233	244	288	324	300	270	140	15	.....	.....
Typhoid fever	33	.....	.....	1	.....	.....	2	3	17	3	3	1	1	2	.....	.....	.....	.....
Malarial fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	16	1	3	1	.....	1	2	1	7	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	5	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	9	.....	1	3	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	9	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	3	3	.....	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Dysentery	5	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....
Erysipelas	11	.....	.....	.....	.....	.....	.....	.....	.....	3	2	2	3	1	.....	.....	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	5	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....
Tuberculosis—total	318	7	4	2	4	.....	4	30	88	73	47	26	22	7	4	.....	.....	.....
Tuberculosis of lungs	262	2	.....	2	1	.....	2	22	80	66	42	20	18	3	4	.....	.....	.....
Tuberculosis of larynx	4	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	10	2	3	.....	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	22	1	1	.....	.....	.....	1	5	2	4	2	2	2	2	.....	.....	.....	.....
Pott's disease	3	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	5	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....
General tuberculosis	12	1	.....	.....	.....	.....	.....	1	3	2	2	1	1	1	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	14	6	2	.....	.....	.....	.....	.....	.....	2	2	1	1	.....	.....	.....	.....	.....
Cancer	173	.....	.....	.....	.....	1	.....	2	2	10	34	54	46	18	5	1	.....	.....
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	10	.....	.....	1	.....	.....	1	1	1	2	2	1	1	.....	.....	.....	.....	.....
Diabetes	13	.....	.....	.....	.....	.....	.....	2	.....	.....	2	5	3	1	.....	.....	.....	.....
Anemia, leukemia	18	1	.....	.....	.....	.....	.....	3	.....	3	3	3	4	1	.....	.....	.....	.....
Alcoholism	9	.....	.....	.....	.....	.....	.....	.....	.....	4	3	1	1	.....	.....	.....	.....	.....
Chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....
Other general diseases	7	.....	.....	.....	1	.....	.....	.....	1	1	2	1	1	.....	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis*	29	6	3	4	.....	2	5	2	2	3	1	1	.....	.....	.....	.....	.....	.....
Apoplexy	125	1	.....	1	.....	.....	.....	.....	4	4	15	27	27	35	10	1	.....	.....
Softening of brain	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....
Paralysis	26	.....	.....	.....	.....	.....	.....	.....	1	3	.....	7	2	7	6	.....	.....	.....
Epilepsy	5	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	1	.....	.....	.....	.....
"Convulsions"	13	12	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	69	2	.....	.....	.....	.....	1	2	4	10	17	21	8	2	2	.....	.....	.....
Pericarditis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	13	.....	.....	.....	.....	.....	.....	1	.....	1	3	1	3	4	.....	.....	.....	.....
Heart disease	266	2	.....	.....	.....	.....	.....	7	12	22	38	54	57	47	27	.....	.....	.....
Angina pectoris	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	4	2	.....	.....	.....
Embolism and thrombosis	5	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	1	1	.....	.....	.....	.....
Other diseases of circulatory system	51	.....	.....	.....	.....	1	.....	1	2	5	1	5	9	14	11	2	.....	.....
Laryngitis	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	8	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....
Chronic bronchitis	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	2	.....	.....	.....
Bronchopneumonia	88	29	8	1	4	.....	2	1	2	2	2	4	9	17	5	2	.....	.....
Pneumonia (lobar and unqualified)	113	15	5	2	1	1	3	3	7	8	7	12	14	18	17	.....	.....	.....
Pleurisy	6	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	.....	1	1	.....	.....	.....
Congestion of lungs	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....
Other diseases of respiratory system	11	.....	1	.....	.....	.....	.....	1	.....	2	1	1	3	1	1	.....	.....	.....
Tonsillitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	30	3	.....	.....	.....	.....	.....	.....	.....	4	9	2	5	4	3	.....	.....	.....
Diarrhea and enteritis	97	70	13	2	.....	.....	.....	.....	1	1	.....	1	3	2	4	.....	.....	.....
Hernia and intestinal obstructions	27	3	2	.....	.....	.....	.....	1	1	1	6	3	4	5	1	.....	.....	.....
Cirrhosis of liver	28	.....	.....	.....	.....	.....	.....	.....	.....	3	6	11	4	2	2	.....	.....	.....
Other diseases of liver	35	.....	.....	.....	.....	.....	.....	1	1	2	4	14	4	8	1	.....	.....	.....
Peritonitis	6	1	.....	.....	.....	.....	1	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Appendicitis	38	.....	.....	.....	.....	1	6	8	7	9	2	3	1	1	.....	.....	.....	.....
Other diseases of digestive system	12	2	.....	1	.....	.....	.....	1	1	2	2	1	2	.....	.....	.....	.....	.....
Acute nephritis	22	2	1	.....	.....	2	.....	.....	4	2	1	5	2	2	1	.....	.....	.....
Bright's disease	115	.....	.....	.....	.....	.....	.....	2	2	8	18	22	29	29	3	2	.....	.....
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....
Uterine tumor	10	.....	.....	.....	.....	.....	.....	.....	.....	7	1	2	.....	.....	.....	.....	.....	.....
Ovarian tumor	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	34	.....	1	.....	.....	.....	.....	1	5	2	8	3	8	5	1	.....	.....	.....
Puerperal septicemia	16	.....	.....	.....	.....	.....	.....	2	12	2	.....	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	9	.....	.....	.....	.....	.....	.....	.....	5	4	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	6	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	1	.....	1	.....	.....
Diseases of locomotor system	6	.....	1	2	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	24	22	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	61	61	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	33	33	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	35	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11	20	4	.....	.....
Suicide	40	.....	.....	.....	.....	.....	.....	1	14	10	10	2	2	1	.....	.....	.....	.....
Other violence	138	14	3	1	1	3	3	11	27	17	22	15	12	4	5	.....	.....	.....
Ill-defined causes	13	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

TOLEDO, OHIO.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	2,414	378	64	26	21	22	52	92	210	249	240	277	323	293	141	21	2	3
Typhoid fever	69	1	1	1			1	10	22	17	7	6	3					
Malarial fever	3						1	1		1								
Smallpox																		
Measles	13	3	8	1	1													
Scarlet fever	14		1	1	2	1	6	2	1									
Whooping cough	7	5	1		1													
Diphtheria and croup	32		6	4	3	2	14	2			1							
Influenza	15									3		2	4	5	1			
Cholera nostras	1													1				
Dysentery	19	3	2					1		2	1	2	2	6				
Erysipelas	1	1																
Other epidemic diseases																		
Septicemia	4					1		1		1			1					
Tuberculosis—total	322	9	4	1	2		4	20	88	73	44	29	28	17	2	1		
Tuberculosis of lungs	292	7	4	1	1		2	17	77	67	42	28	27	16	2	1		
Tuberculosis of larynx	1								1									
Tuberculous meningitis	8	1			1		1	1	2	1	1							
Abdominal tuberculosis	11	1						1	7	2								
Pott's disease	1													1				
Tuberculous abscess																		
White swelling	2									1			1					
Tuberculosis of other organs	4						1	1		2								
General tuberculosis	3								1		1	1						
Scrofula																		
Venereal diseases	15	7					1	1		2	1	3						
Cancer	144							2	4	10	32	38	42	10	4	1		1
Tumor	2											2						
Rheumatism	13								3	6	1	1	1		1			
Diabetes	16								1	1	2	5	4	3				
Anemia, leukemia	13		1			1		1		1	3	3	2	1				
Alcoholism	8									3	1	4						
Chronic poisonings	1												1					
Other general diseases	11	1				1			3	3		2				1		
Encephalitis	2										1			1				
Meningitis	22	5	2	1	3	3	1	2	1	1	1	2						
Apoplexy	115	3							3	2	9	22	28	34	10	4		
Softening of brain	5										1		2	1	1			
Paralysis	19					1			1		1	4	4	4	4			
Epilepsy	9	1				1		1	1	2	2			1				
"Convulsions"	16	15	1															
Tetanus	8	3						4	1									
Other diseases of nervous system	101	1						3	6	16	24	19	17	11	2			2
Pericarditis																		
Endocarditis	8									2			3	2	1			
Heart disease	236	2				1	1	6	8	10	23	34	66	64	21			
Angina pectoris	9												3	4	2			
Embolism and thrombosis	9	1								2	1	3	1		1			
Other diseases of circulatory system	39	2	1				1				1	5	7	14	6	2		
Laryngitis	1		1															
Acute bronchitis	22	8	2	3		1	1						1	3	3			
Chronic bronchitis	18									2		1		7	7	1		
Bronchopneumonia	68	28	6	2	2	1	3	1	1	1	1	1	5	12	4			
Pneumonia (lobar and unqualified)	114	15	8	4		1	4	1	2	6	13	18	14	11	13	4		
Pleurisy	5		2								1			1	1			
Congestion of lungs	9	1				1	1					1	3	2				
Other diseases of respiratory system	11	1								1	2	1		2	4			
Tonsillitis	1				1													
Diseases of stomach	24	4		1					1	1	2	3	7	3	2			
Diarrhea and enteritis	153	103	14	4	1	3	2	2		3	4	2	4	3	7	1		
Hernia and intestinal obstructions	26	2			2				2	2	5	3	5	1	3	1		
Cirrhosis of liver	32								1	1	2	8	12	4	3	1		
Other diseases of liver	17									3	5	3	3	2	1			
Peritonitis	7	2						2		2			1					
Appendicitis	16						2	3	5	2	3	1						
Other diseases of digestive system	12	3								1	2	2	1	2		1		
Acute nephritis	16	1						1		5	2	1	3	1	1		1	
Bright's disease	96	3						2	3	7	9	15	22	23	12			
Calculi of urinary tract	2								1						1			
Uterine tumor	4										2	2						
Ovarian tumor	2											2						
Other diseases of genito-urinary system	36							3	5	6	4	2	4	9	3			
Puerperal septicemia	18								10	5	3							
Other causes incident to childbirth	10								5	5								
Diseases of skin	12	1							1	1	1		2	3	2	1		
Diseases of locomotor system	1											1						
Malformations	30	27	2	1														
Premature birth	62	62																
Congenital debility	31	31																
Old age	27												2	12	12	1		
Suicide	42							4	5	11	7	8	6	1				
Other violence	152	14	1	2	3	3	9	16	24	26	15	16	6	10	5	2		
Ill-defined causes	16	9							1				3	2	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

PHILADELPHIA, PA. (TOTAL).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	25,029	4,992	1,125	479	303	225	512	892	1,889	2,309	2,553	2,751	3,107	2,553	1,176	154	9	.....
Typhoid fever	341	.....	8	5	6	5	23	71	96	64	34	22	5	1	1	.....	.....	.....
Malarial fever	8	.....	.....	.....	1	.....	.....	.....	.....	2	3	1	.....	1	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	231	60	76	43	22	14	11	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	147	4	19	34	21	22	33	8	6	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	122	64	33	12	2	5	4	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	511	39	123	96	69	56	106	9	6	3	2	1	.....	1	.....	.....	.....	.....
Influenza	184	22	3	2	3	1	5	5	12	10	13	21	36	30	20	1	.....	.....
Cholera nostras	10	1	1	.....	.....	.....	.....	.....	1	.....	1	1	2	1	2	.....	.....	.....
Dysentery	28	3	1	2	.....	.....	.....	.....	.....	1	1	1	11	5	3	.....	.....	.....
Erysipelas	81	21	3	.....	1	.....	1	2	5	11	9	11	8	4	4	1	.....	.....
Other epidemic diseases	9	2	2	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	20	4	.....	1	.....	.....	.....	1	1	3	3	1	3	2	1	.....	.....	.....
Tuberculosis—total	3,296	101	73	41	26	13	65	269	827	807	550	308	149	52	15	.....	.....	.....
Tuberculosis of lungs	2,889	35	33	16	8	5	23	234	765	764	519	293	134	47	13	.....	.....	.....
Tuberculosis of larynx	46	.....	.....	.....	.....	.....	2	1	15	9	8	3	6	2	.....	.....	.....	.....
Tuberculous meningitis	181	46	30	22	12	6	26	9	16	8	4	2	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	79	5	3	.....	5	.....	6	11	18	13	7	3	5	2	1	.....	.....	.....
Pott's disease	27	1	.....	2	.....	2	4	7	1	3	2	4	.....	.....	1	.....	.....	.....
Tuberculous abscess	4	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	17	2	1	.....	.....	.....	2	6	4	.....	1	.....	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	26	4	2	1	.....	.....	.....	.....	3	5	6	2	2	1	.....	.....	.....	.....
General tuberculosis	27	6	4	.....	1	.....	2	1	4	4	3	1	1	.....	.....	.....	.....	.....
Scrofula	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	104	68	4	1	.....	.....	.....	2	5	9	12	1	2	.....	.....	.....	.....	.....
Cancer	1,325	.....	1	.....	1	.....	2	13	24	81	261	332	341	225	38	5	1	.....
Tumor	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	2	.....	.....	.....
Rheumatism	120	.....	.....	1	1	1	11	21	12	11	10	9	19	18	5	1	.....	.....
Diabetes	241	.....	.....	1	1	.....	1	5	5	18	34	56	79	37	4	.....	.....	.....
Anemia, leukemia	77	3	2	.....	1	2	3	3	9	5	15	18	8	6	2	.....	.....	.....
Alcoholism	46	.....	.....	.....	.....	.....	.....	.....	3	10	19	7	5	2	.....	.....	.....	.....
Chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....
Other general diseases	19	1	.....	.....	.....	.....	1	1	4	6	3	1	2	.....	.....	.....	.....	.....
Encephalitis	14	2	.....	1	1	.....	1	.....	1	1	2	2	1	2	.....	.....	.....	.....
Meningitis	107	42	17	6	7	4	7	9	5	1	5	1	2	1	.....	.....	.....	.....
Apoplexy	991	15	2	1	.....	.....	1	2	10	30	68	166	300	259	122	13	2	.....
Softening of brain	33	.....	.....	.....	.....	.....	.....	.....	1	.....	3	5	8	9	6	1	.....	.....
Paralysis	167	2	.....	.....	.....	.....	1	1	3	6	9	28	44	46	24	3	.....	.....
Epilepsy	48	1	.....	.....	.....	.....	1	7	8	7	6	10	2	5	.....	1	.....	.....
"Convulsions"	159	129	26	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	27	3	.....	.....	.....	.....	6	8	.....	3	2	1	3	1	.....	.....	.....	.....
Other diseases of nervous system	367	18	6	7	5	3	4	18	18	60	69	64	55	23	13	4	.....	.....
Pericarditis	23	.....	.....	.....	1	.....	1	2	2	1	1	7	4	2	2	.....	.....	.....
Endocarditis	328	5	1	1	3	.....	8	20	21	19	47	46	71	56	26	4	.....	.....
Heart disease	2,281	25	6	6	7	6	28	103	95	165	285	396	524	465	162	14	.....	.....
Angina pectoris	88	.....	.....	.....	.....	.....	1	1	2	1	5	16	30	23	8	1	.....	.....
Embolism and thrombosis	47	1	1	.....	.....	.....	2	3	5	6	4	5	8	10	2	.....	.....	.....
Other diseases of circulatory system	494	14	1	.....	.....	1	2	1	6	14	24	47	100	162	106	16	.....	.....
Laryngitis	6	1	1	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	290	159	52	17	2	4	3	.....	1	1	5	8	14	12	11	1	.....	.....
Chronic bronchitis	201	20	5	4	.....	.....	4	2	2	7	9	26	36	44	33	9	.....	.....
Bronchopneumonia	759	315	158	48	17	13	10	8	8	15	15	31	39	53	26	3	.....	.....
Pneumonia (lobar and unqualified)	1,356	205	96	38	22	14	26	37	80	157	179	173	150	137	39	2	1	.....
Pleurisy	99	6	4	5	1	2	1	6	10	12	16	12	8	12	4	.....	.....	.....
Congestion of lungs	144	39	6	4	1	.....	3	1	5	9	14	9	16	17	16	4	.....	.....
Other diseases of respiratory system	109	11	7	.....	3	2	3	.....	8	13	11	15	19	8	9	.....	.....	.....
Tonsillitis	14	3	.....	.....	2	2	3	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	259	62	12	3	3	2	5	4	13	16	29	29	32	26	21	2	.....	.....
Diarrhea and enteritis	1,981	1,530	261	29	13	15	10	7	1	14	17	15	20	21	26	2	.....	.....
Hernia and intestinal obstructions	221	24	3	3	1	2	1	8	9	19	36	32	49	23	11	.....	.....	.....
Cirrhosis of liver	247	.....	.....	.....	.....	.....	1	.....	4	24	48	71	53	39	6	1	.....	.....
Other diseases of liver	137	4	.....	.....	.....	.....	2	3	4	16	27	27	29	13	11	1	.....	.....
Peritonitis	34	4	.....	.....	.....	.....	2	2	5	2	8	4	4	2	1	.....	.....	.....
Appendicitis	187	.....	.....	1	1	2	16	43	36	31	26	19	10	1	1	.....	.....	.....
Other diseases of digestive system	87	16	9	2	4	.....	1	.....	14	6	9	6	10	5	5	.....	.....	.....
Acute nephritis	198	15	5	5	3	2	6	6	15	29	31	30	29	15	6	1	.....	.....
Bright's disease	2,231	11	4	2	3	5	5	25	74	179	300	457	547	436	163	19	1	.....
Calculi of urinary tract	12	1	.....	.....	.....	.....	.....	.....	.....	.....	2	2	3	4	.....	.....	.....	.....
Uterine tumor	29	.....	.....	.....	.....	.....	.....	.....	.....	8	13	7	.....	1	.....	.....	.....	.....
Ovarian tumor	19	.....	.....	.....	.....	.....	.....	.....	3	4	3	4	1	3	1	.....	.....	.....
Other diseases of genito-urinary system	235	7	.....	1	.....	.....	4	3	40	41	26	25	39	34	14	1	.....	.....
Puerperal septicemia	113	.....	.....	.....	.....	.....	.....	8	57	42	6	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	166	.....	.....	.....	.....	.....	.....	4	82	66	14	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	97	19	2	.....	.....	.....	.....	4	3	4	8	12	12	15	15	3	.....	.....
Diseases of locomotor system	67	11	7	5	2	2	4	17	.....	2	3	5	4	.....	.....	1	.....	.....
Malformations	300	282	9	2	.....	2	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	634	634	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	489	489	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	252	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20	81	117	30	4	.....
Suicide	250	.....	.....	.....	.....	.....	.....	12	48	56	48	48	27	10	1	.....	.....	.....
Other violence	1,306	168	39	32	40	22	69	100	165	177	144	99	106	80	59	6	.....	.....
Ill-defined causes	394	305	36	8	3	.....	1	1	1	.....	2	4	8	10	12	3	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

PHILADELPHIA, PA. (WHITE).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	22,914	4,472	1,006	433	269	214	475	770	1,619	2,028	2,317	2,561	2,970	2,486	1,141	147	6	
Typhoid fever	312		8	4	5	5	19	63	90	57	33	21	5	1	1			
Malarial fever	7				1					2	2	1		1				
Smallpox																		
Measles	227	58	75	42	22	14	11	2	2		1							
Scarlet fever	146	4	19	33	21	22	33	8	6									
Whooping cough	104	57	27	8	1	5	4			1	1							
Diphtheria and croup	485	36	115	93	65	54	104	7	6	2	1	1		1				
Influenza	174	21	3	2	3	1	5	5	12	9	12	20	32	28	20	1		
Cholera nostras	10	1	1						1		1	1	2	1	2			
Dysentery	26	3	1	2						1	1	1	9	5	3			
Erysipelas	76	20	3				1	2	4	10	9	11	8	3	4	1		
Other epidemic diseases	8	1	2	4	1													
Septicemia	19	4		1				1	1	2	3	1	3	2	1			
Tuberculosis—total	2,818	87	61	33	17	10	51	200	688	697	494	277	140	48	15			
Tuberculosis of lungs	2,463	27	27	12	3	2	13	175	632	660	467	264	125	43	13			
Tuberculosis of larynx	46						2	1	15	9	8	3	6	2				
Tuberculous meningitis	159	42	25	20	11	6	23	6	14	7	3	2						
Abdominal tuberculosis	64	5	3		3		5	5	16	10	7	2	5	2	1			
Pott's disease	24	1		1		2	4	6	1	3	2	3			1			
Tuberculous abscess	4	2							1	1								
White swelling	16	2	1				2	6	3		1		1					
Tuberculosis of other organs	18	3	2						2	3	3	2	2	1				
General tuberculosis	24	5	3				2	1	4	4	3	1	1					
Scrofula	1	1																
Venereal diseases	78	53	3	1				2	2	6	9		2					
Cancer	1,279		1		1		2	13	22	75	248	322	330	223	36	5	1	
Tumor	6									1	1	1		1	2			
Rheumatism	112			1	1	1	10	17	9	11	10	9	19	18	5	1		
Diabetes	231			1	1		1	3	5	17	34	51	78	36	4			
Anemia, leukemia	75	3	2		1	2	2	3	9	5	15	18	7	6	2			
Alcoholism	44								3	10	17	7	5	2				
Chronic poisonings	4									1	1	1		1				
Other general diseases	18						1	1	4	6	3	1	2					
Encephalitis	14	2		1	1		1		1	1	2	2	1	2				
Meningitis	100	40	17	5	6	3	7	8	5	1	5	1	1	1				
Apoplexy	949	15	2	1				2	10	25	60	161	289	251	121	12		
Softening of brain	29								1		2	4	6	9	6	1		
Paralysis	155	1					1	1	2	5	7	25	41	45	24	3		
Epilepsy	44	1					1	7	7	6	5	9	2	5		1		
"Convulsions"	142	117	21	2	2													
Tetanus	24	3					6	8		1	1	1	3	1				
Other diseases of nervous system	344	17	6	6	5	3	4	18	18	52	62	61	54	21	13	4		
Pericarditis	18						1	1	2	1	1	5	3	2	2			
Endocarditis	299	5		1	3		7	18	19	15	41	41	67	55	23	4		
Heart disease	2,129	20	5	5	7	5	26	99	85	138	249	359	501	461	156	13		
Angina pectoris	87						1	1	2	1	4	16	30	23	8	1		
Embolism and thrombosis	44	1	1				2	2	3	6	4	5	8	10	2			
Other diseases of circulatory system	464	14	1			1	2	1	4	13	23	39	97	154	101	14		
Laryngitis	5	1	1	2		1												
Acute bronchitis	253	137	44	11	2	4	3		1		5	8	14	12	11	1		
Chronic bronchitis	192	19	4	3			3	1	2	6	9	26	35	43	32	9		
Bronchopneumonia	672	275	136	43	11	13	9	7	6	14	15	28	36	50	26	3		
Pneumonia (lobar and unqualified)	1,206	169	80	35	19	12	24	33	63	139	157	162	140	133	38	2		
Pleurisy	87	6	2	5	1	2	1	5	9	10	13	11	7	11	4			
Congestion of lungs	126	31	5	4	1		3	1	4	8	13	7	15	15	15	4		
Other diseases of respiratory system	102	10	7		2	2	3		6	12	11	14	19	8	8			
Tonsillitis	12	2			2	2	3	2	1									
Diseases of stomach	237	57	10	3	3	2	4	3	10	13	28	26	32	24	20	2		
Diarrhea and enteritis	1,803	1,380	244	29	12	15	10	7	1	12	16	13	20	17	25	2		
Hernia and intestinal obstructions	204	20	3	3	1	2	1	8	8	16	32	30	46	23	11			
Cirrhosis of liver	238								4	22	45	69	52	39	6	1		
Other diseases of liver	134	4					2	2	3	16	27	27	29	13	10	1		
Peritonitis	29	4					1	1	2	2	8	4	4	2	1			
Appendicitis	181			1	1	2	14	43	34	29	26	19	10	1	1			
Other diseases of digestive system	82	14	9	2	3		1		14	5	9	6	9	5	5			
Acute nephritis	187	14	4	5	3	2	6	6	15	27	26	29	28	15	6	1		
Bright's disease	2,079	11	3	2	1	4	5	22	65	160	267	422	517	425	156	18	1	
Calculi of urinary tract	12	1									2	2	3	4				
Uterine tumor	26									6	13	6		1				
Ovarian tumor	15								2	3	3	2	1	3	1			
Other diseases of genito-urinary system	207	7		1			4	2	33	34	21	21	37	33	13	1		
Puerperal septicemia	98							6	47	39	6							
Other causes incident to childbirth	149							3	73	59	14							
Diseases of skin	88	19	2					3	3	2	7	10	11	14	14	3		
Diseases of locomotor system	57	8	5	3	2	2	3	17	4	2	2	4	4			1		
Malformations	290	273	8	2		2	3	2										
Premature birth	576	576																
Congenital debility	430	430																
Old age	247												19	79	116	29	4	
Suicide	245							11	46	56	47	47	27	10	1			
Other violence	1,203	155	37	28	38	21	68	91	139	158	132	91	103	79	58	5		
Ill-defined causes	340	264	28	5	3		1	1	1		1	4	7	10	12	3		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

PHILADELPHIA, PA. (COLORED).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	2,115	520	119	46	34	11	37	122	270	281	236	190	137	67	35	7	3	.....
Typhoid fever	29	.....	.....	1	1	.....	4	8	6	7	1	1	.....	.....	.....	.....	.....	.....
Malarial fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	4	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	18	7	6	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	26	3	8	3	4	2	2	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Influenza	10	1	.....	.....	.....	.....	.....	.....	.....	1	1	1	4	2	.....	.....	.....	.....
Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Erysipelas	5	1	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....
Other epidemic diseases	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis—total	478	14	12	8	9	3	14	69	139	110	56	31	9	4	.....	.....	.....	.....
Tuberculosis of lungs	426	8	6	4	5	3	10	59	133	104	52	29	9	4	.....	.....	.....	.....
Tuberculosis of larynx	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	22	4	5	2	1	.....	3	3	2	1	1	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	15	.....	.....	.....	2	.....	1	6	2	3	.....	1	.....	.....	.....	.....	.....	.....
Pott's disease	3	.....	.....	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	8	1	.....	1	.....	.....	.....	.....	1	2	3	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	3	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	26	15	1	.....	.....	.....	.....	.....	3	3	3	1	.....	.....	.....	.....	.....	.....
Cancer	46	.....	.....	.....	.....	.....	.....	.....	2	6	13	10	11	2	2	.....	.....	.....
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	8	.....	.....	.....	.....	.....	1	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diabetes	10	.....	.....	.....	.....	.....	.....	2	.....	1	.....	5	1	1	.....	.....	.....	.....
Anemia, leukemia	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Alcoholism	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	7	2	.....	1	1	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Apoplexy	42	.....	.....	.....	.....	.....	1	.....	.....	5	8	5	11	8	1	1	2	.....
Softening of brain	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....
Paralysis	12	1	.....	.....	.....	.....	.....	.....	1	1	2	3	3	1	.....	.....	.....	.....
Epilepsy	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....
"Convulsions"	17	12	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	23	1	.....	1	.....	.....	.....	.....	.....	8	7	3	1	2	.....	.....	.....	.....
Pericarditis	5	.....	.....	.....	1	.....	.....	1	.....	.....	.....	2	1	.....	.....	.....	.....	.....
Endocarditis	29	.....	1	.....	.....	.....	1	2	2	4	6	5	4	1	3	.....	.....	.....
Heart disease	152	5	1	1	.....	1	2	4	10	27	36	31	23	4	6	1	.....	.....
Angina pectoris	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Embolism and thrombosis	3	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	30	.....	.....	.....	.....	.....	.....	.....	2	1	1	8	3	8	5	2	.....	.....
Laryngitis	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	37	22	8	6	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis	9	1	1	1	.....	.....	1	1	.....	1	.....	.....	1	1	1	.....	.....	.....
Bronchopneumonia	87	40	22	5	6	.....	1	1	2	1	.....	3	3	3	.....	.....	.....	.....
Pneumonia (lobar and unqualified)	150	36	16	3	3	2	2	4	17	18	22	11	10	4	1	.....	1	.....
Pleurisy	12	.....	2	.....	.....	.....	.....	1	1	2	3	1	1	1	.....	.....	.....	.....
Congestion of lungs	18	8	1	.....	.....	.....	.....	.....	1	1	1	2	1	2	1	.....	.....	.....
Other diseases of respiratory system	7	1	.....	.....	1	.....	.....	.....	2	1	.....	1	.....	.....	1	.....	.....	.....
Tonsillitis	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	22	5	2	.....	.....	.....	1	1	3	3	1	3	.....	2	1	.....	.....	.....
Diarrhea and enteritis	178	150	17	.....	1	.....	.....	.....	.....	2	1	2	.....	4	1	.....	.....	.....
Hernia and intestinal obstructions	17	4	.....	.....	.....	.....	.....	.....	1	3	4	2	3	.....	.....	.....	.....	.....
Cirrhosis of liver	9	.....	.....	.....	.....	.....	1	.....	.....	2	3	2	1	.....	.....	.....	.....	.....
Other diseases of liver	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....
Peritonitis	5	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Appendicitis	6	.....	.....	.....	.....	.....	2	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	5	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Acute nephritis	11	1	1	.....	.....	.....	.....	.....	.....	2	5	1	1	.....	.....	.....	.....	.....
Bright's disease	152	.....	1	.....	2	1	.....	3	9	19	33	35	30	11	7	1	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....
Ovarian tumor	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	28	.....	.....	.....	.....	.....	.....	1	7	7	5	4	2	1	1	.....	.....	.....
Puerperal septicemia	15	.....	.....	.....	.....	.....	.....	2	10	3	.....	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	17	.....	.....	.....	.....	.....	.....	1	9	7	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	9	.....	.....	.....	.....	.....	.....	1	.....	2	1	2	1	1	1	.....	.....	.....
Diseases of locomotor system	10	3	2	2	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Malformations	10	9	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	58	58	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	59	59	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....
Suicide	5	.....	.....	.....	.....	.....	.....	1	2	.....	1	1	.....	.....	.....	.....	.....	.....
Other violence	103	13	2	4	2	1	1	9	26	19	12	8	3	1	1	1	.....	.....
Ill-defined causes	54	41	8	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

PITTSBURGH, PA. (TOTAL).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	8,343	1,930	480	169	77	70	220	360	725	869	850	833	847	640	244	29	.....	.....
Typhoid fever	130	.....	.....	1	2	.....	9	29	43	22	17	4	2	1	.....	.....	.....	.....
Malarial fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	44	11	9	11	1	7	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	70	5	6	12	11	4	23	8	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	68	32	23	5	3	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	82	6	13	13	10	14	21	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza	68	1	1	1	.....	.....	3	2	4	5	9	9	11	15	6	1	.....	.....
Cholera nostras	6	.....	1	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....
Dysentery	9	1	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	3	.....	.....	.....	.....
Erysipelas	26	7	2	1	.....	.....	.....	.....	3	5	3	2	1	2	.....	.....	.....	.....
Other epidemic diseases	3	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	7	2	.....	.....	.....	.....	.....	1	1	.....	1	1	1	.....	.....	.....	.....	.....
Tuberculosis—total	729	23	28	7	7	2	22	82	179	183	111	54	25	6	.....	.....	.....	.....
Tuberculosis of lungs	576	9	6	1	3	2	9	60	159	162	95	45	23	2	.....	.....	.....	.....
Tuberculosis of larynx	12	.....	.....	.....	.....	.....	.....	.....	2	5	4	.....	1	.....	.....	.....	.....	.....
Tuberculous meningitis	56	12	15	6	2	.....	8	8	2	1	.....	1	.....	1	.....	.....	.....	.....
Abdominal tuberculosis	47	2	5	.....	1	.....	2	9	7	8	8	4	.....	1	.....	.....	.....	.....
Pott's disease	6	.....	.....	.....	.....	.....	1	1	3	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
White swelling	8	.....	1	.....	1	.....	.....	1	.....	.....	1	3	.....	1	.....	.....	.....	.....
Tuberculosis of other organs	13	.....	.....	.....	.....	.....	1	3	2	4	3	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	9	.....	1	.....	.....	.....	1	.....	3	3	.....	.....	1	.....	.....	.....	.....	.....
Scrofula	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	33	25	1	.....	.....	.....	.....	.....	2	3	.....	1	.....	1	.....	.....	.....	.....
Cancer	367	.....	.....	.....	.....	3	.....	4	12	34	65	103	88	47	11	.....	.....	.....
Tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....
Rheumatism	45	.....	.....	.....	.....	.....	3	4	8	3	8	6	6	6	1	.....	.....	.....
Diabetes	54	.....	.....	.....	.....	.....	1	1	10	7	6	3	21	5	.....	.....	.....	.....
Anemia, leukemia	34	3	1	.....	1	1	.....	2	5	3	4	7	5	2	.....	.....	.....	.....
Alcoholism	36	.....	.....	.....	.....	.....	.....	.....	7	12	9	5	3	.....	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Other general diseases	15	2	.....	.....	2	.....	1	.....	1	3	4	1	1	.....	.....	.....	.....	.....
Encephalitis	2	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	58	14	8	4	4	1	5	4	5	3	5	4	1	.....	.....	.....	.....	.....
Apoplexy	307	8	.....	1	.....	1	4	.....	8	14	32	58	77	80	19	5	.....	.....
Softening of brain	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Paralysis	33	.....	.....	1	.....	.....	.....	.....	1	2	3	4	8	10	4	.....	.....	.....
Epilepsy	8	.....	.....	.....	.....	.....	.....	2	2	1	1	1	1	.....	.....	.....	.....	.....
"Convulsions"	92	76	10	3	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tetanus	11	4	.....	.....	.....	1	1	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	102	10	5	3	1	1	5	8	11	10	20	14	10	3	1	.....	.....	.....
Pericarditis	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....
Endocarditis	42	1	.....	3	.....	.....	1	6	2	4	4	8	6	7	.....	.....	.....	.....
Heart disease	563	3	.....	.....	.....	.....	9	32	35	69	94	105	118	75	21	2	.....	.....
Angina pectoris	24	.....	.....	.....	.....	.....	.....	.....	2	1	3	3	11	4	.....	.....	.....	.....
Embolism and thrombosis	18	1	.....	.....	.....	.....	.....	.....	3	3	5	5	.....	1	.....	.....	.....	.....
Other diseases of circulatory system	62	5	.....	.....	1	.....	.....	.....	2	3	1	6	12	15	14	3	.....	.....
Laryngitis	4	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	138	63	18	7	1	5	1	.....	2	1	2	8	6	17	7	.....	.....	.....
Chronic bronchitis	77	.....	.....	.....	.....	.....	1	.....	1	2	2	8	19	30	13	1	.....	.....
Bronchopneumonia	588	198	85	35	10	7	13	8	10	26	22	32	65	48	25	4	.....	.....
Pneumonia (lobar and unqualified)	745	40	22	11	3	3	10	34	89	109	119	122	104	66	13	.....	.....	.....
Pleurisy	47	3	6	1	.....	.....	1	4	3	6	5	11	6	1	.....	.....	.....	.....
Congestion of lungs	21	6	1	.....	.....	.....	.....	.....	.....	.....	1	4	2	2	5	.....	.....	.....
Other diseases of respiratory system	57	6	1	1	.....	1	4	1	.....	6	7	7	12	8	3	.....	.....	.....
Tonsillitis	6	.....	.....	.....	.....	1	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	117	32	11	2	.....	.....	1	.....	2	8	8	9	15	21	7	1	.....	.....
Diarrhea and enteritis	829	549	186	23	7	6	5	.....	2	5	5	5	11	17	5	3	.....	.....
Hernia and intestinal obstructions	73	13	.....	1	.....	2	.....	1	8	9	9	14	8	8	.....	.....	.....	.....
Cirrhosis of liver	118	.....	.....	.....	.....	.....	.....	.....	3	14	32	29	26	12	2	.....	.....	.....
Other diseases of liver	59	.....	.....	1	.....	.....	3	1	3	5	12	11	12	5	6	.....	.....	.....
Peritonitis	18	1	1	.....	1	.....	2	2	1	2	3	2	1	2	.....	.....	.....	.....
Appendicitis	78	3	2	.....	.....	1	4	22	14	17	7	7	1	.....	.....	.....	.....	.....
Other diseases of digestive system	33	7	2	2	2	.....	2	1	3	4	2	1	1	3	3	.....	.....	.....
Acute nephritis	69	6	1	.....	1	2	3	5	6	7	11	8	11	3	5	.....	.....	.....
Bright's disease	328	1	2	2	1	.....	4	11	9	34	50	74	61	51	27	1	.....	.....
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	16	.....	.....	.....	.....	.....	.....	.....	.....	7	7	1	1	.....	.....	.....	.....	.....
Ovarian tumor	4	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	85	3	1	.....	.....	.....	.....	3	13	16	15	1	15	15	3	.....	.....	.....
Puerperal septicemia	63	.....	.....	.....	.....	.....	.....	4	34	20	5	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	48	.....	.....	.....	.....	.....	.....	1	13	26	8	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	39	11	.....	1	.....	.....	1	1	1	2	3	3	5	6	5	.....	.....	.....
Diseases of locomotor system	19	1	2	1	.....	1	4	1	2	3	1	1	1	.....	1	.....	.....	.....
Malformations	128	121	5	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	247	247	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	197	197	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	50	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	16	25	7	.....	.....
Suicide	104	.....	.....	.....	.....	.....	.....	4	24	29	22	15	8	2	.....	.....	.....	.....
Other violence	657	85	11	12	4	6	40	61	129	115	79	48	38	20	8	1	.....	.....
Ill-defined causes	118	92	14	2	.....	.....	.....	.....	.....	.....	3	1	1	1	4	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

PITTSBURGH, PA. (WHITE).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	7,823	1,837	447	156	72	65	206	329	658	789	773	786	813	626	238	28		
Typhoid fever	122			1	2		8	28	39	20	17	4	2	1				
Malarial fever																		
Smallpox																		
Measles	43	11	9	10	1	7	5											
Scarlet fever	67	4	6	11	11	4	22	8	1									
Whooping cough	57	29	18	4	2		4											
Diphtheria and croup	82	6	13	13	10	14	21	4			1							
Influenza	65	1	1	1			3	2	4	5	7	9	10	15	6	1		
Cholera nostras	6		1								1	2	1	1				
Dysentery	9	1								1	2	1	1	3				
Erysipelas	26	7	2	1					3	5	3	2	1	2				
Other epidemic diseases	2		1		1													
Septicemia	6	2						1	1		1	1						
Tuberculosis—total	623	22	25	7	4		14	63	158	161	94	48	23	4				
Tuberculosis of lungs	492	9	4	1	1		5	49	140	141	80	40	21	1				
Tuberculosis of larynx	12								2	5	4		1					
Tuberculous meningitis	51	11	14	6	2		6	7	2	1		1		1				
Abdominal tuberculosis	33	2	5				1	2	5	7	6	4		1				
Pott's disease	6						1	1	3			3						
Tuberculous abscess	1								1									
White swelling	7		1		1			1			1	2		1				
Tuberculosis of other organs	13						1	3	2	4	3							
General tuberculosis	8		1						3	3			1					
Scrofula	2	1			1													
Venereal diseases	32	24	1						2	3		1		1				
Cancer	358					3		4	11	33	63	101	85	47	11			
Tumor	3									1			1	1				
Rheumatism	41						3	3	7	3	7	5	6	6	1			
Diabetes	49						1	1	7	6	6	3	20	5				
Anemia, leukemia	34	3	1		1	1		2	5	3	4	7	5	2				
Alcoholism	36								7	12	9	5	3					
Chronic poisonings	2											2						
Other general diseases	14	2			2		1		1	3	4	1						
Encephalitis	2			1						1								
Meningitis	56	14	8	4	4	1	5	3	4	3	5	4	1					
Apoplexy	289	8		1		1	4		7	12	28	53	73	79	19	4		
Softening of brain	1												1					
Paralysis	31			1					1	2	3	4	8	8	4			
Epilepsy	8							2	2	1	1	1	1					
"Convulsions"	88	75	7	3	2							1						
Tetanus	11	4				1	1	1	1	3								
Other diseases of nervous system	96	10	5	2	1	1	4	7	10	10	18	14	10	3	1			
Pericarditis	4											1	2	1				
Endocarditis	41	1		2			1	6	2	4	4	8	6	7				
Heart disease	529	3					9	31	29	68	79	102	112	73	21	2		
Angina pectoris	24								2	1	3	3	11	4				
Embolism and thrombosis	18	1							3	3	5	5		1				
Other diseases of circulatory system	60	5			1				2	3	1	4	12	15	14	3		
Laryngitis	4	3					1											
Acute bronchitis	133	61	18	7	1	5	1		2	1	2	6	6	17	6			
Chronic bronchitis	74									2	2	8	19	29	13	1		
Bronchopneumonia	549	183	76	32	9	5	13	8	9	24	19	31	63	48	25	4		
Pneumonia (lobar and unqualified)	680	37	20	10	3	3	10	32	72	93	107	114	102	64	13			
Pleurisy	46	3	6	1			1	4	3	6	5	10	6	1				
Congestion of lungs	21	6	1								1	4	2	2	5			
Other diseases of respiratory system	55	6	1	1		1	4	1		5	7	7	12	8	2			
Tonsillitis	6					1	1	2	2									
Diseases of stomach	113	32	11	2			1		2	8	7	7	15	20	7	1		
Diarrhea and enteritis	796	528	178	22	7	5	5		2	4	5	5	11	17	4	3		
Hernia and intestinal obstructions	67	12		1		2		1	8	8	6	13	8	8				
Cirrhosis of liver	113								3	12	31	28	26	11	2			
Other diseases of liver	55			1			3	1	2	4	12	9	12	5	6			
Peritonitis	16	1	1		1		2	1	1	2	2	2	1	2				
Appendicitis	76	3	2			1	4	22	14	16	7	6	1					
Other diseases of digestive system	30	6	1	1	2		2	1	3	4	2	1	1	3	3			
Acute nephritis	62	6	1		1	2	3	3	6	5	10	7	10	3	5			
Bright's disease	294	1	1	2	1		4	11	9	23	46	67	55	49	24	1		
Calculi of urinary tract	3							2			1							
Uterine tumor	10									5	3	1	1					
Ovarian tumor	4								3				1					
Other diseases of genito-urinary system	78	3	1					3	11	13	14	1	14	15	3			
Puerperal septicemia	59							4	32	19	4							
Other causes incident to childbirth	45							1	12	24	8							
Diseases of skin	38	10		1			1	1	1	2	3	3	5	6	5			
Diseases of locomotor system	18	1	2	1		1	3	1	2	3	1	1	1		1			
Malformations	122	115	5				1	1										
Premature birth	231	231																
Congenital debility	185	185																
Old age	49												1	16	25	7		
Suicide	103							4	23	29	22	15	8	2				
Other violence	638	81	11	11	4	6	40	59	127	110	77	47	36	20	8	1		
Ill-defined causes	113	89	13	1							3	1	1	1	4			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

PITTSBURGH, PA. (COLORED).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	520	93	33	13	5	5	14	31	67	80	77	47	34	14	6	1		
Typhoid fever	8						1	1	4	2								
Malarial fever																		
Smallpox																		
Measles	1			1														
Scarlet fever	3	1		1			1											
Whooping cough	11	3	5	1	1		1											
Diphtheria and croup																		
Influenza	3										2		1					
Cholera nostras																		
Dysentery																		
Erysipelas																		
Other epidemic diseases	1	1																
Septicemia	1												1					
Tuberculosis—total	106	1	3		3	2	8	19	21	22	17	6	2	2				
Tuberculosis of lungs	84		2		2	2	4	11	19	21	15	5	2	1				
Tuberculosis of larynx																		
Tuberculous meningitis	5	1	1				2	1										
Abdominal tuberculosis	14				1		1	7	2	1	2							
Pott's disease																		
Tuberculous abscess	1													1				
White swelling	1											1						
Tuberculosis of other organs																		
General tuberculosis	1						1											
Scrofula																		
Venereal diseases	1	1																
Cancer	9								1	1	2	2	3					
Tumor																		
Rheumatism	4							1	1		1	1						
Diabetes	5								3	1			1					
Anemia, leukemia																		
Alcoholism																		
Chronic poisonings																		
Other general diseases	1												1					
Encephalitis																		
Meningitis	2							1	1									
Apoplexy	18								1	2	4	5	4	1		1		
Softening of brain																		
Paralysis	2													2				
Epilepsy																		
"Convulsions"	4	1	3															
Tetanus																		
Other diseases of nervous system	6			1			1	1	1		2							
Pericarditis																		
Endocarditis	1			1														
Heart disease	34							1	6	1	15	3	6	2				
Angina pectoris																		
Embolism and thrombosis																		
Other diseases of circulatory system	2											2						
Laryngitis																		
Acute bronchitis	5	2										2			1			
Chronic bronchitis	3						1			1				1				
Bronchopneumonia	39	15	9	3	1	2			1	2	3	1	2					
Pneumonia (lobar and unqualified)	65	3	2	1				2	17	16	12	8	2	2				
Pleurisy	1											1						
Congestion of lungs																		
Other diseases of respiratory system	2									1					1			
Tonsillitis																		
Diseases of stomach	4										1	2		1				
Diarrhea and enteritis	33	21	8	1		1				1					1			
Hernia and intestinal obstructions	6	1								1	3	1						
Cirrhosis of liver	5									2	1	1		1				
Other diseases of liver	4								1	1		2						
Peritonitis	2							1			1							
Appendicitis	2									1		1						
Other diseases of digestive system	3	1	1	1														
Acute nephritis	7							2		2	1	1	1					
Bright's disease	34		1							11	4	7	6	2	3			
Calculi of urinary tract																		
Uterine tumor	6									2	4							
Ovarian tumor																		
Other diseases of genito-urinary system	7								2	3	1		1					
Puerperal septicemia	4								2	1	1							
Other causes incident to childbirth	3								1	2								
Diseases of skin	1	1																
Diseases of locomotor system	1						1											
Malformations	6	6																
Premature birth	16	16																
Congenital debility	12	12																
Old age	1												1					
Suicide	1								1									
Other violence	19	4		1				2	2	5	2	1	2					
Ill-defined causes	5	3	1	1														

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

SCRANTON, PA.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	2,081	522	119	60	43	13	71	80	191	197	196	181	211	145	50	2		
Typhoid fever	21	1		1			1	1	8	4	4	1						
Malarial fever	1											1						
Smallpox																		
Measles	22	5	7	8	1						1							
Scarlet fever	65	5	9	15	6	4	21	3	1	1								
Whooping cough	9	7	2															
Diphtheria and croup	41	6	7	3	6	2	14	2	1									
Influenza	18	2	1				1		1	2	1		6	3	1			
Cholera nostras	4		1			1					2							
Dysentery	6	1		1						1		1	1	1				
Erysipelas	12	4									3	2	2	1				
Other epidemic diseases	1	1																
Septicemia																		
Tuberculosis—total	131	5	1	1			4	9	36	31	22	11	8	2	1			
Tuberculosis of lungs	108	1	1	1				5	31	28	21	10	7	2	1			
Tuberculosis of larynx																		
Tuberculous meningitis	8	3					2	2		1								
Abdominal tuberculosis	8	1					2	1	2		1		1					
Pott's disease	2							1		1								
Tuberculous abscess																		
White swelling																		
Tuberculosis of other organs	2								1			1						
General tuberculosis	3								2	1								
Scrofula																		
Venereal diseases	4	2							1	1								
Cancer	70	1							1	9	11	17	25	5	1			
Tumor																		
Rheumatism	9						1		2			1	3	1	1			
Diabetes	17							1			1	5	6	3	1			
Anemia, leukemia	13				1			2		1	1	3	4		1			
Alcoholism	6								1	1	4							
Chronic poisonings	1													1				
Other general diseases	1										1							
Encephalitis																		
Meningitis	16	5	3		1	1	1		2		2	1						
Apoplexy	114	1	1					1	1	4	11	22	39	30	4			
Softening of brain	3												1	1	1			
Paralysis	9										1	2	2	2	2			
Epilepsy	5	1						1	2	1								
"Convulsions"	10	7	1				1		1									
Tetanus	7						3	1	1		2							
Other diseases of nervous system	20		1					2	5		2	3	3	3	1			
Pericarditis	1									1								
Endocarditis	5								1		2			2				
Heart disease	113		1				3	13	9	15	21	16	20	10	5			
Angina pectoris	4										2	1		1				
Embolism and thrombosis	2											1	1					
Other diseases of circulatory system	21			2							1	4	5	5	4			
Laryngitis	1	1																
Acute bronchitis	37	24	3	4	2				1		1			2				
Chronic bronchitis	24										1	1	8	9	4	1		
Bronchopneumonia	98	40	19	5	7		3	1	4		7	2	7	1	2			
Pneumonia (lobar and unqualified)	136	15	8	6	3		3	5	16	21	13	15	19	9	2	1		
Pleurisy	10	1	2	1				1	1	1		2	1					
Congestion of lungs	2									1				1				
Other diseases of respiratory system	12		1		1			1		1	2	2	2	1	1			
Tonsillitis	1									1								
Diseases of stomach	48	17	2		1				2	3	7	4	4	6	2			
Diarrhea and enteritis	294	233	36	6	2		1		1		1	3	3	6	2			
Hernia and intestinal obstructions	17	4	1						2	1	1	2	4	2				
Cirrhosis of liver	23									1	8	11		3				
Other diseases of liver	13	1					1	1	2	2	3		1	2				
Peritonitis	6	1	1					1	1	1		1						
Appendicitis	20					1	3	7	4	4			1					
Other diseases of digestive system	9	2	2			1				1	1	1	1					
Acute nephritis	26		2	3	2		1	3	1	7			5	1	1			
Bright's disease	71	1		1	1			1	4	5	10	18	12	14	4			
Calculi of urinary tract																		
Uterine tumor	4									2			1	1				
Ovarian tumor	3										2	1						
Other diseases of genito-urinary system	20								2	2	1	1	6	5	3			
Puerperal septicemia	17								9	6	2							
Other causes incident to childbirth	16								10	6								
Diseases of skin	4	1									2	1						
Diseases of locomotor system	7	2			1				1		1	2						
Malformations	12	12																
Premature birth	73	73																
Congenital debility	24	24																
Old age	6												1	2	3			
Suicide	13							3	4	2	2	2						
Other violence	239	8	4	3	8	3	9	20	52	57	36	19	9	8	3			
Ill-defined causes	13	9	2									1		1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

PROVIDENCE, R. I.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	3,535	755	180	74	43	26	75	118	210	301	342	401	463	365	161	21	.....	.....
Typhoid fever	25	.....	.....	.....	.....	.....	1	5	10	4	3	2	.....	.....	.....	.....	.....	.....
Malarial fever	3	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	41	10	17	7	3	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	10	3	.....	.....	3	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	24	12	8	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	58	11	10	4	8	5	14	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	23	1	2	.....	.....	.....	1	.....	1	.....	.....	5	2	6	4	1	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	13	3	2	1	.....	.....	1	.....	.....	1	.....	1	.....	1	3	.....	.....	.....
Erysipelas	11	3	.....	.....	.....	.....	.....	.....	.....	.....	1	4	1	2	.....	.....	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	7	1	.....	1	.....	.....	.....	1	.....	1	3	.....	.....	.....	.....	.....	.....	.....
Tuberculosis—total	375	20	17	13	6	2	12	33	79	83	54	30	14	10	2	.....	.....	.....
Tuberculosis of lungs	302	15	5	4	2	.....	4	24	71	76	51	25	13	10	2	.....	.....	.....
Tuberculosis of larynx	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	44	4	7	9	4	1	7	4	2	4	.....	1	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	15	1	4	.....	.....	1	1	2	2	2	1	1	.....	.....	.....	.....	.....	.....
Pott's disease	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
General tuberculosis	5	.....	.....	.....	.....	.....	.....	2	2	.....	.....	1	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	22	10	1	.....	.....	.....	1	1	1	5	1	1	1	.....	.....	.....	.....	.....
Cancer	222	.....	.....	.....	.....	.....	.....	1	2	19	41	58	54	36	11	.....	.....	.....
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	15	.....	.....	.....	.....	.....	1	3	1	2	2	2	2	2	.....	.....	.....	.....
Diabetes	38	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	12	12	5	2	.....	.....	.....
Anemia, leukemia	14	1	.....	.....	.....	.....	.....	1	2	3	2	2	3	.....	.....	.....	.....	.....
Alcoholism	16	.....	.....	.....	.....	.....	.....	.....	4	3	4	1	4	.....	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other general diseases	7	.....	.....	.....	.....	.....	.....	.....	.....	4	2	1	.....	.....	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	26	7	3	2	5	1	1	1	2	1	1	1	1	.....	.....	.....	.....	.....
Apoplexy	189	1	1	.....	.....	.....	1	.....	1	5	16	31	58	48	22	5	.....	.....
Softening of brain	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....
Paralysis	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	7	2	.....	.....	.....
Epilepsy	7	4	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
"Convulsions"	12	9	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	3	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	36	6	3	.....	.....	.....	1	.....	1	6	5	5	6	2	1	.....	.....	.....
Pericarditis	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Endocarditis	35	.....	1	.....	.....	.....	.....	.....	1	5	3	10	9	5	1	.....	.....	.....
Heart disease	338	5	1	1	.....	.....	2	13	11	25	35	59	76	84	25	1	.....	.....
Angina pectoris	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	3	6	2	.....	.....	.....
Embolism and thrombosis	6	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	2	1	.....	.....	.....	.....
Other diseases of circulatory system	65	2	1	.....	.....	.....	1	.....	.....	1	2	5	11	17	22	3	.....	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	39	26	7	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....
Chronic bronchitis	26	1	.....	.....	.....	.....	.....	.....	.....	.....	6	5	5	6	3	.....	.....	.....
Bronchopneumonia	115	47	19	10	.....	3	5	.....	1	.....	7	5	4	8	3	3	.....	.....
Pneumonia (lobar and unqualified)	276	51	22	14	6	1	7	9	11	23	25	29	45	19	8	1	.....	.....
Pleurisy	8	.....	1	.....	.....	.....	2	1	.....	.....	.....	1	1	1	1	.....	.....	.....
Congestion of lungs	8	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	5	.....	1	.....	.....	.....
Other diseases of respiratory system	10	.....	.....	1	.....	.....	.....	.....	.....	.....	2	.....	3	4	.....	.....	.....	.....
Tonsillitis	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	44	12	2	.....	1	1	2	1	3	3	2	6	6	5	.....	.....	.....	.....
Diarrhea and enteritis	241	175	39	7	2	1	.....	.....	.....	.....	1	2	6	6	2	.....	.....	.....
Hernia and intestinal obstructions	33	5	1	.....	.....	.....	1	2	1	3	8	6	4	2	.....	.....	.....	.....
Cirrhosis of liver	36	.....	.....	.....	.....	.....	.....	.....	.....	3	9	11	7	5	1	.....	.....	.....
Other diseases of liver	22	1	.....	.....	.....	.....	.....	1	1	3	2	6	3	4	1	.....	.....	.....
Peritonitis	7	.....	1	.....	.....	.....	1	.....	.....	1	1	.....	1	1	1	.....	.....	.....
Appendicitis	37	.....	.....	1	.....	.....	3	11	2	6	5	4	4	.....	1	.....	.....	.....
Other diseases of digestive system	18	4	1	.....	.....	.....	.....	2	3	1	3	1	3	.....	.....	.....	.....	.....
Acute nephritis	23	2	.....	.....	.....	.....	.....	.....	1	3	2	5	8	2	.....	.....	.....	.....
Bright's disease	240	1	1	1	.....	.....	1	4	19	22	27	47	64	34	17	2	.....	.....
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
Uterine tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	33	1	.....	.....	.....	.....	1	.....	3	4	3	4	5	8	4	.....	.....	.....
Puerperal septicemia	13	.....	.....	.....	.....	.....	.....	.....	6	6	1	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	19	.....	.....	.....	.....	.....	.....	3	7	8	1	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	18	2	1	.....	.....	.....	.....	.....	1	2	2	5	1	1	3	.....	.....	.....
Diseases of locomotor system	11	1	1	2	1	1	.....	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	32	27	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	112	112	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	94	94	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	21	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	9	9	2	.....	.....
Suicide	36	.....	.....	.....	.....	.....	.....	2	.....	9	11	4	8	2	.....	.....	.....	.....
Other violence	220	39	4	6	3	6	10	14	28	25	30	22	13	11	7	2	.....	.....
Ill-defined causes	57	43	6	.....	.....	.....	.....	.....	1	1	3	.....	1	2	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

MEMPHIS, TENN. (TOTAL).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	2,348	287	68	37	23	14	49	148	389	393	295	211	207	133	62	20	5	7
Typhoid fever	57	1	.....	1	.....	1	7	6	23	8	6	1	2	1	.....	.....	.....	.....
Malarial fever	114	6	4	3	2	4	4	16	25	13	12	5	14	2	4	.....	.....	.....
Smallpox	2	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Measles	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	10	.....	1	1	1	1	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	4	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	24	3	7	3	4	1	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	25	2	2	.....	.....	.....	.....	1	3	3	3	2	4	5	.....	.....	.....	.....
Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	19	3	2	1	1	.....	.....	1	.....	3	1	1	2	2	2	.....	.....	.....
Erysipelas	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	4	.....	.....	.....	.....	.....	1	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis—total	289	2	2	.....	.....	2	6	28	102	80	33	21	11	2	.....	.....	.....	.....
Tuberculosis of lungs	271	2	2	.....	.....	1	5	26	96	75	32	21	9	2	.....	.....	.....	.....
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	10	.....	.....	.....	.....	1	.....	2	3	2	1	.....	1	.....	.....	.....	.....	.....
Pott's disease	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	4	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	16	5	.....	.....	.....	.....	.....	.....	4	4	1	2	.....	.....	.....	.....	.....	.....
Cancer	60	.....	.....	1	.....	.....	.....	2	3	7	15	13	11	6	1	.....	.....	1
Tumor	4	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....
Rheumatism	6	.....	.....	.....	.....	.....	.....	.....	1	.....	3	1	.....	1	.....	.....	.....	.....
Diabetes	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	.....	.....	.....
Anemia, leukemia	6	.....	.....	1	.....	.....	.....	.....	.....	2	.....	1	2	.....	.....	.....	.....	.....
Alcoholism	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....	.....
Chronic poisonings	8	.....	.....	.....	.....	.....	.....	1	2	4	1	.....	.....	.....	.....	.....	.....	.....
Other general diseases	9	.....	.....	.....	.....	.....	.....	.....	3	4	1	.....	1	.....	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	30	.....	4	1	1	.....	3	5	2	7	3	1	1	.....	1	.....	.....	1
Apoplexy	56	2	.....	1	.....	.....	1	2	2	5	4	13	11	13	2	.....	.....	.....
Softening of brain	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....
Paralysis	38	1	.....	.....	.....	.....	.....	.....	.....	2	11	6	8	9	1	.....	.....	.....
Epilepsy	6	.....	.....	.....	.....	.....	.....	.....	3	.....	1	1	.....	.....	.....	.....	.....	1
"Convulsions"	22	18	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	9	1	.....	.....	.....	.....	.....	2	1	3	.....	2	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	18	.....	.....	.....	.....	1	1	.....	2	5	4	4	1	.....	.....	.....	.....	.....
Pericarditis	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
Endocarditis	28	.....	.....	.....	1	.....	1	1	1	3	5	7	7	1	.....	.....	1	.....
Heart disease	119	.....	.....	.....	.....	1	2	2	10	16	28	17	25	11	6	1	.....	.....
Angina pectoris	19	.....	.....	.....	.....	.....	.....	2	2	2	5	4	3	1	.....	.....	.....	.....
Embolism and thrombosis	5	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	1	.....	.....	.....	.....	.....
Other diseases of circulatory system	15	1	.....	.....	.....	.....	.....	1	3	3	4	1	2	.....	.....	.....	.....	.....
Laryngitis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	12	9	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Chronic bronchitis	18	.....	.....	.....	.....	.....	.....	2	5	3	2	.....	4	.....	2	.....	.....	.....
Bronchopneumonia	27	11	6	2	.....	.....	1	1	3	.....	1	.....	1	.....	1	.....	.....	.....
Pneumonia (lobar and unqualified)	139	24	9	5	3	.....	3	11	19	16	13	9	8	15	3	1	.....	.....
Pleurisy	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Congestion of lungs	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of respiratory system	33	.....	.....	.....	.....	1	2	2	4	5	8	3	4	2	1	1	.....	.....
Tonsillitis	4	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	40	7	1	.....	.....	.....	1	1	6	12	5	6	1	.....	.....	.....	.....	.....
Diarrhea and enteritis	104	50	17	4	2	.....	.....	2	6	7	2	4	3	6	.....	1	.....	.....
Hernia and intestinal obstructions	28	3	.....	2	.....	.....	.....	1	4	7	5	2	2	2	.....	.....	.....	.....
Cirrhosis of liver	17	.....	.....	.....	.....	.....	.....	.....	1	5	3	4	2	1	1	.....	.....	.....
Other diseases of liver	25	1	.....	.....	.....	.....	.....	2	4	4	6	5	3	.....	.....	.....	.....	.....
Peritonitis	12	.....	.....	.....	1	.....	.....	1	3	3	2	1	1	.....	.....	.....	.....	.....
Appendicitis	38	.....	.....	.....	1	.....	2	7	4	10	9	3	2	.....	.....	.....	.....	.....
Other diseases of digestive system	13	4	.....	.....	.....	1	.....	.....	1	3	2	.....	.....	2	.....	.....	.....	.....
Acute nephritis	18	.....	.....	.....	.....	.....	.....	1	2	6	5	.....	2	.....	2	.....	.....	.....
Bright's disease	144	2	.....	.....	.....	.....	.....	4	11	18	23	29	28	13	11	4	.....	1
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
Uterine tumor	11	.....	.....	.....	.....	.....	.....	.....	2	3	5	1	.....	.....	.....	.....	.....	.....
Ovarian tumor	4	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	22	.....	1	.....	.....	.....	.....	2	2	7	6	2	2	.....	.....	.....	.....	.....
Puerperal septicemia	18	.....	.....	.....	.....	.....	.....	1	9	7	1	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	13	.....	.....	.....	.....	.....	.....	1	8	3	1	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	15	4	.....	.....	1	.....	1	1	.....	1	1	3	.....	.....	2	1	.....	.....
Diseases of locomotor system	3	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	10	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	64	64	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	69	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	26	18	11	4	.....
Suicide	38	.....	.....	.....	.....	.....	.....	4	10	8	9	4	3	.....	.....	.....	.....	.....
Other violence	234	5	2	5	3	1	3	23	76	62	23	13	8	5	2	.....	.....	3
Ill-defined causes	127	42	6	4	1	.....	.....	4	6	17	15	15	12	4	1	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

MEMPHIS, TENN. (WHITE).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	1,112	120	41	19	14	7	20	51	127	171	138	122	131	95	43	10	.....	3
Typhoid fever	30	.....	.....	1	.....	1	2	3	15	4	2	1	1	.....	.....	.....	.....	.....
Malarial fever	39	2	1	1	2	.....	1	7	7	4	5	1	6	1	1	.....	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Measles	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	9	.....	1	1	1	1	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	21	2	6	3	4	.....	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	8	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	4	.....	.....	.....	.....
Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	9	.....	2	1	.....	.....	.....	1	.....	.....	.....	1	1	2	1	.....	.....	.....
Erysipelas	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis—total	109	1	.....	.....	.....	.....	.....	4	25	39	19	11	8	2	.....	.....	.....	.....
Tuberculosis of lungs	103	1	.....	.....	.....	.....	.....	4	24	37	18	11	6	2	.....	.....	.....	.....
Tuberculosis of larynx	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
Pott's disease	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	7	5	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Cancer	44	.....	.....	1	.....	.....	.....	1	3	5	8	9	9	6	1	.....	.....	1
Tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Rheumatism	4	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	1	.....	.....	.....	.....
Diabetes	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....
Anemia, leukemia	5	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....
Alcoholism	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....	.....
Chronic poisonings	7	.....	.....	.....	.....	.....	.....	1	2	4	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	4	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	21	.....	3	1	1	.....	1	3	1	6	2	1	.....	.....	1	.....	.....	1
Apoplexy	35	.....	.....	.....	.....	.....	.....	.....	1	2	2	9	10	9	2	.....	.....	.....
Softening of brain	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Paralysis	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	4	5	.....	.....	.....	.....
Epilepsy	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
"Convulsions"	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	3	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	12	.....	.....	.....	.....	1	.....	.....	2	3	1	4	1	.....	.....	.....	.....	.....
Pericarditis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Endocarditis	16	.....	.....	.....	1	.....	1	1	.....	2	3	2	5	1	.....	.....	.....	.....
Heart disease	67	.....	.....	.....	.....	1	.....	.....	4	6	16	9	19	9	3	.....	.....	.....
Angina pectoris	8	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	3	1	.....	.....	.....	.....
Embolism and thrombosis	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of circulatory system	6	.....	.....	.....	.....	.....	.....	1	1	.....	3	.....	1	.....	.....	.....	.....	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis	5	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	3	.....	.....	.....	.....	.....
Bronchopneumonia	16	7	5	1	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Pneumonia (lobar and unqualified)	45	4	3	.....	2	.....	.....	1	2	8	4	4	3	11	3	.....	.....	.....
Pleurisy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congestion of lungs	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of respiratory system	14	.....	.....	.....	.....	1	2	.....	2	2	2	1	1	2	1	.....	.....	.....
Tonsillitis	3	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	12	3	1	.....	.....	.....	1	.....	1	1	3	2	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	56	28	13	2	1	.....	.....	1	.....	2	2	1	1	5	.....	.....	.....	.....
Hernia and intestinal obstructions	15	1	.....	1	.....	.....	.....	1	3	4	3	1	.....	1	.....	.....	.....	.....
Cirrhosis of liver	11	.....	.....	.....	.....	.....	.....	.....	.....	4	1	3	1	1	1	.....	.....	.....
Other diseases of liver	15	1	.....	.....	.....	.....	.....	.....	3	1	5	2	3	.....	.....	.....	.....	.....
Peritonitis	6	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	1	.....	.....	.....	.....	.....
Appendicitis	24	.....	.....	.....	1	.....	2	2	2	7	6	3	1	.....	.....	.....	.....	.....
Other diseases of digestive system	8	.....	.....	.....	.....	1	.....	.....	1	2	2	.....	.....	2	.....	.....	.....	.....
Acute nephritis	11	.....	.....	.....	.....	.....	.....	.....	1	4	3	.....	1	.....	2	.....	.....	.....
Bright's disease	95	1	.....	.....	.....	.....	.....	2	6	9	11	21	20	11	10	4	.....	.....
Calculi of urinary tract	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Uterine tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	13	.....	1	.....	.....	.....	.....	1	.....	5	3	1	2	.....	.....	.....	.....	.....
Puerperal septicemia	5	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	6	.....	.....	.....	.....	.....	.....	.....	2	3	1	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	5	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	2	.....	.....	.....
Diseases of locomotor system	2	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature births	8	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	28	28	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	34	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	12	13	6	.....	.....
Suicide	30	.....	.....	.....	.....	.....	.....	2	7	6	8	4	3	.....	.....	.....	.....	.....
Other violence	82	.....	.....	3	.....	1	.....	14	18	20	6	9	5	5	.....	.....	.....	1
Ill-defined causes	50	19	4	2	.....	.....	.....	.....	3	3	3	7	6	2	1	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

MEMPHIS, TENN. (COLORED).

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	1,236	167	27	18	9	7	29	97	262	222	157	89	76	38	19	10	5	4
Typhoid fever	27	1					5	3	8	4	4		1	1				
Malarial fever	75	4	3	2		4	3	9	18	9	7	4	8	1	3			
Smallpox	1			1														
Measles																		
Scarlet fever	1						1											
Whooping cough	2	2																
Diphtheria and croup	3	1	1			1												
Influenza	17	1	2					1	2	2	3	2	3	1				
Cholera nostras																		
Dysentery	10	3			1					3	1		1		1			
Erysipelas	1													1				
Other epidemic diseases																		
Septicemia	4						1		2			1						
Tuberculosis—total	180	1	2			2	6	24	77	41	14	10	3					
Tuberculosis of lungs	168	1	2			1	5	22	72	38	14	10	3					
Tuberculosis of larynx	1									1								
Tuberculous meningitis																		
Abdominal tuberculosis	7					1		2	3	1								
Pott's disease	2						1		1									
Tuberculous abscess																		
White swelling	2								1	1								
Tuberculosis of other organs																		
General tuberculosis																		
Scrofula																		
Venereal diseases	9								3	4		2						
Cancer	16							1		2	7	4	2					
Tumor	3						1			1	1							
Rheumatism	2										1	1						
Diabetes	1									1								
Anemia, leukemia	1									1								
Alcoholism																		
Chronic poisonings	1										1							
Other general diseases	5								2	2	1							
Encephalitis																		
Meningitis	9		1				2	2	1	1	1		1					
Apoplexy	21	2		1			1	2	1	3	2	4	1	4				
Softening of brain	2									1			1					
Paralysis	24	1								2	10	2	4	4	1			
Epilepsy	3								2									1
"Convulsions"	20	16	2	1				1										
Tetanus	6							1	1	3		1						
Other diseases of nervous system	6						1			2	3							
Pericarditis	1								1									
Endocarditis	12								1	1	2	5	2				1	
Heart disease	52						2	2	6	10	12	8	6	2	3	1		
Angina pectoris	11							2	2	1	4	2						
Embolism and thrombosis	2							1			1							
Other diseases of circulatory system	9	1							2	3	1	1	1					
Laryngitis	1								1									
Acute bronchitis	10	7	1					1					1					
Chronic bronchitis	13							2	4	2	2		1		2			
Bronchopneumonia	11	4	1	1				1	3						1			
Pneumonia (lobar and unqualified)	94	20	6	5	1		3	10	17	8	9	5	5	4		1		
Pleurisy	2										1	1						
Congestion of lungs																		
Other diseases of respiratory system	19							2	2	3	6	2	3			1		
Tonsillitis	1									1								
Diseases of stomach	28	4						1	5	11	2	4	1					
Diarrhea and enteritis	48	22	4	2	1			1	6	5		3	2	1		1		
Hernia and intestinal obstructions	13	2		1					1	3	2	1	2	1				
Cirrhosis of liver	6								1	1	2	1	1					
Other diseases of liver	10							2	1	3	1	3						
Peritonitis	6				1			1	2	2								
Appendicitis	14							5	2	3	3		1					
Other diseases of digestive system	5	4								1								
Acute nephritis	7							1	1	2	2		1					
Bright's disease	49	1						2	5	9	12	8	8	2	1			1
Calculi of urinary tract	1											1						
Uterine tumor	8								2	3	3							
Ovarian tumor	3								2		1							
Other diseases of genito-urinary system	9							1	2	2	3	1						
Puerperal septicemia	13							1	6	5	1							
Other causes incident to childbirth	7							1	6									
Diseases of skin	10	4			1			1		1	1	1				1		
Diseases of locomotor system	1									1								
Malformations																		
Premature birth	2	2																
Congenital debility	36	36																
Old age	35												7	14	5	5	4	
Suicide	8							2	3	2	1							
Other violence	152	5	2	2	3		3	9	58	42	17	4	3		2			2
Ill-defined causes	77	23	2	2	1			4	3	14	12	8	6	2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1900, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1909—Continued.

MILWAUKEE, WIS.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100+	Unknown
All causes	4,938	1,332	283	129	93	73	194	193	380	325	383	424	410	437	258	21	1	2
Typhoid fever	77		1			3		17	22	19	11	2	1	1				
Malarial fever	1									1								
Smallpox	1	1																
Measles	82	21	34	14	5	1	7											
Scarlet fever	200	4	25	27	34	30	60	17	3									
Whooping cough	29	13	11	2	1	1	1											
Diphtheria and croup	115	6	19	18	13	12	35	9	1	1	1							
Influenza	22	2				1		2			1	3	5	6	2			
Cholera nostras	3	3																
Dysentery	9	6	1	1								1						
Erysipelas	7	2										1	1	1	2			
Other epidemic diseases	1						1											
Septicemia	9	4								2	1	1	1					
Tuberculosis—total	411	15	8	1	5		5	45	134	85	54	38	16	4	1			
Tuberculosis of lungs	362	11	3	1	3		1	38	122	81	52	32	13	4	1			
Tuberculosis of larynx	2										2							
Tuberculous meningitis	15	4	3		1		4	3										
Abdominal tuberculosis	12							2	6	1		2	1					
Pott's disease	4				1				2	1								
Tuberculous abscess	1											1						
White swelling	2							1		1								
Tuberculosis of other organs	4		1									1	2					
General tuberculosis	9		1					1	4	1		2						
Scrofula	1								1									
Venereal diseases	11	6	1				1		2		1							
Cancer	259								6	11	60	64	63	44	11			
Tumor	2												2					
Rheumatism	23						1	2	3	2	2	4	4	4	1			
Diabetes	45			1			1	5	3		6	8	13	6	2			
Anemia, leukemia	20			2					5	5	4	2	2					
Alcoholism	13								2	1	5	3	2					
Chronic poisonings																		
Other general diseases	8	2					2		2				1	1				
Encephalitis	2							1	1									
Meningitis	60	10	12	4	7	5	8	5	2	1	3		1	2				
Apoplexy	178	4	1				1	2	3	8	17	34	28	53	26	1		
Softening of brain	5						1						2	1	1			
Paralysis	10										2		5		2	1		
Epilepsy	13	1						2	3	2	2	1		1	1			
"Convulsions"	99	88	7	2		1	1											
Tetanus	8	1							2	3	1	1						
Other diseases of nervous system	48	4	1	2	2		5	2	6	4	9	8	2	2	1			
Pericarditis	2										1	1						
Endocarditis	49						4	1	3	4	1	8	9	15	4			
Heart disease	326	4	2	1			5	13	21	18	31	55	60	80	32	3	1	
Angina pectoris	15										2	5	6	1	1			
Embolism and thrombosis	9								2	2	1	3		1				
Other diseases of circulatory system	78	2					2	1	4	2	4	7	11	24	20	1		
Laryngitis	1	1																
Acute bronchitis	84	54	11	6	4		1			1				4	3			
Chronic bronchitis	56	1					3	1		1		4	10	21	14	1		
Bronchopneumonia	144	57	35	13	6	4	5	2				1	4	10	6	1		
Pneumonia (lobar and unqualified)	262	47	22	9	4	2	10	10	21	23	22	27	32	22	10	1		
Pleurisy	14		1	3			2	1	1	1	1	2	1	1				
Congestion of lungs	8	2		1		1					1	1		2				
Other diseases of respiratory system	15	1				1		2		3		3	2	2	1			
Tonsillitis	1			1														
Diseases of stomach	105	60	9	2					4	3	6	3	4	5	9			
Diarrhea and enteritis	526	403	64	12	5	2	6	2	4	3	2	4	5	9	4			1
Hernia and intestinal obstructions	54	6	1			1	2	3	3	3	7	6	11	8	2	1		
Cirrhosis of liver	69								1	6	14	22	14	8	4			
Other diseases of liver	25			1	1		1	1	2	2	3	8	2	2	1	1		
Peritonitis	18	1					1	5	5	2	1	1	1	1				
Appendicitis	45						2	7	14	6	7	5	2	2				
Other diseases of digestive system	20	4				1		1		1	2	3	1	4	2	1		
Acute nephritis	32	3	2	1	1	1	5	3	2	2	3	5	3	1				
Bright's disease	209	6	1	1	1	2	4	8	12	25	28	29	45	30	17			
Calculi of urinary tract	1									1								
Uterine tumor	8									1	3	2	1		1			
Ovarian tumor	1									1								
Other diseases of genito-urinary system	32	1							4	6	1	3	2	8	5	2		
Puerperal septicemia	25							2	12	8	3							
Other causes incident to childbirth	25							1	11	12	1							
Diseases of skin	21	9	2			1		1			1	1	2	3	1			
Diseases of locomotor system	13	5	2	1	1			1	1			1		1				
Malformations	45	45																
Premature birth	164	164																
Congenital debility	172	172																
Old age	96												3	23	62	7		1
Suicide	69							1	12	10	19	13	13	1				
Other violence	247	35	6	2	2	3	10	17	39	32	36	28	16	16	5			
Ill-defined causes	80	56	4	1	1		1		1	1	2	2	1	6	4			

TABLE 9.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140 GROUPS OF OCCUPATIONS, BY COLOR AND AGE, FOR THE REGISTRATION AREA: 1909.

OCCUPATION.	Total.	COLOR.		AGE.									
		White.	Colored.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85+	Unknown.
All occupations	210,507	196,487	14,020	176	5,356	12,197	28,635	32,461	35,711	35,953	33,462	20,802	5,464	290
Agricultural pursuits	50,848	48,869	1,979	49	1,238	2,008	3,711	4,138	5,816	8,424	11,884	10,236	3,240	104
Agricultural laborers [1]	13,214	11,981	1,233	27	702	1,022	1,800	1,701	1,958	2,269	2,168	1,220	289	58
Dairymen	109	106	3	.....	3	10	9	22	15	25	15	10	.....	.....
Farmers, planters, and overseers	34,662	34,029	633	22	495	867	1,628	2,091	3,366	5,589	9,110	8,591	2,875	28
Gardeners, florists, nurserymen, etc	1,215	1,150	65	.....	9	17	69	96	184	223	328	238	50	1
Lumbermen and raftsmen	815	803	12	.....	16	61	122	127	142	153	95	69	15	15
Stock raisers, herders, and drovers	776	746	30	.....	12	28	79	91	136	157	158	103	11	1
Turpentine farmers and laborers	2	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....
Wood choppers	43	40	3	.....	1	3	4	8	12	6	7	1	.....	1
Other agricultural pursuits	12	12	.....	.....	.....	.....	.....	2	2	2	3	3	.....	.....
Professional service	9,214	8,961	253	.....	91	423	1,192	1,329	1,567	1,712	1,732	916	245	7
Actors, professional showmen, etc	367	347	20	.....	9	37	84	87	66	51	23	8	1	1
Architects, designers, draftsmen, etc	350	350	.....	.....	3	40	63	45	56	58	46	33	6	.....
Artists and teachers of art	179	175	4	.....	5	5	23	36	34	26	31	17	2	.....
Clergymen	1,216	1,111	105	.....	1	8	61	104	176	255	298	231	81	1
Dentists	289	284	5	.....	1	3	46	59	51	41	53	28	7	.....
Electricians	776	771	5	.....	38	132	294	167	89	38	15	3	.....	.....
Engineers (civil, etc.) and surveyors	465	465	.....	.....	3	48	65	78	81	76	66	43	4	1
Journalists	311	309	2	.....	1	13	35	62	69	66	47	16	2	.....
Lawyers	1,325	1,319	6	.....	.....	10	105	141	236	303	326	154	48	2
Literary and scientific persons	183	181	2	.....	2	8	20	21	35	41	33	20	3	.....
Musicians and teachers of music	599	546	53	.....	11	44	128	115	101	75	81	38	5	1
Officials (government)	997	987	10	.....	4	13	79	136	211	239	234	70	11	.....
Physicians and surgeons	1,421	1,404	17	.....	.....	10	99	184	251	301	328	187	60	1
Teachers and professors in colleges, etc	587	566	21	.....	13	51	83	75	81	107	111	53	13	.....
Other professional service	149	146	3	.....	.....	1	7	19	30	35	40	15	2	.....
Domestic and personal service	41,624	33,483	8,141	26	1,189	2,960	7,303	8,370	8,398	6,914	4,496	1,611	313	44
Barbers and hairdressers	1,398	1,100	298	.....	40	85	283	345	314	180	101	43	4	3
Bartenders	1,115	1,081	34	.....	5	39	359	442	203	52	12	.....	.....	3
Boarding and lodging house keepers	55	52	3	.....	.....	1	6	4	8	16	16	3	1	.....
Hotel keepers	765	759	6	.....	.....	3	55	165	214	167	108	47	5	1
Housekeepers and stewards	124	115	9	.....	2	1	28	27	29	21	12	3	1	.....
Janitors and sextons	1,065	808	257	.....	6	18	78	157	219	276	231	73	7	.....
Laborers (not specified) [1]	29,345	23,319	6,026	22	986	2,410	5,180	5,606	5,635	4,797	3,205	1,211	265	28
Launderers	351	186	165	.....	6	18	64	90	83	71	14	3	1	1
Nurses	126	123	3	.....	.....	10	20	30	29	19	10	7	1	.....
Restaurant keepers	293	257	36	.....	.....	3	34	60	95	63	29	9	.....	.....
Saloon keepers	973	963	10	.....	2	10	147	312	311	138	43	10	.....	.....
Servants and waiters	3,017	1,857	1,160	4	108	215	693	701	644	407	178	51	12	4
Soldiers, sailors, and marines (U. S.)	322	307	15	.....	16	93	101	45	32	17	15	2	.....	1
Watchmen, policemen, firemen, etc	2,355	2,298	57	.....	2	35	190	315	527	657	486	130	12	1
Other domestic and personal service	320	258	62	.....	16	19	65	71	55	33	36	19	4	2
Trade and transportation	44,941	42,723	2,218	54	1,424	3,293	7,948	8,219	8,333	7,495	5,501	2,226	384	64
Agents	2,025	2,596	29	.....	19	68	262	366	552	650	492	193	23	.....
Bankers and brokers	712	709	3	.....	.....	4	36	74	119	174	165	116	24	.....
Boatmen and sailors	1,757	1,625	132	3	48	132	242	242	309	288	289	153	43	8
Bookkeepers and accountants	1,740	1,731	9	.....	36	163	347	294	280	305	235	67	11	.....
Clerks and copyists	7,384	7,282	102	9	603	1,041	1,762	1,297	1,056	848	613	136	16	3
Commercial travelers	542	541	1	.....	2	17	78	96	145	113	73	14	1	3
Draymen, hackmen, teamsters, etc	5,791	5,167	624	6	180	441	1,333	1,369	1,086	736	441	177	18	4
Foremen and overseers	745	745	.....	.....	3	18	85	160	182	164	103	26	3	1
Hostlers	540	451	89	.....	5	29	79	128	130	99	52	15	2	1
Hucksters and peddlers	799	765	34	3	15	31	88	135	193	158	123	45	8	.....
Livery-stable keepers	253	251	2	.....	.....	4	30	38	52	64	40	20	5	.....
Merchants and dealers (except wholesale)	9,329	9,124	205	1	41	179	837	1,369	1,901	2,091	1,821	916	171	2
Merchants and dealers (wholesale)	239	235	4	.....	.....	1	17	30	48	59	50	27	7	.....
Messengers and errand and office boys	209	180	29	19	101	10	13	11	10	13	22	8	2	.....
Officials of banks and companies	440	439	1	.....	4	19	46	75	85	94	78	34	5	.....
Packers and shippers	226	216	10	1	20	13	33	49	53	35	15	7	.....	.....
Porters and helpers (in stores, etc.)	1,253	547	706	2	41	128	264	323	264	155	61	11	3	1
Salesmen	2,550	2,534	16	1	36	122	449	530	566	495	264	73	12	2
Steam-railroad employees	5,555	5,366	189	1	186	587	1,382	1,133	941	724	407	136	20	38
Stenographers and typewriters	154	153	1	.....	22	54	47	20	5	6	.....	.....	.....	.....
Street-railway employees	697	695	2	.....	15	84	208	181	123	53	24	7	1	1
Telegraph and telephone linemen	210	205	5	.....	5	39	77	53	23	9	3	.....	1	.....
Telegraph and telephone operators	344	344	.....	1	21	55	81	84	53	34	14	1	.....	.....
Undertakers	248	233	15	.....	.....	13	27	34	51	47	52	21	3	.....
Other persons in trade and transportation	599	589	10	7	19	41	125	128	106	81	64	23	5	.....
Manufacturing and mechanical pursuits	63,880	62,451	1,429	47	1,414	3,513	8,481	10,405	11,597	11,408	9,849	5,813	1,282	71
Building trades.														
Carpenters and joiners	7,883	7,701	182	2	37	186	565	874	1,256	1,621	1,762	1,283	285	12
Masons (brick and stone)	2,399	2,250	149	.....	10	62	188	346	419	512	470	311	79	2
Painters, glaziers, and varnishers	3,720	3,657	63	.....	54	166	471	756	842	733	479	193	25	1
Paper hangers	217	204	13	.....	3	12	36	60	42	33	25	6	.....	.....
Plasterers	478	424	54	.....	3	18	52	86	82	104	67	55	10	1
Plumbers and gas and steam fitters	1,178	1,164	14	.....	38	104	271	323	213	131	72	23	2	1
Roofers and slaters	221	212	9	.....	4	10	36	49	48	35	25	14	.....	.....
Mechanics (not otherwise specified)	710	692	18	1	15	30	69	79	128	145	130	87	26	.....

[1] In agricultural districts agricultural laborers and, similarly, in manufacturing districts unskilled workmen are often reported simply as "laborers."

TABLE 9.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140 GROUPS OF OCCUPATIONS, BY COLOR AND AGE, FOR THE REGISTRATION AREA: 1909—Continued.

OCCUPATION.	Total.	COLOR.		AGE.									
		White.	Colored.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85+	Unknown.
Manufacturing and mechanical pursuits—Continued.														
Chemicals and allied products.														
Oil-well and oil-works employees	180	179	1	.....	2	8	23	30	32	36	35	14	.....	.....
Other chemical workers	49	48	1	.....	1	1	9	13	9	8	6	2	.....	.....
Clay, glass, and stone products.														
Brick and tile makers, etc	133	128	5	.....	2	12	13	18	20	26	18	18	5	1
Glassworkers	456	453	3	.....	28	56	118	88	56	54	36	17	2	1
Marble and stone cutters	822	816	6	.....	10	21	75	156	177	218	104	53	7	1
Potters	136	132	4	.....	5	8	27	26	32	12	14	11	1	.....
Fishing and mining.														
Fishermen and oystermen	464	403	61	1	10	20	51	54	88	83	79	58	16	4
Miners and quarrymen	5,663	5,508	155	16	223	553	1,132	1,135	993	725	543	272	49	22
Food and kindred products.														
Bakers	952	930	22	1	19	55	141	176	198	181	120	55	6	.....
Butchers	1,503	1,462	41	.....	20	61	208	293	341	295	187	82	15	1
Butter and cheese makers	76	75	1	.....	3	5	18	14	16	9	6	5	.....	.....
Confectioners	184	182	2	.....	6	13	35	39	32	29	18	11	1	.....
Millers	423	419	4	.....	4	6	12	28	39	87	120	93	34	.....
Other food preparers	56	53	3	.....	1	3	8	10	10	16	3	4	1	.....
Iron and steel and their products.														
Blacksmiths	2,456	2,411	45	.....	22	58	216	280	409	485	509	392	83	2
Iron and steel workers	2,838	2,790	48	1	71	190	524	617	556	394	335	128	22	.....
Machinists	3,317	3,300	17	.....	109	312	574	567	567	556	420	179	31	2
Steam-boiler makers	392	389	3	.....	9	34	68	82	67	68	43	17	4	.....
Stove, furnace, and grate makers	68	68	.....	.....	5	4	13	9	11	10	12	4	.....	.....
Tool and cutlery makers	241	241	.....	.....	6	16	37	45	38	42	36	18	2	1
Wheelwrights	152	149	3	.....	.....	2	6	7	12	28	43	45	9	.....
Wireworkers	100	100	.....	1	6	6	31	14	20	13	7	.....	2	.....
Leather and its finished products.														
Boot and shoe makers and repairers	2,702	2,650	52	1	74	122	256	260	339	456	582	493	115	4
Harness and saddle makers and repairers	430	427	3	.....	2	12	18	32	78	93	107	69	17	2
Leather curriers and tanners	439	438	1	.....	5	21	54	69	90	79	67	43	10	1
Trunk and leather-case makers, etc	51	51	.....	.....	1	7	4	4	10	8	8	9	.....	.....
Liquors and beverages.														
Bottlers and soda-water makers, etc	98	97	1	1	1	13	22	20	24	10	6	1	.....	.....
Brewers and maltsters	253	253	.....	.....	3	8	24	44	71	64	27	10	1	1
Distillers and rectifiers	27	27	.....	.....	.....	1	.....	7	4	5	7	3	.....	.....
Lumber and its remanufactures.														
Cabinetmakers	632	628	4	.....	6	16	60	49	95	113	168	92	32	1
Coopers	570	542	28	.....	4	13	30	59	84	89	138	107	46	.....
Saw and planing mill employees	195	186	9	.....	11	19	41	44	35	24	8	9	4	.....
Other woodworkers	1,467	1,450	17	2	31	110	197	201	264	248	235	142	37	.....
Metals and metal products other than iron and steel.														
Brassworkers	201	200	1	.....	6	19	42	35	48	26	16	9	.....	.....
Clock and watch makers and repairers	144	143	1	.....	4	8	19	16	28	32	23	12	2	.....
Gold and silver workers	197	195	2	1	7	12	19	31	39	44	23	16	4	1
Tin-plate and tinware makers	681	673	8	.....	20	32	92	120	134	136	90	44	12	1
Other metal workers	475	472	3	.....	16	36	82	93	77	73	57	29	11	1
Paper and printing.														
Bookbinders	152	152	.....	.....	6	10	27	25	20	29	26	6	3	.....
Boxmakers (paper)	25	25	.....	.....	1	2	2	8	5	1	2	4	.....	.....
Engravers	112	112	.....	.....	3	7	23	20	15	19	15	9	1	.....
Paper and pulp mill operatives	184	183	1	.....	15	20	34	31	31	27	14	11	1	.....
Printers, lithographers, and pressmen	1,490	1,475	15	.....	81	147	291	328	265	168	154	47	8	1
Textiles.														
Bleachery and dye-works operatives	164	162	2	.....	4	9	19	24	42	40	18	7	1	.....
Carpet-factory operatives	67	67	.....	.....	2	3	7	12	9	11	13	8	2	.....
Cotton-mill operatives	686	683	3	3	46	43	119	118	134	106	68	42	7	.....
Hosiery and knitting mill operatives	30	30	.....	.....	2	5	8	1	6	1	4	2	1	.....
Silk-mill operatives	258	258	.....	1	18	22	37	42	45	43	37	11	2	.....
Woolen-mill operatives	368	368	.....	1	13	29	48	68	66	59	56	25	3	.....
Other textile-mill operatives	133	133	.....	.....	9	9	18	23	21	15	20	17	1	.....
Dressmakers	6	6	.....	.....	.....	.....	1	.....	2	2	.....	1	.....	.....
Hat and cap makers	114	114	.....	.....	2	6	12	35	18	15	12	11	3	.....
Milliners	9	9	.....	.....	.....	.....	3	1	2	1	1	1	.....	.....
Seamstresses	14	13	1	.....	1	.....	1	5	5	1	1	.....	.....	.....
Shirt, collar, and cuff makers	40	40	.....	.....	3	8	7	7	4	7	3	1	.....	.....
Tailors	2,408	2,367	41	1	46	150	326	415	456	361	338	246	69	.....
Other textile workers	165	164	1	.....	6	20	35	26	24	23	18	10	3	.....
Miscellaneous industries.														
Broom and brush makers	95	92	3	.....	2	12	11	13	20	16	14	4	3	.....
Charcoal, coke, and lime burners	31	28	3	.....	2	1	7	6	4	5	4	2	.....	.....
Engineers and firemen (not locomotive)	3,295	3,162	[1]33	.....	29	141	471	605	694	683	491	158	20	3
Glovemakers	36	36	.....	.....	2	1	4	5	7	9	8	.....	.....	.....
Manufacturers and officials, etc	2,805	2,782	23	.....	2	38	164	327	526	708	613	347	79	1
Model and pattern makers	226	225	1	.....	7	18	25	21	44	42	39	22	8	.....
Photographers	215	212	3	.....	3	6	26	44	42	41	39	14	.....	.....
Rubber-factory operatives	118	118	.....	.....	10	12	27	21	22	18	5	3	.....	.....
Tobacco and cigar factory operatives	982	942	40	.....	21	49	136	181	233	187	121	48	5	1
Upholsterers	327	313	14	1	4	24	34	69	58	58	52	23	4	.....
Other miscellaneous industries	3,296	3,208	88	12	157	240	571	566	604	523	377	195	50	1

TABLE 10.—FEMALES—DEATHS OF FEMALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140 GROUPS OF OCCUPATIONS, BY COLOR AND AGE, FOR THE REGISTRATION AREA: 1909.

OCCUPATION.	Total.	COLOR.		AGE.										
		White.	Colored.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85+	Unknown.
All occupations	27,459	21,903	5,556	71	2,198	3,653	5,141	4,500	4,398	4,174	1,887	1,078	338	21
Agricultural pursuits	879	863	16	2	21	27	49	63	91	115	206	222	82	1
Agricultural laborers [1]	53	49	4		4	7	5	7	8	6	10	3	3	
Dairywomen	2	1	1						1		1			
Farmers, planters, and overseers	799	789	10	2	17	20	43	55	75	103	193	212	78	1
Gardeners, florists, nurserymen, etc	12	12					1	1	4	2	1	2	1	
Stock raisers, herders, and drovers	13	12	1						3	4	1	5		
Professional service	1,725	1,649	76		61	248	385	293	268	196	164	84	24	2
Actors, professional showmen, etc	68	63	5		4	5	29	16	5	4	2	2	1	
Architects, designers, draftsmen, etc	8	8						3	3	1	1			
Artists and teachers of art	54	54			2	3	9	8	12	6	8	5	1	
Clergymen	22	21	1			3	2	4	4	2	5	2		
Dentists	2	2						1		1				
Electricians	1	1				1								
Engineers (civil, etc.) and surveyors	1	1					1							
Journalists	16	16					1	2	5	2	5	1		
Lawyers	6	6				1			1	2	1	1		
Literary and scientific persons	55	55				2	11	12	4	10	11	4	1	
Musicians and teachers of music	199	189	10		8	33	40	38	41	17	14	4	3	1
Officials (government)	40	40			3		7	7	8	9	2	4		
Physicians and surgeons	64	62	2			1	7	6	16	12	11	8	3	
Teachers and professors in colleges, etc	1,170	1,115	55		42	198	269	194	167	130	101	53	15	1
Other professional service	19	16	3		2	1	9	2	2		3			
Domestic and personal service	17,735	12,476	5,259	51	1,125	1,922	3,155	3,066	3,232	3,280	1,119	588	183	14
Barbers and hairdressers	55	37	18		2	8	14	10	7	6	8			
Bartenders	1	1					1							
Boarding and lodging house keepers	84	75	9			2	2	16	21	24	18	1		
Hotel keepers	45	45					2	7	4	14	12	6		
Housekeepers and stewardesses	305	285	20		4	10	25	48	71	101	30	13	2	1
Janitors and sextons	50	43	7				5	13	13	14	5			
Laborers (not specified) [1]	163	47	116		12	21	35	36	24	18	13	1	2	
Laundresses	1,091	356	735	1	45	97	212	216	243	165	79	28	3	2
Nurses and midwives	915	796	119		25	83	146	122	153	159	144	65	18	
Restaurant keepers	17	13	4				1	6	5	4	1			
Saloon keepers	6	6						1		3	2			
Servants and waiters	14,930	10,707	4,223	50	1,035	1,698	2,704	2,578	2,671	2,760	795	470	158	11
Watchmen, policemen, firemen, etc	7	5	2					3		1	3			
Other domestic and personal service	66	60	6		2	3	7	10	20	11	9	4		
Trade and transportation	2,538	2,502	36		384	695	667	348	207	121	80	30	5	1
Agents	51	48	3		1	4	6	8	15	13	4			
Bankers and brokers	6	6							1	1	1	1	2	
Boatmen and sailors	2	2					1	1						
Bookkeepers and accountants	375	372	3		44	102	140	60	22	3	3	1		
Clerks and copyists	844	831	13		149	241	234	106	66	31	11	6		
Commercial travelers	1	1					1							
Draymen, hackmen, teamsters, etc	6	5	1				2			1	3			
Foremen and overseers	11	11			1		4	2	3		1			
Hucksters and peddlers	22	16	6		1	2	4	3	6	1	5			
Merchants and dealers (except wholesale)	216	211	5		3	7	8	33	51	49	42	20	3	
Merchants and dealers (wholesale)	2	2								1	1			
Messengers and errand and office girls	9	9			7	2								
Officials of banks and companies	6	6					3	1	1	1				
Packers and shippers	11	11			3	7			1					
Porters and helpers (in stores, etc.)	6	6				1		2	2			1		
Saleswomen	338	338			54	84	88	68	24	13	6			1
Steam-railroad employees	14	13	1			2	2	2	4	4				
Stenographers and typewriters	412	410	2		65	156	135	48	7	1				
Street-railway employees	2	2				2								
Telegraph and telephone operators	193	193			53	84	38	10	4	2	2			
Undertakers	5	4	1		1			3				1		
Other persons in trade and transportation	6	5	1		2	1	1	1			1			
Manufacturing and mechanical pursuits	4,582	4,413	169	18	607	761	885	730	600	462	318	154	44	3
Building trades.														
Carpenters and joiners	3	3					1				2			
Painters, glaziers, and varnishers	1	1					1							
Plumbers and gas and steam fitters	1	1							1					
Mechanics (not otherwise specified)	1	1						1						
Chemicals and allied products.														
Chemical workers (exclusive of oil-well and oil-works employees)	2	2				1	1							
Clay, glass, and stone products.														
Glassworkers	7	7			2	2		2	1					
Potters	6	6			4	1	1							

[1] In agricultural districts agricultural laborers and, similarly, in manufacturing districts unskilled workmen are often reported simply as "laborers."

TABLE 10.—FEMALES—DEATHS OF FEMALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140 GROUPS OF OCCUPATIONS, BY COLOR AND AGE, FOR THE REGISTRATION AREA: 1909—Continued.

OCCUPATION.	Total.	COLOR.		AGE.										
		White.	Colored.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85+	Unknown.
Manufacturing and mechanical pursuits—Continued.														
Fishing and mining.														
Fishermen and oystermen	1	1								1				
Miners and quarrymen	4	4						1		2		1		
Food and kindred products.														
Bakers	12	11	1		1		1	2	3	3	1	1		
Butter and cheese makers	2	2			2									
Confectioners	29	29		1	5	8	6	1	1	4	3			
Millers	4	4				2	1				1			
Other food preparers	6	6			2	2	1	1						
Iron and steel and their products.														
Blacksmiths	1	1						1						
Iron and steel workers	8	8			2	2	1		2	1				
Machinists	2	2						1	1					
Tool and cutlery makers	1	1			1									
Wireworkers	4	4			2	2								
Leather and its finished products.														
Boot and shoe makers and repairers	157	157			28	33	29	25	20	17	4	1		
Leather curriers and tanners	4	4				2	1	1						
Trunk and leather-case makers, etc	3	3			2			1						
Lumber and its remanufactures.														
Cabinetmakers	3	3							1		1		1	
Saw and planing mill employees	2	1	1				1	1						
Other woodworkers	18	15	3	1		3	5	3	1	1	1	1	2	
Metals and metal products other than iron and steel.														
Brassworkers	2	2			1			1						
Clock and watch makers and repairers	10	10				3	3	1	2				1	
Gold and silver workers	8	8				2	2	2	1	1				
Tin-plate and tinware makers	1	1					1							
Other metal workers	1	1					1							
Paper and printing.														
Bookbinders	58	58			11	17	14	5	3	5	3			
Boxmakers (paper)	40	40			9	10	13	4	2	2				
Paper and pulp mill operatives	23	23			1	4	7	3	2	6				
Printers, lithographers, and pressmen	56	55	1		8	13	15	8	7	1	4			
Textiles.														
Bleachery and dye-works operatives	6	4	2		2					3	1			
Carpet-factory operatives	16	15	1		1	3	4	4	1	1	1	1		
Cotton-mill operatives	353	352	1	1	55	53	73	59	47	33	17	12	3	
Hosiery and knitting mill operatives	41	41			18	10	8	1	3	1				
Silk-mill operatives	146	146		3	36	30	30	20	18	5	2	2		
Woolen-mill operatives	140	140		1	19	31	26	20	17	17	7	2		
Other textile-mill operatives	50	48	2		14	12	9	8	2	4			1	
Dressmakers	1,019	966	53	1	34	98	186	191	195	143	107	56	7	1
Hat and cap makers	12	12			1	1	2	4		2	1	1		
Milliners	339	337	2		31	58	71	57	42	32	30	15	3	
Seamstresses	695	635	60		39	87	114	129	106	92	80	31	17	
Shirt, collar, and cuff makers	75	74	1		9	14	22	9	7	10	2			2
Tailoresses	229	228	1		26	43	32	27	33	18	24	21	5	
Other textile workers	108	108			30	18	30	14	8	4	1	2	1	
Miscellaneous industries.														
Broom and brush makers	5	5				2	1		1	1				
Glovemakers	15	15			5	3	3	2			2			
Manufacturers and officials, etc	15	15				1	2	1	3	2	5	1		
Model and pattern makers	1	1					1							
Photographers	16	16				1	4	6	2	2	1			
Rubber-factory operatives	15	15			1	6	8							
Tobacco and cigar factory operatives	153	143	10	1	31	35	35	25	12	8	5	1		
Upholsterers	4	4						2	1			1		
Other miscellaneous industries	648	618	30	9	174	147	118	87	54	40	12	5	2	

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
1	All occupations reported	210,507	4,660	31,059	11,536	1,055	2,392	1,938	80	105	15,409	5,299
2	10 to 14 years	176	7	7			2				2	12
3	15 to 19 years	5,356	481	1,231	26	40	41	6	1	2	27	207
4	20 to 24 years	12,197	933	3,861	112	67	72	43	1	7	76	304
5	25 to 34 years	28,635	1,438	8,880	379	137	225	318	11	21	349	705
6	35 to 44 years	32,461	870	7,675	1,087	169	272	623	20	17	889	918
7	45 to 54 years	35,711	538	5,140	2,420	185	479	521	22	16	2,094	988
8	55 to 64 years	35,953	255	2,707	3,364	171	610	280	18	19	3,643	920
9	65 to 74 years	33,462	109	1,220	2,804	179	506	112	7	17	4,499	761
10	75 to 84 years	20,802	26	280	1,166	89	163	25		5	3,132	412
11	85 years and over	5,464	1	34	170	18	21	2			683	65
12	Unknown	290	2	24	8		1	8		1	15	7
13	Agricultural pursuits	50,848	1,137	4,439	3,271	306	584	304	4	21	5,140	1,389
14	10 to 14 years	49	2	3			2				1	6
15	15 to 19 years	1,238	151	228	1	11	14	1		1	6	54
16	20 to 24 years	2,008	216	545	18	11	26	7			19	66
17	25 to 34 years	3,711	294	974	60	16	44	38	1	1	53	138
18	35 to 44 years	4,138	185	797	187	28	51	68	1		106	136
19	45 to 54 years	5,816	142	716	487	44	83	91	2	4	346	203
20	55 to 64 years	8,424	90	566	850	46	121	65		3	967	233
21	65 to 74 years	11,884	41	448	993	74	146	22		9	1,673	288
22	75 to 84 years	10,236	15	136	572	60	84	8		3	1,559	222
23	85 years and over	3,240	1	17	101	16	13				403	41
24	Unknown	104		9	2			4			7	2
25	Agricultural laborers [1]	13,214	441	1,915	555	76	104	200	3	7	972	342
26	10 to 14 years	27	2	3			1					2
27	15 to 19 years	702	86	145	1	4	7	1		1	4	28
28	20 to 24 years	1,022	115	298	6	4	8	4			11	29
29	25 to 34 years	1,800	128	515	18	7	14	28	1		28	43
30	35 to 44 years	1,701	48	341	50	12	11	51			43	42
31	45 to 54 years	1,958	36	291	99	13	22	61	2	2	103	73
32	55 to 64 years	2,269	16	190	172	12	15	34			262	52
33	65 to 74 years	2,168	9	95	150	12	21	13		4	311	51
34	75 to 84 years	1,220	1	25	53	10	4	5			175	19
35	85 years and over	289		5	6	2	1				33	2
36	Unknown	58		7				3			2	1
37	Dairymen	109	2	11	12		1	1			8	1
38	10 to 14 years											
39	15 to 19 years	3										
40	20 to 24 years	10	2	1	1			1				
41	25 to 34 years	9		1								
42	35 to 44 years	22		3	2		1					
43	45 to 54 years	15		3	2						1	
44	55 to 64 years	25		2	3						4	1
45	65 to 74 years	15		1	3						2	
46	75 to 84 years	10			1						1	
47	85 years and over											
48	Unknown											
49	Farmers, planters, and overseers	34,662	642	2,275	2,496	223	446	77	1	12	3,925	985
50	10 to 14 years	22					1				1	4
51	15 to 19 years	495	63	77		7	7				2	25
52	20 to 24 years	867	91	230	11	7	18	1			7	35
53	25 to 34 years	1,628	149	405	38	9	28	7		1	23	85
54	35 to 44 years	2,091	125	393	115	16	33	11	1		59	86
55	45 to 54 years	3,366	98	371	349	31	53	20		1	208	118
56	55 to 64 years	5,589	69	339	615	33	101	27		2	643	168
57	65 to 74 years	9,110	32	338	784	59	113	9		5	1,288	229
58	75 to 84 years	8,591	14	109	487	47	80	1		3	1,328	198
59	85 years and over	2,875	1	12	95	14	12				361	38
60	Unknown	28		1	2			1			5	1
61	Gardeners, florists, nurserymen, etc	1,215	12	113	98	5	11	8		1	109	19
62	10 to 14 years											
63	15 to 19 years	9		3								
64	20 to 24 years	17	1	5							1	1
65	25 to 34 years	69	4	16	1		2				1	3
66	35 to 44 years	96	4	32	7		2	2			3	2
67	45 to 54 years	184	2	28	12		1	5		1	12	7
68	55 to 64 years	223	1	16	29	1					17	3
69	65 to 74 years	328		11	33	2	6				42	2
70	75 to 84 years	238		2	16	2		1			28	1
71	85 years and over	50									5	
72	Unknown	1										
73	Lumbermen and raftsmen	815	26	46	51		11	14		1	49	22
74	10 to 14 years											
75	15 to 19 years	16	2									1
76	20 to 24 years	61	3	5				1				
77	25 to 34 years	122	10	12	2			3			1	2
78	35 to 44 years	127	6	13	6		1	2				4
79	45 to 54 years	142	4	7	11		4	5			10	3
80	55 to 64 years	153	1	7	18		3	3		1	15	6
81	65 to 74 years	95		1	10		3				8	3
82	75 to 84 years	69			4						12	3
83	85 years and over	15									3	
84	Unknown	15		1								

[1] In agricultural districts agricultural laborers and, similarly, in manufacturing districts unskilled workmen are often reported simply as "laborers."

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
25,043	8,757	1,711	16,866	799	540	1,369	3,894	1,372	604	2,248	668	5,901	17,888	5,429	1,430	20,771	21,684	1
4	2	.....	15	.....	.....	.....	.....	.....	4	10	.....	8	2	3	2	72	24	2
202	54	12	375	28	.....	24	5	16	38	259	9	92	81	118	55	1,368	558	3
426	139	27	764	36	4	59	39	54	35	417	24	209	253	410	117	2,523	1,185	4
1,383	451	73	2,105	136	26	136	267	113	119	561	71	594	1,133	1,069	303	4,957	2,675	5
2,501	806	116	3,075	128	51	223	691	229	104	453	69	786	2,130	1,202	334	4,340	2,683	6
4,028	1,253	165	3,211	162	105	268	1,078	315	108	322	110	982	3,470	1,258	278	3,361	2,834	7
5,531	1,914	271	2,974	144	122	255	980	273	88	146	155	1,073	4,213	823	180	2,072	2,752	8
6,330	2,189	427	2,543	108	132	204	621	244	71	65	136	1,103	4,001	403	100	1,193	3,378	9
3,844	1,543	443	1,449	50	83	146	196	109	31	13	74	820	2,179	109	48	592	3,775	10
773	402	177	342	6	16	53	17	19	6	2	20	229	418	15	6	181	1,788	11
21	4	.....	13	1	1	1	.....	.....	.....	.....	.....	5	8	19	7	112	32	12
7,693	2,204	533	3,601	171	136	286	653	365	168	488	161	1,783	3,881	1,091	190	3,744	7,105	13
1	.....	.....	4	.....	.....	.....	.....	.....	2	4	.....	3	.....	1	.....	10	10	14
43	7	3	101	10	.....	4	.....	5	11	58	2	25	19	23	8	317	135	15
67	19	4	129	2	2	6	3	14	10	82	8	35	29	75	11	388	216	16
169	35	8	233	17	5	20	17	15	22	108	8	83	99	157	29	651	416	17
306	67	14	349	17	6	15	52	29	28	94	8	125	193	223	40	597	416	18
694	167	23	490	32	11	42	118	63	18	71	20	211	401	225	32	497	583	19
1,412	382	56	643	26	20	42	188	84	34	39	30	290	762	197	24	494	760	20
2,467	662	126	799	42	46	69	187	94	27	26	41	431	1,211	121	28	374	1,439	21
2,045	636	203	668	21	37	58	81	49	13	5	32	432	942	54	15	293	1,993	22
478	226	96	179	4	8	30	7	12	3	1	12	145	221	8	2	96	1,120	23
11	3	.....	6	.....	1	.....	.....	.....	.....	.....	.....	3	4	7	1	27	17	24
1,670	360	105	1,108	48	47	81	190	78	51	84	36	364	824	403	92	1,505	1,553	25
.....	.....	.....	3	.....	.....	.....	.....	.....	1	2	.....	2	.....	.....	.....	4	7	26
27	4	1	63	2	.....	3	.....	2	6	19	2	13	8	14	3	183	75	27
32	9	3	70	1	1	5	2	5	1	17	2	15	18	41	7	225	93	28
86	22	1	117	7	5	14	11	5	8	15	3	28	38	94	20	343	201	29
145	24	8	170	10	6	7	24	8	12	14	2	44	75	96	27	279	152	30
250	49	12	207	10	4	19	46	16	6	10	3	63	112	63	12	177	197	31
383	74	20	200	5	9	13	57	18	10	5	6	69	218	54	7	162	206	32
440	100	27	173	9	16	7	40	19	3	1	10	76	206	30	11	80	254	33
255	59	27	88	3	5	9	8	5	4	1	6	50	122	8	5	27	246	34
46	13	6	13	1	1	4	2	.....	.....	.....	2	4	25	1	.....	6	111	35
6	1	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	19	11	36
15	2	2	4	1	.....	1	1	.....	.....	2	1	2	9	2	.....	16	15	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	39
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	40
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	2	.....	1	2	41
3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	4	.....	.....	4	3	42
1	.....	1	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	2	2	43
2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	3	4	44
5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	45
3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	46
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
5,653	1,701	397	2,272	114	82	182	426	266	110	376	117	1,323	2,837	615	81	1,830	5,198	49
1	.....	.....	1	.....	.....	.....	.....	.....	1	2	.....	1	.....	1	.....	6	3	50
16	2	2	36	7	.....	1	.....	3	5	36	.....	12	11	8	4	114	57	51
29	10	1	54	1	1	1	1	8	9	63	5	19	11	34	3	108	109	52
75	10	6	104	8	.....	4	5	9	14	87	5	49	54	51	9	209	184	53
139	35	6	155	7	.....	6	28	18	14	73	5	71	104	109	11	233	238	54
386	103	11	287	20	7	20	65	43	11	54	15	131	250	142	17	258	347	55
956	280	33	395	18	10	25	116	59	23	32	23	197	491	130	14	286	504	56
1,912	518	85	574	33	26	56	140	72	22	24	28	332	947	89	14	273	1,108	57
1,711	546	165	551	17	31	44	66	42	9	4	26	369	778	42	7	255	1,663	58
423	195	88	165	3	7	25	5	12	2	1	10	140	189	7	2	86	982	59
5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	.....	2	3	60
178	70	25	110	4	3	12	20	7	4	13	1	44	108	26	8	57	149	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	62
.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	63
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	3	3	64
3	2	1	6	1	.....	.....	.....	.....	.....	3	.....	3	3	3	.....	9	8	65
2	1	.....	9	.....	.....	.....	.....	2	1	3	1	2	5	5	.....	7	6	66
27	7	.....	21	.....	.....	2	2	2	1	3	.....	6	17	7	2	8	11	67
36	9	1	22	1	.....	1	11	1	1	2	.....	12	23	6	3	10	17	68
56	24	13	28	.....	3	3	5	1	1	1	.....	12	34	2	1	9	39	69
47	17	8	22	1	.....	5	2	1	.....	.....	.....	9	21	3	1	7	44	70
6	9	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	5	.....	.....	3	18	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	72
73	34	1	51	2	1	2	9	8	.....	3	2	18	41	24	6	238	82	73
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	74
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	13	.....	75
1	.....	.....	3	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	41	4	76
2	.....	.....	3	1	.....	.....	1	1	.....	1	.....	1	1	5	.....	67	9	77
6	2	.....	7	.....	.....	.....	.....	1	.....	.....	.....	4	3	6	2	54	10	78
14	4	.....	12	.....	.....	.....	3	1	.....	1	.....	2	8	7	1	35	10	79
20	10	.....	16	1	.....	1	2	3	.....	.....	.....	4	13	2	.....	14	13	80
16	11	1	5	.....	.....	1	1	1	.....	.....	2	3	9	.....	.....	6	14	81
11	6	.....	3	.....	1	.....	2	.....	.....	.....	.....	1	6	1	2	2	15	82
3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	6	83
.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	1	6	1	84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
	Agricultural pursuits—Continued.											
1	Stockraisers, herders, and drovers	776	13	76	57	2	10	3			71	19
2	10 to 14 years											
3	15 to 19 years	12		3								
4	20 to 24 years	28	4	6								1
5	25 to 34 years	79	3	25	1							4
6	35 to 44 years	91	2	15	6		2	2			1	2
7	45 to 54 years	136	1	13	13		3				9	2
8	55 to 64 years	157	3	12	13		2				25	3
9	65 to 74 years	158		2	13	1	3				22	3
10	75 to 84 years	103			11	1		1			13	3
11	85 years and over	11									1	1
12	Unknown	1										
13	Turpentine farmers and laborers	2									2	
14	10 to 14 years											
15	15 to 19 years											
16	20 to 24 years											
17	25 to 34 years											
18	35 to 44 years											
19	45 to 54 years	1									1	
20	55 to 64 years											
21	65 to 74 years											
22	75 to 84 years	1									1	
23	85 years and over											
24	Unknown											
25	Wood choppers	43	1	3	1		1	1			1	1
26	10 to 14 years											
27	15 to 19 years	1										
28	20 to 24 years	3										
29	25 to 34 years	4										1
30	35 to 44 years	8					1					
31	45 to 54 years	12	1	3	1						1	
32	55 to 64 years	6						1				
33	65 to 74 years	7										
34	75 to 84 years	1										
35	85 years and over											
36	Unknown	1										
37	Other agricultural pursuits	12			1						3	
38	10 to 14 years											
39	15 to 19 years											
40	20 to 24 years											
41	25 to 34 years											
42	35 to 44 years	2			1							
43	45 to 54 years	2									1	
44	55 to 64 years	2									1	
45	65 to 74 years	3										
46	75 to 84 years	3									1	
47	85 years and over											
48	Unknown											
49	Professional service	9,214	210	1,105	542	40	225	43	1	10	790	302
50	10 to 14 years											
51	15 to 19 years	91	7	24			1					2
52	20 to 24 years	423	44	139	5		6				5	11
53	25 to 34 years	1,192	68	400	17	6	12	10		5	15	34
54	35 to 44 years	1,329	39	271	43	11	20	14	1	2	60	62
55	45 to 54 years	1,567	30	155	99	7	55	13			127	65
56	55 to 64 years	1,712	12	75	162	9	63	5		3	185	58
57	65 to 74 years	1,732	8	36	150	6	54				229	42
58	75 to 84 years	916	1	5	59	1	12	1			134	26
59	85 years and over	245			6		2				35	2
60	Unknown	7	1		1							
61	Actors, professional showmen, etc	367	11	71	12	2	10	2		1	22	11
62	10 to 14 years											
63	15 to 19 years	9		1								
64	20 to 24 years	37	4	10			1				1	
65	25 to 34 years	84	5	28	2	1	1	1			2	2
66	35 to 44 years	87	1	19	1		2			1	5	3
67	45 to 54 years	66	1	8	3	1	3	1			4	3
68	55 to 64 years	51		5	4		2				4	2
69	65 to 74 years	23			2		1				3	
70	75 to 84 years	8									2	1
71	85 years and over	1									1	
72	Unknown	1										
73	Architects, designers, draftsmen, etc	350	8	57	23	2	8	2		1	24	10
74	10 to 14 years											
75	15 to 19 years	3		1								
76	20 to 24 years	40	1	16	1		1					3
77	25 to 34 years	63	4	21	2		1			1	1	
78	35 to 44 years	45	1	11	3	2	1	2				3
79	45 to 54 years	56	1	5	3		1				6	2
80	55 to 64 years	58		2	3		3				4	1
81	65 to 74 years	46	1	1	6		1				7	1
82	75 to 84 years	33			5						5	
83	85 years and over	6									1	
84	Unknown											

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
93	37	3	53	2	3	7	7	6	3	9	4	31	60	19	3	85	100	1
																		2
			1							2				1	1	4		3
3			2								1					6	5	4
3	1		3			1				1		1	2	2		20	12	5
10	4		7			1			1	4		4	2	7		16	5	6
15	4		12	1		1	1	1		2	1	8	14	6		13	16	7
13	9		9	1	1	2	2	3			1	7	14	3		19	15	8
33	9		16		1	2	1	1	1		1	8	14		2	4	21	9
16	7	3	3				3	1				3	13			2	23	10
	3								1				1			1	3	11
					1													12
																		13
																		14
																		15
																		16
																		17
																		18
																		19
																		20
																		21
																		22
																		23
																		24
8			2			1				1		1	1	1		11	8	25
																		26
																	1	27
																2	1	28
						1										2		29
1			1													3	2	30
1										1		1				3		31
2													1	1			1	32
3			1													1	2	33
1																		34
																		35
																	1	36
3			1										1	1		2		37
																		38
																		39
																		40
																		41
																1		42
																1		43
														1				44
2			1															45
1													1					46
																		47
																		48
1,131	534	55	670	30	15	51	183	86	19	135	14	269	916	241	79	538	980	49
																		50
5	1		2	1					1	2		3	1	4	3	26	8	51
17	5		27	1		2	8	3		15		5	11	9	5	64	41	52
59	24	1	68	4	2	5	10	7	7	35	2	23	39	55	14	158	112	53
96	38	1	132	4		6	26	17	4	34		44	103	63	15	88	135	54
169	78	4	123	8	1	7	45	21	3	24	2	46	193	57	19	78	138	55
269	139	8	118	6	3	11	46	13	3	17	3	48	222	31	12	55	136	56
334	153	11	111	4	6	10	40	19	1	7	2	53	228	20	6	45	157	57
160	76	18	61	2	2	5	6	5		1	4	41	104	2	4	14	172	58
22	20	12	27		1	5	2	1			1	6	15		1	8	79	59
			1													2	2	60
31	13	2	31			4	10	3	2	1		7	27	20	2	34	38	61
																		62
												1		1		5	1	63
			6			1							1	1		4	8	64
4			3				3		1	1			3	7	1	14	5	65
8	3		9			2	3					1	7	5		4	13	66
8	3		4			1	1	2				2	8	2	1	3	7	67
10	4		5				1		1			2	4	2		3	2	68
	3	1	4				2	1				1	2	2			1	69
1		1											2				1	70
																		71
																1		72
49	19	2	23	1		2	5	2	1	7		4	31	14	4	18	33	73
																		74
												1				1		75
3			2							2				1	1	3	6	76
2	3		2						1	4			4	5		7	5	77
4	1		3							1			3	3	1	2	4	78
9	4	2	3	1			3						6	2	1	3	4	79
15	5		6			1	1	1				1	10		1	1	3	80
11	2		3			1		1				1	4	3			3	81
5	3		3									1	4			1	6	82
	1		1				1										2	83
																		84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
1	Professional service—Continued. Artists and teachers of art	179	4	33	12	2	2	1	1	.....	14	1
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	5	.....	2	.....	.....	1	.....	.....	.....	.....	.....
4	20 to 24 years	5	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
5	25 to 34 years	23	.....	13	.....	1	.....	.....	.....	.....	1	.....
6	35 to 44 years	36	2	8	2	.....	1	.....	1	.....	1	.....
7	45 to 54 years	34	1	7	3	.....	.....	1	.....	.....	5	1
8	55 to 64 years	26	.....	1	3	1	.....	.....	.....	.....	3	.....
9	65 to 74 years	31	.....	.....	3	.....	.....	.....	.....	.....	2	.....
10	75 to 84 years	17	1	.....	.....	.....	.....	.....	.....	.....	2	.....
11	85 years and over	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
12	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Clergymen	1,216	21	80	87	4	30	.....	.....	.....	129	38
14	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	20 to 24 years	8	1	4	.....	.....	.....	.....	.....	.....	1	.....
17	25 to 34 years	61	2	25	1	1	.....	.....	.....	.....	.....	3
18	35 to 44 years	104	6	20	6	.....	1	.....	.....	.....	8	6
19	45 to 54 years	176	8	16	13	.....	6	.....	.....	.....	15	4
20	55 to 64 years	255	3	7	24	1	8	.....	.....	.....	27	9
21	65 to 74 years	298	1	6	28	2	9	.....	.....	.....	39	9
22	75 to 84 years	231	.....	2	14	.....	5	.....	.....	.....	30	7
23	85 years and over	81	.....	.....	1	.....	1	.....	.....	.....	9	.....
24	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Dentists	289	7	27	13	1	10	2	.....	.....	22	17
26	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
28	20 to 24 years	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
29	25 to 34 years	46	6	10	.....	.....	1	1	.....	.....	1	3
30	35 to 44 years	59	1	9	3	1	.....	.....	.....	.....	5	6
31	45 to 54 years	51	.....	3	5	.....	1	1	.....	.....	4	.....
32	55 to 64 years	41	.....	2	2	.....	3	.....	.....	.....	3	2
33	65 to 74 years	53	.....	2	2	.....	5	.....	.....	.....	3	5
34	75 to 84 years	28	.....	.....	1	.....	.....	.....	.....	.....	6	.....
35	85 years and over	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Electricians	776	31	187	12	5	9	4	.....	.....	16	28
38	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	38	4	7	.....	.....	.....	.....	.....	.....	.....	1
40	20 to 24 years	132	10	39	.....	.....	2	.....	.....	.....	1	3
41	25 to 34 years	294	15	86	2	1	.....	2	.....	.....	.....	13
42	35 to 44 years	167	2	43	1	2	3	1	.....	.....	3	8
43	45 to 54 years	89	.....	8	3	.....	4	.....	.....	.....	4	1
44	55 to 64 years	38	.....	4	3	2	.....	1	.....	.....	6	1
45	65 to 74 years	15	.....	.....	3	.....	.....	.....	.....	.....	2	.....
46	75 to 84 years	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
47	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
48	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Engineers (civil, etc.) and surveyors	465	25	59	22	1	9	1	.....	.....	42	17
50	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
52	20 to 24 years	48	13	13	1	.....	1	.....	.....	.....	.....	1
53	25 to 34 years	65	7	20	1	1	1	.....	.....	.....	1	2
54	35 to 44 years	78	3	11	4	.....	.....	1	.....	.....	4	4
55	45 to 54 years	81	2	7	4	.....	1	.....	.....	.....	7	5
56	55 to 64 years	76	.....	5	7	.....	3	.....	.....	.....	9	2
57	65 to 74 years	66	.....	3	3	.....	3	.....	.....	.....	15	2
58	75 to 84 years	43	.....	.....	1	.....	.....	.....	.....	.....	6	.....
59	85 years and over	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
60	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Journalists	311	4	50	16	3	6	4	.....	.....	27	13
62	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
64	20 to 24 years	13	2	5	.....	.....	1	.....	.....	.....	.....	1
65	25 to 34 years	35	.....	17	.....	.....	.....	.....	.....	.....	1	.....
66	35 to 44 years	62	1	15	2	2	1	2	.....	.....	7	4
67	45 to 54 years	69	1	9	3	1	2	2	.....	.....	5	3
68	55 to 64 years	66	.....	3	8	.....	2	.....	.....	.....	9	.....
69	65 to 74 years	47	.....	.....	3	.....	.....	.....	.....	.....	3	4
70	75 to 84 years	16	.....	.....	.....	.....	.....	.....	.....	.....	2	1
71	85 years and over	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Lawyers	1,325	19	99	81	3	40	6	.....	2	156	51
74	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
75	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
76	20 to 24 years	10	1	3	.....	.....	.....	.....	.....	.....	.....	.....
77	25 to 34 years	105	9	27	2	.....	2	2	.....	1	2	3
78	35 to 44 years	141	3	28	3	.....	3	1	.....	.....	6	4
79	45 to 54 years	236	1	21	16	.....	8	2	.....	.....	31	16
80	55 to 64 years	303	1	15	26	1	13	.....	.....	1	38	12
81	65 to 74 years	326	3	5	23	1	11	.....	.....	.....	46	11
82	75 to 84 years	154	.....	.....	10	1	3	1	.....	.....	20	5
83	85 years and over	48	.....	.....	1	.....	.....	.....	.....	.....	13	.....
84	Unknown	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
18	9	1	12	1	.....	1	1	.....	.....	5	1	6	22	16	.....	4	12	1
																		2
1																	1	3
	1												1	1				4
1			2									2		2		1		5
2	1		4							3			1	7			3	6
2	1						1			1		2	2	3		1	3	7
3	3	1	1							1			4	3		1	1	8
4	3		3	1		1					1	1	9			1	2	9
5			2									1	4				2	10
													1					11
																		12
188	76	14	86	4	2	4	17	12	2	14	4	42	141	3	6	36	176	13
																		14
																1		15
										1						1		16
2	1		4		1	1		2		1		2	4	1	1	1	8	17
10	2		8	1			2	1	1	4		4	8	1		4	11	18
22	11		13	1			3	3		4		6	24		3	6	18	19
37	19	1	18				7	2		1		8	44	1	2	9	27	20
66	19	4	16	1	1	2	4	3	1	2	1	10	25			8	41	21
41	18	6	17	1				1		1	2	12	29			3	42	22
10	6	3	9			1	1				1		7			3	29	23
			1															24
32	13	2	23	.....	1	2	7	4	1	5	1	10	29	7	4	17	32	25
																		26
																		27
																		28
			1					1										29
3	1		2				2			4			1	1	1	6	3	29
5	1		2				1		1			3	6	3	1	3	8	30
6	3		6				2	2		1		2	4		1	4	6	31
6	3		5			2					1	2	5	1		1	3	32
5	5		4		1		1					3	10	2		2	3	33
													2		1	1	6	34
6		1	2				1	1					1				3	35
1		1	1															36
42	14	2	53	2	.....	3	15	3	3	18	.....	10	35	27	8	182	67	37
																		38
									1	2			1	2	2	16	1	39
1							7					1	5	3		37	11	40
5	2		6				2	2		9		3	7	9	1	78	22	41
12	5		24			1	3	1	1	5		2	13	7	4	30	13	42
10	4		11				2		1	2		3	4	6	1	17	12	43
11	1		7	2				1				1	3			4	7	44
1	1		3			1	1						1				1	45
2	1	2	2										1					46
						1							1					47
																		48
47	16	1	35	3	2	1	3	2	3	8	.....	7	46	22	6	40	47	49
																		50
				1											1			51
3			1							1			1	2	1	7	3	52
			1	1					2	1			3	2		12	10	53
5	1		10				1			3		1	4	6	2	9	9	54
5	4		10				2	2		1		2	13	5	2	4	5	55
11	4		6	1	1				1	2		3	10	2		4	5	56
16	5		3		1								5	5		2	3	57
7	2		4			1						1	10				11	58
		1														1	1	59
																1		60
36	14	.....	24	2	.....	1	10	3	.....	3	.....	12	38	10	4	12	19	61
																		62
																		63
												1			1	1		64
1												1		3	1	1	1	65
5	1		4									1	4	3	1	3	3	66
2	2		7				2					2	12	1	1	3	7	67
7	4		1	1			2	2				4	7	2		3	2	68
8	2		8	1		1	2	1		3		1	11	1		1	4	69
9	4		3				3					2	3				2	70
4	1						1						1					71
			1															72
168	90	10	195	5	2	6	28	14	2	16	2	41	151	31	6	52	139	73
																		74
																		75
																2		76
8	4		2					2		4								
10	3		25				2	4	1	5	1	3		8		10	14	77
23	11	1	21	1		1	7	4	1			4	21	6	1	4	12	78
50	27	3	20	2		1	10	3		2		7	22	10	1	12	17	79
53	25	1	22	1	1	2	7	1		4		7	38	5	2	6	18	80
19	17	3	8	1	1	2	2			1		12	51	2	2	11	34	81
5	3	2	7								1	5	18			6	31	82
												3	1			1	12	83
																	1	84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
1	Professional service—Continued. Literary and scientific persons	183	2	19	9	1	3	.....	.....	.....	14	6
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	20 to 24 years	8	.....	4	.....	.....	.....	.....	.....	.....	.....	.....
5	25 to 34 years	20	1	6	.....	1	1	.....	.....	.....	.....	.....
6	35 to 44 years	21	.....	7	.....	.....	.....	.....	.....	.....	1	1
7	45 to 54 years	35	.....	1	2	.....	.....	.....	.....	.....	1	2
8	55 to 64 years	41	.....	.....	3	.....	.....	.....	.....	.....	3	3
9	65 to 74 years	33	.....	.....	4	.....	2	.....	.....	.....	4	.....
10	75 to 84 years	20	.....	1	.....	.....	.....	.....	.....	.....	5	.....
11	85 years and over	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Musicians and teachers of music	599	15	140	31	2	13	7	.....	.....	38	19
14	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	11	1	7	.....	.....	.....	.....	.....	.....	.....	.....
16	20 to 24 years	44	3	22	1	.....	.....	.....	.....	.....	1	.....
17	25 to 34 years	128	4	64	.....	.....	.....	2	.....	.....	.....	4
18	35 to 44 years	115	4	27	5	1	2	5	.....	.....	5	6
19	45 to 54 years	101	.....	13	9	.....	4	.....	.....	.....	8	5
20	55 to 64 years	75	2	5	4	1	2	.....	.....	.....	9	3
21	65 to 74 years	81	1	2	8	.....	4	.....	.....	.....	10	1
22	75 to 84 years	38	.....	.....	4	.....	.....	.....	.....	.....	4	.....
23	85 years and over	5	.....	.....	.....	.....	1	.....	.....	.....	1	.....
24	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Officials (government)	997	23	86	67	5	34	7	.....	.....	90	20
26	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	20 to 24 years	13	1	6	.....	.....	.....	.....	.....	.....	.....	.....
29	25 to 34 years	79	5	23	1	.....	1	1	.....	.....	.....	.....
30	35 to 44 years	136	6	24	4	2	.....	.....	.....	.....	6	1
31	45 to 54 years	211	6	20	13	2	10	2	.....	.....	13	11
32	55 to 64 years	239	3	7	26	.....	13	4	.....	.....	24	6
33	65 to 74 years	234	2	6	18	1	9	.....	.....	.....	31	2
34	75 to 84 years	70	.....	.....	4	.....	1	.....	.....	.....	13	.....
35	85 years and over	11	.....	.....	1	.....	.....	.....	.....	.....	3	.....
36	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Physicians and surgeons	1,421	20	94	95	6	35	6	.....	5	131	51
38	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
40	20 to 24 years	10	2	1	.....	.....	.....	.....	.....	.....	.....	.....
41	25 to 34 years	99	4	21	2	.....	2	.....	.....	2	4	2
42	35 to 44 years	184	7	29	4	1	5	2	.....	1	6	10
43	45 to 54 years	251	5	23	13	3	8	4	.....	.....	18	10
44	55 to 64 years	301	2	12	34	1	11	.....	.....	2	30	13
45	65 to 74 years	328	.....	6	26	1	6	.....	.....	.....	43	4
46	75 to 84 years	187	.....	2	14	.....	3	.....	.....	.....	24	11
47	85 years and over	60	.....	.....	1	.....	.....	.....	.....	.....	6	1
48	Unknown	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
49	Teachers and professors in colleges, etc	587	19	88	45	2	14	1	.....	.....	51	18
50	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	13	1	4	.....	.....	.....	.....	.....	.....	.....	.....
52	20 to 24 years	51	6	14	2	.....	.....	.....	.....	.....	1	2
53	25 to 34 years	83	6	36	4	.....	2	1	.....	.....	2	2
54	35 to 44 years	75	2	14	5	.....	.....	.....	.....	.....	2	6
55	45 to 54 years	81	3	11	5	.....	6	.....	.....	.....	4	2
56	55 to 64 years	107	1	6	11	1	3	.....	.....	.....	11	3
57	65 to 74 years	111	.....	3	13	1	3	.....	.....	.....	18	2
58	75 to 84 years	53	.....	.....	5	.....	.....	.....	.....	.....	12	.....
59	85 years and over	13	.....	.....	.....	.....	.....	.....	.....	.....	1	1
60	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Other professional service	149	1	15	17	1	2	.....	.....	1	14	2
62	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
64	20 to 24 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
65	25 to 34 years	7	.....	3	.....	.....	.....	.....	.....	1	.....	.....
66	35 to 44 years	19	.....	6	.....	.....	1	.....	.....	.....	1	.....
67	45 to 54 years	30	1	3	4	.....	1	.....	.....	.....	2	.....
68	55 to 64 years	35	.....	1	4	1	.....	.....	.....	.....	5	1
69	65 to 74 years	40	.....	2	8	.....	.....	.....	.....	.....	3	1
70	75 to 84 years	15	.....	.....	1	.....	.....	.....	.....	.....	3	.....
71	85 years and over	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Domestic and personal service	41,624	1,017	8,186	1,771	191	274	618	10	22	2,056	909
74	10 to 14 years	26	1	2	.....	.....	.....	.....	.....	.....	1	1
75	15 to 19 years	1,189	111	321	8	12	5	4	.....	.....	9	51
76	20 to 24 years	2,960	234	962	31	17	4	16	.....	3	19	88
77	25 to 34 years	7,303	328	2,358	69	28	33	115	2	6	88	182
78	35 to 44 years	8,370	193	2,133	206	33	40	225	2	5	220	216
79	45 to 54 years	8,398	92	1,433	470	37	73	148	4	4	444	162
80	55 to 64 years	6,914	40	702	567	41	67	78	2	3	544	117
81	65 to 74 years	4,496	17	229	326	18	45	27	.....	1	490	72
82	75 to 84 years	1,611	1	33	84	4	7	4	.....	.....	202	18
83	85 years and over	313	.....	4	10	1	.....	.....	.....	.....	36	.....
84	Unknown	44	.....	9	.....	.....	.....	1	.....	.....	3	2

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
27	15	.....	13	.....	.....	1	6	2	.....	5	.....	6	24	9	2	6	13	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	1	.....	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	4
.....	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	2	4	5
1	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	2	6
4	2	.....	2	.....	.....	1	2	1	.....	1	.....	.....	7	4	2	2	1	7
8	5	.....	2	.....	.....	.....	2	1	.....	1	.....	2	5	3	.....	1	2	8
9	2	.....	1	.....	.....	.....	2	.....	.....	.....	.....	1	6	.....	.....	1	1	9
5	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	3	10
.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
66	27	3	41	3	1	4	13	2	.....	8	4	15	51	16	11	20	49	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	15
1	.....	.....	5	1	.....	1	1	.....	.....	.....	.....	1	1	.....	2	1	3	16
6	.....	1	6	2	.....	.....	2	.....	.....	2	1	3	6	3	4	5	13	17
11	3	.....	11	.....	.....	1	1	1	.....	5	.....	1	8	4	1	2	11	18
14	4	.....	6	.....	.....	.....	3	.....	.....	1	1	1	14	6	2	5	5	19
15	6	.....	4	.....	.....	1	3	.....	.....	.....	1	1	7	1	1	5	4	20
9	8	.....	5	.....	.....	.....	3	1	.....	.....	.....	5	14	2	1	1	6	21
9	5	1	4	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	6	22
.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	24
153	76	5	73	2	3	4	25	5	3	17	.....	30	105	21	8	44	91	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	27
.....	1	.....	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	2	28
6	3	.....	3	.....	.....	1	.....	.....	2	2	.....	4	4	4	1	10	8	29
12	6	1	10	.....	.....	.....	5	1	.....	5	.....	8	10	7	3	11	14	30
26	13	1	21	.....	.....	.....	6	.....	.....	4	.....	8	22	7	.....	8	18	31
38	19	1	19	2	1	.....	6	1	1	2	.....	2	37	.....	1	6	20	32
58	24	1	16	.....	1	1	7	2	.....	2	.....	6	22	2	2	7	14	33
11	10	1	1	.....	1	1	1	1	.....	.....	.....	.....	10	1	1	.....	13	34
1	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
180	120	9	105	3	3	12	34	22	2	20	1	50	153	31	16	48	169	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	39
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	2	2	40
6	3	.....	12	.....	.....	2	.....	1	1	4	.....	2	4	7	3	8	9	41
10	7	.....	22	3	.....	3	5	5	.....	7	.....	9	11	5	1	11	20	42
19	14	.....	20	.....	1	2	10	1	1	4	1	7	42	9	4	10	22	43
45	30	2	13	.....	1	2	11	3	.....	2	.....	13	32	8	5	6	23	44
65	42	1	22	.....	1	1	8	8	.....	2	.....	4	47	1	1	9	30	45
32	16	4	12	.....	.....	.....	.....	2	.....	.....	.....	13	14	1	1	1	37	46
3	8	2	4	.....	.....	2	.....	1	.....	.....	.....	2	2	.....	1	1	26	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
74	27	3	33	3	1	3	3	8	.....	8	1	25	51	7	1	18	83	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	4	51
4	.....	.....	3	.....	.....	.....	.....	1	.....	3	.....	1	1	1	.....	6	6	52
4	1	.....	3	.....	1	.....	.....	.....	.....	.....	.....	3	3	1	1	3	10	53
5	4	.....	3	.....	.....	.....	1	4	.....	1	.....	7	4	3	.....	4	10	54
12	3	.....	5	2	.....	.....	.....	2	.....	3	.....	4	9	.....	.....	.....	10	55
18	7	.....	8	.....	.....	2	2	.....	.....	1	1	1	11	1	.....	3	16	56
15	9	1	5	1	.....	1	.....	1	.....	.....	.....	6	20	.....	.....	1	11	57
13	3	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	11	58
2	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	5	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60
20	5	1	13	1	.....	3	6	4	.....	.....	.....	4	12	7	1	7	12	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	62
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	63
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	64
.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	65
1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	2	66
1	.....	.....	4	.....	.....	2	1	2	.....	.....	.....	.....	4	2	.....	.....	3	67
4	4	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	5	2	.....	2	3	68
12	1	.....	2	.....	.....	1	2	1	.....	.....	.....	2	1	.....	.....	1	3	69
2	.....	1	2	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	2	1	70
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72
4,320	1,468	337	4,257	212	110	264	999	228	116	405	172	1,061	3,664	1,060	412	3,444	4,041	73
1	.....	.....	3	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	9	5	74
31	10	4	115	9	.....	7	1	6	10	59	4	22	20	21	13	202	134	75
101	33	9	258	12	.....	16	14	16	7	83	5	51	76	90	42	407	366	76
375	146	38	691	41	6	35	96	37	27	110	23	180	338	255	111	810	775	77
692	234	33	930	47	13	62	238	48	30	69	24	212	604	219	102	799	741	78
1,024	282	35	901	43	34	64	301	56	19	47	33	208	845	253	76	638	672	79
1,013	312	75	753	33	28	46	222	36	11	27	39	182	924	147	43	342	520	80
782	296	80	456	19	19	20	105	22	8	6	34	133	616	63	17	164	431	81
262	134	53	129	8	8	12	20	7	3	2	9	56	203	8	4	48	292	82
39	21	10	21	.....	2	1	2	.....	.....	1	1	16	35	.....	.....	12	101	83
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	2	4	4	13	4	84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
	Domestic and personal service—Continued.											
1	Barbers and hairdressers	1,398	35	334	45	10	18	14	.....	5	76	40
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	40	3	14	1	1	.....	.....	.....	.....	1	1
4	20 to 24 years	85	7	38	1	1	.....	.....	.....	1	.....	1
5	25 to 34 years	283	11	115	3	.....	1	2	.....	1	1	9
6	35 to 44 years	345	9	89	9	1	4	7	.....	1	9	13
7	45 to 54 years	314	4	51	15	3	7	4	.....	1	23	9
8	55 to 64 years	180	1	21	12	2	4	1	.....	1	16	4
9	65 to 74 years	101	.....	2	4	2	2	.....	.....	.....	17	3
10	75 to 84 years	43	.....	3	.....	.....	.....	.....	.....	.....	9	.....
11	85 years and over	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Unknown	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
13	Bartenders	1,115	17	311	26	2	6	64	.....	.....	27	23
14	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
16	20 to 24 years	39	1	8	1	.....	.....	1	.....	.....	.....	2
17	25 to 34 years	359	12	133	2	1	1	20	.....	.....	7	11
18	35 to 44 years	442	4	130	9	1	2	32	.....	.....	6	6
19	45 to 54 years	203	.....	36	10	.....	2	9	.....	.....	8	4
20	55 to 64 years	52	.....	1	3	.....	1	1	.....	.....	5	.....
21	65 to 74 years	12	.....	1	1	.....	.....	1	.....	.....	1	.....
22	75 to 84 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Unknown	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
25	Boarding and lodging house keepers	55	2	8	5	.....	1	1	.....	.....	6	1
26	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	20 to 24 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
29	25 to 34 years	6	1	2	.....	.....	.....	1	.....	.....	.....	.....
30	35 to 44 years	4	.....	1	1	.....	.....	.....	.....	.....	.....	1
31	45 to 54 years	8	.....	2	.....	.....	1	.....	.....	.....	1	.....
32	55 to 64 years	16	.....	1	2	.....	.....	.....	.....	.....	.....	.....
33	65 to 74 years	16	1	1	2	.....	.....	.....	.....	.....	4	.....
34	75 to 84 years	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
35	85 years and over	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
36	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Hotel keepers	765	12	71	55	6	16	15	.....	.....	57	16
38	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
40	20 to 24 years	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
41	25 to 34 years	55	1	9	.....	2	2	1	.....	.....	.....	3
42	35 to 44 years	165	8	29	4	.....	.....	6	.....	.....	8	4
43	45 to 54 years	214	1	21	10	3	4	6	.....	.....	11	5
44	55 to 64 years	167	.....	6	21	1	3	2	.....	.....	17	2
45	65 to 74 years	108	2	2	14	.....	5	.....	.....	.....	12	2
46	75 to 84 years	47	.....	1	5	.....	2	.....	.....	.....	8	.....
47	85 years and over	5	.....	.....	1	.....	.....	.....	.....	.....	1	.....
48	Unknown	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
49	Housekeepers and stewards	124	.....	17	10	.....	3	2	.....	.....	7	6
50	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	20 to 24 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
53	25 to 34 years	28	.....	12	.....	.....	.....	1	.....	.....	.....	1
54	35 to 44 years	27	.....	2	2	.....	.....	.....	.....	.....	.....	2
55	45 to 54 years	29	.....	1	5	.....	2	1	.....	.....	1	.....
56	55 to 64 years	21	.....	2	2	.....	.....	.....	.....	.....	2	1
57	65 to 74 years	12	.....	.....	1	.....	1	.....	.....	.....	3	1
58	75 to 84 years	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1
59	85 years and over	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Janitors and sextons	1,065	8	148	72	6	5	9	.....	.....	78	26
62	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	6	1	2	.....	1	.....	.....	.....	.....	.....	.....
64	20 to 24 years	18	1	5	.....	.....	.....	.....	.....	.....	.....	1
65	25 to 34 years	78	.....	37	2	.....	.....	1	.....	.....	.....	2
66	35 to 44 years	157	3	34	4	.....	2	5	.....	.....	5	6
67	45 to 54 years	219	2	32	20	1	1	3	.....	.....	15	6
68	55 to 64 years	276	.....	26	25	2	1	.....	.....	.....	22	7
69	65 to 74 years	231	1	11	16	1	1	.....	.....	.....	27	4
70	75 to 84 years	73	.....	1	5	1	.....	.....	.....	.....	9	.....
71	85 years and over	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Laborers (not specified) [1]	29,345	820	5,832	1,201	121	132	392	9	11	1,369	627
74	10 to 14 years	22	1	1	.....	.....	.....	.....	.....	.....	1	1
75	15 to 19 years	986	97	258	5	9	5	4	.....	.....	8	44
76	20 to 24 years	2,410	205	766	27	13	4	10	.....	2	19	70
77	25 to 34 years	5,180	265	1,596	50	19	23	66	2	3	62	128
78	35 to 44 years	5,606	142	1,454	137	24	18	129	2	3	152	135
79	45 to 54 years	5,635	64	1,024	310	20	31	98	4	1	273	99
80	55 to 64 years	4,797	34	514	391	20	29	60	1	1	354	80
81	65 to 74 years	3,205	11	185	211	12	18	21	.....	1	326	53
82	75 to 84 years	1,211	1	24	61	3	4	4	.....	.....	146	15
83	85 years and over	265	.....	4	9	1	.....	.....	.....	.....	28	.....
84	Unknown	28	.....	6	.....	.....	.....	.....	.....	.....	.....	2

[1] In agricultural districts agricultural laborers and, similarly, in manufacturing districts unskilled workmen are often reported simply as "laborers."

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
150	61	4	87	5	4	5	35	9	4	8	4	35	126	52	17	67	148	1
																		2
	1		4									1	1	4		5	3	3
1	1		7	1			1			2	1	2	2	6		2	10	4
20	5	1	12	1		1	6	2	3	2		6	7	13	7	13	41	5
29	15		21	1		1	8	2	1	4		10	33	16	4	20	38	6
39	22	1	20	1	2	2	13	1			2	3	30	10	5	17	29	7
35	6	1	6		1	1	5	3			1	9	23	3	1	5	18	8
20	7		11	1	1		1	1				2	19			2	6	9
6	4	1	4				1					2	11				2	10
			2													1	1	11
																2		12
93	28	3	123	9	1	4	55	2		9	5	26	101	34	7	48	91	13
																		14
	1		1									2	3	3		1	1	15
1			7	1						1			3	3		3	5	16
22	3	2	35	4		1	7			4	2	8	22	12	2	14	34	17
39	16	1	43	2			32	2		2	3	11	42	12	3	18	26	18
17	6		30	1	1	2	10			2		3	25	6	2	11	18	19
11	2		5	1			6					2	7	1			6	20
3			2			1							1				1	21
																		22
																		23
													1			1		24
2	4		4		1		1				1	2	5	3		2	6	25
																		26
																		27
																1		28
			1											1				29
																	1	30
	1												1	1			1	31
1	1		1		1						1		3			1	4	32
1	1		1				1					2	1	1				33
	1		1															34
																		35
																		36
86	33	3	52	3	1	6	75	5	2	7	2	32	104	19	6	19	62	37
																		38
																		39
										1								40
3	1		5				3	1				3	5	3	1	4	8	41
7	8		15	1	1	1	20		1	2		10	15	3	3	6	13	42
15	5	1	16	2		2	25	3		3	1	11	36	10		5	18	43
24	10		9			2	19	1		1		5	26	2	2	3	11	44
26	7		5				6		1		1	1	15	1		1	7	45
9	2	2	2			1	2					2	6				5	46
2													1					47
																		48
12	7	1	12				6	2	1	1		1	11	4	4	10	7	49
																		50
										1						1		51
															1			52
			3				1	1				1			2	3	3	53
2		1	5				2						4	3		2	2	54
4	2		3				3	1	1				3		1	1		55
4	3		1										2	1		3		56
2	1												2				1	57
	1																	58
																	1	59
																		60
138	47	6	134	6	2	4	17	5	4	10	9	27	122	36	12	54	80	61
																		62
																	2	63
			2							2			1			3	3	64
	2	1	8	1		1	1			4		1	8	1	1	2	5	65
13	4	1	21			1	3			2	1	2	13	9	2	13	13	66
30	6		26	1	1	1	4		2	2	2	3	22	11	1	11	16	67
46	16	1	34	3		1	7	2			3	9	36	8	5	10	12	68
38	10	3	31	1	1		2	3	2		2	7	35	5		12	18	69
11	8		11									3	7	2	3	3	9	70
	1		1								1	2					2	71
																		72
2,972	1,020	267	3,218	156	88	205	548	162	84	295	125	746	2,453	597	273	2,694	2,928	73
1			3							1			1			8	4	74
27	8	4	99	7		6	1	6	9	51	3	19	18	13	10	167	108	75
82	24	6	216	9		15	12	15	6	68	3	41	61	59	37	341	299	76
259	114	29	529	31	5	22	48	24	22	78	20	123	234	152	69	650	557	77
449	137	28	681	36	9	55	110	33	24	44	18	136	364	97	72	633	488	78
702	180	26	670	33	27	45	159	41	8	28	19	147	513	140	47	479	447	79
674	206	60	583	24	21	36	128	23	9	20	27	122	647	87	21	251	374	80
559	227	67	331	9	16	15	72	14	4	3	27	99	438	40	12	112	322	81
187	106	39	92	7	8	9	16	6	2	1	8	44	151	6	1	34	236	82
32	18	8	14		2	1	2			1		14	30			11	90	83
						1						1		3	4	8	3	84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
1	Domestic and personal service—Continued. Launderers	351	10	93	18	1	4	2	.....	1	14	6
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	6	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
4	20 to 24 years	18	1	6	.....	.....	.....	.....	.....	.....	.....	1
5	25 to 34 years	64	4	20	1	.....	1	1	.....	.....	.....	.....
6	35 to 44 years	90	4	26	5	.....	.....	.....	.....	.....	2	5
7	45 to 54 years	83	.....	26	5	.....	2	1	.....	1	4	.....
8	55 to 64 years	71	.....	14	4	.....	1	.....	.....	.....	5	.....
9	65 to 74 years	14	1	.....	3	1	.....	.....	.....	.....	1	.....
10	75 to 84 years	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
11	85 years and over	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
13	Nurses	126	6	22	5	.....	3	2	.....	1	9	3
14	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	20 to 24 years	10	2	2	.....	.....	.....	.....	.....	.....	.....	.....
17	25 to 34 years	20	2	4	1	.....	1	.....	.....	.....	.....	1
18	35 to 44 years	30	1	11	.....	.....	.....	.....	.....	.....	1	1
19	45 to 54 years	29	.....	3	1	.....	.....	2	.....	1	3	.....
20	55 to 64 years	19	1	2	.....	.....	2	.....	.....	.....	1	.....
21	65 to 74 years	10	.....	.....	2	.....	.....	.....	.....	.....	3	1
22	75 to 84 years	7	.....	.....	1	.....	.....	.....	.....	.....	1	.....
23	85 years and over	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Restaurant keepers	293	4	37	12	1	6	7	.....	.....	22	11
26	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	20 to 24 years	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
29	25 to 34 years	34	2	10	.....	.....	.....	2	.....	.....	.....	1
30	35 to 44 years	60	.....	13	1	.....	.....	1	.....	.....	4	4
31	45 to 54 years	95	2	6	5	.....	3	3	.....	.....	8	3
32	55 to 64 years	63	.....	8	2	1	1	1	.....	.....	6	2
33	65 to 74 years	29	.....	.....	3	.....	2	.....	.....	.....	4	1
34	75 to 84 years	9	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
35	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Saloon keepers	973	11	151	43	9	17	33	.....	.....	52	21
38	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
40	20 to 24 years	10	.....	2	.....	.....	.....	1	.....	.....	.....	1
41	25 to 34 years	147	5	43	1	1	.....	4	.....	.....	3	4
42	35 to 44 years	312	2	59	11	2	6	17	.....	.....	11	12
43	45 to 54 years	311	3	43	11	4	4	10	.....	.....	16	4
44	55 to 64 years	138	1	4	13	2	7	1	.....	.....	14	.....
45	65 to 74 years	43	.....	.....	7	.....	.....	.....	.....	.....	7	.....
46	75 to 84 years	10	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
47	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
48	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Servants and waiters	3,017	50	834	106	14	21	53	.....	4	127	63
50	10 to 14 years	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	108	6	39	1	1	.....	.....	.....	.....	.....	3
52	20 to 24 years	215	6	96	1	3	.....	1	.....	.....	.....	5
53	25 to 34 years	693	20	280	4	2	3	11	.....	2	9	12
54	35 to 44 years	701	12	208	16	2	5	21	.....	1	10	19
55	45 to 54 years	644	5	130	29	2	4	9	.....	.....	43	15
56	55 to 64 years	407	1	69	39	3	8	7	.....	1	33	8
57	65 to 74 years	178	.....	11	15	1	1	3	.....	.....	24	1
58	75 to 84 years	51	.....	.....	1	.....	.....	.....	.....	.....	5	.....
59	85 years and over	12	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
60	Unknown	4	.....	.....	.....	.....	.....	1	.....	.....	1	.....
61	Soldiers, sailors, and marines (U. S.)	322	8	70	6	1	3	7	.....	.....	8	7
62	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	16	3	2	.....	.....	.....	.....	.....	.....	.....	1
64	20 to 24 years	93	5	25	1	.....	.....	2	.....	.....	.....	5
65	25 to 34 years	101	.....	31	.....	.....	1	2	.....	.....	.....	.....
66	35 to 44 years	45	.....	7	1	.....	.....	2	.....	.....	2	1
67	45 to 54 years	32	.....	3	3	.....	1	.....	.....	.....	1	.....
68	55 to 64 years	17	.....	2	.....	1	.....	1	.....	.....	2	.....
69	65 to 74 years	15	.....	.....	1	.....	1	.....	.....	.....	3	.....
70	75 to 84 years	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Watchmen, policemen, firemen, etc	2,355	29	206	157	17	37	13	1	.....	188	48
74	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
75	15 to 19 years	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
76	20 to 24 years	35	3	6	.....	.....	.....	1	.....	.....	.....	.....
77	25 to 34 years	190	4	46	3	2	.....	2	.....	.....	4	9
78	35 to 44 years	315	8	56	6	2	3	5	.....	.....	8	7
79	45 to 54 years	527	11	50	43	4	9	1	.....	.....	36	15
80	55 to 64 years	657	2	32	49	8	10	3	1	.....	65	11
81	65 to 74 years	486	1	13	45	1	14	1	.....	.....	53	5
82	75 to 84 years	130	.....	3	10	.....	1	.....	.....	.....	19	1
83	85 years and over	12	.....	.....	.....	.....	.....	.....	.....	.....	3	.....
84	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
27	13	2	23	.....	1	1	8	2	.....	9	.....	13	24	14	2	25	38	1
																		2
										1						4		3
1										2		1	1			5		4
5	2	.....	4	.....	.....	.....	3	.....	.....	2	.....	2	5	1	.....	7	6	5
7	4	.....	7	.....	.....	.....	1	.....	.....	2	.....	3	4	6	.....	2	12	6
3	2	1	5	.....	.....	.....	1	1	.....	2	.....	5	7	3	2	1	11	7
8	5	1	5	.....	1	1	2	1	.....	.....	.....	1	7	4	.....	5	6	8
2		.....	1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	1	2	9
1		.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	10
		.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
		.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
19	4	.....	6	.....	.....	2	3	1	.....	1	1	2	10	8	1	8	9	13
		.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
		.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
1		.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	3	16
		.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	1	4	.....	17
3		.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	4	1	.....	2	3	18
3	1	.....	3	.....	.....	2	1	.....	.....	.....	1	1	1	3	.....	1	2	19
5	1	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	3	.....	.....	1	.....	20
3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	22
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
35	11	2	28	.....	.....	2	22	3	.....	2	2	10	22	12	1	13	28	25
		.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
		.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
		.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	28
1	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	1	1	3	.....	3	6	29
7	1	.....	9	.....	.....	.....	4	1	.....	1	.....	2	2	4	.....	4	2	30
8	2	1	11	.....	.....	.....	5	1	.....	.....	1	7	11	3	1	3	11	31
12	4	1	4	.....	.....	.....	8	.....	.....	.....	.....	.....	6	1	.....	1	5	32
7	4	.....	1	.....	.....	1	2	.....	.....	.....	.....	.....	1	1	.....	1	1	33
		.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	3	34
		.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
		.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
71	22	5	83	5	2	4	96	8	3	14	3	28	117	49	8	35	83	37
		.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
		.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	39
1		.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	1	2	40
6	.....	.....	14	.....	1	1	11	.....	.....	3	1	4	5	8	3	9	20	41
20	5	.....	31	2	1	1	25	3	2	8	1	12	34	15	1	9	22	42
19	12	1	22	2	.....	2	41	2	1	3	1	8	43	17	1	10	31	43
15	3	4	9	1	.....	.....	14	1	.....	.....	.....	4	27	7	3	3	5	44
7	2	.....	7	.....	.....	.....	4	1	.....	.....	.....	.....	5	1	.....	2	.....	45
3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	1	2	46
	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
310	102	18	240	13	5	18	48	14	13	21	12	72	260	110	38	177	274	49
		.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	50
3	.....	.....	9	1	.....	1	.....	.....	1	3	1	1	1	2	1	19	15	51
10	6	2	16	1	.....	.....	.....	.....	1	2	.....	3	5	11	2	26	18	52
44	16	4	51	3	.....	7	6	4	2	10	.....	22	29	38	15	39	60	53
77	26	1	55	2	2	2	14	5	2	2	1	17	59	27	9	38	68	54
94	24	3	48	2	2	4	15	4	5	2	5	9	82	17	6	38	47	55
48	16	2	39	1	1	3	11	.....	.....	1	5	10	50	10	3	9	29	56
19	9	1	18	3	.....	.....	2	1	.....	1	.....	9	23	4	2	4	26	57
14	4	4	2	.....	.....	1	.....	.....	1	.....	.....	1	9	.....	.....	2	7	58
1	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	3	59
	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	60
26	12	2	23	1	1	1	3	4	1	5	.....	7	23	25	4	40	40	61
		.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	62
		.....	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	3	3	63
3	1	1	6	.....	.....	.....	.....	.....	.....	2	.....	1	2	9	.....	13	17	64
6	3	.....	4	1	.....	1	1	4	.....	1	.....	4	5	10	2	18	7	65
4	3	1	6	.....	.....	.....	1	.....	.....	.....	.....	1	4	3	.....	3	6	66
3	2	.....	2	.....	.....	.....	1	.....	.....	.....	.....	1	6	2	2	2	3	67
2	1	.....	2	.....	1	.....	.....	.....	1	.....	.....	.....	3	.....	.....	.....	1	68
2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	2	69
	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	70
	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	71
	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	72
352	99	22	186	12	4	11	77	10	3	19	7	49	257	86	33	215	217	73
		.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	74
		.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	75
1	1	.....	2	.....	.....	1	.....	.....	.....	1	.....	.....	.....	1	2	12	4	76
8	.....	1	13	.....	.....	.....	6	.....	.....	6	.....	3	11	9	8	32	23	77
29	14	.....	26	2	.....	1	13	1	.....	1	.....	5	21	19	7	39	42	78
82	15	1	36	1	1	3	23	2	1	3	.....	10	60	25	6	53	36	79
120	37	5	51	3	2	2	21	5	1	5	2	16	81	23	8	47	47	80
86	25	9	44	5	1	3	14	2	1	2	4	11	68	9	2	27	40	81
23	7	5	13	1	.....	1	.....	.....	.....	1	1	4	13	.....	.....	4	23	82
3	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	83
													1					84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
1	Domestic and personal service—Continued. Other domestic and personal service	320	5	52	10	3	2	4	.....	.....	16	11
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	16	1	4	.....	.....	.....	.....	.....	.....	.....	2
4	20 to 24 years	19	3	6	.....	.....	.....	.....	.....	.....	.....	2
5	25 to 34 years	65	1	20	2	1	.....	1	.....	.....	2	1
6	35 to 44 years	71	.....	14	.....	1	.....	.....	.....	.....	2	.....
7	45 to 54 years	55	.....	5	3	.....	2	1	.....	.....	1	2
8	55 to 64 years	33	.....	.....	4	1	.....	1	.....	.....	2	2
9	65 to 74 years	36	.....	3	1	.....	.....	1	.....	.....	5	1
10	75 to 84 years	19	.....	.....	.....	.....	.....	.....	.....	.....	2	1
11	85 years and over	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
12	Unknown	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
13	Trade and transportation	44,941	1,046	7,454	2,352	228	636	415	7	18	2,799	1,160
14	10 to 14 years	54	2	1	.....	.....	.....	.....	.....	.....	.....	1
15	15 to 19 years	1,424	102	345	8	11	13	.....	.....	.....	4	49
16	20 to 24 years	3,293	216	1,075	36	22	17	9	.....	2	13	66
17	25 to 34 years	7,948	349	2,533	108	46	69	90	2	5	98	166
18	35 to 44 years	8,219	198	1,872	274	42	80	145	5	3	230	228
19	45 to 54 years	8,333	110	1,024	594	43	142	108	.....	4	517	262
20	55 to 64 years	7,495	44	432	719	32	174	46	.....	2	790	219
21	65 to 74 years	5,501	21	145	454	24	115	15	.....	1	755	127
22	75 to 84 years	2,226	3	26	140	8	25	2	.....	.....	344	35
23	85 years and over	384	.....	1	16	.....	1	.....	.....	.....	45	7
24	Unknown	64	1	.....	3	.....	.....	.....	.....	1	3	.....
25	Agents	2,625	60	272	177	9	49	16	.....	2	225	75
26	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	19	3	4	.....	.....	.....	.....	.....	.....	.....	.....
28	20 to 24 years	68	9	23	.....	.....	1	.....	.....	.....	.....	1
29	25 to 34 years	262	15	86	6	2	6	.....	.....	.....	1	9
30	35 to 44 years	366	16	69	19	1	.....	5	.....	.....	5	13
31	45 to 54 years	552	9	44	53	1	13	7	.....	1	38	14
32	55 to 64 years	650	5	32	66	3	17	3	.....	1	78	23
33	65 to 74 years	492	3	13	25	1	10	1	.....	.....	64	14
34	75 to 84 years	193	.....	1	8	1	1	.....	.....	.....	34	1
35	85 years and over	23	.....	.....	.....	.....	1	.....	.....	.....	5	.....
36	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Bankers and brokers	712	9	42	44	2	15	1	.....	.....	84	21
38	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
40	20 to 24 years	4	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
41	25 to 34 years	36	1	13	.....	.....	.....	.....	.....	.....	.....	.....
42	35 to 44 years	74	5	9	3	.....	2	.....	.....	.....	2	10
43	45 to 54 years	119	3	4	13	.....	1	.....	.....	.....	12	4
44	55 to 64 years	174	.....	8	13	.....	3	1	.....	.....	17	2
45	65 to 74 years	165	.....	4	9	.....	7	.....	.....	.....	32	2
46	75 to 84 years	116	.....	2	4	2	2	.....	.....	.....	19	2
47	85 years and over	24	.....	.....	2	.....	.....	.....	.....	.....	2	1
48	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Boatmen and sailors	1,757	54	182	88	6	18	13	.....	.....	129	45
50	10 to 14 years	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
51	15 to 19 years	48	8	3	.....	.....	1	.....	.....	.....	.....	.....
52	20 to 24 years	132	17	34	.....	.....	.....	1	.....	.....	.....	2
53	25 to 34 years	242	16	40	4	2	.....	1	.....	.....	2	6
54	35 to 44 years	242	9	38	6	1	1	2	.....	.....	11	9
55	45 to 54 years	309	2	37	20	.....	2	3	.....	.....	15	4
56	55 to 64 years	288	1	17	27	1	6	4	.....	.....	28	12
57	65 to 74 years	289	1	11	23	2	6	2	.....	.....	41	9
58	75 to 84 years	153	.....	1	7	.....	2	.....	.....	.....	28	1
59	85 years and over	43	.....	1	1	.....	.....	.....	.....	.....	4	1
60	Unknown	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Bookkeepers and accountants	1,740	53	391	99	7	25	14	.....	.....	105	65
62	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	38	4	19	.....	.....	.....	.....	.....	.....	.....	2
64	20 to 24 years	163	14	70	2	1	2	.....	.....	.....	.....	4
65	25 to 34 years	347	19	149	4	3	5	2	.....	.....	5	9
66	35 to 44 years	294	10	93	10	1	5	4	.....	.....	4	12
67	45 to 54 years	280	4	36	23	1	6	4	.....	.....	18	12
68	55 to 64 years	305	1	16	29	.....	5	3	.....	.....	34	17
69	65 to 74 years	235	1	7	26	1	2	1	.....	.....	29	8
70	75 to 84 years	67	.....	1	5	.....	.....	.....	.....	.....	13	1
71	85 years and over	11	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
72	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Clerks and copyists	7,384	236	2,088	278	51	92	64	2	4	338	187
74	10 to 14 years	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
75	15 to 19 years	603	47	179	3	6	9	.....	.....	.....	2	18
76	20 to 24 years	1,041	56	465	17	10	7	2	.....	.....	8	15
77	25 to 34 years	1,702	85	779	29	12	14	18	.....	2	26	42
78	35 to 44 years	1,297	27	409	44	11	18	27	2	1	35	31
79	45 to 54 years	1,056	9	180	65	5	17	12	.....	.....	80	42
80	55 to 64 years	848	7	61	68	5	16	4	.....	.....	85	23
81	65 to 74 years	613	4	14	39	1	11	1	.....	.....	80	12
82	75 to 84 years	136	.....	1	12	1	.....	.....	.....	.....	20	4
83	85 years and over	16	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
84	Unknown	3	1	.....	1	.....	.....	.....	.....	1	.....	.....

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
33	5	2	38	2	.....	1	5	1	1	4	1	11	29	11	6	37	30	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
1	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	2	1	1	3
.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	5	4
1	.....	.....	11	.....	.....	.....	1	.....	.....	.....	.....	2	4	1	.....	12	5	5
6	1	.....	10	1	.....	.....	4	.....	.....	1	.....	2	9	4	1	10	5	6
5	2	.....	9	.....	.....	1	.....	.....	1	2	1	.....	5	5	2	6	2	7
8	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	4	3	.....	.....	3	2	8
7	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	1	5	1	1	2	5	9
5	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	3	.....	.....	2	3	10
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	12
4,592	1,973	223	3,297	148	98	250	860	279	129	597	134	1,107	3,911	1,247	265	5,926	3,790	13
1	2	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	4	1	1	.....	31	7	14
65	23	2	61	3	.....	5	1	3	8	70	1	24	26	39	15	399	147	15
127	48	4	163	13	2	13	9	8	9	111	5	60	71	106	23	778	287	16
377	127	10	520	35	10	34	80	26	32	158	16	151	331	266	54	1,578	677	17
654	242	26	714	28	12	53	174	62	17	137	20	175	558	318	69	1,230	653	18
897	331	30	650	34	24	46	286	70	27	88	24	202	912	282	47	982	597	19
1,121	484	35	546	21	19	46	190	50	17	26	39	228	989	151	35	529	511	20
929	458	72	425	10	18	31	91	41	13	7	21	169	729	75	16	261	478	21
374	222	37	178	4	13	19	29	17	6	.....	6	81	243	5	5	77	327	22
47	35	7	32	.....	.....	3	.....	2	.....	.....	2	13	49	.....	1	18	105	23
.....	1	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	.....	43	1	24
342	167	25	202	8	4	11	54	27	3	38	9	73	251	115	16	136	259	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	3	4	27
1	.....	.....	6	.....	.....	1	.....	.....	.....	4	.....	3	1	3	.....	6	9	28
14	6	1	20	.....	.....	.....	1	1	1	13	.....	3	10	16	5	23	23	29
28	16	2	27	2	1	1	4	7	.....	11	3	16	26	27	5	23	39	30
63	25	1	41	2	1	5	18	5	.....	8	2	17	66	29	3	35	51	31
102	46	3	43	2	2	2	22	7	1	1	2	20	71	29	2	22	45	32
97	53	11	44	2	.....	1	8	5	1	.....	1	7	50	9	1	16	55	33
34	19	6	19	.....	.....	1	1	2	.....	.....	1	7	22	1	.....	7	27	34
2	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	1	6	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
86	58	5	77	1	1	1	15	14	3	12	.....	18	93	21	6	25	58	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	39
.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	40
1	1	.....	4	.....	.....	.....	.....	1	.....	.....	.....	2	3	2	1	2	5	41
2	4	.....	11	.....	.....	.....	2	1	.....	2	.....	1	4	6	2	4	4	42
12	1	.....	10	.....	1	.....	5	5	1	6	.....	3	21	5	1	8	8	43
26	23	2	17	.....	.....	.....	4	5	.....	3	.....	1	25	6	1	6	11	44
16	18	1	19	.....	.....	1	2	1	1	1	.....	6	21	2	1	8	13	45
26	10	2	11	1	.....	.....	2	1	.....	.....	.....	4	13	.....	.....	1	14	46
3	1	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	1	6	.....	.....	1	3	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
176	78	10	130	6	5	9	25	16	4	17	6	28	166	40	16	315	175	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	50
1	.....	.....	2	.....	.....	.....	.....	.....	.....	4	.....	1	.....	1	3	22	2	51
2	2	.....	6	.....	.....	2	.....	.....	.....	.....	.....	.....	4	7	1	40	14	52
10	3	.....	15	1	.....	.....	3	3	2	3	1	4	11	8	3	74	30	53
22	8	.....	20	1	1	3	3	1	.....	5	.....	1	11	10	4	57	18	54
33	16	1	29	3	1	1	7	4	1	4	.....	5	29	3	1	69	19	55
35	14	4	27	.....	.....	.....	4	2	.....	1	2	7	34	5	2	33	22	56
42	21	5	18	1	2	3	5	3	1	.....	1	6	50	5	.....	8	23	57
29	8	.....	7	.....	1	.....	3	3	.....	.....	2	4	20	1	1	4	31	58
2	6	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	1	1	15	59
.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	1	60
217	88	6	107	8	.....	12	26	6	4	39	4	38	146	59	6	62	153	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	62
1	.....	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	1	.....	3	5	63
7	3	.....	2	2	.....	.....	.....	.....	1	10	.....	5	5	1	.....	15	19	64
19	11	.....	19	2	.....	3	1	1	.....	15	.....	4	10	18	.....	15	33	65
35	9	.....	22	.....	.....	2	3	1	.....	9	.....	7	19	15	4	6	23	66
37	12	.....	26	3	.....	2	11	1	1	2	1	6	30	13	2	8	21	67
53	24	1	19	1	.....	1	6	2	2	2	3	2	41	7	.....	8	28	68
49	17	4	14	.....	.....	1	4	1	.....	.....	.....	13	35	3	.....	6	13	69
12	10	1	4	.....	.....	2	1	.....	.....	.....	.....	1	6	1	.....	1	8	70
4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72
633	262	28	541	37	13	40	132	51	26	153	16	195	603	224	51	395	644	73
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	5	1	74
28	15	.....	30	.....	.....	2	.....	3	5	37	.....	14	17	18	6	99	65	75
50	19	2	48	7	1	4	4	6	4	47	2	19	32	30	10	64	112	76
93	24	2	112	9	4	6	21	8	6	35	3	38	91	73	13	80	137	77
97	36	3	139	6	1	13	36	12	3	19	1	23	107	42	6	52	96	78
110	48	6	84	6	2	5	37	11	5	12	1	33	119	38	11	41	77	79
131	57	4	64	5	1	5	23	4	2	2	8	31	132	14	3	26	67	80
103	51	6	52	2	3	3	11	6	1	1	1	32	87	8	2	24	58	81
21	11	5	9	2	1	2	.....	1	.....	.....	.....	2	14	1	.....	3	26	82
.....	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	1	5	83
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
1	Trade and transportation—Continued. Commercial travelers	542	19	54	36	1	17	4	.....	.....	42	21
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	20 to 24 years	17	1	4	.....	.....	.....	.....	.....	.....	.....	.....
5	25 to 34 years	78	9	23	1	.....	4	1	.....	.....	3	.....
6	35 to 44 years	96	4	12	4	.....	3	1	.....	.....	5	10
7	45 to 54 years	145	5	7	13	.....	5	1	.....	.....	9	7
8	55 to 64 years	113	.....	6	11	.....	2	1	.....	.....	13	3
9	65 to 74 years	73	.....	2	7	1	3	.....	.....	.....	9	1
10	75 to 84 years	14	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
11	85 years and over	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Unknown	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
13	Draymen, hackmen, teamsters, etc	5,791	126	1,353	243	25	37	94	.....	2	254	125
14	10 to 14 years	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	180	13	45	1	1	.....	.....	.....	.....	1	8
16	20 to 24 years	441	22	133	8	4	1	2	.....	1	1	17
17	25 to 34 years	1,333	52	477	13	8	9	30	.....	1	16	26
18	35 to 44 years	1,369	18	401	36	2	4	37	.....	.....	34	21
19	45 to 54 years	1,086	15	198	61	7	10	19	.....	.....	46	24
20	55 to 64 years	736	4	75	73	1	10	6	.....	.....	77	16
21	65 to 74 years	441	1	21	37	2	2	.....	.....	.....	51	11
22	75 to 84 years	177	.....	3	13	.....	1	.....	.....	.....	25	2
23	85 years and over	18	.....	.....	1	.....	.....	.....	.....	.....	2	.....
24	Unknown	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
25	Foremen and overseers	745	22	65	63	6	14	3	.....	.....	62	14
26	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	20 to 24 years	18	2	4	1	.....	1	.....	.....	.....	.....	.....
29	25 to 34 years	85	4	16	.....	3	.....	.....	.....	.....	1	.....
30	35 to 44 years	160	9	23	8	1	2	.....	.....	.....	6	3
31	45 to 54 years	182	4	18	14	2	3	2	.....	.....	13	3
32	55 to 64 years	104	2	3	24	.....	5	1	.....	.....	14	6
33	65 to 74 years	103	1	.....	14	.....	2	.....	.....	.....	22	1
34	75 to 84 years	26	.....	1	2	.....	1	.....	.....	.....	5	.....
35	85 years and over	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1
36	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Hostlers	540	6	111	15	3	1	9	.....	.....	26	6
38	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	5	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
40	20 to 24 years	29	.....	9	.....	.....	.....	.....	.....	.....	.....	.....
41	25 to 34 years	79	3	29	.....	.....	.....	3	.....	.....	1	2
42	35 to 44 years	128	1	38	4	.....	.....	3	.....	.....	2	1
43	45 to 54 years	130	1	23	6	1	1	3	.....	.....	5	2
44	55 to 64 years	99	.....	9	4	2	.....	.....	.....	.....	11	1
45	65 to 74 years	52	1	1	1	.....	.....	.....	.....	.....	4	.....
46	75 to 84 years	15	.....	.....	.....	.....	.....	.....	.....	.....	3	.....
47	85 years and over	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
48	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Hucksters and peddlers	799	3	146	62	3	7	8	.....	.....	43	18
50	10 to 14 years	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	15	.....	4	1	.....	.....	.....	.....	.....	.....	1
52	20 to 24 years	31	1	6	.....	.....	.....	.....	.....	.....	.....	.....
53	25 to 34 years	88	.....	39	2	.....	.....	1	.....	.....	1	3
54	35 to 44 years	135	.....	43	9	.....	3	2	.....	.....	4	2
55	45 to 54 years	193	1	33	16	2	1	3	.....	.....	11	2
56	55 to 64 years	158	1	12	20	.....	2	2	.....	.....	7	7
57	65 to 74 years	123	.....	6	13	.....	1	.....	.....	.....	12	3
58	75 to 84 years	45	.....	3	1	1	.....	.....	.....	.....	6	.....
59	85 years and over	8	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
60	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Livery-stable keepers	253	4	27	21	1	6	4	.....	.....	26	9
62	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
64	20 to 24 years	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....
65	25 to 34 years	30	1	9	.....	.....	.....	2	.....	.....	.....	.....
66	35 to 44 years	38	.....	6	2	.....	.....	1	.....	.....	2	2
67	45 to 54 years	52	.....	9	3	1	3	.....	.....	.....	4	1
68	55 to 64 years	64	2	.....	10	.....	2	1	.....	.....	9	4
69	65 to 74 years	40	.....	.....	3	.....	1	.....	.....	.....	10	2
70	75 to 84 years	20	.....	1	1	.....	.....	.....	.....	.....	1	.....
71	85 years and over	5	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
72	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Merchants and dealers (except wholesale)	9,329	170	921	693	56	201	86	2	6	885	300
74	10 to 14 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
75	15 to 19 years	41	5	10	.....	.....	.....	.....	.....	.....	.....	5
76	20 to 24 years	179	19	60	4	1	1	2	.....	.....	1	6
77	25 to 34 years	837	51	254	18	4	10	13	2	2	18	24
78	35 to 44 years	1,369	41	256	60	13	16	29	.....	2	59	61
79	45 to 54 years	1,901	26	193	154	13	46	26	.....	2	132	80
80	55 to 64 years	2,091	19	108	214	10	69	11	.....	.....	247	61
81	65 to 74 years	1,821	7	33	174	13	45	4	.....	.....	267	41
82	75 to 84 years	916	2	7	63	2	14	1	.....	.....	144	18
83	85 years and over	171	.....	.....	6	.....	.....	.....	.....	.....	17	4
84	Unknown	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
53	38	3	28	3	.....	.....	13	4	3	8	.....	21	52	27	8	42	45	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	3
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	3	4	4
2	2	.....	3	.....	.....	.....	1	1	.....	3	.....	2	2	6	3	7	5	5
4	4	.....	5	1	.....	.....	3	.....	1	2	.....	5	7	7	1	10	7	6
11	9	1	5	1	.....	.....	5	1	2	1	.....	4	21	6	2	17	12	7
20	12	1	6	1	.....	.....	3	.....	.....	1	.....	7	12	3	1	2	8	8
13	10	.....	5	.....	.....	.....	1	1	.....	.....	.....	1	8	2	1	2	6	9
3	1	1	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	3	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	11
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	12
557	168	27	533	19	14	38	130	24	11	53	17	127	436	131	36	793	418	13
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	14
7	1	1	12	.....	.....	.....	.....	.....	1	6	.....	5	3	3	3	44	25	15
18	8	1	37	2	.....	1	3	1	.....	14	2	11	12	12	5	89	36	16
79	20	1	133	6	2	12	22	3	3	14	.....	22	56	39	7	183	99	17
115	30	4	148	4	2	9	37	8	2	14	1	28	86	30	11	196	91	18
119	36	4	105	6	5	7	37	6	1	4	4	20	108	29	4	142	69	19
104	27	4	64	1	2	5	17	3	.....	1	7	22	90	11	4	84	28	20
73	28	7	28	.....	2	3	10	2	2	.....	2	10	59	6	2	43	39	21
39	15	4	6	.....	1	1	4	1	2	.....	1	8	18	.....	.....	7	26	22
3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	1	4	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	24
84	41	3	51	6	.....	8	17	6	3	17	2	19	68	21	7	78	65	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	6	2	28
7	2	.....	4	.....	.....	.....	1	.....	2	6	.....	1	7	5	2	14	10	29
12	7	.....	12	1	.....	.....	3	1	.....	6	1	6	10	8	2	22	17	30
19	8	1	12	4	.....	3	6	2	.....	3	1	4	22	4	.....	21	13	31
26	9	.....	12	1	.....	4	3	1	1	1	.....	5	16	2	3	13	12	32
17	10	2	9	.....	.....	.....	3	2	.....	.....	.....	2	12	1	.....	1	4	33
3	3	.....	2	.....	.....	1	1	.....	.....	.....	.....	1	1	.....	.....	.....	5	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	35
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
66	21	2	75	1	.....	1	5	1	1	3	8	11	46	19	4	54	45	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	39
1	1	.....	5	.....	.....	.....	.....	.....	1	1	.....	.....	.....	4	.....	4	3	40
4	1	.....	7	.....	.....	.....	1	.....	.....	1	1	.....	2	4	.....	16	4	41
10	4	.....	20	.....	.....	.....	.....	.....	.....	.....	4	3	7	6	2	12	11	42
16	4	.....	21	1	.....	1	3	.....	.....	.....	2	3	14	1	2	11	9	43
19	4	.....	10	.....	.....	.....	1	1	.....	1	1	1	15	1	.....	6	12	44
14	4	2	10	.....	.....	.....	.....	.....	.....	.....	.....	2	5	2	.....	3	3	45
.....	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	2	1	46
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	48
86	30	5	76	1	2	9	12	4	2	8	5	19	88	26	5	56	75	49
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	50
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	3	1	51
2	2	.....	2	.....	.....	1	.....	.....	.....	1	.....	2	2	2	.....	5	5	52
2	1	.....	4	.....	.....	2	2	1	.....	1	.....	2	7	1	.....	4	15	53
9	3	.....	12	1	1	2	.....	1	1	2	1	1	9	7	2	10	10	54
23	9	1	17	.....	1	1	8	1	.....	4	1	4	19	9	.....	10	16	55
23	9	1	20	.....	.....	2	2	1	.....	.....	2	2	21	3	.....	11	10	56
19	2	1	12	.....	.....	1	.....	.....	.....	.....	1	7	24	2	1	9	9	57
7	4	2	8	.....	.....	.....	.....	.....	1	.....	.....	1	6	.....	.....	2	3	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60
34	6	5	16	.....	2	1	9	3	1	2	4	6	29	8	1	11	17	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	62
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	63
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	64
.....	.....	.....	2	.....	.....	.....	1	.....	1	1	1	1	2	1	.....	2	6	65
2	.....	1	4	.....	1	.....	3	1	.....	1	.....	2	5	3	.....	1	1	66
3	3	1	2	.....	1	1	.....	1	.....	.....	2	1	5	4	.....	3	4	67
13	1	.....	3	.....	.....	.....	4	.....	.....	.....	1	1	7	.....	1	2	3	68
9	.....	2	3	.....	.....	.....	1	1	.....	.....	.....	1	6	.....	.....	1	.....	69
6	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	1	3	70
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72
1,226	609	59	656	24	31	62	245	72	30	89	37	308	1,052	224	46	322	917	73
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	74
5	.....	.....	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	8	2	75
13	4	.....	11	.....	.....	.....	.....	.....	.....	6	.....	6	3	6	2	17	17	76
54	19	2	68	4	2	2	11	2	3	24	5	25	43	27	5	49	96	77
129	47	8	107	3	.....	10	49	12	3	23	5	35	134	56	14	65	132	78
233	87	8	119	4	5	12	86	24	10	23	7	58	230	73	9	76	165	79
310	164	8	137	8	9	18	60	16	8	10	9	81	278	38	8	39	151	80
311	163	21	133	4	6	11	24	13	4	2	9	56	237	21	5	44	173	81
144	107	10	65	.....	9	8	15	4	2	.....	.....	39	108	1	3	19	131	82
27	18	2	13	.....	.....	1	.....	1	.....	.....	2	8	18	.....	.....	4	50	83
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
1	Trade and transportation—Continued. Merchants and dealers (wholesale)	239	6	20	15	1	3	1	.....	.....	21	9
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	20 to 24 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	25 to 34 years	17	1	1	.....	.....	.....	1	.....	.....	.....	.....
6	35 to 44 years	30	3	8	1	.....	.....	.....	.....	.....	2	2
7	45 to 54 years	48	2	4	4	.....	1	.....	.....	.....	2	2
8	55 to 64 years	59	.....	4	6	1	.....	.....	.....	.....	6	3
9	65 to 74 years	50	.....	3	1	.....	2	.....	.....	.....	5	1
10	75 to 84 years	27	.....	.....	2	.....	.....	.....	.....	.....	6	1
11	85 years and over	7	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
12	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Messengers and errand and office boys	209	8	41	6	2	2	.....	.....	1	9	6
14	10 to 14 years	19	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	101	3	26	2	2	2	.....	.....	.....	.....	3
16	20 to 24 years	10	2	4	.....	.....	.....	.....	.....	1	.....	.....
17	25 to 34 years	13	1	6	1	.....	.....	.....	.....	.....	.....	.....
18	35 to 44 years	11	1	2	1	.....	.....	.....	.....	.....	1	.....
19	45 to 54 years	10	.....	2	.....	.....	.....	.....	.....	.....	.....	2
20	55 to 64 years	13	.....	.....	1	.....	.....	.....	.....	.....	2	1
21	65 to 74 years	22	.....	1	1	.....	.....	.....	.....	.....	2	.....
22	75 to 84 years	8	.....	.....	.....	.....	.....	.....	.....	.....	4	.....
23	85 years and over	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Officials of banks and companies	440	11	38	36	.....	12	1	.....	.....	32	14
26	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
28	20 to 24 years	19	3	3	.....	.....	.....	.....	.....	.....	.....	1
29	25 to 34 years	46	5	11	2	.....	2	.....	.....	.....	.....	2
30	35 to 44 years	75	2	10	2	.....	2	1	.....	.....	1	1
31	45 to 54 years	85	1	6	9	.....	3	.....	.....	.....	7	4
32	55 to 64 years	94	.....	3	13	.....	2	.....	.....	.....	10	2
33	65 to 74 years	78	.....	4	8	.....	2	.....	.....	.....	11	2
34	75 to 84 years	34	.....	.....	2	.....	1	.....	.....	.....	3	2
35	85 years and over	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Packers and shippers	226	5	66	15	2	2	1	1	.....	8	4
38	10 to 14 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	20	1	10	.....	.....	.....	.....	.....	.....	.....	.....
40	20 to 24 years	13	1	5	.....	.....	.....	.....	.....	.....	.....	1
41	25 to 34 years	33	1	12	1	1	.....	.....	.....	.....	.....	1
42	35 to 44 years	49	1	24	2	.....	.....	.....	1	.....	.....	1
43	45 to 54 years	53	1	12	5	.....	1	.....	.....	.....	2	1
44	55 to 64 years	35	.....	3	5	1	1	1	.....	.....	1	.....
45	65 to 74 years	15	.....	.....	2	.....	.....	.....	.....	.....	4	.....
46	75 to 84 years	7	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
47	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
48	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Porters and helpers (in stores, etc.)	1,253	21	355	38	8	5	25	.....	.....	37	24
50	10 to 14 years	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	41	1	17	1	1	.....	.....	.....	.....	1	3
52	20 to 24 years	128	6	57	1	1	.....	1	.....	.....	.....	3
53	25 to 34 years	264	4	101	1	1	1	5	.....	.....	2	3
54	35 to 44 years	323	4	102	6	2	1	10	.....	.....	11	10
55	45 to 54 years	264	4	57	12	2	2	3	.....	.....	5	2
56	55 to 64 years	155	1	16	10	1	1	4	.....	.....	12	3
57	65 to 74 years	61	1	4	5	.....	.....	2	.....	.....	5	.....
58	75 to 84 years	11	.....	1	2	.....	.....	.....	.....	.....	.....	.....
59	85 years and over	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
60	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Salesmen	2,550	59	404	152	16	53	27	1	1	164	66
62	10 to 14 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	36	4	6	.....	.....	1	.....	.....	.....	.....	3
64	20 to 24 years	122	13	44	1	3	2	.....	.....	.....	.....	3
65	25 to 34 years	449	22	146	8	3	5	6	.....	.....	4	5
66	35 to 44 years	530	9	112	19	3	10	8	1	.....	17	15
67	45 to 54 years	566	10	63	45	5	11	9	.....	.....	50	22
68	55 to 64 years	495	.....	26	46	2	11	2	.....	1	52	10
69	65 to 74 years	264	1	6	24	.....	12	2	.....	.....	28	6
70	75 to 84 years	73	.....	1	7	.....	1	.....	.....	.....	12	2
71	85 years and over	12	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
72	Unknown	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
73	Steam-railroad employees	5,555	108	389	180	17	49	30	.....	1	183	99
74	10 to 14 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
75	15 to 19 years	186	6	3	.....	.....	.....	.....	.....	.....	.....	3
76	20 to 24 years	587	31	43	.....	.....	.....	1	.....	.....	.....	5
77	25 to 34 years	1,382	38	145	9	5	6	3	.....	.....	13	18
78	35 to 44 years	1,133	21	104	22	4	6	11	.....	.....	14	19
79	45 to 54 years	941	11	62	50	3	11	11	.....	.....	33	26
80	55 to 64 years	724	.....	23	59	2	18	1	.....	.....	57	17
81	65 to 74 years	407	.....	7	31	3	6	2	.....	1	55	11
82	75 to 84 years	136	1	2	7	.....	2	1	.....	.....	8	.....
83	85 years and over	20	.....	.....	2	.....	.....	.....	.....	.....	2	.....
84	Unknown	38	.....	.....	.....	.....	.....	.....	.....	.....	1	.....

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
38	20	4	14	.....	1	3	2	3	1	5	.....	3	36	1	.....	15	17	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
4	1	.....	.....	.....	.....	.....	.....	.....	1	4	.....	1	1	.....	.....	.....	2	5
2	1	.....	1	.....	.....	.....	1	.....	.....	1	.....	1	3	.....	.....	3	1	6
6	4	.....	3	.....	.....	1	1	.....	.....	.....	.....	1	6	1	.....	7	3	7
10	4	1	4	.....	1	1	.....	1	.....	.....	.....	.....	14	.....	.....	1	2	8
13	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	.....	.....	3	5	9
3	4	1	4	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	3	10
.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
11	6	1	14	.....	.....	3	2	2	.....	5	3	5	10	3	.....	44	25	13
1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	11	3	14
5	1	1	5	.....	.....	1	.....	.....	.....	4	1	.....	1	1	.....	31	12	15
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	16
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	17
1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	3	.....	.....	.....	.....	18
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	1	19
1	.....	.....	1	.....	.....	1	2	.....	.....	.....	.....	1	1	.....	.....	1	1	20
1	3	.....	4	.....	.....	.....	.....	2	.....	.....	1	2	2	.....	.....	.....	3	21
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	22
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
70	35	1	26	2	1	3	7	1	1	5	1	16	37	14	2	32	42	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	27
2	1	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	2	.....	4	.....	28
3	.....	.....	3	.....	.....	.....	1	.....	.....	1	.....	1	.....	1	1	5	8	29
13	7	.....	2	.....	.....	1	.....	1	.....	2	.....	2	3	8	.....	7	10	30
9	7	.....	3	.....	1	.....	1	.....	.....	1	.....	4	11	3	.....	7	8	31
19	6	.....	7	.....	.....	1	3	.....	.....	.....	.....	5	15	.....	.....	3	5	32
16	8	.....	6	.....	.....	.....	2	.....	.....	.....	1	4	6	.....	1	2	5	33
7	6	.....	5	1	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	5	34
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
16	8	.....	20	1	2	.....	1	.....	1	1	.....	6	26	4	1	16	19	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	38
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	5	.....	39
1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	1	.....	40
1	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	1	5	1	.....	1	4	41
3	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	3	6	42
4	1	.....	8	.....	.....	.....	.....	.....	.....	1	.....	2	8	1	.....	4	2	43
4	2	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	1	6	1	1	.....	5	44
2	1	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	1	45
.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	46
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
135	36	7	146	5	2	13	21	3	5	7	3	29	116	23	7	67	115	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	50
3	1	.....	2	2	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	1	5	51
6	3	.....	11	.....	.....	2	1	.....	1	.....	1	4	2	5	1	5	17	52
16	5	2	27	2	1	4	2	.....	3	2	1	10	10	4	2	15	40	53
37	7	2	37	1	1	3	4	2	1	2	.....	6	22	7	2	16	27	54
43	5	1	40	.....	.....	1	9	.....	.....	.....	.....	2	44	5	1	11	15	55
23	12	.....	15	.....	.....	1	4	1	.....	.....	1	1	23	2	.....	17	7	56
4	3	.....	12	.....	.....	1	1	.....	.....	2	.....	3	12	.....	1	2	3	57
2	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	58
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	59
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60
292	114	7	195	6	2	9	71	13	7	47	7	72	261	125	25	117	237	61
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	62
2	1	.....	1	.....	.....	.....	1	.....	.....	3	.....	.....	.....	1	.....	7	6	63
6	1	.....	6	.....	.....	.....	.....	1	.....	10	.....	3	1	11	.....	11	6	64
26	12	1	31	1	.....	2	3	.....	3	14	2	10	28	21	4	27	65	65
50	19	1	57	3	.....	.....	14	2	1	11	.....	17	39	35	6	24	57	66
63	24	2	43	.....	1	2	28	5	2	8	2	13	51	31	8	24	44	67
89	26	2	34	2	.....	1	14	1	.....	.....	1	16	89	18	6	18	28	68
46	24	1	12	.....	1	4	9	2	.....	1	2	6	43	8	1	3	22	69
9	7	.....	8	.....	.....	.....	2	1	1	.....	.....	5	9	.....	.....	2	6	70
1	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	2	1	.....	.....	1	3	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72
297	125	22	240	9	11	14	36	20	14	43	9	73	233	83	13	2,969	288	73
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	74
2	2	.....	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	4	.....	156	6	75
8	1	.....	12	.....	.....	1	.....	.....	.....	7	.....	3	3	9	3	439	21	76
24	12	1	36	4	.....	1	3	3	5	10	2	12	21	17	4	935	55	77
44	25	5	50	2	1	3	7	9	3	15	2	15	31	28	3	635	54	78
55	21	2	48	2	4	2	10	2	2	7	1	16	59	12	.....	449	42	79
88	31	4	41	.....	3	3	10	4	3	2	1	17	66	7	2	217	48	80
54	26	7	31	1	2	2	6	1	1	.....	2	7	40	5	.....	75	31	81
21	6	2	18	.....	1	1	.....	1	.....	.....	1	3	12	.....	1	24	24	82
1	1	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	2	7	83
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	36	.....	84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
1	Trade and transportation—Continued. Stenographers and typewriters	154	7	57	1	1	2	1	.....	.....	1	2
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	22	2	5	.....	.....	.....	.....	.....	.....	.....	.....
4	20 to 24 years	54	3	25	.....	.....	2	.....	.....	.....	.....	.....
5	25 to 34 years	47	1	21	.....	.....	.....	1	.....	.....	.....	2
6	35 to 44 years	20	1	6	1	1	.....	.....	.....	.....	.....	.....
7	45 to 54 years	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	55 to 64 years	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
9	65 to 74 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	75 to 84 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Street-railway employees	697	25	132	23	2	10	2	.....	.....	33	16
14	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	15	2	4	.....	.....	.....	.....	.....	.....	.....	.....
16	20 to 24 years	84	5	26	1	.....	.....	.....	.....	.....	2	2
17	25 to 34 years	208	9	61	4	1	3	.....	.....	.....	5	5
18	35 to 44 years	181	9	30	5	1	4	1	.....	.....	7	1
19	45 to 54 years	123	.....	6	12	.....	2	1	.....	.....	9	4
20	55 to 64 years	53	.....	4	1	.....	.....	.....	.....	.....	5	3
21	65 to 74 years	24	.....	1	.....	.....	1	.....	.....	.....	3	1
22	75 to 84 years	7	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
23	85 years and over	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Telegraph and telephone linemen	210	5	35	3	2	1	2	.....	.....	5	5
26	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	20 to 24 years	39	1	8	.....	1	.....	.....	.....	.....	1	2
29	25 to 34 years	77	3	11	1	.....	1	.....	.....	.....	.....	3
30	35 to 44 years	53	1	11	1	.....	.....	1	.....	.....	.....	.....
31	45 to 54 years	23	.....	3	.....	.....	.....	1	.....	.....	.....	.....
32	55 to 64 years	9	.....	2	1	1	.....	.....	.....	.....	2	.....
33	65 to 74 years	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
34	75 to 84 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	85 years and over	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
36	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Telegraph and telephone operators	344	15	97	10	5	5	4	.....	.....	22	9
38	10 to 14 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	21	1	5	.....	1	.....	.....	.....	.....	.....	1
40	20 to 24 years	55	8	24	1	1	.....	.....	.....	.....	.....	1
41	25 to 34 years	81	4	34	1	1	.....	2	.....	.....	.....	2
42	35 to 44 years	84	.....	24	3	.....	2	1	.....	.....	6	3
43	45 to 54 years	53	2	10	1	.....	2	1	.....	.....	8	1
44	55 to 64 years	34	.....	.....	3	2	1	.....	.....	.....	4	1
45	65 to 74 years	14	.....	.....	1	.....	.....	.....	.....	.....	4	.....
46	75 to 84 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
47	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
48	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Undertakers	248	2	32	18	1	3	2	.....	1	25	5
50	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	20 to 24 years	13	.....	8	.....	.....	.....	.....	.....	.....	.....	2
53	25 to 34 years	27	.....	9	1	.....	1	.....	.....	.....	.....	.....
54	35 to 44 years	34	1	8	2	1	.....	1	.....	.....	.....	.....
55	45 to 54 years	51	.....	4	4	.....	.....	1	.....	1	6	.....
56	55 to 64 years	47	1	1	4	.....	1	.....	.....	.....	8	1
57	65 to 74 years	52	.....	2	5	.....	1	.....	.....	.....	7	2
58	75 to 84 years	21	.....	.....	2	.....	.....	.....	.....	.....	3	.....
59	85 years and over	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
60	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Other persons in trade and transportation	599	12	136	36	1	7	3	1	.....	40	15
62	10 to 14 years	7	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	19	2	2	.....	.....	.....	.....	.....	.....	.....	2
64	20 to 24 years	41	1	16	.....	.....	.....	.....	.....	.....	.....	1
65	25 to 34 years	125	4	61	2	.....	2	1	.....	.....	.....	4
66	35 to 44 years	128	5	34	4	.....	1	.....	1	.....	2	1
67	45 to 54 years	106	.....	13	11	.....	1	1	.....	.....	12	3
68	55 to 64 years	81	.....	3	11	.....	2	1	.....	.....	10	3
69	65 to 74 years	64	.....	5	5	.....	1	.....	.....	.....	9	.....
70	75 to 84 years	23	.....	1	2	1	.....	.....	.....	.....	5	1
71	85 years and over	5	.....	.....	1	.....	.....	.....	.....	.....	2	.....
72	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Manufacturing and mechanical pursuits	63,880	1,250	9,875	3,600	290	673	558	58	34	4,624	1,539
74	10 to 14 years	47	2	1	.....	.....	.....	.....	.....	.....	.....	4
75	15 to 19 years	1,414	110	313	9	6	8	1	1	1	8	51
76	20 to 24 years	3,513	223	1,140	22	17	19	11	1	2	20	73
77	25 to 34 years	8,481	399	2,615	125	41	67	65	6	4	95	185
78	35 to 44 years	10,405	255	2,602	377	55	81	171	11	7	273	276
79	45 to 54 years	11,597	164	1,812	770	54	126	161	16	4	660	296
80	55 to 64 years	11,408	69	932	1,066	43	185	86	16	8	1,157	293
81	65 to 74 years	9,849	22	362	881	57	146	48	7	6	1,352	232
82	75 to 84 years	5,813	6	80	311	16	35	10	.....	2	893	111
83	85 years and over	1,282	.....	12	37	1	5	2	.....	.....	164	15
84	Unknown	71	.....	6	2	.....	1	3	.....	.....	2	3

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
11	1	.....	9	1	2	.....	1	.....	1	10	1	.....	8	12	2	6	17	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
2	.....	.....	.....	.....	.....	.....	.....	.....	1	6	.....	.....	.....	1	1	2	2	3
2	1	.....	5	.....	1	.....	.....	.....	.....	.....	.....	.....	2	2	.....	3	8	4
3	.....	.....	2	1	.....	.....	.....	.....	.....	3	.....	.....	2	5	1	1	4	5
2	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	2	3	.....	.....	1	6
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....	1	7
2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	8
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
44	21	.....	43	4	1	4	9	2	.....	12	2	10	46	29	5	178	44	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	5	1	15
.....	1	.....	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	4	.....	35	4	16
7	2	.....	11	3	.....	1	.....	1	.....	4	.....	5	4	11	2	59	10	17
11	9	.....	13	1	1	3	1	1	.....	5	2	2	10	8	1	41	14	18
17	4	.....	10	.....	.....	.....	4	.....	.....	.....	.....	2	15	6	2	22	7	19
7	3	.....	5	.....	.....	.....	3	.....	.....	.....	.....	.....	11	.....	.....	10	1	20
1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	5	.....	.....	5	4	21
.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	22
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	24
12	4	1	10	.....	.....	1	1	1	2	2	.....	2	9	4	.....	94	9	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	2	.....	27
1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	19	1	28
2	2	.....	2	.....	.....	1	.....	.....	.....	.....	.....	1	3	.....	.....	44	3	29
5	.....	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....	3	.....	.....	24	3	30
3	1	.....	5	.....	.....	.....	1	1	.....	.....	.....	.....	1	2	.....	4	1	31
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	32
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
22	7	1	14	1	1	1	4	2	2	7	.....	8	27	13	2	33	32	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	38
2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	3	4	39
4	.....	.....	.....	.....	.....	1	.....	.....	.....	3	.....	1	1	1	.....	7	2	40
.....	.....	.....	3	.....	.....	.....	1	.....	1	2	.....	2	5	3	1	10	9	41
5	2	.....	3	.....	.....	.....	2	.....	.....	2	.....	2	6	5	1	6	11	42
2	1	1	2	1	.....	.....	.....	1	1	.....	.....	2	7	2	.....	5	3	43
4	2	.....	4	.....	.....	.....	1	.....	.....	.....	.....	.....	7	1	.....	1	3	44
5	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	45
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	46
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
29	10	1	17	3	1	3	12	.....	3	4	.....	10	26	7	3	6	24	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	52
.....	.....	.....	1	.....	.....	.....	4	.....	1	.....	.....	2	3	.....	.....	1	4	53
3	.....	.....	6	2	1	1	.....	.....	.....	1	.....	.....	1	3	.....	1	2	54
7	2	.....	3	1	.....	1	4	.....	1	2	.....	1	4	2	1	2	4	55
1	3	.....	2	.....	.....	1	1	.....	.....	1	.....	3	9	1	1	.....	8	56
11	4	1	4	.....	.....	.....	3	.....	1	.....	.....	2	6	1	.....	.....	2	57
6	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	4	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60
55	20	.....	57	2	2	4	10	4	1	10	.....	10	46	14	3	60	50	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	5	.....	62
2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	.....	3	3	63
1	.....	.....	5	1	.....	.....	.....	.....	.....	3	.....	1	1	2	.....	4	5	64
5	3	.....	10	1	.....	.....	1	1	.....	2	.....	2	5	2	.....	11	8	65
13	2	.....	11	.....	1	1	1	2	1	3	.....	2	6	4	3	12	18	66
9	3	.....	13	.....	1	1	5	.....	.....	1	.....	.....	19	1	.....	10	2	67
11	5	.....	8	.....	.....	.....	3	1	.....	.....	.....	3	6	2	.....	8	4	68
12	5	.....	7	.....	.....	.....	.....	.....	.....	.....	.....	1	7	.....	.....	6	6	69
2	1	.....	2	.....	.....	2	.....	.....	.....	.....	.....	1	1	.....	.....	1	3	70
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72
7,307	2,578	563	5,041	238	181	518	1,199	414	172	623	187	1,681	5,516	1,790	484	7,119	5,768	73
1	.....	.....	5	.....	.....	.....	.....	.....	1	5	.....	1	.....	1	2	22	2	74
58	13	3	96	5	.....	8	3	2	8	70	2	18	15	31	16	424	134	75
114	34	10	187	8	.....	22	5	13	9	126	6	58	66	130	36	886	275	76
403	119	16	593	39	3	42	64	28	31	150	22	157	326	336	95	1,760	695	77
753	225	42	950	32	20	87	201	73	25	119	17	230	672	379	108	1,626	738	78
1,244	395	73	1,047	45	35	109	328	105	41	92	31	315	1,119	441	104	1,166	844	79
1,716	597	97	914	58	52	110	334	90	23	37	44	325	1,316	297	66	652	825	80
1,818	620	138	752	33	43	74	198	68	22	19	38	317	1,217	124	33	349	873	81
1,003	475	132	413	15	23	52	60	31	9	5	23	210	687	40	20	160	991	82
187	100	52	83	2	5	14	6	4	3	.....	4	49	98	7	2	47	383	83
10	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	1	.....	4	2	27	8	84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
	Manufacturing and mechanical pursuits—Continued.											
	Building trades.											
1	Carpenters and joiners	7,883	136	793	564	36	78	66	2	3	791	197
2	10 to 14 years	2		1								1
3	15 to 19 years	37	2	6								3
4	20 to 24 years	186	21	58	4		2	1			2	3
5	25 to 34 years	565	40	147	13	4	6	4			5	16
6	35 to 44 years	874	29	197	42	4	8	12			29	23
7	45 to 54 years	1,256	27	171	89	5	12	23	1		82	40
8	55 to 64 years	1,621	12	138	162	12	18	14			162	45
9	65 to 74 years	1,762	4	55	166	9	20	10	1	3	262	36
10	75 to 84 years	1,283	1	17	75	2	10	2			211	23
11	85 years and over	285		2	11		1				37	6
12	Unknown	12		1	2		1				1	1
13	Masons (brick and stone)	2,399	30	333	155	8	23	21		2	196	48
14	10 to 14 years											
15	15 to 19 years	10	2									
16	20 to 24 years	62	7	22								2
17	25 to 34 years	188	9	62	2	1	1				3	6
18	35 to 44 years	346	2	103	11	2	3	9			6	7
19	45 to 54 years	419	6	82	28	2	4	4		1	19	4
20	55 to 64 years	512	1	38	58	1	7	4			48	13
21	65 to 74 years	470	3	21	38	1	5	3		1	59	12
22	75 to 84 years	311		4	15	1	3	1			53	4
23	85 years and over	79			3						8	
24	Unknown	2		1								
25	Painters, glaziers, and varnishers	3,720	43	704	192	12	32	43	43	4	274	95
26	10 to 14 years											
27	15 to 19 years	54	5	11	1				1			2
28	20 to 24 years	166	7	68	2		1	1	1			5
29	25 to 34 years	471	15	175	8		5	2	5		2	6
30	35 to 44 years	756	6	215	26	4	8	16	7	1	31	25
31	45 to 54 years	842	6	146	43	2	7	13	12	1	58	22
32	55 to 64 years	733	3	72	55	2	6	8	13	2	81	23
33	65 to 74 years	479	1	16	38	2	4	2	4		71	10
34	75 to 84 years	193		1	17	2	1	1			27	2
35	85 years and over	25			2						4	
36	Unknown	1										
37	Paper hangers	217	3	52	8		2	3		2	8	9
38	10 to 14 years											
39	15 to 19 years	3		1								
40	20 to 24 years	12		3								
41	25 to 34 years	36	2	16			1	2				3
42	35 to 44 years	60	1	20	3			1				2
43	45 to 54 years	42		9			1				2	2
44	55 to 64 years	33		1	1					2	4	1
45	65 to 74 years	25		2	4						2	1
46	75 to 84 years	6										
47	85 years and over											
48	Unknown											
49	Plasterers	478	6	84	29	1	3	2			34	10
50	10 to 14 years											
51	15 to 19 years	3			1							
52	20 to 24 years	18	2	6							1	
53	25 to 34 years	52	3	15	3						2	
54	35 to 44 years	86	1	36	4						3	2
55	45 to 54 years	82		15	5		1	2			1	2
56	55 to 64 years	104		7	9						6	2
57	65 to 74 years	67		5	2	1	1				10	3
58	75 to 84 years	55			4		1				10	1
59	85 years and over	10			1						1	
60	Unknown	1										
61	Plumbers and gas and steam fitters	1,178	35	344	44	8	12	11	1		55	22
62	10 to 14 years											
63	15 to 19 years	38	1	15			1				1	
64	20 to 24 years	104	9	39	1							3
65	25 to 34 years	271	13	117	4	2	2	4			7	5
66	35 to 44 years	323	8	116	9	4	3	5	1		5	6
67	45 to 54 years	213	4	31	11		2	1			17	4
68	55 to 64 years	131		24	9	1	2	1			14	3
69	65 to 74 years	72		2	8	1	2				10	
70	75 to 84 years	23			2						1	1
71	85 years and over	2										
72	Unknown	1										
73	Roofers and slaters	221	2	42	15	2		1			10	4
74	10 to 14 years											
75	15 to 19 years	4				1						
76	20 to 24 years	10	1	3								1
77	25 to 34 years	36		9							1	3
78	35 to 44 years	49		11	4						1	
79	45 to 54 years	48		12	4							
80	55 to 64 years	35		5	4	1		1			2	
81	65 to 74 years	25	1	2	1						2	
82	75 to 84 years	14			2						4	
83	85 years and over											
84	Unknown											

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
1,137	396	61	562	41	16	36	134	50	21	69	30	211	711	196	44	679	823	1
																		2
2			2							5	1	1		1	1	5	8	3
6			9					1		5	1	3	4	9	2	45	10	4
27	7		33	1			6	2	3	17		6	29	23	5	133	38	5
67	22	2	76	6	1	5	14	5	4	16		26	52	33	7	131	63	6
130	39	4	112	7	1	8	35	8	6	13	4	23	112	48	13	138	105	7
264	93	6	125	14	2	8	35	13	3	9	8	39	151	52	5	113	118	8
336	102	19	111	6	8	5	35	15	4	3	10	66	201	24	7	73	171	9
256	111	22	74	6	4	7	9	5	1	1	4	35	150	5	4	32	216	10
47	22	8	19	1		3		1			2	12	12	1		8	92	11
2			1													1	2	12
316	107	29	197	10	9	13	51	12	7	12	4	54	224	67	25	204	242	13
																		14
										1		1			1	3	2	15
4	1		6	1								3		3		10	3	16
7	4	1	19	1		1	1		3	2		7	6	5	2	30	15	17
31	5		37	1	1		7	1		3		9	20	15	7	47	19	18
50	18	3	36	1	3	1	6	3	1	4		8	33	19	7	42	34	19
74	20	5	40	3	2	4	16	4	1	1	2	6	63	17	4	37	43	20
77	28	6	37	2	2	2	15	2	1	1	1	10	62	8	2	21	50	21
55	27	9	17	1	1	5	5	2	1		1	6	36		2	8	54	22
17	4	5	5				1					4	4			6	22	23
1																		24
394	131	25	296	13	2	24	62	19	8	28	8	89	427	95	38	360	259	25
																		26
3	1		2							4			1	2	2	15	4	27
5	2	1	7				2			6		4	1	6	3	35	9	28
21	5	1	32	4		5	5	5	1	3		10	26	19	7	72	37	29
55	11	2	66	2		5	7	2		6	2	15	85	18	11	87	43	30
82	28	2	66	2		6	22	6	4	7	3	19	113	28	8	85	51	31
99	31	6	56	5	1	5	14	5	2	2		20	119	18	5	38	42	32
94	29	5	50		1	2	11		1		2	15	63	2	2	20	34	33
33	22	5	15			1	1	1			1	6	18	2		6	31	34
2	2	3	2										1			2	7	35
																	1	36
20	6	3	13	2			2	1		2		4	23	11	3	15	25	37
																		38
			1							1								39
								1				2		2		2	2	40
2	1									1			1	2		2	3	41
7		2	4	1									6	2	1	5	5	42
2	2		5	1			2					2	5		2	4	3	43
5	3		2										5	4		1	4	44
3		1	1										4	1		1	5	45
1													2				3	46
																		47
																		48
46	24	3	37			6	9	3		2	1	21	54	9	8	35	51	49
																		50
			1									1						51
2	1									1			1			3	1	52
4	1		3			1						1	2	4		8	5	53
6	2		7			2	2	2		1		1	3	1	2	3	8	54
7	1		7			1	2	1				3	13	1		10	10	55
12	8	1	12			1	2				1	4	15	3	3	8	10	56
6	3	1	4				2					8	14		2	1	4	57
8	8		2									3	5		1		12	58
1		1	1			1	1						1			1	1	59
																1		60
110	31	7	103	7	1	4	26	6	3	18	1	31	74	28	15	106	75	61
																		62
3			1							2		2		1		9	2	63
4	1		3	1					2	7		2	3	4	1	11	13	64
15	6	1	20	2		1	2		1	5		2	13	4	7	24	14	65
22	5		36	3		2	6	4		3	1	3	22	10	3	31	15	66
26	10	1	27	1			12			1		8	14	7		24	12	67
23	4	2	12		1		5	1				8	9		1	4	7	68
12	3	3	2			1	1	1				2	12	2	2	1	7	69
4	2		1									4	1		1	2	4	70
			1														1	71
1																		72
21	10	4	16	1		1	9	1		2		2	14	3	1	35	25	73
																		74
																3		75
												1				3	1	76
1	2	1	2				1			1			1	2		6	6	77
2	2		6			1	3						1			11	7	78
6	1	2	5				3					1	5	1		6	2	79
4	2	1	1	1			1			1			2		1	5	3	80
8	1		2				1						5			1	1	81
	2							1									5	82
																		83
																		84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
	Manufacturing and mechanical pursuits—Continued.											
	Building trades—Continued.											
1	Mechanics (not otherwise specified)	710	18	87	53	4	11	2			70	26
2	10 to 14 years	1										
3	15 to 19 years	15	2	5								
4	20 to 24 years	30	3	7	1		1					
5	25 to 34 years	69	4	22			3					2
6	35 to 44 years	79	2	20	2	1				1	3	3
7	45 to 54 years	128	3	16	14	2	2				12	6
8	55 to 64 years	145	3	13	16		2				11	8
9	65 to 74 years	130	1	3	18	1	2	2			24	4
10	75 to 84 years	87		1	2		1				19	3
11	85 years and over	26									1	
12	Unknown											
	Chemicals and allied products.											
13	Oil-well and oil-works employees	180	6	19	18	1	3				10	9
14	10 to 14 years											
15	15 to 19 years	2	1									
16	20 to 24 years	8	1	3								
17	25 to 34 years	23	3	4								1
18	35 to 44 years	30	1	5	4						1	3
19	45 to 54 years	32		7	1		1					
20	55 to 64 years	36			4		1				2	3
21	65 to 74 years	35			9	1	1				6	1
22	75 to 84 years	14									1	1
23	85 years and over											
24	Unknown											
25	Other chemical workers	49	1	3	1			1			5	
26	10 to 14 years											
27	15 to 19 years	1										
28	20 to 24 years	1										
29	25 to 34 years	9		1								
30	35 to 44 years	13	1									
31	45 to 54 years	9		1							1	
32	55 to 64 years	8		1	1						3	
33	65 to 74 years	6						1			1	
34	75 to 84 years	2										
35	85 years and over											
36	Unknown											
	Clay, glass, and stone products.											
37	Brick and tile makers, etc	133	3	16	6	2	1	1			15	4
38	10 to 14 years											
39	15 to 19 years	2										
40	20 to 24 years	12		3		1						1
41	25 to 34 years	13	1	3								
42	35 to 44 years	18		5	1						2	
43	45 to 54 years	20		3	1						2	1
44	55 to 64 years	26	1	2	2	1		1			5	1
45	65 to 74 years	18	1		2		1				4	
46	75 to 84 years	18										1
47	85 years and over	5									2	
48	Unknown	1										
49	Glassworkers	456	12	142	10	6	4	7		1	24	15
50	10 to 14 years											
51	15 to 19 years	28	2	5								
52	20 to 24 years	56		38								4
53	25 to 34 years	118	6	52	2	2	1	1		1	1	5
54	35 to 44 years	88	2	28		2		1			2	1
55	45 to 54 years	56	1	13	3	1		2			2	3
56	55 to 64 years	54	1	4	3		1	2			5	2
57	65 to 74 years	36		2	2		1	1			7	
58	75 to 84 years	17				1	1				5	
59	85 years and over	2									2	
60	Unknown	1										
61	Marble and stone cutters	822	13	235	47	3	9	6			42	12
62	10 to 14 years											
63	15 to 19 years	10	1	1		1						
64	20 to 24 years	21	4	4								1
65	25 to 34 years	75	2	35		1	1				1	2
66	35 to 44 years	156	4	64	6		1	2			3	1
67	45 to 54 years	177	1	76	9			1			7	3
68	55 to 64 years	218	1	42	17	1	5	2			15	4
69	65 to 74 years	104		13	12		2				8	1
70	75 to 84 years	53			3						8	
71	85 years and over	7						1				
72	Unknown	1										
73	Potters	136	7	47	2	1	2				7	1
74	10 to 14 years											
75	15 to 19 years	5		2								
76	20 to 24 years	8	1	4								
77	25 to 34 years	27	4	12			1					
78	35 to 44 years	26	1	11								1
79	45 to 54 years	32	1	12	1	1					3	
80	55 to 64 years	12		5							2	
81	65 to 74 years	14		1	1		1				1	
82	75 to 84 years	11									1	
83	85 years and over	1										
84	Unknown											

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
87	28	10	66	4	2	3	12	4	2	10	2	24	54	22	5	42	61	1
																	1	2
			2							1			1	1	1	1	1	3
1			3							4						8	2	4
3			4	1			2			2		4	1	4	1	12	4	5
6	1	2	13		1	1		1		3			3	5		5	6	6
17	2		15	1		1	3	2	1			1	11	4	3	7	5	7
23	4	3	14	1			5				1	8	15	3		3	12	8
18	10	2	8	1	1	1	1	1	1		1	5	13	3		1	8	9
14	9	3	5									4	9	2		4	11	10
5	2		2				1					2	1			1	11	11
																		12
15	7	1	9				2	2		2		7	16	5	1	29	18	13
																		14
										1								15
1																2	1	16
1			3													9	2	17
2							1			1		1	1	1	1	6	2	18
3			1					1				2	2	2		6	6	19
6	4	1	1				1	1				2	5			2	3	20
1	2		2									2	3	2		3	2	21
1	1		2										5			1	2	22
																		23
																		24
4	4		3				1	1	1				2	1	1	19	1	25
																		26
																1		27
1																		28
	1												1		1	5		29
	1								1							10		30
1			1					1						1		3		31
	1		1				1											32
2	1		1															33
													1				1	34
																		35
																		36
10	4		8	2			2					2	16	1	2	22	16	37
																		38
																2		39
			2										1			4		40
													2			5	2	41
			1				1							1		7		42
1			1				1						3		1	2	4	43
3				1								1	4		1		3	44
2	2		1									1	3				1	45
3	2		3	1									2			1	5	46
1													1				1	47
																1		48
36	9	1	38	1		3	10	1		4	2	10	30	13	5	40	32	49
																		50
2			3				1			1		2				10	2	51
1			1			1		1		1		3	1			4	1	52
5	1		9	1			2			1			2	6	2	11	7	53
9	2		13				1				1	1	8	4	1	5	7	54
5	2	1	4				3			1		1	3	1	2	4	4	55
4	3		4			2	3					3	10	1		3	3	56
6	1		2								1		5	1		2	5	57
4			2										1				3	58
																		59
																1		60
82	37	12	65	1	6	16	18	3	1	5		8	69	21	4	54	53	61
																		62
						1				1		1		1		3		63
		1								1			2	1		6	1	64
5	1	1	5	1									4	3	1	8	4	65
5	1		19		1	1	4			3			8	10		16	7	66
15	2	2	12		2	4	4	1	1			2	15	3	1	10	6	67
30	19	3	15		2	5	9	1				2	21	2	2	7	13	68
18	8	4	7		1	4	1	1				1	13	1		2	7	69
6	6	1	4			1						1	6			2	15	70
2			3									1						71
1																		72
14	4	1	9		1	6		1		1		1	13	4		8	6	73
																		74
														1			2	75
										1						2		76
2												1		2		4	1	77
3			4			2							1	1		2		78
2	1	1	2		1	1		1					5					79
1	1		1										1				1	80
3	2		1										4					81
2			1			3							2				2	82
1																		83
																		84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
	Manufacturing and mechanical pursuits—Continued.											
	Fishing and mining.											
1	Fishermen and oystermen	464	12	50	33	.....	2	7	.....	.....	44	7
2	10 to 14 years	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	10	1	.....	.....	.....	.....	.....	.....	.....	.....	1
4	20 to 24 years	20	1	9	.....	.....	.....	.....	.....	.....	.....	.....
5	25 to 34 years	51	2	13	1	.....	.....	1	.....	.....	1	.....
6	35 to 44 years	54	3	8	2	.....	.....	1	.....	.....	1	2
7	45 to 54 years	88	3	12	9	.....	1	3	.....	.....	4	2
8	55 to 64 years	83	.....	4	8	.....	.....	1	.....	.....	13	.....
9	65 to 74 years	79	1	2	8	.....	1	1	.....	.....	15	1
10	75 to 84 years	58	.....	2	5	.....	.....	.....	.....	.....	7	1
11	85 years and over	16	.....	.....	.....	.....	.....	.....	.....	.....	3	.....
12	Unknown	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Miners and quarrymen	5,663	129	500	189	11	27	51	.....	3	187	92
14	10 to 14 years	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	223	15	10	3	.....	2	.....	.....	.....	1	3
16	20 to 24 years	553	27	39	2	.....	3	3	.....	.....	1	3
17	25 to 34 years	1,132	42	95	13	3	4	5	.....	1	.....	17
18	35 to 44 years	1,135	27	119	23	3	4	12	.....	1	21	15
19	45 to 54 years	993	14	112	46	1	5	17	.....	.....	43	24
20	55 to 64 years	725	2	78	55	1	6	8	.....	.....	50	14
21	65 to 74 years	543	2	40	31	2	2	5	.....	.....	41	13
22	75 to 84 years	272	.....	3	15	1	1	.....	.....	1	26	3
23	85 years and over	49	.....	.....	1	.....	.....	.....	.....	.....	4	.....
24	Unknown	22	.....	4	.....	.....	.....	1	.....	.....	.....	.....
	Food and kindred products.											
25	Bakers	952	19	173	55	8	7	6	.....	1	55	19
26	10 to 14 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	19	1	2	.....	.....	.....	.....	.....	.....	1	1
28	20 to 24 years	55	4	17	1	1	.....	.....	.....	.....	.....	1
29	25 to 34 years	141	5	41	2	2	.....	2	.....	1	1	6
30	35 to 44 years	176	2	51	7	2	1	1	.....	.....	3	4
31	45 to 54 years	198	6	37	19	2	.....	2	.....	.....	9	5
32	55 to 64 years	181	1	17	12	1	5	.....	.....	.....	16	1
33	65 to 74 years	120	.....	7	13	.....	1	1	.....	.....	17	1
34	75 to 84 years	55	.....	1	1	.....	.....	.....	.....	.....	8	.....
35	85 years and over	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Butchers	1,503	33	243	98	7	28	21	.....	.....	98	31
38	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	20	.....	4	.....	.....	.....	.....	.....	.....	1	2
40	20 to 24 years	61	6	19	.....	1	.....	1	.....	.....	1	3
41	25 to 34 years	208	7	82	3	1	3	6	.....	.....	4	3
42	35 to 44 years	293	12	67	14	1	3	3	.....	.....	8	10
43	45 to 54 years	341	6	47	23	3	12	7	.....	.....	14	6
44	55 to 64 years	295	1	20	37	.....	5	4	.....	.....	34	3
45	65 to 74 years	187	.....	3	17	.....	4	.....	.....	.....	27	1
46	75 to 84 years	82	1	1	4	.....	1	.....	.....	.....	9	3
47	85 years and over	15	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
48	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Butter and cheese makers	76	2	18	5	.....	2	.....	.....	.....	5	5
50	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	20 to 24 years	5	1	3	.....	.....	.....	.....	.....	.....	.....	.....
53	25 to 34 years	18	.....	10	.....	.....	.....	.....	.....	.....	1	.....
54	35 to 44 years	14	1	3	.....	.....	1	.....	.....	.....	1	2
55	45 to 54 years	16	.....	2	2	.....	.....	.....	.....	.....	1	1
56	55 to 64 years	9	.....	.....	2	.....	1	.....	.....	.....	.....	2
57	65 to 74 years	6	.....	.....	1	.....	.....	.....	.....	.....	1	.....
58	75 to 84 years	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
59	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Confectioners	184	5	38	6	.....	5	4	.....	.....	7	6
62	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	6	.....	1	1	.....	.....	.....	.....	.....	.....	1
64	20 to 24 years	13	1	4	.....	.....	1	.....	.....	.....	.....	1
65	25 to 34 years	35	3	12	.....	.....	.....	1	.....	.....	.....	1
66	35 to 44 years	39	.....	13	1	.....	1	1	.....	.....	.....	2
67	45 to 54 years	32	1	5	1	.....	2	2	.....	.....	.....	1
68	55 to 64 years	29	.....	2	1	.....	1	.....	.....	.....	2	.....
69	65 to 74 years	18	.....	.....	2	.....	.....	.....	.....	.....	2	.....
70	75 to 84 years	11	.....	1	.....	.....	.....	.....	.....	.....	3	.....
71	85 years and over	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Millers	423	6	30	21	1	3	1	.....	.....	48	14
74	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
75	15 to 19 years	4	1	1	.....	.....	.....	.....	.....	.....	.....	1
76	20 to 24 years	6	1	2	.....	.....	.....	.....	.....	.....	.....	.....
77	25 to 34 years	12	.....	5	.....	.....	.....	.....	.....	.....	1	.....
78	35 to 44 years	28	1	6	.....	.....	.....	.....	.....	.....	.....	4
79	45 to 54 years	39	.....	2	1	.....	1	1	.....	.....	3	3
80	55 to 64 years	87	2	4	9	1	.....	.....	.....	.....	14	.....
81	65 to 74 years	120	1	8	7	.....	1	.....	.....	.....	15	6
82	75 to 84 years	93	.....	2	4	.....	.....	.....	.....	.....	11	.....
83	85 years and over	34	.....	.....	.....	.....	1	.....	.....	.....	4	.....
84	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
51	17	6	23	.....	2	2	6	3	1	3	2	13	51	5	4	62	58	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	3	2	3
.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	4	2	4
2	.....	.....	4	.....	.....	.....	1	.....	.....	.....	.....	.....	3	1	2	15	5	5
6	2	.....	2	.....	.....	2	1	.....	.....	2	.....	.....	5	.....	1	11	5	6
5	2	.....	4	.....	.....	.....	.....	1	1	.....	.....	4	9	4	1	14	9	7
7	5	.....	6	.....	1	.....	1	1	.....	.....	1	1	19	.....	.....	9	6	8
15	2	1	3	.....	.....	.....	1	1	.....	.....	1	2	7	.....	.....	2	15	9
10	5	1	3	.....	1	.....	1	.....	.....	1	.....	5	6	.....	.....	2	8	10
5	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	11
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	12
401	98	49	466	17	36	141	59	35	15	49	10	115	225	85	18	2,196	459	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	12	1	14
1	1	.....	8	.....	.....	2	.....	.....	.....	3	.....	1	3	1	.....	160	9	15
6	2	1	25	.....	.....	2	.....	2	2	8	.....	5	3	11	.....	371	37	16
24	5	1	62	2	1	3	2	2	2	20	3	14	17	23	6	688	77	17
35	12	4	107	4	4	24	10	7	4	6	1	18	35	21	6	528	84	18
79	23	8	106	2	8	41	22	13	5	5	2	25	41	16	2	269	64	19
113	19	4	83	5	13	46	10	2	.....	3	1	13	45	9	2	99	44	20
90	17	21	50	4	6	15	13	5	.....	2	2	28	49	2	1	38	64	21
50	17	9	21	.....	3	7	1	4	1	1	1	7	28	2	.....	13	57	22
2	2	1	4	.....	1	1	1	.....	.....	.....	.....	4	4	.....	.....	2	22	23
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16	.....	24
103	33	9	82	2	3	5	27	6	1	13	9	24	94	43	13	62	80	25
.....	.....	.....	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	1	.....	26
.....	.....	.....	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	4	3	27
1	2	.....	5	.....	.....	.....	.....	.....	.....	2	.....	1	2	4	2	5	7	28
2	1	1	17	.....	.....	.....	.....	2	.....	4	3	4	4	8	2	18	15	29
18	8	1	13	.....	1	2	5	.....	1	3	1	2	15	8	3	10	14	30
19	4	2	17	1	1	1	9	2	.....	2	1	4	21	9	3	11	11	31
32	10	3	15	1	1	1	10	1	.....	1	2	4	19	9	1	6	12	32
18	5	1	7	.....	.....	.....	3	1	.....	.....	2	5	24	2	.....	4	8	33
12	3	1	3	.....	.....	1	.....	.....	.....	.....	.....	4	7	1	2	2	9	34
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
181	55	6	124	1	1	9	54	11	4	17	8	42	154	61	10	76	130	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	5	39
4	1	.....	3	.....	.....	1	.....	.....	.....	2	.....	2	1	3	3	5	5	40
11	.....	.....	21	.....	.....	3	2	.....	.....	7	.....	4	12	6	3	15	15	41
28	9	.....	25	.....	.....	.....	11	3	2	6	2	6	24	13	2	22	22	42
45	13	1	19	1	1	3	21	2	1	2	1	11	35	18	2	20	27	43
36	16	1	22	.....	.....	1	12	1	1	.....	2	8	39	16	.....	10	26	44
42	8	3	20	.....	.....	.....	7	3	.....	.....	2	7	27	3	.....	.....	13	45
12	7	1	10	.....	.....	1	1	2	.....	.....	1	3	13	.....	.....	1	11	46
1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	1	5	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	48
10	.....	.....	7	.....	.....	.....	2	1	.....	1	.....	1	3	2	.....	8	4	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	52
1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	1	.....	1	2	53
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	.....	54
3	.....	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	1	.....	55
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	56
3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	57
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60
14	4	.....	15	1	1	1	6	2	.....	4	.....	5	22	8	2	7	21	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	62
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	63
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	3	64
2	2	.....	2	1	.....	.....	.....	1	.....	1	.....	2	1	1	1	1	3	65
.....	.....	.....	3	.....	.....	1	2	.....	.....	1	.....	1	7	.....	.....	1	5	66
6	1	.....	3	.....	.....	.....	2	.....	.....	.....	.....	.....	2	3	.....	1	2	67
2	.....	.....	4	.....	.....	.....	1	1	.....	1	.....	1	7	2	1	1	2	68
2	1	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	3	2	.....	.....	3	69
2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	1	70
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72
78	28	4	32	1	1	3	6	3	2	4	.....	17	37	8	1	21	53	73
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	74
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	75
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	76
.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	1	2	77
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	2	.....	.....	2	2	1	7	2	78
9	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	3	5	2	.....	2	5	79
17	5	.....	11	.....	.....	1	2	1	1	.....	.....	4	5	3	.....	1	6	80
26	12	3	9	.....	.....	1	2	1	.....	1	.....	6	9	.....	.....	2	10	81
20	6	1	8	.....	1	1	2	1	.....	.....	.....	3	15	1	.....	2	15	82
5	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	4	13	83
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
	Manufacturing and mechanical pursuits—Continued.											
	Food and kindred products—Continued.											
1	Other food preparers	56	1	11	2	.....	1	1	.....	.....	3	.....
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	20 to 24 years	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
5	25 to 34 years	8	.....	2	.....	.....	.....	1	.....	.....	.....	.....
6	35 to 44 years	10	.....	3	.....	.....	.....	.....	.....	.....	1	.....
7	45 to 54 years	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	55 to 64 years	16	.....	4	1	.....	1	.....	.....	.....	1	.....
9	65 to 74 years	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
10	75 to 84 years	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	85 years and over	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
12	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Iron and steel and their products.											
13	Blacksmiths	2,456	35	279	161	12	23	27	.....	3	245	65
14	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	22	4	3	.....	.....	1	.....	.....	.....	.....	1
16	20 to 24 years	58	1	21	.....	.....	.....	1	.....	.....	1	.....
17	25 to 34 years	216	9	64	4	3	2	3	.....	.....	3	2
18	35 to 44 years	280	11	76	9	3	.....	6	.....	.....	7	10
19	45 to 54 years	409	7	65	37	.....	5	8	.....	.....	29	12
20	55 to 64 years	485	2	29	51	2	5	7	.....	1	51	16
21	65 to 74 years	509	.....	13	42	2	7	1	.....	1	75	15
22	75 to 84 years	392	1	6	15	2	3	1	.....	1	63	6
23	85 years and over	83	.....	2	3	.....	.....	.....	.....	.....	15	3
24	Unknown	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
25	Iron and steel workers	2,838	77	464	125	13	13	25	2	2	166	84
26	10 to 14 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	71	6	13	.....	.....	1	.....	.....	.....	.....	2
28	20 to 24 years	190	12	41	2	1	2	.....	.....	.....	.....	7
29	25 to 34 years	524	26	132	12	3	1	3	.....	1	6	11
30	35 to 44 years	617	22	136	14	3	.....	14	.....	.....	17	19
31	45 to 54 years	556	7	85	22	1	4	2	.....	1	38	19
32	55 to 64 years	394	4	31	40	2	3	1	1	.....	34	13
33	65 to 74 years	335	.....	22	26	3	2	4	1	.....	45	10
34	75 to 84 years	128	.....	4	9	.....	.....	1	.....	.....	23	3
35	85 years and over	22	.....	.....	.....	.....	.....	.....	.....	.....	3	.....
36	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Machinists	3,317	98	606	158	17	46	26	.....	.....	222	88
38	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	109	11	26	.....	.....	.....	.....	.....	.....	2	5
40	20 to 24 years	312	25	115	2	5	2	.....	.....	.....	5	8
41	25 to 34 years	574	31	201	7	.....	9	4	.....	.....	10	15
42	35 to 44 years	567	20	135	21	2	8	13	.....	.....	11	15
43	45 to 54 years	567	4	74	46	3	6	6	.....	.....	24	14
44	55 to 64 years	556	6	40	43	.....	11	1	.....	.....	71	16
45	65 to 74 years	420	1	12	31	7	10	2	.....	.....	70	12
46	75 to 84 years	179	.....	2	8	.....	.....	.....	.....	.....	24	3
47	85 years and over	31	.....	1	.....	.....	.....	.....	.....	.....	5	.....
48	Unknown	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Steam-boiler makers	392	12	77	14	3	4	3	1	.....	17	4
50	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	9	1	4	.....	.....	.....	.....	.....	.....	.....	.....
52	20 to 24 years	34	2	4	.....	.....	.....	.....	.....	.....	.....	1
53	25 to 34 years	68	5	21	2	1	.....	.....	.....	.....	.....	.....
54	35 to 44 years	82	1	24	1	2	.....	2	.....	.....	1	.....
55	45 to 54 years	67	2	11	3	.....	1	1	.....	.....	2	1
56	55 to 64 years	68	.....	10	4	.....	1	.....	1	.....	4	1
57	65 to 74 years	43	.....	3	4	.....	2	.....	.....	.....	3	1
58	75 to 84 years	17	1	.....	.....	.....	.....	.....	.....	.....	6	.....
59	85 years and over	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
60	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Stove, furnace, and grate makers	68	2	17	2	.....	.....	.....	.....	.....	3	.....
62	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	5	1	4	.....	.....	.....	.....	.....	.....	.....	.....
64	20 to 24 years	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
65	25 to 34 years	13	1	6	.....	.....	.....	.....	.....	.....	.....	.....
66	35 to 44 years	9	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
67	45 to 54 years	11	.....	2	1	.....	.....	.....	.....	.....	.....	.....
68	55 to 64 years	10	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
69	65 to 74 years	12	.....	2	1	.....	.....	.....	.....	.....	2	.....
70	75 to 84 years	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Tool and cutlery makers	241	6	58	17	2	.....	1	.....	.....	19	4
74	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
75	15 to 19 years	6	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
76	20 to 24 years	16	1	3	.....	.....	.....	.....	.....	.....	.....	.....
77	25 to 34 years	37	3	15	.....	.....	.....	.....	.....	.....	2	1
78	35 to 44 years	45	.....	19	2	1	.....	1	.....	.....	.....	1
79	45 to 54 years	38	1	10	4	.....	.....	.....	.....	.....	4	.....
80	55 to 64 years	42	.....	8	3	1	.....	.....	.....	.....	6	1
81	65 to 74 years	36	1	2	8	.....	.....	.....	.....	.....	4	1
82	75 to 84 years	18	.....	.....	.....	.....	.....	.....	.....	.....	3	.....
83	85 years and over	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
84	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
7	2	.....	4	.....	1	.....	1	.....	.....	1	.....	5	3	4	1	4	4	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	5
2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	1	1	6
1	.....	.....	3	.....	.....	.....	.....	.....	.....	1	.....	2	.....	2	.....	1	.....	7
2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	1	8
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	9
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
339	123	26	196	9	4	20	51	21	7	15	4	76	238	50	8	155	264	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	6	3	15
3	.....	1	5	.....	.....	1	.....	.....	2	2	.....	2	.....	1	1	6	10	16
14	2	.....	16	1	.....	3	5	3	1	4	.....	5	12	8	.....	22	30	17
18	3	1	28	1	1	2	10	3	1	5	.....	1	14	7	2	35	26	18
44	14	3	33	.....	.....	3	9	5	.....	2	2	14	36	13	3	31	34	19
74	26	7	42	5	1	2	16	4	1	.....	2	20	52	11	1	19	38	20
107	41	5	37	2	2	5	9	4	.....	1	.....	13	61	4	1	20	41	21
67	30	6	31	.....	.....	3	2	1	1	.....	.....	19	57	3	.....	14	60	22
11	7	3	2	.....	.....	1	.....	1	1	.....	.....	2	6	2	.....	2	22	23
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
284	91	12	307	12	6	15	49	20	9	21	7	72	187	70	24	459	222	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	26
4	.....	.....	3	.....	.....	.....	.....	.....	.....	4	.....	.....	1	.....	1	26	10	27
6	1	.....	19	1	.....	.....	.....	.....	.....	6	.....	2	5	8	2	58	17	28
19	8	.....	57	3	.....	3	4	2	2	5	1	7	18	19	6	141	34	29
49	11	.....	75	1	1	2	7	6	.....	4	.....	19	34	17	6	123	37	30
57	21	4	63	4	1	5	15	6	3	2	2	13	44	16	6	72	43	31
58	21	2	44	2	3	4	19	3	.....	.....	1	12	33	6	3	25	29	32
56	18	4	36	.....	1	1	3	3	3	.....	1	11	40	3	.....	14	28	33
28	10	2	9	1	.....	.....	1	.....	.....	.....	2	6	10	1	.....	.....	18	34
7	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	2	.....	.....	.....	6	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
367	133	27	263	11	9	18	45	22	12	50	12	80	264	120	32	302	289	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
3	2	.....	6	.....	.....	.....	.....	.....	1	9	.....	3	1	3	.....	25	12	39
13	4	.....	19	.....	.....	2	1	1	.....	13	.....	7	7	14	3	48	18	40
26	12	.....	34	1	1	2	1	1	2	11	5	11	23	29	8	81	49	41
44	12	3	52	4	2	5	10	8	3	6	1	16	25	25	11	55	60	42
79	17	5	60	2	1	4	8	5	6	9	2	12	64	25	4	45	42	43
90	37	4	49	1	1	3	18	1	.....	1	3	12	72	13	5	26	32	44
77	34	7	25	1	2	.....	4	5	.....	1	.....	12	49	7	1	17	33	45
30	14	6	14	2	2	1	3	1	.....	.....	1	5	23	3	.....	4	33	46
5	1	2	4	.....	.....	1	.....	.....	.....	.....	.....	2	.....	1	.....	.....	9	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	48
34	21	6	18	.....	1	6	6	2	.....	6	3	14	30	11	6	61	32	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	51
1	2	1	3	.....	.....	.....	.....	.....	.....	4	1	.....	.....	2	1	11	1	52
5	1	.....	4	.....	.....	1	.....	.....	.....	2	.....	3	3	2	.....	10	8	53
3	5	1	4	.....	.....	.....	3	1	.....	.....	1	2	4	1	2	19	5	54
8	3	.....	2	.....	.....	1	1	1	.....	.....	1	4	8	2	2	10	3	55
6	7	1	4	.....	1	2	1	.....	.....	.....	.....	4	7	2	1	7	4	56
9	3	.....	1	.....	.....	2	.....	.....	.....	.....	.....	1	6	1	.....	2	5	57
2	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	4	58
.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60
12	3	1	6	.....	.....	1	.....	.....	.....	.....	.....	2	8	2	.....	4	5	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	62
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	63
.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	64
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	1	1	.....	.....	2	65
3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	66
4	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	67
.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	2	1	68
3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	69
2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	70
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72
31	7	3	23	.....	.....	3	2	2	.....	2	2	4	17	8	1	12	17	73
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	74
1	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	75
1	.....	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	4	1	76
1	.....	.....	3	.....	.....	1	.....	.....	.....	.....	1	1	1	4	.....	1	3	77
5	2	.....	4	.....	.....	.....	.....	.....	.....	1	.....	1	2	1	.....	2	3	78
8	.....	.....	3	.....	.....	.....	.....	.....	.....	1	1	.....	3	.....	.....	1	2	79
7	2	3	2	.....	.....	1	1	.....	.....	.....	.....	.....	2	.....	.....	1	4	80
4	2	.....	4	.....	.....	1	.....	1	.....	.....	.....	2	4	1	.....	1	.....	81
3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	.....	1	4	82
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	83
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
	Manufacturing and mechanical pursuits—Continued.											
	Iron and steel and their products—Continued.											
1	Wheelwrights	152	.....	9	10	1	1	3	.....	.....	22	2
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	20 to 24 years	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
5	25 to 34 years	6	.....	4	.....	.....	.....	1	.....	.....	.....	.....
6	35 to 44 years	7	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
7	45 to 54 years	12	.....	.....	2	.....	.....	1	.....	.....	.....	.....
8	55 to 64 years	28	.....	1	1	.....	.....	.....	.....	.....	2	1
9	65 to 74 years	43	.....	1	4	.....	1	.....	.....	.....	5	1
10	75 to 84 years	45	.....	.....	2	1	.....	1	.....	.....	13	.....
11	85 years and over	9	.....	.....	1	.....	.....	.....	.....	.....	2	.....
12	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Wireworkers	100	2	27	4	.....	1	1	.....	.....	4	4
14	10 to 14 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	6	.....	3	.....	.....	.....	.....	.....	.....	.....	1
16	20 to 24 years	6	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
17	25 to 34 years	31	1	11	1	.....	.....	1	.....	.....	.....	1
18	35 to 44 years	14	.....	5	.....	.....	.....	.....	.....	.....	.....	.....
19	45 to 54 years	20	.....	4	1	.....	.....	.....	.....	.....	1	2
20	55 to 64 years	13	1	1	1	.....	1	.....	.....	.....	3	.....
21	65 to 74 years	7	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
22	75 to 84 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	85 years and over	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Leather and its finished products.											
25	Boot and shoe makers and repairers	2,702	29	361	135	10	30	31	.....	3	270	77
26	10 to 14 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	74	4	22	1	.....	.....	1	.....	.....	.....	3
28	20 to 24 years	122	3	52	1	1	.....	2	.....	1	1	1
29	25 to 34 years	256	12	91	3	.....	3	4	.....	.....	3	5
30	35 to 44 years	260	4	83	8	1	5	11	.....	1	8	8
31	45 to 54 years	339	2	57	15	2	1	6	.....	.....	24	10
32	55 to 64 years	456	3	30	32	.....	10	4	.....	.....	57	15
33	65 to 74 years	582	1	20	46	3	9	2	.....	1	86	21
34	75 to 84 years	493	.....	5	26	3	1	.....	.....	.....	74	12
35	85 years and over	115	.....	1	3	.....	1	.....	.....	.....	17	2
36	Unknown	4	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
37	Harness and saddle makers and repairers	430	5	52	27	1	7	6	.....	.....	40	13
38	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
40	20 to 24 years	12	.....	8	.....	.....	.....	.....	.....	.....	.....	.....
41	25 to 34 years	18	2	6	.....	.....	1	1	.....	.....	.....	.....
42	35 to 44 years	32	1	5	1	.....	1	.....	.....	.....	2	2
43	45 to 54 years	78	1	18	3	.....	2	1	.....	.....	4	2
44	55 to 64 years	93	1	9	7	.....	1	4	.....	.....	11	3
45	65 to 74 years	107	.....	2	11	1	1	.....	.....	.....	15	3
46	75 to 84 years	69	.....	3	4	.....	1	.....	.....	.....	8	2
47	85 years and over	17	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
48	Unknown	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
49	Leather curriers and tanners	439	4	67	26	2	6	5	.....	1	35	8
50	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
52	20 to 24 years	21	.....	11	.....	.....	.....	.....	.....	.....	.....	1
53	25 to 34 years	54	3	17	1	.....	1	1	.....	.....	.....	1
54	35 to 44 years	69	.....	21	4	.....	.....	2	.....	1	.....	2
55	45 to 54 years	90	.....	13	8	.....	3	1	.....	.....	8	1
56	55 to 64 years	79	.....	4	10	.....	2	1	.....	.....	12	1
57	65 to 74 years	67	1	.....	2	1	.....	.....	.....	.....	8	2
58	75 to 84 years	43	.....	.....	1	1	.....	.....	.....	.....	6	.....
59	85 years and over	10	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
60	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Trunk and leather-case makers, etc	51	.....	15	3	.....	2	.....	.....	.....	5	1
62	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
64	20 to 24 years	7	.....	2	.....	.....	1	.....	.....	.....	.....	.....
65	25 to 34 years	4	.....	4	.....	.....	.....	.....	.....	.....	.....	.....
66	35 to 44 years	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
67	45 to 54 years	10	.....	6	1	.....	.....	.....	.....	.....	.....	.....
68	55 to 64 years	8	.....	.....	1	.....	.....	.....	.....	.....	2	.....
69	65 to 74 years	8	.....	1	1	.....	.....	.....	.....	.....	2	1
70	75 to 84 years	9	.....	.....	.....	.....	1	.....	.....	.....	1	.....
71	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Liquors and beverages.											
73	Bottlers and soda-water makers, etc	98	2	22	6	.....	1	3	.....	.....	1	2
74	10 to 14 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
75	15 to 19 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
76	20 to 24 years	13	.....	8	.....	.....	.....	.....	.....	.....	.....	1
77	25 to 34 years	22	2	5	1	.....	.....	1	.....	.....	.....	.....
78	35 to 44 years	20	.....	6	.....	.....	1	1	.....	.....	.....	1
79	45 to 54 years	24	.....	3	2	.....	.....	1	.....	.....	1	.....
80	55 to 64 years	10	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
81	65 to 74 years	6	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
82	75 to 84 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
83	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
84	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
20	4	.....	13	1	1	1	4	.....	.....	.....	.....	7	25	2	1	4	21	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	5
2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	6
.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	3	2	7
4	.....	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	1	9	.....	.....	.....	4	8
10	2	.....	.....	.....	1	.....	2	.....	.....	.....	.....	2	7	2	.....	.....	5	9
3	1	.....	3	1	.....	1	1	.....	.....	.....	.....	4	6	.....	1	.....	7	10
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
14	2	1	7	.....	1	1	2	.....	.....	.....	.....	4	2	6	.....	7	10	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	16
2	.....	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	3	2	17
4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	18
2	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	1	1	1	.....	1	2	19
2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	20
4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
371	119	36	230	4	11	20	58	16	9	22	4	60	273	76	19	107	321	25
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
6	2	.....	7	.....	.....	1	.....	.....	1	3	.....	.....	.....	2	.....	10	11	27
3	1	.....	9	.....	.....	.....	.....	.....	.....	4	.....	2	5	7	1	14	14	28
18	7	2	19	.....	.....	.....	3	2	1	4	.....	8	11	10	1	20	29	29
24	4	2	25	.....	1	1	4	1	1	2	.....	1	14	14	3	14	20	30
34	9	1	44	.....	1	3	7	1	.....	5	.....	7	50	18	1	10	31	31
67	17	2	26	2	4	5	20	9	1	3	.....	13	69	12	9	14	32	32
114	35	8	50	2	2	5	15	2	4	1	3	11	63	8	2	11	57	33
88	35	13	47	.....	2	4	9	1	.....	.....	1	13	56	3	2	10	88	34
15	9	8	2	.....	1	1	.....	.....	1	.....	.....	4	5	2	.....	4	39	35
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	36
64	22	2	27	2	.....	4	11	4	.....	3	2	10	53	13	5	18	39	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	39
.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	40
1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	1	41
.....	.....	.....	.....	.....	.....	1	5	1	.....	.....	.....	2	3	1	.....	4	3	42
6	4	.....	7	.....	.....	1	5	1	.....	.....	.....	.....	7	7	1	5	3	43
19	4	.....	6	.....	.....	.....	1	1	.....	2	.....	3	11	2	1	2	5	44
26	5	1	8	2	.....	2	.....	1	.....	.....	2	3	17	.....	1	2	4	45
11	6	1	2	.....	.....	.....	.....	.....	.....	.....	.....	2	10	.....	.....	1	18	46
1	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	2	4	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	48
63	25	5	39	1	2	5	12	5	2	3	1	7	38	9	4	25	39	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	51
2	.....	.....	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	2	.....	52
5	1	.....	2	.....	.....	.....	1	.....	.....	.....	.....	2	7	.....	.....	5	7	53
10	1	.....	4	.....	.....	2	2	.....	1	.....	.....	.....	4	3	1	4	7	54
11	4	2	9	.....	2	1	3	2	1	2	.....	1	5	3	1	3	6	55
8	3	1	8	.....	.....	.....	4	2	.....	.....	1	2	6	2	1	6	5	56
15	6	2	8	.....	.....	1	1	.....	.....	.....	.....	1	10	.....	.....	3	6	57
10	8	.....	5	.....	.....	1	1	1	.....	.....	.....	1	4	.....	.....	1	3	58
2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	4	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	60
8	1	1	4	.....	.....	.....	3	1	.....	.....	.....	1	2	1	.....	.....	3	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	62
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	63
2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	64
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	65
1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	66
1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	67
1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	1	.....	.....	.....	68
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	69
2	.....	1	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	70
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72
6	3	.....	4	.....	.....	.....	2	.....	.....	.....	.....	3	12	6	1	13	11	73
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	74
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	75
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	76
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	2	5	77
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	.....	2	2	78
3	1	.....	2	.....	.....	.....	2	.....	.....	.....	.....	1	3	2	.....	1	2	79
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	3	1	80
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	81
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	82
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	83
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
	Manufacturing and mechanical pursuits—Continued.											
	Liquors and beverages—Continued.											
1	Brewers and maltsters	253	8	44	16	2	3	4			13	13
2	10 to 14 years											
3	15 to 19 years	3										
4	20 to 24 years	8	1	5								
5	25 to 34 years	24	2	8			1	1			1	1
6	35 to 44 years	44	1	10	1	1		1			1	2
7	45 to 54 years	71	3	16	2	1		1			1	5
8	55 to 64 years	64	1	4	6		1				4	4
9	65 to 74 years	27		1	5		1	1			4	
10	75 to 84 years	10			2						1	
11	85 years and over	1									1	
12	Unknown	1										1
13	Distillers and rectifiers	27		6	5						3	
14	10 to 14 years											
15	15 to 19 years											
16	20 to 24 years	1		1								
17	25 to 34 years											
18	35 to 44 years	7		5								
19	45 to 54 years	4			1							
20	55 to 64 years	5			3							
21	65 to 74 years	7			1						3	
22	75 to 84 years	3										
23	85 years and over											
24	Unknown											
	Lumber and its remanufactures.											
25	Cabinetmakers	632	8	69	54	1	6	2		1	65	16
26	10 to 14 years											
27	15 to 19 years	6	1	4								
28	20 to 24 years	16	1	6								
29	25 to 34 years	60	4	19	2		1				1	3
30	35 to 44 years	49		17	1	1					1	1
31	45 to 54 years	95	1	16	12			1			3	3
32	55 to 64 years	113	1	4	17		1			1	15	
33	65 to 74 years	168		2	18		4	1			23	5
34	75 to 84 years	92		1	3						16	3
35	85 years and over	32			1						6	1
36	Unknown	1										
37	Coopers	570	3	78	32	1	1	2			59	17
38	10 to 14 years											
39	15 to 19 years	4										
40	20 to 24 years	13	2	3								1
41	25 to 34 years	30		10								2
42	35 to 44 years	59		27	1			1				1
43	45 to 54 years	84		20	6						3	1
44	55 to 64 years	89	1	9	13						6	4
45	65 to 74 years	138		6	9	1	1				23	6
46	75 to 84 years	107		2	3			1			20	2
47	85 years and over	46		1							7	
48	Unknown											
49	Saw and planing mill employees	195	5	30	7		1				6	5
50	10 to 14 years											
51	15 to 19 years	11	1	3								
52	20 to 24 years	19	1	4								1
53	25 to 34 years	41	1	11								
54	35 to 44 years	44	2	7			1				1	3
55	45 to 54 years	35		5	3							
56	55 to 64 years	24			2						1	1
57	65 to 74 years	8									2	
58	75 to 84 years	9			2						2	
59	85 years and over	4										
60	Unknown											
61	Other woodworkers	1,467	22	269	78	3	22	6		1	102	28
62	10 to 14 years	2										
63	15 to 19 years	31	2	9			1					3
64	20 to 24 years	110	7	44	1						1	
65	25 to 34 years	197	4	80	2	1	4				2	3
66	35 to 44 years	201	5	51	7		2			1	6	3
67	45 to 54 years	264	3	49	19	2	5	3			11	3
68	55 to 64 years	248	1	28	24		5	1			27	6
69	65 to 74 years	235		6	21		3	2			34	4
70	75 to 84 years	142		2	3		1				19	6
71	85 years and over	37			1		1				2	
72	Unknown											
	Metals and metal products other than iron and steel.											
73	Brassworkers	201	3	64	17	2			1	1	10	2
74	10 to 14 years											
75	15 to 19 years	6		3								
76	20 to 24 years	19	1	13	1							
77	25 to 34 years	42	1	21	3							
78	35 to 44 years	35	1	11	1					1	1	1
79	45 to 54 years	48		8	4				1		3	1
80	55 to 64 years	26		4	4	1					3	
81	65 to 74 years	16		2	4						1	
82	75 to 84 years	9		2		1					2	
83	85 years and over											
84	Unknown											

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
22	7	1	18		1	1	14	3		2	4	6	26	13	2	21	9	1
																		2
	1		1													1		3
								1								1		4
1	1		2				2			1			1			2		5
4	1		4				3				1		4	1	1	4	4	6
7	2		6		1		3	1		1	2	1	4	6	1	6	1	7
4	1		4				5	1			1	4	10	6		5	3	8
6	1		1			1	1					1	3			1		9
		1											4			1	1	10
																		11
																		12
2			3				2						3	1	1	1		13
																		14
																		15
																		16
																		17
			1												1			18
			1				1									1		19
1							1											20
													2	1				21
1			1										1					22
																		23
																		24
78	41	8	35	4	1	5	9	2	2	7	3	19	59	17	7	35	78	25
																		26
										1								27
			1	1		1				1			1		1	3		28
6	1	1		1					1		1	2	3	5		5	4	29
			4			1				1			3	2	1	9	7	30
9	5	1	5	1		1	2	2				4	10	4	2	3	10	31
14	10		5			1	2			2	1	5	14	1	1	7	11	32
30	18		13	1		1	5		1	2		4	14	4	1	4	17	33
15	5	4	6		1						1	3	11	1	1	3	18	34
4	2	2	1									1	3			1	10	35
																	1	36
72	41	11	51	2	5	7	11	1		1	2	13	50	13	1	24	72	37
																		38
			1							1			1			1		39
1			3			1											2	40
1	1		5										4	1	1	2	3	41
4	1		6			1	3					1	3	3		6	2	42
13	4	2	9			2	1	1				1	6	3		7	5	43
15	6		8	1	2		2					2	7	2		3	8	44
19	10	4	10	1	3	1	2				1	4	18	2		2	15	45
15	14	3	4			1	2				1	5	6	2		3	23	46
4	6	2	5			1	1						5				14	47
																		48
22	1		5	1			2		1	8	1	2	14	5	2	54	23	49
																		50
1			1	1						1						3		51
1										1				1		9	1	52
			1							3			1	2	1	17	4	53
							1			1		1	4		1	18	4	54
7			1							2		1	5	2		3	6	55
7	1		1						1				3			3	4	56
4																1	1	57
2			1				1						1					58
											1						3	59
																		60
187	40	13	99	6	6	10	28	3	2	10	4	31	145	56	11	156	129	61
			1							1								62
1	1		3													6	5	63
2		1	3			1				6	1			7	1	27	8	64
7	4		15	1		1	1			2	1	2	5	13	4	32	13	65
20	3	1	14	1		2	3		1			4	17	14	2	33	11	66
27	3		23	1	1		8	2	1	1		8	28	9	1	33	23	67
41	7	4	11	2		2	12				1	8	27	9	1	14	17	68
62	8	5	20	1	2	3	2					3	38	3	2	4	12	69
22	10	1	9		1	1	1	1			1	4	28	1		6	25	70
5	4	1			2		1					2	2			1	15	71
																		72
12	7	3	18			1	3			2		3	19	4	1	16	12	73
																		74
										1							2	75
													2	1		1		76
3	1		4				1									5	3	77
1		1	5				1					2	1	1		4	3	78
3	3		6			1				1		1	9	1	1	4	1	79
5	1		3				1						3				1	80
	1	1											4	1		1	1	81
	1	1														1	1	82
																		83
																		84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
	Manufacturing and mechanical pursuits—Continued.											
	Metals and metal products other than iron and steel—Contd.											
1	Clock and watch makers and repairers	144	2	29	9		3	1			9	1
2	10 to 14 years											
3	15 to 19 years	4	1									
4	20 to 24 years	8		6								
5	25 to 34 years	19		11			1					
6	35 to 44 years	16		3			1				1	
7	45 to 54 years	28	1	3	1						2	
8	55 to 64 years	32		5	3		1	1			2	
9	65 to 74 years	23		1	3						3	1
10	75 to 84 years	12			2						1	
11	85 years and over	2										
12	Unknown											
13	Gold and silver workers	197	5	34	9		2	1			14	4
14	10 to 14 years	1										
15	15 to 19 years	7	2	3								
16	20 to 24 years	12	1	7								
17	25 to 34 years	19	1	6								2
18	35 to 44 years	31		8	2			1				
19	45 to 54 years	39		7	2						2	1
20	55 to 64 years	44	1	2	2		1				6	1
21	65 to 74 years	23			2						4	
22	75 to 84 years	16		1	1		1				2	
23	85 years and over	4										
24	Unknown	1										
25	Tin-plate and tinware makers	681	14	129	40	4	6	8	1	1	33	12
26	10 to 14 years											
27	15 to 19 years	20	1	8						1		
28	20 to 24 years	32	5	8								
29	25 to 34 years	92	7	34	1	1		1				3
30	35 to 44 years	120		39	4	2	1	1			2	5
31	45 to 54 years	134	1	24	10		2	1	1		9	1
32	55 to 64 years	136		10	13	1	1	4			8	1
33	65 to 74 years	90		5	8		2				9	2
34	75 to 84 years	44		1	3						3	
35	85 years and over	12			1						2	
36	Unknown	1						1				
37	Other metal workers	475	10	85	25	3	2	6	3		33	5
38	10 to 14 years											
39	15 to 19 years	16	3	4								
40	20 to 24 years	36		14							1	
41	25 to 34 years	82	6	28	2						1	
42	35 to 44 years	93		21	5			2	3		3	
43	45 to 54 years	77	1	12	3	1	2	4			6	
44	55 to 64 years	73		5	10						6	4
45	65 to 74 years	57		1	4	2					10	
46	75 to 84 years	29			1						4	1
47	85 years and over	11									2	
48	Unknown	1										
	Paper and printing.											
49	Bookbinders	152	2	32	7	1	3				6	3
50	10 to 14 years											
51	15 to 19 years	6		4								
52	20 to 24 years	10		6								
53	25 to 34 years	27		8		1	1					
54	35 to 44 years	25		6	2							
55	45 to 54 years	20	2	4							1	1
56	55 to 64 years	29		2	2		1				1	
57	65 to 74 years	26		2	3		1				3	1
58	75 to 84 years	6										1
59	85 years and over	3									1	
60	Unknown											
61	Boxmakers (paper)	25	1	6	2			1				2
62	10 to 14 years											
63	15 to 19 years	1										
64	20 to 24 years	2	1	1								
65	25 to 34 years	2		1								1
66	35 to 44 years	8		3				1				1
67	45 to 54 years	5		1								
68	55 to 64 years	1										
69	65 to 74 years	2										
70	75 to 84 years	4			2							
71	85 years and over											
72	Unknown											
73	Engravers	112	5	23	6	1	2				9	2
74	10 to 14 years											
75	15 to 19 years	3		2								
76	20 to 24 years	7	1	3								
77	25 to 34 years	23	1	8		1					1	
78	35 to 44 years	20	2	5			1				1	1
79	45 to 54 years	15	1	1								1
80	55 to 64 years	19		3	3						2	
81	65 to 74 years	15		1	2		1				2	
82	75 to 84 years	9			1						2	
83	85 years and over	1									1	
84	Unknown											

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
12	6	1	10		2	2	5		1			8	15	6		11	11	1
																		2
																1	2	3
1														1				4
1			2										1			2	1	5
3			2			1						1	1			1	2	6
1	4	1	1		1	1	2					2	4	3		1		7
3			3				3		1			2	4	1		1	2	8
3			2									1	3	1		2	3	9
	2											2	2			2	1	10
					1											1		11
																		12
22	15	5	15				5			1		3	23	6	1	10	22	13
1																		14
	1												1	1		2		15
																1		16
1	1		1							1			1		1	1	3	17
2	3	1	3				3					1	2	1		2	2	18
6	1	1	5				2					1	3	2		2	4	19
4	6	1	2										11	1		2	4	20
6	1	1	2										3				4	21
1	2	1	1									1	1				4	22
1			1										1				1	23
														1				24
79	23	9	56	1	3	5	11	5		6	3	20	66	22	3	71	50	25
																		26
2			2			1										3	2	27
2										2				3		9	3	28
8			5			1							4	5	1	14	7	29
8	2	1	10	1			3	1		2		6	7	2		16	7	30
18	4	1	12		1	1	3	2		1	1	2	12	5	1	13	8	31
21	11	4	10			1	2	1		1		7	18	4		9	9	32
15	4	1	8		2		1				2	4	15	3		4	5	33
2	2	2	8			1	2	1				1	8			3	7	34
3			1										2		1		2	35
																		36
45	32	6	49	2	2	3	4	3	3	7	2	13	41	24	2	33	32	37
																		38
1			3												1	4		39
	2		2	1			1					1	1	1	1	7	4	40
4	1		5	1		1		1	1	2		3	4	6		12	4	41
8	8		15							2			8	12		4	2	42
7	3	1	9			1	2	1		2		5	5	2		4	6	43
12	8	1	9		1				2		2		10	2		1		44
8	7	1	4			1	1	1		1			11				5	45
5	1	2	1		1							3	2			1	7	46
	2	1	1									1					4	47
														1				48
19	8	1	12	2		1	2			2	2	4	20	5	1	6	13	49
																		50
										1						1		51
														2	1		1	52
3			1	1		1					1	2	3	1		2	2	53
2			4				2			1			2	1			5	54
3	1											1	4			2	1	55
5	2		5	1							1		7	1		1		56
6	3	1	1										2				3	57
	2		1									1	1					58
													1				1	59
																		60
3	1		2										2	1		2	2	61
																		62
														1				63
																		64
																		65
													1			2		66
3			1															67
			1															68
													1				1	69
	1																1	70
																		71
																		72
12	4		3	1			2	2	1			4	10	3	1	10	11	73
																		74
																1		75
				1													2	76
2									1			2	2	1		3	1	77
1							1	1					1	2		2	2	78
2			1				1					1	2		1	1	3	79
3	2		1					1				1	1			1	1	80
1			1										3			2	2	81
3	2												1					82
																		83
																		84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
	Manufacturing and mechanical pursuits—Continued.											
	Paper and printing—Continued.											
1	Paper and pulp mill operatives	184	6	26	6	3	1	1			5	8
2	10 to 14 years											
3	15 to 19 years	15	3	1		1						1
4	20 to 24 years	20	2	6								
5	25 to 34 years	34		7		1						1
6	35 to 44 years	31	1	6	2			1				1
7	45 to 54 years	31		4	1	1						2
8	55 to 64 years	27		2	1		1				1	3
9	65 to 74 years	14			2						3	
10	75 to 84 years	11									1	
11	85 years and over	1										
12	Unknown											
13	Printers, lithographers, and pressmen	1,490	40	435	71	10	11	16	3	2	80	42
14	10 to 14 years											
15	15 to 19 years	81	5	31	1	1						4
16	20 to 24 years	147	13	70	2	1		1		1	2	2
17	25 to 34 years	291	8	150	2	4	2	2	1		8	6
18	35 to 44 years	328	8	107	18	1	3	5			12	7
19	45 to 54 years	265	5	59	19	2		5	1	1	15	10
20	55 to 64 years	168	1	11	16		5	2			19	6
21	65 to 74 years	154		7	10	1		1	1		15	6
22	75 to 84 years	47			3		1				8	1
23	85 years and over	8									1	
24	Unknown	1										
	Textiles.											
25	Bleachery and dye-works operatives	104	2	28	16		3	1			9	2
26	10 to 14 years											
27	15 to 19 years	4		1								
28	20 to 24 years	9		3								
29	25 to 34 years	19		7								
30	35 to 44 years	24	1	5	3			1				1
31	45 to 54 years	42	1	8	4		1				1	1
32	55 to 64 years	40		2	7		1				3	
33	65 to 74 years	18		1	2						3	
34	75 to 84 years	7		1							2	
35	85 years and over	1					1					
36	Unknown											
37	Carpet-factory operatives	67	2	14	5		1				6	2
38	10 to 14 years											
39	15 to 19 years	2		1								1
40	20 to 24 years	3	1	1								
41	25 to 34 years	7		5								
42	35 to 44 years	12		4								
43	45 to 54 years	9		1	3		1					
44	55 to 64 years	11		1								1
45	65 to 74 years	13	1	1	2						3	
46	75 to 84 years	8									1	
47	85 years and over	2									2	
48	Unknown											
49	Cotton-mill operatives	686	18	145	30	1	7	7		1	45	14
50	10 to 14 years	3	1									
51	15 to 19 years	46	5	9								5
52	20 to 24 years	43	2	21			1					
53	25 to 34 years	119	4	45	2		1				3	4
54	35 to 44 years	118	4	32	5		1	2			4	1
55	45 to 54 years	134	2	26	11	1	2	4			9	2
56	55 to 64 years	106		10	8					1	14	1
57	65 to 74 years	68		1	3		2	1			9	1
58	75 to 84 years	42		1	1						6	
59	85 years and over	7										
60	Unknown											
61	Hosiery and knitting mill operatives	30		4	3		1				1	2
62	10 to 14 years											
63	15 to 19 years	2										
64	20 to 24 years	5		1								1
65	25 to 34 years	8		2								
66	35 to 44 years	1										
67	45 to 54 years	6			1						1	
68	55 to 64 years	1										
69	65 to 74 years	4			2		1					
70	75 to 84 years	2		1								1
71	85 years and over	1										
72	Unknown											
73	Silk-mill operatives	258	6	51	14	2	2	1			13	11
74	10 to 14 years	1										1
75	15 to 19 years	18	1	5								1
76	20 to 24 years	22	1	11								1
77	25 to 34 years	37	2	11	1							1
78	35 to 44 years	42	2	12	2	1	1	1			1	1
79	45 to 54 years	45		6	4						1	3
80	55 to 64 years	43		3	4		1				4	2
81	65 to 74 years	37		2	2						4	1
82	75 to 84 years	11		1	1	1					3	
83	85 years and over	2										
84	Unknown											

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
22	3	1	16			2	3	2		2	1	2	17	6	2	30	19	1
																		2
			1							1					1	6		3
2						2				1	1			1		3	2	4
3			3										4	2		10	3	5
2	2		2									1	2	2		5	4	6
5	1	1	3										5	1		3	4	7
4			5				2	1					4		1	1	1	8
3			1				1						1			2	1	9
3			1					1				1					4	10
													1					11
																		12
134	45	4	112	9	2	9	26	11	5	23	2	33	119	49	11	78	108	13
																		14
5	1		4						2	7			2	4		10	4	15
3	1	1	6			2		1	1	6		4	3	2	1	14	10	16
12	4	1	16	1		2	2			5	1	3	10	12	1	11	27	17
27	10	1	25		1		5	5		3		6	24	17	6	18	19	18
25	7		22	4		2	12	2	1	1		10	27	4		12	19	19
25	6		16	1		1	2	3	1			2	24	9		7	11	20
27	12	1	18	2		1	4			1		6	23	1	2	3	12	21
9	3		5	1	1	1	1				1	1	4		1	2	4	22
1	1											1	2				2	23
																1		24
23	7	2	12			2	2		1	3		3	13	10		13	12	25
																		26
										1				1		1		27
										1			1			3	1	28
1	1		1						1				1	1		2	4	29
3	1		2									1	3	2		1		30
5		1	3			2	2			1		2	2	2		3	3	31
10	1	1	5										5	4			1	32
3	3		1										1			3	1	33
1	1																2	34
																		35
																		36
5	1	1	4	1			2					2	3	2	1	4	11	37
																		38
																		39
																	1	40
													1			1		41
							1							1	1	1	4	42
		1	1											1			1	43
1	1		1	1			1						2			1	1	44
2												1				1	2	45
2			2									1					2	46
																		47
																		48
79	25	6	47	2	1	5	19	5	2	10	1	24	49	28	6	48	61	49
			1							1								50
2	1		1						1	3		1		1	2	8	7	51
3	1		2							1		2		1		4	5	52
11	3	1	7	2		1	1		1	2		2	4	6	2	8	9	53
7	4	3	8		1	1	5	2		3		5	9	7		12	2	54
15	3	1	8				4	3				7	11	6	2	5	12	55
19	3	1	11			1	8					3	13	4		5	4	56
14	5		7			1					1	3	6	1		4	9	57
7	4		1			1	1						5	2		2	11	58
1	1		1									1	1				2	59
																		60
2	1					1	1	1		1		1	3			7	1	61
																		62
																		63
																1	1	
1										1			1					64
1	1					1							1			2		65
																1		66
								1					1			2		67
							1											68
																1		69
																		70
												1						71
																		72
36	7	6	18			2	2	1		5	2	13	15	12	3	20	16	73
																		74
										1	1					7	2	75
3			1							1		1	2			1		76
			6			1				2		1		5	1	2	4	77
4	1		3							1		2	1	1	1	3	4	78
11		1	7			1	1					2	4	2	1		1	79
9	1	5						1				4	4			4	1	80
8	3						1				1	3	3	4		2	3	81
1	2		1														1	82
													1			1		83
																		84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
	Manufacturing and mechanical pursuits—Continued.											
	Textiles—Continued.											
1	Woolen-mill operatives	368	6	82	22	5	6	4			20	15
2	10 to 14 years	1										1
3	15 to 19 years	13	1	4		1	1					
4	20 to 24 years	29		13							2	1
5	25 to 34 years	48	3	20			1				1	2
6	35 to 44 years	68	1	24	3	1		1				1
7	45 to 54 years	66	1	11	6	1	1	2			3	1
8	55 to 64 years	59		8	6	2	3				3	3
9	65 to 74 years	56		2	5			1			6	5
10	75 to 84 years	25			2						5	1
11	85 years and over	3										
12	Unknown											
13	Other textile-mill operatives	133	2	32	4		3				10	4
14	10 to 14 years											
15	15 to 19 years	9		3								1
16	20 to 24 years	9		4								1
17	25 to 34 years	18	1	8							1	1
18	35 to 44 years	23		10			1				1	
19	45 to 54 years	21	1	3	1						1	1
20	55 to 64 years	15		2	2							
21	65 to 74 years	20		1	1		2				4	
22	75 to 84 years	17		1							3	
23	85 years and over	1										
24	Unknown											
25	Dressmakers	6		1								2
26	10 to 14 years											
27	15 to 19 years											
28	20 to 24 years											
29	25 to 34 years	1										1
30	35 to 44 years											
31	45 to 54 years	2		1								
32	55 to 64 years	2										
33	65 to 74 years											
34	75 to 84 years	1										1
35	85 years and over											
36	Unknown											
37	Hat and cap makers	114	2	34	8			2			5	5
38	10 to 14 years											
39	15 to 19 years	2		1								
40	20 to 24 years	6	1	2								1
41	25 to 34 years	12		8							1	
42	35 to 44 years	35	1	17	1						1	4
43	45 to 54 years	18		4	2			2				
44	55 to 64 years	15		2	2						1	
45	65 to 74 years	12			2						1	
46	75 to 84 years	11			1							
47	85 years and over	3									1	
48	Unknown											
49	Milliners	9		1	1						1	1
50	10 to 14 years											
51	15 to 19 years											
52	20 to 24 years											
53	25 to 34 years	3		1								1
54	35 to 44 years	1										
55	45 to 54 years	2										
56	55 to 64 years	1										
57	65 to 74 years	1			1							
58	75 to 84 years	1									1	
59	85 years and over											
60	Unknown											
61	Seamstresses	14		4				1			2	
62	10 to 14 years											
63	15 to 19 years	1										
64	20 to 24 years											
65	25 to 34 years	1										
66	35 to 44 years	5		3							2	
67	45 to 54 years	5		1				1				
68	55 to 64 years	1										
69	65 to 74 years	1										
70	75 to 84 years											
71	85 years and over											
72	Unknown											
73	Shirt, collar, and cuff makers	40		9	6						1	
74	10 to 14 years											
75	15 to 19 years	3		1								
76	20 to 24 years	8		3	1							
77	25 to 34 years	7		3	1							
78	35 to 44 years	7		2	2							
79	45 to 54 years	4										
80	55 to 64 years	7			1						1	
81	65 to 74 years	3			1							
82	75 to 84 years	1										
83	85 years and over											
84	Unknown											

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
52	12	1	29	4	.....	1	5	4	1	4	2	7	24	10	3	29	20	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	2	.....	3
2	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	5	1	4
1	.....	.....	6	.....	.....	.....	.....	.....	.....	3	.....	.....	3	.....	.....	7	1	5
5	1	.....	9	1	.....	1	1	1	.....	.....	.....	.....	3	3	.....	4	8	6
11	2	1	4	1	.....	.....	1	1	1	.....	.....	2	8	3	1	4	.....	7
9	2	.....	5	.....	.....	.....	1	.....	.....	.....	.....	4	5	.....	.....	2	6	8
18	3	.....	2	.....	.....	.....	1	1	.....	.....	1	.....	4	2	.....	3	2	9
5	3	.....	2	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	2	1	1	10
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
12	4	1	10	1	.....	1	4	.....	.....	2	.....	2	16	4	1	9	11	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	2	16
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	2	17
1	.....	.....	3	1	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	1	1	18
1	1	.....	4	.....	.....	.....	1	.....	.....	.....	.....	1	5	.....	.....	1	.....	19
2	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	1	3	.....	.....	1	1	20
3	2	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	2	.....	.....	1	1	21
4	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	3	1	.....	.....	2	22
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	31
1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	32
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
11	5	4	11	2	.....	.....	3	1	.....	1	.....	4	2	1	2	4	7	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	39
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	40
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	41
2	1	1	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	1	42
1	.....	.....	3	1	.....	.....	2	.....	.....	.....	.....	1	.....	.....	1	.....	1	43
4	1	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	44
1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	3	45
1	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	1	46
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	53
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	54
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	55
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	56
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	57
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60
2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	62
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	63
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	64
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	65
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	66
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	67
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	68
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	69
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	70
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72
2	.....	.....	8	.....	.....	.....	.....	.....	.....	.....	.....	1	5	3	.....	3	2	73
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	74
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	75
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	76
.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	77
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	78
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	79
.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	80
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	81
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	82
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	83
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
	Manufacturing and mechanical pursuits—Continued.											
	Textiles—Continued.											
1	Tailors	2,408	26	458	166	12	34	16			158	44
2	10 to 14 years	1										
3	15 to 19 years	46		15	1						1	
4	20 to 24 years	150	4	67			2	1				3
5	25 to 34 years	326	7	123	7		1	3			5	7
6	35 to 44 years	415	11	140	18	1	5	3			7	10
7	45 to 54 years	456	4	76	37	8	6	7			28	8
8	55 to 64 years	361		25	49		10	1			30	8
9	65 to 74 years	338		10	39	3	10	1			42	5
10	75 to 84 years	246			12						41	3
11	85 years and over	69		2	3						4	
12	Unknown											
13	Other textile workers	165	2	43	6	1	2	3			10	5
14	10 to 14 years											
15	15 to 19 years	6	1	3								
16	20 to 24 years	20		11								
17	25 to 34 years	35		11	1	1						2
18	35 to 44 years	26		8	1			1			1	
19	45 to 54 years	24	1	7			1	1			1	
20	55 to 64 years	23		3	3						3	2
21	65 to 74 years	18			1		1	1			2	
22	75 to 84 years	10									3	
23	85 years and over	3										1
24	Unknown											
	Miscellaneous industries.											
25	Broom and brush makers	95	2	28	3	1		1			9	4
26	10 to 14 years											
27	15 to 19 years	2										
28	20 to 24 years	12		8								
29	25 to 34 years	11	1	6								2
30	35 to 44 years	13		5				1			1	1
31	45 to 54 years	20	1	5							1	
32	55 to 64 years	16		3	2	1					3	
33	65 to 74 years	14		1	1						2	1
34	75 to 84 years	4									2	
35	85 years and over	3										
36	Unknown											
37	Charcoal, coke, and lime burners	31	2	3	2			1			1	1
38	10 to 14 years											
39	15 to 19 years	2	2									
40	20 to 24 years	1										
41	25 to 34 years	7		1								
42	35 to 44 years	6			1							
43	45 to 54 years	4		1							1	
44	55 to 64 years	5		1				1				
45	65 to 74 years	4										1
46	75 to 84 years	2			1							
47	85 years and over											
48	Unknown											
49	Engineers and firemen (not locomotive)	3,295	90	415	230	21	45	27		1	226	73
50	10 to 14 years											
51	15 to 19 years	29	3	3								1
52	20 to 24 years	141	13	35		1	1					5
53	25 to 34 years	471	39	121	7	2	3	3			1	7
54	35 to 44 years	605	22	113	34	6	4	7			14	12
55	45 to 54 years	694	6	73	55	2	13	11			42	12
56	55 to 64 years	683	7	48	74	4	15	2		1	81	17
57	65 to 74 years	491		19	47	6	8	2			61	13
58	75 to 84 years	158		2	12		1	1			23	5
59	85 years and over	20		1	1			1			4	1
60	Unknown	3										
61	Glovemakers	36		4	1	1					1	1
62	10 to 14 years											
63	15 to 19 years	2										
64	20 to 24 years	1										
65	25 to 34 years	4										1
66	35 to 44 years	5		2		1						
67	45 to 54 years	7										
68	55 to 64 years	9		2								
69	65 to 74 years	8			1						1	
70	75 to 84 years											
71	85 years and over											
72	Unknown											
73	Manufacturers and officials, etc	2,805	51	177	186	14	65	7			285	84
74	10 to 14 years											
75	15 to 19 years	2		1								
76	20 to 24 years	38	5	7								2
77	25 to 34 years	164	9	46	3	2	1	1			5	5
78	35 to 44 years	327	14	46	21	1	5	1			14	19
79	45 to 54 years	526	14	38	39	5	9	1			39	22
80	55 to 64 years	708	8	23	40	4	28	3			79	17
81	65 to 74 years	613	1	13	58	2	18	1			88	12
82	75 to 84 years	347		3	24		4				52	7
83	85 years and over	79			1						8	
84	Unknown	1										

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
253	102	35	186	12	11	23	49	21	11	20	12	73	246	102	18	86	234	1
										1								2
4			6			1		1	1				1	3	1	5	6	3
8	2	1	10			1		1	1	3		5	3	8		7	23	4
20	8		24	4		2	2	2	1	5	1	8	21	20	3	21	31	5
33	12	2	24	1	2	3	10	5	1	5		11	42	26	2	12	29	6
45	21	3	37	2	1	4	13	6	3	4	4	16	46	21	10	12	34	7
49	18	4	34	2	4	2	8	3	1	1	3	11	44	17	1	12	24	8
49	19	6	28	2	3	5	10	1	2	1		6	50	4	1	11	30	9
36	16	15	17	1	1	2	6	1	1		3	12	32	3		5	39	10
9	6	4	6			3		1			1	4	7			1	18	11
																		12
17	5		18	2		1	2	1		5			19	8	2	5	8	13
																		14
	1																1	15
			3			1				2				2			1	16
3			3	2						2			1	5	1	1	2	17
3	1		6				1						1			2	1	18
1	1		1					1					7	1		1		19
4			2				1			1			3				1	20
5	1		2										3		1	1		21
1			1										4				1	22
	1																1	23
																		24
10	3	1	6		1	1	1			1		3	6	5		2	7	25
																		26
		1	1															27
1													1			1	1	28
1														1				29
	1						1					1				1	1	30
2	2		2			1				1			2	3				31
			1									1	1	1			3	32
5			2		1								1					33
1												1						34
													1				2	35
																		36
4			2		1	1				1		3	1			4	4	37
																		38
																		39
																1		40
2										1						1	2	41
			1									2				1	1	42
1																1		43
			1			1							1					44
					1							1					1	45
1																		46
																		47
																		48
388	146	20	255	12	8	24	68	29	7	40	9	83	303	87	24	378	286	49
																		50
1			1							2		1				15	2	51
3	1	1	5			2				6	1	3	3			46	15	52
31	10	1	29	3		3	6	4	5	11	2	10	15	17	7	82	52	53
50	22	4	58	1		5	12	3		10	2	17	45	19	7	99	39	54
85	34	3	65	4	2	5	19	7	1	7	2	18	72	31	5	64	56	55
101	33	4	48	2	4	3	18	8		3	2	12	80	11	4	43	58	56
85	34	3	36	1	1	4	12	5	1	1		16	69	6	1	18	42	57
30	11	3	11		1	2	1	2				6	19	2		7	19	58
2	1	1	2													3	3	59
				1										1		1		60
11	2		3									4	5			1	2	61
																		62
1			1															63
																	1	64
2												1						65
												1				1		66
3	2		1									1						67
1												1	4				1	68
4			1										1					69
																		70
																		71
																		72
370	205	25	201	9	7	17	62	27	9	26	12	109	308	61	19	189	280	73
																		74
																1		75
1	2		1			2				1	1			1	2	8	5	76
5	1		11				1		1	5		10	5	5	1	29	18	77
27	8	1	27	1		2	9	3	2	6	1	11	27	6	3	44	28	78
50	36	3	33	3	1		15	6		6	1	18	64	30	6	46	41	79
111	61	7	47	2	5	3	21	10	4	3	5	32	83	8	5	37	62	80
110	53	6	43	3	1	4	14	6		3	2	19	76	7	2	14	57	81
55	36	7	30			5	2	2	2	2	2	16	35	4		6	53	82
11	8	1	9			1						3	18			3	16	83
																1		84

TABLE 11.—MALES—DEATHS OF MALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.
	Manufacturing and mechanical pursuits—Continued.											
	Miscellaneous industries—Continued.											
1	Model and pattern makers	226	5	34	20	1	1	6			17	8
2	10 to 14 years											
3	15 to 19 years	7	2	2								
4	20 to 24 years	18		8							1	
5	25 to 34 years	25		11				1				
6	35 to 44 years	21	2	3				4				
7	45 to 54 years	44		6	4	1	1	1			3	1
8	55 to 64 years	42		2	7						5	3
9	65 to 74 years	39	1		9						4	1
10	75 to 84 years	22		1							2	3
11	85 years and over	8		1							2	
12	Unknown											
13	Photographers	215	3	32	12		3	1			21	7
14	10 to 14 years											
15	15 to 19 years	3		1								
16	20 to 24 years	6	1									
17	25 to 34 years	26	1	11	1		1					
18	35 to 44 years	44		11	1		1	1			2	2
19	45 to 54 years	42		6	2						3	4
20	55 to 64 years	41	1	1	3						8	
21	65 to 74 years	39		1	3		1				8	1
22	75 to 84 years	14		1	2							
23	85 years and over											
24	Unknown											
25	Rubber-factory operatives	118	5	33	5		1	1			6	1
26	10 to 14 years											
27	15 to 19 years	10	2	3								
28	20 to 24 years	12		6								
29	25 to 34 years	27	1	13			1				1	
30	35 to 44 years	21		7	1			1			1	1
31	45 to 54 years	22	2	3	3						2	
32	55 to 64 years	18		1							2	
33	65 to 74 years	5			1							
34	75 to 84 years	3										
35	85 years and over											
36	Unknown											
37	Tobacco and cigar factory operatives	982	12	239	57	3	15	17			53	18
38	10 to 14 years											
39	15 to 19 years	21	2	6			1					
40	20 to 24 years	49	2	28		1					1	2
41	25 to 34 years	136	7	67	1			2				2
42	35 to 44 years	181		61	2			5			8	
43	45 to 54 years	233		54	22	1	3	5			7	4
44	55 to 64 years	187	1	15	23		4	5			13	5
45	65 to 74 years	121		7	5	1	6				22	2
46	75 to 84 years	48		1	3		1				2	3
47	85 years and over	5			1							
48	Unknown	1										
49	Upholsterers	327	2	65	11	3	3	7			25	6
50	10 to 14 years	1										
51	15 to 19 years	4		1								
52	20 to 24 years	24		11		2	1					
53	25 to 34 years	54	2	11				1				
54	35 to 44 years	69		22	2		1	5			3	2
55	45 to 54 years	58		12				1			5	
56	55 to 64 years	58		6	5		1				7	2
57	65 to 74 years	52		1	4	1					4	1
58	75 to 84 years	23		1							6	1
59	85 years and over	4										
60	Unknown											
61	Other miscellaneous industries	3,296	84	562	167	22	29	21	1		215	91
62	10 to 14 years	12										1
63	15 to 19 years	157	10	38		1					1	8
64	20 to 24 years	240	16	81	1	2	1					5
65	25 to 34 years	571	31	175	7	4	3	2			9	15
66	35 to 44 years	566	14	132	17	4	5	10			17	24
67	45 to 54 years	604	10	82	38	3	6	5			41	18
68	55 to 64 years	523	1	41	50	3	10	2	1		55	10
69	65 to 74 years	377		8	40	5	3	1			49	6
70	75 to 84 years	195	2	4	12		1	1			34	3
71	85 years and over	50		1	2						9	1
72	Unknown	1										

GROUPS OF OCCUPATIONS, FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Heart disease.	Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
21	8	.....	18	2	.....	2	3	1	1	2	.....	9	22	7	.....	9	29	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3
.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	3	4
.....	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	3	1	5
1	.....	.....	2	.....	.....	1	.....	.....	.....	1	.....	.....	2	.....	.....	1	4	6
3	1	.....	3	.....	.....	.....	1	1	1	1	.....	3	7	2	.....	1	3	7
9	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	1	5	8
3	2	.....	6	.....	.....	1	2	.....	.....	.....	.....	2	4	1	.....	1	2	9
3	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	7	10
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
29	9	1	12	1	1	2	7	2	2	2	.....	5	24	11	5	5	18	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	15
.....	.....	.....	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	16
1	2	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	1	17
2	1	.....	2	.....	.....	1	1	.....	.....	.....	.....	3	3	4	1	2	6	18
8	2	.....	1	.....	.....	.....	2	1	1	1	.....	.....	5	2	2	.....	2	19
5	1	1	2	.....	1	.....	2	.....	1	.....	.....	.....	10	3	.....	1	1	20
10	3	.....	1	.....	.....	1	.....	1	.....	.....	.....	2	3	.....	.....	1	3	21
2	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	2	.....	.....	.....	4	22
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
13	2	.....	13	.....	1	2	1	.....	.....	1	.....	2	9	2	1	9	10	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	2	2	28
2	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	2	3	29
3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	1	1	30
2	1	.....	3	.....	1	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	2	31
4	.....	.....	4	.....	.....	1	1	.....	.....	.....	.....	.....	3	.....	.....	1	1	32
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	33
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
99	45	9	60	3	4	1	33	5	3	9	3	23	89	37	5	50	90	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
1	.....	.....	2	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	5	1	39
1	2	.....	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	3	4	40
4	4	1	9	.....	1	.....	5	.....	.....	3	.....	.....	6	7	1	7	9	41
22	7	1	11	.....	1	.....	5	1	.....	3	1	6	6	8	1	14	18	42
26	8	4	16	.....	1	.....	11	1	.....	1	1	4	21	12	.....	13	18	43
22	10	1	9	2	.....	.....	6	1	1	.....	1	3	36	8	2	5	14	44
16	12	.....	10	1	1	.....	5	2	1	.....	.....	4	10	1	.....	3	12	45
5	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	6	9	.....	1	.....	12	46
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	48
40	13	8	21	2	2	.....	11	7	.....	3	.....	13	25	10	3	19	28	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	51
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	3	1	52
2	1	1	3	.....	.....	.....	1	1	.....	2	.....	1	1	.....	.....	3	4	53
4	1	.....	4	.....	.....	.....	3	.....	.....	.....	.....	4	3	3	1	6	5	54
12	2	2	6	.....	.....	.....	2	.....	.....	.....	.....	2	5	2	.....	4	3	55
7	3	.....	2	.....	1	.....	4	3	.....	.....	.....	3	6	.....	1	2	5	56
10	4	3	3	.....	1	.....	1	1	.....	.....	.....	3	8	.....	.....	1	6	57
4	1	1	2	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	1	.....	3	58
.....	1	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60
333	111	29	289	13	5	18	53	19	15	47	9	109	233	92	43	416	270	61
.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	8	.....	62
10	2	1	16	1	.....	1	.....	.....	1	10	.....	2	1	2	4	34	14	63
8	1	.....	14	.....	.....	2	.....	3	1	17	.....	2	5	6	7	55	13	64
33	5	1	44	3	.....	2	3	.....	2	9	2	10	13	24	13	112	49	65
35	12	5	60	2	1	7	9	5	3	5	2	17	41	18	7	84	30	66
54	18	3	63	4	2	1	16	3	2	4	1	24	60	24	6	71	45	67
88	29	6	36	2	1	2	19	5	1	2	1	21	46	13	3	29	46	68
73	24	5	37	1	.....	2	5	2	3	.....	2	19	46	3	2	14	27	69
25	16	5	16	.....	1	.....	1	1	2	.....	1	12	18	1	.....	7	32	70
7	4	3	1	.....	.....	1	.....	.....	.....	.....	.....	2	3	1	.....	1	14	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	72

TABLE 12.—FEMALES—DEATHS OF FEMALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
1	All occupations reported	27,459	758	5,764	2,226	189	286	65	.....	22	1,625	708	2,834
2	10 to 14 years	71	9	19	.....	2	1	.....	.....	.....	1	6	4
3	15 to 19 years	2,198	202	731	15	29	11	1	.....	.....	8	70	104
4	20 to 24 years	3,653	210	1,454	26	25	22	4	.....	3	21	92	176
5	25 to 34 years	5,141	172	1,837	160	23	29	17	.....	5	69	134	327
6	35 to 44 years	4,500	89	959	456	31	47	19	.....	3	178	136	472
7	45 to 54 years	4,398	44	449	685	25	64	13	.....	4	370	131	559
8	55 to 64 years	4,174	25	234	615	25	83	9	.....	4	514	79	642
9	65 to 74 years	1,887	5	61	179	18	23	2	.....	1	258	42	330
10	75 to 84 years	1,078	1	19	75	4	5	.....	.....	1	163	16	176
11	85 years and over	338	.....	.....	14	7	.....	.....	.....	1	39	2	42
12	Unknown	21	1	1	1	.....	1	.....	.....	.....	4	.....	2
13	Agricultural pursuits	879	15	76	71	8	12	1	.....	2	87	17	133
14	10 to 14 years	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....
15	15 to 19 years	21	5	4	.....	.....	.....	.....	.....	.....	.....	1	.....
16	20 to 24 years	27	1	12	.....	.....	.....	.....	.....	.....	.....	2	.....
17	25 to 34 years	49	1	20	1	1	1	.....	.....	.....	.....	2	2
18	35 to 44 years	63	4	12	4	.....	2	.....	.....	.....	4	2	2
19	45 to 54 years	91	.....	11	13	.....	1	.....	.....	1	6	2	17
20	55 to 64 years	115	2	9	23	1	4	1	.....	.....	11	.....	20
21	65 to 74 years	206	1	5	17	2	3	.....	.....	.....	25	3	46
22	75 to 84 years	222	1	3	11	1	.....	.....	.....	.....	30	4	39
23	85 years and over	82	.....	.....	2	3	.....	.....	.....	1	11	.....	7
24	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Agricultural laborers [2]	53	2	12	.....	1	.....	1	.....	.....	4	.....	5
26	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	20 to 24 years	7	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
29	25 to 34 years	5	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	1
30	35 to 44 years	7	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	45 to 54 years	8	.....	1	.....	.....	.....	.....	.....	.....	1	.....	1
32	55 to 64 years	6	.....	2	.....	.....	.....	1	.....	.....	1	.....	.....
33	65 to 74 years	10	.....	.....	.....	1	.....	.....	.....	.....	1	.....	2
34	75 to 84 years	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
35	85 years and over	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
36	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Farmers, planters, and overseers	799	13	63	71	7	12	.....	.....	2	82	17	118
38	10 to 14 years	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....
39	15 to 19 years	17	4	2	.....	.....	.....	.....	.....	.....	.....	1	.....
40	20 to 24 years	20	1	9	.....	.....	.....	.....	.....	.....	.....	2	.....
41	25 to 34 years	43	1	17	1	1	1	.....	.....	.....	.....	2	1
42	35 to 44 years	55	3	11	4	.....	2	.....	.....	.....	3	2	2
43	45 to 54 years	75	.....	9	13	.....	1	.....	.....	1	5	2	13
44	55 to 64 years	103	2	7	23	1	4	.....	.....	.....	10	.....	18
45	65 to 74 years	193	1	5	17	1	3	.....	.....	.....	24	3	42
46	75 to 84 years	212	1	3	11	1	.....	.....	.....	.....	30	4	35
47	85 years and over	78	.....	.....	2	3	.....	.....	.....	1	10	.....	7
48	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Professional service	1,725	63	339	182	13	30	2	.....	1	106	60	151
50	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	61	8	15	.....	4	1	.....	.....	.....	.....	3	3
52	20 to 24 years	248	25	94	2	.....	5	.....	.....	.....	3	5	12
53	25 to 34 years	385	21	143	18	1	7	.....	.....	.....	5	11	26
54	35 to 44 years	293	6	47	46	3	2	1	.....	.....	18	13	25
55	45 to 54 years	268	2	20	56	2	6	1	.....	.....	20	11	26
56	55 to 64 years	196	1	15	31	.....	5	.....	.....	.....	20	7	23
57	65 to 74 years	164	.....	5	22	2	2	.....	.....	1	20	9	22
58	75 to 84 years	84	.....	.....	6	1	2	.....	.....	.....	15	1	12
59	85 years and over	24	.....	.....	1	.....	.....	.....	.....	.....	4	.....	2
60	Unknown	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
61	Actors, professional showmen, etc	68	.....	16	5	.....	.....	1	.....	.....	2	3	4
62	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	4	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....
64	20 to 24 years	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
65	25 to 34 years	29	.....	8	1	.....	.....	.....	.....	.....	1	1	3
66	35 to 44 years	16	.....	3	3	.....	.....	1	.....	.....	1	1	.....
67	45 to 54 years	5	.....	1	1	.....	.....	.....	.....	.....	.....	.....	1
68	55 to 64 years	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
69	65 to 74 years	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
70	75 to 84 years	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	85 years and over	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Artists and teachers of art	54	2	6	12	.....	.....	.....	.....	.....	6	3	3
74	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
75	15 to 19 years	2	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....
76	20 to 24 years	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
77	25 to 34 years	9	1	3	1	.....	.....	.....	.....	.....	.....	.....	1
78	35 to 44 years	8	.....	.....	3	.....	.....	.....	.....	.....	1	.....	1
79	45 to 54 years	12	.....	1	4	.....	.....	.....	.....	.....	1	.....	.....
80	55 to 64 years	6	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....
81	65 to 74 years	8	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....
82	75 to 84 years	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
83	85 years and over	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
84	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Only occupations with at least 50 deaths are shown.

GROUPS OF OCCUPATIONS,[1] FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909.

Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Childbirth.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
821	207	1,926	98	59	187	216	231	189	355	96	975	2,004	803	430	181	700	3,504	1
1	.....	5	.....	.....	1	.....	.....	1	2	.....	2	2	.....	1	.....	4	10	2
24	9	131	10	1	11	1	5	28	83	.....	63	57	111	66	27	90	310	3
48	6	192	13	1	17	2	13	38	89	2	104	108	238	107	43	100	499	4
93	11	295	22	2	26	22	33	47	86	5	153	238	307	123	38	116	751	5
125	27	290	15	16	27	45	53	46	41	17	170	347	141	51	26	90	583	6
167	28	350	17	14	31	56	51	17	32	28	168	441	5	40	22	105	482	7
168	55	377	12	20	38	56	42	9	18	31	176	478	.....	32	15	88	329	8
119	26	172	4	4	22	26	26	2	1	10	74	210	.....	5	8	46	213	9
56	32	97	5	1	10	7	6	1	3	3	47	99	.....	4	1	47	199	10
20	13	17	.....	.....	4	1	2	.....	.....	.....	17	24	.....	.....	1	13	121	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	7	12
35	14	60	4	1	8	5	11	2	4	6	35	57	21	10	1	29	154	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	1	.....	.....	1	.....	.....	.....	4	.....	2	.....	2	.....	.....	.....	1	15
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	6	.....	.....	.....	3	16
1	.....	4	.....	.....	1	.....	.....	.....	.....	.....	3	1	5	2	.....	.....	4	17
2	.....	3	1	.....	.....	2	.....	.....	.....	1	1	3	8	.....	.....	3	9	18
1	.....	7	.....	1	.....	.....	4	.....	.....	.....	2	5	.....	4	1	6	9	19
3	1	11	.....	.....	2	.....	.....	1	.....	3	5	7	.....	1	.....	2	8	20
10	2	15	1	.....	2	3	5	1	.....	1	6	18	.....	.....	.....	6	34	21
13	10	16	2	.....	1	.....	.....	.....	.....	1	10	15	.....	2	.....	8	55	22
5	1	3	.....	.....	1	.....	1	.....	.....	.....	4	8	.....	.....	.....	4	31	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	24
3	.....	2	.....	.....	1	.....	.....	.....	1	.....	2	3	3	.....	.....	3	10	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	1	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	29
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	30
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	31
.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	32
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	4	33
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
28	13	55	4	1	7	5	11	2	3	6	32	53	18	9	.....	25	142	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
.....	.....	1	.....	.....	1	.....	.....	.....	3	.....	2	.....	2	.....	.....	.....	1	39
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	4	.....	.....	.....	2	40
1	.....	3	.....	.....	1	.....	.....	.....	.....	.....	2	1	5	2	.....	.....	4	41
.....	.....	3	1	.....	.....	2	.....	.....	.....	1	1	3	7	.....	.....	2	8	42
1	.....	6	.....	1	.....	.....	4	.....	.....	.....	2	4	.....	3	.....	5	5	43
2	1	9	.....	.....	1	.....	.....	1	.....	3	4	7	.....	1	.....	1	8	44
9	2	15	1	.....	2	3	5	1	.....	1	6	16	.....	.....	.....	6	30	45
10	10	15	2	.....	1	.....	.....	.....	.....	1	10	15	.....	2	.....	7	54	46
5	.....	3	.....	.....	1	.....	1	.....	.....	.....	4	7	.....	.....	.....	4	30	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	48
45	13	119	5	2	10	12	17	4	46	5	60	109	11	20	18	53	229	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	2	.....	.....	.....	.....	.....	.....	6	.....	3	1	.....	.....	.....	4	11	51
6	1	14	1	.....	.....	.....	1	1	14	.....	8	1	2	9	5	8	31	52
6	.....	18	2	1	1	2	3	3	19	1	9	11	7	5	5	9	51	53
6	3	27	.....	1	2	2	4	.....	4	.....	13	20	2	.....	2	8	38	54
7	2	14	1	.....	2	2	1	.....	1	1	15	24	.....	5	3	7	39	55
9	2	17	.....	.....	1	4	6	.....	1	1	7	21	.....	1	.....	4	20	56
6	1	15	1	.....	2	2	2	.....	.....	1	3	21	.....	.....	3	5	19	57
4	3	11	.....	.....	1	.....	.....	.....	1	1	1	8	.....	.....	.....	7	10	58
1	1	1	.....	.....	1	.....	.....	.....	.....	.....	1	2	.....	.....	.....	1	9	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	60
2	.....	3	.....	.....	.....	3	.....	.....	2	1	4	5	4	1	1	1	10	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	62
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	63
.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	64
.....	.....	1	.....	.....	.....	1	.....	.....	2	1	1	1	3	1	.....	.....	4	65
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	1	.....	3	66
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	67
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	68
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	69
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	70
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72
3	.....	1	.....	.....	.....	1	1	.....	.....	.....	2	6	.....	.....	2	2	4	73
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	74
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	75
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	76
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	77
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	78
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	1	1	79
1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	80
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	81
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	82
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	83
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	84

[1] In agricultural districts agricultural laborers and, similarly, in manufacturing districts unskilled workmen are often reported simply as "laborers"

TABLE 12.—FEMALES—DEATHS OF FEMALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
	Professional service—Continued.												
1	Literary and scientific persons	55	2	2	6	1	1	.....	.....	1	8	1	5
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	20 to 24 years	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	25 to 34 years	11	2	1	.....	.....	1	.....	.....	.....	.....	.....	1
6	35 to 44 years	12	.....	1	2	.....	.....	.....	.....	.....	3	1	1
7	45 to 54 years	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	2
8	55 to 64 years	10	.....	.....	1	.....	.....	.....	.....	.....	4	.....	1
9	65 to 74 years	11	.....	.....	1	1	.....	.....	.....	1	1	.....	.....
10	75 to 84 years	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
11	85 years and over	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Musicians and teachers of music	199	4	45	23	1	5	1	.....	.....	15	5	19
14	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	8	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	20 to 24 years	33	3	16	.....	.....	1	.....	.....	.....	.....	1	.....
17	25 to 34 years	40	1	18	2	.....	2	.....	.....	.....	.....	1	6
18	35 to 44 years	38	.....	5	6	.....	.....	.....	.....	.....	3	2	3
19	45 to 54 years	41	.....	3	9	1	.....	1	.....	.....	4	.....	3
20	55 to 64 years	17	.....	.....	2	.....	1	.....	.....	.....	4	1	3
21	65 to 74 years	14	.....	1	4	.....	.....	.....	.....	.....	1	.....	3
22	75 to 84 years	4	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1
23	85 years and over	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
24	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
25	Physicians and surgeons	64	.....	3	5	.....	2	.....	.....	.....	7	2	9
26	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	20 to 24 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
29	25 to 34 years	7	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1
30	35 to 44 years	6	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
31	45 to 54 years	16	.....	.....	1	.....	.....	.....	.....	.....	2	2	3
32	55 to 64 years	12	.....	1	2	.....	.....	.....	.....	.....	2	.....	2
33	65 to 74 years	11	.....	.....	1	.....	1	.....	.....	.....	2	.....	1
34	75 to 84 years	8	.....	.....	.....	.....	1	.....	.....	.....	1	.....	2
35	85 years and over	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Teachers and professors in colleges, etc.	1,170	55	251	119	8	21	.....	.....	.....	64	40	98
38	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	42	8	9	.....	2	1	.....	.....	.....	.....	1	3
40	20 to 24 years	198	21	74	2	.....	4	.....	.....	.....	3	4	12
41	25 to 34 years	269	17	104	13	1	4	.....	.....	.....	4	8	14
42	35 to 44 years	194	6	37	27	2	2	.....	.....	.....	8	9	18
43	45 to 54 years	167	2	13	37	1	5	.....	.....	.....	13	8	14
44	55 to 64 years	130	1	10	21	.....	4	.....	.....	.....	9	5	13
45	65 to 74 years	101	.....	4	14	1	1	.....	.....	.....	14	4	16
46	75 to 84 years	53	.....	.....	4	1	.....	.....	.....	.....	11	1	6
47	85 years and over	15	.....	.....	1	.....	.....	.....	.....	.....	2	.....	2
48	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Domestic and personal service	17,735	444	3,309	1,457	107	177	47	.....	15	1,175	432	1,884
50	10 to 14 years	51	8	16	.....	2	.....	.....	.....	.....	1	2	3
51	15 to 19 years	1,125	105	336	9	7	5	1	.....	.....	5	38	50
52	20 to 24 years	1,922	107	716	16	14	6	3	.....	3	12	42	84
53	25 to 34 years	3,155	100	1,047	95	14	12	11	.....	4	47	84	189
54	35 to 44 years	3,066	66	652	283	20	31	13	.....	3	119	86	320
55	45 to 54 years	3,232	37	328	455	17	45	10	.....	3	288	89	424
56	55 to 64 years	3,280	19	164	456	20	63	7	.....	2	420	64	500
57	65 to 74 years	1,119	2	39	91	11	12	2	.....	.....	170	18	194
58	75 to 84 years	588	.....	11	41	1	3	.....	.....	.....	91	8	92
59	85 years and over	183	.....	.....	10	1	.....	.....	.....	.....	19	1	26
60	Unknown	14	.....	.....	1	.....	.....	.....	.....	.....	3	.....	2
61	Barbers and hairdressers	55	.....	7	3	.....	.....	.....	.....	.....	2	1	5
62	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	15 to 19 years	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
64	20 to 24 years	8	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
65	25 to 34 years	14	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
66	35 to 44 years	10	.....	1	1	.....	.....	.....	.....	.....	.....	.....	2
67	45 to 54 years	7	.....	2	1	.....	.....	.....	.....	.....	.....	.....	1
68	55 to 64 years	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
69	65 to 74 years	8	.....	.....	1	.....	.....	.....	.....	.....	2	.....	1
70	75 to 84 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Boarding and lodging house keepers	84	.....	3	13	.....	1	.....	.....	.....	12	.....	15
74	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
75	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
76	20 to 24 years	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
77	25 to 34 years	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
78	35 to 44 years	16	.....	2	.....	.....	.....	.....	.....	.....	2	.....	5
79	45 to 54 years	21	.....	.....	7	.....	.....	.....	.....	.....	2	.....	2
80	55 to 64 years	24	.....	1	4	.....	.....	.....	.....	.....	4	.....	4
81	65 to 74 years	18	.....	.....	2	.....	1	.....	.....	.....	4	.....	3
82	75 to 84 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
83	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
84	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Only occupations with at least 50 deaths are shown.

GROUPS OF OCCUPATIONS,[1] FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Other diseases of circulatory system.	Bronchitis	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Childbirth.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
		2							3		2	5		1		4	11	1
																		2
																		3
												1		1				4
									2			1					3	5
									1							2	1	6
																	1	7
											2						2	8
		1										3					3	9
		1														2		10
																	1	11
																		12
8	3	8			1	3	1	1	4	1	6	11	1	3	2	6	22	13
																		14
									2								4	15
3		1						1	1					1	1	1	3	16
		3				1					1	1			1	1	2	17
2	1	2				1			1		2	2	1			3	4	18
2						1					3	4		1			9	19
	1				1					1		1		1		1		20
	1	2					1					1						21
												1						22
1												1						23
																		24
1	4	4	1		1		1			1	1	9		1		2	10	25
																		26
																		27
																	1	28
												1					3	29
	1	1			1							1					1	30
	1	1								1	1	3		1				31
1		1					1					2						32
		1	1									1					3	33
	1											1				2		34
	1																2	35
																		36
28	6	94	4	2	7	4	11	3	31	1	41	66	5	10	10	34	157	37
																		38
		2							4		3					4	5	39
3	1	10	1				1		13		7		1	6	4	7	24	40
6		14	2	1	1		3	3	11		7	7	4	2	2	7	34	41
3	1	23		1	1		2		1		9	14			1	2	27	42
4	1	12	1		1	1	1				7	15		2	1	5	23	43
7	1	15				1	4		1		5	13				3	17	44
2		10			2	2				1	2	13			2	2	11	45
3	2	7			1				1		1	3				3	9	46
		1			1							1				1	6	47
																	1	48
552	151	1,330	63	50	131	157	164	104	155	72	653	1,393	663	247	105	438	2,260	49
		4			1						2	1		1		2	8	50
10	7	78	7	1	5	1	4	15	27		35	21	90	40	15	51	162	51
21	3	122	4	1	11	1	7	21	32	1	51	58	180	50	25	54	277	52
56	7	204	15		19	12	23	21	32	3	96	147	267	66	24	71	489	53
87	19	203	11	12	16	33	39	30	21	13	118	239	120	33	10	56	413	54
132	23	264	13	12	26	46	39	11	25	25	121	345	5	26	13	73	337	55
139	48	280	10	20	30	42	32	6	16	24	147	400		26	12	69	264	56
68	18	109	2	4	14	14	15		1	5	46	119		3	4	30	128	57
30	17	56	1		7	7	4		1	1	28	53		2	1	25	108	58
9	9	10			2	1	1				9	10			1	6	68	59
													1			1	6	60
2		5			2	1	1		3	1	3	1	1	2	1	3	11	61
																		62
									1								1	63
					1						2					1	2	64
		1											1	1	1	2	6	65
1		1					1							1			2	66
						1				1	1							67
		1							2			1						68
1		2			1													69
																		70
																		71
																		72
5	1	7								1	1	7		5		3	10	73
																		74
																		75
														2				76
														1			1	77
		2								1				2		1	1	78
2		2										3				2	1	79
2	1	2										2					4	80
1		1									1	2					3	81
																		82
																		83
																		84

TABLE 12.—FEMALES—DEATHS OF FEMALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
	Domestic and personal service—Continued.												
1	Housekeepers and stewardesses	305	4	24	36	1	4	.....	.....	.....	27	12	46
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	4	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	20 to 24 years	10	1	3	1	.....	.....	.....	.....	.....	.....	1	.....
5	25 to 34 years	25	2	7	.....	.....	.....	.....	.....	.....	2	1	1
6	35 to 44 years	48	1	5	2	.....	.....	.....	.....	.....	2	.....	8
7	45 to 54 years	71	.....	4	10	.....	2	.....	.....	.....	4	6	16
8	55 to 64 years	101	.....	2	19	.....	1	.....	.....	.....	11	4	12
9	65 to 74 years	30	.....	.....	3	.....	1	.....	.....	.....	5	.....	6
10	75 to 84 years	13	.....	.....	1	.....	.....	.....	.....	.....	2	.....	3
11	85 years and over	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
12	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
13	Janitresses and sextons	50	.....	8	2	1	.....	.....	.....	.....	2	.....	3
14	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	20 to 24 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	25 to 34 years	5	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
18	35 to 44 years	13	.....	3	1	.....	.....	.....	.....	.....	1	.....	.....
19	45 to 54 years	13	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	2
20	55 to 64 years	14	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....
21	65 to 74 years	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1
22	75 to 84 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Laborers (not specified) [2]	163	4	39	4	.....	1	1	.....	.....	10	6	12
26	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	12	2	3	.....	.....	.....	.....	.....	.....	.....	1	1
28	20 to 24 years	21	2	7	.....	.....	.....	.....	.....	.....	2	1	1
29	25 to 34 years	36	.....	15	1	.....	.....	.....	.....	.....	.....	3	2
30	35 to 44 years	36	.....	7	2	.....	1	.....	.....	.....	3	1	4
31	45 to 54 years	24	.....	4	.....	.....	.....	.....	.....	.....	1	.....	1
32	55 to 64 years	18	.....	1	1	.....	.....	.....	.....	.....	3	.....	2
33	65 to 74 years	13	.....	2	.....	.....	.....	1	.....	.....	1	.....	1
34	75 to 84 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	85 years and over	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Laundresses	1,091	24	202	71	5	11	6	.....	1	74	21	126
38	10 to 14 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	45	2	18	.....	.....	.....	1	.....	.....	1	1	.....
40	20 to 24 years	97	4	40	1	.....	.....	.....	.....	.....	1	2	5
41	25 to 34 years	212	7	70	8	.....	1	1	.....	.....	3	6	16
42	35 to 44 years	216	7	40	17	1	3	.....	.....	1	7	3	26
43	45 to 54 years	243	4	28	21	3	2	3	.....	.....	20	6	37
44	55 to 64 years	165	.....	4	17	.....	4	1	.....	.....	21	2	23
45	65 to 74 years	79	.....	1	4	1	1	.....	.....	.....	18	.....	14
46	75 to 84 years	28	.....	1	3	.....	.....	.....	.....	.....	3	1	4
47	85 years and over	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
48	Unknown	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
49	Nurses and midwives	915	50	102	112	6	8	3	.....	.....	74	22	104
50	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	15 to 19 years	25	2	4	.....	1	.....	.....	.....	.....	.....	.....	1
52	20 to 24 years	83	14	20	1	2	.....	.....	.....	.....	1	1	4
53	25 to 34 years	146	12	34	5	.....	1	.....	.....	.....	1	7	11
54	35 to 44 years	122	11	22	18	.....	.....	1	.....	.....	3	1	10
55	45 to 54 years	153	7	13	25	1	3	2	.....	.....	15	5	17
56	55 to 64 years	159	4	3	30	.....	2	.....	.....	.....	15	4	23
57	65 to 74 years	144	.....	4	23	1	1	.....	.....	.....	20	3	25
58	75 to 84 years	65	.....	2	9	1	1	.....	.....	.....	16	1	11
59	85 years and over	18	.....	.....	1	.....	.....	.....	.....	.....	3	.....	2
60	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Servants and waitresses	14,930	361	2,913	1,197	92	150	36	.....	14	958	365	1,557
62	10 to 14 years	50	8	16	.....	2	.....	.....	.....	.....	1	2	3
63	15 to 19 years	1,035	99	308	9	6	5	.....	.....	.....	4	36	48
64	20 to 24 years	1,698	86	643	13	12	6	3	.....	3	8	37	74
65	25 to 34 years	2,704	79	916	80	13	10	10	.....	4	41	64	159
66	35 to 44 years	2,578	47	568	240	18	27	11	.....	2	100	81	261
67	45 to 54 years	2,671	26	272	385	13	37	5	.....	3	243	71	344
68	55 to 64 years	2,760	14	151	376	20	56	6	.....	2	359	53	432
69	65 to 74 years	795	2	31	56	8	8	1	.....	.....	116	14	139
70	75 to 84 years	470	.....	8	28	.....	1	.....	.....	.....	68	6	72
71	85 years and over	158	.....	.....	9	.....	.....	.....	.....	.....	16	1	24
72	Unknown	11	.....	.....	1	.....	.....	.....	.....	.....	2	.....	1
73	Trade and transportation	2,538	112	783	135	21	28	2	.....	1	69	68	196
74	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
75	15 to 19 years	384	34	146	3	7	3	.....	.....	.....	2	9	18
76	20 to 24 years	695	39	294	4	5	8	.....	.....	.....	3	20	39
77	25 to 34 years	667	29	266	20	3	4	2	.....	1	6	10	43
78	35 to 44 years	348	5	56	40	3	4	.....	.....	.....	14	18	35
79	45 to 54 years	207	3	16	39	1	4	.....	.....	.....	14	8	18
80	55 to 64 years	121	1	3	18	1	5	.....	.....	.....	11	1	23
81	65 to 74 years	80	1	1	8	1	.....	.....	.....	.....	14	2	13
82	75 to 84 years	30	.....	1	3	.....	.....	.....	.....	.....	5	.....	5
83	85 years and over	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
84	Unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Only occupations with at least 50 deaths are shown.

GROUPS OF OCCUPATIONS,[1] FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Childbirth.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
8	3	29	.....	.....	1	9	8	.....	4	1	8	28	1	9	1	9	32	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	5
2	1	8	.....	.....	.....	2	.....	.....	1	.....	2	2	1	2	.....	2	2	6
2	.....	4	.....	.....	1	.....	2	.....	1	.....	1	6	.....	1	1	1	5	7
1	1	11	.....	.....	.....	2	4	.....	2	1	3	4	.....	1	.....	2	11	8
1	.....	3	.....	.....	.....	3	1	.....	.....	.....	1	11	.....	4	.....	2	10	9
.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	5	.....	.....	.....	.....	1	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	12
3	.....	7	.....	.....	1	1	.....	1	3	1	4	2	1	1	.....	2	7	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	1	17
.....	.....	.....	.....	.....	1	1	.....	1	1	.....	2	.....	.....	.....	.....	1	1	18
1	.....	4	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	19
1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	4	20
1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
9	3	11	.....	2	.....	2	.....	1	2	1	4	16	6	1	.....	6	22	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	1	27
.....	.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	3	28
.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	2	7	29
1	.....	4	.....	.....	.....	1	.....	1	1	.....	1	3	.....	.....	.....	.....	6	30
3	1	2	.....	1	.....	1	.....	.....	.....	.....	.....	4	.....	1	.....	2	3	31
2	.....	1	.....	1	.....	.....	.....	.....	.....	1	1	4	.....	.....	.....	1	.....	32
3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	1	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
38	3	95	2	6	18	13	6	7	4	2	43	88	15	16	7	27	160	37
.....	.....	3	1	.....	.....	.....	.....	1	1	.....	2	.....	5	2	.....	1	.....	38
2	.....	7	.....	.....	1	.....	.....	1	1	.....	3	3	3	4	2	2	5	39
5	.....	9	1	.....	.....	2	1	2	1	.....	12	8	5	4	4	1	16	40
3	.....	19	.....	1	4	5	4	2	.....	.....	8	20	2	4	1	6	40	41
10	.....	28	.....	3	6	3	1	.....	1	1	8	22	.....	1	.....	5	33	42
9	1	17	.....	1	5	3	.....	1	.....	.....	8	23	.....	.....	.....	4	31	43
7	.....	11	.....	1	2	.....	.....	.....	.....	1	1	8	.....	1	.....	5	20	44
2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	2	6	45
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	6	46
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	48
35	2	71	4	2	7	6	17	2	16	1	33	55	12	15	5	31	120	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	1	.....	.....	.....	.....	.....	.....	2	.....	2	.....	2	.....	.....	2	8	51
.....	.....	7	.....	.....	.....	.....	1	.....	1	.....	4	1	2	1	.....	6	17	52
.....	.....	13	1	.....	1	1	2	1	6	.....	5	6	7	4	1	2	25	53
7	.....	8	.....	.....	.....	.....	5	1	2	.....	3	5	1	4	1	5	14	54
4	.....	11	.....	.....	2	1	2	.....	2	.....	5	9	.....	3	1	4	21	55
10	1	12	3	1	.....	1	3	.....	2	1	6	20	.....	3	2	5	8	56
6	1	13	.....	1	3	2	3	.....	1	.....	7	11	.....	.....	.....	6	13	57
4	.....	5	.....	.....	1	1	1	.....	.....	.....	.....	3	.....	.....	.....	1	8	58
4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	6	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60
447	138	1,093	56	40	101	123	129	92	122	64	553	1,182	626	196	91	352	1,882	61
.....	.....	4	.....	.....	1	.....	.....	.....	.....	.....	2	1	.....	1	.....	1	8	62
10	5	73	6	1	5	1	4	14	23	.....	30	21	80	38	15	47	147	63
18	3	105	4	1	9	1	5	20	29	1	41	54	172	42	23	46	239	64
50	6	178	13	.....	18	8	20	18	25	3	77	128	251	54	18	57	404	65
73	18	161	11	11	10	23	29	24	15	12	102	199	117	21	7	41	349	66
108	22	211	13	8	17	39	34	11	19	22	106	301	5	19	12	58	267	67
114	44	231	6	17	25	36	24	5	10	21	126	336	.....	17	10	54	215	68
45	17	73	2	2	8	9	10	.....	.....	4	35	87	.....	2	4	21	101	69
24	14	48	1	.....	6	5	2	.....	1	1	27	46	.....	2	1	20	89	70
5	9	9	.....	.....	2	1	1	.....	.....	.....	7	9	.....	.....	1	6	58	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	5	72
61	9	138	10	3	14	16	13	31	66	3	93	140	32	64	27	66	337	73
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	74
5	.....	23	2	.....	1	.....	.....	5	14	.....	14	14	8	8	3	16	49	75
11	2	28	4	.....	4	1	2	7	24	1	22	19	15	25	9	17	92	76
11	2	24	2	.....	3	5	.....	8	18	.....	20	35	6	21	6	14	108	77
14	1	17	1	1	2	5	4	8	9	1	16	28	3	6	7	11	39	78
9	1	19	.....	1	.....	2	4	2	1	1	12	19	.....	1	1	4	27	79
5	1	21	1	.....	1	3	2	1	.....	.....	3	10	.....	2	1	1	6	80
5	1	5	.....	.....	2	.....	1	.....	.....	.....	4	11	.....	1	.....	3	7	81
.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	8	82
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	83
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	84

[1] In agricultural districts agricultural laborers and, similarly, in manufacturing districts unskilled workmen are often reported simply as "laborers."

TABLE 12.—FEMALES—DEATHS OF FEMALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
	Trade and transportation—Continued.												
1	Agents	51		6	9			1			3	2	3
2	10 to 14 years												
3	15 to 19 years	1										1	
4	20 to 24 years	4											1
5	25 to 34 years	6		3				1					
6	35 to 44 years	8		1							1	1	
7	45 to 54 years	15			2						1		1
8	55 to 64 years	13		2	5								1
9	65 to 74 years	4			2						1		
10	75 to 84 years												
11	85 years and over												
12	Unknown												
13	Bookkeepers and accountants	375	19	134	20	3	4				5	9	26
14	10 to 14 years												
15	15 to 19 years	44	4	15	2	1							2
16	20 to 24 years	102	6	47		1	1				1	1	8
17	25 to 34 years	140	8	63	5							3	9
18	35 to 44 years	60	1	8	9		3					3	4
19	45 to 54 years	22		1	3	1					3	2	2
20	55 to 64 years	3											1
21	65 to 74 years	3			1						1		
22	75 to 84 years	1											
23	85 years and over												
24	Unknown												
25	Clerks and copyists	844	34	269	38	5	14			1	19	21	54
26	10 to 14 years												
27	15 to 19 years	149	15	49	1	2	3				2	3	11
28	20 to 24 years	241	10	104	4	1	4					6	12
29	25 to 34 years	234	8	88	8	1	1			1	3	3	9
30	35 to 44 years	106		20	8	1	1				4	6	11
31	45 to 54 years	66	1	8	14		3				2	3	3
32	55 to 64 years	31			1		2				5		6
33	65 to 74 years	11			1						2		1
34	75 to 84 years	6			1						1		1
35	85 years and over												
36	Unknown												
37	Merchants and dealers (except wholesale)	216	5	9	27	2	3				18	6	28
38	10 to 14 years												
39	15 to 19 years	3	1	2									
40	20 to 24 years	7	1									1	2
41	25 to 34 years	8		2	1								
42	35 to 44 years	33		2	5	1					1	1	3
43	45 to 54 years	51	2	2	9						3	2	3
44	55 to 64 years	49			8		3				3		10
45	65 to 74 years	42	1		2	1					7	2	7
46	75 to 84 years	20		1	2						4		3
47	85 years and over	3											
48	Unknown												
49	Saleswomen	338	24	106	21	2					10	9	38
50	10 to 14 years												
51	15 to 19 years	54	6	24		2						4	1
52	20 to 24 years	84	7	34								2	8
53	25 to 34 years	88	7	31	3						2		11
54	35 to 44 years	68	4	13	9						6	2	9
55	45 to 54 years	24		3	6							1	5
56	55 to 64 years	13			3						2		3
57	65 to 74 years	6		1									1
58	75 to 84 years												
59	85 years and over												
60	Unknown	1											
61	Manufacturing and mechanical pursuits	4,582	124	1,257	381	40	39	13		3	188	131	470
62	10 to 14 years	18	1	3								3	1
63	15 to 19 years	607	50	230	3	11	2				1	19	33
64	20 to 24 years	761	38	338	4	6	3	1			3	23	41
65	25 to 34 years	885	21	361	26	4	5	4			11	27	67
66	35 to 44 years	730	8	192	83	5	8	5			23	17	90
67	45 to 54 years	600	2	74	122	5	8	2			42	21	74
68	55 to 64 years	462	2	43	87	3	6	1		2	52	7	76
69	65 to 74 years	318	1	11	41	2	6				29	10	55
70	75 to 84 years	154		4	14	1				1	22	3	28
71	85 years and over	44			1	3					5	1	5
72	Unknown	3	1	1			1						
	Leather and its finished products.												
73	Boot and shoe makers and repairers	157	2	50	14						4	6	12
74	10 to 14 years												
75	15 to 19 years	28		9									
76	20 to 24 years	33	1	19								3	1
77	25 to 34 years	29		11	1								1
78	35 to 44 years	25		7	2						1		5
79	45 to 54 years	20	1	3	3						3	1	1
80	55 to 64 years	17		1	7							1	3
81	65 to 74 years	4			1							1	1
82	75 to 84 years	1											
83	85 years and over												
84	Unknown												

[1] Only occupations with at least 50 deaths are shown.

GROUPS OF OCCUPATIONS,[1] FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Childbirth.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
3	1	2	.....	1	.....	.....	1	2	1	.....	2	2	.....	2	1	1	8	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	4
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5
.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	2	6
1	.....	1	.....	1	.....	.....	1	.....	.....	.....	1	1	.....	.....	1	1	3	7
1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	8
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
10	.....	15	1	.....	.....	1	3	1	11	.....	14	17	7	5	7	9	54	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	4	.....	.....	.....	.....	.....	.....	1	.....	2	1	3	.....	2	.....	7	15
3	.....	3	1	.....	.....	.....	.....	.....	4	.....	3	3	1	2	2	.....	15	16
4	.....	4	.....	.....	.....	.....	.....	1	5	.....	2	7	2	2	2	3	20	17
3	.....	2	.....	.....	.....	1	2	.....	1	.....	3	4	1	1	3	4	7	18
.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	3	.....	.....	.....	.....	.....	4	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	20
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	22
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
18	4	52	3	1	2	6	2	14	25	.....	30	57	9	24	5	22	115	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
2	.....	9	.....	.....	.....	.....	.....	4	4	.....	5	6	2	6	.....	9	16	27
6	1	14	2	.....	.....	.....	.....	3	9	.....	8	8	4	5	2	6	32	28
2	2	9	.....	.....	2	4	.....	4	8	.....	9	15	3	9	2	3	40	29
5	1	7	.....	1	.....	1	1	2	4	.....	3	13	.....	3	.....	1	13	30
.....	.....	5	.....	.....	.....	1	.....	1	.....	.....	4	11	.....	1	.....	.....	9	31
3	.....	7	1	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	1	.....	2	32
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	3	1	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
12	3	22	1	1	4	6	2	1	2	1	7	23	1	2	2	5	23	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	39
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	40
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	3	41
3	.....	2	1	.....	.....	2	.....	.....	1	.....	2	5	.....	.....	2	1	1	42
4	1	6	.....	.....	.....	1	1	.....	1	1	2	6	.....	.....	.....	2	5	43
1	.....	10	.....	.....	1	3	.....	1	.....	.....	1	3	.....	1	.....	.....	4	44
3	1	3	.....	.....	2	.....	1	.....	.....	.....	2	5	.....	1	.....	.....	4	45
.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	5	46
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
5	.....	15	2	.....	.....	2	1	2	3	1	16	18	4	8	4	9	38	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	1	1	8	51
1	.....	5	1	.....	.....	1	.....	.....	2	.....	5	4	1	4	2	1	6	52
1	.....	3	.....	.....	.....	1	.....	.....	.....	.....	4	7	.....	3	.....	3	12	53
.....	.....	3	.....	.....	.....	.....	1	1	1	1	2	2	2	1	1	3	7	54
1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	1	4	55
.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	56
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	57
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	60
128	20	279	16	3	24	26	26	48	84	10	134	305	76	89	30	114	524	61
1	.....	1	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	2	2	62
9	2	27	1	.....	4	.....	1	8	32	.....	9	21	11	18	9	19	87	63
10	.....	28	4	.....	2	.....	2	9	19	.....	21	30	35	23	4	21	96	64
19	2	45	3	1	3	2	7	15	17	1	25	44	22	29	3	22	99	65
16	4	40	2	2	6	4	6	8	7	2	22	57	8	12	7	12	84	66
18	2	46	3	.....	3	6	3	4	5	1	18	48	.....	4	4	15	70	67
12	3	48	1	.....	4	7	2	1	1	3	14	40	.....	2	2	12	31	68
30	4	28	.....	.....	2	7	3	1	.....	3	15	41	.....	1	1	2	25	69
9	2	13	2	.....	.....	.....	2	1	1	.....	7	19	.....	.....	.....	7	18	70
4	1	3	.....	.....	.....	.....	.....	.....	.....	.....	3	4	.....	.....	.....	2	12	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72
5	1	12	.....	.....	1	.....	.....	2	3	1	4	7	1	5	1	3	23	73
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	74
1	1	3	.....	.....	1	.....	.....	.....	2	.....	1	.....	.....	2	1	.....	7	75
.....	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	3	76
1	.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	2	.....	.....	7	77
.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	2	3	.....	.....	.....	.....	2	78
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	4	79
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	1	.....	80
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	81
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	82
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	83
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	84

TABLE 12.—FEMALES—DEATHS OF FEMALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
	Manufacturing and mechanical pursuits—Continued.												
	Paper and printing.												
1	Bookbinders	58		23	1						2		10
2	10 to 14 years												
3	15 to 19 years	11		4									2
4	20 to 24 years	17		11									
5	25 to 34 years	14		4									4
6	35 to 44 years	5		3									1
7	45 to 54 years	3		1									
8	55 to 64 years	5									2		2
9	65 to 74 years	3			1								1
10	75 to 84 years												
11	85 years and over												
12	Unknown												
13	Printers, lithographers, and pressmen	56	2	18	3	1	1				2	3	5
14	10 to 14 years												
15	15 to 19 years	8	1	5									
16	20 to 24 years	13		7			1						1
17	25 to 34 years	15	1	3	1	1						3	
18	35 to 44 years	8		2									2
19	45 to 54 years	7		1	2						2		1
20	55 to 64 years	1											
21	65 to 74 years	4											1
22	75 to 84 years												
23	85 years and over												
24	Unknown												
	Textiles.												
25	Cotton-mill operatives	353	12	105	15	4	4	3			16	5	37
26	10 to 14 years	1		1									
27	15 to 19 years	55	6	21		1	1					1	
28	20 to 24 years	53	3	27		1						2	6
29	25 to 34 years	73	2	26	1	1		1				2	5
30	35 to 44 years	59	1	19	5	1	1	1			3		6
31	45 to 54 years	47		7	5		2	1			3		8
32	55 to 64 years	33		3	2						5		5
33	65 to 74 years	17			2						3		4
34	75 to 84 years	12		1							2		3
35	85 years and over	3											
36	Unknown												
37	Silk-mill operatives	146	6	55	10	1		1			2	6	15
38	10 to 14 years	3											
39	15 to 19 years	36	4	14								1	3
40	20 to 24 years	30	2	16	1			1					2
41	25 to 34 years	30		14								2	4
42	35 to 44 years	20		6	2	1						2	5
43	45 to 54 years	18		4	5						1		1
44	55 to 64 years	5		1								1	
45	65 to 74 years	2			1								
46	75 to 84 years	2			1						1		
47	85 years and over												
48	Unknown												
49	Woolen-mill operatives	140	7	41	14		1				4	3	15
50	10 to 14 years	1	1										
51	15 to 19 years	19	4	7	1						1		1
52	20 to 24 years	31	2	16								2	
53	25 to 34 years	26		11	3						1		
54	35 to 44 years	20		4	3		1				1		3
55	45 to 54 years	17		2	3							1	3
56	55 to 64 years	17		1	4						1		5
57	65 to 74 years	7											2
58	75 to 84 years	2											1
59	85 years and over												
60	Unknown												
61	Dressmakers	1,019	20	196	126	10	11	3		1	56	35	119
62	10 to 14 years	1											
63	15 to 19 years	34	4	9		1	1					3	3
64	20 to 24 years	98	5	32	1		1					1	3
65	25 to 34 years	186	6	75	3	1	1				2	6	11
66	35 to 44 years	191	3	38	27	2	2	2			5	7	19
67	45 to 54 years	195		23	48	3	2				13	11	23
68	55 to 64 years	143		12	32	1	3	1			17	1	26
69	65 to 74 years	107	1	7	11		1				11	5	21
70	75 to 84 years	56			4	1				1	8	1	13
71	85 years and over	7				1							
72	Unknown	1	1										
73	Milliners	339	8	70	32	1	8	1		1	16	15	34
74	10 to 14 years												
75	15 to 19 years	31	3	11	1								5
76	20 to 24 years	58	2	23								4	2
77	25 to 34 years	71	2	19	2		1				1	4	6
78	35 to 44 years	57	1	12	6		2	1			2	3	4
79	45 to 54 years	42		3	9		1				3	1	6
80	55 to 64 years	32		2	9	1	2			1	5		4
81	65 to 74 years	30			3		2				5	2	6
82	75 to 84 years	15			2								1
83	85 years and over	3										1	
84	Unknown												

[1] Only occupations with at least 50 deaths are shown.

GROUPS OF OCCUPATIONS,[1] FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Childbirth.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
		2				1		1	2		4	4	1	1		2	4	1
																		2
		1							1			1					2	3
								1	1		2	1					1	4
		1									1	1	1	1			1	5
																1		6
						1					1							7
												1						8
																1		9
																		10
																		11
																		12
2		5							1			2		2			9	13
																		14
		1							1									15
		1															3	16
1		1												2			2	17
1												1					2	18
																	1	19
																	1	20
		2										1						21
																		22
																		23
																		24
13	3	29			1	1	1	6	5		11	21	12	8	1	3	37	25
																		26
1	1	4						1	3		3	1	1		1		9	27
1		1							1		1	2	6	1			1	28
	1	4				1		2	1		1	4	5	6			10	29
1	1	5						3				5				2	5	30
3		3			1						2	3				1	8	31
2		9					1				1	2		1			2	32
1											2	4					1	33
2		3															1	34
2											1							35
																		36
3		10					4	1			4	1	4	6	1	4	12	37
		1						1									1	38
		2					1						2	2		2	5	39
		1												4		1	2	40
		3					1				2		1		1	1	1	41
		1					1				1		1					42
2		1					1				1	1					1	43
		1															2	44
1																		45
																		46
																		47
																		48
1	1	5			1	2		1	1	1		13	4	4	1	9	11	49
																		50
									1			2					2	51
1												2	2		1	3	2	52
		1						1				3	2	1		1	2	53
		1				1						2		2		1	1	54
		2										2		1		3		55
										1		1				1	3	56
		1			1	1						1					1	57
	1																	58
																		59
																		60
21	1	71	8		4	9	9	2	15	2	30	85	12	17	6	23	127	61
												1						62
		1							5							1	6	63
3		5	2				2		2		2	8	4	3	1	4	19	64
4		10	1		1	1	1	1	5		5	10	6	5	1	6	24	65
1	1	10	2		2	2	1		1		9	18	2	6	1	3	27	66
4		16	1			1	2		2	1	4	11		2	1	5	22	67
1		14	1		1	2					4	15		1	2	1	8	68
6		10				3	2	1		1	4	12					11	69
2		4	1				1				1	9				2	8	70
		1									1	1				1	2	71
																		72
9	2	21		1		2	3	9	10	1	10	21	9	3	2	7	43	73
																		74
1		1						1	1			1	1			1	4	75
1		2						1	3		3	5	5	1		1	5	76
1		2		1			1	3	2	1	2	4	1	2	1	1	14	77
2		2					1		3		2	4	2		1	1	8	78
1		5				1		3	1		1					1	6	79
2		2										1					3	80
1	1	3				1					1	4					1	81
	1	2					1	1			1	2				2	2	82
		2																83
																		84

TABLE 12.—FEMALES—DEATHS OF FEMALES AGED 10 YEARS AND OVER, ENGAGED IN EACH OF 140

	OCCUPATION AND AGE PERIOD.	All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Heart disease.
	Manufacturing and mechanical pursuits—Continued.												
	Textiles—Continued.												
1	Seamstresses	695	15	168	75	5	5	1	.....	1	31	10	71
2	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	15 to 19 years	39	2	16	.....	.....	.....	.....	.....	.....	.....	.....	2
4	20 to 24 years	87	5	40	1	1	.....	.....	.....	.....	.....	2	5
5	25 to 34 years	114	4	49	5	1	1	.....	.....	.....	1	3	7
6	35 to 44 years	129	2	38	19	.....	.....	.....	.....	.....	3	1	18
7	45 to 54 years	106	.....	13	15	1	1	1	.....	.....	7	2	8
8	55 to 64 years	92	2	6	17	.....	1	.....	.....	1	11	.....	14
9	65 to 74 years	80	.....	4	13	.....	2	.....	.....	.....	4	1	11
10	75 to 84 years	31	.....	2	4	.....	.....	.....	.....	.....	3	1	2
11	85 years and over	17	.....	.....	1	2	.....	.....	.....	.....	2	.....	4
12	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Shirt, collar, and cuff makers	75	1	26	3	.....	1	.....	.....	.....	2	4	11
14	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	15 to 19 years	9	1	5	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	20 to 24 years	14	.....	9	.....	.....	.....	.....	.....	.....	.....	.....	2
17	25 to 34 years	22	.....	9	.....	.....	.....	.....	.....	.....	.....	2	3
18	35 to 44 years	9	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	3
19	45 to 54 years	7	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	1
20	55 to 64 years	10	.....	.....	1	.....	.....	.....	.....	.....	1	1	2
21	65 to 74 years	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....
22	75 to 84 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Unknown	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
25	Tailoresses	229	1	55	21	1	2	.....	.....	.....	12	7	25
26	10 to 14 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	15 to 19 years	26	.....	12	1	1	.....	.....	.....	.....	.....	2	.....
28	20 to 24 years	43	1	18	.....	.....	.....	.....	.....	.....	.....	1	2
29	25 to 34 years	32	.....	12	1	.....	.....	.....	.....	.....	.....	1	5
30	35 to 44 years	27	.....	4	3	.....	.....	.....	.....	.....	2	.....	6
31	45 to 54 years	33	.....	4	8	.....	1	.....	.....	.....	1	2	5
32	55 to 64 years	18	.....	5	1	.....	.....	.....	.....	.....	2	.....	2
33	65 to 74 years	24	.....	.....	4	.....	1	.....	.....	.....	3	.....	1
34	75 to 84 years	21	.....	.....	3	.....	.....	.....	.....	.....	3	1	4
35	85 years and over	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
36	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Miscellaneous industries.												
37	Tobacco and cigar factory operatives	153	7	62	6	2	.....	.....	.....	.....	3	2	9
38	10 to 14 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	15 to 19 years	31	4	10	.....	.....	.....	.....	.....	.....	.....	.....	2
40	20 to 24 years	35	2	15	.....	.....	.....	.....	.....	.....	.....	.....	2
41	25 to 34 years	35	1	21	1	.....	.....	.....	.....	.....	1	1	3
42	35 to 44 years	25	.....	10	2	.....	.....	.....	.....	.....	.....	1	1
43	45 to 54 years	12	.....	2	1	1	.....	.....	.....	.....	1	.....	.....
44	55 to 64 years	8	.....	3	1	.....	.....	.....	.....	.....	.....	.....	1
45	65 to 74 years	5	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....
46	75 to 84 years	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
47	85 years and over	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
48	Unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Only occupations with at least 50 deaths are shown.

GROUPS OF OCCUPATIONS,[1] FROM CERTAIN CAUSES, FOR THE REGISTRATION AREA: 1909—Continued.

Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Childbirth.	Suicide.	Poisonous gases, other accidental poisonings.	Other accidents and injuries.	All other and unknown causes.	
24	7	48	2	1	7	4	5	7	14	1	31	54	3	12	5	14	74	1
																		2
		3			2				2		2	2		1	1		6	3
		2						1	2		5	2	2	2		4	13	4
3	1	7			2		1	3	4		3	4		4		3	8	5
2	1	6		1			2	3	2		5	6	1	4	2		13	6
2	1	11	1		1	1			2		6	15			1		17	7
3	2	9			2	1	1		1		3	9				4	5	8
10	1	8				2	1			1	3	9		1	1	1	7	9
3		2	1						1		3	6				1	2	10
1	1										1	1				1	3	11
																		12
1		7	1					1			2	4				1	10	13
																		14
		1															2	15
			1														2	16
1		1						1				1					4	17
											1	2					1	18
		2														1	1	19
		3									1	1						20
																		21
																		22
																		23
																		24
14	3	10	3		1	3		4	3		4	18	2	1	3	4	32	25
																		26
1			1						1						1	1	5	27
		2			1			2				2	2	1	1		10	28
2			2					1	2		1	1					4	29
2		3				1						2			1		3	30
1	1					1		1				4				2	2	31
1		3				1					1	2						32
5	2	1									1	5					1	33
1		1									1	1				1	5	34
1												1					2	35
																		36
4		6			1	1		2	2	1	6	11	4	2		6	16	37
																	1	38
1		1						1			2	2	1	2			5	39
1		1						1	2		2	1	1			3	4	40
		1										1	1			1	3	41
1		2			1					1		4	1				1	42
1		1									1	1				1	2	43
						1						1				1		44
											1	1						45
																		46
																		47
																		48

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, AND BY COLOR, NATIVITY, AND PARENT NATIVITY, BY SINGLE YEARS OF AGE AT LAST BIRTHDAY, FOR THE REGISTRATION STATES: 1906 TO 1909.

[The registration states shown in this table for the calendar years 1906 to 1909, both inclusive, are the same as those shown in the 1908 report for the calendar years 1900 to 1905, both inclusive, as follows: Connecticut, District of Columbia, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont.]

AGE. (COMPLETED MONTHS OR YEARS.)	AGGREGATE.								WHITE.							
	Male.				Female.				Male.				Female.			
	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909
All ages	188,531	196,222	186,621	188,197	165,375	170,436	164,542	165,379	182,520	190,077	180,776	182,373	159,942	164,912	159,081	160,227
Under 5 years	54,566	52,613	52,464	52,343	44,919	43,166	42,987	42,812	52,603	50,806	50,698	50,613	43,242	41,559	41,382	41,349
Under 1 year	39,420	38,513	38,425	37,883	31,330	30,449	30,456	29,798	38,052	37,215	37,165	36,648	30,187	29,317	29,352	28,818
Under 1 month	14,454	14,547	14,553	14,628	10,774	10,728	10,876	10,842	14,013	14,100	14,134	14,197	10,421	10,409	10,544	10,507
1 month	3,649	3,749	3,750	3,750	2,926	2,805	2,834	2,902	3,517	3,647	3,643	3,646	2,817	2,703	2,745	2,824
2 months	3,249	3,059	3,219	3,007	2,593	2,626	2,578	2,396	3,119	2,979	3,112	2,892	2,520	2,514	2,474	2,322
3 months	2,895	2,793	2,800	2,746	2,382	2,299	2,366	2,153	2,788	2,684	2,714	2,659	2,286	2,202	2,254	2,065
4 months	2,615	2,408	2,566	2,357	2,110	1,958	2,027	1,906	2,512	2,325	2,470	2,270	2,022	1,884	1,946	1,843
5 months	2,339	2,191	2,204	2,068	1,839	1,744	1,794	1,612	2,264	2,113	2,108	2,002	1,760	1,647	1,702	1,565
6 months	2,092	2,107	2,041	1,888	1,759	1,760	1,753	1,588	2,007	2,020	1,954	1,802	1,671	1,674	1,693	1,523
7 months	1,875	1,769	1,752	1,671	1,583	1,478	1,405	1,427	1,792	1,696	1,693	1,607	1,516	1,410	1,351	1,375
8 months	1,726	1,701	1,644	1,670	1,541	1,466	1,390	1,398	1,670	1,632	1,582	1,614	1,502	1,415	1,349	1,351
9 months	1,640	1,577	1,469	1,489	1,432	1,323	1,330	1,299	1,582	1,505	1,420	1,444	1,377	1,278	1,273	1,258
10 months	1,492	1,342	1,230	1,336	1,195	1,174	1,093	1,143	1,437	1,293	1,184	1,291	1,146	1,126	1,052	1,099
11 months	1,394	1,270	1,197	1,273	1,196	1,088	1,010	1,132	1,351	1,221	1,151	1,224	1,149	1,055	969	1,086
1 year	8,178	7,476	7,426	7,786	7,238	6,638	6,577	7,084	7,838	7,171	7,133	7,522	6,950	6,387	6,302	6,826
2 years	3,423	3,180	3,282	3,327	3,090	2,877	2,811	2,881	3,283	3,076	3,168	3,202	2,965	2,774	2,686	2,764
3 years	2,072	2,034	1,970	1,952	1,918	1,857	1,851	1,765	2,006	1,972	1,907	1,883	1,843	1,788	1,786	1,700
4 years	1,473	1,410	1,361	1,395	1,343	1,345	1,292	1,284	1,424	1,372	1,325	1,358	1,297	1,293	1,256	1,241
5 to 9 years	4,149	4,044	3,939	3,860	3,789	3,744	3,607	3,552	4,004	3,921	3,813	3,746	3,631	3,606	3,454	3,439
5 years	1,158	1,098	1,090	1,115	1,040	1,026	1,028	1,026	1,113	1,068	1,037	1,092	1,001	977	1,001	991
6 years	917	938	874	876	844	865	852	849	891	913	851	848	808	842	822	822
7 years	797	760	758	716	674	744	702	638	767	744	733	693	652	724	663	624
8 years	651	650	651	634	668	626	556	560	634	619	627	613	639	602	523	541
9 years	626	598	566	519	563	483	469	479	599	577	545	500	531	461	445	461
10 to 14 years	2,681	2,770	2,528	2,538	2,574	2,536	2,403	2,314	2,579	2,676	2,414	2,454	2,449	2,413	2,288	2,179
10 years	589	569	519	527	509	513	428	462	561	552	491	518	492	485	414	440
11 years	495	549	505	519	469	484	451	411	476	537	479	499	452	457	432	385
12 years	518	566	461	484	474	474	512	419	496	548	444	465	450	449	489	398
13 years	481	492	481	491	519	546	464	512	473	473	461	475	489	521	441	483
14 years	598	594	562	517	603	519	548	510	573	566	539	497	566	501	512	473
15 to 19 years	4,502	4,589	4,192	4,070	4,103	4,107	4,021	3,830	4,296	4,397	4,009	3,887	3,883	3,859	3,768	3,609
15 years	585	602	579	555	658	590	573	528	562	573	556	530	618	553	539	497
16 years	774	790	699	674	672	704	649	701	732	755	666	648	636	655	607	663
17 years	878	957	834	806	790	866	772	771	832	924	809	770	754	814	718	721
18 years	1,090	1,038	984	968	979	910	1,005	914	1,043	1,001	931	920	924	852	941	862
19 years	1,175	1,202	1,096	1,067	1,004	1,037	1,022	916	1,127	1,144	1,047	1,019	951	985	963	866
20 to 24 years	6,374	6,685	6,321	5,969	6,094	6,066	5,728	5,528	6,039	6,337	5,995	5,679	5,727	5,684	5,381	5,232
20 years	1,154	1,203	1,186	1,054	1,129	1,162	1,002	948	1,094	1,150	1,134	993	1,062	1,089	940	905
21 years	1,261	1,283	1,178	1,172	1,098	1,085	1,091	1,005	1,188	1,216	1,123	1,127	1,028	1,023	1,023	953
22 years	1,311	1,389	1,362	1,253	1,286	1,247	1,191	1,139	1,248	1,316	1,288	1,196	1,214	1,171	1,113	1,072
23 years	1,330	1,423	1,245	1,216	1,315	1,254	1,215	1,183	1,255	1,345	1,182	1,150	1,223	1,174	1,148	1,125
24 years	1,318	1,387	1,350	1,274	1,266	1,318	1,229	1,253	1,254	1,310	1,268	1,213	1,200	1,227	1,157	1,177
25 to 29 years	7,112	7,316	6,770	6,617	6,608	6,509	6,139	6,100	6,729	6,918	6,372	6,226	6,273	6,135	5,750	5,766
25 years	1,381	1,473	1,318	1,322	1,336	1,292	1,186	1,179	1,292	1,391	1,226	1,246	1,254	1,220	1,098	1,108
26 years	1,421	1,466	1,356	1,256	1,306	1,315	1,214	1,253	1,336	1,370	1,295	1,187	1,240	1,241	1,131	1,186
27 years	1,415	1,502	1,320	1,279	1,338	1,284	1,217	1,140	1,359	1,428	1,251	1,200	1,281	1,201	1,142	1,088
28 years	1,578	1,580	1,517	1,492	1,402	1,427	1,342	1,311	1,498	1,496	1,410	1,398	1,326	1,352	1,260	1,242
29 years	1,317	1,295	1,259	1,268	1,226	1,191	1,180	1,217	1,244	1,233	1,190	1,195	1,172	1,121	1,119	1,142
30 to 34 years	7,717	8,208	7,426	7,263	6,630	6,682	6,319	6,094	7,377	7,791	7,060	6,883	6,322	6,389	6,008	5,794
30 years	1,662	1,829	1,574	1,611	1,472	1,433	1,346	1,316	1,576	1,722	1,480	1,508	1,382	1,356	1,276	1,240
31 years	1,294	1,333	1,255	1,209	1,122	1,211	1,076	1,040	1,243	1,262	1,211	1,155	1,079	1,167	1,023	985
32 years	1,662	1,735	1,565	1,503	1,393	1,433	1,374	1,304	1,583	1,654	1,491	1,432	1,332	1,354	1,310	1,247
33 years	1,553	1,595	1,501	1,451	1,291	1,322	1,297	1,229	1,488	1,518	1,429	1,375	1,237	1,285	1,230	1,170
34 years	1,546	1,716	1,531	1,489	1,352	1,283	1,226	1,205	1,487	1,635	1,449	1,413	1,292	1,227	1,169	1,152
35 to 39 years	8,779	9,315	8,383	8,537	6,797	7,138	6,556	6,874	8,364	8,863	7,983	8,148	6,510	6,813	6,273	6,559
35 years	2,072	2,133	1,956	1,910	1,453	1,496	1,383	1,373	1,940	2,018	1,847	1,799	1,371	1,430	1,323	1,307
36 years	1,661	1,771	1,515	1,552	1,395	1,347	1,281	1,292	1,580	1,688	1,433	1,483	1,336	1,290	1,213	1,243
37 years	1,472	1,749	1,578	1,533	1,210	1,340	1,203	1,291	1,409	1,666	1,500	1,470	1,156	1,284	1,160	1,236
38 years	1,945	2,009	1,875	1,860	1,488	1,563	1,492	1,548	1,872	1,928	1,796	1,776	1,439	1,485	1,423	1,469
39 years	1,629	1,653	1,459	1,682	1,251	1,392	1,197	1,370	1,563	1,563	1,407	1,620	1,208	1,324	1,154	1,304
40 to 44 years	8,637	9,251	8,534	8,632	6,334	6,510	6,313	6,352	8,323	8,914	8,201	8,271	6,077	6,227	6,040	6,076
40 years	2,307	2,414	2,243	2,196	1,542	1,578	1,544	1,521	2,208	2,309	2,139	2,088	1,452	1,499	1,451	1,437
41 years	1,392	1,508	1,400	1,412	1,058	1,050	1,069	1,044	1,337	1,452	1,347	1,349	1,019	1,005	1,031	1,005
42 years	1,783	1,994	1,820	1,839	1,365	1,472	1,376	1,404	1,719	1,927	1,743	1,767	1,312	1,408	1,315	1,343
43 years	1,595	1,652	1,576	1,676	1,193	1,212	1,211	1,197	1,545	1,596	1,518	1,603	1,155	1,155	1,163	1,151
44 years	1,560	1,683	1,495	1,509	1,176	1,198	1,113	1,186	1,514	1,630	1,454	1,464	1,139	1,160	1,080	1,140

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, AND BY COLOR, NATIVITY, AND PARENT NATIVITY, BY SINGLE YEARS OF AGE AT LAST BIRTHDAY, FOR THE REGISTRATION STATES: 1906 TO 1909—Continued.

AGE. (COMPLETED YEARS.)	AGGREGATE.								WHITE.							
	Male.				Female.				Male.				Female.			
	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909
45 to 49 years	8,896	9,722	8,977	9,163	6,772	7,086	6,881	6,979	8,633	9,398	8,663	8,838	6,521	6,796	6,618	6,713
45 years	2,197	2,317	2,075	2,187	1,547	1,497	1,435	1,452	2,114	2,226	1,986	2,098	1,482	1,424	1,372	1,384
46 years	1,689	1,778	1,582	1,585	1,293	1,385	1,260	1,280	1,653	1,733	1,531	1,541	1,251	1,334	1,214	1,218
47 years	1,572	1,860	1,757	1,621	1,252	1,403	1,374	1,264	1,533	1,807	1,702	1,567	1,206	1,350	1,314	1,231
48 years	1,827	1,997	1,920	1,958	1,365	1,486	1,487	1,509	1,761	1,929	1,863	1,888	1,312	1,420	1,440	1,458
49 years	1,611	1,770	1,643	1,812	1,315	1,315	1,325	1,474	1,572	1,703	1,581	1,744	1,270	1,268	1,278	1,422
50 to 54 years	9,211	10,005	9,529	9,782	7,387	7,820	7,563	7,468	8,911	9,695	9,191	9,452	7,121	7,539	7,292	7,218
50 years	2,250	2,519	2,355	2,391	1,713	1,864	1,727	1,696	2,164	2,423	2,258	2,284	1,636	1,767	1,640	1,620
51 years	1,519	1,643	1,536	1,593	1,272	1,235	1,259	1,284	1,468	1,596	1,490	1,546	1,237	1,192	1,216	1,254
52 years	1,917	1,912	1,943	1,971	1,488	1,593	1,558	1,479	1,846	1,855	1,871	1,911	1,428	1,538	1,503	1,420
53 years	1,722	1,934	1,734	1,878	1,453	1,553	1,487	1,406	1,682	1,876	1,676	1,818	1,407	1,506	1,439	1,359
54 years	1,803	1,997	1,961	1,949	1,461	1,575	1,532	1,603	1,751	1,945	1,896	1,893	1,413	1,536	1,494	1,565
55 to 59 years	9,613	10,349	10,004	9,915	7,962	8,463	8,055	8,231	9,349	10,064	9,747	9,632	7,747	8,233	7,807	7,996
55 years	2,104	2,154	2,017	2,122	1,657	1,658	1,562	1,641	2,022	2,081	1,954	2,041	1,611	1,595	1,512	1,577
56 years	1,999	2,090	1,924	1,927	1,611	1,704	1,520	1,528	1,946	2,029	1,873	1,869	1,565	1,649	1,477	1,478
57 years	1,765	2,080	1,973	1,792	1,506	1,693	1,657	1,549	1,728	2,018	1,919	1,748	1,469	1,651	1,607	1,509
58 years	1,961	2,132	2,162	2,033	1,682	1,772	1,769	1,790	1,925	2,080	2,109	1,987	1,635	1,725	1,710	1,750
59 years	1,784	1,893	1,928	2,041	1,506	1,636	1,547	1,723	1,728	1,856	1,892	1,987	1,467	1,613	1,501	1,682
60 to 64 years	10,860	11,776	11,098	11,406	9,623	10,294	9,853	10,045	10,565	11,477	10,852	11,175	9,375	10,060	9,633	9,816
60 years	2,508	2,725	2,465	2,714	2,275	2,428	2,191	2,276	2,416	2,622	2,390	2,637	2,179	2,344	2,117	2,188
61 years	1,884	1,822	1,774	1,882	1,616	1,653	1,577	1,627	1,837	1,793	1,751	1,845	1,577	1,610	1,546	1,596
62 years	2,236	2,461	2,259	2,234	1,899	2,031	1,976	1,958	2,168	2,397	2,211	2,193	1,867	1,999	1,929	1,917
63 years	2,120	2,446	2,301	2,293	1,918	2,176	1,973	2,031	2,081	2,388	2,257	2,251	1,877	2,133	1,941	1,992
64 years	2,112	2,322	2,299	2,283	1,915	2,006	2,136	2,153	2,063	2,277	2,243	2,249	1,875	1,974	2,100	2,123
65 to 69 years	11,419	12,594	11,601	12,370	10,583	11,319	10,978	11,428	11,187	12,313	11,388	12,123	10,376	11,119	10,760	11,203
65 years	2,704	2,836	2,637	2,891	2,510	2,549	2,490	2,533	2,619	2,763	2,553	2,814	2,432	2,477	2,420	2,473
66 years	2,191	2,393	2,077	2,214	2,001	2,028	1,951	2,027	2,146	2,345	2,049	2,175	1,978	2,001	1,917	1,987
67 years	2,135	2,527	2,239	2,352	1,931	2,270	2,081	2,178	2,101	2,465	2,201	2,314	1,899	2,234	2,041	2,139
68 years	2,292	2,498	2,569	2,553	2,179	2,358	2,417	2,435	2,251	2,439	2,525	2,501	2,142	2,329	2,376	2,388
69 years	2,097	2,340	2,079	2,360	1,962	2,114	2,039	2,255	2,070	2,301	2,060	2,319	1,925	2,078	2,006	2,216
70 to 74 years	11,096	12,294	11,535	11,960	10,725	11,823	11,350	11,613	10,944	12,140	11,360	11,775	10,565	11,666	11,180	11,451
70 years	2,541	2,854	2,530	2,692	2,558	2,901	2,664	2,735	2,482	2,790	2,460	2,625	2,492	2,822	2,616	2,671
71 years	1,943	2,190	2,089	2,077	1,859	2,008	1,977	1,973	1,922	2,171	2,066	2,050	1,832	1,993	1,946	1,954
72 years	2,296	2,424	2,312	2,534	2,246	2,346	2,339	2,431	2,268	2,404	2,283	2,499	2,222	2,326	2,307	2,408
73 years	2,284	2,453	2,299	2,406	2,156	2,312	2,244	2,297	2,263	2,429	2,277	2,377	2,128	2,290	2,211	2,263
74 years	2,032	2,373	2,305	2,251	1,906	2,256	2,126	2,177	2,009	2,346	2,274	2,224	1,891	2,235	2,100	2,155
75 to 79 years	9,988	10,674	10,340	10,743	9,903	10,960	10,437	10,867	9,863	10,537	10,226	10,605	9,781	10,835	10,314	10,752
75 years	2,235	2,434	2,449	2,492	2,345	2,552	2,547	2,582	2,193	2,391	2,417	2,438	2,305	2,513	2,508	2,540
76 years	2,261	2,352	2,130	2,257	2,113	2,339	2,162	2,231	2,228	2,322	2,106	2,227	2,086	2,316	2,147	2,214
77 years	1,845	2,158	1,912	1,973	1,830	2,169	1,894	2,033	1,831	2,132	1,893	1,953	1,811	2,141	1,867	2,011
78 years	1,950	1,940	2,093	2,056	1,944	2,019	2,068	2,092	1,927	1,913	2,070	2,043	1,927	1,992	2,046	2,077
79 years	1,697	1,790	1,756	1,965	1,671	1,881	1,766	1,929	1,684	1,779	1,740	1,944	1,652	1,873	1,746	1,910
80 to 84 years	7,231	7,891	7,265	7,308	7,585	8,642	8,116	7,994	7,153	7,805	7,188	7,244	7,481	8,551	8,017	7,909
80 years	1,772	2,030	1,813	1,753	1,951	2,284	2,123	2,063	1,743	1,992	1,778	1,726	1,906	2,248	2,078	2,022
81 years	1,384	1,595	1,480	1,472	1,496	1,653	1,552	1,551	1,376	1,586	1,470	1,460	1,482	1,646	1,539	1,541
82 years	1,463	1,579	1,500	1,493	1,492	1,678	1,560	1,562	1,447	1,563	1,491	1,483	1,472	1,660	1,547	1,554
83 years	1,292	1,336	1,260	1,370	1,329	1,513	1,464	1,433	1,282	1,322	1,249	1,361	1,317	1,498	1,455	1,417
84 years	1,320	1,351	1,212	1,220	1,317	1,514	1,417	1,385	1,305	1,342	1,200	1,214	1,304	1,499	1,398	1,375
85 to 89 years	3,891	4,171	3,942	3,967	4,579	5,023	4,801	4,879	3,848	4,130	3,896	3,914	4,517	4,958	4,750	4,817
85 years	1,072	1,113	1,062	1,146	1,224	1,294	1,305	1,298	1,062	1,100	1,050	1,126	1,211	1,271	1,282	1,282
86 years	994	1,016	903	912	1,096	1,216	1,060	1,105	981	1,010	893	905	1,074	1,204	1,047	1,095
87 years	746	892	782	745	914	1,075	952	967	738	880	771	736	903	1,061	950	955
88 years	604	667	676	632	748	789	808	827	599	661	669	620	740	783	799	816
89 years	475	483	519	532	597	649	676	682	468	479	513	527	589	639	672	669
90 to 94 years	1,114	1,255	1,232	1,234	1,623	1,863	1,803	1,772	1,090	1,234	1,210	1,222	1,602	1,822	1,772	1,747
90 years	415	414	406	413	560	663	641	607	404	400	398	408	550	640	624	599
91 years	216	287	288	296	326	434	395	392	214	286	284	294	324	431	393	388
92 years	197	246	230	235	299	321	350	316	193	245	226	232	295	316	346	312
93 years	163	170	194	176	236	248	263	258	161	165	191	175	234	242	257	256
94 years	123	138	114	114	202	197	154	199	118	138	111	113	199	193	152	192
95 to 99 years	261	272	268	253	485	413	442	471	248	260	257	242	465	397	424	453
95 years	95	104	86	81	159	137	142	154	93	98	84	77	149	130	140	150
96 years	71	69	67	61	139	116	123	132	69	66	63	61	135	113	118	130
97 years	40	47	54	51	90	64	82	96	34	46	51	47	88	64	77	93
98 years	38	33	39	33	60	56	63	59	35	32	38	31	58	52	59	51
99 years	17	19	22	27	37	40	32	30	17	18	21	26	35	38	30	29

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, AND BY COLOR, NATIVITY, AND PARENT NATIVITY, BY SINGLE YEARS OF AGE AT LAST BIRTHDAY, FOR THE REGISTRATION STATES: 1906 TO 1909.—Continued.

AGE. (COMPLETED YEARS.)	AGGREGATE.								WHITE.							
	Male.				Female.				Male.				Female.			
	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909
100 years and over	48	52	44	51	102	95	89	94	40	45	33	37	80	81	77	73
100 years	23	10	18	20	39	29	35	35	19	9	14	15	31	25	31	29
101 years	7	12	2	6	19	18	10	14	7	12	2	5	15	17	8	13
102 years	3	6	3	7	13	8	12	10	3	6	3	5	13	8	12	7
103 years	1	3	6	2	3	10	11	4	1	3	3	1	3	8	10	2
104 years	3	5	2	5	9	6	6	6	3	5	2	5	6	6	4	4
105 years	6	3	3	6	7	6	5	2	5	2	2	4	5	4	5	2
106 years	.....	3	3	1	4	5	3	6	.....	1	2	.....	1	3	3	4
107 years	3	3	1	1	1	4	.....	3	1	2	1	1	1	4	.....	2
108 years	.....	2	1	3	2	2	2	6	.....	2	1	1	2	2	2	5
109 years	.....	3	2	.....	1	3	2	1	.....	2	1	.....	1	2	1	1
110 years	.....	.....	1	.....	1	1	.....	2	.....	.....	1	.....	.....	.....	.....	1
111 years	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1
112 years	.....	1	.....	.....	1	.....	.....	2	.....	.....	.....	.....	1	.....	.....	2
113 years	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	1	1	.....
114 years	.....	.....	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....
115 years	1	1	1	.....	1	.....	1	.....	1	1	.....	.....	1	.....	.....	.....
116 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
117 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
118 years	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
119 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
120 years	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Age unknown	386	376	229	216	198	177	101	82	375	356	220	207	197	170	93	76

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, AND BY COLOR, NATIVITY, AND PARENT NATIVITY, BY SINGLE YEARS OF AGE AT LAST BIRTHDAY, FOR THE REGISTRATION STATES: 1906 TO 1909—Continued.

[The registration states shown in this table for the calendar years 1906 to 1909, both inclusive, are the same as those shown in the 1908 report for the calendar years 1900 to 1905, both inclusive, as follows: Connecticut, District of Columbia, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont.]

AGE. (COMPLETED MONTHS OR YEARS.)	NATIVE-BORN WHITE (NOT INCLUDING UNKNOWN NATIVITY—WHITE).				UNKNOWN NATIVITY—WHITE.				NATIVE-BORN WHITE (NOT INCLUDING UNKNOWN NATIVITY—WHITE).				UNKNOWN NATIVITY—WHITE.			
	Male.				Male.				Female.				Female.			
	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909
All ages	129,997	133,914	129,460	130,499	2,853	2,964	2,705	2,556	115,685	117,729	115,139	115,764	1,273	1,317	1,179	1,049
Under 5 years	51,449	49,617	49,845	49,773	90	132	171	163	42,171	40,503	40,708	40,650	88	135	156	152
Under 1 year	37,672	36,838	36,881	36,331	59	80	97	96	29,835	28,987	29,151	28,543	74	90	85	74
Under 1 month	13,991	14,084	14,127	14,182	9	8	2	6	10,399	10,393	10,537	10,488	12	7	5	10
1 month	3,499	3,629	3,626	3,629	7	9	10	10	2,799	2,675	2,732	2,808	8	15	8	7
2 months	3,100	2,952	3,079	2,866	7	11	15	12	2,498	2,484	2,458	2,305	11	12	11	5
3 months	2,757	2,657	2,690	2,627	9	5	13	10	2,257	2,172	2,233	2,056	14	10	10	4
4 months	2,483	2,291	2,443	2,240	5	16	11	5	2,004	1,866	1,921	1,821	4	5	10	6
5 months	2,230	2,083	2,096	1,978	5	7	4	6	1,732	1,628	1,690	1,539	5	7	2	4
6 months	1,973	1,987	1,930	1,771	5	5	10	8	1,637	1,646	1,682	1,492	4	4	5	7
7 months	1,762	1,680	1,667	1,582	2	-------	3	8	1,487	1,381	1,338	1,350	4	5	2	4
8 months	1,638	1,596	1,559	1,583	5	5	5	6	1,468	1,382	1,328	1,325	3	7	6	8
9 months	1,541	1,458	1,393	1,418	1	4	7	6	1,343	1,251	1,250	1,234	2	9	11	6
10 months	1,395	1,253	1,154	1,254	2	5	12	15	1,112	1,090	1,037	1,072	6	6	8	6
11 months	1,303	1,168	1,117	1,201	2	5	5	4	1,099	1,019	945	1,053	1	3	7	7
1 year	7,517	6,855	6,915	7,318	12	27	43	49	6,646	6,097	6,142	6,658	3	28	43	54
2 years	3,091	2,856	3,033	3,075	7	13	22	8	2,785	2,592	2,571	2,679	3	9	10	11
3 years	1,842	1,800	1,783	1,774	6	10	5	7	1,712	1,640	1,670	1,617	6	7	13	10
4 years	1,327	1,268	1,233	1,275	6	2	4	3	1,193	1,187	1,174	1,153	2	1	5	3
5 to 9 years	3,702	3,552	3,491	3,432	12	9	12	12	3,338	3,284	3,166	3,171	10	9	9	9
5 years	1,019	963	976	1,016	5	1	7	3	933	894	926	936	2	1	4	1
6 years	821	824	769	779	1	-------	1	4	740	768	745	764	4	2	1	4
7 years	708	678	679	629	3	-------	1	1	582	656	605	556	1	2	-------	1
8 years	593	557	571	551	2	6	2	2	588	548	487	499	1	2	1	2
9 years	561	530	496	457	1	2	1	2	495	418	403	416	2	2	3	1
10 to 14 years	2,346	2,444	2,185	2,231	15	9	16	8	2,209	2,202	2,074	1,963	7	8	3	9
10 years	515	500	450	475	2	1	4	1	447	435	377	403	1	2	-------	2
11 years	442	495	423	454	2	2	4	2	410	421	393	355	1	1	2	2
12 years	452	493	402	423	1	2	3	1	396	419	442	360	1	-------	-------	1
13 years	425	438	423	437	3	4	3	2	438	465	402	432	3	3	-------	1
14 years	512	518	487	442	7	-------	2	2	518	462	460	413	1	2	1	3
15 to 19 years	3,358	3,357	3,207	3,145	37	45	30	31	3,212	3,111	3,092	3,039	20	9	12	9
15 years	485	498	507	472	3	6	5	2	541	487	483	441	5	1	3	1
16 years	616	629	587	573	5	4	4	3	553	549	524	586	4	1	1	2
17 years	665	723	666	631	7	6	6	6	626	659	602	612	2	1	3	-------
18 years	772	725	687	692	10	16	8	11	748	650	736	706	5	5	4	1
19 years	820	782	760	777	12	13	7	9	744	766	747	694	4	1	1	5
20 to 24 years	4,108	4,238	4,060	3,835	103	98	101	76	4,311	4,222	4,004	3,883	25	23	19	14
20 years	765	787	814	717	18	16	18	14	821	808	736	705	8	3	3	1
21 years	817	818	806	812	20	22	15	17	795	782	784	736	2	3	4	2
22 years	832	875	829	761	28	21	20	14	879	849	823	772	4	7	4	3
23 years	850	892	799	757	16	23	27	12	925	862	830	816	5	4	4	3
24 years	844	866	812	788	21	16	21	19	891	921	831	854	6	6	4	5
25 to 29 years	4,377	4,327	4,091	3,972	124	136	128	114	4,352	4,194	4,008	3,991	42	43	32	20
25 years	821	831	771	804	42	55	52	36	871	831	787	803	11	13	9	5
26 years	858	867	831	745	13	20	16	16	843	883	804	832	10	9	10	3
27 years	890	919	800	778	17	26	15	15	929	819	791	773	6	6	5	1
28 years	962	914	886	846	39	18	29	38	874	900	843	822	7	9	4	5
29 years	846	796	803	799	13	17	16	9	835	761	783	761	8	6	4	6
30 to 34 years	4,751	4,984	4,528	4,418	154	157	148	131	4,289	4,197	4,093	3,838	44	47	46	36
30 years	920	1,048	861	876	90	86	80	72	909	884	854	789	15	17	18	13
31 years	876	857	842	811	10	11	11	11	772	822	732	691	7	8	5	4
32 years	1,003	1,018	944	934	30	25	25	24	885	872	886	849	9	8	8	7
33 years	979	995	932	882	9	20	16	11	849	829	826	761	7	7	5	5
34 years	973	1,066	949	915	15	15	16	13	874	790	795	748	6	7	10	7
35 to 39 years	4,936	5,277	4,875	4,998	224	274	223	196	4,071	4,298	3,986	4,196	55	58	49	45
35 years	1,063	1,127	1,069	1,037	122	166	125	115	845	878	836	823	23	22	13	22
36 years	991	1,041	934	970	24	25	22	12	865	824	782	804	6	12	12	5
37 years	886	1,030	938	917	15	24	25	20	744	850	769	812	8	9	4	7
38 years	1,073	1,131	1,076	1,036	45	36	33	38	858	936	851	899	14	11	15	7
39 years	923	948	858	1,038	18	23	18	11	759	810	748	858	4	4	5	4
40 to 44 years	4,483	4,806	4,475	4,661	268	278	264	237	3,599	3,640	3,605	3,723	71	59	65	45
40 years	1,061	1,130	1,052	1,053	191	196	185	173	780	857	824	859	37	27	29	26
41 years	801	840	825	824	14	9	6	12	622	621	670	638	6	7	8	4
42 years	909	1,049	961	1,010	31	25	29	20	777	782	769	831	14	7	12	3
43 years	829	893	836	943	18	26	24	22	698	697	732	698	10	12	6	6
44 years	883	894	801	831	14	22	20	10	722	683	610	697	4	6	10	6

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, AND BY COLOR, NATIVITY, AND PARENT NATIVITY, BY SINGLE YEARS OF AGE AT LAST BIRTHDAY, FOR THE REGISTRATION STATES: 1906 TO 1909—Continued.

AGE. (COMPLETED YEARS.)	NATIVE-BORN WHITE (NOT INCLUDING UNKNOWN NATIVITY—WHITE).				UNKNOWN NATIVITY—WHITE.				NATIVE-BORN WHITE (NOT INCLUDING UNKNOWN NATIVITY—WHITE).				UNKNOWN NATIVITY—WHITE.			
	Male.				Male.				Female.				Female.			
	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909
45 to 49 years	4,777	5,214	4,807	4,821	258	293	229	254	4,119	4,217	4,108	4,066	62	69	53	47
45 years	1,021	1,094	943	990	171	204	135	158	885	829	788	770	23	26	21	17
46 years	963	996	864	849	21	18	15	18	783	850	747	735	8	14	12	5
47 years	904	1,054	1,005	848	13	21	26	31	787	839	862	762	9	5	7	8
48 years	978	1,106	1,053	1,103	37	34	37	31	842	875	895	898	14	12	6	9
49 years	911	964	942	1,031	16	16	16	16	822	824	816	901	8	12	7	8
50 to 54 years	4,864	5,428	5,229	5,453	280	278	242	230	4,118	4,455	4,450	4,445	79	67	60	57
50 years	1,084	1,232	1,172	1,184	158	174	160	155	907	1,027	961	910	31	32	28	29
51 years	903	962	909	924	25	22	9	14	772	749	774	813	9	8	9	6
52 years	1,013	1,045	1,064	1,125	38	29	21	34	833	901	924	887	15	7	7	9
53 years	931	1,102	994	1,087	25	22	23	11	807	884	890	862	11	11	7	6
54 years	933	1,087	1,090	1,133	34	31	29	16	799	894	901	973	13	9	9	7
55 to 59 years	4,854	5,314	5,401	5,453	181	178	166	167	4,154	4,461	4,298	4,565	70	66	57	51
55 years	984	1,045	1,056	1,133	89	85	81	70	823	840	816	908	21	24	9	13
56 years	1,008	1,080	1,085	1,066	23	28	21	33	874	890	813	860	14	10	12	10
57 years	951	1,105	1,102	1,014	22	24	17	24	780	922	887	878	12	6	10	8
58 years	997	1,097	1,129	1,128	34	27	29	21	873	896	909	954	14	12	18	9
59 years	914	987	1,029	1,112	13	14	18	19	804	913	873	965	9	14	8	11
60 to 64 years	5,406	6,010	5,836	6,042	196	240	206	186	4,845	5,274	5,066	5,091	77	102	79	76
60 years	1,116	1,217	1,129	1,261	92	123	100	95	969	1,092	966	1,017	30	33	27	26
61 years	976	1,025	988	1,058	21	18	25	20	869	881	856	875	8	9	10	6
62 years	1,124	1,281	1,198	1,204	38	37	28	20	1,015	1,052	1,028	1,027	8	18	12	15
63 years	1,076	1,241	1,250	1,232	23	33	31	28	987	1,154	1,056	1,059	19	21	14	19
64 years	1,114	1,246	1,271	1,287	22	29	22	23	1,005	1,095	1,160	1,113	12	21	16	10
65 to 69 years	6,072	6,846	6,303	6,810	205	165	178	161	5,577	6,032	5,940	6,087	107	86	99	98
65 years	1,288	1,417	1,297	1,445	77	65	64	81	1,181	1,191	1,200	1,213	28	30	32	35
66 years	1,195	1,343	1,152	1,264	28	26	25	13	1,072	1,122	1,126	1,095	15	9	14	8
67 years	1,120	1,373	1,248	1,312	23	28	24	18	1,081	1,270	1,140	1,206	18	12	18	19
68 years	1,238	1,339	1,397	1,422	48	31	40	31	1,112	1,243	1,304	1,281	26	19	22	21
69 years	1,231	1,374	1,209	1,367	29	15	25	18	1,131	1,206	1,170	1,292	20	16	13	15
70 to 74 years	6,327	7,096	6,781	6,858	186	167	147	162	5,884	6,483	6,403	6,573	115	140	98	101
70 years	1,309	1,475	1,322	1,372	61	64	49	60	1,168	1,379	1,311	1,297	34	48	30	28
71 years	1,160	1,331	1,235	1,239	26	22	21	17	1,082	1,173	1,193	1,203	20	14	13	11
72 years	1,279	1,439	1,391	1,487	36	29	29	28	1,266	1,293	1,336	1,424	28	21	23	18
73 years	1,378	1,435	1,407	1,421	35	22	28	33	1,255	1,338	1,369	1,377	17	31	12	24
74 years	1,201	1,416	1,426	1,339	28	30	20	24	1,113	1,300	1,254	1,272	16	26	20	20
75 to 79 years	6,014	6,418	6,261	6,469	146	139	120	131	5,969	6,602	6,208	6,540	131	126	110	98
75 years	1,225	1,374	1,385	1,414	40	38	36	38	1,247	1,391	1,402	1,364	31	29	28	26
76 years	1,316	1,383	1,266	1,402	31	31	27	21	1,280	1,410	1,293	1,343	36	20	16	19
77 years	1,168	1,342	1,200	1,227	20	31	17	25	1,182	1,324	1,148	1,301	18	27	21	18
78 years	1,208	1,169	1,272	1,253	30	25	24	29	1,190	1,231	1,240	1,280	38	26	27	16
79 years	1,097	1,150	1,138	1,173	25	14	16	18	1,070	1,246	1,125	1,252	8	24	18	19
80 to 84 years	4,579	5,063	4,534	4,554	114	113	116	102	4,808	5,475	5,079	5,076	101	116	102	68
80 years	1,036	1,214	1,055	1,023	35	33	37	34	1,110	1,309	1,209	1,168	26	37	25	20
81 years	896	1,082	938	971	15	17	15	14	1,004	1,116	1,007	1,035	15	23	22	18
82 years	933	1,017	947	919	18	23	26	22	987	1,071	996	1,051	23	13	24	11
83 years	828	880	805	860	27	19	20	13	845	970	964	924	18	20	13	12
84 years	886	870	789	781	19	21	18	19	862	1,009	903	898	19	23	18	7
85 to 89 years	2,547	2,771	2,520	2,543	59	53	50	50	3,094	3,409	3,257	3,276	78	75	57	52
85 years	671	721	658	710	14	14	19	13	769	813	823	830	22	14	14	7
86 years	637	694	591	579	15	15	7	15	720	846	720	725	23	23	14	16
87 years	497	571	515	495	11	13	10	7	631	728	664	674	13	12	8	8
88 years	422	446	419	424	10	6	10	7	521	554	557	579	14	18	12	13
89 years	320	339	337	335	9	5	4	8	453	468	493	468	6	8	9	8
90 to 94 years	747	868	801	824	14	14	17	19	1,132	1,292	1,255	1,212	32	20	34	26
90 years	266	279	241	258	4	6	4	9	370	412	413	376	7	9	16	10
91 years	162	205	197	211	.....	2	1	3	239	334	295	289	8	4	7	7
92 years	123	165	155	159	5	4	3	1	210	229	256	226	7	3	5	3
93 years	113	125	135	115	3	.....	6	4	170	178	184	187	7	2	5	1
94 years	83	94	73	81	2	2	3	2	143	139	107	134	3	2	1	5
95 to 99 years	161	161	159	154	6	6	6	4	297	259	267	308	5	11	10	5
95 years	68	62	57	57	3	5	2	2	95	73	90	103	2	3	3	2
96 years	40	40	38	45	2	1	2	.....	86	78	82	86	.....	3	2	3
97 years	24	28	31	32	.....	.....	.....	.....	61	44	49	59	.....	2	1	.....
98 years	21	19	19	9	1	.....	1	2	30	40	33	40	1	3	3	.....
99 years	8	12	14	11	.....	.....	1	.....	25	24	13	20	2	.....	1	.....

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, AND BY COLOR, NATIVITY, AND PARENT NATIVITY, BY SINGLE YEARS OF AGE AT LAST BIRTHDAY, FOR THE REGISTRATION STATES: 1906 TO 1909—Continued.

AGE. (COMPLETED YEARS.)	NATIVE-BORN WHITE (NOT INCLUDING UNKNOWN NATIVITY—WHITE).				UNKNOWN NATIVITY—WHITE.				NATIVE-BORN WHITE (NOT INCLUDING UNKNOWN NATIVITY—WHITE).				UNKNOWN NATIVITY—WHITE.			
	Male.				Male.				Female.				Female.			
	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909
100 years and over	19	18	14	13	2	.....	1	1	33	36	32	35	2	1	1	4
100 years	10	3	7	7	2	.....	.....	1	14	13	17	16	.....	.....	.....	1
101 years	3	7	1	2	.....	.....	1	.....	5	12	3	9	1	.....	.....	.....
102 years	2	3	1	1	.....	.....	.....	.....	8	1	5	3	.....	.....	.....	.....
103 years	1	.....	2	.....	.....	.....	.....	.....	2	2	1	1	.....	.....	1	.....
104 years	.....	2	1	1	.....	.....	.....	.....	2	3	2	.....	.....	.....	.....	.....
105 years	3	.....	.....	2	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....
106 years	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
107 years	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
108 years	.....	1	1	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	1
109 years	.....	1	1	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....
110 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
111 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
112 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
113 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
114 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
115 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Age unknown	120	105	57	40	179	180	134	121	103	83	40	36	52	47	28	27

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, AND BY COLOR, NATIVITY, AND PARENT NATIVITY, BY SINGLE YEARS OF AGE AT LAST BIRTHDAY, FOR THE REGISTRATION STATES: 1906 TO 1909—Continued.

[The registration states shown in this table for the calendar years 1906 to 1909, both inclusive, are the same as those shown in the 1908 report for the calendar years 1900 to 1905, both inclusive, as follows: Connecticut, District of Columbia, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont.]

AGE. (COMPLETED MONTHS OR YEARS.)	NATIVE WHITE—BOTH PARENTS NATIVE.				NATIVE WHITE—ONE PARENT NATIVE, ONE UNKNOWN, OR BOTH UNKNOWN.				NATIVE WHITE—BOTH PARENTS NATIVE.				NATIVE WHITE—ONE PARENT NATIVE, ONE UNKNOWN, OR BOTH UNKNOWN.			
	Male.				Male.				Female.				Female.			
	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909
All ages	62,011	64,661	62,697	63,170	15,580	15,831	14,411	14,621	58,390	60,134	58,915	58,682	13,565	13,457	12,648	12,551
Under 5 years	20,905	19,941	20,040	19,692	2,124	1,942	1,956	2,099	17,077	16,027	16,225	15,712	1,774	1,674	1,723	1,735
Under 1 year	15,612	15,036	15,026	14,625	1,813	1,719	1,750	1,886	12,280	11,572	11,748	11,299	1,523	1,465	1,517	1,565
Under 1 month	6,373	6,329	6,415	6,557	633	613	635	632	4,865	4,673	4,816	4,758	509	516	490	490
1 month	1,358	1,442	1,430	1,320	374	353	359	452	1,029	978	1,046	1,065	303	307	313	369
2 months	1,256	1,191	1,231	1,106	227	204	215	213	1,034	980	955	878	197	169	205	187
3 months	1,125	1,064	1,120	1,024	149	138	118	155	908	820	872	772	101	116	156	142
4 months	1,034	913	941	863	97	89	107	90	777	735	768	665	89	79	74	85
5 months	866	818	768	728	75	60	76	86	677	626	656	597	74	56	62	56
6 months	786	722	721	628	56	74	70	74	618	575	562	530	53	64	59	66
7 months	637	628	589	569	52	45	65	46	550	522	490	436	44	42	47	55
8 months	614	579	530	572	51	45	35	35	562	485	474	437	46	34	36	48
9 months	576	502	516	470	40	35	26	40	487	446	414	411	36	40	31	33
10 months	508	429	381	386	22	34	23	40	371	371	370	383	38	27	26	16
11 months	479	419	384	402	37	29	21	23	402	361	325	367	33	15	18	18
1 year	2,758	2,496	2,539	2,651	190	129	109	115	2,496	2,221	2,295	2,275	135	115	103	105
2 years	1,211	1,138	1,227	1,145	51	38	50	48	1,106	1,073	1,029	1,035	59	48	54	31
3 years	757	729	733	724	48	30	28	30	678	673	676	618	42	32	30	19
4 years	567	542	515	547	22	26	19	20	517	488	477	485	15	14	19	15
5 to 9 years	1,669	1,623	1,637	1,669	95	78	69	63	1,572	1,534	1,466	1,492	78	63	59	53
5 years	440	431	428	463	18	17	14	16	432	387	413	381	19	19	16	20
6 years	372	364	369	367	23	18	18	15	355	353	358	372	21	15	15	8
7 years	332	315	326	304	14	16	13	12	267	310	277	274	11	13	13	7
8 years	271	248	259	300	18	12	15	13	300	283	215	265	13	6	7	8
9 years	254	265	255	235	22	15	9	7	218	201	203	200	14	10	8	10
10 to 14 years	1,149	1,207	1,060	1,167	79	69	67	53	1,138	1,100	1,057	1,032	69	47	45	50
10 years	257	237	215	250	17	14	12	8	224	221	192	202	13	7	5	12
11 years	202	245	196	225	16	17	15	7	200	205	188	183	12	5	8	8
12 years	217	236	190	210	10	9	12	21	206	204	253	181	11	9	7	7
13 years	214	214	222	248	12	18	11	10	241	237	204	237	11	15	7	8
14 years	259	275	237	234	24	11	17	7	267	233	220	229	22	11	18	15
15 to 19 years	1,744	1,714	1,630	1,701	173	153	120	122	1,727	1,612	1,652	1,577	155	150	108	113
15 years	252	256	270	264	24	28	13	14	274	261	248	220	20	20	18	11
16 years	314	313	311	318	21	17	22	21	310	300	269	295	23	15	13	23
17 years	349	395	336	334	36	28	26	29	341	334	344	332	34	25	13	22
18 years	409	351	350	347	45	32	29	29	386	342	389	363	40	39	27	30
19 years	420	399	363	438	47	48	30	29	416	375	402	367	38	51	37	27
20 to 24 years	2,027	2,174	2,034	1,869	257	265	224	220	2,203	2,216	2,084	2,026	267	230	191	215
20 years	388	424	406	362	48	33	34	26	459	442	406	371	42	34	24	31
21 years	400	419	431	395	39	59	39	39	382	424	404	382	42	36	34	37
22 years	397	433	410	376	56	59	51	45	451	420	430	396	55	53	38	45
23 years	430	469	391	367	52	53	50	51	471	453	436	445	67	57	40	43
24 years	412	429	396	369	62	61	50	59	440	477	408	432	61	50	55	59
25 to 29 years	1,855	1,835	1,819	1,894	349	311	280	292	2,028	2,013	1,957	1,982	342	281	303	249
25 years	387	366	338	411	62	56	57	55	395	399	392	393	60	49	57	43
26 years	389	408	385	363	77	59	44	60	412	446	400	407	62	70	56	51
27 years	383	373	362	352	67	63	53	65	448	375	396	363	72	57	51	55
28 years	369	356	397	399	87	86	72	57	403	437	413	429	82	57	80	54
29 years	327	332	337	369	56	47	54	55	370	356	356	390	66	48	59	46
30 to 34 years	1,730	1,846	1,789	1,772	408	410	276	322	1,852	1,879	1,837	1,750	368	344	298	293
30 years	319	384	352	370	87	116	57	79	383	392	392	351	76	75	50	65
31 years	342	332	327	355	65	52	48	47	341	381	326	344	58	67	58	40
32 years	376	356	389	362	76	75	60	73	388	396	394	375	74	74	73	63
33 years	361	380	362	363	93	76	48	51	375	352	388	337	64	75	44	62
34 years	332	394	359	322	87	91	63	72	365	358	337	343	96	53	73	63
35 to 39 years	1,764	1,891	1,788	1,880	517	495	436	396	1,761	1,899	1,737	1,852	439	385	385	359
35 years	368	386	364	376	113	125	107	89	356	372	335	345	96	87	85	75
36 years	361	380	362	354	99	87	82	68	379	361	359	364	86	66	66	69
37 years	313	381	343	347	84	91	79	62	316	375	351	358	72	77	80	67
38 years	360	424	397	392	124	112	90	81	384	403	363	402	91	98	87	69
39 years	362	320	322	411	97	80	78	96	326	388	329	383	94	57	67	79
40 to 44 years	1,673	1,813	1,796	1,799	558	576	466	466	1,523	1,606	1,621	1,647	449	377	380	347
40 years	392	394	403	388	146	165	113	109	307	365	391	376	101	95	86	75
41 years	300	309	353	359	94	96	74	81	272	282	290	291	78	59	65	57
42 years	338	418	388	389	112	114	90	108	335	332	347	342	91	84	81	88
43 years	296	358	341	381	96	82	99	94	293	302	317	316	82	73	77	54
44 years	347	334	311	282	110	119	90	74	316	325	276	322	97	66	71	73

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, AND BY COLOR, NATIVITY, AND PARENT NATIVITY, BY SINGLE YEARS OF AGE AT LAST BIRTHDAY, FOR THE REGISTRATION STATES: 1906 TO 1909—Continued.

AGE. (COMPLETED YEARS.)	NATIVE WHITE—BOTH PARENTS NATIVE.				NATIVE WHITE—ONE PARENT NATIVE, ONE UNKNOWN, OR BOTH UNKNOWN.				NATIVE WHITE—BOTH PARENTS NATIVE.				NATIVE WHITE—ONE PARENT NATIVE, ONE UNKNOWN, OR BOTH UNKNOWN.			
	Male.				Male.				Female.				Female.			
	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909
45 to 49 years	1,959	2,140	2,027	2,025	694	725	591	581	1,923	1,940	1,870	1,834	562	506	486	473
45 years	377	435	347	376	183	162	132	127	369	367	330	327	143	99	94	82
46 years	373	409	364	383	109	141	114	85	355	375	356	331	95	94	84	88
47 years	394	435	424	381	113	142	102	99	369	378	436	346	111	124	100	91
48 years	420	451	467	466	156	153	130	140	407	394	363	396	98	109	112	110
49 years	395	410	425	419	133	127	113	130	423	426	385	434	115	80	96	102
50 to 54 years	2,337	2,566	2,481	2,603	841	844	753	690	2,095	2,222	2,248	2,218	680	627	572	560
50 years	469	497	501	556	190	181	163	134	426	471	431	430	150	141	113	110
51 years	425	456	449	458	153	132	122	100	389	388	411	405	125	95	80	100
52 years	498	496	499	529	160	165	144	134	424	429	473	432	129	119	120	96
53 years	445	569	482	508	174	174	163	171	424	474	456	436	139	117	123	111
54 years	500	548	550	552	164	192	161	151	432	460	477	515	137	155	136	143
55 to 59 years	2,772	3,111	3,044	3,014	938	897	960	900	2,437	2,649	2,494	2,622	752	734	674	672
55 years	505	561	520	591	198	181	189	173	444	448	416	480	149	141	110	138
56 years	575	625	584	557	189	167	189	158	514	507	476	512	153	146	122	115
57 years	559	629	638	560	170	192	199	164	460	540	539	481	135	154	136	134
58 years	581	679	656	633	206	189	205	202	529	564	541	561	163	151	144	135
59 years	552	617	646	673	175	168	178	203	490	590	522	588	152	142	162	150
60 to 64 years	3,326	3,777	3,673	3,783	1,204	1,251	1,141	1,112	3,108	3,391	3,267	3,179	910	986	865	875
60 years	647	724	675	767	269	266	213	215	593	663	600	599	171	206	155	166
61 years	608	666	625	669	197	208	176	184	577	587	541	538	160	157	145	152
62 years	687	798	761	755	247	265	245	226	655	666	655	673	184	213	173	169
63 years	657	794	807	770	255	255	248	243	626	746	689	683	196	205	198	165
64 years	727	795	805	822	236	257	259	244	657	729	782	686	199	205	194	223
65 to 69 years	3,854	4,427	4,034	4,321	1,467	1,556	1,457	1,532	3,660	4,018	3,962	4,000	1,199	1,202	1,184	1,165
65 years	776	863	798	860	325	332	308	352	749	761	764	769	254	245	240	222
66 years	772	857	761	803	274	318	230	278	721	760	774	715	215	223	209	195
67 years	713	893	794	883	268	309	297	262	710	855	755	821	237	238	233	228
68 years	779	892	875	880	321	286	359	342	725	832	882	847	253	242	250	248
69 years	814	922	806	895	279	311	263	298	755	810	787	848	240	254	252	272
70 to 74 years	4,182	4,724	4,465	4,556	1,652	1,729	1,663	1,618	4,000	4,404	4,430	4,431	1,366	1,435	1,304	1,406
70 years	847	937	846	895	335	370	320	324	786	909	861	846	270	301	272	282
71 years	779	901	805	843	283	295	300	280	748	808	799	814	240	248	248	250
72 years	851	957	888	997	336	357	364	335	862	865	932	954	283	285	278	304
73 years	906	969	967	938	375	356	338	356	849	924	960	939	294	297	243	304
74 years	799	960	959	883	323	351	341	323	755	898	878	878	279	304	263	266
75 to 79 years	3,948	4,147	4,173	4,229	1,691	1,831	1,582	1,732	4,049	4,506	4,268	4,521	1,501	1,628	1,458	1,486
75 years	821	903	907	896	334	366	363	385	834	933	932	920	315	342	333	321
76 years	842	886	846	906	383	400	315	395	869	957	895	916	313	345	292	317
77 years	761	853	802	805	322	395	314	321	800	916	803	908	306	322	262	278
78 years	797	747	831	823	339	343	333	328	801	847	858	893	304	296	297	289
79 years	727	758	787	799	313	327	257	303	745	853	780	884	263	323	274	281
80 to 84 years	2,912	3,289	3,002	2,961	1,399	1,454	1,262	1,312	3,174	3,746	3,507	3,554	1,335	1,397	1,285	1,198
80 years	646	764	683	689	321	360	310	278	695	916	854	817	336	311	285	278
81 years	595	729	654	632	258	294	226	281	672	781	699	719	265	274	254	226
82 years	605	668	625	592	267	280	269	260	670	730	680	749	253	273	257	245
83 years	513	588	519	562	273	245	238	240	560	653	657	641	244	251	253	225
84 years	553	540	521	486	280	275	219	253	577	666	617	628	237	288	236	224
85 to 89 years	1,579	1,757	1,594	1,587	792	855	767	792	2,047	2,262	2,197	2,216	865	949	859	853
85 years	431	449	431	453	187	239	187	213	496	529	544	570	222	238	223	217
86 years	384	449	347	349	204	197	204	196	466	563	495	496	205	230	183	180
87 years	322	367	336	298	152	170	148	154	413	476	440	456	186	205	182	173
88 years	242	282	261	266	145	135	133	135	358	369	364	391	129	154	157	150
89 years	200	210	219	221	104	114	95	94	314	325	354	303	123	122	114	133
90 to 94 years	481	525	488	524	230	293	259	252	755	886	822	814	325	330	367	323
90 years	161	184	150	168	92	83	76	74	242	291	277	256	113	101	117	96
91 years	113	107	121	134	43	82	61	67	154	239	199	191	76	79	86	80
92 years	79	102	103	95	39	55	42	55	147	147	163	149	51	65	75	63
93 years	79	79	77	78	28	40	47	28	118	117	113	124	47	51	58	53
94 years	49	53	37	49	28	33	33	28	94	92	70	94	38	34	31	31
95 to 99 years	80	97	93	101	66	54	57	46	194	167	186	193	85	73	69	98
95 years	33	36	32	36	29	23	21	18	59	48	64	69	29	17	22	31
96 years	15	27	22	34	21	11	15	10	60	50	61	53	20	21	20	28
97 years	12	16	20	18	8	10	9	11	37	28	29	30	23	12	17	22
98 years	15	11	10	6	6	6	7	3	23	27	24	25	3	13	5	14
99 years	5	7	9	7	2	4	5	4	15	14	8	16	10	10	5	3

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, AND BY COLOR, NATIVITY, AND PARENT NATIVITY, BY SINGLE YEARS OF AGE AT LAST BIRTHDAY, FOR THE REGISTRATION STATES: 1906 TO 1909—Continued.

AGE (COMPLETED YEARS.)	NATIVE WHITE—BOTH PARENTS NATIVE.				NATIVE WHITE—ONE PARENT NATIVE, ONE UNKNOWN, OR BOTH UNKNOWN.				NATIVE WHITE—BOTH PARENTS NATIVE.				NATIVE WHITE—ONE PARENT NATIVE, ONE UNKNOWN, OR BOTH UNKNOWN.			
	Male.				Male.				Female.				Female.			
	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909
100 years and over	8	6	5	3	5	10	8	8	20	17	14	15	11	17	15	14
100 years	5	3	4	3	2	.....	3	4	6	8	8	9	6	4	8	7
101 years	1	1	1	.....	1	5	.....	2	3	5	1	4	2	6	2	2
102 years	.....	1	.....	.....	.....	1	1	1	6	1	3	.....	2	.....	2	1
103 years	1	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	1	1	.....	1
104 years	.....	.....	.....	.....	.....	2	1	.....	2	1	1	.....	.....	2	.....	.....
105 years	1	.....	.....	.....	2	.....	.....	1	1	.....	.....	.....	.....	3	.....	.....
106 years	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	1
107 years	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108 years	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	1	.....	.....	1	1
109 years	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	1
110 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
111 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Age unknown	57	51	25	20	41	33	17	13	53	40	14	15	33	22	18	14

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, AND BY COLOR, NATIVITY, AND PARENT NATIVITY, BY SINGLE YEARS OF AGE AT LAST BIRTHDAY, FOR THE REGISTRATION STATES: 1906 TO 1909—Continued.

[The registration states shown in this table for the calendar years 1906 to 1909, both inclusive, are the same as those shown in the 1908 report for the calendar years 1900 to 1905, both inclusive, as follows: Connecticut, District of Columbia, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont.]

AGE. (COMPLETED MONTHS OR YEARS.)	NATIVE WHITE—FOREIGN PARENTS (ONE OR BOTH PARENTS FOREIGN).								FOREIGN-BORN WHITE.							
	Male.				Female.				Male.				Female.			
	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909
All ages	52,406	53,422	52,352	52,708	43,724	44,138	43,576	44,531	49,670	53,199	48,611	49,318	42,984	45,866	42,763	43,414
Under 5 years	28,420	27,734	27,849	27,982	23,320	22,802	22,760	23,203	1,064	1,057	682	677	983	921	518	547
Under 1 year	20,247	20,083	20,105	19,820	16,032	15,950	15,886	15,679	321	297	187	221	278	240	116	201
Under 1 month	6,985	7,142	7,077	6,993	5,025	5,204	5,231	5,240	13	8	5	9	10	9	2	9
1 month	1,767	1,834	1,837	1,857	1,467	1,390	1,373	1,374	11	9	7	7	10	13	5	9
2 months	1,617	1,557	1,633	1,547	1,267	1,335	1,298	1,240	12	16	18	14	11	18	5	12
3 months	1,483	1,455	1,452	1,448	1,248	1,236	1,205	1,142	22	22	11	22	15	20	11	5
4 months	1,352	1,289	1,395	1,287	1,138	1,052	1,079	1,071	24	18	16	25	14	13	15	16
5 months	1,289	1,205	1,252	1,164	981	946	972	886	29	23	8	18	23	12	10	22
6 months	1,131	1,191	1,139	1,069	966	1,007	1,061	896	29	28	14	23	30	24	6	24
7 months	1,073	1,007	1,013	967	893	817	801	859	28	16	23	17	25	24	11	21
8 months	973	972	994	976	860	863	818	840	27	31	18	25	31	26	15	18
9 months	925	921	851	908	820	765	805	790	40	43	20	20	32	18	12	18
10 months	865	790	750	828	703	692	641	673	40	35	18	22	28	30	7	21
11 months	787	720	712	776	664	643	602	668	46	48	29	19	49	33	17	26
1 year	4,569	4,230	4,267	4,552	4,015	3,761	3,744	4,278	309	289	175	155	301	262	117	114
2 years	1,829	1,680	1,756	1,882	1,620	1,471	1,488	1,613	185	207	113	119	177	173	105	74
3 years	1,037	1,041	1,022	1,020	992	935	964	980	158	162	119	102	125	141	103	73
4 years	738	700	699	708	661	685	678	653	91	102	88	80	102	105	77	85
5 to 9 years	1,938	1,851	1,785	1,700	1,688	1,687	1,641	1,626	290	360	310	302	283	313	279	259
5 years	561	515	534	537	482	488	497	535	89	104	74	73	66	82	71	54
6 years	426	442	382	397	364	400	372	384	69	89	81	65	64	72	76	54
7 years	362	347	340	313	304	333	315	275	56	66	53	63	69	66	58	67
8 years	304	297	297	238	275	259	265	226	39	56	54	60	50	52	35	40
9 years	285	250	232	215	263	207	192	206	37	45	48	41	34	41	39	44
10 to 14 years	1,118	1,168	1,058	1,011	1,002	1,055	972	881	218	223	213	215	233	203	211	207
10 years	241	249	223	217	210	207	180	189	44	51	37	42	44	48	37	35
11 years	224	233	212	222	198	211	197	164	32	40	52	43	41	35	37	28
12 years	225	248	200	192	179	206	182	172	43	53	39	41	53	30	47	37
13 years	199	206	190	179	186	213	191	187	45	31	35	36	48	53	39	50
14 years	229	232	233	201	229	218	222	169	54	48	50	53	47	37	51	57
15 to 19 years	1,441	1,490	1,457	1,322	1,330	1,349	1,332	1,349	901	995	772	711	651	739	664	561
15 years	209	214	224	194	247	206	217	210	74	69	44	56	72	65	53	55
16 years	281	299	254	234	220	234	242	268	111	122	75	72	79	105	82	75
17 years	280	300	304	268	251	300	245	258	160	195	137	133	126	154	113	109
18 years	318	342	308	316	322	269	320	313	261	260	236	217	171	197	201	155
19 years	353	335	367	310	290	340	308	300	295	349	280	233	203	218	215	167
20 to 24 years	1,824	1,799	1,802	1,746	1,841	1,776	1,729	1,642	1,828	2,001	1,834	1,768	1,391	1,439	1,358	1,335
20 years	329	330	374	329	320	332	306	303	311	347	302	262	233	278	201	199
21 years	378	340	336	378	371	322	346	317	351	376	302	298	231	238	235	215
22 years	379	383	368	340	373	376	355	331	388	420	439	421	331	315	286	297
23 years	368	370	358	339	387	352	354	328	389	430	356	381	293	308	314	306
24 years	370	376	366	360	390	394	368	363	389	428	435	406	303	300	322	318
25 to 29 years	2,173	2,181	1,992	1,786	1,982	1,900	1,748	1,760	2,228	2,455	2,153	2,140	1,879	1,898	1,710	1,755
25 years	372	409	376	338	416	383	338	367	429	505	403	406	372	376	302	300
26 years	392	400	402	322	369	367	348	374	465	483	448	426	387	349	317	351
27 years	440	483	385	361	409	387	344	355	452	483	436	407	346	376	346	314
28 years	506	472	417	390	389	406	350	339	497	564	495	514	445	443	413	415
29 years	463	417	412	375	399	357	368	325	385	420	371	387	329	354	332	375
30 to 34 years	2,613	2,728	2,463	2,324	2,069	1,974	1,958	1,795	2,472	2,650	2,384	2,334	1,989	2,145	1,869	1,920
30 years	514	548	452	427	450	417	412	373	566	588	539	560	458	455	404	438
31 years	469	473	467	409	373	374	348	307	357	394	358	333	300	337	286	290
32 years	551	587	495	499	423	402	419	411	550	611	522	474	438	474	416	391
33 years	525	539	522	468	410	402	394	362	500	503	481	482	381	449	399	404
34 years	554	581	527	521	413	379	385	342	499	554	484	485	412	430	364	397
35 to 39 years	2,655	2,891	2,651	2,722	1,871	2,014	1,864	1,985	3,204	3,312	2,885	2,954	2,384	2,457	2,238	2,318
35 years	582	616	598	572	393	419	416	403	755	725	653	647	503	530	474	462
36 years	531	574	490	548	400	397	357	371	565	622	477	501	465	454	419	434
37 years	489	558	516	508	356	398	338	387	508	612	537	533	404	425	387	417
38 years	589	595	589	563	383	435	401	428	754	761	687	702	567	538	557	563
39 years	464	548	458	531	339	365	352	396	622	592	531	571	445	510	401	442
40 to 44 years	2,252	2,417	2,213	2,396	1,627	1,657	1,604	1,729	3,572	3,830	3,462	3,373	2,407	2,528	2,370	2,308
40 years	523	571	536	556	372	397	347	408	956	983	902	862	635	615	598	552
41 years	407	435	398	384	272	280	315	290	522	603	516	513	391	377	353	363
42 years	459	517	483	513	351	366	341	401	779	853	753	737	521	619	534	509
43 years	437	453	396	468	323	322	338	328	698	677	658	638	447	446	425	447
44 years	426	441	400	475	309	292	263	302	617	714	633	623	413	471	460	437

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, AND BY COLOR, NATIVITY, AND PARENT NATIVITY, BY SINGLE YEARS OF AGE AT LAST BIRTHDAY, FOR THE REGISTRATION STATES: 1906 TO 1909—Continued.

AGE. (COMPLETED YEARS.)	NATIVE WHITE—FOREIGN PARENTS (ONE OR BOTH PARENTS FOREIGN).								FOREIGN-BORN WHITE.							
	Male.				Female.				Male.				Female.			
	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909
45 to 49 years	2,124	2,349	2,189	2,215	1,634	1,771	1,752	1,759	3,598	3,891	3,627	3,763	2,340	2,510	2,457	2,600
45 years	461	497	464	487	373	363	364	361	922	928	908	950	574	569	563	597
46 years	481	446	386	381	333	381	307	316	669	719	652	674	460	470	455	478
47 years	397	477	479	368	307	337	326	325	616	732	671	688	410	506	445	461
48 years	402	502	456	497	337	372	420	392	746	789	773	754	456	533	539	551
49 years	383	427	404	482	284	318	335	365	645	723	623	697	440	432	455	513
50 to 54 years	1,686	2,018	1,995	2,160	1,343	1,606	1,630	1,667	3,767	3,989	3,720	3,769	2,924	3,017	2,782	2,716
50 years	425	554	508	494	331	415	417	370	922	1,017	926	945	698	708	651	681
51 years	325	374	338	366	258	266	283	308	540	612	572	608	456	435	433	435
52 years	355	384	421	462	280	353	331	359	795	781	786	752	580	630	572	524
53 years	312	359	349	408	244	293	311	315	726	752	659	720	589	611	542	491
54 years	269	347	379	430	230	279	288	315	784	827	777	744	601	633	584	585
55 to 59 years	1,144	1,306	1,397	1,539	965	1,078	1,130	1,271	4,314	4,572	4,180	4,012	3,523	3,706	3,452	3,380
55 years	281	303	347	369	230	251	290	290	949	951	817	838	767	731	687	656
56 years	244	288	312	351	207	237	215	233	915	921	767	770	677	749	652	608
57 years	222	284	265	290	185	228	212	263	755	889	800	710	677	723	710	623
58 years	210	229	268	293	181	181	224	258	894	956	951	838	748	817	783	787
59 years	187	202	205	236	162	181	189	227	801	855	845	856	654	686	620	706
60 to 64 years	876	982	1,022	1,147	827	897	934	1,037	4,963	5,227	4,810	4,947	4,453	4,684	4,488	4,649
60 years	200	227	241	279	205	223	211	252	1,208	1,282	1,161	1,281	1,180	1 219	1,124	1,145
61 years	171	151	187	205	132	137	170	185	840	750	738	767	700	720	680	715
62 years	190	218	192	223	176	173	200	185	1,006	1,079	985	969	844	929	889	875
63 years	164	192	195	219	165	203	169	211	982	1,114	976	991	871	958	871	914
64 years	151	194	207	221	149	161	184	204	927	1,002	950	939	858	858	924	1,000
65 to 69 years	751	863	812	957	718	812	794	922	4,910	5,302	4,907	5,152	4,692	5,001	4,721	5,018
65 years	187	222	191	233	178	185	196	222	1,254	1,281	1,192	1,288	1,223	1,256	1,188	1,225
66 years	149	168	161	183	136	139	143	185	923	976	872	898	891	870	777	884
67 years	139	171	157	167	134	177	152	157	958	1,064	929	984	800	952	883	914
68 years	138	161	163	200	134	169	172	186	965	1,069	1,088	1,048	1,004	1,067	1,050	1,086
69 years	138	141	140	174	136	142	131	172	810	912	826	934	774	856	823	909
70 to 74 years	493	643	653	684	518	644	669	736	4,431	4,877	4,432	4,755	4,566	5,043	4,679	4,777
70 years	127	168	156	153	112	169	178	169	1,112	1,251	1,089	1,193	1,290	1,395	1,275	1,346
71 years	98	135	130	116	94	117	146	139	736	818	810	794	730	806	740	740
72 years	92	125	139	155	121	143	126	166	953	936	863	984	928	1,012	948	966
73 years	97	110	102	127	112	117	106	134	850	972	842	923	856	921	890	862
74 years	79	105	126	133	79	98	113	128	780	900	828	861	762	909	826	863
75 to 79 years	375	440	506	508	419	468	482	533	3,703	3,980	3,845	4,005	3,681	4,107	3,996	4,114
75 years	70	105	115	133	98	116	137	123	928	979	996	986	1,027	1,093	1,078	1,150
76 years	91	97	105	101	98	108	106	110	881	908	813	804	770	886	838	852
77 years	85	94	84	101	76	86	83	115	643	759	676	701	611	790	698	692
78 years	72	79	108	102	85	88	85	98	689	719	774	761	699	735	779	781
79 years	57	65	94	71	62	70	71	87	562	615	586	753	574	603	603	639
80 to 84 years	268	320	270	281	299	332	287	324	2,460	2,629	2,538	2,588	2,572	2,960	2,836	2,765
80 years	69	90	62	56	79	82	70	73	672	745	686	669	770	902	844	834
81 years	43	59	58	58	67	61	54	90	465	487	517	475	463	507	510	488
82 years	61	69	53	67	64	68	59	57	496	523	518	542	462	576	527	492
83 years	42	47	48	58	41	66	54	58	427	423	424	488	454	508	478	481
84 years	53	55	49	42	48	55	50	46	400	451	393	414	423	467	477	470
85 to 89 years	176	159	159	164	182	198	201	207	1,242	1,306	1,326	1,321	1,345	1,474	1,436	1,489
85 years	53	33	40	44	51	46	56	43	377	365	373	403	420	444	445	445
86 years	49	48	40	34	49	53	42	49	329	301	295	311	331	335	313	354
87 years	23	34	31	43	32	47	42	45	230	296	246	234	259	321	278	273
88 years	35	29	25	23	34	31	36	38	167	209	240	189	205	211	230	224
89 years	16	15	23	20	16	21	25	32	139	135	172	184	130	163	170	193
90 to 94 years	36	50	54	48	52	76	66	75	329	352	392	379	438	510	483	509
90 years	13	12	15	16	15	20	19	24	134	115	153	141	173	219	195	213
91 years	6	16	15	10	9	16	10	18	52	79	86	80	77	93	91	92
92 years	5	8	10	9	12	17	18	14	65	76	68	72	78	84	85	83
93 years	6	6	11	9	5	10	13	10	45	40	50	56	57	62	68	68
94 years	6	8	3	4	11	13	6	9	33	42	35	30	53	52	44	53
95 to 99 years	15	10	9	7	18	19	12	17	81	93	92	84	163	127	147	140
95 years	6	3	4	3	7	8	4	3	22	31	25	18	52	54	47	45
96 years	4	2	1	1	6	7	1	5	27	25	23	16	49	32	34	41
97 years	4	2	2	3	1	4	3	7	10	18	20	15	27	18	27	34
98 years	.....	2	2	.....	4	.....	4	1	13	13	18	20	27	9	23	11
99 years	1	1	.....	.....	.....	.....	.....	1	9	6	6	15	8	14	16	9

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, AND BY COLOR, NATIVITY, AND PARENT NATIVITY, BY SINGLE YEARS OF AGE AT LAST BIRTHDAY, FOR THE REGISTRATION STATES: 1906 TO 1909—Continued.

AGE. (COMPLETED YEARS.)	NATIVE WHITE—FOREIGN PARENTS (ONE OR BOTH PARENTS FOREIGN).								FOREIGN-BORN WHITE.							
	Male.				Female.				Male.				Female.			
	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909
100 years and over	6	2	1	2	2	2	3	6	19	27	18	23	45	44	44	34
100 years	3				2	1	1		7	6	7	7	17	12	14	12
101 years	1	1				1		3	4	5		3	9	5	5	4
102 years	2	1						2	1	3	2	4	5	7	7	4
103 years			1							3	1	1	1	6	8	1
104 years				1			1		3	3	1	4	4	3	2	4
105 years				1			1		2	2	2	2	4	1	4	2
106 years										1	2			3	2	3
107 years									1	1	1	1	1	4		1
108 years								1		1		1	2	1	1	1
109 years										1			1	1		
110 years											1					
111 years																
112 years													1			2
113 years															1	
114 years											1			1		
115 years									1	1						
Age unknown	22	21	15	7	17	21	8	7	76	71	29	46	42	40	25	13

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, AND BY COLOR, NATIVITY, AND PARENT NATIVITY, BY SINGLE YEARS OF AGE AT LAST BIRTHDAY, FOR THE REGISTRATION STATES: 1906 TO 1909—Continued.

[The registration states shown in this table for the calendar years 1906 to 1909, both inclusive, are the same as those shown in the 1908 report for the calendar years 1900 to 1905, both inclusive, as follows: Connecticut, District of Columbia, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont.]

AGE. (COMPLETED MONTHS OR YEARS.)	NEGRO.								OTHER COLORED.							
	Male.				Female.				Male.				Female.			
	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909
All ages	5,734	5,903	5,560	5,531	5,284	5,413	5,333	5,025	277	242	285	293	149	111	128	127
Under 5 years	1,915	1,784	1,721	1,684	1,625	1,580	1,564	1,423	48	23	45	46	52	27	41	40
Under 1 year	1,337	1,285	1,236	1,202	1,107	1,112	1,077	952	31	13	24	33	36	20	27	28
Under 1 month	435	444	409	418	346	311	327	329	6	3	10	13	7	8	5	6
1 month	127	99	105	97	104	97	85	75	5	3	2	7	5	5	4	3
2 months	125	79	105	113	69	112	100	72	5	1	2	2	4	.....	4	2
3 months	107	109	84	84	94	96	111	85	.....	.....	2	3	2	1	1	3
4 months	99	83	95	84	84	74	80	60	4	.....	1	3	4	.....	1	3
5 months	75	77	95	64	76	96	87	46	.....	1	1	2	3	1	5	1
6 months	81	85	86	85	87	86	59	59	4	2	1	1	1	.....	1	6
7 months	81	70	58	64	64	64	52	51	2	3	1	.....	3	4	2	1
8 months	54	69	61	56	36	50	41	47	2	.....	1	.....	3	1	.....	.....
9 months	58	72	48	44	53	45	54	40	.....	.....	1	1	2	.....	3	1
10 months	54	49	45	44	48	48	40	43	1	.....	1	1	1	.....	1	1
11 months	41	49	45	49	46	33	41	45	2	.....	1	.....	1	.....	.....	1
1 year	332	299	279	260	279	248	269	250	8	6	14	4	9	3	6	8
2 years	136	103	110	120	123	102	120	116	4	1	4	5	2	1	5	1
3 years	63	61	62	67	72	68	64	63	3	1	1	2	3	1	1	2
4 years	47	36	34	35	44	50	34	42	2	2	2	2	2	2	2	1
5 to 9 years	137	116	122	108	152	130	144	108	8	7	4	6	6	8	9	5
5 years	44	29	32	22	37	44	25	35	1	1	1	1	2	5	2	.....
6 years	25	25	23	27	36	21	28	26	1	.....	.....	1	.....	2	2	1
7 years	27	14	25	23	21	19	38	13	3	2	.....	.....	1	1	1	1
8 years	16	28	24	19	27	24	31	17	1	3	.....	2	2	.....	2	2
9 years	25	20	18	17	31	22	22	17	2	1	3	2	1	.....	2	1
10 to 14 years	95	92	110	80	117	119	107	131	7	2	4	4	8	4	8	4
10 years	26	16	28	8	17	28	13	22	2	1	.....	1	.....	.....	1	.....
11 years	17	11	26	20	16	25	18	26	2	1	.....	.....	1	2	1	.....
12 years	22	18	17	17	22	24	20	19	.....	.....	.....	2	2	1	3	2
13 years	8	19	18	15	28	25	23	28	.....	.....	2	1	2	.....	.....	1
14 years	22	28	21	20	34	17	33	36	3	.....	2	.....	3	1	3	1
15 to 19 years	195	185	170	175	214	238	247	216	11	7	13	8	6	10	6	5
15 years	23	29	21	25	40	36	33	31	.....	.....	2	.....	.....	1	1	.....
16 years	40	34	32	24	35	46	41	36	2	1	1	2	1	3	1	2
17 years	40	30	24	36	34	49	53	49	6	3	1	.....	2	3	1	1
18 years	45	36	49	46	54	57	63	51	2	1	4	2	1	1	1	1
19 years	47	56	44	44	51	50	57	49	1	2	5	4	2	2	2	1
20 to 24 years	312	330	309	282	361	374	338	287	23	18	17	8	6	8	9	9
20 years	58	50	46	59	65	71	58	41	2	3	6	2	2	2	4	2
21 years	70	63	50	44	69	61	68	50	3	4	5	1	1	1	.....	2
22 years	57	70	71	56	70	73	74	65	6	3	3	1	2	3	4	2
23 years	69	74	61	65	92	79	66	57	6	4	2	1	.....	1	1	1
24 years	58	73	81	58	65	90	72	74	6	4	1	3	1	1	.....	2
25 to 29 years	358	380	374	375	330	369	381	323	25	18	24	16	5	5	8	11
25 years	85	78	85	72	81	72	86	69	4	4	7	4	1	.....	2	2
26 years	78	86	57	68	65	74	82	66	7	10	4	1	1	.....	1	1
27 years	52	72	67	76	56	80	71	50	4	2	2	3	1	3	4	2
28 years	75	82	99	90	74	74	81	66	5	2	8	4	2	1	1	3
29 years	68	62	66	69	54	69	61	72	5	.....	3	4	.....	1	.....	3
30 to 34 years	317	394	348	362	298	285	308	293	23	23	18	18	10	8	3	7
30 years	82	100	86	99	86	72	68	74	4	7	8	4	4	5	2	2
31 years	47	68	42	48	43	43	53	53	4	3	2	6	.....	1	.....	2
32 years	73	77	69	68	57	77	64	55	6	4	5	3	4	2	.....	2
33 years	61	73	70	72	53	37	66	59	4	4	2	4	1	.....	1	.....
34 years	54	76	81	75	59	56	57	52	5	5	1	1	1	.....	.....	1
35 to 39 years	394	421	372	361	281	321	281	310	21	31	28	28	6	4	2	5
35 years	129	107	105	100	81	66	60	65	3	8	4	11	1	.....	.....	1
36 years	78	74	76	64	58	55	67	49	3	9	6	5	1	2	1	.....
37 years	60	78	69	58	51	55	42	55	3	5	9	5	3	1	1	.....
38 years	66	77	75	79	48	77	69	76	7	4	4	5	1	1	.....	3
39 years	61	85	47	60	43	68	43	65	5	5	5	2	.....	.....	.....	1
40 to 44 years	287	316	306	335	253	281	269	272	27	21	27	26	4	2	4	4
40 years	91	96	98	101	86	79	92	83	8	9	6	7	4	.....	1	1
41 years	51	55	47	58	39	45	38	39	4	1	6	5	.....	.....	.....	.....
42 years	57	63	72	67	53	63	60	60	7	4	5	5	.....	1	1	1
43 years	46	50	53	66	38	56	48	45	4	6	5	7	.....	1	.....	1
44 years	42	52	36	43	37	38	31	45	4	1	5	2	.....	.....	2	1

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, AND BY COLOR, NATIVITY, AND PARENT NATIVITY, BY SINGLE YEARS OF AGE AT LAST BIRTHDAY, FOR THE REGISTRATION STATES: 1906 TO 1909—Continued.

AGE. (COMPLETED YEARS.)	NEGRO.								OTHER COLORED.							
	Male.				Female.				Male.				Female.			
	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909
45 to 49 years	247	298	295	300	249	286	259	261	16	26	19	25	2	4	4	5
45 years	79	83	83	77	65	71	62	68	4	8	6	12	.....	2	1	.....
46 years	32	41	49	42	42	50	45	61	4	4	2	2	.....	1	1	1
47 years	36	49	53	51	45	53	59	33	3	4	2	3	1	.....	1	.....
48 years	63	64	54	66	52	65	46	47	3	4	3	4	1	1	1	4
49 years	37	61	56	64	45	47	47	52	2	6	6	4	.....	.....	.....	.....
50 to 54 years	282	298	321	302	260	278	266	249	18	12	17	28	6	3	5	1
50 years	84	90	90	98	76	95	84	76	2	6	7	9	1	2	3	.....
51 years	46	45	44	45	35	43	43	30	5	2	2	2	.....	.....	.....	.....
52 years	67	57	68	53	57	55	55	58	4	.....	4	7	3	.....	.....	1
53 years	36	56	57	54	45	46	47	47	4	2	1	6	1	1	1	.....
54 years	49	50	62	52	47	39	37	38	3	2	3	4	1	.....	1	.....
55 to 59 years	253	270	243	262	213	229	247	232	11	15	14	21	2	1	1	3
55 years	80	69	59	74	46	63	50	64	2	4	4	7	.....	.....	.....	.....
56 years	51	55	49	54	45	54	42	49	2	6	2	4	1	1	1	1
57 years	34	60	51	42	36	42	50	39	3	2	3	2	1	.....	.....	1
58 years	34	51	49	41	47	47	59	40	2	1	4	5	.....	.....	.....	.....
59 years	54	35	35	51	39	23	46	40	2	2	1	3	.....	.....	.....	1
60 to 64 years	288	287	227	217	243	225	211	227	7	12	19	14	5	9	9	2
60 years	91	100	70	71	94	80	71	87	1	3	5	6	2	4	3	1
61 years	47	28	22	35	37	43	29	31	.....	1	1	2	2	.....	2	.....
62 years	65	60	45	39	32	30	43	40	3	4	3	2	.....	2	4	1
63 years	37	55	42	40	41	40	32	39	2	3	2	2	.....	3	.....	.....
64 years	48	44	48	32	39	32	36	30	1	1	8	2	1	.....	.....	.....
65 to 69 years	227	272	206	234	199	197	214	216	5	9	7	13	8	3	4	9
65 years	83	71	81	73	76	71	70	59	2	2	3	4	2	1	.....	1
66 years	44	48	28	37	23	27	34	37	1	.....	.....	2	.....	.....	.....	3
67 years	34	59	37	34	30	35	39	35	.....	3	1	4	2	1	1	4
68 years	40	56	41	50	36	28	39	47	1	3	3	2	1	1	2	.....
69 years	26	38	19	40	34	36	32	38	1	1	.....	1	3	.....	1	1
70 to 74 years	146	152	173	173	155	153	165	156	6	2	2	12	5	4	5	6
70 years	58	63	69	63	64	76	45	61	1	1	1	4	2	3	3	3
71 years	20	19	23	26	26	15	30	19	1	.....	.....	1	1	.....	1	.....
72 years	26	20	29	32	23	20	31	23	2	.....	.....	3	1	.....	1	.....
73 years	20	23	21	27	28	22	33	33	1	1	1	2	.....	.....	.....	1
74 years	22	27	31	25	14	20	26	20	1	.....	.....	2	1	1	.....	2
75 to 79 years	119	131	106	132	118	123	121	113	6	6	8	6	4	2	2	2
75 years	41	41	29	51	39	38	38	42	1	2	3	3	1	1	1	.....
76 years	32	30	23	29	27	23	14	17	1	.....	1	1	.....	.....	1	.....
77 years	14	25	17	18	19	27	27	22	.....	1	2	2	.....	1	.....	.....
78 years	20	25	22	13	16	27	22	13	3	2	1	.....	1	.....	.....	2
79 years	12	10	15	21	17	8	20	19	1	1	1	.....	2	.....	.....	.....
80 to 84 years	70	82	71	60	98	89	95	83	8	4	6	4	6	2	4	2
80 years	24	36	32	26	40	35	44	39	5	2	3	1	5	1	1	2
81 years	8	9	10	10	13	7	13	10	.....	.....	.....	2	1	.....	.....	.....
82 years	16	16	7	10	20	17	13	8	.....	.....	2	.....	.....	1	.....	.....
83 years	10	13	10	8	12	15	9	16	.....	1	1	1	.....	.....	.....	.....
84 years	12	8	12	6	13	15	16	10	3	1	.....	.....	.....	.....	3	.....
85 to 89 years	40	39	42	50	58	63	48	59	3	2	4	3	4	2	3	3
85 years	9	11	11	20	12	23	21	16	1	2	1	.....	1	.....	2	.....
86 years	12	6	10	7	21	10	13	7	1	.....	.....	.....	1	2	.....	3
87 years	8	12	11	7	9	14	1	12	.....	.....	.....	2	2	.....	1	.....
88 years	5	6	4	12	8	6	9	11	.....	.....	3	.....	.....	.....	.....	.....
89 years	6	4	6	4	8	10	4	13	1	.....	.....	1	.....	.....	.....	.....
90 to 94 years	22	20	18	11	20	39	30	24	2	1	4	1	1	2	1	1
90 years	10	13	5	5	10	21	16	7	1	1	3	.....	.....	2	1	1
91 years	2	1	4	1	2	3	2	4	.....	.....	.....	1	.....	.....	.....	.....
92 years	4	1	3	3	3	5	4	4	.....	.....	1	.....	1	.....	.....	.....
93 years	2	5	3	1	2	6	6	2	.....	.....	.....	.....	.....	.....	.....	.....
94 years	4	.....	3	1	3	4	2	7	1	.....	.....	.....	.....	.....	.....	.....
95 to 99 years	12	11	11	8	18	15	18	18	1	1	.....	3	2	1	.....	.....
95 years	2	6	2	3	9	6	2	4	.....	.....	.....	1	1	1	.....	.....
96 years	2	2	4	.....	4	3	5	2	.....	1	.....	.....	.....	.....	.....	.....
97 years	6	1	3	2	2	.....	5	3	.....	.....	.....	2	.....	.....	.....	.....
98 years	2	1	1	2	2	4	4	8	1	.....	.....	.....	.....	.....	.....	.....
99 years	.....	1	1	1	1	2	2	1	.....	.....	.....	.....	1	.....	.....	.....

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, AND BY COLOR, NATIVITY, AND PARENT NATIVITY, BY SINGLE YEARS OF AGE AT LAST BIRTHDAY, FOR THE REGISTRATION STATES: 1906 TO 1909—Continued.

AGE. (COMPLETED YEARS.)	NEGRO.								OTHER COLORED.							
	Male.				Female.				Male.				Female.			
	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909	1906	1907	1908	1909
100 years and over	7	7	9	12	22	13	12	19	1	.....	2	2	.....	1	.....	2
100 years	3	1	3	4	8	3	4	4	1	.....	1	1	.....	1	.....	2
101 years	.....	.....	.....	1	4	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
102 years	.....	.....	.....	1	.....	.....	.....	3	.....	.....	.....	1	.....	.....	.....	.....
103 years	.....	.....	2	1	.....	2	1	2	.....	.....	1	.....	.....	.....	.....	.....
104 years	.....	.....	.....	.....	3	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....
105 years	1	1	1	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
106 years	.....	2	1	1	3	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
107 years	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
108 years	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
109 years	.....	1	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
110 years	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
111 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
112 years	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
113 years	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
114 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
115 years	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
116 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
117 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
118 years	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
119 years	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
120 years	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Age unknown	11	18	6	8	.....	6	8	5	.....	2	3	1	1	1	.....	1

INDEX.

Abdominal tuberculosis, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 308; of each registration state, 336.
—— per cent distribution of deaths, by age, 416, 420.
Abscess, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 323; of each registration state, 364.
—— per cent distribution of deaths, by age, 417, 422.
See also Tuberculous abscess.
Accidents, death rate per 100,000 population, in each registration area, 93; deaths from, 511. *See also* Automobile accidents, Electric-railroad accidents, Steam-railroad accidents, *and* Street-car accidents.
Accidents and injuries, per cent of deaths from all causes due to, in specified occupations, 389, 411; deaths, by age, in each occupation, 727, 769. *See also* Injuries, accidental.
Accountants. *See* Bookkeepers and accountants.
Actinomycosis, trichinosis, etc., deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 334.
Actors, professional showmen, etc., deaths, by color and age, 722, 724; by cause, 728, 768.
Addison's disease, deaths from, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 340.
Age, average and median, at death, 27, 380.
—— deaths classified by, 11, 780; in each registration area, 472, 550; in registration area, from each cause, 588; in each city of 100,000 population or over in 1900, 640; in specified occupations, 722, 724, 726, 768.
—— distribution of population by, per 1,000,000 persons in 1900, 426.
—— per cent distribution of deaths by, 388, 410, 416, 420.
See also Old age.
Agents, deaths, by cause, 396, 738, 774; by color and age, 722, 724; per cent distribution, by age, 396.
Agricultural laborers, deaths, by cause, 388, 726, 768; by color and age, 722, 724; per cent distribution, by age, 388.
Agricultural pursuits, deaths of persons engaged in, by cause, 388, 726, 728, 768; by color and age, 722, 724; per cent distribution of deaths, by age, 388, 410, 768.
Alcoholism, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598; in each occupation, 726, 768.
—— death rate per 100,000 population, in original registration states, 24; in registration area, 86; in cities and rural districts of registration states, 311; of each registration state, 342.
—— per cent of deaths from all causes due to, in specified occupations, 388, 410.
—— per cent distribution of deaths, by age, 416, 420.
Allegheny, Pa., death rate per 1,000 population, 19.
American Association for Study and Prevention of Infant Mortality, purpose of, 10.
Amputation, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 366.
Amsterdam, death rate per 1,000 population, 20.
Anemia, chlorosis, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 342.
Anemia, leukemia, average and median ages at death from, 27.
—— deaths from, by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in cities and rural districts of registration states, 311.
—— per cent distribution of deaths, by age, 416, 420.
See also Leukemia.
Angina pectoris, average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23; in registration area, 88; in cities and rural districts of registration states, 314; of each registration state, 348.
—— per cent distribution of deaths, by age, 416, 420.
Apoplexy, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; in registration area, 86; in cities and rural districts of registration states, 312; of each registration state, 344.
Apoplexy, per cent distribution of deaths, by age, 416, 420.
Apoplexy and paralysis, deaths, by age, in each occupation, 726, 768.
—— per cent of deaths from all causes due to, in specified occupations, 388, 410.
See also Paralysis.
Appendicitis, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599; in each occupation, 727, 769.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; in registration area, 88; in cities and rural districts of registration states, 320; of each registration state, 358.
—— per cent of deaths from all causes due to, in specified occupations, 389, 411.
—— per cent distribution of deaths, by age, 417, 422.
Architects, designers, draftsmen, etc., deaths, by color and age, 722, 724; by cause, 728.
Arteries, diseases of, average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23; in registration area, 88; in cities and rural districts of registration states, 314; of each registration state, 348.
—— per cent distribution of deaths, by age, 416, 420.
Artists and teachers of art, deaths, by color and age, 722, 724; by cause, 730, 768.
Asiatic cholera, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 332.
Asphyxia, suicide by, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 370.
Asthma, deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by age, in each occupation, 727, 769.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 352.
—— per cent of deaths from all causes due to, in specified occupations, 389, 411.
Asthma and emphysema, average and median ages at death from, 27.
—— deaths, by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in cities and rural districts of registration states, 317.

Asthma and emphysema, per cent distribution of deaths, by age, 417, 422.
See also Emphysema.
Australasia, death rate per 1,000 population, 14.
Australian Commonwealth, death rate per 1,000 population, 14.
Austria, death rate per 1,000 population, 14.
Automobile accidents, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 327; of each registration state, 374.
—— per cent distribution of deaths, by age, 418, 424.

Bakers, deaths, by cause, 402, 750; by color and age, 723, 725; per cent distribution, by age, 402.
Baltimore, Md., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 661; by age, 661; by color, 662, 663.
Bankers and brokers, deaths, by cause, 396, 738; by color and age, 722, 724; per cent distribution, by age, 396.
Barbers and hairdressers, deaths, by cause, 392, 734, 770; by color and age, 722, 724; per cent distribution, by age, 392.
Bartenders, deaths, by cause, 392, 734; by color and age, 722, 724; per cent distribution, by age, 392.
Belfast, death rate per 1,000 population, 20.
Belgium, death rate per 1,000 population, 14.
Berlin, death rate per 1,000 population, 20.
Biliary calculi, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 319; of each registration state, 358.
—— per cent distribution of deaths, by age, 417, 422.
Blacksmiths, deaths, by cause, 404, 752; by color and age, 723, 725; per cent distribution, by age, 404.
Bladder, diseases of, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 321; of each registration state, 360.
—— per cent distribution of deaths, by age, 417, 422.
Bleachery and dye-works operatives, deaths, by color and age, 723, 725; by cause, 760.
Boarding and lodging house keepers, deaths, by color and age, 722, 724; by cause, 734, 770.
Boatmen and sailors, deaths, by cause, 396, 738; by color and age, 722, 724; per cent distribution, by age, 396.
Bones, diseases of, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 323; of each registration state, 366.
Bones, diseases of, per cent distribution of deaths, by age, 417, 422.
Bookbinders, deaths, by color and age, 723, 725; by cause, 758, 776.
Bookkeepers and accountants, deaths, by cause, 396, 738, 774; by color and age, 722, 724; per cent distribution, by age, 396.
Boot and shoe makers and repairers, deaths, by cause, 404, 754, 774; by color and age, 723, 725; per cent distribution, by age, 404.
Boston, Mass., death rate per 1,000 population, 19, 20; average per year, 30.
—— deaths, by cause, 664; by age, 664; by color, 665, 666.
Bottlers and soda-water makers, etc., deaths, by color and age, 723; by cause, 754.
Boxmakers (paper), deaths, by color and age, 723, 725; by cause, 758.
Brain, diseases of, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 313; of each registration state, 346.
—— per cent distribution of deaths, by age, 416, 420.
See also Softening of brain.
Brassworkers, deaths, by color and age, 723, 725; by cause, 756.
Breast, diseases of. *See* Puerperal diseases of breast *and* Nonpuerperal diseases of breast (cancer excepted).
Breslau, death rate per 1,000 population, 20.
Brewers and maltsters, deaths, by color and age, 723; by cause, 756.
Brick and tile makers, etc., deaths, by color and age, 723; by cause, 748.
Bright's disease, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599; in each occupation, 727, 769.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23; in original registration states, 24, 26; in registration area, 88; in cities and rural districts of registration states, 320; of each registration state, 358.
—— per cent of deaths from all causes due to, in specified occupations, 389, 411.
—— per cent distribution of deaths, by age, 417, 422.
Bright's disease and nephritis, deaths from, total, 88; in each registration area, 511.
—— death rate per 100,000 population, in registration area, 88; in each registration area, 93.
—— per cent distribution of deaths, by age, 417, 422.
See also Nephritis, acute.
Brokers. *See* Bankers and brokers.
Bronchitis, acute and chronic, average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598; in each occupation, 727, 769.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; in registration area, 88; in cities and rural districts of registration states, 316; of each registration state, 350, 352.
—— per cent of deaths from all causes due to, in specified occupations, 389, 411.
—— per cent distribution of deaths, by age, 417, 422.
Bronchopneumonia, average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; in registration area, 88; in cities and rural districts of registration states, 316; of each registration state, 352.
—— per cent distribution of deaths, by age, 417, 422.
Bronx Borough, death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 687; by age, 687; by color, 688, 689.
Brooklyn Borough, death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 690; by age, 690; by color, 691, 692.
Broom and brush makers, deaths, by color and age, 723, 725; by cause, 764.
Brush makers. *See* Broom and brush makers.
Brussels, death rate per 1,000 population, 20.
Bucharest, death rate per 1,000 population, 20.
Budapest, death rate per 1,000 population, 20.
Buffalo, N. Y., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 683; by age, 683.
Bulgaria, death rate per 1,000 population, 14.
Burning by corrosive substances, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 376.
Burns and scalds, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 325; of each registration state, 372.
—— per cent distribution of deaths, by age, 418, 424.
Butchers, deaths, by cause, 404, 750; by color and age, 723; per cent distribution, by age, 404.
Butter and cheese makers, deaths, by color and age, 723, 725; by cause, 750.

Cabinetmakers, deaths, by cause, 404, 756; by color and age, 723, 725; per cent distribution, by age, 404.
Calculi of urinary tract, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 321; of each registration state, 360.
—— per cent distribution of deaths, by age, 417, 422.
California, population, 32; counties with death rates less than 7 per 1,000, 17; average age at death, 380.
—— death rate per 1,000 population, 15, 68, 380; in cities and rural districts, 18; per 100,000 population, by cause, 92; in cities and rural districts, 330.
—— deaths, by color, general nativity, and parent nativity, 436, 556; by month of occurrence, 436; by age, 472, 556, 600; by cause, 510, 576, 600; by sex, 556; in cities and rural districts, 576.

California rural, population, by counties, 46; death rate per 1,000 population, 75; per 100,000 population, by cause, 186.
—— deaths, by color, general nativity, parent nativity, and month of occurrence, 450; by age, 488; by cause, 526.
Cancer, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 510; by age, in each occupation, 726, 768.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; average per year, 30; in registration area, 86; in each registration area, 92.
—— per cent of deaths from all causes due to, in specified occupations, 388, 410.
—— per cent distribution of deaths, by age, 416, 420.
Cancer of breast, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 310; of each registration state, 340.
—— per cent distribution of deaths, by age, 416, 420.
Cancer of female genital organs, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 310; of each registration state, 338.
—— per cent distribution of deaths, by age, 416, 420.
Cancer of intestines, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 310; of each registration state, 338.
—— per cent distribution of deaths, by age, 416, 420.
Cancer of intestines and peritoneum, deaths, in each registration area, 576; in cities and rural districts, 576.
Cancer of mouth, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 309; of each registration state, 338.
—— per cent distribution of deaths, by age, 416, 420.
Cancer of skin, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 310; of each registration state, 340.
—— per cent distribution of deaths, by age, 416, 420.
Cancer of stomach and liver, average and median ages at death from, 27.
Cancer of stomach and liver, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 310; of each registration state, 338.
—— per cent distribution of deaths, by age, 416, 420.
Cap makers. *See* Hat and cap makers.
Carbuncle, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 322; of each registration state, 364.
—— per cent distribution of deaths, by age, 417, 422.
Carpenters and joiners, deaths, by cause, 400, 746; by color and age, 722, 724; per cent distribution, by age, 400.
Carpet-factory operatives, deaths, by color and age, 723, 725; by cause, 760.
Causes of death, increase or decrease in death rates from each class of, 21; from principal, 22; average and median ages at death from various, 26; average death rate, 1900–1909, by principal, 29; in each registration area, 510, 576; by sex and age, 588; by age, in each registration area, 596; in each city of 100,000 population in 1900, 640; by occupations, 726, 768. *See also* Ill-defined causes.
Cerebrospinal meningitis, epidemic, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 344.
See also Meningitis.
Ceylon, death rate per 1,000 population, 14.
Charbon. *See* Malignant pustule and charbon.
Charcoal, coke, and lime burners, deaths, by color and age, 723; by cause, 764.
Cheese makers. *See* Butter and cheese makers.
Chemical workers, deaths, by color and age, 723, 724; by cause, 748.
Chicago, Ill., death rate per 1,000 population, 19, 20; average per year, 30.
—— deaths, by cause, 649; by age, 649; by color, 650, 651.
Childbirth, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 511, 578; in cities and rural districts, 578; by age, in registration area, 592, 597; in registration states, 599; in each occupation, 769.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 22; in registration area, 88; in cities and rural districts of registration states, 322; of each registration state, 362.
—— per cent of deaths from all causes due to, in specificd occupations, 411.
—— per cent distribution of deaths, by age, 417, 422.
Chile, death rate per 1,000 population, 14.
Chinese and Japanese population, deaths, 1900–1909, 12. *See also* Japanese population.
Chinese population, deaths, in each registration area, 437, 550; by sex and age, 550.
Chlorosis. *See* Anemia, chlorosis.
Cholera. *See* Asiatic cholera.
Cholera nostras, average and median ages at death from, 27.
Cholera nostras, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 307; of each registration state, 332.
—— per cent distribution of deaths, by age, 416, 420.
Chorea, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 346.
Christiania, death rate per 1,000 population, 20.
Cigar factory operatives. *See* Tobacco and cigar factory operatives.
Cincinnati, Ohio, death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 704; by age, 704; by color, 705, 706.
Circulatory system, diseases of, average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 511, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598; in each occupation, 727, 769.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 22, 25; in original registration states, 24, 26; in registration area, 88; in each registration area, 93; in cities and rural districts of registration states, 314; of each registration state, 348, 350.
—— per cent of deaths from all causes due to, in specified occupations, 389, 411.
—— per cent distribution of deaths, by age, 416, 420.
Cirrhosis of liver, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599; in each occupation, 727, 769.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; in registration area, 88; in cities and rural districts of registration states, 319; of each registration state, 356.
—— per cent of deaths from all causes due to, in specified occupations, 389, 411.
—— per cent distribution of deaths, by age, 417, 422.
Cities in registration states, population, 32; distribution, by sex, age, color, nativity, and parent nativity per 1,000,000 persons of all ages in 1900, 428.
—— death rate per 1,000 population, 8, 13, 68, 380; per 100,000 population, average per year, 30; by cause, 92, 306, 330.
—— deaths, by color, general nativity, and parent nativity, 436, 552; by month of occurrence, 436; by age, 472, 552; by cause, 510, 576; by sex, 552.
Clergymen, deaths, by cause, 390, 730; by color and age, 722, 724; per cent distribution, by age, 390.
Clerks and copyists, deaths, by cause, 396, 738, 774; by color and age, 722, 724; per cent distribution, by age, 396.
Cleveland, Ohio, death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 707; by age, 707.
Clock and watch makers and repairers, deaths, by color and age, 723, 725; by cause, 758.

Coke burners. *See* Charcoal, coke, and lime burners.
Cold and freezing, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 325; of each registration state, 372.
—— per cent distribution of deaths, by age, 418, 424.
Color, deaths by, 12, 780; in each registration area, 436, 550; in specified occupations, 722, 724; distribution of population by, per 1,000,000 persons in 1900, 426.
Colorado, population, 32; counties with death rates less than 7 per 1,000, 17; average age at death, 380.
—— death rate per 1,000 population, 15, 68, 380; in cities and rural districts, 18; per 100,000 population, by cause, 92; in cities and rural districts, 330.
—— deaths, by color, general nativity, and parent nativity, 436, 556; by month of occurrence, 436; by age, 472, 556, 602; by cause, 510, 576, 602; by sex, 556; in cities and rural districts, 576.
Colorado rural, population, by counties, 46; death rate per 1,000 population, 76; per 100,000 population, by cause, 192.
—— deaths, by color, general nativity, parent nativity, and month of occurrence, 450; by age, 488; by cause, 528.
Colored population, cities with large proportions of, 20; distribution, per 1,000,000 persons in 1900, 426.
—— deaths, 1900–1909, 12; in each registration area, 436, 550; by age, 550, 722, 724, 792; by sex, 550, 792; by race, 550.
Columbus, Ohio, death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 708; by age, 708.
Commercial travelers, deaths, by cause, 398, 740; by color and age, 722, 724; per cent distribution, by age, 398.
Confectioners, deaths, by color and age, 723, 725; by cause, 750.
Conflagration, death rate per 100,000 population, in cities and rural districts of each registration state, 372.
—— deaths, in each registration area, 580; in cities and rural districts, 580.
Congenital debility, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 324; of each registration state, 368.
—— per cent distribution of deaths, by age, 418, 424.
Congenital malformation of heart (cyanosis), average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 324; of each registration state, 366.
—— per cent distribution of deaths, by age, 417, 422.
Congenital malformations, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
Congenital malformations, death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 324; of each registration state, 368.
—— per cent distribution of deaths, by age, 417, 422.
Congestion of lungs, average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 316; of each registration state, 352.
—— per cent distribution of deaths, by age, 417, 422.
Connecticut, population, 32; distribution, by sex, age periods, color, nativity, and parent nativity per 1,000,000 persons in 1900, 429; average age at death, 380.
—— death rate per 1,000 population, 15, 68, 380; in cities and rural districts, 18; per 100,000 population, average per year, 30; by cause, 92; in cities and rural districts, 330.
—— deaths, by color, general nativity, and parent nativity, 436, 558; by month of occurrence, 436; by age, 472, 558, 604; by cause, 510, 577, 604; by sex, 558; in cities and rural districts, 577.
Connecticut rural, population, by counties, 48; death rate per 1,000 population, 76; per 100,000 population, by cause, 198.
—— deaths, by color, general nativity, parent nativity, and month of occurrence, 452; by age, 490; by cause, 528.
Convulsions, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23; in registration area, 86; in cities and rural districts of registration states, 313; of each registration state, 346.
—— per cent distribution of deaths, by age, 416, 420.
See also Puerperal convulsions.
Coopers, deaths, by cause, 406, 756; by color and age, 723; per cent distribution, by age, 406.
Copenhagen, death rate per 1,000 population, 20.
Copyists. *See* Clerks and copyists.
Cotton-mill operatives, deaths, by cause, 406, 760, 776; by color and age, 723, 725; per cent distribution, by age, 406.
Counties, list of, with death rate less than 7 per 1,000, 17.
Croup, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 307; of each registration state, 332.
—— per cent distribution of deaths, by age, 416, 420.
See also Diphtheria and croup.
Crushing, suicide by, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 370.
Curriers. *See* Leather curriers and tanners.
Cutlery makers. *See* Tool and cutlery makers.
Cutting instruments, suicide by, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 370.
Cyanosis. *See* Congenital malformation of heart (cyanosis).

Dairymen, deaths, by color and age, 722, 724; by cause, 726.
Dealers. *See* Merchants and dealers.
Death rates, per 1,000 population, 8, 13, 19; in registration area, 10; in original registration states, 10; in registration states, 14; in cities and rural districts, 18; in specified foreign and American cities, 20; in each registration area, 68, 380; per 100,000 population, increase or decrease, 1900–1909, 22, 23; by cause, 25, 30, 86, 92; in original registration states, 24; in cities and rural districts, 26, 306, 330; in registration area, 86; in each registration area, 92; in each registration state, 330; in cities of 100,000 population and over, 380.
Deaths, in registration area, 10, 86, 588; in original registration states, 10; by cause, 11, 86, 416, 420, 510, 576, 588, 640, 726, 768; by sex, 11, 550, 588, 780; by age, 11, 388, 410, 416, 420, 472, 550, 588, 596, 640, 722, 724; by color, 12, 436, 550, 722, 724, 780; by nativity and parent nativity, 12, 436, 550, 780; in cities and rural districts, 306; by month of occurrence, 436; in each registration area, 436, 576, 596; in each city having 100,000 population or over in 1900, 640.
—— average and median ages, 26, 27.
—— per cent distribution, at certain age periods, 380.
See also Sudden deaths.
Debility, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 378.
See also Congenital debility.
Denmark, death rate per 1,000 population, 14.
Dentists, deaths, by color and age, 722, 724; by cause, 730.
Dentition, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 318; of each registration state, 356.
—— per cent distribution of deaths, by age, 417, 422.
Denver, Colo., death rate per 1,000 population, 19; average per year, 30; deaths, by cause, 644; by age, 644.
Designers. *See* Architects, designers, draftsmen, etc.
Detroit, Mich., death rate per 1,000 population, 19; average per year, 30; deaths, by cause, 669; by age, 669.
Diabetes, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 511, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598; in each occupation, 726, 768.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; average per year, 30; in registration area, 86; in each registration area, 93; in cities and

rural districts of registration states, 311; of each registration state, 340.
Diabetes, per cent of deaths from all causes due to, in specified occupations, 388, 410.
—— per cent distribution of deaths, by age, 416, 420.
Diarrhea and enteritis, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 511, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; average per year, 30; in registration area, 88; in each registration area, 93; in cities and rural districts of registration states, 318; of each registration state, 356.
—— per cent distribution of deaths, by age, 417, 422.
Digestive system, diseases of, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 511, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599; in each occupation, 727, 769.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 22, 25; in original registration states, 24, 26; in registration area, 88; in each registration area, 93; in cities and rural districts of registration states, 317; of each registration state, 354, 358.
—— per cent of deaths from all causes due to, in specified occupations, 389, 411.
—— per cent distribution of deaths, by age, 417, 422.
Diphtheria, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 307; of each registration state, 332.
—— per cent distribution of deaths, by age, 416, 420.
Diphtheria and croup, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 510.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; average per year, 30; in registration area, 86; in each registration area, 92.
—— per cent distribution of deaths, by age, 416, 420.
See also Croup.
Dislocations, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 372.
See also Fractures and dislocations.
Distillers and rectifiers, deaths, by color and age, 723; by cause, 756.
District of Columbia (Wash.), distribution of population by sex, age, color, nativity, and parent nativity per 1,000,000 persons in 1900, 430.
—— death rate, 18.
—— deaths, by age, 558; by sex, color, general nativity, and parent nativity, 558; by cause, 577.
Domestic and personal service, deaths of persons engaged in, by cause, 392, 732, 770; by color and age, 722, 724; per cent distribution, by age, 392, 410.
Draftsmen. *See* Architects, designers, draftsmen, etc.
Draymen, hackmen, teamsters, etc., deaths, by cause, 398, 740; by color and age, 722, 724; per cent distribution, by age, 398.
Dresden, death rate per 1,000 population, 20.
Dressmakers, deaths, by cause, 414, 762, 776; by color and age, 723, 725; per cent distribution, by age, 414.
Dropsy, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 328; of each registration state, 378.
—— per cent distribution of deaths, by age, 418, 424.
Drovers. *See* Stock raisers, herders, and drovers.
Drowning, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 326; of each registration state, 372.
—— per cent distribution of deaths, by age, 418, 424.
Drowning, suicide by, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 370.
Dublin, death rate per 1,000 population, 20.
Dye-works operatives. *See* Bleachery and dye-works operatives.
Dysentery, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; in registration area, 86; in cities and rural districts of registration states, 307; of each registration state, 332.

Ear, diseases of, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 348.
Earthquake, death rate per 100,000 population, in cities and rural districts of registration states, 327; of each registration state, 376.
Edinburgh, death rate per 1,000 population, 20.
Electricians, deaths, by cause, 390, 730; by color and age, 722, 724; per cent distribution, by age, 390.
Electric-railroad accidents, deaths from, in each registration area, 580; in cities and rural districts, 580.
Embolism and thrombosis, average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 348.
Embolism and thrombosis, per cent distribution of deaths, by age, 416, 420.
Emphysema, deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 352.
See also Asthma and emphysema.
Encephalitis, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 312; of each registration state, 344.
—— per cent distribution of deaths, by age, 416, 420.
Endocarditis, average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23; in registration area, 88; in cities and rural districts of registration states, 314; of each registration state, 348.
—— per cent distribution of deaths, by age, 416, 420.
Engineers and firemen (not locomotive), deaths, by cause, 406, 764; by color and age, 723; per cent distribution, by age, 406.
Engineers (civil, etc.) and surveyors, deaths, by color and age, 722, 724; by cause, 730.
England and Wales, death rate per 1,000 population, 14.
Engravers, deaths, by color and age, 723; by cause, 758.
Enteritis. *See* Diarrhea and enteritis.
Epidemic diseases, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 510, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 22; in registration area, 86; in each registration area, 92; in cities and rural districts of registration states, 308; of each registration state, 334.
—— per cent distribution of deaths, by age, 416, 420.
Epilepsy, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 313; of each registration state, 346.
—— per cent distribution of deaths, by age, 416, 420.
Errand boys. *See* Messengers and errand and office boys.
Errand girls. *See* Messengers and errand and office girls.
Erysipelas, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.

Erysipelas, death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 307; of each registration state, 334.
—— per cent distribution of deaths, by age, 416, 420.
Esophagus, diseases of, deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 354.
Exanthematic typhus, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 330.
Exophthalmic goiter, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 340.
Eye and adnexa, diseases of, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 346.

Fall River, Mass., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 667; by age, 667.
Farcy. *See* Glanders and farcy.
Farmers, planters, and overseers, deaths, by cause, 388, 726, 768; by color and age, 722, 724; per cent distribution, by age, 388, 410.
Female genital organs, diseases of, deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 362.
Females, average and median ages at death, 27; distribution, by age periods, color, nativity, and parent nativity per 1,000,000 persons in 1900, 426.
—— deaths, by age, 550, 588, 724; by color, 550, 724, 780; by general nativity and parent nativity, 550, 780; by cause, 588, 726.
—— per cent distribution of deaths, by age, in specified occupations, 410.
Fever, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 378.
Finland, death rate per 1,000 population, 14.
Firearms, suicide by, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 370.
Firemen. *See* Watchmen, policemen, firemen, etc.
Firemen (not locomotive). *See* Engineers and firemen (not locomotive).
Fishermen and oystermen, deaths, by color and age, 723, 725; by cause, 750.
Florists. *See* Gardeners, florists, nurserymen, etc.
Food preparers, deaths, by color and age, 723, 725; by cause, 752.
Foreign-born white population, distribution per 1,000,000 persons in 1900, 426.
—— deaths, 1900–1909, 12; in each registration area, by general nativity, parent nativity, and month of occurrence, 436; by sex and age, 550, 789.
Foremen and overseers, deaths, by cause, 398, 740; by color and age, 722, 724; per cent distribution, by age, 398.
Fractures, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 370.
Fractures and dislocations, average and median ages at death from, 28.
—— deaths, by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in cities and rural districts, 325.
—— per cent distribution of deaths, by age, 418, 424.
See also Dislocations.
France, death rate per 1,000 population, 14.
Freezing. *See* Cold and freezing.
Furnace makers. *See* Stove, furnace, and grate makers.

Gangrene, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 322; of each registration state, 364.
—— per cent distribution of deaths, by age, 417, 422.
Gangrene of lungs, average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 316; of each registration state, 352.
—— per cent distribution of deaths, by age, 417, 422.
Gardeners, florists, nurserymen, etc., deaths, by cause, 388, 726; by color and age, 722, 724; per cent distribution, by age, 388.
Gas fitters. *See* Plumbers and gas and steam fitters.
Gases, poisonous, inhalation of. *See* Poisonous gases, inhalation of.
Gases, poisonous, other accidental poisonings, deaths, by age, 727, 769.
Gastritis, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 318; of each registration state, 354.
—— per cent distribution of deaths, by age, 417, 422.
Genito-urinary system, diseases of, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 22, 25; in original registration states, 24, 26; in registration area, 88; in cities and rural districts of registration states, 320; of each registration state, 358.
Genito-urinary system, diseases of, per cent distribution of deaths, by age, 417, 422.
Germany, death rate per 1,000 population, 14.
Glanders and farcy, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 334.
Glasgow, death rate per 1,000 population, 20.
Glassworkers, deaths, by color and age, 723, 724; by cause, 748.
Glaziers. *See* Painters, glaziers, and varnishers.
Glovemakers, deaths, by color and age, 723, 725; by cause, 764.
Goiter. *See* Exophthalmic goiter.
Gold and silver workers, deaths, by color and age, 723, 725; by cause, 758.
Gonorrhea, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 338.
Gout. *See* Rheumatism, chronic, and gout.
Grate makers. *See* Stove, furnace, and grate makers.
Gunshot wounds, accidental, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 326; of each registration state, 374.
—— per cent distribution of deaths, by age, 418, 424.

Hackmen. *See* Draymen, hackmen, teamsters, etc.
Hague, The, death rate per 1,000 population, 20.
Hairdressers. *See* Barbers and hairdressers.
Hamburg, death rate per 1,000 population, 20.
Hanging or strangulation, suicide by, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 370.
Harness and saddle makers and repairers, deaths, by color and age, 723; by cause, 754.
Hat and cap makers, deaths, by color and age, 723, 725; by cause, 762.
Heart disease, average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598; in each occupation, 727, 768.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; in registration area, 88; in cities and rural districts of registration states, 314; of each registration state, 348.
—— per cent of deaths from all causes due to, in specified occupations, 388, 410.
—— per cent distribution of deaths, by age, 416, 420.
Heart failure, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age,

in registration area, 597; in registration states, 599.
Heart failure, death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 328; of each registration state, 378.
—— per cent distribution of deaths, by age, 418, 424.
Heat and sunstroke, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 325; of each registration state, 372.
—— per cent distribution of deaths, by age, 418, 424.
Helpers (in stores, etc.). *See* Porters and helpers (in stores, etc.).
Hemorrhage of lungs, average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 317.
—— per cent distribution of deaths, by age, 417, 422.
Hemorrhages, deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 350.
See also Puerperal hemorrhage *and* Uterine hemorrhage.
Herders. *See*. Stock raisers, herders, and drovers.
Hernia, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599; in each occupation, 727, 769.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 318; of each registration state, 356.
—— per cent of deaths from all causes due to, in specified occupations, 389, 411.
—— per cent distribution of deaths, by age, 417, 422.
Homicide, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 327; of each registration state, 376.
—— per cent distribution of deaths, by age, 418, 424.
Hosiery and knitting mill operatives, deaths, by color and age, 723, 725; by cause, 760.
Hostlers, deaths, by cause, 398, 740; by color and age, 722; per cent distribution, by age, 398.
Hotel keepers, deaths, by cause, 394, 734; by color and age, 722, 724; per cent distribution, by age, 394.
Housekeepers and stewardesses, deaths, by color and age, 724; by cause, 772.
Housekeepers and stewards, deaths, by color and age, 722; by cause, 734.
Hucksters and peddlers, deaths, by cause, 398, 740; by color and age, 722, 724; per cent distribution, by age, 398.
Hungary, death rate per 1,000 population, 14.
Hydatid tumors of liver, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 319; of each registration state, 356.
—— per cent distribution of deaths, by age, 417, 422.
Hydrocephalus, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 324; of each registration state, 366.
—— per cent distribution of deaths, by age, 417, 422.

Ill-defined causes, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 511, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in each registration area, 93; in cities and rural districts of registration states, 327; of each registration state, 376, 378.
—— per cent distribution of deaths, by age, 418, 424.
Inanition, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 378.
Indian population, deaths, 1900–1909, 12; in each registration area, 437, 550; by sex and age, 550.
Indiana, population, 32; distribution, by sex, age periods, color, nativity, and parent nativity per 1,000,000 persons in 1900, 430; average age at death, 381.
—— death rate per 1,000 population, 15, 68, 381; in cities and rural districts, 18; per 100,000 population, 30; by cause, 94; in cities and rural districts, 330.
—— deaths, by color, general nativity, and parent nativity, 436, 560; by month of occurrence, 436; by age, 472, 560, 606; by cause, 510, 577, 606; by sex, 560; in cities and rural districts, 577.
Indiana rural, population, by counties, 48; death rate per 1,000 population, 77; per 100,000 population, by cause, 200.
—— deaths, by color, general nativity, parent nativity, and month of occurrence, 452; by age, 490; by cause, 530.
Indianapolis, Ind., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 652; by age, 652; by color, 653, 654.
Infancy, diseases of early, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 511, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
Infancy, death rate per 100,000 population, increase or decrease, 1900–1909, 22; in registration area, 90; in each registration area, 93; in cities and rural districts of registration states, 324; of each registration state, 368.
—— per cent distribution of deaths, by age, 418, 424.
Influenza, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 510, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in original registration states, 24, 26; increase or decrease, 1900–1909, 25; average per year, 30; in registration area, 86; in each registration area, 92; in cities and rural districts of registration states, 307; of each registration state, 332.
—— per cent distribution of deaths, by age, 416, 420.
Injuries, accidental, average and median ages at death from, 28.
—— deaths, by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in cities and rural districts, 327.
—— per cent distribution of deaths, by age, 418, 424.
See also Accidents and injuries.
Injuries at birth, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 327; of each registration state, 376.
—— per cent distribution of deaths, by age, 418, 424.
Insane, paralysis of. *See* Paralysis of insane.
Intestinal parasites, deaths from, total 88; in each registration area, 578; in cities and rural districts, 578.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 356.
Intestines, diseases of, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 319; of each registration state, 356.
See also Obstruction of intestines.
Ireland, death rate per 1,000 population, 14.
Iron and steel workers, deaths, by cause, 404, 752; by color and age, 723, 725; per cent distribution, by age, 404.
Italy, death rate per 1,000 population, 14.

Jamaica, death rate per 1,000 population, 14.
Janitors and sextons, deaths, by cause, 394, 734, 772; by color and age, 722, 724; per cent distribution, by age, 394.
Japan, death rate per 1,000 population, 14.
Japanese population, deaths, in each registration area, 437, 550; by sex and age, 550.
See also Chinese and Japanese population.
Jersey City, N. J., death rate per 1,000 population, 19; average per year, 30.

Jersey City, N. J., deaths, by cause, 680; by age, 680.
Joiners. *See* Carpenters and joiners.
Joints, diseases of, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 323; of each registration state, 366.
—— per cent distribution of deaths, by age, 417, 422.
Journalists, deaths, by color and age, 722, 724; by cause, 730.
Jumping from high places, suicide by, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 370.

Kansas City, Mo., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 672; by age, 672; by color, 673, 674.
Kidneys, diseases of, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 320; of each registration state, 360.
—— per cent distribution of deaths, by age, 417, 422.
Knitting mill operatives. *See* Hosiery and knitting mill operatives.

Labor, accidents of, deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 362.
Laborers (not specified), deaths, by cause, 394, 734, 772; by color and age, 722, 724; per cent distribution, by age, 394.
Lack of care, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 368.
Laryngitis, average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 315; of each registration state, 350.
—— per cent distribution of deaths, by age, 417, 422.
Larynx, diseases of, average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 315; of each registration state, 350.
—— per cent distribution of deaths, by age, 417, 422.
Launderers, deaths, by color and age, 722; by cause, 736.
Laundresses, deaths, by cause, 412, 772; by color and age, 724; per cent distribution, by age, 412.
Lawyers, deaths, by cause, 390, 730; by color and age, 722, 724; per cent distribution, by age, 390.
Lead poisoning, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by age, in each occupation, 726, 768.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 342.
—— per cent of deaths from all causes due to, in specified occupations, 388, 410.
Leather curriers and tanners, deaths, by color and age, 723, 725; by cause, 754.
Leather-case makers. *See* Trunk and leather-case makers, etc.
Leprosy, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 334.
Leukemia, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 342.
See also Anemia, leukemia.
Lightning, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 325; of each registration state, 372.
—— per cent distribution of deaths, by age, 418, 424.
Lime burners. *See* Charcoal, coke, and lime burners.
Literary and scientific persons, deaths, by color and age, 722, 724; by cause, 732, 770.
Lithographers. *See* Printers, lithographers, and pressmen.
Liver, acute yellow atrophy of, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 319; of each registration state, 356.
—— per cent distribution of deaths, by age, 417, 422.
Liver, diseases of, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599; in each occupation, 727, 769.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 319; of each registration state, 358.
—— per cent of deaths from all causes due to, in specified occupations, 389, 411.
—— per cent distribution of deaths, by age, 417, 422.
See also Cirrhosis of liver.
Livery-stable keepers, deaths, by color and age, 722; by cause, 740.
Locomotor ataxia, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
Locomotor ataxia, death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 312; of each registration state, 344.
—— per cent distribution of deaths, by age, 416, 420.
Locomotor system, diseases of, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 22; in registration area, 90; in cities and rural districts of registration states, 323; of each registration state, 366.
—— per cent distribution of deaths, by age, 417, 422.
Lodging-house keepers. *See* Boarding and lodging house keepers.
London, death rate per 1,000 population, 20.
Los Angeles, Cal., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 640; by age, 640.
Louisville, Ky., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 655; by age, 655; by color, 656, 657.
Lumbermen and raftsmen, deaths, by cause, 388, 726; by color and age, 722; per cent distribution, by age, 388.
Lungs, diseases of. *See* Congestion of lungs, Gangrene of lungs, Hemorrhage of lungs, *and* Tuberculosis of lungs.
Lymphatics, diseases of, average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 315; of each registration state, 350.
—— per cent distribution of deaths, by age, 416, 420.

Machinery, injuries by, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 326; of each registration state, 374.
—— per cent distribution of deaths, by age, 418, 424.
Machinists, deaths, by cause, 404, 752; by color and age, 723, 725; per cent distribution, by age, 404.
Maine, population, 32; distribution, by sex, age periods, color, nativity, and parent nativity per 1,000,000 persons in 1900, 431; average age at death, 381.
—— death rate per 1,000 population, 15, 68, 381; in cities and rural districts, 18; per 100,000 population, average per year, 30; by cause, 94; in cities and rural districts, 330.
—— deaths, by color, general nativity, and parent nativity, 436, 560; by month of occurrence, 436; by age, 472, 560, 608; by cause, 510, 577, 608; by sex, 560; in cities and rural districts, 577.
Maine rural, population by counties, 50; death rate per 1,000 ,opulation, 78; per 100,000 population, by pcause, 224.

Maine rural, deaths, by color, general nativity, parent nativity, and month of occurrence, 456; by age, 492; by cause, 532.
Malarial fever, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 510, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in original registration states, 24, 26; increase or decrease, 1900–1909, 25; average per year, 30; in registration area, 86; in each registration area, 92; in cities and rural districts of registration states, 306; of each registration state, 330.
—— per cent distribution of deaths, by age, 416, 420.
Male genital organs, nonvenereal diseases of, deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 360.
Males, average and median ages at death, 27; distribution, by age periods, color, nativity, and parent nativity per 1,000,000 persons in 1900, 426.
—— deaths, by age, 550, 588, 722; by color, 550, 722, 780; by general nativity and parent nativity, 550, 780; by cause, 588, 726.
—— per cent distribution of deaths, by age, in specified occupations, 388.
Malformations, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 22; in registration area, 90; in cities and rural districts of registration states, 323; of each registration state, 366.
—— per cent distribution of deaths, by age, 417, 422.
See also Congenital malformations.
Malignant pustule and charbon, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 334.
Maltsters. *See* Brewers and maltsters.
Manhattan Borough, death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 693; by age, 693; by color, 694, 695.
Manufacturers and officials, etc., deaths, by cause, 408, 764; by color and age, 723, 725; per cent distribution, by age, 408.
Manufacturing and mechanical pursuits, deaths of persons engaged in, by cause, 400, 744, 774; by color and age, 722, 724; per cent distribution, by age, 400, 412.
Marasmus, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 378.
Marble and stone cutters, deaths, by cause, 402, 748; by color and age, 723; per cent distribution, by age, 402.
Marines. *See* Soldiers, sailors, and marines (U. S.).
Maryland, population, 32; counties with death rates less than 7 per 1,000, 17; average age at death, 381.
—— death rate per 1,000 population, 15, 68, 381; in cities and rural districts, 18; per 100,000 population, by cause, 94; in cities and rural districts, 330.
Maryland, deaths, by color, 436, 562, 612, 614; by general nativity and parent nativity, 436, 562; by month of occurrence, 436; by age, 472, 562, 610; by cause, 510, 577, 610; by sex, 562; in cities and rural districts, 577.
Maryland rural, population, by counties, 52; death rate per 1,000 population, 78; per 100,000 population, by cause, 228.
—— deaths, by color, general nativity, parent nativity, and month of occurrence, 456; by age, 492; by cause, 532.
Masons (brick and stone), deaths, by cause, 402, 746; by color and age, 722; per cent distribution, by age, 402.
Massachusetts, population, 32; distribution, by sex, age periods, color, nativity, and parent nativity per 1,000,000 persons in 1900, 431; average age at death, 381.
—— death rate per 1,000 population, 15, 68, 381; in cities and rural districts, 18; per 100,000 population, average per year, 30; by cause, 94; in cities and rural districts, 330.
—— deaths, by color, general nativity, and parent nativity, 436, 562; by month of occurrence, 436; by age, 472, 562, 616; by cause, 510, 577, 616; by sex, 562; in cities and rural districts, 577.
Massachusetts rural, population, by counties, 52; death rate per 1,000 population, 78; per 100,000 population, by cause, 230.
—— deaths, by color, general nativity, parent nativity, and month of occurrence, 456; by age, 494; by cause, 534.
Measles, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 510, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population; increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; average per year, 30; in registration area, 86; in each registration area, 92; in cities and rural districts of registration states, 306; of each registration state, 330.
—— per cent distribution of deaths, by age, 416, 420.
Mechanical pursuits. *See* Manufacturing and mechanical pursuits.
Mechanics (not otherwise specified), deaths, by color and age, 722, 724; by cause, 748.
Melbourne, death rate per 1,000 population, 20.
Memphis, Tenn., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 718; by age, 718; by color, 719, 720.
Meningitis, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 511, 576; in cities and rural districts, 576; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; average per year, 30; in registration area, 86; in each registration area, 93; in cities and rural districts of registration states, 312; of each registration state, 344.
—— per cent distribution of deaths, by age, 416, 420.
See also Tuberculous meningitis *and* Cerebrospinal meningitis, epidemic.
Mental diseases, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
Mental diseases, death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 313; of each registration state, 346.
—— per cent distribution of deaths, by age, 416, 420.
Merchants and dealers, deaths, by cause, 398, 740, 742, 774; by color and age, 722, 724; per cent distribution, by age, 398.
Messengers and errand and office boys, deaths, by color and age, 722; by cause, 742.
Messengers and errand and office girls, deaths, by color and age, 724.
Metal workers, deaths, by color and age, 723, 725; by cause, 758.
Metritis, deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 360.
Michigan, population, 32; distribution, by sex, age periods, color, nativity, and parent nativity per 1,000,000 persons in 1900, 432; average age at death, 381.
—— death rate per 1,000 population, 15, 68, 381; in cities and rural districts, 18; per 100,000 population, average per year, 30; by cause, 94; in cities and rural districts, 330.
—— deaths, by color, 436; by general nativity and parent nativity, 436, 564; by month of occurrence, 436; by age, 472, 564, 618; by cause, 510, 582, 618; by sex, 564; in cities and rural districts, 582.
Michigan rural, population, by counties, 52; death rate per 1,000 population, 78; per 100,000 population, by cause, 234.
—— deaths, by color, general nativity, parent nativity, and month of occurrence, 456; by age, 494; by cause, 534.
Midwives. *See* Nurses and midwives.
Milan, death rate per 1,000 population, 20.
Miliary fever, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 332.
Millers, deaths, by color and age, 723, 725; by cause, 750.
Milliners, deaths, by color and age, 723, 725; by cause, 762, 776.
Milwaukee, Wis., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 721; by age, 721.
Miners and quarrymen, deaths, by cause, 402, 750; by color and age, 723, 725; per cent distribution, by age, 402.
Mines and quarries, injuries in, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 326; of each registration state, 374.
—— per cent distribution of deaths, by age, 418, 424.
Minneapolis, Minn., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 670; by age, 670.
Model and pattern makers, deaths, by color and age, 723, 725; by cause, 766.
Montreal, death rate per 1,000 population, 20.
Moscow, death rate per 1,000 population, 20.
Mouth, diseases of, average and median ages at death from, 28.

Mouth, diseases of, deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 317; of each registration state, 354.
—— per cent distribution of deaths, by age, 417, 422.
Munich, death rate per 1,000 population, 20.
Musicians and teachers of music, deaths, by cause, 390, 732, 770; by color and age, 722, 724; per cent distribution, by age, 390.

Nasal fossa, diseases of, deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 350.
Native-born white population, distribution per 1,000,000 persons in 1900, 426.
—— deaths, 1900–1909, 12; in each registration area, by general nativity, parent nativity, and month of occurrence, 436; by sex and age, 550, 783, 786, 789.
Nativity, deaths by, 12, 780; distribution of population by, per 1,000,000 persons in 1900, 426; in each registration area, 436, 550; sex and age, 780.
Negro population, distribution, per 1,000,000 persons in 1900, 426.
—— deaths, 1900–1909, 12; in each registration area, 437, 550; by sex and age, 550, 792.
Nephritis, acute, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 320; of each registration state, 358.
—— per cent distribution of deaths, by age, 417, 422.
See also Bright's disease and nephritis.
Nervous system, diseases of, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 511, 576; in cities and rural districts, 576; by sex and age, 590; by age, in registration area, 596; in registration states, 598; in each occupation, 726, 768.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 22, 25; in original registration states, 24, 26; in registration area, 86; in each registration area, 93; in cities and rural districts of registration states, 311; of each registration state, 342, 346.
—— per cent of deaths from all causes due to, in specified occupations, 388, 410.
—— per cent distribution of deaths, by age, 416, 420.
Netherlands, death rate per 1,000 population, 14.
New Hampshire, population, 32; distribution, by sex, age periods, color, nativity, and parent nativity per 1,000,000 persons in 1900, 432; average age at death, 381.
—— death rate per 1,000 population, 15, 68, 381; in cities and rural districts, 18; per 100,000 population, average per year, 30; by cause, 94; in cities and rural districts, 331.
—— deaths, by color, general nativity, and parent nativity, 436, 564; by month of occurrence, 436; by age, 472, 564, 620; by cause, 510, 582, 620; by sex, 564; in cities and rural districts, 582.
New Hampshire rural, population, by counties, 54; death rate per 1,000 population, 80; per 100,000 population, by cause, 254.
New Hampshire rural, deaths, by color, general nativity, parent nativity, and month of occurrence, 458; by age, 496; by cause, 536.
New Haven, Conn., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 645; by age, 645.
New Jersey, population, 32; distribution, by sex, age periods, color, nativity, and parent, nativity per 1,000,000 persons in 1900, 433; average age at death, 381.
—— death rate per 1,000 population, 15, 68, 381; in cities and rural districts, 18; per 100,000 population, average per year, 30; by cause, 94; in cities and rural districts, 331.
—— deaths, by color, general nativity, and parent nativity, 436, 566; by month of occurrence, 436; by age, 472, 566; by cause, 510, 582, 622; by sex, 566; in cities and rural districts, 582.
New Jersey rural, population, by counties, 54; death rate per 1,000 population, 80; per 100,000 population, by cause, 258.
—— deaths, by color, general nativity, parent nativity, and month of occurrence, 460; by age, 498; by cause, 536.
New Orleans, La., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 658; by age, 658; by color, 659, 660.
New South Wales, death rate per 1,000 population, 14.
New York, population, 32; distribution, by sex, age periods, color, nativity, and parent nativity per 1,000,000 persons in 1900, 433; average age at death, 381.
—— death rate per 1,000 population, 15, 68, 381; in cities and rural districts, 18; per 100,000 population, average per year, 30; by cause, 94; in cities and rural districts, 331.
—— deaths, by color, general nativity, and parent nativity, 436, 566; by month of occurrence, 436; by age, 472, 566, 624; by cause, 510, 582, 624; by sex, 566; in cities and rural districts, 582.
New York rural, population, by counties, 56; death rate per 1,000 population, 80; per 100,000 population, by cause, 262.
—— deaths, by color, general nativity, parent nativity, and month of occurrence, 460; by age, 498; by cause, 538.
New York, N. Y., death rate per 1,000 population, 19, 20; per 100,000 population, average per year, 30.
—— deaths, by cause, 684; by age, 684; by color, 685, 686.
New Zealand, death rate per 1,000 population, 14.
Newark, N. J., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 681; by age, 681.
Nonpuerperal diseases of breast (cancer excepted), deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 362.
Norway, death rate per 1,000 population, 14.
Nurserymen. *See* Gardeners, florists, nurserymen, etc.
Nurses, deaths, by color and age, 722; by cause, 736.
Nurses and midwives, deaths, by cause, 412, 772; by color and age, 724; per cent distribution, by age, 412.

Obstruction of intestines, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 318; of each registration state, 356.
Obstruction of intestines, per cent distribution of deaths, by age, 417, 422.
Occupations, per cent distribution of deaths of persons engaged in specified, 388, 410; deaths by, 722, 724, 726, 768.
Office boys. *See* Messengers and errand and office boys.
Office girls. *See* Messengers and errand and office girls.
Officials. *See* Manufacturers and officials, etc.
Officials (government) deaths, by cause, 392, 732; by color and age, 722, 724; per cent distribution, by age, 392.
Officials of banks and companies, deaths, by color and age, 722, 724; by cause, 742.
Ohio, population, 32; average age at death, 381.
—— death rate per 1,000 population, 15, 68, 381; in cities and rural districts, 18; per 100,000 population, by cause, 94; in cities and rural districts, 331.
—— deaths, by color, general nativity, and parent nativity, 436, 568; by month of occurrence, 436; by age, 472, 568, 626; by cause, 510, 583, 626; by sex, 568; in cities and rural districts, 583.
Ohio rural, population, by counties, 56; death rate per 1,000 population, 81; per 100,000 population, by cause, 276.
—— deaths, by color, general nativity, parent nativity, and month of occurrence, 462; by age, 500; by cause, 538.
Oil well and oil works employees, deaths, by color and age, 723; by cause, 748.
Old age, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 22; in registration area, 90; in cities and rural districts of registration states, 324; of each registration state, 368.
—— per cent distribution of deaths, by age, 418, 424.
Omaha, Nebr., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 679; by age, 679.
Ontario (Canada), death rate per 1,000 population, 14.
Ovarian tumor, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 321; of each registration state, 362.
—— per cent distribution of deaths, by age, 417, 422.
Overseers. *See* Farmers, planters, and overseers *and* Foremen and overseers.
Oystermen. *See* Fishermen and oystermen.

Packers and shippers, deaths, by color and age, 722, 724; by cause, 742.
Painters, glaziers, and varnishers, deaths, by cause, 402, 746; by color and age, 722, 724; per cent distribution, by age, 402.
Paper and pulp mill operatives, deaths, by color and age, 723, 725; by cause, 760.
Paper hangers, deaths, by color and age, 722; by cause, 746.
Paralysis, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 590; by age, in registration area, 596; in registration states, 598.

Paralysis, death rate per 100,000 population, increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; in registration area, 86; in cities and rural districts of registration states, 312; of each registration state, 344.
—— per cent distribution of deaths, by age, 416, 420.
See also Apoplexy and paralysis.
Paralysis of insane, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 313; of each registration state, 344.
—— per cent distribution of deaths, by age, 416, 420.
Parent nativity, deaths by, 12, 780; distribution of population by, per 1,000,000 persons in 1900, 426; in each registration area, 436, 550; by sex and age, 780.
Paris, death rate per 1,000 population, 20.
Paterson, N. J., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 682; by age, 682.
Pattern makers. *See* Model and pattern makers.
Peddlers. *See* Hucksters and peddlers.
Pellagra, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 336.
Pennsylvania, population, 32; average age at death, 381.
—— death rate per 1,000 population, 15, 68, 381; in cities and rural districts, 18; per 100,000 population, by cause, 94; in cities and rural districts, 331.
—— deaths, by color, general nativity, and parent nativity, 436, 568; by month of occurrence, 436; by age, 472, 568, 628; by cause, 510, 583, 628; by sex, 568; in cities and rural districts, 583.
Pennsylvania rural, population, by counties, 58; death rate per 1,000 population, 82; per 100,000 population, by cause, 278.
—— deaths, by color, general nativity, parent nativity, and month of occurrence, 464; by age, 502; by cause, 542.
Pericarditis, average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 314; of each registration state, 348.
—— per cent distribution of deaths, by age, 416, 420.
Peritoneum, cancer of. *See* Cancer of intestines and peritoneum.
Peritonitis, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599; in each occupation, 727, 769.
—— death rate per 100,000 population, increase, or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; in registration area, 88; in cities and rural districts of registration states, 320; of each registration state, 358.
—— per cent of deaths from all causes due to, in specified occupations, 389, 411.
Peritonitis, per cent distribution of deaths, by age, 417, 422.
Personal service. *See* Domestic and personal service.
Pharynx, diseases of, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 317; of each registration state, 354.
—— per cent distribution of deaths, by age, 416, 422.
Philadelphia, Pa., death rate per 1,000 population, 19, 20; average per year, 30.
—— deaths, by cause, 710; by age, 710; by color, 711, 712.
Phlegmasia alba dolens. *See* Puerperal phlegmasia alba dolens.
Photographers, deaths, by color and age, 723, 725; by cause, 766.
Physicians and surgeons, deaths, by cause, 392, 732, 770; by color and age, 722, 724; per cent distribution, by age, 392.
Pittsburgh, Pa., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 713; by age, 713; by color, 714, 715.
Plague, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 332.
Planing-mill employees. *See* Saw and planing mill employees.
Planters. *See* Farmers, planters, and overseers.
Plasterers, deaths, by color and age, 722; by cause, 746.
Pleurisy, average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598; in each occupation, 727, 769.
—— death rate per 100,000 population, average per year, 30; in registration area, 88; in cities and rural districts of registration states, 316; of each registration state, 352.
—— per cent of deaths from all causes due to, in specified occupations, 389, 411.
—— per cent distribution of deaths, by age, 417, 422.
Plumbers and gas and steam fitters, deaths, by cause, 402, 746; by color and age, 722, 724; per cent distribution, by age, 402.
Pneumonia (all forms), deaths from, total, 88; by age, in each occupation, 727, 769.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23; in registration area, 88.
—— per cent of deaths from all causes due to, in specified occupations, 389, 411.
—— per cent distribution of deaths, by age, 417, 422.
Pneumonia (lobar and unqualified), average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 511, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; average per year, 30; in registration area, 88; in each registration area, 93; in cities and rural districts of registration states, 316; of each registration state, 352.
Pneumonia (lobar and unqualified), per cent distribution of deaths, by age, 417, 422.
Poison, suicide by, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 368.
Poisonings, accidental, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 326; of each registration state, 372.
—— per cent distribution of deaths, by age, 418, 424.
Poisonings, chronic, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 311; of each registration state, 342.
—— per cent distribution of deaths, by age, 416, 420.
Poisonings, occupational, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 342.
Poisonings, occupational and chronic, per cent of deaths from all causes due to, in specified occupations, 388, 410; by age, in each occupation, 726, 768.
Poisonous gases, inhalation of, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 326; of each registration state, 372.
—— per cent of deaths from all causes due to, in specified occupations, 389, 411.
—— per cent distribution of deaths, by age, 418, 424.
Policemen. *See* Watchmen, policemen, firemen, etc.
Population, growth of, in registration area, 7; methods of estimating, 8; total, in registration area, 10; in original registration states, 10; in each registration area, 32.
—— average density, 16.
—— distribution, by sex, age periods, color, nativity, and parent nativity per 1,000,000 persons of all ages in 1900, 426.
Porters and helpers (in stores, etc.), deaths, by cause, 400, 742; by color and age, 722, 724; per cent distribution, by age, 400.
Pott's disease, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 308; of each registration state, 336.
—— per cent distribution of deaths, by age, 416, 420.
Potters, deaths, by color and age, 723, 724; by cause, 748.
Prague, death rate per 1,000 population, 20.

Pregnancy, accidents of, deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 362.
Premature birth, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23; in registration area, 90; in cities and rural districts of registration states, 324; of each registration state, 368.
—— per cent distribution of deaths, by age, 418, 424.
Pressmen. *See* Printers, lithographers, and pressmen.
Printers, lithographers, and pressmen, deaths, by cause, 406, 760, 776; by color and age, 723, 725; per cent distribution, by age, 406.
Privation. *See* Starvation, privation, etc.
Professional service, deaths of persons engaged in, by cause, 390, 728, 732, 768; by color and age, 722, 724; per cent distribution, by age, 388.
Professors. *See* Teachers and professors in colleges, etc.
Prostate, diseases of, deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 360.
Providence, R. I., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 717; by age, 717.
Prussia, death rate per 1,000 population, 14.
Puerperal accidents, deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 364.
Puerperal convulsions, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 322; of each registration state, 364.
—— per cent distribution of deaths, by age, 417, 422.
Puerperal diseases of breast, deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 364.
Puerperal hemorrhage, deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 362.
Puerperal phlegmasia alba dolens, deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 364.
Puerperal septicemia, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
Puerperal septicemia, death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 322; of each registration state, 364.
—— per cent distribution of deaths, by age, 417, 422.
Pulp mill operatives. *See* Paper and pulp mill operatives.
Pustule. *See* Malignant pustule and charbon.

Quarries, injuries in. *See* Mines and quarries, injuries in.
Quarrymen. *See* Miners and quarrymen.
Queens Borough, death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 696; by age, 696; by color, 697, 698.
Queensland, death rate per 1,000 population, 14.

Rabies, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 334.
Raftsmen. *See* Lumbermen and raftsmen.
Railroad accidents and injuries, average and median ages at death from, 28.
—— deaths from, total, 90; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 326; of each registration state, 374.
—— per cent distribution of deaths, by age, 418, 424.
See also Electric-railroad accidents *and* Steam-railroad accidents.
Rectifiers. *See* Distillers and rectifiers.
Registration area, states included in, 7; population, 7, 32; distribution, by sex, age periods, color, nativity, and parent nativity per 1,000,000 persons in 1900, 426.
—— death rates per 1,000 population, 8, 10, 13, 14, 68, 380; per 100,000 population, increase or decrease, 1900–1909, 22, 23; average per year, 30; by cause, 92.
—— deaths, by cause, 86, 510, 576, 589, 596, 726, 768; by color, general nativity, and parent nativity, 436, 550; by month of occurrence, 436; by age, 416, 420, 472, 551, 589, 596, 722, 724; by sex, 550, 589.
—— per cent distribution of deaths, by age, 388, 410.
Registration cities, population, 32; distribution, by sex, age periods, color, nativity, and parent nativity per 1,000,000 persons in 1900, 427, 429.
—— death rates per 1,000 population, 8, 13, 19, 68, 380; per 100,000 population, by cause, 26, 92, 96, 306; average per year, 30.
—— deaths, by color, general nativity, and parent nativity, 436, 550, 554; by month of occurrence, 436; by age, 472, 550; by cause, 510; by sex, 550.
Registration states, population, 32; average density, 16; distribution, by sex, age periods, color, nativity, and parent nativity per 1,000,000 persons in 1900, 427.
—— death rates per 1,000 population, 8, 10, 13, 15, 68, 380; in cities and rural districts, 18, 26, 330; per 100,000 population, in original, 24; by cause, 25, 92, 306, 330; average per year, 30.
—— deaths, by color, general nativity, and parent nativity, 436, 552, 780; by month of occurrence, 436; by age, 472, 550, 598, 780; by cause, 510, 576, 598; by sex, 552, 780.
Relapsing fever, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
Relapsing fever, death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 330.
Respiratory system, diseases of, average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 511, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598; in each occupation, 727, 769.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 22, 25; in original registration states, 24, 26; in registration area, 88; in each registration area, 93; in cities and rural districts of registration states, 315; of each registration state, 350, 354.
—— per cent of deaths from all causes due to, in specified occupations, 389, 411.
—— per cent distribution of deaths, by age, 417, 422.
Restaurant keepers, deaths, by color and age, 722, 724; by cause, 736.
Rheumatism, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598; in each occupation, 726, 768.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; in registration area, 86; in cities and rural districts of registration states, 311.
—— per cent of deaths from all causes due to, in specified occupations, 388, 410.
—— per cent distribution of deaths, by age, 416, 420.
Rheumatism, acute articular, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 340.
Rheumatism, chronic, and gout, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 340.
Rhode Island, population, 32; distribution, by sex, age periods, color, nativity, and parent nativity per 1,000,000 persons in 1900, 434; average age at death, 381.
—— death rate per 1,000 population, 15, 68, 381; in cities and rural districts, 18; per 100,000 population, average per year, 30; by cause, 96; in cities and rural districts, 331.
—— deaths, by color, general nativity, and parent nativity, 436, 570; by month of occurrence, 436; by age, 472, 570, 630; by cause, 510, 583, 630; by sex, 570; in cities and rural districts, 583.
Rhode Island rural, population, by counties, 60; death rate per 1,000 population, 83; per 100,000 population, by cause, 286.
—— deaths, by color, general nativity, parent nativity, and month of occurrence, 466; by age, 502; by cause, 542.
Richmond Borough, death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 699; by age, 699; by color, 700, 701.
Rio de Janeiro, death rate per 1,000 population, 20.
Rochester, N. Y., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 702; by age, 702.
Rome, death rate per 1,000 population, 20.
Roofers and slaters, deaths, by color and age, 722; by cause, 746.
Rotterdam, death rate per 1,000 population, 20.

Roumania, death rate per 1,000 population, 14.
Rubber-factory operatives, deaths, by color and age, 723, 725; by cause, 766.
Rural districts, death rates, comparison with urban, 18; per 100,000 population, by cause, 26.
Rural mortality, in registration states, comparison with urban, 18.
Rural part of registration states, population, 32; distribution, by sex, age periods, color, nativity, and parent nativity per 1,000,000 persons in 1900, 428.
—— death rate per 1,000 population, 8, 13, 68, 380; per 100,000 population, average per year, 30; by cause, 92, 306, 330.
—— deaths, by color, general nativity, and parent nativity, 436, 554; by month of occurrence, 436; by age, 472, 554; by cause, 510, 576; by sex, 554.

Saddle makers and repairers. *See* Harness and saddle makers and repairers.
Sailors. *See* Boatmen and sailors *and* Soldiers, sailors, and marines (U. S.).
St. Joseph, Mo., deaths, by cause, 675; by age, 675.
St. Louis, Mo., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 676; by age, 676; by color, 677, 678.
St. Paul, Minn., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 671; by age, 671.
St. Petersburg, death rate per 1,000 population, 20.
Salesmen, deaths, by cause, 400, 742; by color and age, 722; per cent distribution, by age, 400.
Saleswomen, deaths, by color and age, 724; by cause, 774.
Saloon keepers, deaths, by cause, 394, 736; by color and age, 722, 724; per cent distribution, by age, 394.
San Francisco, Cal., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 641; by age, 641; by color, 642, 643.
Saw and planing mill employees, deaths, by color and age, 723, 725; by cause, 756.
Scalds. *See* Burns and scalds.
Scarlet fever, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 510, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; average per year, 30; in registration area, 86; in each registration area, 92; in cities and rural districts of registration states, 306; of each registration state, 330.
—— per cent distribution of deaths, by age, 416, 420.
Scientific persons. *See* Literary and scientific persons.
Scotland, death rate per 1,000 population, 14.
Scranton, Pa., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 716; by age, 716.
Scrofula, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 309; of each registration state, 338.
Scrofula, per cent distribution of deaths, by age, 416, 420.
Scurvy, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 342.
Seamstresses, deaths, by cause, 414, 762, 778; by color and age, 723, 725; per cent distribution, by age, 414.
Septicemia, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 308; of each registration state, 334.
—— per cent distribution of deaths, by age, 416, 420.
See also Puerperal septicemia.
Servants and waiters, deaths, by cause, 394, 736, 772; by color and age, 722; per cent distribution, by age, 394.
Servants and waitresses, deaths, by cause, 412; by color and age, 724; per cent distribution, by age, 412.
Servia, death rate per 1,000 population, 14.
Service. *See* Domestic and personal service *and* Professional service.
Sex, average and median ages at death by, 27.
—— deaths classified by, 10, 11, 780; in each registration area, 550; in registration area, from each cause, 588.
—— distribution of population by, per 1,000,000 persons in 1900, 426.
Sextons. *See* Janitors and sextons.
Shippers. *See* Packers and shippers.
Shirt, collar, and cuff makers, deaths, by color and age, 723, 725; by cause, 762, 778.
Shoe makers and repairers. *See* Boot and shoe makers and repairers.
Showmen, professional. *See* Actors, professional showmen, etc.
Silk-mill operatives, deaths, by color and age, 723, 725; by cause, 760, 776.
Silver workers. *See* Gold and silver workers.
Skin, diseases of, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 22; in registration area, 90; in cities and rural districts of registration states, 322; of each registration state, 364, 366.
—— per cent distribution of deaths, by age, 417, 422.
Slaters. *See* Roofers and slaters.
Smallpox, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 510, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in original registration states, 24; in registration area, 86; in each registration area, 92; in cities and rural districts of registration states, 306; of each registration state, 330.
—— per cent distribution of deaths, by age, 416, 420.
Soda-water makers. *See* Bottlers and soda-water makers, etc.
Softening of brain, average and median ages at death from, 27.
Softening of brain, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 312; of each registration state, 344.
—— per cent distribution of deaths, by age, 416, 420.
Soldiers, sailors, and marines (U. S.), deaths, by color and age, 722; by cause, 736.
South Australia, death rate per 1,000 population, 14.
South Dakota, population, 32; counties with death rates less than 7 per 1,000, 17; average age at death, 382.
—— death rate per 1,000 population, 15, 68, 382; in cities and rural districts, 18; per 100,000 population, by cause, 96; in cities and rural districts, 331.
—— deaths, by color, general nativity, and parent nativity, 436, 570; by month of occurrence, 436; by age, 472, 570, 632; by cause, 510, 583, 632; by sex, 570; in cities and rural districts, 583.
South Dakota rural, population, by counties, 60; death rate per 1,000 population, 83; per 100,000 population, by cause, 288.
—— deaths, by color, general nativity, parent nativity, and month of occurrence, 466; by age, 504; by cause, 542.
Spain, death rate per 1,000 population, 14.
Spinal cord, diseases of, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 312; of each registration state, 344.
—— per cent distribution of deaths, by age, 416, 420.
Spleen, diseases of, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 319; of each registration state, 358.
—— per cent distribution of deaths, by age, 417, 422.
Starvation, privation, etc., deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 376.
Steam fitters. *See* Plumbers and gas and steam fitters.
Steam-boiler makers, deaths, by cause, 752.
Steam-railroad accidents, deaths from, in each registration area, 580; in cities and rural districts, 580.
Steam-railroad employees, deaths, by cause, 400, 742; by color and age, 722, 724; per cent distribution of deaths, by age, 400.
Steel workers. *See* Iron and steel workers.
Stenographers and typewriters, deaths, by color and age, 722, 724; by cause, 744.
Stewardesses. *See* Housekeepers and stewardesses.
Stewards. *See* Housekeepers and stewards.
Stock raisers, herders, and drovers, deaths, by cause, 390, 728; by color and age, 722, 724; per cent distribution, by age, 390.

Stockholm, death rate per 1,000 population, 20.
Stomach, diseases of, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578, in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 318; of each registration state, 354.
—— per cent distribution of deaths, by age, 417, 422.
See also Ulcer of stomach.
Stonecutters. *See* Marble and stone cutters.
Stove, furnace, and grate makers, deaths, by color and age, 723; by cause, 752.
Strangulation, suicide by. *See* Hanging or strangulation, suicide by.
Street-car accidents, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 327; of each registration state, 374.
—— per cent distribution of deaths, by age, 418, 424.
Street-railway employees, deaths, by cause, 400, 744; by color and age, 722, 724; per cent distribution, by age, 400.
Sudden death, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 378.
Suffocation, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 327; of each registration state, 376.
—— per cent distribution of deaths, by age, 418, 424.
Suicide, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 511, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599; in each occupation, 727, 769.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23; in registration area, 90; in each registration area, 93; in cities and rural districts of registration states, 325.
—— per cent of deaths from all causes due to, in specified occupations, 389, 411.
—— per cent distribution of deaths, by age, 418, 424.
Sunstroke. *See* Heat and sunstroke.
Surgeons. *See* Physicians and surgeons.
Surveyors. *See* Engineers (civil, etc.) and surveyors.
Sweden, death rate per 1,000 population, 14.
Switzerland, death rate per 1,000 population, 14.
Sydney, death rate per 1,000 population, 20.
Syphilis, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 338.
Syracuse, N. Y., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 703; by age, 703.

Tailoresses, deaths, by color and age, 725; by cause, 778.
Tailors, deaths, by cause, 406, 764; by color and age, 723; per cent distribution, by age, 406.
Tanners. *See* Leather curriers and tanners.
Tasmania, death rate per 1,000 population, 14.
Teachers and professors in colleges, etc., deaths, by cause, 392, 732, 770; by color and age, 722, 724; per cent distribution, by age, 392, 410.
Teachers of art. *See* Artists and teachers of art.
Teachers of music. *See* Musicians and teachers of music.
Teamsters. *See* Draymen, hackmen, teamsters, etc.
Telegraph and telephone linemen, deaths, by color and age, 722; by cause, 744.
Telegraph and telephone operators, deaths, by color and age, 722, 724; by cause, 744.
Telephone linemen. *See* Telegraph and telephone linemen.
Telephone operators. *See* Telegraph and telephone operators.
Tetanus, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 313; of each registration state, 346.
—— per cent distribution of deaths, by age, 416, 420.
Textile workers, deaths, by color and age, 723, 725; by cause, 764.
Textile-mill operatives, deaths, by color and age, 723, 725; by cause, 762.
Thrombosis. *See* Embolism and thrombosis.
Thyroid body, diseases of, average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 315; of each registration state, 350.
—— per cent distribution of deaths, by age, 417, 422.
Tile makers. *See* Brick and tile makers.
Tin-plate and tinware makers, deaths, by cause, 406, 758; by color and age, 723, 725; per cent distribution, by age, 406.
Tinware makers. *See* Tin-plate and tinware makers.
Tobacco and cigar factory operatives, deaths, by cause, 408, 766, 778; by color and age, 723, 725; per cent distribution, by age, 408.
Toledo, Ohio, death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 709; by age, 709.
Tonsilitis, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 317; of each registration state, 354.
—— per cent distribution of deaths, by age, 417, 422.
Tool and cutlery makers, deaths, by color and age, 723, 725; by cause, 752.
Toronto, death rate per 1,000 population, 20.
Trade and transportation, deaths of persons engaged in, by cause, 396, 738, 744, 772; by color and age, 722, 724; per cent distribution, by age, 396.
Transportation. *See* Trade and transportation.
Traumatisms, accidental, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 376.
Trichinosis. *See* Actinomycosis, trichinosis, etc.
Trieste, death rate per 1,000 population, 20.
Trunk and leather-case makers, etc., deaths, by color and age, 723, 725; by cause, 754.
Tuberculosis (all forms), average and median ages at death from, 27.
—— deaths from, total, 86.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23; average per year, 30; in registration area, 86.
—— per cent distribution of deaths, by age, 416, 420.
See also Abdominal tuberculosis.
Tuberculosis, general, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 309; of each registration state, 338.
—— per cent distribution of deaths, by age, 416, 420.
Tuberculosis of larynx, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 308; of each registration state, 336.
—— per cent distribution of deaths, by age, 416, 420.
Tuberculosis of lungs, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 510, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598; in each occupation, 726, 768.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; average per year, 30; in registration area, 86; in each registration area, 92; in cities and rural districts of registration states, 308; of each registration state, 336.
—— per cent of deaths from all causes due to, in specified occupations, 388, 410.
—— per cent distribution of deaths, by age, 416, 420.
Tuberculous abscess, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 309; of each registration state, 336.
—— per cent distribution of deaths, by age, 416, 420.

Tuberculous meningitis, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 308; of each registration state, 336.
—— per cent distribution of deaths, by age, 416, 420.
Tubes, diseases of, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 321; of each registration state, 362.
—— per cent distribution of deaths, by age, 417, 422.
Tumor, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 511, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in each registration area, 93; in cities and rural districts of registration states, 310; of each registration state, 340.
—— per cent distribution of deaths, by age, 416, 420.
See also Ovarian tumor *and* Uterine tumor.
Tumors of liver. *See* Hydatid tumors of liver.
Turin, death rate per 1,000 population, 20.
Turpentine farmers and laborers, deaths, by color and age, 722; by cause, 728.
Typewriters. *See* Stenographers and typewriters.
Typhoid fever, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 510, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598; in each occupation, 726, 768.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; average per year, 30; in registration area, 86; in each registration area, 92; in cities and rural districts of registration states, 306; of each registration state, 330.
—— per cent of deaths from all causes due to, in specified occupations, 388, 410.
—— per cent distribution of deaths, by age, 416, 420.
Typhus. *See* Exanthematic typhus.

Ulcer of stomach, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 318; of each registration state, 354.
—— per cent distribution of deaths, by age, 417, 422.
Undertakers, deaths, by color and age, 722, 724; by cause, 744.
United Kingdom, death rate per 1,000 population, 14.
United States, population, 7; distribution, by sex, age periods, color, nativity, and parent nativity per 1,000,000 persons in 1900, 426.
Upholsterers, deaths, by color and age, 723, 725; by cause, 766.
Urban districts, death rates, comparison with rural, 18; per 100,000 population, by cause, 26.
Urban mortality, in registration states, comparison with rural, 18.
Urethra, urinary abscess, etc., diseases of, deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 360.
Urinary abscess. *See* Urethra, urinary abscess, etc.
Urinary tract. *See* Calculi of urinary tract.
Uterine hemorrhage, deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of each registration state, 360.
Uterine tumor, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 321; of each registration state, 360.
—— per cent distribution of deaths, by age, 417, 422.
Uterus, diseases of, average and median ages at death from, 28.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 592; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 321; of each registration state, 362.

Varnishers. *See* Painters, glaziers, and varnishers.
Vehicles and horses, injuries by, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of registration states, 327; of each registration state, 374.
—— per cent distribution of deaths, by age, 418, 424.
Veins, diseases of, average and median ages at death from, 27.
—— deaths from, total, 88; in each registration area, 578; in cities and rural districts, 578; by sex and age, 590; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 88; in cities and rural districts of registration states, 315; of each registration state, 348.
—— per cent distribution of deaths, by age, 416, 420.
Venereal diseases, average and median ages at death from, 27.
—— deaths from, total, 86; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
Venereal diseases, death rate per 100,000 population, in original registration states, 24; in registration area, 86; in cities and rural districts of registration states, 309.
Venice, death rate per 1,000 population, 20.
Vermont, population, 32; distribution, by sex, age periods, color, nativity, and parent nativity per 1,000,000 persons in 1900, 434; average age at death, 382.
—— death rate per 1,000 population, 15, 68, 382; in cities and rural districts, 18; per 100,000 population, average per year, 30; by cause, 96; in cities and rural districts, 331.
—— deaths, by color, general nativity, and parent nativity, 436, 572; by month of occurrence, 436; by age, 472, 572, 634; by cause, 510, 583, 634; by sex, 572; in cities and rural districts, 583.
Vermont rural, population, by counties, 62; death rate per 1,000 population, 84; per 100,000 population, by cause, 294.
—— deaths, by color, general nativity, parent nativity, and month of occurrence, 468; by age, 504; by cause, 544.
Victoria, death rate per 1,000 population, 14.
Vienna, death rate per 1,000 population, 20.
Violence, average and median ages at death from, 28.
—— deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580; by sex and age, 594; by age, in registration area, 597; in registration states, 599.
—— death rate per 100,000 population, increase or decrease, 1900–1909, 22, 23, 25; in original registration states, 24, 26; in registration area, 90; in cities and rural districts of registration states, 325; of each registration state, 368.
—— per cent distribution of deaths, by age, 418, 424.
Violence, external, deaths from, total, 90; in each registration area, 580; in cities and rural districts, 580.
—— death rate per 100,000 population, in registration area, 90; in cities and rural districts of each registration state, 376.

Waiters. *See* Servants and waiters.
Waitresses. *See* Servants and waitresses.
Wales. *See* England and Wales.
Washington, population, 32; counties with death rates less than 7 per 1,000, 17; average age at death, 382.
—— death rate per 1,000 population, 15, 68, 382; in cities and rural districts, 18; per 100,000 population, by cause, 96; in cities and rural districts, 331.
—— deaths, by color, general nativity, and parent nativity, 436, 572; by month of occurrence, 436; by age, 472, 572, 636; by cause, 510, 583, 636; by sex, 572; in cities and rural districts, 583.
Washington rural, population, by counties, 62; death rate per 1,000 population, 84; per 100,000 population, by cause, 296.
—— deaths, by color, general nativity, parent nativity, and month of occurrence, 468; by age, 504; by cause, 544.
Washington, D. C., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 646; by age, 646; by color, 647, 648.
Watch makers and repairers. *See* Clock and watch makers and repairers.
Watchmen, policemen, firemen, etc., deaths, by cause, 394, 736; by color and age, 722, 724; per cent distribution, by age, 394.
Western Australia, death rate per 1,000 population, 14.
Wheelwrights, deaths, by color and age, 723; by cause, 754.
White population, distribution, per 1,000,000 persons in 1900, 426.

White population, deaths, 1900–1909, 12; in each registration area, 436, 550; by age, 550, 722, 724, 780; by sex, 550, 780; by general nativity and parent nativity, 550.
White swelling, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of registration states, 309; of each registration state, 336.
—— per cent distribution of deaths, by age, 416, 420.
Whooping cough, average and median ages at death from, 27.
—— deaths from, total, 86; in each registration area, 510, 576; in cities and rural districts, 576; by sex and age, 588; by age, in registration area, 596; in registration states, 598.
Whooping cough, death rate per 100,000 population, increase or decrease, 1900–1909, 23, 25; in original registration states, 24, 26; average per year, 30; in registration area, 86; in each registration area, 92; in cities and rural districts of registration states, 307; of each registration state, 332.
—— per cent distribution of deaths, by age, 416, 420.
Wireworkers, deaths, by color and age, 723, 725; by cause, 754.
Wisconsin, population, 32; counties with death rates less than 7 per 1,000, 17; average age at death, 382.
—— death rate per 1,000 population, 15, 68, 382; in cities and rural districts, 18; per 100,000 population, by cause, 96; in cities and rural districts, 331.
—— deaths, by color, general nativity, and parent nativity, 436, 574; by month of occurrence, 436; by age, 472, 574, 638; by cause, 510, 583, 638; by sex, 574; in cities and rural districts, 583.
Wisconsin rural, population, by counties, 64; death rate per 1,000 population, 84; per 100,000 population, by cause, 298.
—— deaths, by color, general nativity, parent nativity, and month of occurrence, 468; by age, 506; by cause, 546.
Wood choppers, deaths, by color and age, 722; by cause, 728.
Woodworkers, deaths, by color and age, 723, 725; by cause, 756.
Woolen-mill operatives, deaths, by color and age, 723, 725; by cause, 762, 776.
Worcester, Mass., death rate per 1,000 population, 19; average per year, 30.
—— deaths, by cause, 668; by age, 668.
Wounds. *See* Gunshot wounds.

Yellow fever, deaths from, total, 86; in each registration area, 576; in cities and rural districts, 576.
—— death rate per 100,000 population, in registration area, 86; in cities and rural districts of each registration state, 334.

○