



HEALTHIER WORKPLACES | A HEALTHIER WORLD

# Reopening: Guidance for Hair and Nail Salons

Guidance Document

[aiha.org](https://www.aiha.org)

## Overview

Small and medium (especially non-chain) hair and nail salons have been very challenged during the COVID-19 pandemic as they are viewed as “non-essential” by state governments. Many have been forced to lay off or furlough key employees, which may complicate re-opening as states start to relax shelter-in-place and stay-at-home restrictions.

With such restrictions beginning to lift, hair and nail salons are faced with difficult questions that must be addressed before reopening, such as:

- How can we protect our employees and customers from the disease while in our salon?
- How do we assure our customers that we are doing all we can to protect them from the disease?
- How can we minimize the risk of disease transmission if those that are ill or those who have had contact with positive COVID-19 people that enter our store?
- What do we do if a customer is sick or not following guidelines?

SARS-CoV-2, the virus that causes COVID-19, is thought to be spread primarily through aerosolized respiratory droplets at close range. Airborne transmission from exposure to very small droplets over long distances is unlikely. However, there is strong evidence that this mode of transmission is possible, particularly in crowded, indoor spaces. People may also become infected by touching contaminated surfaces. The virus has been shown to survive in aerosols for hours and on surfaces for days. Infection can occur through eyes, nose, and mouth exposures. There is also strong evidence that people can spread the virus while pre-symptomatic or asymptomatic. Measures can be taken to reduce the risk of transmitting COVID-19 from person-to-person spread through aerosolized respiratory droplets. The use of personal protective equipment (PPE), physical barriers, minimizing customers in the salon at one time,

appropriate disinfectant procedures, etc., can be put in place to help minimize the potential for exposure and the spread of the virus.

This document offers practical guidance for hair and nail salon owners to implement interim measures to reduce the risk of transmitting COVID-19. It addresses the key questions above and provides tips for employees and customers. Recognizing that hair and nail salon workers may be self-employed, we encourage them to apply the same safety recommendations suggested to employers.

## What should the Employer do to protect themselves and their customers?

Hair and nail salon owners should continually monitor global (World Health Organization [WHO]), federal (Centers for Disease Control [CDC] and Occupational Safety and Health Administration [OSHA]), state, and local guidelines for changes in recommendations, cleaning and disinfecting strategies, and other best management practices. Employers should also consider forming a knowledgeable team to monitor, assess, and implement new strategies as they become available. In addition, employers should consider the following strategies for reducing the risk of COVID-19 transmission in regards to physical distancing, ventilation, enhanced cleaning and disinfecting practices, restrooms, food preparation areas and contact surfaces, personal hygiene, employee wellness, personal protective equipment, training, waste and laundering, and communication.

### Physical Distancing

- Limit the number of customers in the shop at one time. Only those customers that are actually getting their hair or nails done should be inside the premises. There is no need for customers to check in at a front desk or to sit in a reception area.



HEALTHIER WORKPLACES | A HEALTHIER WORLD

AIHA | 3141 Fairview Park Dr., Suite 777 | Falls Church, VA 22042 | [aiha.org](http://aiha.org)

- Consider establishing a process for clients to remain in their cars/outside of the salon until they are notified (either by text or phone call) that their chair is open, and it has been properly disinfected from the previous client.
- Establish an isolated area for all delivery companies to drop off materials and supplies (i.e., minimize their presence in the salon).
- Establish pre-pay systems or self-checkout systems (e.g., portable credit card portals at each chair which is cleaned and disinfected after each use). Discourage the use of cash.
- If a pre-pay system is not feasible, place a plexiglass partition between cashier clerks and customers.
- Customers should use their own pen to sign credit card authorization. If pens must be used and are provided by the salon, they should be disinfected between each use. The same disinfecting protocol would apply for touch-pad use.
- Since the 6-foot physical distance guideline is not practical in nail salons during manicures or pedicures, employee should wear a face shield and cloth or disposable face covering, or install a plastic partition between the employee and client with ample space cut out where hands or feet can slide underneath to conduct the manicure or pedicure.
- Require all clients to wash their hands or use alcohol-based hand sanitizer that contains at least 60% ethanol or 70% isopropyl alcohol before working on their nails.
- Limit face-to-face interaction as much as possible when cutting/working on hair (e.g., stand behind the client as much as possible and always wear a cloth or disposable face covering). Consider wearing a face shield as well to further protect the client.
- As an initial step with each client, thoroughly wash and dry (with towel) their hair before performing any work. **(NOTE: For those clients that require color, stylist will not typically wash the hair prior to treatment because of adverse effect on coloring process.)**
- Train employees on proper physical distancing relative to other customers in the shop (that are not their direct client).
- Use social media and other communication to educate customers/clients on the steps being taken for their protection and what they need to do to protect employees as well.
- Discourage customers from touching items they don't intend to purchase.

### Ventilation

- Provide natural ventilation by opening windows and doors whenever possible to increase air flow. If windows and doors cannot remain open, provide good indoor air quality by:
  - Keeping HVAC system operational to maintain thermal comfort and maximize outdoor air based on system design.
  - Maintaining the relative humidity at 40-60%.
  - Limiting the use of portable pedestal or overhead ceiling fans.
- If you need assistance on HVAC issues, ask an HVAC professional and see the American Society of Heating, Refrigerating, and Air-Conditioning Engineers' (ASHRAE) [COVID-19 \(Coronavirus\) Preparedness Resources](#) updates for more information.
  - AIHA Occupational and Environmental Health and Safety (OEHS) Science Professionals and industrial hygienists are also well versed in general dilution ventilation. AIHA has a [consultants list](#) of such qualified professionals.
- Consider using portable HEPA filtration units.
- If fans such as pedestal fans or hard mounted fans are used in the salon, take steps to minimize air from fans blowing from one person directly at an-



HEALTHIER WORKPLACES | A HEALTHIER WORLD

other individual. If fans are disabled or removed, employers should remain aware of, and take steps to prevent heat hazards.

### Enhanced Cleaning and Disinfecting Practices

- Select appropriate disinfectants – consider effectiveness and safety.
  - The U.S. Environmental Protection Agency (EPA) has developed a [list of products](#) that meet EPA's criteria for use against SARS-CoV-2.
  - Do not mix different EPA registered chemicals together. The combination could be toxic by inhalation. Be particularly careful when using any products containing ammonia, sodium hypochlorite (bleach), or hydrogen peroxide.
  - Review product labels and Safety Data Sheets (SDS) and follow manufacturer specifications for cleaning/disinfecting.
  - Consider consulting an Occupational and Environmental Health and Safety (OEHS) Science Professional or Industrial Hygiene expert if additional advice is needed. AIHA has a [consultants list](#) of such qualified professionals.
- Establish a disinfection routine.
  - Ensure disinfection protocols follow product instructions for application and contact time. All items should be allowed to dry thoroughly after cleaning.
  - Use disposable wipes or rags when available. If not available, ensure rags are maintained, handled, and cleaned per product instructions.
  - Hair dressing and salon chairs/seats, combs and other hair styling tools, point of purchase, and credit card payment stations should be disinfected after each customer.
  - Consider covering chairs in a non-porous material for easy clean up or use a disposable cover as used in dentist or medical offices. As noted above, clean HVAC intakes and returns daily.
- Wipe down/disinfect all cutting and other tools (e.g., combs, brushes, etc.) between clients and at the beginning and end of each shift. Alternatively, stylists should have ample supply of combs and other tools at their disposal (all implements should then be disinfected/washed at the end of the day).
- All nail tools should be disinfected between use or be single-use only.
- Consider allowing return customers the option to buy their own nail tool kit.
- Consider developing a standard operating procedure, a checklist, or audit system to consistently train employees on enhanced cleaning/disinfecting practices or to track when and how cleaning and disinfecting is conducted. Note that this may be a requirement in some states or local jurisdictions.
- Smocks, towels, etc. should be placed in plastic bags after each use, as should work clothing at the end of the day; they should be treated as potentially contaminated and laundered per recommendations below.
- At time of procedure, stylists should use paper neck strip to help ensure proper hygiene with the client.

### Restrooms (**NOTE: See Supplement guidance on use of air dryers**)

- Post signage limiting restroom occupancy to allow for proper physical distancing and to remind employees and clients to wash hands before and after using the restroom.
- Minimize touchpoints entering and existing restrooms, if possible.
- If the door cannot be opened without touching the handle, provide paper towels and a trash can by the door so a paper towel can be used when touching the handle and then discarded.
- Consider controlling access to bathrooms with a key so disinfection measures can be better managed. If a key is used, consider disinfecting it after each use.



HEALTHIER WORKPLACES | A HEALTHIER WORLD

- Doors to multi-stall restrooms should be able to be opened and closed without touching handles if possible.
- Place signs indicating that toilet lids (if present) should be closed before and after flushing.
- Use no-touch faucets, towel dispensers, soap dispensers, and waste receptacles when possible.
- Hand soap should be readily available for use by occupants.
- Provide paper towels and air dryers in restrooms.<sup>1</sup>
  - The WHO and CDC currently state that hands can be dried using a paper towel or hand dryer.
  - Due to current uncertainties surrounding the transmission of SARS-CoV-2, care should be taken when using a hand dryer or paper towel.
  - The use of touch or push hand dryers is discouraged due to possible surface contamination. If hand dryers are used, consider touchless devices.
- Businesses and employers should work with HVAC professionals to ensure that bathrooms are well ventilated, and if filtration is used, that proper filtration practices are being followed.
- Increase frequency and efforts to keep bathrooms clean and properly disinfected and maintain a record of sanitary work practices.
- Provide hand sanitizer at the point of purchase.
- Make hand sanitizer stations available throughout work and public places. Stations should also be placed in convenient locations, such as at entrances, exits, near elevators, and restrooms. Touch-free hand sanitizer dispensers should be installed where possible.

### Employee Wellness

- Health checks and reporting requirements of individuals infected with COVID-19 should be explained to employees prior to reopening and again once operations have resumed.
- Communicate to employees the importance of being vigilant when monitoring symptoms and staying in touch with their employer or manager if or when they start to feel sick.
- Revisit your leave or sick program to allow for time off and follow all HR Policies and HIPAA/other regulatory requirements.
- Conduct employee temperature screening and wellness checks before each shift. **(NOTE: be sure to comply with OSHA's Access to Employee Exposure Medical Records standard for confidentiality.)**
  - Temperature screening methods can include manual (use non-contact infrared thermometers) or thermal camera meeting [FDA recommendations](#). Additional screening information/guidance can be found on the [CDC website](#).
  - Assign an employee to manage and conduct the temperature screenings while following CDC guidelines in the above link. If this is not possible, employees can self-check their own temperature.
  - Screening should be done in a manner such that the privacy of employees is respected.

### Personal Hygiene

- Establish a “before and after service” hand washing or sanitizing for all employees.
- Provide hand washing stations at the front of the establishment or if not feasible for all clients that enter and exit the salon, alcohol-based hand sanitizer that contains at least 60% ethanol or 70% isopropyl alcohol. Provide hand sanitizer for clients to disinfect their hands completely upon exiting the bathroom.

<sup>1</sup>NOTE VERSION CHANGE: In version 2 of this guidance document, in the section titled “Restrooms” it stated to disconnect or tape off the hand dryer. NOTE: See [Supplement guidance on use of air dryers](#).



HEALTHIER WORKPLACES | A HEALTHIER WORLD

- Perform a visual inspection for other signs of illness (e.g., flushed cheeks, rapid or difficulty breathing without recent physical activity, fatigue, extreme fussiness, cough).
- Employees who have a fever of 100.4° F (38° C) or above, or other signs of illness should not be admitted to the facility.
- Employers can consider incorporating a wellness questionnaire with questions such as:
  - Have you, or a person you have been in close contact with, been diagnosed with COVID-19 within the last 14 days? (close contact is 6 feet or less for more than 10 minutes.)
  - Have you experienced any cold or flu-like symptoms in the last 72 hours (to include fever, shortness of breath, cough, sore throat, difficulty breathing, nausea, vomiting and diarrhea)?
  - Have you traveled to an international or domestic “hot spot” in the last 14 days?
  - There are a number of examples available for wellness questionnaires (see Resources below).
- Require employees who have symptoms or signs (i.e., fever, cough, or shortness of breath) or who have a sick family member at home with COVID-19 to notify their supervisor and stay home.
- Sick employees should follow the CDC-recommended steps. Employees should not return to work until the criteria to discontinue home isolation are met in consultation with healthcare providers and state and local health departments. Consider waiving requirements for medical documentation during the pandemic, as CDC has advised people with mild illness NOT to go to the doctor’s office or emergency room.
- If employee is sick or receives positive COVID-19 test results, results should be reported to employer. In the case of a positive COVID-19 test result, the employee must stay home until cleared for physical return to the workplace by their medical provider, following the CDC’s [Discontinuation of Isolation for Persons with COVID -19 Not in Healthcare Settings](#).
- If an employee tests positive:
  - Follow federal, state, and local recommendations for reporting and communicating cases, while remaining compliant with regulations and guidelines pertaining to protecting private health information such as confidentiality required by the Americans with Disabilities Act (ADA). See OSHA for guidance on reporting workplace exposures to COVID-19.
  - Engage HR immediately and enforce all applicable HR rules and regulations.
  - The employee shall be isolated to the area they are in currently and removed from the work site for a minimum of 14 days.
  - Any individuals having “close contact” (within approximately 6 feet) with the should also be isolated from the work site for 14 days; and all other employees should continue to follow physical distancing rules. Communicate and reinforce with employees, while maintaining PII and HIPAA requirements, that they may have been exposed and to closely monitor their health, temperature, and current symptoms as identified by the CDC. Contact tracing and sharing of employee information should be done under the guidance of Human Resources due to privacy requirements of HIPAA, ADA, and EEOC. See the CDC’s [“Coronavirus Disease 2019 \(COVID-19\) General Business Frequently Asked Questions”](#).
  - Enhanced cleaning and disinfecting should be done immediately by trained personnel, who should wear face coverings and gloves, dispose of gloves after use, and wash hands and face when complete. Visibly dirty surfaces shall be cleaned using a detergent or soap and water PRIOR to disinfection.



HEALTHIER WORKPLACES | A HEALTHIER WORLD

- For disinfection, use only EPA-registered disinfectants on [List-N](#).

### Other Control Measures

- Require the use of gloves for all employees and ensure that the gloves are changed after each client. In addition, require employees to wash their hands after each client.
  - At minimum, employees should wash their hands after they have been in a public place, after touching their face covering, after blowing their nose, coughing, or sneezing, after using the restroom, after touching any common contact surfaces, and before eating. **Avoid touching eyes, nose, or mouth with unwashed hands.**
  - Employees should wash hands with clean, running water, apply soap, lather and scrub for at least 20 seconds, then rinse. Dry hands using a clean paper towel or air dry. When soap and water can't be used, use an alcohol-based hand sanitizer that contains at least 60% ethanol or 70% isopropyl alcohol. Any use of alcohol-based hand sanitizers should follow local and State guidelines.
  - Provide and/or encourage employees to wear cloth or disposable face coverings, gloves and to use hand sanitizer.
  - Depending on local requirements, in alignment with CDC recommendations, employees should wear a cloth or disposable (or better if you have it) face covering whenever physical distancing cannot be maintained (indoors or outdoors). Ensure the face covering is properly maintained and cleaned. Additional information on cloth face coverings can be found on [CDC's website](#). **(NOTE: Cloth or disposable face coverings primarily protect other people. A cloth or disposable face covering is not a substitute for physical distancing.)**
  - With the exception of children less than two, and individuals who have difficulty breathing, are unconscious, or otherwise unable to remove a face covering without assistance, CDC recommends that all people wear a cloth or disposable face covering in public settings and when around people who don't live in their household, especially when other physical distancing measures are difficult to maintain.
  - Non-medical cloth or disposable face coverings or cloth or disposable face coverings are NOT Personal Protective Equipment (PPE), but they do offer some protection to others and should be worn while near other people in common spaces or shared workspaces. They are not a substitute for physical distancing, engineering controls, cleaning and disinfecting, proper hygiene, or staying home while sick.
  - Employees should remove cloth or disposable face coverings correctly and wash hands after handling or touching a used face covering.
  - Employees should wash cloth face coverings after each use. Cloth face coverings can be included with regular laundry. Use regular laundry detergent and the warmest appropriate water setting for the cloth used to make the face covering. Use the highest heat setting and leave in the dryer until completely dry. If air drying, lay flat and allow to completely dry. If possible, place in direct sunlight.
- NOTE: If an employer chooses to provide or the employee supplies their own N95 respirator, please fully consider all the potential OSHA requirements.**
- Consider having employees wear face shields
  - Ask employees to consider the following if they commute to work using public transportation:
    - Use other forms of transportation if possible.
    - If taking public transportation, maintain physical distancing and wear a cloth or disposable face covering.
    - Change commute time to less busy times if possible.



HEALTHIER WORKPLACES | A HEALTHIER WORLD

- Wash hands before and as soon as possible after their trip.

### Training

- Provide instruction and training to employees on how to:
  - Handle their work clothing properly at home if laundry service is not provided.
  - Properly put on and remove gloves.
  - Clean and disinfect surfaces according to product specifications.
  - Correctly use cloth or disposable face coverings and/or respirators.
- Provide Safety Data Sheets (SDS) for cleaning and disinfection products and ensure employees are aware of the hazards of use. Incorporate new hazards into existing OSHA Hazard Communications Program.
- Employees should receive, at minimum, awareness training on cleaning and disinfection products used in the workplace following OSHA Hazard Communication Standards. For employees who will use cleaning and disinfecting products, training should also include proper use, PPE, disposal, and all precautionary measures.
- If advice is needed, industrial hygienists have expertise in selecting PPE and training.
- Implement and inform employees of supportive workplace policies as applicable:
  - Flexible sick leave policies consistent with public health guidance. Providing paid sick leave is an important way to encourage employees to stay home when sick.
  - Consider not requiring a COVID-19 test result or a healthcare provider's note for employees who are sick to validate their illness in order to qualify for sick leave. If you do require a doctor's note from your employees to verify that they are

healthy and able to return to work, be aware that healthcare provider offices and medical facilities may be extremely busy and not able to provide such documentation in a timely manner. Get more information related to the [Americans with Disabilities Act during the COVID-19 pandemic](#).

- Flexibility to stay home to care for a sick family member.
- Human resources policies consistent with public health guidance, and state and federal workplace laws. For more information on employer responsibilities, visit the [Department of Labor's](#) and the [Equal Employment Opportunity Commission's](#) websites.
- Employee assistance program and community resources to help employees manage stress and receive support.
- Encourage employees at increased risk for severe illness to request special accommodations to allow them to perform their job duties safely while also protecting sensitive employee health information.
- Post signs and reminders at entrances and in strategic places providing instruction on hand hygiene, respiratory hygiene, and cough etiquette. This should include signs with images for non-English readers, as needed.

### Waste and Laundering

- Single-use items and used disinfection materials can be treated as regular waste, following regular safety guidelines.
- Cloth materials (smock, aprons, towels, work uniforms, etc.) should be washed and dried on the highest temperature setting allowable for the fabric.
- Deeper cleaning and disinfecting protocols should be developed and implemented in cases where confirmed cases of COVID-19 are discovered. Refer to AIHA's [Workplace Cleaning for COVID-19](#).



HEALTHIER WORKPLACES | A HEALTHIER WORLD



### Communication

- Encourage those who are sick or at greater risk to stay home. This includes:
  - People with underlying medical conditions.
  - People who live with elderly people or those who are at risk.
  - People with upper respiratory or flu-like symptoms or who live with someone with these clinical symptoms.
  - People with COVID-19, people who live with someone with COVID-19, or who have been exposed to someone with COVID-19.
- Employers should educate employees to recognize the [symptoms of COVID-19](#) and provide instructions on what to do if they develop symptoms. At a minimum, any worker should immediately notify their supervisor, their health care provider, and the local health department, who will provide guidance on what actions need to be taken.
- Communicate to customers what the retail establishment is doing to mitigate the spread of COVID-19 (e.g., disinfection routine, health policies for employees, and health and safety measures in place).
- Consider communicating to clients when it may not be a good idea to come into the salon (e.g. taking care of someone who is COVID-19 positive, exhibiting symptoms of COVID-19, being in a high-risk category, etc.). A questionnaire or checklist could be used to clear clients to enter the salon.
- Communicate that the retail establishment has the right to refuse service to anyone exhibiting symptoms or not following guidelines (e.g., physical distancing, wearing a cloth or disposable face covering, etc.).
- Platforms for communication could include websites and indoor/outdoor signage.

### What should an Employee do to protect themselves and the customers?

- Employees should evaluate their health continuously; if they are sick, have a fever or symptoms, or someone at home is sick, then they should remain home. **NOTE: Employer HR Policies, HIPAA guidelines and other laws should be followed at all times.**
- Depending on local requirements, in alignment with CDC recommendations, at minimum wear a cloth or disposable face covering whenever physical distancing cannot be maintained (indoors or outdoors). Ensure the face covering is properly maintained and cleaned. Additional information on cloth face coverings can be found on [CDC's website](#). **(NOTE: Cloth or disposable face coverings primarily protect other people. A cloth or disposable face covering is not a substitute for physical distancing.)**
- CDC recommends all people 2 years of age and older wear a cloth or disposable face covering in public settings and when around people who don't live in your household, especially when other physical distancing measures are difficult to maintain.
- Non-medical cloth or disposable face coverings or cloth or disposable face coverings are NOT Personal Protective Equipment (PPE), but they do offer some protection to others and should be worn while near other people in common spaces or shared workspaces. They are not a substitute for physical distancing, engineering controls, cleaning and disinfecting, proper hygiene, or staying home while sick.
- Remove cloth or disposable face coverings correctly and wash hands after handling or touching a used face covering.
- Wash cloth face coverings after each use. Cloth face coverings can be included with regular laundry. Use regular laundry detergent and the warm-



HEALTHIER WORKPLACES | A HEALTHIER WORLD

AIHA | 3141 Fairview Park Dr., Suite 777 | Falls Church, VA 22042 | [aiha.org](http://aiha.org)

est appropriate water setting for the cloth used to make the face covering. Use the highest heat setting and leave in the dryer until completely dry. If air drying, lay flat and allow to completely dry. If possible, place in direct sunlight.

- Maintain good hygiene practices (washing hands with soap and water for at least 20 seconds or a hand sanitizer with at least 60% ethanol or 70% isopropyl alcohol). For more information, refer to [CDC's handwashing guidelines](#).
- At minimum, employees should wash their hands after each customer, after they have been in a public place, after touching their face covering, after blowing their nose, coughing, or sneezing, after using the restroom, after touching any common contact surfaces, and before eating. **Avoid touching eyes, nose, or mouth with unwashed hands.**
- Employees should wash hands with clean, running water, apply soap, lather and scrub for at least 20 seconds, then rinse. Dry hands using a clean paper towel or air dry. When soap and water can't be used, use an alcohol-based hand sanitizer that contains at least 60% ethanol or 70% isopropyl alcohol. Any use of alcohol-based hand sanitizers should follow local and State guidelines.
- Wear gloves at all times. Change out gloves between customers and wash your hands.
- If provided, wear a face shield when working with clients and disinfect it appropriately.
- Let your employer know if you have concerns about personal protective equipment (PPE) that may be provided to you and that you are properly instructed on how to use it. [The CDC has recommended sequences for donning and doffing PPE](#).
- Cover your mouth and nose with a tissue when you cough or sneeze and throw used tissues in the trash. If you don't have a tissue, cough or sneeze into your elbow, not your hands. Immediately wash your hands after blowing your nose, coughing or sneezing. Learn more about [coughing and sneez-](#)

[ing](#) etiquette.

- Use a clean, new cape for each client. Ideally, have sufficient number of capes on hand for all clients per day (so as not to re-use). Launder all at the end of the day (see laundering above).
- If an employee tests positive for COVID-19:
  - Stay home and isolate until cleared for physical return to the workplace by your medical provider, following the CDC's [Discontinuation of Isolation for Persons with COVID -19 Not in Healthcare Settings](#).
  - Contact your supervisor and report your results as soon as possible.
  - Notify your supervisor about others in the workplace with whom you came into contact.

### Worker Rights

AIHA believes that basic protections are worker rights, as well as an essential ingredient of occupational health and safety systems, and that employers must provide a safe and healthful work environment.

### What can a Customer do to minimize the transmission of COVID-19?

- If you are sick, stay home. If you have a temperature, stay home. If someone in your house is sick, stay home. If you have allergies and can't control sneezing, stay home. Reschedule your appointment to a later date.
- Do not enter the salon until your chair is open and it has been disinfected.
- Limit the items you touch within a store to the items you select to purchase.
- Wear a cloth or disposable face covering. For hair salons, consider the style that wraps behind the ears (otherwise, certain cloth or disposable face covering styles may interfere with the performance of the haircut or color treatment).



HEALTHIER WORKPLACES | A HEALTHIER WORLD

AIHA | 3141 Fairview Park Dr., Suite 777 | Falls Church, VA 22042 | [aiha.org](http://aiha.org)

- Wash your hands before and after you leave the building if possible. If not, use hand sanitizer when you enter and before you leave the building.
- Maintain a distance of at least 6 feet from other customers and other employees when walking throughout the salon to the extent possible.
- Cover your mouth and nose with a tissue when you cough or sneeze and throw used tissues in the trash. If you don't have a tissue, cough or sneeze into your elbow, not your hands. Immediately wash your hands after blowing your nose, coughing or sneezing. Learn more about [coughing and sneezing](#) etiquette.
- The EPA has developed a [list of disinfectants](#) for use against SARS-CoV-2
- ASHRAE has a [list of COVID resources](#) for commercial buildings.
- AIHA's Indoor Environmental Quality Committee developed these guidance documents about reopening and cleaning buildings after closures due to COVID-19: [Recovering from COVID-19 Building Closures](#) and [Workplace Cleaning for COVID-19](#).
- AIHA's [Considerations on the Safe Use of UVC Radiation](#)
- AIHA's [Focus on Construction Health: COVID-19](#)
- AIHA's [Effective and Safe Practices: Guidance for Custodians, Cleaning and Maintenance Staff](#)
- AIHA's [Employers Guide to COVID-19 Cleaning & Disinfection in Non-Healthcare Workplaces](#)
- AIHA's [Reducing Risk of COVID-19 Using Engineering Controls](#)
- AIHA's [PPE for SARS-CoV-2](#)
- AIHA's [Use of Real Time Detection Systems](#)
- AIHA's [Proper Use of Respirators for Healthcare Workers & First Responders](#)
- AIHA's [Workers Rights White Paper](#)

## Resources

- [Professional Beauty Association](#)
- [American Barber Association](#)
- [National Association of Barbers](#)
- CDC Health Screening ["Should we be screening employees for COVID-19 symptoms?"](#) section of General Business Frequently Asked Questions
- Numerous [wellness questionnaire examples](#) are available online.
- The CDC has developed [cleaning and disinfection recommendations](#) for commercial facilities



HEALTHIER WORKPLACES | A HEALTHIER WORLD

AIHA | 3141 Fairview Park Dr., Suite 777 | Falls Church, VA 22042 | [aiha.org](#)

## AIHA®

AIHA is the association for scientists and professionals committed to preserving and ensuring occupational and environmental health and safety (OEHS) in the workplace and community. Founded in 1939 as the American Industrial Hygiene Association® (AIHA®), we support our members with our expertise, networks, comprehensive education programs and other products and services that help them maintain the highest professional and competency standards. More than half of AIHA's nearly 8,500 members are Certified Industrial Hygienists (CIH), and many hold other professional designations. AIHA serves as a resource for those employed across the public and private sectors, as well as to the communities in which they work. For more information, visit [AIHA.org](https://www.aiha.org).

## About Occupational and Environmental Health and Safety Professionals

Occupational and environmental health and safety (OEHS) professionals (also known as industrial hygienists) practice the science of anticipating, recognizing, evaluating, controlling and confirming workplace conditions that may cause workers' injury or illness. Through a continuous improvement cycle of planning, doing, checking and acting, OEHS professionals make sure workplaces are healthy and safe.

- Get additional resources at AIHA's [Coronavirus Outbreak Resource Center](#).
- Find a qualified industrial hygiene and OEHS professional near you in our [Consultants Listing](#).

### Disclaimer

AIHA is not legally responsible and shall be held harmless from all claims, causes of action, and demands, whatsoever, any third party may incur on account of damage, loss or injury resulting from adhering to these guidelines.

These guidance documents were primarily developed for those smaller business that don't have readily available occupational health and safety resources, and designed to help business owners, employers, employees and consumers implement science-backed procedures for limiting the spread of the coronavirus. They are subject to any local, state, or federal directives, laws, or orders about operating a business and should only be used if they do not conflict with any such orders. These documents are subject to revision and shall be updated accordingly.

AIHA makes no representations or warranties of any kind concerning its Copyrighted Material, either express or implied, including without limitation any implied warranties of merchantability, title, infringement or fitness for a particular purpose. AIHA shall be indemnified, defended and held harmless by all third parties and their directors, officers, agents, employees and assigns, and anyone authorized by any of them, from and against any and all claims, liabilities, losses and damages, including reasonable attorneys' fees, caused by or arising wholly or in part from the use of the Copyrighted Material.



## | [backtoworksafely.org](https://backtoworksafely.org)

Periodically scan this QR Code to check if any new versions of AIHA's guidance documents have been posted, as well as to find guidance documents for other businesses and industries.



HEALTHIER WORKPLACES | A HEALTHIER WORLD

AIHA | 3141 Fairview Park Dr., Suite 777 | Falls Church, VA 22042 | [aiha.org](https://aiha.org)