### APPENDIX B: HELIBASE MANAGEMENT FORMS AND CHECKLISTS

### I. Introduction and Purpose.

This appendix provides standardized for the management and operation of helibases. A discussion of helibase-related (ICS) Incident Command System forms, checklists, evaluations, and job aids, is also included.

Such standardization helps to implement common procedures among participating agencies to meet mutual safety, efficiency, fiscal management, and contract administration objectives. The forms also provide a basis for training development and presentation.

### II. Applicability.

The forms in this appendix are to be utilized by Helibase Managers, whereas those in Appendix A are utilized by Helicopter Managers in the management and operation of a single helicopter.

However, several of the Helicopter Management (HCM-series) forms contribute to the informational needs of the Helibase Management (HBM-series) forms.

It is therefore essential that Helicopter Managers use these forms as appropriate or required when operating as part of a helibase organization, and that Helibase Managers ensure that appropriate HCM forms are completed timely and accurately.

Some of the forms are required for all helibase operations, some are required only for incident operations. Others are optional and may be used at the discretion of the Helibase Manager. Certain optional forms may be required by the air operations staff at an incident or project due to a specific management informational need.

Chart B-1 on the following pages is a summary listing of the HBM-series and other checklists and job aids. Included is information concerning the purpose of the form, the HBM form number, whether a form is optional or required for all or only certain situations, responsibility for completion, and frequency of completion. The Helibase Manager may use this chart as a quick-reference guide to form requirements. The pages following the chart contain a comprehensive discussion of each form.

All Helibase Managers should obtain sets of all forms so that they may respond to different management requirements encountered. Recognizing that at most incidents, or prior to a project's start that copies may be reproduced, Chapter 9 provides recommendations concerning the number of forms to carry in the Helibase Manager's Kit.

Table B-1

Form Name	Purpose	IHOG Form #	Individual Responsible	Frequency	Remarks
		Required or Optional	for Completion		
All required forms mus where two or more heli	All required forms must be completed and implemented by the start of the second operational shift when two or more helicopters are assigned to an incident base. On project helibases where two or more helicopters are assigned, they must be completed or implemented at the start of the first operational shift.	rt of the second operations to the second operations and the second operations are the second operations and the second operations are the second operations are second operations.	onal shift when two or more	e helicopters are assigne nal shift.	d to an incident base. On project helibases
Helibase Organizational Chart	To identify by name those persons filling positions on the helibase.	HBM-1 Required	Helibase Manager or Deck Coordinator	Updated daily	Obtain information on qualifications from HCM-7 Helicopter Crew Information Sheet
Aviation Locations Summary	To provide information on helispots, dipsites, and other locations pertinent to the aviation operation	HBM-2 Required	Helibase Manager	Updated daily	Brief all new pilots and managers as appropriate
Helibase Aircraft Information Summary	To provide Air Operations staff with a summary on assigned aircraft	HBM-3 Required	Helibase Manager	Update as new aircraft are assigned	Copies to Air Support Group Supervisor (ASGS) and Air Operations Branch Director (AOBD)
Allowable Payload Chart	To provide helibase management personnel a means to plan mission loads safely and efficiently	HBM-4 Optional	Helibase Manager	Update as new aircraft or aviation locations are assigned.	Use information from Aviation Locations Summary, Load Calculations, and Helicopter Load Capability Summary
Flight Following Log	To enable the Aircraft Base Radio Operator to record flight following information so the location of an aircraft is immediately known	HBM-5 Optional - see remarks	Aircraft Base Radio Operator	As needed	Information from the form is required, but other forms may be used
Flight Hours Tracking (Multiple Helicopters)	To allow tracking of helicopter flight time over the course of the day	HBM-5A Optional	Aircraft Timekeeper or Aircraft Base Radio Operator	As needed	Ensures there will be sufficient flight time for required missions and enables flight time to be spread equitably over all assigned aircraft.
Helibase Mission Request Log	To establish an orderly mission request process for use by the Hellbase Manager in prioritizing and assigning helicopter missions	HBM-6 Required	Aircraft Base Radio Operator	As needed	Enter initial mission assignments from current ICS-220
Helibase Daily Use and Cost Summary	To track cost and use on an incident or project	HBM-7 Required	Helibase Manager or Aircraft Timekeeper	At end of operational shift	Copies to Cost Unit and ASGS/AOBD
Helibase Communications Plan	To track currently assigned frequencies being used by the helibase	HBM-8 Optional	Helibase Manager	As changes occur	Ensure updates are completed as changes occur
Helioopter Demobilization Information	Provides information on demobilization times, routes, stops, and layovers	HBM-9 Optional	Helicopter Manager	As helicopters are demobed	Copy to AOBD and Demobe Unit
Helicopter Flight Schedule	Provide flight timerary information to dispatch system	HBM-9A Optional	Helicopter Manager	As helicopters are demobed	Copy to AOBD and local dispatch center
Helibase Diagram	Provides helibase layout and local flight hazard, and flight route information	HBM-10 Optional	Deck Coordinator	Complete as needed	If used, ensure hazard information and flight routes are depicted

Table B-1 (Continued)

Form Name	Purpose	IHOG Form #	Individual Responsible	Frequency	Remarks
		Required or Optional	Tor Completion		
All required forms must where two or more heli	All required forms must be completed and implemented by the start of the second operational shift when two or more helicop where two or more helicopters are assigned, they must be completed or implemented at the start of the first operational shift.	rt of the second operation ted or implemented at the	onal shift when two or mon he start of the first operatic	e helicopters are assigne onal shift.	All required forms must be completed and implemented by the start of the second operational shift when two or more helicopters are assigned to an incident base. On project helibases where two or more helicopters are assigned, they must be completed or implemented at the start of the first operational shift.
Helibase Cumulative Cost Summary	Allows tracking of helibase costs over the course of an incident or project	HBM-11 Optional	Helibase Manager	Update daily	Use information from HBM-7
Helitack Crews Performance Rating	Allows a mechanism to rate helitack crew on helicopter/helibase specific missions	HBM-12 Optional	Helibase Manager	At end of assignment	Copies should be kept from helibase record and a copy should be sent to crew's home unit
Helibase Personnel Performance Rating	Allows a mechanism to rate single resource helicopter personnel on helicopter/helibase specific missions	HBM-13 Optional	Helibase Supervisor	At end of assignment	Copies should be kept for helibase record and a copy should be sent to the crew's home unit
Two-For-One CWN Management and/or Standard to Limited Request	An approval system to allow a manager to manage two limited or restricted category helicopters, or designate a standard category aircraft as limited use	HBM-14 Optional	State or regional level Aviation Manager	Each occurrence	Other methods of approval may be used, depending on agency policy
Daily Helicopter Operations Briefing Checklist	Enables the Heilbase Manager to review all applicable procedures and policies are in place for a safe and efficient helicopter operation	HJA-1 Required	Helibase Manager	Daily	See Appendix F for the checklist and for further information
Helibase Manager Reminder List	Enables the Helibase Manager to review items, systems, and procedures applicable to helibase operations	HJA-2 Optional	Helibase Manager	Daily or as needed	See Appendix H for the checklist and for further information
Remote Fuel Site Reminder List	Enables the Helibase Manager to review items, systems, and procedures applicable to remote fuel site operations	HJA÷3 Optional	Helibase Manager	During initial establishment of helibase and updated as necessary	See Appendix I for the checklist and for further information
Crash Rescue/ Medivac/Evacuation Plan	Provides procedures and protocols for crash rescue, medivac and helibase evacuation missions.	HJA-4 *Optional	Helibase Manager	During initial establishment of helibase and updated as necessary	See Appendix C for Plan. A crash rescue and medivac plan is required for all helbases. Other formals may be used
Emergency Rescue Information	Identifies assigned medivac helicopters, medical facility information, and air ambulance/life flight information	HJA-4A Required	Helibase Manager	During initial establishment of helibase and updated as necessary	See Appendix C for further information
Emergency Medivac and Medical Transport Request	To provide additional information for aircraft responding to a medivac or medical transport	HJA-4B *Optional	Aircraft Base Radio Operator	As medical incident occur	See Appendix C for further information

\* Optional information must be documented, other formats are acceptable.

### III. Helibase Management (HBM) Forms.


IMPORTANT NOTE: The Helibase Management (HBM) forms or checklists that are required must be completed or implemented by the second operational period on incident helibases or helispots to which two or more helicopters are assigned.

On project helibases with two or more helicopters assigned, the required forms must be completed or implemented prior to the start of the first day's operations. The requirement for project helibases is stricter than that for incidents due to the ability of the project's Helibase Manager to plan in advance of the operation.

### A. Helibase Organization Chart (HBM-1). (See Exhibit B-1)

- Purpose. The purpose is to establish, by name, those positions filled on a helibase, as well as provide other information concerning aircraft and radio frequencies assigned.
- Applicability. The form is required and must be initiated by the second operational
  period on incident helibases or helispots to which two or more helicopters are
  assigned. On project helibases with two or more helicopters assigned, the form must
  be completed prior to the start of the first day's operations.
- 3. Responsibility and Instructions For Completion. Refer to Exhibit B-1. Refer also to Chapter 15 for further information on making daily assignments.
  - The Helibase Manager is responsible for completion. Names are entered at the start of helibase operations. Position assignments are reviewed daily, and appropriate changes in the chart are made as needed. The Helibase Manager must ensure that personnel assigned to fulfill a function are qualified (see "Related Forms" below).
- Routing and Filing. No routing is necessary. The form becomes part of the helibase file.
- Posting. The form is posted on the helibase display board. Information may also be transferred to an organization board carried by many helicopter crews.
- Related Forms. Forms HCM-7, Helicopter Crew Information Sheet, should be consulted prior to making assignments in order to ensure qualified personnel are filling positions. Frequencies are obtained from the day's ICS-220, Air Operations Summary and the ICS-205, Incident Radio Communications Plan.

Exhibit B-1: Helibase Organization Chart (HBM-1)



### B. Aviation Locations Summary (HBM-2). (See Exhibit B-2.)

- Purpose. The purpose is to provide information concerning helispots and other landing areas (for example, dip sites) for load planning purposes, hazard identification and safety, and Pilot briefings.
- Applicability. The form is required and must be initiated by the second operational
  period on incident helibases or helispots to which two or more helicopters are
  assigned. On project helibases with two or more helicopters assigned, the form must
  be completed prior to the start of the first day's operations.
- 3. Responsibility and Instructions For Completion. Refer to Exhibit B-2. Also refer to Chapters 8 and 15 for further information.

The initial reconnaissance of the incident for purposes of helispot site selection provides a timely opportunity to initiate the form.

The Helibase Manager is responsible for completion. Often the Helispot Managers and Helibase Manager will jointly complete the Summary. Pilots should always be consulted and briefed concerning the information on the Summary. It should be updated as necessary (additional helispots, helispot improvement to accommodate larger helicopters, etc.).

- 4. Posting. The Summary is posted on the helibase display board as soon as it is completed.
- 5. Routing and Filing. The Summary becomes part of the helibase file.
- 6. Related Forms. The Summary is supplemented by a topographic map showing the locations of all helispots, dip sites, hazards, etc.

# **AVIATION LOCATIONS SUMMARY**

	Other Info													
Helibase:	Longitude   Altitude (PA)   HIGE/HOGE													
	Altitude (PA)													
	Longitude													
	Latitude													
	Type of Location													
	Name of Location													

### C. Helibase Aircraft Information Summary (HBM-3). (See Exhibit B-3.)

- Purpose. The purpose is to provide the Helibase Manager and air operations staff with an informational summary on all aircraft assigned to the helibase(s).
- 2. Applicability. The form is required for fires with a Type 1 or 2 Incident Management Team assigned, and if requested by project personnel.
- Responsibility and Instructions For Completion. Refer to Exhibit B-3. The Helibase
  Manager is responsible for completion, and usually delegates this responsibility to the
  Aircraft Timekeeper.

Information is obtained from Forms HCM-6, Helicopter Information Sheets, and Forms HCM-7, Helicopter Crew Information Sheets, submitted by Helicopter Managers upon arrival at the incident or project.

The form should be updated as additional aircraft arrive.

- 4. Posting. The form is posted on the helibase display board.
- Routing and Filing. A current copy of the form is routed to the Air Support Group Supervisor and to the Air Operations Branch Director. The form becomes part of the helibase file.
- 6. Related Forms. Form HCM-6, Helicopter Information Sheet, and Form HCM-7, Helicopter Crew Information Sheet, provide the necessary information.

Exhibit B-3: Helibase Aircraft Summary (HBM-3)

# HELIBASE AIRCRAFT INFORMATION SUMMARY

		ATTION	. Б-5	: Helii	Jasc	All Ci	uit O	u	ury (1	110111	<u> </u>				
		Foam													
	railable	Cargo Letdown		ts		ts		ts		ts		ts	ts	ts	ts
Helibase:	Check if Available			nd commen		nd commen		nd commen		nd commen		nd commen	nd commen	nd commen	na commen
Helib	ပ	FLIR Longline Rappel		Other capabilities and comments		Other capabilities and comments		Other capabilities and comments		Other capabilities and comments		Other capabilities and comments			
		FLIR		Other c		Other c		Other o		Other c		Other o	Other o	Other o	Other o
	Pax Seats	Bucket or Tank Capacity													
	Avail/Day	AV/Hour													
	FT/Hour	GT/Day													
	Pilot Name	Manager + # in Module													
	Contract CWN or	Fleet													
	#N	Make/Model													

### D. Allowable Payload Chart (HBM-4) (See Exhibit B-4)

- Purpose. The purpose is to provide helibase management personnel with the means
  to plan mission loads safely and efficiently. The completed forms can quickly provide
  the Helibase Manager with information on which aircraft are suitable for different loads
  to different helispots.
- 2. Applicability. The form is optional. It may be required by the Helibase Manager to facilitate planning.
- Responsibility and Instructions For Completion. Refer to Exhibit B-4. The Helibase
  Manager is responsible for ensuring forms are initially completed and updated as new
  aircraft arrive on the incident or as new helibases/helispots are established. Actual
  completion is usually performed by the Deck Coordinator or Loadmasters.

Enter the allowable IGE/OGE loads for the range of temperatures which may be encountered at the helispot during the day. These figures may be obtained from Form HCM-11, Single Helicopter Load Capability Planning Summary - Multiple Helispots and Fuel Loads.

The form should be updated as additional aircraft arrive. A new form should be completed as additional helispots are established.

- 4. Posting. The form is posted on the helibase display board.
- Routing and Filing. No routing is necessary. The form becomes part of the helibase file.
- Related Forms. Form HCM-8, Helicopter Load Calculation; Form HCM-10, Single Helicopter Load Capability Planning Summary - Multiple Helispots and Fuel Loads; Form HBM-4, Allowable Payload Chart.

Exhibit B-4: Allowable Payload Chart (HBM-4)

ALLOWABLE PAYLOAD CHART

Helispot or Other Location:	ther Lo	cation:			Coordinates:	nates:				PA:	
		IA	Allowable Payload (HIGE and HOGE) at Various Temperature Ranges	yload (HIG	E and HO	GE) at Vari	ons Tempe	erature Rar	səbi		
# Z		5° C	10° C	15°	20°	25°	30°	35°	40°	45°	200
Make/ Model		or 41° F	or 50° F	or 59°	or 68°	or 77°	or 86°	or 95°	or 104°	or 113°	or 122°
	391										
	OGE										
	IGE										
	OGE										
	IGE										
	OGE										
	IGE										
	OGE										
	IGE										
	OGE										
	IGE										
	OGE										
	IGE										
	OGE										
	IGE										
	OGE										

### E. Helibase Flight Following Log (HBM-5). (See Exhibit B-5)

- Purpose. The purpose is to enable the Helibase Radio Operator to perform helicopter flight following quickly and efficiently, with knowledge of where any given helicopter is at any time.
- 2. Applicability. The form is optional and should be implemented by the second operational period on incident helibases or helispots to which two or more helicopters are assigned. (It is recommended that the form be implemented on any incident helibase where flight following is being performed on-site, that is, not through the unit dispatch office.) On project helibases with two or more helicopters assigned, the form must be implemented prior to the start of the first day's operations.

IMPORTANT NOTE: This form is for flight following purposes only; it is not intended for any other use, though information such as round-trip times and total missions for the operational period can be calculated. If additional information is relayed, the Radio Operator should utilize the appropriate format (Helibase Mission Request Log, General Message Form, Unit Log, etc.).

3. Responsibility and Instructions For Completion. Refer to Exhibit B-5. The Helibase Manager is responsible for flight following at a helibase. The Helibase Manager usually delegates this responsibility to the Aircraft Base Radio Operator, who becomes responsible for implementing and making entries on the form. The Radio Operator should inform the Helibase Manager immediately if a helicopter fails to meet a required check-in.

Completion of individual blocks on the form is self-explanatory.

- 4. Posting. None (the Radio Operator usually keeps the form in the helibase communications area).
- Routing and Filing. No routing is necessary. The form becomes part of the helibase file.
- Related forms. The form should be used in conjunctions with HBM 5 (Flight Following Log) and HBM-6 (Helibase Mission Request Log)

Exhibit B-5: Flight Following Log (HBM-5)

### **FLIGHT FOLLOWING LOG**

Date:		Helibase:
Aircraft N#	Time / Hobbs	Comments / Destination / Location / etc.

HBM-5 (01/05) \*OPTIONAL

### F. Flight Hour Tracking (Multiple Helicopters) (HBM-5A) (See Exhibit B-6)

 Purpose. The purpose is to enable the Helibase Manager to track cumulative flight hours over the course of a day on multiple-aircraft projects or incidents. It ensures that there will be sufficient flight time for tasks assigned for the end of the operational period, and that flight time is spread fairly evenly among the helicopters available.

The primary intent is not to track Pilot flight time/duty day, even though this information can be entered at the top of the form.

- Applicability. The form is optional. It may be required by the Helibase Manager or air operations staff to facilitate planning. It is recommended that it be used on helibases with a large number of helicopters where tracking of flight time is more difficult.
- Responsibility and Instructions For Completion. Refer to Exhibit B-6. The Helibase Manager is responsible for ensuring completion. Actual completion is usually performed by the Aircraft Timekeeper.

Entries are self-explanatory. The Helibase Manager and Helicopter Managers should make entries with whatever frequency (hourly, every four hours, etc.) that is deemed necessary.

- Posting. None, although it may be posted on the display board. (The Aircraft Timekeeper usually keeps the form in the helibase communications area).
- 5. Routing and Filing. None.
- 6. Related Forms. Form HCM-12, Pilot Flight Time/Duty Day Cumulative Log.

Exhibit B-6: Flight Hour Tracking (Multiple Helicopters) (HBM-5A)

Hours Left Hours Left 8.0 8.0 Plus: Start Hobbs: Maximum End Hobbs: Start Hobbs: Maximum End Hobbs: Reading Reading Hobbs Hobbs Hours Hours Left Helibase: A/C N#: A/C N#: Reading Hobbs Reading Hobbs FLIGHT HOUR TRACKING (MULTIPLE HELICOPTERS) Hours Left Hours Left 8.0 8.0 Plus: Start Hobbs: Start Hobbs: Maximum End Hobbs: Maximum End Hobbs: Reading Reading Hobbs Hobbs Hours Left Hours Left A/C N#: A/C N#: Hobbs Reading Hobbs Reading Hours Left Hours Left 8.0 8.0 Plus: Maximum End Hobbs: Start Hobbs: Plus: Start Hobbs: Maximum End Hobbs: Reading Reading Hobbs Hobbs Hours Hours Left A/C N#: Reading Reading A/C N# Hobbs Hobbs Date:

### G. Helibase Mission Request Log (HBM-6). (See Exhibit B-7)

- Purpose. The purpose is to establish an orderly and documented mission request process for use by the Helibase Manager in tracking, prioritizing, and assigning helicopter missions.
- Applicability. The form is required and must be implemented by the second operational period on incident helibases or helispots to which two or more helicopters are assigned. On project helibases with two or more helicopters assigned, the form must be implemented prior to the start of the first day's operations.
- Responsibility and Instructions For Completion. Refer to Exhibit B-7. The Helibase
  Manager is responsible for entering mission requests as received from personnel
  authorized to request them (for example, Operations Chief or Project Aviation
  Manager, Air Operations Branch Director, Air Tactical Group Supervisor, Incident
  Dispatch, etc.).

This responsibility is usually delegated to the Aircraft Base Radio Operator or Aircraft Timekeeper.

Personnel receiving mission requests should ensure that personnel are authorized to request them, and that the proper chain-of-command is followed.

Initial entries should be made at the morning's briefing from the ICS-220 Air Operations Summary or project plan. If the number or scope of missions conflict with available aircraft, obtain priorities from ASGS or AOBD and enter priority in far left-hand column.

Completion of individual blocks on the form is self-explanatory.

- 4. Posting. None (the Aircraft Timekeeper or Radio Operator usually keeps the form in the helibase communications area).
- Routing and Filing. No routing is necessary. The form becomes part of the helibase file.
- 6. Related Forms. Form ICS-220, Air Operations Summary.

Exhibit B-7: Helibase Mission Request Log (HBM-6)

						•	01 20	9 (	J 0				
		Completed @											
 	e: of	Helicopter Completed Assigned @											
Dat	- Lage:	Deliver To											
m		Time Needed											
HELIBASE MISSION REQUEST LOG	Incident:	Mission											
Ι		Received By											
		Requested By											
		Time Received											
=	Helipase:	Priority											

### H. Helibase Daily Use and Cost Summary (HBM-7). (See Exhibit B-8)

- Purpose. The purpose is to enable the Helibase Manager to meet cost/use reporting requirements of the air operations staff on an incident and of the Project Aviation Manager on a project.
- Applicability. The form is required on incidents to which a Type I or II Incident
  Management Team (IMT) is assigned. However, the air operations staff on a Type I
  or II Team will usually require that the Helibase Manager(s) submit summaries from
  the day of initial attack. Helicopter and Helibase Managers should therefore be
  prepared to furnish this information once an IMT is assigned.

It may also be required on projects where the Project Aviation Manager requires cost summaries.

 Responsibility and Instructions For Completion. Refer to Exhibit B-8. The Helibase Manager is responsible for completing this form. This responsibility is usually delegated to the Aircraft Timekeeper.

Entries are made from information provided by Helicopter Managers on Form HCM-15, Helicopter Daily Use and Cost Summary. The Helibase Manager should ensure:

- If daily flight guarantees are not met on ARA helicopters, that these costs are included on the summary.
- If daily/hourly availability or guarantee costs on exclusive-use contract helicopters are already paid from presuppression funding, that these costs are not included on the summary.
- 4. Posting. None.
- Routing and Filing. The form is routed to the air operations staff on incidents or to the Project Aviation Manager on projects prior to the end of the day. It becomes part of the helibase file.
- 6. Related Forms. Forms HCM-15, Helicopter Daily Use and Cost Summary, submitted by each Helicopter Manager provide information on individual helicopter costs.

Exhibit B-8: Helibase Daily Use and Cost Summary (HBM-7)

Helibase Manager:

HELIBASE DAILY USE and COST SUMMARY

Incident/Project Name:

Helibase Name:

Date:

# Z	Make/Model	Туре	Contract	Total PAX	Total Pounds Cargo	Total Gallons Water	Total Gallons Retardant	Total Gallons Foam	Flight	Individual Aircraft Cost
	Total Aircraft Use and Cost	aft Use	and Cost							
			Add	litional Suppo	Additional Support Expenses (Itemize Below)	emize Below)				Cost
									Total	
				Ğ	rand Total Co	st of Helibase	Grand Total Cost of Helibase This Operational Period:	ional Period:		
								<b>一</b> 里	3M-7 (01/0	HBM-7 (01/05) REQUIRED

### I. Helibase Communications Plan (HBM-8) (See Exhibit B-9)

- 1. Purpose. The purpose is to provide radio frequency information to all pilots and helicopter crew.
- 2. Applicability. The form is optional in both incidents and projects, but may be required by Air Operations staff or local Aviation Managers.
- 3. Responsibility and Instructions for Completion. Refer to Exhibit B-9. The Helibase Manager is responsible for completing the form. It is essential that the Air Operations Branch Director (AOBD) or Air Support Group Supervisor (ASGS) communicate and coordinate with the communications Unit Leader concerning frequency needs and assignments. The frequencies on the ICS-205 must match those identified on the ICS-220 Air Operations Summary and on Form HBM-1, Helibase Organization Chart.
- 4. Posting. A copy should be posted on the helibase display board.
- Routing and filing. The AOBD should ensure that sufficient copies of the ICS-205 are made available for use by the Helibase Manager, Takeoff and Landing Coordinator, Radio Operator and Pilots.
  - HINT: To lessen the amount of paperwork the Pilot must deal with in the cockpit, it is helpful if the AOBD requests that applicable aviation radio frequencies be incorporated into a corner of the Incident or Project Map that is distributed each day. This can be accomplished by writing out the frequencies and functions (for example, Air-to-Air 122.925) on a small piece of paper, taping it to the map, and making copies for the Pilot.
- Related Forms. As stated, frequencies and their functions must match those on the ICS-220 Air Operations Summary and on Form HBM-1 Helibase Organization Chart.

### Exhibit B- 9: Helibase Communications Plan (HBM-8)

### **HELIBASE COMMUNICATIONS PLAN**

Incident:	Helibase:		Da	ite:
Frequency Name	Receive	Transmit	Tone	Other Information
Local Unit Dispatch				
Air to Air Fixed Wing				
Air to Air Rotor Wing				
Air to Ground				
Command				
Tactical to Divisions				
Deck				
TOLC				
Helibase Flight Following				

HBM-8 (01/05) OPTIONAL

### J. Helicopter Demobilization Information Sheet (HBM-9). (See Exhibit B-10.)

- Purpose. The purpose is to enable the Helibase Manager to provide demobilization information on air and associated ground resources to the Planning Section so it may be relayed timely and accurately.
- Applicability. The form is optional. It may be required by the Helibase Manager or air operations staff to facilitate timely transmittal of helicopter demobilization information.
- Responsibility and Instructions For Completion. Refer to Exhibit B-10. The Helibase
  Manager and Helicopter Manager, along with the Pilot, are mutually responsible for
  completing the form when a decision to demobilize the resource has been made.

Completion is self-explanatory. Update if travel routes and times change, or decision to hold the resource is made.

- 4. Posting. None.
- Routing and Filing. Route the form to the Air Support Group Supervisor or Air Operations Branch Director, who is responsible for ensuring the information is relayed to the Planning Section.
- 6 Related Forms None

Exhibit B-10 Helicopter Demobilization Information Sheet (HBM-9)

### HELICOPTER DEMOBILIZATION INFORMATION SHEET

Helibase:	Date:	Ti	me:
I. Aircraft Information			
Aircraft FAA N#	Incident (	Order Project Numbe	r:
Helicopter Manager:			
Release Date:	Release Time:	Lo	cation:
ETA to Home Base or Other Location	Date:	Time:	
II. Chase truck Information			
Chase Truck ID or Designator:		License #:	
Make and Model:		Chief of Party:	
Passengers:			
Release Date:	Release Time:	Lo	cation:
Travel Route: (Indicate in route stops and	RON's)		
ETA to Home Base or Other Location [	Date:	Time:	
III. Service Truck Information			
Driver Name:			
License #:	Make and	i Model:	
Travel route:(Indicate enroute stops and F	RON's. If same as Cha	ase Truck, enter Sam	ne)
ETA to Home Base or Other Location [	Date:	Time:	
Submitted By:	Po	osition	

### K. Helicopter Flight Schedule (HBM-9A). (See Exhibit B-11.)

- Purpose. The purpose is to enable the Helibase Manager to provide demobilization information on air and associated ground resources to the Planning Section so it may be relayed timely and accurately.
- Applicability. The form is optional. It may be required by the Helibase Manager or air operations staff to facilitate timely transmittal of helicopter demobilization information.
- Responsibility and Instructions For Completion. Refer to Exhibit B-11. The Helibase
  Manager and Helicopter Manager, along with the Pilot, are mutually responsible for
  completing the form when a decision to demobilize the resource has been made.
  - Completion is self-explanatory. Update if travel routes and times change, or decision to hold the resource is made.
- 4. Posting. None.
- Routing and Filing. Route the form to the Air Support Group Supervisor or Air
  Operations Branch Director, who is responsible for ensuring the information is relayed
  to the Planning Section and/or local dispatch center.
- 6. Related Forms. HBM-9A Helicopter Fight Schedule.

## HELICOPTER FLIGHT SCHEDULE

Date			muai request imormation				Charge Code	Code					Aircr	Aircraft Information	_
		Time										FAA N#			
ဥ		From									•	Flight 9	Flight Schedule Number	Number	
:												Make/Model	lodel		
Missi	Mission Details											Color			
			Passe	enger	and C	argo Inf	Passenger and Cargo Information	u				Vendor			
Nam	Name/Cargo	Weight	Order # DPT DST	t DPT	DST	Name	Name/Cargo	Weight	Order# DPT		DST	Teleph	Telephone Number	ber	
												Pilots			
							Flig	Flight Itinerary	ary						
			Departure	are					Arrival			Dro	Drop Off		Relayed
Date	PAX	Weight	Airport	t	ETD	ATD	ETE	Airport	ETA	$\dashv$	ATA	PAX	Cargo	Key points	To/From
										+					
				$\parallel$						H					
										+					
	Flig	Flight Following	ving						2	adio I	Frequ	Radio Frequencies			
ľ	EAA Eliabt Dlan Eilod	Polin Cilo								Tra	Transmit			Receive	
-	11611-14	Liaii riied					UNIT		Fre(	Frequency	,	Tone		Frequency	Tone
	Agency Flight Following	jht Followi	ng												
NICC	NICC Flight Following	owing	1-800-994-6312	34-631	2										
Home	Home Unit Phone	g.													
Notes	Notes and Comments:	ments:													

### L. Helibase Diagram (HBM-10). (See Exhibit B-12.)

- Purpose. The purpose is to enable the Helibase Manager to brief Pilots and other
  personnel on the location of helibase facilities, touchdown pads, and flight routes
  inbound to and outbound from the helibase.
- Applicability. The form is optional and should be completed by the second operational
  period on incident helibases or helispots to which two or more helicopters are
  assigned. On project helibases with two or more helicopters assigned, the form
  should be completed prior to the start of the first day's operations.
- 3. Responsibility and Instructions For Completion. Refer to Exhibit B-12. Also refer to Chapters 8 and 15 for further information.

The Helibase Manager is responsible for completion. The Helibase Manager usually delegates this responsibility to the Takeoff and Landing Coordinator (TOLC) and the Deck Coordinator. Pilots should always be consulted concerning flight routes and location of facilities, landing pads, etc.

The map should include, but is not limited to, the following:

- Inbound/Outbound Flight routes
- Location of all landing pads (designate as "personnel," "cargo" (both internal and sling/longline), and "fueling")
- Location of hazards on and around the helibase
- Vehicle parking (fuelers, helibase personnel, crews, cargo)
- Location of helibase operations and communications area

The map should be updated as necessary (realignment of helibase, addition of landing pads, whenever locations change, facilities are added, etc.). An update date/time should be indicated on the map.

- 4. Posting. The map is posted on the helibase display board as soon as it is completed.
- Routing and Filing. Pilots should be briefed utilizing the latest map. No additional routing is necessary. The map becomes part of the helibase file.
- Related Forms. The Incident Map showing helispot locations and incident area hazards is a separate map.

### M. Helibase Cumulative Cost Summary (HBM-11). (See Exhibit B-13)

- Purpose. The purpose is to ensure accurate cost tracking over the course of an incident or project.
- 2. The form is optional for fire and project use. Air operations staff should request its completion if required by them.
- Responsibility and instructions for completion. The helibase manager is responsible
  for completing this form, but may be delegated to other helibase staff. Entries are
  made from the individual HBM-7 forms.
- 4. Posting. None
- 5. Routing and Filing. The form should become part of the Helibase documentation file on large fires, and give to the project manager for projects.
- 6. Related Forms. Forms HBM-7 Helibase Daily Use and Cost Summary.

### Exhibit B-13: Helibase Cumulative Cost Summary (HBM-11)

### **HELIBASE CUMULATIVE COST SUMMARY**

Helibase:

$\longrightarrow$				
$\longrightarrow$				
$\longrightarrow$				
Totals				

HBM-11 (01/05) \*OPTIONAL

## N. Helitack Crew Performance Rating (HBM-12) and Helibase Personnel Performance Rating (HBM-13) (See Exhibits B-14 and B-15)

- Purpose. Use to rate crews and single resources in performance of duties on the helibase.
- 2. Applicability. The forms are required on all incidents where an incident management team is assigned and optional on projects.
- 3. Responsibility and Instructions for Completion. The forms will be completed by the appropriate helibase supervisor.
- 4. Posting. None.
- 5. Routing and Filing. A copy should be mailed to the employees or crews home unit supervisor, and one copy kept for the fire package.
- 6. Related forms. None.

### Exhibit B-14: Helitack Crew Performance Rating HBM-12.

### HELITACK CREW PERFORMANCE RATING

Instructions: This rating is to be used only for determining an employees fireflighting qualifications. Crew will be rated by the immediate supervisor, not the Crew Representative. If deficiencies are indicated for items 9 and 10, explain in item 13.												
1. Crew Name	2	2. Fire Nar	me and	l Numb	er	3. Managers Name						
4. Crew Home Unit and Address 5. Agency Responsible for Fire												
6. Incident Management Type		7. Helibas	e Type	(1 or 2	2)	8. Dates on Incident						
						to						
9. Crew Evaluation	•					11. Names Of Outstanding Worker						
Rating Factors	Evcellent	Satisfactory	Needs Improv		eficient							
Physical Condition	LACCHETIC	Satisfactory	inipio	ve De	HICIETIL	ł						
Attitude				_		ł						
				_		ł						
Team Work				+		1						
Off Line Conduct Use of Safe Practices				_		-						
				_	_	ł						
Crew Organization and Equipment				_		ļ						
Helibase Operations												
10. Supervisory Performances	<u> </u>	_				ļ						
Crew Supervisor				_		ļ						
Assistant Crew Supervisor				_								
Squad Leader(s)						ļ						
Senior Firefighter(s)												
12. Names of Crewmembers r	needing I	mproveme	ent	13. /	Areas	Needir	ng Improvement					
14. Remarks												
4-0-0-1-1-1								40.54				
15. Crew Supervisor (signatur	re): This	rating has	been	discus	sed wi	ith me.		16. Date				
17. Rated By (signature)	'	18. Inciden	t Posit	tion	19. F	Home I	Jnit Address	19. Date				

HBM-12 (01/05) OPTIONAL

### Exhibit B-15: Helibase Personnel Performance Rating HBM-13.

### HELIBASE PERSONNEL PERFORMANCE RATING

Instructions: This rating is to be employee. If deficiencies are in						em	ploy	ees	firefi	ghtir	ıg qı	ualifi	catio	ns.	The	imn	nedi	ate s	upe	rviso	r wil	l rate	e ea	ch	
1. Name								2	, ,	iro	Naı	ma	and	ı Nı	ım	hor				_	_				_
i. Name								-			ıtaı	110	and		uiiii	001									
3. Home Unit Address								4	l. A	gei	тсу	Re	spo	ons	ible	fo	r th	e F	ire	_	_				_
						7. Helibase Type 8. Incident Management Type																			
5. Incident Position	6. Dates	on	Inc	ide	nt			7	'. F	lelil	oas	e T	ype	•	8	3. Ir	ncio	den	t Ma	ana	gei	ner	ıt T	ype	è
	to																								
9. Evaluation																									
Enter X under appropriate	rating num	ıbeı	an	d pi	rope	er h	eac	ling	for	ead	ch c	ate	gor	y lis	ted	l.									
0 - Deficient -	Does not	me	meet the minimum requirements of the individual statement.																						
Deficiencies must be ide			enti																						
1 - Needs to Improve -	Meets sor	me	or r	nos	t of	the	rec	equirements of the individual element.																	
	Identify in																								
2 - Satisfactory -	Employee	me	eets	all	rec	uire	eme	ents	of	the	indi	ivid	ual	elei	mer	nt									
3 - Superior -	Employee	co	nsi	ster	itly	exc	eec	ls th	ne p	erfo	orm	anc	e re	equ	iren	nen	ts.								
* Not Applicable																									
* - Not Applicable																									
Helibase Gen HECM				/ HESM HCWN					AE	ABRO / TOLC DEC					ск		HEB1 / HEB2								
Rating Factors		Qι	ual / Trainee Qual /				Traiı	Trainee Qual / Traine			nee	Qual / Trainee			Qual / Trainee			nee	Qual / Traine						
		0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3
Knowledge of the job						Ш												ᆫ		Ш		Ш			L
Ability to obtain performance	)																	ᆫ		Ш					L
Attitude					_	Ш		_					Ш	_	_		_	╙		Ш		Ш			L
Decisions under stress						Ш								_				┡		Ш		Ш			
Initiative		<u> </u>		_	_	Н	_	_		_		_	Ш	_	┝	_	_	⊢				Н			L
Consideration for personal w		-		_	_	⊢	-			_			$\vdash$	_	_	_		⊢		Н	$\vdash$	Н			H
Obtain equipment and suppl	ies	H			-	Н	-					-	Н	_	┝		-	⊢		Н	$\vdash$	Н	-		H
Physical ability for the job		-	$\vdash$		_	Н				_		_	Н	_	$\vdash$		_	⊢		Н	$\vdash$	Н			H
Safety						$\vdash$							Н	_				⊢		Н	$\vdash$	Н			H
Crash rescue Other		$\vdash$	$\vdash$	$\vdash$	⊢	Н	$\vdash$	$\vdash$				$\vdash$	Н	_	⊢	$\vdash$	⊢	⊢		Н	$\vdash$	Н	-		H
10. Remarks		_	_	_	_	_	_	_	_			_			<u> </u>	_	_	_		_	_	ш			_
io. Remarks																									
11. Crew Supervisor (s	ignature)	: Th	nis I	rati	ng	has	be	en	dis	cus	sec	w	ith	me.								1	2.	Dat	e
13. Rated By (signature	e)		1	4. I	nci	den	ıt P	osi	tio	1	15. Home Unit Addres					ess	s 16					6. Date			
, , <b>,</b> , , ,	•															100 - 200									

HBM-13 (01/05) OPTIONAL

### O. Two for One CWN Mgt and/or Standard to Limited Request (HBM-14) (See Exhibit B-16)

- Purpose. The purpose is to document authorization from the appropriate state or regional Aviation Manager to allow one manager to manage 2 Restricted category or limited use designated helicopters, or to allow a standard category helicopter to be designated for limited use. Refer to Chapter 2 for more information.
- 2. Applicability. The form is optional at all levels, but authorization by the Appropriate Aviation Manager must be documented.
- 3. Responsibility for Completion. The form must be completed by the AOBD, ASGS, Helibase Manager, Helicopter Manager, or local Aviation Manager.
- 4. Posting. The Authorization should be held by the requesting official until the request is no longer needed or is no longer valid.
- 5. Related Forms. None

### Exhibit B-16: Two For One CWN MGT. And/Or Standard to Limited Helicopter Request HBM-14.

### TWO FOR ONE CWN MGT. AND/OR STANDARD TO LIMITED HELICOPTER REQUEST

Date of Request:										
Agency/Unit:	Incident Name:									
Requesting Official:	Title:									
One Manager to be Assigned to 2 Restricted Category / Limited Use Helicopters										
HCWN Name(1): La	st day of HCWN assignmen	::	O-#							
Helicopter Make and Model:	elicopter Make and Model: N-#									
2. Helicopter Make and Model:	Helicopter Make and Model: N-#									
Manager is fully qualified and agrees to manage b	ooth helicopters:	Yes	No							
A second HCWN is on order with active efforts to	Yes	No								
The helicopters are located side by side at the sai	Yes	No								
A fully qualified Helibase Manager is assigned:	Yes	No								
Standard Category Helicopter to be Designated as Limited Use (3)  Helicopter will be used for Buckets, External Cargo, ATGS, HLCO, PSD, Yes No IR, OR Aerial Mapping only:  Rational:										
Helicopter Make and Model:	N-#		A-#							
Approved By:	Title:		Date:							
Disapproved By:	Title:		Date:							
Rescinded By:	Title:		Date:							
(1) If either the Manager or Aircraft changes from the original request, a new approval will need to be obtained.  (2) Requestor will notify approving official when 2nd HCWN is filled.  (3) Requestor will notify approving official when helicopter is removed from limited use designation.										