

Health Consultation

Review of Residential Fruit Sampling

TOWN AND COUNTRY ESTATES

SPRINGFIELD, BAY COUNTY, FLORIDA

EPA FACILITY ID: FLD984171678

FEBRUARY 22, 2008

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Public Health Service

Agency for Toxic Substances and Disease Registry

Division of Health Assessment and Consultation

Atlanta, Georgia 30333

Health Consultation: A Note of Explanation

An ATSDR health consultation is a verbal or written response from ATSDR to a specific request for information about health risks related to a specific site, a chemical release, or the presence of hazardous material. In order to prevent or mitigate exposures, a consultation may lead to specific actions, such as restricting use of or replacing water supplies; intensifying environmental sampling; restricting site access; or removing the contaminated material.

In addition, consultations may recommend additional public health actions, such as conducting health surveillance activities to evaluate exposure or trends in adverse health outcomes; conducting biological indicators of exposure studies to assess exposure; and providing health education for health care providers and community members. This concludes the health consultation process for this site, unless additional information is obtained by ATSDR which, in the Agency's opinion, indicates a need to revise or append the conclusions previously issued.

You May Contact ATSDR Toll Free at
1-800-CDC-INFO

or

Visit our Home Page at: <http://www.atsdr.cdc.gov>

HEALTH CONSULTATION

TOWN AND COUNTRY ESTATES
SPRINGFIELD, BAY COUNTY, FLORIDA

EPA FACILITY ID: FLD984171678

Prepared By:

Florida Department of Health
Under a Cooperative Agreement with the
U.S. Department of Health and Human Services
Agency for Toxic Substances and Disease Registry

Table of Contents

Foreword	ii
Summary and Statement of Issues	1
Background	1
Community Health Concerns	2
Discussion.....	3
Evaluation of Pear Results.....	3
Child Health Considerations.....	3
Conclusions.....	4
Recommendations.....	4
Public Health Action Plan.....	4
Authors, Technical Advisors	5
References.....	6
Appendix A: Figures and Tables	7
Figure 1: Volusia County Map	8
Figure 2: Aerial Site Map	9
Figure 3: Sherwood Site Map	10
Table I.....	11
Table II.....	12
Table III.....	13
Appendix A: ATSDR Glossary of Environmental Health Terms	14
Certification	24

Foreword

This health consultation report evaluates metal results from pears harvested in one neighborhood yard near the Town and Country Estates site in Springfield, Florida. The Florida Department of Health (DOH) evaluated the test results to determine if the levels were a health threat.

Evaluating exposure: Florida DOH scientists begin by reviewing available information about environmental conditions at the site. The first task is to find out how much contamination is present, where it is on the site, and how people might be exposed to it. Usually, Florida DOH does not collect its own environmental sampling data. We rely on information provided by the Florida Department of Environmental Protection (DEP), the U.S. Environmental Protection Agency (USEPA), and other government agencies, businesses, and the public.

Evaluating health effects: If evidence is found that people are being exposed—or could be exposed—to hazardous substances, Florida DOH scientists will take steps to determine whether that exposure could be harmful to human health. Their assessment focuses on public health; that is, the health impact on the community as a whole, and is based on existing scientific information.

Developing recommendations: In an evaluation report—such as this exposure investigation report—Florida DOH outlines its conclusions regarding any potential health threat posed by a site, and offers recommendations for reducing or eliminating human exposure to contaminants. The role of Florida DOH in dealing with hazardous waste sites is primarily advisory. For that reason the evaluation report will typically recommend actions to be taken by other agencies—including the EPA and Florida DEP. If, however, the health threat is immediate, Florida DOH will issue a public health advisory warning people of the danger and will work to resolve the problem.

Soliciting community input: The evaluation process is interactive. Florida DOH solicits and evaluates information from various government agencies, the organizations or individuals responsible for cleaning up the site, and from community members who live near the site. Any conclusions are shared with the organizations and individuals who provided information. Once an evaluation report has been prepared, Florida DOH seeks feedback from the public. If you have questions or comments about this exposure investigation report, we encourage you to contact us.

Please write to: Susan Skye / Health Assessment Team
Office of Environmental and Occupational Toxicology
Florida Department of Health
4052 Bald Cypress Way, Bin # A-08
Tallahassee, FL 32399-1712

Or call us at: (850) 245-4299, or toll-free during business hours: 1-877-798-2772

Summary and Statement of Issues

This health consultation report evaluates the levels of various metals found in pears grown near the Town and Country Lake Estates site in Springfield, Florida. The Bay County Health Department (CHD) and the Florida Department of Agriculture and Consumer Services (DACs) collected the homegrown pears and DACs analyzed for 66 metals. Metals are commonly found in and near landfills and nearby residents reported finding landfill debris in their yards. The level of metals found in these pears are not likely to cause illness. The calculated doses of metals from eating this fruit were less than recommended dietary intake levels and less than or equal to ATSDR's minimal risk levels (MRLs). Therefore, based on levels of metals found in the pears, this exposure pathway is no apparent public health hazard.

Purpose

Metals are commonly found in and near landfills and nearby residents reported finding landfill debris in their yards. Therefore, the Florida Department of Health (DOH) coordinated testing of fruit in the neighborhood to see if the metals were uptaken into fruit.

Background

Site Description

The 45-acre, 100-home Town and Country Lake Estates subdivision is in eastern Springfield, east of Panama City, Bay County, Florida (Figures 1 and 2). Subdivision boundaries include 11th Street on the north, Bob Little Road (State Road. 22A) on the east, 7th Street to the south, and Lake Charles to the west. Land use is residential. Other residential areas surround the Town and Country Lake Estates subdivision. Everitt Junior High is ¾ mile west, and Oak Hill Community Hospital is ⅔ mile east.

Residents use municipal water and many residents have irrigation wells. Residents can access nearby Lake Charles through a park north of the intersection of Seventh Avenue and Russ Lake Road.

Site Background and History

Portions of Town and Country Lake Estates subdivision were built on a landfill. Land subsidence has caused structural damage to houses and their foundations.

From the early 1950s to 1983, this area reportedly received Panama City and Bay County household garbage and petroleum refining, paper mill, slaughterhouse, and fish/seafood processing wastes (2004, HLA 1999). Beginning in 1987, a developer built single-family homes over some areas that had received garbage and other wastes.

The Springfield Landfill (south of Town and Country Lake Estates) closed in 1983. Sampling of various site media in Town and Country Lake Estates began in 1989, and continued in 1993, 1994, and 1998. In 1998, the Florida Department of Environmental Protection asked Florida DOH to assess the available data for possible public health concerns based on their finding of arsenic, and Toxic Equivalents (TEQ) dioxins in soil and sediment; and arsenic, benzene, and

lead in groundwater above residential Cleanup Target Levels. Florida DOH's 1999 health consultation found the site posed no apparent health hazard (ATSDR 1999) and additional data prompted a Public Health Assessment report in 2006 (ATSDR 2006).

On August 5, 2004 and March 23, 2005 a DOH representative visited Town and Country Lake Estates. The subdivision includes mostly single-story, ranch-style homes. The DOH staff member observed and photographed a number of locations where the ground appears to have subsided. Land subsidence has caused slumped rooflines, cracks in exterior walls, and visible gaps between houses and their foundations. She observed evidence of waste water line repairs at numerous locations. She also observed a petroleum-like groundwater discharge.

On August 5, 2004 and March 23, 2005, Town and Country Lake Estates homeowners attended public meetings held by the Florida DEP at the Springfield Community Center. Residents reported frequent water, wastewater, and gas line repairs due to land subsidence. Residents reported one instance of evacuation for a gas line repair. They also reported sewage backups into their homes, sewage overflowing from manhole covers, sheet flow of raw sewage across lawns, and on one occasion sewage flow into Lake Charles (see Community Health Concerns section).

In April 2006, Florida DOH held a public meeting at the Springfield Community Center to inform residents of the conclusions and recommendations of the Public Health Assessment report. The report found that conditions on portions of the subdivision could pose a "public health hazard" due to infrastructure damage, which could allow foundations and utility lines to crack. Landfill debris that works its way to the surface is a physical hazard and some of the reported materials have the potential to be chemical hazards.

Demographics

In 2000, about 400 people lived within the Town and Country Lake Estates subdivision. Approximately 30% were black, 60% were white, 6% were Asian, and 3% were Latino or Hispanic. American Indian and Alaska Native, Native Hawaiian and Other Pacific Islander, and all other racial/ethnic groups made up less than 1% of the population (Bureau of the Census 2000).

Community Health Concerns

At public meetings on August 5, 2004 and March 23, 2005, Town and Country Lake Estates homeowners expressed the following health concerns:

- structural damage (cracking walls and foundations) to homes apparently caused by waste compaction and land subsidence,
- gas and sewer line leaks cause by waste compaction and land subsidence,
- frequent municipal water line breaks caused by land subsidence,
- bad tasting municipal water that they attributed to soil in water lines,

-
- lack of effective notice of boil water notices following water line breaks and repairs and failure of public service announcements to reach all residents, especially those working during the day,
 - trash and other landfill debris including barrels, rubber, plastic, needles, and glass intravenous bottles working up through the soil in their yards,
 - landfill odors inside and outside their homes,
 - landfill chemicals in their irrigation wells and concern for use of irrigation wells to fill swimming pools, irrigate lawns, and grow fruits and vegetables, also concerns that the use of irrigation wells on their lawns was causing birds to die,
 - breathing problems, thyroid problems, memory loss, fatigue, rashes, and other skin problems (seven reports), and
 - cancerous and non-cancerous tumors and a request for a cancer cluster investigation.

Discussion

Metals are commonly found in and near landfills and nearby residents reported finding landfill debris in their yards, so the Florida Department of Health (DOH) coordinated testing. The Bay CHD found one pear tree and the residents agreed to having their pears tested. On June 21, 2007, the Bay CHD collected 15 pears and sent the product to DACS for metal testing. Due to metals in the resident's yard, this is a potential exposure pathway from soils to the produce to oral ingestion of fruit.

Pear Laboratory Methods and Public Health Implications

Florida DACS rinsed the pears and analyzed them for 66 metals using DACS's Food Laboratory ICP-MS semi quantitative method. Table I summarizes the results. Only those metals detected above the detection limit are included.

Barium, copper, manganese, rubidium and strontium were detected in the pears. The calculated doses for eating the pears were less than recommended dietary intake levels and less than or equal to ATSDR's Minimal Risk Levels (Table II and III). Therefore, the levels of metals found in the pears are not likely to cause illness.

In addition, the levels of barium, copper, manganese, rubidium and strontium were all less than or equal to the MRL (Minimal Risk Level). This too indicates that none of these metals detected in the pears are likely to cause illness.

Rubidium is found naturally in Florida soil and is added to nutrient drinks. We do not expect low levels of this metal in the pears to cause illness.

Consideration of Biological Testing

The levels of metals found in the pears do not warrant blood or urine testing.

Child Health Considerations

Approximately 50 children live in the neighborhood near the Town and Country Estates site. Because the calculated doses for eating the pears were less than recommended dietary intake levels and less than or equal to ATSDR's Minimal Risk Levels (which are protective of children), the levels are not likely to cause illness. In communities faced with air, water, or food contamination, the many physical differences between children and adults demand special emphasis. Children could be at greater risk than are adults from certain kinds of exposure to hazardous substances. Children play outdoors and sometimes engage in hand-to-mouth behaviors that increase their exposure potential. Children are shorter than are adults; this means they breathe dust, soil, and vapors close to the ground. A child's lower body weight and higher intake rate results in a greater dose of hazardous substance per unit of body weight. If toxic exposure levels are high enough during critical growth stages, the developing body systems of children can sustain permanent damage. Finally, children are dependent on adults for access to housing, for access to medical care, and for risk identification. Thus, adults need as much information as possible to make informed decisions regarding their children's health.

Conclusions

Based on levels of metals found in the pears there is no apparent public health hazard from this exposure pathway. The levels of metals found in the pears near the site are not likely to cause illness. The calculated doses for eating this fruit were less than recommended dietary intake levels and less than or equal to ATSDR's minimal risk levels (MRLs).

Recommendations

Florida DOH has no recommendations regarding this site.

For best public health practice: As with any home garden, gardeners should wash their hands after gardening and rinse fruits and vegetables before eating.

Public Health Action Plan

Past Actions

In 2006, the Florida DOH published a Public Health Assessment report reviewing soil, sediment, groundwater, surface water, fish, and air test results.

Also in 2006, Florida DOH loaned four methane detectors and one combustible gas meter for residents who reported odors to use in their homes.

Planned Actions

Florida DOH staff will continue to address health concerns.

Authors, Technical Advisors

Author

Susan Skye

Biological Scientist
Office of Environmental and Occupational Toxicology
Division of Environmental Health
(850) 245-4444 ext. 2310

Florida DOH Designated Reviewer

Randy Merchant

Program Administrator
Office of Environmental and Occupational Toxicology
Division of Environmental Health
(850) 245-4299

ATSDR Designated Reviewers

Jennifer Freed

Technical Project Officer
Division of Health Assessment and Consultation
Agency for Toxic Substances and Disease Registry

References

- [ASN] American Society for Nutrition. <http://jn.nutrition.org/nutinfo/content/trace.shtml>. Last viewed October 9, 2007.
- [ATSDR] Agency for Toxic Substances and Disease Registry. 1999. Health Consultation for the Town & Country Lake Estates, February 3, 1999.
- [ATSDR] Agency for Toxic Substances and Disease Registry. 2000. Toxicological Profile for Manganese.
- [ATSDR] Agency for Toxic Substances and Disease Registry. 2004. Toxicological Profile for Copper.
- [ATSDR] Agency for Toxic Substances and Disease Registry. 2005. Toxicological Profile for Barium.
- [ATSDR] Agency for Toxic Substances and Disease Registry. 2006. Public Health Assessment Report. Town and Country Lake Estates, Springfield, Bay County, Florida.
- [BOC] Bureau of the Census, US Department of Commerce. 2000. LandView 5 Software on DVD, A Viewer for EPA, Census and USGS Data and Maps. U.S. Department of Commerce.
- [DEP] Florida Department of Environmental Protection. 2004. Town and Country Lake Estates Springfield, Bay County, Florida. Preliminary Contamination Assessment SIS Report Number 2004-02, December 2004.
- [EPA] Environmental Protection Agency. 1997. EPA Food Exposure Factors Handbook.
- [Environmental Chemistry] Environmental Chemistry and Hazardous Material News, Careers and Resources <http://environmentalchemistry.com/yogi/periodic/Sr.html#Overview>. Last viewed October 9, 2007.
- [FDOH] Florida Department of Health. 2006. Public Health Assessment for Town and Country Estates.
- [HLA] Harding Lawson and Associates. 1999. Expanded Site Inspection Report. Town and Country Lake Estates Springfield, Bay County, Florida.
- [EPA] Exposure Factors Handbook Volume II: Food Ingestion Factors. 1997. Office of Research and Development. Washington, D.C.
- [National Academies] The National Academies. Boron, Chromium, Copper, Manganese, Molybdenum, Silicon and Zinc - Dietary Reference Intakes: Elements <http://www.iom.edu/Object.File/Master/7/294/0.pdf>. Last viewed October 9, 2007.
- [Spectrum] Chemical Fact Sheet for Barium. www.speclab.com/elements/barium.htm. Last viewed October 9, 2007.

Appendix A
Figures and Tables

FIGURE 1

Bay County Map



Reference: <http://www.floridacountiesmap.com/>

FIGURE 2

Town and Country Estates Site

Springfield, Florida



TABLE I
Metal Concentrations Found in Pears in a Neighborhood Yard Near
Town and Country Lake Estates
Tested in 2007

Metals Analyzed	Pears mg/kg
Barium	0.26
Copper	0.57
Manganese	0.38
Rubidium	1.5
Strontium	0.53

mg/kg = milligrams per kilogram

Results for the nutrient elements Sodium, Calcium, Magnesium, Potassium, Iron and Zinc are not reported.

In addition to the elements in the above table, the following elements were tested for in pears and were below detection limits (BDL):

Antimony, arsenic, beryllium, bismuth, boron, cadmium, calcium, cerium, cesium, cobalt, europium, gadolinium, dysprosium, erbium, gallium, germanium, gold, holmium, hafnium, indium, iridium, iron, lanthium, lithium, luteium, mercury, lead, magnesium, neodymium, nickel, niobium, osmium, paladium, platinum, potassium, praseodymium, rhenium, ruthenium, samarium, scandium, selenium, silver, sodium, tantalum, tellurium, terbium, thallium, titanium, thulium, thorium, rhodium, tungsten, uranium, vanadium, yttrium, ytterbium, zinc, zirconium

TABLE II

Comparison of Calculated Doses in Metals vs. ATSDR Minimal Risk Levels (MRLs) for metals in Pears from Town and Country Lake Estates 2007

	Dose	MRL*
	mg/kg/day	mg/kg/day
Metals Analyzed		
Barium	0.00003	0.7 interm;0.6 chronic (9/05)
Copper	0.00007	0.01 acute;0.01 interm (9/04)
Manganese	0.00005	0.005 chronic (9/00)
Rubidium	0.00018	none
Strontium	0.00007	2.0 interm (4/04)

mg/kg/day = milligrams per kilograms per day

Note: Even if we assume the worst case scenario and calculate all doses using 10 times the dietary intake amount for each fruit and vegetable, the dose would still be less than the available ATSDR MRLs

acute = exposure 1-14 days

interm = intermediate exposure = 14-364 days

chronic = exposure over 365 days

MRL = minimal risk level and date of ATSDR toxicological profile

TABLE III**Calculated Doses and Dietary Intakes for Metals Found in Pears from Town and Country Estates Tested in 2007**

Chemical	Highest Calculated	Highest Calculated	MRL	NOAEL	Tox Profile	Daily Dietary
	Doses(mg/kg/day)*	Doses (mg/day)**	oral	humans	Date	Intake
Barium	0.00003	0.0258	0.6 chronic 0.7 interm		Aug-05	1.3 mg/day typical dietary intake (Spectrum 2007)
Copper	0.00007	0.0500	0.01 acute 0.01 interm		Sep-04	1-10 mg/day 1 mg/day –1yr old 10 mg/day=30-70yrs (National Academy 2007)
Manganese	0.00005	0.0033	none	0.005 chronic	Sep-00	2-5 mg/day daily intake (National Academy 2007)
Rubidium	0.00018	0.1290	none			1-5 mg/day dietary intake (Am Society for Nutrition 2007)
Strontium	0.00007	0.0430	2.00 interm		Apr-04	0.8-5.0 mg/day typical intake (Environmental Chemistry 2007)

Note: Calculated doses in mg/day were calculated using the mean daily intake of produce (all ages) Table 9-22 in EPA Factors handbook. The mean vegetable intake per day is 86 g/day for pears.

Fruit Calculations

$$\mu\text{g/g} = \text{mg/kg}$$

$$(\text{X } \mu\text{g/g metal in fruit}) (\text{consumption intake rate } \underline{\text{grams vegetable}}) (\text{bw in kg}) = \text{dose in } \mu\text{g/kg/day}$$

Then convert to mg/kg/day and compare final dose with ATSDR MRL to see if above or below the guidelines.

Example:

0.57 $\mu\text{g/g}$ of copper is detected in pears

The Average Consumption Rate for pears is 0.122 grams of pears per kg bw per day

Avg kg bw for an adult is 70 kg; for a child is 15 kg

$$\underline{(0.57 \mu\text{g/g copper in pears})(0.122 \text{ g /kg bw/day})(70 \text{ kg bw})} = 0.07 \mu\text{g/kg/day} = 0.00007 \text{ mg/kg/day}$$

bw in kg

kg bw per day _____

15 kg

APPENDIX A

ATSDR Glossary of Environmental Health Terms

This glossary defines words used by the Agency for Toxic Substances and Disease Registry (ATSDR) in communications with the public. It is not a complete dictionary of environmental health terms. If you have questions or comments, call ATSDR's toll-free telephone number, 1-888-422-8737.

Absorption

The process of taking in. For a person or an animal, absorption is the process of a substance getting into the body through the eyes, skin, stomach, intestines, or lungs.

Acute

Occurring over a short time [compare with chronic].

Acute exposure

Contact with a substance that occurs once or for only a short time (up to 14 days) [compare with intermediate duration exposure and chronic exposure].

Additive effect

A biologic response to exposure to multiple substances that equals the sum of responses of all the individual substances added together [compare with antagonistic effect and synergistic effect].

Adverse health effect

A change in body function or cell structure that might lead to disease or health problems

Aerobic

Requiring oxygen [compare with anaerobic].

The Agency for Toxic Substances and Disease Registry (ATSDR)

The Agency for Toxic Substances and Disease Registry (ATSDR) is a federal public health agency with headquarters in Atlanta, Georgia, and 10 regional offices in the United States. ATSDR's mission is to serve the public by using the best science, taking responsive public health actions, and providing trusted health information to prevent harmful exposures and diseases related to toxic substances.

Ambient

Surrounding (for example, *ambient* air).

Anaerobic

Requiring the absence of oxygen [compare with aerobic].

Analyte

A substance measured in the laboratory. A chemical for which a sample (such as water, air, or blood) is tested in a laboratory. For example, if the analyte is mercury, the laboratory test will determine the amount of mercury in the sample.

Analytic epidemiologic study

A study that evaluates the association between exposure to hazardous substances and disease by testing scientific hypotheses.

Antagonistic effect

A biologic response to exposure to multiple substances that is **less** than would be expected if the known effects of the individual substances were added together [compare with additive effect and synergistic effect].

Background level

An average or expected amount of a substance or radioactive material in a specific environment, or typical amounts of substances that occur naturally in an environment.

Biodegradation

Decomposition or breakdown of a substance through the action of microorganisms (such as bacteria or fungi) or other natural physical processes (such as sunlight).

Biologic indicators of exposure study

A study that uses (a) biomedical testing or (b) the measurement of a substance [an analyte], its metabolite, or another marker of exposure in human body fluids or tissues to confirm human exposure to a hazardous substance [also see exposure investigation].

Biologic monitoring

Measuring hazardous substances in biologic materials (such as blood, hair, urine, or breath) to determine whether exposure has occurred. A blood test for lead is an example of biologic monitoring.

Biologic uptake

The transfer of substances from the environment to plants, animals, and humans.

Biota

Plants and animals in an environment. Some of these plants and animals might be sources of food, clothing, or medicines for people.

CAP [see Community Assistance Panel.]**Cancer**

Any one of a group of diseases that occur when cells in the body become abnormal and grow or multiply out of control.

Cancer risk

A theoretical risk for getting cancer if exposed to a substance every day for 70 years (a lifetime exposure). The true risk might be lower.

Carcinogen

A substance that causes cancer.

Case study

A medical or epidemiologic evaluation of one person or a small group of people to gather information about specific health conditions and past exposures.

Case-control study

A study that compares exposures of people who have a disease or condition (cases) with people who do not have the disease or condition (controls). Exposures that are more common among the cases may be considered as possible risk factors for the disease.

Central nervous system

The part of the nervous system that consists of the brain and the spinal cord.

CERCLA [see Comprehensive Environmental Response, Compensation, and Liability Act of 1980]**Chronic**

Occurring over a long time [compare with acute].

Chronic exposure

Contact with a substance that occurs over a long time (more than 1 year) [compare with acute exposure and intermediate duration exposure]

Cluster investigation

A review of an unusual number, real or perceived, of health events (for example, reports of cancer) grouped together in time and location. Cluster investigations are designed to confirm case reports; determine whether they represent an unusual disease occurrence; and, if possible, explore possible causes and contributing environmental factors.

Community Assistance Panel (CAP)

A group of people from a community and from health and environmental agencies who work with ATSDR to resolve issues and problems related to hazardous substances in the community. CAP members work with ATSDR to gather and review community health concerns, provide information on how people might have been or might now be exposed to hazardous substances, and inform ATSDR on ways to involve the community in its activities.

Comparison value (CV)

Calculated concentration of a substance in air, water, food, or soil that is unlikely to cause harmful (adverse) health effects in exposed people. The CV is used as a screening level during the public health assessment process. Substances found in amounts greater than their CVs might be selected for further evaluation in the public health assessment process.

Completed exposure pathway [see exposure pathway].

Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA)

CERCLA, also known as Superfund, is the federal law that concerns the removal or cleanup of hazardous substances in the environment and at hazardous waste sites. ATSDR, which was created by CERCLA, is responsible for assessing health issues and supporting public health activities related to hazardous waste sites or other environmental releases of hazardous substances. This law was later amended by the Superfund Amendments and Reauthorization Act (SARA).

Concentration

The amount of a substance present in a certain amount of soil, water, air, food, blood, hair, urine, breath, or any other media.

Contaminant

A substance that is either present in an environment where it does not belong or is present at levels that might cause harmful (adverse) health effects.

Delayed health effect

A disease or an injury that happens as a result of exposures that might have occurred in the past.

Dermal

Referring to the skin. For example, dermal absorption means passing through the skin.

Dermal contact

Contact with (touching) the skin [see route of exposure].

Descriptive epidemiology

The study of the amount and distribution of a disease in a specified population by person, place, and time.

Detection limit

The lowest concentration of a chemical that can reliably be distinguished from a zero concentration.

Dose (for chemicals that are not radioactive)

The amount of a substance to which a person is exposed over some time period. Dose is a measurement of exposure. Dose is often expressed as milligram (amount) per kilogram (a measure of body weight) per day (a measure of time) when people eat or drink contaminated water, food, or soil. In general, the greater the dose, the greater the likelihood of an effect. An “exposure dose” is how much of a substance is encountered in the environment. An “absorbed dose” is the amount of a substance that actually got into the body through the eyes, skin, stomach, intestines, or lungs.

Dose (for radioactive chemicals)

The radiation dose is the amount of energy from radiation that is actually absorbed by the body. This is not the same as measurements of the amount of radiation in the environment.

Dose-response relationship

The relationship between the amount of exposure [dose] to a substance and the resulting changes in body function or health (response).

Environmental media

Soil, water, air, biota (plants and animals), or any other parts of the environment that can contain contaminants.

Environmental media and transport mechanism

Environmental media include water, air, soil, and biota (plants and animals). Transport mechanisms move contaminants from the source to points where human exposure can occur. The environmental media and transport mechanism is the second part of an exposure pathway.

EPA

United States Environmental Protection Agency.

Epidemiologic surveillance [see Public health surveillance].**Epidemiology**

The study of the distribution and determinants of disease or health status in a population; the study of the occurrence and causes of health effects in humans.

Exposure

Contact with a substance by swallowing, breathing, or touching the skin or eyes. Exposure may be short-term [acute exposure], of intermediate duration, or long-term [chronic exposure].

Exposure assessment

The process of finding out how people come into contact with a hazardous substance, how often and for how long they are in contact with the substance, and how much of the substance they are in contact with.

Exposure-dose reconstruction

A method of estimating the amount of people’s past exposure to hazardous substances. Computer and approximation methods are used when past information is limited, not available, or missing.

Exposure investigation

The collection and analysis of site-specific information and biologic tests (when appropriate) to determine whether people have been exposed to hazardous substances.

Exposure pathway

The route a substance takes from its source (where it began) to its end point (where it ends), and how people can come into contact with (or get exposed to) it. An exposure pathway has

five parts: a source of contamination (such as an abandoned business); an environmental media and transport mechanism (such as movement through groundwater); a point of exposure (such as a private well); a route of exposure (eating, drinking, breathing, or touching), and a receptor population (people potentially or actually exposed). When all five parts are present, the exposure pathway is termed a completed exposure pathway.

Exposure registry

A system of ongoing follow up of people who have had documented environmental exposures.

Feasibility study

A study by EPA to determine the best way to clean up environmental contamination. A number of factors are considered, including health risk, costs, and what methods will work well.

Groundwater

Water beneath the earth's surface in the spaces between soil particles and between rock surfaces [compare with surface water].

Hazard

A source of potential harm from past, current, or future exposures.

Hazardous Substance Release and Health Effects Database (HazDat)

The scientific and administrative database system developed by ATSDR to manage data collection, retrieval, and analysis of site-specific information on hazardous substances, community health concerns, and public health activities.

Hazardous waste

Potentially harmful substances that have been released or discarded into the environment.

Health investigation

The collection and evaluation of information about the health of community residents. This information is used to describe or count the occurrence of a disease, symptom, or clinical measure and to evaluate the possible association between the occurrence and exposure to hazardous substances.

Indeterminate public health hazard

The category used in ATSDR's public health assessment documents when a professional judgment about the level of health hazard cannot be made because information critical to such a decision is lacking.

Incidence

The number of new cases of disease in a defined population over a specific time period [contrast with prevalence].

Ingestion

The act of swallowing something through eating, drinking, or mouthing objects. A hazardous substance can enter the body this way [see route of exposure].

Inhalation

The act of breathing. A hazardous substance can enter the body this way [see route of exposure].

Intermediate duration exposure

Contact with a substance that occurs for more than 14 days and less than a year [compare with acute exposure and chronic exposure].

In vitro

In an artificial environment outside a living organism or body. For example, some toxicity

testing is done on cell cultures or slices of tissue grown in the laboratory, rather than on a living animal [compare with in vivo].

In vivo

Within a living organism or body. For example, some toxicity testing is done on whole animals, such as rats or mice [compare with in vitro].

Lowest-observed-adverse-effect level (LOAEL)

The lowest tested dose of a substance that has been reported to cause harmful (adverse) health effects in people or animals.

Medical monitoring

A set of medical tests and physical exams specifically designed to evaluate whether an individual's exposure could negatively affect that person's health.

Metabolism

The conversion or breakdown of a substance from one form to another by a living organism.

Metabolite

Any product of metabolism.

mg/kg

Milligram per kilogram.

mg/cm²

Milligram per square centimeter (of a surface).

mg/m³

Milligram per cubic meter; a measure of the concentration of a chemical in a known volume (a cubic meter) of air, soil, or water.

Migration

Moving from one location to another.

Minimal risk level (MRL)

An ATSDR estimate of daily human exposure to a hazardous substance at or below which that substance is unlikely to pose a measurable risk of harmful (adverse), noncancerous effects. MRLs are calculated for a route of exposure (inhalation or oral) over a specified time period (acute, intermediate, or chronic). MRLs should not be used as predictors of harmful (adverse) health effects [see reference dose].

National Priorities List for Uncontrolled Hazardous Waste Sites (National Priorities List or NPL)

EPA's list of the most serious uncontrolled or abandoned hazardous waste sites in the United States. The NPL is updated on a regular basis.

National Toxicology Program (NTP)

Part of the Department of Health and Human Services. NTP develops and carries out tests to predict whether a chemical will cause harm to humans.

No apparent public health hazard

A category used in ATSDR's public health assessments for sites where human exposure to contaminated media might be occurring, might have occurred in the past, or might occur in the future, but where the exposure is not expected to cause any harmful health effects.

No-observed-adverse-effect level (NOAEL)

The highest tested dose of a substance that has been reported to have no harmful (adverse) health effects on people or animals.

No public health hazard

A category used in ATSDR's public health assessment documents for sites where people have never and will never come into contact with harmful amounts of site-related substances.

NPL [see National Priorities List for Uncontrolled Hazardous Waste Sites]

Plume

A volume of a substance that moves from its source to places farther away from the source. Plumes can be described by the volume of air or water they occupy and the direction they move. For example, a plume can be a column of smoke from a chimney or a substance moving with groundwater.

Point of exposure

The place where someone can come into contact with a substance present in the environment [see exposure pathway].

Population

A group or number of people living within a specified area or sharing similar characteristics (such as occupation or age).

Potentially responsible party (PRP)

A company, government, or person legally responsible for cleaning up the pollution at a hazardous waste site under Superfund. There may be more than one PRP for a particular site.

ppb

Parts per billion.

ppm

Parts per million.

Public availability session

An informal, drop-by meeting at which community members can meet one-on-one with ATSDR staff members to discuss health and site-related concerns.

Public comment period

An opportunity for the public to comment on agency findings or proposed activities contained in draft reports or documents. The public comment period is a limited time period during which comments will be accepted.

Public health action

A list of steps to protect public health.

Public health advisory

A statement made by ATSDR to EPA or a state regulatory agency that a release of hazardous substances poses an immediate threat to human health. The advisory includes recommended measures to reduce exposure and reduce the threat to human health.

Public health assessment (PHA)

An ATSDR document that examines hazardous substances, health outcomes, and community concerns at a hazardous waste site to determine whether people could be harmed from coming into contact with those substances. The PHA also lists actions that need to be taken to protect public health.

Public health hazard

A category used in ATSDR's public health assessments for sites that pose a public health hazard because of long-term exposures (greater than 1 year) to sufficiently high levels of hazardous substances or radionuclides that could result in harmful health effects.

Public health hazard categories

Public health hazard categories are statements about whether people could be harmed by

conditions present at the site in the past, present, or future. One or more hazard categories might be appropriate for each site. The five public health hazard categories are no public health hazard, no apparent public health hazard, indeterminate public health hazard, public health hazard, and urgent public health hazard.

Public health statement

The first chapter of an ATSDR toxicological profile. The public health statement is a summary written in words that are easy to understand. The public health statement explains how people might be exposed to a specific substance and describes the known health effects of that substance.

Public health surveillance

The ongoing, systematic collection, analysis, and interpretation of health data. This activity also involves timely dissemination of the data and use for public health programs.

Receptor population

People who could come into contact with hazardous substances [see exposure pathway].

Reference dose (RfD)

An EPA estimate, with uncertainty or safety factors built in, of the daily lifetime dose of a substance that is unlikely to cause harm in humans.

Remedial investigation

The CERCLA process of determining the type and extent of hazardous material contamination at a site.

RfD [see reference dose]

Risk

The probability that something will cause injury or harm.

Risk reduction

Actions that can decrease the likelihood that individuals, groups, or communities will experience disease or other health conditions.

Risk communication

The exchange of information to increase understanding of health risks.

Route of exposure

The way people come into contact with a hazardous substance. Three routes of exposure are breathing [inhalation], eating or drinking [ingestion], or contact with the skin [dermal contact].

Safety factor [see uncertainty factor]

SARA [see Superfund Amendments and Reauthorization Act]

Sample

A portion or piece of a whole. A selected subset of a population or subset of whatever is being studied. For example, in a study of people the sample is a number of people chosen from a larger population [see population]. An environmental sample (for example, a small amount of soil or water) might be collected to measure contamination in the environment at a specific location.

Sample size

The number of units chosen from a population or an environment.

Source of contamination

The place where a hazardous substance comes from, such as a landfill, waste pond,

incinerator, storage tank, or drum. A source of contamination is the first part of an exposure pathway.

Special populations

People who might be more sensitive or susceptible to exposure to hazardous substances because of factors such as age, occupation, sex, or behaviors (for example, cigarette smoking). Children, pregnant women, and older people are often considered special populations.

Statistics

A branch of mathematics that deals with collecting, reviewing, summarizing, and interpreting data or information. Statistics are used to determine whether differences between study groups are meaningful.

Substance

A chemical.

Superfund [see Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) and Superfund Amendments and Reauthorization Act (SARA)]

Superfund Amendments and Reauthorization Act (SARA)

In 1986, SARA amended the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) and expanded the health-related responsibilities of ATSDR. CERCLA and SARA direct ATSDR to look into the health effects from substance exposures at hazardous waste sites and to perform activities including health education, health studies, surveillance, health consultations, and toxicological profiles.

Surface water

Water on the surface of the earth, such as in lakes, rivers, streams, ponds, and springs [compare with groundwater].

Surveillance [see public health surveillance]

Survey

A systematic collection of information or data. A survey can be conducted to collect information from a group of people or from the environment. Surveys of a group of people can be conducted by telephone, by mail, or in person. Some surveys are done by interviewing a group of people [see prevalence survey].

Synergistic effect

A biologic response to multiple substances where one substance worsens the effect of another substance. The combined effect of the substances acting together is greater than the sum of the effects of the substances acting by themselves [see additive effect and antagonistic effect].

Teratogen

A substance that causes defects in development between conception and birth. A teratogen is a substance that causes a structural or functional birth defect.

Toxic agent

Chemical or physical (for example, radiation, heat, cold, microwaves) agents that, under certain circumstances of exposure, can cause harmful effects to living organisms.

Toxicological profile

An ATSDR document that examines, summarizes, and interprets information about a hazardous substance to determine harmful levels of exposure and associated health effects. A toxicological profile also identifies significant gaps in knowledge on the substance and describes areas where further research is needed.

Toxicology

The study of the harmful effects of substances on humans or animals.

Tumor

An abnormal mass of tissue that results from excessive cell division that is uncontrolled and progressive. Tumors perform no useful body function. Tumors can be either benign (not cancer) or malignant (cancer).

Uncertainty factor

Mathematical adjustments for reasons of safety when knowledge is incomplete. For example, factors used in the calculation of doses that are not harmful (adverse) to people. These factors are applied to the lowest-observed-adverse-effect-level (LOAEL) or the no-observed-adverse-effect-level (NOAEL) to derive a minimal risk level (MRL). Uncertainty factors are used to account for variations in people's sensitivity, for differences between animals and humans, and for differences between a LOAEL and a NOAEL. Scientists use uncertainty factors when they have some, but not all, the information from animal or human studies to decide whether an exposure will cause harm to people [also sometimes called a safety factor].

Urgent public health hazard


A category used in ATSDR's public health assessments for sites where short-term exposures (less than 1 year) to hazardous substances or conditions could result in harmful health effects that require rapid intervention.

Volatile organic compounds (VOCs)

Organic compounds that evaporate readily into the air. VOCs include substances such as benzene, toluene, and methylene chloride.


CERTIFICATION

The Florida Department of Health, Office of Environmental and Occupational Toxicology prepared this Health Consultation under a cooperative agreement with the Agency for Toxic Substances and Disease Registry. It followed approved methodology and procedures existing at the time it began. The Cooperative Agreement Partner completed editorial review.



Jennifer Freed
Technical Project Officer
CAT, SPAB, DHAC

The Division of Health Assessment and Consultation, ATSDR, has reviewed this health consultation, and concurs with its findings.



Alan Yarbrough
Team Leader
CAT, SPAB, DHAC, ATSDR