

## MISCELLANEOUS DATA

### 100 Degree Days

#### LONGEST CONSECUTIVE PERIOD

1. 5 JUL 1980-19 JUL 1980 - 15 Days
2. 25 AUG 2000- 4 SEP 2000 - 11 Days
3. 20 AUG 1983-30 AUG 1983 - 11 Days
4. 6 AUG 1980-15 AUG 1980 - 10 Days
5. 10 AUG 1954-19 AUG 1954 - 10 Days
6. 9 AUG 2007-16 AUG 2007 - 8 Days
7. 22 JUL 1952-29 JUL 1952 - 8 Days
8. 2 AUG 1947- 9 AUG 1947 - 8 Days
9. 2 SEP 1925- 9 SEP 1925 - 8 Days
10. 27 JUL 1896- 3 AUG 1896 - 8 Days

AVERAGE 1<sup>ST</sup> 100°F DAY: 16 JUL

EARLIEST FIRST 100°F DAY: 6 JUN 1977

LATEST FIRST 100°F DAY: 6 SEP 1922

LATEST 100°F DAY: 29 SEP 1953

53 YEARS (SINCE 1880)THE TEMPERATURE NEVER REACHED 100°F

- 1880, 1882, 1883, 1886, 1888, 1889, 1890, 1891, 1892, 1893,  
1895, 1898, 1900, 1902, 1903, 1904, 1905, 1906, 1908, 1910,  
1912, 1916, 1917, 1919, 1920, 1921, 1923, 1927, 1928, 1932,  
1940, 1941, 1945, 1946, 1948, 1949, 1950, 1955, 1958, 1959,  
1961, 1967, 1968, 1973, 1975, 1979, 1982, 1984, 1989, 1992,  
1994, 2002, 2004

## MISCELLANEOUS DATA

### Record Dry Periods

LONGEST CONSECUTIVE PERIOD WITHOUT MEASURABLE PRECIPITATION (LESS  
THAN 0.01")

1. 27 JUL 1995- 3 SEP 1995 - 39 Days
2. 3 AUG 1936- 8 SEP 1936 - 37 Days
3. 14 JUN 1944-19 JUL 1944 - 36 Days
4. 19 MAY 1966-22 JUN 1966 - 35 Days
5. 29 MAY 1952- 2 JUL 1952 - 35 Days
6. 15 DEC 1955-17 JAN 1956 - 34 Days
7. 2 JUL 1930- 3 AUG 1930 - 33 Days
8. 28 SEP 1924-30 OCT 1924 - 33 Days
9. 29 SEP 2005-30 OCT 2005 - 32 Days
10. 29 JUN 1986-30 JUL 1986 - 32 Days

MONTHS WITH NO RAIN:

- JUN 1952, AUG 1995