8. REFERENCES

ACGIH. 1991. Documentation of the threshold limit values and biological exposure indices. 6th edition.

American Conference of Governmental Industrial Hygienists. Cincinnati, OH.

- *ACGIH. 1998. TLVs and BEIs: Threshold limit values for chemical substances and physical agents-Biological exposure indices. American Conference of Governmental Industrial Hygienists. Cincinnati, OH. 37.
- *Adinolfi M. 1985. The development of the human blood-csf-brain barrier. Dev Med Child Neurol 27:532-537.
- *Adriani J. 1941. The pharmacology of anesthetic drugs. Springfield, IL: Thomas, 33-34.
- *Adriani J. 1986. Selection of anesthesia. Int Anesthesiol Clin 6:96 I 1040.
- *Ahlert RC, Enzminger JD. 1992. Anaerobic processes for the dechlorination of 1, I, 1 -trichloroethane. J Environ Sci Health A27: 1675- 1699.
- *Altman PK, Dittmer DS. 1974. Biological handbooks: Biology data book. Volume III, 2nd ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008,204l.
- *Amdur MO, Doull J, Klaassen CD, eds. 199 1. Casarett and Doull's toxicology: The basic science of poisons. 4th ed. New York, NY: Pergamon Press, 108.
- *Amoore JE, Hautala E. 1983. Odor as an aid to chemical safety: Odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. J Appl Toxico1 3:272-290.
- *Andersen ME, Krishnan K. 1994. Relating in vitro to *in vivo* exposures with physiologically-based tissue dosimetry and tissue response models. In: Salem H, ed. Animal test alternatives. Aberdeen Proving Ground, Maryland: U.S. Army Chemical Research Development and Engineering Center.
- *Andersen ME, Clewell HJ,III, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. Toxicol Appl Pharmacol 87: 185-205.
- *Atkinson R. 1985. Kinetics and mechanisms of the gas-phase reactions of hydroxyl radical with organic compounds under atmospheric conditions. Chem Rev 85:69-201.
- *ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles. Agency for Toxic Substances and Disease Registry, Division of Toxicology, Atlanta, GA.
- *ATSDR. 199 1. Health assessment for Beacon Heights Landfill Site, Beacon Falls, Connecticut, Region 1. Cerclis No. CTD072122062. Addendum. Agency for Toxic Substances and Disease Registry.PB91205666.

^{*}Cited in text

*ATSDIUCDC. 1990. Subcommittee report on biological indicators of organ damage. Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention, Atlanta, GA.

- *Baek NH, Jaffe PR, Shingal N. 1990. Simulating the degradation of TCE under methanogenesis. J Environ Sci Health A25:987-1005.
- *Balasubramanian D, Wetlaufer DB. 1966. Reversible alteration of the structure of globular proteins by anesthetic agents. Proc Nat1 Acad Sci USA 55:762-765.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. U.S. Environmental Protection Agency. Regul Toxicol Pharmacol8:47 1-486.
- *Barrio-Lage G, Parsons FZ, Nassar RS, et al. 1986. Sequential dehalogenation of chlorinated ethenes. Environ Sci Technol 20:96-99.
- *Benowitz NL. 1992. Hazardous materials toxicity: Clinical principles of environmental health. In: Sullivan JB, Krieger GR, eds. Cardiac toxicity. Baltimore, MD: Williams & Wilkins, 168178.
- *Bircher AJ, Hampl K, Hirsbrunner P, et al. 1994. Allergic contact dermatitis from ethyl chloride and sensitization to dichlorodifluoromethane. Contact Dermatitis 31:41-44.
- *Bos SD, Buys GA. 1994. Treatment of priapism with ethyl chloride spray after failed intracavernous injection with adrenaline. Br J Urol 74:677-678.
- *Bourne TM, deMelo AE, Bastianpillai BA, et al. 1997. A survey of how British obstetric anaesthetists test regional anaesthesia before Caesarean section. Anaesthesia 52:896-913.
- *Bronstein AC, Currance PL. 1988. Emergency care for hazardous materials exposure. St. Louis, MO: The C.V. Mosby Company, 143-144.
- *Brown BR Jr. 1972. Office management of common musculoskeletal pain syndromes. Am Fam Physician 6:92-98.
- *Bucher JR Morgan DL, Adkins B Jr, et al. 1995. Early changes in sex hormones are not evident in mice exposed to ;he uterine carcinogens chloroethane or bromoethane. Toxicol Appl Pharmacol 130: 169-173.
- *Budavari S, O'Neil MJ, Smith A, et al., eds. 1989. The Merck Index: An encyclopedia of chemicals, drugs, and biologicals. Eleventh edition. Rahway, NJ: Merck & Co., Inc., 597.
- *Bush OF, Bittenbender G, Adriani J. 1952. Electrocardiographic changes during ethyl chloride and vinyl ether anesthesia in the dog and man. Anesthesiology 13: 197-202.
- *Bysshe SE. 1982. Bioconcentration factors in aquatic organisms. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. Handbook of chemical property estimation methods. New York: McGraw-Hill Book Co., Chapter 5.
- *Callahan MA, Slimak MW, Gavel NW, et al. 1979. Water-related environmental fate of 129 priority pollutants. Vol. II. EPA-440/4-79-029B. U.S. EPA Office of Water Planning and Standards, Washington, DC, 42-1 to 42-49.

*Cavadas PC. 1996. In viva vascular freezing in clinical microvascular transfer. Microsurgery 17: 121-2.

- *Chang HL, Alvarez-Cohen L. 1996. Biodegradation of individual and multiple chlorinated aliphatic hydrocarbons by methane-oxidizing cultures. Appl Environ Microbial 62:337 1-3377.
- C&EN. 1988. Production by the U.S. chemical industry. Chemical and Engineering News, June 20, 1988, 40.
- *Clewell HJ, III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. Toxico1 IndHealth 1:111-113.
- *Cline PV, Viste DR. 1985. Migration and degradation patterns of volatile organic compounds. Waste Management Research 3:35 I-360.
- *CMR. 1982. Chemical profile: Ethyl chloride. Chemical Marketing Reporter. August 2, 1982.
- *Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the Nationwide Urban Runoff Program. J Water Pollut Control Fed 56:898-908. *Cole WH. 1956. Ethyl chloride as a gaseous anesthetic. Anesthesia 11:156-159.
- *Cole WH. 1967. A re-evaluation of the pharmacology of ethyl chloride. Med J Aust 1:853-855.
- *Cox RD. 1983. Sample collection and analytical techniques for volatile organics in air. Special Conference on Measurement and Monitoring of Non-Criteria (Toxic) Contamination in Air, Knickerbocker Hotel, Chicago, IL, March 22-24, 1983. Chicago, IL: Air Pollution Conrol Association, 10l-112.
- *CRIS/USDA. 1998. Current Research Information System/United States Department of Agriculture. Beltsville, MD. May 13, 1998.
- *CRISP. 1996. Computer Retrieval of Information on Science Projects. National Library of Medicine, National Institutes of Health, Bethesda, MD.
- *CT DEP. 1998. Hazardous limiting values for hazardous air pollutants, Connecticut Department of Environmental Protection, Bureau of Air Management. 22a-174-29.
- *Daubert TE, Danner RP. 1985. Data compilation tables of properties of pure compounds. Design Institute for Physical Property Data. American Institute of Chemical Engineers, New York, NY.
- *Davidson BM. 1925. Studies of intoxication: V. The action of ethyl chloride. J Pharmacol Exp Ther 26137-42.
- *Dawkins CJM. 1964. Safety of vinyl ether. Br Med J 2:538.
- *DHHS. 1994. Seventh annual report on carcinogens: Summary 1994. U.S. Department of Health and Human Services, National Institute of Environmental Health Sciences, Research Triangle Park, NC.

*Dobkin AB, Byles PH. 197 1. The pharmacodynamics of divinyl ether, ethylchloride, fluroxene, nitrous oxide and trichloroethylene. In: Soma LR ed. Textbook of veterinary anesthesia. Baltimore, MD: Williams & Wilkins, 94-104.

- *Doring HJ. 1975. Reversible and irreversible forms of contractile failure caused by disturbances by general anesthetics in myocardia.! ATP utilization. Recent Adv Stud Cardiac Struct Metab 5:395-403.
- *Driscoll JN, Duffy M, Pappas S, et al. 1987. Analysis of purgeable organics in water by capillary GC/PIDEICD. J Chromatogr Sci 25:369-375.
- *Ebert R, Fedtke N, Certa H, et al. 1994. Genotoxicity studies with chloroethane. Mutat Res 322:33-44
- *Ehrmann, EH. 1977. Pulp testers and pulp testing with particular reference to the use of dry ice. Aust Dent J 22:272-279.
- *EPA. 1975. Preliminary assessment of suspected carcinogens in drinking water. Interim report to Congress, June, 1975. U.S. Environmental Protection Agency, Office of Toxic Substances, Washington, DC., 9.
- EPA. 1979. Chloroethane. In: Water-related environmental fate of 129 priority pollutants. Volume II: Halogenated aliphatic hydrocarbons, halogenated ethers, monocyclic aromatics, phthalate esters, polycyclic aromatic hydrocarbons, nitrosamines, and miscellaneous compounds. U.S. Environmental Protection Agency, Office of Water Planning and Standards, Washington, DC. EPA-440/4-79-029B.
- *EPA. 1981. Treatability manual. Vol. 1. Treatability Data Revised Sept. 198 1. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC. 600/2-82-OOla. 1.12.5-1 to 1.12.5-4.
- *EPA. 1982a. Test methods: Methods for organic chemical analysis of municipal and industrial wastewater. Purgeable halocarbon method 601 and EPA No. 60014-82-057. U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, Cincinnati, OH. 601-2 to 601 10; 624-1 to 624-12.
- *EPA. 1982b. Test methods for evaluating solid waste. Physical/chemical methods (SW-846). 2nd ed. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington, DC. 1-1 4.
- *EPA. 1985. Regulations of fuel and fuel additives, gasoline lead content. U.S. Environmental Protection Agency. Federal Register 50:9386-9399.
- *EPA. 1986a. Superfund record of decisions (EPA Region 3): Tybouts Corner Landfill, New Castle County, Delaware, March 1986. Report. US. Environmental Protection Agency, Washington, DC. EPA/ROD/R03-86-019.
- *EPA 1986b. Methods for the determination of organic compounds in finished drinking water and raw source water. Method Nos 502.1, 524.1 and 524.2. U.S. Environmental Protection Agency, Physical and Chemical Methods Branch, Environ Monitoring and Support Lab, Cincinnati, OH.
- *EPA. 1986c. Test methods for evaluating solid waste. Vol. 1B. Laboratory manual: Physical/chemical methods. 3rd ed., SW-846. Method No. 8010. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington, DC. 8010-1 to 8010-13.

*EPA. 1987. Superfund record of decision (EPA Region 3): Blosenski Landfill, West Cain Township, Chester County, Pennsylvania, September 1986. Report. U.S. Environmental Protection Agency, Washington, DC. EPA/RODIR03-86/029. 1-34.

- *EPA. 1988a. Analysis of Clean Water Act effluent guidelines pollutants. Summary of the chemicals regulated by industrial point source category. 40 CFR Parts 400-475. Draft. Prepared by the Industrial Technology Division (WH 552), Office of Water Regulations and Standards, Office of Water, U.S. Environmental Protection Agency, Washington, DC.
- EPA. 1988b. Summary of emissions associated with sources of ethyl chloride. U.S. Environmental Protection Agency, Chemical and Petroleum Branch, Emissions Standards Div., Office of Air Quality Planning and Standards. Research Triangle Park, NC. EPA 450/3-88-005.
- *EPA. 1990. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency. EPA-600/8-90/066A.
- *EPA. 1998a. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 116.4.
- *EPA. 1998b. Designation, reportable quantities, and notification. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 302.4.
- *EPA. 1998c. Toxic chemical release reportin g: Community right-to-know. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 372.
- *EPA. 1998d. Methods for organic chemical analysis of municipal and industrial wastewater, method 601. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 136 Appendix A.
- *EPA. 1998e. Methods for organic chemical analysis of municipal and industrial wastewater, method 624 U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 136 Appendix A.
- *EPA. 1998f. Drinking water regulations and health advisories. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- *Eškinja M, Lamprecht G, Scherer G, et al. 1997. Assay of S-ethyl-N-acetyl-1-cysteine in urine by high-performance liquid chromatography using post-column reaction detection. J Chromatogr B 704: 159- 165.
- *FEDRIP. 1998. Federal Research in Progress. National Technical Information Service, Springfield, VA. May 13, 1998.
- *Fedtke N, Certa H, Ebert R, et al. 1994a. Species differences in the biotransformation of ethyl chloride: I.Cytochrome P450-dependent metabolism. Arch Toxicol 68: 158-1 66.
- *Fedtke N, Certa H, Ebert R, et al. 1994b. Species differences in the biotransformation of ethyl chloride: II. GSH-dependent metabolism. Arch Toxicol 68:217-223.
- *Ferrario JB, Lawler GC, Deleon IR, et al. 1985. Volatile organic pollutants in biota and sediments of Lake Pontchartrain. Bull Environ Contam Toxicol 34:246-255.

- *Fidler AT, Baker EL, Letz RE. 1987. Estimation of long term exposure to mixed solvents from questionnaire data: A tool for epidemiological investigations. Br J Ind Med 44: 133-141.
- *Finer B. 1966. Divinyl ether and ethyl chloride for outpatients. Acta Anaesthesiol Scand 25:410-412.
- *Fiserova-Bergerova V, Pierce JT, Droz PO. 1990. Dermal absorption potential of industrial chemicals: Criteria for skin notation. Am J Ind Med 17:6 17-635.
- *Fisher EM, Koshland CP. 1990. Numerical simulation of the thermal destruction of some chlorinated C₁ and C₂ hydrocarbons. J Air Waste Manage Assoc 40: 1384-1390.
- *Foman SJ. 1966. Body composition of the infant. Part I: The male reference infant. In: Falkner F, ed. Human development. Philadelphia, PA: WB Saunders, 239-246.
- *Fornan SJ, Haschke F, Ziegler EE, Nelson SE. 1982. Body composition of reference children from birth to age 10 years. Am J Clin Nutr 35:1169-1175.
- *Gargas ML, Burgess RJ, Voisard DE, et al. 1989. Partition coefficients of low-molecular weight volatile chemicals in various liquids and tissues. Toxicol Appl Pharmacol 98:87-99.
- *Gargas ML, Clewell HJ III, Andersen ME. II 990. Gas uptake inhalation techniques and the rates of metabolism of chloromethanes, chloroethanes, and chloroethylenes in the rat. Inhal Toxicol 2:295-319.
- *Gohlke R, Schmidt P. 1972. [Subacute action of low concentrations of chlorinated ethanes on rats with and without additional ethanol-treatment. II. Histological, histochemical and morphometrical studies.] Int Arch Arbeitsmed 30:298-3 12. (German)
- *Goodman ES, Gilman A. 1993. The pharmacological basis of therapeutics. 8th ed. New York, NY: McGraw-Hill, Inc., Health Professions Division, 28 1.
- *Gossett JM. 1987. Measurement of Henry's Law constants for C, and Cz chlorinated hydrocarbons. Environ Sci Technol21:202-208.
- *Gould JP, Ramsey RE, Giabbai M, et al. 1983. Formation of volatile haloorganic compounds in the chlorination of municipal landfill leachates. Water Chlorin Environ Impact Health Eff 4:525-539.
- *Graedel TE, Hawkins DT, Claxton LD. 1986. Atmospheric chemical compounds sources, occurrence and bioassay. New York: Academic Press, 461.
- *Grimsrud EP, Rasmussen RA. 1975. Survey and analysis of halocarbons in the atmosphere by gas chromatography-mass spectrometry. Atmos Environ 9:1014- 1017.
- *Guzelian PS, Henry CJ, Olin SS. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences Institute Press.
- *Haddad LM, Winchester JF. 1990. Clinical management of poisoning and drug overdose, 2nd ed. Philadelphia, PA: W.B. Saunders Company, 1174-1 177.

*Haid B, White JM, Morris LE. 1954. Observations of cardiac rhythm during ethyl chloride anesthesia in the dog. Curr Res Anesth Analg 33:3 1 S-325.

- *Haider K. 1980. Degradation of chlorinated aliphatic and aromatic compounds by aerobic and anaerobic soil microorganisms. In: Comm Eur Communities (REP) Eur 1980 Eur 6388, Environmental Research Programme, 200-204.
- *Hansch C, Leo AJ. 1985. Medchem Project Issue No. 26. Claremont, CA: Pomona College.
- *Hauser TR, Bromberg SM. 1982. EPA monitoring program at Love Canal 1980. Environ Monit Assess 2:249-271.
- *HazDat. 1996. Hazardous substances database. Agency for Toxic Substance and Disease Registry (ATSDR), Atlanta, GA.
- *HazDat. 1998. Hazardous substances database. Agency for Toxic Substance and Disease Registry (ATSDR), Atlanta, GA.
- *Hersh R. 199 1. Abuse of ethyl chloride [letter]. Am J Psychiatry 148:270-27 1.
- *Hes JP, Cohn DF, Streifler M. 1979. Ethyl chloride sniffing and cerebellar dysfunction (case report). Isr Ann Psychiatr Relat Discip 17: 122- 125.
- *Hiatt MH. 1983. Determination of volatile organic compounds in fish samples by vacuum distillation and fused silica capillary gas chromatography/mass spectrometry. Anal Chem 55:506-5 16.
- *Hollinger C, Schraa G, Stupperich E, et al. 1992. Evidence for the involvement of corrinoids and factor F_{430} in the reductive dechlorination of 1,2-dichloroethane by *Methanosarcina barkeri*. J Bacterial 174:4427-4434.
- *Horvath AL. 1982. Halogenated hydrocarbons solubility-miscibility with water. New York: Marcel Dekker, Inc., 494-495.
- *Howard CJ, Evenson KM. 1976. Rate constants for the reactions of OH with ethane and some halogen substituted ethanes at 296K. J Chem Phys 64:4303-4306.
- *HSDB. 1997. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD. May 11, 1998.
- *Hubrich C, Stuhl F. 1980. The ultraviolet absorption of some halogenated methanes and ethanes of atmospheric interest. J Photochem 12:93-107.
- *IARC. 1991. IARC monographs volume 52. Lyons, France: World Health Organization, International Agency for Research on Cancer. 3 15-335.
- *ID DHW. 1998. Pollution control rules for control of air pollution in Idaho. Idaho Department of Health and Welfare, Division of Environmental Quality. Title 01, Chapter 01.585.

*IRIS. 1997. Integrated Risk Information System. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH. May 11, 1998.

- *Jaffe HH, Orchin M. 1962. Theory and application of ultraviolet spectroscopy, New York: John Wiley and Sons, Inc., 173-174.
- *Jeffers PM, Wolfe NL. 1996. Homogeneous hydrolysis rate constants-Part II: Additions, corrections, and halogen effects. Environ Toxicol Chem 15: 1066- 1070.
- *Johanson CE. 1980. Permeability and vascularity of the developing brain: cerebellum vs cerebral cortex. Brain Res 190:3- 16.
- *Kenig EE. 1956. [Changes in the peripheral nervous system through the effects of ethyl chloride.] [Abstract]. Biological Abstracts 35: 188 II. (German)
- *Kobayashi H, Rittmann BE. 1982. Microbial removal of hazardous organic compounds. Environ Sd Technol 16: 170a-183a.
- *Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human liver. Biochemistry 29:4430-4433.
- *Konietzko H. 1984. Chlorinated ethanes: Sources, distribution, environmental impact and health effects. Hazard Assessment of Chemicals 3:401-448.
- *Kriechbaumer N, Hemmer W, Focke M, et al. 1998. Sensitization to ethyl chloride in a handball player. Contact Dermatitis 38:227-228.
- *Krishnan K, Andersen ME. 1994. Physiologically-based pharmacokinetic modeling in toxicology. In: Hayes W, ed. Principles and methods of toxicology. 3rd edition, New York, NY: Raven Press, Ltd.
- *Krishnan K, Andersen ME, Clewell HJ, III, et al. 1994. Physiologically-based pharmacokinetic modeling of chemical mixtures. In: Yang RSA, ed. Toxicology of chemical mixtures, New York, NY: Academic Press.
- *Kuschinsky G. 1970. [Death caused by general anesthesia with ethyl chloride.] Dtsch Med Wochenschr 95:2499. (German)
- *Lamartiniere CA. 198 I. The hypothalamic-hypophyseal-gonadal regulation of hepatic glutathione Stransferases in the rat. Biochem J 198:21 l-217.
- *Lamartiniere CA, Lucier GW. 1983. Endocrine regulation of xenobiotic conjugation enzymes. Basic Life Sci 24:295-3 12.
- *Landry TD, Ayres JA, Johnson KA, et al. 1982. Ethyl chloride: A two-week inhalation toxicity study and effects on liver non-prc?in sulfhydryl concentrations. Fundam Appl Toxicol 2:230-234.
- *Landry TD, Johnson KA, Momany-Pfruender JJ, et al. 1987. Ethyl chloride: 11 -day continuous exposure inhalation toxicity study in B6C3Fl mice. The Dow Chemical Company, Midland, MI. NTIS no.OTS05 17040. Doc # 86-870002250.

*Landry TD, Johnson KA, Phillips JE, et al. 1989. Ethyl chloride (EtCl): 1 l-day continuous exposure inhalation toxicity study in B6C3Fl mice. Fundam Appl Toxicol 135 16-522.

- *Langmoen IA, Larsen M, Berg-Johnsen J. 1995. Volatile anaesthetics: Cellular mechanisms of action. Eur J Anaesthesiol 125 1-59.
- *Laughton PM, Robertson RE. 1959. Solvolysis in hydrogen and deuterium oxide. Can J Chem 37:1491-1497.
- *Lawson JIM. 1965. Ethyl chloride. Brit J Anaesth 37:667-670.
- *Lazarew NW. 1929. [Concerning the strength of the narcotic effects of the vapors of the chlorine derivatives of the methanes, ethanes and ethylenes.] Arch Exp Path01 Pharmakol 141: 19-24. (German)
- *Leeder JS, Kearns, GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. Ped Clin North America 44:55-77.
- *Lehmann KB, Flury F. 1943. Toxicology and hygiene of industrial solvents. Baltimore, MD: William and Wilkins Co. 154- 157.
- *Leung H. 1993. Physiologically-based pharmacokinetic modeling. In: Ballantyne B, Marrs T, Turner P,eds. General and applied toxicology. Vol. I. New York, NY: Stockton Press, 153-I 64.
- *Lide DR, Frederikse HPR, eds. 1993. CRC handbook of chemistry and physics. 74th ed. Boca Raton, FL:CRC Press.
- *Liepins R, Mixon F, Hudak C, et al. 1977. Industrial process profiles for environmental use: Chapter 6. The industrial organic chemical industry. U.S. EPA, Research Triangle Park, NC. EPA 600/2-77-023f. NTIS PB28 1478. 6-303 to 6-308.
- *Lopez-Avila V, Heath N, Hu A. 1987. Determination of purgeable halocarbons and aromatics by photoionization and Hall electrolytic conductivity detectors connected in series. J Chromatogr Sci 25:356-363.
- *Lyman WJ. 1982. Adsorption coefficient for soils and sediments. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. Handbook of chemical property estimation methods. New York: McGraw-Hill Book Co., 4-l to 5-29.
- *Mabey W, Mill T. 1978. Critical review of hydrolysis of organic compounds in water under environmental conditions. J Phys Chem Ref Data 7:383-415.
- *Mabey WR, Smith JH, Pod011 RT, et al. 198 1. Aquatic fate process data for organic priority pollutants. U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, DC. EPA-440/4-81-014. 14 l-142.
- *Marbach JJ. 1996. Temporomandibular pain and dysfunction syndrome: History, physical examination, and treatment. Rheum Dis Clin North Am 22:477-98.

*McLean S, Robinson J, Starmer GA, et al. 1967. The influence of anaesthetic agents on the formation of methaemoglobin induced by aniline in cats. J Pharm Pharmac 19:803-809.

- *Michael LC, Erickson MD, Parks SP, et al. 1980. Volatile environmental pollutants in biological matrices with a headspace purge technique. Anal Chem 52: 1836-1841.
- *Millnan AH, Story DL, Riccio ES, et al. 1988. Rat liver foci and *in vitro* assays to detect initiating and promoting effects of chlorinated ethanes and ethylenes. Ann NY Acad Sci 53452 1-530.
- *Mitre Corp. 1987. National Priority List Technical Data Base (& Base III Version). April, 1987. McLean, VA: Mitre Corp., Table 4.
- *Morgan A, Black A, Belcher DR. 1970. The excretion in breath of some aliphatic halogenated hydrocarbons following administration by inhalation. Ann Occup Hyg 13:219-233.
- *Morris LE, Noltensmeyer MH, White JM. 1953. Epinephrine induced cardiac irregularities in the dog during anesthesia with trichloroethylene, cyclopropane, ethyl chloride and chloroform. Anesthesiology 14:153-158.
- *Morris TE, Tasto WD. 1979. Ethyl chloride. In: Grayson M, Eckroth D, eds. Kirk-Othmer encyclopedia of chemical technology. 3rd ed. Vol. 5. New York, NY: John Wiley and Sons, 714-722.
- *Morsehi PL, France-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants. Clin Pharmacokin 5:485-527.
- *Mosesman NH, Sidisky LM, Corman SD. 1987. Factors influencing capillary analysis of volatile pollutants. J Chromatogr Sci 25:35 1-355.
- *Myers VB 1983. Remedial activity at the Miami Drum Site, Florida. In: National Conference Management of Uncontrolled Hazardous Waste Sites, October 3 1 -November 2, 1983. Silver Spring, MD: Hazardous Materials Control Research Institute, 354-357.
- *NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- *NATICH. 1994. National Air Toxics Information Clearinghouse: Data base report on acceptable ambient air concentration guidelines/standards concentrations, units, and averaging times report. US Environmental Protection Agency, Office of Air Quality Planning and Standards, Washington, DC.
- *Naylor LM, Loehr RC. 1982. Priority pollutants in municipal sewage sludge. Biocycle 23: 18-22.
- *Nielsen AJ. 1980. Precautions about ethyl chloride [letter]. Phys Ther 60:474-475.
- *NH SDES. 1998. Table containing the list naming all regulated toxic air pollutants. New Hampshire State Department of Environmental Services, Air Resources Division. Chapter Env-A 1400, Part Env-A 1450.01.
- *NIOSH. 199 1. National Occupational Exposure Survey. U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Cincinnati, OH.

NIOSH. 1992. Recommendations for occupational safety and health. U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Cincinnati, OH. NIOSH publication no. 92-100.

- *NIOSH. 1994. NIOSH manual of analytical methods. 4th ed., NIOSH Publication No. 94-1 13, Method No. 2519. U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Cincinnati, OH.
- NIOSH. 1997. NIOSH pocket guide to chemical hazards. U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Cincinnati, OH. NIOSH publication no. 94-1 16. 134-1 35.
- *Noble DA. 1979. Another hazard of pierced ears [letter]. Br Med J 1: 125.
- *Nordin C, Rosenqvist M, Hollstedt C. 1988. Sniffing of ethyl chloride An uncommon form of abuse with serious mental and neurological symptoms. Int J Addict 23:623-627.
- *NRC. 1993. Pesticides in the diets of infants and children. National Research Council, Washington DC: National Academy Press.
- *NTDB. 1996. National Trade Data Bank: The export connection. U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC. (CD-ROM).
- *NTP. 1989. Toxicology and carcinogenesis studies of chloroethane (ethyl chloride) (CAS No. 75-00-3) in F344/N rats and B6C3Fl mice (inhalation studies). National Toxicology Program. Research Triangle Park, NC. NTP Technical Report Series No. 346. NTIS No. PB90-225053.
- *OHM/TADS. 1998. Oil and Hazardous Materials Technical Assistance Data System. U.S. EPA-NIH (National Institute of Health). May 12, 1998.
- *Oliver KD, Adams JR, Daughtrey EH Jr, et al. 1996. Technique for monitoring toxic VOCs in air: Sorbent preconcentration, closed-cycle cooler cryofocusing, and GC/MS analysis. Environ Sci Technol 30: 1939-1 945.
- *OSHA. 1998. U.S. Department of Labor, Occupational Safety and Health Administration. Code of Federal Regulations 29 CFR 19 10.1000.
- *OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Office of Technology Assessment, Washington, DC. OTA-BA-438.
- *Otson R. 1987. Purgeable organics in Great Lakes raw and treated water. Int J Environ Anal Chem 31:41-53.
- *Otson R, Chan C. 1987. Sample handling and analysis for 5 1 volatile organics by an adapted purge and trap GC-MS technique. Int J Environ Anal Chem 30:275-287.
- *Ott RL. 1969. Local anesthesia in the dog. Fed Proc 28:1450-1455.

*Oura E, Raiha NC, Suomalaimen H. 1966. Influence of some alcohols and narcotics on the adenosine phosphates in the liver of the mouse. Ann Med Exp Biol Fenn 45:57-62.

- *Owen GM, Brozek J. 1966. Influence of age, sex, and nutrition on body composition during childhood and adolescence. In: Falkner, ed. Human development. Philadelphia, PA: Saunders, 222-238.
- *Pankow JF, Rosen ME. 1988. Determination of volatile compounds in water by purging directly to a capillary column with whole column cryotrapping. Environ Sci Technol22:398-405.
- *Parker JC, Casey GE, Bahlman LJ, et al. 1979. Chloroethanes: Review of toxicity. NIOSH Current Intelligence Bulletin #27. Am Ind Hyg Assoc J 40:46-60.
- *Pellizzari ED, Erickson MD, Zweidinger RA. 1979. Analytical protocols for making a preliminary assessment of halogenated organic compounds in man and environmental media. EPA Report No, 560/13-79-010. NTIS PB 80109168. 115-137.
- *Pellizzari ED, Hartwell TD, Harris BSH, et al. 1982. Purgeable organic compounds in mother's milk. Bull Environ Contam Toxicol 28:322-328.
- *Pellizzari ED, Perrith K, Hartwell TD, Michael LC, et al. 1987. The Total Exposure Assessment Methodology (TEAM) Study. Vol. II. Part I. EPA Report No. 600/6-87/002b, EPA, Office of Research and Development, Washington, DC. 145-153.
- *Perry DL, Chuang CC, Jungclaus GA, et al. 1979. Identification of organic compounds in industrial effluent discharges. USEPA Office of Research and Development. Athens, GA: EPA-600/4-79-016. NTIS PB-294794. 40-41; 43.
- *Rasche ME, Hicks RE, Ilyman MR, et al. 1990. Oxidation of monohalogenated ethanes and n-chlorinated alkanes by whole cells of *Nitrosomonas europaea*. J Bacterial 172:5368-5373.
- *RTECS. 1998. Registry of Toxic Effects of Chemical Substances. National Technical Information Service (NTIS), US. Department of Commerce, Springfield, VA. May 11, 1998.
- *Sahel GV, Clark TP. 1984. Volatile organic compounds as indicators of municipal solid waste leachate contamination. Waste Management and Research 2: 119-130.
- *Sayers RR, Yant WP, Thomas BG, et al. 1929. Physiological response attending exposure to vapors of methyl bromide, methyl chloride, ethyl bromide and ethyl chloride. U.S. Public Health Bull No. 185: I-56.
- *SC DHEC. 1998. Air pollution control standards, Toxic air pollutants. South Carolina Department of Health and Environmental Control, Bureau of Air Quality. 62.5, Standard No. 8.
- *Schmidt P, Binnewies S, Gohlike R, et al. 1972. [Subacute action of low concentrations of chlorinatedethanes on rats with and without additional ethanol treatment. I. Subacute and chronic toxicity studies with 1, I, 2,2-tetrachloroethane.] Int Arch Arbeitsmed 38:283-298. (German)
- *Scortichini BH, Johnson KA, Momany-Pfruenderd JJ, et al. 1986. Ethyl chloride: Inhalation teratology study in CF-1 mice. Dow Chemical Company, Mammalian and Environmental Toxicology Research Laboratory, Health and Environmental Sciences, Midland, MI. NTIS no. OTS0001135.

*Selby IR, Bowles BJM. 1995. Analgesia for venous cannulation: A comparison of EMLA (5 minute application), lignocaine, ethyl chloride, and nothing. J R Sot Med 88:264-267.

- *Setchell BP, Waites GMH. 1975. The blood testis barrier. In: Creep RO, Astwood EB, Greiger SR, eds. Handbook of physiology: Endocrinology V. Washington, DC: American Physiological Society.
- *Shepson PB, Kleindiemst TE, Mcelhoe HB. 1987. A cryogenic trap/porous polymer sampling technique for the quantitative determination of ambient volatile organic compound concentrations. Atmos Environ 2 1:579-587.
- *Singh HB, Salas LJ, Smith A, et al. 1981. Atmospheric measurements of selected hazardous organic chemicals. NTIS No. PB81-200628.
- *Singh HB Salas LJ, Stiles RE. 1983. Selected man-made halogenated chemicals in the air and oceanic envirbonment. J Geophys Res [Sect] C 88:3675-3683.
- *Staples CA, Werner A, Hoogheem T. 1985. Assessment of priority pollutant concentrations in the United States using STORET database. Environ Toxicol Chem 4: 13 1-1 42.
- *Stutz DR, Ulin S. 1992. Hazardous materials injuries. Beltsville, MD: Bradford Communications Corporation, 286-287.
- *Swann RL, Laskowski DA, McCall PJ, et al. 1983. A rapid method for the estimation of the environmental parameters octanol/water partition coefficient, soil sorption constant, water to air ratio and water solubility. Res Rev 85: 17-28.
- *Tabak HH, Quave SA. Mashni CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds. J Water Pollut Control Fed 53:1503-1 5 18.
- Takano T, Miyazaki Y. 1982. Effect of chlorinated ethanes and ethylenes on electron transport in rat liver mitochondria. J Toxicol Sci 7: 143- 149.
- *Tennant RW, Ashby J. 1991. Classification according to chemical structure, mutagenicity to *Salmonella* and level of carcinogenicity of a further 39 chemicals tested for carcinogenicity by the U.S. National Toxicology Program. Mutat Res 257:209-227.
- *Thomas R. 1982. Volatilization from water. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. Handbook of chemical property estimation methods. New York: McGraw Hill Book Co., Chapter 15.
- *Torkelson TR, Rowe VK. 198 1. Ethyl chloride. In: Clayton GD and Clayton FE, eds. Patty's industrial hygiene and toxicology Vol2B. 3rd ed. New York: John Wiley and Sons, Inc., 3480-3483.
- *TRI96. 1998. Toxics Release Inventory for 1996. U.S. Environmental Protection Agency, Office of Toxic Substances, Washington, DC.
- *Troshina MM. 1966. [Some materials for substantiation of the maximum admissible concentration of ethyl chloride in the air of work places.] Gig Tr Prof Zabol 10:37-42. (Russian)

*Tu AS, Murray TA, Hatch KM, et al. 1985. In vitro transformation of BALB/c-3T3 cells by chlorinated ethanes and ethylenes. Cancer Lett 28:85-92.

- USITC. 1984. United States International Trade Commission. Synthetic organic chemicals United States production and sales, 11983. USITC Publication 1588. Washington, DC: USITC, 259.
- USITC. 1985. United States International Trade Commission. Synthetic organic chemicals United Statesproduction and sales, 11984. USITC Publication 1745. Washington, DC: USITC, 258.
- USITC. 1986. United States International Trade Commission. Synthetic organic chemicals United States production and sales, 11985. USITC Publication 1892. Washington, DC: USITC, 268.
- USITC. 1987. United States International Trade Commission. Synthetic organic chemicals United States production and sales, 11986. USITC Publication 2009. Washington, DC: USITC, 2 12-213.
- *Van Dyke RA, Wineman CG. 197 1. Enzymatic dechlorination: Dechlorination of chloroethanes and propanes *in vitro*. Biochem Pharmacol20:463-470.
- *Van Ketel WG. 1976. Allergic contact dermatitis from propellants in deodorant sprays in combination with allergy to ethyl chloride. Contact Dermatitis 2: 115-l 19.
- *Van Liere EJ, Mazzocco TR, Northup DW. 1966. The effect of cyclopropane, trichloroethylene and ethyl chloride on the uterus of the dog. Am J Obstet Gynecol994:861-867.
- *Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2El in the human liver: Hypermethylation control of gene expression during the neonatal period. Eur J Biochem 238:476-483.
- *Vogel TM, McCarty PL. metcanogenic conditions.1987. Abiotic and biotic transformations of 1,1,1-trichloroethane under Environ Sci Technol 21: 1208-1213.
- *Vogt WG Walsh JJ. 1985. Volatile organic compounds in gases from landfill simulators. Proc Air Pollttion Control Association Annu Meet 78:2-17.
- *WA DE. 1998. Toxic air pollutants and acceptable source impact levels. Washington Department of Ecology. WAC 173-460-1 60.
- *Walker JS, Soult TA. 1993. Ethyl chloride intoxication [letter]. Am J Emerg Med 11:3 13-3 15.
- *Wailer CL, Evans MV, McKinney JD. 1996. Modeling the cytochrome P450-mediated metabolism of chlorinated volatile organic compounds. Drug Metab Dispos 24:203-210.
- *Washington JW. 1996. Gas partitioning of dissolved volatile organic compounds in the vadose zone: Principles, temperature effects and literature review. Ground Water 34:709-7 18.
- *Watanabe Y. 1983. [Studies on the biologic effects of hydrocarbons (III)-chlorinated hydrocarbons.] Kanagawa-ken Taiki Osen Chosa Kenkyu Hokoku 25: 146- 152. (Japanese)
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. J Ped 32a: 10-18.

*Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. Mineral metabolism: An advanced treatise, volume II, The elements part A. New York, NY: Academic Press.

- *Worrall S, De Jersey J, Wilce PA, et al. 1994. Studies on the usefulness of acetaldehyde-modified proteins and associated antibodies as markers of alcohol abuse. Alcohol Alcohol Suppl2:503-507.
- *Yacoub I, Robinson CA, Simmons GT. 1993. Death attributed to ethyl chloride. J Anal Toxicol 17:384-385.
- *Young DR, Gossett RW, Baird RB, et al. 1983. Wastewater inputs and marine bioaccumulation of priority pollutant organics off southern California. In: Jolley RL, ed. Proceedings of the Fourth Conference on Water Chlorination-Environmental Impacts and Health Effects, October 18-23, 198 1. Ann Arbor, MI: Ann Arbor Science, 87 1-884.
- *Young P, Parker A. 1984. Vapors, odors and toxic gases from landfills. In: Jackson LP, Rohlik AR, Conway RA, eds. Hazardous and Industrial Waste Management and Testing: Third Symposium, March 7-10, 1983. Philadelphia, PA: ASTM Technical Publication, 24-41. ASTM Publication Code Number 04-851000-16.
- *Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. Pediatr Res 12:29-34.