

Glossary

- Accuracy**—The difference between the measured value and the actual or true value. A property of a measurement method and instruments used. Also see **precision**.
- Alpha Angle**—The angle between the horizontal and a line drawn from the highest point of the **crown face** to the toe of the debris. Alpha can be measured for an individual avalanche (α_i). Extreme values of alpha (α_c) can be determined from historical records, tree ring data, or direct observation. Minimum values of alpha (longest runout length) can also be calculated for a specific return period (α_{10} , α_{50} , α_{100}). Also termed the angle of reach.
- Anemometer**—An instrument that measures the pressure exerted by, or the speed of wind.
- Aspect**—The exposure of the terrain as indicated by compass direction of the **fall line**. A slope that faces north has a north aspect.
- Atmospheric Pressure**—The pressure due to the weight of air on the surface of the earth or at a given level in the atmosphere. Also called **barometric pressure**.
- Avalanche, Snow**—A mass of snow sliding, tumbling, or flowing down an inclined surface that may contain rocks, soil, vegetation, or ice.
- Avalanche Danger Scale**—A categorical estimation of the avalanche danger. In the U.S., a five level scale is used for backcountry recreational users. See Appendix G.
- Avalanche Path**—A terrain feature where an avalanche occurs. An avalanche path is composed of a **starting zone**, **track**, and **runout zone**.
- Avalauncher**—A compressed gas delivery system for explosives. Designed for avalanche hazard mitigation.
- Barometer** —An instrument that measures **atmospheric pressure**. Barometers typically express this measure in millibars (mb) or inches of mercury (inHg).
- Barometric Pressure**—The pressure exerted by a column of air on the surface of the earth or at a given level in the atmosphere. Also called **atmospheric pressure**.
- Bed Surface**—The surface over which fracture and subsequent avalanche release occurs. The bed surface is often different than the **running surface** over which the avalanche flows through the track. A bed surface can be either the ground or a snow/ice surface.
- Calibrate**—To ascertain the error in the output of a measurement method by checking it against an accepted standard.
- Caught**—A category of the avalanche toll for an accident. A person is *caught* if they are touched and adversely affected by the avalanche. People performing slope cuts are generally not considered *caught* in the resulting avalanche unless they are carried downhill.
- Collapse**—When fracture of a lower layer causes an upper layer to fall, producing a displacement at the snow surface. The displacement may not always be detectable with the human eye. A collapse in the snowpack often produces a whumpfing sound.
- Completely Buried**—A category of the avalanche toll for an accident. A person is *completely buried* if they are completely beneath the snow surface when the avalanche stops. Clothing or attached equipment is not visible on the surface.
- Concave Slope**—A terrain feature that is rounded inward like the inside of a bowl (i.e. goes from more steep to less steep).

Condensation—The process of a gas being converted to a liquid due to changes in **temperature** and/or **pressure**. Also see definition of **evaporation**.

Convex Slope—A terrain feature that is curved or rounded like the exterior of a sphere or circle (i.e. goes from less steep to more steep).

Cornice—A mass of snow that is deposited by the wind, often overhanging, and usually near a sharp terrain break such as a ridge.

Creep—The time-dependent permanent deformation (**strain**) that occurs under stress. In the snow cover this includes **deformation** due to **settlement** and internal shear.

Crown—The snow that remains on the slope above the **crown face** of an avalanche.

Crown Face—The top fracture surface of a slab avalanche. Usually smooth, clean cut, and angled 90 degrees to the **bed surface**. Also see **fracture line**.

Crystal—A physically homogenous solid in which the internal elements are arranged in a repetitive three-dimensional pattern. Within an ice lattice the internal elements are individual water molecules held together by hydrogen bonds. Usually synonymous with **grain** in snow applications (see definition for **grain**), although the term grain can be used to describe multi-crystal formation.

Danger, Avalanche (to backcountry recreationists)—The potential for avalanches to cause death or injury to backcountry recreationists. Avalanche danger can vary with both time and location.

Debris, Avalanche—The mass of snow and other material that accumulate as a result of an avalanche.

Deformation, Solid—A change in size or shape of a solid body.

Density—A mass of substance per unit volume. The International System of Units (SI) uses kg/m^3 for density.

Deposition, Vapor—The process of a gas being converted directly to a solid due to changes in **temperature** and/or **pressure**. Also see definition for **sublimation**.

Deposition, Wind—The accumulation of snow that has been transported by wind.

Dew Point —The **temperature** at which water vapor begins to condense and deposit as a liquid while the **pressure** is held constant.

Equilibrium Vapor Pressure—The **partial pressure** at which **evaporation** and **condensation** are occurring at the same rate. Also see **saturation vapor pressure**.

Error—The difference between the output of a measurement method and the output of a measurement standard.

Evaporation—Strictly defined as the conversion of mass between liquid and gas phases due to changes in **temperature** and/or **pressure**. Commonly used to describe mass conversion from liquid to gas, with **condensation** describing a phase change in the opposite direction.

Failure—A state of **stress** or **deformation** that meets a specific criterion. Many criteria for failure exist, but the most commonly used criteria for snow are: 1) the point at which shear **stress** in a weak layer equals the shear **strength**, 2) the point at which shear **deformation** increases while the **strength** of the weak layer decreases, 3) sudden excessive plastic **deformation**, 4) during a stability test, the loading step at which the test column **fractures**. Failure is a precursor to **fracture**, but fracture (and slab release) may or may not occur after failure. To avoid confusion, the criterion should always be specified when discussing failure.

Fall line—The natural downhill course between two points on a slope.

Flank—The snow to the sides of a slab avalanche, which remains after the release.

Force—An agent that causes acceleration or deformation of a particular mass. Often expressed by Newton's Second Law, $F = m \times a$, where the force acting on a given object is the product of its mass and its acceleration.

Fracture—The separation or fragmentation of a solid body into two or more parts under the action of **stress**. A discussion of fracture often encompasses two physical processes: crack initiation and crack propagation. Snow fracture can occur at different scales, from the rupture of ice bonds to the fracturing of a weak layer. Fracturing is a prerequisite for slab avalanche release, which occurs when the initial shear fracture, at the weak layer or interface at the **bed surface**, propagates to the **crown face**, **flanks** and **stauchwall**.

Fracture Line—The remaining boundary of a slab after an avalanche has occurred. Also see definitions for **crown face**, **flank** and **stauchwall**.

Full Profile—A complete snow profile observation where **grain** size, **grain** type, interval **temperature**, layer **density** and layer hardness are measured and recorded in addition to **stability** information.

Funicular, Wet Snow Regime—When discontinuous air spaces and continuous volumes of water exist in a snow cover. In a funicular snow cover only water-ice and air-liquid connections exist. It is generally assumed that snow with a liquid water content (by volume) of 8 - 15 % is in the funicular regime. Also see the definition for the **pendular** regime.

Glide—Downhill slip of the entire snowpack along the ground or firm interface.

Grain—The smallest distinguishable ice component in a disaggregated snow cover. Usually synonymous with **crystal** in snow applications. The term grain can be used to describe polycrystal formations when the crystal boundaries are not easily distinguishable with a field microscope.

Hang Fire—Snow adjacent to an existing **fracture line** that remains after avalanche release. Hang fire typically has a similar **aspect** and **incline** to the initial avalanche.

Hard Slab—A snow **slab** having a **density** equal to, or greater than 300 kg/m^3 prior to avalanching.

Hazard—The potential for avalanches to cause death, injury or loss to people, things of value and the environment.

Heat—A form of energy associated with the motion of atoms or molecules that is capable of being transmitted through a solid by conduction, through fluid media by conduction and/or convection and through empty space by radiation.

Humidity—The amount of water vapor contained in air. Also see **relative humidity**.

Hysteresis— 1) The history dependence of physical systems. When the outcome of a physical process depends on the history of the element or the direction of the process. 2) The properties of an instrument that depend on approaching a point on the scale during a full-scale traverse in both directions.

Hysteretic Error—The difference between the upscale reading and downscale reading at any point on the scale obtained during a full-scale traverse. Also see **hysteresis**.

Incline—The steepness of a slope. The acute angle measured from the horizontal to the plane of a slope. Also termed **slope angle**.

Induced Errors—Errors that stem from equipment quality or deviation from a standard measurement technique.

- Inherent Errors**—Errors due to natural variations in the process of measurement and will vary in sign (+/-) and magnitude each time they occur.
- Injured**—A category of the avalanche toll for an accident. A person is considered injured if they require medical treatment after being **caught**, **partially buried-not critical**, **partially buried-critical**, or **completely buried** in an avalanche.
- Isothermal**—The state of equal temperature. In an isothermal snow cover there is no temperature gradient. Seasonal snow covers that are isothermal are typically 0°C.
- Latent Heat**—The quantity of heat absorbed or released by a substance undergoing a change of state, such as ice changing to water or water to steam, at constant **temperature** and **pressure**.
- Layer, Snow**—An element of a snow cover created by a weather, metamorphic, or other event.
- Loose-Snow Avalanche**—An avalanche that releases from a point and spreads downhill entraining snow. Also termed a **point-release avalanche** or a **sluff**.
- Mitigation, Avalanche Hazard**—To moderate the frequency, timing, force, or destructive effect of avalanches on people, property, or the environment through active or passive methods.
- Mixing Ratio**—The ratio of the mass of water vapor to the mass of dry air in a volume of air. The **mixing ratio** is dimensionless, but usually expressed as g/kg.
- Partially Buried—Critical**—A category of the avalanche toll for an accident. A person is *partially buried-critical* if their head is below the snow surface when the avalanche stops but equipment, clothing and/or portions of their body are visible.
- Partially Buried—Not Critical**—A category of the avalanche toll for an accident. A person is *partially buried-not critical* if their head was above the snow surface when the avalanche stops.
- Partial Pressure**—The **pressure** a component of a gaseous mixture would exert if it alone occupied the volume the entire mixture occupies.
- Pendular, Wet Snow Regime**—When continuous air spaces and discontinuous volumes of water exist in a snow cover. In a pendular snow cover: air-ice, water-ice and air-liquid connections exist simultaneously. It is generally assumed that snow with a liquid water content (by volume) of 3 – 8% is in the pendular regime. Also see the definition for the **funicular** regime.
- Point-Release Avalanche**—See **loose snow avalanche** or **sluff**.
- Precipitation Intensity**—A measurement of the water equivalent that accumulated during a defined time period (usually 1 hour).
- Precipitation Rate**—An estimate of the amount of snow and/or rain that accumulated during a defined time period (usually 1 hour).
- Precision**—The level of detail that a measurement method can produce under identical conditions. Precision is a property of a measurement method and a measure of **repeatability**. The precision of a measurement method dictates the degree of discrimination with which a quantity is stated (i.e. a three digit numeral discriminates among 1,000 possibilities). Also see **accuracy**.
- Pressure**—The **force** applied to or distributed over a surface, measured as force per unit area. The International System of Units (SI) uses N/m² or a pascal (Pa) for pressure.
- Relative Humidity**—A dimensionless ratio of the **vapor pressure** to the **saturation vapor pressure**, or the **mixing ratio** to the **saturation mixing ratio**. Relative humidity is reported as percent (i.e. vapor pressure/ saturation vapor pressure x 100 = % relative humidity).
- Remote Trigger**—When an avalanche releases some distance away from the **trigger point**.

- Repeatability**—The difference between consecutive measurements obtained by the same measurement method under the same conditions.
- Resolution**—The smallest interval between two adjacent, discrete measured values that can be distinguished from each other under specified conditions.
- Return Period**—The average time interval between occurrences of an event of given or greater magnitude. Usually expressed in years.
- Risk**—The probability or chance of death, injury or losses, including adverse effects on health, property and the environment. Avalanche risk can be analyzed in terms of the probability of the avalanche, the exposure of the element-at-risk (people, property or environment) and the consequences of the avalanche on the exposed elements.
- Running Surface**—The surface over which an avalanche flows below the **stauchwall**. This surface can extend from the **stauchwall**, through the **track**, and into the **runout zone**. The running surface can be composed of one or more snowpack layers.
- Runout Zone**—The portion of an avalanche path where the avalanche **debris** typically comes to rest due to a decrease in **slope angle**, a natural obstacle, or loss of momentum.
- Saturation Mixing Ratio**—The **mixing ratio** of a parcel of air that is at equilibrium. See definitions of **vapor pressure**, **saturation vapor pressure** and **equilibrium vapor pressure**.
- Saturation Vapor Pressure**—The **partial pressure** of a vapor when **evaporation** and **condensation** are occurring at the same rate over a flat surface of pure substance (i.e. water). The saturation vapor pressure is a special case of the **equilibrium vapor pressure**.
- Sensitivity**—The response of a measurement method to a change in the parameter being measured. The sensitivity of a measurement method is usually expressed as a ratio. Example: For a mercury thermometer the sensitivity equals the change in length of the column of mercury per degree of temperature (m/°C).
- Settling, Settlement**—The slow, internal deformation and densification of snow under the influence of gravity. A component of **creep**.
- SI Units**—Système International d'Unités. An international system of units. See Appendix B.
- Slab**—A cohesive snowpack element consisting of one or more snow **layers**.
- Slab Avalanche**—An avalanche that releases a cohesive **slab** of snow producing a **fracture line**.
- Slope Angle** —The acute angle measured from the horizontal to the plane of a slope.
- Sluff**—A **loose snow avalanche** or **point release avalanche**.
- Snow Profile**—A pit dug vertically into the snowpack where observations of snow cover stratigraphy and characteristics of the individual layers are observed. Also used to describe data collected by this method at an individual site.
- Soft Slab**—A snow **slab** with a **density** less than 300 kg/m³.
- Stability**—1) A property of a system where the effects of an induced disturbance decrease in magnitude and the system returns to its original state. 2) For avalanche forecasting stability is the chance that avalanches do not initiate. Stability is analyzed in space and time relative to a given triggering level or load.
- Starting Zone**—The portion of an **avalanche path** from where the avalanche releases.
- Stauchwall**—The downslope fracture surface of a **slab avalanche**.

- Strain**—The deformation of a physical body under an external **force** represented by a dimensionless ratio (m/m).
- Strength**—1) The ability of a material to resist **strain** or **stress**. 2) The maximum **stress** a snow layer can withstand without failing or fracturing.
- Stress**—The distribution of force over a particular area. Expressed in units of **force** per area (N/m²).
- Study Plot**—A fixed location where atmospheric and snow properties are measured and recorded. Study plot locations are chosen to limit the effects of external influences (i.e. wind, sun, slope angle) and are typically close to level.
- Study Slope**—A fixed, normally inclined location where snow properties and snow **stability** are measured and recorded. Atmospheric fields can also be recorded at a study slope. Study slope locations are chosen in relatively uniform areas, so that snow properties can be monitored over time and extrapolated to **starting zones**.
- Sublimation**—Strictly defined as the conversion of mass between solid and gas phases due to changes in **temperature** and/or **pressure**. Commonly used to describe mass conversion from solid to gas, with **deposition** describing a phase change in the opposite direction.
- Sympathetic Trigger**—When an avalanche triggers another avalanche some distance away. The second avalanche releases due to the disturbance of the first.
- Targeted Site**—A location where a targeted observation is conducted. A targeted site is chosen to investigate parameters of interest to a particular observer at a particular location. Data from targeted sites complements data from **study plots** and **study slopes**.
- Temperature**—Often defined as the condition of a body that determines the transfer of **heat** to or from other bodies. Particularly, it is a manifestation of the average translational kinetic energy of the molecules of a substance due to heat agitation. Also, the degree of hotness or coldness measured on a definite scale.
- Temperature Gradient**—The change in **temperature** over a distance. Expressed in units of degrees per length (i.e. °C/m).
- Test Profile**—A snow profile where selected characteristics of the snowpack are observed and recorded. **Stability** tests are typically conducted in a **test profile**. Also see **full profile**.
- Track**—The portion of an avalanche path that lies below the **starting zone** and above the **runout zone**.
- Trigger**—The mechanism that increases the load on the snowpack, or changes its physical properties to the point that **fracture** and subsequent avalanching occurs.
- Trigger Point**—The area where a **trigger** is applied.
- Vapor Pressure**—The **partial pressure** of a vapor.
- Wind Sensor**—An instrument that measures both wind speed and direction.
- Wind Slab**—A dense layer(s) of snow formed by wind deposition.
- Whumpf** —See **collapse**